

## INDEX

- Acarinina uncinata* Zone, 35, 583, 587, 614  
*Acidnomelos proapteron*, new Radiolaria species, 749  
*Acidnomelos proapteron-A. apteron*, new lineage, Radiolaria, 740  
 Acoustic velocities of sediments  
   Site 366, 32  
   Site 367, 178  
   Site 368, 242  
   Site 369, 334  
   Site 370, 430  
 Aeolian material, sedimentation of, 1054  
 Aeolian origin of quartz, 1050  
 Africa, Miocene volcanism, 1064  
 Agglutinated Forams, Cretaceous, 565  
   stratigraphic distribution of, 565  
   systematic description of, 567  
 Algae, colonial, 1002  
 Alkylation index, 834  
 Ammonite faunas, Tethyan affinities of, 164  
 Ammonitico Rosso facies, 160, 186, 424, 972, 984, 1000, 1131, 1223  
 Amorphous material, Site 366, 1075  
 Ampere Seamount, 1239  
*Amphipyndax enesseffi-A. tylotus*, new Radiolaria lineage, 740  
*Amphipyndax tylotus*, new Radiolaria species, 745  
*Amphipyndax tylotus* Zone, 740  
 Angola Basin, 1002  
 Anomaly M, 1228  
 Anoxic conditions, termination of, 1229  
 Anoxic environments, 1225  
 Antarctic glaciation, 1233  
 Antarctic Bottom Water, initiation of, 234  
 Antarctic Bottom Water (AABW), 983, 984  
 Anticline structure, 9  
 Aptychi, 72, 999, 1000, 1182  
   distribution of at Site 367, 499  
   problems in study of, 499  
   taxonomy of, 501  
 Aragonite compensation depth, 999  
 Argillaceous limestone reddish-brown, age, 999  
   depositional environment of, 993, 999  
   depositional rates, 1000  
   description of, 992, 994  
 Aromatic fraction, 868  
 Ar<sup>40</sup>Ar<sup>39</sup> total fusion technique, 1113  
 Atlantic islands, volcanic uplift of, 991  
 Atlantic Ocean, comparison between Northern and Southern Basins, 1221  
 Atlantic-type continental slope, nature of structural high on, 327  
 Atlas Fold Belt, 1221  
 Authigenic barite, 915  
 Authigenic silicates, 941  
 Azores-Gibraltar tectonic zone, 1239  
 Background and objectives,  
   Site 366, 21  
   Site 367, 163  
   Site 368, 233  
   Site 369, 327  
   Site 370, 421  
 Baked contact, 240  
 Barite, 1128  
   association with organic matter, 915  
   authigenic, 915  
   composition of, 915  
   composition of, 915  
   occurrence in other DSDP cores, 916  
   origin of, 920, 1121  
   replacement by calcite, 915  
   Site 370, 915  
   Site 369, 915  
 Barite rosettes, 428  
 Basal carbonates, Jurassic-Neocomian, 1221  
 Basalt  
   geochronology of, 1113  
   origin of, 991  
   Site 367, 174, 183, 1103, 1107  
   Site 368, 1103, 1113  
   thermal metamorphism of, 991  
   tholeiitic, 1100  
   trachytic, 1103  
   volcanism of, 1061  
 Basalts, Mid-Atlantic Ridge, 1113  
   quenched, 992  
 Basement, North Atlantic, 1221  
*Bekoma bitartensis* Zone, 181, 249, 585, 772, 1184  
   base of defined, 764  
 Belemnite, 1004  
 Benthonic foram, Site 369, 659, 662  
   forams, indications of downslope transport of, 662  
 Benzothiophenes, 869  
 Bermuda Rise, 1007  
 Betic Cordillera, 991  
 Biogenic sediment contributors, 1054  
 Biostratigraphic correlation, Leg 41 holes, 543  
 Biostratigraphic zonation used, Leg 41, 13  
 Biostratigraphy  
   Cretaceous/Tertiary boundary, 1183  
   Miocene, 1184  
   Oligocene, 1184  
   Paleocene, 1184  
   Pliocene, 1184  
   Quaternary, 1185  
   Site 366, 32  
   Site 367, 178  
   Site 368, 242  
   Site 369, 334  
   Site 370, 430  
 Bioturbation, 970, 993  
 Bivalves, 993  
 Black bituminous shale, age, 1004  
   depositional environment, 1002  
   shale, description of, 1002  
 Black shale,  
   environment of deposition, 1227  
   Lower Cretaceous, 1129  
   potential source of petroleum, 824, 866  
   pyrolysis assay of, 865  
   Site 367, 171  
   Site 367, late Aptian-Cenomanian, 187  
 Black shale facies, 1225

- Black shales,
  - analytical methods, organic chemistry, 865
  - humic compounds, 869
  - organic matter in, 1227
- Bottom circulation, Site 366, 42
- Bottom currents, Site 367, 998
- Bottom temperatures, Site 366, 960
- Bottom water stagnation, 1227
- Boudinage structures, 971, 996
- Bryozoa, 179
- Bulk properties of sediments
  - Site 366, 31
  - Site 368, 241
  - Site 369, 333
  - Site 370, 429
- Burrows, 239, 329, 1000
  - Chondrites, 28, 30, 170, 332, 933, 999
  - Helminthoida, 28
  - Teichnichnus, 933, 934
  - Zoophycos, 28, 30, 170, 330, 332, 427, 933, 934
- Buryella clinata* Zone,
  - base of defined, 764
  - radiolarian, 181, 248, 772
- Buryella clinata/Bekoma bidartensis* Zone, 248
- Barite, association with unconformities, 915
- C/N ratio, 840
  - Site 368, 241
  - Site 369, 332
  - Site 370, 429
- Calcareous organisms, environmental influence on production of, 1074
- Calcicalathina oblongata* Zone, 677
  - defined, 668
- Calcite, recrystallization, 1074
  - Site 366, 1074
- Calcite compensation depth (CCD), 973
- Calcite nodules, formation of, 972
- Calcite overgrowth, syntaxial, 998
- Calcium, interstitial water, 912
- Calocyclus costata* Zone, base of defined, 764, 38, 248, 340, 772
- Calocyclus virginis* Zone, 764
- Calpionellids, 1000, 1001, 1004
- Canary Basin, 1002, 1007
- Canary Current, 879
- Canary Islands, 1061
- Cancellate ultrastructures on forams, 614
- Cannartus petterssoni* Zone, 339, 619
- Cannartus (?) petterssoni* Zone, base of defined, 764
- Cape Basin, 1002
- Cape Verde Basin, 965, 1007
  - Cretaceous Forams, 540
  - geophysical data, 1221
  - Site 367, 8
  - stratigraphy, 616
- Cape Verde Island, volcanism, 1113
- Cape Verde Islands, 1061
  - Igneous rocks, 1063
  - volcanic activity on, 234
- Cape Verde Rise, 818, 965
  - Cretaceous, foram, 541
  - evolution of, 251
  - geophysical data, 1221
  - Site 368, 8, 233, 1221
  - foram stratigraphy, 585
  - sills, 1221
  - stratigraphy, 617
  - terrigenous input, 234
  - uplift of, 250, 1237
  - volcanic activity, 251
- Carbon bomb analysis, Site 368, 241
- Carbon isotope composition of sediments, Site 105, 945
- Carbon isotope data, deep water, 961
- Carbon/nitrogen measurements, 31
- Carbonate analyses, Site 370, 429
- Carbonate bomb measurements
  - Site 366, 31
  - Site 367, 175
- Carbonate compensation depth, 1043
  - lowering of, 1232
  - Site 367, 1223
- Carbonate diagenesis, influence of clay on, 944
- Carbonate dissolution, cycles of, 1123
- Carbonate dissolution in Neogene sediments, 1042
- Carbonate-clay cycles
  - origin of, 977
  - periods of, 983
- Cat Gap, 991, 999, 1000
- Catinaster calyculus* Subzone, 38, 247
- Catinaster coalithus* Zone, 689
- Cayar Canyon, 164
- Cementation of chalk beds, 1124
- Cenomanian unconformity, 328
- Cenozoic
  - foram, 33, 179, 244, 335, 432
  - nanno, 37, 180, 247, 337, 433
  - rad, 181, 247, 339, 433, 770
  - stratigraphic hiatus, 1b08
  - zonation, 763
- Cenozoic biostratigraphic continuity, 32
- Cenozoic biostratigraphy, Leg 41, 1183
- Cenozoic carbonates, Sierra Leone Rise, 1234
- Cenozoic sediments, dinoflagellates, 709
- Ceratolithus acutus* Subzone, 38
- Ceratolithus cristatus*
- Chalcedony, X-ray mineralogy of, 1074
- Chalk beds, cementation of, 1124
- Chemical composition of black shales, 875
- Chemical compositions, basalt, Site 367, 1113
- Chemistry, effects of burrowing on, 934
- Chert classification, 880
- Chert formation, 943
- Chert nodules, distribution of, 614
- Chiastozygus litterarius* Zone, 433, 542, 543, 672, 677
  - defined, nanno, 668
- Chlorinity gradients, 907
- Chlorins, 825
- Chloroformic extracts, 866
- Chemical compositions, basalt, Site 368, 1113
- Chondrites, 28, 30, 170, 332, 933, 999, 1000
- Clay minerals, X-ray mineralogy, 1070
- Clay, influence of on carbonate diagenesis, 944
- Claystone, Site 367, Barremian-early Aptian variegated, 186
- Clinoptilolite, Site 366, 1074
  - X-ray mineralogy, 1066
- Coalescing nodules, 971
- Coarse clastics, Site 370, 1131
- Coccoliths, dissolution cycles of, 975
- Coccolithus formosus* Subzone, 337
- Cohesion of clays, 1199
- Colonial algae, 1002
- Consolidation tests, 1200
  - Site 368, 1211
- Contact metamorphism, 1221
- Contact metamorphism of kerogen, 821
- Continental margin, evolution of, 344

- Continental margin, Northwest Africa, 879  
 Continental Slope off Spanish Sahara, Site 369, 8, 327, 586  
 Continental terminal, 1044  
 Contorted bedding, 428  
 Contour currents, 1004  
*Corbisema apiculata* Zone, 693  
*Corbisema bimucronata rotatoria*, new silicoflagellate subspecies, 696  
*Corbisema hastata-Corbisema apiculata* Zone, 693  
*Corbisema triacantha mediana*, new silicoflagellate subspecies, 696  
*Corbisema triacantha* Zone, defined, 692, 696  
 Core disturbance, Leg 41, 11  
 Coriolis force, 1232  
*Corollithion exiguum* Zone, 671  
 Cretaceous  
   black shales, 855, 865  
   bottom water temperatures, 938  
   agglutinated forams, 565  
   black shale as a potential oil source, 824  
   foram, 539  
     Cape Verde Basin, 540  
     Cape Verde Rise, 541  
   nanno, 667  
   rad, 772, 777  
   regional correlations, Site 367, Jurassic, 1131  
   Site 367, rad, 740  
   Site 368, rad, 742  
   Site 369, rad, 742  
   systematic paleontology, forams, 546  
 Cretaceous-Tertiary boundary, 32  
   Biostratigraphy of, 1183  
*Cretarhabdus crenulatus* Zone defined, 668, 677  
 Crinoid, macrofossils, 998  
 Cross bedding, 428  
 Cross bedding, low angle, 996  
*Cruciplacolithus tenuis* Zone, 38, 433,  
 Current bedding, 993  
 Current ripples, 428  
 Current winnowing, 30  
 Cuvier Abyssal Plain, 1002  
 Cycles of carbonate dissolution, 1123  
 Cyclic alterations of redox conditions, 967  
 Cyclic bedding, 239  
 Cyclic sedimentation, 965, 1123  
   Site 366, 45  
 Cyclic sequence, 1121  
*Cyclococcolithina macintyreii* Subzone, 689  
*Cyrtocapsella tetrapera* Zone, base of defined, 38, 340, 764  
 Carbon isotope composition of sediments, Site 367, 945  
 Carbon preference index (CPI), 836  
 Carbonate bomb, Site 369, 332  
 $C^{13}/C^{12}$  measurements, 861  
 Dealkylation, 832  
 Deep sea sediments, source of amorphous silica, 893  
 Deep Basin off Morocco  
   Site 370, 421  
   stratigraphy of 507, 619  
 Deep-sea basins, reducing environments, 187  
 Deep-sea outer fan, 1004  
 Depositional environment, black bituminous shale, 1002  
 Depositional environment of argillaceous limestone, 993  
   white chalky limestone, 1001  
 Depositional rates, reddish brown argillaceous limestone, 1000  
 Depositional environment, grayish green claystone—intra-clast sandstone unit, 1004  
 Depositional environment of varicolored zeolitic clay unit, 1007  
 Depth changes of diagenesis, 1123  
 Diabase sills, 1237  
   influence on diagenesis, 253  
 Diagenesis, depth changes of, 1123  
   diabase sills, influence on, 253  
   sediments  
     Site 367, 188  
     Site 369, 344  
     Site 370, 440  
 Diagenetic cycles, 967  
   Site 367, 970  
 Diagenetic potential, 1123  
 Diatoms,  
   Site 366, 791  
   Site 367, 791  
   Site 368, 791  
   Site 369, 810  
   Site 370, 810  
*Dictyocha brevispina ausonia*, new silicoflagellate combination, 697  
*Dictyocha quadrangula*, new silicoflagellate combination, 697  
 Dinoflagellates, calcareous  
   Cenozoic sediments, 709  
   *Thoracosphaera grenifera*, new species, 715  
   *Thoracosphaera tesserula*, new species, 715  
   preservation of, 710  
   range of species, 711  
   systematic paleontology, 713  
   taxonomic criteria, 711  
*Discoaster barbadiensis* Zone, 38  
   *asymmetricus* Subzone, 689  
   *assymmetricus* Zone, 619  
   *bifax* Subzone, 337  
   *bifax* Zone, 692  
   *brouweri* Zone, 38  
   *deflandrei* Subzone, 38  
   *diastypus* Zone, 38  
   *exilis* Zone, 692  
   *hamatus* Zone, 692  
   *lodoensis* Zone, 180, 247, 585, 691  
   *mohleri* Zone, 38  
   *multiradiatus* Zone, 38, 433  
   *neohamatus* Zone, 247, 337  
   *quiqueramus* Zone, 247, 337, 689  
   *sublodoensis* Zone, 691  
   *surculus* Subzone, 247  
   *surculus* Zone, 180  
   *tamalis* Subzone, 180, 433, 689, 691, 692  
*Discoaster/Chiasmolithus* ratio, nanno, 38  
 Discoasters, dissolution cycles of, 975  
 Dissolution and reprecipitation of silica, 972  
 Dissolution cycles of coccoliths, 975  
   discoasters, 975  
 Dissolution features, 1000  
 Distal turbidites, 1004  
*Distephanus staurodon*, new silicoflagellate combination, 697  
*Distephanus stradneri*, new silicoflagellate combination, 698  
 Distillable/pyrolyzable ratios (D/P), 845  
 Dolomite  
   Neogene sediments, 1039  
   Site 366, 1075  
   X-ray mineralogy, 1066  
 Dolomite rhombs, 237  
*Dorcadospyris alata* Zone, base of defined, rad, 38, 340, 619, 764, 778  
*Dorcadospyris ateuchus* Zone, 340, 434, 765, 778, 779 defined, 764

- Drilling results, Leg 41, 1221  
 Site 368, reflection profiles correlated with, 249  
*Discoaster neohamatus* Zone, 691  
*Distephanus speculum haliomma*, new silicoflagellate combination, 697  
 DPEP-type porphyrins, 827  
 Eastern Atlantic, regional stratigraphy, 540, 614  
 Effective carbon, determining amount of, 817  
*Eiffellithus eximius* Zone, 337, 673  
   defined, 671  
*Eiffellithus turriseiffeli* Zone, 338, 433, 670, 672, 673, 677  
   defined, 671  
 Electron paramagnetic resonance (EPR) study of kerogen, 839  
*Ellipsoxiphus primus*, new radiolarian species, 743  
*Emiliana annula* Subzone, 247, 691  
*Emiliana huxleyi* Zone, 37, 180, 247, 337  
*Emiliana ovata* Zone, 38  
 Environment, Jurassic, 522  
 Environment of deposition, black shales, 1227  
   Reddish-brown, argillaceous limestone, 999  
 Environment of formation of, palygorskite, 1090  
   sepiolite, 1090  
 Eocene, foram stratigraphy, 583  
   Radiolaria stratigraphy, 764, 765, 772, 777, 779  
 Eocene biostratigraphy, Leg 41, 1184  
 Eocene Oligocene stratigraphic hiatus, 24  
 Eolian organic matter, 855  
 Eolian transport, 1091  
 Epibathyal environment, 994  
 Essaouira Basin, 1004  
 Etio series generation, 834  
 Euxinic conditions, 856, 1003, 1004, 1129  
 Evaporites, 907, 1123  
 Evolution of Cape Verde Rise, 251  
   Continental margin, 344  
 Evolution of the central Northeastern Atlantic, 1221  
 EPR spectra calculations, 839  
 Fan, deep-sea outer, 1004  
 Fan deposits, submarine, 1121  
*Fasciculithus tympaniformis* Zone, 38, 433  
 Filament microfacies, Site 367, 996  
 Fish debris, 171, 1002, 1004, 1035  
 Flame ionization detector (FID), 868  
 Fluorescence measurements, 817  
 Foraminifera  
   *Abathomphalus mayaroensis* Zone, 32, 336, 1183  
   *Acarinina uncinata* Zone, 35, 583, 587, 614  
   agglutinated  
     stratigraphic distribution of, 565  
     systematic description of, 567  
   *Bekoma bitartensis* Zone, 1184  
   cancellate ultrastructures on, 614  
   Cape Verde Basin, Cretaceous, 540  
   Cape Verde Rise, Cretaceous, 541  
   carbonate dissolution of, 662  
   Cenozoic, 33, 179, 244, 335, 432  
   Cretaceous, 539  
   Cretaceous  
     agglutinated, 565  
     systematic paleontology, 546  
   *Globigerapsis kugleri* Zone, 584, 587, 588  
   *Globigerapsis semiinvoluta* Zone, 588  
   *Globigerapsis semiinvoluta-Globorotalia cerroazulensis*  
     Zone, 587  
   *Globigerina ampliapertura* Zone, 35, 335, 581, 584, 586, 590  
   *Globigerina calida calida* Subzone, 33, 619  
   *Globigerina ciperoensis* Zone, 35, 335, 585, 586, 587  
   *Globigerina dissimilis* Zone, 615  
   *Globigerina eugubina* Zone, 35, 582  
   *Globigerina nepenthes-Globorotalia continuosa* Zone, 621  
   *Globigerina nepenthes-Globorotalia siakensis* Zone (N14),  
     244, 617  
   *Globigerina pseudobulloides* Zone, 35  
   *Globigerina sellii* Zone, 35, 335, 586, 587  
   *Globigerina stainforthi* Zone, 34, 615, 618, 621  
   *Globigerina tapuriensis* Zone, 35, 335, 586, 587  
   *Globigerinatella insueta-Globigerinoides trilobus* Zone, 615,  
     621  
   *Globigerinelloides gyroidinaeformis* Zone, 543  
   *Globigerinita dissimilis* Zone, 34, 335, 621  
   *Globigerinita stainforthi* Zone, 335, 621  
   *Globigerinoides beckmanni* Zone, 587  
   *Globigerinoides fistulosus* Subzone, 33  
   *Globigerinoides primordius-Globorotalia kugleri* Zone, 34,  
     335, 582, 614, 615, 618, 621  
   *Globigerinoides trilobus fistulosus* Subzone, 616, 621  
   *Globorotalia "centralia"-Globigerina turritilina* Zone, 584  
   *Globorotalia acostaensis* Zone, 34, 244, 614, 615, 617, 621  
   *Globorotalia angulata* Zone, 35, 583, 587  
   *Globorotalia aragonensis* Zone, 35, 432, 582, 583, 587  
   *Globorotalia centralia/Globigerina gortanii* Zone, 335  
   *Globorotalia cerroazulensis* Zone, 588  
   *Globorotalia continuosa* Zone (N15), 244, 614, 617, 621  
   *Globorotalia crassaformis hessi* Subzone, 33  
   *Globorotalia crassaformis hessi/Globigerina calida calida*  
     Subzone, 244  
   *Globorotalia crassaformis viola* Subzone, 33, 244, 1118  
   *Globorotalia eugubina-G pseudobulloides* Zone, 32  
   *Globorotalia exilis* Subzone, 33  
   *Globorotalia fohsi fohsi* Zone, 34, 335, 615, 618, 621  
   *Globorotalia fohsi lobata* Zone, 615  
   *Globorotalia fohsi robusta* Zone, 614  
   *Globorotalia formosa* Zone, 35, 583  
   *Globorotalia kugleri* Zone, 35, 582, 585, 586, 587, 590, 614,  
     618  
   *Globorotalia lehneri* Zone, 336, 586, 587, 614, 1183, 1184  
   *Globorotalia margaritae* Zone, 614, 659, 662, 663  
   *Globorotalia/evoluta* Zone, 244, 335, 614, 616, 617, 621  
   *Globorotalia margaritae margaritae* Zone, 33, 34, 244, 335,  
     615, 617, 619, 620, 621  
   *Globorotalia miocenica* Zone, 33, 244, 614, 616, 617, 621  
   *Globorotalia opima opima* Zone, 35, 335, 432  
   *Globorotalia opima* Zone, 585, 586, 587, 614, 1184  
   *Globorotalia peripheroacuta* Zone, 34, 244, 335, 615, 618,  
   *Globorotalia plesiotumida* Zone, 34, 244, 615, 617, 621  
   *Globorotalia pseudobulloides* Zone, 582  
   *Globorotalia pseudomenardii* Zone, 35, 433, 583, 587  
   *Globorotalia pusilla* Zone, 35, 433, 583, 587, 614, 1183  
   *Globorotalia subbotinae* Zone, 35, 583, 587  
   *Globorotalia tosaensis* Zone, 33, 616, 619, 621  
   *Globorotalia trinidadensis* Zone, 35, 583, 587, 1183, 1184  
   *Globorotalia truncatulinoides* Zone, 33, 179, 244, 335, 614  
   *Globorotalia tumida* Zone, 620  
   *Globorotalia valascoensis* Zone, 35, 433, 583, 587, 614  
   *Globorotalia "centralis"-Globigerina turritilina* Zone, 587  
   *Globorotalia fohsi lobata* Zone, 34  
   *Globorotalia formosa* Zone, 587  
   *Globotruncana apenninica* Zone, 1183  
   *Globotruncana contusa* Zone, 37, 1183  
   *Globotruncana elevata* Zone, 336  
   *Globorotalia gansseri* Zone, 336  
   *Globigerina ampliapertura* Zone, 35  
   *Hantkenina aragonensis* Zone, 584, 587  
 Jurassic, 515  
 Jurassic, faunal components, 516

- Leupoldina cabri* Zone, 541, 543  
 Lower Cretaceous, 522  
 Mesozoic, 36, 179, 247, 336, 433  
*Neogloboquadrina dutertrei* Zone, 614  
*Orbulina suturalis*/*Globorotalia peripheroronda* Zone, 335, 614, 618  
*Orbulinoides beckmanni* Zone, 35, 584  
 Paleogene stratigraphy, 581  
*Praeorbulina glomerosa* Zone, 335, 618, 621  
*Prediscosphaera cretacea* Zone, 543  
*Rotalipora apenninica* Zone, 433, 542, 543, 566, 587, 1183  
*Rotalipora evoluta* Subzone, 336,  
*Rotalipora subticinensis* Zone, 543  
*Rotalipora ticinensis* Zone, 541, 542, 543, 545  
 Site 366, 33  
 Site 367, 179  
 Site 368, 244  
 Site 369, 335, 662  
 Site 370, 432  
*Sphaeroidinellopsis subdehiscens*-*Globigerina druryi* Zone, 621  
 Spinose ultrastructures on, 614  
 Stratigraphic correlation to other DSDP North Atlantic sites, 543  
 Stratigraphy  
   Cape Verde Basin, 585  
   Cape Verde Rise, 585  
   Continental slope off Spanish Sahara, 586  
   Deep Basin off Morocco, 587  
   Eocene, 583  
   Oligocene, 584  
   Paleocene, 583  
   Sierra Leone Rise, 581  
 Systematics, 621  
 Taxonomy of, Jurassic, 519  
*Ticinella bejaouaensis* Zone, 543  
*Ticinella bejaouaensis*-"*Globigerinelloides*" *gyroidinae*-*formis* Zone, 542  
*Ticinella praeticinensis* Zone, 541, 543  
*Ticinella roberti* Zone, 336, 541, 543  
*Truncatulinoidea rohri* Zone, 35, 584, 587  
 Ultrastructures, 614  
 Formation of hydrocarbon gases, 861  
   opal, 944  
   silicification fronts, 895  
 Fuerteventura Island, 1239  
 Gabbro-diabase, 1103  
*Gartnerago obliquus* Zone, defined, 671  
*Gas chromatography*, 861  
 Geochemical measurements,  
   Site 366, 31  
   Site 367, 175  
   Site 368, 241  
   Site 369, 332  
   Site 370, 429  
 Geochemistry of carbon, 849  
 Geochronology of basalt, 1113  
   Site 367, 1113  
   Site 368, 1116  
 Geophysical data,  
   Cape Verde Basin, 1221  
   Cape Verde Rise, 1221  
   Moroccan Basin, 1221  
   Leg 41, 1221  
*Gephyrocapsa oceanica* Zone, 37, 180, 247  
 Glauconite in Neogene sediments, 1039  
*Globigerapsis kugleri* Zone, 584, 587, 588  
*Globigerapsis semiinvoluta* Zone, 588  
*Globigerapsis semiinvoluta*-*Globorotalia cerroazulensis* Zone, 587  
*Globigerina ampliaperatura* Zone, 35, 335, 581, 584, 586, 587, 590  
*Globigerina calida calida* Subzone, 33, 619  
*Globigerina ciperoensis* Zone, 35, 335, 585, 586, 587  
*Globigerina dissimilis* Zone, 615  
*Globigerina eugubina* Zone, 35, 582  
*Globigerina nepenthes*-*Globorotalia continuosa* Zone, 621  
*Globigerina nepenthes*-*Globorotalia siakensis* Zone, 617  
*Globigerina nepenthes*/*Globorotalia siakensis* Zone (N14), 244  
*Globigerina pseudobulloides* Zone, 35  
*Globigerina selli* Zone, 35, 335, 586, 587  
*Globigerina stainforthi* Zone, 34, 615, 618, 621  
*Globigerina tapuriensis* Zone, 35, 335, 586, 587  
*Globigerinatella insueta*-*Globigerinoides trilobus* Zone, 615, 621  
*Globigerinelloides gyroidinaeformis* Zone, 543  
*Globigerinita dissimilis* Zone, 34, 335, 621  
*Globigerinita stainforthi* Zone, 335, 621  
*Globigerinoides beckmanni* Zone, 587  
   Subzone, 33  
*Globigerinoides primordius*-*Globorotalia kugleri* Zone, 582, 614, 615, 618, 621  
*Globigerinoides primordius*/*Globorotalia kugleri* Zone, 34, 335  
*Globigerinoides trilobus fistulosus* Subzone, 616, 621  
*Globorotalia "centralia"*-*Globigerina turritilina* Zone, 584  
*Globorotalia acostaensis* Zone, 34, 244, 614, 615, 617, 621  
*Globorotalia angulata* Zone, 35, 583, 587  
*Globorotalia aragonensis* Zone, 35, 432, 582, 583, 587  
*Globorotalia centralia*/*Globigerina gortanii* Zone, 335  
*Globorotalia cerroazulensis* Zone, 588  
*Globorotalia continuosa* Zone, 614, 617, 621  
*Globorotalia continuosa* Zone (N15), 244  
*Globorotalia crassaformis hessi* Subzone, 33  
*Globorotalia crassaformis hessi*/*Globigerina calida calida* Subzone, 244  
*Globorotalia crassaformis viola* Subzone, 33, 244, 618  
*Globorotalia eugubina*-*G. pseudobulloides* Zone, 32  
*Globorotalia exilis* Subzone, 33, 616  
*Globorotalia fohsi fohsi* Zone, 34, 335, 615, 618, 621  
*Globorotalia fohsi lobata* Zone, 615  
*Globorotalia fohsi robusta* Zone, 614  
*Globorotalia formosa* Zone, 583, 587  
*Globorotalia formosa formosa* Zone, 35  
*Globorotalia kugleri* Zone, 35, 582, 585, 586, 587, 590, 614, 618  
*Globorotalia lehneri* Zone, 336, 586, 587, 614, 1183, 1184  
*Globorotalia margaritae evoluta* Zone, 244, 335, 614, 616, 617, 621  
*Globorotalia margaritae margaritae* Zone, 34, 244, 335, 615, 617, 619, 620, 621  
*Globorotalia margaritae* Zone, 614, 659, 662, 663  
*Globorotalia miocenica* Zone, 33, 244, 614, 616, 617, 621  
*Globorotalia opima opima* Zone, 35, 335, 432  
*Globorotalia opima* Zone, 585, 586, 587, 614, 1184  
*Globorotalia palmerae* Zone, 35, 432, 583  
*Globorotalia peripheroacuta* Zone, 244, 335, 615, 618, 621  
*Globorotalia peripheroronda* Zone, 34, 244  
*Globorotalia plesiotumida* Zone, 34, 244, 615, 617, 621  
*Globorotalia pseudobulloides* Zone, 582  
*Globorotalia psuedomenardii* Zone, 35, 433, 583, 587  
*Globorotalia pusilla* Zone, 35, 433, 583, 587, 614, 1183  
*Globorotalia subbotinae* Zone, 583, 587  
*Globorotalia tosaensis* Zone, 33, 616, 619, 621  
*Globorotalia trinidadensis* Zone, 35, 583, 587, 614, 1183, 1184  
*Globorotalia truncatulinoidea* Zone, 33, 179, 244, 335, 614  
*Globorotalia tumida* Zone, 620  
*Globorotalia velascoensis* Zone, 35, 433, 583, 587  
*Globorotalia "centralis"*-*Globigerina turritilina* Zone, 587

- Globorotalia fohsi lobata* Zone, 34  
*Globorotalia formosa* Zone, 587  
*Globotruncana apenninica* Zone, 1183  
*Globotruncana contusa* Zone, 37, 1183  
*Globotruncana elevata* Zone, 336  
*Globotruncana gansseri* Zone, 336  
*Globorotalia subbotinae* Zone, 35  
 Gorringe Bank, 1239  
 Graded bedding, 239, 428, 984  
 Grain-size distribution, Neogene sediments, 1033  
 Gravity flows, 1131  
 Ground water, migrating, 1008  
 Guinea Fracture Zone, 21  
 Guinea Plateau, 21  
 Gulf of Tarfaya, 1091  
 Gypsum, 1227  
   deposits, 1045  
 GRAPE measurements, 1199  
 Haha Basin, 164, 424  
 Halokineses, 1004  
 Hamilton Frame, 1199  
 Handling of cores, Leg 41, 12  
*Hantkenina aragonensis* Zone, 584, 587  
 Harmatto Winds, 979  
 Hatteras Abyssal Plain, 1007  
 Heat treatment of kerogen, 842  
*Helicopontosphaera ampliaperta* Zone, 38, 247, 337  
*Helicopontosphaera reticulata* Zone, 38  
*Heliolithus kleinpelli* Zone, 38, 433  
 Helminthoida, burrows, 28  
 Horizon A, 168, 1228  
   Site 367, 181  
 Horizon Beta, 168, 1225  
   Site 367, 182  
 Horseshoe Abyssal Plain, 621  
 Hot spots, 1239  
 Humic compounds, 865  
   in black shales, 869  
 Hydrocarbon potential, North African margin, 1241  
 Hydrocarbon gases, formation of, 861  
 Igneous rocks, Cape Verde Islands, 1063  
 Index of refraction, volcanic glass, 1061  
 Inoceramus, 501  
 Interstitial gas  
   methods of measuring, 17  
   Site 366, 31  
   Site 367, 175  
   Site 368, 241, 862  
   Site 369, 332, 862  
   Site 370, 429  
   stable isotope ratio of, 839  
 Interstitial water,  
   calcium, 912  
   magnesium, 912  
 Interstitial water analyses  
   Site 366, 31, 912  
   Site 367, 175, 912  
   Site 368, 241, 913  
   Site 369, 332, 913  
   Site 370, 429, 915  
 Interstitial water, strontium in, 912  
 Isocyclic ring rupture, 827  
 Isoprenoids, 868  
 Isotopic composition, vein carbonates in basalt, 938  
 Isotopic composition of the ocean, 957  
 Jurassic  
   faunal components, 515, 516  
   environment, 522  
   Nannofossils, 667  
   Radiolaria, 772  
 Jurassic and Cretaceous regional correlations, Site 367, 1131  
 Jurassic evolution of North Atlantic Basin, 164  
 Jurassic Quiet Zone, 1135, 1221  
 Jurassic-Neocomian basal carbonates, 1221  
 Jurassic/Cretaceous boundary, 181  
 Keathley magnetic lineations, 994  
 Kerogen  
   black shales, 869  
   contact metamorphism of, 821  
   heat treatment of, 842  
 Kerogen concentrating, method of, 821  
 Kerogen maturation, 824  
 Layer 2, 992  
 Leg 41  
   biostratigraphic correlation of sites, 543  
   biostratigraphic zonation used, 13  
   Cenozoic biostratigraphy, 1183  
   core disturbance, 11  
   drilling results, 1221  
   geophysical data, 1221  
   handling of cores, 12  
   magnetics, 1135  
   Mesozoic biostratigraphy, 1181  
   objectives, 7  
   operational summary, 9  
   organic geochemistry, 815  
   petroleum-generating potential of sediments, 817  
   sediment analyses, 12  
   sediment classification system used, 12  
   sediment summary, 1121  
   seismic reflection profiles, 1178  
   velocity measurements, 1211  
*Leupoldina cabri* Zone, 541, 543  
 Light hydrocarbons,  
   Site 367, 859  
   Site 368, 859  
   Site 369, 859  
   Site 370, 859  
 Limestone, Oxfordian Neocomian, 1222  
   Site 100, age of, 994  
 Lithification of sediments, Site 367, 188  
 Lithology,  
   Site 366, 26  
   Site 367, 170  
   Site 368, 237, 240  
   Site 369, 329  
   Site 370, 426  
*Lithostrobos litus*, new Radiolaria species, 747  
*Lithraphidites alatus* Zone, 671  
*Lithraphidites bollii* Zone, defined, 668  
*Lithraphidites quadratus* Zone, defined, 37, 38, 337, 671, 672, 673  
 Load casts, 239, 967  
 Low angle, cross bedding, 996  
*Lychnocanoma elongata* Zone, 38, 340, 765, 777  
   base of defined, Rad, 764  
 Lysocline, 979  
 LOM, organic metamorphism level, 817  
 Macrofossils,  
   Bivalves, 993  
   Bryozoa, 179  
   Crinoid, 998  
   Inoceramus, 501  
 Magnesium silicates, stratigraphic and lithologic occurrence of, 1087  
 Magnesium in interstitial water, 912

- Magnetic anomaly M-25, 991  
 Magnetic quiet zone, 991  
 Magnetics, Leg 41, 1135  
 Maio Island, 1000, 1131, 1239  
 Maiolica facies, 1002  
*Markalius inversus* Zone, 32  
*Marthasterites furcatus* Zone, defined, 671  
*Marthasterites tribrachiatum* Zone, 337, 585  
 Mass bulk properties  
   Site 366, 1200  
   Site 367, 1204  
   Site 368, 1205  
   Site 369, 1207  
   Site 370, 1209  
 Mass bulk properties measurements, methods of, 1199  
 Mediterranean Basin, salt deposits, 9  
 Methane/ethane ratio in sediments, Site 369, 10  
*Mesocena apiculata glabra*, new silicoflagellate combination, 698  
 Mesozoic  
   foraminifers, 36, 179, 247, 336, 433  
   nannofossils, 38, 180, 247, 337, 433, 667, 672, 673  
   radiolarians, 181, 248, 340, 739  
 Mesozoic biostratigraphy, Leg 41, 1181  
 Mesozoic lithostratigraphy, 992  
 Mesozoic sediments, Site 367, oxygen isotopic composition of, 940  
 Metalloporphyrins, 827  
*Micrantholithus hoschulzi* Zone, 543, 668, 672, 677  
   defined, 668  
 Microprobe analysis, volcanic glass, 1061  
 Microscopic features of palygorskite rocks, 1087  
   palygorskite-sepiolitic rocks, 1087  
*Micula decussata-Tetralithus pyramidus* Zone, 671  
*Micula mura* Zone, 32, 337, 673  
   defined, 671  
 Mid-Atlantic Ridge basalts, 1113  
 Mid-Atlantic Ridge, 1228  
 Middle Miocene stratigraphic hiatus, 24  
 Migrating ground water, 1008  
 Mineralogy of  
   opal-A, 890  
   opal-CT, 890  
   palygorskites, 1087  
   sepiolites, 1087  
 Miocene biostratigraphy, 1184  
   Radiolarians, 765, 777  
     biostratigraphy, Sierra Leone Rise, 778  
     zonation, 764  
   stratigraphic hiatus, 663  
   volcanism, Africa, 1064  
 Moroccan Basin, 1002, 1004 (See also: Site 370)  
   geophysical data, 1221  
   Lower Cretaceous turbidites, 1223  
   reflector C, 9  
 Nanno  
   *Calcicalathina oblongata* Zone, 677  
   *Calcicalathina oblongata* Zone defined, 668  
   *Catinaster calyculus* Subzone, 38, 247  
   *Catinaster coalithus* Zone, 689  
   Cenozoic, 37, 180, 247, 337, 433  
   *Ceratolithus acutus* Subzone, 38  
   *Ceratolithus cristatus* Zone, 691  
   *Chiastozygus litterarius* Zone, 433, 542, 543, 668, 672, 677  
   *Coccolithus formosus* Subzone, 337  
   *Corollithion exiguum* Zone, 671  
   Cretaceous, 667  
   *Cretarhabdus crenulatus* Zone defined, 667, 668  
   *Cruciplacolithus tenuis* Zone, 38, 433,  
   *Cyclococcolithina macintyreii* Subzone, 689  
   *Discoaster asymmetricus* Subzone, 689  
     *asymmetricus* Zone, 619  
     *barbadiensis* Zone, 38  
     *bifax* Subzone, 337  
     *bifax* Zone, 692  
     *brouweri* Zone, 38  
     *deflandrei* Subzone, 38  
     *diastypus* Zone, 38  
     *exilis* Zone, 692  
     *lodoensis* Zone, 180, 247, 691  
     *mohleri* Zone, 38  
     *multiradiatus* Zone, 38, 433  
     *neohamatus* Zone, 247, 337, 691  
     *quinqueramus* Zone, 247, 337, 689  
     *sublodoensis*, 691  
     *surculus* Zone, 180, 247  
     *tamalis* Subzone, 180, 433, 689, 691, 692  
     /*Chiasmolithus ratio*, 38  
   *Eiffellithus eximius* Zone, 337, 671, 673  
     *turriseiffeli* Zone, 338, 433, 670, 671, 672, 673, 677  
   *Emiliana annula* Subzone, 247, 691  
   *Emiliana huxleyi* Zone, 37, 180, 247, 337  
   *Emiliana ovata* Zone, 38  
   *Fasciculithus tympaniformis* Zone, 38, 433  
   *Gartnerago obliquus* Zone, defined, 671  
   *Gephyrocapsa oceanica* Zone, 37, 180, 247  
   *Helicosphaera ampliapertura* Zone, 38, 247, 337  
   *Heliolithus kleinpelli* Zone, 38, 433  
   Jurassic, 667  
   *Lithraphidites alatus* Zone, 671  
   *Lithraphidites bollii* Zone, defined, 668  
   *Lithraphidites quadratus* Zone, 37, 38, 337, 668, 671, 672,  
     673  
   *Markalius inversus* Zone, 32  
   *Marthasterites furcatus* Zone, 337  
     defined, 671  
   *Marthasterites tribrachiatum* Zone, 585  
   Mesozoic, 38, 180, 247, 337, 433, 667  
     Site 366, 672  
     Site 368, 673  
     Site 369, 673  
   *Micrantholithus hoschulzi* Zone, 543, 668, 672, 677  
     defined, 668  
   *Micula decussata-Tetralithus pyramidus* Zone, 671  
   *Micula mura* Zone, 32, 337, 673  
     defined, 671  
   *Nannoconus colomi* Zone, 672  
     defined, 668  
   *Nannotetrina quadrata* Zone, 691  
   *Naviculopsis biapiculata* Zone, 696  
     defined, 693  
   *Naviculopsis lata* Zone, 696  
   *Parhabdololithus angustus* Zone, 433, 541, 542, 543, 672, 677  
   *Parhabdololithus embergeri* Zone, 180, 673  
     defined, 667  
   *Prediscosphaera cretacea* Zone, 338, 541, 543, 673  
     defined, 670  
   preservation of, 691  
   *Reticulofenestra pseudoumbilica* Zone, 38, 619  
   *Reticulofenestra umbilica* Zone, 38, 433  
   Site 366, 37, 689  
   Site 367, 180, 672, 691  
   Site 368, 247, 691  
   Site 369, 336, 692  
   Site 370, 433, 692

- Sphenolithus belemnos* Zone, 38  
*ciperoensis* Zone, 38, 337, 692  
*distentus* Zone, 38, 337, 691, 692  
*heteromorphus* Zone, 180, 247, 337, 692  
*predistentus* Zone, 38, 337  
*Tetralithus trifidus* Zone, 337, 673  
 defined, 671  
*Ticinella primula* Zone, 543  
*Triquetrorhabdulus carinatus* Zone, 38, 337  
*Triquetrorhabdulus rugosus* Subzone, 38  
 Zone NN16, 1054  
 Zone NN17, 1050  
 Zone NN18, 1050  
 Zone NN19, 1050  
 Zone NN21, 1050  
*Nannotetrina quadrata* Zone, 691  
 Natural coke, 824  
*Naviculopsis biapiculata* Zone, defined, 693, 696  
*Naviculopsis lata* Zone, 696  
 Neocomian carbonates, Site 367, 186  
 Neogene climate, Northwest Africa, 1044  
 Neogene sediments, 1033  
 carbonate dissolution in, 1042  
 composition of, sand fraction, 1034  
 dolomite, 1039  
 glauconite, 1039  
 grain-size distribution, 1033  
 pyrite, 1039  
 Sierra Leone Rise, 1049  
 volcanism, effect on, 1045  
*Neogloboquadrina dutertrei* Zone, 614  
 Nepheloid layer, 979  
 New combination silicoflagellates  
*Dictyocha brevispina ausonia*, 697  
*Dictyocha quadrangula*, 697  
*Distephanus staurodon*, 697  
*Distephanus stradneri*, 698  
*Distephanus speculum haliomma*, 697  
*Mesocena apiculata glabra*, 698  
 New lineage Radiolaria  
*Acidnomelos proapteron-A. apteron*, 740  
*Amphipyndax enesseffi-A. tylotus*, 740  
 New species Radiolaria  
*Amphipyndax tylotus*, 745  
*Ellipsoxiphus primus*, 743  
*Lithostrobos litus*, 747  
*Acidnomelos proapteron*, 749  
*Stichomitra asymmetrica*, 748  
*Stichomitra maifesta*, 748  
*Theocampe apicata*, 745  
 New species, dinoflagellates,  
*Thoracosphaera granifera*, 715  
*Thoracosphaera tesserula*, 715  
 New subspecies silicoflagellates  
*Corbisema bimucronata rotatoria*, 696  
*Corbisema triacantha mediana*, 696  
 Nickel porphyryns, 830  
 North African margin, hydrocarbon potential, 1241  
 North African Slope, sedimentation on, 1234  
 North American Basin, 1221, 1225, 1228, 1230  
 North Atlantic, age of oldest sediments, 422  
 basement, 1221  
 North Atlantic Basin, Jurassic evolution of, 164  
 Northeastern Atlantic, evolution of central, 1221  
 Northwest Africa,  
 Neogene climate, 1044  
 palygorskite, supply of from, 1091  
 silica diagenesis, continental margin, 879  
 Tertiary climates, 983  
 Objectives, Leg 41, 7  
 Oil migration, 853  
 Oil source, Cretaceous, black shale as a potential, 824  
 Oligocene  
 biostratigraphy, 1184  
 foram stratigraphy, 584  
 Radiolaria, 765, 777  
 biostratigraphy, 779  
 zonation, 764  
 silicoflagellates, 693  
 Oligocene hiatus, Site 367, 168  
 Oligocene temperatures, 960  
 Oligocene/early Miocene unconformity, 328  
 Olivine diabase, 1100  
*Ommatartus antepenultimus* Zone, base of defined, 764  
 Oodolomicrites, 1004  
 Opal, formation of, 944  
 Opal-A, 880  
 mineralogy of, 890  
 Opal-CT, 881  
 mineralogy of, 890  
 X-ray mineralogy, 1066  
 Operational summary, Leg 41, 9  
 Operations  
 Site 366, 25  
 Site 367, 168  
 Site 368, 236  
 Site 369, 329  
 Site 370, 424  
 Organic metamorphism level, LOM, 817  
*Orbulina suturalis-Globorotalia peripheroronda* Zone, foram,  
 614, 618, 621, 335  
*Orbulinoides beckmanni* Zone, 584  
 Organic carbon, determination of, 817  
 Organic carbon in sediments,  
 Site 367, 175  
 Site 368, 241  
 Site 369, 332  
 Site 370, 429  
 Organic geochemistry, black shales, analytical methods, 865  
 Organic extracts from sediments, Site 367, 822  
 Organic geochemistry,  
 Cretaceous, black shales, 865  
 Leg 41, 815  
 methods used, 16  
 Organic matter in black shales, 1227  
 Source of organic residue in, 815  
 Origin of  
 barite, 920  
 basalt, 991  
 carbonate-clay cycles, 977  
 Origin of deep-sea barite, 1121  
 Ostracodes, Site 367, 518  
 Otholites, 1004  
 Overbank deposition, 1004  
 Oxidizing/reducing boundary, 1131  
 Oxygen isotopic composition of Mesozoic sediments, Site 367,  
 940  
 Paleo-oceanographic implications of absence of identifiable  
 Radiolaria, 39  
 Paleobathymetry, Site 369, 662  
 Paleocene  
 biostratigraphy, 1184  
 foram stratigraphy, 583  
 Radiolaria, 764, 772  
 Paleocene to middle Eocene stratigraphic hiatus, 24  
 Paleocirculation and subsidence, Sierra Leone Rise, 24  
 Paleoclimatology, Site 369, 344  
 Paleoenvironment, Site 366, 42

- Paleogene, Site 366, 590  
 Paleogene sediments, reference section, 583  
 Paleogene stratigraphy, foram, 581  
 Paleotemperatures, 960  
 Palygorskite,  
   environment of formation of, 1090  
   supply of from Northwest Africa, 1091  
 Palygorskites, mineralogy of, 1087  
 Palygorskitic rocks, microscopic features of, 1087  
 Palygorskitic-sepiolitic rocks, microscopic features of, 1087  
*Parhabdololithus angustus* Zone, nanno, 433, 541, 542, 543, 672, 677  
   defined, 670  
*Parhabdololithus embergeri* Zone, nanno, 180, 673  
   defined, 667  
 Petroleum-generating potential of sediments, 815, 817  
 Petroleum source rocks, 817  
*Phormocyrtis striata striata* Zone, 39, 181, 248, 585, 586, 772  
   base of defined, 764  
 Phraetic zone, 1004  
 Phylogeny, Radiolaria, 740  
 Physical properties,  
   procedures for measuring, 13  
   Site 366, 31  
   Site 367, 176  
   Site 368, 241  
   Site 369, 333  
   Site 370, 429  
 Phytol, 827  
 Phytoliths, 237  
 Pillow lava, 992  
 Plant debris, 171, 1227  
 Planktonic/benthonic foram ratio, 1041  
 Pleistocene Radiolaria, 765, 772, 774, 777  
 Pliocene biostratigraphy, 1184  
   Radiolaria zonation, 764  
 Plume activity, 1121  
*Podocyrtis ampla* Zone, 39  
   base of defined, 764  
*Podocyrtis chalara* Zone, 39, 340, 777, 779  
   base of defined, 764  
*Podocyrtis goetheana* Zone, 39  
   base of defined, 764  
*Podocyrtis mitra* Zone, 39, 340  
   base of defined, 764  
*Praeorbulina glomerata* Zone, 335, 618, 621  
*Prediscosphaera cretacea* Zone, 338, 541, 543, 673  
   defined, 670  
 Preservation of  
   coccoliths, 691  
   dinoflagellates, 710  
 Pressure solution, 943  
*Pterocanium prismatium* Zone, base of defined, 765  
 Pteropods, 1034  
 Pyrite, Neogene sediments, 1039  
 Pyrolysis assay of black shale, 865  
 Pyrolysis-FID, 845  
 Quartz, Aeolian origin of, 1050  
   X-ray mineralogy of, 1066  
 Quaternary biostratigraphy, 1185  
   Radiolaria, 765  
 Quenched basalts, 992  
 Radiolaria  
   *Acidnomelos proapteron*, new species, 749  
   *Acidnomelos proapteron-A. apteron*, new lineage, 740  
   *Amphipyndax tylotus* Zone, 740  
   *Amphipyndax enesseffi-A. tylotus*, new lineage, 740  
   *Bekoma bidartensis* Zone, base of defined, 249, 764, 772  
 Biostratigraphy  
   Cenozoic, 763  
   Eocene, 764  
   Miocene, 764, 778  
   Oligocene, 764, 779  
   Paleocene, 764  
   Pliocene, 764  
*Buryella clinata* Zone, 181, 248, 772  
   base of defined, 764  
*Calocycletta costata* Zone, 38, 248, 340, 772  
   base of defined, 764  
*Calocycletta virginis* Zone, 764  
*Cannartus petterssoni* Zone, 339, 619  
*Cannartus (?) petterssoni* Zone, base of defined, 764  
 Cenozoic, 181, 247, 339, 433, 770  
 Cretaceous, 772, 777  
   Site 367, 740  
   Site 368, 742  
   Site 369, 742  
*Cyrtocapsella tetrapera* Zone, 38, 340  
   base of defined, 764  
*Discoaster lodoensis* Zone, 585  
*Dorcadospyrus alata* Zone, 38, 340, 619, 765, 778  
   base of defined, 764  
*Dorcadospyrus ateuchus* Zone, 340, 434, 765, 778, 779  
   base of defined, 764  
 Eocene, 765, 772, 777, 779  
 Jurassic, 772  
*Lychnocanoma elongata* Zone, 38, 340, 765, 777  
   base of defined, 764  
 Mesozoic, 181, 248, 340, 739  
 Miocene, 765, 777  
 New species,  
   *Amphipyndax tylotus*, 745  
   *Ellipsoxiphus primus*, 743  
   *Lithostrobilus litus*, 747  
   *Theocampe apicata*, 745  
 Oligocene, 765, 777  
*Ommatartus antepenultimus* Zone, base of defined, 764  
 Paleocene, 772  
*Phormocyrtis striata striata* Zone, 39, 181, 248, 585, 586, 772  
   base of defined, 764  
 phylogeny of, 740  
 Pleistocene, 765, 772, 774, 777  
*Podocyrtis ampla* Zone, 39  
   base of defined, 764  
*Podocyrtis chalara* Zone, 39, 340, 777, 779  
   base of defined, 764  
*Podocyrtis goetheana* Zone, 39  
   base of defined, 764  
*Podocyrtis mitra* Zone, 39, 340  
   base of defined, 764  
*Pterocanium prismatium* Zone, base of defined, 765  
 Quaternary, 765  
*Sethocapsa trachyostraca* Zone, 181, 742  
 Site 366, 765  
 Site 367, 180  
 Site 368, 247, 772  
 Site 369, 338, 774  
 Site 370, 433, 777  
 Species list, 780  
*Spongaster pentas* Zone, base of defined, 765  
*Stichocorys delmontensis* Zone, 38, 434, 777, 778  
   base of defined, 764  
*Stichocorys peregrina* Zone, base of defined, 764

- Stichocorys wolfii* Zone, 38, 248, 340, 434, 777, 778  
 base of defined, 764
- Stichocorys delmontensis* Zone, 340
- Stichomitra asymmetrica*, new species, 748
- Stichomitra maifesta*, new species, 748
- Systematic paleontology, 742
- Theocampe mongolfieri* Zone, 39, 779  
 base of defined, 764
- Theocampe triacantha* Zone, 434
- Theocapsomma comys* Zone, 340
- Theocotyle cryptocephala cryptocephala* Zone, 39, 764, 772
- Theocotyle cryptocephala* Zone, 585
- Theocyrtis tuberosa* Zone, 38, 340, 765, 777, 779  
 base of defined, 764
- Thyrsoyrtis bromia* Zone, 181, 585, 765, 777, 779, 780  
 base of defined, 764
- Thyrsoyrtis triacantha* Zone, 39  
 base of defined, 764  
 zonation, 740
- Radiolarian microfacies, Site 367, description of, 996
- Radiolaria, absence of, paleo-oceanographic implications of, 39
- Recrystallization, calcite, 1074
- Redox conditions, 967, 972, 1004  
 Cyclic alterations of, 967
- Redox cycles, 1123
- Redox system, 921
- Reducing conditions, Site 370, 1228
- Reducing environments, deep-sea basins, 187
- Reference section, Paleogene sediments, 583
- Reflection profiles, correlation of with drilling results,  
 Site 366, 40  
 Site 367, 181  
 Site 368, 249  
 Site 370, 440, 434
- Reflector C, 424, 1225  
 Moroccan Basin, 9  
 Site 367, 164
- Reflector D, 168
- Regional stratigraphy, Eastern Atlantic, 540, 614
- Regional variations, silica accumulation, 780
- Reprecipitation of silica, dissolution and, 972
- Responsibilities for authorship, Volume 41, 9
- Reticulofenestra pseudoumbilica* Zone, 38, 619
- Reticulofenestra umbilica* Zone, 38, 433
- Dorcadospyris alata* Zone, Rad, 765
- Ross ad Aptichi Facies, 499, 504, 1000, 1008
- Rotalipora apenninica* Zone, 433, 542, 543, 566, 587, 1183
- Rotalipora evoluta* Subzone, 545
- Rotalipora subticinensis* Zone, 336, 543
- Rotalipora ticinensis* Zone, 541, 542, 543, 545
- Saccocoma microfacies, Site 367, 998
- Saccocoma-aptychi microfacies, Site 367, 174
- Sahara continental slope, 1002
- Sahara Desert, 1044
- Saint-Paul Fracture Zone, 1178
- Salt deposits, 1045
- Salt deposits, Mediterranean Basin, 9
- Sand fraction, Neogene, sediments, composition of, 1034
- Sandstone, xenoliths, 1113
- Sapropel, 1004
- Scaglia Formation, 1002
- Scour features, 428
- Sea-level changes, 1045
- Sediment accumulation rates, 1230  
 Site 366, 39, 912, 974, 1043, 1075, 1234  
 Site 367, 181, 912, 970  
 Site 368, 249, 913  
 Site 369, 340  
 Site 370, 434
- Sediment analyses, Leg 41, 12
- Sediment classification system used, Leg 41, 12
- Sediment summary, Leg 41, 1121
- Sedimentary evolution, basins on either side of the Mid-Atlantic Ridge, 1221
- Sedimentary structures,  
 boudinage, 971, 996  
 current ripples, 428  
 load casts, 239, 967  
 slumps, 998  
 stylolites, 971
- Sedimentation of Aeolian material, 1054
- Sedimentation on North African Slope, 1234
- Sedimentological problems, Site 367, 188
- Sediments and faunas, Site 366, 960
- Seismic reflection profiles, Leg 41, 1178
- Senegal Basin, 252
- Senegal River, 1097
- Sepiolite, 881
- Sepiolite,  
 environment of formation of, 1090  
 supply of from Northwest Africa, 1091
- Sepiolites, mineralogy of, 1087
- Sethocapsa trachyostracta* Zone, 181, 742
- Shale, age of black bituminous, 1004  
 depositional environment, 1002  
 description of, 1002
- Shear strength measurements  
 method of, 1199  
 Site 366, 32  
 Site 368, 1200  
 Site 369, 1200  
 Site 370, 430, 1200
- Sierra Leone Rise  
 Cenozoic carbonates, 1234  
 foram stratigraphy, 581  
 nature of basement, 24  
 Neogene sediments, 1049  
 paleocirculation and subsidence, 24  
 rad biostratigraphy, 778  
 stratigraphy, 614  
 summary, Site 366, 9  
 topography of, 21  
 (See also: Site 366)
- Silica diagenesis, 984  
 Continental margin, Northwest Africa, 879
- Silica-cemented conglomerates, 890
- Silicification fronts, formation of, 895
- Silicoflagellates  
*Corbisema apiculata* Zone, 693  
*Corbisema bimucronata rotatoria*, new subspecies, 696  
*Corbisema triacantha mediana*, new subspecies, 969  
*Dictyochoa brevispina ausonia*, new combination, 697  
*Dictyochoa quadrangula*, new combination, 697  
*Distephanus staurodon*, new combination, 697  
*Distephanus stradneri*, new combination, 698  
*Distephanus speculum haliomma*, new combination, 697  
 Lower Miocene, 693  
*Mesocena apiculata glabra*, new combination, 698  
 Site 369, 692  
 Systematic paleontology, 696
- Sills, Cape Verde Rise, Site 368, 1221
- Site 100, age of limestone, 994
- Site 105, carbon isotope composition of sediments, 945

- Site 366 Sierra Leone Rise, 8, 21  
 Acoustic velocities of sediments, 32  
 background and objectives, 21  
 biostratigraphy, 32  
 bottom circulation, 42  
 bulk properties of sediments, 31  
 carbonate bomb measurements, 31  
 cause for termination of, 9  
 clinoptilolite, 1074  
 cyclic sedimentation, 45  
 diatoms, 791  
 dolomite, 1075  
 foraminifera, 33  
 geochemical measurements, 31  
 interstitial gas analysis, 31  
 interstitial water analysis, 912  
 interstitial water chemistry, 31  
 lithology, 26  
 mass bulk properties, 1200  
 nannofossils, 37, 672, 689  
 nature of basement, 24  
 nature of sediments, 42  
 objectives, 24  
 operations, 25  
 paleoenvironment, 42  
 Paleogene, 590  
 physical properties, 31  
 paleocirculation and subsidence, 24  
 Radiolaria, 38, 765  
 reflection profiles, correlation of with drilling results, 40  
 sediment accumulation rates, 39, 912, 974, 1043, 1075, 1234  
 sediments and faunas, 960  
 shear strengths of sediments, 32  
 stratigraphy, 42  
 summary and conclusions, 9, 41  
 summary of drilling results, 1221  
 underway observations, 26  
 velocities, 1200  
 X-ray mineralogy of sediments, 1070
- Site 367, Cape Verde Basin, 8, 163  
 acoustic velocities of sediments, 178  
 background and objectives, 163  
 basalt, 174, 183, 1103, 1107  
 basalt geochemistry, 175  
 biostratigraphy, 178  
 black shale, 171, 187  
   chemical composition of, 875  
 bottom currents, 998  
 bulk properties, 176  
 carbonate bomb measurements, 175  
 carbonate compensation depth, 1223  
 cause for termination of, 10  
 chemical compositions, basalt, 1113  
 carbon isotope composition of sediments, 945  
 description of radiolarian microfacies, 996  
 diagenesis of sediments, 188  
 diagenetic cycles, 970  
 diatoms, 791  
 foraminifer stratigraphy, 585  
 geochemical measurements, 175  
 geochronology of basalt, 1113  
 Horizon Beta, 182  
 interstitial gas, 175  
 interstitial water analysis, 912  
 interstitial water chemistry, 175  
 Jurassic and Cretaceous regional correlations, 1131  
 light hydrocarbons, 859  
 lithification of sediments, 188  
 lithology, 170  
 nannofossils, 180, 672, 691  
 Neocomian carbonates, 186  
 Oligocene hiatus, 168  
 operations, 168  
 organic carbon in sediments, 175  
 organic extracts from sediments, 822  
 ostracodes, 518  
 oxygen isotopic composition of Mesozoic sediments, 940  
 physical properties, 176  
 Radiolaria, 180, 740, 770  
 reflection profiles, correlation of with drilling results, 181  
 Reflector C, 164  
 Saccocoma microfacies, 998  
 Saccocoma-ptychi microfacies, 174  
 sediments, 174  
 sediment accumulation rates, 181, 912, 970  
 sedimentological problems, 188  
 shear strength of sediments, 176  
 silty clay, 187  
 summary and conclusions, 10, 182  
 summary of drilling results, 1221  
 velocities, 1204  
 X-ray mineralogy of sediments, 1075
- Site 368, Cape Verde Rise, 8, 233, 1221  
 acoustic velocities, 242  
 background and objectives, 233  
 basalt, 1103  
 biostratigraphy, 242  
 bulk properties of sediments, 241  
 C/N ratios, 241  
 carbon bomb analysis, 241  
 cause for termination of, 10  
 chemical compositions, basalt, 1113  
 consolidation tests, 1211  
 diatoms, 791  
 foraminifers, 244, 585  
 geochemical measurements, 241  
 geochronology of basalt, 1116  
 interstitial gas analysis, 241, 862  
 interstitial water chemistry, 241, 913  
 light hydrocarbons, 859  
 lithology, 237, 240  
 mass bulk properties, 1205  
 nannofossils, 247, 673, 691  
 operations, 236  
 organic carbon, 241  
 physical properties of sediments, 241  
 Radiolaria, 247, 742, 772  
 reflection profiles correlation with drilling results, 249  
 sediment accumulation rates, 249, 913  
 shear strength measurements, 242, 1200  
 sills, Cape Verde Rise, 1221  
 summary, 10  
 summary and conclusions, 10, 250  
 turbidites, 251  
 velocities, 1205  
 volcanic ash, 237, 1133  
 X-ray mineralogy of sediments, 1077
- Site 369, Continental Slope off Cape Bojador, Spanish Sahara, 8, 327  
 acoustic velocities, 334  
 background and objectives, 327  
 benthic forams, 659  
 biostratigraphy, 334  
 bulk properties, 333  
 C/N ratios, 332  
 cause for termination of, 10

- carbonate bomb, 332
- diagenesis of sediments, 344
- diatoms, 810
- Foraminifera, 335
- geochemical measurements, 332
- interstitial gas, 332, 862
- interstitial water geochemistry, 332, 913
- light hydrocarbons, 859
- lithology, 329
- mass bulk properties, 1207
- methane/ethane ratio in sediments, 10
- Miocene hiatus, 663
- nannofossils, 336, 673, 682
- operations, 329
- organic carbon in sediments, 332
- paleobathymetry, 662
- paleoclimatology, 344
- physical properties, 333
- Radiolaria, 338, 742, 774
- sediment accumulation rate, 340
- shear strength measurements, 334, 1200
- significant results, 341
- silicoflagellates, 692
- summary and conclusions, 10, 341
- summary of drilling results, 1221
- unconformities, 1133
- velocities, 1207
- volcanic ash, 1133
- X-ray mineralogy, 1084
- Site 370, Deep Basin off Morocco, 9, 10, 421
  - acoustic velocities, 430
  - background and objectives, 421
  - barite, 915
  - bulk properties of sediments, 429
  - C/N ratios, 429
  - carbonate analyses, 429
  - cause for termination of, 10
  - coarse clastics, 1131
  - diagenesis of sediments, 440
  - diatoms, 810
  - Foraminifera, 432-587
  - geochemical measurements, 429
  - interstitial gas, 429
  - interstitial water analyses, 429, 915
  - light hydrocarbons, 859
  - lithology, 426
  - mass bulk properties, 1209
  - nannofossils, 433, 692
  - objectives, 422
  - operations, 424
  - organic carbon measurements, 429
  - physical properties, 429
  - Radiolaria, 433, 777
  - reducing conditions, 1228
  - reflection profiles, correlation with drilling results, 341, 434, 440
  - sediment accumulation rates, 434
  - shear strength of sediments, 430, 1200
  - summary and conclusions, 435
  - summary of drilling results, 1221
  - velocities, 1210
- Slump features, 174, 541, 998, 999, 1000
- Source area for volcanic glass, 1064
- Source of amorphous silica, deep-sea sediments, 893
- Spanish Sahara Continental Slope, stratigraphy of, 618
- Species list, rad, 780
- Sphaeroidinellopsis subdehiscens-Globigerina druryi* Zone, 621
- Sphenolithus belemnös* Zone, 38
- Sphenolithus ciperoensis* Zone, 38, 337, 692
- Sphenolithus distentus* Zone, 38, 337, 691, 692
- Sphenolithus heteromorphus* Zone, 247, 337, 692
- Sphenolithus predistentus* Zone, 38, 337
- Spinose ultrastructures on forams, 614
- Spongaster pentas* Zone, base of defined, 765
- Stable carbon and hydrogen isotope analyses on methane, 843
- Stable isotope ratio of interstitial gas, 839
- Stichocorys delmontensis* Zone, 38, 434, 777, 778
  - base of defined, 764
- Stichocorys peregrina* Zone, base of defined, rad, 764
- Stichocorys wolfii* Zone, 38, 248, 340, 434, 777, 778
  - base of defined, 764
- Stichocorys delmontensis* Zone, 340
- Stichomitra asymmetrica*, new Radiolaria species, 748
- Stichomitra maifesta*, new Radiolaria species, 748
- Stratigraphic distribution of agglutinated foraminifera, 565
- Stratigraphic hiatus
  - Eocene to Oligocene, 24
  - Late Cretaceous/Cenozoic, 1008
  - middle Miocene, 24
  - Paleocene to middle Eocene, 24
  - Upper Cretaceous, 1232
- Stratigraphy
  - Cape Verde Basin, 616
  - Cape Verde Rise, 617
  - Sierra Leone Rise, 614
- Stratigraphy of Deep Basin off Morocco, 619
- Stylolites, 188, 971, 996, 1126
- Strontium in interstitial water, 912
- Subbetic Cordillera, 1000
- Submarine Fan deposits, 1121
- Subsidence, ocean floor, 1246
- Summary and conclusions
  - Site 366, 9, 41
  - Site 367, 10, 182
  - Site 368, 10, 250
  - Site 369, 10, 351
  - Site 370, 435
- Summary of drilling results
  - Site 366, 1221
  - Site 367, 1221
  - Site 369, 1221
  - Site 370, 1221
- Surface temperatures, Site 366, 961
- Syntaxial calcite overgrowth, 998
- Systematic description of agglutinated foraminifera, 567
- Systematic paleontology, dinoflagellates, calcareous, 713
  - foraminifera, 546, 621
  - Radiolaria, 742
  - silicoflagellates, 696
- Silica accumulation, regional variations, 780
- Site 366, bottom temperatures, 960
- Sound velocity measurements, methods of, 1199
- Taxonomic criteria, dinoflagellates, 711
- Taxonomy of Aptychi, 501
  - Jurassic forams, 519
- Tectonics, relationship between volcanism and, 1239
- Teichnichnus, 933, 934
- Temperature profile, 836
- Termination of anoxic conditions, 1229
- Terrigenous input, Cape Verde Rise, 234
- Terrigenous turbidites, 1002, 1223
- Tertiary climates, Northwest Africa, 983
- Tertiary volcanism, 1237
- Tethyan affinities of Ammonite faunas, 164
- Tethyan facies, 1033, 1121
- Tethys, 991

- Tetralithus trifidus* Zone, 673  
 defined, nanno, 671
- Tetrapyrrole pigments, 825
- Theocampe apicata*, new Radiolaria species, 745
- Theocampe cryptocephala* Zone, 181
- Theocampe mongolfieri* Zone, 181, 779  
 base of defined, 764
- Theocampe triacantha* Zone, 434
- Theocapsomma comys* Zone, 340
- Theocyrtis tuberosa* Zone, rad, 38, 340, 765, 777, 779  
 defined, 764
- Thermal alteration of organic matter, 815
- Thermal decomposition, 830, 834
- Thermal effects on kerogen, 840
- Thermal metamorphism of basalt, 991
- Thermal subsidence, 1233
- Thermocline, 961
- Tholeiitic basalt, 1100
- Thoracosphaera granifera*, new dinoflagellate species, 715
- Thoracosphaera tesserula*, new dinoflagellate species, 715
- Thyrsocyrtis bromia* Zone, 181, 585, 765, 777, 779, 780  
 defined, 764
- Thyrsocyrtis triacantha* Zone, 39  
 base of defined, 764
- Ticinella bejaouaensis* Zone, 543
- Ticinella bejaouaensis*-“*Globigerinelloides*” *gyroidinaeformis*  
 Zone, 542
- Ticinella praeticinensis* Zone, 541, 543
- Ticinella primula* Zone, 543
- Ticinella roberti* Zone, 336, 541, 543
- Topography of Sierra Leone Rise, 21
- Trace fossils, 933
- Trachybasalt, 1100, 1103
- Triassic red beds, 1004
- Triquetrorhabdulus carinatus* Zone, 38, 337
- Triquetrorhabdulus rugosus* Subzone, 38
- Truncatulinoidea rohri* Zone, foram, 35, 584, 587
- Turbidite cycles, 965
- Turbidite sequence, 239
- Turbidite structures, 1227
- Turbidites, 1000, 1232  
 distal, 1004  
 deposition of, 996  
 Site 368, 251
- Turbidity currents, 993, 998, 1002, 1044, 1090, 1097, 1287
- Unconformities,  
 Site 369, 1133  
 Site 370, 1133
- Underway observations, Site 366, 26
- Uplift, Cape Verde Rise, 250, 1237
- Vanadyl porphyrins, 830
- Variolitic basalt, 1103
- Velocities,  
 Site 366, 1200  
 Site 367, 1204  
 Site 368, 1205  
 Site 369, 1207  
 Site 370, 1210
- Velocity measurements, Leg 41, 1211
- Visual kerogen analysis (VKA), 839
- Vitric basalt, 1103
- Vitrinite reflectance (VR), 835, 839
- Volcanic activity, Cape Verde Rise, 251
- Volcanic activity on Cape Verde Islands, 234
- Volcanic ash  
 Site 368, 237c1133  
 Site 369, 1133
- Volcanic detritus, 1237
- Volcanic glass  
 index of refraction, 1061  
 microprobe analysis, 1061  
 source area for, 1064
- Volcanic uplift of Atlantic islands, 991
- Volcanism,  
 effect on Neogene sediments, 1045  
 Africa, Miocene, 1064  
 basaltic, 1061  
 Cape Verde Island, 1113
- Volcanism and tectonics, relationship between, 1289
- Walvis Ridge, 1002
- Wustenquarz, 856
- X-ray mineralogy,  
 analytical procedures, 1065  
 chalcedony, 1074  
 clay minerals, 1070  
 clinoptilolite, 1066  
 dolomite, 1066  
 Opal-CT, 1066  
 Site 366, 1070  
 Site 367, 1085  
 Site 368, 1077  
 Site 369, 1084  
 Site 370, 1085
- Xenoliths, sandstone, 1113
- X-ray mineralogy, quartz, 1066
- Zonation, Radiolaria, 740
- Zoophycos, 28, 30, 170, 330, 332, 427, 933, 934