



LEGEND

River

Road

Study Area

Geomorphic Wetland

Carnaby's Black-cockatoo Potential Roosting Habitat

PEC (Priority III)

Vegetation Habitat Type

Important Habitat for Endangered Flora
(*Eucalyptus absita*)

070140210280350

Metres

Map Projection: Transverse Mercator
Horizontal Datum: Geocentric Datum of Australia
Grid: Map Grid of Australia 1994, Zone 50

N

GHD

mainroads

WESTERN AUSTRALIA

powered by

SLIP ENABLER

Main Roads Western Australia
MRWA ETS BDS
Brand Highway Various Sections SLK 74 to 150 Biological Survey 2015

Recorded Conservation Significant
Habitat and Communities

Job Number
Revision
Date

61-32549
0
22 Mar 2016

G:\6132549\GIS\Maps\MXD\6132549_G006_Rev0_Fig6ConSigHabitatAndCommunities.mxd
© 2016. Whilst every care has been taken to prepare this map, GHD, Landgate, DoW and MRWA make no representations or warranties about its accuracy, reliability, completeness or suitability for any particular purpose and cannot accept liability and responsibility of any kind (whether in contract, tort or otherwise) for any expenses, losses, damages and/or costs (including indirect or consequential damage) which are or may be incurred by any party as a result of the map being inaccurate, incomplete or unsuitable in any way and for any reason.
Data source: Landgate: Imagery (Virtual Mosaic), Roads - 20150911; GHD: Study Area - 20150908; Significant Habitat and Communities - 20150917; Flora Habitat Type - 20151224. Created by: ML

999 Hay Street, Perth WA 6004 Australia T 61 8 6222 8555 F 61 8 6222 8555 E permail@ghd.com.au W www.ghd.com.au

Page 2 of 2
Figure 6

Appendices

Appendix A Conservation Codes

Ramsar Listed Wetlands

The Convention of Wetlands of International Importance was signed in 1971 at the Iranian town of Ramsar. The Convention has since been referred to as the Ramsar Convention. Ramsar Listed wetlands are “sites containing representative, rare or unique wetlands, or wetlands that are important for conserving biological diversity because of their ecological, botanical, zoological, limnological or hydrological importance” (DotE 2013b). Once a Ramsar Listed Wetland is designated, the country agrees to manage its conservation and ensure its wise use. Under the Convention, wise use is broadly defined as “maintaining the ecological character of a wetland” (DotE 2013b).

Nationally Important Wetlands

Nationally Important Wetlands are wetlands which meet at least one of the following criteria (DotE 2013a):

- It is a good example of a wetland type occurring within a biogeographic region in Australia;
- It is a wetland which plays an important ecological or hydrological role in the natural functioning of a major wetland system/complex;
- It is a wetland which is important as the habitat for animal taxa at a vulnerable stage in their life cycles, or provides a refuge when adverse conditions such as drought prevail;
- The wetland supports one percent or more of the national populations of any native plant or animal taxa;
- The wetland supports native plant or animal taxa or communities which are considered endangered or vulnerable at the national level; and
- The wetland is of outstanding historical or cultural significance.

Vegetation Extent and Status

The National Objectives and Targets for Biodiversity Conservation 2001–2005 (Commonwealth of Australia 2001) recognise that the retention of 30 percent or more of the pre-clearing extent of each ecological community is necessary if Australia’s biological diversity is to be protected. This is the threshold level below which species loss appears to accelerate exponentially and loss below this level should not be permitted. This level of recognition is in keeping with the targets recommended in the review of the National Strategy for the Conservation of Australia’s Biological Diversity (ANZECC, 2000) and in EPA Position Statement No. 2 on environmental protection of native vegetation in Western Australia (EPA, 2000).

From a purely biodiversity perspective and taking no account of any other land degradation issues, there are a number of key criteria now being applied to the clearing of native vegetation in Western Australia (EPA, 2000).

- The “threshold level” below which species loss appears to accelerate exponentially at an ecosystem level is regarded as being at a level of 30 % of the pre-European extent of the vegetation type;
- A level of 10 % of the original extent is regarded as being a level representing *Endangered*;
- Clearing which would put the threat level into the class below should be avoided; and
- From a biodiversity perspective, stream reserves should generally be in the order of at least 200 metres (m) wide.

The extent of remnant native vegetation has been assessed by Shepherd et al. (2002) and the Government of Western Australia (2013), based on broadscale vegetation association mapping by Beard.

Conservation Codes

Species of significant flora, fauna and communities are protected under both Federal and State Acts. The Australian Government EPBC Act provides a legal framework to protect and manage nationally important flora and communities. The State WC Act is the primary wildlife conservation legislation in Western Australia. Information on the conservation codes is summarised in the following sections.

Conservation Significant Communities

Ecological communities are defined as naturally occurring biological assemblages that occur in a particular type of habitat (English and Blyth, 1997). Australian Government-listed Threatened Ecological Communities (TECs) are protected under the EPBC Act administered by the Department of the Environment (DotE) (formerly the Department of Sustainability, Environment, Water, Population and Communities (DSEWPaC)). The DPaW also maintains a list of TECs for Western Australia; some of which are also protected under the EPBC Act. TECs are ecological communities that have been assessed and assigned to one of four categories related to the status of the threat to the community, i.e. *Presumed Totally Destroyed*, *Critically Endangered*, *Endangered* and *Vulnerable* (Table 18).

Possible TECs that do not meet survey criteria are added to the DPaW Priority Ecological Community (PEC) List under Priorities 1, 2 and 3 (Table 19). These are ecological communities that are adequately known; are rare but not threatened, or meet criteria for Near Threatened. PECs that have been recently removed from the threatened list are placed in Priority 4. These ecological communities require regular monitoring. Conservation dependent ecological communities are placed in Priority 5. PECs are not listed under any formal Federal or State legislation.

Conservation Codes

Western Australia Conservation Categories		Australian Government Conservation Categories (EPBC Act)	
Presumed Totally Destroyed (PD)	The community has been found to be totally destroyed or so extensively modified throughout its range that no occurrence of it is likely to recover its species composition and/or structure in the foreseeable future.	Critically Endangered (CR)	If, at that time, it is facing an extremely high risk of extinction in the wild in the immediate future.

Western Australia Conservation Categories		Australian Government Conservation Categories (EPBC Act)	
Critically Endangered (CR)	An ecological community that has been adequately surveyed and found to have been subject to a major contraction in area and/or that was originally of limited distribution and is facing severe modification or destruction throughout its range in the immediate future, or is already severely degraded throughout its range but capable of being substantially restored or rehabilitated	Endangered (EN)	If, at that time, it is not critically endangered and is facing a very high risk of extinction in the wild in the near future.
Endangered (EN)	An ecological community that has been adequately surveyed and found to have been subject to a major contraction in area and/or was originally of limited distribution and is in danger of significant modification throughout its range or severe modification or destruction over most of its range in the near future.	Vulnerable (VU)	If, at that time, it is not critically endangered or endangered, and is facing a high risk of extinction in the wild in the medium-term future.
Vulnerable (VU)	An ecological community that has been adequately surveyed and is found to be declining and/or has declined in distribution and/or condition and whose ultimate security has not yet been assured and/or a community that is still widespread but is believed likely to move into a category of higher threat in the near future if threatening processes continue or begin operating throughout its range.		

Conservation Categories and Definitions for Priority Ecological Communities
as Listed by the Department of Parks and Wildlife

Category	Description
Priority 1	Poorly known ecological communities. Ecological communities that are known from very few occurrences with a very restricted distribution (generally ≤ 5 occurrences or a total area of ≤ 100 ha). Occurrences are believed to be under threat either due to limited extent, or being on lands under immediate threat (e.g. within agricultural or pastoral lands, urban areas, active mineral leases) or for which current threats exist. May include communities with occurrences on protected lands. Communities may be included if they are comparatively well-known from one or more localities but do not meet adequacy of survey requirements, and/or are not well defined, and appear to be under immediate threat from known threatening processes across their range.
Priority 2	Poorly known ecological communities. Communities that are known from few occurrences with a restricted distribution (generally ≤ 10 occurrences or a total area of ≤ 200 ha). At least some occurrences are not believed to be under immediate threat of destruction or degradation. Communities may be included if they are comparatively well known from one or more localities but do not meet adequacy of survey requirements, and/or are not well defined, and appear to be under threat from known threatening processes.
Priority 3	Poorly known ecological communities. (i) Communities that are known from several to many occurrences, a significant number or area of which are not under threat of habitat destruction or degradation or: (ii) Communities known from a few widespread occurrences, which are either large or with significant remaining areas of habitat in which other occurrences may occur, much of it not under imminent threat, or; (iii) Communities made up of large, and/or widespread occurrences, that may or may not be represented in the reserve system, but are under threat of modification across much of their range from processes such as grazing by domestic and/or feral stock, and inappropriate fire regimes. Communities may be included if they are comparatively well known from several localities but do not meet adequacy of survey requirements and/or are not well defined, and known threatening processes exist that could affect them.
Priority 4	Ecological communities that are adequately known, rare but not threatened or meet criteria for Near Threatened, or that have been recently removed from the threatened list. These communities require regular monitoring. (i) Rare. Ecological communities known from few occurrences that are considered to have been adequately surveyed, or for which sufficient knowledge is available, and that are considered not currently threatened or in need of special protection, but could be if present circumstances change. These communities are usually represented on conservation lands. (ii) Near Threatened. Ecological communities that are considered to have been adequately surveyed and that do not qualify for Conservation Dependent, but that are close to qualifying for Vulnerable. (iii) Ecological communities that have been removed from the list of threatened communities during the past five years.
Priority 5	Conservation Dependent ecological communities. Ecological communities that are not threatened but are subject to a specific conservation program, the cessation of which would result in the community becoming threatened within five years.

Other Significant Vegetation

Vegetation may be significant for a range of reasons, other than a statutory listing as a TEC or because the extent is below a threshold level. The EPA (2004a) states that significant vegetation may include vegetation that includes the following:

- Scarcity;
- Unusual species;
- Novel combinations of species;
- A role as a refuge;
- A role as a key habitat for Threatened species or large population representing a significant proportion of the local to regional total population of a species;
- Being representative of the range of a unit (particularly, a good local and/or regional example of a unit in 'prime' habitat, at the extremes of range, recently discovered range extensions, or isolated outliers of the main range); and
- A restricted distribution.

This may apply at a number of levels, so the unit may be significant when considered at the fine-scale (intra-locality), intermediate-scale (locality or inter-locality) or broad-scale (local to region).

Conservation Significant Flora and Fauna

Species of significant flora are protected under both Federal and State legislation. Any activities that are deemed to have a significant impact on species that are recognised by the EPBC Act, and/or the WC Act can warrant referral to the DoE and/or the EPA. According to the DPaW (WA Herbarium, 1998–): "Threatened flora are plants which have been assessed as being at risk of extinction. In Western Australia the term Declared Rare Flora (DRF) is applied to Threatened flora due to the laws regarding threatened flora conservation. The WC Act is the primary wildlife conservation legislation in the State and the Minister for the Environment can declare taxa (species, subspecies or variety) as "Rare Flora" if they are considered to be in danger of extinction, rare or otherwise in need of special protection." For the purposes of this report, flora listed by the WC Act as DRF is described as Threatened.

The Australian Government conservation level of flora and fauna species and their significance status is assessed under the EPBC Act (Table 20). The significance levels for fauna used in the EPBC Act are those recommended by the International Union for the Conservation of Nature and Natural Resources (IUCN).

The State conservation level of fauna species and their significance status is assessed under the State WC Act (*Wildlife Conservation (Specially Protected Fauna) Notice 2010(2)*). This Act uses a set of Schedules (Table 21) but also classifies species using some of the IUCN categories. Schedule 3 fauna species are those which are "subject to an agreement between the Government of Australia and the Governments of Japan, China and the Republic of Korea relating to the protection of migratory birds, are declared to be fauna that is in need of special protection".

In Western Australia, the DPaW also maintains a list of Priority listed flora species. Conservation codes for Priority species are assigned by the DPaW to define the level of conservation significance (Table 21). Priority species are not currently protected under the WC Act.

For the purposes of this assessment, all species listed under the EPBC Act, WC Act and DPaW Priority species are considered conservation significant.

Conservation Codes and Definitions for EPBC Act Listed Flora and Fauna Species

Conservation Code	Definition
<i>Extinct</i>	Taxa not definitely located in the wild during the past 50 years.
<i>Extinct in the Wild</i>	Taxa known to survive only in captivity.
<i>Critically Endangered</i>	Taxa facing an extremely high risk of extinction in the wild in the immediate future.
<i>Endangered</i>	Taxa facing a very high risk of extinction in the wild in the near future.
<i>Vulnerable</i>	Taxa facing a high risk of extinction in the wild in the medium-term.
<i>Near Threatened</i>	Taxa that risk becoming Vulnerable in the wild.
<i>Conservation Dependent</i>	Taxa whose survival depends upon ongoing conservation measures. Without these measures, a conservation dependent taxon would be classified as Vulnerable or more severely threatened.
<i>Data Deficient (Insufficiently Known)</i>	Taxa suspected of being Rare, Vulnerable or Endangered, but whose true status cannot be determined without more information.
<i>Least Concern</i>	Taxa that are not considered Threatened.

Conservation Codes and Descriptions for Western Australian Flora and Fauna

Code	Conservation Category	Description
Wildlife Conservation Act 1950		
T	Schedule 1 under the WC Act	Threatened Fauna (Fauna that is rare or is likely to become extinct). Threatened Flora (Declared Rare Flora – Extant). Taxa that have been adequately searched for and are deemed to be in the wild either rare, in danger of extinction, or otherwise in need of special protection, and have been gazetted as such. CR: Critically Endangered – considered to be facing an extremely high risk of extinction in the wild. EN: Endangered – considered to be facing a very high risk of extinction in the wild. VU: Vulnerable – considered to be facing a high risk of extinction in the wild.
X	Schedule 2 under the WC Act	Presumed Extinct Fauna Presumed Extinct Flora (Declared Rare Flora – Extinct) Taxa which have been adequately searched for and there is no reasonable doubt that the last individual has died, and have been gazetted as such.
IA	Schedule 3 under the WC Act	Birds protected under an international agreement. Birds that are subject to an agreement between governments of Australia and Japan relating to the protection of migratory birds and birds in danger of extinction.
S	Schedule 4 under the WC Act	Other specially protected fauna. Fauna that is in need of special protection, otherwise than for the reasons mentioned in the above schedules.
DPaW Priority Listed		
1	Priority One: Poorly-known taxa	Taxa that are known from one or a few collections or sight records (generally less than five), all on lands not managed for conservation, e.g. agricultural or pastoral lands, urban areas, Shire, Westrail and Main Roads WA road, gravel and soil reserves, and active mineral leases and under threat of habitat destruction or degradation. Taxa may be included if they are comparatively well known from one or more localities but do not meet adequacy of survey requirements and appear to be under immediate threat from known threatening processes.
2	Priority Two: Poorly-known taxa	Taxa that are known from one or a few collections or sight records, some of which are on lands not under imminent threat of habitat destruction or degradation, e.g. national parks, conservation parks, nature reserves, State forest, vacant Crown land, water reserves, etc. Taxa may be included if they are comparatively well known from one or more localities but do not meet adequacy of survey requirements and appear to be under threat from known threatening processes.

Code	Conservation Category	Description
3	Priority Three: Poorly-known taxa	Taxa that are known from collections or sight records from several localities not under imminent threat, or from few but widespread localities with either large population size or significant remaining areas of apparently suitable habitat, much of it not under imminent threat. Taxa may be included if they are comparatively well known from several localities but do not meet adequacy of survey requirements and known threatening processes exist that could affect them.
4	Priority Four: Rare, Near Threatened and other taxa in need of monitoring	(a) Rare. Taxa that are considered to have been adequately surveyed, or for which sufficient knowledge is available, and that are considered not currently threatened or in need of special protection, but could be if present circumstances change. These taxa are usually represented on conservation lands. (b) Near Threatened. Taxa that are considered to have been adequately surveyed and that do not qualify for Conservation Dependent, but that are close to qualifying for Vulnerable. (c) Taxa that have been removed from the list of threatened species during the past five years for reasons other than taxonomy.
5	Priority 5: Conservation Dependent taxa	Taxa that are not threatened but are subject to a specific conservation program, the cessation of which would result in the taxon becoming threatened within five years.

Migratory Species Listed Under the EPBC Act

The EPBC Act also protects land and migratory species that are listed under International Agreements. The list of migratory species established under section 209 of the EPBC Act comprises:

- Migratory species which are native to Australia and are included in the appendices to the Bonn Convention (Convention on the Conservation of Migratory Species of Wild Animals Appendices I and II);
- Migratory species included in annexes established under the Japan-Australia Migratory Bird Agreement (JAMBA) and the China–Australia Migratory Bird Agreement (CAMBA); and
- Native, migratory species identified in a list established under, or an instrument made under, an international agreement approved by the Minister, such as the republic of Korea–Australia Migratory Bird Agreement (ROKAMBA).

Other Significant Flora and Fauna

Flora species, subspecies, varieties, hybrids and ecotypes may be significant for a range of reasons, other than as Threatened (Declared Rare) Flora or Priority Flora. The EPA (2004a) states that significant flora may include taxa that have:

- A keystone role in a particular habitat for threatened species or supporting large populations representing a significant proportion of the local regional population of a species;
- Relic status;
- Anomalous features that indicate a potential new discovery;
- Being representative of the range of a species (particularly, at the extremes of range, recently discovered range extensions, or isolated outliers of the main range);

- The presence of restricted subspecies, varieties, or naturally occurring hybrids;
- Local endemism/a restricted distribution; and
- Being poorly reserved.

The application of the degree of significance may apply at a range of scales.

Introduced Plants (Weeds)

Declared Pests

The Department of Agriculture and Food Western Australia (DAFWA) maintains a list of Declared Pests for Western Australia that have been declared under the BAM Act. If a Pest is declared for the whole of the State or for particular Local Government Areas, all landholders are obliged to comply with the specific category of control. Declared Pests are gazetted under categories, which define the action required. The category may apply to the whole of the State, districts, individual properties or even paddocks. Categories of control are defined in Table B.5. Among the factors considered in categorising Declared Pests are:

- The impact of the plant on individuals, agricultural production and the community in general;
- Whether it is already established in the area; and
- The feasibility and cost of possible control measures.

Department of Agriculture and Food (Western Australia) Categories for Declared Pests under the Biosecurity and Agriculture Management Act 2007

Control class code	Description
C1 (Exclusion)	Pests will be assigned to this category if they are not established in Western Australia and control measures are to be taken, including border checks, in order to prevent them entering and establishing in the State.
C2 (Eradication)	Pests will be assigned to this category if they are present in Western Australia in low enough numbers or in sufficiently limited areas that their eradication is still a possibility.
C3 (Management)	Pests will be assigned to this category if they are established in Western Australia but it is feasible, or desirable, to manage them in order to limit their damage. Control measures can prevent a C3 pest from increasing in population size or density or moving from an area in which it is established into an area which currently is free of that pest.

Weeds of National Significance

The spread of weeds across a range of land uses or ecosystems is important in the context of socio-economic and environmental values. The assessment of Weeds of National Significance (WoNS) is based on four major criteria:

- Invasiveness;
- Impacts;
- Potential for spread; and
- Socio-economic and environmental values.

Australian state and territory governments have identified thirty two Weeds of National Significance (WoNS); a list of 20 WoNS was endorsed in 1999 and a further 12 were added in 2012 (Australian Government, 2012).

References

Australian Government 2013, *Weeds in Australia*, retrieved 2013, from <http://www.environment.gov.au/biodiversity/invasive/weeds/index.html>.

Australia New Zealand Environment and Conservation Council (ANZECC) 2000, *Core Environmental Indicators for Reporting on the State of Environment*, ANZECC State of the Environment Reporting Task Force.

Commonwealth of Australia 2001, *National Targets and Objectives for Biodiversity Conservation 2001–2005*, Canberra, AGPS.

Department of the Environment (DotE) (2013) *Criteria for determining nationally important wetlands*. Retrieved from: <http://www.environment.gov.au/topics/water/water-our-environment/wetlands/australian-wetlands-database/directory-important>.

English, V and Blyth, J 1997, *Identifying and Conserving Threatened Ecological Communities in the South West Botanical Province*, Perth, Department of Conservation and Land Management.

Environmental Protection Authority (EPA) 2000, *Environmental Protection of Native Vegetation in Western Australia. Clearing of native vegetation, with particular reference to the agricultural area. Position Statement No. 2*, Perth, Environmental Protection Authority.

Environmental Protection Authority (EPA) 2004a, 'Guidance Statement No. 51, *Guidance for the Assessment of Environmental Factors: Vegetation and Flora Surveys for Environmental Impact Assessment in Western Australia*', Perth, Environmental Protection Authority.

Government of Western Australia (GoWA) 2013, *Natural Resource Management Shared Land Information Platform*. Retrieved from: <http://spatial.agric.wa.gov.au/slip/>.

Appendix B Desktop Reports

SLK 77 to 79 Family

Created By Guest user on 14/09/2015

Current Names Only Yes

Core Datasets Only Yes

Method 'By Line'

Vertices 30° 58' 15" S, 115° 41' 43" E 30° 56' 45" S, 115° 40' 40" E

Group By Family

Family	Species	Records
Acanthizidae	6	103
Accipitridae	5	26
Agamidae	2	4
Amanitaceae	4	7
Amaranthaceae	3	4
Anarthriaceae	3	11
Anatidae	13	202
Apiaceae	5	15
Apodanthaceae	2	2
Araliaceae	1	3
Araneidae	1	1
Arcyriaceae	1	1
Ardeidae	4	26
Artamidae	2	10
Asparagaceae	21	43
Asteraceae	32	49
Atherinidae	1	1
Bartramiaceae	1	1
Boryaceae	1	1
Brassicaceae	5	5
Bruchiaceae	1	1
Buthidae	1	1
Campanulaceae	5	7
Campephagidae	1	20
Canthocamptidae	1	3
Caryophyllaceae	1	1
Casuariidae	1	4
Casuarinaceae	4	6
Celastraceae	3	7
Centrolepidaceae	5	8
Ceratopogonidae	1	2
Charadriidae	4	12
Chernetidae	1	1
Chironomidae	4	8
Chydoridae	1	1
Climacteridae	1	1
Colchicaceae	5	8
Colletidae	2	4
Columbidae	4	14
Corvidae	2	50
Cracticidae	4	62
Cuculidae	1	9
Cupressaceae	2	6
Cyperaceae	22	37
Dasyopogonaceae	2	12
Dasyuridae	1	2
Dicaeidae	1	1
Dicranaceae	2	2
Dicruridae	3	58
Dilleniaceae	18	79
Dioscoreaceae	1	1
Diplodactylidae	1	3
Dolichopodidae	1	3
Droseraceae	17	28
Ecdeiocoleaceae	1	2
Elapidae	6	7
Ericaceae	35	227
Euphorbiaceae	4	9
Fabaceae	90	249
Falconidae	3	16
Galaxiidae	1	1
Gobiidae	2	3
Goodeniaceae	25	110
Gyrostemonaceae	3	13
Haemodoridae	34	147
Haemulidae	1	1
Halcyonidae	3	32
Haloragaceae	2	4
Hemerocallidaceae	11	22
Hirundinidae	2	27
Hydatellaceae	1	2
Hydrodromidae	1	3
Hydrophilidae	1	3
Hylidae	1	5
Iridaceae	5	8
Juncaceae	5	14
Juncaginaceae	2	4
Lamiaceae	13	30
Lauraceae	2	3

Lentibulariaceae	2	2
Loganiaceae	3	13
Loranthaceae	1	1
Lycopodiaceae	1	1
Lycosidae	1	3
Macropodidae	1	9
Maluridae	3	39
Malvaceae	6	8
Megapodiidae	1	1
Meliphagidae	10	134
Meropidae	1	6
Micropholcommatidae	1	2
Molluginaceae	3	13
Muridae	3	6
Muscidae	1	1
Myobatrachidae	2	2
Myrtaceae	107	388
Nemesiidae	1	2
Neosittidae	1	4
Olaceae	1	2
Orchidaceae	36	52
Otididae	1	1
Pachycephalidae	4	46
Pardalotidae	1	26
Pelecanidae	1	4
Percichthyidae	1	1
Petroicidae	2	3
Phalacrocoracidae	3	14
Philydraceae	1	1
Phyllanthaceae	3	5
Pittosporaceae	1	1
Plotosidae	1	3
Poaceae	20	34
Podicipedidae	3	35
Polygalaceae	3	3
Polygonaceae	4	6
Pomatiopsidae	1	1
Potamogetonaceae	1	1
Pottiaceae	1	1
Primulaceae	2	3
Proteaceae	105	411
Psittacidae	9	56
Pygopodidae	1	1
Pythiaceae	1	2
Rallidae	8	39
Ramalinaceae	1	1
Recurvirostridae	3	19
Restionaceae	14	66
Rhamnaceae	8	15
Rhodomelaceae	1	1
Rosaceae	1	1
Rubiaceae	3	5
Rutaceae	8	37
Santalaceae	3	4
Sapindaceae	2	4
Scincidae	2	3
Scolopacidae	3	7
Scrophulariaceae	1	1
Sematophyllaceae	1	1
Solanaceae	4	6
Stylidiaceae	28	76
Surianaceae	1	1
Sylviidae	3	11
Tachyglossidae	1	1
Terapontidae	1	1
Thelypteridaceae	1	1
Threskiornithidae	4	33
Thymelaeaceae	2	6
Trichiaceae	1	1
Varanidae	1	2
Vespertilionidae	3	21
Violaceae	1	1
Zamiaceae	1	1
Zosteropidae	1	25
Zygophyllaceae	1	1
TOTAL	960	3659

Name ID	Species Name	Naturalised	Conservation Code	¹ Endemic To Query Area
Acanthizidae				
1.	24260 <i>Acanthiza apicalis</i> (Broad-tailed Thornbill, Inland Thornbill)			
2.	24261 <i>Acanthiza chrysorrhoa</i> (Yellow-rumped Thornbill)			
3.	24262 <i>Acanthiza inornata</i> (Western Thornbill)			
4.	25530 <i>Gerygone fusca</i> (Western Gerygone)			
5.	25534 <i>Sericornis frontalis</i> (White-browed Scrubwren)			
6.	30948 <i>Smicrornis brevirostris</i> (Weebill)			
Accipitridae				
7.	25535 <i>Accipiter cirrocephalus</i> (Collared Sparrowhawk)			
8.	25536 <i>Accipiter fasciatus</i> (Brown Goshawk)			
9.	24285 <i>Aquila audax</i> (Wedge-tailed Eagle)			
10.	24288 <i>Circus approximans</i> (Swamp Harrier)			
11.	24295 <i>Haliastur sphenurus</i> (Whistling Kite)			
Agamidae				
12.	30899 <i>Ctenophorus adelaidensis</i> (Southern Heath Dragon, Western Heath Dragon)			
13.	24907 <i>Pogona minor subsp. minor</i> (Dwarf Bearded Dragon)			
Amanitaceae				
14.	18195 <i>Amanita carneiphylla</i>		P2	
15.	38755 <i>Amanita ochroterrea</i>			
16.	38757 <i>Amanita xanthocephala</i>			
17.	38808 <i>Limacella pitereka</i>			
Amaranthaceae				
18.	2733 <i>Ptilotus humilis</i>			
19.	2751 <i>Ptilotus polystachyus</i> (Prince of Wales Feather)			
20.	40841 <i>Ptilotus stirlingii subsp. stirlingii</i>			
Anarthriaceae				
21.	1059 <i>Anarthria humilis</i>			
22.	1097 <i>Lyginia barbata</i>			
23.	18049 <i>Lyginia imberbis</i>			
Anatidae				
24.	24310 <i>Anas castanea</i> (Chestnut Teal)			
25.	24312 <i>Anas gracilis</i> (Grey Teal)			
26.	24313 <i>Anas platyrhynchos</i> (Mallard)			
27.	24315 <i>Anas rhynchotis</i> (Australasian Shoveler)			
28.	24316 <i>Anas superciliosa</i> (Pacific Black Duck)			
29.	24318 <i>Aythya australis</i> (Hardhead)			
30.	24319 <i>Biziura lobata</i> (Musk Duck)			
31.	24321 <i>Chenonetta jubata</i> (Australian Wood Duck, Wood Duck)			
32.	24322 <i>Cygnus atratus</i> (Black Swan)			
33.	24326 <i>Malacorhynchus membranaceus</i> (Pink-eared Duck)			
34.	24328 <i>Oxyura australis</i> (Blue-billed Duck)		P4	
35.	24329 <i>Stictonetta naevosa</i> (Freckled Duck)			
36.	24331 <i>Tadorna tadornoides</i> (Australian Shelduck, Mountain Duck)			
Apiaceae				
37.	6205 <i>Actinotus leucocephalus</i> (Flannel Flower)			
38.	12040 <i>Apium prostratum</i> var. <i>prostratum</i> (Sea Celery)			
39.	6222 <i>Homalosciadium homalocarpum</i>			
40.	6255 <i>Platysace juncea</i>			
41.	6289 <i>Xanthosia huegelii</i>			
Apodanthaceae				
42.	33460 <i>Pilostyles coccoidea</i>			
43.	2408 <i>Pilostyles hamiltonii</i>			
Araliaceae				
44.	6280 <i>Trachymene pilosa</i> (Native Parsnip)			
Araneidae				
45.	<i>Austracantha minax</i>			
Arcyriaceae				
46.	38969 <i>Arcyria minuta</i>			
Ardeidae				
47.	41324 <i>Ardea modesta</i> (Eastern Great Egret)		IA	
48.	24340 <i>Ardea novaehollandiae</i> (White-faced Heron)			

	Name ID	Species Name	Naturalised	Conservation Code	¹ Endemic To Query Area
49.	24341	<i>Ardea pacifica</i> (White-necked Heron)			
50.	25564	<i>Nycticorax caledonicus</i> (Rufous Night Heron)			

Artamidae

51.	25566	<i>Artamus cinereus</i> (Black-faced Woodswallow)			
52.	24353	<i>Artamus cyanopterus</i> (Dusky Woodswallow)			

Asparagaceae

53.	1205	<i>Acanthocarpus canaliculatus</i>			
54.	8788	<i>Chamaescilla versicolor</i>			
55.	1305	<i>Laxmannia omnifertilis</i>			
56.	11911	<i>Laxmannia ramosa</i> subsp. <i>ramosa</i>			
57.	11464	<i>Laxmannia sessiliflora</i> subsp. <i>australis</i>			
58.	11732	<i>Laxmannia sessiliflora</i> subsp. <i>sessiliflora</i>			
59.	1223	<i>Lomandra caespitosa</i> (Tufted Mat Rush)			
60.	1228	<i>Lomandra hermaphrodita</i>			
61.	14542	<i>Lomandra micrantha</i> subsp. <i>micrantha</i>			
62.	1239	<i>Lomandra preissii</i>			
63.	1243	<i>Lomandra sericea</i> (Silky Mat Rush)			
64.	1246	<i>Lomandra suaveolens</i>			
65.	1312	<i>Sowerbaea laxiflora</i> (Purple Tassels)			
66.	1318	<i>Thysanotus arbuscula</i>			
67.	1334	<i>Thysanotus glaucus</i>		P4	
68.	1339	<i>Thysanotus multiflorus</i> (Many-flowered Fringe Lily)			
69.	1343	<i>Thysanotus patersonii</i>			
70.	1351	<i>Thysanotus sparteus</i>			
71.	1353	<i>Thysanotus spiniger</i>			
72.	1357	<i>Thysanotus thyrsoides</i>			
73.	1358	<i>Thysanotus triandrus</i>			

Asteraceae

74.	7835	<i>Angianthus pygmaeus</i> (Pygmy Angianthus)			
75.	7838	<i>Arctotheca calendula</i> (Cape Weed)	Y		
76.	7856	<i>Blennospora drummondii</i>			
77.	7878	<i>Brachyscome iberidifolia</i>			
78.	7945	<i>Cotula coronopifolia</i> (Waterbuttons)	Y		
79.	29054	<i>Crepis foetida</i> subsp. <i>foetida</i>	Y		
80.	7991	<i>Gnephosis drummondii</i>			
81.	12741	<i>Hyalosperma cotula</i>			
82.	8086	<i>Hypochoeris glabra</i> (Smooth Catsear)	Y		
83.	8105	<i>Millotia myosotidifolia</i>			
84.	14187	<i>Myriocephalus occidentalis</i>			
85.	32716	<i>Olearia lehmanniana</i>			
86.	8149	<i>Olearia rudis</i> (Rough Daisybush)			
87.	42024	<i>Olearia</i> sp. Kennedy Range (G. Byrne 66)			
88.	18353	<i>Pithocarpa pulchella</i> var. <i>pulchella</i>			
89.	8175	<i>Podolepis gracilis</i> (Slender Podolepis)			
90.	8177	<i>Podolepis lessonii</i>			
91.	8183	<i>Podotheca chrysantha</i> (Yellow Podotheca)			
92.	8184	<i>Podotheca gnaphalioides</i> (Golden Long-heads)			
93.	13255	<i>Pterochaeta paniculata</i>			
94.	8195	<i>Quinetia urvillei</i>			
95.	13300	<i>Rhodanthe citrina</i>			
96.	13234	<i>Rhodanthe manglesii</i>			
97.	8225	<i>Siloxerus humifusus</i> (Procumbent Siloxerus)			
98.	14583	<i>Siloxerus multiflorus</i>			
99.	9367	<i>Sonchus hydrophilus</i> (Native Sowthistle)			
100.	38388	<i>Ursinia anthemoides</i> subsp. <i>anthemoides</i>	Y		
101.	8257	<i>Vellereophyton dealbatum</i> (White Cudweed)	Y		
102.	15725	<i>Verbesina encelioides</i>	Y		
103.	13328	<i>Waitzia nitida</i>			
104.	8281	<i>Waitzia podolepis</i>			
105.	19938	<i>Xerochrysum bracteatum</i>			

Atherinidae

106.		<i>Atherinosoma elongata</i>			
------	--	------------------------------	--	--	--

Bartramiaceae

107.	32327	<i>Breutelia affinis</i>			
------	-------	--------------------------	--	--	--

Boryaceae

108.	1273	<i>Borya sphaerocephala</i> (Pincushions)			
------	------	---	--	--	--

Name ID	Species Name	Naturalised	Conservation Code	¹ Endemic To Query Area
Brassicaceae				
109.	11187 <i>Brassica barrelieri</i> subsp. <i>oxyrrhina</i> (Smooth-stem Turnip)	Y		
110.	3000 <i>Brassica tournefortii</i> (Mediterranean Turnip)	Y		
111.	3011 <i>Diplotaxis muralis</i> (Wall Rocket)	Y		
112.	3016 <i>Heliophila pusilla</i>	Y		
113.	3061 <i>Raphanus raphanistrum</i> (Wild Radish)	Y		
Bruchiaceae				
114.	32328 <i>Bruchia brevipes</i>			
Buthidae				
115.	<i>Urodacus hartmeyeri</i>			
Campanulaceae				
116.	9289 <i>Lobelia anceps</i> (Angled Lobelia)			
117.	7403 <i>Lobelia heterophylla</i> (Wing-seeded Lobelia)			
118.	7406 <i>Lobelia rhombifolia</i> (Tufted Lobelia)			
119.	7407 <i>Lobelia rhytidosperra</i> (Wrinkled-seeded Lobelia)			
120.	7384 <i>Wahlenbergia capensis</i> (Cape Bluebell)	Y		
Campephagidae				
121.	25568 <i>Coracina novaehollandiae</i> (Black-faced Cuckoo-shrike)			
Canthocamptidae				
122.	<i>Canthocamptidae</i> sp. 4 (SAP)			
Caryophyllaceae				
123.	19825 <i>Petrorhagia dubia</i>	Y		
Casuariidae				
124.	24470 <i>Dromaius novaehollandiae</i> (Emu)			
Casuarinaceae				
125.	1729 <i>Allocasuarina grevilleoides</i>		P3	
126.	1731 <i>Allocasuarina huegeliana</i> (Rock Sheoak, Kwool)			
127.	1732 <i>Allocasuarina humilis</i> (Dwarf Sheoak)			
128.	1734 <i>Allocasuarina microstachya</i>			
Celastraceae				
129.	9070 <i>Stackhousia pubescens</i> (Downy Stackhousia)			
130.	4737 <i>Tripterococcus brunonis</i> (Winged Stackhousia)			
131.	16998 <i>Tripterococcus paniculatus</i>		P4	
Centrolepidaceae				
132.	43548 <i>Aphelia</i> sp. <i>Albany</i> (B.G. Briggs 596)			
133.	1121 <i>Centrolepis aristata</i> (Pointed Centrolepis)			
134.	1125 <i>Centrolepis drummondiana</i>			
135.	1129 <i>Centrolepis glabra</i> (Smooth Centrolepis)			
136.	1131 <i>Centrolepis inconspicua</i>			
Ceratopogonidae				
137.	<i>Culicoides</i> sp.			
Charadriidae				
138.	24373 <i>Charadrius melanops</i> (Black-fronted Dotterel)			
139.	24377 <i>Charadrius ruficapillus</i> (Red-capped Plover)			
140.	24379 <i>Erythrogonys cinctus</i> (Red-kneed Dotterel)			
141.	24386 <i>Vanellus tricolor</i> (Banded Lapwing)			
Chernetidae				
142.	<i>Troglochernes dewae</i>			
Chironomidae				
143.	<i>Cladopelma curtilvalva</i>			
144.	<i>Procladius</i> DEC sp. P1 (formerly <i>P. paludicola</i> P1 no U-claws)			
145.	<i>Procladius paludicola</i>			
146.	<i>Tanytarsus fuscithorax/semibarbitarsus</i>			
Chydoridae				
147.	<i>Leberis diaphana vermiculata</i>			
Climacteridae				
148.	24396 <i>Climacteris rufa</i> (Rufous Treecreeper)			
Colchicaceae				
149.	1383 <i>Burchardia bairdiae</i>			
150.	12770 <i>Burchardia congesta</i>			
151.	1385 <i>Burchardia multiflora</i> (Dwarf Burchardia)			
152.	1394 <i>Wurmbea dioica</i> (Early Nancy)			

Name ID	Species Name	Naturalised	Conservation Code	¹ Endemic To Query Area
153.	12072 <i>Wurmbea dioica</i> subsp. <i>alba</i>			
Colletidae				
154.	33977 <i>Hylaeus globuliferus</i> (bee)		P3	
155.	33982 <i>Leioproctus contrarius</i> (bee)		P3	
Columbidae				
156.	24407 <i>Ocyphaps lophotes</i> (Crested Pigeon)			
157.	24409 <i>Phaps chalcoptera</i> (Common Bronzewing)			
158.	25589 <i>Streptopelia chinensis</i> (Spotted Turtle-Dove)	Y		
159.	25590 <i>Streptopelia senegalensis</i> (Laughing Turtle-Dove)	Y		
Corvidae				
160.	24416 <i>Corvus bennetti</i> (Little Crow)			
161.	25592 <i>Corvus coronoides</i> (Australian Raven)			
Cracticidae				
162.	24420 <i>Cracticus nigrogularis</i> (Pied Butcherbird)			
163.	25595 <i>Cracticus tibicen</i> (Australian Magpie)			
164.	24422 <i>Cracticus tibicen</i> subsp. <i>dorsalis</i> (White-backed Magpie)			
165.	25596 <i>Cracticus torquatus</i> (Grey Butcherbird)			
Cuculidae				
166.	42307 <i>Cacomantis pallidus</i> (Pallid Cuckoo)			
Cupressaceae				
167.	92 <i>Callitris canescens</i>			
168.	36600 <i>Callitris pyramidalis</i> (Swamp Cypress)			
Cyperaceae				
169.	741 <i>Baumea articulata</i> (Jointed Rush)			
170.	749 <i>Bolboschoenus caldwellii</i> (Marsh Club-rush)			
171.	760 <i>Caustis dioica</i>			
172.	794 <i>Cyperus gymnocaulos</i> (Spiny Flat-sedge)			
173.	822 <i>Eleocharis acuta</i> (Common Spikerush)			
174.	14540 <i>Isolepis hystrix</i>	Y		
175.	924 <i>Isolepis stellata</i> (Star Club-rush)			
176.	42741 <i>Lepidosperma apricola</i>			
177.	937 <i>Lepidosperma longitudinale</i> (Pithy Sword-sedge)			
178.	944 <i>Lepidosperma scabrum</i>			
179.	30440 <i>Lepidosperma</i> sp. <i>Gingin</i> (M.A. Langley & P.M. Smith MAL 2193)			
180.	955 <i>Mesomelaena pseudostygia</i>			
181.	978 <i>Schoenus brevisetis</i>			
182.	979 <i>Schoenus caespititius</i>			
183.	984 <i>Schoenus curvifolius</i>			
184.	986 <i>Schoenus efoliatus</i>			
185.	17606 <i>Schoenus griffinianus</i>		P3	
186.	17617 <i>Schoenus insolitus</i>			
187.	1000 <i>Schoenus minutulus</i>			
188.	1009 <i>Schoenus pleiostemoneus</i>			
189.	1036 <i>Tetraria octandra</i>			
190.	1038 <i>Tricostularia neesii</i>			
Dasypogonaceae				
191.	19309 <i>Calectasia narragara</i>			
192.	1220 <i>Dasypogon obliquifolius</i>			
Dasyuridae				
193.	24092 <i>Dasyurus geoffroii</i> (Chuditch, Western Quoll)		T	
Dicaeidae				
194.	25607 <i>Dicaeum hirundinaceum</i> (Mistletoebird)			
Dicranaceae				
195.	32334 <i>Campylopus australis</i>			
196.	32338 <i>Campylopus introflexus</i>	Y		
Dicruridae				
197.	24443 <i>Grallina cyanoleuca</i> (Magpie-lark)			
198.	25610 <i>Myiagra inquieta</i> (Restless Flycatcher)			
199.	25614 <i>Rhipidura leucophrys</i> (Willie Wagtail)			
Dilleniaceae				
200.	5108 <i>Hibbertia acerosa</i> (Needle Leaved Guinea Flower)			
201.	5112 <i>Hibbertia aurea</i>			
202.	5114 <i>Hibbertia commutata</i>			
203.	5116 <i>Hibbertia crassifolia</i>			

	Name ID	Species Name	Naturalised	Conservation Code	¹ Endemic To Query Area
204.	5120	<i>Hibbertia desmophylla</i>			
205.	20059	<i>Hibbertia hemignosta</i>			
206.	20046	<i>Hibbertia hibbertioides</i> var. <i>hibbertioides</i>			
207.	5134	<i>Hibbertia huegelii</i>			
208.	5135	<i>Hibbertia hypericoides</i> (Yellow Buttercups)			
209.	5148	<i>Hibbertia mylnei</i>			
210.	5153	<i>Hibbertia pachyrrhiza</i>			
211.	5157	<i>Hibbertia polystachya</i>			
212.	5162	<i>Hibbertia racemosa</i> (Stalked Guinea Flower)			
213.	43280	<i>Hibbertia sericosepala</i>			
214.	5171	<i>Hibbertia spicata</i>			
215.	11481	<i>Hibbertia spicata</i> subsp. <i>spicata</i>			
216.	5172	<i>Hibbertia stellaris</i> (Orange Stars)			
217.	5173	<i>Hibbertia subvaginata</i>			

Dioscoreaceae

218.	1509	<i>Dioscorea hastifolia</i> (Warrine, Wararn)
------	------	---

Diplodactylidae

219.	24942	<i>Strophurus spinigerus</i> subsp. <i>spinigerus</i>
------	-------	---

Dolichopodidae

220.		<i>Dolichopodidae</i> sp.
------	--	---------------------------

Droseraceae

221.	3090	<i>Drosera barbigera</i>	
222.	13381	<i>Drosera citrina</i>	
223.	3097	<i>Drosera gigantea</i> (Giant Sundew)	
224.	3098	<i>Drosera glanduligera</i> (Pimpernel Sundew)	
225.	3101	<i>Drosera heterophylla</i> (Swamp Rainbow)	
226.	8910	<i>Drosera humilis</i>	
227.	3105	<i>Drosera leucoblasta</i> (Wheel Sundew)	
228.	3106	<i>Drosera macrantha</i> (Bridal Rainbow)	
229.	14298	<i>Drosera macrantha</i> subsp. <i>macrantha</i>	
230.	13208	<i>Drosera marchantii</i> subsp. <i>prophylla</i>	P3
231.	13216	<i>Drosera menziesii</i> subsp. <i>penicillaris</i>	
232.	11196	<i>Drosera menziesii</i> subsp. <i>thysanosepala</i>	
233.	3118	<i>Drosera pallida</i> (Pale Rainbow)	
234.	3119	<i>Drosera parvula</i> (Small Sundew)	
235.	29178	<i>Drosera porrecta</i>	
236.	3131	<i>Drosera stolonifera</i> (Leafy Sundew)	
237.	3133	<i>Drosera subhirtella</i> (Sunny Rainbow)	

Ecdeiocolaeaceae

238.	1066	<i>Ecdeiocola monostachya</i>
------	------	-------------------------------

Elapidae

239.	42380	<i>Brachyuropis fasciolatus</i> subsp. <i>fasciolatus</i> (Narrow-banded Shovel-nosed Snake)
240.	42381	<i>Brachyuropis semifasciatus</i> (Southern Shovel-nosed Snake)
241.	25296	<i>Demansia psammophis</i> subsp. <i>reticulata</i> (Yellow-faced Whipsnake)
242.	25251	<i>Echiopsis curta</i> (Bardick)
243.	25253	<i>Parasuta gouldii</i>
244.	25255	<i>Parasuta nigriceps</i>

Ericaceae

245.	6311	<i>Andersonia heterophylla</i>
246.	6312	<i>Andersonia involucrata</i>
247.	6314	<i>Andersonia lehmanniana</i>
248.	41738	<i>Andersonia</i> sp. <i>Mysosma</i> (E.A. Griffin 2213)
249.	6328	<i>Astroloma glaucescens</i>
250.	6330	<i>Astroloma macrocalyx</i> (Swan Berry)
251.	6332	<i>Astroloma microdonta</i> (Sandplain Cranberry)
252.	6334	<i>Astroloma pallidum</i> (Kick Bush)
253.	6336	<i>Astroloma serratifolium</i> (Kondrung)
254.	6339	<i>Astroloma xerophyllum</i>
255.	30133	<i>Brachyloma jillup</i>
256.	6347	<i>Conostephium minus</i> (Pink-tipped Pearl flower)
257.	6348	<i>Conostephium pendulum</i> (Pearl Flower)
258.	6349	<i>Conostephium preissii</i>
259.	13527	<i>Croninia kingiana</i>
260.	6354	<i>Leucopogon allittii</i>
261.	6369	<i>Leucopogon cinereus</i>
262.	6370	<i>Leucopogon cochlearifolius</i>
263.	6374	<i>Leucopogon conostephioides</i>

	Name ID	Species Name	Naturalised	Conservation Code	¹ Endemic To Query Area
264.	6400	<i>Leucopogon gracillimus</i>			
265.	6420	<i>Leucopogon oldfieldii</i>			
266.	6421	<i>Leucopogon oliganthus</i>			
267.	6425	<i>Leucopogon oxycedrus</i>			
268.	6434	<i>Leucopogon polymorphus</i>			
269.	6436	<i>Leucopogon propinquus</i>			
270.	6440	<i>Leucopogon racemulosus</i>			
271.	20868	<i>Leucopogon</i> sp. <i>Cataby</i> (F. Hort 1638)			
272.	19412	<i>Leucopogon</i> sp. <i>Moore River</i> (M. Hislop 1695)			
273.	20086	<i>Leucopogon</i> sp. <i>Northern Scarp</i> (M. Hislop 2233)			
274.	19460	<i>Leucopogon</i> sp. <i>Yanchep</i> (M. Hislop 1986)		P3	
275.	6444	<i>Leucopogon sprengelioides</i>			
276.	40804	<i>Leucopogon squarrosus</i> subsp. <i>trigynus</i>		P2	
277.	6458	<i>Lysinema elegans</i>			
278.	34736	<i>Lysinema pentapetalum</i>			
279.	6476	<i>Styphelia tenuiflora</i> (Common Pinheath)			

Euphorbiaceae

280.	4662	<i>Monotaxis grandiflora</i> (Diamond of the Desert)			
281.	19585	<i>Monotaxis grandiflora</i> var. <i>grandiflora</i>			
282.	19942	<i>Ricinocarpos undulatus</i>			
283.	4713	<i>Stachystemon axillaris</i> (Leafy Stachystemon)			

Fabaceae

284.	3200	<i>Acacia acuminata</i> (Jam, Mangard)			
285.	15466	<i>Acacia applanata</i>			
286.	3231	<i>Acacia auronitens</i>			
287.	15470	<i>Acacia barbinervis</i> subsp. <i>borealis</i>			
288.	3242	<i>Acacia blakelyi</i>			
289.	15471	<i>Acacia brumalis</i>			
290.	14061	<i>Acacia clydonophora</i>			
291.	3271	<i>Acacia costata</i>			
292.	20435	<i>Acacia daphnifolia</i>			
293.	3293	<i>Acacia denticulosa</i> (Sandpaper Wattle)		T	
294.	11229	<i>Acacia drummondii</i> subsp. <i>affinis</i>		P3	
295.	3341	<i>Acacia forrestiana</i> (Forrest's Wattle)		T	
296.	3374	<i>Acacia huegelii</i>			
297.	11611	<i>Acacia lasiocarpa</i> var. <i>lasiocarpa</i>			
298.	15721	<i>Acacia lasiocarpa</i> var. <i>sedifolia</i>			
299.	3412	<i>Acacia latipes</i>			
300.	15476	<i>Acacia latipes</i> subsp. <i>latipes</i>			
301.	3442	<i>Acacia microbotrya</i> (Manna Wattle, Kalyang)			
302.	15481	<i>Acacia pulchella</i> var. <i>glaberrima</i>			
303.	15483	<i>Acacia pulchella</i> var. <i>pulchella</i>			
304.	3506	<i>Acacia pyrifolia</i> (Ranji Bush, Kandji)			
305.	3525	<i>Acacia rostellifera</i> (Summer-scented Wattle)			
306.	3527	<i>Acacia saligna</i> (Orange Wattle, Kudjong)			
307.	30033	<i>Acacia saligna</i> subsp. <i>lindleyi</i>			
308.	30032	<i>Acacia saligna</i> subsp. <i>saligna</i>			
309.	3532	<i>Acacia scirpifolia</i>			
310.	3543	<i>Acacia shuttleworthii</i>			
311.	15484	<i>Acacia sphacelata</i> subsp. <i>sphacelata</i>			
312.	15486	<i>Acacia sphacelata</i> subsp. <i>verticillata</i>			
313.	3557	<i>Acacia stenoptera</i> (Narrow Winged Wattle)			
314.	3692	<i>Aotus procumbens</i>			
315.	3710	<i>Bossiaea eriocarpa</i> (Common Brown Pea)			
316.	3719	<i>Bossiaea spinescens</i>			
317.	13112	<i>Chorizema aciculare</i> subsp. <i>aciculare</i>			
318.	13111	<i>Chorizema aciculare</i> subsp. <i>laxum</i>			
319.	3793	<i>Daviesia angulata</i>			
320.	3805	<i>Daviesia decurrens</i> (Prickly Bitter-pea)			
321.	3807	<i>Daviesia divaricata</i> (Marno)			
322.	18560	<i>Daviesia divaricata</i> subsp. <i>divaricata</i>			
323.	15505	<i>Daviesia incrassata</i> subsp. <i>incrassata</i>			
324.	12329	<i>Daviesia nudiflora</i> subsp. <i>hirtella</i>			
325.	16585	<i>Daviesia nudiflora</i> subsp. <i>nudiflora</i>			
326.	3832	<i>Daviesia physodes</i>			
327.	3833	<i>Daviesia podophylla</i>			
328.	3863	<i>Dillwynia dillwynioides</i>		P3	
329.	3872	<i>Euchilopsis linearis</i> (Swamp Pea)			
330.	3887	<i>Gastrolobium acutum</i>			

	Name ID	Species Name	Naturalised	Conservation Code	¹ Endemic To Query Area
331.	20515	<i>Gastrolobium axillare</i>			
332.	3894	<i>Gastrolobium callistachys</i> (Rock Poison)			
333.	20505	<i>Gastrolobium celsianum</i>			
334.	20483	<i>Gastrolobium linearifolium</i>			
335.	20482	<i>Gastrolobium nervosum</i>			
336.	3910	<i>Gastrolobium obovatum</i> (Boat-leaved Poison)			
337.	3912	<i>Gastrolobium oxylobioides</i> (Champion Bay Poison)			
338.	3933	<i>Gastrolobium villosum</i> (Crinkle-leaved Poison)			
339.	3945	<i>Gompholobium aristatum</i>			
340.	3950	<i>Gompholobium knightianum</i>			
341.	3955	<i>Gompholobium preissii</i>			
342.	19295	<i>Gompholobium pungens</i>			
343.	11083	<i>Gompholobium scabrum</i>			
344.	3956	<i>Gompholobium shuttleworthii</i>			
345.	3957	<i>Gompholobium tomentosum</i> (Hairy Yellow Pea)			
346.	3961	<i>Hardenbergia comptoniana</i> (Native Wisteria)			
347.	3967	<i>Hovea stricta</i>			
348.	3968	<i>Hovea trisperma</i> (Common Hovea)			
349.	19700	<i>Isotropis cuneifolia</i> subsp. <i>cuneifolia</i>			
350.	16317	<i>Isotropis cuneifolia</i> subsp. <i>glabra</i>		P2	
351.	3993	<i>Isotropis drummondii</i> (Lamb Poison)			
352.	3995	<i>Isotropis juncea</i> (Slender Lamb Poison)			
353.	4003	<i>Jacksonia carduacea</i>		P3	
354.	4010	<i>Jacksonia floribunda</i> (Holly Pea)			
355.	4012	<i>Jacksonia furcellata</i> (Grey Stinkwood)			
356.	4015	<i>Jacksonia hakeoides</i>			
357.	14778	<i>Jacksonia nutans</i>			
358.	4025	<i>Jacksonia restioides</i>			
359.	4029	<i>Jacksonia sternbergiana</i> (Stinkwood, Kapur)			
360.	4044	<i>Kennedia prostrata</i> (Scarlet Runner)			
361.	11289	<i>Labichea lanceolata</i> subsp. <i>lanceolata</i>			
362.	8564	<i>Lotus subbiflorus</i>	Y		
363.	4066	<i>Lupinus cosentinii</i>	Y		
364.	4091	<i>Mirbelia floribunda</i> (Purple Mirbelia)			
365.	4100	<i>Mirbelia spinosa</i>			
366.	4113	<i>Ornithopus compressus</i> (Yellow Serradella)	Y		
367.	4161	<i>Ptychosema pusillum</i> (Dwarf Pea)		T	
368.	17551	<i>Sphaerolobium drummondii</i>			
369.	4207	<i>Sphaerolobium medium</i>			
370.	10800	<i>Sphaerolobium pulchellum</i>			
371.	4291	<i>Trifolium arvense</i> (Hare's Foot Clover)	Y		
372.	15659	<i>Trifolium lappaceum</i> var. <i>lappaceum</i>	Y		
373.	30716	<i>Vachellia farnesiana</i> (Mimosa Bush)	Y		
Falconidae					
374.	25621	<i>Falco berigora</i> (Brown Falcon)			
375.	25622	<i>Falco cenchroides</i> (Australian Kestrel)			
376.	25623	<i>Falco longipennis</i> (Australian Hobby)			
Galaxiidae					
377.	34028	<i>Galaxias occidentalis</i> (Western Minnow)			
Gobiidae					
378.		<i>Afurcagobius suppositus</i>			
379.		<i>Pseudogobius olorum</i>			
Goodeniaceae					
380.	7425	<i>Dampiera carinata</i> (Summer Dampiera)			
381.	7451	<i>Dampiera lavandulacea</i>			
382.	7454	<i>Dampiera linearis</i> (Common Dampiera)			
383.	7475	<i>Dampiera spicigera</i> (Spiked Dampiera)			
384.	7481	<i>Dampiera tephrea</i>		P2	
385.	7482	<i>Dampiera teres</i> (Terete-leaved Dampiera)			
386.	7488	<i>Goodenia affinis</i> (Silver Goodenia)			
387.	29362	<i>Goodenia coerulea</i>			
388.	12516	<i>Goodenia convexa</i>			
389.	12522	<i>Goodenia glareicola</i>			
390.	7538	<i>Goodenia pulchella</i>			
391.	19286	<i>Goodenia pulchella</i> subsp. <i>Coastal Plain A</i> (M. Hislop 634)			
392.	7568	<i>Lechenaultia biloba</i> (Blue Leschenaultia)			
393.	7574	<i>Lechenaultia floribunda</i> (Free-flowering Leschenaultia)			
394.	7580	<i>Lechenaultia linarioides</i> (Yellow Leschenaultia)			

	Name ID	Species Name	Naturalised	Conservation Code	¹ Endemic To Query Area
395.	7586	<i>Lechenaultia stenosepala</i> (Narrow-sepaled <i>Lechenaultia</i>)			
396.	7590	<i>Lechenaultia tubiflora</i> (Heath <i>Lechenaultia</i>)			
397.	7603	<i>Scaevola canescens</i> (Grey <i>Scaevola</i>)			
398.	7613	<i>Scaevola glandulifera</i> (Viscid Hand-flower)			
399.	7614	<i>Scaevola globulifera</i>			
400.	7634	<i>Scaevola phlebopetala</i> (Velvet Fanflower)			
401.	12585	<i>Scaevola repens</i>			
402.	13182	<i>Scaevola repens</i> var. <i>repens</i>			
403.	7665	<i>Velleia trinervis</i>			
404.	7666	<i>Verreauxia reinwardtii</i> (Common <i>Verreauxia</i>)			

Gyrostemonaceae

405.	2783	<i>Gyrostemon racemiger</i>			
406.	16084	<i>Gyrostemon</i> sp. <i>Mogumber</i> (T.J. Hawkeswood 250)			Y
407.	2788	<i>Gyrostemon subnudus</i>			

Haemodoraceae

408.	29437	<i>Anigozanthos humilis</i> subsp. <i>Badgingarra</i> (S.D. Hopper 7114)		P2	
409.	11957	<i>Anigozanthos humilis</i> subsp. <i>chrysanthus</i> (Golden Catpaw)		P4	
410.	11434	<i>Anigozanthos humilis</i> subsp. <i>humilis</i>			
411.	1414	<i>Anigozanthos pulcherrimus</i> (Yellow Kangaroo Paw)			
412.	29436	<i>Anigozanthos viridis</i> subsp. <i>Cataby</i> (S.D. Hopper 1786)			
413.	13891	<i>Anigozanthos viridis</i> subsp. <i>terraspectans</i> (Dwarf Green Kangaroo Paw)		T	
414.	1417	<i>Blancoa canescens</i> (Winter Bell)			
415.	1418	<i>Conostylis aculeata</i> (Prickly <i>Conostylis</i>)			
416.	11826	<i>Conostylis aculeata</i> subsp. <i>aculeata</i>			
417.	11977	<i>Conostylis aculeata</i> subsp. <i>spinuligera</i> (Spiny <i>Conostylis</i>)			
418.	1421	<i>Conostylis angustifolia</i>			
419.	1423	<i>Conostylis aurea</i> (Golden <i>Conostylis</i>)			
420.	1427	<i>Conostylis candicans</i> (Grey Cottonhead)			
421.	11438	<i>Conostylis candicans</i> subsp. <i>candicans</i>			
422.	11773	<i>Conostylis crassinervia</i> subsp. <i>absens</i>			
423.	11695	<i>Conostylis festucacea</i> subsp. <i>festucacea</i>			
424.	1435	<i>Conostylis hiemalis</i>			
425.	1436	<i>Conostylis juncea</i>			
426.	1437	<i>Conostylis latens</i>			
427.	1451	<i>Conostylis seminuda</i>			
428.	11597	<i>Conostylis setigera</i> subsp. <i>setigera</i>			
429.	11870	<i>Conostylis teretifolia</i> subsp. <i>teretifolia</i>			
430.	1458	<i>Conostylis teretiuscula</i>			
431.	1469	<i>Haemodorum loratum</i>		P3	
432.	1470	<i>Haemodorum paniculatum</i> (Mardja)			
433.	1472	<i>Haemodorum simplex</i>			
434.	1473	<i>Haemodorum simulans</i>			
435.	1475	<i>Haemodorum spicatum</i> (Mardja)			
436.	1476	<i>Haemodorum venosum</i>			
437.	1478	<i>Phlebocarya ciliata</i>			
438.	1479	<i>Phlebocarya filifolia</i>			
439.	11557	<i>Phlebocarya pilosissima</i> subsp. <i>pilosissima</i>		P3	
440.	1481	<i>Tribonanthes australis</i>			
441.	1485	<i>Tribonanthes violacea</i>			

Haemulidae

442.	<i>Plectorhinchus flavomaculatus</i>
------	--------------------------------------

Halcyonidae

443.	30901	<i>Dacelo novaeguineae</i> (Laughing Kookaburra)	Y		
444.	25549	<i>Todiramphus sanctus</i> (Sacred Kingfisher)			
445.	24309	<i>Todiramphus sanctus</i> subsp. <i>sanctus</i> (Sacred Kingfisher)			

Haloragaceae

446.	6149	<i>Gonocarpus cordiger</i>			
447.	6161	<i>Gonocarpus pithyoides</i>			

Hemerocallidaceae

448.	1264	<i>Arnocrinum preissii</i>			
449.	29439	<i>Caesia</i> sp. <i>Wongan</i> (K.F. Kenneally 8820)			
450.	11883	<i>Corynotheca micrantha</i> var. <i>elongata</i>			
451.	11283	<i>Corynotheca micrantha</i> var. <i>micrantha</i>			
452.	1292	<i>Hensmania stoniella</i>		P3	
453.	1293	<i>Hensmania turbinata</i>			
454.	19632	<i>Johnsonia pubescens</i> subsp. <i>pubescens</i>			
455.	1260	<i>Stypandra glauca</i> (Blind Grass)			

	Name ID	Species Name	Naturalised	Conservation Code	¹ Endemic To Query Area
456.	1361	<i>Tricoryne elatior</i> (Yellow Autumn Lily)			
457.	29481	<i>Tricoryne</i> sp. <i>Eneabba</i> (E.A. Griffin 1200)			
458.	1363	<i>Tricoryne tenella</i>			
Hirundinidae					
459.	24489	<i>Hirundo ariel</i> (Fairy Martin)			
460.	24491	<i>Hirundo neoxena</i> (Welcome Swallow)			
Hydatellaceae					
461.	1139	<i>Trithuria bibracteata</i>			
Hydrodromidae					
462.		<i>Hydrodroma australis</i>			Y
Hydrophilidae					
463.		<i>Berosus</i> sp.			
Hylidae					
464.	25388	<i>Litoria moorei</i> (Motorbike Frog)			
Iridaceae					
465.	1520	<i>Gladiolus caryophyllaceus</i> (Wild Gladiolus)	Y		
466.	11749	<i>Orthrosanthus laxus</i> var. <i>laxus</i> (Morning Iris)			
467.	1546	<i>Patersonia juncea</i> (Rush Leaved Patersonia)			
468.	30476	<i>Patersonia occidentalis</i> var. <i>latifolia</i>			
469.	30472	<i>Patersonia occidentalis</i> var. <i>occidentalis</i>			
Juncaceae					
470.	1178	<i>Juncus bufonius</i> (Toad Rush)	Y		
471.	1179	<i>Juncus caespiticius</i> (Grassy Rush)			
472.	11922	<i>Juncus kraussii</i> subsp. <i>australiensis</i>			
473.	1188	<i>Juncus pallidus</i> (Pale Rush)			
474.	1195	<i>Juncus subsecundus</i> (Finger Rush)			
Juncaginaceae					
475.	40660	<i>Cynogonetium huegelii</i>			
476.	151	<i>Triglochin striata</i>			
Lamiaceae					
477.	6838	<i>Hemiandra linearis</i> (Speckled Snakebush)			
478.	6839	<i>Hemiandra pungens</i> (Snakebush)			
479.	38320	<i>Hemiandra</i> sp. <i>Jurien</i> (B.J. Conn & M.E. Tozer BJC 3885)			
480.	6842	<i>Hemigenia barbata</i>			
481.	6849	<i>Hemigenia diplanthera</i>			
482.	6856	<i>Hemigenia incana</i> (Silky Hemigenia)			
483.	33796	<i>Hemigenia wandooana</i>			
484.	41020	<i>Hemiphora bartlingii</i> (Woolly Dragon)			
485.	41042	<i>Hemiphora uncinata</i>			
486.	6777	<i>Lachnostachys albicans</i>			
487.	6781	<i>Lachnostachys ferruginea</i> (Rusty Lambstail)			
488.	6881	<i>Marrubium vulgare</i> (Horehound)	Y		
489.	15456	<i>Microcorys</i> sp. <i>Coomallo</i> (L. Haegi 2677)			
Lauraceae					
490.	2952	<i>Cassytha glabella</i> (Tangled Dodder Laurel)			
491.	11211	<i>Cassytha glabella</i> forma <i>dispar</i>			
Lentibulariaceae					
492.	7148	<i>Utricularia multifida</i>			
493.	7153	<i>Utricularia tenella</i>			
Loganiaceae					
494.	6506	<i>Logania campanulata</i> (Bell-flowered Logania)			
495.	6512	<i>Logania spermacoea</i>			
496.	16177	<i>Phyllangium paradoxum</i>			
Loranthaceae					
497.	2401	<i>Nuytsia floribunda</i> (Christmas Tree, Mudja)			
Lycopodiaceae					
498.	4	<i>Phylloglossum drummondii</i> (Pigmy Clubmoss)			
Lycosidae					
499.		<i>Venator koyuga</i>			
Macropodidae					
500.	24133	<i>Macropus irma</i> (Western Brush Wallaby)			P4

	Name ID	Species Name	Naturalised	Conservation Code	¹ Endemic To Query Area
Maluridae					
501.	25651	<i>Malurus lamberti</i> (Variegated Fairy-wren)			
502.	25652	<i>Malurus leucopterus</i> (White-winged Fairy-wren)			
503.	25654	<i>Malurus splendens</i> (Splendid Fairy-wren)			
Malvaceae					
504.	4905	<i>Alyogyne hakeifolia</i>			
505.	5013	<i>Guichenotia micrantha</i> (Small Flowered Guichenotia)			
506.	5014	<i>Guichenotia sarotes</i>			
507.	5031	<i>Lasiopetalum drummondii</i>			
508.	5036	<i>Lasiopetalum lineare</i>			
509.	5105	<i>Thomasia triphylla</i>			
Megapodiidae					
510.	24557	<i>Leipoa ocellata</i> (Malleefowl)		T	
Meliphagidae					
511.	24560	<i>Acanthorhynchus superciliosus</i> (Western Spinebill)			
512.	24561	<i>Anthochaera carunculata</i> (Red Wattlebird)			
513.	24562	<i>Anthochaera lunulata</i> (Western Little Wattlebird)			
514.	24567	<i>Epthianura albifrons</i> (White-fronted Chat)			
515.	24570	<i>Epthianura tricolor</i> (Crimson Chat)			
516.	42314	<i>Gavicalis virescens</i> (Singing Honeyeater)			
517.	25661	<i>Lichmera indistincta</i> (Brown Honeyeater)			
518.	24583	<i>Manorina flavigula</i> (Yellow-throated Miner)			
519.	25663	<i>Melithreptus brevirostris</i> (Brown-headed Honeyeater)			
520.	24596	<i>Phylidonyris novaehollandiae</i> (New Holland Honeyeater)			
Meropidae					
521.	24598	<i>Merops ornatus</i> (Rainbow Bee-eater)		IA	
Micropholcommatidae					
522.		<i>Raveniella cirrata</i>			
Molluginaceae					
523.	2838	<i>Macarthuria apetala</i>			
524.	2839	<i>Macarthuria australis</i>			
525.	17106	<i>Macarthuria keigheryi</i>		T	
Muridae					
526.	24215	<i>Hydromys chrysogaster</i> (Water-rat)		P4	
527.	24230	<i>Pseudomys albocinereus</i> (Ash-grey Mouse)			
528.	24245	<i>Rattus rattus</i> (Black Rat)	Y		
Muscidae					
529.		<i>Muscidae</i> sp.			
Myobatrachidae					
530.	25400	<i>Crinia insignifera</i> (Squelching Froglet)			
531.	25433	<i>Pseudophryne guentheri</i> (Crawling Toadlet)			
Myrtaceae					
532.	20283	<i>Astartea scoparia</i>			
533.	36441	<i>Babingtonia camphorosmae</i> (Camphor Myrtle)			
534.	5341	<i>Baeckea crispiflora</i>			
535.	5350	<i>Baeckea grandiflora</i> (Large-flowered Baeckea)			
536.	15785	<i>Baeckea</i> sp. Darling Range (R.J. Cranfield 1673)			
537.	16815	<i>Baeckea</i> sp. Mingenew (M.E. Trudgen 12029)			
538.	17126	<i>Baeckea</i> sp. Moora (R. Bone 1993/1)		P3	
539.	20421	<i>Baeckea</i> sp. Perth Region (R.J. Cranfield 444)		P3	
540.	5382	<i>Beaufortia elegans</i>			
541.	5384	<i>Beaufortia eriocephala</i> (Woolly Bottlebrush)		P3	
542.	5393	<i>Beaufortia squarrosa</i> (Sand Bottlebrush, Puno)			
543.	5396	<i>Calothamnus accedens</i>		P4	
544.	5411	<i>Calothamnus hirsutus</i>			
545.	5421	<i>Calothamnus pachystachyus</i>		P4	
546.	35816	<i>Calothamnus quadrifidus</i> subsp. <i>quadrifidus</i>			
547.	5429	<i>Calothamnus sanguineus</i> (Silky-leaved Blood flower, Pindak)			
548.	5439	<i>Calytrix angulata</i> (Yellow Starflower)			
549.	19980	<i>Calytrix ecalycata</i> subsp. <i>brevis</i>		P3	
550.	5458	<i>Calytrix flavescens</i> (Summer Starflower)			
551.	5460	<i>Calytrix fraseri</i> (Pink Summer Calytrix)			
552.	5465	<i>Calytrix leschenaultii</i>			
553.	5476	<i>Calytrix sapphirina</i>			
554.	19888	<i>Calytrix</i> sp. <i>Eneabba</i> (B.J. Lepschi & T.R. Lally BJL3617)			

Name ID	Species Name	Naturalised	Conservation Code	¹ Endemic To Query Area
555.	5479 <i>Calytrix strigosa</i>			
556.	5481 <i>Calytrix sylvana</i>			
557.	5498 <i>Chamelaucium uncinatum</i> (Geraldton Wax)			
558.	5502 <i>Conothamnus trinervis</i>			
559.	5504 <i>Darwinia acerosa</i> (Fine-leaved Darwinia)		T	
560.	5507 <i>Darwinia carnea</i> (Mogumber Bell)		T	
561.	5518 <i>Darwinia neildiana</i> (Fringed Bell)			
562.	5524 <i>Darwinia pinifolia</i>			
563.	13950 <i>Eremaea asterocarpa</i> subsp. <i>asterocarpa</i>			
564.	5540 <i>Eremaea fimbriata</i>			
565.	5541 <i>Eremaea pauciflora</i>			
566.	14103 <i>Eremaea pauciflora</i> var. <i>calyptra</i>			
567.	13818 <i>Eremaea pauciflora</i> var. <i>lonchophylla</i>			
568.	14104 <i>Eremaea pauciflora</i> var. <i>pauciflora</i>			
569.	45215 <i>Ericomyrtus tenuior</i>			
570.	12898 <i>Eucalyptus abdita</i>		P2	
571.	13092 <i>Eucalyptus annuliformis</i>		P1	Y
572.	35345 <i>Eucalyptus camaldulensis</i> subsp. <i>obtusata</i> (Blunt-budded River Red Gum)			
573.	5628 <i>Eucalyptus drummondii</i> (Drummond's Gum)			
574.	5658 <i>Eucalyptus gittinsii</i> (Northern Sandplain Mallee)			
575.	5690 <i>Eucalyptus lane-pooei</i> (Salmon White Gum)			
576.	11295 <i>Eucalyptus loxophleba</i> subsp. <i>loxophleba</i> (York Gum)			
577.	13531 <i>Eucalyptus macrocarpa</i> subsp. <i>elachantha</i> (Small-leaved Mottlech)		P4	
578.	12867 <i>Eucalyptus pluricaulis</i>			
579.	12866 <i>Eucalyptus pluricaulis</i> subsp. <i>pluricaulis</i>			
580.	5763 <i>Eucalyptus rudis</i> (Flooded Gum, Kulurda)			
581.	13511 <i>Eucalyptus rudis</i> subsp. <i>rudis</i>			
582.	5790 <i>Eucalyptus todiana</i> (Coastal Blackbutt)			
583.	12905 <i>Eucalyptus wandoo</i> subsp. <i>pulverea</i>			
584.	5817 <i>Hypocalymma angustifolium</i> (White Myrtle, Kudjid)			
585.	35074 <i>Hypocalymma angustifolium</i> subsp. <i>Dandaragan plateau</i> (S. Patrick 702A)			
586.	35070 <i>Hypocalymma angustifolium</i> subsp. <i>Swan Coastal Plain</i> (G.J. Keighery 16777)			
587.	14080 <i>Hypocalymma serrulatum</i>		P3	
588.	14493 <i>Hypocalymma</i> sp. <i>Cataby</i> (G.J. Keighery 5151)		P2	
589.	31431 <i>Hypocalymma</i> sp. <i>Nambung</i> (R. Spjut & R. Smith s.n. 22/09/1992)			
590.	5829 <i>Hypocalymma xanthopetalum</i>			
591.	15498 <i>Kunzea glabrescens</i> (Spearwood)			
592.	5835 <i>Kunzea micrantha</i>			
593.	5847 <i>Leptospermum erubescens</i> (Roadside Teatree)			
594.	5857 <i>Leptospermum spinescens</i>			
595.	14497 <i>Malleostemon</i> sp. <i>Cooljarloo</i> (B. Backhouse s.n. 16/11/88)		P1	
596.	37580 <i>Melaleuca acutifolia</i>			
597.	17982 <i>Melaleuca carrii</i>			
598.	5888 <i>Melaleuca ciliosa</i>			
599.	19387 <i>Melaleuca clavifolia</i>			
600.	5893 <i>Melaleuca concreta</i>			
601.	5900 <i>Melaleuca cuticularis</i> (Saltwater Paperbark)			
602.	19952 <i>Melaleuca dichroma</i>			
603.	13271 <i>Melaleuca huegelii</i> subsp. <i>huegelii</i>			
604.	13273 <i>Melaleuca incana</i> subsp. <i>incana</i>			
605.	5952 <i>Melaleuca preissiana</i> (Moonah)			
606.	5958 <i>Melaleuca radula</i> (Graceful Honey Myrtle)			
607.	5959 <i>Melaleuca raphiophylla</i> (Swamp Paperbark)			
608.	5964 <i>Melaleuca seriata</i>			
609.	18598 <i>Melaleuca systema</i>			
610.	5978 <i>Melaleuca teretifolia</i> (Banbar)			
611.	5981 <i>Melaleuca thyoides</i>			
612.	5983 <i>Melaleuca trichophylla</i>			
613.	5987 <i>Melaleuca viminea</i> (Mohan)			
614.	13280 <i>Melaleuca viminea</i> subsp. <i>viminea</i>			
615.	6006 <i>Pericalymma ellipticum</i> (Swamp Teatree)			
616.	16477 <i>Pericalymma ellipticum</i> var. <i>ellipticum</i>			
617.	16478 <i>Pericalymma ellipticum</i> var. <i>floridum</i>			
618.	6009 <i>Pileanthus filifolius</i> (Summer Coppercup)			
619.	6012 <i>Regelia ciliata</i>			
620.	6033 <i>Scholtzia involucrata</i> (Spiked Scholtzia)			
621.	6037 <i>Scholtzia parviflora</i>			
622.	20382 <i>Scholtzia</i> sp. <i>Wongonderrah</i> (M.E. & M.R. Trudgen MET 12000)			
623.	6057 <i>Thryptomene hyporhysis</i>			
624.	6060 <i>Thryptomene mucronulata</i>			

	Name ID	Species Name	Naturalised	Conservation Code	¹ Endemic To Query Area
625.	12396	<i>Verticordia blepharophylla</i>			
626.	12402	<i>Verticordia chrysanthella</i>			
627.	12411	<i>Verticordia densiflora</i> var. <i>cespitosa</i>			
628.	15432	<i>Verticordia densiflora</i> var. <i>densiflora</i>			
629.	6077	<i>Verticordia drummondii</i> (Drummond's Featherflower)			
630.	15620	<i>Verticordia endlicheriana</i> var. <i>manicula</i>			
631.	6083	<i>Verticordia grandis</i> (Scarlet Featherflower)			
632.	15433	<i>Verticordia huegelii</i> var. <i>huegelii</i>			
633.	14714	<i>Verticordia lindleyi</i> subsp. <i>lindleyi</i>		P4	
634.	6101	<i>Verticordia nitens</i> (Morrison Featherflower, Kodjeningara)			
635.	10822	<i>Verticordia nobilis</i>			
636.	6103	<i>Verticordia ovalifolia</i>			
637.	12446	<i>Verticordia paludosa</i>		P4	
638.	6107	<i>Verticordia pennigera</i>			

Nemesiidae

639.		<i>Aname mainae</i>			
------	--	---------------------	--	--	--

Neosittidae

640.	25673	<i>Daphoenositta chrysoptera</i> (Varied Sittella)			
------	-------	--	--	--	--

Olacaceae

641.	2367	<i>Olax scalariformis</i>			
------	------	---------------------------	--	--	--

Orchidaceae

642.	15348	<i>Caladenia flava</i> subsp. <i>flava</i>			
643.	15502	<i>Caladenia footeana</i>			
644.	15354	<i>Caladenia hirta</i> subsp. <i>hirta</i>			
645.	15358	<i>Caladenia longicauda</i> subsp. <i>albella</i>			
646.	15360	<i>Caladenia longicauda</i> subsp. <i>borealis</i>			
647.	15363	<i>Caladenia longicauda</i> subsp. <i>eminens</i>			
648.	12943	<i>Diuris brumalis</i>			
649.	11049	<i>Diuris corymbosa</i>			
650.	1635	<i>Diuris longifolia</i> (Common Donkey Orchid)			
651.	42182	<i>Diuris perialla</i>			
652.	42228	<i>Diuris septentrionalis</i>			
653.	44162	<i>Diuris tinkeri</i>			
654.	1639	<i>Drakaea elastica</i> (Glossy-leaved Hammer Orchid)		T	
655.	1640	<i>Drakaea glyptodon</i> (King-in-his-carriage)			
656.	15406	<i>Drakaea gracilis</i>			
657.	1643	<i>Elythranthera brunonis</i> (Purple Enamel Orchid)			
658.	1644	<i>Elythranthera emarginata</i> (Pink Enamel Orchid)			
659.	1653	<i>Leporella fimbriata</i> (Hare Orchid)			
660.	15418	<i>Leptoceras menziesii</i>			
661.	12761	<i>Microtis media</i> subsp. <i>densiflora</i>			
662.	15419	<i>Microtis media</i> subsp. <i>media</i>			
663.	13867	<i>Paracaleana dixonii</i>		T	
664.	1667	<i>Paracaleana nigrita</i> (Flying Duck Orchid)			
665.	20460	<i>Pheladenia deformis</i>			
666.	1677	<i>Prasophyllum macrostachyum</i> (Laughing Leek Orchid)			
667.	1679	<i>Prasophyllum ovale</i> (Little Leek Orchid)			
668.	1680	<i>Prasophyllum parvifolium</i> (Autumn Leek Orchid)			
669.	1687	<i>Pterostylis dilatata</i>			
670.	12217	<i>Pterostylis sanguinea</i>			
671.	18648	<i>Pterostylis</i> sp. <i>cauline leaves</i> (N. Gibson & M.N. Lyons 1490)			
672.	1698	<i>Pterostylis vittata</i> (Banded Greenhood)			
673.	1701	<i>Thelymitra antennifera</i> (Vanilla Orchid)			
674.	11032	<i>Thelymitra apiculata</i>		P4	
675.	1702	<i>Thelymitra campanulata</i> (Shirt Orchid)			
676.	10862	<i>Thelymitra stellata</i> (Star Orchid)		T	
677.	20731	<i>Thelymitra vulgaris</i>			

Otididae

678.	24610	<i>Ardeotis australis</i> (Australian Bustard)			
------	-------	--	--	--	--

Pachycephalidae

679.	25675	<i>Colluricincla harmonica</i> (Grey Shrike-thrush)			
680.	25679	<i>Pachycephala pectoralis</i> (Golden Whistler)			
681.	25680	<i>Pachycephala rufiventris</i> (Rufous Whistler)			
682.	24624	<i>Pachycephala rufiventris</i> subsp. <i>rufiventris</i> (Rufous Whistler)			

Pardalotidae

683.	25682	<i>Pardalotus striatus</i> (Striated Pardalote)			
------	-------	---	--	--	--

Name ID	Species Name	Naturalised	Conservation Code	¹ Endemic To Query Area
Pelecanidae				
684.	24648 <i>Pelecanus conspicillatus</i> (Australian Pelican)			
Percichthyidae				
685.	<i>Bostockia porosa</i>			
Petroicidae				
686.	24659 <i>Petroica goodenovii</i> (Red-capped Robin)			
687.	24660 <i>Petroica multicolor subsp. campbelli</i> (Scarlet Robin)			
Phalacrocoracidae				
688.	25697 <i>Phalacrocorax carbo</i> (Great Cormorant)			
689.	25698 <i>Phalacrocorax melanoleucos</i> (Little Pied Cormorant)			
690.	24667 <i>Phalacrocorax sulcirostris</i> (Little Black Cormorant)			
Philydraceae				
691.	14306 <i>Philydrella pygmaea subsp. pygmaea</i>			
Phyllanthaceae				
692.	4675 <i>Phyllanthus calycinus</i> (False Boronia)			
693.	4689 <i>Poranthera ericoides</i> (Heath Poranthera)			
694.	4691 <i>Poranthera microphylla</i> (Small Poranthera)			
Pittosporaceae				
695.	17633 <i>Marianthus erubescens</i>			
Plotosidae				
696.	<i>Tandanus bostocki</i>			
Poaceae				
697.	197 <i>Amphipogon debilis</i>			
698.	200 <i>Amphipogon turbinatus</i>			
699.	17237 <i>Austrostipa elegantissima</i>			
700.	17240 <i>Austrostipa flavescens</i>			
701.	17241 <i>Austrostipa hemipogon</i>			
702.	17244 <i>Austrostipa macalpinei</i>			
703.	233 <i>Avena barbata</i> (Bearded Oat)	Y		
704.	244 <i>Briza maxima</i> (Blowfly Grass)	Y		
705.	249 <i>Bromus diandrus</i> (Great Brome)	Y		
706.	41564 <i>Cenchrus clandestinus</i> (Kikuyu Grass)	Y		
707.	267 <i>Chloris gayana</i> (Rhodes Grass)	Y		
708.	283 <i>Cynodon dactylon</i> (Couch)	Y		
709.	347 <i>Ehrharta calycina</i> (Perennial Veldt Grass)	Y		
710.	351 <i>Ehrharta villosa</i> (Pyp Grass)	Y		
711.	452 <i>Hyparrhenia hirta</i> (Tambookie Grass)	Y		
712.	20019 <i>Lachnagrostis filiformis</i>			
713.	492 <i>Neurachne alopecuroides</i> (Foxtail Mulga Grass)			
714.	573 <i>Poa drummondiana</i> (Knotted Poa)			
715.	577 <i>Poa poliformis</i> (Coastal Poa)			
716.	582 <i>Polypogon monspeliensis</i> (Annual Beardgrass)	Y		
Podicipedidae				
717.	24681 <i>Polioccephalus poliocephalus</i> (Hoary-headed Grebe)			
718.	25705 <i>Tachybaptus novaehollandiae</i> (Australasian Grebe, Black-throated Grebe)			
719.	24682 <i>Tachybaptus novaehollandiae subsp. novaehollandiae</i> (Australasian Grebe, Black-throated Grebe)			
Polygalaceae				
720.	4549 <i>Comesperma acerosum</i>			
721.	4550 <i>Comesperma calymega</i> (Blue-spike Milkwort)			
722.	4551 <i>Comesperma ciliatum</i>			
Polygonaceae				
723.	2415 <i>Muehlenbeckia polybotrya</i>			
724.	11052 <i>Persicaria prostrata</i>			
725.	2435 <i>Rumex drummondii</i>		P4	
726.	2440 <i>Rumex pulcher</i> (Fiddle Dock)	Y		
Pomatiopsidae				
727.	<i>Coxiella glabra</i>			
Potamogetonaceae				
728.	110 <i>Potamogeton drummondii</i>			
Pottiaceae				
729.	32451 <i>Triquetrella papillata</i>			

Name ID	Species Name	Naturalised	Conservation Code	¹ Endemic To Query Area
Primulaceae				
730.	36375 <i>Lysimachia arvensis</i> (Pimpernel)	Y		
731.	6483 <i>Samolus junceus</i>			
Proteaceae				
732.	11837 <i>Adenanthos cygnorum</i> subsp. <i>cygnorum</i> (Common Woollybush)			
733.	1779 <i>Adenanthos drummondii</i>			
734.	1800 <i>Banksia attenuata</i> (Slender Banksia, Piarra)			
735.	1807 <i>Banksia burdettii</i> (Burdett's Banksia)			
736.	1809 <i>Banksia candolleana</i> (Propeller Banksia)			
737.	32623 <i>Banksia carlinoides</i> (Pink Dryandra)			
738.	1810 <i>Banksia chamaephyton</i> (Fishbone Banksia)		P4	
739.	32576 <i>Banksia dallanneyi</i> (Couch Honeypot)			
740.	32696 <i>Banksia dallanneyi</i> subsp. <i>pollostia</i>		P3	
741.	32580 <i>Banksia dallanneyi</i> var. <i>dallanneyi</i>			
742.	32556 <i>Banksia echinata</i>			
743.	32518 <i>Banksia hewardiana</i>			
744.	1822 <i>Banksia ilicifolia</i> (Holly-leaved Banksia)			
745.	1823 <i>Banksia incana</i>			
746.	32214 <i>Banksia kippistiana</i>			
747.	32215 <i>Banksia kippistiana</i> var. <i>kippistiana</i>			
748.	32216 <i>Banksia kippistiana</i> var. <i>paenepeccata</i>		P3	
749.	1826 <i>Banksia laricina</i> (Rose Banksia)			
750.	11714 <i>Banksia leptophylla</i> var. <i>leptophylla</i>			
751.	11386 <i>Banksia leptophylla</i> var. <i>melletica</i>			
752.	1830 <i>Banksia littoralis</i> (Swamp Banksia, Pungura)			
753.	1834 <i>Banksia menziesii</i> (Firewood Banksia)			
754.	32211 <i>Banksia mimica</i> (Summer Honeypot)		T	
755.	32203 <i>Banksia nivea</i> subsp. <i>nivea</i>			
756.	32200 <i>Banksia nobilis</i> subsp. <i>nobilis</i>			
757.	32163 <i>Banksia platycarpa</i>			
758.	32157 <i>Banksia prionophylla</i>		P1	
759.	1842 <i>Banksia prionotes</i> (Acorn Banksia)			
760.	32138 <i>Banksia pteridifolia</i> subsp. <i>vernalis</i>		P3	
761.	32080 <i>Banksia sessilis</i> var. <i>sessilis</i>			
762.	32074 <i>Banksia shuttleworthiana</i> (Bearded Dryandra)			
763.	1852 <i>Banksia telmatiaea</i> (Swamp Fox Banksia)			
764.	32033 <i>Banksia tortifolia</i>			
765.	32031 <i>Banksia vestita</i> (Summer Dryandra)			
766.	1857 <i>Conospermum acerosum</i> (Needle-leaved Smokebush)			
767.	15607 <i>Conospermum acerosum</i> subsp. <i>acerosum</i>			
768.	1859 <i>Conospermum brachyphyllum</i>			
769.	1874 <i>Conospermum glumaceum</i> (Hooded Smokebush)			
770.	1876 <i>Conospermum incurvum</i> (Plume Smokebush)			
771.	1878 <i>Conospermum nervosum</i>			
772.	1882 <i>Conospermum stoechadis</i> (Common Smokebush)			
773.	15520 <i>Conospermum stoechadis</i> subsp. <i>sclerophyllum</i>			
774.	15611 <i>Conospermum stoechadis</i> subsp. <i>stoechadis</i> (Common Smokebush)			
775.	1885 <i>Conospermum triplinervium</i> (Tree Smokebush)			
776.	15763 <i>Grevillea bififormis</i> subsp. <i>bififormis</i>			
777.	1965 <i>Grevillea bitemata</i>			
778.	1994 <i>Grevillea drummondii</i> (Drummond's Grevillea)		P4	
779.	1997 <i>Grevillea endlicheriana</i> (Spindly Grevillea)			
780.	2001 <i>Grevillea eriostachya</i> (Flame Grevillea, Kaliny-kalinyapa)			
781.	19567 <i>Grevillea florida</i>		P3	
782.	2054 <i>Grevillea olivacea</i> (Olive Grevillea)		P4	
783.	2071 <i>Grevillea polybotrya</i>			
784.	2086 <i>Grevillea rudis</i>		P4	
785.	14421 <i>Grevillea synapheae</i> subsp. <i>synapheae</i>			
786.	14423 <i>Grevillea thyrsoidea</i> subsp. <i>thyrsoidea</i>		P3	
787.	2115 <i>Grevillea umbellulata</i>			
788.	13900 <i>Grevillea uniformis</i>		P3	
789.	12824 <i>Grevillea vestita</i> subsp. <i>vestita</i>			
790.	17670 <i>Hakea anadenia</i>			
791.	2131 <i>Hakea auriculata</i>			
792.	2135 <i>Hakea bucculenta</i> (Red Pokers)			
793.	2136 <i>Hakea candolleana</i>			
794.	2143 <i>Hakea conchifolia</i> (Shell-leaved Hakea)			
795.	2146 <i>Hakea costata</i> (Ribbed Hakea)			
796.	2166 <i>Hakea incrassata</i> (Marble Hakea)			
797.	2175 <i>Hakea lissocarpha</i> (Honey Bush)			

Name ID	Species Name	Naturalised	Conservation Code	¹ Endemic To Query Area
798.	2179 <i>Hakea marginata</i>			
799.	2197 <i>Hakea prostrata</i> (Harsh Hakea)			
800.	12233 <i>Hakea psilorrhyncha</i>			
801.	2203 <i>Hakea ruscifolia</i> (Candle Hakea)			
802.	2205 <i>Hakea smilacifolia</i>			
803.	12234 <i>Hakea spathulata</i>			
804.	2206 <i>Hakea stenocarpa</i> (Narrow-fruited Hakea)			
805.	2214 <i>Hakea trifurcata</i> (Two-leaf Hakea)			
806.	2219 <i>Isopogon adenantoides</i> (Spider Coneflower)			
807.	2221 <i>Isopogon asper</i>			
808.	2228 <i>Isopogon drummondii</i>		P3	
809.	2229 <i>Isopogon dubius</i> (Pincushion Coneflower)			
810.	2232 <i>Isopogon linearis</i>			
811.	14439 <i>Isopogon teretifolius</i> subsp. <i>teretifolius</i> (Nodding Coneflower)			
812.	15528 <i>Lambertia multiflora</i> var. <i>multiflora</i>			
813.	2258 <i>Persoonia comata</i>			
814.	2270 <i>Persoonia quinquenervis</i>			
815.	2271 <i>Persoonia rudis</i>		P3	
816.	2281 <i>Persoonia trinervis</i>			
817.	20368 <i>Petrophile axillaris</i>			
818.	2285 <i>Petrophile biternata</i>		P3	
819.	2286 <i>Petrophile brevifolia</i>			
820.	2288 <i>Petrophile chrysantha</i>			
821.	2292 <i>Petrophile divaricata</i>			
822.	2297 <i>Petrophile heterophylla</i> (Variable-leaved Cone Bush)			
823.	2299 <i>Petrophile linearis</i> (Pixie Mops)			
824.	2301 <i>Petrophile macrostachya</i>			
825.	16874 <i>Petrophile recurva</i>			
826.	2306 <i>Petrophile rigida</i>			
827.	2308 <i>Petrophile seminuda</i>			
828.	2309 <i>Petrophile serruriae</i>			
829.	2310 <i>Petrophile shuttleworthiana</i>			
830.	2312 <i>Petrophile striata</i>			
831.	2316 <i>Stirlingia latifolia</i> (Blueboy)			
832.	2317 <i>Stirlingia simplex</i>			
833.	2319 <i>Strangea cynanchicarpa</i> (Heath Strangea)			
834.	16882 <i>Synaphea aephyrsa</i>			
835.	2329 <i>Synaphea spinulosa</i>			
836.	15532 <i>Synaphea spinulosa</i> subsp. <i>spinulosa</i>			

Psittacidae

837.	25714 <i>Cacatua pastinator</i> (Western Long-billed Corella)			
838.	24723 <i>Cacatua pastinator</i> subsp. <i>butleri</i> (Butler's Corella)			
839.	25716 <i>Cacatua sanguinea</i> (Little Corella)			
840.	25717 <i>Calyptorhynchus banksii</i> (Red-tailed Black-Cockatoo)			
841.	24734 <i>Calyptorhynchus latirostris</i> (Carnaby's Cockatoo (short-billed black-cockatoo), Carnaby's Cockatoo)		T	
842.	25720 <i>Platycercus icterotis</i> (Western Rosella)			
843.	24745 <i>Platycercus icterotis</i> subsp. <i>icterotis</i> (Western Rosella)			
844.	24751 <i>Platycercus zonarius</i> subsp. <i>zonarius</i> (Port Lincoln Parrot)			
845.	25723 <i>Trichoglossus haematodus</i> (Rainbow Lorikeet)			

Pygopodidae

846.	25008 <i>Pygopus lepidopodus</i> (Common Scaly Foot)			
------	--	--	--	--

Pythiaceae

847.	<i>Phytophthora cinnamomi</i>			
------	-------------------------------	--	--	--

Rallidae

848.	25727 <i>Fulica atra</i> (Eurasian Coot)			
849.	24761 <i>Fulica atra</i> subsp. <i>australis</i> (Eurasian Coot)			
850.	25729 <i>Gallinula tenebrosa</i> (Dusky Moorhen)			
851.	24763 <i>Gallinula tenebrosa</i> subsp. <i>tenebrosa</i> (Dusky Moorhen)			
852.	24764 <i>Gallinula ventralis</i> (Black-tailed Native-hen)			
853.	25731 <i>Porphyrio porphyrio</i> (Purple Swamphen)			
854.	24767 <i>Porphyrio porphyrio</i> subsp. <i>bellus</i> (Purple Swamphen)			
855.	24771 <i>Porzana tabuensis</i> (Spotless Crane)			

Ramalinaceae

856.	28224 <i>Ramalina inflata</i> subsp. <i>australis</i>			
------	---	--	--	--

Recurvirostridae

857.	24774 <i>Cladorhynchus leucocephalus</i> (Banded Stilt)			
------	---	--	--	--

	Name ID	Species Name	Naturalised	Conservation Code	¹ Endemic To Query Area
858.	25734	<i>Himantopus himantopus</i> (Black-winged Stilt)			
859.	24776	<i>Recurvirostra novaehollandiae</i> (Red-necked Avocet)			
Restionaceae					
860.	1056	<i>Alexgeorgea nitens</i>			
861.	17833	<i>Chordifex microcodon</i>			
862.	17706	<i>Chordifex sinuosus</i>			
863.	16593	<i>Desmocladius biformis</i>		P3	
864.	17662	<i>Desmocladius lateriticus</i>			
865.	16455	<i>Desmocladius virgatus</i>			
866.	1068	<i>Harperia lateriflora</i>			
867.	1070	<i>Hypolaena exsulca</i>			
868.	17622	<i>Hypolaena robusta</i>		P4	
869.	18074	<i>Lepidobolus preissianus</i> subsp. <i>preissianus</i>			
870.	13775	<i>Lepidobolus quadratus</i>		P3	
871.	19241	<i>Lepyrodia curvescens</i>		P2	
872.	17683	<i>Meeboldina cana</i>			
873.	16470	<i>Onychosepalum microcarpum</i>		P2	
Rhamnaceae					
874.	31571	<i>Cryptandra intermedia</i>			
875.	9076	<i>Cryptandra myriantha</i>			
876.	4809	<i>Cryptandra pungens</i>			
877.	29919	<i>Polianthion wichurae</i>			
878.	13475	<i>Stenanthemum humile</i>			
879.	14240	<i>Stenanthemum reissekii</i>			
880.	4839	<i>Trymalium angustifolium</i>			
881.	33418	<i>Trymalium odoratissimum</i> subsp. <i>odoratissimum</i>			
Rhodomelaceae					
882.	26998	<i>Laurencia brongniartii</i>			
Rosaceae					
883.	3184	<i>Acaena echinata</i> (Sheep's Burr)			
Rubiaceae					
884.	7321	<i>Galium divaricatum</i>	Y		
885.	7323	<i>Galium murale</i> (Small Goosegrass)	Y		
886.	18255	<i>Opercularia vaginata</i> (Dog Weed)			
Rutaceae					
887.	4397	<i>Asterolasia drummondii</i> (Gairdner Range Starbush)		P4	
888.	4399	<i>Asterolasia nivea</i> (Bindoon Starbush)		T	
889.	11381	<i>Boronia ramosa</i> subsp. <i>anethifolia</i>			
890.	16639	<i>Boronia scabra</i> subsp. <i>scabra</i>			
891.	15275	<i>Diplolaena obovata</i>			
892.	4483	<i>Geleznowia verrucosa</i>			
893.	18529	<i>Philotheca spicata</i> (Pepper and Salt)			
894.	19417	<i>Philotheca spicata</i> subsp. <i>Moore River National Park</i> (G. & D. Woodman Op 47)			
Santalaceae					
895.	10765	<i>Exocarpos sparteus</i> (Broom Ballart, Djuk)			
896.	2344	<i>Leptomeria empetriiformis</i>			
897.	2350	<i>Leptomeria pauciflora</i> (Sparse-flowered Currant Bush)			
Sapindaceae					
898.	4761	<i>Dodonaea ericoides</i>			
899.	4763	<i>Dodonaea hackettiana</i> (Hackett's Hopbush)		P4	
Scincidae					
900.	25039	<i>Ctenotus fallens</i>			
901.	25184	<i>Menetia greyii</i>			
Scolopacidae					
902.	24788	<i>Calidris ruficollis</i> (Red-necked Stint)		IA	
903.	24806	<i>Tringa glareola</i> (Wood Sandpiper)		IA	
904.	24808	<i>Tringa nebularia</i> (Common Greenshank)		IA	
Scrophulariaceae					
905.	7291	<i>Myoporum insulare</i> (Blueberry Tree, boobialla)			
Sematophyllaceae					
906.	32433	<i>Sematophyllum homomallum</i>			
Solanaceae					
907.	10900	<i>Lycopersicon esculentum</i>	Y		
908.	7018	<i>Solanum lasiophyllum</i> (Flannel Bush, Mindjulu)			

	Name ID	Species Name	Naturalised	Conservation Code	¹ Endemic To Query Area
909.	7022	<i>Solanum nigrum</i> (Black Berry Nightshade)	Y		
910.	7025	<i>Solanum oldfieldii</i>			
Stylidiaceae					
911.	7680	<i>Stylidium aeonoides</i>		P4	
912.	25831	<i>Stylidium araeophyllum</i>			
913.	30276	<i>Stylidium bicolor</i>			
914.	17187	<i>Stylidium burbidgeanum</i>			
915.	7696	<i>Stylidium calcaratum</i> (Book Triggerplant)			
916.	7709	<i>Stylidium crosscephalum</i> (Posy Triggerplant)			
917.	7710	<i>Stylidium cygnorum</i>			
918.	7713	<i>Stylidium dichotomum</i> (Pins-and-needles)			
919.	7716	<i>Stylidium diuroides</i> (Donkey Triggerplant)			
920.	11808	<i>Stylidium diuroides</i> subsp. <i>diuroides</i>			
921.	7719	<i>Stylidium ecorne</i> (Foot Triggerplant)			
922.	18420	<i>Stylidium flagellum</i>			
923.	7749	<i>Stylidium leptophyllum</i> (Needle-leaved Triggerplant)			
924.	7762	<i>Stylidium miniatum</i> (Pink Butterfly Triggerplant)			
925.	7766	<i>Stylidium nonscandens</i>		P3	
926.	7768	<i>Stylidium obtusatum</i> (Pinafore Triggerplant)			
927.	7772	<i>Stylidium perpusillum</i> (Tiny Triggerplant)			
928.	7774	<i>Stylidium piliferum</i> (Common Butterfly Triggerplant)			
929.	25837	<i>Stylidium purpureum</i>			
930.	7785	<i>Stylidium repens</i> (Matted Triggerplant)			
931.	20521	<i>Stylidium rigidulum</i>			
932.	25806	<i>Stylidium scarosum</i>			
933.	7798	<i>Stylidium schoenoides</i> (Cow Kicks)			
934.	17992	<i>Stylidium</i> sp. Bindoon (K.F. Kenneally 11405)			
935.	17993	<i>Stylidium</i> sp. Dewars Pool (K.F. Kenneally 11400)		P1	
936.	33081	<i>Stylidium</i> sp. Moora (J.A. Wege 713)		P2	
937.	25836	<i>Stylidium spiciforme</i>			
938.	20608	<i>Stylidium stenosepalum</i>			
Surianaceae					
939.	3181	<i>Stylobasium australe</i>			
Sylviidae					
940.	25755	<i>Acrocephalus australis</i> (Australian Reed Warbler)			
941.	24833	<i>Cincloramphus cruralis</i> (Brown Songlark)			
942.	25758	<i>Megalurus gramineus</i> (Little Grassbird)			
Tachyglossidae					
943.	24207	<i>Tachyglossus aculeatus</i> (Short-beaked Echidna)			
Terapontidae					
944.		<i>Pelates octolineatus</i>			
Thelypteridaceae					
945.	54	<i>Cyclosorus interruptus</i>			
Threskiornithidae					
946.	24841	<i>Platalea flavipes</i> (Yellow-billed Spoonbill)			
947.	24843	<i>Plegadis falcinellus</i> (Glossy Ibis)		IA	
948.	24844	<i>Threskiornis molucca</i> (Australian White Ibis)			
949.	24845	<i>Threskiornis spinicollis</i> (Straw-necked Ibis)			
Thymelaeaceae					
950.	5244	<i>Pimelea floribunda</i>			
951.	5268	<i>Pimelea sulphurea</i> (Yellow Banjine)			
Trichiaceae					
952.	39097	<i>Trichia decipiens</i>			
Varanidae					
953.	25218	<i>Varanus gouldii</i> (Bungarra or Sand Monitor)			
Vespertilionidae					
954.	24186	<i>Chalinolobus gouldii</i> (Gould's Wattled Bat)			
955.	24194	<i>Nyctophilus geoffroyi</i> (Lesser Long-eared Bat)			
956.	24206	<i>Vespadelus regulus</i> (Southern Forest Bat)			
Violaceae					
957.	5216	<i>Hybanthus calycinus</i> (Wild Violet)			
Zamiaceae					
958.	18119	<i>Macrozamia fraseri</i>			

Name	ID	Species Name	Naturalised	Conservation Code	¹ Endemic To Query Area
Zosteropidae					
959.	25765	<i>Zosterops lateralis</i> (Grey-breasted White-eye, Silvereeye)			
Zygophyllaceae					
960.	4390	<i>Zygophyllum fruticosum</i> (Shrubby Twinleaf)			

Conservation Codes
T - Rare or likely to become extinct
X - Presumed extinct
IA - Protected under international agreement
S - Other specially protected fauna
1 - Priority 1
2 - Priority 2
3 - Priority 3
4 - Priority 4
5 - Priority 5

¹ For NatureMap's purposes, species flagged as endemic are those whose records are wholly contained within the search area. Note that only those records complying with the search criterion are included in the calculation. For example, if you limit records to those from a specific datasource, only records from that datasource are used to determine if a species is restricted to the query area.



EPBC Act Protected Matters Report

This report provides general guidance on matters of national environmental significance and other matters protected by the EPBC Act in the area you have selected.

Information on the coverage of this report and qualifications on data supporting this report are contained in the caveat at the end of the report.

Information is available about [Environment Assessments](#) and the EPBC Act including significance guidelines, forms and application process details.

Report created: 15/09/15 18:18:38

[Summary](#)

[Details](#)


[Matters of NES](#)

[Other Matters Protected by the EPBC Act](#)

[Extra Information](#)

[Caveat](#)

[Acknowledgements](#)



This map may contain data which are
©Commonwealth of Australia
(Geoscience Australia), ©PSMA 2010

[Coordinates](#)

Buffer: 20.0Km



Summary

Matters of National Environmental Significance

This part of the report summarises the matters of national environmental significance that may occur in, or may relate to, the area you nominated. Further information is available in the detail part of the report, which can be accessed by scrolling or following the links below. If you are proposing to undertake an activity that may have a significant impact on one or more matters of national environmental significance then you should consider the [Administrative Guidelines on Significance](#).

World Heritage Properties:	None
National Heritage Places:	None
Wetlands of International Importance:	None
Great Barrier Reef Marine Park:	None
Commonwealth Marine Area:	None
Listed Threatened Ecological Communities:	None
Listed Threatened Species:	33
Listed Migratory Species:	5

Other Matters Protected by the EPBC Act

This part of the report summarises other matters protected under the Act that may relate to the area you nominated. Approval may be required for a proposed activity that significantly affects the environment on Commonwealth land, when the action is outside the Commonwealth land, or the environment anywhere when the action is taken on Commonwealth land. Approval may also be required for the Commonwealth or Commonwealth agencies proposing to take an action that is likely to have a significant impact on the environment anywhere.

The EPBC Act protects the environment on Commonwealth land, the environment from the actions taken on Commonwealth land, and the environment from actions taken by Commonwealth agencies. As heritage values of a place are part of the 'environment', these aspects of the EPBC Act protect the Commonwealth Heritage values of a Commonwealth Heritage place. Information on the new heritage laws can be found at <http://www.environment.gov.au/heritage>

A [permit](#) may be required for activities in or on a Commonwealth area that may affect a member of a listed threatened species or ecological community, a member of a listed migratory species, whales and other cetaceans, or a member of a listed marine species.

Commonwealth Land:	1
Commonwealth Heritage Places:	None
Listed Marine Species:	8
Whales and Other Cetaceans:	None
Critical Habitats:	None
Commonwealth Reserves Terrestrial:	None
Commonwealth Reserves Marine:	None

Extra Information

This part of the report provides information that may also be relevant to the area you have nominated.

State and Territory Reserves:	10
Regional Forest Agreements:	None
Invasive Species:	21
Nationally Important Wetlands:	1
Key Ecological Features (Marine)	None

Details

Matters of National Environmental Significance

Listed Threatened Species		[Resource Information]
Name	Status	Type of Presence
Birds		
Calyptorhynchus latirostris Carnaby's Black-Cockatoo, Short-billed Black-Cockatoo [59523]	Endangered	Breeding likely to occur within area
Leipoa ocellata Malleefowl [934]	Vulnerable	Species or species habitat known to occur within area
Rostratula australis Australian Painted Snipe [77037]	Endangered	Species or species habitat may occur within area
Mammals		
Dasyurus geoffroii Chuditch, Western Quoll [330]	Vulnerable	Species or species habitat known to occur within area
Plants		
Acacia forrestiana Forest's Wattle [17235]	Vulnerable	Species or species habitat likely to occur within area
Andersonia gracilis Slender Andersonia [14470]	Endangered	Species or species habitat likely to occur within area
Anigozanthos viridis subsp. terraspectans Dwarf Green Kangaroo Paw [3435]	Vulnerable	Species or species habitat known to occur within area
Asterolasia nivea Bindoon Starbush [8225]	Vulnerable	Species or species habitat likely to occur within area
Banksia fuscobractea Dark-bract Banksia [83059]	Critically Endangered	Species or species habitat likely to occur within area
Banksia mimica Summer Honeypot [82765]	Endangered	Species or species habitat likely to occur within area
Banksia serratuloides subsp. serratuloides Southern Serrate Dryandra [82768]	Vulnerable	Species or species habitat may occur within area
Caladenia huegelii King Spider-orchid, Grand Spider-orchid, Rusty Spider-orchid [7309]	Endangered	Species or species habitat may occur within area

Name	Status	Type of Presence
Centrolepis caespitosa [6393]	Endangered	Species or species habitat may occur within area
Chamelaucium sp. Gingin (N.G.Marchant 6) Gingin Wax [64649]	Endangered	Species or species habitat likely to occur within area
Conospermum densiflorum subsp. unicephalum One-headed Smokebush [64871]	Endangered	Species or species habitat likely to occur within area
Darwinia acerosa Fine-leaved Darwinia [9004]	Endangered	Species or species habitat likely to occur within area
Darwinia foetida Muchea Bell [83190]	Critically Endangered	Species or species habitat likely to occur within area
Drakaea elastica Glossy-leafed Hammer-orchid, Praying Virgin [16753]	Endangered	Species or species habitat known to occur within area
Eleocharis keigheryi Keighery's Eleocharis [64893]	Vulnerable	Species or species habitat likely to occur within area
Epiblema grandiflorum var. cyaneum Baby Blue Orchid, Blue Babe-in-the-cradle Orchid, Blue Babe-in-a-cradle [67182]	Endangered	Species or species habitat may occur within area
Eucalyptus absita Badgingarra Box [24260]	Endangered	Species or species habitat may occur within area
Eucalyptus balanites Cadda Road Mallee, Cadda Mallee [24264]	Endangered	Species or species habitat may occur within area
Eucalyptus dolorosa Dandaragan Mallee, Mount Misery Mallee [56709]	Endangered	Species or species habitat likely to occur within area
Eucalyptus impensa Eneabba Mallee [56711]	Endangered	Species or species habitat may occur within area
Eucalyptus leprophloia Scaly Butt Mallee, Scaly-butt Mallee [56712]	Endangered	Species or species habitat may occur within area
Eucalyptus recta Silver Mallet [56430]	Endangered	Species or species habitat may occur within area
Grevillea curviloba subsp. incurva Narrow curved-leaf Grevillea [64909]	Endangered	Species or species habitat may occur within area
Hemiandra gardneri Red Snakebush [7945]	Endangered	Species or species habitat may occur within area
Leucopogon obtectus Hidden Beard-heath [19614]	Endangered	Species or species habitat may occur within area
Paracaleana dixonii Sandplain Duck Orchid [86882]	Endangered	Species or species habitat known to occur within area

Name	Status	Type of Presence
Ptychosema pusillum Dwarf Pea [11268]	Vulnerable	Species or species habitat likely to occur within area
Thelymitra manginii K.Dixon & Batty ms. [67443]	Endangered	Species or species habitat may occur within area
Thelymitra stellata Star Sun-orchid [7060]	Endangered	Species or species habitat may occur within area

Listed Migratory Species

[Resource Information]

* Species is listed under a different scientific name on the EPBC Act - Threatened Species list.

Name	Threatened	Type of Presence
Migratory Marine Birds		

Apus pacificus Fork-tailed Swift [678]		Species or species habitat likely to occur within area
---	--	--

Migratory Terrestrial Species

Merops ornatus Rainbow Bee-eater [670]		Species or species habitat may occur within area
---	--	--

Migratory Wetlands Species

Ardea alba Great Egret, White Egret [59541]		Species or species habitat known to occur within area
--	--	---

Ardea ibis Cattle Egret [59542]		Species or species habitat may occur within area
--	--	--

Pandion haliaetus Osprey [952]		Species or species habitat known to occur within area
---	--	---

Other Matters Protected by the EPBC Act

Commonwealth Land

[Resource Information]

The Commonwealth area listed below may indicate the presence of Commonwealth land in this vicinity. Due to the unreliability of the data source, all proposals should be checked as to whether it impacts on a Commonwealth area, before making a definitive decision. Contact the State or Territory government land department for further information.

Name
Commonwealth Land -

Listed Marine Species

[Resource Information]

* Species is listed under a different scientific name on the EPBC Act - Threatened Species list.

Name	Threatened	Type of Presence
Birds		

Apus pacificus Fork-tailed Swift [678]		Species or species habitat likely to occur within area
---	--	--

Ardea alba Great Egret, White Egret [59541]		Species or species habitat known to occur within area
--	--	---

Ardea ibis Cattle Egret [59542]		Species or species habitat may occur within area
--	--	--

Haliaeetus leucogaster White-bellied Sea-Eagle [943]		Species or species habitat likely to occur
---	--	--

Name	Threatened	Type of Presence
Merops ornatus Rainbow Bee-eater [670]	Endangered*	within area
Pandion haliaetus Osprey [952]		Species or species habitat may occur within area
Rostratula benghalensis (sensu lato) Painted Snipe [889]		Species or species habitat known to occur within area
Thinornis rubricollis Hooded Plover [59510]		Species or species habitat may occur within area

Extra Information

State and Territory Reserves	[Resource Information]
Name	State
Bundarra	WA
Moochamulla	WA
Moore River	WA
Namming	WA
Quins Hill	WA
South Mimegarra	WA
Unnamed WA21164	WA
Unnamed WA25591	WA
Unnamed WA46899	WA
Unnamed WA47808	WA

Invasive Species

[Resource Information]

Weeds reported here are the 20 species of national significance (WoNS), along with other introduced plants that are considered by the States and Territories to pose a particularly significant threat to biodiversity. The following feral animals are reported: Goat, Red Fox, Cat, Rabbit, Pig, Water Buffalo and Cane Toad. Maps from Landscape Health Project, National Land and Water Resouces Audit, 2001.

Name	Status	Type of Presence
Birds		
Anas platyrhynchos Mallard [974]		Species or species habitat likely to occur within area
Columba livia Rock Pigeon, Rock Dove, Domestic Pigeon [803]		Species or species habitat likely to occur within area
Streptopelia chinensis Spotted Turtle-Dove [780]		Species or species habitat likely to occur within area
Streptopelia senegalensis Laughing Turtle-dove, Laughing Dove [781]		Species or species habitat likely to occur within area
Sturnus vulgaris Common Starling [389]		Species or species habitat likely to occur

Name	Status	Type of Presence
within area		
Mammals		
Canis lupus familiaris Domestic Dog [82654]		Species or species habitat likely to occur within area
Felis catus Cat, House Cat, Domestic Cat [19]		Species or species habitat likely to occur within area
Mus musculus House Mouse [120]		Species or species habitat likely to occur within area
Oryctolagus cuniculus Rabbit, European Rabbit [128]		Species or species habitat likely to occur within area
Rattus rattus Black Rat, Ship Rat [84]		Species or species habitat likely to occur within area
Sus scrofa Pig [6]		Species or species habitat likely to occur within area
Vulpes vulpes Red Fox, Fox [18]		Species or species habitat likely to occur within area
Plants		
Asparagus asparagoides Bridal Creeper, Bridal Veil Creeper, Smilax, Florist's Smilax, Smilax Asparagus [22473]		Species or species habitat likely to occur within area
Brachiaria mutica Para Grass [5879]		Species or species habitat may occur within area
Cenchrus ciliaris Buffel-grass, Black Buffel-grass [20213]		Species or species habitat may occur within area
Chrysanthemoides monilifera Bitou Bush, Boneseed [18983]		Species or species habitat may occur within area
Genista sp. X Genista monspessulana Broom [67538]		Species or species habitat may occur within area
Olea europaea Olive, Common Olive [9160]		Species or species habitat may occur within area
Pinus radiata Radiata Pine Monterey Pine, Insignis Pine, Wilding Pine [20780]		Species or species habitat may occur within area
Rubus fruticosus aggregate Blackberry, European Blackberry [68406]		Species or species habitat likely to occur within area
Tamarix aphylla Athel Pine, Athel Tree, Tamarisk, Athel Tamarisk, Athel Tamarix, Desert Tamarisk, Flowering Cypress, Salt Cedar [16018]		Species or species habitat likely to occur within area

Nationally Important Wetlands	[Resource Information]
Name	State
Guraga Lake	WA

Caveat

The information presented in this report has been provided by a range of data sources as acknowledged at the end of the report.

This report is designed to assist in identifying the locations of places which may be relevant in determining obligations under the Environment Protection and Biodiversity Conservation Act 1999. It holds mapped locations of World and National Heritage properties, Wetlands of International and National Importance, Commonwealth and State/Territory reserves, listed threatened, migratory and marine species and listed threatened ecological communities. Mapping of Commonwealth land is not complete at this stage. Maps have been collated from a range of sources at various resolutions.

Not all species listed under the EPBC Act have been mapped (see below) and therefore a report is a general guide only. Where available data supports mapping, the type of presence that can be determined from the data is indicated in general terms. People using this information in making a referral may need to consider the qualifications below and may need to seek and consider other information sources.

For threatened ecological communities where the distribution is well known, maps are derived from recovery plans, State vegetation maps, remote sensing imagery and other sources. Where threatened ecological community distributions are less well known, existing vegetation maps and point location data are used to produce indicative distribution maps.

For species where the distributions are well known, maps are digitised from sources such as recovery plans and detailed habitat studies. Where appropriate, core breeding, foraging and roosting areas are indicated under 'type of presence'. For species whose distributions are less well known, point locations are collated from government wildlife authorities, museums, and non-government organisations; bioclimatic distribution models are generated and these validated by experts. In some cases, the distribution maps are based solely on expert knowledge.

Only selected species covered by the following provisions of the EPBC Act have been mapped:

- migratory and
- marine

The following species and ecological communities have not been mapped and do not appear in reports produced from this database:

- threatened species listed as extinct or considered as vagrants
- some species and ecological communities that have only recently been listed
- some terrestrial species that overfly the Commonwealth marine area
- migratory species that are very widespread, vagrant, or only occur in small numbers

The following groups have been mapped, but may not cover the complete distribution of the species:

- non-threatened seabirds which have only been mapped for recorded breeding sites
- seals which have only been mapped for breeding sites near the Australian continent

Such breeding sites may be important for the protection of the Commonwealth Marine environment.

Coordinates

-30.975414 115.697846,-30.956145 115.685361,-30.956145 115.685361

Acknowledgements

This database has been compiled from a range of data sources. The department acknowledges the following custodians who have contributed valuable data and advice:

- [-Office of Environment and Heritage, New South Wales](#)
- [-Department of Environment and Primary Industries, Victoria](#)
- [-Department of Primary Industries, Parks, Water and Environment, Tasmania](#)
- [-Department of Environment, Water and Natural Resources, South Australia](#)
- [-Parks and Wildlife Commission NT, Northern Territory Government](#)
- [-Department of Environmental and Heritage Protection, Queensland](#)
- [-Department of Parks and Wildlife, Western Australia](#)
- [-Environment and Planning Directorate, ACT](#)
- [-Birdlife Australia](#)
- [-Australian Bird and Bat Banding Scheme](#)
- [-Australian National Wildlife Collection](#)
- Natural history museums of Australia
- [-Museum Victoria](#)
- [-Australian Museum](#)
- [-South Australian Museum](#)
- [-Queensland Museum](#)
- [-Online Zoological Collections of Australian Museums](#)
- [-Queensland Herbarium](#)
- [-National Herbarium of NSW](#)
- [-Royal Botanic Gardens and National Herbarium of Victoria](#)
- [-Tasmanian Herbarium](#)
- [-State Herbarium of South Australia](#)
- [-Northern Territory Herbarium](#)
- [-Western Australian Herbarium](#)
- [-Australian National Herbarium, Atherton and Canberra](#)
- [-University of New England](#)
- [-Ocean Biogeographic Information System](#)
- [-Australian Government, Department of Defence](#)
- [Forestry Corporation, NSW](#)
- [-Geoscience Australia](#)
- [-CSIRO](#)
- Other groups and individuals

The Department is extremely grateful to the many organisations and individuals who provided expert advice and information on numerous draft distributions.

Please feel free to provide feedback via the [Contact Us](#) page.

SLK 120 to 125.3 Family

Created By Guest user on 14/09/2015

Current Names Only Yes

Core Datasets Only Yes

Method 'By Line'

Vertices 30° 38' 48" S, 115° 27' 52" E 30° 36' 53" S, 115° 27' 56" E

Group By Family

Family	Species	Records
Acanthizidae	8	73
Acariformes	1	34
Accipitridae	7	32
Actinopodidae	1	1
Aegothelidae	2	2
Agamidae	3	161
Amaranthaceae	3	3
Anarthriaceae	6	28
Anatidae	13	61
Apiaceae	11	34
Apodanthaceae	2	7
Araliaceae	2	4
Ardeidae	2	3
Artamidae	2	21
Asparagaceae	20	36
Asteraceae	29	61
Boidae	1	1
Boryaceae	1	2
Brassicaceae	2	3
Bryaceae	1	1
Bulimulidae	1	1
Buthidae	2	4
Bythridae	2	3
Campanulaceae	6	8
Campephagidae	1	25
Carbonicolaceae	1	1
Casuariidae	1	2
Casuarinaceae	7	30
Celastraceae	3	9
Centrolepidaceae	6	16
Charadriidae	1	1
Chenopodiaceae	2	2
Cladoniaceae	3	4
Colchicaceae	3	8
Columbidae	4	54
Corvidae	1	46
Cracticidae	4	63
Cuculidae	2	8
Cupressaceae	2	4
Cyperaceae	42	114
Dasyopogonaceae	4	23
Dasyuridae	5	53
Dicranaceae	1	1
Dicruridae	4	61
Dilleniaceae	14	74
Diplodactylidae	5	24
Droseraceae	15	49
Ecdeiocolaceae	1	8
Elaeocarpaceae	3	8
Elapidae	7	16
Ericaceae	35	251
Euphorbiaceae	2	3
Fabaceae	100	378
Falconidae	6	30
Gekkonidae	1	8
Gentianaceae	1	1
Geraniaceae	4	4
Goodeniaceae	32	96
Gyrostemonaceae	3	7
Haemodoraceae	43	222
Halcyonidae	2	26
Haloragaceae	3	7
Hemerocallidaceae	8	33
Hirundinidae	1	20
Hylidae	1	2
Idiopidae	2	3
Iridaceae	5	9
Juncaceae	3	4
Juncaginaceae	2	3
Lamiaceae	10	42
Lauraceae	1	1
Lecanoraceae	1	1
Lentibulariaceae	1	1
Limnodynastidae	5	68
Loganiaceae	2	15
Loranthaceae	1	2
Lycopodiaceae	1	1
Lycosidae	1	1
Lythraceae	1	1

Macropodidae	1	4
Maluridae	5	36
Malvaceae	10	39
Meliphagidae	10	100
Menyanthaceae	1	1
Meropidae	1	15
Molluginaceae	3	20
Muridae	3	181
Myobatrachidae	4	57
Myrtaceae	131	538
Neosittidae	1	9
Olacaceae	1	4
Orchidaceae	33	51
Otididae	1	1
Oxalidaceae	2	2
Pachycephalidae	3	40
Paradoxosomatidae	2	7
Pararchaeidae	1	1
Pardalotidae	1	16
Parmeliaceae	1	3
Pelecanidae	1	1
Petroicidae	2	3
Phalacrocoracidae	2	4
Phasianidae	1	1
Philydraceae	1	1
Physaraceae	1	1
Physciaceae	1	1
Pittosporaceae	1	2
Poaceae	24	26
Podicipedidae	2	18
Polygalaceae	5	5
Polygonaceae	2	2
Portulacaceae	4	6
Pottiaceae	1	1
Primulaceae	2	2
Proteaceae	120	478
Psittacidae	10	224
Pygopodidae	10	26
Pythiaceae	1	16
Rallidae	1	4
Ramalinaceae	1	1
Recurvirostridae	2	2
Restionaceae	26	87
Rhamnaceae	10	26
Rubiaceae	2	10
Rutaceae	10	35
Santalaceae	1	1
Sapindaceae	3	3
Scincidae	17	245
Scrophulariaceae	3	7
Selaginellaceae	1	1
Solanaceae	3	3
Strigidae	2	5
Stylidiaceae	35	114
Sylviidae	4	8
Tachyglossidae	1	2
Tarsipedidae	1	98
Tetragnathidae	1	1
Threskiornithidae	4	20
Thymelaeaceae	4	13
Turnicidae	1	3
Varanidae	1	4
Vespertilionidae	1	2
Violaceae	3	4
Xanthorrhoeaceae	2	2
Zamiaceae	1	1
Zosteropidae	1	26
TOTAL	1096	5199

Name ID	Species Name	Naturalised	Conservation Code	¹ Endemic To Query Area
Acanthizidae				
1.	24260 <i>Acanthiza apicalis</i> (Broad-tailed Thornbill, Inland Thornbill)			
2.	24261 <i>Acanthiza chrysorrhoa</i> (Yellow-rumped Thornbill)			
3.	24262 <i>Acanthiza inornata</i> (Western Thornbill)			
4.	24269 <i>Calamanthus campestris</i> (Rufous Fieldwren)			
5.	25530 <i>Gerygone fusca</i> (Western Gerygone)			
6.	24271 <i>Gerygone fusca</i> subsp. <i>fusca</i> (Western Gerygone)			
7.	25534 <i>Sericornis frontalis</i> (White-browed Scrubwren)			
8.	30948 <i>Smicrornis brevirostris</i> (Weebill)			
Acariformes				
9.	<i>Acariformes</i> sp.			
Accipitridae				
10.	25535 <i>Accipiter cirrocephalus</i> (Collared Sparrowhawk)			
11.	25536 <i>Accipiter fasciatus</i> (Brown Goshawk)			
12.	24285 <i>Aquila audax</i> (Wedge-tailed Eagle)			
13.	24288 <i>Circus approximans</i> (Swamp Harrier)			
14.	24289 <i>Circus assimilis</i> (Spotted Harrier)			
15.	24295 <i>Haliastur sphenurus</i> (Whistling Kite)			
16.	25542 <i>Milvus migrans</i> (Black Kite)			
Actinopodidae				
17.	<i>Missulena hoggi</i>			
Aegothelidae				
18.	25544 <i>Aegotheles cristatus</i> (Australian Owlet-nightjar)			
19.	24301 <i>Aegotheles cristatus</i> subsp. <i>cristatus</i> (Australian Owlet-nightjar)			
Agamidae				
20.	30899 <i>Ctenophorus adelaidensis</i> (Southern Heath Dragon, Western Heath Dragon)			
21.	25510 <i>Pogona minor</i> (Dwarf Bearded Dragon)			
22.	24907 <i>Pogona minor</i> subsp. <i>minor</i> (Dwarf Bearded Dragon)			
Amaranthaceae				
23.	2742 <i>Ptilotus manglesii</i> (Pom Poms, Mulamula)			
24.	2751 <i>Ptilotus polystachyus</i> (Prince of Wales Feather)			
25.	40841 <i>Ptilotus stirlingii</i> subsp. <i>stirlingii</i>			
Anarthriaceae				
26.	1058 <i>Anarthria gracilis</i>			
27.	1059 <i>Anarthria humilis</i>			
28.	1060 <i>Anarthria laevis</i>			
29.	1097 <i>Lyginia barbata</i>			
30.	19245 <i>Lyginia excelsa</i>		P1	Y
31.	18049 <i>Lyginia imberbis</i>			
Anatidae				
32.	24310 <i>Anas castanea</i> (Chestnut Teal)			
33.	24312 <i>Anas gracilis</i> (Grey Teal)			
34.	24313 <i>Anas platyrhynchos</i> (Mallard)			
35.	24315 <i>Anas rhynchotis</i> (Australasian Shoveler)			
36.	24316 <i>Anas superciliosa</i> (Pacific Black Duck)			
37.	24318 <i>Aythya australis</i> (Hardhead)			
38.	24319 <i>Biziura lobata</i> (Musk Duck)			
39.	24321 <i>Chenonetta jubata</i> (Australian Wood Duck, Wood Duck)			
40.	24322 <i>Cygnus atratus</i> (Black Swan)			
41.	24326 <i>Malacorhynchus membranaceus</i> (Pink-eared Duck)			
42.	24328 <i>Oxyura australis</i> (Blue-billed Duck)		P4	
43.	24329 <i>Stictonetta naevosa</i> (Freckled Duck)			
44.	24331 <i>Tadorna tadornoides</i> (Australian Shelduck, Mountain Duck)			
Apiaceae				
45.	6205 <i>Actinotus leucocephalus</i> (Flannel Flower)			
46.	6218 <i>Daucus glochidiatus</i> (Australian Carrot)			
47.	6219 <i>Eryngium pinnatifidum</i> (Blue Devils)			
48.	6222 <i>Homalosciadium homalocarpum</i>			
49.	6255 <i>Platysace juncea</i>			
50.	11132 <i>Platysace ramosissima</i>		P3	
51.	14996 <i>Platysace</i> sp. <i>Eneabba</i> (R. Hnatiuk 770001)			
52.	6262 <i>Platysace xerophila</i>			
53.	6285 <i>Xanthosia ciliata</i>			

	Name ID	Species Name	Naturalised	Conservation Code	¹ Endemic To Query Area
54.	6287	<i>Xanthosia fruticulosa</i>			
55.	6289	<i>Xanthosia huegelii</i>			
Apodanthaceae					
56.	33460	<i>Pilostyles coccoidea</i>			
57.	2408	<i>Pilostyles hamiltonii</i>			
Araliaceae					
58.	6223	<i>Hydrocotyle alata</i>			
59.	6280	<i>Trachymene pilosa</i> (Native Parsnip)			
Ardeidae					
60.	41324	<i>Ardea modesta</i> (Eastern Great Egret)		IA	
61.	25564	<i>Nycticorax caledonicus</i> (Rufous Night Heron)			
Artamidae					
62.	25566	<i>Artamus cinereus</i> (Black-faced Woodswallow)			
63.	24356	<i>Artamus personatus</i> (Masked Woodswallow)			
Asparagaceae					
64.	1208	<i>Acanthocarpus preissii</i>			
65.	1265	<i>Arthropodium curvipes</i>			
66.	11299	<i>Chamaescilla corymbosa</i> var. <i>corymbosa</i>			
67.	1305	<i>Laxmannia omnifertilis</i>			
68.	11464	<i>Laxmannia sessiliflora</i> subsp. <i>australis</i>			
69.	1309	<i>Laxmannia squarrosa</i>			
70.	1239	<i>Lomandra preissii</i>			
71.	1243	<i>Lomandra sericea</i> (Silky Mat Rush)			
72.	1319	<i>Thysanotus arenarius</i>			
73.	1328	<i>Thysanotus dichotomus</i> (Branching Fringe Lily)			
74.	1334	<i>Thysanotus glaucus</i>		P4	
75.	1338	<i>Thysanotus manglesianus</i> (Fringed Lily)			
76.	1339	<i>Thysanotus multiflorus</i> (Many-flowered Fringe Lily)			
77.	1343	<i>Thysanotus patersonii</i>			
78.	1348	<i>Thysanotus rectantherus</i>			
79.	1351	<i>Thysanotus sparteus</i>			
80.	1354	<i>Thysanotus tenellus</i>			
81.	1356	<i>Thysanotus teretifolius</i>			
82.	1357	<i>Thysanotus thyrsoides</i>			
83.	1358	<i>Thysanotus triandrus</i>			
Asteraceae					
84.	7845	<i>Asteridea asteroides</i>			
85.	13354	<i>Craspedia variabilis</i>			
86.	8002	<i>Gnephosis tenuissima</i>			
87.	8008	<i>Helianthus annuus</i> (Sunflower)	Y		
88.	29594	<i>Helichrysum luteoalbum</i> (Jersey Cudweed)			
89.	12741	<i>Hyalosperma cotula</i>			
90.	18585	<i>Lagenophora huegelii</i>			
91.	17852	<i>Leptorhynchos scaber</i> (Lanky Buttons)			
92.	29418	<i>Monoculus monstrosus</i>	Y		
93.	32716	<i>Olearia lehmanniana</i>			
94.	8149	<i>Olearia rudis</i> (Rough Daisybush)			
95.	18353	<i>Pithocarpa pulchella</i> var. <i>pulchella</i>			
96.	8177	<i>Podolepis lessonii</i>			
97.	8182	<i>Podotheca angustifolia</i> (Sticky Longheads)			
98.	8183	<i>Podotheca chrysantha</i> (Yellow Podotheca)			
99.	8184	<i>Podotheca gnaphalioides</i> (Golden Long-heads)			
100.	12733	<i>Podotheca pritzelii</i>		P3	
101.	13255	<i>Pterochaeta paniculata</i>			
102.	30572	<i>Rhetinocarpha suffruticosa</i> (Shrubby Myriocephalus)		P1	
103.	13300	<i>Rhodanthe citrina</i>			
104.	13234	<i>Rhodanthe manglesii</i>			
105.	25884	<i>Senecio pinnatifolius</i> var. <i>latilobus</i>			
106.	8224	<i>Siloxerus filifolius</i>			
107.	8225	<i>Siloxerus humifusus</i> (Procumbent Siloxerus)			
108.	8230	<i>Sonchus asper</i> (Rough Sowthistle)	Y		
109.	38388	<i>Ursinia anthemoides</i> subsp. <i>anthemoides</i>	Y		
110.	15725	<i>Verbesina encelioides</i>	Y		
111.	8282	<i>Waitzia suaveolens</i> (Fragrant Waitzia)			
112.	13333	<i>Waitzia suaveolens</i> var. <i>suaveolens</i>			
Boidae					
113.	25240	<i>Morelia spilota</i> subsp. <i>imbricata</i> (Carpet Python)			

Name ID	Species Name	Naturalised	Conservation Code	¹ Endemic To Query Area
			S	
Boryaceae				
114.	1273 <i>Borya sphaerocephala</i> (Pincushions)			
Brassicaceae				
115.	3044 <i>Lepidium rotundum</i> (Veined Peppergrass)			
116.	3061 <i>Raphanus raphanistrum</i> (Wild Radish)	Y		
Bryaceae				
117.	32424 <i>Rosulabryum albolimbatum</i>			
Bulimulidae				
118.	34057 <i>Bothriembryon perobesus</i> (land snail)		P1	
Buthidae				
119.	<i>Urodacus armatus</i>			
120.	<i>Urodacus hoplurus</i>			
Byblidaceae				
121.	3178 <i>Byblis gigantea</i> (Rainbow Plant)		P3	
122.	20230 <i>Byblis lamellata</i>			
Campanulaceae				
123.	7396 <i>Isotoma hypocraeteriformis</i> (Woodbridge Poison)			
124.	7398 <i>Isotoma pusilla</i> (Small Isotome)			
125.	9289 <i>Lobelia anceps</i> (Angled Lobelia)			
126.	7406 <i>Lobelia rhombifolia</i> (Tufted Lobelia)			
127.	37440 <i>Monopsis debilis</i> var. <i>depressa</i>	Y		
128.	7386 <i>Wahlenbergia gracilentia</i> (Annual Bluebell)			
Campephagidae				
129.	25568 <i>Coracina novaehollandiae</i> (Black-faced Cuckoo-shrike)			
Carbonicolaceae				
130.	43884 <i>Carbonicola foveata</i>			
Casuariidae				
131.	24470 <i>Dromaius novaehollandiae</i> (Emu)			
Casuarinaceae				
132.	1726 <i>Allocasuarina drummondiana</i>			
133.	1729 <i>Allocasuarina grevilleoides</i>		P3	
134.	1732 <i>Allocasuarina humilis</i> (Dwarf Sheoak)			
135.	13908 <i>Allocasuarina lehmanniana</i> subsp. <i>lehmanniana</i>			
136.	1734 <i>Allocasuarina microstachya</i>			
137.	1736 <i>Allocasuarina ramosissima</i>		P3	
138.	1739 <i>Allocasuarina thuyoides</i> (Horned Sheoak)			
Celastraceae				
139.	9069 <i>Stackhousia huegelii</i>			
140.	9070 <i>Stackhousia pubescens</i> (Downy Stackhousia)			
141.	4737 <i>Tripterococcus brunonis</i> (Winged Stackhousia)			
Centrolepidaceae				
142.	1116 <i>Aphelia brizula</i>			
143.	1119 <i>Aphelia nutans</i>			
144.	1121 <i>Centrolepis aristata</i> (Pointed Centrolepis)			
145.	1125 <i>Centrolepis drummondiana</i>			
146.	1134 <i>Centrolepis polygyna</i> (Wiry Centrolepis)			
147.	13125 <i>Centrolepis strigosa</i> subsp. <i>strigosa</i>			
Charadriidae				
148.	24386 <i>Vanellus tricolor</i> (Banded Lapwing)			
Chenopodiaceae				
149.	2453 <i>Atriplex codonocarpa</i> (Flat-topped Saltbush)			
150.	33319 <i>Tecticornia indica</i> subsp. <i>bidens</i>			
Cladoniaceae				
151.	27694 <i>Cladonia southlandica</i>			
152.	28070 <i>Thysanotrichum hookeri</i>			
153.	28071 <i>Thysanotrichum scutellatum</i>			
Colchicaceae				
154.	1383 <i>Burchardia bairdiae</i>			
155.	12770 <i>Burchardia congesta</i>			
156.	1398 <i>Wurmbea monantha</i>			

Name ID	Species Name	Naturalised	Conservation Code	¹ Endemic To Query Area
Columbidae				
157.	24404 <i>Geophaps plumifera</i> (Spinifex Pigeon)			
158.	24407 <i>Ocyphaps lophotes</i> (Crested Pigeon)			
159.	24409 <i>Phaps chalcoptera</i> (Common Bronzewing)			
160.	25590 <i>Streptopelia senegalensis</i> (Laughing Turtle-Dove)	Y		
Corvidae				
161.	25592 <i>Corvus coronoides</i> (Australian Raven)			
Cracticidae				
162.	24420 <i>Cracticus nigrogularis</i> (Pied Butcherbird)			
163.	25595 <i>Cracticus tibicen</i> (Australian Magpie)			
164.	25596 <i>Cracticus torquatus</i> (Grey Butcherbird)			
165.	25597 <i>Strepera versicolor</i> (Grey Currawong)			
Cuculidae				
166.	25598 <i>Cacomantis flabelliformis</i> (Fan-tailed Cuckoo)			
167.	42307 <i>Cacomantis pallidus</i> (Pallid Cuckoo)			
Cupressaceae				
168.	36560 <i>Callitris arenaria</i> (Sandplain Cypress)			
169.	36600 <i>Callitris pyramidalis</i> (Swamp Cypress)			
Cyperaceae				
170.	743 <i>Baumea juncea</i> (Bare Twigrush)			
171.	760 <i>Caustis dioica</i>			
172.	768 <i>Cyathochaeta avenacea</i>			
173.	17618 <i>Cyathochaeta equitans</i>			
174.	783 <i>Cyperus congestus</i> (Dense Flat-sedge)	Y		
175.	17605 <i>Eleocharis keigheryi</i>		T	
176.	907 <i>Gahnia trifida</i> (Coast Saw-sedge)			
177.	20200 <i>Isolepis cernua</i> var. <i>setiformis</i>			
178.	911 <i>Isolepis congrua</i>			
179.	912 <i>Isolepis cyperoides</i>			
180.	919 <i>Isolepis oldfieldiana</i>			
181.	924 <i>Isolepis stellata</i> (Star Club-rush)			
182.	930 <i>Lepidosperma costale</i>			
183.	937 <i>Lepidosperma longitudinale</i> (Pithy Sword-sedge)			
184.	940 <i>Lepidosperma pubisquameum</i>			
185.	944 <i>Lepidosperma scabrum</i>			
186.	945 <i>Lepidosperma squamatum</i>			
187.	954 <i>Mesomelaena preissii</i>			
188.	955 <i>Mesomelaena pseudostygia</i>			
189.	957 <i>Mesomelaena tetragona</i> (Semaphore Sedge)			
190.	971 <i>Schoenus andrewsii</i>			
191.	17571 <i>Schoenus badius</i>		P2	
192.	978 <i>Schoenus brevisetis</i>			
193.	979 <i>Schoenus caespititius</i>			
194.	982 <i>Schoenus clandestinus</i>			
195.	984 <i>Schoenus curvifolius</i>			
196.	986 <i>Schoenus efoliatus</i>			
197.	992 <i>Schoenus grandiflorus</i> (Large Flowered Bogrush)			
198.	17606 <i>Schoenus griffinianus</i>		P3	
199.	17617 <i>Schoenus insolitus</i>			
200.	1000 <i>Schoenus minutulus</i>			
201.	1006 <i>Schoenus odontocarpus</i>			
202.	1008 <i>Schoenus pennisetis</i>		P3	
203.	1009 <i>Schoenus pleiostemoneus</i>			
204.	17614 <i>Schoenus plumosus</i>			
205.	1011 <i>Schoenus rigens</i>			
206.	16274 <i>Schoenus</i> sp. A3 <i>Ciliate Sheaths</i> (K.R. Newbey 9402)			
207.	1018 <i>Schoenus subfascicularis</i>			
208.	16252 <i>Schoenus subflavus</i> subsp. <i>subflavus</i>			
209.	1026 <i>Schoenus unispiculatus</i>			
210.	1036 <i>Tetraria octandra</i>			
211.	1038 <i>Tricostularia neesii</i>			
Dasypogonaceae				
212.	19309 <i>Calectasia narragara</i>			
213.	19196 <i>Calectasia palustris</i>		P2	
214.	1218 <i>Dasypogon bromeliifolius</i> (Pineapple Bush)			
215.	1220 <i>Dasypogon obliquifolius</i>			

Name ID	Species Name	Naturalised	Conservation Code	¹ Endemic To Query Area
Dasyuridae				
216.	24108 <i>Sminthopsis crassicaudata</i> (Fat-tailed Dunnart)			
217.	24109 <i>Sminthopsis dolichura</i> (Little long-tailed Dunnart)			
218.	24111 <i>Sminthopsis gilberti</i> (Gilbert's Dunnart)			
219.	24112 <i>Sminthopsis granulipes</i> (White-tailed Dunnart)			
220.	25515 <i>Sminthopsis griseoventer</i> (Grey-bellied Dunnart)			
Dicranaceae				
221.	32338 <i>Campylopus introflexus</i>	Y		
Dicruridae				
222.	24443 <i>Grallina cyanoleuca</i> (Magpie-lark)			
223.	24452 <i>Rhipidura fuliginosa</i> subsp. <i>preissi</i> (Grey Fantail)			
224.	25614 <i>Rhipidura leucophrys</i> (Willie Wagtail)			
225.	24454 <i>Rhipidura leucophrys</i> subsp. <i>leucophrys</i> (Willie Wagtail)			
Dilleniaceae				
226.	5108 <i>Hibbertia acerosa</i> (Needle Leaved Guinea Flower)			
227.	5112 <i>Hibbertia aurea</i>			
228.	5116 <i>Hibbertia crassifolia</i>			
229.	5133 <i>Hibbertia helianthemoides</i>		P4	
230.	5134 <i>Hibbertia huegelii</i>			
231.	5135 <i>Hibbertia hypericoides</i> (Yellow Buttercups)			
232.	35520 <i>Hibbertia leucocrossa</i>			
233.	5148 <i>Hibbertia mylnei</i>			
234.	5157 <i>Hibbertia polystachya</i>			
235.	5162 <i>Hibbertia racemosa</i> (Stalked Guinea Flower)			
236.	43280 <i>Hibbertia sericosepala</i>			
237.	11461 <i>Hibbertia spicata</i> subsp. <i>leptotheca</i>		P3	
238.	5172 <i>Hibbertia stellaris</i> (Orange Stars)			
239.	5173 <i>Hibbertia subvaginata</i>			
Diplodactylidae				
240.	25469 <i>Diplodactylus granariensis</i>			
241.	24939 <i>Diplodactylus polyophthalmus</i>			
242.	42414 <i>Lucasium alboguttatum</i>			
243.	25518 <i>Strophurus spinigerus</i>			
244.	24942 <i>Strophurus spinigerus</i> subsp. <i>spinigerus</i>			
Droseraceae				
245.	13201 <i>Drosera eneabba</i>			
246.	13212 <i>Drosera erythrorhiza</i> subsp. <i>magna</i>			
247.	15453 <i>Drosera gigantea</i> subsp. <i>gigantea</i>			
248.	3098 <i>Drosera glanduligera</i> (Pimpernel Sundew)			
249.	3101 <i>Drosera heterophylla</i> (Swamp Rainbow)			
250.	13199 <i>Drosera leioblastus</i>			Y
251.	31232 <i>Drosera leucostigma</i>			Y
252.	14298 <i>Drosera macrantha</i> subsp. <i>macrantha</i>			
253.	13208 <i>Drosera marchantii</i> subsp. <i>prophylla</i>		P3	
254.	11853 <i>Drosera menziesii</i> subsp. <i>menziesii</i>			
255.	13216 <i>Drosera menziesii</i> subsp. <i>penicillaris</i>			
256.	3118 <i>Drosera pallida</i> (Pale Rainbow)			
257.	3119 <i>Drosera parvula</i> (Small Sundew)			
258.	29178 <i>Drosera porrecta</i>			
259.	13185 <i>Drosera spilos</i>			
Ecdeiocoleaceae				
260.	1066 <i>Ecdeiocolea monostachya</i>			
Elaeocarpaceae				
261.	23982 <i>Tetratheca angulata</i>		P3	
262.	4528 <i>Tetratheca confertifolia</i>			
263.	4539 <i>Tetratheca paucifolia</i>			
Elapidae				
264.	25251 <i>Echiopsis curta</i> (Bardick)			
265.	25248 <i>Neelaps bimaculatus</i> (Black-naped Snake)			
266.	25249 <i>Neelaps calonotos</i> (Black-striped Snake)		P3	
267.	25253 <i>Parasuta gouldii</i>			
268.	25261 <i>Pseudechis australis</i> (Mulga Snake)			
269.	25259 <i>Pseudonaja affinis</i> subsp. <i>affinis</i> (Dugite)			
270.	42416 <i>Pseudonaja mengdeni</i> (Western Brown Snake)			
Ericaceae				
271.	6309 <i>Andersonia gracilis</i>			

Name ID	Species Name	Naturalised	Conservation Code	¹ Endemic To Query Area
			T	
272.	6311 <i>Andersonia heterophylla</i>			
273.	6314 <i>Andersonia lehmanniana</i>			
274.	6323 <i>Astroloma ciliatum</i> (Candle Cranberry)			
275.	6328 <i>Astroloma glaucescens</i>			
276.	6332 <i>Astroloma microdonta</i> (Sandplain Cranberry)			
277.	42144 <i>Astroloma oblongifolium</i>			
278.	6334 <i>Astroloma pallidum</i> (Kick Bush)			
279.	14501 <i>Astroloma</i> sp. <i>Eneabba</i> (N. Marchant s.n. PERTH 01291777)			
280.	6339 <i>Astroloma xerophyllum</i>			
281.	19026 <i>Conostephium magnum</i>		P4	
282.	6347 <i>Conostephium minus</i> (Pink-tipped Pearl flower)			
283.	6348 <i>Conostephium pendulum</i> (Pearl Flower)			
284.	6349 <i>Conostephium preissii</i>			
285.	13527 <i>Croninia kingiana</i>			
286.	6370 <i>Leucopogon cochlearifolius</i>			
287.	6374 <i>Leucopogon conostephioides</i>			
288.	6379 <i>Leucopogon crassiflorus</i>			
289.	6397 <i>Leucopogon glaucifolius</i>			
290.	6400 <i>Leucopogon gracillimus</i>			
291.	6401 <i>Leucopogon hamulosus</i>			
292.	6420 <i>Leucopogon oldfieldii</i>			
293.	6421 <i>Leucopogon oliganthus</i>			
294.	6430 <i>Leucopogon planifolius</i>			
295.	6434 <i>Leucopogon polymorphus</i>			
296.	19369 <i>Leucopogon</i> sp. <i>Badgingarra</i> (R. Davis 421)		P2	
297.	20868 <i>Leucopogon</i> sp. <i>Cataby</i> (F. Hort 1638)			
298.	39501 <i>Leucopogon</i> sp. <i>Coomallo</i> (R.J. Cranfield 1457)			
299.	14637 <i>Leucopogon</i> sp. <i>Coujinup</i> (M.A. Burgman 1085)			
300.	17723 <i>Leucopogon</i> sp. <i>Lesueur</i> (B. Evans 530)			
301.	34163 <i>Leucopogon</i> sp. <i>Newdegate</i> (M. Hislop 3585)			
302.	20086 <i>Leucopogon</i> sp. <i>Northern Scarp</i> (M. Hislop 2233)			
303.	34157 <i>Leucopogon</i> sp. <i>Northern ciliate</i> (R. Davis 3393)			
304.	6444 <i>Leucopogon sprengelioides</i>			
305.	34736 <i>Lysinema pentapetalum</i>			
Euphorbiaceae				
306.	34236 <i>Beyeria cinerea</i> subsp. <i>cinerea</i>		P3	
307.	19942 <i>Ricinocarpos undulatus</i>			
Fabaceae				
308.	3200 <i>Acacia acuminata</i> (Jam, Mangard)			
309.	15466 <i>Acacia applanata</i>			
310.	3231 <i>Acacia auronitens</i>			
311.	3237 <i>Acacia benthamii</i>		P2	
312.	3242 <i>Acacia blakelyi</i>			
313.	14061 <i>Acacia clydonophora</i>			
314.	3271 <i>Acacia costata</i>			
315.	20435 <i>Acacia daphnifolia</i>			
316.	3303 <i>Acacia dilatata</i>			
317.	11926 <i>Acacia drewiana</i> subsp. <i>drewiana</i>			
318.	3319 <i>Acacia epacantha</i>		P3	
319.	3332 <i>Acacia fagonioides</i>			
320.	3341 <i>Acacia forrestiana</i> (Forrest's Wattle)		T	
321.	11519 <i>Acacia lasiocarpa</i> var. <i>bracteolata</i>			
322.	11611 <i>Acacia lasiocarpa</i> var. <i>lasiocarpa</i>			
323.	3442 <i>Acacia microbotrya</i> (Manna Wattle, Kalyang)			
324.	11678 <i>Acacia moirii</i> subsp. <i>recurvistipula</i>			
325.	3451 <i>Acacia multispicata</i>			
326.	3493 <i>Acacia plicata</i>		P3	
327.	15481 <i>Acacia pulchella</i> var. <i>glaberrima</i>			
328.	15483 <i>Acacia pulchella</i> var. <i>pulchella</i>			
329.	15480 <i>Acacia pulchella</i> var. <i>reflexa</i>			
330.	3518 <i>Acacia retrorsa</i>		P2	
331.	3525 <i>Acacia rostellifera</i> (Summer-scented Wattle)			
332.	30033 <i>Acacia saligna</i> subsp. <i>lindleyi</i>			
333.	30032 <i>Acacia saligna</i> subsp. <i>saligna</i>			
334.	3532 <i>Acacia scirpifolia</i>			
335.	3541 <i>Acacia sessilis</i>			
336.	3549 <i>Acacia spathulifolia</i>			
337.	15486 <i>Acacia sphacelata</i> subsp. <i>verticillata</i>			

	Name ID	Species Name	Naturalised	Conservation Code	¹ Endemic To Query Area
338.	20439	<i>Acacia splendens</i>		T	
339.	3557	<i>Acacia stenoptera</i> (Narrow Winged Wattle)			
340.	3574	<i>Acacia teretifolia</i>			
341.	3688	<i>Aotus gracillima</i>			
342.	3692	<i>Aotus procumbens</i>			
343.	3710	<i>Bossiaea eriocarpa</i> (Common Brown Pea)			
344.	13111	<i>Chorizema aciculare</i> subsp. <i>laxum</i>			
345.	35837	<i>Cristonia biloba</i> subsp. <i>pubescens</i>			
346.	3793	<i>Daviesia angulata</i>			
347.	14199	<i>Daviesia chapmanii</i>			
348.	3805	<i>Daviesia decurrens</i> (Prickly Bitter-pea)			
349.	19747	<i>Daviesia decurrens</i> subsp. <i>decurrens</i>			
350.	3807	<i>Daviesia divaricata</i> (Marno)			
351.	18560	<i>Daviesia divaricata</i> subsp. <i>divaricata</i>			
352.	11879	<i>Daviesia hakeoides</i> subsp. <i>hakeoides</i>			
353.	15505	<i>Daviesia incrassata</i> subsp. <i>incrassata</i>			
354.	15506	<i>Daviesia incrassata</i> subsp. <i>teres</i>			
355.	12329	<i>Daviesia nudiflora</i> subsp. <i>hirtella</i>			
356.	16585	<i>Daviesia nudiflora</i> subsp. <i>nudiflora</i>			
357.	15508	<i>Daviesia oxyclada</i>			
358.	3831	<i>Daviesia pedunculata</i>			
359.	3833	<i>Daviesia podophylla</i>			
360.	3834	<i>Daviesia polyphylla</i>			
361.	3835	<i>Daviesia preissii</i>			
362.	3845	<i>Daviesia triflora</i>			
363.	29078	<i>Dillwynia</i> sp. Northern Sandplains (M. Hislop 3278)			
364.	3872	<i>Euchilopsis linearis</i> (Swamp Pea)			
365.	20515	<i>Gastrolobium axillare</i>			
366.	20475	<i>Gastrolobium capitatum</i>			
367.	3906	<i>Gastrolobium ilicifolium</i>			
368.	20514	<i>Gastrolobium nudum</i>		P2	
369.	3912	<i>Gastrolobium oxylobioides</i> (Champion Bay Poison)			
370.	10981	<i>Gastrolobium parviflorum</i>			
371.	3915	<i>Gastrolobium plicatum</i>			
372.	3916	<i>Gastrolobium polystachyum</i> (Horned Poison)			
373.	3924	<i>Gastrolobium spinosum</i> (Prickly Poison)			
374.	3945	<i>Gompholobium aristatum</i>			
375.	10909	<i>Gompholobium confertum</i>			
376.	23489	<i>Gompholobium gairdnerianum</i>		P3	
377.	3950	<i>Gompholobium knightianum</i>			
378.	3955	<i>Gompholobium preissii</i>			
379.	3957	<i>Gompholobium tomentosum</i> (Hairy Yellow Pea)			
380.	3966	<i>Hovea pungens</i> (Devil's Pins, Puyenak)			
381.	3967	<i>Hovea stricta</i>			
382.	3992	<i>Isotropis cuneifolia</i> (Granny Bonnets)			
383.	19700	<i>Isotropis cuneifolia</i> subsp. <i>cuneifolia</i>			
384.	14747	<i>Jacksonia anthoclada</i>		P3	
385.	4003	<i>Jacksonia carduacea</i>		P3	
386.	4005	<i>Jacksonia condensata</i>			
387.	4010	<i>Jacksonia floribunda</i> (Holly Pea)			
388.	4015	<i>Jacksonia hakeoides</i>			
389.	14778	<i>Jacksonia nutans</i>			
390.	4025	<i>Jacksonia restioides</i>			
391.	4029	<i>Jacksonia sternbergiana</i> (Stinkwood, Kapur)			
392.	4044	<i>Kennedia prostrata</i> (Scarlet Runner)			
393.	8564	<i>Lotus subbiflorus</i>	Y		
394.	4091	<i>Mirbelia floribunda</i> (Purple Mirbelia)			
395.	4100	<i>Mirbelia spinosa</i>			
396.	4104	<i>Mirbelia trichocalyx</i>			
397.	4113	<i>Ornithopus compressus</i> (Yellow Serradella)	Y		
398.	4172	<i>Pultenaea ericifolia</i>			
399.	4181	<i>Pultenaea reticulata</i>			
400.	17645	<i>Senna artemisioides</i>			
401.	17551	<i>Sphaerolobium drummondii</i>			
402.	4205	<i>Sphaerolobium linophyllum</i>			
403.	10800	<i>Sphaerolobium pulchellum</i>			
404.	4291	<i>Trifolium arvense</i> (Hare's Foot Clover)	Y		
405.	4292	<i>Trifolium campestre</i> (Hop Clover)	Y		
406.	4298	<i>Trifolium hirtum</i> (Rose Clover)	Y		
407.	4325	<i>Viminaria juncea</i> (Swishbush, Koweda)			

Name ID	Species Name	Naturalised	Conservation Code	¹ Endemic To Query Area
Falconidae				
408.	25621 <i>Falco berigora</i> (Brown Falcon)			
409.	25622 <i>Falco cenchroides</i> (Australian Kestrel)			
410.	24472 <i>Falco cenchroides</i> subsp. <i>cenchrus</i> (Australian Kestrel)			
411.	25623 <i>Falco longipennis</i> (Australian Hobby)			
412.	25624 <i>Falco peregrinus</i> (Peregrine Falcon)		S	
413.	24475 <i>Falco peregrinus</i> subsp. <i>macropus</i> (Australian Peregrine Falcon)		S	
Gekkonidae				
414.	24980 <i>Christinus marmoratus</i> (Marbled Gecko)			
Gentianaceae				
415.	6542 <i>Centaurium tenuiflorum</i>	Y		
Geraniaceae				
416.	4335 <i>Erodium cygnorum</i> (Blue Heronsbill)			
417.	4341 <i>Geranium solanderi</i> (Native Geranium)			
418.	4342 <i>Pelargonium australe</i> (Wild Geranium)			
419.	4346 <i>Pelargonium littorale</i>			
Goodeniaceae				
420.	7420 <i>Dampiera alata</i> (Winged-stem Dampiera)			
421.	7428 <i>Dampiera coronata</i> (Wedge-leaved Dampiera)			
422.	7451 <i>Dampiera lavandulacea</i>			
423.	7454 <i>Dampiera linearis</i> (Common Dampiera)			
424.	7459 <i>Dampiera oligophylla</i> (Sparse-leaved Dampiera)			
425.	7475 <i>Dampiera spicigera</i> (Spiked Dampiera)			
426.	7481 <i>Dampiera tephrea</i>		P2	
427.	7482 <i>Dampiera teres</i> (Terete-leaved Dampiera)			
428.	7495 <i>Goodenia berardiana</i>			
429.	29362 <i>Goodenia coerulea</i>			
430.	12516 <i>Goodenia convexa</i>			
431.	12520 <i>Goodenia fasciculata</i>			
432.	7538 <i>Goodenia pulchella</i>			
433.	19286 <i>Goodenia pulchella</i> subsp. <i>Coastal Plain A</i> (M. Hislop 634)			
434.	19284 <i>Goodenia pulchella</i> subsp. <i>Coastal Plain B</i> (L.W. Sage 2336)			
435.	7568 <i>Lechenaultia biloba</i> (Blue Leschenaultia)			
436.	7577 <i>Lechenaultia hirsuta</i> (Hairy Leschenaultia)			
437.	7580 <i>Lechenaultia linarioides</i> (Yellow Leschenaultia)			
438.	7586 <i>Lechenaultia stenosepala</i> (Narrow-sepaled Leschenaultia)			
439.	7590 <i>Lechenaultia tubiflora</i> (Heath Leschenaultia)			
440.	7595 <i>Scaevola anchusifolia</i>			
441.	7603 <i>Scaevola canescens</i> (Grey Scaevola)			
442.	7613 <i>Scaevola glandulifera</i> (Viscid Hand-flower)			
443.	7614 <i>Scaevola globulifera</i>			
444.	7618 <i>Scaevola humifusa</i> (Procumbent Scaevola)			
445.	7619 <i>Scaevola lanceolata</i>			
446.	7634 <i>Scaevola phlebopetala</i> (Velvet Fanflower)			
447.	12585 <i>Scaevola repens</i>			
448.	13182 <i>Scaevola repens</i> var. <i>repens</i>			
449.	12588 <i>Scaevola virgata</i>			
450.	7665 <i>Velleia trinervis</i>			
451.	7666 <i>Verreauxia reinwardtii</i> (Common Verreauxia)			
Gyrostemonaceae				
452.	2783 <i>Gyrostemon racemiger</i>			
453.	2784 <i>Gyrostemon ramulosus</i> (Corkybark)			
454.	2788 <i>Gyrostemon subnudus</i>			
Haemodoraceae				
455.	1409 <i>Anigozanthos humilis</i> (Catspaw)			
456.	29437 <i>Anigozanthos humilis</i> subsp. <i>Badgingarra</i> (S.D. Hopper 7114)		P2	
457.	11957 <i>Anigozanthos humilis</i> subsp. <i>chrysanthus</i> (Golden Catspaw)		P4	
458.	11434 <i>Anigozanthos humilis</i> subsp. <i>humilis</i>			
459.	11565 <i>Anigozanthos manglesii</i> subsp. <i>quadrans</i>			
460.	29487 <i>Anigozanthos manglesii</i> var. <i>x angustifolius</i>			
461.	1414 <i>Anigozanthos pulcherrimus</i> (Yellow Kangaroo Paw)			
462.	29436 <i>Anigozanthos viridis</i> subsp. <i>Cataby</i> (S.D. Hopper 1786)			
463.	13891 <i>Anigozanthos viridis</i> subsp. <i>terraspectans</i> (Dwarf Green Kangaroo Paw)		T	
464.	11566 <i>Anigozanthos viridis</i> subsp. <i>viridis</i>			
465.	1417 <i>Blancoa canescens</i> (Winter Bell)			
466.	1418 <i>Conostylis aculeata</i> (Prickly Conostylis)			
467.	11826 <i>Conostylis aculeata</i> subsp. <i>aculeata</i>			

	Name ID	Species Name	Naturalised	Conservation Code	¹ Endemic To Query Area
468.	11414	<i>Conostylis aculeata</i> subsp. <i>breviflora</i>			
469.	11552	<i>Conostylis aculeata</i> subsp. <i>bromelioides</i>			
470.	12109	<i>Conostylis aculeata</i> subsp. <i>preissii</i>			
471.	11977	<i>Conostylis aculeata</i> subsp. <i>spinuligera</i> (Spiny Conostylis)			
472.	1420	<i>Conostylis androstemma</i> (Trumpets)			
473.	1421	<i>Conostylis angustifolia</i>			
474.	1423	<i>Conostylis aurea</i> (Golden Conostylis)			
475.	1427	<i>Conostylis candicans</i> (Grey Cottonhead)			
476.	12027	<i>Conostylis candicans</i> subsp. <i>calicicola</i>			
477.	11438	<i>Conostylis candicans</i> subsp. <i>candicans</i>			
478.	11773	<i>Conostylis crassinervia</i> subsp. <i>absens</i>			
479.	11938	<i>Conostylis crassinervia</i> subsp. <i>crassinervia</i>			
480.	11695	<i>Conostylis festucea</i> subsp. <i>festucea</i>			
481.	1435	<i>Conostylis hiemalis</i>			
482.	1436	<i>Conostylis juncea</i>			
483.	11597	<i>Conostylis setigera</i> subsp. <i>setigera</i>			
484.	11870	<i>Conostylis teretifolia</i> subsp. <i>teretifolia</i>			
485.	1458	<i>Conostylis teretiuscula</i>			
486.	1468	<i>Haemodorum laxum</i>			
487.	1470	<i>Haemodorum paniculatum</i> (Mardja)			
488.	1473	<i>Haemodorum simulans</i>			
489.	1475	<i>Haemodorum spicatum</i> (Mardja)			
490.	1476	<i>Haemodorum venosum</i>			
491.	1477	<i>Macropidia fuliginosa</i> (Black Kangaroo Paw)			
492.	1478	<i>Phlebocarya ciliata</i>			
493.	1479	<i>Phlebocarya filifolia</i>			
494.	11557	<i>Phlebocarya pilosissima</i> subsp. <i>pilosissima</i>		P3	
495.	1481	<i>Tribonanthes australis</i>			
496.	1482	<i>Tribonanthes brachypetala</i>			
497.	1483	<i>Tribonanthes longipetala</i>			

Halcyonidae

498.	30901	<i>Dacelo novaeguineae</i> (Laughing Kookaburra)	Y		
499.	25549	<i>Todiramphus sanctus</i> (Sacred Kingfisher)			

Haloragaceae

500.	6143	<i>Glischrocaryon aureum</i> (Common Popflower)			
501.	6161	<i>Gonocarpus pithyoides</i>			
502.	33638	<i>Meionectes tenuifolia</i>		P3	

Hemerocallidaceae

503.	1263	<i>Arnocrinum gracillimum</i>		P2	
504.	1264	<i>Arnocrinum preissii</i>			
505.	29439	<i>Caesia</i> sp. <i>Wongan</i> (K.F. Kenneally 8820)			
506.	1292	<i>Hensmania stoniella</i>		P3	
507.	19632	<i>Johnsonia pubescens</i> subsp. <i>pubescens</i>			
508.	1260	<i>Stypandra glauca</i> (Blind Grass)			
509.	1361	<i>Tricoryne elatior</i> (Yellow Autumn Lily)			
510.	29481	<i>Tricoryne</i> sp. <i>Eneabba</i> (E.A. Griffin 1200)			

Hirundinidae

511.	24491	<i>Hirundo neoxena</i> (Welcome Swallow)			
------	-------	--	--	--	--

Hylidae

512.	25388	<i>Litoria moorei</i> (Motorbike Frog)			
------	-------	--	--	--	--

Idiopidae

513.		<i>Eucyrtops riparia</i>			
514.		<i>Euoplos mcmillani</i>			

Iridaceae

515.	19179	<i>Moraea flaccida</i> (One-leaf Cape Tulip)	Y		
516.	1537	<i>Orthrosanthus laxus</i> (Morning Iris)			
517.	1546	<i>Patersonia juncea</i> (Rush Leaved Patersonia)			
518.	1550	<i>Patersonia occidentalis</i> (Purple Flag, Koma)			
519.	11544	<i>Romulea rosea</i> var. <i>australis</i> (Guildford Grass)	Y		

Juncaceae

520.	20454	<i>Juncus acutus</i> subsp. <i>acutus</i>	Y		
521.	1179	<i>Juncus caespiticius</i> (Grassy Rush)			
522.	1188	<i>Juncus pallidus</i> (Pale Rush)			

Juncaginaceae

523.	148	<i>Triglochin muelleri</i>			
524.	18587	<i>Triglochin nana</i>			

Name ID	Species Name	Naturalised	Conservation Code	¹ Endemic To Query Area
Lamiaceae				
525.	16934 <i>Hemiandra glabra</i> subsp. <i>glabra</i>			
526.	6838 <i>Hemiandra linearis</i> (Speckled Snakebush)			
527.	6839 <i>Hemiandra pungens</i> (Snakebush)			
528.	38320 <i>Hemiandra</i> sp. <i>Jurien</i> (B.J. Conn & M.E. Tozer BJC 3885)			
529.	6856 <i>Hemigenia incana</i> (Silky Hemigenia)			
530.	41020 <i>Hemiphora bartlingii</i> (Woolly Dragon)			
531.	6780 <i>Lachnostachys eriobotrya</i> (Lambswool)			
532.	15456 <i>Microcorys</i> sp. <i>Coomallo</i> (L. Haegi 2677)			
533.	6797 <i>Physopsis spicata</i> (Hill River Lambtail)			
534.	41080 <i>Quoya verbascina</i> (Golden Bush)			
Lauraceae				
535.	11351 <i>Cassytha aurea</i> var. <i>hirta</i>			
Lecanoraceae				
536.	28037 <i>Ramboldia stuartii</i>			
Lentibulariaceae				
537.	7148 <i>Utricularia multifida</i>			
Limnodynastidae				
538.	25408 <i>Heleioporus albopunctatus</i> (Western Spotted Frog)			
539.	25410 <i>Heleioporus eyrei</i> (Moaning Frog)			
540.	25412 <i>Heleioporus psammophilus</i> (Sand Frog)			
541.	25415 <i>Limnodynastes dorsalis</i> (Western Banjo Frog)			
542.	25426 <i>Neobatrachus pelobatoides</i> (Humming Frog)			
Loganiaceae				
543.	6506 <i>Logania campanulata</i> (Bell-flowered Logania)			
544.	6512 <i>Logania spermacocea</i>			
Loranthaceae				
545.	2401 <i>Nuytsia floribunda</i> (Christmas Tree, Mudja)			
Lycopodiaceae				
546.	4 <i>Phylloglossum drummondii</i> (Pigmy Clubmoss)			
Lycosidae				
547.	<i>Venator immansueta</i>			
Lythraceae				
548.	5281 <i>Lythrum hyssopifolia</i> (Lesser Loosestrife)	Y		
Macropodidae				
549.	24133 <i>Macropus irma</i> (Western Brush Wallaby)		P4	
Maluridae				
550.	25651 <i>Malurus lamberti</i> (Variegated Fairy-wren)			
551.	24544 <i>Malurus lamberti</i> subsp. <i>assimilis</i> (Variegated Fairy-wren)			
552.	25652 <i>Malurus leucopterus</i> (White-winged Fairy-wren)			
553.	24551 <i>Malurus pulcherrimus</i> (Blue-breasted Fairy-wren)			
554.	25654 <i>Malurus splendens</i> (Splendid Fairy-wren)			
Malvaceae				
555.	40908 <i>Androcalva pulchella</i>			
556.	40922 <i>Commersonia densiflora</i>			
557.	13233 <i>Guichenotia alba</i>		P3	
558.	5013 <i>Guichenotia micrantha</i> (Small Flowered Guichenotia)			
559.	5014 <i>Guichenotia sarotes</i>			
560.	5031 <i>Lasiopetalum drummondii</i>			
561.	5036 <i>Lasiopetalum lineare</i>			
562.	15552 <i>Lasiopetalum</i> sp. <i>Hill River</i> (T.N. Stoate 5)		P1	
563.	4959 <i>Lawrenzia squamata</i>			
564.	5084 <i>Thomasia grandiflora</i> (Large Flowered Thomasia)			
Meliphagidae				
565.	24559 <i>Acanthagenys rufogularis</i> (Spiny-cheeked Honeyeater)			
566.	24560 <i>Acanthorhynchus superciliosus</i> (Western Spinebill)			
567.	24561 <i>Anthochaera carunculata</i> (Red Wattlebird)			
568.	24562 <i>Anthochaera lunulata</i> (Western Little Wattlebird)			
569.	24567 <i>Epthianura albifrons</i> (White-fronted Chat)			
570.	25661 <i>Lichmera indistincta</i> (Brown Honeyeater)			
571.	24582 <i>Lichmera indistincta</i> subsp. <i>indistincta</i> (Brown Honeyeater)			
572.	24583 <i>Manorina flavigula</i> (Yellow-throated Miner)			
573.	25663 <i>Melithreptus brevirostris</i> (Brown-headed Honeyeater)			

Name ID	Species Name	Naturalised	Conservation Code	¹ Endemic To Query Area
574.	24596 <i>Phylidonyris novaehollandiae</i> (New Holland Honeyeater)			
Menyanthaceae				
575.	36160 <i>Liparophyllum capitatum</i>			
Meropidae				
576.	24598 <i>Merops ornatus</i> (Rainbow Bee-eater)		IA	
Molluginaceae				
577.	2838 <i>Macarthuria apetala</i>			
578.	2839 <i>Macarthuria australis</i>			
579.	17106 <i>Macarthuria keigheryi</i>		T	
Muridae				
580.	24223 <i>Mus musculus</i> (House Mouse)	Y		
581.	24230 <i>Pseudomys albocinereus</i> (Ash-grey Mouse)			
582.	24243 <i>Rattus fuscipes</i> (Western Bush Rat)			
Myobatrachidae				
583.	25400 <i>Crinia insignifera</i> (Squelching Froglet)			
584.	25401 <i>Crinia pseudinsignifera</i> (Bleating Froglet)			
585.	25420 <i>Myobatrachus gouldii</i> (Turtle Frog)			
586.	25433 <i>Pseudophryne guentheri</i> (Crawling Toadlet)			
Myrtaceae				
587.	36441 <i>Babingtonia camphorosmae</i> (Camphor Myrtle)			
588.	5341 <i>Baeckea crispiflora</i>			
589.	5350 <i>Baeckea grandiflora</i> (Large-flowered Baeckea)			
590.	17126 <i>Baeckea</i> sp. <i>Moora</i> (R. Bone 1993/1)		P3	
591.	20421 <i>Baeckea</i> sp. <i>Perth Region</i> (R.J. Cranfield 444)		P3	
592.	5377 <i>Beaufortia bicolor</i>		P3	
593.	5382 <i>Beaufortia elegans</i>			
594.	5384 <i>Beaufortia eriocephala</i> (Woolly Bottlebrush)		P3	
595.	5393 <i>Beaufortia squarrosa</i> (Sand Bottlebrush, Puno)			
596.	5411 <i>Calothamnus hirsutus</i>			
597.	35816 <i>Calothamnus quadrifidus</i> subsp. <i>quadrifidus</i>			
598.	5429 <i>Calothamnus sanguineus</i> (Silky-leaved Blood flower, Pindak)			
599.	5431 <i>Calothamnus torulosus</i>			
600.	5439 <i>Calytrix angulata</i> (Yellow Starflower)			
601.	5441 <i>Calytrix aurea</i>			
602.	5450 <i>Calytrix depressa</i>			
603.	5453 <i>Calytrix drummondii</i>			
604.	19980 <i>Calytrix ecalycata</i> subsp. <i>brevis</i>		P3	
605.	5455 <i>Calytrix eneabensis</i>		P4	
606.	5458 <i>Calytrix flavescens</i> (Summer Starflower)			
607.	5460 <i>Calytrix fraseri</i> (Pink Summer Calytrix)			
608.	5465 <i>Calytrix leschenaultii</i>			
609.	5476 <i>Calytrix sapphirina</i>			
610.	35619 <i>Chamelaucium</i> sp. <i>Cataby</i> (G.J. Keighery 11009)		T	Y
611.	5498 <i>Chamelaucium uncinatum</i> (Geraldton Wax)			
612.	5502 <i>Conothamnus trinervis</i>			
613.	5518 <i>Darwinia neildiana</i> (Fringed Bell)			
614.	5524 <i>Darwinia pinifolia</i>			
615.	5528 <i>Darwinia sanguinea</i>			
616.	20090 <i>Darwinia</i> sp. <i>Watheroo</i> (I.R. McGill 20)			
617.	13949 <i>Eremaea asterocarpa</i>			
618.	13950 <i>Eremaea asterocarpa</i> subsp. <i>asterocarpa</i>			
619.	5537 <i>Eremaea beaufortioides</i>			
620.	5540 <i>Eremaea fimbriata</i>			
621.	13951 <i>Eremaea hadra</i>			
622.	5541 <i>Eremaea pauciflora</i>			
623.	14103 <i>Eremaea pauciflora</i> var. <i>calyptra</i>			
624.	13818 <i>Eremaea pauciflora</i> var. <i>lonchophylla</i>			
625.	14104 <i>Eremaea pauciflora</i> var. <i>pauciflora</i>			
626.	5542 <i>Eremaea purpurea</i>			
627.	5543 <i>Eremaea violacea</i> (Violet Eremaea)			
628.	45215 <i>Ericomyrtus tenuior</i>			
629.	12898 <i>Eucalyptus abdita</i>		P2	
630.	13093 <i>Eucalyptus absita</i> (Badgingarra Box)		T	
631.	16893 <i>Eucalyptus absita</i> x <i>loxophleba</i>		P1	
632.	12895 <i>Eucalyptus arachnaea</i> subsp. <i>arachnaea</i>			
633.	15684 <i>Eucalyptus conveniens</i>			
634.	13546 <i>Eucalyptus dolorosa</i>		T	Y

Name ID	Species Name	Naturalised	Conservation Code	¹ Endemic To Query Area
635.	5628 <i>Eucalyptus drummondii</i> (Drummond's Gum)			
636.	5658 <i>Eucalyptus gittinsii</i> (Northern Sandplain Mallee)			
637.	18292 <i>Eucalyptus gittinsii</i> subsp. <i>illucida</i>			
638.	5675 <i>Eucalyptus incrassata</i> (Lerp Mallee)			
639.	5690 <i>Eucalyptus lane-poolei</i> (Salmon White Gum)			
640.	5702 <i>Eucalyptus loxophleba</i> (York Gum, Dwoda)			
641.	11295 <i>Eucalyptus loxophleba</i> subsp. <i>loxophleba</i> (York Gum)			
642.	13531 <i>Eucalyptus macrocarpa</i> subsp. <i>elachantha</i> (Small-leaved Mottlecah)		P4	
643.	13530 <i>Eucalyptus macrocarpa</i> subsp. <i>macrocarpa</i> (Mottlecah)			
644.	5717 <i>Eucalyptus myriadena</i>			
645.	42062 <i>Eucalyptus opimiflora</i>			
646.	18664 <i>Eucalyptus optima</i>			
647.	5741 <i>Eucalyptus pendens</i> (Badgingarra Mallee)		P4	
648.	12866 <i>Eucalyptus pluricaulis</i> subsp. <i>pluricaulis</i>			
649.	5763 <i>Eucalyptus rudis</i> (Flooded Gum, Kulurda)			
650.	13511 <i>Eucalyptus rudis</i> subsp. <i>rudis</i>			
651.	5790 <i>Eucalyptus todtiana</i> (Coastal Blackbutt)			
652.	12905 <i>Eucalyptus wandoo</i> subsp. <i>pulverea</i>			
653.	16944 <i>Eucalyptus x carnabyi</i>		P4	
654.	5817 <i>Hypocalymma angustifolium</i> (White Myrtle, Kudjid)			
655.	35074 <i>Hypocalymma angustifolium</i> subsp. <i>Dandaragan plateau</i> (S. Patrick 702A)			
656.	35070 <i>Hypocalymma angustifolium</i> subsp. <i>Swan Coastal Plain</i> (G.J. Keighery 16777)			
657.	20044 <i>Hypocalymma hirsutum</i>			
658.	5820 <i>Hypocalymma linifolium</i>		P1	
659.	14080 <i>Hypocalymma serrulatum</i>		P3	
660.	14493 <i>Hypocalymma</i> sp. <i>Cataby</i> (G.J. Keighery 5151)		P2	
661.	31431 <i>Hypocalymma</i> sp. <i>Nambung</i> (R. Spjut & R. Smith s.n. 22/09/1992)			
662.	5828 <i>Hypocalymma tetrapterum</i>		P3	
663.	5829 <i>Hypocalymma xanthopetalum</i>			
664.	5835 <i>Kunzea micrantha</i>			
665.	17785 <i>Kunzea micrantha</i> subsp. <i>petiolata</i>			
666.	5847 <i>Leptospermum erubescens</i> (Roadside Teatree)			
667.	5857 <i>Leptospermum spinescens</i>			
668.	14497 <i>Malleostemon</i> sp. <i>Cooljarloo</i> (B. Backhouse s.n. 16/11/88)		P1	
669.	19082 <i>Melaleuca amydra</i>			
670.	19380 <i>Melaleuca calyptroides</i>			
671.	17982 <i>Melaleuca carrii</i>			
672.	5888 <i>Melaleuca ciliosa</i>			
673.	19387 <i>Melaleuca clavifolia</i>			
674.	5893 <i>Melaleuca concreta</i>			
675.	5904 <i>Melaleuca depressa</i>			
676.	18112 <i>Melaleuca leuopoma</i>			
677.	5949 <i>Melaleuca platycalyx</i>			
678.	5952 <i>Melaleuca preissiana</i> (Moonah)			
679.	5958 <i>Melaleuca radula</i> (Graceful Honeymyrtle)			
680.	5959 <i>Melaleuca raphiophylla</i> (Swamp Paperbark)			
681.	19365 <i>Melaleuca ryeae</i>			
682.	5964 <i>Melaleuca seriata</i>			
683.	5975 <i>Melaleuca subtrigona</i>			
684.	18278 <i>Melaleuca tinkeri</i>			
685.	5983 <i>Melaleuca trichophylla</i>			
686.	5986 <i>Melaleuca urceolaris</i>			
687.	13280 <i>Melaleuca viminea</i> subsp. <i>viminea</i>			
688.	6006 <i>Pericalymma ellipticum</i> (Swamp Teatree)			
689.	16477 <i>Pericalymma ellipticum</i> var. <i>ellipticum</i>			
690.	16478 <i>Pericalymma ellipticum</i> var. <i>floridum</i>			
691.	15501 <i>Pericalymma spongiocaula</i>			
692.	6009 <i>Pileanthus filifolius</i> (Summer Coppercups)			
693.	6012 <i>Regelia ciliata</i>			
694.	6033 <i>Scholtzia involucrata</i> (Spiked Scholtzia)			
695.	6035 <i>Scholtzia leptantha</i>			
696.	6037 <i>Scholtzia parviflora</i>			
697.	20382 <i>Scholtzia</i> sp. <i>Wongonderrah</i> (M.E. & M.R. Trudgen MET 12000)			
698.	6041 <i>Scholtzia umbellifera</i>			
699.	6057 <i>Thryptomene hyporhytis</i>			
700.	6060 <i>Thryptomene mucronulata</i>			
701.	12390 <i>Verticordia amphigia</i>		P3	
702.	12396 <i>Verticordia blepharophylla</i>			
703.	12402 <i>Verticordia chrysanthella</i>			
704.	12411 <i>Verticordia densiflora</i> var. <i>cespitosa</i>			

	Name ID	Species Name	Naturalised	Conservation Code	¹ Endemic To Query Area
705.	15432	<i>Verticordia densiflora</i> var. <i>densiflora</i>			
706.	6077	<i>Verticordia drummondii</i> (Drummond's Featherflower)			
707.	6083	<i>Verticordia grandis</i> (Scarlet Featherflower)			
708.	12431	<i>Verticordia huegelii</i> var. <i>tridens</i>		P3	
709.	12434	<i>Verticordia insignis</i> subsp. <i>eomagis</i>		P3	
710.	14714	<i>Verticordia lindleyi</i> subsp. <i>lindleyi</i>		P4	
711.	10822	<i>Verticordia nobilis</i>			
712.	6103	<i>Verticordia ovalifolia</i>			
713.	6105	<i>Verticordia patens</i>			
714.	6107	<i>Verticordia pennigera</i>			
715.	6109	<i>Verticordia picta</i> (Painted Featherflower)			
716.	12449	<i>Verticordia plumosa</i> var. <i>brachyphylla</i>			
717.	12456	<i>Verticordia rutilastra</i>		P3	

Neosittidae

718. 25673 *Daphoenositta chrysoptera* (Varied Sittella)

Olacaceae

719. 2367 *Olax scalariformis*

Orchidaceae

720. 44893 *Caladenia denticulata* subsp. *denticulata*
721. 44900 *Caladenia denticulata* subsp. *rubella*
722. 1586 *Caladenia discoidea* (Dancing Orchid)
723. 15348 *Caladenia flava* subsp. *flava*
724. 15360 *Caladenia longicauda* subsp. *borealis*
725. 15361 *Caladenia longicauda* subsp. *calcigena*
726. 15369 *Caladenia lorea*
727. 1609 *Caladenia pectinata* (King Spider Orchid)
728. 15380 *Caladenia splendens*
729. 18019 *Caladenia vulgata*
730. 11049 *Diuris corymbosa*
731. 12939 *Diuris magnifica*
732. 42182 *Diuris perialla*
733. 15436 *Diuris porrifolia*
734. 43300 *Diuris refracta*
735. 42229 *Diuris segregata*
736. 1643 *Elythranchia brunonis* (Purple Enamel Orchid)
737. 15414 *Eriochilus helonomos*
738. 10954 *Microtis media* (Tall Mignonette Orchid)
739. 12761 *Microtis media* subsp. *densiflora*
740. 15419 *Microtis media* subsp. *media*
741. 1680 *Prasophyllum parvifolium* (Autumn Leek Orchid)
742. 10853 *Prasophyllum plumiforme*
743. 1687 *Pterostylis dilatata*
744. 44723 *Pterostylis glebosa*
745. 12217 *Pterostylis sanguinea*
746. 18653 *Pterostylis* sp. *broad petals* (S.D. Hopper 4429)
747. 1698 *Pterostylis vittata* (Banded Greenhood)
748. 1701 *Thelymitra antennifera* (Vanilla Orchid)
749. 11032 *Thelymitra apiculata*
750. 1702 *Thelymitra campanulata* (Shirt Orchid)
751. 1707 *Thelymitra flexuosa* (Twisted Sun Orchid)
752. 10862 *Thelymitra stellata* (Star Orchid)

P4

T

Otididae

753. 24610 *Ardeotis australis* (Australian Bustard)

Oxalidaceae

754. 4349 *Oxalis corniculata* (Yellow Wood Sorrel)
755. 4352 *Oxalis glabra*

Y

Y

Pachycephalidae

756. 25675 *Colluricincla harmonica* (Grey Shrike-thrush)
757. 24618 *Oreoica gutturalis* (Crested Bellbird)
758. 25680 *Pachycephala rufiventris* (Rufous Whistler)

Paradoxosomatidae

759. *Antichiropus sulcatus*
760. *Antichiropus whistleri*

Pararchaeidae

761. *Ozarchaea westraliensis*

Name ID	Species Name	Naturalised	Conservation Code	¹ Endemic To Query Area
Pardalotidae				
762.	25682 <i>Pardalotus striatus</i> (Striated Pardalote)			
Parmeliaceae				
763.	43942 <i>Austroparmelina pruinata</i>			
Pelecanidae				
764.	24648 <i>Pelecanus conspicillatus</i> (Australian Pelican)			
Petroicidae				
765.	24652 <i>Eopsaltria georgiana</i> (White-breasted Robin)			
766.	24659 <i>Petroica goodenovii</i> (Red-capped Robin)			
Phalacrocoracidae				
767.	25697 <i>Phalacrocorax carbo</i> (Great Cormorant)			
768.	24667 <i>Phalacrocorax sulcirostris</i> (Little Black Cormorant)			
Phasianidae				
769.	24671 <i>Coturnix pectoralis</i> (Stubble Quail)			
Philydraceae				
770.	1173 <i>Philydrella pygmaea</i> (Butterfly Flowers)			
Physaraceae				
771.	39038 <i>Leocarpus fragilis</i>			
Physciaceae				
772.	27598 <i>Buellia dissa</i>			
Pittosporaceae				
773.	17633 <i>Marianthus erubescens</i>			
Poaceae				
774.	185 <i>Aira cupaniana</i> (Silvery Hairgrass)	Y		
775.	196 <i>Amphipogon caricinus</i> (Long Greybeard Grass)			
776.	12025 <i>Amphipogon caricinus</i> var. <i>caricinus</i>			
777.	200 <i>Amphipogon turbinatus</i>			
778.	17234 <i>Austrostipa compressa</i>			
779.	17237 <i>Austrostipa elegantissima</i>			
780.	17240 <i>Austrostipa flavescent</i>			
781.	17244 <i>Austrostipa macalpinei</i>			
782.	17257 <i>Austrostipa variabilis</i>			
783.	233 <i>Avena barbata</i> (Bearded Oat)	Y		
784.	247 <i>Bromus arenarius</i> (Sand Brome)			
785.	347 <i>Ehrharta calycina</i> (Perennial Veldt Grass)	Y		
786.	349 <i>Ehrharta longiflora</i> (Annual Veldt Grass)	Y		
787.	376 <i>Eragrostis curvula</i> (African Lovegrass)	Y		
788.	438 <i>Hainardia cylindrica</i> (Common Barbgrass)	Y		
789.	468 <i>Lamarckia aurea</i> (Goldentop)	Y		
790.	475 <i>Lolium multiflorum</i> (Italian Ryegrass)	Y		
791.	492 <i>Neurachne alopecuroides</i> (Foxtail Mulga Grass)			
792.	40423 <i>Pentameris airoides</i> (False Hairgrass)	Y		
793.	573 <i>Poa drummondiana</i> (Knotted Poa)			
794.	578 <i>Poa porphyroclados</i>			
795.	581 <i>Polypogon maritimus</i> (Coast Beardgrass)	Y		
796.	582 <i>Polypogon monspeliensis</i> (Annual Beardgrass)	Y		
797.	11018 <i>Vulpia muralis</i>	Y		
Podicipedidae				
798.	24681 <i>Poliiocephalus poliocephalus</i> (Hoary-headed Grebe)			
799.	25705 <i>Tachybaptus novaehollandiae</i> (Australasian Grebe, Black-throated Grebe)			
Polygalaceae				
800.	4549 <i>Comesperma acerosum</i>			
801.	4550 <i>Comesperma calymega</i> (Blue-spike Milkwort)			
802.	4552 <i>Comesperma confertum</i>			
803.	4560 <i>Comesperma rhadinocarpum</i> (Slender-fruited Comesperma)		P2	
804.	4566 <i>Comesperma volubile</i> (Love Creeper)			
Polygonaceae				
805.	2430 <i>Rumex brownii</i> (Swamp Dock)	Y		
806.	2433 <i>Rumex crispus</i> (Curled Dock)	Y		
Portulacaceae				
807.	2848 <i>Calandrinia corrigioloides</i> (Strap Purslane)			
808.	2856 <i>Calandrinia liniflora</i> (Parakeelya)			
809.	16365 <i>Calandrinia</i> sp. Kenwick (G.J. Keighery 10905)			

	Name ID	Species Name	Naturalised	Conservation Code	¹ Endemic To Query Area
810.	40827	<i>Calandrinia tholiformis</i>			
Pottiaceae					
811.	32315	<i>Barbula calycina</i>			
Primulaceae					
812.	6483	<i>Samolus junceus</i>			
813.	14107	<i>Samolus repens</i> var. <i>paucifolius</i>			
Proteaceae					
814.	11837	<i>Adenanthos cygnorum</i> subsp. <i>cygnorum</i> (Common Woollybush)			
815.	1779	<i>Adenanthos drummondii</i>			
816.	32682	<i>Banksia armata</i> var. <i>armata</i>			
817.	1800	<i>Banksia attenuata</i> (Slender Banksia, Piara)			
818.	32679	<i>Banksia bipinnatifida</i> subsp. <i>multifida</i>			
819.	1809	<i>Banksia candolleana</i> (Propeller Banksia)			
820.	32623	<i>Banksia carlinoides</i> (Pink Dryandra)			
821.	32576	<i>Banksia dallanneyi</i> (Couch Honey-pot)			
822.	32580	<i>Banksia dallanneyi</i> var. <i>dallanneyi</i>			
823.	32577	<i>Banksia dallanneyi</i> var. <i>mellicula</i>			
824.	32521	<i>Banksia fraseri</i>			
825.	32523	<i>Banksia fraseri</i> var. <i>fraseri</i>			
826.	32519	<i>Banksia glaucifolia</i>			
827.	1820	<i>Banksia grossa</i>			
828.	32518	<i>Banksia hewardiana</i>			
829.	1823	<i>Banksia incana</i>			
830.	33398	<i>Banksia incana</i> var. <i>brachyphylla</i>			
831.	32215	<i>Banksia kippistiana</i> var. <i>kippistiana</i>			
832.	32216	<i>Banksia kippistiana</i> var. <i>paenepeccata</i>		P3	
833.	1830	<i>Banksia littoralis</i> (Swamp Banksia, Pungura)			
834.	1835	<i>Banksia micrantha</i>			
835.	32206	<i>Banksia nana</i> (Dwarf Dryandra)			
836.	32163	<i>Banksia platycarpa</i>			
837.	32157	<i>Banksia prionophylla</i>		P1	Y
838.	1842	<i>Banksia prionotes</i> (Acorn Banksia)			
839.	32086	<i>Banksia sclerophylla</i>			
840.	32077	<i>Banksia sessilis</i> var. <i>cygnorum</i>			
841.	32074	<i>Banksia shuttleworthiana</i> (Bearded Dryandra)			
842.	33401	<i>Banksia sphaerocarpa</i> var. <i>pumilio</i>			
843.	12111	<i>Banksia sphaerocarpa</i> var. <i>sphaerocarpa</i> (Fox Banksia)			
844.	32042	<i>Banksia strictifolia</i>			
845.	1852	<i>Banksia telmatiaea</i> (Swamp Fox Banksia)			
846.	32033	<i>Banksia tortifolia</i>			
847.	32031	<i>Banksia vestita</i> (Summer Dryandra)			
848.	1857	<i>Conospermum acerosum</i> (Needle-leaved Smokebush)			
849.	15607	<i>Conospermum acerosum</i> subsp. <i>acerosum</i>			
850.	1859	<i>Conospermum brachyphyllum</i>			
851.	15041	<i>Conospermum canaliculatum</i>			
852.	1864	<i>Conospermum crassinervium</i> (Summer Smokebush)			
853.	1876	<i>Conospermum incurvum</i> (Plume Smokebush)			
854.	1878	<i>Conospermum nervosum</i>			
855.	1881	<i>Conospermum scaposum</i>		P3	
856.	1882	<i>Conospermum stoechadis</i> (Common Smokebush)			
857.	15611	<i>Conospermum stoechadis</i> subsp. <i>stoechadis</i> (Common Smokebush)			
858.	1885	<i>Conospermum triplinervium</i> (Tree Smokebush)			
859.	15763	<i>Grevillea biformis</i> subsp. <i>biformis</i>			
860.	12221	<i>Grevillea calliantha</i>		T	Y
861.	1994	<i>Grevillea drummondii</i> (Drummond's Grevillea)		P4	
862.	19567	<i>Grevillea florida</i>		P3	
863.	15839	<i>Grevillea preissii</i> subsp. <i>preissii</i>			
864.	2087	<i>Grevillea saccata</i> (Pouched Grevillea)		P4	
865.	17745	<i>Grevillea shuttleworthiana</i> subsp. <i>canarina</i>			
866.	19569	<i>Grevillea synapheae</i> subsp. <i>A Flora of Australia (S.D. Hopper 6333)</i>		P1	Y
867.	17450	<i>Grevillea synapheae</i> subsp. <i>mirnyulo</i>		P1	Y
868.	14420	<i>Grevillea synapheae</i> subsp. <i>pachyphylla</i>			
869.	14421	<i>Grevillea synapheae</i> subsp. <i>synapheae</i>			
870.	37180	<i>Grevillea thelemanniana</i> subsp. <i>Cooljarloo (B.J. Keighery 28 B)</i>		P1	
871.	14422	<i>Grevillea thyrsoides</i> subsp. <i>pustulata</i>		P3	
872.	14423	<i>Grevillea thyrsoides</i> subsp. <i>thyrsoides</i>		P3	
873.	2115	<i>Grevillea umbellulata</i>			
874.	2116	<i>Grevillea uncinulata</i> (Hook-leaf Grevillea)			
875.	19231	<i>Grevillea uncinulata</i> subsp. <i>Coomallo (S.J. Patrick 719)</i>			

	Name ID	Species Name	Naturalised	Conservation Code	¹ Endemic To Query Area
876.	12824	<i>Grevillea vestita</i> subsp. <i>vestita</i>			
877.	17670	<i>Hakea anadenia</i>			
878.	2131	<i>Hakea auriculata</i>			
879.	2136	<i>Hakea candolleana</i>			
880.	2143	<i>Hakea conchifolia</i> (Shell-leaved Hakea)			
881.	2146	<i>Hakea costata</i> (Ribbed Hakea)			
882.	2161	<i>Hakea flabellifolia</i> (Fan-leaved Hakea)			
883.	2164	<i>Hakea gilbertii</i>			
884.	2166	<i>Hakea incrassata</i> (Marble Hakea)			
885.	2175	<i>Hakea lissocarpha</i> (Honey Bush)			
886.	12230	<i>Hakea longiflora</i>		P3	
887.	2180	<i>Hakea megalosperma</i> (Lesueur Hakea)		T	
888.	2185	<i>Hakea myrtoidea</i> (Myrtle Hakea)			
889.	13336	<i>Hakea obliqua</i> subsp. <i>parviflora</i>			
890.	17726	<i>Hakea polyanthema</i>			
891.	2197	<i>Hakea prostrata</i> (Harsh Hakea)			
892.	12233	<i>Hakea psilorrhyncha</i>			
893.	2205	<i>Hakea smilacifolia</i>			
894.	12234	<i>Hakea spathulata</i>			
895.	2206	<i>Hakea stenocarpa</i> (Narrow-fruited Hakea)			
896.	2214	<i>Hakea trifurcata</i> (Two-leaf Hakea)			
897.	2215	<i>Hakea undulata</i> (Wavy-leaved Hakea)			
898.	2216	<i>Hakea varia</i> (Variable-leaved Hakea)			
899.	2219	<i>Isopogon adenanthoides</i> (Spider Coneflower)			
900.	2221	<i>Isopogon asper</i>			
901.	2227	<i>Isopogon divergens</i> (Spreading Coneflower)			
902.	2228	<i>Isopogon drummondii</i>		P3	
903.	2229	<i>Isopogon dubius</i> (Pincushion Coneflower)			
904.	16873	<i>Isopogon inconspicuus</i>			
905.	2232	<i>Isopogon linearis</i>			
906.	37900	<i>Isopogon panduratus</i> subsp. <i>palustris</i>		P3	
907.	14439	<i>Isopogon teretifolius</i> subsp. <i>teretifolius</i> (Nodding Coneflower)			
908.	15528	<i>Lambertia multiflora</i> var. <i>multiflora</i>			
909.	2258	<i>Persoonia comata</i>			
910.	2272	<i>Persoonia rufiflora</i>			
911.	2281	<i>Persoonia trinervis</i>			
912.	20368	<i>Petrophile axillaris</i>			
913.	2286	<i>Petrophile brevifolia</i>			
914.	2288	<i>Petrophile chrysantha</i>			
915.	19763	<i>Petrophile clavata</i>		P2	
916.	2299	<i>Petrophile linearis</i> (Pixie Mops)			
917.	2301	<i>Petrophile macrostachya</i>			
918.	29208	<i>Petrophile pilostyla</i> subsp. <i>austrina</i>			
919.	16874	<i>Petrophile recurva</i>			
920.	2306	<i>Petrophile rigida</i>			
921.	10784	<i>Petrophile scabriuscula</i>			
922.	2308	<i>Petrophile seminuda</i>			
923.	2309	<i>Petrophile serruriae</i>			
924.	2310	<i>Petrophile shuttleworthiana</i>			
925.	2312	<i>Petrophile striata</i>			
926.	12856	<i>Stirlingia abrotanoides</i>			
927.	2316	<i>Stirlingia latifolia</i> (Blueboy)			
928.	2317	<i>Stirlingia simplex</i>			
929.	2319	<i>Strangea cynanchicarpa</i> (Heath Strangea)			
930.	16882	<i>Synaphea aephyrsa</i>			
931.	16858	<i>Synaphea endotherix</i>		P2	
932.	2329	<i>Synaphea spinulosa</i>			
933.	15532	<i>Synaphea spinulosa</i> subsp. <i>spinulosa</i>			
Psittacidae					
934.	25714	<i>Cacatua pastinator</i> (Western Long-billed Corella)			
935.	24723	<i>Cacatua pastinator</i> subsp. <i>butleri</i> (Butler's Corella)			
936.	25716	<i>Cacatua sanguinea</i> (Little Corella)			
937.	24727	<i>Cacatua sanguinea</i> subsp. <i>westralensis</i> (Little Corella)			
938.	24734	<i>Calyptorhynchus latirostris</i> (Carnaby's Cockatoo (short-billed black-cockatoo), Carnaby's Cockatoo)		T	
939.	24735	<i>Glossopsitta porphyrocephala</i> (Purple-crowned Lorikeet)			
940.	24736	<i>Melopsittacus undulatus</i> (Budgerigar)			
941.	25721	<i>Platycercus zonarius</i> (Australian Ringneck, Ring-necked Parrot)			
942.	24751	<i>Platycercus zonarius</i> subsp. <i>zonarius</i> (Port Lincoln Parrot)			
943.	25722	<i>Polytelis anthopeplus</i> (Regent Parrot)			

Name ID	Species Name	Naturalised	Conservation Code	¹ Endemic To Query Area
Pygopodidae				
944.	<i>Aprasia</i> sp.			
945.	24995 <i>Delma australis</i>			
946.	30906 <i>Delma concinna</i> (Javelin Legless Lizard)			
947.	30905 <i>Delma concinna</i> subsp. <i>concinna</i> (Javelin Legless Lizard)			
948.	25766 <i>Delma fraseri</i> (Fraser's Legless Lizard)			
949.	24999 <i>Delma grayii</i>			
950.	25005 <i>Lialis burtonis</i>			
951.	25509 <i>Pletholax gracilis</i> (Keeled Legless Lizard)			
952.	25007 <i>Pletholax gracilis</i> subsp. <i>gracilis</i> (Keeled Legless Lizard)			
953.	25008 <i>Pygopus lepidopodus</i> (Common Scaly Foot)			
Pythiaceae				
954.	<i>Phytophthora cinnamomi</i>			
Rallidae				
955.	25727 <i>Fulica atra</i> (Eurasian Coot)			
Ramalinaceae				
956.	28224 <i>Ramalina inflata</i> subsp. <i>australis</i>			
Recurvirostridae				
957.	25734 <i>Himantopus himantopus</i> (Black-winged Stilt)			
958.	24776 <i>Recurvirostra novaehollandiae</i> (Red-necked Avocet)			
Restionaceae				
959.	1056 <i>Alexgeorgea nitens</i>			
960.	1057 <i>Alexgeorgea subterranea</i>			
961.	17812 <i>Catacolea enodis</i>		P2	
962.	17685 <i>Chaetanthus aristatus</i>			
963.	17687 <i>Chaetanthus tenellus</i>			
964.	17827 <i>Chordifex chaunocoleus</i>		P4	
965.	17833 <i>Chordifex microcodon</i>			
966.	19243 <i>Chordifex reseminans</i>		P2	
967.	17706 <i>Chordifex sinuosus</i>			
968.	15831 <i>Desmocladus castaneus</i>			
969.	15828 <i>Desmocladus elongatus</i>		P4	
970.	17691 <i>Desmocladus fasciculatus</i>			
971.	17662 <i>Desmocladus lateriticus</i>			
972.	16455 <i>Desmocladus virgatus</i>			
973.	17838 <i>Dielsia stenostachya</i>			
974.	1070 <i>Hypolaena exsulca</i>			
975.	17841 <i>Hypolaena pubescens</i>			
976.	17622 <i>Hypolaena robusta</i>		P4	
977.	1073 <i>Lepidobolus chaetocephalus</i> (Bristle-headed Chaff Rush)			
978.	1075 <i>Lepidobolus preissianus</i>			
979.	13775 <i>Lepidobolus quadratus</i>		P3	
980.	19241 <i>Lepyrodia curvescens</i>		P2	
981.	17683 <i>Meeboldina cana</i>			
982.	17679 <i>Meeboldina coangustata</i>			
983.	16470 <i>Onychosepalum microcarpum</i>		P2	
984.	19770 <i>Onychosepalum nodatum</i>		P3	Y
Rhamnaceae				
985.	31571 <i>Cryptandra intermedia</i>			
986.	9076 <i>Cryptandra myriantha</i>			
987.	4809 <i>Cryptandra pungens</i>			
988.	31598 <i>Cryptandra stellulata</i>		P3	
989.	29919 <i>Polianthion wichurae</i>			
990.	13475 <i>Stenanthemum humile</i>			
991.	15065 <i>Stenanthemum notiale</i> subsp. <i>notiale</i>			
992.	14240 <i>Stenanthemum reissekii</i>			
993.	19704 <i>Stenanthemum sublineare</i>		P2	
994.	13479 <i>Trymalium ledifolium</i> var. <i>rosmarinifolium</i>			
Rubiaceae				
995.	18256 <i>Opercularia spermacoea</i>			
996.	18255 <i>Opercularia vaginata</i> (Dog Weed)			
Rutaceae				
997.	4397 <i>Asterolasia drummondii</i> (Gairdner Range Starbush)		P4	
998.	11274 <i>Boronia coerulescens</i> subsp. <i>spinescens</i>			
999.	11381 <i>Boronia ramosa</i> subsp. <i>anethifolia</i>			
1000.	4440 <i>Boronia scabra</i> (Rough Boronia)			

	Name ID	Species Name	Naturalised	Conservation Code	¹ Endemic To Query Area
1001.	16637	<i>Boronia scabra</i> subsp. <i>condensata</i>		P2	
1002.	16639	<i>Boronia scabra</i> subsp. <i>scabra</i>			
1003.	4444	<i>Boronia tenuis</i> (Blue Boronia)		P4	
1004.	15272	<i>Diplolaena cinerea</i>			
1005.	15275	<i>Diplolaena obovata</i>			
1006.	18529	<i>Philotheca spicata</i> (Pepper and Salt)			

Santalaceae

1007.	2344	<i>Leptomeria empetriiformis</i>			
-------	------	----------------------------------	--	--	--

Sapindaceae

1008.	4746	<i>Diplopeltis huegelii</i>			
1009.	18542	<i>Diplopeltis huegelii</i> subsp. <i>subintegra</i>			
1010.	4761	<i>Dodonaea ericoides</i>			

Scincidae

1011.	30893	<i>Cryptoblepharus buechananii</i>			
1012.	25020	<i>Cryptoblepharus plagiocephalus</i>			
1013.	25027	<i>Ctenotus australis</i>			
1014.	25039	<i>Ctenotus fallens</i>			
1015.	25040	<i>Ctenotus gemmula</i> (Jewelled South-west Ctenotus (Swan Coastal Plain pop P3), skink)			
1016.	25047	<i>Ctenotus impar</i>			
1017.	25463	<i>Ctenotus pantherinus</i> (Leopard Ctenotus)			
1018.	25065	<i>Ctenotus pantherinus</i> subsp. <i>pantherinus</i> (Leopard Ctenotus)			
1019.	25100	<i>Egernia napoleonis</i>			
1020.	25133	<i>Lerista elegans</i>			
1021.	25148	<i>Lerista lineopunctulata</i>			
1022.	25165	<i>Lerista praepedita</i>			
1023.	41413	<i>Liopholis multiscutata</i> (Bull Skink)			
1024.	25184	<i>Menetia greyii</i>			
1025.	25191	<i>Morethia lineoocellata</i>			
1026.	25192	<i>Morethia obscura</i>			
1027.	25207	<i>Tiliqua rugosa</i> subsp. <i>rugosa</i>			

Scrophulariaceae

1028.	7215	<i>Eremophila glabra</i> (Tar Bush)			
1029.	14193	<i>Eremophila glabra</i> subsp. <i>carcosa</i>			
1030.	29062	<i>Eremophila glabra</i> subsp. <i>green flowers</i> (E.A. Griffin 5347)			

Selaginellaceae

1031.	6	<i>Selaginella gracillima</i> (Tiny Clubmoss)			
-------	---	---	--	--	--

Solanaceae

1032.	6949	<i>Anthocercis littorea</i> (Yellow Tailflower)			
1033.	7013	<i>Solanum hoplopetalum</i> (Thorny Solanum)			
1034.	7018	<i>Solanum lasiophyllum</i> (Flannel Bush, Mindjulu)			

Strigidae

1035.	25748	<i>Ninox novaeseelandiae</i> (Boobook Owl)			
1036.	24820	<i>Ninox novaeseelandiae</i> subsp. <i>boobook</i> (Boobook Owl)			

Stylidiaceae

1037.	7672	<i>Levenhookia octomaculata</i> (Eight-spotted Stylewort)			
1038.	7676	<i>Levenhookia pusilla</i> (Midget Stylewort)			
1039.	7677	<i>Levenhookia stipitata</i> (Common Stylewort)			
1040.	18564	<i>Stylidium aceratum</i>		P2	
1041.	7679	<i>Stylidium adpressum</i> (Trigger-on-stilts)			
1042.	7680	<i>Stylidium aeonoides</i>		P4	
1043.	25831	<i>Stylidium araeophyllum</i>			
1044.	7709	<i>Stylidium crossoccephalum</i> (Posy Triggerplant)			
1045.	7710	<i>Stylidium cygnorum</i>			
1046.	7713	<i>Stylidium dichotomum</i> (Pins-and-needles)			
1047.	7716	<i>Stylidium diuroides</i> (Donkey Triggerplant)			
1048.	11808	<i>Stylidium diuroides</i> subsp. <i>diuroides</i>			
1049.	7717	<i>Stylidium divaricatum</i> (Daddy-long-legs)			
1050.	7719	<i>Stylidium ecorne</i> (Foot Triggerplant)			
1051.	18420	<i>Stylidium flagellum</i>			
1052.	25801	<i>Stylidium hesperium</i>			
1053.	20701	<i>Stylidium hymenocraspedum</i>		P3	
1054.	7742	<i>Stylidium inundatum</i> (Hundreds and Thousands)			
1055.	7743	<i>Stylidium inversiflorum</i>		P4	
1056.	17412	<i>Stylidium kalbarriense</i>			
1057.	13127	<i>Stylidium maritimum</i>		P3	

	Name ID	Species Name	Naturalised	Conservation Code	¹ Endemic To Query Area
1058.	7762	<i>Stylidium miniatum</i> (Pink Butterfly Triggerplant)			
1059.	7768	<i>Stylidium obtusatum</i> (Pinafore Triggerplant)			
1060.	7771	<i>Stylidium periscelanthum</i> (Pantaloons Triggerplant)		P3	
1061.	7774	<i>Stylidium piliferum</i> (Common Butterfly Triggerplant)			
1062.	25837	<i>Stylidium purpureum</i>			
1063.	7785	<i>Stylidium repens</i> (Matted Triggerplant)			
1064.	20521	<i>Stylidium rigidulum</i>			
1065.	25806	<i>Stylidium scariosum</i>			
1066.	17510	<i>Stylidium</i> sp. Kalbarri (A. Carr 145)			
1067.	25836	<i>Stylidium spiciforme</i>			
1068.	20608	<i>Stylidium stenosepalum</i>			
1069.	19316	<i>Stylidium tinkeri</i>		P1	
1070.	17414	<i>Stylidium torticarpum</i>		P3	
1071.	17578	<i>Stylidium udusicola</i>			

Sylviidae

1072.	25755	<i>Acrocephalus australis</i> (Australian Reed Warbler)			
1073.	24833	<i>Cincloramphus cruralis</i> (Brown Songlark)			
1074.	24834	<i>Cincloramphus mathewsi</i> (Rufous Songlark)			
1075.	25758	<i>Megalurus gramineus</i> (Little Grassbird)			

Tachyglossidae

1076.	24207	<i>Tachyglossus aculeatus</i> (Short-beaked Echidna)			
-------	-------	--	--	--	--

Tarsipedidae

1077.	24167	<i>Tarsipes rostratus</i> (Honey Possum, Noolbenger)			
-------	-------	--	--	--	--

Tetragnathidae

1078.		<i>Pinkfloydia harveii</i>			
-------	--	----------------------------	--	--	--

Threskiornithidae

1079.	24841	<i>Platalea flavipes</i> (Yellow-billed Spoonbill)			
1080.	24843	<i>Plegadis falcinellus</i> (Glossy Ibis)		IA	
1081.	24844	<i>Threskiornis molucca</i> (Australian White Ibis)			
1082.	24845	<i>Threskiornis spinicollis</i> (Straw-necked Ibis)			

Thymelaeaceae

1083.	5231	<i>Pimelea angustifolia</i> (Narrow-leaved Pimelea)			
1084.	5244	<i>Pimelea floribunda</i>			
1085.	11402	<i>Pimelea imbricata</i> var. <i>piligera</i>			
1086.	5254	<i>Pimelea leucantha</i>			

Turnicidae

1087.	24851	<i>Turnix velox</i> (Little Button-quail)			
-------	-------	---	--	--	--

Varanidae

1088.	25218	<i>Varanus gouldii</i> (Bungarra or Sand Monitor)			
-------	-------	---	--	--	--

Vespertilionidae

1089.	24194	<i>Nyctophilus geoffroyi</i> (Lesser Long-eared Bat)			
-------	-------	--	--	--	--

Violaceae

1090.	5216	<i>Hybanthus calycinus</i> (Wild Violet)			
1091.	5221	<i>Hybanthus floribundus</i>			
1092.	12007	<i>Hybanthus floribundus</i> subsp. <i>floribundus</i>			

Xanthorrhoeaceae

1093.	1252	<i>Xanthorrhoea drummondii</i>			
1094.	1256	<i>Xanthorrhoea preissii</i> (Grass tree, Palga)			

Zamiaceae

1095.	18119	<i>Macrozamia fraseri</i>			
-------	-------	---------------------------	--	--	--

Zosteropidae

1096.	25765	<i>Zosterops lateralis</i> (Grey-breasted White-eye, Silvereye)			
-------	-------	---	--	--	--

Conservation Codes

T - Rare or likely to become extinct
X - Presumed extinct
IA - Protected under international agreement
S - Other specially protected fauna
1 - Priority 1
2 - Priority 2
3 - Priority 3
4 - Priority 4
5 - Priority 5

¹ For NatureMap's purposes, species flagged as endemic are those whose records are wholly contained within the search area. Note that only those records complying with the search criterion are included in the calculation. For example, if you limit records to those from a specific datasource, only records from that datasource are used to determine if a species is restricted to the query area.



EPBC Act Protected Matters Report

This report provides general guidance on matters of national environmental significance and other matters protected by the EPBC Act in the area you have selected.

Information on the coverage of this report and qualifications on data supporting this report are contained in the caveat at the end of the report.

Information is available about [Environment Assessments](#) and the EPBC Act including significance guidelines, forms and application process details.

Report created: 15/09/15 18:19:01

[Summary](#)

[Details](#)


[Matters of NES](#)

[Other Matters Protected by the EPBC Act](#)

[Extra Information](#)

[Caveat](#)

[Acknowledgements](#)



This map may contain data which are
©Commonwealth of Australia
(Geoscience Australia), ©PSMA 2010

[Coordinates](#)

[Buffer: 20.0Km](#)



Summary

Matters of National Environmental Significance

This part of the report summarises the matters of national environmental significance that may occur in, or may relate to, the area you nominated. Further information is available in the detail part of the report, which can be accessed by scrolling or following the links below. If you are proposing to undertake an activity that may have a significant impact on one or more matters of national environmental significance then you should consider the [Administrative Guidelines on Significance](#).

World Heritage Properties:	None
National Heritage Places:	None
Wetlands of International Importance:	None
Great Barrier Reef Marine Park:	None
Commonwealth Marine Area:	None
Listed Threatened Ecological Communities:	None
Listed Threatened Species:	35
Listed Migratory Species:	5

Other Matters Protected by the EPBC Act

This part of the report summarises other matters protected under the Act that may relate to the area you nominated. Approval may be required for a proposed activity that significantly affects the environment on Commonwealth land, when the action is outside the Commonwealth land, or the environment anywhere when the action is taken on Commonwealth land. Approval may also be required for the Commonwealth or Commonwealth agencies proposing to take an action that is likely to have a significant impact on the environment anywhere.

The EPBC Act protects the environment on Commonwealth land, the environment from the actions taken on Commonwealth land, and the environment from actions taken by Commonwealth agencies. As heritage values of a place are part of the 'environment', these aspects of the EPBC Act protect the Commonwealth Heritage values of a Commonwealth Heritage place. Information on the new heritage laws can be found at <http://www.environment.gov.au/heritage>

A [permit](#) may be required for activities in or on a Commonwealth area that may affect a member of a listed threatened species or ecological community, a member of a listed migratory species, whales and other cetaceans, or a member of a listed marine species.

Commonwealth Land:	1
Commonwealth Heritage Places:	1
Listed Marine Species:	8
Whales and Other Cetaceans:	None
Critical Habitats:	None
Commonwealth Reserves Terrestrial:	None
Commonwealth Reserves Marine:	None

Extra Information

This part of the report provides information that may also be relevant to the area you have nominated.

State and Territory Reserves:	8
Regional Forest Agreements:	None
Invasive Species:	22
Nationally Important Wetlands:	1
Key Ecological Features (Marine)	None

Details

Matters of National Environmental Significance

Listed Threatened Species		[Resource Information]
Name	Status	Type of Presence
Birds		
Calyptorhynchus latirostris Carnaby's Black-Cockatoo, Short-billed Black-Cockatoo [59523]	Endangered	Breeding likely to occur within area
Leipoa ocellata Malleefowl [934]	Vulnerable	Species or species habitat likely to occur within area
Rostratula australis Australian Painted Snipe [77037]	Endangered	Species or species habitat may occur within area
Mammals		
Dasyurus geoffroii Chuditch, Western Quoll [330]	Vulnerable	Species or species habitat likely to occur within area
Plants		
Acacia cochlocarpa subsp. cochlocarpa Spiral-fruited Wattle [23877]	Endangered	Species or species habitat may occur within area
Acacia forrestiana Forest's Wattle [17235]	Vulnerable	Species or species habitat likely to occur within area
Acacia splendens Splendid Wattle, Dandaragan Wattle [81510]	Endangered	Species or species habitat likely to occur within area
Andersonia gracilis Slender Andersonia [14470]	Endangered	Species or species habitat known to occur within area
Anigozanthos viridis subsp. terraspectans Dwarf Green Kangaroo Paw [3435]	Vulnerable	Species or species habitat known to occur within area
Banksia serratuloides subsp. perissa Northern Serrate Dryandra [82767]	Critically Endangered	Species or species habitat may occur within area
Caladenia huegelii King Spider-orchid, Grand Spider-orchid, Rusty Spider-orchid [7309]	Endangered	Species or species habitat may occur within area
Centrolepis caespitosa [6393]	Endangered	Species or species habitat may occur within area

Name	Status	Type of Presence
Chamelaucium sp. Cataby (G.J.Keighery 11009) Griffin's Waxflower [82509]	Vulnerable	Species or species habitat known to occur within area
Chamelaucium sp. Gingin (N.G.Marchant 6) Gingin Wax [64649]	Endangered	Species or species habitat may occur within area
Conospermum densiflorum subsp. unicephalatum One-headed Smokebush [64871]	Endangered	Species or species habitat likely to occur within area
Darwinia foetida Muchea Bell [83190]	Critically Endangered	Species or species habitat likely to occur within area
Drakaea elastica Glossy-leafed Hammer-orchid, Praying Virgin [16753]	Endangered	Species or species habitat likely to occur within area
Eleocharis keigheryi Keighery's Eleocharis [64893]	Vulnerable	Species or species habitat likely to occur within area
Epiblema grandiflorum var. cyaneum Baby Blue Orchid, Blue Babe-in-the-cradle Orchid, Blue Babe-in-a-cradle [67182]	Endangered	Species or species habitat may occur within area
Eucalyptus absita Badgingarra Box [24260]	Endangered	Species or species habitat known to occur within area
Eucalyptus balanites Cadda Road Mallee, Cadda Mallee [24264]	Endangered	Species or species habitat likely to occur within area
Eucalyptus dolorosa Dandaragan Mallee, Mount Misery Mallee [56709]	Endangered	Species or species habitat known to occur within area
Eucalyptus impensa Eneabba Mallee [56711]	Endangered	Species or species habitat likely to occur within area
Eucalyptus leprophloia Scaly Butt Mallee, Scaly-butt Mallee [56712]	Endangered	Species or species habitat likely to occur within area
Eucalyptus recta Silver Mallet [56430]	Endangered	Species or species habitat may occur within area
Grevillea batrachioides Mt Lesueur Grevillea [21735]	Endangered	Species or species habitat likely to occur within area
Grevillea calliantha Foote's Grevillea, Cataby Grevillea, Black Magic Grevillea [56339]	Endangered	Species or species habitat likely to occur within area
Grevillea curviloba subsp. incurva Narrow curved-leaf Grevillea [64909]	Endangered	Species or species habitat may occur within area
Hakea megalosperma Lesueur Hakea [10505]	Vulnerable	Species or species habitat likely to occur within area
Hemiandra gardneri Red Snakebush [7945]	Endangered	Species or species habitat likely to occur within area

Name	Status	Type of Presence
Leucopogon obtectus Hidden Beard-heath [19614]	Endangered	Species or species habitat may occur within area
Macarthuria keigheryi Keighery's Macarthuria [64930]	Endangered	Species or species habitat likely to occur within area
Paracaleana dixonii Sandplain Duck Orchid [86882]	Endangered	Species or species habitat may occur within area
Thelymitra manginii K.Dixon & Batty ms. [67443]	Endangered	Species or species habitat likely to occur within area
Thelymitra stellata Star Sun-orchid [7060]	Endangered	Species or species habitat may occur within area

Listed Migratory Species

[[Resource Information](#)]

* Species is listed under a different scientific name on the EPBC Act - Threatened Species list.

Name	Threatened	Type of Presence
Migratory Marine Birds		
Apus pacificus Fork-tailed Swift [678]		Species or species habitat likely to occur within area

Migratory Terrestrial Species

Merops ornatus Rainbow Bee-eater [670]		Species or species habitat may occur within area
---	--	--

Migratory Wetlands Species

Ardea alba Great Egret, White Egret [59541]		Species or species habitat likely to occur within area
Ardea ibis Cattle Egret [59542]		Species or species habitat may occur within area
Pandion haliaetus Osprey [952]		Species or species habitat likely to occur within area

Other Matters Protected by the EPBC Act

Commonwealth Land

[[Resource Information](#)]

The Commonwealth area listed below may indicate the presence of Commonwealth land in this vicinity. Due to the unreliability of the data source, all proposals should be checked as to whether it impacts on a Commonwealth area, before making a definitive decision. Contact the State or Territory government land department for further information.

Name
Commonwealth Land -

Commonwealth Heritage Places

[[Resource Information](#)]

Name	State	Status
Natural		
Lancelin Defence Training Area	WA	Listed place

Listed Marine Species

[[Resource Information](#)]

* Species is listed under a different scientific name on the EPBC Act - Threatened Species list.

Name	Threatened	Type of Presence
Birds		
Apus pacificus Fork-tailed Swift [678]		Species or species habitat likely to occur within area

Name	Threatened	Type of Presence
Ardea alba Great Egret, White Egret [59541]		Species or species habitat likely to occur within area
Ardea ibis Cattle Egret [59542]		Species or species habitat may occur within area
Haliaeetus leucogaster White-bellied Sea-Eagle [943]		Species or species habitat likely to occur within area
Merops ornatus Rainbow Bee-eater [670]		Species or species habitat may occur within area
Pandion haliaetus Osprey [952]		Species or species habitat likely to occur within area
Rostratula benghalensis (sensu lato) Painted Snipe [889]	Endangered*	Species or species habitat may occur within area
Thinornis rubricollis Hooded Plover [59510]		Species or species habitat may occur within area

Extra Information

State and Territory Reserves	[Resource Information]
Name	State
Badgingarra	WA
Eneminga	WA
Minyulo	WA
Unnamed WA27993	WA
Unnamed WA39571	WA
Unnamed WA40916	WA
Unnamed WA41986	WA
Wongonderrah	WA

Invasive Species	[Resource Information]
Weeds reported here are the 20 species of national significance (WoNS), along with other introduced plants that are considered by the States and Territories to pose a particularly significant threat to biodiversity. The following feral animals are reported: Goat, Red Fox, Cat, Rabbit, Pig, Water Buffalo and Cane Toad. Maps from Landscape Health Project, National Land and Water Resouces Audit, 2001.	

Name	Status	Type of Presence
Birds		
Anas platyrhynchos Mallard [974]		Species or species habitat likely to occur within area
Columba livia Rock Pigeon, Rock Dove, Domestic Pigeon [803]		Species or species habitat likely to occur within area
Streptopelia chinensis Spotted Turtle-Dove [780]		Species or species habitat likely to occur

Name	Status	Type of Presence
		within area
Streptopelia senegalensis Laughing Turtle-dove, Laughing Dove [781]		Species or species habitat likely to occur within area
Sturnus vulgaris Common Starling [389]		Species or species habitat likely to occur within area
Mammals		
Canis lupus familiaris Domestic Dog [82654]		Species or species habitat likely to occur within area
Capra hircus Goat [2]		Species or species habitat likely to occur within area
Felis catus Cat, House Cat, Domestic Cat [19]		Species or species habitat likely to occur within area
Feral deer Feral deer species in Australia [85733]		Species or species habitat likely to occur within area
Mus musculus House Mouse [120]		Species or species habitat likely to occur within area
Oryctolagus cuniculus Rabbit, European Rabbit [128]		Species or species habitat likely to occur within area
Rattus rattus Black Rat, Ship Rat [84]		Species or species habitat likely to occur within area
Sus scrofa Pig [6]		Species or species habitat likely to occur within area
Vulpes vulpes Red Fox, Fox [18]		Species or species habitat likely to occur within area
Plants		
Asparagus asparagoides Bridal Creeper, Bridal Veil Creeper, Smilax, Florist's Smilax, Smilax Asparagus [22473]		Species or species habitat likely to occur within area
Brachiaria mutica Para Grass [5879]		Species or species habitat may occur within area
Cenchrus ciliaris Buffel-grass, Black Buffel-grass [20213]		Species or species habitat may occur within area
Chrysanthemoides monilifera Bitou Bush, Boneseed [18983]		Species or species habitat may occur within area
Genista sp. X Genista monspessulana Broom [67538]		Species or species habitat may occur within area
Olea europaea Olive, Common Olive [9160]		Species or species habitat may occur within area
Pinus radiata Radiata Pine Monterey Pine, Insignis Pine, Wilding		Species or species

Name	Status	Type of Presence
Pine [20780]		habitat may occur within area
Tamarix aphylla		
Athel Pine, Athel Tree, Tamarisk, Athel Tamarisk, Athel Tamarix, Desert Tamarisk, Flowering Cypress, Salt Cedar [16018]		Species or species habitat likely to occur within area

Nationally Important Wetlands		[Resource Information]
Name		State
Lancelin Defence Training Area		WA

Caveat

The information presented in this report has been provided by a range of data sources as acknowledged at the end of the report.

This report is designed to assist in identifying the locations of places which may be relevant in determining obligations under the Environment Protection and Biodiversity Conservation Act 1999. It holds mapped locations of World and National Heritage properties, Wetlands of International and National Importance, Commonwealth and State/Territory reserves, listed threatened, migratory and marine species and listed threatened ecological communities. Mapping of Commonwealth land is not complete at this stage. Maps have been collated from a range of sources at various resolutions.

Not all species listed under the EPBC Act have been mapped (see below) and therefore a report is a general guide only. Where available data supports mapping, the type of presence that can be determined from the data is indicated in general terms. People using this information in making a referral may need to consider the qualifications below and may need to seek and consider other information sources.

For threatened ecological communities where the distribution is well known, maps are derived from recovery plans, State vegetation maps, remote sensing imagery and other sources. Where threatened ecological community distributions are less well known, existing vegetation maps and point location data are used to produce indicative distribution maps.

For species where the distributions are well known, maps are digitised from sources such as recovery plans and detailed habitat studies. Where appropriate, core breeding, foraging and roosting areas are indicated under 'type of presence'. For species whose distributions are less well known, point locations are collated from government wildlife authorities, museums, and non-government organisations; bioclimatic distribution models are generated and these validated by experts. In some cases, the distribution maps are based solely on expert knowledge.

Only selected species covered by the following provisions of the EPBC Act have been mapped:

- migratory and
- marine

The following species and ecological communities have not been mapped and do not appear in reports produced from this database:

- threatened species listed as extinct or considered as vagrants
- some species and ecological communities that have only recently been listed
- some terrestrial species that overfly the Commonwealth marine area
- migratory species that are very widespread, vagrant, or only occur in small numbers

The following groups have been mapped, but may not cover the complete distribution of the species:

- non-threatened seabirds which have only been mapped for recorded breeding sites
- seals which have only been mapped for breeding sites near the Australian continent

Such breeding sites may be important for the protection of the Commonwealth Marine environment.

Coordinates

-30.684895 115.479368,-30.659124 115.465635,-30.659124 115.465635

Acknowledgements

This database has been compiled from a range of data sources. The department acknowledges the following custodians who have contributed valuable data and advice:

- [-Office of Environment and Heritage, New South Wales](#)
- [-Department of Environment and Primary Industries, Victoria](#)
- [-Department of Primary Industries, Parks, Water and Environment, Tasmania](#)
- [-Department of Environment, Water and Natural Resources, South Australia](#)
- [-Parks and Wildlife Commission NT, Northern Territory Government](#)
- [-Department of Environmental and Heritage Protection, Queensland](#)
- [-Department of Parks and Wildlife, Western Australia](#)
- [-Environment and Planning Directorate, ACT](#)
- [-Birdlife Australia](#)
- [-Australian Bird and Bat Banding Scheme](#)
- [-Australian National Wildlife Collection](#)
- Natural history museums of Australia
- [-Museum Victoria](#)
- [-Australian Museum](#)
- [-South Australian Museum](#)
- [-Queensland Museum](#)
- [-Online Zoological Collections of Australian Museums](#)
- [-Queensland Herbarium](#)
- [-National Herbarium of NSW](#)
- [-Royal Botanic Gardens and National Herbarium of Victoria](#)
- [-Tasmanian Herbarium](#)
- [-State Herbarium of South Australia](#)
- [-Northern Territory Herbarium](#)
- [-Western Australian Herbarium](#)
- [-Australian National Herbarium, Atherton and Canberra](#)
- [-University of New England](#)
- [-Ocean Biogeographic Information System](#)
- [-Australian Government, Department of Defence](#)
- [Forestry Corporation, NSW](#)
- [-Geoscience Australia](#)
- [-CSIRO](#)
- Other groups and individuals

The Department is extremely grateful to the many organisations and individuals who provided expert advice and information on numerous draft distributions.

Please feel free to provide feedback via the [Contact Us](#) page.

SLK 130 to 136 Family

Created By Guest user on 14/09/2015

Current Names Only Yes

Core Datasets Only Yes

Method 'By Line'

Vertices 30° 33' 20" S,115° 27' 44" E 30° 31' 44" S,115° 27' 30" E 30° 31' 06" S,115° 27' 52" E

Group By Family

Family	Species	Records
Acanthizidae	8	52
Acariformes	1	29
Accipitridae	6	17
Actinopodidae	1	1
Aegothelidae	2	2
Agamidae	3	238
Amaranthaceae	6	9
Anarthriaceae	6	26
Anatidae	7	16
Apiaceae	8	25
Apodanthaceae	2	8
Araliaceae	5	9
Ardeidae	2	2
Artamidae	1	14
Asparagaceae	18	37
Asteraceae	32	57
Boidae	1	1
Boryaceae	1	1
Brassicaceae	4	7
Bryaceae	1	1
Bulimulidae	1	1
Buthidae	2	4
Byblidaceae	2	3
Campanulaceae	2	2
Campephagidae	1	14
Carbonicolaceae	1	1
Casuariidae	1	2
Casuarinaceae	7	55
Celastraceae	4	9
Centrolepidaceae	6	12
Charadriidae	1	1
Chenopodiaceae	4	5
Cladoniaceae	3	4
Colchicaceae	4	10
Columbidae	4	24
Corvidae	1	35
Cractidae	4	40
Cuculidae	2	5
Cupressaceae	3	11
Cyperaceae	40	100
Dasyopogonaceae	5	28
Dasyuridae	5	55
Dicaeidae	1	2
Dicranaceae	1	1
Dicruridae	4	41
Dilleniaceae	14	74
Diplodactylidae	6	53
Droseraceae	20	43
Ecdeiocolaceae	1	3
Elaeocarpaceae	3	11
Elapidae	9	28
Ericaceae	41	323
Euphorbiaceae	2	7
Fabaceae	107	435
Falconidae	6	26
Fissidentaceae	1	1
Funariaceae	1	1
Gekkonidae	1	3
Gentianaceae	1	1
Geraniaceae	2	2
Goodeniaceae	30	105
Gyrostemonaceae	3	6
Haemodoridae	38	233
Halcyonidae	2	11
Haloragaceae	2	4
Hemerocallidaceae	9	40
Hirundinidae	1	6
Hylidae	1	1
Idiopidae	1	2
Iridaceae	8	35
Isoetaceae	1	1
Juncaceae	3	3
Juncaginaceae	2	3
Lamiaceae	15	66
Lauraceae	3	3
Lecanoraceae	1	1
Lecideaceae	1	1
Limnodynastidae	5	101
Loganiaceae	2	13

Loranthaceae	1	1
Macropodidae	1	4
Maluridae	6	37
Malvaceae	12	64
Meliphagidae	10	87
Menyanthaceae	1	1
Meropidae	1	7
Molluginaceae	3	19
Muridae	3	183
Myobatrachidae	4	152
Myrtaceae	158	683
Neosittidae	1	1
Nicodamidae	1	1
Olacaceae	2	4
Orchidaceae	34	47
Orobanchaceae	1	1
Otididae	1	2
Oxalidaceae	1	1
Pachycephalidae	3	29
Paradoxosomatidae	2	7
Pararchaeidae	1	1
Pardalotidae	1	12
Parmeliaceae	1	3
Petroicidae	1	3
Phalacrocoracidae	2	2
Philydraceae	1	1
Phyllanthaceae	1	1
Physaraceae	1	1
Physciaceae	1	1
Pittosporaceae	3	3
Plantaginaceae	1	1
Poaceae	7	10
Podargidae	1	1
Podicipedidae	2	2
Polygalaceae	7	13
Polygonaceae	2	2
Portulacaceae	2	4
Pottiaceae	1	2
Primulaceae	1	1
Proteaceae	141	655
Psittacidae	9	37
Pteridaceae	1	1
Pygopodidae	11	109
Pythiaceae	1	27
Rallidae	1	2
Ramalinaceae	1	1
Restionaceae	28	117
Rhamnaceae	11	31
Rubiaceae	1	5
Rutaceae	9	22
Santalaceae	2	4
Sapindaceae	3	4
Scincidae	20	449
Scolopendridae	1	1
Scrophulariaceae	5	7
Selaginellaceae	1	1
Strigidae	2	5
Stylidiaceae	39	131
Sylviidae	3	6
Tachyglossidae	1	2
Tarsipedidae	1	100
Tetragrathidae	1	1
Threskiornithidae	4	7
Thymelaeaceae	6	21
Varanidae	1	3
Vespertilionidae	1	2
Violaceae	3	7
Zamiaceae	1	3
Zosteropidae	1	16
TOTAL	1160	5835

Name ID	Species Name	Naturalised	Conservation Code	¹ Endemic To Query Area
Acanthizidae				
1.	24260 <i>Acanthiza apicalis</i> (Broad-tailed Thornbill, Inland Thornbill)			
2.	24261 <i>Acanthiza chrysorrhoa</i> (Yellow-rumped Thornbill)			
3.	24262 <i>Acanthiza inornata</i> (Western Thornbill)			
4.	24269 <i>Calamanthus campestris</i> (Rufous Fieldwren)			
5.	25530 <i>Gerygone fusca</i> (Western Gerygone)			
6.	24271 <i>Gerygone fusca</i> subsp. <i>fusca</i> (Western Gerygone)			
7.	25534 <i>Sericornis frontalis</i> (White-browed Scrubwren)			
8.	30948 <i>Smicronis brevirostris</i> (Weebill)			
Acariformes				
9.	<i>Acariformes</i> sp.			
Accipitridae				
10.	25535 <i>Accipiter cirrocephalus</i> (Collared Sparrowhawk)			
11.	25536 <i>Accipiter fasciatus</i> (Brown Goshawk)			
12.	24285 <i>Aquila audax</i> (Wedge-tailed Eagle)			
13.	24288 <i>Circus approximans</i> (Swamp Harrier)			
14.	24289 <i>Circus assimilis</i> (Spotted Harrier)			
15.	24295 <i>Haliastur sphenurus</i> (Whistling Kite)			
Actinopodidae				
16.	<i>Missulena hoggi</i>			
Aegothelidae				
17.	25544 <i>Aegotheles cristatus</i> (Australian Owlet-nightjar)			
18.	24301 <i>Aegotheles cristatus</i> subsp. <i>cristatus</i> (Australian Owlet-nightjar)			
Agamidae				
19.	30899 <i>Ctenophorus adelaidensis</i> (Southern Heath Dragon, Western Heath Dragon)			
20.	25510 <i>Pogona minor</i> (Dwarf Bearded Dragon)			
21.	24907 <i>Pogona minor</i> subsp. <i>minor</i> (Dwarf Bearded Dragon)			
Amaranthaceae				
22.	2655 <i>Amaranthus albus</i> (Tumbleweed)	Y		
23.	2716 <i>Ptilotus declinatus</i> (Curved Mulla Mulla)			
24.	2742 <i>Ptilotus manglesii</i> (Pom Poms, Mulamula)			
25.	2751 <i>Ptilotus polystachyus</i> (Prince of Wales Feather)			
26.	15856 <i>Ptilotus sericostachyus</i> subsp. <i>sericostachyus</i>			
27.	40841 <i>Ptilotus stirlingii</i> subsp. <i>stirlingii</i>			
Anarthriaceae				
28.	1058 <i>Anarthria gracilis</i>			
29.	1059 <i>Anarthria humilis</i>			
30.	1060 <i>Anarthria laevis</i>			
31.	1097 <i>Lyginia barbata</i>			
32.	19245 <i>Lyginia excelsa</i>		P1	Y
33.	18049 <i>Lyginia imberbis</i>			
Anatidae				
34.	24312 <i>Anas gracilis</i> (Grey Teal)			
35.	24316 <i>Anas superciliosa</i> (Pacific Black Duck)			
36.	24319 <i>Biziura lobata</i> (Musk Duck)			
37.	24321 <i>Chenonetta jubata</i> (Australian Wood Duck, Wood Duck)			
38.	24322 <i>Cygnus atratus</i> (Black Swan)			
39.	24329 <i>Stictonetta naevosa</i> (Freckled Duck)			
40.	24331 <i>Tadorna tadornoides</i> (Australian Shelduck, Mountain Duck)			
Apiaceae				
41.	6205 <i>Actinotus leucocephalus</i> (Flannel Flower)			
42.	6219 <i>Eryngium pinnatifidum</i> (Blue Devils)			
43.	6255 <i>Platysace juncea</i>			
44.	14996 <i>Platysace</i> sp. <i>Eneabba</i> (R. Hnatiuk 770001)			
45.	6262 <i>Platysace xerophila</i>			
46.	6285 <i>Xanthosia ciliata</i>			
47.	6289 <i>Xanthosia huegelii</i>			
48.	6294 <i>Xanthosia tomentosa</i> (Lesueur Southern Cross)		P4	
Apodanthaceae				
49.	33460 <i>Pilostyles coccoidea</i>			
50.	2408 <i>Pilostyles hamiltonii</i>			
Araliaceae				

	Name ID	Species Name	Naturalised	Conservation Code	¹ Endemic To Query Area
51.	6223	<i>Hydrocotyle alata</i>			
52.	6229	<i>Hydrocotyle diantha</i>			
53.	6266	<i>Trachymene coerulea</i> (Blue Lace Flower)			
54.	19041	<i>Trachymene coerulea</i> subsp. <i>coerulea</i>			
55.	6280	<i>Trachymene pilosa</i> (Native Parsnip)			

Ardeidae

56.	41324	<i>Ardea modesta</i> (Eastern Great Egret)		IA	
57.	25564	<i>Nycticorax caledonicus</i> (Rufous Night Heron)			

Artamidae

58.	25566	<i>Artamus cinereus</i> (Black-faced Woodswallow)			
-----	-------	---	--	--	--

Asparagaceae

59.	1266	<i>Arthropodium dyeri</i>			
60.	1305	<i>Laxmannia omnifertilis</i>			
61.	11679	<i>Laxmannia sessiliflora</i> subsp. <i>drummondii</i>			
62.	1223	<i>Lomandra caespitosa</i> (Tufted Mat Rush)			
63.	1227	<i>Lomandra hastilis</i>			
64.	1239	<i>Lomandra preissii</i>			
65.	1243	<i>Lomandra sericea</i> (Silky Mat Rush)			
66.	1318	<i>Thysanotus arbuscula</i>			
67.	1328	<i>Thysanotus dichotomus</i> (Branching Fringe Lily)			
68.	1334	<i>Thysanotus glaucus</i>		P4	
69.	1338	<i>Thysanotus manglesianus</i> (Fringed Lily)			
70.	1348	<i>Thysanotus rectantherus</i>			
71.	13783	<i>Thysanotus</i> sp. <i>Badgingarra</i> (E.A. Griffin 2511)		P2	
72.	1353	<i>Thysanotus spiniger</i>			
73.	1354	<i>Thysanotus tenellus</i>			
74.	1356	<i>Thysanotus teretifolius</i>			
75.	1357	<i>Thysanotus thyrsoides</i>			
76.	1358	<i>Thysanotus triandrus</i>			

Asteraceae

77.	7827	<i>Angianthus cunninghamii</i> (Coast Angianthus)			
78.	7845	<i>Asteridea asteroides</i>			
79.	7878	<i>Brachyscome iberidifolia</i>			
80.	7923	<i>Cephalosorus carpesioides</i>			
81.	12612	<i>Chrysocephalum apiculatum</i>			
82.	8002	<i>Gnephosis tenuissima</i>			
83.	8008	<i>Helianthus annuus</i> (Sunflower)	Y		
84.	15447	<i>Hyalosperma glutinosum</i> subsp. <i>glutinosum</i>			
85.	18585	<i>Lagenophora huegelii</i>			
86.	17852	<i>Leptorhynchos scaber</i> (Lanky Buttons)			
87.	14344	<i>Millotia tenuifolia</i> var. <i>tenuifolia</i> (Soft Millotia)			
88.	14187	<i>Myriocephalus occidentalis</i>			
89.	8131	<i>Olearia ciliata</i> (Fringed Daisy Bush)			
90.	8136	<i>Olearia homolepis</i>			
91.	32716	<i>Olearia lehmanniana</i>			
92.	8149	<i>Olearia rudis</i> (Rough Daisybush)			
93.	18353	<i>Pithocarpa pulchella</i> var. <i>pulchella</i>			
94.	8182	<i>Podotheca angustifolia</i> (Stick Longheads)			
95.	8184	<i>Podotheca gnaphalioides</i> (Golden Long-heads)			
96.	8188	<i>Pogonolepis stricta</i>			
97.	13255	<i>Pterochaeta paniculata</i>			
98.	8195	<i>Quinetia urvillei</i>			
99.	30572	<i>Rhetinocarpha suffruticosa</i> (Shrubby Myriocephalus)		P1	
100.	13300	<i>Rhodanthe citrina</i>			
101.	13234	<i>Rhodanthe manglesii</i>			
102.	13249	<i>Rhodanthe oppositifolia</i> subsp. <i>oppositifolia</i>			
103.	8225	<i>Siloxerus humifusus</i> (Procumbent Siloxerus)			
104.	14583	<i>Siloxerus multiflorus</i>			
105.	8230	<i>Sonchus asper</i> (Rough Sowthistle)	Y		
106.	8251	<i>Trichocline spathulata</i> (Native Gerbera)			
107.	38388	<i>Ursinia anthemoides</i> subsp. <i>anthemoides</i>	Y		
108.	13333	<i>Waitzia suaveolens</i> var. <i>suaveolens</i>			

Boidae

109.	25240	<i>Morelia spilota</i> subsp. <i>imbricata</i> (Carpet Python)		S	
------	-------	--	--	---	--

Boryaceae

110.	1273	<i>Borya sphaerocephala</i> (Pincushions)			
------	------	---	--	--	--

Name ID	Species Name	Naturalised	Conservation Code	¹ Endemic To Query Area
Brassicaceae				
111.	11187 <i>Brassica barrelieri</i> subsp. <i>oxyrrhina</i> (Smooth-stem Turnip)	Y		
112.	2999 <i>Brassica rapa</i>	Y		
113.	2995 <i>Brassica x napus</i>	Y		
114.	3061 <i>Raphanus raphanistrum</i> (Wild Radish)	Y		
Bryaceae				
115.	32424 <i>Rosulabryum albolimbatum</i>			
Bulimulidae				
116.	34057 <i>Bothriembryon perobesus</i> (land snail)		P1	
Buthidae				
117.	<i>Urodacus armatus</i>			
118.	<i>Urodacus hoplurus</i>			
Byblidaceae				
119.	3178 <i>Byblis gigantea</i> (Rainbow Plant)		P3	
120.	20230 <i>Byblis lamellata</i>			
Campanulaceae				
121.	7398 <i>Isotoma pusilla</i> (Small Isotome)			
122.	7386 <i>Wahlenbergia gracilentia</i> (Annual Bluebell)			
Campephagidae				
123.	25568 <i>Coracina novaehollandiae</i> (Black-faced Cuckoo-shrike)			
Carbonicolaceae				
124.	43884 <i>Carbonicola foveata</i>			
Casuariidae				
125.	24470 <i>Dromaius novaehollandiae</i> (Emu)			
Casuarinaceae				
126.	1726 <i>Allocasuarina drummondiana</i>			
127.	1729 <i>Allocasuarina grevilleoides</i>		P3	
128.	1732 <i>Allocasuarina humilis</i> (Dwarf Sheoak)			
129.	13908 <i>Allocasuarina lehmanniana</i> subsp. <i>lehmanniana</i>			
130.	1734 <i>Allocasuarina microstachya</i>			
131.	1736 <i>Allocasuarina ramosissima</i>		P3	
132.	1739 <i>Allocasuarina thuyoides</i> (Horned Sheoak)			
Celastraceae				
133.	9069 <i>Stackhousia huegelii</i>			
134.	9070 <i>Stackhousia pubescens</i> (Downy Stackhousia)			
135.	4737 <i>Tripterococcus brunonis</i> (Winged Stackhousia)			
136.	16998 <i>Tripterococcus paniculatus</i>		P4	
Centrolepidaceae				
137.	1116 <i>Aphelia brizula</i>			
138.	1119 <i>Aphelia nutans</i>			
139.	1121 <i>Centrolepis aristata</i> (Pointed Centrolepis)			
140.	1125 <i>Centrolepis drummondiana</i>			
141.	1134 <i>Centrolepis polygyna</i> (Wiry Centrolepis)			
142.	13125 <i>Centrolepis strigosa</i> subsp. <i>strigosa</i>			
Charadriidae				
143.	24386 <i>Vanellus tricolor</i> (Banded Lapwing)			
Chenopodiaceae				
144.	2453 <i>Atriplex codonocarpa</i> (Flat-topped Saltbush)			
145.	33236 <i>Tecticornia halocnemoides</i> (Shrubby Samphire)			
146.	33319 <i>Tecticornia indica</i> subsp. <i>bidens</i>			
147.	31718 <i>Tecticornia lepidosperma</i>			
Cladoniaceae				
148.	27694 <i>Cladonia southlandica</i>			
149.	28070 <i>Thysanothecium hookeri</i>			
150.	28071 <i>Thysanothecium scutellatum</i>			
Colchicaceae				
151.	1383 <i>Burchardia bairdiae</i>			
152.	12770 <i>Burchardia congesta</i>			
153.	1385 <i>Burchardia multiflora</i> (Dwarf Burchardia)			
154.	1398 <i>Wurmbea monantha</i>			
Columbidae				
155.	24404 <i>Geophaps plumifera</i> (Spinifex Pigeon)			

	Name ID	Species Name	Naturalised	Conservation Code	¹ Endemic To Query Area
156.	24407	<i>Ocyphaps lophotes</i> (Crested Pigeon)			
157.	24409	<i>Phaps chalcoptera</i> (Common Bronzewing)			
158.	25590	<i>Streptopelia senegalensis</i> (Laughing Turtle-Dove)	Y		
Corvidae					
159.	25592	<i>Corvus coronoides</i> (Australian Raven)			
Cracticidae					
160.	24420	<i>Cracticus nigrogularis</i> (Pied Butcherbird)			
161.	25595	<i>Cracticus tibicen</i> (Australian Magpie)			
162.	25596	<i>Cracticus torquatus</i> (Grey Butcherbird)			
163.	25597	<i>Strepera versicolor</i> (Grey Currawong)			
Cuculidae					
164.	25598	<i>Cacomantis flabelliformis</i> (Fan-tailed Cuckoo)			
165.	42307	<i>Cacomantis pallidus</i> (Pallid Cuckoo)			
Cupressaceae					
166.	36520	<i>Callitris acuminata</i> (Dwarf Cypress)			
167.	36560	<i>Callitris arenaria</i> (Sandplain Cypress)			
168.	36600	<i>Callitris pyramidalis</i> (Swamp Cypress)			
Cyperaceae					
169.	760	<i>Caustis dioica</i>			
170.	763	<i>Chorizandra enodis</i> (Black Bristlerush)			
171.	17618	<i>Cyathochaeta equitans</i>			
172.	907	<i>Gahnia trifida</i> (Coast Saw-sedge)			
173.	20200	<i>Isolepis cernua</i> var. <i>setiformis</i>			
174.	911	<i>Isolepis congrua</i>			
175.	912	<i>Isolepis cyperoides</i>			
176.	919	<i>Isolepis oldfieldiana</i>			
177.	924	<i>Isolepis stellata</i> (Star Club-rush)			
178.	937	<i>Lepidosperma longitudinale</i> (Pithy Sword-sedge)			
179.	940	<i>Lepidosperma pubisquameum</i>			
180.	944	<i>Lepidosperma scabrum</i>			
181.	16284	<i>Lepidosperma</i> sp. P1 small head (M.D. Tindale 166A)			
182.	947	<i>Lepidosperma tenue</i>			
183.	954	<i>Mesomelaena preissii</i>			
184.	955	<i>Mesomelaena pseudostygia</i>			
185.	957	<i>Mesomelaena tetragona</i> (Semaphore Sedge)			
186.	971	<i>Schoenus andrewsii</i>			
187.	17571	<i>Schoenus badius</i>		P2	
188.	978	<i>Schoenus brevisetis</i>			
189.	979	<i>Schoenus caespitius</i>			
190.	982	<i>Schoenus clandestinus</i>			
191.	984	<i>Schoenus curvifolius</i>			
192.	987	<i>Schoenus elegans</i>			
193.	17606	<i>Schoenus griffinianus</i>		P3	
194.	993	<i>Schoenus hexandrus</i>			
195.	1000	<i>Schoenus minutulus</i>			
196.	1006	<i>Schoenus odontocarpus</i>			
197.	1007	<i>Schoenus pedicellatus</i>			
198.	1008	<i>Schoenus pennisetis</i>		P3	
199.	1009	<i>Schoenus pleiostemoneus</i>			
200.	1011	<i>Schoenus rigens</i>			
201.	16274	<i>Schoenus</i> sp. A3 Ciliate Sheaths (K.R. Newbey 9402)			
202.	16254	<i>Schoenus</i> sp. G Broad Sheath (K.L. Wilson 2633)			
203.	1018	<i>Schoenus subfascicularis</i>			
204.	1023	<i>Schoenus tenellus</i>			
205.	1026	<i>Schoenus unispiculatus</i>			
206.	1035	<i>Tetraria microcarpa</i>			
207.	1036	<i>Tetraria octandra</i>			
208.	1038	<i>Tricostularia neesii</i>			
Dasypogonaceae					
209.	19312	<i>Calectasia hispida</i>			
210.	19309	<i>Calectasia narragara</i>			
211.	19196	<i>Calectasia palustris</i>		P2	
212.	1218	<i>Dasypogon bromeliifolius</i> (Pineapple Bush)			
213.	1220	<i>Dasypogon obliquifolius</i>			
Dasyluridae					
214.	24108	<i>Sminthopsis crassicaudata</i> (Fat-tailed Dunnart)			
215.	24109	<i>Sminthopsis dolichura</i> (Little long-tailed Dunnart)			

	Name ID	Species Name	Naturalised	Conservation Code	¹ Endemic To Query Area
216.	24111	<i>Sminthopsis gilberti</i> (Gilbert's Dunnart)			
217.	24112	<i>Sminthopsis granulipes</i> (White-tailed Dunnart)			
218.	25515	<i>Sminthopsis griseoventer</i> (Grey-bellied Dunnart)			
Dicaeidae					
219.	25607	<i>Dicaeum hirundinaceum</i> (Mistletoebird)			
Dicranaceae					
220.	32338	<i>Campylopus introflexus</i>	Y		
Dicruridae					
221.	24443	<i>Grallina cyanoleuca</i> (Magpie-lark)			
222.	24452	<i>Rhipidura fuliginosa</i> subsp. <i>preissi</i> (Grey Fantail)			
223.	25614	<i>Rhipidura leucophrys</i> (Willie Wagtail)			
224.	24454	<i>Rhipidura leucophrys</i> subsp. <i>leucophrys</i> (Willie Wagtail)			
Dilleniaceae					
225.	5108	<i>Hibbertia acerosa</i> (Needle Leaved Guinea Flower)			
226.	5112	<i>Hibbertia aurea</i>			
227.	5116	<i>Hibbertia crassifolia</i>			
228.	5120	<i>Hibbertia desmophylla</i>			
229.	5133	<i>Hibbertia helianthemoides</i>		P4	
230.	5134	<i>Hibbertia huegelii</i>			
231.	5135	<i>Hibbertia hypericoides</i> (Yellow Buttercups)			
232.	35520	<i>Hibbertia leucocrossa</i>			
233.	5148	<i>Hibbertia mylnei</i>			
234.	5157	<i>Hibbertia polystachya</i>			
235.	5162	<i>Hibbertia racemosa</i> (Stalked Guinea Flower)			
236.	43280	<i>Hibbertia sericosepala</i>			
237.	5172	<i>Hibbertia stellaris</i> (Orange Stars)			
238.	5173	<i>Hibbertia subvaginata</i>			
Diplodactylidae					
239.	24918	<i>Crenadactylus ocellatus</i> subsp. <i>ocellatus</i> (Clawless Gecko)			
240.	25469	<i>Diplodactylus granariensis</i>			
241.	24939	<i>Diplodactylus polyophthalmus</i>			
242.	42414	<i>Lucasium albuguttatum</i>			
243.	25518	<i>Strophurus spinigerus</i>			
244.	24942	<i>Strophurus spinigerus</i> subsp. <i>spinigerus</i>			
Droseraceae					
245.	31231	<i>Drosera allantostigma</i>		P1	
246.	3090	<i>Drosera barbigera</i>			
247.	13202	<i>Drosera echinoblastus</i>			
248.	13201	<i>Drosera eneabba</i>			
249.	3095	<i>Drosera erythrorhiza</i> (Red Ink Sundew)			
250.	3097	<i>Drosera gigantea</i> (Giant Sundew)			
251.	15453	<i>Drosera gigantea</i> subsp. <i>gigantea</i>			
252.	13199	<i>Drosera leioblastus</i>			
253.	3105	<i>Drosera leucoblasta</i> (Wheel Sundew)			
254.	31232	<i>Drosera leucostigma</i>			Y
255.	14298	<i>Drosera macrantha</i> subsp. <i>macrantha</i>			
256.	13208	<i>Drosera marchantii</i> subsp. <i>prophylla</i>		P3	
257.	11853	<i>Drosera menziesii</i> subsp. <i>menziesii</i>			
258.	13216	<i>Drosera menziesii</i> subsp. <i>penicillaris</i>			
259.	11196	<i>Drosera menziesii</i> subsp. <i>thysanosepala</i>			
260.	15710	<i>Drosera miniata</i> (Orange Sundew)			
261.	3118	<i>Drosera pallida</i> (Pale Rainbow)			
262.	3119	<i>Drosera parvula</i> (Small Sundew)			
263.	29178	<i>Drosera porrecta</i>			
264.	13185	<i>Drosera pilos</i>			
Ecdeiocoleaceae					
265.	1066	<i>Ecdeiocolea monostachya</i>			
Elaeocarpaceae					
266.	23982	<i>Tetratheca angulata</i>		P3	
267.	4528	<i>Tetratheca confertifolia</i>			
268.	4539	<i>Tetratheca paucifolia</i>			
Elapidae					
269.	42381	<i>Brachyuropsis semifasciatus</i> (Southern Shovel-nosed Snake)			
270.	25296	<i>Demansia psammophis</i> subsp. <i>reticulata</i> (Yellow-faced Whipsnake)			
271.	25251	<i>Echiopsis curta</i> (Bardick)			
272.	25248	<i>Neelaps bimaculatus</i> (Black-naped Snake)			

	Name ID	Species Name	Naturalised	Conservation Code	¹ Endemic To Query Area
273.	25249	<i>Neelaps calonotos</i> (Black-striped Snake)		P3	
274.	25253	<i>Parasuta gouldii</i>			
275.	25261	<i>Pseudechis australis</i> (Mulga Snake)			
276.	25259	<i>Pseudonaja affinis</i> subsp. <i>affinis</i> (Dugite)			
277.	42416	<i>Pseudonaja mengdeni</i> (Western Brown Snake)			

Ericaceae

278.	6309	<i>Andersonia gracilis</i>		T	
279.	6311	<i>Andersonia heterophylla</i>			
280.	6314	<i>Andersonia lehmanniana</i>			
281.	6323	<i>Astroloma ciliatum</i> (Candle Cranberry)			
282.	6328	<i>Astroloma glaucescens</i>			
283.	6332	<i>Astroloma microdonta</i> (Sandplain Cranberry)			
284.	42144	<i>Astroloma oblongifolium</i>			
285.	14501	<i>Astroloma</i> sp. <i>Eneabba</i> (N. Marchant s.n. PERTH 01291777)			
286.	6337	<i>Astroloma stomarrhena</i> (Red Swamp Cranberry)			
287.	6339	<i>Astroloma xerophyllum</i>			
288.	30133	<i>Brachyloma jillup</i>			
289.	30136	<i>Brachyloma preissii</i> subsp. <i>preissii</i>			
290.	19026	<i>Conostephium magnum</i>		P4	
291.	6347	<i>Conostephium minus</i> (Pink-tipped Pearl flower)			
292.	6348	<i>Conostephium pendulum</i> (Pearl Flower)			
293.	6349	<i>Conostephium preissii</i>			
294.	13527	<i>Croninia kingiana</i>			
295.	6370	<i>Leucopogon cochlearifolius</i>			
296.	6374	<i>Leucopogon conostephioides</i>			
297.	6379	<i>Leucopogon crassiflorus</i>			
298.	6397	<i>Leucopogon glaucifolius</i>			
299.	6401	<i>Leucopogon hamulosus</i>			
300.	6410	<i>Leucopogon leptanthus</i>			
301.	6420	<i>Leucopogon oldfieldii</i>			
302.	6421	<i>Leucopogon oliganthus</i>			
303.	6430	<i>Leucopogon planifolius</i>			
304.	6432	<i>Leucopogon plumuliflorus</i>		P2	
305.	6434	<i>Leucopogon polymorphus</i>			
306.	19369	<i>Leucopogon</i> sp. <i>Badgingarra</i> (R. Davis 421)		P2	Y
307.	19578	<i>Leucopogon</i> sp. <i>Bifid Eneabba</i> (M. Hislop 1927)			
308.	20868	<i>Leucopogon</i> sp. <i>Cataby</i> (F. Hort 1638)			
309.	39501	<i>Leucopogon</i> sp. <i>Coomallo</i> (R.J. Cranfield 1457)			
310.	14637	<i>Leucopogon</i> sp. <i>Coujinup</i> (M.A. Burgman 1085)			
311.	17723	<i>Leucopogon</i> sp. <i>Lesueur</i> (B. Evans 530)			
312.	19412	<i>Leucopogon</i> sp. <i>Moore River</i> (M. Hislop 1695)			
313.	34163	<i>Leucopogon</i> sp. <i>Newdegate</i> (M. Hislop 3585)			
314.	34157	<i>Leucopogon</i> sp. <i>Northern ciliate</i> (R. Davis 3393)			
315.	19368	<i>Leucopogon</i> sp. <i>Warradarge</i> (M. Hislop 1908)			
316.	37040	<i>Leucopogon</i> sp. <i>Watheroo</i> (R.D. Royce 9616)			
317.	6444	<i>Leucopogon sprengelioides</i>			
318.	34736	<i>Lysinema pentapetalum</i>			

Euphorbiaceae

319.	19585	<i>Monotaxis grandiflora</i> var. <i>grandiflora</i>			
320.	19942	<i>Ricinocarpus undulatus</i>			

Fabaceae

321.	15430	<i>Acacia alata</i> var. <i>tetrantha</i>			
322.	15466	<i>Acacia applanata</i>			
323.	3231	<i>Acacia auronitens</i>			
324.	15470	<i>Acacia barbinervis</i> subsp. <i>borealis</i>			
325.	3242	<i>Acacia blakelyi</i>			
326.	15471	<i>Acacia brumalis</i>			
327.	14061	<i>Acacia clydonophora</i>			
328.	3271	<i>Acacia costata</i>			
329.	14066	<i>Acacia cummingiana</i>		P3	
330.	20435	<i>Acacia daphnifolia</i>			
331.	3303	<i>Acacia dilatata</i>			
332.	11926	<i>Acacia drewiana</i> subsp. <i>drewiana</i>			
333.	3319	<i>Acacia epacantha</i>		P3	
334.	3332	<i>Acacia fagonioides</i>			
335.	3338	<i>Acacia flabellifolia</i>		P3	
336.	3341	<i>Acacia forrestiana</i> (Forrest's Wattle)		T	
337.	15285	<i>Acacia heteroneura</i> var. <i>jutsonii</i>			
338.	11519	<i>Acacia lasiocarpa</i> var. <i>bracteolata</i>			

	Name ID	Species Name	Naturalised	Conservation Code	¹ Endemic To Query Area
339.	11611	<i>Acacia lasiocarpa</i> var. <i>lasiocarpa</i>			
340.	3412	<i>Acacia latipes</i>			
341.	3442	<i>Acacia microbotrya</i> (Manna Wattle, Kalyang)			
342.	11678	<i>Acacia moirii</i> subsp. <i>recurvistipula</i>			
343.	3451	<i>Acacia multispicata</i>			
344.	3493	<i>Acacia plicata</i>		P3	
345.	15481	<i>Acacia pulchella</i> var. <i>glaberrima</i>			
346.	15483	<i>Acacia pulchella</i> var. <i>pulchella</i>			
347.	15480	<i>Acacia pulchella</i> var. <i>reflexa</i>			
348.	3518	<i>Acacia retrorsa</i>		P2	
349.	3525	<i>Acacia rostellifera</i> (Summer-scented Wattle)			
350.	30033	<i>Acacia saligna</i> subsp. <i>lindleyi</i>			
351.	30032	<i>Acacia saligna</i> subsp. <i>saligna</i>			
352.	3532	<i>Acacia scirpifolia</i>			
353.	3541	<i>Acacia sessilis</i>			
354.	20340	<i>Acacia</i> sp. Tootbardie Road (B.R. Maslin 8204)			
355.	3549	<i>Acacia spathulifolia</i>			
356.	15486	<i>Acacia sphacelata</i> subsp. <i>verticillata</i>			
357.	20439	<i>Acacia splendens</i>		T	
358.	3557	<i>Acacia stenoptera</i> (Narrow Winged Wattle)			
359.	3574	<i>Acacia teretifolia</i>			
360.	3688	<i>Aotus gracillima</i>			
361.	3692	<i>Aotus procumbens</i>			
362.	3710	<i>Bossiaea eriocarpa</i> (Common Brown Pea)			
363.	13111	<i>Chorizema aciculare</i> subsp. <i>laxum</i>			
364.	35838	<i>Cristonia biloba</i> subsp. <i>biloba</i>			
365.	35837	<i>Cristonia biloba</i> subsp. <i>pubescens</i>			
366.	3793	<i>Daviesia angulata</i>			
367.	14199	<i>Daviesia chapmanii</i>			
368.	3803	<i>Daviesia daphnoides</i>			
369.	3805	<i>Daviesia decurrens</i> (Prickly Bitter-pea)			
370.	19747	<i>Daviesia decurrens</i> subsp. <i>decurrens</i>			
371.	18560	<i>Daviesia divaricata</i> subsp. <i>divaricata</i>			
372.	3809	<i>Daviesia epiphyllum</i>			
373.	12326	<i>Daviesia hakeoides</i> subsp. <i>subnuda</i>			
374.	15505	<i>Daviesia incrassata</i> subsp. <i>incrassata</i>			
375.	12329	<i>Daviesia nudiflora</i> subsp. <i>hirtella</i>			
376.	15508	<i>Daviesia oxyclada</i>			
377.	3831	<i>Daviesia pedunculata</i>			
378.	3833	<i>Daviesia podophylla</i>			
379.	3834	<i>Daviesia polyphylla</i>			
380.	3872	<i>Euchilopsis linearis</i> (Swamp Pea)			
381.	20515	<i>Gastrolobium axillare</i>			
382.	3894	<i>Gastrolobium callistachys</i> (Rock Poison)			
383.	3906	<i>Gastrolobium ilicifolium</i>			
384.	3912	<i>Gastrolobium oxylobioides</i> (Champion Bay Poison)			
385.	10981	<i>Gastrolobium parviflorum</i>			
386.	3915	<i>Gastrolobium plicatum</i>			
387.	3916	<i>Gastrolobium polystachyum</i> (Horned Poison)			
388.	3924	<i>Gastrolobium spinosum</i> (Prickly Poison)			
389.	3933	<i>Gastrolobium villosum</i> (Crinkle-leaved Poison)			
390.	3945	<i>Gompholobium aristatum</i>			
391.	23489	<i>Gompholobium gairdnerianum</i>		P3	
392.	3950	<i>Gompholobium knightianum</i>			
393.	29267	<i>Gompholobium muticum</i>			
394.	3955	<i>Gompholobium preissii</i>			
395.	3956	<i>Gompholobium shuttleworthii</i>			
396.	3957	<i>Gompholobium tomentosum</i> (Hairy Yellow Pea)			
397.	3967	<i>Hovea stricta</i>			
398.	19700	<i>Isotropis cuneifolia</i> subsp. <i>cuneifolia</i>			
399.	14747	<i>Jacksonia anthoclada</i>		P3	
400.	4003	<i>Jacksonia carduacea</i>		P3	
401.	4005	<i>Jacksonia condensata</i>			
402.	4010	<i>Jacksonia floribunda</i> (Holly Pea)			
403.	4015	<i>Jacksonia hakeoides</i>			
404.	14778	<i>Jacksonia nutans</i>			
405.	4025	<i>Jacksonia restioides</i>			
406.	4029	<i>Jacksonia sternbergiana</i> (Stinkwood, Kapur)			
407.	4044	<i>Kennedia prostrata</i> (Scarlet Runner)			
408.	3664	<i>Labichea cassioides</i>			

	Name ID	Species Name	Naturalised	Conservation Code	¹ Endemic To Query Area
409.	3667	<i>Labichea lanceolata</i> (Tall Labichea)			
410.	3669	<i>Labichea punctata</i> (Lance-leaved Cassia)			
411.	4079	<i>Medicago polymorpha</i> (Burr Medic)	Y		
412.	4091	<i>Mirbelia floribunda</i> (Purple Mirbelia)			
413.	4100	<i>Mirbelia spinosa</i>			
414.	4104	<i>Mirbelia trichocalyx</i>			
415.	4161	<i>Ptychosema pusillum</i> (Dwarf Pea)		T	
416.	4181	<i>Pultenaea reticulata</i>			
417.	17645	<i>Senna artemisioides</i>			
418.	17551	<i>Sphaerolobium drummondii</i>			
419.	4203	<i>Sphaerolobium gracile</i>			
420.	4205	<i>Sphaerolobium linophyllum</i>			
421.	4206	<i>Sphaerolobium macranthum</i>			
422.	4207	<i>Sphaerolobium medium</i>			
423.	10800	<i>Sphaerolobium pulchellum</i>			
424.	4291	<i>Trifolium arvense</i> (Hare's Foot Clover)	Y		
425.	4293	<i>Trifolium cernuum</i> (Drooping Flower Clover)	Y		
426.	4296	<i>Trifolium fragiferum</i> (Strawberry Clover)	Y		
427.	4325	<i>Viminaria juncea</i> (Swishbush, Koweda)			

Falconidae

428.	25621	<i>Falco berigora</i> (Brown Falcon)			
429.	25622	<i>Falco cenchroides</i> (Australian Kestrel)			
430.	24472	<i>Falco cenchroides</i> subsp. <i>cenchrus</i> (Australian Kestrel)			
431.	25623	<i>Falco longipennis</i> (Australian Hobby)			
432.	25624	<i>Falco peregrinus</i> (Peregrine Falcon)		S	
433.	24475	<i>Falco peregrinus</i> subsp. <i>macropus</i> (Australian Peregrine Falcon)		S	

Fissidentaceae

434.	32367	<i>Fissidens megalotis</i>			
------	-------	----------------------------	--	--	--

Funariaceae

435.	32353	<i>Entosthodon apophysatus</i>			
------	-------	--------------------------------	--	--	--

Gekkonidae

436.	24980	<i>Christinus marmoratus</i> (Marbled Gecko)			
------	-------	--	--	--	--

Gentianaceae

437.	6542	<i>Centaurium tenuiflorum</i>	Y		
------	------	-------------------------------	---	--	--

Geraniaceae

438.	4335	<i>Erodium cygnorum</i> (Blue Heronsbill)			
439.	4342	<i>Pelargonium australe</i> (Wild Geranium)			

Goodeniaceae

440.	7420	<i>Dampiera alata</i> (Winged-stem Dampiera)			
441.	7451	<i>Dampiera lavandulacea</i>			
442.	7453	<i>Dampiera lindleyi</i>			
443.	7454	<i>Dampiera linearis</i> (Common Dampiera)			
444.	7459	<i>Dampiera oligophylla</i> (Sparse-leaved Dampiera)			
445.	7475	<i>Dampiera spicigera</i> (Spiked Dampiera)			
446.	7481	<i>Dampiera tephrea</i>		P2	
447.	7482	<i>Dampiera teres</i> (Terete-leaved Dampiera)			
448.	29362	<i>Goodenia coerulea</i>			
449.	19286	<i>Goodenia pulchella</i> subsp. <i>Coastal Plain A</i> (M. Hislop 634)			
450.	19284	<i>Goodenia pulchella</i> subsp. <i>Coastal Plain B</i> (L.W. Sage 2336)			
451.	7566	<i>Goodenia xanthotricha</i> (Yellow-haired Goodenia)		P2	
452.	7568	<i>Lechenaultia biloba</i> (Blue Leschenaultia)			
453.	7574	<i>Lechenaultia floribunda</i> (Free-flowering Leschenaultia)			
454.	7577	<i>Lechenaultia hirsuta</i> (Hairy Leschenaultia)			
455.	7580	<i>Lechenaultia linarioides</i> (Yellow Leschenaultia)			
456.	7586	<i>Lechenaultia stenosepala</i> (Narrow-sepaled Leschenaultia)			
457.	7590	<i>Lechenaultia tubiflora</i> (Heath Leschenaultia)			
458.	7595	<i>Scaevola anchusifolia</i>			
459.	7603	<i>Scaevola canescens</i> (Grey Scaevola)			
460.	7613	<i>Scaevola glandulifera</i> (Viscid Hand-flower)			
461.	7618	<i>Scaevola humifusa</i> (Procumbent Scaevola)			
462.	7619	<i>Scaevola lanceolata</i>			
463.	7634	<i>Scaevola phlebopetala</i> (Velvet Fanflower)			
464.	12585	<i>Scaevola repens</i>			
465.	29356	<i>Scaevola repens</i> subsp. <i>Northern Sandplains</i> (R.J. Cranfield & P.J. Spencer 8445)			
466.	13182	<i>Scaevola repens</i> var. <i>repens</i>			
467.	12588	<i>Scaevola virgata</i>			
468.	7665	<i>Velleia trinervis</i>			

Name ID	Species Name	Naturalised	Conservation Code	¹ Endemic To Query Area
469.	7666 <i>Verreauxia reinwardtii</i> (Common Verreauxia)			
Gyrostemonaceae				
470.	2783 <i>Gyrostemon racemiger</i>			
471.	2788 <i>Gyrostemon subnudus</i>			
472.	2791 <i>Tersonia cyathiflora</i> (Button Creeper)			
Haemodoraceae				
473.	29437 <i>Anigozanthos humilis</i> subsp. <i>Badgingarra</i> (S.D. Hopper 7114)		P2	
474.	11957 <i>Anigozanthos humilis</i> subsp. <i>chrysanthus</i> (Golden Catpaw)		P4	
475.	11434 <i>Anigozanthos humilis</i> subsp. <i>humilis</i>			
476.	1414 <i>Anigozanthos pulcherrimus</i> (Yellow Kangaroo Paw)			
477.	29436 <i>Anigozanthos viridis</i> subsp. <i>Cataby</i> (S.D. Hopper 1786)			
478.	13891 <i>Anigozanthos viridis</i> subsp. <i>terraspectans</i> (Dwarf Green Kangaroo Paw)		T	
479.	1417 <i>Blancoa canescens</i> (Winter Bell)			
480.	1418 <i>Conostylis aculeata</i> (Prickly Conostylis)			
481.	11826 <i>Conostylis aculeata</i> subsp. <i>aculeata</i>			
482.	11414 <i>Conostylis aculeata</i> subsp. <i>breviflora</i>			
483.	11552 <i>Conostylis aculeata</i> subsp. <i>bromelioides</i>			
484.	12109 <i>Conostylis aculeata</i> subsp. <i>preissii</i>			
485.	11977 <i>Conostylis aculeata</i> subsp. <i>spinuligera</i> (Spiny Conostylis)			
486.	1420 <i>Conostylis androstemma</i> (Trumpets)			
487.	1421 <i>Conostylis angustifolia</i>			
488.	1423 <i>Conostylis aurea</i> (Golden Conostylis)			
489.	1427 <i>Conostylis candicans</i> (Grey Cottonhead)			
490.	11773 <i>Conostylis crassinervia</i> subsp. <i>absens</i>			
491.	11938 <i>Conostylis crassinervia</i> subsp. <i>crassinervia</i>			
492.	11695 <i>Conostylis festucea</i> subsp. <i>festucea</i>			
493.	1435 <i>Conostylis hiemalis</i>			
494.	1436 <i>Conostylis juncea</i>			
495.	1437 <i>Conostylis latens</i>			
496.	11597 <i>Conostylis setigera</i> subsp. <i>setigera</i>			
497.	11870 <i>Conostylis teretifolia</i> subsp. <i>teretifolia</i>			
498.	1458 <i>Conostylis teretiuscula</i>			
499.	1468 <i>Haemodorum laxum</i>			
500.	1470 <i>Haemodorum paniculatum</i> (Mardja)			
501.	1475 <i>Haemodorum spicatum</i> (Mardja)			
502.	1476 <i>Haemodorum venosum</i>			
503.	1477 <i>Macropidia fuliginosa</i> (Black Kangaroo Paw)			
504.	1478 <i>Phlebocarya ciliata</i>			
505.	1479 <i>Phlebocarya filifolia</i>			
506.	11557 <i>Phlebocarya pilosissima</i> subsp. <i>pilosissima</i>		P3	
507.	11906 <i>Phlebocarya pilosissima</i> subsp. <i>teretifolia</i>		P2	
508.	1481 <i>Tribonanthes australis</i>			
509.	1482 <i>Tribonanthes brachypetala</i>			
510.	1483 <i>Tribonanthes longipetala</i>			
Halcyonidae				
511.	30901 <i>Dacelo novaeguineae</i> (Laughing Kookaburra)	Y		
512.	25549 <i>Todiramphus sanctus</i> (Sacred Kingfisher)			
Haloragaceae				
513.	6161 <i>Gonocarpus pithyoides</i>			
514.	33638 <i>Meionectes tenuifolia</i>		P3	
Hemerocallidaceae				
515.	1263 <i>Arnocrinum gracillimum</i>		P2	
516.	1264 <i>Arnocrinum preissii</i>			
517.	29439 <i>Caesia</i> sp. <i>Wongan</i> (K.F. Kenneally 8820)			
518.	11283 <i>Corynotheca micrantha</i> var. <i>micrantha</i>			
519.	1292 <i>Hensmania stoniella</i>		P3	
520.	19632 <i>Johnsonia pubescens</i> subsp. <i>pubescens</i>			
521.	1260 <i>Stypandra glauca</i> (Blind Grass)			
522.	1361 <i>Tricoryne elatior</i> (Yellow Autumn Lily)			
523.	29481 <i>Tricoryne</i> sp. <i>Eneabba</i> (E.A. Griffin 1200)			
Hirundinidae				
524.	24491 <i>Hirundo neoxena</i> (Welcome Swallow)			
Hylidae				
525.	25388 <i>Litoria moorei</i> (Motorbike Frog)			
Idiopidae				
526.	<i>Euoplos mcmillani</i>			

Name ID	Species Name	Naturalised	Conservation Code	¹ Endemic To Query Area
Iridaceae				
527.	19179 <i>Moraea flaccida</i> (One-leaf Cape Tulip)	Y		
528.	11749 <i>Orthrosanthus laxus</i> var. <i>laxus</i> (Morning Iris)			
529.	1541 <i>Patersonia argyrea</i>		P3	
530.	1546 <i>Patersonia juncea</i> (Rush Leaved Patersonia)			
531.	1550 <i>Patersonia occidentalis</i> (Purple Flag, Koma)			
532.	30472 <i>Patersonia occidentalis</i> var. <i>occidentalis</i>			
533.	29612 <i>Patersonia spirifolia</i>		T	Y
534.	11544 <i>Romulea rosea</i> var. <i>australis</i> (Guildford Grass)	Y		
Isoetaceae				
535.	11 <i>Isoetes drummondii</i> (Quillwort)			
Juncaceae				
536.	1179 <i>Juncus caespiticius</i> (Grassy Rush)			
537.	1188 <i>Juncus pallidus</i> (Pale Rush)			
538.	1194 <i>Juncus radula</i>			
Juncaginaceae				
539.	18587 <i>Triglochin nana</i>			
540.	19174 <i>Triglochin</i> sp. <i>A Flora of Australia</i> (G.J. Keighery 2477)			
Lamiaceae				
541.	6748 <i>Cyanostegia corifolia</i> (Tinsel Flower)			
542.	16934 <i>Hemiandra glabra</i> subsp. <i>glabra</i>			
543.	6837 <i>Hemiandra leiantha</i>			
544.	6838 <i>Hemiandra linearis</i> (Speckled Snakebush)			
545.	6839 <i>Hemiandra pungens</i> (Snakebush)			
546.	38320 <i>Hemiandra</i> sp. <i>Jurien</i> (B.J. Conn & M.E. Tozer BJC 3885)			
547.	6849 <i>Hemigenia diplanthera</i>			
548.	6856 <i>Hemigenia incana</i> (Silky Hemigenia)			
549.	41020 <i>Hemiphora bartlingii</i> (Woolly Dragon)			
550.	41042 <i>Hemiphora uncinata</i>			
551.	6777 <i>Lachnostachys albicans</i>			
552.	15456 <i>Microcorys</i> sp. <i>Coomallo</i> (L. Haegi 2677)			
553.	6797 <i>Physopsis spicata</i> (Hill River Lambstail)			
554.	41060 <i>Quoya dilatata</i>			
555.	41080 <i>Quoya verbascina</i> (Golden Bush)			
Lauraceae				
556.	11351 <i>Cassytha aurea</i> var. <i>hirta</i>			
557.	2951 <i>Cassytha flava</i> (Dodder Laurel)			
558.	11206 <i>Cassytha glabella</i> forma <i>bicallosa</i>			
Lecanoraceae				
559.	28037 <i>Ramboldia stuartii</i>			
Lecideaceae				
560.	27825 <i>Lecidea ochroleuca</i>			
Limnodynastidae				
561.	25408 <i>Heleioporus albopunctatus</i> (Western Spotted Frog)			
562.	25410 <i>Heleioporus eyrei</i> (Moaning Frog)			
563.	25412 <i>Heleioporus psammophilus</i> (Sand Frog)			
564.	25415 <i>Limnodynastes dorsalis</i> (Western Banjo Frog)			
565.	25426 <i>Neobatrachus pelobatoides</i> (Humming Frog)			
Loganiaceae				
566.	6506 <i>Logania campanulata</i> (Bell-flowered Logania)			
567.	6512 <i>Logania spermacoea</i>			
Loranthaceae				
568.	2401 <i>Nuytsia floribunda</i> (Christmas Tree, Mudja)			
Macropodidae				
569.	24133 <i>Macropus irma</i> (Western Brush Wallaby)		P4	
Maluridae				
570.	25651 <i>Malurus lamberti</i> (Variegated Fairy-wren)			
571.	24544 <i>Malurus lamberti</i> subsp. <i>assimilis</i> (Variegated Fairy-wren)			
572.	25652 <i>Malurus leucopterus</i> (White-winged Fairy-wren)			
573.	24551 <i>Malurus pulcherrimus</i> (Blue-breasted Fairy-wren)			
574.	25654 <i>Malurus splendens</i> (Splendid Fairy-wren)			
575.	25655 <i>Stipiturus malachurus</i> (Southern Emu-wren)			
Malvaceae				

	Name ID	Species Name	Naturalised	Conservation Code	¹ Endemic To Query Area
576.	40908	<i>Androcalva pulchella</i>			
577.	13233	<i>Guichenotia alba</i>		P3	
578.	5013	<i>Guichenotia micrantha</i> (Small Flowered Guichenotia)			
579.	5014	<i>Guichenotia sarotes</i>			
580.	5022	<i>Keraudrenia hermanniifolia</i>			
581.	5031	<i>Lasiopetalum drummondii</i>			
582.	5036	<i>Lasiopetalum lineare</i>			
583.	15552	<i>Lasiopetalum</i> sp. Hill River (T.N. Stoate 5)		P1	
584.	4959	<i>Lawrenia squamata</i>			
585.	4980	<i>Sida hookeriana</i>			
586.	5084	<i>Thomasia grandiflora</i> (Large Flowered Thomasia)			
587.	5086	<i>Thomasia macrocalyx</i>			

Meliphagidae

588.	24559	<i>Acanthagenys rufogularis</i> (Spiny-cheeked Honeyeater)			
589.	24560	<i>Acanthorhynchus superciliosus</i> (Western Spinebill)			
590.	24561	<i>Anthochaera carunculata</i> (Red Wattlebird)			
591.	24562	<i>Anthochaera lunulata</i> (Western Little Wattlebird)			
592.	24567	<i>Epthianura albilfrons</i> (White-fronted Chat)			
593.	25661	<i>Lichmera indistincta</i> (Brown Honeyeater)			
594.	24582	<i>Lichmera indistincta</i> subsp. <i>indistincta</i> (Brown Honeyeater)			
595.	24583	<i>Manorina flavigula</i> (Yellow-throated Miner)			
596.	25663	<i>Melithreptus brevirostris</i> (Brown-headed Honeyeater)			
597.	24596	<i>Phylidonyris novaehollandiae</i> (New Holland Honeyeater)			

Menyanthaceae

598.	36160	<i>Liparophyllum capitatum</i>			
------	-------	--------------------------------	--	--	--

Meropidae

599.	24598	<i>Merops ornatus</i> (Rainbow Bee-eater)		IA	
------	-------	---	--	----	--

Molluginaceae

600.	2838	<i>Macarthuria apetala</i>			
601.	2839	<i>Macarthuria australis</i>			
602.	17106	<i>Macarthuria keigheryi</i>		T	

Muridae

603.	24223	<i>Mus musculus</i> (House Mouse)	Y		
604.	24230	<i>Pseudomys albocinereus</i> (Ash-grey Mouse)			
605.	24243	<i>Rattus fuscipes</i> (Western Bush Rat)			

Myobatrachidae

606.	25400	<i>Crinia insignifera</i> (Squelching Froglet)			
607.	25401	<i>Crinia pseudinsignifera</i> (Bleating Froglet)			
608.	25420	<i>Myobatrachus gouldii</i> (Turtle Frog)			
609.	25433	<i>Pseudophryne guentheri</i> (Crawling Toadlet)			

Myrtaceae

610.	36441	<i>Babingtonia camphorosmae</i> (Camphor Myrtle)			
611.	5341	<i>Baeckea crispiflora</i>			
612.	5350	<i>Baeckea grandiflora</i> (Large-flowered Baeckea)			
613.	5351	<i>Baeckea grandis</i>			
614.	5365	<i>Baeckea robusta</i>			
615.	17126	<i>Baeckea</i> sp. Moora (R. Bone 1993/1)		P3	
616.	20421	<i>Baeckea</i> sp. Perth Region (R.J. Cranfield 444)		P3	
617.	5377	<i>Beaufortia bicolor</i>		P3	
618.	5378	<i>Beaufortia bracteosa</i>			
619.	5382	<i>Beaufortia elegans</i>			
620.	5384	<i>Beaufortia eriocephala</i> (Woolly Bottlebrush)		P3	
621.	5393	<i>Beaufortia squarrosa</i> (Sand Bottlebrush, Puno)			
622.	5396	<i>Calothamnus accedens</i>		P4	
623.	35856	<i>Calothamnus glaber</i>			
624.	5411	<i>Calothamnus hirsutus</i>			
625.	5417	<i>Calothamnus longissimus</i>			
626.	35756	<i>Calothamnus quadrifidus</i> subsp. <i>angustifolius</i>			
627.	35816	<i>Calothamnus quadrifidus</i> subsp. <i>quadrifidus</i>			
628.	5429	<i>Calothamnus sanguineus</i> (Silky-leaved Blood flower, Pindak)			
629.	5431	<i>Calothamnus torulosus</i>			
630.	5439	<i>Calytrix angulata</i> (Yellow Starflower)			
631.	5441	<i>Calytrix aurea</i>			
632.	5450	<i>Calytrix depressa</i>			
633.	5453	<i>Calytrix drummondii</i>			
634.	19980	<i>Calytrix ecalycata</i> subsp. <i>brevis</i>		P3	
635.	5455	<i>Calytrix eneabensis</i>			

Name ID	Species Name	Naturalised	Conservation Code	¹ Endemic To Query Area
			P4	
636.	5458 <i>Calytrix flavescens</i> (Summer Starflower)			
637.	5460 <i>Calytrix fraseri</i> (Pink Summer Calytrix)			
638.	5465 <i>Calytrix leschenaultii</i>			
639.	5476 <i>Calytrix sapphirina</i>			
640.	5485 <i>Calytrix variabilis</i>			
641.	14808 <i>Chamelaucium drummondii</i> subsp. <i>drummondii</i>			
642.	5498 <i>Chamelaucium uncinatum</i> (Geraldton Wax)			
643.	5502 <i>Conothamnus trinervis</i>			
644.	5511 <i>Darwinia helichrysoides</i>			
645.	5518 <i>Darwinia neildiana</i> (Fringed Bell)			
646.	5522 <i>Darwinia pauciflora</i>			
647.	5524 <i>Darwinia pinifolia</i>			
648.	5528 <i>Darwinia sanguinea</i>			
649.	20090 <i>Darwinia</i> sp. <i>Watheroo</i> (I.R. McGill 20)			
650.	5529 <i>Darwinia speciosa</i>			
651.	13949 <i>Eremaea asterocarpa</i>			
652.	13950 <i>Eremaea asterocarpa</i> subsp. <i>asterocarpa</i>			
653.	13952 <i>Eremaea asterocarpa</i> subsp. <i>histoclada</i>			
654.	5537 <i>Eremaea beaufortioides</i>			
655.	14098 <i>Eremaea beaufortioides</i> var. <i>beaufortioides</i>			
656.	14099 <i>Eremaea beaufortioides</i> var. <i>lachnosanthe</i>			
657.	14100 <i>Eremaea beaufortioides</i> var. <i>microphylla</i>			
658.	5538 <i>Eremaea brevifolia</i>			
659.	5540 <i>Eremaea fimbriata</i>			
660.	13951 <i>Eremaea hadra</i>			
661.	5541 <i>Eremaea pauciflora</i>			
662.	14103 <i>Eremaea pauciflora</i> var. <i>calyptra</i>			
663.	13818 <i>Eremaea pauciflora</i> var. <i>lonchophylla</i>			
664.	14104 <i>Eremaea pauciflora</i> var. <i>pauciflora</i>			
665.	5542 <i>Eremaea purpurea</i>			
666.	5543 <i>Eremaea violacea</i> (Violet Eremaea)			
667.	13956 <i>Eremaea x phoenicea</i>			
668.	45215 <i>Ericomyrtus tenuior</i>			
669.	12898 <i>Eucalyptus abdita</i>		P2	
670.	13093 <i>Eucalyptus absita</i> (Badgingarra Box)		T	
671.	16893 <i>Eucalyptus absita x loxophleba</i>		P1	Y
672.	5545 <i>Eucalyptus accedens</i> (Powderbark Wandoo)			
673.	5548 <i>Eucalyptus albida</i> (White-leaved Mallee)			
674.	12896 <i>Eucalyptus arachnaea</i> (Black-stemmed Mallee)			
675.	35345 <i>Eucalyptus camaldulensis</i> subsp. <i>obtusata</i> (Blunt-budded River Red Gum)			
676.	15684 <i>Eucalyptus conveniens</i>			
677.	5628 <i>Eucalyptus drummondii</i> (Drummond's Gum)			
678.	5658 <i>Eucalyptus gittinsii</i> (Northern Sandplain Mallee)			
679.	18292 <i>Eucalyptus gittinsii</i> subsp. <i>illicida</i>			
680.	5675 <i>Eucalyptus incrassata</i> (Lerp Mallee)			
681.	5690 <i>Eucalyptus lane-poolei</i> (Salmon White Gum)			
682.	5702 <i>Eucalyptus loxophleba</i> (York Gum, Dwoda)			
683.	11295 <i>Eucalyptus loxophleba</i> subsp. <i>loxophleba</i> (York Gum)			
684.	13531 <i>Eucalyptus macrocarpa</i> subsp. <i>elachantha</i> (Small-leaved Mottlecah)		P4	
685.	13530 <i>Eucalyptus macrocarpa</i> subsp. <i>macrocarpa</i> (Mottlecah)			
686.	42062 <i>Eucalyptus opimiflora</i>			
687.	18664 <i>Eucalyptus optima</i>			
688.	5741 <i>Eucalyptus pendens</i> (Badgingarra Mallee)		P4	
689.	12866 <i>Eucalyptus pluricaulis</i> subsp. <i>pluricaulis</i>			
690.	5763 <i>Eucalyptus rudis</i> (Flooded Gum, Kulurda)			
691.	13511 <i>Eucalyptus rudis</i> subsp. <i>rudis</i>			
692.	5790 <i>Eucalyptus todtiana</i> (Coastal Blackbutt)			
693.	12905 <i>Eucalyptus wandoo</i> subsp. <i>pulverea</i>			
694.	13090 <i>Eucalyptus x balanites</i> (Cadda Road Mallee)		T	
695.	16944 <i>Eucalyptus x carnabyi</i>		P4	
696.	5817 <i>Hypocalymma angustifolium</i> (White Myrtle, Kudjid)			
697.	35074 <i>Hypocalymma angustifolium</i> subsp. <i>Dandaragan plateau</i> (S. Patrick 702A)			
698.	35070 <i>Hypocalymma angustifolium</i> subsp. <i>Swan Coastal Plain</i> (G.J. Keighery 16777)			
699.	20851 <i>Hypocalymma gardneri</i>		P3	
700.	5820 <i>Hypocalymma linifolium</i>		P1	
701.	14080 <i>Hypocalymma serrulatum</i>		P3	
702.	14493 <i>Hypocalymma</i> sp. <i>Cataby</i> (G.J. Keighery 5151)		P2	
703.	31452 <i>Hypocalymma</i> sp. <i>Dandaragan</i> (C.A. Gardner 9014)		P1	
704.	31431 <i>Hypocalymma</i> sp. <i>Nambung</i> (R. Spjut & R. Smith s.n. 22/09/1992)			

Name ID	Species Name	Naturalised	Conservation Code	¹ Endemic To Query Area
705.	5828 <i>Hypocalymma tetrapterum</i>		P3	
706.	5829 <i>Hypocalymma xanthopetalum</i>			
707.	5835 <i>Kunzea micrantha</i>			
708.	17785 <i>Kunzea micrantha</i> subsp. <i>petiolata</i>			
709.	5847 <i>Leptospermum erubescens</i> (Roadside Teatree)			
710.	5853 <i>Leptospermum oligandrum</i>			
711.	5857 <i>Leptospermum spinescens</i>			
712.	14497 <i>Malleostemon</i> sp. Cooljarloo (B. Backhouse s.n. 16/11/88)		P1	
713.	19082 <i>Melaleuca amydra</i>			
714.	17982 <i>Melaleuca carrii</i>			
715.	5888 <i>Melaleuca ciliosa</i>			
716.	19387 <i>Melaleuca clavifolia</i>			
717.	5893 <i>Melaleuca concreta</i>			
718.	5904 <i>Melaleuca depressa</i>			
719.	19952 <i>Melaleuca dichroma</i>			
720.	5926 <i>Melaleuca lateritia</i> (Robin Redbreast Bush)			
721.	18112 <i>Melaleuca leuropoma</i>			
722.	5949 <i>Melaleuca platycalyx</i>			
723.	5952 <i>Melaleuca preissiana</i> (Moonah)			
724.	5958 <i>Melaleuca radula</i> (Graceful Honey Myrtle)			
725.	5959 <i>Melaleuca raphiophylla</i> (Swamp Paperbark)			
726.	19365 <i>Melaleuca ryeae</i>			
727.	5964 <i>Melaleuca seriata</i>			
728.	19449 <i>Melaleuca stereophloia</i>			
729.	5983 <i>Melaleuca trichophylla</i>			
730.	5986 <i>Melaleuca urceolaris</i>			
731.	5987 <i>Melaleuca viminea</i> (Mohan)			
732.	13280 <i>Melaleuca viminea</i> subsp. <i>viminea</i>			
733.	19611 <i>Melaleuca zonalis</i>			
734.	16477 <i>Pericalymma ellipticum</i> var. <i>ellipticum</i>			
735.	16478 <i>Pericalymma ellipticum</i> var. <i>floridum</i>			
736.	15501 <i>Pericalymma spongiocaulum</i>			
737.	6009 <i>Pileanthus filifolius</i> (Summer Coppercups)			
738.	6012 <i>Regelia ciliata</i>			
739.	6033 <i>Scholtzia involucreta</i> (Spiked Scholtzia)			
740.	6034 <i>Scholtzia laxiflora</i>			
741.	6036 <i>Scholtzia oligandra</i> (Pink Scholtzia)			
742.	6037 <i>Scholtzia parviflora</i>			
743.	30093 <i>Scholtzia</i> sp. Coomberdale (M.E. & M.E. Trudgen MET 1724)			
744.	20382 <i>Scholtzia</i> sp. Wongonderrah (M.E. & M.R. Trudgen MET 12000)			
745.	6039 <i>Scholtzia teretifolia</i>			
746.	6041 <i>Scholtzia umbellifera</i>			
747.	6057 <i>Thryptomene hyporhynchis</i>			
748.	6060 <i>Thryptomene mucronulata</i>			
749.	6064 <i>Thryptomene racemulosa</i>			
750.	12390 <i>Verticordia amphiata</i>		P3	
751.	12396 <i>Verticordia blepharophylla</i>			
752.	12402 <i>Verticordia chrysanthella</i>			
753.	12411 <i>Verticordia densiflora</i> var. <i>cespitosa</i>			
754.	15432 <i>Verticordia densiflora</i> var. <i>densiflora</i>			
755.	6083 <i>Verticordia grandis</i> (Scarlet Featherflower)			
756.	12429 <i>Verticordia huegelii</i> var. <i>decumbens</i>			
757.	15433 <i>Verticordia huegelii</i> var. <i>huegelii</i>			
758.	12431 <i>Verticordia huegelii</i> var. <i>tridens</i>		P3	
759.	12434 <i>Verticordia insignis</i> subsp. <i>eomagnis</i>		P3	
760.	14714 <i>Verticordia lindleyi</i> subsp. <i>lindleyi</i>		P4	
761.	10822 <i>Verticordia nobilis</i>			
762.	6103 <i>Verticordia ovalifolia</i>			
763.	6105 <i>Verticordia patens</i>			
764.	6107 <i>Verticordia pennigera</i>			
765.	6109 <i>Verticordia picta</i> (Painted Featherflower)			
766.	12449 <i>Verticordia plumosa</i> var. <i>brachyphylla</i>			
767.	12456 <i>Verticordia rutilastra</i>		P3	

Neosittidae

768. 25673 *Daphnoenissa chrysoptera* (Varied Sittella)

Nicodamidae

769. *Nicodamus mainae*

Olacaceae

770. 2365 *Olax benthamiana*

Name ID	Species Name	Naturalised	Conservation Code	¹ Endemic To Query Area
771.	2367 <i>Ola scalariformis</i>			
Orchidaceae				
772.	11136 <i>Caladenia denticulata</i>			
773.	44893 <i>Caladenia denticulata</i> subsp. <i>denticulata</i>			
774.	44900 <i>Caladenia denticulata</i> subsp. <i>rubella</i>			
775.	15369 <i>Caladenia lorea</i>			
776.	17589 <i>Caladenia occidentalis</i>			
777.	1609 <i>Caladenia pectinata</i> (King Spider Orchid)			
778.	1611 <i>Caladenia radialis</i> (Drooping Spider Orchid)			
779.	15380 <i>Caladenia splendens</i>			
780.	18019 <i>Caladenia vulgata</i>			
781.	11049 <i>Diuris corymbosa</i>			
782.	12939 <i>Diuris magnifica</i>			
783.	15436 <i>Diuris porrifolia</i>			
784.	43300 <i>Diuris refracta</i>			
785.	42229 <i>Diuris segregata</i>			
786.	42228 <i>Diuris septentrionalis</i>			
787.	44162 <i>Diuris tinkeri</i>			
788.	1643 <i>Elythranthera brunonis</i> (Purple Enamel Orchid)			
789.	10954 <i>Microtis media</i> (Tall Mignonette Orchid)			
790.	12761 <i>Microtis media</i> subsp. <i>densiflora</i>			
791.	15419 <i>Microtis media</i> subsp. <i>media</i>			
792.	1669 <i>Prasophyllum cyphochilum</i> (Pouched Leek Orchid)			
793.	1671 <i>Prasophyllum elatum</i> (Tall Leek Orchid)			
794.	1672 <i>Prasophyllum fimbria</i> (Fringed Leek Orchid)			
795.	1680 <i>Prasophyllum parvifolium</i> (Autumn Leek Orchid)			
796.	10853 <i>Prasophyllum plumiforme</i>			
797.	1687 <i>Pterostylis dilatata</i>			
798.	44723 <i>Pterostylis glebosa</i>			
799.	12217 <i>Pterostylis sanguinea</i>			
800.	18653 <i>Pterostylis</i> sp. broad petals (S.D. Hopper 4429)			
801.	1701 <i>Thelymitra antennifera</i> (Vanilla Orchid)			
802.	11032 <i>Thelymitra apiculata</i>		P4	
803.	1702 <i>Thelymitra campanulata</i> (Shirt Orchid)			
804.	1707 <i>Thelymitra flexuosa</i> (Twisted Sun Orchid)			
805.	1718 <i>Thelymitra villosa</i> (Custard Orchid)			
Orobanchaceae				
806.	7090 <i>Parentucellia viscosa</i> (Sticky Bartsia)	Y		
Otididae				
807.	24610 <i>Ardeotis australis</i> (Australian Bustard)			
Oxalidaceae				
808.	4352 <i>Oxalis glabra</i>	Y		
Pachycephalidae				
809.	25675 <i>Colluricincla harmonica</i> (Grey Shrike-thrush)			
810.	24618 <i>Oreoica gutturalis</i> (Crested Bellbird)			
811.	25680 <i>Pachycephala rufiventris</i> (Rufous Whistler)			
Paradoxosomatidae				
812.	<i>Antichiropus sulcatus</i>			
813.	<i>Antichiropus whistleri</i>			
Pararchaeidae				
814.	<i>Ozarchaea westraliensis</i>			
Pardalotidae				
815.	25682 <i>Pardalotus striatus</i> (Striated Pardalote)			
Parmeliaceae				
816.	43942 <i>Austroparmelina pruinata</i>			
Petroicidae				
817.	24659 <i>Petroica goodenovii</i> (Red-capped Robin)			
Phalacrocoracidae				
818.	25697 <i>Phalacrocorax carbo</i> (Great Cormorant)			
819.	24667 <i>Phalacrocorax sulcirostris</i> (Little Black Cormorant)			
Philydraceae				
820.	1173 <i>Philydrella pygmaea</i> (Butterfly Flowers)			
Phyllanthaceae				
821.	4691 <i>Poranthera microphylla</i> (Small Poranthera)			

Name ID	Species Name	Naturalised	Conservation Code	¹ Endemic To Query Area
Physaraceae				
822.	39038 <i>Leocarpus fragilis</i>			
Physciaceae				
823.	27598 <i>Buellia dissa</i>			
Pittosporaceae				
824.	25779 <i>Billardiera venusta</i>			
825.	19421 <i>Marianthus bicolor</i> (Painted Marianthus)			
826.	17633 <i>Marianthus erubescens</i>			
Plantaginaceae				
827.	7297 <i>Plantago coronopus</i> (Buckshorn Plantain)	Y		
Poaceae				
828.	200 <i>Amphipogon turbinatus</i>			
829.	17234 <i>Austrostipa compressa</i>			
830.	17244 <i>Austrostipa macalpinei</i>			
831.	376 <i>Eragrostis curvula</i> (African Lovegrass)	Y		
832.	438 <i>Hainardia cylindrica</i> (Common Barbggrass)	Y		
833.	492 <i>Neurachne alopecuroides</i> (Foxtail Mulga Grass)			
834.	17882 <i>Triodia danthonioides</i>			
Podargidae				
835.	25703 <i>Podargus strigoides</i> (Tawny Frogmouth)			
Podicipedidae				
836.	24681 <i>Poliiocephalus poliocephalus</i> (Hoary-headed Grebe)			
837.	25705 <i>Tachybaptus novaehollandiae</i> (Australasian Grebe, Black-throated Grebe)			
Polygalaceae				
838.	4549 <i>Comesperma acerosum</i>			
839.	4550 <i>Comesperma calymega</i> (Blue-spike Milkwort)			
840.	4551 <i>Comesperma ciliatum</i>			
841.	4552 <i>Comesperma confertum</i>			
842.	4560 <i>Comesperma rhadinocarpum</i> (Slender-fruited Comesperma)		P2	
843.	4561 <i>Comesperma scoparium</i> (Broom Milkwort)			
844.	4566 <i>Comesperma volubile</i> (Love Creeper)			
Polygonaceae				
845.	2412 <i>Muehlenbeckia adpressa</i> (Climbing Lignum)			
846.	2419 <i>Polygonum aviculare</i> (Wireweed)	Y		
Portulacaceae				
847.	2848 <i>Calandrinia corrigioloides</i> (Strap Purslane)			
848.	16365 <i>Calandrinia</i> sp. Kenwick (G.J. Keighery 10905)			
Pottiaceae				
849.	32315 <i>Barbula calycina</i>			
Primulaceae				
850.	6483 <i>Samolus junceus</i>			
Proteaceae				
851.	1775 <i>Adenanthos cygnorum</i> (Common Woollybush)			
852.	11837 <i>Adenanthos cygnorum</i> subsp. <i>cygnorum</i> (Common Woollybush)			
853.	1779 <i>Adenanthos drummondii</i>			
854.	32682 <i>Banksia armata</i> var. <i>armata</i>			
855.	1800 <i>Banksia attenuata</i> (Slender Banksia, Piara)			
856.	32679 <i>Banksia bipinnatifida</i> subsp. <i>multifida</i>			
857.	1809 <i>Banksia candolleana</i> (Propeller Banksia)			
858.	32623 <i>Banksia carlinoides</i> (Pink Dryandra)			
859.	1810 <i>Banksia chamaephyton</i> (Fishbone Banksia)		P4	
860.	32576 <i>Banksia dallanneyi</i> (Couch Honeyypot)			
861.	32578 <i>Banksia dallanneyi</i> subsp. <i>media</i>			
862.	32580 <i>Banksia dallanneyi</i> var. <i>dallanneyi</i>			
863.	32577 <i>Banksia dallanneyi</i> var. <i>mellicula</i>			
864.	32523 <i>Banksia fraseri</i> var. <i>fraseri</i>			
865.	32519 <i>Banksia glaucifolia</i>			
866.	1820 <i>Banksia grossa</i>			
867.	1823 <i>Banksia incana</i>			
868.	33398 <i>Banksia incana</i> var. <i>brachyphylla</i>			
869.	33399 <i>Banksia incana</i> var. <i>incana</i>			
870.	32215 <i>Banksia kippistiana</i> var. <i>kippistiana</i>			
871.	32216 <i>Banksia kippistiana</i> var. <i>paenepeccata</i>		P3	
872.	1826 <i>Banksia laricina</i> (Rose Banksia)			

	Name ID	Species Name	Naturalised	Conservation Code	¹ Endemic To Query Area
873.	1828	<i>Banksia leptophylla</i>			
874.	11714	<i>Banksia leptophylla</i> var. <i>leptophylla</i>			
875.	1830	<i>Banksia littoralis</i> (Swamp Banksia, Pungura)			
876.	1835	<i>Banksia micrantha</i>			
877.	32206	<i>Banksia nana</i> (Dwarf Dryandra)			
878.	32203	<i>Banksia nivea</i> subsp. <i>nivea</i>			
879.	32201	<i>Banksia nobilis</i> subsp. <i>fragrans</i>		P3	
880.	32163	<i>Banksia platycarpa</i>			
881.	32159	<i>Banksia polycephala</i> (Many-headed Dryandra)			
882.	1842	<i>Banksia prionotes</i> (Acorn Banksia)			
883.	32086	<i>Banksia sclerophylla</i>			
884.	32083	<i>Banksia serratuloides</i> subsp. <i>perissa</i>		T	
885.	32077	<i>Banksia sessilis</i> var. <i>cygnorum</i>			
886.	32074	<i>Banksia shuttleworthiana</i> (Bearded Dryandra)			
887.	33401	<i>Banksia sphaerocarpa</i> var. <i>pumilio</i>			
888.	12111	<i>Banksia sphaerocarpa</i> var. <i>sphaerocarpa</i> (Fox Banksia)			
889.	32073	<i>Banksia splendida</i> subsp. <i>macrocarpa</i>		P3	
890.	32043	<i>Banksia stenoprion</i>			
891.	32042	<i>Banksia strictifolia</i>			
892.	32037	<i>Banksia subulata</i> (Awled Honey-pot)		P3	
893.	1852	<i>Banksia telmatiaea</i> (Swamp Fox Banksia)			
894.	32033	<i>Banksia tortifolia</i>			
895.	32032	<i>Banksia tridentata</i> (Yellow Honey-pot)			
896.	32031	<i>Banksia vestita</i> (Summer Dryandra)			
897.	1857	<i>Conospermum acerosum</i> (Needle-leaved Smokebush)			
898.	15607	<i>Conospermum acerosum</i> subsp. <i>acerosum</i>			
899.	1859	<i>Conospermum brachyphyllum</i>			
900.	15041	<i>Conospermum canaliculatum</i>			
901.	15517	<i>Conospermum canaliculatum</i> subsp. <i>apiculatum</i>			
902.	1864	<i>Conospermum crassinervium</i> (Summer Smokebush)			
903.	1876	<i>Conospermum incurvum</i> (Plume Smokebush)			
904.	1878	<i>Conospermum nervosum</i>			
905.	1880	<i>Conospermum polycephalum</i>			
906.	1881	<i>Conospermum scaposum</i>		P3	
907.	1882	<i>Conospermum stoechadis</i> (Common Smokebush)			
908.	15611	<i>Conospermum stoechadis</i> subsp. <i>stoechadis</i> (Common Smokebush)			
909.	1948	<i>Grevillea acrobotrya</i>			
910.	15763	<i>Grevillea biformis</i> subsp. <i>biformis</i>			
911.	12221	<i>Grevillea calliantha</i>		T	
912.	2030	<i>Grevillea leptopoda</i>		P3	
913.	2066	<i>Grevillea pilulifera</i> (Woolly-flowered Grevillea)			
914.	15839	<i>Grevillea preissii</i> subsp. <i>preissii</i>			
915.	2086	<i>Grevillea rudis</i>		P4	
916.	2087	<i>Grevillea saccata</i> (Pouched Grevillea)		P4	
917.	17745	<i>Grevillea shuttleworthiana</i> subsp. <i>canarina</i>			
918.	19569	<i>Grevillea synapheae</i> subsp. <i>A Flora of Australia (S.D. Hopper 6333)</i>		P1	
919.	17450	<i>Grevillea synapheae</i> subsp. <i>minyulo</i>		P1	
920.	14420	<i>Grevillea synapheae</i> subsp. <i>pachyphylla</i>			
921.	14421	<i>Grevillea synapheae</i> subsp. <i>synapheae</i>			
922.	37180	<i>Grevillea thelemanniana</i> subsp. <i>Cooljarloo (B.J. Keighery 28 B)</i>		P1	
923.	14422	<i>Grevillea thyrsoides</i> subsp. <i>pustulata</i>		P3	
924.	14423	<i>Grevillea thyrsoides</i> subsp. <i>thyrsoides</i>		P3	
925.	2115	<i>Grevillea umbellulata</i>			
926.	2116	<i>Grevillea uncinulata</i> (Hook-leaf Grevillea)			
927.	19231	<i>Grevillea uncinulata</i> subsp. <i>Coomallo (S.J. Patrick 719)</i>			
928.	13900	<i>Grevillea uniformis</i>		P3	
929.	12824	<i>Grevillea vestita</i> subsp. <i>vestita</i>			
930.	17670	<i>Hakea anadenia</i>			
931.	2131	<i>Hakea auriculata</i>			
932.	12225	<i>Hakea brownii</i>			
933.	2143	<i>Hakea conchifolia</i> (Shell-leaved Hakea)			
934.	2146	<i>Hakea costata</i> (Ribbed Hakea)			
935.	2158	<i>Hakea erinacea</i> (Hedge-hog Hakea)			
936.	2161	<i>Hakea flabellifolia</i> (Fan-leaved Hakea)			
937.	2164	<i>Hakea gilbertii</i>			
938.	2166	<i>Hakea incrassata</i> (Marble Hakea)			
939.	2175	<i>Hakea lissocarpha</i> (Honey Bush)			
940.	12230	<i>Hakea longiflora</i>		P3	
941.	2180	<i>Hakea megalosperma</i> (Lesueur Hakea)		T	
942.	2185	<i>Hakea myrtoides</i> (Myrtle Hakea)			

Name ID	Species Name	Naturalised	Conservation Code	¹ Endemic To Query Area
943.	2186 <i>Hakea neurophylla</i>		P4	
944.	13336 <i>Hakea obliqua</i> subsp. <i>parviflora</i>			
945.	17726 <i>Hakea polyantha</i>			
946.	2197 <i>Hakea prostrata</i> (Harsh Hakea)			
947.	12233 <i>Hakea psilorrhyncha</i>			
948.	2205 <i>Hakea smilacifolia</i>			
949.	12234 <i>Hakea spathulata</i>			
950.	2214 <i>Hakea trifurcata</i> (Two-leaf Hakea)			
951.	2216 <i>Hakea varia</i> (Variable-leaved Hakea)			
952.	2219 <i>Isopogon adenanthoides</i> (Spider Coneflower)			
953.	2221 <i>Isopogon asper</i>			
954.	2227 <i>Isopogon divergens</i> (Spreading Coneflower)			
955.	2228 <i>Isopogon drummondii</i>		P3	
956.	2229 <i>Isopogon dubius</i> (Pincushion Coneflower)			
957.	16873 <i>Isopogon inconspicuus</i>			
958.	2232 <i>Isopogon linearis</i>			
959.	37900 <i>Isopogon panduratus</i> subsp. <i>palustris</i>		P3	
960.	37881 <i>Isopogon panduratus</i> subsp. <i>panduratus</i>			
961.	14439 <i>Isopogon teretifolius</i> subsp. <i>teretifolius</i> (Nodding Coneflower)			
962.	15528 <i>Lambertia multiflora</i> var. <i>multiflora</i>			
963.	2258 <i>Persoonia comata</i>			
964.	14563 <i>Persoonia filiformis</i>		P2	
965.	2271 <i>Persoonia rudis</i>		P3	
966.	2272 <i>Persoonia rufiflora</i>			
967.	2281 <i>Persoonia trinervis</i>			
968.	14368 <i>Petrophile aculeata</i>			
969.	20368 <i>Petrophile axillaris</i>			
970.	2286 <i>Petrophile brevifolia</i>			
971.	2288 <i>Petrophile chrysantha</i>			
972.	19763 <i>Petrophile clavata</i>		P2	
973.	2299 <i>Petrophile linearis</i> (Pixie Mops)			
974.	2301 <i>Petrophile macrostachya</i>			
975.	2303 <i>Petrophile megalostegia</i>			
976.	29208 <i>Petrophile pilostyla</i> subsp. <i>austrina</i>			
977.	16874 <i>Petrophile recurva</i>			
978.	2306 <i>Petrophile rigida</i>			
979.	10784 <i>Petrophile scabriuscula</i>			
980.	2308 <i>Petrophile seminuda</i>			
981.	2309 <i>Petrophile serruriae</i>			
982.	2310 <i>Petrophile shuttleworthiana</i>			
983.	2312 <i>Petrophile striata</i>			
984.	12856 <i>Stirlingia abrotanoides</i>			
985.	2316 <i>Stirlingia latifolia</i> (Blueboy)			
986.	2317 <i>Stirlingia simplex</i>			
987.	2319 <i>Strangea cynanchicarpa</i> (Heath Strangea)			
988.	16882 <i>Synaphea aephynsa</i>			
989.	16858 <i>Synaphea endotherix</i>		P2	
990.	2329 <i>Synaphea spinulosa</i>			
991.	15532 <i>Synaphea spinulosa</i> subsp. <i>spinulosa</i>			

Psittacidae

992.	25714 <i>Cacatua pastinator</i> (Western Long-billed Corella)			
993.	25716 <i>Cacatua sanguinea</i> (Little Corella)			
994.	24727 <i>Cacatua sanguinea</i> subsp. <i>westralensis</i> (Little Corella)			
995.	24729 <i>Cacatua tenuirostris</i> (Eastern Long-billed Corella)	Y		
996.	24734 <i>Calyptrorhynchus latirostris</i> (Carnaby's Cockatoo (short-billed black-cockatoo), Carnaby's Cockatoo)		T	
997.	24736 <i>Melopsittacus undulatus</i> (Budgerigar)			
998.	25721 <i>Platycercus zonarius</i> (Australian Ringneck, Ring-necked Parrot)			
999.	24751 <i>Platycercus zonarius</i> subsp. <i>zonarius</i> (Port Lincoln Parrot)			
1000.	25722 <i>Polytelis anthopeplus</i> (Regent Parrot)			

Pteridaceae

1001.	31 <i>Cheilanthes austrotenuifolia</i>			
-------	--	--	--	--

Pygopodidae

1002.	24991 <i>Aprasia repens</i> (Sand-plain Worm-lizard)			
1003.	<i>Aprasia</i> sp.			
1004.	24995 <i>Delma australis</i>			
1005.	30906 <i>Delma concinna</i> (Javelin Legless Lizard)			
1006.	30905 <i>Delma concinna</i> subsp. <i>concinna</i> (Javelin Legless Lizard)			
1007.	25766 <i>Delma fraseri</i> (Fraser's Legless Lizard)			

	Name ID	Species Name	Naturalised	Conservation Code	¹ Endemic To Query Area
1008.	24999	<i>Delma grayii</i>			
1009.	25005	<i>Lialis burtonis</i>			
1010.	25509	<i>Pletholax gracilis</i> (Keeled Legless Lizard)			
1011.	25007	<i>Pletholax gracilis</i> subsp. <i>gracilis</i> (Keeled Legless Lizard)			
1012.	25008	<i>Pygopus lepidopodus</i> (Common Scaly Foot)			
Pythiaceae					
1013.		<i>Phytophthora cinnamomi</i>			
Rallidae					
1014.	25727	<i>Fulica atra</i> (Eurasian Coot)			
Ramalinaceae					
1015.	28224	<i>Ramalina inflata</i> subsp. <i>australis</i>			
Restionaceae					
1016.	1056	<i>Alexgeorgea nitens</i>			
1017.	1057	<i>Alexgeorgea subterranea</i>			
1018.	17812	<i>Catacolea enodis</i>		P2	
1019.	17685	<i>Chaetanthus aristatus</i>			
1020.	17687	<i>Chaetanthus tenellus</i>			
1021.	17827	<i>Chordifex chaunocoleus</i>		P4	
1022.	17833	<i>Chordifex microcodon</i>			
1023.	19243	<i>Chordifex reseminans</i>		P2	
1024.	17706	<i>Chordifex sinuosus</i>			
1025.	17663	<i>Desmocladus asper</i>			
1026.	16593	<i>Desmocladus biformis</i>		P3	
1027.	15831	<i>Desmocladus castaneus</i>			
1028.	15828	<i>Desmocladus elongatus</i>		P4	
1029.	17691	<i>Desmocladus fasciculatus</i>			
1030.	17662	<i>Desmocladus lateriticus</i>			
1031.	17846	<i>Desmocladus parthenicus</i>			
1032.	16455	<i>Desmocladus virgatus</i>			
1033.	17838	<i>Dielsia stenostachya</i>			
1034.	1070	<i>Hypolaena exsulca</i>			
1035.	17841	<i>Hypolaena pubescens</i>			
1036.	17622	<i>Hypolaena robusta</i>		P4	
1037.	1075	<i>Lepidobolus preissianus</i>			
1038.	18074	<i>Lepidobolus preissianus</i> subsp. <i>preissianus</i>			
1039.	13775	<i>Lepidobolus quadratus</i>		P3	
1040.	19241	<i>Lepyrodia curvescens</i>		P2	
1041.	17683	<i>Meeboldina cana</i>			
1042.	16470	<i>Onychosepalum microcarpum</i>		P2	
1043.	19770	<i>Onychosepalum nodatum</i>		P3	
Rhamnaceae					
1044.	31571	<i>Cryptandra intermedia</i>			
1045.	9076	<i>Cryptandra myriantha</i>			
1046.	4809	<i>Cryptandra pungens</i>			
1047.	4811	<i>Cryptandra spyridioides</i>			
1048.	31598	<i>Cryptandra stellulata</i>		P3	
1049.	29919	<i>Polianthion wichurae</i>			
1050.	13475	<i>Stenanthemum humile</i>			
1051.	15065	<i>Stenanthemum notiale</i> subsp. <i>notiale</i>			
1052.	14240	<i>Stenanthemum reissekii</i>			
1053.	19704	<i>Stenanthemum sublineare</i>		P2	
1054.	33418	<i>Trymalium odoratissimum</i> subsp. <i>odoratissimum</i>			
Rubiaceae					
1055.	18255	<i>Opercularia vaginata</i> (Dog Weed)			
Rutaceae					
1056.	11381	<i>Boronia ramosa</i> subsp. <i>anethifolia</i>			
1057.	4440	<i>Boronia scabra</i> (Rough Boronia)			
1058.	16639	<i>Boronia scabra</i> subsp. <i>scabra</i>			
1059.	4444	<i>Boronia tenuis</i> (Blue Boronia)		P4	
1060.	4453	<i>Diplolaena angustifolia</i> (Yanchep Rose)			
1061.	15272	<i>Diplolaena cinerea</i>			
1062.	4455	<i>Diplolaena ferruginea</i>			
1063.	4483	<i>Geleznovia verrucosa</i>			
1064.	18529	<i>Philotheca spicata</i> (Pepper and Salt)			
Santalaceae					
1065.	2344	<i>Leptomeria empetriiformis</i>			

Name ID	Species Name	Naturalised	Conservation Code	¹ Endemic To Query Area
1066.	2360 <i>Spirogardnera rubescens</i> (Spiral Bush)		T	
Sapindaceae				
1067.	4746 <i>Diplopeltis huegelii</i>			
1068.	18589 <i>Diplopeltis huegelii</i> subsp. <i>lehmannii</i>			
1069.	18542 <i>Diplopeltis huegelii</i> subsp. <i>subintegra</i>			
Scincidae				
1070.	30893 <i>Cryptoblepharus buechananii</i>			
1071.	25020 <i>Cryptoblepharus plagiocephalus</i>			
1072.	25027 <i>Ctenotus australis</i>			
1073.	25031 <i>Ctenotus catenifer</i>			
1074.	25039 <i>Ctenotus fallens</i>			
1075.	25040 <i>Ctenotus gemmula</i> (Jewelled South-west Ctenotus (Swan Coastal Plain pop P3), skink)			
1076.	25047 <i>Ctenotus impar</i>			
1077.	25463 <i>Ctenotus pantherinus</i> (Leopard Ctenotus)			
1078.	25065 <i>Ctenotus pantherinus</i> subsp. <i>pantherinus</i> (Leopard Ctenotus)			
1079.	25100 <i>Egernia napoleonis</i>			
1080.	25128 <i>Lerista christinae</i>			
1081.	25133 <i>Lerista elegans</i>			
1082.	25160 <i>Lerista planiventralis</i> subsp. <i>decora</i>			
1083.	25165 <i>Lerista praepedita</i>			
1084.	41413 <i>Liopholis multiscutata</i> (Bull Skink)			
1085.	25184 <i>Menetia greyii</i>			
1086.	25191 <i>Morethia lineocellata</i>			
1087.	25192 <i>Morethia obscura</i>			
1088.	25203 <i>Tiliqua occipitalis</i> (Western Bluetongue)			
1089.	25207 <i>Tiliqua rugosa</i> subsp. <i>rugosa</i>			
Scolopendridae				
1090.	<i>Ethmostigmus rubripes</i>			
Scrophulariaceae				
1091.	7055 <i>Dischisma capitatum</i> (Woolly-headed Dischisma)	Y		
1092.	7215 <i>Eremophila glabra</i> (Tar Bush)			
1093.	14193 <i>Eremophila glabra</i> subsp. <i>carcosa</i>			
1094.	29062 <i>Eremophila glabra</i> subsp. <i>green flowers</i> (E.A. Griffin 5347)			
1095.	7113 <i>Zaluzianskya divaricata</i> (Spreading Night Phlox)	Y		
Selaginellaceae				
1096.	6 <i>Selaginella gracillima</i> (Tiny Clubmoss)			
Strigidae				
1097.	25748 <i>Ninox novaeseelandiae</i> (Boobook Owl)			
1098.	24820 <i>Ninox novaeseelandiae</i> subsp. <i>boobook</i> (Boobook Owl)			
Stylidiaceae				
1099.	7672 <i>Levenhookia octomaculata</i> (Eight-spotted Stylewort)			
1100.	7673 <i>Levenhookia pauciflora</i> (Deceptive Stylewort)			
1101.	7676 <i>Levenhookia pusilla</i> (Midget Stylewort)			
1102.	7677 <i>Levenhookia stipitata</i> (Common Stylewort)			
1103.	18564 <i>Stylidium aceratum</i>		P2	
1104.	7679 <i>Stylidium adpressum</i> (Trigger-on-stilts)			
1105.	7680 <i>Stylidium aeonioides</i>		P4	
1106.	12846 <i>Stylidium albolilacinum</i>			
1107.	25831 <i>Stylidium araeophyllum</i>			
1108.	30276 <i>Stylidium bicolor</i>			
1109.	17187 <i>Stylidium burbridgeanum</i>			
1110.	7709 <i>Stylidium crossoccephalum</i> (Posy Triggerplant)			
1111.	7710 <i>Stylidium cygnorum</i>			
1112.	7713 <i>Stylidium dichotomum</i> (Pins-and-needles)			
1113.	11808 <i>Stylidium diuroides</i> subsp. <i>diuroides</i>			
1114.	7717 <i>Stylidium divaricatum</i> (Daddy-long-legs)			
1115.	7719 <i>Stylidium ecome</i> (Foot Triggerplant)			
1116.	7721 <i>Stylidium emarginatum</i> (Biddy-four-legs)			
1117.	18420 <i>Stylidium flagellum</i>			
1118.	20701 <i>Stylidium hymenocraspedum</i>		P3	
1119.	7742 <i>Stylidium inundatum</i> (Hundreds and Thousands)			
1120.	7743 <i>Stylidium inversiflorum</i>		P4	
1121.	17412 <i>Stylidium kalbarriense</i>			
1122.	7749 <i>Stylidium leptophyllum</i> (Needle-leaved Triggerplant)			
1123.	7760 <i>Stylidium maitlandianum</i> (Fountain Triggerplant)			
1124.	7762 <i>Stylidium miniatum</i> (Pink Butterfly Triggerplant)			

	Name ID	Species Name	Naturalised	Conservation Code	¹ Endemic To Query Area
1125.	7768	<i>Stylidium obtusatum</i> (Pinafore Triggerplant)			
1126.	7774	<i>Stylidium piliferum</i> (Common Butterfly Triggerplant)			
1127.	25837	<i>Stylidium purpureum</i>			
1128.	7783	<i>Stylidium pycnostachyum</i> (Downy Triggerplant)			
1129.	7785	<i>Stylidium repens</i> (Matted Triggerplant)			
1130.	20521	<i>Stylidium rigidulum</i>			
1131.	25806	<i>Stylidium scariosum</i>			
1132.	19247	<i>Stylidium septentrionale</i>			
1133.	25836	<i>Stylidium spiciforme</i>			
1134.	20608	<i>Stylidium stenosepalum</i>			
1135.	19316	<i>Stylidium tinkeri</i>		P1	
1136.	17414	<i>Stylidium torticarum</i>		P3	
1137.	17578	<i>Stylidium udusicola</i>			

Sylviidae

1138.	25755	<i>Acrocephalus australis</i> (Australian Reed Warbler)			
1139.	24833	<i>Cincloramphus cruralis</i> (Brown Songlark)			
1140.	24834	<i>Cincloramphus mathewsi</i> (Rufous Songlark)			

Tachyglossidae

1141.	24207	<i>Tachyglossus aculeatus</i> (Short-beaked Echidna)			
-------	-------	--	--	--	--

Tarsipedidae

1142.	24167	<i>Tarsipes rostratus</i> (Honey Possum, Noolbenger)			
-------	-------	--	--	--	--

Tetragnathidae

1143.		<i>Pinkfloydia harveii</i>			
-------	--	----------------------------	--	--	--

Threskiornithidae

1144.	24841	<i>Platalea flavipes</i> (Yellow-billed Spoonbill)			
1145.	24843	<i>Plegadis falcinellus</i> (Glossy Ibis)		IA	
1146.	24844	<i>Threskiornis molucca</i> (Australian White Ibis)			
1147.	24845	<i>Threskiornis spinicollis</i> (Straw-necked Ibis)			

Thymelaeaceae

1148.	5231	<i>Pimelea angustifolia</i> (Narrow-leaved Pimelea)			
1149.	5232	<i>Pimelea argentea</i> (Silvery Leaved Pimelea)			
1150.	5244	<i>Pimelea floribunda</i>			
1151.	11402	<i>Pimelea imbricata</i> var. <i>piligera</i>			
1152.	12041	<i>Pimelea suaveolens</i> subsp. <i>suaveolens</i>			
1153.	5268	<i>Pimelea sulphurea</i> (Yellow Banjine)			

Varanidae

1154.	25218	<i>Varanus gouldii</i> (Bungarra or Sand Monitor)			
-------	-------	---	--	--	--

Vespertilionidae

1155.	24194	<i>Nyctophilus geoffroyi</i> (Lesser Long-eared Bat)			
-------	-------	--	--	--	--

Violaceae

1156.	5216	<i>Hybanthus calycinus</i> (Wild Violet)			
1157.	15553	<i>Hybanthus floribundus</i> subsp. <i>Hill River</i> (E.M. Bennett 2252)			
1158.	12007	<i>Hybanthus floribundus</i> subsp. <i>floribundus</i>			

Zamiaceae

1159.	18119	<i>Macrozamia fraseri</i>			
-------	-------	---------------------------	--	--	--

Zosteropidae

1160.	25765	<i>Zosterops lateralis</i> (Grey-breasted White-eye, Silvereye)			
-------	-------	---	--	--	--

Conservation Codes

T - Rare or likely to become extinct
X - Presumed extinct
IA - Protected under international agreement
S - Other specially protected fauna
1 - Priority 1
2 - Priority 2
3 - Priority 3
4 - Priority 4
5 - Priority 5

¹ For NatureMap's purposes, species flagged as endemic are those whose records are wholly contained within the search area. Note that only those records complying with the search criterion are included in the calculation. For example, if you limit records to those from a specific datasource, only records from that datasource are used to determine if a species is restricted to the query area.



EPBC Act Protected Matters Report

This report provides general guidance on matters of national environmental significance and other matters protected by the EPBC Act in the area you have selected.

Information on the coverage of this report and qualifications on data supporting this report are contained in the caveat at the end of the report.

Information is available about [Environment Assessments](#) and the EPBC Act including significance guidelines, forms and application process details.

Report created: 15/09/15 18:19:33

[Summary](#)

[Details](#)


[Matters of NES](#)

[Other Matters Protected by the EPBC Act](#)

[Extra Information](#)

[Caveat](#)

[Acknowledgements](#)



This map may contain data which are
©Commonwealth of Australia
(Geoscience Australia), ©PSMA 2010

[Coordinates](#)

[Buffer: 20.0Km](#)



Summary

Matters of National Environmental Significance

This part of the report summarises the matters of national environmental significance that may occur in, or may relate to, the area you nominated. Further information is available in the detail part of the report, which can be accessed by scrolling or following the links below. If you are proposing to undertake an activity that may have a significant impact on one or more matters of national environmental significance then you should consider the [Administrative Guidelines on Significance](#).

World Heritage Properties:	None
National Heritage Places:	None
Wetlands of International Importance:	None
Great Barrier Reef Marine Park:	None
Commonwealth Marine Area:	None
Listed Threatened Ecological Communities:	None
Listed Threatened Species:	38
Listed Migratory Species:	5

Other Matters Protected by the EPBC Act

This part of the report summarises other matters protected under the Act that may relate to the area you nominated. Approval may be required for a proposed activity that significantly affects the environment on Commonwealth land, when the action is outside the Commonwealth land, or the environment anywhere when the action is taken on Commonwealth land. Approval may also be required for the Commonwealth or Commonwealth agencies proposing to take an action that is likely to have a significant impact on the environment anywhere.

The EPBC Act protects the environment on Commonwealth land, the environment from the actions taken on Commonwealth land, and the environment from actions taken by Commonwealth agencies. As heritage values of a place are part of the 'environment', these aspects of the EPBC Act protect the Commonwealth Heritage values of a Commonwealth Heritage place. Information on the new heritage laws can be found at <http://www.environment.gov.au/heritage>

A [permit](#) may be required for activities in or on a Commonwealth area that may affect a member of a listed threatened species or ecological community, a member of a listed migratory species, whales and other cetaceans, or a member of a listed marine species.

Commonwealth Land:	1
Commonwealth Heritage Places:	1
Listed Marine Species:	8
Whales and Other Cetaceans:	None
Critical Habitats:	None
Commonwealth Reserves Terrestrial:	None
Commonwealth Reserves Marine:	None

Extra Information

This part of the report provides information that may also be relevant to the area you have nominated.

State and Territory Reserves:	6
Regional Forest Agreements:	None
Invasive Species:	22
Nationally Important Wetlands:	1
Key Ecological Features (Marine)	None

Details

Matters of National Environmental Significance

Listed Threatened Species		[Resource Information]
Name	Status	Type of Presence
Birds		
Calyptorhynchus latirostris Carnaby's Black-Cockatoo, Short-billed Black-Cockatoo [59523]	Endangered	Breeding likely to occur within area
Leipoa ocellata Malleefowl [934]	Vulnerable	Species or species habitat likely to occur within area
Rostratula australis Australian Painted Snipe [77037]	Endangered	Species or species habitat may occur within area
Mammals		
Dasyurus geoffroii Chuditch, Western Quoll [330]	Vulnerable	Species or species habitat likely to occur within area
Plants		
Acacia cochlocarpa subsp. cochlocarpa Spiral-fruited Wattle [23877]	Endangered	Species or species habitat may occur within area
Acacia forrestiana Forest's Wattle [17235]	Vulnerable	Species or species habitat likely to occur within area
Acacia splendens Splendid Wattle, Dandaragan Wattle [81510]	Endangered	Species or species habitat likely to occur within area
Andersonia gracilis Slender Andersonia [14470]	Endangered	Species or species habitat known to occur within area
Anigozanthos viridis subsp. terraspectans Dwarf Green Kangaroo Paw [3435]	Vulnerable	Species or species habitat known to occur within area
Banksia serratuloides subsp. perissa Northern Serrate Dryandra [82767]	Critically Endangered	Species or species habitat may occur within area
Caladenia huegelii King Spider-orchid, Grand Spider-orchid, Rusty Spider-orchid [7309]	Endangered	Species or species habitat may occur within area
Centrolepis caespitosa [6393]	Endangered	Species or species habitat may occur within area

Name	Status	Type of Presence
Chamelaucium sp. Gingin (N.G.Marchant 6) Gingin Wax [64649]	Endangered	Species or species habitat may occur within area
Conospermum densiflorum subsp. unicephalum One-headed Smokebush [64871]	Endangered	Species or species habitat likely to occur within area
Darwinia foetida Muchea Bell [83190]	Critically Endangered	Species or species habitat likely to occur within area
Drakaea elastica Glossy-leafed Hammer-orchid, Praying Virgin [16753]	Endangered	Species or species habitat may occur within area
Eleocharis keigheryi Keighery's Eleocharis [64893]	Vulnerable	Species or species habitat likely to occur within area
Epiblema grandiflorum var. cyaneum Baby Blue Orchid, Blue Babe-in-the-cradle Orchid, Blue Babe-in-a-cradle [67182]	Endangered	Species or species habitat may occur within area
Eremophila scaberula Rough Emu Bush [16729]	Endangered	Species or species habitat may occur within area
Eucalyptus absita Badgingarra Box [24260]	Endangered	Species or species habitat known to occur within area
Eucalyptus balanites Cadda Road Mallee, Cadda Mallee [24264]	Endangered	Species or species habitat known to occur within area
Eucalyptus crispata Yandanooka Mallee [24268]	Vulnerable	Species or species habitat may occur within area
Eucalyptus dolorosa Dandaragan Mallee, Mount Misery Mallee [56709]	Endangered	Species or species habitat likely to occur within area
Eucalyptus impensa Eneabba Mallee [56711]	Endangered	Species or species habitat likely to occur within area
Eucalyptus leprophloia Scaly Butt Mallee, Scaly-butt Mallee [56712]	Endangered	Species or species habitat likely to occur within area
Eucalyptus suberea Cork Mallee, Mount Lesueur Mallee [5529]	Vulnerable	Species or species habitat may occur within area
Grevillea batrachioides Mt Lesueur Grevillea [21735]	Endangered	Species or species habitat likely to occur within area
Grevillea calliantha Foote's Grevillea, Cataby Grevillea, Black Magic Grevillea [56339]	Endangered	Species or species habitat likely to occur within area
Hakea megalosperma Lesueur Hakea [10505]	Vulnerable	Species or species habitat likely to occur within area
Hemiandra gardneri Red Snakebush [7945]	Endangered	Species or species habitat likely to occur within area

Name	Status	Type of Presence
Leucopogon obtectus Hidden Beard-heath [19614]	Endangered	Species or species habitat may occur within area
Macarthuria keigheryi Keighery's Macarthuria [64930]	Endangered	Species or species habitat likely to occur within area
Paracaleana dixonii Sandplain Duck Orchid [86882]	Endangered	Species or species habitat likely to occur within area
Patersonia spirifolia Spiral-leaved Patersonia [83927]	Endangered	Species or species habitat likely to occur within area
Ptychosema pusillum Dwarf Pea [11268]	Vulnerable	Species or species habitat likely to occur within area
Spirogardnera rubescens Spiral Bush [15667]	Endangered	Species or species habitat likely to occur within area
Thelymitra manginii K.Dixon & Batty ms. [67443]	Endangered	Species or species habitat likely to occur within area
Thelymitra stellata Star Sun-orchid [7060]	Endangered	Species or species habitat may occur within area

Listed Migratory Species

[Resource Information]

* Species is listed under a different scientific name on the EPBC Act - Threatened Species list.

Name	Threatened	Type of Presence
Migratory Marine Birds		

Apus pacificus Fork-tailed Swift [678]	Species or species habitat likely to occur within area
---	--

Migratory Terrestrial Species

Merops ornatus Rainbow Bee-eater [670]	Species or species habitat may occur within area
---	--

Migratory Wetlands Species

Ardea alba Great Egret, White Egret [59541]	Species or species habitat likely to occur within area
--	--

Ardea ibis Cattle Egret [59542]	Species or species habitat may occur within area
--	--

Pandion haliaetus Osprey [952]	Species or species habitat may occur within area
---	--

Other Matters Protected by the EPBC Act

Commonwealth Land [Resource Information]

The Commonwealth area listed below may indicate the presence of Commonwealth land in this vicinity. Due to the unreliability of the data source, all proposals should be checked as to whether it impacts on a Commonwealth area, before making a definitive decision. Contact the State or Territory government land department for further information.

Name		
Commonwealth Land -		

Commonwealth Heritage Places [Resource Information]

Name		State	Status
Natural			
Lancelin Defence Training Area		WA	Listed place

Listed Marine Species [Resource Information]

* Species is listed under a different scientific name on the EPBC Act - Threatened Species list.

Name		Threatened	Type of Presence
Birds			

Apus pacificus		
Fork-tailed Swift [678]		Species or species habitat likely to occur within area

Ardea alba		
Great Egret, White Egret [59541]		Species or species habitat likely to occur within area

Ardea ibis		
Cattle Egret [59542]		Species or species habitat may occur within area

Haliaeetus leucogaster		
White-bellied Sea-Eagle [943]		Species or species habitat likely to occur within area

Merops ornatus		
Rainbow Bee-eater [670]		Species or species habitat may occur within area

Pandion haliaetus		
Osprey [952]		Species or species habitat may occur within area

Rostratula benghalensis (sensu lato)		
Painted Snipe [889]	Endangered*	Species or species habitat may occur within area

Thinornis rubricollis		
Hooded Plover [59510]		Species or species habitat may occur within area

Extra Information

State and Territory Reserves [Resource Information]

Name		State
Badgingarra		WA
Minyulo		WA
Twyata		WA
Unnamed WA40916		WA
Unnamed WA41986		WA
Wongonderrah		WA

Invasive Species

[Resource Information]

Weeds reported here are the 20 species of national significance (WoNS), along with other introduced plants that are considered by the States and Territories to pose a particularly significant threat to biodiversity. The following feral animals are reported: Goat, Red Fox, Cat, Rabbit, Pig, Water Buffalo and Cane Toad. Maps from Landscape Health Project, National Land and Water Resouces Audit, 2001.

Name	Status	Type of Presence
Birds		
Anas platyrhynchos Mallard [974]		Species or species habitat likely to occur within area
Columba livia Rock Pigeon, Rock Dove, Domestic Pigeon [803]		Species or species habitat likely to occur within area
Streptopelia chinensis Spotted Turtle-Dove [780]		Species or species habitat likely to occur within area
Streptopelia senegalensis Laughing Turtle-dove, Laughing Dove [781]		Species or species habitat likely to occur within area
Sturnus vulgaris Common Starling [389]		Species or species habitat likely to occur within area
Mammals		
Canis lupus familiaris Domestic Dog [82654]		Species or species habitat likely to occur within area
Capra hircus Goat [2]		Species or species habitat likely to occur within area
Felis catus Cat, House Cat, Domestic Cat [19]		Species or species habitat likely to occur within area
Feral deer Feral deer species in Australia [85733]		Species or species habitat likely to occur within area
Mus musculus House Mouse [120]		Species or species habitat likely to occur within area
Oryctolagus cuniculus Rabbit, European Rabbit [128]		Species or species habitat likely to occur within area
Rattus rattus Black Rat, Ship Rat [84]		Species or species habitat likely to occur within area
Sus scrofa Pig [6]		Species or species habitat likely to occur within area
Vulpes vulpes Red Fox, Fox [18]		Species or species habitat likely to occur within area
Plants		
Asparagus asparagoides Bridal Creeper, Bridal Veil Creeper, Smilax, Florist's Smilax, Smilax Asparagus [22473]		Species or species habitat likely to occur within area
Brachiaria mutica Para Grass [5879]		Species or species habitat may occur within

Name	Status	Type of Presence
Cenchrus ciliaris Buffel-grass, Black Buffel-grass [20213]		area Species or species habitat may occur within area
Chrysanthemoides monilifera Bitou Bush, Boneseed [18983]		Species or species habitat may occur within area
Genista sp. X Genista monspessulana Broom [67538]		Species or species habitat may occur within area
Olea europaea Olive, Common Olive [9160]		Species or species habitat may occur within area
Pinus radiata Radiata Pine Monterey Pine, Insignis Pine, Wilding Pine [20780]		Species or species habitat may occur within area
Tamarix aphylla Athel Pine, Athel Tree, Tamarisk, Athel Tamarisk, Athel Tamarix, Desert Tamarisk, Flowering Cypress, Salt Cedar [16018]		Species or species habitat likely to occur within area

Nationally Important Wetlands		[Resource Information]
Name		State
Lancelin Defence Training Area		WA

Caveat

The information presented in this report has been provided by a range of data sources as acknowledged at the end of the report.

This report is designed to assist in identifying the locations of places which may be relevant in determining obligations under the Environment Protection and Biodiversity Conservation Act 1999. It holds mapped locations of World and National Heritage properties, Wetlands of International and National Importance, Commonwealth and State/Territory reserves, listed threatened, migratory and marine species and listed threatened ecological communities. Mapping of Commonwealth land is not complete at this stage. Maps have been collated from a range of sources at various resolutions.

Not all species listed under the EPBC Act have been mapped (see below) and therefore a report is a general guide only. Where available data supports mapping, the type of presence that can be determined from the data is indicated in general terms. People using this information in making a referral may need to consider the qualifications below and may need to seek and consider other information sources.

For threatened ecological communities where the distribution is well known, maps are derived from recovery plans, State vegetation maps, remote sensing imagery and other sources. Where threatened ecological community distributions are less well known, existing vegetation maps and point location data are used to produce indicative distribution maps.

For species where the distributions are well known, maps are digitised from sources such as recovery plans and detailed habitat studies. Where appropriate, core breeding, foraging and roosting areas are indicated under 'type of presence'. For species whose distributions are less well known, point locations are collated from government wildlife authorities, museums, and non-government organisations; bioclimatic distribution models are generated and these validated by experts. In some cases, the distribution maps are based solely on expert knowledge.

Only selected species covered by the following provisions of the EPBC Act have been mapped:

- migratory and
- marine

The following species and ecological communities have not been mapped and do not appear in reports produced from this database:

- threatened species listed as extinct or considered as vagrants
- some species and ecological communities that have only recently been listed
- some terrestrial species that overfly the Commonwealth marine area
- migratory species that are very widespread, vagrant, or only occur in small numbers

The following groups have been mapped, but may not cover the complete distribution of the species:

- non-threatened seabirds which have only been mapped for recorded breeding sites
- seals which have only been mapped for breeding sites near the Australian continent

Such breeding sites may be important for the protection of the Commonwealth Marine environment.

Coordinates

-30.574246 115.460641,-30.550596 115.463138,-30.550596 115.460641,-30.550596 115.460641

Acknowledgements

This database has been compiled from a range of data sources. The department acknowledges the following custodians who have contributed valuable data and advice:

- [-Office of Environment and Heritage, New South Wales](#)
- [-Department of Environment and Primary Industries, Victoria](#)
- [-Department of Primary Industries, Parks, Water and Environment, Tasmania](#)
- [-Department of Environment, Water and Natural Resources, South Australia](#)
- [-Parks and Wildlife Commission NT, Northern Territory Government](#)
- [-Department of Environmental and Heritage Protection, Queensland](#)
- [-Department of Parks and Wildlife, Western Australia](#)
- [-Environment and Planning Directorate, ACT](#)
- [-Birdlife Australia](#)
- [-Australian Bird and Bat Banding Scheme](#)
- [-Australian National Wildlife Collection](#)
- Natural history museums of Australia
- [-Museum Victoria](#)
- [-Australian Museum](#)
- [-South Australian Museum](#)
- [-Queensland Museum](#)
- [-Online Zoological Collections of Australian Museums](#)
- [-Queensland Herbarium](#)
- [-National Herbarium of NSW](#)
- [-Royal Botanic Gardens and National Herbarium of Victoria](#)
- [-Tasmanian Herbarium](#)
- [-State Herbarium of South Australia](#)
- [-Northern Territory Herbarium](#)
- [-Western Australian Herbarium](#)
- [-Australian National Herbarium, Atherton and Canberra](#)
- [-University of New England](#)
- [-Ocean Biogeographic Information System](#)
- [-Australian Government, Department of Defence](#)
- [Forestry Corporation, NSW](#)
- [-Geoscience Australia](#)
- [-CSIRO](#)
- Other groups and individuals

The Department is extremely grateful to the many organisations and individuals who provided expert advice and information on numerous draft distributions.

Please feel free to provide feedback via the [Contact Us](#) page.

SLK139 to 146 Family

Created By Guest user on 14/09/2015

Current Names Only Yes

Core Datasets Only Yes

Method 'By Line'

Vertices 30° 29' 42" S, 115° 28' 41" E 30° 29' 31" S, 115° 29' 07" E 30° 28' 37" S, 115° 29' 11" E 30° 27'

Group By 48° S, 115° 29' 20" E 30° 26' 39" S, 115° 29' 34" E 30° 25' 54" S, 115° 29' 27" E 30° 25' 07" S, 115° 29' 32" E 30° 25' 00" S, 115° 29' 35" E

Family

Family	Species	Records
Acanthizidae	9	91
Accipitridae	4	20
Actinopodidae	1	1
Aegothelidae	1	1
Agamidae	4	216
Amaranthaceae	7	11
Anarthriaceae	7	25
Anatidae	6	23
Apiaceae	8	25
Apodanthaceae	2	9
Apodidae	1	1
Araliaceae	6	10
Artamidae	1	20
Asparagaceae	21	44
Asteraceae	35	62
Boidae	2	3
Boryaceae	1	1
Brassicaceae	4	7
Buthidae	2	4
Bythiidae	2	4
Campanulaceae	3	3
Campephagidae	1	20
Carbonicolaceae	1	1
Caryophyllaceae	1	2
Casuariidae	1	2
Casuarinaceae	6	55
Celastraceae	5	8
Centrolepidaceae	7	12
Charadriidae	1	1
Chenopodiaceae	4	5
Chrysotrichaceae	1	1
Cladoniaceae	3	4
Colchicaceae	4	12
Columbidae	4	42
Corvidae	1	66
Cracticidae	4	88
Cuculidae	2	5
Cupressaceae	3	17
Cyperaceae	34	72
Dasyopogonaceae	6	29
Dasyuridae	5	42
Dicaeidae	1	2
Dicranaceae	1	2
Dicruridae	4	115
Dilleniaceae	14	78
Diplodactylidae	6	46
Droseraceae	20	47
Ecdeiocoleaceae	1	2
Elaeocarpaceae	3	13
Elapidae	8	29
Ericaceae	43	303
Euphorbiaceae	3	8
Fabaceae	122	526
Falconidae	5	30
Fissidentaceae	1	1
Funariaceae	1	1
Gekkonidae	1	2
Gentianaceae	1	1
Geraniaceae	1	1
Goodeniaceae	30	122
Grimmiaceae	1	1
Gyrostemonaceae	4	9
Haemodoridae	36	234
Halcyonidae	2	12
Haloragaceae	2	3
Hemerocallidaceae	9	41
Hirundinidae	1	15
Idiopidae	1	2
Iridaceae	7	35
Isoetaceae	1	1
Juncaceae	2	3
Juncaginaceae	2	3
Lamiaceae	17	76
Lauraceae	5	6
Lecanoraceae	1	1

Lecideaceae	1	1
Limnodynastidae	5	70
Loganiaceae	2	16
Loranthaceae	2	2
Lycosidae	1	2
Lythraceae	1	1
Macropodidae	1	4
Maluridae	6	45
Malvaceae	11	79
Meliphagidae	10	132
Menyanthaceae	1	1
Meropidae	1	19
Molluginaceae	3	11
Muridae	3	126
Myobatrachidae	4	122
Myrtaceae	162	735
Neosittidae	1	1
Nicodamidae	1	1
Olacaceae	2	5
Orchidaceae	31	55
Orobanchaceae	2	2
Otididae	1	2
Oxalidaceae	1	1
Pachycephalidae	3	32
Paradoxosomatidae	2	3
Pararchaeidae	1	1
Pardalotidae	1	26
Parmeliaceae	2	4
Petroicidae	2	9
Philydraceae	1	1
Phyllanthaceae	2	3
Physaraceae	1	1
Physciaceae	1	1
Pittosporaceae	3	3
Plantaginaceae	1	1
Poaceae	7	8
Podargidae	1	1
Podicipedidae	1	3
Polygalaceae	6	15
Polygonaceae	3	4
Portulacaceae	2	4
Pottiaceae	1	3
Primulaceae	1	1
Proteaceae	145	694
Psittacidae	10	45
Pteridaceae	2	2
Pygopodidae	10	108
Pythiaceae	1	28
Rallidae	1	1
Ramalinaceae	1	1
Ranunculaceae	1	1
Recurvirostridae	1	1
Restionaceae	29	113
Rhamnaceae	11	33
Rubiaceae	1	5
Rutaceae	11	27
Santalaceae	3	8
Sapindaceae	4	6
Scincidae	19	411
Scolopendridae	1	1
Scrophulariaceae	2	2
Solanaceae	1	1
Strigidae	2	4
Stylidiaceae	36	121
Sylviidae	2	9
Tachyglossidae	1	1
Tarsipedidae	1	80
Tetragrathidae	1	1
Threskiornithidae	1	3
Thymelaeaceae	6	23
Usneaceae	2	2
Varanidae	1	1
Vespertilionidae	1	1
Violaceae	2	7
Zamiaceae	1	4
Zosteropidae	1	31
TOTAL	1185	6169

Name ID	Species Name	Naturalised	Conservation Code	¹ Endemic To Query Area
Acanthizidae				
1.	24260 <i>Acanthiza apicalis</i> (Broad-tailed Thornbill, Inland Thornbill)			
2.	24261 <i>Acanthiza chrysorrhoa</i> (Yellow-rumped Thornbill)			
3.	24262 <i>Acanthiza inornata</i> (Western Thornbill)			
4.	24265 <i>Acanthiza uropygialis</i> (Chestnut-rumped Thornbill)			
5.	24269 <i>Calamanthus campestris</i> (Rufous Fieldwren)			
6.	25530 <i>Gerygone fusca</i> (Western Gerygone)			
7.	24271 <i>Gerygone fusca</i> subsp. <i>fusca</i> (Western Gerygone)			
8.	25534 <i>Sericornis frontalis</i> (White-browed Scrubwren)			
9.	30948 <i>Smicronis brevirostris</i> (Weebill)			
Accipitridae				
10.	25535 <i>Accipiter cirrocephalus</i> (Collared Sparrowhawk)			
11.	24285 <i>Aquila audax</i> (Wedge-tailed Eagle)			
12.	24289 <i>Circus assimilis</i> (Spotted Harrier)			
13.	24295 <i>Haliastur sphenurus</i> (Whistling Kite)			
Actinopodidae				
14.	<i>Missulena hoggi</i>			
Aegothelidae				
15.	24301 <i>Aegotheles cristatus</i> subsp. <i>cristatus</i> (Australian Owlet-nightjar)			
Agamidae				
16.	30899 <i>Ctenophorus adelaidensis</i> (Southern Heath Dragon, Western Heath Dragon)			
17.	24879 <i>Ctenophorus maculatus</i> subsp. <i>griseus</i> (Spotted Military Dragon)			
18.	25510 <i>Pogona minor</i> (Dwarf Bearded Dragon)			
19.	24907 <i>Pogona minor</i> subsp. <i>minor</i> (Dwarf Bearded Dragon)			
Amaranthaceae				
20.	2655 <i>Amaranthus albus</i> (Tumbleweed)	Y		
21.	2716 <i>Ptilotus declinatus</i> (Curved Mulla Mulla)			
22.	2718 <i>Ptilotus drummondii</i> (Narrowleaf Mulla Mulla)			
23.	2742 <i>Ptilotus manglesii</i> (Pom Poms, Mulamula)			
24.	2751 <i>Ptilotus polystachyus</i> (Prince of Wales Feather)			
25.	15856 <i>Ptilotus sericostachyus</i> subsp. <i>sericostachyus</i>			
26.	40841 <i>Ptilotus stirlingii</i> subsp. <i>stirlingii</i>			
Anarthriaceae				
27.	1058 <i>Anarthria gracilis</i>			
28.	1059 <i>Anarthria humilis</i>			
29.	1060 <i>Anarthria laevis</i>			
30.	1061 <i>Anarthria polyphylla</i>			
31.	1097 <i>Lyginia barbata</i>			
32.	19245 <i>Lyginia excelsa</i>		P1	
33.	18049 <i>Lyginia imberbis</i>			
Anatidae				
34.	24312 <i>Anas gracilis</i> (Grey Teal)			
35.	24316 <i>Anas superciliosa</i> (Pacific Black Duck)			
36.	24321 <i>Chenonetta jubata</i> (Australian Wood Duck, Wood Duck)			
37.	24322 <i>Cygnus atratus</i> (Black Swan)			
38.	24329 <i>Stictonetta naevosa</i> (Freckled Duck)			
39.	24331 <i>Tadorna tadornoides</i> (Australian Shelduck, Mountain Duck)			
Apiaceae				
40.	6205 <i>Actinotus leucocephalus</i> (Flannel Flower)			
41.	6219 <i>Eryngium pinnatifidum</i> (Blue Devils)			
42.	6222 <i>Homalosciadium homalocarpum</i>			
43.	6255 <i>Platysace juncea</i>			
44.	14996 <i>Platysace</i> sp. <i>Eneabba</i> (R. Hnatiuk 770001)			
45.	6262 <i>Platysace xerophila</i>			
46.	6289 <i>Xanthosia huegelii</i>			
47.	6294 <i>Xanthosia tomentosa</i> (Lesueur Southern Cross)		P4	
Apodanthaceae				
48.	33460 <i>Pilostyles coccoidea</i>			
49.	2408 <i>Pilostyles hamiltonii</i>			
Apodidae				
50.	25554 <i>Apus pacificus</i> (Fork-tailed Swift)		IA	
Araliaceae				

	Name ID	Species Name	Naturalised	Conservation Code	¹ Endemic To Query Area
51.	6223	<i>Hydrocotyle alata</i>			
52.	6229	<i>Hydrocotyle diantha</i>			
53.	6266	<i>Trachymene coerulea</i> (Blue Lace Flower)			
54.	6268	<i>Trachymene cyanopetala</i>			
55.	6279	<i>Trachymene ornata</i> (Spongefruit)			
56.	6280	<i>Trachymene pilosa</i> (Native Parsnip)			

Artamidae

57.	25566	<i>Artamus cinereus</i> (Black-faced Woodswallow)			
-----	-------	---	--	--	--

Asparagaceae

58.	1205	<i>Acanthocarpus canaliculatus</i>			
59.	1266	<i>Arthropodium dyeri</i>			
60.	1305	<i>Laxmannia omnifertilis</i>			
61.	11679	<i>Laxmannia sessiliflora</i> subsp. <i>drummondii</i>			
62.	1223	<i>Lomandra caespitosa</i> (Tufted Mat Rush)			
63.	1227	<i>Lomandra hastilis</i>			
64.	1239	<i>Lomandra preissii</i>			
65.	1317	<i>Thysanotus anceps</i>		P3	
66.	1318	<i>Thysanotus arbuscula</i>			
67.	1328	<i>Thysanotus dichotomus</i> (Branching Fringe Lily)			
68.	1334	<i>Thysanotus glaucus</i>		P4	
69.	1338	<i>Thysanotus manglesianus</i> (Fringed Lily)			
70.	1348	<i>Thysanotus rectantherus</i>			
71.	13783	<i>Thysanotus</i> sp. <i>Badgingarra</i> (E.A. Griffin 2511)		P2	
72.	1351	<i>Thysanotus sparteus</i>			
73.	1353	<i>Thysanotus spiniger</i>			
74.	1354	<i>Thysanotus tenellus</i>			
75.	1356	<i>Thysanotus teretifolius</i>			
76.	1357	<i>Thysanotus thyrsoides</i>			
77.	1358	<i>Thysanotus triandrus</i>			
78.	1359	<i>Thysanotus vernalis</i>		P3	

Asteraceae

79.	7827	<i>Angianthus cunninghamii</i> (Coast Angianthus)			
80.	7845	<i>Asteridea asteroides</i>			
81.	7878	<i>Brachyscome iberidifolia</i>			
82.	7882	<i>Brachyscome perpusilla</i>			
83.	7918	<i>Centipeda cunninghamii</i> (Common Sneezewood)			
84.	7923	<i>Cephalosorus carpesioides</i>			
85.	12612	<i>Chrysocephalum apiculatum</i>			
86.	12740	<i>Erymophyllum tenellum</i>			
87.	8002	<i>Gnephosis tenuissima</i>			
88.	8008	<i>Helianthus annuus</i> (Sunflower)	Y		
89.	15447	<i>Hyalosperma glutinosum</i> subsp. <i>glutinosum</i>			
90.	14344	<i>Millotia tenuifolia</i> var. <i>tenuifolia</i> (Soft Millotia)			
91.	14187	<i>Myriocephalus occidentalis</i>			
92.	8131	<i>Olearia ciliata</i> (Fringed Daisy Bush)			
93.	8136	<i>Olearia homolepis</i>			
94.	32716	<i>Olearia lehmanniana</i>			
95.	8149	<i>Olearia rudis</i> (Rough Daisybush)			
96.	8165	<i>Pithocarpa pulchella</i> (Beautiful Pithocarpa)			
97.	18353	<i>Pithocarpa pulchella</i> var. <i>pulchella</i>			
98.	8177	<i>Podolepis lessonii</i>			
99.	8184	<i>Podotrochea gnaphalioides</i> (Golden Long-heads)			
100.	8188	<i>Pogonolepis stricta</i>			
101.	13255	<i>Pterochaeta paniculata</i>			
102.	8195	<i>Quinetia urvillei</i>			
103.	30572	<i>Rhadinocarpus suffruticosa</i> (Shrubby Myriocephalus)		P1	
104.	13241	<i>Rhodanthe chlorocephala</i> subsp. <i>rosea</i>			
105.	13300	<i>Rhodanthe citrina</i>			
106.	13234	<i>Rhodanthe manglesii</i>			
107.	13249	<i>Rhodanthe oppositifolia</i> subsp. <i>oppositifolia</i>			
108.	8225	<i>Siloxerus humifusus</i> (Procumbent Siloxerus)			
109.	14583	<i>Siloxerus multiflorus</i>			
110.	8230	<i>Sonchus asper</i> (Rough Sowthistle)	Y		
111.	8251	<i>Trichocline spathulata</i> (Native Gerbera)			
112.	38388	<i>Ursinia anthemoides</i> subsp. <i>anthemoides</i>	Y		
113.	13333	<i>Waitzia suaveolens</i> var. <i>suaveolens</i>			

Boidae

114.	25236	<i>Aspidites ramsayi</i> (Woma)		S	
------	-------	---------------------------------	--	---	--

	Name ID	Species Name	Naturalised	Conservation Code	¹ Endemic To Query Area
115.	25240	<i>Morelia spilota subsp. imbricata</i> (Carpet Python)		S	
Boryaceae					
116.	1273	<i>Borya sphaerocephala</i> (Pincushions)			
Brassicaceae					
117.	11187	<i>Brassica barrelieri subsp. oxyrrhina</i> (Smooth-stem Turnip)	Y		
118.	2999	<i>Brassica rapa</i>	Y		
119.	2995	<i>Brassica x napus</i>	Y		
120.	3061	<i>Raphanus raphanistrum</i> (Wild Radish)	Y		
Buthidae					
121.		<i>Urodacus armatus</i>			
122.		<i>Urodacus hoplurus</i>			
Byblidaceae					
123.	3178	<i>Byblis gigantea</i> (Rainbow Plant)		P3	
124.	20230	<i>Byblis lamellata</i>			
Campanulaceae					
125.	7396	<i>Isotoma hypocrateriformis</i> (Woodbridge Poison)			
126.	31877	<i>Lobelia cleistogamoides</i>			
127.	7386	<i>Wahlenbergia gracilentia</i> (Annual Bluebell)			
Campephagidae					
128.	25568	<i>Coracina novaehollandiae</i> (Black-faced Cuckoo-shrike)			
Carbonicolaceae					
129.	43884	<i>Carbonicola foveata</i>			
Caryophyllaceae					
130.	2891	<i>Corrigiola litoralis</i> (Strapwort)	Y		
Casuariidae					
131.	24470	<i>Dromaius novaehollandiae</i> (Emu)			
Casuarinaceae					
132.	1721	<i>Allocasuarina campestris</i>			
133.	1726	<i>Allocasuarina drummondiana</i>			
134.	1729	<i>Allocasuarina grevilleoides</i>		P3	
135.	1732	<i>Allocasuarina humilis</i> (Dwarf Sheoak)			
136.	1734	<i>Allocasuarina microstachya</i>			
137.	1736	<i>Allocasuarina ramosissima</i>		P3	
Celastraceae					
138.	9069	<i>Stackhousia huegelii</i>			
139.	9070	<i>Stackhousia pubescens</i> (Downy Stackhousia)			
140.	43540	<i>Stackhousia</i> sp. Red-blotched corolla (A. Markey 911)		P3	
141.	4737	<i>Tripterococcus brunonis</i> (Winged Stackhousia)			
142.	16998	<i>Tripterococcus paniculatus</i>		P4	
Centrolepidaceae					
143.	1116	<i>Aphelia brizula</i>			
144.	1119	<i>Aphelia nutans</i>			
145.	1121	<i>Centrolepis aristata</i> (Pointed Centrolepis)			
146.	1125	<i>Centrolepis drummondiana</i>			
147.	1129	<i>Centrolepis glabra</i> (Smooth Centrolepis)			
148.	1134	<i>Centrolepis polygyna</i> (Wiry Centrolepis)			
149.	13125	<i>Centrolepis strigosa subsp. strigosa</i>			
Charadriidae					
150.	24386	<i>Vanellus tricolor</i> (Banded Lapwing)			
Chenopodiaceae					
151.	2453	<i>Atriplex codonocarpa</i> (Flat-topped Saltbush)			
152.	11368	<i>Dysphania glomulifera subsp. glomulifera</i>			
153.	33236	<i>Tecticornia halocnemoides</i> (Shrubby Samphire)			
154.	31718	<i>Tecticornia lepidosperma</i>			
Chrysotrichaceae					
155.	27662	<i>Chrysotrix candelaris</i>			
Cladoniaceae					
156.	27694	<i>Cladonia southlandica</i>			
157.	28070	<i>Thysanothecium hookeri</i>			
158.	28071	<i>Thysanothecium scutellatum</i>			
Colchicaceae					
159.	1383	<i>Burchardia bairdiae</i>			

	Name ID	Species Name	Naturalised	Conservation Code	¹ Endemic To Query Area
160.	12770	<i>Burchardia congesta</i>			
161.	1385	<i>Burchardia multiflora</i> (Dwarf Burchardia)			
162.	1398	<i>Wurmbea monantha</i>			
Columbidae					
163.	24404	<i>Geophaps plumifera</i> (Spinifex Pigeon)			
164.	24407	<i>Ocyphaps lophotes</i> (Crested Pigeon)			
165.	24409	<i>Phaps chalcoptera</i> (Common Bronzewing)			
166.	25590	<i>Streptopelia senegalensis</i> (Laughing Turtle-Dove)	Y		
Corvidae					
167.	25592	<i>Corvus coronoides</i> (Australian Raven)			
Cracticidae					
168.	24420	<i>Cracticus nigrogularis</i> (Pied Butcherbird)			
169.	25595	<i>Cracticus tibicen</i> (Australian Magpie)			
170.	25596	<i>Cracticus torquatus</i> (Grey Butcherbird)			
171.	25597	<i>Strepera versicolor</i> (Grey Currawong)			
Cuculidae					
172.	25598	<i>Cacomantis flabelliformis</i> (Fan-tailed Cuckoo)			
173.	42307	<i>Cacomantis pallidus</i> (Pallid Cuckoo)			
Cupressaceae					
174.	36520	<i>Callitris acuminata</i> (Dwarf Cypress)			
175.	36560	<i>Callitris arenaria</i> (Sandplain Cypress)			
176.	36600	<i>Callitris pyramidalis</i> (Swamp Cypress)			
Cyperaceae					
177.	760	<i>Caustis dioica</i>			
178.	763	<i>Chorizandra enodis</i> (Black Bristlerush)			
179.	17618	<i>Cyathochaeta equitans</i>			
180.	20200	<i>Isolepis cernua</i> var. <i>setiformis</i>			
181.	911	<i>Isolepis congrua</i>			
182.	912	<i>Isolepis cyperoides</i>			
183.	919	<i>Isolepis oldfieldiana</i>			
184.	924	<i>Isolepis stellata</i> (Star Club-rush)			
185.	937	<i>Lepidosperma longitudinale</i> (Pithy Sword-sedge)			
186.	940	<i>Lepidosperma pubisquameum</i>			
187.	944	<i>Lepidosperma scabrum</i>			
188.	16284	<i>Lepidosperma</i> sp. P1 small head (M.D. Tindale 166A)			
189.	947	<i>Lepidosperma tenue</i>			
190.	954	<i>Mesomelaena preissii</i>			
191.	955	<i>Mesomelaena pseudostygia</i>			
192.	957	<i>Mesomelaena tetragona</i> (Semaphore Sedge)			
193.	17571	<i>Schoenus badius</i>		P2	
194.	978	<i>Schoenus brevisetis</i>			
195.	979	<i>Schoenus caespititius</i>			
196.	982	<i>Schoenus clandestinus</i>			
197.	984	<i>Schoenus curvifolius</i>			
198.	987	<i>Schoenus elegans</i>			
199.	993	<i>Schoenus hexandrus</i>			
200.	1000	<i>Schoenus minutulus</i>			
201.	1007	<i>Schoenus pedicellatus</i>			
202.	1008	<i>Schoenus pennisetis</i>		P3	
203.	1009	<i>Schoenus pleiostemoneus</i>			
204.	1011	<i>Schoenus rigens</i>			
205.	16274	<i>Schoenus</i> sp. A3 Ciliate Sheaths (K.R. Newbey 9402)			
206.	16254	<i>Schoenus</i> sp. G Broad Sheath (K.L. Wilson 2633)			
207.	1023	<i>Schoenus tenellus</i>			
208.	1026	<i>Schoenus unispiculatus</i>			
209.	1035	<i>Tetraria microcarpa</i>			
210.	1036	<i>Tetraria octandra</i>			
Dasypogonaceae					
211.	19308	<i>Calectasia grandiflora</i> subsp. <i>Wheatbelt</i> (A.M. Coates 4315)			
212.	19312	<i>Calectasia hispida</i>			
213.	19309	<i>Calectasia narragara</i>			
214.	19196	<i>Calectasia palustris</i>		P2	
215.	1218	<i>Dasypogon bromeliifolius</i> (Pineapple Bush)			
216.	1220	<i>Dasypogon obliquifolius</i>			
Dasyuridae					
217.	24108	<i>Sminthopsis crassicaudata</i> (Fat-tailed Dunnart)			

	Name ID	Species Name	Naturalised	Conservation Code	¹ Endemic To Query Area
218.	24109	<i>Sminthopsis dolichura</i> (Little long-tailed Dunnart)			
219.	24111	<i>Sminthopsis gilberti</i> (Gilbert's Dunnart)			
220.	24112	<i>Sminthopsis granulipes</i> (White-tailed Dunnart)			
221.	25515	<i>Sminthopsis griseoventer</i> (Grey-bellied Dunnart)			

Dicaeidae

222.	25607	<i>Dicaeum hirundinaceum</i> (Mistletoebird)			
------	-------	--	--	--	--

Dicranaceae

223.	32338	<i>Campylopus introflexus</i>	Y		
------	-------	-------------------------------	---	--	--

Dicruridae

224.	24443	<i>Grallina cyanoleuca</i> (Magpie-lark)			
225.	24452	<i>Rhipidura fuliginosa</i> subsp. <i>preissi</i> (Grey Fantail)			
226.	25614	<i>Rhipidura leucophrys</i> (Willie Wagtail)			
227.	24454	<i>Rhipidura leucophrys</i> subsp. <i>leucophrys</i> (Willie Wagtail)			

Dilleniaceae

228.	5108	<i>Hibbertia acerosa</i> (Needle Leaved Guinea Flower)			
229.	5112	<i>Hibbertia aurea</i>			
230.	5116	<i>Hibbertia crassifolia</i>			
231.	5120	<i>Hibbertia desmophylla</i>			
232.	5133	<i>Hibbertia helianthemoides</i>		P4	
233.	5134	<i>Hibbertia huegelii</i>			
234.	5135	<i>Hibbertia hypericoides</i> (Yellow Buttercups)			
235.	35520	<i>Hibbertia leucocrossa</i>			
236.	5148	<i>Hibbertia mylnei</i>			
237.	5157	<i>Hibbertia polystachya</i>			
238.	5162	<i>Hibbertia racemosa</i> (Stalked Guinea Flower)			
239.	43280	<i>Hibbertia sericosepala</i>			
240.	5172	<i>Hibbertia stellaris</i> (Orange Stars)			
241.	5173	<i>Hibbertia subvaginata</i>			

Diplodactylidae

242.	24918	<i>Crenadactylus ocellatus</i> subsp. <i>ocellatus</i> (Clawless Gecko)			
243.	25469	<i>Diplodactylus granariensis</i>			
244.	24939	<i>Diplodactylus polyophthalmus</i>			
245.	42414	<i>Lucasium alboguttatum</i>			
246.	25518	<i>Strophurus spinigerus</i>			
247.	24942	<i>Strophurus spinigerus</i> subsp. <i>spinigerus</i>			

Droseraceae

248.	31231	<i>Drosera allantostigma</i>		P1	
249.	3090	<i>Drosera barbigera</i>			
250.	13381	<i>Drosera citrina</i>			
251.	13202	<i>Drosera echinoblastus</i>			
252.	13201	<i>Drosera eneabba</i>			
253.	3095	<i>Drosera erythrorhiza</i> (Red Ink Sundew)			
254.	3097	<i>Drosera gigantea</i> (Giant Sundew)			
255.	15453	<i>Drosera gigantea</i> subsp. <i>gigantea</i>			
256.	13199	<i>Drosera leioblastus</i>			
257.	3105	<i>Drosera leucoblasta</i> (Wheel Sundew)			
258.	31232	<i>Drosera leucostigma</i>			Y
259.	13209	<i>Drosera marchantii</i> subsp. <i>marchantii</i>			
260.	13208	<i>Drosera marchantii</i> subsp. <i>prophylla</i>		P3	
261.	11853	<i>Drosera menziesii</i> subsp. <i>menziesii</i>			
262.	13216	<i>Drosera menziesii</i> subsp. <i>penicillaris</i>			
263.	11196	<i>Drosera menziesii</i> subsp. <i>thysanosepala</i>			
264.	15710	<i>Drosera miniata</i> (Orange Sundew)			
265.	3118	<i>Drosera pallida</i> (Pale Rainbow)			
266.	3119	<i>Drosera parvula</i> (Small Sundew)			
267.	13185	<i>Drosera pilos</i>			

Ecdeiocoleaceae

268.	1066	<i>Ecdeiocolea monostachya</i>			
------	------	--------------------------------	--	--	--

Elaeocarpaceae

269.	23982	<i>Tetratheca angulata</i>		P3	
270.	4528	<i>Tetratheca confertifolia</i>			
271.	4539	<i>Tetratheca paucifolia</i>			

Elapidae

272.	42381	<i>Brachyuropsis semifasciatus</i> (Southern Shovel-nosed Snake)			
273.	25296	<i>Demansia psammophis</i> subsp. <i>reticulata</i> (Yellow-faced Whipsnake)			
274.	25251	<i>Echiopsis curta</i> (Bardick)			

	Name ID	Species Name	Naturalised	Conservation Code	¹ Endemic To Query Area
275.	25248	<i>Neelaps bimaculatus</i> (Black-naped Snake)			
276.	25249	<i>Neelaps calonotos</i> (Black-striped Snake)		P3	
277.	25253	<i>Parasuta gouldii</i>			
278.	25261	<i>Pseudechis australis</i> (Mulga Snake)			
279.	42416	<i>Pseudonaja mengdeni</i> (Western Brown Snake)			
Ericaceae					
280.	6309	<i>Andersonia gracilis</i>		T	
281.	6311	<i>Andersonia heterophylla</i>			
282.	6314	<i>Andersonia lehmanniana</i>			
283.	11471	<i>Andersonia lehmanniana</i> subsp. <i>lehmanniana</i>			
284.	6323	<i>Astroloma ciliatum</i> (Candle Cranberry)			
285.	6328	<i>Astroloma glaucescens</i>			
286.	6332	<i>Astroloma microdonta</i> (Sandplain Cranberry)			
287.	42144	<i>Astroloma oblongifolium</i>			
288.	6334	<i>Astroloma pallidum</i> (Kick Bush)			
289.	14501	<i>Astroloma</i> sp. <i>Eneabba</i> (N. Marchant s.n. PERTH 01291777)			
290.	6337	<i>Astroloma stomarrhena</i> (Red Swamp Cranberry)			
291.	6339	<i>Astroloma xerophyllum</i>			
292.	30133	<i>Brachyloma jillup</i>			
293.	30136	<i>Brachyloma preissii</i> subsp. <i>preissii</i>			
294.	19026	<i>Conostephium magnum</i>		P4	
295.	6347	<i>Conostephium minus</i> (Pink-tipped Pearl flower)			
296.	6348	<i>Conostephium pendulum</i> (Pearl Flower)			
297.	6349	<i>Conostephium preissii</i>			
298.	13527	<i>Croninia kingiana</i>			
299.	6370	<i>Leucopogon cochlearifolius</i>			
300.	6374	<i>Leucopogon conostephioides</i>			
301.	6379	<i>Leucopogon crassiflorus</i>			
302.	6397	<i>Leucopogon glaucifolius</i>			
303.	6401	<i>Leucopogon hamulosus</i>			
304.	6410	<i>Leucopogon leptanthus</i>			
305.	6420	<i>Leucopogon oldfieldii</i>			
306.	6421	<i>Leucopogon oliganthus</i>			
307.	6430	<i>Leucopogon planifolius</i>			
308.	6432	<i>Leucopogon plumuliflorus</i>		P2	
309.	6434	<i>Leucopogon polymorphus</i>			
310.	6438	<i>Leucopogon pubescens</i>			
311.	19369	<i>Leucopogon</i> sp. <i>Badgingarra</i> (R. Davis 421)		P2	Y
312.	19578	<i>Leucopogon</i> sp. <i>Bifid Eneabba</i> (M. Hislop 1927)			
313.	20868	<i>Leucopogon</i> sp. <i>Cataby</i> (F. Hort 1638)			
314.	39501	<i>Leucopogon</i> sp. <i>Coomallo</i> (R.J. Cranfield 1457)			
315.	14637	<i>Leucopogon</i> sp. <i>Coujinup</i> (M.A. Burgman 1085)			
316.	17723	<i>Leucopogon</i> sp. <i>Lesueur</i> (B. Evans 530)			
317.	19412	<i>Leucopogon</i> sp. <i>Moore River</i> (M. Hislop 1695)			
318.	34163	<i>Leucopogon</i> sp. <i>Newdegate</i> (M. Hislop 3585)			
319.	19368	<i>Leucopogon</i> sp. <i>Warradarge</i> (M. Hislop 1908)			
320.	37040	<i>Leucopogon</i> sp. <i>Watheroo</i> (R.D. Royce 9616)			
321.	6444	<i>Leucopogon sprengelioides</i>			
322.	34736	<i>Lysinema pentapetalum</i>			
Euphorbiaceae					
323.	4596	<i>Beyeria gardneri</i>		P3	
324.	19585	<i>Monotaxis grandiflora</i> var. <i>grandiflora</i>			
325.	19942	<i>Ricinocarpos undulatus</i>			
Fabaceae					
326.	15430	<i>Acacia alata</i> var. <i>tetrantha</i>			
327.	15466	<i>Acacia applanata</i>			
328.	3231	<i>Acacia auronitens</i>			
329.	15470	<i>Acacia barbinervis</i> subsp. <i>borealis</i>			
330.	3242	<i>Acacia blakelyi</i>			
331.	15471	<i>Acacia brumalis</i>			
332.	14061	<i>Acacia clydonophora</i>			
333.	3271	<i>Acacia costata</i>			
334.	14066	<i>Acacia cummingiana</i>		P3	
335.	20435	<i>Acacia daphnifolia</i>			
336.	3303	<i>Acacia dilatata</i>			
337.	11926	<i>Acacia drewiana</i> subsp. <i>drewiana</i>			
338.	3319	<i>Acacia epacantha</i>		P3	
339.	3332	<i>Acacia fagonioides</i>			
340.	3338	<i>Acacia flabellifolia</i>			

Name ID	Species Name	Naturalised	Conservation Code	¹ Endemic To Query Area
341.	3341 <i>Acacia forrestiana</i> (Forrest's Wattle)		P3	
342.	15285 <i>Acacia heteroneura</i> var. <i>jutsonii</i>		T	
343.	11519 <i>Acacia lasiocarpa</i> var. <i>bracteolata</i>			
344.	11611 <i>Acacia lasiocarpa</i> var. <i>lasiocarpa</i>			
345.	15721 <i>Acacia lasiocarpa</i> var. <i>sedifolia</i>			
346.	3412 <i>Acacia latipes</i>			
347.	15476 <i>Acacia latipes</i> subsp. <i>latipes</i>			
348.	3442 <i>Acacia microbotrya</i> (Manna Wattle, Kalyang)			
349.	11678 <i>Acacia moirii</i> subsp. <i>recurvistipula</i>			
350.	3451 <i>Acacia multispicata</i>			
351.	3493 <i>Acacia plicata</i>		P3	
352.	15483 <i>Acacia pulchella</i> var. <i>pulchella</i>			
353.	15480 <i>Acacia pulchella</i> var. <i>reflexa</i>			
354.	3518 <i>Acacia retrorsa</i>		P2	
355.	3525 <i>Acacia rostellifera</i> (Summer-scented Wattle)			
356.	3527 <i>Acacia saligna</i> (Orange Wattle, Kudjong)			
357.	30033 <i>Acacia saligna</i> subsp. <i>lindleyi</i>			
358.	30032 <i>Acacia saligna</i> subsp. <i>saligna</i>			
359.	3532 <i>Acacia scirpifolia</i>			
360.	3541 <i>Acacia sessilis</i>			
361.	20340 <i>Acacia</i> sp. Tootbardi Road (B.R. Maslin 8204)			
362.	3549 <i>Acacia spathulifolia</i>			
363.	15486 <i>Acacia sphacelata</i> subsp. <i>verticillata</i>			
364.	20439 <i>Acacia splendens</i>		T	
365.	3557 <i>Acacia stenoptera</i> (Narrow Winged Wattle)			
366.	3574 <i>Acacia teretifolia</i>			
367.	14154 <i>Acacia wilsonii</i>		T	
368.	3688 <i>Aotus gracillima</i>			
369.	3692 <i>Aotus procumbens</i>			
370.	3710 <i>Bossiaea eriocarpa</i> (Common Brown Pea)			
371.	13111 <i>Chorizema aciculare</i> subsp. <i>laxum</i>			
372.	35838 <i>Cristonia biloba</i> subsp. <i>biloba</i>			
373.	35837 <i>Cristonia biloba</i> subsp. <i>pubescens</i>			
374.	3793 <i>Daviesia angulata</i>			
375.	14199 <i>Daviesia chapmanii</i>			
376.	3803 <i>Daviesia daphnoides</i>			
377.	3805 <i>Daviesia decurrens</i> (Prickly Bitter-pea)			
378.	19747 <i>Daviesia decurrens</i> subsp. <i>decurrens</i>			
379.	18560 <i>Daviesia divaricata</i> subsp. <i>divaricata</i>			
380.	3809 <i>Daviesia epiphyllum</i>			
381.	12326 <i>Daviesia hakeoides</i> subsp. <i>subnuda</i>			
382.	15505 <i>Daviesia incrassata</i> subsp. <i>incrassata</i>			
383.	3824 <i>Daviesia nudiflora</i>			
384.	12329 <i>Daviesia nudiflora</i> subsp. <i>hirtella</i>			
385.	16585 <i>Daviesia nudiflora</i> subsp. <i>nudiflora</i>			
386.	15508 <i>Daviesia oxyclada</i>			
387.	3831 <i>Daviesia pedunculata</i>			
388.	3833 <i>Daviesia podophylla</i>			
389.	3834 <i>Daviesia polyphylla</i>			
390.	3872 <i>Euchilopsis linearis</i> (Swamp Pea)			
391.	20515 <i>Gastrolobium axillare</i>			
392.	3894 <i>Gastrolobium callistachys</i> (Rock Poison)			
393.	3906 <i>Gastrolobium ilicifolium</i>			
394.	20483 <i>Gastrolobium linearifolium</i>			
395.	20482 <i>Gastrolobium nervosum</i>			
396.	3912 <i>Gastrolobium oxylobioides</i> (Champion Bay Poison)			
397.	10981 <i>Gastrolobium parviflorum</i>			
398.	3915 <i>Gastrolobium plicatum</i>			
399.	3916 <i>Gastrolobium polystachyum</i> (Horned Poison)			
400.	3924 <i>Gastrolobium spinosum</i> (Prickly Poison)			
401.	3933 <i>Gastrolobium villosum</i> (Crinkle-leaved Poison)			
402.	3945 <i>Gompholobium aristatum</i>			
403.	23489 <i>Gompholobium gairdnerianum</i>		P3	
404.	3950 <i>Gompholobium knightianum</i>			
405.	29267 <i>Gompholobium muticum</i>			
406.	3955 <i>Gompholobium preissii</i>			
407.	3956 <i>Gompholobium shuttleworthii</i>			
408.	3957 <i>Gompholobium tomentosum</i> (Hairy Yellow Pea)			
409.	3967 <i>Hovea stricta</i>			

	Name ID	Species Name	Naturalised	Conservation Code	¹ Endemic To Query Area
410.	3968	<i>Hovea trisperma</i> (Common Hovea)			
411.	19700	<i>Isotropis cuneifolia</i> subsp. <i>cuneifolia</i>			
412.	3993	<i>Isotropis drummondii</i> (Lamb Poison)			
413.	3998	<i>Jacksonia angulata</i>			
414.	14747	<i>Jacksonia anthoclada</i>		P3	
415.	4003	<i>Jacksonia carduacea</i>		P3	
416.	4005	<i>Jacksonia condensata</i>			
417.	4010	<i>Jacksonia floribunda</i> (Holly Pea)			
418.	4015	<i>Jacksonia hakeoides</i>			
419.	4018	<i>Jacksonia lehmannii</i>			
420.	14778	<i>Jacksonia nutans</i>			
421.	4025	<i>Jacksonia restioides</i>			
422.	14751	<i>Jacksonia rubra</i>		P2	
423.	4029	<i>Jacksonia sternbergiana</i> (Stinkwood, Kapur)			
424.	4044	<i>Kennedia prostrata</i> (Scarlet Runner)			
425.	3664	<i>Labichea cassioides</i>			
426.	3667	<i>Labichea lanceolata</i> (Tall Labichea)			
427.	3669	<i>Labichea punctata</i> (Lance-leaved Cassia)			
428.	4066	<i>Lupinus cosentinii</i>	Y		
429.	4079	<i>Medicago polymorpha</i> (Burr Medic)	Y		
430.	4083	<i>Medicago truncatula</i> (Barrel Medic)	Y		
431.	4091	<i>Mirbelia floribunda</i> (Purple Mirbelia)			
432.	4097	<i>Mirbelia ramulosa</i>			
433.	4100	<i>Mirbelia spinosa</i>			
434.	4104	<i>Mirbelia trichocalyx</i>			
435.	4161	<i>Ptychosema pusillum</i> (Dwarf Pea)		T	
436.	4181	<i>Pultenaea reticulata</i>			
437.	17645	<i>Senna artemisioides</i>			
438.	17551	<i>Sphaerolobium drummondii</i>			
439.	4203	<i>Sphaerolobium gracile</i>			
440.	4205	<i>Sphaerolobium linophyllum</i>			
441.	4206	<i>Sphaerolobium macranthum</i>			
442.	4207	<i>Sphaerolobium medium</i>			
443.	10800	<i>Sphaerolobium pulchellum</i>			
444.	4256	<i>Templetonia retusa</i> (Cockies Tongues)			
445.	4291	<i>Trifolium arvense</i> (Hare's Foot Clover)	Y		
446.	4293	<i>Trifolium cernuum</i> (Drooping Flower Clover)	Y		
447.	4296	<i>Trifolium fragiferum</i> (Strawberry Clover)	Y		
Falconidae					
448.	25621	<i>Falco berigora</i> (Brown Falcon)			
449.	25622	<i>Falco cenchroides</i> (Australian Kestrel)			
450.	24472	<i>Falco cenchroides</i> subsp. <i>cenchrus</i> (Australian Kestrel)			
451.	25623	<i>Falco longipennis</i> (Australian Hobby)			
452.	24475	<i>Falco peregrinus</i> subsp. <i>macropus</i> (Australian Peregrine Falcon)		S	
Fissidentaceae					
453.	32367	<i>Fissidens megalotis</i>			
Funariaceae					
454.	32353	<i>Entosthodon apophysatus</i>			
Gekkonidae					
455.	24980	<i>Christinus marmoratus</i> (Marbled Gecko)			
Gentianaceae					
456.	6542	<i>Centaurium tenuiflorum</i>	Y		
Geraniaceae					
457.	4335	<i>Erodium cygnorum</i> (Blue Heronsbill)			
Goodeniaceae					
458.	7420	<i>Dampiera alata</i> (Winged-stem Dampiera)			
459.	7451	<i>Dampiera lavandulacea</i>			
460.	7453	<i>Dampiera lindleyi</i>			
461.	7454	<i>Dampiera linearis</i> (Common Dampiera)			
462.	7459	<i>Dampiera oligophylla</i> (Sparse-leaved Dampiera)			
463.	7475	<i>Dampiera spicigera</i> (Spiked Dampiera)			
464.	7481	<i>Dampiera tephrea</i>		P2	
465.	7482	<i>Dampiera teres</i> (Terete-leaved Dampiera)			
466.	29362	<i>Goodenia coerulea</i>			
467.	7513	<i>Goodenia hassallii</i>			
468.	19284	<i>Goodenia pulchella</i> subsp. <i>Coastal Plain B</i> (L.W. Sage 2336)			
469.	7566	<i>Goodenia xanthotricha</i> (Yellow-haired Goodenia)			

Name ID	Species Name	Naturalised	Conservation Code	¹ Endemic To Query Area
			P2	
470.	7568 <i>Lechenaultia biloba</i> (Blue Leschenaultia)			
471.	7574 <i>Lechenaultia floribunda</i> (Free-flowering Leschenaultia)			
472.	7577 <i>Lechenaultia hirsuta</i> (Hairy Leschenaultia)			
473.	7580 <i>Lechenaultia linarioides</i> (Yellow Leschenaultia)			
474.	7586 <i>Lechenaultia stenosepala</i> (Narrow-sepaled Leschenaultia)			
475.	7590 <i>Lechenaultia tubiflora</i> (Heath Leschenaultia)			
476.	7595 <i>Scaevola anchusifolia</i>			
477.	7603 <i>Scaevola canescens</i> (Grey Scaevola)			
478.	7613 <i>Scaevola glandulifera</i> (Viscid Hand-flower)			
479.	7618 <i>Scaevola humifusa</i> (Procumbent Scaevola)			
480.	7619 <i>Scaevola lanceolata</i>			
481.	7634 <i>Scaevola phlebopetala</i> (Velvet Fanflower)			
482.	12585 <i>Scaevola repens</i>			
483.	29356 <i>Scaevola repens</i> subsp. <i>Northern Sandplains</i> (R.J. Cranfield & P.J. Spencer 8445)			
484.	13182 <i>Scaevola repens</i> var. <i>repens</i>			
485.	12588 <i>Scaevola virgata</i>			
486.	7665 <i>Velleia trinervis</i>			
487.	7666 <i>Verreauxia reinwardtii</i> (Common Verreauxia)			

Grimmiaceae

488. 32473 *Grimmia pulvinata* var. *africana*

Gyrostemonaceae

489. 2783 *Gyrostemon racemiger*
 490. 2784 *Gyrostemon ramulosus* (Corkybark)
 491. 2788 *Gyrostemon subnudus*
 492. 2791 *Tersonia cyathiflora* (Button Creeper)

Haemodoraceae

493. 29437 *Anigozanthos humilis* subsp. *Badgingarra* (S.D. Hopper 7114) P2
 494. 11434 *Anigozanthos humilis* subsp. *humilis*
 495. 1414 *Anigozanthos pulcherrimus* (Yellow Kangaroo Paw)
 496. 29436 *Anigozanthos viridis* subsp. *Cataby* (S.D. Hopper 1786)
 497. 13891 *Anigozanthos viridis* subsp. *terraspectans* (Dwarf Green Kangaroo Paw) T
 498. 1417 *Blancoa canescens* (Winter Bell)
 499. 11414 *Conostylis aculeata* subsp. *breviflora*
 500. 12109 *Conostylis aculeata* subsp. *preissii*
 501. 1420 *Conostylis androstemma* (Trumpets)
 502. 1421 *Conostylis angustifolia*
 503. 1423 *Conostylis aurea* (Golden Conostylis)
 504. 1427 *Conostylis candicans* (Grey Cottonhead)
 505. 11438 *Conostylis candicans* subsp. *candicans*
 506. 11773 *Conostylis crassinervia* subsp. *absens*
 507. 11938 *Conostylis crassinervia* subsp. *crassinervia*
 508. 11640 *Conostylis festucacea* subsp. *filifolia*
 509. 1435 *Conostylis hiemalis*
 510. 1436 *Conostylis juncea*
 511. 1437 *Conostylis latens*
 512. 11597 *Conostylis setigera* subsp. *setigera*
 513. 11870 *Conostylis teretifolia* subsp. *teretifolia*
 514. 1458 *Conostylis teretiuscula*
 515. 1464 *Haemodorum brevisepalum*
 516. 1465 *Haemodorum discolor*
 517. 1468 *Haemodorum laxum*
 518. 1472 *Haemodorum simplex*
 519. 1473 *Haemodorum simulans*
 520. 1475 *Haemodorum spicatum* (Mardja)
 521. 1476 *Haemodorum venosum*
 522. 1477 *Macropidia fuliginosa* (Black Kangaroo Paw)
 523. 1478 *Phlebocarya ciliata*
 524. 1479 *Phlebocarya filifolia*
 525. 11557 *Phlebocarya pilosissima* subsp. *pilosissima* P3
 526. 11906 *Phlebocarya pilosissima* subsp. *teretifolia* P2
 527. 1481 *Tribonanthes australis*
 528. 1482 *Tribonanthes brachypetala*

Halcyonidae

529. 30901 *Dacelo novaeguineae* (Laughing Kookaburra) Y
 530. 25549 *Todiramphus sanctus* (Sacred Kingfisher)

Haloragaceae

531. 6143 *Glischrocaryon aureum* (Common Popflower)

	Name ID	Species Name	Naturalised	Conservation Code	¹ Endemic To Query Area
532.	6161	<i>Gonocarpus pithyoides</i>			
Hemerocallidaceae					
533.	1263	<i>Arnocrinum gracillimum</i>		P2	
534.	1264	<i>Arnocrinum preissii</i>			
535.	29439	<i>Caesia</i> sp. Wongan (K.F. Kenneally 8820)			
536.	11283	<i>Corynotheca micrantha</i> var. <i>micrantha</i>			
537.	1292	<i>Hensmania stoniella</i>		P3	
538.	19632	<i>Johnsonia pubescens</i> subsp. <i>pubescens</i>			
539.	1260	<i>Stypandra glauca</i> (Blind Grass)			
540.	1361	<i>Tricoryne elatior</i> (Yellow Autumn Lily)			
541.	29481	<i>Tricoryne</i> sp. Eneabba (E.A. Griffin 1200)			
Hirundinidae					
542.	24491	<i>Hirundo neoxena</i> (Welcome Swallow)			
Idiopidae					
543.		<i>Euoplos mcmillani</i>			
Iridaceae					
544.	11749	<i>Orthrosanthus laxus</i> var. <i>laxus</i> (Morning Iris)			
545.	1541	<i>Patersonia argyrea</i>		P3	
546.	1546	<i>Patersonia juncea</i> (Rush Leaved Patersonia)			
547.	1550	<i>Patersonia occidentalis</i> (Purple Flag, Koma)			
548.	30472	<i>Patersonia occidentalis</i> var. <i>occidentalis</i>			
549.	29612	<i>Patersonia spirifolia</i>		T	Y
550.	11544	<i>Romulea rosea</i> var. <i>australis</i> (Guildford Grass)	Y		
Isoetaceae					
551.	11	<i>Isoetes drummondii</i> (Quillwort)			
Juncaceae					
552.	1179	<i>Juncus caespiticius</i> (Grassy Rush)			
553.	1194	<i>Juncus radula</i>			
Juncaginaceae					
554.	18587	<i>Triglochin nana</i>			
555.	19174	<i>Triglochin</i> sp. A Flora of Australia (G.J. Keighery 2477)			
Lamiaceae					
556.	6748	<i>Cyanostegia corifolia</i> (Tinsel Flower)			
557.	16934	<i>Hemiandra glabra</i> subsp. <i>glabra</i>			
558.	6837	<i>Hemiandra leiantha</i>			
559.	6838	<i>Hemiandra linearis</i> (Speckled Snakebush)			
560.	6839	<i>Hemiandra pungens</i> (Snakebush)			
561.	38320	<i>Hemiandra</i> sp. Jurien (B.J. Conn & M.E. Tozer BJC 3885)			
562.	6849	<i>Hemigenia diplanthera</i>			
563.	6856	<i>Hemigenia incana</i> (Silky Hemigenia)			
564.	41020	<i>Hemiphora bartlingii</i> (Woolly Dragon)			
565.	41042	<i>Hemiphora uncinata</i>			
566.	6777	<i>Lachnostachys albicans</i>			
567.	6780	<i>Lachnostachys eriobotrya</i> (Lambswool)			
568.	15456	<i>Microcorys</i> sp. Coomallo (L. Haegi 2677)			
569.	6797	<i>Physopsis spicata</i> (Hill River Lambstail)			
570.	41060	<i>Quoya dilatata</i>			
571.	41063	<i>Quoya loxocarpa</i>			
572.	41080	<i>Quoya verbascina</i> (Golden Bush)			
Lauraceae					
573.	12073	<i>Cassytha aurea</i> var. <i>aurea</i>			
574.	11351	<i>Cassytha aurea</i> var. <i>hirta</i>			
575.	2951	<i>Cassytha flava</i> (Dodder Laurel)			
576.	11206	<i>Cassytha glabella</i> forma <i>bicallosa</i>			
577.	2957	<i>Cassytha racemosa</i> (Dodder Laurel)			
Lecanoraceae					
578.	28037	<i>Ramboldia stuartii</i>			
Lecideaceae					
579.	27825	<i>Lecidea ochroleuca</i>			
Limnodynastidae					
580.	25408	<i>Heleioporus albopunctatus</i> (Western Spotted Frog)			
581.	25410	<i>Heleioporus eyrei</i> (Moaning Frog)			
582.	25412	<i>Heleioporus psammophilus</i> (Sand Frog)			
583.	25415	<i>Limnodynastes dorsalis</i> (Western Banjo Frog)			

	Name ID	Species Name	Naturalised	Conservation Code	¹ Endemic To Query Area
584.	25426	<i>Neobatrachus pelobatooides</i> (Humming Frog)			
Loganiaceae					
585.	6506	<i>Logania campanulata</i> (Bell-flowered Logania)			
586.	6512	<i>Logania spermacoea</i>			
Loranthaceae					
587.	13267	<i>Amyema linophylla</i> subsp. <i>linophylla</i>			
588.	2401	<i>Nuytsia floribunda</i> (Christmas Tree, Mudja)			
Lycosidae					
589.		<i>Artoria schizocoides</i>			
Lythraceae					
590.	5281	<i>Lythrum hyssopifolia</i> (Lesser Loosestrife)	Y		
Macropodidae					
591.	24133	<i>Macropus irma</i> (Western Brush Wallaby)		P4	
Maluridae					
592.	25651	<i>Malurus lamberti</i> (Variegated Fairy-wren)			
593.	24544	<i>Malurus lamberti</i> subsp. <i>assimilis</i> (Variegated Fairy-wren)			
594.	25652	<i>Malurus leucopterus</i> (White-winged Fairy-wren)			
595.	24551	<i>Malurus pulcherrimus</i> (Blue-breasted Fairy-wren)			
596.	25654	<i>Malurus splendens</i> (Splendid Fairy-wren)			
597.	25655	<i>Stipiturus malachurus</i> (Southern Emu-wren)			
Malvaceae					
598.	40908	<i>Androcalva pulchella</i>			
599.	13233	<i>Guichenotia alba</i>		P3	
600.	5013	<i>Guichenotia micrantha</i> (Small Flowered Guichenotia)			
601.	5014	<i>Guichenotia sarotes</i>			
602.	5022	<i>Keraudrenia hermanniifolia</i>			
603.	5031	<i>Lasiopetalum drummondii</i>			
604.	5036	<i>Lasiopetalum lineare</i>			
605.	15552	<i>Lasiopetalum</i> sp. Hill River (T.N. Stoate 5)		P1	
606.	4980	<i>Sida hookeriana</i>			
607.	5084	<i>Thomasia grandiflora</i> (Large Flowered Thomasia)			
608.	5086	<i>Thomasia macrocalyx</i>			
Meliphagidae					
609.	24559	<i>Acanthagenys rufogularis</i> (Spiny-cheeked Honeyeater)			
610.	24560	<i>Acanthorhynchus superciliosus</i> (Western Spinebill)			
611.	24561	<i>Anthochaera carunculata</i> (Red Wattlebird)			
612.	24562	<i>Anthochaera lunulata</i> (Western Little Wattlebird)			
613.	24567	<i>Epthianura albifrons</i> (White-fronted Chat)			
614.	25661	<i>Lichmera indistincta</i> (Brown Honeyeater)			
615.	24582	<i>Lichmera indistincta</i> subsp. <i>indistincta</i> (Brown Honeyeater)			
616.	24583	<i>Manorina flavigula</i> (Yellow-throated Miner)			
617.	25663	<i>Melithreptus brevirostris</i> (Brown-headed Honeyeater)			
618.	24596	<i>Phylidonyris novaehollandiae</i> (New Holland Honeyeater)			
Menyanthaceae					
619.	36160	<i>Liparophyllum capitatum</i>			
Meropidae					
620.	24598	<i>Merops ornatus</i> (Rainbow Bee-eater)		IA	
Molluginaceae					
621.	2838	<i>Macarthuria apetala</i>			
622.	2839	<i>Macarthuria australis</i>			
623.	17106	<i>Macarthuria keigheryi</i>		T	
Muridae					
624.	24223	<i>Mus musculus</i> (House Mouse)	Y		
625.	24230	<i>Pseudomys albocinereus</i> (Ash-grey Mouse)			
626.	24243	<i>Rattus fuscipes</i> (Western Bush Rat)			
Myobatrachidae					
627.	25400	<i>Crinia insignifera</i> (Squelching Froglet)			
628.	25401	<i>Crinia pseudinsignifera</i> (Bleating Froglet)			
629.	25420	<i>Myobatrachus gouldii</i> (Turtle Frog)			
630.	25433	<i>Pseudophryne guentheri</i> (Crawling Toadlet)			
Myrtaceae					
631.	36441	<i>Babingtonia camphorosmae</i> (Camphor Myrtle)			
632.	5341	<i>Baeckea crispiflora</i>			

Name ID	Species Name	Naturalised	Conservation Code	¹ Endemic To Query Area
633.	5350 <i>Baeckea grandiflora</i> (Large-flowered Baeckea)			
634.	5351 <i>Baeckea grandis</i>			
635.	5365 <i>Baeckea robusta</i>			
636.	17126 <i>Baeckea</i> sp. Moora (R. Bone 1993/1)		P3	
637.	20421 <i>Baeckea</i> sp. Perth Region (R.J. Cranfield 444)		P3	
638.	5377 <i>Beaufortia bicolor</i>		P3	
639.	5378 <i>Beaufortia bracteosa</i>			
640.	5382 <i>Beaufortia elegans</i>			
641.	5384 <i>Beaufortia eriocephala</i> (Woolly Bottlebrush)		P3	
642.	5393 <i>Beaufortia squarrosa</i> (Sand Bottlebrush, Puno)			
643.	5396 <i>Calothamnus accedens</i>		P4	
644.	5401 <i>Calothamnus blepharospermus</i>			
645.	35856 <i>Calothamnus glaber</i>			
646.	5411 <i>Calothamnus hirsutus</i>			
647.	5417 <i>Calothamnus longissimus</i>			
648.	35756 <i>Calothamnus quadrifidus</i> subsp. <i>angustifolius</i>			
649.	35816 <i>Calothamnus quadrifidus</i> subsp. <i>quadrifidus</i>			
650.	5429 <i>Calothamnus sanguineus</i> (Silky-leaved Blood flower, Pindak)			
651.	5431 <i>Calothamnus torulosus</i>			
652.	5439 <i>Calytrix angulata</i> (Yellow Starflower)			
653.	5441 <i>Calytrix aurea</i>			
654.	5450 <i>Calytrix depressa</i>			
655.	5453 <i>Calytrix drummondii</i>			
656.	19980 <i>Calytrix ecalycata</i> subsp. <i>brevis</i>		P3	
657.	5458 <i>Calytrix flavescens</i> (Summer Starflower)			
658.	5460 <i>Calytrix fraseri</i> (Pink Summer Calytrix)			
659.	5465 <i>Calytrix leschenaultii</i>			
660.	5476 <i>Calytrix sapphirina</i>			
661.	19888 <i>Calytrix</i> sp. <i>Eneabba</i> (B.J. Lepschi & T.R. Lally BJL3617)			
662.	5485 <i>Calytrix variabilis</i>			
663.	5493 <i>Chamelaucium drummondii</i>			
664.	14808 <i>Chamelaucium drummondii</i> subsp. <i>drummondii</i>			
665.	5498 <i>Chamelaucium uncinatum</i> (Geraldton Wax)			
666.	5502 <i>Conothamnus trinervis</i>			
667.	5511 <i>Darwinia helichrysoides</i>			
668.	5518 <i>Darwinia neildiana</i> (Fringed Bell)			
669.	5522 <i>Darwinia pauciflora</i>			
670.	5524 <i>Darwinia pinifolia</i>			
671.	5528 <i>Darwinia sanguinea</i>			
672.	5529 <i>Darwinia speciosa</i>			
673.	13950 <i>Eremaea asterocarpa</i> subsp. <i>asterocarpa</i>			
674.	13952 <i>Eremaea asterocarpa</i> subsp. <i>histoclada</i>			
675.	5537 <i>Eremaea beaufortoides</i>			
676.	14098 <i>Eremaea beaufortoides</i> var. <i>beaufortoides</i>			
677.	14099 <i>Eremaea beaufortoides</i> var. <i>lachnosanthe</i>			
678.	14100 <i>Eremaea beaufortoides</i> var. <i>microphylla</i>			
679.	5538 <i>Eremaea brevifolia</i>			
680.	13955 <i>Eremaea ectadioclada</i>			
681.	5540 <i>Eremaea fimbriata</i>			
682.	13951 <i>Eremaea hadra</i>			
683.	5541 <i>Eremaea pauciflora</i>			
684.	14103 <i>Eremaea pauciflora</i> var. <i>calyptra</i>			
685.	13818 <i>Eremaea pauciflora</i> var. <i>lonchophylla</i>			
686.	14104 <i>Eremaea pauciflora</i> var. <i>pauciflora</i>			
687.	5542 <i>Eremaea purpurea</i>			
688.	5543 <i>Eremaea violacea</i> (Violet Eremaea)			
689.	13956 <i>Eremaea x phoenicea</i>			
690.	45215 <i>Ericomyrtus tenuior</i>			
691.	12898 <i>Eucalyptus abdita</i>		P2	
692.	13093 <i>Eucalyptus absita</i> (Badgingarra Box)		T	
693.	16893 <i>Eucalyptus absita</i> x <i>loxophleba</i>		P1	Y
694.	5545 <i>Eucalyptus accedens</i> (Powderbark Wandoo)			
695.	5548 <i>Eucalyptus albida</i> (White-leaved Mallee)			
696.	12896 <i>Eucalyptus arachnaea</i> (Black-stemmed Mallee)			
697.	35345 <i>Eucalyptus camaldulensis</i> subsp. <i>obtusa</i> (Blunt-budded River Red Gum)			
698.	15684 <i>Eucalyptus conveniens</i>			
699.	12885 <i>Eucalyptus crispata</i> (Yandanooka Mallee)		T	
700.	5628 <i>Eucalyptus drummondii</i> (Drummond's Gum)			
701.	5643 <i>Eucalyptus falcata</i> (Silver Mallet, Dulyumuk)			
702.	5658 <i>Eucalyptus gittinsii</i> (Northern Sandplain Mallee)			

Name ID	Species Name	Naturalised	Conservation Code	¹ Endemic To Query Area
703.	18292 <i>Eucalyptus gittinsii</i> subsp. <i>illucida</i>			
704.	5675 <i>Eucalyptus incrassata</i> (Lerp Mallee)			
705.	5690 <i>Eucalyptus lane-poolei</i> (Salmon White Gum)			
706.	5691 <i>Eucalyptus lateritica</i> (Laterite Mallee)		T	
707.	13543 <i>Eucalyptus leprophloia</i> (Scaly Butt Mallee)		T	
708.	5702 <i>Eucalyptus loxophleba</i> (York Gum, Dwoda)			
709.	11295 <i>Eucalyptus loxophleba</i> subsp. <i>loxophleba</i> (York Gum)			
710.	13038 <i>Eucalyptus loxophleba</i> subsp. <i>supralaevis</i>			
711.	13531 <i>Eucalyptus macrocarpa</i> subsp. <i>elachantha</i> (Small-leaved Mottlecah)		P4	
712.	13530 <i>Eucalyptus macrocarpa</i> subsp. <i>macrocarpa</i> (Mottlecah)			
713.	42062 <i>Eucalyptus opimiflora</i>			
714.	18664 <i>Eucalyptus optima</i>			
715.	5741 <i>Eucalyptus pendens</i> (Badgingarra Mallee)		P4	
716.	16180 <i>Eucalyptus pleurocarpa</i>			
717.	12866 <i>Eucalyptus pluricaulis</i> subsp. <i>pluricaulis</i>			
718.	5763 <i>Eucalyptus rudis</i> (Flooded Gum, Kulurda)			
719.	13511 <i>Eucalyptus rudis</i> subsp. <i>rudis</i>			
720.	5781 <i>Eucalyptus suberea</i> (Mount Lesueur Mallee)		T	
721.	5790 <i>Eucalyptus todtiana</i> (Coastal Blackbutt)			
722.	13090 <i>Eucalyptus x balanites</i> (Cadda Road Mallee)		T	
723.	16944 <i>Eucalyptus x carnabyi</i>		P4	
724.	5817 <i>Hypocalymma angustifolium</i> (White Myrtle, Kudjid)			
725.	35074 <i>Hypocalymma angustifolium</i> subsp. <i>Dandaragan plateau</i> (S. Patrick 702A)			
726.	35070 <i>Hypocalymma angustifolium</i> subsp. <i>Swan Coastal Plain</i> (G.J. Keighery 16777)			
727.	20851 <i>Hypocalymma gardneri</i>		P3	
728.	5820 <i>Hypocalymma linifolium</i>		P1	
729.	14080 <i>Hypocalymma serrulatum</i>		P3	
730.	14493 <i>Hypocalymma</i> sp. <i>Cataby</i> (G.J. Keighery 5151)		P2	
731.	31452 <i>Hypocalymma</i> sp. <i>Dandaragan</i> (C.A. Gardner 9014)		P1	
732.	31431 <i>Hypocalymma</i> sp. <i>Nambung</i> (R. Spjut & R. Smith s.n. 22/09/1992)			
733.	5828 <i>Hypocalymma tetrapterum</i>		P3	
734.	5829 <i>Hypocalymma xanthopetalum</i>			
735.	5835 <i>Kunzea micrantha</i>			
736.	17785 <i>Kunzea micrantha</i> subsp. <i>petiolata</i>			
737.	5847 <i>Leptospermum erubescens</i> (Roadside Teatree)			
738.	5853 <i>Leptospermum oligandrum</i>			
739.	5857 <i>Leptospermum spinescens</i>			
740.	17982 <i>Melaleuca carrii</i>			
741.	5888 <i>Melaleuca ciliosa</i>			
742.	19387 <i>Melaleuca clavifolia</i>			
743.	5893 <i>Melaleuca concreta</i>			
744.	5904 <i>Melaleuca depressa</i>			
745.	19952 <i>Melaleuca dichroma</i>			
746.	5926 <i>Melaleuca lateritia</i> (Robin Redbreast Bush)			
747.	18112 <i>Melaleuca leuopoma</i>			
748.	5949 <i>Melaleuca platycalyx</i>			
749.	5958 <i>Melaleuca radula</i> (Graceful Honeymyrtle)			
750.	5959 <i>Melaleuca raphiophylla</i> (Swamp Paperbark)			
751.	19365 <i>Melaleuca ryeae</i>			
752.	5964 <i>Melaleuca seriata</i>			
753.	19449 <i>Melaleuca stereophloia</i>			
754.	5983 <i>Melaleuca trichophylla</i>			
755.	5986 <i>Melaleuca urceolaris</i>			
756.	5987 <i>Melaleuca viminea</i> (Mohan)			
757.	13280 <i>Melaleuca viminea</i> subsp. <i>viminea</i>			
758.	19611 <i>Melaleuca zonalis</i>			
759.	16477 <i>Pericalymma ellipticum</i> var. <i>ellipticum</i>			
760.	6009 <i>Pileanthus filifolius</i> (Summer Coppercups)			
761.	6012 <i>Regelia ciliata</i>			
762.	6033 <i>Scholtzia involocrata</i> (Spiked Scholtzia)			
763.	6034 <i>Scholtzia laxiflora</i>			
764.	6036 <i>Scholtzia oligandra</i> (Pink Scholtzia)			
765.	6037 <i>Scholtzia parviflora</i>			
766.	30093 <i>Scholtzia</i> sp. <i>Coomberdale</i> (M.E. & M.E. Trudgen MET 1724)			
767.	20382 <i>Scholtzia</i> sp. <i>Wongonderrah</i> (M.E. & M.R. Trudgen MET 12000)			
768.	6039 <i>Scholtzia teretifolia</i>			
769.	6041 <i>Scholtzia umbellifera</i>			
770.	6057 <i>Thryptomene hyporhytis</i>			
771.	6060 <i>Thryptomene mucronulata</i>			
772.	6064 <i>Thryptomene racemulosa</i>			

	Name ID	Species Name	Naturalised	Conservation Code	¹ Endemic To Query Area
773.	12390	<i>Verticordia amphigia</i>		P3	
774.	12396	<i>Verticordia blepharophylla</i>			
775.	12402	<i>Verticordia chrysanthella</i>			
776.	12411	<i>Verticordia densiflora</i> var. <i>cespitosa</i>			
777.	15432	<i>Verticordia densiflora</i> var. <i>densiflora</i>			
778.	12425	<i>Verticordia fragrans</i>		P3	
779.	6083	<i>Verticordia grandis</i> (Scarlet Featherflower)			
780.	12429	<i>Verticordia huegelii</i> var. <i>decumbens</i>			
781.	15433	<i>Verticordia huegelii</i> var. <i>huegelii</i>			
782.	12430	<i>Verticordia huegelii</i> var. <i>stylosa</i>			
783.	12434	<i>Verticordia insignis</i> subsp. <i>eomagis</i>		P3	
784.	14714	<i>Verticordia lindleyi</i> subsp. <i>lindleyi</i>		P4	
785.	6101	<i>Verticordia nitens</i> (Morrison Featherflower, Kodjeningara)			
786.	10822	<i>Verticordia nobilis</i>			
787.	6103	<i>Verticordia ovalifolia</i>			
788.	6105	<i>Verticordia patens</i>			
789.	6107	<i>Verticordia pennigera</i>			
790.	6109	<i>Verticordia picta</i> (Painted Featherflower)			
791.	12449	<i>Verticordia plumosa</i> var. <i>brachyphylla</i>			
792.	12456	<i>Verticordia rutilastra</i>		P3	

Neosittidae

793.	25673	<i>Daphoenositta chrysoptera</i> (Varied Sittella)			
------	-------	--	--	--	--

Nicodamidae

794.		<i>Nicodamus mainae</i>			
------	--	-------------------------	--	--	--

Olacaceae

795.	2365	<i>Olax benthamiana</i>			
796.	2367	<i>Olax scalariformis</i>			

Orchidaceae

797.	11136	<i>Caladenia denticulata</i>			
798.	44893	<i>Caladenia denticulata</i> subsp. <i>denticulata</i>			
799.	44900	<i>Caladenia denticulata</i> subsp. <i>rubella</i>			
800.	15348	<i>Caladenia flava</i> subsp. <i>flava</i>			
801.	15355	<i>Caladenia hirta</i> subsp. <i>rosea</i>			
802.	15358	<i>Caladenia longicauda</i> subsp. <i>albella</i>			
803.	15360	<i>Caladenia longicauda</i> subsp. <i>borealis</i>			
804.	15369	<i>Caladenia lorea</i>			
805.	17589	<i>Caladenia occidentalis</i>			
806.	1609	<i>Caladenia pectinata</i> (King Spider Orchid)			
807.	1611	<i>Caladenia radialis</i> (Drooping Spider Orchid)			
808.	15380	<i>Caladenia splendens</i>			
809.	11049	<i>Diuris corymbosa</i>			
810.	12939	<i>Diuris magnifica</i>			
811.	43300	<i>Diuris refracta</i>			
812.	42228	<i>Diuris septentrionalis</i>			
813.	44162	<i>Diuris tinkeri</i>			
814.	10954	<i>Microtis media</i> (Tall Mignonette Orchid)			
815.	15419	<i>Microtis media</i> subsp. <i>media</i>			
816.	20460	<i>Pheladenia deformis</i>			
817.	1669	<i>Prasophyllum cyphochilum</i> (Pouched Leek Orchid)			
818.	1671	<i>Prasophyllum elatum</i> (Tall Leek Orchid)			
819.	1672	<i>Prasophyllum fimbria</i> (Fringed Leek Orchid)			
820.	1680	<i>Prasophyllum parvifolium</i> (Autumn Leek Orchid)			
821.	1687	<i>Pterostylis dilatata</i>			
822.	12217	<i>Pterostylis sanguinea</i>			
823.	18653	<i>Pterostylis</i> sp. <i>broad petals</i> (S.D. Hopper 4429)			
824.	1701	<i>Thelymitra antennifera</i> (Vanilla Orchid)			
825.	11032	<i>Thelymitra apiculata</i>		P4	
826.	1707	<i>Thelymitra flexuosa</i> (Twisted Sun Orchid)			
827.	1718	<i>Thelymitra villosa</i> (Custard Orchid)			

Orobanchaceae

828.	7089	<i>Parentucellia latifolia</i> (Common Bartsia)	Y		
829.	7090	<i>Parentucellia viscosa</i> (Sticky Bartsia)	Y		

Otididae

830.	24610	<i>Ardeotis australis</i> (Australian Bustard)			
------	-------	--	--	--	--

Oxalidaceae

831.	4352	<i>Oxalis glabra</i>	Y		
------	------	----------------------	---	--	--

Name ID	Species Name	Naturalised	Conservation Code	¹ Endemic To Query Area
Pachycephalidae				
832.	25675 <i>Colluricincla harmonica</i> (Grey Shrike-thrush)			
833.	24618 <i>Oreoica gutturalis</i> (Crested Bellbird)			
834.	25680 <i>Pachycephala rufiventris</i> (Rufous Whistler)			
Paradoxosomatidae				
835.	<i>Antichiropus sulcatus</i>			
836.	<i>Antichiropus whistleri</i>			
Pararchaeidae				
837.	<i>Ozarchaea westraliensis</i>			
Pardalotidae				
838.	25682 <i>Pardalotus striatus</i> (Striated Pardalote)			
Parmeliaceae				
839.	43942 <i>Austroparmelina pruinata</i>			
840.	44083 <i>Parmotrema norsticticatum</i>			Y
Petroicidae				
841.	24652 <i>Eopsaltria georgiana</i> (White-breasted Robin)			
842.	24659 <i>Petroica goodenovii</i> (Red-capped Robin)			
Philydraceae				
843.	1173 <i>Philydrella pygmaea</i> (Butterfly Flowers)			
Phyllanthaceae				
844.	4675 <i>Phyllanthus calycinus</i> (False Boronia)			
845.	4691 <i>Poranthera microphylla</i> (Small Poranthera)			
Physaraceae				
846.	39038 <i>Leocarpus fragilis</i>			
Physciaceae				
847.	27598 <i>Buellia dissa</i>			
Pittosporaceae				
848.	25779 <i>Billardiera venusta</i>			
849.	19421 <i>Marianthus bicolor</i> (Painted Marianthus)			
850.	17633 <i>Marianthus erubescens</i>			
Plantaginaceae				
851.	7297 <i>Plantago coronopus</i> (Buckshorn Plantain)	Y		
Poaceae				
852.	12025 <i>Amphipogon caricinus</i> var. <i>caricinus</i>			
853.	17234 <i>Austrostipa compressa</i>			
854.	17244 <i>Austrostipa macalpinei</i>			
855.	235 <i>Avena sativa</i> (Common Oat)	Y		
856.	376 <i>Eragrostis curvula</i> (African Lovegrass)	Y		
857.	492 <i>Neurachne alopecuroides</i> (Foftail Mulga Grass)			
858.	17882 <i>Triodia danthonioides</i>			
Podargidae				
859.	25703 <i>Podargus strigoides</i> (Tawny Frogmouth)			
Podicipedidae				
860.	25705 <i>Tachybaptus novaehollandiae</i> (Australasian Grebe, Black-throated Grebe)			
Polygalaceae				
861.	4549 <i>Comesperma acerosum</i>			
862.	4550 <i>Comesperma calymega</i> (Blue-spike Milkwort)			
863.	4551 <i>Comesperma ciliatum</i>			
864.	4560 <i>Comesperma rhadinocarpum</i> (Slender-fruited Comesperma)		P2	
865.	4561 <i>Comesperma scoparium</i> (Broom Milkwort)			
866.	4566 <i>Comesperma volubile</i> (Love Creeper)			
Polygonaceae				
867.	2409 <i>Emex australis</i> (Doublegee)	Y		
868.	2412 <i>Muehlenbeckia adpressa</i> (Climbing Lignum)			
869.	2419 <i>Polygonum aviculare</i> (Wireweed)	Y		
Portulacaceae				
870.	2848 <i>Calandrinia corrigioloides</i> (Strap Purslane)			
871.	16365 <i>Calandrinia</i> sp. Kenwick (G.J. Keighery 10905)			
Pottiaceae				
872.	32315 <i>Barbula calycina</i>			

Name ID	Species Name	Naturalised	Conservation Code	¹ Endemic To Query Area
Primulaceae				
873.	6483 <i>Samolus junceus</i>			
Proteaceae				
874.	1775 <i>Adenanthos cygnorum</i> (Common Woollybush)			
875.	11837 <i>Adenanthos cygnorum</i> subsp. <i>cygnorum</i> (Common Woollybush)			
876.	1779 <i>Adenanthos drummondii</i>			
877.	32681 <i>Banksia armata</i> (Prickly Dryandra)			
878.	32682 <i>Banksia armata</i> var. <i>armata</i>			
879.	1800 <i>Banksia attenuata</i> (Slender Banksia, Piara)			
880.	32679 <i>Banksia bipinnatifida</i> subsp. <i>multifida</i>			
881.	1809 <i>Banksia candolleana</i> (Propeller Banksia)			
882.	32623 <i>Banksia carlinoides</i> (Pink Dryandra)			
883.	1810 <i>Banksia chamaephyton</i> (Fishbone Banksia)		P4	
884.	32576 <i>Banksia dallanneyi</i> (Couch Honeyypot)			
885.	32578 <i>Banksia dallanneyi</i> subsp. <i>media</i>			
886.	32580 <i>Banksia dallanneyi</i> var. <i>dallanneyi</i>			
887.	1816 <i>Banksia elegans</i> (Elegant Banksia)		P4	
888.	32523 <i>Banksia fraseri</i> var. <i>fraseri</i>			
889.	32519 <i>Banksia glaucifolia</i>			
890.	1820 <i>Banksia grossa</i>			
891.	1823 <i>Banksia incana</i>			
892.	33398 <i>Banksia incana</i> var. <i>brachyphylla</i>			
893.	33399 <i>Banksia incana</i> var. <i>incana</i>			
894.	32215 <i>Banksia kippistiana</i> var. <i>kippistiana</i>			
895.	32216 <i>Banksia kippistiana</i> var. <i>paenepeccata</i>		P3	
896.	1826 <i>Banksia larinia</i> (Rose Banksia)			
897.	1828 <i>Banksia leptophylla</i>			
898.	11714 <i>Banksia leptophylla</i> var. <i>leptophylla</i>			
899.	11386 <i>Banksia leptophylla</i> var. <i>melletica</i>			
900.	1835 <i>Banksia micrantha</i>			
901.	32206 <i>Banksia nana</i> (Dwarf Dryandra)			
902.	32203 <i>Banksia nivea</i> subsp. <i>nivea</i>			
903.	32201 <i>Banksia nobilis</i> subsp. <i>fragrans</i>		P3	
904.	32163 <i>Banksia platycarpa</i>			
905.	32159 <i>Banksia polycephala</i> (Many-headed Dryandra)			
906.	1842 <i>Banksia prionotes</i> (Acorn Banksia)			
907.	32086 <i>Banksia sclerophylla</i>			
908.	32083 <i>Banksia serratuloides</i> subsp. <i>perissa</i>		T	
909.	32077 <i>Banksia sessilis</i> var. <i>cygnorum</i>			
910.	32074 <i>Banksia shuttleworthiana</i> (Bearded Dryandra)			
911.	33401 <i>Banksia sphaerocarpa</i> var. <i>pumilio</i>			
912.	12111 <i>Banksia sphaerocarpa</i> var. <i>sphaerocarpa</i> (Fox Banksia)			
913.	32073 <i>Banksia splendida</i> subsp. <i>macrocarpa</i>		P3	
914.	32043 <i>Banksia stenoprion</i>			
915.	32042 <i>Banksia strictifolia</i>			
916.	32037 <i>Banksia subulata</i> (Awled Honeyypot)		P3	
917.	1852 <i>Banksia telmatiaea</i> (Swamp Fox Banksia)			
918.	32033 <i>Banksia tortifolia</i>			
919.	32032 <i>Banksia tridentata</i> (Yellow Honeyypot)			
920.	32031 <i>Banksia vestita</i> (Summer Dryandra)			
921.	1857 <i>Conospermum acerosum</i> (Needle-leaved Smokebush)			
922.	15607 <i>Conospermum acerosum</i> subsp. <i>acerosum</i>			
923.	15511 <i>Conospermum boreale</i>			
924.	15512 <i>Conospermum boreale</i> subsp. <i>ascendens</i>			
925.	1859 <i>Conospermum brachyphyllum</i>			
926.	15041 <i>Conospermum canaliculatum</i>			
927.	15517 <i>Conospermum canaliculatum</i> subsp. <i>apiculatum</i>			
928.	1864 <i>Conospermum crassinervium</i> (Summer Smokebush)			
929.	14876 <i>Conospermum densiflorum</i> subsp. <i>densiflorum</i>			
930.	1874 <i>Conospermum glumaceum</i> (Hooded Smokebush)			
931.	1876 <i>Conospermum incurvum</i> (Plume Smokebush)			
932.	1878 <i>Conospermum nervosum</i>			
933.	1880 <i>Conospermum polycephalum</i>			
934.	1881 <i>Conospermum scaposum</i>		P3	
935.	1882 <i>Conospermum stoechadis</i> (Common Smokebush)			
936.	15611 <i>Conospermum stoechadis</i> subsp. <i>stoechadis</i> (Common Smokebush)			
937.	1885 <i>Conospermum triplinervium</i> (Tree Smokebush)			
938.	15521 <i>Conospermum unilaterale</i>			
939.	15524 <i>Conospermum wycheleyi</i> subsp. <i>glabrum</i>			
940.	1948 <i>Grevillea acrobotrya</i>			

Name ID	Species Name	Naturalised	Conservation Code	¹ Endemic To Query Area
941.	15763 <i>Grevillea biformis</i> subsp. <i>biformis</i>			
942.	2030 <i>Grevillea leptopoda</i>		P3	
943.	2066 <i>Grevillea pilulifera</i> (Woolly-flowered Grevillea)			
944.	15839 <i>Grevillea preissii</i> subsp. <i>preissii</i>			
945.	2086 <i>Grevillea rudis</i>		P4	
946.	2087 <i>Grevillea saccata</i> (Pouched Grevillea)		P4	
947.	17745 <i>Grevillea shuttleworthiana</i> subsp. <i>canarina</i>			
948.	17450 <i>Grevillea synapheae</i> subsp. <i>minyulo</i>		P1	
949.	14420 <i>Grevillea synapheae</i> subsp. <i>pachyphylla</i>			
950.	14421 <i>Grevillea synapheae</i> subsp. <i>synapheae</i>			
951.	14422 <i>Grevillea thyrsoideis</i> subsp. <i>pustulata</i>		P3	
952.	14423 <i>Grevillea thyrsoideis</i> subsp. <i>thyrsoideis</i>		P3	
953.	2115 <i>Grevillea umbellulata</i>			
954.	2116 <i>Grevillea uncinulata</i> (Hook-leaf Grevillea)			
955.	19231 <i>Grevillea uncinulata</i> subsp. <i>Coomallo</i> (S.J. Patrick 719)			
956.	13900 <i>Grevillea uniformis</i>		P3	
957.	12824 <i>Grevillea vestita</i> subsp. <i>vestita</i>			
958.	17670 <i>Hakea anadenia</i>			
959.	2131 <i>Hakea auriculata</i>			
960.	12225 <i>Hakea brownii</i>			
961.	2143 <i>Hakea conchifolia</i> (Shell-leaved Hakea)			
962.	2146 <i>Hakea costata</i> (Ribbed Hakea)			
963.	16908 <i>Hakea eneabba</i>			
964.	2158 <i>Hakea erinacea</i> (Hedge-hog Hakea)			
965.	2161 <i>Hakea flabellifolia</i> (Fan-leaved Hakea)			
966.	2164 <i>Hakea gilbertii</i>			
967.	2166 <i>Hakea incrassata</i> (Marble Hakea)			
968.	2175 <i>Hakea lissocarpha</i> (Honey Bush)			
969.	12230 <i>Hakea longiflora</i>		P3	
970.	2180 <i>Hakea megalosperma</i> (Lesueur Hakea)		T	
971.	2185 <i>Hakea myrtoideis</i> (Myrtle Hakea)			
972.	2186 <i>Hakea neurophylla</i>		P4	
973.	13336 <i>Hakea obliqua</i> subsp. <i>parviflora</i>			
974.	17726 <i>Hakea polyanthema</i>			
975.	2197 <i>Hakea prostrata</i> (Harsh Hakea)			
976.	12233 <i>Hakea psilorrhyncha</i>			
977.	2205 <i>Hakea smilacifolia</i>			
978.	12234 <i>Hakea spathulata</i>			
979.	2214 <i>Hakea trifurcata</i> (Two-leaf Hakea)			
980.	2216 <i>Hakea varia</i> (Variable-leaved Hakea)			
981.	2219 <i>Isopogon adenanthoides</i> (Spider Coneflower)			
982.	2221 <i>Isopogon asper</i>			
983.	2227 <i>Isopogon divergens</i> (Spreading Coneflower)			
984.	2228 <i>Isopogon drummondii</i>		P3	
985.	2229 <i>Isopogon dubius</i> (Pincushion Coneflower)			
986.	16873 <i>Isopogon inconspicuus</i>			
987.	2232 <i>Isopogon linearis</i>			
988.	37900 <i>Isopogon panduratus</i> subsp. <i>palustris</i>		P3	
989.	37881 <i>Isopogon panduratus</i> subsp. <i>panduratus</i>			
990.	14439 <i>Isopogon teretifolius</i> subsp. <i>teretifolius</i> (Nodding Coneflower)			
991.	15528 <i>Lambertia multiflora</i> var. <i>multiflora</i>			
992.	2258 <i>Persoonia comata</i>			
993.	14563 <i>Persoonia filiformis</i>		P2	
994.	2271 <i>Persoonia rudis</i>		P3	
995.	2272 <i>Persoonia ruffiflora</i>			
996.	2281 <i>Persoonia trinervis</i>			
997.	14368 <i>Petrophile aculeata</i>			
998.	20368 <i>Petrophile axillaris</i>			
999.	2286 <i>Petrophile brevifolia</i>			
1000.	2288 <i>Petrophile chrysantha</i>			
1001.	2299 <i>Petrophile linearis</i> (Pixie Mops)			
1002.	2301 <i>Petrophile macrostachya</i>			
1003.	2303 <i>Petrophile megalostegia</i>			
1004.	29208 <i>Petrophile pilostyla</i> subsp. <i>austrina</i>			
1005.	16874 <i>Petrophile recurva</i>			
1006.	2306 <i>Petrophile rigida</i>			
1007.	2308 <i>Petrophile seminuda</i>			
1008.	2309 <i>Petrophile serruriae</i>			
1009.	2310 <i>Petrophile shuttleworthiana</i>			
1010.	2312 <i>Petrophile striata</i>			

	Name ID	Species Name	Naturalised	Conservation Code	¹ Endemic To Query Area
1011.	12856	<i>Stirlingia abrotanoides</i>			
1012.	2316	<i>Stirlingia latifolia</i> (Blueboy)			
1013.	2317	<i>Stirlingia simplex</i>			
1014.	2319	<i>Strangea cynanchicarpa</i> (Heath Strangea)			
1015.	16882	<i>Synaphea aephynsa</i>			
1016.	16858	<i>Synaphea endothrix</i>		P2	
1017.	2329	<i>Synaphea spinulosa</i>			
1018.	15532	<i>Synaphea spinulosa</i> subsp. <i>spinulosa</i>			

Psittacidae

1019.	25714	<i>Cacatua pastinator</i> (Western Long-billed Corella)			
1020.	25716	<i>Cacatua sanguinea</i> (Little Corella)			
1021.	24727	<i>Cacatua sanguinea</i> subsp. <i>westralensis</i> (Little Corella)			
1022.	24729	<i>Cacatua tenuirostris</i> (Eastern Long-billed Corella)	Y		
1023.	24734	<i>Calyptorhynchus latirostris</i> (Carnaby's Cockatoo (short-billed black-cockatoo), Carnaby's Cockatoo)		T	
1024.	24736	<i>Melopsittacus undulatus</i> (Budgerigar)			
1025.	24742	<i>Nymphicus hollandicus</i> (Cockatiel)			
1026.	25721	<i>Platycercus zonarius</i> (Australian Ringneck, Ring-necked Parrot)			
1027.	24751	<i>Platycercus zonarius</i> subsp. <i>zonarius</i> (Port Lincoln Parrot)			
1028.	25722	<i>Polytelis anthopeplus</i> (Regent Parrot)			

Pteridaceae

1029.	29	<i>Anogramma leptophylla</i> (Annual Fern)			
1030.	31	<i>Cheilanthes austrotenuifolia</i>			

Pygopodidae

1031.	24991	<i>Aprasia repens</i> (Sand-plain Worm-lizard)			
1032.		<i>Aprasia</i> sp.			
1033.	24995	<i>Delma australis</i>			
1034.	30905	<i>Delma concinna</i> subsp. <i>concinna</i> (Javelin Legless Lizard)			
1035.	25766	<i>Delma fraseri</i> (Fraser's Legless Lizard)			
1036.	24999	<i>Delma grayii</i>			
1037.	25005	<i>Lialis burtonis</i>			
1038.	25509	<i>Pletholax gracilis</i> (Keeled Legless Lizard)			
1039.	25007	<i>Pletholax gracilis</i> subsp. <i>gracilis</i> (Keeled Legless Lizard)			
1040.	25008	<i>Pygopus lepidopodus</i> (Common Scaly Foot)			

Pythiaceae

1041.		<i>Phytophthora cinnamomi</i>			
-------	--	-------------------------------	--	--	--

Rallidae

1042.	25727	<i>Fulica atra</i> (Eurasian Coot)			
-------	-------	------------------------------------	--	--	--

Ramalinaceae

1043.	28224	<i>Ramalina inflata</i> subsp. <i>australis</i>			
-------	-------	---	--	--	--

Ranunculaceae

1044.	10804	<i>Clematis linearifolia</i>			
-------	-------	------------------------------	--	--	--

Recurvirostridae

1045.	25734	<i>Himantopus himantopus</i> (Black-winged Stilt)			
-------	-------	---	--	--	--

Restionaceae

1046.	1056	<i>Alexgeorgea nitens</i>			
1047.	1057	<i>Alexgeorgea subterranea</i>			
1048.	17812	<i>Catacolea enodis</i>		P2	
1049.	17685	<i>Chaetanthus aristatus</i>			
1050.	17687	<i>Chaetanthus tenellus</i>			
1051.	17827	<i>Chordifex chaunocoleus</i>		P4	
1052.	17833	<i>Chordifex microcodon</i>			
1053.	19243	<i>Chordifex reseminans</i>		P2	
1054.	17706	<i>Chordifex sinuosus</i>			
1055.	17663	<i>Desmocladius asper</i>			
1056.	16593	<i>Desmocladius biformis</i>		P3	
1057.	15831	<i>Desmocladius castaneus</i>			
1058.	15828	<i>Desmocladius elongatus</i>		P4	
1059.	17691	<i>Desmocladius fasciculatus</i>			
1060.	17662	<i>Desmocladius lateriticus</i>			
1061.	17846	<i>Desmocladius parthenicus</i>			
1062.	16455	<i>Desmocladius virgatus</i>			
1063.	17838	<i>Dielsia stenostachya</i>			
1064.	1070	<i>Hypolaena exsulca</i>			
1065.	17841	<i>Hypolaena pubescens</i>			
1066.	17622	<i>Hypolaena robusta</i>			

Name ID	Species Name	Naturalised	Conservation Code	¹ Endemic To Query Area
1067.	1075 <i>Lepidobolus preissianus</i>		P4	
1068.	18074 <i>Lepidobolus preissianus</i> subsp. <i>preissianus</i>			
1069.	13775 <i>Lepidobolus quadratus</i>		P3	
1070.	19241 <i>Lepyrodia curvescens</i>		P2	
1071.	17683 <i>Meeboldina cana</i>			
1072.	17679 <i>Meeboldina coangustata</i>			
1073.	16470 <i>Onychosepalum microcarpum</i>		P2	
1074.	19770 <i>Onychosepalum nodatum</i>		P3	

Rhamnaceae

1075.	31571 <i>Cryptandra intermedia</i>			
1076.	9076 <i>Cryptandra myriantha</i>			
1077.	4809 <i>Cryptandra pungens</i>			
1078.	4811 <i>Cryptandra spyridioides</i>			
1079.	31598 <i>Cryptandra stellulata</i>		P3	
1080.	29919 <i>Polianthion wichurae</i>			
1081.	13475 <i>Stenanthemum humile</i>			
1082.	15065 <i>Stenanthemum notiale</i> subsp. <i>notiale</i>			
1083.	14240 <i>Stenanthemum reissekii</i>			
1084.	4839 <i>Trymalium angustifolium</i>			
1085.	33418 <i>Trymalium odoratissimum</i> subsp. <i>odoratissimum</i>			

Rubiaceae

1086. 18255 *Opercularia vaginata* (Dog Weed)

Rutaceae

1087.	4438 <i>Boronia ramosa</i>			
1088.	11381 <i>Boronia ramosa</i> subsp. <i>anethifolia</i>			
1089.	16637 <i>Boronia scabra</i> subsp. <i>condensata</i>		P2	
1090.	16639 <i>Boronia scabra</i> subsp. <i>scabra</i>			
1091.	4444 <i>Boronia tenuis</i> (Blue Boronia)		P4	
1092.	4453 <i>Diplolaena angustifolia</i> (Yanchep Rose)			
1093.	15272 <i>Diplolaena cinerea</i>			
1094.	4455 <i>Diplolaena ferruginea</i>			
1095.	4483 <i>Geleznowia verrucosa</i>			
1096.	18535 <i>Philotheca pinoides</i>			
1097.	18529 <i>Philotheca spicata</i> (Pepper and Salt)			

Santalaceae

1098.	2344 <i>Leptomeria empetriformis</i>			
1099.	2350 <i>Leptomeria pauciflora</i> (Sparse-flowered Currant Bush)			
1100.	2360 <i>Spirogardnera rubescens</i> (Spiral Bush)		T	

Sapindaceae

1101.	4746 <i>Diplopeltis huegelii</i>			
1102.	18589 <i>Diplopeltis huegelii</i> subsp. <i>lehmannii</i>			
1103.	18542 <i>Diplopeltis huegelii</i> subsp. <i>subintegra</i>			
1104.	4760 <i>Dodonaea divaricata</i>			

Scincidae

1105.	30893 <i>Cryptoblepharus buchananii</i>			
1106.	25027 <i>Ctenotus australis</i>			
1107.	25031 <i>Ctenotus catenifer</i>			
1108.	25039 <i>Ctenotus fallens</i>			
1109.	25040 <i>Ctenotus gemmula</i> (Jewelled South-west Ctenotus (Swan Coastal Plain pop P3), skink)			
1110.	25047 <i>Ctenotus impar</i>			
1111.	25463 <i>Ctenotus pantherinus</i> (Leopard Ctenotus)			
1112.	25065 <i>Ctenotus pantherinus</i> subsp. <i>pantherinus</i> (Leopard Ctenotus)			
1113.	25100 <i>Egernia napoleonis</i>			
1114.	25128 <i>Lerista christinae</i>			
1115.	25133 <i>Lerista elegans</i>			
1116.	25160 <i>Lerista planiventralis</i> subsp. <i>decora</i>			
1117.	25165 <i>Lerista praepedita</i>			
1118.	41413 <i>Liopholis multiscutata</i> (Bull Skink)			
1119.	25184 <i>Menetia greyii</i>			
1120.	25191 <i>Morethia lineocellata</i>			
1121.	25192 <i>Morethia obscura</i>			
1122.	25203 <i>Tiliqua occipitalis</i> (Western Bluetongue)			
1123.	25207 <i>Tiliqua rugosa</i> subsp. <i>rugosa</i>			

Scolopendridae

1124. *Ethmostigmus rubripes*

Name ID	Species Name	Naturalised	Conservation Code	¹ Endemic To Query Area
Scrophulariaceae				
1125.	7055 <i>Dischisma capitatum</i> (Woolly-headed <i>Dischisma</i>)	Y		
1126.	7113 <i>Zaluzianskya divaricata</i> (Spreading Night Phlox)	Y		
Solanaceae				
1127.	6949 <i>Anthocercis littorea</i> (Yellow Tailflower)			
Strigidae				
1128.	25748 <i>Ninox novaeseelandiae</i> (Boobook Owl)			
1129.	24820 <i>Ninox novaeseelandiae</i> subsp. <i>boobook</i> (Boobook Owl)			
Stylidiaceae				
1130.	7673 <i>Levenhookia pauciflora</i> (Deceptive Stylewort)			
1131.	7676 <i>Levenhookia pusilla</i> (Midget Stylewort)			
1132.	7677 <i>Levenhookia stipitata</i> (Common Stylewort)			
1133.	18564 <i>Stylidium aceratum</i>		P2	
1134.	7679 <i>Stylidium adpressum</i> (Trigger-on-stilts)			
1135.	7680 <i>Stylidium aeonioides</i>		P4	
1136.	12846 <i>Stylidium albolilacinum</i>			
1137.	25831 <i>Stylidium araeophyllum</i>			
1138.	30276 <i>Stylidium bicolor</i>			
1139.	17187 <i>Stylidium burbidgianum</i>			
1140.	7709 <i>Stylidium crossoccephalum</i> (Posy Triggerplant)			
1141.	7710 <i>Stylidium cygnorum</i>			
1142.	7713 <i>Stylidium dichotomum</i> (Pins-and-needles)			
1143.	7717 <i>Stylidium divaricatum</i> (Daddy-long-legs)			
1144.	7719 <i>Stylidium ecorne</i> (Foot Triggerplant)			
1145.	7721 <i>Stylidium emarginatum</i> (Biddy-four-legs)			
1146.	18420 <i>Stylidium flagellum</i>			
1147.	20701 <i>Stylidium hymenocraspedum</i>		P3	
1148.	7742 <i>Stylidium inundatum</i> (Hundreds and Thousands)			
1149.	7743 <i>Stylidium inversiflorum</i>		P4	
1150.	17412 <i>Stylidium kalbarriense</i>			
1151.	7749 <i>Stylidium leptophyllum</i> (Needle-leaved Triggerplant)			
1152.	7760 <i>Stylidium maitlandianum</i> (Fountain Triggerplant)			
1153.	7762 <i>Stylidium miniatum</i> (Pink Butterfly Triggerplant)			
1154.	7768 <i>Stylidium obtusatum</i> (Pinafore Triggerplant)			
1155.	25837 <i>Stylidium purpureum</i>			
1156.	7783 <i>Stylidium pycnostachyum</i> (Downy Triggerplant)			
1157.	7785 <i>Stylidium repens</i> (Matted Triggerplant)			
1158.	20521 <i>Stylidium rigidulum</i>			
1159.	25806 <i>Stylidium scariosum</i>			
1160.	19247 <i>Stylidium septentrionale</i>			
1161.	25836 <i>Stylidium spiciforme</i>			
1162.	20608 <i>Stylidium stenosepalum</i>			
1163.	19316 <i>Stylidium tinkeri</i>		P1	
1164.	17414 <i>Stylidium torticarum</i>		P3	
1165.	17578 <i>Stylidium udusicola</i>			
Sylviidae				
1166.	24833 <i>Cincloramphus cruralis</i> (Brown Songlark)			
1167.	24834 <i>Cincloramphus mathewsi</i> (Rufous Songlark)			
Tachyglossidae				
1168.	24207 <i>Tachyglossus aculeatus</i> (Short-beaked Echidna)			
Tarsipedidae				
1169.	24167 <i>Tarsipes rostratus</i> (Honey Possum, Noolbenger)			
Tetragnathidae				
1170.	<i>Pinkfloydia harveii</i>			
Threskiornithidae				
1171.	24845 <i>Threskiornis spinicollis</i> (Straw-necked Ibis)			
Thymelaeaceae				
1172.	5231 <i>Pimelea angustifolia</i> (Narrow-leaved <i>Pimelea</i>)			
1173.	5232 <i>Pimelea argentea</i> (Silvery Leaved <i>Pimelea</i>)			
1174.	5244 <i>Pimelea floribunda</i>			
1175.	11402 <i>Pimelea imbricata</i> var. <i>piliger</i>			
1176.	12041 <i>Pimelea suaveolens</i> subsp. <i>suaveolens</i>			
1177.	5268 <i>Pimelea sulphurea</i> (Yellow Banjine)			
Usneaceae				
1178.	28087 <i>Usnea inermis</i>			

Name ID	Species Name	Naturalised	Conservation Code	¹ Endemic To Query Area
1179.	28092 <i>Usnea scabrida</i>			
Varanidae				
1180.	25218 <i>Varanus gouldii</i> (Bungarra or Sand Monitor)			
Vespertilionidae				
1181.	24194 <i>Nyctophilus geoffroyi</i> (Lesser Long-eared Bat)			
Violaceae				
1182.	5216 <i>Hybanthus calycinus</i> (Wild Violet)			
1183.	15553 <i>Hybanthus floribundus</i> subsp. <i>Hill River</i> (E.M. Bennett 2252)			
Zamiaceae				
1184.	18119 <i>Macrozamia fraseri</i>			
Zosteropidae				
1185.	25765 <i>Zosterops lateralis</i> (Grey-breasted White-eye, Silveryeye)			

Conservation Codes

T - Rare or likely to become extinct
X - Presumed extinct
IA - Protected under international agreement
S - Other specially protected fauna
1 - Priority 1
2 - Priority 2
3 - Priority 3
4 - Priority 4
5 - Priority 5

¹ For NatureMap's purposes, species flagged as endemic are those whose records are wholly contained within the search area. Note that only those records complying with the search criterion are included in the calculation. For example, if you limit records to those from a specific datasource, only records from that datasource are used to determine if a species is restricted to the query area.



EPBC Act Protected Matters Report

This report provides general guidance on matters of national environmental significance and other matters protected by the EPBC Act in the area you have selected.

Information on the coverage of this report and qualifications on data supporting this report are contained in the caveat at the end of the report.

Information is available about [Environment Assessments](#) and the EPBC Act including significance guidelines, forms and application process details.

Report created: 15/09/15 18:19:50

[Summary](#)

[Details](#)


[Matters of NES](#)

[Other Matters Protected by the EPBC Act](#)

[Extra Information](#)

[Caveat](#)

[Acknowledgements](#)



This map may contain data which are
©Commonwealth of Australia
(Geoscience Australia), ©PSMA 2010

[Coordinates](#)

Buffer: 20.0Km



Summary

Matters of National Environmental Significance

This part of the report summarises the matters of national environmental significance that may occur in, or may relate to, the area you nominated. Further information is available in the detail part of the report, which can be accessed by scrolling or following the links below. If you are proposing to undertake an activity that may have a significant impact on one or more matters of national environmental significance then you should consider the [Administrative Guidelines on Significance](#).

World Heritage Properties:	None
National Heritage Places:	None
Wetlands of International Importance:	None
Great Barrier Reef Marine Park:	None
Commonwealth Marine Area:	None
Listed Threatened Ecological Communities:	None
Listed Threatened Species:	37
Listed Migratory Species:	5

Other Matters Protected by the EPBC Act

This part of the report summarises other matters protected under the Act that may relate to the area you nominated. Approval may be required for a proposed activity that significantly affects the environment on Commonwealth land, when the action is outside the Commonwealth land, or the environment anywhere when the action is taken on Commonwealth land. Approval may also be required for the Commonwealth or Commonwealth agencies proposing to take an action that is likely to have a significant impact on the environment anywhere.

The EPBC Act protects the environment on Commonwealth land, the environment from the actions taken on Commonwealth land, and the environment from actions taken by Commonwealth agencies. As heritage values of a place are part of the 'environment', these aspects of the EPBC Act protect the Commonwealth Heritage values of a Commonwealth Heritage place. Information on the new heritage laws can be found at <http://www.environment.gov.au/heritage>

A [permit](#) may be required for activities in or on a Commonwealth area that may affect a member of a listed threatened species or ecological community, a member of a listed migratory species, whales and other cetaceans, or a member of a listed marine species.

Commonwealth Land:	1
Commonwealth Heritage Places:	None
Listed Marine Species:	7
Whales and Other Cetaceans:	None
Critical Habitats:	None
Commonwealth Reserves Terrestrial:	None
Commonwealth Reserves Marine:	None

Extra Information

This part of the report provides information that may also be relevant to the area you have nominated.

State and Territory Reserves:	6
Regional Forest Agreements:	None
Invasive Species:	22
Nationally Important Wetlands:	None
Key Ecological Features (Marine)	None

Details

Matters of National Environmental Significance

Listed Threatened Species		[Resource Information]
Name	Status	Type of Presence
Birds		
Calyptorhynchus latirostris Carnaby's Black-Cockatoo, Short-billed Black-Cockatoo [59523]	Endangered	Breeding likely to occur within area
Leipoa ocellata Malleefowl [934]	Vulnerable	Species or species habitat likely to occur within area
Mammals		
Dasyurus geoffroii Chuditch, Western Quoll [330]	Vulnerable	Species or species habitat likely to occur within area
Plants		
Acacia cochlocarpa subsp. cochlocarpa Spiral-fruited Wattle [23877]	Endangered	Species or species habitat may occur within area
Acacia forrestiana Forest's Wattle [17235]	Vulnerable	Species or species habitat likely to occur within area
Acacia splendens Splendid Wattle, Dandaragan Wattle [81510]	Endangered	Species or species habitat likely to occur within area
Andersonia gracilis Slender Andersonia [14470]	Endangered	Species or species habitat known to occur within area
Anigozanthos viridis subsp. terraspectans Dwarf Green Kangaroo Paw [3435]	Vulnerable	Species or species habitat known to occur within area
Banksia serratuloides subsp. perissa Northern Serrate Dryandra [82767]	Critically Endangered	Species or species habitat may occur within area
Caladenia huegelii King Spider-orchid, Grand Spider-orchid, Rusty Spider-orchid [7309]	Endangered	Species or species habitat may occur within area
Centrolepis caespitosa [6393]	Endangered	Species or species habitat may occur within area
Chamelaucium sp. Gingin (N.G.Marchant 6) Gingin Wax [64649]	Endangered	Species or species habitat may occur within area

Name	Status	Type of Presence
Conospermum densiflorum subsp. unicephalum One-headed Smokebush [64871]	Endangered	Species or species habitat likely to occur within area
Darwinia foetida Muchea Bell [83190]	Critically Endangered	Species or species habitat likely to occur within area
Drakaea elastica Glossy-leafed Hammer-orchid, Praying Virgin [16753]	Endangered	Species or species habitat may occur within area
Eleocharis keigheryi Keighery's Eleocharis [64893]	Vulnerable	Species or species habitat likely to occur within area
Epiblema grandiflorum var. cyaneum Baby Blue Orchid, Blue Babe-in-the-cradle Orchid, Blue Babe-in-a-cradle [67182]	Endangered	Species or species habitat may occur within area
Eremophila scaberula Rough Emu Bush [16729]	Endangered	Species or species habitat may occur within area
Eucalyptus absita Badgingarra Box [24260]	Endangered	Species or species habitat known to occur within area
Eucalyptus balanites Cadda Road Mallee, Cadda Mallee [24264]	Endangered	Species or species habitat known to occur within area
Eucalyptus crispata Yandanooka Mallee [24268]	Vulnerable	Species or species habitat may occur within area
Eucalyptus dolorosa Dandaragan Mallee, Mount Misery Mallee [56709]	Endangered	Species or species habitat likely to occur within area
Eucalyptus impensa Eneabba Mallee [56711]	Endangered	Species or species habitat likely to occur within area
Eucalyptus leprophloia Scaly Butt Mallee, Scaly-butt Mallee [56712]	Endangered	Species or species habitat likely to occur within area
Eucalyptus suberea Cork Mallee, Mount Lesueur Mallee [5529]	Vulnerable	Species or species habitat likely to occur within area
Grevillea batrachioides Mt Lesueur Grevillea [21735]	Endangered	Species or species habitat likely to occur within area
Grevillea humifusa Spreading Grevillea [61182]	Endangered	Species or species habitat may occur within area
Hakea megalosperma Lesueur Hakea [10505]	Vulnerable	Species or species habitat likely to occur within area
Hemiandra gardneri Red Snakebush [7945]	Endangered	Species or species habitat likely to occur within area
Leucopogon obtectus Hidden Beard-heath [19614]	Endangered	Species or species habitat may occur within area

Name	Status	Type of Presence
Macarthuria keigheryi Keighery's Macarthuria [64930]	Endangered	Species or species habitat likely to occur within area
Paracaleana dixonii Sandplain Duck Orchid [86882]	Endangered	Species or species habitat likely to occur within area
Patersonia spirifolia Spiral-leaved Patersonia [83927]	Endangered	Species or species habitat likely to occur within area
Ptychosema pusillum Dwarf Pea [11268]	Vulnerable	Species or species habitat likely to occur within area
Spirogardnera rubescens Spiral Bush [15667]	Endangered	Species or species habitat likely to occur within area
Thelymitra manginii K.Dixon & Batty ms. [67443]	Endangered	Species or species habitat may occur within area
Thelymitra stellata Star Sun-orchid [7060]	Endangered	Species or species habitat may occur within area

Listed Migratory Species

[Resource Information]

* Species is listed under a different scientific name on the EPBC Act - Threatened Species list.

Name	Threatened	Type of Presence
Migratory Marine Birds		
Apus pacificus Fork-tailed Swift [678]		Species or species habitat likely to occur within area

Migratory Terrestrial Species

Merops ornatus Rainbow Bee-eater [670]		Species or species habitat may occur within area
---	--	--

Migratory Wetlands Species

Ardea alba Great Egret, White Egret [59541]		Species or species habitat likely to occur within area
Ardea ibis Cattle Egret [59542]		Species or species habitat may occur within area
Pandion haliaetus Osprey [952]		Species or species habitat may occur within area

Other Matters Protected by the EPBC Act

Commonwealth Land

[Resource Information]

The Commonwealth area listed below may indicate the presence of Commonwealth land in this vicinity. Due to the unreliability of the data source, all proposals should be checked as to whether it impacts on a Commonwealth area, before making a definitive decision. Contact the State or Territory government land department for further information.

Name
Commonwealth Land -

Listed Marine Species

[Resource Information]

* Species is listed under a different scientific name on the EPBC Act - Threatened Species list.

Name	Threatened	Type of Presence
------	------------	------------------

Name	Threatened	Type of Presence
Birds		
Apus pacificus Fork-tailed Swift [678]		Species or species habitat likely to occur within area
Ardea alba Great Egret, White Egret [59541]		Species or species habitat likely to occur within area
Ardea ibis Cattle Egret [59542]		Species or species habitat may occur within area
Haliaeetus leucogaster White-bellied Sea-Eagle [943]		Species or species habitat likely to occur within area
Merops ornatus Rainbow Bee-eater [670]		Species or species habitat may occur within area
Pandion haliaetus Osprey [952]		Species or species habitat may occur within area
Thinornis rubricollis Hooded Plover [59510]		Species or species habitat may occur within area

Extra Information

State and Territory Reserves	[Resource Information]
Name	State
Badgingarra	WA
Hill River	WA
Minyulo	WA
Twyata	WA
Unnamed WA41986	WA
Wongonderrah	WA

Invasive Species[Resource Information]

Weeds reported here are the 20 species of national significance (WoNS), along with other introduced plants that are considered by the States and Territories to pose a particularly significant threat to biodiversity. The following feral animals are reported: Goat, Red Fox, Cat, Rabbit, Pig, Water Buffalo and Cane Toad. Maps from Landscape Health Project, National Land and Water Resouces Audit, 2001.

Name	Status	Type of Presence
Birds		
Anas platyrhynchos Mallard [974]		Species or species habitat likely to occur within area
Columba livia Rock Pigeon, Rock Dove, Domestic Pigeon [803]		Species or species habitat likely to occur within area
Streptopelia chinensis Spotted Turtle-Dove [780]		Species or species habitat likely to occur within area

Name	Status	Type of Presence
Streptopelia senegalensis Laughing Turtle-dove, Laughing Dove [781]		Species or species habitat likely to occur within area
Sturnus vulgaris Common Starling [389]		Species or species habitat likely to occur within area
Mammals		
Canis lupus familiaris Domestic Dog [82654]		Species or species habitat likely to occur within area
Capra hircus Goat [2]		Species or species habitat likely to occur within area
Felis catus Cat, House Cat, Domestic Cat [19]		Species or species habitat likely to occur within area
Feral deer Feral deer species in Australia [85733]		Species or species habitat likely to occur within area
Mus musculus House Mouse [120]		Species or species habitat likely to occur within area
Oryctolagus cuniculus Rabbit, European Rabbit [128]		Species or species habitat likely to occur within area
Rattus rattus Black Rat, Ship Rat [84]		Species or species habitat likely to occur within area
Sus scrofa Pig [6]		Species or species habitat likely to occur within area
Vulpes vulpes Red Fox, Fox [18]		Species or species habitat likely to occur within area
Plants		
Asparagus asparagoides Bridal Creeper, Bridal Veil Creeper, Smilax, Florist's Smilax, Smilax Asparagus [22473]		Species or species habitat likely to occur within area
Brachiaria mutica Para Grass [5879]		Species or species habitat may occur within area
Cenchrus ciliaris Buffel-grass, Black Buffel-grass [20213]		Species or species habitat may occur within area
Chrysanthemoides monilifera Bitou Bush, Boneseed [18983]		Species or species habitat may occur within area
Genista sp. X Genista monspessulana Broom [67538]		Species or species habitat may occur within area
Olea europaea Olive, Common Olive [9160]		Species or species habitat may occur within area
Pinus radiata Radiata Pine Monterey Pine, Insignis Pine, Wilding Pine [20780]		Species or species habitat may occur within

Name	Status	Type of Presence area
Tamarix aphylla Athel Pine, Athel Tree, Tamarisk, Athel Tamarisk, Athel Tamarix, Desert Tamarisk, Flowering Cypress, Salt Cedar [16018]		Species or species habitat likely to occur within area

Caveat

The information presented in this report has been provided by a range of data sources as acknowledged at the end of the report.

This report is designed to assist in identifying the locations of places which may be relevant in determining obligations under the Environment Protection and Biodiversity Conservation Act 1999. It holds mapped locations of World and National Heritage properties, Wetlands of International and National Importance, Commonwealth and State/Territory reserves, listed threatened, migratory and marine species and listed threatened ecological communities. Mapping of Commonwealth land is not complete at this stage. Maps have been collated from a range of sources at various resolutions.

Not all species listed under the EPBC Act have been mapped (see below) and therefore a report is a general guide only. Where available data supports mapping, the type of presence that can be determined from the data is indicated in general terms. People using this information in making a referral may need to consider the qualifications below and may need to seek and consider other information sources.

For threatened ecological communities where the distribution is well known, maps are derived from recovery plans, State vegetation maps, remote sensing imagery and other sources. Where threatened ecological community distributions are less well known, existing vegetation maps and point location data are used to produce indicative distribution maps.

For species where the distributions are well known, maps are digitised from sources such as recovery plans and detailed habitat studies. Where appropriate, core breeding, foraging and roosting areas are indicated under 'type of presence'. For species whose distributions are less well known, point locations are collated from government wildlife authorities, museums, and non-government organisations; bioclimatic distribution models are generated and these validated by experts. In some cases, the distribution maps are based solely on expert knowledge.

Only selected species covered by the following provisions of the EPBC Act have been mapped:

- migratory and
- marine

The following species and ecological communities have not been mapped and do not appear in reports produced from this database:

- threatened species listed as extinct or considered as vagrants
- some species and ecological communities that have only recently been listed
- some terrestrial species that overfly the Commonwealth marine area
- migratory species that are very widespread, vagrant, or only occur in small numbers

The following groups have been mapped, but may not cover the complete distribution of the species:

- non-threatened seabirds which have only been mapped for recorded breeding sites
- seals which have only been mapped for breeding sites near the Australian continent

Such breeding sites may be important for the protection of the Commonwealth Marine environment.

Coordinates

-30.505429 115.46938,-30.493597 115.486858,-30.493597 115.486858

Acknowledgements

This database has been compiled from a range of data sources. The department acknowledges the following custodians who have contributed valuable data and advice:

- [-Office of Environment and Heritage, New South Wales](#)
- [-Department of Environment and Primary Industries, Victoria](#)
- [-Department of Primary Industries, Parks, Water and Environment, Tasmania](#)
- [-Department of Environment, Water and Natural Resources, South Australia](#)
- [-Parks and Wildlife Commission NT, Northern Territory Government](#)
- [-Department of Environmental and Heritage Protection, Queensland](#)
- [-Department of Parks and Wildlife, Western Australia](#)
- [-Environment and Planning Directorate, ACT](#)
- [-Birdlife Australia](#)
- [-Australian Bird and Bat Banding Scheme](#)
- [-Australian National Wildlife Collection](#)
- Natural history museums of Australia
- [-Museum Victoria](#)
- [-Australian Museum](#)
- [-South Australian Museum](#)
- [-Queensland Museum](#)
- [-Online Zoological Collections of Australian Museums](#)
- [-Queensland Herbarium](#)
- [-National Herbarium of NSW](#)
- [-Royal Botanic Gardens and National Herbarium of Victoria](#)
- [-Tasmanian Herbarium](#)
- [-State Herbarium of South Australia](#)
- [-Northern Territory Herbarium](#)
- [-Western Australian Herbarium](#)
- [-Australian National Herbarium, Atherton and Canberra](#)
- [-University of New England](#)
- [-Ocean Biogeographic Information System](#)
- [-Australian Government, Department of Defence](#)
- [Forestry Corporation, NSW](#)
- [-Geoscience Australia](#)
- [-CSIRO](#)
- Other groups and individuals

The Department is extremely grateful to the many organisations and individuals who provided expert advice and information on numerous draft distributions.

Please feel free to provide feedback via the [Contact Us](#) page.

SLK 148 to 152 Family

Created By Guest user on 14/09/2015

Current Names Only Yes

Core Datasets Only Yes

Method 'By Line'

Vertices 30° 22' 51" S, 115° 29' 37" E 30° 23' 22" S, 115° 29' 56" E 30° 23' 45" S, 115° 29' 58" E 30° 24'

Group By 21" S, 115° 29' 48" E

Family

Family	Species	Records
Acanthizidae	8	108
Accipitridae	4	20
Actinopodidae	1	1
Agamidae	3	90
Amaranthaceae	7	11
Anarthriaceae	7	24
Anatidae	5	25
Apiaceae	7	20
Apodanthaceae	2	5
Apodidae	1	1
Araliaceae	5	9
Artamidae	1	16
Asparagaceae	21	44
Asteraceae	31	56
Boidae	2	2
Boryaceae	1	1
Brassicaceae	3	6
Bryaceae	1	1
Byblidaceae	1	1
Campanulaceae	4	4
Campephagidae	1	25
Carbonicolaceae	1	1
Caryophyllaceae	1	2
Casuariidae	1	1
Casuarinaceae	5	49
Celastraceae	4	6
Centrolepidaceae	3	6
Charadriidae	1	1
Chenopodiaceae	4	5
Chrysotrichaceae	1	1
Cladoniaceae	2	2
Colchicaceae	4	11
Colletidae	1	1
Columbidae	3	31
Corvidae	1	74
Cracticidae	4	79
Cuculidae	2	5
Cupressaceae	3	18
Cyperaceae	31	53
Dasyopogonaceae	6	18
Dasyuridae	4	8
Dicaeidae	1	2
Dicranaceae	1	2
Dicruridae	2	112
Dilleniaceae	14	72
Dioscoreaceae	1	1
Diplodactylidae	4	31
Droseraceae	18	41
Ecdiocolleaceae	1	2
Elaeocarpaceae	3	10
Elapidae	7	22
Ericaceae	45	272
Euphorbiaceae	4	11
Fabaceae	116	488
Falconidae	4	29
Fissidentaceae	1	1
Funariaceae	1	1
Goodeniaceae	29	106
Grimmiaceae	2	2
Gyrostemonaceae	4	11
Haemodoridae	32	199
Halcyonidae	2	11
Haloragaceae	2	3
Hemerocallidaceae	10	36
Hirundinidae	1	16
Iridaceae	7	35
Isoetaceae	1	1
Juncaceae	2	3
Juncaginaceae	2	3
Lamiaceae	16	69
Lauraceae	5	6
Lecanoraceae	1	1
Lecideaceae	1	1
Limnodynastidae	5	47
Loganiaceae	2	16
Loranthaceae	2	2
Lycosidae	3	5

Lythraceae	1	1
Macropodidae	1	1
Maluridae	5	44
Malvaceae	12	87
Meliphagidae	9	122
Menyanthaceae	1	1
Meropidae	1	17
Molluginaceae	2	5
Muridae	2	19
Myobatrachidae	3	100
Myrtaceae	156	707
Nicotianaceae	1	1
Oleaceae	2	4
Orchidaceae	31	56
Orobanchaceae	2	2
Otididae	1	2
Pachycephalidae	2	30
Pararchaeidae	1	1
Pardalotidae	2	38
Parmeliaceae	2	4
Petroicidae	2	13
Philydraceae	1	1
Phyllanthaceae	2	3
Physaraceae	1	1
Physciaceae	1	1
Pittosporaceae	3	3
Plantaginaceae	1	1
Poaceae	5	7
Podargidae	1	1
Podicipedidae	1	3
Polygalaceae	6	15
Polygonaceae	3	4
Portulacaceae	4	8
Pottiaceae	1	2
Proteaceae	145	679
Psittacidae	8	37
Pteridaceae	2	2
Pygopodidae	7	92
Pythiaceae	1	13
Rallidae	1	1
Ramalinaceae	1	1
Ranunculaceae	1	1
Recurvirostridae	1	1
Restionaceae	25	101
Rhamnaceae	11	35
Rubiaceae	1	4
Rutaceae	12	34
Santalaceae	3	10
Sapindaceae	4	6
Scincidae	16	261
Scolopendridae	1	1
Scrophulariaceae	2	2
Solanaceae	1	1
Strigidae	1	3
Stylidiaceae	33	102
Sylviidae	2	8
Tarsipedidae	1	16
Tetragrathidae	1	1
Threskiornithidae	1	3
Thymelaeaceae	7	23
Usneaceae	2	2
Violaceae	3	9
Zamiaceae	1	5
Zosteropidae	1	31
TOTAL	1115	5302

Name ID	Species Name	Naturalised	Conservation Code	¹ Endemic To Query Area
Acanthizidae				
1.	24260 <i>Acanthiza apicalis</i> (Broad-tailed Thornbill, Inland Thornbill)			
2.	24261 <i>Acanthiza chrysorrhoa</i> (Yellow-rumped Thornbill)			
3.	24262 <i>Acanthiza inornata</i> (Western Thornbill)			
4.	24265 <i>Acanthiza uropygialis</i> (Chestnut-rumped Thornbill)			
5.	24269 <i>Calamanthus campestris</i> (Rufous Fieldwren)			
6.	25530 <i>Gerygone fusca</i> (Western Gerygone)			
7.	25534 <i>Sericornis frontalis</i> (White-browed Scrubwren)			
8.	30948 <i>Smicronis brevirostris</i> (Weebill)			
Accipitridae				
9.	25535 <i>Accipiter cirrocephalus</i> (Collared Sparrowhawk)			
10.	24285 <i>Aquila audax</i> (Wedge-tailed Eagle)			
11.	24289 <i>Circus assimilis</i> (Spotted Harrier)			
12.	24295 <i>Haliastur sphenurus</i> (Whistling Kite)			
Actinopodidae				
13.	<i>Missulena hoggi</i>			
Agamidae				
14.	30899 <i>Ctenophorus adelaidensis</i> (Southern Heath Dragon, Western Heath Dragon)			
15.	24879 <i>Ctenophorus maculatus</i> subsp. <i>griseus</i> (Spotted Military Dragon)			
16.	24907 <i>Pogona minor</i> subsp. <i>minor</i> (Dwarf Bearded Dragon)			
Amaranthaceae				
17.	2655 <i>Amaranthus albus</i> (Tumbleweed)	Y		
18.	2716 <i>Ptilotus declinatus</i> (Curved Mulla Mulla)			
19.	2718 <i>Ptilotus drummondii</i> (Narrowleaf Mulla Mulla)			
20.	2742 <i>Ptilotus manglesii</i> (Pom Poms, Mulamula)			
21.	2751 <i>Ptilotus polystachyus</i> (Prince of Wales Feather)			
22.	15856 <i>Ptilotus sericostachyus</i> subsp. <i>sericostachyus</i>			
23.	40841 <i>Ptilotus stirlingii</i> subsp. <i>stirlingii</i>			
Anarthriaceae				
24.	1058 <i>Anarthria gracilis</i>			
25.	1059 <i>Anarthria humilis</i>			
26.	1060 <i>Anarthria laevis</i>			
27.	1061 <i>Anarthria polyphylla</i>			
28.	1097 <i>Lyginia barbata</i>			
29.	19245 <i>Lyginia excelsa</i>		P1	
30.	18049 <i>Lyginia imberbis</i>			
Anatidae				
31.	24312 <i>Anas gracilis</i> (Grey Teal)			
32.	24316 <i>Anas superciliosa</i> (Pacific Black Duck)			
33.	24321 <i>Chenonetta jubata</i> (Australian Wood Duck, Wood Duck)			
34.	24322 <i>Cygnus atratus</i> (Black Swan)			
35.	24331 <i>Tadorna tadornoides</i> (Australian Shelduck, Mountain Duck)			
Apiaceae				
36.	6205 <i>Actinotus leucocephalus</i> (Flannel Flower)			
37.	6219 <i>Eryngium pinnatifidum</i> (Blue Devils)			
38.	6222 <i>Homalosciadium homalocarpum</i>			
39.	6255 <i>Platysace juncea</i>			
40.	6262 <i>Platysace xerophila</i>			
41.	6289 <i>Xanthosia huegelii</i>			
42.	6294 <i>Xanthosia tomentosa</i> (Lesueur Southern Cross)		P4	
Apodanthaceae				
43.	33460 <i>Pilostyles coccoidea</i>			
44.	2408 <i>Pilostyles hamiltonii</i>			
Apodidae				
45.	25554 <i>Apus pacificus</i> (Fork-tailed Swift)		IA	
Araliaceae				
46.	6229 <i>Hydrocotyle diantha</i>			
47.	6266 <i>Trachymene coerulea</i> (Blue Lace Flower)			
48.	6268 <i>Trachymene cyanopetala</i>			
49.	6279 <i>Trachymene ornata</i> (Spongefruit)			
50.	6280 <i>Trachymene pilosa</i> (Native Parsnip)			
Artamidae				

Name ID	Species Name	Naturalised	Conservation Code	¹ Endemic To Query Area
51.	25566 <i>Artamus cinereus</i> (Black-faced Woodswallow)			
Asparagaceae				
52.	1205 <i>Acanthocarpus canaliculatus</i>			
53.	1266 <i>Arthropodium dyeri</i>			
54.	1280 <i>Chamaescilla corymbosa</i> (Blue Squill)			
55.	1305 <i>Laxmannia omnifertilis</i>			
56.	11679 <i>Laxmannia sessiliflora</i> subsp. <i>drummondii</i>			
57.	1223 <i>Lomandra caespitosa</i> (Tufted Mat Rush)			
58.	1227 <i>Lomandra hastilis</i>			
59.	1228 <i>Lomandra hermaphrodita</i>			
60.	1239 <i>Lomandra preissii</i>			
61.	1317 <i>Thysanotus anceps</i>		P3	
62.	1318 <i>Thysanotus arbuscula</i>			
63.	1334 <i>Thysanotus glaucus</i>		P4	
64.	1338 <i>Thysanotus manglesianus</i> (Fringed Lily)			
65.	1348 <i>Thysanotus rectantherus</i>			
66.	13783 <i>Thysanotus</i> sp. <i>Badgingarra</i> (E.A. Griffin 2511)		P2	
67.	1351 <i>Thysanotus sparteus</i>			
68.	1353 <i>Thysanotus spiniger</i>			
69.	1356 <i>Thysanotus teretifolius</i>			
70.	1357 <i>Thysanotus thyrsoides</i>			
71.	1358 <i>Thysanotus triandrus</i>			
72.	1359 <i>Thysanotus vernalis</i>		P3	
Asteraceae				
73.	7827 <i>Angianthus cunninghamii</i> (Coast Angianthus)			
74.	7856 <i>Blennospora drummondii</i>			
75.	7878 <i>Brachyscome iberidifolia</i>			
76.	7882 <i>Brachyscome perpusilla</i>			
77.	7918 <i>Centipeda cunninghamii</i> (Common Sneezewood)			
78.	7923 <i>Cephalosorus carpesioides</i>			
79.	12612 <i>Chrysocephalum apiculatum</i>			
80.	12740 <i>Erymophyllum tenellum</i>			
81.	7991 <i>Gnephosis drummondii</i>			
82.	15447 <i>Hyalosperma glutinosum</i> subsp. <i>glutinosum</i>			
83.	14344 <i>Millotia tenuifolia</i> var. <i>tenuifolia</i> (Soft Millotia)			
84.	14187 <i>Myriocephalus occidentalis</i>			
85.	8131 <i>Olearia ciliata</i> (Fringed Daisy Bush)			
86.	8136 <i>Olearia homolepis</i>			
87.	8165 <i>Pithocarpa pulchella</i> (Beautiful Pithocarpa)			
88.	18353 <i>Pithocarpa pulchella</i> var. <i>pulchella</i>			
89.	8177 <i>Podolepis lessonii</i>			
90.	8184 <i>Podotheca gnaphalioides</i> (Golden Long-heads)			
91.	8188 <i>Pogonolepis stricta</i>			
92.	13255 <i>Pterochaeta paniculata</i>			
93.	8195 <i>Quinetia urvillei</i>			
94.	30572 <i>Rhetinocarpha suffruticosa</i> (Shrubby Myriocephalus)		P1	
95.	13241 <i>Rhodanthe chlorocephala</i> subsp. <i>rosea</i>			
96.	13300 <i>Rhodanthe citrina</i>			
97.	13234 <i>Rhodanthe manglesii</i>			
98.	13249 <i>Rhodanthe oppositifolia</i> subsp. <i>oppositifolia</i>			
99.	8225 <i>Siloxerus humifusus</i> (Procumbent Siloxerus)			
100.	14583 <i>Siloxerus multiflorus</i>			
101.	8230 <i>Sonchus asper</i> (Rough Sowthistle)	Y		
102.	8251 <i>Trichocline spathulata</i> (Native Gerbera)			
103.	38388 <i>Ursinia anthemoides</i> subsp. <i>anthemoides</i>	Y		
Boidae				
104.	25236 <i>Aspidites ramsayi</i> (Woma)		S	
105.	25240 <i>Morelia spilota</i> subsp. <i>imbricata</i> (Carpet Python)		S	
Boryaceae				
106.	1273 <i>Borya sphaerocephala</i> (Pincushions)			
Brassicaceae				
107.	11187 <i>Brassica barrelieri</i> subsp. <i>oxyrrhina</i> (Smooth-stem Turnip)	Y		
108.	2999 <i>Brassica rapa</i>	Y		
109.	2995 <i>Brassica x napus</i>	Y		
Bryaceae				
110.	32426 <i>Rosulabryum campylothecium</i>			

Name ID	Species Name	Naturalised	Conservation Code	¹ Endemic To Query Area
Byblidaceae				
111.	20230 <i>Byblis lamellata</i>			
Campanulaceae				
112.	7396 <i>Isotoma hypocrateriformis</i> (Woodbridge Poison)			
113.	31877 <i>Lobelia cleistogamoides</i>			
114.	7405 <i>Lobelia rarifolia</i>			
115.	7386 <i>Wahlenbergia gracilentia</i> (Annual Bluebell)			
Campephagidae				
116.	25568 <i>Coracina novaehollandiae</i> (Black-faced Cuckoo-shrike)			
Carbonicolaceae				
117.	43884 <i>Carbonicola foveata</i>			
Caryophyllaceae				
118.	2891 <i>Corrigiola litoralis</i> (Strapwort)	Y		
Casuariidae				
119.	24470 <i>Dromaius novaehollandiae</i> (Emu)			
Casuarinaceae				
120.	1721 <i>Allocasuarina campestris</i>			
121.	1729 <i>Allocasuarina grevilleoides</i>		P3	
122.	1732 <i>Allocasuarina humilis</i> (Dwarf Sheoak)			
123.	1734 <i>Allocasuarina microstachya</i>			
124.	1736 <i>Allocasuarina ramosissima</i>		P3	
Celastraceae				
125.	9070 <i>Stackhousia pubescens</i> (Downy Stackhousia)			
126.	43540 <i>Stackhousia</i> sp. Red-blotched corolla (A. Markey 911)		P3	
127.	4737 <i>Tripterococcus brunonis</i> (Winged Stackhousia)			
128.	16998 <i>Tripterococcus paniculatus</i>		P4	
Centrolepidaceae				
129.	1116 <i>Aphelia brizula</i>			
130.	1121 <i>Centrolepis aristata</i> (Pointed Centrolepis)			
131.	1129 <i>Centrolepis glabra</i> (Smooth Centrolepis)			
Charadriidae				
132.	24386 <i>Vanellus tricolor</i> (Banded Lapwing)			
Chenopodiaceae				
133.	2453 <i>Atriplex codonocarpa</i> (Flat-topped Saltbush)			
134.	11368 <i>Dysphania glomulifera</i> subsp. <i>glomulifera</i>			
135.	33236 <i>Tecticornia halocnemoides</i> (Shrubby Samphire)			
136.	31718 <i>Tecticornia lepidosperma</i>			
Chrysotrichaceae				
137.	27662 <i>Chrysotrix candelaris</i>			
Cladoniaceae				
138.	27694 <i>Cladonia southlandica</i>			
139.	30457 <i>Notocladonia cochleata</i>			
Colchicaceae				
140.	1383 <i>Burchardia bairdiae</i>			
141.	12770 <i>Burchardia congesta</i>			
142.	1385 <i>Burchardia multiflora</i> (Dwarf Burchardia)			
143.	1398 <i>Wurmbea monantha</i>			
Colletidae				
144.	33977 <i>Hylaeus globuliferus</i> (bee)		P3	
Columbidae				
145.	24407 <i>Ocyphaps lophotes</i> (Crested Pigeon)			
146.	24409 <i>Phaps chalcoptera</i> (Common Bronzewing)			
147.	25590 <i>Streptopelia senegalensis</i> (Laughing Turtle-Dove)	Y		
Corvidae				
148.	25592 <i>Corvus coronoides</i> (Australian Raven)			
Cracticidae				
149.	24420 <i>Cracticus nigrogularis</i> (Pied Butcherbird)			
150.	25595 <i>Cracticus tibicen</i> (Australian Magpie)			
151.	25596 <i>Cracticus torquatus</i> (Grey Butcherbird)			
152.	25597 <i>Strepera versicolor</i> (Grey Currawong)			
Cuculidae				

	Name ID	Species Name	Naturalised	Conservation Code	¹ Endemic To Query Area
153.	25598	<i>Cacomantis flabelliformis</i> (Fan-tailed Cuckoo)			
154.	42307	<i>Cacomantis pallidus</i> (Pallid Cuckoo)			

Cupressaceae

155.	36520	<i>Callitris acuminata</i> (Dwarf Cypress)			
156.	36560	<i>Callitris arenaria</i> (Sandplain Cypress)			
157.	36600	<i>Callitris pyramidalis</i> (Swamp Cypress)			

Cyperaceae

158.	760	<i>Caustis dioica</i>			
159.	763	<i>Chorizandra enodis</i> (Black Bristlerush)			
160.	919	<i>Isolepis oldfieldiana</i>			
161.	42741	<i>Lepidosperma apricola</i>			
162.	940	<i>Lepidosperma pubisquameum</i>			
163.	16284	<i>Lepidosperma</i> sp. P1 small head (M.D. Tindale 166A)			
164.	947	<i>Lepidosperma tenue</i>			
165.	953	<i>Mesomelaena graciliceps</i>			
166.	954	<i>Mesomelaena preissii</i>			
167.	955	<i>Mesomelaena pseudostygia</i>			
168.	957	<i>Mesomelaena tetragona</i> (Semaphore Sedge)			
169.	978	<i>Schoenus brevisetis</i>			
170.	979	<i>Schoenus caespititius</i>			
171.	982	<i>Schoenus clandestinus</i>			
172.	984	<i>Schoenus curvifolius</i>			
173.	987	<i>Schoenus elegans</i>			
174.	993	<i>Schoenus hexandrus</i>			
175.	17617	<i>Schoenus insolitus</i>			
176.	1000	<i>Schoenus minutulus</i>			
177.	1002	<i>Schoenus nanus</i> (Tiny Bog Rush)			
178.	1006	<i>Schoenus odontocarpus</i>			
179.	1007	<i>Schoenus pedicellatus</i>			
180.	1009	<i>Schoenus pleiostemoneus</i>			
181.	17614	<i>Schoenus plumosus</i>			
182.	1011	<i>Schoenus rigens</i>			
183.	16274	<i>Schoenus</i> sp. A3 Ciliate Sheaths (K.R. Newbey 9402)			
184.	16254	<i>Schoenus</i> sp. G Broad Sheath (K.L. Wilson 2633)			
185.	1023	<i>Schoenus tenellus</i>			
186.	1026	<i>Schoenus unispiculatus</i>			
187.	1035	<i>Tetraria microcarpa</i>			
188.	1036	<i>Tetraria octandra</i>			

Dasypogonaceae

189.	19308	<i>Calectasia grandiflora</i> subsp. Wheatbelt (A.M. Coates 4315)			
190.	19312	<i>Calectasia hispida</i>			
191.	19309	<i>Calectasia narragara</i>			
192.	19196	<i>Calectasia palustris</i>		P2	
193.	1218	<i>Dasypogon bromeliifolius</i> (Pineapple Bush)			
194.	1220	<i>Dasypogon obliquifolius</i>			

Dasyuridae

195.	24108	<i>Sminthopsis crassicaudata</i> (Fat-tailed Dunnart)			
196.	24109	<i>Sminthopsis dolichura</i> (Little long-tailed Dunnart)			
197.	24111	<i>Sminthopsis gilberti</i> (Gilbert's Dunnart)			
198.	24112	<i>Sminthopsis granulipes</i> (White-tailed Dunnart)			

Dicaeidae

199.	25607	<i>Dicaeum hirundinaceum</i> (Mistletoebird)			
------	-------	--	--	--	--

Dicranaceae

200.	32338	<i>Campylopus introflexus</i>	Y		
------	-------	-------------------------------	---	--	--

Dicruridae

201.	24443	<i>Grallina cyanoleuca</i> (Magpie-lark)			
202.	25614	<i>Rhipidura leucophrys</i> (Willie Wagtail)			

Dilleniaceae

203.	5108	<i>Hibbertia acerosa</i> (Needle Leaved Guinea Flower)			
204.	5112	<i>Hibbertia aurea</i>			
205.	5116	<i>Hibbertia crassifolia</i>			
206.	5120	<i>Hibbertia desmophylla</i>			
207.	5133	<i>Hibbertia helianthemoides</i>		P4	
208.	5134	<i>Hibbertia huegelii</i>			
209.	5135	<i>Hibbertia hypericoides</i> (Yellow Buttercups)			
210.	35520	<i>Hibbertia leucocrossa</i>			

	Name ID	Species Name	Naturalised	Conservation Code	¹ Endemic To Query Area
211.	5148	<i>Hibbertia mylnei</i>			
212.	5157	<i>Hibbertia polystachya</i>			
213.	5162	<i>Hibbertia racemosa</i> (Stalked Guinea Flower)			
214.	43280	<i>Hibbertia sericosepala</i>			
215.	5172	<i>Hibbertia stellaris</i> (Orange Stars)			
216.	5173	<i>Hibbertia subvaginata</i>			

Dioscoreaceae

217.	1509	<i>Dioscorea hastifolia</i> (Warrine, Wararn)			
------	------	---	--	--	--

Diplodactylidae

218.	24918	<i>Crenadactylus ocellatus</i> subsp. <i>ocellatus</i> (Clawless Gecko)			
219.	24939	<i>Diplodactylus polyophthalmus</i>			
220.	42414	<i>Lucasium alboguttatum</i>			
221.	24942	<i>Strophurus spinigerus</i> subsp. <i>spinigerus</i>			

Droseraceae

222.	31231	<i>Drosera allantostigma</i>		P1	
223.	3090	<i>Drosera barbigera</i>			
224.	13381	<i>Drosera citrina</i>			
225.	13202	<i>Drosera echinoblastus</i>			
226.	13201	<i>Drosera eneabba</i>			
227.	3095	<i>Drosera erythrorhiza</i> (Red Ink Sundew)			
228.	3097	<i>Drosera gigantea</i> (Giant Sundew)			
229.	15453	<i>Drosera gigantea</i> subsp. <i>gigantea</i>			
230.	3105	<i>Drosera leucoblata</i> (Wheel Sundew)			
231.	31232	<i>Drosera leucostigma</i>			
232.	13209	<i>Drosera marchantii</i> subsp. <i>marchantii</i>			
233.	13208	<i>Drosera marchantii</i> subsp. <i>prophylla</i>		P3	
234.	11853	<i>Drosera menziesii</i> subsp. <i>menziesii</i>			
235.	13216	<i>Drosera menziesii</i> subsp. <i>penicillaris</i>			
236.	11196	<i>Drosera menziesii</i> subsp. <i>thysanosepala</i>			
237.	15710	<i>Drosera miniata</i> (Orange Sundew)			
238.	3118	<i>Drosera pallida</i> (Pale Rainbow)			
239.	29178	<i>Drosera porrecta</i>			

Ecdeiocolaceae

240.	1066	<i>Ecdeiocola monostachya</i>			
------	------	-------------------------------	--	--	--

Elaeocarpaceae

241.	23982	<i>Tetradlea angulata</i>		P3	
242.	4528	<i>Tetradlea confertifolia</i>			
243.	4539	<i>Tetradlea paucifolia</i>			

Elapidae

244.	42381	<i>Brachyurophis semifasciatus</i> (Southern Shovel-nosed Snake)			
245.	25296	<i>Demansia psammophis</i> subsp. <i>reticulata</i> (Yellow-faced Whipsnake)			
246.	25251	<i>Echiopsis curta</i> (Bardick)			
247.	25248	<i>Neelaps bimaculatus</i> (Black-naped Snake)			
248.	25253	<i>Parasuta gouldii</i>			
249.	25261	<i>Pseudechis australis</i> (Mulga Snake)			
250.	42416	<i>Pseudonaja mengdeni</i> (Western Brown Snake)			

Ericaceae

251.	6309	<i>Andersonia gracilis</i>		T	
252.	6311	<i>Andersonia heterophylla</i>			
253.	6314	<i>Andersonia lehmanniana</i>			
254.	11471	<i>Andersonia lehmanniana</i> subsp. <i>lehmanniana</i>			
255.	11606	<i>Andersonia lehmanniana</i> subsp. <i>pubescens</i>			
256.	6323	<i>Astroloma ciliatum</i> (Candle Cranberry)			
257.	6328	<i>Astroloma glaucescens</i>			
258.	6332	<i>Astroloma microdonta</i> (Sandplain Cranberry)			
259.	42144	<i>Astroloma oblongifolium</i>			
260.	6334	<i>Astroloma pallidum</i> (Kick Bush)			
261.	6336	<i>Astroloma serratifolium</i> (Kondrung)			
262.	14501	<i>Astroloma</i> sp. <i>Eneabba</i> (N. Marchant s.n. PERTH 01291777)			
263.	6337	<i>Astroloma stomarrhena</i> (Red Swamp Cranberry)			
264.	6339	<i>Astroloma xerophyllum</i>			
265.	30133	<i>Brachyloma jillup</i>			
266.	30136	<i>Brachyloma preissii</i> subsp. <i>preissii</i>			
267.	19026	<i>Conostephium magnum</i>		P4	
268.	6347	<i>Conostephium minus</i> (Pink-tipped Pearl flower)			
269.	6348	<i>Conostephium pendulum</i> (Pearl Flower)			
270.	6349	<i>Conostephium preissii</i>			

	Name ID	Species Name	Naturalised	Conservation Code	¹ Endemic To Query Area
271.	13527	<i>Croninia kingiana</i>			
272.	6370	<i>Leucopogon cochlearifolius</i>			
273.	6374	<i>Leucopogon conostephioides</i>			
274.	6379	<i>Leucopogon crassiflorus</i>			
275.	6397	<i>Leucopogon glaucifolius</i>			
276.	6410	<i>Leucopogon leptanthus</i>			
277.	6420	<i>Leucopogon oldfieldii</i>			
278.	6421	<i>Leucopogon oliganthus</i>			
279.	6430	<i>Leucopogon planifolius</i>			
280.	6432	<i>Leucopogon plumuliflorus</i>		P2	
281.	6434	<i>Leucopogon polymorphus</i>			
282.	6438	<i>Leucopogon pubescens</i>			
283.	19369	<i>Leucopogon</i> sp. <i>Badgingarra</i> (R. Davis 421)		P2	
284.	19578	<i>Leucopogon</i> sp. <i>Bifid Eneabba</i> (M. Hislop 1927)			
285.	20868	<i>Leucopogon</i> sp. <i>Cataby</i> (F. Hort 1638)			
286.	39501	<i>Leucopogon</i> sp. <i>Coomallo</i> (R.J. Cranfield 1457)			
287.	14637	<i>Leucopogon</i> sp. <i>Coujinup</i> (M.A. Burgman 1085)			
288.	17723	<i>Leucopogon</i> sp. <i>Lesueur</i> (B. Evans 530)			
289.	19412	<i>Leucopogon</i> sp. <i>Moore River</i> (M. Hislop 1695)			
290.	34163	<i>Leucopogon</i> sp. <i>Newdegate</i> (M. Hislop 3585)			
291.	19368	<i>Leucopogon</i> sp. <i>Warradarge</i> (M. Hislop 1908)			
292.	37040	<i>Leucopogon</i> sp. <i>Watheroo</i> (R.D. Royce 9616)			
293.	6444	<i>Leucopogon sprengelioides</i>			
294.	20648	<i>Lissanthe powelliae</i>			
295.	34736	<i>Lysinema pentapetalum</i>			
Euphorbiaceae					
296.	4596	<i>Beyeria gardneri</i>		P3	
297.	19585	<i>Monotaxis grandiflora</i> var. <i>grandiflora</i>			
298.	4699	<i>Ricinocarpos psilocladus</i>			
299.	19942	<i>Ricinocarpos undulatus</i>			
Fabaceae					
300.	15430	<i>Acacia alata</i> var. <i>tetrantha</i>			
301.	15466	<i>Acacia applanata</i>			
302.	3231	<i>Acacia auronitens</i>			
303.	15470	<i>Acacia barbinervis</i> subsp. <i>borealis</i>			
304.	3242	<i>Acacia blakelyi</i>			
305.	15471	<i>Acacia brumalis</i>			
306.	14066	<i>Acacia cummingiana</i>		P3	
307.	20435	<i>Acacia daphnifolia</i>			
308.	3303	<i>Acacia dilatata</i>			
309.	3319	<i>Acacia epacantha</i>		P3	
310.	3332	<i>Acacia fagonioides</i>			
311.	3338	<i>Acacia flabellifolia</i>		P3	
312.	15285	<i>Acacia heteroneura</i> var. <i>jutsonii</i>			
313.	3409	<i>Acacia lasiocarpa</i> (Panjang)			
314.	11519	<i>Acacia lasiocarpa</i> var. <i>bracteolata</i>			
315.	11611	<i>Acacia lasiocarpa</i> var. <i>lasiocarpa</i>			
316.	15721	<i>Acacia lasiocarpa</i> var. <i>sedifolia</i>			
317.	3412	<i>Acacia latipes</i>			
318.	15476	<i>Acacia latipes</i> subsp. <i>latipes</i>			
319.	3442	<i>Acacia microbotrya</i> (Manna Wattle, Kalyang)			
320.	11678	<i>Acacia moirii</i> subsp. <i>recurvistipula</i>			
321.	3451	<i>Acacia multispicata</i>			
322.	3464	<i>Acacia obovata</i>			
323.	3493	<i>Acacia plicata</i>		P3	
324.	15481	<i>Acacia pulchella</i> var. <i>glaberrima</i>			
325.	15483	<i>Acacia pulchella</i> var. <i>pulchella</i>			
326.	15480	<i>Acacia pulchella</i> var. <i>reflexa</i>			
327.	3518	<i>Acacia retrorsa</i>		P2	
328.	3525	<i>Acacia rostellifera</i> (Summer-scented Wattle)			
329.	3527	<i>Acacia saligna</i> (Orange Wattle, Kudjong)			
330.	30033	<i>Acacia saligna</i> subsp. <i>lindleyi</i>			
331.	30032	<i>Acacia saligna</i> subsp. <i>saligna</i>			
332.	3532	<i>Acacia scirpifolia</i>			
333.	3541	<i>Acacia sessilis</i>			
334.	18615	<i>Acacia</i> sp. <i>Mullewa</i> (B.R. Maslin 4269)			
335.	20340	<i>Acacia</i> sp. <i>Tootbardi Road</i> (B.R. Maslin 8204)			
336.	15486	<i>Acacia sphacelata</i> subsp. <i>verticillata</i>			
337.	20439	<i>Acacia splendens</i>		T	

	Name ID	Species Name	Naturalised	Conservation Code	¹ Endemic To Query Area
338.	3557	<i>Acacia stenoptera</i> (Narrow Winged Wattle)			
339.	14154	<i>Acacia wilsonii</i>		T	
340.	3692	<i>Aotus procumbens</i>			
341.	3710	<i>Bossiaea eriocarpa</i> (Common Brown Pea)			
342.	13111	<i>Chorizema aciculare</i> subsp. <i>laxum</i>			
343.	35838	<i>Cristonia biloba</i> subsp. <i>biloba</i>			
344.	3793	<i>Daviesia angulata</i>			
345.	14199	<i>Daviesia chapmanii</i>			
346.	3803	<i>Daviesia daphnoides</i>			
347.	3805	<i>Daviesia decurrens</i> (Prickly Bitter-pea)			
348.	19747	<i>Daviesia decurrens</i> subsp. <i>decurrens</i>			
349.	18560	<i>Daviesia divaricata</i> subsp. <i>divaricata</i>			
350.	3809	<i>Daviesia epiphyllum</i>			
351.	12326	<i>Daviesia hakeoides</i> subsp. <i>subnuda</i>			
352.	15505	<i>Daviesia incrassata</i> subsp. <i>incrassata</i>			
353.	3824	<i>Daviesia nudiflora</i>			
354.	12329	<i>Daviesia nudiflora</i> subsp. <i>hirtella</i>			
355.	16585	<i>Daviesia nudiflora</i> subsp. <i>nudiflora</i>			
356.	15508	<i>Daviesia oxyclada</i>			
357.	3831	<i>Daviesia pedunculata</i>			
358.	3833	<i>Daviesia podophylla</i>			
359.	3834	<i>Daviesia polyphylla</i>			
360.	3837	<i>Daviesia quadrilatera</i>			
361.	3872	<i>Euchilopsis linearis</i> (Swamp Pea)			
362.	20515	<i>Gastrolobium axillare</i>			
363.	3894	<i>Gastrolobium callistachys</i> (Rock Poison)			
364.	3906	<i>Gastrolobium ilicifolium</i>			
365.	20483	<i>Gastrolobium linearifolium</i>			
366.	20482	<i>Gastrolobium nervosum</i>			
367.	3912	<i>Gastrolobium oxylobioides</i> (Champion Bay Poison)			
368.	3915	<i>Gastrolobium plicatum</i>			
369.	3916	<i>Gastrolobium polystachyum</i> (Horned Poison)			
370.	3924	<i>Gastrolobium spinosum</i> (Prickly Poison)			
371.	3933	<i>Gastrolobium villosum</i> (Crinkle-leaved Poison)			
372.	3945	<i>Gompholobium aristatum</i>			
373.	23489	<i>Gompholobium gairdnerianum</i>		P3	
374.	3950	<i>Gompholobium knightianum</i>			
375.	29267	<i>Gompholobium muticum</i>			
376.	3955	<i>Gompholobium preissii</i>			
377.	19295	<i>Gompholobium pungens</i>			
378.	3956	<i>Gompholobium shuttleworthii</i>			
379.	3957	<i>Gompholobium tomentosum</i> (Hairy Yellow Pea)			
380.	3967	<i>Hovea stricta</i>			
381.	3968	<i>Hovea trisperma</i> (Common Hovea)			
382.	19700	<i>Isotropis cuneifolia</i> subsp. <i>cuneifolia</i>			
383.	3993	<i>Isotropis drummondii</i> (Lamb Poison)			
384.	3998	<i>Jacksonia angulata</i>			
385.	14747	<i>Jacksonia anthoclada</i>		P3	
386.	4003	<i>Jacksonia carduacea</i>		P3	
387.	4005	<i>Jacksonia condensata</i>			
388.	4010	<i>Jacksonia floribunda</i> (Holly Pea)			
389.	4015	<i>Jacksonia hakeoides</i>			
390.	4018	<i>Jacksonia lehmannii</i>			
391.	14778	<i>Jacksonia nutans</i>			
392.	4025	<i>Jacksonia restioides</i>			
393.	14751	<i>Jacksonia rubra</i>		P2	
394.	4029	<i>Jacksonia sternbergiana</i> (Stinkwood, Kapur)			
395.	4044	<i>Kennedia prostrata</i> (Scarlet Runner)			
396.	3664	<i>Labichea cassioides</i>			
397.	3667	<i>Labichea lanceolata</i> (Tall Labichea)			
398.	3669	<i>Labichea punctata</i> (Lance-leaved Cassia)			
399.	4066	<i>Lupinus cosentinii</i>	Y		
400.	4079	<i>Medicago polymorpha</i> (Burr Medic)	Y		
401.	4083	<i>Medicago truncatula</i> (Barrel Medic)	Y		
402.	4091	<i>Mirbelia floribunda</i> (Purple Mirbelia)			
403.	4097	<i>Mirbelia ramulosa</i>			
404.	4100	<i>Mirbelia spinosa</i>			
405.	4104	<i>Mirbelia trichocalyx</i>			
406.	4161	<i>Ptychosema pusillum</i> (Dwarf Pea)		T	
407.	17551	<i>Sphaerolobium drummondii</i>			

	Name ID	Species Name	Naturalised	Conservation Code	¹ Endemic To Query Area
408.	4203	<i>Sphaerolobium gracile</i>			
409.	4205	<i>Sphaerolobium linophyllum</i>			
410.	4206	<i>Sphaerolobium macranthum</i>			
411.	4207	<i>Sphaerolobium medium</i>			
412.	10800	<i>Sphaerolobium pulchellum</i>			
413.	4256	<i>Templetonia retusa</i> (Cockies Tongues)			
414.	4293	<i>Trifolium cernuum</i> (Drooping Flower Clover)	Y		
415.	4296	<i>Trifolium fragiferum</i> (Strawberry Clover)	Y		

Falconidae

416.	25621	<i>Falco berigora</i> (Brown Falcon)			
417.	25622	<i>Falco cenchroides</i> (Australian Kestrel)			
418.	25623	<i>Falco longipennis</i> (Australian Hobby)			
419.	25624	<i>Falco peregrinus</i> (Peregrine Falcon)		S	

Fissidentaceae

420.	32367	<i>Fissidens megalotis</i>			
------	-------	----------------------------	--	--	--

Funariaceae

421.	32353	<i>Entosthodon apophysatus</i>			
------	-------	--------------------------------	--	--	--

Goodeniaceae

422.	7420	<i>Dampiera alata</i> (Winged-stem Dampiera)			
423.	7451	<i>Dampiera lavandulacea</i>			
424.	7453	<i>Dampiera lindleyi</i>			
425.	7454	<i>Dampiera linearis</i> (Common Dampiera)			
426.	7459	<i>Dampiera oligophylla</i> (Sparse-leaved Dampiera)			
427.	7475	<i>Dampiera spicigera</i> (Spiked Dampiera)			
428.	7481	<i>Dampiera tephrea</i>		P2	
429.	7482	<i>Dampiera teres</i> (Terete-leaved Dampiera)			
430.	29362	<i>Goodenia coerulea</i>			
431.	7513	<i>Goodenia hassallii</i>			
432.	19284	<i>Goodenia pulchella</i> subsp. Coastal Plain B (L.W. Sage 2336)			
433.	7566	<i>Goodenia xanthotricha</i> (Yellow-haired Goodenia)		P2	
434.	7568	<i>Lechenaultia biloba</i> (Blue Leschenaultia)			
435.	7574	<i>Lechenaultia floribunda</i> (Free-flowering Leschenaultia)			
436.	7577	<i>Lechenaultia hirsuta</i> (Hairy Leschenaultia)			
437.	7580	<i>Lechenaultia linarioides</i> (Yellow Leschenaultia)			
438.	7586	<i>Lechenaultia stenosepala</i> (Narrow-sepaled Leschenaultia)			
439.	7590	<i>Lechenaultia tubiflora</i> (Heath Leschenaultia)			
440.	7595	<i>Scaevola anchusifolia</i>			
441.	7603	<i>Scaevola canescens</i> (Grey Scaevola)			
442.	7613	<i>Scaevola glandulifera</i> (Viscid Hand-flower)			
443.	7619	<i>Scaevola lanceolata</i>			
444.	7634	<i>Scaevola phlebopetala</i> (Velvet Fanflower)			
445.	12585	<i>Scaevola repens</i>			
446.	29356	<i>Scaevola repens</i> subsp. Northern Sandplains (R.J. Cranfield & P.J. Spencer 8445)			
447.	13182	<i>Scaevola repens</i> var. <i>repens</i>			
448.	12588	<i>Scaevola virgata</i>			
449.	7665	<i>Velleia trinervis</i>			
450.	7666	<i>Verreauxia reinwardtii</i> (Common Verreauxia)			

Grimmiaceae

451.	32386	<i>Grimmia laevigata</i>			
452.	32473	<i>Grimmia pulvinata</i> var. <i>africana</i>			

Gyrostemonaceae

453.	2783	<i>Gyrostemon racemiger</i>			
454.	2784	<i>Gyrostemon ramulosus</i> (Corkybark)			
455.	2788	<i>Gyrostemon subnudus</i>			
456.	2791	<i>Tersonia cyathiflora</i> (Button Creeper)			

Haemodoraceae

457.	29437	<i>Anigozanthos humilis</i> subsp. <i>Badgingarra</i> (S.D. Hopper 7114)		P2	
458.	11434	<i>Anigozanthos humilis</i> subsp. <i>humilis</i>			
459.	1414	<i>Anigozanthos pulcherrimus</i> (Yellow Kangaroo Paw)			
460.	29436	<i>Anigozanthos viridis</i> subsp. <i>Cataby</i> (S.D. Hopper 1786)			
461.	1417	<i>Blancoa canescens</i> (Winter Bell)			
462.	11414	<i>Conostylis aculeata</i> subsp. <i>breviflora</i>			
463.	1420	<i>Conostylis androstemma</i> (Trumpets)			
464.	1421	<i>Conostylis angustifolia</i>			
465.	1423	<i>Conostylis aurea</i> (Golden Conostylis)			
466.	1427	<i>Conostylis candicans</i> (Grey Cottonhead)			
467.	11438	<i>Conostylis candicans</i> subsp. <i>candicans</i>			

	Name ID	Species Name	Naturalised	Conservation Code	¹ Endemic To Query Area
468.	11773	<i>Conostylis crassinervia</i> subsp. <i>absens</i>			
469.	11938	<i>Conostylis crassinervia</i> subsp. <i>crassinervia</i>			
470.	11640	<i>Conostylis festucacea</i> subsp. <i>filifolia</i>			
471.	1435	<i>Conostylis hiemalis</i>			
472.	1436	<i>Conostylis juncea</i>			
473.	1437	<i>Conostylis latens</i>			
474.	11870	<i>Conostylis teretifolia</i> subsp. <i>teretifolia</i>			
475.	1458	<i>Conostylis teretiusscula</i>			
476.	1464	<i>Haemodorum brevisepalum</i>			
477.	1465	<i>Haemodorum discolor</i>			
478.	1469	<i>Haemodorum loratum</i>		P3	
479.	1472	<i>Haemodorum simplex</i>			
480.	1473	<i>Haemodorum simulans</i>			
481.	1475	<i>Haemodorum spicatum</i> (Mardja)			
482.	1476	<i>Haemodorum venosum</i>			
483.	1477	<i>Macropidia fuliginosa</i> (Black Kangaroo Paw)			
484.	1478	<i>Phlebocarya ciliata</i>			
485.	1479	<i>Phlebocarya filifolia</i>			
486.	11557	<i>Phlebocarya pilosissima</i> subsp. <i>pilosissima</i>		P3	
487.	11906	<i>Phlebocarya pilosissima</i> subsp. <i>teretifolia</i>		P2	
488.	1481	<i>Tribonanthes australis</i>			

Halcyonidae

489.	30901	<i>Dacelo novaeguineae</i> (Laughing Kookaburra)	Y		
490.	25549	<i>Todiramphus sanctus</i> (Sacred Kingfisher)			

Haloragaceae

491.	6143	<i>Glischrocaryon aureum</i> (Common Popflower)			
492.	6161	<i>Gonocarpus pithyoides</i>			

Hemerocallidaceae

493.	1263	<i>Arnocrinum gracillimum</i>		P2	
494.	1264	<i>Arnocrinum preissii</i>			
495.	29439	<i>Caesia</i> sp. Wongan (K.F. Kenneally 8820)			
496.	11283	<i>Corynotheca micrantha</i> var. <i>micrantha</i>			
497.	1259	<i>Dianella revoluta</i> (Blueberry Lily)			
498.	1292	<i>Hensmania stoniella</i>		P3	
499.	19632	<i>Johnsonia pubescens</i> subsp. <i>pubescens</i>			
500.	1260	<i>Stypandra glauca</i> (Blind Grass)			
501.	1361	<i>Tricoryne elatior</i> (Yellow Autumn Lily)			
502.	29481	<i>Tricoryne</i> sp. <i>Eneabba</i> (E.A. Griffin 1200)			

Hirundinidae

503.	24491	<i>Hirundo neoxena</i> (Welcome Swallow)			
------	-------	--	--	--	--

Iridaceae

504.	11749	<i>Orthrosanthus laxus</i> var. <i>laxus</i> (Morning Iris)			
505.	1541	<i>Patersonia argyrea</i>		P3	
506.	1546	<i>Patersonia juncea</i> (Rush Leaved Patersonia)			
507.	1550	<i>Patersonia occidentalis</i> (Purple Flag, Koma)			
508.	30472	<i>Patersonia occidentalis</i> var. <i>occidentalis</i>			
509.	29612	<i>Patersonia spirifolia</i>		T	Y
510.	11544	<i>Romulea rosea</i> var. <i>australis</i> (Guildford Grass)	Y		

Isoetaceae

511.	11	<i>Isoetes drummondii</i> (Quillwort)			
------	----	---------------------------------------	--	--	--

Juncaceae

512.	1189	<i>Juncus pauciflorus</i> (Loose Flower Rush)			
513.	1194	<i>Juncus radula</i>			

Juncaginaceae

514.	18587	<i>Triglochin nana</i>			
515.	19174	<i>Triglochin</i> sp. A Flora of Australia (G.J. Keighery 2477)			

Lamiaceae

516.	6748	<i>Cyanostegia corifolia</i> (Tinsel Flower)			
517.	6837	<i>Hemiandra leiantha</i>			
518.	6838	<i>Hemiandra linearis</i> (Speckled Snakebush)			
519.	6839	<i>Hemiandra pungens</i> (Snakebush)			
520.	38320	<i>Hemiandra</i> sp. <i>Jurien</i> (B.J. Conn & M.E. Tozer BJC 3885)			
521.	6849	<i>Hemigenia diplanthera</i>			
522.	6856	<i>Hemigenia incana</i> (Silky Hemigenia)			
523.	41020	<i>Hemiphora bartlingii</i> (Woolly Dragon)			
524.	41042	<i>Hemiphora uncinata</i>			

Name ID	Species Name	Naturalised	Conservation Code	¹ Endemic To Query Area
525.	6777 <i>Lachnostachys albicans</i>			
526.	6780 <i>Lachnostachys eriobotrya</i> (Lambswool)			
527.	15456 <i>Microcorys</i> sp. Coomallo (L. Haegi 2677)			
528.	6797 <i>Physopsis spicata</i> (Hill River Lambstail)			
529.	41060 <i>Quoya dilatata</i>			
530.	41063 <i>Quoya loxocarpa</i>			
531.	41080 <i>Quoya verbascina</i> (Golden Bush)			
Lauraceae				
532.	12073 <i>Cassytha aurea</i> var. <i>aurea</i>			
533.	11351 <i>Cassytha aurea</i> var. <i>hirta</i>			
534.	2951 <i>Cassytha flava</i> (Dodder Laurel)			
535.	11206 <i>Cassytha glabella</i> forma <i>bicallosa</i>			
536.	2957 <i>Cassytha racemosa</i> (Dodder Laurel)			
Lecanoraceae				
537.	28037 <i>Ramboldia stuartii</i>			
Lecideaceae				
538.	27825 <i>Lecidea ochroleuca</i>			
Limnodynastidae				
539.	25408 <i>Heleioporus albopunctatus</i> (Western Spotted Frog)			
540.	25410 <i>Heleioporus eyrei</i> (Moaning Frog)			
541.	25412 <i>Heleioporus psammophilus</i> (Sand Frog)			
542.	25415 <i>Limnodynastes dorsalis</i> (Western Banjo Frog)			
543.	25426 <i>Neobatrachus pelobatoides</i> (Humming Frog)			
Loganiaceae				
544.	6506 <i>Logania campanulata</i> (Bell-flowered Logania)			
545.	6512 <i>Logania spermacoea</i>			
Loranthaceae				
546.	13267 <i>Amyema linophylla</i> subsp. <i>linophylla</i>			
547.	2401 <i>Nuytsia floribunda</i> (Christmas Tree, Mudja)			
Lycosidae				
548.	<i>Artoria schizocoides</i>			
549.	<i>Tasmanicosa leuckartii</i>			
550.	<i>Venator immansueta</i>			
Lythraceae				
551.	5281 <i>Lythrum hyssopifolia</i> (Lesser Loosestrife)	Y		
Macropodidae				
552.	24133 <i>Macropus irma</i> (Western Brush Wallaby)		P4	
Maluridae				
553.	25651 <i>Malurus lamberti</i> (Variegated Fairy-wren)			
554.	25652 <i>Malurus leucopterus</i> (White-winged Fairy-wren)			
555.	24551 <i>Malurus pulcherrimus</i> (Blue-breasted Fairy-wren)			
556.	25654 <i>Malurus splendens</i> (Splendid Fairy-wren)			
557.	25655 <i>Stipiturus malachurus</i> (Southern Emu-wren)			
Malvaceae				
558.	4906 <i>Alyogyne huegelii</i> (Lilac Hibiscus)			
559.	40908 <i>Androcalva pulchella</i>			
560.	13233 <i>Guichenotia alba</i>		P3	
561.	5013 <i>Guichenotia micrantha</i> (Small Flowered Guichenotia)			
562.	5014 <i>Guichenotia sarotes</i>			
563.	5022 <i>Keraudrenia hermanniifolia</i>			
564.	5031 <i>Lasiopetalum drummondii</i>			
565.	5036 <i>Lasiopetalum lineare</i>			
566.	15552 <i>Lasiopetalum</i> sp. Hill River (T.N. Stoate 5)		P1	
567.	4980 <i>Sida hookeriana</i>			
568.	5084 <i>Thomasia grandiflora</i> (Large Flowered Thomasia)			
569.	5086 <i>Thomasia macrocalyx</i>			
Meliphagidae				
570.	24559 <i>Acanthagenys rufogularis</i> (Spiny-cheeked Honeyeater)			
571.	24560 <i>Acanthorhynchus superciliosus</i> (Western Spinebill)			
572.	24561 <i>Anthochaera carunculata</i> (Red Wattlebird)			
573.	24562 <i>Anthochaera lunulata</i> (Western Little Wattlebird)			
574.	24567 <i>Epthianura albiglans</i> (White-fronted Chat)			
575.	25661 <i>Lichmera indistincta</i> (Brown Honeyeater)			
576.	24583 <i>Manorina flavigula</i> (Yellow-throated Miner)			

	Name ID	Species Name	Naturalised	Conservation Code	¹ Endemic To Query Area
577.	25663	<i>Melithreptus brevirostris</i> (Brown-headed Honeyeater)			
578.	24596	<i>Phylidonyris novaehollandiae</i> (New Holland Honeyeater)			
Menyanthaceae					
579.	36160	<i>Liparophyllum capitatum</i>			
Meropidae					
580.	24598	<i>Merops ornatus</i> (Rainbow Bee-eater)		IA	
Molluginaceae					
581.	2838	<i>Macarthuria apetala</i>			
582.	2839	<i>Macarthuria australis</i>			
Muridae					
583.	24223	<i>Mus musculus</i> (House Mouse)	Y		
584.	24230	<i>Pseudomys albocinereus</i> (Ash-grey Mouse)			
Myobatrachidae					
585.	25401	<i>Crinia pseudinsignifera</i> (Bleating Froglet)			
586.	25420	<i>Myobatrachus gouldii</i> (Turtle Frog)			
587.	25433	<i>Pseudophryne guentheri</i> (Crawling Toadlet)			
Myrtaceae					
588.	36441	<i>Babingtonia camphorosmae</i> (Camphor Myrtle)			
589.	5341	<i>Baeckea crispiflora</i>			
590.	5350	<i>Baeckea grandiflora</i> (Large-flowered Baeckea)			
591.	5351	<i>Baeckea grandis</i>			
592.	5365	<i>Baeckea robusta</i>			
593.	17126	<i>Baeckea</i> sp. <i>Moora</i> (R. Bone 1993/1)		P3	
594.	5377	<i>Beaufortia bicolor</i>		P3	
595.	5378	<i>Beaufortia bracteosa</i>			
596.	5382	<i>Beaufortia elegans</i>			
597.	5384	<i>Beaufortia eriocephala</i> (Woolly Bottlebrush)		P3	
598.	5393	<i>Beaufortia squarrosa</i> (Sand Bottlebrush, Puno)			
599.	5396	<i>Calothamnus accedens</i>		P4	
600.	5401	<i>Calothamnus blepharospermus</i>			
601.	35856	<i>Calothamnus glaber</i>			
602.	5411	<i>Calothamnus hirsutus</i>			
603.	5417	<i>Calothamnus longissimus</i>			
604.	35756	<i>Calothamnus quadrifidus</i> subsp. <i>angustifolius</i>			
605.	35816	<i>Calothamnus quadrifidus</i> subsp. <i>quadrifidus</i>			
606.	5429	<i>Calothamnus sanguineus</i> (Silky-leaved Blood flower, Pindak)			
607.	5431	<i>Calothamnus torulosus</i>			
608.	5439	<i>Calytrix angulata</i> (Yellow Starflower)			
609.	5441	<i>Calytrix aurea</i>			
610.	5447	<i>Calytrix chrysantha</i>		P4	
611.	5450	<i>Calytrix depressa</i>			
612.	5453	<i>Calytrix drummondii</i>			
613.	19980	<i>Calytrix ecalycata</i> subsp. <i>brevis</i>		P3	
614.	5458	<i>Calytrix flavescens</i> (Summer Starflower)			
615.	5460	<i>Calytrix fraseri</i> (Pink Summer Calytrix)			
616.	5465	<i>Calytrix leschenaultii</i>			
617.	5476	<i>Calytrix sapphirina</i>			
618.	19888	<i>Calytrix</i> sp. <i>Eneabba</i> (B.J. Lepschi & T.R. Lally BJL3617)			
619.	5479	<i>Calytrix strigosa</i>			
620.	5485	<i>Calytrix variabilis</i>			
621.	5493	<i>Chamelaucium drummondii</i>			
622.	14808	<i>Chamelaucium drummondii</i> subsp. <i>drummondii</i>			
623.	5498	<i>Chamelaucium uncinatum</i> (Geraldton Wax)			
624.	5502	<i>Conothamnus trinervis</i>			
625.	5511	<i>Darwinia helichrysoides</i>			
626.	5518	<i>Darwinia neildiana</i> (Fringed Bell)			
627.	5522	<i>Darwinia pauciflora</i>			
628.	5524	<i>Darwinia pinifolia</i>			
629.	5528	<i>Darwinia sanguinea</i>			
630.	5529	<i>Darwinia speciosa</i>			
631.	13950	<i>Eremaea asterocarpa</i> subsp. <i>asterocarpa</i>			
632.	13952	<i>Eremaea asterocarpa</i> subsp. <i>histoclada</i>			
633.	5537	<i>Eremaea beaufortioides</i>			
634.	14098	<i>Eremaea beaufortioides</i> var. <i>beaufortioides</i>			
635.	14099	<i>Eremaea beaufortioides</i> var. <i>lachnosanthae</i>			
636.	14100	<i>Eremaea beaufortioides</i> var. <i>microphylla</i>			
637.	5538	<i>Eremaea brevifolia</i>			

	Name ID	Species Name	Naturalised	Conservation Code	¹ Endemic To Query Area
638.	13955	<i>Eremaea ectadioclada</i>			
639.	5540	<i>Eremaea fimbriata</i>			
640.	13951	<i>Eremaea hadra</i>			
641.	5541	<i>Eremaea pauciflora</i>			
642.	14103	<i>Eremaea pauciflora</i> var. <i>calyptra</i>			
643.	13818	<i>Eremaea pauciflora</i> var. <i>lonchophylla</i>			
644.	14104	<i>Eremaea pauciflora</i> var. <i>pauciflora</i>			
645.	5543	<i>Eremaea violacea</i> (Violet <i>Eremaea</i>)			
646.	13956	<i>Eremaea x phoenicea</i>			
647.	45215	<i>Ericomyrtus tenuior</i>			
648.	13093	<i>Eucalyptus absita</i> (Badgingarra Box)		T	
649.	16893	<i>Eucalyptus absita</i> x <i>loxophleba</i>		P1	Y
650.	5545	<i>Eucalyptus accedens</i> (Powderbark Wandoo)			
651.	5548	<i>Eucalyptus albida</i> (White-leaved Mallee)			
652.	12896	<i>Eucalyptus arachnaea</i> (Black-stemmed Mallee)			
653.	35345	<i>Eucalyptus camaldulensis</i> subsp. <i>obtusa</i> (Blunt-budded River Red Gum)			
654.	15684	<i>Eucalyptus conveniens</i>			
655.	12885	<i>Eucalyptus crispata</i> (Yandanooka Mallee)		T	
656.	15494	<i>Eucalyptus diminuta</i>			
657.	5628	<i>Eucalyptus drummondii</i> (Drummond's Gum)			
658.	5642	<i>Eucalyptus exilis</i> (Boyagin Mallee)		P4	
659.	5643	<i>Eucalyptus falcata</i> (Silver Mallet, Dulyumuk)			
660.	5658	<i>Eucalyptus gittinsii</i> (Northern Sandplain Mallee)			
661.	5675	<i>Eucalyptus incrassata</i> (Lerp Mallee)			
662.	5690	<i>Eucalyptus lane-poolei</i> (Salmon White Gum)			
663.	5691	<i>Eucalyptus lateritica</i> (Laterite Mallee)		T	
664.	13543	<i>Eucalyptus leprophloia</i> (Scaly Butt Mallee)		T	
665.	5702	<i>Eucalyptus loxophleba</i> (York Gum, Dwoda)			
666.	11295	<i>Eucalyptus loxophleba</i> subsp. <i>loxophleba</i> (York Gum)			
667.	13038	<i>Eucalyptus loxophleba</i> subsp. <i>supralaevis</i>			
668.	13531	<i>Eucalyptus macrocarpa</i> subsp. <i>elachantha</i> (Small-leaved Mottlecah)		P4	
669.	13530	<i>Eucalyptus macrocarpa</i> subsp. <i>macrocarpa</i> (Mottlecah)			
670.	42062	<i>Eucalyptus opimiflora</i>			
671.	5741	<i>Eucalyptus pendens</i> (Badgingarra Mallee)		P4	
672.	16180	<i>Eucalyptus pleurocarpa</i>			
673.	12866	<i>Eucalyptus pluricaulis</i> subsp. <i>pluricaulis</i>			
674.	5763	<i>Eucalyptus rudis</i> (Flooded Gum, Kulurda)			
675.	5781	<i>Eucalyptus suberea</i> (Mount Lesueur Mallee)		T	
676.	5790	<i>Eucalyptus todtiana</i> (Coastal Blackbutt)			
677.	13090	<i>Eucalyptus x balanites</i> (Cadda Road Mallee)		T	
678.	35074	<i>Hypocalymma angustifolium</i> subsp. <i>Dandaragan plateau</i> (S. Patrick 702A)			
679.	35070	<i>Hypocalymma angustifolium</i> subsp. <i>Swan Coastal Plain</i> (G.J. Keighery 16777)			
680.	20851	<i>Hypocalymma gardneri</i>		P3	
681.	5820	<i>Hypocalymma linifolium</i>		P1	
682.	14080	<i>Hypocalymma serrulatum</i>		P3	
683.	14493	<i>Hypocalymma</i> sp. <i>Cataby</i> (G.J. Keighery 5151)		P2	
684.	31452	<i>Hypocalymma</i> sp. <i>Dandaragan</i> (C.A. Gardner 9014)		P1	
685.	31431	<i>Hypocalymma</i> sp. <i>Nambung</i> (R. Spjut & R. Smith s.n. 22/09/1992)			
686.	5828	<i>Hypocalymma tetrapterum</i>		P3	
687.	5829	<i>Hypocalymma xanthopetalum</i>			
688.	5835	<i>Kunzea micrantha</i>			
689.	17785	<i>Kunzea micrantha</i> subsp. <i>petiolata</i>			
690.	5847	<i>Leptospermum erubescens</i> (Roadside Teatree)			
691.	5853	<i>Leptospermum oligandrum</i>			
692.	5857	<i>Leptospermum spinescens</i>			
693.	17982	<i>Melaleuca carrii</i>			
694.	5888	<i>Melaleuca ciliosa</i>			
695.	19387	<i>Melaleuca clavifolia</i>			
696.	5893	<i>Melaleuca concreta</i>			
697.	19952	<i>Melaleuca dichroma</i>			
698.	5926	<i>Melaleuca lateritia</i> (Robin Redbreast Bush)			
699.	18112	<i>Melaleuca leuropoma</i>			
700.	5949	<i>Melaleuca platycalyx</i>			
701.	5958	<i>Melaleuca radula</i> (Graceful Honey myrtle)			
702.	5959	<i>Melaleuca raphiophylla</i> (Swamp Paperbark)			
703.	19365	<i>Melaleuca ryeae</i>			
704.	5964	<i>Melaleuca seriata</i>			
705.	19449	<i>Melaleuca stereophloia</i>			
706.	5983	<i>Melaleuca trichophylla</i>			
707.	5986	<i>Melaleuca urceolaris</i>			

	Name ID	Species Name	Naturalised	Conservation Code	¹ Endemic To Query Area
708.	5987	<i>Melaleuca viminea</i> (Mohan)			
709.	19611	<i>Melaleuca zonalis</i>			
710.	16477	<i>Pericalymma ellipticum</i> var. <i>ellipticum</i>			
711.	6009	<i>Pileanthus filifolius</i> (Summer Coppercups)			
712.	6012	<i>Regelia ciliata</i>			
713.	6033	<i>Scholtzia involucrata</i> (Spiked Scholtzia)			
714.	6034	<i>Scholtzia laxiflora</i>			
715.	6036	<i>Scholtzia oligandra</i> (Pink Scholtzia)			
716.	6037	<i>Scholtzia parviflora</i>			
717.	30093	<i>Scholtzia</i> sp. Coomberdale (M.E. & M.E. Trudgen MET 1724)			
718.	20382	<i>Scholtzia</i> sp. Wongonderrah (M.E. & M.R. Trudgen MET 12000)			
719.	6039	<i>Scholtzia teretifolia</i>			
720.	6057	<i>Thryptomene hyporhytis</i>			
721.	6060	<i>Thryptomene mucronulata</i>			
722.	6064	<i>Thryptomene racemulosa</i>			
723.	12396	<i>Verticordia blepharophylla</i>			
724.	12402	<i>Verticordia chrysanthella</i>			
725.	12411	<i>Verticordia densiflora</i> var. <i>cespitosa</i>			
726.	15432	<i>Verticordia densiflora</i> var. <i>densiflora</i>			
727.	6077	<i>Verticordia drummondii</i> (Drummond's Featherflower)			
728.	15620	<i>Verticordia endlicheriana</i> var. <i>manicula</i>			
729.	12425	<i>Verticordia fragrans</i>		P3	
730.	6083	<i>Verticordia grandis</i> (Scarlet Featherflower)			
731.	12429	<i>Verticordia huegelii</i> var. <i>decumbens</i>			
732.	15433	<i>Verticordia huegelii</i> var. <i>huegelii</i>			
733.	12430	<i>Verticordia huegelii</i> var. <i>stylosa</i>			
734.	12434	<i>Verticordia insignis</i> subsp. <i>eomagis</i>		P3	
735.	12437	<i>Verticordia laciniata</i>			
736.	6101	<i>Verticordia nitens</i> (Morrison Featherflower, Kodjeningara)			
737.	10822	<i>Verticordia nobilis</i>			
738.	6103	<i>Verticordia ovalifolia</i>			
739.	6105	<i>Verticordia patens</i>			
740.	6107	<i>Verticordia pennigera</i>			
741.	6109	<i>Verticordia picta</i> (Painted Featherflower)			
742.	12449	<i>Verticordia plumosa</i> var. <i>brachyphylla</i>			
743.	12456	<i>Verticordia rutilastra</i>		P3	
Nicodamidae					
744.		<i>Nicodamus mainae</i>			
Olacaceae					
745.	2365	<i>Olax benthamiana</i>			
746.	2367	<i>Olax scalariformis</i>			
Orchidaceae					
747.	11136	<i>Caladenia denticulata</i>			
748.	44893	<i>Caladenia denticulata</i> subsp. <i>denticulata</i>			
749.	44900	<i>Caladenia denticulata</i> subsp. <i>rubella</i>			
750.	15348	<i>Caladenia flava</i> subsp. <i>flava</i>			
751.	15355	<i>Caladenia hirta</i> subsp. <i>rosea</i>			
752.	15358	<i>Caladenia longicauda</i> subsp. <i>albella</i>			
753.	15360	<i>Caladenia longicauda</i> subsp. <i>borealis</i>			
754.	15369	<i>Caladenia lorea</i>			
755.	17589	<i>Caladenia occidentalis</i>			
756.	1609	<i>Caladenia pectinata</i> (King Spider Orchid)			
757.	1611	<i>Caladenia radialis</i> (Drooping Spider Orchid)			
758.	15380	<i>Caladenia splendens</i>			
759.	11049	<i>Diuris corymbosa</i>			
760.	12936	<i>Diuris recurva</i>		P4	
761.	42228	<i>Diuris septentrionalis</i>			
762.	44162	<i>Diuris tinkeri</i>			
763.	10954	<i>Microtis media</i> (Tall Mignonette Orchid)			
764.	15419	<i>Microtis media</i> subsp. <i>media</i>			
765.	13867	<i>Paracaleana dixonii</i>		T	
766.	20460	<i>Pheladenia deformis</i>			
767.	1669	<i>Prasopphyllum cyphochilum</i> (Pouched Leek Orchid)			
768.	1671	<i>Prasopphyllum elatum</i> (Tall Leek Orchid)			
769.	1672	<i>Prasopphyllum fimbria</i> (Fringed Leek Orchid)			
770.	1680	<i>Prasopphyllum parvifolium</i> (Autumn Leek Orchid)			
771.	1687	<i>Pterostylis dilatata</i>			
772.	12217	<i>Pterostylis sanguinea</i>			
773.	18653	<i>Pterostylis</i> sp. broad petals (S.D. Hopper 4429)			

	Name ID	Species Name	Naturalised	Conservation Code	¹ Endemic To Query Area
774.	1701	<i>Thelymitra antennifera</i> (Vanilla Orchid)			
775.	11032	<i>Thelymitra apiculata</i>		P4	
776.	10862	<i>Thelymitra stellata</i> (Star Orchid)		T	
777.	1718	<i>Thelymitra villosa</i> (Custard Orchid)			
Orobanchaceae					
778.	7089	<i>Parentucellia latifolia</i> (Common Bartsia)	Y		
779.	7090	<i>Parentucellia viscosa</i> (Sticky Bartsia)	Y		
Otididae					
780.	24610	<i>Ardeotis australis</i> (Australian Bustard)			
Pachycephalidae					
781.	25675	<i>Colluricincla harmonica</i> (Grey Shrike-thrush)			
782.	25680	<i>Pachycephala rufiventris</i> (Rufous Whistler)			
Pararchaeidae					
783.		<i>Ozarchaea westraliensis</i>			
Pardalotidae					
784.	25681	<i>Pardalotus punctatus</i> (Spotted Pardalote)			
785.	25682	<i>Pardalotus striatus</i> (Striated Pardalote)			
Parmeliaceae					
786.	43942	<i>Austroparmelia pruinata</i>			
787.	44083	<i>Parmotrema norsticticatum</i>			Y
Petroicidae					
788.	24652	<i>Eopsaltria georgiana</i> (White-breasted Robin)			
789.	24659	<i>Petroica goodenovii</i> (Red-capped Robin)			
Philydraceae					
790.	1173	<i>Philydrella pygmaea</i> (Butterfly Flowers)			
Phyllanthaceae					
791.	4675	<i>Phyllanthus calycinus</i> (False Boronia)			
792.	4691	<i>Poranthera microphylla</i> (Small Poranthera)			
Physaraceae					
793.	39038	<i>Leocarpus fragilis</i>			
Physciaceae					
794.	27598	<i>Buellia dissa</i>			
Pittosporaceae					
795.	25779	<i>Billardiera venusta</i>			
796.	19421	<i>Marianthus bicolor</i> (Painted Marianthus)			
797.	17633	<i>Marianthus erubescens</i>			
Plantaginaceae					
798.	7297	<i>Plantago coronopus</i> (Buckshorn Plantain)	Y		
Poaceae					
799.	12025	<i>Amphipogon caricinus</i> var. <i>caricinus</i>			
800.	235	<i>Avena sativa</i> (Common Oat)	Y		
801.	376	<i>Eragrostis curvula</i> (African Lovegrass)	Y		
802.	492	<i>Neurachne alopecuroides</i> (Foxtail Mulga Grass)			
803.	17882	<i>Triodia danthonioides</i>			
Podargidae					
804.	25703	<i>Podargus strigoides</i> (Tawny Frogmouth)			
Podicipedidae					
805.	25705	<i>Tachybaptus novaehollandiae</i> (Australasian Grebe, Black-throated Grebe)			
Polygalaceae					
806.	4549	<i>Comesperma acerosum</i>			
807.	4550	<i>Comesperma calymega</i> (Blue-spike Milkwort)			
808.	4551	<i>Comesperma ciliatum</i>			
809.	4560	<i>Comesperma rhadinocarpum</i> (Slender-fruited Comesperma)		P2	
810.	4561	<i>Comesperma scoparium</i> (Broom Milkwort)			
811.	4566	<i>Comesperma volubile</i> (Love Creeper)			
Polygonaceae					
812.	2409	<i>Emex australis</i> (Doublegee)	Y		
813.	2412	<i>Muehlenbeckia adpressa</i> (Climbing Lignum)			
814.	2419	<i>Polygonum aviculare</i> (Wireweed)	Y		
Portulacaceae					
815.	44184	<i>Calandrinia baccata</i>			

	Name ID	Species Name	Naturalised	Conservation Code	¹ Endemic To Query Area
816.	2846	<i>Calandrinia calyptata</i> (Pink Purslane)			
817.	2848	<i>Calandrinia corrigioloides</i> (Strap Purslane)			
818.	16365	<i>Calandrinia</i> sp. Kenwick (G.J. Keighery 10905)			

Pottiaceae

819.	32315	<i>Barbula calycina</i>			
------	-------	-------------------------	--	--	--

Proteaceae

820.	1775	<i>Adenanthos cygnorum</i> (Common Woollybush)			
821.	11837	<i>Adenanthos cygnorum</i> subsp. <i>cygnorum</i> (Common Woollybush)			
822.	1779	<i>Adenanthos drummondii</i>			
823.	32681	<i>Banksia armata</i> (Prickly Dryandra)			
824.	32682	<i>Banksia armata</i> var. <i>armata</i>			
825.	1800	<i>Banksia attenuata</i> (Slender Banksia, Piara)			
826.	32679	<i>Banksia bipinnatifida</i> subsp. <i>multifida</i>			
827.	1809	<i>Banksia candolleana</i> (Propeller Banksia)			
828.	32623	<i>Banksia carlinoides</i> (Pink Dryandra)			
829.	1810	<i>Banksia chamaephyton</i> (Fishbone Banksia)		P4	
830.	32596	<i>Banksia cypholoba</i>		P3	
831.	32576	<i>Banksia dallanneyi</i> (Couch Honeypot)			
832.	32578	<i>Banksia dallanneyi</i> subsp. <i>media</i>			
833.	32580	<i>Banksia dallanneyi</i> var. <i>dallanneyi</i>			
834.	1816	<i>Banksia elegans</i> (Elegant Banksia)		P4	
835.	32523	<i>Banksia fraseri</i> var. <i>fraseri</i>			
836.	32519	<i>Banksia glaucifolia</i>			
837.	1820	<i>Banksia grossa</i>			
838.	1823	<i>Banksia incana</i>			
839.	33398	<i>Banksia incana</i> var. <i>brachyphylla</i>			
840.	33399	<i>Banksia incana</i> var. <i>incana</i>			
841.	32215	<i>Banksia kippistiana</i> var. <i>kippistiana</i>			
842.	32216	<i>Banksia kippistiana</i> var. <i>paenepeccata</i>		P3	
843.	1825	<i>Banksia lanata</i>			
844.	1826	<i>Banksia loricata</i> (Rose Banksia)			
845.	1828	<i>Banksia leptophylla</i>			
846.	11714	<i>Banksia leptophylla</i> var. <i>leptophylla</i>			
847.	11386	<i>Banksia leptophylla</i> var. <i>melletica</i>			
848.	1834	<i>Banksia menziesii</i> (Firewood Banksia)			
849.	1835	<i>Banksia micrantha</i>			
850.	32206	<i>Banksia nana</i> (Dwarf Dryandra)			
851.	32203	<i>Banksia nivea</i> subsp. <i>nivea</i>			
852.	32201	<i>Banksia nobilis</i> subsp. <i>fragrans</i>		P3	
853.	32163	<i>Banksia platycarpa</i>			
854.	32159	<i>Banksia polycephala</i> (Many-headed Dryandra)			
855.	1842	<i>Banksia prionotes</i> (Acorn Banksia)			
856.	32086	<i>Banksia sclerophylla</i>			
857.	32083	<i>Banksia serruloides</i> subsp. <i>perissa</i>		T	
858.	32077	<i>Banksia sessilis</i> var. <i>cygnorum</i>			
859.	32074	<i>Banksia shuttleworthiana</i> (Bearded Dryandra)			
860.	33401	<i>Banksia sphaerocarpa</i> var. <i>pumilio</i>			
861.	12111	<i>Banksia sphaerocarpa</i> var. <i>sphaerocarpa</i> (Fox Banksia)			
862.	32073	<i>Banksia splendida</i> subsp. <i>macrocarpa</i>		P3	
863.	32043	<i>Banksia stenoprion</i>			
864.	32042	<i>Banksia strictifolia</i>			
865.	32037	<i>Banksia subulata</i> (Awled Honeypot)		P3	
866.	1852	<i>Banksia telmatiaea</i> (Swamp Fox Banksia)			
867.	32033	<i>Banksia tortifolia</i>			
868.	32032	<i>Banksia tridentata</i> (Yellow Honeypot)			
869.	32031	<i>Banksia vestita</i> (Summer Dryandra)			
870.	1857	<i>Conospermum acerosum</i> (Needle-leaved Smokebush)			
871.	15607	<i>Conospermum acerosum</i> subsp. <i>acerosum</i>			
872.	15511	<i>Conospermum boreale</i>			
873.	15512	<i>Conospermum boreale</i> subsp. <i>ascendens</i>			
874.	1859	<i>Conospermum brachyphyllum</i>			
875.	15041	<i>Conospermum canaliculatum</i>			
876.	15517	<i>Conospermum canaliculatum</i> subsp. <i>apiculatum</i>			
877.	1864	<i>Conospermum crassinervium</i> (Summer Smokebush)			
878.	14876	<i>Conospermum densiflorum</i> subsp. <i>densiflorum</i>			
879.	1874	<i>Conospermum glumaceum</i> (Hooded Smokebush)			
880.	1876	<i>Conospermum incurvum</i> (Plume Smokebush)			
881.	1878	<i>Conospermum nervosum</i>			
882.	1880	<i>Conospermum polycephalum</i>			

Name ID	Species Name	Naturalised	Conservation Code	¹ Endemic To Query Area
883.	1881 <i>Conospermum scaposum</i>		P3	
884.	1882 <i>Conospermum stoechadis</i> (Common Smokebush)			
885.	15611 <i>Conospermum stoechadis</i> subsp. <i>stoechadis</i> (Common Smokebush)			
886.	1885 <i>Conospermum triplinervium</i> (Tree Smokebush)			
887.	15521 <i>Conospermum unilaterale</i>			
888.	15523 <i>Conospermum wycherleyi</i>			
889.	15524 <i>Conospermum wycherleyi</i> subsp. <i>glabrum</i>			
890.	1948 <i>Grevillea acrobotrya</i>			
891.	15763 <i>Grevillea biformis</i> subsp. <i>biformis</i>			
892.	2030 <i>Grevillea leptopoda</i>		P3	
893.	2066 <i>Grevillea pilulifera</i> (Woolly-flowered Grevillea)			
894.	15839 <i>Grevillea preissii</i> subsp. <i>preissii</i>			
895.	2086 <i>Grevillea rudis</i>		P4	
896.	2087 <i>Grevillea saccata</i> (Pouched Grevillea)		P4	
897.	17745 <i>Grevillea shuttleworthiana</i> subsp. <i>canarina</i>			
898.	14420 <i>Grevillea synapheae</i> subsp. <i>pachyphylla</i>			
899.	14421 <i>Grevillea synapheae</i> subsp. <i>synapheae</i>			
900.	14422 <i>Grevillea thyrsoidea</i> subsp. <i>pustulata</i>		P3	
901.	14423 <i>Grevillea thyrsoidea</i> subsp. <i>thyrsoidea</i>		P3	
902.	2115 <i>Grevillea umbellulata</i>			
903.	2116 <i>Grevillea uncinulata</i> (Hook-leaf Grevillea)			
904.	13900 <i>Grevillea uniformis</i>		P3	
905.	2119 <i>Grevillea vestita</i>			
906.	12824 <i>Grevillea vestita</i> subsp. <i>vestita</i>			
907.	17670 <i>Hakea anadenia</i>			
908.	2131 <i>Hakea auriculata</i>			
909.	12225 <i>Hakea brownii</i>			
910.	2143 <i>Hakea conchifolia</i> (Shell-leaved Hakea)			
911.	2146 <i>Hakea costata</i> (Ribbed Hakea)			
912.	16908 <i>Hakea eneabba</i>			
913.	2158 <i>Hakea erinacea</i> (Hedge-hog Hakea)			
914.	2161 <i>Hakea flabellifolia</i> (Fan-leaved Hakea)			
915.	2164 <i>Hakea gilbertii</i>			
916.	2166 <i>Hakea incrassata</i> (Marble Hakea)			
917.	2175 <i>Hakea lissocarpha</i> (Honey Bush)			
918.	12230 <i>Hakea longiflora</i>		P3	
919.	2180 <i>Hakea megalosperma</i> (Lesueur Hakea)		T	
920.	2185 <i>Hakea myrtoidea</i> (Myrtle Hakea)			
921.	2186 <i>Hakea neurophylla</i>		P4	
922.	13336 <i>Hakea obliqua</i> subsp. <i>parviflora</i>			
923.	2197 <i>Hakea prostrata</i> (Harsh Hakea)			
924.	12233 <i>Hakea psilorrhyncha</i>			
925.	2205 <i>Hakea smilacifolia</i>			
926.	12234 <i>Hakea spathulata</i>			
927.	2206 <i>Hakea stenocarpa</i> (Narrow-fruited Hakea)			
928.	2214 <i>Hakea trifurcata</i> (Two-leaf Hakea)			
929.	2219 <i>Isopogon adenanthoides</i> (Spider Coneflower)			
930.	2221 <i>Isopogon asper</i>			
931.	2227 <i>Isopogon divergens</i> (Spreading Coneflower)			
932.	2229 <i>Isopogon dubius</i> (Pincushion Coneflower)			
933.	16873 <i>Isopogon inconspicuus</i>			
934.	2232 <i>Isopogon linearis</i>			
935.	37881 <i>Isopogon panduratus</i> subsp. <i>panduratus</i>			
936.	14439 <i>Isopogon teretifolius</i> subsp. <i>teretifolius</i> (Nodding Coneflower)			
937.	2249 <i>Lambertia multiflora</i> (Many-flowered Honeysuckle)			
938.	15528 <i>Lambertia multiflora</i> var. <i>multiflora</i>			
939.	2258 <i>Persoonia comata</i>			
940.	14563 <i>Persoonia filiformis</i>		P2	
941.	2271 <i>Persoonia rudis</i>		P3	
942.	2272 <i>Persoonia rufiflora</i>			
943.	2281 <i>Persoonia trinervis</i>			
944.	14368 <i>Petrophile aculeata</i>			
945.	2286 <i>Petrophile brevifolia</i>			
946.	2288 <i>Petrophile chrysantha</i>			
947.	2299 <i>Petrophile linearis</i> (Pixie Mops)			
948.	2303 <i>Petrophile megalostegia</i>			
949.	29208 <i>Petrophile pilostyla</i> subsp. <i>austrina</i>			
950.	16874 <i>Petrophile recurva</i>			
951.	2308 <i>Petrophile seminuda</i>			
952.	40742 <i>Petrophile septemfida</i>		P3	

Name ID	Species Name	Naturalised	Conservation Code	¹ Endemic To Query Area
953.	2309 <i>Petrophile serruriae</i>			
954.	2310 <i>Petrophile shuttleworthiana</i>			
955.	2312 <i>Petrophile striata</i>			
956.	12856 <i>Stirlingia abrotanoides</i>			
957.	2316 <i>Stirlingia latifolia</i> (Blueboy)			
958.	2317 <i>Stirlingia simplex</i>			
959.	2319 <i>Strangea cynanchicarpa</i> (Heath Strangea)			
960.	16882 <i>Synaphea aephyrsa</i>			
961.	16858 <i>Synaphea endotherix</i>		P2	
962.	2329 <i>Synaphea spinulosa</i>			
963.	15532 <i>Synaphea spinulosa</i> subsp. <i>spinulosa</i>			
964.	30452 <i>Synaphea xela</i>		P2	
Psittacidae				
965.	25714 <i>Cacatua pastinator</i> (Western Long-billed Corella)			
966.	25716 <i>Cacatua sanguinea</i> (Little Corella)			
967.	24727 <i>Cacatua sanguinea</i> subsp. <i>westralensis</i> (Little Corella)			
968.	24729 <i>Cacatua tenuirostris</i> (Eastern Long-billed Corella)	Y		
969.	24734 <i>Calyptorhynchus latirostris</i> (Carnaby's Cockatoo (short-billed black-cockatoo), Carnaby's Cockatoo)		T	
970.	24736 <i>Melopsittacus undulatus</i> (Budgerigar)			
971.	24742 <i>Nymphicus hollandicus</i> (Cockatiel)			
972.	25722 <i>Polytelis anthopeplus</i> (Regent Parrot)			
Pteridaceae				
973.	29 <i>Anogramma leptophylla</i> (Annual Fern)			
974.	31 <i>Cheilanthes austrotenuifolia</i>			
Pygopodidae				
975.	24991 <i>Aprasia repens</i> (Sand-plain Worm-lizard)			
976.	30905 <i>Delma concinna</i> subsp. <i>concinna</i> (Javelin Legless Lizard)			
977.	25766 <i>Delma fraseri</i> (Fraser's Legless Lizard)			
978.	24999 <i>Delma grayii</i>			
979.	25005 <i>Lialis burtonis</i>			
980.	25007 <i>Pletholax gracilis</i> subsp. <i>gracilis</i> (Keeled Legless Lizard)			
981.	25008 <i>Pygopus lepidopodus</i> (Common Scaly Foot)			
Pythiaceae				
982.	<i>Phytophthora cinnamomi</i>			
Rallidae				
983.	25727 <i>Fulica atra</i> (Eurasian Coot)			
Ramalinaceae				
984.	28224 <i>Ramalina inflata</i> subsp. <i>australis</i>			
Ranunculaceae				
985.	10804 <i>Clematis linearifolia</i>			
Recurvirostridae				
986.	25734 <i>Himantopus himantopus</i> (Black-winged Stilt)			
Restionaceae				
987.	1056 <i>Alexgeorgea nitens</i>			
988.	1057 <i>Alexgeorgea subterranea</i>			
989.	17812 <i>Catacolea enodis</i>		P2	
990.	17685 <i>Chaetanthus aristatus</i>			
991.	17827 <i>Chordifex chaunocoleus</i>		P4	
992.	17833 <i>Chordifex microcodon</i>			
993.	19243 <i>Chordifex reseminans</i>		P2	
994.	17706 <i>Chordifex sinuosus</i>			
995.	17663 <i>Desmocladius asper</i>			
996.	16593 <i>Desmocladius biformis</i>		P3	
997.	15831 <i>Desmocladius castaneus</i>			
998.	15828 <i>Desmocladius elongatus</i>		P4	
999.	17691 <i>Desmocladius fasciculatus</i>			
1000.	17662 <i>Desmocladius lateriticus</i>			
1001.	17846 <i>Desmocladius parthenicus</i>			
1002.	16455 <i>Desmocladius virgatus</i>			
1003.	17838 <i>Dielsia stenostachya</i>			
1004.	1068 <i>Harperia lateriflora</i>			
1005.	1070 <i>Hypolaena exsulca</i>			
1006.	17841 <i>Hypolaena pubescens</i>			
1007.	17622 <i>Hypolaena robusta</i>		P4	
1008.	18074 <i>Lepidobolus preissianus</i> subsp. <i>preissianus</i>			

	Name ID	Species Name	Naturalised	Conservation Code	¹ Endemic To Query Area
1009.	13775	<i>Lepidobolus quadratus</i>		P3	
1010.	17679	<i>Meeboldina coangustata</i>			
1011.	16470	<i>Onychosepalum microcarpum</i>		P2	
Rhamnaceae					
1012.	31571	<i>Cryptandra intermedia</i>			
1013.	9076	<i>Cryptandra myriantha</i>			
1014.	4809	<i>Cryptandra pungens</i>			
1015.	4811	<i>Cryptandra spyridioides</i>			
1016.	29919	<i>Polianthion wichurae</i>			
1017.	13475	<i>Stenanthemum humile</i>			
1018.	15065	<i>Stenanthemum notiale</i> subsp. <i>notiale</i>			
1019.	14240	<i>Stenanthemum reissekii</i>			
1020.	4839	<i>Trymalium angustifolium</i>			
1021.	13479	<i>Trymalium ledifolium</i> var. <i>rosmarinifolium</i>			
1022.	33418	<i>Trymalium odoratissimum</i> subsp. <i>odoratissimum</i>			
Rubiaceae					
1023.	18255	<i>Opercularia vaginata</i> (Dog Weed)			
Rutaceae					
1024.	4411	<i>Boronia crassifolia</i>			
1025.	4414	<i>Boronia cymosa</i> (Granite Boronia)			
1026.	4438	<i>Boronia ramosa</i>			
1027.	11381	<i>Boronia ramosa</i> subsp. <i>anethifolia</i>			
1028.	16637	<i>Boronia scabra</i> subsp. <i>condensata</i>		P2	
1029.	16639	<i>Boronia scabra</i> subsp. <i>scabra</i>			
1030.	4453	<i>Diplolaena angustifolia</i> (Yanchep Rose)			
1031.	15272	<i>Diplolaena cinerea</i>			
1032.	4455	<i>Diplolaena ferruginea</i>			
1033.	4483	<i>Geleznovia verrucosa</i>			
1034.	18535	<i>Philotheca pinoides</i>			
1035.	18529	<i>Philotheca spicata</i> (Pepper and Salt)			
Santalaceae					
1036.	2344	<i>Leptomeria empetriformis</i>			
1037.	2350	<i>Leptomeria pauciflora</i> (Sparse-flowered Currant Bush)			
1038.	2360	<i>Spirogardnera rubescens</i> (Spiral Bush)		T	
Sapindaceae					
1039.	4746	<i>Diplopeltis huegelii</i>			
1040.	18589	<i>Diplopeltis huegelii</i> subsp. <i>lehmannii</i>			
1041.	18542	<i>Diplopeltis huegelii</i> subsp. <i>subintegra</i>			
1042.	4760	<i>Dodonaea divaricata</i>			
Scincidae					
1043.	30893	<i>Cryptoblepharus buchananii</i>			
1044.	25027	<i>Ctenotus australis</i>			
1045.	25031	<i>Ctenotus catenifer</i>			
1046.	25039	<i>Ctenotus fallens</i>			
1047.	25047	<i>Ctenotus impar</i>			
1048.	25065	<i>Ctenotus pantherinus</i> subsp. <i>pantherinus</i> (Leopard Ctenotus)			
1049.	25100	<i>Egernia napoleonis</i>			
1050.	25107	<i>Egernia stokesii</i> subsp. <i>badia</i> (Western Spiny-tailed Skink (interior WA & Shark Bay), Gidgee Skink)		T	
1051.	25128	<i>Lerista christinae</i>			
1052.	25160	<i>Lerista planiventralis</i> subsp. <i>decora</i>			
1053.	41413	<i>Liopholis multiscutata</i> (Bull Skink)			
1054.	25184	<i>Menetia greyii</i>			
1055.	25191	<i>Morethia lineocellata</i>			
1056.	25192	<i>Morethia obscura</i>			
1057.	25203	<i>Tiliqua occipitalis</i> (Western Bluetongue)			
1058.	25207	<i>Tiliqua rugosa</i> subsp. <i>rugosa</i>			
Scolopendridae					
1059.		<i>Ethmostigmus rubripes</i>			
Scrophulariaceae					
1060.	7055	<i>Dischisma capitatum</i> (Woolly-headed Dischisma)	Y		
1061.	7113	<i>Zaluzianskya divaricata</i> (Spreading Night Phlox)	Y		
Solanaceae					
1062.	6949	<i>Anthocercis littorea</i> (Yellow Tailflower)			
Strigidae					

Name ID	Species Name	Naturalised	Conservation Code	¹ Endemic To Query Area
1063.	25748 <i>Ninox novaeseelandiae</i> (Boobook Owl)			
Stylidiaceae				
1064.	39820 <i>Levenhookia murfettii</i>			
1065.	7673 <i>Levenhookia pauciflora</i> (Deceptive Stylewort)			
1066.	7677 <i>Levenhookia stipitata</i> (Common Stylewort)			
1067.	18564 <i>Stylidium aceratum</i>		P2	
1068.	7679 <i>Stylidium adpressum</i> (Trigger-on-stilts)			
1069.	7680 <i>Stylidium aeonioides</i>		P4	
1070.	12846 <i>Stylidium albolilacinum</i>			
1071.	30276 <i>Stylidium bicolor</i>			
1072.	17187 <i>Stylidium burbridgeanum</i>			
1073.	7709 <i>Stylidium crossocephalum</i> (Posy Triggerplant)			
1074.	7710 <i>Stylidium cygnorum</i>			
1075.	11808 <i>Stylidium diuroides</i> subsp. <i>diuroides</i>			
1076.	12848 <i>Stylidium diuroides</i> subsp. <i>paucifoliatum</i>			
1077.	7721 <i>Stylidium emarginatum</i> (Biddy-four-legs)			
1078.	18420 <i>Stylidium flagellum</i>			
1079.	20701 <i>Stylidium hymenocraspedum</i>		P3	
1080.	7743 <i>Stylidium inversiflorum</i>		P4	
1081.	7749 <i>Stylidium leptophyllum</i> (Needle-leaved Triggerplant)			
1082.	7760 <i>Stylidium maitlandianum</i> (Fountain Triggerplant)			
1083.	7762 <i>Stylidium miniatum</i> (Pink Butterfly Triggerplant)			
1084.	7766 <i>Stylidium nonscandens</i>		P3	
1085.	7768 <i>Stylidium obtusatum</i> (Pinafore Triggerplant)			
1086.	25837 <i>Stylidium purpureum</i>			
1087.	7783 <i>Stylidium pycnostachyum</i> (Downy Triggerplant)			
1088.	7785 <i>Stylidium repens</i> (Matted Triggerplant)			
1089.	20521 <i>Stylidium rigidulum</i>			
1090.	25806 <i>Stylidium scariosum</i>			
1091.	19247 <i>Stylidium septentrionale</i>			
1092.	25836 <i>Stylidium spiciforme</i>			
1093.	20608 <i>Stylidium stenosepalum</i>			
1094.	19316 <i>Stylidium tinkeri</i>		P1	
1095.	17414 <i>Stylidium torticarpum</i>		P3	
1096.	17578 <i>Stylidium udusicola</i>			
Sylviidae				
1097.	24833 <i>Cincloramphus cruralis</i> (Brown Songlark)			
1098.	24834 <i>Cincloramphus mathewsi</i> (Rufous Songlark)			
Tarsipedidae				
1099.	24167 <i>Tarsipes rostratus</i> (Honey Possum, Noolbenger)			
Tetragnathidae				
1100.	<i>Pinkfloydia harveii</i>			
Threskiornithidae				
1101.	24845 <i>Threskiornis spinicollis</i> (Straw-necked Ibis)			
Thymelaeaceae				
1102.	5231 <i>Pimelea angustifolia</i> (Narrow-leaved Pimelea)			
1103.	5232 <i>Pimelea argentea</i> (Silvery Leaved Pimelea)			
1104.	5244 <i>Pimelea floribunda</i>			
1105.	11402 <i>Pimelea imbricata</i> var. <i>piligera</i>			
1106.	5254 <i>Pimelea leucantha</i>			
1107.	12041 <i>Pimelea suaveolens</i> subsp. <i>suaveolens</i>			
1108.	5268 <i>Pimelea sulphurea</i> (Yellow Banjine)			
Usneaceae				
1109.	28087 <i>Usnea inermis</i>			
1110.	28092 <i>Usnea scabrida</i>			
Violaceae				
1111.	5216 <i>Hybanthus calycinus</i> (Wild Violet)			
1112.	5221 <i>Hybanthus floribundus</i>			
1113.	15553 <i>Hybanthus floribundus</i> subsp. <i>Hill River</i> (E.M. Bennett 2252)			
Zamiaceae				
1114.	18119 <i>Macrozamia fraseri</i>			
Zosteropidae				
1115.	25765 <i>Zosterops lateralis</i> (Grey-breasted White-eye, Silvereye)			

	Name	ID	Species Name	Naturalised	Conservation Code	¹ Endemic To Query Area
Conservation Codes						
T - Rare or likely to become extinct						
X - Presumed extinct						
IA - Protected under international agreement						
S - Other specially protected fauna						
1 - Priority 1						
2 - Priority 2						
3 - Priority 3						
4 - Priority 4						
5 - Priority 5						

¹ For NatureMap's purposes, species flagged as endemic are those whose records are wholly contained within the search area. Note that only those records complying with the search criterion are included in the calculation. For example, if you limit records to those from a specific datasource, only records from that datasource are used to determine if a species is restricted to the query area.



EPBC Act Protected Matters Report

This report provides general guidance on matters of national environmental significance and other matters protected by the EPBC Act in the area you have selected.

Information on the coverage of this report and qualifications on data supporting this report are contained in the caveat at the end of the report.

Information is available about [Environment Assessments](#) and the EPBC Act including significance guidelines, forms and application process details.

Report created: 15/09/15 18:20:02

[Summary](#)

[Details](#)


[Matters of NES](#)

[Other Matters Protected by the EPBC Act](#)

[Extra Information](#)

[Caveat](#)

[Acknowledgements](#)



This map may contain data which are
©Commonwealth of Australia
(Geoscience Australia), ©PSMA 2010

[Coordinates](#)

Buffer: 20.0Km



Summary

Matters of National Environmental Significance

This part of the report summarises the matters of national environmental significance that may occur in, or may relate to, the area you nominated. Further information is available in the detail part of the report, which can be accessed by scrolling or following the links below. If you are proposing to undertake an activity that may have a significant impact on one or more matters of national environmental significance then you should consider the [Administrative Guidelines on Significance](#).

World Heritage Properties:	None
National Heritage Places:	None
Wetlands of International Importance:	None
Great Barrier Reef Marine Park:	None
Commonwealth Marine Area:	None
Listed Threatened Ecological Communities:	None
Listed Threatened Species:	38
Listed Migratory Species:	5

Other Matters Protected by the EPBC Act

This part of the report summarises other matters protected under the Act that may relate to the area you nominated. Approval may be required for a proposed activity that significantly affects the environment on Commonwealth land, when the action is outside the Commonwealth land, or the environment anywhere when the action is taken on Commonwealth land. Approval may also be required for the Commonwealth or Commonwealth agencies proposing to take an action that is likely to have a significant impact on the environment anywhere.

The EPBC Act protects the environment on Commonwealth land, the environment from the actions taken on Commonwealth land, and the environment from actions taken by Commonwealth agencies. As heritage values of a place are part of the 'environment', these aspects of the EPBC Act protect the Commonwealth Heritage values of a Commonwealth Heritage place. Information on the new heritage laws can be found at <http://www.environment.gov.au/heritage>

A [permit](#) may be required for activities in or on a Commonwealth area that may affect a member of a listed threatened species or ecological community, a member of a listed migratory species, whales and other cetaceans, or a member of a listed marine species.

Commonwealth Land:	1
Commonwealth Heritage Places:	None
Listed Marine Species:	7
Whales and Other Cetaceans:	None
Critical Habitats:	None
Commonwealth Reserves Terrestrial:	None
Commonwealth Reserves Marine:	None

Extra Information

This part of the report provides information that may also be relevant to the area you have nominated.

State and Territory Reserves:	8
Regional Forest Agreements:	None
Invasive Species:	17
Nationally Important Wetlands:	None
Key Ecological Features (Marine)	None

Details

Matters of National Environmental Significance

Listed Threatened Species		[Resource Information]
Name	Status	Type of Presence
Birds		
Calyptorhynchus latirostris Carnaby's Black-Cockatoo, Short-billed Black-Cockatoo [59523]	Endangered	Breeding likely to occur within area
Leipoa ocellata Malleefowl [934]	Vulnerable	Species or species habitat likely to occur within area
Mammals		
Dasyurus geoffroii Chuditch, Western Quoll [330]	Vulnerable	Species or species habitat likely to occur within area
Plants		
Acacia cochlocarpa subsp. cochlocarpa Spiral-fruited Wattle [23877]	Endangered	Species or species habitat may occur within area
Acacia splendens Splendid Wattle, Dandaragan Wattle [81510]	Endangered	Species or species habitat likely to occur within area
Andersonia gracilis Slender Andersonia [14470]	Endangered	Species or species habitat likely to occur within area
Anigozanthos viridis subsp. terraspectans Dwarf Green Kangaroo Paw [3435]	Vulnerable	Species or species habitat may occur within area
Banksia serratuloides subsp. perissa Northern Serrate Dryandra [82767]	Critically Endangered	Species or species habitat known to occur within area
Caladenia huegelii King Spider-orchid, Grand Spider-orchid, Rusty Spider-orchid [7309]	Endangered	Species or species habitat may occur within area
Centrolepis caespitosa [6393]	Endangered	Species or species habitat may occur within area
Chamelaucium sp. Gingin (N.G.Marchant 6) Gingin Wax [64649]	Endangered	Species or species habitat may occur within area
Conospermum densiflorum subsp. unicephalatum One-headed Smokebush [64871]	Endangered	Species or species habitat likely to occur within area

Name	Status	Type of Presence
Eleocharis keigheryi Keighery's Eleocharis [64893]	Vulnerable	Species or species habitat likely to occur within area
Eremophila scaberula Rough Emu Bush [16729]	Endangered	Species or species habitat may occur within area
Eucalyptus absita Badgingarra Box [24260]	Endangered	Species or species habitat known to occur within area
Eucalyptus balanites Cadda Road Mallee, Cadda Mallee [24264]	Endangered	Species or species habitat known to occur within area
Eucalyptus crispata Yandanooka Mallee [24268]	Vulnerable	Species or species habitat known to occur within area
Eucalyptus dolorosa Dandaragan Mallee, Mount Misery Mallee [56709]	Endangered	Species or species habitat likely to occur within area
Eucalyptus impensa Eneabba Mallee [56711]	Endangered	Species or species habitat likely to occur within area
Eucalyptus lateritica Laterite Mallee [6271]	Vulnerable	Species or species habitat likely to occur within area
Eucalyptus leprophloia Scaly Butt Mallee, Scaly-butt Mallee [56712]	Endangered	Species or species habitat known to occur within area
Eucalyptus pruiniramis Midlands Gum, Jingymia Gum [56403]	Endangered	Species or species habitat likely to occur within area
Eucalyptus suberea Cork Mallee, Mount Lesueur Mallee [5529]	Vulnerable	Species or species habitat likely to occur within area
Grevillea batrachioides Mt Lesueur Grevillea [21735]	Endangered	Species or species habitat likely to occur within area
Grevillea curviloba subsp. incurva Narrow curved-leaf Grevillea [64909]	Endangered	Species or species habitat may occur within area
Grevillea humifusa Spreading Grevillea [61182]	Endangered	Species or species habitat may occur within area
Hakea megalosperma Lesueur Hakea [10505]	Vulnerable	Species or species habitat likely to occur within area
Hemiandra gardneri Red Snakebush [7945]	Endangered	Species or species habitat likely to occur within area
Leucopogon obtectus Hidden Beard-heath [19614]	Endangered	Species or species habitat may occur within area
Macarthuria keigheryi Keighery's Macarthuria [64930]	Endangered	Species or species habitat likely to occur within area

Name	Status	Type of Presence
Paracaleana dixonii Sandplain Duck Orchid [86882]	Endangered	Species or species habitat known to occur within area
Patersonia spirifolia Spiral-leaved Patersonia [83927]	Endangered	Species or species habitat likely to occur within area
Ptychosema pusillum Dwarf Pea [11268]	Vulnerable	Species or species habitat likely to occur within area
Spirogardnera rubescens Spiral Bush [15667]	Endangered	Species or species habitat likely to occur within area
Thelymitra manginii K.Dixon & Batty ms. [67443]	Endangered	Species or species habitat may occur within area
Thelymitra stellata Star Sun-orchid [7060]	Endangered	Species or species habitat known to occur within area

Reptiles		
Egernia stokesii aethiops [26192]	Vulnerable	Species or species habitat likely to occur within area
Egernia stokesii badia Western Spiny-tailed Skink, Baudin Island Spiny-tailed Skink [64483]	Endangered	Species or species habitat likely to occur within area

Listed Migratory Species

[Resource Information]

* Species is listed under a different scientific name on the EPBC Act - Threatened Species list.

Name	Threatened	Type of Presence
Migratory Marine Birds		

Apus pacificus Fork-tailed Swift [678]		Species or species habitat likely to occur within area
---	--	--

Migratory Terrestrial Species		
Merops ornatus Rainbow Bee-eater [670]		Species or species habitat may occur within area

Migratory Wetlands Species		
Ardea alba Great Egret, White Egret [59541]		Species or species habitat likely to occur within area
Ardea ibis Cattle Egret [59542]		Species or species habitat may occur within area
Pandion haliaetus Osprey [952]		Species or species habitat may occur within area

Other Matters Protected by the EPBC Act

Commonwealth Land

[Resource Information]

The Commonwealth area listed below may indicate the presence of Commonwealth land in this vicinity. Due to the unreliability of the data source, all proposals should be checked as to whether it impacts on a Commonwealth area, before making a definitive decision. Contact the State or Territory government land department for further information.

Name
Commonwealth Land -

Listed Marine Species

[Resource Information]

* Species is listed under a different scientific name on the EPBC Act - Threatened Species list.

Name	Threatened	Type of Presence
Birds		

Apus pacificus Fork-tailed Swift [678]		Species or species habitat likely to occur within area
Ardea alba Great Egret, White Egret [59541]		Species or species habitat likely to occur within area
Ardea ibis Cattle Egret [59542]		Species or species habitat may occur within area
Haliaeetus leucogaster White-bellied Sea-Eagle [943]		Species or species habitat may occur within area
Merops ornatus Rainbow Bee-eater [670]		Species or species habitat may occur within area
Pandion haliaetus Osprey [952]		Species or species habitat may occur within area
Thinornis rubricollis Hooded Plover [59510]		Species or species habitat may occur within area

Extra Information

State and Territory Reserves

[Resource Information]

Name	State
Badgingarra	WA
Boothendarra	WA
Coomallo	WA
Hill River	WA
Twyata	WA
Unnamed WA29719	WA
Unnamed WA29901	WA
Unnamed WA41986	WA

Invasive Species

[Resource Information]

Weeds reported here are the 20 species of national significance (WoNS), along with other introduced plants that are considered by the States and Territories to pose a particularly significant threat to biodiversity. The following feral animals are reported: Goat, Red Fox, Cat, Rabbit, Pig, Water Buffalo and Cane Toad. Maps from Landscape Health Project, National Land and Water Resouces Audit, 2001.

Name	Status	Type of Presence
Birds		
Anas platyrhynchos Mallard [974]		Species or species habitat likely to occur within area
Columba livia Rock Pigeon, Rock Dove, Domestic Pigeon [803]		Species or species habitat likely to occur within area
Streptopelia chinensis Spotted Turtle-Dove [780]		Species or species habitat likely to occur within area
Streptopelia senegalensis Laughing Turtle-dove, Laughing Dove [781]		Species or species habitat likely to occur within area
Sturnus vulgaris Common Starling [389]		Species or species habitat likely to occur within area
Mammals		
Canis lupus familiaris Domestic Dog [82654]		Species or species habitat likely to occur within area
Capra hircus Goat [2]		Species or species habitat likely to occur within area
Felis catus Cat, House Cat, Domestic Cat [19]		Species or species habitat likely to occur within area
Feral deer Feral deer species in Australia [85733]		Species or species habitat likely to occur within area
Mus musculus House Mouse [120]		Species or species habitat likely to occur within area
Oryctolagus cuniculus Rabbit, European Rabbit [128]		Species or species habitat likely to occur within area
Rattus rattus Black Rat, Ship Rat [84]		Species or species habitat likely to occur within area
Sus scrofa Pig [6]		Species or species habitat likely to occur within area
Vulpes vulpes Red Fox, Fox [18]		Species or species habitat likely to occur within area
Plants		
Asparagus asparagoides Bridal Creeper, Bridal Veil Creeper, Smilax, Florist's Smilax, Smilax Asparagus [22473]		Species or species habitat likely to occur within area
Cenchrus ciliaris Buffel-grass, Black Buffel-grass [20213]		Species or species habitat may occur within

Name	Status	Type of Presence area
Tamarix aphylla Athel Pine, Athel Tree, Tamarisk, Athel Tamarisk, Athel Tamarix, Desert Tamarisk, Flowering Cypress, Salt Cedar [16018]		Species or species habitat likely to occur within area

Caveat

The information presented in this report has been provided by a range of data sources as acknowledged at the end of the report.

This report is designed to assist in identifying the locations of places which may be relevant in determining obligations under the Environment Protection and Biodiversity Conservation Act 1999. It holds mapped locations of World and National Heritage properties, Wetlands of International and National Importance, Commonwealth and State/Territory reserves, listed threatened, migratory and marine species and listed threatened ecological communities. Mapping of Commonwealth land is not complete at this stage. Maps have been collated from a range of sources at various resolutions.

Not all species listed under the EPBC Act have been mapped (see below) and therefore a report is a general guide only. Where available data supports mapping, the type of presence that can be determined from the data is indicated in general terms. People using this information in making a referral may need to consider the qualifications below and may need to seek and consider other information sources.

For threatened ecological communities where the distribution is well known, maps are derived from recovery plans, State vegetation maps, remote sensing imagery and other sources. Where threatened ecological community distributions are less well known, existing vegetation maps and point location data are used to produce indicative distribution maps.

For species where the distributions are well known, maps are digitised from sources such as recovery plans and detailed habitat studies. Where appropriate, core breeding, foraging and roosting areas are indicated under 'type of presence'. For species whose distributions are less well known, point locations are collated from government wildlife authorities, museums, and non-government organisations; bioclimatic distribution models are generated and these validated by experts. In some cases, the distribution maps are based solely on expert knowledge.

Only selected species covered by the following provisions of the EPBC Act have been mapped:

- migratory and
- marine

The following species and ecological communities have not been mapped and do not appear in reports produced from this database:

- threatened species listed as extinct or considered as vagrants
- some species and ecological communities that have only recently been listed
- some terrestrial species that overfly the Commonwealth marine area
- migratory species that are very widespread, vagrant, or only occur in small numbers

The following groups have been mapped, but may not cover the complete distribution of the species:

- non-threatened seabirds which have only been mapped for recorded breeding sites
- seals which have only been mapped for breeding sites near the Australian continent

Such breeding sites may be important for the protection of the Commonwealth Marine environment.

Coordinates

-30.374113 115.4931,-30.394576 115.50184,-30.394576 115.50184

Acknowledgements

This database has been compiled from a range of data sources. The department acknowledges the following custodians who have contributed valuable data and advice:

- [-Office of Environment and Heritage, New South Wales](#)
- [-Department of Environment and Primary Industries, Victoria](#)
- [-Department of Primary Industries, Parks, Water and Environment, Tasmania](#)
- [-Department of Environment, Water and Natural Resources, South Australia](#)
- [-Parks and Wildlife Commission NT, Northern Territory Government](#)
- [-Department of Environmental and Heritage Protection, Queensland](#)
- [-Department of Parks and Wildlife, Western Australia](#)
- [-Environment and Planning Directorate, ACT](#)
- [-Birdlife Australia](#)
- [-Australian Bird and Bat Banding Scheme](#)
- [-Australian National Wildlife Collection](#)
- Natural history museums of Australia
- [-Museum Victoria](#)
- [-Australian Museum](#)
- [-South Australian Museum](#)
- [-Queensland Museum](#)
- [-Online Zoological Collections of Australian Museums](#)
- [-Queensland Herbarium](#)
- [-National Herbarium of NSW](#)
- [-Royal Botanic Gardens and National Herbarium of Victoria](#)
- [-Tasmanian Herbarium](#)
- [-State Herbarium of South Australia](#)
- [-Northern Territory Herbarium](#)
- [-Western Australian Herbarium](#)
- [-Australian National Herbarium, Atherton and Canberra](#)
- [-University of New England](#)
- [-Ocean Biogeographic Information System](#)
- [-Australian Government, Department of Defence](#)
- [Forestry Corporation, NSW](#)
- [-Geoscience Australia](#)
- [-CSIRO](#)
- Other groups and individuals

The Department is extremely grateful to the many organisations and individuals who provided expert advice and information on numerous draft distributions.

Please feel free to provide feedback via the [Contact Us](#) page.

Appendix C Flora Data

Likelihood of Occurrence	Guiding Parameters
Known	Species previously recorded within the Study Area.
Likely	Species is relatively wide spread, has been previously recorded within 20 km of the Study Area and suitable habitat occurs within the Study Area; OR Species is rare but has been previously recorded within 100 m of the Study Area and suitable habitat occurs at the Study Area.
Possible	Species previously recorded within 20 km with suitable habitat occurring at the Study Area
Unlikely	Suitable habitat for the species does not occur at the Study Area; OR Suitable habitat does occur but the species has a highly restricted distribution, is very rare and only known from a limited number of populations. The Study Area is outside the species' natural distribution.

Table 23 Likelihood of occurrence assessment for conservation significant flora taxa

Species Name	Status	Source	Nearest Record Study Area 1	Nearest Record Study Area 2	Nearest Record Study Area 3	Nearest Record Study Area 4	Nearest Record Study Area 5	Description	Preferred Habitat	Preferred Flowering Time	NatureMap Counts	Desktop Assessment	Field Assessment
<i>Banksia fuscobractea</i>	CE	EPBC	22 km E	47 km SE	57 km SE	59 km SE	68 km SE	Erect, prickly, non-lignotuberous shrub, ca 1 m high.	Lateritic gravel, grey sand over laterite.	Fl. yellow, Jul to Oct.	14	Likely	Unlikely- No suitable suitable soil type present and Study Areas beyond its range.
<i>Banksia serratuloides</i> subsp. <i>perissa</i>	CE	NM; EPBC	68 km N	33 km N	20 km N	12 km N	1 km S	Bushy, lignotuberous shrub, to 1 m high.	Lateritic gravel and brown loam on ridge tops and slopes or in red-brown sand on low areas. Favours area of low dense heath also be found in low open woodland..	Fl. yellow, Aug to Sep.	43	Possible	Unlikely – There is no suitable habitat present in the Study Areas.
<i>Darwinia foetida</i>	CE	EPBC	67 km NE	57 km NE	54 km NE	51 km NE	53 km NE	Shrub to 0.7m high	Grey white sands on swampy, seasonally wet.	Fl. Green. Oct to Nov	22	Unlikely	Unlikely – No suitable habitat or soil type present.
<i>Acacia cochlocarpa</i> subsp. <i>cochlocarpa</i>	En	EPBC	49 km NE	53 Km E	53 km E	53 km SE	54 km NE	Glabrous, sprawling shrub, 0.3-0.7 (-1.5) m high.	Clayey, sandy, often gravelly soils.	Fl. yellow.	28	Unlikely	Unlikely – Habitat not recorded within the Study Areas.
<i>Acacia splendens</i>	En	NM; EPBC	33 km N	10 km NE	6 km NE	6 km SE	17 km S	Tree or shrub, to 8 m high, bark dark grey; phyllodes acuminate, glaucous.	White sand over clay, pale brown loam, cracked brown soil, gravel, laterite, ironstone. Slopes of breakaways, especially southern slopes, hills.	Fl. yellow, May.	52	Likely	Unlikely – No suitable habitat or soil type present.
<i>Acacia wilsonii</i>	En	NM	88 km N	40 km N	32 km N	24 km N	10 km N	Low spreading, wiry shrub, 0.2-0.5 m high.	Restricted from near Enneabba S to Bagingarra. White/yellow sand & lateritic gravel, sandy clay over laterite.	Fl. yellow.	22	Possible	Unlikely – No suitable habitat present Study Area 5.
<i>Caladenia huegelii</i>	En	EPBC	84 km S	115 km S	128 km S	135 km S	148 km S	Tuberous, perennial, herb, 0.25-0.6 m high.	Grey or brown sand, clay loam.	Fl. green & cream & red, Sep to Oct.	131	Unlikely	Unlikely – No suitable habitat present.

Species Name	Status	Source	Nearest Record Study Area 1	Nearest Record Study Area 2	Nearest Record Study Area 3	Nearest Record Study Area 4	Nearest Record Study Area 5	Description	Preferred Habitat	Preferred Flowering Time	NatureMap Counts	Desktop Assessment	Field Assessment
<i>Chamelaucium sp. Gingin</i> (N.G. Marchant 6)	En	EPBC	54 km S	94 km S	109 km S	114 km S	124 km S				34	Unlikely	Unlikely - Study Areas beyond its range.
<i>Conospermum densiflorum</i> subsp. <i>unicephalum</i>	En	EPBC	30 km E	58 km SE	54 km E	52 km E	54 km SE	Erect, much-branched shrub, 0.3-0.6 m high, inflorescence a spike.	Clay soils. Low-lying areas.	Fl. cream/white & blue, Sep to Nov.	21	Unlikely	Unlikely – No suitable habitat present.
<i>Drakaea elastica</i>	En	NM; EPBC	15 km S	24 km S	37 km S	42 km S	55 km S	Tuberous, perennial, herb, 0.12-0.3 m high.	White or grey sand. Low-lying situations adjoining winter-wet swamps	Fl. red & green & yellow, Oct to Nov.	92	Unlikely	Unlikely – No suitable habitat present.
<i>Eremophila scaberula</i>	En	EPBC	35 km NE	52 km E	53 km E	54 km SE	59 km SE	Low compact or sprawling to upright shrub, 0.15-0.7 (-1.5) m high.	Clay, sandy clay or loam. Winter-wet plains, inundated areas.	Fl. purple-blue, Aug to Oct.	22	Unlikely	Unlikely – No suitable habitat present.
<i>Eucalyptus absita</i>	En	NM; EPBC	46 km N	19 km NE	9 km NE	2 km E	1 km NE	Mallee or tree, 2.3-10 m high, bark rough, fibrous.	White lateritic sand. Paddocks	Fl. white, Apr to Jul.	30	Likely	Likely – Suitable habitat present.
<i>Eucalyptus balanites</i>	En	EPBC	71 km N	32 km N	19 km N	15 km NW	11 km E	Mallee, to 5 m high, bark rough, flaky.	Light coloured sandy soils over laterite. Habitat consists of gently sloping heathlands; open mallee woodland over shurbland or heathland with emergent shrubs.	Fl. white, Oct to Dec or Jan to Feb.	13	Possible	Unlikely - No suitable soil or habitat type in Study Areas..
<i>Eucalyptus dolorosa</i>	En	NM; EPBC	31 km N	13 km E	21 km SE	28 km SE	35 km S	Mallee, 1.5-3 m high, bark rough, flaky.	Confined to lateritic breakaway slopes and a summit in malle heath over low scrub, amongst ironstone blocks.	Fl. yellow, Feb to Mar.	12	Unlikely	Unlikely – No suitable habitat present. Only known from a single population.
<i>Eucalyptus impensa</i>	En	EPBC	95 km N	63 km NE	49 km NE	42 km N	32 km N	Straggly mallee, to 1.5 m high, bark smooth.	Yellow sand. Lateritic hills.	Fl. pink, Jun to Jul.	18	Unlikely	Unlikely – No suitable soil type present and Study Areas beyond its range.

Species Name	Status	Source	Nearest Record Study Area 1	Nearest Record Study Area 2	Nearest Record Study Area 3	Nearest Record Study Area 4	Nearest Record Study Area 5	Description	Preferred Habitat	Preferred Flowering Time	NatureMap Counts	Desktop Assessment	Field Assessment
<i>Eucalyptus leprophloia</i>	En	NM; EPBC	86 km N	48 km N	32 km N	31 km N	16 km N	Mallee, 2-5m sometimes to 8m) high, bark rough loose & flaky to 1 m.	Slopes of hills in brown loam over laterite as an emergent mallee; in white sand on gentle valley slopes in low <i>E. accedens</i> woodland over heath, on grey sand and laterite with <i>E. toditaina</i> ; in grey sandy clay loam on the slopes of a drainage line between two breakaways; and in grey sand and lateritic gravel.	Fl. cream-white, Aug to Oct	28	Possible	Unlikely – No suitable habitat or soil type present.
<i>Eucalyptus recta</i>	En	EPBC	56 km E	77 km E	79 km SE	80 km SE	85 km SE	Tree, to 15 m high, bark smooth.	Sandy laterite.		22	Unlikely	Unlikely – Study Areas beyond its known range.
<i>Grevillea batrachioides</i>	En	EPBC	102 km N	61 km N	52 km N	47 km N	39 km NW	Shrub, 0.5-1.5 m high.	Sandstone outcrops.	Fl. orange-red, Oct.	7	Unlikely	Unlikely - No suitable soil or habitat type in Study Areas.
<i>Grevillea curviloba</i> subsp. <i>incurva</i>	En	EPBC	56 km S	96 km S	109 km S	116 km S	123 km S	Prostrate to erect shrub, 0.1-2.5 m high.	Sand, sandy loam. Winter-wet heath.	Fl. white-cream, Aug to Sep.	75	Unlikely	Unlikely – Study Areas beyond its known range.
<i>Grevillea humifusa</i>	En	EPBC	91 km N	50 km N	42 km NE	32 km NE	25 km NE	Prostrate to decumbent, lignotuberous shrub.	Gravelly loam over laterite.	Fl. red, Sep to Nov.	8	Unlikely	Unlikely - No suitable soil or habitat type in Study Areas.
<i>Hemiandra gardneri</i>	En	EPBC	47 km NE	52 km E	53 km E	52 km E	53 km NE	Prostrate, pungent shrub, 0.1-0.2 m high, to 1 m wide.	Grey or yellow sand, clayey sand. Sandplains.	Fl. red/pink-red, Aug to Oct.	32	Possible	Unlikely – No suitable habitat present in the Study Areas. Study Areas beyond its range.
<i>Leucopogon obtectus</i>	En	EPBC	98 km N	60 km N	47 km N	41 km N	32 km NW	Erect shrub, 0.5-1.7 m high.	Grey sand.	Fl. cream-yellow, Aug to Oct.	35	Possible	Unlikely – No suitable habitat present

Species Name	Status	Source	Nearest Record Study Area 1	Nearest Record Study Area 2	Nearest Record Study Area 3	Nearest Record Study Area 4	Nearest Record Study Area 5	Description	Preferred Habitat	Preferred Flowering Time	NatureMap Counts	Desktop Assessment	Field Assessment
<i>Macarthuria keigheryi</i>	En	NM; EPBC	13 km S	9 km W	12 km SW	17 km SW	27 km SW	Erect or spreading perennial, herb or shrub, 0.2-0.4 m high, 0.3-0.6 m wide.	Prefers low-lying, winter wet, damp grey/white sands. The Cooljarloo population, west of Dandaragan, it grows in <i>Banksia</i> woodland with <i>Banksia menziesii</i> , <i>B. attenuata</i> , <i>Eucalyptus todtiana</i> , <i>Nuytsia floribunda</i> and other wetland species (DotE, 2010).	Fl. Sep to Dec or Feb to Mar.	42	Possible	Unlikely- No suitable habitat is present.
<i>Paracaleana dixonii</i>	En	NM; EPBC	9 km S	44 km N	34 km N	28 km N	20 km NW	Tuberous, perennial, herb, 0.09-0.2 m high.	Grey sand over granite.	Fl. yellow-brown, Oct to Dec or Jan.	70	Unlikely	Unlikely – No suitable habitat present
<i>Patersonia spirifolia</i>	En	NM; EPBC	67 km N	27 km NW	19 km NW	15 km W	4 km NW	Spreading, woody, tussock-forming rhizomatous, herb, to 0.3 m high, to 0.4 m across.	The spiral-leaved patersonia is found on lateritic ridges and slopes, or sand over laterite in low species-rich heath. Associated species include <i>Allocasuarina humilis</i> , <i>Daviesia chapmanii</i> , <i>D. epiphyllum</i> , <i>Gastrolobium spinosum</i> , <i>Mesomelaena stygia</i> , <i>M. tetragona</i> , <i>Patersonia occidentalis</i> and <i>Xanthorrhoea preissii</i> (DotE, 2015d).		23	Likely	Likely – Suitable habitat is present.
<i>Spirogardnera rubescens</i>	En	NM; EPBC	70 km N	33 km N	20 km N	14 km N	5 km NW	Spindly leafless shrub, to 1.6 m high.	Laterite, sand over laterite, loam.	Fl. white, Aug to Dec.	54	Possible	Unlikely – No suitable habitat present
<i>Thelymitra dedmaniarum</i> (formerly <i>Thelymitra manginii</i> K. Dixon & Batty ms)	En	EPBC	36 km S	40 km S	51 km S	55 km S	66 km S	Tuberous, perennial, herb, to 0.8 m high.	Granite.	Fl. yellow, Nov to Dec or Jan.	19	Unlikely	Unlikely – No suitable habitat present and Study Areas beyond its range.

Species Name	Status	Source	Nearest Record Study Area 1	Nearest Record Study Area 2	Nearest Record Study Area 3	Nearest Record Study Area 4	Nearest Record Study Area 5	Description	Preferred Habitat	Preferred Flowering Time	NatureMap Counts	Desktop Assessment	Field Assessment
<i>Thelymitra stellata</i>	En	NM; EPBC	22 km N	19 km S	28 km S	34 km S	48 km S	Tuberous, perennial, herb, 0.15-0.25 m high.	Sand, gravel, lateritic loam.	Fl. yellow & brown, Oct to Nov.	58	Possible	Unlikely – No suitable habitat present.
<i>Centrolepis caespitosa</i>	En; P4	EPBC	84 km S	124 km S	137 km S	143 km S	154 km S	Tufted annual, herb (forming a rounded cushion up to 25 mm across).	White sand, clay. Salt flats, wet areas.	Fl. Oct to Dec.	70	Unlikely	Unlikely – No suitable habitat present.
<i>Epiblema grandiflorum</i> var. <i>cyaneum</i> (now <i>Epiblema grandiflorum</i>)	holds no status	EPBC										N/A	N/A
<i>Anigozanthos viridis</i> subsp. <i>terraspectans</i>	Vu	NM; EPBC	8 km NW	4 km SW	10 km W	15 km SW	22 km SW	Rhizomatous, perennial, herb, 0.05-0.2 m high.	Grey sand, clay loam. Winter-wet depressions.	Fl. green/ yellow-green, Aug to Sep.	27	Likely	Unlikely – No suitable habitat present
<i>Chamelaucium</i> sp. <i>Cataby</i> (G.J. Keighery 11009)	Vu	NM; EPBC	25 km N	13 km SE	25 km SE	29 km SE	41 km S	Low, rounded shrubs to 0.4 m.	Breakaway, brown loam over laterite.		12	Unlikely	Unlikely – No suitable habitat present.
<i>Eleocharis keigheryi</i>	Vu	NM; EPBC	25 km N	13 km S	24 km S	28 km S	41 km S	Rhizomatous, clumped perennial, grass-like or herb (sedge), to 0.4 m high.	Emergent in freshwater: creeks, claypans.	Fl. green, Aug to Nov.	86	Unlikely	Unlikely – No suitable habitat present.
<i>Eucalyptus lateritica</i>	Vu	NM; EPBC	85 km N	44 km N	33 km N	28 km N	19 km N	Mallee, 2-3 m high, bark rough at base.	White or grey sand with gravel. Lateritic breakaways & mesas.	Fl. white, Aug to Oct.	43	Possible	Unlikely – No suitable soil type present.
<i>Eucalyptus suberea</i>	Vu	NM; EPBC	86 km N	47 km N	32 km N	27 km N	18 km N	Mallee, 1-4 m high, bark rough & flaky.	Grey sand. Near or on lateritic breakaways.	Fl. white, Nov to Dec or Jan.	57	Possible	Unlikely – No suitable soil or habitat type in Study Areas.
<i>Hakea megalosperma</i>	Vu	NM; EPBC	38 km N	6 km E	11 km SE	17 km S	18 km NW	Spreading, lignotuberous shrub, 1-2 m high.	Grey sand, loam. Lateritic hills & rocks.	Fl. white-cream/pink, May to Jun.	68	Possible	Unlikely – Soil type not present.
<i>Ptychosema pusillum</i>	Vu	NM; EPBC	17 km N	22 km S	19 km N	15 km N	Within Study Area	Perennial, herb, mostly 0.05-0.1 m high.	Sand. Rises.	Fl. red & brown & yellow, Aug to Oct.	10	Likely	Unlikely – No suitable habitat present

Species Name	Status	Source	Nearest Record Study Area 1	Nearest Record Study Area 2	Nearest Record Study Area 3	Nearest Record Study Area 4	Nearest Record Study Area 5	Description	Preferred Habitat	Preferred Flowering Time	NatureMap Counts	Desktop Assessment	Field Assessment
<i>Acacia denticulosa</i>	T	NM	8 km W	47 km S	49 km S	49 km S	71 km S	Erect, diffuse, spindly shrub, 1-4 m high.	Sand, loam, clay. Granite outcrops, rarely on sandplains.	Fl. yellow, Sep to Oct.	44	Unlikely	Unlikely – Habitat not recorded within the Study Areas.
<i>Acacia forrestiana</i>	T	NM	16 km NE	17 km SE	18 km SE	20 km S	27 km S	Erect, open, prickly shrub, 0.4-1 m high.	Lateritic gravelly soils, clay loam over sandstone. Gullies, hills, breakaways.	Fl. yellow, Nov to Dec.	44	Likely	Unlikely – No suitable habitat present.
<i>Andersonia gracilis</i>	T	NM	22 km SE	3.6 km S	6.5 km W	10 km SW	22 km SW	Slender erect or open straggly shrub, 0.1-0.5(-1) m high.	White/grey sand, sandy clay, gravelly loam. Winter-wet areas, near swamps.	Fl. white-pink-purple, Sep to Nov.	56	Likely	Unlikely – No suitable habitat present within Study Areas 2, 3, 4 and 5. Study Area 1 outside its known range.
<i>Asterolasia nivea</i>	T	NM	4 km W	42 km S	52 km S	59 km S	71 km S	Open, weak, densely branched shrub, 0.3-0.5 m high.	Sand or clay with lateritic gravel, saline loam. Breakaway, slopes.	Fl. white, Aug to Oct.	29	Unlikely	Unlikely – No suitable soil type present
<i>Banksia mimica</i>	T	NM	14 km SE	53 km SE	63 km SE	66 km SE	76 km SE	Prostrate, lignotuberosus shrub, 0.15-0.4 m high.	White or grey sand over laterite, sandy loam.	Fl. yellow-brown, Dec or Jan to Feb.	53	Likely	Unlikely – No suitable habitat type or soil type present.
<i>Darwinia acerosa</i>	T	NM	4 km W	42 km S	55 km S	59 km S	79 km S	Spreading, compact shrub, 0.2-0.6 m high.	Sand, loam, often moist soils. Granite outcrops, road verges.	Fl. green & red & purple, Sep to Nov.	28	Unlikely	Unlikely – No suitable habitat present.
<i>Darwinia carnea</i>	T	NM	5 km W	44 km S	56 km S	61 km S	81 km S	Spreading shrub, 0.2-0.45 m high.	Lateritic loam & gravel.	Fl. green & red, Oct to Dec.	26	Unlikely	Unlikely – No suitable habitat or soil type present.
<i>Eucalyptus crispata</i>	T	NM	77 km N	46 km N	33 km N	27 km N	13 km N	Mallee, 3-7 m high, bark rough on the trunk, in partly decorticated curls.	Sand, loam with lateritic gravel. Lateritic breakaways.	Fl. yellow-cream, Mar to Jun.	37	Unlikely	Unlikely – No suitable habitat present.

Species Name	Status	Source	Nearest Record Study Area 1	Nearest Record Study Area 2	Nearest Record Study Area 3	Nearest Record Study Area 4	Nearest Record Study Area 5	Description	Preferred Habitat	Preferred Flowering Time	NatureMap Counts	Desktop Assessment	Field Assessment
<i>Eucalyptus x balanites</i>	T	NM	72 km N	33 km N	19 km N	16 km NW	11 km W	Mallee, to 5 m high, bark rough, flaky.	Light coloured sandy soils over laterite. Habitat consists of gently sloping heathlands; open mallee woodland over shrubland or heathland with emergent mallees.	Fl. white, Oct to Dec or Jan to Feb.	13	Possible	Unlikely - No suitable soil or habitat type in Study Areas.
<i>Grevillea calliantha</i>	T	NM	30 km N	7 km E	17 km SE	21 km S	32 km S	Spreading, flat-topped shrub, 0.9-2.5 m high.	Grey or yellow sand over laterite, with gravel.	Fl. red-brown, Apr or Jun or Aug.	24	Likely	Unlikely - No suitable soil type present in the Study Areas.
<i>Banksia prionophylla</i>	P1	NM	23 km N	17 km SE	27 km SE	33 km S	46 km S	Lignotuberous, branching shrub, to 0.6 m high.	Dry grey sand over laterite with surface boulders. Rises.	Fl. yellow, Jul.	4	Unlikely	Unlikely – No suitable habitat present.
<i>Drosera allantostigma</i>	P1	NM	66 km N	32 km N	19 km NE	16 km NE	8 km E	Fibrous-rooted, rosetted perennial, herb, to 0.08 m high.	Loam, silica sand or peaty soils. Margins of winter-wet depressions	Fl. white, Nov to Dec.	5	Possible	Unlikely – No suitable habitat present.
<i>Eucalyptus absita x loxophleba</i>	P1	NM	53 km N	21 km NE	16 km E	10 km E	7 km E	Mallee, to 10 m high, bark fibrous, box-like.	Lateritic sand.		11	Likely	Likely – Suitable habitat present.
<i>Eucalyptus annuliformis</i>	P1	NM	21 km NE	32 km SE	40 km SE	46 km SE	54 km SE	Mallee, to 3 m high, bark smooth.	Shallow sandy soils. Rocky laterite slope.	Fl. white, May to Sep.	8	Unlikely	Possible – Suitable habitat present; however, Study Areas beyond its range.
<i>Grevillea synapheae</i> subsp. A Flora of Australia (S.D. Hopper 6333)	P1	NM	33 km N	13 km E	21 km SE	25 km SE	35 km S	Semi-prostrate, sprawling shrub, 0.2-0.3 m high.	Gravelly loam.	Fl. white-cream-yellow, Sep.	5	Possible	Unlikely - No suitable soil or habitat type in Study Areas.
<i>Grevillea synapheae</i> subsp. <i>minyulo</i>	P1	NM	33 km N	9 km S	19 km S	21 km S	29 km S	Spreading to sprawling, lignotuberous shrub, 0.2-0.5 m high.	Gravel, laterite.	Fl. white-cream-yellow, Aug to Sep.	19	Likely	Unlikely - No suitable soil or habitat type in Study Areas.

Species Name	Status	Source	Nearest Record Study Area 1	Nearest Record Study Area 2	Nearest Record Study Area 3	Nearest Record Study Area 4	Nearest Record Study Area 5	Description	Preferred Habitat	Preferred Flowering Time	NatureMap Counts	Desktop Assessment	Field Assessment
<i>Grevillea thelemanniana</i> subsp. Cooljarloo (B.J. Keighery 28 B)	P1	NM	48 km NW	14 km W	24 km W	26 km W	25 km NW	Spreading shrub to 0.5 m	Grey/white sand	Fl. Red, Aug to Sep.	10	Possible	Unlikely – No suitable habitat type recorded in Study Area 2 and there are limited records of this species within 20 km of the Study Areas.
<i>Hypocalymma linifolium</i>	P1	NM	52 km N	21 km NE	16 km E	13 km E	17 km SE	Low spreading shrub, to 0.6 m high.	Sand.		3	Likely	Possible – Limited available information on habitat type. Sand is present within the Study Areas; however, limited records of this species exist.
<i>Hypocalymma</i> sp. Dandaragan (C.A. Gardner 9014)	P1	NM	34 km N	24 km E	17 km N	11 km N	5 km SE	Multi-stemmed shrub to 30 cm.	Grey sand.	Fl. Yellow.	5	Likely	Unlikely – Soil type not present.
<i>Lasiopetalum</i> sp. Hill River (T.N. Stoate 5)	P1	NM	35 km N	11 km E	18 km SE	13 km NE	7 km SE	Shrub to 1 m high.	Loam over laterite.		6	Possible	Unlikely – No suitable habitat present.
<i>Lyginia excelsa</i>	P1	NM	37 km N	3 km S	2 km N	4 km S	17 km S	Dioecious rhizomatous, erect, tufted herb, 0.6-1.5 m high, rhizomes on surface.	Dry heath & Banksia woodland.	Fl. Mar to Nov.	5	Likely	Likely – Suitable habitat is present.
<i>Malleostemon</i> sp. Cooljarloo (B. Backhouse s.n. 16/11/88)	P1	NM	17 km N	2 km S	14 km S	22 km S	34 km S	Erect shrub, ca 0.4 m high.	Low-lying areas.	Fl. pink, Nov.	10	Likely	Possible - limited records of this species and uncertainty with habitat type.
<i>Rhetinocarpha suffruticosa</i>	P1	NM	32 km N	23 km E	17 km E	13 km E	5 km SE	Woody perennial, herb (with slender erect branches), to 0.8 m high.	Red-brown loamy clay, gravelly loam or clay loam over laterite. Slopes, small ridges.	Fl. White.	14	Possible	Unlikely – No suitable habitat present

Species Name	Status	Source	Nearest Record Study Area 1	Nearest Record Study Area 2	Nearest Record Study Area 3	Nearest Record Study Area 4	Nearest Record Study Area 5	Description	Preferred Habitat	Preferred Flowering Time	NatureMap Counts	Desktop Assessment	Field Assessment
<i>Stylidium</i> sp. Dewars Pool (K.F. Kenneally 11400)	P1	NM	15 km W	52 km SW	61 km SW	65 km SW	76 km SW	Perennial, herb.	White silica sand.	Fl. white & purple, Nov.	8	Possible	Unlikely – No suitable habitat present.
<i>Stylidium tinkeri</i>	P1	NM	56 km NW	13 km NW	6 km W	13 km SW	23 km SW	Erect annual, herb, 0.03-0.07 m high.	Grey sandy soil. Seasonal wetlands.	Fl. white & pink, Oct.	10	Unlikely	Unlikely – No suitable habitat present.
<i>Acacia benthamii</i>	P2	NM	49 km S	19 km W	22 km W	23 km SW	39 km SW	Shrub, ca 1 m high.	Typically on limestone breakaways.	Fl. yellow, Aug to Sep.	39	Unlikely	Unlikely – Habitat not recorded within the Study Areas.
<i>Acacia retrorsa</i>	P2	NM	64 km N	23 km NW	14 km NW	10.7 km W	6 km E	Prostrate, sprawling shrub, 0.05-0.5 m high, 0.4-2 m wide.	Grey sand & lateritic gravel, sandy loam.	Fl. yellow, Aug to Sep.	22	Likely	Unlikely – No suitable soil type present.
<i>Amanita carneiphylla</i>	P2	NM	15 km S	60 km S	63 km NE	57 km NE	49 km NE	<i>Amanita carneiphylla</i> - the 'Pink-gilled Amanita' - is distinctive by virtue of its pink gills, white warts on the cap, and long rooting stem. Fruit bodies often remain mostly embedded in the soil at maturity.	Deeply rooting in sandy soil, solitary or in small scattered groups		26	Likely	Unlikely – No suitable habitat present
<i>Anigozanthos humilis</i> subsp. Badgingarra (S.D. Hopper 7114)	P2	NM	17 km N	9 km N	3km E	8 km SE	22 km S	Erect, hirsute rhizomatous, herb, to 0.9 m high.	Grey-white sand, rich brown sandy loam, sandy clay, alluvial soils. Low plains, river-banks, winter-wet swamps.		25	Likely	Unlikely – No suitable habitat present within Study Areas.
<i>Arnocrinum gracillimum</i>	P2	NM	42 km N	Within Study Area	9 km W	11 km SW	Within Study Area	Rhizomatous, perennial, herb, 0.2-0.4 m high.	White, grey, yellow or lateritic sand.	Fl. purple, Oct to Nov.	23	Likely	Likely – Habitat present within the Study Areas.
<i>Boronia scabra</i> subsp. <i>condensata</i>	P2	NM	34 km N	13 km E	19 km SE	26 km SE	12 km N	Erect shrub, 0.25-0.7 m high, flowers, cymes sessile, staminal filaments tuberculate.	Sandy clay or gravel. Upper slopes, edges of lateritic breakaways.	Fl. pink, Aug.	8	Unlikely	Unlikely – No suitable soil type present.
<i>Calectasia palustris</i>	P2	NM	57 km NW	20 km NW	13 km W	11 km NW	11 km SW	Stilt-rooted herb (undershrub), stems to 0.7 m high.	White or grey sand. Seasonally inundated swamplands.	Fl. blue, Jul to Oct.	13	Unlikely	Unlikely – No suitable soil type present.

Species Name	Status	Source	Nearest Record Study Area 1	Nearest Record Study Area 2	Nearest Record Study Area 3	Nearest Record Study Area 4	Nearest Record Study Area 5	Description	Preferred Habitat	Preferred Flowering Time	NatureMap Counts	Desktop Assessment	Field Assessment
<i>Catacolea enodis</i>	P2	NM	56 km N	18 km N	8 km N	1 km S	5 km NW	Rhizomatous, perennial, herb, 0.1-0.3 m high, spikelets many-flowered, on slender peduncles; culms broad, 1.2-2 mm wide, compressed; style single.	Deep white sand over laterite. Tall heath.	Fl. Brown.	12	Likely	Likely – Suitable habitat present.
<i>Chordifex reseminans</i>	P2	NM	40 km N	1 km S	17 km S	23 km S	1 km N	Rhizomatous, erect, tufted, dioecious herb, 0.6-0.9 m high.	Dry sand. Heath.	Fl. Mar to May.	10	Likely	Likely – Suitable habitat present.
<i>Comesperma rhadinocarpum</i>	P2	NM	56 km N	20 km N	7 km N	1 km S	2 km NW	Perennial, herb.	Sandy soils.	Fl. blue, Oct to Nov.	16	Likely	Likely – Suitable habitat present.
<i>Dampiera tephrea</i>	P2	NM	1 km E	10 km E	15 km SE	15 km E	15 km SE	Ascending to erect perennial, herb or shrub, 0.3-0.6 m high, with grey or yellowish hairs on abaxial surface of leaves.	Sand, gravelly loam.	Fl. blue, Jul.	34	Possible	Unlikely – No suitable habitat present
<i>Eucalyptus abdita</i>	P2	NM	20 km N	3 km E	11 km S	19 km S	28 km S	Mallee or shrub, 2-3 m high, bark smooth, grey.	Laterite, sandy clay with gravel over laterite. Slopes, breakaways.		19	Unlikely	Unlikely – No suitable habitat present.
<i>Gastrolobium nudum</i>	P2	NM	25 km N	17 km SE	28 km SE	35 km SE	45 km S	Spreading, twiggy shrub, to 0.8 m high.	Red-brown clay, brown loam, gravel, laterite, granite. Flats, slopes, hilltops, ridges, valleys, breakaways.	Fl. orange&red, Feb.	20	Possible	Unlikely - No suitable soil or habitat type in Study Areas.
<i>Goodenia xanthotricha</i>	P2	NM	64 km N	31 km N	20 km NE	15 km NE	10 km SE	Viscid shrub, to 0.5 m high.	Sandy soils. Gravelly hills.	Fl. blue, Nov to Dec or Jan to Feb.	10	Possible	Possible – Limited information on sand type.
<i>Hypocalymma</i> sp. Cataby (G.J. Keighery 5151)	P2	NM	13 km N	13 km S	13 km N	6 km N	8 km S	Erect, spreading shrub, 0.5-1 m high, to 1 m wide.	Grey sand.	Fl. white, Aug.	13	Likely	Unlikely – Soil type not present.

Species Name	Status	Source	Nearest Record Study Area 1	Nearest Record Study Area 2	Nearest Record Study Area 3	Nearest Record Study Area 4	Nearest Record Study Area 5	Description	Preferred Habitat	Preferred Flowering Time	NatureMap Counts	Desktop Assessment	Field Assessment
<i>Isotropis cuneifolia</i> subsp. <i>glabra</i>	P2	NM	13 km E	26 km SW	39 km SW	45 km SW	56 km SW	Prostrate to ascending, spreading perennial, herb or shrub, 0.05-0.15 m high.	Sand, clay loam. Winter-wet flats.	Fl. yellow/orange & red, Sep.	26	Possible	Unlikely – No suitable habitat present.
<i>Jacksonia rubra</i>	P2	NM	82 km N	40 km N	34 km N	29 km N	14 km N	Tangled dwarf shrub, ca 0.2 m high.	Clayey sand.	Fl. orange, Oct.	14	Possible	Unlikely – No suitable habitat present.
<i>Lepyrodia curvescens</i>	P2	NM	3 km E	14 km NW	9 km W	14 km SW	26 km SW	Dioecious, shortly creeping, tufted rhizomatous, herb, 0.24-0.4 m high, rhizomes on surface or to 1 cm deep.	Sand, laterite. Seasonally inundated swampland.	Fl. Sep to Nov.	17	Likely	Unlikely – No suitable habitat present.
<i>Leucopogon plumuliflorus</i>	P2	NM	64 km N	32 km NE	21 km NE	13 km NE	6 km SE	Slender, multi-stemmed shrub, 0.1-0.4 m high.	Lateritic sandy soils. Amongst lateritic boulders, hillslopes.	Fl. white/white-pink, Apr or Jul to Nov.	37	Possible	Unlikely – No suitable habitat present
<i>Leucopogon</i> sp. Badgingarra (R. Davis 421)	P2	NM	52 km N	12 km N	6 km W	5 km W	11 km SW	Open, erect shrub, 0.7-1 m high.	Grey sand, dry white sand. Hills, plains.	Fl. white, Dec.	9	Likely	Likely – Suitable habitat is present.
<i>Leucopogon squarrosus</i> subsp. <i>trigynus</i>	P2	NM	6 km SW	45 km SW	57 km SW	63 km SW	74 km SW	Shrub to ca. 1.5 m high and 1.2 m wide.	Primarily occurs on the Bassendean Sands of the Swan Coastal Plain		15	Possible	Possible - limited records of this species and uncertainty with habitat type.
<i>Onychosepalum microcarpum</i>	P2	NM	18 km SE	11 km S	8 km NW	4 km W	1 km W	Rhizomatous, tufted perennial, herb, 0.07-0.15 m high.	Dry heath, low woodland.	Fl. Aug to Oct. White or yellow sand.	14	Likely	Likely – Suitable habitat is present.
<i>Persoonia filiformis</i>	P2	NM	68 km N	28 km NW	17 km NW	14 km W	19 km SW	Erect, spreading, lignotuberous shrub, 0.07-0.4 m high.	Yellow or white sand over laterite.	Fl. yellow, Nov to Dec.	15	Likely	Possible – Suitable habitat is present and species just falls within range of the Study Areas.
<i>Petrophile clavata</i>	P2	NM	39 km N	15 km E	18 km SE	20 km SE	29 km SE	Erect shrub, to 0.7 m high.	Grey sand, laterite. Hilltops and rises.	Fl. yellow-cream, Sep.	18	Possible	Unlikely – No suitable habitat present

Species Name	Status	Source	Nearest Record Study Area 1	Nearest Record Study Area 2	Nearest Record Study Area 3	Nearest Record Study Area 4	Nearest Record Study Area 5	Description	Preferred Habitat	Preferred Flowering Time	NatureMap Counts	Desktop Assessment	Field Assessment
<i>Schoenus badius</i>	P2	NM	57 km NW	17 km NW	14 km W	18 km SW	28 km SW	Slender annual, grass-like or herb (sedge), 0.05-0.12 m high.	Grey sand. Moist areas.	Fl. brown-green, Sep to Oct.	5	Possible	Unlikely – No suitable habitat present
<i>Stenanthemum sublineare</i>	P2	NM	38 km NW	4 km SW	15 km S	22 km S	38 km S	Erect shrub, to 0.1 m high.	Littered white sand. Coastal plain.	Fl. green, Oct to Dec.	18	Possible	Unlikely – No suitable habitat present
<i>Stylidium aceratum</i>	P2	NM	49 km N	9 km NW	10 km SW	15 km W	16 km W	Fibrous rooted annual, herb, 0.05-0.09 m high, leaves spatulate.	Sandy soils. Swamp heathland.	Fl. pink/white, Oct to Nov.	6	Possible	Unlikely – No suitable habitat present
<i>Stylidium</i> sp. Moora (J.A. Wege 713)	P2	NM	4 km SW	42 km S	53 km S	59 km S	71 km S	Compact, bulbous, perennial herb 0.1 m high x 0.05 m wide.	Red sand-clay.	Fl. Pink.	15	Unlikely	Unlikely – No suitable habitat present.
<i>Synaphea endothrix</i>	P2	NM	41 km N	10 km E	8 km NE	4 km E	13 km S	Erect, clumped shrub, to 0.6 m high.	Gravelly loam, sand. Lateritic rises.	Fl. yellow, Aug to Sep.	18	Possible	Unlikely – No suitable habitat present.
<i>Synaphea xela</i>	P2	NM	83 km NW	43 km NW	30 km NW	25 km NW	20 km NW	Sprawling shrub (or subshrub), to 0.4 m high.	Red-brown gravelly sand, white-pink, grey-brown clayey sand and loam, over laterite. Undulating sites.		7	Possible	Unlikely – No suitable habitat present.
<i>Thysanotus</i> sp. Badgingarra (E.A. Griffin 2511)	P2	NM	74 km N	36 km N	24 km N	17 km N	6 km NW	Perennial, herb (with tuberous roots), ca 0.35 m high.	Grey sand with lateritic gravel.	Fl. blue, Dec.	2	Possible	Unlikely – No suitable soil type present.
<i>Acacia epacantha</i>	P3	NM	36 km N	9 km E	9 km E	9 km E	15 km S	Dense, bushy, spiny shrub, 0.2-0.5 (-0.7) m high.	Lateritic gravelly loam or clay.	Fl. yellow, Jul to Aug.	15	Possible	Unlikely – No suitable habitat present within Study Areas.
<i>Acacia flabellifolia</i>	P3	NM	33 km N	30 km N	29 km N	27 km N	3 km N	Erect, spreading, pungent shrub, 0.4-1 m high.	Rocky loam, lateritic gravelly soils. Low hills & ridges.		33	Unlikely	Unlikely – Study Areas outside its known range
<i>Acacia plicata</i>	P3	NM	28 km N	11 km S	21 km S	25 km S	40 km S	Erect shrub, (0.3-)0.9-2 m high.	Loamy & clayey soils, often over sandstone or siltstone. Along drainage lines.	Fl. yellow, Aug to Oct.	27	Unlikely	Unlikely – No suitable habitat or soil type present.

Species Name	Status	Source	Nearest Record Study Area 1	Nearest Record Study Area 2	Nearest Record Study Area 3	Nearest Record Study Area 4	Nearest Record Study Area 5	Description	Preferred Habitat	Preferred Flowering Time	NatureMap Counts	Desktop Assessment	Field Assessment
<i>Allocasuarina grevilleoides</i>	P3	NM	16 km W	12 km E	18 km E	9 km E	10 km E	Dioecious, lignotuberous shrub, 0.15-0.4 m high.	Sand over laterite, gravel.		32	Likely	Likely – Suitable habitat present.
<i>Allocasuarina ramosissima</i>	P3	NM	40 km NE	23 km E	16 km E	11 km E	1 km E	Dioecious, somewhat divaricate shrub, 0.3-1.2 m high.	Lateritic soils, gravel.		42	Likely	Recorded – Study Area 5.
<i>Baeckea</i> sp. Moora (R. Bone 1993/1)	P3	NM	24 km N	14 km S	20 km N	12 km E	1 km E	Open spreading or spindly shrub, 0.5-2 m high.	Gravelly soils.	Fl. white/pink, Nov to Dec.	25	Likely	Likely – Suitable habitat present.
<i>Baeckea</i> sp. Perth Region (R.J. Cranfield 444)	P3	NM	1 km S	10 km W	11 km W	16 km SW	25 km SW	Erect, open straggly shrub, to 1.2 m high.	Orange sand, brown loam, white sandy clay. Low flats, winter-wet swamps, railway reserves.	Fl. pink/white, Jan to Mar.	25	Likely	Unlikely – No suitable habitat or soil type present
<i>Banksia cypholoba</i>	P3	NM	82 km N	46 km N	35 km N	29 km N	17 km N	Prostrate, dwarf, lignotuberous shrub, to 0.3 m high.	Sand & gravelly loam.	Fl. yellow-brown, Aug.	58	Possible	Unlikely- No suitable habitat within Study Areas 2, 3, 4 and 5. Study Area 1 outside its known range.
<i>Banksia dallanneyi</i> subsp. <i>pollostata</i>	P3	NM	6 km S	25 km S	37 km S	43 km S	55 km S	Prostrate, lignotuberous shrub.	Grey/yellow sand. Flats, lateritic rises.	Fl. yellow-brown, Aug to Sep.	27	Unlikely	Unlikely – Suitable habitat present within Study Area 1. Study Areas 2, 3, 4 and 5 outside its known range.
<i>Banksia kippistiana</i> var. <i>paenepeccata</i>	P3	NM	1 km N	16 km S	19 km NE	15 km NE	8 km E	Erect, prickly, lignotuberous shrub, 0.3-1.2 m high.	Lateritic gravelly soils.	Fl. yellow-cream, Oct to Nov.	28	Likely	Likely – Suitable habitat present.
<i>Banksia nobilis</i> subsp. <i>fragrans</i>	P3	NM	65 km N	35km N	20km N	15km N	1 km N	Erect, non-lignotuberous shrub, 0.6-2 m high.	Lateritic rises.	Fl. yellow-green/pink, Jul to Sep.	10	Unlikely	Likely – Suitable habitat present.

Species Name	Status	Source	Nearest Record Study Area 1	Nearest Record Study Area 2	Nearest Record Study Area 3	Nearest Record Study Area 4	Nearest Record Study Area 5	Description	Preferred Habitat	Preferred Flowering Time	NatureMap Counts	Desktop Assessment	Field Assessment
<i>Banksia pteridifolia</i> subsp. <i>vernal</i>	P3	NM	14 km E	22 km E	27 km E	29 km SE	37 km SE	Prostrate, lignotuberous shrub, to 0.4 m high	White/grey sand over laterite.	Fl. cream-white/yellow, Sep to Oct.	29	Possible	Unlikely – No suitable habitat present within Study Area 1. Study Areas 2, 3, 4 and 5 outside its known range.
<i>Banksia splendida</i> subsp. <i>macrocarpa</i>	P3	NM	65 km N	33 km N	20 km N	14 km N	1 km S	Bushy, non-lignotuberous shrub, 0.3-1.5 m high.	Lateritic gravel.	Fl. yellow/orange-red, Jul to Aug.	27	Unlikely	Likely – There is suitable habitat within the Study Area.
<i>Banksia subulata</i>	P3	NM	64 km N	30 km NE	20 km N	13 km N	1 km S	Bushy, non-lignotuberous shrub, to 0.35 m high.	White/grey or yellow sand over laterite, gravelly laterite.	Fl. yellow, Sep.	18	Likely	Likely – There is suitable habitat within the Study Area.
<i>Beaufortia bicolor</i>	P3	NM	35 km N	6 km S	7 km N	1 km N	3 km S	Dense shrub, 0.3-1 m high.	White sand over laterite. Sandplains.	Fl. red & yellow & orange, Nov to Dec.	26	Likely	Likely – There is suitable habitat within the Study Area.
<i>Beaufortia eriocephala</i>	P3	NM	14 km E	14 km S	22 km SE	13 km NE	6 km SE	Erect, compact shrub, 0.3-0.6 m high.	Lateritic sandy soils. Slopes.	Fl. red, Sep to Nov.	26	Likely	Likely – There is suitable habitat within the Study Area.
<i>Beyeria cinerea</i> subsp. <i>cinerea</i>	P3	NM	41 km N	15 km W	25 km SW	32 km SW	41 km W	Shrub.	White Sand.		53	Likely	Likely – There is suitable habitat within the Study Area.
<i>Beyeria gardneri</i>	P3	NM	76 km N	39 km N	25 km N	18 km N	7 km N	Shrub, 0.25-0.5 m high.	Yellow sand.	Fl. yellow, Aug to Sep.	27	Unlikely	Unlikely – No suitable soil type present.
<i>Byblis gigantea</i>	P3	NM	60 km NE	20 km NE	14 km W	19 km SW	30 km SW	Small, branched perennial, herb (or sub-shrub), to 0.45 m high.	Sandy-peat swamps. Seasonally wet areas.	Fl. pink-purple/white, Sep to Dec or Jan.	53	Unlikely	Unlikely – No suitable habitat present.
<i>Calytrix ecalycata</i> subsp. <i>brevis</i>	P3	NM	14 km N	31 km SE	13 km N	6 km N	8 km S	Upright shrub, to 1 m high.	Dry yellow sand. Sandplains, low rises.	Fl. yellow, Aug to Sep.	9	Possible	Unlikely - No suitable suitable soil type present.

Species Name	Status	Source	Nearest Record Study Area 1	Nearest Record Study Area 2	Nearest Record Study Area 3	Nearest Record Study Area 4	Nearest Record Study Area 5	Description	Preferred Habitat	Preferred Flowering Time	NatureMap Counts	Desktop Assessment	Field Assessment
<i>Conospermum scaposum</i>	P3	NM	26 km E	7 km W	14 km W	17 km W	Within Study Area	Erect shrub, 0.2-0.45(-0.75) m high.	White-grey sand, sandy clay. Low swampy areas, road verges.	Fl. blue, Oct to Dec or Jan to Feb.	42	Possible	Unlikely – No suitable habitat present
<i>Cryptandra stellulata</i>	P3	NM	49 km N	23 km NE	19 km E	17 km E	22 km SE	Shrub, 0.3-1 m high, commonly with spinescent branches.	Brown-grey loam, yellow loamy clay or sand, granite, laterite.		8	Unlikely	Unlikely – No suitable habitat present
<i>Desmocladus biformis</i>	P3	NM	10 km S	30 km N	14 km N	10 km N	1 km S	Rhizomatous, densely tufted perennial, herb (sedge-like), 0.1-0.2 m high.	Sand, sandy clay, lateritic soils. Dry sites.	Fl. Sep to Oct.	28	Possible	Unlikely – No suitable habitat or soil type present.
<i>Dillwynia dillwynioides</i>	P3	NM	13 km S	50 km S	62 km S	67 km S	77 km S	Decumbent or erect, slender shrub, 0.3-1.2 m high.	Sandy soils. Winter-wet depressions.	Fl. red & yellow/orange, Aug to Dec.	74	Possible	Unlikely – No suitable habitat present.
<i>Drosera marchantii</i> subsp. <i>prophylla</i>	P3	NM	21 km N	5 km N	1 km S	7 km S	1 km S	Erect tuberous, perennial, herb, 0.1-0.3 m high.	Laterite-silica sand soils. Hilltops.	Fl. white, Jun to Jul.	5	Likely	Unlikely – No suitable habitat present.
<i>Gompholobium gairdnerianum</i>	P3	NM	38 km N	10 km E	15 km SE	20 km SE	2 km NW	Erect, slender, multistemmed shrub, to 0.5 m high.	White, cream or brown sandy clay, white sand over sandstone, brown or grey sand over laterite, gravel. Hill summits and slopes, ridges.	Fl. yellow, Sep to Nov.	25	Likely	Unlikely - No suitable soil or habitat type in Study Areas.
<i>Grevillea florida</i>	P3	NM	32 km N	11 km S	22 km S	28 km S	39 km S	Erect shrub, to 0.9 m high.	Sand, sandy clay, gravel, laterite. Sandplain, slopes, road verges	Fl. cream-yellow, Jul to Sep.	32	Possible	Unlikely - No suitable soil or habitat type in Study Areas.
<i>Grevillea leptopoda</i>	P3	NM	62 km N	28 km NE	21 km NE	15 km NE	8 km SE	Spreading to erect shrub, 0.6-1.5 m high.	Loam & lateritic gravel, sand, clay.	Fl. white-cream, Aug to Sep.	29	Possible	Unlikely - No suitable soil or habitat type in Study Areas.

Species Name	Status	Source	Nearest Record Study Area 1	Nearest Record Study Area 2	Nearest Record Study Area 3	Nearest Record Study Area 4	Nearest Record Study Area 5	Description	Preferred Habitat	Preferred Flowering Time	NatureMap Counts	Desktop Assessment	Field Assessment
<i>Grevillea thyrsoidea</i> subsp. <i>pustulata</i>	P3	NM	49 km N	20 km NE	15 km E	15 km E	23 km SE	Spreading or procumbent shrub, 0.3-0.7 m high, up to 1.5 m wide.	Sand or sandy gravel.	Fl. red-pink, Mar or Jul to Sep.	27	Likely	Possible – Suitable habitat is present; however, there are limited records of this species within 20 km of the Study Areas.
<i>Grevillea thyrsoidea</i> subsp. <i>thyrsoidea</i>	P3	NM	23 km N	6 km NE	10 km SE	5 km N	8 km SE	Spreading or procumbent shrub, 0.3-0.7 m high, up to 1.5 m wide.	Sand or sandy lateritic gravel.	Fl. red-pink, Feb or Aug to Sep.	26	Likely	Likely – Suitable habitat present in the Study Areas and this species is known within 5 to 10 km of the Study Areas.
<i>Grevillea uniformis</i>	P3	NM	12 km SE	44 km SE	20 km NE	13 km NE	7 km SE	Shrub, (0.3-) 0.8-1.8 m high.	Sand or sandy loam on sandstone, lateritic gravel. Sandstone outcrops, creeklines.	Fl. white-cream, Jul or Sep to Nov.	24	Possible	Unlikely – No suitable habitat present in the Study Areas.
<i>Guichenotia alba</i>	P3	NM	25 km N	1 km W	1 km W	8 km S	3 km W	Slender, lax, few-branched shrub, 0.1-0.45 m high.	Sandy & gravelly soils. Low-lying flats, depressions	Fl. white, Jul to Aug.	38	Likely	Likely – Suitable habitat present in Study Areas.
<i>Haemodorum loratum</i>	P3	NM	1 km N	21 km S	34 km S	39 km S	50 km S	Bulbaceous, perennial, herb, 0.45-1.2(-2) m high.	Grey or yellow sand, gravel.	Fl. black/brown-black/green, Nov.	39	Likely	Unlikely – No suitable habitat recorded within Study Area 1. Study Areas 2, 3, 4 and 5 beyond its range.
<i>Hakea longiflora</i>	P3	NM	28 km N	13 km S	15 km E	17 km E	5 km SE	Erect, pungent shrub, 0.6-0.75 m high.	White sand, loam, gravel, laterite. Breakaways.	Fl. yellow, Jun to Sep.	17	Possible	Unlikely – No suitable habitat present in the Study Areas.
<i>Hensmania stoniella</i>	P3	NM	47 km NW	14 km W	12 km W	15 km W	Within Study Area	Tufted, stilt-rooted perennial, herb, 0.1-0.2 m high.	White, grey or lateritic sand, often winter-wet.	Fl. yellow-cream-white, Sep to Nov.	40	Possible	Unlikely – No suitable habitat present.
<i>Hibbertia spicata</i> subsp. <i>leptotheca</i>	P3	NM	34 km W	15 km W	24 km SW	31 km SW	43 km SW	Erect or spreading shrub, 0.2-0.5 m high.	Sand. Near-coastal limestone ridges, outcrops & cliffs.	Fl. yellow, Jul to Oct.	64	Unlikely	Unlikely – No suitable habitat type present.

Species Name	Status	Source	Nearest Record Study Area 1	Nearest Record Study Area 2	Nearest Record Study Area 3	Nearest Record Study Area 4	Nearest Record Study Area 5	Description	Preferred Habitat	Preferred Flowering Time	NatureMap Counts	Desktop Assessment	Field Assessment
<i>Hypocalymma gardneri</i>	P3	NM	65 km N	31 km NE	19 km NE	12 km NE	9 km SE	Shrub, to 0.3 m high.	Grey-brown sand, laterite. Sandplains, upper slopes, heathland.	Fl. yellow, Aug to Sep.	22	Likely	Unlikely – No suitable soil type present.
<i>Hypocalymma serrulatum</i>	P3	NM	7 km N	5 km NE	1 km N	3 km N	1 km S	Erect shrub, 0.45-1.7 m high.	Grey or white sand. Along drainage lines.	Fl. white-pink, Apr to May.	22	Likely	Recorded – Study Areas 3 and 4.
<i>Hypocalymma tetrapterum</i>	P3	NM	32 km N	6 km NW	7 km SW	11 km E	15 km N	Shrub, 0.4-0.9 m high.	Grey sand, loam, lateritic gravel. Riverbanks, breakaways.	Fl. white, Aug.	35	Likely	Unlikely – No suitable habitat type present.
<i>Isopogon drummondii</i>	P3	NM	11 km NE	6 km N	7 km SW	17 km S	28 km S	Erect, lignotuberous shrub, 0.4-1 m high.	White, grey or yellow sand, often over laterite.	Fl. yellow/cream-yellow, Feb to Jun.	115	Likely	Likely – Suitable habitat present.
<i>Isopogon panduratus</i> subsp. <i>palustris</i>	P3	NM	45 km N	7 km NW	10 km W	14 km SW	25 km SW	Robust spreading shrub to 2.0 m high and 1.5 m wide.	Winter wet sands or sandy loam in heathland.		19	Likely	Unlikely – No suitable habitat present.
<i>Jacksonia anthoclada</i>	P3	NM	51 km N	41 km N	1 km N	5 km S	3 km NW	Erect shrub, 1.5-2.5 m high.	White or grey sand. Sandplains.	Fl. yellow & red, Apr.	27	Likely	Likely – Suitable habitat present.
<i>Jacksonia carduacea</i>	P3	NM	23 km N	14 km E	12 km W	15 km SW	21 km E	Bushy shrub, 0.2-0.5 m high.	Grey sand, sandy clay.	Fl. yellow & red, Aug to Dec.	29	Likely	Unlikely – No suitable habitat present.i
<i>Lepidobolus quadratus</i>	P3	NM	22 km N	4 km E	11 km SE	12 km N	Within Study Area	Rhizomatous, caespitose perennial, herb (sedge-like), 0.15-0.3 m high.	Lateritic gravel, grey/white sand. Dry kwongan.	Fl. brown/red, Aug to Sep.	45	Likely	Likely – Suitable habitat is present.
<i>Leucopogon</i> sp. Yanchep (M. Hislop 1986)	P3	NM	14 km SW	21 km NW	21 km W	25 km SW	36 km SW	Erect shrub, 0.15-1 m high, to 0.6 m wide.	Light grey-yellow sand, brown loam, limestone, laterite, granite. Coastal plain, breakaways, valley slopes, low hills.	Fl. white/pink, Apr to Jun or Sep.	30	Unlikely	Unlikely – No suitable habitat present
<i>Onychosepalum nodatum</i>	P3	NM	32 km NW	5 km NW	8 km SW	15 km SW	25 km SW	Caespitose grass-like or herb, forming small, many-culmed tussocks.	Sand.		14	Likely	Possible - limited records of this species and uncertainty with habitat type.

Species Name	Status	Source	Nearest Record Study Area 1	Nearest Record Study Area 2	Nearest Record Study Area 3	Nearest Record Study Area 4	Nearest Record Study Area 5	Description	Preferred Habitat	Preferred Flowering Time	NatureMap Counts	Desktop Assessment	Field Assessment
<i>Patersonia argyrea</i>	P3	NM	71 km N	32 km N	21 km NW	18 km NW	18 km W	Rhizomatous, tufted perennial, herb, to 0.4 m high.	Grey sand and lateritic gravel.	Fl. violet-purple/other, Sep to Nov.	10	Possible	Unlikely – No suitable habitat present
<i>Persoonia rudis</i>	P3	NM	3 km S	31 km NE	18 km NE	13 km NE	7 km SE	Erect, often spreading shrub, 0.2-1 m high.	White, grey or yellow sand, often over laterite.	Fl. yellow, Sep to Dec or Jan.	51	Likely	Likely – Suitable habitat present.
<i>Petrophile biternata</i>	P3	NM	3 km SW	40 km S	52 km S	35 km NE	23 km N	Stout, rigid, non-lignotuberous shrub, 0.8-1.5 m high.	Yellow/grey sand & gravel, laterite, quartzite soils. Lateritic ridges, plains.	Fl. yellow/cream-yellow, Aug to Oct.	19	Likely	Unlikely – No suitable habitat present
<i>Petrophile septemfida</i>	P3	NM	78 km N	48 km NE	35 km NE	27 km NE	17 km NE	Shrub to ca. 1.2 m high.	Sand or in sand over laterite		15	Possible	Unlikely – Study Areas beyond its known range.
<i>Phlebocarya pilosissima</i> subsp. <i>pilosissima</i>	P3	NM	9 km S	12 km NW	6 km W	1 km W	2 km SE	Shortly rhizomatous, compactly tufted perennial, grass-like or herb, 0.15-0.4 m high.	White or grey sand, lateritic gravel.	Fl. cream-white, Aug to Oct.	23	Likely	Likely – Suitable habitat is present.
<i>Platysace ramosissima</i>	P3	NM	26 km S	16 km SW	28 km S	37 km S	29 km W	Perennial, herb, to 0.3 m high.	Sandy soils.	Fl. white-cream, Oct to Nov.	20	Likely	Possible - uncertainty with habitat type.
<i>Podothea pritzelii</i>	P3	NM	31 km N	13 km SE	23 km SE	27 km S	39 km S	Ascending to erect, succulent annual, herb, 0.05-0.25 m high.	Sand ridges in salt flats.	Fl. yellow-orange, Sep to Oct.	67	Unlikely	Unlikely – No suitable habitat present
<i>Schoenus griffinianus</i>	P3	NM	18 km SE	4 km S	14 km SW	24 km W	37 km SW	Small, tufted perennial, grass-like or herb (sedge), to 0.1 m high.	White sand.	Fl. Sep to Oct.	44	Likely	Recorded – Within Study Areas 2, 4 and 4.
<i>Schoenus pennisetis</i>	P3	NM	39 km N	Within Study Area	8 km W	14 km SW	26 km SW	Tufted annual, grass-like or herb (sedge), 0.05-0.15 m high.	Grey or peaty sand, sandy clay. Swamps, winter-wet depressions.	Fl. purple-black, Aug to Sep.	47	Possible	Unlikely – No suitable habitat present
<i>Stackhousia</i> sp. Red-blotched corolla (A. Markey 911)	P3	NM	84 km N	45 km N	35 km N	29 km N	16 km NW	Perennial erect shrub.	Brown clayey sand over laterite.		8	Unlikely	Unlikely – No suitable habitat present

Species Name	Status	Source	Nearest Record Study Area 1	Nearest Record Study Area 2	Nearest Record Study Area 3	Nearest Record Study Area 4	Nearest Record Study Area 5	Description	Preferred Habitat	Preferred Flowering Time	NatureMap Counts	Desktop Assessment	Field Assessment
<i>Stylidium hymenocraspedum</i>	P3	NM	38 km NW	4 km NW	Within Study Area	4 km S	7.5 km W	Rosetted perennial, herb, 0.27-0.7 m high.	Sand over laterite. Hillslopes. Heath, Banksia and Eucalyptus low open woodland.	Fl. yellow, Sep to Oct.	17	Likely	Recorded – Study Area 2 and 4.
<i>Stylidium maritimum</i>	P3	NM	33 km W	13 km SW	32 km W	36 km W	42 km NW	Caespitose perennial, herb, 0.3-0.7 m high.	Sand over limestone. Dune slopes and flats. Coastal heath and shrubland, open Banksia woodland.	Fl. white/purple, Sep to Nov.	82	Possible	Unlikely – No suitable habitat present.
<i>Stylidium nonscandens</i>	P3	NM	11 km S	51 km N	37 km N	31 km N	20 km N	Erect perennial, herb, 0.18-0.46 m high.	Sand over laterite. Hillslopes and crests. Banksia woodland, heath, mallee shrubland	Fl. pink, Sep to Nov.	31	Possible	Unlikely – No suitable habitat within Study Area 1. Study Areas 2, 3, 4 and 5 beyond its range.
<i>Stylidium periscelanthum</i>	P3	NM	29 km N	12 km S	24 km S	31 km S	41 km S	Bulb-forming perennial, herb, 0.07-0.15 m high.	Loamy clay, moist soils pockets. Wet flats, low granitic hills.	Fl. pink, Sep to Oct.	27	Possible	Unlikely – No suitable habitat present.
<i>Stylidium torticarpum</i>	P3	NM	39 km N	17 km E	11 km W	15 km SW	23 km SW	Caespitose perennial, herb, 0.12-0.27 m high.	Sandy clay and clay loam over laterite. Adjacent to creeklines, depressions, and beneath breakaways. Heath or mallee shrubland.	Fl. pink, Sep to Nov.	48	Possible	Unlikely – No suitable habitat present.
<i>Tetradlea angulata</i>	P3	NM	40 km NW	4 km E	14 km SW	8 km NE	4 km SE	Lax to erect, slender shrub (subshrub), 0.2-0.3 m high.	Sandy to gravelly laterite soils. Low hill crests, breakaways with massive laterite boulders.		12	Possible	Recorded – Study Area 4.
<i>Thysanotus anceps</i>	P3	NM	84 km N	44 km N	33 km N	27 km N	21 km N	Rhizomatous, leafless perennial, herb, to 0.4 m high.	White or grey sand, lateritic gravel, laterite.	Fl. purple, Oct to Dec.	28	Possible	Possible – habitat present; however, Study Areas beyond its range.
<i>Thysanotus vernalis</i>	P3	NM	79 km N	37 km N	26 km N	19 km NW	13 km NE	Perennial, herb (with tuberous roots), to 0.3 m high.	Sandy loam.	Fl. purple, Sep to Oct.	11	Possible	Unlikely – No suitable soil type present.

Species Name	Status	Source	Nearest Record Study Area 1	Nearest Record Study Area 2	Nearest Record Study Area 3	Nearest Record Study Area 4	Nearest Record Study Area 5	Description	Preferred Habitat	Preferred Flowering Time	NatureMap Counts	Desktop Assessment	Field Assessment
<i>Verticordia amphigia</i>	P3	NM	47 km NW	8 km NW	8 km SW	16 km SW	28 km SW	Shrub, 0.6-1.3 m high.	Sandy loam, clay & rocky loam. Winter-wet depressions.	Fl. yellow, Oct to Nov.	16	Unlikely	Unlikely – No suitable habitat present.
<i>Verticordia fragrans</i>	P3	NM	72 km N	38 km NE	29 km NE	17 km NE	10 km NE	Openly branched shrub, 1-3 m high.	White, grey or yellow sand, clay loam. Low-lying areas, sandplains.	Fl. pink-white, Sep to Nov.	36	Possible	Unlikely – No suitable habitat present.
<i>Verticordia huegelii</i> var. <i>tridens</i>	P3	NM	33 km NE	8 km SW	21 km SW	27 km SW	38 km SW	Shrub, 0.15-0.6 m high.	Sandy or gravelly loam. Winter-wet areas, low hills.	Fl. green-yellow/red, Sep to Nov.	37	Unlikely	Unlikely – No suitable habitat present.
<i>Verticordia insignis</i> subsp. <i>eomagis</i>	P3	NM	27 km NE	19 km NE	11 km NE	9 km E	9 km SE	Erect shrub, 0.2-1(-1.5) m high.	Sandy soils over laterite. Sandplains, rocky rises.	Fl. white-pink/white, Aug to Nov.	49	Likely	Likely – Suitable habitat present.
<i>Verticordia rutilastra</i>	P3	NM	37 km NE	19 km E	11 km NE	9 km E	1 km E	Shrub, 0.2-0.9 m high.	Sand & lateritic gravel. Hills.	Fl. yellow, Sep to Nov.	42	Likely	Likely – Suitable habitat present.
<i>Anigozanthos humilis</i> subsp. <i>chrysanthus</i>	P4	NM	7 km NE	10 km SW	15 km SW	22 km SW	36 km SW	Rhizomatous, perennial, herb, 0.2-0.4(-0.8) m high.	Grey or yellow sand.	Fl. yellow, Jul to Oct.	105	Likely	Unlikely – No suitable habitat present within Study Areas.
<i>Asterolasia drummondii</i>	P4	NM	25 km N	12 km S	22 km S	29 km S	42 km S	Slender erect shrub, 0.2-0.5 m high.	Lateritic gravel & sand or loam. Lateritic hills & sandplains, breakaways.	Fl. white, Jul to Sep.	52	Likely	Likely – Habitat present within the Study Areas.
<i>Banksia chamaephyton</i>	P4	NM	14 km E	29 km NW	23 km NW	21 km W	1 km N	Low, lignotuberous shrub, to 0.4 m high, up to 2 m wide.	Grey or white sand over laterite.	Fl. cream & brown, Oct to Dec.	38	Likely	Likely – Suitable habitat present.
<i>Banksia elegans</i>	P4	NM	85 km N	46 km N	34 km N	29 km N	17 km NW	Shrub (with fire-tolerant rootstock, often suckering), 1-4 m high.	Yellow, white or red sand. Sandplains, low consolidated dunes.	Fl. yellow/green-yellow, Oct to Nov.	35	Possible	Unlikely – No suitable habitat present.
<i>Boronia tenuis</i>	P4	NM	41 km SE	5 km NW	11 km S	18 km S	31 km S	Procumbent or erect & slender shrub, 0.1-0.5 m high.	Laterite, stony soils, granite.	Fl. blue/pink-white, Aug to Nov.	78	Unlikely	Unlikely – No suitable soil type present.
<i>Calothamnus accedens</i>	P4	NM	17 km W	30 km NE	22 km NE	12 km NE	11 km SW	Erect & slender shrub, to 1.8 m high.	Sandy soils over laterite. Road verge.	Fl. pink-red.	45	Possible	Likely – Suitable habitat present.

Species Name	Status	Source	Nearest Record Study Area 1	Nearest Record Study Area 2	Nearest Record Study Area 3	Nearest Record Study Area 4	Nearest Record Study Area 5	Description	Preferred Habitat	Preferred Flowering Time	NatureMap Counts	Desktop Assessment	Field Assessment
<i>Calothamnus pachystachyus</i>	P4	NM	15 km SE	43 km S	55 km S	65 km S	75 km S	Erect, much-branched, often straggly shrub, (0.3-)0.6-1.7 m high.	Lateritic soils, often gravelly. Ridges, road verges.	Fl. red-brown-black, Aug to Oct.	38	Unlikely	Unlikely- No suitable suitable soil type present and Study Areas beyond its range.
<i>Calytrix chrysantha</i>	P4	NM	89 km N	49 km N	38 km N	32 km N	20 km N	Shrub, 0.3-1.3 m high.	White, grey or yellow/brown sand. Flats.	Fl. yellow, Dec or Jan to Feb.	49	Possible	Unlikely - Study Areas beyond its range.
<i>Calytrix eneabensis</i>	P4	NM	55 km NW	20 km NW	17 km W	18 km SW	30 km SW	Shrub, 0.3-1 m high.	White, grey or yellow sand over laterite. Sandplains.	Fl. purple & pink & yellow, Jul to Oct.	39	Possible	Possible – Suitable habitat is present; however,
<i>Chordifex chaunocoleus</i>	P4	NM	42 km NW	6 km W	7 km SW	15 km NW	10 km W	Rhizomatous, erect perennial, herb, 0.15-0.5 m high.	Grey, siliceous or peaty sand, well to poorly drained. Drainage lines, depressions.	Fl. brown, Sep.	41	Possible	Unlikely – No suitable habitat present.
<i>Conostephium magnum</i>	P4	NM	29 km N	Within Study Area, uncertainty of exact location	Within Study Area, uncertainty of exact location	Within Study Area, uncertainty of exact location	Within Study Area, uncertainty of exact location	Erect, compact, many-stemmed shrub, to 2 m high.	White-grey sands sometimes associated with laterite gravels. Sand dunes, swampland, disturbed roadside, drainage channels, open woodland.	Fl. pink-purple, Jul to Sep.	27	Likely	Recorded
<i>Desmocladus elongatus</i>	P4	NM	39 km N	5 km E	11 km N	6 km N	1 km S	Rhizomatous, perennial, herb (sedge-like), 0.25-0.5 m high.	White or grey sand. Dry kwongan.	Fl. Aug to Dec.	41	Likely	Likely – Suitable habitat present.
<i>Diuris recurva</i>	P4	NM	35 km E	49 km N	38 km N	30 km N	20 km N	Tuberous, perennial, herb, 0.2-0.3 m high.	Loam. Winter-wet areas.	Fl. yellow & brown, Jul to Aug.	41	Unlikely	Unlikely – No suitable habitat present.
<i>Dodonaea hackettiana</i>	P4	NM	16 km SW	43 km S	57 km S	63 km S	78 km S	Erect shrub or tree, 1-5 m high.	Outcropping limestone.	Fl. yellow-green/red, mainly Jul to Oct.	68	Unlikely	Unlikely – No suitable habitat present.

Species Name	Status	Source	Nearest Record Study Area 1	Nearest Record Study Area 2	Nearest Record Study Area 3	Nearest Record Study Area 4	Nearest Record Study Area 5	Description	Preferred Habitat	Preferred Flowering Time	NatureMap Counts	Desktop Assessment	Field Assessment
<i>Eucalyptus exilis</i>	P4	NM	60 km SE	51 km N	38 km N	30 km N	21 km N	Whipstick mallee, 2-6 m high, bark smooth.	Grey sand, gravelly loam. Lateritic ridges.	Fl. white, Aug to Oct.	70	Unlikely	Unlikely – No suitable soil type present and Study Areas beyond its range.
<i>Eucalyptus macrocarpa</i> subsp. <i>elachantha</i>	P4	NM	Within Study Area	3 km W	5 km W	7 km SW	1 km S	Spreading or sprawling mallee, 0.8-4 m high, bark smooth, grey over salmon pink.	White or grey sand over laterite. Hillslopes, ridges, sandplains.	Fl. red-pink, Aug to Sep or Nov to Dec.	72	Likely	Recorded – Study Areas 4 and 5
<i>Eucalyptus pendens</i>	P4	NM	50 km N	1 km S.	2 km E	2 km E	1 km E	Slender, pendulous mallee, 2-5 m high, bark smooth.	White or grey sand with lateritic gravel. Hillsides, breakaways, sandplains.	Fl. white, Aug to Nov.	87	Likely	Likely – Suitable habitat recorded.
<i>Eucalyptus x carnabyi</i>	P4	NM	26 km N	8 km E	12 km SE	15 km SE	28 km S	Mallee, 1.5-6 m high, bark smooth, grey over cream.	Grey sand, sandy loam. Lateritic ridges.	Fl. pink-cream, Oct to Nov.	28	Possible	Unlikely - No suitable soil
<i>Grevillea drummondii</i>	P4	NM	27 km N	10 km S	23 km S	29 km S	42 km S	Spreading to erect shrub, 0.2-2(-2.5) m high.	Lateritic soils (sandy clay, gravel, loam, sand), sand over granite. Rocky hillsides, boulders, granite outcrops.	Fl. cream & yellow & red, Jun to Sep.	35	Possible	Unlikely - No suitable soil or habitat type in Study Areas.
<i>Grevillea olivacea</i>	P4	NM	16 km NE	30 km SE	40 km SE	43 km SE	56 km SE	Erect, non-lignotuberous shrub, 1-4.5 m high.	White or grey sand. Coastal dunes, limestone rocks.	Fl. red/red-pink, Jun to Sep.	29	Possible	Unlikely - No suitable soil or habitat type in Study Areas.
<i>Grevillea rudis</i>	P4	NM	15 km NE	25 km S	16 km NE	14 km N	1 km S	Loose, spreading to erect shrub, 0.2-1.2 m high.	White, grey, yellow or red sand, often with gravel & over laterite.	Fl. white-cream/cream-yellow, Jan or Apr or Jun to Sep or Nov to Dec.	57	Likely	Recorded – Study Areas 4 and 5.
<i>Grevillea saccata</i>	P4	NM	31 km S	1 km S	5 km NE	4 km S	1 km S	Diffuse scrambling or trailing shrub, 0.25-0.5 m high, 1-2 m wide.	Yellow or brown sand, often with lateritic gravel.	Fl. red, Apr or Jun to Nov.	108	Possible	Unlikely – No suitable soil type recorded.
<i>Hakea neurophylla</i>	P4	NM	71 km N	33 km N	22 km N	15 km N	2 km NW	Erect shrub, 0.3-2 m high.	Lateritic sandy soils. Hillsides.	Fl. pink-red, Aug.	25	Likely	Likely – Suitable habitat present in Study Areas.

Species Name	Status	Source	Nearest Record Study Area 1	Nearest Record Study Area 2	Nearest Record Study Area 3	Nearest Record Study Area 4	Nearest Record Study Area 5	Description	Preferred Habitat	Preferred Flowering Time	NatureMap Counts	Desktop Assessment	Field Assessment
<i>Hibbertia helianthemoides</i>	P4	NM	28 km N	Within Study Area	6 km E	9 km E	10 km SW	Spreading to erect, low or prostrate shrub, to 0.3 m high.	Clayey sand over sandstone or loam over quartzite. Hills and screen slopes.	Fl. yellow, Jul or Sep to Oct.	67	Possible	Unlikely – No suitable habitat type present.
<i>Hypolaena robusta</i>	P4	NM	22 km N	3 km SW	15 km S	7 km W	1 km W	Dioecious rhizomatous, perennial, herb, ca 0.5 m high.	White sand. Sandplains.	Fl. Sep to Oct.	44	Likely	Recorded – Study Areas 3 and 4.
<i>Rumex drummondii</i>	P4	NM	Within Study Area	40 km SE	52 km S	58 km S	62 km S	Erect perennial, herb, 0.6-0.9 m high.	Winter-wet disturbed areas.		18	Unlikely	Unlikely – No suitable habitat present
<i>Stylidium aeonioides</i>	P4	NM	22 km N	6 km NW	1 km S	5 km S	4 km NW	Rosetted perennial, herb, 0.05-0.4 m high.	Sandy clay loam over laterite. Hillsides and breakaways. Low heath, open woodland.	Fl. cream-yellow, Sep to Nov.	38	Likely	Unlikely – No suitable habitat present
<i>Stylidium inversiflorum</i>	P4	NM	57 km N	21 km N	7 km N	3 km W	3.5 km NW	Rosetted perennial, herb, 0.08-0.25 m high.	White or grey sand over laterite. Sandplains, hillslopes and gullies. Heath, open woodland.	Fl. yellow, Sep to Nov.	24	Likely	Likely – Suitable habitat is present
<i>Thelymitra apiculata</i>	P4	NM	19 km E	5 km NE	6 km N	1 km N	12 km S	Tuberous, perennial, herb, 0.2-0.35 m high.	Grey sand, lateritic gravel.	Fl. purple & yellow, May to Jul.	17	Likely	Unlikely – No suitable soil type present.
<i>Thysanotus glaucus</i>	P4	NM	18 km E	17 km SE	11 km W	13 km SW	18 km N	Caespitose, glaucous perennial, herb, 0.1-0.2 m high.	White, grey or yellow sand, sandy gravel.	Fl. purple, Oct to Dec or Jan to Mar.	34	Likely	Likely – suitable habitat present.
<i>Tripterococcus</i> sp. <i>Brachylobus</i> (A.S. George 14234) (nee: <i>Tripterococcus paniculatus</i>)	P4	NM	21 km S	34 km N	21 km N	14 km N	3 km N	Perennial, herb, to 1 m high.	Grey, black or peaty sand. Winter-wet flats.	Fl. yellow-green, Oct to Nov.	33	Unlikely	Unlikely – No suitable habitat present.
<i>Verticordia lindleyi</i> subsp. <i>lindleyi</i>	P4	NM	18 km SE	9 km W	7 km SW	13 km SW	26 km SW	Erect shrub, 0.2-0.75 m high.	Sand, sandy clay. Winter-wet depressions.	Fl. pink, May or Nov to Dec or Jan.	115	Unlikely	Unlikely – No suitable habitat present.
<i>Verticordia paludosa</i>	P4	NM	9 km S	45 km SW	57 km S	64 km S	74 km S	Erect shrub, 0.3-0.9 m high.	White/grey sand. Winter-wet flats.	Fl. pink-white, Jan to May.	38	Possible	Unlikely – No suitable habitat present.

[illegible]

NM	NatureMap (DPaW, 2007-)
WAHERB	Western Australian Herbarium (1998-)
P	Priority listed by Department of Parks and Wildlife (DPaW)

Table 29 Recorded Flora from the Field Survey

Family	Genus	Species	Status	SA1	SA2	SA3	SA4	SA5
Amaranthaceae	<i>Ptilotus</i>	<i>polystachyus</i>		x		x	x	x
Anarthriaceae	<i>Lyginia</i>	<i>barbata</i>		x	x	x	x	x
Apiaceae	<i>Coriandrum</i>	<i>sativum</i>	*RE	x	x	x	x	x
Apiaceae	<i>Trachymene</i>	<i>pusilla</i>						x
Apiaceae	<i>Xanthorrhoea</i>	<i>preissii</i>						x
Apiaceae	<i>Xanthosia</i>	<i>huegelii</i>			x	x	x	x
Araceae	<i>Zantedeschia</i>	<i>aethiopica</i>	*DP	x				
Araliaceae	<i>Trachymene</i>	<i>pilosa</i>		x	x		x	x
Asparagaceae	<i>Chamaescilla</i>	<i>corymbosa</i>		x				
Asparagaceae	<i>Laxmannia</i>	<i>sessiliflora</i> subsp. <i>sessiliflora</i>			x			
Asparagaceae	<i>Lomandra</i>	<i>caespitosa</i>		x				
Asparagaceae	<i>Lomandra</i>	<i>preissii</i>					x	
Asparagaceae	<i>Thysanotus</i>	<i>manglesii</i>				x		
Asparagaceae	<i>Thysanotus</i>	<i>patersonii</i>			x	x		
Asphodelaceae	<i>Asphodelus</i>	<i>fistulosus</i>	*	x	x			
Asteraceae	<i>Arctotheca</i>	<i>calendula</i>	*	x	x	x	x	x
Asteraceae	<i>Blancoa</i>	<i>canescens</i>						x
Asteraceae	<i>Blennospora</i>	<i>drummondii</i>			x			
Asteraceae	<i>Chrysocephalum</i>	<i>apiculatum</i>			x	x		
Asteraceae	<i>Conyza</i>	<i>bonariensis</i>	*				x	
Asteraceae	<i>Cotula</i>	<i>australis</i>		x				
Asteraceae	<i>Cotula</i>	<i>coronopifolia</i>	*	x				
Asteraceae	<i>Dittrichia</i>	<i>graveolens</i>	*	x				
Asteraceae	<i>Gnephosis</i>	<i>tenuissima</i>					x	
Asteraceae	<i>Helichrysum</i>	<i>luteoalbum</i>		x				
Asteraceae	<i>Helichrysum</i>	<i>dealbatum</i>	*		x			
Asteraceae	<i>Hyalosperma</i>	<i>cotula</i>			x		x	
Asteraceae	<i>Hypochaeris</i>	<i>glabra</i>	*	x	x	x	x	x
Asteraceae	<i>Monoculus</i>	<i>monstrous</i>	*	x	x		x	
Asteraceae	<i>Olearia</i>	sp. Kennedy Range (G. Byrne 66)				x		
Asteraceae	<i>Olearia</i>	<i>axillaris</i>						x
Asteraceae	<i>Podotheca</i>	<i>angustifolia</i>		x				
Asteraceae	<i>Podotheca</i>	<i>angustifolia</i>		x				
Asteraceae	<i>Podotheca</i>	<i>gnaphalioides</i>		x	x	x		x
Asteraceae	<i>Rhodanthe</i>	<i>chlorocephala</i>					x	
Asteraceae	<i>Siloxerus</i>	<i>humifusus</i>			x			
Asteraceae	<i>Sonchus</i>	<i>asper</i>	*					x
Asteraceae	<i>Sonchus</i>	<i>oleraceus</i>	*	x		x		
Asteraceae	<i>Urospermum</i>	<i>picroides</i>	*	x	x			
Asteraceae	<i>Ursinia</i>	<i>anthemoides</i>	*		x	x	x	
Asteraceae	<i>Ursinia</i>	<i>anthemoides</i> subsp. <i>anthemoides</i>	*	x	x			x
Asteraceae	<i>Vellereophyton</i>	<i>dealbatum</i>	*		x		x	
Asteraceae	<i>Waitzia</i>	<i>acuminata</i> var. <i>albicans</i>				x		
Brassicaceae	<i>Raphanus</i>	<i>raphanistrum</i>	*	x		x		
Brassicaceae	<i>Brassica</i>	<i>tournefortii</i>	*				x	
Campanulaceae	<i>Wahlenbergia</i>	<i>capensis</i>	*	x		x		x
Cannabaceae	<i>Cannabis</i>	<i>sativa</i>	*(+)r73			x		
Caryophyllaceae	<i>Polycarpon</i>	<i>tetraphyllum</i>	*		x			

Family	Genus	Species	Status	SA1	SA2	SA3	SA4	SA5
Casuarinaceae	<i>Allocasuarina</i>	<i>fraseriana</i>	+				x	
Casuarinaceae	<i>Allocasuarina</i>	<i>humilis</i>		x	x	x	x	x
Casuarinaceae	<i>Allocasuarina</i>	<i>ramosissima</i>	P3					x
Celastraceae	<i>Stackhousia</i>	<i>monogyna</i>			x	x		
Celastraceae	<i>Tripterococcus</i>	<i>brunonis</i>			x		x	x
Centrolepidaceae	<i>Centrolepis</i>	<i>polygyna</i>			x			
Colchicaceae	<i>Burchardia</i>	<i>congesta</i>		x	x	x	x	x
Convolvulaceae	<i>Cuscuta</i>	<i>planiflora</i>	*					x
Crassulaceae	<i>Crassula</i>	<i>colorata</i>		x				
Crassulaceae	<i>Crassula</i>	<i>colorata</i>					x	
Cucurbitaceae	<i>Citrullus</i>	<i>lanatus</i>	*	x				
Cupressaceae	<i>Callitris</i>	<i>pyramidalis</i>		x	x			x
Cyperaceae	<i>Callitris</i>	<i>pyramidalis</i>				x		
Cyperaceae	<i>Caustis</i>	<i>dioica</i>		x	x	x	x	
Cyperaceae	<i>Cyperus</i>	<i>congestus</i>	*	x				
Cyperaceae	<i>Isolepis</i>	<i>cernua</i>		x				
Cyperaceae	<i>Isolepis</i>	<i>marginata</i>		x				
Cyperaceae	<i>Lepidobolus</i>	<i>preissianus</i>						x
Cyperaceae	<i>Lepidosperma</i>	<i>costale</i>						x
Cyperaceae	<i>Lepidosperma</i>	<i>laevigatum</i>	*				x	
Cyperaceae	<i>Lepidosperma</i>	<i>pubisquamaeum</i>			x	x		
Cyperaceae	<i>Lepidosperma</i>	<i>scabrum</i>		x				
Cyperaceae	<i>Lepidosperma</i>	<i>squamatum</i>	x	x		x		
Cyperaceae	<i>Leptosperma</i>	<i>tenue</i>					x	x
Cyperaceae	<i>Mesomelaena</i>	<i>pseudostygia</i>		x	x	x	x	x
Cyperaceae	<i>Mesomelaena</i>	<i>tetragona</i>			x	x	x	x
Cyperaceae	<i>Schoenus</i>	<i>brevisetis</i>		x	x	x	x	x
Cyperaceae	<i>Schoenus</i>	<i>clandestinus</i>		x	x	x	x	x
Cyperaceae	<i>Schoenus</i>	<i>curvifolius</i>		x	x	x	x	x
Cyperaceae	<i>Schoenus</i>	<i>grandiflorus</i>		x				
Cyperaceae	<i>Schoenus</i>	<i>griffinianus</i>	P4		x	x	x	
Cyperaceae	<i>Schoenus</i>	<i>insolitus</i>					x	
Cyperaceae	<i>Schoenus</i>	<i>nanus</i>			x			
Cyperaceae	<i>Schoenus</i>	<i>rigens</i>		x	x	x	x	x
Cyperaceae	<i>Schoenus</i>	<i>unispiculatus</i>			x		x	x
Dasypogonaceae	<i>Calectasia</i>	<i>narragara</i>		x	x	x	x	x
Dasypogonaceae	<i>Dasypogon</i>	<i>bromeliifolius</i>			x	x	x	x
Dasypogonaceae	<i>Kingia</i>	<i>australis</i>					x	
Dilleniaceae	<i>Hibbertia</i>	<i>acerosa</i>				x		
Dilleniaceae	<i>Hibbertia</i>	<i>aurea</i>				x	x	
Dilleniaceae	<i>Hibbertia</i>	<i>desmophylla</i>				x		
Dilleniaceae	<i>Hibbertia</i>	<i>huegelii</i>		x	x	x	x	x
Dilleniaceae	<i>Hibbertia</i>	<i>hypericoides</i>		x	x	x	x	x
Dilleniaceae	<i>Hibbertia</i>	<i>mylnei</i>					x	x
Dilleniaceae	<i>Hibbertia</i>	<i>polystachya</i>				x		
Dilleniaceae	<i>Hibbertia</i>	<i>subvaginata</i>		x	x	x	x	x
Droseraceae	<i>Drosera</i>	<i>?pallida</i>			x			
Droseraceae	<i>Drosea</i>	<i>bulbosa</i> subsp. <i>bulbosa</i>		x	x	x	x	x
Droseraceae	<i>Drosera</i>	<i>citrina</i>		x	x	x	x	x
Droseraceae	<i>Drosera</i>	<i>gigantea</i>				x	x	
Droseraceae	<i>Drosera</i>	<i>glandigulera</i>					x	x

Family	Genus	Species	Status	SA1	SA2	SA3	SA4	SA5
Droseraceae	<i>Drosea</i>	<i>macrantha</i>		x	x	x	x	x
Droseraceae	<i>Drosea</i>	<i>menziesii</i> subsp. <i>penicillaris</i>					x	
Droseraceae	<i>Drosera</i>	<i>pallida</i>					x	
Droseraceae	<i>Drosera</i>	<i>porrecta</i>			x	x	x	x
Ecdeiocoleaceae	<i>Ecdeiocolea</i>	<i>monostachya</i>			x			
Elaeocarpaceae	<i>Tetratheca</i>	<i>?angulata</i>	P3				x	
Ericaceae	<i>Leucopogon</i>	<i>conostephioides</i>		x				
Ericaceae	<i>Andersonia</i>	<i>heterophylla</i>			x	x		
Ericaceae	<i>Andersonia</i>	<i>lehmanniana</i> subsp. <i>lehmanniana</i>			x	x	x	x
Ericaceae	<i>Astroloma</i>	<i>glaucescens</i>			x	x	x	x
Ericaceae	<i>Astroloma</i>	<i>microdonta</i>						
Ericaceae	<i>Astroloma</i>	<i>xerophyllum</i>			x	x	x	
Ericaceae	<i>Conostephium</i>	<i>magnum</i>	P4		x	x		x
Ericaceae	<i>Conostephium</i>	<i>minus</i>		x				
Ericaceae	<i>Conostephium</i>	<i>pendulum</i>		x	x	x	x	x
Ericaceae	<i>Conostephium</i>	<i>preissii</i>			x			x
Ericaceae	<i>Leucopogon</i>	<i>?oliganthus</i>				x		
Ericaceae	<i>Leucopogon</i>	<i>conostephioides</i>		x	x	x		x
Ericaceae	<i>Leucopogon</i>	<i>oldfieldii</i>			x	x	x	x
Ericaceae	<i>Leucopogon</i>	sp. (insufficient material)					x	
Ericaceae	<i>Lysinema</i>	<i>pentapetalum</i>		x	x	x	x	x
Euphorbiaceae	<i>Euphorbia</i>	<i>paralias</i>	*	x				
Euphorbiaceae	<i>Euphorbia</i>	<i>terracina</i>	*	x				
Euphorbiaceae	<i>Euphorbia</i>	<i>drummondii</i>			x			
Euphorbiaceae	<i>Monotaxis</i>	<i>grandiflora</i> var. <i>grandiflora</i>					x	
Euphorbiaceae	<i>Ricinocarpos</i>	<i>undulatus</i>					x	
Euphorbiaceae	<i>Stachystemon</i>	<i>axillaris</i>		x				
Fabaceae	<i>Acacia</i>	<i>auronitens</i>			x			
Fabaceae	<i>Acacia</i>	<i>iteatophylla</i>	*		x			
Fabaceae	<i>Acacia</i>	<i>pulchella</i> var. <i>glaberrima</i>		x	x	x		
Fabaceae	<i>Acacia</i>	<i>saligna</i>			x	x		
Fabaceae	<i>Acacia</i>	<i>sclerosperma</i> subsp. <i>sclerosperma</i>					x	
Fabaceae	<i>Acacia</i>	<i>sessilis</i>			x			
Fabaceae	<i>Acacia</i>	<i>spathulifolia</i>				x		
Fabaceae	<i>Acacia</i>	<i>sphacelata</i>			x			
Fabaceae	<i>Acacia</i>	<i>sphacelata</i> subsp. <i>verticillata</i>					x	
Fabaceae	<i>Acacia</i>	<i>stenoptera</i>		x	x	x	x	x
Fabaceae	<i>Bossiaea</i>	<i>eriocarpa</i>		x	x	x	x	x
Fabaceae	<i>Chamaecytisus</i>	<i>palmensis</i>	*	x			x	
Fabaceae	<i>Daviesia</i>	<i>angulata</i>		x				
Fabaceae	<i>Daviesia</i>	<i>chapmanii</i>					x	
Fabaceae	<i>Daviesia</i>	<i>decurrens</i>			x	x		
Fabaceae	<i>Daviesia</i>	<i>divaricata</i>		x		x		
Fabaceae	<i>Daviesia</i>	<i>incrassata</i>		x				
Fabaceae	<i>Daviesia</i>	<i>incrassata</i> subsp. <i>incrassata</i>			x			
Fabaceae	<i>Daviesia</i>	<i>nudiflora</i>		x	x	x	x	x
Fabaceae	<i>Daviesia</i>	<i>pedunculata</i>				x	x	x
Fabaceae	<i>Daviesia</i>	<i>podophylla</i>			x	x	x	x
Fabaceae	<i>Gastrolobium</i>	<i>nervosum</i>				x	x	
Fabaceae	<i>Gastrolobium</i>	<i>oxylobioides</i>		x	x			x

Family	Genus	Species	Status	SA1	SA2	SA3	SA4	SA5
Fabaceae	<i>Gastrolobium</i>	<i>polystachyum</i>					x	
Fabaceae	<i>Gastrolobium</i>	<i>spinosum</i>				x	x	x
Fabaceae	<i>Gompholobium</i>	<i>knightianum</i>			x			
Fabaceae	<i>Gompholobium</i>	<i>marginatum</i>			x	x	x	
Fabaceae	<i>Gompholobium</i>	<i>tomentosum</i>		x				
Fabaceae	<i>Hovea</i>	<i>pungens</i>		x				
Fabaceae	<i>Hovea</i>	<i>stricta</i>		x				
Fabaceae	<i>Hovea</i>	<i>trisperma</i>		x				
Fabaceae	<i>Isotropis</i>	<i>cuneifolia</i> subsp. <i>cuneifolia</i>		x				
Fabaceae	<i>Jacksonia</i>	<i>floribunda</i>		x	x	x	x	x
Fabaceae	<i>Jacksonia</i>	<i>hakeoides</i>				x	x	x
Fabaceae	<i>Jacksonia</i>	<i>horrida</i>		x	x	x	x	
Fabaceae	<i>Jacksonia</i>	<i>lehmannii</i>					x	x
Fabaceae	<i>Jacksonia</i>	<i>restioides</i>					x	x
Fabaceae	<i>Jacksonia</i>	<i>sternbergiana</i>		x	x	x		
Fabaceae	<i>Kennedia</i>	<i>prostrata</i>		x			x	x
Fabaceae	<i>Labichea</i>	<i>punctata</i>					x	
Fabaceae	<i>Lotus</i>	<i>subbiflorus</i>	*	x				
Fabaceae	<i>Lupinus</i>	<i>cosentinii</i>	*	x	x			
Fabaceae	<i>Mirbelia</i>	<i>spinosa</i>		x	x			
Fabaceae	<i>Ornithopus</i>	<i>compressus</i>	*	x		x	x	
Fabaceae	<i>Pultenaea</i>	<i>ericifolia</i>					x	
Fabaceae	<i>Sphaerolobium</i>	<i>medium</i>			x	x		
Fabaceae	<i>Sphaerolobium</i>	<i>pulchellum</i>					x	
Fabaceae	<i>Sphaerolobium</i>	<i>macranthum</i>						x
Fabaceae	<i>Trifolium</i>	<i>campestre</i>	*	x	x		x	
Fabaceae	<i>Trifolium</i>	<i>hirsutum</i>	*	x				
Fabaceae	<i>Trifolium</i>	<i>hirtum</i>	*			x	x	
Fabaceae	<i>Viminaria</i>	<i>junceae</i>		x			x	x
Geraniaceae	<i>Erodium</i>	<i>cicutarium</i>	*			x		
Geraniaceae	<i>Erodium</i>	<i>moschatum</i>	*			x	x	
Geraniaceae	<i>Pelargonium</i>	<i>capitatum</i>	*	x				
Goodeniaceae	<i>Dampiera</i>	<i>linearis</i>		x	x	x	x	x
Goodeniaceae	<i>Dampiera</i>	<i>oligophylla</i>					x	x
Goodeniaceae	<i>Dampiera</i>	<i>spicigera</i>					x	x
Goodeniaceae	<i>Goodenia</i>	<i>berardiana</i>			x			
Goodeniaceae	<i>Lechenaultia</i>	<i>floribunda</i>		x	x	x		
Goodeniaceae	<i>Lechenaultia</i>	<i>hirsuta</i>					x	
Goodeniaceae	<i>Lechenaultia</i>	<i>biloba</i>						x
Goodeniaceae	<i>Leschenaultia</i>	<i>linarioides</i>		x				
Goodeniaceae	<i>Scaevola</i>	<i>canescens</i>		x	x			
Goodeniaceae	<i>Scaevola</i>	<i>phlebopetala</i>					x	
Goodeniaceae	<i>Scaevola</i>	<i>repens</i>		x	x			x
Goodeniaceae	<i>Scaevola</i>	<i>virgata</i>			x			
Goodeniaceae	<i>Verreauxia</i>	<i>reinwardtii</i>		x	x	x		
Gyrostemonaceae	<i>Gyrostemon</i>	<i>ramulosus</i>				x		x
Haemodoraceae	<i>Anigozanthos</i>	<i>humilis</i> subsp. <i>humilis</i>		x	x	x	x	x
Haemodoraceae	<i>Anigozanthos</i>	<i>manglesii</i>				x		
Haemodoraceae	<i>Anigozanthos</i>	<i>humilis</i> subsp. <i>humilis</i>					x	x
Haemodoraceae	<i>Conostylis</i>	<i>aculeata</i>		x				
Haemodoraceae	<i>Conostylis</i>	<i>aculeata</i> subsp. <i>bromelioides</i>		x				

Family	Genus	Species	Status	SA1	SA2	SA3	SA4	SA5
Haemodoraceae	<i>Conostylis</i>	<i>candicans</i> subsp. <i>candicans</i>			x	x	x	x
Haemodoraceae	<i>Conostylis</i>	<i>crassinervia</i>		x		x	x	x
Haemodoraceae	<i>Conostylis</i>	<i>junceae</i>		x			x	
Haemodoraceae	<i>Conostylis</i>	<i>setigera</i> subsp. <i>setigera</i>		x	x	x	x	x
Haemodoraceae	<i>Corynotheca</i>	<i>micrantha</i>		x	x			
Haemodoraceae	<i>Corynotheca</i>	<i>micrantha</i> var. <i>micrantha</i>				x		
Haemodoraceae	<i>Desmocladius</i>	<i>elongatus</i>	P4				x	
Haemodoraceae	<i>Dianella</i>	<i>revoluta</i>		x		x		
Haemodoraceae	<i>Glischrocaryon</i>	<i>aureum</i>		x			x	x
Haemodoraceae	<i>Haemodorum</i>	<i>brevisepalum</i>		x	x	x	x	x
Haemodoraceae	<i>Haemodorum</i>	<i>paniculatum</i>		x	x	x	x	x
Haloragaceae	<i>Johnsonia</i>	<i>pubescens</i>			x	x	x	
Hemerocallidaceae	<i>Johnsonia</i>	<i>pubescens</i> subsp. <i>pubescens</i>			x	x	x	x
Hemerocallidaceae	<i>Macropidia</i>	<i>fuliginosa</i>				x	x	x
Hemerocallidaceae	<i>Phlebocarya</i>	<i>ciliata</i>		x				
Hemerocallidaceae	<i>Phlebocarya</i>	<i>filifolia</i>			x			
Hemerocallidaceae	<i>Phlebocarya</i>	<i>pilosissima</i> subsp. <i>pilosissima</i>	P3				x	
Hemerocallidaceae	<i>Tricoryne</i>	<i>elatior</i>			x	x		
Iridaceae	<i>Gladiolus</i>	<i>caryophyllaceus</i>	*	x		x		
Iridaceae	<i>Patersonia</i>	<i>occidentalis</i> var. <i>occidentalis</i>		x	x	x	x	x
Juncaceae	<i>Juncus</i>	<i>kraussii</i>		x				
Juncaginaceae	<i>Triglochin</i>	<i>mucronata</i>		x				
Lamiaceae	<i>Hemiandra</i>	<i>incana</i>		x				
Lamiaceae	<i>Hemiphora</i>	<i>bartlingii</i>			x	x	x	x
Lamiaceae	<i>Hemiphora</i>	sp. Jurien (B. J. Conn & M.E. Tozer BJC 3885)			x		x	
Lauraceae	<i>Cassytha</i>	<i>flava</i>		x	x	x	x	x
Loganiaceae	<i>Logania</i>	<i>spermacoceae</i>		x	x	x		
Loganiaceae	<i>Logania</i>	<i>litoralis</i>					x	
Loganiaceae	<i>Phyllangium</i>	<i>divergens</i>		x	x			
Loranthaceae	<i>Nuytsia</i>	<i>floribunda</i>		x	x	x		
Malvaceae	<i>Lasiopetalum</i>	<i>lineare</i>				x		
Malvaceae	<i>Lasiopetalum</i>	sp. Coorow (E. Ried 101)					x	x
Malvaceae	<i>Lasiopetalum</i>	<i>lineare</i>						x
Malvaceae	<i>Malva</i>	<i>parviflora</i>	*	x				
Malvaceae	<i>Thomasia</i>	<i>macrocalyx</i>					x	x
Molluginaceae	<i>Macarthuria</i>	<i>australis</i>		x				
Moraceae	<i>Ficus</i>	<i>carica</i>	*	x				
Myrtaceae	<i>Babingtonia</i>	<i>camphorosmae</i>					x	
Myrtaceae	<i>Babingtonia</i>	<i>grandiflora</i>			x	x		x
Myrtaceae	<i>Beaufortia</i>	<i>elegans</i>			x			
Myrtaceae	<i>Beaufortia</i>	<i>squarrosa</i>				x	x	x
Myrtaceae	<i>Calothamnus</i>	<i>quadrifidus</i> subsp. <i>quadrifidus</i>			x	x		
Myrtaceae	<i>Calothamnus</i>	<i>sanguineus</i>			x	x	x	x
Myrtaceae	<i>Calothamnus</i>	<i>torulosus</i>			x		x	
Myrtaceae	<i>Calytix</i>	<i>aurea</i>			x	x	x	x
Myrtaceae	<i>Calytix</i>	<i>depressa</i>				x		
Myrtaceae	<i>Calytix</i>	<i>flavescens</i>		x				
Myrtaceae	<i>Calytix</i>	<i>fraseri</i>			x	x	x	
Myrtaceae	<i>Chamelaucium</i>	<i>uncinatum</i>	+		x	x		
Myrtaceae	<i>Conothamnus</i>	<i>trinervis</i>			x	x	x	x

Family	Genus	Species	Status	SA1	SA2	SA3	SA4	SA5
Myrtaceae	<i>Corymbia</i>	<i>calophylla</i>		x	x			
Myrtaceae	<i>Darwinia</i>	<i>pinifolia</i>			x			
Myrtaceae	<i>Darwinia</i>	<i>sanguinea</i>			x			
Myrtaceae	<i>Darwinia</i>	<i>speciosa</i>						x
Myrtaceae	<i>Eremaea</i>	<i>asterocarpa</i> subsp. <i>asterocarpa</i>			x	x	x	x
Myrtaceae	<i>Eremaea</i>	<i>fimbriata</i>		x			x	
Myrtaceae	<i>Eremaea</i>	<i>pauciflora</i>		x	x	x	x	x
Myrtaceae	<i>Ericomyrtus</i>	<i>tenuoir</i>					x	
Myrtaceae	<i>Eucalyptus</i>	<i>macrocarpa</i> subsp. <i>elachantha</i>	P4				x	x
Myrtaceae	<i>Eucalyptus</i>	<i>rudis</i>	+				x	
Myrtaceae	<i>Eucalyptus</i>	<i>todtiana</i>		x	x	x		x
Myrtaceae	<i>Hypocalymma</i>	<i>angustifolium</i>		x				
Myrtaceae	<i>Hypocalymma</i>	<i>serrulatum</i>	P3			x	x	
Myrtaceae	<i>Hypocalymma</i>	<i>xanthopetalum</i>		x	x	x	x	x
Myrtaceae	<i>Kunzea</i>	<i>glabrescens</i>			x			
Myrtaceae	<i>Kunzea</i>	<i>micrantha</i> subsp. <i>petiolata</i>			x	x		
Myrtaceae	<i>Leptospermum</i>	<i>erubescens</i>		x	x	x	x	x
Myrtaceae	<i>Leptospermum</i>	<i>laevigatum</i>	*	x		x	x	x
Myrtaceae	<i>Leptospermum</i>	<i>spinescens</i>		x	x	x	x	x
Myrtaceae	<i>Melaleuca</i>	<i>calyptroides</i>			x	x		
Myrtaceae	<i>Melaleuca</i>	<i>depressa</i>		x				
Myrtaceae	<i>Melaleuca</i>	<i>incana</i>		x				
Myrtaceae	<i>Melaleuca</i>	<i>nematophylla</i>					x	
Myrtaceae	<i>Melaleuca</i>	<i>platycalyx</i>					x	x
Myrtaceae	<i>Melaleuca</i>	<i>preissiana</i>		x		x		
Myrtaceae	<i>Melaleuca</i>	<i>seriata</i>					x	
Myrtaceae	<i>Melaleuca</i>	<i>systema</i>		x	x	x	x	
Myrtaceae	<i>Melaleuca</i>	<i>trichophylla</i>			x	x	x	x
Myrtaceae	<i>Melaleuca</i>	<i>urceolaris</i>		x				
Myrtaceae	<i>Melaleuca</i>	<i>viminea</i>		x	x			x
Myrtaceae	<i>Petrophile</i>	<i>brevifolia</i>		x				
Myrtaceae	<i>Pileanthus</i>	<i>filifolius</i>						x
Myrtaceae	<i>Scholtzia</i>	sp. Wongonderrah (M.E. & M.R. Trudgen MET 12000)			x	x		
Myrtaceae	<i>Scholtzia</i>	<i>teretifolia</i>						x
Myrtaceae	<i>Verticordia</i>	<i>grandis</i>				x	x	x
Myrtaceae	<i>Verticordia</i>	<i>nobilis</i>		x	x	x	x	x
Myrtaceae	<i>Verticordia</i>	<i>ovalifolia</i>			x		x	x
Myrtaceae	<i>Verticordia</i>	<i>patens</i>				x		x
Myrtaceae	<i>Verticordia</i>	<i>pennigera</i>						x
Myrtaceae	<i>Verticordia</i>	sp. (insufficient material)		x	x	x	x	x
Oleaceae	<i>Olea</i>	<i>europaea</i>	*	x				
Onagraceae	<i>Oenothera</i>	<i>stricta</i>	*			x		
Orchidaceae	<i>Caladenia</i>	<i>flava</i>		x	x	x		
Orchidaceae	<i>Drakaea</i>	<i>livida</i>				x		
Orchidaceae	<i>Microtis</i>	<i>media</i> subsp. <i>media</i>			x	x		
Orchidaceae	<i>Orchidaceae</i>	sp. (insufficient material)					x	
Orchidaceae	<i>Prasophyllum</i>	<i>sargentii</i>		x				
Orchidaceae	<i>Prasophyllum</i>	<i>macrostachyum</i>		x				
Orchidaceae	<i>Pterostylis</i>	<i>dilatata</i>		x				
Orchidaceae	<i>Pterostylis</i>	<i>sanguineus</i>		x				

Family	Genus	Species	Status	SA1	SA2	SA3	SA4	SA5
Orchidaceae	<i>Pyrorchis</i>	<i>nigricans</i>		X		X		
Phyllanthaceae	<i>Poranthera</i>	<i>microphylla</i>		X	X			
Pinaceae	<i>Pinus</i>	<i>radiata</i>	+				X	
Poaceae	<i>Amphipogon</i>	<i>turbatus</i>		X	X	X	X	X
Poaceae	<i>Aristida</i>	<i>contorta</i>		X	X	X	X	X
Poaceae	<i>Austrostipa</i>	<i>compressa</i>			X	X	X	X
Poaceae	<i>Austrostipa</i>	<i>elegantissima</i>		X	X	X	X	
Poaceae	<i>Austrostripa</i>	<i>hemipogon</i>		X				
Poaceae	<i>Avena</i>	<i>barbata</i>	*	X		X	X	
Poaceae	<i>Avena</i>	<i>sativa</i>	*	X		X		X
Poaceae	<i>Briza</i>	<i>minor</i>	*	X				
Poaceae	<i>Briza</i>	<i>maxima</i>	*	X	X	X	X	
Poaceae	<i>Bromus</i>	<i>diandrus</i>	*	X	X			
Poaceae	<i>Cenchrus</i>	<i>clandestinus</i>	*	X				
Poaceae	<i>Chloris</i>	<i>barbata</i>	*	X				
Poaceae	<i>Cynodon</i>	<i>dactylon</i>	*	X				
Poaceae	<i>Ehrharta</i>	<i>calycina</i>	*	X		X		X
Poaceae	<i>Eragrostis</i>	<i>curvula</i>	*	X	X	X	X	
Poaceae	<i>Hordeum</i>	<i>marinum</i>	*	X				X
Poaceae	<i>Lolium</i>	<i>rigidum</i>	*	X		X		X
Poaceae	<i>Mesomelaena</i>	<i>pseudostygia</i>					X	
Poaceae	<i>Pentameris</i>	<i>airoides</i>	*	X		X	X	X
Poaceae	<i>Triodia</i>	<i>danthonioides</i>					X	
Poaceae	<i>Triticum</i>	<i>aestivum</i>	*		X			
Poaceae	<i>Vulpia</i>	<i>bromoides</i>	*	X				
Polygalaceae	<i>Comesperma</i>	<i>calymega</i>		X	X	X		
Polygalaceae	<i>Comesperma</i>	<i>flavum</i>				X		
Polygonaceae	<i>Rumex</i>	<i>crispus</i>	*	X				
Primulaceae	<i>Lysimachia</i>	<i>arvensis</i>	*	X	X	X	X	
Proteaceae	<i>Adenanthos</i>	<i>cygnorum</i> subsp. <i>cygnorum</i>		X	X	X	X	X
Proteaceae	<i>Banksia</i>	<i>?leptophylla</i> var. <i>melletica</i>					X	X
Proteaceae	<i>Banksia</i>	<i>attenuata</i>		X	X	X	X	
Proteaceae	<i>Banksia</i>	<i>bipinnatifida</i> subsp. <i>multifida</i>			X	X		
Proteaceae	<i>Banksia</i>	<i>candolleana</i>			X	X	X	X
Proteaceae	<i>Banksia</i>	<i>carlinoides</i>			X		X	
Proteaceae	<i>Banksia</i>	<i>dallaneyi</i> var. <i>dallaneyi</i>		X				
Proteaceae	<i>Banksia</i>	<i>dallanneyi</i> subsp. <i>media</i>			X			
Proteaceae	<i>Banksia</i>	<i>nivea</i>		X				
Proteaceae	<i>Banksia</i>	<i>ilicifolia</i>				X		
Proteaceae	<i>Banksia</i>	<i>leptophylla</i> var. <i>melletica</i>						X
Proteaceae	<i>Banksia</i>	<i>menziesii</i>		X	X	X		X
Proteaceae	<i>Banksia</i>	<i>micrantha</i>			X			
Proteaceae	<i>Banksia</i>	<i>nana</i>					X	X
Proteaceae	<i>Banksia</i>	<i>platycarpa</i>					X	X
Proteaceae	<i>Banksia</i>	<i>polycephala</i>			X		X	X
Proteaceae	<i>Banksia</i>	<i>prionotes</i>		X	X	X		X
Proteaceae	<i>Banksia</i>	<i>sessilis</i> subsp. <i>cygnorum</i>					X	
Proteaceae	<i>Banksia</i>	<i>sessilis</i> subsp. <i>flabellifolia</i>					X	
Proteaceae	<i>Banksia</i>	<i>shuttleworthiana</i>			X	X	X	X
Proteaceae	<i>Banksia</i>	<i>stenoprion</i>			X	X	X	
Proteaceae	<i>Banksia</i>	<i>telmatiaea</i>				X	X	X

Family	Genus	Species	Status	SA1	SA2	SA3	SA4	SA5
Proteaceae	<i>Banksia</i>	<i>tortifolia</i>			x	x	x	x
Proteaceae	<i>Comesperma</i>	<i>calymega</i>			x			
Proteaceae	<i>Conospermum</i>	<i>acerosum</i> subsp. <i>acerosum</i>					x	
Proteaceae	<i>Conospermum</i>	<i>canaliculatum</i>			x	x		x
Proteaceae	<i>Conospermum</i>	<i>incurvum</i>						x
Proteaceae	<i>Conospermum</i>	<i>nervosum</i>				x	x	
Proteaceae	<i>Conospermum</i>	<i>stoechadis</i>		x	x	x	x	x
Proteaceae	<i>Conothamnus</i>	<i>trinervis</i>						x
Proteaceae	<i>Ehrharta</i>	<i>calycina</i>	*					x
Proteaceae	<i>Grevillea</i>	<i>biformis</i> subsp. <i>biformis</i>			x			
Proteaceae	<i>Grevillea</i>	<i>eristachya</i>		x		x		x
Proteaceae	<i>Grevillea</i>	<i>makinsonii</i>	P3		x		x	
Proteaceae	<i>Grevillea</i>	<i>rudis</i>	P4				x	x
Proteaceae	<i>Grevillea</i>	<i>synapheae</i> subsp. <i>synapheae</i>				x	x	
Proteaceae	<i>Hakea</i>	<i>anadenia</i>					x	
Proteaceae	<i>Hakea</i>	<i>auriculata</i>					x	x
Proteaceae	<i>Hakea</i>	<i>conchifolia</i>			x	x	x	x
Proteaceae	<i>Hakea</i>	<i>costata</i>		x	x	x	x	x
Proteaceae	<i>Hakea</i>	<i>erinacea</i>					x	
Proteaceae	<i>Hakea</i>	<i>flabellifolia</i>			x	x		x
Proteaceae	<i>Hakea</i>	<i>incrassata</i>		x	x	x	x	x
Proteaceae	<i>Hakea</i>	<i>incrassata</i> subsp. <i>incrassata</i>					x	
Proteaceae	<i>Hakea</i>	<i>obliqua</i>			x	x	x	x
Proteaceae	<i>Hakea</i>	<i>prostrata</i>		x		x	x	
Proteaceae	<i>Hakea</i>	<i>ruscifolia</i>		x	x	x	x	
Proteaceae	<i>Hakea</i>	<i>stenocarpa</i>						
Proteaceae	<i>Hakea</i>	<i>trifurcata</i>		x	x	x		
Proteaceae	<i>Isopogon</i>	<i>asper</i>			x			
Proteaceae	<i>Isopogon</i>	<i>linearis</i>		x	x	x	x	x
Proteaceae	<i>Isopogon</i>	<i>panduratus</i> subsp. <i>panduratus</i>			x			
Proteaceae	<i>Lambertia</i>	<i>multiflora</i> var. <i>multiflora</i>		x	x	x	x	x
Proteaceae	<i>Petrophile</i>	<i>macrostachya</i>		x				
Proteaceae	<i>Petrophile</i>	<i>brevifolia</i>			x	x	x	x
Proteaceae	<i>Petrophile</i>	<i>macrostachya</i>			x	x	x	x
Proteaceae	<i>Petrophile</i>	<i>scabriuscula</i>			x		x	x
Proteaceae	<i>Petrophile</i>	<i>seminuda</i>			x		x	
Proteaceae	<i>Petrophile</i>	<i>serruriae</i>					x	
Proteaceae	<i>Petrophile</i>	<i>striata</i>			x			
Proteaceae	<i>Stirlingia</i>	<i>latifolia</i>		x	x	x	x	
Proteaceae	<i>Stirlingia</i>	<i>abrotanoides</i>					x	
Proteaceae	<i>Strangea</i>	<i>cynanchicarpa</i>				x		
Proteaceae	<i>Synaphea</i>	<i>spinulosa</i>			x	x		
Proteaceae	<i>Synaphea</i>	<i>aephyrsa</i>					x	
Proteaceae	<i>Synaphea</i>	<i>spinulosa</i>		x	x		x	x
Restionaceae	<i>Chordifex</i>	<i>microcodon</i>		x	x	x	x	
Restionaceae	<i>Chordifex</i>	<i>sinuosus</i>			x			
Restionaceae	<i>Dasypogon</i>	<i>bromeliifolius</i>			x			
Restionaceae	<i>Desmocladius</i>	<i>elongatus</i>	P4		x		x	x
Restionaceae	<i>Desmocladius</i>	<i>parthenicus</i>				x	x	x
Restionaceae	<i>Desmocladius</i>	<i>subterranea</i>		x	x	x	x	x
Restionaceae	<i>Desmocladius</i>	<i>virgatus</i>				x		

Family	Genus	Species	Status	SA1	SA2	SA3	SA4	SA5
Restionaceae	<i>Hypolaena</i>	<i>robusta</i>	P4			x	x	
Restionaceae	<i>Hypolaena</i>	<i>exsulca</i>		x			x	
Restionaceae	<i>Lepidobolus</i>	<i>preissianus</i>		x	x	x	x	
Restionaceae	<i>Onychosepalum</i>	<i>microcarpum</i>	P2					x
Rhamnaceae	<i>Stenanthemum</i>	<i>humile</i>			x	x		x
Rhamnaceae	<i>Stenanthemum</i>	<i>notiale</i> subsp. <i>notiale</i>					x	
Rhamnaceae	<i>Cryptandra</i>	<i>scoparia</i>						x
Rubiaceae	<i>Galium</i>	<i>murale</i>	*	x				
Rubiaceae	<i>Opercularia</i>	<i>vaginalis</i>			x			x
Rubiaceae	<i>Opercularia</i>	<i>vaginata</i>		x		x		
Rutaceae	<i>Boronia</i>	<i>coerulescens</i>		x				
Rutaceae	<i>Boronia</i>	<i>ramosa</i> subsp. <i>anethifolia</i>		x	x	x		x
Rutaceae	<i>Philotheca</i>	<i>spicata</i>			x	x	x	x
Santalaceae	<i>Leptomeria</i>	<i>empetriformis</i>				x		
Solanaceae	<i>Physalis</i>	<i>angulata</i>	*	x				
Solanaceae	<i>Solanum</i>	<i>hoplopetalum</i>		x				
Solanaceae	<i>Solanum</i>	<i>lasiophyllum</i>			x			x
Solanaceae	<i>Solanum</i>	<i>nigrum</i>	*	x		x		
Stylidiaceae	<i>Levenhookia</i>	<i>pusilla</i>			x			
Stylidiaceae	<i>Stylidium</i>	<i>carosum</i>				x		
Stylidiaceae	<i>Stylidium</i>	<i>crossocephalum</i>		x	x	x	x	x
Stylidiaceae	<i>Stylidium</i>	<i>cygnorum</i>		x			x	
Stylidiaceae	<i>Stylidium</i>	<i>diuroides</i> subsp. <i>diuroides</i>			x	x		
Stylidiaceae	<i>Stylidium</i>	<i>hymenocraspedum</i>	P3		x		x	
Stylidiaceae	<i>Stylidium</i>	<i>maitlandianum</i>					x	
Stylidiaceae	<i>Stylidium</i>	<i>miniatum</i>		x	x	x	x	x
Stylidiaceae	<i>Stylidium</i>	<i>purpureum</i>		x	x	x		x
Stylidiaceae	<i>Stylidium</i>	<i>repens</i>				x		
Stylidiaceae	<i>Stylidium</i>	<i>rigidulum</i>			x	x	x	
Stylidiaceae	<i>Stylidium</i>	<i>stenosepalum</i>		x				
Thymelaeaceae	<i>Pimelea</i>	<i>?imbricata</i>		x				
Thymelaeaceae	<i>Pimelea</i>	<i>microcephala</i>			x			
Thymelaeaceae	<i>Pimelea</i>	sp. (insufficient material)			x			
Thymelaeaceae	<i>Pimelea</i>	<i>sulphurea</i>			x	x	x	
Typhaceae	<i>Typha</i>	<i>orientalis</i>	*	x				
Xanthorrhoeaceae	<i>Xanthorrhoea</i>	<i>preissii</i>		x	x	x	x	
Xanthorrhoeaceae	<i>Xanthorrhoea</i>	<i>drummondii</i>					x	x
Zamiaceae	<i>Macrozamia</i>	<i>fraseri</i>		x		x		

Quadrat Data Sheets

Site	Q1	Project	6132549 - Brand Highway SLK 70 to 150		
Date:	29/09/2015	Described by:	Joshua Foster and Steven Petts		
Location:	Brand Highway 77.54-79.7	Easting:	374708	Northing:	6573992
MGA Zone:	50	Site Type:	Q		
Dimensions:	10x10m	Photo:			
Site Disturbance:	Clearing Infrastruture Other- Road	Frequency:	Disturb >10 yr		
Climate:	Recent rain, +ve veg responses	Water or Wind Erosion Evidence:	No		
Veg Condition:	Very Good to Excellent	Field Vegetation Type:	Banksia Woodland on White Sands		
Drainage:	Good drain				
Fire Frequency:	Nil	Fire Intensity:	-		
Surface Component:	Loose soil (50%) Humus/Litter (50%)	Soil Type: Major Component:	Sand	Minor:	Nil
Leaf Litter:	Plentiful	Wood Litter:	Plentiful		
Soil Colour:	White	Slope (if present):	Negligible		
Landform:					

GROWTH FORM TABLE:

Tree >10 m		Tree 2-10 m	U1
Tree <2 m		Tree Mallee	
Palm		Shrub >2 m	M1
Shrub 1-2 m	M2	Shrub <1 m	M3
Cycads		Tussock Grass	
Hummock Grass		Sedge	G1
Vine		Herbs	G2
Other		Mallee Shrub	
Heath Shrub		Samphire Shrub	
Chenopod		Rush	
Grass Tree		Other	

STRATUM	U1	U2	U3	M1	M2	M3	G1	G2
% cover	2-10			<2	<2	2-10	30-70	2-10
Ht range (m)	6.5-7			2.1-4	1.1-1.3	0.2-0.9	0.2-1.2	0.01-0.8
Av ht (m)	6.5			3	1.2	0.5	0.6	0.15

Family	Genus	Species	Status	Sub-stratum (NVIS)	Average Height (m)	Foliage Cover (%)
Myrtaceae	<i>Eucalyptus</i>	<i>todtiana</i>		U1	2-10%	7
Proteaceae	<i>Banksia</i>	<i>attenuata</i>		U1	<2T	6.5
Proteaceae	<i>Banksia</i>	<i>menziesii</i>		U1	2-10%	6.5
Proteaceae	<i>Banksia</i>	<i>attenuata</i>		M1	<2T	4
Fabaceae	<i>Jacksonia</i>	<i>floribunda</i>		M1	<2T	2.1
Fabaceae	<i>Jacksonia</i>	<i>floribunda</i>		M2	<2T	1.3
Fabaceae	<i>Bossiaea</i>	<i>eriocarpa</i>		M2	<2T	1.1
Fabaceae	<i>Acacia</i>	<i>pulchella</i> var. <i>glaberrima</i>		M2	<2T	1.2
Proteaceae	<i>Banksia</i>	<i>attenuata</i>		M2	<2T	1.2
Myrtaceae	<i>Eremaea</i>	<i>pauciflora</i>		M3	2-10%	0.9
Dasypogonaceae	<i>Calectasia</i>	<i>narragara</i>		M3	<2T	0.3
Dilleniaceae	<i>Hibbertia</i>	<i>hypericoides</i>		M3	2-10%	0.5
Ericaceae	<i>Leucopogon</i>	<i>conostephioides</i>		M3	<2T	0.9
Fabaceae	<i>Bossiaea</i>	<i>eriocarpa</i>		M3	<2T	0.6
Fabaceae	<i>Gompholobium</i>	<i>tomentosum</i>		M3	<2T	0.3

Family	Genus	Species	Status	Sub-stratum (NVIS)	Average Height (m)	Foliage Cover (%)
Fabaceae	<i>Jacksonia</i>	<i>horrida</i>		M3	<2T	0.6
Lamiaceae	<i>Hemiandra</i>	<i>incana</i>		M3	<2T	0.2
Myrtaceae	<i>Leptospermum</i>	<i>erubescens</i>		M3	2-10%	0.9
Proteaceae	<i>Stirlingia</i>	<i>latifolia</i>		M3	<2N	0.8
Proteaceae	<i>Isopogon</i>	<i>linearis</i>		M3	<2T	0.3
Thymelaeaceae	<i>Pimelea</i>	<i>?imbricata</i>		M3	<2T	0.5
Haemodoraceae	<i>Conostylis</i>	<i>aculeata</i>		G1	<2N	0.2
Cyperaceae	<i>Caustis</i>	<i>dioica</i>		G1	<2T	0.8
Cyperaceae	<i>Mesomelaena</i>	<i>pseudostygia</i>		G1	<2N	0.8
Restionaceae	<i>Desmocladus</i>	<i>subterranea</i>		G1	10-30%	0.2
Xanthorrhoeaceae	<i>Xanthorrhoea</i>	<i>preissii</i>		G1	2-10%	1.2
Iridaceae	<i>Patersonia</i>	<i>occidentalis</i> var. <i>occidentalis</i>		G1	<2T	0.6
Poaceae	<i>Pentameris</i>	<i>airoides</i>	*	G1	<2N	0.1
Poaceae	<i>Amphipogon</i>	<i>turbinatus</i>		G1	<2T	0.3
Anarthriaceae	<i>Lyginia</i>	<i>barbata</i>		G1	<2N	0.4
Cyperaceae	<i>Schoenus</i>	<i>brevistis</i>		G1	<2N	0.4
Poaceae	<i>Austrostipa</i>	<i>elegantissima</i>		G1	<2t	1.2
Restionaceae	<i>Chordifex</i>	<i>microcodon</i>		G1	<2T	0.8
Cyperaceae	<i>Lepidosperma</i>	<i>scabrum</i>		G1	<2T	0.8
Restionaceae	<i>Chordifex</i>	<i>microcodon</i>		G1	<2T	0.7
Asparagaceae	<i>Lomandra</i>	<i>caespitosa</i>		G1	<2T	0.3
Cyperaceae	<i>Isolepis</i>	<i>marginata</i>		G1	<2T	0.1
Haemodoraceae	<i>Phlebocarya</i>	<i>ciliata</i>		G1	<2T	0.4
Haemodoraceae	<i>Haemodorum</i>	<i>brevisepalum</i>		G1	<2T	0.8
Poaceae	<i>Ehrharta</i>	<i>calycina</i>	*	G1	<2T	0.8
Poaceae	<i>Vulpia</i>	<i>bromoides</i>	*	G1	<2T	0.2
Colchicaceae	<i>Burchardia</i>	<i>congesta</i>		G2	<2N	0.4
Iridaceae	<i>Gladiolus</i>	<i>caryophyllaceus</i>	*	G2	<2N	0.8
Droseraceae	<i>Drosera</i>	<i>bulbosa</i> subsp. <i>bulbosa</i>		G2	<2N	0.01
Asteraceae	<i>Ursinia</i>	<i>anthemoides</i> subsp. <i>anthemoides</i>	*	G2	<2T	0.2
Orchidaceae	<i>Caladenia</i>	<i>flava</i>		G2	<2N	0.15
Araliaceae	<i>Trachymene</i>	<i>pilosa</i>		G2	<2N	0.1
Loganiaceae	<i>Phyllangium</i>	<i>divergens</i>		G2	<2T	0.1
Asteraceae	<i>Hypochaeris</i>	<i>glabra</i>	*	G2	<2N	0.2
Orchidaceae	<i>Pterostylis</i>	<i>dilatata</i>		G2	<2T	0.1
Orchidaceae	<i>Pyrorchis</i>	<i>nigricans</i>		G2	<2T	0.02

Incidentals			
Family	Genus	Species	Status
Rutaceae	Boronia	ramosa subsp. anethifolia	
Asparagaceae	Chamaescilla	corymbosa	
Crassulaceae	Crassula	colorata	
Dilleniaceae	Hibbertia	subvaginata	
Droseraceae	Drosera	macrantha	
Euphorbiaceae	Stachystemon	axillaris	
Fabaceae	Hovea	stricta	
Goodeniaceae	Dampiera	linearis	
Haemodoraceae	Conostylis	juncea	
Haemodoraceae	Anigozanthos	humilis subsp. humilis	
Haemodoraceae	Conostylis	setigera subsp. setigera	
Haemodoraceae	Conostylis	crassinervia	
Loranthaceae	Nuytsia	floribunda	
Myrtaceae	Hypocalymma	xanthopetalum	
Phyllanthaceae	Poranthera	microphylla	
Polygalaceae	Comesperma	calymega	
Proteaceae	Andenanthos	cygnorum subsp. cygnorum	
Proteaceae	Banksia	dallaneyi var. dallaneyi	
Proteaceae	Conospermum	stoechadis	
Stylidiaceae	Stylidium	miniatum	

Site	Q2	Project	6132549 - Brand Highway SLK 70 to 150		
Date:	29/09/2015	Described by:	Joshua Foster and Steven Petts		
Location:	Brand Highway 77.54-79.7	Easting:	374821	Northing :	6573765
MGA Zone:	50	Site Type:	Q		
Dimensions:	10x10m	Photo:			
Site Disturbance:	Cultivation Infrastructure Exotic Weeds	Frequency:	Disturb >10 yr		
Climate:	Recent rain, +ve veg response	Water or Wind Erosion Evidence:	No		
Veg Condition:	Excellent	Field Vegetation Type:	<i>Banksia</i> Woodland		
Drainage:	Good drain				
Fire Frequency:	Old >5 yr	Fire Intensity:	No Damage		
Surface Component:	Loose soil (10%) Humus/Litter (90%)	Soil Type: Major Component:	Sand	Minor:	Nil
Leaf Litter:	Sparse	Wood Litter:	Sparse		
Soil Colour:	White	Slope (if present):	Negligible		
Landform:	Plain				

GROWTH FORM TABLE:								
Tree >10 m		Tree 2-10 m	U1					
Tree <2 m		Tree Mallee						
Palm		Shrub >2 m	M1					
Shrub 1-2 m	M2	Shrub <1 m	M3					
Cycads		Tussock Grass						
Hummock Grass		Sedge	G1					
Vine		Herbs	G2					
Other		Mallee Shrub						
Heath Shrub		Samphire Shrub						
Chenopod		Rush						
Grass Tree		Other						
STRATUM	U1	U2	U3	M1	M2	M3	G1	G2
% cover	30-70			<2	2-10	<2	2-10	2-10
Ht range (m)	5.5-6			2.1-3	1.2-1.5	0.2-0.9	0.4-1.1	0.01-0.5
Av ht (m)	5.5			2.5	1.3	0.4	0.4	0.2

Family	Genus	Species	Status	Sub-stratum (NVIS)	Foliage Cover (%)	Average Height (m)
Myrtaceae	<i>Eucalyptus</i>	<i>todtiana</i>		U1	5.5	<2T
Proteaceae	<i>Banksia</i>	<i>attenuata</i>		U1	6	10-30%
Proteaceae	<i>Banksia</i>	<i>menziesii</i>		U1	5.5	<2T
Proteaceae	<i>Banksia</i>	<i>menziesii</i>		M1	3	<2T
Proteaceae	<i>Banksia</i>	<i>attenuata</i>		M1	2.1	<2T
Myrtaceae	<i>Eremaea</i>	<i>pauciflora</i>		M2	1.5	2-10%
Dilleniaceae	<i>Hibbertia</i>	<i>hypericoides</i>		M2	1.2	<2T
Fabaceae	<i>Jacksonia</i>	<i>floribunda</i>		M2	1.5	<2T
Myrtaceae	<i>Melaleuca</i>	<i>urceolaris</i>		M2	1.3	10-30%
Rutaceae	<i>Boronia</i>	<i>coerulescens</i>		M2	1.3	<2T
Haemodoraceae	<i>Conostylis</i>	<i>juncea</i>		M3	0.3	<2N
Dilleniaceae	<i>Hibbertia</i>	<i>subvaginata</i>		M3	0.2	<2T
Fabaceae	<i>Gompholobium</i>	<i>tomentosum</i>		M3	0.4	<2T
Goodeniaceae	<i>Lechenaultia</i>	<i>floribunda</i>		M3	0.3	<2T
Proteaceae	<i>Isopogon</i>	<i>linearis</i>		M3	0.4	<2T
Proteaceae	<i>Stirlingia</i>	<i>latifolia</i>		M3	0.9	<2T