

GL
557
57355
1017
ENT

With the author's kind regards.

CHECK-LIST

OF THE

SOUTH AFRICAN LEPIDOPTERA HETEROCERA

BY

A. J. T. JANSE.

Issued by the Transvaal Museum.

© Transvaal Museum

249270

PRETORIA:
BUCKLEY & VAN DUYN, PRINTERS.
1917.

H. Schaus

AL
557
S735
1917
ENT

TRANSVAAL MUSEUM.

CHECK-LIST

— OF —

The South African
LEPIDOPTERA HETEROCERA.

By A. J. T. JANSE.

The first attempt to catalogue the South African moths was made by Sir George F. Hampson in the Annals of the South African Museum, but unfortunately this work was not completed and is now about fifteen years old.

Since then many additions have been made to the families treated in the above mentioned work; most species have been described in the various journals, annals and periodicals and in the "Catalogue of the Lepidoptera Phalaena in the British Museum."

It was therefore thought that a list of our moths would be welcome to the workers on South African Heterocera, especially for help in the arranging of collections and as a reference to the principal literature on the subject.

Only the original descriptions have been quoted, as fuller information would have extended the work far beyond the limits of a check-list. For the same reason only such species have been included as have been actually recorded from South Africa or have been found by myself to belong to this fauna.

My observation on the localities was not only based on my own extensive collection, but I had free access to the collections of several South African Museums and to those of many private collectors.

The South African Heterocerous fauna is not sharply defined, and I have no doubt that many Central African species will be recorded from South Africa when the Western and Northern parts of our sub-continent have been better explored.

As boundary of South Africa I have taken the usual line, i.e., the southern bank of the River Zambesi and the southern boundary of Angola. This line is perhaps more convenient than natural, but our insect-fauna is at present too little known to enable us to define this line in a more satisfactory way—if indeed a definite boundary exist at all.

The majority of species enumerated in this list are from the Cape Colony, Natal, Orange River Colony, and the Transvaal. Comparatively few species are as yet known from South West Africa and from Southern Rhodesia, although the richness and peculiarity of the latter country leads one to expect many future additions.

Every precaution has been taken to make this work as much up to date as possible and in some cases the kind assistance has been secured from workers in Europe and South Africa. Especially, L. B. Prout, Esq., and E. Meyrick, M.A., allowed me to draw freely on their extensive store of knowledge of groups in which they have specialised.

I shall be grateful to have pointed out to me any errors and omissions, as I hope to make use of any such information when supplements to this list are issued. It is my intention to do this when a sufficient number of species new to South Africa has been discovered.

A special label list, printed on one side of the paper only, which can also be used as an exchange list, can be obtained at the office of the Transvaal Museum.

The order in which the genera and species are given is in many instances far from Phylogenetic, but whenever possible such an arrangement has been given.

My special thanks are due to the Authorities and the Entomologist Mr. C. J. Swierstra, of the Transvaal Museum, for the facilities and assistance given me in compiling and publishing this check-list.

FAMILY AMATIDÆ

(Syntomidae).

PSICHOTOË Boisd.

Mon. Zyg. p. 129 (1829).

1 Ps. gnatula Boisd.

Voy. Delegorgue II. p. 596 (1847).

EUTOMIS Hübn.

Verz. p. 122 (1827).

2 E. minceus Stoll.

Pap. Exot. IV. pl. 347 f. A. (1782).

CERYX Wllgrn.

Wien. Ent. Mon. VII. p. 140 (1863).

3 C. naeliodes Hmpsnn.

Cat. Lep. Phal. Suppl. I. p. 3 pl. I. fig. 1 (1914).

4 C. anthraciformis Wllgrn.

Wien. Ent. Mon. IV. p. 40 (1860).

5 C. resecta H.-S.

Aussereur. Schmett., fig. 269 (1855).

6 C. toxotes Hmpsnn.

Cat. Lep. Phal. I. p. 45, pl. I. f. 19 (1898).

7 C. longipes H.-S.

Aussereur. Schmett. f. 273 (1855).

TRICHAETA Swinh.

Cat. Het. Mus. Oxon. p. 52 (1892).

8 Tr. pterophorina Mab.

Bull. Soc. Ent. Fr. p. 139 (1892).

9 Tr. fulvenscens Wlk. Cat. 1, p. 132 (1854).

AMATA Fabr. (Syntomis)

Hig. Mag. VI. p. 289 (1808).

10 A. atricornis Wllgrn.

Wien. ent. Mon. VII. p. 159 (1863).

11 A. kuhlweini Lefb.

Mag. Zool. Ins. pl. 23 (1831).

12 A. miozona Hmpsnn.

P.Z.S. p. 389 pl. XXXVI. f. 2 (1910).

13 A. cerbera L.

Mus. Ulr. p. 363 (1764).

14 A. alicia Butl.

Journ. Linn. Soc. Zool. XII. p. 348 (1876).

15 A. endocrocis Hmpsnn.

A.M.N.H. (7) XI. p. 338 (1903).

16 A. johanna Butl.

Journ. Linn. Soc. Zool. XII. p. 348 (1876).

17 A. simplex Wlk.

Cat. I. p. 129 (1854).

18 A. rendalli Dist.

A.M.N.H. (6) XX. p. 16 (1897).

18a A. damarensis Grünb.

Denkschr. med. Ges. Jena 16 p. 122 (1910).

EPITOXIS Wllgrn.

- Wien. Ent. Mon. VII. p. 138 (1863).
- 19 E. amazoula Boisd.
Voy. Del. II. p. 597 (1847).
- 20 E. nigra Hmpsnn.
A.M.N.H. (7) XI. p. 339 (1903).

PSEUDONACLIA Butl.

- Journ. Linn. Soc. Zool. XII. p. 351 (1865).
- 21 Ps. puella Boisd.
Voy. Del. II. p. 596 no. 120 (1847).

THYRETES Boisd.

- Voy. Del. II. p. 596 (1847.)
- 22 Th. hippotes Cram.
Pap. Exot. III. pl. 286 (1780).
- 23 Th. montana Boisd.
Voy. Del. II. p. 597 (1847).
- 24 Th. caffra Wllrgn.
Wien. ent. Mon. VII. p. 138 (1863).

APISA Wlk.

- Cat. IV. p. 916 (1856).
- 25 A. canescens Wlk.
Cat. IV. p. 917 (1855).

METARCTIA Wlk.

- Cat. III. p. 769 (1855).
- 26 M. lateritia II. S. Aussereur.
Schmett. f. 274 (1855).
Ab. I. with no fuscaous on fore wing.
- 27 M. burra Schaus. Lep.
S. Leone, p. 23 pl. I. f. 6 (1893).
- 28 M. rubripuneta Hmpsnn.
Cat. Lep. Phal. I. p. 147 pl. V. f. 21 (1898)
- 29 M. rufescens Wlk.
Cat. III. p. 769 (1855).
- 30 M. benitensis Holl.
Psyche. VI. p. 395 (1893).
- 31 M. flavivena Hmpsnn.
A.M.N.H. (7) VIII. p. 169 (1901).
- 32 M. meteus Stoll.
Pap. Exot. IV. pl. 347 f. B. (1782).
- 33 M. bicolora Wlk.
Cat. VII. p. 1718 (1856).
- 34 M. crassa Feld.
Reise. Nov. IV. pl. 99 f. 16 (1874).

BALACRA Wlk.

- Cat. VII. p. 1721 (1856).
- 35 B. vitreata Roths.
Nov. Zool. XVII. p. 445 (1910).

EUCHROMIA Hübn.

- Verz. p. 121 (1827).
- 36 En. amoena Möschl.
Stett. Ent. Zeit. XXXIII. p. 350 (1872).

37 *Eu.* formosa Guer.

Ieon. R. Anim. Ins. p. 501 pl. 84 bis. f. 10 (1829)

ARCTIADÆ.

NOLINÆ.

CELAMA Wlk.

Cat. XXXII. p. 500 (1864).

- 38 *C. niphostenia* Hmpsn.
Ann. S.A. Mus. II. p. 312 (1902).
- 39 *C. melanosecelis* Hmpsn.
Cat. Lep. Phal. Suppl. I. p. 396 pl. XXII. f. 22 (1914).
- 40 *C. internella* Wlk.
Cat. XXXI. p. 245 (1864).
- 41 *C. meridionalis* Wllgrn.
Oefv V. A. Förh. XXXII. (1) p. 99 (1876).
- 42 *C. tineoides* Wlk.
Cat. XII. p. 824 (1857).

NOLA Leach,

Edinb. Encycl. IX. p. 135 (1815).

- 43 *N. mesoscota* Hmpsn.
A.M.N.H. (8) IV. p. 1351 (1909).
- 44 *N. præfica* Saalm.
Lep. Madag. I. p. 174 pl. 5 f. 57 (1884).
- 45 *N. argyrolepis* Hmpsn.
A.M.N.H. (7) XIX. p. 228 (1907).
- 46 *N. bicincta* Hmpsn.
A.M.N.H. (7) XV. p. 482 (1905).
- 47 *N. poliotis* Hmpsn.
A.M.N.H. (7) XIX. p. 228 (1907).
- 48 *N. leucalea* Hmpsn.
A.M.N.H. (7) XIX. p. 229 (1907).

ROSELIA Hubn.

Verz. p. 397 (1827).

- 49 *R. infuscata* Hmpsn.
A.M.N.H. (7) XI. p. 342 (1903).

LITHOSIANÆ.

LEPISTA Wllgrn.

Wien. Ent. Mon. VII. p. 146 (1863).

- 50 *L. pandula* Boisd.
Del. Voy. Afr. Austr. II. p. 597 (1847).
- 51 *L. semiochracea* Feld.
Reise Nov. pl. 106 f. 31 (1874).

TIGRIOIDES Butl.

Trans. Ent. Soc. Lond. 1877 p. 359.

- 52 *T. quadrinotata* Wlk.
Cat. XXXI. p. 237 (1864).

PUSIOLA Wllgrn.

Wien. Ent. Mon. VII. p. 146 (1863).

- 53 P. flavicosta Wllgrn.

Wien. Ent. Mon. IV. p. 45 (1860).

PHRYGANOPSIS Feld.

Reise Nov. p. 8 (1874).

- 54 Ph. asperatella Wlk.

Cat. XXXI. p. 231 (1864).

- 55 Ph. cinerella Wllgrn.

Wien. Ent. Mon. IV. p. 45 (1860).

- 56 Ph. atrescens Hmpsn.

A.M.N.H. (7) XI. p. 343 (1903).

- 57 Ph. interstiteola Hmpsn.

Cat. Lep. Phal. suppl. I. p. 474 pl. XXVI. f. 12 (1914).

- 57a Ph. subasperatella Strand.

Arch. naturg. 78 A. 9 p. 173 (1912).

SOZUSA Wllgrn.

Wien Ent. Mon. VII. p. 146 (1863).

- 58 S. scutellata Wllgrn.

Wien. Ent. Mon. IV. p. 45 (1860).

MACROSIA Hmpsn.

Cat. Lep. Phal. II. p. 129 (1900).

- 59 M. fumeola Wlk.

Cat. II. p. 508 (1854).

- 60 M. chalybeata Hmpsn.

A.M.N.H. (7) VIII. p. 179 (1901).

LOPHILEMA Auriv.

Sjöst. Kilimanjaro-Meru Exp. II. 9, p. 26.

- 61 L. brunneotincta Roths.

Nov. Zool. XIX. p. 222 (1912).

CTENOSIA Hmpsn.

Cat. Lep. Phal. II. p. 130 (1900).

- 62 C. psestriphora Dist.

A.M.N.H. (7) III. p. 462 (1899).

LEMA Hübn.

Verz. p. 165 (1827).

- 63 L. bifasciata Hmpsn.

Cat. Lep. Phal. II. p. 131 f. 78 (1900).

- 64 L. phaeopera Hmpsn.

Cat. Lep. Phal. II. p. 131 f. 79 (1900).

- 65 L. goniophora Hmpsn.

Cat. Lep. Phal. II. p. 154 pl. XXII. f. 4 (1900).

- 66 L. bipunctata Hübn.

Eur. Schmett II. ff. 286, 287 (1827).

- 67 L. elegans Butl.

Trans. Ent. Soc. Lond. p. 347 (1877).

- 68 L. simulans Mab.

Bull. Soc. Zool. Fr. III. p. 87 (1878).

- 69 *I. sanguicosta* Hmpsn.
A.M.N.H. (7) VIII. p. 181 (1901).
- 70 *I. leia* Hmpsn.
A.M.N.H. (7) VIII. p. 182 (1901).
- 71 *I. similipuncta* Hmpsn.
Cat. Lep. Phal. suppl. p. 496 pl. XXVII. f. 10 (1914).
- 72 *I. sarceola* Hmpsn.
Cat. Lep. Phal. II. p. 162 pl. XXII. f. 23 (1900).
- 73 *I. areulifera* Feld.
Reise Nov. pl. 106 f. 33 (1874).
- 74 *I. vicaria* Wlk.
Cat. II. p. 505 (1854).
- 75 *I. gracilipennis* Wlgmn.
Wien. Ent. Mon. IV. p. 45 (1860).
- 76 *I. monochroma* Holl.
Psyche VI. p. 411 (1893).
- 77 *I. discifera* Hmpsn.
Cat. Lep. Phal. II. p. 171 pl. XXIII. f. 4 (1900).
- 78 *I. virginieola* Hmpsn.
Cat. Lep. Phal. II. p. 178 pl. XXIII. f. 22 (1900).
- 78a *I. verulana* Strand.
Arch. Naturges. 78 A. 9 p. 178 (1912).
- 78b *I. caffrana* Strand.
l.c. p. 178 (1912).

HYPAGOPTERA Hmpsn.

- Cat. Lep. Phal. II. p. 179 (1900).
- 79 *H. rufola* Hmpsn.
Cat. Lep. Phal. II. p. 179 f. 95 (1900).

LAMPROSIA Hmpsn.

- Cat. Lep. Phal. II. p. 217 (1900).
- 80 *L. eborella* Boisd.
Del. Voy. Afr. Austr. II. p. 597 (1847).

PASTEOSIA Hmpsn.

- Cat. Lep. Phal. II. p. 217 (1900).
- 81 *P. irrorata* Hmpsn.
Cat. Lep. Phal. II. p. 218 f. 135 (1900).
- 82 *P. plumbea* Hmpsn.
Cat. Lep. Phal. II. p. 218 f. 126 (1900).

LYSCEIA Wlk.

- Cat. II. p. 541 (1854)
- 83 *L. bigutta* Wlk.
Cat. II. p. 541 (1854).

PARAONA Moore.

- P.Z.S.L. p. 8 (1878).
- 83a *P. interjecta* Strand.
Arch. Naturges. 78 A. p. 188 (1912).

AGLOSSOSIA Hmpsni.

- Cat. Lep. Phal. II. p. 247 (1900).
 84 A. flavimarginata Hmpsni.
 Cat. Lep. Phal. II. p. 247 f. 161 (1900).

CARPODIA Hmpsni.

- Cat. Lep. Phal. II. p. 249 (1900).
 85 C. chrysargyria Hmpsni.
 Cat. Lep. Phal. II. p. 248 f. 162 (1900).

DIPLONYX Hmpsni.

- Cat. Lep. Phal. II. p. 249 (1900).
 86 D. infumata Hmpsni.
 Cat. Lep. Phal. II. p. 249 f. 163 (1900).

CARCINOPODIA Hmpsni.

- Cat. Lep. Phal. II. p. 249 (1900).
 87 C. argentata Dist.
 A.M.N.H. (6) XX. p. 199 (1897).

MICRILEMA Hmpsni.

- A.M.N.H. (7) XI. p. 343 (1903).
 88 M. craushayi Hmpsni.
 A.M.N.H. (7) XI. p. 343 (1903).

ANAPHOSIA Hmpsni.

- A.M.N.H. (7) XI. p. 344 (1903).
 89 A. cyanogramma Hmpsni.
 A.M.N.H. (7) XI. p. 344 (1903).
 90 A. aurantiae Hmpsni.
 A.M.N.H. (8) IV. p. 354 (1909).
 91 A. astrigata Hmpsni.
 P.Z.S.L. p. 393 pl. XXXVI. f. 30 (1910).

CHIONÆMA Herr.-Schäff.

- Aussereur, Schmett. p. 20 (1850).
 92 Ch. pretoriae Dist.
 A.M.N.H. (6) XX. p. 198 (1897).
 93 Ch. marshalli Hmpsni.
 Cat. Lep. Phal. II. p. 325 pl. XXVII. f. 26 (1900).
 94 Ch. rhodostrigata Hmpsni.
 Cat. Lep. Phal. suppl. I. p. 634 pl. XXXIII. f. 31 (1914).
 95 Ch. capensis Hmpsni.
 A.M.N.H. (7) XI. p. 347 (1903).
 96 Ch. rejecta Wlk.
 Cat. II. p. 521 (1854).

EUROSIA Hmpsni.

- Cat. Lep. Phal. II. p. 330 (1900).
 97 Eu. lineata Hmpsni.
 Cat. Lep. Phal. II. p. 331 pl. XXVII. f. 19 (1900).
 98 Eu. fuliginea Hmpsni.
 A.M.N.H. (7) XI. p. 347 (1903).

CHRYSOCYMA Hmpsn.

A.M.N.H. (7) XV. p. 435 (1905).

99 Chr. mesopotamia Hmpsn.

A.M.N.H. (7) XV. p. 435 (1905).

SICCIA Wlk.

Cat. II. p. 539 (1854).

100 S. caffra Wlk.

Cat. II. p. 539 (1854).

101 S. puntipennis Wllgrn.

Wien. ent. Mon. IV. p. 46 (1860).

XANTHETIS Hmpsn.

Cat. Lep. Phal. II. p. 414 (1900).

102 X. ichorina Butl.

Trans. Ent. Soc. Lond. p. 345 (1877).

THUMATHA Wlk.

Cat. XXXV. p. 1900 (1866).

103 Th. inconstans Butl.

P.Z.S.L. p. 846 pl. XLII. f. 5 (1896).

OPSSAROA Hmpsn.

A.M.N.H. (7) XV. p. 437 (1905).

104 O. fulvinota Hmpsn.

A.M.N.H. (7) XV. p. 437 (1905).

ASURA Wlk.

Cat. II. p. 484 (1854).

105 A. fulvia Hmpsn.

Cat. Lep. Phal. II. p. 439 pl. XXX. f. 25 (1900)

105a A. thumathæformis Strand.

Arch. Naturges 78 A. 7 p. 192 (1912).

106 A. sagenaria Wllgrn.

Wien. Ent. Mon. IV. p. 46 (1860).

MILTOCHRISTA Hübn.

Verz. p. 166 (1827).

107 M. rivulosa Wlk.

Cat. II. p. 510 (1854).

PHILENORA Rosenst.

A.M.N.H. (5) XVI. p. 382 (1885).

108 Ph. bipuncta Hmpsn.

Cat. Lep. Phal. II. p. 508 pl. XXXIII. f. 21 (1900).

109 Ph. unicolor Hopff.

Monatsber. Akad. Berl. p. 422 (1857).

PAUROPHLEPS Hmpsn.

Cat. Lep. Phal. II. p. 531 (1900).

110 P. minuta Hmpsn.

Cat. Lep. Phal. II. p. 531 f. 385 (1900).

EUGOA Wlk.

Cat. XII. p. 768 (1857).

- 111 Eu. africana Hmpsn.
Cat. Lep. Phal. II. p. 545 pl. XXXIV. f. 2
(1900).

MENECLIA Grünb. Denkschr.

Med. Ges. Jena 16 p. 122 (1910).

- 111a M. pallidula Grünb.
l.c. 16, p. 123 (1910).

ARCTIANÆ.PHRAGMATOBIA Steph.

Ill. Brit. Ent. Haust. II. p. 73 (1828).

- 112 Ph. parvula Feld.
Reise. Nov. pl. 100 f. 24 (1874).

MÆNAS Hübn.

Verz. p. 167 (1827).

- 113 M. voenula Stoll.
Suppl. Cram pl. 31 f. 5 (1790).
114 M. arborifera Butl.
Cist. Ent. II. p. 26 (1875).
114a M. jeskei Grünb.
Stettin ent. zeit. 75 p. 380 (1911).

ILEMODES Hmpsn.

Ann. S.A. Mus. 1900 p. 53.

- 115 I. heterogyna Hmpsn.
Ann. S.A. Museum p. 53 (1900).

DIACRISIA Hübn.

Verz. p. 169 (1827).

- 116 D. punctulata Wllgrn.
Wien. ent. Mon. IV. p. 161 (1860).
116a D. euproctina.
Aur. Ent. Tidskr. p. 240 (1899).
117 D. chionea Hmpsn.
Ann. S.A. Mus. II. p. 56 (1900).
118 D. scortilla Wllgrn.
Oefv. Vet. Akad. Förh. XXXII. (1) p. 101
(1876).
118a D. latiradiata Hmpsn.
Cat. Lep. Phal. III. p. 296 pl. XLV. f. 11
(1901).
119 D. maculosa Stoll.
Pap. Exot. IV. pl. 370 f. B. (1781).
120 D. testacea Wlk.
Cat. III. p. 670 (1855).
121 D. scioana Oberth.
Ann. Mus. Genov. XV. p. 176 pl. 1 f. 8 (1880).
121a D. leighi Roths.
Nov. Zool. XVII. p. 141 (1910).
122 D. diplosticta Hmpsn.
Ann. S.A. Mus. II. p. 57 (1900).

- 123 D. lucida Druce.
A.M.N.H. (7) I. p. 212 (1898).
123a D. euproctina Aur.
- 124 D. flava Wllgrn.
Wien. ent. Mon. IV. p. 162 (1860).
- 125 D. lutescens Wlk.
Cat. III. p. 672 (1855).
- 126 D. rhodesiana Hmpsn.
Ann. S.A. Mus. II. p. 57 (1900).
- 127 D. scita Wlk.
Cat. XXXI. p. 298 (1864).
- 128 D. lineata Wlk.
Cat. III. p. 672 (1855).
- 129 D. eugraphica Wlk.
Cat. XXXI. p. 292 (1864).
- 130 D. euryphlebia Hmpsn.
A.M.N.H. (7) XI. p. 351 (1903).
- 130a D. butti Roths.
Nov. Zool. XVII. p. 126 (1910).

ACANTHARCTIA Aur.

- Ent. Tidskr. p. 241 (1899).
- 131 A. vittata Aur.
Ent. Tidskr. p. 242 (1899).
- 132 A. flavieosta Hmpsn.
Ann. S.A. Mus. II. p. 53 (1900).

AMSACTA Wlk.

- Cat. IV. p. 804 (1855).
- 133 A. grammiphlebia Hmpsn.
Cat. Lep. Phal. III. p. 323 pl. XLVI. f. 4
(1901).
- 133a A. unistriga Grünb.
Denkschr. med. Ges. Jena. 16 p. 124 (1910).

CREATONOTUS Hübn.

- Verz. p. 169 (1827).
- 134 C. punctivitta Wlk.
Cat. III. p. 673 (1855).
- 134a C. spilleri Beth.-Baker.
A.M.N.H. 2 p. 262 (1908).

HYPHANTRIA Harr.

- Ins. Mass. p. 255 (1841).
- 135 H. strigulosa Hmpsn.
A. M. N. H. (7) VIII. p. 185 (1901).

ESTIGMENE Hübn.

- Verz. p. 184 (1827).
- 136 E. dissimilis Dist.
A.M.N.H. (6) XX. p. 198 (1897).
- 137 E. tenuistrigata Hmpsn.
Ann. S.A. Mus. II. p. 54 (1900).
- 138 E. lemniscata Dist.
A.M.N.H. (7) I. p. 116 (1898).

- 139 E. linea Wlk.
Cat. III. p. 671 (1855).
- 140 E. trivitta Wlk.
Cat. III. p. 673 (1855).
- 141 E. gynephæa Hmpsnn.
A.M.N.H. (7) VIII. p. 185 (1901).
- 142 E. internigralis Hmpsnn.
A.M.N.H. (7) XV. p. 447 (1905).
- 143 E. atropunctata Fawc.
Tr. Zool. Soc. Lond. p. 179 pl. VII. ff. 23,
24, 25, 26 (1903).

SEIRARCTIA Pack.

Proc. Ent. Soc. Phil. IV. p. 108 (1864).

- 143a S. metaxantha Hmpsnn.
A.M.N.H. 4 p. 363 (1909).

DIONYCHOPUS Herr.-Schäff.

Aussereur. Schmett. p. 14 (1850).

- 144 D. amasis Cram.
Pap. Exot. III. pl. 206 f. B. (1780).

ANTARCTIA Hüb.

Verz. p. 191 (1827).

- 145 A. angustipennis Wlk.
Cat. III. p. 767 (1855).

PROSCHALIPHORA Hmps.

Cat. Lep. Phal. III. p. 454 (1901).

- 145a P. albida Hmpsnn.
A.M.N.H. 4 p. 364 (1909).
- 145b P. traiecta Grünb.
Denkschr. med. Ges. Jena 16 p. 124 (1910).
- 145c P. bulti Roths.
Nov. Zool. 17 p. 180 (1910).

PROCANTHIA Hmpsnn.

Cat. Lep. Phal. III. p. 454 (1901).

- 146 P. argentea Hmpsnn.
Ann. S.A. Mus. III. p. 59 (1901).
- 147 P. distanti Dew.
Verh. L.C. Acad. XLII. p. 68 pl. 3 f. 7 (1881).
- 147a P. nivea Roths.
Nov. Zool. XVII. p. 180 (1910).

GRAMMARCTIA Auriv.

Ent. Tidskr. p. 243 (1899).

- 148 G. bilineata Wlk.
Cat. XXXI. p. 237 (1864).

TERACOTONA Butl.

P.Z.S. 1878 p. 382.

- 149 T. rhodophaea Wlk.
Cat. XXXI. p. 302 (1864).
- 150 T. cuprepia Hmpsnn.
Ann. S.A. Mus. II. p. 58 (1900).

- 151 *T. submacula* Wlk.
Cat. II. p. 472 (1855).

- UTETHEISA** Hübn.
Verz. p. 168 (1827).
152 *U. pulchella* L.
Syst. Nat. I. p. 534 (1758).

- SECUSIO** Wlk.
Cat. II. p. 558 (1854).
153 *S. pustularia* Wlk.
Cat. XXVI. p. 1661 (1862).
154 *S. pulverata* Hmpsn.
Ann. S.A. Mus. II. p. 62 (1900).
155 *S. purata* Wlk.
Cat. XXVI. p. 1688 (1862).
156 *S. mania* Druce.
P.Z.S. 1887 p. 672 (1888).
157 *S. strigata* Wlk.
Cat. II. p. 559 (1854).

- RHODOGASTRIA** Hübn.
Verz. p. 172 (1827).
158 *R. lupia* Druce.
P.Z.S. 1887 p. 669 (1888).
159 *R. vitripennis* Blanch.
d'Orbigny's Dict. Hist. Nat. Atlas Zool. II.
Ins. Lep. pl. 13 f. 3 (1849).
160 *R. astreas* Drury.
Ill. Exot. Ent. II. p. 28 f. 4 (1773).

AGARISTIDÆ.

- XANTHOSPILOPTERYX** Wllgrn.
Œfv. Vet. Akad. Förh. XV. p. 83 (1858).
161 *X. perdix* Druce.
P.Z.S. 1887 p. 668 (1888).
162 *X. africana* Butl.
A.M.N.H. (4) XV. p. 142 (1875).
163 *X. superba* Butl.
A.M.N.H. (4) XV. p. 141 pl. 13 f. 3 (1875).
164 *X. æmulatrix* Westw.
Oates Matabeleland Ed. I. p. 355 pl. G. f. 1
pl. H. f. 3, 3a, 3b (1881).
165 *X. geryon* Fabr.
Spec. Ins. II. p. 216 (1781).
166 *X. indecisa* Butl.
A.M.N.H. (6) VII. p. 50 (1891).

- ROTHIA** Westw.
Trans. Lin. Soc. Zool. (2) I. p. 204 (1877).
167 *R. butleri* Wlk.
Char. Lep. Het. p. 111 (1869).
168 *R. penetelia* Druce.
P.Z.S. (1887) p. 668 (1808).

CHARILINA Wlk.

Cat. II. p. 560 (1854).

169 Ch. amabilis Drury.

Ill. Ex. Ent. II. pl. 13 f. 3 (1773).

PAIDA Jord.

Nov. Zool. III. p. 47 (1896).

170 P. pulchra Trim.

Trans. Ent. Soc. (3) I. p. 524 (1863).

PAIR Hüb.

Verz. p. 279 (1827).

171 P. decora Lin.

Mus. Ulr. p. 382 (1764).

171a P. festiva Jord.

Seitz. Lep. XV. p. 14 ().

ÆGOCERA Latr.

Gen. Crust. & Ins. IV. p. 211 (1809).

172 Æ. fervida Wlk.

Cat. I. p. 57 (1854).

173 Æ. latreilli Herr-Schäff.

Aussereur. Schmett. f. 19 (1853).

174 Æ. leighi Jord.

Nov. Zool. XIII. p. 161 (1906).

TUERTA Wlk.

Proc. N. H. Soc. Glasg. I. p. 346 (1869).

175 T. trimenii Feld.

Reise Nov. pl. 107 f. 15 (1874).

176 Ab. tricolor Druce.

Ent. Month. Mag. XX. p. 155 (1883).

OMPHALOCEPS Hmpsnn.

Cat. Lep. Phal. III. p. 628 (1901).

177 O. daria Druce.

A.M.N.H. (6) XV. p. 42 (1895).

HESPAGARISTA Wlk.

Cat. I. p. 13 (1854).

178 H. echione Boisd.

Voy. Deleg. II. p. 595 (1847).

SYFANOIDEA Bartel.

Verh. Ges. Wien. LIII. p. 125 (1903).

179 S. schencki Bartel.

I.e. p. 126 (1903).

NOCTUIDÆ.

AGROTINÆ.

BAGHUVĀ Moore.

Proc. Zool. Soc. 1881 p. 362 (1881).

180 R. stigmatica Hmpsnn.

Cat. Lep. Phal. IV. p. 29 f. 13 (1903).

- 181 *R. multiradiata* Hmpsnn.
Ann. S.A. Mus. II. p. 257 (1902).

CHLORIDEA Westw.

Jardine's Nat. Libr. XXXII. p. 198 (1841).

- 182 *Ch. scutuligera* Guen.
Noct. II. p. 180 (1852).
183 *Chl. armigera* Hübn.
Samml. Eur. Schmett. Noct. f. 370 (1827).
184 *Chl. xanthiata* Wlk.
Cat. XXXIII. p. 770 (1865).
185 *Chl. peltigera* Schiff.
Wien. Verz. p. 89 (1776).
185b *Chl. conifera* Hmpsnn.
A.M.N.H. 12 p. 580 (1913).

TIMORA Wlk.

Cat. IX. p. 132 (1856).

- 186 *T. disticta* Hmpsnn.
Ann. S.A. Mus. II. p. 441 (1902).
187 *T. lanceolata* Wlk.
Cat. XXXIII. p. 767 (1865).
188 *T. transvalica* Dist.
Entom. p. 212 (1903).
189 *T. leucosticta* Hmpsnn.
Ann. S.A. Mus. II. p. 256 (1902).

ADISURA Moore.

P.Z.S. p. 367 (1881).

- 190 *A. straminea* Hmpsnn.
Ann. S.A. Mus. II. p. 258 (1902).
191 *A. ærugo* Feld.
Reise Nov. pl. 108 f. 45 (1874).

POROSAGROTTIS Smith.

Bull. U.S. Mus. 38 p. 123 (1890).

- 192 *P. caffra* Hmpsnn.
Cat. Lep. Phal. IV. p. 658 pl. LXXVII f. 29
(1903).

MICRAGROTTIS Hmpsnn.

Cat. Lep. Phal. IV. p. 148 (1903).

- 193 *M. exusta* Hmpsnn.
Cat. Lep. Phal. IV. p. 149 pl. LX. f. 1 (1903).
194 *M. interstriata* Hmpsnn.
Ann. S.A. Mus. II. p. 264 (1902).
195 *M. strigibasis* Hmpsnn.
Ann. S.A. Mus. II. p. 264 (1902).
196 *M. puncticostata* Hmpsnn.
Ann. S.A. Mus. II. p. 263 (1902).
197 *M. rufescens* Hmpsnn.
Cat. Lep. Phal. IV. p. 152 pl. LX. f. 2 (1903).
198 *M. microstigma* Hmpsnn.
Cat. Lep. Phal. IV. p. 659 pl. LXXVIII. f. 10
(1903).

- 199 *M. prosarea* Hmpsnn.
 Cat. Lep. Phal. IV. p. 659 pl. LXXVIII. f. 11
 (1903).

EUXOA Hübn.

- Verz. p. 209 (1827).
 200 *E. longidentifera* Hmpsnn.
 Cat. Lep. Phal. IV. p. 166 pl. LX. f. 10 (1903).
 201 *E. segetis* Schiff.
 Wien. Verz. pp. 81, 252 ff. 3a, b. (1776).
 202 *E. subalba* Wlk.
 Cat. X. p. 339 (1856).
 203 *E. crassilinea* Wllgrn.
 Wien. Ent. Mon. IV. p. 168 (1860).
 204 *E. spinifera* Hübn.
 Samml. Eur. Schmett. Noct. f. 389 (1827).
 205 *E. fumicolor* Hmpsnn.
 Ann. S.A. Mus. II. p. 74 (1902).
 206 *E. rufomixta* Hmpsnn.
 Cat. Lep. Phal. IV. p. 661 pl. LXXVIII. f. 14
 (1903).
 207 *E. ruficeps* Hmpsnn.
 Cat. Lep. Phal. IV. p. 661 pl. LXXVIII. f. 12
 (1903).
 208 *E. pronycta* Hmpsnn.
 Cat. Lep. Phal. IV. p. 324 pl. LXVII. f. 14
 (1903).
 209 *E. indigna* Herr-Schäff.
 Ausser. Eur. Schmett. f. 130 (1850).
 210 *E. epipyria* Hmpsnn.
 Cat. Lep. Phal. IV. p. 325 pl. LXVII. f. 17
 (1903).
 211 *E. contingens* Warr.
 Ann. S.A. Mus. X. p. 468 pl. XL. f. 3 (1914).
 212 *E. sordida* Warr.
 Ann. S.A. Mus. X. p. 469 pl. XL. f. 1 (1914).

AGROTIS Oehs.

- Schmett. Eur. IV. p. 66 (1816).
 213 *A. epsilon* Rott.
 Naturf. IX. p. 141 (1776).
 214 *A. atritegulata* Hmpsnn.
 Ann. S.A. Mus. II. p. 261 (1902).
 215 *A. plecta* Lin.
 Fam. Suec. p. 321 (1761).

*I am not quite sure if this species is found in South Africa. It is based upon a single male which I have not seen and which, as far as I know, has not been found in South Africa again. I have, however, a specimen in my collection which is certainly from South Africa and which is certainly not a *plecta* but *Agrotis leucogaster*. As these two species are very closely allied, there is a possibility that the specimen from the Cape Colony was wrongly identified as *plecta*. But it is not probable that Sir G. F. Hampson would have made this mistake, so I leave this species in the South African fauna.

- 216 A. leucogaster Frr.
Neu. Beitr. Schmett. I. p. 38 pl. 21 (1831).
- 217 A. annularis Saalm.
Lep. Madag. p. 265 (1891).
- 218 A. sicea Guen.
Noct. p. 135 (1852).
- 219 A. effracta Dist.
A.M.N.H. (7) I. p. 220 (1898).
- 220 A. eestrigata Hmpsn.
Cat. Lep. Phal. IV. p. 662 pl. LXXVIII. f. 13 (1903).
- 221 A. cinetithorax Wlk.
Cat. XI. p. 591 (1857).
- 221a A. mesosema Hmpsn.
A. M. N. H. 8 p. 417 (1911).

LYCOPHOTIA Hüb.

Verz. p. 215 (1827).

- 222 L. museosa Geyer.
Samml. Exot. Schmett. p.p. 10, 414 ff. 827, 828 (1837).
- 223 L. bitriangula Hmpsn.
Ann. S.A. Mus. II. p. 261 (1902).
- 224 L. isopleura Hmpsn.
Ann. S.A. Mus. II. p. 261 (1902).
- 225 L. eevinacea Hmpsn.
Cat. Lep. Phal. IV. p. 663 pl. LXXVIII. f. 15 (1903).
- 226 L. perirrrorata Hmpsn.
Ann. S.A. Mus. II. p. 262 (1902).
- 227 L. postventa Geyer.
Samml. Exot. Schmett III. ff. 865, 866 (1837).
- 228 L. oliveata Hmpsn.
Ann. S.A. Mus. II. p. 262 (1902).
- 228a L. atrisigna Hmpsn.
A. M. N. H. 8 p. 418 (1911).

Meant to be

HADENINÆ.

CRATERESTRA Hmpsn.

Cat. Lep. Phal. V. p. 17 (1905)

- 229 C. media Wlk.
Cat. XI. p. 756 (1857).
- 230 C. definiens Wlk.
Cat. XI. p. 689 (1857).

POLIA Ochs.

- Schmett. Eur. IV. p. 73 (1816).
- 231 P. consanguis Guen.
Noct. II. p. 97 (1852).
- 232 P. fuscirufa Hmpsn.
Cat. Lep. Phal. V. p. 103 pl. LXXXI. f. 4 (1905).
- 233 P. dipterigidia Hmpsn.
Ann. S.A. Mus. II. p. 267 (1902).
- 234 P. mesoglaea Hmpsn.
Ann. S.A. Mus. II. p. 267 (1902).
- 235 P. speyeri Feld.
Reise Nov. pl. 110 f. 15 (1871).
- 236 P. cuprescens Hmpsn.
Cat. Lep. Phal. V. p. 163 pl. LXXXII. f. 32 (1905).
- 237 P. mesomelana Hmpsn.
Ann. S.A. Mus. II. p. 263 (1902).
- 238 P. furvilinea Hmpsn.
Ann. S.A. Mus. II. p. 268 (1902).
- 239 P. poliastis Hmpsn.
Ann. S.A. Mus. II. p. 268 (1902).
subspec. Cat. Lep. Phal. V. p. 181 (1905).
- 241 P. renisigna Wlk.
Cat. XI. p. 267 (1856).

ODONTESTRA Hmpsn.

Cat. Lep. Phal. V. p. 265 (1905).

- 242 O. vittigera Hmpsn.
Ann. S.A. Mus. II. p. 266 (1902).

HADENA Schrank.

- Faun. Boica. II. p. 158 (1802).
- 243 H. bulgeri Feld.
Reise Nov. pl. 110 f. 18 (1871).
- 244 H. ruftilinea Wlk.
Cat. XI. p. 507 (1857).

XYLOMANIA Hmpsn.

- Cat. Lep. Phal. V. p. 389 (1905).
- 245 X. natalensis Bntl.
A. M. N. II. (4) XVI. p. 403 (1875).

BRITHYS Hüb.

- Verz. p. 226 (1827).
- 246 B. paneratii Cyr.
Ent. Nap. pl. 12 f. 1 (1878).

ASPIDIFRONTIA Hmpsn.

- Ann. S.A. Mus. II. p. 269 (1902).
 247 A. semipallida Hmpsn.
 Ann. S.A. Mus. II. p. 269 (1902).
 248 A. glaucescens Hmpsn.
 Cat. Lep. Phal. V. p. 451 pl. XCI. f. 5 (1905).
 249 A. rufescens Hmpsn.
 Ann. S.A. Mus. II. p. 270 (1902).

DIAPHONE Hüb.

- Verz. p. 188 (1827).
 250 D. cunela Stoll.
 Pap. Exot. IV. pl. 347 f. G. (1781).

GRAPHANIA Hmpsn.

- Cat. Lep. Phal. V. p. 168 (1905).
 251 G. atavistis Hmpsn.
 Ann. S.A. Mus. II. p. 441 (1902).

CIRPHIS Wlk.

- Cat. XXXII. p. 622 (1865).
 252 C. prominens Wlk.
 Cat. IX. p. 102 (1856).
 253 C. loreyi Dup.
 Lep. Fr. VII. p. 81 pl. 105 f. 7 (1827).
 254 C. nebulosa Hmpsn.
 Ann. S.A. Mus. II. p. 274 (1902).
 255 C. usta Hmpsn.
 Ann. S.A. Mus. II. p. 274 (1902).
 256 C. polyrabda Hmpsn.
 Ann. S.A. Mus. II. p. 273 (1902) nec. Moore.
 257 C. atrinota Hmpsn.
 Cat. Lep. Phal. V. p. 523 pl. XCII. f. 25 (1905).
 258 C. insulicola Guen.
 Noct. I. p. 82 (1852).
 259 C. phaea Hmpsn.
 Ann. S.A. Mus. II. p. 275 (1902).
 260 C. leucosticha Hmpsn.
 Cat. Lep. Phal. V. p. 541 (1905).
 261 C. atrimacula Hmpsn.
 Ann. S.A. Mus. II. p. 275 (1902).
 262 C. unipuncta Haw.
 Lep. Brit. p. 174 (1809).

BOROLIA Moore.

- P.Z.S. 1881 p. 334 (1881).
 263 B. interciliata Hmpsn.
 Ann. S.A. Mus. II. p. 272 (1902).
 264 B. apparata Wilgrn.
 GÉfv. Vet. Akad. Forh. (1875) p. 105.
 265 B. amens Guen.
 Noct. I. p. 88 (1852).
 266 B. rhabdophora Hmpsn.
 Ann. S.A. Mus. II. p. 273 (1902).
 267 B. melianooides Möschl.
 Verh. z.-b. Wien. NXXIII. p. 291 pl. XVI.
 f. 4 (1884).

- 268 B. tacuma Feld.
Reise Nov. pl. 110 f. 22 (1874).
- 269 B. rubrescens Hmpsn.
Cat. Lep. Phal. V. p. 563 pl. XCIV. f. 25 (1905).
- 270 B. melanostrota Hmpsn.
Cat. Lep. Phal. V. p. 564 pl. XCIV. f. 28 (1905).
- 271 B. torrentium Guen.
Noct. I. p. 88 (1852).
- 272 B. tineta Wlk.
Cat. XV. p. 1660 (1858).
- 273 B. nigrisparsa Hmpsn.
Ann. S.A. Mus. II. p. 274 (1902).
- 273a B. phaeochroa Hmpsn.
Cat. Lep. Phal. V. p. 572 pl. XCV. f. 9 (1905).
- 274 B. persecta Hmpsn.
Cat. Lep. Phal. V. p. 574 pl. XCV. f. 12 (1905).
- 275 B. micropis Hmpsn.
Cat. Lep. Phal. V. p. 574 pl. XCV. f. 14 (1905).
- 275a B. cupreata Hmpsn.
Cat. Lep. Phal. V. p. 575 pl. 95 f. 15 (1905).

MELIANA Curt.

- Brit. Ent. VI. p. 201 (1829).
- 276 M. sarea Hmpsn.
Ann. S.A. Mus. II. p. 272 (1902).

CUCULLIANÆ.

CUCULLIA Schrank.

- Faun. Boica. II. (2) p. 157 (1802).
- 277 C. leucopis Hmpsn.
Cat. VI. p. 28 pl. XCVI. f. 26 (1906).
- 278 C. consimilis Feld.
Reise Nov. pl. 108 f. 52 (1874).
- 279 C. brunnea Hmpsn.
Ann. S.A. Mus. II. p. 277 (1902).
- 280 C. clausa Wlk.
Cat. XI. p. 657 (1857).
- 281 C. perstriata Hmpsn.
Cat. Lep. Phal. VI. p. 42 pl. XCVII. f. 5 (1803).
- 282 C. extricata Wlk.
Cat. XI. p. 630 (1857).
- 283 C. terrensis Feld.
Reise Nov. pl. 108 f. 59 (1874).
- 284 C. minuta Möschl.
Verh. z.-b. Ges. Wien XXXIII. p. 295 pl. XVI. f. 9 (1884).

EMPUSADA Hübn.

- Verz. p. 247 (1827) nec. Ill. Orth. (1798).
- 285 E. hutchinsoni Hmpsn.
Ann. S.A. Mus. II. p. 276 (1902).

- V 286 E. argentivitta Hmpsn.
Cat. Lep. Phal. VI. p. 87 pl. XCVIII. f. 14
(1906).
- 287 E. pyrostrota Hmpsn.
Cat. Lep. Phal. VI. p. 88 pl. XCVIII. f. 15
(1906).
- 288 E. chrysota Hmpsn.
Ann. S.A. Mus. II. p. 277 (1902).
- 289 E. pallidistria Feld.
Reise Nov. pl. 108 f. 54 (1874).

RHODOCHLÆNA Hmpsn.

Cat. Lep. Phal. VI. p. 131 (1906).

- 290 Rh. botonga Feld.
Reise Nov. pl. 109 f. 28 (1874).

LEUCOCHLÆNA Hmpsn.

Cat. Lep. Phal. VI. p. 132 (1906).

- 291 L. leucogonia Hmpsn.
Ann. S.A. Mus. III. p. 426 (1905).

GLOCHLÆNA Led.

Noct. Eur. p. 96 (1857).

- 292 U. fumea Hmpsn.
Ann. S.A. Mus. II. p. 280 (1902).

CHARIDEA Guen.

Noct. II. p. 60 (1852).

- 293 Ch. elegantissima Guen.
Noct. II. p. 61 pl. 8 f. 12 (1852).

ECTOCHELA Hmpsn.

Ann. S.A. Mus. II. p. 279 (1902).

- 294 E. canina Feld.
Reise Nov. pl. 100 f. 10 (1874).

CAFFRISTIS Hmpsn.

Cat. Lep. Phal. VI. p. 227 (1906).

- 295 C. ferrogrisea Hmpsn.
Ann. S.A. Mus. II. p. 442 (1902).

HYPOTYPE Hmpsn.

Verz. p. 211 (1827).

- 296 Eu. rubrinixta Hmpsn.
Cat. Lep. Phal. V. p. 347 pl. CIV. f. 18 (1906).

RHIZOTYPE Hmpsn.

Cat. Lep. Phal. VI. p. 373 (1906).

- 297 Rh. palliata Warr.
Ann. S.A. Mus. X. p. 469 pl. XL. f. 2 (1911).

HYPOTYPE Hmpsn.

Cat. Lep. Phal. VI. p. 384 (1906).

- 298 H. nigridentata Hmpsn.
Ann. S.A. Mus. II. p. 278 (1902).
- 299 H. scotomista Hmpsn.
Ann. S.A. Mus. II. p. 278 (1902).

DASYPOLIA Guen.

- Noct. II. p. 44 (1852).
 300 D. informis Wlk.
 Cat. X. p. 402 (1856).

CRAMMOSCELIS Hmpsn.

- Cat. Lep. Phal. VI. p. 468 (1906).
 301 G. leuconeura Hmpsn.
 Cat. Lep. Phal. VI. p. 468 f. 160 (1906)

ACRONYCTINÆ.

MAGUSA Wlk.

- Cat. XI. p. 762 (1857).
 302 M. versicolora Saalm.
 Lep. Madag. p. 324 f. 164 (1891)

STENOPTERYGIA Hmpsn.

- Cat. Lep. Phal. VII. p. 61 (1908).
 303 St. subcurva Wlk.
 Cat. XI. p. 592 (1857).

TRACHEA Ochs.

- Schmett. Eur. IV. p. 75 (1816).
 304 Tr. melanoleuca Hmpsn.
 Ann. S.A. Mus. II. p. 284 (1902).
 305 Tr. melanodonta Hmpsn.
 Ann. S.A. Mus. II. p. 290 (1902).
 306 Tr. melanobasis Hmpsn.
 Ann. S.A. Mus. II. p. 295 (1902).
 307 Tr. nigribarbata Hmpsn.
 Cat. Lep. Phal. VII. p. 129 f. 28 (1908).
 307a Tr. normalis Hmpsn.
 A.M.N.H. XIII. p. 149 (1914).
 308 Tr. breviseula Wlk.
 Cat. XV. p. 1725 (1858).
 308a Tr. phenicolopha Hmpsn.
 A.M.N.H. XIII. p. 150 (1914).
 309 Tr. lucia Feld.
 Reise Nov. pl. 109 f. 16 (1874).
 310 Tr. consummata Wlk.
 Cat. XI. p. 591 (1857).
 311 Tr. connivens Feld.
 Reise Nov. pl. 109 f. 27 (1874).

EUPLEXIA Steph.

- Ill. Brit. Ent. Haust. III. p. 3 (1829).
 312 Eu. catephiodes Hmpsn.
 Cat. Lep. Phal. VII. p. 219 f. 33 (1908).
 313 Eu. amaranta Feld.
 Reise Nov. pl. 110 f. 8 (1874).
 314 Eu. saldanha Feld.
 Reise Nov. pl. 110 f. 6 (1874).
 315 Eu. augens Feld.
 Reise Nov. pl. 110 f. 5 (1874).
 316 Eu. prolifera Wlk.
 Cat. IX. p. 238 (1856).

PERIGEA Guen.

- Noct. I. p. 225 (1852).
 317 P. quadrimacula Mab.
 Ann. Soc. Ent. Fr. p. 729 (1888).
 318 P. grandirena Hmpsnn.
 Ann. S.A. Mus. II. p. 397 (1902).
 319 P. africana Schaus.
 Lep. Sierra Leone p. 33 pl. 2 f. 10 (1893).
 320 P. capensis Guen.
 Noct. I. p. 213 (1852).

OLIGIA Hübn.

- Verz. p. 213 (1827).
 321 O. instrueta Wlk.
 Cat. XXXIII. p. 733 (1865).
 322 O. ambigua Wlk.
 Cat. XV. p. 1727 (1858).

HYPOPLEXIA Hmpsnn.

- Cat. Lep. Phal. VII. p. 426 (1908).
 323 H. conjuncta Hmpsnn.
 Cat. Lep. Phal. VII. p. 426 f. 72 (1908).
 324 H. algoa Feld.
 Reise Nov. pl. 109 f. 24 (1874).
 325 H. externa Wlk.
 Cat. XI. p. 756 (1857).
 325a H. melanica Hmpsnn.
 A.M.N.H. 8 p. 432 (1911).

SIDEMIA Staud.

- Rom. Mem. VI. p. 459 (1892).
 326 S. spodopterodes Hmpsnn.
 Cat. Lep. Phal. VII. p. 437 f. 81 (1908).

CONSERVULA Grote.

- Bull. Buff. Soc. Nat. Sci. II. p. 17 (1874).
 327 C. minor Holl.
 Pr. U.S. Mus. XVIII. p. 253 pl. 8 f. 1 (1896).
 328 C. cinisigna de Joan.
 Ann. Soc. Ent. Fr. 1906 p. 170 pl. 9 f. 2.

CALPIFORMIS Hmpsnn.

- Cat. Lep. Phal. VII. p. 504 (1908).
 329 C. eranshayi Hmpsnn.
 Ann. S.A. Mus. III. p. 427 (1905).

DIPAROPSIS Hmpsnn.

- Ann. S.A. Mus. II. p. 294 (1902).
 330 D. castanea Hmpsnn.
 Ann. S.A. Mus. II. p. 294 (1902).

ERIOPUS Treit.

- Schnett. Eur. V. (1) p. 365 (1825).
 331 E. maillardii Guen.
 Maillard's Reunion, Lep. p. 39 pl. 22 f. 8
 (1862).

- 332 *E. natalensis* Hmpsn.
Cat. Lep. Phal. VII. p. 567 f. 135 (1908).

- 333 *E. latreillei* Dup.
Lep. Fr. VII. p. 327 pl. 120 f. 2 (1827).

CHYTONIX Grote.

- Bull. Buff. Soc. Nat. Sci. II. p. 66 (1874).
334 *Ch. melanochlora* Hmpsn.
Ann. S.A. Mus. II. p. 289 (1902).

MIONIDES Hmpsn.

- Ann. S.A. Mus. II. p. 281 (1902).
335 *M. lichinea* Hmpsn.
Ann. S.A. Mus. II. p. 281 (1902).

IAMBIA Wilk.

- Cat. XXVII. p. 109 (1863).
336 *I. transversa* Moore.
Lep. Atk. p. 35 pl. 4 f. 5 (1882).
337 *I. inferalis* Wilk.
Cat. XXVII. p. 109 (1863).
338 *I. brunnea* Warr.
Ann. S.A. Mus. X. p. 474 pl. XL. f. 7 (1914).

ARÆA Hmpsn.

- Cat. Lep. Phal. VII. p. 688 (1908).
339 *A. indecora* Feld.
Reise Nov. pl. 110 f. I. (1874).

DASEOCHÆTA Warr.

- Seitz. Macrolepidoptera, prt. 9 p. 11 (1907).
340 *D. verbenata* Dist.
A. M. N. H. (7) I. p. 222 (1898).

THALATHA Wilk.

- Journ. Limn. Soc. Zool. VI. p. 187 (1862).
341 *Th. variecolor* Warr.
Ann. S.A. Mus. X. p. 467 pl. XL. f. 12 (1914).

CRANIOPHORA Snell.

- Vlind. van Ned. p. 262 (1872).
342 *Cr. paragrapha* Feld.
Reise Nov. pl. 100 f. 8 (1874).

ACRONYCTA Oehs.

- Schmett. Eur. IV. p. 62 (1815).
342a *A. transvalica* Hmpsn.
A. M. N. H. 8 p. 436 (1911).

CETOLA Wilk.

- Cat. V. p. 1015 (1855).
343 *C. radiata* Hmpsn.
Cat. Lep. Phal. VIII. p. 184 f. 32 (1909).

MATOPO Dist.

- A.M.N.H. (7) I. p. 227 (1898).
344 *M. nigrivittata* Hmpsn.
Ann. S.A. Mus. II. p. 294 (1902).

- 345 *M. inangulata* Hmpsni.
 Cat. Lep. Phal. VIII. p. 186 pl. CXXVII. f.
 19 (1909).
 346 *M. typica* Dist.
 A. M. N. H. (7) 1. p. 227 (1898).

DELTA Saalm.

- 347 *D. intermedia* Brem.
 Lep. Ost-Sib. p. 53 pl. V. f. 13 (1864).
 348 *D. phoenieraspis* Hmpsni.
 C. L. Ph. IX. p. 521 pl. CXLVIII. f. 1. (1910).

STOMAFRONTIA Hmpsni.

- Ann. S.A. Mus. III. p. 426 (1905).
 349 *St. albifasciata* Hmpsni.
 Ann. S.A. Mus. III. p. 437 (1905).

HADENELLA Grote.

- Papilio*. III. p. 123 (1883).
 350 *H. rectiradiata* Hmpsni.
 Ann. S.A. Mus. II. p. 391 (1902).

PRODENIA Guen.

- Noet. I. p. 159 (1852).
 351 *Pr. litura* Fabr.
 Syst. Ent. p. 601 (1775).

SPODOOPTERA Guen.

- Noet. I. p. 153 (1852).
 352 *Sp. abyssinia* Guen.
 Noet. I. p. 154 (1852).
 353 *Sp. mauritia* Boisd.
 Fann. Ent. Madag. Lep. p. 92 pl. 13 f. 9 (1833).

LAPHYGMAT Guen.

- Noet. I. p. 156 (1852).
 354 *L. leucophlebia* Hmpsni.
 Ann. S.A. Mus. II. p. 288 (1902).
 355 *L. exempta* Wlk.
 Cat. X. p. 355 (1856).
 356 *L. exigua* Hübn.
 Eur. Schmett. Noet. f. 362 (1808).

LOPHOTARSIA Hmpsni.

- Ann. S.A. Mus. II. p. 299 (1902).
 357 *L. ochroprocta* Hmpsni.
 Ann. S.A. Mus. II. p. 299 (1902).

PARACRORIA Hmpsni.

- Cat. Lep. Phal. VIII. p. 281 (1909).
 358 *P. griseocincta* Hmpsni.
 Ann. S.A. Mus. II. p. 396 (1902).

CENTRARTHIRA Hmpsni.

- Cat. Lep. Phal. VIII. p. 284 (1909).
 359 *C. fureivitta* Hmpsni.
 Cat. Lep. Phal. VIII. p. 284 f. 80 (1909).

- 360 *C. argentea* Warr.
 Ann. S.A. Mus. X. p. 476 pl. XL. f. 5 (1914).
 361 *C. fulvinotata* Warr.
 Ann. S.A. Mus. X. p. 475 pl. XL. f. 4 (1914).
 362 *C. albiapicata* Warr.
 Ann. S.A. Mus. X. p. 475 pl. XL. f. 6 (1914).
 363 *C. brunnea* Warr.
 Ann. S.A. Mus. X. p. 474 pl. XL. f. 7 (1914).
 364 *C. pallescens* Warr.
 Ann. S.A. Mus. X. p. 474 pl. XL. f. 8 (1914).
 365 *C. cretacea* Warr.
 Ann. S.A. Mus. X. p. 473 pl. XL. f. 11 (1914).
 366 *C. fulvitineta* Warr.
 Ann. S.A. Mus. X. p. 472 pl. XL. f. 9 (1914).
 367 *C. ossicolor* Warr.
 Ann. S.A. Mus. X. p. 271 pl. XL. f. 10 (1914).

MIMLEUCANIA Hmpsn.

- Cat. Lep. Phal. VIII. p. 285 (1909).
 368 *M. leucosoma* Feld.
 Reise Nov. pl. 169 f. 31 (1874).
 369 *M. pestriata* Hmpsn.
 Cat. Lep. Phal. VIII. p. 286 t.f. 82 (1909).

AMPHIDRINA Stand.

- Iris, IV. p. 283 (1892).
 370 *A. pexicera* Hmpsn.
 Cat. Lep. Phal. VIII. p. 295 f. 89 (1909).
 370a *A. melanosema* Hmpsn.
 A. M. N. H. XIII. p. 157 (1914).
 371 *A. glaucistis* Hmpsn.
 Ann. S.A. Mus. II. p. 443 (1902).

ATHETIS Hübn.

- Verz. p. 209 (1827).
 372 *A. chionopis* Hmpsn.
 Cat. Lep. Phal. VIII. p. 299 t.f. 91 (1909).
 373 *A. albipuncta* Hmpsn.
 Ann. S.A. Mus. II. p. 297 (1902).
 374 *A. caeca* Hmpsn.
 Ann. S.A. Mus. II. p. 442 (1902).
 375 *A. melanopis* Hmpsn.
 Cat. Lep. Phal. VIII. p. 301 pl. CXXIX. f. 10
 (1909).
 376 *A. leucopis* Hmpsn.
 Ann. S.A. Mus. II. p. 293 (1902).
 377 *A. nephrosticta* Hmpsn.
 Cat. Lep. Phal. VIII. p. 303 pl. CXXIX. f. 11
 (1909).
 378 *A. capicola* Herr.-Schäff.
 Aussereur. Schmett. f. 131 (1850).
 379 *A. rufipuncta* Hmpsn.
 Ann. S.A. Mus. II. p. 300 (1902).
 380 *A. poliostrota* Hmpsn.
 Cat. Lep. Phal. VIII. p. 304 pl. CXXIX. f. 13
 (1909).

- 381 A. microtera Hmpsni.
Ann. S.A. Mus. II. p. 301 (1902).
- 382 A. tenebrata Hmpsni.
Ann. S.A. Mus. II. p. 301 (1902).
- 383 A. foveata Hmpsni.
Cat. Lep. Phal. VIII. p. 307 f. 94 (1909).
- 384 A. atriluma Guen.
Noct. I. p. 252 (1852).
- 385 A. gonionephra Hmpsni.
Cat. Lep. Phal. VIII. p. 315 pl. CXXIX. f. 22 (1909).
- 386 A. satellitia Hmpsni.
Ann. S.A. Mus. II. p. 302 (1902).
- 387 A. clavipalpis Scop.
Ent. Carn. p. 213 (1763).
- 388 A. melanosticta Hmpsni.
Cat. Lep. Phal. VIII. p. 342 pl. CXXX. f. 10 (1909).
- 389 A. flavipuneta Hmpsni.
Cat. Lep. Phal. VIII. p. 343 pl. CXXX. f. 11 (1909).
- 390 A. croceipuneta Hmpsni.
Cat. Lep. Phal. VIII. p. 343 pl. CXXX. f. 12 (1909).
- 391 A. ignava Guen.
Noct. I. p. 247 (1852).
- 392 A. pigra Guen.
Noct. I. p. 248 (1852).
- 393 A. singula Möschl.
Verh. zool.-bot. Ges. Wien XXXIII. p. 292 pl. XVI. f. 6 (1883).
- 394 A. heliastis Hmpsni.
Cat. Lep. Phal. VIII. p. 348 pl. CXXX. f. 18 (1909).
- 395 A. albirena Hmpsni.
Ann. S.A. Mus. II. p. 302 (1902).
- 396 A. leuconephra Hmpsni.
Cat. Lep. Phal. VIII. p. 350 pl. CXXX. f. 21 (1909).
- 397 A. melanopis Hmpsni.
Cat. Lep. Phal. VIII. p. 351 pl. CXXX. f. 23 (1909).
- 398 A. glauca Hmpsni.
Ann. S.A. Mus. II. p. 304 (1902).
- 399 A. melanephra Hmpsni.
Cat. Lep. Phal. VIII. p. 352 pl. CXXX. f. 25 (1909).
- 400 A. atrirena Hmpsni.
Ann. S.A. Mus. II. p. 304 (1902).
- 401 A. absorbens Wlk.
Cat. X. p. 403 (1856).
- 402 A. pallicornis Feld.
Reise Nov. pl. 109 f. 20 (1874).
- 403 A. eschria Hmpsni.
Cat. Lep. Phal. VIII. p. 358 pl. CXXX. f. 31 (1909).

- 404 A. sminthia Hmpsn.
Ann. S.A. Mus. II. p. 305 (1902).

- ARIATHISA Wlk.
Cat. XXXIII. p. 747 (1865).
405 A. excisa Herr.-Schäff.
Ausserer. Schmett. f. 129 (1850).

- ETHIOPICA Hmpsn.
Cat. Lep. Phal. VIII. p. 418 (1909).

- 406 E. vinosa Hmpsn.
Ann. S.A. Mus. II. p. 292 (1902).
407 E. cupricolora Hmpsn.
Ann. S.A. Mus. II. p. 299 (1902).
408 E. polyastrata Hmpsn.
Cat. Lep. Phal. VIII. p. 419 pl. CXXXIII. f. 6 (1909).
409 E. micta Hmpsn.
Ann. S.A. Mus. II. p. 300 (1902).

- PAROMPHALE Hmpsn.
Cat. Lep. Phal. VIII. p. 421 (1909).

- 409a P. chionephra Hmpsn.
A. M. N. II. 8 p. 439 (1911).

- DYSMILICHA Speiser.
Berl. Ent. Zeit. XLVII. p. 140 (1902).

- 410 D. purpurascens Hmpsn.
Cat. Lep. Phal. IX. p. 522 pl. CXLI. f. 3 (1910).

- PROXENUS Herr.-Schäff.
Eur. Schmett. II. p. 240 (1845).

- 411 P. xantholopha Hmpsn.
Ann. S.A. Mus. II. p. 305 (1902).
412 P. xanthopis Hmpsn.
Cat. Lep. Phal. VIII. p. 432 pl. CXXXIII. f. 16 (1909).
413 P. camptogramma Hmpsn.
Cat. Lep. Phal. IX. p. 523 pl. CXLVIII. f. 13 (1910).

- HADJINA Stand.
Iris. p. 286 (1891).

- 414 H. carcaroda Dist.
Entom. 1901 p. 284 (1901).

- PROCRATERIA Hmpsn.
Ann. S.A. Mus. III. p. 426 (1905).

- 415 P. pterota Hmpsn.
Cat. Lep. Phal. VIII. p. 533 pl. CXXXVI. f. 23 (1909).
416 P. noloides Hmpsn.
Ann. S.A. Mus. III. p. 426 (1905).

CATAMECIA Staud.

Iris. X. p. 288 (1897).

417 C. connectens Hmpsn.

Ann. S.A. Mus. II. p. 392 (1902).

NAMANGANA Staud.

Stett. Ent. Zeit. p. 28 (1888).

418 N. adela Hmpsn.

Ann. S.A. Mus. II. p. 287 (1902).

419 N. atripars Hmpsn.

Cat. Lep. Phal. VIII. p. 552 pl. CXXXVII. f. 3 (1909).

TUMIDIFRONTIA Hmpsn.

Ann. S.A. Mus. II. p. 282 (1902).

420 T. castaneotincta Hmpsn.

Ann. S.A. Mus. II. p. 283 (1902).

COPIFRONTIA Hmpsn.

Ann. S.A. Mus. III. p. 433 (1905).

421 C. xantherythra Hmpsn.

Ann. S.A. Mus. III. p. 433 (1905).

EULYMNIA Hmpsn.

Ann. S.A. Mus. IX. p. 111 (1910).

422 Eu. pulcherrima Hmpsn.

Ann. S.A. Mus. II. p. 295 (1902).

ETHIOTERPIA Hmpsn.

Cat. Lep. Phal. IX. p. 112 (1910).

423 E. neavi Hmpsn.

Cat. Lep. Phal. IX. p. 112 f. 31 (1910).

ANDROLYMNIA Hmpsn.

Cat. Lep. Phal. IX. p. 179 (1910).

424 A. torsivena Hmpsn.

Ann. S.A. Mus. II. p. 376 (1902).

CIRRODES Hmpsn.

Cat. Lep. Phal. IX. p. 210 (1910).

425 C. phœnicea Hmpsn.

Cat. Lep. Phal. IX. p. 210 f. 75 (1910).

ECTOLOPHIA Hmpsn.

Ann. S.A. Mus. II. p. 382 (1902).

426 E. viridescens Hmpsn.

Ann. S.A. Mus. II. p. 383 (1902).

CENTROGONE Hmpsn.

Cat. Lep. Phal. IX. p. 223 (1910).

427 C. chlorochrysa Hmpsn.

Cat. Lep. Phal. IX. p. 223 t.f. 85 (1910).

OCHROCALAMA Hmpsn.

Cat. Lep. Phal. IX. p. 226 (1910).

- 428 O. xanthia Hmpsn.

Ann. S.A. Mus. II. p. 434 (1905).

SYNCALAMA Hmpsn.

Cat. Lep. Phal. IX. p. 228 (1910).

- 429 S. mimica Hmpsn.

Cat. Lep. Phal. IX. p. 228 t.f. 89 (1910).

PHALFRODES Hmpsn.

Cat. Lep. Phal. IX. p. 263 (1910).

- 430 Ph. cauta Hmpsn.

Ann. S.A. Mus. II. p. 293 (1902).

RAMESODES Hmpsn.

Cat. Lep. Phal. IX. p. 264 (1910).

- 431 R. divisa Hmpsn.

Ann. S.A. Mus. II. p. 292 (1902).

- 432 R. micropis Hmpsn.

Cat. Lep. Phal. IX. p. 265 t.f. 110 (1910).

PHRAMATIPIHLA Hüb.

Verz. p. 241 (1827) nec. Treit. 1825.

- 433 Ph. bipartita Hmpsn.

Cat. Lep. Phal. IX. p. 272 f. 115 (1910).

CALAMISTIS Hmpsn.

Cat. Lep. Phal. IX. p. 273 (1910).

- 434 C. pallidicosta Hmpsn.

Ann. S.A. Mus. II. p. 403 (1902).

- 435 C. fusca Hmpsn.

Ann. S.A. Mus. II. p. 296 (1902).

- 436 C. obliquifascia Hmpsn.

Trans. Zool. Soc. XIX. p. 108 pl. IV. f. 15 (1909).

- 437 C. stygiata Hmpsn.

Cat. Lep. Phal. IX. p. 278 pl. CXLIII. f. 11 (1910).

ARENOSTOLA Hmpsn.

Cat. Lep. Phal. IX. p. 281 (1910).

- 438 A. interlata Wlk.

Cat. XI. p. 713 (1857).

ACRAPEX Hmpsn.

Moths. Ind. II. p. 286 (1894).

- 439 A. curvata Hmpsn.

Ann. S.A. Mus. II. p. 306 (1902).

- 440 A. metaphaea Hmpsn.

Cat. Lep. Phal. IX. p. 317 pl. CXLIV. f. 9 (1910).

- 441 A. spoliata Wlk.

Cat. XXVII. p. 63 (1863).

- 442 *A. brunnea* Hmpsnn.
Ann. S.A. Mus. II. p. 306 (1902) (partim);
Hmpsnn. Cat. Lep. Phal. IX. p. 318 pl. CXLIV.
f. 11 (1910).
- 443 *A. albivena* Hmpsnn.
Cat. Lep. Phal. IX. p. 318 pl. CXLIV. f. 12
(1910).
- 444 *A. carnea* Hmpsnn.
Ann. S.A. Mus. III. p. 427 (1905).
- 445 *A. ænigma* Feld.
Reise Nov. pl. 108 f. 47 (1874).
- 446 *A. tristrigata* Warr.
Ann. S.A. Mus. X. p. 271 pl. XL. f. 18 (1914).

SESAMIA Guen.

- Noct. I. p. 95 (1852).
- 447 *S. vnteria* Stoll.
Suppl. Cram. Pap. Exot. v. p. 161 pl. 36 f. 5
(1783).
- 447a *S. steniptera* Hmpsnn.
A. M. N. II. XIII. p. 163 (1914).
- 448 *S. calamistis* Hmpsnn.
Cat. Lep. Phal. IX. p. 325 pl. CXLIV. f. 18
(1910).
- 449 *S. coniota* Hmpsnn.
Ann. S.A. Mus. II. p. 297 (1902).
- 450 *S. rnbritincta* Hmpsnn.
Ann. S.A. Mus. II. p. 292 (1902).
- 451 *S. infuscens* Hmpsnn.
Cat. Lep. Phal. IX. p. 329 pl. CXLIV. f. 22
(1910).
- 452 *S. epunctifera* Hmpsnn.
Ann. S.A. Mus. II. p. 298 (1902).
- 453 *S. taeniolenta* Wllgrm.
Svensk. Akad. Handl. V. 4. p. 58 (1866).
- 454 *S. albavena* Hmpsnn.
Ann. S.A. Mus. II. p. 297 (1902).
- 455 *S. cretica* Err.
Neue Beitr. VI. p. 32 pl. 501 f. 2 (1852) nec
Rnbr.

ORIA Hübn

- Verz. p. 240 (1827).
- 456 *O. flavesceens* Hmpsnn.
Ann. S.A. Mus. II. p. 298 (1902).

CONICOFRONTIA Hmpsnn.

- Ann. S.A. Mus. II. p. 296 (1902).
- 457 *C. sesamoides* Hmpsnn.
Ann. S.A. Mus. II. p. 296 (1902).
- 457a *C. scotochroa* Hmpsnn.
A. M. N. II. 13 p. 164 (1914).

CALAMIA Hübn.

- Verz. p. 240 (1827).
- 458 *C. flavirufa* Hmpsnn.
Cat. Lep. Phal. IX. p. 340 pl. CXLIV. f. 29
(1910).

CHASMINA Wlk.

Cat. IX. p. 146 (1856).

159 Ch. tibialis Fabr.

Syst. Ent. p. 578 (1775)

CALLYNA Guen.

Noct. I. p. 112 (1852).

160 C. nigerrima Hmpsn.

Ann. S.A. Mus. II. p. 400 (1902).

161 C. decora Wlk.

Cat. XIII. p. 1119 (1857).

162 C. figurans Wlk.

Cat. XV. p. 1667 (1858).

163 C. obscura Hmpsn.

Cat. Lep. Phal. IX. p. 365 pl. CXLV. f. 12 (1910).

164 C. cupricolora Hmpsn.

Cat. Lep. Phal. IX. p. 367 pl. CXLV. f. 14 (1910).

CYTOTHYMIA Hmpsn.

Cat. Lep. Phal. IX. p. 370 (1910).

165 C. obsita Feld.

Reise Nov. pl. 108 f. 36 (1874).

CYCLOPERA Hmpsn.

Cat. Lep. Phal. IX. p. 389 (1910).

166 C. bucephalidia Hmpsn.

Ann. S.A. Mus. II. p. 381 (1902).

167 C. similis Hmpsn.

Ann. S.A. Mus. II. p. 382 (1902).

168 C. galactiplaga Hmpsn.

Ann. S.A. Mus. II. p. 381 (1902).

SELENISTIS Hmpsn.

Cat. Lep. Phal. IX. p. 392 (1910).

469 S. amulella Hmpsn.

Ann. S.A. Mus. II. p. 383 (1902).

EUTERPIODES Hmpsn.

Cat. Lep. Phal. IX. p. 394 (1910).

170 Eu. pienaari Dist.

A. M. N. II. (7) I. p. 223 (1898).

PARATUERTA Hmpsn.

Ann. S.A. Mus. II. p. 282 (1902).

171 P. marshalli Hmpsn.

Ann. S.A. Mus. II. p. 282 (1902).

OVIOS Wlk.

Cat. III. p. 753 (1855).

172 O. capensis Herr.-Schäff.

Aussereur. Schmett. ff. 115-116 (1853).

473 O. septentrionis Hmpsn.

Cat. Lep. Phal. IX. p. 427 pl. CXLVI. f. 8 (1910).

LEUCOVIS Hmpsn.

Cat. Lep. Phal. VII. p. 8 (1908).

474 L. alba Roths.

Nov. Zool. IV. p. 183 (1897).

EUTELIANÆ.

PACIDARA Wlk.

Cat. XXXIII. p. 830 (1865).

475 P. venustissima Wlk.

Cat. XXXIII. p. 831 (1865).

EUTELIA Hübn.

Verz. p. 259 (1827).

476 Eu. leucographa Hmpsn.

A. M. N. H. (7) XVI. p. 374 (1905).

477 Eu. rivata Hmpsn.

Ann. S.A. Mus. II. p. 307 (1902).

478 Eu. histrio Saalm.

Lep. Madag. p. 386 f. 225 (1891).

479 Eu. leighi Hmpsn.

Ann. S.A. Mus. III. p. 428 (1905).

480 Eu. adulatrix Hübn.

Eur. Schmett. Noct. ff. 517, 648, 650 (1808).

481 Eu. amatrix Wlk.

Cat. XV. p. 1778 (1858).

482 Eu. symphonica Hmpsn.

Ann. S.A. Mus. II. p. 309 (1902).

483 Eu. discistriga Wlk.

Cat. XXXIII. p. 823 (1865).

484 Eu. subrubens Mab.

Ann. Soc. Ent. Fr. (1890) p. 40.

485 Eu. polychorda Hmpsn.

Ann. S.A. Mus. II. p. 308 (1902).

486 Eu. fulvigrisea Warr.

Ann. S.A. Mus. X. p. 479 pl. XL. f. 16 (1914).

CHLUMETIA Wlk.

Cat. XXXIV. p. 1270 (1865).

487 Chl. lichenosa Hmpsn.

Ann. S.A. Mus. II. p. 376 (1902).

PHLEGETONIA Guen.

Noct. II. p. 301 (1852).

488 Phl. operatrix Wllgrn.

Wien. ent. Mon. IV. p. 170 (1860).

489 Phl. callichroma Dist.

Entom. XXXIV. p. 284 (1901).

490 Phl. catephoides Guen.

Noct. II. p. 301 (1852).

491 Phl. albiapicata Hmpsn.

Ann. S.A. Mus. II. p. 444 (1902).

MARATHYSSA Wlk.

- Cat. XXXIII. p. 1033 (1865).
 492 M. cuneata Saalm.
 Lep. Madag. p. 381 f. 179 (1891).
 493 M. albidisca Hmpsn.
 A.M.N.H. (7) XVI. p. 385 (1905).
 494 M. cistellatrix Wllgrn.
 Wien. ent. Mon. IV. p. 170 (1860).

STICTOPTERINÆ.**STICTOPTERA** Guen.

- Noet. III. p. 149 (1852).
 495 S. antemarginata Saalm.
 Ber. Senek. Ges. p. 278 (1880).

LOPHOPTERA Guen.

- Noet. III. p. 54 (1852).
 496 L. methyalea Hmpsn.
 Ann. S.A. Mus. II. p. 309 (1902).
 497 L. litigiosa Boisd.
 Faun. Ent. Madag. p. 93 pl. 16 f. 3 (1833).

SARROTHRIPINÆ.**CHARACOMA** Wlk.

- Cat. XXVII. p. 106 (1863).
 498 Ch. miophora Hmpsn.
 Cat. Lep. Phal. XI. p. 238 pl. CLXXX. f. 19
 (1912).

PARADASENA Wlk.

- Cat. XXXV. p. 1730 (1866).
 499 P. virgulana Mab.
 C. R. Soc. Ent. Belg. XXIII. p. XVII. (1880).
 500 P. punctata Hmpsn.
 Ann. S.A. Mus. II. p. 444 (1902).
 501 P. atripuncta Hmpsn.
 Cat. Lep. Phal. XI. p. 249 pl. CLXXX. f. 27
 (1912).

SELEPA Moore.

- Lep. E. I. Co. p. 353 (1858).
 502 S. rufescens Hmpsn.
 Cat. Lep. Phal. XI. p. 297 pl. CLXXXII. f. 9
 (1912).
 503 S. transvalica Hmpsn.
 Cat. Lep. Phal. XI. p. 299 pl. CLXXXII. f. 13
 (1912).
 504 S. docilis Butl.
 P. Z. S. L. p. 619 (1881).

CRYPTOTHRIPA Hmpsn.

- Cat. Lep. Phal. XI. p. 309 (1912).
 505 C. polyhymnia Hmpsn.
 Ann. S.A. Mus. II. p. 311 (1902).

BRYOTHRIPA Hmpsn.

Cat. Lep. Phal. XI. p. 310 (1912).

506 B. miophaea Hmpsn.

Cat. Lep. Phal. XI. p. 310 f. 109 (1912).

MEGATHRIPA Hmpsn.

Cat. Lep. Phal. XI. p. 319 (1912).

506a M. refimeda Hmpsn.

Ann. S.A. Mus. III. p. 429 (1905).

BLENINA Wlk.

Cat. XIII. p. 1214 (1857).

507 B. squamifera Wllgrn.

Wien. Ent. Mon. IV. p. 171 (1860).

508 B. quadripuncta Hmpsn.

Ann. S.A. Mus. II. p. 310 (1902).

RISOBA Moore.

P. Z. S. L. (1881) p. 328.

509 R. diplogramma Hmpsn.

Cat. Lep. Phal. XI. p. 441 pl. CLXXXVI. f. 6 (1912).

ACONTIANÆ.**CARIAS** Hübn.

Verz. p. 395 (1827)

510 E. citrina Saalm.

Lep. Madag. I. p. 178 (1884).

511 E. biplaga Wlk.

Cat. XXXV. p. 1773 (1866).

512 E. insulana Boisd.

Faun. Madag. p. 121 pl. 16 f. 9 (1833).

ab. anthophilana Snell.

Tijdschr. Ent. XXII. p. 96 pl. 8 f. 1 (1879).

513 E. cupreoviridis Wlk.

Trans. Ent. Soc. (3) I. p. 92 (1862).

CHLOROZADA Hmpsn.

Cat. Lep. Phal. XI. p. 517 (1912).

514 Chl. metaleuca Hmpsn.

A. M. N. H. (7) XVI. p. 598 (1905).

515 Chl. verna Hmpsn.

Ann. S.A. Mus. II. p. 318 (1902).

LOPHOCRAMA Hmpsn.

Cat. Lep. Phal. XI. p. 521 (1912).

516 L. phœnicochlora Hmpsn.

Cat. Lep. Phal. XI. p. 521 pl. CLXXXVIII. f. 24 (1912).

MAURILIA Möschl.

Verh. zool.-bot. Ges. Wien. XXXIII. p. 298 (1884).

517 M. arcuata Wlk.

Cat. XII. p. 779 (1857).

ACRIPIA Wlk.

- Cat. XXVII. p. 9 (1863).
- 518 A. scapularis Feld.
Reise Nov. pl. 111 f. 10 (1874).
- 519 A. subolivacea Wlk.
Cat. XXVII. p. 9 (1863).
- 520 A. leprosa Feld.
Reise Nov. pl. 111 f. 9 (1874).
- 521 A. chloropera Hmpsn.
Ann. S.A. Mus. II. p. 313 (1902).
- 522 A. semivirides Hmpsn.
Ann. S.A. Mus. II. p. 445 (1902).
- 523 A. poliotis Hmpsn.
Ann. S.A. Mus. II. p. 445 (1902).

GONIOCALPE Hmpsn.

- Cat. Lep. Phal. XI. p. 597 (1912).
- 524 G. sericealis Hmpsn.
Ann. S.A. Mus. II. p. 318 (1902)

WESTERMANNIA Hübn.

- Verz. p. 250 (1827).
- 525 W. convergens Hmpsn.
Ann. S.A. Mus. II. p. 315 (1902).

NEGETA Wlk.

- Cat. XXIV. p. 1105 (1862).
- 526 N. luminosa Wlk.
Cat. XV. p. 1759 (1858).
- 527 N. ruficeps Hmpsn.
Ann. S.A. Mus. II. p. 446 (1902).
- 528 N. nivea Hmpsn.
Ann. S.A. Mus. II. p. 315 (1902).

NEAXESTIS Hmpsn.

- Ann. S.A. Mus. II. p. 315 (1902).
- 529 N. griseata Hmpsn.
Ann. S.A. Mus. II. p. 316 (1902).
- 530 N. acutangula Hmpsn.
Ann. S.A. Mus. II. p. 316 (1902).
- 531 N. rhoda Hmpsn.
Ann. S.A. Mus. III. p. 429 (1905).

PARAXESTIS Hmpsn.

- Ann. S.A. Mus. II. p. 317 (1902).
- 532 P. rufescens Hmpsn.
Ann. S.A. Mus. II. p. 317 (1902).

ARCYOPHORA Guen.

- Noct. II. p. 378 (1852).
- 533 A. carniola Hmpsn.
Cat. Lep. Phal. XI. p. 643 pl. CXCI. f. 8
(1912).
- 534 A. longivalvis Guen.
Noct. II. p. 379 pl. 12 f. 9 (1852).
- 535 A. stali Wllgrn.
Wien. ent. Mon. VII. p. 144 (1863).

SETOCTENA Wllgrn.

Wien. ent. Mon. VII. p. 144 (1863).

536 *S. patricula* Hmpsnn.

Ann. S.A. Mus. II. p. 314 (1902).

537 *S. ledereri* Wllgrn.

Wien. ent. Mon. VII. p. 144 (1863).

ACONTIA Ochs.

Schmett. Eur. IV. p. 91 (1816).

538 *A. malvae* Esp.

Schmett. IV. 2 p. 63 pl. 195 f. 4 (1796).

539 *A. grælli* Feisth.

Ann. Soc. Ent. Fr. VI. p. 300 pl. 12 f. 3 (1837).

LEOCYMA Guen.

Noct. II. p. 212 (1852).

540 *L. appollinis* Guen.

Noct. II. p. 212 (1852).

541 *L. discophora* Hmpsnn.Cat. Lep. Phal. XI. p. 662 pl. CXCI. f. 19
(1912).542 *L. galatheaæ* Wllgrn.

Anteck. i. Zool. I. p. 58 (1856).

RHYNCODES Guen.

Noct. II. p. 394 (1852).

543 *Rh. phalæniformis* Guen.

Noct. II. p. 394 (1852).

CATOCALINÆ.**AUDEA** Wlk.

Cat. XII. p. 1134 (1857).

544 *Au. hypostigmata* Hmpsnn.Cat. Lep. Phal. XII. p. 211 pl. CCII. f. 5
(1913).545 *Au. bipunctata* Wlk

Cat. XII. p. 1135 (1857).

ab. *abbreviata* Strand.

Arch Naturges 79 A. 8 p. 65 (1914).

546 *Au. melaleuca* Wlk.

Cat. XXXIII. p. 921 (1865).

ab. *nigrior* Strand.

Arch. naturges 79 A. 8 p. 65 (1914).

547 *Au. fatilega* Feld.

Reise Nov. pl. 112 f. 9 (1874).

548 *Au. tegulata* Hmpsnn.

Ann. S.A. Mus. II. p. 325 (1902).

549 *Au. humeralis* Hmpsnn.

Ann. S.A. Mus. II. p. 327 (1902).

550 *Au. melanoplaga* Hmpsnn

Ann. S.A. Mus. II. p. 328 (1902).

551 *Au. fumata* Wllgrn.

Wien. ent. Mon. IV. p. 171 (1860).

- 552 Au. subligata Dist. Entom.
XXXVI. p. 212 (1902).

ULOTHRICOPUS Wllgrn.

- Svensk. Akad. Handl. V. 4 p. 76 (1865).
 553 U. catocala Feld.
 Reise Nov. pl. 116 f. 2 (1874).
 554 U. leucopasta Hmpsn.
 Cat. Lep. Phal. XII. p. 228 pl. CCH. f. 12.
 (1913).
 555 U. glaucescens Hmpsn.
 Cat. Lep. Phal. XII. p. 228 pl. CCH. f. 13.
 (1913).
 556 U. primulina Hmpsn.
 Ann. S.A. Mus. II. p. 326 (1902).
 ab. primulinodes Strand
 Arch. Naturges 79 A.8. p. 65 (1914).
 ab. primulinella Strand
 I.e. p. 65 (1914).
 557 U. mesoleuca Wlk.
 Cat. XV. p. 1812 (1858).
 558 U. tinetipennis Hmpsn.
 Ann. S.A. Mus. II. p. 327 (1902).
 559 U. variegata Hmpsn.
 Ann. S.A. Mus. II. p. 326 (1902).

HYPOTACHA Hmpsn.

- Cat. Lep. Phal. XII. p. 243 (1913).
 560 H. nigristria Hmpsn.
 Ann. S.A. Mus. II. p. 329 (1902).
 561 H. retracta Hmpsn.
 Ann. S.A. Mus. II. p. 329 (1902).

EGYBOLIS Boisd.

- Delegorgue Voy. Afr. Austr. II. p. 595 (1847).
 562 E. vaillantina Stoll.
 Suppl. Cram. p. 142 pl. 31 f. 3 (1790).

NYCTIPAO Hübn.

- Verz. p. 271 (1827).
 *563 N. walkeri Butl.
 A.M.N.H. (4) XVI. p. 406 (1875).

CYLIGRAMMA Boisd.

- Faun. Ent. Madag. Lep. p. 109 (1883).
 564 C. latona Cram.
 Pap. Exot. I. p. 20 pl. 13 f.B. (1779).
 565 C. magus Guer.
 Icon. Regn. Anim. Ins. p. 521 (1842).

*The South African specimens were formerly known by the name Nyctipao macrops, Lin. (see Hmpsn. Ann. S.A. Mus. II. p. 319 (1902), but this name is now reserved for the Indian forms.

- *566 C. limacina Guer.
Icon. Regn. Anim. Ins. p. 520 pl. 89 f. 2 (1829).

ENTOMOGRAMMA Guen.

Noct. III. p. 203 (1852).

- 567 E. pardus Guen.
Noct. p. 205 (1852).

ENMONODIA Wlk.

Cat. XIV. p. 1332 (1858).

- 568 E. plumbefusa Hmpsn.
Cat. Lep. Phal. XII. p. 325 pl. CCIX. f. 1 (1913).
- 569 E. capensis Herr-Schäff.
Aussereur. Schmett. ff. 121, 122 (1850).
- 570 E. endoxantha Hmpsn.
Cat. Lep. Phal. XII. p. 326 pl. CCIX. f. 7 (1913).
- 571 E. carneotincta Hmpsn.
Cat. Lep. Phal. XII. pl. CCIIL f. 14 (1913).

CALLIODES Guen

Noct. III. p. 192 (1852).

- 572 C. pretiosissima Holl.
Ent. XXV. Suppl. p. 94 (1892).

SPEIREDONIA Hübn.

Verz. p. 272 (1827).

- 573 S. glaucescens Butl.
P.Z.S. (1893) p. 680.
- 574 S. griseisigna Hmpsn.
Cat. Lep. Phal. XII. p. 348 (1913).
- 575 S. plicata Hmpsn.
P.Z.S.L. 1910 p. 429 pl. XXXVII. f. 25.

COMETASTER Hmpsn.

Cat. Lep. Phal. XII. p. 362 (1913).

- 576 C. pyrula Hppfr.
Mon. Kongl. Akad. Wiss. Berl. 1857 p. 422.

CTENUSA Hmpsn.

P.Z.S.L. (1910) p. 422

- 577 Ct. carnicolor Hmpsn.
Ann. S.A. Mus. II. p. 329 (1902).
- 578 Ct. pallida Hmpsn.
Ann. S.A. Mus. II. p. 321 (1902).
ab. rufescens Strand.
Arch. Naturges. 79 A.8 p. 69 (1914).

*In Ann. S.A. Mus. II. p. 322 (1902) Hampson referred the S. African specimens to **Cyligramma fluctuosa**, Drury, but in the Cat. Lep. Phal. XIII. (1913) the same worker brings them under **Cyligramma limacina**.

ACANTHONYX Hmpsn.

- Ann. S.A. Mus. II. p. 323 (1902).
- 579 A. marginalis Wlk.
Cat. XV. p. 1700 (1858).
ab. *gilva* Strand.
Arch. Naturges. 79 A.8 p. 69 (1914).
ab. *angulata* Strand.
l.c. p. 69 (1914).
ab. *antealaris* Strand.
l.c. p. 70 (1914).
- 580 A. *pretoriæ* Dist.
Entom. XXXV. p. 212 (1902).
ab. *zulu* Strand.
Arch. Naturges. 79 A.8 p. 69 (1914).

EUONYCHODES Warr.

- Ann. S.A. Mus. X p. 480 (1914).
- 581 Eu. *albivenata* Warr.
Ann. S.A. Mus. X p. 480 pl. XL. f. 14 (1914).

HOMÆA Guen.

- Noct. III. p. 206 (1852).
582 H. *hansali* Feld.
Reise Nov. pl. 117 f. 5 (1874).

MINIODES Guen.

- Noct. III. p. 119 (1852).
- 583 M. *discolor* Guen.
Noct. III. p. 119 (1852).

BRYOPHILA Schrank.

- Fauna Boica II. (2) p. 157 (1802).
583a B. *fulvifusca* Hmpsn
A.M.N.H. (7) p. 434 (1911).

DERMALEIPA Saalm.

- Lep. Madag. p. 460 (1891).
- 584 D. *rubricata* Holl.
Ent. News Philad. V. p. 57 (1894).
584a D. *parallelipipeda* Guen.
Noct. III. p. 230 (1852).
ab. *renimacula* Strand.
Arch. Naturges 79 A. 8 p. 70 (1914).
ab. *luteimacula* Strand.
l.c. p. 70 (1914).
ab. *brunneipicta* Strand.
l.c. p. 70 (1914).
ab. *ochribrunnea* Strand.
l.c. p. 70 (1914).

ANUA Wlk.

- Cat. XV. p. 1788 (1858).
585 A. *tirhaca* Cram.
Pap. Exot. L. p. 116 pl. 172 f. E. (1780).
586 A. *dianaris* Guen.
Noct. III. p. 232 (1852).
587 A. *umbrilinea* Hmpsn.
Ann. S.A. Mus. II. p. 342 (1902).

- 588 A. mejanesi Guen.
Noct. III. p. 232 (1852).
- 589 A. selenaris Guen.
Noct. III. p. 232 (1852).
- 590 A. dilecta Wlk.
Cat. XXXIII. p. 967 (1865).
- 591 A. finifascia Wlk.
Cat. XV. p. 1676 (1858).
- 592 A. violascens Hmpsn.
Ann. S.A. Mus. II. p. 446 (1902).
- 593 A. salita Dist.
A. M. N. H. (7) I. p. 228 (1898).
- 594 A. melaconisia Hmpsn.
Ann. S.A. Mus. III. p. 431 (1905).
- 595 A. fumida Hmpsn.
Cat. Lep. Phal. XII. p. 452 pl. CCXV. f. 14 (1913).
- 596 A. nocturnia Hmpsn.
Ann. S.A. Mus. II. p. 338 (1902).

HYPANUA Hmpsn.

- Cat. Lep. Phal. XII. p. 459 (1913).
- 597 H. xylina Dist.
A. M. N. II. (7) I. p. 229 (1898).

HELIOPHISMA Hmpsn.

- Cat. Lep. Phal. XII. p. 461 (1913).
- 598 H. croceipennis Wlk.
Cat. XIV. p. 1377 (1857).
- 599 H. xanthoptera Hmpsn.
P. Z. S. (1910) p. 418 pl. XXXVI. f. 22.

TOLNA Wlk.

- Proc. Nat. Hist. Glasg. I. p. 355 (1873).
- 600 T. synpnoides Butl.
A. M. N. H. (5) II. p. 464 (1878).
- 601 T. variegata Hmpsn.
Ann. S.A. Mus. III. p. 430 (1905).
- 602 T. limula Möschl.
Verh. Zool. bot. Ges. Wien. XXXIII. p. 303 pl. XVI. f. 17 (1883).

ACHÆA Hübn.

- Verz. p. 269 (1827).
- 603 A. mormoides Wlk.
Cat. XIV. p. 1293 (1858).
- 604 A. præstans Guen.
Noct. III. p. 241 pl. 22 f. 2 (1852).
ab. præstantis Strand.
Arch. Naturges. 79 A. 8 p. 72 (1914).
ab. brunnescens Strand.
l.c. p. 73.
ab. vafobrunnea Strand.
l.c. p. 73.
ab. lunulata Strand.
l.c. p. 73.
ab. cinereovirescens Strand.
l.c. p. 73.

- 605 A. echo Wlk.
Cat. XIV. p. 1374 (1858).
- †606 A. mabilli Saalm.
Pet. Nouv. Ent. II. p. 297 (1879).
- *607 A. mercatoria Fabr.
Syst. Ent. p. 604 (1775).
- 608 A. trapezoides Guen.
Maillard's Reunion Lep. p. 47 pl. 23 f. 2 (1862).
- 609 A. indeterminata Wlk.
Cat. XXXIII. p. 955 (1865).
- 610 A. boris Geyer.
Zutr. Ex. Schmett. V. p. 42 ff. 973, 974 (1837).
- 611 A. finita Guen.
Noct. III. p. 242 (1852).
- 612 A. sordida Wlk.
Cat. XXXIII. p. 955 (1865).
- 613 A. lienardi Boisd.
Ent. Madag. Lep. p. 102 pl. 15 f. 5 (1833).
- 614 A. catella Guen.
Noct. III. p. 247 (1852).

EUPHIUSA Hmpsn.

- Cat. Lep. Phal. XII. p. 550 (1913).
- 615 Eu. harmonica Hmpsn.
Ann. S.A. Mus. II. p. 335 (1902).

PARALLELIA Hüb.

- Verz. p. 269 (1827).
- 616 P. proxima Hmpsn.
Ann. S.A. Mus. II. p. 329 (1902).
- 617 P. conjunctura Wlk.
Cat. XV. p. 1830 (1858).
- 618 P. properans Wlk.
Cat. XIV. p. 1426 (1858).
- 619 P. algira Lin.
Syst. Nat. ed. XII. p. 836 (1767).
- 620 P. erectata Hmpsn.
Ann. S.A. Mus. II. p. 341 (1902).
- 621 P. derogans Wlk.
Cat. XV. p. 1832 (1858).
- 622 P. angularis Boisd.
Faun. Ent. Mad. Lep. p. 103 pl. 13 f. 2 (1833).
623. P. palumbioides Hmpsn.
Ann. S.A. Mus. II. p. 341 (1902).

†This species was formerly known by the name **Ophiusa illustrata** Wlk. (Hmpsn. Ann. S.A. Mus. II. p. 337), but this name is now reserved for Sierra Leone specimens which are from 70 to 72 mm.

*This species was before known as **Ophiusa faber**, Holl. (Hmpsn. Ann. S.A. Mus. II. p. 338), but this name is now applied to specimens from Sierra Leone; Gold Coast; S. Nigeria.

ACANTHODELTA Hmpsn.

A. M. N. H. (8) I. p. 487 (1908).

- 624 A. distriga Hmpsn.

A.M.N.H. (8) I. p. 487 (1908).

GRAMMODES Guen.

Noct. III. p. 275 (1852).

- 625 G. congenita Wlk.

Cat. XIV. p. 1443 (1857).

- 626 G. geometrica Fabr.

Syst. Ent. p. 599 (1775).

- 627 G. stolidia Fabr.

Syst. Ent. p. 599 (1775).

- 628 G. euclidioides Guen.

Noct. III. p. 276 (1852).

CHALCIOPE Hübn.

Verz. p. 268 (1827).

- 629 Ch. hyppasia Cram.

Pap. Exot. III. p. 99 pl. 250 f. E. (1779).

CUNEISIGNA Hmpsn.

Cat. Lep. Phal. XIII. p. 31 (1913).

- 630 C. obstans Wlk.

Cat. XIV. p. 1449 (1858).

- 631 C. cumamita Beth. Baker.

A.M.N.H. (8) VIII. p. 528 (1911).

- 632 C. rivulata Hmpsn.

Ann. S.A. Mus. II. p. 334 (1902).

PARACHALCIOPE Hmpsn.

Cat. Lep. Phal. XIII. p. 35 (1913).

- 633 P. euclidieola Wlk.

Cat. XIV. p. 1438 (1858).

- 634 P. nahura Feld.

Reise Nov. pl. 117 f. 13 (1874).

EUCLIDISEMA Hmpsn.

Cat. Lep. Phal. XIII. p. 40 (1913).

- 635 Eu. erecta Hmpsn.

Ann. S.A. Mus. II. p. 333 (1902).

- 636 Eu. delta Boisd.

Faun. ent. Mad. Lep. p. 105 pl. 13 f. 1 (1833).

MOCIS Hübn.

Verz. p. 267 (1827).

- 637 M. repanda Fabr.

Ent. Syst. III. 2 p. 49 (1794).

- 638 M. frugalis Fabr.

Syst. ent. p. 601 (1775).

- 639 M. undata Fabr.

Syst. ent. p. 600 (1775).

- 640 M. mutuaria Wlk.

Cat. XIV. p. 1506 (1858).

PLECOPTEROODES Hmpsn.

Cat. Lep. Phal. XIII. p. 141 (1913).

- 641 P. melliflua Holl.

Donaldson Smith's Unknown Africa, p. 416
(1897).

- 642 P. moderata Wllgrn.

Wien. ent. Mon. IV. p. 174 (1860).

- 642a ab. subflava Warr.

Ann. S.A. Mus. X p. 481 (1914).

- 643 P. deprivata Warr.

Ann. S.A. Mus. X. p. 481 pl. XL. f. 15 (1915).

CEROCALA Boisd.

Ind. Meth. p. 171 (1840).

- 644 C. vermiculosa Herr.-Schäff.

Aussereur. Schmett ff. 134, 135 (1850).

- 645 C. contraria Wlk.

Cat. XXXIV. p. 990 (1865).

PERICYMA Herr.-Schäff.

Schmett. Eur. II. p. 429 (1845).

- 646 P. atrifusa Hmpsn.

Ann. S.A. Mus. II. p. 324 (1902).

- 647 P. mendax Wlk.

Cat. XIII. p. 1047 (1857).

- 648 P. scandulata Feld.

Reise Nov. pl. 111 f. 22 (1874).

- 649 P. polygramma Hmpsn.

Cat. Lep. Phal. XIII. p. 311 f. 79 (1913).

CORTYTA Wlk.

Cat. XIII. p. 1076 (1857).

- 650 C. diapera Hmpsn.

Cat. Lep. Phal. XIII. p. 315 pl. CCXXXII. f.
14 (1913).

- 651 C. metaxantha Hmpsn.

Ann. S.A. Mus. II. p. 334 (1902).

- 652 C. balnearia Dist.

A. M. N. H. (7) I. p. 228 (1898).

- 653 C. vetusta Wlk.

Cat. XXXIII. p. 875 (1865).

- 654 C. phæcyma Hmpsn.

Cat. Lep. Phal. XIII. p. 321 pl. CCXXXII. f.
25 (1913).

- 655 C. canesceens Wlk.

Cat. XIII. p. 1077 (1857).

MOMINÆ.

ELÆODES Hmpsn.

Cat. Lep. Phal. XIII. p. 356 (1913).

- 656 E. acatharta Hmpsn.

Cat. Lep. Phal. XIII. p. 357 pl. CCXXXIV.
f. 1 (1913).

- 657 E. lutescens Herr.-Schäff.

Aussereur. Schmett. f. 127 (1850).

PHYTOMETRINÆ.

(PLUSIANÆ).

SYNGRAPHA Hüb.

Verz. p. 250 (1827).

658 S. circumflexa Lin.

Syst. Nat. ed. XII. p. 844 (1767).

PLUSIOPALPA Holl.

Psyche. VII. p. 9 (1894).

659 P. adrasta Feld.

Reise. Nov. pl. 110 f. 35 (1874).

PHYTOMETRA Haw.Lep. Brit. p. 254 (1809) * (*Plusia*) Ochs.Schmett. Eur. IV. p. 89 (1816), non descr.,
nec. Treit (1826).

660 Ph. lavendula Hmpsn.

Ann. S.A. Mus. II. p. 347 (1902).

661 Ph. phoecea Hmpsn.

A. M. N. H. (8) V. p. 433 (1910).

662 Ph. fracta Wlk.

Cat. XII. p. 920 (1857).

663 Ph. ealedona Hmpsn.

Ann. S.A. Mus. II. p. 346 (1902).

664 Ph. dorfmeisteri Feld.

Reise. Nov. pl. 110 f. 33 (1874).

665 Ph. ni Hüb.

Eur. Schmett. Noct. f. 284 (1802).

666 Ph. angulum Guen.

Noct. II. p. 350 (1852).

667 Ph. limbirena Guen.

Noct. II. p. 350 (1852).

668 Ph. furcifera Wlk.

Cat. XII. p. 927 (1857).

669 Ph. ablusa Feld.

Reise. Nov. pl. 110 f. 34 (1874).

670 Ph. violaceens Hmpsn.

Cat. Lep. Phal. XIII. p. 476 pl. CCXXXVII.

f. 15 (1913).

671 Ph. indicator Wlk.

Cat. XII. p. 922 (1857).

672 Ph. obtusisigna Wlk.

Cat. XII. p. 930 (1857).

673 Ph. distalagma Hmpsn.

Cat. Lep. Phal. XIII. p. 480 pl. CCXXXVII.

f. 17 (1913).

674 Ph. signata Fabr.

Ent. Syst. III. 2 p. 81 (1792).

675 Ph. acuta Wlk.

Cat. XII. p. 922 (1857).

*The genus *Plusia* is now reserved for a genus of the sub-family **Acronyctinæ**, of which **amethystina** is the type.

- 676 Ph. geminipuneta Hmpsn.
Ann. S.A. Mus. II. p. 347 (1902).
- 677 Ph. sestertia Feld.
Reise. Nov. pl. 110 f. 31 (1874).
- 678 Ph. clarki Hmpsn.
A. M. N. H. (8) V. p. 432 (1910).
- 679 Ph. exquisita Feld.
Reise. Nov. pl. 110 f. 30 (1874).
- 680 Ph. argyrodonta Hmpsn.
A. M. N. H. (8) V. p. 432 (1910).
- 681 Ph. transfixa Wlk.
Cat. XII. p. 884 (1857).
- 682 Ph. arachnoides Dist.
Entom. XXXIV. p. 285 (1901).
- 683 Ph. aranea Hmpsn.
Tr. Z. S. L. XIX. p. 112 pl. IV. f. 20 (1909).
- 684 Ph. tetrastigma Hmpsn.
A.M.N.H. (8) V. p. 431 (1910).
- 685 Ph. orichalcea Fabr.
Syst. Ent. p. 607 (1775).

ABROSTOLA Ochs.

Schmett. Eur. IV. p. 88 (1816).

- 686 A. triopsis Hmpsn.
Ann. S.A. Mus. II. p. 344 (1902).
- 687 A. brevipennis Wlk.
Cat. XV. p. 1784 (1858).

NOCTUINÆ.

PRIONOFRONTIA Hmpsn.

Ann. S.A. Mus. II. p. 350 (1902).

- 688 P. erygidia Hmpsn.
Ann. S.A. Mus. II. 351 (1902).

ANTIOPHILEBIA Feld.

Reise Nov. p. 2 (1874).

- 689 A. bracteata Feld.
Reise Nov. pl. 99 f. 18 (1874).

MELIABA Wlk.

Cat. XVI. p. 212 (1858).

- 690 M. pelopsalis Wlk.
Cat. XVI. p. 212 (1858).

EDEBASIS Hmpsn.

Ann. S.A. Mus. II. p. 352 (1902).

- 691 OE. ovipennis Hmpsn.
Ann. S.A. Mus. II. p. 352 (1902).

LABANDA Wlk.

Cat. XVII. p. 284 (1859).

- 692 L. bryochlora Hmpsn.
Ann. S.A. Mus. II. p. 352 (1902).

LACERA Guen.

Noct. III. p. 336 (1852).

694 L-alope Cram.

Pap. Exot. III. pl. 286 ff. E. F. (1779).

TAVIA Wlk.

Cat. XIV. p. 1275 (1858).

695 T. nycterina Boisd.

Fauna Ent. Mad. p. 109 pl. 13 f. 6 (1833).

SERRODES Guen.

Noct. III. p. 251 (1852).

696 S. inara Cram.

Pap. Exot. III. p. 239 f. E. (1779).

FACIDIA Wlk.

Cat. XXXIII. p. 951 (1865).

697 F. nigrofusca Wlk.

Cat. XXXIII. p. 952 (1865).

SPHINGOMORPHA Guen.

Noct. III. p. 220 (1852).

698 S. chlorea Cram.

Pap. Exot. II. pl. 104 f. C. (1779).

699 S. marshalli Hmpsn.

Ann. S.A. Mus. II. p. 354 (1902).

CATEPHIA Ochs.

Schmett. Eur. IV. p. 94 (1816).

700 C. nigrescens Wllgrn.

Anteckn. i. Zool. I. p. 64 (1856).

701 C. natalensis Hmpsn.

Ann. S.A. Mus. II. p. 355 (1902).

702 C. amplificans Wlk.

Cat. XV. p. 1810 (1858).

703 C. aquamosa Wllgrn.

Anteckn. i. Zool. I. p. 64 (1856).

704 C. striata Hmpsn.

Ann. S.A. Mus. II. p. 356 (1902).

704a C. diplogramma Hmpsn.

Ann. S.A. Mus. III. p. 432 (1905).

705 C. viresens Hmpsn.

Ann. S.A. Mus. II. p. 357 (1902).

706 C. dulistriga Wlk.

Cat. XV. p. 1811 (1858).

707 C. bipuncta Hmpsn.

Ann. S.A. Mus. II. p. 357 (1902).

707a C. barrettæ Hmpsn.

Ann. S.A. Mus. III. p. 432 (1905).

POLYDESMA Boisd.

Faun. Ent. Madag. Lep. p. 100 (1833)

- 708 P. collutrix Geyer.

Zutr. V. p. 22 No. 443 ff. 885, 886 (1827)

- 709 P. otiosa Guen.

Noct. II. p. 442 (1852).

- 710 P. inangulata Guen.

Noct. III. p. 210 (1852).

- 711 P. globulipes Wlk.

Cat. XXXIII. p. 885 (1865).

- 712 P. basilinea Hmpsn.

Ann. S.A. Mus. II. p. 359 (1902).

- 713 P. marmorifera Wlk.

Cat. XV. p. 1718 (1858).

- 714 P. quenavadi Guen.

Noct. II. p. 438 (1852).

- 715 P. amphix Cram.

Pap. Exot. II. pl. 134 f. C. (1779).

- 716 P. landula Guen.

Noct. II. p. 441 (1852).

PRORUACA Hmpsn.

Ann. S.A. Mus. II. p. 360 (1902).

- 717 P. recurrens Hmpsn.

Ann. S.A. Mus. II. p. 360 (1902).

- 718 P. harmonica Dist.

Entom. p. 284 (1901).

AUTHADISTIS Hmpsn.

Ann. S.A. Mus. II. p. 361 (1902)

- 719 Au. metaleuca Hmpsn.

Ann. S.A. Mus. II. p. 361 (1902).

PROCONIS Hmpsn.

Ann. S.A. Mus. II. p. 362 (1902).

- 720 P. abrostoloides Hmpsn.

Ann. S.A. Mus. II. p. 362 (1902).

CALESIA Guen.

Noct. III. p. 257 (1852).

- 721 C. zambesita Wlk.

Cat. XXXIII. p. 962 (1865).

- 722 C. phaeosoma Hmpsn.

Ill. Het. B.M. VIII. p. 90 pl. 147 f. 2 (1891).

MECODINA Guen.

Noct. III. p. 372 (1852).

- 723 M. subjecta Wlk.

Cat. XXXIII. p. 1012 (1865).

- 724 M. furcifera Hmpsn.

Ann. S.A. Mus. II. p. 363 (1902).

MESOGENEA Hmpsn.

Ann. S.A. Mus. II. 363 (1902).

- 725 M. varians Hmpsn.

Ann. S.A. Mus. II. p. 364 (1902).

- 726 *M. vinacea* Hmpsn.
Ann. S.A. Mus. II. p. 364 (1902).
727 *M. persinuosa* Hmpsn.
P.Z.S.L. p. 432 pl. 37 f. 10 (1910).

FODINA Guen.

- Noct. III. p. 274 (1852).
728 *F. embolophora* Hmpsn.
Ann. S.A. Mus. II .p. 364 (1902).

(BAREIA Wlk.

- Cat. XV. p. 1840 (1858).
729 *B. incidens* Wlk.
Cat. XV. p. 1840 (1858).

PLATYJA Hübn.

- Verz. p. 268 (1827).
729a *P. phæophœnica* Hmpsn.
Ann. S.A. Mus. III. p. 434 (1905).

THERMESIA Hübn.

- Verz. p. 20 (1827).
730 *Th. atriplaga* Wlk.
Cat. XV. p. 1795 (1858).
731 *Th. burrowsi* Butl.
A. M. N. H. (4) XVI. p. 408 (1875).
732 *Th. andersoni* Feld.
Reise Nov. pl. 115 f. 13 (1874).
733 *Th. loxogramma* Hmpsn.
Ann. S.A. Mus. II. p. 366 (1902).
734 *Th. irrorata* Fabr.
Ent. Syst. Ins. II. p. 506 (1781).
735 *Th. zonaria* Dist.
A. M. N. H. (7) I. p. 229 (1898).

ACANTHOLIPES Led.

- Noct. Eur. p. 198 (1857).
736 *A. trimeni* Feld.
Reise Nov. pl. 108 f. 7 (1874).
737 *A. circumdita* Wlk.
Cat. XV. p. 1763 (1858).
738 *A. trajecta* Wlk.
Cat. XXXIII. p. 986 (1865).
739 *A. annexa* Dist.
Ann. M. N. H. (7) I. p. 230 (1898).
740 *A. rufirena* Hmpsn.
Ann. S.A. Mus. II. p. 267 (1902).
741 *A. arctinotata* Wlk.
Cat. XXXIII. p. 989 (1865).
742 *A. miser* Butl.
P. Z. S. L. p. 166 (1883).
742a *A. loxia* Hmpsn.
Ann. S.A. Mus. III. p. 434 (1905).

PARATHERMES Hmpsni.

Ann. S.A. Mus. II. p. 368 (1902).

743 P. nigriceps Wlk.

Cat. XV. p. 1595 (1858).

744 P. digoniata Hmpsni.

Ann. S.A. Mus. II. p. 369 (1902).

745 P. zygia Wllgrn.

Wien. ent. Mon. VII. p. 149 (1863).

RHANIDOPHORA Wllgrn.

OEfv. Vet. Akad. Förh. XV. p. 213 (1858).

746 R. cinetigutta Wlk.

Trans. Ent. Soc. (3) I. p. 77 (1862).

747 R. ridens Hmpsni.

Ann. S.A. Mus. II. p. 370 (1902).

748 R. aurantiaca Hmpsni.

Ann. S.A. Mus. II. p. 370 (1902).

749 R. phedonia Stoll.

Pap. Exot. IV. pl. 347 f. C. (1782).

HYPOCALA Guen.

Noct. II. p. 73 (1852).

750 H. deflorata Fabr.

Ent. Syst. III. p. 472 (1792).

751 H. subsatura Guen.

Noct. III. p. 75 (1852).

PLUSIODONTA Guen.

Noct. II. p. 359 (1852).

752 P. commoda Wlk.

Cat. XXXII. p. 844 (1865).

753 P. natalensis Wlk.

Cat. XXXIII. p. 843 (1865).

754 P. wahlbergi Feld.

Reise. Nov. pl. 110 f. 27 (1874).

755 P. nictites Hmpsni.

Ann. S.A. Mus. II. p. 371 (1902).

OPHIDERES Boisd.

Faun. ent. Madag. Lep. p. 99 (1833).

756 O. materna Lin.

Syst. Nat. XII. p. 840 (1766).

757 O. divitiosa Wlk.

Tr. N. H. Glasg. I. p. 356 pl. XII. f. 11 (1873).

758 O. salaminia Fabr.

Ent. Syst. III. 2 p. 17 (1792).

CALPE Treit.

Schmett. Eur. V. pl. II. p. 168 (1825).

759 C. provocans Wlk.

Cat. XII. p. 943 (1857).

760 C. hieroglyphica Saalm.

Lep. Madag. p. 405 f. 208 (1891).

EXOPHILA Guen.

- Noct. II. p. 415 (1852).

- 761 Ex. multistriata Hmpsn.
A. M. N. II. (8) V. p. 434 (1910).

PLEURONA Wlk.

Cat. XXXV. p. 1564 (1866).

- 762 P. lepticynia Hmpsn.
Tr. Zool. Soc. Lond. p. 114 pl. IV. f. 21 (1909).

***CNODIFRONTIA** Hmpsn.

Ann. S.A. Mus. II. p. 375 (1902).

- 763 C. dissimilis Dist.
A. M. N. II. (7) I. p. 228 (1898).

†CALLOPISTRIA Hüb.

Verz. p. 216 (1827).

- 764 C. insularis Bußl.
A. M. N. II. (5) X. p. 230 (1882).
765 C. recurvata Moore.
Lep. Atk. p. 111 (1879).
766 C. latreilli Dup.
Lep. Fr. Noct. IV. pt. I. p. 327 pl. 120 f. 2
(1823).

‡SARMATIA Guen.

Delt. & Pyr. p. 25 (1854).

- 767 S. interitalis Guen.
Delt. & Pyr. p. 25 pl. 5 f. 1 (1854).

††TATHORYNCHUS Hmpsn.

Moth of India; II. p. 268 (1894).

- 768 T. plumbea Dist.
A. M. N. II. (7) I. p. 221 (1898).
— 769 T. homogyna Hmpsn.
Ann. S.A. Mus. II. p. 394 (1902).
— 770 T. vinetalis Wlk.
Cat. XXXIV. p. 1476 (1865).

*This genus is placed by Hampson in the **Erastriæ**, but in his later work on this family (Cat. Lep. Phal. vol. X.) this genus is omitted, so I suppose it has to be placed in the **Noctuinæ**.

†This genus is placed by Hampson in the **Erastriæ**, but in Cat. Lep. Phal. X. this genus is left out, so I presume that it has to be placed in this sub-family.

‡This genus is also placed by Hampson in his "South African Moths" in the **erastriæ**, but as he omits it in Vol. X of Cat. Lep. Phal., I bring it in the **Noctuinæ**, though, judging by the figure, I would say that it has to come in the **Hypeninæ**.

††This genus is also placed in the **Erastriæ** in Ann. S.A. Mus. II. p. 393, but left out in Cat. Lep. Phal. X., and I am pretty sure that it has to come in this sub-family.

RAPARNA Moore.

Lep. Atk. p. 177 (1882).

Note on *Tathorynchus* also applies here.

- 771 R. africana Snell.
Tijd. v. Ent. XV. p. 56 pl. 5 f. 1 (1872).
- 772 R. fragilis Butl.
A. M. N. H. (4) XIV. p. 413 (1875).
- 773 R. heliriusalis Wlk.
Cat. XVI. p. 112 (1858).
- 774 R. helesusalis Wlk.
Cat. XVI. p. 238 (1858).
- 775 R. tritonias Hmpsnn.
Ann. S.A. Mus. II. p. 395 (1902).

CIRRHÖDIA Guen.

Ann. de la Soc. Ent. Fr. p. 489 (1839).

- 776 C. accolata Feld.
Reise Nov. pl. 108 f. 22 (1874).

COSMOPHILA Boisd.

Faun. Ent. Madag. p. 94 (1833).

Note on *Tathorynchus* also applies here.

- 777 C. bidentata Hmpsnn.
P. Z. S. L. pl. 37 f. 11 p. 431 (1910).
- 778 C. erosa Hübn.
Zutr. Samml. Exot. Schmett. II. 19 ff. 287 et 288 (1827).
- 779 C. luporea Möschl.
Verh. zool.-bot. Ges. Wien. XXXIII. p. 300 pl. XVI. f. 15 (1883).
- 780 C. subrosealis Wlk.
Cat. XXXIV. p. 1158 (1865).
- 781 C. fulvida Guen.
Noct. II. p. 397 (1852).
- 782 C. sabulifera Guen.
Noct. II. p. 404 (1852).

BANIANA Wlk.

Cat. XV. p. 1843 (1858).

Note on *Tathorynchus* also applies here.

- 783 B. plumipes Wllgrn.
Wien. Ent. Mon. IV. p. 170 (1860).
- 784 B. hamifera Hmpsnn.
Ann. S.A. Mus. II. p. 401 (1902).
- 785 B. disjuneta Wlk.
Cat. XXXIII. p. 999 (1865).
- 786 B. poderis Wllgrn.
Wien. Ent. Mon. VII. p. 149 (1863).
- 787 B. atripuneta Hmpsnn.
Ann. S.A. Mus. II. p. 402 (1902).
- 788 B. unipuneta Hmpsnn.
Ann. S.A. Mus. II. p. 402 (1902).
- 789 B. arvorum Guen.
Noct. II. p. 258 (1852).
- 790 B. flaviceps Hmpsnn.
Ann. S.A. Mus. II. p. 403 (1902).

- 791 B. parallella Hmpsn.
Ann. S.A. Mus. II. p. 404 (1902).

BREVIPECTEN Hmpsn.

- Moths of India II. p. 361 (1894).
Note on *Tathorynchus* also applies here.

- 792 B. cornuta Hmpsn.
Ann. S.A. Mus. II. p. 404 (1902).

TOXOCAMPA Guen.

- Ann. Soc. Ent. Fr. p. 76 (1841).
Note on *Tathorynchus* also applies here.

- 793 T. salax Guen.
Noct. II. p. 428 (1852).

ANTARCHEA.

- 794 A. haemaceps Hmpsn.
Proc. Zool. Soc. Lond. p. 442 pl. 38 f. 10 (1910)

PLECOPTERA Guen.

- Noct. II. p. 429 (1852).
795 P. punctilineata Hmpsn.
Proc. Zool. Soc. Lond. p. 440 pl. 37 f. 9 (1910).
796 P. laniata Hmpsn.
Proc. Zool. Soc. Lond. p. 438 pl. 37 f. 35 (1910)
797 P. tripalis Wllgrn.
Wien. Ent. Mon. VII. p. 149 (1863).

XANTHOPTERA Guen.

- Noct. II. p. 240 (1852).
Note on *Tathorynchus* also applies here.

- 798 X. namaensis Guen.
Noct. II. p. 258 (1852).

(I really think that this species has to be placed in the genus *Acantholipes*).

- 799 X. sacraria Feld.
Reise Nov. pl. 108 f. 17 (1874).

MEGALODES Guen.

- Noct. II. p. 261 (1852).
*799a M. xanthia Hmpsn.
Ann. S.A. Mus. III. p. 434 (1905).

ERASTRIANÆ.

- EUBLEMMISTIS** Hmpsn.
Ann. S.A. Mus. II. p. 406 (1902).
800 Eu. chlorozonea Hmpsn.
Ann. S.A. Mus. II. p. 406 (1902).

*This genus and species was placed by Hampson in his "Moths of S.A." in the sub. fam. **Erastrianae**, but in the Cat. Lep. Phal. X. (1910) genus and species were omitted. So I think it will have to come in the **Noctuinæ**.

EUBLEMMA Hüb.

Verz. p. 256 (1827).

- 801 Eu. apicinacula Mab.
C. R. Ent. Soc. Belg. XXIII. p. XVIII. (1890).
- 802 Eu. trigramma Hmpsnn.
Proc. Zool. Soc. Lond. p. 411 (1910).
- 803 Eu. baccalix Swinh.
P. Z. S. I. p. 452 pl. 40 f. 7 (1886).
- 804 Eu. melanodonta Hmpsnn.
Cat. Lep. Phal. X. p. 81 pl. CL. f. 32 (1910).
- 805 Eu. fœdosa Guen.
Noct. II. p. 254 (1852).
- 806 Eu. flaviceps. Hmpsnn.
Ann. S.A. Mus. II. p. 422 (1902).
- 807 Eu. fulvitermina Hmpsnn.
Cat. Lep. Phal. X. p. 83 pl. CLI. f. 2 (1910).
- 808 Eu. punctilinea Hmpsnn.
Ann. S.A. Mus. II. p. 416 (1902).
- 809 Eu. stictilinea Hmpsnn.
Cat. Lep. Phal. X. p. 84 pl. CLI. f. 4 (1910).
- 810 Eu. goniogramma Hmpsnn.
Cat. Lep. Phal. X. p. 797 pl. CLXXIV. f. 6 (1910).
- 811 Eu. pyrastis Hmpsnn.
Cat. Lep. Phal. X. p. 187 pl. CLIV. f. 16 (1910).
- 812 Eu. eupethecica Hmpsnn.
Cat. Lep. Phal. X. p. 94 pl. CLI. f. 5 (1910).
- 813 Eu. thermosticta Hmpsnn.
Cat. Lep. Phal. X. p. 99 pl. CLI. f. 10
- 814 Eu. selleni Wlgrn.
Œfv. Vet. Akad. Forh. p. 112 (1875).
- 815 Eu. tritonia Hmpsnn.
Ann. S.A. Mus. II. p. 415 (1902).
- 816 Eu. anticalis Wlk.
Cat. XXXIV. p. 1202 (1865).
- 817 Eu. decora Wlk.
Proc. Nat. Hist. Soc. Glasg. I. p. 350 (1869).
- 818 Eu. rubripuncta Hmpsnn.
Ann. S.A. Mus. II. p. 415 (1902).
- 819 Eu. thermochora Hmpsnn.
Cat. Lep. Phal. X. p. 107 pl. CLI. f. 21 (1910)
- 820 Eu. flavinia Hmpsnn.
Ann. S.A. Mus. II. p. 411 (1902).
- 821 Eu. stygiochroa Hmpsnn.
Cat. Lep. Phal. X. p. 109 pl. CLI. f. 23 (1910)
- 822 Eu. bolinia Hmpsnn.
Ann. S.A. Mus. II. p. 411 (1902).
- 823 Eu. leucanitis Hmpsnn.
Cat. Lep. Phal. X. p. 111 pl. CLI. f. 26 (1910).
- 824 Eu. admota Feld.
Reise Nov. pl. 108 f. 31 (1874).
- 825 Eu. bipartita Hmpsnn.
Ann. S.A. Mus. II. p. 419 (1902).
- 826 Eu. leucomelana Hmpsnn.
Ann. S.A. Mus. II. p. 420 (1902).

- 827 Eu. staudingeri Wllgrn.
Œfv. Vet.-Akad. Förh. p. 112 (1875).
- 828 Eu. nigrivitta Hmpsnn.
Ann. S.A. Mus. II. p. 421 (1902).
- 829 Eu. flavicosta Hmpsnn.
Cat. Lep. Phal. X. p. 122 pl. CLII. f. 8 (1910).
- 830 Eu. apicata Dist.
A. M. N. H. (7) I. p. 225 (1898).
- 831 Eu. albivena Hmpsnn.
Ann. S.A. Mus. III. p. 429 (1905).
- 832 Eu. titanica Hmpsnn.
Cat. Lep. Phal. X. p. 798 pl. CLXXIV. f. 9 (1910).
- 833 Eu. anachoresis Wllgrn.
Wien. Ent. Mon. VII. p. 148 (1863).
- 834 Eu. acarodes Swinh.
A.M.N.H. (7) XIX. p. 53 (1907).
- 835 Eu. lentirosea Hmpsnn.
Cat. Lep. Phal. X. p. 133 pl. CLII. f. 24 (1910).
- 836 Eu. glaucizona Hmpsnn.
A. M. N. H. (8) I. p. 489 (1908).
- 837 Eu. ochrobasis Hmpsnn.
Cat. Lep. Phal. X. p. 135 pl. CLII. f. 26 (1910).
- 838 Eu. exigna Wlk.
Cat. XII. p. 823 (1857).
- 839 Eu. rivula Moore.
Lep. Atk. p. 140 (1882).
- 840 Eu. flavida Hmpsnn.
Ann. S.A. Mus. II. p. 419 (1902).
- 841 Eu. ornatula Feld.
Reise Nov. pl. 108 f. 19 (1874).
- 842 Eu. sperans Feld.
Reise Nov. pl. 108 f. 9 (1874).
- 843 Eu. sabia Feld.
Reise Nov. pl. 108 f. 16 (1874)
- 844 Eu. mesophaea Hmpsnn.
Cat. Lep. Phal. X. p. 145 pl. CLIII. f. 3 (1910).
- 845 Eu. delicata Feld.
Reise Nov. pl. 108 f. 13 (1874).
- 846 Eu. minima Guen.
Noct. II. p. 246 (1852).
- 847 Eu. scitula Rmbr.
Ann. Soc. Ent. Fr. p. 26 pl. II. f. 16 (1833).
- 848 Eu. therma Hmpsnn.
Cat. Lep. Phal. X. p. 154 pl. CLIII. f. 11 (1910).
- 849 Eu. versicolora Wlk.
Journ. Linn. Soc. Zool. VII. p. 58 (1864).
- 850 Eu. daphneana Hmpsnn.
Cat. Lep. Phal. X. p. 174 pl. CLIII. f. 30 (1910).
- 851 Eu. ragusana Frr.
Neue Beitr. V. p. 92 pl. 437 f. I. (1844).

- 852 Eu. costimacula Saalm.
Lep. Madag. p. 365 f. 114 (1891).
- 853 Eu. eethæmata Hmpsn.
Proc. Zool. Soc. p. 262 pl. X. f. 6 (1896).
- 854 Eu. plumbosa Dist.
A. M. N. H. (7) III. p. 462 (1899).
- 855 Eu. pemicillata Hmpsn.
Ann. S.A. Mus. II. p. 422 (1902).
- 856 Eu. uninotata Hmpsn.
Ann. S.A. Mus. II. p. 422 (1902).
- 857 Eu. chionophlebia Hmpsn.
Cat. Lep. Phal. X. p. 191 pl. CLIV. f. 27 (1910).
- 858 Eu. leuconeura Hmpsn.
Cat. Lep. Phal. X. p. 192 pl. CLIV. f. 28 (1910).

HOLOCRYPTIS Lucas.

- Linn. Soc. N.S.W. (2) VII. p. 256 (1892).
- 859 H. erosides Hmpsn.
Ann. S.A. Mus. II. p. 422 (1902).

CERYNEA Wlk.

- Cat. XIX. p. 878 (1859).
- 860 C. thermesialis Wlk.
Cat. XXXIV. p. 1211 (1865).
- 861 C. endotrichalis Hmpsn.
Cat. Lep. Phal. X. p. 214 f. 55 (1910).
- 862 C. virescens Hmpsn.
Cat. Lep. Phal. X. p. 224 pl. CLV. f. 23 (1910).

CHRYOZONATA Hmpsn.

- A. M. N. H. 13 p. 175 (1914).
- 862a Chr. purpurascens Hmpsn.
l.c. p. 175 (1914).

LOPHOCYTTARA Hmpsn.

- l.c. p. 197 (1914).
- 862b L. phœnicoxantha Hmpsn.
l.c. p. 197 (1914).

LOPHORUZA Hmpsn.

- Cat. Lep. Phal. X. p. 225 (1910).
- 863 L. lithina Holl.
Psyche. VII. p. 113 (1894)

ORUZA Wlk.

- Cat. XXIV. p. 1089 (1862).
- 864 O. latifera Wlk.
Proc. N. H. Soc. Glasg. I. p. 375 (1873).

PARORUZA Hmpsn.

- Ann. S.A. Mus. II. p. 406 (1902).
- 865 P. subductata Wlk.
Cat. XXIII. p. 790 (1861).

- *866 *P. lateritia* Feld.
Reise Nov. pl. 128 f. 24 (1874).

CORGATHA Wlk.
Cat. XVI. p. 215 (1858).

- 867 *C. producta* Hmpsn.
Ann. S.A. Mus. II. p. 405 (1902).

PROTARACHA Hmpsn.
Cat. Lep. Phal. X. p. 373 (1910).

- 868 *P. melaphora* Hmpsn.
Cat. Lep. Phal. X. p. 374 pl. CLX., f. 2 (1910)

UNCULA Swinh.
Cat. Het. Mus. Oxon. II. p. 52 (1900).

- 869 *U. tristigmatias* Hmpsn.
Ann. S.A. Mus. II. p. 392 (1902).

HICCODA Moore.
Lep. Atk. p. 134 (1882).

- 870 *H. migripalpis* Wlk.
Cat. XXXV. p. 1965 (1866).

PHYLLOPHILA Guen.
Noct. II. p. 254 (1852).

- 871 *Ph. griseola* Feld.
Reise Nov. pl. 108 f. 10 (1874).
872 *Ph. rufescens* Hmpsn.
Ann. S.A. Mus. II. p. 391 (1902) (nec Feld).
873 *Ph. flavitermina* Hmpsn.
Ann. S.A. Mus. II. p. 391 (1902).
874 *Ph. torrefacta* Dist.
A.M.N.H. (7) I. p. 223 (1898).

CRETONIA Wlk.
Cat. XXXV. p. 1735 (1866).

- 875 *C. ethiopica* Hmpsn.
C. L. Ph. X. p. 389 pl. CLX. f. 12 (1910).

NEOCHROSTIS Hmpsn.
Ann. S.A. Mus. II. p. 406 (1902).

- 876 *N. diprogramma* Hmpsn.
Ann. S.A. Mus. II. p. 407 (1902).

OZARBA Wlk.
Cat. XXXII. p. 684 (1865).

- 877 *O. orthozona* Hmpsn.
Ann. S.A. Mus. II. p. 409 (1902).

*This species was considered by Felder to be a Geometrid, but Mr. Prout informs me that it is a Noctuid, and that when Sir George Hampson's attention was drawn to it, he identified it as a *Paroriza*.

- 878 *O. abscissa* Wlk.
Cat. XV. p. 1764 (1858).
- 879 *O. madanda* Feld.
Reise Nov. pl. 108 f. 28 (1874).
- 880 *O. accincta* Dist.
A. M. N. II. (7) I. p. 221 (1898).
- 881 *O. punctigera* Wlk.
Cat. XXXII. p. 685 (1865).
- 882 *O. corniculans* Wllgrn.
Wien. Ent. Mon. IV. p. 173 (1860).
- 883 *O. cyanopasta* Hmpsnn.
Cat. Lep. Phal. X. p. 416 pl. CLXI. f. 2 (1910).
- 884 *O. metachrysea* Hmpsnn.
Cat. Lep. Phal. X. p. 417 pl. CLXI. f. 4 (1910).
- 885 *O. contempta* Wlk.
Cat. XV. p. 1762 (1858).
- 886 *O. hemiochra* Hmpsnn.
Cat. Lep. Phal. X. p. 420 pl. CLXI. f. 11 (1910).
- 887 *O. semipurpurea* Hmpsnn.
Ann. S.A. Mus. II. p. 412 (1902).
- 888 *O. consanguinis* Hmpsnn.
Ann. S.A. Mus. II. p. 413 (1902).
- 889 *O. hemimelana* Pag.
Voeltkow. Reise in Ost Africa II. p. 109 pl. 6 f. 18 (1907), nec Moore 1884.
- 890 *O. bipartita* Hmpsnn.
Ann. S.A. Mus. II. p. 413 (1902).
- 891 *O. isocampta* Hmpsnn.
Cat. Lep. Phal. X. 421 pl. CLXI. f. 18 (1910).
- 892 *O. nigroviridis* Hmpsnn.
Ann. S.A. Mus. II. p. 411 (1902).
- 893 *O. cinerea* Aur.
Œfv. Vet.-Ak. Förh. p. 68 (1879).
- 894 *O. cryptochrysea* Hmpsnn.
Ann. S.A. Mus. II. p. 409 (1902).
- 895 *O. fulvescens* Hmpsnn.
Cat. Lep. Phal. X. p. 427 pl. CLXI. f. 26 (1910).
- 896 *O. flavipennis* Hmpsnn.
Cat. Lep. Phal. X. p. 428 pl. CLXI. f. 27 (1910).
- 897 *O. heliastis* Hmpsnn.
Ann. S.A. Mus. II. p. 410 (1902).
- 898 *O. densa* Wlk.
Cat. XXXIII. p. 773 (1865).
- 899 *O. acelivis* Feld.
Reise Nov. pl. 108 f. 24 (1874).
- 900 *O. perssoni* Wllgrn.
Œfv. Vet.-Akad. Förh. p. 114 (1875).
- 901 *O. varia* Wlk.
Cat. XXXIII. p. 772 (1865).
- 902 *O. subterminalis* Hmpsnn.
Proc. Zool. Soc. Lond. p. 407 (1910).

- 903 O. binorbis Hmpsn.
Cat. Lep. Phal. X. p. 435 pl. CLXII. f. 3
(1910).
- 904, O. bisexualis Hmpsn.
Cat. Lep. Phal. X. p. 435 pl. CLXII. ff. 4, 5
(1910).
- 905 O. hypoxantha Wllgrn.
Wien. Ent. Mon. IV. p. 173 (1860).
- 906 O. albinmarginata Hmpsn.
Moths of India IV. p. 515 (1896).
- 907 O. hemipolia Hmpsn.
Cat. Lep. Phal. X. p. 443 pl. CLXII. f. 15
(1910).
- 908 O. inobtrusa Hmpsn.
Ann. S.A. Mus. II. p. 414 (1902).
- 909 O. phaea Hmpsn.
Ann. S.A. Mus. II. p. 414 (1902).
- 910 O. atrifera Hmpsn.
Cat. Lep. Phal. X. p. 455 pl. CLXII. f. 32
(1910).
- 911 O. perplexa Saalm.
Lep. Madag. p. 281 f. 161 (1891)
- 912 O. illimitata Warr.
Ann. S.A. Mus. X. p. 478 pl. XL. f. 23 (1914).
- 913 O. regia Warr.
Ann. S.A. Mus. X. p. 477 pl. XL. f. 20 (1914).

PENISA Warr.

- *914 P. albigrisea Warr.
Ann. S.A. Mus. X. p. 477 pl. XL. f. 21 (1914).

AMYNA Guen.

- 915 A. octo Guen.
Noct. I. p. 406 (1852).
- 916 A. punctum Fabr.
Noct. I. p. 233 (1852).
- 916 A. punctum Fabr.
Ent. Syst 3, 2 p. 34 (1794).
ab. 1 spoliata Wlk.
Cat. XIII. p. 1050 (1057).

EDERASTRIA Hmpsn.

- Ann. S.A. Mus. II. p. 375 (1902).
- 917 E. ectorhoda Hmpsn.
Ann. S.A. Mus. II. p. 375 (1902).

XANTHOZONA Hmpsn.

- Cat. Lep. Phal. X. p. 487 (1910).
- 918 X. leucoglene Mab.
Bull. Soc. Ent. Belg. XXIII. p. XVIII. (1880).

*This species and genus will probably have to come somewhere near *Eublemmisticis*.

LITHACODIA Hübn.

Verz. p. 205 (1827).

- 919 L. blandula Guen.
Maillard's Reunion, Lep. p. 38 (1863).
 920 L. caffristis Hmpsnn.
Ann. S.A. Mus. II. p. 377 (1902).
 921 L. varicolora Hmpsnn.
Ann. S.A. Mus. II. p. 377 (1902).
 922 L. normalis Hmpsnn.
Cat. Lep. Phal. X. p. 537 pl. CLXIV. f. 32
(1910).
 923 L. binorbis Hmpsnn.
Ann. S.A. Mus. II. p. 379 (1902).

EUSTROTIA Hübn.

Verz. p. 253 (1827).

- 924 Eu. albifissa Hmpsnn.
Ann. S.A. Mus. II. p. 393 (1902).
 925 Eu. albibasis Hmpsnn.
Ann. S.A. Mus. II. p. 393 (1902).
 926 Eu. olivula Guen.
Noct. II. p. 231 pl. X. f. 8 (1852).
 927 Eu. genuflexa Hmpsnn.
Ann. S.A. Mus. II. p. 398 (1902).
 928 Eu. catoxantha Hmpsnn.
Cat. Lep. Phal. X. p. 593 pl. CLXVI. f. 18
(1910).
 528a Eu. schencki Strand.
Wien. ent. Zeits. 31 p. 234 (1912).
 929 Eu. albifascia Wlk.
Cat. XXXIII. f. 771 (1865).
 930 Eu. decisima Wlk.
Cat. XXXIII. p. 805 (1865).
 931 Eu. opella Swinh.
Proc. Zool. Soc. Lond. p. 456 pl. 27 f. 16 (1885)
 932 Eu. bryophilina Hmpsnn.
Cat. Lep. Phal. X. p. 607 pl. CLXVII. f. 5
(1910).

PSEUDOMICRODES Rebel.

Denk. Math.-Nat. Akad. Wissen LXXI. p. 52
(1907).

- 933 Ps. fuscipars Hmpsnn.
Cat. Lep. Phal. X. p. 614 pl. CLXVII. f. 13
(1910).
 934 Ps. mediocrua Hmpsnn.
Cat. Lep. Phal. X. p. 614 t.f. 163 (1910).
 935 Ps. ochrocraspis Hmpsnn.
Cat. Lep. Phal. X. p. 617 pl. CLXVII. f. 17
(1910).
 936 Ps. ecrufa Hmpsnn.
Ann. S.A. Mus. III. p. 438 (1905).

EULOCASTRA Butl.

Trans. Ent. Soc. 1886 p. 419.

937 Eu. aethiops Dist.

A. M. N. H. (7) I. p. 223 (1898).

938 Eu. hypotaenia Wllgrn.

Wien. Ent. Mon. IV. p. 173 (1860).

MIMASURA Hmpsn.

Cat. Lep. Phal. X. p. 634 (1910).

939 M. unipuneta Hmpsn.

Ann. S.A. Mus. II. p. 398 (1902).

940 M. quadripuneta Hmpsn.

Proc. Zool. Soc. Lond. p. 412 (1910).

941 M. tripuncta Hmpsn.

Ann. S.A. Mus. II. p. 398 (1902).

942 M. innotata Hmpsn.

Proc. Zool. Soc. Lond. p. 412 (1910).

MENEPTERA Hmpsn.

Cat. Lep. Phal. X. p. 640 (1910).

943 M. diopis Hmpsn.

Ann. S.A. Mus. III. p. 435 (1905).

THYATIRINA Hmpsn.

Cat. Lep. Phal. X. p. 650 (1910).

944 Th. achatina Weym.

Berl. Ent. Zeit. XLI. p. 90 pl. 8 f. 3 (1896)

CARDIOSACE Hmpsn.

Cat. Lep. Phal. X. p. 706 (1910).

945 C. bidentata Hmpsn.

Ann. S.A. Mus. II. p. 389 (1902).

946 C. parilis Wllgrn.

Anteckn. i. Zool. I. p. 60 (1856).

947 C. olivescens Hmpsn.

Cat. Lep. Phal. X. p. 708 pl. CLXX. f. 20 (1910).

947a C. erffai Grünb.

Ent. Rdseh. 30 p. 141 (1913).

948 C. triphænoides Wllgrn.

Anteckn. i. Zool. I. p. 59 (1856).

949 C. natalis Guen.

Noct. II. p. 217 (1852).

950 C. sphendonistis Hmpsn.

Ann. S.A. Mus. II. p. 384 (1902).

HOPLOTARACHE Hmpsn.

Cat. Lep. Phal. X. p. 712 (1910).

951 H. nubila Hmpsn.

Cat. Lep. Phal. X. p. 715 pl. CLXX. f. 23 (1910).

952 H. dispar Wlk.

Cat. XII. p. 790 (1857).

953 H. mionides Hmpsn.

Ann. S.A. Mus. III. p. 435 (1905).

METAPIOPLASTA Wllgrn.

Svensk. Vet.-Akad. Handl. V. 3 p. 70 (1864).

954 M. insocia Wlk.

Cat. XII. p. 788 (1857).

955 M. silus Wllgrn.

Öfver. af. Kongl. Vet-Akad. Förh. p. 111
(1875).

TARACHE Hübn.

Verz. p. 261 (1827).

956 T. hyperlophia Hmpsnn.

Ann. S.A. Mus. II. p. 387 (1902).

957 T. zelleri Wllgrn.

Anteckn. i. Zool. I. p. 59 (1856).

958 T. gratiosa Wllgrn.

Anteckn. i. Zool. I. p. 59 (1856).

959 T. guttifera Feld.

Reise. Nov. pl. 108 f. 26 (1874).

960 T. nubilata Hmpsnn.

Ann. S.A. Mus. II. p. 390 (1902).

961 T. nitidula Fabr.

Mant. Ins. II. p. 126 (1787).

962 T. wallengreni Aur.

OEfv. Ak. Förh. XXXVI. (7) p. 61 (1879).

963 T. umbrigera Feld.

Reise. Nov. pl. 108 f. 34 (1874).

964 T. antica Wlk.

Trans. Ent. Soc. Lond. (3) I. p. 90 (1862).

965 T. wahlbergi Wllgrn.

Anteckn. i. Zool. I. p. 58 (1856).

966 T. cyanocraspis Hmpsnn.

Cat. Lep. Phal. X. p. 776 pl. CLXXIII. f. 14
(1910).

967 T. porphyrea Butl.

Proc. Zool. Soc. Lond. p. 420 (1898).

968 T. citripennis Hmpsnn.

Cat. Lep. Phal. X. p. 778 pl. CLXIII. f. 17
(1910).

969 T. spangbergi Aur.

OEfv. Ak. Förh. XXXVI. (7) p. 62 (1879).

970 T. psaliphora Hmpsnn.

Cat. Lep. Phal. X. p. 781 pl. CLXXIII. f. 21
(1910).

971 T. chrysoproctis Hmpsnn.

Ann. S.A. Mus. II. p. 387 (1902).

972 T. gradata Wlk.

Cat. XII. p. 788 (1857).

973 T. niphogona Hmpsnn.

Trans. Zool. Soc. Lond. XIX. p. 109 pl. IV.
f. 17 (1909).

974 T. caffraria Cram.

Pap. Exot. II. p. 82 pl. 147 f. F. (1779).

975 T. discoidea Hopffr.

Peters'. Reise. Moz. p. 433 pl. 28 f. 9 (1862).

976 T. margaritata Drury.

Ill. Exot. Ins. III. pl. 21 f. 6 (1782).

- 977 *T. tetragonisa* Hmpsnn.
Cat. Lep. Phal. X. p. 790 pl. CLXXIII. f. 29
(1910).
978 *T. leucotrigona* Hmpsnn.
Ann. S.A. Mus. III. p. 436 (1905).

RHODOTARACHE Warr.

- Ann. S.A. Mus. X. p. 478 (1914).
979 *Rh. roseofusea* Warr.
Ann. S.A. Mus. X. p. 478 pl. XL. f. 17 (1914).

HYPENINÆ.

EPISPARIS Wlk.

- Cat. X p. 475 (1856).
980 *E. leucotessellis* Hmpsnn.
Ann. S.A. Mus. II. p. 424 (1902).

DISTICTA Hmpsnn.

- Ann. S.A. Mus. II. p. 424 (1902).
981 *D. atava* Feld.
Reise. Nov. pl. 119 f. 4 (1874).

PSEUDAGLOSSA Grote.

- Bull. Buff. Soc. Nat. Sci. II. p. 47 (1874).
982 *Ps. gigantalis* Hmpsnn.
Ann. S.A. Mus. II. p. 425 (1902).
983 *Ps. auge* Hmpsnn.
Ann. S.A. Mus. II. p. 425 (1902).
984 *Ps. pulverea* Hmpsnn.
Ann. S.A. Mus. II. p. 426 (1902).
985 *Ps. nubifera* Hmpsnn.
Ann. S.A. Mus. II. p. 426 (1902)

EGNASIA Wlk.

- Cat. XVI. p. 216 (1858).
986 *E. vicaria* Wlk.
Cat. XXXV. p. 1972 (1866).

ZETHES Ramb.

- Ann. Soc. ent. Fr. 1833 p. 29.
987 *Z. caffra* Guen.
Noct. III. p. 370 (1852).
988 *Z. arida* Hmpsnn.
Ann. S.A. Mus. II. p. 427 (1902).

MAGULABA Wlk.

- Cat. XXXIV. p. 1126 (1865).
989 *M. imparata* Wlk.
Cat. XV. p. 1777 (1858).
990 *M. goleta* Feld.
Reise. Nov. pl. 120 pl. 5 (1874).

HYPENA Schrank.

- Fauna Boica II. 2 p. 163 (1802).
- 991 H. erastialis Wlk.
Cat. XXIV. p. 1135 (1865).
- 992 H. polycyma Hmpsnn.
Ann. S.A. Mus. II. p. 420 (1902).
- 993 H. derasalis Guen.
Delt. and Pyr. p. 27 pl. 1 f. 2 (1854).
- 994 H. strigata Fabr.
Suppl. Ent. Syst. p. 467 (1798).
- 995 H. megaproctis Hmpsnn.
Ann. S.A. Mus. II. p. 430 (1902).
- 996 H. mesomelana Hmpsnn.
Ann. S.A. Mus. II. p. 420 (1902).
- 997 H. varialis Wlk.
Cat. XXXIV. p. 1136 (1865).
- 998 H. holophaea Hmpsnn.
Ann. S.A. Mus. II. p. 431 (1902).
- 999 H. inconspicua Butl.
A. M. N. H. (!) XVI. p. 413 (1875).
- 1000 H. namaqualis Guen.
Delt. & Pyr. pl. 28 (1854).
- 1001 H. potamistis Hmpsnn.
Ann. S.A. Mus. II. p. 431 (1902).
- 1002 H. melanistis Hmpsnn.
Ann. S.A. Mus. II. p. 432 (1902).
- 1003 H. rectivittalis Moore.
Proc. Zool. Soc. Lond. p. 84 (1867).
- 1004 H. ectoglauea Hmpsnn.
Ann. S.A. Mus. II. p. 432 (1902).
- 1005 H. lividalis Hübn.
Samml. Eur. Schmett. Pyr. ff. 11 p. 186 (1827).
- 1006 H. masurialis Guen.
Delt. & Pyr. p. 28 (1854).

RHYNCHINA Guen.

- Delt. & Pyr. p. 20 (1854).
- 1007 Rh. reniferalis Guen.
Delt. & Pyr. p. 24 (1854).
- 1008 Rh. equalis^{?"} Wlk.
Cat. XXVII. p. 199 (1863).
- 1009 Rh. poliopera Hmpsnn.
Ann. S.A. Mus. II. p. 433 (1902).
- 1010 Rh. tintalis Zell.
Vet.-Ak. Handl. 1852, p. 9 (1854).
- 1011 Rh. revolutalis Zell.
Vet.-Ak. Handl. 1852 p. 9 (1854).

RHÆSENA Wlk.

- Cat. XXXV. n. 1973 (1866).
- 1012 Rh. subentralis Wlk.
Cat. XXXIV. n. 1167 (1865).
- 1013 Rh. prunescens Hmpsnn.
Ann. S.A. Mus. II. p. 435 (1902).
- 1014 Rh. capensis Wlk.
Trans. Ent. Soc. Lond. (3) I. p. 110 (1862).

NAARDA Wlk.

Cat. XXXV. p. 1694 (1866).

- 1015 *N. leucopis* Hmpsn.
Ann. S.A. Mus. II. p. 435 (1902).
 1016 *N. xanthopis* Hmpsn.
Ann. S.A. Mus. II. p. 435 (1902).
 1017 *N. melanomma* Hmpsn.
Ann. S.A. Mus. II. p. 436 (1902).
 1018 *N. ovaliplaga* Warr.
Ann. S.A. Mus. X. p. 481 pl. XL. f. 19 (1914).

LEIORHYNX Hmpsn.

Ann. S.A. Mus. II. p. 436 (1902).

- 1019 *L. argentifascia* Hmpsn.
Ann. S.A. Mus. II. p. 436 (1902).

CHUSARIS Wlk.

Cat. XVI. p. 215 (1858).

- 1020 *Ch. venata* Warr.
Ann. S.A. Mus. X. p. 482 pl. XL. f. 22 (1914).

NODARIA Guen.

Delt. & Pyr. p. 63 (1854).

- 1021 *N. perarcuata* Hmpsn.
Ann. S.A. Mus. II. p. 437 (1902).
 1022 *N. externalis* Guen.
Delt. & Pyr. p. 64 (1852).
 1023 *N. melaleuca* Hmpsn.
Ann. S.A. Mus. II. p. 437 (1902).
 1024 *N. luctuosa* Hmpsn.
Ann. S.A. Mus. II. p. 438 (1902).
 1025 *N. extinctalis* Zell.
Vet.-Akad. Handl. 1852 p. 13 (1854).

HYDRILLODES Guen.

Delt & Pyr. p. 65 (1854).

- 1026 *H. uliginosalis* Guen.
Delt. & Pyr. p. 66 (1854).

ALELIMMA Hmpsn.

Moths of India III. p. 47 (1895).

- 1027 *A. pallicostalis* Hmpsn.
Ann. S.A. Mus. II. p. 439 (1902).
 1027a *A. grisea* Hmpsn.
Ann. S.A. Mus. III. p. 438 (1905).

TETRACME Hmpsn.

Ann. S.A. Mus. II. p. 439 (1902).

- 1028 *T. truncataria* Wlk.
Cat. XXIII. p. 847 (1861).

HYBLÆINÆ.**HYBLÆA** Fabr.

Ent. Syst. III. 2 p. 127 (1794).

1029 *H. pueria* Cram.

Pap. Exot. II. 10 pl. 103 f. D.E. (1779).

PTEROOTHYSANIDÆ.**PTEROCEROTA** Hmpsn.

Ann. S.A. Mus. III. p. 389 (1905).

1030 *Pt. virginica* Hmpsn.

Ann. S.A. Mus. III. p. 389 (1905).

HIBRILDIS Druee.

Proc. Zool. Soc. Lond. p. 675 (1888).

1031 *H. ansorgei* Kirby.A. M. N. H. (6) XVIII. p. 388 pl. XIX. f. 7
(1896).**LYMANTRIADÆ.**—**BAZISA** Wlk.

Cat. XXXII. p. 398 (1865).

1032 *B. perculta* Dist.

A. M. N. H. (6) XX. p. 201 (1897).

—**OGOA** Wlk.

Cat. VII. p. 1764 (1856).

1033 *O. simplex* Wlk.

Cat. VII. p. 1764 (1856).

CIMOLA Wlk.

Cat. IV. p. 817 (1855).

1034 *C. opalina* Wlk.

Cat. IV. p. 817 (1855).

LEPIDOPALPUS Janse.

Ann. Transv. Mus. V. p. 9 pl. I. f. 4 (1915).

It is quite well possible that this genus should be placed in the Pterothysanidæ, as the absence of the frenulum points to this. Some other characters, however, are distinctly Lymantrid.

1035 *L. hyalina* Janse.

Ann. Transv. Mus. V. p. 10 pl. III. f. 15 (1915)

—**OLAPA** Wlk.

Cat. IV. p. 823 (1855).

1036 *P. furva* Hmpsn.

Ann. S.A. Mus. III. p. 391 (1905).

1037 *O. nigricosta* Hmpsn.

Ann. S.A. Mus. III. p. 392 (1905).

1038 *O. nuda* Holl.

Don Smith's Travels p. 409 pl. f. 5 (1897).

- ▷ 1039 O. flabellaria Fabr.
Mant. Ins. II. p. 188 (1787).

PIRGA Auriv.
Ent. Tidskr. p. 192 (1892).

- 1040 P. transvalensis Janse.
Ann. T. Mus. V. p. 13 pl. III. f. 1 (1915).

BRACHAROA Hmpsn.
Ann. S.A. Mus. III. p. 392 (1905).

- 1041 B. quadripunctata Wllgrn.
Œfv. Vet. Ak. Förh. p. 99 (1875).
1042 B. dregei Herr.-Schäff.
Aussereur. Schmett f. 114 (1854).

*ORGYIA Oehs.
Schmett. Eur. III. p. 208 (1810).

- †1043 O. tricolor Herr.-Schäff.
Exot. Schmett. pl. 82 f. 472 (1850).

†REDOA Wlk.
Cat. IV. p. 826 (1855).

- 1044 R. melanocraspis Hmpsn.
Ann. S.A. Mus. III. p. 393 (1905).

BICELLUPHORA Janse.
Ann. Transv. Mus. V. p. 16 pl. II. f. 5 (1915).

- 1045 B. argentea Janse.
Ann. Transv. V. p. 17 pl. III. f. 2 (1915).

LACIPA Wlk.
Cat. IV. p. 790 (1855).

- 1046 L. sareistis Hmpsn.
Ann. S.A. Mus. III. p. 403 (1905).

*In the Ann. Transv. Mus. V. p. 14, I wrote that I did not think this genus to be represented in South Africa, but since then I saw some specimens in the South African Museum which are labelled *Orgyia tricolor* H.-S. Dr. Peringuey kindly presented a male and a wingless female to me, which I have not had the opportunity yet to study in detail. I have little doubt that the specimens belong to this genus, though there are some structural points of difference.

†Hab. S. Africa. In coll. S.A. Museum and coll. Janse, specimens all bred at the same time from caterpillars found in Cape Town. The caterpillars were at that time so abundant as to do damage to cultivated plants, though they were never seen before, nor after the date (Sept., 1913), when Mr. Lightfoot collected a fair number and bred them through. It is peculiar that the species has not been met with since.

†I have found that Swinhoe, Trans. Ent. Soc., Lond., p. 378 (1903), has sunck *Redoa* as a synonym to *Leucoma*. Hampson, in 1905, does not accept this view, and as I have no material to investigate this point, I follow Sir George Hampson and keep *Redoa* as separate from *Leucoma*.

- 1047 *L. pulvrea* Dist.
A.M.N.H. (7) I. p. 117 (1898).
- 1048 *L. picta* Boisd.
Del. Voy. Afric. Austr. II. p. 599 (1847).
- 1049 *L. quadripuneta* Dew.
Verh. L.C. Akad. XLVIII. p. 67 pl. III. f. 4 (1881).
- 1050 *L. gemmata* Dist.
A.M.N.H. (6) XX. p. 200 (1897).
- 1051 *L. nobilis* Herr.-Schäff.
Ausserer. Schmett. f. 388 (1855).

CREAGA Wlgrn.

- K. Vet. Akad. Handl. (2) V. p. 38 (1865)
- 1052 *C. dealbata* Herr.-Schäff.
Ausserer. Schmett. f. 111 (1854).

CROPERA Wlk.

- Cat. IV. p. 825 (1855).
- 1053 *C. testacea* Wlk.
Cat. IV. p. 826 (1855).
- 1054 *C. cericea* Hmpsn.
A.M.N.H. (8) V. p. 441 (1910).

CROREMA Wlk.

- Cat. IV. p. 811 (1855).
- 1055 *C. adspersa* Herr.-Schäff.
Ausserer. Schmett. f. 109 (1854).
- *1056 *C. fulvinotata* Butl.
P. Z. S. L. p. 678 (1893).

DASYCAMPNA Janse.

- Ann. Transv. Mus. V. p. 25 pl. V. f. 1 (1915).
- 1057 *D. ianthina* Janse.
Ann. Transv. Mus. V. p. 26 pl. III. ff. 3, 4 (1915).

DASYCHIRA Steph.

- Ill. Brit. Ent. Haus. II. p. 58 (1829).
- 1058 *D. fusea* Wlk.
Cat. IV. p. 918 (1855).
- 1059 *D. municipalis* Dist.
A. M. N. H. (6) XX. p. 200 (1897).

*I have just examined a specimen from Salisbury (J. O'Neil, 27.11.1914), preserved in the S.A. Museum, which is almost certainly *Crorema fulvinotata*. The description given by Butler is very short, and indicates at least five postmedial spots on the forewing. In this specimen are only three spots visible, and of these the first spot, before vein 2, is hardly visible. The two other spots, between vein 2, 3 and 3, 4, are distinct, but light orange, and with some yellow scales terminally. The supposed two spots, opposite the discocellular, are not visible. The length of this female is 53 m.m.

- 1060 D. vilis Feld.
Reise Nov. pl. 100 f. 7 (1874).
- 1061 D. curvivirgata Karsch.
Ent. Nachr. p. 373 pl. IV. f. 3 (1895).
- 1062 D. extorta Dist.
A. M. N. H. (6) XX. p. 203 (1897).
- 1063 D. lunensis Hmpsn.
Ann. S.A. Mus. III. p. 400 (1905).
- γ 1064 D. whitei Druce.
A. M. N. H. (7) I. p. 209 (1898).
- 1065 D. georgiana Fawcett.
Tr. Zool. Soc. XV. p. 314 pl. XLIX. f. 19, 20,
21 (1900).
- 1066 D. octophora Hmpsn.
Ann. S.A. Mus. III. p. 402 (1905).
- 1067 D. rocana Swinh.
A.M.N.H. (7) XVII. p. 545 (1906).
- 1068 D. pyrosoma Hmpsn.
A.M.N.H. (8) V. p. 450 (1910).
- 1069 D. greeni Janse.
Ann. Transv. Mus. V. p. 33 pl. III. f. 5.6
(1915).
- 1070 D. herbida Wlk.
Cat. VII. p. 1740 (1856).
- 1071 D. postpura Hmpsn.
Ann. S.A. Mus. III. p. 397 (1905).
- 1072 D. rubrifilata Hmpsn.
Ann. S.A. Mus. III. p. 399 (1905).
- 1073 D. escota Hmpsn.
Ann. S.A. Mus. III. p. 399 (1905).
- 1074 D. libyra Druce.
A. M. N. H. (6) XVII. p. 352 (1896).
- 1075 D. metathermes Hmpsn.
Ann. S.A. Mus. III. p. 400 (1905).
- 1076 D. proleprota Hmpsn.
Ann. S.A. Mus. III. p. 401 (1905).
- 1077 D. atrifilata Hmpsn.
Ann. S.A. Mus. III. p. 401 (1905).
- 1078 D. extatura Dist.
A. M. N. H. (6) XX. p. 202 (1897).
- 1079 D. gwelila Swinh.
Trans. Ent. Soc. Lond. p. 469 (1903).
- 1080 D. mascarena Butl.
A. M. N. H. (5) II. p. 294 (1878).
- 1081 D. bryophilina Hmpsn.
A. M. N. H. (8) V. p. 450 (1910).
- 1082 D. confinis Dist.
A. M. N. H. (7) IV. p. 360 (1899).
- 1083 D. poliotis Hmpsn.
A. M. N. H. (8) V. p. 449 (1910).

LÆLIA Steph.

Syst. Cat. Brit. II. p. 52 (1829).

- 1084 L. punctulata Butl.
A. M. N. H. (4) XVI. p. 400 (1875).

- △ 1085 *L. subrosea* Wlk.
Cat. IV. p. 801 (1855).
- 1086 *L. diascia* Hmpsnn.
Ann. S.A. Mus. III. p. 395 (1905).
- 1087 *L. bifascia* Hmpsnn.
Ann. S.A. Mus. III. p. 396 (1905).
- 1088 *L. figlina* Dist.
A. M. N. H. (7) IV. p. 361 (1899).
- 1089 *L. xyleutis* Hmpsnn.
Ann. S.A. Mus. III. p. 396 (1905).
- 1090 *L. clarki* Janse.
Ann. Transv. Mus. V. p. 38 pl. III. ff. 7, 8 (1915).
- 1091 *L. subviridis* Janse.
Ann. Transv. Mus. V. p. 39 pl. III. f. 9 (1915).
- 1092 *L. swinnyi* Janse.
Ann. Transv. Mus. V. p. 40 pl. III. ff. 10, 11 (1915).
- 1093 *L. aureus* Janse.
Ann. Transv. Mus. V. p. 41 pl. III. f. 12 (1915).
- 1094 *L. robusta* Janse.
Ann. Transv. Mus. V. p. 41 pl. III. f. 13 (1915).
- 1095 *L. nigripulverea* Janse.
Ann. Transv. Mus. V. p. 42 pl. III. f. 14 (1915).
- 1096 *L. phlebitis* Hmpsnn.
Ann. S.A. Mus. III. p. 394 (1905).
- 1097 *L. setinoides* Holl.
Psyche. VI. p. 431 (1893).
- 1098 *L. haematica* Hmpsnn.
Ann. S.A. Mus. III. p. 395 (1905).
- 1099 *L. amabilis* Auriy.
Œfv. Vet.-Akad. Förh. XXXVI. (7) p. 58 (1879).

PSALIS Hübn.

- Zutr. 2 p. 19 (1827) non-descr.
- 1100 *Ps. securis* Hübn.
Zutr. 2 p. 19 ff. 291, 292 (1827).

LYMANTRIA Hübn.

- Verz. p. 160 (1827).
- 1101 *L. modesta* Wlk.
Cat. IV. p. 859 (1855).
- 1102 *L. albimacula* Willgrn.
Kongl. Svensk. Vet.-Akad. Handl. Bb. V. No. 4 p. 35 (1865).

POLYMONA Wlk.

- III. p. 768 (1855).
- 1103 *P. rufifemur* Wlk.
Cat. III. p. 768 (1855).

ACLONOPHLEBIA Butl.

- P. Z. S. L. p. 428 (1898).
- 1104 *A. rhodalipha* Feld.
Reise Nov. pl. 100 f. 25 (1874).

- 1105 A. lugardi Swinh.
Transv. Ent. Soc. Lond. p. 493 (1903).
1106 A. rhodea Hmpsn.
Ann. S.A. Mus. III. p. 405 (1905).

7) ORNITHOPSYCHE Wllgrn.
Kongl. Svensk. Vet. Akad. Hand. Bd. V. No. 4 p. 35 (1865).

- ♂ 1107 O. discalis Wlk.
Cat. IV. p. 792 (1855).
1108 O. difficilis Wlk.
Cat. XXXII. p. 328 (1865).
1109 O. quadrimaculata Janse.
Ann. Transv. Mus. V. p. 50 pl. VI. f. 6 pl. III. f. 16 (1915).
1110 O. melanoleuca Hmpsn.
Ann. S.A. Mus. III. p. 408 (1905).

7) MICRAROA Hmpsn.
Ann. S.A. Mus. III. p. 404 (1905).
1111 M. rufescens Hmpsn.
Ann. S.A. Mus. III. p. 405 (1905).
1112 M. minima Janse.
Ann. Transv. Mus. V. p. 53 pl. III. f. 17 (1915).

7) HOMOCHIRA Hmpsn.
Ann. S.A. Mus. III. p. 409 (1905).
♂ 1113 H. rendalli Dist.
A. M. N. H. (6) XX. p. 203 (1897).

- EUPROCTIS Hübn.
Verz. p. 159 (1827).
- △ 1114 Eu. terminalis Wlk.
Cat. IV. p. 794 (1855).
1115 Eu. punctifera Wlk.
Cat. IV. p. 792 (1855).
1116 Eu. iridescentia Janse.
Ann. Transv. Mus. V. p. 56 pl. III. f. 18 pl. VII. f. 6 (1915).
1117 Eu. eriocata Boisd.
Voy. Delegorgue II. p. 599 (1847).
1118 Eu. fasciata Wlk.
Cat. IV. p. 809 (1855).
1119 Eu. nigripunctata Janse.
Ann. Transv. Mus. V. p. 58 pl. III. f. 19 (1915).
1120 Eu. haemodetes Hmpsn.
Ann. S.A. Mus. III. p. 408 (1915).
♂ 1121 Eu. rufopunctata Wlk.
Trans. Ent. Soc. Lond. (3) I. p. 265 (1862).
1122 Eu. stramenicolor Janse.
Ann. Transv. Mus. V. p. 59 pl. III. f. 20 (1915).
1123 Eu. bicolor Janse.
Ann. Transv. Mus. V. p. 59 pl. III. f. 21 pl. VII. f. 5 (1915).

- 1124 Eu. pallida Kirby.
A. M. N. H. (6) XVIII. p. 384 pl. XIX. f. 6
(1896).
- 1125 Eu. stellata Dist.
A. M. N. H. (6) XX. p. 202 (1897).
- 1126 Eu. flavieineta Janse.
Ann. Transv. Mus. V. p. 61 pl. III f. 27 (1915).
- 1127 Eu. aspersa Feld.
Reise. Nov. pl. 100 f. 6 (1874).
- 1128 Eu. squamosa Wlk.
Cat. IV. p. 920 (1855).
- 1129 Eu. mesozona Hmpsnn.
Ann. S.A. Mus. III. p. 407 (1905).
- 1130 Eu. sanguignita Hmpsnn.
Ann. S.A. Mus. III. p. 407 (1905).
- 1131 Eu. crocosticta Hmpsnn.
Ann. S.A. Mus. III. p. 408 (1905).

PORTHESIA Steph.

- Brit. ent. Haust. II. p. 65 (1829).
- 1132 P. natalensis Janse.
Ann. Transv. Mus. V. p. 62 pl. III. ff. 22, 23
(1915).
- 1133 P. hardenbergia Janse.
Ann. Transv. Mus. V. p. 64 pl. III. f. 24 (1915).
- 1134 P. sub-alba Janse.
Ann. Transv. Mus. V. p. 64 pl. III. f. 25
(1915).

NAROMA Wlk.

Cat. VII. p. 1744 (1856)

- 1135 N. signifera Wlk.
Cat. VII. p. 1744 (1856).

PTEREOOA Hmpsnn.

- Ann. S.A. Mus. III. p. 411 (1905).
- 1136 Pt. monosticta Butl.
P. Z. S. L. p. 428, pl. XXXII. f. 7 (1898).
- 1137 Pt. usebria Swinh.
Trans. Ent. Soc. Lond. p. 382 (1903).
- 1138 Pt. plumosa Hmpsnn.
Ann. S.A. Mus. III. p. 412 (1905).

CYMAROA Hmpsnn.

- Ann. S.A. Mus. III. p. 410 (1905).
- 1139 C. leptopepla Hmpsnn.
Ann. S.A. Mus. III. p. 411 (1905).

RHYPOPTERYX Auriv.

- Œfv. Ak. Förh. XXXVI. (7) p. 57 (1879).
- 1140 Rh. sordida Auriv.
Œfv. Ak. Förh. XXXVI. (7) p. 57 (1879).

REPENA Wlk.

Cat. IV. p. 800 (1855).

- 1141 R. (?) fusca Wlk.

Cat. VII. p. 1724 (1856).

HOMOEOMERIA Wllgrn.

K. Vet. Akad. Handl. (2) V. (4) p. 36 (1865).

- 1142 H. flavicapilla Wllgrn.

Wien. ent. Mon. IV. p. 163 (1860).

PYGETERA Kirby.

Cat. p. 446 (1892).

- 1143 P. boldingii Feld.

Reise Nov. pl. 99 f. 8 (1874).

OREINOBIA Wllgrn.

K. Vet. Akad. Handl. (2) V. (4) p. 34 (1865).

- 1144 O. scurrilis Wllgrn.

Wien. ent. Mon. IV. p. 163 (1860).

HYPSIDÆ.

HYPSA Hübn.

Verz. p. 172 (1827.)

- 1145 H. speciosa Drury.

Ill. Ex. Ent. II. pl. 5 f. 2 (1773).

- 1146 H. baumanniana Karsch.

Ent. Nachr. XXI. p. 269 pl. III. f. 5 (1895).

- 1147 H. subretracta Wlk.

Cat. VII. p. 1676 (1856).

- 1148 H. conspicua Swinh.

A. M. N. H. (7) XI. p. 503 (1903).

- 1149 H. antica Wlk.

Cat. VII. p. 1673 (1856).

DIGAMA Moore.

Lep. E. I. C. p. 297 (1859).

- 1150 D. spilosoma Feld.

Reise Nov. pl. 106 f. 20 (1874).

- 1151 D. nepheloptera Hmpsn.

A. M. N. H. (8) V. p. 452 (1910).

- 1152 D. sinuosa Hmpsn.

Ann. S.A. Mus. III. p. 414 (1905).

- 1153 D. strabonis Hmpsn.

A. M. N. H. (8) V. p. 453 (1910).

- 1154 D. culta Hübn.

Zutr. Ex. Schmett. III. p. 13 ff. 433-4 (1827).

- 1155 D. aganais Feld.

Reise Nov. pl. 106, f. 21 (1874).

- 1156 D. ostentata Dist.

A. M. N. H. (7) III. p. 463 (1899).

- 1157 D. meridionalis Swinh.

A. M. N. H. 7 (XIX.) p. 51 (1907).

DIOTA Wllgrn.

- Svensk. Handl. (2) V. (4) p. 46 (1865).
- 1158 D. basifurea Wlk.
Cat. XXXII. p. 335 (1865).
- 1159 D. rostrata Wllgrn.
Wien. ent. Mon. IV. p. 161 (1860).

DEILEMERA Hüb.

- Verz. p. 178 (1827).
- 1160 D. leueonoe Hopff.
Monat. Akad. Bul. p. 422 (1857).

ALYTARCHIA Wllgrn.

- Wien. ent. Mon. VII. p. 147 (1863).
- 1161 A. amanda Boisd.
Deleg. Voy. Afr. Austr. II. p. 597 (1847).
- 1162 A. bellatrix Dalm.
Anal. Ent. p. 50 (1823).

PITTHEA Wlk.

- Cat. II. p. 463 (1854).
- 1163 P. mungi Plötz.
Stett. ent. Zeit. XLI. p. 82 (1880).

SOLOE Wlk.

- Cat. II. p. 545 (1854).
- 1164 S. funipennis Hmpsni.
A. M. N. H. (8) V. p. 455 (1910).

SPHINGIDÆ.**ACHERONTIINÆ.**

HERSE Oken.

- Lehrb. Naturg. III. p. 762 (1815).
- 1166 H. convolvuli Lin.
Syst. Nat. ed. X. p. 490 (1758).

ACHERONTIA Lasp.

- Jen. Allg. Lit. Zeit. IV. p. 99 (1809).
- 1167 A. atropos Lin.
Syst. Nat. ed. X. p. 490 (1758).
- *1168 A. styx Westw.
Cab. Or. Ent. p. 88 pl. 42 f. 3 (1848).

*Originally from the Indo Malayan sub-region, but recorded from Barberton. [Most probably imported. (Jord. & Rothschr. Nov. Zool. IX. Suppl. p. 23 (1903).)]

COELONIA Roths. & Jord.

Nov. Zool. IX. Suppl. p. 24 (1903).

- 1169
- C. fulvinotata*
- Butl.

Proc. Zool. Soc. Lond. p. 11 (1875).

POLIANA Roth. & Jord.

Nov. Zool. IX. Suppl. 38 (1903).

- 1170
- P. natalensis*
- Butl.

Proc. Zool. Soc. Lond. p. 13 (1875).

OLIGOGRAPHA Roths. & Jord.

Nov. Zool. IX. Suppl. p. 48 (1903).

- 1171
- O. juniperi*
- Boisd.

Del. Voy. Afr. Austr. II. p. 595 (1847).

HOPLISTOPUS Roths. & Jord.

Nov. Zool. IX. Suppl. p. 49 (1903).

- 1172
- H. penricei*
- Roths. & Jord.

Nov. Zool. IX. Suppl. p. 50 pl. XII. f. 5 (1903)

- 1173
- H. butti*
- Roths. & Jord.

Nov. Zool. IX. Suppl. p. 50 pl. V. f. 15 (1903).

PRÆDORA Roths. & Jord.

Nov. Zool. IX. Suppl. p. 50 (1903).

- 1174
- P. marshalli*
- Roths. & Jord.

Nov. Zool. IX. Suppl. p. 51 V. f. 16 (1903).

AMBULICINÆ.

BATOCLEMA Roths. & Jord.

Nov. Zool. IX. Suppl. p. 190 (1903).

- 1175
- B. africanus*
- Dist.

A. M. N. H. (7) III. p. 179 (1899).

PSEUDOCLANIS Roths. & Jord.

Nov. Zool. I. p. 96 (1894).

- 1176
- Ps. postica*
- Wlk.

Cat. VIII. p. 237 (1856).

PLATYSPHINX Roths. & Jord.

Nov. Zool. IX. Suppl. p. 224 (1903).

- 1177
- P. stigmatica*
- Mab.

Bull. Soc. Zool. France II. p. 491 (1878).

- 1178
- P. piabilis*
- Dist.

A. M. N. H. (6) XIX. p. 580 (1897).

LEPTOCLANIS Roths. & Jord.

Nov. Zool. IX. Suppl. p. 228 (1903).

- 1179
- L. pulchra*
- Roths. & Jord.

Nov. Zool. IX. Suppl. p. 228 pl. LXVI. f. 9^a (1903).

- 1180
- L. basalis*
- Wlk.

Cat. XXXV. p. 1858 (1866).

POLYPTYCHUS Hübn.

- Verz. p. 141 (1822).
- 1181 *P. grayi* Wlk.
Cat. VIII. p. 249 (1856).
- 1182 *P. falcatus* Roths. & Jord.
Nov. Zool. IX. Suppl. p. 247 pl. X. f. 12 (1903).
- 1183 *P. compar* Roths. & Jord.
Nov. Zool. IX. Suppl. p. 251 (1903).
- 1184 *P. marshalli* Roths. & Jord.
Nov. Zool. IX. Suppl. p. 253 pl. XIV. f. 14 (1903).
- 1185 *P. numerosæ* Wllgrn.
Wien. ent. Mon. IV. p. 42 (1860).
- 1186 *P. contraria* Wlk.
Cat. VII. p. 1735 (1856).
- 1187 *P. mutata* Wlk.
Cat. IV. p. 873 (1855).
- 1188 *P. baxteri* Roths. & Jord.
Nov. Zool. XV. p. 259 (1908).

LOPHOSTETHUS Butl.

- Trans. Zool. Soc. Lond. IX. p. 585 (1877).
- 1189 *L. dumolini* Angas.
Kaff. Illustr. pl. 30 f. II. (1849).

LIKOMA Roths. & Jord.

- Nov. Zool. IX. Suppl. p. 265 (1903).
- 1190 *L. apicalis* Roths. & Jord.
Nov. Zool. IX. Suppl. p. 265 (1903).

SESIINÆ.

CEPHONODES Hübn

- Verz. p. 131 (1822).
- 1191 *C. hylas* sub-spec. *virescens* Wllgrn.
Kongl. Sven. Ak. Handl. (2) V. 4 pl. 17 (1865).

PHILAMPELINEÆ.

DEILEPHILA Lasp.

- Jen. Allg. Lit.-Zeit. IV. p. 99 (1809).
- 1192 *D. nerii* Lin.
Syst. Nat. ed. X. p. 490 (1758).

NEPHELE Hübn.

- Verz. p. 133 (1822).
- 1193 *N. van* Wlk.
Cat. VIII. p. 197 (1856).
- 1194 *N. comma* Hopff.
Monatsber Ak. Wiss. Berl. p. 421 (1857).
- 1195 *N. comma* f. *derasa* Roths. & Jord.
Nov. Zool. IX. suppl. p. 556 (1903).
- 1196 *N. bipartita* Butl.
A. M. N. H. (5) II. p. 455 (1878).
- 1197 *N. peneus* Cram.
Pap. Exot. I. p. 139 pl. 88 f. D. (1776).

- 1198 *N. accentifera* Beauvois.
Ins. Afr. Amer. p. 264 f. I (1805).
1199 *N. argentifera* Wlk.
Cat. VIII. p. 194 (1856).

TEMNORA Hüb.

- Verz. p. 114 (1856).
1200 *T. inornatum* Roths.
Nov. Zool. I. p. 71 pl. 5 f. 8 (1895).
1201 *T. murina* Wlk.
Cat. VIII. p. 163 (1856).
1202 *T. namaqua* Roths & Jord.
Nov. Zool. IX. suppl. p. 571 pl. VII. f. 2 (1903).
1203 *T. marginata* Wlk.
Cat. VIII. p. 185 (1856).
1204 *T. plagiata* Wlk.
Cat. VIII. p. 105 (1856).
1205 *T. zantus* Herr.-Schäff.
Ausser Eur. Schmett. I. pl. 23 f. 105 (1854).
1206 *T. natalis* Wlk.
Cat. VIII. p. 104 (1856).
1207 *T. pylas* Cram.
Pap. Exot. III. p. 23 pl. 206 f. A. (1779).
1208 *T. pseudopylas* Roths & Jord.
Nov. Zool. IX. Suppl. p. 583 (1903).
1209 *T. pylades* Roths. & Jord.
Nov. Zool. IX. Suppl. p. 583 (1903).

ODONTOSIDA Roths. & Jord.

- Nov. Zool. IX. Suppl. p. 586 (1903).
1210 *O. pusillus* Feld.
Reise Nov. pl. 82 f. I. (1874).
1211 *O. magnificum* Roths.
Nov. Zool. I. p. 71 pl. 5 f. 7 (1894).

SPHINGONÆPIOPSIS Wllgrn.

- Gefv. Vet. Ak. Förh. XV. p. 138 (1858).
1212 *Sph. nanum* Boisd.
Del. Voy. Afr. Austr. p. 594 (1847).

MICROSPHINX Roths. & Jord.

- Nov. Zool. IX. Suppl. p. 593 (1903).
1213 *M. pumilum* Boisd.
Del. Voy. Afr. Austr. p. 594 (1847).

MACROGLOSSUM Scopoli.

- Inter. Hist. Nat. p. 414 (1777).
1214 *M. trochilus* Hüb.
Samm. Ex. Schmett. II. pl. 158 (1824).

LEUCOSTROPHUS Roths. & Jord.

- Nov. Zool. IX. Suppl. p. 671 (1903).
1215 *L. hirundo* Gerst.
Wieg. Arch. Naturg. XXXVII. p. 360 (1871).

CHÆROCAMPINÆ.

CELERIO Oken.

Lehrb. Naturg. III. p. 761 (1815).

- 1216 C. lineata f. livornica Esp.
Schmett. II. p. 88 (1779).

RHODAFRA Roths. & Jord.

Nov. Zool. IX. Suppl. p. 740 (1903).

- 1217 Rh. opheltes Cram.
Pap. Ex III. p. 164 pl. 285 f. B. (1780).
1218 Rh. marshalli Roths. & Jord.
Nov. Zool. IX. Suppl. p. 741 (1903).

EUCHLORON Boisd.

Spec. Gen. Lep. Het. I. p. 213 (1875).

- 1219 Eu. megæra Lin.
Syst. Nat. ed. X. p. 492 (1758).

BASIOTHIA Wlk.

Cat. VIII. p. 124 (1856).

- 1220 B. medea Fabr.
Spec. Ins. II. p. 143 (1781).
1221 B. charis Boisd.
Del. Voy. Afr. Austr. p. 595 (1847).
1222 B. schenki Möschl.
Stett. ent. Zeit XXXIII. p. 339 (1872).

HIPPOTION Hübn.

Verz. p. 134 (1822).

- 1223 H. osiris Dalman.
Anal. Ent. p. 48 (1823).
1224 H. celerio Lin.
Syst. Nat. ed. X. p. 491 (1758).
1225 H. eson Cram.
Pap. Ex. III. p. 57 pl. 226 f. C. (1779).
1226 H. balsaminae Wlk.
Cat. VIII. p. 138 (1856).
1227 H. roseipennis Butl.
A. M. N. H. (5) X. p. 433 (1882).
1228 H. rosæ Butl.
A. M. N. H. (5) X. p. 433 (1882).

THERETRA Hübn.

Verz. p. 135 (1822).

- 1229 Th. capensis Lin.
Mus. Lud. Ulr. p. 349 (1764).
1230 Th. monteironis Butl.
A. M. N. H. (5) X. p. 433 (1882)
1231 Th. cajus Cram.
Pap. Exot. II. p. 80 pl. 146 f. F. (1777).
1232 Th. orpheus Herr.-Schäff.
Assereur. Schmett. I. f. 104 (1854).

CENTROCTENA Roths. & Jord.

Nov. Zool. IX. Suppl. p. 790 (1903).

- 1233 C. imitans Butl.

A. M. N. H. (5) X. p. 432 (1882).

STRIPHNOPTERYGIDÆ.

STRIPHNOPTERYGINÆ

STRIPHNOPTERYX Wllgrn.

Œfv. Sv. Vet. Ak. Förh. 15 p. 209 (1858).

- 1234 S. edulis Boisd.

Voy. Deleg. Afric. Austr. 2 p. 599 (1847).

SCHISTISSA Auriv.

Bih. K. Sv. Vet. Akad. Handl. 27 IV. No. 7
p. 8 (1901).

- 1235 Sch. uniformis Auriv.

Bih. K. Sv. Vet. Akad. Handl. 27 IV. No. 7
p. 8 (1901).

MARMAROPLEGMA Wllgrn.

Vet. Akad. Handl. V. 4 p. 29 (1865).

- 1236 M. paragarda Wllgrn.

Wien. Ent. Mon. IV. p. 166 (1860).

- 1237 M. unicolor Janse.

Ann. Transv. Mus. V. p. 68 pl. III. f. 26 (1915).

CYRTOJANA Auriv.

Trans. Ent. Soc. Lond. p. 161 (1911).

- 1238 C. trilineata Aur.

Trans. Ent. Soc. Lond. p. 162 f. in text (1911).

JANOMIMA Aur.

Bih. till K. Sv. Vet. Akad. Handl. bnd. 27 IV.
No. 7 p. 9 (1901).

- 1239 J. westwoodi Aur.

l.o. p. 10 (1901).

LICHENOPTERYX Feld.

Reise Nov. Lep. Het. p. 6 (1868).

- 1240 L. despecta Feld.

l.e. t. 95 f. 5 (1868).

POLOMA Wlk.

Cat. IV. p. 858 (1855).

- 1241 P. angulata Wlk.

l.e. p. 858 (1855).

- 1242 P. nigromaculata Aur.

Ent. Tidskr. p. 210 (1893).

- 1243 P. castanea Aur.

Bih. Svensk. Vet. Akad. Handl. Bnd. 27 afd.
IV. No. 7 p. 12 (1901).

SPIRAMIOPSIS Hmpsn.

- Tr. Ent. Soc. Lond. p. 187 (1901).
 1244 Sp. comma Hmpsn.
 l.c. p. 191 (1901).

PHYLLALIA Wlk.

- Cat. VI. p. 1494 (1855).
 1245 Ph. alboradiata Aur.
 Tr. Ent. Soc. Lond. p. 162 (1911).
 1246 Ph. incerta Wlk.
 Cata. IV. p. 905 (1855).
 1247 Ph. patens Boisd.
 Dele. Voy. Afr. Austr. II. p. 599 (1847).
 1248 Ph. thunbergi Boisd.
 l.c. p. 599 (1847).
 1249 Ph. valida Feld.
 Reise Nov. t. 93 t. 6 (1868).
 1250 Ph. degenera Wlk.
 Cat. IV. p. 906 (1855).

TRICHOPHIALA Aur.

- Öfv. af. Königl. Vet. Ak. Förh. No. 7 p. 53
 (1879).
 1251 Tr. devylderi Aur.
 l.c. p. 55 (1879).

PHIALA Wllgrn.

- Wien. ent. Mon. IV. p. 165 (1860).
 1252 Ph. patagiata Aur.
 Tr. Ent. Soc. Lond. p. 163 (1911).
 1252a Ph. ziczae Strand.
 Ann. Soc. ent. Belg. 55 p. 150 (1911).
 1253 Ph. similis Aur.
 Tr. Ent. Soc. Lond. p. 164 (1911).
 1253a Ph. umbrripennis Strand.
 Ann. Soc. ent. Belg. 55 p. 150 (1911).
 1254 Ph. costipunctata H.-S.
 Ausserenr. Schmett. f. 375 (1855).
 1255 Ph. dasyvoda Wllgrn.
 Wien. ent. Mon. IV. p. 165 (1860).
 1256 Ph. clio Fawcet.
 Pr. Zool. S.L. II. p. 306 pl. XXVI. f. 2 (1902).
 1257 Ph. bistrigata Aur.
 Ph. till. K. Sv. Vet. Akad. Handl. bnd. 27
 IV. No. 7 p. 16 (1901).
 1258 Ph. arrecta Dist.
 A. M. N. H. (7) IV. p. 361 (1899).
 1259 Ph. incana Dist.
 A. M. N. H. (6) XX. p. 205 (1897).
 1259a Ph. acuta Strand.
 Ann. Soc. ent. Belg. 55 p. 151 (1911).
 1260 Ph. polita Dist.
 A. M. N. H. (6) XX. p. 206 (1897).
 1261 Ph. flavipennis Wllgrn.
 Öfv. Vet. Ak. Förh. XXXII. (1) p. 98 (1876)

- 1262 *Ph. vaninia* Stoll.
Pap. Exot. 4 t. 356 (1781).
- 1263 *Ph. pulvorea* Dist.
Ins. Transv. p. 82 f. 6 (1903).
- 1264 *Ph. pretoriana* Wichgraf.
Ent. Zeitschr. p. 109 (1908).
- 1265 *Ph. simplex* Aur.
Tr. Ent. Soc. Lond. p. 695 pl. XXXIII. f. 1. (1904).
- 1266 *Ph. marshalli* Aur.
l.c. pl. XXXIII. f. 2 (1904).

STIBOLEPIS Butl.

- Ann. Nat. Hist. (5) II. p. 463 (1878).
- 1267 *St. hologramma* Aur.
Tr. Ent. Soc. Lond. p. 697 pl. 33 f. 7 (1904).

JANINÆ.

HEMIJANA Aur.

- Bih. Sv. Vet. Ak. Handl. bd. 27 afd. IV. No. 7 p. 21 (1901).
- 1268 *H. subrosea* Aur.
Ent. Tids. p. 209 (1895).

JANA H.-S.

- Aussereur Schmett. I. pp. 17, 18 (1854).
- 1269 *J. eurymas* H.-S.
l.c. t. XXI. f. 98 (1854).
- 1270 *J. tantalus* H.-S.
l. c. t. 21 ff. 99, 100 (1854).
- 1271 *J. (?) chalepteryx* Feld.
Reise Nov. t. 98 f. 10 (1868).
- 1272 *J. rosacea* Butl.
Exot. Lep. p. 80 t. 30 f. 3 (1871)
- 1273 *J. nigristriata* Janse.
Ann. Transv. Mus. p. 68 pl. IX. (1915).

HOPLOJANA Aur.

- Bih. Sv. Vet. Ak. Handl. Bd. 27 afd. IV. No. 7 p. 24 (1901).
- 1274 *H. rhodoptera* Gerst.
Arch. f. Naturg. XXXVII. p. 361 (1871).

PHASICNECUS Butl.

- Pr. Z. S. L. p. 585 (1894).
- 1275 *Ph. roseus* Druce.
Pr. Z.S.L. p. 410 t. 38 f. 3 (1886).
- 1276 *Ph. obtusus* Wlk.
Cat. XXXII. p. 357 (1865).
- 1277 *Ph. hilaris* Feld.
Reise Nov. t. 95 f. 3 (1868).
- 1278 *Ph. bithynia* Druce.
Pr. Z. S. L. p. 676 (1887).
- 1279 *Ph. nahor* Druce.
A. M. N. H. (6) XVII. p. 354 (1896).

- 1280 *Ph. suberoceus* Dist.
 Ins. Transv. p. 84 pl. VII. f. 12 (1903).
 1281 *Ph. evanescens* Dist.
 l. c. p. 84 f. 7 (1903).

- BANTUANA** Dist.
 Ins. Transv. VII. p. 166 (1906).
 1282 *B. cregoei* Dist.
 l. c. VII. p. 166 f. 29 (1906).

- TISSANGA** Aur.
 Distant's Ins. Transv. p. 80 (1903).
 1283 *T. pretoriæ* Dist.
 A. M. N. H. (6) X. p. 408 (1892).

SETIOINÆ.

- PANSA** Wllgrn.
 Kongl. Sv. Vet.-Akad. Hand. bnd. 5 No. 4
 p. 9 (1865).
 1284 *P. aurociliata* Aur.
 Öfv. af. Kongl. Vet. Ak. Förh. No. 7 p. 47
 (1879).

NOTODONTIDÆ.

- ICHTHYURA** Hübn.
 Verz. p. 162 (1826).
 1285 *I. lentisignata* Hmpsn.
 A. M. N. H. (8) V. p. 495 (1910).

- SCALMICAUDA** Holl.
 Psyche VI. p. 489 (1893).
 1286 *Sc. heterogyna* Hmpsn.
 A.M.N.H. (8) V. p. 490 (1910).
 1287 *Sc. griseitincta* Hmpsn.
 l. c. p. 492 (1910).
 1288 *Sc. albicostata* Hmpsn.
 l. c. p. 493 (1910).

- PYDNA** Wlk.
 Cat. VII. p. 1753 (1855).
 1288a *P. rubritineta* Hmpsn.
 A. M. N. H. (8) V. p. 485 (1910).
 1289 *P. flava* Hmpsn.
 l. c. p. 485 (1910).
 1290 *P. rubrifascia* Hmpsn.
 l. c. p. 486 (1910).

- NOTOXANTHA** Hmpsn.
 l. c. p. 484 (1910).
 1291 *N. sesamiodes* Hmpsn.
 l. c. p. 485 (1910).

RAMESA Wlk.

Cat. V. p. 1016 (1855).

1292 R. dasychira Hmpsn.

A. M. N. H. (8) V. p. 484 (1910).

OSICA Wlk.

Cat. XXXIII. p. 766 (1865).

1292a O. verulama Beth.-Baker.

A. M. N. H. 2 p. 257 (1908).

SCRANCIA Holl.

Psyche. IV. p. 537 (1893).

1293 Sc. stictica Hmpsn.

A. M. N. H. (8) V. p. 480 (1910).

1294 Sc. atrifrons Hmpsn.

l.c. p. 481 (1910).

DESMEOCRÆRA Wllgrn.

Köngl. Vet. Ak. Handl. (2) bd. V. No. 4 p. 52 (1865).

1295 D. hierax Dist.

A. M. N. H. (6) XX. p. 204 (1897). Va1296 D. vernalis Dist. F

l.c. p. 205 (1897).

1297 D. basalis Dist. F

l.c. (7) IV. p. 361 (1899).

1298 D. interpellatrix Wllgrn. F

Wien. Ent. Mon. IV. p. 164 (1860).

BRACHIONYCHA Hübn.

Verz. bek. Schmett. p. 144 (1822 (?)).

1299 B. (?) punctulata Wlk.

Cat. VII. p. 1750 (1856).

PHALERA Hübn.

Verz. p. 147 (1822(?)).

1300 Ph. lijdenburgi Dist.

A. M. N. H. (7) III. p. 463 (1899).

1301 Ph. lignitea Mab.

Ann. Soc. ent. France LXVIII. p. 723 (1900).

DINARA Wlk.

Cat. VII. p. 1699 (1855).

1302 D. encausta Hmpsn.

A. M. N. H. (8) V. p. 476 (1910).

ZANA Wlk.

Cat. VII. p. 1700 (1855).

1303 Z. anodonta Hmpsn.

A. M. N. H. (8) V. p. 476 (1910).

1304 Z. spureata Wlk.

Cat. XXXII. p. 440 (1865).

EUTIMIA Wllgrn.

- Öfv. Vet. Akad Förh. XV. p. 211 (1858).
- 1305 E. marpissa Wllgrn.
Wien. Ent. Mon. IV. p. 164 (1860).

ANAPHE Wlk.

- Cat. IV. p. 856 (1855).
- 1306 A. reticulata Wlk.
Cat. IV. p. 856 (1855).
- 1307 A. panda Boisd.
Voy. Del. II. p. 600 (1847).

EPANAPHE Aur.

- Transv. Ent. Soc. Lond. p. 699 (1904).
- 1308 E. clarilla Aur.
Tr. Ent. Soc. Lond. p. 699 pl. 33 f. 10 (1904).

RIGEMA Wlk.

- Cat. V. p. 1079 (1855).
- 1309 R. woerdeni Snell.
Tijdschr. Ent. XV. p. 45 pl. IV. f. 1-3 (1872).
- 1310 R. ornata Wlk.
Cat. XXXII. p. 437 (1865).
- 1311 R. aurifodinae Dist.
Entom. XXXV. p. 213 (1903)

ANTHEUA Wlk.

- Cat. III. p. 687 (1855).
- 1312 A. croceipuneta Hmpsn.
A. M. N. H. (8) V. p. 474 (1910).
- 1313 A. basipuneta Hmpsn.
l.e. p. 475 (1910).
- 1314 A. albida Hmpsn.
l.e. p. 475 (1910).
- 1315 A. simplex Wlk.
Cat. III. p. 766 (1855).
- 1316 A. spureata Wlk.
Cat. XXXII. p. 440 (1865).
- 1317 A. tricolor Wlk.
Cat. III. p. 688 (1855).
- 1318 A. consanguinea Dist.
Ins. Transv. p. 93 pl. VIII. f. 12 (1903).
- 1319 A. extenuata Wlk.
Char. Lep. Het. p. 11 (1869).

PHYLLALIODES Hmpsn.

- A. M. N. H. (8) V. p. 474 (1910).
- 1320 Ph. agramma Hmpsn.
l.e. p. 474 (1910).

STAUROPIUS Germar.

- Prod. p. 45 (1811).
- 1321 S. atriguttata Hmpsn.
A.M.N.H. (8) V. p. 465 (1910).
- 1322 S. calliope Hmpsn.
l.e. p. 466 (1910).

Leucophaea elegans

85

- 1323 *S. atribasalis* Hmpsn.
l. c. p. 467 (1910).
 1324 *S. octoginta* Hmpsn.
l. c. p. 468 (1910).
 1325 *S. griseiviridis* Hmpsn
l. c. p. 469 (1910).
 1326 *S. thalassina* Hmpsn.
l. c. p. 470 (1910).
 1327 *S. agramma* Hmpsn.
l. c. p. 474 (1910).
 1328 *S. steniptera* Hmpsn.
l. c. p. 471 (1910).
 1329 *S. pergrisea* Hmpsn.
l. c. p. 472 (1910).

SOMERA Wlk.

Cat. IV. p. 882 (1855).

- 1330 *S. poliostrota* Hmpsn.
A.M.N.H. (8) V. p. 463 (1910).

CERURA Schrank.

Fauna Boica. II. Abth. 155 (1802).

- 1331 *C. marshalli* Hmpsn.
A. M. N. H. (8) V. p. 456 (1910).
 1332 *C. argentescens* Hmpsn.
l. c. p. 458 (1910).
 1333 *C. esmeralda* Hmpsn.
l. c. p. 458 (1910).
 1334 *C. spiritalis* Dist.
A. M. N. H. (7) III. p. 464 (1899).
 1335 *C. swierstræ* Dist.
Entom. XXXV. p. 213 (1902).

OCHROSTIGMA Hübn.

Verz. bek. Schmett. p. 146 (1822?).

- 1336 *O. mediata* Wlk.
Cat. XXXII. p. 412 (1865).

HOPLITIS Hübn.

Verz. Schmett. p. 147 (1816)..

- 1336a *H. phyllocampa* Trim.
Tr. E. S. L. p. 4 pl. 1 f. 2 (1909).

MELEBÆAS Dist.

Ins. Transv. p. 93 (1903).

- 1337 *M. gigas* Dist.
A. M. N. H. (7) III. p. 463 (1899).

ATRASANA Walk.

Cat. VII. p. 1749 (1856).

- 1338 *A. postica* Wlk.
l. c. p. 1750 (1856).

CHADISRA Wlk.

Tr. Ent. Soc. Lond. (3) I. p. 81 (1862).

- 1339 *Ch. uncifera* Hmpsn.
A. M. N. H. (8) V. p. 459 (1910).

- 1340 Ch. rosinaria Hmpsn.
l. c. p. 461 (1910).
 1341 Ch. semiflava Hmpsn.
l. c. p. 462 (1910).
 1342 Ch. bicolor Dist.
A. M. N. H. (7) IV. p. 360 (1899).
 1343 Ch. persimilis Hmpsn.
A. M. N. H. (8) V. p. 463 (1910).

CATOCHRIA H.-S.

- Aussereur Schmitt. I. p. 67 (1855).
 1344 C. catocaloides H.-S.
l. c. f. 380 (1855).

POLIENUS Dist.

- Ins. Transv. p. 93 (1903).
 1344a P. modestus Dist.
l. c. p. 94 f. 10 (1903).

INOUS Wlk.

- Cat. V. p. 1095 (1855).
 1346 I. nigripalpis Wlk.
Cat. V. p. 1096 (1855).

DATANA Wlk.

- Cat. V. p. 1060 (1855).
 1347 D. ruficollis Wlk.
Trans. Ent. Soc. Lond. (3) I. p. 271 (1862).

RETHONA Wlk.

- Cat. V. p. 1042 (1855).
 1348 R. strigosa Wlk.
Cat. V. p. 1043 (1855).
 1349 R. albicans Wlk.
Cat. V. p. 1043 (1855).

LOPHOPTERYX Steph.

- Hl. Brit. Ent. Haust. II. p. 26 (1828).
 1350 L. uniformis Swinh.
A. M. N. H. (7) XIX. p. 208 (1907).

HYPERAESCHRA Butl.

- A. M. N. H. (5) VI. p. 65 (1880).
 1351 H. curvilinea Swinh.
A. M. N. H. (7) XIX. p. 207 (1907).

LOPHODONTA Pack.

- Proc. ent. Soc. Phil. III. p. 353 (1864).
 1351a L. uniformis Swinh.
A. M. N. H. 19 p. 208 (1907).

GEOMETRIDÆ.

ÆNOCHROMINÆ.

AFROPHYLA Warr.

Novit. Zool. 2 p. 83 (1895).

1352 A. vethi Snell.

Tijd. Ent. 29 p. 139 t. 6 f. 1-9 (1886).

PETOVIA Wlk.

Cat. II. p. 559 (1854).

1353 P. dichroaria H.-S.

Aussereur. Schmett. I. t. 39 f. 189 (1854).

ab. marginata Wlk.

Cat. II. p. 560 (1854).

ab. insertaria Guen.

Hist. Nat. des Ins. X. p. 167 pl. 20 f. 10 (1857).

1354 P. uniformis Warr.

Nov. Zool. 4 p. 31 (1897).

BARRAMA Warr.

Nov. Zool. 4 p. 28 (1897).

1355 B. impunctata Warr.

Nov. Zool. 4 p. 28 (1897).

CORIUM Prout.

Gen. Ins. 101 p. 75 (1910).

1356 C. hyperphyes Prout.

A. M. N. H. (8) 8 p. 704 (1911).

CONOLOPHIA Warr.

Nov. Zool. I. p. 369 (1894).

1357 C. conscientia Wlk.

Cat. XXIII. p. 986 (1861).

1358 C. platyrhyncea Wllgrn.

Öfv. af. K. Vet. förh. p. 59 (1872).

(This species may be only a form of C. conscientia).

PANAGROPSIS Warr.

Nov. Zool. I. p. 370 (1894).

1359 P. equitaria Wlk.

Cat. XXIII. p. 986 (1861).

1360 P. muricicolor Warr.

Nov. Zool. IV. p. 30 (1897).

OZOLA Wlk.

Cat. XXIV. p. 1080 (1862).

1361 O. pulverulenta Warr.

Nov. Zool. IV. p. 30 (1897).

CARTALETIS Warr.

Nov. Zool. I. p. 378 (1894).

1362 C. libyssa Hopff.

Monatsb. Akad. Wiss. Berl. p. 422 (1857).

- 1363 *C. monteironis* Druce.
 Ent. Mon. Mag. XX. p. 156 (1883).
 1364 *C. concolor* Warr.
 Nov. Zool. XII. p. 34 (1905).

HEMITHEINÆ.

PINGASA Moore.

- Lep. Ceyl. III. p. 419 (1887).
 1365 *P. respondens* Wlk.
 Cat. XXI. p. 428 (1860).
 1366 *P. victoria* Prout.
 Nov. Zool. XX. p. 398 (1913).
 1367 *P. ruginaria communicans* Wlk.
 Cat. XXI. p. 430 (1860).
 1368 *P. abyssinaria* Guen.
 Spec. Gén. Lép. IX. p. 277 (1858).
 1369 *P. rhadamaria* Guen.
 l. c. IX. p. 277 (1858).

APOPROGONES Hmpsn.

- Trans. Ent. Soc. Lond. p. 137 (1903).
 1370 *A. hesperistis* Hmpsn.
 l. c. p. 137.

(I have been informed by Mr. L. B. Prout that this species is the same as his *Ædimetopia jansei*, Ann. Transvaal Mus. V. p. 152 pl. XXV. f. 1 (1916), but he still considers it more a **Geometrid** than anything else).

PARAGATHIA Warr.

- Nov. Zool. IX. p. 495 (1912).
 1371 *P. albimarginata* Warr.
 Nov. Zool. IX. p. 495 (1912).

VICTORIA Warr.

- Nov. Zool. IV. p. 46 (1897).
 1372 *V. albipieta* Warr.
 Nov. Zool. IV. p. 46 (1897).
 1373 *V. mirabilis* Warr.
 Ann. S.A. Mus. X. p. 19 (1911).

ARCHICHLORA Warr.

- Nov. Zool. V. p. 11 (1898).
 1374 *A. zonata* Wlk.
 Cat. XXVI. p. 1566 (1862).

METACINATA Prout.

- Gen. Ins. 129 p. 95 (1912).
 1375 *M. rhodosticta* Hmpsn.
 Proc. Zool. Soc. Lond. p. 475 T. 39 f. 30 (1910).

COMIBÆNA Hübn.

- Verz. bek. Schmett. p. 284 (1826).
 1376 *C. leucospilata* Wlk.
 Cat. XXVI. p. 1554 (1862).

CHEROSCELIS Prout.

Gen. Ins. 129 p. 138 (1912).

1377 Ch. rubricorpus Warr.

Nov. Zool. V. p. 235 (1898).

LOPHORRHACHIA Prout.

Ann. Tr. Mus. V. p. 154 (1915).

1378 L. niveieristata Prout.

l.c. V. p. 155 (1915).

HETEROCRITA Warr.

Nov. Zool. VIII. p. 445 (1901).

1379 H. araria Guen.

Spec. Gén. Lép. IX. p. 373 (1858).

1380 H. disceerpta Wlk.

Cat. XXII. p. 513 (1861).

1381 H. deprensa Prout.

Ann. Tr. Mus. III. p. 195 t. 12 f. 22 (1913).

1382 H. koranata Feld.

Reise Nov. pl. 127 f. 14 (1875).

ANTHARMOSTES Warr.

Nov. Zool. VI. p. 51 (1899).

1383 A. papilia Prout.

Gen. Ins. 129 p. 144 (1912).

THALASSODES Guen.

Spec. Gén. Lép. IX. p. 359 (1858).

1384 Th. digressa Wlk.

Cat. XXII. p. 513 (1861).

1385 Th. opaca Warr.

Nov. Zool. V. p. 17 (1898).

PRASINOCYMA Warr.

Nov. Zool. IV. p. 44 (1897).

1386 Pr. bifimbriata Prout.

Gen. Ins. 129 p. 157 pl. 3 f. 9 (1912).

1387 Pr. chloroprosopa Prout.

Ann. Tr. Mus. III. p. 194 (1913).

1388 Pr. dorsipunctata Warr.

Ann. S.A. Mus. X. p. 21 (1911).

1389 Pr. hadrata Feld.

Reise Nov. pl. 127 f. 27 (1875).

1390 Pr. inversicaulis Prout.

Ann. Tr. Mus. III. p. 195 (1913).

1391 Pr. niveisticta Prout.

Gen. Ins. 129 p. 156 (1912).

1392 Pr. panchlora Prout.

Nov. Zool. X. p. 361 (1903).

1393 Pr. pictifimbria Warr.

Nov. Zool. XI. p. 86 (1904).

1394 Pr. pulchraria Swinh.

Trans. Ent. Soc. Lond. p. 544 (1904).

(?) S. Africa.

- 1395 Pr. scissaria Feld.
Reise Nov. pl. 127 f. 9 (1875).
- 1396 Pr. unipuncta Warr.
Nov. Zool. IV. p. 44 (1897).
- 1397 Pr. vermicularia Guen.
Spec. Gén. Lép. IX. p. 359 (1858)

METALLOCHLORA Warr.
Nov. Zool. III. p. 290 (1896).

1398 M. (?) grisea Prout.
Nov. Zool. XII. p. 318 (1915).

- CHLORISSA Steph.
Ill. Haust. 3 p. 315 (1831).
- 1399 Chl. attenuata Wlk.
Cat. XXVI. p. 1558 (1862).
- 1400 Chl. stibolepida Butl.
Cist. Ent. 2 p. 394 (1879).

- NEROMIA Staud.
Iris X. p. 304 (1898).
- 1401 N. malescripta Warr.
Nov. Zool. IV. p. 40 (1897).
- 1402 N. approximans Warr.
Nov. Zool. IV. p. 39 (1897).
- 1403 N. dorsieristata Warr.
Nov. Zool. XII. p. 34 (1905).
- 1404 N. articulicornis Prout.
Ann. Tr. Mus. V. p. 153 pl. 25 f. 41 (1915).
var. rufieristata Prout.
Ann. Tr. Mus. V. p. 154 (1915).
- 1405 N. atridisca Warr.
Nov. Zool. IV. p. 40 (1897).
- 1406 N. rubripunctilla Prout.
Gen. Ins. 129 p. 182 (1912).
- 1407 N. barretti Prout.
Gen. Ins. 129 p. 183 (1912).
- 1408 N. phoenicosticta Prout.
Gen. Ins. 129 p. 183 (1912).
- 1409 N. cohærens Prout.
Ann. Tr. Mus. V. p. 154 pl. 25 f. 2 (1915).
- 1410 N. impostura Prout.
Nov. Zool. XII. p. 318 (1915).
- 1411 N. clavicornis Prout.
Nov. Zool. XII. p. 319 (1915).
- 1412 N. unilinea Warr.
Nov. Zool. IV. p. 40 (1897).
- ab. inornata Prout.
Anu. Transv. Mus. V. p. 154 (1915).

- NEUROTOCA Warr.
Nov. Zool. IV. p. 43 (1897).
- 1413 N. endorhoda Hmpsn.
Proc. Zool. Soc. Lond. p. 476 pl. 39 f. 31 (1910)

CHLOROCOMA Turner.

- Proc. Linn. Soc. N.S. Wales. XXXV. p. 581
(1910).
- 1414 Chl. dilatata Wlk.
Cat. XXII. p. 594 (1861).
- 1415 Chl. didita Wlk.
Cat. XXII. p. 542 (1861).

HETERORACHIS Warr.

- Nov. Zool. V. p. 234 (1898).
- 1416 H. devocata Wlk.
Cat. XXII. p. 514 (1861).
- 1417 H. despoliata Prout.
Ann. Tr. Mus. V. p. 155 pl. XXV. f. 4 (1915).
- 1418 H. disconotata Prout.
Ann. Tr. Mus. V. p. 156 pl. XXV. f. 9 (1915).
- 1419 H. simplicissima Prout.
Gen. Ins. 129 p. 228 (1912).
- 1420 H. fuscoterminata Prout.
Nov. Zool. XXII. p. 320 (1915).

CELIDOMPHAX Prout.

- Gen. Ins. 129 p. 194 (1912).
- 1421 C. rubrimaculata Warr.
Nov. Zool. XII. p. 384 (1905).
- 1422 C. analiplaga Warr.
Nov. Zool. XII. p. 385 (1905).

OMPHAX Guen.

- Spec. Gén. Lép. IX. p. 368 (1858).
- 1423 O. bacoti Prout.
Gen. Inst. 129 p. 195 (1912).
- 1424 O. leucocraspeda Prout.
Gen. Ins. 129 p. 196 (1912).
- 1424a O. marginata Warr.
Nov. Zool. I. p. 390 (1894).
- 1425 O. modesta Warr.
Nov. Zool. IV. p. 32 (1897).
- 1426 O. plantaria Guen.
Spec. Gén. Lép. IX. p. 368 (1858).
- 1427 O. rhodocera Hmpsn.
Proc. Zool. Soc. Lond. p. 475 pl. 39 f. 29
(1910).
- 1428 O. shorti Prout.
Gen. Ins. 129 p. 195 (1912).
- 1429 O. subaspersa Warr.
Nov. Zool. I. p. 390 (1894).
- 1430 O. vicinitaria Wllgrn.
Wien. ent. Mon. 7 p. 150 (1863).
- 1431 O. idonea Prout.
Nov. Zool. XXIII. p. 276 (1916).

CAMPsiceras Warr.

- Ann. S.A. Mus. X. p. 483 (1914).
- 1432 C. dychlorata Warr.
I. c. X. p. 483 (1914).

PROSOMPHAX Warr.

Ann. S.A. Mus. X. p. 20 (1911).

- 1433 P. callista Warr.
l. c. p. 20 (1911).

RHADINOMPHAX Prout.

Gen. Ins. 129 p. 197 (1912).

- 1434 Rh. divineta Wlk.
Cat. XXII. p. 543 (1861).
1435 Rh. pudicata Wlk.
Cat. XXXV. p. 1606 (1866).
1436 Rh. sanguinipuncta Feld.
Reise Nov. pl. 127 f. 1 (1875).
1437 Rh. trimeni Feld.
Reise Nov. t. 127 f. 1 (1875).

DICHROMA Westw.

In Duncan Exot. moths p. 224 (1841).

- 1438 D. equestralis Westw.
l. c. p. 224 pl. 30 f. 1 (1841).

ARGYROGRAPHA Prout.

Gen. Ins. 129 p. 198 (1912).

- 1439 A. moderata Wlk.
Cat. XXIV. p. 1147 (1862).

PARAPRASINA Warr.

Nov. Zool. IV. p. 43 (1897).

- 1440 P. discolor Warr.
Nov. Zool. IV. p. 43 (1897).

MICROLOXIA Warr.

Proc. Zool. Soc. Lond. p. 351 (1893).

- 1441 M. ruficornis Warr.
Nov. Zool. IV. p. 42 (1897).

RHODESIA Warr.

Nov. Zool. XII. p. 386 (1905).

- 1442 Rh. viridalbata Warr.
Nov. Zool. XII. p. 386 (1905).
1443 Rh. depompata Prout.
Nov. Zool. XX. p. 434 (1915).

LASIOCHLORA Warr.

Nov. Zool. I. p. 389 (1894).

- 1444 L. bicolor.
Th. Mieg, Le Nat. XXIX. p. 200 (1907).
1445 L. didueta Wlk.
Cat. XXII. p. 571 (1861).

SYNDROMODES Warr.

Nov. Zool. IV. p. 45 (1897).

- 1446 S. cellulata Warr.
Nov. Zool. V. p. 16 (1898).
1447 S. dimensa Wlk.
Cat. XXII. p. 549 (1861).

-  1448 *S. invenusta* Wllgrn.
Wien. ent. Mon. 7 p. 150 (1863).

DOLOSIS Prout.

- Gen. Ins. 129 p. 216 (1912).
 1449 *D. illacerata* Prout.
Gen. Ins. 129 p. 217 (1912).

CHLOROSTERRHA Prout.

- Gen. Ins. 129 p. 218 (1912).
 1450 *Chl. dichroma* Feld.
Reise Nov. pl. 127 f. 20 (1875).
 1451 *Chl. monochroma* Prout.
Gen. Ins. 129 p. 218 (1912).
 1452 *Chl. semialba* Swinh.
A. M. N. H. (7) 17 p. 555 (1906).

ACOLLESIS Warr.

- Nov. Zool. V. p. 11 (1898).
 1453 *A. fraudulenta* Warr.
Nov. Zool. V. p. 11 (1898).
 1454 *A. terminata* Prout
Gen. Ins. 129 p. 219 (1912).

OMPHACODES Warr.

- Nov. Zool. I. p. 396 (1896).
 1455 *O. delicata* Warr.
Nov. Zool. XII. p. 34 (1905).
 1456 *O. punctilineata* Warr.
Nov. Zool. IV. p. 45 (1897).
 1457 *O. trilineata* Hmpsn
Proc. Zool. Soc. Lond. p. 476 pl. 39 f. 32
(1910).
 1458 *O. vivida* Warr.
Nov. Zool. VI. p. 27 (1899)

HEMISTOLA Warr.

- Proc. Zool. Soc. Lond. p. 353 (1893)
 1459 *H. incommoda* Prout.
Gen. Ins. 129 p. 228 (1912).
 1460 *H. perviridis* Prout.
Gen. Ins. 129 p. 228 (1912).
 1461 *H. semialbida* Prout.
Gen. Ins. 129 p. 227 pl. 5 f. 11 (1912).

LOPHOSTOLA Prout.

- Gen. Ins. 129 p. 229 (1912).
 1462 *L. atridisca* Warr.
Nov. Zool. IV. p. 40 (1897).

COMOSTOLOPSIS Warr.

- Nov. Zool. IX. p. 494 (1902).
 1463 *C. apicata* Warr.
Nov. Zool. V. p. 14 (1898).
 1464 *C. capensis* Warr.
Nov. Zool. VI. p. 291 (1899)

- 1465 *C. simplex* Warr.
 Nov. Zool. IX. p. 494 (1902).
 (?) South Africæn.
- 1466 *C. stillata* Feld
 Reise Nov. pl. 127 f. 17 (1875)
- 1467 *C. germana* Prout
 Ann. Tr. Mus. V. p. 156 (1915).

MIXOCERA Warr.

- Nov. Zool. VIII. p. 206 (1901).
- 1468 *M. albistrigata* Pag.
 Jahrb. Hamb. Anst. X. p. 252 (1893).
- 1469 *M. frustratoria* Wllgrn.
 Wien. ent. Mon. 7 p. 150 (1863).
- 1470 *M. parvulata* Wlk.
 Cat. XXVI. p. 1559 (1862).
- 1471 *M. viridans* Prout.
 Gen. Ins. 129 p. 244 (1912).
- 1472 *M. xanthostephana* Prout.
 Gen. Ins. 129 p. 244 (1912).

ANDROZEUGMA Prout.

- Nov. Zool. XX. p. 441 (1913).
- 1473 *A. hapala* Prout.
 Nov. Zool. XX. p. 442 (1913).

EUCROSTES Hübn.

- Verz. bek. Schmett. p. 283 (1826).
- 1474 *E. albicornaria* Mab.
 Bull. Soc. Ent. Fr. (5) 9 p. 155. (1879).
- 1475 *E. rhodophthalma* Prout.
 Gen. Ins. 129 p. 245 (1912).
- 1476 *E. rufociliaria* H.-S.
 Samml. Aussereur Schmett. I. pl. 61 f. 345
 (1855).

ALLOCHROSTES Prout.

- Gen. Ins. 129 p. 246 (1912).
- 1477 *A. biornata* Prout.
 Ann. Tr. Mus. III. p. 196 pl. 12 f. 38 (1913).
- 1478 *A. curvilinea* Prout.
 Gen. Ins. 129 p. 221 (1912).
- 1479 *A. saliata* Feld.
 Reise Nov. pl. 127 f. 36 (1875).
- 1480 *A. imperfecta* Prout.
 Ann. Tr. Mus. V. p. 157 pl. XXV. f. 7 (1915).

XENOCHLORODES Warr.

- Nov. Zool. IV. p. 47 (1897).
- 1481 *X. xina* Prout.
 Ann. Tr. Mus. V. p. 157 pl. XXV. f. 5 (1915).

ACIDALIASTIS Hmpsn.

- Proc. Zool. Soc. Lond. p. 267 (1896).
- 1482 *A. bicurvifera* Prout.
 Ann. Tr. Mus. V. p. 158 pl. XXV. f. 8 (1915).

STERRHINÆ (Acidaliinæ).**EPICOSYMBIA** Warr.

Nov. Zool. IV. p. 54 (1897).

- 1483
- E. dentisignata*
- Wlk.

Cat. XXVI. p. 1605 (1862).

ANACOSYMBIA Prout.

Ann. Tr. Mus. III. p. 196 (1913).

- 1484
- A. perstrigulata*
- Prout.

Ann. Tr. Mus. III. p. 197 (1913).

- 1485
- A. nitidata*
- Warr.

Nov. Zool. XII. p. 387 (1905).

ISOPLENIA Warr.

Nov. Zool. IV. p. 55 (1897).

- 1486
- I. trisinuata*
- Warr.

Nov. Zool. IV. p. 56 (1897).

DISCOMIOSIS Prout.

Nov. Zool. XXII. p. 325 (1915).

- 1487
- D. crescentifera*
- Warr.

Nov. Zool. IX. p. 504 (1902).

SOMATINA Guen.

Spec. Gén. Lép. X. p. 10 (1857).

- 1488
- S. figurata*
- Warr.

Nov. Zool. IV. p. 61 (1897).

- 1489
- S. rufitacta*
- Warr.

Nov. Zool. XII. p. 390 (1905).

- 1490
- S. ctenophora*
- Prout.

Nov. Zool. XXII. p. 328 (1915).

- 1491
- S. vestalis*
- Butl.

A. M. N. H. (4) 16 p. 419 (1875).

PROBLEPSIS Led.

Verh. zool.-bot. Ges. Wien. p. 74 (1852).

- 1492
- Pr. digammata*
- Kirb.

A. M. N. H. (6) XVIII. p. 396 (1896).

- 1493
- Pr. ægretta*
- Feld.

Reise Nov. pl. 128 f. 14 (1875).

- 1494
- Pr. latonaria*
- Guen.

Spec. Gén. Lép. X. p. 14 (1857).

SCOPULA Schrank.

Fauna Boica 2 (2) p. 71-162 (1802).

- 1495
- Sc. accentuata*
- Guen.

Spec. Gén. Lép. IX. p. 490 (1857).

- 1496
- Sc. acentra*
- Warr.

Nov. Zool. IV. p. 217 (1897).

- 1497
- Sc. acuta*
- Warr.

Nov. Zool. IV. p. 57 (1897).

- 1498
- Sc. antiloparia*
- Wllgrn.

Wien Ent. Mon. p. 151 (1863).

- 1499 *Sc. bigeminata* Warr.
Nov. Zool. IV. p. 50 (1897).
ab. *fumosaria* Swinh.
Transv. Ent. Soc. Lond. p. 554 (1904).
ab. *rufifimbria* Warr.
Ann. S.A. Mus. X. p. 484 (1914).
- 1500 *Sc. cæsaria* Wlk.
Cat. XXII. p. 750 (1861).
- 1501 *Sc. curvimargo* Warr.
Nov. Zool. VII. p. 92 (1900).
- 1502 *Sc. demissaria* Wlk.
Cat. XXVI. p. 1603 (1862).
- 1503 *Sc. denovani* Dist.
Nat. in Transvaal p. 240 pl. 2 f. 4 (1892).
- 1504 *Sc. derasata* Wlk.
Cat. XXVI. p. 1604 (1862).
- 1505 *Sc. deserta* Warr.
Nov. Zool. IV. p. 51 (1897).
- 1506 *Sc. dissonans* Warr.
Nov. Zool. IV. p. 51 (1897).
- 1507 *Sc. duplicipuncta* Prout.
Ann Tr. Mus. III. p. 199 pl. XII. f. 18 (1913)
- 1508 *Sc. erinaria* Swinh.
Trans. Ent. Soc. Lond. p. 553 (1904).
- 1509 *Sc. exiquaria* Wlk.
Cat. XXI. p. 368 (1860).
- 1510 *Sc. fimbriolineata* Warr.
Nov. Zool. IX. p. 499 (1903).
- 1511 *Sc. gazellaria* Wllgrn.
Wien. ent. Mon. p. 151 (1863).
- 1512 *Sc. glaucoecyma* Hmpsn.
Proc. Zool. Soc. Lond. p. 478 pl. 39 f. 33 (1910).
- 1513 *Sc. griselineata* Warr.
Nov. Zool. VII. p. 94 (1900).
- 1514 *Sc. hectata* Guen.
Spec. Gén. Lép. IX. p. 506 (1857).
- 1515 *Sc. impicta* Warr.
(ined.)
- 1516 *Sc. inscriptata* Wlk.
Cat. XXVI. p. 1605 (1862).
- 1517 *Sc. instructata* Wlk.
Cat. XXVI. p. 1604 (1862).
- 1518 *Sc. internata* Guen.
Spec. Gén. Lép. IX. p. 506 (1857).
ab. *pulverosaria* Wlk.
Cat. XXVI. p. 1605 (1862).
- 1519 *Sc. irrufata* Warr.
Nov. Zool. XII. p. 391 (1905).
- 1520 *Sc. internataria* Wlk.
Cat. XXII. p. 746 (1861).
- 1521 *Sc. ludibunda* Prout.
Nov. Zool. XXII. p. 332 (1915).
- 1522 *Sc. megaspilata* Wlk.
Cat. XXVI. p. 1602 (1862).
- 1523 *Sc. minorata* Boisd.
Nouv. Ann. Mus. Hist. Nat. 2 p. 263 (1833).

- 1524 Sc. natalica Butl.
 A. M. N. H. (4) 16 p. 418 (1875).
 ab. diffusizona Hmpsnn.
 Proc. Zool. Soc. Lond. p. 478 (1910).
- 1525 Sc. nemorivagata Wllgrn.
 Wien. ent. Mon. VII. p. 151 (1863).
- 1526 Sc. pertinax Prout.
 Ann. Tr. Mus. V. p. 158 pl. XXV. f. 9 (1915).
- 1527 Sc. phyletis Prout.
 Ann. Tr. Mus. III. p. 197 pl. XII. f. 34 (1913).
- 1528 Sc. picta Warr.
 Nov. Zool. IV. p. 62 (1897).
- 1529 Sc. pudens Warr.
 Nov. Zool. XII. p. 35 (1905).
- 1530 Sc. pulchellata Fab.
 Ent. Syst. 3 (2) p. 171 (1794).
 (Probably not from S. Africa, but India.)
- 1531 Sc. punetilineata Warr.
 Nov. Zool. IV. p. 63 (1897).
- 1532 Sc. pygargata Wllgrn.
 Wien. ent. Mon. VII. p. 150 (1863).
- 1533 Sc. quintaria Prout.
 Ann. Tr. Mus. V. p. 159 pl. XXV. f. 10 (1915).
- 1534 Sc. reconditaria Snell.
 Tijd. voor Ent. (2) 7 p. 76 pl. 6 ff. 8, 9 (1872).
- 1535 Sc. rossi Prout.
 Ann. Tr. Mus. III. p. 199 (1913).
- 1536 Sc. rufisaria Wlk.
 Cat. XXIII. p. 790 (1861).
- 1537 Sc. sanguinisecta Warr.
 Nov. Zool. IV. p. 53 (1897).
- 1538 Sc. sincera Warr.
 Nov. Zool. VIII. p. 208 (1901).
- 1539 Sc. sinnaria Swinh.
 Trans. Ent. Soc. Lond. p. 556 (1901).
- 1540 Sc. spoliata Wlk.
 Cat. XXII. p. 744 (1861).
- 1541 Sc. straminea Feld.
 Reise Nov. pl. 128 f. 33 (1875).
 ab. melliflua Warr.
 Nov. Zool. IV. p. 52 (1897).
 ab. sumpta Prout.
 Ann. Tr. Mus. III. p. 198 (1913).
- 1542 Sc. sublobata Warr.
 Nov. Zool. V. p. 19 (1898).
- 1543 Sc. subobliquata Prout.
 Ann. Tr. Mus. III. p. 198 pl. XIII. f. 5 (1913).
- 1544 Sc. ruficolor Prout.
 Nov. Zool. XXIII. p. 277 (1916).

INDUNA Warr.

- Nov. Zool. IV. p. 55 (1897).
 1545 I. rufisalsa Warr.
 Nov. Zool. IV. p. 55 (1897).

GLOSSOTROPHIA Prout.

Seitz. Macrolep. IV. p. 82 (1913).

- 1546 Gl. natalensis Prout.

Nov. Zool. XXII. p. 333 (1915).

ZYGOPHYXIA Prout.

Ann. Tr. Mus. V. p. 164 (1915).

- 1547 Z. stenoptila Prout.

Ann. Tr. Mus. V. p. 164 pl. XXV. f. 18 (1915).

PTYCHOPODA Steph.

III. Brit. Ent. Haust. III. p. 305 (1826).

- 1548 Pt. ascepta Prout.

Nov. Zool. XXII. p. 334 (1915).

- 1549 Pt. associata Warr.

Nov. Zool. IV. p. 62 (1897).

- 1550 Pt. basicostalis Warr.

Nov. Zool. VII. p. 93 (1900).

- 1551 Pt. consericeata Prout.

Ann. Tr. Mus. III. p. 200 pl. XII. f. 9 (1913).

- 1552 Pt. echo Prout.

Ann. Tr. Mus. V. p. 160 pl. XXV. f. 12 (1915).

- 1553 Pt. fortificata Prout.

Ann. Tr. Mus. V. p. 160 pl. XXV. f. 11 (1915).

- 1554 Pt. fumilinea Warr.

Nov. Zool. X. p. 272 (1903).

var. torrida Warr.

Nov. Zool. XI. p. 468 (1902).

- 1555 Pt. malescripta Warr.

Nov. Zool. IV. p. 57 (1897).

- 1556 Pt. nasifera Prout.

Ann. Tr. Mus. V. p. 162 pl. XXV. f. 13 (1915).

- 1557 Pt. nigrosticta Warr.

Nov. Zool. IV. p. 61 (1897).

- 1558 Pt. paraplesia Prout.

Ann. Tr. Mus. V. p. 161 pl. XXV. f. 14 (1915).

- 1559 Pt. pericalles Prout.

Ann. Tr. Mus. III. p. 201 pl. XII. f. 32 (1913).

- 1560 Pt. purpurascens Prout.

Ann. Transv. Mus. V. p. 163 pl. XXV. f. 16 (1915).

- 1561 Pt. sinuilinea Prout.

Ann. Tr. Mus. III. p. 200 pl. XII. f. 17 (1913).

- 1562 Pt. squamulata Warr.

Nov. Zool. VII. p. 93 (1900).

- 1563 Pt. subulta Prout.

Ann. Tr. Mus. V. p. 162 pl. XXV. f. 15 (1915).

- 1564 Pt. sublimbaria Warr.

Nov. Zool. VII. p. 92 (1900).

- 1565 Pt. umbripunctata Prout.

Ann. Tr. Mus. III. p. 201 pl. XII. f. 37 (1913).

ab. punctigera Prout.

Ann. Tr. Mus. III. p. 201 (1913).

- 1566 *Pt. rufimixta* Warr.
 Nov. Zool. VIII. p. 207 (1901).
 subspec. *rufifascia* Prout.
 Ann. Tr. Mus. V. p. 164 pl. XXV. f. 17 (1915).

- EPICLETA** Prout.
 Nov. Zool. XXII. 335 (1915).
 1567 *E. calidaria* Prout.
 Nov. Zool. XXII. p. 335 (1915).

- PALÆASPILATES** Warr.
 Nov. Zool. I. p. 370 (1894).
 1568 *P. inoffensa* Warr.
 Nov. Zool. I. p. 370 (1894).
 ab. *rubida* Warr.
 Ann. S.A. Mus. X. p. 484 (1914).

- CHLORERYTHRA** Warr.
 Nov. Zool. II. p. 91 (1895).
 1569 *Chl. rubriplaga* Warr.
 Nov. Zool. II. p. 91 (1895).
 1570 *Chl. carnea* Warr.
 Ann. S.A. Mus. X. p. 495 (1914).

- TRAMINDA** Saalm.
 Lep. Madag. II. p. 496 (1891).
 1571 *T. neptunaria* Guen.
 Spec. Gén. Lép. X. p. 3 pl. 18 f. 5 (1858).
 1572 *T. falcata* Warr.
 Nov. Zool. IV. p. 64 (1897).
 1573 *T. unocula* Warr.
 Nov. Zool. IV. p. 217 (1897).
 1574 *T. obversata* Wlk.
 Cat. XXIII. p. 790 (1861).
 1575 *T. atroviridaria* Mab.
 C.R. Soc. Ent. Belg. 23 p. XXII. (1880).
 ab. *rufa* Warr.
 Nov. Zool. IV. p. 65 (1897).
 1576 *T. vividaria* Wlk.
 Cat. XXIII. p. 800 (1861).

- PISORACA** Wlk.
 Cat. XXIV. p. 1079 (1862).
 1577 *P. sanguinata* Warr.
 Nov. Zool. XI. p. 467 (1904).
 1578 *P. lycissaria* Guen.
 Spec. Gén. Lép. IX. p. 406 (1857).
 1579 *P. bitactata* Wlk.
 Cat. XXIV. p. 1079 (1862).
 1580 *P. cœcaria* Guen.
 Spec. Gén. Lép. IX. p. 407 (1857).
 1581 *P. deremptaria* Wlk.
 Cat. XXVI. p. 1580 (1862).

CHRYSOCRASPEDA Hmpsn.

Faun. Ind. Moths. III. p. 443 (1895).

- 1582 Chr. leighata Warr.
Nov. Zool. XI. p. 466 (1904).
ab. dehonorata Prout.
Ann. Tr. Mus. III. p. 196 pl. XII. f. 13 (1913)
ab. (?) nigribasalis Warr.
Nov. Zool. XVI. p. 112 (1909).

LARENTIINÆ.

XANTHOTHÖE Hübn.

Verz. bek. Schmett. p. 327 (1826).

- 1583 X. poseata Guen.
Spec. Gén. Lép. X. p. 462 (1857).
ab. colorata Wlk.
Cat. XXVI. p. 1712 (1862).
1584 X. melissaria Guen. *Carenne*
Spec. Gén. Lép. X. p. 411 (1857).
1585 X. spatiosata Wlk.
Cat. XXIV. p. 1190 (1862).
1586 X. (?) brunneitrames Prout.
Ann. Tr. Mus. V. p. 169 pl. XXV. f. 26 (1915).
1587 X. saturata Guen.
Spec. Gén. Lép. X. p. 269 (1857).

ORTHONAMA Hübn.

Verz. bek. Schmett. p. 331 (1826).

- 1588 O. discata Warr.
Nov. Zool. XII. p. 391 (1905).
1589 O. obstipata Fabr.
Ent. Syst. 3 (2) p. 199 (1794).

EUPHYIA Hübn.

Verz. bek. Schmett. p. 326 (1826).

- 1590 E. distinctata Wlk.
Cat. XXIV. p. 1192 (1862).

CAMPTOGRAMMA Steph.

Ill. Haust. 3 p. 264 (1831).

- 1591 C. natalata Wlk.
Cat. XXV. p. 1351 (1862).

MELANTHIA Dup.

Hist. Nat. Lép. 7 (2) III. (1829).

- 1592 M. ustiplaga Warr.
Nov. Zool. VI. p. 298 (1899).

POLYSTROMA Warr.

Nov. Zool. IV. p. 236 (1897).

- 1593 P. subspissata Warr.
Nov. Zool. IV. p. 237 (1897).

ORTHOLITHA Hübn.

- Verz. bek. Schmett. p. 338 (1826).
- 1594 O. atroclarata Wlk.
Cat. XXVI. p. 1737 (1862).
- 1595 O. deversa Prout.
Ann. Tr. Mus. III. p. 203 pl. XII. f. 14 (1913).
- 1596 O. cryptocycala Prout.
Ann. Tr. Mus. III. p. 203 pl. XII. f. 35 (1913).
- 1597 O. epiperena Prout.
Ann. Tr. Mus. III. p. 204 pl. XII. f. 20 (1913).
- 1598 O. horismodes Prout.
Ann. Tr. Mus. III. p. 205 pl. XII. f. 29 (1913).
- 1599 O. lamprammodes Prout.
Ent. 44 p. 294 (1911).
- 1600 O. cryptospilata Wlk.
Cat. XXVI. p. 1738 (1862).
- 1601 Q. megalaria Guen.
Spec. Gén. Lép. X. p. 489 (1857).
- 1602 O. subrectiaria Wlk.
Cat. XXIII. p. 964 (1861).
- 1603 O. ferridotata Wlk.
Cat. XXVI. p. 1738 (1862).
- 1604 O. atrosigillata Wlk.
Cat. XXVI. p. 1739 (1862).
- 1605 O. nietitaria H.-S.
Samml. Aussereur. Schmett. I. p. 451 (1855).
- 1606 O. albiocula Warr.
Nov. Zool. IV. p. 236 (1897).
- 1607 O. africana Warr.
Ann. S.A. Mus. X. p. 22 (1911).
- 1608 O. olbia Prout.
Ent. 44 p. 293 (1911).

LARENTIA Treits.

- Schmett. Eur. 5 (2) p. 440 (1825).
- 1609 L. indiserninata Wlk.
Cat. XXVI. p. 1767 (1862).
- 1610 L. inaequata Wlk.
Cat. XXIII. p. 964 (1861).
- 1611 L. bitrita Feld.
Reise Nov. pl. 132 f. 10 (1875).

CÆNOTEPHRIA Prout.

- Seitz. Macrolep. 4 p. 238 (1914).
- 1612 C. prasinaria Warr.
Nov. Zool. VIII. p. 13 (1901).

PERIZOMA Hübn.

- Verz. bek. Schmett. p. 327 (1826)
- 1613 P. eviscerata Warr.
A. S. A. M. X. p. 485 pl. XLII. f. 12 (1914).

GONANTICLEA Swinh.

- Trans. Ent. Soc. Lond. p. 3 (1892).
- 1614 G. aspersata Wlk.
Cat. XXV. p. 1400 (1862).

- 1615 *G. meridionata* Wlk.
Cat. XXV. p. 1399 (1862).

HORISME Hübn.

- Verz. bek. Schmett. p. 321 (1826).
- 1616 *H. minnata* Wlk.
Cat. XXI. p. 317 (1860).
- 1617 *H. obscurata* Prout.
Ann. Tr. Mus. III. p. 205 pl. XII. f. 21 (1913).
- 1618 *H. filia* Prout.
Ann. Tr. Mus. III. p. 206 pl. XII. f. 36 (1913).

COLLIX Guen.

- Spec. Gén. Lép. X. p. 357 (1857).
- 1619 *C. foraminata* Guen.
Spec. Gén. Lép. X. p. 358 (1857).

ECCYMATOGE Prout.

- Ann. Tr. Mus. III. p. 207 (1913).
- 1620 *E. melanoterma* Prout.
Ann. Tr. Mus. III. p. 207 (1913).

LOXOFIDONIA Pack.

- Mon. Geom. U.S.A. p. 223 (1876).
- 1621 *L. sylvicultrix* Wllgrn.
Öfv. Vet. Ak. Förh. 3 p. 57 (1872).
- 1622 *L. explanata* Wlk.
Cat. XXIV. p. 1190 (1862).

EPIRRHÖE Hübn.

- Verz. bek. Schmett. p. 328 (1826).
- 1623 *E. achatina* Prout.
Nov. Zool. XXII. p. 337 (1915).
- 1624 *E. edelsteni* Prout.
Nov. Zool. XXIII. p. 279 (1916).

MIMOCYSTIA Warr.

- Nov. Zool. VIII. p. 14 (1901).
- 1625 *M. undulosata* Warr.
Nov. Zool. VIII. p. 14 (1901).

EULYPE Hübn.

- Verz. bek. Schmett. p. 328 (1826).
- 1626 *E. pudicata* Wlk.
Cat. XXV. p. 1399 (1862).
var. *quaggaria* Wllgrn.
Ofv. af. K. Vet. Ak. Förh 3 p. 56 (1872).

LEPIODES Guen.

- Spec. Gén. Lép. X. p. 359 (1857).
- 1627 *L. infectaria* Guen.
Spec. Gén. Lép. X. p. 359 pl. 22 f. 7 (1857)

EUPITHECIA Curt.

Brit. Ent. VI. pl. 64 (1825).

- 1628 E. inconclusaria Wlk.
Cat. XXIV. p. 1102 (1862).
- 1629 E. atomaria Warr.
Nov. Zool. IX. p. 510 (1902).
- 1630 E. sagittata Warr.
Nov. Zool. IV. p. 71 (1897).
- 1631 E. hypophasma Prout.
Ann. Tr. Mus. III. p. 207 pl. XII. f. 3 (1913).
- 1632 E. dilucida Warr.
Nov. Zool. VI. p. 297 (1899).
- 1633 E. nigribasis Warr.
(ab.) Nov. Zool. IX. p. 74 (1902).
- 1634 E. festiva Prout.
Ann. Tr. Mus. V. p. 166 pl. XXV. f. 21 (1915).
- 1635 E. gradatilinea Prout.
Ann. Tr. Mus. V. p. 166 pl. XXV. f. 22 (1915).
var. rubidimixta Prout.
Ann. Tr. Mus. V. p. 167 pl. XXV. f. 23 (1915).
- 1636 E. subscriptaria Prout.
(ined.).
- 1637 E. bryophilaria Warr.
Nov. Zool. X. p. 274 (1903).
- 1638 E. rubiginifera. Prout.
Ann. Tr. Mus. p. 208 pl. XII. f. 26 (1913).
- 1639 E. macropterata Wlk.
Cat. XXXV. p. 1673 (1866).
- 1640 E. brachyptera Prout.
Ann. Tr. Mus. III. p. 209 pl. XII. f. 8 (1913).
- 1641 E. perizomoides Prout.
Ann. Tr. Mus. V. p. 168 pl. XXV. f. 24 (1915).
- 1642 E. smaragdinata Wlk.
Cat. XXV. p. 1401 (1862).
- 1643 E. polylibades Prout.
Ann. Tr. Mus. V. p. 168 pl. XXV. f. 27 (1915).
- 1644 E. subterlimbata Prout.
(ined.).
- 1645 E. cidariata Guen.
Spec. Gén. Lép. X. p. 357 pl. 11 f. 9 (1857).
- 1646 E. dryas Prout.
Nov. Zool. XXII. p. 338 (1915).

CHLOROCYSTIS Hüb.

Verz. bek. Schmett. p. 323 (1826).

- 1647 Chl. marmorata Warr.
Nov. Zool. IV. p. 114 (1897).
- 1648 Chl. grisea Warr.
Nov. Zool. XXII. p. 318 (1915).
- 1649 Chl. consobrina Warr.
Nov. Zool. VIII. p. 11 (1901).
- 1650 Chl. gymnoseclides Prout.
Ann. Tr. Mus. V. p. 169 pl. XXV. f. 25 (1915).
- 1651 Chl. muscosa Warr.
Ann. S.A. Mus. X. p. 491 (1914).

- 1652 Chl. (?) dentatissima Warr.
Nov. Zool. V. p. 428 (1898).
1653 Chl. lita Prout.
Nov. Zool. XXIII. p. 279 (1916).

SAURIS Guen.

- Spec. Gén. Lép. X. p. 361 (1857).
1654 S. confusidentata Warr.
Nov. Zool. IV. p. 66 (1897).
1655 S. spectabilis Warr.
Nov. Zool. VI. p. 36 (1899).

DIPTYCHIS (Feld).

- Warr. Nov. Zool. II. p. 125 (1895).
1656 D. geometrina Feld.
Reise Nov. pl. 100 f. 20 (1868).
1657 D. (?) inflammata Warr.
Nov. Zool. I. p. 421 (1894).

LITHOSTEGE Hüb.

- Verz. bek. Schmett. p. 337 (1826).
1658 L. decorata Warr.
Ann. S.A. Mus. X. p. 23 (1911).
1659 L. sesquifascia Prout.
Ann. Tr. Mus. III. p. 202 pl. XII. f. 31 (1913).

CONCHYLIA Guen.

- Spec. Gén. Lép. X. p. 186 (1857).
1660 C. ditissimaria Guen.
Spec. Gén. Lép. X. p. 186 (1857).
1661 C. lapsicolumna Prout.
Ann. Tr. Mus. V. p. 165 pl. XXV. f. 20 (1915).
1662 C. paetolaria Wllgrn.
Öfv. Vet. Ak. Förh. 3 p. 55 (1872).
1663 C. nitidula Cram.
Pap. Exot. IV. p. 240 pl. 399 N. (1782).
1664 C. frosinaria Stoll.
Pap. Exot. IV. pl. 36 f. 7 (1782).
1665 C. gamma Prout.
Nov. Zool. XXII. p. 336 (1915).
1666 C. irene Prout.
Nov. Zool. XXII. p. 336 (1915).

RHODOMETRA Meyr.

- Trans. Ent. Soc. Lond. p. 75 (1892).
1667 Rh. sacraria Lin.
Syst. Nat. (ed. XII.) p. 220 (1767).
ab. labda Cram.
Pap. Exot. II. p. 129 pl. 181 f. D. (1777).
1668 Rh. satura Prout.
Ann. Tr. Mus. V. p. 165 pl. XXV. f. 19 (1915).
1669 Rh. participata Wlk.
Cat. XXIV. p. 1060 (1862).

ANTHEMOCTENA Warr.

Nov. Zool. II. p. 102 (1895).

1670 A. textilis Wllgrn.

Öfv. Vet. Ak. Förh. p. 60 (1872).

1671 A. lineata Warr.

Nov. Zool. II. p. 102 (1895) (= ? A. textilis).

LYCAUGIDIA Hmpsnn.

Faun. Ind. Moth. III. p. 424 (1895).

1672 L. albatus Swinh.

Proc. Zool. Soc. Lond. p. 862 pl. 56 f. 5 (1888).

HYDRELLIA Hübn.

Verz. Bek. Schmett. p. 322 (1826).

1673 H. inutilis Warr.

Nov. Zool. VIII. p. 209 (1901).

CAMBOGIA Guen.

Spec. Gén. Lép. IX. p. 431 (1857).

1674 C. grataria Wlk.

Cat. XXII. p. 63 (1861).

ab. mediofusca Prout.

Ann. Tr. Mus. III. p. 202 (1913).

GEOMETRINÆ.

CRAMBOMETRA Prout.

Nov. Zool. XXII. p. 376 (1915).

1675 Cr. derelicta Prout.

Nov. Zool. XXII. p. 376 (1915).

MAUNA Wlk.

Cat. XXXIII. p. 867 (1865).

1676 M. ardescens Prout.

Ann. Tr. Mus. V. p. 170 pl. XXV. f. 29 (1915).

1677 M. filia Cram.

Pap. Exot. p. 128 pl. 264 f. D. (1779).

ACRASIA Feld.

Reise Nov. pl. 131 (Erklärung) (1875).

1678 A. erinita Feld.

Reise Nov. pl. 131 f. 26 (1875).

MICROLIGIA Warr.

Nov. Zool. IV. p. 124 (1897).

1679 M. dolosa Warr.

Nov. Zool. IV. p. 125 (1897).

1680 M. luteitincta Prout.

Nov. Zool. XXIII. p. 280 (1916).

ARGYROPHORA Guen.

Spec. Gén. Lép. X. p. 230 (1857).

1681 A. trofonia Cram.

Pap. Exot. III. p. 92 t. 247 F. (1779).

ab. arcualis Westw.

Jard. Nat. Libr. Ins. vol. V. p. 228 pl. 30 f. 3.

PSEUDOMÆNAS Prout.

- (nom. nov.) ined. = *Agrammodes* Warr.
Ann. S.A. Mus. X. p. 8 (1916).
- 1682 *Ps. leucograpta* Warr.
Ann. S.A. Mus. X. p. 27 (1911).
- 1683 *Ps. margarita* Warr.
Ann. S.A. Mus. X. p. 496 (1914).
- 1684 *Ps. aleidata* Ferl.
Reise Nov. pl. 129 f. 8 (1875).
- 1685 *Ps. anguimata* Feld.
Reise Nov. pl. 129 f. 1 (1875).
- 1686 *Ps. bivirgata* Feld.
Reise Nov. pl. 129 f. 22 (1875).
- 1687 *Ps. tricolor* Warr.
Nov. Zool. IV. p. 99 (1897).
- 1688 *Ps. intricata* Wlk.
Cat. XII. p. 814 (1857).

HEBDOMOPHRUDA Warr.

- Nov. Zool.* IV. p. 100 (1897).
- 1689 *H. eupitheciata* Warr.
Ann. S.A. Mus. X. p. 499 (1914).
- Lab. diploschema* Prout.
Nov. Zool. XXII. p. 376 (1915).
- 1690 *H. apicata* Warr.
Nov. Zool. IV. p. 101 (1897).
- 1691 *H. curvilinea* Warr.
Nov. Zool. IV. p. 101 (1897).
- 1692 *H. curvaria* Dew.
Nova. Acta. Deuts. Akad. p. 86 pl. 2 f. 23 (1881).

DREPANOLOGYNIS Guen.

- Spec. Gén. Lép.* IX. p. 92 (1857).
- 1693 *D. fuscimargo* Warr.
Nov. Zool. V. p. 255 (1898).
- 1694 *D. epione* Prout.
Ann. Tr. Mus. III. p. 213 pl. XII. f. 15 (1913).
- 1695 *D. chromatina* Prout.
Ann. Tr. Mus. III. p. 212 pl. XII. f. 27 (1913).
- 1696 *D. nigrapex* Prout.
Ann. Tr. Mus. III. p. 211 pl. XII. f. 1 (1913).
- 1697 *D. devia* Prout.
Ann. Tr. Mus. III. p. 210 pl. XII. f. 12 (1913).
- 1698 *D. serrifasciaria* H.-S.
Exot. Schmett. pl. 39 f. 195 (1854).
- 1699 *D. mixtaria* Guen.
Spec. Gén. Lép. IX. p. 93 (1857).
- 1700 *D. tripartita* Warr.
Nov. Zool. V. p. 35 (1898).
- 1701 *D. admiranda* Warr.
Nov. Zool. XII. p. 406 (1905).
- 1702 *D. strigulosa* Prout.
Nov. Zool. XXIII. p. 280 (1916).
- 1703 *D. glaucichorda* Prout.
Ann. Tr. Mus. V. p. 171 pl. XXV. f. 28 (1915).

- 1704 D. incondita Warr.
Nov. Zool. XI. p. 476 (1904).
1705 D. monas Prout.
Nov. Zool. XXIII. p. 280 (1916).

DYSCKIA Hübn.

- Verz. bek. Schinett, p. 314 (1826).
1706 D. inspersaria Guen.
Spec. Gén. Lép. X. p. 142 (1857).
1707 D. perplexata Warr.
Nov. Zool. XI. p. 476 (1904).
1708 D. unilineata Warr.
Ann. S.A. Mus. X. p. 492 (1914).

DERRIOIDES Butl.

- A.M.N.H. (4) XVI. p. 401 (1875).
1709 D. hypenissa Butl.
A.M.N.H. (4) XVI. p. 401 (1875).
1710 D. villaria Feld.
Reise Nov. t. 124 f.l. (1875).
1711 D. valida Warr.
Ann. S.A. Mus. X. p. 497 (1914).

ASPILATOPSIS Warr.

- Nov. Zool. IV. p. 100 (1897).
1712 A. antennaria Guen.
Spec. Gén. Lép. IX. p. 99 (1857).
1713 A. alicata Feld.
Reise Nov. pl. 129 f. 17 (1875).
1714 A. unilineata Warr.
Nov. Zool. IV. p. 124 (1897).
(most probably the male of A. antennaria).
1715 A. gloriola Prout.
Ann. Tr. Mus. III. p. 210 pl. XII. f. 19 (1913).
1716 A. punctata Warr.
Nov. Zool. IV. p. 100 (1897).
1717 A. carneata Warr.
Nov. Zool. XI. p. 481 (1904).
1718 A. rufaria Warr.
Nov. Zool. XVI. p. 120 (1909).

SICYODES Warr.

- Nov. Zool. I. p. 450 (1894).
1719 S. ocellata Warr.
Nov. Zool. IV. p. 260 (1897).
form intuens Prout.
Ann. Tr. Mus. V. p. 172 (1915).
1720 S. cambogiaria Guen.
Spec. Gén. Lép. IX. p. 98 (1857).
1721 S. olivescens Warr.
Nov. Zool. V. p. 36 (1898).
1722 S. biferaria Wlk.
Cat. XXVI. p. 1678 (1862).
1723 S. convexaria Wlk.
Cat. XXVI. p. 1511 (1862).

- 1724 *S. biviaria* Guen.
 Spec. Gén. Lép. IX. p. 99 (1857).
 form *pauaria* Guen.
 Spec. Gén. Lép. IX. p. 99 (1857).

EUPAGIA Wlk.

- Cat. XX. p. 217 (1860).
 1725 *E. determinata* Wlk.
 Cat. XX. p. 216 (1860).
 1726 *E. curvifascia* Prout.
 Nov. Zool. XXIII. p. 281 (1916).

AXIODES Warr.

- Nov. Zool. I. p. 465 (1894).
 1727 *A. rufigrisea* Warr.
 Ann. S.A. Mus. X. p. 27 (1911).
 1728 *A. insciata* Feld.
 Reise Nov. pl. 129 f. 10 (1875).
 1729 *A. figurata* Warr.
 Nov. Zool. IV. p. 61 (1897).
 1730 *A. inangulata* Warr.
 Nov. Zool. XII. p. 408 (1905).
 1731 *A. intricata* Warr.
 Nov. Zool. XII. p. 408 (1905).
 1732 *A. sinuata* Warr.
 Nov. Zool. XII. p. 408 (1905).
 1733 *A. bipartita* Warr.
 Ann. S.A. Mus. X. p. 496 (1914).
 1734 *A. ennomaria* Warr.
 Nov. Zool. XI. p. 480 (1904).
 1735 *A. inæqualis* Prout.
 Nov. Zool. XXII. p. 377 (1915).
 1736 *A. tripartita* Prout.
 Nov. Zool. XXII. p. 377 (1915).
 1737 *A. bifasciata* Dew.
 Nova Acta Deuts. Akad. p. 86 pl. 2 f. 18 (1881).

BICLAVIGERA Warr.

- Nov. Zool. I. p. 437 (1894).
 1738 *B. præcanaria* H.-S.
 Exot. Lep. pl. 78 f. 449 (1854).
 1739 *B. deterior* Prout.
 Nov. Zool. XXIII. p. 281 (1916).

HAGGARDIA Warr.

- Nov. Zool. XI. p. 473 (1904).
 1740 *H. dentilinea* Warr.
 Nov. Zool. IV. p. 245 (1897).
 1741 *H. subalbata* Warr.
 Nov. Zool. XII. p. 396 (1905).
 1742 *H. mailaria* Swinh.
 Transv. Ent. Soc. Lond. p. 535 (1904).
 subspec. *cæca* Prout.
 Ann. Tr. Mus. III. p. 223 pl. XII. f. 11 (1913).
 1743 *H. spissata* Warr.
 Nov. Zool. XII. p. 396 (1905).

- H.* grisea Warr.
Nov. Zool. IV. p. 91 (1897).
H. subpunctata Warr.
Nov. Zool. IV. p. 91 (1897).
H. extorris Warr.
Nov. Zool. XI. p. 482 (1904).
H. patulata Wlk.
Cat. XXVI. p. 1500 (1862).
H. melanostigma Warr.
Nov. Zool. XI. p. 473 (1904).

APHIOPOTA Warr.
Nov. Zool. VI. p. 304 (1895).

- 1749 *A.* interpellans Butl.
A. M. N. H. (4) 16 p. 417 (1875).

ILLIA Warr.
Ann. S.A. Mus. X. p. 487 (1914).

- 1750 *I.* nefanda Warr.
Ann. S.A. Mus. X. p. 487 pl. XLI. f. 5 (1914).

OMPHALUCHA Warr.
Nov. Zool. XII. p. 397 (1905).

- 1751 *O.* maturaria Möschl.
Verh. zool.-bot. Ges. Wien. XXXIII. p. 307
t. 16 f. 23 (1884).

APOCHEIMA Hübn.
Verz. bek. Schmett. p. 319 (1826).

- 1752 *A.* trisecta Warr.
Nov. Zool. IV. p. 91 (1897).

CUSIALA Moore.
Lep. Ceyl. III. p. 407 (1887).
C. (?) *pulverosa* Warr.

Nov. Zool. XI. p. 472 (1904).

HEMEROPHILA Steph.

- III. Haust. III. p. 189 (1831).
H. obtusata Warr.
Nov. Zool. IX. p. 521 (1902).
H. accentuata Feld.
Reise Nov. pl. 125 f. 6 (1875).
H. serrataria Wlk.
Cat. XXI. p. 412 (1860).
H. contemptaria Wlk.
Cat. XXI. p. 367 (1860).

XYLOPTERYX Guen.
Spec. Gén. Lép. IX. 215 (1857).

- 1758 *X.* protearia Guen.
Spec. Gén. Lép. IX. p. 215 pl. 4 f. 8 (1857).
ab. *lucidiscata* Wlk.
Cat. XXVI. p. 1724 (1862).
X. prasinaria Hmpsnn.
Tr. Zool. Soc. Lond. 19 p. 125 t. 4 f. 57 (1909)

- 1760 *X. arcuata* Wlk.
Cat. XXIV. p. 1191 (1862)

CATASCIA Hüb.

Verz. bek. Schmett. p. 313 (1826).

- 1761 *C. renitens* Warr.
Ann. S.A. Mus. X. p. 491 pl. XLI. f. 3 (1914).

GNOPHOS Treit.

Schmett. Eur. 5 (2) p. 432 (1825).

- 1762 *Gn. rubricimixta* Prout.
Nov. Zool. XXII. p. 365 (1915).
1763 *Gn. delagardei* Prout.
Nov. Zool. XXII. p. 365 (1915).

ELOPHOS Boisd.

Gen. et. Ind. Meth. Eur. Lep. p. 199 (1840).

- 1764 *E. barbarica* Prout.
Nov. Zool. XXII. p. 366 (1915).

IDIOTEPHRA Warr.

Nov. Zool. VI. p. 60 (1899).

- 1765 *I. simplex* War.
Ann. S.A. Mus. X. p. 490 pl. XLI. f. 2 (1914).

MYRIOBLEPHARA Warr.

Proc. Zool. Soc. Lond. p. 428 (1893).

- 1766 *M. sub'imbata* Warr.
Ann. S.A. Mus. X. p. 25 (1911).
1767 *M. decisca* Warr.
Ann. S.A. Mus. X. p. 488 pl. XLI. f. 11 (1914).

ECTROPIS Hüb.

Verz. bek. Schmett. p. 316 (1826).

- 1768 *E. delosaria* Wlk.
Cat. XXVI. p. 1541 (1862).
ab. *rubidior* Prout.
Ann. Tr. Mus. III. p. 220 (1913).
1769 *E. obliquilinea* Prout.
Ann. Tr. Mus. V. p. 178 pl. XXV. f. 38 (1915).
1770 *E. spoliataria* Wlk.
Cat. XXI. p. 368 (1860).

RACOTIS Moore.

Lep. Ceyl. III. p. 418 (1887).

- 1771 *R. squalida* Butl.
A. M. N. H. (5) 2. p. 465 (1878).
1772 *R. zebrina* Warr.
Nov. Zool. VI. p. 56 (1899).

ASCOTIS Hüb.

Verz. bek. Schmett. p. 313 (1826).

- 1773 *A. nigristigma* Warr.
Nov. Zool. XII. p. 399 (1905).

- 1774 A. selenaria Schiff.
Schmett. Wien. p. 101 (1775).
ab. fasciata Warr.
Nov. Zool. IV. p. 92 (1897).
subspec. reciprocaria Wlk.
Cat. XXI. p. 366 (1860).
1775 A. semifusca Warr.
Nov. Zool. XI. p. 475 (1904).

CHOGADA Moore.

- Lep. Ceyl. III. p. 415 (1887).
 ↗ 1776 Ch. betularia Warr.
Nov. Zool. IV. p. 93 (1897).
 ↗ 1777 Ch. tulbaghata Feld.
Reise Nov. pl. 125 f. 5 (1875).
 ↗ 1778 Ch. funesta Warr.
Nov. Zool. XII. p. 398 (1905).
 ↗ 1779 Ch. munda Warr.
Nov. Zool. VI. p. 52 (1899).
 ↗ 1780 Ch. acaciaria Boisd.
Nouv. Ann. Mus. Nat. Hist. II. p. 264 t. 16
f. 4 (1833).

CLEORA Curt.

- Brit. Ent. II. p. 88 (1825).
 1781 Cl. divisaria Wlk.
Cat. XXI. p. 366 (1860).
ab. crassilineata Prout.
Ann. Tr. Mus. III. p. 221 pl. XIII. f. 30 (1913).
 1782 Cl. proximaria Wlk.
Cat. XXI. p. 365 (1860).
 1783 Cl. ineauta Prout.
Ann. Tr. Mus. V. p. 176 pl. XXV. f. 35 (1915).
 1784 Cl. extremaria Wlk.
Cat. XXI. p. 367 (1860).
 1785 Cl. octopunctata Warr.
Nov. Zool. IV. p. 92 (1897).

BOARMIA Treit.

- Schmett. Eur. 5 (2) p. 433 (1825).
 1786 B. ectropodes Prout.
Ann. Tr. Mus. III. p. 221 pl. XII. f. 39 (1913).
 ↗ 1787 B. gonophora Prout.
Ann. Tr. Mus. V. p. 177 pl. XXV. f. 36 (1915).
ab. albimacula Prout.
Ann. Tr. Mus. V. p. 178 pl. XXV. f. 37 (1915).
 1788 B. pallidizona Hmpsn.
Proc. Zool. Soc. Lond. p. 473 pl. 39 f. 7 (1910).
 ↗ 1789 B. octomaculata Wllgrn.
Öfv. Vet. Akad. Förh. 3. p. 59 (1872).
 1790 B. perfectaria Wlk.
Cat. XXXV. p. 1581 (1866).
 1791 B. barretti Prout.
Nov. Zool. XXII. p. 355 (1915).
 ↗ 1792 B. cataimena Prout.
Nov. Zool. XXII. p. 358 (1915).

- 1793 *B. sabinei* Prout.
Nov. Zool. XXII. p. 357 (1915).

- 1794 *B. complacita* Prout.
Nov. Zool. XXII. p. 355 (1915).

TEPHRINA Guen.

- In Dup. Cat. Méth. Lép. p. 246 (1845).
- 1795 *T. geminata* Warr.
Nov. Zool. IV. p. 113 (1897).
- 1796 *T. exospilata* Wlk.
Cat. XXIII. p. 987 (1861).
- 1797 *T. confertaria* Warr.
Ann. S.A. Mus X. p. 489 pl. XII. f. 8 (1914).
- 1798 *T. exmotaria* Wlk.
Cat. XXIII. p. 961 (1861).
- 1799 *T. catalaunaria* Guen.
Spec. Gén. Lép. X. p. 108 (1857).
- 1800 *T. spissata* Wlk.
Cat. XXIV. p. 1071 (1862).
- 1801 *T. deerraria* Wlk.
Cat. XXIII. p. 962 (1861).
- ab. *dissocia* Warr.
Nov. Zool. IV. p. 112 (1897).
- 1802 *T. nemorivaga* Wllgrn.
Öfv. af. K. Vet. Ak. Förh. p. 59 (1872).
- 1803 *T. acrobelia* Wllgrn.
Öfv. af. K. Vet. Akad. Förh. p. 122 (1875).
- 1804 *T. inconspicua* Warr.
Nov. Zool. IV. p. 113 (1897).
- 1805 *T. supergressa* Prout.
Ann. Tr. Mus. III. p. 215 pl. XII. f. 6 (1913).
- 1806 *T. furcata* Warr.
Nov. Zool. IV. p. 112 (1897).
- 1807 *T. cineraseens* Butl.
A. M. N. H. (4) 16 p. 418 (1875).
- 1808 *T. dataria* Wlk.
Cat. XXIII. p. 96 (1861).
- 1809 *T. defectaria* Wlk.
Cat. XXIII. p. 962 (1861).
- 1810 *T. antennata* Warr.
Nov. Zool. IV. p. 399 (1897).
- 1811 *T. (?) deviaria* Wlk.
Cat. XXIV. p. 1762 (1862).
- 1812 *T. latiscriptata* Wlk.
Cat. XXVI. p. 1760 (1862).
- 1813 *T. umbratilis* Butl.
A. M. N. H. (4) XVI. p. 417 (1875).

PERIDELA Warr.

Nov. Zool. IV. p. 110 (1897).

- 1814 *P. interrupta* Warr.

Nov. IV. p. 110 (1897).

- 1815 *P. crassata* Warr.

Nov. Zool. IV. p. 110 (1897.).

- 1816 *P. inaequilinea* Warr.

- Ann. S.A. Mus. X. p. 26 (1911).
 1817 *P. arenosa* Butl.
 A. M. N. H. (4) 16 p. 419 (1875).

HYOSTOMODES Warr.

- Nov. Zool. IV. p. 242 (1897).
 1818 *H. nubilata* Warr.
 Nov. Zool. IV. p. 242 (1897).

MACARIA Curt.

- Brit. Ent. III. p. 32 (1826).
 - 1819 *M. alternata* Warr.
 Nov. Zool. VI. p. 306 (1899).
 1820 *M. brongusaria* Wlk.
 Cat. XX. p. 123 (1860).
 ab. *exsecutaria* Wlk.
 Cat. XXIII. p. 968 (1861).
 1821 *M. cataleucaria* Mab.
 Ann. Soc. Ent. Fr. 66 p. 229 (1897).
 - 1822 *M. confusa* Warr.
 Nov. Zool. VI. p. 308 (1899).
 1823 *M. conventa* Prout.
 Ann. Transv. Mus. III. p. 217 pl. XII. f. 25
 (1913).
 - 1824 *M. costiguttata* Warr.
 Nov. Zool. VI. p. 58 (1899).
 - 1825 *M. distinguenda* Warr.
 Nov. Zool. IV. p. 106 (1897) (probably =
 kirbyi Wllgrn.).
 1826 *M. dupliceilinea* Warr.
 Nov. Zool. IV. p. 107 (1897).
 1827 *M. elata* Prout.
 Ann. Tr. Mus. V. p. 175 pl. XXV. f. 34 (1915).
 1828 *M. feraliata* Guen.
 Spec. Gén. Lép. X. p. 88 (1857).
 1829 *M. getula* Wllgrn.
 Öfv. af. K. Vet. Akad. Förh. p. 58 (1872).
 1830 *M. grimmia* Wllgrn.
 Ofv. af. K. Vet. Akad. Förh. p. 57 (1872).
 1831 *M. grisescens* Prout.
 Ann. Tr. Mus. V. p. 173 pl. XXV. f. 31 (1915).
 1832 *M. hypoleuca* Prout.
 Ann. Tr. Mus. V. p. 174 pl. XXV. f. 32 (1915).
 1833 *M. johnstoni* Butl.
 Proc. Zool. Soc. Lond. p. 683 (1893).
 1834 *M. kilimanjarensis* Holl.
 Ent. XXV. suppl. p. 95 (1892).
 ab. *mundipennis* Warr.
 Nov. Zool. VIII. p. 213 (1901).
 ab. *transvisata* Warr.
 Nov. Zool. XI. p. 471 (1904).
 1835 *M. kirbyi* Wllgrn.
 Öfv. af. K. Vet. Akad. Förh. p. 121 (1875).
 1836 *M. lataria* Wlk.
 Cat. XXIII. p. 921 (1861).

- 1837 *M. leighi* Warr.
Nov. Zool. XI. p. 478 (1904).
- 1838 *M. majestica* Warr.
Nov. Zool. VIII. p. 213 (1901).
- 1839 *M. multistrigata* Warr.
Nov. Zool. IV. p. 108 (1897).
- 1840 *M. natalensis* Warr.
Nov. Zool. XI. p. 479 (1904).
- 1841 *M. nobilitata* Prout.
Ann. Tr. Mus. III. p. 216 (1913).
- 1842 *M. rectilinea* Warr.
Nov. Zool. XII. p. 403 (1905).
- 1843 *M. rectistriaria* H.-S.
Exot. Schmett. p. 197 (1854).
- 1844 *M. semitecta* Wlk.
Cat. XXIII. p. 987 (1861).
- 1845 *M. simplicilinea* Warr.
Nov. Zool. XII. p. 401 (1905).
- 1846 *M. streniata* Guen.
Spec. Gén. Lép. X. p. 87 (1857).
- 1847 *M. teenium* Prout.
Ann. Tr. Mus. V. p. 175 pl. XXV. f. 33 (1915).
- 1848 *M. trirecurva* Saalm.
Lep. Madag. p. 497 (1891).
- 1849 *M. umbrata* Warr.
Nov. Zool. IV. p. 109 (1897).
- 1850 *M. unicolor* Warr.
Nov. Zool. XII. p. 403 (1905).
- 1851 *M. vau* Prout.
Ann. Tr. Mus. III. p. 217 pl. XII. f. 16 (1913).

DISCALMA Meyr.

Proc. Linn. Soc. N.S. Wales (2) 6. p. 590
(1892).

- 1852 *D. marmorata* Warr.
Nov. Zool. IV. p. 114 (1897).
- ab. *pallida* Warr.
Nov. Zool. IV. p. 114 (1897).
- 1853 *D. bitæniata* Warr.
Ann. S.A. Mus. X. p. 489 (1914).
- 1854 *D. subcurvaria* Mab.
Ann. Soc. Ent. Fr. 66 p. 228 (1897).
- 1855 *D. observata* Wlk.
Cat. XXIII. p. 963 (1861).
- 1856 *D. normata* Wlk.
Cat. XXIII. p. 966 (1861).
- 1857 *D. illineata* Warr.
Nov. Zool. VIII. p. 214 (1901).

OSTEODES Guen.

Spec. Gén. Lép. X. p. 177 (1857).

- 1858 *O. turbulenta* Guen.

Spec. Gén. Lép. X. p. 177 (1857).

- 1859 *O. procidata* Guen.

Spec. Gén. Lép. X. p. 177 (1857).

(Perhaps not a South African species).

PLATYPEPLA Warr.

- Nov. Zool. VII. p. 96 (1900).
- 1860 Pl. spinicata Warr.
Nov. Zool. IV. p. 118 (1897).
- 1861 Pl. nudaria Warr.
Nov. Zool. VII. p. 96 (1900).

PLATEOPLIA Warr.

- Nov. Zool. XVI. p. 120 (1909).
- 1862 Pl. flavata Warr.
Nov. Zool. IV. p. 81 (1897).

PETRODAVA Wlk.

- Cat. XXVI. p. 1656 (1862)
- 1863 P. biskraria Ob.
Bull. Soc. Ent. Fr. p. 132 (1884).
- 1864 P. subapicata Warr.
Nov. Zool. VI. p. 308 (1899).
- 1865 P. leucicolor Butl.
A.M.N.H. (4) 16 p. 417 (1875).
subspec. muscosa Warr.
Ann. S.A. Mus. X. p. 491 (1914).
- 1866 P. atrisignata Warr.
Ann. S.A. Mus. X. p. 490 pl. XLI. f. 4 (1914).
- 1867 P. madecassaria Boisd.
Faune Ent. Madag. p. 114 (1833).

GONODONTIS Hüb.

- Verz. beb. Schmett. p. 287 (1826).
- 1868 G. noctuodes Warr.
Nov. Zool. XI. p. 481 (1904).
- 1869 G. erebaria Guen.
Spec. Gén. Lép. IX. p. 166 (1857).
- 1870 G. integraria Guen.
Spec. Gén. Lép. IX. p. 166 (1857).

PSILOCERA Saalm.

- Ber. Senck. Ges. p. 293 (1880).
- 1871 Ps. pulverosa Warr.
Nov. Zool. I. p. 461 (1894).

PROCYPHA Warr.

- Nov. Zool. IV. p. 121 (1897).
- * 1872 Pr. maculosata Warr.
Nov. Zool. IV. p. 121 (1897).
- 1873 Pr. lactesignata Warr.
Ann. S.A. Mus. X. p. 495 pl. XLI. f. 6 (1914).

PSILOCALDIA Warr.

- Nov. Zool. V. p. 40 (1898).
- 1874 Ps. obliquata Warr.
Nov. Zool. V. p. 41 (1898).

COENINA Wlk.

- Cat. XX. p. 217 (1860).
 1875 C. pœicularia H.-S.
 Exot. Schmett. ff. 192, 193 (1860).

XENIMPIA Warr.

- Nov. Zool. II. p. 135 (1895).
 1876 X. erosa Warr.
 Nov. Zool. II. p. 135 (1895).

MIANTOCHORA Warr.

- Nov. Zool. II. p. 145 (1895).
 1877 M. inæquilinea Warr.
 Nov. Zool. II. p. 145 (1895).

PLEGOPTERYX H.-S.

- Sammel. Ausser Eur. Schmett. I. p. 76 (1856).
 1878 Pl. anomalus H.-S.
 I.e. I. t. 80 ff. 462, 463 (1856).
 ab. viridis Warr.
 Nov. Zool. XVI. p. 122 (1909).

EUEXIA Prout.

- Nov. Zool. XXII. p. 378 (1915).
 1879 Eu. percnopis Prout.
 Nov. Zool. XXI. p. 379 (1915).

OMIZODES Warr.

- Nov. Zool. I. p. 448 (1894).
 1880 O. ocellata Warr.
 Nov. Zool. I. p. 448 (1894).

PHÖNICOCAMPA Warr.

- Nov. Zool. II. p. 51 (1895).
 1881 Ph. terinata Feld.
 Reise Nov. pl. CXXIX. f. 13 (1875).

PARECLIPSIS Warr.

- Nov. Zool. I. p. 462 (1894).
 1882 P. punctata Warr.
 Nov. Zool. VII. p. 97 (1900).
 ab. distolechorda Prout.
 Ann. Tr. Mus. V. p. 179 pl. XXV. f. 39 (1915)
 1883 P. ochrea Warr.
 Nov. Zool. XII. p. 409 (1905).
 1884 P. oxyptera Prout.
 Nov. Zool. XXIII. p. 284 (1916).
 1884a P. incerta Prout.
 Nov. Zool. XXIII. p. 284 (1916).
 1884b P. leptophyes Prout.
 Nov. Zool. XXIII. p. 285 (1916).

NOPIA Wlk.

- Cat. XXIV. p. 1091 (1862).
 1885 N. saxaria Guen.
 Spec. Gén. Lép. X. p. 132 (1857).

ASPILATES Treit.

- Schmett. Eur. 5 (2). p. 43 (1825).
- 1886 A. illepidata Wlk.
Cat. XXIV. p. 1070 (1862).
- 1887 A. inceptaria Wlk.
Cat. XXVI. p. 1763 (1862).
- 1888 A. sabuliferata Wlk.
Cat. XXVI. p. 1762 (1862).

PARACROCOTA Warr.

- Nov. Zool. IV. p. 58 (1897).
- 1889 P. mæviaria Guen.
Spec. Gén. Lép. X. p. 185 (1857).

LOXOPORA Warr.

- Ann. S.A. Mus. X. p. 492 (1914).
- 1890 L. dentilineata Warr.
Ann. S.A. Mus. X. p. 493 pl. XLI. f. 7 (1914).

PERUSIOPSIS Warr.

- Ann. S.A. Mus. X. p. 493 (1914).
- 1891 P. veninotata Warr.
Ann. S.A. Mus. X. p. 494 pl. XLI. f. 10 (1914).

OBOLCOLA Wlk.

- Cat. XXIV. p. 1101 (1862).
- 1892 O. flavescens Prout.
Ann. Tr. Mus. III. p. 215 pl. XII. f. 24 (1913).
- 1893 O. deocellata Prout.
Ann. Tr. Mus. III. p. 215 pl. XII. f. 2 (1913).
- 1894 O. petronaria Guen.
Spec. Gén. Lép. X. p. 44 pl. 11 f. 3 (1857).
- 1895 O. ferrorubrata Wlk.
Cat. XXVI. p. 1670 (1862).

FIDONIA Treit.

- Schmett. Eur. 5. (2). p. 435 (1825).
- 1896 F. (?) acuta Warr.
Nov. Zool. IV. p. 57 (1897).
- 1897 F. subfuligata Wlk.
Cat. XXVI. p. 1762 (1862).

ORGYIODES Feld. (undeser.)

- Warr. Nov. Zool. I. p. 437 (1894).
- 1898 O. caparia Wlk.
Cat. XXIV. p. 1035 (1862).

ISTURGIA Hübn.

- Verz. Bek. Schmett. p. 297 (1826).
- 1899 I. (?) focularia Hübn-Gey.
Zutr. Exot. Schmett. (5) pl. 6 ff. 855, 856
(1837).

NOTHABRAXAS Warr.

- Nov. Zool. IV. p. 88 (1897).
- 1900 N. commaculata Warr.
Nov. Zool. IV. p. 88 (1897).

RHODOPHTHITUS Butl.

A. M. N. H. (5) 5. p. 392 (1880).

1901 Rh. (?) roseus Warr.

Nov. Zool. VI. p. 304 (1899).

DURBANA Warr.

Nov. Zool. XI. p. 470 (1904).

1902 D. setinata Feld.

Reise Nov. pl. 130 f. 25 (1874).

VENILIODES Warr.

Nov. Zool. I. p. 421 (1894).

1903 V. pantheraria Feld.

Reise Nov. pl. 100 f. 27 (1874).

ZERENOPSIS Feld (non descr.).

Warr. Nov. Zool. I. p. 422 (1894).

1901 Z. leopardina Feld

Reise Nov. pl. 100 f. 19 (1874).

CALLIORATIS Feld. (non descr.)

Hmpsn. Ann. S.A. Mus. III. p. 416 (1905).

1905 C. abraxis Feld.

Reise Nov. pl. 100 f. 17 (1874).

1906 C. millari Hmpsn.

Ann. S.A. Mus. III. p. 417 (1905).

NASSUNIA Wlk.

Cat. XXIV. p. 114 (1862).

1907 N. cafraria Lin.

Syst. Nat. (ed. XII.) I. (2). p. 865 (1767).

1908 N. pretoria Prout.

Ann. Tr. Mus. V. p. 179 pl. XXV. f. 40 (1915).

LIGDIA Guen.

Spec. Gén. Lép. X. p. 209 (1857).

1909 L. pectinicornis Prout.

Ann. Tr. Mus. III. p. 223 (1913).

1910 L. batesii Wllgrn.

Öfv. Vet. Akad. Förh. I. p. 119 (1875).

1911 L. interrupta Warr.

Nov. Zool. IV. p. 88 (1897).

SCARDAMIA Guen.

Spec. Gén. Lép. IX. p. 89 (1857).

1912 Sc. maculata Warr.

Nov. Zool. IV. p. 240 (1897).

1913 Sc. neophronaria Ob.

Et. Lép. 6. p. 253 f. 1446 (1912).

(This is perhaps a var. of **maculata**).

1914 Sc. auricineta Wlk.

Cat. XXIV. p. 1091 (1862).

CÆNARTHRIA Warr.

Nov. Zool. I. p. 439 (1894).

- 1915 *C. haturata* Wlk.
Cat. XX. p. 127 (1860).

MELINOËSSA H.-S.

Samml. Aussereur. Schmett. I. p. 31 (1856).

- 1916 *M. crœsaria* H.-S.
l.c. p. 31, pl. 65, f. 70 (1856).

ZAMARADA Moore.

Lep. Ceyl. III. p. 432 (1887).

- 1917 *Z. secutaria* Guen.
Spec. Gén. Lép. X. p. 45 (1857).
1918 *Z. transvisaria* Guen.
Spec. Gén. Lép. IX. p. 98 (1857).
1919 *Z. pandatilinea* Prout.
Ann. Tr. Mus. V. p. 173 pl. XXV. f. 30 (1915).
1920 *Z. denticineta* Hmpsn.
Proc. Zool. Soc. Lond. p. 469 pl. 39 f. 6 (1910).
1921 *Z. flavicineta* Hmpsn.
Proc. Zool. Soc. Lond. p. 471 pl. 39 f. 4 (1910).
1922 *Z. metallicata* Warr.
Ann. S.A. Mus. X. p. 486 pl. XLI. f. 14 (1914).
1923 *Z. deceptrix* Warr.
Ann. S.A. Mus. X. p. 485 (1914).
1924 *Z. bathyscaphes* Prout.
The Entomologist, p. 196 (1912).
1925 *Z. purimargo* Prout.
The Entom. p. 197 (1912).
1926 *Z. nebulimargo* Prout.
The Entom. p. 197 (1912).
1927 *Z. ignicosta* Prout.
The Entom. p. 198 (1912).
1928 *Z. reflexaria* Wlk.
Cat. XXVI. p. 1565 (1862).
1929 *Z. fessa* Prout.
The Entom. p. 199 (1912).
1930 *Z. metrioscaphes* Prout.
The Entom. p. 199 (1912).
1931 *Z. aclea* Prout.
The Entom. p. 200 (1912).
1932 *Z. adiposata* Feld.
Reise Nov. pl. CXXVII. f. 19, 19a. (1875).
1933 *Z. medianata* Prout.
Nov. Zool. XXII. p. 343 (1915).
1934 *Z. eroëssa* Prout.
Nov. Zool. XXII. p. 344 (1915).

STEGANIA Guen.

In Dnp. Cat. Méth. Lép. Eur. p. 270 (1845).

- 1935 *St. inaccurata* Prout.
Ann. Tr. Mus. III. p. 214 pl. XII. f. 28 (1913).

HETEROSTEGANE Hmpsni.

- III. Het. IX. p. 142 (1893).
- 1936 H. aridata Warr.
Nov. Zool. IV. p. 78 (1897).
- 1937 H. indularia Guen.
Spec. Gén. Lép. X. p. 46 (1857).
ab. calidata Warr.
Nov. Zool. IV. p. 78 (1897).
- 1938 H. rectistriga Prout.
Ann. Tr. Mus. III. p. 213 (1913).
- 1939 H. bifasciata Warr.
Ann. S.A. Mus. X. p. 494 pl. XI. f. 9 (1914).

GYALOMIA Prout.

- Ann. Tr. Mus. III. p. 218 (1913).
- 1940 G. elatina Prout.
Ann. Tr. Mus. III. p. 219 pl. XII. f. 23 (1913).
- 1941 G. aquæmontana Prout.
Ann. Tr. Mus. III. p. 220 pl. XII. f. 7 (1913).

PETELIA H.-S.

- Samml. Aussereur. Schmett. I. p. 29 (1856).
- 1942 P. strigata Warr.
Nov. Zool. IV. p. 103 (1897).
ab. pallida Warr.
Nov. Zool. IV. p. 103 (1897).

SATURNIIDÆ.**ATTACINÆ.**

EPIPHORA Wllgrn.

- Wien. Ent. Mon. IV. p. 167 (1860).
- 1943 E. mythimnia Westw.
Proc. Zool. Soc. Lond. p. 40 pl. VIII. f. 3
(1849).

SATURNIINÆ.

ARGEMA Wllgrn.

- Öfv. Vet. Akad. Förh. XV. p. 140 (1858).
- 1944 A. mimosæ. Boisd.
Del. Voy. Afr. Austr. II. p. 600 (1847).

GONIMBRASIA Butl.

- A. M. N. H. (5) II. p. 462 (1878).
- 1945 G. zambesina Wlk.
Cat. XXXII. p. 523 (1865).
- 1946 G. tyrrhea Cram.
Pap. Exot. I. t. XLVI. a. (1775).
- 1947 G. belina Westw.
Proc. Zool. Soc. Lond. p. 41 pl. VIII. f. 2
(1849).

IMBRASIA Hüb.

Verz. bek. Schmett. p. 154 (1822!).

- 1948 *I. epimethea* Drury.
subsp. *erthii* Rebel. Ann. K.K. Naturhist. Hof. Mus. XIX. p. 67 pl. III. (1904).

BUNÆA Hüb.

Verz. Bek. Schmett. p. 154 (1826).

- 1949 *B. alcinoe* Stoll.
Pap. Exot. IV. t. 322 f. A. B. (1780).
1950 *B. caffraria* Stoll.
Pap. Exot. Suppl. t. 31 f. 2 (1791).
1951 *B. (?) angasana* Westw.
1952 *B. cervina* Westw.
Oates Matabeleland p. 357 (1881).

NUDAURELIA Roths.

Nov. Zool. II. p. 41 (1895).

- 1953 *N. arabella* Aur.
Ent. Tidskr. p. 203 (1893).
1954 *N. gueinzii*. Stand.
Stett. ent. Zeit. XXXIII. p. 120 (1872).
1955 *N. cytherea* Fabr.
Syst. Ent. V. p. 557 (1775)
1956 *N. wahlbergi* Boisd.
Del. Voy. Afr. Austr. II. p. 600 (1847).
1957 *N. arata* Westw.
Proc. Zool. Soc. Lond. p. 41 pl. VII. f. 2
(1849).
1958 *N. oubié* Guen.
Lefebvre Voy. en Abys. p. 387 pl. XII. f. 1, 2
(1849).

LOBOBUNÆA Pack.

J. N. York ent. Soc. IX. figured pl. XII. p.
191 (1901).

- 1959 *L. tyrrhena* Westw.
Proc. Zool. Soc. Lond. p. 51 pl. VIII. f. 1
(1849).
1960 *L. natalensis* Aur.
Ent. Tidskr. p. 203 (1893).
1961 *L. epithyrena* Maassen & Weym.
(var.) Beitr. Schmett. V. ff. 86, 87 (1886).

CIRINA Wlk.

Cat. VI. p. 1382 (1855).

- 1962 *C. forda* Westw.
Proc. Zool. Soc. Lond. p. 52 (1849).
1963 *C. similis* Dist.
A.M.N.H. (6) XIX. p. 393 (1897).
1964 *C. semiceaca* Wlk.
Cat. VI. p. 1277 (1855).

MELANOCERA Sonth.

Ess. Classif. Lép. prod. de Soie. (III.) p. 58
(1901).

1965 M. menippe. Westw.

Proc. Zool. Soc. Lond. p. 43 pl. IX. f. 2 (1849)

GYNANISA Wlk.

Cat. VI. p. 1267 (1855).

1966 G. maia Klug.

Neue Schmett. t. V. f. 1 (1836).

ATHLETES Karsch.

Ent. nachr. XXII. p. 239 (1896).

1967 A. semialba Sonth.

L'Echange, Revue Linn., org. des Nat. de la
rég. Lyonnaise XVI. p. 23 (1899).

HENIOCHA Hübn.

Verz. Bek. Schmett. p. 157 (1822).

1968 H. lindti Grünb.

Denkschr. med. Ges. Jena 16 p. 118 (1910).

1968a H. flavidula Butl.

A.M.N.H. (4) XX. p. 462 (1877).

1969 H. dewitzii Maas. & Weym.

Beitr. Schmett. v. ff. 90, 91 (1886).

1970 H. dyops Maasen & Weym.

Beitr. Schmett. V. ff. 113, 114 (1886). ↗

1971 H. terpsichorina Westw.

Oates Matabeleland p. 357 (1881).

1972 H. appolonia Cram.

Exot. III. p. 97 pl. 250 f. A. (1779).

1973 H. bioculata Aur.

Öfv. K. Vet. Ak. Förh. VII. p. 50 (1879).

1974 H. grimmiae Hübn.

Exot. Schmett. ff. 3, 4 (1826).

1975 H. (?) terpsichore Maassen & Weym.

Beitr. Schmett. ff. 113, 114 (1886).

EOCHRA Feld.

Reise Nov. IV. pl. 85 f. 6 (1874).

1976 E. trimeni Feld.

Reise Nov. IV. pl. 85 f. 6 (1874).

PSEUDAPHELIA Kirby.

Syn. Cat. Lep. Het. p. 771 (1892).

1977 Ps. apollinaris Boisd.

Del. Voy. Afr. Austr. II. p. 601 (1847).

CYRTOGONE Wlk.

Cat. VI. p. 1344 (1855).

1978 C. cana. Aur.

Ent. Tidskr. p. 202 (1893).

1979 C. bilineata Roths. & Jord.

A.M.N.H. (7) XX. p. 8 (1907).

1980 C. nenia Westw.

Proc. Zool. Soc. Lond. No. 26 t. 9 f. 3 (1849).

LUDIINÆ.**GOODIA** Holl.

- Ent. News. Philad. p. 178 (1893).
 1981 *G. kuntzei* Dew.
 Verh. Leop. Carol. Akad. XLII. p. 70 t. III
 (2) f. 14 (1881).

LUDIA Wllgrn.

- Bih. Svensk. Akad. Handl. (2) V. no. 4 p.
 25 (1865).
 1982 *L. delegorguei* Boisd.
 Voy. Afr. Austr. II. p. 601 (1847).
 1983 *L. goniata* Roths.
 A.M.N.H. (7) XX. p. 9 (1907).

UROTA Westw.

- Proc. Zool. Soc. Lond. p. 60 (1849).
 1984 *U. sinope* Westw.
 Proc. Zool. Soc. Lond. t. 10 f. 3 (1849).

HOLOCERA Feld.

- Reise Nov. pl. LXXXVIII. ff. 4, 5 (1868).
 1985 *H. smilax* Westw.
 Proc. Zool. Soc. Lond. p. 59 (1849).

CINABRA Sonth.

- Ess. Clas. Lep. prod. de Soie p. 61 (1901).
 1986 *C. pygmaea* Maass. & Weym.
 Beitrag. Schmett. V. f. 100 (1886).
 1987 *C. hyperbius* Westw.
 Oates' Matabeleland 1st ed. p. 357 (1881).
 1988 *C. bracteata* Dist.
 A.M.N.H. (6) XIX. p. 393 (1897).

TAGOROPSIS Feld.

- Reise Nov. pl. 88 f. 2 (1874).
 1989 *T. dentifera* Maassen & Weym.
 Beitr. Schmett. V. f. 115 (1886).
 var. *conspersa* Aur.
 Ent. Tidskr. p. 203 (1893).
 1990 *T. flavinata* Wlk.
 Cat. XXXII. p. 373 (1865).
 1991 *T. (?) flavivitta* Wlk.
 Tr. Ent. Soc. Lond. (3) I. p. 755 (1862).

USTA Wllgrn.

- Wien. ent. Mon. VII. p. 142 (1863).
 1992 *U. wallengrenii* Feld.
 Wien. ent. Mon. III. p. 323 pl. 6 f. 2 (1859).
 1992a *U. biplaga* Rebel.
 Fauna exot. 2 p. 13 (1912).

BOMBYCIDÆ.

TRILOCHA Moore.

- Cat. Lep. Mus. E. I. House II. p. 382 (1858).
 1993 Tr. fuscicolor Westw. & Orm.
 Inj. Ins. S. Africa p. 44 f. 20 (1889).
 1994 Tr. ianthe Drnce.
 Proc. Zool. Soc. Lond. p. 683 (1887).

RHINOBOMBYX Aur.

- Öfv. af. K. Vet. Akad. Förh. 7 p. 52 (1879)
 1995 Rh. cuneata Aur.
 l.c. p. 52 (1879).

SIMYRA Oehs.

- Schmett. Eur. IV. p. 81 (1816).
 1993 S. capillata Wllgrn.
 Öfv. af. K. Vet. Akad. Förh. p. 104 (1875).

OCINARA Wlk.

- Cat. VII. p. 1768 (1856).
 1997 O. pallicornis Strand.
 Berl. Ent. Zeitschrift. LV. p. 155 (1910).

URANIADÆ.(Including **EPIPLEMIDÆ**).

URAPTEROIDES Moore.

- Lep. Atk. p. 258 (1888).
 1998 U. recurva Warr.

DIRADES Wlk.

- Cat. XXXV. p. 1650 (1866).
 1999 D. lactea Warr.
 Nov. Zool. IV. p. 385 (1897).

EPIPLEMA H.-S.

- Sammel. aussereur. Schmett. p. 26 (1850).
 2000 E. illineata Warr.
 Nov. Zool. V. p. 9 (1898).
 2001 E. asinina Warr.
 Nov. Zool. XII. p. 380 (1905).
 2002 E. fumigera Warr.
 Nov. Zool. XII. p. 381 (1905).

PSYCHIDÆ.

CLANIA Wlk.

- Cat. IV. p. 963 (1855).
 2003 Cl. moddermanni Heyl.
 Ann. Soc. Ent. Belg. XXXII. p. LIX. (1888).
 2004 Cl. cervina Druce.
 Proc. Zool. Soc. Lond. p. 684 (1887).

ACANTHOPSYCHE Heyl.

Ann. Soc. Ent. Belg. p. 66 (1881).

2005 *A. junodi* Heyl.

Ann. Soc. Ent. Belg. XXIV. p. CXXX (1890).

2006 *A. tristis* Janse.

Ann. Nat. Mus. Vol. III. prt. 3 p. 597 (1917).

2007 *A. alba* Janse.

Ann. Nat. Mus. Vol. III. prt. 3 p. 598 (1917).

PSYCHE Schrank. Fauna.

Boica II. 2 Abthl. p. 87 (1802).

sub-genus MANATHA Moore.

A.M.N.H. (4) XX. p. 346 (1887).

2008 *M. aethiops* Hmpsn.

A.M.N.H. (8) VI. p. 116 (1910).

2009 *M. subhyalina* Janse.

Ann. Nat. Mus. Vol. III. prt. 3 p. 601 (1917).

CHALIA Moore.

A.M.N.H. (4) XX. p. 345 (1877).

2009a *Ch. maledicta* Scheben.

Arch. Schiffshyg. 14 p. 697 (1910).

MONDA Wlk.

Cat. XXXII. p. 406 (1865).

2010 *M. delicatissima* Wik.

Cat. XXXII. p. 407 (1865).

2011 *M. rogenhoferi* Heyl.

C.R. Soc. Ent. Belg. XXXIV. p. CLXXXI. (1891).

2012 *M. major* Heyl.

C.R. Soc. Ent. Belg. XXXIV. p. CLXXXI. (1891).

2013 *M. heylerti* Junod.

Bull. Soc. Nench. des Science Nat. XXVII. p. 249 pl. IV. f. 7e. (1898).

ARBELIDÆ.

LEBEDODES Holl.

Psyche. VI. p. 534 (1893).

—2014 *L. rufithorax* Hmpsn.

A.M.N.H. (8) VI. p. 118 (1910).

2015 *L. natalica* Hmpsn.

A.M.N.H. (8) VI. p. 118 (1910).

—2016 *L. durbanica* Hmpsn.

A.M.N.H. (8) VI. p. 118 (1910).

PARALEBEDA Hmpsn.

A.M.N.H. (8) VI. p. 119 (1910).

2017 *P. carnescens* Hmpsn.

A.M.N.H. (8) VI. p. 119 (1910).

SELAGENA Wlk.

- Cat. XXXII. p. 590 (1865).
 2018 *S. tessellata* Dist.
 A.M.N.H. (6) XX. p. 210 (1897).
 2019 *S. obsoletescens* Hmpsn.
 A.M.N.H. (8) VI. p. 120 (1910).

MARSHALLIANA Aur.

- Ent. Tidskr. p. 126 (1901).
 2020 *M. bivittata* Aur.
 Ent. Tidskr. p. 126 (1901).

ARBELODES Karsch.

- Ent. Nachr. XXII. p. 141 (1896).
 2021 *A. meridialis* Karsch.
 Ent. Nachr. XXII. p. 141 (1896).
 2022 *A. albivenata* Hmpsn.
 A.M.N.H. (8) VI. p. 122 (1910).

METARBELODES Strand.

- Iris.* p. 119 (1909).
 2023 *M. umtaliiana* Aur.
 Ent. Tidskr. p. 127 (1901).

METARBELA Holl.

- Psyche* VI. p. 525 (1893).
 2024 *M. cymaphora* Hmpsn.
 A.M.N.H. (8) VI. p. 124 (1910).
 2025 *M. tuckeri* Butl.
 A.M.N.H. (4) p. 400 (1875).
 2026 *M. albitorquata* Hmpsn.
 A.M.N.H. (8) VI. p. 125 (1910).

TERAGRA Wlk.

- Cat. V. p. 1064 (1855).
 2027 *T. leucostigma* Hmpsn.
 A.M.N.H. (8) VI. p. 125 (1910).
 2028 *T. sticticosta* Hmpsn.
 A.M.N.H. (8) VI. p. 126 (1910).
 2029 *T. neurosticta* Hmpsn.
 A.M.N.H. (8) VI. p. 127 (1910).
 2030 *T. guttifera* Hmpsn.
 A.M.N.H. (8) VI. p. 127 (1910).
 2031 *T. conspersa* Wlk.
 Cat. V. p. 1064 (1855).

ARBELA Moore.

- Proc. Zool. Soc. Lond. p. 411 (1879).
 2032 *A. tegula* Dist.
 A.M.N.H. (6) XX. p. 209 (1897).

HOLLANDELLA Gill.

- Science XIII. p. 949 (1901).
 2032a *H. wickgrafi* Grünb.
 D. ent. zs. p. 289 (1910).

COSSIDÆ.**BRACHYLIA** Feld.

- Reise. Nov. IV. pl. 82 f. 7 (1874).
 2033 Br. terebroides Feld.
 l.c. pl. 82 f. 7 (1874).

PHRAGMATCECIA Newm.

- Zoologist. VIII. p. 2931 (1850).
72034 Phr. irrorata Hmpsnn.
 A.M.N.H. (8) VI. p. 128 (1910).
2035 Phr. reticulata Hmpsnn.
 A.M.N.H. (8) VI. p. 128 (1910).
2036 Phr. atrireta Hmpsnn.
 A.M.N.H. (8) VI. p. 129 (1910).

CORYPHODEMA Feld.

- Reise Nov. IV. pl. 82 f. 8 (1874).
 2037 C. albifasciata Hmpsnn.
 A.M.N.H. (8) VI. p. 133 (1910).
 2038 C. capensis Feld.
 Reise Nov. IV. pl. 82 f. 8 (1874).

EULOPHONOTUS Feld.

- Reise Nov. pl. 82 f. 9 (1874).
 2042 Eu. myrmeleon Feld.
 Reise Nov. pl. 82 f. 9 (1874).

CHRYSTYPUS Butl.

- A.M.N.H. (5) IV. p. 240 (1879).
 2044 Chr. dawsoni Dist.
 A.M.N.H. (6) XX. p. 210 (1897).

AZYGOPHLEPS Mmpsnn.

- Moths of India I. p. 309 (1892).
 2044a A. borchmanni Grünb.
 Denkschr. med. Ges. Jen. 16 p. 140 (1910).


COSSUS Fabr.

- Ent. Syst. III. (2) p. 3 (1794).
 2045 C. tristis Drury.
 Exct. Ins. III. p. 27 pl. 21 f. 1 p. 28 (1837).
 2045a C. seineri Grünb.
 Denkschr. med. Ges. Jen. 16 p. 139 (1910).
 2045b C. windhoekensis Strand.
 Arch. Naturges 78 A. II. p. 87 (1912).


ARCTIOCOSSES Feld.

- Reise Nov. IV. t. 82 f. 10 (1874).
- 2046 A. antargyreus Feld.
l.c. t. 82 f. 10 (1874).
- 2047 A. impeditus Wlk.
Cat. XXXII. p. 583 (1865).

ZEUZERA Latr.

-  Nouv. Dict. d' Hist. Nat. XXIV. p. 186 (1804)
- 2048 Z. strigulosa Wlk.
Cat. VII. p. 1534 (1856).
- 2049 Z. sponda Wllgrn.
Ofv. af. K. Vet. Akad. Förh. p. 96 (1875).
- 2050 Z. aurivillii. Kirby.
Cat. I. p. 872 (1892).
-  2051 Z. asylas Cram.
 Pap. Exot. II. p. 137 f. C. (1777).

XYLEUTES Hübn.

- Verz. Bek. Schmett., p. 195 (1822?).
-  2052 X. inclusus Wlk.
 Cat. VII. p. 1534 (1856).
-  2053 X. capensis Wlk.
 Cat. VII. p. 1533 (1856).

DUOMITUS Butl.

- A.M.N.H. (5) VI. p. 68 (1880).
- 2054 D. squameus Dist.
Entom. p. 213 (1902).

COSSIDÆ. (??)

TRICHOCOSSUS Hmpsn.

- A.M.N.H. (8) VI. p. 133 (1910).
- 2055 Tr. alboguttata Hmpsn.
A.M.N.H. (8) VI. p. 134 (1910).
- 2056 Tr. arvensis Janse.
Ann. Nat. Mus. vol. III. prt. 3 p. 613 (1917)

GYMNELEMA Heyl.

- Ann. Soc. Ent. de Belg. XXXV. p. CCCLXXV. (1891).
- 2057 G. stygialis Hmpsn.
A.M.N.H. (8) VI. p. 134 (1910).
- 2058 G. rougemonti Heyl.
Ann. Soc. Ent. de Belg. XXXV. p. CCCLXXV. (1891).
- 2059 G. vinetus Wlk.
Cat. XXXII. p. 583 (1865).
- 2059a G. leucopasta Hmpsn.
A.M.N.H. (8) VI. p. 135 (1910).

- 2060 *G. pelverulenta* Hmpsnn.
A.M.N.H. (5) VI. p. 135 (1910).
 2061 *G. imitata* Janse.
Ann. Nat. Mus. vol. III. prt. 3 p. 611 (1917).
 2062 *G. stibarodes* Meyr.
Ann. S.A. Mus. V. p. 378 (1909).

LASIOCAMPIDÆ.

ANADIASA Aur.

Lep. of the Swed. Zool. exp. to Egypt and
the White Nile p. 8 (1904).

- 2063 *A. cervina* Aur.
Trans. Ent. Soc. Lond. pl. XVI. f. 5 p. 314
(1905).
 2064 *A. affinis* Aur.
Trans. Ent. Soc. Lond. p. 167 (1911).
 2065 *A. distincta* Dist.
A.M.N.H. (7) IV. p. 362 (1899).
 2066 *A. punetifascia* Wlk.
Cat. VI. p. 1472 (1855).
 2067 *A. jansei* Aur.
(? ined.)

TARAGAMA Moore.

Cat. Lep. Ins. p. 427 (1859).

- 2068 *T. mirabilis* Dist.
A. M. N. H. (6) XX. p. 208 (1897).
 2069 *T. distinguenda* Aur.
Trans. Ent. Soc. Lond. p. 315 pl. XVI. f. 13
(1905).
 2070 *T. cuprea* Dist.
A. M. N. H. (6) XX. p. 209 (1897).
 2071 *T. micha* Druce.
A. M. N. H. (7) III. p. 473 (1899).
 2072 *T. cuneata* Dist.
A. M. N. H. (6) XX. p. 207 (1897).
 2073 *T. carinata* Wllgrn.
Wien. ent. Mon. IV. p. 165 (1860).
 2074 *T. polydora* Druce.
Proc. Zool. Soc. Lond. p. 678 pl. LV. f. 11
(1887).
 2074a *T. picturata* Grünb.
Denkschr. med. Ges. Jena. 16 p. 137 (1910).
 2075 *T. bimaculata* Wlk.
Cat. XXXII. p. 565 (1865).

METADULA Wlk.

Cat. XXXII. p. 514 (1865).

- 2076 *M. indecisa* Wlk.
Cat. XXXII. p. 514 (1865).

TRICHIURA Steph.

Ill. Brit. Ent. Haust. II. p. 42 (1828).

- 2077 *T. (?) albiplaga* Wlk.
Tr. Ent. Soc. Lond. (3) I. p. 86 (1862).

NADIASA Wlk.

- Cat. V. p. 1014 (1855).
- 2078 N. (?) sanguicineta Aur.
Ent. Tidskr. p. 124 (1901).
- 2079 N. (?) cinerea Aur.
Ent. Tidskr. p. 124 (1901).
- 2080 N. concolor Wlk.
Cat. V. p. 1015 (1855).

PACHYPASA Wlk.

- Cat. VI. p. 1422 (1855).
- 2081 P. (?) phoecea Druce.
Proc. Zool. Soc. Lond. p. 680 (1887).
- 2082 P. marshalli Aur.
Ent. Tidskr. p. 281 (1902).
- 2083 P. pithyocampa Cram.
Pap. Exot. IV. p. 29 pl. 304 f. E.F. (1781).
- 2084 P. auriflua Aur.
- 2085 P. capensis Aur.
Trans. Ent. Soc. Lond. p. 315 pl. XVI. f. 11
(1904).
var. obscura Wlk.
Cat. VI. p. 1452 (1855).
- 2086 P. trunecata Wlk.
Cat. VI. p. 1451 (1855).
- 2087 P. ferruginea Feld.
Reise Nov. IV. t. 85 f. 1 (1874).
- 2088 P. scapulosa Feld.
Reise Nov. IV. t. 85 ff. 2, 3 (1874).

HAPLOPACHA Aur.

- Trans. Ent. Soc. Lond. p. 323 fig. in text
(1905).
- 2089 H. cinerea Aur.
Trans. Ent. Soc. Lond. p. 324 fig. in text
(1905).

PACHYMETA Aur.

- Uppsala. Arkiv. Zool. 3 No. 1 p. 8 (1906).
- 2090 P. robusta Aur.
Archiv. för Zool. V. No. 5 p. 22 (1905).
- 2091 P. purpurascens Aur.
Archiv. för Zool. V. No. 5 p. 23 (1905).
- 2092 P. clarki Aur.
Archiv. för Zool. V. No. 5 p. 23 (1905).
- 2093 P. argenteoguttata Aur.
Archiv. för Zool. V. No. 5 p. 24 (1905).

GONOMETTA Wlk.

- Cat. IV. p. 971 (1855).
- 2094 G. postica Wlk.
Cat. IV. p. 971 (1855).
- 2095 G. euprea Dist.
A. M. N. H. (6) XX. p. 209 (1897).

PSEUDOMETA

- 2096 *Ps. viola* Aur.
Ent. Tidskr. p. 125 (1901).
2097 *Ps. basalis* Wlk.
Cat. XXXII. p. 559 (1865).

TRICHOPISTHIA Aur.

- Archiv. för Zool. V. No. 5 p. 15 (1905).
✓ 2098 *T. monteiroi* Druce.
Proc. Zool. Soc. Lond. p. 677 (1887).

DENDROLIMUS Germ.

- Syst. Gloss. Prod. p. 48 (1812).
2099 *D. aculeata* Wlk.
Cat. XXXII. p. 565 (1865).
2100 *D. metallicus* Dist.
A. M. N. H. (7) I. p. 118 (1898).
2101 *D. capensis* L. Syst.
Nat. I. (2) p. 813 (1767).

CATALEBEDA Aur.

- Ent. Tidskr. XXIII. p. 275 (1902).
2102 *C. violascens* Aur.
Arkiv. för. Zool. V. No. 5 p. 14 (1905).
2103 *C. cuneilinea* Wlk.
Trans. Ent. Soc. Lond. (2) IV. p. 58 t. 16
(1856).

LEBEDA Wlk.

- Cat. VI. p. 1453 (1855).
2104 *L. köllikerii* Dew.
Verh. Lep. Carol. Deutsch. Akad. Naturf.
XLII. p. 78 pl. 1. f. 15 (1881).
✓ 2105 *L. bipars* Wlk.
Cat. VI. p. 1455 (1855).
2106 *L. mustelina* Dist.
A. M. N. H. (7) III. p. 464 (1899).
2107 *L. morosa* Wlk.
Cat. XXXII. p. 568 (1865).

TRABALA Wlk.

- Cat. VII. p. 1785 (1856).
2108 *Tr. pallida* Fawcet.
Tr. Zool. Soc. Lond. XVII. p. 181 pl. VIII.
ff. 1, 2, 3, 4 (1903).
✓ 2109 *Tr. rosa* Druce.
Proc. Zool. Soc. Lond. p. 678 (1887).
2110 *Tr. guttularis* Wlk.
Cat. VI. p. 1413 (1855).
✓ 2111 *Tr. rennei* Dew.
Nova Acta. Deut. Akad. p. 71 pl. 2 ff. 12, 16
(1881).

LENODORA Moore.

Lep. Ceyl. II. p. 144 (1883).

- ✓ 2112 L. nigrolineata Aur.
Ent. Tidskr. p. 115 (1895).

LÆLIOPSIS Aur.

Trans. Ent. Soc. Lond. p. 165 (1911).

- ✓ 2113 L. punctuligera Aur.
Trans. Ent. Soc. Lond. p. 165 (1911).

LEIPOXAIS Holl.

Psyche. VI. p. 531 (1893).

- 2114 L. emarginata Aur.
Trans. Ent. Soc. Lond. p. 166 (1911).

GASTROPLAKÆS Möschl.

Abhandl. Senckenb. nat. Ges. XV. p. 78
(1887).

- ✓ 2115 G. meridionalis Aur.
Ent. Tidskr. p. 125 (1901).

BOMBYCOMORPHA Feld.

Reise Nov. IV. t. 100 f. 1 (1874.)

- 2116 B. pallida Dist.
A. M. N. H. (6) XX. p. 207 (1897).
—2117 B. bifascia Wlk.
Cat. VI. p. 1448 (1855).

CERATOPACHA Aur.

Ark. Zool. 5 No. 5 pp. 14-15 f. 45 (1909).

- ✓ 2118 C. gemmata Dist.
A. M. N. H. (6) XX. p. 207 (1897).
2119 C. salambo Quill.

ODONTOCHEILOPTERYX Wllgrn.

Wien. ent. Mon. IV. p. 165 (1860).

- ✓ 2120 O. myxa Wllgrn.
Wien. ent. Mon. IV. p. 165 (1860).

CRASPIA Aur.

Arkiv. för Zool. V. No. 5 p. 20 f. 48 (1905).

- 2121 C. wahlbergi Aur.
Arkiv. för Zool. V. No. 5 p. 20 f. 48 (1905).
2122 C. marshalli Aur.
Arkiv. för Zool. V. No. 5 p. 21 (1905).

BERALADA Wlk.

Cat. IV. p. 852 (1855).

- 2123 B. prompta Wlk.
Cat. VI. p. 1437 (1855).
var. rufitincta Strand.
Arkiv. für Naturgesch. Jahrg. 75 p. 374 (1909).
✓ 2124 B. marshalli Aur.
Ent. Tidskr. p. 123 (1901).
✓ 2125 B. perobliqua Wlk.
Cat. IV. p. 853 (1855).

- 2126 *B. fumosa* Dist.
A. M. N. H. (6) XX. p. 208 (1897).
- 2127 *B. simplex* Aur.
Trans. Ent. Soc. Lond. p. 322 pl. XVI. f. 6 (1905).
- 2128 *B. levanna* Wllgrn.
Öfv. Vet. Akad. Förh. XXXII. p. 98 (1876).
- 2129 *B. pygmula* Strand.
Ann. Soc. ent. Belg. 55 p. 147 (1911).
- 2130 *B. interjecta* Aur.
Arkiv. för Zool. V. No. 5 p. 11 (1909).

ODENESTIS Steph.

- Ill. Brit. Ent. Haus. II. p. 51 (1831).
- 2131 *O. reducta* Wlk.
Cat. VI. p. 1411 (1855).

BOMBYCOPSIS Feld.

- Reise Nov. pl. 84 f. 6 (1874).
- 2132 *B. indecora* Wlk.
Cat. XXXII. p. 561 (1865).

MESOCELIS Hüb.

- Verz. bek. Schmett. p. 191 (1822?).
- 2133 *M. montana* Stoll.
Pap. Exot. IV. t. 356 f. E. (1782).

LASIOCAMPA Schrank.

- Fauna Boica II. (2) pp. 147-154 (1802).
- 2134 *L. poecilosticta* Grünb
Denkschr. med. Ges. Jena. 16. pp. 135-136 (1910).
- 2134a *L. angulifera* Wlk.
Cat. XXXII. p. 651 (1865). 56 /
- 2134b *L. regia* Grünb.
Denkschr. med. Ges. Jena. 16 pp. 135-136 (1910).

OLYRA Wllgrn.

- Vet. Akad. Handl. (2) V. (4) p. 32 (1865).
- 2135 *O. rectilineata* Aur.
Trans. Ent. Soc. Lond. p. 323 pl. XVI. f. 7 (1905).
- 2136 *O. reducta* Wlk.
Cat. VI. p. 1411 (1855).
- 2137 *O. caffra* Wllgrn.
Wien. ent. Mon. IV. p. 166 (1860).

ERIOGASTER Germ.

- Prod. Syst. Lep. p. 6 (1811).
- 2138 *E. punctifascia* Wlk.
Cat. VI. p. 1472 (1855).
- 2139 *E. incompta* Wlk.
Cat. VI. p. 1473 (1855).

CONCOADES Wllgrn.

Vet. Akad. Handl. (2) V. p. 31 (1865).

2140 *C. cristata* Stoll.

Pap. Exot IV. t. 398 I. (1782).

CHONDROSTEGOIDES Aur.

Trans. ent. Soc. Lond. p. 324 fig. in text (1905).

2141 *Ch. capensis* Aur.

Trans. Ent. Soc. Lond. p. 325 fig. in text (1905).

CAPHARA Wlk.

Trans. Ent. Soc. Lond. (3) I. p. 85 (1862).

2142 *C. fulvida* Dist.

A. M. N. H. (6) XX. p. 209 (1897).

2143 *C. marginata* Wlk.

Trans. Ent. Soc. Lond. (3) I. p. 85 (1862).

OCINAROPSIS Aur.

Trans. Ent. Soc. Lond. p. 317 (1905).

2144 *O. obscura* Aur.

Trans. Ent. Soc. Lond. p. 317. fig. in text (1905).

PHILUDORIA Kirby.

Cat. I. p. 820 (1892).

2145 *Ph. alueo* Fabr.

Spec. Ins. II. p. 174 no. 36 (1781).

SENA Wlk.

Trans. Ent. Soc. Lond. (3) I. p. 278 (1862).

2146 *S. plusioides* Wlk.

Trans. Ent. Soc. Lond. (3) I. p. 278 (1862).

STENOPHATNA Aur.

Arkiv. för Zool. 5 No. 5 p. 27 (1905).

2147 *St. marshalli* Aur.

Arkiv. för. Zool. V. No. 5 p. 28 (1905).

CHYSOPOLOMIDÆ.

CHYSOPOLOMA Druce.

Proc. Zool. Soc. Lond. p. 410 (1886).

2148 *Chr. bicolor* Dist.

A. M. N. H. (6) XX. p. 206 (1897).

2149 *Chr. flaviceps* Aur.

Ent. Tidskr. p. 125 (1901).

2150 *Chr. isabellina* Aur.

Ent. Tidskr. p. 119 (1895).

2151 *Chr. restricta* Dist.

A. M. N. H. (7) IV. p. 362 (1899).

2152 *Chr. rufidis* Wlk.

Cat. XXXII. p. 561 (1865).

2153 *Chr. varia* Dist.

A. M. N. H. (7) IV. p. 362 (1899).

- 2154 *Chr. rosea* Druce.
 Proc. Zool. Soc. Lond. p. 410 pl. XXXVIII.
 f. 3 (1886).

ECTROPA Wllgrn.
 Wien. ent. Mon. 7 p. 141 (1863).

- 2155 *E. ancilis* Wllgrn.
 Wien. ent. Mon. 7 p. 142 (1863).

MEGALOPYCIDÆ.

PSYCHARIUM H.-S.
 Aussereur. Schmett. p. 76 (1850).

- 2156 *Ps. pellucens* H.-S.
 Aussereur. Schmett. f. 461 (1850).

LIMACODIDÆ.

PROBALINTHA Wlk.
 Cat. XXXII. p. 504 (1865).

- 2157 *Pr. inclusa* Wlk.
 Cat. XXXII. p. 504 (1865).

HETEROLEPIS Feld.
 Reise Nov. IV. t. 83. f. 17 (1874).

- 2158 *H. leprosa* Feld.
 Reise Nov. IV. pl. 83 f. 17 (1874).

ADRALLIA Wlk.
 Cat. XXXII. p. 509 (1865).

- 2159 *A. bipunctata* Wlk.
 Cat. XXXII. p. 509 (1865.)

APODA Haw.
 Brit. Lep. II. p. 137 (1809).

- 2160 *A. arenacea* L.
 Syst. Nat. I. 2 p. 828 (1767).

TÆDA Wllgrn.
 Wien. ent. Mon. VII. p. 141 (1863).

- 2161 *T. ætitis* Wllgrn.
 Wien. ent. Mon. vii. p. 141 (1863).

- 2162 *T. pusilla* Aur.
 Ent. Tidskr. p. 255 (1899).

CROTHÆMA Butl.
 A. M. N. H. (5) V. p. 388 (1880).

2163 *Cr. sericea* Butl.
 A. M. N. H. (5) V. p. 388 (1880).

2164 *Cr. decorata* Dist
 A Naturalist in the Transvaal p. 237 pl. II.
 f. 6 (1892).

SUSICA Wlk.

Cat. V. p. 1113 (1855).

2165 S. pyrocausta Hmpsn.

Proc. Zool. Soc. Lond. p. 484 pl. 39 f. 10 (1910).

ALTHA Wlk.

Journ. Lin. Soc. Lond. Zool. VI. p. 173 (1862).

2166 A. chionostola Hmpsn.

Proc. Zool. Soc. Lond. p. 486 pl. 39 f. 28 (1910).

COENOBASES Feld.

— Reise Nov. IV. pl. 82 f. 14 (1874).

/ 2167 C. amœna Feld.

Reise Nov. IV. pl. 82 f. 14 (1874).

2168 C. argentilinea Aur.

Ent. Tidskr. p. 250 (1899).

2169 C. albiramosa Wlk.

Cat. XXXII. p. 483 (1865).

2169a C. hemichlora Grünb.

Denkschr. med. Ges. Jena. 16 p. 139 (1910).

PARASA Moore.

Cat. Lep. Mus. East Ind. Co. II. p. 413 (1859).

2170 P. latistriga Wlk.

Cat. V. p. 1141 (1855).

2171 P. johannes Dist.

A. M. N. H. (7) I. p. 118 (1898).

2172 P. similis Feld.

Reise Nov. t. 82 f. 15 (1874).

2173 P. (?) intermissa Wlk.

Cat. XXXII. p. 479 (1865).

2174 P. vivida Wlk.

Cat. XXXII. p. 478 (1865).

2175 P. chapmanni Kirby.

Cat. I. p. 544 (1892).

APLUDA Wllgrn.

Wien. ent. Mon. VII. p. 140 (1863).

2176 A. invitabilis Wllgrn.

Wien. ent. Mon. p. 44 (1860).

2177 A. similis Dist.

A. M. N. II. (6) XX. p. 204 (1897).

MACROPLECTRA Hmpsn.

Moths of India I. p. 376 (1892).

2178 M. tripunctata Mab.

Ann. Soc. ent. France LXVIII. p. 724 (1900).

2179 M. obliquilinea Hmpsn.

A. M. N. H. (8) VI. p. 136 (1910).

PARYPHANTA Karsch.

Ent. Nachr. XXII. p. 267 (1896).

- 2180 *P. biunbrata* Hmpsnn.
A. M. N. H. (8) VI. p. 137 (1910).
2181 *P. hisceta* Butl.

THOSEA Wlk.

Cat. V. p. 1068 (1855).

- 2182 *Th. albiviata* Hmpsnn.
A. M. N. H. (8) VI. p. 138 (1910).
2183 *Th. albilineata* Hmpsnn.
A. M. N. H. (8) VI. p. 138 (1910).

NATADA Wlk.

Cat. V. p. 1108 (1855).

- 2184 *N. chrysaspis* Hmpsnn.
A. M. N. H. (8) VI. p. 138 (1910).

MIRESA Wlk.

Cat. V. p. 1123 (1855).

- 2185 *M. haematœssa* Hmpsnn.
A. M. N. H. (8) VI. p. 139 (1910).

SOMARA Wlk.

Cat. V. p. 1125 (1855).

- 2186 *S. viridicosta* Hmpsnn.
A. M. N. H. (8) VI. p. 140 (1910).
2187 *S. albicosta* Hmpsnn.
A. M. N. H. (8) VI. p. 145 (1910).

PANTOCtenIA Feld.

Reise Nov. pl. 82 f. 16 (1874).

- 2188 *P. albipuncta* Druce.
Proc. Zool. Soc. Lond. p. 682 pl. LV. f. 2
(1887).
2189 *P. gemmans* Feld.
Reise Nov. pl. 82 f. 16 (1874).

EPIPYROPS Westw.

Proc. & Trans. Ent. Soc. Lond. pp. XXIV.
522 (1876).

- 2190 *E. fulvipuneta* Dist.
Zoologist p. 281 (1912).

NAROSA Wlk.

Cat. V. p. 1151 (1855).

- 2191 *N. flaccidia* Druce.

GAVARA Wlk.

Cat. XII. p. 771 (1857).

- 2192 *G. velutina* Wlk.
Cat. XII. p. 771 (1857).

OMOCENA Karsch.

Ent. Nachr. XXII. p. 268 (1896).

2193 *O. syrtis* Schaus.On a coll. of Sierra Leone Lep. Lond. p. 28
pl. II. f. 3 (1893).

CTENOLITA Karsch.

Ent. Nachr. XXII. p. 267 (1896).

2193a *C. habenichti* Wiegraf.

Int. ent. Zeitschr. 7 p. 9 (1913).

LIMACODIDÆ (?)

THAUMETOPAEA Hüb.

Verz. bek. Schmett. p. 185 (1822?).

2194 *Th. apologetica* Strand.

ZYGÆNIDÆ.

TASCIA Wlk.

Cat. VII. p. 1600 (1856).

2195 *T. chrysotelus* Wlk.

Cat. VII. p. 1600 (1856).

2196 *T. finalis* Wlk.

Cat. I. p. 245 (1854).

2197 *T. virescens* Butl.Journ. Linn. Soc. Lond. Zool. XII. p. 357
(1876).

DIANEURA Butl.

A. M. N. H. (6) I. p. 49 (1888).

2198 *D. gooochii* Butl.

A. M. N. H. (6) I. p. 49 (1888).

SALIUNCA Wlk.

Cat. XXXI. p. 108 (1864).

2199 *S. glennia* Jord.

Entomologist XL. p. 123 (1907).

2199a *S. styx* Fabr.

Syst. ent. p. 556 (1775).

SALIUNCELLA Jord.

Entomologist XL. p. 124 (1907).

2199b *S. marshalli* Jord.

L. c. p. 124 (1907).

ANTHROCERA Scop.

Introd. Hist. Nat. p. 454 (1777).

2200 *A. (?) nebulosa* Guer.Icon. Régne Anim. Ins. pl. 61 f. 5 texte 479
(1829—1844).

ARICHALCA Wllgrn.

Vet. Akad. Förhandl. XV. p. 137 (1858).

2201 *A. melanopyga* Wllgrn.

Wien. ent. Mon. IV. p. 38 (1860).

- 2202 *A. erythropyga* Wllgrn.
Wien. ent. Mon. IV. p. 38 (1860).
2203 *A. zambesina* Wlk.
Cat. XXXV. p. 1862 (1866).

NEUROSYMPLOCA Wllgrn.

- Vet. Akad. Förh. p. 136 (1858).
2204 *N. hottentota* H.-S. Aussereur.
Schmett. I. f. 218 (1854).
2205 *N. wallengreni* Kirby.
Cat. I. p. 80 (1892).
2206 *N. concinna* Dahl.
Anal. Ent. p. 49 (1823).
2207 *N. caffra* Lin.
Mus. Ulr. p. 362 (1764).
2208 *N. pagana* Kirby.
Cat. I. p. 80 (1892).
2209 *N. (?) ochreipennis* Butl.
Cist. Ent. I. p. 215 (1874).
2210 *N. (?) subdiaphana* Feld.
Reise Nov. IV. t. 82 f. 18 (1874).
2211 *N. agria* Dist.
A Naturalist in the Transvaal p. 236 pl. II
f. 9 (1892).
2211a *N. affinis* Jord.
Entomologist XL. p. 123 (1907).

ZUTULBA Kirby.

- Cat. I. p. 80 (1892).
2212 *Z. zelleri* Wllgrn.
Wien. ent. Mon. IV. p. 39 (1860).
2213 *Z. ampla* Wlk.
Cat. I. p. 101 (1854).
2214 *Z. ocellaris* Feld.
Reise Nov. IV. pl. 82 f. 19 (1874).
2215 *Z. ochroptera* Feld.
Reise Nov. IV. pl. 82 f. 20 (1874).
2216 *Z. namaqua* Boisd.
Voy. Del. II. p. 596 (1847).
2217 *Z. octo* Mab.

ORNA Kirby.

- Cat. I. p. 81 (1892).
2218 *O. zygaenoides* Feld.
Reise Nov. IV. pl. 82 f. 21 (1874).
2219 *O. contraria* Wlk.
Cat. I. p. 113 (1854).
2220 *O. pectinicornis* Schauf.
Nunquam Otiosus I. p. 11 (1870).

CRAMERIA Hübn.

- Verz. bek. Schmett. p. 168 (1822?).
2221 *Cr. cloeckneria* Stoll.
Pap. Exot. IV. t. 348 A. (1781).

ZYGÆNA Fabr.

- Syst. Ent. p. 550 (1775).
 2222 *Z. polydamon* Cram.
 Pap. Exot. III. t. 237 B. (1780).
 2223 *Z. (?) caffra* Fabr.
 Spec. Ins. p. 159 (1777).
 2224 *Z. muræna* Druce.
 A. M. N. H. (7) III. p. 231 (1899).
 2225 *Z. myodes* Druce.
 A. M. N. H. (7) III. p. 232 (1899).

EPIZYGÆNA Seitz.

- Grosschmitt. X. p. 52 (1908).
 2225a *E. microsticha* Jord.
 Entomologist 40 p. 121 (1907).
 2225b *E. lateralis* Jord.
 Entomologist 40 p. 121 (1907).

PARASYNTOMIS Hmpsnn.

- (ined).
 2226 *P. (?) æthiops* Dist.
 A. M. N. H. (6) XX. p. 16 (1897).

BRACHARTONA Hmpsnn.

- III. Het. VIII. p. 44 (1891).
 Moths of India I. p. 233.
 2227 *Br. titæa* Druce.
 A. M. N. H. (6) XVII. p. 351 (1896).

ARNIOCERA Hopff.

- Monatsb. Akad. Berl. p. 421 (1857).
 2228 *A. auxiguttata* Hopff.
 Monatsb. Akad. Berl. p. 421 (1857).

MALAMBLIA Jord.

- Entomologist XL. p. 124 (1907).
 2228a *M. durbanica* Jord.
 l.c. p. 125 (1907).

SEMIOPTILA Butl.

- A. M. N. H. XX. p. 180 (1887).
 2228b *S. torta* Butl.
 l.c. p. 180 (1887).
 subspec. *mashuna* Roths.
 Nov. Zool. 14 p. 508 (1907).
 2228c *S. marshalli* Roths.
 Nov. Zool. 14 p. 507 (1907).

ANOMOEOTES Feld.

- Reise Nov. IV. pl. 100 f. 5 (1874).
 2229 *A. levis* Feld.
 Reise Nov. IV. pl. 100 f. 5 (1874).

DREPANULIDÆ.**NEGERA** Wlk.

- Cat. V. p. 1171 (1855).
 2230 N. confusa Wlk.
 Cat. V. p. 1171 (1855).

THYRIDIDÆ.**DYSODIA** Clem.

- Proc. Acad. N. Sc. Phil. p. 349 (1860).
 2231 D. intermedia Wlk.
 Cat. XXXIII. p. 827 (1865).
 ab. flavidula Warr.
 Nov. Zool. XV. p. 333 (1908).
 2232 D. binoculata Warr.
 Nov. Zool. VIII. p. 203 (1901).
 2233 D. subsignata Warr.
 Nov. Zool. XV. p. 335 (1908).

RHODONEURA Guen.

- Ur. & Phal. II. pl. I. f. 8 (1857).
 2234 Rh. nigropunctula Pag.
 Iris. V. p. 109 (1892).
 2235 Rh. myrsusalis Wlk.
 Cat. XIX. p. 892 (1859).
 2236 Rh. squamigera Pag.
 Iris. V. p. 72 (1892).
 2237 Rh. bastialis Wlk.
 Cat. XIX. p. 902 (1859).
 2238 Rh. rostrifera Warr.
 Nov. Zool. V. p. 6 (1898).
 2239 Rh. discata Warr.
 Nov. Zool. XII. p. 380 (1905).
 2240 Rh. multipunctata Hmpsn.
 Moths of India I. p. 356 (1892).

PROTEROZEUXIS Warr.

- Nov. Zool. VI. p. 7 (1899).
 2241 P. splendida Warr.
 Nov. Zool. VI. p. 8 (1899).
 2242 P. brunnea Warr.
 Nov. Zool. XV. p. 346 (1908).

PYRALIDINA.**GALLERIINÆ.****LAMORIA** Wlk.

- Cat. XXVII. p. 87 (1863).
 2243 L. planalis Wlk.
 Cat. XXVII. p. 88 (1863).
 2244 L. imbellia Wlk.
 Cat. XXX. p. 955 (1864).
 2245 L. anella Schiff.
 Wien. Verz. p. 135 (—).

TUGELA Rag.

- Nouv. Gen. p. 51 (1888).
 2246 *T. cafrella* Rag.
 Nouv. Gen. p. 51 (1888).

GALLERIA Fabr.

- G. mellonella* L.
 Ent. Syst. Suppl. p. 462 (1798).
 Syst. Nat. (ed. X.) I. p. 537 (1759).

PARAPHOMIA Hmpsn.

- Rag. Mem. VIII. p. 501 (1901).
 2248 *P. natalensis* Hmpsn.
 Rag. Mem. VIII. p. 502 pl. LV. f. 5 (1901).

GRAMBINÆ.

CULLADIA Moore

- Lep. Ceyl. III. p. 382 (1886).
 2249 *C. aehroella* Mab.

CRAMBUS Fabr.

- Ent. Syst. Suppl. p. 464 (1798).
 2250 *C. anticellus* Wlk.
 Cat. XXXV. p. 1751 (1866).
 2251 *C. decolorrellus* Wlk.
 Cat. XXVII. p. 164 (1863).
 2252 *C. fulvitinctellus* Hmpsn.
 Proc. Zool. Soc. Lond. p. 929 (1895).
 2253 *C. sparsellus* Wlk.
 Cat. XXXV. p. 1755 (1866).
 2254 *C. malaceillus* Dup.
 Lep. Fr. VII. p. 61 pl. 270 f. 5 (1829).
 2255 *C. lencoschalis* Hmpsn.
 A.M.N.H. (VII.) I. p. 159 (1898).
 2256 *C. tenuistriga* Hmpsn.
 A.M.N.H. (VII.) I. p. 158 (1898).
 2257 *C. flavipedellus* Zell.
 Lep. Caffra. p. 73 (1852).
 2258 *C. heliocaustus* Wllgrn.
 Öfv. Ak. Förh. XXII. I. p. 126 (1875).
 2259 *C. recalvus* Wllgrn.
 Öfv. Akad. Förh. XXII. I. p. 126 (1875).
 2260 *C. carpherus* Hmpsn.
 A.M.N.H. (VII.) I. p. 159 (1898).
 2261 *C. contaminellus* Hübn.

PLATYTES Guen.

- Ind. Meth. p. 86 (1845).
 2262 *P. albipenella* Hmpsn.
 Proc. Zool. Soc. Lond. p. 946 (1895).
 2263 *P. tritenella* Hmpsn.
 A.M.N.H. (VII.) I. p. 159 (1898).

- 2264 *P. auriplumbea* Warr.
Ann. S.A. Mus. X. p. 499 pl. XLI. f. 16 (1914).

EROMENE Hübn.

- Verz. p. 366 (?1818).
 2265 *E. ocellea* Haw.
Lep. Brit. p. 486 (1812).
 2266 *E. zonella* Feld.
Reise Nov. pl. CXXXVI. f. 2 (1875).

CHILO Zinek.

- Germ. Mag. II. p. 36 (1817).
 2267 *Ch. suppresa* Wlk.
Cat. XXVII. p. 166 (1863).

SURATTHA Wlk.

- Cat. XXVII. p. 75 (1863).
 2268 *S. africalis* Hmpsn.

(I do not know if the description of this species has ever been published, but I have a specimen in my collection identified by Hampson and it certainly comes in this genus).

CHARLTONA Swinh.

- Proc. Zool. Soc. Lond. p. 879 (1885).
 2269 *Ch. discella* Wlk.
Cat. XXVII. p. 141 (1863).
 2270 *Ch. plurivittalis* Hmpsn.
Proc. Zool. Soc. Lond. p. 492 pl. 10 f. 6 (1910)

ANCYLOLOMIA Hübn.

- Verz. p. 363 (?1818).
 2271 *A. chrysographella* Kollar.
Hüg. Reise Kaschmir. IV. p. 494 (1842).
 2272 *A. prepiella* Hmpsn.
(Remark at No. 2268 also applies here).
 2273 *A. uniformella* Hmpsn.
Proc. Zool. Soc. Lond. p. 967 (1895).
 2274 *A. melanella* Hmpsn.
(Remark at No. 2268 also applies here).
 2275 *A. mirabilis* Wllgrn.
Oefv. af. K. Vet. Akad. Förh. p. 125 (1875).
 2276 *A. pectinifera* Hmpsn.
Proc. Zool. Soc. Lond. p. 492 pl. 10 f. 7 (1910).

TALIS Guen.

- Ind. Mier. p. 86 (1845).
 2277 *T. nigriquama* Hmpsn.
(Remark at No. 2268 also applies here).

SCHœNOBIINÆ.

OBTUSIPALPIS Hmpsn.

- Proc. Zool. Soc. Lond. p. 906 (1895).
 2278 *O. pardalis* Hmpsn.
Proc. Zool. Soc. Lond. p. 906 (1895).

BRIHASPA Moore.

- Proc. Zool. Soc. Lond. p. 666 (1867).
 2279 Br. frontalis Wlk.
 Cat. XXXIV. p. 1361 (1865).

PATISSA Moore.

- Lep. Ceyl. III. p. 388 (1886).
 2280 P. virginea Zell.
 Mon. Chil. & Cram. p. 2 (1863).

SCIRPOPHAGA Treits.

- Schmett. Eur. p. IX. I. p. 55 (1832).
 2281 Sc. gilviberbis Zell.
 Mon. Chil. & Cram. p. 2 (1863).

SCHENOBIUS Dup.

- Cat. Lep. Eur. p. 312 (1844).
 2283 S. porrectellus Wlk.
 Cat. XXVII. p. 140 (1863).
 2284 S. caminarinus Zell.
 Mier. Caffr. p. 68 (1852).
 2285 S. chrysostomus Zell.
 Mier. Caffr. p. 68 (1852).

EURYCEROTA Hmpsn. ?

- med. (?)
 2286 Eu. stictalis Hmpsn.
 ined. (?)

(Specimens in my collection identified by Hampson under this name.)

ANERASTIINÆ.

POLYOCHA Zell.

- Isis. p. 876 (1848).
 2287 P. sanguinella Zell.
 Isis. p. 876 (1848).
 2287a P. rhodesiae Strand.
 Arch. Naturg. 75 I. p. 384 (1909).

BIAFRA Rag.

- Nouv. Gen. p. 40 (1888).
 2288 B. concinella Rag.
 Nouv. Gen. p. 40 pl. XXXVIII. f. 2 (1888)
 2289 B. rhodinella Rag.

EMATHEUDES Zell.

- Stett. ent. Zeit. p. 385 (1867).
 2290 E. straminella Snell.
 Tijds. voor Ent. n. 107 pl. 8 f. 9 (1872).
 2291 E. quinquepunctella Warr.
 Ann. S.A. Mus. X. p. 500 pl. XLI. f. 17 (1914).
 2292 E. paleatella Rag.
 Nouv. Gen. p. 40 (1888).

- 2293 *E. erassinotella* Rag.
Nouv. Gen. p. 41 (1888).

DISCOFRONTIA Hmpsn.

Rag. Mem. VIII. p. 350 (1901).

- 2294 *D. normella* Hmpsn.
Rag. Mem. VIII. p. 350 pl. LII. f. 20 (1901).

PECTINIGERIA Rag.

Nouv. Gen. p. 43 (1888).

- 2295 *P. subcarnella* Rag.
Nouv. Gen. p. 44 (1888).
2296 *P. devylderi* Rag.
Nouv. Gen. p. 43 (1888).
2297 *P. macrella* Rag.
Nouv. Gen. p. 44 (1888).

SALURIA Rag.

Ann. Soc. ent. Fr. p. 258 (1887).

- 2298 *S. tripartitella* Rag.
Mem. VIII. p. 359 pl. XXXIX. 19 (1901).

AMBALA Rag.

Nouv. Gen. p. 45 (1888)

- 2299 *A. contrastella* Rag.
Nouv. Gen. p. 45 (1888).

HYPSTROPA Zell.

Isis. p. 591 (1848).

- 2300 *H. infumatella* Rag.
Mem. VIII. p. 377 pl. XXXIX. f. 8 (1901).
2301 *H. adumbratella* Rag.
Nouv. Gen. p. 47 (1888).

ANERASTIA Hübn.

Verz. p. 367 (? 1818).

- 2302 *A. ablutella* Zell.
Isis. p. 177 (1839).
2303 *A. nigricostalis* Wlk.
Cat. XXVII. p. 40 (1863).

(Originally described from Borneo, but I have specimens in my collection from S. Africa, placed by Hampson in this species).

POUJADIA Rag.

Nouv. Gen. p. 42 (1888).

- 2304 *P. inficita* Wlk.
Cat. XXVII. p. 30 (1863).

(Originally described from Ceylon, but S.A. specimens in my collection identified by Hampson as *inficita*.)

HEOSPHORA Meyr.

Proc. Lin. Soc. N.S. Wales VII. p. 158 (1882).

- 2305 *H. sabuletella* Zell.
Mier. Caff. p. 73 (1852).

- 2306 H. polyactina Hmpsn.
Rag. Mem. VIII. p. 384 pl. LII. f. 2 (1901).
2307 H. leucophlebiella Rag.
Nouv. Gen. p. 47 (1888).

RHODOCHRYSA Rag.

- Mem. VIII. p. 387 (1901).
2308 Rh. superbella Rag.
Mem. VIII. p. 387 pl. XXXIX. f. 25 (1901).

HOSIDIA Rag.

- Mem. VIII. p. 408 (1901).
2309 H. ochrineurella Rag.
Mem. VIII. p. 409 pl. XLV. f. 1 (1901).

SPHINCTOCERA Warr.

- Nov. Zool. IV. p. 128 (1897).
2310 Sph. erassisquama Warr.
Nov. Zool. IV. p. 128 (1897).

PHYCITINÆ.

DYSPHYLIA Rag.

- Mem. VII. p. 2 (1893).
2311 D. viridella Rag.
Rag. Nouv. Gen. p. 5 pl. V. f. la., b., c., (1888).
2312 D. asperella Rag.
Mem. VII. p. 620 pl. XLVII. f. 14 (1893).

MABILLIA Rag.

- Mem. VII. p. 8 (1893).
2313 M. cerostomella Rag.
Nouv. Gen. p. 6 (1888).

BREPHIA Hein.

- Die Schmett. Deut. u. der Schw. p. 173 (1865).
2314 Br. incongruella Warr.
Ann. S.A. Mus. X. p. 501 pl. XII. f. 21 (1914).

MYELOIS Hübn.

- Verz. p. 371 (1827).
2315 M. ceratoniae Zell.
Isis. p. 176 (1839).

DIDIA Rag.

- Mem. VII. p. 60 (1893).
2316 D. subramosella Rag.
Mem. VII. p. 61 pl. XI. f. 6 (1898)

EURHODOPE Hübn.

- Verz. p. 371 (1827).
2317 E. confusella Wlk.
Cat. XXXV. p. 1718 (1866).
2318 E. infixella Wlk.
Cat. XXXV. p. 1710 (1866).

- 2319 *E. notulella* Rag.
Nouv. Gen. p. 8 (1888).
2320 *E. basiferella* Wlk.
Cat. XXXV. p. 1729 (1866).
2321 *E. ebeniella* Rag.
Nouv. Gen. p. 8 (1888).

ACROBASIS Zell.

- Isis.* p. 606 (1848).
2322 *A. diversicolor* Rag.
Mem. VII. p. 114 pl. XI. f. 13 (1893).

METCECIS Mab.

- Ann. Soc. Ent. Fr.* p. 340 (1879).
2323 *M. carnifex* Coq.
Ann. Soc. ent. Fr. p. 534 (1855).

MUSSIDIA Rag.

- Mem. VII.* p. 140 (1893).
2324 *M. melanoneura* Rag.
Mem. VII. p. 142 pl. VI. f. 13 (1893).

PIESMOPODA Zell.

- Isis.* p. 863 (1848).
2325 *P. notandella* Rag.
Mem. VII. p. 164 pl. XVIII. f. 5 (1893).

TRACHONITIS Zell.

- Isis.* p. 641 (1848).
2326 *T. capensis* Hmpsn.
Mem. VIII. p. 536 pl. LVI. f. 19 (1901).

CANDIOPE Rag.

- Nouv. Gen.* p. 14 (1888).
2327 *C. joannisella* Rag.
Nouv. Gen. p. 14 (1888).

DITRACHYPTERA Rag.

- Mem. VII.* p. 227 — (1893).
2328 *D. verruciferella* Rag.
Nouv. Gen. p. 14 (1888).

CANTHELEA Wlk.

- XXXV.* p. 1726 (1866).
2329 *C. saturatella* Mab.
Comptes rend. de la Soc. ent. Belg. XXIII.
p. XXVI. (1879).
2330 *C. stibiella* Snell.
Tijd. voor ent. p. 104 pl. VIII. ff. 7-8 (1872).

NEPHOPTERYX Hübn.

- Verz.* p. 370 (1827).
2331 *N. emussitatella* Rag.
Mem. VII. p. 291 pl. XIV. f. 4 (1893).
2332 *N. divisella* Dup.
Suppl. IV. p. 126 pl. 60 f. 9 (1842).

- 2333 *N. laticostella* Rag.
Nouv. Gen. p. 15 (1888).
- 2334 *N. natalensis* Rag.
Nouv. Gen. p. 16 (1888).
- 2335 *N. caradrinella* Rag.
Mem. VII. p. 622 pl. XLVII. f. 16 (1893).
- 2336 *N. subdivisella* Rag.
Mem. VII. p. 621 pl. XLVII. f. 15 (1893).
- 2337 *N. nigricans* Rag.
Nouv. Gen. p. 16 (1888).
- 2338 *N. grapholithella* Rag.
Nouv. Gen. p. 18 (1888).
- 2339 *N. ferrealis* Hmpsnn.
A. M. N. H. (VII.) 1 p. 160 (1898).
- 2340 *N. apotomella* Meyr.
- 2341 *N. subgenistella* Hmpsnn.
Rag. Mem. VIII. p. 541 pl. LVII. f. 1 (1906)

PRETORIA Rag.

- Mem. VII. p. 624 (1893).
- 2342 *P. hutchinsoni* Rag.
Mem. VII. p. 624 pl. XLVII. f. 17 (1893).

POGONONEURA Rag.

- Nouv. Gen. p. 17 (1888).
- 2343 *P. hirticostella* Rag.
Nouv. Gen. p. 17 (1888).

MICROTHRIX Rag.

- Nouv. Gen. p. 25 (1888).
- 2344 *M. inconspicuella* Rag.
Nouv. Gen. p. 17 (1888).
- 2345 *M. insulsella* Rag.
Mem. VII. p. 325 pl. XIV. f. 13 (1893)

PRISTARTHRIA Rag.

- Mem. VII. p. 326 (1893).
- 2346 *P. caustella* Hmpsnn.
Rag. Mem. VIII. p. 548 pl. LVIII. f. 13 (1901)

SALEBRIA Zell.

- 2347 *S. morosalis* Saalm.
Jahr. Senckenb. naturfors. Gesell. p. 307
(1879-1880).

OLIGOCHROA Rag.

- Nouv. Gen. p. 20 (1888).
- 2348 *O. atratella* Rag.
Nouv. Gen. p. 22 (1888).
- 2349 *O. siderella* Rag.
Nouv. Gen. p. 22 (1888).
- 2350 *O. ochreomelanella* Rag.
Nouv. Gen. p. 21 (1888).

- 2351 *O. coriacella* Rag.
Nouv. Gen. p. 21 (1888).
 2352 *O. terrella* Rag.
Nouv. Gen. p. 20 (1888).
 2353 *O. dionysia* Zell.
Isis. p. 760 (1846).
 2354 *O. piliferella* Rag.
Nouv. Gen. p. 20 (1888).
 2355 *O. ignicepsalis* Hmpsn.

OLIGOCHROIDES Strand.

- Arch. Natg. 75 p. 385 (1909).
 2355a *O. nigritella* Strand.
l.c. p. 385 (1909).

LAODAMIA Rag.

- Nouv. Gen. p. 22 (1888).
 2356 *L. africanella* Rag.
Nouv. Gen. p. 18 (1888).

GETULIA Rag.

- Nouv. Gen. p. 26 (1888).
 2357 *G. semifuscella* Rag
Mem. VII. p. 625 pl. XLVII. f. 18 (1893).
 2358 *G. fulviplagella* Hmpsn.
Mem. VIII. p. 556 pl. LVI. f. 22 (1901).

SYNORIA Rag.

- Nouv. Gen. p. 27 (1888).
 2359 *S. euglyphella* Rag.
Nouv. Gen. p. 27 (1888).

MEGASIS Guen.

- Index. Mier. p. 71 (1845).
 2360 *M. barrettæ* Hmpsn.
Rag. Mem. VIII. p. 557 pl. LVII. f. 17 (1901).

TRACHYPTERYX Rag.

- Mem. VII. p. 566 (1893).
 2361 *Tr. magella* Zell.
Isis. p. 870 (1848).
 2362 *Tr. rubripictella* Hmpsn.
Rag. Mem. VIII. p. 558 pl. LVII. f. 23 (1901).

ETIELLA Zell.

- Isis. p. 733 (1846).
 2363 *E. sincerella* Meyr.

 2364 *E. zinckenella* Treit.
Eur. Schmett. IX. p. 201 (1835).

EUZOPHERA Zell.

- Trans. Ent. Soc. Lond. (3) V. p. 456 (1865-67).
 2365 *E. neomeniella* Rag.
Nouv. Gen. p. 33 (1888).

- 2366 *E. villora* Feld.
Reise, Nov. pl. CXXXVII. f. 20 (1874).
2367 *E. stramentella* Rag.
Nouv. Gen. p. 32 (1888).
(Most probably female of *villora* Feld).

URBANIA Rag.

- Mem. VIII. p. 81 (1901).
2368 *U. lophopterella* Rag.
Mem. VIII. p. 81 pl. XLVIII. f. 2 (1901).

ALISPOIDES Rag.

- Nouv. Gen. p. 30 (1888).
2369 *A. vermiculella* Rag.
Nouv. Gen. p. 31 (1888).

ALISPA Zell.

- Isis. p. 606 et 643 (1848).
2370 *A. angustella* Hübn.
Tin. p. 68 ().

STAUDINGERIA Rag.

- Ann. Soc. ent. Fr. p. 249 (1887).
2371 *St. magnifica* Butl.
A. M. N. H. (4) XVI. p. 414 (1875).

HETEROGRAPHIS Rag.

- Ent. Month. Mag. XXII. p. 31 (1885).
2372 *H. albipunctella* Warr.
Ann. S.A. Mus. X. p. 502 pl. XLI. f. 23 (1914).
2373 *H. interjectella* Rag.
Nouv. Gen. p. 29 (1888).
2374 *H. bohemanni* Zell.
Microlep. Caffr. p. 75 (1852).
2375 *H. subpyrethrella* Rag.
Nouv. Gen. p. 29 (1888).
2376 *H. ustocapitella* Rag.
Mem. VIII. p. 172 pl. XXX. f. 12 (1901).
2377 *H. ocellella* Rag.
Mem. VIII. p. 173 pl. XLVIII. f. 13 (1901).
2378 *H. convexella* Led.
Verh. Zool.-bot. Ges. p. 222 pl. 4 f. 9 (1855).

HYPOGRYPHIA Rag.

- Bull. Soc. ent. Fr. p. CXIX (1890).
2379 *H. atrisparsella* Hmpsn.
Rag. Mem. VIII. p. 193 pl. LV. f. 7 (1901).

POGONOTROPHA Zell.

- Microlep. Caffr. p. 76 (1852).
2380 *P. wahlbergi* Zell.
Microlep. Caffr. p. 76 (1852).

ELEUSINA Rag.

- Mem. VIII. p. 210 (1901).
 2381 E. homoeosomella Hmpsn.
 Rag. Mem. VIII. p. 211 pl. LI. f. 1 (1901).

ANCYLOSIS Zell.

- Isis. p. 178 (1839).
 2382 A. inangulella Warr.
 Ann. S.A. Mus. X. p. 501 pl. XLI. f. 25 (1914).
 2383 A. capensis Rag.
 Nouv. Gen. p. 30 (1888).

HOMOEOSOMA Curt.

- Ent. Mag. I. p. 190 (1833).
 2384 H. mucidella Rag.
 N. Am. Phyc. p. 15 (1887).
 2385 H. angulilinea Warr.
 Ann. S.A. Mus. X. p. 502 pl. XLI. f. 20 (1914).
 2386 H. terminella Rag.
 Mem. VIII. p. 234 pl. XLIX. f. 6 (1901).
 2387 H. botydella Rag.
 Nouv. Gen. p. 35 (1888).
 2388 H. scopulella Rag.
 Nouv. Gen. p. 35 (1888).

EPHESTIA Guen.

- Ind. meth. p. 81 (1845).
 2389 E. cautella Wlk.
 Cat. XXVII. p. 73 (1863).

EPIPASCHIINÆ.

LEPIDOGMA Meyr.

- Tr. S. S. L. p. 472 (1890).
 2390 L. rubricalis Hmpsn.
 A. M. N. H. XVII. p. 131 (1906).

MACALLA Wlk.

- Cat. XVI. p. 155 (1858).
 2391 M. fasciculata Hmpsn.
 A. M. N. H. XVII. p. 137 (1906).
 2392 M. melanobasis Hmpsn.
 A. M. N. H. XVII. p. 139 (1906).

ISOLOPHA Hmpsn.

- A. M. N. H. (6) XVI. p. 346 (1895).
 2393 I. albieristata Warr.
 Ann. S.A. Mus. X. p. 28 (1911).

RHYNCHOPASCHIA Hmpsn.

- A. M. N. H. 17 p. 190 (1906).
 2394 Rh. melanolopha Hmpsn.
 A. M. N. H. 17 p. 190 (1906).

CHRYSAUGINÆ.**MACNA Wlk.**

- 2395 M. hampsoni Dist.
A. M. N. H. (6) XX. p. 17 (1897).

MURGISCA Wlk.

- Cat. XXVII. p. 11 (1863).
2396 M. marshalli Hmpsn.
A. M. N. H. XVII. p. 204 (1906).

ENDOTRICHINÆ.**ENDOTRICHA Zell.**

- 2397 E. consobrinalis Zell.
Microlep. Caffr. p. 24 (1852).

PYRALINÆ**AGLOSSA Latr.**

- Préc. Char. Gen. Ins. p. 145 (1796).
2398 A. ferrealis Hmpsn.
A. M. N. H. XVII. p. 220 (1906).
2399 A. incultalis Zell.
Microlep. Caffr. p. 21 (1852).
2400 A. infuscalis Hmpsn.
A. M. N. H. XVII. p. 219 (1906).
2401 A. basalis Wlk.
Cat. XXXIV. p. 1250 (1865).
2402 A. ocellaris Butl.
A. M. N. H. (IV.) 16 p. 412 (1875).
2403 A. phæalis Hmpsn.
A. M. N. H. XVII. p. 218 (1906).
2404 A. inconspicua Butl.
A. M. N. H. (IV.) 16 p. 413 (1875).
2405 A. formosa Butl.
A. M. N. H. (IV.) 16 p. 413 (1875).
2406 A. rhodalis Hmpsn.
A. M. N. H. XVII. p. 218 (1906).

PYRALIS Lin.

- Syst. Nat. (ed. XII.) p. 881 (1767).
2407 P. digonialis Hmpsn.
A. M. N. H. XVII. p. 257 (1906).
2408 P. farinalis L.
Syst. Nat. (ed. XII.) p. 881 (1767).
2409 P. rubellalis Zell.
Microlep. Caffr. p. 20 (1852).
2410 P. illatalis Zell.

2411 P. secretalis Wllgrn.
CEfv. Akad. Förh. XXII. 1 p. 122 (1875).
2412 P. smaragdina Butl.
A. M. N. H. (IV.) 16 p. 411 (1875).

- 2413 *P. dentibasalis* Warr.
Ann. S.A. Mus. X. p. 502 pl. XLI. f. 24 (1914).
2414 *P. effulgens* Warr.
Ann. S.A. Mus. X. p. 503 (1914).

TEGULIFERA Saalm.

Ber. Senek. Ges. p. 305 (1879-80)

- 2415 *T. zonalis* Warr.

- 2416 *T. holothermalis* Hmpsn.
A. M. N. H. XVII. p. 260 (1906).

STEMMATOPHORA Guehn.

Delt. & Pry. p. 129 (1854).

- 2417 *S. xanthozonalis* Hmpsn.
A. M. N. H. XVII. p. 261 (1906).
2418 *S. oleagina* Warr.
A. M. N. H. (6) VII. p. 497 (1891).
2419 *S. rubicundalis* Hmpsn.
A. M. N. H. XVII. p. 261 (1906).

HERCULIA Wlk.

Cat. XIX. p. 807 (1859).

- 2420 *H. tenuis* Butl.
Proc. Zool. Soc. Lond. p. 681 (1888).
2421 *H. cœsalis* Zell.
Lep. Micro. Caffr. p. 22 (1852).

TRIPHASSA Hübn.

Samml. Exot. Schmett. p. 26 (1818).

- 2422 *T. stalachtis* Hübn.
Exot. Schmett. pp. 26, 75 ff. 149-150 (1818).
2423 *T. albialis* Wlk.
Cat. XVIII. p. 640 (1859).

SACADA Wlk.

Cat. Journ. Lin. Soc. VI. ? v. 136 (1862).

- 2424 *S. rhodinalis* Hmpsn.
A. M. N. H. XVII. p. 266 (1906).
2425 *S. rosealis* Hmpsn.
A. M. N. H. XVII. p. 266 (1906).

PARACTENIA Rag.

Ann. ent. Soc. Fr. p. 642 (1891).

- 2426 *P. allutalis* Zell.
Lep. Micro. Caffr. p. 18 (1852).
2427 *P. thermalis* Hmpsn.
A. M. N. H. XVII. p. 267 (1906).
2428 *P. atriparsalis* Hmpsn.
A. M. N. H. XVII. p. 268 (1906).

PROSARIS Meyr.

Tr. ent. Soc. L. p. 12 (1894).

- 2429 *P. rufalis* Hmpsn.
A. M. N. H. XVII. p. 269 (1906).

- 2430 *P. pulvorea* Hmpsn.
A. M. N. H. XVII. p. 268 (1906).

NEOBOSTRA Hmpsn.

- A. M. N. H. XVII. p. 344 (1906).
2431 *N. ferruginealis* Hmpsn.
A. M. N. H. XVII. p. 344 (1906).

BOSTRA Wlk.

- Cat. XXVII. p. 123 (1863).
2432 *B. rufimarginalis* Hmpsn.
A. M. N. H. XVII. p. 347 (1906).
2433 *B. noctuina* Butl.
A. M. N. H. (IV.) 16 p. 411 (1875).
2434 *B. confluialis* Hmpsn.
A. M. N. H. XVII. p. 347 (1906).
2435 *B. albilineata* Warr.
A. M. N. H. (6) VII. p. 437 (1891).
2436 *B. pyroxanthia* Hmpsn.
A. M. N. H. XVII. p. 345 (1906).
2437 *B. vetustalis* Zell.
Lep. Mier. Caffr. p. 17 (1852).
2438 *B. dipectinialis* Hmpsn.
A. M. N. H. XVII. p. 345 (1906).
2439 *B. exustalis* Guen.
Delt. & Pyr. p. 130 pl. 10 f. 1 (1854).
2440 *B. xanthorhodalis* Hmpsn.
A. M. N. H. XVII. p. 350 (1906).
2441 *B. lateritalis* Guen.
Delt. & Pyr. p. 130 (1854).
2442 *B. sentalis* Hmpsn.
A. M. N. H. XVII. p. 346 (1906).
2443 *B. ferrealis* Hmpsn.
A. M. N. H. XVII. p. 348 (1906).
2444 *B. puncticostalis* Hmpsn.
A. M. N. H. (7) I. p. 161 (1898).
2445 *B. conspicualis* Warr.
Ann. S.A. Mus. X. p. 29 (1914).
2446 *B. flavicostalis* Warr.
Ann. S.A. Mus. X. p. 503 pl. XLI. f. 22 (1914).
2447 *B. carnicolor* Warr.
Ann. S.A. Mus. X. p. 504 pl. XLI. f. 19 (1914).

ZITHA Wlk.

- Cat. XXXIV. p. 1264 (1865).
2448 *Z. ignalis* Guen.
Delt. & Pyr. p. 129 (1854).
2449 *Z. laminalis* Guen.
Delt. & Pyr. p. 129 (1854).
2450 *Z. subeupralis* Zell.
Lep. Mier. Caffr. p. 20 (1852).

SINDRIS Boisd.

- Faun. Madag. p. 122 (1833).
2451 *S. sganzini* Boisd.
Faun. Madag. p. 122 pl. 16 f. 10 (1833).

- 2452 *S. albimaculalis* Rag.
Ann. ent. Soc. Fr. p. 113 (1891).

LORYMA Wlk.

- Cat. XIX. p. 890 (1859).
2453 *L. althalialis* Wlk.
Cat. XVII. p. 258 (1859).

CONSTANIA Rag.

- Bull. Soc. ent. Fr. p. CXXXVII. (1887).
2454 *C. bolinalis* Wlk.
Cat. XVII. p. 266 (1859).
2455 *C. aglossalis* Hmpsn.
A. M. N. H. XVII. p. 354 (1906).
2456 *C. pallidicarnea* Warr.
Ann. S.A. Mus. X. p. 504 pl. XLI. f. 15 (1914).
2457 *C. grisescens* Warr.
Ann. S.A. Mus. X. p. 505 pl. XLI. f. 18 (1914).
2458 *C. phæagonalis* Hmpsn.
A. M. N. H. XVII. p. 353 (1906).

ACTENIA Guen.

- Delt. & Pyr. p. 135 (1854)
2459 *A. obliquisignalis* Hmpsn.
A. M. N. H. XVII. p. 354 (1906).
2460 *A. achromalis* Hmpsn.
A. M. N. H. XVII. p. 355 (1906).
2461 *A. rhodesialis* Hmpsn.
A. M. N. H. XVII. p. 355 (1906).

CLEDEOBIA Steph.

- Cat. Brit. Ins. II. p. 159 (1829).
2462 *C. styphlotricha* Hmpsn.
A. M. N. H. XVII. p. 356 (1906).

TYNDIS Rag.

- Ann. ent. Soc. Fr. p. 83 (1891).
2463 *T. proteanalis* Hmpsn.
A. M. N. H. XVII. p. 357 (1906).
2463a *T. rubrovittata* Grünb.
Denkschr. med. Ges. Jena. 16 p. 142 (1910).

PITHYLLIS Grünberg.

- Denkschr. med. Ges. Jena. 16 pp. 142-143
(1910).
2463b *P. ornata* Grünb.
l.c. 16 p. 143 (1910).

MELANALIS Hmpsn.

- A. M. N. H. XVII. p. 359 (1906).
2464 *M. perfusea* Hmpsn.
A. M. N. H. XVII. p. 359 (1906).

AGLOSSODES Rag.

- Ann. ent. Soc. Fr. p. 63 pl. 8 f. 5 (1890).
2465 *A. prionophoralis* Rag.
Ann. ent. Soc. Fr. p. 63 pl. 8 f. 5 (1890).

HYPOTIANÆ.**HYPOTIA** Zell.

- Isis. p. 593 (1847).
 2465a *H. dinteri* Grünb.
 Denkschr. med. Ges. Jena. XVI. p. 141 (1910).

HYDROCAMPINÆ.**ARGYRACTIS** Hmpsn.

Trans. Ent. Soc. Lond. p. 135 (1897)

- [2466] *A. capensis* Hmpsn.
 A. M. N. H. XVIII. p. 383 (1906).
 2467 *A. nymphulalis* Hmpsn.
 A. M. N. H. XVIII. p. 389 (1906).

NYMPHULA Schrank.

Fauna Boica. II. p. 162 (1802).

- [2468] *N. fœdalis* Guen.
 Delt. & Pyr. p. 228 pl. 4 f. 7 (1854).
 [2469] *N. cirealis* Wlk.
 Cat. XVII. p. 460 (1859).
 [2470] *N. fluctuosalis* Zell.
 Lep. Mire. Caffr. p. 27 (1852).
 [2471] *N. depunatalis* Guen.
 Delt. & Pyr. p. 272 (1854).

CATACLYSTA Hübn.

Verz. p. 363 (1827).

- 2472 *C. fraterna* Butl.
 A. M. N. H. (IV.) 16 p. 415 (1875).

AMBIA Wlk.

Cat. XIX. p. 957 (1859).

- 2473 *A. melanalis* Hmpsn.
 A. M. N. H. XVIII. p. 458 (1906).
 2474 *A. chaleichroalis* Hmpsn.
 A. M. N. H. XVIII. p. 457 (1906).

DAULIA Wlk.

Cat. XIX. p. 975 (1859).

- [2475] *D. subaurealis* Wlk.
 Cat. XXXIV. p. 1343 (1865).

DUPONCHELIA Zell.

Isis. p. 588 (1847).

- [2476] *D. fovealis* Zell.
 Isis. p. 588 (1847).

STEGOTHYRIS Led.

Wien. ent. Mon. p. 427 (1863)

- 2477 *St. fascicutaris* Zell.
 Lep. Mier. Caffr. p. 63 (1852).

HYMENOPTYCHIS Zell.

Lep. Mier. Caffr. p. 64 (1852).

2478 *H. sordida* Zell.

Lep. Mier. Caffr. p. 65 (1852).

BRADINA Led.

Wien. ent. Mon. p. 424 (1863).

2479 *Br. admixtalis* Wlk.

Cat. XVIII. p. 665 (1859).

STENIA Guen.

Dup. Cat. Meth. p. 201 (1844).

2480 *St. pœdiusalis* Wlk.

Cat. XVIII. p. 208 (1859).

2480a *St. desertalis* Hmpsn.

A. M. N. H. (19) p. 8 (1907)

PILETOCERA Led.

Wien. ent. Mon. p. 431 (1863).

2481 *P. signiferalis* Wllgrn.

Wien. ent. Mon. p. 175 (1860).

2482 *P. lanceolalis* Guen.

Delt. & Pyr. p. 246 (1854).

ZEBRONIA Hüb.

Verz. p. 361 (1827).

2483 *Z. phenice* Cram.

Pap. Exot. IV. p. 185 pl. 382 f. 4. (1781)

LUMA Wlk.

Cat. XXVII. p. 121 (1863).

2483a *L. holoxantha* Hmpsn.

A. M. N. H. 19 p. 2 (1907).

2483b *L. flavimarginalis* Hmpsn.

A. M. N. H. (19) p. 2 (1907).

SCOPARIANÆ.

SCOPARIA Haw.

Lep. Brit. p. 491 (1803).

2484 *Sc. contemptalis* Wlk.

Cat. XXXIV. p. 1499 (1865).

2485 *Sc. nolalis* Feld.

Reise Nov. pl. 134 f. 41 (1875).

PYRAUSTINÆ.

ENTEPHRIA Led.

Wien. ent. Mon. p. 428 (1863).

2486 *E. diaphana* Cram.

Pap. Exot. II. p. 26 pl. 113 f. G. (1779)

2487 *E. caberalis* Guen.

Delt. & Pyr. p. 284 (1854).

ZINCKENIA Zell.

Lep. Mier. Caffr. p. 55 (1852).

2488 *Z. perspectalis* Hüb.

Schmett. Eur. Pyr. p. 101 (—).

2489 *Z. fascialis* Cram.

Pap. Exot. IV. pl. 398 f. O. (1781).

EURRHYPARODES Snell.

Tijd. voor Ent. p. 215 (1880).

2490 *Eu. bracteolalis* Zell.

Lep. Mier. Caffr. p. 30 (1852).

2491 *Eu. tricoloralis* Zell.

Lep. Mier. Caffr. p. 31 (1852).

PAGYDA Wlk.

Cat. XVIII. p. 487 (1859).

2492 *P. salvialis* Wlk.

Cat. XVII. p. 489 (1859).

2493 *P. traducalis* Zell.

Lep. Mier. Caffr. p. 54 (1852).

CHALCIDOPTERA Butl.

A. M. N. H. (II.) p. 120 (1883).

2494 *Ch. thermographa* Hmpsn.

Proc. Zool. Soc. Lond. p. 497 pl. XL. f. 23 (1910).

2494a *Ch. argyrophoralis* Hmpsn.

A. M. N. H. (9) p. 322 (1912).

2494b *Ch. trogobasalis* Hmpsn.

I.c. p. 321 (1912).

ERCTA Wlk.

Cat. XVII. p. 425 (1859).

2495 *E. ornatalis* Dup.

Lép. France VII. p. 207 pl. 223 f. 8 (1829).

MARASMIA Led.

Wien. ent. Mon. p. 385 (1863).

2496 *M. venialis* Wlk.

Cat. XVII. p. 373 (1859).

2497 *M. trapezalis* Guen.

Delt. & Pyr. p. 200 (1854).

SYNGAMIA Guen.

Delt. & Pyr. p. 187 (1854).

2498 *S. floridalis* Zell.

Lep. Mier. Caffr. p. 60 (1852).

2499 *S. fervidalis* Zell.

Lep. Mier. Caffr. p. 59 (1852).

BOC'CHORIS Moore.

Lep. Ceyl. III. p. 271 (1886).

2500 *B. onychinalis* Guen.

Delt. & Pyr. p. 205 pl. 6 f. 9 (1852).

- 2501 *B. flavibrunnea* Hmpsn.
Proc. Zool. Soc. Lond. p. 651 pl. XLIX. f. 30
(1898).
- 2502 *B. inspersalis* Zell.
Lep. Mier. Caffr. p. 33 (1852).

PILOCROSIS Led.

- Wien. ent. Mon. VII. p. 430 (1863).
- 2502a *P. pterygodia* Hmpsn.
A. M. N. H. (IX.) p. 263 (1912).
- 2502b *P. melastictalis* Hmpsn.
l.c. IX. p. 264 (1912).
- 2502c *P. glaucitalis* Hmpsn.
l.c. IX. p. 265 (1912).
- 2502d *P. dichoerosialis* Hmpsn
l.c. IX. p. 266 (1912).

ULOPEZA Zell.

- Lep. Mier. Caffr. p. 58 (1852).
- 2503 *U. conigeralis* Zell.
Lep. Mier. Caffr. p. 58 (1852).
- 2503a *U. denticulalis* Hmpsn.
A. M. N. H. (9) p. 269 (1912).

NOSOPHORA Led.

- Wien. ent. Mon. p. 407 (1863).
- 2504 *N. latiferalis* Wlk.
Cat. XXXIV. p. 1401 (1865).

FILODES Guen.

- Delt. & Pyr. p. 317 (1854).
- 2505 *F. productalis* Hmpsn.
Proc. Zool. Soc. Lond. p. 671 pl. I. f. 14
(1898).

DICHOCROSIS Led.

- Wien. ent. Mon. p. 447 (1863).
- 2506 *D. amyntalis* Wllgrn.
2506a *D. usticinetalis* Hmpsn.
A. M. N. H. (9) p. 334 (1912).

NACOLEIA Wlk.

- Cat. XIX. p. 934 (1859).
- 2507 *N. indicata* Fabr.
Syst. Ent. p. 640 (1775).
- 2507a *N. fusalis* Hmpsn.
A. M. N. H. (9) p. 441 (1912).
- 2508 *N. diemenalis* Guen.
Delt. & Pyr. p. 203 (1854)

BOTYODES Guen.

- Delt. & Pyr. p. 321 (1854).
- 2509 *B. asialis* Guen.
Delt. & Pyr. p. 321 (1854).
- 2510 *B. hirtusalis* Wlk.
Cat. XVIII. p. 642 (1859).

SYLEPTA Hüb.

- Verz. p. 356 (1827).
- 2511 *S. orbiferalis* Hmpsn.
Proc. Zool. Soc. Lond. p. 715 (1898).
- 2512 *S. straminea* Butl.
A. M. N. H. (4) XVI. p. 416 (1875).
- 2513 *S. nasonalis* Hmpsn.
Proc. Zool. Soc. Lond. p. 724 (1898).
- 2514 *S. mesoleucalis* Hmpsn.
Proc. Zool. Soc. Lond. p. 724 (1898).
- 2514a *S. xylocraspis* Hmpsn.
A. M. N. H. (X.) p. 9 (1912).

LYGROPIA Led.

Wien. ent. Mon. p. 381 (1863).

- 2515 *L. muscerdalis* Zell.
Lep. Mier. Caffr. p. 43 (1852).
- 2516 *L. quaternalis* Zell.
Lep. Mier. Caffr. p. 44 (1852).
- 2517 *L. amyntusalis* Wlk.
Cat. XVIII. p. 662 (1859).

AGATHODES Guen.

- Delt. & Pyr. p. 207 (1854).
- 2518 *A. musivalis* Guen.
Delt. & Pyr. p. 210 (1854).

NEOSTEGE Hmpsn.

- Proc. Zool. Soc. Lond. p. 499 (1910).
- 2519 *N. holoxutha* Hmpsn.
Proc. Zool. Soc. Lond. p. 499 pl. XL. f. 25 (1910).

GLYPHODES Guen.

- Delt. & Pyr. p. 292 (1854).
- 2520 *G. negatalis* Wlk.
Cat. XVII. p. 468 (1859).
- 2521 *G. sericea* Drury.
Ins. II. p. 9 pl. 6 f. 1 (1837).
- 2522 *G. baldersalis* Wlk.
Cat. XVIII. p. 527 (1859).
- 2523 *G. hyalinata* Lin.
Syst. Nat. (I.) p. 874 No. 279 (1735).
- 2524 *G. angustimargo* Warr.
Ann. S.A. Mus. X. p. 505 (1914).
- 2525 *G. indica* Saund.
Trans. Ent. Soc. Lond. p. 163 (1851).
- 2526 *G. elealis* Wlk.
Cat. XVIII. p. 516 (1859).
- 2527 *G. unionalis* Hüb.
Eur. Schmett. Pyr. f. 138 (---).
- 2528 *G. bicolor* Swains.
Zool. M. (1) II. pl. 77 f. 2 (---).
- 2529 *G. sinuata* Fabr.
Spec. Ins. II. p. 267 (1781).
- 2529a *G. prasinophila* Hmpsn.
A. M. N. H. (X.) p. 571 (1912).

EUCLASTA Led.

Verh. Zool.-bot. Ges. Wien. p. 252 (1855).

2530 Eu. warreni Dist.

Nat. Transvaal p. 241 pl. II. f. 5 (1892).

POLYTHLIPTA Led.

Wien. ent. Mon. p. 389 (1863).

2531 P. annulifera Wlk.

Cat. XXXIV. p. 1344 (1865).

LEPYRODES Guen.

Delt. & Pyr. p. 277 (1854).

2532 L. geometralis Guen.

Delt. & Pyr. p. 278 pl. 8 f. 6 (1854).

2533 L. capensis Wlk.

Cat. XXXIV. p. 1344 (1865).

2534 L. piabilis Wllgrn.

Efv. Ak. Förh. XXXII. p. 124 (1875).

LEUCINODES Guen.

Delt. & Pyr. p. 221 (1854).

2535 L. orbonalis Guen.

Delt. & Pyr. p. 223 (1854).

2536 L. vagans Tutt.

Ent. Rec. I. p. 203 (—).

CROCIDOLOMIA Zell.

Lep. Mier. Caffr. p. 65 (1852).

2537 C. binotalis Zell.

Lep. Mier. Caffr. p. 66 (1852).

HELLULA Guen.

Delt. & Pyr. p. 415 (1854).

2538 H. undalis Fabr.

Ent. Syst. III. p. 226 (? 1798).

SAMEODES Snell.

Tijds. voor ent. p. 217 (1880).

2539 S. roseocinctalis Hmpsn.

A. M. N. H. XI. p. 331 (1913).

2539a S. cancellalis Zell.

Lep. Mier. Caffr. p. 34 (1852).

2539b S. microspilalis Hmpsn.

A. M. N. H. XI. p. 324 (1913).

THLIPTOCERAS Swinh.

Trans. Ent. Soc. Lond. p. 274 (1890).

2540 Thl. octoguttale Feld.

Reise Nov. pl. 135 f. 38 (1875).

2540a Thl. xanthocaspia Hmpsn.

A. M. N. H. XI. p. 331 (1913).

2541 Thl. polygrammodes Hmpsn.

Proc. Zool. Soc. Lond. p. 180 (1899).

ARCHERNIS Meyr.

Proc. Lin. Soc. N.S. Wales. II. 1 p. 254 (1886).

2542 A. flavidalis Hmpsn.

A. M. N. H. I. p. 491 (1908).

TERASTIA Guen.

Delt. & Pyr. p. 211 (1854).

2543 T. meticulosalis Guen.

Delt. & Pyr. p. 212 (1854).

2544 T. margaritis Feld.

Reise Nov. pl. 136 f. 40 (1875).

ISCHNURGES Led.

Wien. ent. Mon. p. 418 (1863).

2545 I. lancinalis Guen.

Delt. & Pyr. p. 169 (1854).

MARUCA Wlk.

Cat. XVIII. p. 540 (1859).

2546 M. testulalis Geyer.

Hübn. Samml. Exot. Schmett. IV. p. 12 ff.
629-630 (1855).

PASCHIODES Hmpsn.

A. M. N. H. XI. p. 509 (1913).

2546a P. mesoleuealis Hmpsn.

l.c. p. 509 (1913).

NOMOPHILA Hübn.

Verz. p. 168 (1827).

2547 N. noctuella Schiff.

Wien. Verz. p. 136. ().

PACHYZANCLA Meyr.

Trans. Ent. Soc. Lond. p. 315 (1884).

2548 P. phaeopteralis Guen.

Delt. & Pyr. p. 349 (1854).

2549 P. bipunctatis Fabr.

Ent. Syst. III. part 2 p. 227 (? 1798).

PHLYCTÆNODES Guen.

Delt. & Pyr. p. 173 (1854).

2550 Phl. fulvalis Warr.

A. M. N. H. (6) IX. p. 301 (1892).

2551 Phl. frustalis Zell.

Lep. Mier. Caffr. p. 48 (1852).

2552 Phl. massalis Wlk.

Cat. XVIII. p. 732 (1859).

2553 Phl. venustalis Cram.

Exot. Schmett. IV. pl. 371 f. I. (1782).

2554 Phl. zaide Stoll.

Suppl. Exot. Schmett. pl. 36 f. 6 (1791).

2555 Phl. plumbatalis Zell.

Lep. Mier. Caffr. p. 51 (1852).

2556 Phl. oblinalis Feld.

Reise Nov. pl. 134 f. 38 (1875).

- 2557 *Phl. euprepialis* Hmpsn.
A. M. N. H. XI. p. 521 (1913).

DIASEMIA Guen.

- Delt. & Pyr. p. 233 (1854).
 2558 *D. trigonalis* Hmpsn.
A. M. N. H. XI. p. 522 (1913).
 2558a *D. ramburialis* Dup.
Lep. France VIII. p. 343 pl. 233 f. 6 (1830).
 2559 *D. disjectalis* Zell.
Lep. Mier. Caffr. p. 16 (1852).
 2559a *D. monostigma* Hmpsn.
A. M. N. H. XI. p. 523 (1913).

ANTIGASTRA Led.

- Wien. ent. Mon. p. 419 (1863).
 2560 *A. catalaunalis* Dup.
Lép. France VIII. p. 330 pl. 232 f. 8 (1830).
 2561 *A. morysalis* Wlk.
Cat. XVIII. p. 641 (1859).

NOORDA Wlk.

- Cat. XIX. p. 978 (1859).
 2562 *N. fessalis* Swinh.
Proc. Zool. Soc. Lond. p. 459 pl. 41 f. 13
1886).
 2563 *N. sinualis* Hmpsn.
Proc. Zool. Soc. Lond. p. 221 (1899).
 2564 *N. rubricostalis* Hmpsn.
Proc. Zool. Soc. Lond. p. 504 pl. 41 f. 8 (1910).

CYBOLOMIA Led.

- Wien. ent. Mon. VII. p. 420 (1863).
 2564a *C. apicalis* Hmpsn.
A. M. N. H. XI. p. 529 (1913).

MECYNA Guen.

- Delt. & Pyr. p. 406 (1854).
 2565 *M. gilvata* Fabr.
Ent. Syst. p. 290 (? 1798).

CRIOPHTHONA Meyr.

- Tr. E. S. L. p. 339 (1884).
 2565a *C. aridalis* Hmpsn.
A. M. N. H. XII. p. 2 (1913).

METASIA Guen.

- Delt. & Pyr. p. 251 (1854).
 2566 *M. profanalis* Wlk.
Cat. XXXIV. p. 1403 (1865).
 2567 *M. holoxanthia* Hmpsn.
Proc. Zool. Soc. Lond. p. 239 (1899).

PIONEA Guen.

- Delt. & Pyr. p. 367 (1854).
 2568 *P. ferrugalis* Hübn.
Schmett. Eur. Pyr. ff. 54-150 ().

- 2569 P. prolausalis Wlk.
Cat. XIX. p. 990 (1859).
 2570 P. africalis Guen.
Delt. & Pyr. p. 370 (1854).
 2571 P. infuscalis Zell.
Lep. Mier. Caffr. p. 41 (1852).
 2572 P. muscosalis Hmpsn.
A. M. N. H. XII. p. 13 (1913).
 2572a P. erythrialis Hmpsn.
A. M. N. H. XII. p. 19 (1913).

PYRAUSTA Schrank.

- Faun. Boica. II. 2. p. 163 (1802).
 2573 P. impunctata Warr.
Nov. Zool. IV. p. 129 (1897).
 2574 P. incoloralis Guen.
Delt. & Pyr. p. 333 (1854).
 2575 P. procillusalis Wlk.
Cat. XVIII. p. 641 (1859).
 2576 P. aurea Butl.
A. M. N. H. (4) XVI. p. 414 (1875).
 2577 P. lithesialis Hmpsn.
Proc. Zool. Soc. Lond. p. 263 (1899).
 2578 P. phœnicealis Hübn.
Verz. p. 348 (1827).
 2579 P. tetraplagalis Hmpsn.
Proc. Zool. Soc. Lond. p. 268 pl. L. f. 25
(1899).
 2580 P. adsocialis Zell.
Lep. Mier. Caffr. p. 41 (1852).
 2580a P. diatoma Hmpsn.
A. M. N. H. 12 p. 35 (1913).
 2581 P. cinnamomalis Wllgrn.
Wien. ent. Mon. p. 175 (1860).
 2581a P. rufitincta Hmpsn.
A. M. N. H. 12 p. 27 (1913).
 2582 P. lacunalis Zell.
Lep. Mier. Caffr. p. 42 (1852).
 2582a P. atricinetalis Hmpsn.
A. N. M. H. 12 p. 24 (1913).
 2583 P. diniasalis Wlk.
Cat. XVIII. p. 649 (1859).

SCELIODES Guen.

- Delt. & Pyr. p. 100 (1854).
 2584 Sc. laialis Wlk.
Cat. XVII. p. 382 (1859).

TEGOSTOMA Zell.

- Isis. p. 581 (1847).
 2585 T. subditalis Zell.
Lep. Mier. Caffr. p. 25 (1852).
 2586 T. bipartalis Hmpsn.
Proc. Zool. Soc. Lond. p. 274 (1896).
 2587 T. florilegaria Guen.
Phal. X. p. 175 (1857).

CROCIDOPHORA Led.

Wien. ent. Mon. p. 386 (1863).

2588 Cr. caffralis Hmpsnu.

Proc. Zool. Soc. Lond. p. 502 pl. 41 f. 4 (1910).

NOCTUELIA Guen.

Delt. & Pyr. p. 113 (1854).

2589 N. annuliferalis Hmpsn.

A. M. N. H. XII. p. 300 (1913).

ESSINA Rag.

Ann. Soc. Ent. Tr. p. 28 (1891).

2590 E. atribasalis Rag.

HYMENIA Hübn.

2591 H. griseata Butl.

A. M. N. H. (IV.) 16 p. 415 (1875)

MELISSOBLAPTES Zell.

2592 M. murinus Wllgrn.

Öfv. af. K. Vet. Akad. Förh. p. 127 (1875).

Species position uncertain.

2593 Botys orbitalis Feld.

Reise Nov. pl. CXXXIV. f. 32 (1875).

2594 Botys rufinalis Feld.

Reise Nov. pl. CXXXV. f. 39 (1875).

ORNEODIDÆ.

ORNEODES Latr.

Précis Caraet. Ins. p. 148 (1796).

2595 O. ferruginea Wlshm.

Tr. Ent. Soc. Lond. p. 285 (1881).

2596 O. huebneri Wllgrn.

Skand. Fjädermott. p. 24 (1859).

2597 O. certifica Meyr.

Ann. Transv. Mus. II. p. 4 pl. II. f. 4 (1908).

2598 O. libraria Meyr.

Ann. Transv. Mus. II. p. 221 (1911).

2599 O. spicifera Meyr.

Ann. Transv. Mus. II. p. 221 (1911).

2600 O. capensis Feld.

Reise Nov. pl. 140 f. 63 (1877).

2601 O. butleri Wllgrn.

Öfv. Vet.-Akad. Förh. p. 130 (1875).

2602 O. aacalyptra Meyr.

Ann. Transv. Mus. III. p. 269 (1913).

MICROSCHEISMUS Fletcher.

The Entomologist p. 253 (1909).

2603 M. fortis Walsingham.

Trans. Ent. Soc. Lond. p. 284 pl. 13 f. 49
(1881).

- 2604 *M. antennatus* Fletcher.
The Entomologist p. 253 (1909).
 2605 *M. sceletias* Meyr.
Ann. Transv. Mus. II. p. 222 (1911).
 2606 *M. ctenias* Meyr.
Ann. Transv. Mus. II. p. 222 (1911).
 2607 *M. premnias* Meyr.
Ann. Transv. Mus. III. p. 269 (1913).
 2608 *M. sericeornis* Meyr.
Ann. Transv. Mus. IV. p. 187 (1914).

PTEROPHORIDÆ.

DIACROTRICHA Zell.

- Linn. Ent. vol. VI. p. 399 (1851).
 2609 *D. pesseuta* Meyr.
Journ. Bombay Nat. Hist. Soc. p. 134 (1906).

TRICHOPTILUS Walsingham.

- Pteroph. Calif. p. 62 (1880).
 2610 *Tr. wahlbergi* Zell.
Linn. Ent. vol. VI. p. 346 (1851).
 2611 *Tr. defectalis* Wlk.
Cat. XXX. p. 943 (1864).
 2612 *Tr. congrualis* Wlk.
Cat. XXX. p. 943 (1864).
 2613 *Tr. eryphias* Meyr.
Ann. S.A. Mus. X. p. 53 (1912).
 2614 *Tr. vivax* Meyr.
Ann. Transv. Mus. II. p. 1 pl. I. f. 2 (1909).
 2615 *Tr. varius* Meyr.
Ann. Transv. Mus. II. p. 2 pl. I. f. 2 (1909).
 2616 *Tr. maceratus* Meyr.
Ann. Transv. Mus. II. p. 1 pl. I. f. 3 (1909).

SPHENARCHUS Meyr.

- Trans. Ent. Soc. Lond. p. 8 (1886).
 2617 *Sph. caffer*. Zell.
Lep. Microp. p. 118 (1852).

OXYPTILUS Zell.

- Isis. X. p. 765 (1841).
 2618 *O. secutor* Meyr.
Ann. Transv. Mus. II. p. 218 (1911).
 2619 *O. epidectes* Meyr.
Trans. Ent. Soc. Lond. p. 476 (1907).

TITANOPTILUS Hmpsni.

- Trans. Ent. Soc. Lond. p. 248 (1905).
 2620 *T. (?) patellatus* Meyr.
Exot. Micro. Lep. vol. I. p. 109 (1913).

PLATYPTILIA Hübm.

- Verz. bek. Schmett. p. 429 (1826).
 2621 *P. brachymorpha* Meyr.
Trans. Ent. Soc. Lond. p. 240 (1888).

- 2622 *P. direptalis* Wlk.
Cat. XXX. p. 934 (1864).
- 2623 *P. molopias* Meyr.
Journ. Bomb. Nat. Hist. Soc. p. 135 (1906).
- 2624 *P. periacta* Meyr.
Ann. S. A. Mus. V. p. 411 (1910).
- 2625 *P. patriarcha* Meyr.
Ann. S.A. Mus. X. p. 54 (1912).
- 2626 *P. maligna* Meyr.
Exot. Micro. Lep. Vol. I. p. 110 (1913).
- 2627 *P. sabia* Feld.
Reise Nov. pl. CXL. f. 60 (1877).
- 2628 *P. empedota* Meyr.
Trans. Ent. Soc. Lond. p. 487 (1908).
- 2629 *P. amphiloga* Meyr.
Ann. S.A. Mus. V. p. 365 (1909).
- 2630 *P. corniculata* Meyr.
Ann. Transv. Mus. III. p. 268 (1913).
- 2631 *P. (?) africanae* Wlshm.
Trans. Ent. Soc. Lond. p. 278 pl. XIII. f. 45
(1881).

MACROTINACTIS Meyr.

- Ann. S.A. Mus. X. p. 55 (1912).
- 2632 *M. stenodactyla* Fletch.
Entom. p. 282 (1911).

DEUTEROCOPUS Zell.

- Lin. Ent. vol. 6 p. 402 (1852).
- 2633 *D. rubrodactylus* Pag.
Zoologica. vol. 29 p. 241 (1900).
- 2634 *D. tengstroemi* Zell.
Lin. Ent. p. vol. 6 p. 402 (1852).

ALUCITA L.

- Syst. Nat. vol. I. p. 542 (1758).
- 2635 *A. rhyparias* Meyr.
Trans. Ent. Soc. Lond. p. 489 (1908).
- 2636 *A. candidalis* Wlk.
Cat. XXX. p. 948 (1864).
- 2637 *A. albida* Zell.
Lin. Ent. VI. p. 397 (1851).
- 2638 *A. adumbrata* Wlshm.
Trans. Ent. Soc. Lond. p. 282 pl. 13 f. 47
(1881).
- 2639 *A. tripunctata* Wlshm.
Trans. Ent. Soc. p. 283 pl. 13 f. 48 (1881).

PSELNOPHORUS Wllgrn.

- Ent. Tidsk. II. p. 96 (1881).
- 2640 *P. aulotes* Meyr.
Ann. Transv. Mus. II. p. 219 (1911).
- 2641 *P. astragalotes* Meyr.
Ann. S.A. Mus. V. p. 366 (1909).
- 2642 *P. catharotes* Meyr.
Trans. Ent. Soc. Lond. p. 491 (1907).

ADAINA Tutt.

- Ent. Record. vol. 17 p. 37 (1905).
- 2643 *A. gentilis* Meyr.
Ann. Transv. Mus. II. p. 219 (1911).
- 2644 *A. periarga* Meyr.
Ann. Transv. Mus. III. p. 268 (1913).

MARASMARCHA Meyr.

- Trans. Ent. Soc. Lond. p. 41 (1886).
- 2645 *M. bonaespei* Wlshm.
Trans. Ent. Soc. Lond. p. 281 pl. 13 f. 46 (1881).
- 2646 *M. pacifica* Meyr.
Ann. Transv. Mus. II. p. 220 (1911).
- 2647 *M. pavida* Meyr.
Trans. Ent. Soc. Lond. p. 493 (1908).
- 2648 *M. crepuscularis* Meyr.
Ann. Transv. Mus. II. p. 4 pl. II. f. 2 (1908).
- 2649 *M. verax* Meyr.
Ann. Transv. Mus. II. p. 3 pl. I. f. 5 (1908).
- 2650 *M. atomosa* Wlshm.
Proc. Zool. Soc. Lond. p. 885 (1885).
- 2651 *M. tenax* Meyr.
Ann. Transv. Mus. III. p. 268 (1913).

PTEROPHORUS Geoffr.

Hist. Nat. Ins. (1762).

- 2652 *P. orchatias* Meyr.
Trans. Ent. Soc. Lond. p. 511 (1908).
- 2653 *P. lienigianus* Zell.
Lin. Ent. vol. 6 p. 380 (1851).
- 2654 *P. colubratus* Meyr.
Ann. Transv. Mus. II. p. 3 pl. I. f. 4 (1911).
- 2655 *P. ammonias* Meyr.
Ann. Transv. Mus. II. p. 3 pl. I. f. 6 (1911).
- 2656 *P. furfurosus* Meyr.
Ann. Transv. Mus. II. p. 220 (1911).
- 2657 *P. ambitiosus* Mevr.
Ann. Transv. Mus. II. p. 220 (1911).
- 2658 *P. serpens*, Mevr.
Ann. S.A. Mus. V. p. 266 (1909).
- 2659 *P. invidiosus* Meyr.
Ann. Transv. Mus. II. p. 220 (1911).
- 2660 *P. purus* Meyr.
Ann. Transv. Mus. III. p. 268 (1913).
- 2661 *P. timidus* Mevr.
Trans. Ent. Soc. Lond. p. 494 (1907).
- 2662 *P. sphenites* Meyr.
Exot. Micro. Lep. I. p. 112 (1913).
- 2663 *P. callidus* Meyr.
Ann. Transv. Mus. III. p. 268 (1913).
- 2664 *P. sordidatus* Meyr.
Ann. S.A. Mus. X. p. 54 (1912).
- 2665 *P. laqueatus* Mevr.
Ann. Transv. Mus. III. p. 268 (1913).

STENOPTILIA Hübn.

- Verz. bek. Schmett. p. 430 (1826).
- 2666 *S. longalis* Wlk.
Cat. XXX. p. 943 (1864).
- 2667 *S. zophodactyla* Dup.
Pap. de France II. p. 314 (1838).
- 2668 *S. petræa* Meyr.
Trans. Ent. Soc. Lond. p. 504 (1907).

AGDISTIS Hübn.

- Verz. bek. Schmett. p. 429 (1826).
- 2669 *A. pustularis* Wlk.
Cat. XXX. p. 927 (1864).
- 2670 *A. malitiosa* Meyr.
Ann. Transv. Mus. II. p. 4 pl. II. f. 3 (1908).
- 2671 *A. crioccephala* Meyr.
Ann. S.A. Mus. V. p. 349 (1909).
- 2672 *A. cretifera* Meyr.
Ann. S.A. Mus. V. p. 367 (1909).
- 2673 *A. infumata* Meyr.
Ann. S.A. Mus. X. p. 55 (1912).

ÆGERIDÆ.

MELITTIA Wlk.

- Cat. VIII. p. 66 (1856).
- 2674 *H. rufodorsa* Hmpsn.
A.M.N.H. (8) VI. p. 150 (1910).
- 2675 *M. ignidiscata* Hmpsn.
Proc. Zool. Soc. Lond. p. 507 pl. 41 f. 19 (1910)

TINTHIA Wlk.

- Cat. XXXI. p. 23 (1864).
- 2676 *T. vitrifasciata* Hmpsn.
A.M.N.H. (8) VI. p. 150 (1910).
- 2677 *T. xanthophora* Hmpsn.
A.M.N.H. (8) VI. p. 150 (1910).
- 2678 *T. endopyra* Hmpsn.
A.M.N.H. (8) VI. p. 150 (1910).

SCIAPTERON Staud.

- Stett. Ent. Zeit. p. 195 (1856).
- 2679 *S. pyrocraspis* Hmpsn.
A.M.N.H. (8) VI. p. 153 (1910).
- 2680 *S. pyrethra* Hmpsn.
A.M.N.H. (8) VI. p. 154 (1910).
- 2681 *S. xanthosoma* Hmpsn.
A.M.N.H. (8) VI. p. 154 (1910).

ÆGERIA Fabr.

- Illig. Mag. Ins. VI. p. 288 (1807).
- 2682 *Æ. monozona* Hmpsn.
A.M.N.H. (8) VI. p. 156 (1910).
- 2683 *Æ. elvmais* Druee.
A.M.N.H. (7) IV. p. 202 (1899).

- 2684 *Æ. tiresa* Druce.
A.M.N.H. (7) IV. p. 202 (1899).
 2685 *Æ. eritheis* Druce.
A.M.N.H. (7) IV. p. 202 (1899).
 2686 *Æ. rhodia* Druce.
A.M.N.H. (7) IV. p. 203 (1899).
 2687 *Æ. sophax* Druce.
A.M.N.H. (7) IV. p. 203 (1899).
 2688 *Æ. (?) taylori* Druce.
A.M.N.H. (7) IV. p. 204 (1899).
 2689 *Æ. pythes* Druce.
A.M.N.H. (7) IV. p. 204 (1899).
 2690 *Æ. marissa* Druce.
A.M.N.H. (7) IV. p. 205 (1899).

AUSTROSETIA Feld.

- Reise Nov. pl. LXXXII. f. 22 (1874).
 2691 *Au. semirufa* Feld.
Reise Nov. pl. LXXXII. f. 22 (1874).

NETROCERA Feld.

- Reise Nov. pl. LXXXIII. f. 5 (1874).
 2692 *N. setioides* Feld.
Reise Nov. pl. LXXXIII. f. 5 (1874).

TORTRICINA.**PHALONIADÆ.**

PHARMACIS Hübn.

- Zutr. Exot. Schmett. II. p. 10 (1823).
 2693 *Ph. stigmatica* Meyr.
Ann. S.A. Mus. V. p. 369 (1909).
 2694 *Ph. assecula* Meyr.
Ann. Transv. Mus. II. p. 5 pl. II. f. 5 (1909).
 2695 *Ph. trimeni* Feld.
Reise Nov. pl. CXXXVII. ff. 48, 51 (1874).
 2696 *Ph. feriata* Meyr.
Ann. Transv. Mus. III. p. 270 (1913).
 2697 *Ph. replicata* Meyr.
Ann. Transv. Mus. III. p. 270 (1913).

CARPOSINIDÆ.

CARPOSINA H.-S.

- Syst. Bearb. Schmett. Eur. V. p. 38 (1853).
 2698 *C. brachycentra* Meyr.
Ann. Transv. Mus. IV. p. 188 (1914).
 2699 *C. irata* Meyr.
Ann. Transv. Mus. IV. p. 187 (1914).
 2700 *C. siturga* Meyr.
Ann. S.A. Mus. X. p. 55 (1912).

TORTRICIDÆ.

CACCECIA Hübn.

Verz. bek. Schmett. p. 388 (1826).

- 2701 C adustana Wlshm.
Trans. Ent. Soc. Lond. p. 222 pl. X. f. 1 (1881).
- 2702 C heliaspis Meyr.
Ann. S.A. Mus. V. p. 349 (1909).
- 2703 C. pronubana Hübn.
Samml. Eur. Schmett. ff. 332, 333 (1830).
- 2704 C. occidentalis Wlshm.
Trans. Ent. Soc. Lond. p. 64 pl. 3 f. 1 (1891).

TORTRIX L.

Syst. Nat. I. p. 496 (1758).

- 2705 T. cedrota Meyr.
Proc. Zool. Soc. Lond. p. 722 (1908).
- 2706 T. hedrastis Meyr.
Proc. Zool. Soc. Lond. p. 722 (1908).
- 2707 T. africana Wlshm.
Trans. Ent. Soc. Lond. p. 227 pl. X. f. 6 (1881).
- 2708 T. capensana Wlk.
Cat. XXVIII. p. 295 (1863).
- 2709 T. simplecta Meyr.
Ann. S.A. Mus. V. p. 412 (1910).
- 2710 T. agrœca Meyr.
Proc. Zool. Soc. Lond. p. 723 (1908).
- 2711 T. diluticiliiana Wlshm.
Trans. Ent. Soc. Lond. p. 224 pl. X. f. 3 (1881).
- 2712 T. elegans Wlshm.
Trans. Ent. Soc. Lond. p. 224 pl. X. f. 4 (1881).
- 2713 T. pharetrata Meyr.
Ann. Transv. Mus. II. p. 6 pl. II. f. 7 (1909).
- 2714 T. psoricondes Meyr.
Ann. Transv. Mus. II. p. 223 (1911).
- 2715 T. mensaria Meyr.
Ann. S.A. Mus. X. p. 56 (1912).
- 2716 T. prona Meyr.
Ann. Transv. Mus. II. p. 223 (1911).
- 2717 T. furtiva Meyr.
Ann. Transv. Mus. II. p. 223 (1911).
- 2718 T. crispata Meyr.
Ann. S.A. Mus. X. p. 56 (1912).
- 2719 T. simplecta Meyr.
Ann. S.A. Mus. V. p. 412 (1910).
- 2720 T. albescens Meyr.
Exot. Micro. Lep. I. p. 6 (1912).
- 2721 T. intrepida Meyr.
Exot. Micro. Lep. I. p. 7 (1912).
- 2722 T. acerbella Wlk.
Cat. XXIX. p. 564 (1864).

EPICHORISTA Meyr.

Ann. Transv. Mus. II. p. 5 (1909).

- 2723 E. geræas Meyr.
Ann. Transv. Mus. II. p. 5 pl. 2 f. 6 (1909).

- 2724 E. iocoma Meyr.
Proc. Zool. Soc. Lond. p. 723 (1908).
 2725 E. ionephela Meyr.
Ann. S.A. Mus. V. p. 350 (1909).
 2726 E. chloradelpha Meyr.
Exot. Micro Lep. I. p. 8 (1912).
 2727 E. tortuosa Meyr.
Exot. Micro. Lep. I. p. 8 (1912).
 2728 E. perversa Meyr.
Exot. Micro. Lep. I. p. 9 (1912).
 2729 E. vestigialis Meyr.
Ann. S.A. Mus. X. p. 243 (1914).

CNEPHIASIA Curt.

- Brit. Ent. III. p. 100 (1826).
 2730 C. opsarias Meyr.
Ann. Transv. Mus. II. p. 224 (1911).
 2731 C. captiva Meyr.
Ann. Transv. Mus. II. p. 224 (1911).
 2732 C. ergastularis Meyr.
Ann. Transv. Mus. II. p. 225 (1911).
 2733 C. incepta Meyr.
Exot. Micro. Lep. I. p. 10 (1912).
 2734 C. olearis Meyr.
Exot. Micro. Lep. I. p. 10 (1912).
 2735 C. temulenta Meyr.
Exot. Micro. Lep. I. p. 11 (1912).
 2736 C. tigrina Wlshm.
Trans. Ent. Soc. Lond. p. 66 pl. 3 f. 2 (1891).

ARGYROTOXA Steph.

- Cat. Brit. Ins. p. 189 (1829).
 2737 A. hectaea Meyr.
Ann. Transv. Mus. II. p. 224 (1911).

EBODA Wlk.

- Cat. XXXV. p. 1804 (1866).
 2738 E. obstinata Meyr.
Journ. Bomb. Nat. Hist. Soc. XVIII. p. 624
(1908).

PERONEA Curt.

- Brit. Ent. I. p. 15 (1824).
 2739 P. algoana Feld.
Reise Nov. pl. CXXXVII. f. 50 (1875).

EUCOSMIDÆ.**LOBESIA** Guen.

- Europ. Mier. Index Method. p. 59 (1845).
 2740 L. aeolopa Meyr.
Journ. Bomb. Nat. Hist. Soc. XVII. p. 976
(1907).

EUDEMIS Hübn.

Verz. p. 382 (1826).

- 2741 En. botrana Schiff.
Syst. Verz. p. 131 (1776).

ANCYLIS Hübn.

Verz. p. 376 (1826).

- 2742 A. natalana Wlshm.
Trans. Ent. Soc. Lond. p. 233 (1881).
2743 A. halisparta Meyr.
Ann. Trans. Mus. II. p. 6 pl. II. f. 8 (1909).
2744 A. falsicomata Meyr.
Ann. Transv. Mus. IV. p. 188 (1914).

SPIILONOTA Steph.

Cat. Brit. Ins. p. 173 (1829).

- 2745 S. conica Meyr.
Ann. Transv. Mus. II. p. 225 (1911).
2746 S. ejectana Wlk.
Cat. XXVIII. p. 350 (1863).

EUCOSMA Hübn.

Zutr. Exot. Schmitt. II. p. 28 (1823).

- 2747 Eu. leucopetra Meyr.
Proc. Zool. Soc. Lond. p. 719 (1908).
2748 Eu. tremula Meyr.
Ann. Transv. Mus. II. p. 6 pl. III. f. 1 (1909).
2749 Eu. monitrix Meyr.
Ann. Transv. Mus. II. p. 7 pl. III. f. 2 (1909).
2750 Eu. siccescens Meyr.
Ann. S.A. Mus. X. p. 57 (1912).
2751 Eu. insolens Meyr.
Ann. S.A. Mus. V. p. 367 (1909).
2752 Eu. symbola Meyr.
Ann. Transv. Mus. II. p. 7 pl. III. f. 3 (1909).
2753 Eu. isogramma Meyr.
Proc. Zool. Soc. Lond. p. 720 (1908).
2754 Eu. calliarma Meyr.
Ann. Transv. Mus. II. p. 8 pl. III. f. 6 (1909).
2755 Eu. marmara Meyr.
Ann. Transv. Mus. II. p. 8 pl. III. f. 6 (1909).
2756 Eu. malacodes Meyr.
Ann. Transv. Mus. II. p. 226 (1911).
2757 Eu. plebeiana Zell.
Isis. p. 721 (1847).
2758 Eu. riciniata Meyr.
Ann. Transv. Mus. II. p. 226 (1911).
2759 Eu. scenica Meyr.
Ann. Transv. Mus. II. p. 227 (1911).
2760 Eu. nasuta Meyr.
Ann. Transv. Mus. III. p. 63 (1911).
2761 Eu. chloroternia Meyr.
Ann. Transv. Mus. III. p. 272 (1912).
2762 Eu. spiculifera Meyr.
Ann. Transv. Mus. III. p. 271 (1912).

- 2763 Eu. salticola Meyr.
Ann. Transv. Mus. III. p. 271 (1913).
 2764 Eu. calculosa Meyr.
Ann. Transv. Mus. III. p. 271 (1913).
 2765 Eu. sollennis Meyr.
Ann. Transv. Mus. III. p. 272 (1913).
 2766 Eu. inscita Meyr.
Ann. Transv. Mus. III. p. 272 (1913).
 2767 Eu. rufescens Meyr.
Ann. Transv. Mus. III. p. 273 (1913).
 2768 Eu. passiva Meyr.
Ann. Transv. Mus. III. p. 273 (1913).
 2769 Eu. amara Meyr.
Ann. Transv. Mus. III. p. 273 (1913).
 2770 Eu. accipitrina Meyr.
Ann. Transv. Mus. III. p. 274 (1913).
 2771 Eu. actuosa Meyr.
Ann. Transv. Mus. III. p. 274 (1913).
 2772 Eu. clarifica Meyr.
Ann. Transv. Mus. III. p. 274 (1913).
 2773 Eu. paracremna Meyr.
Ann. Transv. Mus. III. p. 275 (1913).
 2774 Eu. galactitis Meyr.
Ann. S.A. Mus. X. p. 57 (1912).
 2775 Eu. lutrocopa Meyr.
Ann. Transv. Mus. IV. p. 188 (1914).

BACTRA Steph.

- Ill. Brit. Ent. IV. p. 124 (1834).
 2776 B. stagnicolana Zell.
Lep. Mier. p. 84 (1852).
 2777 B. serupulosa Meyr.
Ann. Transv. Mus. II. p. 227 (1911).
 2778 B. hebetata Meyr.
Ann. Transv. Mus. II. p. 227 (1911).
 2779 B. quadratice Meyr.
Ann. Transv. Mus. III. p. 63 (1911).
 2780 B. harmonia Meyr.
Proc. Zool. Soc. p. 716 (1908).
 2781 B. lanceolana Hübn.
Wocke Cat. No. 1006 (1797).

COCCOTHERA Meyr.

- Ann. Transv. Mus. IV. p. 189 (1914).
 2782 C. spissana Zell.
Lep. Mier. p. 82 (1852).

POLYCHROSIS Rag.

- Ann. Soc. Ent. Fr. (1894).
 2783 P. seorpoides Meyr.
Proc. Zool. Soc. p. 717 (1908).
 2784 P. primaria Meyr.
Ann. Transv. Mus. II. p. 9 pl. III. f. 8
(1909).
 2785 P. incultana Wlk.
Ann. Transv. Mus. II. p. 228 (1911).

- 2786 *P. stericta* Meyr.
Ann. Transv. Mus. III. p. 63 (1911).
2787 *P. metachlora* Meyr.
Ann. Transv. Mus. III. p. 275 (1912).

COSMORRHYNCHA Meyr.

- Ann. Transv. Mus. III. p. 276 (1913).
2788 *C. ocellata* Mab.
Ann. Soc. Ent. Fr. LXVIII. p. 750 (1899).

ECCOPSIS Zell.

- Lep. Mier. p.p. 79, 80 (1852).
2789 *E. fluctuatana* Wlshm.
Trans. Ent. Soc. Lond. p. 230 pl. X. f. 7 (1881)

ARGYROPOLOCE Hübn.

- Verz. p. 376 (1826).
2790 *A. wahlbergiana* Zell.
Lep. Micro. p. 80 (1852).
2791 *A. brevibasana* Wlshm.
Trans. Ent. Soc. Lond. p. 71 pl. III. f. 8
(1891).
2792 *A. orthacta* Meyr.
Proc. Zool. Soc. Lond. p. 718 (1908).
2793 *A. sistrata* Meyr.
Ann. Trans. Mus. II. p. 228 (1911).
2794 *A. leucotreta* Meyr.
Ann. Transv. Mus. III. p. 276 (1913).
2794a *A. batrachopa* Meyr.
Proc. Zool. Soc. Lond. p. 718 (1908).
2795 *A. carceraria* Meyr.
Ann. Transv. Mus. III. p. 276 (1913).
2796 *A. sagata* Meyr.
Ann. Transv. Mus. III. p. 277 (1913).
2797 *A. prodrôma* Meyr.
Ann. Transv. Mus. III. p. 277 (1913).
2798 *A. nucleata* Meyr.
Ann. Transv. Mus. III. p. 278 (1913).
2799 *A. trophiodes* Meyr.
2800 *A. diremptana* Wlk.
Cat. XXVIII. p. 409 (1863).
2801 *A. globigera* Meyr.
Ann. S.A. Mus. X. p. 243 (1914).
2802 *A. illepida* Butl.
Trans. Ent. Soc. Lond. p. 42 (1882).
2803 *A. præcedens* Wlshm.
Trans. Ent. Soc. Lond. p. 56 pl. III. f. 21
(1897).

PAMPLUSIA Guen.

- Europ. Mier. Index Method. p. 46 (1845).
2804 *P. sardonia* Meyr.
Proc. Zool. Soc. Lond. p. 718 (1908).

CYDIA Hüb.

- Verz. p. 375 (1826).
 2806 C. tumulata Meyr.
 Proc. Zool. Soc. Lond. p. 720 (1908).
 2807 C. isogramma Meyr.
 Proc. Zool. Soc. Lond. p. 720 (1908).

LASPEYRESIA Hüb.

- Verz. p. 281 (1826).
 2808 L. delineana Wlk.
 Cat. XXVIII. p. 389 (1863).
 2809 L. tricentra Meyr.
 Proc. Zool. Soc. Lond. pp. 721, 722 (1908).
 2810 L. halmyris Meyr.
 Ann. Transv. Mus. II. p. 9 pl. III. f. 9 (1909).
 2811 L. chelias Meyr.

 2812 L. leptogramma Meyr.
 Ann. Transv. Mus. III. p. 278 (1913).
 2813 L. anthracotis Meyr.
 Ann. Transv. Mus. III. p. 279 (1913).
 2814 L. choleroopa Meyr.
 Ann. Transv. Mus. III. p. 279 (1913).
 2815 L. psammnititis Meyr.
 Ann. Transv. Mus. III. p. 279 (1913).
 2816 L. periculosa Meyr.
 Ann. Transv. Mus. III. p. 280 (1913).
 2817 L. modica Meyr.
 Ann. Transv. Mus. III. p. 280 (1913).
 2818 L. campestris Meyr.
 Ann. Transv. Mus. IV. p. 189 (1914).
 2819 L. ocnogramma Meyr.
 Ann. S.A. Mus. V. p. 412 (1910).
 2820 L. erœopa Meyr.
 Journ. Bomb. Nat. Hist. Soc. XVIII. p. 146
 (1907).
 2821 L. parastrepta Meyr.
 l.c. p. 147 (1907).
 2822 L. ptychora Meyr.
 l.c. p. 147 (1907).
 2823 L. pomonella L. Syst.
 Nat. Ed. X. pl. 270 (1759).

ANTHOZELA Meyr.

- Ann. Transv. Mus. III. p. 280 (1913).
 2824 A. chrysoxantha Meyr.
 Ann. Transv. Mus. III. p. 280 (1913).

ATYCHIA Latr.

- Gen. Crust. Ins. IV. p. 214 (1809).
 2825 A. quiris Feld.
 Reise Nov. pl. CXXXIX. f. 36 (1875).
 2825a A. albiciliata Wlshm.
 Tr. Ent. Soc. Lond. p. 78 pl. III. f. 17 (1891).

CHLIDANOTIDÆ.**TRYMALITIS** Meyr.

- Journ. Bomb. Soc. XVI. p. 590 (1905).
 2826 *T. scalifera* Meyr.
 Ann. S.A. Mus. X. p. 58 (1912).

TINEINA.**GELECHIADÆ.****METZNERIA** Zell.

- Isis p. 202 (1839).
 2827 *M. heptacentra* Meyr.
 Ann. Transv. Mus. III. p. 64 (1911).

PYCNOSTOLA Meyr.

- Ent. Mon. Mag. p. 113 (1917).

(All species placed before in the genus **Paltodora**, have now to be placed in **Pycnostola**).

- 2828 *P. psacasta* Meyr.
 Proc. Zool. Lond. p. 723 (1908).
 2829 *P. melanatracta* Meyr.
 Ann. S.A. Mus. V. p. 413 (1910).
 2830 *P. operosa* Meyr.
 Ann. Transv. Mus. II. p. 10 pl. IV. f. 1 (1909).
 2831 *P. iospila* Meyr.
 Ann. Transv. Mus. II. p. 10 pl. IV. f. 2 (1909).
 2832 *P. suffusella* Wlshm.
 Trans. Ent. Soc. Lond. p. 109 pl. V. f. 47 (1891).
 2833 *P. invida* Meyr.
 Ann. Transv. Mus. III. p. 64 (1911).
 2834 *P. semnochroa* Meyr.
 Ann. Transv. Mus. III. p. 281 (1913).
 2835 *P. pammacha* Meyr.
 Ann. Transv. Mus. III. p. 281 (1913).
 2836 *P. illuminata* Meyr.
 Ann. Transv. Mus. III. p. 281 (1913).
 2837 *P. magnanima* Meyr.
 Ann. S.A. Mus. X. p. 59 (1912).
 2838 *P. pentacentra* Meyr.
 Ann. S.A. Mus. X. p. 59 (1912).
 2839 *P. helicaula* Meyr.
 Ann. S.A. Mus. X. p. 59 (1912).
 2840 *P. hiberna* Meyr.
 Ann. S.A. Mus. X. p. 60 (1912).

SITOTROGA Hein.

- Schmett. Deutsch. Tin. pp. 189, 287 (1870).
 2841 *S. cerealella* Oliv.
 Enc. Méth. IV. (Ins. I.) pp. 117, 121 (1789).

MEGACRASPEDUS Zell.

Isis 32 p. 189, 190 (1839).

- 2842 M. serica Meyr.
 Ann. S.A. Mus. V. p. 369 (1909).
 2843 M. incola Meyr.
 Ann. S.A. Mus. X. p. 60 (1912).

ARISTOTELIA Hübn.

Verz. bek. Schmett. p. 424 (1826).

- 2844 A. acrena Meyr.
 Proc. Zool. Soc. Lond. p. 724 (1908).
 2845 A. peltosema Low.
 Proc. Lin. Soc. of New S. Wales p. 50 (1900).
 2846 A. sirota Meyr.
 Proc. Zool. Soc. Lond. p. 724 (1908).
 2847 A. ptilastis Meyr.
 Ann. S.A. Mus. V. p. 369 (1909).
 2848 A. prominula Meyr.
 Ann. Transv. Mus. III. p. 282 (1913).
 2849 A. trematias Meyr.
 Ann. Transv. Mus. III. p. 282 (1913).
 2850 A. comis Meyr.
 Ann. Transv. Mus. III. p. 282 (1913).
 2851 A. balanocentra Meyr.
 Ann. Transv. Mus. IV. p. 190 (1914).
 2852 A. fluidescens Meyr.
 Ann. Transv. Mus. IV. p. 190 (1914).
 2853 A. chlorographa Meyr.
 Ann. Transv. Mus. IV. p. 190 (1914).

POLYHYMNO Chamb.

Can. Ent. VI. pp. 246-7 (1874).

- 2854 P. chionarcha Meyr.
 Ann. Transv. Mus. III. p. 282 (1913).
 2855 P. paracema Meyr.
 Ann. Transv. Mus. II. p. 15 pl. V. f. 5 (1909).
 2856 P. eurydoxa Meyr.
 Ann. Transv. Mus. II. p. 15 pl. V. f. 6 (1909)
 2857 P. tropaea Meyr.
 Proc. Zool. Soc. Lond. p. 728 (1908).
 2858 P. pausimacha Meyr.
 Ann. Transv. Mus. II. p. 14 pl. V. f. 3 (1909).
 2859 P. palinorsa Meyr.
 Ann. Transv. Mus. II. p. 15 pl. V. f. 4 (1909).
 2860 P. hieracitis Meyr.
 Ann. Transv. Mus. III. p. 283 (1913).
 2861 P. tetraphatha Meyr.
 Ann. Transv. Mus. III. p. 283 (1913).
 2862 P. deuteraula Meyr.
 Ann. Transv. Mus. IV. p. 193 (1914).
 2863 P. oxysfola Meyr.
 Ann. Transv. Mus. III. p. 284 (1913).
 2864 P. cleoderella Wlshm.
 Trans. Ent. Soc. Lond. p. 96 pl. 4 f. 32 (1891).
 2865 P. inermis Meyr.
 Ann. Transv. Mus. III. p. 284 (1913).

IDIOPHANTIS Meyr.

Proc. Lin. Soc. N.S. Wales p. 298 (1904).

- 2866 I. butyraula Meyr.
Ann. Transv. Mus. III. p. 285 (1913).

ANACAMPSIS Curt.

Brit. Ent. IV. pl. 189 (1827).

- 2867 A. oxyphila Meyr.
Ann. S.A. Mus. V. p. 351 (1909).
2868 A. nerteria Meyr.
Journ. Bomb. Soc. Nat. Hist. 17 p. 139 (1906).
2869 A. thoracica Meyr.
Ann. Transv. Mus. III. p. 67 (1911).
2870 A. circæa Meyr.
Ann. Transv. Mus. III. p. 67 (1911).
2871 A. oncodes Meyr.
Ann. Transv. Mus. III. p. 285 (1913).
2872 A. subsecivella Zell.
Lep. Microptera pp. 113, 114 (1852).
2873 A. inumbrata Meyr.
Ann. Transv. Mus. IV. p. 193 (1914).
2874 A. cirrhocoma Meyr.
Ann. Transv. Mus. IV. p. 193 (1914).
2875 A. faceta Meyr.
Ann. Transv. Mus. IV. p. 192 (1914).
2876 A. embrocha Meyr.
Ann. Transv. Mus. IV. p. 192 (1914).

EPIPHTHORA Meyr.

Trans. N.Z. Inst. XX. p. 77 (1888).

- 2877 E. crystallista Meyr.
Ann. Transv. Mus. II. p. 229 (1911).
2878 E. cirrhæa Meyr.
Ann. Transv. Mus. IV. p. 190 (1914).

PHOTODOTUS Meyr.

Ann. Transv. Mus. II. p. 229 (1911).

- 2879 Ph. prochalina Meyr.
Ann. Transv. Mus. II. p. 229 (1911).

EPITHECTIS Meyr.

Handb. Brit. Lep. p. 580 (1895).

- 2880 E. sordidula Meyr.
Ann. Transv. Mus. III. p. 285 (1913).
2881 E. farinata Meyr.
Ann. Transv. Mus. III. p. 285 (1913).
2882 E. ochrocossa Meyr.
Ann. Transv. Mus. II. p. 230 (1911).
2883 E. carinata Meyr.
Ann. Transv. Mus. III. p. 64 (1913).
2884 E. ptychophora Meyr.
Ann. S.A. Mus. X. p. 244 (1914).

TELPHUSA Chamb.

Canad. Entom. 4 pp. 132-3, 174 (1872).

- 2885 T. probata Meyr.
Ann. Transv. Mus. II. p. 11 pl. IV. f. 4 (1909).

- 2886 *T. lathridia* Meyr.
 Ann. Transv. Mus. II. p. 11 pl. IV. ff. 5, 6
 (1909).
- 2887 *T. zymotis* Meyr.
 Ann. Transv. Mus. II. p. 11 pl. IV. f. 7 (1909).
- 2888 *T. aerophylla* Meyr.
 Ann. Transv. Mus. III. p. 65 (1911).
- 2889 *T. calathaea* Meyr.
 Ann. Transv. Mus. III. p. 286 (1913).
- 2890 *T. amphichroma* Meyr.
 Ann. Transv. Mus. III. p. 286 (1913).
- 2891 *T. sematica* Meyr.
 Ann. Transv. Mus. III. p. 286 (1913).
- 2892 *T. castrigera* Meyr.
 Ann. Transv. Mus. III. p. 287 (1913).
- 2893 *T. craterota* Meyr.
 Ann. Transv. Mus. III. p. 287 (1913).
- 2894 *T. cælata* Meyr.
 Ann. Transv. Mus. III. p. 287 (1913).

GELECHIA Hüb.

- Verz. bek. Schmett. p. 415 (1826).
- 2895 *G. trisignis* Meyr.
 Proc. Zool. Soc. Lond. p. 725 (1908).
- 2896 *G. zetterstedtiella* Zell.
 Lep. Mier. p. 111 (1852).
- 2897 *G. hutchinsonella* Wlshm.
 Trans. Ent. Soc. Lond. p. 93 pl. IV. f. 30
 (1891).
- 2898 *G. peronectus* Meyr.
 Ann. Transv. Mus. II. p. 12 pl. IV. f. 9 (1909).
- 2899 *G. extincta* Meyr.
 Ann. Transv. Mus. II. p. 231 (1911).
- 2900 *G. cycota* Meyr.
 Ann. Trans. Mus. III. p. 65 (1911).
- 2901 *G. prioleuca* Meyr.
 Ann. Transv. Mus. III. p. 66 (1911).
- 2902 *G. naufraga* Meyr.
 Ann. Transv. Mus. III. p. 66 (1911).
- 2903 *G. textifera* Meyr.
 Ann. Transv. Mus. III. p. 288 (1913).
- 2904 *G. resecta* Meyr.
 Ann. Transv. Mus. III. p. 288 (1913).
- 2905 *G. fornacaria* Meyr.
 Ann. Transv. Mus. III. p. 289 (1913).
- 2906 *G. ferax* Meyr.
 Ann. Transv. Mus. III. p. 289 (1913).
- 2907 *G. opaula* Meyr.
 Ann. Transv. Mus. III. p. 65 (1911).
- 2908 *G. phoenaula* Meyr.
 Ann. Transv. Mus. III. p. 289 (1913).
- 2909 *G. rhodochra* Meyr.
 Ann. Transv. Mus. III. p. 290 (1913).
- 2910 *G. matutina* Meyr.
 Ann. Transv. Mus. III. p. 290 (1913).

- 2911 G. stasiarcha Meyr.
Ann. Transv. Mus. III. p. 290 (1913).
- 2912 G. devia Meyr.
Ann. Transv. Mus. III. p. 290 (1913).
- 2913 G. ophitis Meyr.
Ann. Transv. Mus. III. p. 291 (1913).
- 2914 G. ochnias Meyr.
Ann. Transv. Mus. III. p. 291 (1913).
- 2915 G. mesacta Meyr.
Ann. Transv. Mus. II. p. 12 pl. IV. f. 8 (1909).
- 2916 G. bletrias Meyr.
Ann. Transv. Mus. III. p. 292 (1913).
- 2917 G. cophias Meyr.
Ann. Transv. Mus. III. p. 292 (1913).
- 2918 G. epiphloea Meyr.
Ann. Transv. Mus. III. p. 292 (1913).
- 2919 G. psimythota Meyr.
Ann. Transv. Mus. III. p. 293 (1913).
- 2920 G. trigella Zell.
Lep. Microptera pp. 112, 113 (1852).
- 2921 G. rescissella Zell.
Lep Microptera p. 110 (1852).
- 2922 G. flavipalpella Wlshm.
Trans. Ent. Soc. Lond. p. 262 pl. XII. f. 31 (1881).
- 2923 G. abjunctionella Wlk.
Cat. XXIX. p. 629 (1864).
- 2924 G. aglossella Wlk.
Cat. XXXV. p. 1830 (1866).
- 2925 G. G. palpigera Wlshm.
Trans. Ent. Soc. Lond. p. 94 pl. IV. f. 31 (1891).
- 2926 G. arotrias Meyr.
Proc. Zool. Soc. Lond. p. 725 (1908).
- 2927 G. chersophila Meyr.
Ann. S. A. Mus. V. p. 351 (1909).
- 2928 G. epicentra Meyr.
Ann. S.A. Mus. V. p. 370 (1909).
- 2929 * G. panaula Meyr.
Ann. S.A. Mus. V. p. 370 (1909).
- 2930 G. phelotris Meyr.
Ann. S.A. Mus. V. p. 371 (1909).
- 2931 G. liberata Meyr.
Ann. S.A. Mus. V. p. 414 (1910).
- 2932 G. polygramma Meyr.
Ann. Transv. Mus. IV. p. 192 (1914).
- 2933 G. triplacopsis Meyr.
Ann. S.A. Mus. X. p. 61 (1912).

THRIOPHORA Meyr.

Ann. Transv. Mus. II. p. 231 (1911).

- 2934 Th. ovulata Meyr.
Ann. Transv. Mus. II. p. 231 (1911).

PARAPSECTRIS Meyr.

- Ann. Transv. Mus. II. p. 230 (1911).
- 2935 *P. tholæa* Meyr.
Ann. Transv. Mus. II. p. 231 (1911).
- 2936 *P. fastidiosa* Meyr.
Ann. Transv. Mus. III. p. 66 (1911).
- 2937 *P. mappigera* Meyr.
Ann. Transv. Mus. IV. p. 191 (1914).
- 2938 *P. neograpta* Meyr.
Ann. Transv. Mus. IV. p. 192 (1914).

STEGASTA Meyr.

- Proc. Linn. Soc. N.S. Wales 29 p. 313 (1904).
- 2939 *S. variana* Meyr.
Proc. Linn. Soc. N.S. Wales 29 pp. 258, 313 (1904).

EPHYSTERIS Meyr.

- Proc. Zool. Soc. Lond. p. 724 (1908).
- 2940 *E. chersea* Meyr.
Proc. Zool. Soc. Lond. p. 725 (1908).

GNORIMOSCHEMA Busck.

- Proc. U.S. Nat. Mus. 23 p. 227-8 pl. I. f. 3 (1900).
- 2941 *G. synecta* Meyr.
Ann. Transv. Mus. II. p. 12 pl. IV. f. 10 (1909).
- 2942 *G. infirma* Meyr.
Ann. S.A. Mus. X. p. 61 (1912).
- 2943 *G. phalacrodies* Meyr.
Ann. Transv. Mus. III. p. 293 (1913).
- 2944 *G. heliopa* Low.
Proc. Linn. Soc. N.S. Wales p. 417 (1900).

THYMOSOPHA Meyr.

- Ann. S.A. Mus. X. p. 244 (1914).
- 2945 *Th. antileuea* Meyr.
Ann. S.A. Mus. X. p. 245 (1914).

PHTHORIMÆA Meyr.

- Ent. Mon. Mag. 38 p. 103-4 (1902).
- 2946 *Ph. opereulella* Zell.
Verh. k.-k. Zool.-bot. Ges. Wien. 23 p. 262 (1873).
- 2947 *Ph. cretigena* Meyr.
Ann. Transv. Mus. IV. p. 191 (1914).
- 2948 *Ph. concreta* Meyr.
Ann. Transv. Mus. IV. p. 191 (1914).
- 2949 *Ph. erienista* Meyr.
Ann. S.A. Mus. X. p. 245 (1914).

LECITHOCERA H.-S.

- Schmett. Eur. V. pp. 11, 45 pl. 12 ff. 10, 11 (1853).
- 2950 *L. cholopis* Meyr.
Journ. Bomb. Soc. Nat. Hist. 17 p. 149 (1906).

- 2951 L. *officialis* Meyr.
Ann. Transv. Mus. III. p. 67 (1911).

2952 L. *craniota* Meyr.
Ann. Transv. Mus. III. p. 293 (1913).

2953 L. *propitia* Meyr.
Ann. Transv. Mus. III. p. 293 (1913).

2954 L. *myopa* Meyr.
Ann. Transv. Mus. III. p. 294 (1913).

2955 L. *lucernata* Meyr.
Ann. Transv. Mus. III. p. 294 (1913).

2956 L. *picrodora* Meyr.
Ann. Transv. Mus. III. p. 294 (1913).

2957 L. *furnaria* Meyr.
Ann. Transv. Mus. III. p. 294 (1913).

2958 L. *anthologella* Wllgrn.
Öfv. af. Kongl. Vet. Akad. Förh. p. 129 (1875).

2959 L. *flavipalpis* Wlshm.
Trans. Ent. Soc. Lond. p. 105 pl. V. f. 40
(1891).

PTILOTHYRIS Walshm.

- Trans. Ent. Soc. Lond. p. 37 pl. 2 f. 2 (1897).
2960 *P. purpurea* Wlshm.
l.-c. p. 38 pl. 2 f. 2 (1897).

HOMALOXESTIS Meyr.

- 2961 H. cholopis Meyr.
Journ. Bomb. Nat. Hist. Soc. 17 p. 149 (1906).

2962 H. æstuosa Meyr.
Ann. Transv. Mus. III. p. 295 (1913).

DRAGMATUCHA Meyr.

- 2963 D. proaula Meyr.
Proc. Zool. Soc. Lond. p. 726 (1908).

PARISTHMIA Meyr.

- 2964 P. barathrodes.
Ann. Transv. Mus. II. p. 13 pl. V. f. 1 (1909)

ENCOLPOTIS Meyr.

- 2965 E. xanthoria Meyr.
Ann. S.A. Mus. V. p. 352 (1909).

BRACHMIA Hübn.

- Verz. bek. Schmett. p. 419 (1826).

2966 B. musicopa Meyr.
Proc. Zool. Soc. Lond. p. 727 (1908).

2967 B. sterictis Meyr.
Proc. Zool. Soc. Lond. p. 727 (1908).

2968 B. serialis Meyr.
Proc. Zool. Soc. Lond. p. 727 (1908).

- 2969 *B. maculata* Wlshm.
Trans. Ent. Soc. Lond. p. 276 pl. XI. f. 18
(1881).
- 2970 *B. lamprostoma* Zell.
Isis. p. 851 (1847).
- 2971 *B. malaeogramma* Meyr.
Ann. Transv. Mus. II. p. 14 pl. V. f. 2 (1909).
- 2972 *B. panchlora* Meyr.
Ann. Transv. Mus. II. p. 232 (1911).
- 2973 *B. verberata* Meyr.
Ann. Transv. Mus. III. p. 68 (1911).
- 2974 *B. velitaris* Meyr.
Ann. Transv. Mus. III. p. 295 (1913).
- 2975 *B. apriecata* Meyr.
Ann. Transv. Mus. III. p. 295 (1913).
- 2976 *B. ochrostoma* Meyr.
Ann. Transv. Mus. III. p. 296 (1913).
- 2977 *B. pantheropa* Meyr.
Ann. Transv. Mus. III. p. 296 (1913).
- 2978 *B. trigella* Zell.
Lep. Microptera p. 112 (1852).
- 2979 *B. subsecivella* Zell.
Lep. Microptera p. 113 (1852).
- 2980 *B. septella* Zell.
Lep. Microptera p. 108 (1852).
- 2981 *B. torrefacta* Meyr.
Ann. S.A. Mus. X. p. 245 (1914).
- 2982 *B. graphicodes* Meyr.
Ann. Transv. Mus. IV. p. 194 (1914).

STROBISIA Clem.

Proc. Ac. Nat. Sc. Phil. 12 p. 164-5 (1860).

- 2983 *S. metallica* Wlshm.
Trans. Ent. Soc. Lond. p. 97 pl. IV. f. 34 pl.
VII. f. 79 (1891).

SCHEMATISTIS Meyr.

Ann. Transv. Mus. III. p. 67 (1911).

- 2984 *S. analoxa* Meyr.
Ann. Transv. Mus. III. p. 68 (1911).

PANICOTRICHA Meyr.

Ann. Transv. Mus. III. p. 296 (1913).

- 2985 *P. prographa* Meyr.
Ann. Transv. Mus. III. p. 296 (1913).

CHELARIA Haw.

Lep. Brit. (1829).

- 2986 *Ch. triannulata* Meyr.
Ann. Transv. Mus. III. p. 69 (1911).
- 2987 *Ch. solutrix* Meyr.
Ann. Transv. Mus. III. p. 69 (1911).
- 2988 *Ch. tetraptila* Meyr.
Ann. Transv. Mus. II. p. 16 pl. V. f. 7 (1909).
- 2989 *Ch. mancipata* Meyr.
Ann. Transv. Mus. III. p. 297 (1913).

- 2990 Ch. improba Meyr.
Ann. Transv. Mus. III. p. 297 (1913).
 2991 Ch. antisaris Meyr.
Ann. Transv. Mus. III. p. 297 (1913).
 2992 Ch. probolæa Meyr.
Ann. Transv. Mus. III. p. 298 (1913).
 2993 Ch. albogrisea Wlshm.
Trans. Ent. Soc. Lond. p. 261 pl. XII. f. 34
(1881).
 2994 Ch. melanecta Meyr.
Ann. S.A. Mus. X. p. 246 (1914).
 2995 Ch. loxosaris Meyr.
(ined.)

ANARSIA Zell.

- Isis, p. 190 (1839).
 2996 A. agricola Wlshm.
Trans. Ent. Soc. Lond. p. 111 pl. V. f. 48
(1891).
 2997 A. gravata Meyr.
Ann. Transv. Mus. III. p. 69 (1911).
 2998 A. amalleuta Meyr.
Ann. Transv. Mus. III. p. 298 (1913).
 2999 A. ambitiosa Meyr.
Ann. Transv. Mus. III. p. 299 (1913).
 3000 A. mitescens Meyr.
Ann. Transv. Mus. III. p. 299 (1913).
 3001 A. carbonaria Meyr.
Ann. Transv. Mus. III. p. 299 (1913).
 3002 A. nimbosa Meyr.
Ann. Transv. Mus. III. p. 300 (1913).
 3003 A. subfulvescens Meyr.
(ined.)

NOTHRIS Hüb.

- Verz. bek. Schmett. p. 411 (1826).
 3004 N. rhyodes Meyr.
Ann. Transv. Mus. II. p. 16 pl. V. f. 8 (1909).
 3005 N. (?) pycnodes Meyr.
Ann. Transv. Mus. II. p. 17 pl. V. f. 9 (1909).
 3006 N. chionitis Meyr.
Ann. S.A. Mus. V. p. 414 (1910).
 3007 N. tetrametra Meyr.
Ann. Transv. Mus. III. p. 300 (1913).
 3008 N. cymotrocha Meyr.
Ann. Transv. Mus. III. p. 301 (1913).
 3009 N. dissidens Meyr.
Ann. Transv. Mus. III. p. 301 (1913).
 3010 N. sicifolia Wlshm.
Trans. Ent. Soc. Lond. p. 267 pl. XIII. f. 37
(1881).

TRICHOTAPHE Clem.

- Proc. Ac. Nat. Sc. Phil. XII. p. 166 (1860).
 3011 T. clavieulata Meyr.
Ann. Transv. Mus. II. p. 17 pl. V. f. 10 (1909).

- 3012 *T. ironica* Meyr.
Ann. Transv. Mus. II. p. 17 pl. VI. f. 1 (1909).

3013 *T. pyrrhitis* Meyr.
Ann. Transv. Mus. III. p. 68 (1911).

3014 *T. ligyra* Meyr.
Ann. Transv. Mus. III. p. 301 (1913).

3015 *T. physeta* Meyr.
Ann. Transv. Mus. III. p. 302 (1913).

3016 *T. plumbosa* Meyr.
Ann. Transv. Mus. III. p. 302 (1913).

3017 *T. oxygrapha* Meyr.
Ann. Transv. Mus. III. p. 302 (1913).

3018 *T. rubidula* Meyr.
Ann. Transv. Mus. III. p. 303 (1913).

3019 *T. externella* Zell.
Lep. Microptera. p. 109 (1852).

3020 *T. furvella* Zell.
Lep. Microptera. p. 115 (1852).

MACHLOTRICHIA Meyr.

- 3021 M. cæca Meyr.
Ann. S.A. Mus. X. p. 62 (1912).

YPSOLOPHUS (Fabr.) Zell.

- Isis, p. 189-190 (1839).

3022 *Y. tephrodes* Meyr.
Ann. Transv. Mus. II. p. 18 pl. VI. f. 2 (1909).

3023 *Y. meridionellus* Wlshm.
Trans. Ent. Soc. Lond. p. 268 pl. XIII. f. 38
(1881).

3024 *Y. furvellus* Zell.
Lep. Microptera. p. 115 (1852).

3025 *Y. seenites* Meyr.
Ann. S.A. Mus. V. p. 371 (1909).

SYMMOCA Hübn.

- Verz. bek. Schmitt. p. 403 (1826).
3026 S. crocodesma Meyr.
Ann. Transv. Mus. III. p. 70 (1911).

DIOCOSMA Meyr.

- 3027 D. tricycla Meyr.
Ann. S.A. Mus. V. p. 352 (1909).
3028 D. callichroa Meyr.
Ann. Transv. Mus. II. p. 22 pl. VII. f. 7
(1909).
3029 D. ceramopis Meyr.
Ann. S.A. Mus. V. p. 353 (1909).
3030 D. ciliata Meyr.
Ann. S.A. Mus. V. p. 353 (1909).

DICHOMERIS Hübner

- Zutr. Samml. exot. Schmett. I. p. 25 (1818).
3030 D. antizyga Meyr.
Ann. Transv. Mus. III. p. 303 (1913).

- 3031 D. metrodes Meyr.
 Ann. Transv. Mus. III. p. 303 (1913).
- 3032 D. cotifera Meyr.
 Ann. Transv. Mus. III. p. 303 (1913).
- 3033 D. ventosa Meyr.
 Ann. Transv. Mus. III. p. 304 (1913).
- 3034 D. argentaria Meyr.
 Ann. Transv. Mus. III. p. 304 (1913).
- 3035 D. picrophanes Meyr.
 Ann. Transv. Mus. III. p. 304 (1913).
- 3036 D. oleata Meyr.
 Ann. Transv. Mus. III. p. 305 (1913).
- 3037 D. impigra Meyr.
 Ann. Transv. Mus. III. p. 305 (1913).
- 3038 D. xanthodeta Meyr.
 Ann. Transv. Mus. III. p. 305 (1913).
- 3039 D. latipalpis Wlshm.
 Trans. Ent. Soc. Lond. p. 265 pl. XII. f. 35
 (1881).
- 3040 D. ianthes Meyr.
 Trans. Ent. Soc. Lond. p. 273 (1887).

STRENOPHILA Meyr.

- Ann. Transv. Mus. III. p. 306 (1913).
- 3041 S. hyptiota Meyr.
 Ann. Transv. Mus. III. p. 306 (1913).

PARASPISTES Meyr.

- Journ. Bomb. Nat. Hist. Soc. p. 600 (1905).
- 3042 P. palpigera Wlshm.
 Trans. Ent. Soc. Lond. p. 94 pl. IV. f. 31
 (1891).

SYMBATICA Meyr.

- Ann. S.A. Mus. V. p. 413 (1910).
- 3043 S. eryphias Meyr.
 Ann. S.A. Mus. V. p. 413 (1910).

ANORTHOSSIA Clem.

- Proc. Ac. Nat. Sc. Phil. XII. p. 161 (1860).
- 3044 A. straminis Wlshm.
 Trans. Ent. Soc. Lond. p. 266 pl. XII. f. 36
 (1881).

METACHANDIDÆ.

XENOPHANTA Meyr.

- Ann. Transv. Mus. IV. p. 194 (1914).
- 3045 X. ecliptis Meyr.
 Ann. Transv. Mus. IV. p. 194 (1914).

METACHANDA Meyr.

- Trans. Lin. Soc. Lond. p. 275 (1911).
- 3046 M. citrodesina Meyr.
 Ann. Transv. Mus. III. p. 74 (1911).

COSMOPTERYGIDÆ.

—COSMOPTERYX Hüb.

- Verz. bek. Schmett. p. 424 (1826).
- 3047 *C. bactrophora* Meyr.
Proc. Zool. Soc. Lond. p. 733 (1908).
- 3048 *C. tabellaria* Meyr.
Proc. Zool. Soc. Lond. p. 733-4 (1908).
- 3049 *C. oxyglossa* Meyr.
Ann. Transv. Mus. II. p. 18 pl. VI. f. 3 (1909).
- 3050 *C. sealigera* Meyr.
Ann. Transv. Mus. II. p. 18-19 pl. VI. f. 4 (1909).
- 3051 *C. macroglossa* Meyr.
Ann. Transv. Mus. III. p. 306 (1913).
- 3052 *C. callinympha* Meyr.
Ann. Transv. Mus. III. p. 307 (1913).
- 3053 *C. ancistrea* Meyr.
Ann. Transv. Mus. III. p. 307 (1913).
- 3054 *C. cognita* Wlshm.
Trans. Ent. Soc. Lond. p. 124 pl. VI. f. 64 (1891).
- 3055 *C. antichorda* Meyr.
Ann. S.A. Mus. V. p. 357 (1909).
- 3056 *C. hamifera* Meyr.
Journ. Bomb. Nat. Hist. Soc. XIX. p. 420 (1909).
- 3057 *C. lienigiella* Zell.
Isis. p. 298 (1846).

PYRODERCES H.-S.

- Schmett. Eur. V. p.p. 12, 47 pl. 13 ff. 29, 30 (1853).
- 3058 *P. stigmatophora* Wlshm.
Proc. Zool. Soc. Lond. p. 104 (1897).

STAGMATOPHORA H.-S.

- Schmett. Eur. V. pp. 13, 49 pl. 13 ff. 27, 28 (1853).
- 3059 *S. narcota* Meyr.
Ann. Transv. Mus. II. p. 19 pl. VI. f. 5 (1909).
- 3060 *S. phalaera* Meyr.
Ann. Transv. Mus. II. p. 20 pl. VI. f. 8 (1909).
- 3061 *S. phanoptila* Meyr.
Ann. Transv. Mus. III. p. 70 (1911).
- 3062 *S. quinquecristata* Wlshm.
Trans. Ent. Soc. Lond. p. 117 pl. VI. f. 55 (1891).
- 3063 *S. pilana* Meyr.
Ann. Transv. Mus. III. p. 307 (1913).
- 3064 *S. trimitra* Meyr.
Ann. Transv. Mus. III. p. 308 (1913).
- 3065 *S. divitella* Const.
Ann. Soc. ent. France p. 10 pl. I. f. 30 (1885).
- 3066 *S. basanistis* Meyr.
Ann. S.A. Mus. V. p. 358 (1909).

ERECHTHIODES Meyr.

Ann. Transv. Mus. IV. p. 195 (1914).

- 3067 E. audax Meyr.

Ann. Transv. Mus. IV. p. 195 (1914).

LIMNOECIA Stt.

Cat. Br. Tin. Pter. Suppl. p. 4 (1851).

- 3068 L. ichnographa Meyr.

Proc. Zool. Soc. Lond. p. 734 (1908).

- 3069 L. neurogramma Meyr.

Ann. Transv. Mus. II. p. 20 pl. VI. f. 9 (1909).

- 3070 L. eretmota Meyr.

Ann. Transv. Mus. II. p. 20 pl. VI. f. 10 (1909).

- 3071 L. phragmitella Stt.

Cat. Tin. Pter. Suppl. p. 4 (1851).

- 3072 L. sclerodes Meyr.

Ann. Transv. Mus. II. p. 19 pl. VI. f. 7 (1909).

- 3073 L. antidesma Meyr.

Ann. Transv. Mus. III. p. 308 (1913).

- 3074 L. recidiva Meyr.

Ann. Transv. Mus. III. p. 71 (1911).

CHOLOTIS Meyr.

Trans. Linn. Soc. Lond. XIV. p. 284 (1911).

- 3075 Ch. nudicornis Meyr.

Ann. Transv. Mus. III. p. 308 (1913).

- 3076 Ch. pulverata Meyr.

Ann. Transv. Mus. III. p. 308 (1913).

PARATHYSTAS Meyr.

Ann. Transv. Mus. III. p. 309 (1913).

- 3077 P. porphyrantha Meyr.

Ann. Transv. Mus. III. p. 309 (1913).

IDIOGLOSSA Wlshm.

Trans. Ent. Soc. Lond. p. 272 (1881).

- 3078 I. bigemina Wlshm.

Trans. Ent. Soc. Lond. p. 273 pl. XIII. f. 42
(1881).

CEDEMATOPODA Zell.

Lep. Microptera p. 96 (1852).

- 3079 C. princeps Zell.

Lep. Microptera pp. 96, 97 (1852)

ERETMOCERA Zell.

Lep. Microptera p. 96 (1852).

- 3080 E. scatospila Zell.

Lep. Microptera p. 99 (1852).

- 3081 E. florifera Meyr.

Ann. Transv. Mus. II. p. 21 pl. VII. f. 2
(1909).

- 3082 E. fuscipennis Zell.

Lep. Microptera p. 98 (1852).

- 3083 E. derogatella Wlk.

Cat. XXIX. p. 834 (1864).

- 3084 E. lunifera Zell.
Lep. Microptera p. 100 (1852).
 3085 E. miniata Wlshm.
Trans. Ent. Soc. Lond. p. 30 pl. VI. f. 15
(1889).
 3086 E. laetissima Zell.
Lep. Microptera p. 100 (1852).
 3087 E. illucens Meyr.
Ann. Transv. Mus. IV. p. 200 (1914).

MOMPHIDÆ.

PAUROPTILA Meyr.

- Ann. Transv. Mus. III. p. 309 (1913).
 3089 P. galenitis Meyr.
Ann. Transv. Mus. III. p. 309 (1913).

MICROCOLONA Meyr.

- Proc. Lin. Soc. N.S. Wales p. 370 (1897).
 3090 M. omphalias Meyr.
Ann. Transv. Mus. III. p. 309 (1913).

TRACHYDORA Meyr.

- Proc. Lin. Soc. N.S. Wales p. 390 (1897).
 3091 T. rhachitis Meyr.
Ann. Transv. Mus. III. p. 310 (1913).

MOMPHA Hübn.

- Verz. bek. Schmett. p. 401 (1826).
 3092 M. bathrota Meyr.
Ann. Transv. Mus. III. p. 71 (1911).
 3093 M. antibathra Meyr.
Ann. Transv. Mus. IV. p. 195 (1914).

STATHMOPODIDÆ.

PACHYRHABDA Meyr.

- Proc. Lin. Soc. N.S. Wales. p. 312 (1897).
 3094 P. triplecta Meyr.
Ann. Transv. Mus. III. p. 310 (1913).
 3094a P. unctoria Meyr.
Ann. Transv. Mus. III. p. 71 (1911).

STATHMOPODA Stt.

- Ins. Brit. Lep. Tin. p. 227 (1854).
 3095 S. xanthoplitis Meyr.
Proc. Zool. Soc. Lond. p. 733 (1908).
 3096 S. trichodora Meyr.
Ann. Transv. Mus. II. p. 21 pl. VII. f. 1 (1909).
 3097 S. auriferella Wlk.
Cat. XXX. p. 1022 (1864).
 3098 S. luminata Meyr.
Ann. Transv. Mus. II. p. 232 (1911).
 3099 S. pomifera Meyr.
Ann. Transv. Mus. III. p. 310 (1913).

- 3100 *S. arcata* Meyr.
 Ann. Transv. Mus. III. p. 311 (1913).
 3101 *S. autoxantha* Meyr.
 Ann. Transv. Mus. III. p. 311 (1913).
 3102 *S. tharsalea* Meyr.
 Ann. Transv. Mus. IV. p. 199 (1914).
 3103 *S. glyceropa* Meyr.
 Exot. Microlep. I. p. 337 (1915).

ÆLOOSCELIS Meyr.

- Proc. Lin. Soc. N.S. Wales p. 326 (1897).
 3104 *Æ. tripoda* Meyr.
 Ann. Transv. Mus. III. p. 311 (1913).

SCYTHRIDÆ.**PARALOGISTIS** Meyr.

- Ann. Transv. Mus. III. p. 311 (1913).
 3105 *P. ochrura* Meyr.
 Ann. Transv. Mus. III. p. 312 (1913).

SCYTHRIS Hübn.

- Verz. bek. Schmett. p. 414 (1826).
 3106 *Sc. cometa* Meyr.
 Ann. Transv. Mus. II. p. 21 pl. VII. f. 3 (1909).
 3107 *Sc. ochrantha* Meyr.
 Ann. Transv. Mus. II. p. 22 pl. VII. f. 4 (1909).
 3108 *Sc. pelocnyta* Meyr.
 Ann. Transv. Mus. II. p. 22 pl. VII. f. 5 (1909).
 3109 *Sc. justifica* Meyr.
 Ann. Transv. Mus. II. p. 233 (1911).
 3110 *Sc. rivigera* Meyr.
 Ann. Transv. Mus. III. p. 71 (1911).
 3111 *Sc. melanodora* Meyr.
 Ann. S.A. Mus. X. p. 63 (1912).
 3112 *Sc. anthracodelta* Meyr.
 Ann. Transv. Mus. III. p. 72 (1911).
 3113 *Sc. fonticola* Meyr.
 Ann. Transv. Mus. III. p. 72 (1911).
 3114 *Sc. psamathota* Meyr.
 Ann. Transv. Mus. III. p. 312 (1913).
 3115 *Sc. farrata* Meyr.
 Ann. Transv. Mus. III. p. 312 (1913).
 3116 *Sc. canispersa* Meyr.
 Ann. Transv. Mus. III. p. 312 (1913).
 3117 *Sc. lactanea* Meyr.
 Ann. Transv. Mus. III. p. 313 (1913).
 3118 *Sc. sacharissa* Meyr.
 Ann. Transv. Mus. III. p. 313 (1913).
 3119 *Sc. faeculenta* Meyr.
 Ann. S.A. Mus. X. p. 64 (1912).
 3120 *Sc. cretiflua* Meyr.
 Ann. Transv. Mus. III. p. 313 (1913).
 3121 *Sc. stagnosa* Meyr.
 Ann. Transv. Mus. III. p. 313 (1913).

- 3122 Se. aquaria Meyr.
Ann. Transv. Mus. III. p. 313 (1913).
3123 Se. melanopleura Meyr.
Ann. S.A. Mus. X. p. 246 (1914).
3124 Se. latebrosa Meyr.
Ann. Transv. Mus. III. p. 314 (1913).
3125 Se. roseola Meyr.
Ann. S.A. Mus. X. p. 63 (1912).
3126 Se. chloræma Meyr.
Trans. Ent. Soc. Lond. p. 279 (1887).
3127 Se. glaphyropa Meyr.
Ann. Transv. Mus. IV. p. 196 (1914).
3128 Se. fluctuosa Meyr.
Ann. Transv. Mus. IV. p. 197 (1914).
3129 Se. accumulata Meyr.
Ann. Transv. Mus. IV. p. 197 (1914).
3130 Se. vulgata Meyr.
Ann. Transv. Mus. IV. p. 197 (1914).

BLASTOBASIDÆ.

BLASTOBASIS Zell.

- Linn. Entom. X. p. 171 (1855).

3131 B. irroratella Wlshm.
Trans. Ent. Soc. Lond. p. 122 pl. VI. f. 63
(1891).

3132 B. byrsodepta Meyr.
Ann. Transv. Mus. III. p. 314 (1913).

3133 B. industria Meyr.
Ann. Transv. Mus. III. p. 314 (1913).

3134 B. taricheuta Meyr.
Ann. S.A. Mus. V. p. 372 (1909).

3135 B. fatigata Meyr.
Ann. Transv. Mus. IV. p. 195 (1914).

3136 B. arguta Meyr.

ŒCOPHORIDÆ.

PROMALACTIS Meyr.

- 3137 *P. veridica* Meyr.
Ann. Transv. Mus. III. p. 315 (1913).
3138 *P. geometrica* Meyr.
Ann. Transv. Mus. III. p. 315 (1913).
3139 *P. recurva* Meyr.
Ann. Transv. Mus. IV. p. 198 (1914).

SAROPLA Mevr.

- Proc. Linn. Soc. N.S. Wales VII. p. 420 (1882).
3140 S. dryozona Meyr.
Ann. Transv. Mus. III. p. 315 (1913).

EULECHRIA Meyr.

- ECHTRIA* Meyr. Proc. Lin. Soc. N.S. Wales p. 508 (1882).
3141 Eu. *paraphraeta* Meyr.
non descr.

- 3142 *Eu. phœopsamma* Meyr.
Ann. Transv. Mus. III. p. 316 (1913).
3143 *Eu. drucella* Wlshm.
Trans. Ent. Soc. Lond. p. 268 pl. XIII. f. 39
(1881).

EUCLEODORA Wlshm.

- Trans. Ent. Soc. Lond. p. 263 (1881).
3144 *Eu. chalybeella* Wlshm.
Trans. Ent. Soc. Lond. p. 264 pl. XII. f. 33
(1881).
3145 *Eu. ingrata* Meyr.
Ann. Transv. Mus. III. p. 316 (1913).

EUTORNA Meyr.

- Trans. N.Z. Inst. XXI. p. 157 (1889).
3146 *Eu. diluvialis* Meyr.
Ann. Transv. Mus. III. p. 316 (1913).

DEPRESSARIA Haw.

- (Zell). Linn. Ent. IX. p. 195 (1839).
3147 *D. trimenella* Wlshm.
Trans. Ent. Soc. Lond. p. 251 pl. XI. f. 19
(1881).
3148 *D. clausulata* Meyr.
Ann. Transv. Mus. p. 74 (1911).
3149 *D. acerbella* Wlk.
Cat. XXIX. p. 564 (1864).
3150 *D. compacta* Meyr.
Ann. S.A. Mus. X. p. 249 (1914).
3151 *D. aplana* Fabr.
Gen. Insect. p. 294 (1777).
3152 *D. prospicua* Meyr.
Ann. S.A. Mus. X. p. 249 (1914).
3153 *D. melanarcha* Meyr.
Ann. Transv. Mus. III. p. 316 (1913).

HARPELLA Schrk.

- Fauna Boica II. 2 p. 117 (1802).
3154 *H. scolopistis* Meyr.
Ann. S.A. Mus. V. p. 354 (1909).

ECOPHORA Latr.

- Préc. Gen. Ins. p. 146 (1796).
3155 *OE. obliquestrigella* Wlshm.
Trans. Ent. Soc. Lond. p. 259 pl. 12 f. 27
(1881).

HYPERCALLIA Steph

- Cat. Br. Ins. p. 192 (1829).
3156 *H. sineera* Meyr.
Ann. Transv. Mus. II. p. 22 pl. VII. f. 6 (1909).
3157 *H. subreticulata* Wlshm.
Trans. Ent. Soc. Lond. p. 269 pl. XIII. f. 6
(1881).

- 3158 *H. haematella* Feld.
Reise Nov. pl. 138 f. 61 (1875).

PROSAROTRA Meyr.

Ann. Transv. Mus. II. p. 23 (1909).

- 3159 *P. sarcopa* Meyr.
Ann. Transv. Mus. p. 23 pl. VII. f. 8 (1909).

COESYRA Meyr.

Proc. Linn. Soc. N.S. Wales. VII. p. 423
(1883).

- 3160 *C. balantias* Meyr.
Proc. Zool. Soc. Lond. p. 731 (1908).
3161 *C. campylotis* Meyr.
Ann. S.A. Mus. X. p. 218 (1914).
3162 *C. eentrobola* Meyr.
Ann. S.A. Mus. X. p. 247 (1914).
3163 *C. rutila* Meyr.
Ann. S.A. Mus. X. p. 64 (1912).

BORKHAUSENIA Hübn.

Verz. bek. Schmett. p. 420 (1826).

- 3164 *B. galactaea* Meyr.
Proc. Zool. Soc. Lond. p. 732 (1908).
3165 *B. aecida* Meyr.
Ann. Transv. Mus. III. p. 72 (1911).
3166 *B. endocentra* Meyr.
Ann. S.A. Mus. X. p. 247 (1914).

ALLOCLITA Stgr.

Stett. ent. Zeit. p. 247 (1859).

- 3167 *A. xylodesma* Meyr.
Ann. Transv. Mus. III. p. 72 (1911).

CNEMIDOLOPHUS Wlshm.

Trans. Ent. Soc. Lond. p. 274 (1881).

- 3168 *C. cyananthes* Meyr.
Ann. Transv. Mus. III. p. 73 (1911).
3169 *C. lavernellus* Wlshm.
Trans. Ent. Soc. Lond. p. 275 pl. XIII. f. 43
(1881).

ENICOSTOMA Steph.

Cat. Brit. Ins. p. 296 (1829).

- 3170 *E. coaretata* Wlshm.
Trans. Ent. Soc. Lond. p. 252 pl. XI. f. 20
(1881).

OCYSTOLA Meyr.

Proc. Linn. Soc. N.S. Wales. Austr. Micro.
lep. prt. XII. p. 14 (1888).

- 3171 *O. proxena* Meyr.
Ann. S.A. Mus. X. p. 247 (1914).

HEDNOPHORA Meyr.

Ann. Transv. Mus. II. p. 232 (1911).

3172 H. pyritis Meyr.

Ann. Transv. Mus. II. p. 233 (1911).

CRYPTOLECHIA Zell.

Lep. Microptera. p. 106 (1852).

3173 C. castella Zell.

Lep. Microptera. p. 107 (1852).

3174 C. transfuga Meyr.

Ann. Transv. Mus. III. p. 74 (1911).

3175 C. straminella Zell.

Lep. Microptera. p. 107 (1852).

3176 C. æriascella Wlk.

Cat. XXIX. p. 746 (1864).

3177 C. haëresiella Wllgrn.

Öfv. Vet. Ak. Förh. 32 p. 128 (1875).

3178 C. dilutella Wlshm.

Trans. Ent. Soc. Lond. p. 255 pl. XI. f. 23
(1881).

3179 C. roseoflava Wlshm.

Trans. Ent. Soc. Lond. p. 256 pl. XII. f. 25
(1881).

3180 C. roseocostella Wlshm.

Trans. Ent. Soc. Lond. p. 257 pl. XII. f. 26
(1881).

PHILOBOTA Meyr.

Proc. Linn. Soc. N.S. Wales. VII. p. 422
(1883).

3181 Ph. virgo Wlshm.

Trans. Ent. Soc. Lond. p. 115 pl. V. f. 52
(1891).

3182 Ph. chalinitis Meyr.

Ann. S.A. Mus. V. p. 355 (1909).

3183 Ph. tectifera Meyr.

Ann. S.A. Mus. V. p. 373 (1909).

3184 Ph. erastis Meyr.

Ann. S.A. Mus. V. p. 414 (1909).

3185 Ph. dryinota Meyr.

Ann. S.A. Mus. X. p. 248 (1914).

IDIOPTERYX Wlshm.

Trans. Ent. Soc. Lond. p. 104 pl. VII. f. 81
(1891).

3186 I. obliguella Wlshm.

Trans. Ent. Soc. Lond. p. 254 pl. XI. f. 22
(1881).

CACOPHYIA Rbl.

Stgr.-Rbl. Cat. Lep. Pap. II. p. 175 (1901).

3187 C. tunicella Wlshm.

Trans. Ent. Soc. Lond. p. 260 pl. XII. f. 28
(1881).

XYLORYCTIDÆ.**EPORYCTA** Meyr.

Proc. Zool. Soc. Lond. p. 728 (1908).

3188 *E. tarbalea* Meyr.

Proc. Zool. Soc. Lond. p. 729 (1908).

XYLORYCTA Meyr.

Tr. R. Soc. S. Austr. XIII. p. 57 (1890).

3189 *X. artigena* Meyr.

Ann. S.A. Mus. X. p. 250 (1914).

NEPHANTIS Meyr.

Journ. Bomb. Soc. Nat. Hist. p. 603 (1905).

3190 *N. xystopala* Meyr.

Proc. Zool. Soc. Lond. p. 729 (1908).

ODITES Wlshm.Trans. Ent. Soc. Lond. p. 99 pl. VII. f. 80
(1891).3191 *O. natalensis* Wlshm.Trans. Ent. Soc. Lond. p. 102 pl. IV. f. 36
(1891).3192 *O. balsamias* Meyr.

Ann. Transv. Mus. III. p. 75 (1911).

3193 *O. atropunctella* Wlshm.Trans. Ent. Soc. Lond. p. 265 pl. XI. f. 24
(1891).3194 *O. citrantha* Meyr.

Proc. Zool. Soc. Lond. p. 729 (1908).

3195 *O. metaphracta* Meyr.

Ann. S.A. Mus. V. p. 354 (1909).

3196 *O. inversa* Meyr.

Ann. S.A. Mus. X. p. 250 (1914).

3197 *O. earcharopa* Meyr.

Ann. Transv. Mus. IV. p. 198 (1914).

3198 *O. pedicata* Meyr.

Ann. Transv. Mus. IV. p. 198 (1914).

3199 *O. assidua* Meyr.

Ann. Transv. Mus. IV. p. 199 (1914).

3200 *O. erocota* Meyr.

Ann. S.A. Mus. X. p. 62 (1912).

3201 *O. insona* Meyr.

Ann. S.A. Mus. X. p. 63 (1912).

3202 *O. obvia* Meyr.

Ann. S.A. Mus. X. p. 250 (1914).

3203 *O. inversa* Meyr.

Ann. S.A. Mus. X. p. 250 (1914).

3204 *O. siccinea* Meyr.

Exot. Microlepidoptera. I. p. 378 (1915).

PROCOMETIS Meyr.

Trans. R. Soc. S. Australia XIII. p. 71 (1890).

3205 *P. oxypora* Meyr.

Proc. Zool. Soc. Lond. p. 730 (1908).

- 3206 *P. limitata* Meyr.
Ann. Transv. Mus. III. p. 75 (1911).
- 3207 *P. acharma* Meyr.
Proc. Zool. Soc. Lond. p. 731 (1908).
- 3208 *P. milvina* Meyr.
Ann. Transv. Mus. IV. p. 199 (1914).

STENOMIDÆ.

- PAREXAULA** Meyr.
Ann. S.A. Mus. V. p. 356 (1909).
- 3209 *P. isomiina* Meyr.
Ann. S.A. Mus. V. p. 356 (1909).
- PALÆTHETA** Meyr.
Ann. Transv. Mus. II. p. 23 (1909).
- 3210 *P. ischnozena* Meyr.
Ann. Transv. Mus. II. p. 24 pl. VII. f. 9
(1909).
- 3211 *P. innocua* Meyr.
Ann. Transv. Mus. III. p. 76 (1911).

- STENOMA** Zell.
Isis. p. 195 (1839).
- 3212 *S. ovata* Wlshm.
Trans. Ent. Soc. Lond. p. 258 (1881).
- 3213 *S. modicola* Meyr.
Ann. Transv. Mus. III. p. 75 (1911).
- 3214 *S. stolida* Meyr.
Ann. Transv. Mus. III. p. 75 (1911).
- 3215 *S. dicentra* Meyr.
Ann. Transv. Mus. III. p. 317 (1913).
- 3216 *S. simulatrix* Meyr.
Ann. Transv. Mus. IV. p. 199 (1914).

HYPONOMEUTIDÆ.

- EPERMENIA** Hübn.
Verz. bek. Schmett. p. 418 (1826).
- 3217 *E. præfumata* Meyr.
Ann. Transv. Mus. II. p. 236 (1911).
- 3218 *E. ochrodesma* Meyr.
Ann. Transv. Mus. III. p. 317 (1913).
- 3219 *E. criticodes* Meyr.
Ann. Transv. Mus. III. p. 317 (1913).
- 3220 *E. prosurga* Meyr.
Ann. Transv. Mus. III. p. 318 (1913).

- ARGYRESTHIA** Hübn.
Verz. bek. Schmett. p. 422 (1826).
- 3221 *A. pentanoma* Meyr.
Ann. Transv. Mus. III. p. 318 (1913).
- 3222 *A. stilpnota* Meyr.
Ann. Transv. Mus. III. p. 318 (1913).

ISOCHRITA Meyr.

- Ann. S.A. Mus. V. p. 372 (1909).
- 3223 *I. stolarcha* Meyr.
Ann. S.A. Mus. V. p. 372 (1909).
- 3224 *I. psalactis* Meyr.
Ann. S.A. Mus. X. p. 65 (1912).
- 3225 *I. eremasta* Meyr.
Ann. S.A. Mus. X. p. 251 (1914).

ABACISTIS Meyr.

- Ann. Transv. Mus. III. p. 318 (1913).
- 3226 *A. hexanoma* Meyr.
Ann. Transv. Mus. III. p. 319 (1913).
- 3227 *A. teligera* Meyr.
Ann. Transv. Mus. IV. p. 200 (1914).

LYTROPHILA Meyr.

- Ann. Transv. Mus. III. p. 319 (1913).
- 3228 *L. panarga* Meyr.
Ann. Transv. Mus. III. p. 319 (1913).
- 3229 *L. humida* Meyr.
Ann. Transv. Mus. III. p. 319 (1913).
- 3230 *L. ingeminata* Meyr.
Ann. Transv. Mus. IV. p. 201 (1914).

GYMNOGRAMMA Zell.

- Lep. Microptera. p. 104 (1852).
- 3231 *G. flavivittella* Wlshm.
Trans. Ent. Soc. Lond. p. 250 (1881).
- 3232 *G. pyrozancla* Meyr.
Ann. Transv. Mus. III. p. 77 (1911).
- 3233 *G. hutchinsoni* Wlshm.
Trans. Ent. Soc. Lond. p. 92 pl. 4 f. 29 (1891).
- 3234 *G. rhodoneura* Meyr.
Ann. S.A. Mus. V. p. 373 (1909).
- 3235 *G. cyanea* Meyr.
Ann. S.A. Mus. X. p. 66 (1912).
- 3236 *G. rufiventris* Zell.
Lep. Microptera p. 104 (1852).

PARAZELOTA Meyr.

- Ann. Transv. Mus. III. p. 319 (1913).
- 3237 *P. dryostoma* Meyr.
Ann. Transv. Mus. III. p. 320 (1913).

EXAULISTIS Meyr.

- Ann. Transv. Mus. III. p. 77 (1911).
- 3238 *E. trichogramma* Meyr.
Ann. Transv. Mus. III. p. 77 (1911).

EXANTHICA Meyr.

- Ann. Transv. Mus. III. p. 321 (1913).
- 3239 *E. trigonella* Feld.
Reise Nov. pl. CXXXIX. f. 39 (1875).

EPIPHRACTIS Meyr.

- Proc. Zool. Soc. Lond. p. 732 (1908).
- 3240 *E. rubricata* Meyr.
Ann. Transv. Mus. III. p. 320 (1913).
- 3241 *E. crocoplecta* Meyr.
Ann. Transv. Mus. III. p. 321 (1913).
- 3242 *E. aulica* Meyr.
Ann. S.A. Mus. X. p. 66 (1912).
- 3243 *E. imbellis* Meyr.
Ann. S.A. Mus. X. p. 252 (1914).

TROCHASTICA Meyr.

- Ann. Transv. Mus. III. p. 321 (1913).
- 3244 *T. albifrenis* Meyr.
Ann. Transv. Mus. III. p. 321 (1913).

THYESTARCHA Meyr.

- Ann. S.A. Mus. X. p. 64 (1912).
- 3245 *Th. edax* Meyr.
Ann. S.A. Mus. X. p. 65 (1912).

HYPONOMEUTA Latr.

- Gen. Crust. Ins. IV. p. 222 (1796).
- 3246 *H. africana* Sttn.
Trans. Ent. Soc. Lond. (N.S.) V. p. 222 (1862)
- 3247 *H. fumigatus* Zell.
Lep. Microptera. p. 101 (1852).
- 3248 *H. strigillatus* Zell.
Lep. Microptera. p. 102 (1852).
- 3249 *H. perficitellis* Wlk.
Cat. XXVIII. p. 531 (1863).
- 3250 *H. subplumbellus* Wlshm.
Trans. Ent. Soc. Lond. p. 248 pl. XI. f. 16
(1881).
- 3251 *H. puncticornis* Wlshm.
Trans. Ent. Soc. Lond. p. 90 pl. IV. f. 27
(1891).
- 3252 *H. glaphyropis* Meyr.
Proc. Zool. Soc. Lond. p. 736 (1908).
- 3253 *H. sistrophora* Meyr.
Ann. S.A. Mus. V. p. 358 (1909).
- 3254 *H. nigricola* Meyr.
Ann. S.A. Mus. X. p. 66 (1912).

XYROSARIS Meyr.

- Proc. Linn. Soc. N.S. Wales 32 p. 50 p. 71
(1907).
- 3255 *X. secreta* Meyr.
Ann. S.A. Mus. X. p. 67 (1912).

PLEXIPPICA Meyr.

- Ann. S.A. Mus. X. p. 67 (1912).
- 3256 *P. verberata* Meyr.
Ann. S.A. Mus. X. p. 67 (1912).

SCYTHROPIA Hüb.

- Verz. bek. Schmett. p. 413 (1826).
 3257 Sc. crocostacta Meyr.
 Ann. S.A. Mus. X. p. 68 (1912).

AMALTHINA Meyr.

- Ann. Transv. Mus. IV. p. 200 (1914).
 3258 A. lacteata Meyr.
 Ann. Transv. Mus. IV. p. 200 (1914).

GRACILARIADÆ.

LITHOCOLLETIS Hüb.

- Verz. bek. Schmett. p. 423 (1826).
 3259 L. encairia Meyr.
 Ann. Transv. Mus. II. p. 234 (1911).
 3260 L. melanosparta Meyr.
 Exot. Microlep. I. p. 21 (1912).

EPICEPHALA Meyr.

- Proc. Linu. Soc. N.S. Wales p. 168 (1880).
 3261 E. veneranda Meyr.
 Ann. Transv. Mus. II. p. 24 pl. VIII. f. 1
 (1909).
 3262 E. barbitias Meyr.
 Ann. Transv. Mus. II. p. 24 pl. VII. f. 10
 (1909).
 3263 E. pyrrhogastera Meyr.
 Proc. Zool. Soc. Lond. p. 734 (1908).
 3264 E. invita Meyr.
 Exot. Microlep. I. p. 22 (1912).

ACROCERCOPS Wllgrn.

- Ent. Tidskr. II. p. 95 (1881).
 3265 A. dasmophora Meyr.
 Proc. Zool. Soc. Lond. p. 735 (1908).
 3266 A. hexalocha Meyr.
 Exot. Micro-lep. I. p. 22 (1912).
 3267 A. earcharota Meyr.
 Exot. Micro-lep. I. p. 22 (1912).
 3268 A. monodecta Meyr.
 Exot. Micro-lep. I. p. 23 (1912).
 3269 A. hornimophora Meyr.
 Exot. Micro-lep. I. p. 23 (1912).
 3270 A. punctulata Wlshm.
 Trans. Ent. Soc. Lond. p. 125 pl. VI. f. 66
 (1891).
 3271 A. heterodoxa Meyr.
 Exot. Micro-lep. I. p. 23 (1912).
 3272 A. carbunculata Meyr.
 Exot. Micro-lep. I. p. 24 (1912).
 3273 A. gravissima Meyr.
 Exot. Micro-lep. I. p. 24 (1912).
 3274 A. procellaris Meyr.
 Ann. Transv. Mus. IV. p. 201 (1914).

- 3275 *A. conflua* Meyr.
Ann. Transv. Mus. IV. p. 201 (1914).
3276 *A. aptata* Meyr.
Ann. Transv. Mus. IV. p. 202 (1914).

STOMPHASTIS Meyr.

- Gen. Ins. 128 p. 19 (1912).
3277 *S. plectica* Meyr.
Gen. Ins. 128 p. 19 pl. I. f. 26 (1912).

PARECTOPA Clem.

- Proc. Acad. Nat. Sc. Phil. p. 210 (1860).
3278 *P. onychota* Meyr.
Proc. Zool. Soc. Lond. p. 735 (1908).
3279 *P. bathraema* Meyr.
Exot. Micro-lep. I. p. 25 (1912).

GRACILARIA Haw.

- Lep. Brit. p. 125 (1828).
3280 *G. prosticta* Meyr.
Ann. S.A. Mus. V. p. 374 (1909).
3281 *G. citricula* Meyr.
Exot. Micro-lep. I. p. 26 (1912).
3282 *G. ligata* Meyr.
Exot. Micro-lep. I. p. 26 (1912).
3282 *G. filifera* Meyr.
Exot. Microlep. I. p. 27 (1912).
3284 *G. seriata* Meyr.
Exot. Microlep. I. p. 27 (1912).
3285 *G. octopunctata* Turn.
Trans. Roy. Soc. S. Austral. p. 123 (1894).
3286 *G. isotoma* Meyr.
Ann. Transv. Mus. IV. p. 202 (1914).
3287 *G. grypota* Meyr.
Ann. Transv. Mus. IV. p. 202 (1914).

ELACHISTIDÆ.**MYRRHINITIS** Meyr.

- Ann. Transv. Mus. III. p. 322 (1913).
3288 *M. sporenta* Meyr.
Ann. Transv. Mus. III. p. 322 (1913).

ELACHISTA Treit.

- Schmett. Eur. IX. 2 p. 177 (1833).
3289 *E. crocogastra* Meyr.
Proc. Zool. Soc. Lond. p. 733 (1908).
3290 *E. nymphæa* Meyr.
Ann. Transv. Mus. II. p. 233 (1911).
3291 *E. gypsophila* Meyr.
Ann. Transv. Mus. II. p. 233 (1911).
3292 *E. nimbifera* Meyr.
Ann. Transv. Mus. III. p. 322 (1913).
3293 *E. epicœna* Meyr.
Ann. Transv. Mus. IV. p. 196 (1914).

CLEROPTILA Meyr.

- Exot. Micro-lep. I. p. 204 (1914).
 3294 C. chelonitis Meyr.
 Ann. Transv. Mus. II. p. 25 pl. VIII. f. 2
 (1909).

MENDESIA Joann.

- In: Mendes, Broteria pp. 249-251 (1904).
 3295 M. aganopa Meyr.
 Ann. Transv. Mus. II. p. 234 (1911).
 3296 M. inseia Meyr.
 Ann. Transv. Mus. III. p. 322 (1913).
 3297 M. secutrix Meyr.
 Ann. Transv. Mus. IV. p. 196 (1914).

PHTHINOSTOMA Meyr.

- Ann. Transv. Mus. IV. p. 196 (1914).
 3298 Ph. infumata Meyr.
 Ann. Transv. Mus. IV. p. 196 (1914).

AUGASMA Herr.-Sch.

- Schmett. Eur. V. p. 13, 50 (1853).
 3299 Au. nidifica Meyr.
 Ann. S.A. Mus. X. p. 68 (1912).

COLEOPHORIDÆ.

BATRACHEDRA Stt.

- Ins. Brit. Lep. Tin. p. 230 (1854).
 3300 B. granosa Meyr.
 Ann. Transv. Mus. II. p. 235 (1911).
 3301 B. epombra Meyr.
 Exot. Micro-lep. I. p. 206 (1914).
 3302 B. saurota Meyr.
 Ann. Transv. Mus. II. p. 236 (1911).
 3303 B. cemias Meyr.
 Ann. S.A. Mus. V. p. 359 (1909).
 3304 B. heliota Meyr.
 Ann. Transv. Mus. III. p. 323 (1913).
 3305 B. isochtha Meyr.
 Ann. Transv. Mus. IV. p. 203 (1914).
 3306 B. microbias Meyr.
 Ann. Transv. Mus. IV. p. 203 (1914).

COLEOPHORA Hüb.

- Tentamen (1806).
 3307 C. trifluia Meyr.
 Ann. Transv. Mus. II. p. 235 (1911).
 3308 C. scaleuta Meyr.
 Ann. Transv. Mus. II. p. 235 (1911).
 3309 C. halmodes Meyr.
 Ann. Transv. Mus. II. p. 235 (1911).
 3310 C. leucaula Meyr.
 Ann. Transv. Mus. III. p. 78 (1911).

- 3311 *C. efflua* Meyr.
 Ann. Transv. Mus. III. p. 78 (1911).
- 3312 *C. scariphota* Meyr.
 Ann. Transv. Mus. III. p. 78 (1911).
- 3313 *C. aphanonbra* Meyr.
 Ann. Transv. Mus. III. p. 323 (1913).
- 3314 *C. intensa* Meyr.
 Ann. Transv. Mus. III. p. 323 (1913).
- 3315 *C. diffusa* Meyr.
 Ann. Transv. Mus. III. p. 323 (1913).
- 3316 *C. illustrata* Meyr.
 Ann. Transv. Mus. III. p. 324 (1913).
- 3317 *C. ordinaria* Meyr.
 Ann. Transv. Mus. III. p. 324 (1913).
- 3318 *C. oxyphæa* Meyr.
 Ann. Transv. Mus. III. p. 324 (1913).
- 3319 *C. megaloptila* Meyr.
 Ann. S.A. Mus. V. p. 360 (1909).
- 3320 *C. eremodes* Meyr.
 Ann. S.A. Mus. X. p. 68 (1912).

POROTICA Meyr.

- Ann. Transv. Mus. III. p. 324 (1913).
- 3321 *P. astragalis* Meyr.
 Ann. Transv. Mus. III. p. 324 (1913).

IRIOTHYRSA Meyr.

- Proc. Zool. Soc. Lond. p. 736 (1908).
- 3322 *I. melanogma* Meyr.
 Proc. Zool. Soc. Lond. p. 736 (1908).

GLYPHIPTERYGIDÆ.

GLYPHIPTERYX Hübn.

- Verz. bek. Schmett. p. 421 (1826).
- 3323 *G. ditiorana* Wlk.
 Cat. XXVIII. p. 348 (1863)
- 3324 *G. ? dimidiatella* Wlk.
 Cat. XXX. p. 829 (1864).
- 3325 *G. grapholithoides* Wlshm.
 Trans. Ent. Soc. Lond. p. 116 pl. V. f. 53 (1891).
- 3326 *G. medica* Meyr.
 Trans. Linn. Soc. Lond. XIV. p. 291 (1911).
- 3327 *G. stelucha* Meyr.
 Ann. S.A. Mus. V. p. 375 (1909).

SIMÆTHIS Leach.

- Edinburgh Enc. IX. p. 135 (1815).
- 3328 *S. ægyptiaca* Zell.
 Stett. Ent. Zeit. XXVIII. p. 366 (1867).

BRENTHIA Clem.

- Proc. Acad. Nat. Sc. Philad. p. 172 (1860).
- 3329 *B. virginalis* Meyr.
 Exot. Micro-lep. I. p. 52 (1912).

CHOREUTIS Hübn.

- Verz. bek. Schmett. p. 373 (1826).
 3330 Ch. bjerkandrella Thnbg.
 Diss. Ent. I. p. 36 (24) pl. III. f. 23, 24 (1784).

PLUTELLIDÆ.

LEPOCNEMIS Meyr.

- Ann. Transv. Mus. III. p. 325 (1913).
 3331 L. baseanopa Meyr.
 Ann. Transv. Mus. III. p. 325 (1913).

ACROLEPIA Curt.

- Brit. Ent. XV. p. 679 (1838).
 3332 A. canachopis Meyr.
 Ann. Transv. Mus. III. p. 325 (1913).

EPISTOMOTIS Meyr.

- Journ. Bomb. Nat. Hist. Soc. p. 416 (1906).
 3333 E. amphicentra Meyr.
 Ann. Transv. Mus. III. p. 326 (1913).

GYPSOSARIS Meyr.

- Ann. S.A. Mus. V. p. 375 (1909).
 3334 C. coniata Meyr.
 Ann. S.A. Mus. V. p. 375 (1909).

TEMELUCHA Meyr.

- Ann. Transv. Mus. II. p. 25 (1909).
 3335 T. xeropa Meyr.
 Ann. Transv. Mus. II. p. 25 pl. VIII. f. 3
 (1909).

PLUTELLA Schrk.

- Fauna Boica II. 2 p. 169 (1802).
 3336 P. macilipennis Curt.
 Guide. p. 186 (1831).
 3337 P. balanopis Meyr.
 - Ann. S.A. Mus. V. p. 376 (1909).

PLATYBATHRA Meyr.

- Ann. Transv. Mus. III. p. 78 (1911).
 3338 P. ganota Meyr.
 Ann. Transv. Mus. III. p. 78 (1911).

NEPTICULIDÆ.

NEPTICULA Heyd.

- Bericht. Vers. Naturf. Mainz. p. 201 (1842).
 3339 N. grandinosa Meyr.
 Ann. Transv. Mus. II. p. 236 (1911).
 3340 N. fluida Meyr.
 Ann. Transv. Mus. II. p. 236 (1911).

- 3341 *X. insulata* Meyr.
Ann. Transv. Mus. III. p. 70 (1911).
- 3342 *N. nigrata* Meyr.
Ann. Transv. Mus. III. p. 326 (1913).
- 3343 *N. urbica* Meyr.
Ann. Transv. Mus. III. p. 326 (1913).
- 3344 *N. stimulata* Meyr.
Ann. Transv. Mus. III. p. 326 (1913).
- 3345 *N. primaria* Meyr.
Ann. Transv. Mus. III. p. 326 (1913).
- 3346 *N. ingens* Meyr.
Ann. Transv. Mus. III. p. 327 (1913).
- 3347 *N. vannifera* Meyr.
Ann. Transv. Mus. IV. p. 203 (1914).

ERECHTHIADÆ.

OPOSTEGA Zell.

- Isis p. 214 (1839).
- 3348 *O. bellicosa* Meyr.
Ann. Transv. Mus. II. p. 236 (1911).
- 3349 *O. cirrhoema* Meyr.
Ann. Transv. Mus. II. p. 237 (1911).
- 3350 *O. granifera* Meyr.
Ann. Transv. Mus. III. p. 327 (1913).
- 3351 *O. præfusca* Meyr.
Ann. Transv. Mus. III. p. 327 (1913).
- 3352 *O. radiosa* Meyr.
Ann. Transv. Mus. III. p. 327 (1913).
- 3353 *O. elastozena* Meyr.
Ann. Transv. Mus. III. p. 327 (1913).
- 3354 *O. amphimitra* Meyr.
Ann. Transv. Mus. III. p. 328 (1913).
- 3355 *O. symbolica* Meyr.
Ann. Transv. Mus. IV. p. 203 (1914).

CYCLOPONYMPHA Meyr.

- Ann. Transv. Mus. III. p. 328 (1913).
- 3356 *C. julia* Meyr.
Ann. Transv. Mus. III. p. 328 (1913).
- 3357 *C. perspicua* Meyr.
Ann. Transv. Mus. III. p. 328 (1913).

BUCCULATRIX Zell.

- Linn. Ent. III. p. 286-7 f. 44-47 (1848).
- 3358 *B. portmoris* Meyr.
Proc. Zool. Soc. Lond. p. 737 (1908).
- 3359 *B. frangulella* Goeze.
Beitr. III. 4 p. 169 ().
- 3360 *B. facilis* Meyr.
Ann. Transv. Mus. II. p. 237 (1911).
- 3361 *B. inchoata* Meyr.
Ann. Transv. Mus. III. p. 329 (1913).

- 3362 *B. galeodes* Meyr.
 Ann. Transv. Mus. III. p. 329 (1913).
 3363 *B. anticolonae* Meyr.
 Ann. Transv. Mus. III. p. 329 (1913).
 3364 *B. quieta* Meyr.
 Ann. Transv. Mus. III. p. 329 (1915).
 3365 *B. amara* Meyr.
 Ann. Transv. Mus. III. p. 273 (1913).
 3366 *B. lenis* Meyr.
 Ann. Transv. Mus. III. p. 330 (1913).
 3367 *B. dulcis* Meyr.
 Ann. Transv. Mus. III. p. 330 (1913).
 3368 *B. melipecta* Meyr.
 Ann. Transv. Mus. IV. p. 204 (1914).

OINOPHILA Steph.

- Trans. Ent. Soc. Lond. V. p. XLI. (1848).
 3369 *O. v-flava* Haw.
 Lep. Brit. p. 530 (1829).

CROBYLOPHORA Meyr.

- Proc. Linn. Soc. N.S.W. V. p. 177 (1882).
 3370 *C. metallifera* Wlshm.
 Trans. Ent. Soc. Lond. p. 127 pl. VI. f. 69
 (1891).

OPOGONA Zell.

- Bull. Soc. Imp. Nat. Mosc. IV. p. 504 (1853).
 3371 *O. chlorophanes* Meyr.
 Proc. Zool. Soc. Lond. p. 737 (1908).
 3372 *O. scaphopis* Meyr.
 Ann. S.A. Mus. V. p. 376 (1909).
 3373 *O. trophis* Meyr.
 Ann. Transv. Mus. III. p. 330 (1913).
 3374 *O. dimidiatella* Wlk.
 Cat. XXX. p. 839 (1864).
 3375 *O. cyrtonis* Meyr.
 Exot. Micro-lep. I. p. 360 (1915).

COPOBATHRA Meyr.

- Ann. Transv. Mus. II. p. 238 (1911).
 3376 *C. menodora* Meyr.
 Ann. Transv. Mus. II. p. 238 (1911).

HIEROXESTIS Meyr.

- Proc. Linn. Soc. N.S. Wales (2) VII. p. 482,
 567 (1892).
 3377 *H. omoscopa* Meyr.
 Proc. Linn. Soc. N.S. Wales (2) VII. p. 567
 (1892).
 3378 *H. pileigera* Meyr.
 Ann. Transv. Mus. III. p. 330 (1913).
 3379 *H. phæochalea* Meyr.
 Proc. Zool. Soc. Lond. p. 737 (1908).
 3380 *H. præmatura* Meyr.
 Ann. Transv. Mus. II. p. 26 pl. VIII. f. 5
 (1909).

ETHMIADÆ.

ETHMIA Hübn.

- Verz. bek. Schmett. p. 163 (1826).
- 3381 E. circumdatella Wlk.
Cat. XXVIII. p. 532 (1863).
- 3382 E. livida Zell.
Lep. Microptera. p. 103 (1852).
- 3383 E. coscineutis Meyr.
Ann. Transv. Mus. III. p. 76 (1911).
- 3384 E. dactylia Meyr.
Ann. Transv. Mus. III. p. 76 (1911).
- 3385 E. rhomboidella Wlshm.
Trans. Ent. Soc. Lond. p. 45 f. 15 (1897).

PSECADIA Hübn.

- Verz. bek. Schmett. p. 413 (1826).
- 3386 Ps. sabiella Feld.
Reise Nov. pl. 139 f. 30 (1875).
- 3387 P. oculigera Möschl.
Verh. k. zool.-bot. Ges. Wien. XXXIII. p. 309 pl. 16 f. 25 (1884).

COPTOPROCTIS Zell.

- Lep. Microptera. p. 105 (1852).
- 3388 C. languida Zell.
Lep. Microptera p. 105 (1852).

TINEIDÆ.

LYONETIA Hübn.

- Verz. bek. Schmett. p. 423 (1826).
- 3389 L. cotifraga Meyr.
Ann. S.A. Mus. V. p. 360 (1909).

PHYLLOCNISTIS Zell.

- Linn. Ent. III. p. 264-5 f. 31-5 (1848).
- 3390 Ph. citrella Sttn.
Trans. Ent. Soc. Lond. III. p. 301 (1856).

LEUCOPTERA Hübn.

- Verz. bek. Schmett. p. 426 (1826).
- 3391 L. scammarias Meyr.
Ann. Transv. Mus. II. p. 26 pl. VIII. f. 4 (1909).

PHYLLOBROSTIS Stgr.

- Stett. ent. Zeit. p. 357 (159).
- 3392 Ph. calcaria Meyr.
Ann. Transv. Mus. II. p. 237 (1911).
- 3393 Ph. argillosa Meyr.
Ann. Transv. Mus. II. p. 237 (1911).

PILOTOCOMA Meyr.

- Ann. Transv. Mus. III. p. 331 (1913).
- 3394 P. tephroleuca Meyr.
Ann. Transv. Mus. III. p. 331 (1913).

BEDELLIA Sttn.

- Cat. Brit. Tin. p. 23 (1849).
 3395 *C. cathareuta* Meyr.
 Ann. Transv. Mus. II. p. 237 (1911).
 3396 *B. somnulentella* Zell.
 Isis. p. 894 (1849).

TISCHERIA Zell.

- Isis. p. 219 (1839).
 3397 *T. zestica* Meyr.
 Ann. Transv. Mus. II. p. 238 (1911).

CRITICONOMA Meyr.

- Ann. S.A. Mus. V. p. 415 (1910).
 3398 *C. chelonæa* Meyr.
 Ann. S.A. Mus. V. p. 415 (1910).

DEMOBROTIS Meyr.

- Proc. Linn. Soc. N.S. Wales p. 555 (1892).
 3399 *D. tricarpa* Meyr.
 Ann. Transv. Mus. III. p. 331 (1913).

TRICHOPHAGA Rag.

- Ann. Soc. entom. France LXIII. p. 120-124
 (1894).
 3400 *T. bipartita* Rag.
 Bull. Soc. entom. France LXXXII. p. 122-4
 (1892).

DICANICA Meyr.

- Ann. Transv. Mus. III. p. 331 (1913).
 3401 *D. aerocentra* Meyr.
 Ann. Transv. Mus. III. p. 331 (1913).

TINEOLA H.-S.

- Schnett, Eär. V. p. 7, 23 pl. 4 f. 30, pl. 10
 ff. 24-26 (1853).
 3402 *T. leucastis* Meyr.
 Proc. Zool. Soc. Lond. p. 738 (1908).
 3403 *T. xanthastis* Meyr.
 Proc. Zool. Soc. Lond. p. 738 (1908).
 3404 *T. holopsana* Meyr.
 Proc. Zool. Soc. Lond. p. 729 (1908).
 3405 *T. phocina* Meyr.
 Proc. Zool. Soc. Lond. p. 740 (1908).
 3406 *T. chloristis* Meyr.
 Proc. Zool. Soc. Lond. p. 740 (1908).
 3407 *T. nesiastis* Meyr.
 Ann. Transv. Mus. II. p. 239 (1911).
 3408 *T. meretrix* Meyr.
 Proc. Zool. Soc. Lond. p. 739 (1908).
 3409 *T. purpurea* Sttn.
 Trans. Ent. Soc. Lond. V. p. 221 (1860).
 3410 *T. oratrix* Meyr.
 Ann. Trans. Mus. III. p. 332 (1913).
 3411 *T. biselliella* Hübn.
 Hummel Essais Entom. III. p. 6 (1823).
 3412 *T. asperata* Meyr.
 (ined.)

TINEA L.

- Syst. Nat. p. 534 (1758).
- 3414 *T. œnopsis* Meyr.
Proc. Zool. Soc. p. 740 (1908).
- 3415 *T. paraxena* Meyr.
Proc. Zool. Soc. Lond. p. 740 (1908).
- 3416 *T. othello* Meyr.
Journ. Bomb. Soc. Nat. Hist. 17 p. 988 (1907).
- 3417 *T. homestia* Meyr.
Proc. Zool. Soc. Lond. p. 741 (1908).
- 3418 *T. tanystis* Meyr.
Proc. Zool. Soc. Lond. p. 741 (1908).
- 3419 *T. vastella* Zell.
Lep. Microptera p. 88 (1852).
- 3420 *T. rejectella* Wlk.
Cat. XXX. p. 1003 (1864).
- 3421 *T. penetrata* Meyr.
Ann. Transv. Mus. III. p. 80 (1911).
- 3422 *T. psacadias* Meyr.
Ann. Transv. Mus. III. p. 80 (1911).
- 3423 *T. tephritis* Meyr.
Ann. Transv. Mus. III. p. 81 (1911).
- 3424 *T. encausta* Meyr.
Ann. Transv. Mus. III. p. 81 (1911).
- 3425 *T. adamasta* Meyr.
Ann. Transv. Mus. II. p. 27 pl. VIII. f. 7
(1908).
- 3426 *T. pellionella* Linn.
Syst. Nat. ed. X. p. 536 (1758).
- 3427 *T. abactella* Wlk.
Cat. XXVIII. p. 476 (1863).
- 3428 *T. fuscipunctella* Haw.
Lep. Brit. p. 562 (1828).
- 3429 *T. farraginella* Zell.
Lep. Microptera p. 90 (1852).
- 3430 *T. damnicella* Zell.
Lep. Microptera p. 91 (1852).
- 3431 *T. (?) erinacea* Wlk.
Cat. XXVIII. p. 475 (1863).
- 3432 *T. tapetzella* Linn.
Syst. Nat. ed. X. p. 536 (1758).
- 3433 *T. granella* Linn.
Syst. Nat. ed. X. p. 534 (1758).
- 3434 *T. antiphracta* Meyr.
Ann. S.A. Mus. V. p. 362 (1909).
- 3435 *T. sesquiteritia* Meyr.
Ann. S.A. Mus. V. p. 361 (1909).
- 3436 *T. zebra* Wlshm.
Trans. Ent. Soc. Lond. p. 86 pl. IV. f. 24
(1891).

- 3437 *T. suspicosa* Meyr.
Ann. S.A. Mus. X. p. 69 (1912).

3438 *T. hyalodes* Meyr.
Ann. Transv. Mus. III. p. 332 (1913).

3439 *T. megaspila* Meyr.
Ann. Transv. Mus. III. p. 332 (1913).

BLABOPHANES Zell.
Linn. Ent. 6 p. 100 (1852).

3440 *B. longella* Wlk.
Cat. XXVIII. p. 479 (1863).

3441 *B. rutilicostella* Sttn.
Trans. Ent. Soc. Lond. V. p. 221 (1860).

3442 *B. speculella* Zell.
Lep. Microptera. p. 89 (1852).

STEMAGORIS Meyr.
Ann. Transv. Mus. III. p. 79 (1911).

3443 *St. asylaea* Meyr.
Ann. Transv. Mus. III. p. 79 (1911).

PICROSPORA Meyr.
Ann. S.A. Mus. X. p. 69 (1912).

3444 *P. purgata* Meyr.
Ann. Transv. Mus. III. p. 332 (1913).

3445 *P. areae* Meyr.
Ann. S.A. Mus. X. p. 69 (1912).

3446 *P. anastrotia* Meyr.
Ann. S.A. Mus. X. p. 70 (1912).

SAPHENEUTIS Meyr.
Journ. Bomb. Soc. Nat. Hist. XVIII. p. 155
(1907).

3447 *S. granosa* Meyr.
Ann. S.A. Mus. X. p. 70 (1912).

PSEUDURGIS Meyr.
Proc. Zool. Soc. Lond. p. 741 (1908).

3448 *Ps. teetonica* Meyr.
Proc. Zool. Soc. Lond. p. 741 (1908).

3449 *Ps. polychorda* Meyr.
Ann. Transv. Mus. III. p. 333 (1913).

3450 *Ps. scutifera* Meyr.
Ann. S.A. Mus. X. p. 70 (1912).

3451 *Ps. ochroliehna* Meyr.
Ann. S.A. Mus. X. p. 254 (1914).

3452 *Ps. sciocolona* Meyr.
Ann. S.A. Mus. X. p. 254 (1914).

3453 *Ps. leucosema* Meyr.
Ann. S.A. Mus. X. p. 254 (1914).

3454 *Ps. nephelicta* Meyr.
Ann. Transv. Mus. III. p. 333 (1913).

GEPHYRISTIS Meyr.
Ann. Transv. Mus. II. p. 27 (1909).

3455 *G. anchiala* Meyr.
Ann. Transv. Mus. II. p. 27 pl. VIII. f. 6
(1909).

3456 *G. oxyystyla* Meyr.
Ann. Transv. Mus. III. p. 79 (1911).

STRUTHISCA Meyr.

- Journ. Bomb. Soc. Nat. Hist. 16 p. 614 (1905).
 3457 *S. omichlodes* Meyr.
 Proc. Zool. Soc. Lond. p. 742 (1908).
 3458 *S. areata* Meyr.
 Proc. Zool. Soc. Lond. p. 742 (1908).
 3459 *S. agitata* Meyr.
 Ann. Transv. Mus. III. p. 333 (1913).

BARBAROSCARDIA Wlshm.

- Trans. Ent. Soc. Lond. p. 84 (1891).
 3460 *B. fasciata* Wlshm.
 Trans. Ent. Soc. Lond. p. 84 pl. IV. f. 23
 (1891).
 3461 *B. sceptica* Meyr.
 Ann. S.A. Mus. V. p. 416 (1910).

THRANITICA Meyr.

- Proc. Zool. Soc. Lond. p. 743 (1908).
 3462 *Th. hemicopa* Meyr.
 Proc. Zool. Soc. Lond. p. 743 (1908).

MESOPHERNA Meyr.

- Proc. Linn. Soc. N.S. Wales (2) VII. p. 515
 (1893).
 3436 *M. incultella* Wlk.
 Cat. XXX. p. 1003 (1864).

MELASINA Boisd.

- Genera et Index methodicus p. 57 (1840).
 3464 *M. halieutis* Meyr.
 Proc. Zool. Soc. Lond. p. 743 (1908).
 3465 *M. stelitis* Meyr.
 Proc. Zool. Soc. Lond. p. 743 (1908).
 3466 *M. effervesens* Meyr.
 Ann. Transv. Mus. III. p. 81 (1911).
 3467 *M. autoderma* Meyr.
 Ann. S.A. Mus. X. p. 253 (1914).
 3468 *M. susurrans* Meyr.
 Ann. Transv. Mus. III. p. 82 (1911).
 3469 *M. dermatodes* Meyr.
 Ann. S.A. Mus. X. p. 253 (1914).
 3470 *M. expers* Meyr.
 Ann. Transv. Mus. III. p. 82 (1911).
 3471 *M. microctenis* Meyr.
 Ann. S.A. Mus. X. p. 253 (1914).
 3472 *H. aedifica* Meyr.
 Proc. Zool. Soc. Lond. p. 744 (1908).
 3473 *M. paraphrichtis* Meyr.
 Proc. Zool. Soc. Lond. p. 744 (1908).
 3474 *M. cyclatma* Meyr.
 Proc. Zool. Soc. Lond. p. 746 (1908).
 3475 *M. liochra* Meyr.
 Proc. Zool. Soc. Lond. p. 748 (1908).

- 3476 M. mylica Meyr.
Proc. Zool. Soc. Lond. p. 748 (1908).
 3477 M. abacodes Meyr.
Proc. Zool. Soc. Lond. p. 749 (1908).
 3478 M. agria Meyr.
Ann. Transv. Mus. II. p. 27 (1903).
 3479 M. petrodes Meyr.
Ann. S.A. Mus. X. p. 252 (1914).
 3480 M. undulata Meyr.
Ann. Transv. Mus. II. p. 239 (1911).
 3481 M. brachyctenis Meyr.
Ann. S.A. Mus. V. p. 364 (1909).
 3482 M. primella Zell.
Lep. Microptera. p. 83-88 (1852).
 3483 M. systola a Meyr.
Proc. Zool. Soc. Lond. p. 747 (1908).
 3484 M. circophora Meyr.
Ann. S.A. Mus. V. p. 364 (1909).
 3485 M. dissoluta Meyr.
Proc. Zool. Soc. Lond. p. 747 (1908).
 3486 M. ostracitis Meyr.
Ann. Transv. Mus. III. p. 334 (1913).
 3487 M. animosa Meyr.
ined.
 3488 M. amica Meyr.
Proc. Zool. Soc. Lond. p. 748 (1908).
 3489 M. numeraria Meyr.
Ann. Transv. Mus. IV. p. 204 (1914).
 3490 H. terrestris Meyr.
Ann. Transv. Mus. IV. p. 204 (1914).

PTISANORA Meyr.

- Ann. Transv. Mus. III. p. 334 (1913).
 3491 Pt. trivialis Meyr.
Ann. Transv. Mus. III. p. 334 (1913).

PHTHOROPÆA Wlshm.

- Proc. Zool. Soc. Lond. p. 282 (1896).
 3492 Ph. vibrata Meyr.
Ann. Transv. Mus. III. p. 335 (1913).

ATABYRIA Snell.

- Tijds. v. Ent. 27 p. 164 (1884).
 3493 A. buecephala Snell.
Tijds. v. Ent. 27 p. 164 (1884).

HAPSIFERA Zell.

- Isis. p. 33 (1847).
 3494 H. pardalea Meyr.
Proc. Zool. Soc. Lond. p. 749 (1908).
 3495 H. glareosa Meyr.
Ann. S.A. Mus. X. p. 72 (1912).
 3496 H. ochroptila Meyr.
Proc. Zool. Soc. Lond. p. 749 (1908).
 3497 H. meliceris Meyr.
Proc. Zool. Soc. Lond. p. 750 (1908).

- 3498 *H. glebata* Meyr.
Proc. Zool. Soc. Lond. p. 751 (1908).
3499 *H. horridella* Wlk.
Cat. XXVIII. p. 474 (1863).

- TIQUADRA** Wlk.
Cat. XXVIII. p. 519 (1863).
3500 *T. goochii* Wlshm.
Trans. Ent. Soc. Lond. p. 234-236 pl. X. f. 10
(1881).

- PITHARCHA** Meyr.
Proc. Zool. Soc. Lond. p. 751 (1908).
3501 *P. chalinaea* Meyr.
Proc. Zool. Soc. Lond. p. 751 (1908).

- CHLIAROSTOMA** Meyr.
Ann. Transv. Mus. III. p. 335 (1913).
3502 *Chl. relecta* Meyr.
Ann. Transv. Mus. III. p. 335 (1913).

- AMYDRIA** Clem.
Proc. Ac. Nat. Sc. Phil. p. 256-262 (1859).
3503 *A. leontopa* Meyr.
Proc. Zool. Soc. Lond. p. 752 (1908).
3504 *A. opifica* Meyr.
Proc. Zool. Soc. Lond. p. 752 (1908).
3505 *A. percastis* Meyr.
Proc. Zool. Soc. Lond. p. 753 (1908).
3506 *A. poliodes* Meyr.
Ann. S.A. Mus. V. p. 362 (1909).
3507 *A. fraudulentia* Meyr.
Ann. S.A. Mus. X. p. 71 (1912).
3508 *A. trophias* Meyr.
Proc. Zool. Soc. Lond. p. 753 (1908).
3509 *A. vereunda* Meyr.
Ann. Transv. Mus. III. p. 83 (1911).
3510 *A. loxopa* Meyr.
Ann. S.A. Mus. X. p. 255 (1914).
3511 *A. rapida* Meyr.
Ann. S.A. Mus. V. p. 362 (1909).
3512 *A. arctocephala* Meyr.
Ann. S.A. Mus. V. p. 363 (1909).
3513 *A. caligata* Meyr.
Ann. Trans. Mus. III. p. 335 (1913).
3514 *A. athleta* Meyr.
Ann. S.A. Mus. V. p. 377 (1909).

- ACOROSTOMA** Meyr.
Ann. S.A. Mus. X. p. 255 (1914).
3515 *A. medicata* Meyr.
Ann. S.A. Mus. X. p. 256 (1914).

- CHLOROPHYTIS** Meyr.
Ann. S.A. Mus. X. p. 71 (1912).
3516 *Chl. secura* Meyr.
Ann. S.A. Mus. X. p. 72 (1912).

DASYSES Durr.

Ind. Mus. Notes V. p. 92 (1903).

- 3517 D. rugosella Sttn.

Trans. Ent. Soc. Lond. (2) V. p. 113 (1859).

SCARDIA Treit.

Schmett. Eur. VIII. p. 290 (1830).

- 3518 Sc. paracosma Meyr.

Proc. Zool. Soc. Lond. p. 753 (1908).

- 3519 Sc. genitalis Meyr.

Ann. Transv. Mus. III. p. 335 (1913).

- 3520 Sc. saecharata Meyr.

Ann. Transv. Mus. IV. p. 205 (1914).

HYOPRORA Meyr.

Proc. Zool. Soc. Lond. p. 753 (1908).

- 3521 H. crymodes Meyr.

Proc. Zool. Soc. Lond. p. 754 (1908).

DROSICA Wlk.

Cat. XXVIII. p. 519 (1863).

- 3522 D. abjectella Wlk.

Cat. XXVIII. p. 519 (1863).

SETOMORPHA Zell.

Lep. Microptera p. 93 (1852).

- 3523 S. rutella Zell.

Lep. Microptera p. 93 (1852).

MONOPIS Hübn.

Verz. bek. Schmett. p. 401 (1826).

- 3524 M. crocieapitella Clem.

Proc. Acad. Nat. Sc. Philad. p. 257 (1859).

- 3525 M. perforata Meyr.

Ann. Transv. Mus. III. p. 80 (1911).

- 3526 M. monachella Hübn.

Sammel. Eur. Schmett. VIII. pl. XXI. f. 143
(?1825).

- 3527 M. etherella Newm.

Trans. Ent. Soc. Lond. III. p. 288 (1856).

- 3528 M. megalodelta Meyr.

Proc. Zool. Soc. Lond. p. 737 (1908).

ADELIDÆ.

ULOMETRA Meyr.

Exot. Micro-lepidoptera I. p. 27 (1912).

- 3529 U. indigna Meyr.

Exot. Micro-lepidoptera I. p. 28 (1912).

CEROMITIA Zell.

Lep. Microptera. p. 92 (1852).

- 3530 C. tyrochlora Meyr.

Proc. Zool. Soc. Lond. p. 756 (1908).

- 3531 C. phæcoecoma Meyr.

Exot. Micro-lepidoptera. I. p. 28 (1912).

- 3532 C. elongatella Wlshm.
 Trans. Ent. Soc. Lond. p. 244 pl. 11 f. 13
 (1881).
- 3533 C. melanostrota Meyr.
 Ann. S.A. Mus. X. p. 72 (1912).
- 3534 C. somphodes Meyr.
 Ann. S.A. Mus. X. p. 73 (1912).
- 3535 C. phrysina Meyr.
 Ann. Transv. Mus. II. p. 239 (1912).
- 3536 C. sporaea Meyr.
 Proc. Zool. Soc. Lond. p. 756 (1908).
- 3537 C. ochrotricha Meyr.
 Exot. Micro-lepidoptera. I. p. 29 (1912).
- 3538 C. amphichroa Meyr.
 Proc. Zool. Soc. Lond. p. 755 (1908).
- 3539 C. palyntis Meyr.
 Proc. Zool. Soc. Lond. p. 755 (1908).
- 3540 C. libropis Meyr.
 Proc. Zool. Soc. Lond. p. 755 (1908).
- 3541 C. mellicoma Meyr.
 Exot. Microlepidoptera. I. p. 29 (1912).
- 3542 C. crinigerella Zell.
 Linn. Ent. V. p. 347 (1852).
- 3543 C. nerina Meyr.
 Exot. Micro-lepidoptera. I. p. 28 (1912).
- 3544 C. alternipunctella Wlshm.
 Trans. Ent. Soc. Lond. p. 245 pl. 11. f. 14
 (1881).
- 3545 C. transtrifera Meyr.
 Exot. Micro-lepidoptera. I. p. 29 (1912).
- 3546 C. spilodesma Meyr.
 Proc. Zool. Soc. Lond. p. 754 (1908).
- 3547 C. geminata Meyr.
 Ann. S.A. Mus. X. p. 256 (1914).
- 3548 C. stathmodes Meyr.
 Proc. Zool. Soc. Lond. p. 754 (1908).
- 3549 C. melanostrota Meyr.
 Ann. S.A. Mus. X. p. 72 (1912).
- 3550 C. turpis Wlk.
 Cat. XXVIII. p. 497 (1863).
- 3551 C. wahlbergi Zell.
 Lep. Microptera. p. 92 (1852).
- 3552 C. somphodes Meyr.
 Ann. S.A. Mus. X. p. 73 (1912).
- 3553 C. trigoniferella Wlshm.
 Trans. Ent. Soc. Lond. p. 246 pl. XI. f. 15
 (1881).
- 3554 C. cuneella Wlshm.
 Trans. Ent. Soc. Lond. p. 88 pl. IV. f. 25
 (1891).
- 3555 C. laureata Meyr.
 Ann. Transv. Mus. II. p. 239 (1911).
- 3556 C. natalensis Sttn.
 Trans. Ent. Soc. Lond. (2) 5 p. 221 (1860).
- 3557 C. graptosema Meyr.
 Ann. Transv. Mus. IV. p. 205 (1914).

NEMOTOIS Hübn.

- Verz. bek. Schmett. p. 416 (1826).
 3558 N. humilis Wlshm.
 Trans. Ent. Soc. Lond. p. 89 pl. IV. f. 26
 (1891).

ADELA Latr.

- Gen. Crust. Ins. IV. p. 224 (1796).
 3559 A. electella Wlk.
 Cat. XXVIII. p. 495 (1863).

The following Micro-lepidoptera have been recorded from South Africa, but as I have not been able to find their positions in the different families, I now give them at the end in alphabetical order:

ÆCHMIA Treit.

- Schmett. Eur. IX. 2 p. 69 (1833).
 3530 A. bohemani Zell.
 Lep. Microptera. p. 116 (1852).

CATAMACTA Meyr.

- Trans. N. Zeal. Inst. XLIII. p. 81 (1911).
 3563 C. scrutatrix Meyr.
 Exot. Micro-lepidoptera I. p. 1 (1912).

DISSOCTENA Stgr.

- Stett. ent. Zeit. p. 234 (1859).
 3564 D. affinis Wlshm.
 Trans. Ent. Soc. Lond. p. 81 pl. IV. f. 21
 (1831) (Tineidæ).

EPICHNOPTERYX Hübn.

- Verz. p. 299 (1826).
 3565 E. transvalica Hmpsnn.
 A.M.N.H. (8) VI. p. 117 (1910).

EUPLOCAMUS Latr.

- Gen. Crust. Ins. IV. p. 223 (1809).
 3566 Eu. stupeus. Wllgrn.
 Öfv. Vet. Akad. Förh. 32 p. 127-128 (1875)
 (Tineidæ).

FUMEA Steph.

- Ill. Brit. Ent. Haust. II. p. 81 (1829).
 3567 F. trimenii Heyl.
 C.R. Soc. Ent. Belg. XXXV. p. CCCLXXIV.
 (1891).

ISCHNOPSIS Wlshm.

Trans. Ent. Soc. Lond. p. 226-237 (1881).

- 3568
- I. angustella*
- Wlshm.

Trans. Ent. Soc. Lond. p. 237 pl. X. f. 11
(1881) (? Cosmopterygidae).

LASIOCTENA Meyr.

Trans. Ent. Soc. Lond. p. 278 (1887).

- 3569
- L. sisyræa*
- Meyr.

Trans. Ent. Soc. Lond. p. 279 (1887) (Tineidae).

MICROTHAUMA Wlshm.

Trans. Ent. Soc. Lond. p. 127 pl. VII. f. 87
(1891).

- 3570
- M. metallifera*
- Wlshm.

Trans. Ent. Soc. Lond. p. 127 pl. VI. f. 69
(1891).

OXYMACHÆRIS Wlshm.

Trans. Ent. Soc. Lond. p. 129 pl. VII. f. 89
(1891).

- 3571
- O. zulella*
- Wlshm.

Trans. Ent. Soc. Lond. p. 277 pl. XIII. f. 44
(1881).

PENESTOGLOSSA Rogenh.

in. Feld. Reise Nov. pl. 129 f. 31 (1875).

- 3572
- P. capensis*
- Feld.

Reise Nov. pl. 129 f. 31 (1875).

PHYCODES Guen.

Spec. Gen. VI. p. 389 (1852).

- 3573
- Ph. punctata*
- Wlshm.

Trans. Ent. Soc. Lond. p. 78 pl. III. f. 18
(1891).

PTYCHOXENA Meyr.

Exot. Mier. I. p. 615 (1916).

- 3574
- Pt. tenhrantha*
- Meyr.

Exot. Mier. I. p. 616 (1916).

RHŒCOPTERA Meyr.

Ann. S.A. Mus. V. p. 373 (1909).

- 3575
- Rh. gigas*
- Wlshm.

Trans. Ent. Soc. Lond. p. 107 pl. V. f. 43
(1891) (Ecophoridae).

SERICORIS Treit.

Schmett. Eur. VII. p. 230 (1829).

- 3576
- S. scabellana*
- Zell.

Lep. Microptera. p. 81 (1952).

STEGANOPTYCHA Steph.

Cat. Brit. Ins. p. 176 (1829).

- 3578
- St. infasta*
- Wlshm.

Trans. Ent. Soc. Lond. p. 232 (1881).

HEPIALIDÆ.

DALACA Wlk.

- Cat. VII. p. 1559 (1856).
- 3579 D. ammon Wllgrn.
Wien. ent. Mon. IV. p. 43 (1860).
- 3580 D. cretata Dist.
A.M.N.H. (6) XX. p. 211 (1897).
- 3581 D. ibex. Wllgrn.
Wien. ent. Mon. IV. p. 43 (1860).
- 3582 D. namaqua Wlk.
Cat. VII. p. 1560 (1856).
- 3583 D. hololeuca Hmpsn.
A.M.N.H. (8) VI. p. 160 (1910).
- 3584 D. albistriata Hmpsn.
A.M.N.H. (8) VI. p. 159 (1910).
- 3585 D. albirivula Hmpsn.
A.M.N.H. (8) VI. p. 159 (1910).
- 3586 D. leucocyma Hmpsn.
A.M.N.H. (8) VI. p. 159 (1910).
- 3587 D. rufescens Hmpsn.
A.M.N.H. (8) VI. p. 158 (1910).
- 3588 D. furva Hmpsn.
A.M.N.H. (8) VI. p. 158 (1910).
- 3589 D. metaleuca Hmpsn.
A.M.N.H. (8) VI. p. 158 (1910).
- 3590 D. tumidifascia Hmpsn.
A.M.N.H. (8) VI. 157 (1910).
- 3591 D. goniophora Hmpsn.
A.M.N.H. (8) VI. 157 (1910).
- 3592 D. rhodesiensis Hmpsn.
A.M.N.H. (8) VI. 157 (1910).
- 3593 D. fuscescens Hmpsn.
A.M.N.H. (8) VI. p. 156 (1910).
- 4594 D. exul. H.-S.
Aussereur. Schmett. 1 t. 10 f. 43 (1855).

LETO Hübn.

- Verz. bek. Schmett. p. 197 (1822).
- 3595 L. venus Stoll.
Pap. Exot. 3 t. 286 f. C, D. (1780).

PHASSUS Wlk.

- Cat. VII. p. 1566 (1856).
- 3596 Ph. tessellatus H.-S.
Äus. Eur. Schmett. p. 147 (1854).

GORGOPIIS Hübn.

- Verz. Bek. Schmett. p. 198 (1822).
- 3597 G. bacotii Quail.
Trans. Ent. Soc. Lond. p. 421 pl. V. f. 1 (1900).

- 3598 *G. butleri* Dew.
Nova Acta Deuts. Akad. p. 64 pl. II. f. 25
(1881).
- 3599 *G. caffra* Wlk.
Cat. VII. p. 1565 (1856).
- 3600 *G. libania* Stoll.
Pap. Exot. IV. pl. 356 f. F. (1782).
- 3601 *G. zellerii* Dew.
Nova Acta Deut. Akad. p. 64 pl. II. f. 22
(1881).
- 3602 *G. plurimaculata* Warr.
Ann. S.A. Mus. X. p. 507 pl. XLI. f. 26 (1914)
- 3603 *G. albiplumis* Warr.
Ann. S.A. Mus. X. p. 506 XLI. f. 27 (1914).
- 3604 *G. intervallata* Warr.
Ann. S.A. Mus. X. p. 507 pl. XLI. f. 29 (1914).
- 3605 *G. olivaceonotata* Warr.
Ann. S.A. Mus. X. p. 506 pl. XLI. f. 28 (1914).

PTYCHOLOMA Feld.

- Reise Nov. pl. 82 f. 11 (1874).
- 3606 *Pt. aurifaber* Feld.
Reise Nov. pl. 82 f. 11 (1874).
- 3607 *Pt. antarcticus* Wllgrn.
Wien. ent. Mon. IV. p. 43 (1860).
-

INDEX.

- | | | | |
|---------------|-----|--------------|-----|
| Abacistis | 198 | Ambia | 156 |
| Abrostola | 46 | Amphidroma | 26 |
| Acantharetia | 11 | Amsacta | 11 |
| Acanthodelta | 43 | Amydria | 213 |
| Acantholipes | 49 | Amyna | 59 |
| Aeanthonyx | 40 | Anacampsis | 179 |
| Aeanthopsyche | 125 | Anacosmilla | 95 |
| Achaea | 41 | Anadiasa | 129 |
| Acheront'a | 74 | Anaphe | 84 |
| Acidiastis | 94 | Anaphosia | 8 |
| Aclonophlebia | 70 | Anars'a | 185 |
| Acoitesis | 93 | Aneylis | 173 |
| Acontia | 37 | Aneylosis | 151 |
| Acorostoma | 213 | Aneyloolia | 145 |
| Acrapex | 30 | Androlynnia | 29 |
| Aerasia | 105 | Androzeugma | 94 |
| Acripia | 36 | Anerastia | 145 |
| Acrobasis | 147 | Anomoeotes | 140 |
| Acrocercops | 200 | Anorthosia | 187 |
| Acrolepia | 204 | Antarchæa | 53 |
| Acronycta | 24 | Antarctia | 12 |
| Actenia | 155 | Antharmistes | 89 |
| Adaina | 168 | Anthemoctena | 105 |
| Adela | 216 | Antheua | 81 |
| Adisura | 15 | Anthozela | 176 |
| Adrallia | 135 | Anthrocera | 138 |
| Æchnia | 216 | Antigastra | 163 |
| Ægeria | 169 | Antiphlebia | 46 |
| Ægocera | 14 | Anua | 40 |
| Æoloscelis | 191 | Aphilopota | 109 |
| Afrophyla | 87 | Apisa | 4 |
| Agathodes | 160 | Apluda | 136 |
| Agdist's | 169 | Apocheima | 109 |
| Aglossa | 152 | Apoda | 135 |
| Aglossodes | 155 | Apoprogones | 38 |
| Aglossosia | 8 | Arae | 24 |
| Agrotis | 16 | Arbela | 126 |
| Alelimma | 65 | Arbelodes | 126 |
| Alispa | 150 | Archernis | 162 |
| Alispoides | 150 | Archichlora | 88 |
| Alloclita | 194 | Arciocossus | 128 |
| Allocrostes | 94 | Arcyophora | 36 |
| Altha | 136 | Arenostola | 30 |
| Alucita | 167 | Argema | 120 |
| Alytarchia | 74 | Argyractis | 156 |
| Amalthisa | 200 | Argyresthia | 197 |
| Amata | 3 | Argyrographa | 92 |
| Ambala | 145 | Argyrophora | 105 |

Argyroploce	175	Bradina	157
Argyrotoxa	172	Brentbia	203
Ariath'sa	28	Brephia	146
Arichalea	138	Brevipeeten	53
Aristotelia	178	Brihaspa	144
Arniocera	140	Brithys	18
Ascotis	110	Bucculatrix	205
Aspidifrontia	19	Bryophila	40
Aspilates	117	Bryothripa	35
Aspilatopsis	107	Bunaea	121
Asura	9		
Atabyria	212	Cacocacia	171
Athetis	26	Cacophyia	195
Athletes	122	Cænarthria	119
Atychia	176	Caffristis	21
Atrasana	85	Calamia	31
Audea	37	Calamistis	30
Augasma	202	Calesia	48
Austrosetia	170	Calliodes	39
Authadistis	48	Call'oratis	118
Axiodes	108	Callopistria	51
Azygophleps	127	Callyna	32
		Calpe	50
Bactra	174	Califormis	23
Balaera	4	Cambogia	105
Ban'ana	52	Campsiceras	91
Bantuana	82	Campptogramma	100
Barbaroscardia	211	Candiope	147
Bareia	49	Canthelea	147
Barrama	87	Caphara	134
Basiothia	78	Carcinopodia	8
Batoenema	75	Cardiosace	61
Batrachedra	202	Caripodia	8
Bazisa	66	Carposina	170
Bedellia	208	Cartaletis	87
Beralade	132	Catacylsta	156
Biafra	144	Catalebeda	131
Bicelluphora	67	Catamaeta	216
Bielavigera	108	Citamecia	29
Blabophanes	210	Catascia	110
Blastobasis	192	Catephia	47
Blenina	35	Catochria	86
Boarmia	111	Celama	5
Bocchoris	158	Celerio	78
Bombycomorpha	132	Cel'domphax	91
Bombycopsis	133	Centrarthra	25
Borkhausenia	194	Centroctena	79
Boro'ji	19	Centrogone	29
Bostra	154	Cephonodes	76
Botyodes	159	Ceratopacha	132
Bracharoa	67	Cerocala	44
Brachartona	140	Ceromitia	214
Brachionycha	83	Cerura	85
Brachmia	183	Cerynea	56
Brachyl'a	127	Ceryx	3

<i>Cetola</i>	24	<i>Collix</i>	102
<i>Chadisra</i>	85	<i>Cometaster</i>	39
<i>Chalcidoptera</i>	158	<i>Comibæna</i>	88
<i>Chalcoipe</i>	43	<i>Comostolopsis</i>	93
<i>Chalia</i>	125	<i>Conchylia</i>	104
<i>Characoma</i>	34	<i>Concoades</i>	134
<i>Charidea</i>	21	<i>Conicofrontia</i>	31
<i>Charilina</i>	14	<i>Conolophia</i>	87
<i>Charltona</i>	143	<i>Conservula</i>	23
<i>Chasmina</i>	32	<i>Constantia</i>	155
<i>Chelaria</i>	184	<i>Copifrontia</i>	29
<i>Cheroscelis</i>	89	<i>Copobathra</i>	206
<i>Chilo</i>	143	<i>Coptoproctis</i>	207
<i>Chionema</i>	8	<i>Corgatha</i>	57
<i>Chiarostoma</i>	213	<i>Corium</i>	87
<i>Chlorerythra</i>	99	<i>Cortyta</i>	44
<i>Chloridea</i>	15	<i>Coryphodema</i>	127
<i>Chlorissa</i>	90	<i>Cosmophilà</i>	52
<i>Chloroclystis</i>	103	<i>Cosmopieryx</i>	188
<i>Chlorocoma</i>	91	<i>Cosmorrhyncha</i>	175
<i>Chlorophytis</i>	213	<i>Cossus</i>	127
<i>Chlorosterrha</i>	93	<i>Crambus</i>	142
<i>Chlorozada</i>	35	<i>Crambometra</i>	105
<i>Chlumet'a</i>	33	<i>Crameria</i>	139
<i>Chogada</i>	111	<i>Cran'ophora</i>	24
<i>Cholotis</i>	189	<i>Craspia</i>	132
<i>Chondrostegoides</i>	134	<i>Craterestra</i>	18
<i>Choreutis</i>	204	<i>Creaga</i>	68
<i>Chryozonata</i>	56	<i>Creatonotus</i>	11
<i>Chrysocraspeda</i>	100	<i>Cretonia</i>	57
<i>Chrysocyma</i>	9	<i>Criophthona</i>	163
<i>Chrysopoloma</i>	134	<i>Criticomona</i>	208
<i>Chrysotypus</i>	127	<i>Crobylophora</i>	206
<i>Chusaria</i>	65	<i>Crocidolomia</i>	161
<i>Chytonyx</i>	24	<i>Crocidophora</i>	165
<i>Cimola</i>	66	<i>Cropera</i>	68
<i>Cinabra</i>	123	<i>Crothæma</i>	135
<i>Cirina</i>	121	<i>Cryptolechia</i>	195
<i>Cirphis</i>	19	<i>Cryptothripa</i>	34
<i>Cirrhœdia</i>	52	<i>Ctenolita</i>	138
<i>Cirrodes</i>	29	<i>Ctenosia</i>	6
<i>Clania</i>	124	<i>Ctenusa</i>	39
<i>Cledeoki</i>	155	<i>Cneullia</i>	20
<i>Cleora</i>	111	<i>Culladia</i>	142
<i>Cleroptila</i>	202	<i>Cuneisigna</i>	43
<i>Cnemidolophus</i>	194	<i>Cusiala</i>	109
<i>Cnephasia</i>	172	<i>Cyholomia</i>	163
<i>Cnodifront'a</i>	51	<i>Cyclopera</i>	32
<i>Coccothera</i>	174	<i>Cycloponympha</i>	205
<i>Cœlonia</i>	75	<i>Cydia</i>	176
<i>Cœnina</i>	116	<i>Cyligramma</i>	38
<i>Cœnobasis</i>	136	<i>Cymaroa</i>	72
<i>Cœnotephria</i>	101	<i>Cyrtogone</i>	122
<i>Cœsyra</i>	194	<i>Cyrtojana</i>	79
<i>Coleophora</i>	202	<i>Cytothymia</i>	32

Dalaca	218	Earias	35
Daseocheta	24	Eboda	172
Dasyacampa	68	Eco-sis	175
Dasychira	68	Ecyumatoge	102
Dasypolia	22	Ectochela	21
Dasyses	214	Ectolopha	29
Datana	86	Ectropa	135
Daulia	156	Entropis	110
Deilemera	74	Egnasia	63
Deilephila	76	Egybolis	38
Delta	25	Elachista	201
Demobrotis	208	Eleodes	44
Dendrolimus	131	Eleusina	151
Depressaria	153	Elophos	110
Dermaleipa	40	Emathendes	144
Derrioides	107	Empusada	20
Desmeocraera	83	Encoptotis	183
Deuterocopus	167	Endotricha	152
Diucrisia	10	Enicostoma	194
Diacrotricha	166	Emmonodia	39
D'aneura	138	Entephria	157
Diaphone	19	Eatomogramma	39
Diasemia	163	Eoehra	122
Dicanica	208	Epanajba	84
Dichocrosis	159	Epermenia	197
D'chomeris	186	Ephestia	151
Dichroma	92	Ephysteris	182
Didia	146	Epicephala	200
Digama	73	Eoichopteryx	216
Dinara	83	Eiachorista	171
Diocosmia	186	Epilecta	99
Dionychopus	12	Epicosymbia	95
Diota	74	Epiphora	120
Diparopsis	23	EpiphRACTIS	199
Diplonyx	8	Eophthora	179
Diptychis	104	Epilema	124
Dirades	124	Epipyrops	137
Discalma	114	Epirrhoe	102
Discofrontia	145	Episparis	63
Discomiosis	95	Epistomotis	204
Dissoctena	216	Epithectis	179
Disticta	63	Epitoxis	4
Ditrahyptera	147	Epizygrena	140
Dolosis	93	Eporjeta	196
Dragmatueha	183	Ercta	158
Drepanogynis	106	Erechthiodes	189
Drosica	214	Eretmocera	189
Duonitus	128	Eriogaster	133
Duponchelia	156	Eriopus	23
Durbana	118	Eromene	143
Dyscia	107	Essina	165
Dysm'lichia	28	Estigmene	11
Dysodia	141	Ethiop'ea	28
Dysphyllia	146	Ethiopteria	29

Etiella	149	Glossotrophia	98
Eublemma	54	Glyphipteryx	203
Eublemmistic	53	Glyphodes	160
Euchloron	78	Gnophos	110
Euchromia	4	Gnorimoschema	182
Euclasta	161	Gonanticlea	101
Eucleodora	193	Gonimbrasia	120
Euclidisema	43	Goniocalpe	36
Eucosma	173	Gonodontis	115
Eucrostes	94	Gonometa	130
Endemis	173	Goodia	123
Euexia	116	Gorgopis	218
Engoa	10	Gracilaria	201
Eulechria	192	Grammaretia	12
Eulocastra	61	Grammodes	43
Eulophonotus	127	Grammoscelis	22
Eulymnia	29	Graphania	19
Eulype	102	Gyalomia	120
Eumichtis	21	Gymnelema	128
Euonychodes	40	Gymnogramma	198
Eupagia	108	Gynanisa	122
Euphiusa	42	Gypsosaris	204
Ephydia	100		
Eupithecia	103	Hadena	18
Euplexia	22	Hadenella	25
Euplocamus	216	Hadjina	28
Euproctis	71	Haggardia	108
Eurhodope	146	Haplopacha	130
Eurosia	8	Hapsifera	212
Eurrhyparodes	158	Harpella	193
Eurycerota	144	Hebdomophrada	106
Eustrotia	60	Hednophora	195
Eutelia	33	Heliophisma	41
Enterpiodes	32	Hellula	161
Entimia	84	Hemerophila	109
Eutomis	3	Hemijana	81
Eutorna	193	Hemistola	93
Euxoa	16	Henioeha	122
Euzophera	149	Heosphora	145
Exanthica	198	Herculia	153
Exaulistis	198	Herse	74
Exophila	51	Hespagarista	14
		Heterocerita	89
Facidia	47	Heterographis	150
Fidonia	117	Heterolepis	135
Filodes	159	Heterorachis	91
Fodina	49	Heterostegane	120
Fumea	216	Hibridis	66
		Hiccodia	57
Galleria	142	Hieroxestis	206
Gastropakaeis	132	Hippotion	78
Gavara	137	Hollandella	126
Gelechia	180	Holocera	123
Gephyristis	210	Holoecryptis	56
Getulia	149	Homaea	40

Homaloxestis	183	Labanda	46
Homochira	71	Lacera	47
Homeomeria	73	Laeipa	67
Homeosoma	151	Laelia	69
Hoplistopus	75	Laeliopsis	132
Hoplit's	85	Lamoria	141
Hoplojana	81	Lamprosia	7
Hoplotarache	61	Laodamia	149
Horisme	102	Laphygrna	25
Hosidia	146	Larentia	101
Hyblea	66	Lasiocampa	133
Hydrcili	105	Lasiochlora	92
Hydrillodes	65	Lasioctena	217
Hymenia	165	Laspeyres'a	176
Hymenoptychis	157	Lebeda	131
Hyoprora	214	Lebedodes	125
Hyostomodes	113	Lecithoeera	182
Hypagoptera	7	Leiorhynx	65
Hypanua	41	Leipoxais	132
Hypena	64	Lenodora	132
Hypereschra	86	Leocyma	37
Hypercallia	193	Lepidogma	151
Hyphantria	11	Lepidopalpus	66
Hypocala	50	Lepiodes	102
Hypogryphia	150	Lepista	5
Hyponomeuta	199	Lepocnemis	204
Hypoplexia	23	Leptoclanis	75
Hypotacha	38	Lepyrodes	161
Hypotia	156	Leto	218
Hypotype	21	Leucinodes	161
Hypsa	73	Leueochlaena	21
Hypsotropa	145	Leucoptera	207
Iambia	24	Leucostrophus	77
Ichthyura	82	Leucovis	33
Idioglossa	189	Lichenopteryx	79
Idiophantis	179	Ligdia	118
Idiopteryx	195	Likoma	76
Idiotehra	110	Limnecia	189
Illema	6	Lithacodia	60
Illemodes	10	Lithocolletis	200
Illa	109	Lithostege	104
Imbrasia	121	Lobesia	172
Induna	97	Lobobunaea	121
Inöus	86	Lophilema	6
Iriothyrsa	203	Lophocrama	35
Ischnopsis	217	Lophocyttara	56
Ischnurges	162	Lophodonta	86
Isoerita	198	Lephoptera	34
Isolopha	151	Lophopteryx	86
Isopleria	95	Lophorrhachia	89
Isturgia	117	Lophoruza	56
Jana	81	Lophostethus	76
Janomima	79	Lophostola	93
		Lophotarsia	25
		Loryma	155

<i>Loxofidonia</i>	102	<i>Mesogenea</i>	48
<i>Loxopora</i>	117	<i>Mesopherna</i>	211
<i>Ludia</i>	123	<i>Metacianda</i>	187
<i>Luma</i>	157	<i>Metacineta</i>	88
<i>Lyeangidia</i>	105	<i>Metadula</i>	129
<i>Lycophotia</i>	17	<i>Metallochlora</i>	90
<i>Lygropia</i>	169	<i>Metapioplasta</i>	62
<i>Lymantria</i>	70	<i>Metarbelia</i>	126
<i>Lyonetia</i>	207	<i>Metarbelodes</i>	126
<i>Lysecia</i>	7	<i>Metaretzia</i>	4
<i>Lytrophila</i>	198	<i>Metasia</i>	163
 		<i>Metecis</i>	147
<i>Mabillia</i>	146	<i>Metzneria</i>	177
<i>Macalla</i>	151	<i>Miantochora</i>	116
<i>Macaria</i>	113	<i>Micragrotis</i>	15
<i>Machlotricha</i>	186	<i>Micraloia</i>	71
<i>Maena</i>	152	<i>Micerilema</i>	8
<i>Macroglossum</i>	77	<i>Microcolona</i>	190
<i>Macroplectra</i>	136	<i>Microgia</i>	105
<i>Macrosin</i>	6	<i>Microloxia</i>	92
<i>Macrotimactis</i>	167	<i>Microschismus</i>	165
<i>Mænas</i>	10	<i>Microsphinx</i>	77
<i>Magulaba</i>	63	<i>Microthamna</i>	217
<i>Magusa</i>	22	<i>Microthrix</i>	148
<i>Malamblia</i>	140	<i>Miltochrista</i>	9
<i>Manatha</i>	125	<i>Mimasura</i>	61
<i>Marasmarcha</i>	168	<i>Mimleucania</i>	26
<i>Marasmia</i>	158	<i>Mimoclystia</i>	102
<i>Marathyssa</i>	34	<i>Miriades</i>	40
<i>Marmoroplegma</i>	79	<i>Mionides</i>	24
<i>Marshalliana</i>	126	<i>Miresa</i>	137
<i>Maruea</i>	162	<i>Mixocera</i>	94
<i>Matopa</i>	24	<i>Mocis</i>	43
<i>Mauna</i>	105	<i>Mompha</i>	190
<i>Maurilia</i>	35	<i>Monda</i>	125
<i>Mecodina</i>	48	<i>Monopis</i>	214
<i>Mecyna</i>	163	<i>Murgisea</i>	152
<i>Megacraspedus</i>	178	<i>Mussidia</i>	147
<i>Megalodes</i>	53	<i>Myelois</i>	146
<i>Megasis</i>	149	<i>Myrioblephara</i>	110
<i>Megathripa</i>	35	<i>Myrrhinitis</i>	201
<i>Melanalis</i>	155	 	
<i>Melanocera</i>	122	<i>Naarda</i>	65
<i>Melanthia</i>	100	<i>Nacoleia</i>	159
<i>Melasina</i>	211	<i>Nadasa</i>	130
<i>Melebæas</i>	85	<i>Namangana</i>	29
<i>Meliaba</i>	46	<i>Naroma</i>	72
<i>Meliana</i>	20	<i>Narosa</i>	137
<i>Melinoëssa</i>	119	<i>Nassunnia</i>	118
<i>Melissoblaptes</i>	165	<i>Natada</i>	137
<i>Melittia</i>	169	<i>Neaxestis</i>	36
<i>Meneclia</i>	10	<i>Negera</i>	141
<i>Mendesia</i>	202	<i>Negeta</i>	36
<i>Meneptera</i>	61	<i>Nemotois</i>	216
<i>Mesocelis</i>	133	<i>Neobostra</i>	154


Neochrostis	57	Opogona	206
Neostege	160	Opostega	205
Nephantis	196	Opsaroa	9
Nephelle	76	Oreinobia	73
Nephopteryx	147	Orgyia	67
Nepticula	204	Orgyiodes	117
Neromia	90	Oria	31
Netrocera	170	Orna	139
Neurosmploca	139	Orneodes	165
Neurotoca	90	Ornithopsyche	71
Noctuelia	165	Ortholitha	101
Nodaria	65	Orthonama	100
Nola	5	Oruza	56
Nomophila	162	Osica	83
Noorda	163	Osteodes	114
Nopia	116	Ovios	32
Nosophora	159	Oxymachaeris	217
Nothabraxas	117	Oxyptilus	166
Nothris	185	Ozarba	57
Notoxantha	82	Ozola	87
Nudaurelia	121		
Nyctipao	38	Pachymeta	130
Nymphula	156	Pachypasa	130
Oboleola	117	Pachyrabda	190
Obtusipalpis	143	Pachyzancla	162
Ochrocalama	30	Facidara	33
Oehrostigma	85	Pagyda	158
Oeinara	124	Paida	14
Oeinaropsis	134	Pais	14
Oeystola	194	Palæaspilates	99
Odenestis	133	Palætheta	197
Odites	196	Pamplusia	175
Odontestra	18	Panagropsis	87
Odontocheilopteryx	132	Panicotricha	184
Odontosida	77	Pansa	82
Œcophora	193	Pantocenia	137
Œdebasis	46	Parachalciope	43
Œdematopoda	189	Paracelpsis	116
Œderastria	59	Paracrocota	117
Ogoa	66	Paracroria	25
Oinophila	206	Paractenia	153
Olapa	66	Paradasena	34
Oligia	23	Paragathia	88
Oligochroa	148	Paralebeda	125
Oligochroides	149	Parallelia	42
Oligographa	75	Paralogistis	191
Olyra	133	Paraona	7
Omizodes	116	Paraphomia	142
Omocena	138	Paraprasina	92
Omphacodes	93	Parapsectris	182
Omphaloceps	14	Parasa	136
Omphalucha	109	Parasyntomis	140
Omphax	91	Paraspistes	187
Ophideres	50	Parathermes	50

Parathuerta	32	Phytometra	45
Paraxestis	36	Pierospora	210
Parazelota	198	Piesmopoda	147
Pardasena	34	Piletocera	157
Pareclipsis	116	Pilocrosis	159
Parectopa	201	Pilotocoma	207
Parexaula	197	Pingasa	88
Paristhunia	183	Pionea	163
Paromphale	28	Pirga	67
Paroruza	56	Pisoraca	99
Paryphanta	137	Pitharcha	213
Paschiodes	162	Pithyllis	155
Pasteosia	7	Pithea	74
Patissa	144	Plateoplia	115
Paurophleps	9	Platyja	49
Pauroptila	190	Platybathra	204
Pect'nigera	145	Platypepla	115
Penestoglossa	217	Platyptilia	166
Penisa	59	Platysphinx	75
Perizyma	44	Platytetes	142
Peridela	112	Plecoptera	53
Perigea	23	Plecopterodes	44
Perizoma	101	Plegopteryx	116
Peronea	172	Pleurona	51
Perusiopsis	117	Plexippica	199
Petelia	120	Plusiodonta	50
Petovia	87	Plusiopalpa	45
Petrodava	115	Plutella	204
Pachyrhabda	190	Pogononeura	148
Phalera	83	Pogonotropha	150
Phalerodes	30	Polia	18
Pharmacis	170	Poliana	75
Phasieneucus	81	Polienus	86
Phassus	218	Poloma	79
Phiala	80	Polychrosis	174
Philenora	9	Polydesma	48
Philobota	195	Polyhymno	178
Philudoria	134	Polymnia	70
Phlegetonia	33	Polyocha	144
Phlyctænodes	162	Polyptychus	76
Phœnicocampa	116	Polystroma	100
Photodotus	179	Polythlipta	161
Phragmatiphila	30	Porosagrotis	15
Phragmatobia	10	Porotica	203
Phragmatœcia	127	Porthesia	72
Phryganopsis	6	Poujadia	145
Phthinostoma	202	Prædora	75
Phthorimæa	182	Prasinocyma	89
Phthoropœa	212	Pretoria	148
Phycodes	217	Prionofrontia	46
Phyllalia	80	Pristarthria	148
Phyllaliodes	84	Probalintha	135
Phyllobrostis	207	Problepsis	95
Phyllocnistis	207	Procanthia	12
Phyllophilà	57	Procometis	196

Proconis	48	Rhanidophora	50
Procrateria	28	Rhinobombyx	124
Procypha	115	Rhizotype	21
Prodenia	25	Rhodafra	78
Promalactis	192	Rhodesia	92
Proruaca	48	Rhodochlaena	21
Prosaris	153	Rhodochrysa	146
Prosarotra	194	Rhodogastria	13
Proschaliphora	12	Rhodometra	104
Prosomphax	91	Rhodoneura	141
Protarache	57	Rhodophtitus	118
Proterozeux's	141	Rhodotarache	63
Proxenus	28	Rhecoptera	217
Psalis	70	Rhynchina	64
Psecadia	207	Rhynchopaschia	151
Pselnophorus	167	Rhyncodes	37
Pseudaglossa	63	Rhypopteryx	72
Pseudaphelia	122	Rigima	84
Pseudoclanis	75	Risoba	35
Pseudomenas	106	Reeselia	5
Pseudometa	131	Rothia	13
Pseudomicrodes	60		
Pseudonaclia	4	Sacada	153
Pseudurgis	210	Salebria	148
Psichotoë	3	Salimca	138
Psilocera	115	Saliuncella	138
Psilocladia	115	Saluria	145
Psycharium	135	Sameodes	161
Psyche	125	Saphenentis	210
Pteredoia	72	Sarmatia	51
Pterocerota	66	Saropla	192
Pterophorus	168	Sauris	104
Ptilothyris	183	Scalmicauda	82
Ptisanora	212	Scardamia	118
Ptycholoma	219	Scardia	214
Ptychopoda	98	Schematistis	184
Ptychoxena	217	Sceliodes	164
Pusiola	6	Schistissa	79
Pyenostola	177	Schoenobius	144
Pydna	82	Sciapteron	169
Pygetera	73	Scirpophaga	144
Pyralis	152	Scoparia	157
Pyrausta	164	Scopula	95
Pyroderces	188	Serancia	83
		Seythris	191
Racotis	110	Scythropia	200
Raghuvा	14	Secusio	13
Ramesa	83	Seirarctia	12
Ramesodes	30	Selagena	126
Raparna	52	Selenistis	32
Redoa	67	Selepa	34
Repena	73	Semioptila	140
Rethona	86	Sena	134
Rhadinomphax	92	Sericoris	217
Rhaesena	64	Serrodes	47

Sesamia	31	Sygrapha	45
Setoetena	37	Synoria	149
Setomorpha	214	Syntomis	3
Siccia	9		
Sicyodes	107	Tæda	135
Sidemia	23	Tagoropsis	123
Simæthis	203	Talis	143
Simyra	124	Tarache	62
Sindris	154	Taragama	129
Sitotroga	177	Tascia	138
Soloë	74	Tathorynchus	51
Somara	137	Tavia	47
Somatina	95	Tegostoma	164
Somera	85	Tegulifera	153
Sozna	6	Telphusa	179
Speiredonia	39	Temelucha	204
Sphenarechus	166	Temnora	77
Sphinetocera	146	Tephrina	112
S. hingomorpha	47	Teracotona	12
Sph'ngonæpiopsis	77	Teragra	126
Sf'lonota	173	Terastia	162
Spiramiopsis	80	Tetracme	65
Spodoptera	25	Thalassodes	89
Stagmatophora	188	Thalatha	24
Stathmopoda	190	Thaumetopœa	138
Staudingeria	150	Theretra	78
Stauropus	84	Thermesia	49
Stegania	119	Thliptoceras	161
Steganoptyea	217	Thosea	137
Stegasta	182	Thraniticæa	211
Stegothyris	156	Thriophora	181
Stemagoris	210	Thymathæa	9
Stemmatophora	153	Thyatirina	61
Stenia	157	Thyestarcha	199
Stenoma	197	Thymospha	182
Stenophatma	134	Thyretes	!
Stenopterygia	22	Tigrioides	5
Stenoptilia	169	Timora	15
Stibolepis	81	Tinea	209
Stictoptera	34	Tineola	208
Stomafrontia	25	Tinthia	169
Stomphastis	200	Tiquadra	213
Strenophila	187	Tischeria	208
Striphnopteryx	79	Tissanga	82
Strolisia	184	Titanoptilus	166
Struthisca	211	Tohna	41
Surattha	143	Tortrix	171
Susica	136	Toxocampa	53
Syfanoidea	14	Trabala	131
Sylepta	160	Trachea	22
Symbatica	187	Trachonitis	147
Symmoea	186	Trachydora	190
Synealamia	30	Trachypteryx	149
Syndromodes	92	Traminda	99
Syngamia	158	Trichaeta	3

Trichiura	129	Westermannia	36
Trichocossus	128	Xanthetis	9
Trichophaga	208	Xanthoptera	53
Trichophiala	80	Xanthorhoë	100
Trichopisthia	131	Xanthospilopteryx	13
Trichoptilus	166	Xanthozona	59
Trichotaphe	185	Xenimpia	116
Trilocha	124	Xenochlorodes	94
Triphassa	153	Xenophanta	187
Trochastica	199	Xyleutis	128
Trymalitis	177	Xylomania	18
Tuerta	14	Xylopteryx	109
Tugela	142	Xyloricta	196
Tumidfrontia	29	Xyrosaris	199
Tyndis	155		
 Ulochlaena	21	Ypsolophus	186
Ulometra	214		
Ulopeza	159	Zamarada	119
Ulothrichopus	38	Zana	83
Uncula	57	Zebronia	157
Urapteroides	124	Zerenopsis	118
Urbania	150	Zethes	63
Urota	123	Zeuzera	128
Usta	123	Zinekenia	158
Utetheisa	13	Zitha	154
Veniliodes	118	Zutulba	139
Victoria	88	Zygæna	140
		Zygophyxia	98



H 3047 ①

SMITHSONIAN INSTITUTION LIBRARIES



3 9088 00722 7366