

Cedar Rock SNA Bioblitz

Species found June 18, 2022 (preliminary data)

Plants:

- *Achillea millefolium*; common yarrow
- *Agrimonia striata*; roadside agrimony
- *Alisma* sp.; Water Plantain
- *Ambrosia artemisiifolia*; Ragweed
- *Ambrosia psilostachya*; western ragweed
- *Ambrosia trifida*; Giant Ragweed
- *Androsace occidentalis*; western androsace
- *Anemone canadensis*; canada anemone
- *Anemone cylindrica*; long-headed thimbleweed
- *Apocynum sibiricum*; Clasping dogbane
- *Aquilegia canadensis*; columbine
- *Arctium minus*; Burdock
- *Arisaema triphyllum*; Jack-in-the-Pulpit
- *Asclepias incarnata*; swamp milkweed
- *Asclepias syriaca*; common milkweed
- *Athyrium Filix-femina*; Lady Fern
- *Berteroa incana*; Hoary Alyssum
- *Caltha palustris*; common marsh marigold
- *Capsella bursa-pastoris*; shepherd's-purse
- *Carduus acanthoides*; Plumeless Thistle
- *Cerastium arvense*; field chickweed
- *Cerastium nutans*; nodding chickweed
- *Ceratophyllum demersum*; Common Coontail
- *Chenopodium berlandieri*; pitseed goosefoot
- *Cicuta maculata*; spotted water hemlock
- *Cirsium altissimum*; tall thistle
- *Cirsium vulgare*; Bull Thistle
- *Convolvulus arvensis*; Field Bindweed
- *Coronilla varia*; Crown-vetch
- *Crepis tectorum*; Hawk's Beard
- *Cynoglossum officinale*; hound's tongue
- *Cystopteris fragilis*; fragile fern
- *Delphinium carolinianum*; Carolina Larkspur
- *Descurainia pinnata*; pinnate tansy mustard
- *Erigeron philadelphicus*; Philadelphia fleabane
- *Eupatorium perfoliatum*; common boneset
- *Euthamia graminifolia*; grass-leaved goldenrod
- *Eutrochium maculatum*; spotted Joe pye weed
- *Fragaria vesca*; Woodland Strawberry
- *Fragaria virginiana*; common strawberry
- *Galium aparine*; cleavers
- *Galium asprellum*; rough bedstraw
- *Galium boreale*; northern bedstraw
- *Galium obtusum*; obtuse bedstraw
- *Geranium carolinianum*; Carolina Cranesbill
- *Geum canadense*; white avens
- *Glechoma hederacea*; Ground Ivy
- *Glycyrrhiza lepidota*; wild licorice
- *Gratiola neglecta*; Clammy Hedge-hyssop
- *Hackelia deflexa*; nodding stickseed
- *Hedeoma hispida*; mock pennyroyal
- *Hedyotis longifolia*; bluets
- *Helenium autumnale*; Sneezeweed
- *Helianthus giganteus*; giant sunflower
- *Helianthus grosseserratus*; sawtooth sunflower
- *Hesperis matronalis*; dame's rocket
- *Houstonia longifolia*; Long-leaf Bluets
- *Hypoxis hirsuta*; Yellow Star-grass
- *Impatiens* sp.; Touch-me-not
- *Iris virginica*; southern blue flag
- *Lactuca canadensis*; Canada wild lettuce
- *Lathyrus palustris*; marsh vetchling
- *Lemna* sp; Duckweed
- *Lemna trisulca*; Star Duckweed
- *Leonurus cardiaca*; common motherwort
- *Lepidium densiflorum*; Prairie Pepperweed
- *Lycopus americanus*; cut-leaved bugleweed
- *Lycopus asper*; rough bugleweed
- *Lycopus uniflorus*; northern bugleweed
- *Lysimachia ciliata*; fringed loosestrife
- *Lysimachia thyrsoiflora*; Tufted Loosestrife
- *Lythrum alatum*; Winged Loosestrife

- *Maianthemum stellatum*; starry false Solomon's seal
- *Medicago lupulina*; Black Medick
- *Menispermum canadense*; Canada moonseed
- *Mentha arvensis*; common mint
- *Monarda fistulosa*; wild bergamot
- *Nepeta cataria*; Catnip
- *Onoclea sensibilis*; Sensitive Fern
- *Opuntia fragilis*; Brittle Prickly Pear
- *Opuntia macrorhiza*; Plains Prickly Pear
- *Osmorhiza claytonii*; Clayton's sweet cicely
- *Oxalis dillenii*; southern wood sorrel
- *Packera plattensis*; Prairie Ragwort
- *Packera pseud aurea*; western heart-leaved groundsel
- *Persicaria amphibia*; Swamp Smartweed
- *Phemeranthus parviflorus*; small-flowered farnflower
- *Physalis heterophylla*; clammy ground cherry
- *Plantago patagonica*; Woolly Plantain
- *Plantago rugelii*; Rugel's plantain
- *Platanthera* sp.; rein orchid
- *Potentilla arguta*; Tall Cinquefoil
- *Potentilla norvegica*; rough cinquefoil
- *Potentilla recta*; Sulphur-flowered Cinquefoil
- *Pycnanthemum virginianum*; Virginia mountain mint
- *Ranunculus fascicularis*; swamp buttercup
- *Ranunculus flabellaris*; Yellow Water Buttercup
- *Ratibida pinnata*; gray-headed coneflower
- *Rosa arkansana*; prairie rose
- *Rumex altissimus*; tall water dock
- *Rumex britannica*; great water dock
- *Rumex crispus*; curly dock
- *Sagittaria* sp.; arrowhead
- *Scutellaria galericulata*; marsh skullcap
- *Scutellaria leonardii*; Leonard's skullcap
- *Securigera varia*; crown vetch
- *Selaginella rupestris*; rock spikemoss
- *Silene latifolia*; white campion
- *Silphium perfoliatum*; cup plant
- *Solidago altissima*; late goldenrod
- *Solidago canadensis*; Canada goldenrod
- *Solidago gigantea*; giant goldenrod
- *Solidago riddellii*; Riddell's Goldenrod
- *Solidago speciosa*; Showy Goldenrod
- *Sonchus arvensis*; Sow-thistle
- *Sparganium eurycarpum*; giant bur-reed
- *Stachys palustris*; woundwort
- *Symphotrichum ericoides*; heath aster
- *Symphotrichum lanceolatum*; paniced aster
- *Symphotrichum novae-angliae*; New England Aster
- *Symphotrichum puniceum*; red-stemmed aster
- *Taraxacum officinale*; Dandelion
- *Teucrium canadense*; germander
- *Thalictrum dasycarpum*; Tall Meadow-rue
- *Thlaspi arvense*; pennycress
- *Tradescantia bracteata*; Bracted Spiderwort
- *Tragopogon dubius*; yellow goat's beard
- *Trifolium pratense*; red clover
- *Trifolium repens*; White Clover
- *Urtica dioica*; stinging nettle
- *Verbascum thapsus*; Common Mullein
- *Verbena hastata*; blue vervain
- *Veronica catenata*; water speedwell
- *Vicia americana*; American vetch
- *Viola canadensis*; rugulose violet
- *Viola nephrophylla*; northern bog violet
- *Viola sororia*; Common Blue Violet
- *Woodsia ilvensis*; rusty woodsia
- *Zizia aurea*; Golden Alexanders
- *Agrostis scabra*; rough bentgrass
- *Andropogon gerardii*; big bluestem
- *Bouteloua gracilis*; blue grama
- *Bromus inermis*; Smooth Brome
- *Bromus japonicus*; Japanese brome
- *Bromus tectorum*; Cheatgrass
- *Calamagrostis canadensis*; bluejoint
- *Calamagrostis stricta*; slimstem reedgrass
- *Dichanthelium acuminatum*; hairy panic grass
- *Dichanthelium oligosanthes* subsp. *scribnerianum*; Scribner's panic grass
- *Elymus repens*; Quack-grass

- *Elymus trachycaulus*; slender wheatgrass
 - *Elymus virginicus*; Virginia wild rye
 - *Glyceria grandis*; tall manna grass
 - *Glyceria striata*; fowl manna grass
 - *Hesperostipa spartea*; porcupine grass
 - *Hordeum jubatum*; Foxtail Barley
 - *Koeleria macrantha*; junegrass
 - *Muhlenbergia cuspidata*; Plains Muhly
 - *Muhlenbergia glomerata*; clustered muhly grass
 - *Muhlenbergia mexicana*; Mexican muhly grass
 - *Phalaris arundinacea*; Reed Canary-grass
 - *Phleum pratense*; Timothy
 - *Poa palustris*; fowl bluegrass
 - *Poa pratensis*; Kentucky bluegrass
 - *Spartina pectinata*; prairie cordgrass
 - *Eleocharis erythropoda*; bald spikerush
 - *Equisetum arvense*; field horsetail
 - *Juncus arcticus*; Baltic Rush
 - *Juncus dudleyi*; Dudley's rush
 - *Juncus torreyi*; Torrey's rush
 - *Scirpus pallidus*; Pale Bulrush
 - *Typha latifolia*; broad-leaved cattail
 - *Carex bebbii*; Bebb's sedge
 - *Carex bicknellii*; Bicknell's sedge
 - *Carex blanda*; charming sedge
 - *Carex cristatella*; crested sedge
 - *Carex duriuscula*; spike rush sedge
 - *Carex granularis*; granular sedge
 - *Carex gravida*; heavy sedge
 - *Carex inops* subsp. *heliophila*; sun-loving sedge
 - *Carex interior*; interior sedge
 - *Carex molesta*; troublesome sedge
 - *Carex pellita*; woolly sedge
 - *Carex radiata*; eastern star sedge
 - *Carex sartwellii*; Sartwell's sedge
 - *Carex sprengei*; Sprengel's sedge
 - *Carex stipata*; awl-fruited sedge
 - *Carex stricta*; tussock sedge
 - *Carex tetanica*; rigid sedge
 - *Carex tribuloides*; blunt broom sedge
 - *Carex vulpinoidea*; fox sedge
 - *Acer negundo*; Boxelder
 - *Acer saccharinum*; Silver Maple
 - *Amorpha fruticosa*; false indigo
 - *Celastrus scandens*; climbing bittersweet
 - *Celtis occidentalis*; hackberry
 - *Clematis virginiana*; virgin's bower
 - *Cornus racemosa*; gray dogwood
 - *Cornus sericea*; red-osier dogwood
 - *Fraxinus pennsylvanica*; Green Ash
 - *Juniperus virginiana*; eastern red cedar
 - *Lonicera morrowii*; Morrow's honeysuckle
 - *Parthenocissus vitacea*; woodbine
 - *Prunus virginiana*; chokecherry
 - *Quercus macrocarpa*; bur oak
 - *Rhamnus cathartica*; Common Buckthorn
 - *Rhus glabra*; smooth sumac
 - *Ribes americanum*; wild black currant
 - *Ribes missouriense*; Missouri gooseberry
 - *Rubus idaeus*; red raspberry
 - *Salix amygdaloides*; peach-leaved willow
 - *Salix discolor*; pussy willow
 - *Salix interior*; sandbar willow
 - *Salix petiolaris*; slender willow
 - *Symphoricarpos occidentalis*; wolfberry
 - *Toxicodendron rydbergii*; western poison ivy
 - *Ulmus americana*; American Elm
 - *Ulmus pumila*; Siberian Elm
 - *Ulmus rubra*; red elm
 - *Vitis riparia*; wild grape
- Birds:**
- Mallard
 - Ring-necked Pheasant
 - Mourning Dove
 - Yellow-billed Cuckoo
 - Common Nighthawk
 - Ruby-throated Hummingbird
 - Great Blue Heron
 - Turkey Vulture
 - Bald Eagle
 - Belted Kingfisher
 - Red-bellied Woodpecker
 - Downy Woodpecker
 - Willow Flycatcher

- Least Flycatcher
- Great Crested Flycatcher
- Eastern Kingbird
- Yellow-throated Vireo
- Warbling Vireo
- Blue Jay
- American Crow
- Black-capped Chickadee
- Northern Rough-winged Swallow
- Barn Swallow
- Cliff Swallow
- House Wren
- Marsh Wren
- Gray Catbird
- Eastern Bluebird
- Wood Thrush
- American Robin
- Cedar Waxwing
- American Goldfinch
- Field Sparrow
- Song Sparrow
- Eastern Towhee
- Yellow-breasted Chat
- Bobolink
- Orchard Oriole
- Baltimore Oriole
- Red-winged Blackbird
- Brown-headed Cowbird
- Common Grackle
- Ovenbird
- Common Yellowthroat
- American Redstart
- Yellow Warbler
- Scarlet Tanager
- Northern Cardinal
- Rose-breasted Grosbeak
- Indigo Bunting
- Dickcissel

Mammals:

- *Odocoileus virginianus*; White-tailed Deer
- *Tamiasciurus hudsonicus*; Red Squirrel
- *Castor canadensis*; Beaver (chewed trees)

- *Spermophilus tridecemlineatus*; Thirteen-lined Groundsquirrel

Reptiles:

- *Plestiodon septentrionalis septentrionalis*; Northern Prairie Skink

Odonata (Dragonflies and Damselflies):

- *Anax junius*; Common Green Darner
- *Arigomphus cornutus*; Horned Clubtail
- *Gomphurus externus*; Plains Clubtail
- *Erythemis simplicicollis*; Eastern Pondhawk
- *Leucorrhinia intacta*; Dot-tailed Whiteface
- *Libellula luctuosa*; Widow Skimmer
- *Libellula pulchella*; Twelve-spotted Skimmer
- *Pantala flavescens*; Wandering Glider
- *Plathemis lydia*; Common Whitetail
- *Tramea lacerata*; Black Saddlebags
- *Enallagma hageni*; Hagen's Bluet
- *Ischnura verticalis*; Eastern Forktail
- *Lestes dryas*; Emerald Spreadwing

Lepidoptera (Butterflies and Moths):

- *Pseudopostega cretea* (Meyrick, 1920);
- *Walshia miscecolorella* (Chambers, 1875); Sweetclover Root Borer Moth
- *Chionodes mediofuscella* (Clemens, 1863); Black-smudged Chionodes
- *Chionodes praeclarella* (Herrich-Schäffer, 1854);
- *Coleophora trifolii* (Curtis, 1832); Large Clover Casebearer
- *Coleophora deauratella* Lienig & Zeller, 1846;
- *Gillmeria pallidactyla* (Haworth, 1811); Yarrow Plume Moth
- *Aethes angulatana* (Robinson, 1869); Angular Aethes
- *Aethes biscana* (Kearfott, 1907); Reddish Aethes
- *Aethes razowskii* Sabourin & Miller, 2002; Razowski's Aethes Moth
- *Choristoneura rosaceana* (Harris, 1841); Oblique-banded Leafroller
- *Adoxophyes negundana* (McDunnough, 1923); *Adoxophyes negundana*
- *Xenotemna pallorana* (Robinson, 1869);

- *Endothenia nubilana* (Clemens, 1865); Cloudy Endothenia
- *Eucosma bilineana* Kearfott, 1907; Two-lined Eucosma
- *Eucosma giganteana* (Riley, 1881); Giant Eucosma
- *Eucosma radiatana* (Walsingham, 1879);
- *Eucosma awemeana* (Kearfott, 1907);
- *Pelochrista argentialbana* (Walsingham, 1879);
- *Pelochrista fiskeana* (Kearfott, 1905);
- *Pelochrista scintillana* (Clemens, 1865);
- *Epiblema otiosana* (Clemens, 1860); Bidens Borer
- *Sonia canadana* McDunnough, 1925; Canadian Sonia
- *Cydia pomonella* (Linnaeus, 1758); Codling Moth
- *Ecdytolopha insiticiiana* Zeller, 1875; Locust Twig Borer Moth
- *Prionoxystus robiniae* (Peck, 1818); Carpenterworm Moth
- *Paranthrene simulans* (Grote, 1881); Red Oak Clearwing Moth
- *Podosesia syringae* (Harris, 1839); Lilac Borer
- *Pyrgus communis* (Grote, 1872); Common Checkered-Skipper
- *Polites peckius* (W. Kirby, 1837); Peck's Skipper
- *Polites themistocles* (Latreille, [1824]); Tawny-edged Skipper
- *Lycaena hyllus* (Cramer, 1775); Bronze Copper
- *Cupido comyntas* (Godart, [1824]); Eastern Tailed-Blue
- *Phyciodes tharos* (Drury, 1773); Pearl Crescent
- *Danaus plexippus* (Linnaeus); Monarch
- *Sciota basilaris* (Zeller, 1872); Yellow-shouldered Leafroller
- *Sciota fernaldi* (Ragonot, 1887);
- *Elophila oblitalis* (Walker, 1859); Waterlily Leafcutter
- *Platytes vobisne* Dyar, 1920; Platytes Moth
- *Fissicrambus mutabilis* (Clemens, 1860); Changeable Grass-veneer
- *Pediasia trisecta* (Walker, 1856); Sod Webworm
- *Chrysoteuchia topiarius* (Zeller, 1866); Cranberry Girdler
- *Crambus praelectellus* (Zincken, 1821); Common Grass-veneer
- *Crambus saltuellus* Zeller, 1863; Pasture Grass-veneer
- *Udea rubigalis* (Guenée, 1854); Celery Leaf-tier
- *Sitochroa chortalis* (Grote, 1873); Dimorphic Sitochroa Moth
- *Loxostege munroalis* Leraut, 2005; Beet Webworm Moth
- *Malacosoma americana* (Fabricius, 1793); Eastern Tent Caterpillar Moth
- *Ceratonia amyntor* (Geyer, 1835); Elm Sphinx
- *Sphinx vashti* Strecker, 1878; Vashti Sphinx
- *Smerinthus jamaicensis* (Drury, 1773); Twin-spotted Sphinx
- *Darapsa myron* (Cramer, 1780); Virginia Creeper Sphinx
- *Eulithis* sp. (*diversilineata* group);
- *Euphyia intermediata* (Guenee, [1858]); Sharp-angled Carpet
- *Orthonama obstipata* (Fabricius, 1794); The Gem
- *Costaconvexa centrostrigaria* (Wollaston, 1858); Bent-line Carpet
- *Eubaphe mendica* (Walker, 1854); The Beggar
- *Horisme intestinata* (Guenée, [1858]); Brown Bark Carpet
- *Eupithecia* sp.;
- *Scopula inductata* (Guenée, [1858]); Soft-lined Wave
- *Synchlora aerata* (Fabricius, 1798); Wavy-lined Emerald
- *Chlorochlamys chloroleucaria* (Guenée, [1858]); Blackberry Looper
- *Isturgia dislocaria* (Packard, 1876); Pale-veined Isturgia Moth
- *Eumacaria madopata* (Guenée, [1858]); Brown-bordered Geometer
- *Macaria evagaria* (Hulst, 1900); Drab Angle Moth

- *Digrammia denticulata* (Grote, 1883);
- *Digrammia ordinata* (Walker, 1862);
- *Digrammia mellistrigata* (Grote, 1873); Yellow-lined Angle
- *Anavitrinella pampinaria* (Guenée, [1858]); Common Gray
- *Protoarmia porcelaria* (Guenée, [1858]); Porcelain Gray
- *Cabera quadrifasciaria* (Packard, 1873); Four-lined Cabera Moth
- *Xanthotype* sp.;
- *Pero honestaria* (Walker, 1860); Honest Pero
- *Metarranthis refractaria* (Guenée, [1858]); Refracted Metarranthis
- *Tetracis crocallata* Guenée, [1858]; Yellow Slant-Line
- *Pheosia rimosa* Packard, 1864; Black-rimmed Prominent
- *Gluphisia septentrionis* Walker, 1855; Common Gluphisia
- *Cecrita guttivitta* Walker, 1855; Saddled Prominent
- *Schizura ipomaeae* Doubleday, 1841; Morning-glory Prominent
- *Apantesis virguncula* (Kirby, 1837); Little Virgin Tiger Moth
- *Virbia ferruginosa* (Walker, 1854); Rusty Virbia
- *Spilosoma virginica* (Fabricius, 1798); Virginian Tiger Moth
- *Hyphantria cunea* (Drury, 1773); Fall Webworm Moth
- *Pyrrharctia isabella* (J.E. Smith, 1797); Isabella Tiger Moth
- *Cycnia tenera* Hübner, 1818; Delicate Cycnia
- *Cycnia oregonensis* (Stretch, [1874]); Oregon Cycnia
- *Ctenucha virginica* (Esper, 1794); Virginia Ctenucha
- *Cisseps fulvicollis* (Hübner, [1818]); Yellow-collared Scape Moth
- *Idia americalis* (Guenée, 1854); American Idia
- *Chytolita morbidalis* (Guenée, 1854); Morbid Owlet
- *Macrochilo orciferalis* (Walker, 1859); Bronzy Macrochilo
- *Hypena atomaria* (Smith, 1903);
- *Caenurgina erechtea* (Cramer, 1780); Forage Looper
- *Zale galbanata* (Morrison, 1876); Maple Zale Moth
- *Allagrapha aerea* (Hübner, [1803]); Unspotted Looper Moth
- *Anagrapha falcifera* (Kirby, 1837); Celery Looper
- *Protodeltote albidula* (Guenée, 1852); Pale Glyph
- *Maliattha synochitis* (Grote & Robinson, 1868); Black-dotted Maliattha
- *Ponometia binocula* (Grote, 1875); Prairie Bird-dropping Moth
- *Ponometia erastrioides* (Guenée, 1852); Small Bird Dropping Moth
- *Acronicta insita* (Walker, 1856); Large Gray Dagger
- *Acronicta clarescens* Guenée, 1852; Clear Dagger Moth
- *Acronicta insularis* (Herrich-Schäffer, 1868); Cattail Caterpillar Moth
- *Condica videns* (Guenée, 1852); White-dotted Groundling
- *Ogdoconta cinereola* (Guenée, 1852); Common Pinkband
- *Homophoberia apicosa* (Haworth, 1809); Black Wedge-Spot
- *Leuconycta diphteroides* (Guenée, 1852); Green Leuconycta
- *Crambodes talidiformis* Guenée, 1852; Verbena Moth
- *Pseudeustrotia carneola* (Guenée, 1852); Pink-barred Pseudeustrotia
- *Anterastria teratophora* (Herrich-Schäffer, [1854]); Gray Marvel
- *Galgula partita* Guenée, 1852; The Wedgeling
- *Proxenus miranda* (Grote, 1873); Miranda Moth

- *Dypterygia rozmani* Berio, 1974; American Bird's-Wing
- *Apamea sordens* (Hufnagel, 1766); Rustic Shoulder-knot
- *Photodes panatela* (Smith, 1904); Northern Cordgrass Borer
- *Bellura obliqua* (Walker, 1865); Cattail Borer
- *Hadena capsularis* (Guenée, 1852); Capsule Moth
- *Mythimna oxygala* (Grote, 1881); Lesser Wainscot
- *Mythimna unipuncta* (Haworth, 1809); Armyworm Moth
- *Leucania phragmitidicola* Guenée, 1852; Phragmites Wainscot
- *Leucania lapidaria* (Grote, 1876);
- *Lacinipolia renigera* (Stephens, 1829); Bristly Cutworm
- *Lacinipolia lorea* (Guenée, 1852); Bridled Arches
- *Protorthodes oviduca* (Guenée, 1852); Ruddy Quaker
- *Orthodes cynica* Guenée, 1852; Cynical Quaker
- *Orthodes goodelli* (Grote, 1875); Goodell's Arches Moth
- *Xestia c-nigrum* (Linnaeus, 1758); Lesser Black-letter Dart
- *Xestia dolosa* Franclemont, 1980; Greater Black-letter Dart
- *Protolampra brunneicollis* (Grote, 1865); Brown-collared Dart

Coleoptera (Beetles):

- *Cosmopepla lintneriana*; Twice-stabbed Stinkbug
- *Hippodamia parenthesis*; Parenthesis Lady Beetle
- *Cicindela sexguttata*; Six-spotted Tiger Beetle
- *Climaciella brunnea*; Brown Wasp Mantidfly

Araneae (Spiders):

- *Dyctinidae* sp. ; Meshweavers
- *Emblyna hentzi*; A meshweaver
- *Thymoites unimaculatus*; Spotted Cobweaver
- *Ceraticelus fissiceps*;

- *Neriene clathrata*; Latticed Sheet-web Weaver
- *Schizocosa* sp. (mccooki); Brush-legged Spiders
- *Schizocosa ocreata*; Brush-legged Split Wolf Spider
- *Philodromus imbecillus*;
- *Philodromus rufus vibrans*;
- *Tibellus duttoni*;
- *Maevia inclemens*; Dimorphic Jumping Spider
- *Naphrys pulex*; Flea Jumping Spider
- *Pelegrina insignis*;
- *Phidippus clarus*; Brilliant Jumping Spider
- *Synageles occidentalis*;
- *Theridion petraeum*;
- *Mecaphesa celer*; Swift Crab Spider
- *Xysticus triguttatus*; Three-banded Crab Spider

Fungi:

- *Aecidium fraxini*
- *Acanthophysium oakesii*
- *Neofavolus alveolaris*
- *Dendrothele nivosa*
- *Apiosporina morbosa*
- *Corticoid* spp.