

Optical Engineering, Volume 43, Issue 01

Editorial: *Plagiarism by D. O'Shea*

Adaptive optical zoom [OE-43-8]

D. Wick, T. Martinez

Novel calibration recovery technique for an expectation maximization tomographic reconstruction [OE-43-10]

W. Johnson, D. O'Connell, E. Dereniak, E. Hege

Calibration of laser displacement sensor used by industrial robots [OE-43-12]

Z. Zhu, B. Tang, J. Li, Z. Gan

Generation of 40-GHz all-optical gate control signals from flag pulses [OE-43-14]

L. Stampoulidis, K. Yiannopoulos, T. Houbavlis, H. Avramopoulos

High-power self-controlled volume-discharge-based molecular lasers [OE-43-16]

V. Apollonov

Color interpolation with variable color ratio considering cross-channel correlation [OE-43-34]

S. Park, M. Kang

Adaptive vertex selection based on interregion contrast for polygon-based contour approximation [OE-43-44]

S. Lee, H. Kang, B. Yun, J. Choi, S. Hong

Optimal regularized image restoration algorithm based on backward diffusion equation [OE-43-51]

S. Lee, M. Kang

Improved max-min scanning method for phase determination [OE-43-63]

X. Ding, G. Cloud, B. Raju

Computer-aided alignment for a reference transmission sphere of an interferometer [OE-43-69]

Z. Gao, L. Chen, S. Zhou, R. Zhu

Resolution analysis of atomic force microscopy using temporal phase modulation interferometry [OE-43-75]

T. Ng, O. Sasaki, H. Chua

Atomic-resolution measurements with a new tunable diode laser-based interferometer [OE-43-79]

R. Silver, H. Zou, S. Gonda, B. Damazo, J. Jun, C. Jensen, L. Howard

Laser-induced damage threshold of the antireflection coatings on quartz and sapphire under different laser modes [OE-43-87]

Y. Wang, Y. Zhao, W. Gao, Z. Fan

Optical design of a tiled large-area photoluminescent liquid-crystal display [OE-43-91]

N. Raman, W. Crossland, N. Lawrence, T. Wilkinson, A. Davey, N. Collings, S. Ahn

Classification of multispectral images through a rough-fuzzy neural network [OE-43-103]

C. Mao, S. Liu, J. Lin

Optodigital implementation of multiple information hiding and extraction system [OE-43-113]

J. Kim, J. Choi, E. Kim

General approach of spatial input encoding for multiplexing and demultiplexing [OE-43-126]

A. Das, S. Mukhopadhyay

Binary optical arithmetic operation scheme with tree architecture by proper accommodation of optical nonlinear materials [OE-43-132]

K. Chowdhury, S. Mukhopadhyay

Architecture and sparse placement of limited-wavelength converters for optical networks [OE-43-137]

M. El Houmaidi, M. Bassiouni, G. Li

Multiplexed sensor system for simultaneous measurement of pressure and temperature [OE-43-148]

W. Li, D. Abeysinghe, J. Boyd

Single-crystal sapphire-based optical high-temperature sensor for harsh environments [OE-43-157]

Y. Zhang, G. Pickrell, B. Qi, A. Safaai-Jazi, A. Wang

Multimode interference switch design with loose manufacturing tolerance [OE-43-165]

P. Moyer, S. Pridmore, F. Farahi

Evaluation of calibration methods of a photometer measuring maritime light-emitting diode buoy lanterns [OE-43-170]

J. Hovila, P. Karha, L. Mansner, E. Ikonen

Beam steering with photonic crystal horn radiators [OE-43-174]

C. Chen, S. Shi, D. Prather, A. Sharkawy

Measurement of characteristics of magnetic fluid by the Mueller matrix imaging polarimeter [OE-43-181]

L. Jin, T. Hamada, Y. Otani, N. Umeda

Analysis of microfibril angle of wood fibers using laser microscope polarimetry [OE-43-186]

J. Palviainen, R. Silvennoinen, J. Rouvinen

Improving Fourier transform profilometry based on bicolor fringe pattern [OE-43-192]

W. Chen, X. Su, Y. Cao, L. Xiang

Enhanced iterative processing algorithms for restoration and superresolution of tactical sensor imagery [OE-43-199]

M. Sundareshan, S. Bhattacharjee

Channel wavelength selectable single/dual-wavelength erbium-doped fiber ring laser [OE-43-209]

T. Liu, Y. Soh, Q. Wang, Y. Zhang, Z. Fang

Sampling of two-dimensional images: prevention from spectrum overlap and ghost detection [OE-43-214]

M. Jacquot, P. Sandoz

Analytical expressions, modeling, and simulations of intensity and frequency fluctuations in directly modulated semiconductor lasers [OE-43-224]

S. Ghoniemy, L. MacEachern, S. Mahmoud

Fine-tuning of a diode laser wavelength with a liquid crystal intracavity element [OE-43-234]

Y. Lan, C. Chen, R. Pan, C. Pan

Analysis of practical sampling and reconstruction from Fresnel fields [OE-43-239]

A. Stern, B. Javidi

Reconfigurable Shack-Hartmann wavefront sensor [OE-43-251]

J. Rha, D. Voelz, M. Giles

Characterization of artifacts in fully digital image-acquisition systems: Application to web cameras [OE-43-257]

J. López-Alonso, J. Alda

Volume 43, Issue 02

Editorial: 2003 in Review by D. O'Shea

Novel distributed fiber optic leak system [OE-43-278]

W.-W. Lin

Long-period grating filter with tunable attenuation for spectral equalization of erbium-doped fiber broadband light sources [OE-43-280]

P. Swart, T. Nhlapo, A. Chtcherbakov

Unsupervised approach to color video thresholding [OE-43-282]

E. Du, C. Chang, P. Thouin

Fabrication and electro-optic characteristics of polymer-stabilized V-mode ferroelectric liquid crystal display and intrinsic H-V-mode ferroelectric liquid crystal displays: their application to field sequential fullcolor active matrix liquid crystal disp [OE-43-290]

S. Kobayashi, J. Xu, H. Furuta, Y. Murakami, S. Kawamoto, M. Ohkouchi, H. Hasebe, H. Takatsu

Fiber Bragg grating sensing system for simultaneous measurement of salinity and temperature [OE-43-299]

D. Pereira, O. Frazao, J. Santos

Measurements and modeling of modal birefringence and sensitivity to strain in a three-mode elliptical-core fiber [OE-43-305]

E. Chmielewska, W. Urbanczyk

Hybrid-integrated Michelson fiber optic accelerometer [OE-43-313]

B. Wu, C. Chen, G. Ding, D. Zhang, Y. Cui

Fog attenuation prediction for optical and infrared waves [OE-43-319]

M. Alnaboulsi, H. Sizun, F. de Fornel

Model for a partially coherent Gaussian beam in atmospheric turbulence with application in Lasercom [OE-43-330]

O. Korotkova, L. Andrews, R. Phillips

Gain flattening filter of an erbium-doped fiber amplifier based on etching long-period gratings technology [OE-43-342]

C.-E. Chou, N.-H. Sun, W.-F. Liu

Gain saturation and nonlinear effect of erbium-doped fiber amplifier/discrete compensating Raman amplifier hybrid fiber amplifiers in the C-band [OE-43-346]

R. Chi, K. Lu, X. Dong, W. Chen, G. Yang, Z. Liu

Feature reduction of hyperspectral imagery using hybrid wavelet-principal component analysis [OE-43-350]

S. Kaewpijit, J. Le Moigne, T. El-Ghazawi

Jigsaw-puzzle vector quantization for image compression [OE-43-363]

C.-H. Yeh

On reduction of input data for lossy compression of images [OE-43-371]

A. Hayat, T. Choi

Calculation and measurement of infrared mass extinction coefficients of selected ionic and partially ionic insulators and semiconductors: a guide for infrared obscuration applications [OE-43-376]

P. Appleyard, N. Davies

Measurement of temperature of an axisymmetric flame using shearing interferometry and Fourier fringe analysis technique [OE-43-387]

P. Singh, M. Faridi, C. Shakher

Simple polarization phase-stepping scatterplate interferometry [OE-43-393]

K. Patorski, L. Salbut

Effect of thermal expansion on speckle correlation from surface scattering of a transparent dielectric slab [OE-43-398]

N. Schupper, Y. Rabin, S. Greenstein, M. Rosenbluh

Determination of view vectors from image warping mapping functions [OE-43-407]

D. Nobes, B. Wieneke, R. Tatam

New apparent distance-detecting equation for low-light-level imaging system [OE-43-415]

L. Liu, B. Chang

Efficient optical negabinary modified signed-digit arithmetic: one-step addition and subtraction algorithms [OE-43-420]

A. Cherri, H. Kamal

Dynamics of all-optical switching in C₆₀ and its application to optical logic gates [OE-43-426]

C. Singh, S. Roy

Structural design of cemented triplets by genetic algorithm [OE-43-432]

S. Chatterjee, L. Hazra

Optical waveform measurement with electroabsorption modulator as sampling component [OE-43-441]

H. Zhang, M. Yao, C. Peng, Y. Gao

Imaging through an optical waveguide with wavelength diversity [OE-43-445]

C. Dionne, R. Gonsalves

High efficiency Raman scattering in micrometer-sized water jets [OE-43-450]

A. Spiegel, N. Vago, F. Wagner

Optimal wordlength calculation for forward and inverse discrete wavelet transform architectures [OE-43-455]

A. Benkrid, K. Benkrid, D. Crookes

Accurate procedure for the calibration of a structured light system [OE-43-464]

R. Legarda-Sáenz, T. Bothe, W. Jüptner

Design of bearing-only vision-based tracking filters [OE-43-472]

M. Ferdowski, P. Maralani, A. Sedigh

Robust template-matching measurements for variations of signal amplitude [OE-43-482]

M. Ryu, J. Kim, B. Min

Timing jitter in soliton transmission with super-Gaussian sliding-frequency filters [OE-43-489]

Y. He, G. Zhou, X. Shi, G. Wang, W. Xue

Sun-induced veiling glare in dusty camera optics [OE-43-493]

C. Liebe, L. Scherr, R. Willson

Motion estimation through the atmosphere using spatiotemporal Fourier transform [OE-43-500]

V. Canales, M. Perez Cagigal

Quality measurements for compressed video transmitted over a lossy packet network [OE-43-506]

O. Hadar, M. Huber, R. Huber, R. Shmueli

Volume 43, Issue 03

Editorial: *Grandparent Technology* by D. O'Shea

Comparison of delta Eddington model calculations of contrast to measurements [OE-43-532]

P. Gillespie

Effects of attenuation of 1.064- μ m optical waves by humid aerosols and fog over horizontal atmospheric communication links [OE-43-539]

S. Bendersky, N. Kopeika, N. Blaunstein

Vision-based continuous GraffitiTM-like text entry system [OE-43-553]

I. Erdem, M. Erdem, V. Atalay, A. Cetin

Grazing angle enhanced backscattering from a dielectric film on a reflecting metal substrate [OE-43-559]

Z.-H. Gu, I. Fuks, M. Ciftan

Polarization-maintaining hollow glass waveguides with noncircular bore [OE-43-568]

D. Gibson, J. Harrington

Light-diffusion mark constituted with two-dimensional speckle patterns for enhancing hologram anticounterfeiting characteristics [OE-43-573]

S. Yeh

Robust change detection by global-illumination-change compensation and noise-adaptive thresholding [OE-43-580]

H.-Y Kim, S.-D. Kim, S.-W. Lee

Highly accurate texture-based vehicle segmentation method [OE-43-591]

W. Lam, C. Pang, N. Yung

Fast image warping using adaptive partial matching [OE-43-604]

D.-K. Lim, Y.-S. Ho

Embedded coder for providing better image quality at very low bit rates [OE-43-615]

J. Garcia, R. Rodriguez-Sánchez, J. Fdez-Valdivia

Spatially adaptive denoising based on nonstationary correlation assumption [OE-43-628]

S. Park, M. Kang

Extension of subpixel augmented template matching to imperfectly rendered binary targets [OE-43-639]

W. Ruyten

Focal plane array infrared camera transfer function calculation and image restoration [OE-43-648]

S. Datcu, L. Ibos, Y. Candau, S. Mattei, J.-C. Frichet

Investigation of optoelectronic integrated circuit speed in dependence on charge-pump stage count [OE-43-658]

J. Knorr, R. Swoboda, H. Zimmermann

Sol-gel-derived 4×4 multimode interference coupler: optimization and fabrication [OE-43-662]

O. Mishechkin, M. Fallahi

Integrated InGaAs-InP quantum wire laser-modulators for 1.55- μm applications [OE-43-667]

W. Huang, F. Jain

All-dielectric miniature wideband rf receive antenna [OE-43-673]

W. Wang, W. Lin, H. Marshall, R. Skolnick, D. Schaafsma

Sinusoidal phase-modulating laser diode interferometer capable of accelerated operations on four integrating buckets [OE-43-678]

X. Zhao, T. Suzuki, O. Sasaki

Displacement measurement using fringe compensation TV holography: limitations and properties [OE-43-684]

B. Gombkötö, J. Kornis, Z. Füzessy, S. Beleznai

High-modulation camera for use with a non-null interferometer [OE-43-689]

R. Gappinger, J. Greivenkamp, C. Borman

Sag and phase descriptions for null corrector certifiers [OE-43-697]

I. Palusinski, J. Sasián

Wavelength multiplexing of frequency-based self-referenced fiber optic intensity sensors [OE-43-702]

J. Baptista, S. Abad, G. Rego, A. Lage, L. Ferreira, F. Araújo, J. Santos

Phase-height mapping and coordinate calibration simultaneously in phase-measuring profilometry [OE-43-708]

X. Su, W. Song, Y. Cao, L. Xiang

Multispectra method for error reduction of the quantized Fourier modulus in the iterative Fourier transform algorithms used for phase retrieval [OE-43-713]

S. Yang, H. Takajo

Potential uses of the Fourier plane in free-space wavelength demultiplexing systems [OE-43-718]

V. Nourrit, J. de Bougrenet de la Tocnaye

Reusable biological film: a new application of blue membrane [OE-43-728]

T. Zhang, G. Chen, Z. Guo, C. Zhang, L. Gu, Y. Li, G. Zhang, Q. Song

Determination of saltwater concentration based on optical and electrical dual-differential methods [OE-43-732]

Y. Zhao, M. Rong, Y. Liao

Replacing the optical-lever method with the method using the spot radius of a laser beam to determine the curvature of a material [OE-43-737]

J.-W. Tsai

Metrology of thin transparent optics using Shack-Hartmann wavefront sensing [OE-43-742]

C. Forest, C. Canizares, D. Neal, M. McGuirk, M. Schattenburg

Underwater lidar imaging scaled by 22.5 cm/ns with serial targets [OE-43-754]

D.-M. He, G. Seet

Improved performance of a hybrid dense wavelength division multiplexing system employing optical vestigial sideband filters [OE-43-767]

H.-H. Lu, T.-L. Huang, Y.-C. Lin, Y.-H. Su

Hybrid wavelength-division-multiplexing system based on a broadband amplified spontaneous emission optical source [OE-43-773]

P.-C. Lai, H.-H. Lu

Volume 43, Issue 04

Editorial: *Teaching Physics by D. O'Shea*

Thermo-optic variable optical attenuator with low power consumption fabricated on silicon-on-insulator by anisotropic chemical etching [OE-43-789]

J. Xia, J. Yu, Z. Fan, Z. Wang, S. Chen

Composite second order/composite triple beat performance improvement in an L-band two-wavelength wavelength-division-multiplexing transport system [OE-43-791]

H.-H. Lu, S.-J. Tzeng, W.-S. Tsai, Y.-L. Chen

Optical power independent optical beam profiler [OE-43-793]

N. Riza, M. Mughal

Liquid diffusion coefficients by digital moiré [OE-43-798]

G. Schirripa Spagnolo, D. Ambrosini, D. Paoletti

Performance limitations of a Y-branch directional-coupler-based polymeric high-speed electro-optical modulator [OE-43-806]

Q. Zhou, J. Yang, Z. Shi, Y. Jiang, B. Howley, R. Chen

Fast tunable laser based on Fabry-Perot lasers with optical injection [OE-43-812]

C.-H. Yeh, C.-C. Lee, S. Chi

Coupling efficiency of angle-polished method for side-pumping technology [OE-43-816]

P. Ou, P. Yan, M. Gong, W. Wei

Study on the center of rotation method based on minimum spanning tree matching algorithm for fingerprint recognition [OE-43-822]

C. Oh, Y. Ryu

Adaptive initial blocks for improving gradient-match and side-match vector quantization of images [OE-43-830]

H. Chang, Y. Pan

Interference multispectral image compression using a new JPEG2000 region-of-interest coding method [OE-43-838]

R. Xiao, C. Wu

Alias-free image subsampling using Fourier-based windowing methods [OE-43-843]

S. Young

Novel algorithm for image interpolation [OE-43-856]

S. Zheng, J. Tian, J. Liu, C. Xiong

Nonparametric smoothing of interferometric height maps using confidence values [OE-43-866]

J. Restle, M. Hissmann, F. Hamprecht

Measurement of single-pass wavefront distortion of optical components with phase shifting Jamin interferometer [OE-43-872]

S. Chatterjee

Small amplitude estimation of mechanical vibrations using electronic speckle shearing pattern interferometry [OE-43-880]

F. Casillas, A. Davila-Alvarez, S. Rothberg, G. Garnica

Infrared diffraction interferometer for coplanarity measurement of high-density solder bump pattern [OE-43-888]

M. Mello, B. Han, Z. Wang

Dilating Gabor transform for the fringe analysis of 3-D shape measurement [OE-43-895]

J. Zhong, J. Weng

Rubidium-stabilized diode laser for high-precision interferometer [OE-43-900]

Y. Bitou, K. Sasaki, H. Inaba, F. Hong, A. Onae

Adaptive feedback control of optical jitter using Q-parameterization [OE-43-904]

M. McEver, D. Cole, R. Clark

Evaluation of new codes for spectral-amplitude-coding optical code-division multiple-access communication systems [OE-43-911]

K. Murugesan, C. Ravichandran

Light-emitting-diode-based wide-field-of-view transceiver for indoor optical infrared wireless communication [OE-43-918]

L. Jiang, G. Chen, Y. Yang, N. Lee, A. Yeo, H. Li

Computing the liquid crystal director field in optical phased arrays [OE-43-924]

G. Barrick, P. Bos, C. Titus, B. Winker

Two-dimensional holographic frequency-division demultiplexing using an acousto-optic modulator [OE-43-933]

Y. Bitou

Influence of Raman effects on propagation of femtosecond pulses in all-optical phase-shift switches [OE-43-939]

K.-H. Yoon, K.-H. Kwon, J.-W. Song

Spectral response characterization of super S₂₅ and new S₂₅ photocathodes [OE-43-946]

L. Liu, B. Chang

High-accuracy absolute measurement of the refractive index of air [OE-43-950]

G. Xie, Y. Wang, L. Reiter, J. Tsai

Comparison of Landsat-7 Enhanced Thematic Mapper Plus (ETM+) and Earth Observing One (EO-1) Advanced Land Imager [OE-43-954]

J. Pedelty, J. Morissette, J. Smith

Inspection of micro-solderballs on a semiconductor bumped wafer using optical shadowgraph [OE-43-963]

C. Tay, S. Wang, C. Quan

Effect of chromium intermediate layer on properties of silver coatings [OE-43-971]

X. Xu, Z. Tang, Z. Fan, J. Shao

Spectral matching imager using amplitude-modulation-coded multispectral light-emitting diode illumination [OE-43-975]

A. Kimachi, H. Ikuta, Y. Fujiwara, M. Masumoto, H. Matsuyama

Quasi-continuous-wave diode array side-pumped Q-switched Yb:YAG slab laser [OE-43-986]

H. Wu, M. Gong, P. Yan, Q. Liu, G. Chen, Q. Wang

Volume 43, Issue 05

Editorial: *Reviewing Papers by D. O'Shea*

Guest Editorial: *Advances in Optical Components and Subsystems for Wavelength-Division Multiplexing Communications by A. Awwal, A. Dutta*

Communications: *Bragg grating Fabry-Perot interferometer with variable finesse by P. Betts, J. Davis*

Realization of regular fiber bundles with defined pitch [OE-43-1010]

L. Hoppe

Fast K -dimensional tree-structured vector quantization encoding method for image compression [OE-43-1012]

A. Meyer-Baese, K. Jancke, A. Wismuller, M. Georgiopoulos

Characterization of InGaSb/GaSb p-n photodetectors in the 1.0- to 2.4- μ m wavelength range [OE-43-1014]

T. Refaat, M. Abedin, I. Bhat, P. Dutta, U. Singh

Parallel micro-optics for interconnections based on vertical cavity surface emitting laser arrays and their jisso technologies [OE-43-1018]

S. Kawai

Waveguide and guided-wave devices consisting of heterostructured photonic crystals [OE-43-1022]

Y. Ohtera, H. Ohkubo, K. Miura, T. Sato, T. Kawashima, S. Kawakami

Er-Yb double-clad fiber amplifier [OE-43-1030]

Q. Wang, N. Dutta

Polarization mode dispersion compensation in optical and electrical domain and their limitations [OE-43-1035]

R. Khosravani

Intermodulation product effects on the working of a phased-array transducer acousto-optic switch [OE-43-1042]

A. Perennou, V. Quintard, Y. Mevel, J. Le Bihan

Morphology-dependent resonances of optical microsphere resonators for the realization of passive wavelength-division multiplexing components [OE-43-1051]

S. Isci, T. Bilici, A. Kurt, A. Serpengüzel

High-speed clock recovery with phase-locked loop based on LiNbO₃ modulators [OE-43-1056]

G. Zhu, Q. Wang, H. Chen, N. Dutta

Cascaded multimode interference phased array structures for dense wavelength division multiplexing applications [OE-43-1060]

A. Yehia, D. Khalil

Metropolitan area wavelength-division multiplexing testbeds for enterprise computing and disaster recovery [OE-43-1066]

C. DeCusatis

Simulated annealing routing and wavelength lower bound estimation on wavelength-division multiplexing optical multistage networks [OE-43-1080]

A. Katangur, Y. Pan, M. Fraser

Bandwidth elasticity with dense wavelength-division multiplexing parallel wavelength bus in optical networks [OE-43-1092]

S. Kartalopoulos

Efficient traffic grooming in synchronous optical network/wavelength-division multiplexing bidirectional line-switched ring networks [OE-43-1101]

A. Billah, B. Wang, A. Awwal

Novel all-optical flip-flop using semiconductor optical amplifiers in innovative frequency-shifting inverse-threshold pairs [OE-43-1115]

A. McAulay

Development of a general purpose configurable architecture for smart-pixel research [OE-43-1121]

P. Mal, A. Chokhani, V. Vagheeswar, S. Krishna Kumar, J. Cantin, F. Beyette

Low-loss wavelength-multiplexed optical scanners using volume Bragg gratings for transmit-receive lasercom systems [OE-43-1128]

Z. Yaqoob, N. Riza

Formation of a doughnut laser beam for super-resolving microscopy using a phase spatial light modulator [OE-43-1136]

T. Watanabe, Y. Igasaki, N. Fukuchi, M. Sakai, S. Ishiuchi, M. Fujii, T. Omatsu, K. Yamamoto, Y. Iketaki

Compositional dependence of the temperature sensitivity in long-period fiber gratings with doping concentration of GeO_2 and B_2O_3 and their applications [OE-43-1144]

Y.-G. Han, S. Lee, Y. Chung

Car window antitrapping optical fiber system based on a fiber speckle pattern [OE-43-1148]

J. Lim, G. Kim, G. Lim, J. Cho, K. Lee

Integrated method for 3-D rigid-body displacement measurement using fringe projection [OE-43-1152]

C. Tay, C. Quan, T. Wu, Y. Huang

Method of characterization of effective shrinkage in reflection holograms [OE-43-1160]

P. Trochtchanovitch, N. Kostrov, E. Goulanian, F. Zerrouk, E. Pen, V. Shelkovnikov

Investigation of fracture mechanisms in resin concrete using spatially multiplexed digital Fresnel holograms [OE-43-1169]

P. Picart, B. Diouf, E. Lolive, J.-M. Berthelot

Dynamic masking of truncated image segments for blind recovery of blurred images based on simulated annealing [OE-43-1177]

N. Ishihara, S. Komatsu

Rapid hybrid interpolation methods [OE-43-1183]

C. Lee, S. Cho, W. Ahn, K. Sohn

Coherent hollow-core waveguide bundles for infrared imaging [OE-43-1195]

V. Gopal, J. Harrington, A. Goren, I. Gannot

Direct design of a polarization interference filter by genetic algorithm [OE-43-1200]

J. Xiong, F. Yu, Y. He

Experimental verification of improvement of phase shifting moiré interferometry using wavelet-based image processing [OE-43-1206]

H. Liu, A. Cartwright, C. Basaran

Joint interferometric measurement of planarity and parallelism [OE-43-1215]

M. Vannoni, G. Molesini

Novel method to stabilize a laser wavelength unaffected by Fabry-Perot etalon angle drift [OE-43-1221]

M.-S. Huang, M.-H. Lu, J.-T. Shy

Densely dispersion-managed fiber transmission system with both decreasing average dispersion and decreasing local dispersion [OE-43-1227]

S. Guo, Z. Huang

Dynamic sprite-based real-time particle graphics [OE-43-1231]

T. Sills, O. Williams

Continuously variable pulse true-time delay system incorporating an acousto-optic Bragg cell and an electro-optic modulator [OE-43-1238]

P. Maak, Z. Gorocs, I. Frigyes, L. Jakab, P. Richter

Self-adaptive reconstruction algorithm for emission spectral volume tomography [OE-43-1244]

X. Wan, S. Yu, Y. Gao, Q. Zhu

Optical tomography system for process measurement using light-emitting diodes as a light source [OE-43-1251]

R. Rahim, K. Chan

Volume 43, Issue 06

Editorial: *Retiring by D. O'Shea*

Penetration rate of water in sapphire and silica optical fibers at elevated temperature and pressure [OE-43-1272]

Z. Huang, G. Pickrell, A. Wang

Method for expanding the dynamic range of the readout integration circuits for uncooled microbolometer sensors [OE-43-1274]

A. Belenky, A. Fish, S. Hamami, V. Milrud, O. Yadid-Pecht

Precision compensation for polarization anisotropies in metal reflectors [OE-43-1276]

J. Hong

Adaptive thresholding for visual attention and tracking systems [OE-43-1278]

A. Fish, O. Yadid-Pecht

Color image morphology using an adaptive saturation-based technique [OE-43-1280]

H. Al-Otum, M. Uraikat

Iterative estimation of Dempster-Shafer's basic probability assignment: application to multisensor image segmentation [OE-43-1293]

F. Salzenstein, A. Boudraa

Object reconstruction from in-line Fresnel holograms without explicit depth focusing [OE-43-1300]

M. Özgen, T. Tuncer

Single-frequency blue light source based on optically injected diode lasers [OE-43-1311]

D. Manoel, D. Figueira, D. Pereira, F. Cruz

Performance of diode-pumped Nd:Y_xGd_{1-x}VO₄ laser [OE-43-1314]

J. Liu, J. Yang, Q. Jiang, J. He, L. Qin, X. Meng

MPEG-based image enhancement for the visually impaired [OE-43-1318]

J. Kim, A. Vora, E. Peli

Real-time measurement of one-dimensional step profile with a sinusoidal wavelength-scanning interferometer using double feedback control [OE-43-1329]

O. Sasaki, K. Honma, T. Suzuki

Design rules for implementation of 10-Gb/s all-optical Boolean XOR gate using semiconductor optical-amplifier-based Mach-Zehnder interferometer [OE-43-1334]

T. Houbavlis, K. Zoiros, G. Kanellos

High-speed FM demodulator of a homodyne laser interferometer for measuring mechanical vibration [OE-43-1341]

J. La, S. Wang, K. Kim, K. Park

Study of diode-laser pumped self-Q-switched intracavity-doubled laser of Cr⁴⁺Nd³⁺:YAG plus KNbO₃ material [OE-43-1350]

X. Chen, L. Wang, J. Zhu, L. Lv, Z. Zhang, G. Yang, W. Du, D. Zhang

Modulation transfer function estimation from nonspecific images [OE-43-1355]

J.-M. Delvit, D. Leger, S. Roques, C. Valorge

Interferometric and holographic imaging of surface-breaking cracks [OE-43-1366]

J. Blackshire, B. Duncan

Pixel image analysis of light valve projector considering apodization caused by illumination [OE-43-1375]

S. Shikama, H. Suzuki, T. Endo, A. Sekiguchi

High tolerance to off-axis aberrations with a birefringent lens [OE-43-1381]

S. Sanyal, Y. Kawata, S. Mandal, A. Ghosh

Programmable diffractive optics for wide-dynamic-range wavefront control using liquid-crystal spatial light modulators [OE-43-1387]

M. Gruneisen, L. DeSandre, J. Rotgé, R. Dymale, D. Lubin

Fuzzy controller for line-of-sight stabilization systems [OE-43-1394]

J. Krisna Moorthy, R. Marathe, H. Srivastava

Geometrical superresolution in infrared sensor: experimental verification [OE-43-1401]

Z. Zalevsky, N. Shamir, D. Mendlovic

Fringe-adjusted joint transform correlator based target detection and tracking in forward looking infrared image sequence [OE-43-1407]

M. Alam, M. Haque, J. Khan, H. Kettani

Synthetic forward-looking infrared signatures for training and testing target identification classifiers [OE-43-1414]

B. Weber, J. Penn

Nonlinear estimation comparison for ballistic missile tracking [OE-43-1424]

B. Saulson, K.-C. Chang

Single-wavelength monitoring method for optical thin-film coating [OE-43-1439]

C. Zhang, Y. Wang, W. Lu

Polymer-dispersed liquid crystal structure for variable optical attenuator application [OE-43-1445]

H. Ramanitra, P. Chanclou, L. Dupont, B. Vinouze

Gain calculation in erbium-doped LiNbO₃ channel waveguides by defining a complex index profile [OE-43-1454]

G. Jain, E. Sharma, S. Vashisth

Volume 43, Issue 07

Editorial: *Designing Optical Systems, Part I: Analysis by D. O'Shea*

Guest Editorial: *Illumination Engineering by R. Koshel*

Windowed Fourier transform method for demodulation of carrier fringes [OE-43-1472]

Q. Kemao

Dispersion resulting from wide passband shape in 50-GHz-spaced wavelength router [OE-43-1474]

J. Gamet, G. Pandraud, A. Vonsovici

Optical label switching by using differential phase shift keying and in-band subcarrier multiplexing modulation format [OE-43-1476]

I. Monroy, J. Olmos, A. Koonen, F. Huijskens, H. de Waardt, G.-D. Khoe

Optical properties of elliptical reflectors [OE-43-1480]

H. Rehn

Simultaneous multiple surface optical design method in three dimensions [OE-43-1489]

P. Gimenez-Benitez, J. Miñano, J. Blen, R. Mohedano Arroyo, J. Chaves, O. Dross, M. Hernandez, W. Falicoff

Analytical model of flux propagation in light-pipe systems [OE-43-1503]

J. Van Derlofske, T. Hough

Non-edge-ray design: improved optical pumping of lasers [OE-43-1511]

R. Koshel, I. Walmsley

Simultaneous multiple surface design of compact air-gap collimators for light-emitting diodes [OE-43-1522]

F. Munoz, P. Gimenez-Benitez, O. Dross, J. Miñano, W. Parkyn

Optimized additive mixing of colored light-emitting diode sources [OE-43-1531]

H. Ries, I. Leike, J. Muschaweck

Modeling of automotive interior illumination systems [OE-43-1537]

J. Lee, J. Greivenkamp

Optimization of dual paraboloidal reflector and polarization system for displays using a ray-tracing model [OE-43-1545]

K. Li, S. Sillyman, S. Inatsugu

Effect of light coherence on depth of focus in head-mounted retinal projection displays [OE-43-1552]

M. von Waldkirch, P. Lukowicz, G. Tröster

Model of wide-angle optical field propagation using scalar diffraction theory [OE-43-1561]

V. Shaoulov, R. Satya, G. Schiavone, E. Clarkson, J. Rolland

Highly sensitive large-area bolometers for scintillation studies below 100 mK [OE-43-1568]

N. Coron, P. de Marcillac, J. Leblanc, G. Dambier, J. Moalic

Morphological connected contrast mappings based on top-hat criteria: A multiscale contrast approach [OE-43-1577]

I. Terol-Villalobos

Modified cubic convolution scaler for multiformat conversion in a transcoder [OE-43-1596]

J.-K. Han, H.-M. Kim

Performance of laser tracking of small targets during turbulence and beam jitter [OE-43-1609]

O. Steinvall

Numerical simulation of semiconductor optical amplifier assisted Sagnac gate and investigation of its switching characteristics [OE-43-1622]

T. Houbavlis, K. Zoiros

High-resolution and easily implemented spectral measured system used for optical characterization of optoelectronic materials and devices [OE-43-1628]

C.-H. Ho, H.-W. Lee

Expanded single-mode fiber using graded index multimode fiber [OE-43-1634]

P. Chanclou, C. Kaczmarek, G. Mouzer, P. Gravey, M. Thual, M. Lecollinet, P. Rochard

Design and optimization of optical components using genetic algorithms [OE-43-1643]

S. Boxwell, S. Fox, J. Román

AlGaAsSb/InGaAsSb phototransistors for 2- μ m remote sensing applications [OE-43-1647]

T. Refaat, M. Abedin, O. Sulima, S. Ismail, U. Singh

Vision system for fast 3-D model reconstruction [OE-43-1651]

H. Lin, M. Subbarao

Two-stage all-fiber soliton-effect optical pulse compressor [OE-43-1665]

R. George, B. Maxum

Design of an image projection correlating wavefront sensor for adaptive optics [OE-43-1670]

S. Cain

Liquid-metal-jet anode x-ray tube [OE-43-1682]

O. Hemberg, M. Otendal, H. Hertz

Volume 43, Issue 08

Editorial: *Designing Optical Systems, Part II: Optimization by D. O'Shea*

Guest Editorial: *Advances in Pattern Recognition Algorithms, Architectures, and Devices by M. Alam, M. Karim*

Enhancement of light extraction of GaN-based light-emitting diodes with a microstructure array [OE-43-1700]

C.-C. Sun, C.-Y. Lin, T.-X. Lee, T.-H. Yang

Performance evaluation of quadratic correlation filters for target detection and discrimination in infrared imagery [OE-43-1705]

S. Sims, A. Mahalanobis

Family of heterocorrelation filters [OE-43-1712]

J. Houry, P. Gianino, C. Woods

Modification of standard image compression methods for correlation-based pattern recognition [OE-43-1723]

M. Chen, S. Zhang, M. Karim

Shape recognition from multiple joint comparative normalized measures [OE-43-1731]

G. Power

Real-time joint transform correlator using compressed reference images [OE-43-1737]

J. Widjaja, U. Suripon

Ultrafast multiwavelet analysis using a phase-encoded joint transfer correlator [OE-43-1746]

A. Alsamman, M. Alam

Use of laser diode in joint transform correlator [OE-43-1751]

S. Jutamulia, G. Mu, H. Zhai, F. Song

Wavelet transform for preprocessing in an optical correlator with a multilevel composite filter [OE-43-1759]

M. Jedynski, K. Chalasinska-Macukow

Adaptive target detection in forward-looking infrared imagery using the eigenspace separation transform and principal component analysis [OE-43-1767]

S. Young, H. Kwon, S. Der, N. Nasrabadi

New hyperspectral discrimination measure for spectral characterization [OE-43-1777]

Y. Du, C.-I. Chang, H. Ren, C.-C. Chang, J. Jensen, F. D'Amico

Data fusion of hyperspectral and SAR images [OE-43-1787]

Y.-L. Chang, C.-C. Han, H. Ren, C.-T. Chen, K. Chen, K.-S. Fan

Distortion-invariant pattern recognition based on a synthetic hit-miss transform [OE-43-1798]

Y.-H. Doh, J.-C. Kim, J.-W. Kim, K.-H. Choi, S.-J. Kim, M. Alam

Face recognition with pose and illumination variations using new SVRDM support-vector machine [OE-43-1804]

D. Casasent, C. Yuan

ANFIS-based fingerprint-matching algorithm [OE-43-1814]

H. Hong, F. Song, J. Widjaja, J. Li

Performance of composite correlation filters in fingerprint verification [OE-43-1820]

K. Venkataramani, B. Vijaya Kumar

Automated vehicle occupancy monitoring [OE-43-1828]

P. Birch, R. Young, F. Claret-Tournier, C. Chatwin

Correlation-based watermarking method for image authentication applications [OE-43-1833]

F. Ahmed, I. Moskowitz

Object recognition within cluttered scenes employing a hybrid optical neural network filter [OE-43-1839]

I. Kypraios, R. Young, P. Birch, C. Chatwin

Experiments of depth detection and image recovery of a remote target using a complex hologram [OE-43-1851]

T. Kim, T. Poon

Shared-hardware alternating operation of a super-parallel holographic optical correlator and a super-parallel holographic random access memore [OE-43-1856]

S. Shahriar, R. Tripathi, M. Huq, J. Shen

Real-time holographic deconvolution for one-way image transmission through distorting media [OE-43-1863]

B. Haji-Saeed, D. Pyburn, R. Leon, S. Sengupta, W. Goodhue, M. Testorf, J. Kierstead, J. Khoury, C. Woods

Automatic target tracking for unmanned aerial vehicle video annotation [OE-43-1867]

S. Zhang, M. Karim

Ultrafast temporal pattern generation and recognition [OE-43-1874]

H. Zou, E. Dai, C. Zhou, Y. Zhang

Disparity estimation using a region-dividing technique and energy-based regularization [OE-43-1882]

H. Kim, Y. Choe, K. Sohn

Gradient texture unit coding for texture analysis [OE-43-1891]

C.-I. Chang, Y. Chen

Nonlinear transformation of a complex function [OE-43-1904]

J. Bucholcer

Aliasing and scintillation reduction in real-time computer graphics [OE-43-1908]

T. Sills, O. Williams

Novel fiber Bragg grating fabrication method with high-precision phase control [OE-43-1916]

Y. Liu, J. Pan, C. Gu, F. Zhou, L. Dong

Fabrication and characterization of ridge structures in LiNbO₃ for optical components [OE-43-1923]

R. Chakraborty, J. Biswas, S. Lahiri

Insertion loss comparison of microcollimators used to propagate light in and out of single-mode fibers [OE-43-1927]

J. Shiefman

Compact electronically aligned broadcast-enhanced all-optical switch [OE-43-1938]

N. Cohen, D. Mendlovic, N. Konforti

Volume 43, Issue 09

Editorial: *Electronic Publishing by D. O'Shea*

Guest Editorial: *Volume Holographic Optical Elements by C.-C. Sun, P. Banerjee*

Single-mode condition for silicon rib waveguides with large cross sections [OE-43-1953]

J. Xia, J. Yu, Y. Li, S. Chen

Broadband polarization-insensitive semiconductor optical amplifier gate with tensile InGaAs quasi-bulk and compressively strained InGaAs wells [OE-43-1955]

S. Wang, H. Zhu, B. Wang, Z. Liu, Y. Ding, L. Zhao, F. Zhou, W. Wang

Imaging using volume holograms [OE-43-1959]

A. Sinha, G. Barbastathis, W. Liu, D. Psaltis

Holographic photonic crystals [OE-43-1973]

M. Escuti, G. Crawford

Fast response in reduced Rh-doped barium titanate crystals at 100°C [OE-43-1988]

C.-Y. Huang, C. Wang, J. Chang

Analyses on physical mechanism of holographic recording in phenanthrenequinone-doped poly(methyl methacrylate) hybrid materials [OE-43-1993]

Y.-N. Hsiao, W.-T. Whang, S. Lin

Analysis of volume holographic long period gratings in photonic nanostructured fibers and waveguides [OE-43-2003]

Y. Yang, K. Chung, S. Yin, Z. Liu, Q. Wang

Imaging spectral device based on multiple volume holographic gratings [OE-43-2009]

L. Cao, X. Ma, Q. He, H. Long, M. Wu, G. Jin

Volume holographic grating-based continuously tunable optical filter [OE-43-2017]

F. Havermeyer, W. Liu, C. Moser, D. Psaltis, G. Steckman

Gaussian apodized volume grating to suppress the crosstalk in holographic demultiplexers using high-efficiency photopolymers [OE-43-2022]

D.-D. Do, S. Park, J.-W. An, N. Kim, K.-Y. Lee

Design for a high dense wavelength division multiplexer based on volume holographic gratings [OE-43-2028]

S.-F. Chen, C. Wu, C.-C. Sun

Two-way coherent image transfer using photorefractive crystals [OE-43-2034]

J.-P. Liu, H.-Y. Lee, C.-C. Chang, H.-F. Yau

Characteristics of remote hologram multiplexing with random pattern references from a multimode fiber bundle [OE-43-2040]

S. Han, Y. Jeong, J. Paek, T. Kim, B. Lee

Optical security using a random binary phase code in volume holograms [OE-43-2048]

B. Wang, J.-Y. Chang, W.-C. Su, C.-C. Sun

Volume holographic recording and readout for 90-deg geometry [OE-43-2053]

P. Banerjee, M. Chatterjee, N. Kukhtarev, T. Kukhtareva

Hybrid algorithm to reduce the computation time of genetic algorithm for designing binary phase holograms [OE-43-2061]

T.-A. Nguyen, J.-W. An, J.-K. Choi, N. Kim, S. Jeon, Y. Kwon

Laser beam automatic alignment in multipass amplifier [OE-43-2066]

D. Liu, J. Zhu, R. Xu, D. Fan

Lossless compression of three-dimensional hyperspectral sounder data using context-based adaptive lossless image codec with bias-adjusted reordering [OE-43-2071]

B. Huang, A. Ahuja, H.-L. Huang, T. Schmit, R. Heymann

Demultiplexers for ultranarrow channel spacing based on Mach-Zehnders and ring resonators [OE-43-2080]

C. Vazquez Garcia, S. Vargas, J. Sanchez-Pena, A. Gonzalo

Misalignment tolerance analysis of combined thick convex lens and lensed fiber scheme between vertical-cavity surface-emission lasers and single-model fibers [OE-43-2087]

S. Lin

Scale-based image enhancement using modified anisotropic diffusion filter [OE-43-2094]

Y.-L. Song, D.-H. Choi

Image downsampling for interlaced- to-progressive transcoding in discrete cosine transform domain [OE-43-2100]

Y. Park, Y.-L. Lee, H. Park

Justice in quantizer formation for rational progressive transmission [OE-43-2105]

J. Ferrari, E. Garbusi, E. Frins, C. Perciante

Optical current sensor using a self-induced light source [OE-43-2120]

J. Garcia, R. Rodriguez-Sanchez, J. Fdez-Valdivia

Diffraction-grating interferometer for testing aspheric concave mirrors with optimization of fringe visibility [OE-43-2124]

T.-J. Hwang, S.-W. Kim

Waveguiding properties of HNR-80 and HNR-120 photoresist films by prism coupling method [OE-43-2129]

S. Gaur, A. Singh, A. Kapoor, K. Tripathi

Fabrication and characterization of polyvinyl-alcohol-based thin-film optical waveguides [OE-43-2134]

R. Kumar, A. Singh, A. Kapoor, K. Tripathi

Microgenetic algorithm design of hybrid conventional waveguide and photonic crystal structures [OE-43-2143]

S. Kim, G. Nordin, J. Jiang, J. Cai

Optical pattern detector and digital-to-analog converter for optical communications systems [OE-43-2150]

S. Kartalopoulos

ARGOS testbed: study of multidisciplinary challenges of future spaceborne interferometric arrays [OE-43-2156]

S.-J. Chung, D. Miller, O. de Weck

In-plane displacement measurement using electronic-speckle-pattern-interferometry-based on spatial fringe analysis method [OE-43-2168]

Y. Arai, S. Yokozeki

Invariant object tracking using fringe-adjusted joint transform correlator [OE-43-2175]

C.-H. Loo, M. Alam

Characteristics of GaAs/AlGaAs vertical-cavity surface-emitting lasers irradiated with gamma rays [OE-43-2184]

A. Al-Dwayyan, H. Alqahtani, M. Al-Salhi, M. Raja

Volume 43, Issue 10

Editorial: *Grooving on Technology* by D. O'Shea

Guest Editorial: *Optics and Photonics for Homeland Security* by B. Javidi

Enhancement of emitting power density with a beam-shaping technique for a high-power laser-diode array stack [OE-43-2206]

H. Ohashi, X. Gao, H. Okamoto, M. Takasaka, M. Saito, K. Shinoda

Novel configuration for lateral pressure tuning of a fiber Bragg grating without peak splitting [OE-43-2208]

J. Paul, L. Zhao, B. Ngoi, Z. Fang

Wavelength-insensitive all-optical clock extraction and enhancement of nonreturn-to-zero data using a semiconductor optical amplifier and fiber Bragg grating [OE-43-2210]

X. Li, C. Kim, G. Li

Analysis of wavelength effects on a spherical-end fiber lens [OE-43-2212]

H.-S. Ryu, H.-S. Kang

Variable fiber optic attenuator using a bulk-micromachined deformable micromirror [OE-43-2214]

M. Mughal, N. Riza

High-accuracy low-water-content measurement of crude oil based on a near-infrared spectral absorption method [OE-43-2216]

Y. Zhao, J. Yang, J.-Q. Wang, F.-X. Gui

New angular resolution measure for 3-D laser scanners [OE-43-2218]

D. Lichti

Effective methods for Raman amplifier propagation equations [OE-43-2220]

X. Liu

Phase-only optical decryption in a planar integrated micro-optics system [OE-43-2223]

V. Daria, P. Rodrigo, S. Sinzinger, J. Glückstad

Hybrid optical encryption of a 3-D object using a digital holographic technique [OE-43-2228]

T. Nomura, K. Uota, Y. Morimoto

Compression of encrypted three-dimensional objects using digital holography [OE-43-2233]

T. Naughton, B. Javidi

Random phase and jigsaw encryption in the Fresnel domain [OE-43-2239]

B. Hennelly, J. Sheridan

Decrypting binary phase patterns by amplitude [OE-43-2250]

J. Glückstad, V. Daria, P. Rodrigo

Robust and secure two-dimensional barcode system [OE-43-2259]

S. Kishk, B. Javidi

Fully phase-based encryption using fractional order Fourier domain random phase encoding: error analysis [OE-43-2266]

N. Nishchal, J. Joseph, K. Singh

Recognition of live-scan fingerprints with elastic distortions using correlation filters [OE-43-2274]

C. Watson, D. Casasent

Remote sensing using passive infrared Stokes parameters [OE-43-2283]

F. Sadjadi, C. Chun

Object recognition with the hybrid evolutionary algorithm and response analysis in security applications [OE-43-2292]

I. Maslov, I. Gertner

Demonstration of an uncooled LiTaO₃-detector-based differential absorption radiometer for remote sensing of chemical effluents [OE-43-2303]

S. Holland, R. Krauss, G. Laufer

Wide-angle decentered lens beam steering for infrared countermeasures applications [OE-43-2312]

J. Gibson, B. Duncan, E. Watson, J. Loomis

Study on the internal reflection of the multimode-interference-type device [OE-43-2322]

L. Yang, Y. Liu, Q. Wang

Wavelet-based modeling of spectral bidirectional reflectance distribution function data [OE-43-2327]

L. Claustres, Y. Boucher, M. Paulin

Asymmetric fan-beam configurations with spatially varying focal lengths and shift-variant filtering reconstruction [OE-43-2340]

L. Yu, X. Pan, C. Pelizzari

Adjacent sequence iteration method for designing a diffractive element with function of long focal depth [OE-43-2348]

N. Bao, Z. Chen, Y. Chen

Statistics of gain fluctuations in a bidirectionally pumped fiber Raman amplifier [OE-43-2353]

S. Cui, X. Ma, J. Liu

Fiber Bragg grating temperature sensor for multiplexed measurement with high resolution [OE-43-2358]

Y. Zhan, H. Cai, R. Qu, S. Xiang, Z. Fang, X. Wang

Four-bank compactly supported bisymmetric orthonormal wavelets bases [OE-43-2362]

G. Wang

Color image enhancement using a multiple-scale opponent neural network [OE-43-2369]

T. Pu, J. Zhang, G. Ni

Adaptive background subtraction based on feedback from fuzzy classification [OE-43-2381]

L. Li, I. Gu, M. Leung, T. Qi

Remodeling JPEG arithmetic coder for improved end-of-block marker coding [OE-43-2395]

G. Lakhani

Acoustic method for determination of the effective temperature and refractive index of air in accurate length interferometry [OE-43-2400]

V. Korpelainen, A. Lassila

Nanotechnology for optics is a phase-length-time sandwich [OE-43-2410]

A. Lakhtakia, J. Geddes

Optical vector network analysis based on single-sideband modulation [OE-43-2418]

R. Hernández, A. Loayssa, D. Benito

Wavelength-tunable add-drop multiplexers using fiber Fabry-Pérot tunable filters for bidirectional wavelength-division multiplexing networks [OE-43-2422]

P.-C. Peng, H.-Y. Cheng, S. Chi

Evaluation and autoalignment method of the focusing unit for a near-field optical recording system [OE-43-2426]

H.-K. Yoon, D.-G. Gweon, J.-H. Lee, J. Jeong, H.-R. Oh, S.-T. Lee

Simultaneous extraction of geometry and surface properties of targets using simple infrared sensors [OE-43-2437]

T. Aytac, B. Barshan

Complimentary metal-oxide semiconductor linear photosensor array for 3-D reconstruction applications [OE-43-2448]

G. Hornero, M. Moreno, R. Meri, E. Montane-Borras, A. Herms

Thermal lensing effects for diode-end-pumped Nd:YVO₄ and Nd:YAG lasers [OE-43-2454]

X. Peng, L. Xu, A. Asundi

Subwavelength structure imaging [OE-43-2462]

V. Eckhouse, Z. Zalevsky, N. Konforti, D. Mendlovic

Scaled topometry in a multisensor approach [OE-43-2469]

D. Kayser, T. Bothe, W. Osten

Vertical cavity surface emitting laser focusing using a miniature precision molded plastic lens [OE-43-2478]

C. Tan, M. Stern, V. Bhargava

Volume 43, Issue 11

Editorial: *The First Scientific Paper by D. O'Shea*

Guest Editorial: *Diffraction Optics by Y. Sheng, P. Ambs*

Hybrid encryption and decryption technique using microfabricated diffractive optical elements [OE-43-2493]

X.-L. Yuan, S. Tao, W. Cheong, Y. Chen, M. Lim, J. Moh, A. Ho

Design and fabrication of multimode interference coupler with strong confinement structure on silicon-on-insulator [OE-43-2495]

Y. Tang, W. Wang, Y. Wu, J. Yang, Y. Wang

New type of multimode-interference-type thermo-optic variable optical attenuator [OE-43-2497]

L. Yang, H. Xin, Q. Fang, C. Wang, F. Li, Z. Li, Y. Liu, Q. Wang

Sinusoidal phase-modulating two-grating surface profile measuring instrument [OE-43-2499]

Y. Xu

Inexpensive schlieren video technique using sensor dead space as a grid [OE-43-2501]

R. Teese, M. Waters

Integrated holographic grating chip for surface plasmon resonance sensing [OE-43-2505]

H. Pedersen, W. Zong, M. Sorensen, C. Thirstrup

10-Gbytes/s, three-dimensional parallel optical interconnects using a novel conductive polymer flip-chip process [OE-43-2511]

S. Lohokare, C. Schuetz, Z. Lu, T. Dillon, A. Sure, D. Prather

Ultrafast spatiotemporal processing with thin-film micro-optics [OE-43-2518]

R. Grunwald, V. Kebbel, U. Neumann, U. Griebner, M. Piché

Some application cases and related manufacturing techniques for optically functional microstructures on large areas [OE-43-2525]

A. Gombert, B. Bläsi, C. Bühler, P. Nitz, J. Mick, W. Hoßfeld, M. Niggemann

Computer-generated holograms in interferometric testing [OE-43-2534]

C. Pruss, S. Reichelt, H. Tiziani, W. Osten

Design of diffractive optical elements for high-power laser applications [OE-43-2541]

J. Liu, M. Thomson, A. Waddie, M. Taghizadeh

Review of iterative Fourier-transform algorithms for beam shaping applications [OE-43-2549]

O. Ripoll, V. Kettunen, H. Herzig

Some mathematical properties of the uniformly sampled quadratic phase function and associated issues in digital Fresnel diffraction simulations [OE-43-2557]

L. Onural

Symmetry of the Talbot effect and its applications [OE-43-2564]

W. Wang, C. Zhou

Diffraction of phase mask with stitching errors in fabrication of fiber Bragg gratings [OE-43-2570]

Y. Sheng, Y. Qiu, J. Wang

Design and fabrication technologies for ultraviolet replicated micro-optics [OE-43-2575]

H. Rudmann, M. Rossi

Blazed binary diffractive gratings with antireflection coating for improved operation at 10.6 μm [OE-43-2583]

M.-S. Lee, P. Legagneux, P. Lalanne, J.-C. Rodier, P. Gallais, C. Germain, J. Rollin

Monolithically integrated refractive microlens array to improve imaging quality of an infrared focal plane array [OE-43-2589]

M. He, X. Yuan, J. Moh, J. Bu, X. Yi

Profile control technology for high-performance microlens array [OE-43-2595]

C. Du, X. Dong, C. Qiu, Q. Deng, C. Zhou

Volume phase holographic gratings: large size and high diffraction efficiency [OE-43-2603]

P.-A. Blanche, P. Gailly, S. Habraken, P. Lemaire, C. Jamar

Recording of concave diffraction gratings in a two-step process using spatially incoherent light [OE-43-2613]

E. Sokolova, B. Kruizinga, I. Golubenko

Theoretical study of implementing all-optical digital logic based on three-order diffraction of light by coherent acoustic phonons in single crystals [OE-43-2623]

A. Shcherbakov, E. Rodriguez, A. Aguirre López

Narrow bandwidth wavelength filter by guided mode resonance [OE-43-2631]

C. Lenaerts, V. Moreau, Y. Lion, Y. Renotte

Implementation of Fresnel full complex-amplitude digital holograms [OE-43-2640]

L. Neto, P. Cardona, G. Cirino, R. Mansano, P. Verdonck

Wavefront reconstruction by adding modulation capabilities of two liquid crystal devices [OE-43-2650]

R. Tudela, E. Martín-Badosa, I. Labastida, S. Vallmitjana, A. Carnicer

Volume diffraction gratings for optical telecommunications applications: design study for a spectral equalizer [OE-43-2658]

T. Loukina, S. Massenot, R. Chevallier, K. Heggarty, N. Shigapova, A. Skochilov

Characterization of the gray-scale photolithography with high-resolution gray steps for the precise fabrication of diffractive optics [OE-43-2666]

Y.-T. Lu, C.-S. Chu, H.-Y. Lin

Calculation of the transmittance function of a multilevel diffractive optical element considering multiple internal reflections [OE-43-2671]

H. Kim, B. Lee

Intrinsic fiber optic chemical sensor for the detection of dimethyl methylphosphonate [OE-43-2683]

S. Khalil, L. Bansal, M. El-Sherif

Measurements of intensity scintillations and probability density functions of retroreflected broadband 980-nm laser light in atmospheric turbulence [OE-43-2689]

F. Davidson, S. Bucaille, G. Gilbreath, E. Oh

Quantitative evaluation of "mura" in liquid crystal displays [OE-43-2696]

Y. Mori, K. Tanahashi, S. Tsuji

Research on the effects of air hole shape on the properties of microstructured optical fibers [OE-43-2701]

R. Yang, W. Xue, T. Huang, G. Zhou

Performance enhancement for rate-constrained motion estimation using Kalman filter [OE-43-2707]

C.-M. Kuo, S.-C. Chung, P.-Y. Shih

Measurement of the carrier lifetime and linewidth enhancement factor of semiconductor optical amplifiers using their optical modulation responses [OE-43-2715]

K.-H. Lee, K.-H. Park, W.-Y. Choi

Hybrid wavelength-division-multiplexing transport systems based on praseodymium-doped fiber amplifiers [OE-43-2719]

S.-Y. Tzeng, H.-H. Lu, W.-S. Tsai, Y.-C. Lai

Bidirectional frequency-domain digital filtering to simultaneously improve temperature resolution and eliminate spatial inaccuracy of a distributed temperature sensor [OE-43-2724]

A. Chakraborty, S. Kher, S. Chaubey, T. Nathan

A thermo-optical analysis method for a space optical remote sensor optostructural system [OE-43-2730]

Y. Ding, Z. You, E. Lu, H. Cheng

Experimental study on the measurement of micro structures [OE-43-2736]

Q. Li, Y. Li, B. Wang, S. Xue

Real-time range finder based on phase- and modulation-amplitude-locked laser diode interferometry [OE-43-2742]

T. Suzuki, T. Iwana, O. Sasaki

Angular distribution of the mean scattered intensity applied to cylindrical rough surface characterization [OE-43-2747]

F. Perez-Quintan, M. Rebollo, N. Gaggioli

Measurement of surface roughness by speckle correlation [OE-43-2753]

I. Yamaguchi, K. Kobayashi, L. Yaroskavsky

Theoretical and experimental study of a laser diode end-pumped passively Q-switched Nd:YVO₄ laser with Cr⁴⁺:YAG saturable absorber [OE-43-2762]

G. Li, S. Zhao, K. Yang, H. Zhao

Performance evaluation of a liquid-crystal-on-silicon spatial light modulator [OE-43-2769]

X. Wang, B. Wang, J. Pouch, F. Miranda, J. Anderson, P. Bos

Operating curve extraction of a correlator's filter [OE-43-2775]

M. Letendre, A. Bergeron, H. Arsenault

Temporal wavelet analysis for deformation and velocity measurement in speckle interferometry [OE-43-2780]

Y. Fu, C. Tay, C. Quan, L. Chen

Genetic-algorithm-based stereo vision with no block partitioning of input images [OE-43-2788]

B. Wang, R. Chung, C.-L. Shen

Facet-based star acquisition method [OE-43-2796]

S. Zheng, Y. Tian, J. Tian, J. Liu

New metric for predicting target acquisition performance [OE-43-2806]

R. Vollmerhausen, E. Jacobs, R. Driggers

Volume 43, Issue 12

Editorial: *e-First, Publishing in Real Time* by D. O'Shea

Guest Editorial: *Fusion Laser Engineering* by J. Murray, J. Soares

Enhanced Fisher linear discriminant model based face recognition using facial combined feature [OE-43-2829]

D. Zhou, X. Yang

Homodyne assisted multistep phase shifting in phase-resolved optical technique for latent fingerprint imaging [OE-43-2831]

U. Dinish, Z. Chao, V. Murukeshan, L. Seah

Optoelectronic neural system for vision applications [OE-43-2833]

M. Ruiz-Llata, H. Lamela

Dual detection for optical code division multiple access communication [OE-43-2835]

S. Kok, Y. Zhang, C. Wen, Y. Soh

New tunable polarization-mode-dispersion compensator using high-birefringence linearly chirped fiber gratings with highly reduced chromatic dispersion [OE-43-2837]

G. Ning, S. Aditya, P. Shum, X. Dong, Y. Gong, J. Ng

The National Ignition Facility [OE-43-2841]

G. Miller, E. Moses, C. Wuest

National Ignition Facility wavefront requirements and optical architecture [OE-43-2854]

M. Spaeth, K. Manes, C. Widmayer, W. Williams, P. Whitman, M. Henesian, I. Stowers, J. Honig

Assembling and installing line-replaceable units for the National Ignition Facility [OE-43-2866]

R. Bonanno

Alignment and wavefront control systems of the National Ignition Facility [OE-43-2873]

R. Zacharias, N. Beer, E. Bliss, S. Burkhart, S. Cohen, S. Sutton, R. Van Atta, S. Winters, J. Salmon, M. Latta, C. Stolz, D. Pigg, T. Arnold

Laser performance operations model [OE-43-2885]

M. Shaw, W. Williams, R. House, C. Haynam

Low-dispersion optical fiber highly transparent in the UV spectral range [OE-43-2896]

G. Ermolaeva, M. Eron'yan, K. Dukel'skii, A. Komarov, Y. Kondratev, M. Serkov, M. Tolstoy, V. Shilov, V. Shevandin, H. Powell, C. Thompson

Cleanliness improvements of National Ignition Facility amplifiers as compared to previous large-scale lasers [OE-43-2904]

J. Honig

Theory and operation of a robust controller for a compact adaptive optics system [OE-43-2912]

B. Frazier, R. Tyson, M. Smith, J. Roche

Refined simplex fitting method [OE-43-2921]

Y.-S. Kim

Assessing target search performance: the free-response operator characteristic model [OE-43-2926]

J. Irvine

Overheating, flame, smoke, and freight movement detection algorithms based on charge-coupled device camera for aircraft cargo hold surveillance [OE-43-2935]

T. Sentenac, Y. Le Maout, J.-J. Orteu, G. Bancourt

Dim target detection based on nonlinear multifeature fusion by Karhunen-Loeve transform [OE-43-2954]

Z. Peng, Q. Zhang, J. Wang, Q. Zhang

Fully phase encryption using digital holography [OE-43-2959]

N. Nishchal, J. Joseph, K. Singh

Characterization of novel all-plastic electrochromic devices: electro-optic and voltammetric response [OE-43-2967]

R. Vergaz, J. Sanchez-Pena, A. Gonzalo, J. Ollero, C. Vazquez, J. Pomposo, H. Grande, D. Mecerreyes

Demodulation of extrinsic Fabry-Pérot interferometric sensors for vibration testing using neural networks [OE-43-2976]

R. Dua, S. Watkins, D. Wunsch

Content-based compression of mammograms with fractal-based segmentation and a modified JPEG2000 [OE-43-2986]

H.-Y. Chan, H. Sari-Sarraf, B. Grinstead, S. Gleason

Temporal synchronization in optical parametric chirped pulse amplification laser system [OE-43-2994]

Y. Leng, X. Yang, H. Lu, L. Lin, Z. Zhang, R. Li, D. Yin, Z. Xu

Simple method to calibrate phase modulators for use in dynamic phase-shifting interferometry [OE-43-2998]

Y. Shen, J. Huntley

Use of Wollaston prism to simplify the polarization method for simultaneous recording of moiré interferometry fringe patterns [OE-43-3003]

F. Su, Y. Sun, K. Chian, S. Yi, F. Dai

Sinusoidal phase-modulating laser diode interferometer for measuring angular displacement [OE-43-3008]

C. Zhang, X. Wang

Simultaneous and real-time measurement of slope and curvature fringes in thin structures using shearing interferometry [OE-43-3014]

H. Tippur

Simple method for controlled variation of liquid crystal cell thickness [OE-43-3021]

E. Bahat-Treidel, B. Apter, U. Efron

Tunability of a 946-nm Nd:YAG microchip laser versus output mirror reflectivity and crystal length [OE-43-3026]

H. Hara, B. Walsh, N. Barnes

Approach to maximize increased details and minimize color distortion for IKONOS and QuickBird image fusion [OE-43-3029]

Y. Su, P. Huang, C. Lin, T. Tu

Hyperspectral texture classification using generalized Markov fields [OE-43-3038]

S. Sarkar, G. Healey

3.5- to 12- μ m dual-band spectrometer [OE-43-3045]

P. LeVan, D. Maestas

Nondestructive inspection of tissue/tissue like phantom curved surfaces using digital speckle shearography [OE-43-3055]

N. Sujatha, V. Murukeshan

Chirp compensating in long haul optical links by means of self-phase modulation and real-time feedback [OE-43-3061]

I. Landesman, U. Mahlab, S. Ruschin

Effects of corrugation of aspherical mirrors on the optical performance of imaging optics with the mirror near an image plane [OE-43-3068]

S. Shikama

New focusing mirror system for synchrotron radiation infrared beamlines [OE-43-3077]

S.-J. Chen, C. Kuan, S. Perng, D. Wang, H. Ho, T. Tseng, Y.-C. Lo, C. Chen

Fabrication of fiber-embedded boards using grooving technique for optical interconnection applications [OE-43-3083]

H. Cho, S. Kang, B. Rho, H.-H. Park, K.-U. Shin, S.-W. Ha, B.-H. Rhee, D.-S. Kim, S. Jung, T. Kim

Smoothing of diamond-turned substrates for extreme ultraviolet illuminators [OE-43-3089]

R. Soufli, E. Spiller, M. Schmidt, J. Robinson, S. Baker, S. Ratti, M. Johnson, E. Gullikson

Numerical and experimental study of an out-of-plane prealigned refractive microlens fabricated using ultraviolet lithography method [OE-43-3096]

R. Yang, W. Wang

Forward-view transition algorithm between the near and the far views and its extension to the panoramic images [OE-43-3104]

D.-H. Kim, S.-H. Kim, J.-S. Choi

Photoacoustic investigation of intrinsic and extrinsic Si [OE-43-3114]

S. George, B. Kumar, P. Radhakrishnan, V. Nampoori, C. Vallabhan

Fine-scaled optical detection of nitrogen stress in grain crops [OE-43-3119]

M. Reyniers, E. Vrindts, J. De Baerdemaeker

Stereoscopic imaging camera with simultaneous vergence and focus control [OE-43-3130]

S.-Y. Park, N. Lee, S. Kim

High-frequency analog modulation of oxide confined 670-nm vertical-cavity surface-emitting lasers [OE-43-3138]

C. Carlsson, P. Modh, J. Halonen, R. Schatz, A. Larsson

Efficient discrete cosine transform and quantization algorithm based on eliminating redundant computations in H.264 video encoding [OE-43-3142]

Y. Moon, S. Park, J. Kim

Measurement of ion-exchanged waveguide burial depth with a camera [OE-43-3149]

J. Frantz, J. Carriere, R. Kostuk

Improving genetic algorithms for arbitrary traffic grooming in wavelength division multiplexing ring networks [OE-43-3155]

Y. Jiao, B. Zhou, H. Zhang, Y. Guo

Volume 44, Issue 01

Editorial: *Surfin' Australasia* by D. O'Shea

Correlation-based watermarking by a digital holographic technique [OE-44-010501]

C.-J. Cheng, L.-C. Lin

Expert system for generating initial layouts of zoom systems with multiple moving lens groups [OE-44-013001]

X. Cheng, Y. Wang, Q. Hao, J. Sasián

Distortion-free technique for parallel autostereoscopic projection with a single projection lens [OE-44-013002]

S. Shestak, S. Kim, K. Cha

Surface profiling using phase shifting Talbot interferometric technique [OE-44-013601]

S. Mirza, C. Shakher

Classification of imaging spectrometers for remote sensing applications [OE-44-013602]

R. Sellar, G. Boreman

Determination of the refraction influence in precision leveling [OE-44-013603]

J. Skeivalas

Low-numerical-aperture Gaussian beam confocal system for profiling optically smooth surfaces [OE-44-013604]

M. Cywiak, J. Aguilar, B. Barrientos

Design and implementation of a vacuum-compatible laser-based subnanometer-resolution absolute distance measurement system [OE-44-013605]

P. Naulleau, P. Denham, S. Rekawa

Optical profiler based on spectrally resolved white light interferometry [OE-44-013606]

S. Debnath, M. Kothiyal

Three-dimensional level-curve scanning based on intersection of laser lines [OE-44-013607]

T. Sliwa, H. Tairi, Y. Voisin, A. Diou

New three-dimensional displacement measurement system: modified four-beam moiré interferometer-Twyman/Green [OE-44-013608]

W. Wang, J. Sun, X. Qian

Optimizing design of high-resolution optical encoder using a point-source light-emitting diode with slits [OE-44-013609]

Y. Matsuzoe, K. Koizumi, T. Saitoh, T. Yoshizawa

Very large-scale integral imaging (VLSII) for 3-D display [OE-44-014001]

J.-S. Jang, B. Javidi

Superresolution performance for undersampled imagers [OE-44-014002]

R. Driggers, K. Krapels, S. Murrill, S. Young, M. Thielke, J. Schuler

Phase-modulating bistable optically addressed spatial light modulators using wide-switching-angle ferroelectric liquid crystal layer [OE-44-014003]

S. Mias, I. Manolis, N. Collings, T. Wilkinson, W. Crossland

Fast ray-tracing methods for LCD backlight simulation using the characteristics of the pattern [OE-44-014004]

W. Lee, T. Lim, Y. Lee, I. Lee

Laser performance of monolithic Cr, Nd:YAG crystal with prepumping modulation [OE-44-014201]

P. Yan, X. Tian, M.-I. Gong, T. Xie

Spacing-tunable multiwavelength fiber laser source using a Sagnac loop filter [OE-44-014202]

N. Ngo, D. Liu, X. Dong, L. Binh, S. Tjin, S. Li

Measurement of methane gas concentration by detecting absorption at 1300 nm using a laser diode wavelength-sweep technique [OE-44-014301]

K. Noda, M. Takahashi, R. Ohba, S. Kakuma

Feasibility study of a CO₂-laser based lightning-protection system realization [OE-44-014302]

V. Apollonov

Self-compensated high-pressure sensor with a high-birefringence fiber Bragg grating and a bulk modulus [OE-44-014401]

Y. Zhao, M. Zhao, J. Yang

Use of waveguide light scattering for precision measurements of the statistical parameters of irregularities of integrated optical waveguide materials [OE-44-014601]

A. Yegorov

Theoretical and experimental analysis of the effect of stimulated Raman scattering on pilot-tone detection technique in dense wavelength-division multiplexing transmission system [OE-44-015001]

Z. Gao, M. Chen, J. Jin, S. Xie

Effects of chemical modification on fusion splicing strength and optical parameters of optical fiber [OE-44-015002]

S. Dong, Y. Liao, M. Zhang, Q. Tian

Bayesian surface estimation for white light interferometry [OE-44-015601]

M. Hissmann, F. Hamprecht

Phase-shifting moiré interferometry based on a liquid crystal phase modulator [OE-44-015602]

H.-J. Wang, J.-W. Chen, C.-M. Liu, L.-W. Chen

Holographic interference measurement of the hypersonic flow field [OE-44-015603]

L. Guo, Z. Zhou, H. Yang, L. Zhang

Wind effects on scintillation decorrelation times [OE-44-016001]

G. Potvin, D. Dion, J. Forand

Optical fiber imaging laser radar [OE-44-016201]

A. Akiyama, Y. Kakimoto, K. Kanda, M. Kuwabara, H. Yasuo, E. Mutoh, H. Kumagai, T. Watanabe, M. Doshida, H. Ishii

High-accuracy optical power measurements by using electrical-substitution cryogenic radiometer [OE-44-016401]

Ö. Bazkir, S. Ugur, F. Samedov, A. Esendemir

Interacting multiple-model-based tracking of multiple point targets using an expectation maximization algorithm in an infrared image sequence [OE-44-016402]

M. Zaveri, S. Merchant, U. Desai

Use of gadolinium oxyorthosilicate scintillators in x-ray radiometers [OE-44-016403]

V. Ryzhikov, B. Grinev, E. Pirogov, G. Onyshchenko, A. Ivanov, V. Bondar, K. Katrunov, S. Kostyukevych

Temporally masked camera readout technique for obtaining an invariance to platform vibration distortions [OE-44-017001]

Z. Zalevsky, N. Shamir, D. Mendlovic

Pitfalls in point-spread-function measurement of computed tomographic system by microphantom reconstruction [OE-44-017002]

Z. Chen, R. Ning

Color image hiding scheme using image differencing [OE-44-017003]

C.-S. Chan, C.-C. Chang, Y.-C. Hu

Region merging using homogeneity and edge integrity for watershed-based image segmentation [OE-44-017004]

S. Hernandez, K. Barner, Y. Yuan

Restoration algorithms for turbulence-degraded images based on optimized estimation of discrete values of overall point spread functions [OE-44-017005]

T. Zhang, H. Hong, J. Shen

Nonlinear transformation analysis of the misregistered trade-off heterocorrelation filter: part 1, using full spectrum information [OE-44-017201]

J. Khoury, P. Gianino, C. Woods

Nonlinear transformation analysis of the misregistered trade-off heterocorrelation filter: part 2, using the phase-only filter [OE-44-017202]

J. Khoury, P. Gianino, C. Woods

Design tips of nanoapertures with strong field enhancement and proposal of novel L-shaped aperture [OE-44-018001]

J. Xu, T. Xu, J. Wang, Q. Tian

Terahertz technique for detection of microleaks in the seal of flexible plastic packages [OE-44-019001]

Y. Morita, A. Dobroiu, K. Kawase, C. Otani

Volume 44, Issue 02

Editorial: 2004 in Review by D. O'Shea

Variable wavelength-spacing tunable filter using polarization differential delay line [OE-44-020501]

S. Chung, B. Lee

Optical clock recovery scheme for a high bit rate nonreturn-to-zero signal using fiber Bragg grating filters [OE-44-020502]

J. Lee, H. Cho, S.-K. Lim, S. Lee, J. Ko

Transmission improvement of vertical cavity surface emitting lasers at 4×2.5 Gbit/s under a semiconductor optical amplifier with external light injection technique [OE-44-020503]

H.-H. Lu, J.-W. Liaw, Y.-J. Ji, W.-L. Tsai, Y.-S. Lee

Temperature-compensated optical fiber Michelson refractometer [OE-44-020504]

A. Van Brakel, P. Swart

Gradient-threshold edge detection based on the human visual system [OE-44-020505]

F. Yang, Y. Chang, S. Wan

SMC based on Phong's model [OE-44-020506]

H. Zhang, M. Gong, D. Wang, R. Cui

Reliability of stray light calculation code using the Monte Carlo method [OE-44-023001]

H.-P. Tan, Y. Shuai, X.-L. Xia, H.-C. Zhang

Compensated telescope system with programmable diffractive optic [OE-44-023201]

M. Gruneisen, L. DeSandre, R. Dymale, J. Rotgé, D. Lubin

Compensation-friendly two-wavelength contouring method in holographic interferometry [OE-44-023601]

V. Borbély, Z. Füzessy, F. Gyimesi, B. Ráczkevi

Laser beam profiling with extended-image-range techniques [OE-44-023602]

R. González-Moreno, J. Quiroga, J. Alonso, E. Bernabeu

Double-diffraction planar encoder by conjugate optics [OE-44-023603]

C.-F. Kao, C. Chang, M.-H. Lu

Polarization measurements using a commercial off-the-shelf digital camera [OE-44-023604]

R. Matchko, G. Gerhart

Low-cost laser rangefinder with crystal-controlled accuracy [OE-44-023605]

J. Munro

Color-coded binary fringe projection technique for 3-D shape measurement [OE-44-023606]

J. Pan, P. Huang, F. Chiang

Ellipsometry on optically thin palladium films on silicon-based substrate: effects of low concentration of hydrogen [OE-44-023802]

E. Lioudakis, A. Othonos

Modification of the spectral response of a Fabry-Perot etalon by spatial variation of the etalon thickness and reflectivity [OE-44-024001]

J. Arkwright, R. Netterfield, W. Stuart, J. Seckold

Registration of an on-axis see-through head-mounted display and camera system [OE-44-024002]

G. Luo, N. Rensing, E. Weststrate, E. Peli

A method of building pixel cells with an arbitrary vertex angle [OE-44-024003]

J.-Y. Son, V. Saveljev, B. Javidi, K.-D. Kwak

Coupling a coherently emitting twin laser to a fiber by a Y waveguide: modeling results [OE-44-024201]

M. de Pedraza Velasco, O. Soares

Tunable electro-optically Q-switched rf excited partial Z-fold CO₂ waveguide laser with two channels [OE-44-024202]

Z. Tian, H. Badran, W. Qi

Effect of acoustic flexural waves in a tilted superstructure fiber grating [OE-44-024401]

M.-Y. Fu, W.-F. Liu, T.-C. Chen

2×2 acousto-optical add/drop multiplexers utilizing tilted film-loaded strip SiO₂ SAW waveguides in Ti:LiNbO₃ [OE-44-024601]

H. Jung

Enhanced polarization mode dispersion tolerance by optimizing receiver bandwidth [OE-44-025001]

J. Chen, Y. Wang, C. Lu

Fiber characterization for application in heterodyne laser interferometry with nanometer uncertainty, part I: polarization state measurements [OE-44-025002]

B. Knarren, S. Cosijns, H. Haitjema, P. Schellekens

Fiber characterization for application in heterodyne laser interferometry, part II: modeling and analysis [OE-44-025003]

B. Knarren, S. Cosijns, H. Haitjema, P. Schellekens

16×42.8 Gb/s unrepeatd transmission over 200 km of standard single-mode fiber by using an electroabsorption modulator [OE-44-025004]

S. Lee, H. Cho, S. Lim, J. Ko

Optimization design and manufacturing tolerance analysis of a polymer microring resonant wavelength multiplexer [OE-44-025005]

C.-S. Ma, X.-Y. Wang, S.-L. E, Y.-Z. Xu, X. Yan, D.-M. Zhang, Z.-C. Cui, D.-G. Sun

Design and fabrication of a dense wavelength division demultiplexer with grism structure [OE-44-025006]

J.-R. Sze, M.-H. Lu

Experimental method for topological charge determination of optical vortices in a regular net [OE-44-025601]

E. Fraczek, W. Fraczek, J. Mroczka

Single-axis combined shearography and digital speckle photography instrument for full surface strain characterization [OE-44-025602]

R. Groves, S. Fu, S. James, R. Tatam

Wavefront interferometric technique for accurate spacecraft relative attitude determination [OE-44-025603]

P. Magnani, F. Zazzera

Realization of selective low emittance in both thermal atmospheric windows [OE-44-026001]

H. Hogstrom, G. Forssell, C. Ribbing

Decision fusion algorithm for target tracking in infrared imagery [OE-44-026401]

A. Dawoud, M. Alam, A. Bal, C. Loo

Modified temporal difference method for change detection [OE-44-027001]

C.-C.. Chang, T.-L. Chia, C.-K. Yang

Pixel-pyramid model for divergent projection geometry [OE-44-027002]

Z. Chen, R. Ning

Artifact reduction with diffusion preprocessing for image compression [OE-44-027003]

I. Kopilovic, T. Sziranyi

Optical calibration of a multispectral imaging system based on interference filters [OE-44-027004]

A. Mansouri, F. Marzani, J. Hardeberg, P. Gouton

Passive 3-D shape recovery of unknown objects using cooperative polarimetric and radiometric stereo vision processes [OE-44-027005]

P. Miche, A. Bensrhair, D. Lebrun

Competitive learning vector quantization with evolution strategies for image compression [OE-44-027006]

S. Zhang, E. Salari

Accuracy and performance analysis of digital levels [OE-44-027007]

J. Skeivalas, V. Giniotis

Three-dimensional object recognition using x-ray imaging [OE-44-027201]

S. Yeom, B. Javidi, Y. Roh, H. Cho

Polarization azimuth angle in daylight scenes [OE-44-028001]

R. Matchko, G. Gerhart

Contrast of shadow moiré at high-order Talbot distances [OE-44-028002]

C. Han, B. Han

Dynamic adjustment for gain-clamping erbium-doped fiber amplifier using a backward-injection light [OE-44-029701]

C. Yeh, C. Chen, S. Chi

Volume 44, Issue 03

Editorial: *Page Charges by D. O'Shea*

Directly modulated cable television transport systems using negative dispersion fiber [OE-44-030501]

H.-H. Lu, J.-W. Liaw, Y.-S. Lee, W.-L. Tsai, Y.-J. Ji

New idea for a D-type optical fiber sensor based on Kretschmann's configuration [OE-44-030502]

S.-F. Wang, M.-H. Chiu, R.-S. Chang

Fiber ringdown temperature sensors [OE-44-030503]

C. Wang

Optimum focal length range for thin-lens optical arrays providing spatial integration [OE-44-033001]

H. Kamal, D. Vazquez, J. Alda

Control of the homogeneity of an optical grating by a neural characterization [OE-44-033601]

S. Robert, A. Mure-Ravaud

Theoretical investigation of the point-spread function given by super-resolving fluorescence microscopy using two-color fluorescence dip spectroscopy [OE-44-033602]

Y. Iketaki, T. Watanabe, M. Sakai, S. Ishiuchi, M. Fujii, T. Watanabe

Least-squares calibration method for fringe projection profilometry [OE-44-033603]

H. Guo, H. He, Y. Yu, M. Chen

Frequency response of five integration methods to obtain the profile from its slope [OE-44-033604]

A. Moreno, J. Campos, L. Yaroskavsky

Quantitative measures for the evaluation of camera stability [OE-44-033605]

A. Habib, A. Pullivelli, M. Morgan

Optical characterization of a homogenous photosensitive layer by thin film resonance method [OE-44-033801]

L. Elouad, I. El-Hafidi, R. Grzymala, P. Meyrueis

Fabrication and metrology of an electro-optic polymer light modulator based on waveguide-coupled surface plasmon resonance [OE-44-034001]

J.-J. Chyou, C.-S. Chu, Z.-H. Shih, C.-Y. Lin, S.-J. Chen, C.-F. Shu

Quadtree-based disparity estimation for intermediate view synthesis of stereoscopic image sequences [OE-44-034002]

J. Sung, S. Lee, S. Kim, J. Kim

Time-of-flight measurement in self-triggering pulsed laser ranging [OE-44-034201]

C. Yang, Y. Huo, Q. Chen, L. Qin, D. Zhao

Er³⁺-doped tellurite glass microsphere laser: optical properties, coupling scheme, and lasing characteristics [OE-44-034202]

X. Peng, F. Song, M. Gonokami, S. Jiang, N. Peyghambarian

Prism-based ultrafast pulse-shaping apparatus [OE-44-034203]

E. Lioudakis, K. Adamou, A. Othonos

Compression of the pulse width in a diode-pumped Nd:YVO₄ laser with double Q-switches [OE-44-034204]

G. Li, S. Zhao, K. Yang

Performance optimized optical fiber sensor for humidity measurement [OE-44-034401]

S. Khijwania, K. Srinivasan, J. Singh

Study of simultaneous measurement of temperature and pressure using double fiber Bragg gratings with polymer package [OE-44-034402]

A. Sun, X. Qiao, Z. Jia, M. Li, D. Zhao

Mechanically created long-period fiber gratings as sensitive bend sensors [OE-44-034403]

N. Singh, S. Jain, V. Mishra, G. Poddar, A. Bansal, V. Jindal, R. Bajpai

Extended step-out length fiber Bragg grating interrogation system for condition monitoring of electrical submersible pumps [OE-44-034404]

G. Fusiek, P. Niewczas, J. McDonald

Extraction of electro-optic coefficient in thin-film linear electro-optic Mach-Zehnder interferometers with nonperiodic intensity-voltage output characteristics [OE-44-034601]

D.-Y. Chen, J. Phillips

Effective numerical algorithm for fiber amplifiers [OE-44-035001]

X. Liu

Interactions between polarization-division multiplexing solitons and its suppression with nonlinear gain [OE-44-035002]

Y. Zhang, K. Li, F. Kong

Header separation and reinsertion for 10-Gbit/s variable-length optical packets [OE-44-035003]

A. Hatziefremidis, E. Kehayas, D. Tsiokos, G. Kanellos, L. Stampoulidis, N. Pleros, H. Avramopoulos

All-optical time-domain multiplexing-demultiplexing scheme with nonlinear material [OE-44-035201]

K. Chowdhury, P. Das, S. Mukhopadhyay

Three-dimensional optical data storage in a novel photochromic material with two-photon writing and one-photon readout [OE-44-035202]

Y. Zhou, H. Tang, W. Huang, A. Xia, F. Sun, F. Zhang

Modernization of the Hilger & Watts gauge-block interferometer [OE-44-035601]

M. O'Hora, B. Bowe, V. Toal, S. Peyton

Merging system for multiscale edge detection [OE-44-035602]

O. Laligant, F. Truchetet, J. Miteran, P. Gorria

Denoising of conoscopic holography fringe patterns with orientational filters: a comparative study [OE-44-035603]

J. Enguita, Y. Fernández, I. Alvarez, C. Fraga Bobis, J. Marina

Interferometric test of optical systems: effects of probe beam collimation errors [OE-44-035604]

M. Vannoni, G. Molesini, A. Righini

Noise tolerance of the improved max-min scanning method for phase determination [OE-44-035605]

X. Ding, G. Cloud, B. Raju

Accuracy assessment of interferometric digital elevation models derived from the Shuttle Radar Topography Mission X- and C-band data in a test area with rolling topography and moderate forest cover [OE-44-036201]

G. Kocak, G. Buyuksalih, M. Oruc

Bidirectional reflectance distribution function and directional-hemispherical reflectance of a martian regolith simulant [OE-44-036202]

G. Georgiev, J. Butler

Automatic target detection using binary template matching [OE-44-036401]

D.-S. Jun, S.-G. Sun, H. Park

Characterization of a wavelength-tunable antenna-coupled infrared microbolometer [OE-44-036402]

M. Gritz, M. Metzler, M. Abdel-Rahmen, B. Monacelli, G. Zummo, D. Malocha, G. Boreman

Determination of the conditions under which the responsivity of quantum-well infrared photodetectors becomes background-flux-dependent [OE-44-036403]

K. Cuff, T. Casselman, D. Arrington, J. Hubbs

Surface texture recognition by surface rendering [OE-44-037001]

X. Llado, M. Petrou, J. Marti

Intrinsic parallel random iteration algorithm for fractal image decoding based on iterated function system code [OE-44-037002]

H. Chang, C. Kuo

Advanced discrete wavelet transform fusion algorithm and its optimization by using the metric of image quality index [OE-44-037003]

Y. Zheng, E. Essock, B. Hansen

Robust multiple-initial-point prediction algorithm for fast motion estimation in the MPEG-2 standard [OE-44-037004]

C. Grecos, A. Saparon

Fast hybrid approach to large-magnification super-resolution image reconstruction [OE-44-037005]

D. Zhang, M. Du

Enhanced fingerprint verification and identification using a Widrow cellular neural network [OE-44-037201]

A. Bal, A. El-Saba, M. Alam

Volume 44, Issue 04

Editorial: "Not Wrong" Papers by D. O'Shea

Guest Editorial: *Advances in UV Ground- and Space-based Measurements and Modeling II* by J. Slusser, W. Gao, J. Herman

20-km-length distributed fiber optical loss sensor based on transmission-reflection analysis [OE-44-040501]

V. Spirin, P. Swart, A. Chtcherbakov, S. Miridonov, M. Shlyagin

Radio-frequency ring resonators for self-referencing fiber-optic intensity sensors [OE-44-040502]

C. Vázquez García, J. Montalvo, P. Contreras Lallana

Periodic filters with a three-mirror Gire-Tournois resonator in a Michelson interferometer [OE-44-040503]

L. Wei, J. Lit

Influence of thermal isolating grooves on the performance of the Mach-Zehnder interferometer-type thermo-optic variable optical attenuator [OE-44-040504]

Y. He, L. Yang, Q. Fang, H. Xin, F. Li, Y. Liu

Understanding the factors that affect surface ultraviolet radiation [OE-44-041002]

J. Kerr

Challenges in atmospheric correction of satellite imagery [OE-44-041003]

K. Stamnes, W. Li, H. Eide, J. Stamnes

Aerosol ultraviolet absorption experiment (2002 to 2004), part 1: ultraviolet multfilter rotating shadowband radiometer calibration and intercomparison with CIMEL sunphotometers [OE-44-041004]

N. Krotkov, P. Bhartia, J. Herman, J. Slusser, G. Labow, G. Scott, G. Janson, T. Eck, B. Holben

Aerosol ultraviolet absorption experiment (2002 to 2004), part 2: absorption optical thickness, refractive index, and single scattering albedo [OE-44-041005]

N. Krotkov, P. Bhartia, J. Herman, J. Slusser, G. Scott, G. Labow, A. Vasilkov, T. Eck, O. Dubovik, B. Holben

Mesoscale distributions of ultraviolet spectral irradiance, actinic flux, and photolysis rates derived from multispectral satellite data and radiative transfer models [OE-44-041006]

M. Wetzel, J. Slusser

Fast measurements of solar spectral UV irradiance—first performance results of two novel spectroradiometers [OE-44-041007]

U. Feister, A. Kaifel, R.-D. Grewe, J. Kaptur, O. Reutter, M. Wohlfart, K. Gericke

Techniques for monitoring and maintaining the performance of Brewer MkIV spectrophotometers [OE-44-041008]

M. Kimlin, T. Taylor, A. Wilson, R. Meltzer

Comparison of ultraviolet data from colocated instruments from the U.S. EPA Brewer Spectrophotometer Network and the U.S. Department of Agriculture UV-B Monitoring and Research Program [OE-44-041009]

M. Kimlin, J. Slusser, K. Schallhorn, K. Lantz, R. Meltzer

Comparison of data for ozone amounts and ultraviolet doses obtained from simultaneous measurements with various standard ultraviolet instruments [OE-44-041010]

A. Dahlback, H. Eide, B. Kastad Hoeiskar, R. Olsen, F. Schmidlin, S.-C. Tsay, K. Stamnes

Real-time ultraviolet and column ozone from multichannel ultraviolet radiometers deployed in the National Science Foundation's ultraviolet monitoring network [OE-44-041011]

G. Bernhard, C. Booth, J. Ebrahimian

Fast simulation tool for ultraviolet radiation at the earth's surface [OE-44-041012]

O. Engelsen, A. Kylling

Limitations of proximity-effect corrections for electron-beam patterning of planar photonic crystals [OE-44-043401]

R. Wüest, F. Robin, C. Hunziker, P. Strasser, D. Erni, H. Jäckel

Two-grating interferometer with sinusoidal phase modulation for surface profile measurement [OE-44-043601]

Y. Xu, O. Sasaki, T. Suzuki

Optical properties of amorphous silicon germanium obtained by low-frequency plasma-enhanced chemical vapor deposition from $\text{SiH}_4+\text{GeF}_4$ and from $\text{SiH}_4+\text{GeH}_4$ [OE-44-043801]

A. Perez, C. Zuniga, F. Renero Carrillo, A. Torres

Design of a fast tunable wavelength filter based on an arrayed waveguide grating [OE-44-044001]

V. Dobrusin, S. Ruschin

Sensitivity evaluation of fiber optic OC-48 p-i-n transimpedance amplifier receivers using sweep-frequency modulation and intermixing diagnostics [OE-44-044002]

G.-R. Lin, Y.-S. Liao

Programmable control system for wavelength tuning and stabilization of optical fiber lasers [OE-44-044201]

J. Hernández-Cordero, J. Escalante, F. Núñez-Orozco

Study of thermal behaviors in CO_2 laser irradiated glass [OE-44-044202]

C. Wei, H. He, Z. Deng, J. Shao, Z. Fan

Laser diode stack beam shaping by reflective two-wedge-angle prism arrays [OE-44-044203]

G. Zheng, C. Du, C. Zhou, C. Zheng

Stable and tunable fiber double-ring laser based on an erbium-doped waveguide amplifier [OE-44-044204]

H.-C. Chien, C.-H. Yeh, C.-C/ Lee, S. Chi

Fiber optic civil structure monitoring system [OE-44-044401]

J. López-Higuera, C. Jauregui, A. Quintela, J. Echevarria

Fabrication of fiber gratings using a heating process [OE-44-044402]

L.-P. Chi, W.-F. Liu, C. Wu, K.-H. Lin, S.-S. Bor

Retrocommunication utilizing electroabsorption modulators and nonmechanical beam steering [OE-44-045001]

E. Hällstig, J. Öhgren, L. Allard, L. Sjöqvist, D. Engstroem, S. Hard, D. Ågren, S. Junique, Q. Wang, B. Noharet

Effect of turbulence on a quantum-key distribution scheme based on transformation from the polarization to the time domain: laboratory experiment [OE-44-045002]

M. Gabay, S. Arnon

Efficient multicast routing in wavelength-division-multiplexing networks with light splitting and wavelength conversion [OE-44-045003]

K.-B. Tseng, J.-F. Huang

Two-period interference fringes interferometry [OE-44-045601]

Y. Xu

Histogram-data-orientated filter for inconsistency removal of interferometric phase maps [OE-44-045602]

M. Huang, W.-H. Sheu

Study of various preprocessing schemes and wavelet filters for speckle noise reduction in digital speckle pattern interferometric fringes [OE-44-045603]

S. Mirza, R. Kumar, C. Shakher

Experimental interferogram analysis using an automatic polynomial fitting method based on evolutionary computation [OE-44-045604]

J. Sanchez-Escobar, S. Vazquez-Montiel

Multifocus image fusion through pseudo-Wigner distribution [OE-44-047001]

S. Gabarda, G. Cristóbal

Noise estimation in spherical coordinates for color image restoration [OE-44-047002]

E. Hore, B. Qiu, H. Wu

3-D expression of relief in Landsat Thematic Mapper and SPOT P images [OE-44-047003]

M. Gil Decampo, J. Armesto Gonzalez, I. Canas Guerrero

Real-time skin feature identification in a time-sequential video stream [OE-44-047201]

I. Kramberger

Efficient facet-based edge detection approach [OE-44-047202]

K. Tseng, J. Huang

Distortion of Gaussian intensity profile by passing through a tilted Fabry-Perot filter [OE-44-048001]

S. Park, H. Ko, M.-H. Park

Reconstruction of irregularly sampled interferograms in Fourier transform spectrometry with unknown sampling locations [OE-44-048201]

J. Tian, M. Hayes

High-speed enhanced K-edge angiography utilizing cerium plasma x-ray generator [OE-44-049001]

E. Sato, E. Tanaka, H. Mori, T. Kawai, S. Sato, K. Takayama

Clean monochromatic x-ray irradiation from weakly ionized linear copper plasma [OE-44-049002]

E. Sato, E. Tanaka, H. Mori, T. Kawai, S. Sato, K. Takayama

Volume 44, Issue 05

Editorial: *Keeping Old Text Alive* by D. O'Shea

Guest Editorial: *Special Section on Applications of Laser Ablation and Micromachining* by Y. Sidorin

Color filter array demosaicking with local color distribution linearity [OE-44-050501]

Y. Zheng, S. Lin, J. Yang

Bidirectional dynamic data transmission through a rotary interface [OE-44-050503]

D. Jia, W. Jing, Y. Zhang, G. Wang, F. Tang, J. Zhang

Gaussian-like spectrum equalization using an all-fiber lattice filter with symmetric feedback structure [OE-44-050504]

Z. Dong, Y. Zhang, W. Qinghui, Y. Soh

Integrated high-speed digital optical true-time-delay line with embedded electrically switchable gratings [OE-44-050505]

X. Lu, S. Tang, J. Lin, J. Cologrove, Y. Tang, X. Wang, L. Zheng, J. Foshee

Optical micro-shadowgraph-based method for measuring micro-solderball height [OE-44-050506]

S. Wang, C. Quan, C. Tay

Picosecond high-repetition-rate pulsed laser ablation of dielectrics: the effect of energy accumulation between pulses [OE-44-051102]

B. Luther-Davies, A. Rode, N. Madsen, E. Gamaly

Direct-write subwavelength structuring with femtosecond laser pulses [OE-44-051103]

J. Koch, F. Korte, C. Fallnich, A. Ostendorf, B. Chichkov

Direct-write embedded waveguides and integrated optics in bulk glass by femtosecond laser pulses [OE-44-051104]

P. Yang, J. Guo, G. Burns, T. Luk

Femtosecond laser ablation for microfluidics [OE-44-051105]

D. Gomez, I. Goenaga, I. Lizuain, M. Ozaita

Temporal pulse manipulation and consequences for ultrafast laser processing of materials [OE-44-051106]

R. Stoian, A. Mermillod-Blondin, S. Winkler, A. Rosenfeld, I. Hertel, M. Spyridaki, E. Koudoumas, P. Tzanetakis, C. Fotakis, I. Burakov, N. Bulgakova

On the damage behavior of dielectric films when illuminated with multiple femtosecond laser pulses [OE-44-051107]

M. Mero, B. Clapp, J. Jasapara, W. Rudolph, D. Ristau, K. Starke, J. Krüger, S. Martin, W. Kautek

Ultraviolet laser ablation patterning of oxide films for optical applications [OE-44-051108]

J. Ihlemann

Nonlinear fluence dependencies in femtosecond laser ablation of metals and dielectric materials [OE-44-051109]

T. Itina, M. Mamatkulov, M. Sentis

Autofocus system for space cameras [OE-44-053001]

Z. Li, K. Wu

Lightweight mirror design method using topology optimization [OE-44-053002]

K.-S. Park, J. Lee, S.-K. Youn

Analysis of cross talk between radial tilt error and tracking error signal of a high-density digital disk [OE-44-053003]

Y. Wang, M. Gong, P. Yan, W. Jia, R. Cui, H. Zhang

Data registration and integration of three-dimensional sensors [OE-44-053601]

B. Ge, Y. Sun, Q. Lv, Y. Zhang

Continuously controllable, wide-angle liquid crystal beam deflector based on the transversal field effect in a three-electrode cell [OE-44-054001]

B. Apter, E. Bahat-Treidel, U. Efron

Hybrid three-stage C- plus L-band optical fiber amplifier in cascade configuration [OE-44-054201]

C.-H. Yeh, K.-H. Lai, C.-C. Lee, S. Chi

Analysis and optimization of diode end-pumped solid-state lasers: application to Nd³⁺:YVO₄ lasers at 1064 and 1342 nm [OE-44-054202]

A. Sennaroglu, A. Kurt, S. Buhours

Infrared laser beam temporal fluctuations: characterization and filtering [OE-44-054203]

J. López-Alonso, B. Monacelli, J. Alda, G. Boreman

Qualification and reliability testing of a commercial high-power fiber-coupled semiconductor laser for space applications [OE-44-054204]

M. Wright, D. Franzen, H. Hemmati, H. Becker, M. Sandor

Precision polarization multiplexed heterodyne acousto-optic interferometric sensor [OE-44-054401]

M. Arain, N. Riza

Chirped fiber Bragg grating sensor for pressure and position sensing [OE-44-054402]

P. Swart, B. Lacquet, A. Chtcherbakov

Fiber optic pressure sensor with self-compensation capability for harsh environment applications [OE-44-054403]

H. Xiao, J. Deng, Z. Wang, W. Huo, P. Zhang, M. Luo, G. Pickrell, R. May, A. Wang

Refractive-index profiling of single-mode graded-index optical planar waveguides by the inverse Wentzel-Kramers-Brillouin method with improved accuracy [OE-44-054601]

K. Chiang, C. Wong

Simple approach to calculate the refractive index profile of ion-exchanged waveguides [OE-44-054602]

S. Sebastiani, S. Berneschi, M. Brenci, G. Nunzi-Conti, S. Pelli, G. Righini

Coupled-structure erbium-doped fiber amplifier with 94-nm bandwidth [OE-44-055001]

K.-H. Lai, C.-H. Yeh, S. Chi

Wavelength-domain tracking in multiple-beam optical storage systems [OE-44-055201]

T. Choi, T. Milster, M. Lang

Design of a compact neural network based on an optical broadcast architecture [OE-44-055401]

M. Ruiz-Llata, H. Lamela, C. Warde

Phase unwrapping based on branch cut placing and reliability ordering [OE-44-055601]

Y. Lu, X. Wang, G. He

Alternative method for measuring both the refractive indices and the thickness of silver-halide holographic plates [OE-44-055801]

C.-C. Hsu, J.-Y. Lin, K.-H. Chen, D.-C. Su

Free-space optical communications link at 1550 nm using multiple-quantum-well modulating retroreflectors in a marine environment [OE-44-056001]

W. Rabinovich, R. Mahon, H. Burris, G. Gilbreath, P. Goetz, C. Moore, M. Stell, M. Vilcheck, J. Witkowski, L. Swingen, M. Suite, E. Oh, J. Koplou

Analysis of laser multimode content on the angle-of-arrival fluctuations in free-space optics access systems [OE-44-056002]

H. Eyyuboglu, Y. Baykal

Passive approach to expand the field of view of receivers for free-space laser communications [OE-44-056003]

Y. Takayama, W. Klaus, K. Shinohara

Advanced Lyapunov control of a novel laser beam tracking system [OE-44-056004]

V. Nikulin, J. Sofka, V. Skormin

Imagery improvements in staring infrared imagers by employing subpixel microscan [OE-44-056401]

J. Wiltse, J. Miller

Image encryption by using fractional Fourier transform and jigsaw transform in image bit planes [OE-44-057001]

A. Sinha, K. Singh

Component-based subspace linear discriminant analysis method for face recognition with one training sample [OE-44-057002]

J. Huang, P. Yuen, W.-S. Chen, J. Lai

Diffraction elements for imaging with extended depth of focus [OE-44-058001]

G. Mikula, A. Kolodziejczyk, M. Makowski, C. Prokopowicz, M. Sypek

New approach to the measurement of refractive index [OE-44-058002]

L. Bali, R. Shukla, P. Srivastava, A. Srivastava, A. Srivastava, A. Kulshreshtha

Solution of the particle size distribution with improved Newton algorithm [OE-44-058003]

B. Ge, Z. Luan, Q. Lu

Hybrid S- to L-band fiber amplifier module with coupled structure [OE-44-059701]

C.-H. Yeh, S. Chi

Fabrication of Ge/Si quantum-dot infrared photodetector by pulsed laser deposition [OE-44-059702]

M. Hegazy, T. Refaat, M. Abedin, H. Elsayed-Ali

Volume 44, Issue 06

Editorial: *Engineering a Garden by D. O'Shea*

Fast disparity estimation algorithm using the property of stereo matching [OE-44-060501]

J. Park, W. Lee, J. Kim

Narrow-channel-spacing 32-channel arrayed- waveguide-grating multiplexer with an innovative alignment method [OE-44-060502]

J. Li, J. An, J. Xia, H. Wang, X. Hu

High-reflectivity draw-tower fiber Bragg gratings—arrays and single gratings of type II [OE-44-060503]

C. Chojetzki, M. Rothhardt, J. Ommer, S. Unger, K. Schuster, H. Mueller

Wavelength stability optimization of L-band superfluorescent fiber source [OE-44-060504]

X. Wang, W. Huang

Passively mode-locked fiber ring laser with tunable repetition rate output [OE-44-060505]

Y. Gong, P. Shum, C. Lu, D. Tang

Diaphragm-based extrinsic Fabry-Perot interferometric optical fiber sensor for acoustic wave detection under high background pressure [OE-44-060506]

M. Han, X. Wang, J. Xu, K. Cooper, A. Wang

Tunable single- and dual-wavelength fiber ring lasers using an Er-Yb doped waveguide amplifier [OE-44-060507]

P.-L. Peng, S. Chi

Laser diode monolithically integrated with an electroabsorption modulator and dual-waveguide spot-size converter [OE-44-060508]

L. Hou, W. Wang, W. Feng, S. Liang, H. Zhu, F. Zhou, L. Wang, J. Bian

Upstream signal transmission using a self-injection locked Fabry-Perot laser diode for WDM-PON [OE-44-060509]

S. Hann, D. Moon, Y. Chung, C. Park

Spatiotemporal adaptive quantization for an efficient video rate control [OE-44-060510]

S.-W. Lee, W.-J. Kim, K. Kim

Tunable focal depth of an apodized focusing optical system [OE-44-063001]

X. Gao, Z. Fei, F. Zhang, J. Yang, W. Xu, F. Gan

Self-imaging calibration of a visual sensing system with pyramidal mirrors [OE-44-063002]

J. Kim, H. Cho

Imaging properties of a patterned rough surface: effects of defocus [OE-44-063201]

N. Beaudry, T. Milster

Influence of chlorine on etched sidewalls in chemically assisted ion beam etching with SU-8 as mask [OE-44-063401]

L. Pang, C.-H. Tsai, Y. Fainman

Fast autofocus algorithm for automated microscopes [OE-44-063601]

M. Bueno-Ibarra, J. Álvarez-Borrego, L. Acho, M. Chávez-Sánchez

Distance measurement with extended range using lateral shearing interferometry and Fourier transform fringe analysis [OE-44-063602]

D. Mehta, P. Singh, M. Faridi, S. Mirza, C. Shakher

Visible/long-wave infrared dichroic beamsplitter [OE-44-063801]

R. Ferrante, T. Rand, R. Cabrera, M. Paloian

Welding of Al alloy plates using a novel high-average-power pulsed CO₂ laser [OE-44-064201]

H. Gao, Z. Cheng, G. Xu

1.65- μ m Er:Yb:YAG diode-pumped laser delivering 80-mJ pulse energy [OE-44-064202]

E. Georgiou, F. Kiriakidi, O. Musset, J. Boquillon

Raman fiber laser with two parallel couplers [OE-44-064203]

J. Naeini, K. Ahmad

Axisymmetric-fold combination laser resonator [OE-44-064204]

Y. Li, J. Liu, M. Chen, J. Guo, Z. Li, S. Ju

Wavelength-tunable optical short pulse generation with constant repetition frequency and pulsewidth [OE-44-064205]

P.-C. Peng, S. Chi

50-GHz, ultrastable, polarization-maintaining semiconductor fiber ring laser [OE-44-064206]

A. Hatziefremidis, G. Theophilopoulos, K. Vlachos

Hybrid fiber optic voltage sensor for remote monitoring of electrical submersible pump motors [OE-44-064401]

L. Dziuda, P. Niewczas, G. Fusiek, J. McDonald

Birefringence of UV-written channel waveguides [OE-44-064601]

J. Xia, Y. Wu, D. Gao, J. An, J. Li, X. Hu

Silicon-on-insulator thermo-optic variable attenuator module with fast response [OE-44-064602]

Y. Li, Y. Chen, S. Liu, J. Yu

Analysis and design of ultrahigh-speed all-optical semiconductor-optical-amplifier-assisted Sagnac recirculating shift register with an inverter [OE-44-065001]

K. Zoiros, J. Vardakas, C. Koukourlis, T. Houbavlis

Mathematical model of the absorption and gain in a Cd₃P₂ cylinder fiber [OE-44-065002]

J. Dove, R. Narayanan, A. Bengale, J. Flattery, D. Keller, P. Kornreich, T. Jameson

New method of controlling the power of a Gaussian optical pulse through an electro-optic modulator and a nonlinear waveguide for generation of solitons [OE-44-065003]

A. Sinha, H. Bhowmik, P. Kuila, S. Mukhopadhyay

Modeling and simulation of planar optical waveguide devices using a multiresolution time-domain scheme [OE-44-065004]

F. Kong, K. Li, Y. Guo, X. Liu

All-optical implementation of ASCII by use of nonlinear material for optical encoding of necessary symbols [OE-44-065201]

S. Dhar, S. Mukhopadhyay

Read-only memory disk with AgO_x and AgInSbTe superresolution mask layer [OE-44-065202]

F. Zhang, Y. Wang, W. Xu, F. Gan

Phase-shifting method contrast calculations in time-averaged interferometry: error analysis [OE-44-065601]

K. Patorski, Z. Sienicki, A. Styk

Design, fabrication, and characterization of antenna-coupled metal-oxide-metal diodes for dual-band detection [OE-44-066401]

M. Abdel-Rahmen, B. Monacelli, A. Weeks, G. Zummo, G. Boreman

Toward an analog very large scale integration system for perceiving depth through motion parallax [OE-44-066402]

S. Karri, A. Titus

Taxonomy of detection algorithms for hyperspectral imaging applications [OE-44-066403]

D. Manolakis

New variable-rate finite state vector quantizer for image coding [OE-44-067001]

S.-B. Yang

Wavelet-based denoising considering interscale and intrascale dependences [OE-44-067002]

G. Shin, M. Kang

Theoretical development for pointwise digital image correlation [OE-44-067003]

H. Jin, H. Bruck

Emergence of a region-based approach to image transmission [OE-44-067004]

J. Garcia, R. Rodriguez-Sanchez, J. Fdez-Valdivia

Metrics for evaluating the performance of joint-transform-correlation-based target recognition and tracking algorithms [OE-44-067005]

M. Alam, A. Bal, E. Horache, S.-F. Goh, C. Loo, S. Regula, A. Sharma

Highly robust watermarking scheme based on surrounding mean value relationship [OE-44-067006]

J.-M. Shieh, D.-C. Lou, M.-C. Chang

Investigation of digital hologram watermarking with double binary phase encoding [OE-44-067007]

X. Zhou, L. Chen, J. Shao

Probability-based motion analysis using bidirectional prediction-independent framework in the compressed domain [OE-44-067008]

N.-W. Kim, T.-Y. Kim, J.-S. Choi

Analytical derivation of distortion constraints and their verification in a learning vector quantization-based target recognition system [OE-44-067201]

K. Iftekharruddin, M. Razzaque

Surface differentiation by parametric modeling of infrared intensity scans [OE-44-067202]

T. Aytac, B. Barshan

Laser coupling with a multimode water-jet waveguide [OE-44-068001]

P. Couty, F. Wagner, P. Hoffmann

Wavelength-dependent characteristics of a telescope system with diffractive wavefront compensation [OE-44-068002]

M. Gruneisen, R. Dymale, J. Rotgé, L. DeSandre, D. Lubin

Volume 44, Issue 07

Editorial: *People and Places (SPIE's 50th Year) by D. O'Shea*

Guest Editorial: *Academician Vladimir Evseevich Zuev-Scientist, Teacher, and Organizer by S. Tvorogov, J. Ricklin, M. Ciftan, G. Matvienko, V. Zuev*

Wavefront splitting intrinsic Fabry-Perot fiber optic sensor [OE-44-070501]

Z. Huang, X. Chen, Y. Zhu, A. Wang

Encoding fully-complex transmittance with coupled amplitude-phase liquid-crystal modulator [OE-44-070502]

V. Arrizón, L. Gonzalez Lopez

Design and fabrication of compact nonblocking 4×4 optical matrix switch on silicon-on-insulator by anisotropic chemical etching [OE-44-070503]

J. Liu, J. Yu, S. Chen, Z. Li

Recirculating loop transmission experiment over 57.6-km photonic crystal fiber [OE-44-070504]

B. Zsigri, C. Peucheret, M. Nielsen, P. Jeppesen

Performance analysis for tracking of variable scale objects using mean-shift algorithm [OE-44-070505]

N. Peng, J. Yang, Z. Liu

On the correlated k -distribution approximation in atmospheric calculations [OE-44-071202]

S. Tvorogov, O. Rodimova, L. Nesmelova

Investigation of spectral dependence of shortwave radiation absorption by ambient aerosol using time-resolved photoacoustic technique [OE-44-071203]

A. Tikhomirov, K. Firsov, V. Kozlov, M. Panchenko, Y. Ponomarev, B. Tikhomirov

Metal and metal halide vapor lasers: new opportunities [OE-44-071204]

O. Andrienko, V. Dimaki, G. Evtushenko, V. Sukhanov, V. Troitskiy, D. Shiyanov

Computer simulation of coherent Doppler lidar measurement of wind velocity and retrieval of turbulent wind statistics [OE-44-071205]

V. Banakh, C. Werner

Radiophysics analytical methods applied to earth climatic system condition monitoring tasks [OE-44-071206]

E. Kadygrov, G. Kruchenitsky, V. Marichev

Light backscattering by hexagonal ice crystal particles in the geometrical optics approximation [OE-44-071208]

A. Borovoi, N. Kustova, U. Ooppel

LOSA-MS lidar for investigation of aerosol fields in the troposphere [OE-44-071209]

G. Bairashin, Y. Balin, A. Ershov, G. Kokhanenko, I. Penner

Spectroradiometric inspection of nuclear pollution in the atmosphere based on photochemical effects [OE-44-071210]

L. Chistyakova, Y. Kopytin

Influence of multiscattering on the results of airborne hydro-optical sensing [OE-44-071212]

V. Shamanaev, G. Kokhanenko, M. Krekova, I. Penner

Correlation of angle-resolved light scattering with the microfacet orientation of rough silicon surfaces [OE-44-073601]

Q. Zhu, Z. Zhang

Investigation of open-air laser-induced chemical vapor deposition of carbon on moving optical fibers [OE-44-073801]

K. Kwok, W. Chiu

Bilayer pellicle and bilayer-coated prism beamsplitters for the division-of-amplitude photopolarimeter [OE-44-073802]

R. Azzam, A. De, F. Sudradjat

Photon emission characteristics of avalanche photodiodes [OE-44-074001]

T. Huang, J. Shao, X. Wang, L. Xiao, S. Jia

Broadband high-gain optical parametric chirped-pulse amplification near 780 nm with LBO-I near-degenerate near-collinear phase match [OE-44-074201]

Y. Leng, C. Wang, B. Zhao, X. Liang, Z. Zhang, W. Wang, Y. Jiang, L. Lin, R. Li, Z. Xu

Using a discrete thermal model to obtain a linear frequency ramping in a frequency-modulated continuous-wave system [OE-44-074202]

D. Nordin, K. Hyypäe

Temperature-independent measurement of displacement based on the chirp tuning of a fiber grating [OE-44-074401]

X. Yang, X. Dong, C.-I. Zhao, J. Ng, Q. Peng, X. Zhou, C. Lu

Analysis and optimization for a polymer cross-grid array of microring resonant wavelength multiplexers [OE-44-075001]

X. Yan, C.-S. Ma, Y. Xu, X. Wang, D. Zhang

Optimization of Hamiltonian algorithm for fiber alignment by simulation and experiments [OE-44-075002]

Z. Lu, P. Chen, W. Lin

Control of a free-space adaptive optical interconnect using a liquid-crystal spatial light modulator for beam steering [OE-44-075401]

C. Henderson, B. Robertson, D. Gil Leyva, T. Wilkinson, D. O'Brien, G. Faulkner

Integration of germanium waveguide photodetectors for intrachip optical interconnects [OE-44-075402]

M. Rouviere, M. Halbwx, J.-L. Cercus, E. Cassan, L. Vivien, D. Pascal, M. Heitzmann, J.-M. Hartmann, S. Laval

Two-dimensional windowed Fourier frames for noise reduction in fringe pattern analysis [OE-44-075601]

Q. Kemao, S. Soon

Image reconstruction from compressed encrypted digital hologram [OE-44-075801]

T. Nomura, A. Okazaki, M. Kameda, Y. Morimoto, B. Javidi

Etalon-based filters for solar and atmospheric research [OE-44-076001]

Y. Sidorin, D. Lunt, B. Chou

Comparison of human observer and algorithmic target detection in nonurban forward-looking infrared imagery [OE-44-076401]

B. Weber

Detection of foreign fibers in cotton using near-infrared optimal wavelength imaging [OE-44-076402]

D. Jia, T. Ding

Optical system for measurement of internal pear quality using near-infrared spectroscopy [OE-44-076403]

Y. Liu, Y. Ying

Target detection in cluttered forward-looking infrared imagery [OE-44-076404]

J. Khan, M. Alam

Image fusion based on an expectation maximization algorithm [OE-44-077001]

G. Liu, Z. Jing, S. Sun

Region-of-interest-based algorithm for automatic target detection in infrared images [OE-44-077002]

S. Greenberg, S. Rotman, H. Guterman, S. Zilberman, A. Gens

Copyright protection scheme for digital images using visual cryptography and sampling methods [OE-44-077003]

C.-S. Hsu, Y.-C. Hou

Zerotree-based stereoscopic video CODEC [OE-44-077004]

S. Thanapirom, W. Fernando, E. Edirisinghe

Efficient inference for hybrid dynamic Bayesian networks [OE-44-077201]

K. Chang, H. Chen

Imaging properties of a patterned rough surface: effects of roughness correlation and partial coherence [OE-44-078001]

N. Beaudry, T. Milster

Suggested procedure for the use of the effective-index method for high-index-contrast photonic crystal slabs [OE-44-078002]

L. Yang, J. Motohisa, T. Fukui

Beamsplitter testing with Michelson interferometer [OE-44-079701]

V. Chhaniwal, A. Anand, C. Narayanamurthy

Volume 44, Issue 08

Editorial: *Retirement +1* by D. O'Shea

All-birefringent-fiber frequency-modulated continuous-wave Sagnac gyroscope [OE-44-080501]

J. Zheng

Magnetically actuated optical phase modulator [OE-44-080502]

A. Kost, L. Xiao, K. Rausch

Efficient Fourier shape descriptor for industrial defect images using wavelets [OE-44-080503]

I. Kunttu, L. Lepistö, A. Visa

Displacement sensor based on optical feedback interferometry in a GaN laser diode [OE-44-080504]

J. Hast, L. Krehut, R. Myllylä

Multivariable parametric cost model for ground optical telescope assembly [OE-44-083001]

H. Stahl, G. Holmes Rowell, G. Reese, A. Byberg

Phase reliability evaluation in phase-shifting method using Fourier transform for shape measurement [OE-44-083601]

S. Ri, M. Fujigaki, Y. Morimoto

Wavelength measurement with a Young's interferometer [OE-44-083602]

J. Snyder, S. Kwiatkowski

Real-time phase shift schlieren [OE-44-083603]

S. Farinotti, D. Beghuin, L. Joannes

Computer method for ELISA spot assay analysis [OE-44-083604]

C.-Y. Lin, Y.-T. Ching, H. Chen, B. Wu-Hsieh

Novel multiview connection method based on virtual cylinder for 3-D surface measurement [OE-44-083605]

H. He, M. Chen, H. Guo, Y. Yu

Design of a modulation-doped SiGe/Si optical modulator integrated in a submicrometer silicon-on-insulator waveguide [OE-44-084001]

D. Marris, E. Cassan, L. Vivien, D. Pascal, A. Koster, S. Laval

True-time-delay modules based on a single tunable laser in conjunction with a waveguide hologram for phased array antenna application [OE-44-084301]

Z. Shi, L. Gu, B. Howley, Y. Jiang, Q. Zhou, R. Chen, M. Chen, X. Wang, H. Fetterman, G. Brost

Wave-optics modeling of aberration effects in optical cross section measurements [OE-44-084302]

N. Abel, M. Marciniak, M. Haeri, S. Cain

Aircrew laser eye protection visors [OE-44-084303]

A. Harasaki, N. Kamiya

Multiplexed reflectometric fiber optic frequency-modulated continuous-wave interferometric displacement sensor [OE-44-084401]

J. Zheng

Low-cost all-fiber Bragg grating sensing system for temperature and strain measurements [OE-44-084402]

A. Cusano, G. Breglio, M. Giordano, L. Nicolais

Coupled mode theory for modeling microring resonators [OE-44-084601]

Y. Liu, T. Chang, A. Craig

Performance analysis of optical wireless indoor dual-amplitude pulse interval modulator code-division multiple-access systems [OE-44-085001]

H. Zhang, M. Gong, D. Wang, D. Yu, R. Cui, P. Yan, G. Chen, Q. Liu, K. Zhang

Novel bandwidth- and center-wavelength-tunable interleaver [OE-44-085002]

C.-H. Cheng, T. Xia

Bidirectionally pumped spectrum-presliced multiwavelength fiber source with a double-pass Mach-Zehnder interferometer [OE-44-085003]

S.-P. Chen, K.-C. Lu, J.-F. Li, Y.-G. Li

622-Mbit/s burst-mode clock and data recovery circuit with duty control in a jitter reduction circuit [OE-44-085004]

C. Park, C. Lee, C.-S. Park

Digital phase-shifting shearography for strain measurement by using a rotating platform system [OE-44-085601]

P. Sun

Design and performance verification of a microscope-based interferometer for miniature-specimen metrology [OE-44-085602]

C. Lee, W. Wu, G. Wu, C. Li

Two-wavelength lateral shearing interferometry [OE-44-085603]

D. Mehta, P. Singh, M. Faridi, S. Mirza, C. Shakher

Holographic diffuser design using a modified genetic algorithm [OE-44-085801]

M. Wen, J. Yao, W. Wong, G. Chen

Optical correlation using gated localized holography [OE-44-085802]

A. Karbaschi, O. Momtahan, A. Adibi, B. Javidi

Modeling the efficacy of automated aids in target acquisition under conditions of heavy workload [OE-44-086201]

M. Maltz

Prototype vein contrast enhancer [OE-44-086401]

H. Zeman, G. Lovhoiden, C. Vrancken

Characterization of digital-micromirror device-based infrared scene projector [OE-44-086402]

W. Folks, J. López-Alonso, B. Monacelli, A. Weeks, G. Zummo, D. Mullaly, G. Boreman

Hiding techniques to enhance anticounterfeiting capacity of dot-matrix holograms [OE-44-087001]

S. Yeh

Stereoscopic demultiplexing of field-sequential video [OE-44-087002]

H.-H. Wu, T.-Y. Yang, P.-K. Weng, Y.-Y. Wu

Objective evaluation of signal-level image fusion performance [OE-44-087003]

V. Petrovic, C. Xydeas

Power of a wavelet coefficient in progressive image transmission [OE-44-087004]

J. Garcia, R. Rodriguez-Sanchez, J. Fdez-Valdivia, J. Martinez-Baena

Development of a fast panoramic face mosaicking and recognition system [OE-44-087005]

F. Yang, M. Paindavoine, H. Abdi, A. Monopoli

Simple approach to improve the performance of JPEG [OE-44-087006]

C.-H. Hsieh

Theoretical and experimental assessment of noise effects on least-squares spectral unmixing of hyperspectral images [OE-44-087008]

A. Barducci, A. Mecocci

Fuzzy approach to controlling the bit rate for pre-encoded video in the discrete cosine transform domain [OE-44-087009]

T. Kim, J. Choi

New method to quality evaluation for image fusion using gray relational analysis [OE-44-087010]

M. Ma, C. Hao, H. Tian

Shape measurement by the use of digital image correlation [OE-44-087011]

Y. Huang, C. Quan, C. Tay, L. Chen

Boundary block-searching algorithm for arbitrary shaped coding [OE-44-087012]

C.-H. Yeh, H. Chang

Automatic measurement of spur-gear dimensions using laser light. Part 1: measurement of tooth thickness and pitch [OE-44-087201]

M. Younes, A. Khalil, M. Damir

Volume 44, Issue 09

Editorial: *Open Access by D O'Shea*

Robust global motion estimation method for aerial imagery [OE-44-090501]

D. Xu, J. An

Measuring surface vibrations of musical instruments using an inexpensive digital holography device [OE-44-090502]

N. Demoli, I. Demoli

Demonstration of two-user, 10-Gbits/s optical code-division multiple-access system implemented by using cascaded long-period fiber gratings formed in dispersion-compensating fiber with inner-cladding structure [OE-44-090503]

S.-J. Kim, T. Eom, T.-Y. Kim, B. Lee, C.-S. Park

Versatile holographic data storage system for angular multiplexing with no upper limit of the angular sweep of the reference beam [OE-44-090504]

M.-L. Hsieh

Active laser frequency stabilization and resolution enhancement of interferometers for the measurement of gravitational waves in space [OE-44-090505]

M. Herz

Measuring the radius of curvature of a spherical mirror with an interferometer and a laser tracker [OE-44-090506]

C. Zhao, R. Zehnder, J. Burge

Polychromatic image fusion algorithm and fusion metric for automatized microscopes [OE-44-093201]

M. Bueno-Ibarra, J. Álvarez-Borrego, L. Acho, M. Chávez-Sánchez

Design and development of a high-performance passive millimeter-wave imager for aeronautical applications [OE-44-093202]

A. Lettington, D. Dunn, N. Alexander, A. Wabby, B. Lyons, R. Doyle, J. Walshe, M. Attia, I. Blankson

Photoelastic tomography for residual stress measurement in glass [OE-44-093601]

H. Aben, A. Errapart, L. Ainola, J. Anton

Efficient correspondence problem-solving in 3-D shape reconstruction using a structured light system [OE-44-093602]

A. Dipanda, S. Woo

Laser profilometer module based on a low-temperature cofired ceramic substrate [OE-44-093603]

V. Heikkinen, M. Heikkinen, K. Keranen, R. Mitikka, V.-P. Putila, K. Tukkiniemi

Detection of small objects in image data based on the nonlinear principal component analysis neural network [OE-44-093604]

Z. Liu, C. Chen, X. Shen, X. Zou

High-accuracy contouring using projection moiré [OE-44-093605]

C. Sciammarella, L. Lamberti, F. Sciammarella

Measurement of residual stresses using local heating and a radial in-plane speckle interferometer [OE-44-093606]

M. Viotti, A. Albertazzi Gonçalves, G. Kaufmann

Low-threshold and highly efficient diode-pumped cw passively mode-locked Nd:YVO₄ laser with a saturable Bragg reflector [OE-44-094201]

J. He, J. Liu, J. Du, J. Yang, B. Man

0.5-kHz, 5-W optical parametric oscillator pumped by the second harmonic of a Nd:YAG laser [OE-44-094202]

Y. Maruyama

Simple temporal pulse shaping using two Pockels cells [OE-44-094203]

J. Schwarz, P. Rambo, I. Smith, J. Porter

Optimization of the multiwavelength erbium-doped fiber laser in a unidirectional cavity without an isolator [OE-44-094204]

G. Sun, R. Qu, J. Yang, X. Wang

Numerical research of heat generation in flashlamp-pumped Nd:glass disk amplifiers [OE-44-094205]

H. Zhu, Q. Lou, S. He

Integrated micro-optical multichip module based on an uncooled InGaAsSb/AlGaAsSb photodetector [OE-44-094401]

S. Lohokare, O. Sulima, T. Dillon, D. Prather

Refractive index and concentration sensing of solutions using mechanically induced long period grating pair [OE-44-094402]

V. Mishra, N. Singh, S. Jain, P. Kaur, R. Luthra, H. Singla, V. Jindal, R. Bajpai

Long-wave infrared spectral imager with an 8-cm^{-1} passband acousto-optic tunable filter [OE-44-094601]

D. Suhre, N. Gupta, M. Gottlieb

Determination of ion exchange parameters by a genetic algorithm [OE-44-094602]

B. West, S. Honkanen

Pulse dispersion in hollow optical waveguides [OE-44-095001]

M. Ben-David, I. Ilev, R. Waynant, I. Gannot

Optimization of optical add-drop multiplexers based on grating-assisted null couplers [OE-44-095002]

J. Castro, D. Geraghty

Designing graded-index plastic optical fibers from two-step-core fibers by thermal diffusion of dopants [OE-44-095003]

A. Djordjevich, S. Savovic

Experimental investigation of gain transients in praseodymium-doped fluoride fiber amplifiers [OE-44-095004]

N. Nweke, R. Runser, S. McNown, J. Khurgin

Reflective-refractive microlens for efficient light-emitting-diode-to-fiber coupling [OE-44-095005]

C. Rooman, M. Kuijk, R. Vounckx, P. Heremans

Axially frozen modes in finite anisotropic photonic crystals [OE-44-095201]

A. Kanaev, Y. Cao, M. Fiddy

Glass-forming tendency and crystallization kinetics of Ag-Sb-Te glasses [OE-44-095202]

Y. Sharma, P. Bhatnagar

Fabrication of an intrinsic fiber Fabry-Pérot interferometer involving simple *in situ* control of multilayer $\text{TiO}_2\text{-SiO}_2$ mirrors: material properties studies and cavity interrogation procedure [OE-44-095601]

R. Bendoula, B. Wacogne, C. Pieralli, T. Gharbi

Two-dimensional-simulation of thermal blooming effects in ring pattern laser beams [OE-44-096001]

M. Mahdieh, B. Lotfi

Measurement of the bit-error rate of an adaptive optics, free-space laser communications system, part 1: tip-tilt configuration, diagnostics, and closed-loop results [OE-44-096002]

R. Tyson, D. Canning, J. Tharp

Measurement of the bit-error rate of an adaptive optics, free-space laser communications system, part 2: multichannel configuration, aberration characterization, and closed-loop results [OE-44-096003]

R. Tyson, J. Tharp, D. Canning

Two-color infrared counter-countermeasure based on the signal ratio between two detection bands for a crossed-array tracker [OE-44-096401]

J.-S. Oh, S.-H. Lee, J.-T. Kim, J.-S. Choi

Monochromatic flash x-ray generator utilizing a disk-cathode silver tube [OE-44-096501]

E. Sato, Y. Hayasi, R. Germer, E. Tanaka, H. Mori, T. Kawai, T. Inoue, A. Ogawa, S. Sato, T. Ichimaru, K. Takayama, J. Onagawa, H. Ido

X-ray spectra from a cerium target and their application to cone beam K-edge angiography [OE-44-096502]

E. Sato, A. Yamadera, E. Tanaka, H. Mori, T. Kawai, F. Ito, T. Inoue, A. Ogawa, S. Sato, K. Takayama, J. Onagawa, H. Ido

Layer-oriented wavefront sensor for a multiconjugate adaptive optics demonstrator [OE-44-096601]

E. Vernet-Viard, C. Arcidiacono, P. Bagnara, A. Baruffolo, E. Diolaiti, J. Farinato, M. Lombini, R. Ragazzoni

Regularized super-resolution reconstruction of images using wavelet fusion [OE-44-097001]

S. El-Khamy, M. Hadhoud, M. Dessouky, B. Salam, F. Abd El-Samie

Discontinuity filtering in the compressed domain using height and direction fuzziness [OE-44-097002]

T. Kim, J. Choi

Development of a novel optical measurement system for the error verification of a rotating spindle [OE-44-097003]

C.-H. Liu, W.-Y. Jywe, S.-L. Tzeng, Y.-S. Lin

Compressing bilevel images by means of a three-bit chain code [OE-44-097004]

H. Sanchez-Cruz, R. Rodriguez-Dagnino

Performance analysis of embedded-wavelet coders [OE-44-097005]

S.-H. Yang, W.-J. Liao

H.264/AVC in mobile environment: a review [OE-44-097006]

H. Arachchi, W. Fernando

Distortion-invariant multiple target detection using class-associative joint transform correlation [OE-44-097201]

S. Bhuiyan, M. Islam, M. Alam

Receiver operating characteristic and confidence error metrics for assessing the performance of automatic target recognition systems [OE-44-097202]

D. Parker, S. Gustafson, T. Ross

Reduction of Zernike wavefront errors using a micromirror array [OE-44-098001]

W. Sweatt

Volume 44, Issue 10

Editorial: *Life in the Dark Ages* by D. O'Shea

Finding new local minima by switching merit functions in optical system optimization [OE-44-100501]

A. Serebriakov, F. Bociort, J. Braat

Novel tunable microwave photonic notch filter with a variable polarization beamsplitter and a Hi-Bi coupler [OE-44-100502]

G. Ning, P. Shum, S. Aditya, Y. Gong, C. Lu

Focusing diode laser light with a truncated dielectric paraboloid [OE-44-103001]

E. Lassila, T. Alahautala, R. Hernberg

Method to minimize spurious background signals in gas detectors based on correlation spectroscopy using a Fabry-Pérot bandpass filter shape optimization [OE-44-103002]

E. Vargas-Rodriguez, H. Rutt

Quaternions in line-of-sight control [OE-44-103003]

G. Balzarotti, G. Marsiglia

Optimization of the optical sparse array configuration [OE-44-103201]

I. Tcherniavski, M. Kahrizi

Wavelength-agile telescope system with diffractive wavefront control and acousto-optic spectral filter [OE-44-103202]

M. Gruneisen, R. Dymale, J. Rotgé, D. Voelz, M. Deramo

Intelligent reduction of zero-order diffraction in Fourier optical systems [OE-44-103602]

Y. Liu, R. Guo, F. Yu

Automatic measurement of spur gear dimensions using laser light, part 2: measurement of flank profile [OE-44-103603]

M. Younes, A. Khalil, M. Damir

Broadband C- plus L-band double-ring fiber laser based on a two-stage hybrid amplifier [OE-44-104201]

C.-H. Yeh, B.-C. Cheng, C.-Y. Chen, S. Chi

Mode discrimination in vertical-cavity surface-emitting lasers including Bragg reflectors and limiting apertures [OE-44-104202]

M. Achtenhagen, A. Hardy, E. Kapon

Using optical Fabry-Perot devices for a wavelength-tunable S-band erbium-doped fiber ring laser with single-frequency operation [OE-44-104203]

C.-H. Yeh, H.-C. Chien, B.-C. Cheng, C.-C. Lee, S. Chi

Influence of optical feedback on the longitudinal mode stability of microchip Nd:YAG lasers [OE-44-104204]

X. Wan, S. Zhang, G. Liu, L. Fei

Fiber temperature sensor for high-pressure environment [OE-44-104401]

Z. Huang, W. Peng, J. Xu, G. Pickrell, A. Wang

Optical wavelet subband filtering for joint transform correlation [OE-44-105001]

C.-J. Cheng, L.-C. Lin

Multibeam optical transmit/receive beamformer using ternary programmable wavelength-division multiplexing technology [OE-44-105002]

A. Siahmakoun, S. Granieri, M. Jaeger, Y. Li

Stimulated Brillouin scattering for efficient improvement of radio-over-fiber systems [OE-44-105003]

Y. Shen, X. Zhang, K. Chen

Low complexity symbol detection method for multilevel 2-D optical storage based on a linear channel model [OE-44-105201]

A. Moinian, L. Fagoonee, B. Honary

Tradeoffs of vertical-cavity surface emitting lasers modeling for the development of driver circuits in short distance optical links [OE-44-105401]

G. Sialm, D. Erni, D. Vez, C. Kromer, F. Ellinger, G.-L. Bona, T. Morf, H. Jäckel

Comparison between electrical and optical global clock distributions for CMOS integrated circuits [OE-44-105402]

E. Cassan, D. Marris-Morini, M. Rouvière, L. Vivien, S. Laval

Distance measurement with adjustable range by interferometry with Gaussian beams [OE-44-105601]

G. Santos, B. Barrientos, M. Cywiak

Study of the compatibility between light-cured repair materials and composite materials by holographic interferometry [OE-44-105602]

L. Guo, Z. Zhao, M. Gao

Improved switchable achromatic phase shifters, part 2 [OE-44-105603]

P. Hariharan, P. Ciddor, M. Roy

Applicability of time-average fluid holography for analysis of propagating waves [OE-44-105801]

M. Ragulskis, A. Palevicius, A. Fedaravicius, L. Ragulskis

Fusion of adaptive beam steering and optimization-based wavefront control for laser communications in atmosphere [OE-44-106001]

V. Nikulin

Gaussian-beam weak scintillation on ground-to-space paths: compact descriptions and Rytov-method applicability [OE-44-106002]

G. Baker, R. Benson

Middle East measurements of concentration and size distribution of aerosol particles for coastal zones [OE-44-106003]

S. Bendersky, N. Kopeika, N. Blaunstein

Effect of temperature on passive remote sensing of chemicals by differential absorption radiometry [OE-44-106201]

S. Holland, R. Krauss, G. Laufer

Image fusion of synthetic aperture radar and optical data for terrain classification with a variance reduction technique [OE-44-106202]

Y.-C. Tzeng, K. Chen

Comparative analysis of clutter removal techniques over experimental IR images [OE-44-106401]

N. Acito, G. Corsini, M. Diani, G. Pennucci

Bundled aluminum hollow-core fibers for delivery of ultraviolet laser beams [OE-44-106501]

Y. Ozgur, Y. Matsuura, M. Miyagi

Application based on dynamic reconfiguration of field-programmable gate arrays: JPEG 2000 arithmetic decoder [OE-44-107001]

S. Bouchoux, E. Bourennane

Novel fractal image-encoding algorithm based on a full-binary-tree searchless iterated function system [OE-44-107002]

X. Wu, D. Jackson, H.-C. Chen

Partition-based interpolation for color filter array demosaicking and super-resolution reconstruction [OE-44-107003]

M. Shao, K. Barner, R. Hardie

Vision-model-based image foveation and motion estimation [OE-44-107004]

E. Peli, Y. Yitzhaky

Evaluation of a multispectral image acquisition system aimed at reconstruction of spectral reflectances [OE-44-107005]

N. Shimano

Data fusion method for 3-D object reconstruction from range images [OE-44-107006]

X. Li, W. Wee

Moving weak point target detection and estimation with three-dimensional double directional filter in IR cluttered background [OE-44-107007]

M. Li, T. Zhang, W. Yang, X. Sun

Novel dense matching algorithm with Voronoi decomposition of images [OE-44-107201]

L. Tang, C. Wu, H. Tsui

Backup resource reoptimization for survivable optical network [OE-44-108201]

X. Cheng, C. Lu, K. Veerayah

Broadband polarization interferometric time-integrating acousto-optic correlator for random noise radar [OE-44-108202]

S. Kim, K. Wagner, R. Narayanan, W. Zhou

Stabilized single-frequency fiber ring laser based on hybrid amplifier and fiber Fabry-Perot devices for C-plus L-band operation [OE-44-109701]

C.-H. Yeh, B.-C. Cheng, C.-Y. Chen, S. Chi

Volume 44, Issue 11

Editorial: *Metamaterials and Photonic Crystals in Warsaw* by D. O'Shea

Guest Editorial: *Diffractive Optics* by Y. Sheng, P. Ambs

Integrated simultaneous dual-modality imaging endospeckle fluoroscope system for early colon cancer diagnosis [OE-44-110501]

M. Vadakke Matham, N. Sujatha

Optical bend sensor based on a long-period fiber grating monitored by an optical time-domain reflectometer [OE-44-110502]

O. Frazão, R. Falate, J. Baptista, J. Fabris, J. Santos

Development of a fast chromotomographic spectrometer [OE-44-110503]

M. Gould, S. Cain

Spectral design considerations for white LED color rendering [OE-44-111302]

Y. Ohno

Beveled sidewall formation and its effect on the light output of a GaInN multiquantum well light-emitting diode with sapphire substrate [OE-44-111304]

J.-T. Hsu, W.-Y. Yeh, C.-C. Chuo, J.-D. Tsay, C.-S. Huang, C.-Y. Lin

Effect of chip and bonding defects on the junction temperatures of high-brightness light-emitting diodes [OE-44-111305]

M. Arik, S. Weaver

Using holography to increase the light output efficiency of an organic light-emitting diode—angular, wavelength, and near-field effects [OE-44-111306]

H.-K. Liu, H.-T. Hsueh, C. Chang

Visual equivalence of light-emitting diode white light [OE-44-111307]

C. You

Performance of phosphor-coated light-emitting diode optics in ray-trace simulations [OE-44-111308]

Á. Borbély, S. Johnson

LED-based spectrally tunable source for radiometric, photometric, and colorimetric applications [OE-44-111309]

I. Fryc, S. Brown, G. Eppeldauer, Y. Ohno

Investigation of the spectral properties of LED-based MR16 bulbs for general illumination [OE-44-111310]

D. Brown, D. Nicol, I. Ferguson

Photovoltaic-powered light-emitting diode lighting systems [OE-44-111311]

Y. Zhou, N. Narendran

Autofocus searching algorithm considering human visual system limitations [OE-44-113201]

J. Li

Optical 3-D shape and deformation measurement of rotating blades using stroboscopic structured illumination [OE-44-113601]

Q. Zhang, X. Su, Y. Cao, Y. Li, L. Xiang, W. Chen

Wavelet-aided spatial carrier fringe pattern analysis for 3-D shape measurement [OE-44-113602]

J. Zhou

Rapid and simple automatic trapping-force calibration system for optical tweezers [OE-44-113603]

B.-J. Chang, S. Chi, L. Hsu

Numerical studies on hybrid resonators for a medium-sized chemical oxygen iodine laser [OE-44-114201]

T. Hall

Stimulated Raman scattering in high-power double-clad fiber lasers and power amplifiers [OE-44-114202]

Y. Wang

Modeling of a diode-pumped acousto optically Q-switched intracavity doubling Nd:GdVO₄/KTP green laser [OE-44-114203]

K. Yang, S. Zhao, G. Li, J. Zou, P. Song, D. Li, W. Wu

Effect of cavity structure on the spectrum of the supercontinuum generated in a linear cavity pumped by a continuous-wave Raman fiber laser [OE-44-114204]

J. Li, M. Feng, Y. Li, J. Li, K. Lu

Interrogation of fiber Bragg grating displacement/bending sensors using dual-wavelength pulses generated from a self-seeded Fabry-Perot laser diode [OE-44-114401]

Y. Liu, K. Chiang, P. Chu

Hysteresis compensation for a piezoelectric fiber optic voltage sensor [OE-44-114402]

G. Fusiek, P. Niewczas, L. Dziuda, J. McDonald

Experimental demonstration of prism coupling of infrared waves into planar photonic crystal waveguide devices [OE-44-114601]

C. Lin, Z. Lu, G. Schneider, D. Prather

CO₂ laser light characterization of low loss planar-photonic crystal self-collimated waveguides [OE-44-114602]

C. Lin, C. Chen, S. Shi, Z. Lu, G. Jin, D. Prather

All-optical gain-clamped L-band erbium-doped fiber amplifier with two feedback-loop lasing wavelengths [OE-44-115001]

T.-L. Liang, S. Hsu

Performance analysis of spectral-phase-encoded optical code-division multiple-access system regarding the incorrectly decoded signal as a nonstationary random process [OE-44-115002]

M. Yan, M. Yao, H. Zhang

Asymmetrical interleaver structure based on the modified Michelson interferometer [OE-44-115003]

C.-H. Cheng

N-bit negative-to-positive programmable photonic differential-group-delay architectures [OE-44-115004]

S. Sumriddetchkajorn

Performance of bi-end compensation in a wavelength-division multiplexed system considering the effect of self phase modulation [OE-44-115005]

M. Talukder, M. Islam

Wavelength dependence study on the transmission characteristics of the concatenated polarization dependent loss and polarization mode dispersion elements [OE-44-115006]

S. Yang, L. Chen, X. Bao

Position-sensing detector for logical operations using incoherent light [OE-44-115201]

C. Vikram, H. Caulfield

Underwater 3-D optical imaging with a gated viewing laser radar [OE-44-116001]

J. Busck

Model of gated imaging in turbid media [OE-44-116002]

C. Tan, A. Sluzek, G. Seet

Wavefront-sensor-based frame selection [OE-44-116003]

B. Calef, E. Therkildsen, M. Roggemann

Adjustable intensity-hue-saturation and Brovey transform fusion technique for IKONOS/QuickBird imagery [OE-44-116201]

T.-M. Tu, Y.-C. Lee, C.-P. Chang, P. Huang

Realistic matched filter performance prediction for hyperspectral target detection [OE-44-116401]

D. Manolakis

Two-dimensional continuous higher-order energy operators [OE-44-117001]

A.-O. Boudraa, F. Salzenstein, J.-C. Cexus

Novel and robust saturation watermarking in wavelet domains for color images [OE-44-117002]

P. Huang, C.-S. Chiang

Fast and low bit rate fractal image encoding [OE-44-117003]

Y.-G. Wu

Copyright protection scheme based on chaos and secret sharing techniques [OE-44-117004]

D.-C. Lou, J.-M. Shieh, H.-K. Tso

Discrete iterative optical computed tomography algorithm for reconstructions comprising opaque objects [OE-44-118001]

X. Wan, A. Yin, Y. Gao, X. He, X. Chen, X. Cheng, W. Zou, S. Yu

Volume 44, Issue 12

Editorial: *Digital Choices* by D. O'Shea

Sb-based two-color photodetector fabrication and characterization [OE-44-120501]

T. Refaat, M. Abedin, I. Bhat, Y. Xiao

High-throughput plastic microlenses fabricated using microinjection molding techniques [OE-44-123401]

S. Appasamy, W. Li, S. Lee, J. Boyd, C. Ahn

Mechanical fabrication of precision microlenses on optical fiber endfaces [OE-44-123402]

G. Milton, Y. Gharbia, J. Katupitiya

Trapezoidal phase-shifting method for three-dimensional shape measurement [OE-44-123601]

P. Huang, S. Zhang, F.-P. Chiang

Optical polarization rotating technique for characterizing linear birefringence with full range [OE-44-123602]

H.-K. Teng, K.-C. Lang, C.-C. Yen

Control of dispersion in form birefringent-based holographic optical retarders [OE-44-124001]

E. Montbach, P. Bos

Design of a multifunctional integrated optical isolator switch based on nonlinear and nonreciprocal effects [OE-44-124002]

L. de Alcantara, M. Lima, A. César, B.-H. Borges, F. Teixeira

Lighting theory and luminous characteristics of white light-emitting diodes [OE-44-124003]

Y. Uchida, T. Taguchi

Locking of ultra-high peak pulses in harmonically mode-locked erbium-doped fiber ring lasers [OE-44-124201]

H. Lam, L. Binh, N. Ngo, P. Shum

Optical tomography system using switch mode fan beam projection: modeling techniques [OE-44-124401]

R. Rahim, C. San, P. Fea, L. Chean

High-temperature fiber optic cubic-zirconia pressure sensor [OE-44-124402]

W. Peng, G. Pickrell, A. Wang

Application of spectral surface plasmon resonance to gas pressure sensing [OE-44-124403]

C.-L. Wong, H. Ho, K.-S. Chan, S.-Y. Wu, C. Lin

Reflectometric fiber optic frequency-modulated continuous-wave interferometric displacement sensor [OE-44-124404]

J. Zheng

Waveguiding properties in SC-450 negative photoresist film [OE-44-124601]

S. Gaur, A. Singh, A. Kapoor, K. Tripathi

Birefringence control and dimension monitoring of silica-based ridge waveguides using Bragg gratings and ultraviolet irradiation [OE-44-124602]

X. Dai, S. Mihailov, C. Callender, R. Walker, C. Blanchetiere, J. Jiang

Accurate mode analysis of ultraviolet-written channel waveguides [OE-44-124603]

J. Xia, Y. Wu, D. Gao, J. Li, J. An, X. Hu

Delay-time-enhanced photonic crystal fiber array for wireless communications using two-dimensional X-band phased-array antennas [OE-44-125001]

Y. Jiang, Z. Shi, B. Howley, X. Chen, M. Chen, R. Chen

Absorption efficiency of graded-index double-clad fiber [OE-44-125002]

S. Xu, Z. Wang

Photonic crystal in-fiber devices [OE-44-125003]

Z. Zalevsky, A. George, F. Luan, G. Bouwmans, P. Dainese, C. Cordeiro, N. July

Unsymmetric map of dispersion-managed soliton transmission system with lumped amplifiers [OE-44-125004]

J.-C. Dung

Efficient two-step digit-set-restricted modified signed-digit algorithm based on optoelectronic shared content-addressable memory [OE-44-125201]

F. Qian, G. Li, M. Karim

New approach for improving transverse superresolution in optical data storage [OE-44-125202]

X. Zhao, C. Li, H. Ruan

Oblique fiber optic diffraction interferometer for testing spherical mirrors [OE-44-125601]

H. Kihm, S.-W. Kim

Sinusoidal phase modulating laser diode interferometer for on-machine surface profile measurement [OE-44-125602]

X. Zhao, T. Suzuki, T. Masutomi, O. Sasaki

Holographic Fourier synthesis of dynamic Moiré-like patterns in the photorefractive Bi₁₂TiO₂₀ crystal [OE-44-125803]

P. dos Santos, G. de Oliveira

Light-diffusion patterns created by contact-copy interference and their applications for surface-relief holograms [OE-44-125804]

S. Yeh

Three-plane phase-only computer hologram generated with iterative Fresnel algorithm [OE-44-125805]

M. Makowski, M. Sypek, A. Kolodziejczyk, G. Mikula

Buried object characterization via ground-penetrating radar and Huynen polarimetric parameters [OE-44-126201]

F. Sadjadi, C. Chun, A. Sullivan, G. Gaunard

New criterion to evaluate the complex degree of sea-sky infrared backgrounds [OE-44-126401]

L. Yang, J. Yang, J. Ling

Compression of ray information in three-dimensional integral imaging [OE-44-127001]

J.-S. Jang, S. Yeom, B. Javidi

Improved rate control via dynamic frame-rate controlling and Kalman filtering for low-delay video coding [OE-44-127002]

D.-Y. Chan, C.-H. Lin, W.-S. Hsieh

Error resilient texture coding scheme for wireless Video transmission based on coefficient sampling and interleaving [OE-44-127003]

M. Kim, S.-W. Lee, S.-D. Kim

Structure-adaptive anisotropic filter applied to fingerprints [OE-44-127004]

S. Greenberg, D. Kogan

Image-fusion-based contour extraction scheme [OE-44-127005]

P. Zhao, J. Cao, N. Wang, Z. Pu

Noise insensitive high resolution color interpolation scheme considering cross-channel correlation [OE-44-127006]

C. Kim, M. Kang

Frame grouping for factorization-based reconstruction over long image sequences [OE-44-127201]

Y.-H. Hwang, Y.-Y. Jeong, H.-K. Hong

Shape recognition from three-dimensional point measurements with range and direction uncertainty [OE-44-127202]

X. Zhou, M. DeVore

Shape detection based on mathematical morphology [OE-44-127203]

L. Yu, R. Wang, F. Han

Geometrical analysis of optical transmission characteristics of prism sheet layers [OE-44-128001]

H. Kim, Y. Lim, B. Yang, K. Choi, B. Lee

Virtual gray-scale mask for fabrication of micro-optical elements via focused ion beam direct writing [OE-44-128002]

Y. Fu, B. Ngoi

Concise method for the design of arrayed waveguide gratings using silica-based sol-gel materials [OE-44-128003]

J. Zhou, N. Ngo, P. Ramana, M. Iyer

Broadband optical phased-array beam steering [OE-44-128004]

P. McManamon, J. Shi, P. Bos

Volume 45, Issue 01

Editorial: *The Tower of Google I* by D. O'Shea

133-W pulsed fiber amplifier with large-mode-area fiber [OE-45-010502]

L. Kong, Q. Lou, J. Zhou, D. Xue, Z. Wang

MONS space telescope, part 1: optical design analysis [OE-45-013001]

C. Boshuizen, M. Pfitzner, M. Grimminck, T. Bedding, H. Kjeldsen, A. Monger

Optimization of spectral sensitivities with Gaussian distribution functions for a color image acquisition device in the presence of noise [OE-45-013201]

N. Shimano

In-process inspection of surface-profile properties by detecting laser beam deflection [OE-45-013601]

R. Shinozaki, O. Sasaki, T. Suzuki

Color phase-shifting technique for three-dimensional shape measurement [OE-45-013602]

J. Pan, P. Huang, F.-P. Chiang

New thermally isolated pixel structure for high-resolution (640×480) uncooled infrared focal plane arrays [OE-45-014001]

S. Tohyama, M. Miyoshi, S. Kurashina, N. Ito, T. Sasaki, A. Ajisawa, Y. Tanaka, A. Kawahara, K. Iida, N. Oda

Transmission-electron-microscopy observation of dislocation networks of oxide vertical-cavity surface-emitting lasers [OE-45-014201]

T. Itakura, Y. Seyama, T. Terada, K. Ueda

Coherent tuning of semiconductor laser wavelength [OE-45-014202]

S. Park, K. Kim, S. Oh, H. Ko, M.-H. Park

Shaping of annular laser intensity profiles and their thermal effects for optical trepanning [OE-45-014301]

D. Zeng, W. Latham, A. Kar

Fabrication and analysis of microbend fiber sensor using bending-sensitive fiber [OE-45-014401]

D.-H. Lee, K.-H. Kwon, J.-W. Song, J. Park

Design realization and characterization of a position sensitive detector for fast optical measurement [OE-45-014402]

X. Qu, B. Lin, D. Chen, X. Cao, Y. Chen

Optimization technique for simple reconstruction of the index modulation profile of symmetric fiber Bragg gratings from their reflective spectrum [OE-45-014403]

R. Zheng, N. Ngo, L. Binh, S. Tjin, P. Shum

Study of photon extraction efficiency in InGaN light-emitting diodes depending on chip structures and chip-mount schemes [OE-45-014601]

S. Lee

Study for performance of thermo-optic matrix switches with flexible switching units and Banyan networks [OE-45-014602]

D.-G. Sun, W. Deng, S. E, Y. Zha, Z. Liu, X. Li

Electro-optic modulator based on Si₂N₂O substrate [OE-45-014603]

J.-S. Li, S.-L. He

Synchronization and detection of binary data in free-space optical communication systems using Haar wavelet transformation [OE-45-015001]

N. Namazi, H. Burris, C. Conner, G. Gilbreath

Comparative study of wavelength shift keying and repeated unequal channel spacing schemes in reducing the four-wave mixing effect in optical wavelength-division-multiplexed system [OE-45-015002]

A. Faisal, M. Islam, M. Alam

Supporting differentiated quality of service in optical burst switched networks [OE-45-015003]

B. Zhou, M. Bassiouni

All-fiber interferometric technique for estimating the mode effective index of a single-mode fiber [OE-45-015004]

N. Kumar, M. Shenoy, B. Pal

Tunable photonic microwave filter using single-sideband modulation and a fiber grating in a Sagnac loop [OE-45-015005]

G. Ning, P. Shum, S. Aditya, H. Dong, Y. Gong, C. Lu

Improving full-duplex radio-on-fiber transport system performance by employing an optical single sideband/vestigial sideband filter [OE-45-015006]

W.-S. Tsai, H.-H. Lu

Analysis of hollow optical fiber couplers using the compact two-dimensional finite-difference time-domain method [OE-45-015007]

K.-W. Chung, S. Kim, J. Shin, S. Yin

New method of all-optical data comparison with nonlinear material using 1's complement method [OE-45-015201]

N. Pahari, S. Mukhopadhyay

Full-field optical coherence tomography with a complimentary metal-oxide semiconductor digital signal processor camera [OE-45-015601]

P. Egan, F. Lakestani, M. Whelan, M. Connelly

Locating primary sound sources in scattering media using multifrequency digital holographic reconstruction [OE-45-015801]

E. Olsson, M. Sjödaahl, L. Zipser

Modeling of phase volume diffractive gratings, part 1: transmitting sinusoidal uniform gratings [OE-45-015802]

I. Ciapurin, L. Glebov, V. Smirnov

Infrared image scintillation: comparison of modeling and measurement [OE-45-016001]

I. Renhorn, T. Svensson, G. Carlsson, S. Cronström, G. Boreman

Effects of band division on radiative calculations [OE-45-016002]

H. Zhang, T. Suzuki, T. Nakajima, G. Shi, X. Zhang, Y. Liu

Determination of gas plume temperature from molecular emission spectra [OE-45-016201]

G. Jellison, D. Miller

Methane detection from space: use of sunglint [OE-45-016201]

N. Larsen, K. Stamnes

Investigation of uncooled infrared imagery for face recognition [OE-45-016401]

D. Pereira, M. Fargues, G. Karunasiri

Edge-directed adaptive nonuniformity correction for staring infrared focal plane arrays [OE-45-016402]

T. Zhang, Y. Shi

Content-based image retrieval through compressed indices based on vector quantized images [OE-45-017001]

C.-H. Yeh, C. Kuo

Hierarchical motion search for H.264 variable-block-size motion compensation [OE-45-017002]

W. Choi, B. Jeon

Feature-preserving regularization method for complex-valued inverse problems with application to coherent imaging [OE-45-017003]

M. Çetin, W. Karl, A. Willsky

Objective video quality assessment [OE-45-017004]

C. Lee, S. Cho, J. Choe, T. Jeong, W. Ahn, E. Lee

Robust watermarking scheme for binary images using a slice-based large-cluster algorithm with a Hamming Code [OE-45-017005]

W.-Y. Chen, C.-C. Liu

Design of input phase mask for the space bandwidth of the optical encryption system [OE-45-017006]

T. Nomura, E. Nitani, T. Numata, B. Javidi

Image distortion correction for lenticula misalignment in three-dimensional lenticular displays [OE-45-017007]

Y.-G. Lee, J. Ra

Independent-component analysis for hyperspectral remote sensing imagery classification [OE-45-017008]

Q. Du, I. Kopriva, H. Szu

New curve-tracing algorithm based on a minimum-spanning-tree model and regularized fuzzy clustering [OE-45-017201]

B. Lam, H. Yan

Novel view synthesis by interpolation over sparse examples [OE-45-017202]

B. Liang, C-K. Chung

Volume 45, Issue 02

Editorial: 2005 in Review by D. O'Shea

Band-selective C- or L-band erbium-doped fiber amplified spontaneous emission source [OE-45-020501]

X. Wang, W. Huang

New optical compensator for higher-order polarization mode dispersion in optical fiber channels [OE-45-020502]

C. Yang, Z. Wang

Power splitters with different output power levels built with two-dimensional photonic crystals [OE-45-020503]

S. Huang, J. Shi, D. Wang, W. Li

Local-information-based uncorrelated feature extraction [OE-45-020505]

H. Zhao, S. Sun, Z. Jing

Advanced technology solar telescope multiple Fabry-Pérot interferometer telecentric optical design [OE-45-023001]

B. Robinson, K. Balasubramaniam, G. Gary

Optical method for accurate force measurement: dynamic response evaluation of an impact hammer [OE-45-023002]

Y. Fujii

Measurement of sectional profile of V-shaped metal cylinders using a sinusoidally vibrating interference pattern [OE-45-023601]

J. Li, O. Sasaki, T. Suzuki

Lens distortion correction for digital image correlation by measuring rigid body displacement [OE-45-023602]

S. Yoneyama, H. Kikuta, A. Kitagawa, K. Kitamura

New method for three-dimensional shape registration of prismatic objects [OE-45-023603]

D. Vazquez, D. Crespo, A. Quiroga

Multipixel anomaly detection in noisy multispectral images [OE-45-023604]

E. Ohel, S. Rotman, D. Blumberg

Accurate measurements at interferometric ellipsometer [OE-45-023605]

G. Lysenko, A. Krioukov, Y. Kachurin, V. Pogodaev

Design and fabrication of color filters for projection display system [OE-45-023801]

X. Xu, J. Shao, Z. Fan

Optical thickness and anisotropic orientation of a birefringent thin film: analysis from explicit expressions for reflection and transmission coefficients [OE-45-023802]

Y.-J. Jen, C.-L. Chiang

Comparison of Kretschmann-Raether configuration angular and thickness regimes with phase-difference shift for measuring changes in refractive index [OE-45-023803]

K.-H. Chen, J.-H. Chen, J.-Y. Lin

Stimulation of visible luminescence by irradiation of a novel phosphor screen with an infrared beam [OE-45-024001]

R. Withnall, J. Silver, N. Wilstead, T. Ireland, G. Fern, D. Klein, S. Bishton, R. Rhodes

Effect of buffer gas pressure on the spatiotemporal evolution of small-signal gain in copper vapor laser [OE-45-024201]

R. Mahakud, O. Prakash, R. Biswal, S. Dixit

Spatiotemporal analytical model for coupled-cavity soliton fiber lasers [OE-45-024202]

E. Donkor, M. Noman, P. Kumavor

Numerical model of wavelength converters based on cross-gain modulation in semiconductor optical amplifiers [OE-45-024203]

D.-X. Wang, J. Buck, K. Brennan, I. Ferguson

Optimization of layer-by-layer electrostatic self-assembly processing parameters for optical biosensing [OE-45-024401]

H. Shibru, Y. Zhang, K. Cooper, G. Pickrell, A. Wang

Strain transferring analysis of fiber Bragg grating sensors [OE-45-024402]

D. Li, H. Li, L. Ren, G. Song

Ultracompact and large-scale power splitters on silicon-based two-dimensional photonic crystals at near-infrared wavelengths [OE-45-024601]

Y. Zhao, Y. Zhang, B. Li, B. Chaudhari, S. Chua

Approach to reduce optical routing instability in multidomain mesh networks [OE-45-025001]

L. Wang, L. Zheng, H. Zhang

All-optical controllable 4×4 photonic switch matrix with scale-up capability for large-port-count optical cross connects [OE-45-025002]

D. Li, M. Wang

Comparative study of the performance of analog fiber optic links versus free-space optical links [OE-45-025003]

H. Refai, J. Sluss, H. Refai, M. Atiquzzaman

Novel scheme of packet-level self-synchronization for all-optical packet networks [OE-45-025004]

X. Ye, M. Zhang, X. Huang, P. Ye

Detection through a dielectric cover on an optical waveguide and the generation of 50- to 60-GHz continuous wave millimeter wave using optical technology for future optical-to-radio systems and ubiquitous communications [OE-45-025006]

K.-I. Park

Translation-invariant object recognition system using an optical correlator and a super-parallel holographic random access memory [OE-45-025201]

A. Heifetz, J. Shen, J.-K. Lee, R. Tripathi, M. Shahriar

Effectiveness of high-order adaptive optics in ground-based stellar interferometry [OE-45-026001]

C. Ting, M. Giles, D. Voelz

Global measure for assessing image fusion methods [OE-45-026201]

V. Tsagaris, V. Anastassopoulos

Binary differential joint-transform correlator based on a ferroelectric-liquid-crystal electrically addressed spatial light modulator [OE-45-026401]

N. Nishchal, S. Goyal, A. Aran, V. Beri, A. Gupta

Passive ranging using an infrared search and track sensor [OE-45-026402]

M. De Visser, P. Schwering, J. de Groot, E. Hendriks

Image watermarking through attack simulation [OE-45-027001]

J.-S. Lee, C.-T. Tsai, C.-H. Ko

Threshold-based successive elimination algorithm for block motion estimation [OE-45-027002]

S.-Y. Huang, Y.-K. Lee, R.-Z. Wang, Y.-H. Chen

Adaptive zero-tree structure for curved wavelet image coding [OE-45-027003]

L. Zhang, D. Wang, A. Vincent

Deinterlacing based on modularization by local frequency characteristics [OE-45-027004]

D. Woo, I. Eom, Y. Kim

Lossy to lossless compressions of hyperspectral images using three-dimensional set partitioning algorithm [OE-45-027005]

J. Wu, Z. Wu, C. Wu

Optimizing Hough transform for fertilizer spreading optical control [OE-45-027006]

S. Villette, F. Cointault, B. Chopinet, M. Paindavoine

Wavelet-based pavement distress detection and evaluation [OE-45-027007]

J. Zhou, P. Huang, F.-P. Chiang

Dynamic range compression and contrast enhancement for digital images in the compressed domain [OE-45-027008]

S. Lee, H. Ha, Y.-H. Kim

Object center variation and estimation in noisy environment [OE-45-027201]

N.-C. Hu, H.-I. Chang, C.-Y. Huang

Area and volume measurements of objects with irregular shapes using multiple silhouettes [OE-45-027202]

D. Lee, X. Xu, J. Eifert, P. Zhan

Optical vortices for localized optical lattice site manipulation [OE-45-028001]

E. Schonbrun, R. Piestun

Influences of the medium position and the beam-waist size on the performance of refractive-type optical limiters [OE-45-029001]

L. Deng

Volume 45, Issue 03

Editorial: *Tower of Google II* by D. O'Shea

Dynamic point selection in image mosaicking [OE-45-030501]

H. Lin, J. Si, G. Abousleman

Aplanatic near-field optics for efficient light transfer [OE-45-030502]

D. Nakar, D. Feuermann, J. Gordon

Alignment method for adjusting the center of a sphere to its spin axis [OE-45-030503]

X.-G. Feng, L.-C. Sun

Perceptually-adaptive in-band preprocessing for 3-D wavelet video coding [OE-45-030504]

D. Zhang, W. Zhang, X. Yang

Smart design of multigranular optical switching fabric with traffic grooming [OE-45-030505]

Y. Wang, Q. Zeng, L. Lu, Z. Sui

Development of a carbon fiber composite active mirror: design and testing [OE-45-033401]

S. Kendrew, P. Doel, D. Brooks, C. Dorn, C. Yates, R. Dwan, I. Richardson, G. Evans

Two-dimensional measurement of birefringence dispersion using spectroscopic polarized light [OE-45-033601]

T. Wakayama, H. Kowa, Y. Otani, N. Umeda, T. Yoshizawa

Measurement of retardations of arbitrary wave plates by laser frequency splitting [OE-45-033602]

X.-D. Zong, W.-X. Liu, S.-I. Zhang

Self-calibration for microrefractive lens measurements [OE-45-033603]

N. Gardner, A. Davies

Optical tomography: real-time velocity profile measurement using pixel-to-pixel and sensor-to-sensor method [OE-45-033604]

R. Rahim, P. Fea, C. San

Displacement/strain measurements using an optical microscope and digital image correlation [OE-45-033605]

D. Zhang, M. Luo, D. Arola

Contouring of column by phase-measuring profilometry and four digital images [OE-45-033606]

R.-H. Zheng, Y.-X. Wang, X.-R. Zhang, Y.-L. Song

Optical characterization of Ag–Sb–Te chalcogenide thin films [OE-45-033801]

Y. Sharma, P. Bhatnagar

Modulation transfer function for a digital micromirror device [OE-45-034001]

M.-L. Hsieh

Increased lumens per étendue by combining pulsed light-emitting diodes [OE-45-034002]

H. Murat, H. De Smet, D. Cuypers, Y. Meuret, H. Thienpont, M. Vervaeke, L. Desmet

Photovoltaically powered modulating retroreflectors [OE-45-034003]

R. Walters, J. Murphy, W. Rabinovich, G. Gilbreath, D. Wilt, M. Smith, M. Krasowski, P. Jenkins, D. Scheiman, J. Warner, S. Messenger, J. Lorentzen, G. Summers

Simulation of mode fields in a seven-folded resonator by the transfer matrix method [OE-45-034201]

D. Ling, J. Li, Y. Guan

Wavelength-switchable fiber grating laser with wavelength stabilization [OE-45-034202]

M. Becker, M. Rothhardt, H. Althaus

Photonic crystal beamsplitting laser diode [OE-45-034203]

M. Reilly, W. Huang, F. Jain

Passively mode-locked Er/Yb-codoped fiber ring laser with a fiber Bragg grating loop mirror [OE-45-034204]

S. Zhang, F. Lu, C. Xie

High-power AlGaInP laser diodes with current-injection-free region near the laser facet [OE-45-034205]

Y. Xu, Y. Li, Q. Gan, Q. Cao, G. Song, L. Guo, L. Chen

Long-range three-dimensional imaging using range-gated laser radar images [OE-45-034301]

P. Andersson

Light-driven actuators based on polymer films [OE-45-034302]

S. Sarkisov, M. Curley, L. Huey, A. Fields, S. Sarkisov II, G. Adamovsky

Dynamic bandwidth allocation by using efficient threshold reporting for quality of service in Ethernet passive optical networks [OE-45-035001]

Y.-M. Yang, J.-M. Nho, H. Perros, N. Mahalik, K. Kim, B.-H. Ahn

Optical packet compressor [OE-45-035002]

W. Wang, M. Cada

Method for the radial profiling of material dispersion of optical fibers due to mechanically induced optical anisotropy [OE-45-035003]

F. El-Diasty, F. Wahab

High-dynamic-range high-optical-isolation wavelength-sensitive thin film filter-based variable fiber optic attenuator [OE-45-035004]

S. Sumriddetchkajorn, K. Chaitavon

Liquid-crystal-based in-fiber tunable spectral structures [OE-45-035005]

Z. Zalevsky, F. Luan, W. Wadsworth, S. Saval, T. Birks

Analysis of in-line Fresnel holograms via chirp separation [OE-45-035801]

M. Ozgen

Acquisition and tracking control of satellite-borne laser communication systems and simulation of downlink fluctuations [OE-45-036001]

M. Toyoda

Distance-based and neural-net-based approaches for classifying satellites using spectral measurements [OE-45-036201]

M.-A. Cauquy, M. Roggemann, T. Schulz

Blind-pixel correction algorithm for an infrared focal plane array based on moving-scene analysis [OE-45-036401]

B. Wang, S. Liu, Q. Li, R. Lei

Numerical calculation of the Fresnel diffraction patterns for periodic objects in measurements with a two-aperture radiometer [OE-45-036402]

J. Cortés-Reynoso, J. Suárez-Romero, J. Solorio-Leyva, J. Hurtado-Ramos, E. Tepichin-Rodriguez

Overlay model for infrared scene generation [OE-45-036403]

D. Jarvis, R. Gover

Prefiltering synthetic imagery by three-dimensional blurring [OE-45-036404]

T. Sills

Incorporating local statistics in image error measurement for adaptive image restoration [OE-45-037001]

S. Perry, L. Guan, P. Varjavandi

Robust image watermarking using local invariant features [OE-45-037002]

H.-Y. Lee, H. Kim, H.-K. Lee

New scheme for image edge detection using the switching mechanism of nonlinear optical material [OE-45-037003]

N. Pahari, S. Mukhopadhyay

Efficient line-based architecture for 2-D discrete wavelet transform [OE-45-037004]

C.-Y. Xiong, J.-W. Tian, J.-H. Liu

Object segmentation algorithm using snakes in stereo images [OE-45-037005]

S.-H. Kim, J.-W. Jang, J.-H. Choi

Contextual-based Hopfield neural network for medical image edge detection [OE-45-037006]

C.-Y. Chang

Use of one-dimensional iris signatures to rank iris pattern similarities [OE-45-037201]

Y. Du, R. Ives, D. Etter, T. Welch

Very low bit rate video coding of moving targets [OE-45-037401]

J. Garcia, R. Rodriguez-Sanchez, J. Fdez-Valdivia, J. Martinez-Baena

Real-time disparity estimation using foreground segmentation for stereo sequences [OE-45-037402]

H. Kim, D. Min, S. Choi, K. Sohn

Theoretical analysis of two-dimensional photonic-crystal spot-size converter in Si for 1.55- μ m operation [OE-45-038001]

Y. Zhao, B. Li, X. Ma

Higher order annular Gaussian laser beam propagation in free space [OE-45-038002]

H. Eyyuboglu, Y. Yenice, Y. Baykal

Volume 45, Issue 04

Editorial: *Reading in the 21st Century* by D. O'Shea

Liquid concentration measurement based on the optoacoustic effect and fiber Bragg grating sensor technology [OE-45-040501]

M. Rong, L.-S. Zhang

Mechanical means for temperature compensation of planar diffractive optical interconnects: feasibility study [OE-45-040502]

Y. Socol

Investigation of vestigial sideband carrier suppressed return-to-zero formats due to optical filtering in a 40-Gbit/s system [OE-45-040503]

H. Chen, M. Chen, S. Xie, B. Zhou

Optomechanical design and fabrication of resonant microscanners for a scanning fiber endoscope [OE-45-043001]

C. Brown, P. Reinhall, K. Satoshi, E. Seibel

Simulation study for design and optimization of efficiency of two-dimensional lens ducts [OE-45-043002]

A. Ghasemi, R. Massudi, H. Latifi

Avalanche-photodiode-based heterodyne optical head of a phase-shift laser range finder [OE-45-043003]

D. Castagnet, H. Tap-Beteille, M. Lescure

Distortion of beam shape by a rotating double-prism wide-angle laser beam scanner [OE-45-043004]

J. Sun, L. Liu, M. Yun, L. Wan, M. Zhang

Scalable highly-sensitive optical touch keyboards [OE-45-043005]

S. Sumriddetchkajorn, K. Chaitavon

Stereoscopic vision system [OE-45-043006]

Z. Király, G. Springer, J. Van Dam

Fabrication of large-sag aspheric micro-optics with nanometer accuracy using electron-beam lithography on curved substrates [OE-45-043401]

Z. Yang, J. Leger

Fabrication of an optical-quality linear grating of immunoglobulin G proteins by microcontact printing and demonstration of potential biosensing applications [OE-45-043402]

D. Angeley, J. Davis, G. Reitz

Diffractive-optical-element-based glossmeter and low coherence interferometer in assessment of local surface quality of paper [OE-45-043601]

K.-E. Peiponen, E. Alarousu, M. Juuti, R. Silvennoinen, A. Oksman, R. Myllylä, T. Prykäri

Method for calibrating cameras with large lens distortion [OE-45-043602]

D. Xu, Y. Li, M. Tan

Electro-optical leveler using a bowl-shaped lens [OE-45-043603]

J.-H. Wu, S.-L. Lin, J.-G. Chen, R.-S. Chang

Two-dimensional small-rotation-angle measurement using an imaging method [OE-45-043604]

T. Suzuki, T. Endo, O. Sasaki, J. Greivenkamp

Automated three-axis gonioreflectometer for computer graphics applications [OE-45-043605]

H. Li, S.-C. Foo, K. Torrance, S. Westin

Modeling of the temperature-dependent spectral response of $\text{In}_{1-x}\text{Ga}_x\text{Sb}$ infrared photodetectors [OE-45-044001]

J. González-Cuevas, T. Refaat, M. Abedin, H. Elsayed-Ali

Smectic-A-filled birefringent elements and fast switching twisted dual-frequency nematic cells used for digital light deflection [OE-45-044002]

O. Pishnyak, A. Golovin, L. Kreminska, J. Pouch, F. Miranda, B. Winker, O. Lavrentovich

Temperature stability improvement of a multiwavelength Sagnac loop fiber laser using a high-birefringent photonic crystal fiber as a birefringent component [OE-45-044201]

X. Yu, D. Liu, H. Dong, S. Fu, X. Dong, M. Tang, P. Shum, N. Ngo

Gas phase chemical analysis using long-wavelength vertical-cavity surface-emitting lasers [OE-45-044301]

A. Lytkine, W. Jäger, J. Tulip

Triangulation-based laser range finder using a complementary metal-oxide semiconductor image sensor for application to automotive systems [OE-45-044302]

D.-H. Wu, K.-Y. Horng, R.-S. Chang

Volatile-organic-compound optic fiber sensor using a gold-silver vapochromic complex [OE-45-044401]

S. Casado Terrones, C. Aguado, C. Bariáin, A. Segura-Carretero, I. Maestro, A. Gutierrez, A. Luquin, J. Garrido, M. Laguna

Air-core hollow optical waveguides with omnidirectional reflectors [OE-45-044601]

S.-S. Lo, C.-C. Chen

General imaging properties of two-dimensional multimode interference couplers [OE-45-044602]

X. Jiang, Y. Sun, J. Yang, M. Wang

Passive silicon-on-insulator polarization-rotating waveguides [OE-45-044603]

C. Brooks, P. Jessop, H. Deng, D. Yevick, N. Tarr

Reduction of pattern effect for clock recovery based on semiconductor optical amplifier using cw assist light [OE-45-045001]

L. Yin, G. Liu, J. Wu, J. Lin

Theoretical study of using an amplitude modulation scheme with an electro-optic modulator for generation of the proper power shape function of an optical soliton pulse in a nonlinear waveguide [OE-45-045002]

P. Kuila, A. Sinha, H. Bhowmik, S. Mukhopadhyay

Novel Mach-Zehnder interferometer structure for tunable optical interleaver [OE-45-045003]

J. Zhang, L. Liu

Complementary bipolar spectral polarization coding over fiber-grating-based differential photodetectors [OE-45-045004]

Y.-T. Chang, J.-F. Huang

Fiber optic active alignment method based on a pattern search algorithm [OE-45-045005]

J. Chun, Y. Wu, Y. Dai, S. Li

Advanced continuous wavelet transform algorithm for digital interferogram analysis and processing [OE-45-045601]

Z. Wang, H. Ma

Optical information security system using an interference-based computer-generated hologram and BaTiO₃ [OE-45-045801]

C.-S. Kim, Y.-H. Park, H.-J. Lee, S.-J. Kim

On remote sensing of optically thick ice clouds [OE-45-046201]

A. Kokhanovski

Quantitative analysis of pansharpned images [OE-45-046202]

V. Vijayaraj, N. Younan, C. O'Hara

Improved techniques for measuring x-ray mass attenuation coefficients [OE-45-046501]

M. de Jonge, C. Tran, C. Chantler, Z. Barnea

Imaging quality analysis of a KBA x-ray microscope working at grazing incidence [OE-45-046502]

J. Hu, L. Zhao, X. Li, Y. Bai

Experimental study on the sensitivity of autocalibration to projective camera model parameters [OE-45-047002]

R. Hassanpour, V. Atalay

Content-based color quantization and texture extraction for image indexing [OE-45-047003]

C.-K. Yang

Face detection in color images using efficient genetic algorithms [OE-45-047201]

C.-J. Lin, H.-C. Chuang, Y.-J. Xu

Sizing particles by backscattering spectroscopy and Fourier analysis [OE-45-048001]

F. Videla, D. Schinca, L. Scaffardi

Enhanced class associative generalized fringe-adjusted joint transform correlation for multiple target detection [OE-45-048201]

M. Haider, M. Islam, M. Alam

Volume 45, Issue 05

Editorial: *Confidentiality* by D. O'Shea

Differential all-birefringent-fiber frequency-modulated continuous-wave Sagnac gyroscope [OE-45-050501]

J. Zheng

All-fiber laser for generating interlaced continuous-wave frequency combs and application to Fourier-transform spectroscopy [OE-45-050502]

T. Krätschmer, J. Walewski, S. Sanders

Nanofilms on a hollow core fiber [OE-45-050503]

I. Matias, J. Bravo, F. Arregui, J. Corres

Waveband routed optical packet switch: implementation and performance evaluation [OE-45-050504]

C. Politi, D. Klonidis, A. Tzanakaki, M. O'Mahony, I. Tomkos

Availability analysis considering primary and backup sharing in wavelength-division multiplexed networks [OE-45-050505]

Y. Li, Y. Jin, L. Li

Reflecting telescopes for an orbiting high-resolution camera for Earth observation [OE-45-053001]

F. Simonetti, A. Romoli, P. Mazzinghi, V. Bratina

Method for measuring the lateral aberrations of a lithographic projection system with mirror-symmetric FOCAL marks [OE-45-053201]

W. Shi, X. Wang, D. Zhang, O. Sasaki

Optimization of the material removal in fluid jet polishing [OE-45-053401]

H. Fang, P. Guo, J. Yu

Estimating uncertainty in resolution tests [OE-45-053601]

D. Goncalves, D. Griffith

Mueller matrix for an ellipsoidal mirror [OE-45-053602]

O. Rodriguez-Herrera, N. Bruce

Simple tilt and height location monitoring of wafers [OE-45-053603]

T. Ng, A. Tay, C. Ong

Design of an expert measurement system for close-range photogrammetric applications [OE-45-053604]

B. Ergun, I. Baz

Extended-range Shack-Hartmann wavefront sensor with nonlinear holographic lenslet array [OE-45-053605]

D. Podanchuk, V. Dan'ko, M. Kotov, J.-Y. Son, Y. Choi

New versatile setup for goniometric measurements of spectral radiance [OE-45-053606]

L. Zhao, K. Nielsen, J. Lotsberg, E. Marken, J. Stamnes, K. Stamnes

Gradient-doping negative electron affinity GaAs photocathodes [OE-45-054001]

J. Zou, B. Chang

End-pumped continuous-wave passively mode-locked Nd:YVO₄ laser with low pump power [OE-45-054201]

Y. Liu, L. Sun, Y. Wang, H. Qiu, Q. Tian, X. Ma

Strain dependence of fiber Bragg grating sensors at low temperature [OE-45-054401]

X. Zhang, Z. Wu, B. Zhang

Design and fabrication of multilayer metal-clad dielectric surface plasmon waveguide polarizers [OE-45-054601]

D. Kumar, V. Sharma, K. Tripathi

Design of compact ring resonator and Mach-Zehnder interferometer with air trenches [OE-45-054602]

S. Kim, J. Jiang, G. Nordin

Forward and backward grating-assisted directional couplers in silicon for wavelength-division multiplexing tunable add-drop applications [OE-45-054603]

N. Zhang, J. Boyd

Development of a test setup for precise measurement of polarization mode dispersion in single-mode and polarization-maintaining fibers and for characterization of optical devices [OE-45-055001]

M. Zafrullah, M. Islam

Dual-stage superfluorescent fiber source with 1.16-W output power centered at 1561 nm [OE-45-055003]

S.-P. Chen, Y.-G. Li, J.-P. Zhu, H. Wang, K.-C. Lu

Cu/CuI-coated hollow glass waveguides for delivery of infrared radiation [OE-45-055004]

R. George, J. Harrington

Employing dispersion-flattened fiber for chromatic dispersion measurement [OE-45-055005]

M. Al-Qdah, H. Abdul-Rashid, K. Dimiyati, B. Ali, M. Khazani

Theoretical analysis and measurement of polarization mode dispersion probability density function in optical fiber system with components having discrete differential group delay values [OE-45-055006]

L. Chen, H. Wang, X. Bao

Optical code-division multiple-access protocol with selective retransmission [OE-45-055007]

M.-A. Mohamed, H. Shalaby, E.-S. El-Badawy

Cylindrical-lens-based wavefront-reversing shear interferometer for the spatial coherence measurement of UV radiations [OE-45-055601]

O. Prakash, R. Mahakud, H. Vora, S. Dixit

Compact integrated depolarizer for interferometric fiber optic gyroscopes [OE-45-055602]

L. Li, J. Cardenas, J. Jiang, G. Nordin

Study on the use of white light interferometry for multifiber-end surface profile measurement [OE-45-055603]

C. Quan, S. Wang, C. Tay, I. Reading

Effect of source spatial partial coherence on the angle-of-arrival fluctuations for free-space optics links [OE-45-056001]

Y. Baykal, H. Eyyuboglu

Application of laser-induced fluorescence for remote sensing of vegetation [OE-45-056201]

G. Matvienko, A. Grishin, O. Kharchenko, O. Romanovskii

StarMarker—a fast and robust RGB-based saturation watermarking system for pan-sharpened IKONOS and QuickBird imagery [OE-45-056202]

C.-P. Chang, Y.-C. Lee, A.-C. Chang, P. Huang, T.-M. Tu

Multispectral infrared bidirectional reflectance distribution function forward-scatter measurements of common infrared black surface preparations and materials [OE-45-056401]

J. Miller

Photometric quantity analysis of backlight for a dual-panel display [OE-45-056402]

J.-G. Chang, Y.-B. Fang, C.-F. Lin

Signal-to-noise ratio, contrast-to-noise ratio, and exposure time for imaging systems with photon-limited noise [OE-45-056403]

R. Lucke, R. Kessel

Tracking of multiple-point targets using multiple-model-based particle filtering in infrared image sequence [OE-45-056404]

M. Zaveri, S. Merchant, U. Desai

Eye detection based on head contour geometry and wavelet subband projection [OE-45-057001]

J.-W. Wang, W.-Y. Chen

Color-texture image segmentation based on multistep region growing [OE-45-057002]

I. Fondón, C. Serrano, B. Acha Pinero

Efficient global motion estimation algorithm using recursive least squares [OE-45-057003]

Y.-R. Huang, C.-M. Kuo, C.-L. Kuo

Asymmetric 2+1 pass stereo matching algorithm for real images [OE-45-057004]

Q. Zhu, C.-C. Chang

Adaptive synthetic discriminant function filters for pattern recognition [OE-45-057005]

A. González-Fraga, V. Kober, J. Álvarez-Borrego

Unsupervised spatiotemporal segmentation algorithm for on-chip video systems [OE-45-057401]

C.-C. Kao, C.-Y. Chen, Y.-T. Lai

Study of the transmitter antenna gain for intersatellite laser communications [OE-45-058001]

J. Sun, L. Liren, Y. Maojin, W. Lingyu

Estimating particle redistribution from launch loads [OE-45-059001]

R. Crook

Volume 45, Issue 06

Editorial: SPIE Letters Virtual Journal by D. O'Shea

Coarse-to-fine image registration for sweep fingerprint sensors [OE-45-060501]

Y. Zhang, J. Yang, H.-T. Wu

Novel texture feature persistence metric for automatic-target-recognition-directed image compression [OE-45-060502]

Y. Wang, H. Lu, X. Zhang, X. Han

Traceable multiple sensor system for measuring curved surface profiles with high accuracy and high lateral resolution [OE-45-060503]

M. Schulz, C. Elster

Refractive index dispersion measurement of absorbing layers from transmittance spectra [OE-45-060504]

C. Sanchez-Perez, A. García-Valenzuela

Kernel-based metric for performance evaluation of video infrared target tracking [OE-45-060505]

J. Ling, E. Liu, H. Liang, J. Yang

Better reading light system with light-emitting diodes using optimized Fresnel lens [OE-45-063001]

W.-G. Chen, C.-M. Uang

Novel header extraction for optical packet-switched networks using a modified terahertz optical asymmetric demultiplexer with differential modulation scheme [OE-45-063002]

W. Ji, M. Zhang, P. Ye

Balancing detector effects with aberrations in the design of wide-field grazing incidence x-ray telescopes [OE-45-063003]

J. Harvey, M. Atanassova, A. Krywonos

Probability of identification of small hand-held objects for electro-optic forward-looking infrared systems [OE-45-063201]

S. Moyer, J. Hixson, T. Edwards, K. Krapels

Handheld threat object identification performance of 2-D visible imagery versus 3-D visible imagery [OE-45-063202]

K. Krapels, R. Driggers, B. Teaney, C. Halford

Correlation between influence-function quality and predictability of a computer-controlled polishing process [OE-45-063401]

E. Pitschke, M. Schinhaerl, P. Sperber, R. Rascher, R. Stamp, L. Smith, M. Smith

Adaptive windowed Fourier transform in 3-D shape measurement [OE-45-063601]

S. Zheng, W. Chen, X. Su

Compact low-cost unit for photometric testing of automotive headlamps [OE-45-063602]

S. Royo, M. Arranz, J. Arasa, M. Cattoen, T. Bosch

Instrument simulation for estimating uncertainties in imaging polarimeters [OE-45-063603]

M. Fetrow, J. Boger

Laboratory calibration of star tracker with brightness independent star identification strategy [OE-45-063604]

F. Xing, Y. Dong, Y. Zheng

Rocket Extreme Ultraviolet Grating Spectrometer (EGS): calibrations and results of the solar irradiance on February 8, 2002 [OE-45-063605]

P. Chamberlin, T. Woods, F. Eparvier

Influence of deposition temperature on the properties of high-reflectivity coatings [OE-45-063801]

M. Zhan, T. Tan, D. Zhang, H. He, J. Shao, Z. Fan

Video-based spatial optical communication method for a wearable information terminal [OE-45-064001]

X. Lin, H. Itoh

Fractional thermal loading and effective stimulated-emission cross section of diode double-end-pumped Nd:YVO₄ crystal [OE-45-064201]

S. Sudheer, V. Pillai, V. Nayar

Four-wave-mixing-assisted room-temperature four-wavelength erbium-doped fiber lasers [OE-45-064202]

X. Yang, F. Lu, X. Dong, Z. Li, X. Zhou, C. Lu

Development of shape measurement system using an omnidirectional sensor and light sectioning method with laser beam scanning for Hume pipes [OE-45-064301]

M. Senoh, F. Kozawa, M. Yamada

Change in data marks and groove structures of compact recordable disks in response to a high power laser beam [OE-45-064302]

T. Choi, T. Milster

Autocorrelator designs for nonlinear optical microscopy [OE-45-064303]

F. Quercioli, B. Tiribilli, M. Vassalli, F. Sbrana

Fiber-Bragg-grating-based weigh-in-motion system using fiber-reinforced composites as the load-supporting material [OE-45-064401]

K. Wang, Z. Wei, H. Zhang, X. Huang, B. Chen, H.-L. Cui

Overlap integral in integrated acousto-optic devices [OE-45-064601]

G. Fan, J. Ning, L. Shang, Q. Han, Z. Chen

Fiber optic variable attenuator using a thermal lens induced in a dichroic polarizer [OE-45-065001]

J. Ferrari, E. Frins, E. Garbusi, M. Korn

Significantly enhanced fiber optic code-division multiple-access system using a novel optical decoder with an AND-gate logic element [OE-45-065002]

T.-G. Kang, Y.-W. Choi

Performance analysis of differential output ports choosing probabilities for multiclass traffic in optical burst switching networks [OE-45-065003]

R. Hou, J. Sun, P. Ding, C. Yang

Comparison of various dispersion-compensation techniques in a cable television system [OE-45-065004]

R. Kaler

Phase noise suppression in multilevel optical code-division multiple-access network coding system with embedded orthogonal polarizations [OE-45-065005]

J.-G. Huang, C.-T. Yen

Suppression of phase noises with residual-spectra eliminator in circulator-free fiber-grating optical code-division multiple-access network coder/decoder [OE-45-065006]

J.-G. Huang, C.-M. Tsai, C.-M. Huang

Receiver sensitivity improvement using polarization-insensitive semiconductor optical amplifier [OE-45-065007]

S. Sodhi, R. Kaler

Accurate hybrid mode analysis of hollow optical fibers [OE-45-065008]

K.-W. Chung, J. Shin, S. Yin

Attenuation-controllable micromachined 2×2 optical switches using 45-deg micromirrors [OE-45-065009]

H. Kwon, T.-H. Kim, H. Toshiyoshi, J.-H. Lee

Misalignment analysis of lensless free-space optical interconnects [OE-45-065401]

N. Al-Ababneh

Hologram of the multichannel fractional Fourier transform [OE-45-065801]

W. Jin, C. Yan

Lossy coding technique for digital holographic signal [OE-45-065802]

Y.-H. Seo, H.-J. Choi, D.-W. Kim

Modified smoothing-filter-based technique for IKONOS-QuickBird image fusion [OE-45-066201]

T.-M. Tu, Y.-C. Lee, P. Huang, C.-P. Chang

Anti-aliasing for infrared scene generation using programmable graphics and the NVIDIA Cg toolkit [OE-45-066401]

T. Sills

Comparison between four methods for central ray determination with wire phantoms in micro-computed-tomography systems [OE-45-066402]

T. Liu, A. Malcolm

Face discrimination between real and synthetic humans [OE-45-067001]

C.-Y.. Huang, N.-C. Hu

Reduction of the number of spectral bands in Landsat images: a comparison of linear and nonlinear methods [OE-45-067002]

L. Journaux, I. Foucherot, P. Gouton

Impulse noise removal with gradient adaptive neighborhoods [OE-45-067003]

M. Mozerov, V. Kober

Efficient wavelet-domain motion estimation scheme for wavelet-based video coding [OE-45-067004]

L. Zhang, G. Tu

Improved algorithms for motion detection and tracking [OE-45-067201]

Y. Shan, R. Wang

New method for subpixel image matching with rotation invariance by combining the parametric template method and the ring projection transform process [OE-45-067202]

Y.-H. Lin, C.-H. Chen, C.-C. Wei

Hierarchical feed-forward network for object detection tasks [OE-45-067203]

I. Bax, G. Heidemann, H. Ritter

Robust line matching in image pairs of scenes with dominant planes [OE-45-067204]

C. Sagues, J. Guerrero Campo

Observation of the experimental propagation properties of Helmholtz-Gauss beams [OE-45-068001]

C. Lopez-Mariscal, M. Bandres, J. Gutierrez-Vega

Volume 45, Issue 07

Editorial: *Those Ditsy Scientists!* by D. O'Shea

Piezoelectric deformable mirror with adaptive multiplexing control [OE-45-070501]

A. Simonov, S. Hong, G. Vdovin

All-fiber spectrum equalization filter with a reflection structure [OE-45-070502]

Y. Zhang, H. Seck, Y. Soh, Z. Dong

Thermo-optically tunable fiber ring laser without any mechanical moving parts [OE-45-070503]

L. Zheng, J. Vaillancourt, C. Armiento, X. Lu

Compact low-cost detection electronics for optical coherence imaging [OE-45-070504]

A. Akcay, K. Lee, L. Furenid, M. Costa, J. Rolland

Higher-order optical polarization mode dispersion compensator evaluation using Markov chain Monte Carlo simulation [OE-45-070505]

C. Yang, Z. Wang

Self Q-switching effect in a Nd:YVO₄/KTP lasing unit [OE-45-070506]

Z. Zalevsky, Y. Kapellner, I. Eyal, N. Cohen

Novel concept for large deformable mirrors [OE-45-073001]

T. Andersen, O. Garpinger, M. Owner-Petersen, F. Bjoorn, R. Svahn, A. Ardeberg

Improved spatial integrator with axicon-dioptic elements [OE-45-073002]

A. Fernandez-Balbuena, D. Vazquez, J. Alda, E. Bernabeu

New phase measurement profilometry by grating projection [OE-45-073601]

F. Lin, Z. Li, L. Yang, Q. Yang, A. He

Conoscopic holography-based long-standoff profilometer for surface inspection in adverse environment [OE-45-073602]

J. Enguita, I. Alvarez, C. Fraga Bobis, J. Marina, Y. Fernández, G. Sirat

Compact system for measurement of optical surfaces having a large radius of curvature [OE-45-073603]

X. Cai, S. Chang, C. Flueraru

Attenuated retroreflectors for electronic distance measurement [OE-45-073605]

D. Parker, M. Goldman, B. Radcliff, J. Shelton

Research on near-field distributions of axisymmetric folded-combined CO₂ laser [OE-45-074201]

J.-L. Liu, Y. Li, J. Guo, M. Chen, Y. Yang, D. Xu, Z. Liu, L.-J. Zhang

Fabrication and tolerance reduction of a Si-based pickup module for optical storage [OE-45-074601]

C.-C. Lee, C.-M. Wang, S. Huang, J. Chang, G.-C. Chi, S. Shu, C. Liu

Selective excitation of the LP₁₁ mode in step index fiber using a phase mask [OE-45-074602]

W. Mohammed, M. Pitchumani, A. Mehta, E. Johnson

Photo-written waveguides in iron-doped lithium niobate crystal employing binary optical masks [OE-45-074603]

P. Zhang, D. Yang, J. Zhao, M. Wang

Design of a low-loss wide-angle multimode -branch waveguide [OE-45-074604]

D. Xiang, W. Zhang, G. Jin, Q. Li

All-optical method of conducting long-distance switching by proper use of an electro-optic Pockels material and a nonlinear optical waveguide [OE-45-075002]

P. Mandal, H. Bhowmik, S. Mukhopadhyay

Characterization of rhodamine 6G doped polymer optical fiber by side illumination fluorescence [OE-45-075003]

R. Mandamparambil Nair, K. Geetha, S. Nambiar, C. Vallabhan, P. Radhakrishnan, V. Nampoore

Investigation of chirped return-to-zero differential phase-shift keying (DPSK) modulation format and its performance comparison with return-to-zero DPSK in 40×40-Gbit/s dense wavelength-division multiplexing transmission systems [OE-45-075004]

X. Wu, K. Xu, G. Lu, J. Wu, J. Lin

Microforce sensing for coarse alignment in active fiber pigtailling [OE-45-075005]

Z. Lu, P. Chen, H. Luo, W. Lin

Class-associative color pattern recognition using a shifted phase-encoded joint transform correlation [OE-45-075006]

M. Islam, M. Alam, M. Haider

Quantitative phase demodulation from a free-running Michelson interferometer by using a novel quadrature moiré grating with misalignment error compensation [OE-45-075601]

H. Ho, K. Lo, Y. Hung

Influence of some recording parameters on digital holographic particle image velocimetry [OE-45-075801]

Y. Zhang, G. Shen, A. Schröder, J. Kompenhans

Aberration analysis of digital hologram reconstruction with a Fresnel integral [OE-45-075802]

C. Liu, Y. Liu, H. Chen, C. Yan

Identifying a dot-matrix hologram by the deviations of the fringe positions of its grating dots [OE-45-075803]

S. Yeh

Strehl ratio and scintillation theory for uplink Gaussian-beam waves: beam wander effects [OE-45-076001]

L. Andrews, R. Phillips, R. Sasiela, R. Parenti

Portable lidar system for atmospheric boundary layer measurements [OE-45-076201]

B. Kumar

Optimal target detection for hyperspectral images with uniform backgrounds [OE-45-076202]

S. Johnson

Small infrared target fusion detection based on support vector machines in the wavelet domain [OE-45-076401]

Z. Wang, J. Tian, J. Liu, S. Zheng

Quantum efficiency overestimation and deterministic cross talk resulting from interpixel capacitance [OE-45-076402]

A. Moore, Z. Ninkov, W. Forrest

Deinterlacing with selective motion compensation [OE-45-077001]

T. Jeong, Y. Kim, K. Sohn, C. Lee

Synthetic aperture radar target detection using a neural network with fractal dimension [OE-45-077002]

Y.-C. Tzeng, K.-S. Chen

Moment patterns in the Radon space: invariance to blur [OE-45-077003]

R. Galigekere, M. Swamy

Content-based watermarking in image authentication allowing remedying of tampered images [OE-45-077004]

F. Yeh, G. Lee

Penalized-likelihood image reconstruction for x-ray fluorescence computed tomography [OE-45-077005]

P. La Rivière, D. Billmire, P. Vargas, M. Rivers, S. Sutton

Multiple-watermarking scheme for still images using the discrete cosine transform and modified code division multiple-access techniques [OE-45-077006]

C.-C. Liu, W.-Y. Chen

Hierarchical region-of-interest detection [OE-45-077201]

H. Lin, J. Si, G. Abousleman

Directionally classified eigenblocks for localized feature analysis in face recognition [OE-45-077202]

H.-C. Shin, H.-C. Choi, S.-D. Kim

Position-, rotation-, scale-, and orientation-invariant multiple object recognition from cluttered scenes [OE-45-077203]

P. Bone, R. Young, C. Chatwin

Learning-based appearance model for probabilistic visual tracking [OE-45-077204]

A. Li, Z. Jing, S. Hu

Efficient skeletonization based on generalized discrete local symmetries [OE-45-077205]

J. Zou

Annular Radon transform and axicon transform [OE-45-078201]

V. Kotlyar, A. Kovalev

Volume 45, Issue 08

Editorial: "Try my image, please." by D. O'Shea

Adaptive video-blocking artifact removal in discrete Hadamard transform domain [OE-45-080501]

J. Xu, S. Zheng, X. Yang

Dynamic multicasting in wavelength-division multiplexing ring employing multicast-capable optical add/drop multiplexers [OE-45-080502]

Y. Peng, W. Hu, X. Wang, W. Sun, Y. Jin, W. Guo

40 Gbit/s all-optical logic NOR gate based on a semiconductor optical amplifier and a filter [OE-45-080503]

J. Zhang, J. Wu, C. Feng, G. Zhou, K. Xu, J. Lin

Near-field dielectric optics near the thermodynamic limit [OE-45-080504]

D. Feuermann, J. Gordon, T. Ng

Dual geometric active contour for image segmentation [OE-45-080505]

G. Zhu, Q. Zeng, C. Wang

Waveguide-type optical passive ring resonator gyro using phase modulation spectroscopy technique [OE-45-080506]

H. Ma, X. Zhang, Z. Jin, C. Ding

Linear-phase fiber lattice equalizer for Gaussian-like spectra [OE-45-080507]

Q. Wang, Y. Zhang, Z. Dong, Y. Soh

Color-coded methodology for deformable mirrors [OE-45-080508]

P. Sansoni, D. Fontani, F. Francini, L. Mercatelli, D. Jafrancesco

Laser-induced gas breakdown as a light source for schlieren and shadowgraph particle image velocimetry [OE-45-080509]

J. Volpe, G. Settles

Commutative watermarking and encryption for media data [OE-45-080510]

S. Lian, Z. Liu, R. Zhen, H. Wang

Design and calibration of a single-camera-based stereo vision sensor [OE-45-083001]

J. Zhu, Y. Li, S. Ye

Robust technique for spectroscopic plasma analysis with application in real-time arc welding quality monitoring [OE-45-083002]

J. Mirapeix, A. Cobo, O. Conde, C. Jauregui, J. López-Higuera

Cancer diagnosis by microscopic axial super-resolving reconstruction approach of cytological and histological images [OE-45-083201]

Z. Zalevsky, E. Rossmann, E. Sabo, E. Rivlin, D. Mendlovic

Measurement of refractive indices of 20 optical materials at low temperatures [OE-45-083401]

T. Yamamuro, S. Sato, T. Zenno, N. Takeyama, H. Matsuhara, I. Maeda, Y. Matsueda

Novel method for structured light system calibration [OE-45-083601]

S. Zhang, P. Huang

Method for testing half an angle of any prism [OE-45-083602]

S. Rao

Birefringence dispersion measurement based on achromatic four points of geometric phase [OE-45-083603]

T. Wakayama, Y. Otani, N. Umeda

Simultaneous observation of phase-stepped photoelastic fringes using a pixelated microretarder array [OE-45-083604]

S. Yoneyama, H. Kikuta, K. Moriwaki

Microstructure- and composition-related characteristics of LaF₃ thin films at 193 nm [OE-45-083801]

M.-C. Liu, C.-C. Lee, M. Kaneko, K. Nakahira, Y. Takano

Time and frequency response characteristics of bacteriorhodopsin-based photodetectors [OE-45-084001]

W. Wang, G. Knopf, A. Bassi

Study on the weldability of stainless steel fabricated by powder metallurgy and metal injection molding for optoelectronic packages [OE-45-084002]

C.-T. Lin, B.-S. Chiou, S. Chi

Testbench to characterize pixels of the Major Atmospheric Gamma-ray Imaging Cherenkov (MAGIC) telescope [OE-45-084003]

F. Lucarelli, M. Camara, P. Antoranz, J. Miranda Pantoja, M. Asensio, J. Barrio, M. Fonseca Gonzalez

Geometric optics analysis on light transmission and reflection characteristics of metallic prism sheets [OE-45-084004]

H. Kim, B. Lee

Hollow conic beam generator using a cylindrical rod and its performances [OE-45-084005]

H. Kong, J. Choi, J. Shin, S. Yi, B. Jeon

Health monitoring system for offshore platform with fiber Bragg grating sensors [OE-45-084401]

L. Ren, H.-N. Li, J. Zhou, D.-S. Li, L. Sun

Characterization of a self-mixing displacement sensor under moderate feedback [OE-45-084402]

C. Bès, T. Bosch, G. Plantier, F. Bony

Measurement of rotation axis transverse displacements based on diffuse reflective intensity modulated optical fiber sensor [OE-45-084403]

Y. Chu, F. Xu, T. Ding, S. Chen

Fiber-Bragg-grating-based seismic geophone for oil/gas prospecting [OE-45-084404]

Y. Zhang, S. Li, Z. Yin, B. Chen, H.-L. Cui, J. Ning

Design and analysis of one-dimensional resonant hexagonal holes photonic bandgap filter waveguide [OE-45-084601]

C.-W. Tsai, C.-T. Chu, M.-H. Pan, S.-L. Tsao

Intercore-cladding uniaxial dielectric thin film optical fibers [OE-45-085001]

E. Karadeniz, P. Kornreich

Hybrid grism-lens device for diffraction grating demultiplexers [OE-45-085002]

H.-C. Lan, C.-C. Cheng, C.-M. Wang, M.-J. Wu, J.-Y. Chang

Robust routing algorithms based on Valiant load balancing for wavelength-division-multiplexing mesh networks [OE-45-085003]

X. Zhang, L. Li

Construction of refractive-index profile of single mode fiber from the near-field technology with an inverse algorithm method [OE-45-085004]

Y. Ding, J. Wei, Z.-H. Kang, Z. Shao, Y. Jiang, J.-Y. Gao

Demonstration of high-speed transmission through waveguide-embedded optical backplane [OE-45-085401]

S.-H. Ahn, I.-K. Cho, S. -P. Han, K. Yoon, M.-S. Lee

Free-space optical interconnected topologies for parallel computer application and experimental implementation using rapid prototyping techniques [OE-45-085402]

R. Otero, C. Moir, T. Lim, G. Russell, J. Snowdon

Recovery of overlapped spectral harmonics in multiplex Fabry-Pérot interferometry [OE-45-085601]

J. Tian, W. Cook

Interferogram intensity modulation calculations using temporal phase shifting: error analysis [OE-45-085602]

K. Paturski, A. Styk

Holographic recording in the general case of linear polarization: coincident beams [OE-45-085801]

Z. Wardosanidze

Free-space optical wavelength diversity scheme for fog mitigation in a ground-to-unmanned-aerial-vehicle communications link [OE-45-086001]

A. Harris, J. Sluss, H. Refai, P. LoPresti

Maximum *a posteriori* image and seeing condition estimation from partially coherent two-dimensional light detection and ranging images [OE-45-086201]

A. MacDonald, S. Cain, E. Armstrong

Morphological fringe-adjusted joint transform correlation [OE-45-087002]

Q. Wang, Y. Deng, S. Liu

Effects of compression parameters on the perceived quality of video stream over a lossy Internet protocol network [OE-45-087003]

O. Hadar, R. Shmueli, R. Huber, M. Huber

Non-motion-compensated region-based dirt detection for film archive restoration [OE-45-087004]

J. Ren, T. Vlachos

Hopfield-multilayer-perceptron serial combination for accurate degraded printed character recognition [OE-45-087201]

A. Namane, A. Guessoum, E. Soubari, M. Djebbari, P. Meyrueis, M. Bruynooghe

Novel method for patterned fabric inspection using Bollinger bands [OE-45-087202]

H. Ngan, G. Pang

Analytical and numerical analysis of linear optical systems [OE-45-088201]

D. Kelly, B. Hennelly, W. Rhodes, J. Sheridan

Volume 45, Issue 09

Editorial: *Research in the Face of Terror* by D. O'Shea

Unselective regrowth of 1.5- μ m InGaAsP multiple-quantum-well distributed-feedback buried heterostructure lasers [OE-45-090501]

W. Feng, Y. Ding, J. Pan, L. Zhao, H. Zhu, W. Wang

Novel dim target detection and estimation algorithm based on double threshold partial differential equation [OE-45-090502]

M. Li, T. Zhang, Z. Zuo, X. Sun, W. Yang

Three-dimensional face pose estimation based on novel nonlinear discriminant representation [OE-45-090503]

X. Ge, J. Yang, T. Zhang, H. Wang, C. Du

Original image slicer designed for integral field spectroscopy with the near-infrared spectrograph for the James Webb Space Telescope [OE-45-093001]

S. Vives, E. Prieto

Wide-range, high-resolution optical steering device [OE-45-093002]

A. Polishuk, U. Peled, M. Nissim, M. Golub, S. Arnon

Robust recognition of checkerboard pattern for camera calibration [OE-45-093201]

C. Yu, Q. Peng

Influence of the random image alignment and optical path difference errors of a beam combination system on the optical transfer function of the optical sparse array [OE-45-093202]

I. Tcherniavski, M. Kahrizi

Optical laser level [OE-45-093601]

A. Jaramillo-Nunez, M. Lucero Alvarez

Three-dimensional displacement measurement by using reversed phase-shifting electronic speckle pattern interferometry [OE-45-093602]

P. Sun

Spectroscopic blind deconvolution using a constrained high-order cumulant algorithm [OE-45-093603]

J. Yuan, Z. Hu

Error analysis and correction in wavefront reconstruction from the transport-of-intensity equation [OE-45-094001]

S. Barbero, L. Thibos

Properties of nonlinear optical crystals in the terahertz wavelength region [OE-45-094002]

N. Singh, T. Norris, T. Buma, R. Singh, M. Gottlieb, D. Suhre, J. Hawkins

Improvement in characteristics of a distributed Raman fiber amplifier by using signal-pump double-pass scheme [OE-45-094201]

L. Dou, M. Li, Z. Li, A. Xu, C.-Y. David Lan, S.-K. Liaw

Stability monitoring of ultrashort laser pulses using single-mode fibers [OE-45-094202]

R. Chari, S. Oak

Simultaneous measurement of laser reflection and transmission of poly(vinyl chloride) [OE-45-094301]

J. Van de Ven, A. Erdman

Characteristic analysis of a refractive axicon system for optical trepanning [OE-45-094302]

D. Zeng, W. Latham, A. Kar

Polarization-mode dispersion and polarization-dependent loss of spun fiber Bragg gratings [OE-45-094401]

Y. Wang, C.-Q. Xu

Flat-top arrayed waveguide grating using a tapered multimode interferometer [OE-45-094601]

A. Junming, Y. Wu, H. Wang, J. Li, B. Xing, X. Hu

Spectrum analysis for high-order cladding modes based on long-period fiber gratings [OE-45-095001]

J.-F. Huang, Y.-Y. He, Y.-L. Lo

Bidirectional dense wavelength-division multiplexing passive optical network based on injection-locked vertical-cavity surface-emitting lasers and a data comparator [OE-45-095003]

W.-S. Tsai, H.-H. Lu, S.-J. Tzeng, T.-S. Chien, S.-H. Chen, Y.-C. Chi

Performance improvement of fiber Raman amplifiers using time-division-multiplexed pumping [OE-45-095004]

W. Jiang, J. Chen, J. Zhou

New programmable expressions for calculating error probability and error bounds for M -ary pulse amplitude modulation systems in the presence of intersymbol interference and Gaussian noise [OE-45-095005]

M. Alkhatib, M. Alam

Side-scattering properties of a novel waveguide multilayer memory [OE-45-095201]

T. Yang, Z. Liang, W. Qin, X. Cai, J. Chen, S. Zhuang

Architecture and tolerancing for a matrix operation on the optical highway [OE-45-095401]

C. Moir, R. Otero, G. Russell, J. Snowdon

Dot-matrix hologram with an encrypted figure [OE-45-095801]

S. Yeh

Design and development of a high-performance third-generation hand-held thermal camera [OE-45-096401]

A. Garg, S. Negi, S. Sarkar, R. Agarwal

Figure of merit for predicting detection of moving targets [OE-45-096402]

B. O'Kane, G. Page

Radiation thermometry for silicon wafers by use of polarized radiances [OE-45-096403]

T. Iuchi, K. Hiraka

Evaluation of human detection performance using target structure similarity clutter metrics [OE-45-096404]

H. Chang, J. Zhang

Goal-programming-assisted visual cryptography method with unexpanded shadow images for general access structures [OE-45-097001]

C.-S. Hsu, Y.-C. Hou

Progressive coding for hyperspectral signature characterization [OE-45-097002]

C.-I. Chang, J. Wang, C.-C. Chang, C. Lin

Spatial shift variance and anisotropic blurring of cone-beam computed tomography imaging system [OE-45-097003]

Z. Chen, R. Ning, D. Conover, Y. Yu

Fast search algorithm for vector quantization using dynamic subvectors [OE-45-097004]

C.-C. Wang, C.-W. Tung

Two-stage real-time head tracking by an active camera based on multimodal information [OE-45-097005]

D.-G. Jeong, D.-G. Kang, Y.-K. Yang, J. Ra

Neural-network-based zero-watermark scheme for digital images [OE-45-097006]

S. Jun, X. Liao, M. Alam

Adaptive joint source-channel coding for low-bit-rate conversational video communications with H.264 video codec [OE-45-097007]

W. Fernando, S. Sharma, H. Arachchi

Efficient intramode SKIP detection algorithm for H.264/AVC video encoder [OE-45-097008]

B.-G. Kim, J.-H. Kim

Classification of natural rock images using classifier combinations [OE-45-097201]

L. Lepistö, I. Kunttu, A. Visa

Image segmentation based on Markov random fields with adaptive neighborhood systems [OE-45-097202]

P. Zhong, R. Wang

Transmitting technique for holographic 3-D television using network streaming [OE-45-097401]

K. Takano, K. Sato

Reduction of the diffraction pattern in segmented apertures [OE-45-098001]

V. Canales, J. Oti, P. Valle, M. Perez Cagigal, M. Devaney

Rapid 4-Stokes parameter determination using a motorized rotating retarder [OE-45-098002]

R. Matchko, G. Gerhart

Shaded-mask filtering: novel strategy for improvement of resolution in radial-polarization scanning microscopy [OE-45-098003]

M. Caballero, C. Ibáñez-López, M. Martínez-Corral

Optical encryption and multiplexing of personal identification information using orthogonal code [OE-45-098201]

M. Islam, M. Alam

Volume 45, Issue 10

Editorial: *A Prison Cell by D. O'Shea*

Calibration of the Fabry-Pérot free spectral range using a tunable laser in a Michelson interferometer [OE-45-100501]

A. Cabral, J. Rebordão

Start wavelength selection method in optical burst switching networks under wavelength continuity constraint [OE-45-100502]

L. Shan, L. Xie, Z. Li, A. Xu

Application of a global optimization process to the design of pickup heads for compact and digital versatile disks [OE-45-103001]

C.-H. Tsao, J.-L. Chern

Near-field solid immersion lens microscope with advanced compact mechanical design [OE-45-103002]

T. Chen, T. Milster, S.-K. Park, B. McCarthy, D. Sarid, C. Poweleit, J. Menendez

Three-dimensional reconstruction of an object using three-planar homography of a single image [OE-45-103201]

Y.-I. Yun, S.-H. Kim, S.-H. Lee, D.-H. Kim, J.-S. Choi

Fabrication of polymer waveguides using a molding process [OE-45-103401]

W. Chuang, C. Ho, R. Shyu

Principle of a novel displacement-sensing He-Ne laser with self-calibration and high resolution [OE-45-103601]

X. Liu, S. Zhang, W. Liu, X. Wan

Role of granular structure in metal layers on the optical properties of absorbing mirrors [OE-45-103801]

H. Walter, G. Bauer, R. Domnick, G. Jakopic, A. Leitner

Effect of anode number on the operating parameters of a fast-axial-flow CO₂ laser [OE-45-104201]

S. Jelvani, S. Naeimi, G. Dehghan, M. Montazerolghaem, D. Esmailpour

Observation of two-color pulses in a passively mode-locked erbium-doped fiber ring laser [OE-45-104202]

Z. Zhang, L. Zhan, S. Luo, Y. Xia

Theoretical analysis of intracavity tilt perturbation and aberration correction for unstable laser resonators [OE-45-104203]

X. Zhang, B. Xu, W. Yang

Influence of optical inhomogeneity in the gain medium on the bandwidth of a high-repetition-rate dye laser pumped by copper vapor laser [OE-45-104204]

N. Singh

Differentiation of defect populations responsible for bulk laser-induced damage in potassium dihydrogen phosphate crystals [OE-45-104205]

P. DeMange, R. Negres, H. Radousky, S. Demos

Variable-order adaptive control of a microelectromechanical steering mirror for suppression of laser beam jitter [OE-45-104206]

N. Perez Arancibia, N. Chen, J. Gibson, T.-C. Tsao

Characterization of glass and high-power near-infrared cw laser beams using nonlinear optical techniques [OE-45-104301]

S. Nersisyan, N. Tabirian, C. Sticklely

Multi-beam laser Doppler vibrometer for landmine detection [OE-45-104302]

V. Aranchuk, A. Lal, C. Hess, J. Sabatier

Fiber optic glucose biosensor [OE-45-104401]

I. Del Villar, I. Matias, F. Arregui, J. Corres

Modulation-format comparison experiments on an economic long-haul transmission link using standard single-mode fiber and all erbium-doped fiber amplifiers [OE-45-105001]

B.-H. Choi, Y. Wen, C.-B. Kim

Multiple-access technology based on optical code-division multiple access for passive optical networks [OE-45-105002]

C. Zhang, K. Qiu, B. Xu

Time-slot interchange using an optical buffer with a large variable delay range based on an active-vertical-coupler crosspoint switch [OE-45-105003]

Z. Wang, N. Chi, S. Yu

Capacity upgrade to a 40-Gb/s channel rate using reconfigurable optical add-drop multiplexing operation in 32×10-Gb/s-based repeaterless mixed fiber link [OE-45-105004]

S. Lee, J. Han, H. Cho, S.-K. Lim, H. Lee, C.-B. Kim, J. Ko

Design and analysis of a dynamic spectral encoding code-division multiple-access communication system [OE-45-105005]

M. Hamarshah, M. Abdullah, S. Khatun, H. Shalaby

Optical fibers with high-index-contrast dielectric thin films [OE-45-105006]

E. Karadeniz, P. Kornreich

Novel method to construct a quality map for phase unwrapping based on modulation and the phase gradient [OE-45-105601]

Y. Zhu, Z. Luan, Q. Yang, W. Lu, L. Liu

Simultaneous interferometric optical-figure characterizations for two optical elements in series: Proposal for a non-Newtonian numerical integration scheme [OE-45-105602]

D.-H. Gwo

Surface strain distribution on thin metallic plates using 3-D digital holographic interferometry [OE-45-105603]

M. de la Torre Ibarra, F. Mendoza Santoyo, C. Pérez-López, T. Saucedo-Anaya, D. Aguayo

Cyclic-path digital speckle shear pattern interferometer: use of polarization phase-shifting method [OE-45-105604]

B. Bhaduri, N. Krishna Mohan, M. Kothiyal

Obtaining the wavefront aberrations of a real interferogram by use of a hybrid genetic algorithm [OE-45-105605]

J. Sanchez-Escobar, P. Magaña, S. Vazquez-Montiel

Digital speckle shearing interferometer using a liquid-crystal spatial light modulator [OE-45-105606]

S. Zhao, P. Chung

Scanless ultraviolet remote sensor for limb profile measurements from low earth orbit [OE-45-106201]

A. Krywonos, J. Harvey, R. Daniell, R. Eastes, G. Peterson

Dual-polarization lidar using a liquid crystal variable retarder [OE-45-106202]

N. Seldomridge, J. Shaw, K. Repasky

Refractive index determination: an application of lensless Fourier digital holography [OE-45-106203]

M. Hossain, D. Mehta, C. Shakher

Human-tracking systems using pyroelectric infrared detectors [OE-45-106401]

M. Shankar, J. Burchett, Q. Hao, B. Guenther, D. Brady

Compression of Chinese document images based on morphologic analysis and pattern matching [OE-45-107001]

S. Chen, H. Yan, Z. Xu

Robust copyright protection scheme for digital images using the low-band characteristic [OE-45-107002]

D.-C. Lou, H.-K. Tso, J.-L. Liu

Encryption quality analysis of the RC5 block cipher algorithm for digital images [OE-45-107003]

H. El-din H. Ahmed, H. Kalash, O. Farag Allah

APEX blind deconvolution of color Hubble space telescope imagery and other astronomical data [OE-45-107004]

A. Carasso

Enhanced three-dimensional tracking using nonsingularity constraints [OE-45-107201]

H. Chen, Y. Li

Hybrid calibration of imaging sensors by neural networks and comparison with physical models [OE-45-107202]

D. Lee, S. Cha

Adaptive spatiotemporal structured light method for fast three-dimensional measurement [OE-45-107203]

A. Quiroga, D. Crespo, J. Vargas, J. Gomez-Pedrero

Geometrical characterization issues of plasmonic nanostructures with depth-tuned grooves for beam shaping [OE-45-108001]

Y. Fu, W. Zhou, L. Lim, C. Du, X. Luo, X. Dong, H. Shi, C. Wang

Volume 45, Issue 11

Editorial: *All the news . . . by D. O'Shea*

Electrical analysis of new all-plastic electrochromic devices [OE-45-110501]

R. Vergaz, J. Sánchez Pena, D. Barrios Puerto, C. Vázquez García

Multi-information incorporation approach to kernel-based infrared target model construction with application to target tracking [OE-45-110502]

J. Ling, E. Liu, L. Yang, J. Yang

Design of a photonic band gap polarizer [OE-45-110503]

R. Sinha, Y. Kalra

Fabrication of diffractive optics by use of slow tool servo diamond turning process [OE-45-113401]

L. Li, A. Yi, C. Huang, D. Grewell, A. Benatar, Y. Chen

Approach to higher spatial resolutions in a laser probe measurement system using a phase-only pupil filter [OE-45-113601]

L. Qiu, W. Zhao, Z. Feng, X. Ding

Integration of view planning with nonuniform surface sampling techniques for three-dimensional object inspection [OE-45-113602]

C. Shih, L. Gerhardt

Terahertz-wave spectrometer based on a coherent terahertz-wave parametric generator [OE-45-113603]

R. Guo, H. Minamide, T. Ikari, Y. Ishikawa, H. Ito

Improving the illumination efficiency and color temperature for a projection system by depositing thin-film coatings on an x-cube prism [OE-45-113801]

H.-C. Chen, C.-C. Lee, J. Huang

Orthogonally polarized optical feedback in lasers [OE-45-114201]

S. Zhang, L. Fei

Polarization dynamics of vertical-cavity surface-emitting lasers with optical feedback [OE-45-114202]

W. Zhang, W. Pan, B. Luo, X. Zou, M. Wang

Stable multiwavelength erbium-doped fiber laser at room temperature with tunable wavelength, wavelength spacing, and channel number [OE-45-114203]

S. Pan, C. Lou

Passively Q-switched neodymium slab lasers at 1.3- μm wavelength side-pumped by a 600-W laser diode stack [OE-45-114204]

J. Jabczynski, W. Zenzian, J. Kwiatkowski, J. Šulc, M. Nemeč, H. Jelínková

Position location of partial discharges in power transformers using fiber acoustic sensor arrays [OE-45-114401]

L. Song, K. Cooper, Z. Wang, A. Wang, Y. Liu

Transmission characteristics of microring resonator arrays [OE-45-114601]

C.-S. Ma, X.-Y. Wang, D.-L. Li, Z.-K. Qin, X. Yan

Analytical study to find the proper coupling energy from one optical waveguide to another with consideration of the nonlinear correction factor [OE-45-114602]

P. Mandal, S. Mukhopadhyay

Total column oxygen detection using a Fabry-Perot interferometer [OE-45-115001]

E. Georgieva, E. Wilson, M. Miodek, W. Heaps

Adaptive, online polarization mode dispersion monitoring technique using acousto-optic tunable filters [OE-45-115002]

B.-J. Tseng, C.-W. Tarn

Distributed chromatic dispersion measurement along an optical fiber transmission system with improved correction factor [OE-45-115003]

I. Mirza, T. Miyauchi, M. Imai, S. Sato

Configurational design of a pair-controlled photonic switch fabric for both-way communications [OE-45-115004]

H. Matsuda, T. Yasui, T. Kaminogou

Necessary temporal condition for optimizing the switching window of the semiconductor-optical-amplifier-based ultrafast nonlinear interferometer in counter-propagating configuration [OE-45-115005]

K. Zoiros, C. Botsiaris, C. Koukourlis, T. Houbavlis

Dispersion compensation of 2- \times 10-Gb/s, 1000-km long-haul fiber using only chirped fiber Bragg gratings [OE-45-115006]

T. Ning, P. Li, Z. Tan, K. Zheng, X. Dong, S. Jian

Experimental and numerical investigation of polarization properties in photonic crystal fibers [OE-45-115007]

A. Massaro, L. Pierantoni, T. Rozzi

Impact of optical cross-connect architecture on the accumulation of intraband crosstalk in wavelength division multiplexing optical networks [OE-45-115008]

A.-H. Guan, J.-Q. Sun

All-optical decoding method for ASCII-coded data using nonlinear-material-based switching [OE-45-115201]

S. Dhar, S. Mukhopadhyay

Optimal geometry for Sagnac and Michelson interferometers used as spectral imagers [OE-45-115601]

Y. Ferrec, J. Taboury, H. Sauer, P. Chavel

Two-wavelength interferometric profilometry with a phase-step error-compensating algorithm [OE-45-115602]

J. Schmit, P. Hariharan

Reconfigurable image projection holograms [OE-45-115801]

W. Plesniak, M. Halle, V. Bove, J. Barabas, R. Pappu

Recording caustic images by phase-shifting digital holography [OE-45-115802]

M. Takashi, K. Sakaue, S. Suzuki

Parameterized blind deconvolution of laser radar imagery using an anisoplanatic optical transfer function [OE-45-116001]

A. MacDonald, S. Cain

Characterizing laser radar snow reflection for the wavelengths 0.9 and 1.5 μ m [OE-45-116201]

H. Larsson, O. Steinvall, T. Chevalier, F. Gustafsson

Liquid crystal diffractive phase grating as light modulator for projection display [OE-45-116202]

G. Kreymerman

Target detection, classification, and tracking using a maximum average correlation height and polynomial distance classification correlation filter combination [OE-45-116401]

S. Bhuiyan, M. Alam, S. Sims

Scatter-based interpretation of infrared stray light from warm windows in optical instruments [OE-45-116402]

R. Haïdar, S. Maine, N. Guérineau, J. Primot

Optimized algebraic reconstruction technique for generation of grain maps based on three-dimensional x-ray diffraction (3DXRD) [OE-45-116501]

X. Fu, E. Knudsen, H. Poulsen, G. Herman, B. Carvalho, H. Liao

Image hiding by base-oriented algorithm [OE-45-117001]

C.-Y. Yang, J.-C. Lin

New reconstruction algorithm for moiré tomography in flow field measurements [OE-45-117002]

B. Zhang, S. Yang, Y. Song, A. He

Improved moving object segmentation by multiresolution and variable thresholding [OE-45-117003]

H.-H. Wu, P. Wu, J.-H. Chang, P.-K. Weng, Y.-Y. Wu

Enhanced-resolution computational integral imaging reconstruction using an intermediate-view reconstruction technique [OE-45-117004]

J.-J. Park, D.-C. Hwang, D.-H. Shin, E.-S. Kim

Multiresolution dynamic contour based on image fusion [OE-45-117005]

P. Zhao, P. Zhaobang

Effects of image restoration on acquisition of moving objects from thermal video sequences degraded by the atmosphere [OE-45-117006]

O. Haik, Y. Lior, D. Nahmani, Y. Yitzhaky

Comparison of different quality assessment functions in autoregulative illumination intensity algorithms [OE-45-117201]

Y. Qu, Y. Zhao, Z. Pu

Far-field spectral characteristics of a space-time-dependent Gaussian pulsed beam from an annular aperture [OE-45-118001]

Y. Yang, Y. Li

Volume 45, Issue 12

Editorial: *National Inventors Hall of Fame by D. O'Shea*

Improved H.264 frame-layer rate control for low bit rate video with high motion [OE-45-120502]

C. Lee, S. Lee, Y. Oh, J. Kim

Experimental and theoretical characterization of optical signal out-coupling through V-grooved optical fiber cladding [OE-45-120503]

S. Lee, S. Yoon, J. Lee, C. Yu, H. Kang

Full-field phase measurement by wavelength-tuning interferometry in the C-band [OE-45-120504]

P. Egan, F. Lakestani, M. Whelan, M. Connelly

High performance long-wave infrared sensor with large zoom optics and high-definition television format [OE-45-123201]

S. Hong, H. Kim, W. Yu, C. Kim

New polarization imaging method based on spatially adaptive wavelet image fusion [OE-45-123202]

Y.-Q. Zhao, Q. Pan, H.-C. Zhang

Fiber print-through mitigation technique for composite mirror replication [OE-45-123401]

J. Massarello, J. Welsh, J. Hochhalter, A. Maji, P. Fuierer

High-resolution, real-time three-dimensional shape measurement [OE-45-123601]

S. Zhang, P. Huang

Through-focus technique for grating linewidth analysis with nanometer sensitivity [OE-45-123602]

Y.-S. Ku, A.-S. Liu, N. Smith

High-dynamic-range laser range finders based on a novel multimodulated frequency method [OE-45-123603]

O.-Y. Mang, C.-Y. Huang, J. Chen

Bidirectional quantitative color schlieren [OE-45-123604]

J. Stricker, B. Zakharin, B. Hornick, F. Rosenblatt

Investigation of the optical properties of sputtered ZnO films by reflectance spectroscopy [OE-45-123801]

B. Huang, J. Li, D. Guo, S. Wu

Optical properties of amorphous hydrogenated silicon nitride thin films [OE-45-123802]

A. Perez, C. Santiago, F. Renero Carrillo, C. Zuniga

Effect of Ge-composition on the frequency response of a Si/Si_{1-y}Ge_y P-i-N photodetector [OE-45-124001]

M. Das, N. Das

Numerical analysis of temperature distributions in Yb-doped double-clad fiber lasers with consideration of radiative heat transfer [OE-45-124201]

P. Yan, A. Xu, M. Gong

Doubly passively Q-switched intracavity-frequency-doubling Nd³⁺:YAG/KTP green laser with GaAs and Cr⁴⁺:YAG saturable absorbers [OE-45-124202]

J. An, S. Zhao, G. Li, K. Yang, Y. Sun, D. Li, J. Wang, M. Li

Design and characterization of a diode-pumped Nd:YAG retroreflecting slab laser [OE-45-124203]

S. Woodruff, N. Ayyalasomayajula, L. Hornak

Thermal and thermal-optical effects in high-power photonic crystal fiber lasers [OE-45-124204]

X. Cheng, J. Xu

Design and characteristics of a tapered amplifier diode system by seeding with continuous-wave and mode-locked external cavity diode laser [OE-45-124205]

Y. Xiong, S. Murphy, J. Carlsten, K. Repasky

Numerical investigation on arbitrary strain distribution sensing with fiber Bragg grating-based Sagnac interferometer and genetic algorithm [OE-45-124401]

H.-C. Cheng, J.-F. Huang, Y.-L. Lo

Optical electric-field sensors [OE-45-124402]

W. Wang, H. Lotem, R. Forber, K. Bui

Solar-light shielding using a near-hemispherical lens for a star sensor [OE-45-124403]

H. Kawano, H. Shimoji, S. Yoshikawa, K. Miyatake, K. Hama, S. Nakamura

Bandwidth analysis of long-period fiber grating for high-order cladding mode and its application to an optical add-drop multiplexer [OE-45-125001]

Y.-J. He, Y.-L. Lo, J.-F. Huang

Tomographic microinterferometry of optical fibers [OE-45-125002]

W. Górski

Methods for analysis of optical fibers with arbitrary refractive index profile [OE-45-125003]

P. Sircar, N. Jethi

Large dispersion properties and nonlinear effects in up/down doping honeycomb photonic crystal fiber [OE-45-125004]

G. Xu, W. Zhang, Y. Huang, J. Peng

Optimal capacity assignment for p-cycle in survivable optical mesh networks [OE-45-125005]

T. Zhao, L. Li, J. Cao, H. Yu

Analysis of optical wireless communication system based on a novel turbo code [OE-45-125006]

J. Chen, D. Huang, X. Yuan

Prototype optical bench instrument in the interferometer for the LISA–Pathfinder space mission [OE-45-125601]

K. Middleton, M. Caldwell, R. Edeson, C. Neeson, G. Munro, C. Eley, M. Sandford, C. Braxmaier, U. Johann, C. Killow, D. Robertson, H. Ward, J. Hough, G. Heinzl, V. Wand

Phase-shifting Savart shearing interferometer [OE-45-125602]

S.-T. Lin, S.-H. Shih, H.-N. Feng, T.-C. Tsai

Self-calibrating hybrid wavelength, polarization, and time-multiplexed heterodyne interferometers for Angstrom precision measurements [OE-45-125603]

N. Riza, M. Arain, F. Ghauri

Simple and efficient software-based stabilized holographic recording system [OE-45-125801]

G. Cadena, O. Momtahan, A. Adibi

Radiative properties of a turbid medium underlying-surface system [OE-45-126001]

A. Kokhanovski

Temporal target tracking in hyperspectral images [OE-45-126201]

L. Varsano, I. Yatskaer, S. Rotman

Techniques for detection of multiple, extended, and low contrast targets in infrared maritime scenarios [OE-45-126401]

A. Ondini, G. Marsiglia, L. Fortunato, G. Balzarotti

Digital watermarking scheme exploiting nondeterministic dependence for image authentication [OE-45-127001]

C.-T. Li, Y. Yuan

Channel optimized robust image coding over noisy channels [OE-45-127002]

E. Salari, X. Li

Factorization and structure of natural 4×4 patch densities [OE-45-127003]

K. Koroutchev, J. Dorronsoro

Nonlinear image restoration with adaptive anisotropic regularizing operator [OE-45-127004]

K. Zhang, T.-X. Zhang, B.-Y. Zhang

Depth from motion and defocus blur [OE-45-127201]

H.-Y. Lin, C.-H. Chang

Theory of bit allocation analysis [OE-45-127401]

J. Garcia, R. Rodriguez-Sanchez, J. Fdez-Valdivia

Fast-switching liquid-crystal-on-silicon microdisplay with framebuffer pixels and surface-mode optically compensated birefringence [OE-45-127402]

S. Lee, C. Mao, K. Johnson

Correction for large aberration with phase-only liquid-crystal wavefront corrector [OE-45-128001]

Y. Liu, Z. Cao, D. Li, Q. Mu, L. Hu, X. Lu, X. Li

Study of the effects of signal filtering on acousto-optic correlator performance [OE-45-128201]

O. Bazzi, M. Gazalet, Y. Mohanna, A. Alaeddine, A. Hafiz

Investigation of the polarization dependence of the characteristics of a semiconductor laser amplifier in a loop mirror for all-optical pattern conversion [OE-45-128202]

Y. Yu, X.-L. Zhang, D.-X. Huang

Volume 46, Issue 01

Editorial: *Shifting Ground* by D. O'Shea

Impact of uncompensated dispersion on non-Gaussian statistics in duobinary transmission [OE-46-010501]

S. Lobanov, S. Raghavan, J. Downie, Y. Mauro, M. Sauer, J. Hurley

Fiber ring laser sensor for strain-temperature discrimination based on four-wave mixing effect [OE-46-010502]

O. Frazão, R. Morais, J. Baptista, J. Santos

Suspended-core holey fiber for evanescent-field sensing [OE-46-010503]

A. Webb, F. Poletti, D. Richardson, J. Sahu

Snapshot dual-band visible hyperspectral imaging spectrometer [OE-46-013201]

J. Hartke, E. Dereniak

Multimode interference optical splitter based on photodefinable benzocyclobutene (BCB 4024-40) polymer [OE-46-013401]

M. Ibrahim, S.-Y. Lee, M.-K. Chin, N. Kassim, A. Mohammad

Optical projection and image processing approach for mine wall monitoring [OE-46-013601]

B. Gray, R. Moss, D. Apel, S. Watkins

Analysis of the externally introduced spherical aberration when testing an assembled image forming optical system with Hartmann test [OE-46-013602]

L. Castaneda-Escobar, D. Malacara-Hernandez

Polarization-insensitive dichroic filter for automatic optical inspection of printed circuit boards [OE-46-013801]

Y.-P. Li, C.-C. Lee

Estimation of the composition of $\text{Si}_{1-x-y}\text{Ge}_x\text{C}_y$ layers on Si for photodetection at 1.3 and 1.55 μm [OE-46-014001]

B. Mukhopadhyay, S. Ghosh, P. Basu

Tapered-fiber phase conjugator with high stability and high reflectivity used for master-oscillator power amplifier systems [OE-46-014201]

C. Liu, J. Chen, T. Zhou, J. Ge

Multiwavelength fiber laser based on semiconductor optical amplifier and few-mode fiber gratings [OE-46-014202]

D. Moon, Y. Chung, Y.-G. Han

Stable multiwavelength erbium-doped fiber ring laser using self-lasing feedback [OE-46-014203]

J. Sun

Temperature-tuning optical parametric oscillator based on periodically poled $\text{MgO}:\text{LiNbO}_3$ [OE-46-014205]

J. Kong, C. Chan, N. Ni, B. Zhao, D. Tang

Wireless pressure sensor using laser targeting of silicon carbide [OE-46-014401]

N. Riza, F. Ghauri, F. Perez

Refractive index measurement using a photonic crystal fiber [OE-46-014402]

J. Sun, C. Chan, X. Dong

Optimum design for the contact surface of multifiber optical connectors [OE-46-015001]

T. Lin

Effective survivable routing algorithm with sharing of spare resources and fast failure recovery in wavelength division multiplexing mesh networks [OE-46-015002]

L. Guo, L. Li

Comparison of microwave and light wave communication systems in space applications [OE-46-015003]

M. Toyoshima, W. Leeb, H. Kunitani, T. Takano

Helical cone-beam computed tomography image reconstruction algorithm for a tilted gantry with N-PI data acquisition [OE-46-015004]

S. Leng, T. Zhuang, B. Nett, G.-H. Chen

Improved phase noise performance using orthogonal ternary codes over spectral polarization and amplitude coding networks [OE-46-015005]

J.-F. Huang, Y.-T. Chang

Grating-based 40-Gbit/s optical code-division multiplexing system incorporating a nonlinear amplifying loop mirror [OE-46-015006]

X. Chen, D. Huang, X. Yuan, G. Xia

Source misalignment in multimode polymer tapered waveguides for optical backplanes [OE-46-015401]

A. Rashed, D. Selviah

Truncated Gaussian beams through microlenses based on a graded-index section [OE-46-015402]

M. Thual, D. Malarde, B. Abherve-Guegen, P. Rochard, P. Chanclou

Integration technologies for pluggable backplane optical interconnect systems [OE-46-015403]

A. Glebov, M. Lee, K. Yokouchi

Three-dimensional modeling of the instantaneous temperature distribution in a turbulent flame using a multidirectional interferometer [OE-46-015601]

J. Doi, S. Sato

Holographic characteristics of two different films using methyl violet dyes in polyvinyl alcohol matrices [OE-46-015801]

K. Tsuchida, M. Ohkawa, S. Sekine

Angular selectivity in volume holograms with spherical reference waves implemented by rotating a mirror [OE-46-015802]

W.-C. Su, C.-M. Chen

Novel nonlinear adaptive Doppler-shift estimation technique for the coherent Doppler validation lidar [OE-46-016002]

J. Beyon, G. Koch

Novel approach for tracking and recognizing dim small moving targets based on probabilistic data association filter [OE-46-016401]

Z. Li, G. Jin, N. Dong

Methods of estimating luminous flux of the backlight module by luminance measurement [OE-46-016402]

R.-F. Fung, L.-K. Chang, C.-F. Lin

Comparison of tilted slit and tilted edge superresolution modulation transfer function techniques [OE-46-016403]

J. Olson, R. Espinola, E. Jacobs

Comparative analysis of pattern reconstruction using orthogonal moments [OE-46-017002]

A. Padilla-Vivanco, G. Urcid-Serrano, F. Granados-Agustín, A. Cornejo Rodriguez

Moving object segmentation in the H.264 compressed domain [OE-46-017003]

Z. Liu, Z. Zhang, L. Shen

Three-dimensional shape enhanced transform for automatic apple stem-end/calyx identification [OE-46-017201]

B. Zhu, L. Jiang, Y. Tao

Inverse estimated transient thermal responses of multicoated optical fiber under time-dependent heat transfer environments [OE-46-018001]

S.-S. Chu, W.-J. Chang

Diffraction infrared lens with extended depth of focus [OE-46-018002]

Z. Liu, A. Flores, M. Wang, J. Yang

Axial intensity distribution of lens axicon illuminated by Gaussian-Schell model beam [OE-46-018003]

Y. Chen, J. Pu, X. Liu

Encoding information as orbital angular momentum states of light for wireless optical communications [OE-46-019701]

J. Wu, H. Li, Y. Li

Volume 46, Issue 02

Editorial: 2006 in Review by D. O'Shea

Multipolar inserting zeros code and its application in optical code division multiple access systems [OE-46-020501]

M. Xin, X. Chen, Y. Dai, S. Xie

Fusion of multispectral and panchromatic satellite images based on contourlet transform and local average gradient [OE-46-020502]

H. Song, S. Yu, L. Song, X. Yang

Visual resolution characteristics of an afocal array optical system for three-dimensional images [OE-46-023201]

F. Okano, J. Arai, M. Okui

Design of imaging fiber bundle lens with binary optical surface [OE-46-023202]

D. Li, L. Hou, G. Zhou

Fabrication of gratings using photosensitive gel films by He-Cd lasers [OE-46-023401]

G. Zhao, Z. Wang, W. Zhang

Influence of polishing and cleaning on the laser-induced damage threshold of substrates and coatings at 1064 nm [OE-46-023402]

H. Krol, L. Gallais, M. Commandré, C. Grèzes-Besset, D. Torricini, G. Lagier

Flexible calibration procedure for fringe projection profilometry [OE-46-023601]

J. Vargas, J. Quiroga, M. Terron-Lopez

Measurement of a 2-meter flat using a pentaprism scanning system [OE-46-023602]

P. Mallik, C. Zhao, J. Burge

Simulation of interactions of high-intensity ultrashort pulses with dielectric filters [OE-46-023801]

C. Liebig, W. Dennis

Multilayer complex optical filters prepared by reactive evaporation [OE-46-023802]

M. Asghar, F. Placido, S. Naseem

Double phase conjugation in a liquid crystal at 1.5 μm for optical beam tracking [OE-46-024001]

A. Koujelev, A. Dudelzak

Optical properties of variable-focus liquid-filled optical lenses with different membrane shapes [OE-46-024002]

D. Shaw, T. Sun

Repetition rate control in continuous-wave-pumped, passively Q-switched solid-state lasers [OE-46-024201]

A. Sennaroglu, H. Cankaya, A. Kurt

Microfluidic velocity measurement using a scanning laser Doppler microscope [OE-46-024301]

H.-S. Chuang, Y.-L. Lo

Laser-induced Scholte wave detection at air-solid interfaces by beam deflection technique [OE-46-024302]

Z. Yan, Z. Shen, J. Lu, X. Ni

Intrinsic optical fiber temperature sensor operating by modulation of the local numerical aperture [OE-46-024401]

M. Remouche, R. Mokdad, M. Lahrashe, A. Chakari, P. Meyrueis

Integrated-optic wavelength demultiplexer on lithium niobate by double proton exchange [OE-46-024601]

T.-J. Wang, Z.-J. Ma, W.-K. Hung

Transmission properties of infrared hollow fibers produced by drawing a glass-tube preform [OE-46-025001]

R. Kasahara, Y. Matsuura, T. Katagiri, M. Miyagi

Dynamic priority-based alternate routing for multiple classes of traffic in intelligent optical networks [OE-46-025002]

X. Cui, Y. Li, Y. Cao, H. Zhang, Y. Guo, X. Zheng

Evaluation of the scintillation loss for optical communication systems with direct detection [OE-46-025003]

N. Perlot

New dynamic grooming approaches for multicast traffic in meshed wavelength-division-multiplexing networks [OE-46-025004]

L. Liao, H. Wen, L. Li, S. Wang

Observation of 40-Gbit/s tunable wavelength down- and up-conversions based on cascaded second-order nonlinearity in LiNbO_3 waveguides [OE-46-025005]

J. Wang, J. Sun

Loadable and erasable optical buffer based on a semiconductor optical amplifier with background noise suppression [OE-46-025006]

S. Fu, L. Zhang, P. Shum, Y. Gong

Analytical approach to the calculation of probability of bit error and optimum thresholds in free-space optical communication [OE-46-025007]

N. Namazi, R. Burris, G. Gilbreath

Coupling of a laser diode to a monomode elliptic-core fiber via a hyperbolic microlens on the fiber tip: efficiency computation with the ABCD matrix [OE-46-025008]

S. Mukhopadhyay, S. Gangopadhyay, S. Sarkar

Heuristic of differentiated path-shared protection for dual failures in restorable optical networks [OE-46-025009]

L. Guo, L. Li, H. Yu, J. Cao

Pulse narrowing in optical fiber with polarization mode dispersion and polarization-dependent loss for different input states of polarization [OE-46-025010]

A. Sivasubramanian, V. Ravichandran

Directional-coupler-based Mach-Zehnder interferometer in silicon-on-insulator technology for optical intensity modulation [OE-46-025601]

F. Sun, J. Yu, S. Chen

Spatial phase-shifting technique in large image-shearing electronic speckle pattern interferometry [OE-46-025602]

P. Sun

Subnanometer displacement measurement by averaging of phase difference in windowed digital holographic interferometry [OE-46-025603]

Y. Morimoto, M. Toru, M. Fujigaki, N. Kawagishi

Identifying a dot-matrix hologram by the position-error curves of its grating dots [OE-46-025801]

S. Yeh

Low image reconstruction error using continuous real axis modulation [OE-46-025802]

E. Buckley, T. Wilkinson, A. Cable

Doppler wind lidar data acquisition system and data analysis by empirical mode decomposition method [OE-46-026001]

Z. Liu, N. Zhang, R. Wang, J. Zhu

Effect of diffuse reflectance on the performance of a three-reflection specular blackbody [OE-46-026401]

D. Cohen, D. Smith

Experimental research of temperature influence on retardance in crystal quartz for deep ultraviolet range of wavelength [OE-46-026501]

E. Rabinovich, J. Lewis

Intense clean characteristic flash x-ray irradiation from an evaporating molybdenum diode [OE-46-026502]

M. Sagae, E. Sato, E. Tanaka, H. Mori, T. Kawai, T. Inoue, A. Ogawa, S. Sato, K. Takayama, J. Onagawa, H. Ido

K-edge magnification digital angiography using a 100- μm -focus tungsten tube [OE-46-026503]

E. Sato, E. Tanaka, H. Mori, H. Kawakami, T. Kawai, T. Inoue, A. Ogawa, M. Izumisawa, K. Takahashi, S. Sato, K. Takayama

Visual and infrared dual-band false color image fusion method motivated by Land's experiment [OE-46-027001]

G. Huang, G. Ni, B. Zhang

Color transient improvement for signals with a bandlimited chrominance component [OE-46-027002]

J. Chang, G. Shin, J. Park, M. Kang

Fast edge-preserving image restoration based on phase information [OE-46-027003]

T.-X. Zhang, K. Zhang, C. He, B. Zhang, L. Yan

Edge-image-based approach for stable super-resolution reconstruction [OE-46-027004]

Y. Cheng, X. Fang, X. Yang

Principle and approach of boundary extraction based on particle motion in quantum mechanics [OE-46-027005]

L. Lou, M. Ding

Object detection and video coding using background mosaic plane [OE-46-027006]

J.-H. Cho, S. Kim

Mapping approach for image correction and processing for bidirectional resonant scanners [OE-46-027007]

B. Haji-Saeed, J. Khoury, C. Woods, D. Pyburn, S. Sengupta, J. Kierstead

Statistical processing of Newton's rings using discrete Fourier analysis [OE-46-028201]

V. Nascov, D. Apostol, F. Garoi

Volume 46, Issue 03

Editorial: *Covering Ground* by D. O'Shea

Hybrid analog-digital design microelectromechanical systems spectral processor for simultaneous gain slope and channel equalization controls [OE-46-030501]

N. Riza, S. Reza

Study of ambient light influence for three-dimensional scanners based on structured light [OE-46-030502]

S. Voisin, S. Foufou, F. Truchetet, D. Page, M. Abidi

Dynamics of low-cost transmission on the optimal path [OE-46-030503]

J. Garcia, R. Rodriguez-Sanchez, J. Fdez-Valdivia

Uniform illumination of distant targets using a spherical light-emitting diode array [OE-46-033001]

I. Moreno, J. Muñoz, R. Ivanov

Design of a short-focal-length double-Fourier-transform-lens system for holographic storage [OE-46-033002]

J. Zeng, G. Jin, M. Wang, Q. He, Y. Yan

Probability of identification cycle criterion (N_{50}/N_{90}) for underwater mine target acquisition [OE-46-033201]

R. Driggers, J. Taylor, K. Krapels

Full-field strain measurement using a two-dimensional Savitzky-Golay digital differentiator in digital image correlation [OE-46-033601]

B. Pan, H. Xie, Z. Guo, T. Hua

Mie scattering of growing molecular contaminants [OE-46-033602]

K. Herren, D. Gregory

Multi-end-pumped nonplanar ring laser with a two-mirror resonator and output from a single point [OE-46-034201]

W. Liu, Y. Huo

Room-temperature multiwavelength erbium-doped fiber ring laser based on phase modulation of semiconductor optical amplifier with lasing-wavelength and spacing tunability [OE-46-034202]

Y.-G. Han, C. Kim, S. Lee

Improved method of hysteresis compensation for a piezoelectric fiber optic voltage sensor [OE-46-034401]

G. Fusiek, P. Niewczas, J. McDonald

Optical fiber sensor for tensile and compressive strain measurements by white-light Fabry-Perot interferometry [OE-46-034402]

S. Jiang, B. Zeng, Y. Liang, B. Li

Whole-field optical strain sensor using a microlens array [OE-46-034403]

A. Asundi, J. Wang, A. Priyadarshi, W. Zhou, S. Mhaisalkar, L. Lim

Isolation of a polarization-independent acousto-optic switch [OE-46-034601]

L. Xiao, L. Ying, Z. Zhaoli, G. Fang

2×2, 1×4 Ti:LiNbO₃ digital optical switches [OE-46-034602]

H. Jung

Performance evaluation of externally modulated optical minimum shift keyed data [OE-46-035001]

J. Mo, Y. Wen, Y. Wang, C. Lu, W.-D. Zhong

Semi-automatic region of interest identification algorithm using wavelets [OE-46-035003]

S. Agili, V. Balasubramanian, A. Morales

Dynamic control analysis for semiconductor optical amplifier dynamics in optical network applications [OE-46-035004]

J. Gurfinkel, D. Sadot, M. Glick

Measurement of refractive index profiles of axially symmetric optical fibers [OE-46-035005]

E. Saucedo, V. Minkovich

Electronic equalizations for optical fiber dispersion compensation [OE-46-035006]

F. Dai

Measurement of polarization mode dispersion vectors in optical fibers using a virtual Mueller matrix method [OE-46-035007]

H. Dong, P. Shum, Y. Gong, M. Yan, J. Zhou, C. Wu

Effects of annealing on the properties of hermetically carbon-coated optical fibers prepared by plasma enhanced chemical vapor deposition method [OE-46-035008]

S.-S. Chen, S.-T. Shiue, W.-C. Tang, H.-Y. Lin

Method of conducting an all-optical NAND logic operation controlled from a long distance [OE-46-035009]

P. Mandal, S. Mukhopadhyay

Real-time phase-step estimation in phase-shifting interferometry [OE-46-035601]

R. Langoju, A. Patil, P. Rastogi

Noncontact thickness measurement of plane-parallel transparent plates with a lateral shearing interferometer [OE-46-035602]

Y. Kumar, S. Chatterjee

Single- and double-path 10.6- μ m laser link measurements over sea water [OE-46-036001]

O. Steinvall, G. Bolander, L. Sjöqvist, M. Petterson, O. Gustafsson, F. Berglund, L. Allard, K. Karlsson, T. Larsson, F. Gustafsson

Two-dimensional Kaiser apodization function for interferometric radiometry from space [OE-46-036201]

M. Proenca, E. Duarte, J. Rebordão

Determination of temperature distributions with micrometer spatial resolution [OE-46-036401]

M. Strojnik-Scholl, G. Paez

Target detection using local fuzzy thresholding and binary template matching in forward-looking infrared images [OE-46-036402]

S.-G. Sun

Intersecured joint image compression with encryption purpose based on fractal mating coding [OE-46-037002]

H. Chang, C. Lin

Improved adaptive spatial distance-weighted median filter [OE-46-037003]

L. Jin, D. Li, Z. Lu

Progressive method for color selective edge detection [OE-46-037004]

P. Rulic, I. Kramberger, Z. Kacic

Robust multirate lattice quantization index modulation watermarking resilient to multiple description transmission channel [OE-46-037005]

M.-L. Day, S.-Y. Lee, I.-C. Jou

Invariant template matching with tangent vectors [OE-46-037006]

B. Wohlberg, K. Vixie

Skin color and feature-based segmentation for face localization [OE-46-037007]

J. de Dios

Feature-preserving algorithm for gesture recognition [OE-46-037201]

C.-C. Chang

New method for overcoming ill-conditioning in vanishing-point-based camera calibration [OE-46-037202]

X. He, N. Yung

Wafer-based diffractive polarizer design for low-reflectivity applications [OE-46-038001]

P. Deguzman, Y. Cao, T. Suleski, M. Fiddy, R. Jones, R. Te Kolste, J. Morris

Subwavelength optical imaging through a silver nanorod [OE-46-039701]

Y.-F. Chau, D. Tsai, G.-W. Hu, L.-L. Shen, T.-J. Yang

Volume 46, Issue 04

Editorial: "Don't be lazy." by D. O'Shea

All-optical flip flop based on a symmetric Mach-Zehnder switch with a feedback loop and multiple forward set/reset signals [OE-46-040501]

H. Le-Minh, F. Ghassemlooy, W. Ng

Low-quality image enhancement using visual attention [OE-46-040502]

F. Gasparini, S. Corchs, R. Schettini

Fast partial difference elimination algorithm based on block matching error prediction [OE-46-040503]

S.-I. Shin, S. Lee, J.-S. Oh

Fast motion estimation with adaptive search range adjustment [OE-46-040504]

S.-W. Lee, S.-M. Park, H.-S. Kang

Photometric principle for passive optical range sensors [OE-46-040505]

A. Garcia Valenzuela, H. Valenzo-Aoki, C. Sanchez-Perez, V. Argueta-Diaz

Phase-contrast microscopy by in-line phase-shifting digital holography: shape measurement of a titanium pattern with nanometer axial resolution [OE-46-040506]

J. Kang, C. Hong

Tuning of sculptured-thin-film spectral-hole filters by postdeposition etching [OE-46-040507]

S. Pursel, M. Horn, A. Lakhtakia

Electro-optic tunable bandpass filter based on long-period-grating-assisted asymmetric waveguide coupling [OE-46-040508]

X. Lu, M. Li, R. Samarth, L. Zheng

Fabrication of Yb³⁺:Er³⁺ co-doped Al₂O₃ ridge waveguides by the dry etching [OE-46-040509]

Q. Song, J.-S. Gao, X.-Y. Wang, H. Chen, X.-M. Zheng, T.-T. Wang, C.-R. Li, C.-L. Song

Using a fly's eye integrator in efficient illumination engines with multiple light-emitting diode light sources [OE-46-043001]

B. Van Giel, Y. Meuret, H. Thienpont

Dot-pattern design of a light guide in an edge-lit backlight using a regional partition approach [OE-46-043002]

J.-G. Chang, Y.-B. Fang

Design and manufacture of a lightweight reflective baffle for the BepiColombo Laser Altimeter [OE-46-043003]

K. Seiferlin, S. Chakraborty, K. Gunderson, J. Fischer, B. Luthi, D. Piazza, M. Rieder, M. Sigrist, N. Thomas, T. Weigel

Radiation-induced transmission degradation of borosilicate crown optical glass from four different manufacturers [OE-46-043004]

A. Gussarov, D. Doyle, L. Glebov, F. Berghmans

Fast Risley prisms camera steering system: calibration and image distortions correction through the use of a three-dimensional refraction model [OE-46-043201]

V. Lavigne, B. Ricard

Novel denoising technique based on filtering the coefficients of a redundant wavelet transform [OE-46-043202]

P. Lu, A. Satou, M. Miyamoto, S. Suzuki

Stereo matching based on color and disparity segmentation by belief propagation [OE-46-043203]

X. Zhou, R. Wang

Fabrication and testing of a complex-shaped mirror constructed with silicon mirror elements [OE-46-043401]

H. Takino, S. Kurihara, H. Komatsuda, K. Nomura, Y. Hashimoto, Y. Takeuchi

Optimal design using thermal reflow and caulking for fabrication of gapless microlens array mold inserts [OE-46-043402]

S.-Y. Hung, C.-P. Lin, H. Yang, Y.-P. Chang

Comparison of linear and nonlinear calibration methods for phase-measuring profilometry [OE-46-043601]

P. Jia, J. Kofman, C. English

Design of multiple-function long trace profiler [OE-46-043602]

S. Qian, P. Takacs

Modeling and performance limits of a large aperture high-resolution wavefront control system based on a liquid crystal spatial light modulator [OE-46-044001]

X. Wang, B. Wang, P. Bos, P. McManamon, J. Pouch, F. Miranda, J. Anderson

Influence of a half-wave plate-polarizer attenuator on broadband femtosecond laser pulses [OE-46-044301]

Y. Zhao, Y. Jia, J. Yang, X. Zhu

Minimization of welding-induced alignment distortion in butterfly laser module packages: a study of laser pulse shape [OE-46-044302]

Y. Lin, F. Shi

Laser-based projectile speed measurement system [OE-46-044303]

R. Kalonia, G. Mitra, A. Kumar, R. Varma, M. Singh, V. Sethi

Improved gain characteristics by forward-backward pumped configuration in erbium-ytterbium-doped phosphate glass waveguide amplifier [OE-46-044601]

N. Lou, G. Jin, H. Gu, Q. Li

Designing of optical switches controlled by light intensity in cascaded optical couplers [OE-46-044602]

H. Kishikawa, N. Goto

Flat-field fiber with small relative dispersion slope for superdense wavelength-division multiplexing transmission in the 1480- to 1610-nm band [OE-46-045001]

R. Varshney, A. Ghatak, I. Goyal

Dynamic range and switching speed of an optical switch matrix based on cascaded semiconductor optical amplifier gates with holding-light injection [OE-46-045002]

W. Hong, D. Huang, X. Zhang, G. Zhu

Intensity distributions and cutoff frequencies of linearly polarized modes for a step-index elliptical optical fiber [OE-46-045003]

I. Gomez-Castellanos, R. Rodriguez-Dagnino

Quick survivable algorithm with shared-risk link groups in backup-shared restorable optical networks [OE-46-045004]

L. Guo, L. Li, J. Cao, H. Yu

Investigation of a 40-GHz supercontinuum source generated in a highly nonlinear fiber with large normal dispersion [OE-46-045005]

G. Xia, D. Huang, X. Yuan, J. Hu

Bandwidth-enhanced multimode fiber [OE-46-045006]

Y. Gong, C. Lu

Optical access network using a self-latching variable splitter remotely powered through an optical fiber link [OE-46-045007]

H. Ramanitra, P. Chanclou, J. Etrillard, Y. Anma, H. Nakada, H. Ono

Cover-layer effects on contamination in near-field optical data storage [OE-46-045201]

J.-H. Kim

Digital Fresnel field encryption for three-dimensional information security [OE-46-045801]

A. Nelleri, J. Joseph, K. Singh

Iterative design of multiplane holograms: experiments and applications [OE-46-045802]

M. Makowski, M. Sypek, A. Kolodziejczyk, G. Mikula, J. Suszek

Reproduction of a computer-generated hologram with a white light source and liquid crystal device [OE-46-045803]

X. Zhang, X. Liu, H. Li

Speckle effect on diffusers in space-based spectrometers [OE-46-046201]

H. van Brug, G. Bazalgette Courrège-Lacoste, J. Groote-Schaarsberg, B. Snijders

Visual tracking and recognition based on robust locality preserving projection [OE-46-046401]

Y. Jiang, H. Zhou, Z. Jing

Automatic extraction of infrared small target based on support vector regression and adaptive region growing algorithm [OE-46-046402]

R. Liu, L. Yang, E. Liu, J. Yang, M. Li, F. Wang

Adaptive control in adaptive optics for directed-energy systems [OE-46-046601]

Y.-T. Liu, J. Gibson

Spatial demultiplexing/multiplexing approach for image correction and processing for bidirectional resonant scanners [OE-46-047001]

J. Houry, C. Woods, B. Haji-Saeed, S. Sengupta, J. Kierstead

Novel contrast enhancement approach based on fuzzy homogeneity [OE-46-047002]

H.-D. Cheng, M. Xue, X. Shi, M. Zhang

Automatic seeded region growing based on gradient vector flow for color image segmentation [OE-46-047003]

Y. He, Y. Luo, D. Hu

Tomographic imaging: multiple-fan-beam projection technique using optical fiber sensors [OE-46-047004]

R. Rahim, L. Chean, C. San, P. Fea, M. Rahiman

Real-time implementation of multiview image synthesis system [OE-46-047005]

S.-H. Jang, C.-S. Han, J.-S. Kim, D.-W. Kim, H. Park, J. Yoo

Disjoint track matching based on a major color spectrum histogram representation [OE-46-047201]

E. Cheng, M. Piccardi

Optimal exploratory effort to build knowledge for video transmission [OE-46-047401]

J. Garcia, R. Rodriguez-Sanchez, J. Fdez-Valdivia

Micrograting fabricated by deep x-ray lithography for optical communications [OE-46-048001]

C.-H. Ko, B.-Y. Shew, S.-C. Hsu

Volume 46, Issue 05

Editorial: *Humilty* by D. O'Shea

Guest Editorial: *Optical Metrology in the Transportation Industry* by F. Chen, L. Yang

Boundary-based image segmentation using binary level set method [OE-46-050501]

G. Zhu, S. Zhang, Q. Zeng, C. Wang

Fast Hough transform for automated detection of spheres in three-dimensional point clouds [OE-46-051002]

T. Ogundana, C. Coggrave, R. Burguete, J. Huntley

Three-dimensional digital image correlation to quantify deformation and crack-opening displacement in ductile aluminum under mixed-mode I/III loading [OE-46-051003]

M. Sutton, J. Yan, X. Deng, C.-S. Cheng, P. Zavattieri

High-speed digital image correlation: error estimations and applications [OE-46-051004]

T. Siebert, T. Becker, K. Splitthof, I. Neumann, R. Krupka

Improved speckle method for measuring in-plane displacement and strain fields [OE-46-051005]

H.-J. Huang, A. Waas

Principles and research of a high accuracy digital image correlation measurement system [OE-46-051006]

G. Yang, K. Wu

Review and comparison of shearography and pulsed thermography for adhesive bond evaluation [OE-46-051007]

Y. Hung, N. Ng, R. Ng, S. Shepard, Y. Hou, J. Lhota

Automated processing of thermographic derivatives for quality assurance [OE-46-051008]

S. Shepard, J. Hou, J. Lhota, J. Golden

(1,M) spatial phase-shifting technique in digital speckle pattern interferometry and digital shearography for nondestructive evaluation [OE-46-051009]

B. Bhaduri, N. Krishna Mohan, M. Kothiyal

Assessment of an instrumented reinforced-concrete bridge with fiber-reinforced-polymer strengthening [OE-46-051010]

S. Watkins, J. Fonda, A. Nanni

Optical fiber multiplexing interferometer system with a single laser diode and its application to online displacement measurement [OE-46-051011]

F. Xie, Y. Lu, L. Zhang

Regional phase unwrapping method based on fringe estimation and phase map segmentation [OE-46-051012]

S. Liu, L. Yang

Crack detection in rail using infrared methods [OE-46-051013]

R. Greene, J. Yates, E. Patterson

Cost-effective optoelectronic system to measure the projectile velocity in high-velocity impact testing of aircraft and spacecraft structural elements [OE-46-051014]

J. Sánchez Pena, C. Marcos, M. Fernandez, R. Zaera

Stress analysis of directional Plexiglas and image processing by Isodyne method [OE-46-051015]

X. Ji, L. Zhang, L. Shi, J. Chen, Y. Qin

High-accuracy method for measuring two-dimensional angles of a linear guideway [OE-46-051016]

C. Kuang, E. Hong, Q. Feng

Classification of undulated wavefront aberration in projection optics by considering its physical effects [OE-46-053001]

M. Shibuya, N. Watanabe, M. Yamamoto, T. Fukui, H. Ezaki, T. Kiire, S. Nakadate

Tilted surfaces in short-wave infrared imagery: speckle simulation and a simple contrast model [OE-46-053201]

C. Halford, A. Robinson, R. Driggers, E. Jacobs

Scattering of ultrasonic waves by internal anomalies in plates [OE-46-053601]

S. Banerjee, T. Kundu

Ultrahigh-performance lamp illumination system with compound parabolic retroreflector for a single liquid-crystal-on-silicon panel display [OE-46-054001]

Y. Zhen, Z. Ye, F. Yu

Radio frequency excited diffusively cooled gain waveguide array CO₂ laser [OE-46-054201]

Y. Zhong, N. Su, J. Xin

Laser-diode-pumped, doubly Q-switched, intracavity optical parametric oscillator considering Gaussian distribution of intracavity photon densities [OE-46-054202]

J. Wang, S. Zhao, G. Li, K. Yang, D. Li, J. An, M. Li

Frequency stabilization of a mode-locked external cavity diode laser to a high-finesse cavity [OE-46-054203]

Y. Xiong, S. Murphy, J. Carlsten, K. Repasky

Focusing diode lasers using a truncated paraboloid with spherical output surface [OE-46-054301]

E. Lassila, T. Alahautala, R. Hernberg

Inversion of particle-size distribution with improved conjugate gradient algorithm [OE-46-054302]

B. Ge, Y. Wei, Q. Lu

Microwave photonic bandpass filter using a multiwavelength semiconductor-optical-amplifier ring laser [OE-46-054401]

D. Liu, N. Ngo, S. Tjin

Effects of boron in Ge-B co-doped fiber on the spectral characteristics of optical fiber gratings [OE-46-054401]

D. Moon, Y. Chung, Y.-G. Han

Strain transfer analysis of embedded fiber Bragg grating sensor under nonaxial stress [OE-46-054402]

H.-N. Li, G.-D. Zhou, R. Liang, D.-S. Li

Fiber optic surface plasmon resonance sensors for imaging systems [OE-46-054403]

Q. Lv, D. Huang, X. Yuan, R. Hou

Thermo-optic tunable polymer arrayed waveguide grating [OE-46-054601]

H.-M. Zhang, C.-S. Ma, Z.-K. Qin, X.-Z. Zhang, D. Zhang, D.-M. Zhang

Performance analysis of coherence multiplexed turbo-coded optical pulse position modulated code division multiple access systems [OE-46-055001]

K. Chitra, V. Ravichandran

Polarization-mode dispersion influenced by polarization-dependent loss and chirp for a Gaussian pulse [OE-46-055002]

P. Ding, J. Sun, R. Hou

Analysis of picosecond-pulse wavelength conversion based on cascaded sum-frequency generation and difference-frequency generation in quasi-phase-matched LiNbO₃ waveguides [OE-46-055003]

Y. Wang, C.-Q. Xu

Novel ultrashort pulse source for measuring the transmission window in an electroabsorption modulator [OE-46-055004]

Y. Yang, C. Lou, Y. Gao

Dynamics of dual-power-law optical solitons under randomness [OE-46-055005]

A. Biswas, S. Konar, E. Zerrad

Optical encryption and decryption using a sandwich random phase diffuser in the Fourier plane [OE-46-055201]

M. Singh, A. Kumar

Dynamic laser feedback noise measurement for the optical information storage system [OE-46-055202]

H.-F. Shih, D.-W. Hsu

Polarization analysis with digital holography by use of polarization modulation for single reference beam [OE-46-055801]

M. Yokota, Y. Terui, I. Yamaguchi

Nonvolatile hologram storage in In:Fe:Mn:LiNbO₃ [OE-46-055802]

D. Teng, B. Wang, T. Geng, W. Yuan, F. Fu

Resolution enhancement by aperture synthesis in digital holography [OE-46-055803]

T. Kreis, K. Schluter

Enhancing the resolution of spectral images from the Advanced Electro-Optical System Spectral Imaging Sensor [OE-46-057001]

T. Blake, S. Cain, M. Goda, K. Jerkatis

Semifragile hybrid watermarking method for image authentication [OE-46-057002]

G. Lee, F.-H. Yeh

Direct filtered-backprojection-type reconstruction from a straight-line trajectory [OE-46-057003]

H. Gao, L. Zhang, Z. Chen, Y. Xing, J. Cheng, Z. Qi

Practical fingerprinting system for images [OE-46-057004]

Y.-T. Lin, J.-L. Wu

Characterization of dynamic speckles by the difference histogram method [OE-46-057005]

A. Mavilio Nunez, M. Fernandez Limia, M. Lazo, H. Rabal, R. Arizaga, M. Trivi

Simultaneous reconstruction and edge detection of tomographic images using accelerated deterministic annealing [OE-46-057006]

S.-J. Lee

Further improvement of edge location accuracy of charge-coupled-device laser autocollimators using orthogonal Fourier-Mellin moments [OE-46-057007]

J. Tan, L. Ao, J. Cui, W. Kang

Feature-based nonrigid image registration using a Hausdorff distance matching measure [OE-46-057201]

X. Peng, W. Chen, Q. Ma

Dynamic noise elimination on 2-D periodic structures using a liquid crystal display as an incoherent reconfigurable spatial source [OE-46-058001]

A. Saucedo-Carvajal, J. Ibarra-Galitzia, G. Ramirez Zabaleta, E. Tepichin-Rodriguez

Volume 46, Issue 06

Editorial: *Engineering at Home* by D. O'Shea

Computer-generated hologram watermarking resilient to rotation and scaling [OE-46-060501]

M. Liu, G. Yang, H. Xie, M. Xia, J. Hu, H. Zha

4×2.5-Gbit/s all-optical frequency upconversion using nonlinear polarization rotation in highly nonlinear fiber for radio over fiber [OE-46-060502]

W. Xue, K. Xu, J. Wu, J. Lin

Optical design of a compact imaging spectrometer for planetary mineralogy [OE-46-063001]

P. Mouroulis, R. Sellar, D. Wilson, J. Shea, R. Green

Design and simulation of a novel arrayed-waveguide grating [OE-46-063002]

P. Lu, C. Yan, D. Liu, J. Zhang, X. Liu

Effect of replication on the groove shape of a sinusoidal holographic grating [OE-46-063003]

I. Zhurminsky, R. Hauser

Phase error compensation for a 3-D shape measurement system based on the phase-shifting method [OE-46-063601]

S. Zhang, P. Huang

Crystal growth, fabrication, and design of mercurous bromide acousto-optic tunable filters [OE-46-064001]

D. Knuteson, N. Singh, M. Gottlieb, D. Suhre, N. Gupta, A. Berghmans, D. Kahler, B. Wagner, J. Hawkins

Optical absorption, depolarization, and scatter of epitaxial single-crystal chemical-vapor-deposited diamond at 1.064 μm [OE-46-064002]

G. Turri, Y. Chen, M. Bass, D. Orchard, J. Butler, S. Magana, T. Feygelson, D. Thiel, K. Fourspring, R. Dewees, J. Bennett, J. Pentony, S. Hawkins, M. Baronowski, A. Guenther, M. Seltzer, D. Harris, C. Stickley

Theoretical model of the mode-locked hybrid soliton pulse source [OE-46-064201]

M. Sayin, M. Ozyazici, N. Dogru

High-repetition-rate multiwavelength polarized air cooled solid-state laser source for light detection and ranging applications [OE-46-064202]

S. Sudheer, V. Pillai, V. Nayar

Modeling CO₂ laser radiation transmission lap welding of thermoplastic films: energy balance approximation [OE-46-064301]

J. Coelho, M. Abreu, F. Rodrigues

High-sensitivity laser photoacoustic leak detector [OE-46-064302]

C.-M. Lee, K. Bychkov, V. Kapitanov, A. Karapuzikov, Y. Ponomarev, I. Sherstov, V. Vasiliev

Long-distance strain-induced-grating-based fiber sensors with erbium-based amplifiers [OE-46-064401]

C.-H. Yeh, M.-C. Lin, B.-C. Cheng, S. Chi

Design methodology of annealed H⁺ waveguides in ferroelectric LiNbO₃ [OE-46-064601]

J. de Almeida

High efficiency second harmonic generation in one-dimensional photonic crystal coupled cavity structures [OE-46-064602]

W. Li, L.-X. Chen, D. Tang, W. Ding, S. Liu

Comparison of pulse position modulation and pulse width modulation for application in optical communications [OE-46-065001]

Y. Fan, R. Green

Simple ring-type passive optical network with two-fiber protection scheme and performance analysis [OE-46-065002]

B. Lee, M. Lee, H. Song

Novel acknowledgement-based assembly and scheduling mechanisms in optical burst switching grid networks [OE-46-065003]

J. Zhou, J. Wu, J. Lin

Novel optomechanical alignment method using a numerical optimization methodology [OE-46-065004]

T. Lin, M. Yu, W. Liu

Novel design for a single-polarization single-mode photonic crystal fiber at 1310 nm [OE-46-065005]

F. Zhang, J. Li, X. Liu, M. Zhang, P. Ye

New optical random access code-division multiple-access protocol with stop-and-wait automatic repeat request [OE-46-065007]

Y. Abdelmalek, Z. El-Sahn, H. Shalaby, E.-S. El-Badawy

Performance limitations of an optical heterodyne continuous-phase frequency-shift keying transmission system affected by polarization mode dispersion in a single-mode fiber [OE-46-065008]

S. Islam, S. Majumder

Spot size and depth of focus in optical data storage system [OE-46-065201]

H. Wang, G. Yuan, W. Tan, L. Shi, C. Chong

Integration of precisely aligned lenslet arrays with waveguide arrays [OE-46-065401]

D. Song, D. Jorgesen, M. Gross, S. Esener

Generalized Abel transform for the analysis of fluid vibration in a tube [OE-46-065801]

M. Ragulskis, A. Palevicius, L. Ragulskis, A. Bubulis

Characterization of fog attenuation in terrestrial free space optical links [OE-46-066001]

S. Muhammad, B. Flecker, E. Leitgeb, M Gebhart

Bidirectional reflectance distribution function of snow: corrections for the Lambertian assumption in remote sensing applications [OE-46-066201]

W. Li, K. Stamnes, H. Eide, R. Spurr

Facet-based airborne light detection and ranging data filtering method [OE-46-066202]

S. Zheng, W. Shi, J. Liu, G. Zhu

Extended target tracking using projection curves and matching pel count [OE-46-066401]

Z. Peng, Q. Zhang, A. Guan

Comparing multispectral image fusion methods for a target detection task [OE-46-066402]

J. Lanir, S. Rotman, M. Maltz

Conjugate cone-beam reconstruction algorithm [OE-46-067001]

J. Hsieh, X. Tang, J.-B. Thibault, C. Shaughnessy, R. Nilsen, E. Williams

Multiple-watermarking scheme for the European article-number bar code using adaptive phase-shift keying [OE-46-067002]

W.-Y. Chen, C.-C. Liu

Morphological multiscale contrast approach for gray and color images consistent with human visual perception [OE-46-067003]

M. Espino-Gudiño, I. Santillan, I. Terol-Villalobos

Experimental prototype of a system to measure size and distribution of droplets in organic compound fogging on glass substrates [OE-46-067004]

J. Hernández-Alvarado, E. Kurmyshev

Performance comparison between orthogonal subspace projection and the constrained signal detector [OE-46-067005]

S. Johnson

Digital image copyright protection scheme based on visual cryptography and singular value decomposition [OE-46-067006]

M.-S. Wang, W.-C. Chen

Face recognition using facial shape indices with two different three-dimensional sensors [OE-46-067201]

H. Song, H. Shin, S. Lee, K. Sohn

Using future position restriction rules for stabilizing the results of a noise-sensitive indoor localization system [OE-46-067202]

N. Petrellis, N. Konofaos, G. Alexiou

Stereo photogrammetry for generating and matching facial models [OE-46-067203]

R. Cheng, A. Habib

Fire detection in infrared video using wavelet analysis [OE-46-067204]

B. Töreyn, R. Cinbis, Y. Dedeoglu, A. Cetin

Detection of rupture lines for active scanning [OE-46-067204]

Z. Hao, M. Taferguenit, T. Sliwa, F. Marzani, Y. Voisin

Maximum variance projections for face recognition [OE-46-067206]

T. Zhang, J. Yang, H. Wang, C. Du, D. Zhao

Volume 46, Issue 07

Editorial: *Beyond Print* by D. O'Shea

Improvement of the complex modulated characteristic of cascaded liquid crystal spatial light modulators by using a novel amplitude compensated technique [OE-46-070501]

M.-L. Hsieh, M.-L. Chen, C.-J. Cheng

Ultrawide-band microwave amplification in the optical domain [OE-46-070502]

H. Chen, M. Chen, J. Zhang, S. Xie

Simple method of aligning cylindrical air-spaced elements [OE-46-070503]

J. Lehan, T. Hadjimichael, D. Content

Cholesteric liquid crystal depolarizer [OE-46-070504]

D. Zhang, F. Luo, Y. Luo, J. Li, C. Liu, H. Liu, Z. Shen, W. Wang

Low-cost method for the estimation of the shape of quadric mirrors and calibration of catadioptric cameras [OE-46-073001]

N. Goncalves, H. Araujo

Surface detection using a phase-shift laser range finder and neural network [OE-46-073002]

L. Gatet, H. Tap-Beteille, M. Lescure

Eliminating lateral color aberration of a high-resolution digital projection lens using a novel genetic algorithm [OE-46-073003]

Y.-C. Fang, B.-W. Wu, T.-K. Liu

Out-of-plane dispersion in an Offner spectrometer [OE-46-073004]

R. Lucke

Experimental demonstration of fiber differential spectral technique for monitoring small fluctuations in ultrashort laser pulses [OE-46-073601]

F. Aziz, R. Chari, S. Oak

Accuracy of frequency-sweeping interferometry for absolute distance metrology [OE-46-073602]

A. Cabral, J. Rebordão

Displacement sensor based on grating imaging with a cylindrical lens array and a phase grating [OE-46-073603]

T. Oka, Y. Ohmura, H. Nakajima, T. Nakashima, W. Gao, K. Hane, S. Kiyono

Reconstruction of a plane wave's tilt and orientation using an optical vortex interferometer [OE-46-073604]

M. Borwinska, A. Popiolek-Masajada, B. Dubik

Near-infrared spectropolarimeter using an acousto-optic tunable filter [OE-46-073605]

Z. Chen, J. Khurgin, J. Lorenzo, F. Jin, X. Xiong, K. Jia, S. Trivedi, J. Soos, M. Hansen, C. Russonmanno

Fabry-Perot microcavity luminescent screens for optically written display [OE-46-074001]

Y.-H. Tao, Q.-H. Wang, R.-L. Zhao, J. Tian, W.-X. Zhao

Evaluation of LED application in general lighting [OE-46-074002]

M. Liu, B. Rong, H. Salemink

Single-longitudinal-mode fiber ring laser using internal lasing injection and self-injection feedback [OE-46-074201]

J. Sun, L. Huang

Acousto-optic modulation in diode-pumped solid-state lasers [OE-46-074202]

J. Jabczynski, W. Zendzian, J. Kwiatkowski

Study of polymer thermal and mechanical properties using a fiber Bragg grating thermal sensor [OE-46-074401]

A. Sun, B. Chen, J. Chen, Z. Cao

Fabrication of waveguide devices by UV photopatterning of fluorinated poly(arylene ether ketone)s containing tetrafluorostyrol moieties [OE-46-074601]

J. Jiang, C. Callender, J. Noad, Y. Qi, J. Ding, M. Day

Ultrahigh-speed optical pulse generation using a phase modulator and two stages of delayed Mach-Zehnder interferometers [OE-46-075001]

Z. Pan, S. Chandel, C. Yu

Determination of the wavelength dependence of the coupling effect in twin-core microstructured polymer optical fibers [OE-46-075002]

X. Yu, M. van Eijkelenborg, P. Shum

Analysis of temperature-dependent birefringence of a polarization-maintaining photonic crystal fiber [OE-46-075003]

D.-H. Kim, J. Kang

Construction of a new code for spectral amplitude coding in optical code-division multiple-access systems [OE-46-075004]

F. Hasoon, M. Abdullah, S. Aljunid, S. Shaari

Vernier effect of multiple-ring resonator filters modeling by a graphical approach [OE-46-075005]

P. Saeung, P. Yupapin

Influence of birefringence dispersion on distributed measurement of polarization coupling in birefringent fibers [OE-46-075006]

F. Tang, X.-Z. Wang, Y. Zhang, W. Jing

Partial predeflection—a novel contention resolution scheme for optical burst switching networks [OE-46-075007]

L. Shan, L. Xie, Z. Li, A. Xu

Improving the performance of a crosspoint-switch-based optical buffer by using a differential phase-shift keying payload [OE-46-075201]

N. Chi, H. Liu, M. Li, J. Olmos, R. Geldenhuys, D. Huang, S. Yu

Enhanced multiwavelength holographic profilometry by laser mode selection [OE-46-075601]

E. Barbosa, E. Lima, M. Gesualdi, M. Muramatsu

Selective imaging of sound sources in air using phase-calibrated multiwavelength digital holographic reconstructions [OE-46-075801]

E. Olsson

Computerized tomographic radar target imaging behind opaque walls [OE-46-076201]

L. Nguyen, C. Le, G. Gaunard

Neural-network-based single-frame detection of dim spot target in infrared images [OE-46-076401]

P. Zhang, J. Li

Analysis of false alarm distributions in the development and evaluation of hyperspectral point target detection algorithms [OE-46-076402]

C. Cafer, M. Stefanou, E. Nielsen, A. Rizzuto, O. Raviv, S. Rotman

Missing-data recovery from dirt sparkles on degraded color films [OE-46-077001]

J. Ren, T. Vlachos

Rate control based on an incremental proportional-integral-differential algorithm [OE-46-077002]

L. Shen, Z. Liu, Z. Zhang, X. Shi

Object watermarking scheme based on resynchronization and shape subdivision [OE-46-077003]

M.-Y. Wu, J.-H. Lee, Y.-K. Ho

Volumetric imaging from a multisegment straight-line trajectory and a practical reconstruction algorithm [OE-46-077004]

H. Gao, L. Zhang, Y. Xing, Z. Chen, J. Zhang, J. Cheng

Noniterative blind image restoration based on estimation of a significant class of point spread functions [OE-46-077005]

J. Zhang, Q. Zhang

Mixed principal-component-analysis/independent-component-analysis transform for hyperspectral image analysis [OE-46-077006]

J. Chai, J. Wang, C.-I. Chang

Improved polarization Mirau interference microscope [OE-46-077007]

J. Schmit, P. Hariharan

New approach based on Shapiro's embedded zero-tree wavelet algorithm for image compression [OE-46-077008]

A. Ouafi, Z. Baarir, A. Taleb-Ahmed, N. Doghmane, A. Zitouni

Hyperspectral face recognition under unknown illumination [OE-46-077201]

Z. Pan, G. Healey, B. Tromberg

Conical dynamics of Bessel beams [OE-46-078001]

M. Anguiano-Morales, M. Mendez-Otero, M. Iturbe-Castillo, S. Chávez-Cerda

Modified Beckmann-Kirchhoff scattering model for rough surfaces with large incident and scattering angles [OE-46-078002]

J. Harvey, A. Krywonos, C. Vernold

Volume 46, Issue 08

Editorial: *Papers by D. O'Shea*

Automatic power control with electronic amplified spontaneous emission compensation [OE-46-080501]

C. Michie, S. Conner, A. Kelly, I. Andonovic

All-optical nonreturn-to-zero to return-to-zero format conversion with wavelength conversion using an electroabsorption modulator [OE-46-080502]

Z. Chen, J. Wu, K. Xu, J. Lin

Optical design and salient features of an objective for a firefighting camera [OE-46-083001]

R. Mandal, I. Singh

Two-step triangular-pattern phase-shifting method for three-dimensional object-shape measurement [OE-46-083201]

P. Jia, J. Kofman, C. English

Analysis of structured highlight stereo imaging for shape measurement of specular objects [OE-46-083601]

K. Graves, C. Nagarajah, P. Stoddart

Polarimetric measurements of fabric surfaces [OE-46-083602]

M. Turlonias, L. Bigue, M.-A. Bueno

Spatially modulated illumination microscopy using one objective lens [OE-46-083603]

H. Mathée, D. Baddeley, C. Wotzlaw, C. Cremer, U. Birk

Assessment of sampling errors of laser beam analyzers [OE-46-083604]

A. Dandarov, I. Bakalski

New retroreflector technology for light-collecting systems [OE-46-084001]

Y.-J. Wang, K. Li, S. Inatsugu

Generation of hollow conic beams using a metal axicon mirror [OE-46-084002]

S. Mishra, S. Tiwari, S. Ram, S. Mehendale

Application of extended tuning range for external cavity diode lasers to water vapor differential absorption measurements [OE-46-084301]

M. Obland, A. Nehrir, K. Repasky, J. Carlsten, J. Shaw

Binary-phase micrograting and polarization beamsplitter for free-space micro-optical pickups [OE-46-084601]

C.-H. Lee, Y. Chiu, H.-P. Shieh

Analysis and modeling of a nonlinear radio-over-fiber system [OE-46-085001]

X. Zhou, J. Wang, X. Liu

Illumination design of a white-light-emitting diode wireless transmission system [OE-46-085002]

W. Wong, G. Chen

Waveform distortion of wavelength conversion based on a periodically poled lithium niobate waveguide at a pulsed pump [OE-46-085003]

C. Luo, J. Sun, J. Liu, J. Chen

Impact of Internet protocol traffic on differential phase-shift keying wavelength division multiplexing systems [OE-46-085004]

X. Huang, X. Xu, G. Chen, M. Zhang, P. Ye

Performance investigation of all-optical clock recovery circuit based on Fabry-Pérot filter and semiconductor optical amplifier assisted Sagnac switch [OE-46-085005]

J. Vardakas, K. Zoiros

Effect of second-order polarization mode dispersion on the performance of polarization mode dispersion emulators [OE-46-085006]

D. Gupta, A. Kumar, K. Thyagarajan

Multiwavelength optical sender/receiver mounted on a PC connected to a passive optical network [OE-46-085007]

H. Matsuda, T. Kaminogou, T. Yasui

Enhancing mobile *ad hoc* networks with free-space optics [OE-46-085008]

P. Yan, J. Sluss, H. Refai, P. LoPresti

Efficient wavelength assignment strategy for wavelength-division multiplexing optical networks [OE-46-085009]

P. Singh, S. Rani, A. Sharma

Digital micromirror device for optical scanning applications [OE-46-085401]

H. Refai, J. Sluss, M. Tull

Robust unwrapping algorithm for three-dimensional phase volumes of arbitrary shape containing knotted phase singularity loops [OE-46-085601]

O. Marklund, J. Huntley, R. Cusack

Watermarking by encrypted Fourier holography [OE-46-085801]

L. Sun, S. Zhuang

Infrared phototransistor validation for atmospheric remote sensing application using the Raman-shifted eye-safe aerosol lidar [OE-46-086001]

T. Refaat, S. Ismail, T. Mack, M. Abedin, S. Mayor, S. Spuler, U. Singh

Analysis of beam wander effects for a horizontal-path propagating Gaussian-beam wave: focused beam case [OE-46-086002]

J. Recolons, L. Andrews, R. Phillips

Calibration, data processing, and maintenance of the United States Department of Agriculture high-resolution ultraviolet spectroradiometers [OE-46-086201]

P. Kiedron, M. Beauharnois, J. Berndt, P. Disterhoft, L. Harrison, J. Michalsky, G. Scott, J. Schlemmer, J. Slusser

Change detection in synthetic aperture radar images using a spatially chaotic model [OE-46-086202]

Y.-L. Tzeng, K.-S. Chen

Resonance lidar system for mesospheric sodium measurements [OE-46-086203]

B. Kumar, D. Rao, M. Murthy, M. Krishnaiah

New two-stage correlation-based approach for target detection and tracking in forward-looking infrared imagery using filters based on extended maximum average correlation height and polynomial distance classifier correlation [OE-46-086401]

S. Bhuiyan, M. Alam, M. Alkanhal

Multilayer coatings for x-ray mirrors: extraction of stack parameters from x-ray reflectivity scans and comparison with transmission electron microscopy results [OE-46-086501]

D. Spiga, G. Pareschi, V. Cotroneo, R. Canestrari, D. Vernani, A. Mirone, C. Ferrero, C. Ferrari, L. Lazzarini

Characterizing static aberrations in liquid crystal spatial light modulators using phase retrieval [OE-46-086601]

N. Hart, M. Roggemann, A. Sergeev, T. Schulz

All-optical wavelet transform realization and use for imaging, image processing, and increased depth of focus [OE-46-087001]

Z. Zalevsky, E. Rossmann, D. Mendlovic

Color textile image segmentation based on multiscale probabilistic reasoning [OE-46-087001]

X. Lu

Color stereoscopic images requiring only one color image [OE-46-087003]

Y. Termin, G. Kaminka, S. Semo, A. Zivotofsky

Error concealment method for the low-frequency subband in motion JPEG 2000 coding [OE-46-087004]

J. Hou, X. Fang, J. Zhang, H. Yin

Integrated fingerprint verification method using a composite signature-based watermarking technique [OE-46-087005]

F. Ahmed

Cone-beam filtered backprojection image reconstruction using a factorized weighting function [OE-46-087006]

G.-H. Chen, T.-L. Zhuang, S. Leng, B. Nett

Compression rates comparison of entropy coding for three-bit chain codes of bilevel images [OE-46-087007]

L. Aguinaga, R. Neri-Calderón, R. Rodríguez-Dagnino

Design of a fast vector quantization image encoder [OE-46-087008]

Y.-G. Wu

Uncooled infrared-imaging face recognition using kernel-based generalized discriminant analysis [OE-46-087201]

D. Domboulas, M. Fargues, G. Karunasiri

Efficient hybrid appearance model for object tracking with occlusion handling [OE-46-087202]

B. Zhang, W. Tian, Z. Jin

Volume 46, Issue 09

Editorial: *Tools of the Plague* by D. O'Shea

All-optical wavelength conversion for polarization shift keying signal based on four-wave mixing in a semiconductor optical amplifier [OE-46-090501]

L. Han, H. Wen, H. Zhang, Y. Guo

Phase-modulator-based optoelectronic oscillator for generating short optical pulse and microwave signal [OE-46-090502]

Y. Jiang, J. Yu, H. Hu, W. Wang, Y. Wang, E. Yang

New and improved approaches for wavelength assignment in wavelength-continuous optical burst switching networks [OE-46-090504]

C. Zhu, W. Ni, Y. Du, Y. Li, X. Zheng, Y. Guo, H. Zhang

Three-flat tests including mounting-induced deformations [OE-46-093601]

U. Griesmann, Q. Wang, J. Soons

Small-dynamic-angle measurement using tangent relationship and phase-modulating technique [OE-46-093602]

D. Zheng, X. Wang, O. Sasaki

Evaluation of brilliance, fire, and scintillation in round brilliant gemstones [OE-46-093604]

J. Sasian, J. Quick, J. Sheffield, J. Caudill, P. Yantzer

Improving signal processing performance on a conoscopic holography-based profilometer with phase-shifting interferometry algorithms [OE-46-093605]

J. Enguita, I. Alvarez, C. Fraga Bobis, J. Marina, Y. Fernández

Heat transfer measurement by a diffractive optical element fringe projection [OE-46-093606]

D. Ambrosini, D. Paoletti

Relation between the illuminance responsivity of a photometer and the spectral power distribution of a source [OE-46-093607]

F. Sametoglu

Optimal design of retroreflection corner-cube sheets by geometric optics analysis [OE-46-094002]

H. Kim, B. Lee

Prototype carbon fiber composite deformable mirror [OE-46-094003]

S. Kendrew, P. Doel, D. Brooks, A. King, C. Dorn, C. Yates, R. Dwan, I. Richardson, G. Evans

Experimental research on space-overlapped and time-synchronized dual-wavelength transversely excited atmospheric pressure CO₂ laser [OE-46-094202]

Z. Li, Y. Li, J. Liao, X. Liu, D. Xu, R. Ran, L. Wei

Eliminating dead spaces of the laser diode stack in the fast-axis direction using a plane-parallel plate array [OE-46-094203]

S. Zhan, C. Zhou, C. Du, H. Yang, W. Xie

Raman lidar system for hydrogen gas detection [OE-46-094301]

H. Ninomiya, S. Yaeshima, K. Ichikawa, T. Fukuchi

Study of laser flying marking system [OE-46-094302]

M. Jiang, Y. Jiang, X. Zeng

Comparison of the N times mode-lines technique to the inverse technique in refractive index profile reconstruction [OE-46-094601]

M. Gad, H. ElRefaei, D. Khalil, O. Omar

Design and fabrication of arrayed waveguide grating multiplexers on silicon-on-insulator platforms [OE-46-094602]

G. Przyrembel, B. Kuhlow, K. Solehmainen, T. Aalto, P. Heimala

Analysis of turbo-coded optical wireless communication system based on on-off keying, binary phase-shift keying, and binary pulse position modulation [OE-46-095001]

J. Chen, X. Hu, D. Huang, X. Yuan

Propagation characteristics of twin-hole poling optical fibers [OE-46-095002]

G. Yu, Y. Zhang, Z. Wang

Employing photonic crystal fiber to improve composite second-order and composite triple-beat performances in a two-wavelength wavelength-division-multiplexing transport system [OE-46-095003]

H.-H. Lu, S.-J. Tzeng, Y.-W. Chuang, G.-L. Chen, Y.-C. Chi, C.-W. Liao

Improving triangular-lattice photonic-crystal-fiber couplers by introducing geometric nonuniformities [OE-46-095004]

M. Zghal, R. Cherif, F. Bahloul

Effect of an imperfect antireflection coating on a birefringent interleaver in an optical communications system [OE-46-095005]

S. Wang, C.-H. Cheng, Y. Lu, C. Wong

Grouping methods for orthogonal frequency- and space-division multiple access in a radio-on-fiber radio-space transmission system [OE-46-095006]

L. Hai, T. Higashino, K. Tsukamoto, S. Komaki

Influence of the second cladding on the properties of four-layer large flattened mode fibers [OE-46-095007]

C. Zhao, Y. Ye, Z. Tang, D. Fan, G. Chen, W. Mu

Misalignment considerations in a laser diode to monomode elliptic core fiber coupling via a hyperbolic microlens on the fiber tip: efficiency computation by the ABCD matrix [OE-46-095008]

S. Mukhopadhyay, S. Gangopadhyay, S. Sarkar

Routing connections with differentiated reliability requirements in wavelength-division multiplexing mesh networks with capacity sharing [OE-46-095009]

H. Luo, L. Li, H. Yu

Simultaneous differential phase-shift keying payload and subcarrier-multiplexed label generation using a single modulator and its application to dispersion monitoring [OE-46-095010]

N. Liu, W.-D. Zhong, Y. Wen

Full-field heterodyne interferometry using a complementary metal-oxide semiconductor digital signal processor camera for high-resolution profilometry [OE-46-095601]

M. Aguanno, F. Lakestani, M. Whelan, M. Connelly

Full-color electroholographic three-dimensional display system employing light emitting diodes in virtual image reconstruction [OE-46-095801]

K. Takano, K. Sato

Compensated phase-added stereogram for real-time holographic display [OE-46-095802]

H. Kang, T. Fujii, T. Yamaguchi, H. Yoshikawa

Angle-of-arrival fluctuations for general-type beams [OE-46-096001]

H. Eyyuboglu, Y. Baykal

Polarization lidar at 1.54 μm and observations of plumes from aerosol generators [OE-46-096201]

S. Mayor, S. Spuler, B. Morley, E. Loew

Low- to mid-altitude temporal/spatial tracking requirements [OE-46-096401]

A. Robinson, B. Miller, S. Moyer, C. Ra

Recovery of a linear model parameter using three vanishing points from a single image of weak perspective projection [OE-46-097001]

Y.-I. Yun, J.-H. Im, J.-S. Choi

Using two-stage sorting-based partial distortion search for motion estimation in H.264/AVC [OE-46-097002]

C.-C. Wang, C.-J. Lo

Two-stage method for impulse-noise removal [OE-46-097003]

S. Chen, X. Yang

Robust foreground extraction technique using background subtraction with multiple thresholds [OE-46-097004]

H. Kim, R. Sakamoto, I. Kitahara, T. Toriyama, K. Kogure

Visual secret sharing scheme: prioritizing the secret pixels with different pixel expansions to enhance the image contrast [OE-46-097005]

C.-N. Yang, T.-S. Chen

Multiresolution segmentation of video objects in the compression domain [OE-46-097401]

X. Shi, Z. Zhang, L. Shen, Y. Lu, S. Liu

Volume 46, Issue 10

Editorial: *Correcting the Record I: Plagiarism by D. O'Shea*

Quantum key distribution via an optical wireless communication link for telephone networks [OE-46-100502]

S. Suchat, W. Khunnam, P. Yupapin

Polarization-controlled wavelength modulation by a resonant transmission or reflection filter [OE-46-100503]

M. Ivanov, P. Rochon

Continuously variable modulation frequency optical single sideband with a Sagnac interferometer and photonic crystal fibers [OE-46-100504]

Z. Liu, H. Zhang, X. Zheng

Four-mirror anastigmats, part 1: a complete solution set for all-spherical telescopic systems [OE-46-103001]

A. Rakich

Design of wide-angle lenses for wireless capsule endoscopes [OE-46-103002]

O.-Y. Mang, S.-W. Huang, Y.-L. Chen, H.-H. Lee, P.-K. Weng

Experimental study on imaging and image restoration of optical sparse aperture systems [OE-46-103201]

D. Wang, J. Han, H. Liu, S. Tao, X. Fu, H. Guo

Multispectral omnidirectional vision sensor: design, calibration, and utilization [OE-46-103202]

O. Romain, T. Ea, P. Garda

Three-dimensional camcorder [OE-46-103203]

K. Iizuka

Imaging system performance based upon FLambda/d [OE-46-103204]

G. Holst

Three-dimensional imaging system based on a light-emitting diode array [OE-46-103205]

J.-Y. Son, V. Saveljev, D.-S. Kim, Y.-M. Kwon, S.-H. Kim

Thermally induced errors in diamond turning of optical structured surfaces [OE-46-103401]

S. Rakuff, P. Beaudet

Surface area measurement based on a photoelectric image collimation system and an active contour [OE-46-103601]

P. Zhao, Z. Pu

Metallic surface roughness mapping using a PC-interfaced optoelectronic sensor system [OE-46-103602]

K. Arunachalam, P. Marimuthu

45-Mbit/s cat's-eye modulating retroreflectors [OE-46-104001]

W. Rabinovich, P. Goetz, R. Mahon, L. Swingen, J. Murphy, M. Ferraro, H. Burris, C. Moore, M. Suite, G. Gilbreath, S. Binari, D. Klotzin

Characterization of a diode double-end pumped Nd:YVO₄ laser for high-bit-rate free-space and intersatellite communications [OE-46-104201]

S. Sudheer, N. Pillai, V. Pillai, V. Nayar

Analysis of reflector alignment effects on the output beam of optical array diode lasers [OE-46-104202]

J. Zhang, M. Gong, D. Wang, L. Huang, C. Yin

Laser cleaning of optical windows in internal combustion engines [OE-46-104301]

H. Ranner, P. Tewari, H. Kofler, M. Lackner, E. Wintner, A. Agarwal, F. Winter

In search of multi-peaked reflective spectrum with optic fiber Bragg grating sensor for dynamic strain measurement [OE-46-104401]

H. Tai

Strain sensor calibration using extrinsic Fabry-Pérot interferometric sensors [OE-46-104402]

A. Abdi, S. Watkins

Sensor for refractive index variation of an optical surface using a high-refractive-index waveguide [OE-46-104601]

Y. Naoi, H. Okayama, H. Nakajima

Group-index birefringence and loss measurements in silicon-on-insulator photonic wire waveguides [OE-46-104602]

D. Duchense, P. Cheben, R. Morandotti, B. Lamontagne, D.-X. Xu, S. Janz, D. Christodoulides

Red (632.8-nm) attenuation by a copropagating 1175-nm signal in Tm³⁺-doped optical fibers [OE-46-105001]

E. Mejia-Beltran, D. Talavera Velázquez

Cost-effective double pass erbium doped fiber amplifier with an embedded dispersion compensation module and all-optical gain control for wavelength-division multiplexing applications [OE-46-105002]

J. F. Oliveira, J. Rosolem, J. Oliveira, M. Romero, A. Bordonalli

Novel approach for reducing the probability of error in the presence of intersymbol interference and Gaussian noise [OE-46-105003]

M. Alkhatib, M. Alam

Two types of all-optical non-return-to-zero to return-to-zero format conversions exploiting a semiconductor optical amplifier assisted with blue-shifted filtering [OE-46-105004]

C. Feng, J. Wu, J. Zhang, K. Xu, J. Ling

Compensation scheme for flattening coded wavelength-division multiplexing chip spectra with backward-pumped fiber Raman amplifiers [OE-46-105005]

J.-F. Huang, C.-T. Yen, C.-W. Tsai

Almost-common path interferometer using the separation of polarization states for digital phase-shifting shearography [OE-46-105601]

V. Rosso, Y. Renotte, S. Habraken, Y. Lion, F. Michel, V. Moreau, B. Tilkens

Signal dependence of the phase-generated carrier method [OE-46-105602]

K. Wu, M. Zhang, Y. Liao

Dynamic full-range Fourier-domain optical coherence tomography using sinusoidal phase-modulating interferometry [OE-46-105603]

P. Bu, X. Wang, O. Sasaki

Influence of laser radar sensor parameters on range-measurement and shape-fitting uncertainties [OE-46-106201]

C. Grönwall, O. Steinvall, F. Gustafsson, T. Chevalier

Fast new small-target detection algorithm based on a modified partial differential equation in infrared clutter [OE-46-106401]

B. Zhang, T. Zhang, Z. Cao, K. Zhang

Human target detection performance using synthetic-aperture radar imagery in a quasi-operational context [OE-46-106402]

G. Ewing, N. Redding, D. Kettler

Modified cubic convolution scaler for edge-directed nonuniform data [OE-46-107001]

S.-M. Kwak, J.-H. Moon, J.-K. Han

Image fusion using a low-redundancy and nearly shift-invariant discrete wavelet frame [OE-46-107002]

B. Yang, Z. Jing

Intensity diffraction tomography with fixed detector plane [OE-46-107003]

D. Shi, M. Anastasio

Simple noncircular correlation method for exhaustive sum square difference matching [OE-46-107004]

F. Essannouni, R. Oulad Haj Thami, D. Aboutajdine, A. Salam

Precise pose estimation for synthetic aperture radar images of vehicles [OE-46-107201]

F. McFadden

Concatenated construction of traceability codes for multimedia fingerprinting [OE-46-107202]

Y.-T. Lin, J.-L. Wu, C.-H. Huang

Automatic detection of calibration markers on a chessboard [OE-46-107203]

J.-E. Ha

Improved performance of scale-invariant pattern recognition using a combined Mellin radial harmonic function and wavelet transform [OE-46-107204]

Y.-T. Cheng, H.-C. Chen

Accurate subpixel corner detection on planar camera calibration targets [OE-46-107205]

P. da Silva Tavares, M. Vaz

Estimation of the peak signal-to-noise ratio for compressed video based on generalized Gaussian modeling [OE-46-107401]

J. Choe, C. Lee

Automatic and optimal hierarchical quantizer decomposition to build knowledge for video transmission [OE-46-107402]

R. Rodriguez-Sanchez, J. Garcia, J. Fdez-Valdivia, A. Garrido

Proposal to obtain a hollow laser beam from a hollow cone-shaped resonator [OE-46-108001]

J. Liu, Y. Li, M. Chen, J. Guo, F. Zhao

Two-component white color synthesis using diffractive structures [OE-46-108002]

D. Najdek, P. Fiala, I. Richter

Optical binary-matrix synthesis for solving bounded NP-complete combinatorial problems [OE-46-108201]

N. Shaked, T. Tabib, S. Gil, S. Messika, S. Dolev, J. Rosen

Optical implementation of the filtered backprojection algorithm [OE-46-108202]

M. Madec, J.-B. Fasquel, W. Uhring, P. Joffre, Y. Herve

Volume 46, Issue 11

Editorial: *Correcting the Record II: Errors by D. O'Shea*

Integrating affinity propagation clustering method with linear discriminant analysis for face recognition [OE-46-110501]

C. Du, J. Yang, Q. Wu, F. Li

Point target detection of infrared images with eigentargets [OE-46-110502]

R. Liu, E. Liu, J. Yang, T. Zhang, Y. Cao

Wide-angle achromatic prism beam steering for infrared countermeasures and imaging applications: solving the singularity problem in the two-prism design [OE-46-113001]

P. Bos, H. Garcia, V. Sergan

Bidirectional reflectance distribution function measurement of molecular contaminants in the ultraviolet, vacuum ultraviolet, and visible ranges [OE-46-113601]

K. Herren, D. Gregory

Diffraction position sensing devices using two-dimensional grating dots [OE-46-113602]

S. Yeh, K. Lin

High-speed three-dimensional shape measurement system using a modified two-plus-one phase-shifting algorithm [OE-46-113603]

S. Zhang, S.-T. Yau

High-accuracy small-angle measurement of the positioning error of a rotary table by using multiple-reflection optoelectronic methodology [OE-46-113604]

C.-J. Chen, P. Lin

Simple method for measuring small wavelength differences [OE-46-113605]

J.-Y. Lin, K.-H. Chen, J.-H. Chen

Electrical origin and compensation for two sources of degradation of the spatial frequency response exhibited by liquid crystal displays [OE-46-114001]

A. Ruiz Márquez, I. Moreno, C. Lemmi, J. Campos, M. Yzuel

Three-dimensional floating image system using a two-lens system and a stereoscopic display [OE-46-114002]

G. Baasantseren, D. Do, N. Kim, J. Lee

Simultaneous intermediate-view interpolation and multiplexing algorithm for a fast lenticular display [OE-46-114003]

H. Lim, S.-H. Kim, Y.-G. Lee, L.-S. Kim, J. Ra, H. Park

Mode selection in diffraction-coupled semiconcentric resonators by means of a biprismlike element [OE-46-114201]

Y. Parkhomenko, B. Spektor, J. Shamir

Optical fiber-based liquid level sensor [OE-46-114401]

S. Chandani, N. Jaeger

Novel dynamic flow allocation scheme over ethernet passive optical networks [OE-46-115001]

J. Lee, J. Choi, K.-H. Bae

Self-seeded Brillouin-erbium fiber laser with a transmissive Sagnac loop filter [OE-46-115002]

P. Wang, Y. Rao, X. Liao

Implementation method for a three-dimensional Banyan network in free space [OE-46-115003]

J. Yang, X. Su

Development of 60-GHz analog optic transmitter module with radio-frequency gain for radio-over-fiber link [OE-46-115004]

Y.-D. Chung, K.-S. Choi, J.-S. Sim, D.-S. Jun, H.-K. Yu, J. Kim

Phase-induced soliton switching in fiber nonlinear directional couplers [OE-46-115005]

A. Sarma, A. Kumar

Experimental demonstration of 40 Gbit/s hybrid optical code-division multiplexing/wavelength-division multiplexing system [OE-46-115006]

X. Chen, G. Xia, D. Huang, X. Yuan

Impact of encoder-decoder wavelength mismatch on the performance of direct-sequence optical code-division multiple-access system [OE-46-115007]

M. Yan, H. Zhang, M. Yao

Chromatic dispersion monitoring method based on semiconductor optical amplifier spectral shift in 40 Gbit/s optical communication systems [OE-46-115008]

M. Chen, L. He, Y. Dai, Y. Zhang, S. Yang, H. Chen, S. Xie

Analysis on the definition of polarization-dependent loss [OE-46-115009]

P. Ding, J. Wang, Q. Zhuang, J. Sun, R. Hou

N-nary optical semiconductor photonic transistor [OE-46-115201]

S. Song, E. Popescu

Flaw detection using lock-in temporal speckle pattern interferometry and thermal waves [OE-46-115601]

A. Dolinko, G. Kaufmann

Simulation study of the computed tomography Fourier transform imaging spectrometer using a Sagnac interferometer [OE-46-115602]

Y. Lin, N. Liao, S. He, X. Wang, W. Wu, J. Yang

Modified fringe-counting technique applied to a dual-cavity fiber Fabry-Pérot vibrometer [OE-46-115603]

S. Pullteap, H. Seat, T. Bosch

Optimal condition for full-field heterodyne interferometry [OE-46-115604]

Z.-C. Jian, Y.-L. Chen, H.-C. Hsieh, P.-J. Hsieh, D.-C. Su

Speckle noise reduction in digital holography by multiple holograms [OE-46-115801]

C. Quan, X. Kang, C. Tay

Automatically guiding a telescope to a laser beam on a biaxial antarctic light detection and ranging system [OE-46-116001]

J. Innis, A. Cunningham, A. Graham, A. Klekociuk

System of remote-operated-vehicle-based underwater blurred image restoration [OE-46-116002]

Y. Yu, F. Liu

Influence of temperature fluctuations on infrared limb radiance: a new simulation code [OE-46-116003]

V. Rialland, P. Chervet, C. Quang, A. Roblin

High-energy 2 μm Doppler lidar for wind measurements [OE-46-116201]

G. Koch, J. Beyon, B. Barnes, M. Petros, J. Yu, F. Amzajerjian, M. Kavaya, U. Singh

Multispectral infrared image classification using filters derived from independent component analysis [OE-46-116401]

S. Chari, C. Halford, A. Robinson, E. Jacobs

Novel method on dual-band infrared image fusion for dim small target detection [OE-46-116402]

Y.-Q. Sun, J.-W. Tian, J. Liu

Bit-saving path for progressive transmission [OE-46-117001]

J. Garcia, R. Rodriguez-Sanchez, J. Fdez-Valdivia, J. Martinez-Baena

Universal steganalysis scheme using support vector machines [OE-46-117002]

D.-C. Lou, C.-L. Lin, C.-L. Liu

Multispectral iris authentication system against counterfeit attack using gradient-based image fusion [OE-46-117003]

J. Park, M. Kang

Regularized high-resolution image reconstruction considering inaccurate motion information [OE-46-117004]

M. Park, M. Kang, A. Katsaggelos

Modeling distribution changes for hyperspectral image analysis [OE-46-117201]

C. Kuan, G. Healey

Incremental approach to shape recovery and registration from a sequence of images [OE-46-117202]

J.-S. Park

Developing an interpretability scale for motion imagery [OE-46-117401]

J. Irvine, A. Aviles, D. Cannon, C. Fenimore, D. Haverkamp, S. Israel, G. O'Brien, J. Roberts

Diffraction optics as beam-shaping elements for plastics laser welding [OE-46-118001]

D. Grewell, A. Benatar

Volume 46, Issue 12

Editorial: *Drought by D. O'Shea*

All-optical single-to-dual channel non-return-to-zero to return-to-zero format converter using a periodically poled LiNbO₃ and a reflective semiconductor optical amplifier [OE-46-120501]

J. Wang, J. Sun, Q. Sun, D. Wang, M. Zhou, X. Zhang, D. Huang

Kernel uncorrelated neighborhood discriminative embedding for feature extraction [OE-46-120502]

X. Yu, X. Wang

Astigmatic optical surfaces, characteristics, testing, and differences between them [OE-46-123001]

Z. Malacara, D. Malacara-Doblado, D. Malacara-Hernandez, J. Landgrave

Design and analysis of an asymmetrical liquid-filled lens [OE-46-123002]

D. Shaw, C.-W. Lin

Development of a multispectral imaging prototype for real-time detection of apple fruit firmness [OE-46-123201]

R. Lu, Y. Peng

Comparative study of organic light emitting diode efficiency enhancement by the use of optical films [OE-46-124001]

F. Rahadian, K. Imai, I. Fujieda

Two liquid crystal on silicon panel projector with efficient light-emitting diode illumination engine [OE-46-124002]

H. Murat, D. Cuyppers, H. De Smet, Y. Meuret, B. Van Giel, L. Bogaert, H. Thienpont

Characterization studies of two novel active pixel sensors [OE-46-124003]

S. Bohndiek, C. Arvanitis, G. Royle, R. Speller, A. Clark, J. Crooks, M. Prydderch, R. Turchetta, A. Blue, V. O'Shea

Gradient force pattern of truncated hyperbolic-cosine-Gaussian beam through phase plate focusing system [OE-46-124201]

J. Li, S. Zhuang, Y. Xie, C. Huang

Gain-enhanced double-pass long-wavelength-band erbium-doped fiber amplifier using backward pumping [OE-46-124203]

L. Xing, L. Zhan, L. Yi, Y. Xia

Low pulse-energy micromachining in bulk glass with a short-cavity femtosecond oscillator [OE-46-124301]

W. Cai, R. Piestun

Detection of Brillouin scattering temperature signal in Brillouin optical time-domain reflectometer sensing system based on instantaneous frequency measurement technology [OE-46-124401]

A. Sun, B. Chen, J. Chen, G. Li, L. Wang, L. Chang, Z. Lin

All-in-one measurement setup for fast and accurate linear characterization of guided-wave optical devices [OE-46-124601]

D. Castaldini, P. Bassi, S. Tascu, G. Sauder, P. Aschieri, M. De Micheli, P. Baldi, K. Thyagarajan, M. Shenoy

Optical response of high-level bandgap in one-dimensional photonic crystal applying in-plane integration [OE-46-124602]

X. Lu, P. Han, Y. Quan, Q. Ran, L. Gao, F. Zeng, C. Zhao, J. Yu

Intrachannel collision of power law optical solitons [OE-46-125001]

A. Biswas, E. Zerrad

Identifying various impairments of optical channels using amplitude histogram [OE-46-125002]

D. Ye, W.-D. Zhong

Comparison of two types of wavelength conversion schemes based on nonlinear polarization rotation [OE-46-125003]

C. Feng, J. Wu, J. Zhang, K. Xu, J. Lin

Experimental research of wideband and gain-flattened hybrid Raman/erbium-doped fiber amplifier [OE-46-125004]

Y. Li, W. Guo, C. Tu, T. Lei, T. Ha, D. Wei, F. Lu

Experimental verification of optical wireless communication link using high-brightness illumination light-emitting diodes [OE-46-125005]

C. Lee, C. Park, J.-H. Kim, D.-H. Kim

Simple ultrafast all-optical AND logic gate [OE-46-125006]

C. Feng, J. Wu, K. Xu, J. Lin

Optimization of the two-stage single-pump erbium-doped fiber amplifier with high amplification for low frequency nanoscale pulses [OE-46-125007]

M. Bello Jiménez, E. Kuzin, B. Ibarra-Escamilla, A. Flores

Four-wave mixing assisted multiwavelength peak-power-equalized semiconductor optical amplifier laser [OE-46-125008]

G. Ning, P. Shum, J. Zhou, L. Xia

Real-time image plane full-color and full-parallax holographic video display system [OE-46-125801]

T. Yamaguchi, G. Okabe, H. Yoshikawa

Method to estimate infrared and radio-frequency synergy [OE-46-126001]

J. Forand

Unified regularization framework for blind image super-resolution [OE-46-127001]

Y. Chen, Y. Luo, D. Hu

Unified mean shift segmentation and graph region merging algorithm for infrared ship target segmentation [OE-46-127002]

W. Tao, H. Jin, J. Liu

Zoom-based super-resolution reconstruction approach using prior total variation [OE-46-127003]

M. Ng, H. Shen, S. Chaudhuri, A. Yau

Enhancement of dissolved shot boundary detection with twin-windows amplification method [OE-46-127004]

O. Bao, M. Lian, L. Guan

Calibration of defocus blur for zoom lenses [OE-46-127005]

J. Moon, S.-Y. Park

Maximum *a priori* estimation of focus aberration in imaging systems [OE-46-127006]

D. Strong, S. Cain

Quaternion phase-correlation-based clutter metric for color images [OE-46-127008]

C. Yang, J.-Q. Zhang, X. Xu, H.-H. Chang, G.-J. He

Long-term surveillance performance improvement using exploitation memory [OE-46-127201]

S. Cooper, S. Der

Improved iterative pose estimation algorithm using three-dimensional feature points [OE-46-127202]

Z. Zhang, D. Zhu, Z. Peng, J. Zhang

Coupling between guided-wave optical modes—a dynamical system model [OE-46-127203]

J. Butler

Multifeature-based fake iris detection method [OE-46-127204]

S. Lee, K. Park, Y. Lee, K. Bae, J. Kim

Robust video transmission using block-interleaved error-resilient entropy coding [OE-46-127401]

Y. Fang, J. Jeong, C. Wu, L. Yu

Application of Fresnel diffraction to nondestructive measurement of the refractive index of optical fibers [OE-46-128001]

A. Sabatyan, M. Tavassoly

Impact of small geometrical imperfections on chromatic dispersion and birefringence in photonic crystal fibers [OE-46-128002]

M. Zghal, R. Cherif

Three-photon absorption for nanosecond excitation in cadmium selenide quantum dots [OE-46-128003]

S. Bentley, C. Anderson, J. Doohar