

Typification and generic synonymy within *Acacia sens. lat.*

Note. The generic names given in **bold** below are those that would apply by the application of currently designated types.

Acacia Mill., Gard. Dict. ed. 4 (1754)

Lectotype: *Acacia scorpioides* (L.) W.F. Wright, *fide* Britton & Brown, Ill. fl. N. U.S., ed. 2, 2: 330 (1913) (= *A. nilotica* (L.) Delile – see Orchard & Maslin 2003 for discussion.)

Synonyms

Vachellia Wight & Arn., Prod. Fl. Ind. Orient. 272 (1834). Type: *Vachellia farnesiana* (L.) Wight & Arn.

Aldina E. Mey., Comm. Pl. Afr. Austr. 171 (1836), *nom. illeg., non* Adanson (1763) *nom. rej., nec* Endlicher (1840) *nom. cons.* Type: Not designated.

Farnesia Gasp., *Descr. Nuov. Gen. Leg.* (1836), *nom. illeg., non* Fabricius (1763). Type: *Farnesia odora* Gasparrini, *nom. illeg.*, based on *Mimosa farnesiana* L.

Gumifera Raf., *Sylva Tellur.* 118 (1838). Lectotype: *Acacia nilotica* (L.) Delile, *fide* L. Pedley, Bot. J. Linn. Soc. 92: 238 (1986).

Popanax Rafin., *Sylva Tellur.* 118 (1838). Type: *Popanax tortuosa* (L.) Rafin.

Delaporteia Thorel ex Gagnep., *Notul. Syst.* 2: 118 (1911). Type: *Delaporteia armata* Thorel ex Gagnep..

Pithecodendron Speg., *Physis* (Buenos Aires) 6: 313 (1923). Type: *Pithecodendron argentinensis* Speg..

Nimiria Prain ex Craib, *Bull. Misc. Inform.* 1927: 393 (1927). Type: *Nimiria siamensis* Craib.

Tauroceras Britton & Rose, *N. Amer. Fl.* 23: 85 (1928). Type: *Tauroceras spadicigerum* (Schlect. & Charm.) Britton & Rose.

Bahamia Britton & Rose, *N. Amer. Fl.* 23: 86 (1928). Type: *Bahamia acuífera* (Benth.) Britton & Rose.

Feracacia Britton & Leon, *N. Amer. Fl.* 23: 86 (1928). Type: *Feracacia daemon* (Ekman & Urban) Britton & Leon.

Lucaya Britton & Rose, *N. Amer. Fl.* 23: 87 (1928). Type: *Lucaya choriophylla* (Benth.) Britton & Rose.

Fishlockia Britton & Rose, *N. Amer. Fl.* 23: 91 (1928). Type: *Fishlockia anegadensis* (Britton) Britton & Rose.

Myrmecodendron Britton & Rose, *N. Amer. Fl.* 23: 91 (1928). Type: *Myrmecodendron hindsii* (Rose) Britton & Rose.

Acaciopsis Britton & Rose, *N. Amer. Fl.* 23: 93 (1928). Type: *Acaciopsis pringlei* (Rose) Britton & Rose.

Senegalia Rafinesque, *Sylva Tellur.* 119 (1838)

Type: *Senegalia senegal* (L.) Britton (*Senegalia triacantha* Rafin., *nom. illeg.*)

Synonyms

Manganaroa Speg., *Physis* (Buenos Aires) 6: 312 (1923). Type: *Manganaroa monacantha* (Willd) Speg..

Dugandia Britton & Killip, *Ann. New York Acad. Sci.* 35: 137 (1936). Type: *Dugandia rostrata* (Humb. & Bonpl.) Britton & Killip.

Acaciella Britton & Rose, *N. Amer. Fl.* 23: 96 (1928).

Type: *Acaciella villosa* (Swartz) Britton & Rose.

Racosperma C. Mart., *Hort. Monac. Seminifer* (1835).

Basionym: *Acacia* section *Phyllodineae* Sieber ex DC., *Prodr.* 2: 425 (1825). Lectotype: *Racosperma pennenerve* (Sieber ex DC.) Pedley, Bot. J. Linn. Soc. 92: 239 (1986).

Synonyms

Phyllodoce Link, Handbuch 2: 132 (1829) *nom. illeg., non* Salisbury (1806). *Lectotype: Phyllodoce alata* (R. Br.) Link, *lecto. nov.*

Racosperma C. Mart., in C. Martius & F von P. Schrank, Hort. Reg. Monac. 188 (1829), *nom. inval.*

Cuparilla Rafin., Sylva Tellur. 120 (1838). *Lectotype: Cuparilla myrtifolia* (Smith) Rafin., *fide* L. Pedley, Bot. J. Linn. Soc. 92: 239 (1986).

Drepaphyla Rafin., Sylva Tellur. 120 (1838). *Lectotype: Drepaphyla lanigera* (Cunn.) Rafin., *fide* L. Pedley, Bot. J. Linn. Soc. 92: 239 (1986).

Hectandra Rafin., Sylva Tellur. 120 (1838). *Lectotype: Hectandra suaveolens* (Smith) Rafin., *fide* L. Pedley, Bot. J. Linn. Soc. 92: 239 (1986).

Zigmaloba Rafin., Sylva Tellur. 120 (1838). *Type: Zigmaloba sulcata* (R. Br.) Rafin.

Chithonanthus Lehmann, Pl. Preiss. 2: 368 (1848). *Type: Chithonanthus restiaceus* (Benth.) Lehm.

Tetracheilos Lehm., Pl. Preiss. 2: 368 (1848). *Type: Acacia tetragonocarpa* Meisn. (*nom. syn. Tetracheilos meissneri* Lehm., *nom. illeg.*).

Phytomorula Kofoid, Univ. Calif. Publ. Bot. 6: 38 (1914). *Type: Phytomorula regularis* Kofoid.