

# Fiyat Listesi 2021



# Fiyat Listesi 2021

## Yenilikleri gerçekleřtirmek

Daha iyi makineler, yeni pazarlar, yalın üretim ve gelişmiş servis desteęi: Omron Endüstriyel Otomasyon, yıllardır yenilikleri gerçekleřtiriyor.

Bunu sizinle beraber daha yakın çalışarak yapıyoruz, makine ve fabrika otomasyonundaki en son bilgileri sunarak, fikirlerinizin hayata geçmesine destek oluyoruz.

Daha fazla ürün bilgisine "[industrial.omron.com.tr](http://industrial.omron.com.tr)" internet sitemizden veya telefonla bizi arayarak ulaşabilirsiniz.

## Sipariş:

Tel: +90 (216) 556 51 30

E-Posta: [satis@eu.omron.com](mailto:satis@eu.omron.com)

## Online Destek:

[industrial.omron.com.tr](http://industrial.omron.com.tr)

[myomron.com](http://myomron.com)

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	SLN. (Daheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
<b>Auto ID Product V600</b>										
CJ1W-V600C11	ID Sensor Unit, single-head, compatible with V600 RFID series	1,463.00	108924	4536854870866			AA	B	JPN	8473.3080.00
CJ1W-V600C12	ID Sensor Unit, double-head, compatible with V600 RFID series	2,070.00	148904	4536854870873			AA	B	JPN	8473.3080.00
CS1W-V600C11	ID Sensor Unit, single-head, compatible with V600 RFID series	1,243.00	108922	4536854870842			AA	B	JPN	8473.3080.00
CS1W-V600C12	ID Sensor Unit, double-head, compatible with V600 RFID series	2,121.00	108923	4536854870859			AA	B	JPN	8473.3080.00
V600-CH1D-PSI	V600 handheld reader/writer, for use with V600-A752SS-EG-S	1,058.00	232003	4547648299282			AA	B	JPN	8473.3080.00
V600-D23P54	V600 RFID	72.45	108931	4536854629921		10	AA	B	JPN	8473.3080.00
V600-D23P55	V600 RFID	29.24	108943	4536854707070		50	AA	B	JPN	8473.3080.00
V600-D23P66N	V600 ID tag, rectangular, 34 x 34 x 3.5mm, 254 byte capacity	26.54	108942	4536854707148		20	AA	B	JPN	8473.3080.00
V600-D23P66SP	V600 RFID	210.90	108940	4536854631160			AA	B	JPN	8473.3080.00
V600-D23P71	V600 RFID	82.35	157128	4536854707155			AA	B	JPN	8473.3080.00
V600-D23P72	V600 RFID	56.45	108933	4536854707162			AA	B	JPN	8473.3080.00
V600-D8KF04	V600 ID tag, rectangular	204.70	684616	4547648173049		4	AA	B	JPN	8473.3080.00
V600-H11	V600 R/W Head, rectangular, 53 x 40 x 23 mm, 2 m cable	427.10	108952	4536854707353			AA	B	JPN	8473.3080.00
V600-HAM42-DRT	530kHz for US, F and JPN only	1,023.00	108967	4536854707704			AA	B	JPN	8473.3080.00
V600-HAM42-DRT-2	530kHz for US, F and JPN only, vibration resistance	1,199.00	108978	4536854643262			AA	B	JPN	8473.3080.00
V600-HAM81 0.5M	V600 RFID intelligent flag controller, multi-functional (read/write), 8-bit, PNP open collector outputs, 24 VDC, 0.5m cable	783.00	108964	4536854707728			AA	B	JPN	8473.3080.00
V600-HAM91 0.5M	V600 RFID intelligent flags	662.00	152698	4536854707735			AA	B	JPN	8473.3080.00
V600-HAR81 0.5M	V600 intelligent flag controller, read-only type (8-bit data), 0.5m cable with dedicated connector	670.00	108965	4536854707742			AA	B	JPN	8473.3080.00
V600-HSS1 2M	V600 RFID read/write head, separate amplifier type, 12 dia, X 35mm deep, 2m cable	259.90	108955	4536854707797			AA	B	JPN	8473.3080.00
V600-HSE3 2M	V600 RFID read/write head, rectangular 53 x 40 x 23mm, 2m cable with connector	250.60	146058	4536854707810			AA	B	JPN	8473.3080.00
V600-HSE3 2.8M	RFID	1,737.00	108966	4536854707841			AA	B	JPN	8473.3080.00
V600-A40 10M	V600 R/W head standard extension cable, 10m	313.60	108983	4536854706509			AA	B	JPN	8473.3080.00
V600-A41 20M	V600 R/W head standard extension cable, 20m	423.20	108984	4536854706516			AA	B	JPN	8473.3080.00
V600-A42 30M	V600 R/W head standard extension cable, 30m	493.60	108985	4536854706523			AA	B	JPN	8473.3080.00
V600-A44 5M	V600 R/W head standard extension cable, 5m	274.20	108987	4536854706547			AA	B	JPN	8473.3080.00
V600-A45 3M	V600 R/W head standard extension cable, 3m	260.50	108988	4536854706554			AA	B	JPN	8473.3080.00
V600-A61 M 5M	V600 interface cable for V600-HAM91/81, V600-HAR82, 5 m	166.90	108997	4536854706677			AA	B	JPN	8473.3080.00
V600-A61 R 5M	V600 interface cable for V600-HAR91, 5 m	127.80	108996	4536854706684			AA	B	JPN	8473.3080.00
V600-A62 M 10M	V600 interface cable for V600-HAM91/81, V600-HAR82, 10 m	280.40	108999	4536854706691			AA	B	JPN	8473.3080.00
V600-A62 R 10M	V600 interface cable for V600-HAR91, 10 m	235.10	108998	4536854706707			AA	B	JPN	8473.3080.00
V600-A86	V600-D1KP66T ID Tag attachment	9.47	109000	4536854706745		10	AA	B	JPN	8473.3080.00
V600-CASD02	V600 ID Controller, double-head, RS-232C/422/485 communications	2,111.00	224996	4547648240079			AA	B	JPN	8473.3080.00
V780-HMD68-EP-EU	V780 RFID reader/writer Unit, 250 x 250 x 70 mm (W x H x D), EtherNet/IP, IP54, 24 VDC	2,652.00	687037	4549734218641			AA	B	JPN	9031.8080.00
V780-HMD68-ETN-EU	V780 RFID reader/writer Unit, 250 x 250 x 70 mm (W x H x D), Ethernet, IP54, 24 VDC	2,612.00	680457	4549734137638			AA	B	JPN	9031.8080.00
V780-HMD68-ETN-EU-S	V780 RFID reader/writer Unit, 250 x 250 x 70 mm (W x H x D), Ethernet, IP54, 24 VDC, slave unit	3,523.00	693100	4549734547369			AA	B	JPN	9031.8080.00
V780-A-JIME-Z3BLI-10	V780 RF Tag, 150 x 14 x 6 mm (W x H x D), 1 MB Memory, IP68, Box of 10 Tags	1,225.00	680458	4549734098953			AA	B	JPN	8473.3080.00
V780-A-TA-133-10	Mounting attachment for V780-A-JIME-Z3BLI-10, 180 x 50 x 30 mm (W x H x D), Box of 10 Mounting attachments	732.00	680456	4549734098960			AA	B	JPN	8473.3080.00
<b>Auto ID Product V700</b>										
V700-A40-W 10M	V680-CAxD / V680-H01 antenna extension cable, 10m	540.50	182284	4547648149860			AA	C	JPN	8473.3080.00
V700-A40-W 2M	V680-CAxD / V680-H01 antenna extension cable, 2m	244.40	182282	4547648149846			AA	C	JPN	8473.3080.00
V700-A43 10M	V680 Amplifier Unit Extension Cable, for use with V680-HA63x, 10m	251.90	246292	4536854708008			AA	C	JPN	9031.8080.00
V700-A44 20M	V680 Amplifier Unit Extension Cable, for use with V680-HA63x, 20m	340.40	246293	4536854708015			AA	C	JPN	9031.8080.00
V700-A80	Holder for V700-D13P31 coin-shaped ID tag	11.63	227180	4536854708039		10	AA	C	JPN	8473.3080.00
<b>Auto ID Product V680</b>										
V680-CASD01-V2	V680 ID controller, single-head, RS-232C/422/485 communications	1,468.00	237733	4547648409377			AA	D	JPN	9031.8080.00
V680-CASD02-V2	V680 ID controller, dual-head, RS-232C/422/485 communications	2,370.00	237736	4547648409391			AA	D	JPN	9031.8080.00
V680-CH1D	V680 Handheld Reader Writer 2.5m	1,419.00	245174	4547648488570			AA	D	JPN	9031.8080.00
V680-CH1D-PSI	V680 Handheld Reader Writer 0.8m	1,086.00	245173	4547648488563			AA	D	JPN	9031.8080.00
V680-CHUD 0.8M	V680 Handheld Reader Writer 0.8m	1,148.00	245175	4547648488594			AA	D	JPN	9031.8080.00
V680-CHUD 1.9M	V680 Handheld Reader Writer 1.9m	1,148.00	245176	4547648488587			AA	D	JPN	9031.8080.00
V680S-HMD63-EP	V680S RFID reader/writer unit, 50 x 50 x 30 mm, EtherNet/IP, IP67, 24 VDC	815.50	419015	4548583561960		#	AA	D	JPN	9031.8080.00
V680S-HMD63-ETN	V680S RFID reader/writer unit, 50 x 50 x 30 mm, Modbus TCP/IP, IP67, 24 VDC	906.50	419014	4548583561953			AA	D	JPN	9031.8080.00
V680S-HMD63-PNT	V680S RFID reader/writer unit, 50 x 50 x 30 mm, PROFINET, IP67, 24 VDC	815.50	419011	4548583561977			AA	D	JPN	9031.8080.00
V680S-HMD64-EP	V680S RFID reader/writer unit, 75 x 75 x 40 mm, EtherNet/IP, IP67, 24 VDC	1,063.00	419016	4548583561984		#	AA	D	JPN	9031.8080.00
V680S-HMD64-ETN	V680S ID reader/writer unit, Modbus TCP, IP67, longer distance, 24VDC	1,200.00	376241	4548583407695			AA	D	JPN	9031.8080.00
V680S-HMD64-PNT	V680S RFID reader/writer unit, 75x75x40 mm, PROFINET, IP67, 24 VDC	1,063.00	419012	4548583561991			AA	D	JPN	9031.8080.00
V680S-HMD66-EP	V680S RFID reader/writer unit, 120 x 120 x 40 mm, EtherNet/IP, IP67, 24 VDC	1,307.00	419017	4548583562004		#	AA	D	JPN	9031.8080.00
V680S-HMD66-ETN	V680S ID reader/writer unit, Modbus TCP, IP67, longer distance, 24VDC	1,486.00	376240	4548583407688			AA	D	JPN	9031.8080.00
V680S-HMD66-PNT	V680S RFID reader/writer unit, 120x120x40 mm, PROFINET, IP67, 24 VDC	1,307.00	419013	4548583562011			AA	D	JPN	9031.8080.00
V680-D1KPS2MT	V680 ID Tag, I-CODE SLLI, EEPROM, 1KB user memory, round, 8mm diameter x 5mm	31.11	237730	4547648393645		10	AA	D	JPN	8526.9200.90
V680-D1KPS3M	V680 ID Tag, I-CODE SLLI, EEPROM, 1KB user memory, round, 10 mm diameter x 4.5 mm	30.69	323787	4547648616966		50	AA	D	JPN	8526.9200.90
V680-D1KPS4T	V680 ID Tag, I-CODE SLLI, EEPROM, 1KB user memory, round, 2.0mm diameter x 2.7 mm	28.94	346282	4547648826693		50	AA	D	JPN	8526.9200.90
V680-D1KPS8HTN	V680 ID Tag, EEPROM, 1KB user memory, 80mm diameter x 10mm, 250°C	107.40	376211	4548583374751		10	AA	D	JPN	8473.3080.00

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Daheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
V680-D1HP66MT	V680 ID Tag, I-CODE SLI, EEPROM, 1KB user memory, square, 34 x 34 x 3.5mm, for flush mounting on metallic surfaces	32.48	237732	4547648393652	20	AA	D	JPN		8526.9200.90
V680-D1HP66T	V680 ID Tag, I-CODE SLI, EEPROM, 1KB user memory, square, 34 x 34 x 3.5mm, for flush mounting on non-metallic surfaces	26.69	237731	4547648393669		AA	D	JPN		8526.9200.90
V680-D1HP66T-SP	V680 ID Tag, I-CODE SLI, EEPROM, 1KB user memory, square, 34 x 34 x 3.5mm, for flush mounting on non-metallic surfaces	132.70	249198	4547648460231		AA	D	JPN		8526.9200.90
V680S-A63	Connector Cover for V680S-HMD63-ETN/EP Slim type	230.30	698287	4548583799198		AA	D	JPN		8473.3080.00
V680S-A63-S	Connector Cover for V680S-HMD64/66-ETN/EP Slim type	89.90	698286	4549734162975		AA	D	JPN		8473.3080.00
V680S-A64-S	Connector Cover for V680S-HMD64/66-ETN/EP Slim type	77.80	698382	4549734190756		AA	D	JPN		8473.3080.00
V680S-D2KF67	V680S FF Tag, 2 kbytes, 40x40x5 for flush mounting on nonmetallic surface	38.49	386321	4548583453951	#	20	AA	D	JPN	8473.3080.00
V680S-D2KF67M	V680S FF Tag, 2 kbytes, 40 x 40 x 5 for flush mounting on metallic surface	70.45	386322	4548583453968		20	AA	D	JPN	8473.3080.00
V680S-D2KF68	V680S FF Tag, 2 kbytes, 86x54x10 for flush mounting on nonmetallic surface	56.70	386317	4548583453999		10	AA	D	JPN	8473.3080.00
V680S-D2KF68M	V680S FF Tag, 2 kbytes, 86 x 54 x 10 for flush mounting on metallic surface	80.35	386318	4548583454002		10	AA	D	JPN	8473.3080.00
V680S-D8KF67	V680S FF Tag, 8 kbytes, 40x40x5 for flush mounting on nonmetallic surface	150.70	386315	4548583453975		20	AA	D	JPN	8473.3080.00
V680S-D8KF67M	V680S FF Tag, 8 kbytes, 40x40x5 for flush mounting on metallic surface	111.90	386316	4548583453982		10	AA	D	JPN	8473.3080.00
V680S-D8KF68	V680S FF Tag, 8 kbytes, 86x54x10 for flush mounting on nonmetallic surface	145.50	386319	4548583454019		10	AA	D	JPN	8473.3080.00
V680S-D8KF68M	V680S FF Tag, 8 kbytes, 86x54x10 for flush mounting on metallic surface	133.40	386320	4548583454026		10	AA	D	JPN	8473.3080.00
V680-H01-V02	Square antenna with integrated amplifier, 250x200x35mm, cable 0.5 meters	2,789.00	260925	4547648637008		AA	D	JPN		9031.8080.00
V680-HA63A 10M	V680 Amplifier Unit, for 1KB ID Tags, 10m cable	557.00	231866	4547648318501		AA	D	JPN		8473.3080.00
V680-HA63A 5M	V680 Amplifier unit, for 1KB ID Tags, 5m cable	515.00	231865	4547648318495		AA	D	JPN		8473.3080.00
V680-HA63B 10M	V680 Amplifier Unit, for 2KB ID Tags, 10m cable	560.50	231866	4547648318525		AA	D	JPN		8473.3080.00
V680-HA63B 5M	V680 Amplifier unit, for 2KB ID Tags, 5m cable	472.40	231865	4547648318518		AA	D	JPN		8473.3080.00
V680-HAM42-DRT	V680 DeviceNet Slave controller	842.00	246937	4547648546140		AA	D	JPN		9031.8080.00
V680-HAM42-PRT	V680 DeviceNet Slave controller	1,474.00	360621	4548583097698		AA	D	JPN		9031.8080.00
V680-HAM81	Amplifier-integrated controller (ID Flag sensor) read and write 16 bits of data, PNP output	557.00	246939	4547648550932		AA	D	JPN		9031.8080.00
V680-HSS1 2M	V680 Read/Write Antenna, cylindrical type, M12 x 35 mm, standard cable, non-waterproof connector, 2m	237.00	245177	4547648514545		AA	D	JPN		9031.8080.00
V680-HSS2-W 12.5M	V680 Read/Write Antenna, Cylinder type, standard cable with IP67 connector, 12.5m	337.70	231858	4547648318419		AA	D	JPN		8473.3080.00
V680-HSS2-W 2M	V680 Read/Write Antenna, Cylinder type, standard cable with IP67 connector, 2m	214.70	231857	4547648318402		AA	D	JPN		8473.3080.00
V680-HS63-R 12.5M	V680 Read/Write Antenna, Square type, 40x53x23mm, flexible cable with IP40 connector, 12.5m	777.00	231864	4547648318488		AA	D	JPN		8473.3080.00
V680-HS63-R 2M	V680 Read/Write Antenna, Square type, 40x53x23mm, flexible cable with IP40 connector, 2m	336.40	231863	4547648318471		AA	D	JPN		8473.3080.00
V680-HS63-W 12.5M	V680 Read/Write Antenna, Square type, 40x53x23mm, standard cable with IP67 connector, 12.5m	251.50	231862	4547648318464		AA	D	JPN		8473.3080.00
V680-HS63-W 2M	V680 Read/Write Antenna, Square type, 40x53x23mm, standard cable with IP67 connector, 2m	190.40	231861	4547648318457		AA	D	JPN		8473.3080.00
V680-HS65-R 12.5M	V680 Read/Write Antenna, Square type, 100x100x30mm, flexible cable with IP40 connector, 12.5m	779.50	239181	4547648446846		AA	D	JPN		9031.8080.00
V680-HS65-R 2M	V680 Read/Write Antenna, Square type, 100x100x30mm, flexible cable with IP40 connector, 2.5m	375.80	239180	4547648446839		AA	D	JPN		9031.8080.00
V680-HS65-W 12.5M	V680 Read/Write Antenna, Square type, 100x100x30mm, standard cable with IP67 connector, 12.5m	291.70	239183	4547648446860		AA	D	JPN		9031.8080.00
V680-HS65-W 2M	V680 Read/Write Antenna, Square type, 100x100x30mm, standard cable with IP67 connector, 2.5m	236.60	239182	4547648446853		AA	D	JPN		9031.8080.00
V680-A60 2M	V680 Interface Cable	84.20	246934	4547648550949		AA	D	JPN		9031.8080.00
V680-A60 5M	Interface cable for V680-HAM RFID controllers, 5m	208.10	246935	4547648550956		AA	D	JPN		9031.8080.00
V680-A91	Attachment Of Tag	56.05	245172	4547648460187		AA	D	JPN		9031.8080.00
V680-D1HPS2M-BT11	V680 RFID tag, mounting bolt type, M8 x 12 mm, 1 kbyte, 20 pieces per pack	1,768.00	681959	4548583093360		AA	D	JPN		9031.8080.00
V680S-A40 10M	V680S ID reader/writer extension cable, M12 - M12, length 10m	312.40	376242	4548583407701		AA	D	JPN		9031.8080.00
V680S-A41 10M	V680S ID reader/writer Ethernet and power cable, M12 - RJ45, length 10 m	312.40	376247	4548583408043		AA	D	JPN		9031.8080.00
V680S-A41 2M	V680S ID reader/writer Ethernet and power cable, M12 - RJ45, length 2 m	227.90	376245	4548583408029		AA	D	JPN		9031.8080.00
V680S-A41 5M	V680S ID reader/writer Ethernet and power cable, M12 - RJ45, length 5m	274.00	376246	4548583408036		AA	D	JPN		9031.8080.00
V680S-A50 10M	V680 Extension Cable for Modbus TCP, 10 m	378.80	693968	4548583487741		AA	D	JPN		9031.8080.00
V680S-A50 20M	V680 Extension Cable for Modbus TCP, 20 m	688.00	693966	4548583487758		AA	D	JPN		9031.8080.00
V680S-A50 2M	V680 Extension Cable for Modbus TCP, 2 m	151.50	693967	4548583487734		AA	D	JPN		9031.8080.00
V700-A42 5M	Antenna Amplifier Extension Cable for V480HA*, 5 m cable length	286.40	351399	4536854707995		AA	D	JPN		9031.8080.00
V780-HMD68-EP-RU	V780 RFID reader/writer Unit, 250 x 250 x 70 mm (W x H x D), Ethernet, IP54, 24 VDC, Russian Market	3,462.00	693102	4549734218658		AA	D	JPN		9031.8080.00
<b>Auto ID Product V400</b>										
V400-F050	2D data matrix reader, C mount lens version (lens required), RS232, 24 VDC	3,627.00	227488	4547648261982		AA	F	JPN		9031.8080.00
V400-R2CF125	Ultra small multicode reader (1D/2D barcodes), working distance 125mm	1,681.00	378759	4548583385955		AA	F	JPN		9031.8080.00
V400-R2CF65	Ultra small multicode reader (1D/2D barcodes), working distance 65mm	1,681.00	378758	4548583385948		AA	F	JPN		9031.8080.00
V509-W011 0.8M	PLC cable interface for V400-R1/V500-C2, 0.8M	200.30	109083	4536854153778		AA	F	JPN		9031.8080.00
V509-W011D	PC cable interface for V400-R1/V500-C2, 0.8M	165.60	246032	4536854555701		AA	F	JPN		9031.8080.00
V509-W016 5M	PLC cable interface for V400-R1/V500-C2, 5M	231.60	109082	4536854153730		AA	F	JPN		9031.8080.00
V509-W016D 5M	PC cable interface for V400-R1/V500-C2, 5M	269.50	246031	4536854486838		AA	F	JPN		9031.8080.00
<b>Other Auto ID Product</b>										
V500-R2CF	Ultra small laser bar code reader, high speed, working distance up to 270 mm	1,724.00	378757	4548583386006		AA	X	JPN		9031.8080.00
V520-R221FH	Bar Code Reader, Front View Shape	896.50	167815	4536854775826		AA	X	JPN		9031.8080.00
V640-HS61-R 2M	CIDRW Head, Standard Communication Model	203.10	694355	4547648490498		AA	X	JPN		8473.3080.00
V640-HS62-R	CIDRW Head, Long Range Communication Model	299.00	694149	4547648799911		AA	X	JPN		8473.3080.00
<b>Accessory for Auto ID Product</b>										
V400-W24P 3M	V400-F power and PC RS232 cable, 9pin D connector, PNP output version, 3m	366.50	227478	4547648262149		AA	Z	JPN		8544.4290.90
<b>Control System CPM</b>										
CPM2C-10C1D.R.D	CPU, 24 VDC supply, 6x 24 VDC inputs, 4x relay outputs 2 A, RTC	681.00	297700	4547648707305		BA	A	CHN		8471.6070.00

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	SLN. (Data sheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
CPM2C-10CDR-D	CPU, 24 VDC supply, 6x 24 VDC inputs, 4x relay outputs 2 A	553.00	297727	4547648707251			BA	A	CHN	8471.6070.00
CPM2C-10CDT1C-D	CPU, 24 VDC supply, 6x 24 VDC inputs, 4x transistor outputs, PNP 0.3A	486.30	297695	4547648707220			BA	A	CHN	8471.6070.00
CPM2C-20CDR-D	CPU, 24 VDC supply, 12x 24 VDC inputs, 8x relay outputs 2 A, RTC	743.00	297704	4547648707466			BA	A	CHN	8471.6070.00
CPM2C-20CDT1C-D	CPU, 24 VDC supply, 12x 24 VDC inputs, 8x transistor outputs, PNP 0.3A	735.50	297738	4547648707459			BA	A	CHN	8471.6070.00
CPM2C-20CDT1C-D	CPU, 24 VDC supply, 12x 24 VDC inputs, 8x relay outputs 2 A	478.20	297696	4547648707244			BA	A	CHN	8471.6070.00
CPM2C-20CDT1C-D	CPU, 24 VDC supply, 12x 24 VDC inputs, 8x transistor outputs, PNP 0.3A	595.50	297726	4547648707237			BA	A	CHN	8471.6070.00
CPM2C-30CDT1C-D	CPU, 24 VDC supply, 16x 24 VDC inputs, 16x transistor outputs, PNP 0.3A	665.50	297705	4547648707480			BA	A	CHN	8471.6070.00
CPM2C-30CDT1C-D	CPU, 24 VDC supply, 16x 24 VDC inputs, 16x transistor outputs, PNP 0.3A	665.50	297739	4547648707473			BA	A	CHN	8471.6070.00
CPM2C-S100C	PLC, 24 VDC supply, 6x 24 VDC inputs, 4x transistor outputs, NPN 0.3A, CompoBus/S/master, 256 I/O points max.	996.00	297751	4547648708593			BA	A	CHN	8471.6070.00
CPM2C-S110C	CPU, 24 VDC supply, 6x 24 VDC inputs, 4x transistor outputs, PNP 0.3 A, CompoBus/S/master, 256 I/O points max.	911.00	297723	4547648708609			BA	A	CHN	8471.6070.00
CPM2C-10EDR	Expansion unit, 6x 24 VDC inputs, 4x relay outputs 2 A	270.10	297730	4547648707336			BA	A	CHN	8471.6070.00
CPM2C-16EDC	Expansion unit, 16x 24 VDC inputs, FCN connector (not included)	195.10	297732	4547648707367			BA	A	CHN	8471.6070.00
CPM2C-16ET1C	Expansion unit, 16x transistor outputs PNP 0.3 A, FCN connector (not included)	235.40	297736	4547648707411			BA	A	CHN	8471.6070.00
CPM2C-20EDR	Expansion unit, 12x 24 VDC inputs, 8x relay outputs 2 A	370.80	297741	4547648707510			BA	A	CHN	8471.6070.00
CPM2C-24EDT1C	Expansion unit, 16x 24 VDC inputs, 8x transistor outputs PNP 0.3 A, FCN connectors (not included)	299.60	297701	4547648707329			BA	A	CHN	8471.6070.00
CPM2C-24EDT1C	Expansion unit, 16x 24 VDC inputs, 8x transistor outputs NPN 0.3 A, FCN connectors (not included)	299.60	297729	4547648707312			BA	A	CHN	8471.6070.00
CPM2C-32EDT1C	Expansion unit, 16x 24 VDC inputs, 16x transistor outputs PNP 0.3 A, FCN connectors (not included)	486.30	297707	4547648707534			BA	A	CHN	8471.6070.00
CPM2C-32EDT1M	Expansion unit, 16x 24 VDC inputs, 16x transistor outputs PNP 0.3 A, MIL connectors (not included)	486.30	297708	4547648707558			BA	A	CHN	8471.6070.00
CPM2C-8ETC	Expansion unit, 8x relay outputs	340.30	297733	4547648707374			BA	A	CHN	8471.6070.00
CPM2C-8ETC	Expansion unit, 8x transistor outputs NPN 0.3 A, FCN connector (not included)	252.10	297734	4547648707381			BA	A	CHN	8471.6070.00
CPM2C-CF01-V1	RS-232C adaptor unit, converts peripheral port to RS-232C and peripheral port, DIN rail mounting, 0.2m cable	193.40	297749	4547648707749			BA	A	CHN	8471.6070.00
CPM2C-CF11	RS422 adaptor unit, converts peripheral port to RS422 and RS-232C port, DIN rail mounting, 0.2m cable	320.10	297703	4547648707428			BA	A	CHN	8471.6070.00
CPM2C-MAD11	Analog I/O unit, 2x 0-20 mA, 4-20 mA, 0-5 V, 1-5 V, 0-10 V, -10-10 V inputs, 1x 0-20 mA, 4-20 mA, 1-5 V, 0-10 V, -10-10 V outputs	899.00	297737	4547648707435			BA	A	CHN	8471.6070.00
CPM2C-PA201	Power supply unit, 100/240 VAC input, 24 VDC/600 mA output	146.70	135898	4536854541353			BA	JPN	8504.4030.00	
CPM2C-SRT21	CompoBus/S I/O data link unit	279.60	297722	4547648708586			BA	A	CHN	8471.6070.00
CPM2C-TS001	Temperature sensor unit, 2 x thermocouple inputs type J, K	541.00	297750	4547648709125			BA	A	CHN	8471.6070.00
CPM2C-TS101	Temperature sensor unit, 2x Pt100 inputs	541.00	297721	4547648709118			BA	A	CHN	8471.6070.00

**Control System CPM1/H**

CP1H-X40DR-A	PLC, 100-240 VAC supply, 24 x 24 VDC inputs, 16 x relay outputs 2 A, 1 x analog input, 20K steps program + 32K words data memory	910.00	209400	4547648203579	#		BA	B	CHN	8471.4100.00
CP1H-X40DT1-D	PLC, 24 VDC supply, 24 x 24 VDC inputs, 16 x PNP outputs 0.3 A, 1 x analog input, 20K steps program + 32K words data memory	910.00	209402	4547648203593	#		BA	B	CHN	8471.4100.00
CP1H-X40DT-D	PLC, 24 VDC supply, 24 x 24 VDC inputs, 16 x NPN outputs 0.3 A, 1 x analog input, 20K steps program + 32K words data memory	910.00	209401	4547648203586	#		BA	B	CHN	8471.4100.00
CP1H-XA40DR-A	PLC, 100-240 VAC supply, 24 x 24 VDC inputs, 16 x relay outputs 2 A, 4 x analog inputs, 2 x analog outputs, 20K steps program + 32K words data memory	1,399.00	209397	4547648203548	#		BA	B	CHN	8471.4100.00
CP1H-XA40DT1-D	PLC, 24 VDC supply, 24 x 24 VDC inputs, 16 x PNP outputs 0.3 A, 4 x analog inputs, 2 x analog outputs, 20K steps program + 32K words data memory	1,399.00	209399	4547648203562	#		BA	B	CHN	8471.4100.00
CP1H-XA40DT-D	PLC, 24 VDC supply, 24 x 24 VDC inputs, 16 x NPN outputs 0.3 A, 4 x analog inputs, 2 x analog outputs, 20K steps program + 32K words data memory	1,399.00	209398	4547648203555	#		BA	B	CHN	8471.4100.00
CP1H-Y20DT-D	PLC, 24 VDC supply, 12 x 24 VDC inputs, 8 x NPN outputs 0.3 A, 2 x line driver in, 1 x analog input, 2 x line driver NPN out, 2 x analog outputs, 20K steps program + 32K words data memory	1,399.00	227443	4547648265065	#		BA	B	CHN	8471.4100.00
CP1L-E20DR-D	PLC, 24 VDC supply, 12 x 24 VDC inputs, 8 x relay outputs 2 A, 2 x analog inputs, 5K steps program + 10K words data memory, 1 x Ethernet port	365.60	667993	4548583751880	#		BA	NLD	8471.4100.00	
CP1L-E20DT1-D	PLC, 24 VDC supply, 12 x 24 VDC inputs, 8 x PNP outputs 0.3 A, 2 x analog inputs, 5K steps program + 10K words data memory, 1 x Ethernet port	365.60	667994	4548583751897	#		BA	NLD	8471.4100.00	
CP1L-E20DT-D	PLC, 24 VDC supply, 12 x 24 VDC inputs, 8 x NPN outputs 0.3 A, 2 x analog inputs, 5K steps program + 10K words data memory, 1 x Ethernet port	365.60	667986	4548583751903	#		BA	NLD	8471.4100.00	
CP1L-EM30DR-D	PLC, 24 VDC supply, 18 x 24 VDC inputs, 12 x relay outputs 2 A, 2 x analog inputs, 10K steps program + 32K words data memory, 1 x Ethernet port	473.30	667992	4548583751910	#		BA	NLD	8471.4100.00	
CP1L-EM30DT1-D	PLC, 24 VDC supply, 18 x 24 VDC inputs, 12 x PNP outputs 0.3 A, 2 x analog inputs, 10K steps program + 32K words data memory, 1 x Ethernet port	473.30	667990	4548583751927	#		BA	NLD	8471.4100.00	
CP1L-EM30DT-D	PLC, 24 VDC supply, 18 x 24 VDC inputs, 12 x NPN outputs 0.3 A, 2 x analog inputs, 10K steps program + 32K words data memory, 1 x Ethernet port	473.30	667988	4548583751934	#		BA	NLD	8471.4100.00	
CP1L-EM40DR-D	PLC, 24 VDC supply, 18 x 24 VDC inputs, 16 x relay outputs 2 A, 2 x analog inputs, 10K steps program + 32K words data memory, 1 x Ethernet port	589.50	667987	4548583751941	#		BA	NLD	8471.4100.00	
CP1L-EM40DT1-D	PLC, 24 VDC supply, 24 x 24 VDC inputs, 16 x PNP outputs 0.3 A, 2 x analog inputs, 10K steps program + 32K words data memory, 1 x Ethernet port	589.50	667991	4548583751958	#		BA	NLD	8471.4100.00	
CP1L-EM40DT-D	PLC, 24 VDC supply, 24 x 24 VDC inputs, 16 x NPN outputs 0.3 A, 2 x analog inputs, 10K steps program + 32K words data memory, 1 x Ethernet port	589.50	667989	4548583751965	#		BA	NLD	8471.4100.00	
CP1L-J14DR-A	PLC, 100-240 VAC supply, 8 x 24 VDC inputs, 6 x relay outputs 2 A, 1K steps program + 10K words data memory	315.50	668664	4548583764675	#		BA	NLD	8471.4100.00	
CP1L-J14DT1-D	PLC, 24 VDC supply, 8 x 24 VDC inputs, 6 x PNP outputs 0.3 A, 1K steps program + 10K words data memory	325.40	668677	4548583764699	#		BA	NLD	8471.4100.00	
CP1L-E20DR-A	PLC, 100-240 VAC supply, 12 x 24 VDC inputs, 8 x relay outputs 2 A, 1K steps program + 10K words data memory	379.80	668667	4548583764705	#		BA	NLD	8471.4100.00	
CP1L-E20DT1-D	PLC, 24 VDC supply, 12 x 24 VDC inputs, 8 x PNP outputs 0.3 A, 1K steps program + 10K words data memory	402.00	668693	4548583764729	#		BA	NLD	8471.4100.00	
CP1L-E10DR-A	PLC, 100-240 VAC supply, 6 x 24 VDC inputs, 4 x relay outputs 2 A, 5K steps program + 10K words data memory	290.50	668681	4548583764736	#		BA	NLD	8471.4100.00	
CP1L-E10DT1-D	PLC, 24 VDC supply, 6 x 24 VDC inputs, 4 x PNP outputs 0.3 A, 5K steps program + 10K words data memory	281.10	668679	4548583764743	#		BA	NLD	8471.4100.00	
CP1L-E10DT-D	PLC, 24 VDC supply, 6 x 24 VDC inputs, 4 x NPN outputs 0.3 A, 5K steps program + 10K words data memory	275.90	668671	4548583764750	#		BA	NLD	8471.4100.00	
CP1L-E10DT-A	PLC, 100-240 VAC supply, 6 x 24 VDC inputs, 4 x PNP outputs 0.3 A, 5K steps program + 10K words data memory	329.20	668682	4548583764767	#		BA	NLD	8471.4100.00	
CP1L-E10DT-D	PLC, 24 VDC supply, 6 x 24 VDC inputs, 4 x NPN outputs 0.3 A, 5K steps program + 10K words data memory	275.10	668680	4548583764774	#		BA	NLD	8471.4100.00	
CP1L-E14DR-A	PLC, 100-240 VAC supply, 8 x 24 VDC inputs, 6 x relay outputs 2 A, 5K steps program + 10K words data memory	369.10	668670	4548583764781	#		BA	NLD	8471.4100.00	
CP1L-E14DR-D	PLC, 24 VDC supply, 8 x 24 VDC inputs, 6 x relay outputs 2 A, 5K steps program + 10K words data memory	324.90	668663	4548583764798	#		BA	NLD	8471.4100.00	
CP1L-E14DT1-D	PLC, 24 VDC supply, 8 x 24 VDC inputs, 6 x PNP outputs 0.3 A, 5K steps program + 10K words data memory	328.00	668660	4548583764804	#		BA	NLD	8471.4100.00	
CP1L-E14DT-D	PLC, 100-240 VAC supply, 8 x 24 VDC inputs, 6 x NPN outputs 0.3 A, 5K steps program + 10K words data memory	328.90	668684	4548583764811	#		BA	NLD	8471.4100.00	
CP1L-E14DT-A	PLC, 24 VDC supply, 8 x 24 VDC inputs, 6 x NPN outputs 0.3 A, 5K steps program + 10K words data memory	327.20	668666	4548583764828	#		BA	NLD	8471.4100.00	
CP1L-L20DR-A	PLC, 100-240 VAC supply, 12 x 24 VDC inputs, 8 x relay outputs 2 A, 5K steps program + 10K words data memory	426.50	668673	4548583764835	#		BA	NLD	8471.4100.00	
CP1L-L20DR-D	PLC, 24 VDC supply, 12 x 24 VDC inputs, 8 x relay outputs 2 A, 5K steps program + 10K words data memory	426.50	668692	4548583764842	#		BA	NLD	8471.4100.00	
CP1L-L20DT1-D	PLC, 24 VDC supply, 12 x 24 VDC inputs, 8 x PNP outputs 0.3 A, 5K steps program + 10K words data memory	426.50	668690	4548583764859	#		BA	NLD	8471.4100.00	
CP1L-L20DT-A	PLC, 100-240 VAC supply, 12 x 24 VDC inputs, 8 x NPN outputs 0.3 A, 5K steps program + 10K words data memory	426.50	668675	4548583764866	#		BA	NLD	8471.4100.00	
CP1L-L20DT-D	PLC, 24 VDC supply, 12 x 24 VDC inputs, 8 x NPN outputs 0.3 A, 5K steps program + 10K words data memory	426.50	668694	4548583764873	#		BA	NLD	8471.4100.00	
CP1L-M30DR-A	PLC, 100-240 VAC supply, 18 x 24 VDC inputs, 12 x relay outputs 2 A, 10K steps program + 32K words data memory	535.00	668695	4548583764880	#		BA	NLD	8471.4100.00	
CP1L-M30DR-D	PLC, 24 VDC supply, 18 x 24 VDC inputs, 12 x relay outputs 2 A, 10K steps program + 32K words data memory	535.00	668668	4548583764897	#		BA	NLD	8471.4100.00	
CP1L-M30DT1-D	PLC, 24 VDC supply, 18 x 24 VDC inputs, 12 x PNP outputs 0.3 A, 10K steps program + 32K words data memory	535.00	668688	4548583764903	#		BA	NLD	8471.4100.00	
CP1L-M30DT-A	PLC, 100-240 VAC supply, 18 x 24 VDC inputs, 12 x NPN outputs 0.3 A, 10K steps program + 32K words data memory	535.00	668683	4548583764910	#		BA	NLD	8471.4100.00	
CP1L-M30DT-D	PLC, 24 VDC supply, 18 x 24 VDC inputs, 12 x NPN outputs 0.3 A, 10K steps program + 32K words data memory	535.00	668682	4548583764927	#		BA	NLD	8471.4100.00	
CP1L-M40DR-A	PLC, 100-240 VAC supply, 24 x 24 VDC inputs, 16 x relay outputs 2 A, 10K steps program + 32K words data memory	619.50	668686	4548583764934	#		BA	NLD	8471.4100.00	
CP1L-M40DR-D	PLC, 24 VDC supply, 24 x 24 VDC inputs, 16 x relay outputs 2 A, 10K steps program + 32K words data memory	619.50	668689	4548583764941	#		BA	NLD	8471.4100.00	
CP1L-M40DT1-D	PLC, 24 VDC supply, 24 x 24 VDC inputs, 16 x PNP outputs 0.3 A, 10K steps program + 32K words data memory	619.50	668678	4548583764958	#		BA	NLD	8471.4100.00	
CP1L-M40DT-A	PLC, 100-240 VAC supply, 24 x 24 VDC inputs, 16 x PNP outputs 0.3 A, 10K steps program + 32K words data memory	619.50	668685	4548583764965	#		BA	NLD	8471.4100.00	
CP1L-M40DT-D	PLC, 24 VDC supply, 24 x 24 VDC inputs, 16 x NPN outputs 0.3 A, 10K steps program + 32K words data memory	619.50	668674	4548583764972	#		BA	NLD	8471.4100.00	

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Data sheet)	GTIN	Stock Qty.	Lot Qty.	Gr.	Fam	COO	Tariff Code
CP1L-M60DR-A	PLC, 100-240 VAC supply, 36 x 24 VDC inputs, 24 x relay outputs 2 A, 10K steps program + 32K words data memory	791.50	668661	4548583764989			BA	B	NLD	8471.4100.00
CP1L-M60DR-D	PLC, 24 VDC supply, 36 x 24 VDC inputs, 24 x relay outputs 2 A, 10K steps program + 32K words data memory	791.50	668676	4548583764996	#		BA	B	NLD	8471.4100.00
CP1L-M60DT1-D	PLC, 24 VDC supply, 36 x 24 VDC inputs, 24 x PNP outputs 0.3 A, 10K steps program + 32K words data memory	791.50	668665	4548583765009			BA	B	NLD	8471.4100.00
CP1L-M60DT1-A	PLC, 100-240 VAC, 36x 24 VDC inputs, 24 x NPN outputs 0.3 A, 10 K steps program + 32K words data memory	791.50	668669	4548583765016			BA	B	NLD	8471.4100.00
CP1L-M60DT-D	PLC, 24 VDC supply, 36 x 24 VDC inputs, 24 x NPN outputs 0.3 A, 10K steps program + 32K words data memory	791.50	668672	4548583765023			BA	B	NLD	8471.4100.00
TB-MA-24P-A8	OUTPUT TERMINAL for CP1L-M40DT -D, CP1L-EM40DR-D and CP1L-EM40DT -D	29.61	365595	4547648936569			BA	B	CHN	8536.9010.00
TB-MA-29P-A6	INPUT TERMINAL for CP1L-M40DR-D	34.96	365594	4547648936552			BA	B	CHN	8536.9010.00
<b>Control System CPE1E</b>										
CPE1E10DR-A	PLC, 100-240 VAC supply, 6 x 24 VDC inputs, 4 x relay outputs 2 A, 2K steps program + 2K words data memory	177.80	333280	4547648800792			BA	C	CHN	8471.6070.00
CPE1E10DR-D	PLC, 24 VDC supply, 6 x 24 VDC inputs, 4 x relay outputs 2 A, 2K steps program + 2K words data memory	177.80	333283	4547648800822			BA	C	CHN	8471.6070.00
CPE1E10DT1-A	PLC, 100-240 VAC supply, 6 x 24 VDC inputs, 4 x PNP outputs 0.3 A, 2K steps program + 2K words data memory	177.80	333282	4547648800815			BA	C	CHN	8471.6070.00
CPE1E10DT1-D	PLC, 24 VDC supply, 6 x 24 VDC inputs, 4 x PNP outputs 0.3 A, 2K steps program + 2K words data memory	177.80	333285	4547648800846			BA	C	CHN	8471.6070.00
CPE1E10DT-A	PLC, 100-240 VAC supply, 6 x 24 VDC inputs, 4 x NPN outputs 0.3 A, 2K steps program + 2K words data memory	177.80	333281	4547648800808			BA	C	CHN	8471.6070.00
CPE1E10DT-D	PLC, 24 VDC supply, 6 x 24 VDC inputs, 4 x NPN outputs 0.3 A, 2K steps program + 2K words data memory	177.80	333284	4547648800839			BA	C	CHN	8471.6070.00
CPE1E14DR-A	PLC, 100-240 VAC supply, 8 x 24 VDC inputs, 6 x relay outputs 2 A, 2K steps program + 2K words data memory	226.80	333286	4547648800853			BA	C	CHN	8471.6070.00
CPE1E14DR-D	PLC, 100-240 VAC supply, 8 x 24 VDC inputs, 6 x relay outputs 2 A, 2K steps program + 2K words data memory, no expandability	127.80	377329	4548583371187	#		BA	C	CHN	8471.6070.00
CPE1E20DR-A	PLC, 100-240 VAC supply, 12 x 24 VDC inputs, 8 x relay outputs 2 A, 2K steps program + 2K words data memory	276.50	279802	4547648639286			BA	C	CHN	8471.6070.00
CPE1E20SDR-A	PLC, 100-240 VAC supply, 12 x 24 VDC inputs, 8 x relay outputs 2 A, 2K steps program + 2K words data memory, no expandability	157.70	377342	4548583371194	#		BA	C	CHN	8471.6070.00
CPE1E30DR-A	PLC, 100-240 VAC supply, 12 x 24 VDC inputs, 12 x relay outputs 2 A, 2K steps program + 2K words data memory	376.40	279803	4547648639293			BA	C	CHN	8471.6070.00
CPE1E30SDR-A	PLC, 100-240 VAC supply, 18 x 24 VDC inputs, 12 x relay outputs 2 A, 2K steps program + 2K words data memory	199.20	377330	4548583371200			BA	C	CHN	8471.6070.00
CPE1E40DR-A	PLC, 100-240 VAC supply, 24 x 24 VDC inputs, 16 x relay outputs 2 A, 2K steps program + 2K words data memory	456.50	279804	4547648639309			BA	C	CHN	8471.6070.00
CPE1E40SDR-A	PLC, 100-240 VAC supply, 24 x 24 VDC inputs, 16 x relay outputs 2 A, 2K steps program + 2K words data memory	263.40	377331	4548583371217			BA	C	CHN	8471.6070.00
CPE1E60SDR-A	PLC, 100-240 VAC supply, 36 x 24 VDC inputs, 24 x relay outputs 2 A, 2K steps program + 2K words data memory	332.50	377332	4548583371224			BA	C	CHN	8471.6070.00
<b>Control System CPE1N</b>										
CPE1N14DR-A	PLC, 100-240 VAC supply, 8 x 24 VDC inputs, 6 x relay outputs 2 A, 8K steps program + 8K words data memory, RS-232C port	271.60	333287	4547648800860			BA	D	CHN	8471.6070.00
CPE1N14DR-D	PLC, 24 VDC supply, 8 x 24 VDC inputs, 6 x relay outputs 2 A, 8K steps program + 8K words data memory, RS-232C port	259.80	333290	4547648800891			BA	D	CHN	8471.6070.00
CPE1N14DT1-A	PLC, 100-240 VAC supply, 8 x 24 VDC inputs, 6 x PNP outputs 0.3 A, 8K steps program + 8K words data memory, RS-232C port	259.80	333289	4547648800884			BA	D	CHN	8471.6070.00
CPE1N14DT1-D	PLC, 24 VDC supply, 8 x 24 VDC inputs, 6 x PNP outputs 0.3 A, 8K steps program + 8K words data memory, RS-232C port	271.60	333292	4547648800914			BA	D	CHN	8471.6070.00
CPE1N14DT-A	PLC, 100-240 VAC supply, 8 x 24 VDC inputs, 6 x NPN outputs 0.3 A, 8K steps program + 8K words data memory, RS-232C port	259.70	333288	4547648800877			BA	D	CHN	8471.6070.00
CPE1N14DT-D	PLC, 24 VDC supply, 8 x 24 VDC inputs, 6 x NPN outputs 0.3 A, 8K steps program + 8K words data memory, RS-232C port	271.60	333291	4547648800907			BA	D	CHN	8471.6070.00
CPE1N20DR-A	PLC, 100-240 VAC supply, 12 x 24 VDC inputs, 8 x relay outputs 2 A, 8K steps program + 8K words data memory, RS-232C port	358.90	279799	4547648639194			BA	D	CHN	8471.6070.00
CPE1N20DR-D	PLC, 24 VDC supply, 12 x 24 VDC inputs, 8 x relay outputs 2 A, 8K steps program + 8K words data memory, RS-232C port	358.90	298943	4547648730716			BA	D	CHN	8471.6070.00
CPE1N20DT1-A	PLC, 100-240 VAC supply, 12 x 24 VDC inputs, 8 x PNP outputs 0.3 A, 8K steps program + 8K words data memory, RS-232C port	358.90	298934	4547648639217			BA	D	CHN	8471.6070.00
CPE1N20DT1-D	PLC, 24 VDC supply, 12 x 24 VDC inputs, 8 x PNP outputs 0.3 A, 8K steps program + 8K words data memory, RS-232C port	358.90	298937	4547648730730	#		BA	D	CHN	8471.6070.00
CPE1N20DT-A	PLC, 100-240 VAC supply, 12 x 24 VDC inputs, 8 x NPN outputs 0.3 A, 8K steps program + 8K words data memory, RS-232C port	358.90	298940	4547648639200			BA	D	CHN	8471.6070.00
CPE1N20DT-D	PLC, 24 VDC supply, 12 x 24 VDC inputs, 8 x NPN outputs 0.3 A, 8K steps program + 8K words data memory, RS-232C port	358.90	298944	4547648730723			BA	D	CHN	8471.6070.00
CPE1N30DR-A	PLC, 100-240 VAC supply, 18 x 24 VDC inputs, 12 x relay outputs 2 A, 8K steps program + 8K words data memory, RS-232C port	452.80	279800	4547648639224			BA	D	CHN	8471.6070.00
CPE1N30DR-D	PLC, 24 VDC supply, 18 x 24 VDC inputs, 12 x relay outputs 2 A, 8K steps program + 8K words data memory, RS-232C port	452.80	298945	4547648730747	#		BA	D	CHN	8471.6070.00
CPE1N30DT1-A	PLC, 100-240 VAC supply, 18 x 24 VDC inputs, 12 x PNP outputs 0.3 A, 8K steps program + 8K words data memory, RS-232C port	452.80	298935	4547648639248			BA	D	CHN	8471.6070.00
CPE1N30DT1-D	PLC, 24 VDC supply, 18 x 24 VDC inputs, 12 x PNP outputs 0.3 A, 8K steps program + 8K words data memory, RS-232C port	452.80	298938	4547648730761	#		BA	D	CHN	8471.6070.00
CPE1N30DT-A	PLC, 100-240 VAC supply, 18 x 24 VDC inputs, 12 x NPN outputs 0.3 A, 8K steps program + 8K words data memory, RS-232C port	452.80	298941	4547648639261			BA	D	CHN	8471.6070.00
CPE1N30DT-D	PLC, 24 VDC supply, 18 x 24 VDC inputs, 12 x NPN outputs 0.3 A, 8K steps program + 8K words data memory, RS-232C port	452.80	298946	4547648730754			BA	D	CHN	8471.6070.00
CPE1N30SDR-A	PLC, 100-240 VAC supply, 18 x 24 VDC inputs, 12 x relay outputs 2 A, 8K steps program + 8K words data memory, RS-232C and RS-485 (half-duplex) port	252.40	377333	4548583371330	#		BA	D	CHN	8471.6070.00
CPE1N30SDT1-D	PLC, 24 VDC supply, 18 x 24 VDC inputs, 12 x PNP outputs 0.3 A, 8K steps program + 8K words data memory, RS-232C and RS-485 (half-duplex) port	232.40	377335	4548583371354	#		BA	D	CHN	8471.6070.00
CPE1N30SDT1-A	PLC, 24 VDC supply, 18 x 24 VDC inputs, 12 x NPN outputs 0.3 A, 8K steps program + 8K words data memory, RS-232C and RS-485 (half-duplex) port	232.40	377334	4548583371347	#		BA	D	CHN	8471.6070.00
CPE1N40DR-A	PLC, 100-240 VAC supply, 24 x 24 VDC inputs, 16 x relay outputs 2 A, 8K steps program + 8K words data memory, RS-232C port	530.00	279801	4547648639255			BA	D	CHN	8471.6070.00
CPE1N40DR-D	PLC, 24 VDC supply, 24 x 24 VDC inputs, 16 x relay outputs 2 A, 8K steps program + 8K words data memory, RS-232C port	530.00	298947	4547648730778			BA	D	CHN	8471.6070.00
CPE1N40DT1-A	PLC, 100-240 VAC supply, 24 x 24 VDC inputs, 16 x PNP outputs 0.3 A, 8K steps program + 8K words data memory, RS-232C port	530.00	298936	4547648639279			BA	D	CHN	8471.6070.00
CPE1N40DT1-D	PLC, 24 VDC supply, 24 x 24 VDC inputs, 16 x PNP outputs 0.3 A, 8K steps program + 8K words data memory, RS-232C port	530.00	298939	4547648730792	#		BA	D	CHN	8471.6070.00
CPE1N40DT-A	PLC, 100-240 VAC supply, 24 x 24 VDC inputs, 16 x NPN outputs 0.3 A, 8K steps program + 8K words data memory, RS-232C port	530.00	298942	4547648639262			BA	D	CHN	8471.6070.00
CPE1N40DT-D	PLC, 24 VDC supply, 24 x 24 VDC inputs, 16 x NPN outputs 0.3 A, 8K steps program + 8K words data memory, RS-232C port	530.00	298948	4547648730785			BA	D	CHN	8471.6070.00
CPE1N40SDR-A	PLC, 100-240 VAC supply, 24 x 24 VDC inputs, 16 x relay outputs 2 A, 8K steps program + 8K words data memory, RS-232C and RS-485 (half-duplex) port	269.40	377343	4548583371361	#		BA	D	CHN	8471.6070.00
CPE1N40SDT1-D	PLC, 24 VDC supply, 24 x 24 VDC inputs, 16 x PNP outputs 0.3 A, 8K steps program + 8K words data memory, RS-232C and RS-485 (half-duplex) port	269.10	377337	4548583371385	#		BA	D	CHN	8471.6070.00
CPE1N40SDT1-A	PLC, 24 VDC supply, 24 x 24 VDC inputs, 16 x NPN outputs 0.3 A, 8K steps program + 8K words data memory, RS-232C and RS-485 (half-duplex) port	269.10	377336	4548583371378			BA	D	CHN	8471.6070.00
CPE1N60DR-A	PLC, 100-240 VAC supply, 36 x 24 VDC inputs, 24 x relay outputs 2 A, 8K steps program + 8K words data memory, RS-232C port	721.00	333293	4547648800921			BA	D	CHN	8471.6070.00
CPE1N60DR-D	PLC, 24 VDC supply, 36 x 24 VDC inputs, 24 x relay outputs 2 A, 8K steps program + 8K words data memory, RS-232C port	721.00	333296	4547648800952			BA	D	CHN	8471.6070.00
CPE1N60DT1-A	PLC, 100-240 VAC, 36 x 24 VDC inputs, 24 x PNP outputs 0.3 A, 8K steps program + 8K words data memory, RS-232C port	721.00	333295	4547648800945			BA	D	CHN	8471.6070.00
CPE1N60DT1-D	PLC, 24 VDC supply, 36 x 24 VDC inputs, 24 x PNP outputs 0.3 A, 8K steps program + 8K words data memory, RS-232C port	721.00	333298	4547648800976			BA	D	CHN	8471.6070.00
CPE1N60DT-A	PLC, 100-240 VAC supply, 36 x 24 VDC inputs, 24 x NPN outputs 0.3 A, 8K steps program + 8K words data memory, RS-232C port	721.00	333294	4547648800938			BA	D	CHN	8471.6070.00
CPE1N60DT-D	PLC, 24 VDC supply, 36 x 24 VDC inputs, 24 x NPN outputs 0.3 A, 8K steps program + 8K words data memory, RS-232C port	721.00	333297	4547648800969			BA	D	CHN	8471.6070.00
CPE1N60SDR-A	PLC, 100-240 VAC supply, 36 x 24 VDC inputs, 24 x relay outputs 2 A, 8K steps program + 8K words data memory, RS-232C and RS-485 (half-duplex) port	355.30	377338	4548583371392	#		BA	D	CHN	8471.6070.00
CPE1N60SDT1-D	PLC, 24 VDC supply, 36 x 24 VDC inputs, 24 x PNP outputs 0.3 A, 8K steps program + 8K words data memory, RS-232C and RS-485 (half-duplex) port	355.30	377340	4548583371415	#		BA	D	CHN	8471.6070.00
CPE1N60SDT1-A	PLC, 24 VDC supply, 36 x 24 VDC inputs, 24 x NPN outputs 0.3 A, 8K steps program + 8K words data memory, RS-232C and RS-485 (half-duplex) port	355.30	377339	4548583371408			BA	D	CHN	8471.6070.00
CPE1NA20DR-A	PLC, 100-240 VAC supply, 12 x 24 VDC inputs, 8 x relay outputs 2 A, 2 x analog inputs, 1 x analog output, resolution 1/6000, 8K steps program + 8K words data memory, RS-232C port	627.00	328738	4547648800761			BA	D	CHN	8471.6070.00
CPE1NA20DT1-D	PLC, 24 VDC supply, 12 x 24 VDC inputs, 8 x PNP outputs 0.3 A, 2 x analog inputs, 1 x analog output, resolution 1/6000, 8K steps program + 8K words data memory, RS-232C port	627.00	328740	4547648800785	#		BA	D	CHN	8471.6070.00
CPE1NA20DT1-A	PLC, 24 VDC supply, 12 x 24 VDC inputs, 8 x NPN outputs 0.3 A, 2 x analog inputs, 1 x analog output, resolution 1/6000, 8K steps program + 8K words data memory, RS-232C port	627.00	328739	4547648800778			BA	D	CHN	8471.6070.00
<b>Control System C200H-A11A</b>										
C200HW-PA20A	Power supply unit, 100-120/200-240 VAC	352.00	159548	4536854303531			BA	E	JPN	8504.4030.00
C200HW-PA204C	Power supply unit, 100-120/200-240 VAC, with maintenance forecast monitor	453.70	183325	4547648156929			BA	E	JPN	8504.4030.00
C200HW-PA204R	Power supply unit, 100-120/200-240 VAC, RUN output	403.40	159579	4536854304125			BA	E	JPN	8504.4030.00

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Data sheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
C200HW-PA204S	Power supply unit, 100-120/200-240 VAC, including 0.8 A 24 VDC service supply	415.00	159549	4536854303548			BA	E	JPN	8504.4030.00
C200HW-PA209R	Power supply unit, 100-120/200-240 VAC high power, RUN output	672.50	159591	4536854445095			BA	E	JPN	8504.4030.00
C200HW-PD024	Power supply unit, 24 VDC	504.50	159550	4536854303555			BA	E	JPN	8504.4030.00
C200HW-PD025	Power supply unit, 24 VDC	792.00	197966	4547648198905			BA	E	JPN	8504.4030.00
<b>Control System CSI</b>										
CS1D-CPU42S	Duplex CPU, 10K steps program / 64K words data memory	1,768.00	168304	4547648023504			BA	F	JPN	8471.4100.00
CS1D-CPU44S	Duplex CPU, 30K steps program / 64K words data memory	2,538.00	168305	4547648023511			BA	F	JPN	8471.4100.00
CS1D-CPU44SA	Duplex CPU, 30K steps program / 64K words data memory, FB and ST programming language.	2,666.00	686275	4549734222365			BA	F	JPN	8471.5000.00
CS1D-CPU65H	CPU for duplex system, 60K steps program, 128K words data memory, 7 duplex expansion racks max, hot standby CPUs, hot swap I/O	5,725.00	155442	4536854886287			BA	F	JPN	8471.4100.00
CS1D-CPU65P	CSI D-CPU65H plus CSI D-LCB05D Loop Control Board	11,420.00	105727	4536854953156			BA	F	JPN	8471.4100.00
CS1D-CPU65S	Duplex CPU, 60K steps program / 128K words data memory	4,539.00	168306	4547648023528			BA	F	JPN	8471.4100.00
CS1D-CPU67H	CPU for duplex system, 250K steps program, 448K words data memory, 7 duplex expansion racks max, hot standby CPUs, hot swap I/O	10,700.00	135745	4536854886294			BA	F	JPN	8471.4100.00
CS1D-CPU67HA	CPU for duplex system, 250K steps program, 448K words data memory, 7 duplex expansion racks max, hot standby CPUs, hot swap I/O, Support FB and ST programming language	12,170.00	686277	4549734222341			BA	F	JPN	8471.5000.00
CS1D-CPU67P	Duplex CPU, 250K steps program / 448K words data memory	15,900.00	135746	4536854953163			BA	F	JPN	8471.4100.00
CS1D-CPU67S	Duplex CPU, 250K steps program / 448K words data memory	9,045.00	168307	4547648023535			BA	F	JPN	8471.4100.00
CS1D-CPU67SA	Duplex CPU, 250K steps program / 448K words data memory, FB and ST programming language.	9,535.00	686276	4549734222358			BA	F	JPN	8471.5000.00
CS1D-CPU68HA	CPU for duplex system, 400K steps program, 800K words data memory, 7 duplex expansion racks max, hot standby CPUs, hot swap I/O	13,340.00	686278	4549734222334			BA	F	JPN	8471.5000.00
CS1H-CPU63H	CPU, 20K steps program, 32K words data memory, 7 expansion racks max.	2,317.00	135643	4536854781650			BA	F	JPN	8471.4100.00
CS1H-CPU64H	CPU, 30K steps program, 64K words data memory, 7 expansion racks max.	2,962.00	153563	4536854781667			BA	F	JPN	8471.4100.00
CS1H-CPU65H	CPU, 60K steps program, 128K words data memory, 7 expansion racks max.	3,627.00	135644	4536854781698			BA	F	JPN	8471.4100.00
CS1H-CPU66H	CPU, 120K steps program, 256K words data memory, 7 expansion racks max.	5,040.00	144821	4536854781711			BA	F	JPN	8471.4100.00
CS1H-CPU67H	CPU, 250K steps program, 448K words data memory, 7 expansion racks max.	7,605.00	135645	4536854781704			BA	F	JPN	8471.4100.00
CS1G-CPU42H	CPU, 10K steps program, 64K words data memory, 2 expansion racks max.	1,356.00	135641	4536854781612			BA	F	JPN	8471.4100.00
CS1G-CPU43H	CPU, 20K steps program, 64K words data memory, 2 expansion racks max.	1,500.00	147099	4536854781629			BA	F	JPN	8471.4100.00
CS1G-CPU44H	CPU, 30K steps program, 64K words data memory, 3 expansion racks max.	1,918.00	135642	4536854781636			BA	F	JPN	8471.4100.00
CS1G-CPU45H	CPU, 60K steps program, 128K words data memory, 7 expansion racks max.	2,680.00	153562	4536854781643			BA	F	JPN	8471.4100.00
CS1D-BC042D	Duplex CPU & Dual Expansion backplane, 5 I/O slots, use CS1D-PA207R power supplies only	1,678.00	236902	4547648307819			BA	F	JPN	8471.4100.00
CS1D-BC052	Duplex CPU backplane, 5 I/O slots, use CS1D-PA207R power supplies only	1,402.00	135744	4536854880513			BA	F	JPN	8538.9099.99
CS1D-BC082S	Duplex CPU backplane, 8 I/O slots, use CS1D-PA207R power supplies only	973.00	168308	4547648023542			BA	F	JPN	8538.9099.99
CS1D-BI082D	Duplex CPU & Dual Expansion backplane, 8 I/O slots, use CS1D-PA207R power supplies only	1,812.00	236903	4547648307826			BA	F	JPN	8471.4100.00
CS1D-BI092	Duplex expansion backplane, 9 I/O slots, use CS1D-PA207R power supplies only	1,533.00	149080	4536854880520			BA	F	JPN	8538.9099.99
CS1D-IC102D	Duplex I/O Control unit for Duplex CPU & Dual Expansion system	616.50	236904	4547648307833			BA	F	JPN	8471.4100.00
CS1D-III02D	I/O interface unit for Duplex CPU & Dual Expansion system	687.00	236905	4547648307840			BA	F	JPN	8471.4100.00
CS1W-BC023	CPU backplane with C200H I/O BUS, 2 I/O slots	246.40	135556	4536854845642			BA	F	CHN	8471.6070.00
CS1W-BC033	CPU backplane with C200H I/O BUS, 3 I/O slots	262.80	135557	4536854845659			BA	F	CHN	8538.9099.99
CS1W-BC053	CPU backplane with C200H I/O BUS, 5 I/O slots	293.70	135558	4536854845666			BA	F	CHN	8538.9099.99
CS1W-BC083	CPU backplane with C200H I/O BUS, 8 I/O slots	377.90	135559	4536854845673			BA	F	CHN	8538.9099.99
CS1W-BC102	CPU backplane, CSI I/O units only, 10 I/O slots	424.10	142525	4536854845734			BA	F	CHN	8538.9099.99
CS1W-BC103	CPU backplane with C200H I/O BUS, 10 I/O slots	520.50	156857	4536854845680			BA	F	CHN	8538.9099.99
CS1W-BI033	CSI expansion backplane with C200H I/O BUS, 3 I/O slots	315.90	135560	4536854845697			BA	F	CHN	8538.9099.99
CS1W-BI053	Expansion backplane with C200H I/O BUS, 5 I/O slots	353.20	135561	4536854845703			BA	F	CHN	8538.9099.99
CS1W-BI082	CSI expansion backplane, CSI I/O units only, 8 I/O slots	367.80	135566	4536854845796			BA	F	CHN	8538.9099.99
CS1W-BI083	Expansion backplane with C200H I/O BUS, 8 I/O slots	503.50	135562	4536854845710			BA	F	CHN	8538.9099.99
CS1W-BI102	CSI expansion backplane, CSI I/O units only, 10 I/O slots	772.50	135565	4536854845789			BA	F	CHN	8538.9099.99
CS1W-BI103	Expansion backplane with C200H I/O BUS, 10 I/O slots	624.00	135563	4536854845727			BA	F	CHN	8538.9099.99
CS1D-PA207R	Power supply unit for duplex system, 100-120/200-240 VAC high power, RUN output, CSI duplex backplanes only	829.50	135743	4536854880483			BA	F	JPN	8523.8090.00
CS1D-PD024	Power supply unit for duplex system, 24 VDC, CSI duplex/simplex backplanes only	708.00	168047	4536854916861			BA	F	JPN	8523.8090.00
CS1D-PD025	Power supply unit for duplex system, 24 VDC, 40W, 1.3-5.3A	1,485.00	197965	4547648198912			BA	F	JPN	8523.8090.00
CS1W-LCB01	CSI loop control option board, 50 control blocks max.	2,643.00	135568	4536854874659			BA	F	JPN	8471.6070.00
CS1W-LCB05	CSI loop control option board, 300 control blocks max.	4,186.00	135571	4536854887949			BA	F	JPN	8471.6070.00
CS1D-ETN21D	CS1D Ethernet unit, 1 x RJ45 socket, supports dual-redundant use	1,977.00	168048	4547648023184			BA	F	JPN	8523.8090.00
CS1W-CLK13	Controller Link unit, optical fiber, 2 x HPCF connector	1,374.00	296517	4547648706629			BA	F	CHN	8537.1098.99
CS1W-CLK23	Controller Link unit for CS-series, 2-wire twisted pair, screw connectors	841.00	296520	4547648706674			BA	F	CHN	8537.1098.99
CS1W-CLK53	Controller Link unit, optical fiber, graded index, 4 x ST connector	2,942.00	296521	4547648706681			BA	F	CHN	8537.1098.99
CS1W-CORT21	User-defined CAN interface unit	997.00	270792	4547648651189			BA	F	NLD	8529.1095.00
CS1W-CRM21	CompoNet master unit for CS-series	577.50	296522	4547648708524			BA	F	CHN	8537.1098.99
CS1W-DRM21-V1	DeviceNet master/slave unit for CS-series	904.50	296523	4547648708548			BA	F	CHN	8537.1098.99
CS1W-EIP21	EtherNet/IP unit for CS-series, 100Base-TX, 1 x RJ45 socket, supports CIP, FINS/UDP and FINS/TCP	1,557.00	296519	4547648706650			BA	F	CHN	8471.6070.00
CS1W-ETN21	Ethernet unit for CS-series, 100Base-TX and 10 Base-T, 1 x RJ45 socket, TCP/IP & UDP/IP socket services, FTP, SMTP, FINS	1,702.00	296515	4547648706568			BA	F	CHN	8471.6070.00
CS1W-PN121	PROFINET IO Controller (master) unit for CS-series, 1 x RJ45 socket	1,057.00	343249	4547648831093			BA	F	NLD	8529.1095.00
CS1W-PRM21	PROFIBUS DP master unit for CS-series	1,262.00	168023	4547648010962			BA	F	NLD	8529.1095.00
CS1W-SCB21-V1	Serial communications board, 2 x RS-232C ports, supports protocol macro backup from memory card	492.40	296510	4547648706490			BA	F	CHN	8538.9099.99
CS1W-SCB41-V1	Serial communications board, 1 x RS-232C port, 1 x RS422/485 port, supports protocol macro backup from memory card	557.00	296511	4547648706506			BA	F	CHN	8538.9099.99
CS1W-SCL21-V1	Serial communications unit, 2 x RS-232C ports, Protocol Macro, Host Link, 1 N NT Link, No protocol, Serial Gateway (CompoWav/F, Modbus-RTU, Modbus-ASCII, Host Link), Modbus RTU Slave	940.00	296512	4547648706513			BA	F	CHN	8537.1098.99
CS1W-SCL31-V1	Serial communication unit, 2 x RS-422/485 ports, Protocol Macro, Host Link, 1 N NT Link, No protocol, Serial Gateway (CompoWav/F, Modbus-RTU, Modbus-ASCII, Host Link), Modbus RTU Slave	981.50	296518	4547648706643			BA	F	CHN	8537.1098.99
CS1W-SLU21	Synac Link unit, coaxial cable	2,253.00	296508	4547648706438			BA	F	CHN	8537.1098.99
CS1W-SPU01-V2	CSI High-speed Data Storage and Processing unit, 1 x 10/100Base-TX port, CF Card slot	4,542.00	239899	4547648445863			BA	F	JPN	8471.6070.00
CS1W-SFM21	CompoBus/S master unit for CS-series	518.00	296524	4547648708555			BA	F	CHN	8537.1098.99

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Data sheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
CS1D-DPL01	Duplex unit	1.423.00	152430	4536854880490			BA	F	JPN	8523.8090.00
CS1D-DPL02D	DPL unit for Duplex CPU & Dual Expansion system	1.461.00	236901	4547648307802			BA	F	JPN	8471.4100.00
CS1W-IA211	Digital input unit, 16 x 200-240 VAC inputs	309.90	142668	4536854715198			BA	F	JPN	8471.6070.00
CS1W-ID211	Digital input unit, 16 x 24 VDC inputs, NPN/PNP	252.80	182912	4547648096539			BA	F	CHN	8471.6070.00
CS1W-ID231	Digital input unit, 32 x 24 VDC inputs, NPN/PNP	469.80	182913	4547648096546			BA	F	CHN	8471.6070.00
CS1W-ID261	Digital input unit, 64 x 24 VDC inputs, NPN/PNP	746.00	182914	4547648096553			BA	F	CHN	8471.6070.00
CS1W-ID291	Digital input unit, 96 x 24 VDC inputs, NPN/PNP	995.00	182915	4547648096560			BA	F	CHN	8471.6070.00
CS1W-IDP01	Digital input unit, 16 x 24 VDC, with pulse catch	569.00	135628	4536854615375			BA	F	JPN	8471.6070.00
CS1W-INT01	Digital interrupt input unit, 16 x 24 VDC inputs, NPN/PNP	636.00	148198	4536854615368			BA	F	JPN	8471.6070.00
CS1W-OA201	Digital output unit, 8 x triac outputs, 1.2 A, 250 VAC	328.00	153661	4536854715204			BA	F	JPN	8471.6070.00
CS1W-OA211	Digital output unit, 16 x triac outputs, 0.5 A, 250 VAC	542.50	135639	4536854715211			BA	F	JPN	8471.6070.00
CS1W-OC201	Digital output unit, 8 x relay outputs, 2 A, 24 VDC/250 VAC, independent commons	240.70	154793	4536854715235			BA	F	JPN	8471.6070.00
CS1W-OC211	Digital output unit, 16 x relay outputs, 2 A, 24 VDC/250 VAC, 2 commons	354.50	182918	4547648096591			BA	F	CHN	8471.6070.00
CS1W-OD211	Digital output unit, 16 x transistor outputs, NPN, 0.5 A, 12-24 VDC	297.30	182919	4547648096607			BA	F	CHN	8471.6070.00
CS1W-OD212	Digital output unit, 16 x transistor outputs, PNP with short circuit protection, 0.5 A, 24 VDC	477.50	182910	4547648096614			BA	F	CHN	8471.6070.00
CS1W-OD231	Digital output unit, 32 x transistor outputs, NPN, 0.5 A, 12-24 VDC	514.00	182920	4547648096621			BA	F	CHN	8471.6070.00
CS1W-OD232	Digital output unit, 32 x transistor outputs, PNP with short circuit protection, 0.5 A, 24 VDC	698.50	182911	4547648096638			BA	F	CHN	8471.6070.00
CS1W-OD261	Digital output unit, 64 x transistor outputs, NPN, 0.3 A, 12-24 VDC	1,002.00	182921	4547648096645			BA	F	CHN	8471.6070.00
CS1W-OD262	Digital output unit, 64 x transistor outputs, PNP with short circuit protection, 0.3 A, 24 VDC	1,168.00	135626	4536854615290			BA	F	JPN	8471.6070.00
CS1W-OD292	Digital output unit, 96 x transistor outputs, PNP, 0.1 A, 12-24 VDC	1,545.00	149760	4536854446078			BA	F	JPN	8471.6070.00
CS1W-MD261	Digital I/O unit, 32 x 24 VDC inputs NPN/PNP, 32 x transistor outputs NPN 0.3 A, 12-24 VDC	888.50	182916	4547648096577			BA	F	CHN	8471.6070.00
CS1W-MD262	Digital I/O unit, 32 x 24 VDC inputs NPN/PNP, 32 x transistor outputs PNP, 0.3 A, 12-24 VDC	833.50	106154	4536854615351			BA	F	JPN	8471.6070.00
CS1W-AD041-V1	Analog input unit, 4 x inputs 1 to 5 V, 0 to 5 V, 0 to 10 V, -10 to 10 V, 4 to 20 mA, resolution 14000 / 8000	991.00	143686	4536854819704			BA	F	JPN	8471.6070.00
CS1W-AD081-V1	Analog input unit, 8 x inputs 1 to 5 V, 0 to 5 V, 0 to 10 V, -10 to 10 V, 4 to 20 mA, resolution 14000 / 8000	1,600.00	135647	4536854819711			BA	F	JPN	8471.6070.00
CS1W-AD161	Analog input unit, 16 x inputs 1 to 5 V, 0 to 5 V, 0 to 10 V, -10 to 10 V, 4 to 20 mA, resolution 14000 / 8000	1,840.00	181856	4547648140287			BA	F	JPN	8471.6070.00
CS1W-PTS11	Isolated thermocouple input unit, 4 x inputs type K, J, L, R, S, T, B, U, C (WPa5-26), P (PLII), -100 to +100 mV, resolution 154000	1,895.00	135573	4536854946875			BA	F	JPN	8471.6070.00
CS1W-PTS12	Isolated RTD input unit, 4 x inputs Pt100 (JIS, IEC), JPt100, Pt50, Ni508.4, resolution 154000	1,699.00	105743	4536854946882			BA	F	JPN	8471.6070.00
CS1W-PTS51	Isolated thermocouple input unit, 4 x inputs type K, J, L, R, S, T, B, resolution 0.1°C	1,123.00	168520	4547648027250			BA	F	JPN	8471.6070.00
CS1W-PTS52	Isolated RTD input unit, 4 x inputs Pt100 (JIS, IEC), JPt100, resolution 0.1°C	1,123.00	168521	4547648027267			BA	F	JPN	8471.6070.00
CS1W-PTS55	Isolated thermocouple input unit, 8 x inputs type K, J, L, R, S, T, B, resolution 0.1°C	1,679.00	172047	4547648086264			BA	F	JPN	8471.6070.00
CS1W-PTS56	Isolated RTD input unit, 8 x inputs Pt100 (JIS, IEC), JPt100, resolution 0.1°C	1,669.00	172048	4547648086271			BA	F	JPN	8471.6070.00
CS1W-DA041	Analog output unit, 4 x outputs 4 to 20 mA, 1 to 5 V, 0 to 5 V, 0 to 10 V, -10 to 10 V, resolution 12 bit, screw terminals	1,054.00	135612	4536854493584			BA	F	JPN	8471.6070.00
CS1W-DA08-C	Analog output unit, 8 x outputs 4 to 20 mA, resolution 12 bit, screw terminals	1,593.00	144480	4536854493577			BA	F	JPN	8471.6070.00
CS1W-DA08-V	Analog output unit, 8 x outputs 1 to 5 V, 0 to 5 V, 0 to 10 V, -10 to 10 V, resolution 12 bit, screw terminals	1,600.00	142228	4536854493560			BA	F	JPN	8471.6070.00
CS1W-MAD44	Analog I/O unit, 4 x inputs 4 to 20 mA, 1 to 5 V, 0 to 5 V, 0 to 10 V, -10 to 10 V, 4 x outputs 1 to 5 V, 0 to 5 V, 0 to 10 V, -10 to +10 V, resolution 12 bit, screw terminals	1,830.00	135688	4536854445248			BA	F	JPN	8471.6070.00
CS1W-CT021	High speed counter unit, 2 encoder inputs, 500 kHz, open collector (5/12/24 VDC) & line driver inputs, 4 integrated outputs	932.00	135576	4536854681639			BA	F	NLD	9029.1000.90
CS1W-CT041	High speed counter unit, 4 encoder inputs, 500 kHz, open collector (5/12/24 VDC) & line driver inputs, 4 integrated outputs	1,249.00	153791	4536854681646			BA	F	NLD	9029.1000.90
CS1W-CTS21	Position input unit, SSI absolute encoder 2 channels, 9 to 31 bit, Gray/ Binary/Taunenbaum/Raw coding, 4x digital inputs, 4x digital outputs NPN and PNP	1,124.00	135577	4536854842627			BA	F	NLD	9029.1000.90
<b>Control System CV</b>										
CV500-CN222	Automation, Control Systems, CV, CV500-CN222	530.50	323716	4547648455572			BA	I	CHN	8544.4290.90
<b>Control System XW2</b>										
XW22-200S	Cable, RS-232C, 2 m, for connecting NT HMI 25-pin port to PLC 9-pin port & NT HMI 9-pin port to PLC 25-pin host link unit	68.75	107492	4536854230097			BA	J	JPN	8536.9010.00
XW22-200S-CV	Cable, RS-232C, for programming PLC or HMI 9-pin port from PC 9-pin port, 2 m	96.55	147534	4536854488191			BA	J	JPN	8536.9010.00
XW22-200S-V	Cable, RS-232C, for programming PLC or HMI 9-pin port from PC 9-pin port, 2 m	91.95	149609	4536854230660			BA	J	JPN	8536.9010.00
XW22-200T	Cable, RS-232C, for connecting NT HMI 9-pin port to PLC 9-pin port, 2 m	89.75	105353	4536854230226			BA	J	JPN	8536.9010.00
XW22-200T2	Cable, RS-232C, for connecting NT/NS/NB HMI 9-pin D-Sub to PLC 10-pin DDK, 2 m	91.00	107522	4536854713972			BA	J	JPN	8536.9010.00
XW22-500S-CV	Cable, RS-232C, 5 m, for programming PLC or HMI 9-pin port from PC 9-pin port	106.80	107512	4536854488207			BA	J	JPN	8536.9010.00
XW22-500S-V	Cable, RS-232C, 5 m, for programming PLC or HMI 9-pin port from PC 9-pin port	134.40	155980	4536854230677			BA	J	JPN	8536.9010.00
XW22-500T	Cable, RS-232C, for connecting NT HMI 9-pin port to PLC 9-pin port, 5 m	89.20	155978	4536854230233			BA	J	JPN	8536.9010.00
XW2C-20G5-IN16	Input terminal block, MIL20 socket, M3.5 screws, 16 x IN, NPN, LED indication	95.45	107576	4536854229879			BA	J	JPN	8536.9010.00
XW2E-20G5-IN16	Input terminal block, MIL20 socket, M3 captive screws, 16 x IN, 3-wire connection	60.60	107485	4536854554506			BA	J	JPN	8536.9010.00
XW2D-20G6	General-purpose I/O terminal block, MIL20 socket, M3 captive screws, 20 points	37.76	374211	4548583330856			BA	J	THA	8536.9010.00
XW2D-20G6	General-purpose I/O terminal block, MIL20 socket, M3 captive screws, 20 points	37.76	695855	4549734583084			BA	J	VNM	8536.9010.00
XW2D-34G6	General-purpose I/O terminal block, MIL34 socket, M3 captive screws, 34 points	49.35	374212	4548583330894			BA	J	THA	8536.9010.00
XW2D-34G6	General-purpose I/O terminal block, MIL34 socket, M3 captive screws, 34 points	49.35	695854	4549734583114			BA	J	VNM	8536.9010.00
XW2D-40G6	General-purpose I/O terminal block, MIL40 socket, M3 captive screws, 40 points	57.80	695853	4549734583145			BA	J	VNM	8536.9010.00
XW2D-50G6	General-purpose I/O terminal block, MIL50 socket, M3 captive screws, 50 points	52.70	374216	4548583330979			BA	J	THA	8536.9010.00
XW2D-50G6	General-purpose I/O terminal block, MIL50 socket, M3 captive screws, 50 points	52.70	695850	4549734583176			BA	J	VNM	8536.9010.00
XW2F-20G7-IN16	Terminal block, MIL20 socket, 20 point input, screwless connections	72.60	172652	4547648093880			BA	J	JPN	8536.9010.00
XW2F-20G7-OUT16	Terminal block, MIL20 socket, 20 point output, screwless connections	72.60	172653	4547648093897			BA	J	JPN	8536.9010.00
XW2R-E40G-T	DIN-rail mounting terminal block, MIL40 socket, screw clamp, 40 points, general-purpose	57.30	372890	4548583367388			BA	J	JPN	8536.9010.00



Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Dataheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
XW2R-E50G-T	DIN-rail mounting terminal block, MIL50 socket, screw clamp, 50 points, general-purpose	76.00	372994	454858367395			BA	J	JPN	8536.9010.00
XW2R-J20G-T	DIN-rail mounting terminal block, MIL20 socket, M3 screws, 20 points, general-purpose	56.85	372884	454858367302			BA	J	JPN	8536.9010.00
XW2R-J34GD-T	DIN-rail mounting terminal block, MIL34 socket, screw clamp, 34 points, general-purpose, philips screw	36.90	670880	4548583546455			BA	J	JPN	8536.9010.00
XW2R-40G-T	DIN-rail mounting terminal block, MIL40 socket, M3 screws, 50 points, general-purpose	57.50	372885	454858367326			BA	J	JPN	8536.9010.00
XW2R-E50G-T	DIN-rail mounting terminal block, MIL50 socket, M3 screws, 50 points, general-purpose	66.00	372886	454858367333			BA	J	JPN	8536.9010.00
XW2R-P16GD-C1-COM	DIN-rail mounting terminal block, MIL20 socket, push-in clamp, 16 I/O points (3-wire connection), for Omron input units	38.96	410803	4548583546516			BA	J	JPN	8536.9010.00
XW2R-P16GD-C3-COM	DIN-rail mounting terminal block, MIL20 socket, push-in clamp, 16 I/O points (3-wire connection), for Omron output units	38.96	410806	4548583546523			BA	J	JPN	8536.9010.00
XW2R-P32GD-C1-COM	DIN-rail mounting terminal block, MIL40 socket, push-in clamp, 32 I/O points (3-wire connection), for Omron input units with FCN40 connectors	106.70	410804	4548583546530			BA	J	JPN	8536.9010.00
XW2R-P32GD-C2-COM	DIN-rail mounting terminal block, MIL40 socket, push-in clamp, 32 I/O points (3-wire connection), for Omron input units with MIL40 connectors	61.55	410805	4548583546547			BA	J	JPN	8536.9010.00
XW2R-P32GD-C3-COM	DIN-rail mounting terminal block, MIL40 socket, push-in clamp, 32 I/O points (3-wire connection), for Omron output units with FCN40 connectors	106.70	410807	4548583546554			BA	J	JPN	8536.9010.00
XW2R-P32GD-C4-COM	DIN-rail mounting terminal block, MIL40 socket, push-in clamp, 32 I/O points (3-wire connection), for Omron output units with MIL40 connectors	57.45	410808	4548583546561			BA	J	JPN	8536.9010.00
XW2R-P34G-C4	DIN-rail mounting terminal block, MIL40 socket, push-in clamp, 32x OUT + power, for Omron PLC units with MIL40 connectors	38.69	373002	454858367579			BA	J	JPN	8536.9010.00
XW2R-P34GD-C1	Din track mounting terminal, MIL34 socket, push-in spring, 34 points, general-purpose	38.74	690425	4548583547001			BA	J	JPN	8536.9010.00
XW2R-P34GD-C4	DIN-rail mounting terminal, MIL34 socket, 32 x OUT + power, for Omron PLC	38.74	690424	4548583582163			BA	J	JPN	8536.9010.00
XW2R-P34GD-T	DIN-rail mounting terminal block, MIL34 socket, screw clamp, 34 points, general-purpose, push in spring	39.75	670881	4548583547131			BA	J	JPN	8536.9010.00
XW2R-P40BD-COM	DIN-rail mounting common terminal, 40 poles, + and - mixed common	61.55	671191	4548583561175			BA	J	JPN	8536.9010.00
XW2R-P40G-T	DIN-rail mounting terminal block, MIL40 socket, push-in clamp, 40 points, general-purpose	44.95	372996	454858367432			BA	J	JPN	8536.9010.00
XW2R-P40MD-COM	DIN-rail mounting common terminal, 40 poles, - neactive common	61.55	671190	4548583561168			BA	J	JPN	8536.9010.00
XW2R-P40PD-COM	DIN-rail mounting common terminal, 40 poles, + positive common	61.55	671189	4548583561151			BA	J	JPN	8536.9010.00
XW2R-P50G-T	DIN-rail mounting terminal block, MIL50 socket, push-in clamp, 50 points, general-purpose	82.00	372997	454858367449			BA	J	JPN	8536.9010.00
XW2B-20G4	General-purpose I/O terminal block, MIL20 socket, screw clamp, 20 points	57.15	154108	4536854229503			BA	J	JPN	8536.9010.00
XW2B-20G5	General-purpose I/O terminal block, MIL20 socket, M3.5 screws, 20 points	51.00	152948	4536854229541			BA	J	JPN	8536.9010.00
XW2B-34G4	General-purpose I/O terminal block, MIL34 socket, screw clamp, 34 points	78.75	107557	4536854229510			BA	J	JPN	8536.9010.00
XW2B-40G4	General-purpose I/O terminal block, MIL40 socket, screw clamp, 40 points	92.90	156303	4536854229527	#		BA	J	JPN	8536.9010.00
XW2B-40G5	General-purpose I/O terminal block, MIL40 socket, M3.5 screws, 40 points	86.55	150730	4536854229565			BA	J	JPN	8536.9010.00
XW2B-50G4	General-purpose I/O terminal block, MIL50 socket, screw clamp, 50 points	83.30	105351	4536854229534			BA	J	JPN	8536.9010.00
XW2B-50G5	General-purpose I/O terminal block, MIL50 socket, M3.5 screws, 50 points	100.30	143060	4536854229572			BA	J	JPN	8536.9010.00
XW2B-50Y5	General-purpose I/O terminal block, Honda MR-50 socket, M3.5 screws, 50 points	134.10	107575	4536854229862			BA	J	JPN	8536.9010.00
XW2B-60G4	General-purpose I/O terminal block, MIL60 socket, screw clamp, 60 points	135.60	144212	4536854444500			BA	J	JPN	8536.9010.00
XW2B-60G5	General-purpose I/O terminal block, MIL60 socket, M3.5 screws, 60 points	121.50	147532	4536854444494			BA	J	JPN	8536.9010.00
XW2G-40G7	DIN-rail mounting input terminal block for CJ1W-CTL41-E, MIL40 socket, screwless terminals (use with XW2Z-xxxK cable)	105.80	180645	4547648089852	#		BA	J	NLD	8536.9010.00
XW2Z-0030FF-L	I/O connection cable, unshielded, MIL40 to MIL40, 0.3 m	21.82	377664	4548583449138			BA	J	CHN	8544.4290.90
XW2Z-0050FF-L	I/O connection cable, unshielded, MIL40 to MIL40, 0.5 m	22.64	377665	4548583449145			BA	J	CHN	8544.4290.90
XW2Z-0100BF-L	I/O connection cable, unshielded, FCN40 to MIL40, 1 m	46.11	377616	4548583448850			BA	J	CHN	8544.4290.90
XW2Z-0100DL-L	I/O connection cable, unshielded, MIL40 to open ends, 1 m	25.64	377642	4548583448919			BA	J	CHN	8544.4290.90
XW2Z-0100FF-L	I/O connection cable, unshielded, MIL40 to MIL40, 1 m	32.95	377666	4548583449152			BA	J	CHN	8544.4290.90
XW2Z-0100FN-L	I/O connection cable, unshielded, MIL40 to open ends, 1 m	31.22	377671	4548583449206			BA	J	CHN	8544.4290.90
XW2Z-0150FF-L	I/O connection cable, unshielded, MIL40 to MIL40, 1.5 m	56.95	377667	4548583449169			BA	J	CHN	8544.4290.90
XW2Z-0150FN-L	I/O connection cable, unshielded, MIL40 to open ends, 1.5 m	48.97	377672	4548583449213			BA	J	CHN	8544.4290.90
XW2Z-0200BN-L	I/O connection cable, unshielded, FCN40 to open ends, 2 m	67.50	377622	4548583448711			BA	J	CHN	8544.4290.90
XW2Z-0200EE-L	I/O connection cable, unshielded, MIL34 to MIL34, 2 m	33.03	377653	4548583449022			BA	J	CHN	8544.4290.90
XW2Z-0200FN-L	I/O connection cable, unshielded, MIL40 to open ends, 2 m	38.80	377673	4548583449220			BA	J	CHN	8544.4290.90
XW2Z-0300BN-L	I/O connection cable, unshielded, FCN40 to open ends, 3 m	91.50	377623	4548583448728			BA	J	CHN	8544.4290.90
XW2Z-0300FF-L	I/O connection cable, unshielded, MIL40 to MIL40, 3 m	56.35	377669	4548583449183			BA	J	CHN	8544.4290.90
XW2Z-0300FN-L	I/O connection cable, unshielded, MIL40 to open ends, 3 m	34.80	377675	4548583449244			BA	J	CHN	8544.4290.90
XW2Z-0500BN-L	I/O connection cable, unshielded, FCN40 to open ends, 5 m	126.20	377624	4548583448735			BA	J	CHN	8544.4290.90
XW2Z-050A	I/O connection cable, FCN24 to MIL20, 0.5 m	53.30	149608	4536854230417			BA	J	JPN	8536.9010.00
XW2Z-050B	I/O connection cable, FCN40 to MIL40, 0.5 m	58.05	107459	4536854230479			BA	J	JPN	8536.9010.00
XW2Z-0700EE-L	I/O connection cable, unshielded, MIL34 to MIL34, 7 m	82.00	699942	4548583547513			BA	J	CHN	8544.4290.90
XW2Z-100A	I/O connection cable, FCN24 to MIL20, 1 m	60.35	107454	4536854230370			BA	J	JPN	8536.9010.00
XW2Z-100B	I/O connection cable, FCN40 to MIL40, 1 m	82.35	107457	4536854230448	#		BA	J	JPN	8536.9010.00
XW2Z-100D	I/O connection cable, FCN40 to 2 x MIL20, 1 m	78.05	152949	4536854229909			BA	J	JPN	8536.9010.00
XW2Z-100F	I/O connection cable, MIL20 to fork terminals, 1 m	54.35	146351	4536854230004			BA	J	JPN	8536.9010.00
XW2Z-100-H1	I/O connection cable, FCN56 to XW2B-60G*, 1 m	104.60	107509	4536854444272			BA	J	JPN	8536.9010.00
XW2Z-100K	I/O connection cable, MIL40 to MIL40, 1 m	52.70	107448	4536854792908	#		BA	J	JPN	8536.9010.00
XW2Z-100N	I/O connection cable, MIL40 to 2 x MIL20, 1 m, cross-wired	54.25	167714	4536854771613			BA	J	JPN	8536.9010.00
XW2Z-150A	I/O connection cable, FCN24 to MIL20, 1.5 m	38.96	154110	4536854230424			BA	J	JPN	8536.9010.00
XW2Z-150B	I/O connection cable, FCN40 to MIL40, 1.5 m	63.60	107460	4536854230523			BA	J	JPN	8536.9010.00
XW2Z-150D	I/O connection cable, FCN40 to 2 x MIL20, 1.5 m	90.05	107486	4536854229916			BA	J	JPN	8536.9010.00
XW2Z-150F	I/O connection cable, MIL20 to fork terminals, 1.5 m	61.55	145304	4536854230011			BA	J	JPN	8536.9010.00
XW2Z-150K	I/O connection cable, MIL40 to MIL40, 1.5 m	63.60	107449	4536854792915			BA	J	JPN	8536.9010.00
XW2Z-200A	I/O connection cable, FCN24 to MIL20, 2 m	43.06	143062	4536854230387			BA	J	JPN	8536.9010.00
XW2Z-200B	I/O connection cable, FCN40 to MIL40, 2 m	92.60	151789	4536854230455	#		BA	J	JPN	8536.9010.00
XW2Z-200C	I/O connection cable, MIL34 to MIL34, 2 m	109.60	107463	4536854230547			BA	J	JPN	8536.9010.00
XW2Z-200D	I/O connection cable, FCN40 to 2 x MIL20, 2 m	84.20	107487	4536854229923			BA	J	JPN	8536.9010.00
XW2Z-200F	I/O connection cable, MIL20 to fork terminals, 2 m	61.55	107490	4536854230028			BA	J	JPN	8536.9010.00
XW2Z-200-H1	I/O connection cable, FCN56 to XW2B-60G*, 2 m	132.00	150409	4536854444296			BA	J	JPN	8536.9010.00
XW2Z-200-H3	I/O connection cable, FCN56 to 3 x MIL20, 2 m	103.40	154841	4536854444326			BA	J	JPN	8536.9010.00
XW2Z-200K	I/O connection cable, MIL40 to MIL40, 2 m	69.40	107451	4536854792939			BA	J	JPN	8536.9010.00
XW2Z-300B	I/O connection cable, FCN40 to MIL40, 3 m	99.00	107458	4536854230462			BA	J	JPN	8536.9010.00
XW2Z-300F	I/O connection cable, MIL20 to fork terminals, 3 m	61.55	107491	4536854230035			BA	J	JPN	8536.9010.00
XW2Z-300-H1	I/O connection cable, FCN56 to XW2B-60G*, 3 m	154.80	107510	4536854444302			BA	J	JPN	8536.9010.00
XW2Z-300K	I/O connection cable, MIL40 to MIL40, 3 m	93.60	107450	4536854792922			BA	J	JPN	8536.9010.00
XW2Z-500B	I/O connection cable, FCN40 to MIL40, 5 m	117.80	150731	4536854230486			BA	J	JPN	8536.9010.00

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Data sheet)	GTIN	Stock	Lot Qty.	Gr.	Fam.	COO	Tariff Code
XW22-500K	I/O connection cable, MIL40 to MIL40, 5 m	104.10	103604	4536854792946			BA	J	JPN	8536.9010.00
XW22-C50K	I/O connection cable, MIL40 to MIL40, 0.5 m	66.70	153570	4536854633157			BA	J	JPN	8536.9010.00
<b>Control System CJ</b>										
C2H-CPU64	CPU, 50K steps program, 32K words data memory, 32K words x 4 banks EM, 2560 I/O max, RS-232C serial port, USB programming port, 3 expansion racks max.	2417.00	268696	4547648638630			BA	K	JPN	8471.4100.00
C2H-CPU64-EIP	CPU with built-in EtherNet/IP port, 50K steps program, 32K words data memory, 32K words x 4 banks EM, 2560 I/O max, RS-232C serial port, USB programming port, 3 expansion racks max.	3230.00	249799	4547648519113			BA	K	JPN	8471.6070.00
C2H-CPU65	CPU, 100K steps program, 32K words data memory, 32K words x 4 banks EM, 2560 I/O max, RS-232C serial port, USB programming port, 3 expansion racks max.	2929.00	268697	4547648638647			BA	K	JPN	8471.4100.00
C2H-CPU65-EIP	CPU with built-in EtherNet/IP port, 100K steps program, 32K words data memory, 32K words x 4 banks EM, 2560 I/O max, RS-232C serial port, USB programming port, 3 expansion racks max.	3483.00	249800	4547648519120			BA	K	JPN	8471.6070.00
C2H-CPU66	CPU, 150K steps program, 32K words data memory, 32K words x 10 banks EM, 2560 I/O max, RS-232C serial port, USB programming port, 3 expansion racks max.	4057.00	268698	4547648638654			BA	K	JPN	8471.4100.00
C2H-CPU66-EIP	CPU with built-in EtherNet/IP port, 150K steps program, 32K words data memory, 32K words x 10 banks EM, 2560 I/O max, RS-232C serial port, USB programming port, 3 expansion racks max.	4687.00	249801	4547648519144			BA	K	JPN	8537.1098.99
C2H-CPU67	CPU, 250K steps program, 32K words data memory, 32K words x 15 banks EM, 2560 I/O max, RS-232C serial port, USB programming port, 3 expansion racks max.	5500.00	268699	4547648638661			BA	K	JPN	8471.4100.00
C2H-CPU67-EIP	CPU with built-in EtherNet/IP port, 250K steps program, 32K words data memory, 32K words x 15 banks EM, 2560 I/O max, RS-232C serial port, USB programming port, 3 expansion racks max.	6030.00	249802	4547648519151			BA	K	JPN	8471.6070.00
C2H-CPU68	CPU, 400K steps program, 32K words data memory, 32K words x 25 banks EM, 2560 I/O max, RS-232C serial port, USB programming port, 3 expansion racks max.	7140.00	268700	4547648638678			BA	K	JPN	8471.4100.00
C2H-CPU68-EIP	CPU with built-in EtherNet/IP port, 400K steps program, 32K words data memory, 32K words x 25 banks EM, 2560 I/O max, RS-232C serial port, USB programming port, 3 expansion racks max.	7675.00	249803	4547648519168			BA	K	JPN	8471.6070.00
C2M-CPU11	CPU, 5K steps program, 32K words data memory, 32K words x 1 bank EM, 2560 I/O max, RS-232C serial port, USB programming port, 3 expansion racks max.	419.10	392391	4548583498389	#		BA	K	NLD	8471.4100.00
C2M-CPU12	CPU, 10K steps program, 32K words data memory, 32K words x 1 bank EM, 2560 I/O max, RS-232C serial port, USB programming port, 3 expansion racks max.	603.00	392392	4548583498396	#		BA	K	NLD	8471.4100.00
C2M-CPU13	CPU, 20K steps program, 32K words data memory, 32K words x 1 bank EM, 2560 I/O max, RS-232C serial port, USB programming port, 3 expansion racks max.	844.50	392393	4548583498402	#		BA	K	NLD	8471.4100.00
C2M-CPU14	CPU, 30K steps program, 32K words data memory, 32K words x 4 banks EM, 2560 I/O max, RS-232C serial port, USB programming port, 3 expansion racks max.	1,053.00	392394	4548583498419	#		BA	K	NLD	8471.4100.00
C2M-CPU15	CPU, 50K steps program, 32K words data memory, 32K words x 4 banks EM, 2560 I/O max, RS-232C serial port, USB programming port, 3 expansion racks max.	1,287.00	392395	4548583498426	#		BA	K	NLD	8471.4100.00
C2M-CPU31	CPU with built-in EtherNet/IP port, 10K steps program, 32K words data memory, 32K words x 1 bank EM, 2560 I/O max, option port for RS-232C/485, USB programming port, 3 expansion racks max.	1,059.00	392396	4548583498433	#		BA	K	NLD	8471.4100.00
C2M-CPU32	CPU with built-in EtherNet/IP port, 10K steps program, 32K words data memory, 32K words x 1 bank EM, 2560 I/O max, option port for RS-232C/485, USB programming port, 3 expansion racks max.	1,140.00	392397	4548583498440	#		BA	K	NLD	8471.4100.00
C2M-CPU33	CPU with built-in EtherNet/IP port, 20K steps program, 32K words data memory, 32K words x 1 bank EM, 2560 I/O max, option port for RS-232C/485, USB programming port, 3 expansion racks max.	1,401.00	392398	4548583498457	#		BA	K	NLD	8471.4100.00
C2M-CPU34	CPU with built-in EtherNet/IP port, 30K steps program, 32K words data memory, 32K words x 4 banks EM, 2560 I/O max, option port for RS-232C/485, USB programming port, 3 expansion racks max.	1,652.00	392399	4548583498464	#		BA	K	NLD	8471.4100.00
C2M-CPU35	CPU with built-in EtherNet/IP port, 60K steps program, 32K words data memory, 32K words x 4 banks EM, 2560 I/O max, option port for RS-232C/485, USB programming port, 3 expansion racks max.	1,878.00	392400	4548583498471	#		BA	K	NLD	8471.4100.00
CJ1M-CPU11-ETN	CPU, 5K steps program, 32K words data memory, 160 I/O max, serial PLC link, Ethernet port (100Base-TX)	1,652.00	176043	4547648097925			BA	K	JPN	8471.4100.00
CJ1M-CPU12	CPU, 10K steps program, 32K words data memory, 320 I/O max, serial PLC link	939.00	184019	4547648153416			BA	K	NLD	8471.4100.00
CJ1M-CPU13	CPU, 20K steps program, 32K words data memory, 640 I/O max (with 1 expansion rack), serial PLC link	1,334.00	184020	4547648153423			BA	K	NLD	8471.4100.00
CJ1M-CPU13-ETN	CPU, 20K steps program, 32K words data memory, 640 I/O max (with 1 expansion rack), serial PLC link, Ethernet port (100Base-TX)	2,185.00	176045	4547648097949			BA	K	JPN	8471.4100.00
CJ1M-CPU21	CPU, 5K steps program, 32K words data memory, 160 I/O max, serial PLC link, built-in I/O, 4 interrupt inputs, 2 high speed counters, 2 pulse outputs	1,041.00	204819	4547648153430			BA	K	NLD	8471.4100.00
CJ1M-CPU22	CPU, 10K steps program, 32K words data memory, 320 I/O max, serial PLC link, built-in I/O, 4 interrupt inputs, 2 high speed counters, 2 pulse outputs	1,362.00	204820	4547648153447			BA	K	NLD	8471.4100.00
CJ1M-CPU23	CPU, 20K steps program, 32K words data memory, 640 I/O max (with 1 expansion rack), serial PLC link, built-in I/O, 4 interrupt inputs, 2 high speed counters, 2 pulse outputs	1,752.00	204821	4547648153454			BA	K	NLD	8471.4100.00
CJ1G-CPU42P	CPU with Loop Control functions, 10K steps program, 64K words data memory, 2 expansion racks max.	3,484.00	177120	4547648085809			BA	K	JPN	8471.4100.00
CJ1G-CPU43P	CPU with Loop Control functions, 20K steps program, 64K words data memory, 2 expansion racks max.	4,441.00	177121	4547648085823			BA	K	JPN	8471.4100.00
CJ1G-CPU44P	CPU with Loop Control functions, 30K steps program, 64K words data memory, 3 expansion racks max.	4,881.00	177122	4547648085830			BA	K	JPN	8471.4100.00
CJ1G-CPU45P	CPU with Loop Control functions, 30K steps program, 128K words data memory, 3 expansion racks max.	5,935.00	177123	4547648085847			BA	K	JPN	8471.4100.00
CJ1G-CPU45P-GTC	CPU with Loop Control functions, 30K steps program, 128K words data memory, 3 expansion racks max. GTC(Gradient Temperature Control)	7,385.00	228795	4547648294713			BA	K	JPN	8471.4100.00
CJ1W-PA202	Power supply unit, 100-240 VAC, output capacity: 14 W	198.40	136004	4536854806018	#		BA	K	JPN	8504.4030.00
CJ1W-PA205C	Power supply unit, 100-240 VAC, output capacity: 25 W, with maintenance forecast monitor	365.90	183314	4547648156936			BA	K	JPN	8504.4030.00
CJ1W-PA205R	Power supply unit, 100-240 VAC, output capacity: 25 W, with RUN output	281.40	386939	4548583452244	#		BA	K	CHN	8504.4030.00
CJ1W-PD022	Power supply unit, 24 VDC, output capacity: 19.6 W	125.10	315604	4547648706117	#		BA	K	CHN	8504.4030.00
CJ1W-PD025	Power supply unit, 24 VDC, output capacity: 25 W	277.70	136016	4536854827761	#		BA	K	JPN	8504.4030.00
CJ1W-TC001	Temperature control unit, R/S/K/J/T/L/B thermocouple inputs, transistor (NPN) output, 4 loops	855.00	135989	4536854740749			BA	K	JPN	8471.6070.00
CJ1W-TC002	Temperature control unit, R/S/K/J/T/L/B thermocouple inputs, transistor (PNP) output, 4 loops	871.50	142660	4536854740534	#		BA	K	JPN	8471.6070.00
CJ1W-TC003	Temperature control unit, R/S/K/J/T/L/B thermocouple inputs, transistor (NPN) output, 2 loops, heater burnout detection function	740.00	135990	4536854740558			BA	K	JPN	8471.6070.00
CJ1W-TC004	Temperature control unit, R/S/K/J/T/L/B thermocouple inputs, transistor (PNP) output, 2 loops, heater burnout detection function	757.00	155601	4536854903519	#		BA	K	JPN	8471.6070.00
CJ1W-TC101	Temperature control unit, P1100 RTD inputs, transistor (NPN) output, 4 loops	844.50	151404	4536854740565			BA	K	JPN	8471.6070.00
CJ1W-TC102	Temperature control unit, P1100 RTD inputs, transistor (PNP) output, 4 loops	844.50	143742	4536854740572	#		BA	K	JPN	8471.6070.00
CJ1W-TC103	Temperature control unit, P1100 RTD inputs, transistor (NPN) output, 2 loops, heater burnout detection function	792.00	135991	4536854740589			BA	K	JPN	8471.6070.00
CJ1W-TC104	Temperature control unit, P1100 RTD inputs, transistor (PNP) output, 2 loops, heater burnout detection function	757.00	135992	4536854740596			BA	K	JPN	8471.6070.00
CJ1W-B7A04	B7A interface unit	593.50	104292	4536854872082			BA	K	CHN	8471.6070.00
CJ1W-B7A14	B7A interface unit	583.50	136021	4536854872099			BA	K	CHN	8471.6070.00
CJ1W-B7A22	B7A interface unit, 32 Inputs / 32 Outputs	580.00	136022	4536854872105			BA	K	CHN	8471.6070.00
CJ1W-CLK23	Controller Link unit for CJ-series, 2-wire twisted pair, screw connectors	827.50	258834	4547648597661			BA	K	CHN	8471.6070.00
CJ1W-COR121	User-defined CAN interface unit (11- and 29-bit identifiers)	885.50	172669	4547648093477	#		BA	K	NLD	8529.1095.00
CJ1W-CRM21	CompoNet master unit for CJ-series	603.00	315606	4547648708661			BA	K	CHN	8471.6070.00
CJ1W-DRM21	DeviceNet master/slave unit for CJ-series	774.00	258836	4547648597197	#		BA	K	CHN	8471.6070.00
CJ1W-ECT21	EtherCAT Slave Unit, 2 x RJ45 socket	789.50	659361	4548583576568			BA	K	NLD	8471.8000.00
CJ1W-EIP21	EtherNet/IP unit for CJ-series, 100Base-TX, 1 x RJ45 socket, supports CIP, FINS/UDP and FINS/ TCP	1,453.00	258403	4547648597692	#		BA	K	CHN	8471.6070.00
CJ1W-ETN21	Ethernet unit for CJ-series, 100Base-TX and 10 Base-T, 1 x RJ45 socket, TCP/IP & UDP/IP socket services, FTP, SMTP, FINS	1,399.00	258832	4547648597586	#		BA	K	CHN	8471.6070.00
CJ1W-FLN22	FL-Net unit	2,047.00	258829	4547648597647			BA	K	CHN	8471.6070.00
CJ1W-PNT21	PROFINET IO Controller (master) unit for CJ-series, 1 x RJ45 socket	1,019.00	291927	4547648476584			BA	K	NLD	8529.1095.00
CJ1W-FRM21	PROFIBUS DP master unit for CJ-series	1,134.00	168022	4547648010955	#		BA	K	NLD	8529.1095.00
CJ1W-FRT21	PROFIBUS DP slave unit, up to 100 words in and out, 180 words maximum	764.00	136031	4536854859908			BA	K	NLD	8529.1095.00
CJ1W-SJU21-V1	Serial communication unit, 2x RS-232C ports, Protocol Macro, Host Link, 1 N NT Link, No protocol, Serial Gateway (CompoWay/F, Modbus-RTU, Modbus-ASCII, Host Link), Modbus RTU Slave	536.00	258830	4547648597272	#		BA	K	CHN	8471.6070.00
CJ1W-SJU22	Serial high-speed communication unit, 2x RS-232C ports, Protocol Macro, Host Link, 1 N NT Link, No protocol, Serial Gateway (CompoWay/F, Modbus-RTU, Modbus-ASCII, Host Link), Modbus RTU Slave, up to 230 kbps	1,267.00	323397	4547648779173			BA	K	JPN	8471.8000.00
CJ1W-SJU31-V1	Serial communication unit, 2x RS422/485 ports, Protocol Macro, Host Link, 1 N NT Link, No protocol, Serial Gateway (CompoWay/F, Modbus-RTU, Modbus-ASCII, Host Link), Modbus RTU Slave	734.40	258835	4547648597685	#		BA	K	CHN	8471.6070.00
CJ1W-SJU32	Serial high-speed communication unit, 2x RS-422/485 ports, Protocol Macro, Host Link, 1 N NT Link, No protocol, Serial Gateway (CompoWay/F, Modbus-RTU, Modbus-ASCII, Host Link), Modbus RTU Slave, up to 230 kbps	1,267.00	323398	4547648779197			BA	K	JPN	8471.8000.00
CJ1W-SJU41-V1	Serial communication unit, 1x RS-232C port + 1x RS422/485 port, Protocol Macro, Host Link, 1 N NT Link, No protocol, Serial Gateway (CompoWay/F, Modbus-RTU, Modbus-ASCII, Host Link), Modbus RTU Slave	673.50	258831	4547648597517	#		BA	K	CHN	8471.6070.00
CJ1W-SJU42	Serial high-speed communication unit, 1x RS-232C port + 1x RS-422/485 port, Protocol Macro, Host Link, 1 N NT Link, No protocol, Serial Gateway (CompoWay/F, Modbus-RTU, Modbus-ASCII, Host Link), Modbus RTU Slave, up to 230 kbps	1,210.00	323399	4547648779197			BA	K	JPN	8471.8000.00



Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	SLN. (Daheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
CJ1W-GT021	High-speed counter unit, 2 axes, 500 kHz, RS422 line driver or open collector input	736.50	315605	4547648708890			BA	K	CHN	8471.6070.00
CJ1W-GTL41-E	High-speed counter unit, 4 axes, 24 VDC open collector and line driver encoders supported, 100 kHz input max. For 24 VDC open collector signals, use XW2G-40G7-E terminal block and XW22-XXX cables	593.50	180688	4547648089753	#		BA	K	NLD	9029.1000.90
CJ1W-GT211-E	High-speed counter unit, 2 axes, SSI absolute encoder inputs, 9-31 bit, Gray/Binary/Taunnenbaum/Raw coding, screw terminal	693.50	180381	4547648089738			BA	K	NLD	9029.1000.90
CJ1W-DCM11-E	DC Motor Control Unit, 24 V, 4 A (10 A peak), PWM control, plug-in terminals	849.00	227033	4547648273626			BA	K	NLD	8523.1095.00
CJ2M-MD211	Pulse I/O Module for CJ2M, NPN with 10 inputs (four interrupt/quickresponse and two high-speed counter inputs) and 6 outputs (two pulse and two PWM outputs)	247.00	341746	4547648833080	#		BA	K	CHN	8471.6070.00
CJ2M-MD212	Pulse I/O Module for CJ2M, PNP with 10 inputs (four interrupt/quickresponse and two high-speed counter inputs) and 6 outputs (two pulse and two PWM outputs)	247.00	341747	4547648833097	#		BA	K	CHN	8471.6070.00
CJ1W-V680C11	V680 FFID Sensor unit, one channel, for CJ-series PLCs	1,494.00	244991	4547648510714			BA	K	JPN	9031.8080.00
CJ1W-V680C12	V680 FFID Sensor unit, two channel, for CJ-series PLCs	2,130.00	244992	4547648510721			BA	K	JPN	9031.8080.00
CS1W-V680C11	13.56 MHz ID controller, single head, for CSI PLCs	2,094.00	244993	4547648510738			BA	K	JPN	9031.8080.00
CS1W-V680C12	13.56 MHz ID controller, double head, for CSI PLCs	2,139.00	244994	4547648510745			BA	K	JPN	9031.8080.00
<b>Control System, CPU Expansions and Optional boards</b>										
CP1W-16ER	I/O expansion unit, 16 x relay outputs 2 A	230.40	670917	4548583810747	#		BA	L	NLD	8471.6070.00
CP1W-16ET	I/O expansion unit, 16 x NPN outputs 0.3 A	203.60	670913	4548583810754			BA	L	NLD	8471.6070.00
CP1W-16ET1	I/O expansion unit, 16 x PNP outputs 0.3 A	203.60	670918	4548583810761	#		BA	L	NLD	8471.6070.00
CP1W-20EDR1	I/O expansion unit, 12 x 24 VDC inputs, 8 x relay outputs 2 A	221.40	670923	4548583810778	#		BA	L	NLD	8471.6070.00
CP1W-20EDT	I/O expansion unit, 12 x 24 VDC inputs, 8 x NPN outputs 0.3 A	229.60	670912	4548583810785			BA	L	NLD	8471.6070.00
CP1W-20EDT1	I/O expansion unit, 12 x 24 VDC inputs, 8 x PNP outputs 0.3 A	229.60	670919	4548583810792	#		BA	L	NLD	8471.6070.00
CP1W-32ER	I/O expansion unit, 32 x relay outputs 2 A	391.70	670914	4548583810808	#		BA	L	NLD	8471.6070.00
CP1W-32ET	I/O expansion unit, 32 x NPN outputs 0.3 A	391.70	670920	4548583810815			BA	L	NLD	8471.6070.00
CP1W-32ET1	I/O expansion unit, 32 x PNP outputs 0.3 A	391.70	670910	4548583810822			BA	L	NLD	8471.6070.00
CP1W-40EDR	I/O expansion unit, 24 x 24 VDC inputs, 16 x relay outputs 2 A	405.70	670909	4548583810839	#		BA	L	NLD	8471.6070.00
CP1W-40EDT	I/O expansion unit, 24 x 24 VDC inputs, 16 x NPN outputs 0.3 A	408.60	670915	4548583810846			BA	L	NLD	8471.6070.00
CP1W-40EDT1	I/O expansion unit, 24 x 24 VDC inputs, 16 x PNP outputs 0.3 A	399.20	670921	4548583810853	#		BA	L	NLD	8471.6070.00
CP1W-8ED	I/O expansion unit, 8 x 24 VDC inputs	157.00	670916	4548583810860	#		BA	L	NLD	8471.6070.00
CP1W-8ER	I/O expansion unit, 8 x relay outputs 2 A	159.40	670922	4548583810877	#		BA	L	NLD	8471.6070.00
CP1W-8ET	I/O expansion unit, 8 x NPN outputs 0.3 A	172.30	670911	4548583810884			BA	L	NLD	8471.6070.00
CP1W-8ET1	I/O expansion unit, 8 x PNP outputs 0.3 A	176.80	670924	4548583810891	#		BA	L	NLD	8471.6070.00
CP1W-AD041	I/O expansion unit, 4 x analog inputs 1 to 5 V, 0 to 10 V, -10 to 10 V, 0 to 20 mA, 4 to 20 mA, resolution 1.6000	402.10	671145	4548583810907			BA	L	NLD	8471.6070.00
CP1W-AD042	I/O expansion unit, 4 x analog inputs 0 to 5 V, 1 to 5 V, 0 to 10 V, -10 to 10 V, 0 to 20 mA, 4 to 20 mA	220.50	671144	4548583810983	#		BA	L	NLD	8471.6070.00
CP1W-AD821	I/O option board (only CP1L-EL/EM port 1 or 2), 2 x analog inputs 0 to 10 V, resolution 1/4000 or 0 to 20 mA, resolution 1.2000	106.60	364430	4548583106703	#		BA	L	CHN	8471.4100.00
CP1W-BAT01	Battery for the CP1 PLC	19.89	678518	4549734925969	#		BA	L	JPN	8506.5010.90
CP1W-CIF01	CP1 RS-232C (15 m max.) serial communication option board	54.25	672569	4548583810914	#		BA	L	NLD	8471.6070.00
CP1W-CIF02	CP1 RS422/485 (50 m max.) serial communication option board	54.25	672570	4548583810921	#		BA	L	NLD	8471.6070.00
CP1W-CIF2-V1	CP1 RS422/485 (isolated 500 m max.) serial communication option board	122.60	688375	4549734446303	#		BA	L	NLD	8471.6070.00
CP1W-CIF41	CP1 EtherNet communications option, 1 x RJ45 socket	323.50	673345	4548583810945	#		BA	L	NLD	8471.6070.00
CP1W-DA021	I/O expansion unit, 2 x analog outputs 0 to 5 V, 1 to 5 V, 0 to 10 V, -10 to 10 V, 0 to 20 mA, 4 to 20 mA, resolution 1.6000	391.70	671147	4548583810952	#		BA	L	NLD	8471.6070.00
CP1W-DA041	I/O expansion unit, 4 x analog outputs 0 to 5 V, 1 to 5 V, 0 to 10 V, -10 to 10 V, 0 to 20 mA, 4 to 20 mA, resolution 1.6000	446.10	671148	4548583810969	#		BA	L	NLD	8471.6070.00
CP1W-DA042	I/O expansion unit, 4 x analog outputs 1 to 5 V, 0 to 10 V, -10 to 10 V, 0 to 20 mA, 4 to 20 mA	237.60	671146	4548583810990	#		BA	L	NLD	8471.6070.00
CP1W-DA821V	I/O option board (only CP1L-EL/EM port 1 or 2), 2 x analog outputs 0 to 10 V, resolution 1.4000	106.60	364431	4548583106710	#		BA	L	CHN	8471.4100.00
CP1W-DAM01	LCD option board to CP1L and CP1H	122.50	247844	4547648527286			BA	L	CHN	8471.6070.00
CP1W-EIP61	CP1 EtherNet/IP communications option, for datalink function only, 1 x RJ45 socket	416.70	365009	4547648934893			BA	L	USA	8471.6070.00
CP1W-MAB221	I/O option board (only CP1L-EL/EM port 1 or 2), 2 x analog inputs 0 to 10 V, resolution 1.4000 or 0 to 20 mA, resolution 1.2000, 2 x analog outputs 0 to 10 V, resolution 1.6000	185.20	364429	4548583106697	#		BA	L	CHN	8471.4100.00
CP1W-MAD11	I/O expansion unit, 2 x analog inputs 0 to 20 mA, 4 to 20 mA, 0 to 5 V, 1 to 5 V, 0 to 10 V, -10 to 10 V, 1 x analog output 0 to 20 mA, 4 to 20 mA, 1 to 5 V, 0 to 10 V, -10 to 10 V, resolution 1.6000	448.80	671149	4548583810976	#		BA	L	NLD	8471.6070.00
CP1W-MAD42	I/O expansion unit, 4 x analog inputs and 2 x analog outputs	285.60	671151	4548583811003	#		BA	L	NLD	8471.6070.00
CP1W-MAD44	I/O expansion unit, 4 x analog inputs and 4 x analog outputs	405.70	671150	4548583811010	#		BA	L	NLD	8471.6070.00
CP1W-MODTCP61	CP1 Modbus TCP communications option, Master or Slave, 1 x RJ45 socket	402.20	365010	4547648934909			BA	L	USA	8471.6070.00
CP1W-SRT21	CP1 CompoBus S I/O data link unit	235.20	250196	4547648511223			BA	L	CHN	8537.1098.99
CP1W-TS001	I/O expansion unit, 2 x thermocouple inputs type J, K	372.00	673348	4548583811034	#		BA	L	NLD	8471.6070.00
CP1W-TS002	I/O expansion unit, 4 x thermocouple inputs type J, K	468.70	673347	4548583811041	#		BA	L	NLD	8471.6070.00
CP1W-TS003	I/O expansion unit, 4 x thermocouple inputs type J, K or 2 x type J, K and 2 x analog inputs	246.40	674253	4548583811027	#		BA	L	NLD	8471.6070.00
CP1W-TS004	I/O expansion unit, 12 x thermocouple inputs type J, K	405.40	401523	4548583557932			BA	L	CHN	8471.6070.00
CP1W-TS101	I/O expansion unit, 2 x RTD inputs Pt100	372.00	672572	4548583811058	#		BA	L	NLD	8537.1098.99
CP1W-TS102	I/O expansion unit, 4 x RTD inputs Pt100	468.70	672573	4548583811065	#		BA	L	NLD	8537.1098.99
CP2W-BAT02	CP2-series Battery - Optional	4.55	689916	4549734542555	#		BA	L	JPN	8506.5010.90
CP2W-CIFD1	CP2-series Serial Option board 2 x RS-232 ports	90.90	689944	4549734542524	#		BA	L	CHN	8471.8000.00
CP2W-CIFD2	CP2-series Serial Option board 1 x RS-232, 1 x RS-485 ports	90.90	689945	4549734542531	#		BA	L	CHN	8471.8000.00
CP2W-CIFD3	CP2-series Serial Option board 2 x RS-485 ports	90.90	689946	4549734542548	#		BA	L	CHN	8471.8000.00
<b>Control System Software</b>										
NA-RTSM	Soft-NA installation DVD only, for Windows 10 Pro 64 bit (requires NART-LD** license)	40.40	694868	4549734592529			BA	M	NLD	8523.4910.00
SYMAC-DE001L	Symac Studio Drive Edition	127.20	673372	4548583988262			BA	M	NLD	8523.8090.00
SYMAC-FE001L	Symac Studio Safety Edition is a license including necessary setting functions for the safety control system. (license only, you need the Symac Studio Standard Edition DVD media to install it)	464.50	684740	4549734206181			BA	M	JPN	8523.8090.00
SYMAC-HE001L	Software, Symac studio, HMI edition	275.70	410040	4547648994675			BA	M	NLD	8523.8090.00
SYMAC-LE001L	Symac Studio Lite license only, single user (requires SYMAC-SE200D download or installation DVD, available separately)	933.00	672883	4548583984103	#		BA	M	NLD	8523.8090.00
SYMAC-LE203L	Symac Studio Lite license only, 3 user (requires SYMAC-SE200D download or installation DVD, available separately)	1,867.00	672793	4548583983205			BA	M	NLD	8523.8090.00
SYMAC-LE210L	Symac Studio Lite license only, 10 users (requires SYMAC-SE200D download or installation DVD, available separately)	3,732.00	672792	4548583983199			BA	M	NLD	8523.8090.00
SYMAC-LJUS01L	Symac Studio Lite to Symac Studio Standard upgrade, 1-user licence only	1,156.00	673371	4548583988255			BA	M	NLD	8523.8090.00
SYMAC-NE001L	Symac Studio NX I/O Edition	275.70	410039	4547648994668			BA	M	NLD	8523.8090.00
SYMAC-RA011L	Symac Studio Vision and Delta Robots Integrated Simulation	1,334.00	669799	4548583756250			BA	M	JPN	8523.8090.00
SYMAC-RTNC0000D	CNC operator DVD	40.91	679805	4549734166874			BA	M	JPN	8523.8090.00
SYMAC-RTNC0001L	CNC operator Additional license	1,310.00	679804	4549734166881			BA	M	JPN	8523.8090.00
SYMAC-RTNC0101D	CNC operator SDK DVD	2,301.00	679803	4549734166898			BA	M	JPN	8523.8090.00

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Data sheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
SYSMAC-SA401L-64	Sysmac Studio 3D Simulation Option (64 bit) 1 User License	505.00	695814	4549734601375			BA	M	JPN	8523.8090.00
SYSMAC-SA403L-64	Sysmac Studio 3D Simulation Option (64 bit) 3 Users License	1,919.00	695813	4549734601382			BA	M	JPN	8523.8090.00
SYSMAC-SA410L-64	Sysmac Studio 3D Simulation Option (64 bit) 10 Users License	3,838.00	695812	4549734601399			BA	M	JPN	8523.8090.00
SYSMAC-SA420L-64	Sysmac Studio 3D Simulation Option (64 bit) 30 Users License	8,060.00	695811	4549734601405			BA	M	JPN	8523.8090.00
SYSMAC-SA450L-64	Sysmac Studio 3D Simulation Option (64 bit) 50 Users License	11,140.00	695810	4549734601412			BA	M	JPN	8523.8090.00
SYSMAC-SA4XXL-64	Sysmac Studio 3D Simulation Option (64 bit) Site User License	17,280.00	695809	4549734601429			BA	M	JPN	8523.8090.00
SYSMAC-SE200D	Sysmac Studio installation DVD only, for Windows XP or Windows 7/8.32 or 64-bit versions (requires SYSMAC-SE2** License)	21.14	355294	4547648909785			BA	M	NLD	8523.8090.00
SYSMAC-SE201L	Sysmac Studio license only, single user (requires SYSMAC-SE200D download or installation DVD, available separately)	1,584.00	355295	4547648909792	#		BA	M	NLD	8523.8090.00
SYSMAC-SE203L	Sysmac Studio license only, 3 user (requires SYSMAC-SE200D installation DVD, available separately)	3,164.00	355296	4547648909808			BA	M	NLD	8523.8090.00
SYSMAC-SE210L	Sysmac Studio license only, 10 user (requires SYSMAC-SE200D installation DVD, available separately)	6,330.00	355297	4547648909815			BA	M	NLD	8523.8090.00
SYSMAC-SE230L	Sysmac Studio license only, 30 user (requires SYSMAC-SE200D installation DVD, available separately)	13,470.00	355298	4547648909822			BA	M	NLD	8523.8090.00
SYSMAC-SE2XXL-ED	Sysmac Studio Educational Edition site license	281.80	659565	4548583953949			BA	M	NLD	8523.8090.00
SYSMAC-TA401L	Sysmac Studio Team Option 1 User License	507.50	680950	4549734942607			BA	M	NLD	8523.8090.00
SYSMAC-TA403L	Sysmac Studio Team Option 3 Users License	1,034.00	680952	4549734942621			BA	M	NLD	8523.8090.00
SYSMAC-TA410L	Sysmac Studio Team Option 10 Users License	2,012.00	680951	4549734942614			BA	M	NLD	8523.8090.00
SYSMAC-TA430L	Sysmac Studio Team Option 30 Users License	4,232.00	680954	4549734942645			BA	M	NLD	8523.8090.00
SYSMAC-TA450L	Sysmac Studio Team Option 50 Users License	5,860.00	680953	4549734942638			BA	M	NLD	8523.8090.00
SYSMAC-TA4XXL	Sysmac Studio Team Option Site License	9,140.00	680955	4549734942652			BA	M	NLD	8523.8090.00
SYSMAC-VE001L	Sysmac Studio license, vision editor only (requires SYSMAC-SE200D installation DVD, available separately)	227.60	356659	4547648924771			BA	M	NLD	8523.8090.00
CXONE-AL01-EV4	Single-user licence for CX-One V4.x software, for Windows 2000/XP/Vista/Windows 7/8/10 (32 and 64 bit), (requires CDs or DVD, CXOne-CD-EV4, or CXOne-DVD-EV4)	1,037.00	324692	4547648876711	#		BA	M	NLD	8523.8090.00
CXONE-AL01-EV4-UP	Single-user licence upgrade for CX-One V4.x, requires CDs or DVD with software (CXOne-CD-EV4, or CXOne-DVD-EV4)	321.70	324688	4547648876773			BA	M	NLD	8523.8090.00
CXONE-AL03-EV4	3-user licence only, for CX-One V4.x software, for Windows 2000/XP/Vista/Windows 7/8/10 (32 and 64 bit), (requires CDs or DVD, CXOne-CD-EV4, or CXOne-DVD-EV4)	2,097.00	324683	4547648876728			BA	M	NLD	8523.8090.00
CXONE-AL03-EV4-UP	3-user licence only, upgrade version, for CX-One V4.x software, for Windows 2000/XP/Vista/Windows 7 (32 bit only), (requires CDs or DVD, CXOne-CD-EV4, or CXOne-DVD-EV4)	571.50	324689	4547648876730			BA	M	NLD	8523.8090.00
CXONE-AL10-EV4	10-user licence only, for CX-One V4.x software, for Windows 2000/XP/Vista/Windows 7/8/10 (32 and 64 bit), (requires CDs or DVD, CXOne-CD-EV4, or CXOne-DVD-EV4)	4,081.00	324684	4547648876785			BA	M	NLD	8523.8090.00
CXONE-AL10-EV4-UP	10-user licence only, upgrade version, for CX-One V4.x software, for Windows 2000/XP/Vista/Windows 7 (32 bit only), (requires CDs or DVD, CXOne-CD-EV4, or CXOne-DVD-EV4)	1,335.00	324690	4547648876797			BA	M	NLD	8523.8090.00
CXONE-AL30-EV4	30-user licence only, for CX-One V4.x software, for Windows 2000/XP/Vista/Windows 7/8/10 (32 and 64 bit), (requires CDs or DVD, CXOne-CD-EV4, or CXOne-DVD-EV4)	8,580.00	324685	4547648876742			BA	M	NLD	8523.8090.00
CXONE-AL30-EV4-UP	30-user licence only, upgrade version, for CX-One V4.x software, for Windows 2000/XP/Vista/Windows 7 (32 bit only), (requires CDs or DVD, CXOne-CD-EV4, or CXOne-DVD-EV4)	2,766.00	324691	4547648876803			BA	M	NLD	8523.8090.00
CXONE-AL50-EV4	50-user licence only, for CX-One V4.x software, for Windows 2000/XP/Vista/Windows 7/8/10 (32 and 64 bit), (requires CDs or DVD, CXOne-CD-EV4, or CXOne-DVD-EV4)	11,860.00	324686	4547648876759			BA	M	NLD	8523.8090.00
CXONE-AL50-EV4-UP	50-user licence only, upgrade version, for CX-One V4.x software, for Windows 2000/XP/Vista/Windows 7 (32 bit only), (requires CDs or DVD, CXOne-CD-EV4, or CXOne-DVD-EV4)	3,816.00	324692	4547648876810			BA	M	NLD	8523.8090.00
CXONE-ALXXD-V4-ED	CX-One Educational Edition site license	281.80	659568	4548583953970			BA	M	NLD	8523.8090.00
CXONE-DVD-EV4	CX-One V4.x software, for Windows 2000/XP/Vista/Windows 7/8/10 (32 and 64 bit), supplied on 1x DVD. (requires licence number CXOne-ALxx-EV4-1xx)	15.88	324695	4547648876841			BA	M	NLD	8523.8090.00
CXONE-LT01-EV4	CX-One Lite v4.x software, for Windows 2000/XP/Vista, single-user licence only, (requires CDs, CXOne-LTCD-EV4), limited to program the CPx PLC platform	258.00	313838	4547648871129	#		BA	M	NLD	8523.8090.00
CXONE-LTCD-EV4	CX-One Lite v4.x software, for Windows 2000/XP/Vista, supplied on 2x CDs. (requires licence number CXOne-LT01-EV4), limited to program the CPx PLC platform	21.14	313839	4547648871136			BA	M	NLD	8523.8090.00
CX-SUPERVISOR-RUN-ME-V4	CX-Supervisor V4 Machine Edition Runtime package (with USB dongle)	611.00	695998	4549734667920	#		BA	M	NLD	8523.8090.00
CX-SUPERVISOR-RUN-PLUS-V2.1	CX-Supervisor PLUS Runtime package (with USB dongle)	873.00	242667	4547648852562			BA	M	NLD	8523.8090.00
CX-SUPERVISOR-RUN-PLUS-V4	CX-Supervisor V4 PLUS Runtime package (with USB dongle)	959.50	695997	4549734667937	#		BA	M	NLD	8523.8090.00
CX-SUPERVISOR-TRIAL-V4	CX-Supervisor V4 trial version, with 2 hours communication (and other limitations)	51.55	696220	4549734667944			BA	M	NLD	8523.8090.00
CX-SUPERVISOR-UPGR-V4	CX-Supervisor V3 to V4.0 developer upgrade	645.50	696221	4549734667913			BA	M	NLD	8523.8090.00
CX-SUPERVISOR-USB-V1.3	CX-Supervisor runtime USB dongle (for Development version)	593.50	224678	4536853903497			BA	M	NLD	8523.8090.00
CX-SUPERVISOR-V4	CX-Supervisor Developer package, Requires CX-SUPERVISOR-RUN-ME-V4 or CX-SUPERVISOR-RUN-PLUS-V4 runtime package with USB dongle	611.00	695839	4549734667906			BA	M	NLD	8523.8090.00
CX-COMPOLET-EV1-01L	1 License Software with components to create programs for com. between PCs and PLCs. Developm. environment: Visual Studio, .NET2003/2005/2008/2010/2013. Developm. languages: VB, .NET, Visual C#. This packaged is bundled with SYSMAC Gateway	407.10	342189	4547648887182			BA	M	NLD	8523.8090.00
CX-COMPOLET-EV1-05L	5 License Software with components to create programs for com. between PCs and PLCs. Developm. environment: Visual Studio, .NET2003/2005/2008/2010/2013. Developm. languages: VB, .NET, Visual C#. This packaged is bundled with SYSMAC Gateway	1,457.00	342190	4547648887199			BA	M	NLD	8523.8090.00
SYSMAC-GATEWAY-RUN-V1	Communications middleware for PCs. Supports CIP communications and tag data links (EtherNet/IP) in addition to FinsGateway functions 1 license version	615.50	330816	4547648882804			BA	M	NLD	8523.8090.00
WS02-CPLC1	CX-Compolet communication software, single-user licence; supported OS: Microsoft Windows Vista, XP, 2000, 2003 Server	1,943.00	265822	4547648610452			BA	M	JPN	8523.8090.00
WS02-SGWC1	SYSMAC Gateway communication middleware, run time single-user licence; supported OS: Windows 7 64bit and Windows Server 2008	1,088.00	265820	4547648610414			BA	M	JPN	8523.8090.00
SYSMAC-AICSTED00	AI Controller Standard Software Tool, Media only	42.37	685589	4549734450997			BA	M	JPN	8523.8090.00
SYSMAC-AICSTED1L	AI Controller Standard Software Tool, 1 Licence	2,014.00	685590	4549734451000			BA	M	JPN	4821.1090.00
SYSMAC-AICSTED10L	AI Controller Standard Software Tool 10 Licence	7,420.00	685591	4549734451017			BA	M	JPN	
SYSMAC-AICSTED30L	AI Controller Standard Software Tool 30 Licence	15,690.00	685592	4549734451024			BA	M	JPN	
SYSMAC-AICSTED50L	AI Controller Standard Software Tool 50 Licence	21,200.00	685593	4549734451031			BA	M	JPN	
SYSMAC-AICSTEDXXL	AI Controller Standard Software Tool Site Licence	32,860.00	685594	4549734451048			BA	M	JPN	
WS02-EDMC1-V2	SPU unit Data Management Middleware, for Windows 2000/XP, single-user licence	865.50	231328	4547648287630			BA	M	JPN	8471.6070.00
WS02-SPTC1-V2	CJ1 SPU unit Setting Software	526.50	246863	4547648445894			BA	M	JPN	8471.6070.00
SYSMAC-ZPA001005L	AI Predictive Maintenance Library (Cylinder), 5 Licence	805.50	685580	4549734450799			BA	M	JPN	8536.5015.90
SYSMAC-ZPA001010L	AI Predictive Maintenance Library (Cylinder), 10 Licence	1,293.00	685581	4549734450805			BA	M	JPN	
SYSMAC-ZPA001050L	AI Predictive Maintenance Library (Cylinder), 50 Licence	3,560.00	685582	4549734450812			BA	M	JPN	
SYSMAC-ZPA002005L	AI Predictive Maintenance Library (Ball Screw), 5 Licence	805.50	685583	4549734450836			BA	M	JPN	4901.9900.00
SYSMAC-ZPA002010L	AI Predictive Maintenance Library (Ball Screw), 10 Licence	1,293.00	685584	4549734450843			BA	M	JPN	
SYSMAC-ZPA002050L	AI Predictive Maintenance Library (Ball Screw), 50 Licence	3,560.00	685585	4549734450850			BA	M	JPN	
SYSMAC-ZPA003005L	AI Predictive Maintenance Library (Belt & Pulley), 5 Licence	805.50	685586	4549734450874			BA	M	JPN	8523.8090.00
SYSMAC-ZPA003010L	AI Predictive Maintenance Library (Belt & Pulley), 10 Licence	1,293.00	685587	4549734450881			BA	M	JPN	
SYSMAC-ZPA003050L	AI Predictive Maintenance Library (Belt & Pulley), 50 Licence	3,560.00	685588	4549734450898			BA	M	JPN	
<b>Control System CP2</b>										
CP2E-E14DR.A	CP2E series compact PLC - Essential Type; 8 DI, 6DO; Relay output; Power supply 220 VAC; 4 kStep Program memory	276.00	689939	4549734542470	#		BA	N	CHN	8471.4100.00
CP2E-E20DR.A	CP2E series compact PLC - Essential Type; 12 DI, 8DO; Relay output; Power supply 220 VAC; 4 kStep Program memory	296.00	689940	4549734542487	#		BA	N	CHN	8471.4100.00
CP2E-E30DR.A	CP2E series compact PLC - Essential Type; 18 DI, 12DO; Relay output; Power supply 220 VAC; 4 kStep Program memory	402.00	689941	4549734542494	#		BA	N	CHN	8471.4100.00
CP2E-E40DR.A	CP2E series compact PLC - Essential Type; 24 DI, 16 DO; Relay output; Power supply 220 VAC; 4 kStep Program memory	464.00	689942	4549734542500			BA	N	CHN	8471.4100.00

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Data sheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
CP2E-E60DR-A	CP2E series compact PLC - Essential Type; 36 DI, 24DO; Relay output; Power supply 220 VAC; 4 kStep Program memory	560.00	689943	4549734542517	3		BA	N	CHN	8471.4100.00
CP2E-N14DR-D	CP2E series compact PLC - Network type; 8 DI, 6DO; Relay output; Power supply 220 VAC; 10 kStep Program memory	402.00	689961	4549734542135			BA	N	CHN	8471.4100.00
CP2E-N14DR-D	CP2E series compact PLC - Network type; 8 DI, 6DO; PNP output; Power supply 24 VDC; 10 kStep Program memory	402.00	689976	4549734542180			BA	N	CHN	8471.4100.00
CP2E-N14DT1-D	CP2E series compact PLC - Network type; 8 DI, 6DO; NPN output; Power supply 220 VAC; 10 kStep Program memory	402.00	689925	4549734542333	#		BA	N	CHN	8471.4100.00
CP2E-N14DT-A	CP2E series compact PLC - Network type; 8 DI, 6DO; PNP output; Power supply 24 VDC; 10 kStep Program memory	402.00	689971	4549734542234			BA	N	CHN	8471.4100.00
CP2E-N14DT-D	CP2E series compact PLC - Network type; 8 DI, 6DO; NPN output; Power supply 24 VDC; 10 kStep Program memory	402.00	689920	4549734542289			BA	N	CHN	8471.4100.00
CP2E-N20DR-A	CP2E series compact PLC - Network type; 12 DI, 8DO; Relay output; Power supply 220 VAC; 10 kStep Program memory	464.00	689980	4549734542142			BA	N	CHN	8471.4100.00
CP2E-N20DR-D	CP2E series compact PLC - Network type; 12 DI, 8DO; Relay output; Power supply 24 VDC; 10 kStep Program memory	464.00	689975	4549734542197			BA	N	CHN	8471.4100.00
CP2E-N20DT1-D	CP2E series compact PLC - Network type; 12 DI, 8DO; PNP output; Power supply 24 VDC; 10 kStep Program memory	464.00	689926	4549734542340	#		BA	N	CHN	8471.4100.00
CP2E-N20DT-A	CP2E series compact PLC - Network type; 12 DI, 8DO; NPN output; Power supply 24 VDC; 10 kStep Program memory	464.00	689970	4549734542241			BA	N	CHN	8471.4100.00
CP2E-N20DT-D	CP2E series compact PLC - Network type; 12 DI, 8DO; NPN output; Power supply 24 VDC; 10 kStep Program memory	464.00	689921	4549734542296			BA	N	CHN	8471.4100.00
CP2E-N30DR-A	CP2E series compact PLC - Network type; 18 DI, 12DO; Relay output; Power supply 220 VAC; 10 kStep Program memory	560.00	689979	4549734542159			BA	N	CHN	8471.4100.00
CP2E-N30DR-D	CP2E series compact PLC - Network type; 18 DI, 12DO; Relay output; Power supply 24 VDC; 10 kStep Program memory	560.00	689921	4549734542203			BA	N	CHN	8471.4100.00
CP2E-N30DT1-D	CP2E series compact PLC - Network type; 18 DI, 12DO; PNP output; Power supply 220 VAC; 10 kStep Program memory	560.00	689927	4549734542357	#		BA	N	CHN	8471.4100.00
CP2E-N30DT-A	CP2E series compact PLC - Network type; 18 DI, 12DO; NPN output; Power supply 220 VAC; 10 kStep Program memory	560.00	689917	4549734542258			BA	N	CHN	8471.4100.00
CP2E-N30DT-D	CP2E series compact PLC - Network type; 18 DI, 12DO; NPN output; Power supply 24 VDC; 10 kStep Program memory	560.00	689922	4549734542302			BA	N	CHN	8471.4100.00
CP2E-N40DR-A	CP2E series compact PLC - Network type; 24 DI, 16 DO; Relay output; Power supply 220 VAC; 10 kStep Program memory	698.00	689978	4549734542166	#		BA	N	CHN	8471.4100.00
CP2E-N40DR-D	CP2E series compact PLC - Network type; 24 DI, 16 DO; Relay output; Power supply 24 VDC; 10 kStep Program memory	698.00	689973	4549734542210	#		BA	N	CHN	8471.4100.00
CP2E-N40DT1-D	CP2E series compact PLC - Network type; 24 DI, 16 DO; PNP output; Power supply 24 VDC; 10 kStep Program memory	698.00	689928	4549734542364	#		BA	N	CHN	8471.4100.00
CP2E-N40DT-A	CP2E series compact PLC - Network type; 24 DI, 16 DO; NPN output; Power supply 220 VAC; 10 kStep Program memory	698.00	689919	4549734542205			BA	N	CHN	8471.4100.00
CP2E-N60DR-D	CP2E series compact PLC - Network type; 36 DI, 24DO; Relay output; Power supply 220 VAC; 10 kStep Program memory	698.00	689923	4549734542319			BA	N	CHN	8471.4100.00
CP2E-N60DR-A	CP2E series compact PLC - Network type; 36 DI, 24DO; Relay output; Power supply 24 VDC; 10 kStep Program memory	887.00	689977	4549734542173	#		BA	N	CHN	8471.4100.00
CP2E-N60DT1-D	CP2E series compact PLC - Network type; 36 DI, 24DO; PNP output; Power supply 24 VDC; 10 kStep Program memory	887.00	689972	4549734542227	#		BA	N	CHN	8471.4100.00
CP2E-N60DT-A	CP2E series compact PLC - Network type; 36 DI, 24DO; NPN output; Power supply 220 VAC; 10 kStep Program memory	887.00	689918	4549734542272	#		BA	N	CHN	8471.4100.00
CP2E-N60DT-D	CP2E series compact PLC - Network type; 36 DI, 24DO; NPN output; Power supply 24 VDC; 10 kStep Program memory	887.00	689924	4549734542326			BA	N	CHN	8471.4100.00
CP2E-S30DR-A	CP2E series compact PLC - Standard Type; 18 DI, 12DO; Relay output; Power supply 220 VAC; 8 kStep Program memory	464.00	689930	4549734542388	#		BA	N	CHN	8471.4100.00
CP2E-S30DT1-D	CP2E series compact PLC - Standard Type; 18 DI, 12DO; PNP output; Power supply 24 VDC; 8 kStep Program memory	464.00	689936	4549734542449	#		BA	N	CHN	8471.4100.00
CP2E-S30DT-D	CP2E series compact PLC - Standard Type; 18 DI, 12DO; NPN output; Power supply 24 VDC; 8 kStep Program memory	464.00	689933	4549734542418	#		BA	N	CHN	8471.4100.00
CP2E-S40DR-A	CP2E series compact PLC - Standard Type; 24 DI, 16 DO; Relay output; Power supply 220 VAC; 8 kStep Program memory	560.00	689931	4549734542395	#		BA	N	CHN	8471.4100.00
CP2E-S40DT1-D	CP2E series compact PLC - Standard Type; 24 DI, 16 DO; PNP output; Power supply 24 VDC; 8 kStep Program memory	560.00	689937	4549734542456	#		BA	N	CHN	8471.4100.00
CP2E-S40DT-D	CP2E series compact PLC - Standard Type; 24 DI, 16 DO; NPN output; Power supply 24 VDC; 8 kStep Program memory	560.00	689934	4549734542425	#		BA	N	CHN	8471.4100.00
CP2E-S60DR-A	CP2E series compact PLC - Standard Type; 36 DI, 24DO; Relay output; Power supply 220 VAC; 8 kStep Program memory	698.00	689932	4549734542401	#		BA	N	CHN	8471.4100.00
CP2E-S60DT1-D	CP2E series compact PLC - Standard Type; 36 DI, 24DO; PNP output; Power supply 24 VDC; 8 kStep Program memory	698.00	689938	4549734542463	#		BA	N	CHN	8471.4100.00
CP2E-S60DT-D	CP2E series compact PLC - Standard Type; 36 DI, 24DO; NPN output; Power supply 24 VDC; 8 kStep Program memory	698.00	689935	4549734542432	#		BA	N	CHN	8471.4100.00

**Special Control System - WER**

WESIGMLC2-DDM	1 Gbps Transceiver - Multi-Mode, LC connector, 2 km, -10 to 70°C, DDM, for i-Line models	304.50	353043	4547648898416			BA	W	TWN	8504.5000.90
WESIGSLC10-DDM	1 Gbps Transceiver - Single-Mode, LC connector, 10 km, -10 to 70°C, DDM, for i-Line models	494.90	353044	4547648898423	10		BA	W	TWN	8504.5000.90
WESL206-F2G-EX	Managed EX approved Ethernet Switch with Routing Functionality	1,999.00	690107	4549734979726			BA	W	SWE	8517.6200.00
WESMRD-405	Industrial mobile broadband /4G router	1,119.00	679724	4549734934336			BA	W	AUS	8504.5000.90
WES SDI-550	i-Line 5-port Unmanaged Switch - 5 x 10/100BaseT	113.40	353025	4547648898232			BA	W	TWN	8504.5000.90
WES SDI-880	i-Line 8-port Unmanaged Switch - 8 x 10/100BaseT	335.20	353028	4547648898263			BA	W	TWN	8504.5000.90
WES SDW-550	SDW-series 5-port Unmanaged Switch - 5 x 10/100BaseTX	345.70	198298	4547648937580			BA	W	SWE	8537.1098.99
KOR-JETWAVE212G	Industrial Dual 802.11 ac 2.4G/5G 2T2R MIMO Wireless AP/CL	1,708.00	695240	4549734995863			BA	W	TWN	8517.6200.00

**Other Control System**

CS1PC-EIC01	CSI Board PLC Expansion I/O option, PCI, connects to CSI or C200H expansion I/O racks, use with CSIW-CN**3 or CSIW-CN**3 cable	462.20	224351	4536854772252			BA	X	JPN	8471.4100.00
SFM1-C01-V2	CompoBus/S-master PLC unit, 24 VDC supply, 256 I/O points max	672.00	111589	4536854483059			BA	X	JPN	8471.4100.00
SFM1-C02-V2	CompoBus/S-master PLC unit, 24 VDC supply, 256 I/O points max, FS-232C port	758.50	111590	4536854483066			BA	X	JPN	8471.4100.00
W4S1-03B	3-port basic Ethernet switch	210.50	274904	4547648602952	#		BA	X	JPN	8473.3080.00
W4S1-05B	5-port basic ethernet switch	334.70	274905	4547648603027	#		BA	X	JPN	8473.3080.00
W4S1-05C	5-port enhanced ethernet switch	399.20	274906	4547648603041	#		BA	X	JPN	8473.3080.00
W4S1-05D	5-port enhanced Ethernet switch	300.00	702123	4549734712224			BA	X	JPN	8517.6200.00
3GBF7-CLK23-E	controllerLink PC interface (PCI)	2,287.00	240863	4547648458719			BA	X	JPN	8537.1098.99
3GBF7-DRM21-E	Automation, Control Systems, Other Control Systems, 3GBF7-DRM21-E	1,308.00	167767	4536854659584			BA	X	JPN	8537.1098.99
HMC-EF283	Flash memory card, 256MB	520.50	699230	4549734599733			BA	X	TWN	8471.6070.00
HMC-EF583	Flash memory card, 512MB	751.50	239897	4547648276399			BA	X	JPN	8471.6070.00
G70A-ZOC16-3 DC24	Output Terminal Block for Relay or SSR, 16-point, for NPN output units	152.60	377345	4548583411821			BA	X	CHN	8536.4900.99
G70A-ZOC16-4 DC24	Output Terminal Block for Relay or SSR, 16-point, for PNP output units	152.60	377346	4548583411838			BA	X	CHN	8536.4900.99

**Special Control System**

SYS-SCU02-OEB	Serial converter, RS232-C - RS422A/RS485, 24 VDC, DIN-rail mount	101.30	186964	4549734960496			BA	Y	IND	8537.1098.99
CJ1W-F130	Load cell input unit, 1 channel, high-performance, 10 VDC or 2.5 VDC, max. 4 x 350 Ohm load cells, screw terminal	4,138.00	372912	4547648949613			BA	Y	JPN	8471.6070.00
CJ1W-F159	Weiqling control unit, 1-channel load cell input, 500 samples/second, 1,40,000 resolution, screw terminal	3,603.00	192141	4536853892920			BA	Y	JPN	8471.6070.00
CJ1M-BRKOUT	I/O connector, 40-pin MIL to screw clamp terminals	310.00	180890				BA	Y	CAN	8471.6070.00

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Data sheet)	GTIN	Stock	Lot Qty.	Gr.	Fam.	COO	Tariff Code
<b>Accessory for Control System.</b>										
CPIW-CN221	USB Programming cable, A-type male to B-type male, 1.8 m	9.92	676856	4549734914413	#		BA	Z	CHN	8544.4290.90
CPIW-CN611	I/O expansion cable for CPI-series, 80 cm	80.70	209406	4547648203630			BA	Z	CHN	8544.4290.90
CPIW-EXT01	CPIH CPU to CJ1W unit adapter, includes CJ and plate	96.95	209407	4547648203647	#		BA	Z	CHN	8473.3080.00
CPIW-ME05M	CPI1 memory cassette (for upload/download of user program)	64.05	209405	4547648203623			BA	Z	CHN	8542.3255.00
CPIW-SW806	Input simulation switch board	52.75	239599	4536853913489			BA	Z	NLD	8473.3080.00
CPM2C-BAT01	Battery for CPM2C PLCs	49.79	157651	4536854490033			BA	Z	JPN	8506.5090.90
CPM2C-CN111	Adapter cable, 0.1 m, converts peripheral port into RS-232C port and a peripheral port	116.70	224547	4547648227148			BA	Z	CHN	8544.4290.90
CPM2A-BAT01	Battery for CPM2A/COM1H/CJ1G/CJ1H PLCs	63.50	659247	4548583951709	#		BA	Z	JPN	8506.5090.90
CJ1W-AT411	Standard 18-pin terminal block conversion adapter used to replace the COM1(H)-series I/O Units	159.00	675139	4548583588790			BA	Z	JPN	8471.6070.00
CJ1W-BAT01	Battery for CJ1M PLCs	50.65	659004	4548583950603	#		BA	Z	JPN	8506.5090.90
CJ1W-TER01	End plate for CJ1 CPU rack or expansion rack. Only required as spare part.	100.90	136072	4536854716195			BA	Z	JPN	8471.9000.00
CS1W-CN133	I/O expansion rack connecting cable for NJ/CJ/CS-series, 10 m	462.40	224537	4547648226868			BA	Z	CHN	8544.4290.90
CS1W-CN133-B2	CSI/CJ/NJ connecting cable, 12 m	580.00	224538	4547648226875			BA	Z	CHN	8544.4290.90
CS1W-CN221	CSI-C200H backplane connecting cable, 2 m	187.00	224555	4547648226905			BA	Z	CHN	8544.4290.90
CS1W-CN223	I/O expansion rack connecting cable for NJ/CJ/CS-series, 30 cm	217.60	224560	4547648226837			BA	Z	CHN	8544.4290.90
CS1W-CN313	I/O expansion rack connecting cable for NJ/CJ/CS-series, 2 m	96.55	224548	4547648226813			BA	Z	CHN	8544.4290.90
CS1W-CN323	I/O expansion rack connecting cable for NJ/CJ/CS-series, 3 m	249.20	224551	4547648226844			BA	Z	CHN	8544.4290.90
CS1W-CN523	I/O expansion rack connecting cable for NJ/CJ/CS-series, 5 m	290.30	224552	4547648226851			BA	Z	CHN	8544.4290.90
CS1W-CN711	CSI-C200H backplane connecting cable, 70 cm	119.40	224554	4547648226899			BA	Z	CHN	8544.4290.90
CS1W-CN713	I/O expansion rack connecting cable for NJ/CJ/CS-series, 70 cm	144.30	224549	4547648226820			BA	Z	CHN	8544.4290.90
CS1W-RPT01	controller link repeater, coax	498.80	163034	4536854981333			BA	Z	JPN	8473.3080.00
CS1W-RPT02	controller link repeater, 200u	663.50	163571	4536854981340			BA	Z	JPN	8473.3080.00
CS1W-RPT03	controller link repeater	1,281.00	163570	4536854981357			BA	Z	JPN	8473.3080.00
CS1W-BAT01	Battery for CSI PLCs	46.14	668348	4548583960404			BA	Z	JPN	8506.5090.90
CS1W-SP001	Space unit for vacant I/O slots on CSI backplane	10.04	168049	4547648023191			BA	Z	JPN	8523.8090.00
CJ1W-CIF11	RS-485 adaptor, 2 or 4 wire, connects directly to RS-232C 9-pin port for serial PLC link, screw terminals on RS-485 side	161.00	147038	4536854858863			BA	Z	JPN	8471.6070.00
CJ1W-CIF21	Compoway/F master adaptor, converts RS-232C port of Omron PLC to RS-485 for connection of up to 32 Compoway/F panel products	286.20	317236	4547648706131			BA	Z	CHN	8471.6070.00
COM1H-CIF12	RS-422 adaptor unit for COM1H, converts peripheral port to RS-422, DIN rail mounting, 0.2 m cable (use with COM1H-CPU lot no. 1461N or later)	269.70	250267	4547648511049			BA	Z	CHN	8537.1098.99
CS1W-CIF31	Cable, PC USB to RS-232C converter cable, for Windows 98/ME/2000/XP, drivers included on CD-ROM, an Omron programming cable is also required	233.60	103601	4536854935596	#		BA	Z	JPN	8471.6070.00
DCA1-5C10-B	DeviceNet thin cable, blue, 100 m	1,641.00	684039	4547648124737			BA	Z	JPN	8544.4320.00
CS1W-CN114	Communication adapter, COM1-PR001 to CSI/COM1H/CPM2C, 0.1 m	82.75	224561	4547648227056			BA	Z	CHN	8544.4290.90
CS1W-CN118	Communication adapter, CSI/COM1H/CPM2C peripheral port to 9-pin receptacle (use with XW22-***S-CV), 0.1 m	82.75	224559	4547648227025			BA	Z	CHN	8544.4290.90
CS1W-CN224	CSI/CJ1 connecting cable	93.05	224468	4547648227032			BA	Z	CHN	8544.4290.90
CS1W-CN226	Communication cable, CSI/COM1H/CPM2C/CJ1 peripheral port to PC 9-pin RS-232C port, 2 m	118.50	224557	4547648226998	#		BA	Z	CHN	8544.4290.90
CS1W-CN626	Communication cable, CSI/COM1H/CPM2C peripheral port to PC 9-pin RS-232C port, 6 m	171.00	224558	4547648227001			BA	Z	CHN	8544.4290.90
XSW-7421-AMC-K	Ethernet Cat.5 cable, PVC, M12 straight plug / RJ45 plug, 0.3 m	48.33	375722	4548583003859		10	BA	Z	JPN	8544.4290.90
XSW-7421-AMD-K	Ethernet Cat.5 cable, PVC, RJ45 plug / RJ45 plug, 0.3 m	117.50	357507	4547648843881		10	BA	Z	JPN	8544.4290.90
XSW-7421-BM2-K	Ethernet Cat.5 cable, PVC, M12 straight plug / M12 straight plug, 0.5 m	41.00	375715	4548583003774		10	BA	Z	JPN	8544.4290.90
XSW-7421-BM2-SS	EtherCAT cable, improved shield, M12 straight plug / M12 straight plug, 0.5 m	60.50	671201	4548583869226		10	BA	Z	JPN	8544.4290.90
XSW-7421-BMC-K	Ethernet Cat.5 cable, PVC, M12 straight plug / RJ45 plug, 0.5 m	49.00	375723	4548583003866		10	BA	Z	JPN	8544.4290.90
XSW-7421-BMC-HR	Ethernet Cat.5 cable, PVC, robotic, M12 straight plug / RJ45 plug, 0.5 m	75.90	682290	4548583438606			BA	Z	JPN	8544.4210.00
XSW-7421-BMC-SS	EtherCAT cable, improved shield, M12 straight plug / RJ45 plug, 0.5 m	89.20	671210	4548583869288			BA	Z	JPN	8544.4290.90
XSW-7421-BMD-K	Ethernet Cat.5 cable, PVC, RJ45 plug / RJ45 plug, 0.5 m	125.50	357508	4547648843898		10	BA	Z	JPN	8544.4290.90
XSW-7421-BME-K	Ethernet Cat.5 extension cable, PVC, M12 straight socket / RJ45 plug, 0.5 m	96.95	677933	4548583433168			BA	Z	JPN	8544.4210.00
XSW-7421-CM2-K	Ethernet Cat.5 cable, PVC, M12 straight plug / M12 straight plug, 1 m	48.36	375716	4548583003781		10	BA	Z	JPN	8544.4290.90
XSW-7421-CM2-SS	EtherCAT cable, improved shield, M12 straight plug / M12 straight plug, 1 m	67.30	671205	4548583869233		6	BA	Z	JPN	8544.4290.90
XSW-7421-CM3-K	Ethernet Cat.5 cable, PVC, M12 straight socket / M12 straight socket, 1 m	78.35	690785	4548583593473			BA	Z	JPN	8544.4210.00
XSW-7421-CMC-K	Ethernet Cat.5 cable, PVC, M12 straight plug / RJ45 plug, 1 m	52.40	375724	4548583003873		10	BA	Z	JPN	8544.4290.90
XSW-7421-CMC-HR	Ethernet Cat.5 cable, PVC, robotic, M12 straight plug / RJ45 plug, 1 m	88.15	682288	4548583437869			BA	Z	JPN	8544.4210.00
XSW-7421-CMC-SS	EtherCAT cable, improved shield, M12 straight plug / RJ45 plug, 1 m	95.05	671203	4548583869295		15	BA	Z	JPN	8544.4290.90
XSW-7421-CMD-K	Ethernet Cat.5 cable, PVC, RJ45 plug / RJ45 plug, 1 m	120.80	357509	4547648843904		10	BA	Z	JPN	8544.4290.90
XSW-7421-CME-K	Ethernet Cat.5 extension cable, PVC, M12 straight socket / RJ45 plug, 1 m	102.10	677931	4548583433175			BA	Z	JPN	8544.4210.00
XSW-7421-DM2-K	Ethernet Cat.5 cable, PVC, M12 straight plug / M12 straight plug, 2 m	53.70	375717	4548583003798		5	BA	Z	JPN	8544.4290.90
XSW-7421-DM2-SS	EtherCAT cable, improved shield, M12 straight plug / M12 straight plug, 2 m	80.90	671206	4548583869240		5	BA	Z	JPN	8544.4290.90
XSW-7421-DM3-K	Ethernet Cat.5 cable, PVC, M12 straight socket / M12 straight socket, 2 m	75.30	690786	4548583593503			BA	Z	JPN	8544.4210.00
XSW-7421-DMC-K	Ethernet Cat.5 cable, PVC, M12 straight plug / RJ45 plug, 2 m	59.40	375712	4547648832212			BA	Z	JPN	8544.4290.90
XSW-7421-DMC-HR	Ethernet Cat.5 cable, PVC, robotic, M12 straight plug / RJ45 plug, 2 m	96.70	682289	4548583437890			BA	Z	JPN	8544.4210.00
XSW-7421-DMC-SS	EtherCAT cable, improved shield, M12 straight plug / RJ45 plug, 2 m	107.10	671204	4548583869301		11	BA	Z	JPN	8544.4290.90
XSW-7421-DMD-K	Ethernet Cat.5 cable, PVC, RJ45 plug / RJ45 plug, 2 m	123.00	357510	4547648843911	#	5	BA	Z	JPN	8544.4290.90
XSW-7421-DME-K	Ethernet Cat.5 extension cable, PVC, M12 straight socket / RJ45 plug, 2 m	113.90	677929	4548583438651			BA	Z	JPN	8544.4210.00
XSW-7421-EM2-K	Ethernet Cat.5 cable, PVC, M12 straight plug / M12 straight plug, 3 m	63.05	375718	4548583003811		5	BA	Z	JPN	8544.4290.90
XSW-7421-EM2-SS	EtherCAT cable, improved shield, M12 straight plug / M12 straight plug, 3 m	93.20	671208	4548583869257			BA	Z	JPN	8544.4290.90
XSW-7421-EM3-K	Ethernet Cat.5 cable, PVC, M12 straight plug / RJ45 plug, 3 m	68.70	375725	4548583003880		5	BA	Z	JPN	8544.4290.90
XSW-7421-EMC-HR	Ethernet Cat.5 cable, PVC, robotic, M12 straight plug / RJ45 plug, 3 m	105.40	682291	4548583437913			BA	Z	JPN	8544.4210.00
XSW-7421-EMC-SS	EtherCAT cable, improved shield, M12 straight plug / RJ45 plug, 3 m	120.00	671211	4548583869318		5	BA	Z	JPN	8544.4290.90
XSW-7421-EMD-K	Ethernet Cat.5 cable, PVC, RJ45 plug / RJ45 plug, 3 m	128.40	357511	4547648843928		5	BA	Z	JPN	8544.4290.90

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Daheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code	
XSSW-T421-EME-K	Ethernet Cat.5 extension cable, PVC, M12 straight socket / RJ45 plug, 3 m	127.20	677927	4548583438668			BA	Z	JPN	8544.4210.00	
XSSW-T421-GM2-K	Ethernet Cat.5 cable, PVC, M12 straight plug / M12 straight plug, 5 m	81.70	375719	4548583003828		5	BA	Z	JPN	8544.4290.90	
XSSW-T421-GM2-SS	EtherCAT cable, improved shield, M12 straight plug / M12 straight plug, 5 m	118.90	671202	4548583869264			BA	Z	JPN	8544.4290.90	
XSSW-T421-GM2-K	Ethernet Cat.5 cable, PVC, M12 straight plug / RJ45 plug, 5 m	79.70	375713	4547648832229		2	BA	Z	JPN	8544.4290.90	
XSSW-T421-GM2-SS	EtherCAT cable, improved shield, M12 straight plug / RJ45 plug, 5 m	143.40	671207	4548583869325			BA	Z	JPN	8544.4290.90	
XSSW-T421-GMD-K	Ethernet Cat.5 cable, PVC, RJ45 plug / RJ45 plug, 5 m	163.50	357512	4547648843935			BA	Z	JPN	8544.4290.90	
XSSW-T421-GME-K	Ethernet Cat.5 extension cable, PVC, M12 straight socket / RJ45 plug, 5 m	147.70	677930	4548583438675		2	BA	Z	JPN	8544.4210.00	
XSSW-T421-IM2-K	Ethernet Cat.5 cable, PVC, M12 straight plug / M12 straight plug, 10 m	120.50	375720	4548583003835			BA	Z	JPN	8544.4290.90	
XSSW-T421-IM2-SS	EtherCAT cable, improved shield, M12 straight plug / M12 straight plug, 10 m	181.20	671209	4548583869271			BA	Z	JPN	8544.4290.90	
XSSW-T421-IMC-K	Ethernet Cat.5 cable, PVC, M12 straight plug / RJ45 plug, 10 m	115.40	375726	4548583003897		#	BA	Z	JPN	8544.4290.90	
XSSW-T421-IMC-SS	EtherCAT cable, improved shield, M12 straight plug / RJ45 plug, 10 m	200.40	671212	4548583869332			BA	Z	JPN	8544.4290.90	
XSSW-T421-IMD-K	Ethernet Cat.5 cable, PVC, RJ45 plug / RJ45 plug, 10 m	218.20	357513	4547648843942			BA	Z	JPN	8544.4290.90	
XSSW-T421-IM2-K	Ethernet Cat.5 cable, PVC, M12 straight plug / M12 straight plug, 15 m	159.70	375721	4548583003842			BA	Z	JPN	8544.4290.90	
XSSW-T421-KMC-K	Ethernet Cat.5 cable, PVC, M12 straight plug / RJ45 plug, 15 m	140.80	375714	4547648832236			BA	Z	JPN	8544.4290.90	
XSSW-T421-KMD-K	Ethernet Cat.5 cable, PVC, RJ45 plug / RJ45 plug, 15 m	224.90	357514	4547648843959			BA	Z	JPN	8544.4290.90	
XSSW-T421-KME-K	Ethernet Cat.5 extension cable, PVC, M12 straight socket / RJ45 plug, 15 m	252.20	677932	4548583438699			BA	Z	JPN	8544.4210.00	
XSSW-T422-AMC-K	Ethernet Cat.5 cable, PVC, M12 right-angle plug/RJ45, 0.3 m	48.33	375727	4548583361553		10	BA	Z	JPN	8544.4290.90	
XSSW-T422-BM2-K	Ethernet Cat.5 cable, PVC, M12 right-angle plug/M12 right-angle plug, 0.5 m	41.00	378008	4548583361485			BA	Z	JPN	8544.4290.90	
XSSW-T422-BMC-K	Ethernet Cat.5 cable, PVC, M12 right-angle plug/RJ45, 0.5 m	49.00	375728	4548583361560		10	BA	Z	JPN	8544.4290.90	
XSSW-T422-CM2-K	Ethernet Cat.5 cable, PVC, M12 right-angle plug/M12 right-angle plug, 1 m	46.36	378009	4548583361492			BA	Z	JPN	8544.4290.90	
XSSW-T422-CMC-K	Ethernet Cat.5 cable, PVC, M12 right-angle plug/RJ45, 1 m	52.40	375729	4548583361577		10	BA	Z	JPN	8544.4290.90	
XSSW-T422-DM2-K	Ethernet Cat.5 cable, PVC, M12 right-angle plug/M12 right-angle plug, 2 m	53.70	378010	4548583361508			BA	Z	JPN	8544.4290.90	
XSSW-T422-DMC-K	Ethernet Cat.5 cable, PVC, M12 right-angle plug/RJ45, 2 m	59.40	375730	4548583361584			5	BA	Z	JPN	8544.4290.90
XSSW-T422-EM2-K	Ethernet Cat.5 cable, PVC, M12 right-angle plug/M12 right-angle plug, 3 m	63.05	378011	4548583361515			5	BA	Z	JPN	8544.4290.90
XSSW-T422-EMC-K	Ethernet Cat.5 cable, PVC, M12 right-angle plug/RJ45, 3 m	66.70	375731	4548583361591			5	BA	Z	JPN	8544.4290.90
XSSW-T422-GM2-K	Ethernet Cat.5 cable, PVC, M12 right-angle plug/M12 right-angle plug, 5 m	81.70	378012	4548583361522			5	BA	Z	JPN	8544.4290.90
XSSW-T422-GMC-K	Ethernet Cat.5 cable, PVC, M12 right-angle plug/RJ45, 5 m	79.70	375732	4548583361607			5	BA	Z	JPN	8544.4290.90
XSSW-T422-IM2-K	Ethernet Cat.5 cable, PVC, M12 right-angle plug/M12 right-angle plug, 10 m	120.50	378013	4548583361539			BA	Z	JPN	8544.4290.90	
XSSW-T422-IMC-K	Ethernet Cat.5 cable, PVC, M12 right-angle plug/RJ45, 10 m	115.40	375733	4548583361614			BA	Z	JPN	8544.4290.90	
XSSW-T422-IM2-K	Ethernet Cat.5 cable, PVC, M12 right-angle plug/M12 right-angle plug, 15 m	159.70	378014	4548583361546			BA	Z	JPN	8544.4290.90	
XSSW-T422-KMC-K	Ethernet Cat.5 cable, PVC, M12 right-angle plug/RJ45, 15 m	140.80	375734	4548583361621			BA	Z	JPN	8544.4290.90	
XSSW-T422-KMD-K	RJ45 connector assembly (For AWG22 to AWG24)	38.70	357515	4548583002180		16	BA	Z	CHE	8544.4290.90	
XSG-T421-1	Ethernet patch cable, S FTP, Cat.5, PUR (Green), 10 m	62.05	374597	4548583378797			BA	Z	CHN	8544.4210.00	
XSBW-5PUR8SS1000CM-G	Ethernet patch cable, S FTP, Cat.5, PUR (Green), 1 m	15.01	374591	4548583378735		#	BA	Z	CHN	8544.4210.00	
XSBW-5PUR8SS1500CM-G	Ethernet patch cable, S FTP, Cat.5, PUR (Green), 1.5 m	88.70	374598	4548583378803			BA	Z	CHN	8544.4210.00	
XSBW-5PUR8SS1500CM-G	Ethernet patch cable, S FTP, Cat.5, PUR (Green), 1.5 m	17.89	374592	4548583378742			BA	Z	CHN	8544.4210.00	
XSBW-5PUR8SS2000CM-G	Ethernet patch cable, S FTP, Cat.5, PUR (Green), 2 m	115.40	374599	4548583378810			BA	Z	CHN	8544.4210.00	
XSBW-5PUR8SS3000CM-G	Ethernet patch cable, S FTP, Cat.5, PUR (Green), 3 m	20.32	374593	4548583378759			BA	Z	CHN	8544.4210.00	
XSBW-5PUR8SS3000CM-G	Ethernet patch cable, S FTP, Cat.5, PUR (Green), 3 m	25.48	374594	4548583378766			BA	Z	CHN	8544.4210.00	
XSBW-5PUR8SS5000CM-G	Ethernet patch cable, S FTP, Cat.5, PUR (Green), 5 m	35.73	374595	4548583378773			BA	Z	CHN	8544.4210.00	
XSBW-5PUR8SS5000CM-G	Ethernet patch cable, S FTP, Cat.5, PUR (Green), 0.5 m	12.39	374590	4548583378728		#	BA	Z	CHN	8544.4210.00	
XSBW-5PUR8SS7500CM-G	Ethernet patch cable, S FTP, Cat.5, PUR (Green), 7.5 m	49.00	374596	4548583378780			BA	Z	CHN	8544.4210.00	
XSBW-6LSZH8SS1000CM-B	Ethernet patch cable, F/UTP, Cat.6A, LSZH (Blue), 10 m	37.17	374609	4548583378674			BA	Z	CHN	8544.4210.00	
XSBW-6LSZH8SS1000CM-G	Ethernet patch cable, F/UTP, Cat.6A, LSZH (Green), 10 m	37.17	374621	4548583378551		#	BA	Z	CHN	8544.4210.00	
XSBW-6LSZH8SS1000CM-Y	Ethernet patch cable, F/UTP, Cat.6A, LSZH (Yellow), 10 m	37.17	374587	4548583378438		#	BA	Z	CHN	8544.4210.00	
XSBW-6LSZH8SS1000CM-B	Ethernet patch cable, F/UTP, Cat.6A, LSZH (Blue), 1 m	9.00	374603	4548583378612		#	BA	Z	CHN	8544.4210.00	
XSBW-6LSZH8SS1000CM-G	Ethernet patch cable, F/UTP, Cat.6A, LSZH (Green), 1 m	9.00	374615	4548583378490		#	BA	Z	CHN	8544.4210.00	
XSBW-6LSZH8SS1000CM-Y	Ethernet patch cable, F/UTP, Cat.6A, LSZH (Yellow), 1 m	9.00	374581	4548583378360		#	BA	Z	CHN	8544.4210.00	
XSBW-6LSZH8SS1500CM-B	Ethernet patch cable, F/UTP, Cat.6A, LSZH (Blue), 15 m	52.85	374610	4548583378681			BA	Z	CHN	8544.4210.00	
XSBW-6LSZH8SS1500CM-G	Ethernet patch cable, F/UTP, Cat.6A, LSZH (Green), 15 m	52.85	374622	4548583378568			BA	Z	CHN	8544.4210.00	
XSBW-6LSZH8SS1500CM-Y	Ethernet patch cable, F/UTP, Cat.6A, LSZH (Yellow), 15 m	52.85	374588	4548583378445		#	BA	Z	CHN	8544.4210.00	
XSBW-6LSZH8SS1500CM-Y	Ethernet patch cable, F/UTP, Cat.6A, LSZH (Yellow), 1.5 m	10.54	374582	4548583378384		#	BA	Z	CHN	8544.4210.00	
XSBW-6LSZH8SS2000CM-B	Ethernet patch cable, F/UTP, Cat.6A, LSZH (Blue), 20 m	68.25	374611	4548583378698			BA	Z	CHN	8544.4210.00	
XSBW-6LSZH8SS2000CM-G	Ethernet patch cable, F/UTP, Cat.6A, LSZH (Green), 20 m	68.25	374623	4548583378575			BA	Z	CHN	8544.4210.00	
XSBW-6LSZH8SS2000CM-Y	Ethernet patch cable, F/UTP, Cat.6A, LSZH (Yellow), 20 m	68.25	374589	4548583378452		#	BA	Z	CHN	8544.4210.00	
XSBW-6LSZH8SS2000CM-B	Ethernet patch cable, F/UTP, Cat.6A, LSZH (Blue), 2 m	12.12	374605	4548583378636		#	BA	Z	CHN	8544.4210.00	
XSBW-6LSZH8SS2000CM-G	Ethernet patch cable, F/UTP, Cat.6A, LSZH (Green), 2 m	12.12	374617	4548583378513		#	BA	Z	CHN	8544.4210.00	
XSBW-6LSZH8SS2000CM-Y	Ethernet patch cable, F/UTP, Cat.6A, LSZH (Yellow), 2 m	12.12	374583	4548583378391		#	BA	Z	CHN	8544.4210.00	
XSBW-6LSZH8SS2000CM-Y	Ethernet patch cable, F/UTP, Cat.6A, LSZH (Yellow), 0.2 m	6.73	374578	4548583378322		#	BA	Z	CHN	8544.4210.00	
XSBW-6LSZH8SS3000CM-B	Ethernet patch cable, F/UTP, Cat.6A, LSZH (Blue), 3 m	15.23	374606	4548583378643			BA	Z	CHN	8544.4210.00	
XSBW-6LSZH8SS3000CM-G	Ethernet patch cable, F/UTP, Cat.6A, LSZH (Green), 3 m	15.23	374618	4548583378520			BA	Z	CHN	8544.4210.00	
XSBW-6LSZH8SS3000CM-Y	Ethernet patch cable, F/UTP, Cat.6A, LSZH (Yellow), 3 m	15.23	374584	4548583378407		#	BA	Z	CHN	8544.4210.00	
XSBW-6LSZH8SS3000CM-B	Ethernet patch cable, F/UTP, Cat.6A, LSZH (Blue), 0.3 m	6.97	374601	4548583378599			BA	Z	CHN	8544.4210.00	
XSBW-6LSZH8SS3000CM-G	Ethernet patch cable, F/UTP, Cat.6A, LSZH (Green), 0.3 m	6.97	374613	4548583378476		#	BA	Z	CHN	8544.4210.00	
XSBW-6LSZH8SS3000CM-Y	Ethernet patch cable, F/UTP, Cat.6A, LSZH (Yellow), 0.3 m	7.11	374579	4548583378339		#	BA	Z	CHN	8544.4210.00	
XSBW-6LSZH8SS5000CM-B	Ethernet patch cable, F/UTP, Cat.6A, LSZH (Blue), 5 m	21.47	374607	4548583378650		#	BA	Z	CHN	8544.4210.00	
XSBW-6LSZH8SS5000CM-G	Ethernet patch cable, F/UTP, Cat.6A, LSZH (Green), 5 m	21.47	374619	4548583378537		#	BA	Z	CHN	8544.4210.00	
XSBW-6LSZH8SS5000CM-Y	Ethernet patch cable, F/UTP, Cat.6A, LSZH (Yellow), 5 m	21.47	374585	4548583378414		#	BA	Z	CHN	8544.4210.00	
XSBW-6LSZH8SS5000CM-B	Ethernet patch cable, F/UTP, Cat.6A, LSZH (Blue), 0.5 m	7.43	374602	4548583378605			BA	Z	CHN	8544.4210.00	
XSBW-6LSZH8SS5000CM-G	Ethernet patch cable, F/UTP, Cat.6A, LSZH (Green), 0.5 m	7.43	374614	4548583378483			BA	Z	CHN	8544.4210.00	
XSBW-6LSZH8SS5000CM-Y	Ethernet patch cable, F/UTP, Cat.6A, LSZH (Yellow), 0.5 m	7.43	374580	4548583378346		#	BA	Z	CHN	8544.4210.00	
XSBW-6LSZH8SS7500CM-Y	Ethernet patch cable, F/UTP, Cat.6A, LSZH (Yellow), 7.5 m	25.37	374586	4548583378421		#	BA	Z	CHN	8544.4210.00	
XSBW-6PUR8SS1000CM-YF	Ethernet patch cable, S FTP, Cat.6A, PUR (Yellow Flexible), 10 m	87.50	702423	4549734686044			BA	Z	CHN	8544.4210.00	
XSBW-6PUR8SS1000CM-YF	Ethernet patch cable, S FTP, Cat.6A, PUR (Yellow Flexible), 1 m	26.50	702417	4549734685986			BA	Z	CHN	8544.4210.00	
XSBW-6PUR8SS1000CM-YH	Ethernet patch cable, Cat.6, PUR, 1 m	31.83	682428	4549734162753			BA	Z	LVA	8544.4210.00	
XSBW-6PUR8SS1500CM-YF	Ethernet patch cable, S FTP, Cat.6A, PUR (Yellow Flexible), 15 m	127.00	702424	4549734686051			BA	Z	CHN	8544.4210.00	
XSBW-6PUR8SS1500CM-YF	Ethernet patch cable, S FTP, Cat.6A, PUR (Yellow Flexible), 1.5 m	31.50	702418	4549734685993			BA	Z	CHN	8544.4210.00	



Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Daheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
XSBW-6PUR8SS150CM-YH	Ethernet patch cable, Cat.6, PUR 1.5 m	37.94	682429	4549734184557			BA	Z	LVA	8544.4210.00
XSBW-6PUR8SS200CM-YF	Ethernet patch cable, S/FTP, Cat.6A, PUR (Yellow Flexible), 20 m	165.00	702425	4549734686068			BA	Z	CHN	8544.4210.00
XSBW-6PUR8SS200CM-YF	Ethernet patch cable, S/FTP, Cat.6A, PUR (Yellow Flexible), 2 m	32.00	702419	4549734686006			BA	Z	CHN	8544.4210.00
XSBW-6PUR8SS200CM-YF	Ethernet patch cable, S/FTP, Cat.6A, PUR (Yellow Flexible), 0.2 m	13.50	702414	4549734686955			BA	Z	CHN	8544.4210.00
XSBW-6PUR8SS300CM-YF	Ethernet patch cable, S/FTP, Cat.6A, PUR (Yellow Flexible), 3 m	34.00	702420	4549734686013			BA	Z	CHN	8544.4210.00
XSBW-6PUR8SS300CM-YF	Ethernet patch cable, S/FTP, Cat.6A, PUR (Yellow Flexible), 0.3 m	20.00	702415	4549734686962			BA	Z	CHN	8544.4210.00
XSBW-6PUR8SS300CM-YH	Ethernet patch cable, Cat.6, PUR 0.3 m	24.51	682426	4549734162739			BA	Z	LVA	8544.4210.00
XSBW-6PUR8SS500CM-YF	Ethernet patch cable, S/FTP, Cat.6A, PUR (Yellow Flexible), 5 m	49.50	702421	4549734686020			BA	Z	CHN	8544.4210.00
XSBW-6PUR8SS500CM-YF	Ethernet patch cable, S/FTP, Cat.6A, PUR (Yellow Flexible), 0.5 m	22.00	702416	4549734686979			BA	Z	CHN	8544.4210.00
XSBW-6PUR8SS500CM-YH	Ethernet patch cable, Cat.6, PUR 0.5 m	26.95	682427	4549734162746			BA	Z	LVA	8544.4210.00
XSBW-6PUR8SS750CM-YF	Ethernet patch cable, S/FTP, Cat.6A, PUR (Yellow Flexible), 7.5 m	67.00	702422	4549734686037			BA	Z	CHN	8544.4210.00
C1000H-CE001	F-shaped adapter included with Sysmac Link unit (coaxial)	497.00	145341	4536854304880			BA	Z	JPN	8537.1098.99
C1000H-TEP01	Terminating resistor, 2 required for each Sysmac Link network (coaxial)	228.90	159284	4536854304897			BA	Z	JPN	8537.1098.99
C200H-BAT09	Battery for CMINIH/C200H PLCs	51.65	659246	4548583951693			BA	Z	JPN	8506.5090.90
C200H-CN222	Cable for C200H-PRO27E/DAC01-E consoles, 2m	131.30	224567	4547648227117			BA	Z	CHN	8473.3080.00
C500-BAT08	Battery for CQM1(NOT CQM1H), CK C500/C1000H/C2000H/CV PLCs & NT/NSHM1s	57.35	668347	4548583960398			BA	Z	JPN	8506.5090.90
CV500-COV01	Back plane Connector CPU	5.10	144164	4536854329241		6	BA	Z	JPN	8537.1098.99
CV500-TEP01	Termination resistance unit for expansion I/O, 2x resistance units are provided with the CV500-IC101/201 I/O control unit	269.20	152913	4536854329234			BA	Z	JPN	8537.1098.99
EEPROM_JD	Memory module	105.10	156923	4536854517198			BA	Z	JPN	8537.1098.99
HMC-AP001	Memory card adaptor (for memory card to PC PCMCIA port)	98.60	103192	4536854446030			BA	Z	JPN	8537.1098.99
HMC-EF183	Flash memory card, 128MB	164.70	696105	4549734599726		20	BA	Z	TWN	8542.3190.00
CJ-OD507-18P-5	Set of 5 screw terminal blocks (18-points) for CJ1 I/O units	119.20	210956	4547648850391			BA	Z	NLD	8538.9099.99
CJ-WM01-18P-5	Set of 5 screwless clamp terminal blocks (18-points) for CJ1 I/O units	123.60	172166	4536853882853			BA	Z	NLD	8538.9099.99
CS1W-CE561	PLC component	35.57	153114	4536854446085			BA	Z	JPN	8473.3080.00
CS1W-CE562	PLC component	64.70	135687	4536854446108			BA	Z	JPN	8473.3080.00
CS1W-CE563	PLC component	66.75	142227	4536854446122			BA	Z	JPN	8473.3080.00
C500-CE241	FCN connector, 24 pin, solder type	26.15	157398	4536854287541			BA	Z	JPN	8473.3080.00
C500-CE243	FCN connector, 24 pin, pressure weld type	57.80	146377	4536854287565			BA	Z	JPN	8473.3080.00
C500-CE403	FCN connector, 40 pin, pressure weld type	70.05	159068	4536854287596			BA	Z	JPN	8473.3080.00
C500-CE404	FCN connector, 40 pin, solder type, with right-angle connector cover	42.80	159089	4536854288241			BA	Z	JPN	8473.3080.00
C500-CE405	FCN connector, 40 pin, crimp type, with right-angle connector cover	76.05	159090	4536854288258			BA	Z	JPN	8473.3080.00
GTTC-1A16 AC200/220	Input Terminal Block, 16 points, Relay coil voltage = 200/220 V AC	355.20	377348	4548583411661			BA	Z	CHN	8536.4900.99
GTTC-1D16 DC24	Input Terminal Block, 16 points, Relay coil voltage = 24 V DC	327.30	377351	4548583411722			BA	Z	CHN	8536.4900.99
GTTC-0C08 DC24	Output Terminal Block for NPN output unit, 8 points, Relay coil voltage = 24 V DC	182.50	377354	4548583411760			BA	Z	CHN	8536.4900.99
GTTC-0C16 DC24	Output Terminal Block for NPN output unit, 16 points, Relay coil voltage = 24 V DC	325.80	377357	4548583411807			BA	Z	CHN	8536.4900.99
GTTC-0C16-1 24VDC	Output Terminal Block for PNP output unit, 16 points, Relay coil voltage = 24 V DC	320.40	377355	4548583411794			BA	Z	CHN	8536.4900.99
XW2Z-R100C	I/O connection cable, with shield connection, FCN24 to MIL20 for G70A-ZOC16-3 / G70A-ZIM16-5, 1 m	59.70	670331	4548583800311			BA	Z	JPN	8544.4290.90
XW2Z-R150C	I/O connection cable, with shield connection, FCN24 to MIL20 for G70A-ZOC16-3 / G70A-ZIM16-5, 1.5 m	61.35	670319	4548583800328			BA	Z	JPN	8544.4290.90
XW2Z-R150C-125-100	I/O connection cable, with shield connection, FCN56 to 3 x MIL20 for G70A-ZOC16-3, 1.5 m / 1.25 m / 1 m	145.40	670332	4548583800465			BA	Z	JPN	8544.4290.90
XW2Z-R200C	I/O connection cable, with shield connection, FCN24 to MIL20 for G70A-ZOC16-3 / G70A-ZIM16-5, 2 m	75.90	670317	4548583800335			BA	Z	JPN	8544.4290.90
XW2Z-R200C-175-150	I/O connection cable, with shield connection, FCN56 to 3 x MIL20 for G70A-ZOC16-3, 2 m / 1.75 m / 1.5 m	164.90	670318	4548583800472			BA	Z	JPN	8544.4290.90
XW2Z-R300C	I/O connection cable, with shield connection, FCN24 to MIL20 for G70A-ZOC16-3 / G70A-ZIM16-5, 3 m	79.10	670313	4548583800342			BA	Z	JPN	8544.4290.90
XW2Z-R300C-275-250	I/O connection cable, with shield connection, FCN56 to 3 x MIL20 for G70A-ZOC16-3, 3 m / 2.75 m / 2.5 m	198.70	670308	4548583800489			BA	Z	JPN	8544.4290.90
XW2Z-R500C	I/O connection cable, with shield connection, FCN24 to MIL20 for G70A-ZOC16-3 / G70A-ZIM16-5, 5 m	93.60	670322	4548583800359			BA	Z	JPN	8544.4290.90
XW2Z-R500C	I/O connection cable, with shield connection, FCN24 to MIL20 for G70A-ZOC16-3 / G70A-ZIM16-5, 0.5 m	51.65	670327	4548583801677			BA	Z	JPN	8536.4900.99
XW2Z-RA200C	I/O connection cable, with shield connection, MIL20 to open ends, 2 m	91.50	670323	4548583800298			BA	Z	JPN	8544.4290.90
XW2Z-R1100C-75	I/O connection cable, with shield connection, FCN40 to 2 x MIL20, 1 m / 0.75 m	75.90	670333	4548583800366			BA	Z	JPN	8544.4290.90
XW2Z-R150C-100	I/O connection cable, with shield connection, FCN40 to 2 x MIL20, 1.5 m / 1 m	75.90	670334	4548583801707			BA	Z	JPN	8536.4900.99
XW2Z-R150C-125	I/O connection cable, with shield connection, FCN40 to 2 x MIL20, 1.5 m / 1.25 m	83.90	670312	4548583800373			BA	Z	JPN	8544.4290.90
XW2Z-R200C-175	I/O connection cable, with shield connection, FCN40 to 2 x MIL20, 2 m / 1.75 m	90.25	670310	4548583800380			BA	Z	JPN	8544.4290.90
XW2Z-R300C-275	I/O connection cable, with shield connection, FCN40 to 2 x MIL20, 3 m / 2.75 m	106.50	670314	4548583800397			BA	Z	JPN	8544.4290.90
XW2Z-R500C-475	I/O connection cable, with shield connection, FCN40 to 2 x MIL20, 5 m / 4.75 m	132.40	670330	4548583800403			BA	Z	JPN	8544.4290.90
XW2Z-R150-25-D1	Cable with MIL connectors (12) PNP 32 Input Points, 500 mm and 250 mm length (D1)	92.70	679466	4548583800533			BA	Z	JPN	8544.4290.90
XW2Z-R150C	I/O connection cable, MIL20 to MIL20, 0.5 m	74.20	670305	4548583800502			BA	Z	JPN	8544.4290.90
XW2Z-RM150-125-D1	I/O connection cable, with MIL connectors (NPN) (12) for G70V-, 1.50 m and 1.25 m	98.35	680947	4549734137454			BA	Z	JPN	8536.4900.99
XW2Z-PO100-75-D1	I/O connection cable, with shield connection, MIL40 to 2 x MIL20 for G70V-ZOC16-3, 1 m	86.20	688652	4549734137478			BA	Z	JPN	8544.4290.90
XW2Z-PO100C-75	I/O connection cable, with shield connection, FCN40 to 2 x MIL20 for G70A-ZOC16-3, 1 m / 0.75 m	74.80	670320	4548583800410		3	BA	Z	JPN	8544.4290.90
XW2Z-PO150C-100	I/O connection cable, with shield connection, FCN40 to 2 x MIL20 for G70A-ZOC16-3, 1.5 m / 1.0 m	77.70	670306	4548583801721			BA	Z	JPN	8536.4900.99
XW2Z-PO150C-125	I/O connection cable, with shield connection, FCN40 to 2 x MIL20 for G70A-ZOC16-3, 1.5 m / 1.25 m	83.95	670325	4548583800427		3	BA	Z	JPN	8544.4290.90
XW2Z-RO200-175-D1	I/O connection cable, with shield connection, MIL40 to 2 x MIL20 for G70V-ZOC16-3, 2.0 m and 1.75 m	151.00	680946	4549734137416			BA	Z	JPN	8536.4900.99
XW2Z-RO200C-150	I/O connection cable, with shield connection, FCN40 to 2 x MIL20 for G70A-ZOC16-3, 2 m / 1.5 m	87.15	670324	4548583801738			BA	Z	JPN	8536.4900.99
XW2Z-RO200C-175	I/O connection cable, with shield connection, FCN40 to 2 x MIL20 for G70 A-ZOC16-3, 2 m / 1.75 m	90.25	670315	4548583800434			BA	Z	JPN	8544.4290.90
XW2Z-RO300C-275	I/O connection cable, with shield connection, FCN40 to 2 x MIL20 for G70A-ZOC16-3, 3 m / 2.75 m	106.50	670329	4548583800441			BA	Z	JPN	8544.4290.90
XW2Z-RO500C-475	I/O connection cable, with shield connection, FCN40 to 2 x MIL20 for G70A-ZOC16-3, 5 m / 4.75 m	132.30	670321	4548583800458			BA	Z	JPN	8544.4290.90
XW2Z-RO50-25-D1	Cable with MIL connectors (12) PNP 32 Output Points, 500 mm and 250 mm length (D1)	123.70	679467	4548583800557			BA	Z	JPN	8536.4900.99
XW2Z-RO50C	I/O connection cable, MIL20 to MIL20 for XW2Z- 30C or G70A-ZOC16-3, 0.5 m	74.20	670335	4548583800526			BA	Z	JPN	8544.4290.90
XW2Z-RO75-50-D1	I/O connection cable, with shield connection, MIL40 to 2 x MIL20 for G70V-ZOC16-3, 0.75 m	148.10	670326	4548583800564			BA	Z	JPN	8536.4900.99
XW2Z-RY100C	I/O connection cable, with shield connection, MIL20 to fork terminals, 1 m	69.60	670328	4548583800243			BA	Z	JPN	8544.4290.90
XW2Z-RY150C	I/O connection cable, with shield connection, MIL20 to fork terminals, 1.5 m	83.10	670316	4548583800250			BA	Z	JPN	8544.4290.90
XW2Z-RY200C	I/O connection cable, with shield connection, MIL20 to fork terminals, 2 m	84.20	670307	4548583800267			BA	Z	JPN	8544.4290.90

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Data sheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
XW22-RY300C	I/O connection cable, with shield connection, MIL20 to fork terminals, 3 m	86.30	670309	4548583800274			BA	Z	JPN	8544.4290.90
XW22-RY500C	I/O connection cable, with shield connection, MIL20 to fork terminals, 5 m	113.10	670311	4548583800281			BA	Z	JPN	8544.4290.90
XW22-RO200C-150-MN	G70 A connection cable	47.07	670336	4548583801899			BA	Z	JPN	8536.4900.99
<b>Human Machine Interface Software</b>										
NS-NSDC1-V6	NS-Designer programming software for NS-series HMIs, for Windows 95/98/NT/2000/Me/XP, single-user licence	83.65	175832	4547648102346			BB	G	JPN	8531.2040.90
CX-LITE-EV2	CX-Server Lite software package, (single licence) supports serial, Ethernet, controller Link communications, for Windows 2000/XP/Vista/Windows 7 (32bit)/Windows Server 2003 and 2008 (32 bit), CD-ROM	349.20	249713	4547648857680			BB	G	NLD	8523.8090.00
CX-LITE-EV2-XX	CX-Server Lite software package, (annual runtime site Licence)supports serial, Ethernet, controller Link communications, for Windows 2000/XP/Vista/Windows 7 (32bit)/Windows Server 2003 and 2008 (32 bit), CD-ROM	3,492.00	249715	4547648857697			BB	G	NLD	8523.8090.00
CX-OPC-EV2	CX-Server OPC software(Single Licence), for Windows 2000/XP/Vista/Windows 7 (32bit)/Windows Server 2003 and 2008 (32 bit), single-user licence, CD-Rom	697.50	249714	4547648857703			BB	G	NLD	8523.8090.00
NS-NSPCL1	NS-RunTime software, for Windows XP, 1 x USB Dongle	1,402.00	235310	4547648352567	#		BB	G	JPN	8523.8090.00
NS-NSPCL10	NS-RunTime 10 licences	11,220.00	238765	4547648352581			BB	G	JPN	8471.6070.00
NS-NSPCL3	NS-RunTime software, for Windows XP, 3 x USB Dongles	3,844.00	235311	4547648352574			BB	G	JPN	8537.1098.99
<b>Human Machine Interface Display PC</b>										
NSA15-TX12S	Industrial PC, 600MHz Intel Celeron M, 512MB,15" Touch screen TFT color LCD (1,024 x 768 pixels), PWS board, PCI slots,2 x 100Base-TX Ethernet port, Compact Flash slot, 4 x USB ports, 2 x RS-232C ports, silver case (requires NSACEX-02E,04E,08E or NSA-HEX	7,070.00	246750	4547648561464			BB	H	JPN	8537.1098.99
<b>Human Machine Interface NS5</b>										
NS5-SQ10B-V2	Touch screen HMI, 5.7 inch, TFT, 256 colors (32,768 colors for BMP/JPG), 320x240 pixels, 2 x RS-232C ports, 60MByte memory, 24 VDC, black case	1,702.00	250153	4547648587617			BB	I	JPN	8471.6070.00
NS5-SQ10-V2	Touch screen HMI, 5.7 inch, TFT, 256 colors (32,768 colors for BMP/JPG), 320x240 pixels, 2 x RS-232C ports, 60MByte memory, 24 VDC, beige case	1,702.00	250152	4547648587594	#		BB	I	JPN	8471.6070.00
NS5-SQ11B-V2	Touch screen HMI, 5.7 inch, TFT, 256 colors (32,768 colors for BMP/JPG), 320x240 pixels, 2 x RS-232C ports, Ethernet (10/100 Base-T), 24 VDC, 60MByte memory, 24 VDC, black case	1,951.00	250155	4547648587648			BB	I	JPN	8471.6070.00
NS5-SQ11-V2	Touch screen HMI, 5.7 inch, TFT, 256 colors (32,768 colors for BMP/JPG), 320x240 pixels, 2 x RS-232C ports, Ethernet (10/100 Base-T), 24 VDC, 60MByte memory, 24 VDC, beige case	1,951.00	250154	4547648587631	#		BB	I	JPN	8471.6070.00
NS5-TQ10B-V2	Touch screen HMI, 5.7 inch, high-brightness TFT, 256 colors (32,768 colors for BMP/JPG), 320x240 pixels, 2 x RS-232C ports, 60MByte memory, 24 VDC, black case	1,971.00	250157	4547648587679			BB	I	JPN	8471.6070.00
NS5-TQ10-V2	Touch screen HMI, 5.7 inch, high-brightness TFT, 256 colors (32,768 colors for BMP/JPG), 320x240 pixels, 2 x RS-232C ports, 60MByte memory, 24 VDC, beige case	1,971.00	250156	4547648587655			BB	I	JPN	8471.6070.00
NS5-TQ11B-V2	Touch screen HMI, 5.7 inch, high-brightness TFT, 256 colors (32,768 colors for BMP/JPG), 320x240 pixels, 2 x RS-232C ports, Ethernet (10/100 Base-T), 24 VDC, 60MByte memory, 24 VDC, black case	2,161.00	250159	4547648587709			BB	I	JPN	8471.6070.00
NS5-TQ11-V2	Touch screen HMI, 5.7 inch, high-brightness TFT, 256 colors (32,768 colors for BMP/JPG), 320x240 pixels, 2 x RS-232C ports, Ethernet (10/100 Base-T), 24 VDC, 60MByte memory, 24 VDC, beige case	2,161.00	250158	4547648587693			BB	I	JPN	8471.6070.00
NSH5-SQR10B	Handheld programmable terminal (HMI/ touch screen), 5.7 inch, STN, 256 colors (4,096 colors for BMP/JPG), 320x240 pixels, 60MByte memory, 24 VDC, requires NSH5 special cable, black case(Ref Switch Emergency)	2,205.00	250160	4547648587716			BB	I	JPN	8471.6070.00
<b>Human Machine Interface NS8</b>										
NS8-TV00B-V2	Touch screen HMI, 8.4 inch, TFT, 256 colors (32,768 colors for BMP/JPG), 640x480 pixels, 2 x RS-232C ports, 60MByte memory, 24 VDC, black case	2,680.00	209577	4547648212069			BB	J	JPN	8471.6070.00
NS8-TV00-V2	Touch screen HMI, 8.4 inch, TFT, 256 colors (32,768 colors for BMP/JPG), 640x480 pixels, 2 x RS-232C ports, 60MByte memory, 24 VDC, beige case	2,680.00	209576	4547648212052	#		BB	J	JPN	8471.6070.00
NS8-TV01B-V2	Touch screen HMI, 8.4 inch, TFT, 256 colors (32,768 colors for BMP/JPG), 640x480 pixels, 2 x RS-232C ports, Ethernet (10/100 Base-T), 60MByte memory, 24 VDC, black case	3,019.00	209579	4547648212083	#		BB	J	JPN	8471.6070.00
NS8-TV01-V2	Touch screen HMI, 8.4 inch, TFT, 256 colors (32,768 colors for BMP/JPG), 640x480 pixels, 2 x RS-232C ports, Ethernet (10/100 Base-T), 60MByte memory, 24 VDC, beige case	3,019.00	209578	4547648212076	#		BB	J	JPN	8471.6070.00
<b>Human Machine Interface NS10</b>										
NS10-TV00B-V2	Touch screen HMI, 10.4 inch, TFT, 256 colors (32,768 colors for BMP/JPG), 640x480 pixels, 2 x RS-232C ports, 60MByte memory, 24 VDC, black case	3,667.00	209581	4547648212021			BB	K	JPN	8471.6070.00
NS10-TV00-V2	Touch screen HMI, 10.4 inch, TFT, 256 colors (32,768 colors for BMP/JPG), 640x480 pixels, 2 x RS-232C ports, 60MByte memory, 24 VDC, beige case	3,667.00	209580	4547648212014	#		BB	K	JPN	8471.6070.00
NS10-TV01B-V2	Touch screen HMI, 10.4 inch, TFT, 256 colors (32,768 colors for BMP/JPG), 640x480 pixels, 2 x RS-232C ports, Ethernet (10/100 Base-T), 24 VDC, 60MByte memory, 24 VDC, black case	4,074.00	209583	4547648212045			BB	K	JPN	8471.6070.00
NS10-TV01-V2	Touch screen HMI, 10.4 inch, TFT, 256 colors (32,768 colors for BMP/JPG), 640x480 pixels, 2 x RS-232C ports, Ethernet (10/100 Base-T), 24 VDC, 60MByte memory, 24 VDC, beige case	4,074.00	209582	4547648212038			BB	K	JPN	8471.6070.00
<b>Human Machine Interface NS12</b>										
NS12-TS00B-V2	Touch screen HMI, 12.1 inch, TFT, 256 colors (32,768 colors for BMP/JPG), 800x600 pixels, 2 x RS-232C ports, 60MByte memory, 24 VDC, black case	4,482.00	204266	4547648211987			BB	L	JPN	8471.6070.00
NS12-TS00-V2	Touch screen HMI, 12.1 inch, TFT, 256 colors (32,768 colors for BMP/JPG), 800x600 pixels, 2 x RS-232C ports, 60MByte memory, 24 VDC, beige case	4,482.00	204265	4547648211970			BB	L	JPN	8471.6070.00
NS12-TS01B-V2	Touch screen HMI, 12.1 inch, TFT, 256 colors (32,768 colors for BMP/JPG), 800x600 pixels, 2 x RS-232C ports, Ethernet (10/100 Base-T), 24 VDC, 60MByte memory, 24 VDC, black case	4,892.00	204268	4547648212007			BB	L	JPN	8471.6070.00
NS12-TS01-V2	Touch screen HMI, 12.1 inch, TFT, 256 colors (32,768 colors for BMP/JPG), 800x600 pixels, 2 x RS-232C ports, Ethernet (10/100 Base-T), 24 VDC, 60MByte memory, 24 VDC, beige case	4,892.00	204267	4547648211994			BB	L	JPN	8471.6070.00
<b>Human Machine Interface NS1</b>										
NS1J2-TS01B-GSD	Touch screen HMI controller, 12.1" TFT screen with 60MB application memory, 60K steps ladder program memory, 128K word data memory, 3 expansion racks max, 1 x USB port, 3 x RS232 ports, Ethernet port (10/100Base-T), DeviceNet master, black case	7,135.00	224125	4547648227889			BB	M	JPN	8471.6070.00
NS8-TV01-GSD	Touch screen HMI controller, 8.4" TFT screen with 60MB application memory, 60K steps ladder program memory, 128K word data memory, 3 expansion racks max, 1 x USB port, 3 x RS232 ports, Ethernet port (10/100Base-T), DeviceNet master, beige case	5,180.00	224116	4547648227797			BB	M	JPN	8471.6070.00
NS5-TQ11B-GSD	Touch screen HMI controller, 5.7" TFT screen with 60MB application memory, 60K steps ladder program memory, 128K word data memory, 3 expansion racks max, 1 x USB port, 3 x RS232 ports, Ethernet port (10/100Base-T), DeviceNet master, black case	6,025.00	328952	4547648587730			BB	M	JPN	8531.2040.90
<b>Human Machine Interface NS15</b>										
NS15-TX01B-V2	Touch screen HMI, 15 inch XGA, TFT, 256 colors, 1024x768 pixels, 1 x RS-232C & 1 x RS422 ports, Ethernet (10/100 Base-T), 60MByte memory, 24 VDC, black case	5,355.00	304977	4547648741231			BB	N	JPN	8531.2040.90
NS15-TX01S-V2	Touch screen HMI, 15 inch XGA, TFT, 256 colors, 1024x768 pixels, 1 x RS-232C & 1 x RS422 ports, Ethernet (10/100 Base-T), 60MByte memory, 24 VDC, silver case	5,515.00	258566	4547648624244			BB	N	JPN	8531.2040.90
NS15-HBA05N	Protective cover (transparent) for NS15 HMI	363.40	304978	4547648741248			BB	N	JPN	3919.9080.99
<b>Human Machine Interface NB</b>										
NB10W-TW01B	Touch screen HMI, 10.1 inch WVGA (800 x 480 pixel), TFT color, Ethernet + USB Host	1,610.00	392035	4548583501881	#		BB	P	NLD	8531.2040.90
NB3Q-TW00B	Touch screen HMI, 3.5 inch QVGA (320 x 240 pixel), TFT color	427.00	392036	4548583501805	#		BB	P	NLD	8531.2040.90
NB3Q-TW01B	Touch screen HMI, 3.5 inch QVGA (320 x 240 pixel), TFT color, Ethernet + USB Host	548.00	392037	4548583501812	#		BB	P	NLD	8531.2040.90

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	SLN. (Data sheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
NB5Q-TW00B	Touch screen HMI, 5.6 inch QVGA (320 x 234 pixel), TFT color	524.00	392038	4548583501836	#		BB	P	NLD	8531.2040.90
NB5Q-TW01B	Touch screen HMI, 5.6 inch QVGA (320 x 234 pixel), TFT color, Ethernet + USB Host	643.50	392039	4548583501850	#		BB	P	NLD	8531.2040.90
NB7W-TW00B	Touch screen HMI, 7 inch WVGA (800 x 480 pixel), TFT color	661.00	392040	4548583501867	#		BB	P	NLD	8531.2040.90
NB7W-TW01B	Touch screen HMI, 7 inch WVGA (800 x 480 pixel), TFT color, Ethernet + USB Host	820.50	392041	4548583501874	#		BB	P	NLD	8531.2040.90
NB10W-KBA04	Accessory HMI, protective sheets for NB10W (5 sheets)	61.05	371955	4548583313880			BB	P	CHN	3919.9080.99
NB3Q-KBA04	Accessory HMI, protective sheets for NB3Q (5 sheets)	21.84	371958	4548583313873			BB	P	CHN	3919.9080.99
NB5Q-ATT01	Accessory HMI, mounting bracket for NT31/NT31C series to NB5Q series	92.55	364951	4548583108090			BB	P	CHN	8473.3080.00
NB5Q-KBA04	Accessory HMI, protective sheets for NB5Q (5 sheets)	24.11	364950	4548583108073			BB	P	CHN	3919.9080.99
NB7W-KBA04	Protective sheets for NB7W (5 sheets)	40.01	364953	4548583108097			BB	P	CHN	3919.9080.99
NB-ATT01	Attachment brackets for NB terminals (10 pcs)	24.11	364946	4548583132771			BB	P	CHN	8531.9000.00
NB-CN001	NB power supply connectors (3 pcs)	55.05	364947	4548583132788			BB	P	CHN	8536.9010.00
NB-FSEXT-2M	Accessory HMI, cable 2 m for NB to PLC via RS-422A/486	83.75	364948	4548583125926			BB	P	CHN	8544.4290.90
<b>Human Machine Interface NA</b>										
NA5-12W101B	Touch screen HMI, 12.1 inch wide screen, TFT LCD, 24bit color, 1280x800 resolution, frame color : Black	3.088.00	692729	4548583505926			BB	R	NLD	8471.6070.00
NA5-12W101B-V1	Touch screen HMI, 12.1 inch wide screen, TFT LCD, 24bit color, 1280x800 resolution, frame color : Black	3.260.00	693975	4549734556552	#		BB	R	NLD	8531.2040.90
NA5-12W101S	Touch screen HMI, 12.1 inch wide screen, TFT LCD, 24bit color, 1280x800 resolution, frame color : Silver	3.088.00	692728	4548583505919			BB	R	NLD	8471.6070.00
NA5-12W101S-V1	Touch screen HMI, 12.1 inch wide screen, TFT LCD, 24bit color, 1280x800 resolution, frame color : Silver	3.260.00	693976	4549734556545	#		BB	R	NLD	8531.2040.90
NA5-15W101B	Touch screen HMI, 15.4 inch wide screen, TFT LCD, 24bit color, 1280x800 resolution, frame color : Black	3.359.00	692731	4548583505940			BB	R	NLD	8471.6070.00
NA5-15W101B-V1	Touch screen HMI, 15.4 inch wide screen, TFT LCD, 24bit color, 1280x800 resolution, frame color : Black	4.198.00	693973	4549734556576	#		BB	R	NLD	8531.2040.90
NA5-15W101S	Touch screen HMI, 15.4 inch wide screen, TFT LCD, 24bit color, 1280x800 resolution, frame color : Silver	3.259.00	692730	4548583505933			BB	R	NLD	8471.6070.00
NA5-15W101S-V1	Touch screen HMI, 15.4 inch wide screen, TFT LCD, 24bit color, 1280x800 resolution, frame color : Silver	4.198.00	693974	4549734556569	#		BB	R	NLD	8531.2040.90
NA5-7W01B-V1	Touch screen HMI, 7 inch wide screen, TFT LCD, 24bit color, 800x480 resolution, frame color : Black	1.878.00	693979	4549734556514	#		BB	R	NLD	8531.2040.90
NA5-7W01S-V1	Touch screen HMI, 7 inch wide screen, TFT LCD, 24bit color, 800x480 resolution, frame color : Silver	1.878.00	693980	4549734556507	#		BB	R	NLD	8531.2040.90
NA5-9W01B-V1	Touch screen HMI, 9 inch wide screen, TFT LCD, 24bit color, 800x480 resolution, frame color : Black	2.839.00	693977	4549734556538	#		BB	R	NLD	8531.2040.90
NA5-9W01S-V1	Touch screen HMI, 9 inch wide screen, TFT LCD, 24bit color, 800x480 resolution, frame color : Silver	2.839.00	693978	4549734556521	#		BB	R	NLD	8531.2040.90
NA-15WKBA04	Protective cover sheets for NA5 15" HMI (contains 5 sheets)	297.00	393041	4548583532007			BB	R	NLD	3919.9080.99
NA-7WATW01	High Pressure waterproof attachment for NA5 7" HMI	189.20	667319	4548583748118			BB	R	NLD	8531.9000.00
<b>Human Machine Interface Other HMI</b>										
NV3Q-MR21	Touch screen HMI, 3.6" STN monochrome (320 x 240 pixel), 3-color LED backlighting (white/pink/red), RS-232C, 24VDC	850.00	350237	4547648729857			BB	X	JPN	8531.2040.90
NV3Q-SW21	Touch screen HMI, 3.6" STN color (320 x 240 pixel), 4,096 colors, white LED backlighting, RS-232C, 24VDC	895.00	350239	4547648729871			BB	X	JPN	8531.2040.90
NV3W-M220L	Touch screen HMI, 3.8 inch STN Mono LED : Green/Orange/Red, RS-232C, 5VDC	480.30	659076	4548583588028			BB	X	JPN	8531.2040.90
NV3W-M220L	Touch screen HMI, 3.8 inch STN Mono LED : White/Pink/Red, RS-232C, 5VDC	480.30	659074	4548583588059			BB	X	JPN	8531.2040.90
NV4W-MR21	Touch screen HMI, 4.1 inch STN Mono LED : White/Red, 232C, 24VDC	737.00	334085	4547648762364			BB	X	JPN	8531.2040.90
<b>Accessory for Human Machine Interface</b>										
NS12-KBA04	Anti-reflective sheets for NS10/12 HMI, pack of 5	147.40	113736	4536854712241			BB	Z	JPN	3919.9080.99
NS12-KBA05	Protective covers (anti-reflective coating) for NS10/12 HMI, pack of 5	341.40	113737	4536854712258			BB	Z	JPN	3919.9080.99
NS7-KBA05	Protective covers (anti-reflective coating) for NS8 HMI, pack of 5	342.70	147028	4536854780813			BB	Z	JPN	8531.9000.00
NS-CA001	Video option board, 4 channels, NTSC/PAL, for NS8/10/12 HMI	1,269.00	147027	4536854849114			BB	Z	JPN	8471.6070.00
NS-CA002	RGB and Video option board, 2 channels video input (NTSC/PAL), 1 channel analog RGB, for NS8/10/12 HMI	826.50	180451	4547648126977			BB	Z	JPN	8523.8090.00
NS-CLK21	Controller Link option board for NS10/12 HMI	1,167.00	113739	4536854849091			BB	Z	JPN	8523.8090.00
NSH5-232CN-10M	Cable between NSH5 HMI and Link Box, 10 m	905.00	233996	4547648305549			BB	Z	JPN	8531.9000.00
NSH5-232UL-10M	NSH5 cable, 10 m (RS-232C communications, 24 VDC, function key + E-stop + enabling switch wires)	712.50	226939	4547648269582			BB	Z	JPN	8531.9000.00
NSH5-232UL-3M	NSH5 cable, 3 m (RS-232C communications, 24 VDC, function key + E-stop + enabling switch wires)	522.00	226940	4547648269599			BB	Z	JPN	8531.9000.00
NSH5-422UL-10M	NSH5 cable, 10 m (RS-422A communications, 24 VDC, function key + E-stop + enabling switch wires)	697.00	226938	4547648269568			BB	Z	JPN	8531.9000.00
NSH5-AL001	Link Box, up to 8 NSH5 HMIs on one line	332.60	233997	4547648305525			BB	Z	JPN	8531.9000.00
NSH5-ATT01	NSH5 mounting bracket with E-stop protective cover	125.10	227743	4547648269612			BB	Z	JPN	8531.9000.00
NSH5-ATT02	NSH5 wall mounting bracket	63.05	213204	4547648217170			BB	Z	JPN	8531.9000.00
XW22-S002-NL	RS-232C communication cable between PC and PLC/HMI, 2 m	40.51	659674	4548583954366			BB	Z	ITA	8544.4210.00
NSJW-IC101	NSJ expansion I/O control unit, connects to CJ1 expansion I/O racks	310.30	224104	4547648220941			BB	Z	JPN	8531.2040.90
NS7-KBA05N	Protective covers (transparent) for NS8 HMI, pack of 5	272.10	180449	4547648043533			BB	Z	JPN	8531.9000.00
NS-AL002	RS-232C:RS422/485 adapter (500 m, not isolated) for NSHMI	168.40	113738	4536854712234	#		BB	Z	JPN	8473.3080.00
NT-MF261	MEMORY MODULE NT31/631 2 BANK	430.30	113645	4536854385087			BB	Z	JPN	8523.8090.00
NT631C-ST153B-EV3	Touch screen HMI, 10.4 inch display, TFT LCD, 8 colours, 640 x 480 pixels, 2 x RS232 ports, 1 x RS422 port, printer port, 24 VDC, black case	6,035.00	237002	4547648339377			BB	Z	CHN	8473.3080.00
NT631C-ST153-EV3	Touch screen HMI, 10.4 inch display, TFT LCD, 8 colours, 640 x 480 pixels, 2 x RS232 ports, 1 x RS422 port, printer port, 24 VDC, beige case	5,830.00	237001	4547648339360			BB	Z	CHN	8473.3080.00
NV-BAT01	Battery for NV3Q	26.08	334090	4547648729925			BB	Z	JPN	8506.5090.90
XW22-200T-3	Cable, RS-232C, 2 m, for connecting PLC 9-pin port to NV3W HMI (with external 24VDC supply)	71.30	347063	4547648734820			BB	Z	JPN	8536.9010.00
NT30-KBA01	Accessory HMI, chemical resistant silicon cover for NT31	112.90	156387	4536853707156			BB	Z	JPN	3919.9080.99
NT30-KBA04	Accessory HMI, anti-reflective sheets for NT31 and NS5, pack of 5	46.25	157457	4536853707149			BB	Z	JPN	3919.9080.99
NT610C-KBA04	HMI protective cover	64.75	149680	4536853707224			BB	Z	JPN	3919.9080.99
XM2S-0911	9-way D-type connector hood with 2.6mm pitch retaining screws	6.56	107859	4536854214943	#	50	BB	Z	JPN	8536.9010.00
XM2S-0911-S003	9-pin D-type connector (male) with connector hood with M2.6 x 0.45mm pitch retaining screws	14.50	434739	4549734686211			BB	Z	CHN	8536.9010.00
XM2S-0913	9-way D-type connector hood with #4-40 UNC inch retaining screws	5.39	107861	4536854214967		50	BB	Z	JPN	8536.9010.00

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Data sheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
XM2S-2511	25-way D-type connector hood with 2.6mm pitch retaining screws	7.05	107863	4536854215063		40	BB	Z	JPN	85369010.00
<b>Remote I/O SRT (CompoBus/S)</b>										
SFS1-T	CompoBus/S network terminator block, screw terminal	12.91	338264	4547648812856			BF	C	CHN	8471.6070.00
SRT2-ID04	CompoBus/S digital input terminal, 4x 24 VDC inputs, NPN	207.40	226517	4547648209151			BF	C	CHN	8471.6070.00
SRT2-ID04-1	CompoBus/S digital input terminal, 4x 24 VDC inputs, PNP	207.40	226528	4547648209168			BF	C	CHN	8471.6070.00
SRT2-ID04CL-1	CompoBus/S IP67 digital input terminal, 4x 24 VDC inputs, PNP	406.00	338296	4547648812900			BF	C	CHN	8471.6070.00
SRT2-ID08	CompoBus/S digital input terminal, 8x 24 VDC inputs, NPN	220.80	226529	4547648209175			BF	C	CHN	8471.6070.00
SRT2-ID08-1	CompoBus/S digital input terminal, 8x 24 VDC inputs, PNP	220.80	226518	4547648209182			BF	C	CHN	8471.6070.00
SRT2-ID08CL-1	CompoBus/S IP67 digital input terminal, 8x 24 VDC inputs, PNP	423.60	338283	4547648814669			BF	C	CHN	8471.6070.00
SRT2-ID16	CompoBus/S digital input terminal, 16x 24 VDC inputs, NPN	296.90	226530	4547648209199			BF	C	CHN	8471.6070.00
SRT2-ID16-1	CompoBus/S digital input terminal, 16x 24 VDC inputs, PNP	296.90	226519	4547648209205		#	BF	C	CHN	8471.6070.00
SRT2-ID16T	CompoBus/S digital input terminal, 16x 24 VDC inputs, NPN, 3-tier connection	237.50	338273	4547648814522			BF	C	CHN	8471.6070.00
SRT2-ID16T-1	CompoBus/S digital input terminal, 16x 24 VDC inputs, PNP, 3-tier connection	361.80	338276	4547648814553			BF	C	CHN	8471.6070.00
SRT2-OD04	CompoBus/S digital output terminal, 4x transistor outputs, NPN, 0.3 A, 24 VDC	217.20	226520	4547648209212		10	BF	C	CHN	8471.6070.00
SRT2-OD04-1	CompoBus/S digital output terminal, 4x transistor outputs, PNP, 0.3 A, 24 VDC	217.20	226531	4547648209229			BF	C	CHN	8471.6070.00
SRT2-OD04CL-1	CompoBus/S IP67 digital output terminal, 4x 24 VDC outputs, PNP	420.00	338285	4547648814683			BF	C	CHN	8471.6070.00
SRT2-OD08	CompoBus/S digital output terminal, 8x transistor outputs, NPN, 0.3 A, 24 VDC	224.60	226532	4547648209236			BF	C	CHN	8471.6070.00
SRT2-OD08-1	CompoBus/S digital output terminal, 8x transistor outputs, PNP, 0.3 A, 24 VDC	224.60	226521	4547648209243			BF	C	CHN	8471.6070.00
SRT2-OD08CL-1	CompoBus/S IP67 digital output terminal, 8x 24 VDC outputs, PNP	498.00	338287	4547648814706			BF	C	CHN	8471.6070.00
SRT2-OD16	CompoBus/S digital output terminal, 16x transistor outputs, NPN, 0.3 A, 24 VDC	296.90	226533	4547648209250			BF	C	CHN	8471.6070.00
SRT2-OD16-1	CompoBus/S digital output terminal, 16x transistor outputs, PNP, 0.3 A, 24 VDC	296.90	226534	4547648209267			BF	C	CHN	8471.6070.00
SRT2-OD16P	CompoBus/S digital output module, 16x transistor outputs, PNP, 0.3 A, 24 VDC, for PCB mounting	154.60	338292	4547648814775			BF	C	CHN	8471.6070.00
SRT2-OD16T	CompoBus/S digital output terminal, 16x transistor outputs, NPN, 0.5 A, 24 VDC	298.80	338274	4547648814539			BF	C	CHN	8471.6070.00
SRT2-OD16T-1	CompoBus/S digital output terminal, 16x transistor outputs, PNP, 0.5 A, 24 VDC	319.70	338277	4547648814560			BF	C	CHN	8471.6070.00
SRT2-FOC08	CompoBus/S digital output terminal, 8x relay outputs, 3 A, max. 3 A per common	393.40	226535	4547648209274			BF	C	CHN	8471.6070.00
SRT2-FOC16	CompoBus/S digital output terminal, 16x relay outputs, 3 A, max. 3 A per common	590.00	226536	4547648209281			BF	C	CHN	8471.6070.00
SRT2-FOF08	CompoBus/S digital output terminal, 8x MOSFET outputs, 0.3 A	618.00	226537	4547648209298			BF	C	CHN	8471.6070.00
SRT2-FOF16	CompoBus/S digital output terminal, 16x MOSFET outputs, 0.3 A, 3-264 VAC/ 3-125 VDC	934.50	226538	4547648209304			BF	C	CHN	8471.6070.00
SRT2-MD16T	CompoBus/S digital I/O terminal, 8x 24 VDC inputs, 8x NPN transistor outputs	474.80	338275	4547648814546			BF	C	CHN	8471.6070.00
SRT2-MD16T-1	CompoBus/S digital I/O terminal, 8x 24 VDC inputs, 8x PNP transistor outputs	431.40	338278	4547648814577			BF	C	CHN	8471.6070.00
SRT2-AD04	CompoBus/S analog input terminal, 4 x inputs 0/4 to 20 mA, 0/1 to 5 V, -10 to 10 V	622.00	111528	4536854481055			BF	C	JPN	8471.6070.00
SRT2-DA02	CompoBus/S analog output terminal, 2 x outputs 0/4 to 20 mA, 1 to 5 V, -10 to 10 V	717.00	111529	4536854481062			BF	C	JPN	8471.6070.00
<b>Remote I/O DRT (DeviceNet)</b>										
DRT2-HD16C	DeviceNet digital input unit, IP67, 16 x inputs, 24 VDC, NPN, power via network, M12 I/O connections	803.50	338236	4547648813020			BF	D	CHN	8471.6070.00
DRT2-HD16C-1	DeviceNet digital input unit, IP67, 16 x inputs, 24 VDC, PNP, power via network, M12 I/O connections	902.50	338237	4547648813037			BF	D	CHN	8471.6070.00
DRT2-HD16CL	DeviceNet digital input unit, IP67, 16 x inputs, 24 VDC, NPN, M12 I/O connections	511.50	338248	4547648813143			BF	D	CHN	8471.6070.00
DRT2-HD16CL-1	DeviceNet digital input unit, IP67, 16 x inputs, 24 VDC, PNP, M12 I/O connections	685.50	338249	4547648813150			BF	D	CHN	8471.6070.00
DRT2-ID04CL-1	DeviceNet digital input unit, IP67, 4 x inputs, 24 VDC, PNP, M12 I/O connections	464.10	338261	4547648813297			BF	D	CHN	8471.6070.00
DRT2-ID08	DeviceNet digital input unit, 8 x inputs, 24 VDC, NPN, screw terminal block	282.40	231467	4547648218818			BF	D	CHN	8471.6070.00
DRT2-ID08-1	DeviceNet digital input unit, 8 x inputs, 24 VDC, PNP, screw terminal block	282.40	231467	4547648218825			BF	D	CHN	8471.6070.00
DRT2-ID08CL-1	DeviceNet digital input unit, IP67, 8 x inputs, 24 VDC, PNP, power via network, M12 I/O connections	738.50	338239	4547648813051			BF	D	CHN	8471.6070.00
DRT2-ID08CL-1	DeviceNet digital input unit, IP67, 8 x inputs, 24 VDC, PNP, M12 I/O connections	503.50	338251	4547648813174			BF	D	CHN	8471.6070.00
DRT2-ID16	DeviceNet digital input unit, 16 x inputs, 24 VDC, NPN, screw terminal block	452.90	226501	4547648209045			BF	D	CHN	8471.6070.00
DRT2-ID16-1	DeviceNet digital input unit, 16 x inputs, 24 VDC, PNP, screw terminal block	452.90	226516	4547648209052			BF	D	CHN	8471.6070.00
DRT2-ID16TA	DeviceNet digital input unit, 16 x inputs, 24 VDC, NPN, 3-tier screw terminal block	476.00	164736	4536854960765			BF	D	CHN	8471.6070.00
DRT2-ID16TA-1	DeviceNet digital input unit, 16 x inputs, 24 VDC, PNP, 3-tier screw terminal block	476.00	164737	4536854960772			BF	D	CHN	8471.6070.00
DRT2-ID32ML-1	DeviceNet digital input unit, 32 x inputs, 24 VDC, PNP, MIL connector (not included)	405.70	164743	4536854960633			BF	D	CHN	8471.6070.00
DRT2-ID32SLH	DeviceNet digital input unit, 32 x inputs, 24 VDC, with open/short circuit detection, NPN, screwless push-in connection	1236.00	338242	4547648813082			BF	D	CHN	8471.6070.00
DRT2-ID32SLH-1	DeviceNet digital input unit, 32 x inputs, 24 VDC, with open/short circuit detection, PNP, screwless push-in connection	968.00	338243	4547648813099			BF	D	CHN	8471.6070.00
DRT2-OD04CL-1	DeviceNet digital output unit, IP67, 4 x outputs 1.5 A, 24 VDC, PNP, M12 I/O connections	494.70	338263	4547648813310			BF	D	CHN	8471.6070.00
DRT2-OD08	DeviceNet digital output unit, 8 x transistor outputs 0.5 A, 24 VDC, NPN, screw terminal block	357.60	231468	4547648218832			BF	D	CHN	8471.6070.00
DRT2-OD08-1	DeviceNet digital output unit, 8 x transistor outputs 0.5 A, 24 VDC, PNP, screw terminal block	357.60	231469	4547648218849			BF	D	CHN	8471.6070.00
DRT2-OD08CL-1	DeviceNet digital output unit, IP67, 8 x outputs 1.5 A, 24 VDC, PNP, M12 I/O connections	761.50	338241	4547648813075			BF	D	CHN	8471.6070.00
DRT2-OD08CL-1	DeviceNet digital output unit, IP67, 8 x outputs 1.5 A, 24 VDC, PNP, M12 I/O connections	589.00	338255	4547648813211			BF	D	CHN	8471.6070.00
DRT2-OD16	DeviceNet digital output unit, 16 x transistor outputs 0.5 A, 24 VDC, NPN, screw terminal block	441.60	226515	4547648209113			BF	D	CHN	8471.6070.00
DRT2-OD16-1	DeviceNet digital output unit, 16 x transistor outputs 0.5 A, 24 VDC, PNP, screw terminal block	441.60	226527	4547648209120			BF	D	CHN	8471.6070.00
DRT2-OD16MLX	DeviceNet digital output unit, 16 x transistor outputs 0.3 A, 24 VDC, NPN, with MIL connector + 10 cm cable	407.40	248825	4547648242615			BF	D	CHN	8471.6070.00
DRT2-OD16MLX-1	DeviceNet digital output unit, 16 x transistor outputs 0.3 A, 24 VDC, PNP, with MIL connector + 10 cm cable	379.60	248826	4547648242622			BF	D	CHN	8471.6070.00
DRT2-OD16TA	DeviceNet digital output unit, 16 x outputs 0.5 A, 24 VDC, NPN, 3-tier screw terminal block	476.00	164738	4536854960789			BF	D	CHN	8471.6070.00
DRT2-OD16TA-1	DeviceNet digital output unit, 16 x outputs 0.5 A, 24 VDC, PNP, 3-tier screw terminal block	476.00	164739	4536854960796			BF	D	CHN	8471.6070.00
DRT2-OD32ML-1	DeviceNet digital output unit, 32 x outputs 0.3 A, 24 VDC, PNP, MIL connector (not included)	430.90	164745	4536854960657			BF	D	CHN	8471.6070.00
DRT2-RC316	DeviceNet digital output unit, 16 x relay outputs, 3A, 240 VAC, 24 VDC, screw terminal block	674.50	229626	4547648209137			BF	D	CHN	85383099.99
DRT2-WD16CL-1	DeviceNet digital output unit, IP67, 16 x outputs 0.5 A, 24 VDC, PNP, M12 I/O connections	773.50	338253	4547648813198			BF	D	CHN	8471.6070.00
DRT2-MD16	DeviceNet digital I/O unit, 8 x inputs and 8 x outputs 0.5 A, 24 VDC, NPN, screw terminal block	307.90	338258	4547648813266			BF	D	CHN	8471.6070.00
DRT2-MD16-1	DeviceNet digital I/O unit, 8 x inputs and 8 x outputs 0.5 A, 24 VDC, PNP, screw terminal block	422.80	338259	4547648813273			BF	D	CHN	8471.6070.00
DRT2-MD16CL-1	DeviceNet digital I/O unit, IP67, 8 x inputs and 8 x outputs 0.5 A, 24 VDC, PNP, M12 I/O connections	716.00	338257	4547648813235			BF	D	CHN	8471.6070.00

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Data sheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
DRT2-MD16TA	DeviceNet digital I/O unit, 8 x inputs and 8 x outputs 0.5 A, 24 VDC, NPN, 3-tier screw terminal block	476.00	164740	4536854960802			BF	D	CHN	8471.6070.00
DRT2-MD16TA-1	DeviceNet digital I/O unit, 8 x inputs and 8 x outputs 0.5 A, 24 VDC, NPN, 3-tier screw terminal block	476.00	164741	4536854960819			BF	D	CHN	8471.6070.00
DRT2-MD32B	DeviceNet digital I/O board, 16 x inputs and 16 x outputs, 24 VDC, NPN, MIL connector (not included)	407.40	237775	4547648086868			BF	D	CHN	8471.6070.00
DRT2-MD32SLH-1	DeviceNet digital I/O unit, 16 x inputs and 16 x outputs 0.5 A, 24 VDC, PNP, with open/short circuit detection, screwless push-in connection	875.50	338247	4547648813136			BF	D	CHN	8471.6070.00
DRT2-AD04	DeviceNet analog input unit, 4 x inputs 0/4 to 20 mA, 0/1 to 5 V, 0 to 10 V, -10 to 10 V, resolution 1.6000	670.50	133554	4536854849206			BF	D	JPN	8471.6070.00
DRT2-AD04H	DeviceNet analog input unit, 4 x inputs 0/4 to 20 mA, 0/1 to 5 V, 0 to 10 V, -10 to 10 V, isolated, resolution 1.30000	704.50	175516	4547648096737			BF	D	JPN	8471.6070.00
DRT2-TS4P	DeviceNet resistance thermometer input unit 4 x inputs Pt, JPt, Pt2, Pt2	663.50	175514	4547648073530			BF	D	JPN	8471.6070.00
DRT2-TS4T	DeviceNet thermocouple input unit, 4 x inputs type R, S, K, J, T, B, L, E, U, N, C, PtPLI	685.50	175515	4547648096720			BF	D	JPN	8471.6070.00
DRT2-DA02	DeviceNet analog output unit, 2 x outputs 0/4 to 20 mA, 0/1 to 5 V, 0 to 10 V, -10 to 10 V, resolution 1.6000	674.50	142626	4536854849213			BF	D	JPN	8471.6070.00
DRT1-COM	DeviceNet communications unit, connects 8x GT1 MULTIPLE I/O units max.	587.00	133630	4536854355400			BF	D	JPN	8471.6070.00
<b>Remote I/O PRT (PROFIBUS)</b>										
PRT1-SCU11	Gateway unit, converts PROFIBUS DP to Host Link/Compoway-F	659.50	180927	4547648089951			BF	E	NLD	8529.1095.00
<b>Remote I/O GTL</b>										
GT1-AD04	Multiple I/O analog input terminal, 4 x inputs 0/4 to 20 mA, 0/1 to 5 V, -10 to 10 V	857.00	121025	4536854467394			BF	G	JPN	8538.9099.99
GT1-AD08MX	Multiple I/O analog input terminal, 8 x inputs 0/4 to 20 mA, 0/1 to 5 V, -10 to 10 V, requires Molex connectors	659.00	121108	4536854373411			BF	G	JPN	8538.9099.99
GT1-DA04	Multiple I/O analog output terminal, 4 x outputs 4 to 20 mA, 0/1 to 5 V, -10 to 10 V	1052.00	150827	4536854467400			BF	G	JPN	8538.9099.99
GT1-ID16	Multiple I/O remote terminal, 16x 24 VDC inputs, PNP	419.10	148642	4536854355448			BF	G	JPN	8538.9099.99
GT1-ID16-1	Multiple I/O remote terminal, 16x 24 VDC inputs, PNP	419.10	121110	4536854373435			BF	G	JPN	8538.9099.99
GT1-ID32ML	Multiple I/O remote terminal, 32x 24 VDC inputs, PNP (requires C500-CE401 connector)	483.50	121107	4536854355486			BF	G	JPN	8538.9099.99
GT1-ID32ML-1	Multiple I/O remote terminal, 32x 24 VDC inputs, PNP (requires C500-CE401 connector)	472.40	104054	4536854373473			BF	G	JPN	8538.9099.99
GT1-OD16-1	Multiple I/O remote terminal, 16x transistor outputs, PNP, 0.5 A, 24 VDC	460.80	121111	4536854373442			BF	G	JPN	8538.9099.99
GT1-OD32ML	Multiple I/O remote terminal, 32x transistor outputs, PNP, 0.5 A, 24 VDC (requires C500-CE401 connector)	526.00	121101	4536854355417			BF	G	JPN	8538.9099.99
GT1-OD32ML-1	Multiple I/O remote terminal, 32x transistor outputs, PNP, 0.5 A, 24 VDC (requires C500-CE401 connector)	533.50	142071	4536854373480			BF	G	JPN	8538.9099.99
GT1-RO08	Multiple I/O remote terminal, 8x relay outputs, 5 A	541.00	121102	4536854355424			BF	G	JPN	8538.9099.99
GT1-RO16	Multiple I/O remote terminal, 16x relay outputs, 2 A	526.00	121018	4536854397608			BF	G	JPN	8538.9099.99
<b>Remote I/O GRT (SmartSlice)</b>										
GRT1-ID4	SmartSlice 4 x digital inputs, 24 VDC, NPN	76.95	212285	4547648219334			BF	H	JPN	8471.6070.00
GRT1-ID4-1	SmartSlice 4 x digital inputs, 24 VDC, PNP	76.95	212286	4547648219341		#	BF	H	JPN	8471.6070.00
GRT1-ID8	SmartSlice 8 x digital inputs, 24 VDC, NPN	112.20	235172	4547648325646			BF	H	NLD	8471.6070.00
GRT1-ID8-1	SmartSlice 8 x digital inputs, 24 VDC, PNP	112.20	235173	4547648325653		#	BF	H	NLD	8471.6070.00
GRT1-OD4	SmartSlice 4 x digital outputs 0.5 A, 24 VDC, NPN	80.70	212287	4547648219358			BF	H	JPN	8471.6070.00
GRT1-OD4-1	SmartSlice 4 x digital outputs 0.5 A, 24 VDC, PNP	80.70	212288	4547648219365		#	BF	H	JPN	8471.6070.00
GRT1-OD4G-1	SmartSlice 4 x digital outputs 0.5 A, 24 VDC, PNP, with overcurrent and short-circuit protection	99.85	230602	4547648306829			BF	H	NLD	8471.6070.00
GRT1-OD4G-3	SmartSlice 4 x digital outputs 2 A, 24 VDC, PNP, with overcurrent and short-circuit protection	99.85	246036	4547648487306			BF	H	NLD	8471.6070.00
GRT1-OD8	SmartSlice 8 x digital outputs 0.5 A, 24 VDC, NPN	118.20	235174	4547648325660			BF	H	NLD	8471.6070.00
GRT1-OD8-1	SmartSlice 8 x digital outputs 0.5 A, 24 VDC, PNP	118.20	235175	4547648325677		#	BF	H	NLD	8471.6070.00
GRT1-OD8G-1	SmartSlice 8 x digital outputs 0.5 A, 24 VDC, PNP, with overcurrent and short-circuit protection	133.10	235176	4547648325684			BF	H	NLD	8471.6070.00
GRT1-RO2	SmartSlice 2 x relay output, normally open, 2 A, 250 VAC / 24 VDC	94.45	212289	4547648219372			BF	H	JPN	8471.6070.00
GRT1-AD2	SmartSlice 2 x analog inputs, 1 to 5 V, 0 to 5 V, 0 to 10 V, -10 to 10 V, 0 to 20 mA, 4 to 20 mA, resolution 1.6000	329.50	224393	4547648221498			BF	H	JPN	8471.5000.00
GRT1-TS2P	SmartSlice 2 x RTD temperature sensor inputs, Pt100	370.30	238319	4547648446211			BF	H	JPN	8471.5000.00
GRT1-TS2T	SmartSlice 2 x thermocouple inputs	370.30	246039	4547648511315			BF	H	NLD	9032.1080.90
GRT1-DA2C	SmartSlice 2 x analog outputs, 0 to 20 mA, 4 to 20 mA, resolution 1.6000	328.70	224394	4547648221504			BF	H	JPN	8471.5000.00
GRT1-DA2V	SmartSlice 2 x analog outputs, 1 to 5 V, 0 to 5 V, 0 to 10 V, -10 to 10 V, resolution 1.6000	328.70	224395	4547648221511			BF	H	JPN	8471.5000.00
GRT1-CP1-L	SmartSlice positioning unit, 1 x encoder input (A/B/Z), 100 kHz, 24 VDC PNP / RS422 line driver inputs, 1 x 24 VDC PNP control input, 2 x PNP 0.5 A range control outputs	309.40	228280	4547648298209			BF	H	NLD	9029.1000.90
GRT1-CT1	SmartSlice high speed counter unit, 1 x encoder input (A/B/Z), 60 kHz, 24 VDC NPN inputs, 1 x NPN 0.5 A range control output	224.30	228278	4547648298186			BF	H	NLD	9029.1000.90
GRT1-CT1-1	SmartSlice high speed counter unit, 1 x encoder input (A/B/Z), 60 kHz, 24 VDC PNP inputs, 1 x PNP 0.5 A range control output	224.30	228279	4547648298193			BF	H	NLD	9029.1000.90
GRT1-CRT	SmartSlice communication adaptor for CompoNet (End plate to be ordered separately)	350.40	248724	4547648561389			BF	H	JPN	8471.6070.00
GRT1-DRT	SmartSlice communication adaptor for DeviceNet, connects up to 64 GRT1 I/O units (End plate to be ordered separately)	400.10	211521	4547648219327		#	BF	H	JPN	8471.6070.00
GRT1-ECT	SmartSlice communication adaptor for EtherCAT, connects up to 64 GRT1 I/O units (End plate to be ordered separately)	494.70	350103	4548583003019			BF	H	NLD	8529.1095.00
GRT1-END	SmartSlice end plate	35.86	212290	4547648219389		#	BF	H	JPN	8471.5000.00
GRT1-END-M	SmartSlice end plate with PROFINET memory	144.60	258405	4547648476607			BF	H	NLD	8473.3080.00
GRT1-PC8	SmartSlice I/O power connection module, 8 x V and 4 x G terminals	46.08	235179	4547648325714			BF	H	NLD	8504.4030.00
GRT1-PC8-1	SmartSlice I/O power feed module, 24 VDC input, 4 x V and 8 x G terminals	46.08	235180	4547648325721			BF	H	NLD	8504.4030.00
GRT1-PD2	SmartSlice I/O power feed module, 24 VDC input	46.08	212291	4547648219396			BF	H	JPN	8471.5000.00
GRT1-PD8	SmartSlice I/O power feed module, 24 VDC input, 8 x V and 4 x G terminals	46.08	235177	4547648325691			BF	H	NLD	8504.4030.00
GRT1-PD8-1	SmartSlice I/O power connection module, 4 x V and 8 x G terminals	46.08	235178	4547648325707			BF	H	NLD	8504.4030.00
GRT1-PNT	SmartSlice communication adaptor for PROFINET I/O, connects up to 63 GRT1 I/O units (End plate to be ordered separately)	720.00	258404	4547648476591			BF	H	NLD	8529.1095.00
GRT1-PRT	SmartSlice communication adaptor for PROFIBUS DPV1, connects up to 64 GRT1 I/O units (End plate to be ordered separately)	476.00	230167	4547648192071			BF	H	NLD	8529.1095.00
GRT1-TBL	SmartSlice left-side turn-back unit	94.45	212293	4547648219419			BF	H	JPN	8471.5000.00
GRT1-TBR	SmartSlice right-side turn-back unit	46.08	212292	4547648219402			BF	H	JPN	8471.5000.00
GCN2-100	SmartSlice turn-back cable (1 m)	52.20	212294	4547648219426			BF	H	JPN	8544.4210.00

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Daheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
<b>Remote I/O CRT (CompoNet)</b>										
CRT1B-ID02S	CompoNet bit slave unit, 2 x 24 VDC inputs, NPN, e-CON connectors (not included)	204.50	226095	4547648244190			BF	I	JPN	8471.6070.00
CRT1B-MD04JS-1	CompoNet bit slave unit, 2 x inputs, 2 x transistor output, PNP, 0.1A output, compact connectors	177.80	695312	4547648739238			BF	I	CHN	8471.6070.00
CRT1-ID08-1	CompoNet input unit, 8 x 24 VDC inputs, PNP, screw terminals	309.40	248768	4547648571326			BF	I	JPN	8471.6070.00
CRT1-ID16	CompoNet input unit, 16 x 24 VDC inputs, NPN, screw terminals	363.00	226103	4547648237857			BF	I	CHN	8471.6070.00
CRT1-ID16-1	CompoNet input unit, 16 x 24 VDC inputs, PNP, screw terminals	363.00	226104	4547648237854			BF	I	CHN	8471.6070.00
CRT1-ID16TA	CompoNet input unit, 16 x 24 VDC inputs, NPN, 3-tier screw terminals	456.70	237466	4547648414807			BF	I	JPN	8471.6070.00
CRT1-ID16TA-1	CompoNet input unit, 16 x 24 VDC inputs, PNP, 3-tier screw terminals	456.70	237467	4547648414814			BF	I	JPN	8471.6070.00
CRT1B-OD02S	CompoNet bit slave unit, 2 x transistor outputs, NPN, 0.2 A, 24 VDC, e-CON connectors (not included)	162.80	226096	4547648244206			BF	I	JPN	8471.6070.00
CRT1-OD08-1	CompoNet output unit, 8 x transistor outputs, PNP, 0.5 A, 24 VDC, screw terminals	364.80	248770	4547648571340			BF	I	JPN	8471.6070.00
CRT1-OD16	CompoNet output unit, 16 x transistor outputs, NPN, 0.5 A, 24 VDC, screw terminals	363.00	226105	4547648237871			BF	I	CHN	8471.6070.00
CRT1-OD16-1	CompoNet output unit, 16 x transistor outputs, PNP, 0.5 A, 24 VDC, screw terminals	363.00	226106	4547648237888			BF	I	CHN	8471.6070.00
CRT1-OD16TA	CompoNet output unit, 16 x transistor outputs, NPN, 0.5 A, 24 VDC, 3-tier screw terminals	456.70	237468	4547648414821			BF	I	JPN	8471.6070.00
CRT1-OD16TA-1	CompoNet output unit, 16 x transistor outputs, PNP, 0.5 A, 24 VDC, 3-tier screw terminals	456.70	237469	4547648414838			BF	I	JPN	8471.6070.00
CRT1-RO308	CompoNet output unit, 8 x relay outputs 2 A, screw terminals	426.80	248783	4547648571531			BF	I	JPN	8471.6070.00
CRT1-RO316	CompoNet output unit, 16 x relay outputs 2 A, screw terminals	629.00	237472	4547648414869			BF	I	JPN	8471.6070.00
CRT1-MD16TA	CompoNet I/O unit, 8 x 24 VDC inputs NPN & 8 x transistor outputs NPN 0.5 A, 3-tier screw terminals	456.70	237470	4547648414845			BF	I	JPN	8471.6070.00
CRT1-MD16TA-1	CompoNet I/O unit, 8 x 24 VDC inputs PNP & 8 x transistor outputs PNP 0.5 A, 3-tier screw terminals	449.10	237471	4547648414852			BF	I	JPN	8471.6070.00
CRT1-AD04	CompoNet analog input unit, 4 x inputs, 1-5 V, 0-5 V, 0-10 V, -10-10 V, 0-20 mA, 4-20 mA, resolution 1.6000, screw terminals	663.50	226107	4547648237895			BF	I	CHN	8471.6070.00
CRT1-DA02	CompoNet analog output unit, 2 x inputs, 1-5 V, 0-5 V, 0-10 V, -10-10 V, resolution 1.6000, screw terminals	667.00	226108	4547648237901			BF	I	CHN	8471.6070.00
CFRS1-RPT01	CompoNet IP20 Repeater unit	231.70	226092	4547648237918			BF	I	CHN	8471.6070.00
<b>Other remote I/O</b>										
GX-ID1611	EtherCAT digital I/O unit, 16 x inputs, NPN, 1-wire, expandable	445.60	343312	4547648821674			BF	X	CHN	8471.6070.00
GX-ID1612	EtherCAT digital I/O unit, 16 x inputs, NPN, 3-wire	571.50	343319	4547648821742			BF	X	CHN	8471.6070.00
GX-ID1621	EtherCAT digital I/O unit, 16 x inputs, PNP, 1-wire, expandable	445.60	343313	4547648821681			BF	X	CHN	8471.6070.00
GX-ID1622	EtherCAT digital I/O unit, 16 x inputs, PNP, 3-wire	571.50	343320	4547648821759			BF	X	CHN	8471.6070.00
GX-ID1628	EtherCAT digital I/O unit, 16 x inputs, PNP, e-CON connectors (not included)	279.40	378997	4547648821568			BF	X	CHN	8471.6070.00
GX-ID3228	EtherCAT digital I/O unit, 32 x inputs, PNP, e-CON connectors (not included)	515.50	379006	4547648821629			BF	X	CHN	8471.6070.00
GX-OD1601	EtherCAT digital I/O unit, 16 relay x outputs, 1-wire, expandable	709.00	343318	4547648821735			BF	X	CHN	8471.6070.00
GX-OD1611	EtherCAT digital I/O unit, 16 x outputs, NPN, 1-wire, expandable	445.60	343316	4547648821711			BF	X	CHN	8471.6070.00
GX-OD1612	EtherCAT digital I/O unit, 16 x outputs, NPN, 3-wire	571.50	343323	4547648821780			BF	X	CHN	8471.6070.00
GX-OD1621	EtherCAT digital I/O unit, 16 x outputs, PNP, 1-wire, expandable	445.60	343317	4547648821728			BF	X	CHN	8471.6070.00
GX-OD1622	EtherCAT digital I/O unit, 16 x outputs, PNP, 3-wire	571.50	343324	4547648821797			BF	X	CHN	8471.6070.00
GX-OD1628	EtherCAT digital I/O unit, 16 x outputs, PNP, e-CON connectors (not included)	283.80	378999	4547648821605			BF	X	CHN	8471.6070.00
GX-OD3228	EtherCAT digital I/O unit, 32 x outputs, PNP, e-CON connectors (not included)	515.50	379000	4547648821667			BF	X	CHN	8471.6070.00
GX-MD1611	EtherCAT digital I/O unit, 8 x inputs + 8 x outputs, NPN, 1-wire, expandable	445.60	343314	4547648821698			BF	X	CHN	8471.6070.00
GX-MD1612	EtherCAT digital I/O unit, 8 x inputs + 8 x outputs, NPN, 3-wire	571.50	343321	4547648821766			BF	X	CHN	8471.6070.00
GX-MD1618	EtherCAT digital I/O unit, 8 x inputs + 8 x outputs, NPN, e-CON connectors (not included)	325.00	379005	4547648821575			BF	X	CHN	8471.6070.00
GX-MD1621	EtherCAT digital I/O unit, 8 x inputs + 8 x outputs, PNP, 1-wire, expandable	445.60	343315	4547648821704			BF	X	CHN	8471.6070.00
GX-MD1622	EtherCAT digital I/O unit, 8 x inputs + 8 x outputs, PNP, 3-wire	571.50	343322	4547648821773			BF	X	CHN	8471.6070.00
GX-MD1628	EtherCAT digital I/O unit, 8 x inputs + 8 x outputs, PNP, e-CON connectors (not included)	296.20	378998	4547648821582			BF	X	CHN	8471.6070.00
GX-AD0471	EtherCAT analog I/O unit, 4 x analog inputs, 0 to 5 V, 1 to 5 V, 0 to 10 V, -10 to 10 V, 4 to 20 mA, resolution 1.8000 (full scale)	709.00	343327	4547648821827			BF	X	CHN	8471.6070.00
GX-DA0271	EtherCAT analog I/O unit, 2 x analog outputs, 0 to 5 V, 1 to 5 V, 0 to 10 V, -10 to 10 V, 4 to 20 mA, resolution 1.9000 (full scale)	750.00	343328	4547648821834			BF	X	CHN	8471.6070.00
GX-EQ0211	EtherCAT I/O unit, 2 x encoder inputs, open collector	838.00	343325	4547648821803			BF	X	CHN	8471.6070.00
GX-EQ0241	EtherCAT I/O unit, 2 x encoder inputs, line driver	921.50	343326	4547648821810			BF	X	CHN	8471.6070.00
ERT1-HD16CH-1	EtherNet/IP IP67 rated I/O block, 16 x PNP inputs, SmartClick M12 connections	778.50	375136	4547648608152			BF	X	JPN	8471.6070.00
ERT1-ID32SLH-1	EtherNet/IP IP20 terminal block, 32x PNP inputs, 3-wire termination, cage-clamp connections	695.50	375138	4547648608176			BF	X	JPN	8471.6070.00
ERT1-OD32SLH-1	EtherNet/IP IP20 terminal block, 32x PNP outputs, 0.5A/point, 3-wire termination, cage-clamp connections	961.00	375140	4547648608190			BF	X	JPN	8471.6070.00
ERT1-WD16CH-1	EtherNet/IP IP67 rated I/O block, 16 x PNP outputs, 0.5A/point, 40A/common, SmartClick M12 connections	815.50	375137	4547648608169			BF	X	JPN	8471.6070.00
ERT1-MD32SLH-1	EtherNet/IP IP20 terminal block, 16x PNP inputs, 16x PNP outputs, 0.5A/point, 3-wire termination, cage-clamp connections	748.00	375139	4547648608183			BF	X	JPN	8471.6070.00
XWT-ID08	CRT1/DRIT2/GX-series I/O expansion unit, 8 x 24 VDC inputs, NPN (1 max per I/O terminal, specific models only)	283.80	226539	4547648209311			BF	X	CHN	8471.6070.00
XWT-ID08-1	CRT1/DRIT2/GX-series I/O expansion unit, 8 x 24 VDC inputs, PNP (1 max per I/O terminal, specific models only)	282.40	226540	4547648209328			BF	X	CHN	8471.6070.00
XWT-ID16	CRT1/DRIT2/GX-series I/O expansion unit, 16 x 24 VDC inputs, NPN (1 max per I/O terminal, specific models only)	332.90	226541	4547648209335			BF	X	CHN	8471.6070.00
XWT-ID16-1	CRT1/DRIT2/GX-series I/O expansion unit, 16 x 24 VDC inputs, PNP (1 max per I/O terminal, specific models only)	360.80	226542	4547648209342			BF	X	CHN	8471.6070.00
XWT-OD08	CRT1/DRIT2/GX-series I/O expansion unit, 8 x 24 VDC outputs, 0.5 A, NPN (1 max per I/O terminal, specific models only)	283.80	226543	4547648209366			BF	X	CHN	8471.6070.00
XWT-OD08-1	CRT1/DRIT2/GX-series I/O expansion unit, 8 x 24 VDC outputs, 0.5 A, PNP (1 max per I/O terminal, specific models only)	282.40	226544	4547648209373			BF	X	CHN	8471.6070.00
XWT-OD16	CRT1/DRIT2/GX-series I/O expansion unit, 16 x 24 VDC outputs, 0.5 A, NPN (1 max per I/O terminal, specific models only)	326.80	226545	4547648209380			BF	X	CHN	8471.6070.00
XWT-OD16-1	CRT1/DRIT2/GX-series I/O expansion unit, 16 x 24 VDC outputs, 0.5 A, PNP (1 max per I/O terminal, specific models only)	360.80	226546	4547648209397			BF	X	CHN	8471.6070.00
B7AP-M1	Power Coupler, Moving Unit	356.20	149065	4536853153465			BF	X	JPN	8538.9099.99

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	SLN. (Data sheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
B7A-P-S1	Power Coupler, Stationary Unit	460.80	137181	4536853153472			BF	X	JPN	8538.9099.99
B7A-P6A33	Automation, Remote I/O, Other remote I/O, B7A-P6A33	166.80	137164	4536853153069			BF	X	JPN	8538.9099.99
B7A-P6A57	Automation, Remote I/O, Other remote I/O, B7A-P6A57	83.80	153477	4536853152925			BF	X	JPN	8538.9099.99
B7A-R6B11	B7A link terminal, modular type, 16 x outputs, NPN 24 VDC 50 mA max.	191.50	169696	4547648009386			BF	X	CHN	8538.9099.99
B7A-R6B16	16 Points For Output, Screw Terminal, Normal Speed	178.20	169697	4547648009393			BF	X	CHN	8538.9099.99
B7A-R6B31	Link terminal output module, 16 I/O points, NPN, 19.2 ms I/O delay, screw terminals	201.70	169698	4547648009409			BF	X	CHN	8538.9099.99
B7A-R6B36	16 Points For Output, Screw Terminal, High Speed, LOADOFF	178.50	169699	4547648009416			BF	X	CHN	8538.9099.99
B7A-R6C11	16 Points For Output, Screw Terminal, Normal Speed	349.20	145820	4536853152970			BF	X	JPN	8538.9099.99
B7A-R6C31	16 Points For Output, Screw Terminal, Normal Speed, LOADOFF	367.50	137159	4536853152967			BF	X	JPN	8538.9099.99
B7A-R6C36	16 Points For Output, Screw Terminal, High Speed, LOADOFF	339.10	137162	4536853153021			BF	X	JPN	8538.9099.99
B7A-R6F31	Link terminal output module, 16 I/O points, PNP, 19.2 ms I/O delay, screw terminals	201.70	169702	4547648009447			BF	X	CHN	8538.9099.99
B7A-R6F36	16 Points For Output, Screw Terminal, High Speed, LOADOFF	201.70	169703	4547648009454			BF	X	CHN	8538.9099.99
B7A-R6G16	Link Terminal B7A-R6G16	368.70	144730	4536853153038			BF	X	JPN	8538.9099.99
B7AS-R6B16	16 Points For Output, Screw Terminal, High Speed	317.20	169690	4547648009300			BF	X	CHN	8538.9099.99
B7AS-R6B31	16 Points For Output, Screw Terminal, Normal Speed, LOADOFF	316.40	169712	4547648009294			BF	X	CHN	8538.9099.99
B7AS-R6B36	16 Points For Output, Screw Terminal, High Speed, LOADOFF	313.00	169691	4547648009317			BF	X	CHN	8538.9099.99
B7AS-T6B1	16 Points For Input, Screw Terminal, Normal Speed	294.20	169687	4547648009249			BF	X	CHN	8538.9099.99
B7AS-T6B6	16 Points For Input, Screw Terminal, High Speed	293.20	169688	4547648009270			BF	X	CHN	8538.9099.99
B7A-T3E3	Automation, Remote I/O, Other remote I/O, B7A-T3E3	206.90	137158	4536853152956			BF	X	JPN	8538.9099.99
B7A-T6A6	16 Points For Input, Screw Terminal, High Speed	203.30	169693	4547648009331			BF	X	CHN	8538.9099.99
B7A-T6C1	Link terminal input module, 16 I/O points, PNP, 19.2 ms I/O delay, screw terminals	217.00	184203	4547648009362			BF	X	CHN	8538.9099.99
B7A-T6C6	Link terminal input module, 16 input points, PNP, 3 ms I/O delay, screw terminals	216.20	177580	4547648009379			BF	X	CHN	8538.9099.99
B7A-T6D7	B7A link terminal, modular type, 16 x inputs, PNP(TTL)	73.85	137150	4536853152826			BF	X	JPN	8538.9099.99
<b>Accessory for remote I/O.</b>										
GX-JC03	3-port EtherCAT Junction module, 24 VDC power supply	232.60	355830	4548583075375	#		BF	Z	CHN	8471.8000.00
GX-JC06	6-port EtherCAT Junction module, 24 VDC power supply	426.80	355831	4548583075382	#		BF	Z	CHN	8471.8000.00
DCN1-1C	DeviceNet T-branch tap for 1 branch line, 3 connectors with screws, side cable entry	102.50	133602	4536853181130			BF	Z	JPN	8536.9010.00
DCN1-1NC	DeviceNet T-Branch tap for 1 branch line, 3 parallel clamp connectors, top cable entry	87.55	164731	4536854895890			BF	Z	JPN	8536.9010.00
DCN1-1P	DeviceNet power supply tap with 2 connectors, standard terminating resistor, and fuse	220.50	133604	4536854552388			BF	Z	JPN	8536.9010.00
DCN1-2C	DeviceNet T-branch tap for 1 branch line, 3 connectors with screws, top cable entry	112.40	164727	4536854540035			BF	Z	JPN	8536.9010.00
DCN1-2R	DeviceNet T-branch tap for 1 branch line, 3 straight connectors with screws, side cable entry	122.50	164729	4536854686450			BF	Z	JPN	8536.9010.00
DCN1-3C	DeviceNet T-branch tap for 3 branch lines, 5 connectors with screws, side cable entry	156.00	133603	4536853181147			BF	Z	JPN	8536.9010.00
DCN1-3NC	DeviceNet T-Branch tap for 3 branch lines, 5 parallel clamp connectors, top cable entry	108.10	226006	4536854895906			BF	Z	JPN	8536.9010.00
DCN1-4R	DeviceNet T-branch tap for 3 branch lines, 5 straight connectors with screws, side cable entry	186.10	164730	4536854686467			BF	Z	JPN	8536.9010.00
DCN2-1	DeviceNet IP67 T-branch connector (2x female, 1x male M12)	48.98	133605	4536854446139	10		BF	Z	JPN	8536.9010.00
DCN3-12	DeviceNet IP67 T-branch connector (1x female + 1x male 7/8", 1x female M12)	45.82	164734	4536854824296			BF	Z	JPN	8536.9010.00
DCN4-BR4	CompoNet/DeviceNet branch line connector for standard flat cable	9.99	226113	4547648083881	10		BF	Z	JPN	8503.0099.99
DCN4-MD4	CompoNet multidrop connector for standard flat cable	8.61	226115	4547648206815	10		BF	Z	JPN	8503.0099.99
DCN4-TB4	CompoNet screw terminal connector, M3	17.68	226114	4547648206808	10		BF	Z	JPN	8503.0099.99
DCN4-TM4	CompoNet/DeviceNet terminating resistor for standard flat cable	14.53	226116	4547648206822	10		BF	Z	JPN	8503.0099.99
DCN4-TR4	CompoNet/DeviceNet connector socket for standard flat cable	9.99	226112	4547648083874	10		BF	Z	JPN	8503.0099.99
DRS1-T	CompoNet/DeviceNet termination terminal block	10.44	133617	4536853181604			BF	Z	JPN	8473.3080.00
DRS2-1	DeviceNet IP67 terminating resistor (male M12)	27.66	133611	4536854445286	20		BF	Z	JPN	8536.9010.00
DRS2-2	DeviceNet IP67 terminating resistor (female M12)	26.74	149766	4536854445293			BF	Z	JPN	8536.9010.00
DRS3-1	DeviceNet IP67 terminating resistor (male 7/8")	24.86	164735	4536854824326			BF	Z	JPN	8536.9010.00
SCN1-TH4	CompoBus/S network branch connector, IDC	3.90	111795	4536853770303	10		BF	Z	JPN	8536.9010.00
SCN1-TH4E	CompoBus/S network extension connector, IDC	3.90	143146	4536853770310	10		BF	Z	JPN	8536.9010.00
SCN1-TH4T	CompoBus/S network connector terminator, IDC	6.85	111796	4536853770327			BF	Z	JPN	8536.9010.00
SRS2-1	CompoBus/S network connector terminator	27.18	152645	4536854691942			BF	Z	JPN	8536.9010.00
XW4B-05C1-H1-D	DeviceNet connector, parallel with screws, connector insertion and wiring in same direction.	12.72	107476	4536854231384	50		BF	Z	DEU	8536.9010.00
XW4B-05C4-T-D	DeviceNet multi-branching connector, parallel screwless, connector insertion and wiring in same direction.	32.63	150732	4536854231391	10		BF	Z	DEU	8536.9010.00
XW4G-05C4-TF-D	DeviceNet multi-branching connector, parallel with screws, connector insertion and wiring in same direction.	33.98	167725	4536854700033	25		BF	Z	DEU	8536.9010.00
XW4G-05C4-TF-D	DeviceNet connector, multi-branch parallel screwless, connector insertion and wiring in same direction.	26.74	231438	4536854936760	25		BF	Z	DEU	8536.9010.00
DCA4-4F10	CompoNet standard flat cable, 4-wire, 100m	404.00	226110	4547648083867			BF	Z	CHN	8503.0099.99
SCA1-4F10	CompoBus/S flat cable, 4-core 0.75 mm sq, 100m	367.80	111794	4536853769260			BF	Z	JPN	8536.9010.00
DCA1-5CN01F1	DeviceNet thin cable, straight M12 connector (female) to open ends, 1 m	61.35	103344	4536854445361	6		BF	Z	JPN	8536.9010.00
DCA1-5CN01H1	DeviceNet thin cable, straight M12 connector (male) to open ends, 1 m	61.35	133683	4536854445316	3		BF	Z	JPN	8536.9010.00
DCA1-5CN01W1	DeviceNet thin cable, straight M12 connectors (1 male, 1 female), 1 m	99.10	133594	4536854445415	10		BF	Z	JPN	8536.9010.00
DCA1-5CN02F1	DeviceNet thin cable, straight M12 connector (female) to open ends, 2 m	76.00	133592	4536854445378			BF	Z	JPN	8536.9010.00
DCA1-5CN02W1	DeviceNet thin cable, straight M12 connectors (1 male, 1 female), 2 m	122.50	133595	4536854445422	5		BF	Z	JPN	8536.9010.00
DCA1-5CN03W1	DeviceNet thin cable, straight M12 connectors (1 male, 1 female), 3 m	136.00	105602	4536854445439	5		BF	Z	JPN	8536.9010.00
DCA1-5CN05F1	DeviceNet thin cable, straight M12 connector (female) to open ends, 5 m	142.30	153117	4536854445392	3		BF	Z	JPN	8536.9010.00
DCA1-5CN05W1	DeviceNet thin cable, straight M12 connectors (1 male, 1 female), 5 m	176.30	133596	4536854445446			BF	Z	JPN	8536.9010.00
DCA1-5CN05F1	DeviceNet thin cable, straight M12 connector (female) to open ends, 0.5 m	44.70	133591	4536854445354			BF	Z	JPN	8536.9010.00
DCA1-5CN05H1	DeviceNet thin cable, straight M12 connector (male) to open ends, 0.5 m	44.70	143326	4536854445309			BF	Z	JPN	8536.9010.00
DCA1-5CN05W1	DeviceNet thin cable, straight M12 connectors (1 male, 1 female), 0.5 m	76.30	146629	4536854445408			BF	Z	JPN	8536.9010.00
DCA2-5CN01W1	DeviceNet thick cable, straight 7/8" connectors (1 male, 1 female), 1 m	56.15	164714	4536854823657			BF	Z	JPN	8536.9010.00
DWT-A01	CompoNet standard flat cable connector crimp tool	744.00	226120	4547648206839			BF	Z	JPN	8503.0099.99
XW22-00B	vane carrier	20.68	107477	4536854231896			BF	Z	DEU	8536.9010.00
XW22-00C	Vane carrier for DeviceNet connectors 3.5 x 6 flat	24.00	141968	4536854231902			BF	Z	DEU	8536.9010.00

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Daheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
GRT1-BT1-5	SmartSlice I/O connectors, set of 5 pcs. (12 points, screwless)	70.80	231594	4547648325868			BF	Z	JPN	8471.5000.00
<b>In Panel TC EIL</b>										
EJ1N-TC2A-CNB	CelciusX <sup>®</sup> In-panel temperature controller basic unit, DIN rail mounting, 2 loops, thermocouple/P1100/analogue input, 2 x 4-20/0-20 mA plus 2 x 30 VDC, 0.1 A NPN outputs, heat, cool, heat/cool, M3 screw terminals	539.50	232402	4547648324748			BG	A	JPN	9032.1080.90
EJ1N-TC2A-QNH	CelciusX <sup>®</sup> In-panel temperature controller basic unit, DIN rail mounting, 2 loops, thermocouple/P1100/analogue input, 2 x 12 VDC plus 2 x 30 VDC, 0.1 A NPN outputs, heat, cool, heat/cool, heater burnout alarm, M3 screw terminals	488.10	225935	4547648235310	#		BG	A	JPN	9032.1080.90
EJ1N-TC2B-CNB	CelciusX <sup>®</sup> In-panel temperature controller basic unit, DIN rail mounting, 2 loops, thermocouple/P1100/analogue input, 2 x 4-20/0-20 mA plus 2 x 30 VDC, 0.1 A NPN outputs, heat, cool, heat/cool, screwless clamp terminals	539.50	232401	4547648324755			BG	A	JPN	9032.1080.90
EJ1N-TC2B-QNH	CelciusX <sup>®</sup> In-panel temperature controller basic unit, DIN rail mounting, 2 loops, thermocouple/P1100/analogue input, 2 x 12 VDC plus 2 x 30 VDC, 0.1 A NPN outputs, heat, cool, heat/cool, heater burnout alarm, screwless clamp terminals	460.80	225931	4547648235327			BG	A	JPN	9032.1080.90
EJ1N-TC4A-QQ	CelciusX <sup>®</sup> In-panel temperature controller basic unit, DIN rail mounting, 4 loops, thermocouple/P1100/analogue input, 4 x 12 VDC outputs, heat, cool, heat/cool, M3 screw terminals	570.50	225934	4547648235297	#		BG	A	JPN	9032.1080.90
EJ1N-TC4B-QQ	CelciusX <sup>®</sup> In-panel temperature controller basic unit, DIN rail mounting, 4 loops, thermocouple/P1100/analogue input, 4 x 12 VDC outputs, heat, cool, heat/cool, screwless clamp terminals	570.50	225930	4547648235303			BG	A	JPN	9032.1080.90
EJ1N-HFU4-NFLK	CelciusX <sup>®</sup> In-panel temperature controller high function unit, RS-232C/RS-485 port for program-less communications with Cj1/CS1 PLCs (1:1 and 1:N), Mitsubishi A and FX series PLCs (1:1 and 1:N), Mitsubishi Q series PLCs (1:1), M3 screw terminals	497.90	225936	4547648235334			BG	A	JPN	9032.1080.90
EJ1N-HFUB-DRT	CelciusX <sup>®</sup> In-panel Temperature controller High Function unit, DeviceNet interface, screwless clamp terminals	870.50	243922	4547648510806			BG	A	JPN	9032.1080.90
EJ1N-HFUB-NFLK	CelciusX <sup>®</sup> In-panel temperature controller high function unit, RS-232C/RS-485 port for program-less communications with Cj1/CS1 PLCs (1:1 and 1:N), Mitsubishi A and FX series PLCs (1:1 and 1:N), Mitsubishi Q series PLCs (1:1), screwless clamp terminals	497.90	225932	4547648235341			BG	A	JPN	9032.1080.90
EJ1N-HFUC-ECT	Ethercat slave unit to connect any EJ1N modular temperature controllers	426.30	670704	4548583769236			BG	A	JPN	9032.1080.90
EJ1N-HFU-ETN	Ethernet to Serial Gateway, Connect PROFINET or Modbus/TCP master to any Modbus-RTU slave (special support for CelciusX(EI)), ES N and MX2)	576.50	355917	4548583072527			BG	A	NLD	9032.1080.90
EJ1C-CBLA050	Connection cable from CelciusX <sup>®</sup> basic unit to G3ZA Power controller, 5 m	37.25	225929	4547648235464			BG	A	JPN	9032.1080.90
EJ1C-EDUA-NFLK	CelciusX <sup>®</sup> In-panel temperature controller end unit, connects up to 16 x basic & high function units, 24 VDC supply, 1 x RS-485 port (115kbps, CompoWay/F, MODBUS-RTU), 1 x programming port, M3 screw terminals	125.00	225933	4547648235457	#		BG	A	JPN	9032.1080.90
EJ1C-EDUC-NFLK	CelciusX <sup>®</sup> In-panel temperature controller end unit, connects up to 16 x basic & high function units, 24 VDC supply, 1 x RS-485 port (115kbps, CompoWay/F, MODBUS-RTU), 1 x programming port, removable screw connector blocks	112.20	243921	4547648510844			BG	A	JPN	9032.1080.90
<b>In Panel TC ESZN</b>										
ESZN-SCT24S-500	Smart socket for ESZN, master unit one required per block, includes terminals for supply and communications as well as internal bus for connecting to additional units	207.50	128536	4536854696879			BG	C	JPN	9032.1080.90
<b>Accessory for In-panel temp controller</b>										
ESZE-CBL200	Output cable, connectors to fit to XW2D-20G6, 2m long (1pc required for 16 output, 2pcs required for 32 output)	98.15	128507	4536853348991			BG	Z	JPN	9032.1080.90
<b>Other Automotive Relay</b>										
<b>Industrial Relay LY</b>										
LY1 110/120VAC	Relay, plug-in, SPDT, 15 A, 110/120 VAC	5.37	154978	4536853605490	50	CC	A	IDN	8536.4900.99	
LY1 12VDC	Relay, plug-in, SPDT, 15 A, 12 VDC	4.93	116887	4536853605537	50	CC	A	IDN	8536.4900.99	
LY1 220/240VAC	Relay, plug-in, SPDT, 15 A, 220/240 VAC	5.37	116895	4536853605513	50	CC	A	IDN	8536.4900.99	
LY1 24VAC	Relay, plug-in, SPDT, 15 A, 24 VAC	5.37	116892	4536853605445	50	CC	A	IDN	8536.4900.99	
LY1 24VDC	Relay, plug-in, 5-pin, SPDT, 15 A, 24 VDC	4.92	116888	4536853605544	50	CC	A	IDN	8536.4900.99	
LY1F 220/240VAC	Relay, flange mount, plug-in, SPDT, 15 A, 220/240 VAC	5.36	116798	4536853605650	50	CC	A	IDN	8536.4900.99	
LY1F 24VDC	Relay, flange mount, plug-in, SPDT, 15 A, 24 VDC	4.66	116800	4536853605698	50	CC	A	IDN	8536.4900.99	
LY1N 12VDC	Relay, plug-in, SPDT, 15 A, LED Indicator, 12 VDC	4.98	105380	4536853605957	50	CC	A	IDN	8536.4900.99	
LY2 100/110VAC	Relay, plug-in, 8-pin, DPDT, 10 A, 100/110 VAC	5.62	144278	4536853611439	#	50	CC	A	IDN	8536.4900.99
LY2 100/110VDC	Relay, plug-in, 8-pin, DPDT, 10 A, 100/110 VDC	6.09	153006	4536853611545	50	CC	A	IDN	8536.4900.99	
LY2 110/120VAC	Relay, plug-in, 8-pin, DPDT, 10 A, 110/120 VAC	5.62	116738	4536853611446	#	50	CC	A	IDN	8536.4900.99
LY2 120VDC	Relay, plug-in, DPDT, 10 A, 120 VDC	6.15	116745	4536853611552	50	CC	A	IDN	8536.4900.99	
LY2 12VAC	Relay, plug-in, 8-pin, DPDT, 10 A, 12 VAC	5.62	153005	4536853611378	50	CC	A	IDN	8536.4900.99	
LY2 12VDC	Relay, plug-in, 8-pin, DPDT, 10 A, 12 VDC	5.62	116741	4536853611491	50	CC	A	IDN	8536.4900.99	
LY2 200/220VAC	Relay, plug-in, DPDT, 10 A, 200/220 VAC	6.09	116739	4536853611460	50	CC	A	IDN	8536.4900.99	
LY2 220/240VAC	Relay, plug-in, 8-pin, DPDT, 10 A, 220/240 VAC	6.09	154980	4536853611477	#	50	CC	A	IDN	8536.4900.99
LY2 24VAC	Relay, plug-in, 8-pin, DPDT, 10 A, 24 VAC	5.62	150789	4536853611385	50	CC	A	IDN	8536.4900.99	
LY2 24VDC	Relay, plug-in, 8-pin, DPDT, 10 A, 24 VDC	5.62	116742	4536853611507	#	50	CC	A	IDN	8536.4900.99
LY2 48VAC	Relay, plug-in, 8-pin, DPDT, 10 A, 48 VAC	5.62	116737	4536853611415	50	CC	A	IDN	8536.4900.99	
LY2 48VDC	Relay, plug-in, 8-pin, DPDT, 10A, 48 VDC	5.62	103958	4536853611521	50	CC	A	IDN	8536.4900.99	
LY2-0 12VDC	Relay, PCB pins, 8-pin, DPDT, 10 A, 12 VDC	5.98	157564	4536853615277	50	CC	A	IDN	8536.4900.99	
LY2-0 220/240VAC	Relay, PCB pins, 8-pin, DPDT, 10 A, 220/240 VAC	6.09	154171	4536853615253	50	CC	A	IDN	8536.4900.99	
LY2-0 24VAC	Relay, PCB pins, 8-pin, DPDT, 10 A, 24 VAC	5.98	103144	4536853615192	50	CC	A	IDN	8536.4900.99	
LY2-0 24VDC	Relay, PCB pins, 8-pin, DPDT, 10 A, 24 VDC	5.98	116633	4536853615284	50	CC	A	IDN	8536.4900.99	
LY2-0 48VDC	Relay, PCB pins, 8-pin, DPDT, 10 A, 48 VDC	5.98	116634	4536853615291	50	CC	A	IDN	8536.4900.99	
LY2-D 24VDC	Relay, plug-in, 8-pin, DPDT, 10 A, coil suppression, 24 VDC	12.39	116787	4536853608477	10	CC	A	JPN	8536.4900.99	
LY2F 110/120VAC	Relay, flange mount, plug-in, DPDT, 10 A, 110/120 VAC	6.45	116654	4536853611637	50	CC	A	IDN	8536.4900.99	
LY2F 220/240VAC	Relay, Flange mount, plug-in, 8-pin, DPDT, 10 A, 220/240 VAC	6.61	116656	4536853611668	50	CC	A	IDN	8536.4900.99	
LY2F 24VAC	Relay, flange mount, plug-in, DPDT, 10 A, 24 VAC	6.12	148600	4536853611590	50	CC	A	IDN	8536.4900.99	
LY2F 24VDC	Relay, Flange mount, plug-in, 8-pin, DPDT, 10 A, 24 VDC	6.09	116659	4536853611699	50	CC	A	IDN	8536.4900.99	
LY2I4N 100/110VDC	Relay, plug-in, 8-pin, DPDT, 10 A, LED indicator, test button	6.98	154981	4536853612733	50	CC	A	IDN	8536.4900.99	
LY2I4N 110/120VAC	Relay, plug-in, 8-pin, DPDT, 10 A, LED indicator, test button	6.98	116681	4536853612672	50	CC	A	IDN	8536.4900.99	
LY2I4N 220/240VAC	Relay, plug-in, 8-pin, DPDT, 10 A, LED indicator, test button	7.37	116682	4536853612702	50	CC	A	IDN	8536.4900.99	
LY2I4N 24VAC	Relay, plug-in, 8-pin, DPDT, 10 A, LED indicator, test button	6.98	103143	4536853612719	50	CC	A	IDN	8536.4900.99	
LY2I4N 24VDC	Relay, plug-in, 8-pin, DPDT, 10 A, LED indicator, test button	6.98	157562	4536853612757	50	CC	A	IDN	8536.4900.99	
LY2N 100/110VAC	Relay, plug-in, 8-pin, DPDT, 10 A, LED indicator, 100/110 VAC	6.77	150790	4536853612389	#	50	CC	A	IDN	8536.4900.99
LY2N 100/110VDC	Relay, plug-in, 8-pin, DPDT, 10 A, LED indicator, 100/110 VDC	12.39	116768	4536853607890	10	CC	A	JPN	8536.4900.99	
LY2N 12VDC	Relay, plug-in, 8-pin, DPDT, 10 A, LED indicator, 12 VDC	12.36	116666	4536853612443	50	CC	A	IDN	8536.4900.99	
LY2N 200/220VAC	Relay, plug-in, DPDT, 10 A, LED indicator, 200/220 VAC	10.50	116663	4536853612412	50	CC	A	IDN	8536.4900.99	



2021 List Price	SLN. (Daheet)	GTIN	Stock Qty.	Lot Qty.	Gr.	Fam.	COO	Tariff Code
10.50	116664	4536853612429	50	CC	A	IDN	8536.4900.99	
19.37	151831	4536853612382	50	CC	A	IDN	8536.4900.99	
9.30	149665	4536853612450	#	50	CC	A	IDN	8536.4900.99
7.37	103142	4536853612467	50	CC	A	IDN	8536.4900.99	
5.22	116665	4536853612436	CC	CC	A	IDN	8536.4900.99	
23.99	152340	4536853609511	10	CC	A	JPN	8536.4900.99	
20.94	150062	4536853609542	10	CC	A	JPN	8536.4900.99	
15.14	142424	4536853609061	10	CC	A	JPN	8536.4900.99	
15.14	116702	4536853609047	10	CC	A	JPN	8536.4900.99	
15.14	156651	4536853608811	#	10	CC	A	JPN	8536.4900.99
15.13	116703	4536853609054	CC	CC	A	JPN	8536.4900.99	
15.14	116772	4536853607982	CC	CC	A	JPN	8536.4900.99	
16.62	116773	4536853608026	10	CC	A	JPN	8536.4900.99	
18.15	116777	4536853608088	10	CC	A	JPN	8536.4900.99	
18.54	116707	4536853609153	10	CC	A	JPN	8536.4900.99	
5.75	103957	4536853605964	50	CC	A	IDN	8536.4900.99	
13.60	116875	4536853604868	10	CC	A	JPN	8536.4900.99	
10.87	116460	4536853619183	20	CC	A	IDN	8536.4900.99	
10.86	116449	4536853621131	#	20	CC	A	IDN	8536.4900.99
19.77	116412	4536853620141	10	CC	A	JPN	8536.4900.99	
12.82	116362	4536853621285	CC	CC	A	IDN	8536.4900.99	
12.82	103147	4536853621971	20	CC	A	IDN	8536.4900.99	
18.13	155264	4536853620578	10	CC	A	JPN	8536.4900.99	
22.11	116425	4536853620493	10	CC	A	JPN	8536.4900.99	
22.11	153315	4536853620509	10	CC	A	JPN	8536.4900.99	
10.86	103960	4536853621063	#	20	CC	A	IDN	8536.4900.99
11.27	116452	4536853621186	20	CC	A	IDN	8536.4900.99	
30.38	116443	4536853621070	20	CC	A	IDN	8536.4900.99	
10.86	148236	4536853622497	CC	A	IDN	8536.4900.99		
10.86	116440	4536853621018	20	CC	A	IDN	8536.4900.99	
10.86	116448	4536853621124	20	CC	A	IDN	8536.4900.99	
18.43	116477	4536853619329	10	CC	A	JPN	8536.4900.99	
11.27	116367	4536853621605	#	20	CC	A	IDN	8536.4900.99
10.86	116441	4536853621025	20	CC	A	IDN	8536.4900.99	
10.86	103961	4536853621599	20	CC	A	IDN	8536.4900.99	
10.86	143117	4536853621152	20	CC	A	IDN	8536.4900.99	
15.53	116398	4536853622015	20	CC	A	IDN	8536.4900.99	
12.39	116395	4536853621940	20	CC	A	IDN	8536.4900.99	
12.02	116399	4536853622039	#	20	CC	A	IDN	8536.4900.99
13.94	116400	4536853622046	20	CC	A	IDN	8536.4900.99	
12.02	145374	4536853621698	20	CC	A	IDN	8536.4900.99	
12.82	116380	4536853621773	20	CC	A	IDN	8536.4900.99	
13.94	116381	4536853621780	20	CC	A	IDN	8536.4900.99	
12.82	116375	4536853621728	20	CC	A	IDN	8536.4900.99	
13.60	116376	4536853621735	20	CC	A	IDN	8536.4900.99	
13.20	116377	4536853621742	20	CC	A	IDN	8536.4900.99	
12.39	116378	4536853621759	20	CC	A	IDN	8536.4900.99	
12.02	116382	4536853621797	#	20	CC	A	IDN	8536.4900.99
13.94	142040	4536853621803	20	CC	A	IDN	8536.4900.99	
9.44	376291	4547648413145	CC	B	CHN	8536.4900.99		
11.90	376281	4547648413046	20	CC	B	CHN	8536.4900.99	
9.44	376292	4547648413152	20	CC	B	CHN	8536.4900.99	
9.44	377083	4547648767415	CC	B	CHN	8536.4900.99		
10.33	376277	4547648413008	CC	B	CHN	8536.4900.99		
9.44	376288	4547648413114	20	CC	B	CHN	8536.4900.99	
9.42	376285	4547648413084	20	CC	B	CHN	8536.4900.99	
10.40	376278	4547648413015	20	CC	B	CHN	8536.4900.99	
8.76	376289	4547648413121	#	20	CC	B	CHN	8536.4900.99
9.44	377082	4547648767408	CC	B	CHN	8536.4900.99		
8.90	376681	4547648413893	#	20	CC	B	CHN	8536.4900.99
9.38	376692	4547648414005	20	CC	B	CHN	8536.4900.99	
8.72	376682	4547648413909	#	20	CC	B	CHN	8536.4900.99
8.76	376677	4547648413855	20	CC	B	CHN	8536.4900.99	
10.25	376688	4547648413961	20	CC	B	CHN	8536.4900.99	
8.93	376684	4547648413923	CC	B	CHN	8536.4900.99		
9.39	376685	4547648413930	20	CC	B	CHN	8536.4900.99	
8.71	376678	4547648413862	20	CC	B	CHN	8536.4900.99	
8.76	376689	4547648413978	#	20	CC	B	CHN	8536.4900.99
9.87	377084	4547648767422	#	20	CC	B	CHN	8536.4900.99
8.90	376690	4547648413985	20	CC	B	CHN	8536.4900.99	
16.16	376701	4547648414098	CC	B	CHN	8536.4900.99		
10.80	376706	4547648414142	CC	B	CHN	8536.4900.99		

**Industrial Relay MKII-S**

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Daheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
MKSPIN 100VAC	Relay, plug-in, 8-pin, DPDT, 10 A, mech & LED indicator, test button	13.75	376765	4547648440851			CC	B	CHN	8536.4900.99
MKSPIN 110VAC	Relay, plug-in, 8-pin, DPDT, 10 A, mech & LED indicator, test button	10.05	376766	4547648440868	20		CC	B	CHN	8536.4900.99
MKSPIN 110VDC	Relay, plug-in, 8-pin, DPDT, 10 A, mech & LED indicator, test button	10.80	376777	4547648440974	20		CC	B	CHN	8536.4900.99
MKSPIN 12VDC	Relay, plug-in, 8-pin, DPDT, 10 A, mech & LED indicator, test button	11.89	376773	4547648440936	20		CC	B	CHN	8536.4900.99
MKSPIN 220VAC	Relay, plug-in, 8-pin, DPDT, 10 A, mech & LED indicator, test button	10.51	376769	4547648440899	20		CC	B	CHN	8536.4900.99
MKSPIN 230VAC	Relay, plug-in, 8-pin, DPDT, 10 A, mech & LED indicator, test button	10.66	376770	4547648440905	20		CC	B	CHN	8536.4900.99
MKSPIN 24VAC	Relay, plug-in, 8-pin, DPDT, 10 A, mech & LED indicator, test button	11.89	376763	4547648440837	20		CC	B	CHN	8536.4900.99
MKSPIN 24VDC	Relay, plug-in, 8-pin, DPDT, 10 A, mech & LED indicators, latchable test button, 24 VDC	9.91	376774	4547648440943	20		CC	B	CHN	8536.4900.99
MKSPIN 48VDC	Relay, plug-in, 8-pin, DPDT, 10 A, mech & LED indicator, test button	9.99	376775	4547648440950	20		CC	B	CHN	8536.4900.99
MKSPIN-D 110VDC	Relay, plug-in, 8-pin, DPDT, 10 A, mech & LED indicator, test button, coil suppression	11.03	376996	4547648443166	20		CC	B	CHN	8536.4900.99
MKSPIN-D DC24	Relay, plug-in, 8-pin, DPDT, 10 A, mech & LED indicator, test button, coil suppression	11.03	376993	4547648443135	20		CC	B	CHN	8536.4900.99
MKSPIN-D 2 DC24	Industrial Relay, MK-II-S	15.15	376999	4547648443197			CC	B	CHN	8536.4900.99
MKSPIN-V 120VAC	Relay, plug-in, 8-pin, DPDT, 10 A, mech indicator, test button, coil suppression	10.26	376942	4547648442626	20		CC	B	CHN	8536.4900.99
MKSPIN 220VAC	Relay, plug-in, 8-pin, DPDT, 10 A, mech & LED indicator	12.62	376369	4547648437745	20		CC	B	CHN	8536.4900.99
MKSPIN 230VAC	Relay, plug-in, 8-pin, DPDT, 10 A, mech & LED indicator	12.62	376370	4547648437752	20		CC	B	CHN	8536.4900.99
MKSPIN 24VDC	Relay, plug-in, 8-pin, DPDT, 10 A, mech & LED indicator	9.91	376374	4547648437790	20		CC	B	CHN	8536.4900.99
MKSPIN-D DC24	Relay, plug-in, 8-pin, DPDT, 10 A, mech & LED indicator, coil suppression	10.50	376593	4547648439985	20		CC	B	CHN	8536.4900.99
MKSPIN-V 120VAC	Relay, plug-in, 8-pin, DPDT, 10 A, mech indicator, coil suppression	14.17	376542	4547648439473			CC	B	CHN	8536.4900.99
MKSP 110VAC	Relay, plug-in, 11-pin, 3PDT, 10 A, mech indicator	11.97	376315	4547648413381	20		CC	B	CHN	8536.4900.99
MKSP 110VDC	Relay, plug-in, 11-pin, 3PDT, 10 A, mech indicator	10.80	376326	4547648413497			CC	B	CHN	8536.4900.99
MKSP 230VAC	Relay, plug-in, 11-pin, 3PDT, 10 A, mech indicator	10.88	376319	4547648413428			CC	B	CHN	8536.4900.99
MKSP 24VAC	Relay, plug-in, 11-pin, 3PDT, 10 A, mech indicator	9.99	376312	4547648413350	20		CC	B	CHN	8536.4900.99
MKSP 24VDC	Relay, plug-in, 11-pin, 3PDT, 10 A, mech indicator	9.99	376323	4547648413466	#	20	CC	B	CHN	8536.4900.99
MKSP 48VDC	Relay, plug-in, 11-pin, 3PDT, 10 A, mech indicator	10.01	376324	4547648413473			CC	B	CHN	8536.4900.99
MKSP1-D-5 110VDC	Relay, plug-in, 11-pin, 3PDT, 10 A, mech indicator, coil suppression, reverse coil polarity	18.74	376535	4547648439404			CC	B	CHN	8536.4900.99
MKSP1-D-5 DC24	Relay, plug-in, 11-pin, 3PDT, 10 A, mech indicator, coil suppression, reverse coil polarity	13.03	376532	4547648439374	20		CC	B	CHN	8536.4900.99
MKSP-2 DC24	Relay, plug-in, 11-pin, 3PDT, 10 A, mech indicator	12.00	376340	4547648413633	20		CC	B	CHN	8536.4900.99
MKSP-5 110VAC	Relay, plug-in, 11-pin, 3PDT, 10 A, mech indicator	10.10	376349	4547648413725	20		CC	B	CHN	8536.4900.99
MKSP-5 110VDC	Relay, plug-in, 11-pin, 3PDT, 10 A, mech indicator	10.66	376360	4547648413831	20		CC	B	CHN	8536.4900.99
MKSP-5 220VAC	Relay, plug-in, 11-pin, 3PDT, 10 A, mech indicator	10.66	376352	4547648413756	20		CC	B	CHN	8536.4900.99
MKSP-5 230VAC	Relay, plug-in, 11-pin, 3PDT, 10 A, mech indicator	10.88	376353	4547648413763	20		CC	B	CHN	8536.4900.99
MKSP-5 24VAC	Relay, plug-in, 11-pin, 3PDT, 10 A, mech indicator	9.99	376346	4547648413695	20		CC	B	CHN	8536.4900.99
MKSP-5 24VDC	Relay, plug-in, 11-pin, 3PDT, 10 A, mech indicator	9.55	376357	4547648413800	20		CC	B	CHN	8536.4900.99
MKSP-D-5 110VDC	Relay, plug-in, 11-pin, 3PDT, 10 A, mech indicator, coil suppression	10.80	376505	4547648439107	20		CC	B	CHN	8536.4900.99
MKSP-D-5 DC24	Relay, plug-in, 11-pin, 3PDT, 10 A, mech indicator, coil suppression	10.67	376502	4547648439077	20		CC	B	CHN	8536.4900.99
MKSP 110VAC	Relay, plug-in, 11-pin, 3PDT, 10 A, mech indicator, test button	12.30	376715	4547648414234	20		CC	B	CHN	8536.4900.99
MKSP 110VDC	Relay, plug-in, 11-pin, 3PDT, 10 A, mech indicator, test button	9.85	376726	4547648414340	20		CC	B	CHN	8536.4900.99
MKSP 230VAC	Relay, plug-in, 11-pin, 3PDT, 10 A, mech indicator, test button	9.85	376719	4547648414272	20		CC	B	CHN	8536.4900.99
MKSP 24VAC	Relay, plug-in, 11-pin, 3PDT, 10 A, mech indicator, test button	12.30	376712	4547648414203			CC	B	CHN	8536.4900.99
MKSP 24VDC	Relay, plug-in, 11-pin, 3PDT, 10 A, mech indicator, test button	9.99	376723	4547648414319	#	20	CC	B	CHN	8536.4900.99
MKSP1-2 110VAC	Relay, plug-in, 11-pin, 3PDT, 10 A, mech indicator, test button, pin number coil 1 - 11, 24 VDC	10.92	376732	4547648414401			CC	B	CHN	8536.4900.99
MKSP1-2 110VDC	Relay, plug-in, 11-pin, 3PDT, 10 A, mech indicator, test button, pin number coil 1 - 11, 110 VDC	9.85	376743	4547648414517	20		CC	B	CHN	8536.4900.99
MKSP1-2 24VAC	Relay, plug-in, 11-pin, 3PDT, 10 A, mech indicator, test button, pin number coil 1 - 11, 24 VAC	10.92	376729	4547648414371			CC	B	CHN	8536.4900.99
MKSP1-2 DC24	Relay, plug-in, 11-pin, 3PDT, 10 A, mech indicator, test button, pin number coil 1 - 11, 24 VDC	11.11	376740	4547648414487			CC	B	CHN	8536.4900.99
MKSP1-5 110VAC	Relay, plug-in, 11-pin, 3PDT, 10 A, mech indicator, test button	9.67	376749	4547648414579	#	20	CC	B	CHN	8536.4900.99
MKSP1-5 110VDC	Relay, plug-in, 11-pin, 3PDT, 10 A, mech indicator, test button	10.66	376760	4547648414685	#	20	CC	B	CHN	8536.4900.99
MKSP1-5 12VAC	Relay, plug-in, 11-pin, 3PDT, 10 A, mech indicator, test button	9.99	376745	4547648414531	20		CC	B	CHN	8536.4900.99
MKSP1-5 12VDC	Relay, plug-in, 11-pin, 3PDT, 10 A, mech indicator, test button	9.82	376756	4547648414647	#	20	CC	B	CHN	8536.4900.99
MKSP1-5 220VAC	Relay, plug-in, 11-pin, 3PDT, 10 A, mech indicator, test button	10.66	376752	4547648414609	20		CC	B	CHN	8536.4900.99
MKSP1-5 230VAC	Relay, plug-in, 11-pin, 3PDT, 10 A, mech indicator, test button	10.16	376753	4547648414616	#	20	CC	B	CHN	8536.4900.99
MKSP1-5 24VAC	Relay, plug-in, 11-pin, 3PDT, 10 A, mech indicator, test button	9.78	376746	4547648414548	#	20	CC	B	CHN	8536.4900.99
MKSP1-5 24VDC	Relay, plug-in, 11-pin, 3PDT, 10 A, mech indicator, test button	9.74	376757	4547648414654	#	20	CC	B	CHN	8536.4900.99
MKSP1-5 48VAC	Relay, plug-in, 11-pin, 3PDT, 10 A, mech indicator, test button	13.82	377095	4547648767538	20		CC	B	CHN	8536.4900.99
MKSP1-5 48VDC	Relay, plug-in, 11-pin, 3PDT, 10 A, mech indicator, test button	10.71	376758	4547648414661	#	20	CC	B	CHN	8536.4900.99
MKSP1-5 50VAC	Relay, plug-in, 11-pin, 3PDT, 10 A, mech indicator, test button	9.99	376747	4547648414555			CC	B	CHN	8536.4900.99
MKSP1-5 60VDC	Relay, plug-in, 11-pin, 3PDT, 10 A, mech indicator, test button	9.86	377096	4547648767545	20		CC	B	CHN	8536.4900.99
MKSP1-5 6VAC	Relay, plug-in, 11-pin, 3PDT, 10 A, mech indicator, test button	9.99	376744	4547648414524	20		CC	B	CHN	8536.4900.99
MKSP1-D-5 24VDC	Relay, plug-in, 11-pin, 3PDT, 10 A, mech indicator, test button, coil suppression	10.67	376902	4547648442220	20		CC	B	CHN	8536.4900.99
MKSPIN 230VAC	Relay, plug-in, 11-pin, 3PDT, 10 A, mech & LED indicator, test button	12.06	376804	4547648441247	20		CC	B	CHN	8536.4900.99
MKSPIN 24VDC	Relay, plug-in, 11-pin, 3PDT, 10 A, mech & LED indicator, test button	11.16	376808	4547648441285	20		CC	B	CHN	8536.4900.99
MKSPIN-2 220VAC	Industrial Relay, MK-II-S	14.36	376820	4547648441407	#	20	CC	B	CHN	8536.4900.99
MKSPIN-5 110VAC	Relay, plug-in, 11-pin, 3PDT, 10 A, mech & LED indicator, test button	11.27	376834	4547648441544	20		CC	B	CHN	8536.4900.99
MKSPIN-5 110VDC	Relay, plug-in, 11-pin, 3PDT, 10 A, mech & LED indicator, test button	14.57	376845	4547648441650			CC	B	CHN	8536.4900.99
MKSPIN-5 120VAC	Relay, plug-in, 11-pin, 3PDT, 10 A, mech & LED indicator, test button	11.28	376835	4547648441551	20		CC	B	CHN	8536.4900.99
MKSPIN-5 12VDC	Relay, plug-in, 11-pin, 3PDT, 10 A, mech & LED indicator, test button	13.38	376841	4547648441612	20		CC	B	CHN	8536.4900.99
MKSPIN-5 220VAC	Relay, plug-in, 11-pin, 3PDT, 10 A, mech & LED indicator, test button	14.17	376837	4547648441575	20		CC	B	CHN	8536.4900.99
MKSPIN-5 230VAC	Relay, plug-in, 11-pin, 3PDT, 10 A, mech & LED indicator, test button	11.56	376838	4547648441582	#	20	CC	B	CHN	8536.4900.99
MKSPIN-5 24VAC	Relay, plug-in, 11-pin, 3PDT, 10 A, mech & LED indicator, test button	11.16	376831	4547648441513	20		CC	B	CHN	8536.4900.99
MKSPIN-5 24VDC	Relay, plug-in, 11-pin, 3PDT, 10 A, mech & LED indicator, test button	11.09	376842	4547648441629	#	20	CC	B	CHN	8536.4900.99
MKSPIN-5 48VDC	Relay, plug-in, 11-pin, 3PDT, 10 A, mech & LED indicator, test button	11.27	376843	4547648441636	20		CC	B	CHN	8536.4900.99
MKSPIN-D 110VDC	Relay, plug-in, 11-pin, 3PDT, 10 A, mech & LED indicator, test button, coil suppression	13.82	377098	4547648443289	20		CC	B	CHN	8536.4900.99
MKSPIN-D-5 110VDC	Relay, plug-in, 11-pin, 3PDT, 10 A, mech & LED indicator, test button, coil suppression	14.74	377020	4547648443401			CC	B	CHN	8536.4900.99
MKSPIN-D-5 125VDC	Relay, plug-in, 11-pin, 3PDT, 10 A, mech & LED indicator, test button, coil suppression	14.25	377191	4547648767583			CC	B	CHN	8536.4900.99
MKSPIN-D-5 24VDC	Relay, plug-in, 11-pin, 3PDT, 10 A, mech & LED indicator, test button, coil suppression	11.66	377017	4547648443371	#	20	CC	B	CHN	8536.4900.99
MKSPIN-D-5 48VDC	Relay, plug-in, 11-pin, 3PDT, 10 A, mech & LED indicator, test button, coil suppression	14.54	377018	4547648443388	20		CC	B	CHN	8536.4900.99
MKSPIN-V-2 220VAC	Industrial Relay, MK-II-S	13.95	377062	4547648443821			CC	B	CHN	8536.4900.99

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Data sheet)	GTIN	Stock Qty.	Lot	Gr.	Fam	COO	Tariff Code
MKSPN 110VAC	Relay, plug-in, 11-pin, 3PDT, 10 A, mech & LED indicator	13.61	376400	4547648438056	20	CC	B	CHN	8536.4900.99	
MKSPN 220VAC	Relay, plug-in, 11-pin, 3PDT, 10 A, mech & LED indicator	12.04	376403	4547648438087		CC	B	CHN	8536.4900.99	
MKSPN DC24	Relay, plug-in, 11-pin, 3PDT, 10 A, mech & LED indicator	11.16	376408	4547648438131		CC	B	CHN	8536.4900.99	
MKSPN-5 230VAC	Relay, plug-in, 11-pin, 3PDT, 10 A, mech & LED indicator	13.61	376438	4547648438438	20	CC	B	CHN	8536.4900.99	
MKSPN-V-5 120VAC	Relay, plug-in, 11-pin, 3PDT, 10 A, mech & LED indicator, coil suppression	13.61	376671	4547648440769	20	CC	B	CHN	8536.4900.99	
MKSIXT-10 24VDC	Relay for DC load, 5-pin plug-in, 10 A, 220 VDC, SPST-NO	23.44	367783	4548583309920	20	CC	B	JPN	8536.4900.99	
MKSIXTN-10 110VDC	Relay for DC load, 5-pin plug-in, 10 A, 220 VDC, SPST-NO, LED indicator, lockable test button	27.88	367824	4548583310339	20	CC	B	JPN	8536.4900.99	
MKSIXTN-10 12VDC	Relay for DC load, 5-pin plug-in, 10 A, 12 VDC, SPST-NO, LED indicator, lockable test button	27.89	367821	4548583310308	20	CC	B	JPN	8536.4900.99	
MKSIXTN-10 220VDC	Relay for DC load, 5-pin plug-in, 10 A, 220 VDC, SPST-NO, LED indicator, lockable test button	27.89	367825	4548583310346	20	CC	B	JPN	8536.4900.99	
MKSIXTN-10 24VDC	Relay for DC load, 5-pin plug-in, 10 A, 220 VDC, SPST-NO, LED indicator, lockable test button	22.20	367822	4548583310315	20	CC	B	JPN	8536.4900.99	
MKSIXTN-10 110VDC	Relay for DC load, 5-pin plug-in, 10 A, 220 VDC, SPST-NO, LED indicator	26.87	367798	4548583310070		CC	B	JPN	8536.4900.99	
MKSIXTN-11 110VAC	Relay for DC load, 6-pin plug-in, 5 A NO/ 2 A NC, 110 VAC, SPST-NO/ SPST-NC, LED indicator, lockable test button	30.61	367867	4548583310766	20	CC	B	JPN	8536.4900.99	
MKSIXTN-11 220VDC	DC-load relay, 6-pin plug-in, 5A, 220VDC, SPST-NO/ SPST-NC (welding indication), LED indicator, lockable test button	36.41	367877	4548583310865	20	CC	B	JPN	8536.4900.99	
MKSIXTN-11 230VAC	Relay for DC load, 6-pin plug-in, 5 A NO/ 2 A NC, 230 VAC, SPST-NO/ SPST-NC, LED indicator, lockable test button	30.61	367871	4548583310803	10	CC	B	JPN	8536.4900.99	
MKSIXTN-11 24VAC	Relay for DC load, 6-pin plug-in, 5 A NO/ 2 A NC, 24 VAC, SPST-NO/ SPST-NC, LED indicator, lockable test button	30.61	367865	4548583310742	20	CC	B	JPN	8536.4900.99	
MKSIXTN-11 24VDC	Relay for DC load, 6-pin plug-in, 5 A NO/ 2 A NC, 24 VDC, SPST-NO/ SPST-NC, LED indicator, lockable test button	30.61	367874	4548583310834	20	CC	B	JPN	8536.4900.99	
MKSIXTN-11 220VDC	Relay for DC load, 6-pin plug-in, 5 A / 2 A, 220 VDC, SPST-NO/ SPST-NC, LED indicator	30.61	367851	4548583310605	20	CC	B	JPN	8536.4900.99	
MKSIXTN-11 24VDC	Relay for DC load, 6-pin plug-in, 5 A / 2 A, 220 VDC, SPST-NO/ SPST-NC, LED indicator	30.61	367848	4548583310575	20	CC	B	JPN	8536.4900.99	
<b>Industrial Relay Q7 Power Relay</b>										
G7J-2A2B-B 100/120VAC	Power Relay, DPST-NO/DPST-NC, screw terminal, 100/120 VAC	19.19	149738	4536853475406	20	CC	C	JPN	8536.4900.99	
G7J-2A2B-B 200/240VAC	Power Relay, DPST-NO/DPST-NC, screw terminal, 200/240 VAC	20.50	121805	4536853475413	20	CC	C	JPN	8536.4900.99	
G7J-2A2B-B 24VDC	Power Relay, DPST-NO/DPST-NC, screw terminal, 24 VDC	19.16	377177	4547648939713	20	CC	C	CHN	8536.4900.99	
G7J-2A2B-P 200/240VAC	Power Relay, DPST-NO/DPST-NC, PCB terminal, 200/240 VAC	22.24	121799	4536853475338	20	CC	C	JPN	8536.4900.99	
G7J-2A2B-T 12VDC	Power Relay, DPST-NO/DPST-NC, quick connect terminal, 12 VDC	16.24	148665	4536853475956	20	CC	C	JPN	8536.4900.99	
G7J-2A2B-T 200/240VAC	Power Relay, DPST-NO/DPST-NC, quick connect terminal, 200/240 VAC	19.35	121812	4536853475918		CC	C	JPN	8536.4900.99	
G7J-3A1B-B 24VDC	Power Relay, 3PST-NO/SPST-NC, W-bracket mounting, 25 A, 24 VDC	20.11	121804	4536853475390	20	CC	C	JPN	8536.4900.99	
G7J-3A1B-P 100/120VAC	Power Relay, 3PST-NO/SPST-NC, PCB terminal, 100/120 VAC	20.11	121791	4536853475222	20	CC	C	JPN	8536.4900.99	
G7J-3A1B-P 200/240VAC	Power relay, PCB mounting, 3PST-NO/SPST-NC, 25 A, 200/240 VAC	22.24	121796	4536853475307	20	CC	C	JPN	8536.4900.99	
G7J-3A1B-P 24VDC	Power relay, PCB mounting, 3PST-NO/SPST-NC, 25 A, 24 VDC	20.91	149737	4536853475239	20	CC	C	JPN	8536.4900.99	
G7J-3A1B-T 24VDC	Power Relay, 3PST-NO/SPST-NC, quick connect terminal, 24 VDC	17.93	121822	4536853476052	20	CC	C	JPN	8536.4900.99	
G7J-4A-B 200/240VAC	Power Relay, 4PST-NO, screw terminal, 200/240 VAC	27.78	377174	4547648939683	20	CC	C	CHN	8536.4900.99	
G7J-4A-B 24VDC	Power Relay, 4PST-NO, screw terminal, 24 VDC	23.78	377176	4547648939706	20	CC	C	CHN	8536.4900.99	
G7J-4A-P 12VDC	Power relay, 4PST-NO, PCB terminal, 12 VDC	24.75	121795	4536853475291	20	CC	C	JPN	8536.4900.99	
G7J-4A-P 200/240VAC	Power relay, 4PST-NO, PCB terminal, 200/240 VAC	25.22	103991	4536853475284	20	CC	C	JPN	8536.4900.99	
G7J-4A-P 24VDC	Power relay, PCB mounting, 4PST-NO, 25 A, 24 VDC	24.75	121790	4536853475215	20	CC	C	JPN	8536.4900.99	
G7J-4A-T 200/240VAC	Power relay, W-bracket mounting, quick connect terminals, 4PST-NO, 25 A, 200/240 VAC	24.35	151903	4536853476090	20	CC	C	JPN	8536.4900.99	
G7J-4A-T 24VDC	Power relay, W-bracket mounting, quick connect terminals, 4PST-NO, 25 A, 24 VDC	23.87	121829	4536853476144	20	CC	C	JPN	8536.4900.99	
G7Z-2A2B-02Z-R 24VDC	Power relay, 40 A DPST-NO, 25 A DPST-NC + 1 A DPST-NC aux.	52.40	684150	4548583781191		CC	C	JPN	8536.4900.99	
G7Z-2A2B-11Z-R 24VDC	Power relay, 40 A DPST-NO, 25 A DPST-NC + 1 A SPST-NO/SPST-NC aux.	52.40	684139	4548583781221		CC	C	JPN	8536.4900.99	
G7Z-2A2B-20Z-R 24VDC	Power relay, 40 A DPST-NO, 25 A DPST-NC + 1 A DPST-NO aux.	52.40	684142	4548583781245	10	CC	C	JPN	8536.4900.99	
G7Z-3A1B-02Z-R 24VDC	Power relay, 40 A 3PST-NO, 25 A SPST-NC + 1 A DPST-NC aux.	52.90	684141	4548583781269	10	CC	C	JPN	8536.4900.99	
G7Z-3A1B-11Z-R 12VDC	Power relay, 40 A 3PST-NO, 25 A SPST-NC + 1 A SPST-NO/SPST-NC aux.	52.90	684135	4548583781283		CC	C	JPN	8536.4900.99	
G7Z-3A1B-11Z-R 24VDC	Power relay, 40 A 3PST-NO, 25 A SPST-NC + 1 A SPST-NO/SPST-NC aux.	52.90	684145	4548583781290	10	CC	C	JPN	8536.4900.99	
G7Z-3A1B-20Z-R 12VDC	Power relay, 40 A 3PST-NO, 25 A SPST-NC + 1 A DPST-NO aux.	52.90	684140	4548583781306		CC	C	JPN	8536.4900.99	
G7Z-3A1B-20Z-R 24VDC	Power relay, 40 A 3PST-NO, 25 A SPST-NC + 1 A DPST-NO aux.	52.90	684146	4548583781313		CC	C	JPN	8536.4900.99	
G7Z-4A 24VDC	Power relay, 40 A, 4PST-NO	67.00	351605	4547648298964	10	CC	C	JPN	8536.4900.99	
G7Z-4A-02Z-R 24VDC	Power relay, 40 A 4PST-NO + 1 A DPST-NC aux.	52.40	684143	4548583781337	10	CC	C	JPN	8536.4900.99	
G7Z-4A-11Z-R 24VDC	Power relay, 40 A 4PST-NO + 1 A SPST-NO/SPST-NC aux.	52.40	684147	4548583732117	10	CC	C	JPN	8536.4900.99	
G7Z-4A-20Z-R 12VDC	Power relay, 40 A 4PST-NO + 1 A DPST-NO aux.	52.40	684136	4548583781351		CC	C	JPN	8536.4900.99	
G7Z-4A-20Z-R 24VDC	Power relay, 40 A 4PST-NO + 1 A DPST-NO aux.	52.40	684144	4548583781368	10	CC	C	JPN	8536.4900.99	
P7TF-05	Socket, DIN rail/surface mounting, 5-pin, screw terminals	11.14	377103	4536854793455	10	CC	C	CHN	8536.4900.99	
P7TF-OS16 12VDC	Relay I/O block, output base, 16 points, NPN, 12 VDC	52.85	377494	4548583411982		CC	C	CHN	8536.4900.99	
P7TF-OS16 24VDC	Relay I/O block, output base, 16 points, NPN, 24 VDC	52.85	377495	4548583411999		CC	C	CHN	8536.4900.99	
P7TF-OS16-1 24VDC	Relay I/O block, output base, 16 points, PNP, 24 VDC	52.85	377493	4548583411975		CC	C	CHN	8536.4900.99	
G7L-1A-P 12VDC	Power relay, PCB mounting, DPST-NO, 25 A, 12 VDC	15.99	121554	4536853481698	20	CC	C	IDN	8536.4900.99	
G7L-1A-T 12VDC	Power relay, quick-connect terminals, SPST-NO, 30 A, 12 VDC	12.43	142101	4536853480059	20	CC	C	IDN	8536.4900.99	
G7L-1A-T 200/240VAC	Power relay, quick-connect terminals, SPST-NO, 30 A, 200/240 VAC	15.49	121594	4536853480011	20	CC	C	IDN	8536.4900.99	
G7L-1A-T 24VDC	Power relay, quick-connect terminals, SPST-NO, 30 A, 24 VDC	12.43	142102	4536853480066	20	CC	C	IDN	8536.4900.99	
G7L-1A-T 48VDC	Power relay, quick-connect terminals, SPST-NO, 30 A, 48 VDC	12.43	121597	4536853480073	20	CC	C	IDN	8536.4900.99	
G7L-1A-TUB 200/240VAC	Power relay, quick-connect terminals, upper mounting bracket, SPST-NO, 30 A, 200/240 VAC	15.19	154242	4536853480424	20	CC	C	IDN	8536.4900.99	
G7L-1A-TUBJ-CB 200/240VAC	Power relay, screw terminals, upper bracket, DPST-NO, 25 A, 200/240 VAC	11.65	419404	4536853480721		CC	C	IDN	8536.4900.99	
G7L-2A-BUB 200/240VAC	Power relay, screw terminals, upper bracket, DPST-NO, 25 A, 200/240 VAC	26.26	230951	4547648189357	20	CC	C	IDN	8536.4900.99	
G7L-2A-P 24VDC	Power relay, PCB mounting, DPST-NO, 25 A, 24 VDC	17.46	121555	4536853481704	20	CC	C	IDN	8536.4900.99	
G7L-2A-T 12VDC	Power relay, quick-connect terminals, DPST-NO, 25 A, 12 VDC	12.86	147652	4536853480868	20	CC	C	IDN	8536.4900.99	
G7L-2A-T 200/240VAC	Power relay, quick-connect terminals, DPST-NO, 25 A, 200/240 VAC	15.79	145428	4536853480820	20	CC	C	IDN	8536.4900.99	
G7L-2A-T 24VAC	Power relay, quick-connect terminals, DPST-NO, 25 A, 24 VAC	14.68	121621	4536853480837	20	CC	C	IDN	8536.4900.99	

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Daheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
G7L-2A-T24VDC	Power relay, quick-connect terminals, DPST-NO, 25 A, 24 VDC	12,69	155030	4536853480875	20	CC	C	IDN	8536.4900.99	
G7L-2A-TUB 100/120VAC	Power relay, quick-connect terminals, upper bracket, DPST-NO, 25 A, 100/120 AC	15,70	145429	4536853481209	20	CC	C	IDN	8536.4900.99	
G7L-2A-TUB 200/240VAC	Power relay, quick-connect terminals, upper bracket, DPST-NO, 25 A, 200/240 VAC	15,54	121632	4536853481223	#	20	CC	C	IDN	8536.4900.99
G7L-2A-TUB 24VAC	Power relay, quick-connect terminals, upper bracket, DPST-NO, 25 A, 24 VAC	14,46	121633	4536853481247	20	CC	C	IDN	8536.4900.99	
G7L-2A-TUB 24VDC	Power relay, quick-connect terminals, upper bracket, DPST-NO, 25 A, 24 VDC	12,36	151905	4536853481285	20	CC	C	IDN	8536.4900.99	
R99-07 FOR G7L	Surface mounting E-bracket for G7L relay	1,07	112514	4536853729455	#	CC	C	JPN	8536.4900.99	
<b>Industrial Relay G2RS</b>										
G2R-1-S 110VAC (S)	Relay, plug-in, SPDT, 10 A, mechanical indicator, 110 VAC	5,33	103539	4536854936449	#	CC	D	MYS	8536.4900.99	
G2R-1-S 12VDC (S)	Relay, plug-in, SPDT, 10 A, mechanical indicator, 12 VDC	4,02	125340	4536854937149	10	CC	D	MYS	8536.4900.99	
G2R-1-S 230VAC (S)	Relay, plug-in, 5-pin, SPDT, 10 A, mech indicator, label facility, 230 VAC	8,08	163223	4536854936463	#	CC	D	MYS	8536.4900.99	
G2R-1-S 240VAC (S)	Relay, plug-in, SPDT, 10 A, mechanical indicator, 240 VAC	7,26	125433	4536854936470	#	CC	D	MYS	8536.4900.99	
G2R-1-S 24VAC (S)	Relay, plug-in, 5-pin, SPDT, 10 A, mech indicator, label facility, 24 VAC	4,81	157868	4536854936432	#	CC	D	MYS	8536.4900.99	
G2R-1-S 24VDC (S)	Relay, plug-in, 5-pin, SPDT, 10 A, mech indicator, label facility, 24 VDC	3,93	146726	4536854937156	#	10	CC	D	MYS	8536.4900.99
G2R-1-S 48VDC (S)	Relay, plug-in, SPDT, 10 A, mechanical indicator, 48 VAC	4,18	125431	4536854936418	#	CC	D	MYS	8536.4900.99	
G2R-1-SD 24VDC (S)	Relay, plug-in, SPDT, 10 A, mech. indicator, diode, 24 VDC	5,25	125347	4536854937187	#	CC	D	MYS	8536.4900.99	
G2R-1-SD 48VDC (S)	Relay, plug-in, SPDT, 10 A, mech. indicator, diode, 48 VDC	5,25	125348	4536854936593	10	CC	D	MYS	8536.4900.99	
G2R-1-SNI 110VAC (S)	Relay, plug-in, 5-pin, SPDT, 10 A, mech & LED indicators, label facility	8,46	125342	4536854936517	#	10	CC	D	MYS	8536.4900.99
G2R-1-SNI 110VDC (S)	Relay, plug-in, SPDT, 10 A, mechanical & LED indicator, 110 VDC	12,48	220795	4547648001366	#	CC	D	MYS	8536.4900.99	
G2R-1-SNI 120VAC (S)	Relay, plug-in, SPDT, 10 A, mech. & LED indicator, 120 VAC	7,61	125343	4536854936524	#	CC	D	MYS	8536.4900.99	
G2R-1-SNI 12VAC (S)	Relay, plug-in, 5-pin, SPDT, 10 A, mech & LED indicators, label facility, 12 VAC	7,35	204264	4547648001137	#	CC	D	MYS	8536.4900.99	
G2R-1-SNI 12VDC (S)	Relay, plug-in, 5-pin, SPDT, 10 A, mech & LED indicators, label facility	6,10	125339	4536854937163	#	10	CC	D	MYS	8536.4900.99
G2R-1-SNI 230VAC (S)	Relay, plug-in, 5-pin, SPDT, 10 A, mech & LED indicators, label facility	11,73	125344	4536854936531	#	10	CC	D	MYS	8536.4900.99
G2R-1-SNI 240VAC (S)	Relay, plug-in, SPDT, 10 A, mech. & LED indicator, 240 VAC	10,99	142329	4536854936555	#	CC	D	MYS	8536.4900.99	
G2R-1-SNI 24VAC (S)	Relay, plug-in, 5-pin, SPDT, 10 A, mech & LED indicators, label facility	7,73	155293	4536854936500	#	10	CC	D	MYS	8536.4900.99
G2R-1-SNI 24VDC (S)	Relay, plug-in, 5-pin, SPDT, 10 A, mech & LED indicators, label facility	6,10	125340	4536854937170	#	10	CC	D	MYS	8536.4900.99
G2R-1-SNI 48VDC (S)	Relay, plug-in, 5-pin, SPDT, 10 A, mech & LED indicators, label facility, 48 VDC	4,93	125341	4536854936494	#	CC	D	MYS	8536.4900.99	
G2R-1-SND 24VDC (S)	Relay, plug-in, 5-pin, SPDT, 10 A, mech & LED indicators, coil suppressor, label facility	7,73	125351	4536854937200	#	10	CC	D	MYS	8536.4900.99
G2R-1-SND 48VDC (S)	Relay, plug-in, 5-pin, SPDT, 10 A, mech & LED indicators, coil suppressor, label facility	7,69	125352	4536854936616	#	CC	D	MYS	8536.4900.99	
G2R-1-SND 6VDC (S)	Relay, plug-in, SPDT, 10 A, mech. & LED indicator, diode, 6 VDC	8,08	125349	4536854936609	CC	D	MYS	8536.4900.99		
G2R-1-SND-AP3 24VDC (S)	Relay, plug-in, 5-pin, SPDT, 10 A, mech & LED indicators, coil suppressor, label facility, Au-plating	11,38	177299	4547648000505	#	CC	D	MYS	8536.4900.99	
G2R-1-SNDI 12VDC (S)	Relay, plug-in, 5-pin, SPDT, 10 A, mech & LED indicators, coil suppressor, lockable test button, label facility, 12 VDC	8,80	157870	4536854936722	#	CC	D	MYS	8536.4900.99	
G2R-1-SNDI 24VDC (S)	Relay, plug-in, 5-pin, SPDT, 10 A, mech & LED indicators, coil suppressor, lockable test button, label facility	8,08	125358	4536854936739	#	10	CC	D	MYS	8536.4900.99
G2R-1-SNDI-AP3 24VDC (S)	Relay, plug-in, 5-pin, SPDT, 10 A, gold plate contacts, mech & LED indicators, coil suppressor, lockable test button, label facility	8,08	171112	4547648007404	#	CC	D	MYS	8536.4900.99	
G2R-1-SNI 110VAC (S)	Relay, plug-in, 5-pin, SPDT, 10 A, mech & LED indicators, lockable test button, label facility, 110 AC	8,46	142328	4536854936678	10	CC	D	MYS	8536.4900.99	
G2R-1-SNI 12VDC (S)	Relay, plug-in, 5-pin, SPDT, 10 A, mech & LED indicators, lockable test button, label facility	6,19	152249	4536854936630	10	CC	D	MYS	8536.4900.99	
G2R-1-SNI 230VAC (S)	Relay, plug-in, 5-pin, SPDT, 10 A, mech & LED indicators, lockable test button, label facility	10,64	152248	4536854936692	#	10	CC	D	MYS	8536.4900.99
G2R-1-SNI 24VAC (S)	Relay, plug-in, 5-pin, SPDT, 10 A, mech & LED indicators, lockable test button, label facility	7,73	156685	4536854936661	#	10	CC	D	MYS	8536.4900.99
G2R-1-SNI 24VDC (S)	Relay, plug-in, 5-pin, SPDT, 10 A, mech & LED indicators, lockable test button, label facility	6,19	154479	4536854936647	#	10	CC	D	MYS	8536.4900.99
G2R-2-S 110VAC (S)	Relay, plug-in, DPDT, 5 A, mechanical indicator, 110 VAC	6,97	125365	4536854936791	#	CC	D	MYS	8536.4900.99	
G2R-2-S 120VAC (S)	Relay, plug-in, DPDT, 5 A, mechanical indicator, 120 VAC	7,07	125366	4536854936807	#	CC	D	MYS	8536.4900.99	
G2R-2-S 12VDC (S)	Relay, plug-in, 8-pin, DPDT, 10 A, mech indicator, label facility, 12 VDC	5,08	125361	4536854937217	#	CC	D	MYS	8536.4900.99	
G2R-2-S 230VAC (S)	Relay, plug-in, DPST, 10 A, mechanical indicator, 230 VAC	8,08	162371	4536854936814	#	CC	D	MYS	8536.4900.99	
G2R-2-S 240VAC (S)	Relay, plug-in, DPDT, 5 A, mechanical indicator, 240 VAC	10,27	125367	4536854936821	#	CC	D	MYS	8536.4900.99	
G2R-2-S 24VAC (S)	Relay, plug-in, DPDT, 5 A, mechanical indicator, 24 VAC	5,38	125364	4536854936784	10	CC	D	MYS	8536.4900.99	
G2R-2-S 24VDC (S)	Relay, plug-in, 8-pin, DPDT, 5 A, label facility, 24 VDC	5,00	125362	4536854937224	#	10	CC	D	MYS	8536.4900.99
G2R-2-S 48VDC (S)	Relay, plug-in, DPDT, 5 A, mechanical indicator, 48 VDC	5,93	125363	4536854936777	#	CC	D	MYS	8536.4900.99	
G2R-2-SD 12VDC (S)	Relay, plug-in, DPDT, 5 A, mechanical indicator, diode, 12 VDC	6,68	125375	4536854936937	#	CC	D	MYS	8536.4900.99	
G2R-2-SD 24VDC (S)	Relay, plug-in, 8-pin, DPDT, 5 A, mech indicators, coil suppressor, label facility	6,68	144581	4536854936951	#	CC	D	MYS	8536.4900.99	
G2R-2-SNI 110VAC (S)	Relay, plug-in, 8-pin, DPDT, 5 A, mech & LED indicators, label facility, 110 VDC	9,18	125372	4536854936883	#	10	CC	D	MYS	8536.4900.99
G2R-2-SNI 110VDC (S)	Relay, plug-in, 8-pin, DPDT, 5 A, mech & LED indicators, label facility, 110 VDC	12,12	191253	4547648001380	#	CC	D	MYS	8536.4900.99	
G2R-2-SNI 120VAC (S)	Relay, plug-in, DPDT, 5 A, mech. & LED indicator, 120 VAC	11,73	157869	4536854936890	#	CC	D	MYS	8536.4900.99	
G2R-2-SNI 12VAC (S)	Relay, plug-in, 8-pin, DPDT, 5 A, mech & LED indicators, label facility, 12 VAC	9,18	193950	4547648001229	#	CC	D	MYS	8536.4900.99	
G2R-2-SNI 12VDC (S)	Relay, plug-in, 8-pin, DPDT, 5 A, mech & LED indicators, label facility, 12 VDC	6,59	125369	4536854936845	#	10	CC	D	MYS	8536.4900.99
G2R-2-SNI 230VAC (S)	Relay, plug-in, 8-pin, DPDT, 5 A, mech & LED indicators, label facility, 230 VAC	12,48	125373	4536854936906	#	10	CC	D	MYS	8536.4900.99
G2R-2-SNI 240VAC (S)	Relay, plug-in, DPDT, 5 A, mech. & LED indicator, 240 VAC	11,73	154480	4536854936913	#	CC	D	MYS	8536.4900.99	
G2R-2-SNI 24VAC (S)	Relay, plug-in, 8-pin, DPDT, 5 A, mech & LED indicators, label facility, 24 VAC	10,64	125371	4536854936876	#	10	CC	D	MYS	8536.4900.99
G2R-2-SNI 48VAC (S)	Relay, plug-in, 8-pin, DPDT, 5 A, mech & LED indicators, label facility, 48 VAC	6,59	143419	4536854936852	#	10	CC	D	MYS	8536.4900.99
G2R-2-SNI 48VDC (S)	Relay, plug-in, 8-pin, DPDT, 5 A, mech & LED indicators, label facility, 48 VDC	9,66	679878	4547648001441	#	CC	D	MYS	8536.4900.99	
G2R-2-SNI-AP3 230VAC (S)	Relay, plug-in, 8-pin, DPDT, 5 A, gold-plated contacts, LED indicator	6,59	125370	4536854936869	#	CC	D	MYS	8536.4900.99	
G2R-2-SNI-AP3 24VDC (S)	Relay, plug-in, 8-pin, DPDT, 5 A, gold-plated contacts, LED indicator	18,70	177302	4547648000710	#	CC	D	MYS	8536.4900.99	
G2R-2-SND 110VDC (S)	Relay, plug-in, 8-pin, DPDT, 5 A, mech & LED indicators, coil suppressor, label facility	11,38	177303	4547648000727	#	CC	D	MYS	8536.4900.99	
G2R-2-SND 12VDC (S)	Relay, plug-in, 8-pin, DPDT, 5 A, mech & LED indicators, coil suppressor, label facility, 12 VDC	11,75	324283	4547648803021	#	CC	D	MYS	8536.4900.99	
G2R-2-SND 24VDC (S)	Relay, plug-in, 8-pin, DPDT, 5 A, mech & LED indicators, coil suppressor, label facility	8,80	125377	4536854936982	#	CC	D	MYS	8536.4900.99	
G2R-2-SND 48VDC (S)	Relay, plug-in, 8-pin, DPDT, 5 A, mech & LED indicators, coil suppressor, label facility	9,18	105724	4536854936999	#	10	CC	D	MYS	8536.4900.99
G2R-2-SND 48VDC (S)	Relay, plug-in, 8-pin, DPDT, 5 A, mech & LED indicators, coil suppressor, label facility, 48 VDC	8,46	145666	4536854937002	#	CC	D	MYS	8536.4900.99	
G2R-2-SNDI-AP3 24VDC (S)	Relay, plug-in, 8-pin, DPDT, 5 A, gold-plated contacts, mech & LED indicators, coil suppressor, label facility	9,18	177300	4547648000635	10	CC	D	MYS	8536.4900.99	
G2R-2-SNDI 12VDC (S)	Relay, plug-in, 8-pin, DPDT, 5 A, mech & LED indicators, coil suppressor, lockable test button, label facility, 12 VDC	9,18	125290	4536854937118	#	CC	D	MYS	8536.4900.99	
G2R-2-SNDI 24VDC (S)	Relay, plug-in, 8-pin, DPDT, 5 A, mech & LED indicators, coil suppressor, lockable test button, label facility	8,80	125291	4536854937125	#	10	CC	D	MYS	8536.4900.99
G2R-2-SNDI 48VDC (S)	Relay, plug-in, 8-pin, DPDT, 5 A, mech & LED indicators, coil suppressor, lockable test button, label facility	9,30	125292	4536854937132	#	CC	D	MYS	8536.4900.99	
G2R-2-SNDI-AP3 24VDC (S)	Relay, plug-in, 8-pin, SPDT, 5 A, mech & LED indicators, coil suppressor, label test button, Au-plating	12,12	171113	4547648074711	#	CC	D	MYS	8536.4900.99	
G2R-2-SNI 110VAC (S)	Relay, plug-in, 8-pin, DPDT, 5 A, mech & LED indicators, lockable test button, label facility	9,55	154482	4536854937064	10	CC	D	MYS	8536.4900.99	
G2R-2-SNI 120VAC (S)	Relay, plug-in, DPDT, 5 A, mech. & LED indicator, test button, 120 VAC	9,64	148906	4536854937071	#	CC	D	MYS	8536.4900.99	
G2R-2-SNI 12VAC (S)	Relay, plug-in, 8-pin, DPDT, 5 A, mech & LED indicators, lockable test button, label facility	9,50	171109	4547648000390	#	CC	D	MYS	8536.4900.99	
G2R-2-SNI 12VDC (S)	Relay, plug-in, 8-pin, DPDT, 5 A, mech & LED indicators, lockable test button, label facility, 12 VDC	6,97	125379	4536854937026	10	CC	D	MYS	8536.4900.99	

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Data sheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
G2R-2-SNI 230VAC (S)	Relay, plug-in, 8-pin, DPDT, 5 A, mech & LED indicators, lockable test button, label facility	14.34	125383	4536854937088	#	10	CC	D	MYS	8536.4900.99
G2R-2-SNI 240VAC (S)	Relay, plug-in, DPDT, 5 A, mech. & LED indicator, test button, 240 VAC	12.01	125384	4536854937095	#	#	CC	D	MYS	8536.4900.99
G2R-2-SNI 24VAC (S)	Relay, plug-in, 8-pin, DPDT, 5 A, mech & LED indicators, lockable test button, label facility	6.97	125382	4536854937057	#	10	CC	D	MYS	8536.4900.99
G2R-2-SNI 24VDC (S)	Relay, plug-in, 8-pin, DPDT, 5 A, mech & LED indicators, lockable test button, label facility	6.97	125380	4536854937033	#	10	CC	D	MYS	8536.4900.99
G2R-2-SNI 48VAC (S)	Relay, plug-in, 8-pin, DPDT, 5 A, mech & LED indicators, lockable test button, label facility	9.18	183088	4547648000406	#	10	CC	D	MYS	8536.4900.99
G2R-2-SNI-AP3 230VAC (S)	Relay, plug-in, DPDT (gold plated), 5 A, mech. & LED indicator, test button, 230 VAC	19.08	171111	4547648074698	#	#	CC	D	MYS	8536.4900.99
G2R-1-SNI-AP3 230VAC (S)	Relay, plug-in, SPDT (gold plated), 10 A, mech. & LED indicator, test button, 230 VAC	16.12	171110	4547648074681	#	#	CC	D	MYS	8536.4900.99
<b>Industrial Relay MYS</b>										
MY2 100/110VDC (S)	Relay, plug-in, 8-pin, DPDT, 10 A, mech indicator, label facility, 100/110 VDC	4.55	114085	4536854362880	#	10	CC	E	JPN	8536.4900.99
MY2 110/120VAC (S)	Relay, plug-in, 8-pin, DPDT, 10 A, mech indicator, label facility, 110/120 VAC	5.49	151180	4536854362828	#	10	CC	E	JPN	8536.4900.99
MY2 12VAC (S)	Relay, plug-in, 8-pin, DPDT, 10 A, mech indicator, label facility, 12 VAC	5.39	114080	4536854362798	#	10	CC	E	JPN	8536.4900.99
MY2 12VDC (S)	Relay, plug-in, 8-pin, DPDT, 10 A, mech indicator, label facility, 12 VDC	5.21	114082	4536854362859	#	10	CC	E	JPN	8536.4900.99
MY2 220/240VAC (S)	Relay, plug-in, 8-pin, DPDT, 10 A, mech indicator, label facility	5.63	114081	4536854362835	#	10	CC	E	JPN	8536.4900.99
MY2 24VAC (S)	Relay, plug-in, 8-pin, DPDT, 10 A, mech indicator, label facility	5.42	103514	4536854362804	#	10	CC	E	JPN	8536.4900.99
MY2 24VDC (S)	Relay, plug-in, 8-pin, DPDT, 10 A, mech indicator, label facility	5.21	114083	4536854362866	#	10	CC	E	JPN	8536.4900.99
MY2 48/50VAC (S)	Relay, plug-in, 8-pin, DPDT, 10 A, mech indicator, label facility, 48/50 VAC	5.46	153319	4536854362811	#	10	CC	E	JPN	8536.4900.99
MY2 48VDC (S)	Relay, plug-in, 8-pin, DPDT, 10 A, mech indicator, label facility, 48 VDC	5.35	114084	4536854362873	#	10	CC	E	JPN	8536.4900.99
MY2N 100/110VDC (S)	Relay, plug-in, DPDT, 10 A, mech. & LED indicator, test button, 100/110 VDC (A2 '+')	7.11	155266	4536854363177	#	10	CC	E	JPN	8536.4900.99
MY2N 110/120VAC (S)	Relay, plug-in, 8-pin, DPDT, 10 A, mech & LED indicators, test button, label facility	6.32	114101	4536854363115	#	10	CC	E	JPN	8536.4900.99
MY2N 12VAC (S)	Relay, plug-in, 8-pin, DPDT, 10 A, mech & LED indicators, lockable push to test button, label facility, 12 VAC	6.17	156657	4536854363085	#	10	CC	E	JPN	8536.4900.99
MY2N 12VDC (S)	Relay, plug-in, 8-pin, DPDT, 10 A, mech & LED indicators, lockable push to test button, label facility	6.17	114103	4536854363146	#	10	CC	E	JPN	8536.4900.99
MY2N 220/240VAC (S)	Relay, plug-in, 8-pin, DPDT, 10 A, mech & LED indicators, lockable push to test button, label facility	7.11	156658	4536854363122	#	10	CC	E	JPN	8536.4900.99
MY2N 24VAC (S)	Relay, plug-in, 8-pin, DPDT, 10 A, mech & LED indicators, test button, label facility	6.17	114099	4536854363092	#	10	CC	E	JPN	8536.4900.99
MY2N 24VDC (S)	Relay, plug-in, 8-pin, DPDT, 10 A, mech & LED indicators, lockable push to test button, label facility	6.17	153320	4536854363153	#	10	CC	E	JPN	8536.4900.99
MY2N 48/50VAC (S)	Relay, plug-in, 8-pin, DPDT, 10 A, mech & LED indicators, lockable push to test button, label facility	6.17	114100	4536854363108	#	10	CC	E	JPN	8536.4900.99
MY2N 48VDC (S)	Relay, plug-in, 8-pin, DPDT, 10 A, mech & LED indicators, lockable push to test button, label facility	6.35	114104	4536854363160	#	10	CC	E	JPN	8536.4900.99
MY2N1 24VDC (S)	Relay, plug-in, 8-pin, DPDT, 10 A, mech & LED indicators, lockable push to test button, label facility, reversed polarity	6.17	114020	4536854363320	#	10	CC	E	JPN	8536.4900.99
MY2N1-D2 24VDC (S)	Relay, plug-in, 8-pin, DPDT, 10 A, mech & LED indicators, coil suppressor, lockable push to test button, label facility, 24 VDC	10.04	154452	4536854363429	#	10	CC	E	JPN	8536.4900.99
MY2N-CR 110/120VAC (S)	Relay, plug-in, DPDT, 10 A, mech. & LED indicator, test button, PC circuit, 110/120 VAC	8.15	147899	4536854363238	#	10	CC	E	JPN	8536.4900.99
MY2N-CR 220/240VAC (S)	Relay, plug-in, DPDT, 10 A, mech. & LED indicator, test button, PC circuit, 220/240 VAC	8.24	114013	4536854363245	#	10	CC	E	JPN	8536.4900.99
MY2N-D2 100/110VDC (S)	Relay, plug-in, DPDT, 10 A, mech. & LED indicator, test button, diode, 100/110 VDC (A2 '+')	9.91	114012	4536854363221	#	10	CC	E	JPN	8536.4900.99
MY2N-D2 12VDC (S)	Relay, plug-in, DPDT, 10 A, mech. & LED indicator, test button, diode, 12 VDC (A2 '+')	12.00	114010	4536854363191	#	10	CC	E	JPN	8536.4900.99
MY2N-D2 24VDC (S)	Relay, plug-in, 8-pin, DPDT, 10 A, mech & LED indicators, coil suppressor, lockable push to test button, label facility, 24 VDC	10.04	143510	4536854363207	#	10	CC	E	JPN	8536.4900.99
MY2N-D2 48VDC (S)	Relay, plug-in, DPDT, 10 A, mech. & LED indicator, test button, diode, 48 VDC (A2 '+')	12.01	114011	4536854363214	#	10	CC	E	JPN	8536.4900.99
MY2N 100/110VDC (S)	Relay, plug-in, 8-pin, DPDT, 10 A, mech & LED indicators, label facility, 100/110 VDC	6.73	114098	4536854362996	#	10	CC	E	JPN	8536.4900.99
MY2N 110/120VAC (S)	Relay, plug-in, 8-pin, DPDT, 10 A, mech & LED indicators, label facility, 110/120 VAC	5.99	114089	4536854362934	#	10	CC	E	JPN	8536.4900.99
MY2N 12VAC (S)	Relay, plug-in, 8-pin, DPDT, 10 A, mech & LED indicators, label facility, 12 VAC	5.79	114087	4536854362903	#	10	CC	E	JPN	8536.4900.99
MY2N 12VDC (S)	Relay, plug-in, 8-pin, DPDT, 10 A, mech & LED indicators, label facility, 12 VDC	5.79	156656	4536854362965	#	10	CC	E	JPN	8536.4900.99
MY2N 220/240VAC (S)	Relay, plug-in, 8-pin, DPDT, 10 A, mech & LED indicators, label facility, 220/240 VAC	6.73	114090	4536854362941	#	10	CC	E	JPN	8536.4900.99
MY2N 24VAC (S)	Relay, plug-in, 8-pin, DPDT, 10 A, mech & LED indicators, label facility, 24 VAC	5.79	104348	4536854362910	#	10	CC	E	JPN	8536.4900.99
MY2N 24VDC (S)	Relay, plug-in, 8-pin, DPDT, 10 A, mech & LED indicators, label facility, 24 VDC	5.79	103515	4536854362972	#	10	CC	E	JPN	8536.4900.99
MY2N 48/50VAC (S)	Relay, plug-in, DPDT, 10 A, mech. & LED indicator, 48/50 VAC	5.79	114088	4536854362927	#	10	CC	E	JPN	8536.4900.99
MY2N 48VDC (S)	Relay, plug-in, 8-pin, DPDT, 10 A, mech & LED indicators, label facility, 48 VDC	5.99	114092	4536854362989	#	10	CC	E	JPN	8536.4900.99
MY2N1 100/110VDC (S)	Relay, plug-in, DPDT, 10 A, mech. & LED indicator, 100/110 VDC (A1 '+')	7.21	114018	4536854363290	#	10	CC	E	JPN	8536.4900.99
MY2N-CR 110/120VAC (S)	Relay, plug-in, 8-pin, DPDT, 10 A, mech & LED indicators, coil suppressor, label facility, 110/120 VAC	11.24	142429	4536854363054	#	10	CC	E	JPN	8536.4900.99
MY2N-CR 220/240VAC (S)	Relay, plug-in, 8-pin, DPDT, 10 A, mech & LED indicators, coil suppressor, label facility	11.65	114098	4536854363061	#	10	CC	E	JPN	8536.4900.99
MY2N-D2 100/110VDC (S)	Relay, plug-in, 8-pin, DPDT, 10 A, mech & LED indicators, coil suppressor, label facility, 100/110 VDC	10.04	114097	4536854363047	#	10	CC	E	JPN	8536.4900.99
MY2N-D2 12VDC (S)	Relay, plug-in, 8-pin, DPDT, 10 A, mech & LED indicators, coil suppressor, label facility, 12 VDC	9.25	152215	4536854363016	#	10	CC	E	JPN	8536.4900.99
MY2N-D2 24VDC (S)	Relay, plug-in, 8-pin, DPDT, 10 A, mech & LED indicators, coil suppressor, label facility, 24 VDC	8.84	114095	4536854363023	#	10	CC	E	JPN	8536.4900.99
MY2N-D2 6VDC (S)	Relay, plug-in, DPDT, 10 A, mech. & LED indicator, diode, 6 VDC	8.84	114094	4536854363009	#	10	CC	E	JPN	8536.4900.99
MY4 100/110VDC (S)	Relay, plug-in, 14-pin, 4PDT, 5 A, mech indicator, label facility, 100/110 VDC	6.76	114033	4536854363559	#	10	CC	E	JPN	8536.4900.99
MY4 110/120VAC (S)	Relay, plug-in, 14-pin, 4PDT, 5 A, mech indicator, label facility, 110/120 VAC	6.46	145767	4536854363498	#	10	CC	E	JPN	8536.4900.99
MY4 125VDC (S)	Relay, plug-in, 4PDT, 5 A, mechanical indicator, 125 VDC	7.55	145768	4536854485824	#	10	CC	E	JPN	8536.4900.99
MY4 12VAC (S)	Relay, plug-in, 14-pin, 4PDT, 5 A, mech indicator, label facility, 12 VAC	6.35	114028	4536854363467	#	10	CC	E	JPN	8536.4900.99
MY4 12VDC (S)	Relay, plug-in, 14-pin, 4PDT, 5 A, mech indicator, label facility, 12 VDC	6.17	114031	4536854363528	#	10	CC	E	JPN	8536.4900.99
MY4 220/240VAC (S)	Relay, plug-in, 14-pin, 4PDT, 5 A, mech indicator, label facility	6.57	147900	4536854363504	#	10	CC	E	JPN	8536.4900.99
MY4 24VAC (S)	Relay, plug-in, 14-pin, 4PDT, 5 A, mech indicator, label facility	6.30	103517	4536854363474	#	10	CC	E	JPN	8536.4900.99
MY4 24VDC (S)	Relay, plug-in, 14-pin, 4PDT, 5 A, mech indicator, label facility	6.16	157842	4536854363535	#	10	CC	E	JPN	8536.4900.99
MY4 48/50VAC (S)	Relay, plug-in, 14-pin, 4PDT, 5 A, mech indicator, label facility, 48/50 VAC	6.42	114029	4536854363481	#	10	CC	E	JPN	8536.4900.99
MY4 48VDC (S)	Relay, plug-in, 14-pin, 4PDT, 5 A, mech indicator, label facility, 48 VDC	6.32	114032	4536854363542	#	10	CC	E	JPN	8536.4900.99
MY4N 100/110VDC (S)	Relay, plug-in, 14-pin, 4PDT, 5 A, mech & LED indicators, lockable push to test button, label facility, 100/110 VDC	8.00	114054	4536854363849	#	10	CC	E	JPN	8536.4900.99
MY4N 110/120VAC (S)	Relay, plug-in, 14-pin, 4PDT, 5 A, mech & LED indicators, test button, label facility	7.21	114050	4536854363788	#	10	CC	E	JPN	8536.4900.99
MY4N 125VDC (S)	Relay, plug-in, 4PDT, 5 A, mech. & LED indicator, test button, 125 VDC (A2 '+')	8.84	231415	4536854486012	#	10	CC	E	JPN	8536.4900.99
MY4N 12VAC (S)	Relay, plug-in, 14-pin, 4PDT, 5 A, mech & LED indicators, lockable push to test button, label facility, 12 VAC	7.21	114047	4536854363757	#	10	CC	E	JPN	8536.4900.99
MY4N 12VDC (S)	Relay, plug-in, 14-pin, 4PDT, 5 A, mech & LED indicators, lockable push to test button, label facility	7.21	114053	4536854363818	#	10	CC	E	JPN	8536.4900.99
MY4N 220/240VAC (S)	Relay, plug-in, 14-pin, 4PDT, 5 A, mech & LED indicators, lockable push to test button, label facility	8.00	114051	4536854363795	#	10	CC	E	JPN	8536.4900.99
MY4N 24VAC (S)	Relay, plug-in, 14-pin, 4PDT, 5 A, mech & LED indicators, test button, label facility	7.21	114048	4536854363764	#	10	CC	E	JPN	8536.4900.99
MY4N 24VDC (S)	Relay, plug-in, 14-pin, 4PDT, 5 A, mech & LED indicators, lockable push to test button, label facility	7.21	152216	4536854363825	#	10	CC	E	JPN	8536.4900.99
MY4N 48/50VAC (S)	Relay, plug-in, 14-pin, 4PDT, 5 A, mech & LED indicators, lockable push to test button, label facility	7.21	114049	4536854363771	#	10	CC	E	JPN	8536.4900.99
MY4N 48VDC (S)	Relay, plug-in, 14-pin, 4PDT, 5 A, mech & LED indicators, lockable push to test button, label facility	7.21	103518	4536854363832	#	10	CC	E	JPN	8536.4900.99
MY4N 60VDC (S)	Relay, plug-in, 10 pin, 4PDT, 5A, LED indicators and lockable test button, 60 VDC	8.19	338379	4547648841344	#	10	CC	E	JPN	8536.4900.99
MY4N1 100/110VDC (S)	Relay, plug-in, 14-pin, 4PDT, reverse coil polarity, 5 A, mech & LED indicators, lockable push to test button, label facility, 100/110 VDC	8.00	113970	4536854364013	#	10	CC	E	JPN	8536.4900.99
MY4N1 24VDC (S)	Relay, plug-in, 14-pin, 4PDT, 5 A, mech & LED indicators, lockable push to test button, label facility, reversed polarity	7.21	143511	4536854363993	#	10	CC	E	JPN	8536.4900.99

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	SLN. (Daheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
MY4IN-D2 220VDC (S)	Relay, plug-in, 4PDT, 5 A, mech. & LED indicator, test button, diode, 220 VDC (A1 "+)	16.92	364379	4548583134799	10	CC	E	JPN	8536.4900.99	
MY4IN-D2 24VDC (S)	Relay, plug-in, 14-pin, 4PDT, reverse coil polarity, 5 A, mech & LED indicators, coil suppressor, lockable push to test button, label facility, 24 VDC	10.84	113975	4536854364099	10	CC	E	JPN	8536.4900.99	
MY4IN-D2 48VDC (S)	Relay, plug-in, 4PDT, 5 A, mech. & LED indicator, test button, diode, 48 VDC (A1 "+)	11.65	140512	4536854364105	10	CC	E	JPN	8536.4900.99	
MY4IN-CR 110/120VAC (S)	Relay, plug-in, 14-pin, 4PDT, 5 A, mech & LED indicators, coil suppressor, lockable push to test button, label facility, 100/120 VAC	8.88	142432	4536854363900	10	CC	E	JPN	8536.4900.99	
MY4IN-CR 220/240VAC (S)	Relay, plug-in, 14-pin, 4PDT, 5 A, mech & LED indicators, coil suppressor, lockable push to test button, label facility, 220/240 VAC VDC	16.02	113963	4536854363917	10	CC	E	JPN	8536.4900.99	
MY4IN-D2 100/110VDC (S)	Relay, plug-in, 4PDT, 5 A, mech. & LED indicator, test button, diode, 100/110 VDC (A2 "+)	10.84	113962	4536854363894	10	CC	E	JPN	8536.4900.99	
MY4IN-D2 12VDC (S)	Relay, plug-in, 14-pin, 4PDT, 5 A, mech & LED indicators, coil suppressor, lockable push to test button, label facility, 12 VDC	10.84	114056	4536854363963	10	CC	E	JPN	8536.4900.99	
MY4IN-D2 24VDC (S)	Relay, plug-in, 14-pin, 4PDT, 5 A, mech & LED indicators, coil suppressor, lockable push to test button, label facility, 24 VDC	10.84	146835	4536854363870	#	CC	E	JPN	8536.4900.99	
MY4IN-D2 48VDC (S)	Relay, plug-in, 14-pin, 4PDT, 5 A, mech & LED indicators, coil suppressor, lockable push to test button, label facility, 48 VDC	8.08	114057	4536854363887	10	CC	E	JPN	8536.4900.99	
MY4N 100/110VDC (S)	Relay, plug-in, 14-pin, 4PDT, 5 A, mech & LED indicators, label facility, 100/110 VDC	7.62	150066	4536854363665	10	CC	E	JPN	8536.4900.99	
MY4N 110/120VAC (S)	Relay, plug-in, 14-pin, 4PDT, 5 A, mech & LED indicators, label facility, 110/120 VAC	7.00	155268	4536854363603	10	CC	E	JPN	8536.4900.99	
MY4N 125VDC (S)	Relay, plug-in, 4PDT, 5 A, mech. & LED indicator, 125 VDC (A2 "+)	10.81	167880	4536854485855	10	CC	E	JPN	8536.4900.99	
MY4N 12VAC (S)	Relay, plug-in, 14-pin, 4PDT, 5 A, mech & LED indicators, label facility, 12 VAC	6.83	114035	4536854363573	10	CC	E	JPN	8536.4900.99	
MY4N 12VDC (S)	Relay, plug-in, 14-pin, 4PDT, 5 A, mech & LED indicators, label facility, 12 VDC	6.83	114039	4536854363634	10	CC	E	JPN	8536.4900.99	
MY4N 220/240VAC (S)	Relay, plug-in, 14-pin, 4PDT, 5 A, mech & LED indicators, label facility, 220/240 VAC	7.62	147901	4536854363610	#	CC	E	JPN	8536.4900.99	
MY4N 24VAC (S)	Relay, plug-in, 14-pin, 4PDT, 5 A, mech & LED indicators, label facility, 24 VAC	6.83	114036	4536854363580	10	CC	E	JPN	8536.4900.99	
MY4N 24VDC (S)	Relay, plug-in, 14-pin, 4PDT, 5 A, mech & LED indicators, label facility, 24 VDC	6.83	114040	4536854363641	#	CC	E	JPN	8536.4900.99	
MY4N 48/50VAC (S)	Relay, plug-in, 14-pin, 4PDT, 5 A, mech & LED indicators, label facility, 48/50 VAC	7.21	114037	4536854363597	10	CC	E	JPN	8536.4900.99	
MY4N 48VDC (S)	Relay, plug-in, 14-pin, 4PDT, 5 A, mech & LED indicators, label facility, 48 VDC	7.00	114041	4536854363658	10	CC	E	JPN	8536.4900.99	
MY4N1 100/110VDC (S)	Relay, plug-in, 4PDT, 5 A, mech. & LED indicator, 100/110 VDC (A1 "+)	6.46	113968	4536854363902	10	CC	E	JPN	8536.4900.99	
MY4N1 24VDC (S)	Relay, plug-in, 14-pin, 4PDT, reverse coil polarity, 5 A, mech & LED indicators, label facility, 24 VDC	9.25	113966	4536854363948	10	CC	E	JPN	8536.4900.99	
MY4N-CR 110/120VAC (S)	Relay, plug-in, 14-pin, 4PDT, 5 A, mech & LED indicators, coil suppressor, label facility, 110/120 VAC	12.01	114044	4536854363726	10	CC	E	JPN	8536.4900.99	
MY4N-CR 220/240VAC (S)	Relay, plug-in, 14-pin, 4PDT, 5 A, mech & LED indicators, coil suppressor, label facility, 220/240 VAC	12.82	114045	4536854363733	10	CC	E	JPN	8536.4900.99	
MY4N-D2 100/110VDC (S)	Relay, plug-in, 14-pin, 4PDT, 5 A, mech & LED indicators, coil suppressor, label facility, 100/110 VDC	10.84	114043	4536854363719	10	CC	E	JPN	8536.4900.99	
MY4N-D2 12VDC (S)	Relay, plug-in, 14-pin, 4PDT, 5 A, mech & LED indicators, coil suppressor, label facility, 12 VDC	10.04	154453	4536854363689	10	CC	E	JPN	8536.4900.99	
MY4N-D2 24VDC (S)	Relay, plug-in, 14-pin, 4PDT, 5 A, mech & LED indicators, coil suppressor, label facility, 24 VDC	9.63	144683	4536854363696	#	CC	E	JPN	8536.4900.99	
MY4N-D2 48VDC (S)	Relay, plug-in, 14-pin, 4PDT, 5 A, mech & LED indicators, coil suppressor, label facility, 48 VDC	10.04	114042	4536854363702	10	CC	E	JPN	8536.4900.99	
MY4Z 100/110VDC (S)	Relay, plug-in, 4PDT (bifurcated), 3 A, mechanical indicator, 100/110 VDC	12.45	113982	4536854364228	10	CC	E	JPN	8536.4900.99	
MY4Z 220/240VAC (S)	Relay, plug-in, 14-pin, bifurcated contacts, 4PDT, 5 A, mech indicator, label facility, 220/240 VAC	11.65	103519	4536854364174	10	CC	E	JPN	8536.4900.99	
MY4Z 24VAC (S)	Relay, plug-in, 14-pin, bifurcated contacts, 4PDT, 5 A, mech indicator, label facility, 24 VAC	9.25	155269	4536854364143	10	CC	E	JPN	8536.4900.99	
MY4Z 24VDC (S)	Relay, plug-in, 14-pin, bifurcated contacts, 4PDT, 5 A, mech indicator, label facility, 24 VDC	11.24	113980	4536854364204	10	CC	E	JPN	8536.4900.99	
MY4Z 48VDC (S)	Relay, plug-in, 4PDT (bifurcated), 3 A, mechanical indicator, 48 VDC	11.24	113981	4536854364211	10	CC	E	JPN	8536.4900.99	
MY4ZN 220/240VAC (S)	Relay, plug-in, 4PDT (bifurcated), 3 A, mech. + LED indicator, test button, 220/240 VDC (A2 "+)	11.45	113995	4536854364440	10	CC	E	JPN	8536.4900.99	
MY4ZN 24VDC (S)	Relay, plug-in, 4PDT (bifurcated), 3 A, mech. + LED indicator, test button, 24 VDC (A2 "+)	11.45	113998	4536854364471	10	CC	E	JPN	8536.4900.99	
MY4ZN-CR 220/240VAC (S)	Relay, plug-in, 14-pin, 4PDT, bifurcated contacts, 5 A, mech & LED indicators, coil suppressor, lockable push to test button, label facility, 220/240 VAC	17.32	144558	4536854364785	10	CC	E	JPN	8536.4900.99	
MY4ZN-D2 24VDC (S)	Relay, plug-in, 14-pin, 4PDT, bifurcated contacts, 5 A, mech & LED indicators, coil suppressor, lockable push to test button, label facility, 24 VDC	12.63	113919	4536854364679	10	CC	E	JPN	8536.4900.99	
MY4ZN 110/120VAC (S)	Relay, plug-in, 14-pin, 4PDT, bifurcated contacts, 5 A, mech & LED indicators, label facility, 110/120 VAC	14.02	113985	4536854364273	10	CC	E	JPN	8536.4900.99	
MY4ZN 220/240VAC (S)	Relay, plug-in, 4PDT (bifurcated), 3 A, mech. + LED indicator, 220/240 VAC	14.02	113986	4536854364280	10	CC	E	JPN	8536.4900.99	
MY4ZN 24VDC (S)	Relay, plug-in, 14-pin, 4PDT, bifurcated contacts, 5 A, mech & LED indicators, label facility, 24 VDC	13.24	113987	4536854364310	10	CC	E	JPN	8536.4900.99	
MY4ZN-D2 24VDC (S)	Relay, plug-in, 4PDT (bifurcated), 3 A, mech. + LED indicator, diode, 24 VDC (A1 "+)	16.84	113914	4536854364624	10	CC	E	JPN	8536.4900.99	
MY4ZN-CR 110/120VAC (S)	Relay, plug-in, 4PDT (bifurcated), 3 A, mech. + LED indicator, RC circuit, 110/120 VAC	16.84	113923	4536854364754	10	CC	E	JPN	8536.4900.99	
MY4ZN-D2 100/110VDC (S)	Relay, plug-in, 14-pin, 4PDT, bifurcated contacts, 5 A, mech & LED indicators, coil suppressor label facility, 100/110 VDC	17.64	114007	4536854364594	10	CC	E	JPN	8536.4900.99	
MY4ZN-D2 12VDC (S)	Relay, plug-in, 4PDT (bifurcated), 3 A, mech. + LED indicator, diode, 12 VDC (A2 "+)	14.51	114004	4536854364563	10	CC	E	JPN	8536.4900.99	
MY4ZN-D2 24VDC (S)	Relay, plug-in, 14-pin, 4PDT, bifurcated contacts, 5 A, mech & LED indicators, coil suppressor label facility, 24 VDC	16.02	114005	4536854364570	10	CC	E	JPN	8536.4900.99	
MY4ZN-D2 48VDC (S)	Relay, plug-in, 4PDT (bifurcated), 3 A, mech. + LED indicator, diode, 48 VDC (A2 "+)	16.84	114006	4536854364587	10	CC	E	JPN	8536.4900.99	
<b>Industrial Relay G2RV</b>										
G2RV-1-S21VDC	Relay, SPCO, 6 A contacts, for replacement in G2RV-SL*00 24DC or 24 VAC/DC	4.87	225267	4547648262439	25	CC	F	MYS	8536.4900.99	
G2RV-1-SAP-G 21VDC	Simline input relay (6 mm width), SPDT, 50 mA, for replacement in G2RV-SR***-AP 24DC or 24 VAC/DC	5.35	670565	4548583793736	25	CC	F	MYS	8536.4900.99	
G2RV-1-SAP-G DC11	Simline input relay (6 mm width), SPDT, 50 mA, for replacement in G2RV-SR***-AP 12VDC	5.35	670570	4548583793729	#	25	CC	F	MYS	8536.4900.99
G2RV-1-SAP-G DC48	Simline input relay (6 mm width), SPDT, 50 mA, for replacement in G2RV-SR***-AP 48VAC/DC, 100 VAC, 110 VAC, 200 VAC, 230 VAC	5.71	670564	4548583793743	25	CC	F	MYS	8536.4900.99	
G2RV-1-S-G 21VDC	Relay, SPCO, 6 A contacts, for replacement in G2RV-SF*00 24DC or 24 VAC/DC	4.87	670574	4548583793705	#	25	CC	F	MYS	8536.4900.99
G2RV-1-S-G DC11	Relay, SPCO, 6 A contacts, for replacement in G2RV-SF*00 12VDC	4.87	670573	4548583793699	25	CC	F	MYS	8536.4900.99	
G2RV-1-S-G DC48	Relay, SPCO, 6 A contacts, for replacement in G2RV-SF*00 48VAC/DC, 100 VAC, 110 VAC, 200 VAC, 230 VAC	5.11	670572	4548583793712	#	20	CC	F	MYS	8536.4900.99
G2RV-1-S 21VDC	Simline relay (6 mm width), lockable test switch, SPDT, 6 A, for replacement in G2RV-SL701/501 24VDC or 24VAC/DC	5.21	392551	4548583456449	25	CC	F	MYS	8536.4900.99	
G2RV-1-S-G 21VDC	Simline relay (6 mm width), lockable test switch, SPDT, 6 A, for replacement in G2RV-SF701/501 24VDC or 24 VAC/DC	5.21	670567	4548583793750	#	25	CC	F	MYS	8536.4900.99
G2RV-SL500 110VAC	Relay & socket, 6 A contacts, push in terminals, 110 VAC	17.06	225264	4547648264792	10	CC	F	MYS	8536.4900.99	
G2RV-SL500 12VDC	Relay & socket, 6 A contacts, push in terminals, 12 VDC	13.72	225262	4547648264747	10	CC	F	MYS	8536.4900.99	
G2RV-SL500 230VAC	Relay & socket, 6 A contacts, push in terminals, 230 VAC	17.06	225265	4547648264808	10	CC	F	MYS	8536.4900.99	
G2RV-SL500 48VAC VDC	Relay & socket, 6 A contacts, push in terminals, 48 VAC/DC	15.35	225272	4547648264778	10	CC	F	MYS	8536.4900.99	
G2RV-SL500-AP 110VAC	Simline input relay (6 mm width) incl. socket, SPDT, 50 mA, push in terminals, 110 VAC	17.52	374448	4548583395510	10	CC	F	MYS	8536.4900.99	
G2RV-SL500-AP 12VDC	Simline input relay (6 mm width) incl. socket, SPDT, 50 mA, push in terminals, 12 VDC	13.94	374439	4548583395473	10	CC	F	MYS	8536.4900.99	
G2RV-SL500-AP 230VAC	Simline input relay (6 mm width) incl. socket, SPDT, 50 mA, push in terminals, 230 VAC	17.52	374443	4548583395404	10	CC	F	MYS	8536.4900.99	
G2RV-SL500-AP 24VDC	Simline input relay (6 mm width) incl. socket, SPDT, 50 mA, push in terminals, 24 VDC	13.94	374440	4548583395480	10	CC	F	MYS	8536.4900.99	
G2RV-SL700 48VAC VDC	Relay & socket, 6 A contacts, rising box terminals, 48 VAC/DC	13.67	225259	4547648262392	10	CC	F	MYS	8536.4900.99	
G2RV-SL700-AP 110VAC	Simline input relay (6 mm width) incl. socket, SPDT, 50 mA, rising box screw terminals, 110 VAC	17.33	374447	4548583395459	10	CC	F	MYS	8536.4900.99	
G2RV-SL700-AP 230VAC	Simline input relay (6 mm width) incl. socket, SPDT, 50 mA, rising box screw terminals, 230 VAC	17.33	374438	4548583395466	10	CC	F	MYS	8536.4900.99	
<b>Industrial Relay G2RV-SR</b>										
G2RV-SR600 100VAC	Simline relay 6 mm incl. socket, SPDT, 6 A, Push-in terminals, 100 VAC	13.05	678009	4549734135870	10	CC	G	MYS	8536.4900.99	
G2RV-SR600 110VAC	Simline relay 6 mm incl. socket, SPDT, 6 A, Push-in terminals, 110 VAC	13.05	678033	4549734135887	10	CC	G	MYS	8536.4900.99	
G2RV-SR600 12VDC	Simline relay 6 mm incl. socket, SPDT, 6 A, Push-in terminals, 12 VDC	12.54	678027	4549734135856	10	CC	G	MYS	8536.4900.99	
G2RV-SR600 200VAC	Simline relay 6 mm incl. socket, SPDT, 6 A, Push-in terminals, 200 VAC	13.05	678036	4549734135894	10	CC	G	MYS	8536.4900.99	
G2RV-SR600 230VAC	Simline relay 6 mm incl. socket, SPDT, 6 A, Push-in terminals, 230 VAC	13.05	678019	4549734135900	#	10	CC	G	MYS	8536.4900.99

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Dataheet)	GTIN	Stock Qty.	Lot	Gr.	Fam	COO	Tariff Code
Q2RV-SF600 24VAC/DC	Slimline relay 6mm incl. socket, SPDT, 6 A, Push-in terminals, 24 VAC/DC	10.99	678028	4549734135917	#	10	CC	G	MYS	8536.4900.99
Q2RV-SF600 24VDC	Slimline relay 6mm incl. socket, SPDT, 6 A, Push-in terminals, 24 VDC	12.54	678005	4549734135863	#	10	CC	G	MYS	8536.4900.99
Q2RV-SF600 48VAC/DC	Slimline relay 6mm incl. socket, SPDT, 6 A, Push-in terminals, 48 VAC/DC	13.67	678030	4549734135924	#	10	CC	G	MYS	8536.4900.99
Q2RV-SF600-AP 100VAC	Slimline input relay 6 m m incl. socket, SPDT, 50 m A, Push-in terminals, 100 VAC	15.63	678018	4549734135785	#	10	CC	G	MYS	8536.4900.99
Q2RV-SF600-AP 110VAC	Slimline input relay 6 m m incl. socket, SPDT, 50 m A, Push-in terminals, 110 VAC	15.63	678011	4549734135801	#	10	CC	G	MYS	8536.4900.99
Q2RV-SF600-AP 12VDC	Slimline input relay 6 m m incl. socket, SPDT, 50 m A, Push-in terminals, 12 VDC	12.45	678022	4549734135771	#	10	CC	G	MYS	8536.4900.99
Q2RV-SF600-AP 200VAC	Slimline input relay 6 m m incl. socket, SPDT, 50 m A, Push-in terminals, 200 VAC	15.63	678024	4549734135818	#	10	CC	G	MYS	8536.4900.99
Q2RV-SF600-AP 230VAC	Slimline input relay 6 m m incl. socket, SPDT, 50 m A, Push-in terminals, 230 VAC	15.63	678039	4549734135825	#	10	CC	G	MYS	8536.4900.99
Q2RV-SF600-AP 24VAC/DC	Slimline input relay 6 m m incl. socket, SPDT, 50 m A, Push-in terminals, 24 VAC/DC	13.69	678038	4549734135832	#	10	CC	G	MYS	8536.4900.99
Q2RV-SF600-AP 24VDC	Slimline input relay 6 m m incl. socket, SPDT, 50 m A, Push-in terminals, 24 VDC	12.45	678007	4549734135788	#	10	CC	G	MYS	8536.4900.99
Q2RV-SF600-AP 48VAC/DC	Slimline input relay 6 m m incl. socket, SPDT, 50 m A, Push-in terminals, 48 VAC/DC	13.76	678029	4549734135849	#	10	CC	G	MYS	8536.4900.99
Q2RV-SF601 24VAC/DC	Slimline relay 6mm incl. socket, SPDT, 6 A, Push-in terminals, 24 VAC/DC, Test switch	14.11	678017	4549734135948	#	10	CC	G	MYS	8536.4900.99
Q2RV-SF601 24VDC	Slimline relay 6mm incl. socket, SPDT, 6 A, Push-in terminals, 24 VDC, Test switch	11.75	678015	4549734135931	#	10	CC	G	MYS	8536.4900.99
Q2RV-SR700 100VAC	Slimline relay 6 mm incl. socket, SPDT, 6 A, Screw terminals, 100 VAC	12.66	678037	4549734136051	#	10	CC	G	MYS	8536.4900.99
Q2RV-SR700 110VAC	Slimline relay 6 mm incl. socket, SPDT, 6 A, Screw terminals, 110 VAC	12.66	678020	4549734136068	#	10	CC	G	MYS	8536.4900.99
Q2RV-SR700 12VDC	Slimline relay 6 mm incl. socket, SPDT, 6 A, Screw terminals, 12 VDC	12.12	678006	4549734136037	#	10	CC	G	MYS	8536.4900.99
Q2RV-SR700 200VAC	Slimline relay 6 mm incl. socket, SPDT, 6 A, Screw terminals, 200 VAC	12.66	678032	4549734136075	#	10	CC	G	MYS	8536.4900.99
Q2RV-SR700 230VAC	Slimline relay 6 mm incl. socket, SPDT, 6 A, Screw terminals, 230 VAC	12.66	678040	4549734136082	#	10	CC	G	MYS	8536.4900.99
Q2RV-SR700 24VAC/DC	Slimline relay 6mm incl. socket, SPDT, 6 A, Screw terminals, 24 VAC/DC	12.21	678013	4549734136099	#	10	CC	G	MYS	8536.4900.99
Q2RV-SR700 24VDC	Slimline relay 6 mm incl. socket, SPDT, 6 A, Screw terminals, 24 VDC	12.12	678023	4549734136044	#	10	CC	G	MYS	8536.4900.99
Q2RV-SR700 48VAC/DC	Slimline input relay 6 m m incl. socket, SPDT, 50 m A, Screw terminals, 48 VAC/DC	12.19	678010	4549734136105	#	10	CC	G	MYS	8536.4900.99
Q2RV-SR700-AP 100VAC	Slimline input relay 6 m m incl. socket, SPDT, 50 m A, Screw terminals, 100 VAC	15.43	678008	4549734135979	#	10	CC	G	MYS	8536.4900.99
Q2RV-SR700-AP 110VAC	Slimline input relay 6 m m incl. socket, SPDT, 50 m A, Screw terminals, 110 VAC	15.43	678035	4549734135986	#	10	CC	G	MYS	8536.4900.99
Q2RV-SR700-AP 12VDC	Slimline input relay 6 m m incl. socket, SPDT, 50 m A, Screw terminals, 12 VDC	12.28	678021	4549734135955	#	10	CC	G	MYS	8536.4900.99
Q2RV-SR700-AP 200VAC	Slimline input relay 6 m m incl. socket, SPDT, 50 m A, Screw terminals, 200 VAC	15.43	678012	4549734135993	#	10	CC	G	MYS	8536.4900.99
Q2RV-SR700-AP 230VAC	Slimline input relay 6 m m incl. socket, SPDT, 50 m A, Screw terminals, 230 VAC	15.43	678025	4549734136006	#	10	CC	G	MYS	8536.4900.99
Q2RV-SR700-AP 24VAC/DC	Slimline input relay 6 m m incl. socket, SPDT, 50 m A, Screw terminals, 24 VAC/DC	14.38	678026	4549734136013	#	10	CC	G	MYS	8536.4900.99
Q2RV-SR700-AP 24VDC	Slimline input relay 6 m m incl. socket, SPDT, 50 m A, Screw terminals, 24 VDC	12.28	678034	4549734135962	#	10	CC	G	MYS	8536.4900.99
Q2RV-SR700-AP 48VAC/DC	Slimline input relay 6 m m incl. socket, SPDT, 50 m A, Screw terminals, 48 VAC/DC	12.76	678014	4549734136020	#	10	CC	G	MYS	8536.4900.99
Q2RV-SR701 24VAC/DC	Slimline relay 6mm incl. socket, SPDT, 6 A, Screw terminals, 24 VAC/DC, test switch	11.37	678016	4549734136129	#	10	CC	G	MYS	8536.4900.99
Q2RV-SR701 24VDC	Slimline relay 6mm incl. socket, SPDT, 6 A, Screw terminals, 24 VDC, test switch	13.29	678031	4549734136112	#	10	CC	G	MYS	8536.4900.99
<b>Industrial Relay MY-GS</b>										
MY2-GS 100/110VDC	Relay, plug-in, 8-pin, DPDT, 7 A, mechanical indicator, 100/110 VDC	4.17	686136	4548583818101	#	10	CC	K	CHN	8536.4900.99
MY2-GS 110/120VAC	Relay, plug-in, 8-pin, DPDT, 7 A, mechanical indicator, 110/120 VAC	5.03	686134	4548583818064	#	10	CC	K	CHN	8536.4900.99
MY2-GS 12VAC	Relay, plug-in, 8-pin, DPDT, 7 A, mechanical indicator, 12 VAC	4.94	686133	4548583818040	#	10	CC	K	CHN	8536.4900.99
MY2-GS 12VDC	Relay, plug-in, 8-pin, DPDT, 7 A, mechanical indicator, 12 VDC	4.77	686135	4548583818058	#	10	CC	K	CHN	8536.4900.99
MY2-GS 220/240VAC	Relay, plug-in, 8-pin, DPDT, 7 A, mechanical indicator, 220/240 VAC	5.17	686128	4548583491250	#	10	CC	K	CHN	8536.4900.99
MY2-GS 24VAC	Relay, plug-in, 8-pin, DPDT, 7 A, mechanical indicator, 24 VAC	4.97	686127	4548583491229	#	10	CC	K	CHN	8536.4900.99
MY2-GS 24VDC	Relay, plug-in, 8-pin, DPDT, 7 A, mechanical indicator, 24 VDC	4.77	686129	4548583491267	#	10	CC	K	CHN	8536.4900.99
MY2N-D2-GS 24VDC	Relay, plug-in, 8-pin, DPDT, 7 A, mechanical & LED indicators, coil suppressor, lockable push test button, 24 VDC	6.66	686150	4549734261470	#	10	CC	K	CHN	8536.4900.99
MY2N-GS 100/110VDC	Relay, plug-in, 8-pin, DPDT, 7 A, mechanical & LED indicators, lockable push test button, 100/110 VDC	5.92	686144	4549734261371	#	10	CC	K	CHN	8536.4900.99
MY2N-GS 110/120VAC	Relay, plug-in, 8-pin, DPDT, 7 A, mechanical & LED indicators, lockable push test button, 110/120 VAC	5.79	686149	4549734261432	#	10	CC	K	CHN	8536.4900.99
MY2N-GS 12VAC	Relay, plug-in, 8-pin, DPDT, 7 A, mechanical & LED indicators, lockable push test button, 12 VAC	5.79	686147	4549734261395	#	10	CC	K	CHN	8536.4900.99
MY2N-GS 12VDC	Relay, plug-in, 8-pin, DPDT, 7 A, mechanical & LED indicators, lockable push test button, 12 VDC	6.53	686142	4549734261340	#	10	CC	K	CHN	8536.4900.99
MY2N-GS 220/240VAC	Relay, plug-in, 8-pin, DPDT, 7 A, mechanical & LED indicators, lockable push test button, 220/240 VAC	5.66	686139	4549734261456	#	10	CC	K	CHN	8536.4900.99
MY2N-GS 220VDC	Relay, plug-in, 8-pin, DPDT, 7 A, mechanical & LED indicator, 220 VDC	9.52	689130	4549734261388	#	10	CC	K	CHN	8536.4900.99
MY2N-GS 24VAC	Relay, plug-in, 8-pin, DPDT, 7 A, mechanical & LED indicators, lockable push test button, 24 VAC	5.66	686148	4549734261401	#	10	CC	K	CHN	8536.4900.99
MY2N-GS 24VDC	Relay, plug-in, 8-pin, DPDT, 7 A, mechanical & LED indicators, lockable push test button, 24 VDC	9.52	686143	4549734261357	#	10	CC	K	CHN	8536.4900.99
MY2N-CR-GS 100/120VAC	Relay, plug-in, 8-pin, DPDT, 7 A, mechanical & LED indicators, built-in CR, 100/110 VAC	5.50	686140	4548583818255	#	10	CC	K	CHN	8536.4900.99
MY2N-CR-GS 220/240VAC	Relay, plug-in, 8-pin, DPDT, 7 A, mechanical & LED indicators, built-in CR, 220/240 VAC	5.31	686141	4548583818279	#	10	CC	K	CHN	8536.4900.99
MY2N-D2-GS 12VDC	Relay, plug-in, 8-pin, DPDT, 7 A, mechanical & LED indicators, coil suppressor, 12 VDC	6.17	686145	4548583818194	#	10	CC	K	CHN	8536.4900.99
MY2N-D2-GS 24VDC	Relay, plug-in, 8-pin, DPDT, 7 A, mechanical & LED indicators, coil suppressor, 24 VDC	5.31	686146	4548583818200	#	10	CC	K	CHN	8536.4900.99
MY2N-GS 110/120VAC	Relay, plug-in, 8-pin, DPDT, 7 A, mechanical & LED indicators, 100/110 VAC	5.31	686137	4548583818132	#	10	CC	K	CHN	8536.4900.99
MY2N-GS 12VDC	Relay, plug-in, 8-pin, DPDT, 7 A, mechanical & LED indicators, 12 VDC	10.31	686138	4548583818156	#	10	CC	K	CHN	8536.4900.99
MY2N-GS 220/240VAC	Relay, plug-in, 8-pin, DPDT, 7 A, mechanical & LED indicators, 220/240 VAC	10.68	686131	4548583491304	#	10	CC	K	CHN	8536.4900.99
MY2N-GS 220VDC	Relay, plug-in, 8-pin, DPDT, 7 A, Mechanical & LED indicators, lockable push test button, 220 VDC	12.50	689132	4548583818187	#	10	CC	K	CHN	8536.4900.99
MY2N-GS 24VAC	Relay, plug-in, 8-pin, DPDT, 7 A, mechanical & LED indicators, 24 VAC	8.49	686130	4548583491274	#	10	CC	K	CHN	8536.4900.99
MY2N-GS 24VDC	Relay, plug-in, 8-pin, DPDT, 7 A, mechanical & LED indicators, 24 VDC	8.11	686132	4548583491311	#	10	CC	K	CHN	8536.4900.99
MY4-GS 110/120VAC	Relay, plug-in, 14-pin, 4PDT, 6 A, mechanical indicator, 100/110 VDC	5.93	686159	4548583818545	#	10	CC	K	CHN	8536.4900.99
MY4-GS 12VAC	Relay, plug-in, 14-pin, 4PDT, 6 A, mechanical indicator, 12 VAC	5.82	686157	4548583818521	#	10	CC	K	CHN	8536.4900.99
MY4-GS 220/240VAC	Relay, plug-in, 14-pin, 4PDT, 6 A, mechanical indicator, 220/240 VAC	6.03	686152	4548583491359	#	10	CC	K	CHN	8536.4900.99
MY4-GS 24VAC	Relay, plug-in, 14-pin, 4PDT, 6 A, mechanical indicator, 24 VAC	5.77	686151	4548583491328	#	10	CC	K	CHN	8536.4900.99
MY4-GS 24VDC	Relay, plug-in, 14-pin, 4PDT, 6 A, mechanical indicator, 24 VDC	5.65	686153	4548583491366	#	10	CC	K	CHN	8536.4900.99
MY4-GS 48VAC	Relay, plug-in, 14-pin, 4PDT, 6 A, mechanical indicator, 48 VAC	5.88	686158	4548583818538	#	10	CC	K	CHN	8536.4900.99
MY4-GS 48VDC	Relay, plug-in, 14-pin, 4PDT, 6 A, mechanical indicator, 48 VDC	5.79	686161	4548583818576	#	10	CC	K	CHN	8536.4900.99
MY4N-CR-GS 110/120VAC	Relay, plug-in, 14-pin, 4PDT, 6 A, mechanical & LED indicators, coil suppressor, lockable push test button, 110/120 VAC	7.34	694139	4549734261746	#	10	CC	K	CHN	8536.4900.99
MY4N-CR-GS 220/240VAC	Relay, plug-in, 14-pin, 4PDT, 6 A, mechanical & LED indicators, coil suppressor, lockable push test button, 220/240 VAC	7.34	686126	4549734261760	#	10	CC	K	CHN	8536.4900.99
MY4N-D2-GS 24VDC	Relay, plug-in, 14-pin, 4PDT, 6 A, mechanical & LED indicators, coil suppressor, lockable push test button, 24 VDC	6.62	686174	4549734261692	#	10	CC	K	CHN	8536.4900.99
MY4N-D2-GS 48VDC	Relay, plug-in, 14-pin, 4PDT, 6 A, mechanical & LED indicators, coil suppressor, lockable push test button, 48 VDC	6.62	686175	4549734261708	#	10	CC	K	CHN	8536.4900.99
MY4N-GS 100/110VDC	Relay, plug-in, 14-pin, 4PDT, 6 A, mechanical & LED indicators, lockable push test button, 100/110 VDC	7.34	686170	4549734261593	#	10	CC	K	CHN	8536.4900.99
MY4N-GS 110/120VAC	Relay, plug-in, 14-pin, 4PDT, 6 A, mechanical & LED indicators, lockable push test button, 110/120 VAC	6.62	686172	4549734261654	#	10	CC	K	CHN	8536.4900.99
MY4N-GS 12VDC	Relay, plug-in, 14-pin, 4PDT, 6 A, mechanical & LED indicators, lockable push test button, 12 VDC	6.62	686167	4549734261562	#	10	CC	K	CHN	8536.4900.99
MY4N-GS 220/240VAC	Relay, plug-in, 14-pin, 4PDT, 6 A, mechanical & LED indicators, lockable push test button, 220/240 VAC	6.62	686173	4549734261678	#	10	CC	K	CHN	8536.4900.99

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Data sheet)	GTIN	Stock Qty.	Lot Qty.	Gr.	Fam	COO	Tariff Code
MY4IN-GS 24VAC	Relay, plug-in, 14-pin, 4PDT, 6 A, mechanical & LED indicators, lockable push test button, 24 VAC	14.69	686171	4549734261623	#	10	CC	K	CHN	8536.4900.99
MY4IN-GS 24VDC	Relay, plug-in, 14-pin, 4PDT, 6 A, mechanical & LED indicators, lockable push test button, 24 VDC	9.94	686168	4549734261579	#	10	CC	K	CHN	8536.4900.99
MY4IN-GS 48VDC	Relay, plug-in, 14-pin, 4PDT, 6 A, mechanical & LED indicators, lockable push test button, 48 VDC	7.42	686169	4549734261586	#	10	CC	K	CHN	8536.4900.99
MY4IN-GS D2220	Relay, plug-in, 14-pin, 4PDT, 6 A, mechanical & LED indicators, lockable push test button, 220 VDC	7.34	693099	4549734261609	#	10	CC	K	CHN	8536.4900.99
MY4IN-CR-GS 220/240VAC	Relay, plug-in, 14-pin, 4PDT, 6 A, mechanical & LED indicators, coil suppressor, 220/240 VAC	6.43	686166	4548583818750	#	10	CC	K	CHN	8536.4900.99
MY4IN-D2-GS 12VDC	Relay, plug-in, 14-pin, 4PDT, 6 A, mechanical & LED indicators, coil suppressor, 12 VDC	6.26	686165	4548583818675	#	10	CC	K	CHN	8536.4900.99
MY4IN-D2-GS 24VDC	Relay, plug-in, 14-pin, 4PDT, 6 A, mechanical & LED indicators, coil suppressor, 24 VDC	7.00	686177	4548583818682	#	10	CC	K	CHN	8536.4900.99
MY4IN-GS 110/120VAC	Relay, plug-in, 14-pin, 4PDT, 6 A, mechanical & LED indicators, 110/120 VAC	6.26	686163	4548583818613	#	10	CC	K	CHN	8536.4900.99
MY4IN-GS 12VDC	Relay, plug-in, 14-pin, 4PDT, 6 A, mechanical & LED indicators, 12 VDC	6.26	686164	4548583818637	#	10	CC	K	CHN	8536.4900.99
MY4IN-GS 220/240VAC	Relay, plug-in, 14-pin, 4PDT, 6 A, mechanical & LED indicators, 220/240 VAC	6.62	686155	4548583491403	#	10	CC	K	CHN	8536.4900.99
MY4IN-GS 220VDC	Relay, plug-in, 14-pin, 4PDT, 3 A, mechanical & LED indicators, 220 VDC	12.50	689128	4548583818668	#	10	CC	K	CHN	8536.4900.99
MY4IN-GS 24VAC	Relay, plug-in, 14-pin, 4PDT, 6 A, mechanical & LED indicators, 24 VAC	11.76	686154	4548583491373	#	10	CC	K	CHN	8536.4900.99
MY4IN-GS 24VDC	Relay, plug-in, 14-pin, 4PDT, 6 A, mechanical & LED indicators, 24 VDC	9.21	686156	4548583491410	#	10	CC	K	CHN	8536.4900.99
MY4IN-GS 48VAC	Relay, plug-in, 14-pin, 4PDT, 6 A, mechanical & LED indicators, 48 VAC	8.84	686162	4548583818606	#	10	CC	K	CHN	8536.4900.99
<b>Other Industrial Relay</b>										
G6D-F4PU 12VDC	Terminal relay, DIN rail / surface mounting, 4x SPST-NO, 5 A, 12 VDC, push-in Plus socket	46.14	687949	4549734532624	#	10	CC	X	JPN	8536.4900.99
G6D-F4PU 24VDC	Terminal relay, DIN rail / surface mounting, 4x SPST-NO, 5 A, 24 VDC, push-in Plus socket	46.14	687948	4549734532631	#	10	CC	X	JPN	8536.4900.99
G7T-112S 24VDC	Slim style output relay, SPST-NO, 5 A, 24 VDC	9.79	377181	4536854764455	#	20	CC	X	CHN	8536.4900.99
G7T-112S DC24	Slim style input relay, SPST-NO, 1 A, 24 VDC	10.98	377184	4536854764301	#	10	CC	X	CHN	8536.4900.99
G7T-112S DC24	Slim style output relay, SPDT, 1 A, 24 VDC	10.98	377189	4536854764530	#	20	CC	X	CHN	8536.4900.99
MY2N-CR 100/110VAC	Relay, plug-in, 8-pin, DPDT, 10 A, LED indicators, built-in CR, 100/110 VAC	19.29	679785	4536854485770	#	10	CC	X	JPN	8536.4900.99
MY2N-CR 200/220VAC	Relay, plug-in, 8-pin, DPDT, 10 A, LED indicators, built-in CR, 200/220 VAC	19.29	679877	4536854485787	#	10	CC	X	JPN	8536.4900.99
MY2Z 24VDC	Relay, plug-in, DPDT (bifurcated), 3 A, mechanical indicator, 24 VDC	10.24	114555	4536853659035	#	10	CC	X	JPN	8536.4900.99
MY2ZN 110/120VAC	Relay, plug-in, 8-pin, DPDT, bifurcated contacts, 10 A, mech & LED indicators, label facility, 110/120 VAC	13.00	114582	4536853661052	#	10	CC	X	JPN	8536.4900.99
MY2ZN 220/240VAC	Relay, plug-in, DPDT (bifurcated), 3 A, mech. & LED indicator, 220/240 VAC	12.73	114583	4536853661069	#	10	CC	X	JPN	8536.4900.99
MY2ZN 24VDC	Relay, plug-in, 8-pin, DPDT, bifurcated contacts, 10 A, mech & LED indicators, label facility, 24 VDC	12.57	114561	4536853659158	#	10	CC	X	JPN	8536.4900.99
MY2ZN-D2 24VDC	Relay, plug-in, 8-pin, DPDT, bifurcated contacts, 10 A, mech & LED indicators, coil suppressor, label facility, 24 VDC	17.73	143513	4536853661243	#	10	CC	X	JPN	8536.4900.99
MY3 110/120VAC	Relay, plug-in, 11-pin, 3PDT, 5 A, mech indicators, label facility, 110/120 VAC	8.66	152221	4536853666408	#	10	CC	X	JPN	8536.4900.99
MY3 12VDC	Relay, plug-in, 11-pin, 3PDT, 5 A, mech indicators, label facility, 12 VDC	8.66	114400	4536853665722	#	10	CC	X	JPN	8536.4900.99
MY3 220/240VAC	Relay, plug-in, 11-pin, 3PDT, 5 A, mech indicators, label facility, 220/240 VAC	9.06	114418	4536853666415	#	10	CC	X	JPN	8536.4900.99
MY3 24VAC	Relay, plug-in, 11-pin, 3PDT, 5 A, mech indicators, label facility, 24 VAC	8.66	114395	4536853665678	#	10	CC	X	JPN	8536.4900.99
MY3 24VDC	Relay, plug-in, 11-pin, 3PDT, 5 A, mech indicators, label facility, 24 VDC	8.66	114401	4536853665739	#	10	CC	X	JPN	8536.4900.99
MY3N 110/120VAC	Relay, plug-in, 11-pin, 3PDT, 5 A, mech & LED indicators, label facility, 110/120 VAC	10.64	114420	4536853665453	#	10	CC	X	JPN	8536.4900.99
MY3N 220/240VAC	Relay, plug-in, 11-pin, 3PDT, 5 A, mech & LED indicators, label facility, 220/240 VAC	11.43	114421	4536853665460	#	10	CC	X	JPN	8536.4900.99
MY3N 24VAC	Relay, plug-in, 11-pin, 3PDT, 5 A, mech & LED indicators, label facility, 24 VAC	11.03	149943	4536853665876	#	10	CC	X	JPN	8536.4900.99
MY3N 24VDC	Relay, plug-in, 11-pin, 3PDT, 5 A, mech & LED indicators, label facility, 24 VDC	11.03	114408	4536853665937	#	10	CC	X	JPN	8536.4900.99
MY3N-D2 24VDC	Relay, plug-in, 11-pin, 3PDT, 5 A, mech & LED indicators, coil suppressor, label facility, 24 VDC	14.57	152220	4536853666101	#	10	CC	X	JPN	8536.4900.99
MY4N-CR 24VAC	Relay, plug-in, 14-pin, 4PDT, 5 A, mech & LED indicators, coil suppressor, label facility, 24 VAC	25.25	114253	4536853673789	#	10	CC	X	JPN	8536.4900.99
MY2-02 220VAC/240	Relay, PCB terminals, 8-pin, DPDT, 10 A, label facility, 220/240 VAC	5.66	166591	4536854748349	#	10	CC	X	CHN	8536.4900.99
MY2-02-US-SV 110/120VAC	Relay, PCB terminals, 8-pin, DPDT, 10 A, label facility, 110/120 VAC	4.93	114480	4536854748356	#	10	CC	X	CHN	8536.4900.99
MY2-02-US-SV 220/240VAC	Relay, PCB terminals, 8-pin, DPDT, 10 A, label facility, 220/240 VAC	5.87	114481	4536854748363	#	10	CC	X	CHN	8536.4900.99
MY2-02USSV 24VAC	Relay, PCB terminals, 8-pin, DPDT, 10 A, label facility, 24 VAC	4.93	114476	4536854748228	#	10	CC	X	CHN	8536.4900.99
MY2-02-US-SV 24VDC	Relay, PCB terminals, 8-pin, DPDT, 10 A, label facility, 24 VDC	4.89	114479	4536854748325	#	10	CC	X	CHN	8536.4900.99
MY2K-02 24VDC	Latching relay, pcb pins, 14-pin, DPDT, 3 A, LED indicator	22.43	114143	4536853654283	#	10	CC	X	JPN	8536.4900.99
MY2K-US 12VAC	Latching relay, plug-in, DPDT, 3 A, mechanical indicator, 12 VAC	49.45	679884	4536853654498	#	10	CC	X	JPN	8536.4900.99
MY2K-US 12VDC	Latching relay, plug-in, 14-pin, DPDT, 3 A, LED indicator	23.99	679882	4536853654481	#	10	CC	X	JPN	8536.4900.99
MY2K-US 24VAC	Latching relay, plug-in, 14-pin, DPDT, 3 A,	49.45	679883	4536853654474	#	10	CC	X	JPN	8536.4900.99
MY2K-US 24VDC	Latching relay, plug-in, 14-pin, DPDT, 3 A,	23.99	679886	4536853654450	#	10	CC	X	JPN	8536.4900.99
MY2K-US 48VDC	Latching relay, plug-in, 14-pin, DPDT, 3 A, LED indicator	23.99	679885	4536853654504	#	10	CC	X	JPN	8536.4900.99
MY3-US-SV 12VDC	Relay, plug-in, 11-pin, 3PDT, 5 A, mech indicators, label facility, 12 VDC	8.66	114417	4536853666385	#	50	CC	X	JPN	8536.4900.99
MY4-02 110/120VAC	Relay, PCB mount, 14-pin, 4PDT, 5 A, label facility	6.37	114163	4536854749766	#	10	CC	X	CHN	8536.4900.99
MY4-02 220/240VAC	Relay, PCB mount, 14-pin, 4PDT, 5 A, label facility	6.31	114164	4536854749773	#	10	CC	X	CHN	8536.4900.99
MY4-02 24VAC	Relay, PCB mount, 14-pin, 4PDT, 5 A, label facility	5.57	114159	4536854749681	#	10	CC	X	CHN	8536.4900.99
MY4-02 24VDC	Relay, PCB mount, 14-pin, 4PDT, 5 A, label facility	5.57	148156	4536854749728	#	10	CC	X	CHN	8536.4900.99
MY4H 100/110VDC	Relay, plug-in, 14-pin, 4PDT, 3 A, hermetically-sealed	48.24	114121	4536853653750	#	10	CC	X	JPN	8536.4900.99
MY4H 110/120VAC	Relay, plug-in, 14-pin, 4PDT, 3 A, hermetically-sealed	62.00	156655	4536853653965	#	10	CC	X	JPN	8536.4900.99
MY4H 24VAC	Relay, plug-in, 14-pin, 4PDT, 3 A, hermetically-sealed	48.24	114119	4536853653699	#	10	CC	X	JPN	8536.4900.99
MY4H 24VDC	Relay, plug-in, 14-pin, 4PDT, 3 A, hermetically-sealed	48.07	154575	4536853653736	#	10	CC	X	JPN	8536.4900.99
MY4ZH 100/110VAC	Relay, plug-in, 14-pin, 4PDT, 3 A, hermetically-sealed	73.75	144679	4536853653798	#	10	CC	X	JPN	8536.4900.99
MY4ZH 24VDC	Relay, plug-in, 14-pin, 4PDT, 3A, hermetically-sealed	69.05	105790	4536853653828	#	10	CC	X	JPN	8536.4900.99
MYQ4 110/120VAC	Relay, plug-in, 14-pin, 4PDT, 1 A, plastic sealed model, 110/120 VAC	14.93	114065	4536853655273	#	10	CC	X	JPN	8536.4900.99
MYQ4 220/240VAC	Relay, plug-in, 14-pin, 4PDT, 1 A, plastic sealed model, 220/240 VAC	14.57	114067	4536853655280	#	10	CC	X	JPN	8536.4900.99
MYQ4 24VDC	Relay, plug-in, 14-pin, 4PDT, 1 A, plastic sealed model, 24 VDC	14.16	114153	4536853654887	#	10	CC	X	JPN	8536.4900.99
MYQ4N 110/120VAC	Relay, plug-in, 14-pin, 4PDT, 1 A, plastic sealed model, with indicator, 110/120 VAC	17.73	145766	4536853655365	#	10	CC	X	JPN	8536.4900.99
MYQ4N 220/240VAC	Relay	18.10	144681	4536853655372	#	10	CC	X	JPN	8536.4900.99
MYQ4N 24VDC	Relay, plug-in, 14-pin, 4PDT, 1 A, plastic sealed model, with indicator, 24 VDC	17.73	151179	4536853655020	#	10	CC	X	JPN	8536.4900.99
MM2KP 220VAC	Relay, latching, plug-in, DPDT, 5 A 220 VAC / 4 A 24 VDC	76.40	114673	4536853642068	#	10	CC	X	JPN	8536.4900.99
MM3KP 100/110VDC	Relay, latching, plug-in, DC switching, 3PDT, 5 A 220 VAC / 4 A 24 VDC	67.00	114591	4536853642662	#	10	CC	X	JPN	8536.4900.99



Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Daheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
MM4XP 100/110VDC	Relay, latching, plug-in, 4PDT, 5 A, 220 VAC / 4 A, 24 VDC	103.30	105050	4536853642891			CC	X	JPN	8536.4900.99
MM4XP 100/110VDC	Relay, latching, plug-in, DC switching, 4PDT, 5 A 220 VAC / 4 A 24 VDC	130.70	114599	4536853643065			CC	X	JPN	8536.4900.99
MM4XP 200/220VDC	Relay, latching, plug-in, DC switching, 4PDT, 5 A 220 VAC / 4 A 24 VDC	134.80	114600	4536853643089			CC	X	JPN	8536.4900.99
MM4XP 24VDC	Relay, latching, plug-in, DC switching, 4PDT, 5 A 220 VAC / 4 A 24 VDC	124.20	114597	4536853643041			CC	X	JPN	8536.4900.99
MM2XP 100/110VDC	Relay, high stability, plug-in, DC switching, DPDT, 7.5 A	45.91	144282	4536853645489		10	CC	X	JPN	8536.4900.99
MM2XP 200/220VDC	Relay, high stability, plug-in, DC switching, DPDT, 7.5 A	45.91	114705	4536853645960		10	CC	X	JPN	8536.4900.99
MM2XP 24VDC	Relay, high stability, plug-in, DC switching, DPDT, 7.5 A	36.85	114703	4536853645465		10	CC	X	JPN	8536.4900.99
MM2XP-D 24VDC	Relay, high stability, plug-in, DC switching, DPDT, coil suppression, 7.5 A	54.60	114706	4536853646028		10	CC	X	JPN	8536.4900.99
MM2XPN 100/110VDC	Relay, high stability, plug-in, operation indicator, DC switching, DPDT, 7.5 A	48.27	114711	4536853646233		10	CC	X	JPN	8536.4900.99
MM2XPN 200/220VAC	Relay, high stability, plug-in, operation indicator, DC switching, DPDT, 7.5 A	49.57	114709	4536853646196		10	CC	X	JPN	8536.4900.99
MM2XPN 24VDC	Relay, high stability, plug-in, operation indicator, DC switching, DPDT, 7.5 A	52.35	114710	4536853646219		10	CC	X	JPN	8536.4900.99
MM3XP 100/110VDC	Relay, high stability, plug-in, DC switching, 3PDT, 7.5 A	52.35	114728	4536853647421		10	CC	X	JPN	8536.4900.99
MM4XP 100/110VDC	Relay, high stability, plug-in, DC switching, 4PDT, 7.5 A	75.05	103149	4536853648596			CC	X	JPN	8536.4900.99
MM4XP 110VAC	Relay, high stability, plug-in, DC switching, 4PDT, 7.5 A	78.35	114655	4536853648480			CC	X	JPN	8536.4900.99
MM4XP 125VDC	Relay, high stability, plug-in, DC switching, 4PDT, 7.5 A	74.35	114658	4536853648602		10	CC	X	JPN	8536.4900.99
MM4XP 200/220VDC	Relay	75.05	105391	4536853648619			CC	X	JPN	8536.4900.99
MM4XP 220VAC	Relay, high stability, plug-in, DC switching, 4PDT, 7.5 A	72.75	114656	4536853648527			CC	X	JPN	8536.4900.99
MM4XP-D 100/110VDC	Relay, high stability, plug-in, DC switching, 4PDT, coil suppression, 7.5 A	83.50	114663	4536853649197			CC	X	JPN	8536.4900.99
MM4XP-D 100/110VDC	Relay	89.80	225277	4536853649005			CC	X	JPN	8536.4900.99
MM4XPN 100/110VDC	Relay, high stability, plug-in, operation indicator, DC switching, 4PDT, 7.5 A	81.30	114665	4536853649470			CC	X	JPN	8536.4900.99
G4Q-212S 110VAC	Ratchet relay, plug-in, 8-pin, DPDT, 5 A	69.05	373309	4548583309623		10	CC	X	JPN	8536.4900.99
G4Q-212S 12VDC	Ratchet relay, plug-in, 8-pin, DPDT, 5 A	62.90	373306	4548583309562			CC	X	JPN	8536.4900.99
G4Q-212S 220VAC	Ratchet relay, plug-in, 8-pin, DPDT, 5 A	65.00	373305	4548583309630		10	CC	X	JPN	8536.4900.99
G4Q-212S 230VAC	Ratchet relay, plug-in, 8-pin, DPDT, 5 A	52.55	373307	4548583309647			CC	X	JPN	8536.4900.99
G4Q-212S 24VAC	Ratchet relay, plug-in, 8-pin, DPDT, 5 A	64.00	373304	4548583309517			CC	X	JPN	8536.4900.99
G4Q-212S 24VDC	Ratchet relay, plug-in, 8-pin, DPDT, 5 A	64.00	373301	4548583309579			CC	X	JPN	8536.4900.99
<b>Accessory for Industrial Relay</b>										
Y92B-A100	Heat sink, economic model, for G3NA-205B/-210B/-D210B/-220B/-410B/-420B	22.64	154222	4536853411190			CC	Z	JPN	8536.4900.99
Y92B-A150N	Heat sink for G3NA-240B SSR	33.91	152003	4536853415532			CC	Z	JPN	8536.4900.99
Y92B-N100	Heat sink for G3NA-220/420B SSR	33.91	107399	4536854247149		5	CC	Z	JPN	8536.4900.99
Y92B-N150	Heat sink for G3NA-240/440B SSR	46.53	107400	4536854247156			CC	Z	JPN	8536.4900.99
Y92B-N150	Heat sink for G3NA-205/210B SSR	20.01	105381	4536854247132		# 10	CC	Z	JPN	8536.4900.99
Y92B-P250	Heat sink, slim model, DIN-rail mounting, for G3NA-450B-2 SSR	123.00	107406	4536854247224			CC	Z	JPN	8536.4900.99
Y92B-P250NF	Heat sink for G3NA-275/290/475/490B SSR	283.80	171957	4547648087520			CC	Z	JPN	8536.4900.99
G78-04	Relay Accessory	2.01	122065	4536853484620			CC	Z	JPN	8536.4900.99
G78-16-P2RF-E	Relay common busbar for 16x P2RF socket base	5.11	143184	4536853484668		50	CC	Z	JPN	8536.4900.99
G73Z-02Z-R	Auxiliary contact block, DPST-NC, for use with G7Z relay	20.10	684173	4548583781573			CC	Z	JPN	8536.4900.99
G73Z-11Z-R	Auxiliary contact block, SPST-NO and SPST-NC, for use with G7Z relay	20.10	684175	4548583732131			CC	Z	JPN	8536.4900.99
G73Z-20Z-R	Auxiliary contact block, DPST-NO, for use with G7Z relay	20.10	684174	4548583781580			CC	Z	JPN	8536.4900.99
G70V-SD16P	Relay terminal, PLC Input, 16 channels, NPN, Push-in terminals	162.50	670255	4548583798168			CC	Z	JPN	8536.4900.99
G70V-SD16P-1	Relay terminal, PLC Input, 16 channels, PNP, Push-in terminals	162.50	670254	4548583798151			CC	Z	JPN	8536.4900.99
G70V-SD16P-1-C16	Relay terminal, PLC Input, 16 channels, internally connected, PNP, Push-in terminals	166.90	675388	4549734144438			CC	Z	JPN	8536.4900.99
G70V-SOC16P	Relay terminal, PLC Output, 16 channels, NPN, Push-in terminals	147.70	670257	4548583798182			CC	Z	JPN	8536.4900.99
G70V-SOC16P-1	Relay terminal, PLC Output, 16 channels, PNP, Push-in terminals	147.70	670256	4548583798175			CC	Z	JPN	8536.4900.99
G70V-SOC16P-1-C4	Relay terminal, PLC Output, 16 channels, internally connected, PNP, Push-in terminals	138.20	675389	4549734144445			CC	Z	JPN	8536.4900.99
G70V-SOC16P-C4	Relay terminal, PLC Output, 16 channels, internally connected, NPN, Push-in terminals	138.20	675389	4549734144445			CC	Z	JPN	8536.4900.99
G70V-Z1D16P	Relay input block base, 16 points (requires G2V/3RV relays), PNP(+ common), Push-in plus terminals	96.85	670562	4548583798205			CC	Z	JPN	8536.4900.99
G70V-Z1D16P-1	Relay input block base, 16 points (requires G2V/3RV relays), PNP(+ common), Push-in plus terminals	96.85	670571	4548583798199			CC	Z	JPN	8536.4900.99
G70V-ZOM16P	Relay output block base, 16 points (requires G2V/3RV relays), PNP(+ common), Push-in plus terminals	96.85	670568	4548583798229			CC	Z	JPN	8536.4900.99
G70V-ZOM16P-1	Relay output block base, 16 points (requires G2V/3RV relays), PNP(+ common), Push-in plus terminals	96.85	670566	4548583798212			CC	Z	JPN	8536.4900.99
P2RV-4-100C	G2RV interface cable for use between CJ1W-OD232/OD262 and 4 P2RV-8-O-F modules, 1 m	85.10	379395	4548583493346		#	CC	Z	JPN	8544.4290.90
P2RV-4-100FC	G2RV interface cable for use between CJ1W-ID231/ID233/ID261 and 4 P2RV-8-I-F modules, 1 m	86.30	379403	4548583493421			CC	Z	JPN	8544.4290.90
P2RV-4-100MC	G2RV interface cable for use between CJ1W-ID233/ID262 and 4 P2RV-8-I-F modules, 1 m	71.45	379399	4548583493384			CC	Z	JPN	8544.4290.90
P2RV-4-200C	G2RV interface cable for use between CJ1W-OD232/OD262 and 4 P2RV-8-O-F modules, 2 m	117.40	379396	4548583493353			CC	Z	JPN	8544.4290.90
P2RV-4-200FC	G2RV interface cable for use between CJ1W-ID231/ID233/ID261 and 4 P2RV-8-I-F modules, 2 m	117.40	379404	4548583493438			CC	Z	JPN	8544.4290.90
P2RV-4-200MC	G2RV interface cable for use between CJ1W-ID233/ID262 and 4 P2RV-8-I-F modules, 2 m	97.85	379400	4548583493391			CC	Z	JPN	8544.4290.90
P2RV-4-300C	G2RV interface cable for use between CJ1W-OD232/OD262 and 4 P2RV-8-O-F modules, 3 m	88.40	379397	4548583493360			CC	Z	JPN	8544.4290.90
P2RV-4-300FC	G2RV interface cable for use between CJ1W-ID231/ID233/ID261 and 4 P2RV-8-I-F modules, 3 m	84.10	379405	4548583493445			CC	Z	JPN	8544.4290.90
P2RV-4-300MC	G2RV interface cable for use between CJ1W-ID233/ID262 and 4 P2RV-8-I-F modules, 3 m	70.35	379401	4548583493407			CC	Z	JPN	8544.4290.90
P2RV-4-500C	G2RV interface cable for use between CJ1W-OD232/OD262 and 4 P2RV-8-O-F modules, 5 m	86.30	379398	4548583493377			CC	Z	JPN	8544.4290.90
P2RV-4-500FC	G2RV interface cable for use between CJ1W-ID231/ID233/ID261 and 4 P2RV-8-I-F modules, 5 m	86.30	379406	4548583493452			CC	Z	JPN	8544.4290.90
P2RV-4-500MC	G2RV interface cable for use between CJ1W-ID233/ID262 and 4 P2RV-8-I-F modules, 5 m	86.30	379402	4548583493414			CC	Z	JPN	8544.4290.90
P2RV-A050C-OMR-GR1	G2RV interface cable for use between GR11-OD8(G)1 and P2RV-8-O-F module, 0.5 m	25.44	379411	4548583493556			CC	Z	JPN	8538.9099.99
P2RV-A050C-OMR-NX	G2RV interface cable for use between NX-OD4256 and P2RV-8-O-F module, 0.5 m	19.69	379415	4548583493544			CC	Z	JPN	8544.4290.90
P2RV-A050IC-OMR-GR1	G2RV interface cable for use between GR11-ID8-1 and P2RV-8-I-F module, 0.5 m	25.44	379413	4548583493520			CC	Z	JPN	8544.4290.90
P2RV-A050IC-OMR-NX	G2RV interface cable for use between NX-ID4442 and P2RV-8-I-F module, 0.5 m	19.69	379417	4548583493568			CC	Z	JPN	8544.4290.90
P2RV-A100C	G2RV interface cable with flying leads for use with P2RV-8-O-F or P2RV-8-I-F module, 1 m	25.44	379407	4548583493469			CC	Z	JPN	8538.9099.99

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	SLN. (Daheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
P2RV-A100C-OMRGR1	G2RV interface cable for use between GRT1-OD8(G)-1 and P2RV-8-O-F module, 1 m	35.17	379412	4548583493513			CC	Z	JPN	8544.4290.99
P2RV-A100C-OMRNX	G2RV interface cable for use between NX-DD4256 and P2RV-8-O-F module, 1 m	38.01	379416	4548583493551	#		CC	Z	JPN	8544.4290.99
P2RV-A100C-OMRGR1	G2RV interface cable for use between GRT1-ID8-1 and P2RV-8-I-F module, 1 m	35.17	379414	4548583493537			CC	Z	JPN	8544.4290.99
P2RV-A100C-OMRNX	G2RV interface cable for use between NX-ID4442 and P2RV-8-I-F module, 1 m	28.67	379418	4548583493575			CC	Z	JPN	8544.4290.99
P2RV-A300C	G2RV interface cable with flying leads for use with P2RV-8-O-F or P2RV-8-I-F module, 2 m	25.44	379408	4548583493476			CC	Z	JPN	8538.9099.99
P2RV-A300C	G2RV interface cable with flying leads for use with P2RV-8-O-F or P2RV-8-I-F module, 3 m	25.44	379409	4548583493483			CC	Z	JPN	8538.9099.99
P2RV-A500C	G2RV interface cable with flying leads for use with P2RV-8-O-F or P2RV-8-I-F module, 5 m	36.50	379410	4548583493490			CC	Z	JPN	8538.9099.99
XW22-P050C-SCH-A	I/O connection cable for G70V with Schneider Electric PLCs board 140 DDI 353 00, 32 input points, 0.5 m	240.00	670855	4548583800717			CC	Z	CHN	8544.4290.99
XW22-P050C-SCH-B	I/O connection cable for G70V with Schneider Electric PLCs board 140 DDO 353 00, 32 output points, 0.5 m	240.00	670783	4548583800762			CC	Z	CHN	8544.4290.99
XW22-P050C-SCH-C	I/O connection cable for G70V with Schneider Electric PLCs board BMX DDI 1602, 16 input points, 0.5 m	136.90	670858	4548583800816			CC	Z	CHN	8544.4290.99
XW22-P050C-SCH-D	I/O connection cable for G70V with Schneider Electric PLCs board BMX DDO 1602, 16 output points, 0.5 m	136.90	670785	4548583800861			CC	Z	CHN	8544.4290.99
XW22-P050C-SM-A	I/O connection cable for G70V with Siemens PLCs board 6ES7 321-1BL00-0 AA0, 32 input points, 0.5 m	209.40	670792	4548583800915			CC	Z	CHN	8544.4290.99
XW22-P050C-SM-B	I/O connection cable for G70V with Siemens PLCs board 6ES7 322-1BL00-0 AA0, 32 output points, 0.5 m	209.40	670799	4548583800960			CC	Z	CHN	8544.4290.99
XW22-P050C-SM-C	I/O connection cable for G70V with Siemens PLCs board 6ES7 321-1BH02-0 AA0, 16 input points, 0.5 m	136.90	670801	4548583801011			CC	Z	CHN	8544.4290.99
XW22-P050C-SM-D	I/O connection cable for G70V with Siemens PLCs board 6ES7 421-1BL-0 AA0, 32 input points, 0.5 m	362.70	670790	4548583801066			CC	Z	CHN	8544.4290.99
XW22-P050C-SM-E	I/O connection cable for G70V with Siemens PLCs board 6ES7 422-1BL-0 AA0, 32 output points, 0.5 m	362.70	670769	4548583801110			CC	Z	CHN	8544.4290.99
XW22-R100C-SCH-A	I/O connection cable for G70V with Schneider Electric PLCs board 140 DDI 353 00, 32 input points, 1 m	245.80	670788	4548583800724			CC	Z	CHN	8544.4290.99
XW22-R100C-SCH-B	I/O connection cable for G70V with Schneider Electric PLCs board 140 DDO 353 00, 32 output points, 1 m	245.80	670851	4548583800779			CC	Z	CHN	8544.4290.99
XW22-R100C-SCH-C	I/O connection cable for G70V with Schneider Electric PLCs board BMX DDI 1602, 16 input points, 1 m	139.60	670825	4548583800823			CC	Z	CHN	8544.4290.99
XW22-R100C-SCH-D	I/O connection cable for G70V with Schneider Electric PLCs board BMX DDO 1602, 16 output points, 1 m	139.60	670828	4548583800878			CC	Z	CHN	8544.4290.99
XW22-R100C-SM-A	I/O connection cable for G70V with Siemens PLCs board 6ES7 321-1BL00-0 AA0, 32 input points, 1 m	212.10	670824	4548583800922			CC	Z	CHN	8544.4290.99
XW22-R100C-SM-B	I/O connection cable for G70V with Siemens PLCs board 6ES7 322-1BL00-0 AA0, 32 output points, 1 m	212.10	670822	4548583800977			CC	Z	CHN	8544.4290.99
XW22-R100C-SM-C	I/O connection cable for G70V with Siemens PLCs board 6ES7 321-1BH02-0 AA0, 16 input points, 1 m	139.60	670782	4548583801028			CC	Z	CHN	8544.4290.99
XW22-R100C-SM-D	I/O connection cable for G70V with Siemens PLCs board 6ES7 421-1BL-0 AA0, 32 input points, 1 m	368.40	670770	4548583801073			CC	Z	CHN	8544.4290.99
XW22-R100C-SM-E	I/O connection cable for G70V with Siemens PLCs board 6ES7 422-1BL-0 AA0, 32 output points, 1 m	368.40	670853	4548583801127			CC	Z	CHN	8544.4290.99
XW22-P200C-SCH-A	I/O connection cable for G70V with Schneider Electric PLCs board 140 DDI 353 00, 32 input points, 2 m	254.10	670849	4548583800731			CC	Z	CHN	8544.4290.99
XW22-P200C-SCH-B	I/O connection cable for G70V with Schneider Electric PLCs board 140 DDO 353 00, 32 output points, 2 m	254.10	670839	4548583800786			CC	Z	CHN	8544.4290.99
XW22-P200C-SCH-C	I/O connection cable for G70V with Schneider Electric PLCs board BMX DDI 1602, 16 input points, 2 m	145.30	670800	4548583800830			CC	Z	CHN	8544.4290.99
XW22-P200C-SCH-D	I/O connection cable for G70V with Schneider Electric PLCs board BMX DDO 1602, 16 output points, 2 m	145.30	670814	4548583800885			CC	Z	CHN	8544.4290.99
XW22-P200C-SM-A	I/O connection cable for G70V with Siemens PLCs board 6ES7 321-1BL00-0 AA0, 32 input points, 2 m	220.80	670826	4548583800939			CC	Z	CHN	8544.4290.99
XW22-P200C-SM-B	I/O connection cable for G70V with Siemens PLCs board 6ES7 322-1BL00-0 AA0, 32 output points, 2 m	220.80	670812	4548583800984			CC	Z	CHN	8544.4290.99
XW22-P200C-SM-C	I/O connection cable for G70V with Siemens PLCs board 6ES7 321-1BH02-0 AA0, 16 input points, 2 m	142.60	670813	4548583801035			CC	Z	CHN	8544.4290.99
XW22-P200C-SM-D	I/O connection cable for G70V with Siemens PLCs board 6ES7 421-1BL-0 AA0, 32 input points, 2 m	376.80	670827	4548583801080			CC	Z	CHN	8544.4290.99
XW22-P200C-SM-E	I/O connection cable for G70V with Siemens PLCs board 6ES7 422-1BL-0 AA0, 32 output points, 2 m	376.80	670835	4548583801134			CC	Z	CHN	8544.4290.99
XW22-R300C-SCH-A	I/O connection cable for G70V with Schneider Electric PLCs board 140 DDI 353 00, 32 input points, 3 m	262.50	670815	4548583800748			CC	Z	CHN	8544.4290.99
XW22-R300C-SCH-B	I/O connection cable for G70V with Schneider Electric PLCs board 140 DDO 353 00, 32 output points, 3 m	262.50	670772	4548583800793			CC	Z	CHN	8544.4290.99
XW22-R300C-SCH-C	I/O connection cable for G70V with Schneider Electric PLCs board BMX DDI 1602, 16 input points, 3 m	148.10	670771	4548583800847			CC	Z	CHN	8544.4290.99
XW22-R300C-SCH-D	I/O connection cable for G70V with Schneider Electric PLCs board BMX DDO 1602, 16 output points, 3 m	148.10	670778	4548583800899			CC	Z	CHN	8544.4290.99
XW22-R300C-SM-A	I/O connection cable for G70V with Siemens PLCs board 6ES7 321-1BL00-0 AA0, 32 input points, 3 m	229.00	670823	4548583800946			CC	Z	CHN	8544.4290.99
XW22-R300C-SM-B	I/O connection cable for G70V with Siemens PLCs board 6ES7 322-1BL00-0 AA0, 32 output points, 3 m	229.00	670848	4548583800991			CC	Z	CHN	8544.4290.99
XW22-R300C-SM-C	I/O connection cable for G70V with Siemens PLCs board 6ES7 321-1BH02-0 AA0, 16 input points, 3 m	148.10	670810	4548583801042			CC	Z	CHN	8544.4290.99
XW22-R300C-SM-D	I/O connection cable for G70V with Siemens PLCs board 6ES7 421-1BL-0 AA0, 32 input points, 3 m	382.40	670852	4548583801097			CC	Z	CHN	8544.4290.99
XW22-R300C-SM-E	I/O connection cable for G70V with Siemens PLCs board 6ES7 422-1BL-0 AA0, 32 output points, 3 m	382.40	670840	4548583801141			CC	Z	CHN	8544.4290.99
XW22-P500C-SCH-A	I/O connection cable for G70V with Schneider Electric PLCs board 140 DDI 353 00, 32 input points, 5 m	279.10	670838	4548583800755			CC	Z	CHN	8544.4290.99
XW22-P500C-SCH-B	I/O connection cable for G70V with Schneider Electric PLCs board 140 DDO 353 00, 32 output points, 5 m	279.10	670811	4548583800809			CC	Z	CHN	8544.4290.99
XW22-P500C-SCH-C	I/O connection cable for G70V with Schneider Electric PLCs board BMX DDI 1602, 16 input points, 5 m	156.40	670816	4548583800854			CC	Z	CHN	8544.4290.99
XW22-P500C-SCH-D	I/O connection cable for G70V with Schneider Electric PLCs board BMX DDO 1602, 16 output points, 5 m	156.40	670780	4548583800908			CC	Z	CHN	8544.4290.99
XW22-P500C-SM-A	I/O connection cable for G70V with Siemens PLCs board 6ES7 321-1BL00-0 AA0, 32 input points, 5 m	248.60	670854	4548583800953			CC	Z	CHN	8544.4290.99
XW22-P500C-SM-B	I/O connection cable for G70V with Siemens PLCs board 6ES7 322-1BL00-0 AA0, 32 output points, 5 m	248.60	670837	4548583801004			CC	Z	CHN	8544.4290.99
XW22-P500C-SM-C	I/O connection cable for G70V with Siemens PLCs board 6ES7 321-1BH02-0 AA0, 16 input points, 5 m	153.70	670850	4548583801059			CC	Z	CHN	8544.4290.99
XW22-P500C-SM-D	I/O connection cable for G70V with Siemens PLCs board 6ES7 421-1BL-0 AA0, 32 input points, 5 m	399.20	670836	4548583801103			CC	Z	CHN	8544.4290.99
XW22-P500C-SM-E	I/O connection cable for G70V with Siemens PLCs board 6ES7 422-1BL-0 AA0, 32 output points, 5 m	399.20	670781	4548583801158			CC	Z	CHN	8544.4290.99
XW22-R100C-75-MN	I/O connection cable for G70V with Mitsubishi Electric PLC board AX42, A1SX41, A1SX42, 32 input points, 1 m	42.08	670774	4548583800632			CC	Z	JPN	8544.4290.99
XW22-R150C-125-MN	I/O connection cable for G70V with Mitsubishi Electric PLC board AX42, A1SX41, A1SX42, 32 input points, 1.5 m	46.24	670856	4548583800649			CC	Z	JPN	8544.4290.99
XW22-R200C-175-MN	I/O connection cable for G70V with Mitsubishi Electric PLC board AX42, A1SX41, A1SX42, 32 input points, 2 m	52.65	670841	4548583800656			CC	Z	JPN	8544.4290.99
XW22-R300C-275-MN	I/O connection cable for G70V with Mitsubishi Electric PLC board AX42, A1SX41, A1SX42, 32 input points, 3 m	60.90	670779	4548583800663			CC	Z	JPN	8544.4290.99
XW22-R0100C-75-MN	I/O connection cable for G70V with Mitsubishi Electric PLC board AY42, A1SY41, A1SY42, 32 output points, 1 m	39.17	670791	4548583800670			CC	Z	JPN	8544.4290.99
XW22-R0150C-125-MN	I/O connection cable for G70V with Mitsubishi Electric PLC board AY42, A1SY41, A1SY42, 32 output points, 1.5 m	46.73	670857	4548583800687			CC	Z	JPN	8544.4290.99
XW22-R0200C-175-MN	I/O connection cable for G70V with Mitsubishi Electric PLC board AY42, A1SY41, A1SY42, 32 output points, 2 m	53.25	670798	4548583800694			CC	Z	JPN	8544.4290.99
XW22-R0300C-275-MN	I/O connection cable for G70V with Mitsubishi Electric PLC board AY42, A1SY41, A1SY42, 32 output points, 3 m	60.00	670773	4548583800700			CC	Z	JPN	8544.4290.99

**Low Voltage Switch Gear /JMN motor protection.**

J7MN-3P-1	Motor-protective circuit breaker, switch type, 3-pole, 0.63-1 A	27.63	234279	4547648326957	#		CD	A	KOR	8536.4900.99
J7MN-3P-10	Motor-protective circuit breaker, switch type, 3-pole, 6-10 A	33.40	234285	4547648327015	#		CD	A	KOR	8536.4900.99
J7MN-3P-13	Motor-protective circuit breaker, switch type, 3-pole, 9-13 A	33.40	234286	4547648327022	#		CD	A	KOR	8536.4900.99
J7MN-3P-17	Motor-protective circuit breaker, switch type, 3-pole, 11-17 A	33.40	234287	4547648327039	#		CD	A	KOR	8536.4900.99
J7MN-3P-1E6	Motor-protective circuit breaker, switch type, 3-pole, 1-1.6 A	30.82	234280	4547648326964	#		CD	A	KOR	8536.4900.99
J7MN-3P-22	Motor-protective circuit breaker, switch type, 3-pole, 1.4-2.2 A	33.40	234288	4547648327046	#		CD	A	KOR	8536.4900.99
J7MN-3P-26	Motor-protective circuit breaker, switch type, 3-pole, 1.8-2.6 A	33.40	234289	4547648327053	#		CD	A	KOR	8536.4900.99
J7MN-3P-2E5	Motor-protective circuit breaker, switch type, 3-pole, 1.6-2.5 A	30.82	234281	4547648326971	#		CD	A	KOR	8536.4900.99
J7MN-3P-32	Motor-protective circuit breaker, switch type, 3-pole, 2.2-3.2 A	36.62	234290	4547648327060	#		CD	A	KOR	8536.4900.99
J7MN-3P-4	Motor-protective circuit breaker, switch type, 3-pole, 2.5-4 A	30.82	234282	4547648326988	#		CD	A	KOR	8536.4900.99
J7MN-3P-6	Motor-protective circuit breaker, switch type, 3-pole, 4-6 A	30.82	234283	4547648326995	#		CD	A	KOR	8536.4900.99
J7MN-3P-8	Motor-protective circuit breaker, switch type, 3-pole, 5-8 A	30.82	234284	4547648327008	#		CD	A	KOR	8536.4900.99
J7MN-3P-E16	Motor-protective circuit breaker, switch type, 3-pole, 0.10-0.16 A	27.63	234275	4547648326919	#		CD	A	KOR	8536.4900.99
J7MN-3P-E25	Motor-protective circuit breaker, switch type, 3-pole, 0.16-0.25 A	27.63	234276	4547648326926	#		CD	A	KOR	8536.4900.99

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Data sheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
J7MN-3PE4	Motor-protective circuit breaker, switch type,3-pole,0.25-0.4 A	27.63	234277	4547648326933			CD	A	KOR	8536.4900.99
J7MN-3PE53	Motor-protective circuit breaker, switch type,3-pole,0.4 A-0.63 A	27.63	234278	4547648326940			CD	A	KOR	8536.4900.99
J7MN-3R-1	Motor-protective circuit breaker, rotary type, 3-pole, 0.63-1 A	34.76	234295	4547648327114	#		CD	A	KOR	8536.4900.99
J7MN-3R-10	Motor-protective circuit breaker, rotary type, 3-pole, 6-10 A	40.74	234301	4547648327176	#		CD	A	KOR	8536.4900.99
J7MN-3R-13	Motor-protective circuit breaker, rotary type, 3-pole, 9-13 A	64.10	234302	4547648327183	#		CD	A	KOR	8536.4900.99
J7MN-3R-17	Motor-protective circuit breaker, rotary type, 3-pole, 11-17 A	41.39	234303	4547648327190	#		CD	A	KOR	8536.4900.99
J7MN-3R-1E5	Motor-protective circuit breaker, rotary type, 3-pole, 1-1.6 A	44.56	234296	4547648327121	#		CD	A	KOR	8536.4900.99
J7MN-3R-22	Motor-protective circuit breaker, rotary type, 3-pole, 14-22 A	42.50	234304	4547648327206	#		CD	A	KOR	8536.4900.99
J7MN-3R-26	Motor-protective circuit breaker, rotary type, 3-pole, 18-26 A	95.95	234305	4547648327213	#		CD	A	KOR	8536.4900.99
J7MN-3R-2E5	Motor-protective circuit breaker, rotary type, 3-pole, 1.6-2.5 A	35.14	234297	4547648327138	#		CD	A	KOR	8536.4900.99
J7MN-3R-32	Motor-protective circuit breaker, rotary type, 3-pole, 22-32 A	52.90	234306	4547648327220	#		CD	A	KOR	8536.4900.99
J7MN-3R-4	Motor-protective circuit breaker, rotary type, 3-pole, 2.5-4 A	39.84	234298	4547648327145	#		CD	A	KOR	8536.4900.99
J7MN-3R-6	Motor-protective circuit breaker, rotary type, 3-pole, 4-6 A	37.03	234299	4547648327152	#		CD	A	KOR	8536.4900.99
J7MN-3R-8	Motor-protective circuit breaker, rotary type, 3-pole, 5-8 A	37.03	234300	4547648327169	#		CD	A	KOR	8536.4900.99
J7MN-3RE16	Motor-protective circuit breaker, rotary type, 3-pole,0.10-0.16 A	32.68	234291	4547648327077	#		CD	A	KOR	8536.4900.99
J7MN-3RE25	Motor-protective circuit breaker, rotary type, 3-pole,0.16-0.25 A	46.72	234292	4547648327084	#		CD	A	KOR	8536.4900.99
J7MN-3RE4	Motor-protective circuit breaker, rotary type, 3-pole,0.25-0.4 A	46.72	234293	4547648327091	#		CD	A	KOR	8536.4900.99
J7MN-3RE53	Motor-protective circuit breaker, rotary type, 3-pole,0.4-0.63 A	32.68	234294	4547648327107	#		CD	A	KOR	8536.4900.99
J7MN-6R-26	Motor-protective circuit breaker, rotary type, 3-pole, 18-26 A	95.95	234307	4547648327237	#		CD	A	KOR	8536.4900.99
J7MN-6R-32	Motor-protective circuit breaker, rotary type, 3-pole, 22-32 A	104.90	234308	4547648327244	#		CD	A	KOR	8536.4900.99
J7MN-6R-40	Motor-protective circuit breaker, rotary type, 3-pole, 28-40 A	168.40	234309	4547648327251	#		CD	A	KOR	8536.4900.99
J7MN-6R-50	Motor-protective circuit breaker, rotary type, 3-pole, 34-50 A	175.50	234310	4547648327268	#		CD	A	KOR	8536.4900.99
J7MN-6R-63	Motor-protective circuit breaker, rotary type, 3-pole, 45-63 A	187.20	234311	4547648327275	#		CD	A	KOR	8536.4900.99
J7MN-9R-100	Motor-protective circuit breaker, rotary type, 3-pole, 80-100 A	180.10	234315	4547648327312	#		CD	A	KOR	8536.4900.99
J7MN-9R-63	Motor-protective circuit breaker, rotary type, 3-pole, 45-63 A	138.20	234312	4547648327282	#		CD	A	KOR	8536.4900.99
J7MN-9R-75	Motor-protective circuit breaker, rotary type, 3-pole, 55-75 A	151.40	234313	4547648327299	#		CD	A	KOR	8536.4900.99
J7MN-9R-90	Motor-protective circuit breaker, rotary type, 3-pole, 70-90 A	162.30	234314	4547648327305	#		CD	A	KOR	8536.4900.99
J7MC-3P-1	Motor Protection Circuit Breaker, Push-In Plus Terminals, Current setting range thermal overload release 0.63 - 1.00 A, HxWxD 130 x 45 x 71 mm	60.95	691112	4549734537018			CD	A	CHN	8536.4900.99
J7MC-3P-10	Motor Protection Circuit Breaker, Push-In Plus Terminals, Current setting range thermal overload release 6.3 - 10 A, HxWxD 130 x 45 x 71 mm	60.95	690054	4549734537063	5		CD	A	CHN	8536.4900.99
J7MC-3P-13	Motor Protection Circuit Breaker, Push-In Plus Terminals, Current setting range thermal overload release 9 - 13 A, HxWxD 130 x 45 x 71 mm	60.95	690053	4549734537070	5		CD	A	CHN	8536.4900.99
J7MC-3P-16	Motor Protection Circuit Breaker, Push-In Plus Terminals, Current setting range thermal overload release 11 - 16 A, HxWxD 130 x 45 x 71 mm	60.95	691109	4549734537087			CD	A	CHN	8536.4900.99
J7MC-3P-1E5	Motor Protection Circuit Breaker, Push-In Plus Terminals, Current setting range thermal overload release 1 - 1.6 A, HxWxD 130 x 45 x 71 mm	60.95	691111	4549734537025			CD	A	CHN	8536.4900.99
J7MC-3P-20	Motor Protection Circuit Breaker, Push-In Plus Terminals, Current setting range thermal overload release 14 - 20 A, HxWxD 130 x 45 x 71 mm	60.95	690052	4549734537094			CD	A	CHN	8536.4900.99
J7MC-3P-2E5	Motor Protection Circuit Breaker, Push-In Plus Terminals, Current setting range thermal overload release 1.6 - 2.5 A, HxWxD 130 x 45 x 71 mm	60.95	690118	4549734537032			CD	A	CHN	8536.4900.99
J7MC-3P-4	Motor Protection Circuit Breaker, Push-In Plus Terminals, Current setting range thermal overload release 2.5 - 4 A, HxWxD 130 x 45 x 71 mm	60.95	690118	4549734537049			CD	A	CHN	8536.4900.99
J7MC-3P-6	Motor Protection Circuit Breaker, Push-In Plus Terminals, Current setting range thermal overload release 4 - 6.3 A, HxWxD 130 x 45 x 71 mm	60.95	691110	4549734537056			CD	A	CHN	8536.4900.99
J7MC-3P-1E6	Motor Protection Circuit Breaker, Push-In Plus Terminals, Current setting range thermal overload release 0.10 - 0.16 A, HxWxD 130 x 45 x 71 mm	60.95	691114	4549734536974			CD	A	CHN	8536.4900.99
J7MC-3P-2E5	Motor Protection Circuit Breaker, Push-In Plus Terminals, Current setting range thermal overload release 0.16 - 0.25 A, HxWxD 130 x 45 x 71 mm	60.95	690056	4549734536981			CD	A	CHN	8536.4900.99
J7MC-3P-4	Motor Protection Circuit Breaker, Push-In Plus Terminals, Current setting range thermal overload release 0.25 - 0.40 A, HxWxD 130 x 45 x 71 mm	60.95	690055	4549734536998			CD	A	CHN	8536.4900.99
J7MC-3P-5E3	Motor Protection Circuit Breaker, Push-In Plus Terminals, Current setting range thermal overload release 0.40 - 0.63 A, HxWxD 130 x 45 x 71 mm	60.95	691113	4549734537001			CD	A	CHN	8536.4900.99
J7MC-3R-1	Motor Protection Circuit Breaker, Push-In Plus Terminals, Current setting range thermal overload release 0.63 - 1.00 A, HxWxD 130 x 45 x 90.8 mm	74.35	690050	4549734537148			CD	A	CHN	8536.4900.99
J7MC-3R-10	Motor Protection Circuit Breaker, Push-In Plus Terminals, Current setting range thermal overload release 6.3 - 10 A, HxWxD 130 x 45 x 90.8 mm	74.35	691105	4549734537193			CD	A	CHN	8536.4900.99
J7MC-3R-13	Motor Protection Circuit Breaker, Push-In Plus Terminals, Current setting range thermal overload release 9 - 13 A, HxWxD 130 x 45 x 90.8 mm	74.35	690045	4549734537209			CD	A	CHN	8536.4900.99
J7MC-3R-16	Motor Protection Circuit Breaker, Push-In Plus Terminals, Current setting range thermal overload release 11 - 16 A, HxWxD 130 x 45 x 90.8 mm	74.35	690044	4549734537216	5		CD	A	CHN	8536.4900.99
J7MC-3R-1E5	Motor Protection Circuit Breaker, Push-In Plus Terminals, Current setting range thermal overload release 1 - 1.6 A, HxWxD 130 x 45 x 90.8 mm	74.35	690049	4549734537155	5		CD	A	CHN	8536.4900.99
J7MC-3R-20	Motor Protection Circuit Breaker, Push-In Plus Terminals, Current setting range thermal overload release 14 - 20 A, HxWxD 130 x 45 x 90.8 mm	74.35	691104	4549734537223			CD	A	CHN	8536.4900.99
J7MC-3R-2E5	Motor Protection Circuit Breaker, Push-In Plus Terminals, Current setting range thermal overload release 1.6 - 2.5 A, HxWxD 130 x 45 x 90.8 mm	74.35	690048	4549734537162	5		CD	A	CHN	8536.4900.99
J7MC-3R-4	Motor Protection Circuit Breaker, Push-In Plus Terminals, Current setting range thermal overload release 2.5 - 4 A, HxWxD 130 x 45 x 90.8 mm	74.35	690047	4549734537179			CD	A	CHN	8536.4900.99
J7MC-3R-6	Motor Protection Circuit Breaker, Push-In Plus Terminals, Current setting range thermal overload release 4 - 6.3 A, HxWxD 130 x 45 x 90.8 mm	74.35	690046	4549734537186			CD	A	CHN	8536.4900.99
J7MC-3RE16	Motor Protection Circuit Breaker, Push-In Plus Terminals, Current setting range thermal overload release 0.10 - 0.16 A, HxWxD 130 x 45 x 90.8 mm	74.35	691108	4549734537100			CD	A	CHN	8536.4900.99
J7MC-3RE25	Motor Protection Circuit Breaker, Push-In Plus Terminals, Current setting range thermal overload release 0.16 - 0.25 A, HxWxD 130 x 45 x 90.8 mm	74.35	691107	4549734537117			CD	A	CHN	8536.4900.99
J7MC-3R-4	Motor Protection Circuit Breaker, Push-In Plus Terminals, Current setting range thermal overload release 0.25 - 0.40 A, HxWxD 130 x 45 x 90.8 mm	74.35	691106	4549734537124			CD	A	CHN	8536.4900.99
J7MC-3RE53	Motor Protection Circuit Breaker, Push-In Plus Terminals, Current setting range thermal overload release 0.40 - 0.63 A, HxWxD 130 x 45 x 90.8 mm	74.35	690051	4549734537131			CD	A	CHN	8536.4900.99
J73MC-K-10	Alarm Module for MMS(MPCB), Push-In Plus Terminals	19.19	690077	4549734537520			CD	A	CHN	8536.4900.99
J73MC-W-01	Auxiliary Contact Module for MMS(MPCB), Push-In Plus Terminals	18.18	690078	4549734537513			CD	A	CHN	8536.4900.99
J73MC-W-10	Auxiliary Contact Module for MMS(MPCB), Push-In Plus Terminals	18.18	690079	4549734537506			CD	A	CHN	8536.4900.99
<b>Low Voltage Switch Gear/J7KN Contactor</b>										
J7KNA-AR-22 110	Contactor relay, 4-pole, 2M2B, 10A thermal current/3A AC-15, 110 VAC	15.25	119093	4536854851193	10		CD	B	AUT	8536.4900.99
J7KNA-AR-22 230	Contactor relay, 4-pole, 2M2B, 10 A thermal current/3 A AC-15, 230 VAC	20.87	119094	4536854851216	10		CD	B	AUT	8536.4900.99
J7KNA-AR-22 24	Contactor relay, 4-pole, 2M2B, 10 A thermal current/3 A AC-15, 24 VAC	21.69	119091	4536854851162	10		CD	B	AUT	8536.4900.99
J7KNA-AR-22 24D	Contactor relay, 4-pole, 2M2B, 10A thermal current/3A AC-15, 24 VDC	19.12	119016	4536854851469	10		CD	B	AUT	8536.4900.99
J7KNA-AR-31 24	Contactor relay, 4-pole, 3M1B, 10 A thermal current/3 A AC-15, 24 VAC	20.66	119022	4536854851261	10		CD	B	AUT	8536.4900.99
J7KNA-AR-31 24D	Contactor relay, 4-pole, 3M1B, 10A thermal current/3A AC-15, 24 VDC	16.31	119023	4536854851544	10		CD	B	AUT	8536.4900.99
J7KNA-AR-40 110	Contactor relay, 4-pole, 4M, 10A thermal current/3A AC-15, 110 VAC	14.92	154758	4536854851391	10		CD	B	AUT	8536.4900.99
J7KNA-AR-40 230	Contactor relay, 4-pole, 4M, 10 A thermal current/3 A AC-15, 230 VAC	14.92	158036	4536854851414	10		CD	B	AUT	8536.4900.99
J7KNA-AR-40 24D	Contactor relay, 4-pole, 4M, 10A thermal current/3A AC-15, 24 VDC	21.05	119029	4536854851629	10		CD	B	AUT	8536.4900.99
J7KNA-AR-40 24VS	Contactor relay, 4-pole, 4M, 10 A thermal current/3 A AC-15 with diode suppressor, 24 VDC	21.71	119031	4536854851667	10		CD	B	AUT	8536.4900.99
J7KNA-AR-40 400	Mini contactor relay, 4-pole (4 NO), 10 A AC1 (up to 690 VAC), 400 VAC	17.17	119013	4536854851438	10		CD	B	AUT	8536.4900.99

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Daheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
J7KNA-09-01 110	Contactör, 3-pole, 9A/4kW AC3 (20A AC1) + 1B auxiliary, 110 VAC	13.44	119142	4536854850462		10	CD	B	AUT	8536.4900.99
J7KNA-09-01 230	Contactör, 3-pole, 9 A/4 kW AC3 (20 A AC1) + 1B auxiliary, 230 VAC	13.44	145970	4536854850486	#	10	CD	B	AUT	8536.4900.99
J7KNA-09-01 24	Contactör, 3-pole, 9 A/4 kW AC3 (20 A AC1) + 1B auxiliary, 24 VAC	13.41	119139	4536854850431		10	CD	B	AUT	8536.4900.99
J7KNA-09-01 24D	Contactör, 3-pole, 9 A/4 kW AC3 (20 A AC1) + 1B auxiliary, 24 VDC	19.19	119056	4536854850615	#	10	CD	B	AUT	8536.4900.99
J7KNA-09-01 24VS	Contactör, 3-pole, 9 A/4 kW AC3 (20 A AC1) + 1B auxiliary with diode suppressor, 24 VDC	21.33	149193	4536854850653		10	CD	B	AUT	8536.4900.99
J7KNA-09-01 400	Mini contactör, 3-pole, 4 kW; 9 A AC3 (400 VAC) + 1 NC, 400 VAC	15.14	143708	4536854850509		10	CD	B	AUT	8536.4900.99
J7KNA-09-01R 24VS	Reversing interlocked pair, 9 A/4 kW + 1B auxiliary on both sides, 230 VAC	46.93	245056	4547648252664		10	CD	B	AUT	8536.4900.99
J7KNA-09-10 110	Contactör, 3-pole, 9A/4kW AC3 (20A AC1) + 1M auxiliary, 110 VAC	13.50	158034	4536854850363		10	CD	B	AUT	8536.4900.99
J7KNA-09-10 230	Contactör, 3-pole, 9 A/4 kW AC3 (20 A AC1) + 1M auxiliary, 230 VAC	13.44	119134	4536854850367	#	10	CD	B	AUT	8536.4900.99
J7KNA-09-10 24	Contactör, 3-pole, 9 A/4 kW AC3 (20 A AC1) + 1M auxiliary, 24 VAC	13.44	119132	4536854850332		10	CD	B	AUT	8536.4900.99
J7KNA-09-10 24D	Contactör, 3-pole, 9 A/4 kW AC3 (20 A AC1) + 1M auxiliary, 24 VDC	19.19	119051	4536854850530	#	10	CD	B	AUT	8536.4900.99
J7KNA-09-10 24VS	Contactör, 3-pole, 9 A/4 kW AC3 (20 A AC1) + 1M auxiliary with diode suppressor, 24 VDC	21.33	119054	4536854850578		10	CD	B	AUT	8536.4900.99
J7KNA-09-10 400	Mini contactör, 3-pole, 4 kW; 9 A AC3 (400 VAC) + 1 NO, 400 VAC	13.69	119136	4536854850447		10	CD	B	AUT	8536.4900.99
J7KNA-09-10 415	Mini contactör, 3-pole, 4 kW; 9 A AC3 (400 VAC) + 1 NO, 415 VAC	13.69	119137	4536854850417		10	CD	B	AUT	8536.4900.99
J7KNA-09-4 230	Contactör, 4-pole, 9A/4kW AC3 (20A AC1), 230 VAC	17.17	158035	4536854850745		10	CD	B	AUT	8536.4900.99
J7KNA-09-4 400	Mini contactör, 4-pole, 20 A AC1 (up to 690 VAC), 400 VAC	17.17	119063	4536854850769		10	CD	B	AUT	8536.4900.99
J7KNA-12-01 230	Contactör, 3-pole, 12 A/5.5 kW AC3 (20 A AC1) + 1B auxiliary, 230 VAC	16.58	119076	4536854850950	#	10	CD	B	AUT	8536.4900.99
J7KNA-12-01 24	Contactör, 3-pole, 12 A/5.5 kW AC3 (20 A AC1) + 1B auxiliary, 24 VAC	17.01	153496	4536854850905		10	CD	B	AUT	8536.4900.99
J7KNA-12-01 24D	Contactör, 3-pole, 12 A/5.5 kW AC3 (20 A AC1) + 1B auxiliary, 24 VDC	23.66	151253	4536854851087		10	CD	B	AUT	8536.4900.99
J7KNA-12-01 24VS	Contactör, 3-pole, 12 A/5.5 kW, 12 A AC3 (400 VAC) + 1 NC, 400 VAC	25.79	119087	4536854851124		10	CD	B	AUT	8536.4900.99
J7KNA-12-01 400	Mini contactör, 3-pole, 5.5 kW, 12 A AC3 (400 VAC) + 1 NC, 400 VAC	18.97	119077	4536854850974		10	CD	B	AUT	8536.4900.99
J7KNA-12-10 230	Contactör, 3-pole, 12 A/5.5 kW AC3 (20 A AC1) + 1M auxiliary, 230 VAC	16.66	119068	4536854850851		10	CD	B	AUT	8536.4900.99
J7KNA-12-10 24	Contactör, 3-pole, 12 A/5.5 kW AC3 (20 A AC1) + 1M auxiliary, 24 VAC	16.58	119065	4536854850806		10	CD	B	AUT	8536.4900.99
J7KNA-12-10 24D	Contactör, 3-pole, 12 A/5.5 kW AC3 (20 A AC1) + 1M auxiliary, 24 VDC	23.66	119080	4536854851001	#	10	CD	B	AUT	8536.4900.99
J7KNA-12-10 400	Mini contactör, 3-pole, 5.5 kW, 12 A AC3 (400 VAC) + 1 NO, 400 VAC	18.97	119070	4536854850875		10	CD	B	AUT	8536.4900.99
J7KN-10D-01 230	Contactör, 3-pole, 10 A/4 kW AC3 (25 A AC1) + 1B auxiliary, 230 VAC	15.77	367266	4548583135482			CD	B	AUT	8536.4900.99
J7KN-10D-01 24	Contactör, 3-pole, 10 A/4 kW AC3 (25 A AC1) + 1B auxiliary, 24 VAC	15.82	367267	4548583135499			CD	B	AUT	8536.4900.99
J7KN-10D-01 24D	Contactör, 3-pole, 4 kW; 10 A AC3 (380-415 VAC) + 1 NC aux., 24 VDC	24.93	367268	4548583135505			CD	B	AUT	8536.4900.99
J7KN-10D-01 400	Contactör, 3-pole, 4 kW; 10 A AC3 (380-415 VAC) + 1 NC aux., 400 VAC	17.96	367269	4548583135512			CD	B	AUT	8536.4900.99
J7KN-14D-01 110	Contactör, 3-pole, 5.5 kW; 14 A AC3 (380-415 VAC) + 1 NC aux., 110 VAC	17.20	367294	4548583135765			CD	B	AUT	8536.4900.99
J7KN-14D-01 230	Contactör, 3-pole, 14 A/5.5 kW AC3 (25 A AC1) + 1B auxiliary, 230 VAC	17.01	367298	4548583135802			CD	B	AUT	8536.4900.99
J7KN-14D-01 24	Contactör, 3-pole, 14 A/5.5 kW AC3 (25 A AC1) + 1B auxiliary, 24 VAC	17.20	367299	4548583135819			CD	B	AUT	8536.4900.99
J7KN-14D-01 24D	Contactör, 3-pole, 5.5 kW; 14 A AC3 (380-415 VAC) + 1 NC aux., 24 VDC	26.56	367300	4548583135826			CD	B	AUT	8536.4900.99
J7KN-14D-01 400	Contactör, 3-pole, 5.5 kW; 14 A AC3 (380-415 VAC) + 1 NC aux., 400 VAC	19.59	367301	4548583135833			CD	B	AUT	8536.4900.99
J7KN-18D-01 230	Contactör, 3-pole, 18 A/7.5 kW AC3 (32 A AC1) + 1B auxiliary, 230 VAC	25.35	367330	4548583136120			CD	B	AUT	8536.4900.99
J7KN-18D-01 24	Contactör, 3-pole, 18 A/7.5 kW AC3 (32 A AC1) + 1B auxiliary, 24 VAC	25.46	367331	4548583136137			CD	B	AUT	8536.4900.99
J7KN-18D-01 24D	Contactör, 3-pole, 7.5 kW; 18 A AC3 (380-415 VAC) + 1 NC aux., 24 VDC	32.71	367332	4548583136144	#		CD	B	AUT	8536.4900.99
J7KN-22D-01 230	Contactör, 3-pole, 22 A/11 kW AC3 (32 A AC1) + 1B auxiliary, 230 VAC	34.45	367362	4548583136441			CD	B	AUT	8536.4900.99
J7KN-22D-01 24	Contactör, 3-pole, 22 A/11 kW AC3 (32 A AC1) + 1B auxiliary, 24 VAC	34.57	367363	4548583136458			CD	B	AUT	8536.4900.99
J7KN-22D-01 24D	Contactör, 3-pole, 11 kW; 22 A AC3 (380-415 VAC) + 1 NC aux., 24 VDC	39.07	367364	4548583136465			CD	B	AUT	8536.4900.99
J7KNG-10-01 24D	Contactör, DC-operated (3VA), 3-pole, 10 A/4 kW AC3 + 1B auxiliary	30.17	183546	4547648171069	#		CD	B	AUT	8536.4900.99
J7KNG-14-01 24D	Contactör, DC-operated (3VA), 3-pole, 14 A/5.5 kW AC3 + 1B auxiliary	31.93	183554	4547648171144			CD	B	AUT	8536.4900.99
J7KNG-18-01 24D	Contactör, DC-operated (3VA), 3-pole, 18 A/7.5 kW AC3 + 1B auxiliary	32.68	183562	4547648171229	#		CD	B	AUT	8536.4900.99
J7KNG-22-01 24D	Contactör, DC-operated (3VA), 3-pole, 22 A/11 kW AC3 + 1B auxiliary	41.41	183570	4547648171304			CD	B	AUT	8536.4900.99
J7KN-10D-10 110	Contactör, 3-pole, 4 kW; 10 A AC3 (380-415 VAC) + 1 NO aux., 110 VAC	15.75	367274	4548583135567			CD	B	AUT	8536.4900.99
J7KN-10D-10 230	Contactör, 3-pole, 4 kW; 10 A AC3 (380-415 VAC) + 1 NO aux., 230 VAC	15.70	367278	4548583135604	#		CD	B	AUT	8536.4900.99
J7KN-10D-10 24	Contactör, 3-pole, 4 kW; 10 A AC3 (380-415 VAC) + 1 NO aux., 24 VAC	15.75	367279	4548583135611			CD	B	AUT	8536.4900.99
J7KN-10D-10 24D	Contactör, 3-pole, 4 kW; 10 A AC3 (380-415 VAC) + 1 NO aux., 24 VDC	24.82	367280	4548583135628			CD	B	AUT	8536.4900.99
J7KN-10D-10 400	Contactör, 3-pole, 4 kW; 10 A AC3 (380-415 VAC) + 1 NO aux., 400 VAC	17.96	367281	4548583135635			CD	B	AUT	8536.4900.99
J7KN-14D-10 230	Contactör, 3-pole, 14 A/5.5 kW AC3 (25 A AC1) + 1M auxiliary, 230 VAC	17.10	367310	4548583135925	#		CD	B	AUT	8536.4900.99
J7KN-14D-10 24	Contactör, 3-pole, 14 A/5.5 kW AC3 (25 A AC1) + 1M auxiliary, 24 VAC	17.13	367311	4548583135932			CD	B	AUT	8536.4900.99
J7KN-14D-10 24D	Contactör, 3-pole, 5.5 kW; 14 A AC3 (380-415 VAC) + 1 NO aux., 24 VDC	26.56	367312	4548583135949			CD	B	AUT	8536.4900.99
J7KN-14D-10 400	Contactör, 3-pole, 5.5 kW; 14 A AC3 (380-415 VAC) + 1 NO aux., 400 VAC	19.16	367313	4548583135956			CD	B	AUT	8536.4900.99
J7KN-18D-10 110	Contactör, 3-pole, 7.5 kW; 18 A AC3 (380-415 VAC) + 1 NO aux., 110 VAC	25.35	367338	4548583136205			CD	B	AUT	8536.4900.99
J7KN-18D-10 230	Contactör, 3-pole, 18 A/7.5 kW AC3 (32 A AC1) + 1M auxiliary, 230 VAC	25.35	367342	4548583136243	#		CD	B	AUT	8536.4900.99
J7KN-18D-10 24	Contactör, 3-pole, 18 A/7.5 kW AC3 (32 A AC1) + 1M auxiliary, 24 VAC	25.35	367343	4548583136250			CD	B	AUT	8536.4900.99
J7KN-18D-10 24D	Contactör, 3-pole, 7.5 kW; 18 A AC3 (380-415 VAC) + 1 NO aux., 24 VDC	32.71	367344	4548583136267	#		CD	B	AUT	8536.4900.99
J7KN-18D-10 400	Contactör, 3-pole, 7.5 kW; 18 A AC3 (380-415 VAC) + 1 NO aux., 400 VAC	25.86	367345	4548583136274			CD	B	AUT	8536.4900.99
J7KN-22D-10 230	Contactör, 3-pole, 22 A/11 kW AC3 (32 A AC1) + 1M auxiliary, 230 VAC	34.45	367374	4548583136564			CD	B	AUT	8536.4900.99
J7KN-22D-10 24	Contactör, 3-pole, 22 A/11 kW AC3 (32 A AC1) + 1M auxiliary, 24 VAC	34.57	367375	4548583136571			CD	B	AUT	8536.4900.99
J7KN-22D-10 24D	Contactör, 3-pole, 11 kW; 22 A AC3 (380-415 VAC) + 1 NO aux., 24 VDC	39.07	367376	4548583136588	#		CD	B	AUT	8536.4900.99
J7KN-22D-10 400	Contactör, 3-pole, 11 kW; 22 A AC3 (380-415 VAC) + 1 NO aux., 400 VAC	35.14	367377	4548583136595			CD	B	AUT	8536.4900.99
J7KNG-10-10 24D	Contactör, DC-operated (3VA), 3-pole, 10 A/4 kW AC3 + 1M auxiliary	30.17	183550	4547648171106			CD	B	AUT	8536.4900.99
J7KNG-14-10 24D	Contactör, DC-operated (3VA), 3-pole, 14 A/5.5 kW AC3 + 1M auxiliary	31.93	183558	4547648171182			CD	B	AUT	8536.4900.99
J7KNG-18-10 24D	Contactör, DC-operated (3VA), 3-pole, 18 A/7.5 kW AC3 + 1M auxiliary	38.18	183566	4547648171267			CD	B	AUT	8536.4900.99
J7KNG-22-10 24D	Contactör, DC-operated (3VA), 3-pole, 22 A/11 kW AC3 + 1M auxiliary	48.89	183574	4547648171342	#		CD	B	AUT	8536.4900.99
J7KN-10D-4 230	Contactör, 4-pole, 25 A AC1 (up to 690 VAC), 230 VAC	19.97	367288	4548583135703			CD	B	AUT	8536.4900.99
J7KN-10D-4 400	Contactör, 4-pole, 25 A AC1 (up to 690 VAC), 400 VAC	19.97	367290	4548583135727			CD	B	AUT	8536.4900.99
J7KN-14D-4 230	Contactör, 4-pole, 25 A AC1 (up to 690 VAC), 230 VAC	23.49	367320	4548583136021			CD	B	AUT	8536.4900.99
J7KN-14D-4 400	Contactör, 4-pole, 25 A AC1 (up to 690 VAC), 400 VAC	26.30	367322	4548583136045			CD	B	AUT	8536.4900.99
J7KN-18D-4 230	Contactör, 4-pole, 32 A AC1 (up to 690 VAC), 230 VAC	29.53	367352	4548583136342			CD	B	AUT	8536.4900.99
J7KNG-22-4 24D	DC solenoid motor contactör, 4-pole, 22A, 24 VDC	46.55	197345	4547648205979			CD	B	AUT	8536.4900.99
J7KN-24 230	Contactör, 3-pole, 24 A/11 kW AC-3 (50 A AC1), 230 VAC	35.66	148113	4536854852794	#		CD	B	AUT	8536.4900.99

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Daheet)	GTIN	Stock Qty.	Lot	Gr.	Fam	COO	Tariff Code
J7KN-24 24	Contactör, 3-pole, 24 A/11 kW AC-3 (50 A AC1), 24 VAC	35,66	152417	4536854852749			CD	B	AUT	8536.4900.99
J7KN-24 24D	Contactör, 3-pole, 24A/11kW AC-3 (50A AC1), 24 VDC	34,79	151258	4536854852824			CD	B	AUT	8536.4900.99
J7KN-32 110	Contactör, 3-pole, 32A/15kW AC-3 (65A AC1), 110 VAC	48,66	104537	4536854852893			CD	B	AUT	8536.4900.99
J7KN-32 230	Contactör, 3-pole, 32 A/15 kW AC-3 (65 A AC1), 230 VAC	48,66	158039	4536854852916	#		CD	B	AUT	8536.4900.99
J7KN-32 24	Contactör, 3-pole, 32A/15kW AC-3 (65A AC1), 24 VAC	48,66	118987	4536854852862			CD	B	AUT	8536.4900.99
J7KN-32 24D	Contactör, 3-pole, 32A/15kW AC-3 (65A AC1), 24 VDC	52,95	118903	4536854852947			CD	B	AUT	8536.4900.99
J7KN-32 400	Contactör, 3-pole, 15 kW, 32 A AC3 (380-415 VAC), 400 VAC	49,33	118901	4536854852923			CD	B	AUT	8536.4900.99
J7KN-32 48	Contactör, 3-pole, 15 kW, 32 A AC3 (380-415 VAC), 48 VAC	49,33	118998	4536854852879			CD	B	AUT	8536.4900.99
J7KN-32 48D	Contactör, 3-pole, 15 kW, 32 A AC3 (380-415 VAC), 48 VDC	54,15	118904	4536854852954			CD	B	AUT	8536.4900.99
J7KN-40 230	Contactör, 3-pole, 40 A/18,5 kW AC-3 (80 A AC1), 230 VAC	58,95	118814	4536854853036	#		CD	B	AUT	8536.4900.99
J7KN-40 24	Contactör, 3-pole, 40 A/18,5 kW AC-3 (80 A AC1), 24 VAC	59,35	118810	4536854852985			CD	B	AUT	8536.4900.99
J7KN-40 24D	Contactör, 3-pole, 40A/18,5kW AC-3 (80A AC1), 24 VDC	62,15	118816	4536854853067			CD	B	AUT	8536.4900.99
J7KNG-24 24D	Contactör, DC-operated (3VA), 3-pole, 24 A/11 kW AC3	51,50	197786	4547648206044			CD	B	AUT	8536.4900.99
J7KNG-32 24D	Contactör, DC-operated (3VA), 3-pole, 32 A/15 kW AC3	73,45	197792	4547648206105			CD	B	AUT	8536.4900.99
J7KNG-40 24D	Contactör, DC-operated (3VA), 3-pole, 40 A/18,5 kW AC3	85,70	197798	4547648206167			CD	B	AUT	8536.4900.99
J7KN-50 110	Contactör, 3-pole, 50A/22kW AC-3 (110A AC1), 110 VAC	74,65	148114	4536854853135			CD	B	AUT	8536.4900.99
J7KN-50 230	Contactör, 3-pole, 50 A/22 kW AC-3 (110 A AC1), 230 VAC	74,65	118823	4536854853159	#		CD	B	AUT	8536.4900.99
J7KN-50 24	Contactör, 3-pole, 50 A/22 kW AC-3 (110 A AC1), 24 VAC	74,65	118819	4536854853104	#		CD	B	AUT	8536.4900.99
J7KN-50 24D	Contactör, 3-pole, 50 A/30 kW AC-3 (110 A AC1), 24 VDC	77,20	118825	4536854853180			CD	B	AUT	8536.4900.99
J7KN-62 230	Contactör, 3-pole, 62 A/30 kW AC-3 (120 A AC1), 230 VAC	106,80	150146	4536854853272	#		CD	B	AUT	8536.4900.99
J7KN-62 24	Contactör, 3-pole, 62 A/30 kW AC-3 (120 A AC1), 24 VAC	106,80	118828	4536854853227			CD	B	AUT	8536.4900.99
J7KN-62 24D	Contactör, 3-pole, 62 A/30 kW AC-3 (120 A AC1), 24 VDC	105,40	118834	4536854853302			CD	B	AUT	8536.4900.99
J7KN-74 110	Contactör, 3-pole, 74A/37kW AC-3 (130A AC1), 110 VAC	123,30	118840	4536854853371			CD	B	AUT	8536.4900.99
J7KN-74 230	Contactör, 3-pole, 74 A/37 kW AC-3 (130 A AC1), 230 VAC	122,90	118841	4536854853395			CD	B	AUT	8536.4900.99
J7KN-74 24	Contactör, 3-pole, 74 A/37 kW AC-3 (130 A AC1), 24 VAC	125,70	118838	4536854853340			CD	B	AUT	8536.4900.99
J7KN-110-22 230	Contactör, 3-pole, 110 A/55 kW AC3 (170 A AC1) + 2M2B auxiliaries, 230 VAC	199,50	153500	4536854853654			CD	B	AUT	8536.4900.99
J7KN-115 230	Contactör, 3-pole, 55 kW, 115 A AC3 (380-415 VAC), 230 VAC/DC	191,60	245090	4547648526005			CD	B	AUT	8536.4900.99
J7KN-115 24	Contactör, 3-pole, 55 kW, 115 A AC3 (380-415 VAC), 24 VAC/DC	191,60	245087	4547648525978			CD	B	AUT	8536.4900.99
J7KN-90 230	Contactör, 3-pole, 45 kW, 90 A AC3 (380-415 VAC), 230 VAC/DC	144,00	245085	4547648525954			CD	B	AUT	8536.4900.99
J7KN-90 24	Contactör, 3-pole, 45 kW, 90 A AC3 (380-415 VAC), 24 VAC/DC	144,00	245082	4547648525923			CD	B	AUT	8536.4900.99
J7KN-151 230	Contactör, 3-pole, 150 A/75 kW AC3 (230 A AC1), 230 VAC	271,40	183524	4547648170840			CD	B	ITA	8536.4900.99
J7KN-176 230	Contactör, 3-pole, 175 A/90 kW AC3 (250 A AC1), 24 VAC	301,70	183534	4547648170949			CD	B	ITA	8536.4900.99
J7KN-210 230	Contactör, 3-pole, 210 A/110 kW AC3 (350 A AC1) + 2M1B auxiliaries, 230 VAC	456,40	245096	4547648526067			CD	B	ITA	8536.4900.99
J7KN-260 230	Contactör, 3-pole, 132 kW, 260 A AC3 (380-415 VAC), 230 VAC/DC	737,00	245101	4547648526111			CD	B	ITA	8536.4900.99
J7KN-316 230	Contactör, 3-pole, 160 kW, 316 A AC3 (380-415 VAC), 230 VAC/DC	943,50	245106	4547648526166			CD	B	ITA	8536.4900.99
J7KN-450-22 230	Contactör 3-pole, 450 A/250 kW AC3 (600 A AC1), 230 VAC	1039,00	223925	4547648233980			CD	B	ITA	8536.4900.99
J7KN-550-22 230	Contactör 3-pole, 550 A/300 kW AC3 (760 A AC1), 230 VAC	1326,00	223930	4547648233958			CD	B	ITA	8536.4900.99
J7KN-700-22 230	Contactör 3-pole, 700 A/400 kW AC3 (1000 A AC1), 230 VAC	2.171,00	223935	4547648234023			CD	B	ITA	8536.4900.99
J7KN-860-22 230	Contactör 3-pole, 860 A/500 kW AC3 (1100 A AC1), 230 VAC	2.900,00	223940	4547648234115			CD	B	ITA	8536.4900.99
J7KC-12-01 110VAC	Motor Contactör, 3 Poles, Push-In Plus Terminals, up to 5.5 kW, 110 VAC, Contacts: NO 3 NC 0, H+ W+ D 67.5 x 45 x 46 mm	27,98	690086	4549734535434			CD	B	JPN	8536.4900.99
J7KC-12-01 230VAC	Motor Contactör, 3 Poles, Push-In Plus Terminals, up to 5.5 kW, 230 VAC, Contacts: NO 3 NC 0, H+ W+ D 67.5 x 45 x 46 mm	27,98	690087	4549734535519	10	CD	B	JPN	8536.4900.99	
J7KC-12-01 240VAC	Motor Contactör, 3 Poles, Push-In Plus Terminals, up to 5.5 kW, 240 VAC, Contacts: NO 3 NC 0, H+ W+ D 67.5 x 45 x 46 mm	27,98	690068	4549734535533			CD	B	JPN	8536.4900.99
J7KC-12-01 24VAC	Motor Contactör, 3 Poles, Push-In Plus Terminals, up to 5.5 kW, 24 VAC, Contacts: NO 3 NC 0, H+ W+ D 67.5 x 45 x 46 mm	27,98	690085	4549734535373	10	CD	B	JPN	8536.4900.99	
J7KC-12-01 24VDC	Motor Contactör, 3 Poles, Push-In Plus Terminals, up to 5.5 kW, 24 VDC, Contacts: NO 3 NC 0, H+ W+ D 67.5 x 45 x 46 mm	31,82	690066	4549734535656	10	CD	B	JPN	8536.4900.99	
J7KC-12-10 110VAC	Motor Contactör, 3 Poles, Push-In Plus Terminals, up to 5.5 kW, 110 VAC, Contacts: NO 3 NC 0, H+ W+ D 67.5 x 45 x 46 mm	27,98	690070	4549734535427			CD	B	JPN	8536.4900.99
J7KC-12-10 230VAC	Motor Contactör, 3 Poles, Push-In Plus Terminals, up to 5.5 kW, 230 VAC, Contacts: NO 3 NC 0, H+ W+ D 67.5 x 45 x 46 mm	27,98	690069	4549734535502	10	CD	B	JPN	8536.4900.99	
J7KC-12-10 24VAC	Motor Contactör, 3 Poles, Push-In Plus Terminals, up to 5.5 kW, 24 VAC, Contacts: NO 3 NC 0, H+ W+ D 67.5 x 45 x 46 mm	27,98	690071	4549734535366	10	CD	B	JPN	8536.4900.99	
J7KC-12-10 24VDC	Motor Contactör, 3 Poles, Push-In Plus Terminals, up to 5.5 kW, 24 VDC, Contacts: NO 3 NC 0, H+ W+ D 67.5 x 45 x 46 mm	31,82	690037	4549734535649	10	CD	B	JPN	8536.4900.99	
J7KC-12-10 400VAC	Motor Contactör, 3 Poles, Push-In Plus Terminals, up to 5.5 kW, 400 VAC, Contacts: NO 3 NC 0, H+ W+ D 67.5 x 45 x 46 mm	27,98	690067	4549734535654			CD	B	JPN	8536.4900.99
J7KCR-12-01 24VAC	Reversing Motor Contactör, 3 x 2 Poles, Push-In Plus Terminals, up to 5.5 kW, 24 VAC, Contacts: NO 3 x 2 NC 0, H+ W+ D 67.5 x 90.5 x 46 mm	87,40	690065	4549734535890			CD	B	JPN	8536.4900.99
J7KCR-12-01 24VDC	Reversing Motor Contactör, 3 x 2 Poles, Push-In Plus Terminals, up to 5.5 kW, 24 VDC, Contacts: NO 3 x 2 NC 0, H+ W+ D 67.5 x 90.5 x 46 mm	94,45	690120	4549734536110			CD	B	JPN	8536.4900.99
J7KCR-12-01 48VDC	Reversing Motor Contactör, 3 x 2 Poles, Push-In Plus Terminals, up to 5.5 kW, 48 VDC, Contacts: NO 3 x 2 NC 0, H+ W+ D 67.5 x 90.5 x 46 mm	94,45	690064	4549734536134			CD	B	JPN	8536.4900.99
J7KCR-12-10 24VAC	Reversing Motor Contactör, 3 x 2 Poles, Push-In Plus Terminals, up to 5.5 kW, 24 VAC, Contacts: NO 3 x 2 NC 0, H+ W+ D 67.5 x 90.5 x 46 mm	87,40	690122	4549734535823			CD	B	JPN	8536.4900.99
J7KCR-12-10 24VDC	Reversing Motor Contactör, 3 x 2 Poles, Push-In Plus Terminals, up to 5.5 kW, 24 VDC, Contacts: NO 3 x 2 NC 0, H+ W+ D 67.5 x 90.5 x 46 mm	94,45	690121	4549734536103			CD	B	JPN	8536.4900.99
J7KCA-22 110VAC	Contactör Relay, 4 Poles, Push-In Plus Terminals, 110 VAC, Contacts: NO 2 NC 2, H+ W+ D 67.5 x 45 x 46 mm	26,47	690063	4549734536394			CD	B	JPN	8536.4900.99
J7KCA-22 230VAC	Contactör Relay, 4 Poles, Push-In Plus Terminals, 230 VAC, Contacts: NO 2 NC 2, H+ W+ D 67.5 x 45 x 46 mm	26,47	690061	4549734536516			CD	B	JPN	8536.4900.99
J7KCA-22 24VDC	Contactör Relay, 4 Poles, Push-In Plus Terminals, 24 VDC, Contacts: NO 2 NC 2, H+ W+ D 67.5 x 45 x 46 mm	35,46	690058	4549734536721	10	CD	B	JPN	8536.4900.99	
J7KCA-22 48VDC	Contactör Relay, 4 Poles, Push-In Plus Terminals, 48 VDC, Contacts: NO 2 NC 2, H+ W+ D 67.5 x 45 x 46 mm	35,46	690057	4549734536752	10	CD	B	JPN	8536.4900.99	
J7KCA-31 24VDC	Contactör Relay, 4 Poles, Push-In Plus Terminals, 24 VDC, Contacts: NO 3 NC 1, H+ W+ D 67.5 x 45 x 46 mm	35,46	690059	4549734536714	10	CD	B	JPN	8536.4900.99	
J7KCA-40 230VAC	Contactör Relay, 4 Poles, Push-In Plus Terminals, 230 VAC, Contacts: NO 4 NC 0, H+ W+ D 67.5 x 45 x 46 mm	26,47	690062	4549734536493			CD	B	JPN	8536.4900.99
J7KCA-40 24VDC	Contactör Relay, 4 Poles, Push-In Plus Terminals, 24 VDC, Contacts: NO 4 NC 0, H+ W+ D 67.5 x 45 x 46 mm	35,46	690060	4549734536707	10	CD	B	JPN	8536.4900.99	
J73KC-AM-04	Auxiliary Contact Module for Motor Contactör, Push-In Plus Terminals, Contacts: NO 0 NC 4, H+ W+ D 40.5 x 38.5 x 41.5 mm	15,86	690080	4549734537490	10	CD	B	CHN	8536.4900.99	
J73KC-AM-11	Auxiliary Contact Module for Motor Contactör, Push-In Plus Terminals, Contacts: NO 1 NC 1, H+ W+ D 40.5 x 38.5 x 41.5 mm	12,83	690083	4549734537438	10	CD	B	CHN	8536.4900.99	
J73KC-AM-22	Auxiliary Contact Module for Motor Contactör, Push-In Plus Terminals, Contacts: NO 2 NC 2, H+ W+ D 40.5 x 38.5 x 41.5 mm	15,86	690081	4549734537476	10	CD	B	CHN	8536.4900.99	
J73KC-AM-40	Auxiliary Contact Module for Motor Contactör, Push-In Plus Terminals, Contacts: NO 4 NC 0, H+ W+ D 40.5 x 38.5 x 41.5 mm	15,86	690082	4549734537452	10	CD	B	CHN	8536.4900.99	
J74KC-A	Option to build Reversing Contactör, Interlock unit	6,67	690125	4549734537544			CD	B	CHN	8536.4900.99
J75KC-WKFR-A	Option to build Reversing Contactör, Reversing conductor kit wires	9,50	690076	4549734537551			CD	B	JPN	8536.4900.99
J75KC-WKFR-B	Option to build Reversing Contactör, Reversing conductor kit for control circuit	12,83	690124	4549734537568			CD	B	JPN	8536.4900.99
J76KC-RC-1	Coil-surge suppression, RC suppressor units	7,58	690075	4549734537575	10	CD	B	CHN	8536.4900.99	

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Daheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
J76KC-RC-2	Coil-surge suppression, RC suppressor units	7.58	690074	4549734537582			CD	B	CHN	8536.4900.99
J76KC-RC-3	Coil-surge suppression, RC suppressor units	7.58	690073	4549734537599	50		CD	B	CHN	8536.4900.99
J76KC-RC-N-1	Coil-surge suppression, RC suppressor units	10.00	690084	4549734537605	10		CD	B	CHN	8536.4900.99
J76KC-RC-N-2	Coil-surge suppression, RC suppressor units	10.00	690072	4549734537612	10		CD	B	CHN	8536.4900.99
J76KC	Removal Tool for thermal overload relay	4.55	690123	4549734537667			CD	B	JPN	8536.4900.99
J73KN-A-04	Auxiliary contacts, 4-pole, 4M, for J7KNA-AR relay	7.30	323395	4547648782487	10		CD	B	AUT	8536.4900.99
J7KNU-05-4 110	Micro contactor, 4-pole, 5 A/ 2.2 kW AC3 (12 A AC1), 110 VAC	16.84	668444	4548583772373			CD	B	AUT	8536.4900.99
J7KNU-05-4 180	Micro contactor, 4-pole, 5 A/ 2.2 kW AC3 (12 A AC1), 180 VAC	16.84	668445	4548583772380			CD	B	AUT	8536.4900.99
J7KNU-05-4 230	Micro contactor, 4-pole, 5 A/ 2.2 kW AC3 (12 A AC1), 230 VAC	16.84	668443	4548583772397			CD	B	AUT	8536.4900.99
J7KNU-05-4 24	Micro contactor, 4-pole, 5 A/ 2.2 kW AC3 (12 A AC1), 24 VAC	16.84	668442	4548583772403	10		CD	B	AUT	8536.4900.99
J7KNU-05-4 48	Micro contactor, 4-pole, 5 A/ 2.2 kW AC3 (12 A AC1), 48 VAC	16.84	668446	4548583772410			CD	B	AUT	8536.4900.99
J7KNU-AR-22 110	Micro contactor relay, 4-pole (2 NO & 2 NC), 12 A AC1 (up to 440 VAC), 110 VAC	16.84	668199	4548583765252			CD	B	AUT	8536.4900.99
J7KNU-AR-22 110D	Micro contactor relay, 4-pole (2 NO & 2 NC), 3A AC15 (up to 230 V), 110 VDC	20.89	675305	4549734134095			CD	B	AUT	8536.4900.99
J7KNU-AR-22 180	Micro contactor relay, 4-pole (2 NO & 2 NC), 12 A AC1 (up to 440 VAC), 180 VAC	16.84	668221	4548583765269			CD	B	AUT	8536.4900.99
J7KNU-AR-22 230	Micro contactor relay, 4-pole (2 NO & 2 NC), 12 A AC1 (up to 440 VAC), 230 VAC	16.84	668193	4548583765276	10		CD	B	AUT	8536.4900.99
J7KNU-AR-22 24	Micro contactor relay, 4-pole (2 NO & 2 NC), 12 A AC1 (up to 440 VAC), 24 VAC	16.84	668202	4548583765283			CD	B	AUT	8536.4900.99
J7KNU-AR-22 24D	Micro contactor relay, 4-pole (2 NO & 2 NC), 3A AC15 (up to 230 V), 24 VDC	20.89	675309	4549734134064	10		CD	B	AUT	8536.4900.99
J7KNU-AR-22 48	Micro contactor relay, 4-pole (2 NO & 2 NC), 12 A AC1 (up to 440 VAC), 48 VAC	16.84	668220	4548583765290			CD	B	AUT	8536.4900.99
J7KNU-AR-22 48D	Micro contactor relay, 4-pole (2 NO & 2 NC), 3A AC15 (up to 230 V), 48 VDC	20.89	675308	4549734134071			CD	B	AUT	8536.4900.99
J7KNU-AR-22 60D	Micro contactor relay, 4-pole (2 NO & 2 NC), 3A AC15 (up to 230 V), 60 VDC	20.89	675299	4549734134088			CD	B	AUT	8536.4900.99
J7KNU-AR-22 90	Micro contactor relay, 4-pole (2 NO & 2 NC), 12 A AC1 (up to 440 VAC), 90 VAC	16.84	668214	4548583765306			CD	B	AUT	8536.4900.99
J7KNU-AR-40 110	Micro contactor relay, 4-pole (4 NO), 12 A AC1 (up to 440 VAC), 110 VAC	16.84	668198	4548583765191			CD	B	AUT	8536.4900.99
J7KNU-AR-40 110D	Micro contactor relay, 4-pole (4 NO), 3A AC15 (up to 230 V), 110 VDC	20.89	675311	4549734134132			CD	B	AUT	8536.4900.99
J7KNU-AR-40 180	Micro contactor relay, 4-pole (4 NO), 12 A AC1 (up to 440 VAC), 180 VAC	16.84	668210	4548583765207			CD	B	AUT	8536.4900.99
J7KNU-AR-40 230	Micro contactor relay, 4-pole (4 NO), 12 A AC1 (up to 440 VAC), 230 VAC	16.84	668205	4548583765214	10		CD	B	AUT	8536.4900.99
J7KNU-AR-40 24	Micro contactor relay, 4-pole (4 NO), 12 A AC1 (up to 440 VAC), 24 VAC	16.84	668194	4548583765221			CD	B	AUT	8536.4900.99
J7KNU-AR-40 24D	Micro contactor relay, 4-pole (4 NO), 3A AC15 (up to 230 V), 24 VDC	20.89	675310	4549734134101	10		CD	B	AUT	8536.4900.99
J7KNU-AR-40 48	Micro contactor relay, 4-pole (4 NO), 12 A AC1 (up to 440 VAC), 48 VAC	16.84	668197	4548583765238			CD	B	AUT	8536.4900.99
J7KNU-AR-40 48D	Micro contactor relay, 4-pole (4 NO), 3A AC15 (up to 230 V), 48 VDC	20.89	675304	4549734134118			CD	B	AUT	8536.4900.99
J7KNU-AR-40 60D	Micro contactor relay, 4-pole (4 NO), 3A AC15 (up to 230 V), 60 VDC	20.89	675295	4549734134125			CD	B	AUT	8536.4900.99
J7KNU-AR-40 90	Micro contactor relay, 4-pole (4 NO), 12 A AC1 (up to 440 VAC), 90 VAC	16.84	668201	4548583765245			CD	B	AUT	8536.4900.99
J7KNU-05-01 110	Micro contactor, 3-pole, 2.2 kW; 5 A AC3 (400 VAC) + 1 NC, 110 VAC	15.17	668211	4548583765078			CD	B	AUT	8536.4900.99
J7KNU-05-01 110D	Micro contactor, 3-pole (NO) + 1NC, 2.2 kW; 12A AC1 (up to 440 V), 60 VDC	18.87	675301	4549734134170			CD	B	AUT	8536.4900.99
J7KNU-05-01 180	Micro contactor, 3-pole, 2.2 kW; 5 A AC3 (400 VAC) + 1 NC, 180 VAC	15.17	668195	4548583765085			CD	B	AUT	8536.4900.99
J7KNU-05-01 230	Micro contactor, 3-pole, 2.2 kW; 5 A AC3 (400 VAC) + 1 NC, 230 VAC	15.17	668213	4548583765092	10		CD	B	AUT	8536.4900.99
J7KNU-05-01 24	Micro contactor, 3-pole, 2.2 kW; 5 A AC3 (400 VAC) + 1 NC, 24 VAC	15.17	668219	4548583765109	10		CD	B	AUT	8536.4900.99
J7KNU-05-01 24D	Micro contactor, 3-pole (NO) + 1NC, 2.2 kW; 12A AC1 (up to 440 V), 60 VDC	18.87	675298	4549734134149			CD	B	AUT	8536.4900.99
J7KNU-05-01 48	Micro contactor, 3-pole, 2.2 kW; 5 A AC3 (400 VAC) + 1 NC, 48 VAC	15.17	668222	4548583765115	10		CD	B	AUT	8536.4900.99
J7KNU-05-01 48D	Micro contactor, 3-pole (NO) + 1NC, 2.2 kW; 12A AC1 (up to 440 V), 60 VDC	18.87	675312	4549734134156			CD	B	AUT	8536.4900.99
J7KNU-05-01 60D	Micro contactor, 3-pole (NO) + 1NC, 2.2 kW; 12A AC1 (up to 440 V), 60 VDC	18.87	675302	4549734134163			CD	B	AUT	8536.4900.99
J7KNU-05-01 90	Micro contactor, 3-pole, 2.2 kW; 5 A AC3 (400 VAC) + 1 NC, 90 VAC	15.17	668206	4548583765122			CD	B	AUT	8536.4900.99
J7KNU-05-01R 110	Micro contactor, reversing interlocked pair, 5A/2.2kW + 1 NC auxiliary on both sides, 110 VAC	40.40	668207	4548583765313			CD	B	AUT	8536.4900.99
J7KNU-05-01R 110D	Micro contactor, reversing interlocked pair, 2.2kW, 3-pole (NO) + 1 NC, auxiliary contacts on both sides, 12A AC1 (up to 440 V), 110 VDC	50.50	675300	4549734134255	5		CD	B	AUT	8536.4900.99
J7KNU-05-01R 180	Micro contactor, reversing interlocked pair, 5A/2.2kW + 1 NC auxiliary on both sides, 180 VAC	40.40	668217	4548583765330			CD	B	AUT	8536.4900.99
J7KNU-05-01R 230	Micro contactor, reversing interlocked pair, 5A/2.2kW + 1 NC auxiliary on both sides, 230 VAC	40.40	668212	4548583765337	5		CD	B	AUT	8536.4900.99
J7KNU-05-01R 24	Micro contactor, reversing interlocked pair, 5A/2.2kW + 1 NC auxiliary on both sides, 24 VAC	40.40	668196	4548583765344	5		CD	B	AUT	8536.4900.99
J7KNU-05-01R 24D	Micro contactor, reversing interlocked pair, 2.2kW, 3-pole (NO) + 1 NC, auxiliary contacts on both sides, 12A AC1 (up to 440 V), 24 VDC	50.50	675297	4549734134224	5		CD	B	AUT	8536.4900.99
J7KNU-05-01R 48	Micro contactor, reversing interlocked pair, 5A/2.2kW + 1 NC auxiliary on both sides, 48 VAC	40.40	668200	4548583765351	5		CD	B	AUT	8536.4900.99
J7KNU-05-01R 48D	Micro contactor, reversing interlocked pair, 2.2kW, 3-pole (NO) + 1 NC, auxiliary contacts on both sides, 12A AC1 (up to 440 V), 48 VDC	50.50	675303	4549734134231			CD	B	AUT	8536.4900.99
J7KNU-05-01R 60D	Micro contactor, reversing interlocked pair, 2.2kW, 3-pole (NO) + 1 NC, auxiliary contacts on both sides, 12A AC1 (up to 440 V), 60 VDC	50.50	675307	4549734134248			CD	B	AUT	8536.4900.99
J7KNU-05-01R 90	Micro contactor, reversing interlocked pair, 5A/2.2kW + 1 NC auxiliary on both sides, 90 VAC	40.40	668218	4548583765368			CD	B	AUT	8536.4900.99
J7KNU-05-10 110	Micro contactor, 3-pole, 2.2 kW; 5 A AC3 (400 VAC) + 1 NO, 110 VAC	15.17	668208	4548583765139			CD	B	AUT	8536.4900.99
J7KNU-05-10 110D	Micro contactor, 3-pole (NO) + 1NO, 2.2 kW; 12A AC1 (up to 440 VAC), 110 VDC	18.87	675334	4549734134217			CD	B	AUT	8536.4900.99
J7KNU-05-10 180	Micro contactor, 3-pole, 2.2 kW; 5 A AC3 (400 VAC) + 1 NO, 180 VAC	15.17	668216	4548583765146			CD	B	AUT	8536.4900.99
J7KNU-05-10 230	Micro contactor, 3-pole, 2.2 kW; 5 A AC3 (400 VAC) + 1 NO, 230 VAC	15.17	668215	4548583765153	#	10	CD	B	AUT	8536.4900.99
J7KNU-05-10 24	Micro contactor, 3-pole, 2.2 kW; 5 A AC3 (400 VAC) + 1 NO, 24 VAC	15.17	668203	4548583765160	#	10	CD	B	AUT	8536.4900.99
J7KNU-05-10 24D	Micro contactor, 3-pole (NO) + 1NO, 2.2 kW; 12A AC1 (up to 440 VAC), 24 VDC	18.87	675294	4549734134187	#	10	CD	B	AUT	8536.4900.99
J7KNU-05-10 48	Micro contactor, 3-pole, 2.2 kW; 5 A AC3 (400 VAC) + 1 NO, 48 VAC	15.17	668204	4548583765177			CD	B	AUT	8536.4900.99
J7KNU-05-10 48D	Micro contactor, 3-pole (NO) + 1NO, 2.2 kW; 12A AC1 (up to 440 VAC), 48 VDC	18.87	675296	4549734134194			CD	B	AUT	8536.4900.99
J7KNU-05-10 60D	Micro contactor, 3-pole (NO) + 1NO, 2.2 kW; 12A AC1 (up to 440 VAC), 60 VDC	18.87	675293	4549734134200			CD	B	AUT	8536.4900.99
J7KNU-05-10 90	Micro contactor, 3-pole, 2.2 kW; 5 A AC3 (400 VAC) + 1 NO, 90 VAC	15.17	668209	4548583765184			CD	B	AUT	8536.4900.99
J7KNU-05-4 90	Micro contactor, 4-pole, 5 A/ 2.2 kW AC3 (12 A AC1), 90 VAC	16.84	668441	4548583772427			CD	B	AUT	8536.4900.99
J75KN-P-1039	Snap-on adapter to mount J7KNU on DIN rail 35 mm	1.48	675306	4549734137188	#	10	CD	B	AUT	8536.4900.99
<b>Low Voltage Switch Gear J7TK Thermal overload.</b>										
J7TKN-A-11	Overload relay, 3-pole, 8-11A, direct mounting on J7KNA or J7KN10-22, hand reset	24.87	197815	4547648205658			CD	C	AUT	8536.4900.99
J7TKN-A-14	Overload relay, 3-pole, 10-14A, direct mounting on J7KNA or J7KN10-22, hand reset	24.89	197816	4547648205665			CD	C	AUT	8536.4900.99
J7TKN-A-1E2	Overload relay, 3-pole, 0.8-1.2 A, direct mounting on J7KNA or J7KN10-22, manual reset	21.96	197809	4547648205657			CD	C	AUT	8536.4900.99
J7TKN-A-1E8	Overload relay, 3-pole, 1.2-1.8 A, direct mounting on J7KNA or J7KN10-22, manual reset	20.77	197810	4547648205660			CD	C	AUT	8536.4900.99
J7TKN-A-2E7	Overload relay, 3-pole, 1.8-2.7 A, direct mounting on J7KNA or J7KN10-22, manual reset	20.79	197811	4547648205610			CD	C	AUT	8536.4900.99
J7TKN-A-4	Overload relay, 3-pole, 2.7-4 A, direct mounting on J7KNA or J7KN10-22, manual reset	20.79	197812	4547648205627			CD	C	AUT	8536.4900.99
J7TKN-A-6	Overload relay, 3-pole, 4-6 A, direct mounting on J7KNA or J7KN10-22, manual reset	20.71	197813	4547648205634			CD	C	AUT	8536.4900.99

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Dahaset)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code	
J7KN-A-9	Overload relay, 3-pole, 6-9 A, direct mounting on J7KNA or J7KN10-22, manual reset	20,71	197814	4547648205641			CD	C	AUT	8536.4900.99	
J7KN-AA-14	Overload relay, 3-pole, 10 - 14 A, direct mounting on J7KNA or J7KN10-22, auto reset	31,95	197829	4547648205795			CD	C	AUT	8536.4900.99	
J7KN-AA-1EB	Overload relay, 3-pole, 1.2-1.8 A, direct mounting on J7KNA or J7KN10-22, auto reset	27,14	197823	4547648205733			CD	C	AUT	8536.4900.99	
J7KN-AA-2E7	Overload relay, 3-pole, 2.7-4 A, direct mounting on J7KNA or J7KN10-22, auto reset	27,14	197824	4547648205740			CD	C	AUT	8536.4900.99	
J7KN-AA-4	Overload relay, 3-pole, 1.8-2.7 A, direct mounting on J7KNA or J7KN10-22, auto reset	27,14	197825	4547648205757			CD	C	AUT	8536.4900.99	
J7KN-AA-6	Overload relay, 3-pole, 2.7-4 A, direct mounting on J7KNA or J7KN10-22, auto reset	27,14	197826	4547648205764			CD	C	AUT	8536.4900.99	
J7KN-AA-9	Overload relay, 3-pole, 6-9 A, direct mounting on J7KNA or J7KN10-22, auto reset	27,14	197827	4547648205771			CD	C	AUT	8536.4900.99	
J7KN-AA-E6	Overload relay, 3-pole, 0.4-0.6 A, direct mounting on J7KNA or J7KN10-22, auto reset	28,24	197820	4547648205702			CD	C	AUT	8536.4900.99	
J7KN-AA-E9	Overload relay, 3-pole, 0.6-0.9 A, direct mounting on J7KNA or J7KN10-22, auto reset	28,24	197821	4547648205719			CD	C	AUT	8536.4900.99	
J7KN-AB-11	Overload relay, 3-pole, 8-11A, direct mounting on J7KN(G)10-22, hand reset	24,87	353700	4548583050327			CD	C	AUT	8536.4900.99	
J7KN-AB-14	Overload relay, 3-pole, 10-14A, direct mounting on J7KN(G)10-22, hand reset	24,87	353701	4548583050334			CD	C	AUT	8536.4900.99	
J7KN-AB-18	Overload relay, 3-pole, 13-18A, direct mounting on J7KN(G)10-22, hand reset	24,87	353702	4548583050341			CD	C	AUT	8536.4900.99	
J7KN-AB-1E2	Overload relay, 3-pole, 0.8-1.2A, direct mounting on J7KN(G)10-22, hand reset	20,71	353694	4548583050266			CD	C	AUT	8536.4900.99	
J7KN-AB-23	Overload relay, 3-pole, 1.7-2.3A, direct mounting on J7KN(G)10-22, hand reset	24,87	353703	4548583050358			CD	C	AUT	8536.4900.99	
J7KN-AB-2E7	Overload relay, 3-pole, 1.8-2.7A, direct mounting on J7KN(G)10-22, hand reset	20,71	353696	4548583050280			CD	C	AUT	8536.4900.99	
J7KN-AB-30	Overload relay, 3-pole, 22-30A, direct mounting on J7KN(G)10-22, hand reset	28,91	353704	4548583050365			CD	C	AUT	8536.4900.99	
J7KN-AB-4	Overload relay, 3-pole, 2.7-4A, direct mounting on J7KN(G)10-22, hand reset	20,79	353697	4548583050297			CD	C	AUT	8536.4900.99	
J7KN-AB-6	Overload relay, 3-pole, 4-6A, direct mounting on J7KN(G)10-22, hand reset	20,79	353698	4548583050303			CD	C	AUT	8536.4900.99	
J7KN-AB-9	Overload relay, 3-pole, 6-9A, direct mounting on J7KN(G)10-22, hand reset	20,79	353699	4548583050310			CD	C	AUT	8536.4900.99	
J7KN-AB-E6	Overload relay, 3-pole, 0.4-0.6A, direct mounting on J7KNA or J7KN10-22, hand reset	21,73	353692	4548583050242			CD	C	AUT	8536.4900.99	
J7KN-A-E6	Overload relay, 3-pole, 0.4-0.6 A, direct mounting on J7KNA or J7KN10-22, manual reset	21,73	197807	4547648205673			CD	C	AUT	8536.4900.99	
J7KN-A-E9	Overload relay, 3-pole, 0.6-0.9 A, direct mounting on J7KNA or J7KN10-22, manual reset	21,73	197808	4547648205580			CD	C	AUT	8536.4900.99	
J7KN-B-11	Overload relay, 3-pole, 8-11 A, direct mounting on J7KN10-40, hand and auto reset	26,98	148116	4536854854606			CD	C	AUT	8536.4900.99	
J7KN-B-14	Overload relay, 3-pole, 10-14 A, direct mounting on J7KN10-40, hand and auto reset	26,98	118708	4536854854613			CD	C	AUT	8536.4900.99	
J7KN-B-18	Overload relay, 3-pole, 13-18 A, direct mounting on J7KN10-40, hand and auto reset	26,98	118709	4536854854620			CD	C	AUT	8536.4900.99	
J7KN-B-1E2	Overload relay, 3-pole, 0.8-1.2 A, direct mounting on J7KN10-40, hand and auto reset	22,88	154763	4536854854545			CD	C	AUT	8536.4900.99	
J7KN-B-24	Overload relay, 3-pole, 17-24 A, direct mounting on J7KN10-40, hand and auto reset	26,98	118710	4536854854637			CD	C	AUT	8536.4900.99	
J7KN-B-2E7	Overload relay, 3-pole, 1.8-2.7 A, direct mounting on J7KN10-40, hand and auto reset	22,88	148115	4536854854569			CD	C	AUT	8536.4900.99	
J7KN-B-32	Overload relay, 3-pole, 23-32 A, direct mounting on J7KN10-40, hand and auto reset	42,04	118711	4536854854644			CD	C	AUT	8536.4900.99	
J7KN-B-4	Overload relay, 3-pole, 2.7-4 A, direct mounting on J7KN10-40, hand and auto reset	22,88	118707	4536854854576			CD	C	AUT	8536.4900.99	
J7KN-B-6	Overload relay, 3-pole, 4-6 A, direct mounting on J7KN10-40, hand and auto reset	22,88	149068	4536854854583			CD	C	AUT	8536.4900.99	
J7KN-B-9	Overload relay, 3-pole, 6-9 A, direct mounting on J7KN10-40, hand and auto reset	22,88	142631	4536854854590			CD	C	AUT	8536.4900.99	
J7KN-B-E4	Overload relay, 3-pole, 0.27-0.4 A, direct mounting on J7KN10-40, hand and auto reset	22,88	118704	4536854854514			CD	C	AUT	8536.4900.99	
J7KN-B-E6	Overload relay, 3-pole, 0.4-0.6 A, direct mounting on J7KN10-40, hand and auto reset	22,88	154762	4536854854521			CD	C	AUT	8536.4900.99	
J7KN-C-42	Overload relay, 3-pole, 28-42 A, direct mounting on J7KN24-40, hand and auto reset	43,20	118712	4536854854651			CD	C	AUT	8536.4900.99	
J7KN-D-52	Overload relay, 3-pole, 40-52 A, direct mounting on J7KN50-74, hand and auto reset	58,50	118713	4536854854668			CD	C	AUT	8536.4900.99	
J7KN-D-65	Overload relay, 3-pole, 52-65 A, direct mounting on J7KN50-74, hand and auto reset	58,50	118618	4536854854675			CD	C	AUT	8536.4900.99	
J7KN-D-74	Overload relay, 3-pole, 60-74 A, direct mounting on J7KN50-74, hand and auto reset	74,60	118619	4536854854682			CD	C	AUT	8536.4900.99	
J7KN-E-120	Overload relay, 3-pole, 80-120 A, separate mounting, hand reset	112,70	142504	4536854854705			CD	C	AUT	8536.4900.99	
J7KN-E-90	Overload relay, 3-pole, 60-90 A, separate mounting, hand reset	103,30	118620	4536854854699			CD	C	AUT	8536.4900.99	
J7TC-01-10	Thermal Overload Relay, Push-In Plus Terminals, Current setting range thermal overload release 7 - 10.5 A, Hx Wx D 79.5 x 45 x 55.5 mm	39,29	691092	4549734537407			CD	C	CHN	8536.4900.99	
J7TC-01-13	Thermal Overload Relay, Push-In Plus Terminals, Current setting range thermal overload release 9 - 13 A, Hx Wx D 79.5 x 45 x 55.5 mm	39,29	691091	4549734537414			CD	C	CHN	8536.4900.99	
J7TC-01-1E2	Thermal Overload Relay, Push-In Plus Terminals, Current setting range thermal overload release 0.8 - 1.2 A, Hx Wx D 79.5 x 45 x 55.5 mm	39,29	691097	4549734537308			CD	C	CHN	8536.4900.99	
J7TC-01-1E4	Thermal Overload Relay, Push-In Plus Terminals, Current setting range thermal overload release 0.95 - 1.45 A, Hx Wx D 79.5 x 45 x 55.5 mm	39,29	691096	4549734537315			CD	C	CHN	8536.4900.99	
J7TC-01-1E6	Thermal Overload Relay, Push-In Plus Terminals, Current setting range thermal overload release 1.1 - 1.65 A, Hx Wx D 79.5 x 45 x 55.5 mm	39,29	690042	4549734537322			CD	C	CHN	8536.4900.99	
J7TC-01-2E1	Thermal Overload Relay, Push-In Plus Terminals, Current setting range thermal overload release 1.4 - 2.1 A, Hx Wx D 79.5 x 45 x 55.5 mm	39,29	691095	4549734537329			CD	C	CHN	8536.4900.99	
J7TC-01-2E6	Thermal Overload Relay, Push-In Plus Terminals, Current setting range thermal overload release 1.7 - 2.6 A, Hx Wx D 79.5 x 45 x 55.5 mm	39,29	690041	4549734537346		10	CD	C	CHN	8536.4900.99	
J7TC-01-3E4	Thermal Overload Relay, Push-In Plus Terminals, Current setting range thermal overload release 2.2 - 3.4 A, Hx Wx D 79.5 x 45 x 55.5 mm	39,29	691094	4549734537353			CD	C	CHN	8536.4900.99	
J7TC-01-4E2	Thermal Overload Relay, Push-In Plus Terminals, Current setting range thermal overload release 2.8 - 4.2 A, Hx Wx D 79.5 x 45 x 55.5 mm	39,29	690040	4549734537360			CD	C	CHN	8536.4900.99	
J7TC-01-6	Thermal Overload Relay, Push-In Plus Terminals, Current setting range thermal overload release 4 - 6 A, Hx Wx D 79.5 x 45 x 55.5 mm	39,29	690039	4549734537377			CD	C	CHN	8536.4900.99	
J7TC-01-7E5	Thermal Overload Relay, Push-In Plus Terminals, Current setting range thermal overload release 5 - 7.5 A, Hx Wx D 79.5 x 45 x 55.5 mm	39,29	691093	4549734537384			CD	C	CHN	8536.4900.99	
J7TC-01-9	Thermal Overload Relay, Push-In Plus Terminals, Current setting range thermal overload release 6 - 9 A, Hx Wx D 79.5 x 45 x 55.5 mm	39,29	690038	4549734537391			CD	C	CHN	8536.4900.99	
J7TC-01-E15	Thermal Overload Relay, Push-In Plus Terminals, Current setting range thermal overload release 0.1 - 0.15 A, Hx Wx D 79.5 x 45 x 55.5 mm	39,29	691103	4549734537230			CD	C	CHN	8536.4900.99	
J7TC-01-E20	Thermal Overload Relay, Push-In Plus Terminals, Current setting range thermal overload release 0.13 - 0.2 A, Hx Wx D 79.5 x 45 x 55.5 mm	39,29	691102	4549734537247			CD	C	CHN	8536.4900.99	
J7TC-01-E27	Thermal Overload Relay, Push-In Plus Terminals, Current setting range thermal overload release 0.18 - 0.27 A, Hx Wx D 79.5 x 45 x 55.5 mm	39,29	691101	4549734537254			CD	C	CHN	8536.4900.99	
J7TC-01-E36	Thermal Overload Relay, Push-In Plus Terminals, Current setting range thermal overload release 0.24 - 0.36 A, Hx Wx D 79.5 x 45 x 55.5 mm	39,29	691100	4549734537261			CD	C	CHN	8536.4900.99	
J7TC-01-E52	Thermal Overload Relay, Push-In Plus Terminals, Current setting range thermal overload release 0.34 - 0.52 A, Hx Wx D 79.5 x 45 x 55.5 mm	39,29	691099	4549734537278			CD	C	CHN	8536.4900.99	
J7TC-01-E72	Thermal Overload Relay, Push-In Plus Terminals, Current setting range thermal overload release 0.48 - 0.72 A, Hx Wx D 79.5 x 45 x 55.5 mm	39,29	690043	4549734537285			CD	C	CHN	8536.4900.99	
J7TC-01-E96	Thermal Overload Relay, Push-In Plus Terminals, Current setting range thermal overload release 0.64 - 0.96 A, Hx Wx D 79.5 x 45 x 55.5 mm	39,29	691098	4549734537292			CD	C	CHN	8536.4900.99	
<b>Other Low Voltage Switch Gear</b>											
J73KN-A-11	Auxiliary contacts, 2-pole, 1M1B for J7KNA-AR relay	4,03	119338	4536854854736		10	CD	X	AUT	8536.4900.99	
J73KN-A-22	Auxiliary contacts, 4-pole, 2M2B for J7KNA-AR relay	6,95	119340	4536854854750		10	CD	X	AUT	8536.4900.99	
J73KN-A-40	Auxiliary contacts, 4-pole, 4M for J7KNA-AR relay	6,95	119341	4536854854767		10	CD	X	AUT	8536.4900.99	
J73KN-AM-02	Auxiliary contacts, 2-pole, 2B for J7KNA contactor	4,02	119343	4536854854781		10	CD	X	AUT	8536.4900.99	
J73KN-AM-11	Auxiliary contacts, 2-pole, 1M1B for J7KNA contactor	3,89	119342	4536854854774		10	CD	X	AUT	8536.4900.99	
J73KN-AM-22	Auxiliary contacts, 4-pole, 2M2B for J7KNA contactor	6,95	119344	4536854854798		#	10	CD	X	AUT	8536.4900.99
J73KN-B-01	Auxiliary contact, 1-pole, 1B, front mounting, 10 A for J7KN10-74	2,06	119345	4536854854804		#	10	CD	X	AUT	8536.4900.99
J73KN-B-01A	Auxiliary contact, 1-pole, 1B, front mounting, 6 A for J7KN10-74	4,87	183576	4547648171366			10	CD	X	AUT	8536.4900.99
J73KN-B-01U	Auxiliary contact, 1-pole, 1B, front mounting, 10 A for J7KN10-74 (EM & LM version)	5,51	191890	4547648192057			10	CD	X	AUT	8536.4900.99
J73KN-B-10	Auxiliary contact, 1-pole, 1M, front mounting, 10 A for J7KN10-74	2,06	119346	4536854854811		#	10	CD	X	AUT	8536.4900.99
J73KN-B-10A	Auxiliary contact, 1-pole, 1M, front mounting, 6A for J7KN10-74	4,87	183577	4547648171373			10	CD	X	AUT	8536.4900.99
J73KN-B-10U	Auxiliary contact, 1-pole, 1M, EM and LB version, 10A for J7KN10-74	5,51	191891	4547648192064			10	CD	X	AUT	8536.4900.99

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Data sheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
J73KN-C-11S	Auxiliary contacts, 2-pole, 1M1B side mounting, 10 A for J7KN24-74	5.96	119347	4536854854828	#		CD	X	AUT	8536.4900.99
J73KN-D-11F	Auxiliary contact, 1-pole, 1N0, front mounting, 10A for J7KN150-175	16.76	190997	4547648188074			CD	X	ITA	8536.4900.99
J73KN-D-11S	Auxiliary contact, 1-pole, 1N0-1N0, side mounting, 10A for J7KN150-175	16.76	184145	4547648182812			CD	X	ITA	8536.4900.99
J73KN-D-22F	Auxiliary contact, 1-pole, 2N0-2N0, front mounting, 10A for J7KN150-175	24.96	190998	4547648188081			CD	X	ITA	8536.4900.99
J73KN-E22	Auxiliary contact, 1-pole, 2N0-2N0, front mounting, 10A for J7KN-200	54.95	168572	4547648043236			CD	X	ITA	8536.4900.99
J74KN-B-ML	Mechanical interlock for 2x J7KN10-40	2.77	119358	4536854854903			CD	X	AUT	8536.4900.99
J74KN-C2-RC110	RC suppressor unit, 48 to 127 VAC/DC, fits J7KN10-74	12.29	367393	4548583137899	10		CD	X	CHN	8536.4900.99
J74KN-C2-RC230	RC suppressor unit, 110 to 250 VAC/DC, fits J7KN10-74	12.29	367394	4548583137905	10		CD	X	CHN	8536.4900.99
J74KN-C2-RC24	RC suppressor unit, 12 to 48 VAC/DC, fits J7KN10-74	11.46	367395	4548583137912	10		CD	X	CHN	8536.4900.99
J74KN-C-ML	Mechanical interlock for 2x J7KN24-74	5.91	119359	4536854854910			CD	X	AUT	8536.4900.99
J74KN-D-FC24	RC suppressor unit, 12-48 VAC/d.c., fits J7KNA	11.46	169758	4547648044073	10		CD	X	CZE	8536.4900.99
J74KN-LG-11457	Additional terminal cover for motor contactor J7KN210-316	69.80	354534	4548583062061			CD	X	ITA	8536.4900.99
J74KN-P245-1	Marking plate for contactors	0.44	190999	4547648182270	60		CD	X	AUT	8536.4900.99
J74KN-P487-1	Marking plate for contactors	0.19	191000	4547648182287	##		CD	X	AUT	8536.4900.99
J74TK-M-AB	Single mounting for J7TKN-A	7.05	353705	4548583050372			CD	X	AUT	8536.4900.99
J74TK-SM	Separate mounting sets for J7TKN-B	3.63	119375	4536854855207			CD	X	AUT	8536.4900.99
J74-WKR-B2	Busbars for reversing contactors (2 parts), J7KN-10 - J7KN-22	8.71	367391	4548583137929			CD	X	CHN	8536.4900.99
J74-WKR-C	Busbars for reversing contactors (2 parts), J7KN-24 - J7KN-40	9.92	354531	4548583062320			CD	X	CHN	8536.4900.99
J74-WKSD-B2	Busbars for star-delta combination (4 parts), J7KN-10D - J7KN-22D	9.24	367392	4548583137936			CD	X	CHN	8536.4900.99
J74-WKSD-C	Busbars for star-delta combination (4 parts), J7KN-24 - J7KN-40	6.88	354532	4548583062337			CD	X	CHN	8536.4900.99
J77MN-02F	Auxiliary contacts, standard, 2B, for top mounting for all J7 mN* R* P	7.49	234317	4547648327336	10		CD	X	KOR	8536.4900.99
J77MN-02S	Auxiliary contacts, standard, 2B, for left hand side mounting for all J7 mN* R* P	9.90	234319	4547648327350	2		CD	X	KOR	8536.4900.99
J77MN-11F	Auxiliary contacts, standard, 1M1B, for top mounting for all J7MN* R* P	6.27	234316	4547648327329	#		CD	X	KOR	8536.4900.99
J77MN-11S	Auxiliary contacts, standard, 1M1B, for left hand side mounting for all J7MN* R* P	9.90	234320	4547648327367	#		CD	X	KOR	8536.4900.99
J77MN-20F	Auxiliary contacts, standard, 2M, for top mounting for all J7MN* R* P	7.49	234318	4547648327343	10		CD	X	KOR	8536.4900.99
J77MN-20S	Auxiliary contacts, standard, 2M, for left hand side mounting for all J7MN* R* P	9.90	234321	4547648327374	2		CD	X	KOR	8536.4900.99
J77MN-BTC-63-E	Line side terminal 3-pole, IEC/EN 60949	6.26	355552	4548583066458	10		CD	X	ESP	8536.4900.99
J77MN-BTC-63-SE	Line side terminal 3-pole, IEC/EN 60950, spade terminals	6.14	355558	4548583066519	4		CD	X	KOR	8536.4900.99
J77MN-BTC-63-SEV	Line side terminal 3-pole, 600 V acc. UL 495, spade terminals	7.60	236748	4547648424325	10		CD	X	DEU	8536.4900.99
J77MN-CPM-3-45-2	J7MN-3, 3 phase busbar for 2 MPCBs, 45 mm spacing	5.05	355560	4548583066533	5		CD	X	ESP	8536.4900.99
J77MN-CPM-3-45-2S	J7MN-3, 3 phase busbar for 2 MPCBs, 45 mm spacing, spade connectors	5.05	355554	4548583066472	10		CD	X	KOR	8536.4900.99
J77MN-CPM-3-45-3	J7MN-3, 3 phase busbar for 3 MPCBs, 45 mm spacing	6.47	355561	4548583066540	5		CD	X	ESP	8536.4900.99
J77MN-CPM-3-45-3S	J7MN-3, 3 phase busbar for 3 MPCBs, 45 mm spacing, spade connectors	6.47	355555	4548583066489	10		CD	X	KOR	8536.4900.99
J77MN-CPM-3-45-4	J7MN-3, 3 phase busbar for 4 MPCBs, 45 mm spacing	8.05	355562	4548583066557	5		CD	X	ESP	8536.4900.99
J77MN-CPM-3-45-4S	J7MN-3, 3 phase busbar for 4 MPCBs, 45 mm spacing, spade connectors	8.05	355556	4548583066496	10		CD	X	KOR	8536.4900.99
J77MN-CPM-3-45-5	J7MN-3, 3 phase busbar for 5 MPCBs, 45 mm spacing	8.59	355563	4548583066564	5		CD	X	ESP	8536.4900.99
J77MN-CPM-3-45-5S	J7MN-3, 3 phase busbar for 5 MPCBs, 45 mm spacing, spade connectors	8.59	355557	4548583066502	10		CD	X	KOR	8536.4900.99
J77MN-DC-3R-115-B	Door-coupling, rotary operating mechanism, black	47.12	265656	4547648694179			CD	X	KOR	8536.4900.99
J77MN-DC-3R-115-RY	Door-coupling, red/yellow, with supporting bracket	47.12	265659	4547648694209	#		CD	X	KOR	8536.4900.99
J77MN-DC-3R-315-B	Door-coupling, rotary operating mechanism, black	58.95	265650	4547648637527	#		CD	X	KOR	8536.4900.99
J77MN-DC-3R-315-RY	Door-coupling, rotary operating mechanism, red/yellow	58.95	265653	4547648637558			CD	X	KOR	8536.4900.99
J77MN-DC-6R-115-B	Door-coupling, rotary operating mechanism, black	15.23	265657	4547648694186			CD	X	KOR	8536.4900.99
J77MN-DC-6R-115-RY	Door-coupling, rotary operating mechanism, red/yellow	15.23	265660	4547648694216			CD	X	KOR	8536.4900.99
J77MN-DC-6R-315-B	Door-coupling, rotary operating mechanism, black	18.26	265651	4547648637534			CD	X	KOR	8536.4900.99
J77MN-DC-6R-315-RY	Door-coupling, rotary operating mechanism, red/yellow	18.26	265654	4547648637565			CD	X	KOR	8536.4900.99
J77MN-DC-9R-115-B	Door-coupling, rotary operating mechanism, black	18.26	265658	4547648694193			CD	X	KOR	8536.4900.99
J77MN-DC-9R-315-B	Door-coupling, rotary operating mechanism, black	21.94	265652	4547648637541			CD	X	KOR	8536.4900.99
J77MN-HU-3	Adapter for mechanical fixing of circuit breaker and contactor, for J7MN-3 and J7KN(G)-10 up to J7KN(G)-40	5.47	234341	4547648327589			CD	X	ESP	8536.4900.99
J77MN-HU-6	Adapter for mechanical fixing of circuit breaker and contactor, for J7MN-6 and J7KN(G)-24 up to J7KN(G)-40 and/or J7KN-62	6.63	234342	4547648327596			CD	X	KOR	8536.4900.99
J77MN-HU-9	Adapter for mechanical fixing of circuit breaker and contactor, for J7MN-9 and J7KN-50 up to J7KN-74	10.02	234343	4547648327602			CD	X	KOR	8536.4900.99
J77MN-PP-3R	Plastic enclosure with rotary operating mechanism, lockable space for aux. contact + release, IP65	15.63	234811	4547648934345			CD	X	KOR	8536.4900.99
J77MN-PPC-3R	Enclosure with rotary operating mechanism yellow - red, lock space for aux. contact + release, IP65	20.22	234812	4547648934352			CD	X	KOR	8536.4900.99
J77MN-S-400	Shunt release, mounting (right hand side), 380 to 400 V 50 Hz, 440 to 480 V 60 Hz	19.29	234334	4547648327503			CD	X	KOR	8536.4900.99
J77MN-VD-3	Link modules (electrical connection only) MPCB (J7MN3) up to 32A	5.05	234810	4547648934338	10		CD	X	ESP	8536.4900.99
J77MN-VD-6	Link modules (electrical connection only) MPCB (J7MN3) up to 63A	10.51	234347	4547648327640			CD	X	AUT	8536.4900.99
J77MN-VD-9	Link modules (electrical connection only) MPCB (J7MN3) up to 100A	13.12	234348	4547648327657			CD	X	AUT	8536.4900.99
J77MN-VKA-3	Link modules MPCB (J7MN3) to J7KNA (DIN-rail adapter not required)	3.92	234344	4547648327619			CD	X	AUT	8536.4900.99
J77MN-VKG-3	Link modules MPCB (J7 mN3) to J7KN-G (DIN-rail adapter not required)	4.68	234346	4547648327633			CD	X	AUT	8536.4900.99
J77MN-VKN-3	Link modules MPCB (J7MN3) to J7KN (DIN-rail adapter not required)	3.94	234345	4547648327626			CD	X	AUT	8536.4900.99
J7KNA-AR24D	Anti dust cover for J7KNA	4.42	688393	4549734538008			CD	X	AUT	8536.4900.99
<b>PCB Relay Q2R</b>										
Q2R-1 12VDC	Relay, PCB solder type, 5-pin, SPDT, 10 A, 12 VDC	2.06	369909	4548583342507	#	##	CE	A	IDN	8536.4900.99
Q2R-1 24VDC	Relay, PCB solder type, 5-pin, SPDT, 10 A, 24 VDC	2.22	369910	4548583342514	#	##	CE	A	IDN	8536.4900.99
Q2R-1 AC230	Relay, PCB solder type, 5-pin, SPDT, 10 A, 230 VAC	5.71	369908	4548583342460	#	##	CE	A	IDN	8536.4900.99
Q2R-1 AC24	Relay, PCB solder type, 5-pin, SPDT, 10 A, 24 VAC	3.14	369937	4548583342811	#	##	CE	A	IDN	8536.4900.99
Q2R-1A 24VDC	Relay, PCB solder type, SPST-NO, 10 A, 24 VDC	1.79	369913	4548583342637	##	##	CE	A	IDN	8536.4900.99
Q2R-1A 12VDC	Relay, PCB solder type, SPST-NO, 10 A, 12 VDC	2.24	419402	4548583382893	##	##	CE	A	IDN	8536.4900.99
Q2R-1A-E 12VDC	Relay, PCB solder type, SPST-NO, 16 A, 12 VDC	2.84	373751	4548583375482	##	##	CE	A	IDN	8536.4900.99
Q2R-1A-E 24VDC	Relay, PCB solder type, SPST-NO, 16 A, 24 VDC	2.84	373753	4548583375505	#	##	CE	A	IDN	8536.4900.99
Q2R-1-E 12VDC	Relay, PCB solder type, SPDT, 16 A, 12 VDC	2.84	373760	4548583375604	#	##	CE	A	IDN	8536.4900.99
Q2R-1-E 24VDC	Relay, PCB solder type, SPDT, 16 A, 24 VDC	2.84	373761	4548583375611	#	##	CE	A	IDN	8536.4900.99
Q2R-1-EAC110	Q2R-1-EAC110 BY OMI	4.75	379816	4548583375574	##	##	CE	A	IDN	8536.4900.99



Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	SLN. (Data sheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
G2R-1-E AC230	G2R-1-E AC230 BY OMI	4.75	380068	4548583375581	#	#	CE	A	IDN	8536.4900.99
G2R-1-T 12VDC	Relay, flange mount, SPDT, 10 A, quick-connect terminals, 12 VDC	4.55	177256	4547648031905	10	CE	A	MYS	8536.4900.99	
G2R-1-T 240VAC	Relay, flange mount, SPDT, 10 A, quick-connect terminals, 240 VAC	17.89	177253	4547648031844	10	CE	A	MYS	8536.4900.99	
G2R-1-T 24VAC	Relay, flange mount, SPDT, 10 A, quick-connect terminals, 24 VAC	7.84	177247	4547648031691	#	#	CE	A	MYS	8536.4900.99
G2R-1-T DC24	Relay, flange mount, SPDT, 10 A, quick-connect terminals, 24 VDC	5.61	177258	4547648031943	#	#	CE	A	MYS	8536.4900.99
G2R-2 110VDC	G2R-2 DC110 BY OMI	5.98	382691	4548583383715	#	#	CE	A	IDN	8536.4900.99
G2R-2 12VDC	Relay, PCB solder type, 8-pin, DPDT, 5A, 12 VDC	3.03	379218	4548583383722	#	#	CE	A	IDN	8536.4900.99
G2R-2 230VAC	Relay, PCB solder type, 8-pin, DPDT, 5A, 230 VAC	6.38	379213	4548583383654	#	#	CE	A	IDN	8536.4900.99
G2R-2 24VAC	Relay, PCB solder type, 8-pin, DPDT, 5A, 24 VAC	4.87	379214	4548583383661	#	#	CE	A	IDN	8536.4900.99
G2R-2 5VDC	Relay, PCB terminal, 8-pin, DPDT, 5 A, 5 VDC	2.38	125531	4536853404123	#	#	CE	A	MYS	8536.4900.99
G2R-2 DC24	Relay, PCB solder type, 8-pin, DPDT, 5A, 24 VDC	3.03	379219	4548583383746	#	#	CE	A	IDN	8536.4900.99
G2R-24 12VDC	Relay, PCB terminal, fully sealed, 8-pin, DPDT, 5 A, 12 VDC	3.73	104060	4536853404215	#	#	CE	A	MYS	8536.4900.99
<b>PCB Relay G6B</b>										
G6B-1114P-1-US 12VDC	Subminiature PCB relay, 5 A, SPST-NO, 12DC	3.86	123079	4536853462895	#	#	CE	B	JPN	8536.4900.99
G6B-1114P-FD-US 24VDC	Subminiature PCB relay, 5 A, SPST-NO, 24 VDC	4.06	123116	4536853461829	#	#	CE	B	JPN	8536.4900.99
G6B-1114P-US 12VDC	Subminiature PCB relay, 5 A, SPST-NO, 12DC	3.48	104315	4536853461768	#	#	CE	B	JPN	8536.4900.99
G6B-1114P-US 24VDC	Subminiature PCB relay, 5 A, SPST-NO, 24 VDC	3.72	123113	4536853461775	#	#	CE	B	JPN	8536.4900.99
G6B-1114P-US 5VDC	Subminiature PCB relay, 5 A	3.48	153359	4536853461744	#	#	CE	B	JPN	8536.4900.99
G6B-1114P-US-SV 12VDC	Subminiature PCB relay, 5 A, SPST-NO, 24 VDC	3.48	123062	4536853462628	20	CE	B	JPN	8536.4900.99	
G6B-1114P-US-SV 24VDC	Subminiature PCB relay, 5 A, SPST-NO, 5DC	3.72	123064	4536853462642	20	CE	B	JPN	8536.4900.99	
G6B-1114P-US-SV 5VDC	Subminiature PCB relay, 5 A, SPST-NO, 5DC	3.48	123063	4536853462635	#	#	CE	B	JPN	8536.4900.99
G6B-1174P-FD-US 24VDC	Subminiature PCB relay, 8 A, SPST-NO, 24 VDC	6.01	123127	4536853462079	#	25	CE	B	JPN	8536.4900.99
G6B-1174P-US 12VDC	Subminiature PCB relay, 8 A, SPST-NO, 12DC	5.47	145749	4536853462017	20	CE	B	JPN	8536.4900.99	
G6B-1174P-US 24VDC	Subminiature PCB relay, 8 A, SPST-NO, 24 VDC	5.69	123125	4536853462024	#	20	CE	B	JPN	8536.4900.99
G6B-1174P-US 5VDC	Subminiature PCB relay, 8 A, SPST-NO, 5DC	5.47	146806	4536853461997	20	CE	B	JPN	8536.4900.99	
G6B-2014P-US 5VDC	Subminiature PCB relay, 5 A	5.55	180338	4547648074988	#	CE	B	CHN	8536.4900.99	
G6B-2014P-US DC24	Subminiature PCB relay, 5 A	6.27	180340	4547648075008	#	CE	B	CHN	8536.4900.99	
G6B-2114-P1 -US 12VDC	Subminiature PCB relay, 5 A	5.37	180353	4547648075282	#	CE	B	CHN	8536.4900.99	
G6B-2114P-US 12VDC	Subminiature PCB relay, 5 A	5.55	180336	4547648074964	#	CE	B	CHN	8536.4900.99	
G6B-2114P-US 5VDC	Subminiature PCB relay, 5 A	5.55	180337	4547648074971	#	CE	B	CHN	8536.4900.99	
G6B-2114P-US DC24	Subminiature PCB relay, 5 A	5.11	180335	4547648074957	#	#	CE	B	CHN	8536.4900.99
G6B-2214P-US 12VDC	Subminiature PCB relay, 5 A	4.91	180342	4547648075022	#	CE	B	CHN	8536.4900.99	
G6B-2214P-US 5VDC	Subminiature PCB relay, 5 A	4.16	180343	4547648075039	#	CE	B	CHN	8536.4900.99	
G6B-2214P-US DC24	Subminiature PCB relay, 5 A	5.12	180341	4547648075015	#	CE	B	CHN	8536.4900.99	
G6B-47BND 24VDC	Terminal relay, DIN rail/surface mounting, Jong life, 4x SPDT, 5 A, 24 VDC	78.40	123016	4536853464837	10	CE	B	JPN	8536.4900.99	
G6B-4BND 24VDC	Terminal relay, DIN rail/surface mounting, 4x SPDT, 5 A, 24 VDC	70.90	156434	4536853464776	10	CE	B	JPN	8536.4900.99	
G6B-4-SB	Shorting bar for G6B series terminal relays	0.81	103182	4536853464783	#	CE	B	JPN	8536.4900.99	
<b>PCB Relays Socket</b>										
P6B-04P	Socket, Back Connecting type, for G6B relay	1.68	145776	4536853727048	20	CE	C	JPN	8536.6990.99	
P6B-26P	Back Connecting 6Pin Socket for G6B Relay	2.25	113556	4536853727086	20	CE	C	JPN	8536.6990.99	
P6D-04P	Relay Base	3.07	113562	4536853727314	25	CE	C	JPN	8536.6990.99	
P7LF-06	Surface mounting socket for G7L relay	19.51	113572	4536854794285	10	CE	C	CHN	8536.6990.99	
P7LF-06D	DIN rail mounting socket for G7L relay	19.51	143521	4536854794308	10	CE	C	CHN	8536.6990.99	
P7LF-D	DIN rail mounting bracket for G7L relay	10.51	113571	4536854794247	10	CE	C	CHN	8536.6990.99	
<b>Other PCB relay</b>										
G2RL-1 12VDC	Relay, PCB terminal, low profile, flux protection, 5-pin, SPDT, 12 A, 12 VDC	2.85	126077	4536854495083	20	CE	X	JPN	8536.4900.99	
G2RL-1 24VDC	Relay, PCB terminal, 24VDC	3.27	354686	4548583066182	#	20	CE	X	MYS	8536.4900.99
G2RL-1A-E 24VDC	Relay, PCB terminal, high capacity, 6-pin, SPST-NO, 16 A, 24 VDC	2.73	354685	4548583066274	20	CE	X	MYS	8536.4900.99	
G2RL-2 24VDC	Relay, PCB terminal, 24VDC	3.01	379436	4548583381285	#	20	CE	X	MYS	8536.4900.99
G2RL-2A4 24VDC	G2RL-2A4 DC24 BY OMB	3.54	382286	4548583381360	#	CE	X	MYS	8536.4900.99	
G5RL-1A-ELN DC24	Relay, PCB terminal, flux protected, SPST-NO, 16 A, 24 VDC	3.70	233171	4547648340557	#	CE	X	CHN	8536.4900.99	
G5RL-K1A-E 5VDC	G5RL-K1A-E DC5 BY OMB	3.70	380120	4548583488397	#	CE	X	CHN	8536.4900.99	
G5RL-U1A-E 12VDC	G5RL-U1A-E DC12 BY OMB	3.70	380109	4548583488328	#	CE	X	CHN	8536.4900.99	
G5SB-14 24VDC	Relay, PCB terminal, Fully Sealed, SPDT, 5 A, 24 VDC	1.53	123527	4536854859342	#	CE	X	IDN	8536.4900.99	
G6BK-1114P-US 24VDC	Subminiature PCB relay, 5 A	8.69	123022	4536853464103	#	CE	X	JPN	8536.4900.99	
G6BU-1114P-US 12VDC	Subminiature PCB relay, 5 A	4.27	123026	4536853464226	#	CE	X	JPN	8536.4900.99	
G6C-1114P-US 24VDC	Relay, PCB terminal, Single-side Stable type, Fully Sealed, SPST-NO, 10 A	5.02	122951	4536853465049	#	CE	X	JPN	8536.4900.99	
G6C-2117P-US 12VDC	Relay, PCB terminal, Single-side Stable type, Flux protection, SPST-NO + SPST-NC, 8 A	4.01	144659	4536853465070	#	CE	X	JPN	8536.4900.99	
G6C-2117P-US 24VDC	Relay, PCB terminal, Single-side Stable type, Flux protection, SPST-NO + SPST-NC, 8 A	4.90	122949	4536853465025	#	CE	X	JPN	8536.4900.99	
G6CK-2114P-US 12VDC	Relay, PCB terminal, Double-winding latching type, Fully sealed, SPST-NO + SPST-NC, 8 A	9.00	157941	4536853466756	#	CE	X	JPN	8536.4900.99	
G6CU-2117P-US 3VDC	Relay, PCB terminal, Single-winding latching type, Flux protection, SPST-NO + SPST-NC, 8 A	5.37	157939	4536853466435	#	CE	X	JPN	8536.4900.99	
G6D-1A-AS1 12VDC	Slim, miniature relay, SPST-NO, 5 A	2.66	177136	4547648107297	25	CE	X	MYS	8536.4900.99	
G6D-1A-AS1 5VDC	Relay, PCB terminal, Fully Sealed, SPST-NO, 5 A	3.17	177476	4547648107273	#	25	CE	X	MYS	8536.4900.99
G6D-1A-AS1 DC24	Slim, miniature relay, SPST-NO, 5 A	3.44	177137	4547648107310	#	25	CE	X	MYS	8536.4900.99
G6DN-1A 12VDC	Slim, Power Relay, contact SPST 5A/250VAC	2.48	118534	4548583705524	25	CE	X	JPN	8536.4900.99	
G6DS-1A 12VDC	Slim, miniature PCB relay, SPST-NO, 5A	2.64	194128	4547648187985	25	CE	X	IDN	8536.4900.99	
G6RN-1 12VDC	Heavy duty miniature relay, SPDT, 8 A	2.58	122505	4536853472016	20	CE	X	MYS	8536.4900.99	
G6RN-1 18VDC	Relay, PCB terminal, Fully Sealed, AgNi + Au clad contacts, SPDT, 8 A	2.58	146480	4536853472214	20	CE	X	MYS	8536.4900.99	
G6RN-1 24VDC	Heavy duty miniature relay, SPDT, 8 A	2.66	122410	4536853472023	20	CE	X	MYS	8536.4900.99	

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Daheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
G6RN-1 5VDC	Relay, PCB terminal, Fully Sealed, AgNi + Au clad contacts, SPDT, 8 A	2.58	103183	4536853471996	20	CE	X	MYS	8536.4900.99	
G6RN-1 6VDC	Relay, PCB terminal, Fully Sealed, AgNi + Au clad contacts, SPDT, 8 A	2.58	122504	4536853472009	20	CE	X	MYS	8536.4900.99	
G6RN-1A 12VDC	Relay, PCB terminal, Fully Sealed, AgNi + Au clad contacts, SPST-NO, 8 A	2.51	122413	4536853472061	20	CE	X	MYS	8536.4900.99	
G6RN-1A 24VDC	Heavy duty miniature relay, SPST-NO, 8 A	2.58	103184	4536853472078	#	20	CE	X	MYS	8536.4900.99
G6RN-1A 5VDC	Relay, PCB terminal, Fully Sealed, AgNi + Au clad contacts, SPST-NO, 8 A	2.51	122412	4536853472047	20	CE	X	MYS	8536.4900.99	
P6B-C2	Hold-Down Clips	0.90	149952	4536853727079		CE	X	JPN	8536.6990.99	
G5V-1 12VDC	Ultra-miniature, Highly Sensitive SPDT Relay for Signal Circuits, 1 A	1.95	123447	4536853447823	25	CE	X	CHN	8536.4900.99	
G5V-1 24VDC	Ultra-miniature, Highly Sensitive SPDT Relay for Signal Circuits, 1 A	1.95	123448	4536853447830	25	CE	X	CHN	8536.4900.99	
G5V-1 5VDC	Ultra-miniature, Highly Sensitive SPDT Relay for Signal Circuits, 1 A	1.95	123445	4536853448998	25	CE	X	CHN	8536.4900.99	
G5V-2 12VDC	Miniature Relay for Signal Circuits, DPDT, 2 A	2.27	123450	4536854788659	25	CE	X	CHN	8536.4900.99	
G5V-2 24VDC	Miniature Relay for Signal Circuits, DPDT, 2 A	2.17	123451	4536854788680	#	25	CE	X	CHN	8536.4900.99
G5V-2 5VDC	Miniature Relay for Signal Circuits, DPDT, 2 A	2.28	152574	4536854788727	25	CE	X	CHN	8536.4900.99	
G5V-2H1 12VDC	Miniature Relay for Signal Circuits, high sensitivity, DPDT, 2 A	2.47	123457	4536854788857	25	CE	X	CHN	8536.4900.99	
G5V-2H1 24VDC	Miniature Relay for Signal Circuits, high sensitivity, DPDT, 2 A	2.48	123458	4536854788864	25	CE	X	CHN	8536.4900.99	
G5V-2H1 5VDC	Miniature Relay for Signal Circuits, high sensitivity, DPDT, 2 A	2.50	123460	4536854788901	25	CE	X	CHN	8536.4900.99	
G6A-234P-ST-US 24VDC	Relay, PCB terminal, Single-side Stable Type, Fully Sealed, AgPb + Au clad contacts, DPDT, 3 A, 24 VDC	4.36	123359	4536853452643	25	CE	X	JPN	8536.4900.99	
G6A-274P-ST-US 24VDC	Relay, PCB terminal, Single-side Stable Type, Fully Sealed, Ag + Au clad contacts, DPDT, 3 A	3.83	123364	4536853452759	25	CE	X	JPN	8536.4900.99	
G6AK-234-P 12VDC	Relay, PCB terminal, Double-winding Latching Type, Fully Sealed, AgPb + Au clad contacts, DPDT, 3 A	5.67	156754	4536853456508	25	CE	X	JPN	8536.4900.99	
G6AK-234P 24VDC	Relay, PCB terminal, Double-winding Latching Type, Fully Sealed, AgPb + Au clad contacts, DPDT, 3 A	6.15	104407	4536853459515	25	CE	X	JPN	8536.4900.99	
G6E-134P-US 12VDC	Subminiature, sensitive SPDT signal switching relay	3.49	122887	4536853467432	25	CE	X	JPN	8536.4900.99	
G6E-134P-US 24VDC	Subminiature, sensitive SPDT signal switching relay	3.53	122885	4536853467418	25	CE	X	JPN	8536.4900.99	
G6E-134P-US 5VDC	Subminiature, sensitive SPDT signal switching relay	3.53	122886	4536853467425	25	CE	X	JPN	8536.4900.99	
G6K-2P 24VDC	Relay, subminiature, PCB mounting, DPDT, 0.3A 125VAC, 1A 30VDC	4.31	122561	4536854448249	50	CE	X	JPN	8536.4900.99	
G3VM-61A1	Low Signal Relay, MOS-FET, PCB Terminal, SPST-NO, Load voltage 60 VAC, DIP 4 Pin	2.17	124455	4536854899478	##	CE	X	JPN	8536.4110.20	
G4A-1A-E 12VDC	Relay, PCB coil terminals/ #250 tab output terminals, SPST-NO, 20 A, 12 VDC	3.83	228254	4536854850219	50	CE	X	CHN	8536.4900.99	
G4A-1A-E 5VDC	Relay, PCB coil terminals/ #250 tab output terminals, SPST-NO, 20 A, 5 VDC	3.83	227890	4536854850271	50	CE	X	CHN	8536.4900.99	
G4A-1A-E DC24	Relay, PCB coil terminals/ #250 tab output terminals, SPST-NO, 20 A, 24 VDC	3.83	227891	4536854850288	50	CE	X	CHN	8536.4900.99	
G4A-1A-PE DC24	Relay, PCB terminals, SPST-NO, 20 A, 5 VDC	3.80	227888	4536854850301	50	CE	X	CHN	8536.4900.99	
G4W-2212P-US TV5 12VDC	Relay, PCB terminal, DPST-NO, 10 A, 12 VDC	4.50	124139	4536854385186	50	CE	X	CHN	8536.4900.99	
G4W-2212P-US TV5 24VDC	Relay, PCB terminal, DPST-NO, 10 A, 24 VDC	4.50	124140	4536854385193	50	CE	X	CHN	8536.4900.99	
G5LE-1 12VDC	Relay, PCB terminal, SPDT, AgSnO2 contact material, 10 A, 12 VDC	1.51	123790	4536853444532	##	CE	X	MYS	8536.4900.99	
G5LE-1 24VDC	Relay, PCB terminal, SPDT, AgSnO2 contact material, 10 A, 24 VDC	1.51	123791	4536853444549	##	CE	X	MYS	8536.4900.99	
G5LE-14 12VDC	Relay, PCB terminal, SPDT, Fully sealed, AgSnO2 contact material, 10 A, 12 VDC	1.51	145418	4536853444594	##	CE	X	MYS	8536.4900.99	
G5LE-14 24VDC	Relay, PCB terminal, SPDT, Fully sealed, AgSnO2 contact material, 10 A, 24 VDC	1.66	156431	4536853444600	##	CE	X	MYS	8536.4900.99	
G6D-4-SB	Terminal relay short bar (for G6D terminal relays)	1.24	122882	4536854480928	40	CE	X	JPN	8536.4900.99	
G6D-F4B 24VDC	Terminal relay, DIN rail/surface mounting, 4x SPST-NO, 3 A, 24 VDC	46.78	122884	4536854484261	10	CE	X	JPN	8536.4900.99	
G3DZ-2F6PL 24VDC	Solid-state relay, PCB terminal, 4-pin, SPST-NO, 0.6A, 24VDC	29.23	324092	4547648740173	25	CE	X	JPN	8536.4900.99	
G3M-203PL 24VDC	Solid-state relay, PCB terminal, 4-pin, SPST-NO, 3A at 100-240 VAC	32.93	104067	4536853414696	##	CE	X	JPN	8536.4900.99	
G3MC-201PL 12VDC	Solid-state relay, PCB mounting, 4-pin, SPST-NO, 1 A at 100-240 VAC	5.93	125015	4536853415136	##	CE	X	JPN	8536.4900.99	
G3PD-X02PN-2 24VDC	Solid-state relay, PCB terminal, 4-pin, SPST-NO, 2 A at 4-48VDC, 24 VDC	36.85	343329	4547648740531	20	CE	X	JPN	8536.4900.99	
G3S-201PL-PD-US 24VDC	Solid-state relay, Ultra-small, PCB mounting, 4-pin, 1-pole, 1 A at 100-240 VAC	24.51	324633	4547648740623	CE	X	JPN	8536.4900.99		
G3SD-201P-PD-US 24VDC	Solid-state relay, Ultra-small, PCB mounting, 4-pin, 1-pole, 1.1 A at 4-24 VDC 24 VDC	15.87	124663	4536853419004	#	##	CE	X	JPN	8536.4900.99
G3SD-201P-PE 24VDC	Solid-state relay, Ultra-small, PCB mounting, 4-pin, 1-pole, 1.1 A at 4-24 VDC 24 VDC	13.95	169322	4547648016292	##	##	CE	X	JPN	8536.4900.99
G9EA-1-B 24VDC	Power relay, high capacity DC, SPST-NO, 60A	146.50	121123	4536854873638		CE	X	JPN	8536.4900.99	
<b>Socket PF</b>										
PF083A-D	Socket, DIN rail/surface mounting, 8-pin, screw terminals (box clamp)	5.25	694129	4549734994392	#	10	CF	A	HUN	8536.6990.99
PF083A-E	Socket, DIN rail/surface mounting, 8-pin, screw terminals (standard)	2.87	333396	4547648825917	#	50	CF	A	CHN	8536.4900.99
PF085A(N)	Socket, DIN rail/surface mounting, 8-pin, screw terminals	5.30	148890	4536853723064		CF	A	JPN	8536.4900.99	
PF113A-D	Socket, DIN rail/surface mounting, 11-pin, screw terminals (box clamp)	4.81	694130	4549734994408	#	10	CF	A	HUN	8536.6990.99
PF113A-E	Socket, DIN rail/surface mounting, 11-pin, screw terminals (standard)	2.90	333397	4547648825931	#	50	CF	A	CHN	8536.4900.99
PF113A-N	Socket, DIN rail/surface mounting, 11-pin, screw terminals (IEC/VDE)	6.73	694131	4549734994415	#	10	CF	A	HUN	8536.6990.99
<b>Socket PTF</b>										
PTF08A	Socket, DIN rail/surface mounting, 8-pin, screw terminal (plate clamp)	5.16	113374	4536853724573	10	CF	B	JPN	8536.4900.99	
PTF08A-E	Socket, DIN rail/surface mounting, 8-pin, screw terminals	5.09	113377	4536853724665	#	50	CF	B	IDN	8536.4900.99
PTF-08-PU	Socket, DIN rail/surface mounting, 8-pin, push-in plus terminals	8.08	690036	4549734556002	#	10	CF	B	MYS	8536.4900.99
PTF-08-PU-L	Socket, DIN rail/surface mounting, 8-pin, push-in plus terminals	7.48	690035	4549734556019	#	10	CF	B	MYS	8536.4900.99
PTFZ-08-E	Socket, DIN rail/surface mounting, 8-pin, screw terminals	3.80	702173	4549734715621		CF	B	CHN	8536.4900.99	
PTF11A	Socket, DIN rail/surface mounting, 11-pin, screw terminals	7.77	113375	4536853724580	10	CF	B	JPN	8536.4900.99	
PTF14A-E	Socket, DIN rail/surface mounting, 14-pin, screw terminals	7.77	113378	4536853724672	#	50	CF	B	IDN	8536.4900.99
PTF-14-PU-L	Socket, DIN rail/surface mounting, 14-pin, push-in plus terminals	10.10	690034	4549734556026	#	10	CF	B	MYS	8536.4900.99
PTFZ-14-E	Socket, DIN rail/surface mounting, 14-pin, screw terminals	6.75	702174	4549734715638		CF	B	CHN	8536.4900.99	

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	SLN. (Daheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
<b>Socket PY</b>										
PY08	Socket, back-connecting, 8-pin, solder terminals	1.41	154461	4536853725259	10		CF	C	JPN	8536.4900.99
PY08-02	Socket, back-connecting, 8-pin, PCB terminals	1.41	104360	4536853725263	10		CF	C	JPN	8536.4900.99
PY08QN	Relay Socket, Square, 8 Pins, Back-Mounting, Wrapping Terminals	5.22	113297	4536853725273	10		CF	C	JPN	8536.4900.99
PY14	Socket, back-connecting, 14-pin, solder terminals	1.82	113299	4536853725334	10		CF	C	JPN	8536.4900.99
PY14-02	Socket, back-connecting, 14-pin, PCB terminals	1.82	149949	4536853725617	10		CF	C	JPN	8536.4900.99
PY14QN	Socket, back-connecting, 14-pin, wire wrap terminals	6.98	113301	4536853725365	10		CF	C	JPN	8536.4900.99
<b>Socket PYE</b>										
PYF08A-E	Socket, DIN rail/surface mounting, 8-pin, screw terminals (standard)	4.59	168907	4547648009195	50		CF	D	CHN	8536.6990.99
PYF08A-N	Socket, DIN rail/surface mounting, 8-pin, screw terminals (IEC/VDE)	4.00	168910	4547648009232	#		CF	D	CHN	8536.4900.99
PYF-08-PU	Socket, DIN rail/surface mounting, 31 mm, 8-pin, Push-in terminals	4.81	685034	4549734218375	#		CF	D	MYS	8536.6990.99
PYF-08-PU-L	Socket, DIN rail/surface mounting, 31 mm, 8-pin, Push-in terminals	4.81	685036	4549734218399	10		CF	D	MYS	8536.6990.99
PYF08S	Socket, DIN rail mounting, 8-pin, screwless terminals	4.06	113312	4536854750762	10		CF	D	CHN	8536.6990.99
PYF-14-PU	Socket, DIN rail/surface mounting, 31 mm, 14-pin, Push-in terminals	4.92	685035	4549734218382	#		CF	D	MYS	8536.6990.99
PYF-14-PU-L	Socket, DIN rail/surface mounting, 31 mm, 14-pin, Push-in terminals	4.92	685037	4549734218405	#		CF	D	MYS	8536.6990.99
PYZF-08-E	Socket, DIN rail/surface mounting, 8-pin, screw terminals (standard)	4.20	684980	4549734447713	#		CF	D	CHN	8536.6990.99
PYF11A	Socket, DIN rail/surface mounting, 11-pin, screw terminals	7.18	154463	4536853725594	10		CF	D	JPN	8536.6990.99
PYF14A-E	Socket, DIN rail/surface mounting, 14-pin, screw terminals (standard)	6.75	168908	4547648009218	50		CF	D	CHN	8536.6990.99
PYF14A-E-US	Socket, DIN rail/surface mounting, 14-pin, screw terminals	6.17	168909	4547648010054	50		CF	D	CHN	8536.6990.99
PYF14A-N	Socket, DIN rail/surface mounting, 14-pin, screw terminals (IEC/VDE)	4.45	168911	4547648009256	#		CF	D	CHN	8536.4900.99
PYF14-ESS-N	Socket, with common and coil terminals on the bottom and with the NC & NO terminal on the top - Black	3.99	694136	4549734994460	#		CF	D	HUN	8536.6990.99
PYF14-ESS-B	Socket, with common, NC & NO terminals at the top and the coil terminals at the bottom - Black	4.53	694137	4549734994477	#		CF	D	HUN	8536.6990.99
PYF14S	Socket, DIN rail mounting, 14-pin, screwless terminals	4.87	113313	4536854750786	10		CF	D	CHN	8536.6990.99
PYZF-14-E	Socket, DIN rail/surface mounting, 14-pin, screw terminals (standard)	6.15	684981	4549734447720	#		CF	D	CHN	8536.6990.99
PYF-08-PU-L	Socket, DIN rail/surface mounting, 31mm, 8-pin, Push-in terminals	4.81	669990	4548583798250	10		CF	D	JPN	8536.6990.99
<b>Socket P2FF</b>										
P2FF-05	Socket, DIN rail/surface mounting, 5-pin, screw terminals	4.10	113544	4536854742521	10		CF	G	CHN	8536.4900.99
P2FF-05-E	Socket, DIN rail/surface mounting, 5-pin, screw terminals	4.39	113538	4536854742316	#		CF	G	CHN	8536.6990.99
P2FF-05-ESS	G2PS socket, 1-pole, DIN-rail/surface-mounting, screw (box type)	4.38	695956	4549734616140	#		CF	G	HUN	8536.6990.99
P2FF-05-S	Socket, DIN rail/surface mounting, 5-pin, screwless terminals	4.45	113546	4536854883453	10		CF	G	CHN	8536.4900.99
P2FF-08-S	Socket, DIN rail/surface mounting, 8-pin, screwless terminals	7.07	113547	4536854883460	10		CF	G	CHN	8536.4900.99
P2FFZ-05-E	Socket, DIN rail/surface mounting, 5-pin, screw terminals	4.03	690420	4549734578530	#		CF	G	CHN	8536.6990.99
P2RF-05-PU	Socket, DIN rail/surface mounting, 15.5 mm, 5-pin, Push-in terminals	4.61	685032	4549734218450	#		CF	G	MYS	8536.4900.99
P2RF-08	Socket, DIN rail/surface mounting, 8-pin, screw terminals	9.96	113543	4536854742514	10		CF	G	CHN	8536.4900.99
P2RF-08-E	Socket, DIN rail/surface mounting, 8-pin, screw terminals	7.00	113539	4536854742323	#		CF	G	CHN	8536.6990.99
P2RF-08-ESS	G2PS socket, 2-pole, DIN-rail/surface-mounting, screw (box type)	4.11	695858	4549734616157	#		CF	G	HUN	8536.6990.99
P2RF-08-PU	Socket, DIN rail/surface mounting, 15.5 mm, 8-pin, Push-in terminals	5.00	685033	4549734218467	#		CF	G	MYS	8536.4900.99
P2RFZ-08-E	Socket, DIN rail/surface mounting, 8-pin, screw terminals	6.43	690419	4549734578547	#		CF	G	CHN	8536.6990.99
<b>Other Socket</b>										
P2R-057P	Socket, back-connecting, 5-pin, PCB terminals	2.35	113542	4536854742507	10		CF	X	CHN	8536.4900.99
P2R-05A	Socket, back-connecting, 5-pin, solder terminals	2.21	113537	4536853726430	10		CF	X	CHN	8536.4900.99
P2R-05P	Socket, back-connecting, 5-pin, PCB terminals	1.66	151502	4536854742576	#		CF	X	CHN	8536.4900.99
P2R-087P	Socket, back-connecting, 8-pin, PCB terminals	2.93	113541	4536854742408	10		CF	X	CHN	8536.4900.99
P2R-08P	Socket, back-connecting, 8-pin, PCB terminals	2.06	113545	4536854742569	#		CF	X	CHN	8536.4900.99
PT08	Socket, back-connecting, 8-pin, solder terminals	1.55	113368	4536853724382	10		CF	X	JPN	8536.4900.99
PT08-0	Socket, back-connecting, 8-pin, PCB terminals	1.55	113369	4536853724399	10		CF	X	JPN	8536.4900.99
PT11	Back connecting solder terminal base	2.55	113370	4536853724412	10		CF	X	JPN	8536.4900.99
PT14	Socket, back-connecting, 14-pin, solder terminals	3.11	113371	4536853724436	10		CF	X	JPN	8536.4900.99
PT14-0	Socket, back-connecting, 14-pin, PCB terminals	3.09	113372	4536853724443	10		CF	X	JPN	8536.4900.99
8PFA	Socket, DIN rail/surface mounting, 8-pin, screw terminals	4.58	113516	4536853722746	20		CF	X	JPN	8536.4900.99
8PFA1	Socket, DIN rail/surface mounting, 8-pin, screw terminals	4.83	113517	4536853722753	20		CF	X	JPN	8536.4900.99
P2CF-08-E	Socket, DIN rail/surface mounting, 8-pin, screw terminals	7.66	113612	4536854821103	10		CF	X	JPN	8536.4900.99
P3G-08	Socket, back-connecting, 8-pin, screw terminals	8.23	142420	4536854821035	10		CF	X	JPN	8536.6990.99
P7MF-06	Socket, DIN rail/surface for 1- and 2-pole MK-S X/T relays	11.23	377101	4547648736992	10		CF	X	CHN	8536.4900.99
P7MF-06-D	Socket, DIN rail/surface for 1- and 2-pole MK-S X/T relays, with built-in diode	9.88	377102	4547648737036	10		CF	X	CHN	8536.4900.99
PL08	Socket, back-connecting, 8-pin, solder terminals	2.16	113440	4536853723903	10		CF	X	JPN	8536.4900.99
PLE08-0	Socket, back-connecting, 8-pin, PCB terminals	3.08	113442	4536853723934	10		CF	X	JPN	8536.4900.99
11PFA	Socket, DIN rail/surface mounting, 11-pin, screw terminals	7.78	149957	4536853722760	20		CF	X	JPN	8536.4900.99
14PFA	Socket, DIN rail/surface mounting, 14-pin, screw terminals	10.06	113518	4536853722777	20		CF	X	JPN	8536.4900.99

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Data sheet)	GTIN	Stock	Lot Qty.	Gr.	Fam.	COO	Tariff Code
P2CF-11-E	Socket, DIN rail surface mounting, 11-pin, screw terminals	9.84	113613	4536854821004	#	10	CF	X	JPN	8536.4900.99
P3GA-11	Socket, back-connecting, 11-pin, screw terminals	10.47	120939	4536854821141	#	10	CF	X	JPN	8536.6990.99
FL11	Socket, back-connecting, 11-pin, solder terminals	2.36	105709	4536853723941	#	10	CF	X	JPN	8536.4900.99
FL11-Q	Socket, back-connecting, 11-pin, solder terminals	3.62	110443	4536853723965	#	10	CF	X	JPN	8536.4900.99
FL11-0	Socket, back-connecting, 11-pin, PCB terminals	3.41	154472	4536853724016	#	10	CF	X	JPN	8536.4900.99
PES-50	Socket, DIN rail surface mounting, screw terminals.	5.63	382986	8020028273952	#	10	CF	X	ITA	8536.6990.99
<b>Special Socket</b>										
MS16MOLLE	Hold down and release clip, plastic, relay height 16 mm	0.41	382980	8020028144274	#	10	CF	Y	ITA	8538.9099.99
MS25 MOLLE	Hold down and release clip, plastic, relay height 25 mm	0.38	382981	8020028144281	#	10	CF	Y	ITA	8538.9099.99
PEC35	Relay socket, PCB mounting	1.02	383001	8020028273967	##	10	CF	Y	ITA	8538.9099.99
PES-35	Socket, DIN rail surface mounting, 5-pin, screw terminals, for G2R-1 PCB relay	3.27	382985	8020028273509	#	10	CF	Y	ITA	8536.6990.99
PES50/3	Socket, DIN rail surface mounting, 8-pin, screw terminals, for G2R-2 PCB relay	3.93	382987	8020028274919	#	10	CF	Y	ITA	8536.6990.99
TYPE 22	Module with prot. diode against inversion polarity (cathode + A1) 6/230Vdc for PES socket	1.62	382991	8020028142669	#	20	CF	Y	ITA	8538.9099.99
TYPE 42	Plug-in module with LED and damping diode, 6-24 VDC	2.63	382992	8020028142683	#	20	CF	Y	ITA	8538.9099.99
TYPE 42B	Plug-in module with LED and damping diode, 24-60 VDC, for mounting on PES sockets	2.70	382993	8020028144021	#	20	CF	Y	ITA	8538.9099.99
TYPE 52C	MOD 52C Plug-in module with RC circuit, input voltage 110/230 VAC	3.33	382994	8020028144083	#	20	CF	Y	ITA	8538.9099.99
TYPE 62C	MOD 62C Plug-in module with varistor and red LED, input voltage 6/24 VAC/VDC	4.23	382996	8020028144120	#	20	CF	Y	ITA	8538.9099.99
<b>Accessory for Socket</b>										
R89-15 for G2RV	White plastic label for socket, supplied as strip of 120 pieces (order in multiples of 120)	12.46	227343	4536853905057	#	5	CF	Z	DEU	8538.9099.99
R89-16 for G2RV	Labels (stickers) for G2RV sockets, 1 pc = 484 labels	9.69	225352	4536853904395	#	10	CF	Z	DEU	8538.9099.99
P2DN-15-7-100S	Box of short bar for P2PFZ-E. In the box there are 10pcs of short bar, 15.7 mm pitch, 10 pole (10 terminal) and 20pcs of caps. Color is blue.	20.61	690422	4549734578486	#	10	CF	Z	CHN	8536.6990.99
P2DN-6.8-100S	Box of short bar for P2PFZ-E. In the box there are 10pcs of short bar, 6.8 mm pitch, 10 pole (20 terminal) and 20pcs of caps. Color is blue.	20.61	690423	4549734578479	#	10	CF	Z	CHN	8536.6990.99
P2DN-CP100	Box of 100 caps for P2DN short bar; insulation cap for the short bar cut, blue color	10.75	690421	4549734578516	#	10	CF	Z	CHN	8536.6990.99
P2RM-SB	Socket bridge (for use with P2PF S)	25.69	113336	4536854894480	#	10	CF	Z	JPN	8536.4900.99
P2RM-SR	Socket bridge (for use with P2PF S)	26.43	103463	4536854894473	#	10	CF	Z	JPN	8536.4900.99
PYD-025BB	Cross bar bridges for PYF08A sockets, pitch 22 mm, 2 poles, black, (10 pcs per unit)	16.44	163082	4536854538018	#	10	CF	Z	JPN	8536.6990.99
PYD-025BR	Cross bar bridges for PYF08A sockets, pitch 22 mm, 2 poles, red, (10 pcs per unit)	16.44	102942	4536854552014	#	10	CF	Z	JPN	8536.6990.99
PYD-025BS	Cross bar bridges for PYF08A sockets, pitch 22 mm, 2 poles, blue, (10 pcs per unit)	16.44	163743	4536854552007	#	10	CF	Z	JPN	8536.6990.99
PYD-026BS (10)	Cross bar bridges for PYF14A sockets, pitch 29 mm, 2 poles, blue, (10 pcs per unit)	17.49	113329	4536854538056	#	10	CF	Z	JPN	8536.6990.99
PYD-030BB (50)	Cross bar bridges for PYF14A sockets, pitch 7 mm, 3 poles, black, (50 pcs per unit)	85.85	113325	4536854538001	#	10	CF	Z	JPN	8536.6990.99
PYD-030BY	Cross bar bridges for PYF14A sockets, pitch 7 mm, 3 poles, yellow, (50 pcs per unit)	85.85	113326	4536854553615	#	10	CF	Z	JPN	8536.6990.99
PYD-085BB (10)	Cross bar bridges for PYF08A sockets, pitch 22 mm, 8 poles, black, (10 pcs per unit)	52.05	113327	4536854553021	#	10	CF	Z	JPN	8536.6990.99
PYD-085BR (10)	Cross bar bridges for PYF08A sockets, pitch 22 mm, 8 poles, red, (10 pcs per unit)	52.05	113328	4536854539032	#	10	CF	Z	JPN	8536.6990.99
PYD-085BS (10)	Cross bar bridges for PYF08A sockets, pitch 22 mm, 8 poles, blue, (10 pcs per unit)	52.05	153327	4536854538025	#	10	CF	Z	JPN	8536.6990.99
PYD-086BB (10)	Cross bar bridges for PYF14A sockets, pitch 29 mm, 8 poles, black, (10 pcs per unit)	52.05	157853	4536854538070	#	10	CF	Z	JPN	8536.6990.99
PYD-086BR (10)	Cross bar bridges for PYF14A sockets, pitch 29 mm, 8 poles, red, (10 pcs per unit)	52.05	113331	4536854538094	#	10	CF	Z	JPN	8536.6990.99
PYD-086BS (10)	Cross bar bridges for PYF14A sockets, pitch 29 mm, 8 poles, blue, (10 pcs per unit)	52.05	113330	4536854538067	#	10	CF	Z	JPN	8536.6990.99
PYDM-08SB	Socket bridge, 2-poles, 19.7 mm length, blue, sold in multiples of 50 per package	40.40	113333	4536854737152	#	10	CF	Z	JPN	8536.6990.99
PYDN-15.5-080R	Accessory for PYF-PU, 15.5mm pitch, 8 Poles, Red color	5.86	670377	4548583798304	#	10	CF	Z	JPN	8536.6990.99
PYDN-15.5-080S	Accessory for PYF-PU, 15.5mm pitch, 8 Poles, Blue color	5.86	670366	4548583798311	#	10	CF	Z	JPN	8536.6990.99
PYDN-15.5-080Y	Accessory for PYF-PU, 15.5mm pitch, 8 Poles, Yellow color	5.86	670356	4548583798328	#	10	CF	Z	JPN	8536.6990.99
PYDN-31.0-080R	Accessory for PYF-PU, 31mm pitch, 8 Poles, Red color	6.82	670348	4548583798274	#	10	CF	Z	JPN	8536.6990.99
PYDN-31.0-080S	Accessory for PYF-PU, 31mm pitch, 8 Poles, Blue color	6.82	670363	4548583798281	#	10	CF	Z	JPN	8536.6990.99
PYDN-31.0-080Y	Accessory for PYF-PU, 31mm pitch, 8 Poles, Yellow color	6.82	670375	4548583798298	#	10	CF	Z	JPN	8536.6990.99
PYDN-6.2-020R	Accessory for G2RV-SR G3RV-SR, Cross bar, 2 poles, Red color	2.91	670352	4548583798458	#	10	CF	Z	JPN	8536.6990.99
PYDN-6.2-020S	Accessory for G2RV-SR G3RV-SR, Cross bar, 2 poles, Blue color	2.91	670362	4548583798465	#	10	CF	Z	JPN	8536.6990.99
PYDN-6.2-020Y	Accessory for G2RV-SR G3RV-SR, Cross bar, 2 poles, Yellow color	2.91	670370	4548583798472	#	10	CF	Z	JPN	8536.6990.99
PYDN-6.2-030R	Accessory for G2RV-SR G3RV-SR, Cross bar, 3 poles, Red color	4.33	670350	4548583798489	#	10	CF	Z	JPN	8536.6990.99
PYDN-6.2-030S	Accessory for G2RV-SR G3RV-SR, Cross bar, 3 poles, Blue color	4.33	670378	4548583798496	#	10	CF	Z	JPN	8536.6990.99
PYDN-6.2-030Y	Accessory for G2RV-SR G3RV-SR, Cross bar, 3 poles, Yellow color	4.33	670351	4548583798502	#	10	CF	Z	JPN	8536.6990.99
PYDN-6.2-040R	Accessory for G2RV-SR G3RV-SR, Cross bar, 4 poles, Red color	5.75	670365	4548583798519	#	10	CF	Z	JPN	8536.6990.99
PYDN-6.2-040S	Accessory for G2RV-SR G3RV-SR, Cross bar, 4 poles, Blue color	5.75	670368	4548583798526	#	10	CF	Z	JPN	8536.6990.99
PYDN-6.2-040Y	Accessory for G2RV-SR G3RV-SR, Cross bar, 4 poles, Yellow color	5.75	670381	4548583798533	#	10	CF	Z	JPN	8536.6990.99
PYDN-6.2-100R	Accessory for G2RV-SR G3RV-SR, Cross bar, 10 poles, Red color	6.00	670360	4548583798540	#	10	CF	Z	JPN	8536.6990.99
PYDN-6.2-100S	Accessory for G2RV-SR G3RV-SR, Cross bar, 10 poles, Blue color	6.00	670379	4548583798557	#	10	CF	Z	JPN	8536.6990.99
PYDN-6.2-100Y	Accessory for G2RV-SR G3RV-SR, Cross bar, 10 poles, Yellow color	6.00	670353	4548583798564	#	10	CF	Z	JPN	8536.6990.99
PYDN-6.2-200R	Accessory for G2RV-SR G3RV-SR, Cross bar, 20 poles, Red color	6.87	670349	4548583798571	#	10	CF	Z	JPN	8536.6990.99
PYDN-6.2-200S	Accessory for G2RV-SR G3RV-SR, Cross bar, 20 poles, Blue color	6.87	670371	4548583798588	#	10	CF	Z	JPN	8536.6990.99
PYDN-6.2-200Y	Accessory for G2RV-SR G3RV-SR, Cross bar, 20 poles, Yellow color	6.87	670372	4548583798595	#	10	CF	Z	JPN	8536.6990.99
PYDN-7.75-020R	Accessory for PYF-PU/P2RF-PU, 7.75mm pitch, 2 Poles, Red color	3.80	670369	4548583798335	#	10	CF	Z	JPN	8536.6990.99
PYDN-7.75-020S	Accessory for PYF-PU/P2RF-PU, 7.75mm pitch, 2 Poles, Blue color	3.80	670373	4548583798342	#	10	CF	Z	JPN	8536.6990.99
PYDN-7.75-020Y	Accessory for PYF-PU/P2RF-PU, 7.75mm pitch, 2 Poles, Yellow color	3.80	670380	4548583798359	#	10	CF	Z	JPN	8536.6990.99
PYDN-7.75-030R	Accessory for PYF-PU/P2RF-PU, 7.75mm pitch, 3 Poles, Red color	4.74	670385	4548583798366	#	10	CF	Z	JPN	8536.6990.99
PYDN-7.75-030S	Accessory for PYF-PU/P2RF-PU, 7.75mm pitch, 3 Poles, Blue color	4.74	670354	4548583798373	#	10	CF	Z	JPN	8536.6990.99
PYDN-7.75-030Y	Accessory for PYF-PU/P2RF-PU, 7.75mm pitch, 3 Poles, Yellow color	4.74	670376	4548583798380	#	10	CF	Z	JPN	8536.6990.99
PYDN-7.75-040R	Accessory for PYF-PU/P2RF-PU, 7.75mm pitch, 4 Poles, Red color	5.86	670384	4548583798397	#	10	CF	Z	JPN	8536.6990.99
PYDN-7.75-040S	Accessory for PYF-PU/P2RF-PU, 7.75mm pitch, 4 Poles, Blue color	5.86	670358	4548583798403	#	10	CF	Z	JPN	8536.6990.99
PYDN-7.75-040Y	Accessory for PYF-PU/P2RF-PU, 7.75mm pitch, 4 Poles, Yellow color	5.86	670357	4548583798410	#	10	CF	Z	JPN	8536.6990.99
PYDN-7.75-200R	Accessory for PYF-PU/P2RF-PU, 7.75mm pitch, 20 Poles, Red color	7.00	670374	4548583798427	#	10	CF	Z	JPN	8536.6990.99
PYDN-7.75-200S	Accessory for PYF-PU/P2RF-PU, 7.75mm pitch, 20 Poles, Blue color	7.00	670359	4548583798434	#	10	CF	Z	JPN	8536.6990.99
PYDN-7.75-200Y	Accessory for PYF-PU/P2RF-PU, 7.75mm pitch, 20 Poles, Yellow color	7.00	670382	4548583798441	#	10	CF	Z	JPN	8536.6990.99

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	SLN. (Data sheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
46427	MG-VYT: Dielectric PVC self adhesive yellow film labels (silicon free) used for internal and external marking, precut, 5 x 12 mm, 120 labels per sheet and 6000 in a box, RoHS compliant	340.40	688398	4549734971539			CF	Z	ITA	8538.9099.99
46527	MG-VYT: Dielectric PVC self adhesive white film labels (silicon free) used for internal and external marking, precut, 5 x 12 mm, 120 labels per sheet and 6000 in a box, RoHS compliant	287.10	688399	4549734971546			CF	Z	ITA	8538.9099.99
47096	MG-TAP white legends for identifying push buttons and components rigid PVC, self extinguishing class V0: UL94, 8.2 x 27 mm, 44 legends per sheet, 2200 in a box	259.40	688397	4549734971522			CF	Z	ITA	8538.9099.99
MG-CFM-04 41390N	White modular sheet with 48 marker of size mm: 5x10, Polycarbonate, Halogen Free, Silicon Free, UL94 V0, -40° to 130°C, Minimum Order Quantity is 1 box (In one box: 35 sheets, total markers 1680)	180.70	685974	8016892764306			CF	Z	ITA	8538.9099.99
MG-CFM-04 41391	White modular sheet with 48 marker of size mm: 3x10, Polycarbonate, Halogen Free, Silicon Free, UL94 V0, -40° to 130°C, Minimum Order Quantity is 1 box (In one box: 28 sheets, total markers 1344)	156.20	685975	8016892613079			CF	Z	ITA	8538.9099.99
MG-CFM-04 41392	White modular sheet with 48 marker of size mm: 3x10, Polycarbonate, Halogen Free, Silicon Free, UL94 V0, -40° to 130°C, Minimum Order Quantity is 1 box (In one box: 25 sheets, total markers 2000)	199.30	685976	8016892769400			CF	Z	ITA	8538.9099.99
MG-CFM-05 41490	White modular sheet with 56 marker of size mm: 5x10, Polycarbonate, Halogen Free, Silicon Free, UL94 V0, -40° to 130°C, Minimum Order Quantity is 1 box (In one box: 35 sheets, total markers 1960)	210.80	685977	8016892482309			CF	Z	ITA	3403.1980.00
MG-CFM-07 41691	White modular sheet with 48 marker of size mm: 5x10, Polycarbonate, Halogen Free, Silicon Free, UL94 V0, -40° to 130°C, Minimum Order Quantity is 1 box (In one box: 35 sheets, total markers 1680)	180.70	685978	8016892570174			CF	Z	ITA	8538.9099.99
MG-CFM-07 41692	White modular sheets with 48 marker of size mm: 3x10, Polycarbonate, Halogen Free, Silicon Free, UL94 V0, -40° to 130°C, Minimum Order Quantity is 1 box (In one box: 35 sheets, total markers 1680)	199.30	685979	8016892887760			CF	Z	ITA	8538.9099.99
PYC-TR1	Labels for PYF14-ESN/ESS sockets. (1 pc = 1 bag including 10 labels)	1.65	694135	4549734994453			CF	Z	HUN	8538.9099.99
P2CM-ESS	Clip & release lever for P2RF-**-ESS socket (1 pc = 1 bag including 10 levers)	3.28	695857	4549734616133	#		CF	Z	HUN	8536.4900.99
P2CM-S	Clip for use with P2RF-S	0.29	145976	4536854886522		50	CF	Z	CHN	8536.4900.99
PFC-A1	Retaining clips for MK relay & PF*-AE sockets	0.88	113525	4536853723156		##	CF	Z	JPN	8536.4900.99
PFC-N8	Retaining clips for 61F-GP-N8 level controller & PF083A-E socket	2.15	151994	4536853385149			CF	Z	JPN	8538.9099.99
PYC-O	Metal retaining clip (wire snip clip) for use with PYF14-ESN/ESS (for use with relays only). Sold in multiples of 10 per package, not available separately	2.90	694132	4549734994422			CF	Z	HUN	8538.9099.99
PYC-35-B	Hold-down clip, plastic, for PYF14-ESS B/-ES-B, sold in multiples of 10 per package	4.46	694133	4549734994439	#		CF	Z	HUN	8538.9099.99
PYC-A1	Retaining clips for LY/MY relay & PTF/PYF E/N socket	0.38	113324	4536853726171	#	##	CF	Z	JPN	8536.4900.99
PYC-A2	Hold-down clip, metal, for MK-S(X) sockets	0.39	113323	4536853726164			CF	Z	JPN	8536.4900.99
PYC-E1	Retaining clips for MY2IN(S) relay & PYF E/N socket	0.46	156689	4536854382406		##	CF	Z	JPN	8536.4900.99
PYCM-08S	Clip and release lever for PYF08S socket	0.29	157441	4536854750793		##	CF	Z	CHN	8536.4900.99
PYCM-14S	Clip and release lever for PYF14S socket	0.42	142635	4536854750816		50	CF	Z	CHN	8536.4900.99
PYC-P	Retaining clip for LY/MY relay & PT/PY socket	0.23	154464	4536853726058		##	CF	Z	JPN	8536.4900.99
PYC-TR	Name plate for P2RF-**-ESS socket (1 pc = 1 bag including 10 plates)	2.49	694134	4549734994446			CF	Z	HUN	8538.9099.99
FFP-M	End plate	1.98	147906	4536853722715		##	CF	Z	JPN	8536.4900.99
FFP-S	Spacer	1.18	148889	4536853722722		10	CF	Z	JPN	8536.4900.99
FFP-100N	DIN-rail mounting track, 35 x 7.3 mm, 1 m length	16.37	113513	4536853722692		25	CF	Z	CHN	8536.4900.99
FFP-50N	Din rail track, 500 mm	11.82	113514	4536853722708			CF	Z	CHN	8536.4900.99
PYP-1	Single mounting plate for back connecting sockets	1.10	113337	4536853726201			CF	Z	JPN	8536.4900.99
R89-04 FOR GSF	Surface mounting W-bracket for G7J relay	0.83	112515	4536853729486		##	CF	Z	JPN	8536.4900.99
R89-11	Nameplate for MY relay (packet of 100) (not PYF14ESN / ESS)	14.94	114077	4536854445897			CF	Z	JPN	8536.4900.99
R89-12 FOR G3NA	Mounting bracket for G3NA	14.94	166375	4536854912924		10	CF	Z	JPN	8536.4900.99
PYC-TR	Name plate for P2RF-**-ESS socket (1 pc = 1 bag including 10 plates)	2.40	379324	4547648969277			CF	Z	ITA	8536.4900.99
PYC-TR1	Labels for PYF14-ESN/ESS sockets. (1 pc = 1 bag including 10 labels)	1.59	659477	4548583953093			CF	Z	ITA	8536.4900.99
P2RVC-8-I-5	Interface unit for G2RV-SR G3RV-SR Push-in, PLC Input, 8 channels, NPN, 30V AC/DC, Total 2A, Push-in	42.39	670367	4548583798649			CF	Z	JPN	8538.9099.99
P2RVC-8-I-5-1	Interface unit for G2RV-SR G3RV-SR Push-in, PLC Input, 8 channels, PNP, 30V AC/DC, Total 2A, Push-in	42.39	670361	4548583798625			CF	Z	JPN	8538.9099.99
P2RVC-8-I-7-1	Interface unit for G2RV-SR G3RV-SR Screw, PLC Input, 8 channels, PNP, 30V AC/DC, Total 2A, Rlsinq screw	41.57	670364	4548583798632			CF	Z	JPN	8538.9099.99
P2RVC-8-O-5	Interface unit for G2RV-SR G3RV-SR Push-in, PLC Output, 8 channels, NPN, 30V AC/DC, Total 2A, Push-in	43.23	670386	4548583798670			CF	Z	JPN	8538.9099.99
P2RVC-8-O-5-1	Interface unit for G2RV-SR G3RV-SR Push-in, PLC Output, 8 channels, PNP, 30V AC/DC, Total 2A, Push-in	43.23	670383	4548583798656			CF	Z	JPN	8538.9099.99
P2RVC-8-O-7-1	Interface unit for G2RV-SR G3RV-SR Screw, PLC Output, 8 channels, PNP, 30V AC/DC, Total 2A, Rlsinq screw	42.80	670355	4548583798663	#		CF	Z	JPN	8538.9099.99
P2RVC-8-I-F	G2RV plc interface, input type, 8 x G2RV-SL***-AP	59.00	375339	4547648958400			CF	Z	POL	8538.9099.99
P2RVC-8-O-F	Connector module for 8 G2RV-SL700	51.10	227344	4536853905064			CF	Z	DEU	8538.9099.99
R89-11 FOR G3NA	Mounting bracket, for G3NA-240B/-440B(-2) SR	4.17	104068	4536853415860			CF	Z	JPN	8536.4900.99
P2RV-050C-SCH-A	Connecting Cable for P2RVC-8 with Schneider PLC 140 DDI 353 00, 32 input points, 0.5 m	215.00	670831	4548583801165			CF	Z	CHN	8544.4290.90
P2RV-050C-SCH-B	Connecting Cable for P2RVC-8 with Schneider PLC 140 DDO 353 00, 32 output points, 0.5 m	215.00	670796	4548583801219			CF	Z	CHN	8544.4290.90
P2RV-050C-SCH-C	Connecting Cable for P2RVC-8 with Schneider PLC BMX DDI 1602, 16 input points, 0.5 m	122.30	670830	4548583801264			CF	Z	CHN	8544.4290.90
P2RV-050C-SCH-D	Connecting Cable for P2RVC-8 with Schneider PLC BMX DDO 1602, 16 output points, 0.5 m	122.30	670777	4548583801318			CF	Z	CHN	8544.4290.90
P2RV-050C-SIM-A	Connecting Cable for P2RVC-8 with Siemens PLC 6ES7 321-1BL00-0AA0, 32 input points, 0.5 m	185.80	670843	4548583801363			CF	Z	CHN	8544.4290.90
P2RV-050C-SIM-B	Connecting Cable for P2RVC-8 with Siemens PLC 6ES7 322-1BL00-0AA0, 32 output points, 0.5 m	185.80	670845	4548583801417			CF	Z	CHN	8544.4290.90
P2RV-050C-SIM-C	Connecting Cable for P2RVC-8 with Siemens PLC 6ES7 321-1BH02-0AA0, 16 input points, 0.5 m	122.30	670847	4548583801462			CF	Z	CHN	8544.4290.90
P2RV-050C-SIM-D	Connecting Cable for P2RVC-8 with Siemens PLC 6ES7 421-1BL-0AA0, 32 input points, 0.5 m	322.40	670803	4548583801516			CF	Z	CHN	8544.4290.90
P2RV-050C-SIM-E	Connecting Cable for P2RVC-8 with Siemens PLC 6ES7 422-1BL-0AA0, 32 output points, 0.5 m	322.40	670832	4548583801561			CF	Z	CHN	8544.4290.90
P2RV-100C-SCH-A	Connecting Cable for P2RVC-8 with Schneider PLC 140 DDI 353 00, 32 input points, 1 m	217.30	670784	4548583801172			CF	Z	CHN	8544.4290.90
P2RV-100C-SCH-B	Connecting Cable for P2RVC-8 with Schneider PLC 140 DDO 353 00, 32 output points, 1 m	217.30	670844	4548583801226			CF	Z	CHN	8544.4290.90
P2RV-100C-SCH-C	Connecting Cable for P2RVC-8 with Schneider PLC BMX DDI 1602, 16 input points, 1 m	124.80	670793	4548583801271			CF	Z	CHN	8544.4290.90
P2RV-100C-SCH-D	Connecting Cable for P2RVC-8 with Schneider PLC BMX DDO 1602, 16 output points, 1 m	124.80	670821	4548583801325			CF	Z	CHN	8544.4290.90
P2RV-100C-SIM-A	Connecting Cable for P2RVC-8 with Siemens PLC 6ES7 321-1BL00-0AA0, 32 input points, 1 m	190.40	670863	4548583801370			CF	Z	CHN	8544.4290.90
P2RV-100C-SIM-B	Connecting Cable for P2RVC-8 with Siemens PLC 6ES7 322-1BL00-0AA0, 32 output points, 1 m	190.40	670805	4548583801424			CF	Z	CHN	8544.4290.90
P2RV-100C-SIM-C	Connecting Cable for P2RVC-8 with Siemens PLC 6ES7 321-1BH02-0AA0, 16 input points, 1 m	124.80	670829	4548583801479			CF	Z	CHN	8544.4290.90
P2RV-100C-SIM-D	Connecting Cable for P2RVC-8 with Siemens PLC 6ES7 421-1BL-0AA0, 32 input points, 1 m	324.80	670809	4548583801523			CF	Z	CHN	8544.4290.90
P2RV-100C-SIM-E	Connecting Cable for P2RVC-8 with Siemens PLC 6ES7 422-1BL-0AA0, 32 output points, 1 m	324.80	670802	4548583801578			CF	Z	CHN	8544.4290.90
P2RV-200C-SCH-A	Connecting Cable for P2RVC-8 with Schneider PLC 140 DDI 353 00, 32 input points, 2 m	224.90	670861	4548583801189			CF	Z	CHN	8544.4290.90
P2RV-200C-SCH-B	Connecting Cable for P2RVC-8 with Schneider PLC 140 DDO 353 00, 32 output points, 2 m	224.90	670804	4548583801233			CF	Z	CHN	8544.4290.90
P2RV-200C-SCH-C	Connecting Cable for P2RVC-8 with Schneider PLC BMX DDI 1602, 16 input points, 2 m	127.10	670866	4548583801288			CF	Z	CHN	8544.4290.90
P2RV-200C-SCH-D	Connecting Cable for P2RVC-8 with Schneider PLC BMX DDO 1602, 16 output points, 2 m	127.10	670833	4548583801332			CF	Z	CHN	8544.4290.90
P2RV-200C-SIM-A	Connecting Cable for P2RVC-8 with Siemens PLC 6ES7 321-1BL00-0AA0, 32 input points, 2 m	197.90	670819	4548583801387			CF	Z	CHN	8544.4290.90
P2RV-200C-SIM-B	Connecting Cable for P2RVC-8 with Siemens PLC 6ES7 322-1BL00-0AA0, 32 output points, 2 m	197.90	670794	4548583801431			CF	Z	CHN	8544.4290.90
P2RV-200C-SIM-C	Connecting Cable for P2RVC-8 with Siemens PLC 6ES7 321-1BH02-0AA0, 16 input points, 2 m	127.10	670797	4548583801486			CF	Z	CHN	8544.4290.90

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	SLN. (Data sheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
P2RV-200C-SIM-D	Connecting Cable for P2RVC-8 with Siemens PLC 6ES7 421-1BL-0AA0, 32 input points, 2 m	332.20	670807	4548583801530			CF	Z	CHN	8544.4290.90
P2RV-200C-SIM-E	Connecting Cable for P2RVC-8 with Siemens PLC 6ES7 422-1BL-0AA0, 32 output points, 2 m	332.20	670846	4548583801585			CF	Z	CHN	8544.4290.90
P2RV-300C-SCH-A	Connecting Cable for P2RVC-8 with Schneider PLC 140 DDI 353 00, 32 input points, 3 m	232.10	670776	4548583801196			CF	Z	CHN	8544.4290.90
P2RV-300C-SCH-B	Connecting Cable for P2RVC-8 with Schneider PLC 140 DDO 353 00, 32 output points, 3 m	232.10	670786	4548583801240			CF	Z	CHN	8544.4290.90
P2RV-300C-SCH-C	Connecting Cable for P2RVC-8 with Schneider PLC BMX DDI 1602, 16 input points, 3 m	132.10	670842	4548583801295			CF	Z	CHN	8544.4290.90
P2RV-300C-SCH-D	Connecting Cable for P2RVC-8 with Schneider PLC BMX DDO 1602, 16 output points, 3 m	132.10	670859	4548583801349			CF	Z	CHN	8544.4290.90
P2RV-300C-SIM-A	Connecting Cable for P2RVC-8 with Siemens PLC 6ES7 321-1BL00-0 AA0, 32 input points, 3 m	205.10	670834	4548583801394			CF	Z	CHN	8544.4290.90
P2RV-300C-SIM-B	Connecting Cable for P2RVC-8 with Siemens PLC 6ES7 322-1BL00-0 AA0, 32 output points, 3 m	205.10	670817	4548583801448			CF	Z	CHN	8544.4290.90
P2RV-300C-SIM-C	Connecting Cable for P2RVC-8 with Siemens PLC 6ES7 321-1BH02-0 AA0, 16 input points, 3 m	129.40	670778	4548583801493			CF	Z	CHN	8544.4290.90
P2RV-300C-SIM-D	Connecting Cable for P2RVC-8 with Siemens PLC 6ES7 421-1BL-0 AA0, 32 input points, 3 m	339.40	670818	4548583801547			CF	Z	CHN	8544.4290.90
P2RV-300C-SIM-E	Connecting Cable for P2RVC-8 with Siemens PLC 6ES7 422-1BL-0 AA0, 32 output points, 3 m	339.40	670806	4548583801592			CF	Z	CHN	8544.4290.90
P2RV-500C-SCH-A	Connecting Cable for P2RVC-8 with Schneider PLC 140 DDI 353 00, 32 input points, 5 m	249.30	670862	4548583801202			CF	Z	CHN	8544.4290.90
P2RV-500C-SCH-B	Connecting Cable for P2RVC-8 with Schneider PLC 140 DDO 353 00, 32 output points, 5 m	249.30	670864	4548583801257			CF	Z	CHN	8544.4290.90
P2RV-500C-SCH-C	Connecting Cable for P2RVC-8 with Schneider PLC BMX DDI 1602, 16 input points, 5 m	136.90	670795	4548583801301			CF	Z	CHN	8544.4290.90
P2RV-500C-SCH-D	Connecting Cable for P2RVC-8 with Schneider PLC BMX DDO 1602, 16 output points, 5 m	136.90	670808	4548583801356			CF	Z	CHN	8544.4290.90
P2RV-500C-SIM-A	Connecting Cable for P2RVC-8 with Siemens PLC 6ES7 321-1BL00-0 AA0, 32 input points, 5 m	220.20	670775	4548583801400			CF	Z	CHN	8544.4290.90
P2RV-500C-SIM-B	Connecting Cable for P2RVC-8 with Siemens PLC 6ES7 322-1BL00-0 AA0, 32 output points, 5 m	220.20	670820	4548583801455			CF	Z	CHN	8544.4290.90
P2RV-500C-SIM-C	Connecting Cable for P2RVC-8 with Siemens PLC 6ES7 321-1BH02-0 AA0, 16 input points, 5 m	136.90	670860	4548583801509			CF	Z	CHN	8544.4290.90
P2RV-500C-SIM-D	Connecting Cable for P2RVC-8 with Siemens PLC 6ES7 421-1BL-0 AA0, 32 input points, 5 m	351.70	670865	4548583801554			CF	Z	CHN	8544.4290.90
P2RV-500C-SIM-E	Connecting Cable for P2RVC-8 with Siemens PLC 6ES7 422-1BL-0 AA0, 32 output points, 5 m	351.70	670787	4548583801608			CF	Z	CHN	8544.4290.90
P2RV-200C-SIM S7/300	Connecting interface cable for use between Siemens S7/300 unit and P2RV-8-O-F modules, 2 m length + connector	348.30	227720	4536853905613			CF	Z	DEU	8538.9099.99
P2RV-300C-SIM S7/300	Connecting interface cable for use between Siemens S7/300 unit and P2RV-8-O-F modules, 3 m length + connector	345.60	227722	4536853905637			CF	Z	DEU	8538.9099.99
P2RVM-020R	Cross connector to reduce wiring, 2-pole, red, order in multiples of 60 (list price is per item)	0.96	225336	4536853904234	60	CF	Z	DEU	8538.9099.99	
P2RVM-030B	Cross connector to reduce wiring, 3-pole, black, order in multiples of 60 (list price is per item)	1.40	225347	4536853904300	60	CF	Z	DEU	8538.9099.99	
P2RVM-030R	Cross connector to reduce wiring, 3-pole, red, order in multiples of 60 (list price is per item)	1.40	225337	4536853904241	60	CF	Z	DEU	8538.9099.99	
P2RVM-040R	Cross connector to reduce wiring, 4-pole, red, order in multiples of 60 (price is per item)	1.81	225338	4536853904258	60	CF	Z	DEU	8538.9099.99	
P2RVM-200R	Cross connector to reduce wiring, 20-pole, red, order in multiples of 20 (price is per item)	6.92	225340	4536853904272	20	CF	Z	DEU	8538.9099.99	
<b>Industrial Switch Z15</b>										
Z-15E-B	Basic switch, general purpose, Pin plunger (2.3 dia., Stainless steel plunger), Snap action, Self-reset type, Single-Pole, Double-Throw type, SPDT, Screw terminal (M4)	9.75	106741	4536854262418	20	CG	A	JPN	8536.5015.90	
Z-15E-D	Basic switch, general purpose, Snap action, Self-reset type, Single-Pole, Double-Throw type, SPDT, Solder terminal	11.33	106743	4536854262524	20	CG	A	JPN	8536.5015.90	
Z-15E-D-B	Basic switch, general purpose, Snap action, Self-reset type, Single-Pole, Double-Throw type, SPDT, Screw terminal (M4)	11.33	213831	4536854262531	20	CG	A	JPN	8536.5015.90	
Z-15EQ-B	Basic switch, general purpose, Panel mount plunger (8.35 dia., Stainless steel plunger, medium OP), Snap action, Self-reset type, Single-Pole, Double-Throw type, SPDT, Screw terminal (M4)	14.01	106744	4536854262579	20	CG	A	JPN	8536.5015.90	
Z-15ESR	General purpose basic switch, slim sprung plunger, SPDT, 15A high capacity, solder terminals	12.15	103031	4536854262500	20	CG	A	JPN	8536.5015.90	
Z-15EW22-B	General purpose basic switch, short hinge roller lever, SPDT, 15A high capacity, screw terminals	10.61	143078	4536854262739	20	CG	A	JPN	8536.5015.90	
Z-15EW29	General purpose basic switch	13.94	224888	4547494947108	80	CG	A	JPN	8536.5015.90	
Z-15G	General purpose basic switch, pin plunger, SPDT, 15 A, solder terminals	7.01	382405	4548583364974	20	CG	A	IDN	8536.5015.90	
Z-15GSA55-B5V	Basic switch	15.36	106676	4536854263835	2	CG	A	JPN	8536.5015.90	
Z-15G-B	General purpose basic switch, pin plunger, SPDT, 15 A, screw terminals	7.81	382399	4548583364912	#	20	CG	A	IDN	8536.5015.90
Z-15G-B8	Basic switch	14.01	106668	4536854263538	20	CG	A	JPN	8536.5015.90	
Z-15GD	General purpose basic switch, short spring plunger, SPDT, 15 A, solder terminals	8.58	382406	4548583364981	20	CG	A	IDN	8536.5015.90	
Z-15GD55	General purpose basic switch, short spring plunger, SPDT, 15 A, drip proof, solder terminals	11.68	106704	4536854264757	20	CG	A	JPN	8536.5015.90	
Z-15GD55-B	General purpose basic switch, short spring plunger, SPDT, 15 A, drip proof, screw terminals	11.68	382407	4548583364998	#	20	CG	A	IDN	8536.5015.90
Z-15GD55-B7	Basic switch, short spring plunger, SPDT, 15A	8.58	106708	4536854264856	20	CG	A	JPN	8536.5015.90	
Z-15GD-B	General purpose basic switch, short spring plunger, SPDT, 15 A, screw terminals	8.58	382398	4548583364905	#	20	CG	A	IDN	8536.5015.90
Z-15GD-B8	Basic switch, short plunger, SPDT, 15A	17.57	106702	4536854264733	20	CG	A	JPN	8536.5015.90	
Z-15GK35-B	General purpose basic switch, plunger (high-operating point), SPDT, 15A, screw terminals	14.43	105033	4536854263314	20	CG	A	JPN	8536.5015.90	
Z-15GK3A55-B5V	Basic switch	20.09	106678	4536854263873	10	CG	A	JPN	8536.5015.90	
Z-15GK55	General purpose basic switch, plunger (mid-operating point), SPDT, 15A	12.08	145324	4536854263354	20	CG	A	JPN	8536.5015.90	
Z-15GK55-B	General purpose basic switch, plunger (mid-operating point), SPDT, 15A, screw terminals	12.46	106760	4536854263361	20	CG	A	JPN	8536.5015.90	
Z-15GK655-B	General purpose basic switch	12.46	103032	4536854265679	20	CG	A	JPN	8536.5015.90	
Z-15GL	General purpose Basic Switch, 15A, Leaf spring, soldering terminal	10.57	106640	4536854266058	CG	A	JPN	8536.5015.90		
Z-15GL2	Basic switch, roller leaf spring, SPDT, 15A	9.53	106643	4536854266119	CG	A	JPN	8536.5015.90		
Z-15GL2-B	General purpose basic switch, roller leaf spring, SPDT, 15 A, screw terminals	9.67	106644	4536854266126	CG	A	JPN	8536.5015.90		
Z-15GL-B	General purpose Basic Switch, 15 A, Leaf spring, screw terminal	8.93	106641	4536854266065	CG	A	JPN	8536.5015.90		
Z-15GM	General purpose basic switch, reverse hinge lever, SPDT, 15A, solder terminals	8.58	106609	4536854268359	20	CG	A	JPN	8536.5015.90	
Z-15GM2255-B	Basic switch	15.30	106522	4536854268588	CG	A	JPN	8536.5015.90		
Z-15GM2-B	General purpose basic switch, reverse hinge roller lever, SPDT, 15A	8.59	106613	4536854268427	20	CG	A	JPN	8536.5015.90	
Z-15GM-B	General purpose basic switch, reverse hinge roller lever, SPDT, 15A	8.58	106610	4536854268366	20	CG	A	JPN	8536.5015.90	
Z-15GNJ55-B	General purpose basic switch, flexible rod, SPDT, 15A, drip-proof	17.57	154125	4536854266003	#	10	CG	A	JPN	8536.5015.90
Z-15GQ	General purpose basic switch, panel mount plunger (medium OP), SPDT, 15 A, solder terminals	10.00	382403	4548583364950	20	CG	A	IDN	8536.5015.90	
Z-15GQ21	General purpose basic switch, panel mount cross roller plunger, SPDT, 15A	13.66	106621	4536854265174	20	CG	A	JPN	8536.5015.90	
Z-15GQ21-B	General purpose basic switch, panel mount cross roller plunger, SPDT, 15A	13.66	156316	4536854265419	#	20	CG	A	JPN	8536.5015.90
Z-15GQ22	General purpose basic switch, panel mount roller plunger, SPDT, 15 A, solder terminals	13.26	382404	4548583364967	#	20	CG	A	IDN	8536.5015.90
Z-15GQ2255-B	General purpose basic switch, panel mount roller plunger, SPDT, 15 A, drip proof, screw terminals	19.09	145325	4536854265983	20	CG	A	JPN	8536.5015.90	
Z-15GQ22A55-B5V	General purpose Basic Switch, 15 A, panel mount roller plunger, drip-proof, screw terminal with terminal cover	25.69	106688	4536854264016	#	20	CG	A	JPN	8536.5015.90
Z-15GQ22-B	General purpose basic switch, panel mount roller plunger, SPDT, 15 A, screw terminals	13.66	382397	4548583364899	#	20	CG	A	IDN	8536.5015.90
Z-15GQ22-B7-K	General purpose basic switch, panel mount roller plunger, SPDT, 15 A, screw terminals with toothed lock washer	25.70	688924	4536854269349	CG	A	JPN	8536.5015.90		
Z-15GQ3-B	Basic switch, low operating force, panel mount plunger, SPDT, 15A	12.46	106626	4536854265372	20	CG	A	JPN	8536.5015.90	
Z-15GQ35-B	General purpose basic switch, panel mount plunger, SPDT, 15A, drip-proof	15.59	106635	4536854265945	20	CG	A	JPN	8536.5015.90	
Z-15GQ8-B	General purpose basic switch, high operating force, panel mount plunger, SPDT, 15 A	13.26	143082	4536854265433	20	CG	A	JPN	8536.5015.90	
Z-15GQ-B	General purpose basic switch, panel mount plunger (medium OP), SPDT, 15A, screw terminals	10.91	382396	4548583364875	#	20	CG	A	IDN	8536.5015.90
Z-15GQ-B7-K	General purpose basic switch, panel mount plunger (medium OP), SPDT, 15 A, screw terminals	11.90	106533	4536854269325	20	CG	A	JPN	8536.5015.90	
Z-15GSA55-B	Basic switch	12.90	106696	4536854264597	CG	A	JPN	8536.5015.90		
Z-15GSA55-B5V	Basic switch	19.46	104939	4536854263842	10	CG	A	JPN	8536.5015.90	

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Daheet)	GTIN	Stock Qty.	Lot Qty.	Gr.	Fam	COO	Tariff Code
Z-15GS-B	General purpose basic switch, slim spring plunger, SPDT, 15A	9.35	106694	4536854264559	#	20	CG	A	JPN	8536.5015.90
Z-15GW	General purpose basic switch, hinge lever (low OF), SPDT, 15A, solder terminals	7.41	382401	4548583364936		20	CG	A	IDN	8536.5015.90
Z-15GW2	General purpose basic switch, hinge roller lever, SPDT, 15A, solder terminals	7.81	382402	4548583364943		20	CG	A	IDN	8536.5015.90
Z-15GW21-B	General purpose basic switch, short hinge lever, SPDT, 15 A	7.01	103033	4536854269553		20	CG	A	JPN	8536.5015.90
Z-15GW22	General purpose basic switch, short hinge roller lever, SPDT, 15 A, solder terminals	7.81	382400	4548583364929	#	20	CG	A	IDN	8536.5015.90
Z-15GW2255	General purpose basic switch, short hinge roller lever, SPDT, 15A, drip-proof	10.91	144235	4536854266805		20	CG	A	JPN	8536.5015.90
Z-15GW2255-B	General purpose basic switch, short hinge roller lever, SPDT, 15 A, drip proof, screw terminals	10.54	382408	4548583365001		20	CG	A	IDN	8536.5015.90
Z-15GW2255-M19L	Basic switch	33.84	106243	4536854259671		CG	A	JPN	8536.5015.90	
Z-15GW2255-M19L 1M	Basic switch	33.84	144231	4536854257551		CG	A	JPN	8536.5015.90	
Z-15GW2255-M19L 2M	Basic switch	33.84	142657	4536854259524		CG	A	JPN	8536.5015.90	
Z-15GW2255-M19L 3M	Basic switch	33.84	106244	4536854259036		CG	A	JPN	8536.5015.90	
Z-15GW2277	General purpose basic switch, unidirectional short hinge roller lever, SPDT, 15A	10.15	106575	4536854266904		20	CG	A	JPN	8536.5015.90
Z-15GW2277-B	General purpose basic switch, Unidirectional short hinge roller lever (low OF), SPDT, 15A, screw terminals	10.54	377800	4548583364820	#	20	CG	A	IDN	8536.5015.90
Z-15GW2A55-BSV	General purpose basic switch, short hinge roller lever, SPDT, 15 A, drip proof, screw terminals with terminal cover	23.36	143081	4536854263934	#	20	CG	A	JPN	8536.5015.90
Z-15GW22-B	General purpose basic switch, short hinge roller lever, SPDT, 15A, screw terminals	7.81	377795	4548583364745	#	20	CG	A	IDN	8536.5015.90
Z-15GW22S	General purpose basic switch, short hinge steel roller lever, SPDT, 15 A	7.02	106571	4536854266768		20	CG	A	JPN	8536.5015.90
Z-15GW22S-B	General purpose basic switch, short hinge roller lever, SPDT, 15A	8.39	377798	4548583364783		20	CG	A	IDN	8536.5015.90
Z-15GW2377	General purpose basic switch	13.24	106579	4536854266980		20	CG	A	JPN	8536.5015.90
Z-15GW2377-B	Basic switch	11.68	106580	4536854266997		CG	A	JPN	8536.5015.90	
Z-15GW25	Basic switch, hinge roller lever large roller, SPDT, 15 A	9.59	106584	4536854267086		20	CG	A	JPN	8536.5015.90
Z-15GW255	General purpose basic switch, hinge roller lever, SPDT, 15A, drip-proof	8.99	106587	4536854267130		20	CG	A	JPN	8536.5015.90
Z-15GW255-B	General purpose basic switch, hinge roller lever (large roller), SPDT, 15 A, screw terminals	11.68	151808	4536854267147		20	CG	A	JPN	8536.5015.90
Z-15GW25-B	General purpose basic switch, hinge roller lever, SPDT, 15 A, screw terminals	7.63	377799	4548583364813		20	CG	A	IDN	8536.5015.90
Z-15GW2A55-BSV	General purpose basic switch, hinge roller lever, SPDT, 15 A, drip proof, screw terminals with terminal cover	17.93	106681	4536854263910		10	CG	A	JPN	8536.5015.90
Z-15GW2-B	General purpose basic switch, hinge roller lever, SPDT, 15A, screw terminals	7.81	377796	4548583364752	#	20	CG	A	IDN	8536.5015.90
Z-15GW2-B7-K	General purpose basic switch, hinge roller lever, SPDT, 15 A, screw terminals	8.58	377801	4548583364851		5	CG	A	IDN	8536.5015.90
Z-15GW322-B	Basic switch, hinge lever (high OF, 8 mm width), SPDT, 15 A	8.62	689889	4536854267284		CG	A	JPN	8536.5015.90	
Z-15GW32-B	Basic switch, hinge lever (high OF, 4.9mm width), SPDT, 15 A	8.21	106591	4536854267260		20	CG	A	JPN	8536.5015.90
Z-15GW32-B	Basic switch, hinge roller lever large roller, SPDT, 15A	8.58	106592	4536854267406		CG	A	JPN	8536.5015.90	
Z-15GW3-B	General purpose basic switch, hinge lever (medium OF), SPDT, 15A, screw terminals	10.91	106590	4536854267239		20	CG	A	JPN	8536.5015.90
Z-15GW4	General purpose basic switch, low force hinge lever, SPDT, 15A	7.41	106594	4536854267482		20	CG	A	JPN	8536.5015.90
Z-15GW4455	Basic switch	12.45	106596	4536854267574		10	CG	A	JPN	8536.5015.90
Z-15GW4455-B	General purpose basic switch, long hinge lever, SPDT, 15 A, drip proof, screw terminals	12.08	149618	4536854267581		20	CG	A	JPN	8536.5015.90
Z-15GW49-B	Basic switch, short hinge cross roller lever, SPDT, 15 A	8.98	106599	4536854267703		CG	A	JPN	8536.5015.90	
Z-15GW4-B	General purpose basic switch, low force hinge lever, SPDT, 15A	7.41	106595	4536854267499		20	CG	A	JPN	8536.5015.90
Z-15GW55	General purpose basic switch, hinge lever (low OF), SPDT, 15 A, drip proof, solder terminals	7.81	382409	4548583365018		20	CG	A	IDN	8536.5015.90
Z-15GW55-B	General purpose basic switch, hinge lever, SPDT, 15A, drip-proof	10.91	106603	4536854267826		20	CG	A	JPN	8536.5015.90
Z-15GW55-BSV	General purpose basic switch, hinge lever (low OF), SPDT, 15A, drip proof, solder terminals with terminal cover	17.57	106680	4536854263903		40	CG	A	JPN	8536.5015.90
Z-15GW-B	General purpose basic switch, hinge lever (low OF), SPDT, 15A, screw terminals	7.41	377797	4548583364769	#	20	CG	A	IDN	8536.5015.90
Z-15GW-B7-K	General purpose basic switch, hinge lever (low OF), SPDT, 15 A, screw terminals	12.92	377802	4548583364868		20	CG	A	IDN	8536.5015.90
Z-15H2-B	Basic switch, general purpose, Pin plunger (2.3 dia., Stainless steel plunger), Snap action, Self-reset type, Single-Pole, Double-Throw type, SPDT, Screw terminal (M4)	11.33	141986	4536854269752		20	CG	A	JPN	8536.5015.90
Z-15H-B	Basic switch	8.21	145329	4536854270024		20	CG	A	JPN	8536.5015.90
Z-15HNJS55-B	General purpose basic switch, flexible rod (steel), SPDT, high sensitive, drip proof, screw terminals	20.39	143086	4536854270505		10	CG	A	JPN	8536.5015.90
Z-15HQ-B	Basic switch, general purpose, Panel mount plunger (8.35 dia., Stainless steel plunger, medium OP), Snap action, Self-reset type, Single-Pole, Double-Throw type, SPDT, Screw terminal (M4)	12.46	148551	4536854270147		CG	A	JPN	8536.5015.90	
Z-15HS	General purpose basic switch, slim spring plunger, SPDT, high sensitivity micro load, solder terminals	10.59	106546	4536854269981		CG	A	JPN	8536.5015.90	
Z-15HS-B	General purpose basic switch, slim spring plunger, SPDT, high sensitivity micro load, screw terminals	10.91	143085	4536854269998		20	CG	A	JPN	8536.5015.90
Z-15HW24	General purpose basic switch, hinge lever, SPDT, high sensitive	9.86	106474	4536854270871		10	CG	A	JPN	8536.5015.90
Z-15HW24-B	General purpose basic switch, hinge lever, SPDT, high sensitive, screw terminal	9.75	155993	4536854270888	#	10	CG	A	JPN	8536.5015.90
Z-15HW52	General purpose basic switch, low force wire hinge lever, SPDT, high sensitivity micro load, solder terminals	9.90	106478	4536854271106		CG	A	JPN	8536.5015.90	
Z-15HW52-B	General purpose basic switch, low force wire hinge lever, SPDT, high sensitivity micro load, screw terminals	9.50	106479	4536854271113		10	CG	A	JPN	8536.5015.90
Z-15HW78	General purpose basic switch, wire hinge lever, SPDT, 15A	10.67	106482	4536854271298		10	CG	A	JPN	8536.5015.90
Z-15HW78-B	General purpose basic switch, wire hinge lever, SPDT, 15A, screw terminal	10.54	106483	4536854271304		10	CG	A	JPN	8536.5015.90

**Industrial Switch DAMC.**

D4MC-1000	Enclosed switch, hinge lever, SPDT, 10 A	14.87	133872	4536853225490	#	10	CG	B	JPN	8536.5015.90
D4MC-1020	Enclosed switch, short hinge lever, SPDT, 10 A	15.54	133873	4536853225605		10	CG	B	JPN	8536.5015.90
D4MC-2000	Enclosed switch, hinge roller lever, SPDT, 10 A	15.32	150872	4536853226510		10	CG	B	JPN	8536.5015.90
D4MC-2020	Enclosed switch, short hinge roller lever, SPDT, 10 A	14.51	133874	4536853225650	#	10	CG	B	JPN	8536.5015.90
D4MC-3030	Enclosed switch, 1-way, short hinge roller lever, SPDT, 10 A	17.13	104167	4536853225933		10	CG	B	JPN	8536.5015.90
D4MC-5000	Enclosed switch, panel mount plunger, SPDT, 10 A	18.97	156466	4536853225995	#	10	CG	B	JPN	8536.5015.90
D4MC-5020	Enclosed switch, panel mount roller plunger, SPDT, 10 A	20.97	133783	4536853226114	#	10	CG	B	JPN	8536.5015.90
D4MC-5040	Enclosed switch, panel mount cross roller plunger, SPDT, 10 A	21.17	133785	4536853226244		10	CG	B	JPN	8536.5015.90

**Industrial Switch WL.**

D4V-8104Z OMR	Limit switch, roller lever, DPDB, IP65	87.20	683979	4547648271660		CG	C	CHN	8536.5015.90	
D4V-8108Z	Limit switch D4V, adjustable roller lever: R30 to 75 mm, DPDB, with ground terminal	51.10	668126	4547648271691		5	CG	C	CHN	8536.5015.90
WL-1A100	WL series limit switch replacement roller lever	7.36	108305	4536854171215		CG	C	JPN	9032.9000.90	
WL-1A110	Actuators (Levers Only), General-purpose Limit switches, IP67, Snap action, 2-circuit double break type, SPST-NO / SPST-NC	28.51	108314	4536854171406		2	CG	C	JPN	9032.9000.90
WL-1A200	Operating Lever for 50mm Dia Roller lever Limit Switch	11.78	108306	4536854171222		CG	C	JPN	9032.9000.90	
WL-1A300	Replacement actuator for WL series limit switch: roller lever, 63mm lever length	17.26	147975	4536854171239		5	CG	C	JPN	9032.9000.90
WL-1H	Replacement head for WL series limit switch: for use with roller lever	19.54	143569	4536854172656		10	CG	C	JPN	9032.9000.90
WL-1H1100	Replacement head and actuator for WL series limit switch: standard roller lever	23.58	157901	4536854171505		10	CG	C	JPN	9032.9000.90
WL-1H2100	Operating Head and lever for Adjustable Roller Lever Limit Switch	26.56	152289	4536854171536		10	CG	C	JPN	9032.9000.90
WL-2A100	Replacement actuator for WL series limit switch: adjustable roller lever, standard roller	9.38	108307	4536854171246		CG	C	JPN	9032.9000.90	
WL-2A104	Replacement actuator for WL series limit switch: adjustable roller lever, 50mm dia, nylon roller	14.61	108338	4536854173165		CG	C	JPN	9032.9000.90	

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Data sheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
WL-2A105	Replacement actuator for WL series limit switch: adjustable roller lever, 49mm dia. rubber roller	20.42	100060	4536854171383			CG	C	JPN	9032.9000.90
WL-2A108	Actuators (Levers Only), General-purpose Limit switches, IP67, Snap action, 2-circuit double break type, SPST-NO / SPST-NC	40.83	224185	4536854171031	10		CG	C	JPN	9032.9000.90
WL-2A122	Actuators (Levers Only), General-purpose Limit switches, IP67, Snap action, 2-circuit double break type, SPST-NO / SPST-NC	34.15	224188	4536854171918	10		CG	C	JPN	9032.9000.90
WL-2H1100	Heads, General-purpose Limit switches, IP67, Snap action, 2-circuit double break type, SPST-NO / SPST-NC	28.91	234093	4536854171543	10		CG	C	JPN	9032.9000.90
WL-3A100	Replacement actuator for WL series limit switch: adjustable rod lever	22.08	108308	4536854171253			CG	C	JPN	9032.9000.90
WL-3A200	Replacement actuator for WL series limit switch: rod spring lever	19.54	145841	4536854171260			CG	C	JPN	9032.9000.90
WL-3H1100	Heads, General-purpose Limit switches, IP67, Snap action, 2-circuit double break type, SPST-NO / SPST-NC	30.96	108317	4536854171574	10		CG	C	JPN	9032.9000.90
WL-4A100	Replacement actuator for WL series limit switch: adjustable rod lever	5.70	108309	4536854171277	20		CG	C	JPN	9032.9000.90
WL-6H1100	Heads, General-purpose Limit switches, IP67, Snap action, 2-circuit double break type, SPST-NO / SPST-NC	30.07	259066	4536854171666	7		CG	C	JPN	8536.5015.90
WL-7H200	Replacement head and actuator for WL series limit switch: top roller plunger	19.16	157903	4536854171703			CG	C	JPN	9032.9000.90
WL-9H100	WL series limit switch replacement head with coil spring lever	15.63	108323	4536854171765	20		CG	C	JPN	9032.9000.90
WL-9H200	Replacement head and actuator for WL series limit switch: flexible rod coil spring multi wire	36.79	156723	4536854171772	15		CG	C	JPN	9032.9000.90
WL-9H300-N	Head set for WLNJ.2	35.50	670508	4548583547926	5		CG	C	JPN	9032.9000.90
WLCA12-2G-N	Limit switch, adjustable roller lever: R25 to 89 mm, pretravel 15±5°, overtravel 90°, DPDB, Pq13.5 with ground terminal	74.65	392898	4548583477452	#		CG	C	JPN	8536.5015.90
WLCA12-2NG	Limit switch, adjustable roller lever: overtravel, 90 deg, DPDB, 10A	97.45	154622	4536854164996			CG	C	JPN	8536.5015.90
WLCA12-2NG1LD-N	Limit switch, adjustable roller lever: overtravel, 90 deg, DPDB, LED, 10 A	96.30	669366	4548583477506			CG	C	JPN	8536.5015.90
WLCA12-2NG1-N	Limit switch, adjustable roller lever: overtravel, 90 deg, DPDB, 10A, with ground terminal	69.35	680077	4548583477513			CG	C	JPN	8536.5015.90
WLCA12-2NG-N	Limit switch, adjustable roller lever: R25 to 89 mm, pretravel 15±5°, overtravel 90°, DPDB, Pq13.5 with ground terminal	97.45	392899	4548583477520	#		CG	C	JPN	8536.5015.90
WLCA12-2TS-N	Limit switch, adjustable roller lever: R25 to 89 mm, pretravel 15±5°, overtravel 90°, DPDB, 1/2-14NPT with ground terminal	70.60	392944	4548583477667			CG	C	JPN	8536.5015.90
WLCA12-2Y-N	Limit switch, adjustable roller lever: R25 to 89 mm, pretravel 15±5°, DPDB, M20 with ground terminal	66.00	392900	4548583477674			CG	C	JPN	8536.5015.90
WLCA12-G1LD-N	Limit switch, adjustable roller lever: R25 to 89 mm, pretravel 15±5°, DPDB, LED, G1/2 with ground terminal	64.75	392890	4548583477728	#		CG	C	JPN	8536.5015.90
WLCA12-G1LD-N	Limit switch, adjustable roller lever: R25 to 89 mm, pretravel 15±5°, DPDB, LED, Pq13.5 with ground terminal	77.05	392901	4548583477742	#		CG	C	JPN	8536.5015.90
WLCA12-G1-N	Limit switch, adjustable roller lever: R25 to 89 mm, pretravel 15±5°, DPDB, Pq13.5 with ground terminal	58.90	392927	4548583485198	#		CG	C	CHN	8536.5015.90
WLCA12-THG-N	Limit switch, adjustable roller lever: R25 to 89 mm, pretravel 15±5°, DPDB, Heat-resistant: +5°C to +120°C, Pq13.5 with ground terminal	112.80	392902	4548583477858	#		CG	C	JPN	8536.5015.90
WLCA12-TS-N	Limit switch, adjustable roller lever: R25 to 89 mm, pretravel 15±5°, DPDB, 1/2-14NPT with ground terminal	52.35	392929	4548583485235			CG	C	CHN	8536.5015.90
WLCA12-Y-N	Limit switch, adjustable roller lever: R25 to 89 mm, pretravel 15±5°, DPDB, M20 with ground terminal	51.15	392903	4548583477896			CG	C	JPN	8536.5015.90
WLCA2-2G1LD-N	Limit switch, roller lever: R38 mm, pretravel 15±5°, Overtravel 90°, DPDB, LED, G1/2 with ground terminal	68.90	392904	4548583478060	#		CG	C	JPN	8536.5015.90
WLCA2-2G-N	Limit switch, roller lever: R38 mm, pretravel 15±5°, Overtravel 90°, DPDB, Pq13.5 with ground terminal	63.05	392945	4548583478077			CG	C	JPN	8536.5015.90
WLCA2-2NG	Limit switch, roller lever: overtravel, DPDB, 10A	74.65	108461	4536854161032			CG	C	JPN	8536.5015.90
WLCA2-2NG1-N	Limit switch, 90 deg, Overtravel roller lever, DPDB, 10A, with ground terminal	64.60	680073	4548583478145			CG	C	JPN	8536.5015.90
WLCA2-2NG-N	Limit switch, roller lever: R38 mm, pretravel 15±5°, Overtravel 90°, DPDB, Pq13.5 with ground terminal	74.65	392905	4548583478152	#		CG	C	JPN	8536.5015.90
WLCA2-2THG1-N	Limit switch, standard roller lever, DPDB, 10 A, heat resistive (5-120 deg.C), with ground terminal	91.80	679643	4549734190930			CG	C	CHN	8536.5015.90
WLCA2-5SLD-M1GJ-N	Limit switch, roller lever: R38 mm, pretravel 15±5°, Built-in Switch hermetically sealed, DPDB, LED, Pre-wired connector M12, with ground terminal	103.30	393452	4548583537408			CG	C	JPN	8536.5015.90
WLCA2-7G1LD-N	Limit switch, roller lever: R50, pretravel 15±5°, DPDB, LED, G1/2 with ground terminal	77.55	392907	4548583478343			CG	C	JPN	8536.5015.90
WLCA2-7G-N	Limit switch, roller lever: R50, pretravel 15±5°, DPDB, Pq13.5 with ground terminal	62.50	392908	4548583478367			CG	C	JPN	8536.5015.90
WLCA2-8G-N	Limit switch, roller lever: standard model R63, pretravel 15±5°, DPDB, Pq13.5 with ground terminal	59.00	392891	4548583478442			CG	C	JPN	8536.5015.90
WLCA2-G	Limit switch, standard roller lever, DPDB, 10A	55.30	154621	4536854160745			CG	C	JPN	8536.5015.90
WLCA2-G1LD-N	Limit switch, roller lever: R38 mm, pretravel 15±5°, DPDB, LED, G1/2 with ground terminal	61.30	392892	4548583478541	#		CG	C	JPN	8536.5015.90
WLCA2-G1-N	Limit switch, roller lever: R38 mm, pretravel 15±5°, DPDB, G1/2 with ground terminal	47.80	392893	4548583478565	#		CG	C	JPN	8536.5015.90
WLCA2-G1LD-N	Limit switch, roller lever: R38 mm, pretravel 15±5°, DPDB, LED, Pq13.5 with ground terminal	82.35	392910	4548583478572			CG	C	JPN	8536.5015.90
WLCA2-G-N	Limit switch, roller lever: R38 mm, pretravel 15±5°, DPDB, Pq13.5 with ground terminal	55.30	392932	4548583485334	#		CG	C	CHN	8536.5015.90
WLCA2-LD-DGJ-N	Limit switch, roller lever: R38 mm, pretravel 15±5°, DPDB, LED, Pre-wired connector M12 (Smart Click), with ground terminal	130.00	392911	4548583478626			CG	C	JPN	8536.5015.90
WLCA2-LDK13-N	Limit switch, roller lever: standard, LED indicator, DPDB, 3A, direct wired connector	143.00	680098	4548583478657			CG	C	JPN	8536.5015.90
WLCA2-LD-M1GJ-N	Limit switch, roller lever: R38 mm, pretravel 15±5°, DPDB, LED, Pre-wired connector M12, with ground terminal	150.70	392946	4548583478695			CG	C	JPN	8536.5015.90
WLCA2-THG-N	Limit switch, roller lever: R38 mm, pretravel 15±5°, DPDB, Heat-resistant: +5°C to +120°C, Pq13.5 with ground terminal	77.05	392912	4548583478862			CG	C	JPN	8536.5015.90
WLCA2-TS-N	Limit switch, adjustable roller lever: standard, DPDB, 1/2-14NPT With ground terminal	48.66	392935	4548583485396	#		CG	C	CHN	8536.5015.90
WLCA2-Y-N	Limit switch, adjustable roller lever: standard, DPDB, M20 with ground terminal	49.47	392936	4548583485402			CG	C	CHN	8536.5015.90
WLCA32-41G	Limit switch, lock fork roller lever, DPDB, 10A	69.45	108383	4536854168888			CG	C	JPN	8536.5015.90
WLCA32-41G-N	Limit switch, lock fork roller lever, DPDB, 10 A	69.70	411084	4548583543478			CG	C	CHN	8536.5015.90
WLCA32-43G1-N OMR	Limit switch, fork lever lock, DPDB, with ground terminal	154.80	679221	4549734166829			CG	C	CHN	8536.5015.90
WLCA32-43G-N	Limit switch, fork lever lock, LED indicator, DPDB, 10 A, pre-wired connector	70.05	393479	4548583543515			CG	C	CHN	8536.5015.90
WLCA32-43LD-DGJ-N	Limit switch, fork lever lock, LED indicator, DPDB, 10A, pre-wired connector	100.90	393454	4548583538030			CG	C	JPN	8536.5015.90
WLCA14-2TS-N	Limit switch, roller lever: standard, DPDB, 1/2-14NPT With ground terminal	101.30	392913	4548583478978			CG	C	JPN	8536.5015.90
WLCA14-G1LD-N	Limit switch, roller lever, DPDB, LED, G1/2 with ground terminal	113.60	674239	4548583478985	#		CG	C	JPN	8536.5015.90
WLCA15-G1LD-N	Limit switch, adjustable rod lever: 25 to 140 mm, pretravel 15±5°, Overtravel 90°, DPDB, LED, Pre-wired Connector M12 (Smart Click), with ground terminal	117.40	392916	4548583479128			CG	C	JPN	8536.5007.00
WLCL-2NLD-DGJ-N	Limit switch, adjustable rod lever: 25 to 140 mm, pretravel 15±5°, DPDB, Pq13.5 with ground terminal	102.60	392917	4548583479265			CG	C	JPN	8536.5015.90
WLCL-G-N	Limit switch, adjustable rod lever: 25 to 140 mm, pretravel 15±5°, DPDB, Pq13.5 with ground terminal	57.70	392938	4548583485440	#		CG	C	CHN	8536.5015.90
WLCL-THG-N	Limit switch, adjustable rod lever: 25 to 140 mm, pretravel 15±5°, DPDB, Heat-resistant: +5°C to +120°C, Pq13.5 with ground terminal	64.50	392918	4548583479517	#		CG	C	JPN	8536.5015.90
WLCL-Y-N	Limit switch, adjustable rod lever: 25 to 140 mm, pretravel 15±5°, DPDB, M20 with ground terminal	52.15	392919	4548583479555			CG	C	JPN	8536.5015.90
WLD18-G1LD-N	Limit switch, Plunger: Sealed top-roller plunger, DPDB, LED, G1/2 with ground terminal	57.80	393455	4548583538542			CG	C	JPN	8536.5015.90
WLD18-G-N	Limit switch, Plunger: Sealed top-roller plunger, DPDB, G1/2 with ground terminal	49.21	393481	4548583543546			CG	C	CHN	8536.5015.90
WLD18-TS-N	Limit switch, top plunger, DPDB, 10A, 1/2-14NPT with ground terminal	49.85	411087	4548583543577			CG	C	CHN	8536.5015.90
WLD18-Y-N	Limit switch, top plunger, DPDB, 10 A, M20 with ground terminal	54.75	411088	4548583543584			CG	C	CHN	8536.5015.90
WLD28-G1LDS-N	Limit switch, Plunger: Sealed top-roller plunger, DPDB, LED, G1/2 with ground terminal	84.05	393457	4548583539105			CG	C	JPN	8536.5015.90
WLD28-G-N	Limit switch, roller top plunger, DPDB, 10 A, Pq13.5 with ground terminal	52.15	411106	4548583543614	#		CG	C	CHN	8536.5015.90
WLD28-LD-DGJ-N	Limit switch, roller top plunger, DPDB, 10A, M20 with ground terminal	123.30	411103	4548583556287			CG	C	JPN	8536.5015.90
WLD28-LD-DK1EJ-N	Limit switch, top roller plunger, LED indicator, DPDB, 10A, pre wired connector	123.30	411104	4548583556294			CG	C	JPN	8536.5015.90
WLD28-LDK13-N	Limit switch, Plunger: Sealed top-roller plunger, DPDB, AC, NO, LED, Direct-wired Connector, ground terminal	105.40	393458	4548583539112			CG	C	JPN	8536.5015.90
WLD28-LD-M1GJ-N	Limit switch, top roller plunger, LED indicator, DPDB, 10A, pre wired connector	119.70	411113	4548583556324			CG	C	JPN	8536.5015.90
WLD28-LDS-DGJ-N	Limit switch, Plunger: Sealed top-roller plunger, LED indicator, DPDB, DC NO+NC, Pre-wired Connector M12, with ground terminal	168.90	393459	4548583539143			CG	C	JPN	8536.5015.90
WLD28-THG1-N OMR	Limit switch, top roller plunger, heat resistive, DPDB, 10 A, With Ground Terminal	84.10	680555	4549734190954			CG	C	CHN	8536.5015.90
WLD28-TS-N	Limit switch, Plunger: Sealed top-roller plunger, DPDB, 1/2-14NPT with ground terminal	74.40	393486	4548583543652			CG	C	CHN	8536.5015.90
WLD2-G	Limit switch, roller top plunger, DPDB, 10A	49.24	148956	4536854167027	#		CG	C	JPN	8536.5015.90
WLD2-G1-N	Limit switch, roller top plunger, DPDB, 10 A, with ground terminal	48.71	679497	4548583539358			CG	C	JPN	8536.5015.90
WLD38-G-N	Limit switch, Sealed top-ball plunger, DPDB, Pq13.5 with ground terminal	58.60	411089	4548583543683			CG	C	CHN	8536.5015.90
WLQ2-G1LD	Limit switch, adjustable roller lever, pretravel 10+/-2/-1°, DPDB, LED, G1/2 with ground terminal	142.60	680080	4536854158773	#		CG	C	JPN	8536.5015.90
WLQ2-G1LDS	Limit switch, roller lever: overtravel, high-sensitivity, LED indicator, DPDB, 10A, water proof	83.35	108529	4536854160288			CG	C	JPN	8536.5015.90



Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Data sheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
WL32-LD-DGJ03	Limit switch, 80 deg, overtravel roller lever, high sensitivity, DPDB, 10A, LED indicator, pre-wired connector	111.40	108488	4536854163487			CG	C	JPN	8536.5015.90
WL32-LDFS-DGJ503	Limit switch, roller lever, overtravel, high-sensitivity, LED indicator, DPDB, 10A, spatter proof, pre-wired connector	94.30	167202	4536854940071			CG	C	JPN	8536.5015.90
WL32-LDFS-DTGJ503	Limit switch, adjustable roller lever, pretravel 10°+ 2°-1°, NO-NC, 0.3 m Pre-wired Connector M12 (Smart Click), with ground terminal	115.10	675360	4547648446921			CG	C	JPN	8536.5015.90
WL32-LDS-M1GJ	Limit switch, adjustable roller lever, pretravel 10°+ 2°-1°, DPDB, LED, pre-wired connector M12, with ground terminal	159.80	371923	454764809652			CG	C	JPN	8536.5007.00
WL-LD	Switch cover with LED indicator	17.34	154629	4536854173226		27	CG	C	JPN	9032.9000.90
WLMCA2-LD-M1J-N	Limit switch, roller lever: R38 mm, pretravel 15±5°, DPDB, DC, NO, LED, Pre-wired connector M12, with ground terminal	82.20	393476	4548583541559			CG	C	JPN	8536.5015.90
WLNJ-2G-N	Limit switch, flexible rod coil spring resin rod, DPDB, 10 A	55.30	411091	4548583543720	#		CG	C	CHN	8536.5007.00
WLNJ-30C-N	Limit switch, coil spring - multi-wire, DPDB, 10A	67.90	411092	4548583543751			CG	C	CHN	8536.5007.00
WLNJ-G1-N	Limit switch, Flexible rod, pretravel 20±10 mm, DPDB, G1/2 with ground terminal	41.88	393477	4548583542419			CG	C	JPN	8536.5007.00
WLNJ-G-N	Limit switch, Flexible rod, pretravel 20±10 mm, DPDB, G1/2 with ground terminal	41.07	393483	4548583543805	#		CG	C	CHN	8536.5007.00
WLNJ-S2G-N	Limit switch, Flexible rod: Steel wire pretravel 20±10 mm, DPDB, Pq13.5 with ground terminal	48.04	406411	4548583543836	#		CG	C	CHN	8536.5007.00
WLNJ-Y-N	Limit switch, Flexible rod: Coil spring, pretravel 15±5°, DPDB, M20 with ground terminal	45.99	411096	4548583543904			CG	C	CHN	8536.5007.00
WLS2-G-N	Limit switch, Horizontal-roller plunger, Pq13.5 with ground terminal	68.65	411097	4548583543911			CG	C	CHN	8536.5015.90
WLS3-G-N	Limit switch, Horizontal-ball plunger, Pq13.5 with ground terminal	79.35	411098	4548583543959	#		CG	C	CHN	8536.5015.90
WLS2-G-N	Limit switch, Horizontal plunger, Pq13.5 with ground terminal	70.90	411100	4548583543997			CG	C	CHN	8536.5015.90
<b>Industrial Switch ZC</b>										
ZC-D55	Enclosed basic switch, plunger, SPDT, 15A	26.40	106416	4536854251061		10	CG	D	JPN	8536.5015.90
ZC-N2155	Enclosed basic switch, sealed cross roller plunger, SPDT, 15 A	40.01	106345	4536854252730			CG	D	JPN	8536.5015.90
ZC-N2255	Enclosed basic switch, Sealed roller plunger, SPDT, 15A	40.01	151806	4536854252907		10	CG	D	JPN	8536.5015.90
ZC-Q2155	Enclosed basic switch, panel mount cross roller plunger, SPDT, 15A	31.40	106332	4536854251436			CG	D	JPN	8536.5015.90
ZC-Q2255	Enclosed basic switch, panel mount roller plunger, SPDT, 15A	31.76	151804	4536854252365	#		CG	D	JPN	8536.5015.90
ZC-Q55	Enclosed basic switch, panel mount plunger, SPDT, 15A	30.58	106425	4536854251276	#		CG	D	JPN	8536.5015.90
ZC-Q55-L3	Enclosed basic switch, Standard sensitivity, IP67, Snap action, Self-reset mechanism, Single-Pole, Double-Throw type, SPDT, Panel mount plunger, 15A	35.04	157391	4536854251290			CG	D	JPN	8536.5015.90
ZC-Q55-L4	Enclosed basic switch, Standard sensitivity, IP67, Snap action, Self-reset mechanism, Single-Pole, Double-Throw type, SPDT, Panel mount plunger, 15A	42.80	106331	4536854251306			CG	D	JPN	8536.5015.90
ZC-W155	Enclosed basic switch, hinge lever, SPDT, 15 A	24.35	106351	4536854253249		10	CG	D	JPN	8536.5015.90
ZC-W2155	Enclosed basic switch, hinge roller lever, SPDT, 15 A	25.86	106353	4536854253416			CG	D	JPN	8536.5015.90
ZC-W255	Enclosed basic switch, short hinge roller lever, SPDT, 15A	25.86	106352	4536854253409		10	CG	D	JPN	8536.5015.90
ZC-W3155	Enclosed basic switch, Standard sensitivity, IP67, Snap action, Self-reset mechanism, Single-Pole, Double-Throw type, SPDT, One-way action hinge roller lever, 15A	26.81	106356	4536854253690			CG	D	JPN	8536.5015.90
ZC-W355	Enclosed basic switch, one way action short hinge roller lever, SPDT, 15 A	28.65	106355	4536854253683		10	CG	D	JPN	8536.5015.90
ZC-W55	Enclosed basic switch, Short hinge lever, SPDT, 15A	20.63	106350	4536854253232			CG	D	JPN	8536.5015.90
<b>Industrial Switch ZFZY</b>										
ZE-N21-2G	Enclosed switch, sealed cross roller plunger, SPDT, 15 A	70.40	106372	4536854255120			CG	E	JPN	8536.5015.90
ZE-N22-2G	Enclosed switch, sealed roller plunger, SPDT, 15A	70.05	104736	4536854255151			CG	E	JPN	8536.5015.90
ZE-N-2G	Enclosed switch, plunger, SPDT, 15A	37.85	106370	4536854255038			CG	E	JPN	8536.5015.90
ZE-NA2-2G	Enclosed switch, roller arm lever, SPDT, 15A	47.45	151525	4536854255229	#		CG	E	JPN	8536.5015.90
ZE-NA277-2G	Enclosed switch, sealed one-way action roller arm lever, SPDT, 15 A	55.90	106375	4536854255359			CG	E	JPN	8536.5015.90
ZE-Q21-2G	Enclosed switch, cross roller plunger, SPDT, 15A	41.18	149257	4536854254840			CG	E	JPN	8536.5015.90
ZE-Q22-2G	Enclosed switch, roller plunger, SPDT, 15A	40.81	150415	4536854255496	#		CG	E	JPN	8536.5015.90
ZE-Q-2G	Enclosed switch, plunger, SPDT, 15A	37.19	106359	4536854254789			CG	E	JPN	8536.5015.90
ZE-QA2-2G	Enclosed switch, roller arm lever, SPDT, 15 A	41.53	152689	4536854254932			CG	E	JPN	8536.5015.90
ZV2-N-2G	Enclosed switch, diagonal side mounting, sealed plunger, SPDT, 15 A	44.79	154929	4536854260773			CG	E	JPN	8536.5015.90
<b>Industrial Switch D4C</b>										
D4C-0020	Spare actuator for D4C limit switch, roller lever	30.88	134542	4536853209001		20	CG	F	JPN	9032.9000.90
D4C-1201	Compact enclosed limit switch, pin plunger, 5 A 250 VAC, 4 A 30 VDC, 3m VCTF oil-resistant cable	45.49	134459	4536853210052	#		CG	F	JPN	8536.5015.90
D4C-1202	Compact enclosed limit switch, roller plunger, 5 A 250 VAC, 4 A 30 VDC, 3m VCTF oil-resistant cable	45.23	134460	4536853210069	#		CG	F	JPN	8536.5015.90
D4C-1203	Compact enclosed limit switch, cross roller plunger, 5 A 250 VAC, 4 A 30 VDC, 3m VCTF oil-resistant cable	48.46	134461	4536853210076			CG	F	JPN	8536.5015.90
D4C-1210	Compact enclosed limit switch, bevel plunger, 5 A 250 VAC, 4 A 30 VDC, 3m VCTF oil-resistant cable	65.85	134462	4536853210106			CG	F	JPN	8536.5015.90
D4C-1220	Compact enclosed limit switch, roller lever, 5 A 250 VAC, 4 A 30 VDC, 3m VCTF oil-resistant cable	58.35	105810	4536853210113			CG	F	JPN	8536.5015.90
D4C-1224	Compact enclosed limit switch, roller lever (high sensitivity), 5 A 250 VAC, 4 A 30 VDC, 3 m VCTF oil-resistant cable	60.10	147957	4536853210151			CG	F	JPN	8536.5015.90
D4C-1227-P	Compact enclosed limit switch, adjustable roller lever (high sensitivity), 5 A 250 VAC, 4 A 30 VDC, 3m	94.85	377573	4536853209216			CG	F	JPN	8536.5015.90
D4C-1231	Compact enclosed limit switch, sealed pin plunger, 5 A 250 VAC, 4 A 30 VDC, 3m VCTF oil-resistant cable	55.85	134463	4536853210182			CG	F	JPN	8536.5015.90
D4C-1232	Compact enclosed limit switch, sealed roller plunger, 5 A 250 VAC, 4 A 30 VDC, 3m VCTF oil-resistant cable	58.35	134464	4536853210199			CG	F	JPN	8536.5015.90
D4C-1233	Compact enclosed limit switch, Sealed crossroller plunger, 5 A 250 VAC, 4 A 30 VDC, 3 m VCTF oil-resistant cable	57.05	134465	4536853210205			CG	F	JPN	8536.5015.90
D4C-1241	Compact enclosed limit switch, panel mount pin plunger, 5 A 250 VAC, 4 A 30 VDC, 3m VCTF oil-resistant cable	58.95	134466	4536853210212			CG	F	JPN	8536.5015.90
D4C-1242	Compact enclosed limit switch, panel mount roller plunger, 5 A 250 VAC, 4 A 30 VDC, 3m VCTF oil-resistant cable	52.45	134467	4536853210229			CG	F	JPN	8536.5015.90
D4C-1243	Compact enclosed limit switch, 5 A 250 VAC, 4 A 30 VDC, 3m VCTF oil-resistant cable	57.90	134468	4536853210236			CG	F	JPN	8536.5015.90
D4C-1250	Compact enclosed limit switch, plastic rod, 5 A 250 VAC, 4 A 30 VDC, 3 m VCTF oil-resistant cable	57.70	134469	4536853210243			CG	F	JPN	8536.5015.90
D4C-1260	Compact enclosed limit switch, centre roller lever plunger, 5 A 250 VAC, 4 A 30 VDC, 3m VCTF oil-resistant cable	70.25	156712	4536853210250			CG	F	JPN	8536.5015.90
D4C-1301	Compact enclosed limit switch, pin plunger, 5 A 250 VAC, 4 A 30 VDC, 5 m VCTF oil-resistant cable	60.80	142478	4536853210267			CG	F	JPN	8536.5015.90
D4C-1302	Compact enclosed limit switch, roller plunger, 5 A 250 VAC, 4 A 30 VDC, 5 m VCTF oil-resistant cable	61.25	134470	4536853210274			CG	F	JPN	8536.5015.90
D4C-1320	Compact enclosed limit switch, roller lever, 5 A 250 VAC, 4 A 30 VDC, 5m VCTF oil-resistant cable	67.05	156713	4536853210304			CG	F	JPN	8536.5015.90
D4C-1331	Compact enclosed limit switch	53.65	134472	4536853210335			CG	F	JPN	8536.5015.90
D4C-1332	Compact enclosed limit switch, sealed roller plunger, 5 A 250 VAC, 4 A 30 VDC, 5m VCTF oil-resistant cable	67.05	134473	4536853210342			CG	F	JPN	8536.5015.90
D4C-1333	Compact enclosed limit switch	80.25	153485	4536853210359			CG	F	JPN	8536.5015.90
D4C-1402	Compact enclosed limit switch, roller plunger, 5 A 250 VAC, 4 A 30 VDC, 3m VCTF cable	51.25	134477	4536853210427			CG	F	JPN	8536.5015.90
D4C-1420	Compact enclosed limit switch, roller lever, 5 A 250 VAC, 4 A 30 VDC, 3m VCTF cable	45.95	264468	4536853210458			CG	F	JPN	8536.5015.90
D4C-1431	Compact enclosed limit switch	55.40	134479	4536853210489			CG	F	JPN	8536.5015.90
D4C-1433	Limit switch, Sealed, Compact, Slim-bodied, Pin plunger, VCTF cable	48.44	354654	4536853210502			CG	F	JPN	8536.5015.90
D4C-1443	Limit switch, Sealed, Compact, Slim-bodied, Pin plunger, VCTF cable, pre-wire 3 m	55.05	354655	4536853210533			CG	F	JPN	8536.5015.90
D4C-1502	Compact enclosed limit switch, roller plunger, 5 A 250 VAC, 4 A 30 VDC, 5 m VCTF cable	55.65	134484	4536853210588			CG	F	JPN	8536.5015.90
D4C-1520	Compact enclosed limit switch, roller lever, 5 A 250 VAC, 4 A 30 VDC, 5m VCTF cable	70.35	134485	4536853210618			CG	F	JPN	8536.5015.90

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Data sheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
D4C-1G01 5M	Compact enclosed limit switch	90.80	289178	4547648734493			CG	F	JPN	8536.5015.90
D4C-2202	Compact enclosed limit switch	60.15	134359	4536853211813			CG	F	JPN	8536.5015.90
D4C-2301	Compact enclosed limit switch	68.00	103629	4536853211950			CG	F	JPN	8536.5015.90
D4C-2301-B	Compact enclosed limit switch	70.00	134452	4536854393825			CG	F	JPN	8536.5015.90
D4C-3002-M1G10.05M	Limit switch	64.60	151241	4536854393709			CG	F	JPN	8536.5015.90
D4C-3024-DK1ED3	Compact enclosed limit switch	69.70	134396	4536853213381			CG	F	JPN	8536.5015.90
D4C-3201	Compact enclosed limit switch, Pin plunger, 4 A 30 VDC, 3m VCTF oil-resistant cable	50.35	147964	4536853212858			CG	F	JPN	8536.5015.90
D4C-3202	Compact enclosed limit switch, roller plunger, 4 A 30 VDC, 3 m VCTF oil-resistant cable	50.20	105813	4536853212865			CG	F	JPN	8536.5015.90
D4C-3203	Compact enclosed limit switch, cross roller plunger, 4 A 30 VDC, 3m VCTF oil-resistant cable	62.25	154425	4536853212872			CG	F	JPN	8536.5015.90
D4C-3220	Compact enclosed limit switch, Roller lever, 4 A 30 VDC, 3m VCTF oil-resistant cable	63.60	134378	4536853212919			CG	F	JPN	8536.5015.90
D4C-3224	Compact enclosed limit switch, roller lever (high sensitivity), 4 A 30 VDC, 3m VCTF oil-resistant cable	55.55	134379	4536853212933			CG	F	JPN	8536.5015.90
D4C-3231	Compact enclosed limit switch, sealed pin plunger, 4 A 30 VDC, 3 m VCTF oil-resistant cable	62.60	134380	4536853212957			CG	F	JPN	8536.5015.90
D4C-3250	Compact enclosed limit switch, plastic rod, 4 A 30 VDC, 3m VCTF oil-resistant cable	62.55	134384	4536853213022			CG	F	JPN	8536.5015.90
D4C-3302	Compact enclosed limit switch, roller plunger, 4 A 30 VDC, 5m VCTF oil-resistant cable	66.30	147965	4536853213084			CG	F	JPN	8536.5015.90
D4C-3324	Compact enclosed limit switch, Roller lever high sensitivity, 4 A 30 VDC, 5m VCTF oil-resistant cable	72.45	374911	4536853213152			CG	F	JPN	8536.5015.90
D4C-3331	Compact enclosed limit switch	67.30	247854	4536853213176			CG	F	JPN	8536.5015.90
D4C-3350	Compact enclosed limit switch	80.70	134390	4536853213237			CG	F	JPN	8536.5015.90
D4C-3520	Compact enclosed limit switch	56.60	134399	4536853213435			CG	F	JPN	8536.5015.90
D4C-4202	Compact enclosed limit switch, roller plunger, 0.1 A 125 VAC, 0.1 A 30 VDC, 3m VCTF oil-resistant cable	53.15	134316	4536853213985			CG	F	JPN	8536.5015.90
D4C-4220	Compact enclosed limit switch	58.35	148943	4536853214012			CG	F	JPN	8536.5015.90
D4C-4232	Compact enclosed limit switch, sealed roller plunger, 0.1 A 125 VAC, 0.1 A 30 VDC, 3 m VCTF oil-resistant cable	58.35	134317	4536853214043			CG	F	JPN	8536.5015.90
D4C-4233	Compact enclosed limit switch	52.85	148944	4536853214050			CG	F	JPN	8536.5015.90
D4C-4332	Compact enclosed limit switch, sealed roller plunger, 0.1 A 125 VAC, 0.1 A 30 VDC, 5 m VCTF oil-resistant cable	65.95	144739	4536853214203	#		CG	F	JPN	8536.5015.90
D4C-4420	Compact enclosed limit switch	59.50	103630	4536853214302			CG	F	JPN	8536.5015.90
D4C-5203	Compact enclosed limit switch	54.65	134332	4536853214791			CG	F	JPN	8536.5015.90
D4C-6203	Compact enclosed limit switch	63.20	134348	4536853215361			CG	F	JPN	8536.5015.90
D4C-6231	Compact enclosed limit switch, Standard Model, Sealed Plunger, VCTF Oil-Resistant Cable, 3m	70.90	354623	4536853215439			CG	F	JPN	8536.5015.90
D4C-6303	Compact enclosed limit switch	70.45	134354	4536853215545			CG	F	JPN	8536.5015.90
D4C-6324	Compact enclosed limit switch	70.45	104457	4536853215583			CG	F	JPN	8536.5015.90
D4C-6403	Compact enclosed limit switch	59.70	134260	4536853215682			CG	F	JPN	8536.5015.90
D4C-6432	Compact enclosed limit switch	52.05	134264	4536853215736			CG	F	JPN	8536.5015.90
D4CC-1002	Compact limit switch, connector type, 1 A 125 VAC, roller plunger	61.85	134506	4536853208004			CG	F	JPN	8536.5015.90
D4CC-1003	Compact limit switch, connector type, 1 A 125 VAC, cross roller plunger	47.30	134507	4536853208011			CG	F	JPN	8536.5015.90
D4CC-1024	Compact limit switch, connector type, 1 A 125 VAC, high sensitivity roller lever	67.15	155419	4536853208035			CG	F	JPN	8536.5015.90
D4CC-1031	Compact limit switch, connector type, 1 A 125 VAC, sealed pin plunger	67.15	134508	4536853208042			CG	F	JPN	8536.5015.90
D4CC-1032	Compact limit switch, connector type, 1 A 125 VAC, sealed roller plunger	70.50	134509	4536853208059			CG	F	JPN	8536.5015.90
D4CC-1060	Compact limit switch, connector type, 1 A 125 VAC, centre roller level	68.15	134513	4536853208110			CG	F	JPN	8536.5015.90
D4CC-3001	Compact limit switch, connector type, 1 A 30 VDC, Pin plunger	60.10	148877	4536853208400		5	CG	F	JPN	8536.5015.90
D4CC-3002	Compact limit switch, connector type, 1 A 30 VDC, roller plunger	59.90	150121	4536853208417			CG	F	JPN	8536.5015.90
D4CC-3003	Compact limit switch, connector type, 1 A 30 VDC, cross roller plunger	57.05	153482	4536853208424			CG	F	JPN	8536.5015.90
D4CC-3010	Compact enclosed limit switch	81.05	134521	4536853208431			CG	F	JPN	8536.5015.90
D4CC-3024	Compact limit switch, connector type, 1 A 30 VDC, high sensitivity roller lever	66.30	153483	4536853208448			CG	F	JPN	8536.5015.90
D4CC-3031	Compact limit switch, connector type, 1 A 30 VDC, sealed pin plunger	61.85	134522	4536853208462			CG	F	JPN	8536.5015.90
D4CC-3032	Compact limit switch, connector type, 1 A 30 VDC, Sealed roller plunger	68.80	154611	4536853208479			CG	F	JPN	8536.5015.90
D4CC-3033	Compact limit switch, connector type, 1 A 125 VAC, sealed cross roller plunger	59.70	134523	4536853208486			CG	F	JPN	8536.5015.90
D4CC-3041	Compact limit switch, connector type, 1 A 30 VDC,	71.25	153484	4536853208493			CG	F	JPN	8536.5015.90
D4CC-3042	Compact limit switch, connector type, 1 A 30 VDC,	73.55	134524	4536853208509			CG	F	JPN	8536.5015.90
D4CC-3050	Compact limit switch, connector type, 1 A 125 VAC, plastic rod	80.90	134526	4536853208523	#		CG	F	JPN	8536.5015.90
D4CC-3060	Compact limit switch, connector type, 1 A 30 VDC, centre roller level	68.15	134527	4536853208530			CG	F	JPN	8536.5015.90
D4CC-4002	Compact limit switch, connector type, 1 A 30 VDC, roller plunger	68.10	134529	4536853208561			CG	F	JPN	8536.5015.90
D4CC-4024	Compact limit switch, connector type, 1 A 30 VDC,	71.60	134532	4536853208592			CG	F	JPN	8536.5015.90
D4CC-4032	Compact limit switch, connector type, 1 A 30 VDC, LED, Sealed roller plunger	70.00	155420	4536853208622			CG	F	JPN	8536.5015.90
D4CC-4033	Compact limit switch, connector type, 1 A 30 VDC, LED, Sealed cross roller plunger	68.15	134534	4536853208639			CG	F	JPN	8536.5015.90
D4CC-4060	Compact limit switch, connector type, 1 A 30 VDC, centre roller level	75.10	134539	4536853208684			CG	F	JPN	8536.5015.90

**Industrial Switch HL**

HL-5000G	Limit switch, Roller lever, With ground terminal	38.87	378665	4548583439153	#		CG	H	CHN	8536.5015.90
HL-5030G	Limit switch, Adjustable roller lever, With ground terminal	40.01	378666	4548583439177	#		CG	H	CHN	8536.5015.90
HL-5050G	Limit switch, Adjustable rod lever, With ground terminal	39.76	378667	4548583439191			CG	H	CHN	8536.5015.90
HL-5100G	Limit switch, Sealed plunger, With ground terminal	44.06	378668	4548583439214			CG	H	CHN	8536.5015.90
HL-5200G	Limit switch, Sealed roller plunger, With ground terminal	46.34	378654	4548583439238	#		CG	H	CHN	8536.5015.90
HL-5300G	Limit switch, Coil spring, With ground terminal	46.31	378655	4548583439252			CG	H	CHN	8536.5015.90

**Industrial Switch SHL**

SHL-D55	Subminiature enclosed switch, plunger actuator	28.27	111615	4536853780425		10	CG	I	JPN	8536.5015.90	
SHL-D55-01	Subminiature enclosed switch, plunger actuator, 0.1A micro load	34.86	111705	4536853779016	#		10	CG	I	JPN	8536.5015.90
SHL-Q2155	Enclosed switch, panel mount across roller plunger, SPDT,10A	31.59	147187	4536853780821	#		10	CG	I	JPN	8536.5015.90
SHL-Q2155-01	Enclosed switch, panel mount across roller plunger, SPDT,10A micro voltage	33.33	111610	4536853779450			CG	I	JPN	8536.5015.90	
SHL-Q2255	Enclosed switch, panel mount roller plunger, SPDT,10A	32.41	145031	4536853781002	#		10	CG	I	JPN	8536.5015.90
SHL-Q2255-01	Enclosed switch, panel mount roller plunger, SPDT,10A micro voltage	33.01	111611	4536853779627			10	CG	I	JPN	8536.5015.90
SHL-Q55	Subminiature enclosed switch, panel mount plunger	28.83	106139	4536853780623		5	CG	I	JPN	8536.5015.90	
SHL-Q55-01	Subminiature enclosed switch, panel mount plunger, micro load	30.26	157483	4536853779184			CG	I	JPN	8536.5015.90	
SHL-W155	Enclosed switch, hinge lever, SPDT, 10A	29.23	111621	4536853781637			10	CG	I	JPN	8536.5015.90
SHL-W2155	Enclosed switch, hinge roller lever, SPDT, 10A	29.26	153766	4536853781651	#		10	CG	I	JPN	8536.5015.90
SHL-W255	Enclosed switch, short hinge roller lever, SPDT, 10A	27.86	104735	4536853781408	#		10	CG	I	JPN	8536.5015.90

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Data sheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
SHL-W3155	Enclosed switch, one-way action hinge roller lever, SPDT, 10A	24.51	111623	4536853781699			CG	I	JPN	8536.5015.90
SHL-W55	Enclosed switch, short hinge lever, SPDT, 10A	25.51	111619	4536853781248		10	CG	I	JPN	8536.5015.90
<b>Industrial Switch A22</b>										
A22-FR	Pushbutton, non-illuminated, flat, round, IP65, red	3.12	160891	4536853019624		50	CG	K	JPN	8536.5015.90
A22NZ-2BL-01BA	Selector A22NZ 22 dia, Key type S, 2 position, bezel plastic, auto reset on left, release position left	10.10	661994	4548583717626		10	CG	K	TWN	8536.5015.90
A22NZ-2BL-NBA	Selector A22NZ 22 dia, 2 position, NON-Lighted, bezel plastic, auto reset on left, color black	4.68	660929	4548583715608		10	CG	K	TWN	8536.5015.90
A22NZ-2BM-01AA	Selector A22NZ 22 dia, Key type S, 2 position, bezel plastic, manual, release position all	10.10	662748	4548583717596		10	CG	K	TWN	8536.5015.90
A22NZ-2BM-01BA	Selector A22NZ 22 dia, Key type S, 2 position, bezel plastic, manual, release position left	15.20	664829	4548583717602		10	CG	K	TWN	8536.5015.90
A22NZ-2BM-NBA	Selector A22NZ 22 dia, 2 position, NON-Lighted, bezel plastic, manual, color black	4.68	660926	4548583715486		10	CG	K	TWN	8536.5015.90
A22NZ-2BM-NRA	Selector A22NZ 022, 2 position, NON-Lighted, bezel PLASTIC, MANUAL, COLOR RED	4.69	660009	4548583715431		10	CG	K	TWN	8536.5015.90
A22NZ-2MM-01BA	Selector A22NZ 22 dia, Key type S, 2 position, bezel brushed M, manual, release position left	13.04	664883	4548583717640		20	CG	K	TWN	8536.5015.90
A22NZ-2MM-NBA	Selector A22NZ 022, 2 position, NON-Lighted, bezel brushed metal, MANUAL, COLOR BLACK	3.58	660010	4548583715721		10	CG	K	TWN	8536.5015.90
A22NZ-2FL-NBA	Selector A22NZ 22 dia, 2 position, NON-Lighted, bezel metal, auto reset on left, color black	4.57	663947	4548583716087		10	CG	K	TWN	8536.5015.90
A22NZ-2FM-01BA	Selector A22NZ 022, Key type S, 2 position, bezel metal, MANUAL, RELEASE position LEFT	10.12	666777	4548583717688		10	CG	K	TWN	8536.5015.90
A22NZ-2FM-01CA	Selector A22NZ 022, Key type S, 2 position, bezel metal, MANUAL, RELEASE position RIGHT	10.12	663834	4548583717695		10	CG	K	TWN	8536.5015.90
A22NZ-2FM-NBA	Selector A22NZ 22 dia, 2 position, NON-Lighted, bezel metal, manual, color black	3.58	662174	4548583715967		10	CG	K	TWN	8536.5015.90
A22NZ-3BB-NBA	Selector A22NZ 22 dia, 3 position, NON-Lighted, bezel plastic, auto reset on L/R, color black	4.87	666627	4548583716568		10	CG	K	TWN	8536.5015.90
A22NZ-3BM-NBA	Selector A22NZ 22 dia, 3 position, NON-Lighted, bezel plastic, manual, color black	4.87	660930	4548583716209		10	CG	K	TWN	8536.5015.90
A22NZ-3MB-NBA	Selector A22NZ 022, 3 position, NON-Lighted, bezel brushed metal, MANUAL, COLOR BLACK	4.87	659984	4548583717046		10	CG	K	TWN	8536.5015.90
A22NZ-3MM-NBA	Selector A22NZ 22 dia, 3 position, NON-Lighted, bezel brushed metal, auto reset on L/R, color black	3.35	664721	4548583716681		10	CG	K	TWN	8536.5015.90
A22NZ-3FB-NBA	Selector A22NZ 22 dia, 3 position, NON-Lighted, bezel metal, auto reset on left, color black	4.87	665659	4548583717527		10	CG	K	TWN	8536.5015.90
A22NZ-3FL-NBA	Selector A22NZ 22 dia, 3 position, NON-Lighted, bezel metal, auto reset on left, color black	4.87	663719	4548583717282		10	CG	K	TWN	8536.5015.90
A22NZ-3FM-NBA	Selector A22NZ 022, 3 position, NON-Lighted, bezel metal, MANUAL, COLOR BLACK	3.58	666758	4548583717169		10	CG	K	TWN	8536.5015.90
A22NZ-3FR-NBA	Selector A22NZ 22 dia, 3 position, NON-Lighted, bezel metal, auto reset on right, color black	4.87	666589	4548583717404		10	CG	K	TWN	8536.5015.90
A22NZ-BGA-NGA	Pushbutton A22NZ 22 dia, bezel plastic, full guard, alternate, cap color opaque green	4.12	665950	4548583713826		10	CG	K	TWN	8536.5015.90
A22NZ-BGA-NRA	Pushbutton A22NZ 022, bezel plastic, FULL GUARD, Alternate, CAP COLOR Opaque RED,	4.12	664999	4548583713819		10	CG	K	TWN	8536.5015.90
A22NZ-BGM-NAA	Pushbutton A22NZ 22 dia, bezel plastic, full guard, momentary, cap color opaque blue	3.36	666194	4548583711877		10	CG	K	TWN	8536.5015.90
A22NZ-BGM-NGA	Pushbutton A22NZ 22 dia, bezel plastic, full guard, momentary, cap color opaque green	3.36	666481	4548583711846		10	CG	K	TWN	8536.5015.90
A22NZ-BGM-NFA	Pushbutton A22NZ 22 dia, bezel plastic, full guard, momentary, cap color opaque red	3.36	664461	4548583711839		10	CG	K	TWN	8536.5015.90
A22NZ-BGM-NWA	Pushbutton A22NZ 022, bezel plastic, FULL GUARD, MOMENTARY, CAP COLOR Opaque WHITE,	3.36	664548	4548583711860		10	CG	K	TWN	8536.5015.90
A22NZ-BGM-NYA	Pushbutton A22NZ 022, bezel plastic, FULL GUARD, MOMENTARY, CAP COLOR Opaque YELLOW,	3.36	665917	4548583711853		10	CG	K	TWN	8536.5015.90
A22NZ-BMA-NRA	Pushbutton A22NZ 022, bezel plastic, MUSHROOM, Alternate, CAP COLOR Opaque RED,	4.12	667267	4548583713994		10	CG	K	TWN	8536.5015.90
A22NZ-BMM-NBA	Pushbutton A22NZ 22 dia, bezel plastic, mushroom, momentary, cap color opaque black	3.74	662397	4548583712065		#	CG	K	TWN	8536.5015.90
A22NZ-BMM-NGA	Pushbutton A22NZ 22 dia, bezel plastic, mushroom, momentary, cap color opaque green	3.36	665233	4548583712027		10	CG	K	TWN	8536.5015.90
A22NZ-BMM-NRA	Pushbutton A22NZ 22 dia, bezel plastic, mushroom, momentary, cap color opaque red	3.36	667103	4548583712010		10	CG	K	TWN	8536.5015.90
A22NZ-BMM-UGA	Pushbutton A22NZ 022, bezel plastic, MUSHROOM, MOMENTARY, CAP COLOR Transparent GREEN,	3.25	661172	4548583712140		10	CG	K	TWN	8536.5015.90
A22NZ-BMN-NAA	Pushbutton A22NZ 22 dia, bezel plastic, flat, momentary, cap color opaque blue	3.74	662116	4548583711519		10	CG	K	TWN	8536.5015.90
A22NZ-BMN-NBA	Pushbutton A22NZ 22 dia, bezel plastic, flat, momentary, cap color opaque black	3.74	661703	4548583711525		10	CG	K	TWN	8536.5015.90
A22NZ-BMN-NGA	Pushbutton A22NZ 22 dia, bezel plastic, flat, momentary, cap color opaque green	3.74	660475	4548583711488		10	CG	K	TWN	8536.5015.90
A22NZ-BMN-NFA	Pushbutton A22NZ 22 dia, bezel plastic, flat, momentary, cap color opaque red	3.89	664957	4548583711471		#	CG	K	TWN	8536.5015.90
A22NZ-BMN-NWA	Pushbutton A22NZ 22 dia, bezel plastic, flat, momentary, cap color opaque white	3.89	662117	4548583711501		10	CG	K	TWN	8536.5015.90
A22NZ-BMN-NYA	Pushbutton A22NZ 22 dia, bezel plastic, flat, momentary, cap color opaque yellow	3.75	661170	4548583711495		10	CG	K	TWN	8536.5015.90
A22NZ-BPM-UGA	Pushbutton A22NZ 022, bezel plastic, PROJECTED, MOMENTARY, CAP COLOR Opaque GREEN,	3.25	666457	4548583711662		10	CG	K	TWN	8536.5015.90
A22NZ-BPM-NGA	Pushbutton A22NZ 022, bezel plastic, PROJECTED, MOMENTARY, CAP COLOR Transparent GREEN,	3.25	660779	4548583711785		10	CG	K	TWN	8536.5015.90
A22NZ-MGM-NBA	Pushbutton A22NZ 22 dia, bezel brushed metal, full guard, momentary, cap color opaque black	3.84	666847	4548583712607		10	CG	K	TWN	8536.5015.90
A22NZ-MGM-NGA	Pushbutton A22NZ 022, bezel brushed metal, FULL GUARD, MOMENTARY, CAP COLOR Opaque GREEN,	3.84	663131	4548583712560		10	CG	K	TWN	8536.5015.90
A22NZ-MGM-NRA	Pushbutton A22NZ 022, bezel brushed metal, FULL GUARD, MOMENTARY, CAP COLOR Opaque RED,	3.84	662392	4548583712553		10	CG	K	TWN	8536.5015.90
A22NZ-MMA-NRA	Pushbutton A22NZ 022, bezel brushed metal, MUSHROOM, Alternate, CAP COLOR Opaque RED,	4.96	660646	4548583714717		10	CG	K	TWN	8536.5015.90
A22NZ-MMM-NGA	Pushbutton A22NZ 022, bezel brushed metal, MUSHROOM, MOMENTARY, CAP COLOR Opaque GREEN,	4.26	660244	4548583712744		10	CG	K	TWN	8536.5015.90
A22NZ-MMM-UGA	Pushbutton A22NZ 022, bezel brushed metal, MUSHROOM, MOMENTARY, CAP COLOR Transparent GREEN,	4.05	664994	4548583712867		10	CG	K	TWN	8536.5015.90
A22NZ-MNA-NWA	Pushbutton A22NZ 022, bezel brushed metal, FLAT, Alternate, CAP COLOR Opaque WHITE,	4.81	661403	4548583714205		10	CG	K	TWN	8536.5015.90
A22NZ-MNN-NAA	Pushbutton A22NZ 022, bezel brushed metal, FLAT, MOMENTARY, CAP COLOR Opaque BLUE,	3.84	663145	4548583712232		10	CG	K	TWN	8536.5015.90
A22NZ-MNN-NBA	Pushbutton A22NZ 22 dia, bezel brushed metal, flat, momentary, cap color opaque black	3.85	661179	4548583712249		10	CG	K	TWN	8536.5015.90
A22NZ-MNN-NGA	Pushbutton A22NZ 22 dia, bezel brushed metal, flat, momentary, cap color opaque green	3.84	664037	4548583712201		10	CG	K	TWN	8536.5015.90
A22NZ-MNN-NFA	Pushbutton A22NZ 22 dia, bezel brushed metal, flat, momentary, cap color opaque red	3.85	663381	4548583712195		10	CG	K	TWN	8536.5015.90
A22NZ-MNN-NWA	Pushbutton A22NZ 022, bezel brushed metal, FLAT, MOMENTARY, CAP COLOR Opaque WHITE,	3.84	660246	4548583712225		20	CG	K	TWN	8536.5015.90
A22NZ-MNN-NYA	Pushbutton A22NZ 022, bezel brushed metal, FLAT, MOMENTARY, CAP COLOR Opaque YELLOW,	3.84	663134	4548583712218		10	CG	K	TWN	8536.5015.90
A22NZ-MPM-NGA	Pushbutton A22NZ 022, bezel brushed metal, PROJECTED, MOMENTARY, CAP COLOR Opaque GREEN,	3.85	664042	4548583712386		10	CG	K	TWN	8536.5015.90
A22NZ-MPM-NRA	Pushbutton A22NZ 22 dia, bezel brushed metal, projected, momentary, cap color opaque red	3.84	666348	4548583712379		10	CG	K	TWN	8536.5015.90
A22NZ-MPM-UGA	Pushbutton A22NZ 022, bezel brushed metal, PROJECTED, MOMENTARY, CAP COLOR Transparent GREEN,	4.02	663144	4548583712508		10	CG	K	TWN	8536.5015.90
A22NZ-FMM-NBA	Pushbutton A22NZ 022, bezel metal, MUSHROOM, MOMENTARY, CAP COLOR Opaque BLACK	4.05	661185	4548583713321		10	CG	K	TWN	8536.5015.90
A22NZ-FMM-NGA	Pushbutton A22NZ 022, bezel metal, MUSHROOM, MOMENTARY, CAP COLOR Opaque GREEN,	4.02	664059	4548583713284		10	CG	K	TWN	8536.5015.90
A22NZ-FMM-UGA	Pushbutton A22NZ 022, bezel metal, MUSHROOM, MOMENTARY, CAP COLOR Transparent GREEN,	4.05	661188	4548583713406		10	CG	K	TWN	8536.5015.90
A22NZ-FMN-NBA	Pushbutton A22NZ 022, bezel metal, FLAT, MOMENTARY, CAP COLOR Opaque BLACK	4.29	662144	4548583712966		10	CG	K	TWN	8536.5015.90
A22NZ-FMN-NGA	Pushbutton A22NZ 022, bezel metal, FLAT, MOMENTARY, CAP COLOR Opaque GREEN,	4.29	663146	4548583712928		10	CG	K	TWN	8536.5015.90
A22NZ-FMN-NFA	Pushbutton A22NZ 022, bezel metal, FLAT, MOMENTARY, CAP COLOR Opaque RED,	3.85	661180	4548583712911		10	CG	K	TWN	8536.5015.90
A22NZ-FMN-NYA	Pushbutton A22NZ 022, bezel metal, FLAT, MOMENTARY, CAP COLOR Opaque YELLOW,	4.29	661183	4548583712935		10	CG	K	TWN	8536.5015.90
A22NZ-PPM-NGA	Pushbutton A22NZ 022, bezel metal, PROJECTED, MOMENTARY, CAP COLOR Opaque GREEN,	3.85	662142	4548583713109		10	CG	K	TWN	8536.5015.90
A22NZ-PPM-UGA	Pushbutton A22NZ 022, bezel metal, PROJECTED, MOMENTARY, CAP COLOR Transparent GREEN,	4.26	666857	4548583713222		10	CG	K	TWN	8536.5015.90
A22-TR	Pushbutton, 22 mm projection type, non-illuminated, red	3.37	160895	4536853019686		50	CG	K	JPN	8536.5015.90
A30NZ-3MM-NBA	Knob type A30NZ Ø30 mm, bezel brushed metal, Non-lighted, Black, 3 notches, Manual reset	6.50	690362	4548583720244		10	CG	K	TWN	8536.5015.90
A22L-TA	Pushbutton, illuminated, projection type, IP65, blue	4.54	160898	4536853019716		10	CG	K	JPN	8536.5015.90
A22NZ-2BM-TGA	Selector A22NZ 22 dia, 2 position, Lighted, bezel plastic, manual, color green	4.70	660011	4548583715509		10	CG	K	TWN	8536.5015.90
A22NZ-2BM-TRA	Selector A22NZ 22 dia, 2 position, Lighted, bezel plastic, manual, color red	4.70	663831	4548583715493		10	CG	K	TWN	8536.5015.90

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Data sheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
A22NZ-2BM-TWA	Selector A22NZ 022, 2 position, Lighted, bezel PLASTIC, MANUAL, COLOR WHITE	4.70	662172	4548583715523			CG	K	TWN	8536.5015.90
A22NZ-2BM-TYA	Selector A22NZ 22 dia, 2 position, Lighted, bezel plastic, manual, color yellow	3.35	664707	4548583715516			CG	K	TWN	8536.5015.90
A22NZ-2MM-TGA	Selector A22NZ 022, 2 position, Lighted, bezel brushed M, MANUAL, COLOR GREEN	3.58	666651	4548583715745		4	CG	K	TWN	8536.5015.90
A22NZ-2MM-TGA	Selector A22NZ 022, 2 position, Lighted, bezel brushed M, MANUAL, COLOR GREEN	3.58	682265	4548583715783			CG	K	TWN	8536.5015.90
A22NZ-2MM-TYA	Front element selector switch, 022, 2 position, lighted, bezel brushed metal, manual reset, orange	4.27	669025	4548583715752			CG	K	TWN	8536.5015.90
A22NZ-2RM-TGA	Selector A22NZ 22 dia, 2 position, Lighted, bezel metal, manual, color green	3.58	665022	4548583715981			CG	K	TWN	8536.5015.90
A22NZ-2RM-TYA	Selector A22NZ 022, 2 position, Lighted, bezel metal, MANUAL, COLOR YELLOW	3.58	663943	4548583715998			CG	K	TWN	8536.5015.90
A22NZ-3BM-TGA	Selector A22NZ 22 dia, 3 position, Lighted, bezel plastic, manual, color green	5.30	661886	4548583716223	10	CG	K	TWN	8536.5015.90	
A22NZ-3BM-TGA	Selector A22NZ 22 dia, 3 position, Lighted, bezel plastic, manual, color red	5.30	664720	4548583716216	10	CG	K	TWN	8536.5015.90	
A22NZ-3MM-TGA	Selector A22NZ 022, 3 position, Lighted, bezel brushed M, MANUAL, COLOR GREEN	4.87	666756	4548583716704			CG	K	TWN	8536.5015.90
A22NZ-3RM-TGA	Selector A22NZ 22 dia, 3 position, Lighted, bezel metal, manual, color green	3.58	663788	4548583717183			CG	K	TWN	8536.5015.90
A22NZ-3RM-TWA	Selector A22NZ 022, 3 position, Lighted, bezel metal, MANUAL, COLOR WHITE	4.87	666563	4548583717206			CG	K	TWN	8536.5015.90
A22NZ-BGA-TGA	Pushbutton A22NZ 22 dia, bezel plastic, full quad, alternate, cap color transparent green, lighted	4.23	666597	4548583713888	10	CG	K	TWN	8536.5015.90	
A22NZ-BGA-TGA	Pushbutton A22NZ 22 dia, bezel plastic, full quad, alternate, cap color transparent red, lighted	4.23	664997	4548583713871			CG	K	TWN	8536.5015.90
A22NZ-BGM-TAA	Pushbutton A22NZ 22 dia, bezel plastic, full quad, momentary, cap color transparent blue, lighted	3.36	667104	4548583711938	#	10	CG	K	TWN	8536.5015.90
A22NZ-BGM-TGA	Pushbutton A22NZ 22 dia, bezel plastic, full quad, momentary, cap color transparent green, lighted	3.36	662398	4548583711907	10	CG	K	TWN	8536.5015.90	
A22NZ-BGM-TGA	Pushbutton A22NZ 22 dia, bezel plastic, full quad, momentary, cap color transparent red, lighted	3.36	664971	4548583711891	10	CG	K	TWN	8536.5015.90	
A22NZ-BGM-TWA	Pushbutton A22NZ 22 dia, bezel plastic, full quad, momentary, cap color transparent white, lighted	3.41	663373	4548583711921	#	10	CG	K	TWN	8536.5015.90
A22NZ-BGM-TYA	Pushbutton A22NZ 22 dia, bezel plastic, full quad, momentary, cap color transparent yellow, lighted	3.41	663382	4548583711914	10	CG	K	TWN	8536.5015.90	
A22NZ-BNA-TGA	Pushbutton A22NZ 22 dia, bezel plastic, flat, alternate, cap color transparent green, lighted	2.82	661191	4548583713529			CG	K	TWN	8536.5015.90
A22NZ-BNA-TGA	Pushbutton A22NZ 022, bezel plastic, FLAT, Alternate, CAP COLOR Transparent WHITE, LIGHTED	2.82	665003	4548583713512	20	CG	K	TWN	8536.5015.90	
A22NZ-BNA-TYA	Pushbutton A22NZ 022, bezel plastic, FLAT, Alternate, CAP COLOR Transparent YELLOW, LIGHTED	2.82	666861	4548583713543			CG	K	TWN	8536.5015.90
A22NZ-BNA-TYA	Pushbutton A22NZ 022, bezel plastic, FLAT, Alternate, CAP COLOR Transparent BLUE, LIGHTED	2.82	663162	4548583713536			CG	K	TWN	8536.5015.90
A22NZ-BNM-TAA	Pushbutton A22NZ 22 dia, bezel plastic, flat, momentary, cap color transparent blue, lighted	2.36	661165	4548583711570	20	CG	K	TWN	8536.5015.90	
A22NZ-BNM-TGA	Pushbutton A22NZ 022, bezel plastic, FLAT, MOMENTARY, CAP COLOR Transparent GREEN, LIGHTED	2.36	662121	4548583711549	10	CG	K	TWN	8536.5015.90	
A22NZ-BNM-TGA	Pushbutton A22NZ 022, bezel plastic, FLAT, MOMENTARY, CAP COLOR Transparent RED, LIGHTED	2.36	660238	4548583711532	10	CG	K	TWN	8536.5015.90	
A22NZ-BNM-TWA	Pushbutton A22NZ 22 dia, bezel plastic, flat, momentary, cap color transparent white, lighted	2.36	663647	4548583711563	10	CG	K	TWN	8536.5015.90	
A22NZ-BNM-TYA	Pushbutton A22NZ 022, bezel plastic, FLAT, MOMENTARY, CAP COLOR Transparent YELLOW, LIGHTED	2.36	663117	4548583711556	10	CG	K	TWN	8536.5015.90	
A22NZ-BPA-TGA	Pushbutton A22NZ 22 dia, bezel plastic, projected, alternate, cap color transparent green, lighted	3.95	660256	4548583713703	10	CG	K	TWN	8536.5015.90	
A22NZ-BPM-TAA	Pushbutton A22NZ 022, bezel plastic, PROJECTED, MOMENTARY, CAP COLOR Transparent BLUE, LIGHTED	3.37	664270	4548583711754	10	CG	K	TWN	8536.5015.90	
A22NZ-BPM-TGA	Pushbutton A22NZ 22 dia, bezel plastic, projected, momentary, cap color transparent blue, lighted	3.36	665541	4548583711723	10	CG	K	TWN	8536.5015.90	
A22NZ-BPM-TGA	Pushbutton A22NZ 22 dia, bezel plastic, projected, momentary, cap color transparent red, lighted	3.36	663360	4548583711716	10	CG	K	TWN	8536.5015.90	
A22NZ-BPM-TWA	Pushbutton A22NZ 22 dia, bezel plastic, projected, momentary, cap color transparent white, lighted	3.37	663648	4548583711747	10	CG	K	TWN	8536.5015.90	
A22NZ-MNA-TAA	Pushbutton A22NZ 022, bezel brushed metal, FLAT, Alternate, CAP COLOR Transparent WHITE, LIGHTED	3.27	662097	4548583714267			CG	K	TWN	8536.5015.90
A22NZ-MNM-TGA	Pushbutton A22NZ 22 dia, bezel brushed metal, flat, momentary, cap color transparent blue, lighted	3.85	666840	4548583712294	20	CG	K	TWN	8536.5015.90	
A22NZ-MNM-TGA	Pushbutton A22NZ 22 dia, bezel brushed metal, flat, momentary, cap color transparent green, lighted	3.85	665935	4548583712263	10	CG	K	TWN	8536.5015.90	
A22NZ-MNM-TYA	Pushbutton A22NZ 022, bezel brushed metal, FLAT, MOMENTARY, CAP COLOR Transparent RED, LIGHTED	3.85	664982	4548583712256	10	CG	K	TWN	8536.5015.90	
A22NZ-MNM-TWA	Pushbutton A22NZ 22 dia, bezel brushed metal, flat, momentary, cap color transparent red, lighted	3.85	665234	4548583712287	10	CG	K	TWN	8536.5015.90	
A22NZ-MNM-TYA	Pushbutton A22NZ 022, bezel brushed metal, FLAT, MOMENTARY, CAP COLOR Transparent YELLOW, LIGHTED	3.85	660245	4548583712270	10	CG	K	TWN	8536.5015.90	
A22NZ-MPM-TAA	Pushbutton A22NZ 022, bezel brushed metal, PROJECTED, MOMENTARY, CAP COLOR Transparent BLUE, LIGHTED	4.02	663526	4548583712478			CG	K	TWN	8536.5015.90
A22NZ-RNA-TAA	Pushbutton A22NZ 022, bezel metal, FLAT, Alternate, CAP COLOR Transparent BLUE, LIGHTED	3.27	660955	4548583714991			CG	K	TWN	8536.5015.90
A22NZ-RNA-TGA	Pushbutton A22NZ 022, bezel metal, FLAT, Alternate, CAP COLOR Transparent GREEN, LIGHTED	3.27	663586	4548583714960			CG	K	TWN	8536.5015.90
A22NZ-RNA-TGA	Pushbutton A22NZ 022, bezel metal, FLAT, Alternate, CAP COLOR Transparent RED, LIGHTED	3.27	665510	4548583714953			CG	K	TWN	8536.5015.90
A22NZ-RNA-TWA	Pushbutton A22NZ 022, bezel metal, FLAT, Alternate, CAP COLOR Transparent WHITE, LIGHTED	3.27	660798	4548583714984	10	CG	K	TWN	8536.5015.90	
A22NZ-RNA-TYA	Pushbutton A22NZ 022, bezel metal, FLAT, Alternate, CAP COLOR Transparent YELLOW, LIGHTED	3.27	659780	4548583714977			CG	K	TWN	8536.5015.90
A22NZ-RNM-TAA	Pushbutton A22NZ 022, bezel metal, FLAT, MOMENTARY, CAP COLOR Transparent BLUE, LIGHTED	3.85	664995	4548583713017			CG	K	TWN	8536.5015.90
A22NZ-RNM-TGA	Pushbutton A22NZ 022, bezel metal, FLAT, MOMENTARY, CAP COLOR Transparent GREEN, LIGHTED	3.85	662151	4548583712980			CG	K	TWN	8536.5015.90
A22NZ-RNM-TGA	Pushbutton A22NZ 022, bezel metal, FLAT, MOMENTARY, CAP COLOR Transparent RED, LIGHTED	3.85	666856	4548583712973			CG	K	TWN	8536.5015.90
A22NZ-RNM-TWA	Pushbutton A22NZ 022, bezel metal, FLAT, MOMENTARY, CAP COLOR Transparent WHITE, LIGHTED	3.85	664056	4548583713000	10	CG	K	TWN	8536.5015.90	
A22NZ-RNM-TYA	Pushbutton A22NZ 022, bezel metal, FLAT, MOMENTARY, CAP COLOR Transparent YELLOW, LIGHTED	4.29	664986	4548583712997			CG	K	TWN	8536.5015.90
A22NZ-RPM-TAA	Pushbutton A22NZ 22 dia, bezel metal, projected, momentary, cap color transparent blue, lighted	4.26	665951	4548583713192			CG	K	TWN	8536.5015.90
A22NZ-RPM-TYA	Pushbutton A22NZ 22 dia, bezel metal, projected, momentary, cap color transparent yellow, lighted	4.26	666862	4548583713178	10	CG	K	TWN	8536.5015.90	
A22-01A	Contact block, SPST-NC, alternate, general-purpose load	13.00	160954	4536854375903	10	CG	K	JPN	8536.5015.90	
A22-01M	Contact block, SPST-NC, momentary, general-purpose load	5.49	103394	4536853019761	10	CG	K	JPN	8536.5015.90	
A22-02M	Contact block, DPST-NC, general-purpose load, momentary operation	6.21	160933	4536853019778	10	CG	K	JPN	8536.5015.90	
A22-10M	Contact block, SPST-NO, momentary, general-purpose load	5.49	160934	4536853019785	10	CG	K	JPN	8536.5015.90	
A22-11M	Contact block, SPST-NO + SPST-NC, momentary, general-purpose load	8.65	160935	4536853019792	10	CG	K	JPN	8536.5015.90	
A22-20M	Contact block, 2 x SPST-NO, momentary, general-purpose load	6.82	149853	4536853019808	10	CG	K	JPN	8536.5015.90	
A22L-01M	Contact block, lighted modal, SPST-NC, momentary, general-purpose load	10.85	144460	4536853019815	10	CG	K	JPN	8536.5015.90	
A22L-01M-T1	Contact block, lighted modal, SPST-NC, momentary, 110 VAC	11.77	160942	4536854375675			CG	K	JPN	8536.5015.90
A22L-01M-T2	Contact block, lighted modal, SPST-NC, momentary, 220 VAC	11.77	150958	4536854375699			CG	K	JPN	8536.5015.90
A22L-02M	Contact block, lighted modal, DPST-NC, momentary, general-purpose load	10.51	160936	4536853019822	2	CG	K	JPN	8536.5015.90	
A22L-02M-T1	Contact block, lighted modal, DPST-NC, momentary, 110 VAC	14.82	160945	4536854375729	10	CG	K	JPN	8536.5015.90	
A22L-02M-T2	Contact block, lighted modal, DPST-NC, momentary, 220 VAC	14.82	152131	4536854375743			CG	K	JPN	8536.5015.90
A22L-10M	Contact block, lighted modal, SPST-NO, momentary, general-purpose load	10.85	160937	4536853019839	10	CG	K	JPN	8536.5015.90	
A22L-10M-T1	Contact block, lighted modal, SPST-NO, momentary, 110 VAC	11.77	154347	4536854375774			CG	K	JPN	8536.5015.90
A22L-10M-T2	Contact block, lighted modal, SPST-NO, momentary, 220 VAC	17.00	105562	4536854375798	10	CG	K	JPN	8536.5015.90	
A22L-11M	Contact block, lighted modal, SPST-NO + SPST-NC, momentary, general-purpose load	13.41	160938	4536853019846			CG	K	JPN	8536.5015.90
A22L-11M-T1	Contact block, lighted modal, SPST-NO + SPST-NC, momentary, 110 VAC	14.82	153209	4536854375628	10	CG	K	JPN	8536.5015.90	
A22L-11M-T2	Contact block, lighted modal, SPST-NO + SPST-NC, momentary, 220 VAC	19.53	160949	4536854375642	10	CG	K	JPN	8536.5015.90	
A22L-20M	Contact block, lighted modal, DPST-NO, alternate, general-purpose load	23.80	160950	4536854375655	10	CG	K	JPN	8536.5015.90	
A22L-20M	Contact block, lighted modal, DPST-NO, momentary, general-purpose load	14.73	160939	4536853019853			CG	K	JPN	8536.5015.90
A22L-20M-T1	Contact block, lighted modal, DPST-NO, momentary, 110 VAC	14.82	160951	4536854375687			CG	K	JPN	8536.5015.90
A22L-20M-T2	Contact block, lighted modal, DPST-NO, momentary, 220 VAC	14.82	160953	4536854375697			CG	K	JPN	8536.5015.90

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Data sheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code		
A22NK-2BL-01BA-G100	Selector A22NK 022, Key type S, 2 position, bezel plastic, AUTO RESET ON LEFT, RELEASE position LEFT, 1NO1NC	14.42	662916	4548583703261			CG	K	TWN	8536.5015.90		
A22NK-2BL-01BA-G102	Selector A22NK 22 dia, Key type S, 2 position, bezel plastic, auto reset on left, release position left, 1NO1NC	16.94	661914	4548583703315			10	CG	K	TWN	8536.5015.90	
A22NK-2BM-01AA-G100	Selector A22NK 022, Key type S, 2 position, bezel plastic, MANUAL RELEASE position ALL, 1NO	15.03	665604	4548583702998			5	CG	K	TWN	8536.5015.90	
A22NK-2BM-01AA-G102	Selector A22NK 22 dia, Key type S, 2 position, bezel plastic, manual release position left, 1NO1NC	15.68	666651	4548583703049			10	CG	K	TWN	8536.5015.90	
A22NK-2BM-01BA-G100	Selector A22NK 022, Key type S, 2 position, bezel plastic, MANUAL RELEASE position LEFT, 2NO	14.44	660968	4548583703087			10	CG	K	TWN	8536.5015.90	
A22NK-2BM-01BA-G101	Selector A22NK 022, Key type S, 2 position, bezel plastic, MANUAL RELEASE position LEFT, 2NO	17.41	664746	4548583703124			CG	K	TWN	8536.5015.90		
A22NK-2ML-01BA-G102	Selector A22NK 022, Key type S, 2 position, bezel brushed M, AUTO RESET ON LEFT, RELEASE position LEFT, 1NO1NC	16.94	664736	4548583703674			5	CG	K	TWN	8536.5015.90	
A22NK-2MM-01BA-G100	Selector A22NK 022, Key type S, 2 position, bezel brushed M, MANUAL RELEASE position LEFT, 1NO	15.29	661997	4548583703445			CG	K	TWN	8536.5015.90		
A22NK-2MM-01BA-P100	Selector A22NK 022, Key type S, 2 position, bezel brushed M, MANUAL RELEASE position LEFT, 1NO, push-in	15.03	675147	4549734080323			CG	K	TWN	8536.5015.90		
A22NK-2RM-01AA-G102	Selector A22NK 022, Key type S, 2 position, bezel metal, MANUAL RELEASE position ALL, 1NO1NC	16.94	660042	4548583703766			CG	K	TWN	8536.5015.90		
A22NK-2RM-01BA-G100	Selector A22NK 022, Key type S, 2 position, bezel metal, MANUAL RELEASE position LEFT, 1NO	15.29	662921	4548583703803			CG	K	TWN	8536.5015.90		
A22NK-2RM-01BA-P100	Selector A22NK 022, Key type S, 2 position, bezel metal, MANUAL RELEASE position LEFT, 1NO, push-in terminal	14.38	674698	4549734080682			CG	K	TWN	8536.5015.90		
A22NK-2RM-01BA-P101	Selector A22NK 022, Key type S, 2 position, bezel metal, MANUAL RELEASE position LEFT, 2NO, push-in terminal	18.59	674237	4549734080729			CG	K	TWN	8536.5015.90		
A22NK-3BM-01BA-G112	Selector A22NK 022, Key type S, 3 position, bezel plastic, MANUAL RELEASE position LEFT, 2NO1NC	18.90	665580	4548583704336			CG	K	TWN	8536.5015.90		
A22NK-3BR-01BA-G201	Selector A22NK 022, Key type S, 3 position, bezel plastic, AUTO RESET ON RIGHT, RELEASE position CENTER, 1NO1NC	16.11	664792	4548583705692			CG	K	TWN	8536.5015.90		
A22NK-3MM-01AA-G102	Selector A22NK 022, Key type S, 3 position, bezel brushed M, MANUAL RELEASE position ALL, 1NO1NC	16.94	662961	4548583706088			CG	K	TWN	8536.5015.90		
A22NL-BGA-TAA-G101-AC	Pushbutton A22NL 022, bezel plastic, FULL GUARD, Alternate, CAP COLOR Transparent BLUE, LED BLUE, 2NO, 24 VDC	12.82	665990	4548583639737			CG	K	TWN	8536.5015.90		
A22NL-BGM-TAA-G101-AC	Pushbutton A22NL 022, bezel plastic, FULL GUARD, MOMENTARY, CAP COLOR Transparent BLUE, LED BLUE, 2NO, 24 VDC	12.49	665960	4548583635883			CG	K	TWN	8536.5015.90		
A22NL-BGM-TAA-G102-AC	Pushbutton A22NL 022, bezel plastic, FULL GUARD, MOMENTARY, CAP COLOR Transparent BLUE, LED BLUE, 1NO1NC, 24 VDC	12.82	663168	4548583635876			CG	K	TWN	8536.5015.90		
A22NL-BGM-TAA-P100-AC	Pushbutton A22NL 022, bezel plastic, FULL GUARD, MOMENTARY, CAP COLOR Transparent BLUE, LED BLUE, 1NO, 24 VDC, push-in terminal	13.00	673655	4548583698707			CG	K	TWN	8536.5015.90		
A22NL-BGM-TGA-G101-CC	Pushbutton A22NL 22 dia, bezel plastic, full guard, momentary, cap color transparent green, LED green, 1NO1NC, 24 VDC	12.74	666990	4548583635739			10	CG	K	TWN	8536.5015.90	
A22NL-BGM-TGA-G102-CC	Pushbutton A22NL 22 dia, bezel plastic, full guard, momentary, cap color transparent red, LED red, 1NO1NC, 24 VDC	10.52	660674	4548583635722			5	CG	K	TWN	8536.5015.90	
A22NL-BGM-TGA-G102-FC	Pushbutton A22NL 022, bezel plastic, FULL GUARD, MOMENTARY, CAP COLOR Transparent RED, LED RED, 1NO1NC, 24 VDC	12.60	666991	4548583635678			10	CG	K	TWN	8536.5015.90	
A22NL-BGM-TGA-G202-FC	Pushbutton A22NL 022, bezel plastic, FULL GUARD, MOMENTARY, CAP COLOR Transparent RED, LED RED, 2NC, 24 VDC	12.74	664123	4548583635692			10	CG	K	TWN	8536.5015.90	
A22NL-BGM-TWA-G101-WC	Pushbutton A22NL 022, bezel plastic, FULL GUARD, MOMENTARY, CAP COLOR Transparent WHITE, LED WHITE, 2NO, 24 VDC	12.49	660274	4548583635838			10	CG	K	TWN	8536.5015.90	
A22NL-BGM-TYA-G101-YC	Pushbutton A22NL 022, bezel plastic, FULL GUARD, MOMENTARY, CAP COLOR Transparent YELLOW, LED YELLOW, 2NO, 24 VDC	12.49	663494	4548583635774			CG	K	TWN	8536.5015.90		
A22NL-BGM-TYA-G102-YC	Pushbutton A22NL 022, bezel plastic, FULL GUARD, MOMENTARY, CAP COLOR Transparent YELLOW, LED YELLOW, 1NO1NC, 24 VDC	12.60	660258	4548583635787			5	CG	K	TWN	8536.5015.90	
A22NL-BGM-TYA-P101-YC	Pushbutton A22NL 022, bezel plastic, FULL GUARD, MOMENTARY, CAP COLOR Transparent YELLOW, LED YELLOW, 2NO, 24 VDC, push-in terminal	17.50	673680	4548583698639			CG	K	TWN	8536.5015.90		
A22NL-BMA-TGA-G100-FC	Pushbutton A22NL 022, bezel plastic, MUSHROOM, Alternate, CAP COLOR Transparent RED, LED RED, 1NO, 24 VDC	12.26	663517	4548583639850			CG	K	TWN	8536.5015.90		
A22NL-BMM-TGA-G202-CC	Pushbutton A22NL 022, bezel plastic, MUSHROOM, MOMENTARY, CAP COLOR Transparent GREEN, LED GREEN, 2NC, 24 VDC	10.52	664079	4548583636095			CG	K	TWN	8536.5015.90		
A22NL-BNA-TAA-P100-FC	Pushbutton A22NL 022, bezel plastic, FLAT, Alternate, CAP COLOR Transparent RED, LED RED, 1NO, 24 VDC, push-in terminal	11.09	674054	4548583901650			CG	K	TWN	8536.5015.90		
A22NL-BNM-TAA-P100-AC	Pushbutton A22NL 022, bezel plastic, FLAT, MOMENTARY, CAP COLOR Transparent BLUE, LED BLUE, 1NO, 24 VDC, push-in terminal	16.02	680540	4548583898004			CG	K	TWN	8536.5015.90		
A22NL-BNM-TGA-G100-CC	Pushbutton A22NL 22 dia, bezel plastic, flat, momentary, cap color transparent green, LED green, 1NO, 24 VDC	9.92	666289	4548583635005			#	10	CG	K	TWN	8536.5015.90
A22NL-BNM-TGA-G102-CC	Pushbutton A22NL 22 dia, bezel plastic, flat, momentary, cap color transparent green, LED green, 1NO1NC, 24 VDC	10.52	666942	4548583635029			10	CG	K	TWN	8536.5015.90	
A22NL-BNM-TGA-P100-CC	Pushbutton A22NL 022, bezel plastic, FLAT, MOMENTARY, CAP COLOR Transparent GREEN, LED GREEN, 1NO, 24 VDC, push-in terminal	14.72	673634	4548583897854			5	CG	K	TWN	8536.5015.90	
A22NL-BNM-TGA-P102-CC	Pushbutton A22NL 022, bezel plastic, FLAT, MOMENTARY, CAP COLOR Transparent GREEN, LED GREEN, 1NO1NC, 24 VDC, push-in terminal	20.43	673660	4548583897878			CG	K	TWN	8536.5015.90		
A22NL-BNM-TGA-G202-FC	Pushbutton A22NL 022, bezel plastic, FLAT, MOMENTARY, CAP COLOR Transparent RED, LED RED, 1NC, 24 VDC	10.20	665071	4548583634961			CG	K	TWN	8536.5015.90		
A22NL-BNM-TGA-G102-FC	Pushbutton A22NL 22 dia, bezel plastic, flat, momentary, cap color transparent red, LED red, 1NO1NC, 200-240 VAC	10.46	662958	4548583635074			10	CG	K	TWN	8536.5015.90	
A22NL-BNM-TWA-G100-WC	Pushbutton A22NL 022, bezel brushed metal, FLAT, MOMENTARY, CAP COLOR Transparent WHITE, LED WHITE, 1NO, 24 VDC	12.53	663238	4548583635104			10	CG	K	TWN	8536.5015.90	
A22NL-BPM-TGA-G100-CC	Pushbutton A22NL 022, bezel plastic, PROJECTED, MOMENTARY, CAP COLOR Transparent GREEN, LED GREEN, 1NO, 24 VDC	13.11	666288	4548583635357			10	CG	K	TWN	8536.5015.90	
A22NL-MGA-TGA-G102-CC	Pushbutton A22NL 022, bezel brushed metal, FULL GUARD, Alternate, CAP COLOR Transparent GREEN, LED GREEN, 1NO1NC, 24 VDC	18.03	662900	4548583640979			CG	K	TWN	8536.5015.90		
A22NL-MNM-TAA-G102-AC	Pushbutton A22NL 022, bezel brushed metal, FLAT, MOMENTARY, CAP COLOR Transparent BLUE, LED BLUE, 1NO1NC, 24 VDC	10.77	662170	4548583636576			CG	K	TWN	8536.5015.90		
A22NL-MNM-TAA-P100-AC	Pushbutton A22NL 022, bezel brushed metal, FLAT, MOMENTARY, CAP COLOR Transparent BLUE, LED BLUE, 1NO, 24 VDC, push-in terminal	12.44	686199	4548583899407			CG	K	TWN	8536.5015.90		
A22NL-MNM-TAA-P102-AC	Pushbutton A22NL 022, bezel brushed metal, FLAT, MOMENTARY, CAP COLOR Transparent BLUE, LED BLUE, 1NO1NC, 24 VDC, push-in terminal	15.12	673384	4548583899421			CG	K	TWN	8536.5015.90		
A22NL-MNM-TGA-G100-CC	Pushbutton A22NL 022, bezel brushed metal, FLAT, MOMENTARY, CAP COLOR Transparent GREEN, LED GREEN, 1NO, 24 VDC	10.06	667235	4548583636408			CG	K	TWN	8536.5015.90		
A22NL-MNM-TGA-G102-CC	Pushbutton A22NL 022, bezel brushed metal, FLAT, MOMENTARY, CAP COLOR Transparent GREEN, LED GREEN, 1NO1NC, 24 VDC	10.77	659723	4548583636422			10	CG	K	TWN	8536.5015.90	
A22NL-MNM-TGA-P100-CC	Pushbutton A22NL 022, bezel brushed metal, FLAT, MOMENTARY, CAP COLOR Transparent GREEN, LED GREEN, 1NO, 24 VDC, push-in terminal	10.92	673645	4548583899254			CG	K	TWN	8536.5015.90		
A22NL-MNM-TGA-P100-GE	Pushbutton A22NL 022, bezel brushed metal, FLAT, MOMENTARY, CAP COLOR Transparent GREEN, LED GREEN, 1NO, 200-240 VAC, push-in terminal	11.84	675173	4548583914650			CG	K	TWN	8536.5015.90		
A22NL-MNM-TGA-G202-FC	Pushbutton A22NL 022, bezel brushed metal, FLAT, MOMENTARY, CAP COLOR Transparent RED, LED RED, 1NC, 24 VDC	9.87	664393	4548583636361			6	CG	K	TWN	8536.5015.90	
A22NL-MNM-TGA-G102-FC	Pushbutton A22NL 022, bezel brushed metal, FLAT, MOMENTARY, CAP COLOR Transparent RED, LED RED, 1NO1NC, 24 VDC	10.57	665973	4548583636378			CG	K	TWN	8536.5015.90		
A22NL-MNM-TGA-G202-FC	Pushbutton A22NL 022, bezel brushed metal, FLAT, MOMENTARY, CAP COLOR Transparent RED, LED RED, 2NC, 24 VDC	10.57	664394	4548583636392			CG	K	TWN	8536.5015.90		
A22NL-MNM-TGA-P002-FC	Pushbutton A22NL 022, bezel brushed metal, FLAT, MOMENTARY, CAP COLOR Transparent RED, LED RED, 1NC, 24 VDC, push-in terminal	14.38	675143	4548583899216			5	CG	K	TWN	8536.5015.90	
A22NL-MNM-TGA-P102-FC	Pushbutton A22NL 022, bezel brushed metal, FLAT, MOMENTARY, CAP COLOR Transparent RED, LED RED, 1NO1NC, 24 VDC, push-in terminal	15.12	673423	4548583899223			CG	K	TWN	8536.5015.90		
A22NL-MNM-TWA-P100-WC	Pushbutton switch 022, bezel brushed metal, FLAT, MOMENTARY, CAP COLOR Transparent WHITE, LED WHITE, 1NO, 24 VDC, push-in terminal	12.44	685689	4548583899353			CG	K	TWN	8536.5015.90		
A22NL-MNM-TWA-P102-WC	Pushbutton A22NL 022, bezel brushed metal, FLAT, MOMENTARY, CAP COLOR Transparent WHITE, LED WHITE, 1NO1NC, 24 VDC, push-in terminal	15.12	673383	4548583899377			10	CG	K	TWN	8536.5015.90	
A22NL-MNM-TYA-G100-YC	Pushbutton A22NL 022, bezel brushed metal, FLAT, MOMENTARY, CAP COLOR Transparent YELLOW, LED YELLOW, 1NO, 24 VDC	9.87	664390	4548583636453			CG	K	TWN	8536.5015.90		
A22NL-MNM-TYA-G102-YC	Pushbutton A22NL 022, bezel brushed metal, FLAT, MOMENTARY, CAP COLOR Transparent YELLOW, LED YELLOW, 1NO1NC, 24 VDC	10.57	662532	4548583636477			CG	K	TWN	8536.5015.90		
A22NL-MNM-TYA-P100-YC	Pushbutton switch 022, bezel brushed metal, FLAT, MOMENTARY, CAP COLOR Transparent YELLOW, LED YELLOW, 1NO, 24 VDC, push-in terminal	12.44	685686	4548583899308			CG	K	TWN	8536.5015.90		
A22NL-FNA-TGA-G102-CC	Pushbutton A22NL 22 dia, bezel metal, flat, alternate, cap color transparent green, LED green, 1NO1NC, 24 VDC	17.85	665712	4548583641679			5	CG	K	TWN	8536.5015.90	
A22NL-FNM-TAA-P100-AC	Pushbutton switch 022, bezel metal, FLAT, MOMENTARY, CAP COLOR Transparent BLUE, LED BLUE, 1NO, 24 VDC, push-in terminal	12.44	685685	4548583900806			CG	K	TWN	8536.5015.90		
A22NL-FNM-TGA-G102-CC	Pushbutton A22NL 22 dia, bezel metal, flat, momentary, cap color transparent green, LED green, 1NO1NC, 24 VDC	12.63	660692	4548583637825			10	CG	K	TWN	8536.5015.90	
A22NL-FNM-TGA-P100-CC	Pushbutton A22NL 022, bezel metal, FLAT, MOMENTARY, CAP COLOR Transparent GREEN, LED GREEN, 1NO, 24 VDC, push-in terminal	12.64	673636	4548583900653			CG	K	TWN	8536.5015.90		
A22NL-FNM-TGA-P102-CC	Pushbutton A22NL 022, bezel metal, FLAT, MOMENTARY, CAP COLOR Transparent GREEN, LED GREEN, 1NO1NC, 24 VDC, push-in terminal	15.12	673632	4548583900677			CG	K	TWN	8536.5015.90		
A22NL-FNM-TGA-P102-GE	Pushbutton A22NL 022, bezel metal, FLAT, MOMENTARY, CAP COLOR Transparent GREEN, LED GREEN, 1NO1NC, 200-240 VAC, push-in terminal	15.92	674236	4548583916074			CG	K	TWN	8536.5015.90		
A22NL-FNM-TGA-G102-FC	Pushbutton A22NL 22 dia, bezel metal, flat, momentary, cap color transparent red, LED red, 1NO1NC, 24 VDC	12.45	662541	4548583637771			10	CG	K	TWN	8536.5015.90	
A22NL-FNM-TGA-P002-FC	Pushbutton switch 022, bezel metal, FLAT, MOMENTARY, CAP COLOR Transparent RED, LED RED, 1NC, 24 VDC, push-in terminal	12.44	685687	4548583900615			CG	K	TWN	8536.5015.90		
A22NL-FNM-TGA-P102-FC	Pushbutton A22NL 022, bezel metal, FLAT, MOMENTARY, CAP COLOR Transparent RED, LED RED, 1NO1NC, 24 VDC, push-in terminal	15.12	673615	4548583900622			CG	K	TWN	8536.5015.90		
A22NL-FNM-TGA-P102-RE	Pushbutton A22NL 022, bezel metal, FLAT, MOMENTARY, CAP COLOR Transparent RED, LED RED, 1NO1NC, 200-240 VAC, push-in terminal	15.92	674235	4548583916029			CG	K	TWN	8536.5015.90		
A22NL-FNM-TWA-P100-WC	Pushbutton switch 022, bezel metal, FLAT, MOMENTARY, CAP COLOR Transparent WHITE, LED WHITE, 1NO, 24 VDC, push-in terminal	12.44	685688	4548583900752			CG	K	TWN	8536.5015.90		
A22NL-FNM-TWA-P102-WC	Pushbutton A22NL 022, bezel metal, FLAT, MOMENTARY, CAP COLOR Transparent WHITE, LED WHITE, 1NO1NC, 24 VDC, push-in terminal	15.12	674217	4548583900776			CG	K	TWN	8536.5015.90		
A22NL-FNM-TYA-G102-YC	Pushbutton A22NL 022, bezel metal, FLAT, MOMENTARY, CAP COLOR Transparent YELLOW, LED YELLOW, 1NO1NC, 24 VDC	12.45	665435	4548583637870			CG	K	TWN	8536.5015.90		
A22NL-FNM-TYA-P100-YC	Pushbutton switch 022, bezel metal, FLAT, MOMENTARY, CAP COLOR Transparent YELLOW, LED YELLOW, 1NO, 24 VDC, push-in terminal	12.44	685684	4548583900707			CG	K	TWN	8536.5015.90		
A22NL-FNM-TYA-P102-YC	Pushbutton A22NL 022, bezel metal, FLAT, MOMENTARY, CAP COLOR Transparent YELLOW, LED YELLOW, 1NO1NC, 24 VDC, push-in terminal	15.12	673618	4548583900721			CG	K	TWN	8536.5015.90		
A22NL-FPA-TYA-P101-YC	Pushbutton switch 022, bezel metal, PROJECTED, Alternate, CAP COLOR Transparent YELLOW, LED YELLOW, 2NO, 24 VDC, ILLUMINATED, push-in terminal	18.50	687352	4548583904834	</							

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Daheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
A22NN-BGM-NBA-G102-NN	Pushbutton A22NN 22 dia, bezel plastic, full guard, momentary, cap color opaque black, 1NO1NC, non-lighted	10,33	661283	4548583598423			CG	K	TWN	8536.5015.90
A22NN-BGM-NBA-G102-NN	Pushbutton A22NN 22 dia, bezel plastic, full guard, momentary, cap color opaque green, 1NO1NC, non-lighted	10,33	664695	4548583599065	10		CG	K	TWN	8536.5015.90
A22NN-BGM-NBA-G102-NN	Pushbutton A22NN 22 dia, bezel plastic, full guard, momentary, cap color opaque red, 1NO1NC, non-lighted	10,33	666069	4548583597976	10		CG	K	TWN	8536.5015.90
A22NN-BGM-NYA-G102-NN	Pushbutton A22NN 022, bezel plastic, FLAT, MOMENTARY, CAP COLOR Opaque YELLOW, 1NO1NC, NON-LIGHTED	10,33	661276	4548583598157			CG	K	TWN	8536.5015.90
A22NN-BMM-NBA-P100-NN	Pushbutton A22NN 022, bezel plastic, MUSHROOM, MOMENTARY, CAP COLOR Opaque BLACK, 1NO, NON-LIGHTED, push-in terminal	8,78	673696	4549734014861	10		CG	K	TWN	8536.5015.90
A22NN-BMM-NYA-G102-NN	Pushbutton A22NN 022, bezel plastic, MUSHROOM, MOMENTARY, CAP COLOR Opaque GREEN, 1NO1NC, NON-LIGHTED	10,33	666213	4548583599147	10		CG	K	TWN	8536.5015.90
A22NN-BMM-NBA-G102-NN	Pushbutton A22NN 022, bezel plastic, MUSHROOM, MOMENTARY, CAP COLOR Opaque RED, 1NO1NC, NON-LIGHTED	11,87	660346	4548583599055			CG	K	TWN	8536.5015.90
A22NN-BNA-NBA-G102-NN	Pushbutton A22NN 22 dia, bezel plastic, flat, alternate, cap color opaque black, 1NO1NC, non-lighted	8,90	667214	4548583608146			CG	K	TWN	8536.5015.90
A22NN-BNM-NAA-G100-NN	Pushbutton A22NN 022, bezel plastic, FLAT, MOMENTARY, CAP COLOR Opaque BLUE, 1NO, NON-LIGHTED	6,78	662240	4548583596153	5		CG	K	TWN	8536.5015.90
A22NN-BNM-NAA-P100-NN	Pushbutton A22NN 022, bezel plastic, FLAT, MOMENTARY, CAP COLOR Opaque BLUE, 1NO, NON-LIGHTED, push-in terminal	6,78	674053	4549734011532	10		CG	K	TWN	8536.5015.90
A22NN-BNM-NBA-G100-NN	Pushbutton A22NN 022, bezel plastic, FLAT, MOMENTARY, CAP COLOR Opaque BLACK, 1NO, NON-LIGHTED	6,78	660026	4548583596245	5		CG	K	TWN	8536.5015.90
A22NN-BNM-NBA-P100-NN	Pushbutton A22NN 022, bezel plastic, FLAT, MOMENTARY, CAP COLOR Opaque BLACK, 1NO, NON-LIGHTED, push-in terminal	6,78	673637	4549734011624	10		CG	K	TWN	8536.5015.90
A22NN-BNM-NYA-G100-NN	Pushbutton A22NN 022, bezel plastic, FLAT, MOMENTARY, CAP COLOR Opaque GREEN, 1NO, NON-LIGHTED	6,78	660948	4548583595880			CG	K	TWN	8536.5015.90
A22NN-BNM-NBA-P100-NN	Pushbutton A22NN 022, bezel plastic, FLAT, MOMENTARY, CAP COLOR Opaque GREEN, 1NO, NON-LIGHTED, push-in terminal	6,78	673620	4549734011266	10		CG	K	TWN	8536.5015.90
A22NN-BNM-NBA-G002-NN	Pushbutton A22NN 22 dia, bezel plastic, flat, momentary, cap color opaque red, 1NC, non-lighted	7,17	664447	4548583595804			CG	K	TWN	8536.5015.90
A22NN-BNM-NBA-G100-NN	Pushbutton A22NN 22 dia, bezel plastic, flat, momentary, cap color opaque red, 1NO, non-lighted	6,78	666359	4548583595798	10		CG	K	TWN	8536.5015.90
A22NN-BNM-NBA-P002-NN	Pushbutton A22NN 022, bezel plastic, FLAT, MOMENTARY, CAP COLOR Opaque RED, 1NC, NON-LIGHTED, push-terminal	6,78	674052	4549734011181			CG	K	TWN	8536.5015.90
A22NN-BNM-NYA-G100-NN	Pushbutton A22NN 022, bezel plastic, FLAT, MOMENTARY, CAP COLOR Opaque WHITE, 1NO, NON-LIGHTED	6,78	661576	4548583596061	5		CG	K	TWN	8536.5015.90
A22NN-BNM-NYA-P100-NN	Pushbutton A22NN 022, bezel plastic, FLAT, MOMENTARY, CAP COLOR Opaque WHITE, 1NO, NON-LIGHTED, push-in terminal	6,78	673681	4549734011440	5		CG	K	TWN	8536.5015.90
A22NN-BNM-NYA-G100-NN	Pushbutton A22NN 022, bezel plastic, FLAT, MOMENTARY, CAP COLOR Opaque YELLOW, 1NO, NON-LIGHTED	6,78	664446	4548583595972	5		CG	K	TWN	8536.5015.90
A22NN-BNM-NYA-P100-NN	Pushbutton A22NN 022, bezel plastic, FLAT, MOMENTARY, CAP COLOR Opaque YELLOW, 1NO, NON-LIGHTED, push-in terminal	6,78	673617	4549734011358	10		CG	K	TWN	8536.5015.90
A22NN-MMN-NBA-G100-NN	Pushbutton A22NN 022, bezel brushed metal, MUSHROOM, MOMENTARY, CAP COLOR Opaque BLACK, 1NO, NON-LIGHTED	6,82	661593	4548583603806	3		CG	K	TWN	8536.5015.90
A22NN-MNA-NYA-G102-NN	Pushbutton A22NN 022, bezel brushed metal, FLAT, Alternate, CAP COLOR Opaque WHITE, 1NO1NC, NON-LIGHTED	11,19	665018	4548583612280			CG	K	TWN	8536.5015.90
A22NN-MMN-NAA-G100-NN	Pushbutton A22NN 022, bezel brushed metal, FLAT, MOMENTARY, CAP COLOR Opaque BLUE, 1NO, NON-LIGHTED	7,12	667135	4548583600478	10		CG	K	TWN	8536.5015.90
A22NN-MMN-NBA-G100-NN	Pushbutton A22NN 022, bezel brushed metal, FLAT, MOMENTARY, CAP COLOR Opaque BLACK, 1NO, NON-LIGHTED	6,82	664311	4548583600560			CG	K	TWN	8536.5015.90
A22NN-MMN-NBA-P100-NN	Pushbutton A22NN 022, bezel brushed metal, flat, momentary, cap color opaque black, 1NO, non-lighted, push-in terminal	9,92	673694	4549734015943	10		CG	K	TWN	8536.5015.90
A22NN-MMN-NYA-G100-NN	Pushbutton A22NN 022, bezel brushed metal, FLAT, MOMENTARY, CAP COLOR Opaque GREEN, 1NO, NON-LIGHTED	7,12	664313	4548583600201	10		CG	K	TWN	8536.5015.90
A22NN-MMN-NYA-P100-NN	Pushbutton switch, 022, bezel brushed metal, FLAT, MOMENTARY, CAP COLOR Opaque GREEN, 1NO, NON-LIGHTED, push-in terminal	7,97	685691	4549734015585			CG	K	TWN	8536.5015.90
A22NN-MMN-NBA-G002-NN	Pushbutton A22NN 022, bezel brushed metal, FLAT, MOMENTARY, CAP COLOR Opaque RED, 1NC, NON-LIGHTED	7,12	660361	4548583600126	10		CG	K	TWN	8536.5015.90
A22NN-MMN-NBA-P002-NN	Pushbutton A22NN 022, bezel brushed metal, FLAT, MOMENTARY, CAP COLOR Opaque RED, 1NC, NON-LIGHTED, push-in	8,22	675063	4549734015509			CG	K	TWN	8536.5015.90
A22NN-MMN-NYA-G100-NN	Pushbutton A22NN 022, bezel brushed metal, FLAT, MOMENTARY, CAP COLOR Opaque WHITE, 1NO, NON-LIGHTED	7,12	663423	4548583600386			CG	K	TWN	8536.5015.90
A22NN-MMN-NYA-P100-NN	Pushbutton A22NN 022, bezel brushed metal, FLAT, MOMENTARY, CAP COLOR Opaque YELLOW, 1NO, NON-LIGHTED, push-in terminal	9,90	675142	4549734015677			CG	K	TWN	8536.5015.90
A22NN-FMM-NBA-G100-NN	Pushbutton A22NN 022, bezel metal, MUSHROOM, MOMENTARY, cap color Opaque Black, 1NO, NON-Lighted, push-in terminal	7,10	674181	4549734022422	3		CG	K	TWN	8536.5015.90
A22NN-FNA-NYA-G112-NN	Pushbutton A22NN 022, bezel metal, FLAT, Alternate, CAP COLOR Opaque YELLOW, 2NO1NC, NON-LIGHTED	14,86	661372	4548583616554			CG	K	TWN	8536.5015.90
A22NN-FNA-LAA-P112-NN	Pushbutton 022, bezel metal, FLAT, Alternate, CAP COLOR Transparent BLUE, 2NO 1NC, NON-ILLUMINATED, push-in terminal	20,98	687342	4549734032850			CG	K	TWN	8536.5015.90
A22NN-FNA-LGA-P112-NN	Pushbutton 022, bezel metal, FLAT, Alternate, CAP COLOR Transparent GREEN, 2NO 1NC, NON-ILLUMINATED, push-in terminal	20,98	687343	4549734032834			CG	K	TWN	8536.5015.90
A22NN-FNA-URA-P112-NN	Pushbutton switch 022, bezel metal, FLAT, Alternate, CAP COLOR Transparent RED, 2NO1NC, NON-ILLUMINATED, push-in terminal	20,98	687372	4549734032292			CG	K	TWN	8536.5015.90
A22NN-FNA-LWA-P112-NN	Pushbutton switch 022, bezel metal, FLAT, Alternate, CAP COLOR Transparent WHITE, 2NO1NC, NON-ILLUMINATED, push-in terminal	20,98	687370	4549734032568			CG	K	TWN	8536.5015.90
A22NN-FNM-NAA-G100-NN	Pushbutton A22NN 022, bezel metal, FLAT, MOMENTARY, CAP COLOR Opaque BLUE, 1NO, NON-LIGHTED	7,30	664150	4548583604737	5		CG	K	TWN	8536.5015.90
A22NN-FNM-NBA-G100-NN	Pushbutton A22NN 022, bezel metal, FLAT, MOMENTARY, CAP COLOR Opaque BLACK, 1NO, NON-LIGHTED	7,30	661292	4548583604889	5		CG	K	TWN	8536.5015.90
A22NN-FNM-NBA-G102-NN	Pushbutton A22NN 22 dia, bezel metal, flat, momentary, cap color opaque black, 1NO1NC, non-lighted	8,90	667018	4548583604902	10		CG	K	TWN	8536.5015.90
A22NN-FNM-NBA-P100-NN	Pushbutton A22NN 022, bezel metal, FLAT, MOMENTARY, CAP COLOR Opaque BLACK, 1NO, NON-LIGHTED, push-in terminal	9,92	673690	4549734020268	10		CG	K	TWN	8536.5015.90
A22NN-FNM-NBA-G102-NN	Pushbutton A22NN 022, bezel metal, FLAT, MOMENTARY, CAP COLOR Opaque BLACK, 1NO1NC, NON-LIGHTED, push-in terminal	10,19	673651	4549734020282			CG	K	TWN	8536.5015.90
A22NN-FNM-NBA-P100-NN	Pushbutton A22NN 022, bezel metal, FLAT, MOMENTARY, CAP COLOR Opaque GREEN, 1NO, NON-LIGHTED	7,30	662617	4548583604445	10		CG	K	TWN	8536.5015.90
A22NN-FNM-NYA-G100-NN	Pushbutton A22NN 022, bezel metal, FLAT, MOMENTARY, CAP COLOR Opaque GREEN, 1NO, NON-LIGHTED, push-in terminal	9,92	673666	4549734019903			CG	K	TWN	8536.5015.90
A22NN-FNM-NBA-G002-NN	Pushbutton A22NN 022, bezel metal, FLAT, MOMENTARY, CAP COLOR Opaque RED, 1NC, NON-LIGHTED	7,30	667001	4548583604445			CG	K	TWN	8536.5015.90
A22NN-FNM-NBA-P100-NN	Pushbutton A22NN 022, bezel metal, FLAT, MOMENTARY, CAP COLOR Opaque RED, 1NO, NON-LIGHTED	7,30	661614	4548583604438	10		CG	K	TWN	8536.5015.90
A22NN-FNM-NYA-G100-NN	Pushbutton switch, 022, bezel metal, FLAT, MOMENTARY, CAP COLOR Opaque RED, 1NC, NON-LIGHTED, push-in terminal	7,97	685690	4549734019828			CG	K	TWN	8536.5015.90
A22NN-FNM-NYA-G102-NN	Pushbutton A22NN 022, bezel metal, FLAT, MOMENTARY, CAP COLOR Opaque WHITE, 1NO, NON-LIGHTED	7,30	659774	4548583604704	5		CG	K	TWN	8536.5015.90
A22NN-FNM-NYA-P100-NN	Pushbutton A22NN 022, bezel metal, FLAT, MOMENTARY, CAP COLOR Opaque YELLOW, 1NO, NON-LIGHTED	7,30	665662	4548583604612	5		CG	K	TWN	8536.5015.90
A22NN-FNM-NYA-P100-NN	Pushbutton A22NN 022, bezel metal, FLAT, MOMENTARY, CAP COLOR Opaque YELLOW, 1NO, NON-LIGHTED, push-in terminal	9,92	673658	4549734019996			CG	K	TWN	8536.5015.90
A22NS-2BL-NBA-G101-NN	Selector A22NS 022, 2 position, NON-Lighted, bezel PLASTIC, AUTO RESET ON LEFT, COLOR BLACK 2NO	12,21	664111	4548583659087			CG	K	TWN	8536.5015.90
A22NS-2BM-NBA-G100-NN	Selector A22NS 022, 2 position, NON-Lighted, bezel PLASTIC, MANUAL, COLOR BLACK, 1NO	11,18	661708	4548583658509	10		CG	K	TWN	8536.5015.90
A22NS-2BM-NBA-G101-NN	Selector A22NS 022, 2 position, NON-Lighted, bezel PLASTIC, MANUAL, COLOR BLACK, 2NO	12,21	665301	4548583658547	5		CG	K	TWN	8536.5015.90
A22NS-2BM-NBA-G102-NN	Selector A22NS 22 dia, 2 position, NON-Lighted, bezel plastic, manual, color black, 1NO1NC	12,16	666783	4548583658554	10		CG	K	TWN	8536.5015.90
A22NS-2BM-NBA-P100-NN	Selector A22NS 022, 2 position, NON-Lighted, bezel PLASTIC, MANUAL, COLOR BLACK, 1NO, push-in terminal	10,55	684327	4549734035385			CG	K	TWN	8536.5015.90
A22NS-2BM-NBA-G102-NN	Selector A22NS 022, 2 position, NON-Lighted, bezel PLASTIC, MANUAL, COLOR BLACK, 1NO1NC, push-in terminal	11,27	673654	4549734035439			CG	K	TWN	8536.5015.90
A22NS-2BM-NBA-G100-NN	Selector A22NS 022, 2 position, NON-Lighted, bezel PLASTIC, MANUAL, COLOR RED, 1NO	11,18	662124	4548583659059	#		CG	K	TWN	8536.5015.90
A22NS-2BM-NBA-G102-NN	Selector A22NS 22 dia, 2 position, NON-Lighted, bezel plastic, manual, color red, 1NO1NC	12,21	663628	4548583658103	10		CG	K	TWN	8536.5015.90
A22NS-2MM-NBA-G100-NN	Selector A22NS 022, 2 position, NON-Lighted, bezel brushed metal, MANUAL, COLOR BLACK, 1NO	11,18	663064	4548583659582			CG	K	TWN	8536.5015.90
A22NS-2MM-NBA-P100-NN	Selector A22NS 022, 2 position, NON-Lighted, bezel brushed metal, MANUAL, COLOR BLACK, 1NO, push-in terminal	10,55	673386	4549734036467			CG	K	TWN	8536.5015.90
A22NS-2MM-NYA-G100-NN	Selector A22NS 022, 2 position, NON-Lighted, bezel brushed metal, MANUAL, COLOR WHITE, 1NO	11,05	662196	4548583659407			CG	K	TWN	8536.5015.90
A22NS-2FM-NBA-G100-NN	Selector A22NS 022, 2 position, NON-Lighted, bezel metal, MANUAL, COLOR BLACK, 1NO	11,18	663223	4548583660663			CG	K	TWN	8536.5015.90
A22NS-2FM-NBA-G102-NN	Selector A22NS 22 dia, 2 position, NON-Lighted, bezel metal, manual, color black, 1NO1NC	15,15	662230	4548583660717	10		CG	K	TWN	8536.5015.90
A22NS-2FM-NBA-G100-NN	Selector A22NS 022, 2 position, NON-Lighted, bezel metal, MANUAL, COLOR BLACK, 2NO1NC	19,27	661775	4548583660687			CG	K	TWN	8536.5015.90
A22NS-2FM-NBA-P100-NN	Selector Switch 022, 2 position, NON-Lighted, bezel metal, MANUAL, COLOR BLACK, 1NO, push-in terminal	8,92	685683	4549734037549			CG	K	TWN	8536.5015.90
A22NS-3BB-NBA-G101-NN	Selector A22NS 022, 3 position, NON-Lighted, bezel PLASTIC, AUTO RESET ON L/R, COLOR BLACK, 2NO	11,05	663102	4548583665897	#		CG	K	TWN	8536.5015.90
A22NS-3BM-NBA-G101-NN	Selector A22NS 022, 3 position, NON-Lighted, bezel PLASTIC, MANUAL, COLOR BLACK, 2NO	12,21	661109	4548583662293			CG	K	TWN	8536.5015.90
A22NS-3BM-NBA-G112-NN	Selector A22NS 22 dia, 3 position, NON-Lighted, bezel plastic, manual, color black, 2NO1NC	13,22	663073	4548583662352	10		CG	K	TWN	8536.5015.90
A22NS-3BM-NBA-G121-NN	Selector A22NS 22 dia, 3 position, NON-Lighted, bezel plastic, manual, color black, 2NO1NC	13,22	665870	4548583662421	10		CG	K	TWN	8536.5015.90
A22NS-3BM-NBA-P101-NN	Selector A22NS 022, 3 position, NON-Lighted, bezel PLASTIC, MANUAL, COLOR BLACK, 2NO, push-in terminal	13,69	684326	4549734039178			CG	K	TWN	8536.5015.90
A22NS-3BM-NYA-G101-NN	Selector A22NS 022, 3 position, NON-Lighted, bezel PLASTIC, MANUAL, COLOR WHITE, 2NO	12,21	665646	4548583661899	10		CG	K	TWN	8536.5015.90
A22NS-3BR-NBA-G102-NN	Selector A22NS 022, 3 position, NON-Lighted, bezel PLASTIC, AUTO RESET ON RIGHT, COLOR BLACK, 1NO1NC	11,52	663459	4548583664708			CG	K	TWN	8536.5015.90
A22NS-3BR-NBA-P102-NN	Selector A22NS 022, 3 position, NON-Lighted, bezel PLASTIC, AUTO RESET ON RIGHT, COLOR BLACK, 1NO1NC, push-in terminal	11,27	677851	4549734041584			CG	K	TWN	8536.5015.90
A22NS-3MB-NBA-G101-NN	Selector A22NS 022, 3 position, NON-Lighted, bezel brushed metal, AUTO RESET ON L/R, COLOR BLACK, 2NO	12,21	664293	4548583670693	5		CG	K	TWN	8536.5015.90
A22NS-3MB-NBA-P101-NN	Selector Switch 022, 3 position, NON-Lighted, bezel brushed metal, AUTO RESET ON L/R, COLOR BLACK, 2NO, push-in terminal	13,17	685681	4549734047579			CG	K	TWN	8536.5015.90
A22NS-3MM-NBA-G101-NN	Selector A22NS 022, 3 position, NON-Lighted									

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Data sheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
A22NS-3MM-NBA-P101-NN	Selector A22NS 022, 3 position, NON-Lighted, bezel brushed metal, MANUAL, COLOR BLACK, 2NO, push-in terminal	13.35	675064	4549734043977			CG	K	TWN	8536.5015.90
A22NS-3MR-NBA-G101-NN	Selector A22NS 022, 3 position, NON-Lighted, bezel brushed metal, AUTO RESET ON RIGHT, COLOR BLACK, 2NO	11.90	663065	4548583669499			CG	K	TWN	8536.5015.90
A22NS-3FR-NBA-G102-NN	Selector A22NS 022, 3 position, NON-Lighted, bezel metal, AUTO RESET ON L/R, COLOR BLACK, 2NO, 1NO1NC	11.79	662773	4548583675506			CG	K	TWN	8536.5015.90
A22NS-3FR-NBA-P101-NN	Selector Switch 022, 3 position, NON-Lighted, bezel metal, manual, color black, 2NO1NC	13.17	685680	4549734056375			CG	K	TWN	8536.5015.90
A22NS-3FR-NBA-G112-NN	Selector Switch 022, 3 position, NON-Lighted, bezel metal, MANUAL, COLOR BLACK, 2NO, push-in terminal	18.27	660535	4548583671959		10	CG	K	TWN	8536.5015.90
A22NS-3FR-NBA-P101-NN	Selector A22NS 022, 3 position, NON-Lighted, bezel metal, MANUAL, COLOR BLACK, 2NO, push-in terminal	13.17	685682	4549734048774			CG	K	TWN	8536.5015.90
A22NS-3FR-NWA-G101-NN	Selector A22NS 022, 3 position, NON-Lighted, bezel metal, MANUAL, COLOR WHITE, 2NO	11.90	664668	4548583671492		3	CG	K	TWN	8536.5015.90
A22NS-3FR-NWA-G101-NN	Selector A22NS 022, 3 position, NON-Lighted, bezel metal, AUTO RESET ON RIGHT, COLOR WHITE, 2NO	11.90	666124	4548583673892			CG	K	TWN	8536.5015.90
A22NW-2BM-TGA-P102-GC	Selector A22NW 022, 2 position, Lighted, bezel PLASTIC, MANUAL, COLOR GREEN, LED GREEN, 1NO1NC, 24 VDC, push-in terminal	52.20	673661	4549734056854			CG	K	TWN	8536.5015.90
A22NW-2MM-TGA-G102-GC	Selector A22NW 022, 2 position, Lighted, bezel brushed metal, MANUAL, COLOR GREEN, LED GREEN, 1NO1NC, 24 VDC	14.58	661762	4548583680678		5	CG	K	TWN	8536.5015.90
A22NW-2MM-TRA-G102-FC	Selector A22NW 022, 2 position, Lighted, bezel brushed metal, MANUAL, COLOR RED, LED RED, 1NO1NC, 24 VDC	14.58	666505	4548583680623			CG	K	TWN	8536.5015.90
A22NW-2MM-TWA-P100-WC	Selector A22NW 022, 2 position, Lighted, bezel brushed metal, MANUAL, COLOR WHITE, LED WHITE, 1NO, 24 VDC, push-in terminal	15.18	675144	4549734057622			CG	K	TWN	8536.5015.90
A22NW-2MM-TYA-G100-YD	Selector A22NW 022, 2 position, Lighted, bezel brushed metal, MANUAL, COLOR YELLOW, LED YELLOW, 1NO, 100-120 VAC	16.61	661389	4548583682795			CG	K	TWN	8536.5015.90
A22NW-2MM-TYA-P102-YC	Selector A22NW 022, 2 position, Lighted, bezel brushed metal, MANUAL, COLOR YELLOW, LED YELLOW, 1NO1NC, 24 VDC, push-in terminal	16.79	674694	4549734057608			CG	K	TWN	8536.5015.90
A22NW-2RM-TYA-G102-YC	Selector A22NW 022, 2 position, Lighted, bezel metal, MANUAL, COLOR YELLOW, LED YELLOW, 1NO1NC, 24 VDC	15.94	663364	4548583681422			CG	K	TWN	8536.5015.90
A22NW-2RM-TYA-P102-YC	Selector A22NW 022, 2 position, Lighted, bezel metal, MANUAL, COLOR YELLOW, LED YELLOW, 1NO1NC, 24 VDC, push-in terminal	16.79	674695	4549734058308			CG	K	TWN	8536.5015.90
A22NW-3BB-TRA-G101-RC	Selector A22NW 022, 3 position, Lighted, bezel PLASTIC, AUTO RESET ON L/R, COLOR RED, LED RED, 2NO, 24 VDC	15.26	659920	4548583689275			CG	K	TWN	8536.5015.90
A22NW-3BM-TGA-G101-GC	Selector A22NW 022, 3 position, Lighted, bezel PLASTIC, MANUAL, COLOR GREEN, LED GREEN, 2NO, 24 VDC	15.26	660920	4548583688476		6	CG	K	TWN	8536.5015.90
A22NW-3BM-TOA-P102-OC	Selector A22NW 022, 3 position, Lighted, bezel PLASTIC, MANUAL, COLOR ORANGE, LED ORANGE, 1NO1NC, 24 VDC, push-in terminal	16.64	674697	4549734065566			CG	K	TWN	8536.5015.90
A22NW-3BM-TRA-G101-FC	Selector A22NW 022, 3 position, Lighted, bezel PLASTIC, MANUAL, COLOR RED, LED RED, 2NO, 24 VDC	15.26	660520	4548583688438			CG	K	TWN	8536.5015.90
A22NW-3BM-TYA-P102-YC	Selector A22NW 022, 3 position, Lighted, bezel PLASTIC, MANUAL, COLOR YELLOW, LED YELLOW, 1NO1NC, 24 VDC, push-in terminal	16.64	674696	4549734065405			CG	K	TWN	8536.5015.90
A22NW-3MM-TRA-P202-FE	Selector A22NW 022, 3 position, Lighted, bezel brushed M, MANUAL, COLOR RED, LED RED, 2NC, 200-240 VAC, push-in terminal	16.86	675146	4549734073189			CG	K	TWN	8536.5015.90
A22NW-3MM-TWA-P101-WC	Selector A22NW 022, 3 position, Lighted, bezel brushed M, MANUAL, COLOR WHITE, LED WHITE, 2NO, 24 VDC, push-in terminal	16.79	675145	4549734071031			CG	K	TWN	8536.5015.90
A22-01	Contact block, SPST-NC, general-purpose load	3.61	150948	4536854356452		50	CG	K	JPN	8536.5015.90
A22-01S	Contact block, SPST-NC, microload	13.14	105657	4536854452475			CG	K	JPN	8536.5015.90
A22-02	Contact block, DPST-NC, general-purpose load	10.21	160871	4536854453397		30	CG	K	JPN	8536.5015.90
A22-02S	Contact block, DPST-NC, microload	15.29	160873	4536854453410			CG	K	JPN	8536.5015.90
A22-10	Contact block, SPST-NO, general-purpose load	3.61	157745	4536854356469		50	CG	K	JPN	8536.5015.90
A22-11	Contact block, SPST-NO + SPST-NO, general-purpose load	9.19	141587	4536854613920		10	CG	K	JPN	8536.5015.90
A22-12AG	LED, 12 VAC/DC, green	6.78	160816	4536853019433			CG	K	JPN	8536.5015.90
A22-12AR	LED, 12 VAC/DC, red	6.79	160817	4536853019440		20	CG	K	JPN	8536.5015.90
A22-12AY	LED, 12 VAC/DC, yellow	6.91	160818	4536853019464			CG	K	JPN	8536.5015.90
A22-20	Contact block, DPST-NO, general-purpose load	10.21	160872	4536854453403		30	CG	K	JPN	8536.5015.90
A22-24AA	LED, 24 VAC/DC, blue	30.27	154344	4536854375392		15	CG	K	JPN	8536.5015.90
A22-24AG	LED, 24 VAC/DC, green	9.08	160819	4536853019471		50	CG	K	JPN	8536.5015.90
A22-24AR	LED, 24 VAC/DC, red	9.08	145656	4536853019488		20	CG	K	JPN	8536.5015.90
A22-24AY	LED, 24 VAC/DC, yellow	9.53	160820	4536853019501		20	CG	K	JPN	8536.5015.90
A22-3210	Mounting latch, latching models	7.26	148770	4536854375408		10	CG	K	JPN	8536.5015.90
A22-H1	Incandescent lamp, 100 VAC	3.16	160834	4536854454714			CG	K	JPN	8536.5015.90
A22NZ-L-AC	Pushbutton accessory A22NZ, blue LED Lamp 24 VAC/DC	3.34	662694	4548583718241	#	50	CG	K	TWN	8536.5015.90
A22NZ-L-GB	Pushbutton accessory A22NZ, Green LED Lamp 12 VAC/DC	4.14	666218	4548583718166			CG	K	TWN	8536.5015.90
A22NZ-L-GC	Pushbutton accessory A22NZ, green LED Lamp 24 VAC/DC	3.34	663627	4548583718227		50	CG	K	TWN	8536.5015.90
A22NZ-L-GE	Pushbutton accessory A22NZ, green LED Lamp 200/220/230 VAC	3.77	666451	4548583718340		50	CG	K	TWN	8536.5015.90
A22NZ-L-OC	Pushbutton accessory A22NZ, Orange LED Lamp 24 VAC/DC	3.34	659820	4548583718265		50	CG	K	TWN	8536.5015.90
A22NZ-L-RC	Pushbutton accessory A22NZ, Red LED Lamp 24 VAC/DC	3.34	663615	4548583718210		50	CG	K	TWN	8536.5015.90
A22NZ-L-RE	Pushbutton accessory A22NZ, red LED Lamp 200/220/230 VAC	3.49	666442	4548583718333		50	CG	K	TWN	8536.5015.90
A22NZ-L-WC	Pushbutton accessory A22NZ, White LED Lamp 24 VAC/DC	3.64	664307	4548583718258	#	50	CG	K	TWN	8536.5015.90
A22NZ-L-WE	Pushbutton accessory A22NZ, White LED Lamp 200/220/230 VAC	3.76	660761	4548583718371		50	CG	K	TWN	8536.5015.90
A22NZ-L-YC	Pushbutton accessory A22NZ, Yellow LED Lamp 24 VAC/DC	3.34	662716	4548583718234		50	CG	K	TWN	8536.5015.90
A22NZ-L-YE	Pushbutton accessory A22NZ, Yellow LED Lamp 200/220/230 VAC	3.49	665251	4548583718357		50	CG	K	TWN	8536.5015.90
A22NZ-S-G1A	Pushbutton A22NZ, Contact Block SPST-NO (blue)	2.65	667274	4548583718012		20	CG	K	TWN	8536.5015.90
A22NZ-S-G1B	Pushbutton A22NZ, Contact Block SPST-NC (orange)	2.65	661432	4548583718029		20	CG	K	TWN	8536.5015.90
A22NZ-S-P1A	A22N Contact blocks, SPST-NO, push-in terminal	5.07	672599	4548583920903	#	20	CG	K	TWN	8536.5015.90
A22NZ-S-P1B	A22N Contact blocks, SPST-NC, push-in terminal	5.07	672624	4548583920910	#	20	CG	K	TWN	8536.5015.90
A22NZ-S-P2A	A22N Contact blocks, DPST-NO, push-in terminal	9.65	672593	4548583920927		20	CG	K	TWN	8536.5015.90
A22NZ-S-P2B	A22N contact blocks, DPST-NC, push-in terminal	9.75	672587	4548583920934		20	CG	K	TWN	8536.5015.90
A22NZ-S-P2C	A22N Contact blocks, SPST-NO + SPST-NC, push-in terminal	13.06	672619	4548583920941		20	CG	K	TWN	8536.5015.90
A22NZ-T-B	Pushbutton accessory A22NZ, Lighting Unit 12 VAC/VDC	3.05	662692	4548583718043			CG	K	TWN	8536.5015.90
A22NZ-T-C	Pushbutton accessory A22NZ, Lighting Unit 24 VAC/VDC	2.56	665524	4548583718050		20	CG	K	TWN	8536.5015.90
A22NZ-T-CP	A22N Lighting Units, 24 VAC/DC, push-in terminal	4.90	672613	4548583920972	#	20	CG	K	TWN	8536.5015.90
A22NZ-T-E	Pushbutton accessory A22NZ, Lighting Unit 200/220/230 VAC	3.05	662693	4548583718074		20	CG	K	TWN	8536.5015.90
A22NZ-T-EP	A22N Lighting Units, 200/220/230/240 VAC, push-in terminal	8.87	672620	4548583920996		20	CG	K	TWN	8536.5015.90
A22-TN	Lamp socket, direct lighting	2.11	160858	4536854408274		50	CG	K	JPN	8536.5015.90
<b>Industrial Switch A16</b>										
A16L-AA	Pushbutton, illuminated, square, IP40, blue	3.03	160058	4536853010089		10	CG	L	JPN	8536.5015.90
A16L-AG	Pushbutton, illuminated, square, IP40, green	3.03	146020	4536853010096		10	CG	L	JPN	8536.5015.90
A16L-AR	Pushbutton, illuminated, square, IP40, red	3.05	160060	4536853010119		10	CG	L	JPN	8536.5015.90
A16L-AW	Pushbutton, illuminated, square, IP40, white	3.05	156987	4536853010126		10	CG	L	JPN	8536.5015.90
A16L-AY	Pushbutton, illuminated, square, IP40, yellow	3.05	160061	4536853010133		10	CG	L	JPN	8536.5015.90
A16L-JA	Pushbutton, illuminated, rectangular, IP40, blue	3.03	152550	4536853010140		10	CG	L	JPN	8536.5015.90
A16L-JG	Pushbutton, illuminated, rectangular, IP40, green	2.93	160062	4536853010157		10	CG	L	JPN	8536.5015.90
A16L-JR	Pushbutton, illuminated, rectangular, IP40, red	2.93	106052	4536853010171		10	CG	L	JPN	8536.5015.90
A16L-JW	Pushbutton, illuminated, rectangular, IP40, white	2.93	160064	4536853010188		10	CG	L	JPN	8536.5015.90
A16L-JY	Pushbutton, illuminated, rectangular, IP40, yellow	2.93	158170	4536853010195		10	CG	L	JPN	8536.5015.90

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Data sheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
A16L-TA	Pushbutton, illuminated, round, IP40, blue	3.05	143852	4536853010201	10	CG	L	JPN	8536.5015.90	
A16L-TG	Pushbutton, illuminated, round, IP40, green	3.05	160065	4536853010218	10	CG	L	JPN	8536.5015.90	
A16L-TGY	Pushbutton, illuminated, round, IP40, green for LED only	3.24	154780	4536853010225	10	CG	L	JPN	8536.5015.90	
A16L-TR	Pushbutton, illuminated, round, IP40, red	3.03	160066	4536853010232	10	CG	L	JPN	8536.5015.90	
A16L-TW	Pushbutton, illuminated, round, IP40, white	3.03	160067	4536853010249	10	CG	L	JPN	8536.5015.90	
A16L-TY	Pushbutton, illuminated, round, IP40, yellow	3.03	148142	4536853010256	10	CG	L	JPN	8536.5015.90	
A165L-AR	Pushbutton, illuminated, square, IP65, red	3.88	160046	4536853009939	10	CG	L	JPN	8536.5015.90	
A165L-AW	Pushbutton, illuminated, square, IP65, white	3.88	103807	4536853009946	10	CG	L	JPN	8536.5015.90	
A165L-AY	Pushbutton, illuminated, square, IP65, yellow	3.58	160047	4536853009953	10	CG	L	JPN	8536.5015.90	
A165L-JA	Pushbutton, illuminated, rectangular, IP65, blue	3.95	154779	4536853009960	10	CG	L	JPN	8536.5015.90	
A165L-JB	Pushbutton, illuminated, rectangular, IP65, black	3.88	160043	4536853009985	10	CG	L	JPN	8536.5015.90	
A165L-JG	Pushbutton, illuminated, rectangular, IP65, green	3.95	144900	4536853009977	10	CG	L	JPN	8536.5015.90	
A165L-JGY	Pushbutton, illuminated, rectangular, IP65, green for LED only	3.01	160048	4536853009984	10	CG	L	JPN	8536.5015.90	
A165L-JR	Pushbutton, illuminated, rectangular, IP65, red	3.95	160049	4536853009991	10	CG	L	JPN	8536.5015.90	
A165L-JW	Pushbutton, illuminated, rectangular, IP65, white	3.95	160050	4536853010003	10	CG	L	JPN	8536.5015.90	
A165L-JY	Pushbutton, illuminated, rectangular, IP65, yellow	3.95	160051	4536853010010	10	CG	L	JPN	8536.5015.90	
A165L-TG	Pushbutton, illuminated, round, IP65, green	3.91	160053	4536853010034	10	CG	L	JPN	8536.5015.90	
A165L-TGY	Pushbutton, illuminated, round, IP65, green for LED only	3.38	160054	4536853010041	10	CG	L	JPN	8536.5015.90	
A165L-TR	Pushbutton, illuminated, round, IP65, red	3.84	160055	4536853010058	10	CG	L	JPN	8536.5015.90	
A165L-TY	Pushbutton, illuminated, round, IP65, yellow	3.88	160057	4536853010072	10	CG	L	JPN	8536.5015.90	
A16-CAA	IP40 case for pushbutton unit, square, latching	3.98	148141	4536853009724		CG	L	JPN	8536.5015.90	
A16-CAM	IP40 case for pushbutton unit, square, momentary or indicator	3.17	160028	4536853009731	5	CG	L	JPN	8536.5015.90	
A16-CJA	IP40 case for pushbutton unit, rectangular, latching	3.98	160029	4536853009748	5	CG	L	JPN	8536.5015.90	
A16-CJM	IP40 case for pushbutton unit, rectangular, momentary or indicator	3.17	160030	4536853009755	50	CG	L	JPN	8536.5015.90	
A16-CTA	IP40 case for pushbutton unit, round, latching	3.98	160031	4536853009762	50	CG	L	JPN	8536.5015.90	
A16-CTM	IP40 case for pushbutton unit, round, momentary or indicator	3.17	160032	4536853009779	50	CG	L	JPN	8536.5015.90	
A165-CAM	IP65 case for pushbutton unit, square, momentary or indicator	4.04	144899	4536853009793	50	CG	L	JPN	8536.5015.90	
A165-CJM	IP65 case for pushbutton unit, rectangular, momentary or indicator	4.48	160034	4536853009816	50	CG	L	JPN	8536.5015.90	
A165-CTM	IP65 case for pushbutton unit, round, momentary or indicator	4.04	160036	4536853009830	50	CG	L	JPN	8536.5015.90	
A16-1	Switch unit, SPDT, 5 A (125 VAC)/ 3 A (230 VAC), solder terminal	5.68	160076	4536853010263	50	CG	L	JPN	8536.5015.90	
A16-1P	Switch unit, SPDT, 5 A (125 VAC)/ 3 A (230 VAC), PCB terminal	15.36	160078	4536854375286	50	CG	L	JPN	8536.5015.90	
A16-2	Switch unit, DPDT, 5 A (125 VAC)/ 3 A (230 VAC), solder terminal	8.92	160077	4536853010270	50	CG	L	JPN	8536.5015.90	
A16-2P	Switch unit, DPDT, 5 A (125 VAC)/ 3 A (230 VAC), PCB terminal	19.79	160079	4536854375293	50	CG	L	JPN	8536.5015.90	
A16-2S	Switch unit, DPDT, 5 A (125 VAC)/ 3 A (230 VAC)	32.30	160037	4536854611704	20	CG	L	JPN	8536.5015.90	
A16-AWM-1	Push-Button complete, dia. 16 mm, non-lighted, square, white, momentary operation, SPDT contact block, solder terminal	9.03	160097	4536853010461	5	CG	L	JPN	8536.5015.90	
A16L-JGM-24D-1	Pushbutton complete, dia. 16 mm, lighted LED 24 VDC, rectangular, green, momentary operation, SPDT contact block, solder terminal	10.67	143409	4536853015923		CG	L	JPN	8536.5015.90	
A16L-JFM-24D-1	Pushbutton complete, dia. 16 mm, lighted LED 24 VDC, rectangular, red, momentary operation, SPDT contact block, solder terminal	10.67	160494	4536853016166		CG	L	JPN	8536.5015.90	
A16L-JWM-24D-1	Pushbutton complete, dia. 16 mm, lighted LED 24 VDC, rectangular, white, momentary operation, SPDT contact block, solder terminal	17.96	160512	4536853016401		CG	L	JPN	8536.5015.90	
A16L-TGM-24D-1	Pushbutton complete, dia. 16 mm, lighted LED 24 VDC, round projected, green, momentary operation, SPDT contact block, solder terminal	11.88	154359	4536853017002		CG	L	JPN	8536.5015.90	
A16L-TFM-24D-1	Pushbutton complete, dia. 16 mm, lighted LED 24 VDC, round projected, red, momentary operation, SPDT contact block, solder terminal	11.88	160561	4536853017248		CG	L	JPN	8536.5015.90	
A165-JBM-2	Pushbutton complete, dia. 16 mm, non-lighted, rectangular, black, momentary operation, IP65, DPDT contact block, solder terminal	18.22	160136	4536853011116	5	CG	L	JPN	8536.5015.90	
A165L-JGM-24D-1	Pushbutton complete, dia. 16 mm, lighted LED 24 VDC, rectangular, green, momentary operation, IP65, SPDT contact block, solder terminal	11.68	151390	4536853012687		CG	L	JPN	8536.5015.90	
A165L-JGM-24D-2	Pushbutton complete, dia. 16 mm, lighted LED 24 VDC, rectangular, green, momentary operation, IP65, DPDT contact block, solder terminal	23.83	160246	4536853012694	3	CG	L	JPN	8536.5015.90	
A165L-JFM-24D-1	Pushbutton complete, dia. 16 mm, lighted LED 24 VDC, rectangular, red, momentary operation, IP65, SPDT contact block, solder terminal	11.68	160259	4536853012922	2	CG	L	JPN	8536.5015.90	
A165L-JFM-24D-2	Pushbutton complete, dia. 16 mm, lighted LED 24 VDC, rectangular, red, momentary operation, IP65, DPDT contact block, solder terminal	23.83	160260	4536853012939	5	CG	L	JPN	8536.5015.90	
A165L-JWM-24D-1	Pushbutton complete, dia. 16 mm, lighted LED 24 VDC, rectangular, white, momentary operation, IP65, SPDT contact block, solder terminal	11.68	160275	4536853013165	2	CG	L	JPN	8536.5015.90	
A165L-JWM-24D-2	Pushbutton complete, dia. 16 mm, lighted LED 24 VDC, rectangular, white, momentary operation, IP65, DPDT contact block, solder terminal	26.28	160276	4536853013172	5	CG	L	JPN	8536.5015.90	
A165L-JYM-24D-2	Pushbutton complete, dia. 16 mm, lighted LED 5 VDC, rectangular, white, momentary operation, IP65, DPDT contact block, solder terminal	25.15	160279	4536853013219	5	CG	L	JPN	8536.5015.90	
A165L-TGA-24D-2	Pushbutton complete, dia. 16 mm, lighted LED 24 VDC, rectangular, yellow, momentary operation, IP65, DPDT contact block, solder terminal	23.04	150295	4536853013417	5	CG	L	JPN	8536.5015.90	
A165L-TGM-24D-2	Pushbutton complete, dia. 16 mm, lighted LED 24 VDC, round, green, momentary operation, IP65, DPDT contact block, solder terminal	24.24	160311	4536853013653	5	CG	L	JPN	8536.5015.90	
A165L-TGM-24D-1	Pushbutton complete, dia. 16 mm, lighted LED 24 VDC, round projected, green, momentary operation, IP65, SPDT contact block, solder terminal	14.97	160318	4536853013769	5	CG	L	JPN	8536.5015.90	
A165L-TGM-24D-2	Pushbutton complete, dia. 16 mm, lighted LED 24 VDC, round projected, green, momentary operation, IP65, DPDT contact block, solder terminal	16.92	160319	4536853013776	5	CG	L	JPN	8536.5015.90	
A165L-TRM-24D-2	Pushbutton complete, dia. 16 mm, lighted LED 24 VDC, round projected, red, momentary operation, IP65, DPDT contact block, solder terminal	23.43	160335	4536853014018	5	CG	L	JPN	8536.5015.90	
A165L-TWM-24D-1	Pushbutton complete, dia. 16 mm, lighted LED 24 VDC, round projected, white, momentary operation, IP65, SPDT contact block, solder terminal	14.97	160354	4536853014247	5	CG	L	JPN	8536.5015.90	
A165S-A2M	Selector switch, non-illuminated, lever type, square, 2 notches, maintained, IP65	17.40	152141	4536854345654	30	CG	L	JPN	8536.5015.90	
A165S-A3M	Selector switch, dia. 16 mm, non-illuminated, lever type, square, 3 notches, maintained, IP65	17.40	160700	4536854345685	30	CG	L	JPN	8536.5015.90	
A165S-I2M	Selector switch, non-illuminated, lever type, rectangular, 2 notches, maintained, IP65	16.98	160702	4536854345715	10	CG	L	JPN	8536.5015.90	
A165S-I3M	Selector switch, non-illuminated, lever type, rectangular, 3 notches, maintained, IP65	17.40	152142	4536854345746	30	CG	L	JPN	8536.5015.90	
A165S-T2M	Selector switch, non-illuminated, lever type, round, 2 notches, maintained, IP65	18.61	160707	4536854345777	30	CG	L	JPN	8536.5015.90	
A165W-I2MG	Selector switch, illuminated, lever type, rectangular, 2 notches, manual, maintained, IP65, green	26.66	160726	4536854346033	30	CG	L	JPN	8536.5015.90	
A165W-T2MG	Selector switch, illuminated, red, lever type, round, 2 notches, maintained, IP65, green	19.12	146716	4536854346217	30	CG	L	JPN	8536.5015.90	
A165W-T2MR	Selector switch, illuminated, red, lever type, round, 2 notches, maintained, IP65, red	18.94	152126	4536854346224	30	CG	L	JPN	8536.5015.90	
A165W-T2MY	Selector switch, illuminated, red, lever type, round, 2 notches, maintained, IP65, yellow	19.12	160735	4536854346231	5	CG	L	JPN	8536.5015.90	
A165K-I2ML	Selector switch, rectangular, key-type, 2 notches, maintained, IP65, key release left side only	36.38	160664	4536854344992	30	CG	L	JPN	8536.5015.90	
A165K-I2MR	Selector switch, rectangular, key-type, 2 notches, maintained, IP65, key release right side only	36.38	160665	4536854345006	5	CG	L	JPN	8536.5015.90	
A165K-I2MC	Selector switch, rectangular, key-type, 3 notches, maintained, IP65, key release in Central position	36.09	160667	4536854345036	5	CG	L	JPN	8536.5015.90	
A165K-T2AL	Selector switch, rectangular, key-type, 2 notches, maintained, IP65, key release in Left position	35.04	160669	4536854345067	4	CG	L	JPN	8536.5015.90	
A165K-T2M	Selector switch, round, key-type, 2 notches, maintained, IP65, key release both positions	35.04	146601	4536854345074	30	CG	L	JPN	8536.5015.90	
A165K-T2ML	Selector switch, round, key-type, 2 notches, maintained, IP65, key release left side only	35.04	160670	4536854345081	30	CG	L	JPN	8536.5015.90	



Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	SLN. (Data sheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
A165K-T2MR	Selector switch, round, key-type, 2 notches, maintained, IP65, key release right side only	35.04	160671	4536854345098		2	CG	L	JPN	8536.5015.90
A165K-T3M	Selector switch, round, key-type, 3 notches, maintained, IP65, key release in all positions	32.24	160673	4536854345111			CG	L	JPN	8536.5015.90
A16S-2N-1	Switch unit, SPDT, 5 A (125 VAC) 3 A (230 VAC), for 2 position selector switch, solder terminal	5.65	160741	4536854346385		50	CG	L	JPN	8536.5015.90
A16S-2N-2	Switch unit, DPDT, 5 A (125 VAC) 3 A (230 VAC), for 2 position selector switch, solder terminal	9.72	160743	4536854346408			CG	L	JPN	8536.5015.90
A16S-2N-2L	Switch unit, DPDT, 5 A (125 VAC) 3 A (230 VAC), for 2 position selector switch, release in left position, solder terminal	8.92	155154	4536854346415			CG	L	JPN	8536.5015.90
A16S-2N-2P	Switch unit, DPDT, 5 A (125 VAC) 3 A (230 VAC), for 2 position selector switch, PCB terminal	43.54	148178	4536854375330			CG	L	JPN	8536.5015.90
A16S-3N-2	Switch unit, DPDT, 5 A (125 VAC) 3 A (230 VAC), for 3 position selector switch, solder terminal	7.34	160744	4536854346446		50	CG	L	JPN	8536.5015.90
A16SS-A2M-2	Selector switch complete, dia. 16 mm, non-illuminated, lever type, square, 2 notches, manual reset, IP65, DPDT contact block, solder terminal	20.62	160755	4536854346521		5	CG	L	JPN	8536.5015.90
A16SS-I2M-2	Knob-type selector switch, 16 mm mounting, non illuminated, rectangular, 2 position, manual reset, DPDT	21.01	105652	4536854346576		5	CG	L	JPN	8536.5015.90
A16SS-T2M-1	Selector switch complete, dia. 16 mm, non-illuminated, lever type, round, 2 notches, manual reset, IP65, SPDT contact block, solder terminal	17.69	160760	4536854346613			CG	L	JPN	8536.5015.90
A16SS-T2M-2	Selector switch complete, dia. 16 mm, non-illuminated, lever type, round, 2 notches, manual reset, IP65, DPDT contact block, solder terminal	20.62	160761	4536854346620		5	CG	L	JPN	8536.5015.90
A165K-T2ML-1	Selector switch, round, key-type, 2 notches, SPDT switch unit, maintained, IP65, key release left side only	42.73	143293	4536854345555		5	CG	L	JPN	8536.5015.90
A165K-T2ML-2	Selector switch complete, round, key-type, 2 notches, DPDT switch unit, maintained, IP65, key release left side only	45.45	152140	4536854345562		5	CG	L	JPN	8536.5015.90
A16-12DR	LED, 12 VDC, red	5.97	160004	4536853009595			CG	L	JPN	8536.5015.90
A16-12DY	LED, 12 VDC, yellow	4.02	160006	4536853009618			CG	L	JPN	8536.5015.90
A16-24DG	LED, 24 VDC, green	6.32	160007	4536853009632			CG	L	JPN	8536.5015.90
A16-24DR	LED, 24 VDC, red	5.81	149210	4536853009649			CG	L	JPN	8536.5015.90
A16-24DGG	LED, 24 VDC, green, superbright	6.15	160020	4536854589089			CG	L	JPN	8536.5015.90
A16-24DSR	LED, 24 VDC, red, superbright	6.15	143445	4536854589096		18	CG	L	JPN	8536.5015.90
A16-24DSW	LED, 24 VDC, white, superbright	5.28	105995	4536854589102		30	CG	L	JPN	8536.5015.90
A16-24DSY	LED, 24 VDC, yellow, superbright	6.15	160021	4536854589119		20	CG	L	JPN	8536.5015.90
A16-24DW	LED, 24 VDC, white	7.12	160008	4536853009656			CG	L	JPN	8536.5015.90
A16-24DY	LED, 24 VDC, yellow	6.15	160009	4536853009663			CG	L	JPN	8536.5015.90
A16-2NGN	Neon lamp, 220 VAC, green	4.88	160016	4536854344664			CG	L	JPN	8536.5015.90
A16-2NFN	Neon lamp, 220 VAC, red	4.88	160017	4536854344671			CG	L	JPN	8536.5015.90
A165K-KEY	Spare key for A165K switches	5.78	160654	4536854480225			CG	L	JPN	8536.5015.90
<b>Other Industrial Switch</b>										
A-20GQ22	General-purpose Basic Switch, 20A, panel mount roller plunger, solder terminal	15.70	152128	4536853018719		10	CG	X	JPN	8536.5015.90
A-20GQ-B7-K	General-purpose Basic Switch, 20A, panel mount plunger, screw terminal	13.24	153207	4536853019266		20	CG	X	JPN	8536.5015.90
A-20GV22-B	General-purpose Basic Switch, 20A, short hinge roller lever, screw terminal	10.23	226583	4536853018948		20	CG	X	JPN	8536.5015.90
A-20GV2-B	General-purpose Basic Switch, 20A, hinge roller lever, screw terminal	10.73	213808	4536853018887			CG	X	JPN	8536.5015.90
A-20GV-B	General-purpose Basic Switch, 20A, hinge lever, screw terminal	9.01	226582	4536853018849		20	CG	X	JPN	8536.5015.90
DZ-10G-1A	Basic switch, pin plunger, 10 A, DPDT, solder terminals	13.64	133556	4536853181802			CG	X	JPN	8536.5015.90
DZ-10G-1B	Basic switch, pin plunger, 10 A, DPDT, screw terminals	16.75	133557	4536853181819		20	CG	X	JPN	8536.5015.90
DZ-10GV-1B	Basic switch, hinge lever, 10 A, DPDT, screw terminals	18.61	147687	4536853181857			CG	X	JPN	8536.5015.90
DZ-10GV22-1A	Basic switch, hinge roller lever, 10 A, DPDT, Double-Pole, Double-throw, Hinge roller lever (30.2 R, 9.5 * 4 dia., Resin roller, low OT), Snap action, Self-reset type, Solder terminal	19.09	147689	4536853181901			CG	X	JPN	8536.5015.90
DZ-10GV22-1B	Basic switch, short hinge roller lever, 10 A, DPDT, screw terminals	19.09	133562	4536853181918		10	CG	X	JPN	8536.5015.90
DZ-10GW-1A	Basic switch, hinge lever, 10 A, DPDT, solder terminals	20.01	133563	4536853181987		20	CG	X	JPN	8536.5015.90
DZ-10GW-1B	Basic switch, hinge lever, 10 A, DPDT, screw terminals	20.01	133564	4536853181994		20	CG	X	JPN	8536.5015.90
DZ-10GW2-1A	Basic switch, hinge roller lever, 10 A, DPDT, solder terminals	15.43	133566	4536853182014			CG	X	JPN	8536.5015.90
DZ-10GW2-1B	Basic switch, hinge roller lever, 10 A, DPDT, screw terminals	21.39	133567	4536853182021		10	CG	X	JPN	8536.5015.90
DZ-10GW22-1A	Basic switch, short hinge roller lever, 10 A, DPDT, solder terminals	20.01	133568	4536853182045		20	CG	X	JPN	8536.5015.90
DZ-10GW22-1B	Basic switch, short hinge roller lever, 10 A, DPDT, screw terminals	20.01	133569	4536853182052		20	CG	X	JPN	8536.5015.90
TZ-1G	High temperature basic switch, pin plunger, 1 A	130.70	156284	4536854126826			CG	X	JPN	8536.5015.90
TZ-1GV	High temperature basic switch, hinge lever, 1 A	187.50	156285	4536854126833		20	CG	X	JPN	8536.5015.90
TZ-1GV2	High temperature basic switch, hinge lever, 1 A	194.30	103865	4536854126840		20	CG	X	JPN	8536.5015.90
TZ-1GV22	High temperature basic switch, short hinge roller lever, 1 A	203.30	103866	4536854126857		20	CG	X	JPN	8536.5015.90
X-10G	Basic switch, general purpose, Pin plunger (2.3 dia., Stainless steel plunger), Snap action, Self-reset type, Single-Pole, Double-Throw type, SPDT, Solder terminal	14.13	108185	4536854244087		20	CG	X	JPN	8536.5015.90
X-10G-B	Basic switch, general purpose, pin plunger, 10A, screw terminals	14.61	105019	4536854244100			CG	X	JPN	8536.5015.90
X-10GD-B	Basic switch, general purpose, short spring plunger, 10A, screw terminals	17.24	148537	4536854244407		5	CG	X	JPN	8536.5015.90
X-10GM-B	Basic switch, general purpose, reverse hinge lever, 10A, screw terminals	16.76	108112	4536854245558		20	CG	X	JPN	8536.5015.90
X-10GQ22-B	Basic switch, panel mount roller plunger, SPDT, 10 A	14.61	108195	4536854244636		20	CG	X	JPN	8536.5015.90
X-10GW2	Basic switch, general purpose, hinge roller lever, 10A, solder terminals	12.39	103113	4536854244964		20	CG	X	JPN	8536.5015.90
X-10GW22-B	Basic switch, general purpose, short hinge roller lever, 10 A, screw terminals	12.39	108200	4536854245084		20	CG	X	JPN	8536.5015.90
X-10GW2-B	Basic switch, general purpose, hinge roller lever, 10A, screw terminals	12.39	149610	4536854244971		20	CG	X	JPN	8536.5015.90
X-10GW-B	Basic switch, general purpose, hinge lever, 10 A, screw terminals	11.48	144219	4536854244926		20	CG	X	JPN	8536.5015.90
Z-01HQ-B	Basic switch, general purpose, Panel mount plunger (8.35 dia., Stainless steel plunger, medium OP), Snap action, Self-reset type, Single-Pole, Double-Throw type, SPDT, Screw terminal (M4)	17.45	141984	4536854261176		20	CG	X	JPN	8536.5015.90
Z-01HW22-B	Basic switch, general purpose, Short hinge roller lever (26.6 R, 9.5x4 dia., Resin roller), Snap action, Self-reset type, Single-Pole, Double-Throw type, SPDT, Screw terminal (M4)	13.03	169572	4536854261336		20	CG	X	JPN	8536.5015.90
Z-10FDY-B	Basic switch, Split-contact Models, 10A, 1mm on/off gap, short spring plunger, screw terminal	19.54	106724	4536854261794		20	CG	X	JPN	8536.5015.90
Z-10FZ22Y-B	General purpose basic switch, reverse short hinge roller lever, 10A split contact, screw terminals	20.91	150638	4536854262173			CG	X	JPN	8536.5015.90
Z-10FZ22Y-B	General purpose basic switch, panel mount roller plunger, 10 A split contact, screw terminals	26.97	106726	4536854261986		20	CG	X	JPN	8536.5015.90
Z-10FSY-B	Basic switch, slim spring plunger, contact gap 1 mm, SPDT, 10A, split contact, screw terminal	21.91	147540	4536854261756		20	CG	X	JPN	8536.5015.90
Z-10FV22Y-B	General purpose basic switch, short hinge roller lever, 10A split contact, screw terminals	20.91	106733	4536854262050		20	CG	X	JPN	8536.5015.90
Z-10FY-B	Basic switch, Split-Contact Model, Pin Plunger, Screw Terminal	19.54	147229	4536854261732		4	CG	X	JPN	8536.5015.90
A7B-C	Thumbwheel switch connector, solder terminals, for A7BS/A7BL	5.40	139981	4536853131364		50	CG	X	JPN	8536.5015.90

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Data sheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
A7B-M	Thumbwheel switch end cap (pair), light grey, for A7BS/A7BL	1.46	139979	4536853131326			CG	X	JPN	8536.5015.90
A7B-M-1	Thumbwheel switch end cap (pair), black, for A7BS/A7BL	1.46	139980	4536853131333			CG	X	JPN	8536.5015.90
A7BS-206	Thumbwheel switch, single switch unit, BCD, screw mounting (front mounting), light grey	6.39	139983	4536853132200		10	CG	X	JPN	8536.5015.90
A7BS-206-1	Thumbwheel switch, single switch unit, BCD, screw mounting (front mounting), black	6.39	147839	4536853132187			CG	X	JPN	8536.5015.90
A7BS-206S	Thumbwheel switch, single switch unit, BCD, snap-in (front mounting), light grey	6.93	139994	4536853132217		4	CG	X	JPN	8536.5015.90
A7BS-207	Thumbwheel switch, single switch unit, BCD with component adding provision, screw mounting (front mounting), light grey	6.75	139996	4536853132172		10	CG	X	JPN	8536.5015.90
A7BS-254-1	Thumbwheel switch, single switch unit, binary coded hexadecimal, screw mounting (front mounting), black	8.43	140004	4536853133771			CG	X	JPN	8536.5015.90
A7CN-1M-1	Thumbwheel switch end cap (pair), black, for A7CN1*	1.42	104246	4536853134716			CG	X	JPN	8536.5015.90
A7D-2M-1	Thumbwheel switch end cap (pair), black, for A7DP	0.84	105675	4536853135836			CG	X	JPN	8536.5015.90
A7PH-203	Thumbwheel switch	16.49	139967	4536853138387			CG	X	JPN	8536.5015.90
A7PH-206	Thumbwheel switch, single switch unit, BCD, high grade front mounting solder terminal, light grey	16.05	139970	4536853138691		3	CG	X	CHN	8536.5015.90
A7PH-206-1	Thumbwheel switch, single switch unit, BCD, high grade front mounting solder terminal, black	17.24	157796	4536853138707			CG	X	CHN	8536.5015.90
A7P-M	Thumbwheel switch end cap, light grey, for A7PH/A7PS	1.93	139964	4536853137960		10	CG	X	JPN	8536.5015.90
A7P-M-1	Thumbwheel switch end cap, black, for A7PH/A7PS	1.94	143470	4536853137977		10	CG	X	JPN	8536.5015.90
A7P-PA-1	Thumbwheel switch spacer, blank, black, for A7PH/A7PS*	1.56	148831	4536853137991		10	CG	X	JPN	8536.5015.90
A7PS-203-1	Thumbwheel switch, single switch unit, decimal code, popular front mounting solder terminal, black	9.82	139884	4536853138936		10	CG	X	CHN	8536.5015.90
A7PS-206	Thumbwheel switch, single switch unit, BCD, popular front mounting solder terminal, light grey	8.71	139879	4536853138868		10	CG	X	CHN	8536.5015.90
A7PS-206-1	Thumbwheel switch, single switch unit, BCD, popular front mounting solder terminal, black	8.71	139880	4536853138875		50	CG	X	CHN	8536.5015.90
A7PS-207	Thumbwheel switch, front mounting, bod with component adding provision, light grey	9.28	139881	4536853138882		20	CG	X	CHN	8536.5015.90
A7PS-254	Thumbwheel switch, single switch unit, binary coded hexadecimal, popular front mounting solder terminal, light grey	14.09	139885	4536853138943		10	CG	X	CHN	8536.5015.90
A7PS-254-1	Thumbwheel switch, single switch unit, binary coded hexadecimal, popular front mounting solder terminal, black	15.63	151010	4536853138950			CG	X	CHN	8536.5015.90
AP-B	Terminal cover, phenol resin, for Z, DZ, A, X switch with screw terminals	0.47	137468	4536853004736		20	CG	X	JPN	8536.5015.90
AP-DV	Z Switch Drip-proof Terminal Protective Cover	4.32	239600	4536853004903			CG	X	JPN	8536.5015.90
AP-Z	Soldering or Screw Terminal Use (Vinyl Chloride) for Z15 switch	2.98	148140	4536853004890		20	CG	X	JPN	8536.5015.90
ZAO-1	General purpose basic switch actuator, panel mount plunger, long	26.71	154776	4536853000677		50	CG	X	JPN	8536.5015.90
ZAO-3	General purpose basic switch actuator, panel mount plunger, short	21.70	137488	4536853000691			CG	X	JPN	8536.5015.90
D4A-0001N	Limit switch replacement head, standard roller lever type	56.60	146870	4536853200435			CG	X	JPN	8536.5015.90
D4A-0012N	Limit switch replacement head, flexible rod spring wire	100.70	134883	4536853200534			CG	X	JPN	8536.5015.90
D4A-0016N	Limit switch replacement head, flexible rod coil spring	64.20	183171	4536853200565			CG	X	JPN	8536.5015.90
D4A-0017N	Limit switch replacement head for D4A, roller lever, sequential operation	70.65	134788	4536853200572			CG	X	JPN	8536.5015.90
D4A-0018N	Limit switch replacement head for D4A, roller lever, central neutral operation	65.80	134789	4536853200589			CG	X	JPN	8536.5015.90
D4A-0100N	Limit switch replacement switch box, SPDT double-break	38.13	134879	4536853200381			CG	X	JPN	8536.5015.90
D4A-0900N	Limit switch replacement switch box, DPDT double-break, central neutral operation	59.60	134881	4536853200428			CG	X	JPN	8536.5015.90
D4A-1000N	Limit switch replacement receptacle, SPDT double-break	28.80	146871	4536853200626			CG	X	JPN	8536.5015.90
D4A-1101N	Limit switch, double-pole, double-break, without indicator, standard roller lever	112.80	142473	4536853200633			CG	X	JPN	8536.5015.90
D4A-1108N	Limit switch, double-pole, double-break, without indicator, side plunger, adjustable	137.00	134792	4536853200701			CG	X	JPN	8536.5015.90
D4A-1110N	Limit switch, double-pole, double-break, without indicator, top roller plunger	134.40	134794	4536853200725			CG	X	JPN	8536.5015.90
D4A-1112N	Limit switch, double-pole, double-break, without indicator, flexible rod, spring wire	156.00	134795	4536853200749			CG	X	JPN	8536.5015.90
D4A-1115N	Limit switch, double-pole, double-break, without indicator, flexible rod, cat whisker	132.00	134796	4536853200763			CG	X	JPN	8536.5015.90
D4A-2501N	Limit switch, four-pole, double-break, without indicator, roller lever	179.50	105809	4536853201401			CG	X	JPN	8536.5015.90
D4A-2918N	Limit switch, four-pole, double-break, centre neutral, without indicator, roller lever	173.10	134828	4536853201753			CG	X	JPN	8536.5015.90
D4A-3101N	Limit switch, double-pole, double-break, without indicator, standard roller lever	123.10	134829	4536853201777			CG	X	JPN	8536.5015.90
D4A-3110N-GM	General Motors Special	182.80	237676	4547648414999			CG	X	JPN	8536.5015.90
D4A-4501N	Limit switch, four-pole, double-break, without indicator, top lever, standard	182.80	134835	4536853202279			CG	X	JPN	8536.5015.90
D4A-4502N	Limit switch, four-pole, double-break, without indicator, top lever, high sensitivity	136.60	191251	4536853202286			CG	X	JPN	8536.5015.90
D4A-4918N	Limit switch, four-pole, double-break, centre neutral, without indicator, roller lever	204.80	147956	4536853202460			CG	X	JPN	8536.5015.90
D4A-5101N	Limit switch, double-pole, double-break, without indicator, standard roller lever	110.50	134742	4536853202576			CG	X	JPN	8536.5015.90
D4A-5109N	Limit switch, SPDT, double-break, without indicator, M20 conduit, standard top plunger	113.70	134744	4536853202651			CG	X	JPN	8536.5015.90
D4A-A00	Replacement lever, roller lever type	22.32	134865	4536853198121			CG	X	JPN	8536.5015.90
D4A-A10	Replacement lever, roller lever type	23.26	134866	4536853198138			CG	X	JPN	8536.5015.90
D4A-B06	Lever, Roller Lever	17.71	158012	4536853198244			CG	X	JPN	8536.5015.90
D4A-C00	Replacement lever, adjustable roller lever type	25.57	103625	4536853198268			CG	X	JPN	8536.5015.90
D4A-D00	Replacement lever, adjustable rod lever type	14.44	105807	4536853198275			CG	X	JPN	8536.5015.90
D4E-1A00N	Limit switch, slim sealed, connector type, general purpose, roller plunger	39.84	104733	4536853222932			CG	X	JPN	8536.5015.90
D4E-1A10N	Limit switch, slim sealed, connector type, general purpose, roller plunger	41.12	155720	4536853222949		# 10	CG	X	JPN	8536.5015.90
D4E-1A20N	Limit switch, slim sealed, screw terminal, general purpose, roller plunger	44.95	134060	4536853222956		# 10	CG	X	JPN	8536.5015.90
D4E-1A21N	Limit switch, slim sealed, screw terminal, general purpose, roller plunger, pre-cabled	64.20	134061	4536853222963			CG	X	JPN	8536.5015.90
D4E-1B10N	Limit switch, slim sealed, connector type, general purpose, cross roller plunger	41.12	134063	4536853222967			CG	X	JPN	8536.5015.90
D4E-1B20N	Limit switch, slim sealed, screw terminal, general purpose, cross roller plunger	48.41	134064	4536853222994		# 10	CG	X	JPN	8536.5015.90
D4E-1C00N	Limit switch, slim sealed, connector type, general purpose, plunger	46.13	134066	4536853223014			CG	X	JPN	8536.5015.90
D4E-1C10N	Limit switch, slim sealed, connector type, general purpose, plunger	46.13	134067	4536853223021		10	CG	X	JPN	8536.5015.90
D4E-1C20N	Limit switch, slim sealed, screw terminal, general purpose, plunger	36.75	155721	4536853223038			CG	X	JPN	8536.5015.90
D4E-1D00N	Limit switch, slim sealed, connector type, general purpose, sealed roller plunger	61.15	208292	4536853223755		10	CG	X	JPN	8536.5015.90
D4E-1D10N	Limit switch, slim sealed, connector type, general purpose, sealed roller plunger	69.20	133989	4536853223410		# 10	CG	X	JPN	8536.5015.90
D4E-1D20N	Limit switch, slim sealed, screw terminal, general purpose, sealed roller plunger	72.30	133990	4536853223830		10	CG	X	JPN	8536.5015.90
D4E-1E10N	Limit switch, slim sealed, connector type, general purpose, sealed cross roller plunger	83.80	236316	4536853224073			CG	X	JPN	8536.5015.90
D4E-1E20N	Limit switch, slim sealed, screw terminal, general purpose, sealed cross roller plunger	74.55	133993	4536853224042		10	CG	X	JPN	8536.5015.90
D4E-1F10N	Limit switch, slim sealed, connector type, general purpose, sealed plunger	72.30	157118	4536853224080			CG	X	JPN	8536.5015.90
D4E-1F20N	Limit switch, slim sealed, screw terminal, general purpose, sealed plunger	71.20	133992	4536853223984			CG	X	JPN	8536.5015.90
D4E-1G20N	Limit switch, slim sealed, screw terminal, general purpose, roller lever	45.32	133974	4536853223076		10	CG	X	JPN	8536.5015.90
D4E-1G21N	Limit switch, slim sealed, Standard sensitivity, IP67, Snap action, Self-reset mechanism, Single-Pole, Double-Throw type, SPDT, Panel mount roller lever, VCTF oil-resistant cable 3 cores 3 m	71.00	104734	4536853223083			CG	X	JPN	8536.5015.90
D4E-1H20N	Limit switch, slim sealed, screw terminal, general purpose, one way roller lever	45.32	133976	4536853223115			CG	X	JPN	8536.5015.90
D4E-2A20N	Limit switch, slim sealed, screw terminal, general purpose, roller plunger	50.80	133978	4536853223151			CG	X	JPN	8536.5015.90
D4E-2C10N	Limit switch, slim sealed, connector type, micro-load, plunger	66.55	133982	4536853223229		10	CG	X	JPN	8536.5015.90
D4E-2C20N	Limit switch, slim sealed, Standard sensitivity, IP67, Snap action, Self-reset mechanism, Single-Pole, Double-Throw type, SPDT, Panel mount plunger	66.55	157117	4536853223236		4	CG	X	JPN	8536.5015.90

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Data sheet)	GTIN	Stock Qty.	Lot	Gr.	Fam	COO	Tariff Code	
D4E-2C21N	Limit switch, slim sealed, screw terminal with cable (right hand), micro-load, plunger	66.55	133983	4536853223243			CG	X	JPN	8536.5015.90	
D4E-2E20N	Limit switch, slim sealed, screw terminal, micro-load, sealed crossroller plunger	58.85	133988	4536853223342	2		CG	X	JPN	8536.5015.90	
D4E-1A21N	Limit switch, slim sealed, screw terminal, general purpose, roller plunger, right-hand, pre-cabled, oil-resistant	55.55	674830	4548583868571	2		CG	X	JPN	8536.5015.90	
D4E-1B21N-DTK1EJ	Limit switch, slim sealed, screw terminal, general purpose, crossroller plunger, right-hand, 0.3 m pictail PUR with Junction Connector M12, oil-resistant	64.65	674832	4548583868625			CG	X	JPN	8536.5015.90	
D4E-1C21N	Limit switch, slim sealed, screw terminal, general purpose, plunger, right-hand, pre-cabled, oil-resistant	77.95	674862	4548583868656			CG	X	JPN	8536.5015.90	
D4E-1C22N	Limit switch, slim sealed, screw terminal, general purpose, plunger, left-hand, pre-cabled, oil-resistant	77.95	674839	4548583868670			CG	X	JPN	8536.5015.90	
D4E-1D21N	Limit switch, slim sealed, screw terminal, general purpose, sealed roller plunger, right-hand, pre-cabled, oil-resistant	75.75	674876	4548583868694	2		CG	X	JPN	8536.5015.90	
D4E-1D22N-DTK1EJ	Limit switch, slim sealed, screw terminal, general purpose, sealed roller plunger, left-hand, 0.3 m pictail PUR with Junction Connector M12, oil-resistant	75.75	674836	4548583868724	5		CG	X	JPN	8536.5015.90	
D4E-1E21N	Limit switch, slim sealed, screw terminal, general purpose, sealed crossroller plunger, right-hand, pre-cabled, oil-resistant	76.80	674829	4548583868731	2		CG	X	JPN	8536.5015.90	
D4E-1E21N-DTK1EJ	Limit switch, slim sealed, screw terminal, general purpose, sealed crossroller plunger, right-hand, 0.3 m pictail PUR with Junction Connector M12, oil-resistant	76.80	674875	4548583868748			CG	X	JPN	8536.5015.90	
D4E-1G21N	Limit switch, slim sealed, screw terminal, general purpose, roller lever, right-hand, pre-cabled, oil-resistant	63.65	674856	4548583868779	2		CG	X	JPN	8536.5015.90	
D4E-1L21N	Limit switch, slim sealed, screw terminal, general purpose, long roller lever, right-hand, pre-cabled, oil-resistant	67.85	674859	4548583868816	#		2	CG	X	JPN	8536.5015.90
D4E-2A21N	Limit switch, slim sealed, screw terminal, micro load, roller plunger, right-hand, pre-cabled, oil-resistant	63.70	674879	4548583868854	2		CG	X	JPN	8536.5015.90	
D4E-2A21N-DTK1EJ	Limit switch, slim sealed, screw terminal, micro load, roller plunger, right-hand, 0.3 m pictail PUR with Junction Connector M12, oil-resistant	64.15	674845	4548583868861	5		CG	X	JPN	8536.5015.90	
D4E-2A22N	Limit switch, slim sealed, screw terminal, micro load, roller plunger, left-hand, pre-cabled, oil-resistant	63.70	674869	4548583868878			CG	X	JPN	8536.5015.90	
D4E-2D22N-DTK1EJ	Limit switch, slim sealed, screw terminal, micro load, sealed roller plunger, left-hand, 0.3 m pictail PUR with Junction Connector M12, oil-resistant	76.80	674824	4548583868904			CG	X	JPN	8536.5015.90	
DSA-1100	Limit switch	114.30	105988	4536853227272			CG	X	JPN	8536.5015.90	
DSA-1200	Limit switch, High-precision Switch for Detecting Micron-unit Displacement, Pin plunger, IP40, pre-wired 1 m	114.30	133697	4536853227296			CG	X	JPN	8536.5015.90	
DSA-2100	Limit switch	114.30	145962	4536853227340			CG	X	JPN	8536.5015.90	
DSA-2200	Limit switch	114.30	142611	4536853227357			CG	X	JPN	8536.5015.90	
DSA-3200	Limit switch, high precision, pin plunger, M8, 0.49 N Operating force, SPST-NC, prewired 1 m	133.80	133699	4536853227364			CG	X	JPN	8536.5015.90	
DSA-3210	Limit switch, high precision, pin plunger, M8, 0.49 N Operating force, PNP transistor output, prewired 1 m	179.00	152524	4536853227388			CG	X	JPN	8536.5015.90	
DSA-3300	Limit switch, high precision, pin plunger, M8, 0.98 N Operating force, SPST-NC, prewired 1 m	144.40	133701	4536853227425			CG	X	JPN	8536.5015.90	
DSA-3310	Limit switch, high precision, pin plunger	196.50	133702	4536853227449			CG	X	JPN	8536.5015.90	
DSA-5210	Limit switch	220.80	133703	4536853227470			CG	X	JPN	8536.5015.90	
DSA-5310	Limit switch, High-precision Switch for Detecting Micron-unit Displacement, Pin plunger, IP67, pre-wired 1 m	220.80	133704	4536853227500			CG	X	JPN	8536.5015.90	
DSA-7400	High-precision switch, plunger, SPST-NO, 10 mA	225.50	133706	4536853227531			CG	X	JPN	8536.5015.90	
DSA-7403	Limit switch, High-precision Switch for Detecting Micron-unit Displacement, Standard sensitivity, IP67, Slow action, Self-reset mechanism, Normally Close type, SPST-NC, Plunger, Oil-resistant cable 2 cores 1 m	264.50	133707	4536853227555			CG	X	JPN	8536.5015.90	
DSA-7410	Limit switch, high precision, pin plunger	341.40	144863	4536853227562			CG	X	JPN	8536.5015.90	
DSA-7413	Limit switch	364.40	145963	4536853227579			CG	X	JPN	8536.5015.90	
DSA-8511	Limit switch	218.10	154744	4536853227586			CG	X	JPN	8536.5015.90	
DSA-8512	Limit switch, high precision, top plunger	213.70	142612	4536853227593			CG	X	JPN	8536.5015.90	
DSA-8514	Limit switch, high precision, top plunger	338.00	133708	4536853227609			CG	X	JPN	8536.5015.90	
DSA-8515	Limit switch	266.80	133709	4536853227616			CG	X	JPN	8536.5015.90	
DSA-9511	Limit switch, High-precision Switch for Detecting Micron-unit Displacement, Bevel plunger, IP67, pre-wired 3 m	217.20	133710	4536853227630			CG	X	JPN	8536.5015.90	
DSA-9515	Limit switch, High-precision Switch for Detecting Micron-unit Displacement, Bevel plunger, IP67, pre-wired connector 5 m	201.80	133713	4536853227661			CG	X	JPN	8536.5015.90	
D5B-1011	Tactile Limit switch, M10 body, hemispheric actuator, 1 m prewired	52.80	133714	4536853227685			CG	X	JPN	8536.5015.90	
D5B-1013	Tactile Limit switch, M10 body, hemispheric actuator, 3 m prewired	60.60	133715	4536853227692			CG	X	JPN	8536.5015.90	
D5B-1023	Tactile Limit switch, M10 body, conical actuator, 3 m prewired	70.50	133717	4536853227722			CG	X	JPN	8536.5015.90	
D5B-1025	Tactile Limit switch, M10 body, conical actuator, 5 m prewired	52.70	133718	4536853227739			CG	X	JPN	8536.5015.90	
D5B-1511	Tactile Limit switch, M10 body, short spring wobble stick actuator, 1 m prewired	59.90	133719	4536853227746			CG	X	JPN	8536.5015.90	
D5B-1513	Tactile Limit switch, M10 body, short spring wobble stick actuator, 3 m prewired	60.30	133720	4536853227753	#		CG	X	JPN	8536.5015.90	
D5B-1515	Tactile Limit switch, M10 body, short spring wobble stick actuator, 5 m prewired	65.40	133721	4536853227760			CG	X	JPN	8536.5015.90	
D5B-1533	Tactile Limit switch, M10 body, long spring wobble stick actuator, 3 m prewired	60.60	151368	4536853227784			CG	X	JPN	8536.5015.90	
D5B-5011	Tactile Limit switch, M5 body, hemispheric actuator, 1 m prewired	55.55	133724	4536853227807			CG	X	JPN	8536.5015.90	
D5B-5013	Tactile Limit switch, M5 body, hemispheric actuator, 3 m prewired	59.90	133725	4536853227814			CG	X	JPN	8536.5015.90	
D5B-5015	Tactile Limit switch, M5 body, hemispheric actuator, 5 m prewired	49.30	144864	4536853227821			CG	X	JPN	8536.5015.90	
D5B-5023	Tactile Limit switch, M5 body, conical actuator, 3 m prewired	59.90	154745	4536853227845			CG	X	JPN	8536.5015.90	
D5B-5513	Tactile Limit switch, M5 body, short spring wobble stick actuator, 3 m prewired	61.35	133729	4536853227876			CG	X	JPN	8536.5015.90	
D5B-8011	Tactile Limit switch, M8 body, hemispheric actuator, 1 m prewired	59.90	133731	4536853227906			CG	X	JPN	8536.5015.90	
D5B-8023	Tactile Limit switch, M8 body, conical actuator, 3 m prewired	70.95	133639	4536853227944			CG	X	JPN	8536.5015.90	
D5B-8511	Tactile Limit switch, M8 body, short spring wobble stick actuator, 1 m prewired	48.58	149181	4536853227975			CG	X	JPN	8536.5015.90	
D5B-8513	Tactile Limit switch, M8 body, short spring wobble stick actuator, 3 m prewired	70.90	133641	4536853227982			CG	X	JPN	8536.5015.90	
D5B-8515	Tactile Limit switch, M8 body, short spring wobble stick actuator, 5 m prewired	56.65	133642	4536853227999			CG	X	JPN	8536.5015.90	
D5C-00S0	Limit switch	14.88	133648	4536853228118			CG	X	JPN	9032.9000.90	
D5C-1DA0	Touch switch, free-attachment, M4 screw actuator, DC, 3-wire, NPN-NO, 3 m cable	138.50	133644	4536853228033	#		CG	X	JPN	8536.5015.90	
D5C-1DP0	Limit switch	163.50	152051	4536853228026			CG	X	JPN	8536.5015.90	
D5C-1DS0	Limit switch	139.30	133643	4536853228019			CG	X	JPN	8536.5015.90	
D5F-H006	High precision limit switch	2,662.00	133652	4536853228309			CG	X	JPN	8536.5015.90	
1ZAP-2	Basic switch accessory	28.38	106400	4536854249495			CG	X	JPN	8536.5015.90	
D5VA-3B1	Contact Displacement Sensor, 4- to 40-mA linear output, Ball type, 10 µm resolution	899.50	133663	4536853228491			CG	X	JPN	8536.5015.90	
NL2-SC 1M	Limit switch, separate antenna model, coil spring type, 24 VDC, 1 m cable	256.40	113826	4536853708337			CG	X	JPN	8536.5015.90	
NRF-C	thumb wheel switch	8.56	113802	4536853715823	50		CG	X	JPN	8536.5015.90	
NRF-CN	Thumb wheel switch	8.84	113799	4536853715496			CG	X	JPN	8536.5015.90	
NRF-CP	thumb wheel switch	10.23	142049	4536853715830	50		CG	X	JPN	8536.5015.90	
TP70-1A1	Switch with flexible rod, front mounting	191.80	109862	4536854126413			CG	X	JPN	8536.5015.90	
TP70-1A2	Switch with flexible rod, base mounting	207.40	109863	4536854126420			CG	X	JPN	8536.5015.90	
W-10FB3	Limit switch	12.59	108330	4536854172540	50		CG	X	JPN	9032.9000.90	
A3P.N-5050	For A3PL Switch Guard, For Horizontal Mounting	5.17	265957	4536854686184	10		CG	X	JPN	8536.5015.90	
A3UL-TBA-1A1C-M	Pushbutton, A3U, LED, SPDT, 24VDC, Green	11.71	393107	4548583508736			CG	X	IDN	8536.5015.90	
A3UL-TBA-2A1C-M	Pushbutton, A3U, LED, DPDT, 5VDC, Green	12.45	393113	4548583508798			CG	X	IDN	8536.5015.90	

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	SLN. (Data sheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
A3UL-TBA-3A1C-M	Pushbutton, A3U, LED, DPDT, 12VDC, Green	12,45	393119	4548583508859			CG	X	IDN	8536.5015.90
A3UL-TBG-1A1C-M	Pushbutton, A3U, LED, DPDT, 24VDC, Yellow	12,45	393105	4548583508712			CG	X	IDN	8536.5015.90
A3UL-TBG-2A1C-M	Pushbutton, A3U, LED, SPDT, 5VDC, Green	11,71	393111	4548583508774			CG	X	IDN	8536.5015.90
A3UL-TBG-3A1C-M	Pushbutton, A3U, LED, SPDT, 12VDC, Green	11,71	393117	4548583508835			CG	X	IDN	8536.5015.90
A3UL-TBR-1A1C-M	Pushbutton, A3U, LED, DPDT, 24VDC, Red	12,45	393103	4548583508689			CG	X	IDN	8536.5015.90
A3UL-TBR-2A1C-M	Pushbutton, A3U, LED, SPDT, 5VDC, Yellow	11,71	393109	4548583508750			CG	X	IDN	8536.5015.90
A3UL-TBR-3A1C-M	Pushbutton, A3U, LED, SPDT, 12VDC, Yellow	11,71	393115	4548583508811			CG	X	IDN	8536.5015.90
A3UL-TBY-1A1C-M	Pushbutton, A3U, LED, SPDT, 24VDC, Yellow	11,71	393104	4548583508705			CG	X	IDN	8536.5015.90
A3UL-TBY-2A1C-M	Pushbutton, A3U, LED, DPDT, 5VDC, Yellow	12,45	393110	4548583508767			CG	X	IDN	8536.5015.90
A3UL-TBY-3A1C-M	Pushbutton, A3U, LED, DPDT, 12VDC, Yellow	12,45	393116	4548583508828			CG	X	IDN	8536.5015.90
A3UL-TMG-3A1C-M	Pushbutton, A3U, LED, SPDT, 24 VDC, Green	12,45	679080	4548583509337			CG	X	IDN	8536.5015.90
A3UL-TMR-3A1C-M	Pushbutton, A3U, LED, SPDT, 24 VDC, Red	12,45	679078	4548583509313			CG	X	IDN	8536.5015.90
A3UL-TMY-3A1C-M	Pushbutton, A3U, LED, SPDT, 24 VDC, Yellow	12,45	679079	4548583509320			CG	X	IDN	8536.5015.90
A3U-TBB-A1C-M	Pushbutton, A3U, LED, SPDT, 5VDC, Red	11,71	393123	4548583508910			CG	X	IDN	8536.5015.90
A3U-TBG-A1C-M	Pushbutton, A3U, non-litghted, SPDT, -, Green	16,64	393121	4548583508880			CG	X	IDN	8536.5015.90
A3U-TBR-A1C-M	Pushbutton, A3U, non-litghted, SPDT, -, Red	16,64	393120	4548583508866			CG	X	IDN	8536.5015.90
M3U-TMG-3C	Indicator, A3U, LED, 24 VDC, Green	12,59	679089	4548583511170			CG	X	IDN	8536.5015.90
M3U-TMR-3C	Indicator, A3U, LED, 24 VDC, Red	12,59	679087	4548583511156			CG	X	IDN	8536.5015.90
M3U-TMW-3C	Indicator, A3U, LED, 24 VDC, White	12,59	679086	4548583511149			CG	X	IDN	8536.5015.90
M3U-TMY-3C	Indicator, A3U, LED, 24 VDC, Yellow	12,59	679088	4548583511163			CG	X	IDN	8536.5015.90
<b>Special Industrial Switch</b>										
M16-AG-24D	Indicator square, solder terminal, LED without Voltage, Reduction Unit, IP40, 24VDC, Green	7,97	116256	4536853681616		10	CG	Y	JPN	8536.5015.90
M16-AR-12D	Indicator square, solder terminal, LED without Voltage, Reduction Unit, IP40, 12VDC, Red	7,97	116259	4536853681654			CG	Y	JPN	8536.5015.90
M16-AR-24D	Indicator dia. 16 mm, square, red, LED 24 VAC/VDC, IP40, solder terminal	5,71	150799	4536853681678			CG	Y	JPN	8536.5015.90
M16-AY-24D	Indicator square, solder terminal, LED without Voltage, Reduction Unit, IP40, 24VDC, Yellow	7,97	116172	4536853681791		10	CG	Y	JPN	8536.5015.90
M16-JG-24D	Indicator rectangular, solder terminal, LED without Voltage, Reduction Unit, IP40, 24VDC, Green	7,97	116179	4536853681883		10	CG	Y	JPN	8536.5015.90
M16-JR-24D	Indicator rectangular, solder terminal, LED without Voltage, Reduction Unit, IP40, 24VDC, Green	7,97	116185	4536853681944		10	CG	Y	JPN	8536.5015.90
M16-JY-24D	Indicator rectangular, solder terminal, LED without Voltage, Reduction Unit, IP40, 24VDC, Green	7,97	116193	4536853682064		10	CG	Y	JPN	8536.5015.90
M16-TG-24D	Indicator, round, green, 24VDC	7,97	105392	4536853682156		10	CG	Y	JPN	8536.5015.90
M16-TR-24D	Indicator dia. 16 mm, round, red, LED 24 VAC/VDC, IP40, solder terminal	9,21	149678	4536853682217		10	CG	Y	JPN	8536.5015.90
M16-TY-24D	Indicator, round, yellow, 24VDC	7,97	156041	4536853682330		10	CG	Y	JPN	8536.5015.90
M165-TA-24D	Indicator dia. 16 mm, round, blue, LED 24 VAC/VDC, IP65, solder terminal	12,79	116082	4536854356704			CG	Y	JPN	8536.5015.90
M165-TG-24D	Indicator dia. 16 mm, round, green, LED 24 VAC/VDC, IP65, solder terminal	12,79	116149	4536853682965			CG	Y	JPN	8536.5015.90
M165-TR-24D	Indicator dia. 16 mm, round, red, LED 24 VAC/VDC, IP65, solder terminal	12,79	150402	4536853683023		10	CG	Y	JPN	8536.5015.90
M165-TW-24D	Indicator dia. 16 mm, round, white, LED 24 VAC/VDC, IP65, solder terminal	12,74	116157	4536853683085		10	CG	Y	JPN	8536.5015.90
M165-TY-24D	Indicator dia. 16 mm, round, yellow, LED 24 VAC/VDC, IP65, solder terminal	12,49	116162	4536853683146			CG	Y	JPN	8536.5015.90
M2BJ-B24	Panel mount buzzer, intermittent/continuous sound, 12-24 VAC/DC supply	27,17	116058	4536853684693		10	CG	Y	JPN	8536.5015.90
M2BJ-B24A	Panel mount buzzer, intermittent (short/long) sound, 12-24 VAC/DC supply	31,01	116062	4536853684730			CG	Y	JPN	8536.5015.90
M2BJ-BH24D	Panel mount buzzer, intermittent/continuous (high pitched) high sound, 12-24 VAC/DC supply	45,25	153015	4536853684822		10	CG	Y	JPN	8536.5015.90
M16-0	Solder terminal socket for use with M16 range of indicators	1,13	103150	4536854350689		80	CG	Y	JPN	8536.5015.90
M16-S	Screwless terminal socket for use with M16 range of indicators	21,06	153683	4536854610677		20	CG	Y	JPN	8536.5015.90
M16-T2-S	Lamp socket, 200V, screw terminal	20,71	206667	4536854610691			CG	Y	JPN	8536.5015.90
M22-FG	Indicator, round, IP65, green	4,67	116086	4536853700058		50	CG	Y	JPN	8536.5015.90
M22-FR	Indicator, round, IP65, red	4,67	153020	4536853700065		50	CG	Y	JPN	8536.5015.90
M22N-BC-TAA-AC	Indicator M22N flat etched, CAP COLORBLUE, LED BLUE, LED VOLTAGE 24 VDC	13,35	660571	4548583711341		10	CG	Y	TWN	8536.5015.90
M22N-BC-TAA-AE	Indicator M22N flat etched, cap color blue, LED blue, LED voltage 200-240 VAC	15,01	663471	4548583711365		10	CG	Y	TWN	8536.5015.90
M22N-BC-TAA-AE-P	M22N Indicator, Plastic flat etched, Blue, Blue, 220/230/240 VAC, push-in terminal	16,31	672606	4549734088244		10	CG	Y	TWN	8536.5015.90
M22N-BC-TGA-GA	Indicator M22N flat etched, cap color green, LED green, LED voltage 6 VAC/DC, screw connection	11,85	685136	4548583711174		10	CG	Y	TWN	8536.5015.90
M22N-BC-TGA-GC	Indicator M22N flat etched, cap color green, LED green, LED voltage 24 VDC	11,85	660568	4548583711198		10	CG	Y	TWN	8536.5015.90
M22N-BC-TGA-GC-P	M22N Indicator, Plastic flat etched, Green, Green, 24 V, push-in terminal	14,44	672578	4549734088077		10	CG	Y	TWN	8536.5015.90
M22N-BC-TGA-GE	Indicator M22N flat etched, cap color green, LED green, LED voltage 200-240 VAC	15,01	662879	4548583711211		10	CG	Y	TWN	8536.5015.90
M22N-BC-TGA-GE-P	M22N Indicator, Plastic flat etched, Green, Green, 220/230/240 V AC, push-in terminal	16,31	672607	4549734088091		10	CG	Y	TWN	8536.5015.90
M22N-BC-TGA-OC-P	M22N Indicator, Plastic flat etched, Orange, Orange, 24 V, push-in terminal	14,81	680451	4549734088329		10	CG	Y	TWN	8536.5015.90
M22N-BC-TRA-FC	Indicator M22N flat etched, cap color red, LED red, LED voltage 24 VDC	13,35	662885	4548583711143		10	CG	Y	TWN	8536.5015.90
M22N-BC-TRA-FC-P	M22N Indicator, Plastic flat etched, Red, Red, 24 V, push-in terminal	14,44	672579	4549734088022		10	CG	Y	TWN	8536.5015.90
M22N-BC-TRA-FE	Indicator M22N flat etched, cap color red, LED red, LED voltage 200-240 VAC	11,36	664398	4548583711167		10	CG	Y	TWN	8536.5015.90
M22N-BC-TRA-FE-P	M22N Indicator, Plastic flat etched, Red, Red, 220/230/240 V AC, push-in terminal	15,84	672592	4549734088046		10	CG	Y	TWN	8536.5015.90
M22N-BC-TWA-WC	Indicator M22N flat etched, cap color white, LED white, LED voltage 24 VDC	11,85	660932	4548583711297		10	CG	Y	TWN	8536.5015.90
M22N-BC-TWA-WC-P	M22N Indicator, Plastic flat etched, White, White, 24 V, push-in terminal	14,44	672612	4549734088176		10	CG	Y	TWN	8536.5015.90
M22N-BC-TWA-WE-P	M22N Indicator, Plastic flat etched, White, White, 220/230/240 V AC, push-in terminal	16,37	672576	4549734088190		10	CG	Y	TWN	8536.5015.90
M22N-BC-TWA-YP	M22N Indicator, Plastic flat etched, White, White, 24 V, push-in terminal	14,81	680450	4549734088275		10	CG	Y	TWN	8536.5015.90
M22N-BC-TYA-YC	Indicator M22N flat etched, cap color yellow, LED yellow, LED voltage 24 VDC	11,85	660935	4548583711242		10	CG	Y	TWN	8536.5015.90
M22N-BC-TYA-YP	M22N Indicator, Plastic flat etched, Yellow, Yellow, 24 V, push-in terminal	14,81	672582	4549734088121		10	CG	Y	TWN	8536.5015.90
M22N-BC-TYA-YD	Indicator M22N flat etched, CAP COLORYELLOW, LED YELLOW, LED VOLTAGE 100-120 VAC	11,36	660559	4548583711259			CG	Y	TWN	8536.5015.90
M22N-BC-TYA-YE	Indicator M22N flat etched, cap color yellow, LED yellow, LED voltage 200-240 VAC	11,36	662878	4548583711266		10	CG	Y	TWN	8536.5015.90
M22N-BC-TYA-YE-P	M22N Indicator, Plastic flat etched, Yellow, Yellow, 220/230/240 V AC, push-in terminal	15,84	672598	4549734088145		10	CG	Y	TWN	8536.5015.90
M22N-BG-TRA-FE-P	M22N Indicator, Plastic semi-spherical, Red, Red, 220/230/240 V AC, push-in terminal	16,99	672602	4549734087698		10	CG	Y	TWN	8536.5015.90
M22N-BN-TAA-AC	Indicator M22N flat, cap color blue, LED blue, LED voltage 24 VDC	13,02	660611	4548583710290		5	CG	Y	TWN	8536.5015.90
M22N-BN-TAA-AE	Indicator M22N flat, CAP COLORBLUE, LED BLUE, LED VOLTAGE 200-240 VAC	13,35	660570	4548583710313		10	CG	Y	TWN	8536.5015.90

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Daheet)	GTIN	Stock Qty.	Lot Qty.	Gr.	Fam	COO	Tariff Code
M22N-BN-TGA-GC	Indicator M22N flat, cap color green, LED green, LED voltage 24 VDC	12.00	662881	4548583710146	10	CG	Y	TWN	8536.5015.90	
M22N-BN-TGA-GC-P	M22N Indicator, Plastic flat, Green, Green, 24 V, push-in terminal	14.44	672611	4549734087025	10	CG	Y	TWN	8536.5015.90	
M22N-BN-TGA-GD	Indicator M22N flat, CAP COLOR GREEN, LED GREEN, LED VOLTAGE 100-120 VAC	13.90	669931	4548583710153	10	CG	Y	TWN	8536.5015.90	
M22N-BN-TGA-GE	M22N Indicator, Plastic flat, CAP COLOR GREEN, LED GREEN, LED VOLTAGE 200-240 VAC	15.01	662880	4548583710160	10	CG	Y	TWN	8536.5015.90	
M22N-BN-TGA-GE-P	M22N Indicator, Plastic flat, Green, Green, 220/230/240 V AC, push-in terminal	16.31	672605	4549734087049	10	CG	Y	TWN	8536.5015.90	
M22N-BN-TRA-RA	Indicator M22N flat, CAP COLOR RED, LED RED, LED VOLTAGE 6 VDC	13.02	689506	4548583710078	10	CG	Y	TWN	8536.5015.90	
M22N-BN-TRA-RC	Indicator M22N flat, cap color red, LED red, LED voltage 24 VDC	13.02	661890	4548583710092	5	CG	Y	TWN	8536.5015.90	
M22N-BN-TRA-RC-P	M22N Indicator, Plastic flat, Red, Red, 24 V, push-in terminal	14.44	672594	4549734086974	10	CG	Y	TWN	8536.5015.90	
M22N-BN-TRA-RE	Indicator M22N flat, CAP COLOR RED, LED RED, LED VOLTAGE 200-240 VAC	11.32	664399	4548583710115	10	CG	Y	TWN	8536.5015.90	
M22N-BN-TRA-RE-P	M22N Indicator, Plastic flat, Red, Red, 220/230/240 VAC, push-in terminal	15.84	672596	4549734086998	10	CG	Y	TWN	8536.5015.90	
M22N-BN-TWA-WC	Indicator M22N flat, cap color white, LED white, LED voltage 24 VDC	12.05	662492	4548583710245	10	CG	Y	TWN	8536.5015.90	
M22N-BN-TWA-WC-P	M22N Indicator, Plastic flat, White, White, 24 V, push-in terminal	14.44	672622	4549734087124	#	10	CG	Y	TWN	8536.5015.90
M22N-BN-TWA-WE-P	M22N Indicator, Plastic flat, White, White, 220/230/240 V AC, push-in terminal	16.37	672603	4549734087148	10	CG	Y	TWN	8536.5015.90	
M22N-BN-TYA-YC	Indicator M22N flat, cap color yellow, LED yellow, LED voltage 24 VDC	12.00	662491	4548583710191	10	CG	Y	TWN	8536.5015.90	
M22N-BN-TYA-YC-P	M22N Indicator, Plastic flat, Yellow, Yellow, 24 V, push-in terminal	10.25	672581	4549734087070	10	CG	Y	TWN	8536.5015.90	
M22N-BN-TYA-YE	Indicator M22N flat, CAP COLOR YELLOW, LED YELLOW, LED VOLTAGE 200-240 VAC	11.32	666629	4548583710214	2	CG	Y	TWN	8536.5015.90	
M22N-BN-TYA-YE-P	M22N Indicator, Plastic flat, Yellow, Yellow, 220/230/240 V AC, push-in terminal	15.84	672609	4549734087094	10	CG	Y	TWN	8536.5015.90	
M22N-BP-TRA-RC-P	M22N Indicator, Plastic projected, Red, Red, 24 V, push-in terminal	14.44	672577	4549734087322	10	CG	Y	TWN	8536.5015.90	
A3AA-90K1-00L	Pushbutton switch complete, square, momentary operation, SPST-NO 250 VAC/ 2A, solder terminals, non-lighted, light grey	5.25	145603	4536853025083	10	CG	Y	JPN	8536.5015.90	
A3AT-90K1-00R	Compact Pushbutton, illuminated, round, momentary, SPST-NO, solder terminal, red LED	7.90	141165	4536853027445	6	CG	Y	JPN	8536.5015.90	
A3CJ-500R	Pushbutton, illuminated, rectangular, red	2.77	140764	4536853046521	50	CG	Y	JPN	8536.5015.90	
A3CJ-500W	Pushbutton, illuminated, rectangular, white	2.77	140765	4536853046552	50	CG	Y	JPN	8536.5015.90	
A3CJ-7011	Rectangular switch unit, SPST-NO + SPST-NC, 1 A (125 VAC)/ 0.5 A (230 VAC), solder terminal, momentary	10.02	140773	4536853046682	10	CG	Y	JPN	8536.5015.90	
A3CJ-7021	Rectangular switch unit, SPST-NO + SPST-NC, 1 A (125 VAC)/ 0.5 A (230 VAC), solder terminal, alternate	12.10	140774	4536853046699	10	CG	Y	JPN	8536.5015.90	
A3CT-500G	Pushbutton, illuminated, round, green	2.80	140785	4536853047894	50	CG	Y	JPN	8536.5015.90	
A3CT-500GY	Pushbutton, illuminated, round, green	2.37	140787	4536853047924	50	CG	Y	JPN	8536.5015.90	
A3CT-500R	Pushbutton, illuminated, round, red	2.37	140784	4536853047870	50	CG	Y	JPN	8536.5015.90	
A3CT-500W	Pushbutton, illuminated, round, white	2.37	140786	4536853047900	50	CG	Y	JPN	8536.5015.90	
A3CT-500Y	Pushbutton, illuminated, round, yellow	2.37	148850	4536853047887	50	CG	Y	JPN	8536.5015.90	
A3CT-7011	Round switch unit, SPST-NO + SPST-NC, 1 A (125 VAC)/ 0.5 A (230 VAC), solder terminal, momentary	11.82	140698	4536853048006	10	CG	Y	JPN	8536.5015.90	
A3CT-7021	Round switch unit, SPST-NO + SPST-NC, 1 A (125 VAC)/ 0.5 A (230 VAC), solder terminal, alternate	10.35	140699	4536853048013	10	CG	Y	JPN	8536.5015.90	
A3DT-500W	Pushbutton, illuminated, round, white, IP40, built-in LED	4.94	140725	4536853049812	10	CG	Y	JPN	8536.5015.90	
A3PA-5060	For A3PA, Seal Cover	3.10	140435	4536853080426	CG	Y	JPN	8536.5015.90		
A3PA-5703-24E	Pushbutton, illuminated, square, single screen, green, 24VDC LED	25.76	140445	4536853080945	10	CG	Y	JPN	8536.5015.90	
A3PA-7010-1	Switch unit for A3PA pushbutton, square, SPDT, momentary operation	8.61	140367	4536853081508	10	CG	Y	JPN	8536.5015.90	
A3PJ-4101	For A3PJ Wire-Wrap Terminal Socket	7.69	140386	4536853087050	10	CG	Y	JPN	8536.5015.90	
A3PJ-5060	For A3PJ Seal Cover	4.13	140396	4536853087401	CG	Y	JPN	8536.5015.90		
A3PJ-7010-1	Pushbutton unit, illuminated type, rectangular, switch unit with momentary operation, SPDT	10.77	146778	4536853089399	CG	Y	JPN	8536.5015.90		
A3PJ-90A11-24ED	Pushbutton switch complete, rectangular, single screen, momentary operation, SPDT 250 VAC/ 3A, LED illumination 24 VDC, orange	39.43	140341	4536853091767	10	CG	Y	JPN	8536.5015.90	
A3SJ-5802	Pushbutton switch operation unit, rectangular, single screen, red, for LED illumination	2.70	148825	4536853100018	CG	Y	JPN	8536.5015.90		
A3SJ-5803	Pushbutton switch operation unit, rectangular, single screen, green, for LED illumination	2.70	140235	4536853100025	10	CG	Y	JPN	8536.5015.90	
M2CJ-7001	Rectangular socket unit for indicator only, solder terminal, IP40	10.37	116068	4536853685997	10	CG	Y	JPN	8536.5015.90	
M2CT-7001	Round socket unit for indicator only, solder terminal, IP40	6.64	116070	4536853686321	10	CG	Y	JPN	8536.5015.90	
M2DT-500GY	Indicator display, round, green, built-in LED	6.22	148612	4536853687045	CG	Y	JPN	8536.5015.90		
M2DT-500R	Indicator display, round, red, built-in LED	6.22	105056	4536853687014	CG	Y	JPN	8536.5015.90		
M2DT-500Y	Indicator display, round, yellow, built-in LED	6.22	105399	4536853687021	CG	Y	JPN	8536.5015.90		
M2DT-7001	Round socket unit, IP40, solder terminals	7.74	153016	4536853687052	10	CG	Y	JPN	8536.5015.90	
M2DT-90A1-00ER	Indicator, 8mm diameter, red	14.05	115986	4536853687076	CG	Y	JPN	8536.5015.90		
M2PJ-7010-1	Indicator display socket, square, for M2PA units	5.80	116022	4536853695637	CG	Y	JPN	8536.5015.90		
<b>Accessory for Industrial Switch.</b>										
47097	MG-TAP yellow legends for identifying push buttons and components rigid PVC, self extinguishing class V0, UL94, dimension 8.2 x 27 mm, 44 legends per sheet and 2200 in a box	324.10	688396	4549734971515		CG	Z	ITA	8538.9099.99	
APB-PG	Terminal cover for Z15 switch, plastic	2.18	186943	4536853899103	#	##	CG	Z	ITA	8544.4290.90
WL-3H2100	Heads, General-purpose Limit switches, IP67, Snap action, 2-circuit double break type, SPST-NO / SPST-NC	42.28	333182	4536854171581	6	CG	Z	JPN	8536.5007.00	
A16Z-3004	Tightening tool	8.46	160086	4536854540950		CG	Z	JPN	8536.5015.90	
A16Z-5070	Yellow E-stop name plate	3.61	160087	4536854540981	10	CG	Z	JPN	8536.5015.90	
A16Z-5080	Socket unit lamp extractor	3.61	149866	4536854381386	20	CG	Z	JPN	8536.5015.90	
A16ZA-5050	Switch guard, for square and round models, 16 mm	4.85	146003	4536854540097	25	CG	Z	JPN	8536.5015.90	
A16ZA-5060	Dust cover, square, 16mm	5.75	160081	4536854540110	25	CG	Z	JPN	8536.5015.90	
A16ZA-5050	Switch Guard, For rectangular models	5.62	160080	4536854540080	25	CG	Z	JPN	8536.5015.90	
A16ZT-3003	Panel Plug, For round models	3.79	160085	4536854540158	10	CG	Z	JPN	8536.5015.90	
204500VR	Rigid PVC no adhesive Emergency-STOP symbol for A22NE, Italian language, UL94 V0, RoHS compliant, 60mm, one piece includes 10 plates, MOQ 10	33.84	687109	8016692754161		CG	Z	ITA	3926.9097.90	
204500VRD	Rigid PVC no adhesive Emergency-STOP symbol for A22NE, Italian language, UL94 V0, RoHS compliant, 60mm, one piece includes 10 plates, MOQ 10	33.84	687112	8016692921433		CG	Z	ITA	3926.9097.90	
204500VRE	Rigid PVC no adhesive Emergency-STOP symbol for A22NE, German language, UL94 V0, RoHS compliant, 60mm, one piece includes 10 plates, MOQ 10	33.84	687111	8016692754062		CG	Z	ITA	3926.9097.90	
204500VRF	Rigid PVC no adhesive Emergency-STOP symbol for A22NE, Spanish language, UL94 V0, RoHS compliant, 60mm, one piece includes 10 plates, MOQ 10	33.84	687113	8016692897981		CG	Z	ITA	3926.9097.90	
204500VRG	Rigid PVC no adhesive Emergency-STOP symbol for A22NE, French language, UL94 V0, RoHS compliant, 60mm, one piece includes 10 plates, MOQ 10	33.84	687110	80166929257066		CG	Z	ITA	3926.9097.90	
A22-3200	Mounting latch, momentary models	1.32	160836	4536854256476	10	CG	Z	JPN	8536.5015.90	
A22KK	A22K replacement key	6.46	160835	4536854680205		CG	Z	JPN	8536.5015.90	
A22NZ-A-301	Pushbutton accessory A22NZ, Tightening Wrench	16.11	659819	4548583718395		CG	Z	TWN	8536.5015.90	
A22NZ-A-302	Pushbutton accessory A22NZ, LED Lamp Extractor	3.16	661690	4548583718401	20	CG	Z	TWN	8536.5015.90	

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Data sheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code	
A22NZ-A-303	Pushbutton accessory A22NZ, Protective Cover	3.16	664306	4548583718418			CG	Z	TWN	8536.5015.90	
A22NZ-A-50103	Pushbutton accessory A22NZ 22 dia., Small Legend Plate Frame	3.16	663413	4548583718463	20		CG	Z	TWN	8536.5015.90	
A22NZ-A-50501	Pushbutton accessory A22NZ 22 dia., Lock Ring	3.16	665523	4548583718487			CG	Z	TWN	8536.5015.90	
A22NZ-A-51103	Pushbutton accessory A22NZ 22 dia., Large Legend Plate Frame	3.16	665229	4548583718470	20		CG	Z	TWN	8536.5015.90	
A22NZ-A-B01Y	Pushbutton accessory A22NZ 22 dia. Control Box	8.60	660760	4548583718456	#		CG	Z	TWN	8536.5015.90	
A22NZ-A-C01	Pushbutton accessory A22NZ, Reinforcement Plate	3.28	666228	4548583718500			CG	Z	TWN	8536.5015.90	
A22NZ-H-01	Pushbutton accessory A22NZ, Mounting Collar	2.70	662415	4548583718081	#		CG	Z	TWN	8536.5015.90	
A22NZ-H-02	E-Stop, Push-in Mounting latch	4.59	679759	4549734144896	20		CG	Z	TWN	8536.5015.90	
A22NZ-K-01	Pushbutton accessory A22NZ, Key	9.70	661431	4548583718494	20		CG	Z	TWN	8536.5015.90	
A22Z-3333	Accessories, big shield carrier, with inscription plate, black	1.82	149851	4536854444876			CG	Z	JPN	8536.5015.90	
A22Z-3360	Lock ring	1.63	152129	4536854399305	10		CG	Z	JPN	8536.5015.90	
A22Z-3380	Security bracket, lever stopper, for A22E emergency stop switch	1.23	160888	4536854474569	20		CG	Z	JPN	8536.5015.90	
A22Z-3443W	Legend plate, standard size, without text, white	1.29	160855	4536854404276	10		CG	Z	JPN	8536.5015.90	
A22Z-3453B	Legend plate, large size, without text, black	1.11	160856	4536854404283	10		CG	Z	JPN	8536.5015.90	
A22Z-3453C	Legend plate, large size, without text, transparent	1.14	147770	4536854404290			CG	Z	JPN	8536.5015.90	
A22Z-3453R	Legend plate, large size, without text, red	1.11	147771	4536854404306	10		CG	Z	JPN	8536.5015.90	
A22Z-3453W	Legend plate, large size, without text, white	1.61	105656	4536854404313			CG	Z	JPN	8536.5015.90	
A22Z-3466-1	Legend plate, emergency stop, 60 mm dia., round, yellow	4.86	160837	4536854356483	#	50	CG	Z	JPN	8536.5015.90	
A22Z-3466-2	Legend plate, emergency OFF, 60mm dia., round, yellow	4.86	669853	4536854787959			CG	Z	JPN	8536.5015.90	
A22Z-3476-1	Legend plate, emergency stop, 90mm dia., round, yellow	5.09	150949	4536854356490	50		CG	Z	JPN	8536.5015.90	
A22Z-3500-1	Cable gland, applicable cable diameter 7 to 9 mm	5.28	160867	4536854407130			CG	Z	JPN	8536.5015.90	
A22Z-3500-2	Cable gland, applicable cable diameter 9 to 11 mm	3.61	160868	4536854407147	10		CG	Z	JPN	8536.5015.90	
A22Z-3530	Round plus hole	3.85	160838	4536854356506	10		CG	Z	JPN	8536.5015.90	
A22Z-3600F	Sealing caps for flat models	2.50	160850	4536854399015	10		CG	Z	JPN	8536.5015.90	
A22Z-3600G	Sealing caps for full guard models	2.67	160851	4536854399039	10		CG	Z	JPN	8536.5015.90	
A22Z-3600T	Sealing caps for projection models	3.89	147769	4536854399022	10		CG	Z	JPN	8536.5015.90	
A22Z-3901	Accessories, lamp extractor	3.46	160840	4536854356520			CG	Z	JPN	8536.5015.90	
A22Z-3905	Tightening wrench	14.01	160841	4536854356537	20		CG	Z	JPN	8536.5015.90	
A22Z-A30	Adapter ring to mount 22 mm switch into 30 mm panel hole, resin	1.03	151373	4536854485138	20		CG	Z	JPN	8536.5015.90	
A22Z-B101	Control box enclosure, one hole	24.13	160842	4536854375415			CG	Z	JPN	8536.5015.90	
A22Z-B101Y	Control box enclosure, one hole, yellow, for emergency stop	26.56	160843	4536854375422	#		CG	Z	JPN	8536.5015.90	
A22Z-B102	Control box enclosure, two holes	25.28	160844	4536854375439			CG	Z	JPN	8536.5015.90	
A22Z-B103	Control box enclosure, three holes	30.70	160845	4536854375446			CG	Z	JPN	8536.5015.90	
A22Z-B201Y	Control Boxes (Assembled), One hole, yellow box (for emergency stop)	24.17	147772	4536854461996			CG	Z	JPN	8536.5015.90	
A22Z-B202	Control box enclosure, two holes	25.25	160879	4536854462344			CG	Z	JPN	8536.5015.90	
A3UZ-5010-10	A3U accessory, Harness to connect to a connector, length 1 m	9.01	659499	4548583560703			CG	Z	JPN	8536.5015.90	
A3PAN-5050	For A3PA, Switch Guard, For Horizontal Mounting	4.59	140344	4536854686160			CG	Z	JPN	8536.5015.90	
SL-24EG	LED, green, 24v	7.85	152164	4536853095420			CG	Z	JPN	8536.5015.90	
VAQ-4-L	Pushbutton switch, panel cutout dia. 10.5 mm., momentary operation, without operation unit	3.73	146451	4536854130106	20		CG	Z	JPN	8536.5015.90	
<b>Small Switch SS</b>											
SS-01D	Miniature Basic Switch, Pin Plunger, SPDT, 0.1 A AT 30 VDC, OF:1.47N, Straight PCB Terminal	1.45	111246	4536854063480			##	CH	A	IDN	8536.5007.00
SS-01-E	Subminiature basic switch	1.81	111243	4536854063442			##	CH	A	IDN	8536.5007.00
SS-01GL	Switch	1.53	111257	4536854063725			##	CH	A	IDN	8536.5007.00
SS-01GL13	Miniature Basic Switch, Simulated Roller Lever, SPDT, 0.1 A AT 30 VDC, OF:0.49N, Solder Terminal	1.26	111259	4536854063756			##	CH	A	IDN	8536.5007.00
SS-01GL13-F	Miniature Basic Switch, Simulated Roller Lever, SPDT, 0.1 A AT 30 VDC, OF:0.16N, Solder Terminal	1.45	111260	4536854063763			##	CH	A	IDN	8536.5007.00
SS-01GL2	Subminiature basic switch, Hinge roller lever, SPDT, 0.1A, Solder terminals	1.81	111181	4536854064128			##	CH	A	IDN	8536.5007.00
SS-01GLD	Miniature Basic Switch, Hinge Lever, SPDT, 0.1 A AT 30 VDC, OF:0.49N, Straight PCB Terminal	1.60	111268	4536854063893			##	CH	A	IDN	8536.5007.00
SS-01GLT	Subminiature basic switch	2.00	111265	4536854063817			##	CH	A	IDN	8536.5007.00
SS-10	Miniature Basic Switch, Pin Plunger, SPDT, 10.1 A AT 125 VAC, OF:1.47N, Solder Terminal	1.78	231162	4547648322294			##	CH	A	IDN	8536.5007.00
SS-10GL	Miniature Basic Switch, Hinge Lever, SPDT, 10.1 A AT 125 VAC, OF:1.47N, Solder Terminal	2.11	231164	4547648322324			##	CH	A	IDN	8536.5007.00
SS-10GL2	Subminiature basic switch, Hinge roller lever, SPDT, 10A, Solder terminals	2.15	143148	4536854067020			##	CH	A	JPN	8536.5007.00
SS-10GL2T	Miniature Basic Switch, Hinge Roller Lever, SPDT, 10.1 A AT 125 VAC, OF:1.47N, Quick-Connect Terminal(#110)	3.01	111471	4536854067037			##	CH	A	JPN	8536.5007.00
SS-5	Subminiature basic switch, Pin plunger, SPDT, 5A, Solder terminals	0.88	150073	4536854067976			##	CH	A	IDN	8536.5007.00
SS-5D	Subminiature basic switch, pin plunger, SPDT, 5A, PCB mount	1.09	111422	4536854067990			##	CH	A	IDN	8536.5007.00
SS-5-F	Subminiature basic switch	1.05	156777	4536854068157			##	CH	A	IDN	8536.5007.00
SS-5GL	Subminiature basic switch, hinge lever, SPDT, 5A	1.11	111423	4536854068003	#		##	CH	A	IDN	8536.5007.00
SS-5GL111	Subminiature basic switch, Long hinge lever, SPDT, 5A, Solder terminals	1.24	150075	4536854068478			##	CH	A	IDN	8536.5007.00
SS-5GL13	Subminiature basic switch, Simulated roller lever, SPDT, 5A, Solder terminals	0.94	146954	4536854068034			##	CH	A	IDN	8536.5007.00
SS-5GL13D	Subminiature basic switch	1.30	105943	4536854068058			##	CH	A	IDN	8536.5007.00
SS-5GL13T	Subminiature basic switch	1.06	111425	4536854068041			##	CH	A	IDN	8536.5007.00
SS-5GL2	Subminiature basic switch, hinge roller lever, SPDT, 5A	1.15	111428	4536854068096	#		##	CH	A	IDN	8536.5007.00
SS-5GL-2	Subminiature basic switch, hinge lever, SPST-N, 5A	1.23	111443	4536854068379	#		##	CH	A	IDN	8536.5007.00
SS-5GL2D	Subminiature basic switch	1.51	111430	4536854068119			##	CH	A	IDN	8536.5007.00
SS-5GL2-F	Subminiature basic switch	1.51	111463	4536854068782			##	CH	A	IDN	8536.5007.00
SS-5GL2T	Subminiature basic switch, Hinge roller lever, SPDT, 5A, Quick connect terminals	1.45	111429	4536854068102			##	CH	A	IDN	8536.5007.00
SS-5GLD	Subminiature basic switch	1.30	111424	4536854068027			##	CH	A	IDN	8536.5007.00
SS-5GL-F	Subminiature basic switch	0.97	111439	4536854068324			##	CH	A	IDN	8536.5007.00
SS-5GL-FD	Miniature Basic Switch, Hinge Lever, SPDT, 5 A AT 125 VAC, OF:0.49N, Straight PCB Terminal	1.29	105944	4536854068331			##	CH	A	IDN	8536.5007.00
SS-5GLT	Miniature Basic Switch, Hinge Lever, SPDT, 5 A AT 125 VAC, OF:1.47N, Quick-Connect Terminal(#110)	1.06	155485	4536854068010			##	CH	A	IDN	8536.5007.00
SS-5T	Subminiature basic switch, Pin plunger, SPDT, 5A, Quick connect terminals	0.94	154686	4536854067983			##	CH	A	IDN	8536.5007.00
<b>Small Switch V</b>											
V-103-1A4	Miniature basic switch	2.33	258053	4547648599146			##	CH	B	IDN	8536.5007.00

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	SLN. (Daheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code	
V-105-1A4	Miniature Basic Switch, Short Hinge Roller Lever, SPDT, 10 A at 250 VAC, OF:0.98N, Solder Terminal	2.33	258054	4547648599153			##	CH	B	IDN	8536.5007.00
V-151-1C6	Basic Micro Switch	5.24	109548	4536854145063			##	CH	B	JPN	8536.5080.90
V-15-1A5	Miniature basic switch, 250VAC/15A, Pin plunger, solder terminals	1.79	258072	4547648599481			##	CH	B	IDN	8536.5080.90
V-15-1A6	Miniature basic switch	1.79	258079	4547648599580			##	CH	B	IDN	8536.5080.90
V-15-1B6	Miniature basic switch	2.98	337872	4547648775336			##	CH	B	IDN	8536.5080.90
V-15-1C25	Miniature Basic Switch, Pin Plunger, SPDT, 15 A at 250 VAC, OF:1.96N, Quick-Connect Terminal(#187)	2.43	258074	4547648599535			##	CH	B	IDN	8536.5080.90
V-15-1C5	Miniature basic switch, 250 VAC/15 A, short hinge lever, quick connect terminals, op. force 1.96 N	1.79	258080	4547648599603			##	CH	B	IDN	8536.5080.90
V-152-1A5	Miniature basic switch	1.87	293581	4547648599498			##	CH	B	IDN	8536.5080.90
V-152-1C25	Miniature Basic Switch, Hinge Lever, SPDT, 15 A at 250 VAC, OF:1.96N, Quick-Connect Terminal(#187)	2.33	258075	4547648599542			##	CH	B	IDN	8536.5080.90
V-152-1C5	Miniature basic switch	1.87	278134	4547648599399			##	CH	B	IDN	8536.5080.90
V-153-1A5	Miniature Basic Switch, Long Hinge Lever, SPDT, 15 A at 250 VAC, OF:1.96N, Solder Terminal	2.64	293582	4547648599504			##	CH	B	IDN	8536.5080.90
V-153-1C5	Miniature basic switch	2.15	258067	4547648599436		#	##	CH	B	IDN	8536.5080.90
V-154-1A5	Miniature Basic Switch, Simulated Roller Lever, SPDT, 15 A at 250 VAC, OF:1.96N, Solder Terminal	2.14	293583	4547648599511			##	CH	B	IDN	8536.5080.90
V-155-1A5	Miniature basic switch, 250VAC/15A, Short hinge roller lever, solder terminals, op. force 1.96 N	2.40	339415	4547648774543		#	##	CH	B	IDN	8536.5080.90
V-155-1A6	Basic Micro Switch	2.33	258068	4547648599443		#	##	CH	B	IDN	8536.5080.90
V-155-1C25	Miniature Basic Switch, Short Hinge Roller Lever, SPDT, 15 A at 250 VAC, OF:1.96N, Quick-Connect Terminal(#187)	2.33	258077	4547648599566			##	CH	B	IDN	8536.5080.90
V-155-1C5	Miniature basic switch	2.33	258069	4547648599450		#	##	CH	B	IDN	8536.5080.90
V-156-1A5	Miniature basic switch	2.33	258073	4547648599528			##	CH	B	IDN	8536.5080.90
V-156-1C25	Miniature basic switch	2.33	258078	4547648599573			##	CH	B	IDN	8536.5080.90
V-156-1C5	Miniature basic switch	2.39	258082	4547648599627		#	##	CH	B	IDN	8536.5080.90
V-161-1A6	Miniature basic switch	1.64	109518	4536854146626			##	CH	B	IDN	8536.5080.90
V-161-1C5	Miniature basic switch, 250VAC/16A, Short hinge lever, solder terminals, op. force 1.96 N	1.73	152547	4536854146671			##	CH	B	IDN	8536.5080.90
V-16-1A6	Miniature basic switch, 250 VAC/16A, Pin plunger, solder terminals, op. force 3.92 N	1.20	149015	4536854146374			##	CH	B	IDN	8536.5080.90
V-16-1C26	Basic Micro Switch	2.13	109502	4536854146404			##	CH	B	IDN	8536.5080.90
V-16-1C5	Basic Micro Switch	1.17	109504	4536854146428			##	CH	B	IDN	8536.5080.90
V-16-1C6	Basic Micro Switch	1.04	143626	4536854146435			##	CH	B	IDN	8536.5080.90
V-162-1A6	Basic Micro Switch	1.81	109525	4536854146718			##	CH	B	IDN	8536.5080.90
V-162-1C25	Miniature basic switch	2.53	157965	4536854146732			##	CH	B	IDN	8536.5080.90
V-162-1C5	Basic Micro Switch	1.97	109528	4536854146763		#	##	CH	B	IDN	8536.5080.90
V-162-1C6	Basic Micro Switch	2.53	146961	4536854146770			##	CH	B	IDN	8536.5080.90
V-163-1C25	Basic Micro Switch	1.93	156784	4536854146855			##	CH	B	IDN	8536.5080.90
V-163-1C5	Basic Micro Switch	1.93	109534	4536854146886			##	CH	B	IDN	8536.5080.90
V-163-1C6	Basic Micro Switch	1.62	109535	4536854146893			##	CH	B	IDN	8536.5080.90
V-164-1C5	Basic Micro Switch	2.18	109540	4536854146978			##	CH	B	IDN	8536.5080.90
V-165-1A5	Basic Micro Switch	2.18	109542	4536854146992			##	CH	B	IDN	8536.5080.90
V-165-1A6	Basic Micro Switch	2.18	109543	4536854147005			##	CH	B	IDN	8536.5080.90
V-165-1C26	Basic Micro Switch	2.18	109545	4536854147036			##	CH	B	IDN	8536.5080.90
V-165-1C5	Basic Micro Switch	2.18	109451	4536854147050		#	##	CH	B	IDN	8536.5080.90
V-165-1C6	Basic Micro Switch	1.95	148043	4536854147067			##	CH	B	IDN	8536.5080.90
V-166-1C25	Basic Micro Switch	2.18	109454	4536854147104			##	CH	B	IDN	8536.5080.90
V-166-1C5	Basic Micro Switch	2.06	109456	4536854147135		#	##	CH	B	IDN	8536.5080.90
V-21-1C6	Miniature Basic Switch, Pin Plunger, SPDT, 21 A at 250 VAC, OF:3.92N, Quick-Connect Terminal	1.54	293573	4536854518553			##	CH	B	IDN	8536.5080.90
V-212-1C6	Miniature Basic Switch, Hinge Lever, SPDT, 21 A at 250 VAC, OF:3.92N, Quick-Connect Terminal	1.91	231141	4547648322720			##	CH	B	IDN	8536.5080.90
V-213-1C6	Miniature basic switch	1.99	231142	4547648322737			##	CH	B	IDN	8536.5080.90
V-215-1C6	Miniature Basic Switch, Short Hinge Roller Lever, SPDT, 21 A at 250 VAC, OF:3.92N, Quick-Connect Terminal(#250)	2.70	231143	4547648322751			##	CH	B	IDN	8536.5080.90
V-216-1C6	Miniature Basic Switch, Hinge Roller Lever, SPDT, 21 A at 250 VAC, OF:3.92N, Quick-Connect Terminal(#250)	2.73	293579	4547648322782				CH	B	IDN	8536.5080.90
<b>Small Switch D3V</b>											
D3V-16-1C5	Miniature basic switch, pin plunger, 16 A, SPDT, quick connect terminals	1.29	135069	4536854576102			##	CH	C	IDN	8536.5080.90
D3V-162-1C5	Miniature basic switch, hinge lever, 16 A, SPDT, quick connect terminals	1.55	153540	4536854633454			##	CH	C	IDN	8536.5080.90
D3V-165-1A5	Miniature basic switch	2.40	134953	4536854645099			##	CH	C	IDN	8536.5080.90
D3V-165-1C5	Miniature basic switch, short hinge roller lever, 16 A, SPDT, quick connect terminals	1.85	134973	4536854687433		#	##	CH	C	IDN	8536.5080.90
<b>Small Switch D2E</b>											
D2F-01	Ultra subminiature basic switch, pin plunger, 0.1A, PCB terminal	1.16	135440	4536853184308			##	CH	D	JPN	8536.5007.00
D2F-01F	Miniature Basic Switch, Pin Plunger, Micro Load, Low Force-Type, OF:0.74N, PCB Terminal / Straight Terminal	1.12	135441	4536853184315			##	CH	D	JPN	8536.5007.00
D2F-01FL	Miniature Basic Switch, Hinge Lever, Micro Load, Low Force-Type, OF:0.74N, PCB Terminal / Straight Terminal	1.26	148685	4536853184339			##	CH	D	JPN	8536.5007.00
D2F-01L	Ultra subminiature basic switch, hinge lever, 0.1A, PCB terminal	1.55	135442	4536853184322			##	CH	D	JPN	8536.5007.00
D2FD-2L1-1H	Miniature Basic Switch, Hinge Lever, SPDT, 2 A AT 125 VAC / 30 VDC, Solder Terminal	2.06	377525	4548583418929			##	CH	D	IDN	8536.5007.00
D2F-FL	Miniature Basic Switch, Hinge Lever, Low Force-Type, OF:0.74N, PCB Terminal / Straight Terminal	1.52	105605	4536853183837			##	CH	D	JPN	8536.5007.00
D2F-L	Sub miniature snap action switch, SPDT, PCB mount, hinge lever, 3 A	1.55	135414	4536853183820			##	CH	D	JPN	8536.5007.00
D2F-L2	Ultra subminiature basic switch, hinge roller lever, low OF, 3A, PCB terminal	2.58	135433	4536853184162			##	CH	D	JPN	8536.5007.00
D2F-L3	Miniature Basic Switch, Simulated Roller Lever(RL3), OF:1.47N, PCB Terminal / Straight Terminal	1.53	135423	4536853183981			##	CH	D	JPN	8536.5007.00
D2F-L3-D3	Miniature Basic Switch, Simulated Roller Lever(RL3), OF:1.47N, Solder Terminal	1.80	323660	4536854829963			##	CH	D	JPN	8536.5007.00
D2F-L-D3	Miniature Basic Switch, Hinge Lever, OF:1.47N, Solder Terminal	1.84	169399	4536854819582			##	CH	D	JPN	8536.5007.00
D2FS-F-N	D2FS-F-N BY OMZ	1.05	380265	4548583420755			##	CH	D	CHN	8536.5007.00
<b>Small Switch D2WV</b>											
D2WV-5L1-1M	Sealed miniature basic switch, 5 A, moulded lead wires	9.21	424168	4547648201193			10	CH	E	CHN	8536.5007.00
<b>Small Switch D2SW</b>											
D2SW-01L2H	Sealed Micro Switch, Hinge Roller Lever, 0.1 A at 30 VDC, SPDT, Solder Terminal	6.61	135137	4536853191764			##	CH	F	JPN	8536.5007.00
D2SW-01L2M	Sealed Micro Switch, Hinge Roller Lever, 0.1 A at 30 VDC, SPDT, Molded Lead Wires	9.37	150865	4536853191856			20	CH	F	JPN	8536.5007.00

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	SLN. (Dataheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
D2SW-01M	Sealed subminiature basic switch	8.04	135151	4536853192020	20	CH	F	JPN	8536.5007.00	
D2SW-3D	Sealed subminiature basic switch	5.10	135154	4536853192051	##	CH	F	JPN	8536.5007.00	
D2SW-3L1H	Sealed Micro Switch, Hinge Lever, 3 A at 125 VAC, SPDT, Solder Terminal	4.53	135145	4536853191962	##	CH	F	JPN	8536.5007.00	
D2SW-3L1M	Sealed subminiature basic switch	8.10	135143	4536853191931	20	CH	F	JPN	8536.5007.00	
D2SW-3L2H	Sealed subminiature basic switch	5.61	135147	4536853191986	##	CH	F	JPN	8536.5007.00	
D2SW-3L2M	Sealed subminiature basic switch, hinge roller lever, moulded lead wires	8.27	135144	4548583424678	20	CH	F	JPN	8536.5007.00	
D2SW-3M	Sealed subminiature basic switch	7.74	135155	4536853192068	20	CH	F	JPN	8536.5007.00	
<b>Small Switch D2JW</b>										
D2JW-011	Sealed Micro Switch, Pin Plunger, SPDT, Solder Terminal	8.46	147183	4536853186098	50	CH	G	JPN	8536.5007.00	
D2JW-011-MD	Sealed ultra subminiature basic switch	10.73	135224	4536853186197	20	CH	G	JPN	8536.5007.00	
D2JW-01K11	Sealed ultra subminiature basic switch	10.61	155718	4536853186081	##	CH	G	JPN	8536.5007.00	
D2JW-01K21	Sealed ultra subminiature basic switch	9.24	154924	4536853186104	50	CH	G	JPN	8536.5007.00	
D2JW-01K21-MD	Sealed ultra subminiature basic switch	11.51	135225	4536853186203	20	CH	G	JPN	8536.5007.00	
D2JW-01K31-MD	Sealed Micro Switch, Simulated Roller Lever, SPDT, Moulded Lead Wires	13.43	106232	4536853186234	20	CH	G	JPN	8536.5007.00	
<b>Small Switch B3F</b>										
B3F-1000	Tactile switch (SMT), 6 x 6 mm, flat type, 3.1mm height, 100 gf OF, black	0.34	137290	4536853146061	##	CH	H	JPN	8536.5011.90	
B3F-1002	Tactile switch (SMT), 6 x 6 mm, flat type, 3.1mm height, 150 gf OF, ivory	0.37	103488	4536853146085	##	CH	H	JPN	8536.5011.90	
B3F-1005	Tactile Switch, Standard, Flat Plunger, 4.3 x 6.5 mm, OF 2.55N	0.29	145707	4536853146115	##	CH	H	JPN	8536.5011.90	
B3F-1020	Tactile Switch, Standard, Flat Plunger, 5.0 x 6.5 mm, OF 0.98N	0.29	137292	4536853146160	##	CH	H	JPN	8536.5011.90	
B3F-1050	Tactile Switch, Standard, Projected Plunger, 7.3 x 6.5 mm, OF 0.98N	0.44	137296	4536853146245	##	CH	H	JPN	8536.5011.90	
B3F-3100	Tactile Switch, Vertical, Flat Plunger, 3.15 mm, OF 0.98N, With Ground Terminal	0.55	137306	4536853146450	##	CH	H	JPN	8536.5011.90	
B3F-3102	Tactile Switch, Vertical, Flat Plunger, 3.15 mm, OF 1.47N, With Ground Terminal	0.42	137307	4536853146467	##	CH	H	JPN	8536.5011.90	
B3F-3150	Tactile switch	0.55	146773	4536853146528	##	CH	H	JPN	8536.5011.90	
B3F-3152	Tactile switch	0.55	137309	4536853146535	##	CH	H	JPN	8536.5011.90	
B3F-4000	Tactile Switch, Standard, Flat Plunger, 4.3 x 12.5 mm, OF 1.27N	0.47	238166	4547648402002	##	CH	H	CHN	8536.5011.90	
B3F-4005	Tactile Switch, Standard, Flat Plunger, 4.3 x 12.5 mm, OF 2.55N	0.48	238168	4547648402026	##	CH	H	CHN	8536.5011.90	
B3F-4050	Tactile Switch, Standard, Projected Plunger, 4.3 x 12.5 mm, OF 1.27N	0.49	238167	4547648402019	##	CH	H	CHN	8536.5011.90	
B3F-4055	Tactile Switch, Standard, Projected Plunger, 4.3 x 12.5 mm, OF 2.55N	0.55	238169	4547648402033	##	CH	H	CHN	8536.5011.90	
B3F-4105	Tactile Switch, Standard, Flat Plunger, 4.3 x 12.5 mm, OF 2.55N, With Ground Terminal	0.60	137318	4536853146740	##	CH	H	JPN	8536.5011.90	
B3F-5050	Tactile switch	0.58	137324	4536853146870	##	CH	H	JPN	8536.5011.90	
<b>Other Small Switch</b>										
1VAP21	Door switch with built-in basic switch, SPDT, 15 A	15.67	108766	4536854128677	80	CH	X	JPN	8536.5015.90	
D2MC-5E	Miniature Basic Switch, Clockwise, 5 A at 250 VAC, OTa 0.5m N m	7.82	147185	4536853187088	50	CH	X	JPN	8536.5007.00	
D2MC-5F	Miniature Basic Switch, Clockwise, 5 A at 250 VAC, OTa 0.75m N m	7.82	135238	4536853187163	50	CH	X	JPN	8536.5007.00	
D2MV-01-1C1	Miniature basic switch	3.72	105608	4536853189112	##	CH	X	JPN	8536.5007.00	
D2MV-01-1C2	Miniature Basic Switch, Pin Plunger, SPDT, 0.1 A at 30 VDC, OF 0.25N, Solder Terminal	3.55	135261	4536853189129	##	CH	X	JPN	8536.5007.00	
D2MV-1-1C1	Miniature basic switch	3.72	135263	4536853189167	##	CH	X	JPN	8536.5007.00	
D2S-5D	Miniature Basic Switch, Pin Plunger, 5 A AT 125 VAC, OF:1.47N, Self-Clinching, PCB Terminal	1.77	135135	4536853191689	##	CH	X	CHN	8536.5007.00	
D2S-5D	Miniature basic switch, Pin plunger actuator, SPDT 125VAC 5 A, Max OF 1.47 N, PCB terminal	1.77	419439	4536853191689	##	CH	X	CHN	8536.5007.00	
J-7	Ultra subminiature basic switch	9.33	119417	4536853533199	##	CH	X	JPN	8536.5007.00	
SSG-01L1H	asic Switch, Hinge Lever, Solder Terminals	2.46	156059	4536854063039	##	CH	X	JPN	8536.5007.00	
SSG-5L2T	Subminiature basic switch	1.95	111318	4536854063190	##	CH	X	JPN	8536.5007.00	
VX-01-1A2	Miniature Basic Switch, Pin Plunger, SPDT, 0.1 A AT 30 VDC, OF 0.25N, Solder Terminal	2.62	108563	4536854133602	##	CH	X	JPN	8536.5007.00	
VX-01-1A3	Miniature Basic Switch, Pin Plunger, SPDT, 0.1 A AT 30 VDC, OF 0.49N, Solder Terminal	2.62	108564	4536854133633	##	CH	X	JPN	8536.5007.00	
VX-01-1C23	Miniature Basic Switch, Pin Plunger, SPDT, 0.1 A AT 30 VDC, OF 0.49N, Quick-Connect Terminal(#187)	2.62	141953	4536854134074	##	CH	X	JPN	8536.5007.00	
VX-013-1A3	Miniature basic switch with low operating force	2.99	108567	4536854133794	##	CH	X	JPN	8536.5007.00	
VX-5-1A2	Miniature basic switch with low operating force	2.29	154097	4536854134357	##	CH	X	JPN	8536.5007.00	
VX-5-1A3	Miniature basic switch with low operating force	2.81	154098	4536854134388	##	CH	X	JPN	8536.5007.00	
VX-5-1C22	Miniature basic switch with low operating force, SPDT, pin plunger, 0.25N	2.29	108495	4536854134784	##	CH	X	JPN	8536.5007.00	
VX-52-1A3	Miniature basic switch with low operating force	2.52	152931	4536854134487	##	CH	X	JPN	8536.5007.00	
VX-53-1A3	Miniature Basic Switch, Long Hinge Lever, SPDT, 5 A AT 250 VAC, OF 0.49N, Solder Terminal	2.68	108491	4536854134579	##	CH	X	JPN	8536.5007.00	
VX-55-1A3	Miniature basic switch with low operating force	2.90	108493	4536854134708	##	CH	X	JPN	8536.5007.00	
VX-55-1C23	Miniature Basic Switch, Short Hinge Lever, SPDT, 5 A AT 250 VAC, OF 0.49N, Quick-Connect Terminal(#187)	2.90	108499	4536854134852	##	CH	X	JPN	8536.5007.00	
VX-56-1A3	Miniature basic switch with low operating force	2.90	108494	4536854134746	##	CH	X	JPN	8536.5007.00	
D2D-1000	Miniature Basic Switch, Standard-Type, SPDB-NO/NC, Screw Mount Type	8.20	404040	4536853182984	50	CH	X	CHN	8536.5080.90	
D2D-1001	Miniature Basic Switch, Standard-Type, SPDB-NO, Screw Mount Type	7.15	404041	4536853182991	50	CH	X	CHN	8536.5080.90	
D2D-1002	Miniature Basic Switch, Standard-Type, SPDB-NC, Screw Mount Type	6.91	404042	4536853183004	50	CH	X	CHN	8536.5080.90	
D2D-2100	Miniature Basic Switch, Pull-On Lock-Type, SPDB-NO/NC, Panel Mount Type	13.96	404045	4536853183080	50	CH	X	CHN	8536.5080.90	
D3C-1210	Ultra subminiature slide switch	1.23	146635	4536853196332	##	CH	X	JPN	8536.5019.90	
D3C-2210	Miniature Basic Switch, Pivoting Hinge Lever, Shorting Model, OF:1.28N	1.26	135052	4536853196356	##	CH	X	JPN	8536.5019.90	
D2HW-A201D	Sealed Micro Switch, Pin Plunger, SPDT, Without Posts, Straight Terminal	2.57	367427	4548583338067	##	CH	X	CHN	8536.5007.00	
D2HW-A221D	Sealed Micro Switch, Long Hinge Lever, SPDT, Without Posts, Straight Terminal	1.90	135410	4536854700071	50	CH	X	JPN	8536.5007.00	
D2HW-BL201DL	Sealed Micro Switch, Pin Plunger, SPDT, With Posts On Left, Analed Terminal	2.22	135411	4536854700095	##	CH	X	JPN	8536.5007.00	
<b>Accessory for Small Switch</b>										
B32-1200	Tactile switch (SMT), switch cap	0.55	137338	4536853149802	##	CH	Z	JPN	8536.5011.90	



Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Daheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
<b>Solid State Relay G&amp;L</b>										
G3J-S205BL 12-24VDC	Soft-start solid state contactor, 200VAC, 4.8A, screw terminal	178.90	125119	4536853412708			CI	A	JPN	8536.4900.99
G3J-S403BL 12-24VDC	Soft-start SSC, 0.75 kW	275.60	105503	4536853412722			CI	A	JPN	8536.4900.99
G3J-S405BL 12-24VDC	Soft-start SSC, 2.2 kW	326.90	125120	4536853412715			CI	A	JPN	8536.4900.99
G3J-T205BL 12-24VDC	Soft-start/ stop solid state contactor, 200VAC, 4.8A, screw terminal	194.60	125123	4536853412753			CI	A	JPN	8536.4900.99
G3J-T403BL 12-24VDC	Soft-start/ stop solid state contactor, 400VAC, 2.4A, screw terminal	292.00	125124	4536853412760			CI	A	JPN	8536.4900.99
G3J-T405BL 12-24VDC	Soft-start/ stop solid state contactor, 400VAC, 4.8A, screw terminal	343.20	125125	4536853412777			CI	A	JPN	8536.4900.99
<b>Solid State Relay G&amp;N</b>										
G3NA-205B-UTU 100-120VAC	Solid state relay (hockey puck), 1 ph, w/o heatsink, 5 A (24-240 VAC), zero cross, 100-120 VAC	26.75	169407	4536854920301			CI	C	JPN	8536.4900.99
G3NA-205B-UTU 100-240VAC	Solid state relay, surface mounting, zero crossing, 1-pole, 5 A, 24 to 240 VAC	26.75	690649	4549734591126	10		CI	C	CHN	8536.4900.99
G3NA-205B-UTU 5-24VDC	Solid state relay, surface mounting, zero crossing, 1-pole, 5 A, 24 to 240 VAC	19.37	690651	4548583569638	10		CI	C	CHN	8536.4900.99
G3NA-210B-UTU 100-240VAC	Solid state relay, surface mounting, zero crossing, 1-pole, 10 A, 24 to 240 VAC	26.33	690648	4549734591133			CI	C	CHN	8536.4900.99
G3NA-210B-UTU 5-24VDC	Solid state relay, surface mounting, zero crossing, 1-pole, 10 A, 24 to 240 VAC	22.11	377386	4536854807954	#	10	CI	C	CHN	8536.4900.99
G3NA-220B-UTU 100-240VAC	Solid state relay, surface mounting, zero crossing, 1-pole, 20 A, 24 to 240 VAC	31.40	690647	4549734591140			CI	C	CHN	8536.4900.99
G3NA-220B-UTU 5-24VDC	Solid state relay, surface mounting, zero crossing, 1-pole, 20 A, 24 to 240 VAC	28.39	377387	4536854808012	#	10	CI	C	CHN	8536.4900.99
G3NA-225B-UTU 100-240VAC	Solid state relay, surface mounting, zero crossing, 1-pole, 25 A, 24 to 240 VAC	30.94	690646	4549734591157			CI	C	CHN	8536.4900.99
G3NA-225B-UTU 5-24VDC	Solid state relay, surface mounting, zero crossing, 1-pole, 25 A, 24 to 240 VAC	25.45	690650	4548583523418	#	10	CI	C	CHN	8536.4900.99
G3NA-240B-UTU 100-240VAC	Solid state relay, surface mounting, zero crossing, 1-pole, 40 A, 24 to 240 VAC	57.50	690645	4549734591164	#	10	CI	C	CHN	8536.4900.99
G3NA-240B-UTU 5-24VDC	Solid state relay, surface mounting, zero crossing, 1-pole, 40 A, 24 to 240 VAC	51.75	377388	4547648573580	#	10	CI	C	CHN	8536.4900.99
G3NA-250B-UTU 100-120VAC	Solid state relay, surface mounting, 1-pole, 50 A, 264 VAC max	59.00	227324	4547648218122	10		CI	C	JPN	8536.4900.99
G3NA-250B-UTU 5-24VDC	Solid state relay, surface mounting, 1-pole, 50 A, 264 VAC max	59.00	227320	4547648218139	10		CI	C	JPN	8536.4900.99
G3NA-250B-UTU 5-24VDC	Solid state relay, surface mounting, zero crossing, 1-pole, 50 A, 24 to 240 VAC	59.00	690644	4549734591171	10		CI	C	CHN	8536.4900.99
G3NA-275B-UTU 100-240VAC	Solid state relay, surface mounting, zero crossing, 1-pole, 75 A, 24 to 240 VAC	69.05	690641	4549734591201			CI	C	CHN	8536.4900.99
G3NA-275B-UTU 5-24VDC	Solid state relay, surface mounting, 1-pole, 75 A, 264 VAC max.	63.45	355227	4548583045385	10		CI	C	JPN	8536.4900.99
G3NA-275B-UTU 2 5-24VDC	Solid state relay, surface mounting, zero crossing, 1-pole, 75 A, 24 to 240 VAC	63.45	690642	4549734591195	10		CI	C	CHN	8536.4900.99
G3NA-290B-UTU 2 100-240VAC	Solid state relay, surface mounting, 1-pole, 90 A, 264 VAC max	71.05	355228	4548583045392	10		CI	C	JPN	8536.4900.99
G3NA-290B-UTU 2 100-240VAC	Solid state relay, surface mounting, zero crossing, 1-pole, 90 A, 24 to 240 VAC	71.05	690639	4549734591225			CI	C	CHN	8536.4900.99
G3NA-290B-UTU 2 5-24VDC	Solid state relay, surface mounting, zero crossing, 1-pole, 90 A, 24 to 240 VAC	67.40	690640	4549734591218	10		CI	C	CHN	8536.4900.99
G3NA-410B-UTU 100-240VAC	Solid state relay, surface mounting, zero crossing, 1-pole, 10 A, 200 to 480 VAC	57.65	690637	4549734591249	10		CI	C	CHN	8536.4900.99
G3NA-410B-UTU 5-24VDC	Solid state relay, surface mounting, zero crossing, 1-pole, 10 A, 200 to 480 VAC	52.20	690638	4549734591232	10		CI	C	CHN	8536.4900.99
G3NA-420B-UTU 100-240VAC	Solid state relay, surface mounting, zero crossing, 1-pole, 20 A, 200 to 480 VAC	65.40	690654	4549734591263			CI	C	CHN	8536.4900.99
G3NA-420B-UTU 5-24VDC	Solid state relay, surface mounting, zero crossing, 1-pole, 20 A, 200 to 480 VAC	56.45	690655	4549734591256			CI	C	CHN	8536.4900.99
G3NA-425B-UTU 2 100-240VAC	Solid state relay, surface mounting, zero crossing, 1-pole, 25 A, 200 to 480 VAC	65.40	690636	4549734591270	#	10	CI	C	CHN	8536.4900.99
G3NA-425B-UTU 2 5-24VDC	Solid state relay, surface mounting, zero crossing, 1-pole, 25 A, 200 to 480 VAC	58.45	377389	4548583045514	#	10	CI	C	CHN	8536.4900.99
G3NA-440B-UTU 2 100-240VAC	Solid state relay, surface mounting, zero crossing, 1-pole, 40 A, 200 to 480 VAC	66.00	690652	4549734591294	10		CI	C	CHN	8536.4900.99
G3NA-440B-UTU 2 5-24VDC	Solid state relay, surface mounting, zero crossing, 1-pole, 40 A, 200 to 480 VAC	64.00	690653	4549734591287	10		CI	C	CHN	8536.4900.99
G3NA-450B-UTU 2 100-240VAC	Solid state relay, surface mounting, zero crossing, 1-pole, 50 A, 200 to 480 VAC	71.40	690635	4549734591300	10		CI	C	CHN	8536.4900.99
G3NA-450B-UTU 2 5-24VDC	Solid state relay, surface mounting, zero crossing, 1-pole, 50 A, 200 to 480 VAC	74.30	377390	4548583045538	#	10	CI	C	CHN	8536.4900.99
G3NA-475B-UTU 2 5-24VDC	Solid state relay, surface mounting, zero crossing, 1-pole, 75 A, 200 to 480 VAC	76.40	690634	4549734591317	#	10	CI	C	CHN	8536.4900.99
G3NA-490B-UTU 100-240VAC	Solid state relay, surface mounting, zero crossing, 1-pole, 90 A, 200 to 480 VAC	96.30	690631	4549734591348			CI	C	CHN	8536.4900.99
G3NA-490B-UTU 2 5-24VDC	Solid state relay, surface mounting, zero crossing, 1-pole, 90 A, 200 to 480 VAC	91.65	690632	4549734591331			CI	C	CHN	8536.4900.99
G3NA-D210B-UTU 100-240VAC	Solid state relay, surface mounting, 1-pole, 10 A, 5 to 200 VDC	48.21	690629	4549734591362	10		CI	C	CHN	8536.4900.99
G3NA-D210B-UTU 5-24VDC	Solid state relay, surface mounting, 1-pole, 10 A, 5 to 200 VDC	44.51	690630	4549734591355	#	10	CI	C	CHN	8536.4900.99
G3NE-205T-US24VDC	Compact SSR, 5 A, 264 VAC max, zero cross over	20.31	679639	4536854921094	10		CI	C	JPN	8536.4900.99
G3NE-210TL-2-USDC12	Compact SSR, 10 A, 264 VAC max, no zero-crossing function	23.52	679509	4536854921179			CI	C	JPN	8536.4900.99
G3NE-210TL-US12VDC	Compact SSR, 10A, 264 VAC max	18.22	248861	4536854921209	10		CI	C	JPN	8536.4900.99
G3NE-210T-US12VDC	SSR (quick connect), 1 ph, w/o heatsink, 10 A (100 to 240 VAC), zero cross, 12 VDC	30.69	679635	4547648016223	10		CI	C	JPN	8536.4900.99
G3NE-210T-US24VDC	Compact SSR, 10 A, 264 VAC max, zero cross over	31.11	351849	4536854921230			CI	C	JPN	8536.4900.99
G3NE-220T-US12VDC	Solid state relay (quick connect), 1 ph, w/o heatsink, 20 A (100 to 240 VAC), zero cross, 12 VDC	21.76	323248	4547648740449			CI	C	JPN	8536.4900.99
G3NE-220T-US24VDC	Compact SSR, 20A, 264 VAC max, zero cross over	21.34	230921	4536854921360	10		CI	C	JPN	8536.4900.99
G3PH-2075B 100-240VAC	Solid State Relay, surface mounting, max. load: 75 A, 100-240 VAC	528.50	355573	4548583055582			CI	C	JPN	8536.4900.99
G3PH-2075B 5-24VDC	Solid State Relay, surface mounting, max. load: 75 A, 100-240 VAC	578.00	355584	4547648817486			CI	C	JPN	8536.4900.99
G3PH-2075BL 5-24VDC	Solid State Relay, surface mounting, max. load: 75 A, 100-240 VAC, w/o zero cross	528.50	355580	4548583076211			CI	C	JPN	8536.4900.99
G3PH-2150B 100-240VAC	Solid State Relay, surface mounting, max. load: 150 A, 100-240 VAC	760.50	355574	4548583055599			CI	C	JPN	8536.4900.99
G3PH-2150B 5-24VDC	Solid State Relay, surface mounting, max. load: 150 A, 100 to 240 VAC	817.00	355579	4548583055575			CI	C	JPN	8536.4900.99
G3PH-2150BL 5-24VDC	Solid State Relay, surface mounting, max. load: 150 A, 100-240 VAC, w/o zero cross	760.50	355581	4548583076228			CI	C	JPN	8536.4900.99
G3PH-5075B 100-240VAC	Solid State Relay, surface mounting, max. load: 75 A, 180-480 VAC	578.00	355577	4548583055629			CI	C	JPN	8536.4900.99
G3PH-5075B 5-24VDC	Solid State Relay, surface mounting, max. load: 75 A, 180-480 VAC	578.00	355575	4548583055605			CI	C	JPN	8536.4900.99
G3PH-5075BL 5-24VDC	Solid State Relay, surface mounting, max. load: 75 A, 180-480 VAC, w/o zero cross	624.50	355582	4548583076235			CI	C	JPN	8536.4900.99
G3PH-5150B 100-240VAC	Solid State Relay, surface mounting, max. load: 150 A, 180-480 VAC	826.50	355578	4548583055636			CI	C	JPN	8536.4900.99
G3PH-5150B 5-24VDC	Solid State Relay, surface mounting, max. load: 150 A, 180 to 480 VAC	867.00	355576	4548583055612			CI	C	JPN	8536.4900.99
G3PH-5150BL 5-24VDC	Solid State Relay, surface mounting, max. load: 150 A, 180-480 VAC, w/o zero cross	817.00	355583	4548583076242			CI	C	JPN	8536.4900.99
<b>Solid State Relay G3PA</b>										
G3PA-240B-VD 5-24VDC	Solid state relay, DIN rail/ surface mounting, 1-pole, 40 A, 264 VAC max	82.65	376268	4536854864407	#	10	CI	D	CHN	8536.4900.99
G3PA-260B-VD 5-24VDC	Solid state relay, DIN rail/ surface mounting, 1-pole, 60 A, 264 VAC max	119.50	376269	4536854864414	#	10	CI	D	CHN	8536.4900.99
G3PA-420B-VD 12-24VDC	Solid state relay, DIN rail/ surface mounting, 1-pole, 20 A, 440 VAC max	81.70	376270	4536854864568	#	10	CI	D	CHN	8536.4900.99
G3PA-420B-VD 2 12-24VDC	Solid state relay, DIN rail/ surface mounting, 1-pole, 20 A, 440 VAC max	106.60	124813	4536854487217			CI	D	JPN	8536.4900.99
G3PA-430B-VD 12-24VDC	Solid state relay, DIN rail/ surface mounting, 1-pole, 30 A, 440 VAC max	133.20	376271	4536854864575			CI	D	CHN	8536.4900.99
G3PA-430B-VD 2 12-24VDC	Solid state relay, DIN rail/ surface mounting, 1-pole, 30 A, 440 VAC max	178.50	124815	4536854515484	10		CI	D	JPN	8536.4900.99
G3PA-450B-VD 2 12-24VDC	Solid state relay, DIN rail/ surface mounting, 1-pole, 50 A, 440 VAC max	237.20	124814	4536854515477			CI	D	JPN	8536.4900.99

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Data sheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
<b>Solid State Relay, G3PW</b>										
G3PW-A220EC-C-FLK	Single phase power controller, constant current type, 20 A, SLC terminals	429.10	260085	4547648600422			CI	E	JPN	8536.4900.99
G3PW-A220EC-S-FLK	Single phase power controller, constant current type, 20 A, screw terminals	425.90	260076	4547648600460			CI	E	JPN	8536.4900.99
G3PW-A220EU-C	Single phase power controller, standard type, 20 A, SLC terminals	370.80	260079	4547648600330			CI	E	JPN	8536.4900.99
G3PW-A220EU-S	Single phase power controller, standard type, 20 A, screw terminals	367.30	260082	4547648600361			CI	E	JPN	8536.4900.99
G3PW-A245EC-C-FLK	Single phase power controller, constant current type, 45 A, SLC terminals	551.00	260086	4547648600446			CI	E	JPN	8536.4900.99
G3PW-A245EC-S-FLK	Single phase power controller, constant current type, 45 A, screw terminals	548.00	260077	4547648600477			CI	E	JPN	8536.4900.99
G3PW-A245EU-C	Single phase power controller, standard type, 45 A, SLC terminals	485.10	260080	4547648600347			CI	E	JPN	8536.4900.99
G3PW-A245EU-S	Single phase power controller, standard type, 45 A, screw terminals	482.30	260083	4547648600378			CI	E	JPN	8536.4900.99
G3PW-A260EC-C-FLK	Single phase power controller, constant current type, 60 A, SLC terminals	592.00	260087	4547648600453			CI	E	JPN	8536.4900.99
G3PW-A260EC-S-FLK	Single phase power controller, constant current type, 60 A, screw terminals	589.00	260078	4547648600484			CI	E	JPN	8536.4900.99
G3PW-A260EU-C	Single phase power controller, standard type, 60 A, SLC terminals	527.00	260081	4547648600354			CI	E	JPN	8536.4900.99
G3PW-A260EU-S	Single phase power controller, standard type, 60 A, screw terminals	524.00	260084	4547648600392			CI	E	JPN	8536.4900.99
<b>Solid State Relay, G3PE</b>										
G3PE-215B-12-24VDC	Solid state relay, 1 phase, 15A 100-240 VAC, with heat sink, DIN rail mount	43.15	376272	4547648524896	#	10	CI	G	CHN	8536.4900.99
G3PE-215B-2 12-24VDC	Solid-State relay, 2-pole, screw mounting, 15A, 264VAC max	114.20	375402	4548583409750			CI	G	JPN	8536.4900.99
G3PE-215B-3N 12-24VDC	Solid-State relay, 2-pole, DIN-track mounting, 15A, 264 VAC max	143.50	375418	4548583409910			CI	G	JPN	8536.4900.99
G3PE-215B-3N 12-24VDC	Solid-State relay, 3-pole, DIN-track mounting, 15 A, 264 VAC max	156.00	375422	4548583409958			CI	G	JPN	8536.4900.99
G3PE-215BL 12-24VDC	Solid state relay, 1 phase, 15A 100-240Vac, with heat sink, DIN rail mount, non zero cross switching function	57.00	376274	4547648524933		10	CI	G	CHN	8536.4900.99
G3PE-225B 12-24VDC	Solid state relay, 1 phase, 25A 100-240 VAC, with heat sink, DIN rail mount	49.46	376273	4547648524902	#	10	CI	G	CHN	8536.4900.99
G3PE-225B-2 12-24VDC	Solid-State relay, 2-pole, screw mounting, 25A, 264VAC max	128.00	375403	4548583409767			CI	G	JPN	8536.4900.99
G3PE-225B-2N 12-24VDC	Solid-State relay, 2-pole, DIN-track mounting, 25A, 264VAC max	165.00	375419	4548583409927			CI	G	JPN	8536.4900.99
G3PE-225B-3 12-24VDC	Solid-State relay, 3-pole, screw mounting, 25A, 264VAC max	168.60	375407	4548583409804			CI	G	JPN	8536.4900.99
G3PE-225B-3H 12-24VDC	Solid-State relay, 3-pole 25A, 264VAC max	134.00	375439	4548583410121			CI	G	JPN	8536.4900.99
G3PE-225B-3N 12-24VDC	Solid-State relay, 3-pole, DIN-track mounting, 25A, 264 VAC max	198.70	375423	4548583409965			CI	G	JPN	8536.4900.99
G3PE-225BL 12-24VDC	Solid-state relay, 1 phase, 25A 100 to 240 VAC, with heat sink, DIN rail mount, non zero cross switching function	47.45	376275	4547648524940		10	CI	G	CHN	8536.4900.99
G3PE-235B 12-24VDC	Solid state relay, 1-pole, DIN-track mounting, 35 A, 264 VAC max	57.80	375391	4548583409613	#	10	CI	G	JPN	8536.4900.99
G3PE-235B-2 12-24VDC	Solid-State relay, 2-pole, screw mounting, 35A, 264VAC max	152.60	375404	4548583409774			CI	G	JPN	8536.4900.99
G3PE-235B-2H 12-24VDC	Solid-State relay, 2-pole 35A, 264VAC max	125.30	375436	4548583410091			CI	G	JPN	8536.4900.99
G3PE-235B-2N 12-24VDC	Solid-State relay, 2-pole, DIN-track mounting, 35A, 264VAC max	189.70	375420	4548583409934			CI	G	JPN	8536.4900.99
G3PE-235B-3 12-24VDC	Solid-State relay, 3-pole, screw mounting, 35A, 264VAC max	207.20	375408	4548583409811			CI	G	JPN	8536.4900.99
G3PE-235B-3N 12-24VDC	Solid-State relay, 3-pole, DIN-track mounting, 35A, 264VAC max	227.10	375424	4548583409972			CI	G	JPN	8536.4900.99
G3PE-235BL 12-24VDC	Solid State Relay, 1-pole, DIN-track mounting, w/o zero cross, 35 A, 264 VAC max	112.40	375393	4548583409651			CI	G	JPN	8536.4900.99
G3PE-245B 12-24VDC	Solid state relay, 1-pole, DIN-track mounting, 45 A, 264 VAC max	72.40	375392	4548583409620	#	10	CI	G	JPN	8536.4900.99
G3PE-245B-2 12-24VDC	Solid-State relay, 2-pole, screw mounting, 45A, 264VAC max	165.00	375405	4548583409781			CI	G	JPN	8536.4900.99
G3PE-245B-2H 12-24VDC	Solid-State relay, 2-pole 45A, 264VAC max	165.00	375437	4548583410107			CI	G	JPN	8536.4900.99
G3PE-245B-3N 12-24VDC	Solid-State relay, 3-pole, DIN-track mounting, 45A, 264VAC max	281.00	375425	4548583409989			CI	G	JPN	8536.4900.99
G3PE-245BL 12-24VDC	Solid State Relay, 1-pole, DIN-track mounting, w/o zero cross, 45 A, 264 VAC max	140.40	375394	4548583409668			CI	G	JPN	8536.4900.99
G3PE-515B 12-24VDC	Solid state relay, 1-pole, DIN-track mounting, 15 A, 528 VAC max	69.90	375395	4548583409675		10	CI	G	JPN	8536.4900.99
G3PE-515B-2 12-24VDC	Solid-State relay, 2-pole, screw mounting, 15A, 528VAC max	140.20	375410	4548583409835			CI	G	JPN	8536.4900.99
G3PE-515B-2N 12-24VDC	Solid state relay, 2-pole, DIN-track mounting, 15 A, 528VAC max	140.20	375426	4548583409996			CI	G	JPN	8536.4900.99
G3PE-515B-3 12-24VDC	Solid-State relay, 3-pole, screw mounting, 15A, 528VAC max	174.00	375414	4548583409873			CI	G	JPN	8536.4900.99
G3PE-515B-3H 12-24VDC	Solid-State relay, 3-pole 15A, 264VAC max	162.30	375446	4548583410190		10	CI	G	JPN	8536.4900.99
G3PE-515B-3N 12-24VDC	Solid state relay, 3-pole, DIN-track mounting, 15 A, 528 VAC max	168.20	375430	4548583410039	#		CI	G	JPN	8536.4900.99
G3PE-515BL 12-24VDC	Solid State Relay, 1-pole, DIN-track mounting, w/o zero cross, 15 A, 528 VAC max	86.40	375398	4548583409712			CI	G	JPN	8536.4900.99
G3PE-625B 12-24VDC	Solid state relay, 1-pole, DIN-track mounting, 25 A, 528 VAC max	73.95	375396	4548583409682	#	10	CI	G	JPN	8536.4900.99
G3PE-625B-2 12-24VDC	Solid-State relay, 2-pole, screw mounting, 25A, 528VAC max	125.10	375411	4548583409842			CI	G	JPN	8536.4900.99
G3PE-625B-2N 12-24VDC	Solid state relay, 2-pole, DIN-track mounting, 25A, 528VAC max	150.00	375427	4548583410008	#		CI	G	JPN	8536.4900.99
G3PE-625B-3 12-24VDC	Solid-State relay, 3-pole, screw mounting, 25A, 528VAC max	206.80	375415	4548583409880			CI	G	JPN	8536.4900.99
G3PE-625B-3H 12-24VDC	Solid-State relay, 3-pole 25 A, 528 VAC max	127.10	375447	4548583410206			CI	G	JPN	8536.4900.99
G3PE-625B-3N 12-24VDC	Solid state relay, 3-pole, DIN-track mounting, 25 A, 528 VAC max	206.80	375431	4548583410046	#	8	CI	G	JPN	8536.4900.99
G3PE-625BL 12-24VDC	Solid State Relay, 1-pole, DIN-track mounting, w/o zero cross, 25 A, 528 VAC max	142.60	375399	4548583409729			CI	G	JPN	8536.4900.99
G3PE-635B 12-24VDC	Solid-State relay, 1-pole, DIN-track mounting, 35 A, 528 VAC max	83.80	375397	4548583409669		10	CI	G	JPN	8536.4900.99
G3PE-635B-2 12-24VDC	Solid-State relay, 2-pole, screw mounting, 35A, 528VAC max	216.70	375412	4548583409859			CI	G	JPN	8536.4900.99
G3PE-635B-2N 12-24VDC	Solid state relay, 2-pole, DIN-track mounting, 35A, 528VAC max	191.80	375428	4548583410015			CI	G	JPN	8536.4900.99
G3PE-635B-3 12-24VDC	Solid-State relay, 3-pole, screw mounting, 35A, 528VAC max	248.70	375416	4548583409897			CI	G	JPN	8536.4900.99
G3PE-635B-3N 12-24VDC	Solid state relay, 3-pole, DIN-track mounting, 35 A, 528 VAC max	248.70	375432	4548583410053	#		CI	G	JPN	8536.4900.99
G3PE-635BL 12-24VDC	Solid State Relay, 1-pole, DIN-track mounting, w/o zero cross, 35 A, 528 VAC max	156.50	375400	4548583409736			CI	G	JPN	8536.4900.99
G3PE-645B 12-24VDC	Solid state relay, 1-pole, DIN-track mounting, 45 A, 528 VAC max	85.35	375390	4548583409705	#	10	CI	G	JPN	8536.4900.99
G3PE-645B-2 12-24VDC	Solid-State relay, 2-pole, screw mounting, 45A, 528VAC max	165.60	375413	4548583409866			CI	G	JPN	8536.4900.99
G3PE-645B-2N 12-24VDC	Solid state relay, 2-pole, DIN-track mounting, 35A, 528VAC max	203.00	375429	4548583410022			CI	G	JPN	8536.4900.99
G3PE-645B-3 12-24VDC	Solid-State relay, 3-pole, screw mounting, 45A, 528VAC max	235.80	375417	4548583409903			CI	G	JPN	8536.4900.99
G3PE-645B-3H 12-24VDC	Solid-State relay, 3-pole 45A, 528 VAC max	188.10	375449	4548583410220			CI	G	JPN	8536.4900.99
G3PE-645B-3N 12-24VDC	Solid state relay, 3-pole, DIN-track mounting, 45 A, 528 VAC max	270.30	375433	4548583410060	#	5	CI	G	JPN	8536.4900.99
G3PE-645BL 12-24VDC	Solid State Relay, 1-pole, DIN-track mounting, w/o zero cross, 45 A, 528 VAC max	164.70	375401	4548583409743			CI	G	JPN	8536.4900.99
<b>Solid State Relay, G3RV</b>										
G3RV-202S 12VDC	Solid state relay, plug-in, 5-pin, 2A, 75-264VAC	20.17	323540	4547648741064		17	CI	H	JPN	8536.4900.99
G3RV-202S 24VDC	Sim solid state relay, plug-in, 5-pin, 2A, 75-264VAC	20.17	323541	4547648741071			CI	H	JPN	8536.4900.99
G3RV-202S 48VDC	Solid-state relay, plug-in, 5-pin, 2A, 75-264VAC	20.17	323542	4547648741088		20	CI	H	JPN	8536.4900.99
G3RV-202SL 24VDC	Solid-state relay, plug-in, 5-pin, 2A, 75-264VAC, without zero cross function	25.37	323544	4547648741101		20	CI	H	JPN	8536.4900.99
G3RV-D03SL 12VDC	Solid State Relay, plug-in, 5-pin, 3 A, 5 to 24 VDC	17.84	323546	4547648741125		20	CI	H	JPN	8536.4900.99
G3RV-D03SL 24VDC	Sim solid state relay, plug-in, 5-pin, 3 A, 5 - 24 VDC	17.84	323547	4547648741132	#	20	CI	H	JPN	8536.4900.99

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Data sheet)	GTIN	Stock Qty.	Lot Qty.	Gr.	Fam.	COO	Tariff Code
G3RV-D03SL_48VDC	Solid State Relay, plug-in, 5-pin, 3 A, 5 - 24 VDC	17.84	323548	4547648741149	20		CI	H	JPN	8536.4900.99
G3RV-SL500-D 230VAC	Slim solid state relay and socket combination, 1-pole, 3A 5-24VDC, SLC	42.80	323549	4547648798419	10		CI	H	JPN	8536.4900.99
G3RV-SL700-A 12VDC	Slim solid state relay and socket combination, 1-pole, 2 A 100 to 240 VAC, zero cross function, screw terminals	32.57	323562	4547648798822	10		CI	H	JPN	8536.4900.99
G3R-IDZ1RSN-1-UTU 12-24VDC	SSR (input), plug-in, 0.1-100 mA (4-32 VDC), low-speed (10 Hz), 12 to 24 VDC	25.56	124672	4536854686917			CI	H	JPN	8536.4900.99
G3R-IDZ1RSN-1-UTU 5VDC	SSR (input), plug-in, 0.1-100 mA (4-32 VDC), low-speed (10 Hz), 5 VDC	25.56	147394	4536854686900	20		CI	H	JPN	8536.4900.99
G3R-IDZ1RSN-UTU 12-24VDC	Solid state relay (input), plug-in, 0.1-100 mA (4-32 VDC), high-speed (1 kHz), 12-24 VDC	20.94	124671	4536853418625	20		CI	H	JPN	8536.4900.99
G3R-IDZ1RSN-UTU 5VDC	SSR (input), plug-in, 0.1-100 mA (4-32 VDC), high-speed (1 kHz), 5 VDC	19.46	145210	4536854686894	12		CI	H	JPN	8536.4900.99
G3R-OA202SLN-UTU 5-24VDC	Solid state relay, plug-in, 5-pin, 1-pole, 2 A, 75-264 VAC	20.17	124673	4536853418632	#		CI	H	JPN	8536.4900.99
G3R-OA202SZN-UTU 5-24VDC	Solid state relay, plug-in, 5-pin, 1-pole, 2 A, 75-264 VAC	20.17	124674	4536853418649	#		CI	H	JPN	8536.4900.99
G3R-OD201SN-UTU 5-24VDC	Solid state relay, plug-in, 5-pin, 1-pole, 1.5A, 48-200VDC	23.64	124676	4536853418663	10		CI	H	JPN	8536.4900.99
G3R-ODX02SN-UTU 5-24VDC	Solid state relay, plug-in, 5-pin, 1-pole, 2 A, 4-60 VDC	22.90	124675	4536853418656	#		CI	H	JPN	8536.4900.99
<b>Solid State Relays G3ZA</b>										
G3ZA-4H203-FLX-UTU	Power controller, 4 channels with heater burnout detection, 100-240 VAC, RS-485 host interface (Compoway/F protocol)	744.50	175987	4547648084161			CI	I	JPN	8544.4290.90
G3ZA-4H403-FLX-UTU	Power controller, 4 channels with heater burnout detection, 400-480 VAC, RS-485 host interface (CompoWay/F protocol)	746.50	175988	4547648084178			CI	I	JPN	8544.4290.90
G3ZA-8A203-FLX-UTU	Power controller, 8 channels, 100-240 VAC, RS-485 host interface (Compoway/F protocol)	742.00	175989	4547648084185			CI	I	JPN	8544.4290.90
G3ZA-8A403-FLX-UTU	Power controller, 8 channels, 400-480 VAC, RS-485 host interface (CompoWay/F protocol)	771.50	175990	4547648084192			CI	I	JPN	8544.4290.90
<b>Solid State Relay G3PF</b>										
G3PF-225B 24VDC	Solid-state relay 25 A, 100 to 240 VAC, with built in current transformer, M3 terminals, 1 alarm	145.20	242978	4547648412025	10		CI	J	JPN	8536.4900.99
G3PF-225B-CTB 24VDC	Solid-state relay 25A, 100-240VAC, with built in current transformer, jack-in case clamp terminals, 2 alarms	205.10	242975	4547648445030			CI	J	JPN	8536.4900.99
G3PF-235B 24VDC	Solid-state relay 35 A, 100 to 240 VAC, with built in current transformer, M3 terminals, 1 alarm	185.50	242979	4547648412032			CI	J	JPN	8536.4900.99
G3PF-235B-CTB 24VDC	Solid-state relay 35 A, 100 to 240 VAC, with built in current transformer, jack-in case clamp terminals, 2 alarms	226.40	242976	4547648445047			CI	J	JPN	8536.4900.99
G3PF-625B 24VDC	Solid-state relay 25A, 200 to 480 VAC, with built in current transformer, M3 terminals, 1 alarm	201.20	242980	4547648412049			CI	J	JPN	8536.4900.99
G3PF-625B-CTB 24VDC	Solid-state relay 25A, 200-480VAC, with built in current transformer, jack-in case clamp terminals, 2 alarms	258.00	242969	4547648445054			CI	J	JPN	8536.4900.99
G3PF-625B-STB 24VDC	Solid-state relay 25A, 200-480VAC, with built in current transformer, jack-in screw terminals, 2 alarms	266.90	242973	4547648445092			CI	J	JPN	8536.4900.99
G3PF-635B-CTB 24VDC	Solid-state relay 35 A, 200 to 480 VAC, with built in current transformer, jack-in case clamp terminals, 2 alarms	281.50	242970	4547648445061			CI	J	JPN	8536.4900.99
G3PF-635B-STB 24VDC	Solid-state relay 35A, 200-480VAC, with built in current transformer, jack-in screw terminals, 2 alarms	285.90	242974	4547648445108	10		CI	J	JPN	8536.4900.99
<b>Solid State Relay G3R/SRL</b>										
G3RV-SF600-A 100VAC	Stimline SSR6mm, incl. socket, AC output TRIAC, 2A, Push-in terminals, 100V AC, Zero-cross	39.57	669901	4548583797772	10		CI	K	JPN	8536.4900.99
G3RV-SF600-A 110VAC	Stimline SSR6mm, incl. socket, AC output TRIAC, 2A, Push-in terminals, 110V AC, Zero-cross	39.47	669896	4548583797789	10		CI	K	JPN	8536.4900.99
G3RV-SF600-A 12VDC	Stimline SSR6mm, incl. socket, AC output TRIAC, 2 A, Push-in terminals, 12VDC, Zero-cross	34.70	669877	4548583797758			CI	K	JPN	8536.4900.99
G3RV-SF600-A 200VAC	Stimline SSR6mm, incl. socket, AC output TRIAC, 2A, Push-in terminals, 200VAC, Zero-cross	40.16	669858	4548583797796			CI	K	JPN	8536.4900.99
G3RV-SF600-A 230VAC	Stimline SSR6mm, incl. socket, AC output TRIAC, 2A, Push-in terminals, 230V AC, Zero-cross	40.16	669903	4548583797802			CI	K	JPN	8536.4900.99
G3RV-SF600-A 24VAC/DC	Stimline SSR6mm, incl. socket, AC output TRIAC, 2A, Push-in terminals, 24V AC/DC, Zero-cross	34.21	669868	4548583797819	10		CI	K	JPN	8536.4900.99
G3RV-SF600-A 24VDC	Stimline SSR6mm, incl. socket, AC output TRIAC, 2 A, Push-in terminals, 24VDC, Zero-cross	34.21	669922	4548583797765	#		CI	K	JPN	8536.4900.99
G3RV-SF600-A 48VAC/DC	Stimline SSR6mm, incl. socket, AC output TRIAC, 2A, Push-in terminals, 48V AC/DC, Zero-cross	35.09	669942	4548583797826	10		CI	K	JPN	8536.4900.99
G3RV-SF600-AL 100VAC	Stimline SSR6mm, incl. socket, AC output TRIAC, 2A, Push-in terminals, 100V AC, Non Zero-cross	41.74	669897	4548583797857			CI	K	JPN	8536.4900.99
G3RV-SF600-AL 110VAC	Stimline SSR6mm, incl. socket, AC output TRIAC, 2A, Push-in terminals, 110V AC, Non Zero-cross	41.74	669914	4548583797864	10		CI	K	JPN	8536.4900.99
G3RV-SF600-AL 12VDC	Stimline SSR6mm, incl. socket, AC output TRIAC, 2A, Push-in terminals, 12V DC, Non Zero-cross	37.00	669920	4548583797833			CI	K	JPN	8536.4900.99
G3RV-SF600-AL 200VAC	Stimline SSR6mm, incl. socket, AC output TRIAC, 2A, Push-in terminals, 200V AC, Non Zero-cross	41.97	669875	4548583797871	10		CI	K	JPN	8536.4900.99
G3RV-SF600-AL 230VAC	Stimline SSR6mm, incl. socket, AC output TRIAC, 2A, Push-in terminals, 230V AC, Non Zero-cross	41.97	669884	4548583797888			CI	K	JPN	8536.4900.99
G3RV-SF600-AL 24VAC/DC	Stimline SSR6mm, incl. socket, AC output TRIAC, 2A, Push-in terminals, 24V AC/DC, Non Zero-cross	34.57	669886	4548583797895	10		CI	K	JPN	8536.4900.99
G3RV-SF600-AL 24VDC	Stimline SSR6mm, incl. socket, AC output TRIAC, 2A, Push-in terminals, 24V DC, Non Zero-cross	36.55	669933	4548583797840			CI	K	JPN	8536.4900.99
G3RV-SF600-AL 48VAC/DC	Stimline SSR6mm, incl. socket, AC output TRIAC, 2A, Push-in terminals, 48V AC/DC, Non Zero-cross	37.43	669917	4548583797901	10		CI	K	JPN	8536.4900.99
G3RV-SF600-D 100VAC	Stimline SSR6mm, incl. socket, DC output MOSFET, 3 A, Push-in terminals, 100VAC	44.13	669929	4548583797697	10		CI	K	JPN	8536.4900.99
G3RV-SF600-D 110VAC	Stimline SSR6mm, incl. socket, DC output MOSFET, 3 A, Push-in terminals, 110VAC	44.13	669940	4548583797703			CI	K	JPN	8536.4900.99
G3RV-SF600-D 12VDC	Stimline SSR6mm, incl. socket, DC output MOSFET, 3 A, Push-in terminals, 12VDC	34.51	669888	4548583797673			CI	K	JPN	8536.4900.99
G3RV-SF600-D 200VAC	Stimline SSR6mm, incl. socket, DC output MOSFET, 3A, Push-in terminals, 200V AC	44.13	669905	4548583797710	10		CI	K	JPN	8536.4900.99
G3RV-SF600-D 230VAC	Stimline SSR6mm, incl. socket, DC output MOSFET, 3 A, Push-in terminals, 230VAC	44.13	669890	4548583797727			CI	K	JPN	8536.4900.99
G3RV-SF600-D 24VAC/DC	Stimline SSR6mm, incl. socket, DC output MOSFET, 3A, Push-in terminals, 24V AC/DC	34.63	669860	4548583797734	#		CI	K	JPN	8536.4900.99
G3RV-SF600-D 24VDC	Stimline SSR6mm, incl. socket, DC output MOSFET, 3A, Push-in terminals, 24V DC	33.64	669870	4548583797680	#		CI	K	JPN	8536.4900.99
G3RV-SF600-D 48VAC/DC	Stimline SSR6mm, incl. socket, DC output MOSFET, 3 A, Push-in terminals, 48V AC/DC	35.66	669937	4548583797741			CI	K	JPN	8536.4900.99
G3RV-SF700-A 100VAC	Stimline SSR6mm, incl. socket, AC output TRIAC, 2A, Screw terminals, 100V AC, Zero-cross	38.66	669925	4548583798014	10		CI	K	JPN	8536.4900.99
G3RV-SF700-A 110VAC	Stimline SSR6mm, incl. socket, AC output TRIAC, 2A, Screw terminals, 110V AC, Zero-cross	38.66	669934	4548583798021	10		CI	K	JPN	8536.4900.99
G3RV-SF700-A 12VDC	Stimline SSR6mm, incl. socket, AC output TRIAC, 2A, Screw terminals, 12V DC, Zero-cross	34.70	669906	4548583797994	10		CI	K	JPN	8536.4900.99
G3RV-SF700-A 200VAC	Stimline SSR6mm, incl. socket, AC output TRIAC, 2A, Screw terminals, 200V AC, Zero-cross	39.39	669915	4548583798038	10		CI	K	JPN	8536.4900.99
G3RV-SF700-A 230VAC	Stimline SSR6mm, incl. socket, AC output TRIAC, 2A, Screw terminals, 230V AC, Zero-cross	39.39	669907	4548583798045	10		CI	K	JPN	8536.4900.99
G3RV-SF700-A 24VAC/DC	Stimline SSR6mm, incl. socket, AC output TRIAC, 2A, Screw terminals, 24V AC/DC, Zero-cross	34.11	669916	4548583798052	#		CI	K	JPN	8536.4900.99
G3RV-SF700-A 24VDC	Stimline SSR6mm, incl. socket, AC output TRIAC, 2A, Screw terminals, 24V DC, Zero-cross	33.21	669865	4548583798007	#		CI	K	JPN	8536.4900.99
G3RV-SF700-A 48VAC/DC	Stimline SSR6mm, incl. socket, AC output TRIAC, 2A, Screw terminals, 48V AC/DC, Zero-cross	35.07	669935	4548583798069	10		CI	K	JPN	8536.4900.99
G3RV-SF700-AL 100VAC	Stimline SSR6mm, incl. socket, AC output TRIAC, 2A, Screw terminals, 100V AC, Non Zero-cross	40.75	669885	4548583798090	10		CI	K	JPN	8536.4900.99
G3RV-SF700-AL 110VAC	Stimline SSR6mm, incl. socket, AC output TRIAC, 2A, Screw terminals, 110V AC, Non Zero-cross	40.75	669904	4548583798106	10		CI	K	JPN	8536.4900.99
G3RV-SF700-AL 12VDC	Stimline SSR6mm, incl. socket, AC output TRIAC, 2A, Screw terminals, 12V DC, Non Zero-cross	35.57	669918	4548583798076	10		CI	K	JPN	8536.4900.99
G3RV-SF700-AL 200VAC	Stimline SSR6mm, incl. socket, AC output TRIAC, 2A, Screw terminals, 200V AC, Non Zero-cross	40.75	669855	4548583798113	10		CI	K	JPN	8536.4900.99
G3RV-SF700-AL 230VAC	Stimline SSR6mm, incl. socket, AC output TRIAC, 2A, Screw terminals, 230V AC, Non Zero-cross	40.75	669938	4548583798120	10		CI	K	JPN	8536.4900.99
G3RV-SF700-AL 24VAC/DC	Stimline SSR6mm, incl. socket, AC output TRIAC, 2A, Screw terminals, 24V AC/DC, Non Zero-cross	34.53	669856	4548583798137	10		CI	K	JPN	8536.4900.99
G3RV-SF700-AL 24VDC	Stimline SSR6mm, incl. socket, AC output TRIAC, 2A, Screw terminals, 24V DC, Non Zero-cross	35.14	669899	4548583798083	10		CI	K	JPN	8536.4900.99
G3RV-SF700-AL 48VAC/DC	Stimline SSR6mm, incl. socket, AC output TRIAC, 2A, Screw terminals, 48V AC/DC, Non Zero-cross	37.20	669878	4548583798144	10		CI	K	JPN	8536.4900.99

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Data sheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
G3RV-SR700-D 100VAC	Slimline SSR6mm, incl. socket, DC output MOSFET, 3A, Screw terminals, 100V AC	38.70	669911	4548583797932		10	Cl	K	JPN	8536.4900.99
G3RV-SR700-D 110VAC	Slimline SSR6mm, incl. socket, DC output MOSFET, 3A, Screw terminals, 110V AC	38.70	669887	4548583797949		10	Cl	K	JPN	8536.4900.99
G3RV-SR700-D 12VDC	Slimline SSR6mm, incl. socket, DC output MOSFET, 3A, Screw terminals, 12V DC	34.17	669892	4548583797918		10	Cl	K	JPN	8536.4900.99
G3RV-SR700-D 200VAC	Slimline SSR6mm, incl. socket, DC output MOSFET, 3A, Screw terminals, 200V AC	38.70	669931	4548583797956		10	Cl	K	JPN	8536.4900.99
G3RV-SR700-D 220VAC	Slimline SSR6mm, incl. socket, DC output MOSFET, 3A, Screw terminals, 220V AC	38.70	669882	4548583797963		10	Cl	K	JPN	8536.4900.99
G3RV-SR700-D 24VAC/DC	Slimline SSR6mm, incl. socket, DC output MOSFET, 3A, Screw terminals, 24V AC/DC	34.59	669894	4548583797970	#	10	Cl	K	JPN	8536.4900.99
G3RV-SR700-D 24VDC	Slimline SSR6mm, incl. socket, DC output MOSFET, 3A, Screw terminals, 24V DC	32.81	669919	4548583797925	#	10	Cl	K	JPN	8536.4900.99
G3RV-SR700-D 48VAC/DC	Slimline SSR6mm, incl. socket, DC output MOSFET, 3A, Screw terminals, 48V AC/DC	35.24	669864	4548583797987		10	Cl	K	JPN	8536.4900.99
<b>Solid State Relay G3PJ</b>										
G3PJ-215B DC12-24	Solid-state relay, 1 phase, 18A, 24-240V AC, with heat sink, DIN rail mount, input voltage 12-24V DC	42.66	669862	4548583783331	#	10	Cl	L	JPN	8536.4900.99
G3PJ-215B-PU DC12-24	Solid-state relay, 1 phase, 15A, 24-240V AC, with heat sink, DIN rail mount, input voltage 12-24V DC with Push-in terminal	48.12	669912	4548583783379	#	10	Cl	L	JPN	8536.4900.99
G3PJ-225B DC12-24	Solid-state relay, 1 phase, 27A, 24-240V AC, with heat sink, DIN rail mount, input voltage 12-24V DC	52.85	669893	4548583783348	#	10	Cl	L	JPN	8536.4900.99
G3PJ-225B-PU DC12-24	Solid-state relay, 1 phase, 27A, 24-240V AC, with heat sink, DIN rail mount, input voltage 12-24V DC with Push-in terminals	57.90	669857	4548583783386	#	10	Cl	L	JPN	8536.4900.99
G3PJ-515B DC12-24	Solid-state relay, 1 phase, 23A, 100-480V AC, with heat sink, DIN rail mount, input voltage 12-24V DC	66.10	669945	4548583783355	#	10	Cl	L	JPN	8536.4900.99
G3PJ-515B-PU DC12-24	Solid-state relay, 1 phase, 23A, 100-480V AC, with heat sink, DIN rail mount, input voltage 12-24V DC with Push-in terminals	71.65	669883	4548583783393	#	10	Cl	L	JPN	8536.4900.99
G3PJ-525B DC12-24	Solid-state relay, 1 phase, 27A, 100-480V AC, with heat sink, DIN rail mount, input voltage 12-24V DC	76.80	669932	4548583783362	#	10	Cl	L	JPN	8536.4900.99
G3PJ-525B-PU DC12-24	Solid-state relay, 1 phase, 27A, 100-480V AC, with heat sink, DIN rail mount, input voltage 12-24V DC with Push-in terminals	81.45	669913	4548583783409		10	Cl	L	JPN	8536.4900.99
<b>Other Solid State Relay</b>										
G3DZ-F4PU DC24	Solid-state relay, PCB terminal, 4-pin, SPST-NO, 24VDC with push-in plus socket	169.20	687950	4549734532617			Cl	X	JPN	8536.4900.99
G3DZ-F4PU DC12	Solid-state relay, PCB terminal, 4-pin, SPST-NO, 0.6 A, 12 VDC with push-in plus socket	169.20	687951	4549734532600			Cl	X	JPN	8536.4900.99
G3B-205S-VD 5-24VDC	Solid state relay, plug-in, 5 A (100-240 VAC), zero cross, 5-24 VDC	65.55	105868	4536854869662			Cl	X	JPN	8536.4900.99
G3B-103S-VD 5-24VDC	Solid state relay, plug-in, zero crossing, 1-pole, 2 A, 100-110 VAC	91.50	679638	4536854869679			Cl	X	JPN	8536.4900.99
G3F-202SN-VD 100/110VAC	Solid-state relay, plug-in, zero crossing, 1-pole, 2 A, 100-110 VAC	47.22	679769	4536854919541			Cl	X	JPN	8536.4900.99
G3F-202SN-VD 200/220VAC	Solid-state relay, plug-in, zero crossing, 1-pole, 2 A, 200-220 VAC	41.47	166344	4536854919558		10	Cl	X	JPN	8536.4900.99
G3F-203SLN-VD 12VDC	SSR, plug-in, 3 A (100 to 240 VAC), 12 VDC	31.22	240933	4536854919633		10	Cl	X	JPN	8536.4900.99
G3F-203SLN-VD 24VDC	SSR, plug-in, 3 A (100 to 240 VAC), 24 VDC	37.47	418884	4536854919640			Cl	X	JPN	8536.4900.99
G3F-203SN-VD 5-24VDC	Solid State Relay	33.68	125181	4536854919725		10	Cl	X	JPN	8536.4900.99
G3FD-102SN-VD 5-24VDC	Solid state relay, 100VDC, 2A, plug-in, LED indicator, 5-24 VDC input	53.85	249352	4536854919886		10	Cl	X	JPN	8536.4900.99
G3FD-X03SN-VD 5-24VDC	Solid-state relay, plug-in, 8-pin, 1-pole, 2A, 4-48 VDC	32.52	228650	4536854919916		10	Cl	X	JPN	8536.4900.99
G3H-203SN-VD 5-24VDC	Solid state relay, 100-240 VAC, 3 A, plug-in terminals, equipped with operation indicator, 24 VDC	32.69	679784	4536854920097		10	Cl	X	JPN	8536.4900.99
G3H-203SN-VD 5-24VDC	Solid state relay, 200VAC, 3A, plug-in, LED indicator	31.81	153254	4536854920172		10	Cl	X	JPN	8536.4900.99
G3H-X03SN-VD 4-24VDC	Solid state relay, 200VAC, 3A, plug-in	35.63	125103	4536854920189		10	Cl	X	JPN	8536.4900.99
G3HD-X03SN-VD 5-24VDC	Solid state relay, 4 to 48 VDC, 3 A, plug-in terminals, equipped with operation indicator, 5 to 24 VDC	38.11	679783	4536854920257		10	Cl	X	JPN	8536.4900.99
G3TB-OA202PZ 5-24VDC	Solid-state relay, plug-in, 4 pin, 1-pole, 2 A, 100 to 240 VAC	29.82	323252	4547648740722		5	Cl	X	JPN	8536.4900.99
<b>Accessory for Solid State Relay</b>										
G32A-A40-VD 5-24VDC	Replacement cartridge for G3PA-240B SSR, suitable for 'VD' versions only	62.55	377393	4536854866722	#	10	Cl	Z	CHN	8536.4900.99
G32A-A420-VD 12-24VDC	Replacement cartridge for G3PA-420B-VD SSR	92.90	377395	4536854866784		10	Cl	Z	CHN	8536.4900.99
G32A-A420-VD 2 12-24VDC	Replacement cartridge for G3PA-420B SSR, suitable for 'VD' versions only	91.85	125232	4536854511608			Cl	Z	JPN	8536.4900.99
G32A-A430-VD 12-24VDC	Replacement cartridge for G3PA-430B-VD SSR	109.80	377396	4536854866791		10	Cl	Z	CHN	8536.4900.99
G32A-A430-VD 2 12-24VDC	Replacement cartridge for G3PA-430B SSR, suitable for 'VD' versions only	145.80	148199	4536854515491			Cl	Z	JPN	8536.4900.99
G32A-A450-VD 2 12-24VDC	Replacement cartridge for G3PA-450B-VD-2 DC12-24 SSR	155.60	125233	4536854515507			Cl	Z	JPN	8536.4900.99
G32A-A60-VD 5-24VDC	Replacement cartridge for G3PA-260B SSR, suitable for 'VD' versions only	102.30	377394	4536854866739			Cl	Z	CHN	8536.4900.99
G32A-EA 100-240VAC	Cycle controller for use with SSRs	105.40	125216	4536853420246			Cl	Z	JPN	8536.4900.99
G32X-V2K	External variable resistor, 2 kW, for G3PW power controller	45.47	125222	4536853420321			Cl	Z	JPN	8544.4290.90
G32A-P207S	Thyristor module for G3PH-2075BLU SSR	235.50	373058	4548583076259			Cl	Z	JPN	8536.4900.99
G32A-P215B	Thyristor module for G3PH-2150BLU SSR	351.10	373059	4548583076266			Cl	Z	JPN	8536.4900.99
G32A-P507S	Thyristor module for G3PH-5075BLU SSR	256.30	373060	4548583076273			Cl	Z	JPN	8536.4900.99
G32A-P515B	Thyristor module for G3PH-5150BLU SSR	414.10	373061	4548583076280			Cl	Z	JPN	8536.4900.99
<b>Terminal Block Screw</b>										
XW5G-S10-1.1-1	Ground DIN rail terminal block with screw connection for mounting on TS35; nominal cross section 10 mm <sup>2</sup> ; width 10 mm; color green/yellow	2.97	669285	4548583794320	#	50	Cl	A	DEU	8536.9010.00
XW5G-S16-1.1-1	Ground DIN rail terminal block with screw connection for mounting on TS35; nominal cross section 16 mm <sup>2</sup> ; width 12 mm; color green/yellow	4.46	669277	4548583794351	#	50	Cl	A	DEU	8536.9010.00
XW5G-S2.5-1.1-1	Ground DIN rail terminal block with screw connection for mounting on TS35; nominal cross section 2.5 mm <sup>2</sup> ; width 5 mm; color green/yellow	1.58	669252	4548583794238	#	##	Cl	A	DEU	8536.9010.00
XW5G-S35-1.1-1	Ground DIN rail terminal block with screw connection for mounting on TS35 and TS32; nominal cross section 35 mm <sup>2</sup> ; width 16 mm; color green/yellow	6.35	669331	4548583794382	#	20	Cl	A	DEU	8536.9010.00
XW5G-S40-1.1-1	Ground DIN rail terminal block with screw connection for mounting on TS35; nominal cross section 4 mm <sup>2</sup> ; width 6 mm; color green/yellow	1.65	669324	4548583794269	#	##	Cl	A	DEU	8536.9010.00
XW5G-S6.0-1.1-1	Ground DIN rail terminal block with screw connection for mounting on TS35; nominal cross section 6 mm <sup>2</sup> ; width 8 mm; color green/yellow	2.29	669340	4548583794290	#	##	Cl	A	DEU	8536.9010.00
XW5G-S70-1.1-1	Ground DIN rail terminal block with screw connection for mounting on TS35 and TS32; nominal cross section 70 mm <sup>2</sup> ; width 24 mm; color green/yellow	23.63	669253	4548583794412		20	Cl	A	DEU	8536.9010.00
XW5T-S10-1.1-1	Feed-through DIN rail terminal block with screw connection for mounting on TS35; nominal cross section 10 mm <sup>2</sup> ; width 10 mm; color gray	1.19	669337	4548583794306	#	50	Cl	A	DEU	8536.9010.00
XW5T-S10-1.1-1BL	Feed-through DIN rail terminal block with screw connection for mounting on TS35; nominal cross section 10 mm <sup>2</sup> ; width 10 mm; color blue	1.19	669342	4548583794313		50	Cl	A	DEU	8536.9010.00
XW5T-S150-1.1-1	Feed-through DIN rail terminal block with screw connection for mounting on TS35 and TS32; nominal cross section 150 mm <sup>2</sup> ; width 28 mm; color gray	22.62	669338	4548583794429		10	Cl	A	DEU	8536.9010.00
XW5T-S150-1.1-1BL	Feed-through DIN rail terminal block with screw connection for mounting on TS35 and TS32; nominal cross section 150 mm <sup>2</sup> ; width 28 mm; color blue	22.62	669339	4548583794436		10	Cl	A	DEU	8536.9010.00
XW5T-S16-1.1-1	Feed-through DIN rail terminal block with screw connection for mounting on TS35; nominal cross section 16 mm <sup>2</sup> ; width 12 mm; color gray	1.56	669316	4548583794337	#	50	Cl	A	DEU	8536.9010.00
XW5T-S16-1.1-1BL	Feed-through DIN rail terminal block with screw connection for mounting on TS35; nominal cross section 16 mm <sup>2</sup> ; width 12 mm; color blue	1.56	669263	4548583794344	#	50	Cl	A	DEU	8536.9010.00
XW5T-S2.5-1.1-1	Feed-through DIN rail terminal block with screw connection for mounting on TS35; nominal cross section 2.5 mm <sup>2</sup> ; width 5 mm; color gray	0.42	669329	4548583794214	#	##	Cl	A	DEU	8536.9010.00
XW5T-S2.5-1.1-1BL	Feed-through DIN rail terminal block with screw connection for mounting on TS35; nominal cross section 2.5 mm <sup>2</sup> ; width 5 mm; color blue	0.42	669291	4548583794221	#	##	Cl	A	DEU	8536.9010.00
XW5T-S35-1.1-1	Feed-through DIN rail terminal block with screw connection for mounting on TS35 and TS32; nominal cross section 35 mm <sup>2</sup> ; width 16 mm; color gray	3.42	669254	4548583794368		20	Cl	A	DEU	8536.9010.00

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Dataheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
XWST-S35-1.1-1BL	Feed-through DIN rail terminal block with screw connection for mounting on TS35 and TS32, nominal cross section 35 mm <sup>2</sup> , width 16 mm, color blue	3.42	669266	4548583794375	20	CL	A	DEU	8536.9010.00	
XWST-S40-1.1-1	Feed-through DIN rail terminal block with screw connection for mounting on TS35, nominal cross section 4 mm <sup>2</sup> , width 6 mm, color gray	0.57	669265	4548583794245	##	CL	A	DEU	8536.9010.00	
XWST-S40-1.1-1BL	Feed-through DIN rail terminal block with screw connection for mounting on TS35, nominal cross section 4 mm <sup>2</sup> , width 6 mm, color blue	0.57	669326	4548583794252	##	CL	A	DEU	8536.9010.00	
XWST-S60-1.1-1	Feed-through DIN rail terminal block with screw connection for mounting on TS35, nominal cross section 6 mm <sup>2</sup> , width 8 mm, color blue	0.78	669323	4548583794275	#	##	CL	A	DEU	8536.9010.00
XWST-S60-1.1-1BL	Feed-through DIN rail terminal block with screw connection for mounting on TS35, nominal cross section 6 mm <sup>2</sup> , width 8 mm, color gray	0.78	669304	4548583794283	#	##	CL	A	DEU	8536.9010.00
XWST-S70-1.1-1	Feed-through DIN rail terminal block with screw connection for mounting on TS35 and TS32, nominal cross section 70 mm <sup>2</sup> , width 24 mm, color gray	14.50	669268	4548583794399	20	CL	A	DEU	8536.9010.00	
XWST-S70-1.1-1BL	Feed-through DIN rail terminal block with screw connection for mounting on TS35 and TS32, nominal cross section 70 mm <sup>2</sup> , width 24 mm, color blue	14.50	669286	4548583794405	20	CL	A	DEU	8536.9010.00	
XW5G-S40-1.1-2	Multi-tier ground DIN rail terminal block with screw connection for mounting on TS35, nominal cross section 4 mm <sup>2</sup> , width 6 mm, color green/yellow	4.96	669269	4548583794573	##	CL	A	DEU	8536.9010.00	
XW5G-S40-12-1	Multi conductor ground DIN rail terminal block with 3 screw connections for mounting on TS35, nominal cross section 4 mm <sup>2</sup> , width 6 mm, color green/yellow	2.93	669325	4548583794467	##	CL	A	DEU	8536.9010.00	
XW5G-S40-22-1	Multi conductor ground DIN rail terminal block with 4 screw connections for mounting on TS35, nominal cross section 4 mm <sup>2</sup> , width 6 mm, color green/yellow	3.47	669341	4548583794498	##	CL	A	DEU	8536.9010.00	
XWST-S25-1.1-2	Multi-tier terminal block with screw connection for mounting on TS35 and TS32, nominal cross section 2.5 mm <sup>2</sup> , width 5 mm, color gray	1.60	669326	4548583794535	##	CL	A	CHN	8536.9010.00	
XWST-S25-1.1-2V	Multi-tier terminal block with screw connection for mounting on TS35 and TS32, nominal cross section 2.5 mm <sup>2</sup> , width 5 mm, 2 tier vertical connected, color black	2.53	669264	4548583794542	##	CL	A	CHN	8536.9010.00	
XWST-S40-1.1-2	Multi-tier terminal block with screw connection for mounting on TS35, nominal cross section 4 mm <sup>2</sup> , width 6 mm, color gray	1.75	669311	4548583794559	##	CL	A	DEU	8536.9010.00	
XWST-S40-1.1-2V	Multi-tier terminal block with screw connection for mounting on TS35, nominal cross section 4 mm <sup>2</sup> , width 6 mm, 2 tier vertical connected, color black	2.39	669251	4548583794566	##	CL	A	DEU	8536.9010.00	
XWST-S40-12-1	Multi conductor feed-through terminal block with 3 screw connections for mounting on TS35, nominal cross section 4 mm <sup>2</sup> , width 6 mm, color gray	1.21	669287	4548583794443	##	CL	A	DEU	8536.9010.00	
XWST-S40-12-1BL	Multi conductor feed-through terminal block with 3 screw connections for mounting on TS35, nominal cross section 4 mm <sup>2</sup> , width 6 mm, color blue	1.21	669310	4548583794450	##	CL	A	DEU	8536.9010.00	
XWST-S40-22-1	Multi conductor feed-through terminal block with 4 screw connections for mounting on TS35, nominal cross section 4 mm <sup>2</sup> , width 6 mm, color gray	1.41	669281	4548583794474	##	CL	A	DEU	8536.9010.00	
XWST-S40-22-1BL	Multi conductor feed-through terminal block with 4 screw connections for mounting on TS35, nominal cross section 4 mm <sup>2</sup> , width 6 mm, color blue	1.41	669290	4548583794481	##	CL	A	DEU	8536.9010.00	
XWST-S40-FJ5	Fuse terminal block with screw connection for mounting on TS35 and TS32, nominal cross section 4 mm <sup>2</sup> , width 6 mm, fuse block for 5 mm, color gray	3.27	669293	4548583794504	50	CL	A	DEU	8536.9010.00	
XWST-S40-FJ6	Fuse terminal block with screw connection for mounting on TS35 and TS32, nominal cross section 4 mm <sup>2</sup> , width 6 mm, fuse block for 6.3 mm, color gray	4.20	669249	4548583794511	50	CL	A	DEU	8536.9010.00	
XWST-S40-KD	Knife edge disconnect terminal block with screw connection for mounting on TS35, nominal cross section 4 mm <sup>2</sup> , width 6 mm, color gray	2.18	669306	4548583794528	##	CL	A	DEU	8536.9010.00	
<b>Terminal Block Push-In</b>										
XW5G-P15-1.1-1	Ground DIN rail terminal block with push-in plus connection for mounting on TS35, nominal cross section 1 mm <sup>2</sup> , color green/yellow	1.18	669962	4548583796324	#	5	CL	B	CHN	8536.9010.00
XW5G-P15-1.1-2	Ground multi-tier DIN rail terminal block with push-in plus connections for mounting on TS35, nominal cross section 1 mm <sup>2</sup> , color green/yellow	2.26	670015	4548583796331	50	CL	B	CHN	8536.9010.00	
XW5G-P15-12-1	Ground multi conductor DIN rail terminal block with 3 push-in plus connections for mounting on TS35, nominal cross section 1 mm <sup>2</sup> , color green/yellow	1.41	669956	4548583796348	CL	B	CHN	8536.9010.00		
XW5G-P15-22-1	Ground multi conductor DIN rail terminal block with 4 push-in plus connections for mounting on TS35, nominal cross section 1 mm <sup>2</sup> , color green/yellow	1.49	670000	4548583796355	50	CL	B	CHN	8536.9010.00	
XW5G-P25-1.1-1	Ground DIN rail terminal block with push-in plus connection for mounting on TS35, nominal cross section 2.5 mm <sup>2</sup> , color green/yellow	1.29	669959	4548583796362	#	50	CL	B	CHN	8536.9010.00
XW5G-P40-1.1-1	Ground DIN rail terminal block with push-in plus connection for mounting on TS35, nominal cross section 4 mm <sup>2</sup> , color green/yellow	1.36	669987	4548583796379	#	50	CL	B	CHN	8536.9010.00
XWST-P15-1.1-1	Feed-through DIN rail terminal block with push-in plus connection for mounting on TS35, nominal cross section 1 mm <sup>2</sup> , color gray	0.48	669988	4548583796201	#	50	CL	B	CHN	8536.9010.00
XWST-P15-1.1-1BL	Feed-through DIN rail terminal block with push-in plus connection for mounting on TS35, nominal cross section 1 mm <sup>2</sup> , color blue	0.48	669995	4548583796263	#	50	CL	B	CHN	8536.9010.00
XWST-P15-1.1-2	Multi-tier feed-through DIN rail terminal block with push-in plus connection for mounting on TS35, nominal cross section 1 mm <sup>2</sup> , color gray	1.05	669999	4548583796218	50	CL	B	CHN	8536.9010.00	
XWST-P15-1.1-2BL	Multi-tier feed-through DIN rail terminal block with push-in plus connection for mounting on TS35, nominal cross section 1 mm <sup>2</sup> , color blue	1.05	670003	4548583796270	50	CL	B	CHN	8536.9010.00	
XWST-P15-1.2-1	Multi conductor feed-through DIN rail terminal block with 3 push-in plus connection for mounting on TS35, nominal cross section 1 mm <sup>2</sup> , color gray	0.68	669976	4548583796225	50	CL	B	CHN	8536.9010.00	
XWST-P15-1.2-1BL	Multi conductor feed-through DIN rail terminal block with 3 push-in plus connection for mounting on TS35, nominal cross section 1 mm <sup>2</sup> , color blue	0.68	670002	4548583796287	50	CL	B	CHN	8536.9010.00	
XWST-P15-22-1	Multi conductor feed-through DIN rail terminal block with 4 push-in plus connection for mounting on TS35, nominal cross section 1 mm <sup>2</sup> , color gray	0.75	669980	4548583796232	50	CL	B	CHN	8536.9010.00	
XWST-P15-22-1BL	Multi conductor feed-through DIN rail terminal block with 4 push-in plus connection for mounting on TS35, nominal cross section 1 mm <sup>2</sup> , color blue	0.75	670008	4548583796294	50	CL	B	CHN	8536.9010.00	
XWST-P25-1.1-1	Feed-through DIN rail terminal block with push-in plus connection for mounting on TS35, nominal cross section 2.5 mm <sup>2</sup> , color gray	0.54	669950	4548583796249	#	50	CL	B	CHN	8536.9010.00
XWST-P25-1.1-1BL	Feed-through DIN rail terminal block with push-in plus connection for mounting on TS35, nominal cross section 2.5 mm <sup>2</sup> , color blue	0.54	669968	4548583796300	#	50	CL	B	CHN	8536.9010.00
XWST-P40-1.1-1	Feed-through DIN rail terminal block with push-in plus connection for mounting on TS35, nominal cross section 4 mm <sup>2</sup> , color gray	0.59	670007	4548583796256	#	50	CL	B	CHN	8536.9010.00
XWST-P40-1.1-1BL	Feed-through DIN rail terminal block with push-in plus connection for mounting on TS35, nominal cross section 4 mm <sup>2</sup> , color blue	0.59	669953	4548583796317	#	50	CL	B	CHN	8536.9010.00
XW5G-P25-1.1-2	Ground multi-tier DIN rail terminal block with push-in plus connections for mounting on TS35, nominal cross section 2.5 mm <sup>2</sup> , color green/yellow	3.18	676099	4549734137874	10	CL	B	CHN	8536.9010.00	
XW5G-P25-12-1	Ground multi conductor DIN rail terminal block with 3 push-in plus connections for mounting on TS35, nominal cross section 2.5 mm <sup>2</sup> , color green/yellow	1.28	676103	4549734137881	50	CL	B	CHN	8536.9010.00	
XW5G-P25-22-1	Ground multi conductor DIN rail terminal block with 4 push-in plus connections for mounting on TS35, nominal cross section 2.5 mm <sup>2</sup> , color green/yellow	1.40	676104	4549734137898	50	CL	B	CHN	8536.9010.00	
XW5G-P40-1.1-2	Ground multi-tier DIN rail terminal block with push-in plus connections for mounting on TS35, nominal cross section 4 mm <sup>2</sup> , color green/yellow	3.38	676102	4549734137904	50	CL	B	CHN	8536.9010.00	
XW5G-P40-12-1	Ground multi conductor DIN rail terminal block with 3 push-in plus connections for mounting on TS35, nominal cross section 4 mm <sup>2</sup> , color green/yellow	1.33	676106	4549734137911	50	CL	B	CHN	8536.9010.00	
XW5G-P40-22-1	Ground multi conductor DIN rail terminal block with 4 push-in plus connections for mounting on TS35, nominal cross section 4 mm <sup>2</sup> , color green/yellow	1.43	676111	4549734137928	50	CL	B	CHN	8536.9010.00	
XWST-P25-1.1-2	Multi-tier feed-through DIN rail terminal block with push-in plus connection for mounting on TS35, nominal cross section 2.5 mm <sup>2</sup> , color gray	1.86	676108	4549734137751	#	50	CL	B	CHN	8536.9010.00
XWST-P25-1.1-2BL	Multi-tier feed-through DIN rail terminal block with push-in plus connection for mounting on TS35, nominal cross section 2.5 mm <sup>2</sup> , color blue	1.86	676121	4549734137782	#	50	CL	B	CHN	8536.9010.00
XWST-P25-1.2-1	Multi conductor feed-through DIN rail terminal block with 3 push-in plus connection for mounting on TS35, nominal cross section 2.5 mm <sup>2</sup> , color gray	0.91	676107	4549734137768	50	CL	B	CHN	8536.9010.00	
XWST-P25-1.2-1BL	Multi conductor feed-through DIN rail terminal block with 3 push-in plus connection for mounting on TS35, nominal cross section 2.5 mm <sup>2</sup> , color blue	0.91	676110	4549734137799	50	CL	B	CHN	8536.9010.00	
XWST-P25-22-1	Multi conductor feed-through DIN rail terminal block with 4 push-in plus connection for mounting on TS35, nominal cross section 2.5 mm <sup>2</sup> , color gray	1.08	676116	4549734137775	#	50	CL	B	CHN	8536.9010.00
XWST-P25-22-1BL	Multi conductor feed-through DIN rail terminal block with 4 push-in plus connection for mounting on TS35, nominal cross section 2.5 mm <sup>2</sup> , color blue	1.08	676100	4549734137805	#	50	CL	B	CHN	8536.9010.00
XWST-P40-1.1-2	Multi-tier feed-through DIN rail terminal block with push-in plus connection for mounting on TS35, nominal cross section 4 mm <sup>2</sup> , color gray	2.48	676101	4549734137812	50	CL	B	CHN	8536.9010.00	
XWST-P40-1.1-2BL	Multi-tier feed-through DIN rail terminal block with push-in plus connection for mounting on TS35, nominal cross section 4 mm <sup>2</sup> , color blue	2.48	676113	4549734137843	50	CL	B	CHN	8536.9010.00	
XWST-P40-12-1	Multi conductor feed-through DIN rail terminal block with 3 push-in plus connection for mounting on TS35, nominal cross section 4 mm <sup>2</sup> , color gray	0.93	676119	4549734137829	50	CL	B	CHN	8536.9010.00	
XWST-P40-12-1BL	Multi conductor feed-through DIN rail terminal block with 3 push-in plus connection for mounting on TS35, nominal cross section 4 mm <sup>2</sup> , color blue	0.93	676117	4549734137850	50	CL	B	CHN	8536.9010.00	
XWST-P40-22-1	Multi conductor feed-through DIN rail terminal block with 4 push-in plus connection for mounting on TS35, nominal cross section 4 mm <sup>2</sup> , color gray	1.11	676115	4549734137836	50	CL	B	CHN	8536.9010.00	
XWST-P40-22-1BL	Multi conductor feed-through DIN rail terminal block with 4 push-in plus connection for mounting on TS35, nominal cross section 4 mm <sup>2</sup> , color blue	1.11	676118	4549734137867	50	CL	B	CHN	8536.9010.00	
XW6T-COM1.5X12BL	Wiring System interface with indicator of correct cable insertion, nominal cross section 1.5 mm <sup>2</sup> , 12 pins, blue short bar	5.21	687932	4549734509190	CL	B	JPN	8536.9010.00		
XW6T-COM1.5X12RD	Wiring System interface with indicator of correct cable insertion, nominal cross section 1.5 mm <sup>2</sup> , 12 pins, red short bar	5.21	687933	4549734509183	CL	B	JPN	8536.9010.00		
XW6T-COM1.5X12YL	Wiring System interface with indicator of correct cable insertion, nominal cross section 1.5 mm <sup>2</sup> , 12 pins, yellow short bar	5.21	687931	4549734509206	CL	B	JPN	8536.9010.00		
XW6T-COM1.5X16BL	Wiring System interface with indicator of correct cable insertion, nominal cross section 1.5 mm <sup>2</sup> , 16 pins, blue short bar	6.94	687929	4549734509220	CL	B	JPN	8536.9010.00		
XW6T-COM1.5X16RD	Wiring System interface with indicator of correct cable insertion, nominal cross section 1.5 mm <sup>2</sup> , 16 pins, red short bar	6.94	687930	4549734509213	CL	B	JPN	8536.9010.00		
XW6T-COM1.5X16YL	Wiring System interface with indicator of correct cable insertion, nominal cross section 1.5 mm <sup>2</sup> , 16 pins, yellow short bar	6.94	687928	4549734509237	CL	B	JPN	8536.9010.00		
XW6T-COM1.5X20BL	Wiring System interface with indicator of correct cable insertion, nominal cross section 1.5 mm <sup>2</sup> , 20 pins, blue short bar	8.67	687926	4549734509251	CL	B	JPN	8536.9010.00		
XW6T-COM1.5X20RD	Wiring System interface with indicator of correct cable insertion, nominal cross section 1.5 mm <sup>2</sup> , 20 pins, red short bar	8.67	687927	4549734509244	CL	B	JPN	8536.9010.00		
XW6T-COM1.5X20YL	Wiring System interface with indicator of correct cable insertion, nominal cross section 1.5 mm <sup>2</sup> , 20 pins, yellow short bar	8.67	687925	4549734509268	7	CL	B	JPN	8536.9010.00	
XW6T-COM1.5X40BL	Wiring System interface with indicator of correct cable insertion, nominal cross section 1.5 mm <sup>2</sup> , 40 pins, blue short bar	17.34	687923	4549734509282	CL	B	JPN	8536.9010.00		
XW6T-COM1.5X40RD	Wiring System interface with indicator of correct cable insertion, nominal cross section 1.5 mm <sup>2</sup> , 40 pins, red short bar	17.34	687924	4549734509275	CL	B	JPN	8536.9010.00		
XW6T-COM1.5X40YL	Wiring System interface with indicator of correct cable insertion, nominal cross section 1.5 mm <sup>2</sup> , 40 pins, yellow short bar	17.34	687947	4549734509299	5	CL	B	JPN	8536.9010.00	
XW6T-COM1.5X8BL	Wiring System interface with indicator of correct cable insertion, nominal cross section 1.5 mm <sup>2</sup> , 8 pins, blue short bar	3.47	687935	4549734509169	CL	B	JPN	8536.9010.00		

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Data sheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
XWBT-COM1.5XBFD	Wiring System interface with indicator of correct cable insertion, nominal cross section 1.5 mm <sup>2</sup> , 8 pins, red short bar	3.47	687922	4549734509152			CL	B	JPN	8536.9010.00
XWBT-COM1.5XBFL	Wiring System interface with indicator of correct cable insertion, nominal cross section 1.5 mm <sup>2</sup> , 8 pins, yellow short bar	3.47	687934	4549734509176			CL	B	JPN	8536.9010.00
XWBT-COM2.5X12BL	Wiring System interface with indicator of correct cable insertion, nominal cross section 2.5 mm <sup>2</sup> , 12 pins, blue short bar	5.61	687944	4549734509343			CL	B	JPN	8536.9010.00
XWBT-COM2.5X12RD	Wiring System interface with indicator of correct cable insertion, nominal cross section 2.5 mm <sup>2</sup> , 12 pins, yellow short bar	5.61	687942	4549734509336			CL	B	JPN	8536.9010.00
XWBT-COM2.5X12YL	Wiring System interface with indicator of correct cable insertion, nominal cross section 2.5 mm <sup>2</sup> , 12 pins, red short bar	5.61	687941	4549734509350			CL	B	JPN	8536.9010.00
XWBT-COM2.5X16BL	Wiring System interface with indicator of correct cable insertion, nominal cross section 2.5 mm <sup>2</sup> , 16 pins, blue short bar	7.55	687939	4549734509374			CL	B	JPN	8536.9010.00
XWBT-COM2.5X16RD	Wiring System interface with indicator of correct cable insertion, nominal cross section 2.5 mm <sup>2</sup> , 16 pins, yellow short bar	7.55	687940	4549734509367			CL	B	JPN	8536.9010.00
XWBT-COM2.5X16YL	Wiring System interface with indicator of correct cable insertion, nominal cross section 2.5 mm <sup>2</sup> , 16 pins, yellow short bar	7.55	687938	4549734509381			CL	B	JPN	8536.9010.00
XWBT-COM2.5X20BL	Wiring System interface with indicator of correct cable insertion, nominal cross section 2.5 mm <sup>2</sup> , 20 pins, blue short bar	9.44	687936	4549734509404			CL	B	JPN	8536.9010.00
XWBT-COM2.5X20RD	Wiring System interface with indicator of correct cable insertion, nominal cross section 2.5 mm <sup>2</sup> , 20 pins, red short bar	9.44	687937	4549734509398			CL	B	JPN	8536.9010.00
XWBT-COM2.5X20YL	Wiring System interface with indicator of correct cable insertion, nominal cross section 2.5 mm <sup>2</sup> , 20 pins, yellow short bar	9.44	687921	4549734509411			CL	B	JPN	8536.9010.00
XWBT-COM2.5X40BL	Wiring System interface with indicator of correct cable insertion, nominal cross section 2.5 mm <sup>2</sup> , 40 pins, blue short bar	18.87	687919	4549734509435			CL	B	JPN	8536.9010.00
XWBT-COM2.5X40RD	Wiring System interface with indicator of correct cable insertion, nominal cross section 2.5 mm <sup>2</sup> , 40 pins, red short bar	18.87	687920	4549734509428			CL	B	JPN	8536.9010.00
XWBT-COM2.5X40YL	Wiring System interface with indicator of correct cable insertion, nominal cross section 2.5 mm <sup>2</sup> , 40 pins, yellow short bar	18.87	687918	4549734509442		5	CL	B	JPN	8536.9010.00
XWBT-COM2.5XBBL	Wiring System interface with indicator of correct cable insertion, nominal cross section 2.5 mm <sup>2</sup> , 8 pins, blue short bar	3.78	687945	4549734509312			CL	B	JPN	8536.9010.00
XWBT-COM2.5XBFD	Wiring System interface with indicator of correct cable insertion, nominal cross section 2.5 mm <sup>2</sup> , 8 pins, red short bar	3.78	687946	4549734509305			CL	B	JPN	8536.9010.00
XWBT-COM2.5XBFL	Wiring System interface with indicator of correct cable insertion, nominal cross section 2.5 mm <sup>2</sup> , 8 pins, blue short bar	3.78	687943	4549734509329			CL	B	JPN	8536.9010.00

**Terminal Block Accessory Screw**

XWSS-S10-2	Cross bar for terminal blocks 10 mm <sup>2</sup> screw models, 2 poles, Yellow color	1.29	669314	4548583794726		10	CL	C	DEU	8536.9010.00
XWSS-S16-2	Cross bar for terminal blocks 16 mm <sup>2</sup> screw models, 2 poles, Yellow color	1.50	669279	4548583794733		10	CL	C	DEU	8536.9010.00
XWSS-S2.5-10	Cross bar for terminal blocks 2.5 mm <sup>2</sup> screw models, 10 poles, Yellow color	2.67	669284	4548583794627	#	20	CL	C	DEU	8536.9010.00
XWSS-S2.5-10N	Cross bar for terminal blocks 2.5 mm <sup>2</sup> screw models, 10 poles, Yellow color	3.94	669312	4548583794788		10	CL	C	DEU	8536.9010.00
XWSS-S2.5-2	Cross bar for terminal blocks 2.5 mm <sup>2</sup> screw models, 2 poles, Yellow color	0.32	669280	4548583794580		10	CL	C	DEU	8536.9010.00
XWSS-S2.5-2N	Cross bar for terminal blocks 2.5 mm <sup>2</sup> screw models, 2 poles, Yellow color	0.96	669330	4548583794740		10	CL	C	DEU	8536.9010.00
XWSS-S2.5-3	Cross bar for terminal blocks 2.5 mm <sup>2</sup> screw models, 3 poles, Yellow color	0.59	669256	4548583794597		10	CL	C	DEU	8536.9010.00
XWSS-S2.5-3N	Cross bar for terminal blocks 2.5 mm <sup>2</sup> screw models, 3 poles, Yellow color	1.35	669271	4548583794757		10	CL	C	DEU	8536.9010.00
XWSS-S2.5-4	Cross bar for terminal blocks 2.5 mm <sup>2</sup> screw models, 4 poles, Yellow color	0.89	669297	4548583794603		10	CL	C	DEU	8536.9010.00
XWSS-S2.5-4N	Cross bar for terminal blocks 2.5 mm <sup>2</sup> screw models, 4 poles, Yellow color	1.73	669302	4548583794764		10	CL	C	DEU	8536.9010.00
XWSS-S2.5-5	Cross bar for terminal blocks 2.5 mm <sup>2</sup> screw models, 5 poles, Yellow color	1.19	669262	4548583794610		10	CL	C	DEU	8536.9010.00
XWSS-S2.5-5N	Cross bar for terminal blocks 2.5 mm <sup>2</sup> screw models, 5 poles, Yellow color	2.12	669305	4548583794771		10	CL	C	DEU	8536.9010.00
XWSS-S4.0-10	Cross bar for terminal blocks 4.0 mm <sup>2</sup> screw models, 10 poles, Yellow color	2.82	669255	4548583794672		20	CL	C	DEU	8536.9010.00
XWSS-S4.0-2	Cross bar for terminal blocks 4.0 mm <sup>2</sup> screw models, 2 poles, Yellow color	0.34	669301	4548583794634		10	CL	C	DEU	8536.9010.00
XWSS-S4.0-3	Cross bar for terminal blocks 4.0 mm <sup>2</sup> screw models, 3 poles, Yellow color	0.62	669278	4548583794641		10	CL	C	DEU	8536.9010.00
XWSS-S4.0-4	Cross bar for terminal blocks 4.0 mm <sup>2</sup> screw models, 4 poles, Yellow color	0.94	669313	4548583794658		10	CL	C	DEU	8536.9010.00
XWSS-S4.0-5	Cross bar for terminal blocks 4.0 mm <sup>2</sup> screw models, 5 poles, Yellow color	1.26	669303	4548583794665		10	CL	C	DEU	8536.9010.00
XWSS-S6.0-2	Cross bar for terminal blocks 6.0 mm <sup>2</sup> screw models, 2 poles, Yellow color	0.64	669328	4548583794698		10	CL	C	DEU	8536.9010.00
XWSS-S6.0-3	Cross bar for terminal blocks 6.0 mm <sup>2</sup> screw models, 3 poles, Yellow color	0.98	669298	4548583794698		10	CL	C	DEU	8536.9010.00
XWSS-S6.0-4	Cross bar for terminal blocks 6.0 mm <sup>2</sup> screw models, 4 poles, Yellow color	1.47	669315	4548583794702		10	CL	C	DEU	8536.9010.00
XWSS-S6.0-5	Cross bar for terminal blocks 6.0 mm <sup>2</sup> screw models, 5 poles, Yellow color	1.83	669327	4548583794719		10	CL	C	DEU	8536.9010.00
XWSS-S2.5PT	Partition for terminal blocks 2.5 mm <sup>2</sup> to 10 mm <sup>2</sup> screw models	0.38	669300	4548583794856		10	CL	C	DEU	8536.9010.00
XWSE-S16	End plate for terminal blocks 16 mm <sup>2</sup> screw models	0.53	669282	4548583794801		10	CL	C	DEU	8536.9010.00
XWSE-S2.5	End plate for terminal blocks 2.5 mm <sup>2</sup> to 10 mm <sup>2</sup> screw models	0.29	669267	4548583794795	#	10	CL	C	DEU	8536.9010.00
XWSE-S2.5N	End plate for terminal blocks 4 mm <sup>2</sup> multi tier screw models	0.53	669317	4548583794849		10	CL	C	DEU	8536.9010.00
XWSE-S4.0-1.1-2	End plate for terminal blocks 4 mm <sup>2</sup> screw models	0.42	669270	4548583794832		10	CL	C	DEU	8536.9010.00
XWSE-S4.0-1.2-1	End plate for terminal blocks 4 mm <sup>2</sup> screw models	0.38	669250	4548583794818		10	CL	C	DEU	8536.9010.00
XWSE-S4.0-2.2-1	End plate for terminal blocks 4 mm <sup>2</sup> multi-conductor screw models	0.42	669339	4548583794825		10	CL	C	DEU	8536.9010.00
XWSZ-S2.5LB	Unmarked Label for terminal blocks 2.5 mm <sup>2</sup> screw models with 5 mm and 10 mm width	0.21	669288	4548583794863		25	CL	C	DEU	8536.9010.00
XWSZ-S2.5LB-1-10	Marked Label for terminal blocks 2.5 mm <sup>2</sup> screw models, 10 plastic labels marked sequentially 1-10	0.35	669333	4548583794870		25	CL	C	DEU	8536.9010.00
XWSZ-S2.5LB-1-100	Marked Label Set for terminal blocks 2.5 mm <sup>2</sup> screw models, 2500 plastic labels composed by 25 label for each number 1-100	83.80	669335	4548583794879		25	CL	C	DEU	8536.9010.00
XWSZ-S2.5LB-11-20	Marked Label for terminal blocks 2.5 mm <sup>2</sup> screw models, 10 plastic labels marked sequentially 11-20	0.35	669274	4548583794887		25	CL	C	DEU	8536.9010.00
XWSZ-S2.5LB-21-30	Marked Label for terminal blocks 2.5 mm <sup>2</sup> screw models, 10 plastic labels marked sequentially 21-30	0.35	669272	4548583794894		25	CL	C	DEU	8536.9010.00
XWSZ-S2.5LB-31-40	Marked Label for terminal blocks 2.5 mm <sup>2</sup> screw models, 10 plastic labels marked sequentially 31-40	0.35	669334	4548583794900		25	CL	C	DEU	8536.9010.00
XWSZ-S2.5LB-41-50	Marked Label for terminal blocks 2.5 mm <sup>2</sup> screw models, 10 plastic labels marked sequentially 41-50	0.35	669261	4548583794917		25	CL	C	DEU	8536.9010.00
XWSZ-S2.5LB-51-60	Marked Label for terminal blocks 2.5 mm <sup>2</sup> screw models, 10 plastic labels marked sequentially 51-60	0.35	669321	4548583794924		25	CL	C	DEU	8536.9010.00
XWSZ-S2.5LB-61-70	Marked Label for terminal blocks 2.5 mm <sup>2</sup> screw models, 10 plastic labels marked sequentially 61-70	0.35	669294	4548583794931		25	CL	C	DEU	8536.9010.00
XWSZ-S2.5LB-71-80	Marked Label for terminal blocks 2.5 mm <sup>2</sup> screw models, 10 plastic labels marked sequentially 71-80	0.35	669245	4548583794948		25	CL	C	DEU	8536.9010.00
XWSZ-S2.5LB-81-90	Marked Label for terminal blocks 2.5 mm <sup>2</sup> screw models, 10 plastic labels marked sequentially 81-90	0.35	669319	4548583794955	#	25	CL	C	DEU	8536.9010.00
XWSZ-S2.5LB-91-100	Marked Label for terminal blocks 2.5 mm <sup>2</sup> screw models, 10 plastic labels marked sequentially 91-100	0.35	669307	4548583794962	#	25	CL	C	DEU	8536.9010.00
XWSZ-S4.0LB	Unmarked Label for terminal blocks 4 mm <sup>2</sup> screw models with 6 mm and 12 mm width	0.21	669289	4548583794986		25	CL	C	DEU	8536.9010.00
XWSZ-S4.0LB-1-100	Marked Label Set for terminal blocks 4 mm <sup>2</sup> screw models, 2500 plastic labels composed by 25 label for each number 1-100	83.80	669259	4548583795099	#	25	CL	C	DEU	8536.9010.00
XWSZ-S4.0LB-11-20	Marked Label for terminal blocks 4 mm <sup>2</sup> screw models, 10 plastic labels marked sequentially 11-20	0.35	669295	4548583795006		25	CL	C	DEU	8536.9010.00
XWSZ-S4.0LB-31-40	Marked Label for terminal blocks 4 mm <sup>2</sup> screw models, 10 plastic labels marked sequentially 31-40	0.35	669258	4548583795020		25	CL	C	DEU	8536.9010.00
XWSZ-S4.0LB-41-50	Marked Label for terminal blocks 4 mm <sup>2</sup> screw models, 10 plastic labels marked sequentially 41-50	0.35	669309	4548583795037		25	CL	C	DEU	8536.9010.00
XWSZ-S4.0LB-51-60	Marked Label for terminal blocks 4 mm <sup>2</sup> screw models, 10 plastic labels marked sequentially 51-60	0.35	669308	4548583795044		25	CL	C	DEU	8536.9010.00
XWSZ-S4.0LB-61-70	Marked Label for terminal blocks 4 mm <sup>2</sup> screw models, 10 plastic labels marked sequentially 61-70	0.35	669244	4548583795051		25	CL	C	DEU	8536.9010.00
XWSZ-S4.0LB-71-80	Marked Label for terminal blocks 4 mm <sup>2</sup> screw models, 10 plastic labels marked sequentially 71-80	0.35	669276	4548583795068		25	CL	C	DEU	8536.9010.00
XWSZ-S4.0LB-81-90	Marked Label for terminal blocks 4 mm <sup>2</sup> screw models, 10 plastic labels marked sequentially 81-90	0.35	669246	4548583795075		25	CL	C	DEU	8536.9010.00
XWSZ-S4.0LB-91-100	Marked Label for terminal blocks 4 mm <sup>2</sup> screw models, 10 plastic labels marked sequentially 91-100	0.35	669248	4548583795082		25	CL	C	DEU	8536.9010.00
XWSZ-S6.0LB	Unmarked Label for terminal blocks 6 mm <sup>2</sup> screw models with 8 mm and 16 mm width	0.22	669293	4548583795105		25	CL	C	DEU	8536.9010.00
XWSZ-S6.0LB-1-10	Marked Label for terminal blocks 6 mm <sup>2</sup> screw models, 10 plastic labels marked sequentially 1-10	0.41	669296	4548583795112	#	25	CL	C	DEU	8536.9010.00
XWSZ-S6.0LB-1-100	Marked Label Set for terminal blocks 6 mm <sup>2</sup> screw models, 2500 plastic labels composed by 25 label for each number 1-100	100.90	669332	4548583795211		25	CL	C	DEU	8536.9010.00
XWSZ-S6.0LB-11-20	Marked Label for terminal blocks 6 mm <sup>2</sup> screw models, 10 plastic labels marked sequentially 11-20	0.41	669243	4548583795129		25	CL	C	DEU	8536.9010.00
XWSZ-S6.0LB-21-30	Marked Label for terminal blocks 6 mm <sup>2</sup> screw models, 10 plastic labels marked sequentially 21-30	0.41	669318	4548583795136		25	CL	C	DEU	8536.9010.00

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Daheet)	GTIN	Stock Qty.	Lot Qty.	Gr.	Fam	COO	Tariff Code
XWSZ-S6.0LB-31-40	Marked Label for terminal blocks 6 mm <sup>2</sup> screw models, 10 plastic labels marked sequentially 31-40	0.41	669260	4548583795143	25		CL	C	DEU	8536.9010.00
XWSZ-S6.0LB-41-50	Marked Label for terminal blocks 6 mm <sup>2</sup> screw models, 10 plastic labels marked sequentially 41-50	0.41	669322	4548583795150	25		CL	C	DEU	8536.9010.00
XWSZ-S6.0LB-61-70	Marked Label for terminal blocks 6 mm <sup>2</sup> screw models, 10 plastic labels marked sequentially 61-70	0.41	669320	4548583795167	25		CL	C	DEU	8536.9010.00
XWSZ-S6.0LB-71-80	Marked Label for terminal blocks 6 mm <sup>2</sup> screw models, 10 plastic labels marked sequentially 71-80	0.41	669292	4548583795174	25		CL	C	DEU	8536.9010.00
XWSZ-S6.0LB-81-90	Marked Label for terminal blocks 6 mm <sup>2</sup> screw models, 10 plastic labels marked sequentially 81-90	0.41	669273	4548583795181	25		CL	C	DEU	8536.9010.00
XWSZ-S6.0LB-91-100	Marked Label for terminal blocks 6 mm <sup>2</sup> screw models, 10 plastic labels marked sequentially 91-100	0.41	669275	4548583795198	25		CL	C	DEU	8536.9010.00
		0.41	669242	4548583795204	25		CL	C	DEU	8536.9010.00
<b>Terminal Block Accessories Push-In</b>										
XWSS-P1.5-10BL	Short bar for terminal blocks 1 mm <sup>2</sup> push-in plus models, 10 poles, blue color	3.05	670046	4548583796577	#	20	CL	D	CHN	8536.9010.00
XWSS-P1.5-10RD	Short bar for terminal blocks 1 mm <sup>2</sup> push-in plus models, 10 poles, red color	3.05	670043	4548583796423	#	20	CL	D	CHN	8536.9010.00
XWSS-P1.5-10YL	Short bar for terminal blocks 1 mm <sup>2</sup> push-in plus models, 10 poles, yellow color	3.05	670049	4548583796720	#	20	CL	D	CHN	8536.9010.00
XWSS-P1.5-2BL	Short bar for terminal blocks 1 mm <sup>2</sup> push-in plus models, 2 poles, blue color	0.54	669972	4548583796539	5	CL	D	CHN	8536.9010.00	
XWSS-P1.5-2RD	Short bar for terminal blocks 1 mm <sup>2</sup> push-in plus models, 2 poles, red color	0.54	669954	4548583796386	50	CL	D	CHN	8536.9010.00	
XWSS-P1.5-2YL	Short bar for terminal blocks 1 mm <sup>2</sup> push-in plus models, 2 poles, yellow color	0.54	669996	4548583796683	5	CL	D	CHN	8536.9010.00	
XWSS-P1.5-3BL	Short bar for terminal blocks 1 mm <sup>2</sup> push-in plus models, 3 poles, blue color	0.69	669981	4548583796546	5	CL	D	CHN	8536.9010.00	
XWSS-P1.5-3RD	Short bar for terminal blocks 1 mm <sup>2</sup> push-in plus models, 3 poles, red color	0.69	669966	4548583796393	3	CL	D	CHN	8536.9010.00	
XWSS-P1.5-3YL	Short bar for terminal blocks 1 mm <sup>2</sup> push-in plus models, 3 poles, yellow color	0.69	669971	4548583796690	50	CL	D	CHN	8536.9010.00	
XWSS-P1.5-4BL	Short bar for terminal blocks 1 mm <sup>2</sup> push-in plus models, 4 poles, blue color	0.85	669974	4548583796553	50	CL	D	CHN	8536.9010.00	
XWSS-P1.5-4RD	Short bar for terminal blocks 1 mm <sup>2</sup> push-in plus models, 4 poles, red color	0.85	669998	4548583796409	50	CL	D	CHN	8536.9010.00	
XWSS-P1.5-4YL	Short bar for terminal blocks 1 mm <sup>2</sup> push-in plus models, 4 poles, yellow color	0.85	669986	4548583796706	50	CL	D	CHN	8536.9010.00	
XWSS-P1.5-5BL	Short bar for terminal blocks 1 mm <sup>2</sup> push-in plus models, 5 poles, blue color	1.27	669989	4548583796560	5	CL	D	CHN	8536.9010.00	
XWSS-P1.5-5RD	Short bar for terminal blocks 1 mm <sup>2</sup> push-in plus models, 5 poles, red color	1.27	669991	4548583796416	5	CL	D	CHN	8536.9010.00	
XWSS-P1.5-5YL	Short bar for terminal blocks 1 mm <sup>2</sup> push-in plus models, 5 poles, yellow color	1.27	669964	4548583796713	50	CL	D	CHN	8536.9010.00	
XWSS-P2.5-10BL	Short bar for terminal blocks 2.5 mm <sup>2</sup> push-in plus models, 10 poles, blue color	3.05	670047	4548583796621	#	20	CL	D	CHN	8536.9010.00
XWSS-P2.5-10RD	Short bar for terminal blocks 2.5 mm <sup>2</sup> push-in plus models, 10 poles, red color	3.05	670044	4548583796478	#	20	CL	D	CHN	8536.9010.00
XWSS-P2.5-10YL	Short bar for terminal blocks 2.5 mm <sup>2</sup> push-in plus models, 10 poles, yellow color	3.05	670050	4548583796775	#	20	CL	D	CHN	8536.9010.00
XWSS-P2.5-2BL	Short bar for terminal blocks 2.5 mm <sup>2</sup> push-in plus models, 2 poles, blue color	0.62	670006	4548583796584	50	CL	D	CHN	8536.9010.00	
XWSS-P2.5-2RD	Short bar for terminal blocks 2.5 mm <sup>2</sup> push-in plus models, 2 poles, red color	0.62	670009	4548583796430	50	CL	D	CHN	8536.9010.00	
XWSS-P2.5-2YL	Short bar for terminal blocks 2.5 mm <sup>2</sup> push-in plus models, 2 poles, yellow color	0.62	669952	4548583796737	50	CL	D	CHN	8536.9010.00	
XWSS-P2.5-3BL	Short bar for terminal blocks 2.5 mm <sup>2</sup> push-in plus models, 3 poles, blue color	0.81	669983	4548583796591	50	CL	D	CHN	8536.9010.00	
XWSS-P2.5-3RD	Short bar for terminal blocks 2.5 mm <sup>2</sup> push-in plus models, 3 poles, red color	0.81	669979	4548583796447	50	CL	D	CHN	8536.9010.00	
XWSS-P2.5-3YL	Short bar for terminal blocks 2.5 mm <sup>2</sup> push-in plus models, 3 poles, yellow color	0.81	669951	4548583796744	20	CL	D	CHN	8536.9010.00	
XWSS-P2.5-4BL	Short bar for terminal blocks 2.5 mm <sup>2</sup> push-in plus models, 4 poles, blue color	0.96	670014	4548583796607	50	CL	D	CHN	8536.9010.00	
XWSS-P2.5-4RD	Short bar for terminal blocks 2.5 mm <sup>2</sup> push-in plus models, 4 poles, red color	0.96	670001	4548583796454	50	CL	D	CHN	8536.9010.00	
XWSS-P2.5-4YL	Short bar for terminal blocks 2.5 mm <sup>2</sup> push-in plus models, 4 poles, yellow color	0.96	669969	4548583796751	10	CL	D	CHN	8536.9010.00	
XWSS-P2.5-5BL	Short bar for terminal blocks 2.5 mm <sup>2</sup> push-in plus models, 5 poles, blue color	1.13	670012	4548583796614	50	CL	D	CHN	8536.9010.00	
XWSS-P2.5-5RD	Short bar for terminal blocks 2.5 mm <sup>2</sup> push-in plus models, 5 poles, red color	1.13	669963	4548583796461	50	CL	D	CHN	8536.9010.00	
XWSS-P2.5-5YL	Short bar for terminal blocks 2.5 mm <sup>2</sup> push-in plus models, 5 poles, yellow color	1.13	669978	4548583796768	50	CL	D	CHN	8536.9010.00	
XWSS-P4.0-10BL	Short bar for terminal blocks 4 mm <sup>2</sup> push-in plus models, 10 poles, blue color	3.16	670048	4548583796676	#	20	CL	D	CHN	8536.9010.00
XWSS-P4.0-10RD	Short bar for terminal blocks 4 mm <sup>2</sup> push-in plus models, 10 poles, red color	3.16	670045	4548583796522	20	CL	D	CHN	8536.9010.00	
XWSS-P4.0-10YL	Short bar for terminal blocks 4 mm <sup>2</sup> push-in plus models, 10 poles, yellow color	3.16	670051	4548583796829	20	CL	D	CHN	8536.9010.00	
XWSS-P4.0-2BL	Short bar for terminal blocks 4 mm <sup>2</sup> push-in plus models, 2 poles, blue color	0.73	670004	4548583796638	50	CL	D	CHN	8536.9010.00	
XWSS-P4.0-2RD	Short bar for terminal blocks 4 mm <sup>2</sup> push-in plus models, 2 poles, red color	0.73	669977	4548583796485	50	CL	D	CHN	8536.9010.00	
XWSS-P4.0-2YL	Short bar for terminal blocks 4 mm <sup>2</sup> push-in plus models, 2 poles, yellow color	0.73	669965	4548583796782	CL	D	CHN	8536.9010.00		
XWSS-P4.0-3BL	Short bar for terminal blocks 4 mm <sup>2</sup> push-in plus models, 3 poles, blue color	0.89	669961	4548583796645	3	CL	D	CHN	8536.9010.00	
XWSS-P4.0-3RD	Short bar for terminal blocks 4 mm <sup>2</sup> push-in plus models, 3 poles, red color	0.89	669982	4548583796492	50	CL	D	CHN	8536.9010.00	
XWSS-P4.0-3YL	Short bar for terminal blocks 4 mm <sup>2</sup> push-in plus models, 3 poles, yellow color	0.89	669993	4548583796799	50	CL	D	CHN	8536.9010.00	
XWSS-P4.0-4BL	Short bar for terminal blocks 4 mm <sup>2</sup> push-in plus models, 4 poles, blue color	1.13	669957	4548583796652	50	CL	D	CHN	8536.9010.00	
XWSS-P4.0-4RD	Short bar for terminal blocks 4 mm <sup>2</sup> push-in plus models, 4 poles, red color	1.13	669970	4548583796508	50	CL	D	CHN	8536.9010.00	
XWSS-P4.0-4YL	Short bar for terminal blocks 4 mm <sup>2</sup> push-in plus models, 4 poles, yellow color	1.13	669992	4548583796805	50	CL	D	CHN	8536.9010.00	
XWSS-P4.0-5BL	Short bar for terminal blocks 4 mm <sup>2</sup> push-in plus models, 5 poles, blue color	1.48	669997	4548583796669	50	CL	D	CHN	8536.9010.00	
XWSS-P4.0-5RD	Short bar for terminal blocks 4 mm <sup>2</sup> push-in plus models, 5 poles, red color	1.48	669985	4548583796515	CL	D	CHN	8536.9010.00		
XWSS-P4.0-5YL	Short bar for terminal blocks 4 mm <sup>2</sup> push-in plus models, 5 poles, yellow color	1.48	670005	4548583796812	50	CL	D	CHN	8536.9010.00	
XWSE-P1.5-1.1-1	End plate for terminal blocks 1 mm <sup>2</sup> push-in plus models	0.23	669955	4548583796836	#	50	CL	D	CHN	8536.9010.00
XWSE-P1.5-1.1-2	End plate for multi-tier terminal blocks 1 mm <sup>2</sup> push-in plus models	0.24	669973	4548583796843	#	50	CL	D	CHN	8536.9010.00
XWSE-P1.5-1.2-1	End plate for multi conductor 3 connections terminal blocks 1 mm <sup>2</sup> push-in plus models	0.23	670011	4548583796850	3	CL	D	CHN	8536.9010.00	
XWSE-P1.5-2.2-1	End plate for multi conductor 4 connections terminal blocks 1 mm <sup>2</sup> push-in plus models	0.23	669967	4548583796867	50	CL	D	CHN	8536.9010.00	
XWSE-P2.5-1.1-1	End plate for terminal blocks 2.5 mm <sup>2</sup> push-in plus models	0.24	669949	4548583796874	#	50	CL	D	CHN	8536.9010.00
XWSE-P2.5-1.1-2	End plate for multi-tier terminal blocks 2.5 mm <sup>2</sup> push-in plus models	0.45	676114	4549734137935	#	50	CL	D	CHN	8536.9010.00
XWSE-P2.5-1.2-1	End plate for multi conductor 3 connections terminal blocks 2.5 mm <sup>2</sup> push-in plus models	0.45	676109	4549734137942	50	CL	D	CHN	8536.9010.00	
XWSE-P2.5-2.2-1	End plate for multi conductor 4 connections terminal blocks 2.5 mm <sup>2</sup> push-in plus models	0.46	676112	4549734137959	#	50	CL	D	CHN	8536.9010.00
XWSE-P4.0-1.1-1	End plate for terminal blocks 4 mm <sup>2</sup> push-in plus models	0.24	669960	4548583796881	#	50	CL	D	CHN	8536.9010.00
XWSE-P4.0-1.1-2	End plate for multi-tier terminal blocks 4 mm <sup>2</sup> push-in plus models	0.45	676105	4549734137966	50	CL	D	CHN	8536.9010.00	
XWSE-P4.0-1.2-1	End plate for multi conductor 3 connections terminal blocks 4 mm <sup>2</sup> push-in plus models	0.45	676120	4549734137973	50	CL	D	CHN	8536.9010.00	
XWSE-P4.0-2.2-1	End plate for multi conductor 4 connections terminal blocks 4 mm <sup>2</sup> push-in plus models	0.46	676098	4549734137980	50	CL	D	CHN	8536.9010.00	
XWSZ-EP12	Separator Plate for terminal blocks, 12 mm width	3.02	669994	4548583796898	3	CL	D	CHN	8536.9010.00	
XWSZ-EP6	End bracket for terminal blocks, 6 mm width	0.45	670013	4548583796904	#	50	CL	D	CHN	8536.9010.00
XWSZ-P1.5LB1	Unmarked Label for terminal blocks 1 mm <sup>2</sup> push-in plus models, 102 pcs, Plastic, Front side	23.91	670027	4548583796911	5	CL	D	POL	8536.9010.00	
XWSZ-P1.5LB2	Unmarked Label for terminal blocks 1 mm <sup>2</sup> push-in plus models, 106 pcs, Plastic, Top and bottom side	22.87	670028	4548583796928	3	CL	D	POL	8536.9010.00	
XWSZ-P2.5LB1	Unmarked Label for terminal blocks 2.5 mm <sup>2</sup> push-in plus . 72 pcs, Plastic, Front side	23.91	670029	4548583796935	5	CL	D	POL	8536.9010.00	
XWSZ-P2.5LB2	Unmarked Label for terminal blocks 2.5 mm <sup>2</sup> push-in plus, 72 pcs, Plastic, Top and bottom side	22.87	670030	4548583796942	CL	D	POL	8536.9010.00		
XWSZ-P4.0LB1	Unmarked Label for terminal blocks 4.0 mm <sup>2</sup> push-in plus, 60 pcs, Plastic, Front side	23.91	670031	4548583796959	3	CL	D	POL	8536.9010.00	
XWSZ-P4.0LB2	Unmarked Label for terminal blocks 4.0 mm <sup>2</sup> push-in plus, 60 pcs, Plastic, Top and bottom side	22.87	670032	4548583796966	3	CL	D	POL	8536.9010.00	

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Daheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
<b>Counter H7EC/RT</b>										
H7EC-N	Total counter, 1/32DIN (48 x 24 mm), self-powered, LCD, 8-digit, 30cps/1kcps, no-V input, grey case	68.75	672687	4548583755635	#	10	DA	A	IDN	9029.1000.90
H7EC-NB	Total counter, 1/32DIN (48 x 24 mm), self-powered, LCD, 8-digit, 30cps/1kcps, no-V input, black case	68.75	672677	4548583755642	#	10	DA	A	IDN	9029.1000.90
H7EC-NFV	Total counter, 1/32DIN (48 x 24 mm), self-powered, LCD, 8-digit, 20cps, VAC/DC input, grey case	100.00	672689	4548583755607	#	10	DA	A	IDN	9029.1000.90
H7EC-NFV-B	Total counter, 1/32DIN (48 x 24 mm), self-powered, LCD, 8-digit, 20cps, VAC/DC input, black case	112.60	672683	4548583755703	#	10	DA	A	IDN	9029.1000.90
H7EC-NLP	PC board-use counter, Total counter, 1/32DIN (48 x 24 mm), External power supply, LCD, 8-digits, no-voltage input, 30 Hz max.counting speed, transparent case	45.50	672689	4548583755710			DA	A	IDN	9029.1000.90
H7EC-NP	PC board-use counter, Total counter, 1/32DIN (48 x 24 mm), External power supply, LCD, 8-digits, no-voltage input, 1 kHz max.counting speed, transparent case	64.60	672682	4548583755727			DA	A	IDN	9029.1000.90
H7EC-NV	Total counter, 1/32DIN (48 x 24 mm), self-powered, LCD, 8-digit, 30cps/1kcps, VDC input, grey case	71.10	672660	4548583755659	#	10	DA	A	IDN	9029.1000.90
H7EC-NV-B	Total counter, 1/32DIN (48 x 24 mm), self-powered, LCD, 8-digit, 30cps/1kcps, VDC input, black case	72.40	672691	4548583755666	#	10	DA	A	IDN	9029.1000.90
H7EC-NV-BH	Total counter, 1/32DIN (48 x 24 mm), self-powered, LCD with backlight, 8-digit, 30cps/1kcps, VDC input, black case	76.20	672661	4548583755680	#	10	DA	A	IDN	9029.1000.90
H7EC-NV-H	Total counter, 1/32DIN (48 x 24 mm), self-powered, LCD with backlight, 8-digit, 30cps/1kcps, VDC input, grey case	76.60	672690	4548583755673	#	10	DA	A	IDN	9029.1000.90
H7ER-N	Tachometer, DIN 48 x 24 mm, self-powered, LCD, 4-digit, 1/60 ppr, no-V input, grey case	74.65	672673	4548583755734	#	10	DA	A	IDN	9029.1000.90
H7ER-NV	Tachometer, DIN 48x24 mm, self-powered, LCD, 4-digit, 1/60 ppr, VDC input, grey case	81.70	672680	4548583755758	#	10	DA	A	IDN	9029.1000.90
H7ER-NV1	Tachometer, DIN 48x24 mm, self-powered, LCD, 5-digit, 1/60 ppr, VDC input, grey case	81.70	672678	4548583755796	#	10	DA	A	IDN	9029.1000.90
H7ER-NV1-H	Tachometer, 1/32DIN (48 x 24 mm), self-powered, LCD with backlight, 5-digit, 10/60/600ppr, VDC input, grey case	89.45	672679	4548583755819	#	10	DA	A	IDN	9029.1000.90
H7ER-NV-H	Tachometer, 1/32DIN (48 x 24 mm), self-powered, LCD with backlight, 4-digit, 1/60ppr, VDC input, grey case	88.85	672669	4548583755772	#	10	DA	A	IDN	9029.1000.90
H7ET-N	Time counter, 1/32DIN (48 x 24 mm), self-powered, LCD, 7-digit, 999999.9h / 3999d23.9h, no-V input, grey case	70.85	672656	4548583755833	#	10	DA	A	IDN	9029.1000.90
H7ET-N1	Time counter, 1/32DIN (48 x 24 mm), self-powered, LCD, 7-digit, 999959m59s / 9999h59.9m, no-V input, grey case	83.35	672657	4548583755857	#	10	DA	A	IDN	9029.1000.90
H7ET-N1-B	Time counter, 1/32DIN (48 x 24 mm), self-powered, LCD, 7-digit, 999959m59s / 9999h59.9m, no-V input, black case	73.65	672692	4548583755864	#	10	DA	A	IDN	9029.1000.90
H7ET-NB	Time counter, 1/32DIN (48 x 24 mm), self-powered, LCD, 7-digit, 999999.9h / 3999d23.9h, VAC/DC input, grey case	73.65	672672	4548583755840	#	10	DA	A	IDN	9029.1000.90
H7ET-NFV	Time counter, 1/32DIN (48 x 24 mm), self-powered, LCD, 7-digit, 999999.9h / 3999d23.9h, VAC/DC input, grey case	109.60	672681	4548583755956	#	10	DA	A	IDN	9029.1000.90
H7ET-NFV1	Time counter, 1/32DIN (48 x 24 mm), self-powered, LCD, 7-digit, 999959m59s / 9999h59.9m, VAC/DC input, grey case	107.40	672674	4548583755970	#	10	DA	A	IDN	9029.1000.90
H7ET-NFV1-B	Time counter, 1/32DIN (48 x 24 mm), self-powered, LCD, 7-digit, 999999.9h / 3999d23.9h, VAC/DC input, black case	102.90	672663	4548583755963	#	10	DA	A	IDN	9029.1000.90
H7ET-NP	PC board-use counter, Time counter, 1/32DIN (48 x 24 mm), External power supply, LCD, 7-digits, 999999.9h, no-voltage input, transparent case	60.50	672676	4548583755994	#	10	DA	A	IDN	9029.1000.90
H7ET-NV	Time counter, 1/32DIN (48 x 24 mm), self-powered, LCD, 7-digit, 999999.9h / 3999d23.9h, VDC input, grey case	73.35	672665	4548583755871	#	10	DA	A	IDN	9029.1000.90
H7ET-NV1	Time counter, 1/32DIN (48 x 24 mm), self-powered, LCD, 7-digit, 999959m59s / 9999h59.9m, VDC input, grey case	89.10	672658	4548583755918	#	10	DA	A	IDN	9029.1000.90
H7ET-NV1-B	Time counter, 1/32DIN (48 x 24 mm), self-powered, LCD, 7-digit, 999959m59s / 9999h59.9m, VDC input, black case	89.10	672668	4548583755925	#	10	DA	A	IDN	9029.1000.90
H7ET-NV1-BH	Time counter, 1/32DIN (48 x 24 mm), self-powered, LCD with backlight, 7-digit, 999959m59s / 9999h59.9m, VDC input, black case	107.40	672670	4548583755949	#	10	DA	A	IDN	9029.1000.90
H7ET-NV1-H	Time counter, 1/32DIN (48 x 24 mm), self-powered, LCD with backlight, 7-digit, 999959m59s / 9999h59.9m, VDC input, grey case	92.15	672684	4548583755932	#	10	DA	A	IDN	9029.1000.90
H7ET-NV501	Time counter, seven digits, dual time range 0 to 3999d 23.9h, Key-protect Switch ON	81.70	232205	4547648284011	#	10	DA	A	CHN	9029.1000.90
H7ET-NV-B	Time counter, 1/32DIN (48 x 24 mm), self-powered, LCD, 7-digit, 999999.9h / 3999d23.9h, VDC input, black case	77.05	672692	4548583755888	#	10	DA	A	IDN	9029.1000.90
H7ET-NV-BH	Time counter, 1/32DIN (48 x 24 mm), self-powered, LCD with backlight, 7-digit, 999999.9h / 3999d23.9h, VDC input, black case	92.60	672671	4548583755901	#	10	DA	A	IDN	9029.1000.90
H7ET-NV-H	Time counter, 1/32DIN (48 x 24 mm), self-powered, LCD with backlight, 7-digit, 999999.9h / 3999d23.9h, VDC input, grey case	78.10	672664	4548583755895	#	10	DA	A	IDN	9029.1000.90
<b>Counter H8PS</b>										
H8PS-16B	Rotary positioner, 1/4DIN (96 x 96 mm) panel mounting, 24 VDC, 16x NPN outputs (requires E6CP/EBF encoder)	884.00	169008	4547648042598	#	10	DA	B	JPN	9029.1000.90
H8PS-16BF	Rotary positioner, 1/4DIN (96 x 96 mm), track/surface mounting, 24 VDC, 16x NPN outputs (requires E6CP/EBF encoder)	887.50	169009	4547648042604	#	10	DA	B	JPN	9029.1000.90
H8PS-16BFP	Rotary positioner, 1/4DIN (96 x 96mm), track/surface mounting, 24 VDC, 16x PNP outputs (requires E6CP/EBF encoder)	867.50	169011	4547648042628	#	10	DA	B	JPN	9029.1000.90
H8PS-16BP	Rotary positioner, 1/4DIN (96 x 96mm) panel mounting, 24 VDC, 16x PNP outputs (requires E6CP/EBF encoder)	864.50	169010	4547648042611	#	10	DA	B	JPN	9029.1000.90
H8PS-32B	Rotary positioner, 1/4DIN (96 x 96 mm) flush mounting, 24 VDC, 32x NPN outputs (requires E6CP/EBF encoder)	1,185.00	169012	4547648042673	#	10	DA	B	JPN	9029.1000.90
H8PS-32BFP	Rotary positioner, 1/4DIN (96 x 96mm), track/surface mounting, 24 VDC, 32x PNP outputs (requires E6CP/EBF encoder)	1,185.00	169015	4547648042703	#	10	DA	B	JPN	9029.1000.90
H8PS-32BP	Rotary positioner, 1/4DIN (96 x 96mm) panel mounting, 24 VDC, 32x PNP outputs (requires E6CP/EBF encoder)	1,185.00	169014	4547648042697	#	10	DA	B	JPN	9029.1000.90
H8PS-8AF	Cam Positioner, Surface Mounting, 8 Outputs	798.50	143214	4536853532428	#	10	DA	B	JPN	9029.1000.90
H8PS-8B	Rotary positioner, DIN 96x96 mm panel mounting, 24 VDC, 8x NPN outputs (requires E6CP/EBF encoder)	503.00	142010	4536853532451	#	10	DA	B	JPN	9029.1000.90
H8PS-8BF	Rotary positioner, 1/4DIN (96 x 96mm), track/surface mounting, 24 VDC, 8x NPN outputs (requires E6CP/EBF encoder)	533.50	119514	4536853532468	#	10	DA	B	JPN	9029.1000.90
H8PS-8BFP	Rotary positioner, DIN 96x96 mm, track/surface mounting, 24 VDC, 8x PNP outputs (requires E6CP/EBF encoder)	516.50	119516	4536853532482	#	10	DA	B	JPN	9029.1000.90
H8PS-8BP	Rotary positioner, DIN 96x96 mm panel mounting, 24 VDC, 8x PNP outputs (requires E6CP/EBF encoder)	507.50	119515	4536853532475	#	10	DA	B	JPN	9029.1000.90
<b>Counter H7GP/HP</b>										
H7GP-C	Total counter, 1/32DIN (48 x 24mm), 100-240 VAC, LCD, 6-digit, 30cps or 5kcps, NPN/PNP input, manual reset	156.20	243926	4547648353571	#	10	DA	C	CHN	9029.1000.90
H7GP-CB	Total counter, 1/32DIN (48 x 24mm), 100-240 VAC, LCD, 6-digit, 30cps or 5kcps, NPN/PNP input, manual reset	237.20	243930	4547648353618	#	10	DA	C	CHN	9029.1000.90
H7GP-CD	Total counter, 1/32DIN (48 x 24mm), 12-24 VDC, LCD, 6-digit, 30cps or 5kcps, NPN/PNP input, manual reset	141.60	243927	4547648353588	#	10	DA	C	CHN	9029.1000.90
H7GP-CDB	Total counter, 1/32DIN (48 x 24mm), 12-24 VDC, LCD, 6-digit, 30cps or 5kcps, NPN/PNP input, manual reset	220.50	243931	4547648353625	#	10	DA	C	CHN	9029.1000.90
H7GP-T	Time counter, 1/32DIN (48 x 24mm), 100-240 VAC, LCD, 6-digit, 30cps or 5kcps, NPN/PNP input, manual reset	182.60	243928	4547648353585	#	10	DA	C	CHN	9029.1000.90
H7GP-TD	Time counter, 1/32DIN (48 x 24mm), 12-24 VDC, LCD, 6-digit, 30cps or 5kcps, NPN/PNP input, manual reset	141.90	243929	4547648353601	#	10	DA	C	CHN	9029.1000.90
H7GP-TDB	Time counter, 1/32DIN (48 x 24 mm), 12-24 VDC, LCD, 6-digit, 30cps or 5kcps, NPN/PNP input, manual reset	165.60	243923	4547648353649	#	10	DA	C	CHN	9029.1000.90
H7HP-A	Total/time counter, DIN72x36mm, 100-240 VAC, LCD, 6-digit, 30cps or 5kcps, NPN/PNP input, manual reset	181.60	243933	4547648353885	#	10	DA	C	CHN	9029.1000.90
H7HP-AD	Total/time counter, DIN72x36mm, 12-24 VDC, LCD, 6-digit, 30cps or 5kcps, NPN/PNP input, manual reset	165.50	243934	4547648353892	#	10	DA	C	CHN	9029.1000.90
H7HP-ADB	Total/time counter, DIN72 x 36 mm, 12-24 VDC, LCD, 6-digit, 30cps or 5kcps, NPN/PNP input, manual reset	198.00	243938	4547648353939	#	10	DA	C	CHN	9029.1000.90
H7HP-CD	Total counter, DIN72x36mm, 100-240 VAC, LCD, 8-digit, 30cps or 5kcps, NPN/PNP input, manual reset	214.70	243935	4547648353908	#	10	DA	C	CHN	9029.1000.90
H7HP-C8B	Total counter, DIN72x36 mm, 12 to 24 VDC, LCD, 8-digit, 30cps or 5kcps, NPN/PNP input, manual reset	198.70	243936	4547648353915	#	10	DA	C	CHN	9029.1000.90
H7HP-C8DB	Total counter, DIN72x36mm, 12-24 VDC, LCD, 8-digit, 30cps or 5kcps, NPN/PNP input, manual reset	200.30	243925	4547648353953	#	10	DA	C	CHN	9029.1000.90
<b>Counter H7CX</b>										
H7CC-A	Digital counter, plug-in, screw terminals, 48x48 mm, IP66, 6 count digits, multifunction: 1-stage & total present counter, SPDT 3 A relay output, 100-240 VAC supply, 12 VDC aux. supply	225.00	700355	4549734670043	#	10	DA	E	CHN	9029.1000.90
H7CC-A11	Digital counter, plug-in, 11-pin, 48x48 mm, IP66, 6 count digits, multifunction: 1-stage & total present counter, SPDT 3 A relay output, 100-240 VAC supply, 12 VDC aux. supply	225.00	700351	4549734670005	#	10	DA	E	CHN	9029.1000.90
H7CC-A11D	Digital counter, plug-in, 11-pin, 48x48 mm, IP66, 6 count digits, multifunction: 1-stage & total present counter, SPDT 3 A relay output, 12-48 VDC / 24 VAC supply, 12 VDC aux. supply	225.00	700353	4549734670029	#	10	DA	E	CHN	9029.1000.90
H7CC-A11S	Digital counter, plug-in, 11-pin, 48x48 mm, IP66, 6 count digits, multifunction: 1-stage & total present counter, SPST transistor output, 100-240 VAC supply, 12 VDC aux. supply	225.00	700352	4549734670012	#	10	DA	E	CHN	9029.1000.90
H7CC-A11SD	Digital counter, plug-in, 11-pin, 48x48 mm, IP66, 6 count digits, multifunction: 1-stage & total present counter, SPST transistor output, 12-48 VDC / 24 VAC supply, 12 VDC aux. supply	225.00	700354	4549734670036	#	10	DA	E	CHN	9029.1000.90
H7CC-AB	Digital counter, plug-in, 8-pin, 48x48 mm, IP66, 6 count digits, multifunction: 1-stage & total present counter, SPST 3 A relay output, 100-240 VAC supply, 12 VDC aux. supply	230.00	700369	4549734670180	#	10	DA	E	CHN	9029.1000.90
H7CC-ABD	Digital counter, plug-in, 8-pin, 48x48 mm, IP66, 6 count digits, multifunction: 1-stage & total present counter, SPST 3 A relay output, 12-48 VDC / 24 VAC supply, 12 VDC aux. supply	230.00	700370	4549734670197	#	10	DA	E	CHN	9029.1000.90
H7CC-AD	Digital counter, plug-in, screw terminals, 48x48 mm, IP66, 6 count digits, multifunction: 1-stage & total present counter, SPDT 3 A relay output, 12-48 VDC / 24 VAC supply, 12 VDC aux. supply	225.00	700357	4549734670067	#	10	DA	E	CHN	9029.1000.90



Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Dahaet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
H7CC-AS	Digital counter, plug-in, screw terminals, 48x48 mm, IP66, 6 count digits, multifunction: 1-stage & total present counter, SPST transistor output, 100-240 VAC supply, 12 VDC aux. supply	225.00	700356	4549734670050			DA	E	CHN	9029.1000.90
H7CC-ASD	Digital counter, plug-in, screw terminals, 48x48 mm, IP66, 6 count digits, multifunction: 1-stage & total present counter, SPST transistor output, 12-48 VDC / 24 VAC supply, 12 VDC aux. supply	225.00	700358	4549734670074			DA	E	CHN	9029.1000.90
H7CC-AU	Digital counter, screw terminals, 48x48 mm, IP66, 6 count digits, multifunction: 182-stage, total, batch, dual, twin counter, tachometer, SPDT relay & SPST transistor output, 100-240 VAC supply, 12 VDC aux. supply	255.00	700363	4549734670128			DA	E	CHN	9029.1000.90
H7CC-AUD	Digital counter, screw terminals, 48x48 mm, IP66, 6 count digits, multifunction: 182-stage, total, batch, dual, twin counter, tachometer, SPST & SPDT relay output, 100-240 VAC supply, 12 VDC aux. supply	255.00	700364	4549734670135			DA	E	CHN	9029.1000.90
H7CC-AW	Digital counter, screw terminals, 48x48 mm, IP66, 6 count digits, multifunction: 182-stage, total, batch, dual, twin counter, tachometer, SPDT relay & SPST transistor output, 12-48 VDC / 24 VAC supply, 12 VDC aux. supply	255.00	700359	4549734670081			DA	E	CHN	9029.1000.90
H7CC-AWD	Digital counter, screw terminals, 48x48 mm, IP66, 6 count digits, multifunction: 182-stage, total, batch, dual, twin counter, tachometer, SPST & SPDT relay output, 12-48 VDC / 24 VAC supply, 12 VDC aux. supply	255.00	700361	4549734670104			DA	E	CHN	9029.1000.90
H7CC-AWS	Digital counter, screw terminals, 48x48 mm, IP66, 6 count digits, multifunction: 182-stage, total, batch, dual, twin counter, tachometer, DPST transistor output, 100-240 VAC supply, 12 VDC aux. supply	255.00	700360	4549734670098			DA	E	CHN	9029.1000.90
H7CC-AWSD	Digital counter, screw terminals, 48x48 mm, IP66, 6 count digits, multifunction: 182-stage, total, batch, dual, twin counter, tachometer, DPST transistor output, 12-48 VDC / 24 VAC supply, 12 VDC aux. supply	255.00	700362	4549734670111			DA	E	CHN	9029.1000.90
H7CC-R11	Digital counter, plug-in, 11-pin, 48x48 mm, IP66, 6 count digits, tachometer, SPDT 3 A relay output, 100-240 VAC supply, 12 VDC aux. supply	255.00	700365	4549734670142			DA	E	CHN	9029.1000.90
H7CC-R11D	Digital counter, plug-in, 11-pin, 48x48 mm, IP66, 6 count digits, tachometer, SPDT 3 A relay output, 12-48 VDC / 24 VAC supply, 12 VDC aux. supply	255.00	700366	4549734670159			DA	E	CHN	9029.1000.90
H7CC-R11W	Digital counter, plug-in, 11-pin, 48x48 mm, IP66, 6 count digits, tachometer, SPDT & SPST relay output, 100-240 VAC supply, 12 VDC aux. supply	255.00	700367	4549734670166			DA	E	CHN	9029.1000.90
H7CC-A111-N	Digital counter, plug-in, 11-pin, 48x48 mm, IP66, 6 count digits, tachometer, SPDT & SPST relay output, 12-48 VDC / 24 VAC supply, 12 VDC aux. supply	255.00	700368	4549734670173			DA	E	CHN	9029.1000.90
H7CX-A114D1-N	Counter, plug-in, 11-pin, DIN48x48mm, IP66, 4 digits, multifunction: 1-stage & total, SPST-NO 3A relay output, 12-24VDC/24VAC supply, 12VDC aux supply	287.90	668600	4548583745333			DA	E	IDN	8536.4900.99
H7CX-A114-N	Counter, plug-in, 11-pin, DIN 48x48 mm, IP66, 4 digits, multifunction: 1-stage & total, SPST-NO 3 A relay output, 100-240 VAC supply, 12 VDC aux supply	247.60	668637	4548583745339			DA	E	IDN	8536.4900.99
H7CX-A11D1-N	Counter, plug-in, 11-pin, DIN 48x48 mm, IP66, 6 preset & 6 actual count digits, multifunction: 1-stage & total, SPST-NO 3 A relay output, 12-24 VDC/24 VAC supply, 12 VDC aux. supply	247.60	668595	4548583745315			DA	E	IDN	8536.4900.99
H7CX-A11-N	Counter, plug-in, 11-pin, DIN 48x48 mm, IP66, 6 preset & 6 actual count digits, multifunction: 1-stage & total, SPST-NO 3 A relay output, 100-240 VAC supply, 12 VDC aux. supply	244.50	668611	4548583745292			DA	E	IDN	8536.4900.99
H7CX-A11SD1-N	Counter, plug-in, 11-pin, 1/16DIN (48 x 48mm), IP66, 6 preset & 6 actual count digits, multifunction: 1-stage & total, transistor output, 12-24 VDC/24 VAC supply, 12 VDC aux supply	299.40	668606	4548583745322			DA	E	IDN	8536.4900.99
H7CX-A11S-N	Counter, plug-in, 11-pin, DIN48x48mm, IP66, 6 digits, multifunction: 1-stage & total, transistor output, 100-240 VAC supply, 12 VDC aux supply	233.60	668619	4548583745308			DA	E	IDN	8536.4900.99
H7CX-A4D-N	Counter, 1/16DIN (48 x 48mm), IP66, 4 preset & 4 actual count digits, multifunction: 1-stage & total, SPST-NO 3 A relay output, 12-24 VDC/24 VAC supply, includes colour change display function	207.60	668621	4548583745421	#		DA	E	IDN	9029.1000.90
H7CX-A4SD-N	Counter, 1/16DIN (48 x 48mm), IP66, 4 preset & 4 actual count digits, multifunction: 1-stage & total, SPST-NO 3 A relay output, 12-24 VDC/24 VAC supply, includes colour change display function	289.30	668623	4548583745407			DA	E	IDN	9029.1000.90
H7CX-A4-N	Counter, 1/16DIN (48 x 48mm), IP66, 4 preset & 4 actual count digits, multifunction: 1-stage & total, transistor output, 12-24 VDC/24 VAC supply, includes colour change display function	198.60	668601	4548583745438			DA	E	IDN	9029.1000.90
H7CX-A4WSD-N	Counter, 1/16DIN (48 x 48mm), IP66, 4 preset & 4 actual count digits, multifunction: 1-stage & total, SPST-NO 3 A relay output, 100-240 VAC supply, 12 VDC aux supply, includes colour change display function	353.80	668590	4548583745490			DA	E	IDN	9029.1000.90
H7CX-A4WSD-N	Counter, 1/16DIN (48 x 48mm), IP66, 4 preset & 4 actual count digits, multifunction: 1-stage & total, SPST-NO 3 A relay output, 100-240 VAC supply, includes colour change display function	223.10	668630	4548583745506			DA	E	IDN	9029.1000.90
H7CX-AD-N	Counter, 1/16DIN (48 x 48mm), IP66, 6 preset & 6 actual count digits, multifunction: 1-stage & total, SPST-NO 3 A relay output, 12-24 VDC/24 VAC supply, includes colour change display function	241.70	668628	4548583745394	#		DA	E	IDN	9029.1000.90
H7CX-A-N	Counter, plug-in, screw terminal, 1/16DIN (48 x 48mm), IP66, 6 preset & 6 actual count digits, multifunction: 1-stage & total, SPST-NO 3 A relay output, 100-240 VAC supply, 12 VDC aux supply	241.30	668633	4548583745360			DA	E	IDN	9029.1000.90
H7CX-ASD-N	Counter, 1/16DIN (48 x 48mm), IP66, 6 preset & 6 actual count digits, multifunction: 1-stage & total, transistor output, 12-24 VDC/24 VAC supply, includes colour change display function	237.50	668640	4548583745391			DA	E	IDN	9029.1000.90
H7CX-AS-N	Counter, plug-in, screw terminal, 1/16DIN (48 x 48mm), IP66, 6 preset & 6 actual count digits, multifunction: 1-stage & total, transistor output, 100-240 VAC supply, 12 VDC aux supply	309.90	668613	4548583745377			DA	E	IDN	9029.1000.90
H7CX-AUD1-N	Counter, DIN 48x48 mm, IP66, 6 preset & 6 actual count digits, multifunction: 1-stage/2-stage/total/batch/dual/tachometer, SPST-NO 3 A relay & 100 mA, 30 VDC NPN transistor outputs, 12-24 VDC/24 VAC supply, 12 VDC aux. supply, includes color change displ	254.00	311858	4547648642712	#		DA	E	CHN	9029.1000.90
H7CX-AU-N	Counter, DIN 48x48 mm, IP66, 6 preset & 6 actual count digits, multifunction: 1-stage/2-stage/total/batch/dual/tachometer, SPST-NO 3 A relay & 100 mA, 30 VDC NPN transistor outputs, 100-240 VAC supply, 12 VDC aux. supply, includes color change display	253.80	311857	4547648642705	#		DA	E	CHN	9029.1000.90
H7CX-AUSD1-N	Counter, DIN48x48mm, IP66, 6 preset & 6 actual count digits, multifunction: 1-stage/2-stage/total/batch/ dual/tachometer, 2x 100mA 30VDC NPN transistor outputs, 12-24VDC/24VAC supply, 12 VDC aux supply, includes color change display function	298.50	311859	4547648642729			DA	E	CHN	9029.1000.90
H7CX-AWD1-N	Counter, 1/16DIN (48 x 48mm), IP66, 6 preset & 6 actual count digits, multifunction: 1-stage/2-stage/total/batch/ dual/tachometer, two relay outputs, 12-24 VDC/24 VAC supply, 12 VDC aux supply, includes color change display function	260.20	668634	4548583745469			DA	E	IDN	9029.1000.90
H7CX-AW-N	Counter, 1/16DIN (48 x 48mm), IP66, 6 preset & 6 actual count digits, multifunction: 1-stage/2-stage/total/batch/ dual/tachometer, two relay outputs, 100-240 VAC supply, 12 VDC aux supply, includes color change display function	260.20	668588	4548583745445			DA	E	IDN	9029.1000.90
H7CX-AWSD1-N	Counter, 1/16DIN (48 x 48mm), IP66, 6 preset & 6 actual count digits, multifunction: 1-stage/2-stage/total/batch/ dual/tachometer, two transistor outputs, 12-24 VDC/24 VAC supply, 12 VDC aux supply, includes colour change display function	340.30	668591	4548583745476			DA	E	IDN	9029.1000.90
H7CX-AWS-N	Counter, 1/16DIN (48 x 48mm), IP66, 6 preset & 6 actual count digits, multifunction: 1-stage/2-stage/total/batch/ dual/tachometer, two transistor outputs, 100-240 VAC supply, 12 VDC aux supply, includes colour change display function	319.20	668643	4548583745452			DA	E	IDN	9029.1000.90
H7CX-R11D1-N	Tachometer, plug-in, 11-pin, DIN48 x 48 mm, IP66, 6 preset & 6 actual count digits, multifunction, SPST-NO 3A relay output, 12-24VDC/24 VAC supply, 12VDC aux supply	278.50	668598	4548583745520			DA	E	IDN	9029.1000.90
H7CX-R11-N	Tachometer, plug-in, 11-pin, DIN48x48mm, IP66, 6 preset & 6 actual count digits, multifunction, SPST-NO 3A relay output, 100-240VAC supply, 12VDC aux supply	275.00	668615	4548583745513			DA	E	IDN	9029.1000.90
H7CX-R11W1-N	Counter Tachometer, 11-pin socket, DIN 48x48 mm, 6 digits, 1-stage (2 inputs and outputs), Contact output (SPDT + SPST), 12-24 VDC/24 VAC supply	702.00	668612	4548583745544			DA	E	IDN	9029.1000.90
H7CX-R11W-N	Counter Tachometer, 11-pin socket, DIN 48x48 mm, 6 digits, 1-stage (2 inputs and outputs), Contact output (SPDT + SPST), 100 to 240 VAC supply	677.00	668632	4548583745537			DA	E	IDN	9029.1000.90
<b>Other Counter.</b>										
H7AN-2D 100-240VAC	Preset Counter, 72 x 72 mm, 2 digits, one stage, with digital display	521.50	246521	4547648355148			DA	X	CHN	9029.1000.90
H7AN-4DM 100-240VAC	Preset 4 digit counter, DIN72x72 mm, non-volatile memory (built-in)	605.50	243906	4547648355223			DA	X	CHN	9029.1000.90
H7BX-A	Counter, DIN 72x72 mm, digital, multifunction, preset to 1-stage, SPST-NO, 3 A	523.50	241306	4547648453615			DA	X	CHN	9029.1000.90
H7BX-AD1	Counter, DIN 72x72 mm, digital, multifunction, preset to 1-stage, SPST-NO, 3 A	523.50	241308	4547648453639			DA	X	CHN	9029.1000.90
H7BX-AW	Counter, DIN 72x72 mm, digital, multifunction, preset to 2-stage, SPST-NO, 3 A	560.00	241307	4547648453622			DA	X	CHN	9029.1000.90
H7BX-AWD1	Counter, DIN 72x72 mm, digital, multifunction, preset to 2-stage, SPST-NO, 3 A	560.00	241309	4547648453646			DA	X	CHN	9029.1000.90
H7CN-BLN 100-240VAC	Preset Counter, 48 x 48 mm, 4 digit display, reversible counting, max. count speed 30 cps, without memory backup, SPST-NO, power supply 100-240 VAC, 8-pin socket	310.70	231041	4547648259705			DA	X	CHN	9029.1000.90
H7CN-XHM 100-240VAC	Preset Counter, 48 x 48 mm, 4 digit display, up counting, max. count speed 5000 cps, with memory backup, SPST-NO, power supply 100-240 VAC, 8-pin socket	348.50	231043	4547648259736			DA	X	CHN	9029.1000.90
H7CN-XHNS 100-240VAC	Preset Counter, 48 x 48 mm, 4 digit display, up counting, max. count speed 5000 cps, with memory backup, NPN-NO, power supply 100-240 VAC, 8-pin socket	296.20	231035	4547648259644			DA	X	CHN	9029.1000.90
H7CN-XLN 100-240VAC	Preset Counter, 48 x 48 mm, 4 digit display, up counting, max. count speed 30 cps, without memory backup, SPST-NO, 8-pin socket	366.10	231117	4547648259620			DA	X	CHN	9029.1000.90
H7CN-XLNM 100-240VAC	Preset Counter, 48 x 48 mm, 4 digit display, up counting, max. count speed 30 cps, with memory backup, SPST-NO, 8-pin socket	376.80	231119	4547648259729			DA	X	CHN	9029.1000.90
H7CZ-L8	Counter, 1/16DIN (48 x 48mm), 8-pin round socket, IP66, 6 digits, multifunction: 1-stage, SPDT 3 A relay output, 100-240 VAC supply	188.30	377574	4547648643030			DA	X	CHN	9029.1000.90
H8BM-FB D C24	Multifunction Counter / Timer, 3-stage setting, size 72 x 72 mm, LCD display	839.50	238302	4547648398909			DA	X	JPN	9029.1000.90
<b>Accessory for Counter.</b>										
H8PS-SOFT-V1	Software for programming, simulating and editing H8PS 16/32 controllers	167.90	169369	4547648043847			DA	Z	JPN	9029.1000.90
Y92A-96B	Protective cover for DIN96x96mm device, hard plastic	11.72	142011	4536853532512	4		DA	Z	JPN	8536.4900.99
Y92C-30	Parallel encoder input adapter for 2x H8PR rotary positioner	384.70	143215	4536853532505			DA	Z	JPN	8544.4999.00
Y92F-35	Flush panel mounting adapter for H7E	4.96	107355	4536854819872			DA	Z	JPN	8536.4900.99
Y92F-75	Flush mounting adapter for H7E panel cut-out 45.3 x 26 mm	3.98	154955	4536853531324	10		DA	Z	JPN	8536.4900.99
Y92F-76	Flush mounting adapter for H7E panel cut-out 52.5x27.5mm	4.68	119559	4536853531331			DA	Z	JPN	8536.4900.99
Y92F-77B	Flush panel mounting adapter for H7E	3.36	119562	4536854478239			DA	Z	JPN	8536.4900.99
Y92F-91	DIN rail mounting base for H8PS rotary positioner	27.07	156348	4536853532529			DA	Z	JPN	8544.4999.00
Y92S-36	Battery for H7E-N	12.11	119560	4536854478277			DA	Z	JPN	8536.4900.99
Y92S-41-200	Output cable, free wire ends, 2m long (10c required for 16 output, 20cs required for 32 output)	79.80	169367	4547648043861			DA	Z	JPN	8544.4999.00

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	SLN. (Data sheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
<b>Monitoring Product 61E</b>										
61F-GP-N 110VAC	Floating level controller	80.70	159892	453685433163				DB	A	JPN 9032.1080.90
61F-GP-N 200VAC	Floating level controller	73.55	159893	4536854333170				DB	A	JPN 9032.1080.90
61F-GP-N 230VAC	Floating level controller	70.25	159981	4536854326119				DB	A	JPN 9032.1080.90
61F-GP-N 240VAC	Floating level controller, 240 VAC	89.35	159975	4536854335891				DB	A	JPN 9032.1080.90
61F-GP-N 24VAC	Floating level controller	89.35	156249	4536854335894				DB	A	JPN 9032.1080.90
61F-GP-N2 110VAC	Level sensor, conductive, miniature, plug-in, general-purpose, relay, LED indicator (requires PF083A-E socket), 110 VAC	77.35	159968	4536854335792				DB	A	JPN 9032.1080.90
61F-GP-N2 220VAC	Level sensor, conductive, miniature, plug-in, general-purpose, relay, LED indicator (requires PF083A-E socket), 220 VAC	79.70	159970	4536854335815		10	DB	A	JPN 9032.1080.90	
61F-GP-N2 230VAC	Level sensor, conductive, miniature, plug-in, general-purpose, relay, LED indicator (requires PF083A-E socket)	79.70	159971	4536854335822	#	10	DB	A	JPN 9032.1080.90	
61F-GP-N2 24VAC	Level sensor, conductive, miniature, plug-in, general-purpose, relay, LED indicator (requires PF083A-E socket), 24 VAC	76.05	159972	4536854335846		10	DB	A	JPN 9032.1080.90	
61F-GP-N8 100VAC	Level Controller	78.35	154064	4536854333811				DB	A	JPN 9032.1080.90
61F-GP-N8 110VAC	Level sensor, conductive, compact, plug-in, general-purpose, relay, LED indicator (requires PF083A-E socket), 110 VAC, 8-pin	77.05	159911	4536854333828		10	DB	A	JPN 9032.1080.90	
61F-GP-N8 230VAC	Level sensor, conductive, compact, plug-in, general-purpose, relay, LED indicator (requires PF083A-E socket), 230 VAC, 8-pin	75.00	159913	4536854333866	#	10	DB	A	JPN 9032.1080.90	
61F-GP-N8 24VAC	Level sensor, conductive, compact, plug-in, general-purpose, relay, LED indicator (requires PF083A-E socket), 24 VAC, 8-pin	76.40	159915	4536854333880		10	DB	A	JPN 9032.1080.90	
61F-GP-N8D 230VAC	Level sensor, conductive, compact, plug-in, low-sensitivity, relay, LED indicator (requires PF083A-E socket), 230 VAC	75.00	151827	4536854333941				DB	A	JPN 9032.1080.90
61F-GP-N8D 220VAC	Level sensor, conductive, compact, plug-in, high-sensitivity, relay, LED indicator (requires PF083A-E socket), 220 VAC	62.05	159921	4536854334016				DB	A	JPN 9032.1080.90
61F-GP-N8H 230VAC	Level sensor, conductive, compact, plug-in, high-sensitivity, relay, LED indicator (requires PF083A-E socket), 230 VAC	90.05	105293	4536854334023				DB	A	JPN 9032.1080.90
61F-GP-N8H 24VAC	Level sensor, conductive, compact, plug-in, high-sensitivity, relay, LED indicator (requires PF083A-E socket), 24 VAC	86.05	157405	4536854334047				DB	A	JPN 9032.1080.90
61F-GP-N8H1Y 220VAC	Level sensor, conductive, compact, plug-in, long-distance, relay, LED indicator (requires PF083A-E socket)	87.25	159923	4536854334085		10	DB	A	JPN 9032.1080.90	
61F-GP-N8L 220VAC 2KM	Level sensor, conductive, compact, plug-in, long-distance, relay, LED indicator (requires PF083A-E socket), 4km long-distance type, 230 VAC	76.40	159927	4536854334139				DB	A	JPN 9032.1080.90
61F-GP-N8L 230VAC 2KM	Level sensor, conductive, compact, plug-in, long-distance, relay, LED indicator (requires PF083A-E socket), 4km long-distance type, 230 VAC	65.40	159928	4536854334146				DB	A	JPN 9032.1080.90
61F-GP-N8L 230VAC 4KM	Level sensor, conductive, compact, plug-in, long-distance, relay, LED indicator (requires PF083A-E socket), 4km long-distance type, 230 VAC	69.40	159934	4536854334221				DB	A	JPN 9032.1080.90
61F-GP-N8R 220VAC	Level sensor, conductive, plug-in type, Two-wired, 220VAC	87.05	159939	4536854334290				DB	A	JPN 9032.1080.90
61F-GP-N8Y 240VAC	Level sensor, conductive, compact, plug-in, reverse-acting, relay, LED indicator (requires PF083A-E socket)	70.70	141926	4536854334344				DB	A	JPN 9032.1080.90
61F-GPN-BC 24VDC	Level sensor, DC Power supply, conductive, variable sensitivity, plug-in, general-purpose, relay output, LED indicator (requires PF113A-E socket), 24VDC	154.20	143687	4536854845468				DB	A	JPN 9032.1080.90
61F-GPN-BT 24VDC	Level sensor, DC Power supply, conductive, variable sensitivity, plug-in, general-purpose, transistor output, LED indicator (requires PF113A-E socket), 24VDC	149.20	159956	4536854728013		10	DB	A	JPN 9032.1080.90	
61F-GP-ND 100AC	Floating level controller	89.10	159895	4536854333200				DB	A	JPN 9032.1080.90
61F-GP-NH 100VAC	Floating level controller	84.75	159898	4536854333248				DB	A	JPN 9032.1080.90
61F-GP-NH 230VAC	Level monitoring relay, conductive, high-sensitivity	84.75	690267	4547648518987				DB	A	JPN 9032.1080.90
61F-GP-NH100VAC	Level sensor, conductive, plug-in type (11-pin), Two-wired, 100VAC	88.40	150670	4536854333347				DB	A	JPN 9032.1080.90
<b>Monitoring Product K7L</b>										
K7L-AT50	Liquid leakage sensor, conductive, miniature plug-in, adjustable sensitivity settings - 250 Kohm up to 50 Mohm (requires P2FF-08-E socket)	236.30	117007	4536854465079				DB	B	JPN 9031.9000.00
K7L-AT50B	Liquid leakage sensor, conductive, miniature plug-in, adjustable sensitivity settings - 250 Kohm up to 50 Mohm, Black color	262.80	669530	4548583792883				DB	B	JPN 9031.9000.00
K7L-AT50D	Liquid leakage sensor, conductive, miniature plug-in, adjustable sensitivity settings - 250 Kohms up to 50Mohms with disconnection detection (requires P2FF-08-E socket)	285.30	163294	4536854616099				DB	B	JPN 9031.9000.00
K7L-AT50D-D	Liquid leakage sensor, conductive, miniature plug-in, adjustable sensitivity settings - 250 Kohms up to 50M ohm with disconnection detection, Black color	330.10	669531	4548583792913				DB	B	JPN 9031.9000.00
K7L-AT50DPB	Liquid Leakage Sensor Amplifiers with Disconnection Detection function, miniature, black, requires P2FF-08-PJ socket, PNP connecting output	345.60	676854	4549734145039				DB	B	JPN 9031.9000.00
K7L-AT50D-S	Liquid leakage sensor, conductive, miniature plug-in, adjustable sensitivity settings - 250Kohms up to 50Mohms with disconnection function sensor amplifier only (requires P2FF-08-E socket)	254.80	163295	4536854616105				DB	B	JPN 9031.9000.00
K7L-U	Liquid Leakage detector	271.40	231846	4547648292603				DB	B	JPN 9031.9000.00
K7L-UB	Liquid leakage sensor, conductive, miniature plug-in, adjustable sensitivity settings - 1M ohm, Long distance wiring, Black color	274.00	669533	4548583792890	#			DB	B	JPN 9031.9000.00
K7L-UD	Liquid Leakage Sensor Amplifiers for Long-distance Wiring, ultra-miniature with disconnection detection function, requires P2FF-08-E socket, NPN connecting output	350.70	231847	4547648292610				DB	B	JPN 9031.9000.00
K7L-UDB	Liquid leakage sensor, conductive, miniature plug-in, adjustable sensitivity settings - 1M ohm, Long distance wiring, with disconnection detection, Black color	335.70	669532	4548583792906				DB	B	JPN 9031.9000.00
K7L-UDP	Liquid Leakage Sensor Amplifiers for Long-distance Wiring, ultra-miniature with disconnection detection function, requires P2FF-08-E socket, PNP connecting output	350.70	676853	4549734145022				DB	B	JPN 9031.9000.00
<b>Monitoring Product K8AK</b>										
K8AK-AS1 100-240VAC	Monitoring relay 22.5mm wide, Single phase over or under current 2 to 500mA AC or DC, One SPDT, 100-240 VAC	32.28	378158	4548583402225				DB	K	CHN 9031.9000.00
K8AK-AS1 24VAC/DC	Monitoring relay 22.5mm wide, Single phase over or under current 2 to 500mA AC or DC, One SPDT, 24VAC/DC	33.68	378159	4548583402232				DB	K	CHN 9031.9000.00
K8AK-AS2 100-240VAC	Monitoring relay 22.5mm wide, Single phase over or under current 0.1 to 8A AC or DC, One SPDT, 100-240 VAC	35.09	378160	4548583402249				DB	K	CHN 9031.9000.00
K8AK-AS2 24VAC/DC	Monitoring relay 22.5mm wide, Single phase over or under current 0.1 to 8A AC or DC, One SPDT, 24VAC/DC	36.48	378161	4548583402256				DB	K	CHN 9031.9000.00
K8AK-AS3 100-240VAC	Monitoring relay 22.5mm wide, Single phase over or under current 10 to 200A AC (External CT required), One SPDT, 100-240 VAC	38.72	378162	4548583402263				DB	K	CHN 9031.9000.00
K8AK-AS3 24VAC/DC	Monitoring relay 22.5mm wide, Single phase over or under current 10 to 200A AC (External CT required), One SPDT, 24VAC/DC	38.72	378163	4548583402270				DB	K	CHN 9031.9000.00
K8AK-AW1 100-240VAC	Monitoring relay 22.5mm wide, Single phase over or under current 2 to 500mA AC or DC, Two SPDT, 100-240 VAC	28.04	378164	4548583402287				DB	K	CHN 9031.9000.00
K8AK-AW1 24VAC/DC	Monitoring relay 22.5mm wide, Single phase over or under current 2 to 500mA AC or DC, Two SPDT, 24VAC/DC	28.04	378165	4548583402294				DB	K	CHN 9031.9000.00
K8AK-AW2 100-240VAC	Monitoring relay 22.5mm wide, Single phase over or under current 0.1 to 8A AC or DC, Two SPDT, 100-240 VAC	29.48	378166	4548583402300				DB	K	CHN 9031.9000.00
K8AK-AW2 24VAC/DC	Monitoring relay 22.5mm wide, Single phase over or under current 0.1 to 8A AC or DC, Two SPDT, 24VAC/DC	29.78	378167	4548583402317				DB	K	CHN 9031.9000.00
K8AK-AW3 100-240VAC	Monitoring relay 22.5mm wide, Single phase over or under current 10 to 200A AC (External CT required), Two SPDT, 100-240 VAC	30.94	378168	4548583402324				DB	K	CHN 9031.9000.00
K8AK-AW3 24VAC/DC	Monitoring relay 22.5mm wide, Single phase over or under current 10 to 200A AC (External CT required), Two SPDT, 24VAC/DC	30.94	378169	4548583402331				DB	K	CHN 9031.9000.00
K8AK-VS2 100-240VAC	Monitoring relay 22.5mm wide, Single phase over or under voltage 1 to 150V AC or DC, One SPDT, 100-240 VAC	28.04	378170	4548583402348				DB	K	CHN 9031.9000.00
K8AK-VS2 24VAC/DC	Monitoring relay 22.5mm wide, Single phase over or under voltage 1 to 150V AC or DC, One SPDT, 24VAC/DC	28.04	378171	4548583402355				DB	K	CHN 9031.9000.00
K8AK-VS3 100-240VAC	Monitoring relay 22.5mm wide, Single phase over or under voltage 20 to 600V AC or DC, One SPDT, 100-240 VAC	29.48	378172	4548583402362				DB	K	CHN 9031.9000.00
K8AK-VS3 24VAC/DC	Monitoring relay 22.5mm wide, Single phase over or under voltage 20 to 600V AC or DC, One SPDT, 24VAC/DC	29.48	378173	4548583402379				DB	K	CHN 9031.9000.00
K8AK-VW2 100-240VAC	Monitoring relay 22.5mm wide, Single phase over or under voltage 1 to 150V AC or DC, Two SPDT, 100-240 VAC	28.15	378174	4548583402386				DB	K	CHN 9031.9000.00
K8AK-VW2 24VAC/DC	Monitoring relay 22.5mm wide, Single phase over or under voltage 1 to 150V AC or DC, Two SPDT, 24VAC/DC	28.04	378175	4548583402393				DB	K	CHN 9031.9000.00
K8AK-VW3 100-240VAC	Monitoring relay 22.5mm wide, Single phase over or under voltage 20 to 600V AC or DC, Two SPDT, 100-240 VAC	29.48	378176	4548583402409	#			DB	K	CHN 9031.9000.00
K8AK-VW3 24VAC/DC	Monitoring relay 22.5mm wide, Single phase over or under voltage 20 to 600V AC or DC, Two SPDT, 24VAC/DC	29.48	378177	4548583402416				DB	K	CHN 9031.9000.00
K8AK-PA1	Monitoring relay 22.5mm wide, voltage asymmetry and phase sequence and phase loss in 3 and 4 wire systems, 115 to 240V AC, One SPDT	26.10	378179	4548583402430	#			DB	K	CHN 9031.9000.00
K8AK-PA2	Monitoring relay 22.5mm wide, voltage asymmetry and phase sequence and phase loss in 3 and 4 wire systems, 220 to 480V AC, One SPDT	26.69	378180	4548583402447	#			DB	K	CHN 9031.9000.00
K8AK-PH1	Monitoring relay 22.5mm wide, simultaneous monitoring of phase sequence and loss in 3-phase 3wire systems, One DPDT	21.61	378178	4548583402423	#			DB	K	CHN 9031.9000.00
K8AK-PM1	Monitoring relay 22.5mm wide, sim. monitoring of over-/under-voltage, phase seq. & loss in 3phase 3wire & 4 wire sys. operating 115 to 240V AC	30.32	378181	4548583402454				DB	K	CHN 9031.9000.00
K8AK-PM2	Monitoring relay 22.5mm wide, sim. monitoring of over-/under-voltage, phase seq. & loss in 3phase 3wire & 4 wire sys. operating 220 to 480V AC, 2 SPDT	34.94	378182	4548583402461	#			DB	K	CHN 9031.9000.00
K8AK-PW1	Monitoring relay 22.5mm wide, 3-phase voltage monitoring, over and under voltages, 3-wire mode: 200, 220, 230 and 240 VAC, 4-wire mode: 115, 127, 133 and 138 VAC, two SPDT	23.64	378183	4548583402478				DB	K	CHN 9031.9000.00
K8AK-PW2	Monitoring relay 22.5mm wide, 3-phase voltage monitoring, over and under voltages, 3-wire mode: 380, 400, 415 and 480 VAC, 4-wire mode: 220, 230, 240 and 277 VAC, two SPDT	34.57	378184	4548583402485	#			DB	K	CHN 9031.9000.00



Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Daheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
K8DT-LS1CA	Monitoring relay 17.5 mm wide, Conductive level control for liquid, 10k to 100k Ohm, 1 x SPDT, 100-240 VAC	35.45	669486	4548583773950			DB	T	CHN	9031.9000.00
K8DT-LS1CD	Monitoring relay 17.5 mm wide, Conductive level control for liquid, 10k to 100k Ohm, 1 x SPDT, 24 V AC/DC	35.45	669464	4548583773974			DB	T	CHN	9031.9000.00
K8DT-LS1TA	Monitoring relay 17.5 mm wide, Conductive level control for liquid, 10k to 100k Ohm, 1 x Transistor, 100-240 VAC	35.45	669487	4548583773967			DB	T	CHN	9031.9000.00
K8DT-LS1TD	Monitoring relay 17.5 mm wide, Conductive level control for liquid, 10k to 100k Ohm, 1 x Transistor, 24 V AC/DC	35.45	669450	4548583773950			DB	T	CHN	9031.9000.00
K8DT-TH1CA	Monitoring relay 17.5mm wide, over or under temperature, 0-999 °C/F Thermocouple and PT100 input types, 1 x SPDT, 100-240 VAC	49.06	669503	4548583773998			DB	T	CHN	9031.9000.00
K8DT-TH1CD	Monitoring relay 17.5mm wide, over or under temperature, 0-999 °C/F Thermocouple and PT100 input types, 1 x SPDT, 24 V AC/DC	49.06	669467	4548583774032			DB	T	CHN	9031.9000.00
K8DT-TH1TA	Monitoring relay 17.5mm wide, over or under temperature, 0-999 °C/F Thermocouple and PT100 input types, 1 x Transistor, 100-240 VAC	49.06	669506	4548583774018			DB	T	CHN	9031.9000.00
K8DT-TH1TD	Monitoring relay 17.5mm wide, over or under temperature, 0-999 °C/F Thermocouple and PT100 input types, 1 x Transistor, 24 V AC/DC	49.06	669451	4548583774056			DB	T	CHN	9031.9000.00
K8DT-TH2CA	Monitoring relay 17.5mm wide, over or under temperature, 0 to 1700 °C/F minimum setting 10 °C, Thermocouple input type, 1 x SPDT, 100-240 VAC	49.06	669461	4548583774001			DB	T	CHN	9031.9000.00
K8DT-TH2CD	Monitoring relay 17.5mm wide, over or under temperature, 0 to 1700 °C/F minimum setting 10 °C, Thermocouple input type, 1 x SPDT, 24 V AC/DC	49.06	669505	4548583774049			DB	T	CHN	9031.9000.00
K8DT-TH2TA	Monitoring relay 17.5mm wide, over or under temperature, 0 to 1700 °C/F minimum setting 10 °C, Thermocouple input type, 1 x Transistor, 100-240 VAC	49.06	669462	4548583774025			DB	T	CHN	9031.9000.00
K8DT-TH2TD	Monitoring relay 17.5mm wide, over or under temperature, 0 to 1700 °C/F minimum setting 10 °C, Thermocouple input type, 1 x Transistor, 24 V AC/DC	49.06	669459	4548583774063			DB	T	CHN	9031.9000.00
<b>Other Monitoring Product</b>										
SAO-SU1N	Current Monitoring Relay, Undercurrent Detection, Regular Instantaneous Type, Control Voltage 100/110/120 VAC	171.40	111766	4536853767556			DB	X	JPN	9031.9000.00
SET-3A	Sensor Fixings & Accessories CURRENT CONVERTER CONVERTER 1-80A	101.20	111689	4536853778583			DB	X	JPN	9031.9000.00
F03-15 100M	Liquid leakage sensing band, transparent vinyl chloride, 100 m length	3,589.00	694991	4549734593922			DB	X	JPN	9032.1080.90
F03-15 10M	Liquid leakage sensing band, transparent vinyl chloride, 10 m length	197.00	694993	4549734593954			DB	X	JPN	9032.1080.90
F03-15 20M	Liquid leakage sensing band, transparent vinyl chloride, 20 m length	820.50	694992	4549734593978			DB	X	JPN	9032.1080.90
F03-15 5M	Liquid leakage sensing band, transparent vinyl chloride, 5 m length	255.10	694994	4549734593984			DB	X	JPN	9032.1080.90
F03-16PE 100M	Liquid leakage sensing band, stainless steel with polyethylene cover, length 100 m	2,222.00	695001	4549734593755			DB	X	JPN	9032.1080.90
F03-16PE 10M	Liquid leakage sensing band, stainless steel with polyethylene cover, length 10 m	233.90	695006	4549734593987			DB	X	JPN	9032.1080.90
F03-16PE 15M	Liquid leakage sensing band, stainless steel with polyethylene cover, length 15 m	351.20	695005	4549734593964			DB	X	JPN	9032.1080.90
F03-16PE 1M	Liquid leakage sensing band, stainless steel with polyethylene cover, length 1 m	23.48	695009	4549734593956			DB	X	JPN	9032.1080.90
F03-16PE 20M	Liquid leakage sensing band, stainless steel with polyethylene cover, length 20 m	552.50	695004	4549734593700			DB	X	JPN	9032.1080.90
F03-16PE 25M	Liquid leakage sensing band, stainless steel with polyethylene cover, length 25 m	718.00	695003	4549734593717			DB	X	JPN	9032.1080.90
F03-16PE 2M	Liquid leakage sensing band, stainless steel with polyethylene cover, length 2 m	55.70	695008	4549734593963			DB	X	JPN	9032.1080.90
F03-16PE 50M	Liquid leakage sensing band, stainless steel with polyethylene cover, length 50 m	1,175.00	695002	4549734593748			DB	X	JPN	9032.1080.90
F03-16PE 5M	Liquid leakage sensing band, stainless steel with polyethylene cover, length 5 m	137.30	695007	4549734593970			DB	X	JPN	9032.1080.90
F03-16PS	Floatless level controller accessory, liquid leakage point sensor, polyethylene, outer sheath:PVC, inner sheath:Fluoroplastic, SUS304 electrode material	83.05	175703	4547648088015			DB	X	JPN	9032.1080.90
F03-16PS-F	Point Sensor, electrodes have fluoroplastic coating to resist chemicals.	111.90	175704	4547648088022	#		DB	X	JPN	9032.1080.90
F03-16PT 10M	Liquid leakage sensing band, temperature and chemical resistant, stainless steel with PTFE cover, length 10 m	1,199.00	694997	4549734593793		10	DB	X	JPN	9032.1080.90
F03-16PT 15M	Liquid leakage sensing band, temperature and chemical resistant, stainless steel with PTFE cover, length 15 m	1,465.00	694996	4549734593909			DB	X	JPN	9032.1080.90
F03-16PT 1M	Liquid leakage sensing band, temperature and chemical resistant, stainless steel with PTFE cover, length 1 m	112.50	695000	4549734593762			DB	X	JPN	9032.1080.90
F03-16PT 20M	Liquid leakage sensing band, temperature and chemical resistant, stainless steel with PTFE cover, length 20 m	1,989.00	694995	4549734593916			DB	X	JPN	9032.1080.90
F03-16PT 2M	Liquid leakage sensing band, temperature and chemical resistant, stainless steel with PTFE cover, length 2 m	205.10	694999	4549734593779			DB	X	JPN	9032.1080.90
F03-16PT 5M	Liquid leakage sensing band, temperature and chemical resistant, stainless steel with PTFE cover, length 5 m	424.20	694998	4549734593786			DB	X	JPN	9032.1080.90
F03-16SF-5M	Liquid Leakage Sensing Band (without color indication), 5m length, greater flexibility and superior workability.	149.50	182837	4547648143592			DB	X	JPN	9032.1080.90
F03-16SFC-5M	Liquid Leakage Sensing Band (with color indication), 5 m length, greater flexibility and enables visual confirmation when the inner color appears	222.40	182849	4547648143882			DB	X	JPN	9032.1080.90
K8AC-H22CC-FLK	Accessory	480.70	351514	4547648569859			DB	X	JPN	9031.9000.00
K8AC-H22PC-FLK	Digital heater element burnout detector, 2 to 22 A current input range, one relay output, phase control cyclic control heater control method, 100 to 240 VAC	513.00	689337	4547648569927			DB	X	JPN	9031.9000.00
K8AC-H23CC-FLK	Accessory	403.20	343930	4547648569866			DB	X	JPN	9031.9000.00
K8AC-H23PC-FLK	Digital heater Element Burnout detector, 20 to 200A current input range, one relay output, Phase control cyclic control heater control method, 100 to 240VAC	422.30	680250	4547648569934			DB	X	JPN	9031.9000.00
<b>Special Monitoring Product</b>										
OGL125-10S4	Electrode for conductive level switch, length 1000 mm, dia. 6 mm, AIS 304, threaded 3/8" connection	44.24	186741	4549734979016		25	DB	Y	ITA	9032.1080.90
OGL125-3S4	Conductive Electrode	32.41	186754	4549734981484		25	DB	Y	ITA	9032.1080.90
<b>Accessory for Monitoring Product</b>										
K8AC-CT200	Current transformer, 12mm dia, 20 - 200 A	39.02	227546	4547648044714			DB	Z	JPN	9031.9000.00
K8AC-CT200L	Current transformer for KBAB-AS3, high current monitoring capacity	59.10	184037	4547648140492			DB	Z	JPN	9031.9000.00
F03-26PEN	Mounting bracket and sticker, sensing band sticker, Used for F03-16PE (screws).	26.97	127428	4536854513411		30	DB	Z	JPN	9032.1080.90
F03-26PES	Mounting bracket and sticker, sensing band sticker, Used for F03-16PE (adhesive tape).	40.34	165136	4536854718342		10	DB	Z	JPN	9032.1080.90
F03-26PTN	Mounting bracket and sticker, sensing band sticker, Used for F03-16PT (screws).	52.40	127443	4536854747212			DB	Z	JPN	9032.1080.90
61F-11	Relay unit, floatless level controller, basic building block type	39.72	160000	4536854337161			DB	Z	JPN	9032.1080.90
61F-11D	Relay unit, floatless level controller, basic building block type, low sensitivity	52.75	104658	4536854337185			DB	Z	JPN	9032.1080.90
61F-11L 4HM	Relay unit, floatless level controller, basic building block type, long distance 4 km	42.37	145277	4536854337222			DB	Z	JPN	9032.1080.90
61F-11T	Relay unit, floatless level controller, basic building block type, high temperature	43.03	145278	4536854337246			DB	Z	JPN	9032.1080.90
BF-1	Electrode holder, 1-pole electrode, standard type (150°C), liquid with low specific resistance	25.09	137182	4536853143343			DB	Z	JPN	9032.1080.90
BF-3	Electrode holder, 3 way, standard type (150°C)	51.45	137183	4536853143350			DB	Z	JPN	9032.1080.90
BS-1	Electrode holder, 1-pole electrode, for high pressure or high temperature applications (250°C), 1.96Mpa	47.66	137186	4536853143695		10	DB	Z	JPN	9032.1080.90
F03-01 SUS301	Electrode, stainless steel, 1 m length, 6 mm dia, extendable	8.92	155001	4536853384531		#	DB	Z	JPN	9032.1080.90
F03-01 SUS304 BINIL	Insulated Electrode, SUS304, Vinyl Tubing, 1 m length	35.89	690142	4536854486548			DB	Z	JPN	9032.1080.90
F03-01 SUS304 FLUOROPRESIN	Insulated Electrode, SUS304, Fluororesin Tubing, 1 m length	71.80	690143	4536854486531			DB	Z	JPN	9032.1080.90
F03-01 SUS316	Electrode, stainless steel, 1m length, 6mm dia, extendable	17.81	153056	4536853384548	#	25	DB	Z	JPN	9032.1080.90
F03-01 SUS316 BINIL	Insulated Electrode, SUS316, Vinyl Tubing, 1 m length	41.01	690141	4536854486555			DB	Z	JPN	9032.1080.90
F03-01 SUS316 FLUOROPRESIN	Insulated Electrode, SUS316, Fluororesin Tubing, 1 m length	76.95	690144	4536853385231			DB	Z	JPN	9032.1080.90
F03-02 SUS301	Electrode connecting nut	2.21	127405	4536853384586			DB	Z	JPN	8538.9099.99

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Data sheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
F03-02 SUS316	Electrode lock nut, 1 piece	3.71	127406	4536853384593	15		DB	Z	JPN	8538.9099.99
F03-03 SUS304	Electrode lock nut with w/asher	0.47	127409	4536853384630	5		DB	Z	JPN	8538.9099.99
F03-03 SUS316	Electrode lock nut, with 2 number of parts in an set	1.14	156416	4536853384647	20		DB	Z	JPN	8538.9099.99
F03-11	Protective cover for electrode holders PS or BF series)	27.69	144315	4536853384739			DB	Z	JPN	8538.9099.99
F03-12	PS Electrode Holder Mounting Plate	14.94	127415	4536853384746			DB	Z	JPN	8538.9099.99
F03-14 1P	Electrode separator, 1 electrode, ceramic, 250°C max, 15g	1.96	127416	4536853384760	10		DB	Z	JPN	8538.9099.99
F03-14-3P	Electrode separator, 3 electrodes, ceramic, 250°C max, 30g	2.77	153057	4536853384777	10		DB	Z	JPN	8538.9099.99
F03-14-5P	Electrode separator, 5 way	3.70	150824	4536853385132	10		DB	Z	JPN	8538.9099.99
F03-20	Terminal block, liquid leakage sensor	109.80	143275	4536854479267			DB	Z	JPN	9032.1080.90
F03-20T	Terminator connection block for liquid leakage sensing band	46.48	196359	4536854616129			DB	Z	JPN	9032.1080.90
F03-25	Floaless level controller accessory ( 1 pcs = 1 bag of 30 clips )	59.10	127422	4536853384845	20		DB	Z	JPN	9032.1080.90
F03-31	Dust-proof rubber Cap (for PS-31)	12.11	127425	4536853384876	10		DB	Z	JPN	8538.9099.99
F03-60 SUS316	Set including F03-01 SUS316 electrode, F03-02 SUS316 connecting nuts, F03-03 SUS316 lock nuts	23.83	127420	4536853384821	25		DB	Z	JPN	9032.1080.90
PH-2 HAIPHEN CODE 20M	Underwater Electrode, Hypalon cable, double pole, 20 m length	204.40	679246	4536853723705			DB	Z	JPN	9032.1080.90
PS-31 SUS304 1000MM	Electrode set, holder & electrodes, 1 m length, 4 mm diameter, non-extendable	33.74	143136	4536853724153	20		DB	Z	JPN	9032.1080.90
PS-31 SUS304 300MM	Electrode set, holder & electrodes, 0.3 m length, 4 mm diameter, non-extendable	30.72	157459	4536853724160			DB	Z	JPN	9032.1080.90
PS-3S	Electrode holder, 3 way	26.28	176624	4547648047791			DB	Z	CHN	9032.1080.90
PS-4S	Electrode holder, 4 way	30.72	176625	4547648047814			DB	Z	CHN	9032.1080.90
PS-5S	Electrode holder, 5 way	34.39	176626	4547648047838			DB	Z	CHN	9032.1080.90
<b>Panel Indicators K3MA</b>										
K3MA-F 100-240VAC	Frequency/rate meter, 100-240 VAC/DC	284.90	227983	4547648238779			DC	A	CHN	9031.9000.00
K3MA-F 24VAC/DC	Digital panel meter, Frequency/Rate meter,Rotary pulse input, 24 VAC/DC	267.70	227984	4547648238786			DC	A	CHN	9031.9000.00
K3MA-F-A2 100-240VAC	Frequency/rate meter, DIN 96x48 mm, color change display, pulse input, 2NO relay output, 100-240 VAC	266.90	227985	4547648238793			DC	A	CHN	9031.9000.00
K3MA-F-A2 24VAC/DC	Frequency/rate meter, DIN 96x48 mm, color change display, pulse input, 2NO relay output, 24 VAC/DC	264.00	228009	4547648238809			DC	A	CHN	9031.9000.00
K3MA-J 100-240VAC	Process meter, DIN 96 x 48 mm, colour change display, DC voltage/ current input	252.10	228010	4547648238694			DC	A	CHN	9031.9000.00
K3MA-J 24VAC/DC	Process meter, DIN 96 x 48 mm, colour change display, DC voltage/ current input	230.40	227976	4547648238700			DC	A	CHN	9031.9000.00
K3MA-J-A2 100-240VAC	Process meter, DIN 96x48 mm, color change display, DC voltage/ current input, 2NO relay output, 100-240VAC	254.10	227977	4547648238717		#	DC	A	CHN	9031.9000.00
K3MA-J-A2 24VAC/DC	Process meter, DIN 96x48 mm, color change display, DC voltage/ current input, 2NO relay output, 24 VAC/DC	242.40	227978	4547648238724		#	DC	A	CHN	9031.9000.00
K3MA-L 100-240VAC	Digital panel meter, Temperature meter, Pt resistance or TC, 100-240 VAC	240.70	227979	4547648238731			DC	A	CHN	9031.9000.00
K3MA-L-C 100-240VAC	Temperature meter, DIN 96x48 mm, color change display, thermocouple/ RTD input, 1C/O relay output, 100-240VAC	254.00	227981	4547648238755			DC	A	CHN	9031.9000.00
K3MA-L-C 24VAC/DC	Temperature meter, DIN 96x48 mm, color change display, thermocouple/ RTD input, 1C/O relay output, 24 VAC/DC	242.40	227982	4547648238762			DC	A	CHN	9031.9000.00
<b>Panel Indicators K3GN</b>										
K3GN-NDC 24VDC	Digital panel meter, DIN48x24mm, DC voltage/ current + NPN input, 2x relay outputs, includes color display function, 24VDC, without data transmission output	272.60	227823	4547648238328			DC	C	CHN	9031.9000.00
K3GN-NDC-FLK 24VDC	Digital panel meter, DIN48x24mm, DC voltage/ current + NPN input, 2x relay outputs, FS-485 port, data transmission output, includes color display function, 24VDC	319.80	227826	4547648238366			DC	C	CHN	9031.9000.00
K3GN-NDC-L1 24DC	Digital panel meter, DIN48x24mm, DC voltage/ current + NPN input, 2x relay outputs, current output, includes color display function, 24VDC, without data transmission output	394.20	227968	4547648238403			DC	C	CHN	9031.9000.00
K3GN-NDC-L2 24DC	Digital panel meter, DIN48x24mm, DC voltage/ current + NPN input, 2x relay outputs, voltage output, includes color display function, 24VDC, none data transmission output	392.50	227969	4547648238410			DC	C	CHN	9031.9000.00
K3GN-NDT1 24VDC	Digital panel meter, DIN48x24 mm, DC voltage/ current + NPN input, 3x NPN transistor outputs, includes color display function, without data transmission output	244.60	227852	4547648238335			DC	C	CHN	9031.9000.00
K3GN-NDT1-FLK 24VDC	Digital panel meter, DIN48x24mm, DC voltage/ current + NPN input, 3x NPN transistor outputs, FS-485 port, includes color display function	307.90	227827	4547648238373			DC	C	CHN	9031.9000.00
K3GN-PDC 24VDC	Digital panel meter, DIN 48x24 mm, DC voltage/ current + PNP input, 2x relay outputs, includes color display function, without data transmission output	273.20	227824	4547648238342		#	DC	C	CHN	9031.9000.00
K3GN-PDC-FLK 24VDC	Digital panel meter, DIN 48x24 mm, DC voltage/ current + PNP input, 2x relay outputs, FS-485 port, includes color display function	326.80	227828	4547648238380			DC	C	CHN	9031.9000.00
K3GN-PD72 24VDC	Digital panel meter, DIN 48x24 mm, DC voltage/ current + PNP input, 3x PNP transistor outputs, includes color display function	245.20	227825	4547648238359			DC	C	CHN	9031.9000.00
K3GN-PD72-FLK 24VDC	Digital panel meter, DIN 48x24 mm, DC voltage/ current + PNP input, 3x PNP transistor outputs, FS-485 port, includes color display function	307.90	227829	4547648238397			DC	C	CHN	9031.9000.00
<b>Panel Indicators K3HB</b>										
K3HB-CNB 100-240VAC	Digital panel meter, DIN17/8 (48(h) x 96(w)), 2 line display with dual color change for actual value, output and option slots, Up/Down counting pulse, 30Hz to 50kHz No voltage, voltage or NPN open collector, 100-240 VAC supply	433.40	180120	4547648109864			DC	D	JPN	9031.9000.00
K3HB-CNB 24VAC/DC	Digital panel meter, DIN17/8 (48(h) x 96(w)), 2 line display with dual color change for actual value, output and option slots, Up/Down counting pulse, 30Hz to 50kHz No voltage, voltage or NPN open collector, 24 VAC/DC supply	436.70	180121	4547648109888			DC	D	JPN	9031.9000.00
K3HB-CPB 100-240VAC	Digital panel meter, DIN17/8 (48(h) x 96(w)), 2 line display with dual color change for actual value, output and option slots, Up/Down counting pulse, 30Hz to 50kHz No voltage, voltage or PNP open collector, 100-240 VAC supply	436.70	181447	4547648140331			DC	D	JPN	9031.9000.00
K3HB-CPB 24VAC/DC	Digital panel meter, DIN17/8 (48(h) x 96(w)), 2 line display with dual color change for actual value, output and option slots, Up/Down counting pulse, 30Hz to 50kHz No voltage, voltage or PNP open collector, 24 VAC/DC supply	436.70	181448	4547648140348			DC	D	JPN	9031.9000.00
K3HB-HTA 100-240VAC	Digital panel meter, DIN17/8 (48(h) x 96(w)), 2 line display with dual color change for actual value, output and option slots, Temperature sensor inputs, PT100K, J, T, E, L, U, Ni, R, S, B, W, 100-240 VAC supply	579.50	168448	4547648022651			DC	D	JPN	9031.9000.00
K3HB-HTA 24VAC/DC	Digital panel meter, DIN17/8 (48(h) x 96(w)), 2 line display with dual color change for actual value, output and option slots, Temperature sensor inputs, PT100K, J, T, E, L, U, Ni, R, S, B, W, 24 VAC/DC supply	579.50	168449	4547648022668			DC	D	JPN	9031.9000.00
K3HB-PNB 100-240VAC	Digital panel meter, DIN17/8 (48(h) x 96(w)), 2 line display with dual color change for actual value, output and option slots, Time/Period indicator, 30Hz to 50kHz No voltage, voltage or NPN open collector, 100 to 240 VAC supply	423.70	180116	4547648109826			DC	D	JPN	9031.9000.00
K3HB-PNB 24VAC/DC	Digital panel meter, DIN17/8 (48(h) x 96(w)), 2 line display with dual color change for actual value, output and option slots, Time/Period indicator, 30Hz to 50kHz No voltage, voltage or NPN open collector, 24 VAC/DC supply	436.70	180117	4547648109833			DC	D	JPN	9031.9000.00
K3HB-PPB 100-240VAC	Digital panel meter, DIN17/8 (48(h) x 96(w)), 2 line display with dual color change for actual value, output and option slots, Time/Period indicator, 30Hz to 50kHz No voltage, voltage or PNP open collector, 100-240 VAC supply	423.70	180118	4547648109840			DC	D	JPN	9031.9000.00
K3HB-PPB 24VAC/DC	Digital panel meter, DIN17/8 (48(h) x 96(w)), 2 line display with dual color change for actual value, output and option slots, Time/Period indicator, 30Hz to 50kHz No voltage, voltage or PNP open collector, 24 VAC/DC supply	436.70	180119	4547648109857			DC	D	JPN	9031.9000.00
K3HB-PNB 100-240VAC	Digital panel meter, DIN17/8 (48(h) x 96(w)), 2 line display with dual color change for actual value, output and option slots, Rotary pulse/Rate indicator, 30Hz to 50kHz No voltage, voltage or NPN open collector, 100-240 VAC supply	433.40	180112	4547648109789			DC	D	JPN	9031.9000.00
K3HB-PNB 24VAC/DC	Digital panel meter, DIN17/8 (48(h) x 96(w)), 2 line display with dual color change for actual value, output and option slots, Rotary pulse/Rate indicator, 30Hz to 50kHz No voltage, voltage or NPN open collector, 24 VAC/DC supply	446.80	180113	4547648109796			DC	D	JPN	9031.9000.00
K3HB-PPB 100-240VAC	Digital panel meter, DIN17/8 (48(h) x 96(w)), 2 line display with dual color change for actual value, output and option slots, Rotary pulse/Rate indicator, 30Hz to 50kHz No voltage, voltage or PNP open collector, 100-240 VAC supply	443.60	180114	4547648109802			DC	D	JPN	9031.9000.00
K3HB-PPB 24VAC/DC	Digital panel meter, DIN17/8 (48(h) x 96(w)), 2 line display with dual colour change for actual value, output and option slots, Rotary pulse/Rate indicator, 30Hz to 50kHz No voltage, voltage or PNP open collector, 24 VAC/DC supply	423.70	180115	4547648109819			DC	D	JPN	9031.9000.00
K3HB-SSD 100-240VAC	Digital panel meter, DIN17/8 (48(h) x 96(w)), 2 line display with dual color change for actual value, output and option slots, Linear sensor/transducer input, DC process inputs scaled 0 to 5v, 1 to 5V, -5 to +5V, -10 to +10V, 0 to 20mA or 4 to 20mA, 100-2	857.00	149988	4547648008495			DC	D	JPN	9031.9000.00
K3HB-SSD 24VAC/DC	Digital panel meter, DIN17/8 (48(h) x 96(w)), 2 line display with dual color change for actual value, output and option slots, Linear sensor/transducer input, DC process inputs scaled 0 to 5v, 1 to 5V, -5 to +5V, -10 to +10V, 0 to 20mA or 4 to 20mA 24 VAC	820.50	118207	4547648008501			DC	D	JPN	9031.9000.00
K3HB-VLC 100-240VAC	Digital panel meter, DIN17/8 (48(h) x 96(w)), 2 line display with dual color change for actual value, output and option slots, Load cell input (DC low voltage input), 0.00 to 19999mV/0.000 to 19999mV/100.00 to 199.99mV, 100-240 VAC supply	430.30	168446	4547648022477		#	DC	D	JPN	9031.9000.00
K3HB-VLC 24VAC/DC	Digital panel meter, DIN17/8 (48(h) x 96(w)), 2 line display with dual color change for actual value, output and option slots, Load cell input (DC low voltage input), 0.00 to 19999mV/0.000 to 19999mV/100.00 to 199.99mV, 24 VAC/DC supply	430.30	168447	4547648022484			DC	D	JPN	9031.9000.00
K3HB-XXA 100-240VAC	Digital panel meter, DIN17/8 (48(h) x 96(w)), 2 line display with dual color change for actual value, output and option slots, AC current input 0-19999mA to 0-10A, 100-240 VAC supply	486.90	168496	4547648021814			DC	D	JPN	9031.9000.00
K3HB-XXA 24VAC/DC	Digital panel meter, DIN17/8 (48(h) x 96(w)), 2 line display with dual color change for actual value, output and option slots, AC current input 0-19999mA to 0-10 A, 24 VAC/DC supply	476.60	168497	4547648021821			DC	D	JPN	9031.9000.00
K3HB-XAD 100-240VAC	Digital panel meter, DIN17/8 (48(h) x 96(w)), 2 line display with dual color change for actual value, output and option slots, DC current input ±199.99mA and 4.000 to 20.000mA, 100-240 VAC supply	423.30	168444	4547648021777			DC	D	JPN	9031.9000.00
K3HB-XAD 24VAC/DC	Digital panel meter, DIN17/8 (48(h) x 96(w)), 2 line display with dual color change for actual value, output and option slots, DC current input ±199.99mA and 4.000 to 20.000mA, 24 VAC/DC supply	443.60	168445	4547648021784			DC	D	JPN	9031.9000.00

2021 List Price	S.L.N. (DataSheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
486.90	168494	4547648021791			DC	D	JPN	9031.9000.00
476.80	168495	4547648021807			DC	D	JPN	9031.9000.00
433.40	168442	4547648021753			DC	D	JPN	9031.9000.00
436.70	168443	4547648021760			DC	D	JPN	9031.9000.00
<b>Other Panel Indicator</b>								
365.50	117712	4536854712531			DC	X	JPN	9031.9000.00
385.30	142655	4536854712548			DC	X	JPN	9031.9000.00
580.00	701947	4536854763724			DC	X	JPN	9031.9000.00
51.30	147813	4536854951220			DC	X	JPN	9031.9000.00
52.70	168451	4547648022842			DC	X	JPN	9031.9000.00
61.35	105740	4536854951213			DC	X	JPN	9031.9000.00
64.00	168450	4547648022835			DC	X	JPN	9031.9000.00
109.20	168456	4547648022897			DC	X	JPN	9031.9000.00
133.80	168457	4547648022903			DC	X	JPN	9031.9000.00
110.40	168458	4547648022910			DC	X	JPN	9031.9000.00
130.30	168459	4547648022927			DC	X	JPN	9031.9000.00
208.20	168452	4547648022859			DC	X	JPN	9031.9000.00
235.30	168453	4547648022866	#		DC	X	JPN	9031.9000.00
208.20	168454	4547648022873			DC	X	JPN	9031.9000.00
245.20	168455	4547648022880			DC	X	JPN	9031.9000.00
174.30	180123	4547648109895			DC	X	JPN	9031.9000.00
74.00	155312	4536854927195			DC	X	JPN	9031.9000.00
93.45	118248	4536854927201			DC	X	JPN	9031.9000.00
326.90	168460	4547648025607			DC	X	JPN	9031.9000.00
86.15	118249	4536854927218			DC	X	JPN	9031.9000.00
85.05	118250	4536854927225			DC	X	JPN	9031.9000.00
66.05	118251	4536854927232			DC	X	JPN	9031.9000.00
63.00	118252	4536854927263			DC	X	JPN	9031.9000.00
80.40	144606	4536854927249			DC	X	JPN	9031.9000.00
80.40	118253	4536854927256			DC	X	JPN	9031.9000.00
90.25	100661	4536854750618			DC	X	JPN	9031.9000.00
6.71	118244	4536853597092			DC	X	JPN	9031.9000.00
23.04	148531	4536853597153			DC	X	JPN	9031.9000.00
199.80	180122	4547648109901			DC	X	JPN	9031.9000.00
33.33	168466	4547648030878			DC	X	JPN	9031.9000.00
<b>Power Supplies Fan</b>								
54.50	689338	4549734444354			DD	A	PHL	8414.5925.90
59.25	689340	4549734444491			DD	A	PHL	8414.5925.90
63.30	689342	4549734444637			DD	A	PHL	8414.5925.90
54.50	689339	4549734444361			DD	A	PHL	8414.5925.90
59.25	689341	4549734444507			DD	A	PHL	8414.5925.90
63.30	689343	4549734444644			DD	A	PHL	8414.5925.90
54.60	686250	4549734444378			DD	A	PHL	8414.5925.90
59.10	686243	4549734444514			DD	A	PHL	8414.5925.90
62.80	686236	4549734444439			DD	A	PHL	8414.5925.90
54.60	686249	4549734444385			DD	A	PHL	8414.5925.90
59.10	686242	4549734444521			DD	A	PHL	8414.5925.90
62.80	686235	4549734444446			DD	A	PHL	8414.5925.90
69.55	686248	4549734444392			DD	A	PHL	8414.5925.90
74.05	686241	4549734444538			DD	A	PHL	8414.5925.90
77.80	686234	4549734444453			DD	A	PHL	8414.5925.90
69.55	686247	4549734444408			DD	A	PHL	8414.5925.90
74.05	686240	4549734444576			DD	A	PHL	8414.5925.90
77.80	686233	4549734444454			DD	A	PHL	8414.5925.90
75.85	686246	4549734444460			DD	A	PHL	8414.5925.90
89.70	686239	4549734444606			DD	A	PHL	8414.5925.90
93.45	686232	4549734444651			DD	A	PHL	8414.5925.90
75.85	686245	4549734444477			DD	A	PHL	8414.5925.90
89.70	686238	4549734444613			DD	A	PHL	8414.5925.90
93.45	686231	4549734444668			DD	A	PHL	8414.5925.90
76.30	686244	4549734444484			DD	A	PHL	8414.5925.90
90.10	686237	4549734444620			DD	A	PHL	8414.5925.90
93.90	686230	4549734444675			DD	A	PHL	8414.5925.90
54.45	246687	4547648486927			DD	A	CHN	8414.5925.90
59.10	246679	4547648486804			DD	A	CHN	8414.5925.90
61.65	246701	4547648487160			DD	A	CHN	8414.5925.90
45.62	246692	4547648487009			DD	A	CHN	8414.5925.90

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Dataheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
R87F-A3A15HP	AC Axial-flow fans, plastic blade	61.15	246680	4547648486811			DD	A	CHN	8414.5925.90
R87F-AA413HP	Axial Fan, Plastic Blade High-Speed Type, 120x120x25 mm, Terminal Type, 200 VAC	51.60	246689	4547648486941			DD	A	CHN	8414.5925.90
R87F-AA415-HP	AC Axial-flow fans, plastic blade	59.10	246691	4547648486928			DD	A	CHN	8414.5925.90
R87F-AA4B3H	Axial Fan, Plastic Blade High-Speed Type, 80x80x25 mm, Lead Wire Type, 200 VAC	44.44	694105	4547648487108			DD	A	CHN	8414.5925.90
R87F-AA4B3HP	AC Axial-flow fans, plastic blade	48.69	246694	4547648487023			DD	A	CHN	8414.5925.90
R87F-AA613HP	AC Axial-flow fans, plastic blade	56.70	246690	4547648486958			DD	A	CHN	8414.5925.90
R87F-AA615HP	AC Axial-flow fan, plastic blade, 230 VAC, 120 x 120x38 mm, high speed	72.05	246692	4547648486935			DD	A	CHN	8414.5925.90
R87F-AA6B3H	Axial Fan, Plastic Blade High-Speed Type, 80x80x25 mm, Lead Wire Type, 230 VAC	60.50	246698	4547648487115			DD	A	CHN	8414.5925.90
R87F-AA6B3HP	Axial Fan, Plastic Blade High-Speed Type, 92x92x25 mm, Terminal Type, 230 VAC	56.70	246695	4547648487030			DD	A	CHN	8414.5925.90
R87F-FG120	AC Axial-flow finger guard, 105 x 105 mm	7.28	113218	4536853732509			DD	A	JPN	8414.9000.90
R87F-FG150	AC Axial-flow finger guard, 162.6 x 162.6 mm	9.91	113201	4536853731410			DD	A	JPN	8414.9000.90
R87F-FL120	AC Axial-flow filter	13.35	147488	4536853732523			DD	A	JPN	8414.9000.90
R87F-PC20	AC Axial-flow plug cord	11.19	182232	4536853732431			DD	A	JPN	8414.9000.90
R87T-AA4A05H	AC Axial Fans with Lead Wires, 150x38 mm, 200 V	151.50	684325	4536853732752			DD	A	JPN	8414.5925.90
R87T-AA6A05H	Axial Fan, Metal Blade High-Speed Type, 150mm Dia.x38 mm, Lead Wire Type, 230 VAC	147.20	144871	4536853732745			DD	A	JPN	8414.5925.90
R87T-AA6A07H	Axial Fan, Metal Blade High-Speed Type, 150mm Dia.x55 mm, Lead Wire Type, 230 VAC	136.60	149185	4536853732707			DD	A	JPN	8414.5925.90
R87T-AA6A15HP	AC Axial-flow fans, metal blade	78.00	148618	4536853732615			DD	A	JPN	8414.5925.90
R87T-AA6A15H-WR	AC Axial-flow fans, metal blade, 120x120x38mm frame, 230VAC, high rotational speed, watertight (IP X7)	79.50	375951	4547648487375			DD	A	CHN	8414.5925.90
R87F-PCJT-20	AC Axial-flow plug cord, PSE mark, 2 m	13.13	691153	4536853732448			DD	A	JPN	8414.9000.90
R89F-FC	Axial fan accessory for R89F-M, 1 m connector cable	6.50	686229	4549734449311		30	DD	A	JPN	8414.5925.90
R89F-PC-20	Axial fan accessory for R89F-M, 2 m connector cable	8.18	686228	4549734449328		30	DD	A	JPN	8414.5925.90
<b>Power Supply SBTS</b>										
S8T-BUS01	Bus line connector for parallel operation with 12 & 24 VDC units, order as spares only (one supplied with 12 & 24 VDC units)	12.21	307939	4547648738941			DD	G	CHN	8504.4030.00
S8T-BUS02	Bus line connector for isolated operation with 5, 12 & 24 VDC units, order for 5 VDC units only, order as spares only for 12 & 24 VDC units (one supplied)	12.89	307945	4547648738989			DD	G	CHN	8504.4030.00
S8T-BUS03	Bus line connector for DC (one supplied)	14.66	307946	4547648739023			DD	G	CHN	8504.4030.00
S8T-BUS11	Bus line connector for parallel operation with 12 & 24 VDC units, order as spares only, (pack of 10)	111.30	307940	4547648738965			DD	G	CHN	8504.4030.00
S8T-BUS12	Bus line connector for parallel operation with 5, 12 & 24 VDC units, order for 5 VDC units only, order as spares only for 12 & 24 VDC units (pack of 10)	105.30	307941	4547648739009			DD	G	CHN	8504.4030.00
S8T-BUS13	Bus line connector for DC line (pack of 10)	114.30	307947	4547648739047			DD	G	CHN	8504.4030.00
S8TS-02505	Power supply, 25 W per unit, 100 to 240 VAC input, 5VDC 5A output, DIN rail mounting, can be combined with other units to give a choice of output voltages, units can be connected for isolated operation only using S8TS-BUS02 (order separately)	168.10	324850	4547648711456			DD	G	CHN	8504.4030.00
S8TS-02505F	Power supply, 100-240 VAC input, 25W, 5VDC 5A output, DIN rail mounting, can be combined with other units for multiple output voltages, isolated operation possible using S8TS-BUS02 (order separately), connector terminal, without bus line connector	147.80	356086	4547648711500			DD	G	CHN	8504.4030.00
S8TS-03012	Power supply, 100-240 VAC input, 30W 12 VDC 2.5A output, DIN rail mounting, screw terminals, modular PSU for multiple configurations, without bus line connector	173.70	356088	4547648711449			DD	G	CHN	8504.4030.00
S8TS-03012-E1	Power supply, 100-240 VAC input, 30W 12 VDC 2.5A output, DIN rail mounting, connector terminals, modular PSU for multiple configurations, with bus line connector	173.70	323510	4547648711470			DD	G	CHN	8504.4030.00
S8TS-03012F	Power supply, 100-240 VAC input, 30W 12 VDC 2.5A output, DIN rail mounting, connector terminals, modular PSU for multiple configurations, without bus line connector	188.00	356085	4547648711494			DD	G	CHN	8504.4030.00
S8TS-03012F-E1	Power supply, 100-240 VAC input, 30W 12 VDC 2.5A output, DIN rail mounting, connector terminals, modular PSU for multiple configurations, with bus line connector	188.00	356087	4547648711524			DD	G	CHN	8504.4030.00
S8TS-06024	Power supply, 100 to 240 VAC input, 60 W 24VDC 2.5A output, DIN rail mounting, screw terminals, modular PSU for multiple configurations, without bus line connector	172.30	358569	4547648711432			DD	G	CHN	8504.4030.00
S8TS-06024-E1	Power supply, 100-240 VAC input, 60W 24VDC 2.5A output, DIN rail mounting, connector terminals, modular PSU for multiple configurations, with bus line connector	175.50	358570	4547648711463			DD	G	CHN	8504.4030.00
S8TS-06024F	Power supply, 100-240 VAC input, 60W 24 VDC 2.5A output, DIN rail mounting, connector terminals, modular PSU for multiple configurations, without bus line connector	147.80	356084	4547648711487			DD	G	CHN	8504.4030.00
S8TS-06024F-E1	Power supply, 100-240 VAC input, 60W 24 VDC 2.5A output, DIN rail mounting, connector terminals, modular PSU for multiple configurations, with bus line connector	188.00	307938	4547648711517			DD	G	CHN	8504.4030.00
<b>Power Supply SBVS</b>										
SBVS-01505	Power supply, plastic case, 22.5 mm wide DIN rail or direct panel mounting, 100/240 VAC supply, 10 W, 5 VDC, 2.0 A output	100.30	324848	4547648711555			DD	H	CHN	8504.4030.00
SBVS-01512	Power supply, plastic case, 22.5 mm wide DIN rail or direct panel mounting, 100/240 VAC supply, 15 W, 12 VDC, 1.2 A output	100.30	324268	4547648711562			DD	H	CHN	8504.4030.00
SBVS-01524	Power supply, plastic case, 22.5 mm wide DIN rail or direct panel mounting, 100/240 VAC supply, 15 W, 24 VDC, 0.65 A output	100.30	307948	4547648711579			DD	H	CHN	8504.4030.00
SBVS-03005	Power supply, plastic case, 22.5 mm wide DIN rail or direct panel mounting, 100/240 VAC supply, 20 W, 5 VDC, 4 A output	126.70	324849	4547648711586			DD	H	CHN	8504.4030.00
SBVS-03012	Power supply, plastic case, 22.5 mm wide DIN rail or direct panel mounting, 100/240 VAC supply, 30 W, 12 VDC, 2.5 A output	127.70	323512	4547648711593			DD	H	CHN	8504.4030.00
SBVS-03024	Power supply, plastic case, 22.5 mm wide DIN rail or direct panel mounting, 100/240 VAC supply, 30 W, 24 VDC, 1.3 A output	127.70	325147	4547648711609			DD	H	CHN	8504.4030.00
SBVS-06024	Power supply, 60 W, 100-240 VAC input, 24 VDC, 2.5 A output, DIN rail mounting, basic model	175.10	247532	4547648419352			DD	H	CHN	8504.4030.00
SBVS-06024A	Power supply, 60 W, 100 to 240 VAC input, 24VDC 2.5A output, DIN rail mounting, digital display with running voltage and current, peak current, and maintenance monitor function	237.20	281057	4547648639927			DD	H	CHN	8504.4030.00
SBVS-09024B	Power supply, 90 W, 100-240 VAC input, 24 VDC, 2.5 A output, DIN rail mounting, digital display with running voltage and current, peak current, and total run time function	190.40	281059	4547648639941			DD	H	CHN	8504.4030.00
SBVS-09024	Power supply, 90W, 100-240 VAC input, 24 VDC 3.75A output, DIN rail mounting, basic model	229.00	247534	4547648419369			DD	H	CHN	8504.4030.00
SBVS-09024A	Power supply, 90W, 100 to 240 VAC input, 24 VDC 3.75A output, DIN rail mounting, digital display with running voltage and current, peak current, and maintenance monitor function with settable alarm point	285.60	281058	4547648639934			DD	H	CHN	8504.4030.00
SBVS-09024AP	Power supply, 90 W, 100 to 240 VAC input, 24 VDC 3.75A output, DIN rail mounting, digital display with running voltage and current, peak current, and maintenance monitor function with settable alarm point	269.70	281069	4547648640046			DD	H	CHN	8504.4030.00
SBVS-09024B	Power supply, 90 W, 100 to 240 VAC input, 24 VDC 3.75A output, DIN rail mounting, digital display with running voltage and current, peak current, and total run time function with settable alarm point	247.50	281060	4547648639958			DD	H	CHN	8504.4030.00
SBVS-12024	Power supply, 120 W, 100-240 VAC input, 24 VDC, 5 A output, DIN rail mounting, basic model	274.90	247535	4547648419376			DD	H	CHN	8504.4030.00
SBVS-12024A	Power supply, 120 W, 100 to 240 VAC input, 24VDC 5A output, DIN rail mounting, digital display with running voltage and current, peak current, and maintenance monitor function with settable alarm point	344.00	281061	4547648639965			DD	H	CHN	8504.4030.00
SBVS-12024AP	Power supply, 240 W, 100-240 VAC input, 24 VDC, 5 A output, DIN rail mounting, digital display with running voltage and current, peak current, and forecast monitoring function with settable alarm point	279.10	281071	4547648640060			DD	H	CHN	8504.4030.00
SBVS-12024B	Power supply, 120 W, 100 to 240 VAC input, 24 VDC 5A output, DIN rail mounting, digital display with running voltage and current, peak current, and total run time function with settable alarm point	316.90	281062	4547648639972			DD	H	CHN	8504.4030.00
SBVS-12024BP	Power supply, 240 W, 100-240 VAC input, 24 VDC, 5 A output, DIN rail mounting, digital display with running voltage and current, peak current, and total run time function with settable alarm point	309.90	281072	4547648640077			DD	H	CHN	8504.4030.00
SBVS-18024	Power supply, 180W, 100-240 VAC input, 24 VDC 7.5A output, DIN rail mounting, basic model	383.40	247536	4547648419383			DD	H	CHN	8504.4030.00
SBVS-18024A	Power supply, 180W, 100-240 VAC input, 24 VDC 7.5A output, DIN rail mounting, digital display with running voltage and current, peak current, and maintenance monitor function with settable alarm point	452.50	281065	4547648640088			DD	H	CHN	8504.4030.00
SBVS-18024AP	Power supply, 180W, 100-240VAC input, 24VDC 7.5A output, DIN rail mounting, digital display with running voltage and current, peak current, and maintenance monitor function with settable alarm point	486.00	281073	4547648640084			DD	H	CHN	8504.4030.00
SBVS-18024B	Power supply, 180W, 100-240 VAC input, 24 VDC 7.5A output, DIN rail mounting, digital display with running voltage and current, peak current, and total run time function with settable alarm point	452.50	281066	4547648640015			DD	H	CHN	8504.4030.00
SBVS-18024BE	Power supply, 180W, 100-240 VAC input, 24 VDC 7.5A output, DIN rail mounting, digital display with running voltage and current, peak current, and total run time function	340.90	701367	4548583020221			DD	H	CHN	8504.4030.00
SBVS-24024	Power supply, 240 W, 100-240 VAC input, 24 VDC, 10 A output, DIN rail mounting, basic model	476.90	247537	4547648419390			DD	H	CHN	8504.4030.00
SBVS-24024A	Power supply, 240W, 100-240 VAC input, 24VDC 10A output, DIN rail mounting, digital display with running voltage and current, peak current, and maintenance monitor function with settable alarm point	580.00	281063	4547648639989			DD	H	CHN	8504.4030.00
SBVS-24024AP	Power supply, 240 W, 100-240 VAC input, 24 VDC, 10 A output, DIN rail mounting, digital display with running voltage and current, peak current, and forecast monitoring function with settable alarm point	558.00	281067	4547648640022			DD	H	CHN	8504.4030.00
SBVS-24024B	Power supply, 240 W, 100 to 240 VAC input, 24VDC 10 A output, DIN rail mounting, digital display with running voltage and current, peak current, and total run time function with settable alarm point	478.90	281064	4547648639996			DD	H	CHN	8504.4030.00
SBVS-24024BP	Power supply, 240 W, 100-240 VAC input, 24 VDC, 10 A output, DIN rail mounting, digital display with running voltage and current, peak current, and total run time function with settable alarm point	486.00	281068	4547648640039			DD	H	CHN	8504.4030.00
SBVS-48024	Power supply, 480 W, 100-240 VAC input, 24 VDC, 20 A output, DIN rail mounting, basic model	642.50	323513	4547648711685			DD	H	CHN	8504.4030.00
SBVS-48024A	Power supply, 480 W, 100 to 240 VAC input, 24 VDC, 20 A output, DIN rail mounting, digital display with running voltage and current, peak current, and forecast monitoring function with settable alarm point	591.50	333444	4547648711661			DD	H	CHN	8504.4030.00
SBVS-48024B	Power supply, 480 W, 100 to 240 VAC input, 24 VDC, 20 A output, DIN rail mounting, digital display with running voltage and current, peak current, and total run time function with settable alarm point	561.50	333445	4547648711678			DD	H	CHN	8504.4030.00

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	SLN. (Data sheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
SBAS-24006	Power supply, 240W, 24VDC, 6 branch output	1,551.00	356597	4547648711289			DD	H	CHN	8504.4030.00
SBAS-24006N	Power supply, 240W, 24VDC, 100 to 240 input voltage, 10A current, 6 branch outputs, no communication function, not changeable parameter setting	1,375.00	324220	4547648711296			DD	H	CHN	8504.4030.00
SBAS-24006R	Power supply, 240W, 24VDC, 100 to 240 input voltage, 10A current, 6 branch outputs, RS-485 communication function, changeable parameter setting	1,123.00	324221	4547648711302			DD	H	CHN	8504.4030.00
SBAS-48008	Power supply, 480W, 24VDC, 8 branch output	1,852.00	324222	4547648711319			DD	H	CHN	8504.4030.00
SBAS-48008N	Power supply, 480W, 24VDC, 100 to 240 input voltage, 20A current, 8 branch outputs, no communication function, not changeable parameter setting	1,852.00	324223	4547648711326			DD	H	CHN	8504.4030.00
SBAS-48008R	Power supply, 480W, 24VDC, 100 to 240 input voltage, 20A current, 8 branch outputs, RS-485 communication function, changeable parameter setting	2,321.00	356596	4547648711333			DD	H	CHN	8504.4030.00
<b>Power Supply SBVKG</b>										
SBVK-G01505	Book type power supply, Pro, 15 W, 5VDC, 3A, DIN rail mounting	28.10	374164	4548583357648	#		DD	L	CHN	8504.4030.00
SBVK-G01505-400	Coated version, Book type power supply, Pro, Single-phase, 15 W, 5VDC, 3A, DIN rail mounting	32.10	659377	4548583593404			DD	L	CHN	8504.4030.00
SBVK-G01512	Book type power supply, Pro, 15 W, 12 VDC, 1.2A, DIN rail mounting	27.33	374165	4548583357655	#		DD	L	CHN	8504.4030.00
SBVK-G01512-400	Coated version, Book type power supply, Pro, Single-phase, 15 W, 12 VDC, 1.2A, DIN rail mounting	32.10	659378	4548583593411			DD	L	CHN	8504.4030.00
SBVK-G01524	Book type power supply, Pro, 15 W, 24VDC, 0.65A, DIN rail mounting	28.15	374166	4548583357662	#		DD	L	CHN	8504.4030.00
SBVK-G01524-400	Coated version, Book type power supply, Pro, Single-phase, 15 W, 24VDC, 0.65A, DIN rail mounting	32.10	659372	4548583593428			DD	L	CHN	8504.4030.00
SBVK-G03005	Book type power supply, Pro, 30 W, 5VDC, 5A, DIN rail mounting	34.91	374167	4548583357679	#		DD	L	CHN	8504.4030.00
SBVK-G03005-400	Coated version, Book type power supply, Pro, Single-phase, 30 W, 5VDC, 5A, DIN rail mounting	41.35	659369	4548583593435			DD	L	CHN	8504.4030.00
SBVK-G03012	Book type power supply, Pro, 30 W, 12 VDC, 2.5A, DIN rail mounting	33.68	374168	4548583357686	#		DD	L	CHN	8504.4030.00
SBVK-G03012-400	Coated version, Book type power supply, Pro, Single-phase, 30 W, 12 VDC, 2.5 A, DIN rail mounting	37.32	659370	4548583593698			DD	L	CHN	8504.4030.00
SBVK-G03024	Book type power supply, Pro, 30 W, 24VDC, 1.3A, DIN rail mounting	33.68	374169	4548583357693	#		DD	L	CHN	8504.4030.00
SBVK-G06012	Book type power supply, Pro, 60 W, 12 VDC, 4.5A, DIN rail mounting	41.35	659371	4548583564619			DD	L	CHN	8504.4030.00
SBVK-G06012-400	Coated version, Book type power supply, Pro, Single-phase, 60 W, 12 VDC, 4.5A, DIN rail mounting	39.25	374170	4548583357709	#		DD	L	CHN	8504.4030.00
SBVK-G06024	Book type power supply, Pro, 60 W, 24VDC, 2.5A, DIN rail mounting	46.25	659383	4548583536081			DD	L	CHN	8504.4030.00
SBVK-G06024-400	Coated version, Book type power supply, Pro, Single-phase, 60 W, 24VDC, 2.5A, DIN rail mounting	39.25	374171	4548583357716	#		DD	L	CHN	8504.4030.00
SBVK-G12024	Book type power supply, Pro, 120 W, 24VDC, 5A, DIN rail mounting	43.21	659382	4548583564626			DD	L	CHN	8504.4030.00
SBVK-G12024-400	Coated version, Book type power supply, Pro, Single-phase, 120 W, 24VDC, 5A, DIN rail mounting	59.55	374869	4548583357723	#		DD	L	CHN	8504.4030.00
SBVK-G24024	Book type power supply, Pro, 240 W, 24VDC, 10A, DIN rail mounting	70.35	659374	4548583536074			DD	L	CHN	8504.4030.00
SBVK-G24024-400	Coated version, Book type power supply, Pro, Single-phase, 240 W, 24VDC, 10A, DIN rail mounting	99.70	374870	4548583357730	#		DD	L	CHN	8504.4030.00
SBVK-G24048	Book type power supply, Pro, 240 W, 48VDC, 5A, DIN rail mounting	114.90	659375	4548583536067			DD	L	CHN	8504.4030.00
SBVK-G24048-400	Coated version, Book type power supply, Pro, Single-phase, 240 W, 48VDC, 5A, DIN rail mounting	99.70	374871	4548583357747	#		DD	L	CHN	8504.4030.00
SBVK-G48024	Book type power supply, Pro, 480 W, 24VDC, 20A, DIN rail mounting	113.40	659373	4548583721203			DD	L	CHN	8504.4030.00
SBVK-G48024-400	Coated version, Book type power supply, Pro, Single-phase, 480 W, 24VDC, 20A, DIN rail mounting	138.50	374872	4548583357754	#		DD	L	CHN	8504.4030.00
SBVK-G48048	Book type power supply, Pro, 480 W, 48VDC, 10A, DIN rail mounting	154.90	659368	4548583721210			DD	L	CHN	8504.4030.00
SBVK-G48048-400	Coated version, Book type power supply, Pro, Single-phase, 480 W, 48VDC, 10A, DIN rail mounting	138.50	374873	4548583357761	#		DD	L	CHN	8504.4030.00
SBVK-G48048-400	Coated version, Book type power supply, Pro, Single-phase, 480 W, 48VDC, 10A, DIN rail mounting	144.40	659376	4548583721227			DD	L	CHN	8504.4030.00
<b>Power Supply SBVKS</b>										
SBVK-C06024	Book type power supply, Lite, 60 W, 24VDC, 2.5A, DIN rail mounting	25.22	375666	4548583357907	#		DD	M	CHN	8504.4030.00
SBVK-C12024	Book type power supply, Lite, 120 W, 24VDC, 5A, DIN rail mounting	36.48	375667	4548583357914	#		DD	M	CHN	8504.4030.00
SBVK-C24024	Book type power supply, Lite, 240 W, 24VDC, 10A, DIN rail mounting	65.35	375668	4548583357921	#		DD	M	CHN	8504.4030.00
SBVK-C48024	Book type power supply, Lite, 480 W, 24VDC, 20A, DIN rail mounting	114.80	375669	4548583357938	#		DD	M	CHN	8504.4030.00
<b>Power Supply SBVKS</b>										
SBVK-S03024	Book type power supply, 30 W, 24 VDC, 1.3A, DIN rail mounting, Push-in terminal, Coated	36.09	675333	4549734134620	#		DD	N	CHN	8504.4030.00
SBVK-S06024	Book type power supply, 60 W, 24VDC, 2.5A, DIN rail mounting, Push-in terminal, Coated	42.28	669508	4548583761117	#		DD	N	CHN	8504.4030.00
SBVK-S12024	Book type power supply, 120 W, 24VDC, 5A, DIN rail mounting, Push-in terminal, Coated	60.95	669511	4548583761124	#		DD	N	CHN	8504.4030.00
SBVK-S24024	Book type power supply, 240 W, 24 VDC, 10 A, DIN rail mounting, Push-in terminal, Coated, undervoltage alarm	118.50	672485	4548583761131	#		DD	N	CHN	8504.4030.00
SBVK-S48024	Book type power supply, 480 W, 24 VDC, 20 A, DIN rail mounting, Push-in terminal, Coated, undervoltage alarm	181.20	672486	4548583761148	#		DD	N	CHN	8504.4030.00
<b>SBVK Accessory</b>										
SB2Y-VK10F	Front-mounting bracket for SBVK(120, 240 and 480 W models)	9.29	377521	4548583415911		##	DD	O	JPN	8504.4030.00
SB2Y-VK10S	Side-mounting bracket for SBVK(120 W models)	30.63	377522	4548583415935			DD	O	JPN	8504.4030.00
SB2Y-VK20S	Side-mounting bracket for SBVK(240 W models)	28.65	377523	4548583415942			DD	O	JPN	8504.4030.00
SB2Y-VKW20F	Front-mounting bracket for SBVK W, 240 W type	10.26	688159	4549734449113			DD	O	CHN	8504.4030.00
SB2Y-VKW40F	Front-mounting bracket for SBVK W, 480 W type	10.26	688158	4549734449120			DD	O	CHN	8504.4030.00
SB2Y-VKW90F	Front-mounting bracket for SBVK W, 960 W type	15.39	688157	4549734449137			DD	O	CHN	8504.4030.00
SBVK-R10	Redundancy module for SBVK(input 5-30VDC, output 10A)	38.35	377513	4548583425613	#		DD	O	CHN	8504.4030.00
SBVK-R10-400	Coated version, Redundancy module for SBVK(input 5-30VDC, output 10A)	40.69	659367	4548583593442			DD	O	CHN	8504.4030.00
SBVK-R20	Redundancy module for SBVK(input 10-60VDC, output 20A)	57.70	377514	4548583425620	#		DD	O	CHN	8504.4030.00
SBVK-R20-400	Coated version, Redundancy module for SBVK(input 10-60VDC, output 20A)	85.50	659381	4548583564633			DD	O	CHN	8504.4030.00
SBV-NFS203	Noise filter accessory power supply, 250 VAC/DC rated voltage, 3 A rated current, DIN-rail mounting, Push-in terminal	31.87	680674	4549734175876			DD	O	CHN	8529.9097.90
SBV-NFS206	Noise filter accessory power supply, 250 VAC/DC rated voltage, 6 A rated current, DIN-rail mounting, Push-in terminal	33.43	680575	4549734172707	#		DD	O	CHN	8529.9097.90
<b>Power Supply SBFS</b>										
SBFS-C01505J	Power supply, 15 W, 100-240 VAC input, 5 VDC, 3 A output, Front terminal	11.03	668800	4548583751286	#		DD	P	CHN	8504.4030.00
SBFS-C01512J	Power supply, 15 W, 100-240 VAC input, 12 VDC, 1.3 A output, Front terminal	11.03	668734	4548583751293	#		DD	P	CHN	8504.4030.00
SBFS-C01515J	Power supply, 15 W, 100-240 VAC input, 15 VDC, 1 A output, Front terminal	11.03	668790	4548583751309	#		DD	P	CHN	8504.4030.00
SBFS-C01524J	Power supply, 15 W, 100-240 VAC input, 24 VDC, 0.7 A output, Front terminal	11.03	668755	4548583751316	#		DD	P	CHN	8504.4030.00
SBFS-C02505J	Power supply, 25 W, 100-240 VAC input, 5 VDC, 5 A output, Upper terminal	12.59	668781	4548583741515	#		DD	P	CHN	8504.4030.00
SBFS-C02505J	Power supply, 25 W, 100-240 VAC input, 5 VDC, 5 A output, Front terminal	12.77	668806	4548583751330	#		DD	P	CHN	8504.4030.00
SBFS-C02512J	Power supply, 25 W, 100-240 VAC input, 12 VDC, 2.1 A output, Upper terminal	12.59	668777	4548583741522	#		DD	P	CHN	8504.4030.00
SBFS-C02512J	Power supply, 25 W, 100-240 VAC input, 12 VDC, 2.1 A output, Front terminal	12.59	668812	4548583751347			DD	P	CHN	8504.4030.00
SBFS-C02515J	Power supply, 25 W, 100-240 VAC input, 15 VDC, 1.7 A output, Upper terminal	12.59	668792	4548583741539			DD	P	CHN	8504.4030.00



Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Daheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
SF5S-C02515J	Power supply, 25 W, 100-240 VAC input, 15 VDC, 1.7 A output, Front terminal	12,67	668788	4548583751354			DD	P	CHN	8504.4030.00
SF5S-C02524	Power supply, 25 W, 100-240 VAC input, 24 VDC, 1.1 A output, Upper terminal	12,59	668782	4548583751546	#		DD	P	CHN	8504.4030.00
SF5S-C02524J	Power supply, 25 W, 100-240 VAC input, 24 VDC, 1.1 A output, Front terminal	12,59	668760	4548583751361			DD	P	CHN	8504.4030.00
SF5S-C03505	Power supply, 35 W, 100-240 VAC input, 5 VDC, 7 A output, Upper terminal	13,54	668767	4548583751553			DD	P	CHN	8504.4030.00
SF5S-C03505J	Power supply, 35 W, 100-240 VAC input, 5 VDC, 7 A output, Front terminal	13,54	668742	4548583751385			DD	P	CHN	8504.4030.00
SF5S-C03512	Power supply, 35 W, 100-240 VAC input, 12 VDC, 3 A output, Upper terminal	13,54	668770	4548583741560	#		DD	P	CHN	8504.4030.00
SF5S-C03512J	Power supply, 35 W, 100-240 VAC input, 12 VDC, 3 A output, Front terminal	13,54	668764	4548583751392	#		DD	P	CHN	8504.4030.00
SF5S-C03515	Power supply, 35 W, 100-240 VAC input, 15 VDC, 2.4 A output, Upper terminal	13,54	668758	4548583741577			DD	P	CHN	8504.4030.00
SF5S-C03515J	Power supply, 35 W, 100-240 VAC input, 15 VDC, 2.4 A output, Front terminal	13,61	668796	4548583751408			DD	P	CHN	8504.4030.00
SF5S-C03524	Power supply, 35 W, 100-240 VAC input, 24 VDC, 1.5 A output, Upper terminal	13,54	668793	4548583741584	#		DD	P	CHN	8504.4030.00
SF5S-C03524J	Power supply, 35 W, 100-240 VAC input, 24 VDC, 1.5 A output, Front terminal	13,54	668731	4548583751415	#		DD	P	CHN	8504.4030.00
SF5S-C05005	Power supply, 50 W, 100-240 VAC input, 5 VDC, 10 A output, Upper terminal	15,11	668814	4548583741591	#		DD	P	CHN	8504.4030.00
SF5S-C05005J	Power supply, 50 W, 100-240 VAC input, 5 VDC, 10 A output, Front terminal	15,11	668763	4548583751439	#		DD	P	CHN	8504.4030.00
SF5S-C05012	Power supply, 50 W, 100-240 VAC input, 12 VDC, 4.2 A output, Upper terminal	15,11	668722	4548583741607	#		DD	P	CHN	8504.4030.00
SF5S-C05012J	Power supply, 50 W, 100-240 VAC input, 12 VDC, 4.2 A output, Front terminal	15,11	668802	4548583751446	#		DD	P	CHN	8504.4030.00
SF5S-C05015	Power supply, 50 W, 100-240 VAC input, 15 VDC, 3.4 A output, Upper terminal	15,11	668759	4548583741614	#		DD	P	CHN	8504.4030.00
SF5S-C05015J	Power supply, 50 W, 100-240 VAC input, 15 VDC, 3.4 A output, Front terminal	15,11	668719	4548583751453	#		DD	P	CHN	8504.4030.00
SF5S-C05024	Power supply, 50 W, 100-240 VAC input, 24 VDC, 2.2 A output, Upper terminal	15,11	668798	4548583741621	#		DD	P	CHN	8504.4030.00
SF5S-C05024J	Power supply, 50 W, 100-240 VAC input, 24 VDC, 2.2 A output, Front terminal	15,11	668796	4548583751460	#		DD	P	CHN	8504.4030.00
SF5S-C05048	Power supply, 50 W, 100-240 VAC input, 48 VDC, 1.1 A output, Upper terminal	15,11	668778	4548583741638			DD	P	CHN	8504.4030.00
SF5S-C05048J	Power supply, 50 W, 100-240 VAC input, 48 VDC, 1.1 A output, Front terminal	15,12	668765	4548583751477			DD	P	CHN	8504.4030.00
SF5S-C07505	Power supply, 75 W, 100-240 VAC input, 5 VDC, 14 A output, Upper terminal	20,45	668779	4548583741645			DD	P	CHN	8504.4030.00
SF5S-C07505J	Power supply, 75 W, 100-240 VAC input, 5 VDC, 14 A output, Front terminal	20,45	668807	4548583751484	#		DD	P	CHN	8504.4030.00
SF5S-C07512	Power supply, 75 W, 100-240 VAC input, 12 VDC, 6.2 A output, Upper terminal	18,89	668750	4548583741652	#		DD	P	CHN	8504.4030.00
SF5S-C07512J	Power supply, 75 W, 100-240 VAC input, 12 VDC, 6.2 A output, Front terminal	18,89	668789	4548583751491			DD	P	CHN	8504.4030.00
SF5S-C07515	Power supply, 75 W, 100-240 VAC input, 15 VDC, 5 A output, Upper terminal	18,89	668816	4548583741669			DD	P	CHN	8504.4030.00
SF5S-C07515J	Power supply, 75 W, 100-240 VAC input, 15 VDC, 5 A output, Front terminal	18,89	668811	4548583751507			DD	P	CHN	8504.4030.00
SF5S-C07524	Power supply, 75 W, 100-240 VAC input, 24 VDC, 3.2 A output, Upper terminal	17,31	668817	4548583741676	#		DD	P	CHN	8504.4030.00
SF5S-C07524J	Power supply, 75 W, 100-240 VAC input, 24 VDC, 3.2 A output, Front terminal	17,31	668754	4548583751514			DD	P	CHN	8504.4030.00
SF5S-C07548	Power supply, 75 W, 100-240 VAC input, 48 VDC, 1.6 A output, Upper terminal	18,89	668797	4548583741683			DD	P	CHN	8504.4030.00
SF5S-C07548J	Power supply, 75 W, 100-240 VAC input, 48 VDC, 1.6 A output, Front terminal	18,89	668726	4548583751521			DD	P	CHN	8504.4030.00
SF5S-C10005	Power supply, 100 W, 100-240 VAC input, 5 VDC, 20 A output, Upper terminal	23,59	668724	4548583741690	#		DD	P	CHN	8504.4030.00
SF5S-C10005J	Power supply, 100 W, 100-240 VAC input, 5 VDC, 20 A output, Front terminal	23,59	668739	4548583751538			DD	P	CHN	8504.4030.00
SF5S-C10012	Power supply, 100 W, 100-240 VAC input, 12 VDC, 8.5 A output, Upper terminal	20,45	668771	4548583741706	#		DD	P	CHN	8504.4030.00
SF5S-C10012J	Power supply, 100 W, 100-240 VAC input, 12 VDC, 8.5 A output, Front terminal	20,45	668756	4548583751545			DD	P	CHN	8504.4030.00
SF5S-C10015	Power supply, 100 W, 100-240 VAC input, 15 VDC, 7 A output, Upper terminal	20,45	668727	4548583741713			DD	P	CHN	8504.4030.00
SF5S-C10015J	Power supply, 100 W, 100-240 VAC input, 15 VDC, 7 A output, Front terminal	20,45	668717	4548583751552			DD	P	CHN	8504.4030.00
SF5S-C10024	Power supply, 100 W, 100-240 VAC input, 24 VDC, 4.5 A output, Upper terminal	20,45	668805	4548583741720	#		DD	P	CHN	8504.4030.00
SF5S-C10024J	Power supply, 100 W, 100-240 VAC input, 24 VDC, 4.5 A output, Front terminal	20,45	668732	4548583751569	#		DD	P	CHN	8504.4030.00
SF5S-C10036	Power supply, 100 W, 100-240 VAC input, 36 VDC, 2.8 A output, Upper terminal	20,45	668772	4548583741737			DD	P	CHN	8504.4030.00
SF5S-C10036J	Power supply, 100 W, 100-240 VAC input, 36 VDC, 2.8 A output, Front terminal	20,45	668776	4548583751576			DD	P	CHN	8504.4030.00
SF5S-C10048	Power supply, 100 W, 100-240 VAC input, 48 VDC, 2.3 A output, Upper terminal	20,45	668736	4548583741744			DD	P	CHN	8504.4030.00
SF5S-C10048J	Power supply, 100 W, 100-240 VAC input, 48 VDC, 2.3 A output, Front terminal	20,45	668752	4548583751583			DD	P	CHN	8504.4030.00
SF5S-C15005	Power supply, 150 W, 100-240 VAC input, 5 VDC, 26 A output, Upper terminal	29,88	668773	4548583741751			DD	P	CHN	8504.4030.00
SF5S-C15005J	Power supply, 150 W, 100-240 VAC input, 5 VDC, 26 A output, Front terminal	29,88	668801	4548583751606			DD	P	CHN	8504.4030.00
SF5S-C15012	Power supply, 150 W, 100-240 VAC input, 12 VDC, 12.5 A output, Upper terminal	23,59	668780	4548583741768	#		DD	P	CHN	8504.4030.00
SF5S-C15012J	Power supply, 150 W, 100-240 VAC input, 12 VDC, 12.5 A output, Front terminal	23,59	668737	4548583751613	#		DD	P	CHN	8504.4030.00
SF5S-C15015	Power supply, 150 W, 100-240 VAC input, 15 VDC, 10 A output, Upper terminal	23,59	668746	4548583741775			DD	P	CHN	8504.4030.00
SF5S-C15015J	Power supply, 150 W, 100-240 VAC input, 15 VDC, 10 A output, Front terminal	23,59	668741	4548583751620			DD	P	CHN	8504.4030.00
SF5S-C15024	Power supply, 150 W, 100-240 VAC input, 24 VDC, 6.5 A output, Upper terminal	23,59	668785	4548583741782	#		DD	P	CHN	8504.4030.00
SF5S-C15024J	Power supply, 150 W, 100-240 VAC input, 24 VDC, 6.5 A output, Front terminal	23,59	668751	4548583751637	#		DD	P	CHN	8504.4030.00
SF5S-C15036	Power supply, 150 W, 100-240 VAC input, 36 VDC, 4.3 A output, Upper terminal	23,59	668783	4548583741799			DD	P	CHN	8504.4030.00
SF5S-C15036J	Power supply, 150 W, 100-240 VAC input, 36 VDC, 4.3 A output, Front terminal	29,88	668808	4548583751644			DD	P	CHN	8504.4030.00
SF5S-C15048	Power supply, 150 W, 100-240 VAC input, 48 VDC, 3.3 A output, Upper terminal	29,88	668795	4548583741805			DD	P	CHN	8504.4030.00
SF5S-C15048J	Power supply, 150 W, 100-240 VAC input, 48 VDC, 3.3 A output, Front terminal	29,88	668774	4548583751651			DD	P	CHN	8504.4030.00
SF5S-C20005	Power supply, 200 W, 100-240 VAC input, 5 VDC, 40 A output, Upper terminal	42,46	668818	4548583741812			DD	P	CHN	8504.4030.00
SF5S-C20005J	Power supply, 200 W, 100-240 VAC input, 5 VDC, 40 A output, Front terminal	42,46	668809	4548583751668			DD	P	CHN	8504.4030.00
SF5S-C20012	Power supply, 200 W, 100-240 VAC input, 12 VDC, 17 A output, Upper terminal	34,59	668784	4548583741829	#		DD	P	CHN	8504.4030.00
SF5S-C20012J	Power supply, 200 W, 100-240 VAC input, 12 VDC, 17 A output, Front terminal	34,59	668787	4548583751675			DD	P	CHN	8504.4030.00
SF5S-C20024	Power supply, 200 W, 100-240 VAC input, 24 VDC, 8.8 A output, Upper terminal	34,59	668729	4548583741836	#		DD	P	CHN	8504.4030.00
SF5S-C20024J	Power supply, 200 W, 100-240 VAC input, 24 VDC, 8.8 A output, Front terminal	34,59	668762	4548583751682			DD	P	CHN	8504.4030.00
SF5S-C20036	Power supply, 200 W, 100-240 VAC input, 36 VDC, 5.9 A output, Upper terminal	39,30	668725	4548583741843			DD	P	CHN	8504.4030.00
SF5S-C20036J	Power supply, 200 W, 100-240 VAC input, 36 VDC, 5.9 A output, Front terminal	39,30	668723	4548583751699			DD	P	CHN	8504.4030.00
SF5S-C20048	Power supply, 200 W, 100-240 VAC input, 48 VDC, 4.43 A output, Upper terminal	34,59	668805	4548583741850			DD	P	CHN	8504.4030.00
SF5S-C20048J	Power supply, 200 W, 100-240 VAC input, 48 VDC, 4.43 A output, Front terminal	34,59	668775	4548583751705			DD	P	CHN	8504.4030.00
SF5S-C35005	Power supply, 350 W, 100-240 VAC input, 5 VDC, 60 A output, Upper terminal	55,10	668740	4548583741867			DD	P	CHN	8504.4030.00
SF5S-C35005J	Power supply, 350 W, 100-240 VAC input, 5 VDC, 60 A output, Front terminal	55,10	668753	4548583751712			DD	P	CHN	8504.4030.00
SF5S-C35012	Power supply, 350 W, 100-240 VAC input, 12 VDC, 29 A output, Upper terminal	50,35	668803	4548583741874	#		DD	P	CHN	8504.4030.00
SF5S-C35012J	Power supply, 350 W, 100-240 VAC input, 12 VDC, 29 A output, Front terminal	50,35	668766	4548583751729			DD	P	CHN	8504.4030.00
SF5S-C35024	Power supply, 350 W, 100-240 VAC input, 24 VDC, 14.6 A output, Upper terminal	50,35	668810	4548583741881	#		DD	P	CHN	8504.4030.00
SF5S-C35024J	Power supply, 350 W, 100-240 VAC input, 24 VDC, 14.6 A output, Front terminal	50,35	668733	4548583751736	#		DD	P	CHN	8504.4030.00
SF5S-C35036	Power supply, 350 W, 100-240 VAC input, 36 VDC, 9.7 A output, Upper terminal	50,35	668730	4548583741898			DD	P	CHN	8504.4030.00
SF5S-C35036J	Power supply, 350 W, 100-240 VAC input, 36 VDC, 9.7 A output, Front terminal	50,35	668728	4548583751743			DD	P	CHN	8504.4030.00
SF5S-C35048	Power supply, 350 W, 100-240 VAC input, 48 VDC, 7.32 A output, Upper terminal	50,35	668718	4548583741904	#		DD	P	CHN	8504.4030.00
SF5S-C35048J	Power supply, 350 W, 100-240 VAC input, 48 VDC, 7.32 A output, Front terminal	50,35	668813	4548583751750	#		DD	P	CHN	8504.4030.00
SF5S-G01505C	Power supply, 15 W, 100-240 VAC input, 5 VDC, 3 A output, direct mounting	35,32	677979	4549734104326			DD	P	CHN	8504.4030.00
SF5S-G01505C	Power supply, 15 W, 100-240 VAC input, 5 VDC, 3 A output, DIN rail mounting	39,08	677992	4549734104333			DD	P	CHN	8504.4030.00

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Daheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
SF5S-G01512C	Power supply, 15 W, 100 to 240 VAC input, 12 VDC, 1.3 A output, direct mounting	35.32	677991	4549734104340			DD	P	CHN	8504.4030.00
SF5S-G01512CD	Power supply, 15 W, 100 to 240 VAC input, 12 VDC, 1.3 A output, DIN rail mounting	39.08	677965	4549734104357			DD	P	CHN	8504.4030.00
SF5S-G01515C	Power supply, 15 W, 100 to 240 VAC input, 15 VDC, 1 A output, direct mounting	35.32	677959	4549734104364			DD	P	CHN	8504.4030.00
SF5S-G01515CD	Power supply, 15 W, 100 to 240 VAC input, 15 VDC, 1 A output, DIN rail mounting	39.06	677976	4549734104371			DD	P	CHN	8504.4030.00
SF5S-G01524C	Power supply, 15 W, 100 to 240 VAC input, 24 VDC, 0.65 A output, direct mounting	35.32	678131	4549734104388			DD	P	CHN	8504.4030.00
SF5S-G01524C-400	Power supply, 15 W, 100 to 240 VAC input, 24 VDC, 0.65 A output, direct mounting, coated version	42.85	678122	4549734105231			DD	P	CHN	8504.4030.00
SF5S-G01524CD	Power supply, 15 W, 100 to 240 VAC input, 24 VDC, 0.65 A output, DIN rail mounting	39.08	678163	4549734104395			DD	P	CHN	8504.4030.00
SF5S-G01524CD-400	Power supply, 15 W, 100 to 240 VAC input, 24 VDC, 0.65 A output, DIN rail mounting, coated version	46.66	678168	4549734105248			DD	P	CHN	8504.4030.00
SF5S-G01524CDE	Power supply, 15 W, 100 to 240 VAC input, 24 VDC, 0.65 A output, DIN rail mounting, connector	46.66	678133	4549734104401			DD	P	CHN	8504.4030.00
SF5S-G01524CE	Power supply, 15 W, 100 to 240 VAC input, 24 VDC, 0.65 A output, direct mounting, connector	42.85	678166	4549734104418			DD	P	CHN	8504.4030.00
SF5S-G03005C	Power supply, 30 W, 100 to 240 VAC input, 5 VDC, 6 A output, direct mounting	44.13	677971	4549734104425			DD	P	CHN	8504.4030.00
SF5S-G03005CD	Power supply, 30 W, 100 to 240 VAC input, 5 VDC, 6 A output, DIN rail mounting	47.90	677983	4549734104432			DD	P	CHN	8504.4030.00
SF5S-G03012C	Power supply, 30 W, 100 to 240 VAC input, 12 VDC, 3 A output, direct mounting	44.13	677956	4549734104449			DD	P	CHN	8504.4030.00
SF5S-G03012CD	Power supply, 30 W, 100 to 240 VAC input, 12 VDC, 3 A output, DIN rail mounting	47.90	677974	4549734104456			DD	P	CHN	8504.4030.00
SF5S-G03015C	Power supply, 30 W, 100 to 240 VAC input, 15 VDC, 2.4 A output, direct mounting	44.13	677987	4549734104463			DD	P	CHN	8504.4030.00
SF5S-G03015CD	Power supply, 30 W, 100 to 240 VAC input, 15 VDC, 2.4 A output, DIN rail mounting	47.90	677963	4549734104470			DD	P	CHN	8504.4030.00
SF5S-G03024C	Power supply, 30 W, 100 to 240 VAC input, 24 VDC, 1.5 A output, direct mounting	44.13	677990	4549734104487			DD	P	CHN	8504.4030.00
SF5S-G03024C-400	Power supply, 30 W, 100 to 240 VAC input, 24 VDC, 1.5 A output, direct mounting, coated version	51.75	678159	4549734105255			DD	P	CHN	8504.4030.00
SF5S-G03024CD	Power supply, 30 W, 100 to 240 VAC input, 24 VDC, 1.5 A output, DIN rail mounting	47.90	677972	4549734104494			DD	P	CHN	8504.4030.00
SF5S-G03024CD-400	Power supply, 30 W, 100 to 240 VAC input, 24 VDC, 1.5 A output, DIN rail mounting, coated version	55.50	678156	4549734105262			DD	P	CHN	8504.4030.00
SF5S-G03024CDE	Power supply, 30 W, 100 to 240 VAC input, 24 VDC, 1.5 A output, DIN rail mounting, connector	55.50	678161	4549734104500			DD	P	CHN	8504.4030.00
SF5S-G05005C	Power supply, 50 W, 100 to 240 VAC input, 5 VDC, 8 A output, direct mounting	51.75	678123	4549734104517			DD	P	CHN	8504.4030.00
SF5S-G05005CD	Power supply, 50 W, 100 to 240 VAC input, 5 VDC, 8 A output, DIN rail mounting	56.75	677978	4549734104524			DD	P	CHN	8504.4030.00
SF5S-G05012C	Power supply, 50 W, 100 to 240 VAC input, 12 VDC, 4.3 A output, direct mounting	60.50	677957	4549734104531			DD	P	CHN	8504.4030.00
SF5S-G05012CD	Power supply, 50 W, 100 to 240 VAC input, 12 VDC, 4.3 A output, DIN rail mounting	56.75	677961	4549734104548			DD	P	CHN	8504.4030.00
SF5S-G05015C	Power supply, 50 W, 100 to 240 VAC input, 15 VDC, 3.5 A output, direct mounting	60.50	677962	4549734104555			DD	P	CHN	8504.4030.00
SF5S-G05015CD	Power supply, 50 W, 100 to 240 VAC input, 15 VDC, 3.5 A output, DIN rail mounting	56.75	678146	4549734104562			DD	P	CHN	8504.4030.00
SF5S-G05024C	Power supply, 50 W, 100 to 240 VAC input, 24 VDC, 2.2 A output, direct mounting	60.50	678174	4549734104579			DD	P	CHN	8504.4030.00
SF5S-G05024C-400	Power supply, 50 W, 100 to 240 VAC input, 24 VDC, 2.2 A output, direct mounting, coated version	56.75	677981	4549734104586			DD	P	CHN	8504.4030.00
SF5S-G05024CD	Power supply, 50 W, 100 to 240 VAC input, 24 VDC, 2.2 A output, DIN rail mounting	64.30	678165	4549734105279			DD	P	CHN	8504.4030.00
SF5S-G05024CDE	Power supply, 50 W, 100 to 240 VAC input, 24 VDC, 2.2 A output, DIN rail mounting, connector	60.50	677969	4549734104593			DD	P	CHN	8504.4030.00
SF5S-G05024CDE-400	Power supply, 50 W, 100 to 240 VAC input, 24 VDC, 2.2 A output, DIN rail mounting, coated version	68.10	678176	4549734105286			DD	P	CHN	8504.4030.00
SF5S-G05024CE	Power supply, 50 W, 100 to 240 VAC input, 24 VDC, 2.2 A output, direct mounting, connector	68.10	678143	4549734104609			DD	P	CHN	8504.4030.00
SF5S-G10005C	Power supply, 100 W, 100 to 240 VAC input, 24 VDC, 16 A output, direct mounting	64.30	678167	4549734104616			DD	P	CHN	8504.4030.00
SF5S-G10005CD	Power supply, 100 W, 100 to 240 VAC input, 24 VDC, 16 A output, DIN rail mounting	75.65	677988	4549734104623			DD	P	CHN	8504.4030.00
SF5S-G10012C	Power supply, 100 W, 100 to 240 VAC input, 12 VDC, 8.5 A output, direct mounting	79.50	677985	4549734104630			DD	P	CHN	8504.4030.00
SF5S-G10012CD	Power supply, 100 W, 100 to 240 VAC input, 12 VDC, 8.5 A output, DIN rail mounting	75.65	677966	4549734104647			DD	P	CHN	8504.4030.00
SF5S-G10015C	Power supply, 100 W, 100 to 240 VAC input, 15 VDC, 7 A output, direct mounting	79.50	677939	4549734104654			DD	P	CHN	8504.4030.00
SF5S-G10015CD	Power supply, 100 W, 100 to 240 VAC input, 15 VDC, 7 A output, DIN rail mounting	75.65	678144	4549734104661			DD	P	CHN	8504.4030.00
SF5S-G10024C	Power supply, 100 W, 100 to 240 VAC input, 24 VDC, 4.5 A output, direct mounting	79.50	678139	4549734104678			DD	P	CHN	8504.4030.00
SF5S-G10024C-400	Power supply, 100 W, 100 to 240 VAC input, 24 VDC, 4.5 A output, direct mounting, coated version	75.65	677964	4549734104685			DD	P	CHN	8504.4030.00
SF5S-G10024CD	Power supply, 100 W, 100 to 240 VAC input, 24 VDC, 4.5 A output, DIN rail mounting	83.30	678129	4549734105293			DD	P	CHN	8504.4030.00
SF5S-G10024CDE	Power supply, 100 W, 100 to 240 VAC input, 24 VDC, 4.5 A output, DIN rail mounting, connector	79.50	677977	4549734104692			DD	P	CHN	8504.4030.00
SF5S-G10024CDE-400	Power supply, 100 W, 100 to 240 VAC input, 24 VDC, 4.5 A output, DIN rail mounting, coated version	87.05	678134	4549734105309			DD	P	CHN	8504.4030.00
SF5S-G10024CDE-R	Power supply, 100 W, 100 to 240 VAC input, 24 VDC, 4.5 A output, DIN rail mounting, connector, remote control	87.05	678132	4549734104708			DD	P	CHN	8504.4030.00
SF5S-G10024CD-R	Power supply, 100 W, 100 to 240 VAC input, 24 VDC, 4.5 A output, DIN rail mounting, remote control	87.05	678171	4549734104715			DD	P	CHN	8504.4030.00
SF5S-G10024CE	Power supply, 100 W, 100 to 240 VAC input, 24 VDC, 4.5 A output, direct mounting, connector	87.05	678158	4549734104722			DD	P	CHN	8504.4030.00
SF5S-G10024CE-R	Power supply, 100 W, 100 to 240 VAC input, 24 VDC, 4.5 A output, direct mounting, connector, remote control	83.30	678145	4549734104739			DD	P	CHN	8504.4030.00
SF5S-G10024C-R	Power supply, 100 W, 100 to 240 VAC input, 24 VDC, 4.5 A output, direct mounting, remote control	83.30	678138	4549734104753			DD	P	CHN	8504.4030.00
SF5S-G15005C	Power supply, 150 W, 100 to 240 VAC input, 5 VDC, 21 A output, direct mounting	94.55	677995	4549734104760			DD	P	CHN	8504.4030.00
SF5S-G15005CD	Power supply, 150 W, 100 to 240 VAC input, 5 VDC, 21 A output, DIN rail mounting	98.30	677970	4549734104777			DD	P	CHN	8504.4030.00
SF5S-G15012C	Power supply, 150 W, 100 to 240 VAC input, 12 VDC, 13 A output, direct mounting	94.55	677989	4549734104784			DD	P	CHN	8504.4030.00
SF5S-G15012CD	Power supply, 150 W, 100 to 240 VAC input, 12 VDC, 13 A output, DIN rail mounting	98.30	677958	4549734104791			DD	P	CHN	8504.4030.00
SF5S-G15015C	Power supply, 150 W, 100 to 240 VAC input, 15 VDC, 10 A output, direct mounting	94.55	678136	4549734104807			DD	P	CHN	8504.4030.00
SF5S-G15015CD	Power supply, 150 W, 100 to 240 VAC input, 15 VDC, 10 A output, DIN rail mounting	98.30	678130	4549734104814			DD	P	CHN	8504.4030.00
SF5S-G15024C	Power supply, 150 W, 100 to 240 VAC input, 24 VDC, 6.5 A output, direct mounting	94.55	677994	4549734104821			DD	P	CHN	8504.4030.00
SF5S-G15024C-400	Power supply, 150 W, 100 to 240 VAC input, 24 VDC, 6.5 A output, direct mounting, coated version	102.20	678172	4549734105316			DD	P	CHN	8504.4030.00
SF5S-G15024CD	Power supply, 150 W, 100 to 240 VAC input, 24 VDC, 6.5 A output, DIN rail mounting	98.30	677968	4549734104838			DD	P	CHN	8504.4030.00
SF5S-G15024CD-400	Power supply, 150 W, 100 to 240 VAC input, 24 VDC, 6.5 A output, DIN rail mounting, coated version	106.00	678155	4549734105323			DD	P	CHN	8504.4030.00
SF5S-G15024CDE	Power supply, 150 W, 100 to 240 VAC input, 24 VDC, 6.5 A output, DIN rail mounting, connector	106.00	678179	4549734104845			DD	P	CHN	8504.4030.00
SF5S-G15024CDE-R	Power supply, 150 W, 100 to 240 VAC input, 24 VDC, 6.5 A output, DIN rail mounting, connector, remote control	106.00	678152	4549734104852			DD	P	CHN	8504.4030.00
SF5S-G15024CD-R	Power supply, 150 W, 100 to 240 VAC input, 24 VDC, 6.5 A output, DIN rail mounting, remote control	106.00	678135	4549734104869			DD	P	CHN	8504.4030.00
SF5S-G15024CE	Power supply, 150 W, 100 to 240 VAC input, 24 VDC, 6.5 A output, direct mounting, connector	102.20	678141	4549734104876			DD	P	CHN	8504.4030.00
SF5S-G15024CE-R	Power supply, 150 W, 100 to 240 VAC input, 24 VDC, 6.5 A output, direct mounting, connector, remote control	102.20	678125	4549734104883			DD	P	CHN	8504.4030.00
SF5S-G15024C-R	Power supply, 150 W, 100 to 240 VAC input, 24 VDC, 6.5 A output, direct mounting, remote control	102.20	678177	4549734104890			DD	P	CHN	8504.4030.00
SF5S-G15048C	Power supply, 150 W, 100 to 240 VAC input, 48 VDC, 3.3 A output, direct mounting	94.55	677996	4549734104906			DD	P	CHN	8504.4030.00
SF5S-G15048CD	Power supply, 150 W, 100 to 240 VAC input, 48 VDC, 3.3 A output, DIN rail mounting	98.30	677967	4549734104913			DD	P	CHN	8504.4030.00
SF5S-G30012C	Power supply, 300 W, 100 to 240 VAC input, 12 VDC, 25 A output, direct mounting	176.80	677968	4549734104920			DD	P	CHN	8504.4030.00
SF5S-G30012CD	Power supply, 300 W, 100 to 240 VAC input, 12 VDC, 25 A output, DIN rail mounting	180.50	677980	4549734104937			DD	P	CHN	8504.4030.00
SF5S-G30015C	Power supply, 300 W, 100 to 240 VAC input, 15 VDC, 20 A output, direct mounting	176.80	678169	4549734104944			DD	P	CHN	8504.4030.00
SF5S-G30015CD	Power supply, 300 W, 100 to 240 VAC input, 15 VDC, 20 A output, DIN rail mounting	180.50	678124	4549734104951			DD	P	CHN	8504.4030.00
SF5S-G30024C	Power supply, 300 W, 100 to 240 VAC input, 24 VDC, 14 A output	176.80	675293	4549734104968		#	DD	P	CHN	8504.4030.00
SF5S-G30024C-400	Power supply, 300 W, 100 to 240 VAC input, 24 VDC, 14 A output, direct mounting, coated version	184.20	678178	4549734105330			DD	P	CHN	8504.4030.00
SF5S-G30024CD	Power supply, 300 W, 100 to 240 VAC input, 24 VDC, 14 A output, DIN rail mounting	180.50	677975	4549734104975		#	DD	P	CHN	8504.4030.00
SF5S-G30024CD-400	Power supply, 300 W, 100 to 240 VAC input, 24 VDC, 14 A output, DIN rail mounting, coated version	188.00	678126	4549734105347			DD	P	CHN	8504.4030.00
SF5S-G30024CD-H	Power supply, 300 W, 100 to 240 VAC input, 24 VDC, 14 A output, DIN rail mounting, hold time	188.00	678128	4549734104982			DD	P	CHN	8504.4030.00

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	SLN. (Dataheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
SFFS-G30024C-R	Power Supply, 300 W, 100 to 240 VAC input, 24 VDC, 14 A output, DIN-rail mounting, remote control	188.00	678160	4549734104999			DD	P	CHN	8504.4030.00
SFFS-G30024C-H	Power Supply, 300 W, 100 to 240 VAC input, 24 VDC, 14 A output, direct mounting, hold time	184.20	678137	4549734105002			DD	P	CHN	8504.4030.00
SFFS-G30024C-R	Power Supply, 300 W, 100 to 240 VAC input, 24 VDC, 14 A output, direct mounting, remote control	184.20	678160	4549734105019			DD	P	CHN	8504.4030.00
SFFS-G30024C	Power Supply, 300 W, 100 to 240 VAC input, 48 VDC, 7 A output, DIN-rail mounting	176.80	677973	4549734105026			DD	P	CHN	8504.4030.00
SFFS-G30048C	Power Supply, 300 W, 100 to 240 VAC input, 48 VDC, 7 A output, direct mounting	180.50	677982	4549734105033			DD	P	CHN	8504.4030.00
SFFS-G60012C	Power Supply, 600 W, 100 to 240 VAC input, 12 VDC, 50 A output, direct mounting	283.80	677964	4549734105040			DD	P	CHN	8504.4030.00
SFFS-G60012CD	Power Supply, 600 W, 100 to 240 VAC input, 12 VDC, 50 A output, DIN-rail mounting	287.90	678150	4549734105057			DD	P	CHN	8504.4030.00
SFFS-G60015C	Power Supply, 600 W, 100 to 240 VAC input, 15 VDC, 40 A output, direct mounting	283.80	678157	4549734105095			DD	P	CHN	8504.4030.00
SFFS-G60015CD	Power Supply, 600 W, 100 to 240 VAC input, 15 VDC, 40 A output, DIN-rail mounting	287.90	678149	4549734105101			DD	P	CHN	8504.4030.00
SFFS-G60024C	Power supply, 600 W, 100 to 240 VAC input, 24 VDC, 27 A output	283.80	675284	4549734105125	#		DD	P	CHN	8504.4030.00
SFFS-G60024C-400	Power Supply, 600 W, 100 to 240 VAC input, 24 VDC, 27 A output, direct mounting, coated version	291.40	678173	4549734105354			DD	P	CHN	8504.4030.00
SFFS-G60024CD	Power Supply, 600 W, 100 to 240 VAC input, 24 VDC, 27 A output, DIN-rail mounting	287.90	678170	4549734105132	#		DD	P	CHN	8504.4030.00
SFFS-G60024CD-400	Power Supply, 600 W, 100 to 240 VAC input, 24 VDC, 27 A output, DIN-rail mounting, coated version	295.40	678142	4549734105361			DD	P	CHN	8504.4030.00
SFFS-G60024CD-H	Power Supply, 600 W, 100 to 240 VAC input, 24 VDC, 27 A output, DIN-rail mounting, hold time	295.40	678154	4549734105149			DD	P	CHN	8504.4030.00
SFFS-G60024CD-R	Power Supply, 600 W, 100 to 240 VAC input, 24 VDC, 27 A output, DIN-rail mounting, remote control	295.40	678147	4549734105156			DD	P	CHN	8504.4030.00
SFFS-G60024CD-W	Power Supply, 600 W, 100 to 240 VAC input, 24 VDC, 27 A output, DIN-rail mounting, parallel operation	295.40	678164	4549734113311			DD	P	CHN	8504.4030.00
SFFS-G60024CD-WR	Power Supply, 600 W, 100 to 240 VAC input, 24 VDC, 27 A output, DIN-rail mounting, parallel operation, remote control	295.40	678151	4549734113328			DD	P	CHN	8504.4030.00
SFFS-G60024C-H	Power Supply, 600 W, 100 to 240 VAC input, 24 VDC, 27 A output, direct mounting, hold time	291.40	678140	4549734105163			DD	P	CHN	8504.4030.00
SFFS-G60024C-R	Power Supply, 600 W, 100 to 240 VAC input, 24 VDC, 27 A output, direct mounting, remote control	291.40	678175	4549734105170			DD	P	CHN	8504.4030.00
SFFS-G60024C-W	Power Supply, 600 W, 100 to 240 VAC input, 24 VDC, 27 A output, direct mounting, parallel operation	291.40	678127	4549734105187			DD	P	CHN	8504.4030.00
SFFS-G60024C-WR	Power Supply, 600 W, 100 to 240 VAC input, 24 VDC, 27 A output, direct mounting, parallel operation, remote control	291.40	678162	4549734105194			DD	P	CHN	8504.4030.00
SFFS-G60048C	Power Supply, 600 W, 100 to 240 VAC input, 48 VDC, 13 A output, direct mounting	283.80	677993	4549734105200			DD	P	CHN	8504.4030.00
SFFS-G60048CD	Power Supply, 600 W, 100 to 240 VAC input, 48 VDC, 13 A output, DIN-rail mounting	287.90	678148	4549734105217	#		DD	P	CHN	8504.4030.00
<b>SBVK-T</b>										
SBVK-T12024	Book type power supply, Pro, 120 W, 24VDC, 5A, DIN rail mounting	73.00	382729	4548583357983	#		DD	Q	CHN	8504.4030.00
SBVK-T12024-400	Coated version, Book type power supply, Pro, 3-phase, 120 W, 24 VDC 5A, DIN rail mounting	84.10	659380	4548583721234			DD	Q	CHN	8504.4030.00
SBVK-T24024	Book type power supply, Pro, 240 W, 24VDC, 10A, DIN rail mounting	109.60	382730	4548583357990	#		DD	Q	CHN	8504.4030.00
SBVK-T24024-400	Coated version, Book type power supply, Pro, 3-phase, 240 W, 24 VDC 10 A, DIN rail mounting	108.50	659384	4548583564589			DD	Q	CHN	8504.4030.00
SBVK-T48024	Book type power supply, Pro, 480 W, 24VDC, 20A, DIN rail mounting	202.60	386429	4548583358003	#		DD	Q	CHN	8504.4030.00
SBVK-T48024-400	Coated version, Book type power supply, Pro, Three-phase, 480 W, 24 VDC, 20 A, DIN rail mounting	231.20	659385	4548583564596			DD	Q	CHN	8504.4030.00
SBVK-T96024	Book type power supply, Pro, 960 W, 24VDC, 40A, DIN rail mounting	273.00	386430	4548583358010	#		DD	Q	CHN	8504.4030.00
SBVK-T96024-400	Coated version, Book type power supply, Pro, 3-phase, 960 W, 24 VDC 40 A, DIN rail mounting	273.00	702126	4548583358010			DD	Q	CHN	8504.4030.00
		303.80	659379	4548583564602			DD	Q	CHN	8504.4030.00
SBVK-WA24024	3-phase power supply, 240 W, 24 VDC, 10 A, DIN rail mounting	227.80	688154	4549734448063		3	DD	Q	CHN	8504.4030.00
SBVK-WA48024	3-phase power supply, 480 W, 24 VDC, 20 A, DIN rail mounting	310.80	688155	4549734448069		3	DD	Q	CHN	8504.4030.00
SBVK-WB96024	3-phase power supply, 960 W, 24 VDC, 40 A, DIN rail mounting	468.00	688156	4549734448106			DD	Q	CHN	8504.4030.00
SBVK-WB24024	3-phase power supply, 400 VAC, 240 W, 24 VDC, 10 A, DIN rail mounting	191.90	699600	4549734674799			DD	Q	CHN	8504.4030.00
SBVK-WB24048	3-phase power supply, 400 VAC, 240 W, 48 VDC, 5 A, DIN rail mounting	191.90	699603	4549734674829			DD	Q	CHN	8504.4030.00
SBVK-WB48024	3-phase power supply, 400 VAC, 480 W, 24 VDC, 20 A, DIN rail mounting	272.70	699601	4549734674805			DD	Q	CHN	8504.4030.00
SBVK-WB48048	3-phase power supply, 400 VAC, 480 W, 48 VDC, 10 A, DIN rail mounting	272.70	699604	4549734674836			DD	Q	CHN	8504.4030.00
SBVK-WB96024	3-phase power supply, 400 VAC, 960 W, 24 VDC, 40 A, DIN rail mounting	393.90	699602	4549734674812			DD	Q	CHN	8504.4030.00
SBVK-WB96048	3-phase power supply, 400 VAC, 960 W, 48 VDC, 20 A, DIN rail mounting	393.90	699605	4549734674843			DD	Q	CHN	8504.4030.00
<b>SBVK-X</b>										
SBVK-X03005-EP	Book type power supply, 30 W, 5 VDC, 5 A, DIN rail mounting, Push-in terminal, Coated, Ethernet IP / Modbus TCP compatibility	121.50	680581	4549734172752			DD	R	CHN	8504.4030.00
SBVK-X06012-EP	Book type power supply, 60 W, 12 VDC, 4.5 A, DIN rail mounting, Push-in terminal, Coated, Ethernet IP / Modbus TCP compatibility	127.10	680586	4549734172769			DD	R	CHN	8504.4030.00
SBVK-X06024-EP	Book type power supply, 60 W, 24 VDC, 2.5 A, DIN rail mounting, Push-in terminal, Coated, Ethernet IP / Modbus TCP compatibility	127.10	680578	4549734172776			DD	R	CHN	8504.4030.00
SBVK-X09024A-EP	Book type power supply, 90 W, 24 VDC, 3.75 A, DIN rail mounting, Push-in terminal, Coated, display, Ethernet IP / Modbus TCP compatibility	172.10	680584	4549734172714			DD	R	CHN	8504.4030.00
SBVK-X09024-EP	Book type power supply, 90 W, 24 VDC, 3.75 A, DIN rail mounting, Push-in terminal, Coated, Ethernet IP / Modbus TCP compatibility	143.40	680582	4549734172783			DD	R	CHN	8504.4030.00
SBVK-X12024A-EP	Book type power supply, 120 W, 24 VDC, 5 A, DIN rail mounting, Push-in terminal, Coated, display, Ethernet IP / Modbus TCP compatibility	189.20	680585	4549734172721			DD	R	CHN	8504.4030.00
SBVK-X12024-EP	Book type power supply, 120 W, 24 VDC, 5 A, DIN rail mounting, Push-in terminal, Coated, Ethernet IP / Modbus TCP compatibility	160.50	680579	4549734172790			DD	R	CHN	8504.4030.00
SBVK-X24024A-EP	Book type power supply, 240 W, 24 VDC, 10 A, DIN rail mounting, Push-in terminal, Coated, display, Ethernet IP / Modbus TCP compatibility	272.10	680577	4549734172738			DD	R	CHN	8504.4030.00
SBVK-X24024-EP	Book type power supply, 240 W, 24 VDC, 10 A, DIN rail mounting, Push-in terminal, Coated, Ethernet IP / Modbus TCP compatibility	243.70	680583	4549734172806			DD	R	CHN	8504.4030.00
SBVK-X48024A-EP	Book type power supply, 480 W, 24 VDC, 20 A, DIN rail mounting, Push-in terminal, Coated, display, Ethernet IP / Modbus TCP compatibility	358.30	680590	4549734172745			DD	R	CHN	8504.4030.00
SBVK-X48024-EP	Book type power supply, 480 W, 24 VDC, 20 A, DIN rail mounting, Push-in terminal, Coated, Ethernet IP / Modbus TCP compatibility	329.80	680576	4549734172813			DD	R	CHN	8504.4030.00
<b>SBV Circuit Breakers</b>										
SBV-CP0424	Electronic circuit breaker, 4 channels, max. 10 A per channel, 24 VDC	141.40	689505	4549734494106	#		DD	T	DEU	8536.2010.90
SBV-CP0424S	Electronic circuit breaker, 4 channels, 3.8 A per channel, 24 VDC, UL class 2	160.60	689504	4549734494113			DD	T	DEU	8536.2010.90
SBV-CP0824	Electronic circuit breaker, 8 channels, max. 10 A per channel, 24 VDC	242.40	689503	4549734494120	#		DD	T	DEU	8536.2010.90
<b>Other Power supply</b>										
SLX-G10005CD	Power supply, PFC, 100 W, 100 to 240 VAC input, 5 VDC, 20 A output, DIN rail mounting	82.90	249080	4547648548731			DD	X	CHN	8504.4030.00
SLX-P30005CD	Covered Power Supplies, PFCplus, 100 to 240 VAC input voltage, 300W, 5V, 60A	408.80	371549	4548583103771			DD	X	CHN	8504.4030.00
SLX-P30012CD	Covered Power Supplies, PFCplus, 100 to 240 VAC input voltage, 300 W, 12V, 27A	408.80	371552	4548583103801			DD	X	CHN	8504.4030.00
SLX-P30024CD	Covered Power Supplies, PFCplus, 100 to 240 VAC input voltage, 300W, 24V, 14A peak current, 16.5A (200VAC)	528.50	364918	4548583103719			DD	X	CHN	8504.4030.00
SLX-P30024N	Power supply, 300 W, 100/240 VAC input, 24 VDC, 14 A output	377.60	364916	4548583103686			DD	X	CHN	8504.4030.00
SLX-P60012CD	Covered Power Supplies, PFCplus, 100 to 240 VAC input voltage, 600 W, 12V, 53A	559.50	371561	4548583103894			DD	X	CHN	8504.4030.00
SLX-P60024C	Power supply, 600W, 100-240 VAC input, 24 VDC 25A output, with PFC	662.50	364920	4548583103733			DD	X	CHN	8504.4030.00
SLX-P60024CD	Covered Power Supplies, PFCplus, 100 to 240 VAC input voltage, 600W, 24V, 27A peak current, 31A (200VAC)	670.00	364921	4548583103740			DD	X	CHN	8504.4030.00

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Data sheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
SLX-P60024N	Power supply, 600 W, 100-240 VAC input, 24 VDC, 27 A output	605.00	364919	4548583103726			DD	X	CHN	8504.4030.00
SSVM-01515CD	Power supply, metal case, 100/240 VAC supply, DIN rail mounting, 15W, 15 VDC 1 A output	108.40	196186	4547648184625			DD	X	CHN	8504.4030.00
SSVM-03005CD	Power supply, metal case, 100/240 VAC supply, DIN rail mounting, 30 W, 5 VDC, 6.0 A output	122.50	196188	4547648184649			DD	X	CHN	8504.4030.00
SSVM-03024CD	Power supply, metal case, 100/240 VAC supply, DIN rail mounting, 30 W, 24 VDC, 1.3 A output	122.50	196191	4547648184670			DD	X	CHN	8504.4030.00
SSVM-05015CD	Power supply, metal case, 100/240 VAC supply, DIN rail mounting, 50 W, 15 VDC 3.5A output	143.00	196194	4547648184700			DD	X	CHN	8504.4030.00
SSVM-10015CD	Power supply, metal case, 100/240 VAC supply, DIN rail mounting, 100 W, 15 VDC 7A output	187.60	196198	4547648184748			DD	X	CHN	8504.4030.00
SSVM-15015CD	Power supply, metal case, 100/240 VAC supply, DIN rail mounting, 150 W, 15 VDC, 10 A output	259.60	196202	4547648184786			DD	X	CHN	8504.4030.00
S8T-DCBU-02	DC backup block for S8TS PSJ of 500 ms at an output current of 2.5A	199.80	324267	4547648711401			DD	X	CHN	8504.4030.00
S82S-7305	Power supply, 3W, 12-24 VDC input, 5 VDC 0.6A output, DIN rail mounting	94.15	112013	4536854104640			DD	X	JPN	8504.4030.00
S82S-7324	Power Supply, Input 12 to 24 VDC, 3 W, Output 24V 0.13A	78.80	103092	4536854104671			DD	X	JPN	8504.4030.00
S82S-7705	Power supply, 7.5 W, 12 to 24 VDC input, 5 VDC 1.5A output, DIN rail mounting	118.50	149574	4536854104688			DD	X	JPN	8504.4030.00
S82S-7712	Power supply, 7.5W, 12-24 VDC input, 12 VDC 0.6A output, DIN rail mounting	87.55	112015	4536854104695			DD	X	JPN	8504.4030.00
S82S-7715	Power supply, 7.5W, 12-24 VDC input, 15 VDC 0.5A output, DIN rail mounting	104.70	112016	4536854104701			DD	X	JPN	8504.4030.00
S82S-7724	Power supply, 7.5W, 12-24 VDC input, 24 VDC 0.3A output, DIN rail mounting	78.80	112017	4536854104718			DD	X	JPN	8504.4030.00
S82S-7728	Power Supply, Input 12 to 24 VDC, 7.5 W, Output ±15V 0.2A/0.2A	107.60	112018	4536854104732			DD	X	JPN	8504.4030.00
S8M-CP04	Multi circuit protector, up to 16 A, 4x4.0 A per circuit, ideal for branching, requires power supply	300.10	324847	4547648711371			DD	X	CHN	8504.4030.00
S8M-CP04-R	Multi circuit protector, up to 16 A, 4x4.0 A per circuit, RS-232C communications, ideal for branching, requires power supply	380.70	326735	4547648711357			DD	X	CHN	8504.4030.00
S8M-CP04-RS	Multi circuit protector, up to 16 A, 4x3.8 A per circuit (UL class 2 compliant), RS-232C communications, ideal for branching, requires power supply	431.70	323509	4547648711364			DD	X	CHN	8504.4030.00
<b>Accessory for Power Supply</b>										
LC-R123PMPG	Battery for backup block (12 VDC)	92.90	138717	4536853862329			DD	Z	CHN	8506.5090.90
S8T-DCBU-01	DC backup block for S8TS PSJ	287.90	307944	4547648711395			DD	Z	CHN	8504.4030.00
S82Y-FSC015DIN	Mounting bracket, DIN-rail, 15W	3.01	668799	4548583758049	#		DD	Z	CHN	8504.9090.00
S82Y-FSC015DIN-S	Mounting bracket, bottom mounting to DIN-rail, 15 W	3.01	668721	4548583758094			DD	Z	CHN	8504.9090.00
S82Y-FSC025DIN	Mounting bracket, DIN-rail, 25W	3.01	668794	4548583758056	#		DD	Z	CHN	8504.9090.00
S82Y-FSC025DIN-S	Mounting bracket, bottom mounting to DIN-rail, 25 W	3.01	668738	4548583758100			DD	Z	CHN	8504.9090.00
S82Y-FSC035DIN-S	Mounting bracket, bottom mounting to DIN-rail, 35 W	3.01	668735	4548583758117			DD	Z	CHN	8504.9090.00
S82Y-FSC050DIN	Mounting bracket, DIN-rail, 35W, 50W	3.01	668745	4548583758063	#		DD	Z	CHN	8504.9090.00
S82Y-FSC050DIN-S	Mounting bracket, bottom mounting to DIN-rail, 50 W	3.01	668761	4548583758124			DD	Z	CHN	8504.9090.00
S82Y-FSC100DIN-S	Mounting bracket, bottom mounting to DIN-rail, 75 W, 100 W	3.01	668716	4548583758131			DD	Z	CHN	8504.9090.00
S82Y-FSC150DIN	Mounting bracket, DIN-rail, 75W, 100W, 150W	3.01	668768	4548583758070	#		DD	Z	CHN	8504.9090.00
S82Y-FSC150DIN-S	Mounting bracket, bottom mounting to DIN-rail, 150 W	3.01	668815	4548583758148			DD	Z	CHN	8504.9090.00
S82Y-FSC350B	Mounting bracket, Bottom mounting with L-brackets, 200W, 350W	3.01	668743	4548583758155			DD	Z	CHN	8504.9090.00
S82Y-FSC350DIN	Mounting bracket, DIN-rail, 75W, 200W, 350W	3.01	668791	4548583758087	#		DD	Z	CHN	8504.9090.00
S82Y-FSC-C5	Terminal Cover for upper terminal, 25W, 35W, 50W, 75W	1.00	668749	4548583758162	#		DD	Z	CHN	8504.9090.00
S82Y-FSC-CSF	Terminal Cover for front terminal, 25 W, 35 W, 50 W, 75 W	1.03	668757	4548583758209			DD	Z	CHN	8504.9090.00
S82Y-FSC-CSMF	Terminal Cover for front terminal, 15 W	1.00	668744	4548583758193			DD	Z	CHN	8504.9090.00
S82Y-FSC-C7	Terminal Cover for upper terminal, 100W, 150W	1.00	668769	4548583758179	#		DD	Z	CHN	8504.9090.00
S82Y-FSC-C7F	Terminal Cover for front terminal, 100 W, 150 W	1.08	668720	4548583758216	#		DD	Z	CHN	8504.9090.00
S82Y-FSC-C9	Terminal Cover for upper terminal, 200W, 350W	1.00	668748	4548583758186			DD	Z	CHN	8504.9090.00
S82Y-FSC-C9F	Terminal Cover for front terminal, 200W, 350W	1.07	668747	4548583758223			DD	Z	CHN	8504.9090.00
S82Y-FSG-30F	Front Mounting Bracket S8FS-G accessory for 15W, 30W, 50W, 100W, 150W and 300W models	1.34	679444	4549734105408			DD	Z	CHN	8504.9090.00
S82Y-FSG-60F	Front Mounting Bracket S8FS-G accessory for 600W model	1.34	679443	4549734105415			DD	Z	CHN	8504.9090.00
S82Y-FSG-C5P	Terminal cover S8FS-G accessory for 15W, 30W and 50W models	0.83	679447	4549734105378			DD	Z	CHN	8504.9090.00
S82Y-FSG-C7P	Terminal cover S8FS-G accessory for 100W, 150W and 300W models	0.85	679446	4549734105385			DD	Z	CHN	8504.9090.00
S82Y-FSG-C7P-L	Terminal cover S8FS-G accessory for 600W models	0.87	679445	4549734105392			DD	Z	CHN	8504.9090.00
S82Y-VM30D	Din rail mounting bracket for S8VM 300 W	26.05	227133	4547648244657			DD	Z	JPN	8504.9090.00
S82Y-VS10F	S8VK Front-mounting bracket (for 15, 30 and 60W models)	7.48	111960	4536854899706			DD	Z	JPN	8504.9090.00
S82Y-VS-C2P-M	Plastic cover for DC-terminals of S8VS-18024 & S8VS-12024	1.67	333211	4547648799225			DD	Z	CHN	8504.4030.00
S82Y-VS-C3P	Plastic cover for AC-terminals of S8VS & for one DC-terminal of S8VS-48024	1.67	333210	4547648799218			DD	Z	CHN	8538.9099.99
S82Y-VS-C4P	Plastic cover for DC-terminals of S8VS-18024 & S8VS-24024	1.67	333212	4547648799232			DD	Z	CHN	8504.4030.00
<b>Programmable Relay ZEN</b>										
ZEN-10CIAR-A-V2	Programmable relay, 100-240 VAC supply, 6x 100-240 VAC inputs, 4x relay outputs 5 A, RTC, LCD display	216.50	240972	4547648391047	#		DE	A	CHN	8536.5080.90
ZEN-10CIDR-D-V2	Programmable relay, 24 VDC supply, 6x 24 VDC inputs (2 of which can be 0-10 V analog inputs), 4x relay outputs 5 A, RTC, LCD display	216.50	240974	4547648391061			DE	A	CHN	8536.5080.90
ZEN-10CIDT-D-V2	Programmable relay, 24 VDC supply, 6x 24 VDC inputs (2 of which can be 0-10 V analog inputs), 4x transistor outputs, RTC, LCD display	216.50	240979	4547648391115			DE	A	CHN	8536.5080.90
ZEN-10CCAR-A-V2	Programmable relay, 100-240 VAC supply, 6x 100-240 VAC inputs, 4x relay outputs 5 A	181.70	240973	4547648391054			DE	A	CHN	8536.5080.90
ZEN-10CCDR-D-V2	Programmable relay, 24 VDC supply, 6x 24 VDC inputs (2 of which can be 0-10 V analog inputs), 4x relay outputs 5 A	181.70	240975	4547648391078			DE	A	CHN	8536.5080.90
ZEN-10CCDT-D-V2	Programmable relay, 24 VDC supply, 6x 24 VDC inputs (2 of which can be 0-10 V analog inputs), 4x transistor outputs	181.70	240980	4547648391122			DE	A	CHN	8536.5080.90
ZEN-10CCAR-A-V2	Programmable relay, 100-240 VAC supply, 6x 100-240 VAC inputs, 4x relay outputs 5A, RTC, LCD display, unexpandable	169.90	240983	4547648391160			DE	A	CHN	8536.5080.90
ZEN-10CCDR-D-V2	Programmable relay, 24 VDC supply, 6x 24 VDC inputs (2 of which can be 0-10V analog inputs), 4x relay outputs 5A, RTC, LCD display, unexpandable	169.90	240984	4547648391177			DE	A	CHN	8536.5080.90
ZEN-10CCAR-A-V2	Programmable relay, 24 VDC supply, 6x 100-240 VAC inputs (2 of which can be 0-10 V analog inputs), 4x relay outputs 5 A, RTC, LCD display, expandable	249.60	240987	4547648391207			DE	A	CHN	8536.5080.90
ZEN-10CCDR-D-V2	Programmable relay, 24 VDC supply, 6x 24 VDC inputs (2 of which can be 0-10 V analog inputs), 4x relay outputs 5 A, RTC, LCD display, expandable	249.60	240988	4547648391214			DE	A	CHN	8536.5080.90
ZEN-20CIAR-A-V2	Programmable relay, 100-240 VAC supply, 12x 100-240 VAC inputs, 8x relay outputs 5 A, RTC, LCD display	280.20	240989	4547648391221			DE	A	CHN	8536.5080.90
ZEN-20CIDR-D-V2	Programmable relay, 24 VDC supply, 12x 24 VDC inputs (2 of which can be 0-10 V analog inputs), 8x relay outputs 5 A, RTC, LCD display	280.20	240991	4547648391245			DE	A	CHN	8536.5080.90
ZEN-20CIDT-D-V2	Programmable relay, 24 VDC supply, 12x 24 VDC inputs (2 of which can be 0-10 V analog inputs), 8x transistor outputs, RTC, LCD display	280.20	240993	4547648391269			DE	A	CHN	8536.5080.90
ZEN-20CCAR-A-V2	Programmable relay, 100-240 VAC supply, 12x 100-240 VAC inputs, 8x relay outputs 5 A	261.20	240990	4547648391238			DE	A	CHN	8536.5080.90
ZEN-20CCDR-D-V2	Programmable relay, 24 VDC supply, 12x 24 VDC inputs (2 of which can be 0-10 V analog inputs), 8x relay outputs 5 A	261.20	240992	4547648391252			DE	A	CHN	8536.5080.90
ZEN-20CCDT-D-V2	Programmable relay, 24 VDC supply, 12x 24 VDC inputs (2 of which can be 0-10 V analog inputs), 8x transistor outputs	261.20	240994	4547648391276			DE	A	CHN	8536.5080.90
ZEN-20CCAR-A-V2	Programmable relay, 100-240 VAC supply, 12x 100-240 VAC inputs, 8x relay outputs 5A, unexpandable	249.60	240985	4547648391184			DE	A	CHN	8536.5080.90

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Data sheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
ZEN-20C3DR-D-V2	Programmable relay, 24 VDC supply, 12x 24 VDC inputs (2 of which can be 0-10V analog inputs), 8x relay outputs 5A,unexpandable	249.60	240986	4547648391191			DE	A	CHN	8536.5080.90
ZEN-8E1DT	I/O expansion unit, 4 x 24 VDC inputs, 4 x transistor outputs	88.25	240981	4547648391139			DE	A	CHN	8536.5080.90
<b>Other Programmable Relay</b>										
ZEN-8E1AR	I/O expansion unit, 4 x 100-240 VAC inputs, 4 x relay outputs 5 A	101.50	240976	4547648391085			DE	X	CHN	8536.5080.90
ZEN-8E1DR	I/O expansion unit, 4 x 24 VDC inputs, 4 x relay outputs 5 A	92.60	240977	4547648391092			DE	X	CHN	8536.5080.90
<b>Accessory for Programmable Relay</b>										
ZEN-BAT01	Battery for ZEN programmable relay	50.90	240970	4547648391023			DE	Z	CHN	8506.5090.90
ZEN-CIF01	Cable, 2 m, for connecting ZEN programmable relay to a PC	119.30	240969	4547648391016			DE	Z	CHN	8536.5080.90
ZEN-ME01	Memory cassette, EEPROM	47.45	240971	4547648391030			DE	Z	CHN	8536.5080.90
ZEN-SOFT01-V4	Programming software for ZEN programmable relay, CD-ROM	71.80	240995	4547648391283			DE	Z	JPN	8523.8090.00
<b>Temp &amp; Process ESAR</b>										
ESAR-C043DW-FLK-24VAC/DC	Temp. controller, PROplus,96x96mm, 1/4 DIN,4 x Current OUT,4 x AUX,RS-485.4 x Uni. I/P & 4 EV I/P,4 LP,Compow.F,24V AC/DC	1,755.00	129536	4536854937576			DF	C	JPN	9032.1080.90
<b>Temp &amp; Process EBC2</b>										
E5C2-R20G 100-240VAC 0-100	Basic Temp. Controller,1/16 DIN, 48x48mm,Dial knob,On-Off Control,Thermistor,0-100deq.,100-240V AC	109.80	378358	4548583418066			DF	D	CHN	9032.1080.90
E5C2-R20G 100-240VAC 100-200	Basic Temp. Controller,1/16 DIN, 48x48mm,Dial knob,On-Off Control,Thermistor,100-200deq.,100-240V AC	108.80	378344	4548583418165			DF	D	CHN	9032.1080.90
E5C2-R20G 100-240VAC 150-300	Basic Temp. Controller,1/16 DIN, 48x48mm,Dial knob,On-Off Control,Thermistor,150-300deq.,100-240V AC	90.25	378345	4548583418172			DF	D	CHN	9032.1080.90
E5C2-R20J 100-240VAC 0-200	Basic temperature controller, 1/16 DIN, 48 x 48 mm,Dial knob,On-Off Control,J,Thermocouple,0-200deq.,100 to 240V AC	108.80	378350	4548583418264			DF	D	CHN	9032.1080.90
E5C2-R20J 100-240VAC 0-400	Basic temperature controller, 1/16 DIN, 48 x 48 mm,Dial knob,On-Off Control,J,Thermocouple,0-400deq.,100 to 240V AC	88.30	378352	4548583418288			DF	D	CHN	9032.1080.90
E5C2-R20K 100-240VAC 0-1000	Temp. controller, LITE, 1/16 DIN, 48x48mm,Dial knob,On-Off Control,K,Thermocouple,0-1000deq.,100-240V AC	113.60	378342	4548583418127			DF	D	CHN	9032.1080.90
E5C2-R20K 100-240VAC 0-1200	Temp. controller, LITE, 1/16 DIN, 48x48mm,Dial knob,On-Off Control,K,Thermocouple,0-1200deq.,100-240V AC	98.45	378343	4548583418134			DF	D	CHN	9032.1080.90
E5C2-R20K 100-240VAC 0-2000	Temp. controller, LITE, 1/16 DIN, 48x48mm,Dial knob,On-Off Control,K,Thermocouple,0-2000deq.,100-240V AC	108.50	378359	4548583418073			DF	D	CHN	9032.1080.90
E5C2-R20K 100-240VAC 0-4000	Temp. controller, LITE, 1/16 DIN, 48x48mm,Dial knob,On-Off Control,K,Thermocouple,0-4000deq.,100-240V AC	109.80	378360	4548583418097			DF	D	CHN	9032.1080.90
E5C2-R20K 100-240VAC 0-6000	Temp. controller, LITE, 1/16 DIN, 48x48mm,Dial knob,On-Off Control,K,Thermocouple,0-6000deq.,100-240V AC	109.80	378361	4548583418103			DF	D	CHN	9032.1080.90
E5C2-R20P-D 100-240VAC 0-100	Temp. controller, LITE, 1/16 DIN, 48x48mm,Dial knob,On-Off Control,P,100.0-100deq.,100-240V AC	110.10	378363	4548583418240			DF	D	CHN	9032.1080.90
E5C2-R20P-D 100-240VAC 0-200	Temp. controller, LITE, 1/16 DIN, 48x48mm,Dial knob,On-Off Control,P,100.0-200deq.,100-240V AC	113.70	378364	4548583418325			DF	D	CHN	9032.1080.90
E5C2-R20P-D 100-240VAC 0-300	Temp. controller, LITE, 1/16 DIN, 48x48mm,Dial knob,On-Off Control,P,100.0-300deq.,100-240V AC	109.80	378355	4548583418332			DF	D	CHN	9032.1080.90
E5C2-R20P-D 100-240VAC 0-400	Temp. controller, LITE, 1/16 DIN, 48x48mm,Dial knob,On-Off Control,P,100.0-400deq.,100-240V AC	113.70	378356	4548583418349			DF	D	CHN	9032.1080.90
E5C2-R20P-D 100-240VAC 0-500	Temp. controller, LITE, 1/16 DIN, 48x48mm,Dial knob,On-Off Control,P,100.0-500deq.,100-240V AC	113.70	378354	4548583418318			DF	D	CHN	9032.1080.90
E5C2-R20P-D 100-240VAC 50-50	Temp. controller, LITE, 1/16 DIN, 48x48mm,Dial knob,On-Off Control,P,100.0-50,50deq.,100-240V AC	113.70	378353	4548583418295			DF	D	CHN	9032.1080.90
E5C2-R40K 100-240VAC 0-200	Temp. controller, LITE, 1/16 DIN, 48x48mm,Dial knob,P-Control,K,Thermocouple,0-200deq.,100-240V AC	113.70	378346	4548583418189			DF	D	CHN	9032.1080.90
<b>Temp &amp; Process Thermo Sensor</b>										
E52-CA15AY D=1.6 2M	Temp. sensor,Smooth tube, Thermocouple K,0-650 deg.,dia. 1.6, 150mm, ASTM316L,pre-wired,2m	76.40	368840	4548583098527		10	DF	L	JPN	9032.1080.90
E52-CA15AY D=3.2 2M	Temp. sensor,Smooth tube, Thermocouple K,0-750 deg.,dia. 3.2, 150mm, ASTM316L,pre-wired,2m	84.90	368847	4548583098763			DF	L	JPN	9032.1080.90
E52-CA1DY M6 1M	Temp. sensor, M6 type, Thermocouple K, 0-400 deq.,SJS304,pre-wired,1m	36.55	368861	4548583099791			DF	L	JPN	9032.1080.90
E52-CA1DY M6 2M	Temp. sensor, M6 type, Thermocouple K, 0-400 deq.,SJS304,pre-wired,2m	33.94	368862	4548583099807			DF	L	JPN	9032.1080.90
E52-CA1DY M6 4M	Temp. sensor, M6 type, Thermocouple K, 0-400 deq.,SJS304,pre-wired,4m	59.75	368863	4548583099814			DF	L	JPN	9032.1080.90
E52-CA1DY-40 M6 2M	Temp. sensor, M6 type, Thermocouple K, 0-300 deq.,SJS304,pre-wired,2m	50.45	683741	4548583099913			DF	L	JPN	9032.1080.90
E52-CA1GT Y 2M	Temp. sensor, Crimp terminal type, Thermocouple K, 0-300 deg.,dia. 8, pre-wired, 2m	61.80	368854	4548583099890			DF	L	JPN	9032.1080.90
E52-CA1GT Y 14 1M	Temp. sensor, Crimp terminal type, Thermocouple K, 0-200 deg.,dia. 8, pre-wired, 1m	64.65	368855	4548583099937		5	DF	L	JPN	9032.1080.90
E52-CA20AY D=1.6 1M	Temp. sensor,Smooth tube, Thermocouple K,0-650 deg.,dia. 1.6, 200mm, ASTM316L,pre-wired,1m	88.00	368843	4548583098596		2	DF	L	JPN	9032.1080.90
E52-CA20AY D=1.6 4M	Temp. sensor,Smooth tube, Thermocouple K,0-650 deg.,dia. 1.6, 200mm, ASTM316L,pre-wired,4m	106.00	368844	4548583098619			DF	L	JPN	9032.1080.90
E52-CA35AY D=1.6 2M	Temp. sensor,Smooth tube, Thermocouple K,0-650 deg.,dia. 1.6, 350mm, ASTM316L,pre-wired,2m	79.95	368846	4548583098688			DF	L	JPN	9032.1080.90
E52-CA35AY D=3.2 NETU 1M	Temp. sensor,Smooth tube, Thermocouple K,0-750 deg.,dia. 3.2, 350mm, ASTM316L,pre-wired, Heat resistive cable, 1m	76.95	368864	4548583098954			DF	L	JPN	9032.1080.90
E52-CA6D-N 2M	Thermocouple K, grounded type, 0°C to 350°C, diameter 4 mm, probe length 65 mm, 2 m cable length	30.69	680078	4548583232322			DF	L	JPN	9032.1080.90
E52-EACC-JF1-B	Temperature sensor accessory, compensation connector, female, J,thermoplastic	10.14	374372	4547648954310			DF	L	ITA	8544.4993.90
E52-EACC-JM1-B	Temperature sensor accessory, compensation connector, male, J,thermoplastic	11.77	374371	4547648954303			DF	L	ITA	8544.4993.90
E52-EACC-KF1-B	Temp. sensor accessory, compensation connector, female, K,thermoplastic	10.14	374374	4547648954334			DF	L	ITA	8544.4993.90
E52-EACC-KM1-B	Temp. sensor accessory, compensation connector, male, K,thermoplastic	11.77	374373	4547648954327			DF	L	ITA	8544.4993.90
E52-EACF1/2-6-B	Temp. sensor accessory, compression fitting, FC 1/2, dia 6, AISI 316	21.36	374343	4547648954020			DF	L	ITA	8544.4993.90
E52-EACF1/2-8-B	Temp. sensor accessory, compression fitting, FC 1/2, dia 8, AISI 316	21.36	374344	4547648954037			DF	L	ITA	8544.4993.90
E52-EACF1/4-6-B	Temp. sensor accessory, compression fitting, FC 1/4, dia 6, AISI 316	19.37	374345	4547648954044			DF	L	ITA	8544.4993.90
E52-EACF1/4-8-B	Temp. sensor accessory, compression fitting, FC 1/4, dia 8, AISI 316	19.37	374364	4547648954235			DF	L	ITA	8544.4993.90
E52-EACFM20-6-B	Temp. sensor accessory, compression fitting, M20x1.5, dia 6, AISI 316	21.36	374365	4547648954242			DF	L	ITA	8544.4993.90
E52-EACFM20-8-B	Temp. sensor accessory, compression fitting, M20x1.5, dia 8, AISI 316	21.36	374366	4547648954259			DF	L	ITA	8544.4993.90
E52-EACW-J1-B	Temp. sensor accessory, compensation cable ,thermocouple, J, Silicone rubber, 1m	4.81	374369	4547648954280		20	DF	L	ITA	8544.4993.90
E52-EACW-L25-B	Temp. sensor accessory, compensation cable ,thermocouple, J, Silicone rubber, 25m	49.79	374370	4547648954297			DF	L	ITA	8544.4993.90
E52-EACW-K1-B	Temp. sensor accessory, compensation cable ,thermocouple, K, Silicone rubber, 1m	6.16	374367	4547648954266			DF	L	ITA	8544.4993.90
E52-EACW-K25-B	Temp. sensor accessory, compensation cable ,thermocouple, K, Silicone rubber, 25m	53.40	374368	4547648954273			DF	L	ITA	8544.4993.90
E52-EATW1/2G-10-6-150-B	Temperature sensor accessory, thermo well, G1/2 gas, 10 (for 6), 150, AISI 316	32.01	374376	4547648954358			DF	L	ITA	8544.4993.90
E52-EATW1/2G-12-8-150-B	Temp. sensor accessory, thermo well, G1/2 gas, 12 (for 8), 150, AISI 316	33.63	374377	4547648954365			DF	L	ITA	8544.4993.90
E52-EATW1/2G-6-3-150-B	Temp. sensor accessory, thermo well, G1/2 gas, 6 (for 3), 150, AISI 316	30.43	374375	4547648954341			DF	L	ITA	8544.4993.90
E52-ELP4-50-2-A	Temperature sensor, Lite, smooth tube, PT100, class B, dia. 4, 50, AISI 316, pre-wired with open cable end s 2 m	29.44	374422	4547648954815			DF	L	ITA	8544.4993.90
E52-ELP5-100-2-A	Temperature sensor, Lite, smooth tube, PT100, class B, dia. 5, 100 mm, 304SS, pre-wired with cable end shoes 2 m	23.17	374644	4547648955591			DF	L	ITA	8544.4993.90
E52-ELP5-50-2-A	Temperature sensor, Lite, smooth tube, PT100, class B, dia. 5, 50mm, 304SS, pre-wired with cable end shoes 2m	22.84	374643	4547648955584		13	DF	L	ITA	8544.4993.90
E52-ELP6-100-2-A	Temperature sensor, Pro, smooth tube, PT100, class B, dia. 6, 100, SJS304, pre-wired with open cable end s 2 m	28.27	374423	4547648954822			DF	L	ITA	8544.4993.90
E52-ELP6-50-2-A	Temperature sensor, Lite, smooth tube, PT100, 0 - + 400°C, class B, dia. 6, 50 mm, 304SS, pre-wired with TTS cable end shoes 2 m	28.27	374645	4547648955607			DF	L	ITA	8544.4993.90

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Dataheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
E52-ELP8-100-2-A	Temperature sensor, Lite, smooth tube, PT100, class B, dia 4, 50mm, 304SS, pre-wired with cable end shoes 2m	30.41	374424	4547648954839			DF	L	ITA	8544.4993.90
E52-ELT3-300-0030-B	Temperature sensor, Lite, Smooth tube, Thermocouple, J dia 3, 300, AISI 316, pre-wired with open cable ends 0.03m	39.52	374398	4547648954570			DF	L	ITA	8544.4993.90
E52-ELT4-100-2-A	Temperature sensor, Lite, smooth tube, Thermocouple, J dia 4, 50mm, 304SS, pre-wired with cable end shoes 2m	18.25	374411	4547648954709			DF	L	ITA	8544.4993.90
E52-ELT4-50-2-A	Temperature sensor, Lite, smooth tube, Thermocouple, J dia 4, 50mm, 304SS, pre-wired with cable end shoes 2m	18.25	374762	4547648955959		10	DF	L	ITA	8544.4993.90
E52-ELT6-100-2-A	Temperature sensor, Lite, smooth tube, Thermocouple, J dia 5, 100mm, 304SS, pre-wired with cable end shoes 2m	18.25	374640	4547648955553			DF	L	ITA	8544.4993.90
E52-ELT6-50-2-A	Temperature sensor, Lite, smooth tube, Thermocouple, J dia 5, 50mm, 304SS, pre-wired with cable end shoes 2m	18.25	374639	4547648955546			DF	L	ITA	8544.4993.90
E52-ELT6-100-2-A	Temperature sensor, Lite, smooth tube, Thermocouple, J dia 6, 100 mm, 304SS, pre-wired with cable end shoes 2 m	17.58	374412	4547648954716			DF	L	ITA	8544.4993.90
E52-ELT6-300-0030-B	Temperature sensor, Lite, Smooth tube, Thermocouple, J dia 6, 300, AISI 316, pre-wired with open cable ends 0.03m	40.46	374399	4547648954587			DF	L	ITA	8544.4993.90
E52-ELT6-50-2-A	Temperature sensor, Lite, smooth tube, Thermocouple, J dia 6, 50mm, 304SS, pre-wired with cable end shoes 2m	17.72	374641	4547648955560			DF	L	ITA	8544.4993.90
E52-ELT8-100-2-A	Temperature sensor, Lite, smooth tube, Thermocouple, J dia 8, 100mm, 304SS, pre-wired with cable end shoes 2m	18.92	374413	4547648954723			DF	L	ITA	8544.4993.90
E52-ELT8-300-0030-B	Temperature sensor, Lite, Smooth tube, Thermocouple, J dia 8, 300, AISI 316, pre-wired with open cable ends 0.03m	43.79	374400	4547648954594			DF	L	ITA	8544.4993.90
E52-ELTK3-300-0030-B	Temperature sensor, Lite, Smooth tube, Thermocouple, K dia 3, 300, INCONEL 600, pre-wired with open cable ends 0.03m	40.97	374401	4547648954600			DF	L	ITA	8544.4993.90
E52-ELTK4-100-2-A	Temperature sensor, Lite, smooth tube, Thermocouple, K dia 4, 50mm, 304SS, pre-wired with cable end shoes 2m	19.37	374419	4547648954785			DF	L	ITA	8544.4993.90
E52-ELTK4-50-2-A	Temperature sensor, Lite, smooth tube, Thermocouple, K dia 4, 50mm, 304SS, pre-wired with cable end shoes 2m	19.37	374763	4547648955966			DF	L	ITA	8544.4993.90
E52-ELTK5-100-2-A	Temperature sensor, Lite, smooth tube, Thermocouple, K dia 5, 100mm, 304SS, pre-wired with cable end shoes 2m	19.23	374642	4547648955577			DF	L	ITA	8544.4993.90
E52-ELTK5-100-2-A	Temperature sensor, Lite, smooth tube, Thermocouple, K dia 6, 100 mm, 304SS, pre-wired with cable end shoes 2 m	19.31	374420	4547648954792			DF	L	ITA	8544.4993.90
E52-ELTK6-300-0030-B	Temperature sensor, Lite, Smooth tube, Thermocouple, K dia 6, 300, INCONEL 600, pre-wired with open cable ends 0.03m	43.79	374402	4547648954617			DF	L	ITA	8544.4993.90
E52-ELTK8-100-2-A	Temperature sensor, Lite, smooth tube, Thermocouple, K dia 8, 100mm, 304SS, pre-wired with cable end shoes 2m	20.51	374421	4547648954808			DF	L	ITA	8544.4993.90
E52-ELTK8-300-0030-B	Temperature sensor, Lite, Smooth tube, Thermocouple, K dia 8, 300, INCONEL 600, pre-wired with open cable ends 0.03m	41.10	374403	4547648954624			DF	L	ITA	8544.4993.90
E52-EP3-250-2-B	Temperature sensor, Pro, smooth tube, PT100, class B, dia 3mm, 250mm, AISI 316, pre-wired with open cable ends 2m	82.35	374342	4547648954013			DF	L	ITA	8544.4993.90
E52-EP6-100-2-B	Temperature sensor, Pro, smooth tube, PT100, class B, dia 6, 100mm, 316SS, pre-wired with open cable ends 2m	33.88	374350	4547648954099		5	DF	L	ITA	8544.4993.90
E52-EP6-100-T2-CG1.5-B	Temperature sensor, Pro, enclosed terminals, Clamp mounting, 1.5", PT100, class B, dia 6, 100, AISI 316, enclosed screw terminals	87.05	374362	4547648954211			DF	L	ITA	8544.4993.90
E52-EP6-100-T2-CG2-B	Temperature sensor, Pro, enclosed terminals, smooth tube, PT100mm, class B, dia 6, 200, AISI 316, enclosed screw terminals	90.20	374363	4547648954228			DF	L	ITA	8544.4993.90
E52-EP6-200-T2-B	Temperature sensor, Pro, enclosed terminals, smooth tube, PT100mm, class B, dia 6, 200, AISI 316, enclosed screw terminals	102.90	374358	4547648954174			DF	L	ITA	8544.4993.90
E52-EP6-200-T2-CG1/2G-B	Temperature sensor, Pro, enclosed terminals, G1/2"q mounting, PT100mm, class B, dia 6, 200, AISI 316, enclosed screw terminals	109.10	374361	4547648954204		15	DF	L	ITA	8544.4993.90
E52-EP6-250-2-B	Temperature sensor, Pro, smooth tube, PT100, class B, dia 6, 250mm, AISI 316, pre-wired with open cable ends 2m	76.90	374355	4547648954124			DF	L	ITA	8544.4993.90
E52-EP6-35-2-BG1/4G-B	Temperature sensor, Pro, baionet mounting, PT100, class B, dia 6, 35mm, AISI 316, pre-wired with open cable ends 2m	51.15	374352	4547648954112		10	DF	L	ITA	8544.4993.90
E52-EP8-100-2-B	Temperature sensor, Pro, smooth tube, PT100, class B, dia 8, 100mm, AISI 316, pre-wired with open cable ends 2m	38.44	374351	4547648954105			DF	L	ITA	8544.4993.90
E52-EPE1-B	Temperature sensor, Pro Plus, Environmental temp, PT100, class B, ALUMINUM, enclosed screw terminals	75.95	374353	4547648954129		3	DF	L	ITA	8544.4993.90
E52-EPE2-B	Temperature sensor, Pro Plus, Environmental temp, PT100, class B, PVC, enclosed screw terminals	73.65	374354	4547648954136			DF	L	ITA	8544.4993.90
E52-ESQJH-2-15020-30-B	Temperature sensor, custom er special	76.40	374281	4547648953498			DF	L	ITA	8544.4993.90
E52-ESOKG-2-80-20-B	Temperature sensor, custom er special	46.45	374282	4547648953504			DF	L	ITA	8544.4993.90
E52-ESOPH-3-25020-30-B	Temperature sensor, custom er special	124.40	374283	4547648953511			DF	L	ITA	8544.4993.90
E52-ESPT12.1/4.3/8/100.6-B	Temperature sensor, custom er special	34.53	374284	4547648953528		20	DF	L	ITA	8544.4993.90
E52-ESTL8-6-01540-B	Temperature sensor, custom er special	28.56	374285	4547648953535			DF	L	ITA	8544.4993.90
E52-ESTL8-8-03050-B	Temperature sensor, custom er special	39.60	374286	4547648953542			DF	L	ITA	8544.4993.90
E52-ESTLC-4-05020-B	Temperature sensor, custom er special	17.23	374323	4547648953900			DF	L	ITA	8544.4993.90
E52-ESTLC-4-10030-B	Temperature sensor, custom er special	19.60	374289	4547648953573			DF	L	ITA	8544.4993.90
E52-ESTLC-6-10040-B	Temperature sensor, custom er special	24.45	374292	4547648953603			DF	L	ITA	8544.4993.90
E52-ESTLC-8-20020VR-B	Temperature sensor, custom er special	27.89	374294	4547648953627			DF	L	ITA	8544.4993.90
E52-ESTK1-8-150-TBPC-B	Temperature sensor, custom er special	124.70	374295	4547648953634			DF	L	ITA	8544.4993.90
E52-ESTKC-6-90020-SKIN-B	Temperature sensor, custom er special	141.20	374298	4547648953665			DF	L	ITA	8544.4993.90
E52-ESTP1-6-100-TBCON.0-200-B	Temperature sensor, enclosed terminals, G1/2"q mounting, PT100, class B, dia. 6 mm, 100 mm, AISI 316, enclosed screw terminals, 4.20 mA converter output	277.40	374300	4547648953689		3	DF	L	ITA	8544.4993.90
E52-ESTP1-8-150-TBPC-B	Temperature sensor, custom er special	112.00	374301	4547648953696			DF	L	ITA	8544.4993.90
E52-ESTP1-8-300-TBPC-B	Temperature sensor, custom er special	131.80	374302	4547648953702			DF	L	ITA	8544.4993.90
E52-ESTPC-6-03520-B	Temperature sensor, custom er special	35.24	374306	4547648953740			DF	L	ITA	8544.4993.90
E52-ESTPC-6-10030-A-B	Temperature sensor, custom er special	44.14	374308	4547648953764		5	DF	L	ITA	8544.4993.90
E52-ESTPCPAN-3010-50-B	Temperature sensor, surface measurement, PT100, -20°, 100°C, pre-wired 5m	50.45	374310	4547648953788			DF	L	ITA	8544.4993.90
E52-ETJ1-100-2-A	Temperature sensor, Pro, smooth tube, Thermocouple, J dia 1, 100mm, 316SS, pre-wired with cable end shoes 2m	39.52	374406	4547648954655			DF	L	ITA	8544.4993.90
E52-ETJ1-100-2-P-B	Temperature sensor, smooth tube, Thermocouple J dia 1 mm, 100 mm, 316SS, fit new E5 D requirement	55.95	678376	4549734924580		# 10	DF	L	ITA	8544.4993.90
E52-ETJ1-120-2-P-A	Temperature sensor, smooth tube, Thermocouple, J dia. 1, 120 mm, 316SS, fit new E5 D requirement	36.42	677876	4549734921626		#	DF	L	ITA	8544.4993.90
E52-ETJ1-150-2-B	Temperature sensor, Pro, smooth tube, Thermocouple, J dia 3, 150, AISI 316, pre-wired with open cable ends 2m	45.36	374384	4547648954433			DF	L	ITA	8544.4993.90
E52-ETJ2-100-2-A	Temperature sensor, Pro, smooth tube, Thermocouple, J dia 2, 100mm, 316SS, pre-wired with cable end shoes 2m	38.50	374407	4547648954662			DF	L	ITA	8544.4993.90
E52-ETJ2-150-2-B	Temperature sensor, Pro, smooth tube, Thermocouple, J dia 2, 150, AISI 316, pre-wired with open cable ends 2m	45.36	374340	4547648953993		2	DF	L	ITA	8544.4993.90
E52-ETJ3-100-2-A	Temperature sensor, Pro, smooth tube, Thermocouple, J dia 3, 100 mm, 316SS, pre-wired with cable end shoes 2 m	39.50	374408	4547648954679			DF	L	ITA	8544.4993.90
E52-ETJ3-150-2-B	Temperature sensor, Pro, smooth tube, Thermocouple, J dia 3, 150, AISI 316, pre-wired with open cable ends 2m	45.36	374395	4547648954440			DF	L	ITA	8544.4993.90
E52-ETJ8-200-C1-B	Temperature sensor, Pro, smooth tube, Thermocouple, J dia 3, 200, AISI 316, open screw terminals	58.80	374394	4547648954532			DF	L	ITA	8544.4993.90
E52-ETJ4.5-100-2-A	Temperature sensor, Pro, smooth tube, Thermocouple, J dia 4.5, 100mm, 316SS, pre-wired with cable end shoes 2m	37.85	374409	4547648954696			DF	L	ITA	8544.4993.90
E52-ETJ4.5-150-2-B	Temperature sensor, Pro, smooth tube, Thermocouple, J dia 6, 150, AISI 316, pre-wired with open cable ends 2m	48.58	374386	4547648954457			DF	L	ITA	8544.4993.90
E52-ETJ6-100-2-A	Temperature sensor, Pro, smooth tube, Thermocouple, J dia 6, 100mm, 316SS, pre-wired with cable end shoes 2m	37.67	374410	4547648954693			DF	L	ITA	8544.4993.90
E52-ETJ6-100-2-B	Temperature sensor, Pro, baionet mounting, PT100, class B, dia 6, 35, ASI 4541, pre-wired with open cable end shoes 2m	36.55	374347	4547648954068		3	DF	L	ITA	8544.4993.90
E52-ETJ6-150-2-B	Temperature sensor, Pro, smooth tube, Thermocouple, J dia 8, 150, AISI 316, pre-wired with open cable ends 2m	51.85	374387	4547648954464			DF	L	ITA	8544.4993.90
E52-ETJ6-15-2-BG1/4G-B	Temperature sensor, Pro, baionet mounting, Thermocouple, J dia 6, 15mm, AISI 316, pre-wired with open cable ends 2m	30.23	374346	4547648954051			DF	L	ITA	8544.4993.90
E52-ETJ6-200-C1-B	Temperature sensor, Pro, smooth tube, Thermocouple, J dia 6, 200mm, AISI 316, open screw terminals	60.95	374395	4547648954549			DF	L	ITA	8544.4993.90
E52-ETJ6-200-T2-B	Temperature sensor, Pro, enclosed terminals, smooth tube, Thermocouple, J dia 6, 200mm, AISI 316, enclosed screw terminals	78.15	374357	4547648954167			DF	L	ITA	8544.4993.90
E52-ETJ6-200-T2-CG1/2G-B	Temperature sensor, Pro, enclosed terminals, G1/2"q mounting, Thermocouple, J dia 6, 200mm, AISI 316, enclosed screw terminals	82.90	374360	4547648954198			DF	L	ITA	8544.4993.90
E52-ETJ8-150-2-B	Temperature sensor, Pro, smooth tube, Thermocouple, K dia 1, 150, INCONEL 600, pre-wired with open cable ends 2m	55.55	374388	4547648954471			DF	L	ITA	8544.4993.90
E52-ETJS1-B	Temperature sensor, Pro Plus, Surface temp, Thermocouple, J dia 10, dia 4mm screw hole, Cu-Sq, pre-wired with open cable ends 4m	20.51	374348	4547648954075			DF	L	ITA	8544.4993.90
E52-ETK1-100-2-A	Temperature sensor, Pro, smooth tube, Thermocouple, K dia 1, 100mm, INCONEL 600, pre-wired with cable end shoes 2m	41.86	374414	4547648954730			DF	L	ITA	8544.4993.90
E52-ETK1-150-2-B	Temperature sensor, Pro, smooth tube, Thermocouple, K dia 2, 150, INCONEL 600, pre-wired with open cable ends 2m	48.58	374389	4547648954488			DF	L	ITA	8544.4993.90
E52-ETK2-100-2-A	Temperature sensor, Pro, smooth tube, Thermocouple, K dia 2, 100 mm, INCONEL 600, pre-wired with cable end shoes 2 m	40.83	374415	4547648954747			DF	L	ITA	8544.4993.90
E52-ETK2-150-2-B	Temperature sensor, Pro, smooth tube, Thermocouple, J dia 3, 150, AISI 316, pre-wired with open cable ends 2m	48.58	374341	4547648954006			DF	L	ITA	8544.4993.90
E52-ETK3-100-2-A	Temperature sensor, Pro, smooth tube, Thermocouple, K dia 3, 100mm, INCONEL 600, pre-wired with cable end shoes 2m	40.83	374416	4547648954754			DF	L	ITA	8544.4993.90
E52-ETK3-150-2-B	Temperature sensor, Pro, smooth tube, Thermocouple, K dia 3, 150, INCONEL 600, pre-wired with open cable ends 2m	48.58	374390	4547648954495			DF	L	ITA	8544.4993.90
E52-ETK3-200-C1-B	Temperature sensor, Pro, smooth tube, Thermocouple, K dia 3, 200, INCONEL 600, open screw terminals	59.15	374396	4547648954556			DF	L	ITA	8544.4993.90
E52-ETK4.5-100-2-A	Temperature sensor, Pro, smooth tube, Thermocouple, K dia 4.5, 100mm, INCONEL 600, pre-wired with cable end shoes 2m	40.69	374417	4547648954761			DF	L	ITA	8544.4993.90
E52-ETK4.5-150-2-B	Temperature sensor, Pro, smooth tube, Thermocouple, K dia 4.5, 150, INCONEL 600, pre-wired with open cable ends 2m	51.85	374391	4547648954501			DF	L	ITA	8544.4993.90

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Data sheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
E52-ETK6-100-2-A	Temperature sensor, Pro, smooth tube, Thermocouple, K dia 6, 100 mm, INCONEL 600, pre-wired with cable end shoes 2 m	41.68	374418	4547648954778			DF	L	ITA	8544.4993.90
E52-ETK6-100-2-B	Temperature sensor, Pro, smooth tube, Thermocouple, K dia 6, 100, INCONEL 600, pre-wired with open cable ends 2m	38.50	374349	4547648954082	3		DF	L	ITA	8544.4993.90
E52-ETK6-150-2-B	Temperature sensor, Pro, smooth tube, Thermocouple, K dia 6, 150, INCONEL 600, pre-wired with open cable ends 2m	53.40	374392	4547648954518			DF	L	ITA	8544.4993.90
E52-ETK6-200-C1-B	Temperature sensor, Pro, smooth tube, Thermocouple, K dia 6, 200mm, INCONEL 600, pre-wired with open cable ends 2m	62.85	374337	4547648954563			DF	L	ITA	8544.4993.90
E52-ETK6-200-T2-B	Temperature sensor, Pro, smooth tube, Thermocouple, K dia 6, 200, INCONEL 600, open screw terminals	81.55	374356	4547648954150			DF	L	ITA	8544.4993.90
E52-ETK6-200-T2-CG1/2G1-B	Temperature sensor, Pro, enclosed terminals, G1/2" mounting, Thermocouple, K dia 6, 200mm, INCONEL 600, enclosed screw terminals	86.40	374359	4547648954181			DF	L	ITA	8544.4993.90
E52-ETK8-150-2-B	Temperature sensor, Pro, smooth tube, Thermocouple, K dia 8, 150, INCONEL 600, pre-wired with open cable ends 2m	58.75	374393	4547648954525			DF	L	ITA	8544.4993.90
E52-ETI3-100-2-A	Temperature sensor, Pro, smooth tube, Thermocouple, T dia 3, 100mm, 316SS, pre-wired with cable end shoes 2m	39.08	374404	4547648954631			DF	L	ITA	8544.4993.90
E52-ETI3-150-2-B	Temperature sensor, Pro, smooth tube, Thermocouple, T dia 6, 150, AISI 316, pre-wired with open cable ends 2m	45.36	374381	4547648954402			DF	L	ITA	8544.4993.90
E52-ETI4-150-2-B	Temperature sensor, Pro, smooth tube, Thermocouple, J dia 1, 150, AISI 316, pre-wired with open cable ends 2m	48.58	374382	4547648954419			DF	L	ITA	8544.4993.90
E52-ETI6-100-2-A	Temperature sensor, Pro, smooth tube, Thermocouple, T dia 6, 100mm, 316SS, pre-wired with cable end shoes 2m	38.07	374405	4547648954648			DF	L	ITA	8544.4993.90
E52-ETI6-150-2-B	Temperature sensor, Pro, smooth tube, Thermocouple, J dia 2, 150, AISI 316, pre-wired with open cable ends 2m	51.85	374383	4547648954426			DF	L	ITA	8544.4993.90
E52-IC15AY D=1.6 4M	Temp. sensor, Smooth tube, Thermocouple J, 0-450 deg. dia. 1.6, 150mm, ASTM316L, pre-wired, 4 m	95.90	368873	4548583100152	3		DF	L	JPN	9032.1080.90
E52-IC1D1V M6 2M	Temp. sensor, M6 type, Thermocouple J, 0-350 deg. dia. 3.2, SUS304, 1m	45.35	368880	4548583101104			DF	L	JPN	9032.1080.90
E52-IC35AY D=4.8 2M	Temperature sensor, J class B, dia 4.8 mm, 350 mm, ASTM316L, pre-wired, 2 wires 2 m	122.70	679693	4548583100626			DF	L	JPN	9032.1080.90
E52-P10AEY 2M	PT100 Thermocouple probe	128.60	376185	4548583324756			DF	L	JPN	9032.1080.90
E52-P10GPY 2M	Temperature sensor, Pro, waterproof, smooth tube, Pt100, Class B, dia 7, 100mm, 304SS, pre-wired with end shoes 2m	385.00	378991	4548583324855			DF	L	JPN	9032.1080.90
E52-P15AY D=3.2 NETU 8M	Temp. sensor, Smooth tube, Pt100, -200-450 deg. dia. 3.2, 150mm, SUS316, pre-wired, heat resistive cable, 8m	355.70	368884	4548583101272			DF	L	JPN	9032.1080.90
E52-P20C-N D=8	Temp. Sensor, Enclosed terminals, Pt100 class B, -200-450deg. dia. 3.2mm, 200mm, SUS304	212.00	375791	4548583324510			DF	L	JPN	9032.1080.90
E52-P20C-N 7 D=8	Temp. sensor, PFD, smooth tube, enclosed housing, Pt100, double-head, Dia8mm, SUS316, Class B, 200mm m, -200°C to 450°C.	408.30	392952	4548583421608			DF	L	JPN	8544.4993.90
E52-P20C-Y 2M	Temperature sensor, Pro Plus, surface measurement, Pt100, class B, 28x14mm, SUS304, -50 to 250 deg., cable shoes	290.80	392568	4548583324800			DF	L	JPN	8544.4993.90
E52-P25AY D=4.8 NETU 4M	Temp. sensor, PFD, enclosed terminals, G3/8" mounting, Pt100, dia. 4.8, proted. tube=310mm, SUS316, pre-wired, 4m	352.00	368885	4548583101586			DF	L	JPN	9032.1080.90
E52-P25C-N D=8	Temp. sensor, PFD, enclosed terminals, G3/8" mounting, Pt100, dia. 4.8, proted. tube=310mm, SUS316, enclosed screw terminals	212.00	391932	4548583324565			DF	L	JPN	8544.4993.90
E52-P25C-N D=4.8	Pt100 temperature probe, 500mm sensor length, 0 to 450 deg.C temperature range, enclosed	252.20	377794	4548583324936			DF	L	JPN	9032.1080.90
E52-P2D1Y 2M	Temp. sensor, Smooth tube with Rt/8 mounting, Pt100 class B, 50-250 deg. dia. 4mm, 65mm, SUS304, pre-wired, open cable ends, 2m	177.10	368859	4548583101937			DF	L	JPN	9032.1080.90
E52-THE5A 100-200	Temp. sensor, Smooth tube, Thermistor, 100-200 deg. dia. 4, 50mm, SUS304, pre-wired, heat resistive temperature cable, open cable ends, 1m	54.15	129782	4536853349738			DF	L	JPN	9032.1080.90
E52-THE5B 0-100	Temp. sensor, Smooth tube with Rt/8 mounting, Thermistor, 0-100 deg. dia. 4, 65mm, SUS304, pre-wired, heat resistive temperature cable, open cable ends, 1m	83.35	146568	4536853349813			DF	L	JPN	9032.1080.90
E52-THE5F 0-100 1M	Temp. sensor, Smooth tube With Flange, Thermistor, 0-100 deg. dia. 4, 80mm, SUS304, pre-wired, heat resistive temperature cable, open cable ends, 1m	87.90	129783	4536853349769			DF	L	JPN	9032.1080.90
E52-THE5L 0-100	Temp. sensor, Thermistor, 0-100 deg. dia. 5.5, 30mm, 0.5m	11.64	129787	4536853350444			DF	L	JPN	9032.1080.90
ES1B 10-70C	Infrared Thermosensor 10 to 70°C	358.60	171655	4547648047654	#		DF	L	JPN	9032.1080.90
ES1B 115-165C	Infrared Thermosensor 115 to 165°C	365.50	171657	4547648047678	#		DF	L	JPN	9032.1080.90
ES1B 140-260C	Infrared Thermosensor 140 to 260°C	368.50	171658	4547648047685	#		DF	L	JPN	9032.1080.90
ES1B 60-120C	Infrared Thermosensor 60 to 120°C	362.00	171656	4547648047661	#		DF	L	JPN	9032.1080.90
ES1C-A40	Temperature sensor, non-contact infrared, M18, 0-400°C	697.00	267944	4547648644242	#		DF	L	JPN	9032.1080.90
ES1-LP10-N	Infrared thermosensor, -50-500 °C, 8/100 mm dia. field, 12-24 VDC, 4-20 mA output, no laser pointer	818.50	683770	4549734162005			DF	L	JPN	9032.1080.90
ES1-LW50L-N	Infrared thermosensor, -50-500 °C, 40/500 mm dia. field, 12-24 VDC, 4-20 mA output, with laser pointer	553.00	684812	4549734162050			DF	L	JPN	9032.1080.90
<b>Temp. &amp; Process E5CS-V</b>										
E5CS-FKDU-W 24VAC/DC	Temperature controller, 1/16DIN (48 x 48mm), relay output, KJ input, Plug-in/Light-Gray color, 24VAC/DC	155.60	372883	4548583018365			DF	M	CHN	9032.1080.90
E5CS-FKDU-W 100-240 VAC	Temperature controller, 1/16DIN (48 x 48 mm), relay output, K-Jinput, Plug-in/Light-Gray color, 100 to 240 VAC	155.60	372882	4548583018358			DF	M	CHN	9032.1080.90
E5CS-RPU-W 100-240 VAC	Temperature controller, 1/16DIN (48 x 48mm), relay output, Pt100 input, Plug-in, 100-240 VAC	155.60	373051	4548583018372			DF	M	CHN	9032.1080.90
E5CS-Q1T-500 100-240 VAC	Temp. controller, LITE, DIN48x48, 12 VDC pulsed output, Thermocouple and RTD(Pt100) input, 1 x Alarm OUT, 100-240V AC	157.70	229456	4547648223201	#		DF	M	CHN	9032.1080.90
E5CS-Q1TD-500 24VAC/DC	Temp. controller, LITE, DIN48x48, 12 VDC pulsed output, Thermocouple and RTD(Pt100) input, 24VAC/VDC supply, 1 x Alarm OUT, 24 VAC/DC	160.40	229458	4547648223171	#		DF	M	CHN	9032.1080.90
E5CS-RT1-W 100-240 VAC	Temperature controller, 1/16DIN (48 x 48mm), relay output, Pt100 input, Light-Gray color, 100-240 VAC	155.20	230833	4547648221719			DF	M	CHN	9032.1080.90
E5CS-RT1-500 100-240 VAC	Temp. controller, LITE, DIN48x48, SPST relay output, Thermocouple and RTD(Pt100) input, 100/240 VAC supply, 1 x Alarm OUT, 100-240V AC	158.20	229455	4547648223195	#		DF	M	CHN	9032.1080.90
E5CS-RT1D-500 24VAC/DC	Temp. controller, LITE, DIN48x48, SPST relay output, Thermocouple and RTD(Pt100) input, supply, 1 x Alarm OUT, 24VAC/DC	161.00	229457	4547648223218	#		DF	M	CHN	9032.1080.90
E5CB-Q1P 100-240 VAC	Temp. controller, LITE, 1/16DIN (48 x 48mm), 12 VDC pulsed output, Pt100, ON/OFF or PID Control, Pt100 RTD input, 1 Alarm Rel., 100-240 VAC	130.20	352128	4548583012882			DF	M	CHN	9032.1080.90
E5CB-Q1 PD 24VAC/DC	Temp. controller, LITE, 1/16DIN (48 x 48mm), 12 VDC pulsed output, Pt100, ON/OFF or PID Control, Pt100 RTD input, 1 Alarm Rel., 24 VAC/DC	130.20	352130	4548583012905			DF	M	CHN	9032.1080.90
E5CB-Q1TC 100-240 VAC	Temp. controller, LITE, 1/16DIN (48 x 48mm), 12 VDC pulsed output, ON/OFF or PID Control, Thermocouple input, 1 Alarm Rel., 100-240 VAC	130.20	352127	4548583012875			DF	M	CHN	9032.1080.90
E5CB-Q1TCD 24VAC/DC	Temp. controller, LITE, 1/16DIN (48 x 48mm), 12 VDC pulsed output, ON/OFF or PID Control, Thermocouple input, 1 Alarm Rel., 24 VAC/DC	130.20	352129	4548583012899			DF	M	CHN	9032.1080.90
E5CB-R1P 100-240 VAC	Temp. controller, LITE, 1/16DIN (48 x 48mm), relay output, ON/OFF or PID Control, Pt100 RTD input, 1 Alarm Rel., 100-240 VAC	130.20	352124	4548583012844			DF	M	CHN	9032.1080.90
E5CB-R1PD 24VAC/DC	Temp. controller, LITE, 1/16DIN (48 x 48mm), relay output, ON/OFF or PID Control, Pt100 RTD input, 1 Alarm Rel., 24 VAC/DC	130.20	352126	4548583012868			DF	M	CHN	9032.1080.90
E5CB-RT1C 100-240 VAC	Temp. controller, LITE, 1/16DIN (48 x 48mm), relay output, ON/OFF or PID Control, Thermocouple input, 1 Alarm Rel., 100-240 VAC	130.20	352123	4548583012820			DF	M	CHN	9032.1080.90
E5CB-RT1CD 24VAC/DC	Temp. controller, LITE, 1/16DIN (48 x 48mm), relay output, ON/OFF or PID Control, Thermocouple input, 1 Alarm Rel., 24 VAC/DC	130.20	352125	4548583012851			DF	M	CHN	9032.1080.90
<b>Temp. &amp; Process E5AN-H</b>										
E5AN-HA2HBM-500 100-240 VAC	Temp. controller, PFDplus, 1/4 DIN, (96 x 96mm) 2 x OUT option 2 x Aux OUT, 1 x HT Burnout SSR Fail, 2 Event I/Ps option unit, Terminal cov., 100-240V AC	464.10	246790	4547648451826			DF	N	CHN	9032.1080.90
E5AN-HA2HBM-D 500 24VAC/DC	Temp. controller, PFDplus, 1/4 DIN, (96 x 96mm) 2 x OUT option 2 x Aux OUT, 1 x HT Burnout SSR Fail, 2 Event I/Ps option unit, Terminal cov., 24V AC/DC	477.10	246764	4547648451901			DF	N	CHN	9032.1080.90
E5AN-HA2HBFM-500 100-240 VAC	Temp. controller, PFDplus, 1/4 DIN, (96 x 96mm) 2 x OUT option 2 x Aux OUT, HT Burnout SSR Fail, 3Phs, Event I/P & Transf. OUT option unit, Terminal cov., 100-240V AC	486.30	246791	4547648451840			DF	N	CHN	9032.1080.90
E5AN-HA2HBFM-D 500 24VAC/DC	Temp. controller, PFDplus, 1/4 DIN, (96 x 96mm) 2 x OUT option 2 x Aux OUT, HT Burnout SSR Fail, 3Phs, Event I/P & Transf. OUT option unit, Terminal cov., 24V AC/DC	499.70	246766	4547648451925			DF	N	CHN	9032.1080.90
E5AN-HA3BFM-500 100-240 VAC	Temp. controller, PFDplus, 1/4 DIN, (96 x 96mm) 2 x OUT option 3 x Aux OUT, Event I/P & Transf. OUT option unit, Terminal cov., 100-240V AC	588.00	246760	4547648451864			DF	N	CHN	9032.1080.90
E5AN-HA3BFM-D 500 24VAC/DC	Temp. controller, PFDplus, 1/4 DIN, (96 x 96mm) 2 x OUT option 3 x Aux OUT, Event I/P & Transf. OUT option unit, Terminal cov., 24V AC/DC	596.50	246768	4547648451949			DF	N	CHN	9032.1080.90
E5AN-HPFR2BFM-D 500 24VAC/DC	Temp. controller, PFDplus, 1/4 DIN, (96 x 96mm) Pos. Prop. Control 2 x Aux OUT, Event I/P & Transf. OUT option unit, Terminal cov., 24V AC/DC	531.00	247751	4547648451970			DF	N	CHN	9032.1080.90
E5AN-HPFR2BM-500 100-240 VAC	Temp. controller, PFDplus, 1/4 DIN, (96 x 96mm) Pos. Prop. Control 2 x Aux OUT 2 Event I/Ps option unit, Terminal cov., 100-240V AC	502.50	246762	4547648451888			DF	N	CHN	9032.1080.90
E5AN-HPFR2BMD-500 24VAC/DC	Temp. controller, PFDplus, 1/4 DIN, (96 x 96mm) Pos. Prop. Control 2 x Aux OUT 2 Event I/Ps option unit, Terminal cov., 24V AC/DC	604.50	246770	4547648451963			DF	N	CHN	9032.1080.90
E5AN-HTA2HBM-500 100-240 VAC	Temp. controller, PFDplus, Ramp/Soak temperature controller, 1/4DIN (96 x 96mm), universal input (TC, RTD, Linear), heater alarm, event inputs, remote setpoint, 100-240 VAC	562.00	352162	4547648844451			DF	N	CHN	9032.1080.90
E5AN-HTA2HBM-D 500 24VAC/DC	Temp. controller, PFDplus, Ramp/Soak temperature controller, 1/4DIN (96 x 96mm), universal input (TC, RTD, Linear), heater alarm, event inputs, remote setpoint, 24 VAC/DC	573.50	352167	4547648844505			DF	N	CHN	9032.1080.90
E5AN-HTA2HBFM-500 100-240VAC	Temp. controller, PFDplus, Ramp/Soak Temp. controller, 1/4DIN (96 x 96mm), uni. input (TC, RTD, Linear), 3 phase heater alarm, event inputs, transfer output, remote SP, 100-240 VAC	600.50	352163	4547648844469			DF	N	CHN	9032.1080.90
E5AN-HTA2HBFM-D 500 24VAC/DC	Temp. controller, PFDplus, Ramp/Soak Temp. controller, 1/4DIN (96 x 96mm), uni. input (TC, RTD, Linear), 3 phase heater alarm, event inputs, transfer output, remote SP, 24 VAC/DC	510.50	352168	4547648844512			DF	N	CHN	9032.1080.90
E5AN-HTA3BFM-500 100-240 VAC	Temp. controller, PFDplus, Ramp/Soak Temp. controller, 1/4DIN (96 x 96mm), uni. input (TC, RTD, Linear), event inputs, transfer output, remote SP, 100-240 VAC	587.00	352164	4547648844475			DF	N	CHN	9032.1080.90
E5AN-HTA3BFM-D 500 24VAC/DC	ES -N-HT series adv. Ramp/Soak temp. contr., 1/4DIN (96 x 96mm), uni. input (TC, RTD, Linear), event inputs, transfer output, remote SP, 24 VAC/DC	599.00	352169	4547648844529			DF	N	CHN	9032.1080.90

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	SLN. (Daheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
<b>Temp. &amp; Process E5B-N-H</b>										
E5EN-HA2AHBM-500 100-240 VAC	Temp. controller, PPOplus, 1/4 DIN, (48 x 96mm) 2 x OUT option 2 x Aux OUT.1 x HT Burnout SSR fail. 2 Event I/Ps.option unit,100-240V AC	507.50	246796	4547648453424			DF	O	CHN	9032.1080.90
E5EN-HA2AHBMD-500 24VAC/DC	Temp. controller, PPOplus, 1/4 DIN, (48 x 96mm) 2 x OUT option 2 x Aux OUT.1 x HT Burnout SSR fail. 2 Event I/Ps.option unit,24V AC/DC	519.50	246792	4547648453509			DF	O	CHN	9032.1080.90
E5EN-HA2AHBFM-500 100-240 VAC	Temp. controller, PPOplus, 1/4 DIN, (48 x 96mm) 2 x OUT option 2 x Aux OUT.HT Burnout SSR fail./3Phs.Event I/P & Transf. OUT.option unit,100-240V AC	564.50	246777	4547648453448			DF	O	CHN	9032.1080.90
E5EN-HA2AHBFMD-500 24VAC/DC	Temp. controller, PPOplus, 1/4 DIN, (48 x 96mm) 2 x OUT option 2 x Aux OUT.HT Burnout SSR fail./3Phs.Event I/P & Transf. OUT.option unit,24V AC/DC	564.50	246794	4547648453523			DF	O	CHN	9032.1080.90
E5EN-HA3BFM-500 100-240 VAC	Temp. controller, PPOplus, 1/4 DIN, (48 x 96mm) 2 x OUT option 3 x Aux OUT.Event I/P & Transf. OUT.option unit,100-240V AC	536.50	246779	4547648453462			DF	O	CHN	9032.1080.90
E5EN-HA3BFMD-500 24VAC/DC	Temp. controller, PPOplus, 1/4 DIN, (48 x 96mm) 2 x OUT option 3 x Aux OUT.Event I/P & Transf. OUT.option unit,24V AC/DC	554.50	246786	4547648453547			DF	O	CHN	9032.1080.90
E5EN-HPRP2BFM-500 100-240 VAC	Temp. controller, PPOplus, 1/4 DIN, (48 x 96mm) Pos. Prop. Control2 x Aux OUT.Event I/P & Transf. OUT.option unit,100-240V AC	571.00	246781	4547648453493			DF	O	CHN	9032.1080.90
E5EN-HPRP2BFMD-500 24VAC/DC	Temp. controller, PPOplus, 1/4 DIN, (48 x 96mm) Pos. Prop. Control2 x Aux OUT.Event I/P & Transf. OUT.option unit,24V AC/DC	584.00	246789	4547648453578			DF	O	CHN	9032.1080.90
E5EN-HPRP2BM-500 100-240 VAC	Temp. controller, PPOplus, 1/4 DIN, (48 x 96mm) Pos. Prop. Control2 x Aux OUT.2 Event I/Ps.option unit,100-240V AC	550.00	246797	4547648453486			DF	O	CHN	9032.1080.90
E5EN-HPRP2BMD-500 24VAC/DC	Temp. controller, PPOplus, 1/4 DIN, (48 x 96mm) Pos. Prop. Control2 x Aux OUT.2 Event I/Ps.option unit,24V AC/DC	564.00	246788	4547648453561			DF	O	CHN	9032.1080.90
E5EN-HTA2AHBM-500 100-240 VAC	Temp. controller, PPOplus, Ramp/Soak temperature controller, 1/8DIN (48x96mm), universal input (TC, RTD, Linear), heater alarm, event inputs, remote setpoint, 100-240 VAC	544.50	352180	4548583001510			DF	O	CHN	9032.1080.90
E5EN-HTA2AHBMD-500 24VAC/DC	Temp. controller, PPOplus, Ramp/Soak temperature controller, 1/8DIN (48x96mm), universal input (TC, RTD, Linear), heater alarm, event inputs, remote setpoint, 24 VAC/DC	544.50	352185	4548583001565			DF	O	CHN	9032.1080.90
E5EN-HTA2AHHBM-500 100-240VAC	Temp. controller, PPOplus, Ramp/Soak temp. controller, 1/8DIN (48x96mm), uni.input (TC, RTD, Linear), 3 Ph. heater alarm, event inputs, transfer output, remote SP, 100-240 VAC	595.00	352181	4548583001527			DF	O	CHN	9032.1080.90
E5EN-HTA2AHHBMD-500 24VAC/DC	Temp. controller, PPOplus, Ramp/Soak temp. controller, 1/8DIN (48x96mm), uni.input (TC, RTD, Linear), 3 phase heater alarm, event inputs, transfer output, remote SP, 24 VAC/DC	581.00	352186	4548583001572			DF	O	CHN	9032.1080.90
E5EN-HTA3BFM-500 100-240 VAC	Temp. controller, PPOplus, Ramp/Soak temp. controller, 1/8DIN (48x96mm), uni.input (TC, RTD, Linear), event inputs, transfer output, remote SP, 100-240 VAC	595.00	352182	4548583001534			DF	O	CHN	9032.1080.90
E5EN-HTA3BFMD-500 24VAC/DC	Temp. controller, PPOplus, Ramp/Soak temp. controller, 1/8DIN (48x96mm), uni.input (TC, RTD, Linear), event inputs, transfer output, remote SP, 24 VAC/DC	595.00	352187	4548583001589			DF	O	CHN	9032.1080.90
<b>Temp. &amp; Process E5C-N-H</b>										
E5CN-HC2M-500 100-240 VAC	Temp. controller, PPOplus,1/16 DIN, (48 x 48mm).1 x Current OUT2 x Aux OUT.option unit,100-240V AC	365.60	246794	4547648452724			DF	P	CHN	9032.1080.90
E5CN-HC2MD-500 24VAC/DC	Temp. controller, PPOplus,1/16 DIN, (48 x 48mm).1 x Current OUT2 x Aux OUT.option unit,24V AC/DC	395.20	246774	4547648452762			DF	P	CHN	9032.1080.90
E5CN-HC2M-500 100-240 VAC	Temp. controller, PPOplus,1/16 DIN, (48 x 48mm).1 x Pulsed voltage OUT2 x Aux OUT.option unit,100-240V AC	317.80	246793	4547648452717	#		DF	P	CHN	9032.1080.90
E5CN-HC2MD-500 24VAC/DC	Temp. controller, PPOplus,1/16 DIN, (48 x 48mm).1 x Pulsed voltage OUT2 x Aux OUT.option unit,24V AC/DC	317.80	246773	4547648452755			DF	P	CHN	9032.1080.90
E5CN-HR2M-500 100-240 VAC	Temp. controller, PPOplus,1/16 DIN, (48 x 48mm).1 x Relay Out2 x Aux OUT.option unit,100-240V AC	318.10	246792	4547648452700			DF	P	CHN	9032.1080.90
E5CN-HR2MD-500 24VAC/DC	Temp. controller, PPOplus,1/16 DIN, (48 x 48mm).1 x Relay Out2 x Aux OUT.option unit,24V AC/DC	319.50	246795	4547648452748			DF	P	CHN	9032.1080.90
E5CN-HTC2M-500 100-240 VAC	Temp. controller, PPOplus, Ramp/Soak temperature controller, 1/16DIN (48x48mm), universal input (TC, RTD, Linear), linear current output, 100-240 VAC	394.30	352174	4548583000537			DF	P	CHN	9032.1080.90
E5CN-HTC2MD-500 24VAC/DC	Temp. controller, PPOplus, Ramp/Soak temperature controller, 1/16DIN (48x48mm), universal input (TC, RTD, Linear), linear current output, 24 VAC/DC	415.00	352178	4548583000575			DF	P	CHN	9032.1080.90
E5CN-HTC2M-500 100-240 VAC	Temp. controller, PPOplus, Ramp/Soak temperature controller, 1/16DIN (48x48mm), universal input (TC, RTD, Linear), SSR driver (12 VDC) output, 100-240 VAC	323.00	352173	4548583000520			DF	P	CHN	9032.1080.90
E5CN-HTC2MD-500 24VAC/DC	Temp. controller, PPOplus, Ramp/Soak temperature controller, 1/16DIN (48x48mm), universal input (TC, RTD, Linear), SSR driver (12 VDC) output, 24 VAC/DC	328.10	352177	4548583000568			DF	P	CHN	9032.1080.90
E5CN-HTR2M-500 100-240 VAC	Temp. controller, PPOplus, Ramp/Soak temperature controller, 1/16DIN (48 x 48 mm), universal input (TC, RTD, Linear), relay output, 100 to 240 VAC	345.30	352172	4548583000513			DF	P	CHN	9032.1080.90
E5CN-HTR2MD-500 24VAC/DC	Temp. controller, PPOplus, Ramp/Soak temperature controller, 1/16DIN (48x48mm), universal input (TC, RTD, Linear), relay output, 24 VAC/DC	345.30	352176	4548583000551			DF	P	CHN	9032.1080.90
E5CN-HTV2M-500 100-240 VAC	Temp. controller, PPOplus, Ramp/Soak temperature controller, 1/16DIN (48x48mm), universal input (TC, RTD, Linear), linear voltage output, 100-240 VAC	392.50	352175	4548583000544			DF	P	CHN	9032.1080.90
E5CN-HTV2MD-500 24VAC/DC	Temp. controller, PPOplus, Ramp/Soak temperature controller, 1/16DIN (48x48mm), universal input (TC, RTD, Linear), linear voltage output, 24 VAC/DC	392.50	352179	4548583000582			DF	P	CHN	9032.1080.90
E5CN-HV2M-500 100-240 VAC	Temp. controller, PPOplus,1/16 DIN, (48 x 48mm).1 x Linear Volta. OUT2 x Aux OUT.option unit,100-240V AC	395.20	246772	4547648452731			DF	P	CHN	9032.1080.90
E5CN-HV2MD-500 24VAC/DC	Temp. controller, PPOplus,1/16 DIN, (48 x 48mm).1 x Linear Volta. OUT2 x Aux OUT.option unit,24V AC/DC	395.20	246775	4547648452779			DF	P	CHN	9032.1080.90
<b>Temp. &amp; Process E5_C-Series</b>										
E5DC-CX0A5M-015	Temp. controller, PPO, DIN Rail 22.5mm, Uni. I/P:1x0/4-20mA curr. OUT.No AUX,RS-485.No cov.,100-240 VAC	159.40	377939	4548583422247			DF	O	CHN	9032.1080.90
E5DC-CX0D5M-015	Temp. controller, PPO, DIN Rail 22.5mm, Uni. I/P:1x0/4-20mA curr. OUT.No AUX,RS-485.No cov.,24VAC/DC	159.40	377940	4548583422254			DF	O	CHN	9032.1080.90
E5DC-CX2A5M-000	Temp. controller, PPO, DIN Rail 22.5mm, Uni. I/P:1x0/4-20mA curr. OUT.2 AUX.No cov.,100-240 VAC	149.70	377937	4548583422223			DF	O	CHN	9032.1080.90
E5DC-CX2A5M-015	Temp. controller, PPO, DIN Rail 22.5mm, Uni. I/P:1x0/4-20mA curr. OUT.2 AUX,RS-485.No cov.,100-240 VAC	173.70	377941	4548583422261			DF	O	CHN	9032.1080.90
E5DC-CX2A5M-016	Temp. controller, PPO, DIN Rail 22.5mm, Uni. I/P:1x0/4-20mA curr. OUT.2 AUX,EVT. I/P 1.No cov.,100-240 VAC	156.70	377943	4548583422285			DF	O	CHN	9032.1080.90
E5DC-CX2D5M-000	Temp. controller, PPO, DIN Rail 22.5mm, Uni. I/P:1x0/4-20mA curr. OUT.2 AUX.No cov.,24VAC/DC	149.70	377938	4548583422230			DF	O	CHN	9032.1080.90
E5DC-CX2D5M-015	Temp. controller, PPO, DIN Rail 22.5mm, Uni. I/P:1x0/4-20mA curr. OUT.2 AUX,RS-485.No cov.,24VAC/DC	173.70	377942	4548583422278	#		DF	O	CHN	9032.1080.90
E5DC-CX2D5M-016	Temp. controller, PPO, DIN Rail 22.5mm, Uni. I/P:1x0/4-20mA curr. OUT.2 AUX,EVT. I/P 1.No cov.,24VAC/DC	156.70	377944	4548583422292			DF	O	CHN	9032.1080.90
E5DC-CX0A5M-015	Temp. controller, PPO, DIN Rail 22.5mm, Uni. I/P:1 x 12 VDC pulse OUT.No AUX,RS-485.No cov.,100-240 VAC	106.10	377933	4548583422186			DF	O	CHN	9032.1080.90
E5DC-CX0D5M-015	Temp. controller, PPO, DIN Rail 22.5mm, Uni. I/P:1 x 12 VDC pulse OUT.No AUX,RS-485.No cov.,24VAC/DC	106.10	377934	4548583422193	#		DF	O	CHN	9032.1080.90
E5DC-CX2A5M-000	Temp. controller, PPO, DIN Rail 22.5mm, Uni. I/P:1 x 12 VDC pulse OUT.2 AUX.No cov.,100-240 VAC	97.15	377929	4548583422146			DF	O	CHN	9032.1080.90
E5DC-CX2A5M-002	Temp. controller, PPO, DIN Rail 22.5mm, Uni. I/P:1 x 12 VDC pulse OUT.2 AUX,RS-485.Ht. Burnout SSR fail.No cov.,100-240 VAC	135.40	377931	4548583422162	#		DF	O	CHN	9032.1080.90
E5DC-CX2A5M-017	Temp. controller, PPO, DIN Rail 22.5mm, Uni. I/P:1 x 12 VDC pulse OUT.2 AUX,EVT. I/P 1.Ht. Burnout SSR fail.No cov.,100-240 VAC	118.60	377935	4548583422209			DF	O	CHN	9032.1080.90
E5DC-CX2D5M-000	Temp. controller, PPO, DIN Rail 22.5mm, Uni. I/P:1 x 12 VDC pulse OUT.2 AUX.No cov.,24VAC/DC	97.15	377930	4548583422155	#		DF	O	CHN	9032.1080.90
E5DC-CX2D5M-002	Temp. controller, PPO, DIN Rail 22.5mm, Uni. I/P:1 x 12 VDC pulse OUT.2 AUX,RS-485.Ht. Burnout SSR fail.No cov.,24VAC/DC	135.40	377932	4548583422179			DF	O	CHN	9032.1080.90
E5DC-CX2D5M-017	Temp. controller, PPO, DIN Rail 22.5mm, Uni. I/P:1 x 12 VDC pulse OUT.2 AUX,EVT. I/P 1.Ht. Burnout SSR fail.No cov.,24VAC/DC	118.60	377936	4548583422216			DF	O	CHN	9032.1080.90
E5DC-FX0A5M-015	Temp. controller, PPO, DIN Rail 22.5mm, Uni. I/P:1 x Rel. OUT.No AUX,RS-485.No cov.,100-240 VAC	106.10	377925	4548583422100	#		DF	O	CHN	9032.1080.90
E5DC-FX0D5M-015	Temp. controller, PPO, DIN Rail 22.5mm, Uni. I/P:1 x Rel. OUT.No AUX,RS-485.No cov.,24VAC/DC	106.10	377926	4548583422117	#		DF	O	CHN	9032.1080.90
E5DC-FX2A5M-000	Temp. controller, PPO, DIN Rail 22.5mm, Uni. I/P:1 x Rel. OUT.2 AUX.No cov.,100-240 VAC	97.15	377921	4548583422063	#		DF	O	CHN	9032.1080.90
E5DC-FX2A5M-002	Temp. controller, PPO, DIN Rail 22.5mm, Uni. I/P:1 x Rel. OUT.2 AUX,RS-485.Ht. Burnout SSR fail.No cov.,100-240 VAC	135.40	377923	4548583422087			DF	O	CHN	9032.1080.90
E5DC-FX2A5M-017	Temp. controller, PPO, DIN Rail 22.5mm, Uni. I/P:1 x Rel. OUT.2 AUX,EVT. I/P 1.Ht. Burnout SSR fail.No cov.,100-240 VAC	118.60	377927	4548583422124			DF	O	CHN	9032.1080.90
E5DC-FX2D5M-000	Temp. controller, PPO, DIN Rail 22.5mm, Uni. I/P:1 x Rel. OUT.2 AUX.No cov.,24VAC/DC	97.15	377922	4548583422070			DF	O	CHN	9032.1080.90
E5DC-FX2D5M-002	Temp. controller, PPO, DIN Rail 22.5mm, Uni. I/P:1 x Rel. OUT.2 AUX,RS-485.Ht. Burnout SSR fail.No cov.,24VAC/DC	135.40	377924	4548583422094	#		DF	O	CHN	9032.1080.90
E5DC-FX2D5M-017	1 channel, heating / cooling, universal input, 1 relay output, 2 aux outputs, 1 evinput, HBA, 24Vac / dc.	118.60	377928	4548583422131			DF	O	CHN	9032.1080.90
Y92F-53	Mounting adapter for E5DC	4.78	378136	4548583434516			DF	O	CHN	9032.1080.90
Y92S-L2	Unit label for E5DC	4.15	378135	4548583020634			DF	O	CHN	9032.1080.90
Y92S-P11	Short bars for E5DC	8.53	378137	4548583434509			DF	O	CHN	9032.1080.90
E5DC-CX0ABM-015	Temp. controller, PPO, DIN Rail 22.5 mm, Uni. I/P, 1x0/4-20 mA curr. OUT.No AUX,RS-485.No cov.,100-240 VAC,Push-in plus terminal	195.90	687796	4549734493420			DF	O	CHN	9032.1080.90
E5DC-CX0DBM-015	Temp. controller, PPO, DIN Rail 22.5 mm, Uni. I/P, 1x0/4-20 mA curr. OUT.No AUX,RS-485.No cov.,24 VAC/DC,Push-in plus terminal	195.90	687795	4549734493437			DF	O	CHN	9032.1080.90
E5DC-CX2ABM-000	Temp. controller, PPO, DIN Rail 22.5mm, Uni. I/P, 1x0/4-20 mA curr. OUT.2 AUX.No cov.,100-240 VAC,Push-in plus terminal	166.20	687798	4549734493406			DF	O	CHN	9032.1080.90
E5DC-CX2ABM-015	Temp. controller, PPO, DIN Rail 22.5 mm, Uni. I/P, 1x0/4-20 mA curr. OUT.2 AUX,RS-485.No cov.,100-240 VAC,Push-in plus terminal	205.10	687794	4549734493444			DF	O	CHN	9032.1080.90
E5DC-CX2DBM-000	Temp. controller, PPO, DIN Rail 22.5 mm, Uni. I/P, 1x0/4-20 mA curr. OUT.2 AUX.No cov.,24 VAC/DC,Push-in plus terminal	166.20	687797	4549734493413			DF	O	CHN	9032.1080.90
E5DC-CX2DBM-015	Temp. controller, PPO, DIN Rail 22.5 mm, Uni. I/P, 1x0/4-20 mA curr. OUT.2 AUX,RS-485.No cov.,24VAC/DC,Push-in plus terminal	205.10	687793	4549734493451			DF	O	CHN	9032.1080.90
E5DC-CX0ABM-015	Temp. controller, PPO, DIN Rail 22.5 mm, Uni. I/P, 1 x 12 VDC pulse OUT.No AUX,RS-485.No cov.,100-240 VAC,Push-in plus terminal	172.40	687800	4549734493383			DF	O	CHN	9032.1080.90
E5DC-CX0DBM-015	Temp. controller, PPO, DIN Rail 22.5 mm, Uni. I/P, 1 x 12 VDC pulse OUT.No AUX,RS-485.No cov.,24 VAC/DC,Push-in plus terminal	172.40	687799	4549734493390			DF	O	CHN	9032.1080.90
E5DC-CX2ABM-000	Temp. controller, PPO, DIN Rail 22.5 mm, Uni. I/P,1 x 12 VDC pulse OUT.2 AUX.No cov.,100-240 VAC,Push-in plus terminal	164.10	687804	4549734493345			DF	O	CHN	9032.1080.90



Catalog Description (Image)	Rem Long Description (Web page)	2021 List Price	S.L.N. (Daheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
E5DC-QX2BM-002	Temp. controller, PPO, DIN Rail 22.5 mm, Uni. I/P 1 x 12 VDC pulse OUT, 2 AUX, RS-485, Ht. Burnout SSR fail., No cov., 100-240 VAC, Push-in plus terminal	162.10	687802	4549734493369			DF	Q	CHN	9032.1080.90
E5DC-QX2DM-000	Temp. controller, PPO, DIN Rail 22.5 mm, Uni. I/P 1 x 12 VDC pulse OUT, 2 AUX, No cov., 24 VAC/DC, Push-in plus terminal	164.10	687803	4549734493352			DF	Q	CHN	9032.1080.90
E5DC-QX2DM-002	Temp. controller, PPO, DIN Rail 22.5 mm, Uni. I/P 1 x 12 VDC pulse OUT, 2 AUX, No cov., 24 VAC/DC, Push-in plus terminal	162.10	687801	4549734493376			DF	Q	CHN	9032.1080.90
E5DC-RX0ABM-015	Temp. controller, PPO, DIN Rail 22.5 mm, Uni. I/P 1 x Rel. OUT, No AUX, RS-485, No cov., 100-240 VAC, Push-in plus terminal	200.00	687806	4549734493321			DF	Q	CHN	9032.1080.90
E5DC-RX0DM-015	Temp. controller, PPO, DIN Rail 22.5 mm, Uni. I/P 1 x Rel. OUT, No AUX, RS-485, No cov., 24 VAC/DC, Push-in plus terminal	200.00	687805	4549734493380			DF	Q	CHN	9032.1080.90
E5DC-RX2ABM-000	Temp. controller, PPO, DIN Rail 22.5 mm, Uni. I/P 1 x Rel. OUT, 2 AUX, No cov., 100-240 VAC, Push-in plus terminal	184.60	687810	4549734493284			DF	Q	CHN	9032.1080.90
E5DC-RX2BM-002	Temp. controller, PPO, DIN Rail 22.5 mm, Uni. I/P 1 x Rel. OUT, 2 AUX, RS-485, Ht. Burnout SSR fail., No cov., 100-240 VAC, Push-in plus terminal	162.10	687808	4549734493307			DF	Q	CHN	9032.1080.90
E5DC-RX2DM-000	Temp. controller, PPO, DIN Rail 22.5 mm, Uni. I/P 1 x Rel. OUT, 2 AUX, No cov., 24 VAC/DC, Push-in plus terminal	184.60	687809	4549734493291			DF	Q	CHN	9032.1080.90
E5DC-RX2DM-002	Temp. controller, PPO, DIN Rail 22.5 mm, Uni. I/P 1 x Rel. OUT, 2 AUX, RS-485, Ht. Burnout SSR fail., No cov., 24 VAC/DC, Push-in plus terminal	162.10	687807	4549734493314			DF	Q	CHN	9032.1080.90
E5CC-CQ3ASM-000	Temperature controller, 1/16 DIN (48x48 mm), 0/4-20 mA current output, 12 VDC pulse output, 3 AUX, 100-240 VAC	197.60	689389	4549734266857			DF	Q	IDN	9032.1020.90
E5CC-CQ3ASM-001	Temperature controller, 1/16 DIN (48x48 mm), 0/4-20 mA current output, 12 VDC pulse output, 3 AUX, 2 Event input, Heater burnout and SSR failure alarm, 100-240 VAC	238.60	689391	4549734266871			DF	Q	IDN	9032.1020.90
E5CC-CQ3ASM-003	Temperature controller, 1/16 DIN (48x48 mm), 0/4-20 mA current output, 12 VDC pulse output, 3 AUX, SSR failure detection/3-phase, RS-485, 100-240 VAC	255.20	689392	4549734266895			DF	Q	IDN	9032.1020.90
E5CC-CQ3ASM-005	Temperature controller, 1/16 DIN (48x48 mm), 0/4-20 mA current output, 12 VDC pulse output, 3 AUX, 4 Event input, 100-240 VAC	259.40	689394	4549734266918			DF	Q	IDN	9032.1020.90
E5CC-CQ3ASM-006	Temperature controller, 1/16 DIN (48x48 mm), 0/4-20 mA current output, 12 VDC pulse output, 3 AUX, 2 Event input, Transfer output, 100-240 VAC	269.70	689396	4549734266932			DF	Q	IDN	9032.1020.90
E5CC-CQ3ASM-007	Temperature controller, 1/16 DIN (48x48 mm), 0/4-20 mA current output, 12 VDC pulse output, 3 AUX, 2 Event input, Remote Setpoint, 100-240 VAC	269.70	689398	4549734266956			DF	Q	IDN	9032.1020.90
E5CC-CQ3DSM-003	Temperature controller, 1/16 DIN (48x48 mm), 0/4-20 mA current output, 12 VDC pulse output, 3 AUX, SSR failure detection/3-phase, RS-485, 24 VAC/DC	263.30	689393	4549734266901			DF	Q	IDN	9032.1020.90
E5CC-CQ3DSM-006	Temperature controller, 1/16 DIN (48x48 mm), 0/4-20 mA current output, 12 VDC pulse output, 3 AUX, 2 Event input, Transfer output, 24 VAC/DC	269.70	689397	4549734266949			DF	Q	IDN	9032.1020.90
E5CC-CQ3DSM-007	Temperature controller, 1/16 DIN (48x48 mm), 0/4-20 mA current output, 12 VDC pulse output, 3 AUX, 2 Event input, Remote Setpoint, 24V AC/DC	388.30	689399	4549734266963			DF	Q	IDN	9032.1020.90
E5CC-CX3ASM-000	Temp. controller, PPO, 1/16 DIN (48x48mm), 1x0/4-20mA Curr. OUT,3 AUX,100-240 VAC	197.70	356295	4548583088207			DF	Q	CHN	9032.1080.90
E5CC-CX3ASM-004	Temperature controller, 1/16 DIN (48x48 mm), 0/4-20 mA current output, 3 AUX, 2 Event input, RS-485, 100-240 VAC	197.70	689379	4549734266758	#		DF	Q	IDN	9032.1020.90
E5CC-CX3ASM-005	Temperature controller, 1/16 DIN (48x48 mm), 0/4-20 mA current output, 3 AUX, 4 Event input, 100-240 VAC	285.50	689387	4549734266833			DF	Q	IDN	9032.1020.90
E5CC-CX3ASM-006	Temp. controller, PPO, 1/16 DIN (48 x 48 mm), 1 x 0/4 to 20 mA curr. OUT,3 AUX,EVT, I/P 2,Transf. OUT,100 to 240 VAC	224.90	689381	4549734266772			DF	Q	IDN	9032.1020.90
E5CC-CX3ASM-006	Temperature controller, 1/16 DIN (48x48 mm), 0/4-20 mA current output, 3 AUX, 2 Event input, Transfer output, 100-240 VAC	269.70	356299	4548583088245			DF	Q	CHN	9032.1080.90
E5CC-CX3ASM-007	Temperature controller, 1/16 DIN (48x48 mm), 0/4-20 mA current output, 3 AUX, 2 Event input, Transfer output, 100-240 VAC	269.70	689383	4549734266796	#		DF	Q	IDN	9032.1020.90
E5CC-CX3DSM-000	Temperature controller, 1/16 DIN (48x48 mm), 0/4-20 mA current output, 3 AUX, 2 Event input, Remote Setpoint, 100-240 VAC	253.50	689385	4549734266819			DF	Q	IDN	9032.1020.90
E5CC-CX3DSM-000	Temp. controller, PPO, 1/16 DIN (48x48mm),1x0/4-20mA Curr. OUT,3 AUX,24VAC/DC	197.70	356296	4548583088214			DF	Q	CHN	9032.1080.90
E5CC-CX3DSM-004	Temperature controller, 1/16 DIN (48x48 mm), 0/4-20 mA current output, 3 AUX, 24 VAC/DC	197.70	689380	4549734266765	#		DF	Q	IDN	9032.1020.90
E5CC-CX3DSM-005	Temperature controller, 1/16 DIN (48x48 mm), 0/4-20 mA current output, 3 AUX, 2 Event input, Transfer output, RS-485, 24 VAC/DC	251.50	689388	4549734266840			DF	Q	IDN	9032.1020.90
E5CC-CX3DSM-005	Temperature controller, 1/16 DIN (48x48 mm), 0/4-20 mA current output, 3 AUX, 4 Event input, 24 VAC/DC	224.90	689382	4549734266789			DF	Q	IDN	9032.1020.90
E5CC-CX3DSM-006	Temperature controller, 1/16 DIN (48x48 mm), 0/4-20 mA current output, 3 AUX, 2 Event input, Transfer output, 24 VAC/DC	269.70	689384	4549734266802			DF	Q	IDN	9032.1020.90
E5CC-CX3DSM-007	Temperature controller, 1/16 DIN (48x48 mm), 0/4-20 mA current output, 3 AUX, 2 Event input, Remote Setpoint, 24 VAC/DC	253.50	689386	4549734266826			DF	Q	IDN	9032.1020.90
E5CC-QQ3ASM-000	Temp. controller, PPO, 1/16 DIN (48x48mm),2 x 12 VDC pulse OUT,3 AUX,100-240 VAC	145.50	356283	4548583088085			DF	Q	CHN	9032.1080.90
E5CC-QQ3ASM-001	Temperature controller, 1/16 DIN (48x48 mm), 2 x 12 VDC pulse output, 3 AUX, 100-240 VAC	145.50	689367	4549734266635			DF	Q	IDN	9032.1020.90
E5CC-QQ3ASM-001	Temperature controller, 1/16 DIN (48x48 mm), 2 x 12 VDC pulse output, 3 AUX, 2 Event input, Heater burnout and SSR failure alarm, 100-240 VAC	179.90	689369	4549734266659			DF	Q	IDN	9032.1020.90
E5CC-QQ3ASM-003	Temperature controller, 1/16 DIN (48x48 mm), 2 x 12 VDC pulse output, 3 AUX, RS-485, SSR failure detection/3-phase, 100-240 VAC	229.90	689371	4549734266673			DF	Q	IDN	9032.1020.90
E5CC-QQ3ASM-005	Temperature controller, 1/16 DIN (48x48 mm), 2 x 12 VDC pulse output, 3 AUX, 4 Event input, 100-240 VAC	179.90	689373	4549734266697			DF	Q	IDN	9032.1020.90
E5CC-QQ3ASM-006	Temperature controller, 1/16 DIN (48x48 mm), 2 x 12 VDC pulse output, 3 AUX, 2 Event input, Transfer output, 100-240 VAC	204.80	689375	4549734266710			DF	Q	IDN	9032.1020.90
E5CC-QQ3ASM-007	Temperature controller, 1/16 DIN (48x48 mm), 2 x 12 VDC pulse output, 3 AUX, 2 Event input, Remote Setpoint, 100-240 VAC	204.80	689377	4549734266734			DF	Q	IDN	9032.1020.90
E5CC-QQ3DSM-000	Temperature controller, 1/16 DIN (48x48 mm), 2 x 12 VDC pulse output, 3 AUX, 24 VAC/DC	145.50	689368	4549734266642			DF	Q	IDN	9032.1020.90
E5CC-QQ3DSM-001	Temperature controller, 1/16 DIN (48x48 mm), 2 x 12 VDC pulse output, 3 AUX, 2 Event input, Heater burnout and SSR failure alarm, 24 VAC/DC	179.90	689370	4549734266666			DF	Q	IDN	9032.1020.90
E5CC-QQ3DSM-003	Temperature controller, 1/16 DIN (48x48 mm), 2 x 12 VDC pulse output, 3 AUX, RS-485, SSR failure detection/3-phase, 24 VAC/DC	229.90	689372	4549734266680			DF	Q	IDN	9032.1020.90
E5CC-QQ3DSM-005	Temperature controller, 1/16 DIN (48x48 mm), 2 x 12 VDC pulse output, 3 AUX, 4 Event input, 24 VAC/DC	179.90	689374	4549734266703			DF	Q	IDN	9032.1020.90
E5CC-QQ3DSM-006	Temperature controller, 1/16 DIN (48x48 mm), 2 x 12 VDC pulse output, 3 AUX, 2 Event input, Transfer output, 24 VAC/DC	204.80	689376	4549734266727			DF	Q	IDN	9032.1020.90
E5CC-QQ3DSM-007	Temperature controller, 1/16 DIN (48x48 mm), 2 x 12 VDC pulse output, 3 AUX, 2 Event input, Remote Setpoint, 24 VAC/DC	179.90	689378	4549734266751			DF	Q	IDN	9032.1020.90
E5CC-OX2ASM-000	Temperature controller, 1/16 DIN (48x48 mm), 12 VDC pulse output, 2 AUX, No cov., 100-240 VAC	204.80	689378	4549734266744			DF	Q	IDN	9032.1020.90
E5CC-OX3ASM-000	Temperature controller, 1/16 DIN (48x48 mm), 12 VDC pulse output, 3 AUX, 100-240 VAC	131.00	689400	4549734267335			DF	Q	IDN	9032.1020.90
E5CC-OX3ASM-001	Temperature controller, 1/16 DIN (48x48 mm), 12 VDC pulse output, 3 AUX, 2 Event input, Heater burnout and SSR failure alarm, 100-240 VAC	134.80	689366	4549734266512	#		DF	Q	IDN	9032.1020.90
E5CC-OX3ASM-003	Temp. controller, PPO, 1/16 DIN (48x48mm),1 x 12 VDC pulse OUT,3 AUX,RS-485,SSR fail.det./3-PH.,100-240 VAC	161.80	689417	4549734266536			DF	Q	IDN	9032.1020.90
E5CC-OX3ASM-003	Temperature controller, 1/16 DIN (48x48 mm), 12 VDC pulse output, 3 AUX, RS-485, SSR failure detection/3-phase, 100-240 VAC	197.70	356275	4548583088009			DF	Q	CHN	9032.1080.90
E5CC-OX3ASM-005	Temperature controller, 1/16 DIN (48x48 mm), 12 VDC pulse output, 3 AUX, 4 Event input, 100-240 VAC	197.70	689419	4549734266559	#		DF	Q	IDN	9032.1020.90
E5CC-OX3ASM-006	Temperature controller, 1/16 DIN (48x48 mm), 12 VDC pulse output, 3 AUX, 2 Event input, Transfer output, 100-240 VAC	161.80	689421	4549734266574			DF	Q	IDN	9032.1020.90
E5CC-OX3ASM-007	Temperature controller, 1/16 DIN (48x48 mm), 12 VDC pulse output, 3 AUX, 2 Event input, Remote Setpoint, 100-240 VAC	189.10	689423	4549734266598			DF	Q	IDN	9032.1020.90
E5CC-OX3DSM-004	Temperature controller, 1/16 DIN (48x48 mm), 12 VDC pulse output, 3 AUX, 2 Event input, Remote Setpoint, 100-240 VAC	189.10	689425	4549734266611			DF	Q	IDN	9032.1020.90
E5CC-OX3DSM-000	Temp. controller, PPO, 1/16 DIN (48x48mm),1 x 12 VDC pulse OUT,3 AUX,24VAC/DC	184.90	689428	4549734267571			DF	Q	IDN	9032.1020.90
E5CC-OX3DSM-000	Temperature controller, 1/16 DIN (48x48 mm), 12 VDC pulse output, 3 AUX, 24 VAC/DC	134.80	356272	4548583087972	#		DF	Q	CHN	9032.1080.90
E5CC-OX3DSM-001	Temp. controller, PPO, 1/16 DIN (48x48mm),1 x 12 VDC pulse OUT,3 AUX,EVT, I/P 2,H. Burnout SSR fail.,24VAC/DC	134.80	689416	4549734266529			DF	Q	IDN	9032.1020.90
E5CC-OX3DSM-001	Temperature controller, 1/16 DIN (48x48 mm), 12 VDC pulse output, 3 AUX, 2 Event input, Heater burnout and SSR failure alarm, 24 VAC/DC	161.80	356274	4548583087996			DF	Q	CHN	9032.1080.90
E5CC-OX3DSM-003	Temp. controller, PPO, 1/16 DIN (48x48mm),1 x 12 VDC pulse OUT,3 AUX,RS-485,SSR fail.det./3-PH.,24VAC/DC	161.80	689418	4549734266543			DF	Q	IDN	9032.1020.90
E5CC-OX3DSM-003	Temperature controller, 1/16 DIN (48x48 mm), 12 VDC pulse output, 3 AUX, RS-485, SSR failure detection/3-phase, 24 VAC/DC	201.80	356276	4548583088016			DF	Q	CHN	9032.1080.90
E5CC-OX3DSM-005	Temp. controller, PPO, 1/16 DIN (48x48mm),1 x 12 VDC pulse OUT,3 AUX,EVT, I/P 2,4VAC/DC	201.80	689420	4549734266567			DF	Q	IDN	9032.1020.90
E5CC-OX3DSM-005	Temperature controller, 1/16 DIN (48x48 mm), 12 VDC pulse output, 3 AUX, 4 Event input, 24 VAC/DC	161.80	356278	4548583088030			DF	Q	CHN	9032.1080.90
E5CC-OX3DSM-006	Temperature controller, 1/16 DIN (48x48 mm), 12 VDC pulse output, 3 AUX, 2 Event input, Transfer output, 24 VAC/DC	189.10	689422	4549734266604			DF	Q	IDN	9032.1020.90
E5CC-OX3DSM-007	Temperature controller, 1/16 DIN (48x48 mm), 12 VDC pulse output, 3 AUX, 2 Event input, Remote Setpoint, 24 VAC/DC	189.10	689426	4549734266628			DF	Q	IDN	9032.1020.90
E5CC-RX2ASM-000	Temperature controller, 1/16 DIN (48x48 mm), 1 Relay output, 2 AUX, No cov., 100-240VAC	113.40	689427	4549734266994			DF	Q	IDN	9032.1020.90
E5CC-RX3ASM-000	Temperature controller, 1/16 DIN (48x48 mm), 1 Relay output, 3 AUX, 100-240 VAC	134.80	689404	4549734266390	#		DF	Q	IDN	9032.1020.90
E5CC-RX3ASM-001	Temp. controller, PPO, 1/16 DIN (48x48mm),1 x Rel. OUT,3 AUX,EVT, I/P 2,H. Burnout SSR fail.,100-240 VAC	161.80	356261	4548583087866			DF	Q	CHN	9032.1080.90
E5CC-RX3ASM-001	Temperature controller, 1/16 DIN (48x48 mm), 1 Relay output, 3 AUX, 2 Event input, Heater burnout and SSR failure alarm, 100-240 VAC	161.80	689406	4549734266431			DF	Q	IDN	9032.1020.90
E5CC-RX3ASM-003	Temp. controller, PPO, 1/16 DIN (48x48mm),1 x Rel. OUT,3 AUX,RS-485,SSR fail.det./3-PH.,100-240 VAC	197.70	356263	4548583087880			DF	Q	CHN	9032.1080.90
E5CC-RX3ASM-003	Temperature controller, 1/16 DIN (48x48 mm), 1 Relay output, 3 AUX, RS-485, SSR failure detection/3-phase, 100-240 VAC	197.70	689408	4549734266437			DF	Q	IDN	9032.1020.90
E5CC-RX3ASM-005	Temperature controller, 1/16 DIN (48x48 mm), 1 Relay output, 3 AUX, 4 Event input, 100-240 VAC	197.70	689410	4549734266451			DF	Q	IDN	9032.1020.90
E5CC-RX3ASM-006	Temperature controller, 1/16 DIN (48x48 mm), 1 Relay output, 3 AUX, 2 Event input, Transfer output, 100-240 VAC	189.10	689412	4549734266475</						

Catalog Description (Image)	Rem Long Description (Web page)	2021 List Price	SLN. (Daheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
E5CC-RX3DSM-003	Temperature controller, 1/16 DIN (48x48 mm), 1 Relay output, 3 AUX, RS-485, SSR failure detection/3-phase, 24 VAC/DC	201.80	689409	4549734266444	#		DF	Q	IDN	9032.1020.90
E5CC-RX3DSM-005	Temperature controller, 1/16 DIN (48x48 mm), 1 Relay output, 3 AUX, 4 Event input, 24 VAC/DC	161.80	689411	4549734266468			DF	Q	IDN	9032.1020.90
E5CC-RX3DSM-006	Temperature controller, 1/16 DIN (48x48 mm), 1 Relay output, 3 AUX, 2 Event input, Transfer output, 24 VAC/DC	189.10	689413	4549734266482	#		DF	Q	IDN	9032.1020.90
E5CC-RX3DSM-007	Temperature controller, 1/16 DIN (48x48 mm), 1 Relay output, 3 AUX, 2 Event input, Remote Setpoint, 24 VAC/DC	189.10	689415	4549734266505			DF	Q	IDN	9032.1020.90
E5AC-CC4ASM-000	Temp. controller, PPO, 1/4 DIN (96x96 mm), 2x0/4-20mA curr. OUT, 4 AUX, 100-240 VAC	335.20	374737	4548583350335			DF	Q	CHN	9032.1080.90
E5AC-CC4ASM-004	Temp. controller, PPO, 1/4 DIN (96x96 mm), t/c & Pt100 & analog 4 alarms: 1st out current (lin) 2nd out current (lin), Event IP (2), RS-485, USB	383.70	374739	4548583350359			DF	Q	CHN	9032.1080.90
E5AC-CC4ASM-005	Temp. controller, PPO, 1/4 DIN (96x96 mm), 2x0/4-20mA curr. OUT, 4 AUX, EVT, I/P 4, 100-240 VAC	362.60	374741	4548583350373			DF	Q	CHN	9032.1080.90
E5AC-CC4ASM-013	Temp. controller, PPO, 1/4 DIN (96x96 mm), 2x0/4-20mA curr. OUT, 4 AUX, EVT, I/P 6 Rem. SP I/P Transf. OUT, 100-240 VAC	459.80	374743	4548583350397			DF	Q	CHN	9032.1080.90
E5AC-CC4ASM-014	Temp. controller, PPO, 1/4 DIN (96x96 mm), 2x0/4-20mA curr. OUT, 4 AUX, EVT, I/P 4 RS-485, Transf. OUT, 100-240 VAC	481.30	374745	4548583350410			DF	Q	CHN	9032.1080.90
E5AC-CC4ASM-000	Temp. controller, PPO, 1/4 DIN (96x96 mm), 1x0/4-20mA curr. OUT, 1 x 12 VDC pulse OUT, 4 AUX, 100-240 VAC	234.00	374753	4548583365766			DF	Q	CHN	9032.1080.90
E5AC-CC4ASM-012	Temp. controller, PPO, 1/4 DIN (96x96 mm), 1x0/4-20 mA curr. OUT, 1 x 12 VDC pulse OUT, 4 AUX, EVT, I/P 6 Ht. Burnout SSR fail., RS-485, Transf. out, 100-240 VAC	324.60	680993	4548583365506			DF	Q	CHN	9032.1080.90
E5AC-CX4ASM-000	Temp. controller, PPO, 1/4 DIN (96x96 mm), t/c & Pt100 & analog 4 alarms: 1st out current (lin)	295.90	374727	4548583350236	#		DF	Q	CHN	9032.1080.90
E5AC-CX4ASM-004	Temp. controller, 1/4 DIN (96x96 mm), t/c & Pt100 & analog 4 alarms: 1st out current (lin) Event IP (2), RS-485, USB	356.30	374729	4548583350250			DF	Q	CHN	9032.1080.90
E5AC-CX4ASM-005	Temp. controller, PPO, 1/4 DIN (96x96 mm), t/c & Pt100 & analog 4 alarms: 1st out current (lin) Event IP (4)	325.80	374731	4548583350274			DF	Q	CHN	9032.1080.90
E5AC-CX4ASM-013	Temp. controller, PPO, 1/4 DIN (96x96 mm), 1x0/4-20mA curr. OUT, 4 AUX, EVT, I/P 6 Rem. SP I/P Transf. OUT, 100-240 VAC	417.50	374733	4548583350298			DF	Q	CHN	9032.1080.90
E5AC-CX4ASM-014	Temp. controller, PPO, 1/4 DIN (96x96 mm), 1x0/4-20mA curr. OUT, 4 AUX, EVT, I/P 4 RS-485, Transf. OUT, 100-240 VAC	438.60	374735	4548583350311			DF	Q	CHN	9032.1080.90
E5AC-CX4DSM-000	Temp. controller, PPO, 1/4 DIN (96x96 mm), t/c & Pt100 & analog 4 alarms: 1st out current (lin)	295.60	374728	4548583350243			DF	Q	CHN	9032.1080.90
E5AC-CX4DSM-004	Temp. controller, PPO, 1/4 DIN (96x96 mm), 1x0/4-20mA curr. OUT, 4 AUX, EVT, I/P 2 RS-485, Transf. OUT, 24VAC/DC	295.60	374730	4548583350267			DF	Q	CHN	9032.1080.90
E5AC-CX4DSM-014	Temp. controller, PPO, 1/4 DIN (96x96 mm), 1x0/4-20mA curr. OUT, 4 AUX, EVT, I/P 4 RS-485, Transf. OUT, 24VAC/DC	419.80	374736	4548583350328			DF	Q	CHN	9032.1080.90
E5AC-PR4ASM-000	Temp. controller, PPO, 1/4 DIN (96x96 mm), t/c & Pt100 & analog 4 alarms: 1st out relay, 2n out relay, PPR	347.00	374747	4548583350434			DF	Q	CHN	9032.1080.90
E5AC-PR4ASM-004	Temp. controller, PPO, 1/4 DIN (96x96 mm), t/c & Pt100 & analog 4 alarms: 1st out relay, 2n out relay, PPR, Event IP (2), RS-485, USB	383.70	374748	4548583350441			DF	Q	CHN	9032.1080.90
E5AC-PR4ASM-014	Temp. controller, PPO, 1/4 DIN (96x96 mm), 1 x Valve OUT + Pot, 4 AUX, EVT, I/P 4 RS-485, Transf. OUT, 100-240 VAC	481.30	374749	4548583350458			DF	Q	CHN	9032.1080.90
E5AC-PR4DSM-000	Temp. controller, PPO, 1/4 DIN (96x96 mm), 1 x Valve OUT + Pot, 4 AUX, 24VAC/DC	365.70	374750	4548583350465			DF	Q	CHN	9032.1080.90
E5AC-PR4DSM-014	Temp. controller, PPO, 1/4 DIN (96x96 mm), 1 x Valve OUT + Pot, 4 AUX, EVT, I/P 4 RS-485, Transf. OUT, 24VAC/DC	498.20	374752	4548583350489			DF	Q	CHN	9032.1080.90
E5AC-QQ4ASM-000	Temp. controller, PPO, 1/4 DIN (96x96 mm), t/c & Pt100 & analog 4 alarms: 1st out 12 VDC; 2nd out 12 VDC	229.90	374711	4548583350076			DF	Q	CHN	9032.1080.90
E5AC-QQ4ASM-009	Temp. controller, PPO, 1/4 DIN (96x96 mm), 2 x 12 VDC pulse OUT, 4 AUX, EVT, I/P 2 RS-485, SSR fail, det./3-PH, 100-240 VAC	325.80	374713	4548583350090			DF	Q	CHN	9032.1080.90
E5AC-QQ4ASM-010	Temp. controller, PPO, 1/4 DIN (96x96 mm), 2 x 12 VDC pulse OUT, 4 AUX, EVT, I/P 4 Ht. Burnout SSR fail., 100-240 VAC	289.10	374715	4548583350113			DF	Q	CHN	9032.1080.90
E5AC-QQ4ASM-011	Temp. controller, PPO, 1/4 DIN (96x96 mm), 2 x 12 VDC pulse OUT, 4 AUX, EVT, I/P 6 Rem. SP I/P Ht. Burnout SSR fail., Transf. OUT, 100-240 VAC	383.70	374717	4548583350137			DF	Q	CHN	9032.1080.90
E5AC-QQ4DSM-000	Temp. controller, PPO, 1/4 DIN (96x96 mm), t/c & Pt100 & analog 4 alarms: 1st out 12 VDC; 2nd out 12 VDC	181.60	374712	4548583350083			DF	Q	CHN	9032.1080.90
E5AC-QQ4DSM-009	Temp. controller, PPO, 1/4 DIN (96x96 mm), 2 x 12 VDC pulse OUT, 4 AUX, EVT, I/P 2 RS-485, SSR fail, det./3-PH, 24VAC/DC	257.40	374714	4548583350106			DF	Q	CHN	9032.1080.90
E5AC-QQ4DSM-010	Temp. controller, PPO, 1/4 DIN (96x96 mm), 2 x 12 VDC pulse OUT, 4 AUX, EVT, I/P 4 Ht. Burnout SSR fail., 24VAC/DC	228.20	374716	4548583350120			DF	Q	CHN	9032.1080.90
E5AC-QQ4DSM-011	Temp. controller, PPO, 1/4 DIN (96x96 mm), 2 x 12 VDC pulse OUT, 4 AUX, EVT, I/P 6 Rem. SP I/P Ht. Burnout SSR fail., Transf. OUT, 24VAC/DC	301.90	374718	4548583350144			DF	Q	CHN	9032.1080.90
E5AC-OR4ASM-000	Temp. controller, PPO, 1/4 DIN (96x96 mm), 1 x 12 VDC pulse/1 x Rel. OUT, 4 AUX, 100-240 VAC	229.90	374719	4548583350151			DF	Q	CHN	9032.1080.90
E5AC-OR4ASM-009	Temp. controller, PPO, 1/4 DIN (96x96 mm), 1 x 12 VDC pulse/1 x Rel. OUT, 4 AUX, EVT, I/P 2 RS-485, SSR fail, det./3-PH, 100-240 VAC	325.80	374721	4548583350175			DF	Q	CHN	9032.1080.90
E5AC-OR4ASM-010	Temp. controller, PPO, 1/4 DIN (96x96 mm), 1 x 12 VDC pulse/1 x Rel. OUT, 4 AUX, EVT, I/P 4 Ht. Burnout SSR fail., 100-240 VAC	289.10	374723	4548583350199			DF	Q	CHN	9032.1080.90
E5AC-OR4ASM-011	Temp. controller, PPO, 1/4 DIN (96x96 mm), 1 x 12 VDC pulse/1 x Rel. OUT, 4 AUX, EVT, I/P 6 Rem. SP I/P Ht. Burnout SSR fail., Transf. OUT, 100-240 VAC	359.60	374725	4548583350212			DF	Q	CHN	9032.1080.90
E5AC-OR4ASM-000	Temp. controller, PPO, 1/4 DIN (96x96 mm), t/c & Pt100 & analog 4 alarms: 1st out 12 VDC	213.30	374695	4548583349619	#		DF	Q	CHN	9032.1080.90
E5AC-OR4ASM-009	Temp. controller, PPO, 1/4 DIN (96x96 mm), t/c & Pt100 & analog 4 alarms: 1st out 12 VDC Event IP (2), 3-phase heater alarm RS-485, USB	260.40	374697	4548583349633			DF	Q	CHN	9032.1080.90
E5AC-OR4ASM-010	Temp. controller, PPO, 1/4 DIN (96x96 mm), t/c & Pt100 & analog 4 alarms: 1st out 12 VDC Event IP (4), HBA, SSR failure	258.40	374699	4548583349657			DF	Q	CHN	9032.1080.90
E5AC-OR4ASM-011	Temp. controller, PPO, 1/4 DIN (96x96 mm), 1 x 12 VDC pulse OUT, 4 AUX, EVT, I/P 6 Rem. SP I/P Ht. Burnout SSR fail., Transf. OUT, 100-240 VAC	359.60	374701	4548583349671			DF	Q	CHN	9032.1080.90
E5AC-OR4DSM-000	Temp. controller, PPO, 1/4 DIN (96x96 mm), t/c & Pt100 & analog 4 alarms: 1st out 12 VDC	213.30	374696	4548583349626			DF	Q	CHN	9032.1080.90
E5AC-OR4DSM-009	Temp. controller, PPO, 1/4 DIN (96x96 mm), 1 x 12 VDC pulse OUT, 4 AUX, EVT, I/P 2 RS-485, SSR fail, det./3-PH, 24VAC/DC	260.40	374698	4548583349640			DF	Q	CHN	9032.1080.90
E5AC-OR4DSM-011	Temp. controller, PPO, 1/4 DIN (96x96 mm), 1 x 12 VDC pulse OUT, 4 AUX, EVT, I/P 6 Rem. SP I/P Ht. Burnout SSR fail., Transf. OUT, 24VAC/DC	282.10	374702	4548583349688			DF	Q	CHN	9032.1080.90
E5AC-PR4ASM-000	Temperature controller, PPO, 1/4 DIN (96 x 96 mm), t/c & Pt100 & analog 4 alarms: 1st out relay; 2nd out relay	229.90	374703	4548583349995			DF	Q	CHN	9032.1080.90
E5AC-PR4ASM-009	Temp. controller, PPO, 1/4 DIN (96x96 mm), 2 x Rel. OUT, 4 AUX, EVT, I/P 2 RS-485, SSR fail, det./3-PH, 100-240 VAC	325.80	374705	4548583350014			DF	Q	CHN	9032.1080.90
E5AC-PR4ASM-010	Temp. controller, PPO, 1/4 DIN (96x96 mm), 2 x Rel. OUT, 4 AUX, EVT, I/P 4 Ht. Burnout SSR fail., 100-240 VAC	289.10	374707	4548583350038			DF	Q	CHN	9032.1080.90
E5AC-PR4ASM-011	Temp. controller, PPO, 1/4 DIN (96x96 mm), 2 x Rel. OUT, 4 AUX, EVT, I/P 6 Rem. SP I/P Ht. Burnout SSR fail., Transf. OUT, 100-240 VAC	359.60	374709	4548583350052			DF	Q	CHN	9032.1080.90
E5AC-PR4DSM-000	Temp. controller, PPO, 1/4 DIN (96x96 mm), 2 x Rel. OUT, 4 AUX, 24VAC/DC	287.10	374704	4548583350007			DF	Q	CHN	9032.1080.90
E5AC-PR4ASM-009	Temp. controller, PPO, 1/4 DIN (96x96 mm), t/c & Pt100 & analog 4 alarms: 1st out relay	222.00	374687	4548583349834	#		DF	Q	CHN	9032.1080.90
E5AC-PR4ASM-010	Temp. controller, PPO, 1/4 DIN (96x96 mm), 1 x Rel. OUT, 4 AUX, EVT, I/P 2 RS-485, SSR fail, det./3-PH, 100-240 VAC	297.90	374689	4548583349858			DF	Q	CHN	9032.1080.90
E5AC-PR4ASM-011	Temp. controller, PPO, 1/4 DIN (96x96 mm), t/c & Pt100 & analog 4 alarms: 1st out relay, Event IP (4), HBA, SSR failure	261.60	374691	4548583349872			DF	Q	CHN	9032.1080.90
E5AC-PR4DSM-000	Temp. controller, PPO, 1/4 DIN (96x96 mm), 1 x Rel. OUT, 4 AUX, EVT, I/P 6 Rem. SP I/P Ht. Burnout SSR fail., Transf. OUT, 100-240 VAC	359.60	374693	4548583349896			DF	Q	CHN	9032.1080.90
E5AC-PR4DSM-009	Temp. controller, PPO, 1/4 DIN (96x96 mm), 1 x Rel. OUT, 4 AUX, EVT, I/P 2 RS-485, SSR fail, det./3-PH, 24VAC/DC	222.00	374688	4548583349841			DF	Q	CHN	9032.1080.90
E5AC-PR4DSM-010	Temp. controller, PPO, 1/4 DIN (96x96 mm), 1 x Rel. OUT, 4 AUX, EVT, I/P 4 Ht. Burnout SSR fail., 24VAC/DC	297.90	374690	4548583349865			DF	Q	CHN	9032.1080.90
E5AC-PR4DSM-011	Temp. controller, PPO, 1/4 DIN (96x96 mm), 1 x Rel. OUT, 4 AUX, EVT, I/P 6 Rem. SP I/P Ht. Burnout SSR fail., Transf. OUT, 24VAC/DC	261.60	374692	4548583349889			DF	Q	CHN	9032.1080.90
E5AC-RX4DSM-011	Temp. controller, PPO, 1/4 DIN (96x96 mm), 1 x Rel. OUT, 4 AUX, EVT, I/P 6 Rem. SP I/P Ht. Burnout SSR fail., Transf. OUT, 24VAC/DC	359.60	374694	4548583349902			DF	Q	CHN	9032.1080.90
E5EC-CC4ASM-000	Temp. controller, PPO, 1/8 DIN (96x48 mm), 2x0/4-20mA curr. OUT, 4 AUX, 100-240 VAC	294.50	356355	4548583092006			DF	Q	CHN	9032.1080.90
E5EC-CC4ASM-004	Temp. controller, PPO, 1/8 DIN (96x48 mm), 2x0/4-20mA curr. OUT, 4 AUX, EVT, I/P 2 RS-485, 100-240 VAC	344.30	356357	4548583092020			DF	Q	CHN	9032.1080.90
E5EC-CC4ASM-005	Temp. controller, PPO, 1/8 DIN (96x48 mm), 2x0/4-20mA curr. OUT, 4 AUX, EVT, I/P 4, 100-240 VAC	323.00	356359	4548583092044			DF	Q	CHN	9032.1080.90
E5EC-CC4ASM-013	Temp. controller, PPO, 1/8 DIN (96x48 mm), 2x0/4-20mA curr. OUT, 4 AUX, EVT, I/P 6 Rem. SP I/P Transf. OUT, 100-240 VAC	417.50	356361	4548583092068			DF	Q	CHN	9032.1080.90
E5EC-CC4ASM-014	Temp. controller, PPO, 1/8 DIN (96x48 mm), 2x0/4-20mA curr. OUT, 4 AUX, EVT, I/P 4 RS-485, Transf. OUT, 100-240 VAC	438.60	356363	4548583092082			DF	Q	CHN	9032.1080.90
E5EC-CC4DSM-000	Temp. controller, PPO, 1/8 DIN (96x48 mm), 2x0/4-20mA curr. OUT, 4 AUX, 24VAC/DC	307.60	356356	4548583092013			DF	Q	CHN	9032.1080.90
E5EC-CC4DSM-004	Temp. controller, PPO, 1/8 DIN (96x48 mm), 2x0/4-20mA curr. OUT, 4 AUX, EVT, I/P 2 RS-485, 24VAC/DC	344.30	356358	4548583092037			DF	Q	CHN	9032.1080.90
E5EC-CC4DSM-005	Temp. controller, PPO, 1/8 DIN (96x48 mm), 2x0/4-20mA curr. OUT, 4 AUX, EVT, I/P 4, 24VAC/DC	323.00	356360	4548583092051			DF	Q	CHN	9032.1080.90
E5EC-CC4DSM-013	Temp. controller, PPO, 1/8 DIN (96x48 mm), 2x0/4-20mA curr. OUT, 4 AUX, EVT, I/P 6 Rem. SP I/P Transf. OUT, 24VAC/DC	417.50	356362	4548583092075			DF	Q	CHN	9032.1080.90
E5EC-CC4DSM-014	Temp. controller, PPO, 1/8 DIN (96x48 mm), 2x0/4-20mA curr. OUT, 4 AUX, EVT, I/P 4 RS-485, Transf. OUT, 24VAC/DC	438.60	356364	4548583092099			DF	Q	CHN	9032.1080.90
E5EC-CC4ASM-011	Temp. controller, PPO, 1/8 DIN (96x48 mm), 1x0/4-20 mA curr. OUT, 1 x 12 VDC pulse OUT, 4 AUX, EVT, I/P 6, SSR fail, det./1-PH, Transf. OUT, 100_240 VAC	297.90	680587	4548583367173			DF	Q	CHN	9032.1080.90
E5EC-CC4DSM-011	Temp. controller, PPO, 1/8 DIN (96x48 mm), 1x0/									

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Daheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
E5EC-CX4DSM-005	Temperature controller, PPO, 1/8 DIN (96 x 48 mm), 1x0/4-20mA curr. OUT.4 AUX.EVT. I/P 4.24 VAC/DC	287.70	356350	4548583091955			DF	Q	CHN	9032.1080.90
E5EC-CX4DSM-013	Temp. controller, PPO, 1/8 DIN (96x48mm),1x0/4-20mA curr. OUT.4 AUX.EVT. I/P 6Rem. SP I/P Transf. OUT.24VAC/DC	374.70	356352	4548583091979			DF	Q	CHN	9032.1080.90
E5EC-CX4DSM-014	Temp. controller, PPO, 1/8 DIN (96x48mm),1x0/4-20mA curr. OUT.4 AUX.EVT. I/P 4.RS-485.Transf. OUT.24VAC/DC	392.50	356354	4548583091993			DF	Q	CHN	9032.1080.90
E5EC-PRM5M-000	Temp. controller, PPO, 1/8 DIN (96x48mm),1 x Valve OUT + Pot.4 AUX.100-240 VAC	319.80	374773	4548583351073			DF	Q	CHN	9032.1080.90
E5EC-PRM5M-004	Temp. controller, PPO, 1/8 DIN (96x48mm),1 x Valve OUT + Pot.4 AUX.EVT. I/P 2.RS-485.100-240 VAC	359.60	374774	4548583351080			DF	Q	CHN	9032.1080.90
E5EC-PRM5M-014	Temp. controller, PPO, 1/8 DIN (96x48mm),1 x Valve OUT + Pot.4 AUX.EVT. I/P 4.RS-485.Transf. OUT.100-240 VAC	456.60	374775	4548583351097			DF	Q	CHN	9032.1080.90
E5EC-PRM5M-000	Temp. controller, PPO, 1/8 DIN (96x48mm),1 x Valve OUT + Pot.4 AUX.24VAC/DC	359.90	374776	4548583351103			DF	Q	CHN	9032.1080.90
E5EC-PRM5M-014	Temp. controller, PPO, 1/8 DIN (96x48mm),1 x Valve OUT + Pot.4 AUX.EVT. I/P 4.RS-485.Transf. OUT.24VAC/DC	475.80	374778	4548583351127			DF	Q	CHN	9032.1080.90
E5EC-QQ4ASM-000	Temp. controller, PPO, 1/8 DIN (96x48mm),2 x 12 VDC pulse OUT.4 AUX.100-240 VAC	195.90	356329	4548583091740			DF	Q	CHN	9032.1080.90
E5EC-QQ4ASM-009	Temp. controller, PPO, 1/8 DIN (96x48mm),2 x 12 VDC pulse OUT.4 AUX.EVT. I/P 2.RS-485.SSR fail det./3-PH.100-240 VAC	287.70	356331	4548583091764			DF	Q	CHN	9032.1080.90
E5EC-QQ4ASM-010	Temp. controller, PPO, 1/8 DIN (96x48mm),2 x 12 VDC pulse OUT.4 AUX.EVT. I/P 4.Ht. Burnout SSR fail.100-240 VAC	251.50	356333	4548583091788			DF	Q	CHN	9032.1080.90
E5EC-QQ4ASM-011	Temp. controller, PPO, 1/8 DIN (96x48mm),2 x 12 VDC pulse OUT.4 AUX.EVT. I/P 6.Rem. SP I/P.Ht. Burnout SSR fail.,Transf. OUT.100-240 VAC	344.30	356335	4548583091801			DF	Q	CHN	9032.1080.90
E5EC-QQ4DSM-000	Temp. controller, PPO, 1/8 DIN (96x48mm),2 x 12 VDC pulse OUT.4 AUX.24VAC/DC	195.90	356330	4548583091757			DF	Q	CHN	9032.1080.90
E5EC-QQ4DSM-009	Temp. controller, PPO, 1/8 DIN (96x48mm),2 x 12 VDC pulse OUT.4 AUX.EVT. I/P 2.RS-485.SSR fail det./3-PH.24VAC/DC	287.70	356332	4548583091771			DF	Q	CHN	9032.1080.90
E5EC-QQ4DSM-010	Temp. controller, PPO, 1/8 DIN (96x48mm),2 x 12 VDC pulse OUT.4 AUX.EVT. I/P 4.Ht. Burnout SSR fail.24VAC/DC	251.50	356334	4548583091795			DF	Q	CHN	9032.1080.90
E5EC-QQ4DSM-011	Temp. controller, PPO, 1/8 DIN (96x48mm),2 x 12 VDC pulse OUT.4 AUX.EVT. I/P 6.Rem. SP I/P.Ht. Burnout SSR fail.,Transf. OUT.24VAC/DC	344.30	356336	4548583091818			DF	Q	CHN	9032.1080.90
E5EC-QRM5M-000	Temperature controller, PPO, 1/8 DIN (96 x 48 mm), 1 x 12 VDC pulse/1 x Rel. OUT.4 AUX.100 to 240 VAC	195.90	356337	4548583091825	#		DF	Q	CHN	9032.1080.90
E5EC-QRM5M-009	Temp. controller, PPO, 1/8 DIN (96x48mm),1 x 12 VDC pulse/1 x Rel. OUT.4 AUX.EVT. I/P 2.RS-485.SSR fail det./3-PH.100-240 VAC	287.70	356339	4548583091849			DF	Q	CHN	9032.1080.90
E5EC-QRM5M-010	Temp. controller, PPO, 1/8 DIN (96x48mm),1 x 12 VDC pulse/1 x Rel. OUT.4 AUX.EVT. I/P 4.Ht. Burnout SSR fail.100-240 VAC	251.50	356341	4548583091863			DF	Q	CHN	9032.1080.90
E5EC-QRM5M-011	Temp. controller, PPO, 1/8 DIN (96x48mm),1 x 12 VDC pulse/1 x Rel. OUT.4 AUX.EVT. I/P 6.Rem. SP I/P.Ht. Burnout SSR fail.,Transf. OUT.100-240 VAC	319.80	356343	4548583091887			DF	Q	CHN	9032.1080.90
E5EC-QRM5M-000	Temp. controller, PPO, 1/8 DIN (96x48mm),1 x 12 VDC pulse/1 x Rel. OUT.4 AUX.24VAC/DC	195.90	356338	4548583091832			DF	Q	CHN	9032.1080.90
E5EC-QRM5M-009	Temp. controller, PPO, 1/8 DIN (96x48mm),1 x 12 VDC pulse/1 x Rel. OUT.4 AUX.EVT. I/P 2.RS-485.SSR fail det./3-PH.24VAC/DC	287.70	356340	4548583091856			DF	Q	CHN	9032.1080.90
E5EC-QRM5M-010	Temp. controller, PPO, 1/8 DIN (96x48mm),1 x 12 VDC pulse/1 x Rel. OUT.4 AUX.EVT. I/P 4.Ht. Burnout SSR fail.24VAC/DC	251.50	356342	4548583091870			DF	Q	CHN	9032.1080.90
E5EC-QRM5M-011	Temp. controller, PPO, 1/8 DIN (96x48mm),1 x 12 VDC pulse/1 x Rel. OUT.4 AUX.EVT. I/P 6.Rem. SP I/P.Ht. Burnout SSR fail.,Transf. OUT.24VAC/DC	319.80	356344	4548583091894			DF	Q	CHN	9032.1080.90
E5EC-QX4ASM-000	Temp. controller, PPO, 1/8 DIN (96x48mm),1 x 12 VDC pulse OUT.4 AUX.100-240 VAC	179.90	356313	4548583091580	#		DF	Q	CHN	9032.1080.90
E5EC-QX4ASM-009	Temp. controller, PPO, 1/8 DIN (96x48mm),1 x 12 VDC pulse OUT.4 AUX.EVT. I/P 2.RS-485.SSR fail det./3-PH.100-240 VAC	224.30	356315	4548583091603			DF	Q	CHN	9032.1080.90
E5EC-QX4ASM-010	Temp. controller, PPO, 1/8 DIN (96x48mm),1 x 12 VDC pulse OUT.4 AUX.EVT. I/P 4.Ht. Burnout SSR fail.100-240 VAC	224.10	356317	4548583091627			DF	Q	CHN	9032.1080.90
E5EC-QX4ASM-011	Temp. controller, PPO, 1/8 DIN (96x48mm),1 x 12 VDC pulse OUT.4 AUX.EVT. I/P 6.Rem. SP I/P.Ht. Burnout SSR fail.,Transf. OUT.100-240 VAC	319.80	356319	4548583091641			DF	Q	CHN	9032.1080.90
E5EC-QX4DSM-000	Temp. controller, PPO, 1/8 DIN (96x48mm),1 x 12 VDC pulse OUT.4 AUX.24VAC/DC	179.90	356314	4548583091597			DF	Q	CHN	9032.1080.90
E5EC-QX4DSM-009	Temp. controller, PPO, 1/8 DIN (96x48mm),1 x 12 VDC pulse OUT.4 AUX.EVT. I/P 2.RS-485.SSR fail det./3-PH.24VAC/DC	238.60	356316	4548583091610			DF	Q	CHN	9032.1080.90
E5EC-QX4DSM-010	Temp. controller, PPO, 1/8 DIN (96x48mm),1 x 12 VDC pulse OUT.4 AUX.EVT. I/P 4.Ht. Burnout SSR fail.24VAC/DC	224.10	356318	4548583091634			DF	Q	CHN	9032.1080.90
E5EC-QX4DSM-011	Temp. controller, PPO, 1/8 DIN (96x48mm),1 x 12 VDC pulse OUT.4 AUX.EVT. I/P 6.Rem. SP I/P.Ht. Burnout SSR fail.,Transf. OUT.24VAC/DC	319.80	356320	4548583091658			DF	Q	CHN	9032.1080.90
E5EC-PRM5M-000	Temp. controller, PPO, 1/8 DIN (96x48mm),2 x Rel. OUT.4 AUX.100-240 VAC	195.90	356321	4548583091665			DF	Q	CHN	9032.1080.90
E5EC-PRM5M-009	Temp. controller, PPO, 1/8 DIN (96x48mm),2 x Rel. OUT.4 AUX.EVT. I/P 2.RS-485.SSR fail det./3-PH.100-240 VAC	287.70	356323	4548583091689			DF	Q	CHN	9032.1080.90
E5EC-PRM5M-010	Temp. controller, PPO, 1/8 DIN (96x48mm),2 x Rel. OUT.4 AUX.EVT. I/P 4.Ht. Burnout SSR fail.100-240 VAC	251.50	356325	4548583091702			DF	Q	CHN	9032.1080.90
E5EC-PRM5M-011	Temp. controller, PPO, 1/8 DIN (96x48mm),2 x Rel. OUT.4 AUX.EVT. I/P 6.Rem. SP I/P.Ht. Burnout SSR fail.,Transf. OUT.100-240 VAC	319.80	356327	4548583091726			DF	Q	CHN	9032.1080.90
E5EC-PRM5M-000	Temp. controller, PPO, 1/8 DIN (96x48mm),2 x Rel. OUT.4 AUX.24VAC/DC	195.90	356322	4548583091672			DF	Q	CHN	9032.1080.90
E5EC-PRM5M-009	Temp. controller, PPO, 1/8 DIN (96x48mm),2 x Rel. OUT.4 AUX.EVT. I/P 2.RS-485.SSR fail det./3-PH.100-240 VAC	287.70	356324	4548583091696			DF	Q	CHN	9032.1080.90
E5EC-PRM5M-010	Temp. controller, PPO, 1/8 DIN (96x48mm),2 x Rel. OUT.4 AUX.EVT. I/P 4.Ht. Burnout SSR fail.24VAC/DC	251.50	356326	4548583091719			DF	Q	CHN	9032.1080.90
E5EC-PRM5M-011	Temp. controller, PPO, 1/8 DIN (96x48mm),2 x Rel. OUT.4 AUX.EVT. I/P 6.Rem. SP I/P.Ht. Burnout SSR fail.,Transf. OUT.24VAC/DC	319.80	356328	4548583091733			DF	Q	CHN	9032.1080.90
E5EC-RX4ASM-000	Temp. controller, PPO, 1/8 DIN (96x48mm),1 x Rel. OUT.4 AUX.100-240 VAC	189.10	356305	4548583091504	#		DF	Q	CHN	9032.1080.90
E5EC-RX4ASM-009	Temp. controller, PPO, 1/8 DIN (96x48mm),1 x Rel. OUT.4 AUX.EVT. I/P 2.RS-485.SSR fail det./3-PH.100-240 VAC	260.40	356307	4548583091528			DF	Q	CHN	9032.1080.90
E5EC-RX4ASM-010	Temp. controller, PPO, 1/8 DIN (96x48mm),1 x Rel. OUT.4 AUX.EVT. I/P 4.Ht. Burnout SSR fail.100-240 VAC	226.40	356309	4548583091542			DF	Q	CHN	9032.1080.90
E5EC-RX4ASM-011	Temp. controller, PPO, 1/8 DIN (96x48mm),1 x Rel. OUT.4 AUX.EVT. I/P 6.Rem. SP I/P.Ht. Burnout SSR fail.,Transf. OUT.100-240 VAC	319.80	356311	4548583091566			DF	Q	CHN	9032.1080.90
E5EC-RX4DSM-000	Temp. controller, PPO, 1/8 DIN (96x48mm),1 x Rel. OUT.4 AUX.24VAC/DC	189.10	356306	4548583091511			DF	Q	CHN	9032.1080.90
E5EC-RX4DSM-009	Temp. controller, PPO, 1/8 DIN (96x48mm),1 x Rel. OUT.4 AUX.EVT. I/P 2.RS-485.SSR fail det./3-PH.24VAC/DC	260.40	356308	4548583091535			DF	Q	CHN	9032.1080.90
E5EC-RX4DSM-010	Temp. controller, PPO, 1/8 DIN (96x48mm),1 x Rel. OUT.4 AUX.EVT. I/P 4.Ht. Burnout SSR fail.24VAC/DC	226.40	356310	4548583091559			DF	Q	CHN	9032.1080.90
E5EC-RX4DSM-011	Temp. controller, PPO, 1/8 DIN (96x48mm),1 x Rel. OUT.4 AUX.EVT. I/P 6.Rem. SP I/P.Ht. Burnout SSR fail.,Transf. OUT.24VAC/DC	319.80	356312	4548583091573			DF	Q	CHN	9032.1080.90
E5GC-CX0A6M-000	Temp. controller PPO.1/32 DIN (24x48mm).screw terminals.No AUX Rel.1x0/4-20mA curr. OUT.100-240 VAC	183.70	392138	4548583505407			DF	Q	CHN	9032.1080.90
E5GC-CX0ACM-000	Temp. controller PPO.1/32 DIN (24x48mm).screw less terminals.No AUX Rel.1x0/4-20mA curr. OUT.100-240 VAC	183.70	392140	4548583505421			DF	Q	CHN	9032.1080.90
E5GC-CX0D6M-000	Temp. controller PPO.1/32 DIN (24x48mm).screw terminals.No AUX Rel.1x0/4-20mA curr. OUT.24V AC/DC	183.70	392139	4548583505414			DF	Q	CHN	9032.1080.90
E5GC-CX0D6M-000	Temp. controller PPO.1/32 DIN (24x48mm).screw less terminals.No AUX Rel.1x0/4-20mA curr. OUT.24V AC/DC	183.70	392141	4548583505438			DF	Q	CHN	9032.1080.90
E5GC-CX1A6M-000	Temp. controller PPO.1/32 DIN (24x48mm).screw terminals.1 AUX.1x0/4-20mA curr. OUT.100-240 VAC	194.30	392099	4548583505445			DF	Q	CHN	9032.1080.90
E5GC-CX1A6M-015	Temp. controller PPO.1/32 DIN (24x48mm).screw terminals.1 AUX.1x0/4-20mA curr. OUT.PS-485.100-240 VAC	232.90	392148	4548583505520			DF	Q	CHN	9032.1080.90
E5GC-CX1A6M-024	Temp. controller PPO.1/32 DIN (24x48mm).screw terminals.1 AUX.1x0/4-20mA curr. OUT.2x EVT. I/P.100-240 VAC	208.20	392081	4548583505643			DF	Q	CHN	9032.1080.90
E5GC-CX1ACM-000	Temp. controller PPO.1/32 DIN (24x48mm).screw less terminals.1 AUX.1x0/4-20mA curr. OUT.100-240 VAC	214.40	392142	4548583505469			DF	Q	CHN	9032.1080.90
E5GC-CX1ACM-015	Temp. controller PPO.1/32 DIN (24x48mm).screw less terminals.1 AUX.1x0/4-20mA curr. OUT.PS-485.100-240 VAC	285.90	392150	4548583505544			DF	Q	CHN	9032.1080.90
E5GC-CX1ACM-024	Temp. controller PPO.1/32 DIN (24x48mm).screw less terminals.1 AUX.1x0/4-20mA curr. OUT.2x EVT. I/P.100-240 VAC	230.40	392083	4548583505667			DF	Q	CHN	9032.1080.90
E5GC-CX1D6M-000	Temp. controller PPO.1/32 DIN (24x48mm).screw terminals.1 AUX.1x0/4-20mA curr. OUT.24V AC/DC	194.30	392100	4548583505452			DF	Q	CHN	9032.1080.90
E5GC-CX1D6M-015	Temp. controller PPO.1/32 DIN (24x48mm).screw terminals.1 AUX.1x0/4-20mA curr. OUT.PS-485.24V AC/DC	232.90	392149	4548583505537			DF	Q	CHN	9032.1080.90
E5GC-CX1D6M-024	Temp. controller PPO.1/32 DIN (24x48mm).screw terminals.1 AUX.1x0/4-20mA curr. OUT.2x EVT. I/P.24V AC/DC	208.20	392082	4548583505650			DF	Q	CHN	9032.1080.90
E5GC-CX1D6M-000	Temp. controller PPO.1/32 DIN (24x48mm).screw less terminals.1 AUX.1x0/4-20mA curr. OUT.24V AC/DC	214.40	392143	4548583505476			DF	Q	CHN	9032.1080.90
E5GC-CX1D6M-015	Temp. controller PPO.1/32 DIN (24 x 48 mm).screw less terminals.1 AUX.1 x 0/4 to 20 mA curr. OUT. PS-485. 24V AC/DC	285.30	392151	4548583505551			DF	Q	CHN	9032.1080.90
E5GC-CX1D6M-024	Temp. controller PPO.1/32 DIN (24x48mm),1 AUX.1x0/4-20mA curr. OUT.2x EVT. I/P.24V AC/DC	230.40	392084	4548583505674			DF	Q	CHN	9032.1080.90
E5GC-CX2A6M-000	Temp. controller PPO.1/32 DIN (24x48mm).screw terminals.2 AUX.1x0/4-20mA curr. OUT.100-240 VAC	204.10	392144	4548583505483			DF	Q	CHN	9032.1080.90
E5GC-CX2A6M-015	Temp. controller PPO.1/32 DIN (24x48mm).screw terminals.2 AUX.1x0/4-20mA curr. OUT.PS-485.100-240 VAC	242.60	392077	4548583505568			DF	Q	CHN	9032.1080.90
E5GC-CX2A6M-016	Temp. controller PPO.1/32 DIN (24 x 48 mm).screw terminals.2 AUX.1 x 0/4 to 20 mA curr. OUT.1 x EVT. I/P. 100 to 240 VAC	213.60	392152	4548583505605			DF	Q	CHN	9032.1080.90
E5GC-CX2ACM-000	Temp. controller PPO.1/32 DIN (24x48mm).screw less terminals.2 AUX.1x0/4-20mA curr. OUT.100-240 VAC	204.10	392146	4548583505506			DF	Q	CHN	9032.1080.90
E5GC-CX2ACM-015	Temp. controller PPO.1/32 DIN (24x48mm).screw less terminals.2 AUX.1x0/4-20mA curr. OUT.PS-485.100-240 VAC	242.60	392079	4548583505582			DF	Q	CHN	9032.1080.90

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Data sheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
E5GC-QX0A6M-000	Temp. controller PRO.1/32 DIN (2x4x8mm).screw terminals.No AUX Rel.1 x 12 VDC pulse OUT.100-240 VAC	170.20	392091	4548583505087			DF	Q	CHN	9032.1080.90
E5GC-QX0ACM-000	Temp. controller PRO.1/32 DIN (2x4x8mm).screw less terminals.No AUX Rel.1 x 12 VDC pulse OUT.100-240 VAC	170.20	392123	4548583505100			DF	Q	CHN	9032.1080.90
E5GC-QX0ADM-000	Temp. controller PRO.1/32 DIN (2x4x8mm).screw terminals.No AUX Rel.1 x 12 VDC pulse OUT.24V AC/DC	170.20	392092	4548583505094			DF	Q	CHN	9032.1080.90
E5GC-QX0DDM-000	Temp. controller PRO.1/32 DIN (2x4x8mm).screw terminals.No AUX Rel.1 x 12 VDC pulse OUT.24V AC/DC	170.20	392124	4548583505117			DF	Q	CHN	9032.1080.90
E5GC-QX1A6M-000	Temp. controller PRO.1/32 DIN (2x4x8mm).screw terminals.1 AUX.1 x 12 VDC pulse OUT.100-240 VAC	176.00	392093	4548583505124			DF	Q	CHN	9032.1080.90
E5GC-QX1A6M-015	Temp. controller PRO.1/32 DIN (2x4x8mm).screw terminals.1 AUX.1 x 12 VDC pulse OUT.FS.485.100-240 VAC	217.80	392096	4548583505209			DF	Q	CHN	9032.1080.90
E5GC-QX1A6M-024	Temp. controller PRO.1/32 DIN (2x4x8mm).screw terminals.1 AUX.1 x 12 VDC pulse OUT.2x EVT. I/P.100-240 VAC	194.30	392073	4548583505360			DF	Q	CHN	9032.1080.90
E5GC-QX1ACM-000	Temp. controller PRO.1/32 DIN (2x4x8mm).screw less terminals.1 AUX.1 x 12 VDC pulse OUT.100-240 VAC	180.20	392095	4548583505148			DF	Q	CHN	9032.1080.90
E5GC-QX1ACM-015	Temp. controller PRO.1/32 DIN (2x4x8mm).screw less terminals.1 AUX.1 x 12 VDC pulse OUT.FS.485.100-240 VAC	230.40	392129	4548583505223			DF	Q	CHN	9032.1080.90
E5GC-QX1ACM-024	Temp. controller PRO.1/32 DIN (2x4x8mm).screw less terminals.1 AUX.1 x 12 VDC pulse OUT.2x EVT. I/P.100-240 VAC	186.90	392075	4548583505394			DF	Q	CHN	9032.1080.90
E5GC-QX1D6M-000	Temperature controller PRO.1/32 DIN (24 x 48 mm).screw terminals.1 AUX.1 x 12 VDC pulse OUT.24 VAC/DC	170.20	392094	4548583505131			DF	Q	CHN	9032.1080.90
E5GC-QX1D6M-015	Temp. controller PRO.1/32 DIN (2x4x8mm).screw terminals.1 AUX.1 x 12 VDC pulse OUT.FS.485.24V AC/DC	217.80	392097	4548583505216			DF	Q	CHN	9032.1080.90
E5GC-QX1D6M-024	Temp. controller PRO.1/32 DIN (2x4x8mm).screw terminals.1 AUX.1 x 12 VDC pulse OUT.2x EVT. I/P.24V AC/DC	194.30	392074	4548583505377			DF	Q	CHN	9032.1080.90
E5GC-QX1DCM-000	Temp. controller PRO.1/32 DIN (2x4x8mm).screw less terminals.1 AUX.1 x 12 VDC pulse OUT.24V AC/DC	180.20	392103	4548583505155			DF	Q	CHN	9032.1080.90
E5GC-QX1DCM-015	Temp. controller PRO.1/32 DIN (2x4x8mm).screw less terminals.1 AUX.1 x 12 VDC pulse OUT.FS.485.24V AC/DC	245.70	392130	4548583505230			DF	Q	CHN	9032.1080.90
E5GC-QX1DCM-024	Temp. controller PRO.1/32 DIN (2x4x8mm).screw less terminals.1 AUX.1 x 12 VDC pulse OUT.2x EVT. I/P.24V AC/DC	188.00	392076	4548583505391			DF	Q	CHN	9032.1080.90
E5GC-QX2A6M-000	Temp. controller PRO.1/32 DIN (2x4x8mm).screw terminals.2 AUX.1 x 12 VDC pulse OUT.100-240 VAC	189.20	392125	4548583505162			DF	Q	CHN	9032.1080.90
E5GC-QX2A6M-015	Temp. controller PRO.1/32 DIN (2x4x8mm).screw terminals.2 AUX.1 x 12 VDC pulse OUT.FS.485.100-240 VAC	227.30	392069	4548583505247			DF	Q	CHN	9032.1080.90
E5GC-QX2A6M-016	Temp. controller PRO.1/32 DIN (2x4x8mm).screw terminals.2 AUX.1 x 12 VDC pulse OUT.1 x EVT. I/P.100-240 VAC	198.70	392131	4548583505285			DF	Q	CHN	9032.1080.90
E5GC-QX2ACM-000	Temp. controller PRO.1/32 DIN (2x4x8mm).screw less terminals.2 AUX.1 x 12 VDC pulse OUT.Ht. Burnout SSR fail.100-240 VAC	204.10	392098	4548583505322			DF	Q	CHN	9032.1080.90
E5GC-QX2ACM-015	Temp. controller PRO.1/32 DIN (2x4x8mm).screw less terminals.2 AUX.1 x 12 VDC pulse OUT.FS.485.100-240 VAC	195.70	392127	4548583505186			DF	Q	CHN	9032.1080.90
E5GC-QX2ACM-016	Temp. controller PRO.1/32 DIN (2x4x8mm).screw less terminals.2 AUX.1 x 12 VDC pulse OUT.1 x EVT. I/P.100-240 VAC	269.20	392071	4548583505261			DF	Q	CHN	9032.1080.90
E5GC-QX2ACM-023	Temp. controller PRO.1/32 DIN (2x4x8mm).screw less terminals.2 AUX.1 x 12 VDC pulse OUT.Ht. Burnout SSR fail.100-240 VAC	214.40	392133	4548583505308			DF	Q	CHN	9032.1080.90
E5GC-QX2ACM-000	Temp. controller PRO.1/32 DIN (2x4x8mm).screw less terminals.2 AUX.1 x 12 VDC pulse OUT.Ht. Burnout SSR fail.100-240 VAC	216.60	392136	4548583505349			DF	Q	CHN	9032.1080.90
E5GC-QX2D6M-015	Temp. controller PRO.1/32 DIN (2x4x8mm).screw terminals.2 AUX.1 x 12 VDC pulse OUT.24V AC/DC	189.20	392126	4548583505179			DF	Q	CHN	9032.1080.90
E5GC-QX2D6M-016	Temp. controller PRO.1/32 DIN (2x4x8mm).screw terminals.2 AUX.1 x 12 VDC pulse OUT.FS.485.24V AC/DC	227.30	392070	4548583505254			DF	Q	CHN	9032.1080.90
E5GC-QX2D6M-023	Temp. controller PRO.1/32 DIN (2x4x8mm).screw terminals.2 AUX.1 x 12 VDC pulse OUT.1 x EVT. I/P.24V AC/DC	198.70	392132	4548583505292			DF	Q	CHN	9032.1080.90
E5GC-QX2D6M-000	Temp. controller PRO.1/32 DIN (2x4x8mm).screw terminals.2 AUX.1 x 12 VDC pulse OUT.Ht. Burnout SSR fail.24V AC/DC	204.10	392135	4548583505339			DF	Q	CHN	9032.1080.90
E5GC-QX2DCM-000	Temp. controller PRO.1/32 DIN (2x4x8mm).screw less terminals.2 AUX.1 x 12 VDC pulse OUT.24V AC/DC	195.70	392128	4548583505193			DF	Q	CHN	9032.1080.90
E5GC-QX2DCM-015	Temp. controller PRO.1/32 DIN (2x4x8mm).screw less terminals.2 AUX.1 x 12 VDC pulse OUT.FS.485.24V AC/DC	269.20	392072	4548583505278			DF	Q	CHN	9032.1080.90
E5GC-QX2DCM-016	Temp. controller PRO.1/32 DIN (2x4x8mm).screw less terminals.2 AUX.1 x 12 VDC pulse OUT.1 x EVT. I/P.24V AC/DC	214.40	392134	4548583505315			DF	Q	CHN	9032.1080.90
E5GC-QX2DCM-023	Temp. controller PRO.1/32 DIN (2x4x8mm).screw less terminals.2 AUX.1 x 12 VDC pulse OUT.Ht. Burnout SSR fail.24V AC/DC	217.00	392137	4548583505353			DF	Q	CHN	9032.1080.90
E5GC-RX0A6M-000	Temp. controller PRO.1/32 DIN (2x4x8mm).screw terminals.No AUX Rel.1 x relay OUT.100-240 VAC	170.20	392101	4548583504769			DF	Q	CHN	9032.1080.90
E5GC-RX0ACM-000	Temp. controller PRO.1/32 DIN (2x4x8mm).screw less terminals.No AUX Rel.1 x relay OUT.100-240 VAC	170.20	392107	4548583504783			DF	Q	CHN	9032.1080.90
E5GC-RX0ADM-000	Temp. controller PRO.1/32 DIN (2x4x8mm).screw terminals.No AUX Rel.1 x relay OUT.24V AC/DC	170.20	392085	4548583504776			DF	Q	CHN	9032.1080.90
E5GC-RX0DDM-000	Temp. controller PRO.1/32 DIN (2x4x8mm).screw less terminals.No AUX Rel.1 x relay OUT.24V AC/DC	170.20	392108	4548583504790			DF	Q	CHN	9032.1080.90
E5GC-RX1A6M-000	Temp. controller PRO.1/32 DIN (2x4x8mm).screw terminals.1 AUX.1 x relay OUT.100-240 VAC	179.80	392086	4548583504806			DF	Q	CHN	9032.1080.90
E5GC-RX1A6M-015	Temp. controller PRO.1/32 DIN (2x4x8mm).screw terminals.1 AUX.1 x relay OUT.FS.485.100-240 VAC	217.80	392099	4548583504892			DF	Q	CHN	9032.1080.90
E5GC-RX1A6M-024	Temp. controller PRO.1/32 DIN (2x4x8mm).screw terminals.1 AUX.1 x relay OUT.2x EVT. I/P.100-240 VAC	194.30	392065	4548583505049			DF	Q	CHN	9032.1080.90
E5GC-RX1ACM-000	Temp. controller PRO.1/32 DIN (2x4x8mm).screw less terminals.1 AUX.1 x relay OUT.100-240 VAC	171.40	392088	4548583504820			DF	Q	CHN	9032.1080.90
E5GC-RX1ACM-015	Temp. controller PRO.1/32 DIN (2x4x8mm).screw less terminals.1 AUX.1 x relay OUT.FS.485.100-240 VAC	335.20	392113	4548583504905			DF	Q	CHN	9032.1080.90
E5GC-RX1ACM-024	Temp. controller PRO.1/32 DIN (2x4x8mm).screw less terminals.1 AUX.1 x relay OUT.2x EVT. I/P.100-240 VAC	186.90	392067	4548583505063			DF	Q	CHN	9032.1080.90
E5GC-RX1D6M-000	Temp. controller PRO.1/32 DIN (2x4x8mm).screw terminals.1 AUX.1 x relay OUT.24V AC/DC	169.20	392087	4548583504813			DF	Q	CHN	9032.1080.90
E5GC-RX1D6M-015	Temp. controller PRO.1/32 DIN (2x4x8mm).screw terminals.1 AUX.1 x relay OUT.FS.485.24V AC/DC	242.40	392090	4548583504899			DF	Q	CHN	9032.1080.90
E5GC-RX1D6M-024	Temp. controller PRO.1/32 DIN (2x4x8mm).screw terminals.1 AUX.1 x relay OUT.2x EVT. I/P.24V AC/DC	194.30	392066	4548583505056			DF	Q	CHN	9032.1080.90
E5GC-RX1DCM-000	Temp. controller PRO.1/32 DIN (2x4x8mm).screw less terminals.1 AUX.1 x relay OUT.24V AC/DC	165.90	392102	4548583504837			DF	Q	CHN	9032.1080.90
E5GC-RX1DCM-015	Temp. controller PRO.1/32 DIN (2x4x8mm).screw less terminals.1 AUX.1 x relay OUT.FS.485.24V AC/DC	244.50	392114	4548583504912			DF	Q	CHN	9032.1080.90
E5GC-RX1DCM-024	Temp. controller PRO.1/32 DIN (2x4x8mm).screw less terminals.1 AUX.1 x relay OUT.2x EVT. I/P.24V AC/DC	186.90	392068	4548583505070			DF	Q	CHN	9032.1080.90
E5GC-RX2A6M-000	Temp. controller PRO.1/32 DIN (2x4x8mm).screw terminals.2 AUX.1 x relay OUT.100-240 VAC	189.20	392109	4548583504844			DF	Q	CHN	9032.1080.90
E5GC-RX2A6M-015	Temp. controller PRO.1/32 DIN (2x4x8mm).screw terminals.2 AUX.1 x relay OUT.FS.485.100-240 VAC	227.30	392061	4548583504929			DF	Q	CHN	9032.1080.90
E5GC-RX2A6M-016	Temp. controller PRO.1/32 DIN (2x4x8mm).screw terminals.2 AUX.1 x relay OUT.1 x EVT. I/P.100-240 VAC	198.70	392115	4548583504967			DF	Q	CHN	9032.1080.90
E5GC-RX2A6M-023	Temp. controller PRO.1/32 DIN (2x4x8mm).screw terminals.2 AUX.1 x relay OUT.Ht. Burnout SSR fail.100-240 VAC	204.10	392119	4548583505091			DF	Q	CHN	9032.1080.90
E5GC-RX2ACM-000	Temp. controller PRO.1/32 DIN (2x4x8mm).screw less terminals.2 AUX.1 x relay OUT.100-240 VAC	194.30	392111	4548583504968			DF	Q	CHN	9032.1080.90
E5GC-RX2ACM-015	Temp. controller PRO.1/32 DIN (2x4x8mm).screw less terminals.2 AUX.1 x relay OUT.FS.485.100-240 VAC	269.20	392063	4548583504833			DF	Q	CHN	9032.1080.90
E5GC-RX2ACM-016	Temp. controller PRO.1/32 DIN (2x4x8mm).screw less terminals.2 AUX.1 x relay OUT.1 x EVT. I/P.100-240 VAC	213.60	392117	4548583504981			DF	Q	CHN	9032.1080.90
E5GC-RX2ACM-023	Temperature controller PRO.1/32 DIN (24 x 48 mm).screw less terminals.2 AUX.1 x relay OUT.Ht. Burnout SSR fail.100 to 240 VAC	215.60	392121	4548583505025			DF	Q	CHN	9032.1080.90
E5GC-RX2D6M-000	Temp. controller PRO.1/32 DIN (24 x 48 mm).screw terminals.2 AUX.1 x relay OUT.24 VAC/DC	189.20	392110	4548583504881			DF	Q	CHN	9032.1080.90
E5GC-RX2D6M-015	Temp. controller PRO.1/32 DIN (2x4x8mm).screw terminals.2 AUX.1 x relay OUT.FS.485.24V AC/DC	227.30	392062	4548583504936			DF	Q	CHN	9032.1080.90
E5GC-RX2D6M-016	Temp. controller PRO.1/32 DIN (2x4x8mm).screw terminals.2 AUX.1 x relay OUT.1 x EVT. I/P.24V AC/DC	198.70	392116	4548583504974			DF	Q	CHN	9032.1080.90
E5GC-RX2D6M-023	Temp. controller PRO.1/32 DIN (2x4x8mm).screw terminals.2 AUX.1 x relay OUT.Ht. Burnout SSR fail.24V AC/DC	204.10	392120	4548583505018			DF	Q	CHN	9032.1080.90
E5GC-RX2DCM-000	Temp. controller PRO.1/32 DIN (2x4x8mm).screw less terminals.2 AUX.1 x relay OUT.24V AC/DC	214.40	392112	4548583504875			DF	Q	CHN	9032.1080.90
E5GC-RX2DCM-015	Temp. controller PRO.1/32 DIN (2x4x8mm).screw less terminals.2 AUX.1 x relay OUT.FS.485.24V AC/DC	269.20	392064	4548583504950			DF	Q	CHN	9032.1080.90
E5GC-RX2DCM-016	Temp. controller PRO.1/32 DIN (2x4x8mm).screw less terminals.2 AUX.1 x relay OUT.1 x EVT. I/P.24V AC/DC	213.60	392118	4548583504998			DF	Q	CHN	9032.1080.90
E5GC-RX2DCM-023	Temp. controller PRO.1/32 DIN (2x4x8mm).screw less terminals.2 AUX.1 x relay OUT.Ht. Burnout SSR fail.24V AC/DC	215.60	392122	4548583505032			DF	Q	CHN	9032.1080.90
E5CC-CX2AUM-000	Temp. controller, PRO.1/16 DIN (48 x 48 mm). Plug-in type. 2 AUX. 1 x 0/4 to 20 mA curr. OUT. 100 to 240 VAC	286.50	386710	4548583466739			DF	Q	CHN	9032.1080.90
E5CC-CX2AUM-000	Temp. controller, PRO.1/16 DIN (48 x 48 mm). Plug-in type. 2 AUX. 1 x 12 VDC pulse OUT. 100 to 240 VAC	132.10	386704	4548583466678			DF	Q	CHN	9032.1080.90
E5CC-CX2DUM-000	Temp. controller, PRO.1/16 DIN (48x48mm).Plug-in type.2 AUX.1 x 12 VDC pulse OUT.24V AC/DC	129.30	386705	4548583466685			DF	Q	CHN	9032.1080.90
E5CC-RW0AUM-000	Temp. controller, PRO.1/16 DIN (48x48mm).Plug-in type.No AUX Rel.SPDT Rel.100-240 VAC	98.95	386712	4548583466579			DF	Q	CHN	9032.1080.90
E5CC-RW1DUM-000	Temp. controller, PRO.1/16 DIN (48x48mm).Plug-in type.1 x Rel. OUT.SPDT Rel.24V AC/DC	119.20	386698	4548583466609			DF	Q	CHN	9032.1080.90
E5CC-RW2AUM-000	Ent. Universal 2 Alarmes Saída Relé 100-240Vdc 48x48	114.30	386699	4548583466616			DF	Q	CHN	9032.1080.90
E5CC-RW2DUM-000	Temp. controller, PRO.1/16 DIN (48 x 48 mm). Plug-in type. 2 AUX. SPDT Rel. 24V AC/DC	121.20	386700	4548583466623			DF	Q	CHN	9032.1080.90
E5CC-CX2ABM-000	Temp. controller, PRO.1/16 DIN (48x48 mm). 1x0/4-20 mA curr. OUT. 2 AUX.100-240 VAC	286.50	679853	4549734147798			DF	Q	CHN	9032.1080.90
E5CC-CX2ABM-004	Temp. controller, PRO.1/16 DIN (48x48 mm). 1x0/4-20 mA curr. OUT. 2 AUX.EVT									



Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Data sheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
E5AC-TQ04D5M-019	Temp. controller, PPO, 1/4 DIN (96x96mm), PPO, gr.4 AUX, 1x0/4-20mA curr / 1 x 12 VDC pulse OUT, 6x EVT. I/P, Transf. OUT, Ht. Burnout SSR fail., 24V AC/DC	307.60	385241	4548583471368			DF	Q	CHN	9032.1080.90
E5AC-TX04A5M-000	Temp. controller, PPO, 1/4 DIN (96x96mm), PPO, gr.4 AUX, 1x0/4-20mA curr. OUT, 100-240 VAC	243.10	385218	4548583471078			DF	Q	CHN	9032.1080.90
E5AC-TX04A5M-004	Temp. controller, PPO, 1/4 DIN (96x96 mm), PPO, gr. 4 AUX, 1 x 0/4 to 20 mA curr. OUT, 2x EVT. I/P, RS-485, 100 to 40 VAC	282.40	385220	4548583471092			DF	Q	CHN	9032.1080.90
E5AC-TX04A5M-005	Temp. controller, PPO, 1/4 DIN (96x96 mm), PPO, gr. 4 AUX, 1 x 0/4 to 20 mA curr. OUT, 6x EVT. I/P, Transf. OUT, 100 to 240 VAC	263.40	385170	4548583490437			DF	Q	CHN	9032.1080.90
E5AC-TX04A5M-021	Temp. controller, PPO, 1/4 DIN (96x96 mm), PPO, gr. 4 AUX, 1 x 0/4 to 20 mA curr. OUT, 4x EVT. I/P, Transf. OUT, 100 to 240 VAC	289.10	385222	4548583471115			DF	Q	CHN	9032.1080.90
E5AC-TX04A5M-022	Temp. controller, PPO, 1/4 DIN (96x96 mm), PPO, gr. 4 AUX, 1 x 0/4 to 20 mA curr. OUT, 4x EVT. I/P, Transf. OUT, RS-485, 100 to 240 VAC	310.70	385224	4548583471139			DF	Q	CHN	9032.1080.90
E5AC-TX04D5M-000	Temp. controller, PPO, 1/4 DIN (96x96 mm), PPO, gr. 4 AUX, 1 x 0/4 to 20 mA curr. OUT, 24V AC/DC	243.10	385219	4548583471085			DF	Q	CHN	9032.1080.90
E5AC-TX04D5M-004	Temp. controller, PPO, 1/4 DIN (96x96 mm), PPO, gr. 4 AUX, 1 x 0/4 to 20 mA curr. OUT, 2x EVT. I/P, RS-485, 24V AC/DC	282.60	385221	4548583471108			DF	Q	CHN	9032.1080.90
E5AC-TX04D5M-005	Temp. controller, PPO, 1/4 DIN (96x96mm), PPO, gr.4 AUX, 1x0/4-20mA curr. OUT, 4x EVT. I/P, 24V AC/DC	263.70	385171	4548583490444			DF	Q	CHN	9032.1080.90
E5AC-TX04D5M-021	Temp. controller, PPO, 1/4 DIN (96x96 mm), PPO, gr. 4 AUX, 1 x 0/4 to 20 mA curr. OUT, 6x EVT. I/P, Transf. OUT, 24V AC/DC	289.10	385223	4548583491122			DF	Q	CHN	9032.1080.90
E5AC-TX04D5M-022	Temp. controller, PPO, 1/4 DIN (96x96mm), PPO, gr.4 AUX, 1x0/4-20mA curr. OUT, 4x EVT. I/P, Transf. OUT, RS-485, 24V AC/DC	310.70	385225	4548583471146			DF	Q	CHN	9032.1080.90
E5AC-TPR0A5M-000	Temp. controller, PPO, 1/4 DIN (96 x 96mm), Progr., 1 x Valve Out + Pot, 4 AUX, 100 to 240 VAC	234.60	673738	4548583471238			DF	Q	CHN	9032.1080.90
E5AC-TQ04A5M-000	Temp. controller, PPO, 1/4 DIN (96x96mm), PPO, gr.4 AUX, 2 x 12 VDC pulse OUT, 100-240 VAC	236.90	385202	4548583470910			DF	Q	CHN	9032.1080.90
E5AC-TQ04A5M-008	Temp. controller, PPO, 1/4 DIN (96x96mm), PPO, gr.4 AUX, 2 x 12 VDC pulse OUT, 2x EVT. I/P, Ht. Burnout SSR fail., RS-485, 100-240 VAC	286.50	385204	4548583470934			DF	Q	CHN	9032.1080.90
E5AC-TQ04A5M-010	Temp. controller, PPO, 1/4 DIN (96x96mm), PPO, gr.4 AUX, 2 x 12 VDC pulse OUT, 4x EVT. I/P, Ht. Burnout SSR fail., 100-240 VAC	266.20	385206	4548583470958			DF	Q	CHN	9032.1080.90
E5AC-TQ04A5M-019	Temp. controller, PPO, 1/4 DIN (96x96mm), PPO, gr.4 AUX, 2 x 12 VDC pulse OUT, 6x EVT. I/P, Transf. OUT, Ht. Burnout SSR fail., 100-240 VAC	292.90	385208	4548583470972			DF	Q	CHN	9032.1080.90
E5AC-TQ04D5M-000	Temp. controller, PPO, 1/4 DIN (96x96mm), PPO, gr.4 AUX, 2 x 12 VDC pulse OUT, 24V AC/DC	236.90	385203	4548583470927			DF	Q	CHN	9032.1080.90
E5AC-TQ04D5M-008	Temp. controller, PPO, 1/4 DIN (96x96mm), PPO, gr.4 AUX, 2 x 12 VDC pulse OUT, 2x EVT. I/P, Ht. Burnout SSR fail., RS-485, 24V AC/DC	286.50	385205	4548583470941			DF	Q	CHN	9032.1080.90
E5AC-TQ04D5M-010	Temp. controller, PPO, 1/4 DIN (96x96mm), PPO, gr.4 AUX, 2 x 12 VDC pulse OUT, 4x EVT. I/P, Ht. Burnout SSR fail., 24V AC/DC	266.20	385207	4548583470965			DF	Q	CHN	9032.1080.90
E5AC-TQ04D5M-019	Temp. controller, PPO, 1/4 DIN (96x96mm), PPO, gr.4 AUX, 1 x 12 VDC pulse/1 x Rel. OUT, 100-240 VAC	292.90	385209	4548583470989			DF	Q	CHN	9032.1080.90
E5AC-TOR0A5M-008	Temp. controller, PPO, 1/4 DIN (96x96mm), PPO, gr.4 AUX, 1 x 12 VDC pulse/1 x Rel. OUT, 2x EVT. I/P, Ht. Burnout SSR fail., RS-485, 100-240 VAC	286.50	385212	4548583471036			DF	Q	CHN	9032.1080.90
E5AC-TOR0A5M-010	Temp. controller, PPO, 1/4 DIN (96x96mm), PPO, gr.4 AUX, 1 x 12 VDC pulse/1 x Rel. OUT, 4x EVT. I/P, Ht. Burnout SSR fail., 100-240 VAC	266.20	385214	4548583471010			DF	Q	CHN	9032.1080.90
E5AC-TOR0A5M-019	Temp. controller, PPO, 1/4 DIN (96x96mm), PPO, gr.4 AUX, 1 x 12 VDC pulse/1 x Rel. OUT, 6x EVT. I/P, Transf. OUT, Ht. Burnout SSR fail., 100-240 VAC	292.90	385216	4548583471054			DF	Q	CHN	9032.1080.90
E5AC-TOR0D5M-000	Temp. controller, PPO, 1/4 DIN (96x96mm), PPO, gr.4 AUX, 1 x 12 VDC pulse/1 x Rel. OUT, 24V AC/DC	236.90	385211	4548583471009			DF	Q	CHN	9032.1080.90
E5AC-TOR0D5M-008	Temp. controller, PPO, 1/4 DIN (96x96mm), PPO, gr.4 AUX, 1 x 12 VDC pulse/1 x Rel. OUT, 2x EVT. I/P, Ht. Burnout SSR fail., RS-485, 24V AC/DC	286.50	385213	4548583471023			DF	Q	CHN	9032.1080.90
E5AC-TOR0D5M-010	Temp. controller, PPO, 1/4 DIN (96x96mm), PPO, gr.4 AUX, 1 x 12 VDC pulse/1 x Rel. OUT, 4x EVT. I/P, Ht. Burnout SSR fail., 24V AC/DC	266.20	385215	4548583471047			DF	Q	CHN	9032.1080.90
E5AC-TOR0D5M-019	Temp. controller, PPO, 1/4 DIN (96x96mm), PPO, gr.4 AUX, 1 x 12 VDC pulse/1 x Rel. OUT, 6x EVT. I/P, Transf. OUT, Ht. Burnout SSR fail., 24V AC/DC	292.90	385217	4548583471061			DF	Q	CHN	9032.1080.90
E5AC-TX04A5M-000	Temp. controller, PPO, 1/4 DIN (96x96 mm), PPO, gr. 4 AUX, 1 x 12 VDC pulse OUT, 100 to 240 VAC	230.10	385186	4548583470750			DF	Q	CHN	9032.1080.90
E5AC-TX04A5M-008	Temp. controller, PPO, 1/4 DIN (96x96 mm), PPO, gr. 4 AUX, 1 x 12 VDC pulse OUT, 2x EVT. I/P, Ht. Burnout SSR fail., RS-485, 100 to 240 VAC	279.10	385188	4548583470774			DF	Q	CHN	9032.1080.90
E5AC-TX04A5M-010	Temp. controller, PPO, 1/4 DIN (96x96mm), PPO, gr.4 AUX, 1 x 12 VDC pulse OUT, 4x EVT. I/P, Ht. Burnout SSR fail., 100-240 VAC	259.90	385190	4548583470798			DF	Q	CHN	9032.1080.90
E5AC-TX04A5M-019	Temp. controller, PPO, 1/4 DIN (96x96 mm), PPO, gr. 4 AUX, 1 x 12 VDC pulse OUT, 6x EVT. I/P, Transf. OUT, Ht. Burnout SSR fail., 100 to 240 VAC	286.50	385192	4548583470811			DF	Q	CHN	9032.1080.90
E5AC-TX04D5M-000	Temp. controller, PPO, 1/4 DIN (96x96 mm), PPO, gr. 4 AUX, 1 x 12 VDC pulse OUT, 24V AC/DC	230.10	385187	4548583470767			DF	Q	CHN	9032.1080.90
E5AC-TX04D5M-008	Temp. controller, PPO, 1/4 DIN (96x96 mm), PPO, gr. 4 AUX, 1 x 12 VDC pulse OUT, 2x EVT. I/P, Ht. Burnout SSR fail., RS-485, 24V AC/DC	279.10	385189	4548583470781			DF	Q	CHN	9032.1080.90
E5AC-TX04D5M-010	Temp. controller, PPO, 1/4 DIN (96x96mm), PPO, gr.4 AUX, 1 x 12 VDC pulse OUT, 4x EVT. I/P, Ht. Burnout SSR fail., 24V AC/DC	259.90	385191	4548583470804			DF	Q	CHN	9032.1080.90
E5AC-TX04D5M-019	Temp. controller, PPO, 1/4 DIN (96x96 mm), PPO, gr. 4 AUX, 1 x 12 VDC pulse OUT, 6x EVT. I/P, Transf. OUT, Ht. Burnout SSR fail., 24V AC/DC	286.50	385193	4548583470828			DF	Q	CHN	9032.1080.90
E5AC-TR0A5M-008	Temp. controller, PPO, 1/4 DIN (96x96mm), PPO, gr.4 AUX, 2 x Relay OUT, 2x EVT. I/P, Ht. Burnout SSR fail., RS-485, 100-240 VAC	236.90	385194	4548583470835			DF	Q	CHN	9032.1080.90
E5AC-TR0A5M-010	Temp. controller, PPO, 1/4 DIN (96x96mm), PPO, gr.4 AUX, 2 x Relay OUT, 2x EVT. I/P, Ht. Burnout SSR fail., 100-240 VAC	266.20	385196	4548583470859			DF	Q	CHN	9032.1080.90
E5AC-TR0A5M-019	Temp. controller, PPO, 1/4 DIN (96x96mm), PPO, gr.4 AUX, 2 x Relay OUT, 6x EVT. I/P, Transf. OUT, Ht. Burnout SSR fail., 100-240 VAC	292.90	385200	4548583470873			DF	Q	CHN	9032.1080.90
E5AC-TR0D5M-000	Temp. controller, PPO, 1/4 DIN (96x96mm), PPO, gr.4 AUX, 2 x Relay OUT, 24V AC/DC	236.90	385195	4548583470842			DF	Q	CHN	9032.1080.90
E5AC-TR0D5M-008	Temp. controller, PPO, 1/4 DIN (96x96mm), PPO, gr.4 AUX, 2 x Relay OUT, 2x EVT. I/P, Ht. Burnout SSR fail., RS-485, 24V AC/DC	286.50	385197	4548583470866			DF	Q	CHN	9032.1080.90
E5AC-TR0D5M-010	Temp. controller, PPO, 1/4 DIN (96x96mm), PPO, gr.4 AUX, 2 x Relay OUT, 4x EVT. I/P, Ht. Burnout SSR fail., 24V AC/DC	266.20	385199	4548583470880			DF	Q	CHN	9032.1080.90
E5AC-TR0D5M-019	Temp. controller, PPO, 1/4 DIN (96x96mm), PPO, gr.4 AUX, 2 x Relay OUT, 6x EVT. I/P, Transf. OUT, Ht. Burnout SSR fail., 24V AC/DC	292.90	385201	4548583470903			DF	Q	CHN	9032.1080.90
E5AC-TR0A5M-008	Temp. controller, PPO, 1/4 DIN (96x96 mm), PPO, gr. 4 AUX, 1 x Relay OUT, 2x EVT. I/P, Ht. Burnout SSR fail., RS-485, 100 to 240 VAC	279.10	385180	4548583470699			DF	Q	CHN	9032.1080.90
E5AC-TR0A5M-010	Temp. controller, PPO, 1/4 DIN (96x96 mm), PPO, gr. 4 AUX, 1 x Relay OUT, 4x EVT. I/P, Ht. Burnout SSR fail., 100 to 240 VAC	259.90	385182	4548583470712			DF	Q	CHN	9032.1080.90
E5AC-TR0A5M-019	Temp. controller, PPO, 1/4 DIN (96x96mm), PPO, gr.4 AUX, 1 x Relay OUT, 6x EVT. I/P, Transf. OUT, Ht. Burnout SSR fail., 100-240 VAC	286.50	385184	4548583470736			DF	Q	CHN	9032.1080.90
E5AC-TR0D5M-000	Temp. controller, PPO, 1/4 DIN (96x96 mm), PPO, gr. 4 AUX, 1 x Relay OUT, 24 V AC/DC	230.10	385179	4548583470682			DF	Q	CHN	9032.1080.90
E5AC-TR0D5M-008	Temp. controller, PPO, 1/4 DIN (96x96mm), PPO, gr.4 AUX, 1 x Relay OUT, 2x EVT. I/P, Ht. Burnout SSR fail., RS-485, 24V AC/DC	279.10	385181	4548583470705			DF	Q	CHN	9032.1080.90
E5AC-TR0D5M-010	Temp. controller, PPO, 1/4 DIN (96x96 mm), PPO, gr. 4 AUX, 1 x Relay OUT, 4x EVT. I/P, Ht. Burnout SSR fail., 24V AC/DC	259.90	385183	4548583470729			DF	Q	CHN	9032.1080.90
E5AC-TR0D5M-019	Temp. controller, PPO, 1/4 DIN (96x96mm), PPO, gr.4 AUX, 1 x Relay OUT, 6x EVT. I/P, Transf. OUT, Ht. Burnout SSR fail., 24V AC/DC	286.50	385185	4548583470743			DF	Q	CHN	9032.1080.90
E5CC-TQ03A5M-000	Temp. controller, PPO, 1/16 DIN (48x48mm), Progr., 3 AUX, 1x0/4-20mA curr / 1 x 12 VDC pulse OUT, 100-240 VAC	184.00	385280	4548583473294			DF	Q	CHN	9032.1080.90
E5CC-TQ03A5M-001	Temp. controller, PPO, 1/16 DIN (48x48mm), Progr., 3 AUX, 1x0/4-20mA curr / 1 x 12 VDC pulse OUT, 2x EVT. I/P, Ht. Burnout SSR fail., 100-240 VAC	207.10	385282	4548583473317			DF	Q	CHN	9032.1080.90
E5CC-TQ03A5M-003	Temp. controller, PPO, 1/16 DIN (48x48mm), Progr., 3 AUX, 1x0/4-20mA curr / 1 x 12 VDC pulse OUT, SSR fail, det./3-PH, RS-485, 100-240 VAC	223.60	385284	4548583473331		5	DF	Q	CHN	9032.1080.90
E5CC-TQ03A5M-005	Temp. controller, PPO, 1/16 DIN (48x48mm), Progr., 3 AUX, 1x0/4-20mA curr / 1 x 12 VDC pulse OUT, 4x EVT. I/P, 100-240 VAC	204.40	385286	4548583473355			DF	Q	CHN	9032.1080.90
E5CC-TQ03A5M-006	Temp. controller, PPO, 1/16 DIN (48x48mm), Progr., 3 AUX, 1x0/4-20mA curr / 1 x 12 VDC pulse OUT, 2x EVT. I/P, Transf. OUT, 100-240 VAC	217.60	385288	4548583473379			DF	Q	CHN	9032.1080.90
E5CC-TQ03D5M-000	Temp. controller, PPO, 1/16 DIN (48x48mm), Progr., 3 AUX, 1x0/4-20mA curr / 1 x 12 VDC pulse OUT, 24V AC/DC	184.00	385281	4548583473300			DF	Q	CHN	9032.1080.90
E5CC-TQ03D5M-001	Temp. controller, PPO, 1/16 DIN (48x48mm), Progr., 3 AUX, 1x0/4-20mA curr / 1 x 12 VDC pulse OUT, 2x EVT. I/P, Ht. Burnout SSR fail., 24V AC/DC	207.10	385283	4548583473324			DF	Q	CHN	9032.1080.90
E5CC-TQ03D5M-003	Temp. controller, PPO, 1/16 DIN (48x48mm), Progr., 3 AUX, 1x0/4-20mA curr / 1 x 12 VDC pulse OUT, SSR fail, det./3-PH, RS-485, 24V AC/DC	223.60	385285	4548583473348			DF	Q	CHN	9032.1080.90
E5CC-TQ03D5M-005	Temp. controller, PPO, 1/16 DIN (48x48mm), Progr., 3 AUX, 1x0/4-20mA curr / 1 x 12 VDC pulse OUT, 4x EVT. I/P, 24V AC/DC	204.40	385287	4548583473362			DF	Q	CHN	9032.1080.90
E5CC-TQ03D5M-006	Temp. controller, PPO, 1/16 DIN (48x48mm), Progr., 3 AUX, 1x0/4-20mA curr / 1 x 12 VDC pulse OUT, 2x EVT. I/P, Transf. OUT, 24V AC/DC	217.60	385289	4548583473386			DF	Q	CHN	9032.1080.90
E5CC-TX03A5M-000	Temp. controller, PPO, 1/16 DIN (48 x 48 mm), Progr., 3 AUX, 1 x 0/4 to 20 mA curr. OUT, 100 to 240 VAC	178.10	385272	4548583473218			DF	Q	CHN	9032.1080.90
E5CC-TX03A5M-004	Temp. controller, PPO, 1/16 DIN (48 x 48 mm), Progr., 3 AUX, 1 x 0/4 to 20 mA curr. OUT, 2x EVT. I/P, RS-485, 100 to 240 VAC	217.60	385278	4548583473270			DF	Q	CHN	9032.1080.90
E5CC-TX03A5M-005	Temp. controller, PPO, 1/16 DIN (48x48mm), Progr., 3 AUX, 1x0/4-20mA curr. OUT, 4x EVT. I/P, 100-240 VAC	197.60	385274	4548583473232			DF	Q	CHN	9032.1080.90
E5CC-TX03A5M-006	Temp. controller, PPO, 1/16 DIN (48 x 48 mm), Progr., 3 AUX, 1 x 0/4 to 20 mA curr. OUT, 2x EVT. I/P, Transf. OUT, 100 to 240 VAC	210.50	385276	4548583473256			DF	Q	CHN	9032.1080.90
E5CC-TX03D5M-000	Temp. controller, PPO, 1/16 DIN (48x48mm), Progr., 3 AUX, 1x0/4-20mA curr. OUT, 24V AC/DC	178.10	385273	4548583473225			DF	Q	CHN	9032.1080.90
E5CC-TX03D5M-004	Temp. controller, PPO, 1/16 DIN (48 x 48 mm), Progr., 3 AUX, 1 x 0/4 to 20 mA curr. OUT, 2x EVT. I/P, RS-485, 24V AC/DC</									

2021 List Price	S.L.N. (Daheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
210.50	385267	4548583473164			DF	Q	CHN	9032.1080.90
191.20	385269	4548583473188			DF	Q	CHN	9032.1080.90
204.40	385271	4548583473201			DF	Q	CHN	9032.1080.90
164.70	385252	4548583473010			DF	Q	CHN	9032.1080.90
187.50	385254	4548583473034			DF	Q	CHN	9032.1080.90
204.40	385256	4548583473058			DF	Q	CHN	9032.1080.90
184.00	385258	4548583473072			DF	Q	CHN	9032.1080.90
197.60	385260	4548583473096			DF	Q	CHN	9032.1080.90
164.70	385253	4548583473027			DF	Q	CHN	9032.1080.90
187.50	385255	4548583473041			DF	Q	CHN	9032.1080.90
204.40	385257	4548583473065			DF	Q	CHN	9032.1080.90
184.00	385259	4548583473089			DF	Q	CHN	9032.1080.90
197.60	385261	4548583473102			DF	Q	CHN	9032.1080.90
164.70	385242	4548583472914			DF	Q	CHN	9032.1080.90
187.50	385244	4548583472938			DF	Q	CHN	9032.1080.90
204.40	385246	4548583472952			DF	Q	CHN	9032.1080.90
184.00	385248	4548583472976			DF	Q	CHN	9032.1080.90
197.60	385250	4548583472990			DF	Q	CHN	9032.1080.90
164.70	385243	4548583472921			DF	Q	CHN	9032.1080.90
187.50	385245	4548583472945			DF	Q	CHN	9032.1080.90
204.40	385247	4548583472969			DF	Q	CHN	9032.1080.90
184.00	385249	4548583472983			DF	Q	CHN	9032.1080.90
197.60	385251	4548583473003			DF	Q	CHN	9032.1080.90
230.10	385178	4548583470675			DF	Q	CHN	9032.1080.90
230.10	385338	4548583475458			DF	Q	CHN	9032.1080.90
269.70	385340	4548583475472			DF	Q	CHN	9032.1080.90
250.40	385176	4548583490796			DF	Q	CHN	9032.1080.90
276.20	385342	4548583475496			DF	Q	CHN	9032.1080.90
296.10	385344	4548583475519			DF	Q	CHN	9032.1080.90
230.10	385339	4548583475465			DF	Q	CHN	9032.1080.90
269.70	385341	4548583475489			DF	Q	CHN	9032.1080.90
250.40	385177	4548583490802			DF	Q	CHN	9032.1080.90
276.20	385343	4548583475502			DF	Q	CHN	9032.1080.90
296.10	385345	4548583475526			DF	Q	CHN	9032.1080.90
217.60	385346	4548583475556			DF	Q	CHN	9032.1080.90
266.20	385348	4548583475618			DF	Q	CHN	9032.1080.90
247.00	385334	4548583475602			DF	Q	CHN	9032.1080.90
273.20	385352	4548583475666			DF	Q	CHN	9032.1080.90
217.60	385347	4548583475601			DF	Q	CHN	9032.1080.90
266.20	385349	4548583475625			DF	Q	CHN	9032.1080.90
247.00	385351	4548583475649			DF	Q	CHN	9032.1080.90
273.20	385353	4548583475663			DF	Q	CHN	9032.1080.90
210.50	385330	4548583475373			DF	Q	CHN	9032.1080.90
250.40	385332	4548583475397			DF	Q	CHN	9032.1080.90
230.10	385174	4548583490772			DF	Q	CHN	9032.1080.90
256.40	385334	4548583475340			DF	Q	CHN	9032.1080.90
276.20	385336	4548583475434			DF	Q	CHN	9032.1080.90
210.50	385331	4548583475380			DF	Q	CHN	9032.1080.90
250.40	385333	4548583475403			DF	Q	CHN	9032.1080.90
230.10	385175	4548583490789			DF	Q	CHN	9032.1080.90
256.40	385335	4548583475427			DF	Q	CHN	9032.1080.90
276.20	385337	4548583475441			DF	Q	CHN	9032.1080.90
203.60	673739	4548583475533			DF	Q	CHN	9032.1080.90
218.20	687717	4548583475540			DF	Q	CHN	9032.1080.90
215.40	687715	4548583475564			DF	Q	CHN	9032.1080.90
204.40	385314	4548583475212			DF	Q	CHN	9032.1080.90
253.40	385316	4548583475236			DF	Q	CHN	9032.1080.90
233.50	385318	4548583475250			DF	Q	CHN	9032.1080.90
259.90	385320	4548583475274			DF	Q	CHN	9032.1080.90
204.40	385315	4548583475229			DF	Q	CHN	9032.1080.90
253.40	385317	4548583475243			DF	Q	CHN	9032.1080.90
233.50	385319	4548583475267			DF	Q	CHN	9032.1080.90
259.90	385321	4548583475281			DF	Q	CHN	9032.1080.90
204.40	385322	4548583475298			DF	Q	CHN	9032.1080.90
253.40	385324	4548583475311			DF	Q	CHN	9032.1080.90
233.50	385326	4548583475335			DF	Q	CHN	9032.1080.90
259.90	385328	4548583475359			DF	Q	CHN	9032.1080.90
204.40	385323	4548583475304			DF	Q	CHN	9032.1080.90
253.40	385325	4548583475328			DF	Q	CHN	9032.1080.90
233.50	385327	4548583475342			DF	Q	CHN	9032.1080.90
259.90	385329	4548583475366			DF	Q	CHN	9032.1080.90
197.60	385298	4548583475052			DF	Q	CHN	9032.1080.90
247.00	385300	4548583475076			DF	Q	CHN	9032.1080.90
227.30	385302	4548583475090			DF	Q	CHN	9032.1080.90
253.40	385304	4548583475113			DF	Q	CHN	9032.1080.90
197.60	385299	4548583475069			DF	Q	CHN	9032.1080.90

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Daheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
E5EC-TQX4D5M-008	Temp. controller, PPO, 1/8 DIN (96x48mm) Progr., 4 AUX, 1 x 12 VDC pulse OUT, 2x EVT. I/P.Ht. Burnout SSR fail., RS-485, 24V AC/DC	247.00	385301	4548583475083			DF	Q	CHN	9032.1080.90
E5EC-TQX4D5M-010	Temp. controller, PPO, 1/8 DIN (96x48mm) Progr., 4 AUX, 1 x 12 VDC pulse OUT, 4x EVT. I/P.Ht. Burnout SSR fail., 24V AC/DC	227.30	385303	4548583475106			DF	Q	CHN	9032.1080.90
E5EC-TQX4D5M-019	Temp. controller, PPO, 1/8 DIN (96x48mm) Progr., 4 AUX, 1 x 12 VDC pulse OUT, 6x EVT. I/P.Transf. OUT.Ht. Burnout SSR fail., 24V AC/DC	253.40	385305	4548583475120			DF	Q	CHN	9032.1080.90
E5EC-TRF4A5M-000	Temp. controller, PPO, 1/8 DIN (96x48mm) Progr., 4 AUX, 2 x Relay OUT, 100-240 VAC	204.40	385306	4548583475137			DF	Q	CHN	9032.1080.90
E5EC-TRF4A5M-008	Temp. controller, PPO, 1/8 DIN (96x48mm) Progr., 4 AUX, 2 x Relay OUT, 2x EVT. I/P.Ht. Burnout SSR fail., RS-485, 100-240 VAC	253.40	385308	4548583475151			DF	Q	CHN	9032.1080.90
E5EC-TRF4A5M-010	Temp. controller, PPO, 1/8 DIN (96x48mm) Progr., 4 AUX, 2 x Relay OUT, 4x EVT. I/P.Ht. Burnout SSR fail., 100-240 VAC	233.50	385310	4548583475175			DF	Q	CHN	9032.1080.90
E5EC-TRF4A5M-019	Temp. controller, PPO, 1/8 DIN (96x48mm) Progr., 4 AUX, 2 x Relay OUT, 6x EVT. I/P.Transf. OUT.Ht. Burnout SSR fail., 100-240 VAC	259.90	385312	4548583475199			DF	Q	CHN	9032.1080.90
E5EC-TRF4D5M-000	Temp. controller, PPO, 1/8 DIN (96x48mm) Progr., 4 AUX, 2 x Relay OUT, 24V AC/DC	204.40	385307	4548583475144			DF	Q	CHN	9032.1080.90
E5EC-TRF4D5M-008	Temp. controller, PPO, 1/8 DIN (96x48mm) Progr., 4 AUX, 2 x Relay OUT, 2x EVT. I/P.Ht. Burnout SSR fail., RS-485, 24V AC/DC	253.40	385309	4548583475168			DF	Q	CHN	9032.1080.90
E5EC-TRF4D5M-010	Temp. controller, PPO, 1/8 DIN (96x48mm) Progr., 4 AUX, 2 x Relay OUT, 4x EVT. I/P.Ht. Burnout SSR fail., 24V AC/DC	233.50	385311	4548583475182			DF	Q	CHN	9032.1080.90
E5EC-TRF4D5M-019	Temp. controller, PPO, 1/8 DIN (96x48mm) Progr., 4 AUX, 2 x Relay OUT, 6x EVT. I/P.Transf. OUT.Ht. Burnout SSR fail., 24V AC/DC	259.90	385313	4548583475205			DF	Q	CHN	9032.1080.90
E5EC-TRX4A5M-000	Temp. controller, PPO, 1/8 DIN (96 x 48 mm), Progr., 4 AUX, 1 x Relay OUT, 100 to 240 VAC	197.60	385290	4548583474970			DF	Q	CHN	9032.1080.90
E5EC-TRX4A5M-008	Temp. controller, PPO, 1/8 DIN (96 x 48 mm), Progr., 4 AUX, 1 x Relay OUT, 2x EVT. I/P. Ht. Burnout SSR fail., RS-485, 100 to 240 VAC	247.00	385292	4548583474994			DF	Q	CHN	9032.1080.90
E5EC-TRX4A5M-010	Temp. controller, PPO, 1/8 DIN (96x48mm) Progr., 4 AUX, 1 x Relay OUT, 4x EVT. I/P.Ht. Burnout SSR fail., 100-240 VAC	227.30	385294	4548583475014			DF	Q	CHN	9032.1080.90
E5EC-TRX4A5M-019	Temp. controller, PPO, 1/8 DIN (96x48mm) Progr., 4 AUX, 1 x Relay OUT, 6x EVT. I/P.Transf. OUT.Ht. Burnout SSR fail., 100-240 VAC	253.40	385296	4548583475038			DF	Q	CHN	9032.1080.90
E5EC-TRX4D5M-000	Temp. controller, PPO, 1/8 DIN (96 x 48 mm), Progr., 4 AUX, 1 x Relay OUT, 24V AC/DC	197.60	385291	4548583474987			DF	Q	CHN	9032.1080.90
E5EC-TRX4D5M-008	Temp. controller, PPO, 1/8 DIN (96x48mm) Progr., 4 AUX, 1 x Relay OUT, 2x EVT. I/P.Ht. Burnout SSR fail., RS-485, 24V AC/DC	247.00	385293	4548583475007			DF	Q	CHN	9032.1080.90
E5EC-TRX4D5M-010	Temp. controller, PPO, 1/8 DIN (96x48mm) Progr., 4 AUX, 1 x Relay OUT, 4x EVT. I/P.Ht. Burnout SSR fail., 24V AC/DC	227.30	385295	4548583475021			DF	Q	CHN	9032.1080.90
E5EC-TRX4D5M-019	Temp. controller, PPO, 1/8 DIN (96x48mm) Progr., 4 AUX, 1 x Relay OUT, 6x EVT. I/P.Transf. OUT.Ht. Burnout SSR fail., 24V AC/DC	253.40	385297	4548583475045			DF	Q	CHN	9032.1080.90
<b>EE_D serisi</b>										
E5CD-CX2ABM-000	Temp. controller, PPO, 1/16 DIN (48 x 48 mm), 1x0/4-20mA curr., 2 AUX, 100 to 240 VAC	223.00	680128	4549734147996			DF	R	CHN	9032.1080.90
E5CD-CX2ABM-004	Temperature controller, PPO, 1/16 DIN (48 x 48 mm), 1x0/4-20mA curr., 2 AUX, RS-485, EVT. I/P 2, 100 to 240 VAC	292.30	680125	4549734148009			DF	R	CHN	9032.1080.90
E5CD-CX2DBM-000	Temp. controller, PPO, 1/16 DIN (48 x 48 mm), 1x0/4-20mA curr., 2 AUX, 24 VAC/DC	188.10	680127	4549734148023			DF	R	CHN	9032.1080.90
E5CD-CX2DBM-004	Temperature controller, PPO, 1/16 DIN (48 x 48 mm), 1x0/4-20mA curr., 2 AUX, RS-485, EVT. I/P 2, 24 VAC/DC	292.30	680126	4549734148030			DF	R	CHN	9032.1080.90
E5CD-CX2ABM-000	Temperature controller, PPO, 1/16 DIN (48 x 48 mm), 1 x 12 VDC pulse OUT, 2 AUX, 100 to 240 VAC	176.00	680100	4549734147934			DF	R	CHN	9032.1080.90
E5CD-QX2ABM-001	Temperature controller, PPO, 1/16 DIN (48 x 48 mm), 1 x 12 VDC pulse OUT, 2 AUX, EVT. I/P 2, Ht. Burnout SSR fail., 100 to 240 VAC	219.10	680103	4549734147941			DF	R	CHN	9032.1080.90
E5CD-QX2ABM-002	Temperature controller, PPO, 1/16 DIN (48 x 48 mm), 1 x 12 VDC pulse OUT, 2 AUX, RS-485, Ht. Burnout SSR fail., 100 to 240 VAC	250.40	680110	4549734147958			DF	R	CHN	9032.1080.90
E5CD-QX2DBM-000	Temperature controller, PPO, 1/16 DIN (48 x 48 mm), 1 x 12 VDC pulse OUT, 2 AUX, 24 VAC/DC	176.00	680099	4549734147965			DF	R	CHN	9032.1080.90
E5CD-QX2DBM-001	Temperature controller, PPO, 1/16 DIN (48 x 48 mm), 1 x 12 VDC pulse OUT, 2 AUX, EVT. I/P 2, Ht. Burnout SSR fail., 24 VAC/DC	219.10	680104	4549734147972			DF	R	CHN	9032.1080.90
E5CD-QX2DBM-002	Temperature controller, PPO, 1/16 DIN (48 x 48 mm), 1 x 12 VDC pulse OUT, 2 AUX, RS-485, Ht. Burnout SSR fail., 24 VAC/DC	250.40	680109	4549734147989			DF	R	CHN	9032.1080.90
E5CD-RX2ABM-000	Temperature controller, PPO, 1/16 DIN (48 x 48 mm), 1 x Rel. OUT, 2 AUX, 100 to 240 VAC	176.00	680101	4549734147873			DF	R	CHN	9032.1080.90
E5CD-RX2ABM-001	Temp. controller, PPO, 1/16 DIN (48 x 48 mm), 1 x Rel. OUT, 2 AUX, EVT. I/P 2, Ht. Burnout SSR fail., 100 to 240 VAC	219.10	680106	4549734147880			DF	R	CHN	9032.1080.90
E5CD-RX2ABM-002	Temp. controller, PPO, 1/16 DIN (48 x 48 mm), 1 x Rel. OUT, 2 AUX, RS-485, Ht. Burnout SSR fail., 100 to 240 VAC	250.40	680111	4549734147897			DF	R	CHN	9032.1080.90
E5CD-RX2DBM-000	Temperature controller, PPO, 1/16 DIN (48 x 48 mm), 1 x Rel. OUT, 2 AUX, 24 VAC/DC	176.00	680102	4549734147903			DF	R	CHN	9032.1080.90
E5CD-RX2DBM-001	Temp. controller, PPO, 1/16 DIN (48 x 48 mm), 1 x Rel. OUT, 2 AUX, EVT. I/P 2, Ht. Burnout SSR fail., 24 VAC/DC	219.10	680105	4549734147910			DF	R	CHN	9032.1080.90
E5CD-RX2DBM-002	Temp. controller, PPO, 1/16 DIN (48 x 48 mm), 1 x Rel. OUT, 2 AUX, RS-485, Ht. Burnout SSR fail., 24 VAC/DC	250.40	680108	4549734147927			DF	R	CHN	9032.1080.90
E5ED-CX4ABM-000	Temp. controller, PPO, 1/8 DIN (96x48mm), 1x0/4-20mA curr., 0UT, 4 AUX, 100-240 VAC	278.90	680164	4549734148573			DF	R	CHN	9032.1080.90
E5ED-CX4ABM-022	Temp. controller, PPO, 1/8 DIN (96x48mm), 1x0/4-20mA curr., 0UT, 4 AUX, EVT. I/P 4, RS-485, Transf. OUT, 100-240 VAC	399.50	680167	4549734148597			DF	R	CHN	9032.1080.90
E5ED-CX4DBM-000	Temp. controller, PPO, 1/8 DIN (96x48mm), 1x0/4-20mA curr., 0UT, 4 AUX, 24 VAC/DC	278.90	680169	4549734148603			DF	R	CHN	9032.1080.90
E5ED-CX4DBM-022	Temp. controller, PPO, 1/8 DIN (96x48mm), 1x0/4-20mA curr., 0UT, 4 AUX, 24 VAC/DC	399.50	680165	4549734148627			DF	R	CHN	9032.1080.90
E5ED-QX4ABM-000	Temperature controller, PPO, 1/8 DIN (96 x 48 mm), 1 x 12 VDC pulse OUT, 4 AUX, 100 to 240 VAC	239.20	680129	4549734148474			DF	R	CHN	9032.1080.90
E5ED-QX4ABM-008	Temperature controller, PPO, 1/8 DIN (96 x 48 mm), 1 x 12 VDC pulse OUT, 4 AUX, EVT. I/P 2, RS-485, Ht. Burnout SSR fail., 100 to 240 VAC	321.90	680175	4549734148481			DF	R	CHN	9032.1080.90
E5ED-QX4ABM-010	Temp. controller, PPO, 1/8 DIN (96 x 48 mm), 1 x 12 VDC pulse OUT, 4 AUX, EVT. I/P 4, Ht. Burnout SSR fail., 100 to 240 VAC	292.30	680171	4549734148498			DF	R	CHN	9032.1080.90
E5ED-QX4DBM-000	Temperature controller, PPO, 1/8 DIN (96 x 48 mm), 1 x 12 VDC pulse OUT, 4 AUX, 24 VAC/DC	255.70	680172	4549734148504			DF	R	CHN	9032.1080.90
E5ED-QX4DBM-008	Temperature controller, PPO, 1/8 DIN (96 x 48 mm), 1 x 12 VDC pulse OUT, 4 AUX, EVT. I/P 2, RS-485, Ht. Burnout SSR fail., 24 VAC/DC	321.90	680168	4549734148511			DF	R	CHN	9032.1080.90
E5ED-QX4DBM-010	Temp. controller, PPO, 1/8 DIN (96 x 48 mm), 1 x 12 VDC pulse OUT, 4 AUX, EVT. I/P 4, Ht. Burnout SSR fail., 24 VAC/DC	292.30	680166	4549734148528			DF	R	CHN	9032.1080.90
E5ED-RX4ABM-000	Temp. controller, PPO, 1/8 DIN (96 x 48 mm), 1 x Rel. OUT, 4 AUX, 100 to 240 VAC	255.70	680170	4549734148412			DF	R	CHN	9032.1080.90
E5ED-RX4ABM-008	Temp. controller, PPO, 1/8 DIN (96 x 48 mm), 1 x Rel. OUT, 4 AUX, EVT. I/P 2, RS-485, Ht. Burnout SSR fail., 100 to 240 VAC	321.90	680161	4549734148429			DF	R	CHN	9032.1080.90
E5ED-RX4ABM-010	Temp. controller, PPO, 1/8 DIN (96 x 48 mm), 1 x Rel. OUT, 4 AUX, EVT. I/P 4, Ht. Burnout SSR fail., 100 to 240 VAC	292.30	680173	4549734148436			DF	R	CHN	9032.1080.90
E5ED-RX4DBM-000	Temp. controller, PPO, 1/8 DIN (96 x 48 mm), 1 x Rel. OUT, 4 AUX, 24 VAC/DC	255.70	680163	4549734148443			DF	R	CHN	9032.1080.90
E5ED-RX4DBM-008	Temp. controller, PPO, 1/8 DIN (96 x 48 mm), 1 x Rel. OUT, 4 AUX, EVT. I/P 2, RS-485, Ht. Burnout SSR fail., 24 VAC/DC	321.90	680162	4549734148450			DF	R	CHN	9032.1080.90
E5ED-RX4DBM-010	Temp. controller, PPO, 1/8 DIN (96 x 48 mm), 1 x Rel. OUT, 4 AUX, EVT. I/P 4, Ht. Burnout SSR fail., 24 VAC/DC	292.30	680174	4549734148467			DF	R	CHN	9032.1080.90
E5CD-QX2A6M-006	Temperature controller, PPO, 1/16 DIN (48 x 48 mm), 1x0/4-20 mA curr., 2 AUX, EVT. I/P 2, Transfer output, 100 to 240 VAC	215.00	680994	4549734148078			DF	R	CHN	9032.1080.90
E5CD-QX2A6M-000	Temp. controller, PPO, 1/16 DIN (48 x 48 mm), 1 x 12 VDC pulse OUT, 2 AUX, 100 to 240 VAC	157.70	676834	4549734126267			DF	R	CHN	9032.1080.90
E5CD-QX2A6M-001	Temp. controller, PPO, 1/16 DIN (48 x 48 mm), 1 x 12 VDC pulse OUT, 2 AUX, EVT. I/P 2, Ht. Burnout SSR fail., 100 to 240 VAC	189.80	676835	4549734126274			DF	R	CHN	9032.1080.90
E5CD-QX2A6M-002	Temp. controller, PPO, 1/16 DIN (48 x 48 mm), 1 x 12 VDC pulse OUT, 2 AUX, RS-485, Ht. Burnout SSR fail., 100 to 240 VAC	236.60	676836	4549734126281			DF	R	CHN	9032.1080.90
E5CD-QX2D6M-000	Temp. controller, PPO, 1/16 DIN (48 x 48 mm), 1 x 12 VDC pulse OUT, 2 AUX, 24 VAC/DC	157.70	676837	4549734126298			DF	R	CHN	9032.1080.90
E5CD-QX2D6M-001	Temperature controller, PPO, 1/16 DIN (48 x 48 mm), 1 x 12 VDC pulse OUT, 2 AUX, EVT. I/P 2, Ht. Burnout SSR fail., 24 VAC/DC	189.80	676838	4549734126304			DF	R	CHN	9032.1080.90
E5CD-QX2D6M-002	Temp. controller, PPO, 1/16 DIN (48 x 48 mm), 1 x 12 VDC pulse OUT, 2 AUX, RS-485, Ht. Burnout SSR fail., 24 VAC/DC	236.60	676839	4549734126311			DF	R	CHN	9032.1080.90
E5CD-RX2A6M-000	Temp. controller, PPO, 1/16 DIN (48 x 48 mm), 1 x Rel. OUT, 2 AUX, 100 to 240 VAC	157.70	676828	4549734126205			DF	R	CHN	9032.1080.90
E5CD-RX2A6M-001	Temp. controller, PPO, 1/16 DIN (48 x 48 mm), 1 x Rel. OUT, 2 AUX, EVT. I/P 2, Ht. Burnout SSR fail., 100 to 240 VAC	189.80	676829	4549734126212			DF	R	CHN	9032.1080.90
E5CD-RX2A6M-002	Temp. controller, PPO, 1/16 DIN (48 x 48 mm), 1 x Rel. OUT, 2 AUX, RS-485, Ht. Burnout SSR fail., 100 to 240 VAC	236.60	676830	4549734126229			DF	R	CHN	9032.1080.90
E5CD-RX2D6M-000	Temp. controller, PPO, 1/16 DIN (48 x 48 mm), 1 x Rel. OUT, 2 AUX, 24 VAC/DC	157.70	676831	4549734126236			DF	R	CHN	9032.1080.90
E5CD-RX2D6M-001	Temp. controller, PPO, 1/16 DIN (48 x 48 mm), 1 x Rel. OUT, 2 AUX, EVT. I/P 2, Ht. Burnout SSR fail., 24 VAC/DC	189.80	676832	4549734126243			DF	R	CHN	9032.1080.90
E5CD-RX2D6M-002	Temp. controller, PPO, 1/16 DIN (48 x 48 mm), 1 x Rel. OUT, 2 AUX, RS-485, Ht. Burnout SSR fail., 24 VAC/DC	236.60	676833	4549734126250			DF	R	CHN	9032.1080.90
E5ED-QX4A6M-000	Temp. controller, PPO, 1/8 DIN (96 x 48 mm), 1 x 12 VDC pulse OUT, 4 AUX, 100 to 240 VAC	234.10	676846	4549734126465			DF	R	CHN	9032.1080.90
E5ED-QX4A6M-008	Temp. controller, PPO, 1/8 DIN (96 x 48 mm), 1 x 12 VDC pulse OUT, 4 AUX, EVT. I/P 2, RS-485, Ht. Burnout SSR fail., 100 to 240 VAC	255.40	676847	4549734126472			DF	R	CHN	9032.1080.90
E5ED-QX4A6M-010	Temp. controller, PPO, 1/8 DIN (96 x 48 mm), 1 x 12 VDC pulse OUT, 4 AUX, EVT. I/P 4, Ht. Burnout SSR fail., 100 to 240 VAC	268.90	676848	4549734126489			DF	R	CHN	9032.1080.90
E5ED-QX4D6M-000	Temp. controller, PPO, 1/8 DIN (96 x 48 mm), 1 x 12 VDC pulse OUT, 4 AUX, 24 VAC/DC	234.10	676849	4549734126496			DF	R	CHN	9032.1080.90



Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	SLN. (Daheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
E5ED-RX4A6M-000	Temp. controller, PFO, 1/8 DIN (96 x 48 mm), 1 x Rel. OUT, 4 AUX, 100 to 240 VAC	245.40	676840	4549734126403			DF	R	CHN	9032.1080.90
E5ED-RX4A6M-008	Temp. controller, PFO, 1/8 DIN (96 x 48 mm), 1 x Rel. OUT, 4 AUX, EVT. I/P 2:RS-485, Ht. Burnout SSR fail., 100 to 240 VAC	255.40	676841	4549734126410			DF	R	CHN	9032.1080.90
E5ED-RX4A6M-010	Temp. controller, PFO, 1/8 DIN (96 x 48 mm), 1 x Rel. OUT, 4 AUX, EVT. I/P 4, Ht. Burnout SSR fail., 100 to 240 VAC	266.90	676842	4549734126427			DF	R	CHN	9032.1080.90
E5ED-RX4D6M-000	Temp. controller, PFO, 1/8 DIN (96 x 48 mm), 1 x Rel. OUT, 4 AUX, 24 VAC/DC	245.40	676843	4549734126434			DF	R	CHN	9032.1080.90
E5ED-RX4D6M-008	Temp. controller, PFO, 1/8 DIN (96 x 48 mm), 1 x Rel. OUT, 4 AUX, EVT. I/P 2:RS-485, Ht. Burnout SSR fail., 24 VAC/DC	255.40	676844	4549734126441			DF	R	CHN	9032.1080.90
E5ED-RX4D6M-010	Temp. controller, PFO, 1/8 DIN (96 x 48 mm), 1 x Rel. OUT, 4 AUX, EVT. I/P 4, Ht. Burnout SSR fail., 24 VAC/DC	266.90	676845	4549734126458			DF	R	CHN	9032.1080.90
<b>Other Temp. &amp; Process</b>										
E5L-A 0-100	Electronic thermostat with analog setting, (45x35)mm, 0-100deg, socket mounting, 1 x Rel. OUT, 100-240 VAC	84.80	277251	4547648644471			DF	X	JPN	9032.1080.90
E5L-A 0-50	Electronic thermostat with analog setting, (45x35)mm, 0-50deg, socket mounting, 1 x Rel. OUT, 100-240 VAC	119.90	277250	4547648644464			DF	X	JPN	9032.1080.90
E5L-A 100-200	Electronic thermostat with analog setting, (45x35)mm, 100-200deg, socket mounting, 1 x Rel. OUT, 100-240 VAC	128.50	277252	4547648644488			DF	X	JPN	9032.1080.90
E5L-A -30-20	Electronic thermostat with analog setting, (45x35)mm, -30 to 20deg, socket mounting, 1 x Rel. OUT, 100-240 VAC	113.30	277249	4547648644457			DF	X	JPN	9032.1080.90
E5L-C 0-100	Electronic thermostat with digital setting, (45x35)mm, 0-100deg, socket mounting, 1 x Rel. OUT, 100-240 VAC	147.10	277254	4547648644501			DF	X	JPN	9032.1080.90
E5L-C 100-200	Electronic thermostat with digital setting, (45x35)mm, 100-200deg, socket mounting, 1 x Rel. OUT, 100-240 VAC	165.90	277255	4547648644518			DF	X	JPN	9032.1080.90
E5L-C -30-20	Electronic thermostat with digital setting, (45x35)mm, -30 to 20deg, socket mounting, 1 x Rel. OUT, 100-240 VAC	138.10	277253	4547648644495			DF	X	JPN	9032.1080.90
E5LC-5	Temperature indicator, -40 to +40°C	102.60	145512	453685339753			DF	X	JPN	9032.1080.90
E5LC-6	Temperature indicator, -20 to +60°C	101.80	128650	453685339760			DF	X	JPN	9032.1080.90
E5LC-7	Temperature indicator, 20 to 110°C	106.10	128651	453685339777			DF	X	JPN	9032.1080.90
<b>Accessory for Temp. &amp; Process</b>										
E53-C	Output unit for E5AK/E5EX, linear 4-20 mA, 600 Ohm, 8-bit	83.20	153166	4536853362539			DF	Z	JPN	9032.1080.90
E53-C3	Output unit for E5A/EJK, linear 4-20 mA, 600 Ohm, 12-bit	79.85	129680	4536853362560			DF	Z	JPN	9032.1080.90
E53-C3D	Output unit for E5A/EJK, linear 0-20 mA, 600 Ohm, 12-bit	90.35	151978	4536853362621			DF	Z	JPN	9032.1080.90
E53-C3DN	Output unit for E5A/EN-H, 0-20 mA linear output	77.25	246557	4547648476911			DF	Z	JPN	9032.1080.90
E53-C3N	Output unit for E5A/EN-H, 4-20 mA linear output	71.40	246554	4547648476881			DF	Z	JPN	9032.1080.90
E53-Q	Output unit for E5A/EJK/X, 40mA 12VDC, NPN	25.97	105481	4536853362522			DF	Z	JPN	9032.1080.90
E53-Q3	Output unit for E5AK/E5EK/ESAN-H/ES5N-H, SSR drive (12 VDC, 20 mA) output, NPN	22.93	129679	4536853362546			DF	Z	JPN	9032.1080.90
E53-Q4	Output unit for E5A/EJK, 20mA, 24VDC, PNP	22.93	142183	4536853362553			DF	Z	JPN	9032.1080.90
E53-QN	Output unit for E5A/EN-H, 12 VDC voltage output	25.51	246553	4547648476874			DF	Z	JPN	9032.1080.90
E53-R	Output unit for E5A/EJK/X, SPST-NO, 5A relay	10.71	129678	4536853362508			DF	Z	JPN	9032.1080.90
E53-RN	Output unit for E5A/EN-H, relay output	11.20	246558	4547648488488			DF	Z	JPN	9032.1080.90
E53-V34	Output unit for E5A/EJK, linear 0-10VDC, 12-bit	100.80	148624	4536853362614			DF	Z	JPN	9032.1080.90
E53-V34N	Output unit for E5A/EN-H, 0-10 V linear output	71.70	246556	4547648476904			DF	Z	JPN	9032.1080.90
E53-V35	Output unit for E5A/EJK, linear 0-5VDC, 12-bit	100.80	129683	4536853362607			DF	Z	JPN	9032.1080.90
E53-V35N	Output unit for E5A/EN-H, 0-5 V linear output	71.70	246555	4547648476898			DF	Z	JPN	9032.1080.90
E53-ANB	option unit for E5AK/EK/EN, event input, 2 points	87.45	129693	4536853362850			DF	Z	JPN	9032.1080.90
E53-CNBN2	E5CN-H option board - Event inputs, **only compatible with new E5CN-H models**	30.20	243808	4547648463478			DF	Z	CHN	9032.1080.90
E53-CN01N2	E5CN-H option board - RS-232C communications, **only compatible with new E5CN-H models**	63.80	243821	4547648463607			DF	Z	CHN	9032.1080.90
E53-CN03N2	E5CN-H option board - RS-485 communications, **only compatible with new E5CN-H models**	63.55	243809	4547648463485			DF	Z	CHN	9032.1080.90
E53-EN01	Communication unit for E5AK/EK/AN/EN, RS-232C	91.65	182423	4547648142403			DF	Z	JPN	9032.1080.90
E53-EN02	Communication unit for E5AK/EK, RS-422	91.00	182902	4547648160100			DF	Z	JPN	9032.1080.90
E53-EN03	Communication unit for E5AK/EK/AN/EN, RS-485	90.35	182424	4547648142410	#		DF	Z	JPN	9032.1080.90
E53-COV07	Terminal cover for E5CK controller	3.51	129181	4536853314163			DF	Z	JPN	9032.9000.90
E53-COV08	Terminal cover for E5EK controller	16.47	129698	4536853362911			DF	Z	JPN	9032.9000.90
E53-COV10	Terminal cover	5.38	129701	4536854436413			DF	Z	JPN	9032.9000.90
E53-COV17	Terminal cover	5.66	243805	4547648476072			DF	Z	CHN	8536.4900.99
E53-CNBN2	E5CN-H plug-in option card, event input & transfer output	154.30	243819	4547648463584			DF	Z	CHN	9032.1080.90
E53-CN01N2	E5CN-H option board - RS-232C communications and heater burnout/SSR failure detection, **only compatible with new E5CN-H models**	81.85	243822	4547648463614			DF	Z	CHN	9032.1080.90
E53-CN03N2	E5CN-H option board - RS-485 communications and heater burnout/SSR failure detection, **only compatible with new E5CN-H models**	85.50	243807	4547648463461			DF	Z	CHN	9032.1080.90
E53-CNBN2	E5CN-H option board - heater burnout/SSR failure detection and event inputs, **only compatible with new E5CN-H models**	52.75	243806	4547648463454			DF	Z	CHN	9032.1080.90
E53-CNHN03N2	E5CN-H option board - RS-485 communications and 3- heater burnout/SSR failure detection, **only compatible with new E5CN-H models**	88.05	243810	4547648463492			DF	Z	CHN	9032.1080.90
E53-CN01N2	E5CN-H option board - RS-232C communications and Control output option (voltage pulse), **only compatible with new E5CN-H models**	78.50	243817	4547648463560			DF	Z	CHN	9032.1080.90
E53-CN03N2	E5CN-H option board - RS-485 communications and Control output option (voltage pulse), **only compatible with new E5CN-H models**	83.20	243812	4547648463515			DF	Z	CHN	9032.1080.90
E53-CN0BN2	E5CN-H option board - event inputs and control output option (voltage pulse), **only compatible with new E5CN-H models**	53.35	243816	4547648463553			DF	Z	CHN	9032.1080.90
E53-CN0FN2	E5CN-H plug-in option card, SSR driver (12 VDC) output & transfer output	154.30	243818	4547648463577			DF	Z	CHN	9032.1080.90
E53-CN0HN2	E5CN-H option board - 3- heater burnout/SSR failure detection, and control output option (voltage pulse), **only compatible with new E5CN-H models**	56.65	243815	4547648463546			DF	Z	CHN	9032.1080.90
E53-CN0IN2	E5CN-H option board - heater burnout/SSR failure detection, and control output option (voltage pulse), **only compatible with new E5CN-H models**	53.70	243811	4547648463508			DF	Z	CHN	9032.1080.90
EST2-2C-MV4	CX-Thermo, direct 1 to 1 connecting software (1 to several if same TC type), for programming and monitoring E5 N (version 5 & 6), E5ZN and CelciuX (EJ1)	137.80	242527	4547648504447			DF	Z	JPN	9032.1080.90
ESTT-YB177-MV1S	CX-Thermo, direct 1 to 1 connecting software, for programming and monitoring E5CN (latest version), E5ZN and CelciuX (EJ1)	226.10	143433	4536854938061			DF	Z	JPN	9032.9000.90
Y92F-34	Flush mounting bracket (included in H7E standard delivery)	7.28	107354	4536854746994		10	DF	Z	JPN	8536.4900.99
E54-CT1	Current transformer for heater burnout detection (5.8mm dia)	29.56	103241	4536853363079	#		DF	Z	JPN	9032.1080.90
E54-CT3	Current transformer for heater burnout detection (12mm dia)	52.90	129612	4536853363086	#		DF	Z	JPN	9032.1080.90
E53-COV19	E5CB Terminal cover	13.31	353953	4547648841894			DF	Z	CHN	3826.9007.90
E53-COV23	Spare terminal cover for E5 C controller	5.56	370473	4548583096967			DF	Z	CHN	9032.9000.90
E53-COV24	Terminal cover	5.68	370474	4548583096974			DF	Z	CHN	9032.9000.90
E53-COV26	Connector cover for E5DC-B socket with push-in plus terminal	17.44	687811	4549734493666			DF	Z	CHN	9032.1080.90

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Daheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
E58-C1FQ1	ESCN accessory, quick link programming cable for the E5_N and CeluX (EJ1) range, allows direct connection without requirement for communications card. USB connection to PC/Laptop and special connector for controller, Includes USB driver	350.50	176286	4547648103459	#		DF	Z	JPN	9032.1080.90
E58-C1FQ2	ESCB & ESCC and E5EC* accessory, quick link programming cable, allows direct USB connection without requirement for communications card or power supply. Also the display will be powered (CX-Thermo v4.4 is needed). *For E5EC front connection.	310.00	353471	4548583020627	#		DF	Z	JPN	9032.1080.90
E58-C1FQ2-E	Quick link front adapter for E5EC	103.00	356821	4548583097667			DF	Z	CHN	9032.9000.90
E5DC-SCT1B	Socket for E5DC-B with push-in plus terminal	84.10	687792	4549734493468			DF	Z	CHN	9032.1080.90
E5DC-SCT1S	Socket for E5DC	28.77	414645	4548583546004			DF	Z	CHN	9032.1080.90
Y92A-48H	Protective Hard front cover for DIN48x48mm device	4.35	359021	4548583102323			DF	Z	CHN	9032.1080.90
Y92F-45	Panel adaptor, 48 x 48 device into 67 x 67 hole	37.49	104661	4536854618567			DF	Z	JPN	9032.1080.90
Y92F-49	Mounting adapter for 48 x 48 mm devices	2.51	359108	4548583031883			DF	Z	CHN	9032.1080.90
Y92F-52	DIN mounting adapter for E5CC	15.87	372111	4548583318373	#		DF	Z	CHN	9032.1080.90
Y92F-58	Draw-out Jig for E5CD	14.36	688649	4548583749573			DF	Z	CHN	9032.1080.90
Y92S-P10	Waterproof packing for 96x96 mm temperature controllers	3.09	686122	4548583371712			DF	Z	CHN	9032.9000.90
Y92S-P8	Waterproof packing for 48x48 mm temperature controllers	3.09	370471	4548583097018			DF	Z	CHN	9032.9000.90
<b>Timer H3CB</b>										
H3CR-A 100-240VAC/100-125VDC	Timer, plug-in, 11-pin, DIN 48 x 48 mm, multifunction, 0.05 s-300 h, DPDT, 5 A, 100 to 240 VAC, 100-125VDC	54.10	667919	4548583553262	#		DG	B	IDN	8536.4900.99
H3CR-A AC24-48/DC12-48	Timer, plug-in, 11-pin, DIN 48 x 48 mm, multifunction, 0.05 s-300 h, DPDT, 5 A, 24-48VAC, 12-48VDC	54.10	667959	4548583553279	#		DG	B	IDN	8536.4900.99
H3CR-A 301 100-240AC/100-125DC	Timer, plug-in, 8-pin, 1/16DIN (48 x 48 mm), multifunction, 0.1s-600h, DPDT, 5 A	52.85	667945	4548583553361			DG	B	IDN	8536.4900.99
H3CR-A 301 AC24-48/DC12-48	Timer, plug-in, 8-pin, 1/16DIN (48 x 48 mm), multifunction, 0.1s-600h, DPDT, 5 A	52.85	667930	4548583553378			DG	B	IDN	8536.4900.99
H3CR-A8 100-240VAC/100-125VDC	Timer, plug-in, 8-pin, 1/16DIN (48 x 48 mm), on/flicker-on/flicker-off/interval/one-shot-delay, 0.05s-300h, DPDT, 5 A	52.85	667944	4548583553316	#		DG	B	IDN	8536.4900.99
H3CR-A8 AC24-48/DC12-48	Timer, plug-in, 8-pin, 1/16DIN (48 x 48 mm), on/flicker-on/flicker-off/interval/one-shot-delay, 0.05s-300h, DPDT, 5 A	52.85	667924	4548583553323	#		DG	B	IDN	8536.4900.99
H3CR-A8-301 100-240AC/DC100DC	Timer, plug-in, 8-pin, 1/16DIN (48 x 48mm), on/flicker-on/flicker-off/interval/one-shot-delay, 0.1s-600h, DPDT, 5 A	52.85	667939	4548583553385			DG	B	IDN	8536.4900.99
H3CR-A8E 100-240VAC/100-125VDC	Timer, plug-in, 8-pin, 1/16DIN (48 x 48 mm), on/flicker-on/flicker-off/interval/one-shot-delay, 0.05s-300h, DPDT (inc. inst.), 5 A	65.95	667916	4548583553330	#		DG	B	IDN	8536.4900.99
H3CR-A8E 24-48VAC/DC	Timer, plug-in, 8-pin, 1/16DIN (48 x 48 mm), on/flicker-on/flicker-off/interval/one-shot-delay, 0.05s-300h, DPDT (inc. inst.), 5 A	68.80	667957	4548583553347			DG	B	IDN	8536.4900.99
H3CR-A8S AC24-48/DC12-48	Timer, plug-in, 8-pin, 1/16DIN (48 x 48 mm), on/flicker-on/flicker-off/interval/one-shot-delay, 0.05s-300h, transistor output, 5 A	55.75	667943	4548583553354			DG	B	IDN	8536.4900.99
H3CR-AP 100-240VAC/100-125VDC	Timer, plug-in, 11-pin, 1/16DIN (48 x 48 mm), voltage input, multifunction, 0.05s-300h, DPDT, 5 A	64.00	667928	4548583553286			DG	B	IDN	8536.4900.99
H3CR-AP AC24-48/DC12-48	Timer, plug-in, 11-pin, 1/16DIN (48 x 48 mm), voltage input, multifunction, 0.05s-300h, DPDT, 5 A	56.10	667907	4548583553293			DG	B	IDN	8536.4900.99
H3CR-AS AC24-48/DC12-48	Timer, plug-in, 11-pin, 1/16DIN (48 x 48 mm), voltage input, multifunction, 0.05s-300h, Transistor output (NPN/PNP universal)	51.25	667962	4548583553309			DG	B	IDN	8536.4900.99
H3CR-F 100-240VAC/100-125VDC	Timer, plug-in, 11-pin, 1/16DIN (48 x 48 mm), twin on & off-delay, flicker OFF start, 0.05s-300h, DPDT, 5A, 100 to 240 VAC, 100-125VDC	86.30	667935	4548583552845			DG	B	IDN	8536.4900.99
H3CR-F AC24-48/DC12-48	Timer, plug-in, 11-pin, 1/16DIN (48 x 48 mm), twin on & off-delay, flicker OFF start, 0.05s-300h, DPDT, 5A, 24-48VAC, 12-48VDC	85.30	667910	4548583552852			DG	B	IDN	8536.4900.99
H3CR-F8 100-240VAC/100-125VDC	Timer, plug-in, 8-pin, 1/16DIN (48 x 48 mm), twin on & off-delay, flicker OFF start, 0.05s-300h, DPDT, 5A, 100 to 240 VAC, 100-125VDC	84.35	667955	4548583552807	#		DG	B	IDN	8536.4900.99
H3CR-F8 24-48VAC/12-48VDC	Timer, plug-in, 8-pin, 1/16DIN (48 x 48 mm), twin on & off-delay, flicker OFF start, 0.05s-300h, DPDT, 5A, 24-48VAC, 12-48VDC	84.35	667922	4548583552814	#		DG	B	IDN	8536.4900.99
H3CR-F8N 100-240VAC/100-125VDC	Timer, plug-in, 8-pin, 1/16DIN (48 x 48 mm), twin on & off-delay, flicker ON start, 0.05s-300h, DPDT, 5 A, 100 to 240 VAC, 100-125VDC	84.05	667913	4548583552821			DG	B	IDN	8536.4900.99
H3CR-F8N AC24-48/DC12-48	Timer, plug-in, 8-pin, 1/16DIN (48 x 48 mm), twin on & off-delay, flicker ON start, 0.05s-300h, DPDT, 5 A, 24-48VAC, 12-48VDC	58.95	667950	4548583552838			DG	B	IDN	8536.4900.99
H3CR-FN 100-240VAC/100-125VDC	Timer, plug-in, 11-pin, 1/16DIN (48 x 48 mm), twin on & off-delay, flicker ON start, 0.05s-300h, DPDT, 5 A, 100 to 240 VAC, 100-125VDC	86.30	667915	4548583552869			DG	B	IDN	8536.4900.99
H3CR-GBL 100-120VAC	Timer, plug-in, 8-pin, 1/16DIN (48 x 48 mm), star-delta-delay, 0.5-120s, SPST-NO instantaneous, SPST-NO time-limit, 5 A, 100-120 VAC	91.10	667941	4548583552906			DG	B	IDN	8536.4900.99
H3CR-GBL AC200-240	Timer, plug-in, 8-pin, 1/16DIN (48 x 48 mm), star-delta-delay, 0.5-120s, DPST-NO instantaneous, SPST-NO time-limit, 5 A, 200-240 VAC	86.60	667958	4548583552913			DG	B	IDN	8536.4900.99
H3CR-GBL 100-120VAC	Timer, plug-in, 8-pin, 1/16DIN (48 x 48mm), star-delta-delay, 0.5-120s, DPST-NO, 5 A, 100-120 VAC	68.85	667937	4548583552883			DG	B	IDN	8536.4900.99
H3CR-GBL AC200-240	Timer, plug-in, 8-pin, 1/16DIN (48 x 48 mm), star-delta-delay, 0.5-120s, DPST-NO, 5 A, 200-240 VAC	78.95	667923	4548583552890			DG	B	IDN	8536.4900.99
H3CR-H8L 100-120VAC M	Timer, plug-in, 8-pin, 1/16DIN (48 x 48 mm), power off-delay, 0.05-12 m, DPDT, 5 A	94.20	667931	4548583552968			DG	B	IDN	8536.4900.99
H3CR-H8L 100-120VAC S	Timer, plug-in, 8-pin, 1/16DIN (48 x 48 mm), power off-delay, 0.05-12s, DPDT, 5 A	80.90	667933	4548583553019			DG	B	IDN	8536.4900.99
H3CR-H8L 200-240VAC M	Timer, plug-in, 8-pin, 1/16DIN (48 x 48 mm), power off-delay, 0.05-12 m, DPDT, 5 A	79.55	667908	4548583552975			DG	B	IDN	8536.4900.99
H3CR-H8L 200-240VAC S	Timer, plug-in, 8-pin, 1/16DIN (48 x 48 mm), power off-delay, 0.05-12s, DPDT, 5 A	79.55	667921	4548583553026			DG	B	IDN	8536.4900.99
H3CR-H8L 24VAC DC M	Timer, plug-in, 8-pin, 1/16DIN (48 x 48 mm), power off-delay, 0.05-12 m, DPDT, 5 A	82.20	667946	4548583552982			DG	B	IDN	8536.4900.99
H3CR-H8L 24VAC DC S	Timer, plug-in, 8-pin, 1/16DIN (48 x 48 mm), power off-delay, 0.05-12s, DPDT, 5 A	77.95	667952	4548583553033			DG	B	IDN	8536.4900.99
H3CR-H8L DC100-125 M	Timer, plug-in, 8-pin, 1/16DIN (48 x 48mm), power off-delay, 0.05-12m, DPDT, 5 A	82.20	667918	4548583553002			DG	B	IDN	8536.4900.99
H3CR-H8L DC100-125 S	Timer, plug-in, 8-pin, 1/16DIN (48 x 48mm), power off-delay, 0.05-12m, DPDT, 5 A	82.20	667947	4548583553057			DG	B	IDN	8536.4900.99
H3CR-H8L DC48 M	Timer, plug-in, 8-pin, 1/16DIN (48 x 48mm), power off-delay, 0.05-12m, DPDT, 5 A	82.20	667909	4548583552999			DG	B	IDN	8536.4900.99
H3CR-H8RL 100-120VAC M	Timer, plug-in, 8-pin, 1/16DIN (48 x 48mm), power off-delay, 0.05-12m, DPDT, 5 A	76.40	667953	4548583553064			DG	B	IDN	8536.4900.99
H3CR-H8RL 100-120VAC S	Timer, plug-in, 8-pin, 1/16DIN (48 x 48mm), power off-delay, 0.05-12s, DPDT, 5 A	76.40	667911	4548583553118			DG	B	IDN	8536.4900.99
H3CR-H8RL AC200-240 M	Timer, plug-in, 8-pin, 1/16DIN (48 x 48mm), power off-delay, 0.05-12m, DPDT, 5 A	76.40	667917	4548583553071			DG	B	IDN	8536.4900.99
H3CR-H8RL AC200-240 S	Timer, plug-in, 8-pin, 1/16DIN (48 x 48mm), power off-delay, 0.05-12s, DPDT, 5 A	76.40	667925	4548583553125			DG	B	IDN	8536.4900.99
H3CR-H8RL DC100-125 M	Timer, plug-in, 8-pin, 1/16DIN (48 x 48mm), power off-delay, 0.05-12m, DPDT, 5 A	76.40	667912	4548583553101			DG	B	IDN	8536.4900.99
H3CR-H8RL 100-120VAC S	Timer, plug-in, 11-pin, 1/16DIN (48 x 48mm), power off-delay, 0.05-12m, DPDT, 5 A	107.70	667929	4548583553217			DG	B	IDN	8536.4900.99
H3CR-H8RL DC100-125 M	Timer, plug-in, 11-pin, 1/16DIN (48 x 48mm), power off-delay, 0.05-12m, DPDT, 5 A	107.70	667956	4548583553200			DG	B	IDN	8536.4900.99
<b>Timer H3CA</b>										
H3CA-8 DIN 100/110/120VAC	Timer, plug-in, 8-pin, 1/16DIN (48 x 48 mm), digital, multifunction, SPDT, 3 A	227.10	237491	4547648330961			DG	C	CHN	9107.0000.90
H3CA-8 DIN 200/220/240VAC	Timer, plug-in, 8-pin, 1/16DIN (48 x 48mm), digital, multifunction, SPDT, 3 A	129.40	237492	4547648330978			DG	C	CHN	9107.0000.90
H3CA-8 DIN DC24	Timer, plug-in, 8-pin, 1/16DIN (48 x 48mm), digital, multifunction, SPDT, 3 A	122.60	237493	4547648330985			DG	C	CHN	9107.0000.90
H3CA-8H DC110	Timer, plug-in, 8-pin, 1/16DIN (48 x 48mm), digital, multifunction, SPDT, 3 A	167.90	237501	4547648330909			DG	C	CHN	9107.0000.90
H3CA-8H DIN 100/110/120VAC	Timer, plug-in, 8-pin, 1/16DIN (48 x 48mm), digital, multifunction, SPDT, 3 A	167.90	237494	4547648330992			DG	C	CHN	9107.0000.90
H3CA-A DIN	Timer, plug-in, 11-pin, 1/16DIN (48 x 48mm), 12 VDC/24-240 VAC/DC, digital, multifunction, SPDT, 3 A	168.20	120915	4536853497668			DG	C	CHN	8536.4900.99
H3CA-A-306	Timer, plug-in, 11-pin, 1/16DIN (48 x 48 mm), 12 VDC/24-240 VAC/DC, digital, multifunction, SPDT, 3 A	194.30	237502	4547648331296			DG	C	CHN	9107.0000.90
H3CA-A-306 DIN	Timer, plug-in, 11-pin, 1/16DIN (48 x 48 mm), 12 VDC/24-240 VAC/DC, digital, multifunction, SPDT, 3 A	194.30	237499	4547648331302			DG	C	CHN	9107.0000.90
H3CA-A-306 DIN	Timer, plug-in, 1/16DIN (48x48mm), 12 VDC/24-240 VAC/DC, front screw terminal, time-limit operation / self-resetting / external resetting, multifunction, SPDT, 3A	222.20	237497	4547648331364			DG	C	CHN	9107.0000.90
<b>Timer H3DK</b>										
H3DK-F 24-240VAC/DC	Timer, DIN rail mounting, 22.5mm, twin on & off-delay, 0.1s-12h, SPDT, 5 A, 24-240 VAC/DC	59.65	668599	4548583745001	#		DG	D	IDN	9107.0000.90
H3DK-FA DC12	Timer, DIN rail mounting, 22.5mm, twin on & off-delay, 0.1s-12h, SPDT, 5 A, 12 VDC	59.65	668586	4548583745124			DG	D	IDN	9107.0000.90
H3DK-G 24-240VAC/DC	Timer, DIN rail mounting, 22.5mm, star-delta-delay, 1-120s, DPDT, 5 A, 24-240 VAC/DC	59.65	668604	4548583745018	#		DG	D	IDN	9107.0000.90
H3DK-GA DC12	Timer, DIN rail mounting, 22.5 mm, star-delta-delay, 1 to 120s, DPDT, 5 A, 12 VDC	54.15	668596	4548583745131			DG	D	IDN	9107.0000.90
H3DK-GE 240-440VAC	Timer, DIN rail mounting, 22.5mm, star-delta-delay, 1-120s, DPDT, 5 A, 240-440 VAC	59.65	352023	4548583002418			DG	D	CHN	9107.0000.90

Catalog Description (Image)	Item Long Description (Web page)	2012 List Price	S.L.N. (Daheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
H3DK-HBL 24-48VAC/DC	Timer, DIN rail mounting, 22.5mm, power off-delay, 1-120s, SPDT, 5 A, 24 VAC/DC	59.65	668624	4548583745025			DG	D	IDN	9107.0000.90
H3DK-HBS 24-48VAC/DC	Timer, DIN rail mounting, 22.5mm, power off-delay, 0.1-12s, SPDT, 5 A, 24 VAC/DC	59.65	668618	4548583745032			DG	D	IDN	9107.0000.90
H3DK-HCL 100-120VAC	Timer, DIN rail mounting, 22.5mm, power off-delay, 1-120s, SPDT, 5 A, 100-120 VAC	59.65	668602	4548583745049			DG	D	IDN	9107.0000.90
H3DK-HCS 100-120VAC	Timer, DIN rail mounting, 22.5mm, power off-delay, 1-120s, SPDT, 5 A, 100-120 VAC	59.65	668587	4548583745056			DG	D	IDN	9107.0000.90
H3DK-HDL AC200-240V	Timer, DIN rail mounting, 22.5mm, power off-delay, 1-120s, SPDT, 5 A, 200-230 VAC	59.65	668644	4548583745063	#		DG	D	IDN	9107.0000.90
H3DK-HDS AC200-240V	Timer, DIN rail mounting, 22.5mm, power off-delay, 0.1-12s, SPDT, 5 A, 200-240 VAC	59.65	668617	4548583745070			DG	D	IDN	9107.0000.90
H3DK-M1 24-240VAC/DC	Timer, DIN-rail mounting, multi range, multi mode timer, 8 modes incl. off-delay, 1 output relay, 24 to 240 VAC/DC	43.20	668642	4548583744967	#		DG	D	IDN	9107.0000.90
H3DK-M1A DC12	Timer, DIN-rail mounting, multi range, multi mode timer, 8 modes incl. off-delay, 1 output relay, 12 VDC	43.20	668610	4548583745087			DG	D	IDN	9107.0000.90
H3DK-M2 24-240VAC/DC	Timer, DIN-rail mounting, multi range, multi mode timer, 8 modes incl. off-delay, 2 output relays, 24 to 240 VAC/DC	43.20	668641	4548583744974	#		DG	D	IDN	9107.0000.90
H3DK-M2A DC12	Timer, DIN-rail mounting, multi range, multi mode timer, 8 modes incl. off-delay, 2 output relays, 12 VDC	45.60	668594	4548583745094			DG	D	IDN	9107.0000.90
H3DK-S1 24-240VAC/DC	Timer, DIN-rail mounting, multi range, multi mode timer, 4 modes, 1 output relay, 24 to 240 VAC/DC	29.93	668605	4548583744981	#		DG	D	IDN	9107.0000.90
H3DK-S1A DC12	Timer, DIN rail mounting, 22.5 mm, on/flicker-on/interval/one-shot-delay, 0.1s-1200h, SPDT, 5 A, 12 VDC	29.93	668629	4548583745100			DG	D	IDN	9107.0000.90
H3DK-S2 24-240VAC/DC	Timer, DIN-rail mounting, multi range, multi mode timer, 4 modes, 2 output relays, 24 to 240 VAC/DC	34.66	668622	4548583744998	#		DG	D	IDN	9107.0000.90
H3DK-S2A DC12	Timer, DIN rail mounting, 22.5mm, on/flicker-on/interval/one-shot-delay, 0.1s-1200h, DPDT (inc. inst.), 5 A, 12 V/DC	34.66	668635	4548583745117			DG	D	IDN	9107.0000.90
<b>Timer H3DS</b>										
H3DS-AL AC/DC	Timer, DIN rail mounting, 17.5 mm, 24-230 VAC/24-48 VDC, on-delay, 0.1 s-120 h, SPDT, 5 A, 'Smart Dial' lockable settings, no-input available. A single operating mode, screw terminal type	38.43	670944	4548583753006	#		DG	E	IDN	8536.4900.99
H3DS-ALC	Timer, DIN rail mounting, 17.5 mm, 24-230 VAC/24-48 VDC, on-delay, 0.1 s-120 h, SPDT, 5 A, lockable settings, screwless terminals, no-input available. A single operating mode	36.83	670938	4548583752948			DG	E	IDN	8536.4900.99
H3DS-FL	Timer, DIN rail mounting, 17.5 mm, 24-230 VAC/24-48 VDC, twin on & off-delay, 0.1 s-12 h, SPDT, 5 A, lockable settings, screw terminal type	62.35	670935	4548583752917			DG	E	IDN	9107.0000.90
H3DS-FLC	Timer, DIN rail mounting, 17.5 mm, 24-230 VAC/24-48 VDC, twin on & off-delay, 0.1 s-12 h, SPDT, 5 A, lockable settings, screw less terminals	69.70	670940	4548583752979			DG	E	IDN	9107.0000.90
H3DS-GL	Timer, DIN rail mounting, 17.5 mm, 24-230 VAC/24-48 VDC, multifunction, 0.1 s-120 h, SPDT, 5 A, 'Smart Dial' lockable settings	62.35	670937	4548583752931	#		DG	E	IDN	8536.4900.99
H3DS-ML AC/DC	Timer, DIN rail mounting, 17.5 mm, 24-230 VAC/24-48 VDC, multifunction, 0.1 s-120 h, SPDT, 5 A, 'Smart Dial' lockable settings	47.41	670946	4548583753020			DG	E	IDN	8536.4900.99
H3DS-MLC	Timer, DIN rail mounting, 17.5 mm, 24-230 VAC/24-48 VDC, multifunction, 0.1 s-120 h, SPDT, 5 A, lockable settings, screwless terminals	43.93	670941	4548583752962	#		DG	E	IDN	8536.4900.99
H3DS-SL AC/DC	Timer, DIN rail mounting, 17.5 mm, 24-230 VAC/24-48 VDC, on/flicker-on/interval/one-shot-delay, 0.1 s-120 h, SPDT, 5 A, 'Smart Dial' lockable settings	43.64	670945	4548583753013			DG	E	IDN	8536.4900.99
H3DS-SLC	Timer, DIN rail mounting, 17.5 mm, 24-230 VAC/24-48 VDC, on/flicker-on/interval/one-shot-delay, 0.1 s-120 h, SPDT, 5 A, 'Smart Dial' lockable settings, screw less terminal	41.03	670939	4548583752955			DG	E	IDN	8536.4900.99
H3DS-XL	Timer, DIN rail mounting, 17.5 mm, 24-230 VAC/VDC, on-delay, 0.1 s-120 h, SCR output 0.7 A, 2-wire in-line load connection, lockable settings	32.97	670936	4548583752924			DG	E	IDN	8536.4900.99
H3DS-XLC	Timer, DIN rail mounting, 17.5 mm, 24-230 VAC/VDC, on-delay, 0.1 s-120 h, SCR output 0.7 A, 2-wire in-line load connection, lockable settings, screwless terminals	32.84	670942	4548583752986			DG	E	IDN	8536.4900.99
<b>Timer H3Y</b>										
H3Y-2 100-120VAC 3M	Timer, plug-in, 8-pin, on-delay, DPDT, 100-120 VAC Supply voltage, 3 Minutes, Surface/DIN-track mounting (with socket)	58.50	671698	4548583753235			DG	G	IDN	8536.4900.99
H3Y-2 100-120VAC 5S	Timer, plug-in, 8-pin, on-delay, DPDT, 100-120 VAC Supply voltage, 5 Seconds, Surface/DIN-track mounting (with socket)	58.50	671694	4548583753181			DG	G	IDN	8536.4900.99
H3Y-2 100-120VAC 10S	Timer, plug-in, 8-pin, on-delay, DPDT, 100-120 VAC Supply voltage, 10 Seconds, Surface/DIN-track mounting (with socket)	45.55	671550	4548583753198	10		DG	G	IDN	8536.4900.99
H3Y-2 100-120VAC 30S	Timer, plug-in, 8-pin, on-delay, DPDT, 100-120 VAC Supply voltage, 30 Seconds, Surface/DIN-track mounting (with socket)	58.50	671575	4548583753204			DG	G	IDN	8536.4900.99
H3Y-2 12DC 10M	Timer, plug-in, 8-pin, on-delay, DPDT, 12 VDC Supply voltage, 10 Minutes, Surface/DIN-track mounting (with socket)	43.03	671623	4548583753078			DG	G	IDN	8536.4900.99
H3Y-2 AC200-230 0.5S	Timer, plug-in, 8-pin, on-delay, DPDT, 200-230 VAC Supply voltage, 0.5 seconds, Surface/DIN-track mounting (with socket)	43.38	671696	4548583753037			DG	G	IDN	8536.4900.99
H3Y-2 AC200-230 10S	Timer, plug-in, 8-pin, on-delay, DPDT, 200-230 VAC Supply voltage, 10 Seconds, Surface/DIN-track mounting (with socket)	52.40	671632	4548583753068			DG	G	IDN	8536.4900.99
H3Y-2 AC200-230 120S	Timer, plug-in, 8-pin, on-delay, DPDT, 200-230 VAC Supply voltage, 120 Seconds, Surface/DIN-track mounting (with socket)	52.75	671599	4548583753099			DG	G	IDN	8536.4900.99
H3Y-2 AC200-230 30M	Timer, plug-in, 8-pin, on-delay, DPDT, 200-230 VAC Supply voltage, 30 Minutes, Surface/DIN-track mounting (with socket)	53.35	671552	4548583753136			DG	G	IDN	8536.4900.99
H3Y-2 AC200-230 30S	Timer, plug-in, 8-pin, on-delay, DPDT, 200-230 VAC Supply voltage, 30 Seconds, Surface/DIN-track mounting (with socket)	48.01	671567	4548583753075	10		DG	G	IDN	8536.4900.99
H3Y-2 AC200-230 3H	Timer, plug-in, 8-pin, on-delay, DPDT, 200-230 VAC Supply voltage, 3 hours, Surface/DIN-track mounting (with socket)	50.15	671723	4548583753150			DG	G	IDN	8536.4900.99
H3Y-2 AC200-230 5M	Timer, plug-in, 8-pin, on-delay, DPDT, 200-230 VAC Supply voltage, 5 Minutes, Surface/DIN-track mounting (with socket)	46.81	671633	4548583753112			DG	G	IDN	8536.4900.99
H3Y-2 AC200-230 5S	Timer, plug-in, 8-pin, on-delay, DPDT, 200-230 VAC Supply voltage, 5 Seconds, Surface/DIN-track mounting (with socket)	46.60	671596	4548583753051			DG	G	IDN	8536.4900.99
H3Y-2 AC200-230 60M	Timer, plug-in, 8-pin, on-delay, DPDT, 200-230 VAC Supply voltage, 60 Minutes, Surface/DIN-track mounting (with socket)	46.81	671653	4548583753143			DG	G	IDN	8536.4900.99
H3Y-2 AC200-230 60S	Timer, plug-in, 8-pin, on-delay, DPDT, 200-230 VAC Supply voltage, 60 Seconds, Surface/DIN-track mounting (with socket)	46.81	671614	4548583753082			DG	G	IDN	8536.4900.99
H3Y-2 AC24 10S	Timer, plug-in, 8-pin, on-delay, DPDT, 3 A, 24 VAC Supply, 0.5 - 10 Seconds	41.41	184690	4547648114226			DG	G	CHN	8536.4900.99
H3Y-2 AC24 30S	Timer, plug-in, 8-pin, on-delay, DPDT, 3 A, 24 VAC Supply, 0.1 - 30 Seconds	38.79	184691	4547648114233			DG	G	CHN	8536.4900.99
H3Y-2 DC24 0.5S	Timer, plug-in, 8-pin, on-delay, DPDT, 24 VDC Supply voltage, 0.5 Seconds, Surface/DIN-track mounting (with socket)	43.43	671710	4548583753556			DG	G	IDN	8536.4900.99
H3Y-2 DC24 10M	Timer, plug-in, 8-pin, on-delay, DPDT, 24 VDC Supply voltage, 10 Minutes, Surface/DIN-track mounting (with socket)	43.03	671684	4548583753648			DG	G	IDN	8536.4900.99
H3Y-2 DC24 10S	Timer, plug-in, 8-pin, on-delay, DPDT, 24 VDC Supply voltage, 10 Seconds, Surface/DIN-track mounting (with socket)	42.96	671620	4548583753587	10		DG	G	IDN	8536.4900.99
H3Y-2 DC24 1S	Timer, plug-in, 8-pin, on-delay, DPDT, 24 VDC Supply voltage, 1 Seconds, Surface/DIN-track mounting (with socket)	59.60	671714	4548583753563			DG	G	IDN	8536.4900.99
H3Y-2 DC24 30M	Timer, plug-in, 8-pin, on-delay, DPDT, 24 VDC Supply voltage, 30 Minutes, Surface/DIN-track mounting (with socket)	46.07	671674	4548583753655			DG	G	IDN	8536.4900.99
H3Y-2 DC24 30S	Timer, plug-in, 8-pin, on-delay, DPDT, 24 VDC Supply voltage, 30 Seconds, Surface/DIN-track mounting (with socket)	59.55	671563	4548583753594			DG	G	IDN	8536.4900.99
H3Y-2 DC24 5S	Timer, plug-in, 8-pin, on-delay, DPDT, 24 VDC Supply voltage, 5 Seconds, Surface/DIN-track mounting (with socket)	41.92	671689	4548583753570	10		DG	G	IDN	8536.4900.99
H3Y-2 DC24 60S	Timer, plug-in, 8-pin, on-delay, DPDT, 24 VDC Supply voltage, 60 Seconds, Surface/DIN-track mounting (with socket)	48.71	671548	4548583753600			DG	G	IDN	8536.4900.99
H3Y-2-0 DC24 10S	Timer, plug-in, 8-pin, on-delay, DPDT, 24 VDC Supply voltage, 10 Seconds, Surface mounting (with PCB terminals)	42.46	671607	4548583754126			DG	G	IDN	8536.4900.99
H3Y-4 100-120VAC 1S	Timer, plug-in, 14-pin, on-delay, 4PDT, 100-120 VAC Supply voltage, 1 Seconds, Surface/DIN-track mounting (with socket)	42.04	671659	4548583754099			DG	G	IDN	8536.4900.99
H3Y-4 100-120VAC 30M	Timer, plug-in, 14-pin, on-delay, 4PDT, 100-120 VAC Supply voltage, 30 Minutes, Surface/DIN-track mounting (with socket)	71.70	671713	4548583754492			DG	G	IDN	8536.4900.99
H3Y-4 100-120VAC 30S	Timer, plug-in, 14-pin, on-delay, 4PDT, 100-120 VAC Supply voltage, 30 Seconds, Surface/DIN-track mounting (with socket)	55.05	671561	4548583754430	10	DG	G	IDN	8536.4900.99	
H3Y-4 100-120VAC 60S	Timer, plug-in, 14-pin, on-delay, 4PDT, 100-120 VAC Supply voltage, 60 Seconds, Surface/DIN-track mounting (with socket)	55.05	671719	4548583754447			DG	G	IDN	8536.4900.99
H3Y-4 AC200-230 10M	Timer, plug-in, 14-pin, on-delay, 4PDT, 200-230 VAC Supply voltage, 10 Minutes, Surface/DIN-track mounting (with socket)	63.80	671708	4548583754355			DG	G	IDN	8536.4900.99
H3Y-4 AC200-230 10S	Timer, plug-in, 14-pin, on-delay, 4PDT, 200-230 VAC Supply voltage, 10 Second, Surface/DIN-track mounting (with socket)	43.40	671675	4548583754294	10	DG	G	IDN	8536.4900.99	
H3Y-4 AC200-230 30M	Timer, plug-in, 14-pin, on-delay, 4PDT, 200-230 VAC Supply voltage, 30 Second, Surface/DIN-track mounting (with socket)	63.80	671725	4548583754300			DG	G	IDN	8536.4900.99
H3Y-4 AC200-230 5M	Timer, plug-in, 14-pin, on-delay, 4PDT, 200-230 VAC Supply voltage, 5 Minutes, Surface/DIN-track mounting (with socket)	51.75	671678	4548583754348	10	DG	G	IDN	8536.4900.99	
H3Y-4 AC200-230 5S	Timer, plug-in, 14-pin, on-delay, 4PDT, 200-230 VAC Supply voltage, 5 Second, Surface/DIN-track mounting (with socket)	51.75	671577	4548583754287			DG	G	IDN	8536.4900.99
H3Y-4 AC200-230 60S	Timer, plug-in, 14-pin, on-delay, 4PDT, 200-230 VAC Supply voltage, 60 Second, Surface/DIN-track mounting (with socket)	52.05	671566	4548583754317	10	DG	G	IDN	8536.4900.99	
H3Y-4 AC24 10S	Timer, plug-in, 14-pin, on-delay, 4PDT, 3 A, 24 VAC Supply, 0.5 - 10 Seconds	73.70	184740	4547648115889			DG	G	CHN	8536.4900.99
H3Y-4 AC24 3M	Timer, plug-in, 14-pin, on-delay, 4PDT, 3 A, 24 VAC Supply, 0.1 - 3 Minutes	73.70	184744	4547648115926			DG	G	CHN	8536.4900.99
H3Y-4 DC100-110 0.5S	Timer, plug-in, 14-pin, on-delay, 4PDT, 100-110 VDC Supply voltage, 0.5 Seconds, Surface/DIN-track mounting (with socket)	111.60	671692	4548583754522			DG	G	IDN	8536.4900.99
H3Y-4 DC100-110 5S	Timer, plug-in, 14-pin, on-delay, 4PDT, 100-110 VDC Supply voltage, 5 Seconds, Surface/DIN-track mounting (with socket)	111.60	671625	4548583754546			DG	G	IDN	8536.4900.99
H3Y-4 DC12 10M	Timer, plug-in, 14-pin, on-delay, 4PDT, 12 VDC Supply voltage, 10 Minutes, Surface/DIN-track mounting (with socket)	67.20	671569	4548583755000			DG	G	IDN	8536.4900.99
H3Y-4 DC12 120S	Timer, plug-in, 14-pin, on-delay, 4PDT, 12 VDC Supply voltage, 120 Second, Surface/DIN-track mounting (with socket)	67.20	671658	4548583754973			DG	G	IDN	8536.4900.99
H3Y-4 DC12 60M	Timer, plug-in, 14-pin, on-delay, 4PDT, 12 VDC Supply voltage, 60 Minutes, Surface/DIN-track mounting (with socket)	67.20	671594	4548583755024			DG	G	IDN	8536.4900.99
H3Y-4 DC24 10S	Timer, plug-in, 14-pin, on-delay, 4PDT, 24 VDC Supply voltage, 10 Seconds, Surface/DIN-track mounting (with socket)	67.20	671578	4548583754812	10	DG	G	IDN	8536.4900.99	
H3Y-4 DC24 1S	Timer, plug-in, 14-pin, on-delay, 4PDT, 24 VDC Supply voltage, 1 Seconds, Surface/DIN-track mounting (with socket)	40.12	671587	4548583754799			DG	G	IDN	8536.4900.99
H3Y-4 DC24 30M	Timer, plug-in, 14-pin, on-delay, 4PDT, 24 VDC Supply voltage, 30 Minutes, Surface/DIN-track mounting (with socket)	48.98	671612	4548583754881			DG	G	IDN	8536.4900.99

Catalog Description (Image)	Rem Long Description (Web page)	2021 List Price	S.L.N. (Dahaset)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
H3Y-4 DC24 30S	Timer, plug-in, 14-pin, on-delay, 4PDT, 24 VDC Supply voltage, 30 Seconds, Surface/DIN-track mounting (with socket)	46.46	671655	4548583754829	10	DG	G	IDN	8536.4900.99	
H3Y-4 DC24 5S	Timer, plug-in, 14-pin, on-delay, 4PDT, 24 VDC Supply voltage, 5 Seconds, Surface/DIN-track mounting (with socket)	46.80	671709	4548583754805	10	DG	G	IDN	8536.4900.99	
H3Y-4 DC24 60M	Timer, plug-in, 14-pin, on-delay, 4PDT, 24 VDC Supply voltage, 60 Minutes, Surface/DIN-track mounting (with socket)	48.99	671724	4548583754898		DG	G	IDN	8536.4900.99	
H3Y-4 DC24 60S	Timer, plug-in, 14-pin, on-delay, 4PDT, 24 VDC Supply voltage, 60 Seconds, Surface/DIN-track mounting (with socket)	52.40	671664	4548583754836		DG	G	IDN	8536.4900.99	
H3YN-2 100-120VAC	Timer, plug-in, 8-pin, multifunction, 0.1 s-10 m short-time range model, DPDT, 100-120 VAC supply voltage	45.31	671716	4548583755307		DG	G	IDN	8536.4900.99	
H3YN-2 AC200-230	Timer, plug-in, 8-pin, multifunction, 0.1 s-10 m short-time range model, DPDT, 200-230 VAC supply voltage	46.36	671573	4548583755291	#	10	DG	G	IDN	8536.4900.99
H3YN-2 AC24	Timer, plug-in, 8-pin, multifunction, 0.1 s-10 m short-time range model, DPDT, 24 VAC supply voltage	43.67	671718	4548583755314	#	10	DG	G	IDN	8536.4900.99
H3YN-2 DC100-110	Timer, plug-in, 8-pin, multifunction, 0.1 s-10 m short-time range model, DPDT, 100-110 VDC supply voltage	45.39	671582	4548583755338		DG	G	IDN	8536.4900.99	
H3YN-2 DC12	Timer, plug-in, 8-pin, multifunction, 0.1 s-10 m short-time range model, DPDT, 12 VDC supply voltage	42.46	671626	4548583755369		DG	G	IDN	8536.4900.99	
H3YN-2 DC24	Timer, plug-in, 8-pin, multifunction, 0.1 s-10 m short-time range model, DPDT, 24 VDC supply voltage	42.28	671562	4548583755352	#	10	DG	G	IDN	8536.4900.99
H3YN-2 DC48	Timer, plug-in, 8-pin, multifunction, 0.1 s-10 m short-time range model, DPDT, 48 VDC supply voltage	50.20	671646	4548583755345		DG	G	IDN	8536.4900.99	
H3YN-21 100-120VAC	Timer, plug-in, 8-pin, multifunction, 0.1min to 10h long time range model, DPDT, 100-120 VAC supply voltage	49.14	671570	4548583755383	10	DG	G	IDN	8536.4900.99	
H3YN-21 AC200-230	Timer, plug-in, 8-pin, multifunction, 0.1min to 10h long time range model, DPDT, 200-230 VAC supply voltage	54.75	671683	4548583755376		DG	G	IDN	8536.4900.99	
H3YN-21 AC24	Timer, plug-in, 8-pin, multifunction, 0.1min to 10h long time range model, DPDT, 24 VAC supply voltage	55.75	671630	4548583755390	10	DG	G	IDN	8536.4900.99	
H3YN-21 DC100-110	Timer, plug-in, 8-pin, multifunction, 0.1min to 10h long time range model, DPDT, 100-110 VDC supply voltage	45.39	671597	4548583755413		DG	G	IDN	8536.4900.99	
H3YN-21 DC12	Timer, plug-in, 8-pin, multifunction, 0.1min to 10h long time range model, DPDT, 12 VDC supply voltage	51.00	671617	4548583755444	10	DG	G	IDN	8536.4900.99	
H3YN-21 DC125	Timer, plug-in, 8-pin, multifunction, 0.1min to 10h long time range model, DPDT, 125 VDC supply voltage	45.57	671637	4548583755406		DG	G	IDN	8536.4900.99	
H3YN-21 DC24	Timer, plug-in, 8-pin, multifunction, 0.1min to 10h long time range model, DPDT, 24 VDC supply voltage	49.14	671651	4548583755437	10	DG	G	IDN	8536.4900.99	
H3YN-21 DC48	Timer, plug-in, 8-pin, multifunction, 0.1min to 10h long time range model, DPDT, 48 VDC supply voltage	42.90	671576	4548583755420		DG	G	IDN	8536.4900.99	
H3YN-21-B 100-120VAC	Timer, plug-in, 8-pin, multifunction, 0.1m-10h, DPDT, 5 A, 100-120 VAC Supply, Black, Top coil side	53.95	669695	4548583780927		DG	G	CHN	8536.4900.99	
H3YN-21-B AC200-230	Timer, plug-in, 8-pin, multifunction, 0.1m-10h, DPDT, 5 A, 200-230 VAC Supply, Black, Top coil side	55.80	669600	4548583780934		DG	G	CHN	8536.4900.99	
H3YN-21-B AC24	Timer, plug-in, 8-pin, multifunction, 0.1m-10h, DPDT, 5 A, 24 VAC Supply, Black, Top coil side	51.50	669617	4548583780941		DG	G	CHN	8536.4900.99	
H3YN-21-B DC100-110	Timer, plug-in, 8-pin, multifunction, 0.1m-10h, DPDT, 5 A, 100-110 VDC Supply, Black, Top coil side	54.50	669622	4548583780989		DG	G	CHN	8536.4900.99	
H3YN-21-B DC12	Timer, plug-in, 8-pin, multifunction, 0.1m-10h, DPDT, 5 A, 12 VDC Supply, Black, Top coil side	49.97	669613	4548583780958		DG	G	CHN	8536.4900.99	
H3YN-21-B DC125	Timer, plug-in, 8-pin, multifunction, 0.1m-10h, DPDT, 5 A, 125 VDC Supply, Black, Top coil side	54.80	669616	4548583780996		DG	G	CHN	8536.4900.99	
H3YN-21-B DC24	Timer, plug-in, 8-pin, multifunction, 0.1m-10h, DPDT, 5 A, 24 VDC Supply, Black, Top coil side	49.79	669612	4548583780965		DG	G	CHN	8536.4900.99	
H3YN-21-B DC48	Timer, plug-in, 8-pin, multifunction, 0.1m-10h, DPDT, 5 A, 48 VDC Supply, Black, Top coil side	50.80	669610	4548583780972		DG	G	CHN	8536.4900.99	
H3YN-2-B 100-120VAC	Timer, plug-in, 8-pin, multifunction, 0.1s-10m, DPDT, 5 A, 100-120 VAC Supply, Black, Top coil side	53.95	669602	4548583780842		DG	G	CHN	8536.4900.99	
H3YN-2-B AC200-230	Timer, plug-in, 8-pin, multifunction, 0.1s-10m, DPDT, 5 A, 200-230 VAC Supply, Black, Top coil side	55.80	669619	4548583780859	#	10	DG	G	CHN	8536.4900.99
H3YN-2-B AC24	Timer, plug-in, 8-pin, multifunction, 0.1s-10m, DPDT, 5 A, 24 VAC Supply, Black, Top coil side	51.50	669606	4548583780866		DG	G	CHN	8536.4900.99	
H3YN-2-B DC100-110	Timer, plug-in, 8-pin, multifunction, 0.1s-10m, DPDT, 5 A, 100-110 VDC Supply, Black, Top coil side	54.50	669599	4548583780903		DG	G	CHN	8536.4900.99	
H3YN-2-B DC12	Timer, plug-in, 8-pin, multifunction, 0.1s-10m, DPDT, 5 A, 12 VDC Supply, Black, Top coil side	49.97	669620	4548583780873	10	DG	G	CHN	8536.4900.99	
H3YN-2-B DC125	Timer, plug-in, 8-pin, multifunction, 0.1s-10m, DPDT, 5 A, 125 VDC Supply, Black, Top coil side	54.80	669609	4548583780910		DG	G	CHN	8536.4900.99	
H3YN-2-B DC24	Timer, plug-in, 8-pin, multifunction, 0.1s-10m, DPDT, 5 A, 24 VDC Supply, Black, Top coil side	49.79	669626	4548583780880	#	10	DG	G	CHN	8536.4900.99
H3YN-2-B DC48	Timer, plug-in, 8-pin, multifunction, 0.1s-10m, DPDT, 5 A, 48 VDC Supply, Black, Top coil side	50.80	669608	4548583780897		DG	G	CHN	8536.4900.99	
H3YN-4 100-120VAC	Timer, plug-in, 14-pin, multifunction, 0.1s to 10 min short time range model, 4PDT, 100-120 VAC supply voltage	49.57	671690	4548583755468	10	DG	G	IDN	8536.4900.99	
H3YN-4 125DC	Timer, plug-in, 14-pin, multifunction, 0.1s to 10 min short time range model, 4PDT, 125 VDC supply voltage	49.88	671661	4548583755482		DG	G	IDN	8536.4900.99	
H3YN-4 AC200-230	Timer, plug-in, 14-pin, multifunction, 0.1s to 10 min short time range model, 4PDT, 200-230 VAC supply voltage	50.70	671591	4548583755451	#	10	DG	G	IDN	8536.4900.99
H3YN-4 AC24	Timer, plug-in, 14-pin, multifunction, 0.1s to 10 min short time range model, 4PDT, 24 VAC supply voltage	47.90	671644	4548583755475		DG	G	IDN	8536.4900.99	
H3YN-4 DC100-110	Timer, plug-in, 14-pin, multifunction, 0.1s to 10 min short time range model, 4PDT, 100-110 VDC supply voltage	49.74	671589	4548583755499		DG	G	IDN	8536.4900.99	
H3YN-4 DC12	Timer, plug-in, 14-pin, multifunction, 0.1s to 10 min short time range model, 4PDT, 12 VDC supply voltage	56.40	671669	4548583755529		DG	G	IDN	8536.4900.99	
H3YN-4 DC24	Timer, plug-in, 14-pin, multifunction, 0.1s to 10 min short time range model, 4PDT, 24 VDC supply voltage	46.55	671695	4548583755512	#	10	DG	G	IDN	8536.4900.99
H3YN-4 DC48	Timer, plug-in, 14-pin, multifunction, 0.1s to 10 min short time range model, 4PDT, 48 VDC supply voltage	47.13	671642	4548583755505		DG	G	IDN	8536.4900.99	
H3YN-41 100-120VAC	Timer, plug-in, 14-pin, multifunction, 0.1m to 10h long time range model, 4PDT, 100-120 VAC supply voltage	49.57	671595	4548583755543	10	DG	G	IDN	8536.4900.99	
H3YN-41 AC200-230	Timer, plug-in, 14-pin, multifunction, 0.1m to 10h long time range model, 4PDT, 200-230 VAC supply voltage	54.60	671602	4548583755536		DG	G	IDN	8536.4900.99	
H3YN-41 AC24	Timer, plug-in, 14-pin, multifunction, 0.1m to 10h long time range model, 4PDT, 24 VAC supply voltage	56.55	671717	4548583755550	10	DG	G	IDN	8536.4900.99	
H3YN-41 DC100-110	Timer, plug-in, 14-pin, multifunction, 0.1m to 10h long time range model, 4PDT, 100-110 VDC supply voltage	49.74	671565	4548583755574		DG	G	IDN	8536.4900.99	
H3YN-41 DC12	Timer, plug-in, 14-pin, multifunction, 0.1m to 10h long time range model, 4PDT, 12 VDC supply voltage	46.64	671601	4548583755604	10	DG	G	IDN	8536.4900.99	
H3YN-41 DC125	Timer, plug-in, 14-pin, multifunction, 0.1m to 10h long time range model, 4PDT, 125 VDC supply voltage	49.88	671667	4548583755567		DG	G	IDN	8536.4900.99	
H3YN-41 DC24	Timer, plug-in, 14-pin, multifunction, 0.1m to 10h long time range model, 4PDT, 24 VDC supply voltage	55.90	671660	4548583755598	10	DG	G	IDN	8536.4900.99	
H3YN-41 DC48	Timer, plug-in, 14-pin, multifunction, 0.1m to 10h long time range model, 4PDT, 48 VDC supply voltage	47.13	671680	4548583755581		DG	G	IDN	8536.4900.99	
H3YN-41-B 100-120VAC	Timer, plug-in, 14-pin, multifunction, 0.1m-10h, 4PDT, 3 A, 100-120 VAC Supply, Black, Top coil side	57.60	669603	4548583781085		DG	G	CHN	8536.4900.99	
H3YN-41-B AC200-230	Timer, plug-in, 14-pin, multifunction, 0.1m-10h, 4PDT, 3 A, 200-230 VAC Supply, Black, Top coil side	59.90	669605	4548583781092		DG	G	CHN	8536.4900.99	
H3YN-41-B AC24	Timer, plug-in, 14-pin, multifunction, 0.1m-10h, 4PDT, 3 A, 24 VAC Supply, Black, Top coil side	55.30	669628	4548583781108	10	DG	G	CHN	8536.4900.99	
H3YN-41-B DC100-110	Timer, plug-in, 14-pin, multifunction, 0.1m-10h, 4PDT, 3 A, 100-110 VDC Supply, Black, Top coil side	59.45	669623	4548583781146		DG	G	CHN	8536.4900.99	
H3YN-41-B DC12	Timer, plug-in, 14-pin, multifunction, 0.1m-10h, 4PDT, 3 A, 12 VDC Supply, Black, Top coil side	53.85	669597	4548583781115	10	DG	G	CHN	8536.4900.99	
H3YN-41-B DC125	Timer, plug-in, 14-pin, multifunction, 0.1m-10h, 4PDT, 3 A, 125 VDC Supply, Black, Top coil side	61.55	669618	4548583781153		DG	G	CHN	8536.4900.99	
H3YN-41-B DC24	Timer, plug-in, 14-pin, multifunction, 0.1m-10h, 4PDT, 3 A, 24 VDC Supply, Black, Top coil side	53.65	669627	4548583781122		DG	G	CHN	8536.4900.99	
H3YN-41-B DC48	Timer, plug-in, 14-pin, multifunction, 0.1m-10h, 4PDT, 3 A, 48 VDC Supply, Black, Top coil side	54.45	669607	4548583781139		DG	G	CHN	8536.4900.99	
H3YN-41-Z DC24	Timer, plug-in, 14-pin, multifunction, 0.1m to 10h long time range model, 4PDT (Twin contacts), 24 VDC supply voltage	61.40	671665	4548583755628		DG	G	IDN	8536.4900.99	
H3YN-41-Z-B DC24	Timer, plug-in, 14-pin, multifunction, 0.1m-10h, 4PDT Twin contact, 3 A, 24 VDC Supply, Black, Top coil side	80.00	669604	4548583781177		DG	G	CHN	8536.4900.99	
H3YN-4-B 100-120VAC	Timer, plug-in, 14-pin, multifunction, 0.1s-10m, 4PDT, 3 A, 100-120 VAC Supply, Black, Top coil side	57.60	669611	4548583781009		DG	G	CHN	8536.4900.99	
H3YN-4-B AC200-230	Timer, plug-in, 14-pin, multifunction, 0.1s-10m, 4PDT, 3 A, 200-230 VAC Supply, Black, Top coil side	59.90	669624	4548583781016		DG	G	CHN	8536.4900.99	
H3YN-4-B AC24	Timer, plug-in, 14-pin, multifunction, 0.1s-10m, 4PDT, 3 A, 24 VAC Supply, Black, Top coil side	55.30	669598	4548583781023	10	DG	G	CHN	8536.4900.99	
H3YN-4-B DC100-110	Timer, plug-in, 14-pin, multifunction, 0.1s-10m, 4PDT, 3 A, 100-110 VDC Supply, Black, Top coil side	59.45	669625	4548583781061		DG	G	CHN	8536.4900.99	
H3YN-4-B DC12	Timer, plug-in, 14-pin, multifunction, 0.1s-10m, 4PDT, 3 A, 12 VDC Supply, Black, Top coil side	53.85	669601	4548583781030		DG	G	CHN	8536.4900.99	
H3YN-4-B DC125	Timer, plug-in, 14-pin, multifunction, 0.1s-10m, 4PDT, 3 A, 125 VDC Supply, Black, Top coil side	61.55	669621	4548583781078		DG	G	CHN	8536.4900.99	
H3YN-4-B DC24	Timer, plug-in, 14-pin, multifunction, 0.1s-10m, 4PDT, 3 A, 24 VDC Supply, Black, Top coil side	53.65	669615	4548583781047	#	DG	G	CHN	8536.4900.99	
H3YN-4-B DC48	Timer, plug-in, 14-pin, multifunction, 0.1s-10m, 4PDT, 3 A, 48 VDC Supply, Black, Top coil side	54.45	669596	4548583781054		DG	G	CHN	8536.4900.99	
H3YN-4-Z DC24	Timer, plug-in, 14-pin, multifunction, 0.1s to 10m short time range model, 4PDT (Twin contacts), 24 VDC supply voltage	61.40	671590	4548583755611		DG	G	IDN	8536.4900.99	
H3YN-4-Z-B DC24	Timer, plug-in, 14-pin, multifunction, 0.1s-10m, 4PDT Twin contact, 3 A, 24 VDC Supply, Black, Top coil side	80.00	669614	4548583781160		DG	G	CHN	8536.4900.99	
<b>Timer H5CX</b>										
H5CX-A11D-N	Timer, plug-in, 11-pin, 1/16DIN (48 x 48mm), IP66, 4 preset & 4 actual time dials, multi range 0.01s to 9999h (10 ranges), multifunction, NPN/PNP/No voltage input selectable, SPDT 5 A relay output, 12-24 VDC/24 VAC supply	199.20	668627	4548583745247		DG	H	IDN	8536.4900.99	
H5CX-A11-N	Timer, plug-in, 11-pin, DIN48x48mm, IP66, 4 preset & 4 actual time dials, multi range 0.01s to 9999h (10 ranges), multifunction, NPN/PNP/No voltage input selectable, SPDT 5A relay output, 100-240 VAC supply	199.20	668597	4548583745223		DG	H	IDN	8536.4900.99	

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Data sheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
H5CX-A11SD-N	Timer, plug-in, 11-pin, 1/16DIN (48 x 48mm), IP66, 4 preset & 4 actual time digits, multi range 0.01s to 9999h (10 ranges), multifunction, NPN/PNP/No voltage input selectable, 100mA 30 VDC NPN transistor output, 12-24 VDC/24 VAC supply	199.40	668603	4548583745254			DG	H	IDN	8536.4900.99
H5CX-A11SN	Timer, plug-in, 11-pin, 1/16DIN (48 x 48mm), IP66, 4 preset & 4 actual time digits, multi range 0.01s to 9999h (10 ranges), multifunction, NPN/PNP/No voltage input selectable, 100mA 30 VDC NPN transistor output, 100-240 VAC supply	199.40	668626	4548583745230			DG	H	IDN	8536.4900.99
H5CX-AD-N	Timer, DIN 48x48 mm, IP66, 4 preset & 4 actual time digits, multi range 0.01 s to 9999 h (10 ranges), multifunction, NPN/PNP/No voltage input selectable, SPDT 5 A relay output, 12-24 VDC/24 VAC supply, includes color change display function	174.10	668625	4548583745162	#		DG	H	IDN	8536.4900.99
H5CX-A-N	Timer, DIN 48x48 mm, IP66, 4 preset & 4 actual time digits, multi range 0.01 s to 9999 h (10 ranges), multifunction, NPN/PNP/No voltage input selectable, SPDT 5 A relay output, 100-240 VAC supply, includes color change display function	209.60	668585	4548583745148	#		DG	H	IDN	8536.4900.99
H5CX-ASD-N	Timer, DIN48x48mm, IP66, 4 preset & 4 actual time digits, multi range 0.01s to 9999h (10 ranges), multifunction, NPN/PNP/No voltage input selectable, 100mA 30VDC NPN transistor output, 12-24VDC supply, includes color change display function	174.10	668609	4548583745179			DG	H	IDN	8536.4900.99
H5CX-AS-N	Timer, DIN 48x48 mm, IP66, 4 preset & 4 actual time digits, multi range 0.01 s to 9999 h (10 ranges), multifunction, NPN/PNP/No voltage input selectable, transistor output, 100-240 VAC supply, includes color change display function	197.90	668592	4548583745155			DG	H	IDN	8536.4900.99
H5CX-BWSD-N	Timer, DIN48x48mm, IP66, 6 preset & 6 actual time digits, multi range 0.01s to 9999.9h (4 ranges), 2-function, NPN/PNP/No voltage input selectable, 100mA 30VDC NPN transistor output, 12-24VDC supply, includes color change display function	183.60	668631	4548583745261			DG	H	IDN	8536.4900.99
H5CX-LBD-N	Timer, plug-in, 8-pin, DIN 48x48 mm, IP66, 4 preset & 4 actual time digits, multi range 0.01 s to 9999 h (10 ranges), economy model, NPN/PNP/No voltage input selectable, SPDT 5 A relay output, 12-24 VDC/24 VAC supply	167.60	668620	4548583745209	#		DG	H	IDN	8536.4900.99
H5CX-LBED-N	Timer, plug-in, 8-pin, DIN 48x48 mm, economy model, Contact output (time-limit SPDT + instantaneous SPDT), None NPN inputs, 12-24 VDC/24 VAC supply	220.50	668593	4548583745285			DG	H	IDN	8536.5080.90
H5CX-LBE-N	Timer, plug-in, 8-pin, DIN 48x48 mm, economy model, Contact output (time-limit SPDT + instantaneous SPDT), None NPN inputs, 100 to 240 VAC supply	220.50	668636	4548583745278			DG	H	IDN	8536.5080.90
H5CX-LB-N	Timer, plug-in, 8-pin, DIN 48x48 mm, IP66, 4 preset & 4 actual time digits, multi range 0.01 s to 9999 h (10 ranges), economy model, NPN/PNP/No voltage input selectable, SPDT 5 A relay output, 100-240 VAC supply	173.70	668607	4548583745186			DG	H	IDN	8536.4900.99
H5CX-LBSD-N	Timer, plug-in, 8-pin, DIN48x48mm, IP66, 4 preset & 4 actual time digits, multi range 0.01s to 9999h (10 ranges), economy model, NPN/PNP/No voltage input selectable, 100mA 30VDC NPN transistor output, 12-24VDC/24VAC supply	179.30	668614	4548583745216			DG	H	IDN	8536.4900.99
<b>Timer H3DT</b>										
H3DT-A1 24-240VAC/DC	Timer, DIN rail mounting, 17.5mm, On-delay, 0.1s-1200h, 1 x SPDT, 5 A, 24-240 VAC/DC, Push-in terminal	37.12	669477	4548583773356	#		DG	T	CHN	9107.0000.90
H3DT-A2 24-240VAC/DC	Timer, DIN rail mounting, 17.5mm, On-delay, 0.1s-1200h, 2 x SPDT, 5 A, 24-240 VAC/DC, Push-in terminal	39.07	669509	4548583773363			DG	T	CHN	9107.0000.90
H3DT-F 24-240VAC/DC	Timer, DIN rail mounting, 17.5mm, Tw in, 1-120s, 1 x SPDT, 5 A, 24-240 VAC/DC, Push-in terminal	58.05	669468	4548583773370	#		DG	T	CHN	9107.0000.90
H3DT-G 24-240VAC/DC	Timer, DIN rail mounting, 17.5mm, Star-delta-delay, 1-120s, 2 x SPDT, 5 A, 24-240 VAC/DC, Push-in terminal	58.05	669479	4548583773387	#		DG	T	CHN	9107.0000.90
H3DT-HBL 24-48VAC/DC	Timer, DIN rail mounting, 17.5mm, Off-delay, 1s-12s, 1 x SPDT, 5 A, 24-48 VAC/DC, Push-in terminal	55.00	669466	4548583773424			DG	T	CHN	9107.0000.90
H3DT-HBS 24-48VAC/DC	Timer, DIN rail mounting, 17.5mm, Off-delay, 0.1s-12s, 1 x SPDT, 5 A, 24-48 VAC/DC, Push-in terminal	55.00	669492	4548583773394			DG	T	CHN	9107.0000.90
H3DT-HCL 100-120VAC	Timer, DIN rail mounting, 17.5mm, Off-delay, 1s-12s, 1 x SPDT, 5 A, 100-120 VAC, Push-in terminal	55.00	669465	4548583773431			DG	T	CHN	9107.0000.90
H3DT-HCS 100-120VAC	Timer, DIN rail mounting, 17.5mm, Off-delay, 0.1s-12s, 1 x SPDT, 5 A, 100-120 VAC, Push-in terminal	55.00	669471	4548583773400			DG	T	CHN	9107.0000.90
H3DT-HDI 200-240VAC	Timer, DIN rail mounting, 17.5mm, Off-delay, 1s-12s, 1 x SPDT, 5 A, 200-240 VAC, Push-in terminal	55.00	669455	4548583773448			DG	T	CHN	9107.0000.90
H3DT-HDS 200-240VAC	Timer, DIN rail mounting, 17.5mm, Off-delay, 0.1s-12s, 1 x SPDT, 5 A, 200-240 VAC, Push-in terminal	55.00	669521	4548583773417			DG	T	CHN	9107.0000.90
H3DT-L1 24-240VAC/DC	Timer, DIN rail mounting, 17.5mm, Extended Multifunction, 0.1s-1200h, 1 x SPDT, 5 A, 24-240 VAC/DC, Push-in terminal	44.33	669519	4548583773349			DG	T	CHN	9107.0000.90
H3DT-L2 24-240VAC/DC	Timer, DIN rail mounting, 17.5mm, Extended Multifunction, 0.1s-1200h, 2 x SPDT, 5 A, 24-240 VAC/DC, Push-in terminal	46.13	669500	4548583773332	#		DG	T	CHN	9107.0000.90
H3DT-N1 24-240VAC/DC	Timer, DIN rail mounting, 17.5mm, Multifunction, 0.1s-1200h, 1 x SPDT, 5 A, 24-240 VAC/DC, Push-in terminal	44.23	669502	4548583773325			DG	T	CHN	9107.0000.90
H3DT-N2 24-240VAC/DC	Timer, DIN rail mounting, 17.5mm, Multifunction, 0.1s-1200h, 2 x SPDT, 5 A, 24-240 VAC/DC, Push-in terminal	46.02	669448	4548583773318	#		DG	T	CHN	9107.0000.90
<b>Other Timer</b>										
H3RN-1 12VDC	Timer, plug-in, 5-pin, multifunction, 0.1s-10m, SPDT, 3 A, 12 VDC	46.02	147546	4536853509699	10		DG	X	JPN	8536.4900.99
H3RN-1 24VAC	Timer, plug-in, 5-pin, multifunction, 0.1 s-10 m, SPDT, 3 A	48.24	145454	4536853509712	10		DG	X	JPN	8536.4900.99
H3RN-1 24VDC	Timer, plug-in, 5-pin, multifunction, 0.1 s-10 m, SPDT, 3 A	46.39	120361	4536853509705	10		DG	X	JPN	8536.4900.99
H3RN-11 12VDC	Timer, plug-in, 5-pin, multifunction, 0.1 m-10h, SPDT, 3 A, 12 VDC	46.18	120362	4536853509729			DG	X	JPN	8536.4900.99
H3RN-11 24VAC	Timer, plug-in, 5-pin, multifunction, 0.1 m-10 h, SPDT, 3 A	51.65	120363	4536853509743			DG	X	JPN	8536.4900.99
H3RN-11 24VDC	Timer, plug-in, 5-pin, multifunction, 0.1 m-10 h, SPDT, 3 A	46.34	148556	4536853509736	10		DG	X	JPN	8536.4900.99
H3RN-11-B 12VDC	Timer, plug-in, 5-pin, multifunction, 0.1m-10h, SPDT, 3 A, 12 VDC Supply, Black, Top coil side	53.15	669640	4548583782976			DG	X	JPN	8536.4900.99
H3RN-11-B 24VAC	Timer, plug-in, 5-pin, multifunction, 0.1m-10h, SPDT, 3 A, 24 VAC Supply, Black, Top coil side	59.05	669642	4548583782990			DG	X	JPN	8536.4900.99
H3RN-11-B 24VDC	Timer, plug-in, 5-pin, multifunction, 0.1m-10h, SPDT, 3 A, 24 VDC Supply, Black, Top coil side	53.35	669641	4548583782983			DG	X	JPN	8536.4900.99
H3RN-1-B 12VDC	Timer, plug-in, 5-pin, multifunction, 0.1s-10m, SPDT, 3 A, 12 VDC Supply, Black, Top coil side	52.95	669637	4548583782945	10		DG	X	JPN	8536.4900.99
H3RN-1-B 24VAC	Timer, plug-in, 5-pin, multifunction, 0.1s-10m, SPDT, 3 A, 24 VAC Supply, Black, Top coil side	55.40	669639	4548583782969	10		DG	X	JPN	8536.4900.99
H3RN-1-B 24VDC	Timer, plug-in, 5-pin, multifunction, 0.1s-10m, SPDT, 3 A, 24 VDC Supply, Black, Top coil side	53.35	669638	4548583782952	10		DG	X	JPN	8536.4900.99
H3RN-2 12VDC	Timer, plug-in, 8-pin, multifunction, 0.1s-10m, DPST-NO, 3 A, 12 VDC	51.95	120364	4536853509750	10		DG	X	JPN	8536.4900.99
H3RN-2 24VAC	Timer, plug-in, 8-pin, multifunction, 0.1 s-10 m, DPST-NO, 3 A	54.00	150751	4536853509774			DG	X	JPN	8536.4900.99
H3RN-2 24VDC	Timer, plug-in, 8-pin, multifunction, 0.1 s-10 m, DPST-NO, 3 A	51.60	156331	4536853509767	10		DG	X	JPN	8536.4900.99
H3RN-21 12VDC	Timer, plug-in, 8-pin, multifunction, 0.1m-10h, DPST-NO, 3 A, 12 VDC	52.60	120365	4536853509781			DG	X	JPN	8536.4900.99
H3RN-21 24VAC	Timer, plug-in, 8-pin, multifunction, 0.1 m-10 h, DPST-NO, 3 A	56.50	120367	4536853509804			DG	X	JPN	8536.4900.99
H3RN-21 24VDC	Timer, plug-in, 8-pin, multifunction, 0.1 m-10 h, DPST-NO, 3 A	54.35	120366	4536853509798	10		DG	X	JPN	8536.4900.99
H3RN-21-B 12VDC	Timer, plug-in, 8-pin, multifunction, 0.1m-10h, SPST-NO, 3 A, 12 VDC Supply, Black, Top coil side	55.45	669646	4548583783034	10		DG	X	JPN	8536.4900.99
H3RN-21-B 24VAC	Timer, plug-in, 8-pin, multifunction, 0.1m-10h, SPST-NO, 3 A, 24 VAC Supply, Black, Top coil side	59.70	669648	4548583783058	10		DG	X	JPN	8536.4900.99
H3RN-21-B 24VDC	Timer, plug-in, 8-pin, multifunction, 0.1m-10h, SPST-NO, 3 A, 24 VDC Supply, Black, Top coil side	57.40	669647	4548583783041	10		DG	X	JPN	8536.4900.99
H3RN-2-B 12VDC	Timer, plug-in, 8-pin, multifunction, 0.1s-10m, SPST-NO, 3 A, 12 VDC Supply, Black, Top coil side	54.75	669643	4548583783003			DG	X	JPN	8536.4900.99
H3RN-2-B 24VAC	Timer, plug-in, 8-pin, multifunction, 0.1s-10m, SPST-NO, 3 A, 24 VAC Supply, Black, Top coil side	57.00	669645	4548583783027			DG	X	JPN	8536.4900.99
H3RN-2-B 24VDC	Timer, plug-in, 8-pin, multifunction, 0.1s-10m, SPST-NO, 3 A, 24 VDC Supply, Black, Top coil side	54.30	669644	4548583783010			DG	X	JPN	8536.4900.99
H3FA-A 24DC	Solid state timer, DIP model for PCB mounting, 1s to 10m	45.14	120563	4536853505479	10		DG	X	JPN	8536.4900.99
H3FA-A 5DC	Solid state timer, DIP model for PCB mounting, 1s to 10m	49.00	145448	4536853505448			DG	X	JPN	8536.4900.99
H3FA-AU 24DC	Solid state timer, DIP model for PCB mounting, 1s to 10m	53.25	146496	4536853505592	10		DG	X	JPN	8536.4900.99
H3FA-B 24DC	Solid state timer, DIP model for PCB mounting, 6s to 60m	49.00	120565	4536853505516			DG	X	JPN	8536.4900.99
H3FA-BU 24DC	Control Components, Timers, Other Timers, H3FA-BU 24DC	55.10	120571	4536853505622			DG	X	JPN	8536.4900.99
H3FA-SAU 12/24DC	Solid state timer, DIP model for PCB mounting, 1s to 10m	44.61	145450	4536853505646			DG	X	JPN	8536.4900.99
H3FA-SB 12/24DC	Solid state timer, DIP model for PCB mounting, 12/24 VDC, 6 s to 60 min, solid-state outputs	37.31	147665	4536853505554			DG	X	JPN	8536.4900.99
HSAN-4DM 100-240VAC	Digital Timer, 72 x 72 mm, 4 digit display, time limit and integrating operation, time range 0.01 to 99 h, with memory backup, screw terminals	508.00	372095	4547648354332			DG	X	CHN	8536.4900.99
H5CN-XAN 100-240VAC	Digital Timer, 48 x 48 mm, 4 digit display, function UP, time range 0.001 to 99.99 s, without memory backup, 8-pin socket	298.40	231099	4547648259262			DG	X	CHN	8536.4900.99
H5CN-XBN 100-240VAC	Digital Timer, 48 x 48 mm, 4 digit display, function UP, time range 0.01 to 999.9 s, without memory backup, 8-pin socket	298.40	231100	4547648259279			DG	X	CHN	8536.4900.99
H5CN-XDN 100-240VAC	Digital Timer, 48 x 48 mm, 4 digit display, function UP, time range 0.1 s to 99 min, without memory backup, power supply 100-240 VAC, 8-pin socket	349.80	231101	4547648259286			DG	X	CHN	8536.4900.99
H5CN-XDM 100-240VAC	Digital Timer, 48 x 48 mm, 4 digit display, function UP, time range 0.1 s to 99 min, with memory backup, power supply 100-240 VAC, 8-pin socket	355.70	231115	4547648259491			DG	X	CHN	8536.4900.99
H5CN-XDMN 100-240VAC	Digital Timer, 48 x 48 mm, 4 digit display, function UP, time range 1 min to 99 h, with memory backup, power supply 100-240 VAC, 8-pin socket	314.20	231116	4547648259507			DG	X	CHN	8536.4900.99

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Data sheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
H5CZ-L8D	Timer, plug-in, 8-pin, 1/16DIN (48 x 48mm), IP66, 4 preset & 4 actual time digits, multi range 0.01s to 9999h (10 ranges), economy model, NPN/PNP/No voltage input selectable, SPDT 5 A relay output, 12-24 VDC/24 VAC supply	134.40	367769	4547648641890			DG	X	CHN	8536.4900.99
H5CZ-L8E	Timer, plug-in, 8-pin, 1/16DIN (48 x 48mm), IP66, 4 preset & 4 actual time digits, multi range 0.01s to 9999h (10 ranges), economy model, SPDT 5 A relay output + SPDT 5A instantaneous relay output, 100-240 VAC supply	190.70	367770	4547648641906			DG	X	CHN	8536.4900.99
H5F-B	Digital Daily Time Switch, Flush mounting, 24 h x 7 days (Operation days can be specified.)	214.40	243646	4547648354080			DG	X	CHN	8536.4900.99
H5F-FB	Digital Daily Time Switch, 48x48mm (1/16 DIN), Surface Mounting, Language English	263.00	243647	4547648254103			DG	X	CHN	8536.4900.99
H5F-KB	Digital Daily Time Switch, Surface Mounting/Track Mounting, 24 h x 7 days (Operation days can be specified.)	263.00	243648	4547648354134			DG	X	CHN	8536.4900.99
H5S-WB2	Digital Time Switch, Weekly, Flush mounting, 2 circuits, 100 to 240 VAC	476.90	243966	4547648356350			DG	X	CHN	8536.4900.99
H5S-WB2D	Digital Time Switch, Weekly, Flush mounting, 2 circuits, 24 VDC	324.10	243984	4547648356374			DG	X	CHN	8536.4900.99
H5S-WFB2	Digital Time Switch, Weekly, Surface mounting/track mounting, 2 circuits, 100 to 240 VAC	462.20	243987	4547648356589			DG	X	CHN	8536.4900.99
H5S-WFB2D	Weekly Time Switch, SPST-NO x 2 Circuits, Surface Mounting, Panel Language English, 24 VDC	332.60	243985	4547648356596			DG	X	CHN	8536.4900.99
<b>Accessory for Timer</b>										
Y92A-48	Protective cover for DIN48x48mm device, hard plastic (shallow)	5.01	120050	4536853523268		10	DG	Z	JPN	3926.9097.90
Y92A-48B	Protective cover for DIN 48x48 mm device, hard plastic	4.71	120938	4536853494049		20	DG	Z	JPN	3926.9097.90
Y92A-48D	Protective cover for DIN48x48mm device, soft plastic	4.98	156312	4536854247040			DG	Z	JPN	3926.9097.90
Y92A-48F1	Protective cover for DIN 48 x 48 mm timer and counter, soft plastic	13.35	151801	4536854247088		10	DG	Z	JPN	3926.9097.90
Y92A-48G	Protective cover for DIN48x48mm device	2.85	142439	4536854506420			DG	Z	JPN	8536.4900.99
Y92A-48N	Waterlight cover for DIN 48x48 mm device, IP66, plastic	53.10	154196	4536853362935	#		DG	Z	JPN	9032.1080.90
Y92A-49N	Waterlight cover for DIN48x96mm device, IP66, plastic	68.05	129704	4536853362942			DG	Z	JPN	9032.1080.90
Y92A-72F1	Protective cover for H5-7BR timer counter, soft plastic	17.81	107396	4536854247095			DG	Z	JPN	3926.9097.90
Y92A-72N	Waterlight cover for DIN72x72mm device, IP66, plastic	72.75	142057	4536853362959			DG	Z	JPN	9032.1080.90
Y92A-72T	Terminal Cover	7.04	148365	4536854247071		2	DG	Z	JPN	3926.9097.90
Y92A-96N	Waterlight cover for DIN 96x96 mm device, IP66, plastic	85.05	148625	4536853362966			DG	Z	JPN	9032.1080.90
Y92A-D1A	Plastic cover for H3DT & H3DT	6.60	669773	4548583774087			DG	Z	CHN	3926.9097.90
Y92F-30	Flush panel mounting adapter for DIN 48x48 mm device	3.98	332154	4547648769525	#	50	DG	Z	CHN	3926.9097.90
Y92F-38	Mounting adapter for H5CX & H3CR for H3AM mounting holes	66.70	694138	4549734605540			DG	Z	JPN	3926.9097.90
Y92F-78	Flush panel mounting adapter for H3Y(N) timer	4.32	120088	4536854478291		5	DG	Z	JPN	3926.9097.90
Y92F-90	Track Mounting Base	4.17	147555	4536853524708			DG	Z	JPN	9114.9000.90
Y92H-1	Clips for H2C timer & PL socket	2.00	120936	4536853494018			DG	Z	JPN	3926.9097.90
Y92H-2	Clips for H2C timer & PF085A socket	1.83	120937	4536853494025			DG	Z	JPN	3926.9097.90
Y92H-3	Clips for H3Y(N) timer & PYF socket	0.92	120086	4536853521516		##	DG	Z	JPN	3926.9097.90
Y92H-4	Clips for H3Y(N) timer & PY socket	0.65	120087	4536853521523		##	DG	Z	JPN	3926.9097.90
Y92H-5	Mounting bracket set	22.64	247127	4547648414746			DG	Z	CHN	3926.9097.90
Y92H-8	Hold down clips for PF085A socket (2 pieces)	1.49	120809	4536853499136		10	DG	Z	JPN	3926.9097.90
Y92P-48GL	Panel cover for H3CR-A* timer, light grey	4.71	120806	4536853499909		10	DG	Z	JPN	3926.9097.90
Y92P-CXCG6	Front Panel Light Gray, 6-digit counter	5.56	351807	4547648729079			DG	Z	CHN	3926.9097.90
Y92P-CXCGS	Front Panel White, 6-digit counter	5.56	351808	4547648729086			DG	Z	CHN	3926.9097.90
Y92S-29	Waterproof packing for use with 48x48mm devices and Y92F30 flush mounting adapter	4.26	107361	4536854248313		25	DG	Z	JPN	8536.4900.99
Y92S-38	Adjustment and locking tool for H3DS	11.72	235530	4536854577819			DG	Z	CHN	3926.9097.90
<b>Photovoltaic Inverter</b>										
KP100L-SWAP	PV Inverter, standby unit for repair exchange in Turkey and Lebanon	1.27	368936	4547648940665			DP	A	NLD	9032.8900.90
J7DS-32-Z-A8	DC Switch Disconnecter	179.10	363161	4548583138025			DP	A	AUT	8536.5080.90
<b>Power monitor</b>										
KE1-CTD8E	Power monitor, expansion unit for current transformer	126.70	380512	4548583135031			DQ	A	JPN	9031.9000.00
KE1-DRT-FLK	DeviceNet Communication Unit for KM1-series	126.70	659497	4548583135055			DQ	A	JPN	9031.9000.00
KM1-EMUBA-FLK	Power monitor, expansion unit, pulse & temperature input, Compoway/F and Modbus	126.70	380516	4548583998667			DQ	A	JPN	9031.9000.00
KM1-PMU1A-FLK	Power monitor, master unit, single system, 3-phase / 4-wire, Compoway/F and Modbus	259.20	380518	4548583998674			DQ	A	JPN	9031.9000.00
KM1-PMU2A-FLK	Power monitor, master unit, dual system, 1-phase / 2-wire, 3-phase / 3-wire, Compoway/F and Modbus	259.20	380517	4548583998681			DQ	A	JPN	9031.9000.00
KM50-C1-FLK	Power monitor, on-panel 48x48mm with LED display, single phase / 2-wire, three-phase / 3-wire, Compoway/F and Modbus	145.30	380515	4536854992278			DQ	A	JPN	9031.9000.00
KM50-E1-FLK	Power monitor, on-panel 48x96mm with LED display, 1-phase / 2-wire, 3-phase / 3-wire, Compoway/F and Modbus	179.30	380520	4547648822220			DQ	A	JPN	9031.9000.00
KM50-OPT-CD1	Mounting form for KM50 C-version (DIN rail mounting type)	27.79	380521	4548583998049			DQ	A	JPN	9031.9000.00
KM50-OPT-ED1	Mounting form for KM50 E-version (DIN rail mounting type)	63.30	380511	4548583998056			DQ	A	JPN	9031.9000.00
KM50-OPT-EM1	Mounting form for KM50 E-version (magnet mounting type)	63.30	380514	4548583998063			DQ	A	JPN	9031.9000.00
KM-N2-FLK	Multi-circuit compact power monitor device for DIN rail mounting	193.70	669418	4548583795624	#		DQ	A	CHN	9031.9000.00
KM-N3-FLK	Multi-circuit compact power monitor device for on panel installation	186.10	672546	4548583800199	#		DQ	A	CHN	9031.9000.00
KM20-CTB-5A/50A	Current transformer, in panel (penetration) installation, 5A / 50A, for cable dia. 8.4mm max	40.15	380510	4548583998711			DQ	A	JPN	9031.9000.00
KM20-CTF-100A	Current transformer, field installation, 100 A, for cable dia. 14.5 mm max	33.94	380506	4547648706247			DQ	A	JPN	9031.9000.00
KM20-CTF-200A	Current transformer, field installation, 200 A, for cable dia. 24 mm max	46.30	380507	4547648706121			DQ	A	JPN	9031.9000.00
KM20-CTF-400A	Current transformer, field installation, 400 A, for cable dia. 35.5 mm max	58.70	380508	4547648706711			DQ	A	JPN	9031.9000.00
KM20-CTF-50A	Current transformer, field installation, 50 A, for cable dia. 9.5 mm max	23.16	380519	4547648706223			DQ	A	JPN	9031.9000.00
KM20-CTF-5A	Current transformer, field installation, 5 A, for cable dia. 7.9 mm max	23.16	380505	4547648706193			DQ	A	JPN	9031.9000.00
KM20-CTF-600A	Current transformer, field installation, 600 A, for cable dia. 35.5 mm max	69.45	380513	4547648706735			DQ	A	JPN	9031.9000.00
KM20-CTF-C83	Cable for current transformer, 3 m	16.98	380509	4547648706780			DQ	A	JPN	9031.9000.00
KM20-CTN250/250A/1A	Split-type Current Transformers, rated primary current 250 A, rated secondary current 1 A, for cables 0.75 mm <sup>2</sup> -2C, 1 m long	55.85	675404	4547648206716	#		DQ	A	JPN	9031.9000.00
KM-NCT-E100A	Split-type Current Transformers, rated primary current 100 A, rated secondary current 1 A	91.30	687721	4549734440967			DQ	A	JPN	9031.9000.00
KM-NCT-E250A	Split-type Current Transformers, rated primary current 100 A, rated secondary current 1 A	96.45	687720	4549734440943			DQ	A	JPN	9031.9000.00
KM-NCT-E500A	Split-type Current Transformers, rated primary current 500 A	101.60	687719	4549734440950			DQ	A	JPN	9031.9000.00
ZN-KMX21-A	Power Sensor Station with DC cable and ferrite core included in the package	796.50	387575	4548583098091			DQ	A	JPN	9031.9000.00

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Dahaset)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
<b>Energy Efficiency.</b>										
D6FZ-FC02	T-branch connector	100.40	392024	4548583385139			DQ	E	JPN	9031.4990.00
D6FZ-FC01000	Air Flow Sensor (1000L type, cable length: 0.2 m)	2276.00	392021	4548583385115			DQ	E	JPN	9031.4990.00
D6FZ-FC01000-S	Air Flow Sensor Set (1000L type) including 01*Air Flow Sensor (1000L type), 01*Air Flow Station, 01*T-branch connector, 01Single-end wire cable (3m)	2880.00	392023	4548583385146			DQ	E	JPN	9031.4990.00
D6FZ-FGT200	Air Flow Sensor (200L type)	540.00	392228	4548583442085			DQ	E	JPN	9031.4990.00
D6FZ-FGT500	Air Flow Sensor (500L type)	599.00	392229	4548583442092			DQ	E	JPN	9031.4990.00
D6FZ-FGX21	Air Flow Station (Cable length 1.5m, including T-branch connector cable)	490.60	392022	4548583385122			DQ	E	JPN	9031.4990.00
D6FZ-JD10A	Single-end wire cable (cable length 10m)	156.60	392026	4548583385160			DQ	E	CHN	9031.4990.00
D6FZ-JD10B	Double-end connector cable (cable length 10m)	159.60	392030	4548583385207			DQ	E	CHN	9031.4990.00
D6FZ-JD20A	Single-end wire cable (cable length 20m)	254.10	392027	4548583385177			DQ	E	CHN	9031.4990.00
D6FZ-JD20B	Double-end connector cable (cable length 20m)	252.80	392031	4548583385214			DQ	E	CHN	9031.4990.00
D6FZ-JD3A	Single-end wire cable (cable length 3 m)	74.10	392025	4548583385153			DQ	E	CHN	9031.4990.00
D6FZ-JD3B	Double-end connector cable (cable length 3m)	105.80	392028	4548583385184			DQ	E	CHN	9031.4990.00
D6FZ-JD5B	Double-end connector cable (cable length 5m)	120.90	392029	4548583385191			DQ	E	CHN	9031.4990.00
<b>UPS SBBA-series.</b>										
SBBA-24D24D120LF	UPS, DIN rail type, DC-DC, 5A, 120W	801.00	668093	4547648846608	#		DU	A	JPN	8504.4030.00
SBBA-24D24D240LF	UPS, DIN rail type, DC-DC, 10A, 240W	907.50	668092	4547648846615	#		DU	A	JPN	8504.4030.00
SBBA-24D24D360LF	UPS, DIN rail type, DC-DC, 15A, 360W	1,117.00	668096	4547648846622			DU	A	JPN	8504.4030.00
SBBA-24D24D480LF	UPS, DIN rail type, DC-DC, 20A, 480W	1,303.00	668091	4547648846639	#		DU	A	JPN	8504.4030.00
SBBA-24D24D480S8F	UPS, DIN rail type, Separated battery type, DC-DC, 20 A, 480 W	278.90	683502	4548583941724			DU	A	CHN	8504.4030.00
SBBA-24D24D960S8F	UPS, DIN rail type, Separated battery type, DC-DC, 40 A, 960 W	396.70	683500	4548583941731			DU	A	CHN	8504.4030.00
SBBA-S840L	UPS, DIN rail type, Battery unit for SBBA (Separated battery type), 3.9 Ah	555.00	683501	4548583941748			DU	A	CHN	8507.6000.90
SBBA-S960L	UPS, DIN rail type, Battery unit for SBBA (Separated battery type), 7.8 Ah	857.00	683499	4548583941755			DU	A	CHN	8507.6000.90
<b>UPS BU12FWL-series.</b>										
BU1002SWG	UPS, Tower type, AC-AC, 1000 VA, 700 W	1,594.00	678549	4547648849623			DU	B	TWN	8504.4030.00
BU3002SWG	UPS, Tower type, AC-AC, 3000 VA, 2100 W	3,580.00	678550	4547648849630			DU	B	TWN	8504.4030.00
<b>UPS options</b>										
SBBW-C01	UPS Connection cable (RS232C)	57.10	668097	4547648846653			DU	W	JPN	8544.4210.00
SBBW-C02	UPS Connection cable (CONTACT)	57.10	668098	4547648846660	#		DU	W	JPN	8544.4290.90
SBBA-B120L	Replacement battery pack for SBBA	479.90	671160	4547648846646			DU	W	JPN	8506.5090.90
BP100XSG	Replacement battery pack for BU1002SWG	399.50	678554	4547648849760			DU	W	TWN	8506.5090.90
BP150XSG	Replacement battery pack for BU3002SWG	374.10	678555	4547648849777			DU	W	TWN	8506.5090.90
BUB2002RW	Replacement battery pack for BU2002RWLG	1,349.00	671158	4547648845397			DU	W	JPN	8506.5090.90
BUB3002RW	Replacement battery pack for BU3002RWLG/BU5002RWL	1,638.00	671159	4547648845403			DU	W	JPN	8506.5090.90
BUP100SG	Mounting bracket for BU1002SWG	185.40	678551	4547648849784			DU	W	TWN	8504.9090.00
BUP300SG	Mounting bracket for BU3002SWG	168.20	678552	4547648849791			DU	W	TWN	8504.9090.00
SC08G	I/O signal (PNP/NPN output) card for BU family	223.50	678553	4547648849753			DU	W	CHN	8504.9090.00
SC20G2G	SNMP/Web card SC20G2G for BU family	523.50	690621	4580612448033			DU	W	TWN	8517.6200.00
<b>Q2V High Performance Inverter.</b>										
Q2V-A2001-AAA	Inverter Q2V 200V, ND: 1.2 A / 0.2 kW, HD: 0.8 A / 0.1 kW, with integrated EMC C3-Filter, max. output freq. 590Hz	404.50	688470	4549734972130	#		EA	F	GBR	9032.8900.90
Q2V-A2002-AAA	Inverter Q2V 200V, ND: 1.9 A / 0.37 kW, HD: 1.6 A / 0.25 kW, with integrated EMC C3-Filter, max. output freq. 590Hz	408.10	688471	4549734972147	#		EA	F	GBR	9032.8900.90
Q2V-A2004-AAA	Inverter Q2V 200V, ND: 3.5 A / 0.75 kW, HD: 3.0 A / 0.35 kW, with integrated EMC C3-Filter, max. output freq. 590Hz	592.00	688472	4549734972154	#		EA	F	GBR	9032.8900.90
Q2V-A2006-AAA	Inverter Q2V 200V, ND: 6.0 A / 1.1 kW, HD: 5.0 A / 0.75 kW, with integrated EMC C3-Filter, max. output freq. 590Hz	686.00	688473	4549734972161	#		EA	F	GBR	9032.8900.90
Q2V-A2010-AAA	Inverter Q2V 200V, ND: 9.6 A / 2.2 kW, HD: 8.0 A / 1.5 kW, with integrated EMC C3-Filter, max. output freq. 590Hz	831.50	688474	4549734972178	#		EA	F	GBR	9032.8900.90
Q2V-A2012-AAA	Inverter Q2V 200V, ND: 12.2 A / 3 kW, HD: 11.0 A / 2.2 kW, with integrated EMC C3-Filter, max. output freq. 590Hz	929.50	688475	4549734972185	#		EA	F	GBR	9032.8900.90
Q2V-A2021-AAA	Inverter Q2V 200V, ND: 21.0 A / 5.5 kW, HD: 17.6 A / 4 kW, with integrated EMC C3-Filter, max. output freq. 590Hz	1,013.00	688476	4549734972192	#		EA	F	GBR	9032.8900.90
Q2V-A2030-AAA	Inverter Q2V 200V, ND: 30.0 A / 7.5 kW, HD: 25.0 A / 5.5 kW, with integrated EMC C3-Filter, max. output freq. 590Hz	1,888.00	688477	4549734972208	#		EA	F	GBR	9032.8900.90
Q2V-A2042-AAA	Inverter Q2V 200V, ND: 42.0 A / 11.0 kW, HD: 33.0 A / 7.5 kW, with integrated EMC C3-Filter, max. output freq. 590Hz	1,899.00	688478	4549734972215	#		EA	F	GBR	9032.8900.90
Q2V-A2056-AAA	Inverter Q2V 200V, ND: 56.0 A / 15.0 kW, HD: 47.0 A / 11.0 kW, with integrated EMC C3-Filter, max. output freq. 590Hz	2,359.00	688479	4549734972232	#		EA	F	GBR	9032.8900.90
Q2V-A2070-AAA	Inverter Q2V 200V, ND: 70.0 A / 18.5 kW, HD: 60.0 A / 15.0 kW, with integrated EMC C3-Filter, max. output freq. 590Hz	3,038.00	688480	4549734972239	#		EA	F	GBR	9032.8900.90
Q2V-A2082-AAA	Inverter Q2V 200V, ND: 82.0 A / 22.0 kW, HD: 75.0 A / 18.5 kW, with integrated EMC C3-Filter, max. output freq. 590Hz	4,483.00	688449	4549734971928	#		EA	F	GBR	9032.8900.90
Q2V-A4001-AAA	Inverter Q2V, 400 V, ND: 1.2 A / 0.37 kW, HD: 1.2 A / 0.37 kW, IP20, EMC filter class C2, max. output freq. 590Hz	650.50	688450	4549734971935	#		EA	F	GBR	9032.8900.90
Q2V-A4002-AAA	Inverter Q2V, 400 V, ND: 2.1 A / 0.75 kW, HD: 1.8 A / 0.55 kW, IP20, EMC filter class C2, max. output freq. 590Hz	726.00	688451	4549734971942	#		EA	F	GBR	9032.8900.90
Q2V-A4004-AAA	Inverter Q2V, 400 V, ND: 4.1 A / 1.5 kW, HD: 3.4 A / 1.1 kW, IP20, EMC filter class C2, max. output freq. 590Hz	820.50	688452	4549734971959	#		EA	F	GBR	9032.8900.90
Q2V-A4005-AAA	Inverter Q2V, 400 V, ND: 5.4 A / 2.2 kW, HD: 4.8 A / 1.5 kW, IP20, EMC filter class C2, max. output freq. 590Hz	915.50	688453	4549734971966	#		EA	F	GBR	9032.8900.90
Q2V-A4007-AAA	Inverter Q2V, 400 V, ND: 7.1 A / 3.0 kW, HD: 5.6 A / 2.2 kW, IP20, EMC filter class C2, max. output freq. 590Hz	1,024.00	688454	4549734971973	#		EA	F	GBR	9032.8900.90
Q2V-A4009-AAA	Inverter Q2V, 400 V, ND: 8.9 A / 4.0 kW, HD: 7.3 A / 3.0 kW, IP20, EMC filter class C2, max. output freq. 590Hz	1,141.00	688455	4549734971980	#		EA	F	GBR	9032.8900.90
Q2V-A4012-AAA	Inverter Q2V, 400 V, ND: 11.9 A / 5.5 kW, HD: 9.2 A / 4.0 kW, IP20, EMC filter class C2, max. output freq. 590Hz	1,279.00	688456	4549734971997	#		EA	F	GBR	9032.8900.90
Q2V-A4018-AAA	Inverter Q2V, 400 V, ND: 17.5 A / 7.5 kW, HD: 14.8 A / 5.5 kW, IP20, EMC filter class C2, max. output freq. 590Hz	1,645.00	690457	4549734972000	#		EA	F	GBR	9032.8900.90
Q2V-A4023-AAA	Inverter Q2V, 400 V, ND: 23.4 A / 11.0 kW, HD: 18.0 A / 7.5 kW, IP20, EMC filter class C2, max. output freq. 590Hz	1,864.00	688458	4549734972017	#		EA	F	GBR	9032.8900.90
Q2V-A4031-AAA	Inverter Q2V, 400 V, ND: 31.0 A / 15.0 kW, HD: 24.0 A / 11.0 kW, IP20, EMC filter class C2, max. output freq. 590Hz	2,101.00	688459	4549734972024	#		EA	F	GBR	9032.8900.90
Q2V-A4038-AAA	Inverter Q2V, 400 V, ND: 38.0 A / 18.5 kW, HD: 31.0 A / 15.0 kW, IP20, EMC filter class C2, max. output freq. 590Hz	2,689.00	688460	4549734972031	#		EA	F	GBR	9032.8900.90
Q2V-A4044-AAA	Inverter Q2V, 400 V, ND: 44.0 A / 22.0 kW, HD: 39.0 A / 18.5 kW, IP20, EMC filter class C2, max. output freq. 590Hz	3,556.00	688461	4549734972048	#		EA	F	GBR	9032.8900.90
Q2V-A4060-AAA	Inverter Q2V, 400 V, ND: 60.0 A / 30.0 kW, HD: 45.0 A / 22.0 kW, IP20, EMC filter class C2, max. output freq. 590Hz	4,222.00	688462	4549734972055	#		EA	F	GBR	9032.8900.90

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Data sheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
Q2V-AB001-AAA	Inverter Q2V, 1x200V, ND: 1.2 A / 0.18 kW, HD: 0.8 A / 0.1 kW, IP20, EMC filter class C1, max. output freq. 590Hz	454.10	688463	4549734972062	#		EA	F	GBR	9032.8900.90
Q2V-AB002-AAA	Inverter Q2V, 1x200V, ND: 1.9 A / 0.37 kW, HD: 1.6 A / 0.25 kW, IP20, EMC filter class C1, max. output freq. 590Hz	464.40	688464	4549734972079	#		EA	F	GBR	9032.8900.90
Q2V-AB004-AAA	Inverter Q2V, 1x200V, ND: 3.5 A / 0.75 kW, HD: 3.0 A / 0.55 kW, IP20, EMC filter class C1, max. output freq. 590Hz	486.40	688465	4549734972086	#		EA	F	GBR	9032.8900.90
Q2V-AB006-AAA	Inverter Q2V, 1x200V, ND: 6.0 A / 1.1 kW, HD: 5.0 A / 0.75 kW, IP20, EMC filter class C1, max. output freq. 590Hz	577.50	688466	4549734972093	#		EA	F	GBR	9032.8900.90
Q2V-AB010-AAA	Inverter Q2V, 1x200V, ND: 9.6 A / 2.2 kW, HD: 8.0 A / 1.5 kW, IP20, EMC filter class C1, max. output freq. 590Hz	678.00	688467	4549734972109	#		EA	F	GBR	9032.8900.90
Q2V-AB012-AAA	Inverter Q2V, 1x200V, ND: 12.2 A / 3.0 kW, HD: 11.0 A / 2.2 kW, IP20, EMC filter class C1, max. output freq. 590Hz	791.50	688468	4549734972116	#		EA	F	GBR	9032.8900.90
Q2V-AB018-BA	Inverter Q2V, 1x200V, HD: 17.8 A / 4.0 kW, IP20, No integrated EMC filter model, max. output freq. 590Hz	900.50	688469	4549734972123	#		EA	F	GBR	9032.8900.90
IM-MOTOR-KV-DEMOCASE-V1	Kelvin IM motor Democase for Q2 Series inverters.	3926.00	689456	4549734977487			EA	F	ESP	9032.8900.90
PM-MOTOR-GK-DEMOCASE-V1	Georgii Kobold PM motor Democase for Q2 Series inverters.	5435.00	690184	4549734980258			EA	F	ESP	9032.8900.90
Q2V-DRIVE-DEMOCASE-V1	Q2V DEMOCASE	5330.00	689458	4549734977494			EA	F	ESP	9032.8900.90
<b>Inverter V1000</b>										
VZA2011FAA	V1000 inverter, 3- 200 VAC, 11 kW, 47 A, sensorless vector, max. output freq. 400Hz	2176.00	352965	4547648898171			EA	G	GBR	9032.8900.90
VZA2015FAA	V1000 inverter, 3- 200, VAC 15 kW, 60 A, sensorless vector, max. output freq. 400Hz	2802.00	352966	4547648898188			EA	G	GBR	9032.8900.90
VZA20P1BAA	V1000 inverter, 3- 200 VAC, 0.12 kW, 0.8 A, sensorless vector, max. output freq. 400Hz	373.20	234265	4547648389020			EA	G	JPN	9032.8900.90
VZA20P2BAA	V1000 inverter, 3- 200 VAC, 0.25 kW, 1.6 A, sensorless vector, max. output freq. 400Hz	376.70	234266	4547648389037			EA	G	JPN	9032.8900.90
VZA20P4BAA	V1000 inverter, 3- 200 VAC, 0.55 kW, 3.0 A, sensorless vector, max. output freq. 400Hz	546.00	234267	4547648389044	#		EA	G	JPN	9032.8900.90
VZA20P7BAA	V1000 inverter, 3- 200 VAC, 1.1 kW, 5.0 A, sensorless vector, max. output freq. 400Hz	633.00	234268	4547648389051	#		EA	G	JPN	9032.8900.90
VZA21P5BAA	V1000 inverter, 3- 200 VAC, 2.2 kW, 11 A, sensorless vector, max. output freq. 400Hz	767.50	234269	4547648389068			EA	G	JPN	9032.8900.90
VZA22P2BAA	V1000 inverter, 3- 200 VAC, 2.2 kW, 11 A, sensorless vector, max. output freq. 400Hz	858.00	234270	4547648389075			EA	G	JPN	9032.8900.90
VZA24P0BAA	V1000 inverter, 3- 200 VAC, 4 W, 17.5 A, sensorless vector, max. output freq. 400Hz	934.50	234271	4547648389082	#		EA	G	JPN	9032.8900.90
VZA25P5FAA	V1000 inverter, 3- 200 VAC, 5.5 kW, 25 A, sensorless vector, max. output freq. 400Hz	1743.00	352963	4547648898157			EA	G	GBR	9032.8900.90
VZA27P5FAA	V1000 inverter, 3- 200 VAC, 7.5 kW, 33 A, sensorless vector, max. output freq. 400Hz	1752.00	352964	4547648898164			EA	G	GBR	9032.8900.90
VZA4011FAA	V1000 inverter, 3- 400 VAC, 11 kW, 24 A, sensorless vector, max. output freq. 400Hz	1940.00	240694	4547648463812	#		EA	G	GBR	9032.8900.90
VZA4015FAA	V1000 inverter, 3- 400 VAC, 15 kW, 31 A, sensorless vector, max. output freq. 400Hz	2481.00	240695	4547648463829	#		EA	G	GBR	9032.8900.90
VZA40P2BAA	V1000 inverter, 3- 400 VAC, 0.37 kW, 1.2 A, sensorless vector, max. output freq. 400Hz	600.00	234251	4547648388887			EA	G	JPN	9032.8900.90
VZA40P4BAA	V1000 inverter, 3- 400 VAC, 0.55 kW, 1.8 A, sensorless vector, max. output freq. 400Hz	670.00	234252	4547648388894	#		EA	G	JPN	9032.8900.90
VZA40P7BAA	V1000 inverter, 3- 400 VAC, 1.1 kW, 3.4 A, sensorless vector, max. output freq. 400Hz	757.00	234253	4547648388900	#		EA	G	JPN	9032.8900.90
VZA41P5BAA	V1000 inverter, 3- 400 VAC, 1.5 kW, 4.8 A, sensorless vector, max. output freq. 400Hz	844.50	234254	4547648388917	#		EA	G	JPN	9032.8900.90
VZA42P2BAA	V1000 inverter, 3- 400 VAC, 2.2 kW, 5.5 A, sensorless vector, max. output freq. 400Hz	944.50	234255	4547648388924	#		EA	G	JPN	9032.8900.90
VZA43P0BAA	V1000 inverter, 3- 400 VAC, 3.0 kW, 7.2 A, sensorless vector, max. output freq. 400Hz	1053.00	234256	4547648388931	#		EA	G	JPN	9032.8900.90
VZA44P0BAA	V1000 inverter, 3- 400 VAC, 4.0 kW, 9.2 A, sensorless vector, max. output freq. 400Hz	1180.00	234257	4547648388948	#		EA	G	JPN	9032.8900.90
VZA45P5FAA	V1000 inverter, 3- 400 VAC, 5.5 kW, 14.8 A, sensorless vector, max. output freq. 400Hz	1519.00	240692	4547648463799	#		EA	G	GBR	9032.8900.90
VZA47P5FAA	V1000 inverter, 3- 400 VAC, 7.5 kW, 18 A, sensorless vector, max. output freq. 400Hz	1721.00	240693	4547648463805	#		EA	G	GBR	9032.8900.90
VZA80P1BAA	V1000 inverter, 1- 200 VAC, 0.12 kW, 0.8 A, sensorless vector, max. output freq. 400Hz	419.10	234258	4547648388955	#		EA	G	JPN	9032.8900.90
VZA80P2BAA	V1000 inverter, 1- 200 VAC, 0.25 kW, 1.6 A, sensorless vector, max. output freq. 400Hz	429.50	234259	4547648388962	#		EA	G	JPN	9032.8900.90
VZA80P4BAA	V1000 inverter, 1- 200 VAC, 0.55 kW, 3.0 A, sensorless vector, max. output freq. 400Hz	448.80	234260	4547648388979	#		EA	G	JPN	9032.8900.90
VZA80P7BAA	V1000 inverter, 1- 200 VAC, 1.1 kW, 5.0 A, sensorless vector, max. output freq. 400Hz	533.00	234261	4547648388986	#		EA	G	JPN	9032.8900.90
VZA81P5BAA	V1000 inverter, 1- 200 VAC, 1.5 kW, 8.0 A, sensorless vector, max. output freq. 400Hz	626.50	234262	4547648388993	#		EA	G	JPN	9032.8900.90
VZA82P2BAA	V1000 inverter, 1- 200 VAC, 2.2 kW, 11.0 A, sensorless vector, max. output freq. 400Hz	730.50	234263	4547648389006	#		EA	G	JPN	9032.8900.90
VZA84P0BAA	V1000 inverter, 1- 200 VAC, 4.0 kW, 17.5 A, sensorless vector, max. output freq. 400Hz	831.00	234264	4547648389013	#		EA	G	JPN	9032.8900.90
VZA41P5EAB	V1000 Inverter drive, 1.5/2.2 kW(HD/ND), 4.8/5.4A(HD/ND), 400 VAC, 3-phase input, sensorless vector, built in filter, max. output freq. 400Hz	1079.00	355683	4547648916493			EA	G	JPN	9032.8900.90
CIMR-VC4A0009JAB	V1000 Finless type Inverter, IP20, 3/4kW(HD/ND), 7.2/8.8A(HD/ND), 3-400VAC, sensorless vector, LED operator, max. output freq. 400Hz	1,338.00	352360	4547648895903	#		EA	G	GBR	9032.8900.90
CIMR-VC4A0011JAB	Inverter V1000, 400 V, ND: 11.1 A / 5.5 kW, HD: 9.2 A / 4 kW, Finless, max. output freq. 400Hz	1,122.00	352954	4547648898065			EA	G	GBR	9032.8900.90
CIMR-VC8A0003JAB	V1000 Inverter drive, Finless, 0.4/0.55 kW(HD/ND), 3.0/3.5A(HD/ND), 200 VAC, 1-phase input, sensorless vector, max. output freq. 400Hz	343.40	352358	4547648895880			EA	G	JPN	9032.8900.90
CIMR-VC8A0010JAB	V1000 Finless type inverter, IP20, 1.5/2.2 kW(HD/ND), 8.0/9.6A(HD/ND), 1- 200 VAC, sensorless vector, LED operator, max. output freq. 400Hz	467.60	352962	4547648898140			EA	G	JPN	9032.8900.90
CIMR-VC4A0002HAA-0080	V1000 Inverter drive, IP66,0.4/0.75kW(HD/ND), 1.8/2.1A(HD/ND), 3-400VAC, sensorless vector, LED operator, max. output freq. 400Hz	1,225.00	332203	4547648883146			EA	G	GBR	9032.8900.90
CIMR-VC4A0004HAA-0080	V1000 Inverter drive, IP66,0.75/1.5kW(HD/ND), 3/4/4.1A(HD/ND), 3-400VAC, sensorless vector, LED operator, max. output freq. 400Hz	1,273.00	332204	4547648883153			EA	G	GBR	9032.8900.90
CIMR-VC4A0005HAA-0080	V1000 Inverter drive, IP66,1.5/2.2kW(HD/ND), 4.8/5.4A(HD/ND), 3-400VAC, sensorless vector, LED operator, max. output freq. 400Hz	1,375.00	332205	4547648883160			EA	G	GBR	9032.8900.90
CIMR-VC4A0007HAA-0080	V1000 Inverter drive, IP66,2.2/3.0kW(HD/ND), 5.5/8.9A(HD/ND), 3-400VAC, sensorless vector, LED operator, max. output freq. 400Hz	1,408.00	332206	4547648883177			EA	G	GBR	9032.8900.90
CIMR-VC4A0009HAA-0080	V1000 Inverter drive, IP66,3.0/4.0kW(HD/ND), 7.2/8.8A(HD/ND), 3-400VAC, sensorless vector, LED operator, max. output freq. 400Hz	1,546.00	332207	4547648883184			EA	G	GBR	9032.8900.90
CIMR-VC4A0011HAA-0080	V1000 Inverter drive, IP66,4.0/5.5kW(HD/ND), 9.2/11.1A(HD/ND), 3-400 VAC, sensorless vector, LED operator, max. output freq. 400Hz	1,812.00	332208	4547648883191			EA	G	GBR	9032.8900.90
CIMR-VC4A0018HAA-0080	V1000 Inverter drive, IP66,5.5/7.5kW(HD/ND), 14.8/17.5A(HD/ND), 3-400VAC, sensorless vector, LED operator, max. output freq. 400Hz	3,755.00	355613	4547648915946			EA	G	GBR	9032.8900.90
CIMR-VC4A0023HAA-0080	V1000 Inverter drive, IP66,7.5/11.0kW(HD/ND), 18/23A(HD/ND), 3-400VAC, sensorless vector, LED operator, max. output freq. 400Hz	4,320.00	355614	4547648915953			EA	G	GBR	9032.8900.90
CIMR-VC4A0031HAA-0080	V1000 Inverter drive, IP66,11/15kW(HD/ND), 24/31A(HD/ND), 3-400VAC, sensorless vector, LED operator, max. output freq. 400Hz	5,535.00	355615	4547648915960			EA	G	GBR	9032.8900.90
CIMR-VC4A0038HAA-0080	V1000 Inverter drive, IP66,15/18.5kW(HD/ND), 31/38A(HD/ND), 3-400VAC, sensorless vector, LED operator, max. output freq. 400Hz	6,240.00	355616	4547648915977			EA	G	GBR	9032.8900.90
CIMR-VC8A0003HAA-0080	V1000 Inverter drive, IP66,0.5/0.75kW(HD/ND), 3.0/3.3A(HD/ND), 1-200VAC, sensorless vector, LED operator, max. output freq. 400Hz	1,207.00	332211	4547648883221			EA	G	GBR	9032.8900.90
CIMR-VC8A0006HAA-0080	V1000 Inverter drive, IP66,0.75/1.1kW(HD/ND), 5.0/6.0A(HD/ND), 1-200VAC, sensorless vector, LED operator, max. output freq. 400Hz	1,341.00	332212	4547648883228			EA	G	GBR	9032.8900.90
VZA4011FAA-S5030	V1000 inverter, 3- 400 VAC, 11 kW, 24 A, sensorless vector, max. output freq. 1000Hz	2,243.00	243897	4547648852937			EA	G	GBR	9032.8900.90
JVOP-180	LCD remote operator	144.00	241589	4547648851626			EA	G	JPN	8471.6070.00
SI-485/J	RS-422/485 communications card for CIMR-J1000 inverter	70.25	251861	4547648860802			EA	G	JPN	8517.6200.00
JVOP-181	USB converter unit with copy and backup function	265.60	239699	4536853913854			EA	G	JPN	8471.6070.00
<b>Inverter H1000</b>										
JZA20P1BAA	Inverter drive, 0.1kW, 0.8A, 200 VAC, 3-phase, max. output freq. 400Hz	209.10	246651	4547648550659			EA	H	JPN	9032.8900.90
JZA20P4BAA	Inverter drive, 0.55kW, 3.0A, 200 VAC, 3-phase, max. output freq. 400Hz	300.50	246653	4547648550673	#		EA	H	JPN	9032.8900.90
JZA20P7BAA	Inverter drive, 1.1kW, 5.0A, 200 VAC, 3-phase, max. output freq. 400Hz	352.00	246654	4547648550680	#		EA	H	JPN	9032.8900.90



Catalog Description (Image)	Rem Long Description (Web page)	2021 List Price	S.L.N. (Data sheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
JZA21P5BAA	Inverter drive, 1.5kW, 8.0A, 200 VAC, 3-phase, max. output freq. 400Hz	432.00	246655	4547648550697	#		EA	H	JPN	9032.8900.90
JZA22P2BAA	Inverter drive, 2.2kW, 11.0A, 200 VAC, 3-phase, max. output freq. 400Hz	455.50	246656	4547648550703	#		EA	H	JPN	9032.8900.90
JZA24P0BAA	Inverter drive, 4.0kW, 9.2A, 200 VAC, 3-phase, max. output freq. 400Hz	523.50	246657	4547648550710	#		EA	H	JPN	9032.8900.90
JZA40P2BAA	Inverter drive, 0.37kW, 1.2A, 415 VAC, 3-phase, max. output freq. 400Hz	482.70	246658	4547648550727	#		EA	H	JPN	9032.8900.90
JZA40P4BAA	Inverter drive, 0.55kW, 1.8A, 415 VAC, 3-phase, max. output freq. 400Hz	492.10	246659	4547648550734	#		EA	H	JPN	9032.8900.90
JZA40P7BAA	Inverter drive, 1.1kW, 3.4A, 415 VAC, 3-phase, max. output freq. 400Hz	566.50	246660	4547648550741	#		EA	H	JPN	9032.8900.90
JZA41P5BAA	Inverter drive, 1.5kW, 4.8A, 415 VAC, 3-phase, max. output freq. 400Hz	667.00	246661	4547648550758	#		EA	H	JPN	9032.8900.90
JZA42P2BAA	Inverter drive, 2.2kW, 5.5A, 415 VAC, 3-phase, max. output freq. 400Hz	792.00	246662	4547648550765	#		EA	H	JPN	9032.8900.90
JZA43P0BAA	Inverter drive, 3.0kW, 7.2A, 415 VAC, 3-phase, max. output freq. 400Hz	844.50	246663	4547648550772	#		EA	H	JPN	9032.8900.90
JZA44P0BAA	Inverter drive, 4.0kW, 9.2A, 415 VAC, 3-phase, max. output freq. 400Hz	961.50	246664	4547648550789	#		EA	H	JPN	9032.8900.90
JZAB0P1BAA	Inverter drive, 0.1kW, 0.8A, 240 VAC, single-phase, max. output freq. 400Hz	248.20	246646	4547648550604	#		EA	H	JPN	9032.8900.90
JZAB0P2BAA	Inverter drive, 0.25kW, 1.6A, 240 VAC, single-phase, max. output freq. 400Hz	273.70	246647	4547648550611	#		EA	H	JPN	9032.8900.90
JZAB0P4BAA	Inverter drive, 0.55kW, 3A, 240 VAC, single-phase, max. output freq. 400Hz	304.40	246648	4547648550628	#		EA	H	JPN	9032.8900.90
JZAB0P7BAA	Inverter drive, 1.1kW, 5A, 240 VAC, single-phase, max. output freq. 400Hz	368.50	246649	4547648550635	#		EA	H	JPN	9032.8900.90
JZAB1P5BAA	Inverter drive, 1.5kW, 8A, 240 VAC, single-phase, max. output freq. 400Hz	492.10	246650	4547648550642	#		EA	H	JPN	9032.8900.90

JVOP-182	LED remote operator	69.00	252658	4547648861502			EA	H	JPN	8471.6070.00
----------	---------------------	-------	--------	---------------	--	--	----	---	-----	--------------

**Q2A High Performance Vector Control Inverter.**

Q2A-A2004-AAA	Inverter Q2A, 200 V, ND: 3.5 A / 0.75 kW, HD: 3.2 A / 0.55 kW, IP20, max. output freq. 590 Hz	842.50	684659	4549734959230	#		EA	J	GBR	9032.8900.90
Q2A-A2006-AAA	Inverter Q2A, 200 V, ND: 6 A / 1.1 kW, HD: 5 A / 0.75 kW, IP20, max. output freq. 590 Hz	1,004.00	684657	4549734959216	#		EA	J	GBR	9032.8900.90
Q2A-A2010-AAA	Inverter Q2A, 200 V, ND: 9.6 A / 2.2 kW, HD: 8 A / 1.5 kW, IP20, max. output freq. 590 Hz	1,058.00	684698	4549734959322	#		EA	J	GBR	9032.8900.90
Q2A-A2012-AAA	Inverter Q2A, 200 V, ND: 12.2 A / 3.0 kW, HD: 11 A / 2.2 kW, IP20, max. output freq. 590 Hz	1,549.00	684699	4549734959339	#		EA	J	GBR	9032.8900.90
Q2A-A2021-AAA	Inverter Q2A, 200 V, ND: 21 A / 5.5 kW, HD: 17.5 A / 4.0 kW, IP20, max. output freq. 590 Hz	1,622.00	684700	4549734959346	#		EA	J	GBR	9032.8900.90
Q2A-A2030-AAA	Inverter Q2A, 200 V, ND: 30 A / 7.5 kW, HD: 25 A / 5.5 kW, IP20, max. output freq. 590 Hz	1,704.00	684701	4549734959353	#		EA	J	GBR	9032.8900.90
Q2A-A2042-AAA	Inverter Q2A, 200 V, ND: 42 A / 11 kW, HD: 33 A / 7.5 kW, IP20, max. output freq. 590 Hz	2,054.00	684702	4549734959360	#		EA	J	GBR	9032.8900.90
Q2A-A2056-AAA	Inverter Q2A, 200 V, ND: 56 A / 15 kW, HD: 47 A / 11 kW, IP20, max. output freq. 590 Hz	2,436.00	684703	4549734959377	#		EA	J	GBR	9032.8900.90
Q2A-A2070-AAA	Inverter Q2A, 200 V, ND: 70 A / 18.5 kW, HD: 60 A / 15 kW, IP20, max. output freq. 590 Hz	3,859.00	684704	4549734959384	#		EA	J	GBR	9032.8900.90
Q2A-A2082-AAA	Inverter Q2A, 200 V, ND: 82 A / 22 kW, HD: 75 A / 18.5 kW, IP20, max. output freq. 590 Hz	4,755.00	684705	4549734959391	#		EA	J	GBR	9032.8900.90
Q2A-A2110-AAA	Inverter Q2A, 200 V, ND: 110 A / 30 kW, HD: 88 A / 22 kW, IP20, max. output freq. 590 Hz	4,698.00	684706	4549734959407	#		EA	J	GBR	9032.8900.90
Q2A-A2138-AAA	Inverter Q2A, 200 V, ND: 138 A / 37 kW, HD: 115 A / 30 kW, IP20, max. output freq. 590 Hz	7,935.00	684707	4549734959414	#		EA	J	GBR	9032.8900.90
Q2A-A2169-AAA	Inverter Q2A, 200 V, ND: 169 A / 45 kW, HD: 145 A / 37 kW, IP20, max. output freq. 590 Hz	9,090.00	684708	4549734959421	#		EA	J	GBR	9032.8900.90
Q2A-A2211-AAA	Inverter Q2A, 200 V, ND: 211 A / 55 kW, HD: 180 A / 45 kW, IP20, max. output freq. 590 Hz	10,070.00	684709	4549734959438	#		EA	J	GBR	9032.8900.90
Q2A-A2257-AAA	Inverter Q2A, 200 V, ND: 257 A / 75 kW, HD: 215 A / 55 kW, IP20, max. output freq. 590 Hz	10,710.00	684710	4549734959445	#		EA	J	GBR	9032.8900.90
Q2A-A2313-AAA	Inverter Q2A, 200 V, ND: 313 A / 90 kW, HD: 283 A / 75 kW, IP20, max. output freq. 590 Hz	19,340.00	684711	4549734959452	#		EA	J	GBR	9032.8900.90
Q2A-A2360-AAA	Inverter Q2A, 200 V, ND: 360 A / 110 kW, HD: 346 A / 90 kW, IP20, max. output freq. 590 Hz	21,790.00	684696	4549734959308	#		EA	J	GBR	9032.8900.90
Q2A-A2415-AAA	Inverter Q2A, 200 V, ND: 415 A / 110 kW, IP20, max. output freq. 590 Hz	25,024.00	684697	4549734959315	#		EA	J	GBR	9032.8900.90
Q2A-A4002-AAA	Inverter Q2A, 400 V, ND: 2.1 A / 0.75 kW, HD: 1.8 A / 0.55 kW, IP20, max. output freq. 590 Hz	824.00	681122	4549734944120	#		EA	J	GBR	9032.8900.90
Q2A-A4004-AAA	Inverter Q2A, 400 V, ND: 4.1 A / 1.50 kW, HD: 3.4 A / 0.75 kW, IP20, max. output freq. 590 Hz	924.50	681131	4549734944212	#		EA	J	GBR	9032.8900.90
Q2A-A4005-AAA	Inverter Q2A, 400 V, ND: 5.4 A / 2.20 kW, HD: 4.8 A / 1.50 kW, IP20, max. output freq. 590 Hz	1,030.00	681133	4549734944236	#		EA	J	GBR	9032.8900.90
Q2A-A4007-AAA	Inverter Q2A, 400 V, ND: 7.1 A / 3.00 kW, HD: 5.5 A / 2.20 kW, IP20, max. output freq. 590 Hz	1,144.00	681128	4549734944182	#		EA	J	GBR	9032.8900.90
Q2A-A4009-AAA	Inverter Q2A, 400 V, ND: 8.9 A / 3.70 kW, HD: 7.2 A / 3.00 kW, IP20, max. output freq. 590 Hz	1,257.00	681117	4549734944076	#		EA	J	GBR	9032.8900.90
Q2A-A4012-AAA	Inverter Q2A, 400 V, ND: 11.9 A / 5.5 kW, HD: 9.2 A / 3.70 kW, IP20, max. output freq. 590 Hz	1,348.00	681123	4549734944137	#		EA	J	GBR	9032.8900.90
Q2A-A4018-AAA	Inverter Q2A, 400 V, ND: 17.5 A / 7.5 kW, HD: 14.8 A / 5.5 kW, IP20, max. output freq. 590 Hz	1,662.00	681116	4549734944069	#		EA	J	GBR	9032.8900.90
Q2A-A4023-AAA	Inverter Q2A, 400 V, ND: 23.4 A / 11 kW, HD: 18 A / 7.5 kW, IP20, max. output freq. 590 Hz	1,976.00	681124	4549734944144	#		EA	J	GBR	9032.8900.90
Q2A-A4031-AAA	Inverter Q2A, 400 V, ND: 31 A / 15 kW, HD: 24 A / 11 kW, IP20, max. output freq. 590 Hz	2,351.00	681125	4549734944151	#		EA	J	GBR	9032.8900.90
Q2A-A4038-AAA	Inverter Q2A, 400 V, ND: 38 A / 18.5 kW, HD: 31 A / 15 kW, IP20, max. output freq. 590 Hz	3,026.00	681126	4549734944168	#		EA	J	GBR	9032.8900.90
Q2A-A4044-AAA	Inverter Q2A, 400 V, ND: 44 A / 22 kW, HD: 39 A / 18.5 kW, IP20, max. output freq. 590 Hz	3,561.00	681127	4549734944175	#		EA	J	GBR	9032.8900.90
Q2A-A4060-AAA	Inverter Q2A, 400 V, ND: 59.6 A / 30 kW, HD: 45 A / 22 kW, IP20, max. output freq. 590 Hz	4,222.00	681120	4549734944106	#		EA	J	GBR	9032.8900.90
Q2A-A4075-AAA	Inverter Q2A, 400 V, ND: 74.9 A / 37 kW, HD: 60 A / 30 kW, IP20, max. output freq. 590 Hz	4,833.00	681118	4549734944083	#		EA	J	GBR	9032.8900.90
Q2A-A4089-AAA	Inverter Q2A, 400 V, ND: 89.2 A / 45 kW, HD: 75 A / 37 kW, IP20, max. output freq. 590 Hz	5,945.00	681121	4549734944113	#		EA	J	GBR	9032.8900.90
Q2A-A4103-AAA	Inverter Q2A, 400 V, ND: 103 A / 55 kW, HD: 91 A / 45 kW, IP20, max. output freq. 590 Hz	6,340.00	681115	4549734944052	#		EA	J	GBR	9032.8900.90
Q2A-A4140-AAA	Inverter Q2A, 400 V, ND: 140 A / 75 kW, HD: 112 A / 55 kW, IP20, max. output freq. 590 Hz	7,480.00	681132	4549734944229	#		EA	J	GBR	9032.8900.90
Q2A-A4168-AAA	Inverter Q2A, 400 V, ND: 168 A / 90 kW, HD: 150 A / 75 kW, IP20, max. output freq. 590 Hz	9,025.00	681129	4549734944199	#		EA	J	GBR	9032.8900.90
Q2A-A4208-AAA	Inverter Q2A, 400 V, ND: 208 A / 110 kW, HD: 180 A / 90 kW, IP20, max. output freq. 590 Hz	11,060.00	681130	4549734944205	#		EA	J	GBR	9032.8900.90
Q2A-A4250-AAA	Inverter Q2A, 400 V, ND: 250 A / 132 kW, HD: 216 A / 110 kW, IP20, max. output freq. 590 Hz	11,720.00	681114	4549734944045	#		EA	J	GBR	9032.8900.90
Q2A-A4296-AAA	Inverter Q2A, 400 V, ND: 296 A / 160 kW, HD: 260 A / 132 kW, IP20, max. output freq. 590 Hz	14,640.00	681119	4549734944090	#		EA	J	GBR	9032.8900.90
Q2A-A4371-AAA	Inverter Q2A, 400 V, ND: 371 A / 200 kW, HD: 304 A / 160 kW, IP20, max. output freq. 590 Hz	21,090.00	682306	4549734947848	#		EA	J	GBR	9032.8900.90
Q2A-A4389-AAA	Inverter Q2A, 400 V, ND: 389 A / 220 kW, HD: 371 A / 200 kW, IP20, max. output freq. 590 Hz	31,820.00	682307	4549734947855	#		EA	J	GBR	9032.8900.90
Q2A-A4453-AAA	Inverter Q2A, 400 V, ND: 453 A / 250 kW, HD: 414 A / 220 kW, IP20, max. output freq. 590 Hz	35,320.00	682308	4549734947862	#		EA	J	GBR	9032.8900.90
Q2A-A4568-AAA	Inverter Q2A, 400 V, ND: 568 A / 315 kW, HD: 453 A / 250 kW, IP20, max. output freq. 590 Hz	39,290.00	682309	4549734947879	#		EA	J	GBR	9032.8900.90
Q2A-A4675-AAA	Inverter Q2A, 400 V, ND: 675 A / 355 kW, HD: 605 A / 315 kW, IP20, max. output freq. 590 Hz	41,920.00	682310	4549734947886	#		EA	J	GBR	9032.8900.90

Q2A-DRIVE-DEMOCASE-V1	Q2A DEMOCASE	7,180.00	688793	4549734974578			EA	J	ESP	9032.8900.90
-----------------------	--------------	----------	--------	---------------	--	--	----	---	-----	--------------

**Inverters A1000**

CIMR-AC2A0004FAA	A1000 inverter: 3- 200 V, HD: 0.4 kW 3.2 A, ND: 0.75 kW 3.5 A, max. output freq. 400Hz	813.00	254864	4547648861960			EA	K	JPN	9032.8900.90
CIMR-AC2A0006FAA	A1000 inverter: 3- 200 V, HD: 0.75 kW 5.0 A, ND: 1.1 kW 6.0 A, max. output freq. 400Hz	968.50	254865	4547648861977			EA	K	JPN	9032.8900.90
CIMR-AC2A0010FAA	A1000 inverter: 3- 200 V, HD: 1.5 kW 8.0 A, ND: 2.2 kW 9.6 A, max. output freq. 400Hz	1,013.00	254866	4547648861984			EA	K	JPN	9032.8900.90
CIMR-AC2A0021FAA	A1000 inverter: 3- 200 V, HD: 4.0 kW 17.5 A, ND: 5.5 kW 21.0 A, max. output freq. 400Hz	1,414.00	254868	4547648862004			EA	K	JPN	9032.8900.90
CIMR-AC2A0030FAA	A1000 inverter: 3- 200 V, HD: 5.5 kW 25.0 A, ND: 7.5 kW 30.0 A, max. output freq. 400Hz	1,808.00	254869	4547648862011			EA	K	JPN	9032.8900.90
CIMR-AC2A0040FAA	A1000 inverter: 3- 200 V, HD: 7.5 kW 33.0 A, ND: 11.0 kW 40.0 A, max. output freq. 400Hz	2,179.00	254870	4547648862028			EA	K	JPN	9032.8900.90
CIMR-AC2A0056FAA	A1000 inverter: 3- 200 V, HD: 11 kW 47.0 A, ND: 15.0 kW 56.0 A, max. output freq. 400Hz	2,593.00	254871	4547648862035			EA	K	JPN	9032.8900.90
CIMR-AC2A0312AAA	A1000 inverter: 3-phase 200 V, HD: 75 kW 283 A, ND: 90 kW 312 A, max. output freq. 400Hz	16,840.00	280386	4547648865319			EA	K	JPN	9032.8900.90
CIMR-ACA0002FAA	A1000 inverter: 3- 400 V, HD: 0.55 kW 1.8 A, ND: 0.75 kW 2.1 A, max. output freq. 400Hz	781.00	324899	4547648877268			EA	K	GBR	9032.8900.90

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Data sheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
CMR-ACA0004FAA	A1000 inverter: 3- 400 V, HD: 0.75 kW 3.4 A, ND: 1.5 kW 4.1 A, max. output freq. 400Hz	995.00	324900	4547648877275			EA	K	GBR	9032.8900.90
CMR-ACA0005FAA	A1000 inverter: 3- 400 V, HD: 1.5 kW 4.8 A, ND: 2.2 kW 5.4 A, max. output freq. 400Hz	1,116.00	324901	4547648877282			EA	K	GBR	9032.8900.90
CMR-ACA0007FAA	A1000 inverter: 3- 400 V, HD: 2.2 kW 5.5 A, ND: 3.0 kW 6.9 A, max. output freq. 400Hz	1,257.00	324902	4547648877299			EA	K	GBR	9032.8900.90
CMR-ACA0009FAA	A1000 inverter: 3- 400 V, HD: 3 kW 7.2 A, ND: 4 kW 8.8 A, max. output freq. 400Hz	1,338.00	324903	4547648883474			EA	K	GBR	9032.8900.90
CMR-ACA0011FAA	A1000 inverter: 3- 400 V, HD: 4 kW 9.2 A, ND: 5.5 kW 11.1 A, max. output freq. 400Hz	1,392.00	324903	4547648877305			EA	K	GBR	9032.8900.90
CMR-ACA0018FAA	A1000 inverter: 3- 400 V, HD: 5.5 kW 14.8 A, ND: 7.5 kW 17.5 A, max. output freq. 400Hz	1,701.00	324904	4547648877312			EA	K	GBR	9032.8900.90
CMR-ACA0023FAA	A1000 inverter: 3- 400 V, HD: 7.5 kW 18 A, ND: 11 kW 23 A, max. output freq. 400Hz	2,136.00	301573	4547648870047			EA	K	GBR	9032.8900.90
CMR-ACA0031FAA	A1000 inverter: 3- 400 V, HD: 11 kW 24 A, ND: 15 kW 31 A, max. output freq. 400Hz	2,279.00	301574	4547648870054			EA	K	GBR	9032.8900.90
CMR-ACA0038FAA	A1000 inverter: 3- 400 V, HD: 15 kW 31 A, ND: 18.5 kW 38 A, max. output freq. 400Hz	2,760.00	301575	4547648870061			EA	K	GBR	9032.8900.90
CMR-ACA0044FAA	A1000 inverter: 3- 400 V, HD: 18.5 kW 39 A, ND: 22 kW 44 A, max. output freq. 400Hz	4,461.00	301576	4547648870078			EA	K	GBR	9032.8900.90
CMR-ACA0058AAA	A1000 inverter: 3- 400 V, HD: 22 kW 45 A, ND: 30 kW 58 A, max. output freq. 400Hz	4,425.00	324905	4547648877329			EA	K	GBR	9032.8900.90
CMR-ACA0072AAA	A1000 inverter: 3- 400 V, HD: 30 kW 60 A, ND: 37 kW 72 A, max. output freq. 400Hz	4,988.00	324906	4547648877336			EA	K	GBR	9032.8900.90
CMR-ACA0088AAA	A1000 inverter: 3- 400 V, HD: 37 kW 75 A, ND: 45 kW 88 A, max. output freq. 400Hz	5,800.00	324907	4547648877343			EA	K	GBR	9032.8900.90
CMR-ACA0103AAA	A1000 inverter: 3- 400 V, HD: 45 kW 91 A, ND: 55 kW 103 A, max. output freq. 400Hz	6,875.00	324908	4547648877350		#	EA	K	GBR	9032.8900.90
CMR-ACA0139AAA	A1000 inverter: 3- 400 V, HD: 55 kW 112 A, ND: 75 kW 139 A, max. output freq. 400Hz	7,505.00	324909	4547648877367			EA	K	GBR	9032.8900.90
CMR-ACA0165AAA	A1000 inverter: 3- 400 V, HD: 75 kW 150 A, ND: 90 kW 165 A, max. output freq. 400Hz	9,655.00	324910	4547648877374			EA	K	GBR	9032.8900.90
CMR-ACA0208AAA	A1000 inverter: 3- 400 V, HD: 90 kW 180 A, ND: 110 kW 208 A, max. output freq. 400Hz	12,510.00	352206	4547648909655			EA	K	GBR	9032.8900.90
CMR-ACA0250AAA	A1000 inverter: 3- 400 V, HD: 110 kW 216 A, ND: 132 kW 250 A, max. output freq. 400Hz	13,920.00	352207	4547648909662			EA	K	GBR	9032.8900.90
CMR-ACA0296AAA	A1000 inverter: 3- 400 V, HD: 132 kW 296 A, ND: 160 kW 304 A, max. output freq. 400Hz	16,640.00	352208	4547648909679			EA	K	GBR	9032.8900.90
CMR-ACA0362AAA	A1000 inverter: 3- 400 V, HD: 185 kW 370 A, ND: 185 kW 362 A, max. output freq. 400Hz	21,420.00	352209	4547648909686			EA	K	GBR	9032.8900.90
CMR-ACA00414AAA	A1000 inverter: 3- 400 V, HD: 185 kW 370 A, ND: 220 kW 414 A, max. output freq. 400Hz	32,300.00	375334	4547648958370			EA	K	GBR	9032.8900.90
CMR-ACA00515AAA	A1000 inverter: 3- 400 V, HD: 220 kW 450 A, ND: 250 kW 515 A, max. output freq. 400Hz	35,860.00	375335	4547648958387			EA	K	GBR	9032.8900.90
CMR-ACA00675AAA	A1000 inverter: 3- 400 V, HD: 315 kW 605 A, ND: 355 kW 675 A, max. output freq. 400Hz	42,560.00	375336	4547648958394			EA	K	GBR	9032.8900.90
CMR-ACA0018FAA-SS072	A1000 inverter: 3- 400 V, HD: 5.5 kW 14.8 A, ND: 7.5 kW 17.5 A, max. output freq. 400Hz	1,751.00	372206	4547648947558			EA	K	GBR	9032.8900.90
CMR-ACA0208AAA-SS111	A1000 inverter 90 kW HD 400 V, max. output freq. 1000Hz	13,150.00	675314	4549734901291			EA	K	NLD	9032.8900.90
CMR-ACA0250AAA-SS111	A1000 inverter 110 kW HD 400 V, max. output freq. 1000Hz	14,530.00	675316	4549734901314			EA	K	NLD	9032.8900.90

**Inverters L1000**

CMR-LC4F0009BAC	Inverter L1000, max. output freq. 200Hz	1,381.00	671006	4548583974319			EA	L	GBR	9032.8900.90
CMR-LC4F0009BAC-9130	L1000A 4kW 400V with SIL3 and A3/DCP, max. output freq. 200Hz	1,381.00	668581	4548583962453			EA	L	GBR	9032.8900.90
CMR-LC4F0015BAC	Inverter L1000 15A, max. output freq. 200Hz	1,706.00	670761	4548583973299			EA	L	GBR	9032.8900.90
CMR-LC4F0015BAC-9130	L1000A 5.5kW 400V with SIL3 and A3/DCP, max. output freq. 200Hz	1,706.00	668582	4548583962460			EA	L	GBR	9032.8900.90
CMR-LC4F0018BAC-9130	L1000A 18A 400V, SIL3 and A3, max. output freq. 200Hz	1,885.00	669113	4548583965348			EA	L	GBR	9032.8900.90
CMR-LC4F0024BAC-9130	L1000A 31kW 400V SIL3 and A3/brake monitoring, max. output freq. 200Hz	2,416.00	668849	4548583962934			EA	L	GBR	9032.8900.90
CMR-LC4F0031BAC-9130	L1000A 31A 400V, SIL3, A3, max. output freq. 200Hz	2,647.00	669116	4548583965379			EA	L	GBR	9032.8900.90
CMR-LC4F0039BAC	Inverter L1000, max. output freq. 200Hz	3,922.00	670999	4548583974241			EA	K	GBR	9032.8900.90
CMR-LC4F0039BAC-9130	L1000A 39A 400V, SIL3, A3, max. output freq. 200Hz	3,922.00	669112	4548583965333			EA	L	GBR	9032.8900.90
CMR-LC4F0045BAC	Inverter L1000, max. output freq. 200Hz	4,636.00	671100	4548583974258			EA	L	GBR	9032.8900.90
CMR-LC4F0045BAC-9130	L1000A 45A 400V, SIL3, A3, max. output freq. 200Hz	4,636.00	669114	4548583965355			EA	L	GBR	9032.8900.90
CMR-LC4F0060BAC-9130	L1000A 60A 400V, SIL3, A3, max. output freq. 200Hz	5,285.00	669115	4548583965362			EA	L	GBR	9032.8900.90
CMR-LC4F0075BAC	Inverter L1000A, 400 V, HD: 75 A / 37 kW, IP20, max. output freq. 200Hz	6,230.00	670595	4548583972193			EA	L	GBR	9032.8900.90
CMR-LC4F0075BAC-9130	L1000A 37kW 400V with SIL3 and A3/DCP, max. output freq. 200Hz	6,230.00	669631	4548583967267			EA	L	GBR	9032.8900.90
CMR-LC4F0091BAC-9130	L1000A 45kW 400V with SIL3 and A3/DCP, max. output freq. 200Hz	6,595.00	669632	4548583967274			EA	L	GBR	9032.8900.90
CMR-LC4F0112CAC-9130	L1000A 55kW 400V with SIL3 and A3/DCP, max. output freq. 200Hz	7,780.00	669633	4548583967281			EA	L	GBR	9032.8900.90
CMR-LC4V0015FAA	Inverter L1000V, 400 V, HD: 15 A / 5.5 kW, IP20, max. output freq. 120Hz	1,873.00	357333	4547648926539			EA	L	GBR	9032.8900.90
CMR-LC4V0018FAA	Inverter L1000V, 400 V, HD: 18 A / 7.5 kW, IP20, max. output freq. 120Hz	1,647.00	301587	4547648870146			EA	L	GBR	9032.8900.90

**Inverters MX2**

3G3MX2-A2002-E	MX inverter drive, 0.2/0.4 kW (HD/ND), 1.6/1.9 A (HD/ND), 200 VAC, 3- input, sensorless vector, max. output freq. 580Hz	248.70	379063	4548583484153			EA	P	CHN	9032.8900.90
3G3MX2-A2002-HF	MX inverter drive, 0.2/0.4 kW (HD/ND), 1.6/1.9 A (HD/ND), 200 VAC, 3- input, sensorless vector, max. output freq. 1000Hz	261.90	392735	4548583521018			EA	P	JPN	9032.8900.90
3G3MX2-A2004-E	MX inverter drive, 0.4/0.55 kW (HD/ND), 3.0/3.5 A (HD/ND), 200 VAC, 3- input, sensorless vector, max. output freq. 580Hz	263.70	379064	4548583484160			EA	P	CHN	9032.8900.90
3G3MX2-A2004-HF	MX inverter drive, 0.4/0.55 kW (HD/ND), 3.0/3.5 A (HD/ND), 200 VAC, 3- input, sensorless vector, max. output freq. 1000Hz	318.30	392736	4548583521025			EA	P	JPN	9032.8900.90
3G3MX2-A2007-E	MX inverter drive, 0.75/1.1 kW (HD/ND), 5.0/6.0 A (HD/ND), 200 VAC, 3- input, sensorless vector, max. output freq. 580Hz	351.50	379065	4548583484177		#	EA	P	CHN	9032.8900.90
3G3MX2-A2007-HF	MX inverter drive, 0.75/1.1 kW (HD/ND), 5.0/6.0 A (HD/ND), 200 VAC, 3- input, sensorless vector, max. output freq. 1000Hz	360.20	392737	4548583521032			EA	P	JPN	9032.8900.90
3G3MX2-A2015-E	MX inverter drive, 1.5/2.2 kW (HD/ND), 8.0/9.6 A (HD/ND), 200 VAC, 3- input, sensorless vector, max. output freq. 580Hz	341.10	379066	4548583484184		#	EA	P	CHN	9032.8900.90
3G3MX2-A2015-HF	MX inverter drive, 1.5/2.2 kW (HD/ND), 8.0/9.6 A (HD/ND), 200 VAC, 3- input, sensorless vector, max. output freq. 1000Hz	387.20	392738	4548583521049			EA	P	JPN	9032.8900.90
3G3MX2-A2022-E	MX inverter drive, 2.2/3.0 kW (HD/ND), 11.0/12.0 A (HD/ND), 200 VAC, 3- input, sensorless vector, max. output freq. 580Hz	385.80	379067	4548583484191		#	EA	P	CHN	9032.8900.90
3G3MX2-A2022-HF	MX inverter drive, 2.2/3.0 kW (HD/ND), 11.0/12.0 A (HD/ND), 200 VAC, 3- input, sensorless vector, max. output freq. 1000Hz	444.40	392739	4548583521056			EA	P	JPN	9032.8900.90
3G3MX2-A2037-E	MX inverter drive, 3.7/5.5 kW (HD/ND), 17.5/19.6 A (HD/ND), 200 VAC, 3- input, sensorless vector, max. output freq. 580Hz	445.10	379068	4548583484207		#	EA	P	CHN	9032.8900.90
3G3MX2-A2037-HF	MX inverter drive, 3.7/5.5 kW (HD/ND), 17.5/19.6 A (HD/ND), 200 VAC, 3- input, sensorless vector, max. output freq. 1000Hz	514.00	392740	4548583521063			EA	P	JPN	9032.8900.90
3G3MX2-A2055-E	MX inverter drive, 5.5/7.5 kW (HD/ND), 25/30 A (HD/ND), 200 VAC, 3- input, sensorless vector, max. output freq. 580Hz	1,059.00	379069	4548583484214		#	EA	P	CHN	9032.8900.90
3G3MX2-A2055-HF	MX inverter drive, 5.5/7.5 kW (HD/ND), 25/30 A (HD/ND), 200 VAC, 3- input, sensorless vector, max. output freq. 1000Hz	1,109.00	392741	4548583521070			EA	P	JPN	9032.8900.90
3G3MX2-A2075-E	MX inverter drive, 7.5/11.0 kW (HD/ND), 33/40 A (HD/ND), 200 VAC, 3- input, sensorless vector, max. output freq. 580Hz	1,228.00	379070	4548583484221		#	EA	P	CHN	9032.8900.90
3G3MX2-A2075-HF	MX inverter drive, 7.5/11.0 kW (HD/ND), 33/40 A (HD/ND), 200 VAC, 3- input, sensorless vector, max. output freq. 1000Hz	1,279.00	392742	4548583521087			EA	P	JPN	9032.8900.90
3G3MX2-A2110-E	MX inverter drive, 11/15 kW (HD/ND), 47/56 A (HD/ND), 200 VAC, 3- input, sensorless vector, max. output freq. 580Hz	1,757.00	379071	4548583484238		#	EA	P	CHN	9032.8900.90
3G3MX2-A2110-HF	MX inverter drive, 11/15 kW (HD/ND), 47/56 A (HD/ND), 200 VAC, 3- input, sensorless vector, max. output freq. 1000Hz	1,840.00	392743	4548583521094			EA	P	JPN	9032.8900.90
3G3MX2-A2150-E	MX inverter drive, 15/18.5 kW (HD/ND), 60/69 A (HD/ND), 200 VAC, 3- input, sensorless vector, max. output freq. 580Hz	2,271.00	379072	4548583484245			EA	P	CHN	9032.8900.90
3G3MX2-A2150-HF	MX inverter drive, 15/18.5 kW (HD/ND), 60/69 A (HD/ND), 200 VAC, 3- input, sensorless vector, max. output freq. 1000Hz	2,375.00	392744	4548583521100			EA	P	JPN	9032.8900.90
3G3MX2-A4004-E	MX inverter drive, 0.4/0.75 kW (HD/ND), 1.8/2.1 A (HD/ND), 400 VAC, 3- input, sensorless vector, max. output freq. 580Hz	546.00	379073	4548583484252		#	EA	P	CHN	9032.8900.90
3G3MX2-A4004-HF	MX inverter drive, 0.4/0.75 kW (HD/ND), 1.8/2.1 A (HD/ND), 400 VAC, 3- input, sensorless vector, max. output freq. 1000Hz	569.50	392745	4548583521117			EA	P	JPN	9032.8900.90
3G3MX2-A4007-E	MX inverter drive, 0.75/1.5 kW (HD/ND), 3.4/4.1 A (HD/ND), 400 VAC, 3- input, sensorless vector, max. output freq. 580Hz	612.00	378477	4548583484276			EA	P	CHN	9032.8900.90
3G3MX2-A4007-HF	MX inverter drive, 0.75/1.5 kW (HD/ND), 3.4/4.1 A (HD/ND), 400 VAC, 3- input, sensorless vector, max. output freq. 1000Hz	641.00	392746	4548583521124			EA	P	JPN	9032.8900.90
3G3MX2-A4015-E	MX inverter drive, 1.5/2.2 kW (HD/ND), 4.8/5.4 A (HD/ND), 400 VAC, 3- input, sensorless vector, max. output freq. 580Hz	687.50	379076	4548583484290		#	EA	P	CHN	9032.8900.90
3G3MX2-A4015-HF	MX inverter drive, 1.5/2.2 kW (HD/ND), 4.8/5.4 A (HD/ND),									

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Daheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
3G3MX2-A4022-E	MX inverter drive, 2.2/3.0 kW (HD/ND), 5.5/6.9 A (HD/ND), 400 VAC, 3- sensorless vector, max. output freq. 580Hz	769.50	379078	4548583484313	#		EA	P	CHN	9032.8900.90
3G3MX2-A4022-HF	MX inverter drive, 2.2/3.0 kW (HD/ND), 5.5/6.9 A (HD/ND), 400 VAC, 3- sensorless vector, max. output freq. 1000Hz	792.50	392748	4548583521148	#		EA	P	JPN	9032.8900.90
3G3MX2-A4030-E	MX inverter drive, 3.0/4.0 kW (HD/ND), 7.2/8.8 A (HD/ND), 400 VAC, 3- sensorless vector, max. output freq. 580Hz	795.50	379080	4548583484337	#		EA	P	CHN	9032.8900.90
3G3MX2-A4030-HF	MX inverter drive, 3.0/4.0 kW (HD/ND), 7.2/8.8 A (HD/ND), 400 VAC, 3- sensorless vector, max. output freq. 1000Hz	828.00	392749	4548583521155	#		EA	P	JPN	9032.8900.90
3G3MX2-A4040-E	MX inverter drive, 4.0/5.5 kW (HD/ND), 9.2/11.1 A (HD/ND), 400 VAC, 3- sensorless vector, max. output freq. 580Hz	961.00	379082	4548583484351	#		EA	P	CHN	9032.8900.90
3G3MX2-A4040-HF	MX inverter drive, 4.0/5.5 kW (HD/ND), 9.2/11.1 A (HD/ND), 400 VAC, 3- sensorless vector, max. output freq. 1000Hz	996.00	392750	4548583521162	#		EA	P	JPN	9032.8900.90
3G3MX2-A4055-E	MX inverter drive, 5.5/7.5 kW (HD/ND), 14.8/17.5 A (HD/ND), 400 VAC, 3- sensorless vector, max. output freq. 580Hz	1234.00	379084	4548583484375	#		EA	P	CHN	9032.8900.90
3G3MX2-A4055-HF	MX inverter drive, 5.5/7.5 kW (HD/ND), 14.8/17.5 A (HD/ND), 400 VAC, 3- sensorless vector, max. output freq. 1000Hz	1272.00	392751	4548583521179	#		EA	P	JPN	9032.8900.90
3G3MX2-A4075-E	MX inverter drive, 7.5/11.0 kW (HD/ND), 18/23 A (HD/ND), 400 VAC, 3- sensorless vector, max. output freq. 580Hz	1399.00	379085	4548583484382	#		EA	P	CHN	9032.8900.90
3G3MX2-A4075-HF	MX inverter drive, 7.5/11.0 kW (HD/ND), 18/23 A (HD/ND), 400 VAC, 3- sensorless vector, max. output freq. 1000Hz	1458.00	392752	4548583521186	#		EA	P	JPN	9032.8900.90
3G3MX2-A4110-E	MX inverter drive, 11/15 kW (HD/ND), 24/31 A (HD/ND), 400 VAC, 3- sensorless vector, max. output freq. 580Hz	1547.00	378478	4548583484399	#		EA	P	CHN	9032.8900.90
3G3MX2-A4110-HF	MX inverter drive, 11/15 kW (HD/ND), 24/31 A (HD/ND), 400 VAC, 3- sensorless vector, max. output freq. 1000Hz	1760.00	392753	4548583521193	#		EA	P	JPN	9032.8900.90
3G3MX2-A4150-E	MX inverter drive, 15/18.5 kW (HD/ND), 31/38 A (HD/ND), 400 VAC, 3- sensorless vector, max. output freq. 580Hz	2015.00	379086	4548583484405	#		EA	P	CHN	9032.8900.90
3G3MX2-A4150-HF	MX inverter drive, 15/18.5 kW (HD/ND), 31/38 A (HD/ND), 400 VAC, 3- sensorless vector, max. output freq. 1000Hz	2133.00	392754	4548583521209	#		EA	P	JPN	9032.8900.90
3G3MX2-AB001-E	MX inverter drive, 0.1/0.2 kW (HD/ND), 1.0/1.2 A (HD/ND), 200 VAC, 1- input, sensorless vector, max. output freq. 580Hz	307.50	379087	4548583484412	#		EA	P	CHN	9032.8900.90
3G3MX2-AB001-HF	MX inverter drive, 0.1/0.2 kW (HD/ND), 1.0/1.2 A (HD/ND), 200 VAC, 1- input, sensorless vector, max. output freq. 1000Hz	332.20	392755	4548583521216	#		EA	P	JPN	9032.8900.90
3G3MX2-AB002-E	MX inverter drive, 0.2/0.4 kW (HD/ND), 1.6/1.9 A (HD/ND), 200 VAC, 1- input, sensorless vector, max. output freq. 580Hz	317.00	379089	4548583484436	#		EA	P	CHN	9032.8900.90
3G3MX2-AB002-HF	MX inverter drive, 0.2/0.4 kW (HD/ND), 1.6/1.9 A (HD/ND), 200 VAC, 1- input, sensorless vector, max. output freq. 1000Hz	342.10	392756	4548583521223	#		EA	P	JPN	9032.8900.90
3G3MX2-AB004-E	MX inverter drive, 0.4/0.55 kW (HD/ND), 3.0/3.5 A (HD/ND), 200 VAC, 1- input, sensorless vector, max. output freq. 580Hz	328.70	379091	4548583484450	#		EA	P	CHN	9032.8900.90
3G3MX2-AB004-HF	MX inverter drive, 0.4/0.55 kW (HD/ND), 3.0/3.5 A (HD/ND), 200 VAC, 1- input, sensorless vector, max. output freq. 1000Hz	355.20	392757	4548583521230	#		EA	P	JPN	9032.8900.90
3G3MX2-AB007-E	MX inverter drive, 0.75/1.1 kW (HD/ND), 5.0/6.0 A (HD/ND), 200 VAC, 1- input, sensorless vector, max. output freq. 580Hz	391.60	379093	4548583484474	#		EA	P	CHN	9032.8900.90
3G3MX2-AB007-HF	MX inverter drive, 0.75/1.1 kW (HD/ND), 5.0/6.0 A (HD/ND), 200 VAC, 1- input, sensorless vector, max. output freq. 1000Hz	427.60	392758	4548583521247	#		EA	P	JPN	9032.8900.90
3G3MX2-AB015-E	MX inverter drive, 1.5/2.2 kW (HD/ND), 8.0/9.6 A (HD/ND), 200 VAC, 1- input, sensorless vector, max. output freq. 580Hz	463.40	379095	4548583484498	#		EA	P	CHN	9032.8900.90
3G3MX2-AB015-HF	MX inverter drive, 1.5/2.2 kW (HD/ND), 8.0/9.6 A (HD/ND), 200 VAC, 1- input, sensorless vector, max. output freq. 1000Hz	503.50	392759	4548583521254	#		EA	P	JPN	9032.8900.90
3G3MX2-AB022-E	MX inverter drive, 2.2/3.0 kW (HD/ND), 11.0/12.0 A (HD/ND), 200 VAC, 1- input, sensorless vector, max. output freq. 580Hz	539.50	379097	4548583484511	#		EA	P	CHN	9032.8900.90
3G3MX2-AB022-HF	MX inverter drive, 2.2/3.0 kW (HD/ND), 11.0/12.0 A (HD/ND), 200 VAC, 1- input, sensorless vector, max. output freq. 1000Hz	575.50	392760	4548583521261	#		EA	P	JPN	9032.8900.90
W.E20-004MF	MX2 inverter drive, 0.4kW, 3.5A, 100 VAC 1-phase input, non CE, max. output freq. 400Hz	546.00	356702	4547648924863	#		EA	P	JPN	9032.8900.90
W.E20-007MF	MX2 inverter drive, 0.75kW, 5A, 100vac single phase input, non CE, max. output freq. 400Hz	597.50	356703	4547648924870	#		EA	P	JPN	9032.8900.90
3G3MX2-A4007-P-E	3G3MX2 inverter drive, 0.75/1.5 kW (HD/ND), 3.4/4.1 A (HD/ND), 400 VAC, 3- sensorless vector, w/o heatsink, max. output freq. 580Hz	491.00	377379	4548583379725	#		EA	P	JPN	9032.8900.90
3G3MX2-A4022-P-E	3G3MX2 inverter drive, 2.2/3.0 kW (HD/ND), 5.5/6.9 A (HD/ND), 400 VAC, 3- sensorless vector, w/o heatsink, max. output freq. 580Hz	894.50	377381	4548583379749	#		EA	P	JPN	9032.8900.90
3G3MX2-A4030-P-E	3G3MX2 inverter drive, 3.0/4.0 kW (HD/ND), 7.2/8.8 A (HD/ND), 400 VAC, 3- sensorless vector, w/o heatsink, max. output freq. 580Hz	714.50	377397	4548583442801	#		EA	P	JPN	9032.8900.90
3G3MX2-A4040-P-E	MX inverter drive, 0.4/0.55 kW (HD/ND), 3.0/3.5 A (HD/ND), 200 VAC, 1- input, sensorless vector, w/o heatsink, max. output freq. 580Hz	368.60	377385	4548583442795	#		EA	P	JPN	9032.8900.90
3G3MX2-AB007-P-E	3G3MX2 inverter drive, 0.75/1.1 kW (HD/ND), 5.0/6.0 A (HD/ND), 200 VAC, 1- input, sensorless vector, w/o heatsink, max. output freq. 580Hz	368.60	377375	4548583379688	#		EA	P	JPN	9032.8900.90
3G3MX2-A4150-P-E	MX inverter drive, 1.5/2.2 kW (HD/ND), 8.0/9.6 A (HD/ND), 200 VAC, 1- input, sensorless vector, w/o heatsink, max. output freq. 580Hz	454.70	377376	4548583379695	#		EA	P	JPN	9032.8900.90
3G3MX2-AB022-P-E	3G3MX2 inverter drive, 2.2/3.0 kW (HD/ND), 11.0/12.0 A (HD/ND), 200 VAC, 1- input, sensorless vector, w/o heatsink, max. output freq. 580Hz	531.50	377377	4548583379701	#		EA	P	JPN	9032.8900.90
3G3MX2-D4015-EC	MX Inverter drive, 1.5/2.2 kW (HD/ND), 4.8/5.4 A (HD/ND), 3- 400 VAC, sensorless vector, IP54, customizable, max. output freq. 580Hz	1,326.00	354448	4547648905589	#		EA	P	NLD	9032.8900.90
<b>Inverters FX / FR2</b>										
3G3FR2-A2004	Inverter FX2, 200 V, VLD: 4.4 A / 0.75 kW, LD: 3.7 A / 0.75 kW, ND: 3.2 A / 0.4 kW, open/closed loop vector, built-in filter, max. output freq. 590Hz, IP20	1,039.00	687637	4549734281386	#		EA	O	JPN	9032.8900.90
3G3FR2-A2007	Inverter FX2, 200 V, VLD: 8.0 A / 1.5 kW, LD: 6.3 A / 1.5 kW, ND: 5.0 A / 0.75 kW, open/closed loop vector, built-in filter, max. output freq. 590Hz, IP20	1,080.00	687638	4549734281393	#		EA	O	JPN	9032.8900.90
3G3FR2-A2015	Inverter FX2, 200 V, VLD: 10.4 A / 2.2 kW, LD: 9.4 A / 2.2 kW, ND: 8.0 A / 1.5 kW, open/closed loop vector, built-in filter, max. output freq. 590Hz, IP20	1,174.00	687639	4549734281409	#		EA	O	JPN	9032.8900.90
3G3FR2-A2022	Inverter FX2, 200 V, VLD: 15.6 A / 3.7 kW, LD: 12 A / 3.7 kW, ND: 11 A / 2.2 kW, open/closed loop vector, built-in filter, max. output freq. 590Hz, IP20	1,231.00	687640	4549734281416	#		EA	O	JPN	9032.8900.90
3G3FR2-A2037	Inverter FX2, 200 V, VLD: 22.8 A / 5.5 kW, LD: 19.6 A / 5.5 kW, ND: 17.5 A / 3.7 kW, open/closed loop vector, built-in filter, max. output freq. 590Hz, IP20	1,241.00	687641	4549734281423	#		EA	O	JPN	9032.8900.90
3G3FR2-A2055	Inverter FX2, 200 V, VLD: 33 A / 7.5 kW, LD: 30 A / 7.5 kW, ND: 25 A / 5.5 kW, open/closed loop vector, built-in filter, max. output freq. 590Hz, IP20	1,467.00	687642	4549734281430	#		EA	O	JPN	9032.8900.90
3G3FR2-A2075	Inverter FX2, 200 V, VLD: 46 A / 11 kW, LD: 40 A / 11 kW, ND: 32 A / 7.5 kW, open/closed loop vector, built-in filter, max. output freq. 590Hz, IP20	1,676.00	687643	4549734281447	#		EA	O	JPN	9032.8900.90
3G3FR2-A2110	Inverter FX2, 200 V, VLD: 60 A / 15 kW, LD: 56 A / 15 kW, ND: 46 A / 11 kW, open/closed loop vector, built-in filter, max. output freq. 590Hz, IP20	1,951.00	687644	4549734281454	#		EA	O	JPN	9032.8900.90
3G3FR2-A2150	Inverter FX2, 200 V, VLD: 80 A / 18.5 kW, LD: 73 A / 18.5 kW, ND: 64 A / 15 kW, open/closed loop vector, built-in filter, max. output freq. 590Hz, IP20	2,516.00	687645	4549734281461	#		EA	O	JPN	9032.8900.90
3G3FR2-A2185	Inverter FX2, 200 V, VLD: 93 A / 22 kW, LD: 85 A / 22 kW, ND: 76 A / 18.5 kW, open/closed loop vector, built-in filter, max. output freq. 590Hz, IP20	3,159.00	687646	4549734281478	#		EA	O	JPN	9032.8900.90
3G3FR2-A2220	Inverter FX2, 200 V, VLD: 124 A / 30 kW, LD: 113 A / 30 kW, ND: 95 A / 22 kW, open/closed loop vector, built-in filter, max. output freq. 590Hz, IP20	3,755.00	687647	4549734281485	#		EA	O	JPN	9032.8900.90
3G3FR2-A2300	Inverter FX2, 200 V, VLD: 153 A / 37 kW, LD: 140 A / 37 kW, ND: 122 A / 30 kW, open/closed loop vector, built-in filter, max. output freq. 590Hz, IP20	4,775.00	687648	4549734281492	#		EA	O	JPN	9032.8900.90
3G3FR2-A2370	Inverter FX2, 200 V, VLD: 185 A / 45 kW, LD: 169 A / 45 kW, ND: 146 A / 37 kW, open/closed loop vector, built-in filter, max. output freq. 590Hz, IP20	5,765.00	687649	4549734281508	#		EA	O	JPN	9032.8900.90
3G3FR2-A2450	Inverter FX2, 200 V, VLD: 229 A / 55 kW, LD: 210 A / 55 kW, ND: 182 A / 45 kW, open/closed loop vector, built-in filter, max. output freq. 590Hz, IP20	6,665.00	687650	4549734281515	#		EA	O	JPN	9032.8900.90
3G3FR2-A2550	Inverter FX2, 200 V, VLD: 295 A / 75 kW, LD: 270 A / 75 kW, ND: 220 A / 55 kW, open/closed loop vector, built-in filter, max. output freq. 590Hz, IP20	8,330.00	687651	4549734281522	#		EA	O	JPN	9032.8900.90
3G3FR2-A4007	Inverter FX2, 400 V, VLD: 4.1 A / 1.5 kW, LD: 3.1 A / 1.5 kW, ND: 2.5 A / 0.75 kW, open/closed loop vector, built-in filter, max. output freq. 590Hz, IP20	1,065.00	687652	4549734281539	#		EA	O	JPN	9032.8900.90
3G3FR2-A4015	Inverter FX2, 400 V, VLD: 5.4 A / 2.2 kW, LD: 4.8 A / 2.2 kW, ND: 4.0 A / 1.5 kW, open/closed loop vector, built-in filter, max. output freq. 590Hz, IP20	1,177.00	687653	4549734281546	#		EA	O	JPN	9032.8900.90
3G3FR2-A4022	Inverter FX2, 400 V, VLD: 8.3 A / 3.7 kW, LD: 6.7 A / 3.7 kW, ND: 5.5 A / 2.5 kW, open/closed loop vector, built-in filter, max. output freq. 590Hz, IP20	1,244.00	687654	4549734281553	#		EA	O	JPN	9032.8900.90
3G3FR2-A4037	Inverter FX2, 400 V, VLD: 12.6 A / 5.5 kW, LD: 11.1 A / 5.5 kW, ND: 9.2 A / 3.7 kW, open/closed loop vector, built-in filter, max. output freq. 590Hz, IP20	1,352.00	687655	4549734281560	#		EA	O	JPN	9032.8900.90
3G3FR2-A4055	Inverter FX2, 400 V, VLD: 17.5 A / 7.5 kW, LD: 16 A / 7.5 kW, ND: 14.8 A / 5.5 kW, open/closed loop vector, built-in filter, max. output freq. 590Hz, IP20	1,616.00	687656	4549734281577	#		EA	O	JPN	9032.8900.90
3G3FR2-A4075	Inverter FX2, 400 V, VLD: 25 A / 11 kW, LD: 22 A / 11 kW, ND: 19 A / 7.5 kW, open/closed loop vector, built-in filter, max. output freq. 590Hz, IP20	1,943.00	687657	4549734281584	#		EA	O	JPN	9032.8900.90
3G3FR2-A4110	Inverter FX2, 400 V, VLD: 31 A / 15 kW, LD: 29 A / 15 kW, ND: 25 A / 11 kW, open/closed loop vector, built-in filter, max. output freq. 590Hz, IP20	2,205.00	687658	4549734281591	#		EA	O	JPN	9032.8900.90
3G3FR2-A4150	Inverter FX2, 400 V, VLD: 40 A / 18.5 kW, LD: 37 A / 18.5 kW, ND: 32 A / 15 kW, open/closed loop vector, built-in filter, max. output freq. 590Hz, IP20	2,698.00	687659	4549734281607	#		EA	O	JPN	9032.8900.90
3G3FR2-A4185	Inverter FX2, 400 V, VLD: 47 A / 22 kW, LD: 43 A / 22 kW, ND: 39 A / 18.5 kW, open/closed loop vector, built-in filter, max. output freq. 590Hz, IP20	3,111.00	687660	4549734281614	#		EA	O	JPN	9032.8900.90
3G3FR2-A4220	Inverter FX2, 400 V, VLD: 62 A / 30 kW, LD: 57 A / 30 kW, ND: 48 A / 22 kW, open/closed loop vector, built-in filter, max. output freq. 590Hz, IP20	3,620.00	687661	4549734281621	#		EA	O	JPN	9032.8900.90
3G3FR2-A4300	Inverter FX2, 400 V, VLD: 77 A / 37 kW, LD: 70 A / 37 kW, ND: 61 A / 30 kW, open/closed loop vector, built-in filter, max. output freq. 590Hz, IP20	4,660.00	687662	4549734281638	#		EA	O	JPN	9032.8900.90
3G3FR2-A4370	Inverter FX2, 400 V, VLD: 93 A / 45 kW, LD: 85 A / 45 kW, ND: 75 A / 37 kW, open/closed loop vector, built-in filter, max. output freq. 590Hz, IP20	5,300.00	687663	4549734281645	#		EA	O	JPN	9032.8900.90
3G3FR2-A4450	Inverter FX2, 400 V, VLD: 116 A / 55 kW, LD: 105 A / 55 kW, ND: 91 A / 45 kW, open/closed loop vector, built-in filter, max. output freq. 590Hz, IP20	6,100.00	687664	4549734281652	#		EA	O	JPN	9032.8900.90
3G3FR2-A4550	Inverter FX									

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Daheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
3G3RX-A2015-E1F	FX inverter drive, 1.5 kW, 7.5 A, 3- 200 VAC, open/closed loop vector, built-in filter, max. output freq. 400Hz	1,185.00	379101	4548583484559			EA	Q	CHN	9032.8900.90
3G3RX-A2022-E1F	FX inverter drive, 2.2 kW, 10.5 A, 3- 200 VAC, open/closed loop vector, built-in filter, max. output freq. 400Hz	1,243.00	379102	4548583484566			EA	Q	CHN	9032.8900.90
3G3RX-A2037-E1F	FX inverter drive, 3.7 kW, 16.5 A, 3- 200 VAC, open/closed loop vector, built-in filter, max. output freq. 400Hz	1,253.00	379103	4548583484573			EA	Q	CHN	9032.8900.90
3G3RX-A2055-E1F	FX inverter drive, 5.5 kW, 24 A, 3- 200 VAC, open/closed loop vector, built-in filter, max. output freq. 400Hz	1,481.00	379104	4548583484580			EA	Q	CHN	9032.8900.90
3G3RX-A2075-E1F	FX inverter drive, 7.5 kW, 32 A, 3- 200 VAC, open/closed loop vector, built-in filter, max. output freq. 400Hz	1,692.00	379105	4548583484587			EA	Q	CHN	9032.8900.90
3G3RX-A2110-E1F	FX inverter drive, 11 kW, 46 A, 3- 200 VAC, open/closed loop vector, built-in filter, max. output freq. 400Hz	1,970.00	379106	4548583484603			EA	Q	CHN	9032.8900.90
3G3RX-A2150-E1F	FX inverter drive, 15 kW, 64 A, 3- 200 VAC, open/closed loop vector, built-in filter, max. output freq. 400Hz	2,542.00	379107	4548583484610			EA	Q	CHN	9032.8900.90
3G3RX-A2185-E1F	FX inverter drive, 18.5 kW, 76 A, 3- 200 VAC, open/closed loop vector, built-in filter, max. output freq. 400Hz	3,189.00	379108	4548583484627			EA	Q	CHN	9032.8900.90
3G3RX-A2220-E1F	FX inverter drive, 22 kW, 95 A, 3- 200 VAC, open/closed loop vector, built-in filter, max. output freq. 400Hz	3,792.00	379109	4548583484634			EA	Q	CHN	9032.8900.90
3G3RX-A2300-E1F	FX inverter drive, 30 kW, 121 A, 3- 200 VAC, open/closed loop vector, built-in filter, max. output freq. 400Hz	4,822.00	379110	4548583484641			EA	Q	CHN	9032.8900.90
3G3RX-A2370-E1F	FX inverter drive, 37 kW, 145 A, 3- 200 VAC, open/closed loop vector, built-in filter, max. output freq. 400Hz	5,825.00	379111	4548583484658			EA	Q	CHN	9032.8900.90
3G3RX-A2450-E1F	FX inverter drive, 45 kW, 182 A, 3- 200 VAC, open/closed loop vector, built-in filter, max. output freq. 400Hz	6,730.00	379112	4548583484665			EA	Q	CHN	9032.8900.90
3G3RX-A2550-E1F	FX inverter drive, 55 kW, 220 A, 3- 200 VAC, open/closed loop vector, built-in filter, max. output freq. 400Hz	8,410.00	379113	4548583484672			EA	Q	CHN	9032.8900.90
3G3RX-A4004-E1F	FX inverter drive, 0.4 kW, 1.5 A, 3- 400 VAC, open/closed loop vector, built-in filter, max. output freq. 400Hz	920.50	379114	4548583484689			EA	Q	CHN	9032.8900.90
3G3RX-A4007-E1F	FX inverter drive, 0.75 kW, 2.5 A, 3- 400 VAC, open/closed loop vector, built-in filter, max. output freq. 400Hz	1,075.00	379115	4548583484696			EA	Q	CHN	9032.8900.90
3G3RX-A4015-E1F	FX inverter drive, 1.5 kW, 3.8 A, 3- 400 VAC, open/closed loop vector, built-in filter, max. output freq. 400Hz	1,188.00	379116	4548583484702			EA	Q	CHN	9032.8900.90
3G3RX-A4022-E1F	FX inverter drive, 2.2 kW, 5.3 A, 3- 400 VAC, open/closed loop vector, built-in filter, max. output freq. 400Hz	1,256.00	379117	4548583484719			EA	Q	CHN	9032.8900.90
3G3RX-A4040-E1F	FX inverter drive, 4 kW, 9.0 A, 3- 400 VAC, open/closed loop vector, built-in filter, max. output freq. 400Hz	1,365.00	379118	4548583484726			EA	Q	CHN	9032.8900.90
3G3RX-A4055-E1F	FX inverter drive, 5.5 kW, 14.0 A, 3- 400 VAC, open/closed loop vector, built-in filter, max. output freq. 400Hz	1,633.00	379119	4548583484733	#		EA	Q	CHN	9032.8900.90
3G3RX-A4075-E1F	FX inverter drive, 7.5 kW, 19 A, 3- 400 VAC, open/closed loop vector, built-in filter, max. output freq. 400Hz	1,962.00	379120	4548583484740	#		EA	Q	CHN	9032.8900.90
3G3RX-A4110-E1F	FX inverter drive, 11 kW, 25 A, 3- 400 VAC, open/closed loop vector, built-in filter, max. output freq. 400Hz	2,115.00	379121	4548583484757	#		EA	Q	CHN	9032.8900.90
3G3RX-A4150-E1F	FX inverter drive, 15 kW, 32 A, 3- 400 VAC, open/closed loop vector, built-in filter, max. output freq. 400Hz	2,724.00	379122	4548583484764	#		EA	Q	CHN	9032.8900.90
3G3RX-A4185-E1F	FX inverter drive, 18.5 kW, 38 A, 3- 400 VAC, open/closed loop vector, built-in filter, max. output freq. 400Hz	3,142.00	379123	4548583484771	#		EA	Q	CHN	9032.8900.90
3G3RX-A4220-E1F	FX inverter drive, 22 kW, 48 A, 3- 400 VAC, open/closed loop vector, built-in filter, max. output freq. 400Hz	3,657.00	379124	4548583484778	#		EA	Q	CHN	9032.8900.90
3G3RX-A4300-E1F	FX inverter drive, 30 kW, 58 A, 3- 400 VAC, open/closed loop vector, built-in filter, max. output freq. 400Hz	4,705.00	379125	4548583484785	#		EA	Q	CHN	9032.8900.90
3G3RX-A4370-E1F	FX inverter drive, 37 kW, 75 A, 3- 400 VAC, open/closed loop vector, built-in filter, max. output freq. 400Hz	5,350.00	379126	4548583484801	#		EA	Q	CHN	9032.8900.90
3G3RX-A4450-E1F	FX inverter drive, 45 kW, 91 A, 3- 400 VAC, open/closed loop vector, built-in filter, max. output freq. 400Hz	6,160.00	379127	4548583484818	#		EA	Q	CHN	9032.8900.90
3G3RX-A4550-E1F	FX inverter drive, 55 kW, 112 A, 3- 400 VAC, open/closed loop vector, built-in filter, max. output freq. 400Hz	6,800.00	379128	4548583484825	#		EA	Q	CHN	9032.8900.90
3G3RX-B411K-E1F	FX inverter drive, 110 kW, 217 A, 3- 400 VAC, open/closed loop vector, built-in filter, max. output freq. 400Hz	11,810.00	379129	4548583484832			EA	Q	CHN	9032.8900.90
3G3RX-B413K-E1F	FX inverter drive, 132 kW, 260 A, 3- 400 VAC, open/closed loop vector, built-in filter, max. output freq. 400Hz	15,170.00	379130	4548583484849			EA	Q	CHN	9032.8900.90
3G3RX-B4750-E1F	FX inverter drive, 75 kW, 149 A, 3- 400 VAC, open/closed loop vector, built-in filter, max. output freq. 400Hz	8,900.00	379131	4548583484856	#		EA	Q	CHN	9032.8900.90
3G3RX-B4900-E1F	FX inverter drive, 90 kW, 176 A, 3- 400 VAC, open/closed loop vector, built-in filter, max. output freq. 400Hz	10,870.00	379132	4548583484863			EA	Q	CHN	9032.8900.90

**Inverters LX**

3G3LX-A4037-E	Lift inverter, 3- 400 V, 3.7 kW, 9 A, 400 V, IP20, 150x255x140mm (whd), max. output freq. 400Hz	2,804.00	353736	4547648824972			EA	R	JPN	9032.8900.90
3G3LX-A4040-E	Lift inverter, 3- 400 V, 4.0 kW, 11 A, 400 V, IP20, 210x260x170mm (whd), max. output freq. 400Hz	1,383.00	353733	4547648636643			EA	R	JPN	9032.8900.90
3G3LX-A4055-E	Lift inverter, 3- 400 V, 5.5 kW, 14 A, 400 V, IP20, 210x260x170mm (whd), max. output freq. 400Hz	1,609.00	354624	4547648762446			EA	R	JPN	9032.8900.90
3G3LX-A4075-E	Lift inverter, 3- 400 V, 7.5 kW, 19 A, 400 V, IP20, 210x260x170mm (whd), max. output freq. 400Hz	1,996.00	354619	4547648762453			EA	R	JPN	9032.8900.90
3G3LX-A4110-E	Lift inverter, 3- 400 V, 11 kW, 27 A, 400 V, IP20, 210x260x170mm (whd), max. output freq. 400Hz	2,316.00	354620	4547648762460			EA	R	JPN	9032.8900.90
3G3LX-A4150-E	Lift inverter, 3- 400 V, 15 kW, 34 A, 400 V, IP20, 250x390x190mm (whd), max. output freq. 400Hz	3,371.00	353734	4547648636681			EA	R	JPN	9032.8900.90
3G3LX-A4185-E	Lift inverter, 3- 400 V, 18.5 kW, 41 A, 400 V, IP20, 250x390x190mm (whd), max. output freq. 400Hz	3,837.00	353735	4547648636698			EA	R	JPN	9032.8900.90

**Inverters SX**

SX-A4160-EF	SX inverter IP20, 160 kW, 3- 400 VAC, direct torque control, built-in filter, max. output freq. 400 Hz	19,280.00	343392	4547648887823			EA	T	SWE	9032.8900.90
SX-A4160-EF-Y270	SX inverter IP20, 160 kW, 3- 400 VAC, direct torque control, built-in filter, max. output freq. 400 Hz	15,850.00	668318	4548583960138			EA	T	SWE	9032.8900.90
SX-A4160-EV-Y270	SX inverter IP20, 160 kW, 3- 400 VAC, V/f drive, built-in filter, max. output freq. 400 Hz	14,480.00	668326	4548583960213			EA	T	SWE	9032.8900.90
SX-A4200-EF	SX inverter IP20, 200 kW, 3- 400 VAC, direct torque control, built-in filter, max. output freq. 400 Hz	22,770.00	343393	4547648887830			EA	T	SWE	9032.8900.90
SX-A4200-EF-Y270	SX inverter IP20, 200 kW, 3- 400 VAC, direct torque control, built-in filter, max. output freq. 400 Hz	18,120.00	668295	4548583959903			EA	T	SWE	9032.8900.90
SX-A4200-EV	SX inverter IP20, 200 kW, 3- 400 VAC, V/f drive, built-in filter, max. output freq. 400 Hz	20,000.00	343382	4547648887724			EA	T	SWE	9032.8900.90
SX-A4200-EV-Y270	SX inverter IP20, 200 kW, 3- 400 VAC, V/f drive, built-in filter, max. output freq. 400 Hz	16,520.00	668327	4548583960220			EA	T	SWE	9032.8900.90
SX-A4220-EFA4	SX inverter IP20, 220 kW, 3- 400 VAC, direct torque control, built-in filter, max. output freq. 400 Hz	32,190.00	693408	4549734989558			EA	T	SWE	9032.8900.90
SX-A4220-EF-Y270	SX inverter IP20, 220 kW, 3- 400 VAC, direct torque control, built-in filter, max. output freq. 400 Hz	21,890.00	668310	4548583960053			EA	T	SWE	9032.8900.90
SX-A4220-EVA4	SX inverter IP20, 220 kW, 3- 400 VAC, V/f drive, built-in filter, max. output freq. 400 Hz	29,880.00	693409	4549734989565			EA	T	SWE	9032.8900.90
SX-A4220-EV-Y270	SX inverter IP20, 220 kW, 3- 400 VAC, V/f drive, built-in filter, max. output freq. 400 Hz	19,920.00	668311	4548583960060			EA	T	SWE	9032.8900.90
SX-A4250-EFA4	SX inverter IP20, 250 kW, 3- 400 VAC, direct torque control, built-in filter, max. output freq. 400 Hz	30,230.00	693410	4549734989572			EA	T	SWE	9032.8900.90
SX-A4250-EF-Y270	SX inverter IP20, 250 kW, 3- 400 VAC, direct torque control, built-in filter, max. output freq. 400 Hz	24,870.00	668226	4548583959217			EA	T	SWE	9032.8900.90
SX-A4250-EVA4	SX inverter IP20, 250 kW, 3- 400 VAC, V/f drive, built-in filter, max. output freq. 400 Hz	27,490.00	693411	4549734989589			EA	T	SWE	9032.8900.90
SX-A4250-EV-Y270	SX inverter IP20, 250 kW, 3- 400 VAC, V/f drive, built-in filter, max. output freq. 400 Hz	22,650.00	700770	4549734895309			EA	T	SWE	9032.8900.90
SX-A4250-EV4	SX inverter IP20, 250 kW, 3- 400 VAC, V/f drive, built-in filter, max. output freq. 400 Hz	22,650.00	668301	4548583959965			EA	T	SWE	9032.8900.90
SX-A4315-EFA4	SX inverter IP20, 315 kW, 3- 400 VAC, direct torque control, built-in filter, max. output freq. 400 Hz	43,200.00	693395	4549734989428			EA	T	SWE	9032.8900.90
SX-A4315-EF-Y270	SX inverter IP20, 315 kW, 3- 400 VAC, direct torque control, built-in filter, max. output freq. 400 Hz	28,610.00	668303	4548583959989			EA	T	SWE	9032.8900.90
SX-A4315-EVA4	SX inverter IP20, 315 kW, 3- 400 VAC, V/f drive, built-in filter, max. output freq. 400 Hz	39,170.00	693396	4549734989435			EA	T	SWE	9032.8900.90
SX-A4315-EV-Y270	SX inverter IP20, 315 kW, 3- 400 VAC, V/f drive, built-in filter, max. output freq. 400 Hz	26,040.00	668319	4548583960145			EA	T	SWE	9032.8900.90
SX-A4355-EFA4	SX inverter IP20, 355 kW, 3- 400 VAC, direct torque control, built-in filter, max. output freq. 400 Hz	38,500.00	693397	4549734989442			EA	T	SWE	9032.8900.90
SX-A4355-EF-Y270	SX inverter IP20, 355 kW, 3- 400 VAC, direct torque control, built-in filter, max. output freq. 400 Hz	31,610.00	668233	4548583959286			EA	T	SWE	9032.8900.90
SX-A4355-EVA4-Y270	SX inverter IP20, 355 kW, 3- 400 VAC, V/f drive, built-in filter, max. output freq. 400 Hz	24,650.00	699936	4549734893763			EA	T	SWE	9032.8900.90
SX-A4355-EV-Y270	SX inverter IP20, 355 kW, 3- 400 VAC, V/f drive, built-in filter, max. output freq. 400 Hz	28,790.00	668245	4548583959408			EA	T	SWE	9032.8900.90
SX-A4400-EFA4	SX inverter IP20, 400 kW, 3- 400 VAC, direct torque control, built-in filter, max. output freq. 400 Hz	44,910.00	693399	4549734989466			EA	T	SWE	9032.8900.90
SX-A4400-EF-Y270	SX inverter IP20, 400 kW, 3- 400 VAC, direct torque control, built-in filter, max. output freq. 400 Hz	36,840.00	668237	4548583959523			EA	T	SWE	9032.8900.90
SX-A4400-EVA4	SX inverter IP20, 400 kW, 3- 400 VAC, V/f drive, built-in filter, max. output freq. 400 Hz	44,880.00	693400	4549734989473			EA	T	SWE	9032.8900.90
SX-A4400-EV-Y270	SX inverter IP20, 400 kW, 3- 400 VAC, V/f drive, built-in filter, max. output freq. 400 Hz	33,540.00	668320	4548583960152			EA	T	SWE	9032.8900.90
SX-A4450-EF-Y270	SX inverter IP20, 450 kW, 3- 400 VAC, direct torque control, built-in filter, max. output freq. 400 Hz	41,280.00	668266	4548583959613			EA	T	SWE	9032.8900.90
SX-A4450-EVA4	SX inverter IP20, 450 kW, 3- 400 VAC, V/f drive, built-in filter, max. output freq. 400 Hz	53,000.00	693402	4549734989497			EA	T	SWE	9032.8900.90
SX-A4450-EV-Y270	SX inverter IP20, 450 kW, 3- 400 VAC, V/f drive, built-in filter, max. output freq. 400 Hz	37,650.00	668257	4548583959521			EA	T	SWE	9032.8900.90
SX-A4500-EFA4	SX inverter IP20, 500 kW, 3- 400 VAC, direct torque control, built-in filter, max. output freq. 400 Hz	67,000.00	693403	4549734989503			EA	T	SWE	9032.8900.90

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Daheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
SK-A4500-EF-Y270	SK inverter IP20, 500 kW, 3- 400 VAC, direct torque control, built-in filter, max. output freq. 400 Hz	44.370,00	668225	4548583959200			EA	T	SWE	9032.8900.90
SK-A4500-EV-A4	SK inverter IP20, 500 kW, 3- 400 VAC, V/f drive, built-in filter, max. output freq. 400 Hz	60.700,00	693404	4549734989510			EA	T	SWE	9032.8900.90
SK-A4500-EV-Y270	SK inverter IP20, 500 kW, 3- 400 VAC, V/f drive, built-in filter, max. output freq. 400 Hz	40.360,00	668263	4548583959583			EA	T	SWE	9032.8900.90
SK-A4630-EF-Y270	SK inverter IP20, 630 kW, 3- 400 VAC, direct torque control, built-in filter, max. output freq. 400 Hz	51.100,00	668232	4548583959279			EA	T	SWE	9032.8900.90
SK-A4630-EV-A4	SK inverter IP20, 630 kW, 3- 400 VAC, V/f drive, built-in filter, max. output freq. 400 Hz	65.000,00	693406	4549734989524			EA	T	SWE	9032.8900.90
SK-A4630-EV-Y270	SK inverter IP20, 630 kW, 3- 400 VAC, V/f drive, built-in filter, max. output freq. 400 Hz	46.390,00	668254	4548583959491			EA	T	SWE	9032.8900.90
SK-A4710-EF-Y270	SK inverter IP20, 710 kW, 3- 400 VAC, direct torque control, built-in filter, max. output freq. 400 Hz	60.150,00	668260	4548583959552			EA	T	SWE	9032.8900.90
SK-A4710-EV-Y270	SK inverter IP20, 710 kW, 3- 400 VAC, V/f drive, built-in filter, max. output freq. 400 Hz	54.750,00	668262	4548583959576			EA	T	SWE	9032.8900.90
SK-A4800-EF-Y270	SK inverter IP20, 800 kW, 3- 400 VAC, direct torque control, built-in filter, max. output freq. 400 Hz	66.550,00	668309	4548583960046			EA	T	SWE	9032.8900.90
SK-A4800-EV-A4	SK inverter IP20, 800 kW, 3- 400 VAC, V/f drive, built-in filter, max. output freq. 400 Hz	80.400,00	693383	4549734989305			EA	T	SWE	9032.8900.90
SK-A4800-EV-Y270	SK inverter IP20, 800 kW, 3- 400 VAC, V/f drive, built-in filter, max. output freq. 400 Hz	60.500,00	668227	4548583959224			EA	T	SWE	9032.8900.90
SK-A6030-EV-A4	SK inverter IP20, 30 kW, 3- 690 VAC, V/f drive, built-in filter, max. output freq. 400 Hz	8.345,00	692982	4549734989209			EA	T	SWE	9032.8900.90
SK-A6315-EFA4	SK inverter IP20, 315 kW, 3- 690 VAC, direct torque control, built-in filter, max. output freq. 400 Hz	38.660,00	693388	4549734989350			EA	T	SWE	9032.8900.90
SK-A6710-EFA4	SK inverter IP20, 710 kW, 3- 690 VAC, direct torque control, built-in filter, max. output freq. 400 Hz	103.600,00	693377	4549734989244			EA	T	SWE	9032.8900.90
SK-A6710-EVA4	SK inverter IP20, 710 kW, 3- 690 VAC, V/f drive, built-in filter, max. output freq. 400 Hz	97.800,00	693376	4549734989237			EA	T	SWE	9032.8900.90
SK-A6900-EFA4	SK inverter IP20, 900 kW, 3- 690 VAC, direct torque control, built-in filter, max. output freq. 400 Hz	127.600,00	693373	4549734989206			EA	T	SWE	9032.8900.90
SK-A6900-EVA4	SK inverter IP20, 900 kW, 3- 690 VAC, V/f drive, built-in filter, max. output freq. 400 Hz	121.600,00	693372	4549734989190			EA	T	SWE	9032.8900.90
SK-D4011-EF-Y270	SK inverter IP54, 11 kW, 3- 400 VAC, direct torque control, built-in filter, max. output freq. 400 Hz	2.645,00	668246	4548583959415			EA	T	SWE	9032.8900.90
SK-D4011-EV-Y270	SK inverter IP54, 11 kW, 3- 400 VAC, V/f drive, built-in filter, max. output freq. 400 Hz	2.396,00	668325	4548583960206			EA	T	SWE	9032.8900.90
SK-D4015-EF-Y270	SK inverter IP54, 15 kW, 3- 400 VAC, direct torque control, built-in filter, max. output freq. 400 Hz	2.897,00	668228	4548583959231			EA	T	SWE	9032.8900.90
SK-D4015-EV-Y270	SK inverter IP54, 15 kW, 3- 400 VAC, V/f drive, built-in filter, max. output freq. 400 Hz	2.762,00	668268	4548583959637			EA	T	SWE	9032.8900.90
SK-D4018-EF-Y270	SK inverter IP54, 18,5 kW, 3- 400 VAC, direct torque control, built-in filter, max. output freq. 400 Hz	3.329,00	668271	4548583959668			EA	T	SWE	9032.8900.90
SK-D4018-EV-Y270	SK inverter IP54, 18,5 kW, 3- 400 VAC, V/f drive, built-in filter, max. output freq. 400 Hz	3.164,00	668285	4548583959804			EA	T	SWE	9032.8900.90
SK-D4022-EF-Y270	SK inverter IP54, 22 kW, 3- 400 VAC, direct torque control, built-in filter, max. output freq. 400 Hz	3.642,00	668331	4548583960268			EA	T	SWE	9032.8900.90
SK-D4022-EV-A4	SK inverter IP54, 22 kW, 3- 400 VAC, V/f drive, built-in filter, max. output freq. 400 Hz	4.894,00	693455	4549734990028			EA	T	SWE	9032.8900.90
SK-D4022-EV-Y270	SK inverter IP54, 22 kW, 3- 400 VAC, V/f drive, built-in filter, max. output freq. 400 Hz	3.364,00	668255	4548583959507			EA	T	SWE	9032.8900.90
SK-D4030-EF-Y270	SK inverter IP54, 30 kW, 3- 400 VAC, direct torque control, built-in filter, max. output freq. 400 Hz	4.624,00	668289	4548583959842			EA	T	SWE	9032.8900.90
SK-D4030-EV-Y270	SK inverter IP54, 30 kW, 3- 400 VAC, V/f drive, built-in filter, max. output freq. 400 Hz	4.200,00	668314	4548583960091			EA	T	SWE	9032.8900.90
SK-D4037-EF-Y270	SK inverter IP54, 37 kW, 3- 400 VAC, direct torque control, built-in filter, max. output freq. 400 Hz	5.390,00	668300	4548583959958			EA	T	SWE	9032.8900.90
SK-D4037-EV-Y270	SK inverter IP54, 37 kW, 3- 400 VAC, V/f drive, built-in filter, max. output freq. 400 Hz	4.900,00	668317	4548583960121			EA	T	SWE	9032.8900.90
SK-D4045-EF-Y270	SK inverter IP54, 45 kW, 3- 400 VAC, direct torque control, built-in filter, max. output freq. 400 Hz	6.170,00	668273	4548583959682			EA	T	SWE	9032.8900.90
SK-D4045-EV-Y270	SK inverter IP54, 45 kW, 3- 400 VAC, V/f drive, built-in filter, max. output freq. 400 Hz	5.605,00	668284	4548583959798			EA	T	SWE	9032.8900.90
SK-D4055-EF-Y270	SK inverter IP54, 55 kW, 3- 400 VAC, direct torque control, built-in filter, max. output freq. 400 Hz	6.935,00	668278	4548583959736			EA	T	SWE	9032.8900.90
SK-D4055-EV	SK inverter IP54, 55 kW, 3- 400 VAC, V/f drive, built-in filter, max. output freq. 400 Hz	7.655,00	352769	4547648897013			EA	T	SWE	9032.8900.90
SK-D4055-EV-Y270	SK inverter IP54, 55 kW, 3- 400 VAC, V/f drive, built-in filter, max. output freq. 400 Hz	6.340,00	668277	4548583959729			EA	T	SWE	9032.8900.90
SK-D4075-EF-Y270	SK inverter IP54, 75 kW, 3- 400 VAC, direct torque control, built-in filter, max. output freq. 400 Hz	9.245,00	668235	4548583959930			EA	T	SWE	9032.8900.90
SK-D4075-EV-Y270	SK inverter IP54, 75 kW, 3- 400 VAC, V/f drive, built-in filter, max. output freq. 400 Hz	8.395,00	668312	4548583960077			EA	T	SWE	9032.8900.90
SK-D4090-EFA4	SK inverter IP54, 90 kW, 3- 400 VAC, direct torque control, built-in filter, max. output freq. 400 Hz	15.060,00	693418	4549734989657			EA	T	SWE	9032.8900.90
SK-D4090-EF-Y270	SK inverter IP54, 90 kW, 3- 400 VAC, direct torque control, built-in filter, max. output freq. 400 Hz	10.780,00	668328	4548583960237			EA	T	SWE	9032.8900.90
SK-D4090-EVA4	SK inverter IP54, 90 kW, 3- 400 VAC, V/f drive, built-in filter, max. output freq. 400 Hz	13.820,00	693417	4549734989640			EA	T	SWE	9032.8900.90
SK-D4090-EV-Y270	SK inverter IP54, 90 kW, 3- 400 VAC, V/f drive, built-in filter, max. output freq. 400 Hz	9.810,00	668292	4548583959873			EA	T	SWE	9032.8900.90
SK-D40P7-EF-Y270	SK inverter IP54, 0.75 kW, 3- 400 VAC, direct torque control, built-in filter, max. output freq. 400 Hz	1.796,00	668230	4548583959255			EA	T	SWE	9032.8900.90
SK-D40P7-EV-Y270	SK inverter IP54, 0.75 kW, 3- 400 VAC, V/f drive, built-in filter, max. output freq. 400 Hz	1.600,00	668229	4548583959248			EA	T	SWE	9032.8900.90
SK-D4110-EFA4	SK inverter IP54, 110 kW, 3- 400 VAC, direct torque control, built-in filter, max. output freq. 400 Hz	17.240,00	693464	4549734990110			EA	T	SWE	9032.8900.90
SK-D4110-EF-Y270	SK inverter IP54, 110 kW, 3- 400 VAC, direct torque control, built-in filter, max. output freq. 400 Hz	12.340,00	668239	4548583959347			EA	T	SWE	9032.8900.90
SK-D4110-EVA4	SK inverter IP54, 110 kW, 3- 400 VAC, V/f drive, built-in filter, max. output freq. 400 Hz	15.670,00	693465	4549734990127			EA	T	SWE	9032.8900.90
SK-D4110-EV-Y270	SK inverter IP54, 110 kW, 3- 400 VAC, V/f drive, built-in filter, max. output freq. 400 Hz	11.230,00	668274	4548583959689			EA	T	SWE	9032.8900.90
SK-D4132-EFA4	SK inverter IP54, 132 kW, 3- 400 VAC, direct torque control, built-in filter, max. output freq. 400 Hz	19.390,00	693473	4549734990202			EA	T	SWE	9032.8900.90
SK-D4132-EF-Y270	SK inverter IP54, 132 kW, 3- 400 VAC, direct torque control, built-in filter, max. output freq. 400 Hz	13.870,00	668306	4548583960015			EA	T	SWE	9032.8900.90
SK-D4132-EVA4	SK inverter IP54, 132 kW, 3- 400 VAC, V/f drive, built-in filter, max. output freq. 400 Hz	18.400,00	693474	4549734990219			EA	T	SWE	9032.8900.90
SK-D4132-EV-Y270	SK inverter IP54, 132 kW, 3- 400 VAC, V/f drive, built-in filter, max. output freq. 400 Hz	12.610,00	668322	4548583960176			EA	T	SWE	9032.8900.90
SK-D4160-EIF	SK inverter IP54, 160 kW, 3- 400 VAC, direct torque control, built-in filter, max. output freq. 400 Hz	32.090,00	373513	4547648950664			EA	T	SWE	9032.8900.90
SK-D4160-EIF-Y270	SK inverter IP54, 160 kW, 3- 400 VAC, direct torque control, built-in filter, max. output freq. 400 Hz	25.060,00	668248	4548583959439			EA	T	SWE	9032.8900.90
SK-D4160-EIV	SK inverter IP54, 160 kW, 3- 400 VAC, V/f drive, built-in filter, max. output freq. 400 Hz	31.400,00	373514	4547648950671			EA	T	SWE	9032.8900.90
SK-D4160-EIV-Y270	SK inverter IP54, 160 kW, 3- 400 VAC, V/f drive, built-in filter, max. output freq. 400 Hz	24.350,00	668240	4548583959354			EA	T	SWE	9032.8900.90
SK-D41P5-EF-Y270	SK inverter IP54, 1.5 kW, 3- 400 VAC, direct torque control, built-in filter, max. output freq. 400 Hz	1.855,00	668231	4548583959262			EA	T	SWE	9032.8900.90
SK-D41P5-EV-Y270	SK inverter IP54, 1.5 kW, 3- 400 VAC, V/f drive, built-in filter, max. output freq. 400 Hz	1.652,00	668261	4548583959569			EA	T	SWE	9032.8900.90
SK-D4200-EIF	SK inverter IP54, 200 kW, 3- 400 VAC, direct torque control, built-in filter, max. output freq. 400 Hz	32.350,00	373515	4547648950688			EA	T	SWE	9032.8900.90
SK-D4200-EIF-Y270	SK inverter IP54, 200 kW, 3- 400 VAC, direct torque control, built-in filter, max. output freq. 400 Hz	27.400,00	668288	4548583959835			EA	T	SWE	9032.8900.90
SK-D4200-EIV	SK inverter IP54, 200 kW, 3- 400 VAC, V/f drive, built-in filter, max. output freq. 400 Hz	35.570,00	373516	4547648950695			EA	T	SWE	9032.8900.90
SK-D4200-EIV-Y270	SK inverter IP54, 200 kW, 3- 400 VAC, V/f drive, built-in filter, max. output freq. 400 Hz	26.620,00	668315	4548583960107			EA	T	SWE	9032.8900.90
SK-D4220-EIFA4	SK inverter IP54, 220 kW, 3- 400 VAC, direct torque control, built-in filter, max. output freq. 400 Hz	42.230,00	693489	4549734990363			EA	T	SWE	9032.8900.90
SK-D4220-EIF-Y270	SK inverter IP54, 220 kW, 3- 400 VAC, direct torque control, built-in filter, max. output freq. 400 Hz	32.270,00	668289	4548583959644			EA	T	SWE	9032.8900.90
SK-D4220-EIV-A4	SK inverter IP54, 220 kW, 3- 400 VAC, V/f drive, built-in filter, max. output freq. 400 Hz	40.210,00	693492	4549734990394			EA	T	SWE	9032.8900.90
SK-D4220-EIV-Y270	SK inverter IP54, 220 kW, 3- 400 VAC, V/f drive, built-in filter, max. output freq. 400 Hz	31.340,00	668267	4548583959620			EA	T	SWE	9032.8900.90
SK-D4250-EIFA4	SK inverter IP54, 250 kW, 3- 400 VAC, direct torque control, built-in filter, max. output freq. 400 Hz	47.220,00	693497	4549734990448			EA	T	SWE	9032.8900.90
SK-D4250-EIF-Y270	SK inverter IP54, 250 kW, 3- 400 VAC, direct torque control, built-in filter, max. output freq. 400 Hz	35.380,00	668316	4548583960114			EA	T	SWE	9032.8900.90
SK-D4250-EIV-A4	SK inverter IP54, 250 kW, 3- 400 VAC, V/f drive, built-in filter, max. output freq. 400 Hz	39.570,00	693500	4549734990479			EA	T	SWE	9032.8900.90
SK-D4250-EIV-Y270	SK inverter IP54, 250 kW, 3- 400 VAC, V/f drive, built-in filter, max. output freq. 400 Hz	34.330,00	668294	4548583959897			EA	T	SWE	9032.8900.90
SK-D42P2-EF-Y270	SK inverter IP54, 2.2 kW, 3- 400 VAC, direct torque control, built-in filter, max. output freq. 400 Hz	1.925,00	668258	4548583959538			EA	T	SWE	9032.8900.90
SK-D42P2-EV-Y270	SK inverter IP54, 2.2 kW, 3- 400 VAC, V/f drive, built-in filter, max. output freq. 400 Hz	1.852,00	668259	4548583959545			EA	T	SWE	9032.8900.90
SK-D4315-EIFA4	SK inverter IP54, 315 kW, 3- 400 VAC, direct torque control, built-in filter, max. output freq. 400 Hz	48.410,00	693505	4549734990523			EA	T	SWE	9032.8900.90
SK-D4315-EIF-Y270	SK inverter IP54, 315 kW, 3- 400 VAC, direct torque control, built-in filter, max. output freq. 400 Hz	43.090,00	668305	4548583960008			EA	T	SWE	9032.8900.90
SK-D4315-EIV-A4	SK inverter IP54, 315 kW, 3- 400 VAC, V/f drive, built-in filter, max. output freq. 400 Hz	55.000,00	693508	4549734990554			EA	T	SWE	

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Daheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
SK-D4355-E1VA4	SK inverter IP54, 355 kW, 3- 400 VAC, V/f drive, built-in filter, max. output freq. 400 Hz	60.300,00	693516	4549734990639			EA	T	SWE	9032.8900.90
SK-D4355-E1V-Y270	SK inverter IP54, 355 kW, 3- 400 VAC, V/f drive, built-in filter, max. output freq. 400 Hz	44.850,00	668291	4548583959866			EA	T	SWE	9032.8900.90
SK-D4390-EF-Y270	SK inverter IP54, 3 kW, 3- 400 VAC, direct torque control, built-in filter, max. output freq. 400 Hz	1.976,00	668329	4548583959244			EA	T	SWE	9032.8900.90
SK-D4390-EV-Y270	SK inverter IP54, 3 kW, 3- 400 VAC, V/f drive, built-in filter, max. output freq. 400 Hz	1.898,00	668247	4548583959422			EA	T	SWE	9032.8900.90
SK-D4400-E1FA4	SK inverter IP54, 400 kW, 3- 400 VAC, direct torque control, built-in filter, max. output freq. 400 Hz	58.550,00	693521	4549734990684			EA	T	SWE	9032.8900.90
SK-D4400-E1F-Y270	SK inverter IP54, 400 kW, 3- 400 VAC, direct torque control, built-in filter, max. output freq. 400 Hz	51.750,00	668286	4548583959811			EA	T	SWE	9032.8900.90
SK-D4400-E1VA4	SK inverter IP54, 400 kW, 3- 400 VAC, V/f drive, built-in filter, max. output freq. 400 Hz	64.650,00	693524	4549734990714			EA	T	SWE	9032.8900.90
SK-D4400-E1V-Y270	SK inverter IP54, 400 kW, 3- 400 VAC, V/f drive, built-in filter, max. output freq. 400 Hz	50.150,00	668307	4548583960022			EA	T	SWE	9032.8900.90
SK-D4450-E1FA4	SK inverter IP54, 450 kW, 3- 400 VAC, direct torque control, built-in filter, max. output freq. 400 Hz	80.400,00	693527	4549734990745			EA	T	SWE	9032.8900.90
SK-D4450-E1F-Y270	SK inverter IP54, 450 kW, 3- 400 VAC, direct torque control, built-in filter, max. output freq. 400 Hz	60.500,00	668323	4548583960183			EA	T	SWE	9032.8900.90
SK-D4450-E1VA4	SK inverter IP54, 450 kW, 3- 400 VAC, V/f drive, built-in filter, max. output freq. 400 Hz	75.450,00	693530	4549734990776			EA	T	SWE	9032.8900.90
SK-D4450-E1V-Y270	SK inverter IP54, 450 kW, 3- 400 VAC, V/f drive, built-in filter, max. output freq. 400 Hz	58.750,00	668241	4548583959361			EA	T	SWE	9032.8900.90
SK-D4490-EF-Y270	SK inverter IP54, 4 kW, 3- 400 VAC, direct torque control, built-in filter, max. output freq. 400 Hz	2.010,00	668293	4548583959880			EA	T	SWE	9032.8900.90
SK-D4490-EV-Y270	SK inverter IP54, 4 kW, 3- 400 VAC, V/f drive, built-in filter, max. output freq. 400 Hz	1.934,00	668290	4548583959859			EA	T	SWE	9032.8900.90
SK-D4500-E1FA4	SK inverter IP54, 500 kW, 3- 400 VAC, direct torque control, built-in filter, max. output freq. 400 Hz	137.300,00	693537	4549734990844			EA	T	SWE	9032.8900.90
SK-D4500-E1F-Y270	SK inverter IP54, 500 kW, 3- 400 VAC, direct torque control, built-in filter, max. output freq. 400 Hz	63.650,00	668243	4548583959385			EA	T	SWE	9032.8900.90
SK-D4500-E1VA4	SK inverter IP54, 500 kW, 3- 400 VAC, V/f drive, built-in filter, max. output freq. 400 Hz	79.400,00	693539	4549734990968			EA	T	SWE	9032.8900.90
SK-D4500-E1V-Y270	SK inverter IP54, 500 kW, 3- 400 VAC, V/f drive, built-in filter, max. output freq. 400 Hz	61.850,00	668244	4548583959392			EA	T	SWE	9032.8900.90
SK-D4595-EF-Y270	SK inverter IP54, 5.5 kW, 3- 400 VAC, direct torque control, built-in filter, max. output freq. 400 Hz	2.091,00	668264	4548583959590			EA	T	SWE	9032.8900.90
SK-D4595-EV4-GR	SK inverter IP54, 5.5 kW, 3- 400 VAC, V/f drive, built-in filter, max. output freq. 400 Hz with coated board and marine option.	2.525,00	693519	4549734996242			EA	T	SWE	9032.8900.90
SK-D4595-EV-Y270	SK inverter IP54, 5.5 kW, 3- 400 VAC, V/f drive, built-in filter, max. output freq. 400 Hz	2.012,00	668265	4548583959606			EA	T	SWE	9032.8900.90
SK-D4630-E1FA4	SK inverter IP54, 630 kW, 3- 400 VAC, direct torque control, built-in filter, max. output freq. 400 Hz	97.450,00	693543	4549734990905			EA	T	SWE	9032.8900.90
SK-D4630-E1F-Y270	SK inverter IP54, 630 kW, 3- 400 VAC, direct torque control, built-in filter, max. output freq. 400 Hz	74.850,00	668287	4548583959828			EA	T	SWE	9032.8900.90
SK-D4630-E1VA4	SK inverter IP54, 630 kW, 3- 400 VAC, V/f drive, built-in filter, max. output freq. 400 Hz	93.450,00	693544	4549734990912			EA	T	SWE	9032.8900.90
SK-D4630-E1V-Y270	SK inverter IP54, 630 kW, 3- 400 VAC, V/f drive, built-in filter, max. output freq. 400 Hz	72.750,00	668276	4548583959712			EA	T	SWE	9032.8900.90
SK-D4710-E1F-Y270	SK inverter IP54, 710 kW, 3- 400 VAC, direct torque control, built-in filter, max. output freq. 400 Hz	86.050,00	668283	4548583959781			EA	T	SWE	9032.8900.90
SK-D4710-E1V-Y270	SK inverter IP54, 710 kW, 3- 400 VAC, V/f drive, built-in filter, max. output freq. 400 Hz	83.450,00	668275	4548583959705			EA	T	SWE	9032.8900.90
SK-D4775-EF-Y270	SK inverter IP54, 7.5 kW, 3- 400 VAC, direct torque control, built-in filter, max. output freq. 400 Hz	2.446,00	668236	4548583959316			EA	T	SWE	9032.8900.90
SK-D4775-EV-Y270	SK inverter IP54, 7.5 kW, 3- 400 VAC, V/f drive, built-in filter, max. output freq. 400 Hz	2.159,00	668313	4548583960084			EA	T	SWE	9032.8900.90
SK-D4800-E1FA4	SK inverter IP54, 800 kW, 3- 400 VAC, direct torque control, built-in filter, max. output freq. 400 Hz	120.900,00	693547	4549734990943			EA	T	SWE	9032.8900.90
SK-D4800-E1F-Y270	SK inverter IP54, 800 kW, 3- 400 VAC, direct torque control, built-in filter, max. output freq. 400 Hz	90.150,00	668332	4548583960275			EA	T	SWE	9032.8900.90
SK-D4800-E1VA4	SK inverter IP54, 800 kW, 3- 400 VAC, V/f drive, built-in filter, max. output freq. 400 Hz	112.600,00	693548	4549734990950			EA	T	SWE	9032.8900.90
SK-D4800-E1V-Y270	SK inverter IP54, 800 kW, 3- 400 VAC, V/f drive, built-in filter, max. output freq. 400 Hz	87.550,00	668282	4548583959774			EA	T	SWE	9032.8900.90
SK-D6090-EFA4	SK inverter IP54, 90 kW, 3- 690 VAC, direct torque control, built-in filter, max. output freq. 400 Hz	18.840,00	693550	4549734990974			EA	T	SWE	9032.8900.90
SK-D6090-EVA4	SK inverter IP54, 90 kW, 3- 690 VAC, V/f drive, built-in filter, max. output freq. 400 Hz	17.900,00	693551	4549734990981			EA	T	SWE	9032.8900.90
SK-D6110-EFA4	SK inverter IP54, 110 kW, 3- 690 VAC, direct torque control, built-in filter, max. output freq. 400 Hz	23.430,00	693556	4549734991032			EA	T	SWE	9032.8900.90
SK-D6110-EVA4	SK inverter IP54, 110 kW, 3- 690 VAC, V/f drive, built-in filter, max. output freq. 400 Hz	22.290,00	693557	4549734991049			EA	T	SWE	9032.8900.90
SK-D6132-EFA4	SK inverter IP54, 132 kW, 3- 690 VAC, direct torque control, built-in filter, max. output freq. 400 Hz	26.330,00	693559	4549734991094			EA	T	SWE	9032.8900.90
SK-D6132-EVA4	SK inverter IP54, 132 kW, 3- 690 VAC, V/f drive, built-in filter, max. output freq. 400 Hz	25.100,00	693565	4549734991100			EA	T	SWE	9032.8900.90
SK-D6160-EFA4	SK inverter IP54, 160 kW, 3- 690 VAC, direct torque control, built-in filter, max. output freq. 400 Hz	30.750,00	693568	4549734991155			EA	T	SWE	9032.8900.90
SK-D6160-EV	SK inverter IP20, 1000 kW, 3- 690 VAC, V/f drive, built-in filter, max. output freq. 400 Hz	172.900,00	338541	4547848816762			EA	T	NLD	9032.8900.90
SK-D6200-EFA4	SK inverter IP54, 200 kW, 3- 690 VAC, direct torque control, built-in filter, max. output freq. 400 Hz	48.670,00	693573	4549734991209			EA	T	SWE	9032.8900.90
SK-D6200-EVA4	SK inverter IP54, 200 kW, 3- 690 VAC, V/f drive, built-in filter, max. output freq. 400 Hz	46.870,00	693574	4549734991216			EA	T	SWE	9032.8900.90
SK-D6200-E1FA4	SK inverter IP54, 200 kW, 3- 690 VAC, direct torque control, built-in filter, max. output freq. 400 Hz, with IT net, Stand by power supply, Safe stop, Coated board, EtherCAT and Marine option.	22.120,00	694940	4549734995320			EA	T	SWE	9032.8900.90
SK-D6250-E1FA4	SK inverter IP54, 250 kW, 3- 690 VAC, direct torque control, built-in filter, max. output freq. 400 Hz	58.000,00	693575	4549734991223			EA	T	SWE	9032.8900.90
SK-D6250-E1VA4	SK inverter IP54, 250 kW, 3- 690 VAC, V/f drive, built-in filter, max. output freq. 400 Hz	55.700,00	693578	4549734991254			EA	T	SWE	9032.8900.90
SK-D6315-E1FA4	SK inverter IP54, 315 kW, 3- 690 VAC, direct torque control, built-in filter, max. output freq. 400 Hz	69.350,00	693581	4549734991285			EA	T	SWE	9032.8900.90
SK-D6315-E1VA4	SK inverter IP54, 315 kW, 3- 690 VAC, V/f drive, built-in filter, max. output freq. 400 Hz	66.700,00	693584	4549734991315			EA	T	SWE	9032.8900.90
SK-D6355-E1FA4	SK inverter IP54, 355 kW, 3- 690 VAC, direct torque control, built-in filter, max. output freq. 400 Hz	75.050,00	693587	4549734991346			EA	T	SWE	9032.8900.90
SK-D6355-E1VA4	SK inverter IP54, 355 kW, 3- 690 VAC, V/f drive, built-in filter, max. output freq. 400 Hz	72.400,00	693590	4549734991377			EA	T	SWE	9032.8900.90
SK-D6450-E1FA4	SK inverter IP54, 450 kW, 3- 690 VAC, direct torque control, built-in filter, max. output freq. 400 Hz	90.750,00	693595	4549734991421			EA	T	SWE	9032.8900.90
SK-D6450-E1VA4	SK inverter IP54, 450 kW, 3- 690 VAC, V/f drive, built-in filter, max. output freq. 400 Hz	87.450,00	693598	4549734991452			EA	T	SWE	9032.8900.90
SK-D6500-E1FA4	SK inverter IP54, 500 kW, 3- 690 VAC, direct torque control, built-in filter, max. output freq. 400 Hz	137.300,00	693601	4549734991483			EA	T	SWE	9032.8900.90
SK-D6500-E1VA4	SK inverter IP54, 500 kW, 3- 690 VAC, V/f drive, built-in filter, max. output freq. 400 Hz	97.450,00	693602	4549734991490			EA	T	SWE	9032.8900.90
SK-D6600-E1FA4	SK inverter IP54, 600 kW, 3- 690 VAC, direct torque control, built-in filter, max. output freq. 400 Hz	81.500,00	693609	4549734991568			EA	T	SWE	9032.8900.90
SK-D6600-E1VA4	SK inverter IP54, 600 kW, 3- 690 VAC, V/f drive, built-in filter, max. output freq. 400 Hz	109.100,00	693610	4549734991575			EA	T	SWE	9032.8900.90
SK-D6630-E1FA4	SK inverter IP54, 630 kW, 3- 690 VAC, direct torque control, built-in filter, max. output freq. 400 Hz	122.200,00	693611	4549734991582			EA	T	SWE	9032.8900.90
SK-D6630-E1VA4	SK inverter IP54, 630 kW, 3- 690 VAC, V/f drive, built-in filter, max. output freq. 400 Hz	117.600,00	693612	4549734991599			EA	T	SWE	9032.8900.90
SK-D6710-E1FA4	SK inverter IP54, 710 kW, 3- 690 VAC, direct torque control, built-in filter, max. output freq. 400 Hz	134.300,00	693613	4549734991605			EA	T	SWE	9032.8900.90
SK-D6710-E1VA4	SK inverter IP54, 710 kW, 3- 690 VAC, V/f drive, built-in filter, max. output freq. 400 Hz	128.900,00	693614	4549734991612			EA	T	SWE	9032.8900.90
SK-D6800-E1FA4	SK inverter IP54, 800 kW, 3- 690 VAC, direct torque control, built-in filter, max. output freq. 400 Hz	153.800,00	693615	4549734991629			EA	T	SWE	9032.8900.90
SK-D6800-E1VA4	SK inverter IP54, 800 kW, 3- 690 VAC, V/f drive, built-in filter, max. output freq. 400 Hz	147.700,00	693616	4549734991636			EA	T	SWE	9032.8900.90
SK-D6900-E1FA4	SK inverter IP54, 900 kW, 3- 690 VAC, direct torque control, built-in filter, max. output freq. 400 Hz	167.100,00	693617	4549734991643			EA	T	SWE	9032.8900.90
SK-D6900-E1VA4	SK inverter IP54, 900 kW, 3- 690 VAC, V/f drive, built-in filter, max. output freq. 400 Hz	160.400,00	693370	4549734989176			EA	T	SWE	9032.8900.90
SK-D4055-E1FLA4-U	Low harmonic SX, 55 kW, 400 V, IP54, DTC, with main switch and contactor, max. output freq. 400 Hz	33.580,00	693438	4549734989855			EA	T	SWE	9032.8900.90
SK-D4055-E1FRA4-U	Regenerative SX, 55 kW, 400 V, DTC, with main switch and contactor, max. output freq. 400 Hz	36.790,00	693437	4549734989848			EA	T	SWE	9032.8900.90
SK-D4055-E1VLA4-U	Low harmonic SX, 55 kW, 400 V, IP54, V/f, with main switch and contactor, max. output freq. 400 Hz	31.980,00	693436	4549734989831			EA	T	SWE	9032.8900.90
SK-D4055-E1VRA4-U	Regenerative SX, 55 kW, 400 V, V/f, with main switch and contactor, max. output freq. 400 Hz	35.040,00	693435	4549734989824			EA	T	SWE	9032.8900.90
SK-D4075-E1VL-U-Y270	Low harmonic SX, 75 kW, 400 VAC, IP54, V/f, with main switch and contactor, max. output freq. 400 Hz	29.030,00	675269	4549734901086			EA	T	SWE	9032.8900.90
SK-D4090-E1FLA4-U	Low harmonic SX, 90 kW, 400 V, IP54, DTC, with main switch and contactor, max. output freq. 400 Hz	31.270,00	693422	4549734989695			EA	T	SWE	9032.8900.90
SK-D4090-E1VLA4-U	Low harmonic SX, 90 kW, 400 V, IP54, V/f, with main switch and contactor, max. output freq. 400 Hz	33.840,00	693420	4549734989671			EA	T	SWE	9032.8900.90
SK-D4110-E1FLA4-U	Low harmonic SX, 110 kW, 400 V, IP54, DTC, with main switch and contactor, max. output freq. 400 Hz	36.890,00	693413	4549734989662			EA	T	SWE	9032.8900.90
SK-D4110-E1VLA4-U-Y270	Low harmonic SX, 110 kW, 400 VAC, IP54, V/f, with main switch and contactor, max. output freq. 400 Hz	33.940,00	675268	4549734901079			EA	T	SWE	9032.8900.90
SK-D4132-E1FLA4-U	Low harmonic SX, 132 kW, 400 V, IP54, DTC, with main switch and contactor, max. output freq. 400 Hz	45.590,00	693469	454						

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Daheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
SK-D4160-E1VR-U-Y270	Regenerative SX, 160 kW, 400 VAC, V/f, with main switch and contactor, max. output freq. 400 Hz	45.290,00	672480	4548583981379			EA	T	SWE	9032.8900.90
SK-D4200-E1VLA4-U	Low harmonic SX, 200 kW, 400 V, IP54, V/f, with main switch and contactor, max. output freq. 400 Hz	66.700,00	693486	4549734990332			EA	T	SWE	9032.8900.90
SK-D4200-E1VLA-U-Y270	Regenerative SX, 200 kW, 400 V, V/f, with main switch and contactor, max. output freq. 400 Hz	57.750,00	672481	4548583981386			EA	T	SWE	9032.8900.90
SK-D4250-E1VLA4-U	Low harmonic SX, 315 kW, 400 V, IP54, DTC, with main switch and contactor, max. output freq. 400 Hz	76.450,00	693501	4549734990496			EA	T	SWE	9032.8900.90
SK-D4315-E1FLA4-U	Low harmonic SX, 250 kW, 400 V, IP54, V/f, with main switch and contactor, max. output freq. 400 Hz	89.850,00	693506	4549734990530			EA	T	SWE	9032.8900.90
SK-D4315-E1VLA4-U	Low harmonic SX, 315 kW, 400 V, IP54, V/f, with main switch and contactor, max. output freq. 400 Hz	85.600,00	693509	4549734990561			EA	T	SWE	9032.8900.90
SK-D4355-E1VL-U-Y270	Low harmonic SX, 355 kW, 400 VAC, IP54, V/f, with main switch and contactor, max. output freq. 400 Hz	93.500,00	675267	4549734901062			EA	T	SWE	9032.8900.90
SK-D4400-E1FLA4-U	Low harmonic SX, 400 kW, 400 V, IP54, DTC, with main switch and contactor, max. output freq. 400 Hz	116.000,00	693522	4549734990691			EA	T	SWE	9032.8900.90
SK-D4400-E1VL-U-Y270	Low harmonic SX, 400 kW, 400 V, IP54, V/f, with main switch and contactor, max. output freq. 400Hz	100.500,00	675313	4549734901284			EA	T	SWE	9032.8900.90
SK-D4400-E1VR-U-Y270	Regenerative SX, 400 kW, 400 V, V/f, with main switch and contactor, max. output freq. 400Hz	103.200,00	672482	4548583981393			EA	T	SWE	9032.8900.90
SK-D4450-E1VLA4-U	Low harmonic SX, 450 kW, 400 V, IP54, V/f, with main switch and contactor, max. output freq. 400 Hz	129.800,00	693531	4549734990783			EA	T	SWE	9032.8900.90
<b>Other Inverter</b>										
01-7098-60	Power board EF 380-480 Coat+glue	2.310,00	700823	4549734895637			EA	X	SWE	8503.0099.99
08025DE-24P-BL-01	08025DE-24P-BL-01 FAN DC24V.0.35A	61.55	688435	4549734971782			EA	X	DEU	8414.5925.90
09238RE-24L-FLD-1	09238RE-24L-FLD-1 FAN DC24V.0.53A	107.70	688436	4549734971799			EA	X	DEU	8414.5925.90
12038VE-24R-BL-01	12038VE-24R-BL-01 FAN DC24V.1.48A	180.50	688437	4549734971805			EA	X	DEU	8414.5925.90
9S35724A5D63	9S35724A5D63 FAN DC24V TYP.2.6A	798.00	688438	4549734971812			EA	X	DEU	8414.5925.90
MMF-08D24DS-ACA	Separate part fan for FV inverter	60.50	22475	4547648925075			EA	X	ESP	8414.5925.90
MMF-08L24TS-CN1	MMF-08L24TS-CN1 FAN DC24V.0.34A	61.55	688434	4549734971775			EA	X	DEU	8414.5925.90
MMF-12F24DS-CN1	A1000 Fan	112.60	679863	4549734934992			EA	X	DEU	8414.5925.90
<b>Accessory for Inverter</b>										
AX-CJUSB002-E	Mini USB to USB connector cable	44.88	322128	4547648872188			EA	Z	ITA	8503.0099.99
3G3AX-OP01	LED remote operator panel, cable length max. 3m	80.35	335480	4547648489751			EA	Z	JPN	8523.8090.00
3G3AX-OP03	LED remote operator panel	248.70	357795	4548583121751	#		EA	Z	JPN	8503.0099.99
3G3AX-OP05	5 line LCD digital operator with copy function	316.60	376184	4548583096110			EA	Z	JPN	8523.8090.00
3G3AX-OP05-B-E	Blind cover to be used in combination with communication option boards	6.67	372905	4547648949590			EA	Z	NLD	8503.0099.99
3G3AX-OP05-H-E	3G3 RX option, holder for LCD operator	54.60	356399	4548583059078			EA	Z	NLD	8503.0099.99
4X-KTMINI	Mounting accessory for 3G3AX OP01 operator, IP54	63.00	327250	4547648878654			EA	Z	JPN	8473.3080.00
SK-OP02-01-E	Blank panel kit	171.70	358164	4547648928250			EA	Z	SWE	9032.8900.90
SK-OP04-00-E	Accessory inverter, SX, Inverter digital 4-lines operator.	363.60	694164	4549734994569			EA	Z	SWE	9032.8900.90
01-3876-03	SX-series input board for 5V and 24V differential encoders, range 5-16384 pulse/rotation	331.00	356937	4547648925433			EA	Z	SWE	8503.0099.99
01-3876-04	SX-series Modbus RTU RS-232C 485 option board	223.50	355180	4547648909549			EA	Z	SWE	8517.6200.00
01-3876-05	SX-series PROFIBUS DP option board	523.50	356403	4547648924191			EA	Z	SWE	8517.6200.00
01-3876-06	SX-series DeviceNet option board	523.50	326039	4547648878173			EA	Z	SWE	8517.6200.00
01-3876-08	SX-series PTC/P100 therm. at protection option board	161.00	354784	4547648907552			EA	Z	SWE	9032.8900.90
01-3876-09	SX-series Modbus TCP option board	550.00	356839	4547648925457			EA	Z	SWE	8517.6200.00
01-3876-10	SX-series EtherCAT option board	550.00	358169	4547648928304			EA	Z	SWE	8517.6200.00
01-3876-11	SX-series PROFINET IO option board 1 port	454.20	366951	4547648939867			EA	Z	SWE	8517.6200.00
01-3876-12	SX-series PROFINET IO option board 2 ports	494.40	366952	4547648939874			EA	Z	SWE	8517.6200.00
052220 Overshoot clamp stacked	Overshoot clamp stacked inverter (SX)	573.50	393580	4547648985741			EA	Z	SWE	8503.0099.99
3G3AX-ABS30-E	Dual encoder feedback board, differential pulse, EnDat, Hiperface, 30 kHz	566.50	355360	4548583080164			EA	Z	JPN	9032.8900.90
3G3AX-EIO-E	Expansion I/O board; 5 DI, 2 DO [relay] and 1 DO [open collector]	167.60	355362	4548583080188			EA	Z	JPN	9032.8900.90
3G3AX-MX2-CRT-E	CompoNet option card	164.40	335663	4547648767910			EA	Z	NLD	8517.6200.00
3G3AX-MX2-DRT-E	DeviceNet option card for MX2 inverter	164.10	329711	4547648767903			EA	Z	NLD	8517.6200.00
3G3AX-MX2-ECT	MX2 EtherCAT option card	399.20	343139	4547648834803	#		EA	Z	JPN	8517.6200.00
3G3AX-MX2-EIO15-E	Extra I/O option board, 1 analog voltage input, 1 analog current input, 1 analog voltage output, 8 discrete logic inputs, 4 discrete logic outputs	130.30	374112	4548583372382			EA	Z	NLD	9032.8900.90
3G3AX-MX2-EP-A	MX2 Ethernet/IP option card	405.70	355357	4547648910057			EA	Z	SWE	8517.6200.00
3G3AX-MX2-MRT-E	MX2 option card, Mechatrolink II	221.40	352227	4547648767927			EA	Z	NLD	8517.6200.00
3G3AX-MX2-FRT-E	MX2 option card, PROFIBUS DP	242.00	327340	4547648767997	#		EA	Z	NLD	8517.6200.00
3G3AX-PG01	Encoder feedback card, differential and pulse inputs, pulse monitor output, 100kHz max.	197.60	315471	4547648489737	#		EA	Z	JPN	8523.8090.00
3G3AX-RX2-PG01	RX2 PG speed controller option board	197.60	687957	4549734281362	#		EA	Z	JPN	8523.8090.00
3G3AX-RX-DRT-E	DeviceNet option card for RX inverter	258.40	355919	4548583059092			EA	Z	NLD	8517.6200.00
3G3AX-RX-ECT	RX series EtherCAT option card	533.00	371931	4548583344297	#		EA	Z	NLD	8517.6200.00
3G3AX-RX-PRT-E	3G3RX option, PROFIBUS DP communication card	352.00	355918	4548583059085			EA	Z	NLD	8517.6200.00
AI-A3	Analog Input option board	221.10	332270	4547648883399			EA	Z	JPN	8471.6070.00
AO-A3	Analog Monitor option board	166.70	332271	4547648883405			EA	Z	JPN	8471.6070.00
DI-A3	Digital Input option board	179.90	332272	4547648883412			EA	Z	JPN	8471.6070.00
P1-EN	3G3RX2 Ethernet (Modbus TCP) option board	684.50	688729	4549734974233			EA	Z	JPN	8517.6200.00
P1-PB	3G3RX2 PROFIBUS-DP option board	713.00	688728	4549734974226			EA	Z	JPN	8517.6200.00
P1-PN	3G3RX2 PROFINET option board	730.50	688727	4549734974219			EA	Z	JPN	8517.6200.00
PG-B3	Open collector PG interface for A1000 and Q2A inverters, A, B, Z pulse, fmax 50 kHz	149.20	262489	4547648863605			EA	Z	JPN	8523.8090.00
PG-E3	Endat PG interface for A1000. For speed feedback input by connection a motor encoder type: EFN1387 (HEIDENHAIN)	375.30	329710	4547648880787			EA	Z	JPN	8471.6070.00
PG-F3	Endat PG interface for A1000 and Q2A inverters. For speed feedback input by connection a motor encoder type: EnDat 2.1/01, EnDat 2.2/01, EnDat 2.2/22 (HEIDENHAIN)	324.10	323403	4547648872522			EA	Z	JPN	8471.6070.00
PG-RT3	Resolver PG interface card A1000 and Q2A inverters. TS2640N321E4	896.00	677526	4549734919456			EA	Z	JPN	8504.3090.00
PG-X3	Line Driver PG interface for A1000 and Q2A inverters, A, B, Z differential (RS422) input, fmax 300 kHz	149.20	256653	4547648862606			EA	Z	JPN	8523.8090.00
PS-A10HB	A1000 24V DC Control board Power Supply option 400 V class	261.00	355602	4547648915878			EA	Z	JPN	8471.6070.00
PS-V1DS	24VDC control board power supply VZA-B/2/4 from 0.1 to 4 kW	241.00	240837	4547648850049			EA	Z	JPN	8471.6070.00
Q2V-PN-4JT	Q2V PROFINET option board with attachment accessory. They are not assembled together and not containing the inverter.	449.50	699038	4549734891493			EA	Z	NLD	9032.8900.90
SI-232/J	RS-232C comms interface for use with LED operator, MOP-182	89.65	249034	4547648856799			EA	Z	JPN	8517.6200.00
SI-232/JC	RS-232C communications card for CIMR-J1000 inverter	84.65	249035	4547648856805			EA	Z	JPN	8517.6200.00

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Daheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
SI-EL3	POWERLINK option board for A1000, Q2A and Q2V.	541.50	394190	4547648987875			EA	Z	GBR	8517.6200.00
SI-EL3/V	POWERLINK interface V1000	543.00	394191	4547648987882			EA	Z	GBR	8517.6200.00
SI-EM3	Modbus TCP/IP option board for A1000 inverter.	311.90	373018	4547648949635			EA	Z	DEU	8517.6200.00
SI-EM3/V	Modbus TCP/IP option board for V1000 inverter.	315.20	354546	4547648964235			EA	Z	USA	8517.6200.00
SI-EM3D	Dual Port Modbus TCP/IP option board for A1000 inverter.	388.40	683479	4549734951807			EA	Z	DEU	8517.6200.00
SI-EN3	EtherNet/IP option board for A1000, Q2A and Q2V inverters.	311.90	330946	4547648882859	#		EA	Z	USA	8517.6200.00
SI-EN3/V	EtherNet/IP option board for V1000 inverter	445.10	264659	4547648894237			EA	Z	USA	8517.6200.00
SI-EN3D	Dual Port EtherNet IP option board for A1000, Q2A and Q2V inverters.	270.90	414636	4547648997201			EA	Z	USA	8517.6200.00
SI-EN3D/V	EtherNet/IP option board for V1000 inverter (dual)	371.20	414637	4547648997218			EA	Z	USA	8517.6200.00
SI-EP3	PROFINET option board for A1000, Q2A and Q2V inverters.	647.00	373019	4547648949842			EA	Z	DEU	8517.6200.00
SI-EP3/V	V1000 option card - PROFINET	517.00	373020	4547648949859			EA	Z	DEU	8517.6200.00
SI-ES3	EtherCAT option board for A1000, Q2A and Q2V inverters.	296.10	683366	4549734951203	#		EA	Z	GBR	8517.6200.00
SI-ES3/Q2V	Q2V EtherCAT option board with JOHB-Q2V option card enclosure mounted from factory.	474.70	695540	4549734996938	#		EA	Z	SWE	8517.6200.00
SI-ES3/V	Ethercat option board for V1000	588.00	690265	4549734980753	#		EA	Z	GBR	8517.6200.00
SI-ES3/V-V1	EtherCAT option board for V1000 with v.1.03 firmware version.	390.00	700203	4549734894081			EA	Z	GBR	8517.6200.00
SI-N3	DeviceNet option board for A1000, Q2A and Q2V inverters.	221.70	278325	4547648864978			EA	Z	JPN	8517.6200.00
SI-N3/V	DeviceNet option board for V1000 inverter	214.20	241427	4547648850384			EA	Z	JPN	8517.6200.00
SI-P3	PROFIBUS DP option board for A1000, Q2A and Q2V inverters.	387.00	274269	4547648864831			EA	Z	JPN	8517.6200.00
SI-P3/V	PROFIBUS DP option board for V1000 inverter	345.30	240896	4547648850032			EA	Z	JPN	8517.6200.00
SI-S3	CANopen option board for A1000, Q2A and Q2V inverters.	249.80	274270	4547648864848			EA	Z	JPN	8517.6200.00
SI-S3/V	CANopen option board for V1000 inverter	262.10	240895	4547648850025			EA	Z	JPN	8517.6200.00
SI-T3	Mechatrolink II option board for A1000 inverter	574.50	258408	4547648862936			EA	Z	JPN	8517.6200.00
SI-T3/V	MECHATROLINK II option board for V1000 inverter	574.50	258634	4547648862813			EA	Z	JPN	8517.6200.00
SI-DG	Digital Input option card	236.90	327339	4547648878685			EA	Z	SWE	8471.6070.00
SI-PB2	PROFIBUS DP option card	394.90	327248	4547648878630	10		EA	Z	JPN	8517.6200.00
SI-PBT2	PROFIBUS DP option card	394.90	323020	4547648872348			EA	Z	JPN	8517.6200.00
WJ-PN	3G3 MX2 PROFINET option	416.80	675155	4549734900164			EA	Z	JPN	8517.6200.00
AX-BCF2035090-TE	Braking unit 200 V, permanent 35 A/13 kVA, peak 90 A/32 kVA, 4 ohm min	1,108.00	324039	4547648874007			EA	Z	DEU	8533.2900.00
AX-BCF2070130-TE	Braking unit 200 V, permanent 70 A/25 kVA, peak 130 A/47 kVA, 2.8 ohm min	1,633.00	324040	4547648874014			EA	Z	DEU	8533.2900.00
AX-BCF4015045-TE	Braking unit 400 V, permanent 15 A/11 kVA, peak 45 A/33 kVA, 16 ohm min	771.50	324034	4547648873956			EA	Z	DEU	8533.2900.00
AX-BCF4017068-TE	Braking unit 400 V, permanent 17 A/13 kVA, peak 68 A/51 kVA, 11 ohm min	759.50	324035	4547648873963			EA	Z	DEU	8533.2900.00
AX-BCF4035090-TE	Braking unit 400 V, permanent 35 A/26 kVA, peak 90 A/67 kVA, 8.5 ohm min	1,331.00	324036	4547648873970			EA	Z	DEU	8533.2900.00
AX-BCF4070130-TE	Braking unit 400 V, permanent 70 A/52 kVA, peak 130 A/97 kVA, 5.5 ohm min	1,731.00	324037	4547648873987			EA	Z	DEU	8533.2900.00
AX-BCF409240-TE	Braking unit 400V, permanent 90A/67kVA, Peak 240A/180kVA, 3.2 ohm min	2,548.00	325091	4547648877442			EA	Z	DEU	8533.2900.00
AX-BM5H035090-TE	Master/Slave Braking unit 400V, Permanent 35A/26kVA, Peak 90A/67kVA, 8.5 ohm min. with Master/Slave option board	1,200.00	372603	4547648948616			EA	Z	DEU	8533.2900.00
AX-BM5H070130-TE	Master/Slave Braking unit 400V, Permanent 70A/52kVA, Peak 130A/97kVA, 5.5 ohm min. with Master/Slave option board	1,772.00	377283	4547648962025			EA	Z	DEU	8533.2900.00
AX-BM5H09240-TE	Master/Slave Braking unit 400V, Permanent 90A/67kVA, Peak 240A/180kVA, 3.2 ohm min. with Master/Slave option board	2,558.00	377289	4547648962032			EA	Z	DEU	8533.2900.00
CDBR-4030D	Braking unit for 3- 400 V inverters	620.00	356304	4547648924146			EA	Z	JPN	8503.0099.99
CDBR-4045D	Braking unit for 3- 400 V inverters	782.00	358395	4547648924153			EA	Z	JPN	8503.0099.99
CDBR-4090D	400V Braking Transistor Unit 90kW	2,341.00	698971	4549734891127			EA	Z	JPN	9032.8900.90
D1KT40030AAAAB	Converter D1000, 400 V, 30 kW, IP20, incl. Input Reactor, Harmonic Filter, EMC Filter	10,000.00	669394	4548583966642			EA	Z	DEU	9032.8900.90
D1KT40060AAAAB	Converter D1000, 400 V, 60 kW, IP20, incl. Input Reactor, Harmonic Filter, EMC Filter	15,270.00	669395	4548583966659			EA	Z	DEU	9032.8900.90
D1KT40100AAAAB	Converter D1000, 400 V, 100 kW, IP20, incl. Input Reactor, Harmonic Filter, EMC Filter	20,860.00	669404	4548583966741			EA	Z	DEU	9032.8900.90
D1KT40130AAAAB	Converter D1000, 400 V, 130 kW, IP20, incl. Input Reactor, Harmonic Filter, EMC Filter	29,370.00	669397	4548583966673			EA	Z	DEU	9032.8900.90
D1KT40185AAAAB	Converter D1000, 400 V, 185 kW, IP20, incl. Input Reactor, Harmonic Filter, EMC Filter	40,020.00	669398	4548583966680			EA	Z	DEU	9032.8900.90
D1KT40370AAAAB	Converter D1000, 400 V, 370 kW, IP20, incl. Input Reactor, Harmonic Filter, EMC Filter	84,400.00	669396	4548583966666			EA	Z	DEU	9032.8900.90
A1000-FEJ0K15070-IE	Braking Resistor for J1000, 70 Ohms	23.07	250564	4547648859790	10		EA	Z	ITA	8533.2900.00
A1000-FEJ0K15100-IE	Braking Resistor for J1000, 100 Ohm	31.83	250563	4547648859806	10		EA	Z	ITA	8533.2900.00
A1000-FEJ0K15300-IE	Braking Resistor for J1000, 300 Ohm	22.96	250561	4547648859820	10		EA	Z	ITA	8533.2900.00
A1000-FEJ0K15400-IE	Braking Resistor for J1000, 400 Ohm	23.83	250560	4547648859837	10		EA	Z	ITA	8533.2900.00
A1000-FEV00K4030-IE	Braking Resistor, 30 ohm	35.42	241689	4547648851268			EA	Z	ITA	9032.8900.90
AX-FEM00K4100-IE	Braking Resistor, 100 ohm	39.02	239854	4536853913878			EA	Z	ITA	9032.8900.90
A1000-FEV00K5075-IE	Braking Resistor, 75 ohm	41.35	239855	4536853913885			EA	Z	ITA	9032.8900.90
A1000-FEV00K6050-IE	Braking Resistor, 50 ohm	57.05	239856	4536853913892			EA	Z	ITA	9032.8900.90
A1000-FEV00K9040-IE	Braking Resistor, 40 ohm	95.00	239857	4536853913908			EA	Z	ITA	9032.8900.90
AX-FEM00K1200-IE	Braking resistor, 200 ohm, 110 W nominal	23.92	324011	4547648873727			EA	Z	ITA	8533.2900.00
AX-FEM00K1400-IE	Braking resistor, 400 ohm, 190 W nominal	26.80	324010	4547648873710			EA	Z	ITA	8533.2900.00
AX-FEM00K2070-IE	Braking resistor, 70 ohm, 200 W nominal	28.04	324012	4547648873734	10		EA	Z	ITA	8533.2900.00
AX-FEM00K2120-IE	Braking resistor, 120 ohm, 200 W nominal	34.17	324017	4547648873789			EA	Z	ITA	8533.2900.00
AX-FEM00K2200-IE	Braking resistor, 200 ohm, 200 W nominal	34.17	324015	4547648873765	10		EA	Z	ITA	8533.2900.00
AX-FEM00K4035-IE	Braking resistor, 35 ohm, 400 W nominal	37.20	324014	4547648873758			EA	Z	ITA	8533.2900.00
AX-FEM00K4075-IE	Braking resistor, 70 ohm, 400 W nominal	41.21	324013	4547648873741			EA	Z	ITA	8533.2900.00
AX-FEM00K5120-IE	Braking resistor, 120 ohm, 500 W nominal	43.56	324016	4547648873772			EA	Z	ITA	8533.2900.00
AX-FEM00K6035-IE	Braking resistor, 35 ohm, 600 W nominal	67.35	324023	4547648873840			EA	Z	ITA	8533.2900.00
AX-FEM00K6100-IE	Braking resistor, 100 ohm, 600 W nominal	53.95	324018	4547648873796			EA	Z	ITA	8533.2900.00
AX-FEM00K9017-IE	Braking resistor, 17 ohm, 900 W nominal	118.00	324027	4547648873888			EA	Z	ITA	8533.2900.00
AX-FEM00K9020-IE	Braking resistor, 20 ohm, 900 W nominal	118.00	324024	4547648873857			EA	Z	ITA	8533.2900.00
AX-FEM00K9070-IE	Braking resistor, 70 ohm, 900 W nominal	118.00	324019	4547648873802			EA	Z	ITA	8533.2900.00
AX-FEM01K9017-IE	Braking resistor, 17 ohm, 1900 W nominal	276.20	324025	4547648873864			EA	Z	ITA	8533.2900.00
AX-FEM01K9070-IE	Braking resistor, 70 ohm, 1900 W nominal	276.20	324020	4547648873819			EA	Z	ITA	8533.2900.00
AX-FEM02K1070-IE	Braking resistor, 70 ohm, 2100 W nominal	428.50	324021	4547648873826			EA	Z	ITA	8533.2900.00
AX-FEM03K5010-IE	Braking resistor, 10 ohm, 3500 W nominal	399.90	324028	4547648873885			EA	Z	ITA	8533.2900.00
AX-FEM03K5035-IE	Braking resistor, 35 ohm, 3500 W nominal	516.50	324022	4547648873833			EA	Z	ITA	8533.2900.00
AX-FEM03K5085-IE	Braking resistor, 85 ohm, 3500 W nominal	476.30	355612	4547648915939			EA	Z	ITA	8529.9097.90
AX-FEM19K0020-IE	Braking resistor, 20 ohm, 19 kW nominal	596.50	324030	4547648873918			EA	Z	ITA	8533.2900.00



Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Dahaet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
AX-FEM19K0030-IE	Brakina resistor, 30 ohm, 19 kW nominal	501.50	324029	4547648873901			EA	Z	ITA	8533.2900.00
AX-FEM39K0012-IE	Brakina resistor, 12 ohm, 38kW nominal	753.50	324031	4547648873925			EA	Z	ITA	8533.2900.00
EPF-150W/J01	Brakina resistor, 100 Ohm, for 200VAC drives (1.5kW) (equivalent to 3G3IV-PERF150W/J01)	32.95	138124	4536853834982			EA	Z	JPN	9032.8900.90
EPF-150W/D01	Brakina resistor, 200 Ohm, for 200VAC drives (up to 0.75kW) (equivalent to 3G3IV-PERF150W/D01)	42.53	138125	4536853834989		#	EA	Z	JPN	9032.8900.90
EPF-150W/J01	Brakina resistor, 300 Ohm, for 400 VAC drives (2.2kW) (equivalent to 3G3IV-PERF150W/J01)	32.95	138126	4536853835002			EA	Z	JPN	9032.8900.90
EPF-150W/J01	Brakina resistor, 400 Ohm, for 400VAC drives (1.5kW) (equivalent to 3G3IV-PERF150W/J01)	32.95	147919	4536853835019		#	EA	Z	JPN	9032.8900.90
EPF-150W/J20	Brakina resistor, 62 Ohm, for 200 VAC drives (3.7kW) (equivalent to 3G3IV-PERF150W/J20)	32.93	143539	4536853835026			EA	Z	JPN	9032.8900.90
EPF-150W/J70	Brakina resistor, 70 Ohm, for 200 VAC drives (2.2kW) (equivalent to 3G3IV-PERF150W/J70)	38.07	148902	4536853835033			EA	Z	JPN	9032.8900.90
EPF-150W/J71	Brakina resistor, 750 Ohm, for 400VAC drives (up to 0.75kW) (equivalent to 3G3IV-PERF150W/J71)	32.95	138127	4536853835040			EA	Z	JPN	9032.8900.90
HPM-UL-00900 070R,J00000	UL Brakina resistor, 70 ohm, 270 W nominal	177.70	686064	4549734970303			EA	Z	ITA	8533.4090.00
INV-BR15040-Type A	Resistor, aluminum, 1000 Watt, 40 Ohm	116.40	187849	4549734983808			EA	Z	ITA	8504.4082.90
MRCF 3000 25R	Braking resistor, 25 Ohm, 3000 W nominal	299.40	684629	4549734958936			EA	Z	ITA	8533.2900.00
MRCF 6000 16R	Brakina resistor, 16 Ohm, 6000 W nominal	575.50	684630	4549734958943			EA	Z	ITA	8533.2900.00
MRI3 IP23 G30K 20R	Brakina resistor, 20 ohm, 30 kW nominal IP23	3.303.00	688055	4549734970211			EA	Z	ITA	8533.2900.00
NRT IP20 10K 8R	Brakina resistor, 8 Ohm, 10 kW nominal	619.00	684631	4549734958950			EA	Z	ITA	8533.2900.00
3G3AX-NFI22	MX2 & RX Input Noise Filter, 10A, 1Ph 200VAC & 3Ph 200VAC	104.10	685055	4547648489102			EA	Z	JPN	8529.9097.90
3G3AX-NFI23	MX2 & RX Input Noise Filter, 20A, 1Ph 200VAC & 3Ph 200VAC	123.10	685056	4547648489119			EA	Z	JPN	8529.9097.90
3G3AX-NFI48	RX Input Noise Filter, 30A, 3Ph 400VAC	890.50	685073	4547648489287			EA	Z	JPN	8529.9097.90
3G3EV-PFI1015E	RFI Filter, single phase, 15 A	89.45	158423	4536853881405			EA	Z	GBR	8529.9097.90
3G3FV-PFI4280E	3G3FV (G5) RFI filter, 280 A, 415 VAC, 3-phase, for 110kW unit	2.029.00	158431	4536853881481			EA	Z	GBR	8529.9097.90
3G3FV-PFI4450E	3G3FV (G5) RFI filter, 450 A, 415 VAC, 3-phase, for 160 & 185kW units	2.901.00	157029	4536853881351			EA	Z	GBR	8529.9097.90
3G3IV-PFI-3040E	RFI filter, 40A, 415VAC, 3-phase, for 7.5 & 11kW units	511.00	143900	4536853880859			EA	Z	GBR	8529.9097.90
3G3JV-PFI2020-E	CIMR-J7AZ footprint RFI filter, 20A, 200VAC, 3-phase, for 1.5 & 2.2kW units (equivalent to RS2020/M)	156.90	139704	4536853857905			EA	Z	GBR	8529.9097.90
3G3JV-PFI3010-E	CIMR-J7AZ footprint RFI filter, 10A, 415VAC, 3-phase, for 1.1 - 2.2kW units (equivalent to RS3010/J)	116.60	150336	4536853862046			EA	Z	GBR	8529.9097.90
3G3MV-PFI2030-E	CIMR-V7AZ footprint RFI filter, 30A, 200 VAC, 3-phase, for 4kW unit (equivalent to RS2030-V7)	152.60	139701	4536853857806			EA	Z	GBR	8529.9097.90
3G3RV-PFI3010-SE	ETZ/FTZ footprint RFI filter, 10A, 415VAC, 3-phase, for 0.4 - 2.2kW units (equivalent to FS5972-10-07)	132.40	139178	4536853864668			EA	Z	THA	8529.9097.90
3G3RV-PFI3018-E	ETZ/FTZ footprint RFI filter, 18A, 415 VAC, 3-phase, for 3.7 - 5.5kW units	146.40	139049	4536853866556			EA	Z	GBR	8529.9097.90
3G3RV-PFI3018-SE	ETZ/FTZ footprint RFI filter, 18A, 415VAC, 3-phase, for 3.7 - 5.5kW units (equivalent to FS59721-8-07)	159.30	139179	4536853864699			EA	Z	THA	8529.9097.90
3G3RV-PFI3035-E	ETZ/FTZ/L7Z footprint RFI filter, 35A, 400VAC, 3-phase, for 7.5 & 11kW units	219.80	139050	4536853866570			EA	Z	GBR	8529.9097.90
3G3RV-PFI3035-SE	ETZ/FTZ/L7Z footprint RFI filter, 35A, 415VAC, 3-phase, for 7.5 & 11kW units (equivalent to FS5972-35-07)	224.60	139180	4536853864712			EA	Z	THA	8529.9097.90
3G3RV-PFI3060-E	ETZ/FTZ/L7Z footprint RFI filter, 60A, 415 VAC, 3-phase, for 15 & 18.5kW units	302.80	139051	4536853866594			EA	Z	GBR	8529.9097.90
3G3RV-PFI3060-SE	ETZ/FTZ/L7Z footprint RFI filter, 60A, 415VAC, 3-phase, for 15 & 18.5kW units (equivalent to FS5972-60-07)	345.30	139181	4536853864736			EA	Z	HUN	8529.9097.90
3G3RV-PFI3070-E	ETZ/FTZ/L7Z RFI filter, 70A, 400VAC, 3-phase, for 22 & 30kW units.	381.30	139052	4536853866617			EA	Z	GBR	8529.9097.90
3G3RV-PFI3070-E-IT	ETZ/FTZ/L7Z RFI filter, 70A, 415VAC, 3-phase, for 22 & 30kW units, IT installation	965.50	180763	45368538891282			EA	Z	GBR	8529.9097.90
3G3RV-PFI3070-SE	ETZ/FTZ/L7Z RFI filter, 70 A, 415VAC, 3-phase, for 22 & 30kW units (equivalent to FS5972-70-52)	360.00	151380	4536853864750			EA	Z	HUN	8529.9097.90
3G3RV-PFI3100-E	ETZ/FTZ RFI filter, 100A, 415 VAC, 3-phase	360.00	702557	4549734793810			EA	Z	THA	8529.9097.90
3G3RV-PFI3100-E-IT	ETZ/FTZ RFI filter, 100A, 415 VAC, 3-phase, IT installation	425.10	139063	4536853866663			EA	Z	GBR	8529.9097.90
3G3RV-PFI3100-SE	ETZ/FTZ RFI filter, 100A, 415VAC, 3-phase, IT installation	1.085.00	180764	4536853891289			EA	Z	GBR	8529.9097.90
3G3RV-PFI3100-SE-IT	ETZ/FTZ RFI filter, 100A, 415 VAC, 3-phase, IT installation	475.40	227094	4536853904968			EA	Z	HUN	8529.9097.90
3G3RV-PFI3100-SE	ETZ/FTZ RFI filter, 100 A, 415 VAC, 3-phase	475.40	702551	4549734793759			EA	Z	THA	8529.9097.90
3G3RV-PFI3130-SE	ETZ/FTZ/L7Z RFI filter, 130A, 415VAC, 3-phase, for 37 - 55kW units (equivalent to FS5972-130-35)	593.50	103796	4536853864774			EA	Z	HUN	8529.9097.90
3G3RV-PFI3130-SE	ETZ/FTZ/L7Z RFI filter, 130 A, 415 VAC, 3-phase, for 37 - 55 kW units (equivalent to FS5972-130-35)	593.50	702552	4549734793766			EA	Z	CHN	8529.9097.90
3G3RV-PFI3170-SE	ETZ/FTZ RFI filter, 170A, 415VAC, 3-phase, for 75kW unit (equivalent to FS5972-170-40)	925.50	139182	4536853864798			EA	Z	HUN	8529.9097.90
3G3RV-PFI3170-SE	ETZ/FTZ RFI filter, 170 A, 415 VAC, 3-phase, for 75 kW unit (equivalent to FS5972-170-40)	925.50	702553	4549734793773			EA	Z	CHN	8529.9097.90
3G3RV-PFI3200-SE	ETZ/FTZ RFI filter, 200A, 415VAC, 3-phase, for 90 & 110kW units (equivalent to FS5972-250-37)	1.602.00	139183	4536853864811			EA	Z	HUN	8529.9097.90
3G3RV-PFI3200-SE	ETZ/FTZ RFI filter, 200 A, 415 VAC, 3-phase, for 90 & 110 kW units (equivalent to FS5972-250-37)	1.602.00	702554	4549734793780			EA	Z	CHN	8529.9097.90
3G3RV-PFI3400-SE	ETZ/FTZ RFI filter, 410A, 415VAC, 3-phase, for 132 - 160kW units (equivalent to FS5972-400-99)	2.068.00	139057	4536853866716			EA	Z	HUN	8529.9097.90
3G3RV-PFI3400-SE	ETZ/FTZ RFI filter, 410A, 415VAC, 3-phase, for 132 - 160 kW units (equivalent to FS5972-400-99)	2.068.00	702555	4549734793797			EA	Z	CHN	8529.9097.90
3G3RV-PFI3600-SE	ETZ/FTZ footprint RFI filter, 600A, 3-phase	2.346.00	138472	4536853871109			EA	Z	HUN	8529.9097.90
A1000-FA3024-SE	A1000 footprint RFI filter, 24 A, 3- 200 VAC: 2A0004 - 2A0021, 3- 400 VAC: 4A0002 - 4A0023	105.30	328908	4547648880336			EA	Z	GBR	8529.9097.90
A1000-FA3024-SE	A1000 footprint RFI filter, 24 A, 3- 200 VAC: 2A0004 - 2A0021, 3- 400 VAC: 4A0002 - 4A0023	99.35	679458	4549734932608			EA	Z	THA	8529.9097.90
A1000-FA3044-RE	A1000 footprint RFI filter, 44 A, 3- 400 VAC: 4A0031 - 4A0038	213.80	328909	4547648880343			EA	Z	GBR	8529.9097.90
A1000-FA3044-SE	A1000 footprint RFI filter, 44 A, 3- 400 VAC: 4A0031 - 4A0038	201.80	679456	4549734932585			EA	Z	THA	8529.9097.90
A1000-FA3052-RE	A1000 footprint RFI filter, 52 A, 3- 400 VAC: 4A0044	264.40	328910	4547648880350			EA	Z	GBR	8529.9097.90
A1000-FA3052-SE	A1000 footprint RFI filter, 52 A, 3- 400 VAC: 4A0044	249.20	679457	4549734932592			EA	Z	THA	8529.9097.90
A1000-FA3071-RE	A1000 footprint RFI filter, 71 A, 3- 400 VAC: 4A0058 - 4A0088	350.80	328911	4547648880367			EA	Z	GBR	8529.9097.90
A1000-FA3105-RE	A1000 footprint RFI filter, 105 A, 3- 400 VAC: 4A0088 - 4A0139	441.10	328912	4547648880374			EA	Z	GBR	8529.9097.90
A1000-FA3170-RE	A1000 footprint RFI filter, 170 A, 3- 400 VAC: 4A0139 - 4A0208	882.50	328913	4547648880381			EA	Z	GBR	8529.9097.90
A1000-FA3300-RE	A1000 footprint RFI filter, 300 A, 3- 400 VAC: 4A0208 - 4A0362	1.421.00	328914	4547648880398			EA	Z	GBR	8529.9097.90
A1000-FA3480-RE	A1000 footprint RFI filter, 480 A, 3- 400 VAC: 4A0362 - 4A0515	2.091.00	328915	4547648880404			EA	Z	GBR	8529.9097.90
A1000-FA3660-RE	A1000 footprint RFI filter, 660 A, 3- 400 VAC: 4A0675	2.388.00	328916	4547648880411			EA	Z	GBR	8529.9097.90
A1000-FV1010-RE	V1000 footprint RFI filter, 10 A, 1- 200 VAC, for 0.12 to 0.55 kW drives	28.07	234925	4536853910495			EA	Z	GBR	8529.9097.90
A1000-FV1010-SE	Q2V/V1000/J1000 footprint RFI filter, 10A, 200 VAC, single phase, for 0.12 to 0.55kW drives	25.10	246710	4547648855013		#	EA	Z	THA	8529.9097.90
A1000-FV1020-RE	V1000 footprint RFI filter, 20 A, 1- 200 VAC, for 1.1 to 1.5 kW drives	41.97	234926	4536853910501			EA	Z	GBR	8529.9097.90
A1000-FV1020-RE-LL	J1000/V1000 footprint RFI filter, 20 A, 200 VAC, 1-phase, for 1.1 to 1.5 kW drives	47.81	241693	4547648850841			EA	Z	GBR	8529.9097.90
A1000-FV1020-SE-LL-Q	Q2V/V1000/J1000 Low Leakage Current footprint RFI filter, 20A, 200 VAC, single phase, for 1.1 to 1.5kW drives	41.86	693907	4549734993272			EA	Z	THA	8529.9097.90
A1000-FV1020-SE-Q	Q2V/V1000/J1000 footprint RFI filter, 20A, 200 VAC, single phase, for 1.1 to 1.5kW drives	36.51	693906	4549734993265			EA	Z	THA	8529.9097.90
A1000-FV1030-RE	V1000 footprint RFI filter, 30 A, 1- 200 VAC, for 2.2 kW drives	54.25	234927	4536853910518			EA	Z	GBR	8529.9097.90
A1000-FV1030-RE-LL	V1000 footprint RFI filter, 30 A, 200 VAC, 1-phase, for 2.2 kW drives	61.90	241694	4547648850872			EA	Z	GBR	8529.9097.90
A1000-FV1030-SE-LL-Q	Q2V/V1000 Low Leakage Current footprint RFI filter, 30A, 200 VAC, single phase, for 2.2kW drives	54.15	693908	4549734993296			EA	Z	THA	8529.9097.90
A1000-FV1030-SE-Q	Q2V/V1000 footprint RFI filter, 30A, 200 VAC, single phase, for 2.2kW drives	47.41	693906	4549734993289			EA	Z	THA	8529.9097.90
A1000-FV1040-RE	V1000 footprint RFI filter, 40 A, 1- 200 VAC, for 4.0 kW drives	81.50	234928	4536853910525			EA	Z	GBR	8529.9097.90
A1000-FV1040-SE	Q2V/V1000 footprint RFI filter, 40A, 200 VAC, single phase, for 4.0kW drives	71.40	246713	4547648855044			EA	Z	THA	8529.9097.90
A1000-FV2010-RE	V1000 footprint RFI filter, 10 A, 3- 200 VAC, for 0.12 to 1.1 kW drives	105.50	234933	4536853910532			EA	Z	GBR	8529.9097.90
A1000-FV2010-SE-V1	Q2V/V1000 footprint RFI filter, 10A, 200 VAC, three phase, for up to 1.1kW drives	92.25	385715	4547648974936			EA	Z	THA	8529.9097.90
A1000-FV2020-RE	V1000 footprint RFI filter, 20 A, 3- 200 VAC, for 1									

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Daheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
A1000-FV2020-SE	Q2V/V1000/J1000 footprint PFI filter, 20 A, 200 VAC, 3-phase, for 1.5 to 2.2 kW drives	134.70	246720	4547648855068			EA	Z	THA	8529.9097.90
A1000-FV2030-RE	V1000 footprint PFI filter, 30 A, 3- 200 VAC, for 4.0 kW drives	153.90	234935	4536853910556			EA	Z	GBR	8529.9097.90
A1000-FV2030-SE	Q2V/V1000/J1000 footprint PFI filter, 30 A, 200 VAC, 3-phase, for 4.0 kW drives	134.70	246721	4547648855075			EA	Z	THA	8529.9097.90
A1000-FV2030-RE	V1000 footprint PFI filter, 60 A, 3- 200 VAC, for 5.5 to 7.5 kW drives	245.80	236940	4536853911539			EA	Z	GBR	8529.9097.90
A1000-FV2060-SE-V1	Q2V/V1000/J1000 footprint PFI filter, 52 A, 3-phase 200 VAC, for 5.5 to 7.5 kW drives	190.30	392487	4547648890470			EA	Z	THA	8529.9097.90
A1000-FV3005-RE	V1000 footprint PFI filter, 5 A, 3- 400 VAC, for 0.37 to 0.55 kW drives	63.70	234929	4536853910570			EA	Z	GBR	8529.9097.90
A1000-FV3005-SE	Q2V/V1000/J1000 footprint PFI filter, 5A, 400 VAC, three phase, for 0.37 to 0.55kW drives	55.85	246714	4547648855112	#		EA	Z	THA	8529.9097.90
A1000-FV3010-RE	V1000 footprint PFI filter, 10 A, 3- 400 VAC, for 1.1 to 3.0 kW drives	75.50	234930	4536853910587			EA	Z	CHN	8529.9097.90
A1000-FV3010-SE-LL-Q	Q2V/V1000/J1000 Low Leakage Current footprint PFI filter, 10A, 400 VAC, three phase, for 1.1 to 3.0kW drives	69.75	693911	4549734993319			EA	Z	THA	8529.9097.90
A1000-FV3010-SE-Q	Q2V/V1000/J1000 footprint PFI filter, 10A, 400 VAC, three phase, for 1.1 to 3.0kW drives	66.10	693910	4549734993302	#		EA	Z	THA	8529.9097.90
A1000-FV3020-RE	V1000 footprint PFI filter, 20 A, 3- 400 VAC, 4.0 kW drives	89.50	234931	4536853910594			EA	Z	GBR	8529.9097.90
A1000-FV3020-RE-LL	J1000/V1000 footprint PFI filter, 20 A, 400 VAC, 3-phase, 4.0 kW drives	99.40	241704	4547648851176			EA	Z	GBR	8529.9097.90
A1000-FV3020-SE-LL-Q	Q2V/V1000/J1000 Low Leakage Current footprint PFI filter, 20A, 400 VAC, three phase, 4.0kW drives	87.00	693913	4549734993333			EA	Z	THA	8529.9097.90
A1000-FV3020-SE-Q	Q2V/V1000/J1000 footprint PFI filter, 20A, 400 VAC, three phase, 4.0kW drives	78.30	693912	4549734993326			EA	Z	THA	8529.9097.90
A1000-FV3030-RE	V1000 footprint PFI filter, 30 A, 3- 400 VAC, for 5.5 to 7.5 kW drives	100.50	234932	4536853910600			EA	Z	GBR	8529.9097.90
A1000-FV3030-RE-LL	V1000 footprint PFI filter, 30 A, 400 VAC, 3-phase, for 5.5 to 7.5 kW drives	116.70	241705	4547648851206			EA	Z	CHN	8529.9097.90
A1000-FV3030-SE-LL	Q2V/V1000 Low Leakage Current footprint PFI filter, 30A, 400 VAC, three phase, 5.5kW and 7.5kW drives	102.00	386169	4547648975421			EA	Z	THA	8529.9097.90
A1000-FV3030-SE-V1	Q2V/V1000 footprint PFI filter, 30A, 400 VAC, three phase, 5.5kW and 7.5kW drives.	88.00	385718	4547648974967			EA	Z	THA	8529.9097.90
A1000-FV3050-RE	V1000 footprint PFI filter, 50 A, 3- 400 VAC, for 11 to 15 kW drives	210.40	236939	4536853911522			EA	Z	GBR	8529.9097.90
A1000-FV3050-RE-LL	V1000 footprint PFI filter, 50 A, 400 VAC, 3-phase, for 11 to 15 kW drives	246.30	241706	4547648851237			EA	Z	GBR	8529.9097.90
A1000-FV3050-SE-LL	Q2V/V1000 Low Leakage Current footprint PFI filter, 50A, 400 VAC, three phase, 11kW and 15kW drives.	215.60	386170	4547648975438			EA	Z	THA	8529.9097.90
ADF-P100V2B-150/480-I-B-54	ADF P100N active filter 104 / 125 kVA, 150 ARMS, 480 V with IT Earthing System, IT Earthing System and Protection Class IP54.	63,700.00	694807	4549734994838			EA	Z	SWE	8529.9097.90
AX-FIC1010-SE	Common footprint PFI filter for Compact series (Q2V/V1000/J1000/MX2), 10 A, 200 VAC, single phase, for 0.12 to 0.55 kW drives.	25.10	701949	4549734790918			EA	Z	THA	8529.9097.90
AX-FIC1010-SE-LL	Low Leakage common footprint PFI filter for Compact series (Q2V/V1000/J1000/MX2), 10 A, 200 VAC, single phase, for 0.12 to 0.55 kW drives.	55.65	701953	4549734790956			EA	Z	THA	8529.9097.90
AX-FIC1020-SE	Common footprint PFI filter for Compact series (Q2V/V1000/J1000/MX2), 20 A, 200 VAC, single phase, for 1.1 to 1.5 kW drives	36.51	701950	4549734790925			EA	Z	THA	8529.9097.90
AX-FIC1020-SE-LL	Low Leakage common footprint PFI filter for Compact series (Q2V/V1000/J1000/MX2), 20 A, 200 VAC, single phase, for 1.1 to 1.5 kW drives.	41.86	701954	4549734790963			EA	Z	THA	8529.9097.90
AX-FIC1030-SE	Common footprint PFI filter for Compact series (Q2V/V1000/J1000/MX2), 30 A, 200 VAC, single phase, for 2.2 kW drives.	47.41	701951	4549734790932			EA	Z	THA	8529.9097.90
AX-FIC1030-SE-LL	Low Leakage common footprint PFI filter for Compact series (Q2V/V1000/J1000/MX2), 30 A, 200 VAC, single phase, for 2.2 kW drives.	54.15	701955	4549734790970			EA	Z	THA	8529.9097.90
AX-FIC1040-SE	Common footprint PFI filter for Compact series (Q2V/V1000/J1000/MX2), 40 A, 200 VAC, single phase, for 4.0 kW drives.	71.40	701952	4549734790949			EA	Z	THA	8529.9097.90
AX-FIC1040-SE-LL	Low Leakage common footprint PFI filter for Compact series (Q2V/V1000/J1000/MX2), 40 A, 200 VAC, single phase, for 4.0 kW drives.	75.60	701956	4549734790987			EA	Z	THA	8529.9097.90
AX-FIC4005-SE	Common footprint PFI filter for Compact series (Q2V/V1000/J1000/MX2), 5 A, 400 VAC, three phase, for 0.37 to 0.55 kW drives.	55.85	701957	4549734790994			EA	Z	THA	8529.9097.90
AX-FIC4005-SE-LL	Low Leakage common footprint PFI filter for Compact series (Q2V/V1000/J1000/MX2), 5 A, 400 VAC, three phase, for 0.37 to 0.55 kW drives.	55.40	701963	4549734791052			EA	Z	THA	8529.9097.90
AX-FIC4010-SE	Common footprint PFI filter for Compact series (Q2V/V1000/J1000/MX2), 10 A, 400 VAC, three phase, for 1.1 to 3.0 kW drives.	66.10	701958	4549734791007			EA	Z	THA	8529.9097.90
AX-FIC4010-SE-LL	Low Leakage common footprint PFI filter for Compact series (Q2V/V1000/J1000/MX2), 10 A, 400 VAC, three phase, for 1.1 to 3.0 kW drives.	69.75	701964	4549734791069			EA	Z	THA	8529.9097.90
AX-FIC4015-SE	Common footprint PFI filter for Compact series (Q2V/V1000/J1000/MX2), 15 A, 400 VAC, three phase, for 4.0 kW drives.	78.30	701959	4549734791014			EA	Z	THA	8529.9097.90
AX-FIC4015-SE-LL	Low Leakage common footprint PFI filter for Compact series (Q2V/V1000/J1000/MX2), 15 A, 400 VAC, three phase, for 4.0 kW drives.	87.00	701965	4549734791076			EA	Z	THA	8529.9097.90
AX-FIC4030-SE	Common footprint PFI filter for Compact series (Q2V/V1000/J1000/MX2), 30 A, 400 VAC, three phase, for 5.5 kW and 7.5 kW drives.	88.00	701960	4549734791021			EA	Z	THA	8529.9097.90
AX-FIC4030-SE-LL	Low Leakage common footprint PFI filter for Compact series (Q2V/V1000/J1000/MX2), 30 A, 400 VAC, three phase, for 5.5 kW and 7.5 kW drives.	102.00	701966	4549734791083			EA	Z	THA	8529.9097.90
AX-FIC4050-SE	Common footprint PFI filter for Compact series (Q2V/V1000/J1000/MX2), 50 A, 400 VAC, three phase, for 11 kW and 15 kW drives.	151.00	701961	4549734791038			EA	Z	THA	8529.9097.90
AX-FIC4050-SE-LL	Low Leakage common footprint PFI filter for Compact series (Q2V/V1000/J1000/MX2), 50 A, 400 VAC, three phase, for 11 kW and 15 kW drives.	215.60	701967	4549734791099			EA	Z	THA	8529.9097.90
AX-FIC4080-SE	Common footprint PFI filter for Compact series (Q2V/V1000/J1000/MX2), 80 A, 400 VAC, three phase, for 18.5 kW and 22 kW drives.	551.50	701962	4549734791045			EA	Z	HUN	8529.9097.90
AX-FLU1023-RE	JX footprint PFI filter, 23A, 200VAC, single phase, for 1.5 - 2.2kW models	38.38	283808	4547648865937			EA	Z	GBR	8529.9097.90
AX-FL2006-RE	3G3JX footprint PFI filter, 6 A, 3- 200 VAC, for 0.2-0.75 kW models	100.70	318183	4547648871419			EA	Z	GBR	8529.9097.90
AX-FL2020-RE	JX footprint PFI filter, 20A, 200VAC, 3-phase, for 1.5 - 4.0kW models	153.40	318184	4547648871426			EA	Z	GBR	8529.9097.90
AX-FL2040-RE	JX footprint PFI filter, 40A, 200VAC, 3-phase, for 5.5 - 7.5kW models	176.80	318185	4547648871433			EA	Z	GBR	8529.9097.90
AX-FIL3010-SE	LX series PFI filter, 400VAC, 10A, for 3.7kW model	147.80	355042	4547648909334			EA	Z	THA	8529.9097.90
AX-FIL3015-SE	LX series PFI filter, 400VAC, 15A, for 4kW model	184.30	355043	4547648909341			EA	Z	THA	8529.9097.90
AX-FIL3030-SE	LX series PFI filter, 400VAC, 30A, for 5.5kw to 11kW models	239.20	355044	4547648909358			EA	Z	THA	8529.9097.90
AX-FIL3053-SE	LX series PFI filter, 400VAC, 53A, for 15kw to 22kW model	489.40	355045	4547648909365			EA	Z	HUN	8529.9097.90
AX-FIL3053-SE	LX series PFI filter, 400 VAC, 53 A, for 15 kW to 22 kW model	489.40	702539	4549734793636			EA	Z	CHN	8529.9097.90
AX-FM1010-RE	MX footprint PFI filter, 10 A, 1- 200 VAC, for 0.12 to 0.55 kW models	29.22	283818	4547648866033			EA	Z	GBR	8529.9097.90
AX-FM1010-RE-LL	MX footprint PFI filter, 10A, 200VAC, single phase, for 0.12 to 0.55kW models, low leakage current	32.32	324535	4547648875950			EA	Z	GBR	8529.9097.90
AX-FM1010-SE-LL	Accessory inverter MX2 EMC filter	28.68	386171	4547648875445			EA	Z	THA	8529.9097.90
AX-FM1010-SE-V1	MX footprint PFI filter, 10A, 200VAC, single phase	25.57	354492	4547648905985			EA	Z	THA	8529.9097.90
AX-FM1014-RE	MX footprint PFI filter, 14 A, 1- 200 VAC, for 0.75 kW models	43.24	283819	4547648866040			EA	Z	GBR	8529.9097.90
AX-FM1014-RE-LL	MX footprint PFI filter, 14A, 200VAC, single phase, for 0.75kW models, low leakage current	48.15	324536	4547648875967			EA	Z	GBR	8529.9097.90
AX-FM1014-SE-LL	Accessory inverter MX2 EMC filter	40.71	386172	4547648875452			EA	Z	THA	8529.9097.90
AX-FM1014-SE-V1	MX footprint PFI filter, 14 A, 1- 200 VAC, for 0.75 kW models	37.85	392486	4547648890463	#		EA	Z	THA	8529.9097.90
AX-FM1024-RE	MX footprint PFI filter, 24 A, 1- 200 VAC, for 1.5 to 2.2 kW models	48.18	283820	4547648866057			EA	Z	GBR	8529.9097.90
AX-FM1024-RE-LL	MX footprint PFI filter, 24A, 200VAC, single phase, for 1.5 to 2.2kW models, low leakage current	51.50	324537	4547648875974			EA	Z	GBR	8529.9097.90
AX-FM1024-SE-LL	Accessory inverter MX2 EMC filter	44.51	386173	4547648875469			EA	Z	THA	8529.9097.90
AX-FM1024-SE-V1	MX footprint PFI filter, 24A, 200VAC, single phase, for 1.5 to 2.2kW models	42.17	354493	4547648905992	#		EA	Z	THA	8529.9097.90
AX-FM2030-SE-V1	MX footprint PFI filter, 30A, 200VAC, three phase	107.70	354496	4547648906029			EA	Z	THA	8529.9097.90
AX-FM2060-SE-LL	Accessory inverter MX2 EMC filter	194.00	386176	4547648975490			EA	Z	THA	8529.9097.90
AX-FM3005-RE	MX footprint PFI filter, 5 A, 3- 400 VAC, for 0.37 to 1.1 kW models	74.00	297862	4547648866327			EA	Z	GBR	8529.9097.90
AX-FM3005-RE-LL	MX footprint PFI filter, 5A, 400VAC, three phase, for 0.37 to 1.1kW models, low leakage current	71.70	324544	4547648876049			EA	Z	GBR	8529.9097.90
AX-FM3005-SE-LL	Accessory inverter MX2 EMC filter	62.80	386177	4547648875506			EA	Z	THA	8529.9097.90
AX-FM3005-SE-V1	MX footprint PFI filter, 5A, 400VAC, three phase, for 0.37 to 1.1kW models	64.70	354500	4547648906067			EA	Z	THA	8529.9097.90
AX-FM3010-RE	MX footprint PFI filter, 10 A, 3- 400 VAC, for 1.5 to 3.0 kW models	88.85	297863	4547648868334			EA	Z	GBR	8529.9097.90
AX-FM3010-RE-LL	MX footprint PFI filter, 10A, 400VAC, three phase, for 1.5 to 3.0kW models, low leakage current	86.25	324545	4547648876056			EA	Z	GBR	8529.9097.90
AX-FM3010-SE-LL	Accessory inverter MX2 EMC filter	75.40	386178	4547648875513			EA	Z	THA	8529.9097.90
AX-FM3010-SE-V1	MX footprint PFI filter, 14 A, 3- 400 VAC, for 4.0 kW models	77.65	354501	4547648906074	#		EA	Z	THA	8529.9097.90
AX-FM3014-RE	MX footprint PFI filter, 14 A, 3- 400 VAC, for 4.0 kW models	100.20	297864	4547648868341			EA	Z	CHN	8529.9097.90
AX-FM3014-RE-LL	MX footprint PFI filter, 14A, 400VAC, three phase, for 4.0kW models, low leakage current	97.15	324546	4547648876063			EA	Z	GBR	8529.9097.90
AX-FM3014-SE-LL	Accessory inverter MX2 EMC filter	84.90	386179	4547648875520			EA	Z	THA	8529.9097.90
AX-FM3014-SE-V1	MX footprint PFI filter, 14A, 400VAC, three phase, 4.0kW models	87.60	354502	4547648906081	#		EA	Z	THA	8529.9097.90
AX-FM3030-RE	MX footprint PFI filter, 30 A, 3- 400 VAC, for 5.5 to 7.5 kW models	100.30	297865	4547648868358			EA	Z		

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Daheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
AX-FM3030-RE-LL	MX footprint PFI filter, 30A, 400VAC, three phase, for 5.5 to 7.5kW models, low leakage current	110.30	324547	4547648876070			EA	Z	GBR	8529.9097.90
AX-FM3030-SE-LL	Accessory inverter MX2 EMC filter	92.30	386180	4547648975537			EA	Z	THA	8529.9097.90
AX-FM3030-SE-V2	MX footprint PFI filter, 30A, 400VAC, three phase, for 5.5 to 7.5kW models, UL/CSA	87.60	690943	4549734984950	#		EA	Z	THA	8529.9097.90
AX-FM3050-RE	MX footprint PFI filter, 50 A, 3- 400 VAC, for 11 to 15 kW models	202.30	297866	4547648865365			EA	Z	GBR	8529.9097.90
AX-FM3050-RE-LL	MX footprint PFI filter, 50A, 400VAC, three phase, for 11 to 15kW models, low leakage current	230.70	324548	4547648876087			EA	Z	GBR	8529.9097.90
AX-FM3050-SE-LL	Accessory inverter MX2 EMC filter	193.70	386181	4547648975544			EA	Z	THA	8529.9097.90
AX-FM3050-SE-V1	MX footprint PFI filter, 50A, 400VAC, three phase, for 11 to 15kW models	172.40	354504	4547648906104	#		EA	Z	THA	8529.9097.90
AX-FIR2021-SE	RX2 foot print PFI filter, 21 A, 3- 230 VAC, for 0.4-3.7 kW models	120.50	689177	4549734976169			EA	Z	THA	8529.9097.90
AX-FIR2055-SE	RX2 foot print PFI filter, 55 A, 3- 230 VAC, for 5.5-11 kW models	215.40	689178	4549734976176			EA	Z	THA	8529.9097.90
AX-FIR2114-SE	RX2 foot print PFI filter, 114 A, 3- 230 VAC, for 15-22 kW models	384.60	689179	4549734976183			EA	Z	HUN	8529.9097.90
AX-FIR2114-SE	RX2 foot print PFI filter, 114 A, 3- 230 VAC, for 15-22 kW models	384.60	702545	4549734793698			EA	Z	CHN	8529.9097.90
AX-FIR3010-RE	RX footprint PFI filter, 10 A, 3- 400 VAC, for 0.4-4.0 kW models	86.30	283812	4547648865975			EA	Z	GBR	8529.9097.90
AX-FIR3030-RE	RX footprint PFI filter, 30 A, 3- 400 VAC, for 5.5-11 kW models	105.80	283813	4547648865982			EA	Z	GBR	8529.9097.90
AX-FIR3053-RE	RX footprint PFI filter, 53 A, 3- 400 VAC, for 15-22 kW models	203.30	283814	4547648865999			EA	Z	GBR	8529.9097.90
AX-FIR3064-RE	RX footprint PFI filter, 64 A, 3- 400 VAC, for 30 kW models	291.80	283815	4547648866002			EA	Z	GBR	8529.9097.90
AX-FIR3100-RE	RX footprint PFI filter, 100 A, 3- 400 VAC, for 37 kW models	351.20	283816	4547648866019			EA	Z	GBR	8529.9097.90
AX-FIR3130-RE	RX footprint PFI filter, 130 A, 3- 400 VAC, for 45-55 kW models	409.50	283817	4547648866026			EA	Z	GBR	8529.9097.90
AX-FIR3250-RE	RX footprint PFI filter, 250 A, 3- 400 VAC, for 75-90 kW models	932.50	315586	4547648871228			EA	Z	GBR	8529.9097.90
AX-FIR3320-RE	RX footprint PFI filter, 320 A, 3- 400 VAC, for 110-132 kW models	1,125.00	315587	4547648871235			EA	Z	GBR	8529.9097.90
AX-FIR4011-SE	RX2 foot print PFI filter, 11 A, 3- 400 VAC, for 0.75-3.7 kW models	92.30	689170	4549734976091			EA	Z	THA	8529.9097.90
AX-FIR4030-SE	RX2 foot print PFI filter, 30 A, 3- 400 VAC, for 5.5-11 kW models	143.60	689171	4549734976107			EA	Z	THA	8529.9097.90
AX-FIR4058-SE	RX2 foot print PFI filter, 58 A, 3- 400 VAC, for 15-22 kW models	226.70	689172	4549734976114			EA	Z	THA	8529.9097.90
AX-FIR4073-SE	RX2 book type PFI filter, 73 A, 3- 400 VAC, for 30 kW models	324.10	689173	4549734976121			EA	Z	HUN	8529.9097.90
AX-FIR4073-SE	RX2 book type PFI filter, 73 A, 3- 400 VAC, for 30 kW models	324.10	702548	4549734793728			EA	Z	CHN	8529.9097.90
AX-FIR4090-SE	RX2 book type PFI filter, 90 A, 3- 400 VAC, for 37 kW models	369.10	689174	4549734976138			EA	Z	HUN	8529.9097.90
AX-FIR4090-SE	RX2 book type PFI filter, 90 A, 3- 400 VAC, for 37 kW models	369.10	702549	4549734793735			EA	Z	CHN	8529.9097.90
AX-FIR4146-SE	RX2 book type PFI filter, 146 A, 3- 400 VAC, for 44-55 kW models	513.00	689175	4549734976145			EA	Z	HUN	8529.9097.90
AX-FIR4146-SE	RX2 book type PFI filter, 146 A, 3- 400 VAC, for 44-55 kW models	513.00	702546	4549734793704			EA	Z	CHN	8529.9097.90
AX-FIR4310-SE	RX2 bush bar type PFI filter, 310 A, 3- 400 VAC, for 75-132 kW models	1,062.00	689176	4549734976152			EA	Z	HUN	8529.9097.90
AX-FIR4310-SE	RX2 bush bar type PFI filter, 310 A, 3- 400 VAC, for 75-132 kW models	1,062.00	702547	4549734793711			EA	Z	CHN	8529.9097.90
FN5040-48-85	Sine Wave Output Filter IP00, 500 VAC, 48 A	2,800.00	702534	4549734793582			EA	Z	CHN	8529.9097.90
FN5045-115-35	Sine filter 115A/103.5 A	6,870.00	695285	4549734996099			EA	Z	HUN	8529.9097.90
FN5045-115-35	Sine filter 115 A / 103.5 A	6,870.00	702538	4549734793629			EA	Z	CHN	8529.9097.90
Q2-FA4010-SE	Q2A footprint PFI filter, 10 A, 3- 400 VAC, for 4002, 4004, 4005, 4007 models	187.50	682622	4549734949200			EA	Z	THA	8529.9097.90
Q2-FA4020-SE	Q2A footprint PFI filter, 20 A, 3- 400 VAC, for 4009, 4012 models	222.60	682631	4549734949293	#		EA	Z	THA	8529.9097.90
Q2-FA4035-SE	Q2A footprint PFI filter, 35 A, 3- 400 VAC, for 4018, 4023 models	261.20	682630	4549734949286			EA	Z	THA	8529.9097.90
Q2-FA4050-SE	Q2A footprint PFI filter, 50 A, 3- 400 VAC, for 4031, 4038 models	413.30	682629	4549734949279			EA	Z	THA	8529.9097.90
Q2-FA4080-SE	Q2A Book end style PFI filter, 80 A, 3- 400 VAC, for Q2A-A4044/Q2A-A4060/Q2A-A4075/Q2A-A2042/Q2A-A2056/Q2A-A2070/Q2V-A4044/Q2V-A4060 models.	551.50	682628	4549734949262	#		EA	Z	HUN	8529.9097.90
Q2-FA4080-SE	Q2A Book end style PFI filter, 80 A, 3- 400 VAC, for Q2A-A4044/Q2A-A4060/Q2A-A4075/Q2A-A2042/Q2A-A2056/Q2A-A2070/Q2V-A4044/Q2V-A4060 models.	551.50	702544	4549734793681			EA	Z	THA	8529.9097.90
Q2-FA4100-SE	Q2A/Q2V Book end style PFI filter, 100 A, 3- 400 VAC, for Q2A-A4089/Q2A-A2082/Q2V-A2082 models.	690.50	682627	4549734949255			EA	Z	HUN	8529.9097.90
Q2-FA4100-SE	Q2A/Q2V Book end style PFI filter, 100 A, 3- 400 VAC, for Q2A-A4089/Q2A-A2082/Q2V-A2082 models	690.50	702540	4549734793643			EA	Z	CHN	8529.9097.90
Q2-FA4170-SE	Q2A Book end style PFI filter, 170 A, 3- 400 VAC, for 4103, 4140, 4168 models	1,017.00	682626	4549734949248	#		EA	Z	HUN	8529.9097.90
Q2-FA4170-SE	Q2A Book end style PFI filter, 170 A, 3- 400 VAC, for 4103, 4140, 4168 models	1,017.00	702541	4549734793650			EA	Z	CHN	8529.9097.90
Q2-FA4410-SE	Q2A Busbar termination PFI filter, 410 A, 3- 400 VAC, for 4208, 4250, 4296, 4371, 4389 models / For 4675 model, 2 units are needed	1,107.00	682625	4549734949231	#		EA	Z	HUN	8529.9097.90
Q2-FA4410-SE	Q2A Busbar termination PFI filter, 410 A, 3- 400 VAC, for 4208, 4250, 4296, 4371, 4389 models / For 4675 model, 2 units are needed	1,107.00	702542	4549734793667			EA	Z	CHN	8529.9097.90
Q2-FA4600-SE	Q2A Busbar termination PFI filter, 600 A, 3- 400 VAC, for 4453, 5468 models	1,211.00	682624	4549734949224			EA	Z	HUN	8529.9097.90
Q2-FA4600-SE	Q2A Busbar termination PFI filter, 600 A, 3- 400 VAC, for 4453, 5468 models	1,211.00	702543	4549734793674			EA	Z	CHN	8529.9097.90
3G3IV-PFO-OC/21	Inverter chokes, 21 mm Diameter, For 2.2 kW motors or below	30.05	240737	4547648850520			EA	Z	GBR	8529.9097.90
ADF-P100-75/415_T-E-20	Active filter 415V Standard earthing system with graphical HMI and IP20 protection	31,170.00	688051	4549734970174			EA	Z	SWE	8529.9097.90
ADF-P100V2B-50/415_T-E-20	Active filter 415V Standard earthing system with graphical HMI and IP20 protection	28,730.00	688054	4549734970204			EA	Z	SWE	8529.9097.90
ADF-P300-360/415_T-E-21-100430	Active filter 415V Standard earthing system with graphical HMI, IP21 protection and additional terminals	118,400.00	688052	4549734970181			EA	Z	SWE	8529.9097.90
AX-FER2102-PE	Ferrite choke, 21mm diameter, for 2.2kW inverters and below	9.50	684893	4549734960939			EA	Z	CHN	8529.9097.90
AX-FER2815-PE	Ferrite choke, 28mm diameter, for 15kW inverters and below	11.79	684894	4549734960946	#		EA	Z	CHN	8529.9097.90
AX-FER3045-PE	Ferrite choke, 50mm diameter, for 45kW inverters and below	49.28	684895	4549734960953	#		EA	Z	CHN	8529.9097.90
AX-FER3255-PE	Ferrite choke, 52mm diameter, for 45kW inverters and above	58.60	684896	4549734960960			EA	Z	CHN	8529.9097.90
AX-RAI00025350-DE	AC input reactor, 25 uH, 535 A, INPUT 400 V	3,060.00	677435	4549734919517			EA	Z	ESP	8529.9097.90
AX-RAI00034500-DE	AC input reactor, 450 A, 0.03 mH, for 220 kW size, 400 VAC, 3 phase	1,891.00	406991	4547648993012			EA	Z	ESP	8529.9097.90
AX-RAI0003350-DE	AC input reactor, 335 A, 0.04 mH, for 160 kW size, 400 VAC, 3 phase	1,245.00	406990	4547648993005			EA	Z	ESP	8529.9097.90
AX-RAI00111850-DE	AC input reactor, 185 A, 0.11 mH, for 75 to 90 kW sizes, 400 VAC, 3 phase	1,215.00	351948	4547648894890			EA	Z	ESP	8529.9097.90
AX-RAI00180670-DE	AC input reactor, 67 A, 0.18 mH, for 11 and 15 kW sizes, 200 VAC, 3 phase	401.80	319008	4547648871549			EA	Z	ESP	8529.9097.90
AX-RAI00191150-DE	AC input reactor, 115 A, 0.19 mH, for 45 to 55 kW sizes, 400 VAC, 3 phase	803.50	319011	4547648871570			EA	Z	ESP	8529.9097.90
AX-RAI00290780-DE	AC input reactor, 78 A, 0.29 mH, for 30 to 37 kW sizes, 400 VAC, 3 phase	611.00	319010	4547648871563			EA	Z	ESP	8529.9097.90
AX-RAI00350335-DE	AC input reactor, 33.5 A, 0.35 mH, for 5.5 and 7.5 kW sizes, 200 VAC, 3 phase	321.70	319002	4547648871495			EA	Z	ESP	8529.9097.90
AX-RAI00360500-DE	AC input reactor, 50 A, 0.36 mH, for 18.5 to 22 kW sizes, 400 VAC, 3 phase	415.00	319009	4547648871556			EA	Z	ESP	8529.9097.90
AX-RAI00740335-DE	AC input reactor, 33.5 A, 0.74 mH, for 11 and 15 kW sizes, 400 VAC, 3 phase	358.60	319005	4547648871525			EA	Z	ESP	8529.9097.90
AX-RAI00880175-DE	AC input reactor, 17.5 A, 0.88 mH, for 1.5, 2.2 and 3.7 kW sizes, 200 VAC, 3 phase	206.90	319001	4547648871488			EA	Z	ESP	8529.9097.90
AX-RAI00880200-DE	AC input reactor, 20 A, 0.88 mH, for 1.5, 2.2 and 3.7 kW sizes, 200 VAC, 3 phase	195.10	319006	4547648871532			EA	Z	ESP	8529.9097.90
AX-RAI01300170-DE	AC input reactor, 17 A, 1.3 mH, for 5.5 and 7.5 kW sizes, 400 VAC, 3 phase	288.50	318999	4547648871464			EA	Z	ESP	8529.9097.90
AX-RAI02800080-DE	AC input reactor, 8 A, 2.8 mH, for 0.2, 0.4, 0.7 and 1.5 kW sizes, 200 VAC, 3 phase	186.70	319000	4547648871471			EA	Z	ESP	8529.9097.90
AX-RAI03500090-DE	AC input reactor, 9 A, 3.5 mH, for 2.2, 3.0 and 4.0 kW sizes, 400 VAC, 3 phase	195.10	318998	4547648871457			EA	Z	ESP	8529.9097.90
AX-RAI0350100-DE	AC input reactor, 10 A, 3.5 mH, for 2.2, 3.0 and 4.0 kW sizes, 400 VAC, 3 phase	195.10	319004	4547648871518			EA	Z	ESP	8529.9097.90
AX-RAI07700042-DE	AC input reactor, 4.2 A, 7.7 mH, for 0.4, 0.7 and 1.5 kW sizes, 400 VAC, 3 phase	192.60	318997	4547648871440			EA	Z	ESP	8529.9097.90
AX-RAI07700050-DE	AC input reactor, 5 A, 7.7 mH, for 0.4, 0.7 and 1.5 kW sizes, 400 VAC, 3 phase	186.70	319003	4547648871501			EA	Z	ESP	8529.9097.90
AX-RAI00115250-DE	AC input reactor, 525 A, 1.11 mH, 400 VAC, 3 phase	4,757.00	684619	4549734958837			EA	Z	ESP	8529.9097.90
AX-RAI00134440-DE	AC output reactor, 440 A, 130 mH, for 160 kW & 200 kW, 400 VAC, 3 phase	4,520.00	684161	4549734955874			EA	Z	ESP	8529.9097.90
AX-RAI00173250-DE	AC output reactor, 325 A, 0.170 mH, for 132 kW, 400 VAC, 3 phase	3,682.00	684162	4549734955881			EA	Z	ESP	8529.9097.90

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Daheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
AX-FA000212600-DE	AC output reactor, 260 A, 0.21 mH, for 132 kW, 400 VAC, 3 phase	4.039.00	351959	4547648895002			EA	Z	ESP	8529.9097.90
AX-FA000262170-DE	AC output reactor, 217 A, 0.26 mH, for 90 kW, 400 VAC, 3 phase	2.996.00	351958	4547648894999			EA	Z	ESP	8529.9097.90
AX-FA000331760-DE	AC output reactor, 176 A, 0.33 mH, for 90 kW, 400 VAC, 3 phase	2.592.00	351957	4547648894982			EA	Z	ESP	8529.9097.90
AX-FA000401490-DE	AC output reactor, 148 A, 0.40 mH, for 75 kW, 400 VAC, 3 phase	2.856.00	351956	4547648894975			EA	Z	ESP	8529.9097.90
AX-FA000531100-DE	AC output reactor, 110 A, 0.55 mH, for 55 kW, 400 VAC, 3 phase	1.903.00	351955	4547648894968			EA	Z	ESP	8529.9097.90
AX-FA000680900-DE	AC output reactor, 90 A, 0.68 mH, for 45 kW, 400 VAC, 3 phase	1.649.00	351954	4547648894951			EA	Z	ESP	8529.9097.90
AX-FA000800750-DE	AC output reactor, 75 A, 0.8 mH, for 37 kW, 400 VAC, 3 phase	1.242.00	351953	4547648894944			EA	Z	ESP	8529.9097.90
AX-FA001030580-DE	AC output reactor, 58 A, 1.03 mH, for 30 kW, 400 VAC, 3 phase	975.50	351952	4547648894937			EA	Z	ESP	8529.9097.90
AX-FA001300480-DE	AC output reactor, 48 A, 1.3 mH, for 22 kW, 400 VAC, 3 phase	975.50	351951	4547648894920			EA	Z	ESP	8529.9097.90
AX-FA001650400-DE	AC output reactor, 40 A, 1.65 mH, for 18.5 kW, 400 VAC, 3 phase	975.50	351950	4547648894913			EA	Z	ESP	8529.9097.90
AX-FA002000320-DE	AC output reactor, 32 A, 2 mH, for 15 kW, 400 VAC, 3 phase	510.50	319461	4547648871969			EA	Z	ESP	8529.9097.90
AX-FA002500220-DE	AC output reactor, 22 A, 2.5 mH, for 11 kW, 400 VAC, 3 phase	464.80	319462	4547648871976			EA	Z	ESP	8529.9097.90
AX-FA003000105-DE	AC output reactor, 10.5 A, 3 mH, for 2.2 kW, 200 VAC, 1/3 phase	184.60	319463	4547648871983			EA	Z	ESP	8529.9097.90
AX-FA003600160-DE	AC output reactor, 16 A, 3.6 mH, for 7.5 kW, 400 VAC, 3 phase	342.90	319464	4547648871990			EA	Z	ESP	8529.9097.90
AX-FA004600110-DE	AC output reactor, 11 A, 4.6 mH, for 5.5 kW, 400 VAC, 3 phase	300.50	319466	4547648872010			EA	Z	ESP	8529.9097.90
AX-FA007300080-DE	AC output reactor, 8 A, 7.3 mH, for 3.0 and 4.0 kW, 400 VAC, 3 phase	362.40	319467	4547648872027			EA	Z	ESP	8529.9097.90
AX-FA011800053-DE	AC output reactor, 5.3 A, 11.8 mH, for 2.2 kW, 400 VAC, 3 phase	193.10	354528	4547648906326			EA	Z	ESP	8529.9097.90
AX-FA016300038-DE	AC output reactor, 3.8 A, 16.3 mH, for 0.4, 0.7 and 1.5 kW, 400 VAC, 3 phase	188.40	319471	4547648872065			EA	Z	ESP	8529.9097.90
AX-FC001130057-DE	DC link reactor, 305.7 A, 0.13 mH, for 55 kW, 200 VAC, 3 phase	802.50	319427	4547648871624			EA	Z	ESP	8529.9097.90
AX-FC001162500-DE	DC link reactor, 250 A, 0.16 mH, for 45 kW, 200 VAC, 3 phase	753.50	319428	4547648871631			EA	Z	ESP	8529.9097.90
AX-FC001192015-DE	DC link reactor, 201.5 A, 0.19 mH, for 37 kW, 200 VAC, 3 phase	762.50	319429	4547648871648			EA	Z	ESP	8529.9097.90
AX-FC002136119-DE	DC link reactor, 361.3 A, 0.21 mH, for 132 kW, 400 VAC	1.901.00	351969	4547648895101			EA	Z	ESP	8529.9097.90
AX-FC002231662-DE	DC link reactor, 166.2 A, 0.23 mH, for 30 kW, 200 VAC, 3 phase	442.90	319430	4547648871655			EA	Z	ESP	8529.9097.90
AX-FC002292981-DE	DC link reactor, 298.1 A, 0.25 mH, for 110 kW, 400 VAC	1.477.00	351968	4547648895095			EA	Z	ESP	8529.9097.90
AX-FC003011275-DE	DC link reactor, 127.5 A, 0.30 mH, for 18.5 kW and 22 kW, 200 VAC, 3 phase	296.20	319431	4547648871662			EA	Z	ESP	8529.9097.90
AX-FC00312446-DE	DC link reactor, 244.6 A, 0.31 mH, for 90 kW, 400 VAC	1.477.00	351967	4547648895088			EA	Z	ESP	8529.9097.90
AX-FC00372094-DE	DC link reactor, 209.4 A, 0.37 mH, for 75 kW, 400 VAC	950.00	351966	4547648895071			EA	Z	ESP	8529.9097.90
AX-FC00440859-DE	DC link reactor, 85.9 A, 0.44 mH, for 15 kW, 200 VAC	222.90	319432	4547648871679			EA	Z	ESP	8529.9097.90
AX-FC00501529-DE	DC link reactor, 152.9 A, 0.50 mH, for 55 kW, 400 VAC	839.50	319433	4547648871686			EA	Z	ESP	8529.9097.90
AX-FC00590614-DE	DC link reactor, 61.4 A, 0.59 mH, for 11 kW, 200 VAC	189.80	319434	4547648871693			EA	Z	ESP	8529.9097.90
AX-FC00611236-DE	DC link reactor, 123.6 A, 0.61 mH, for 45 kW, 400 VAC	712.00	319435	4547648871709			EA	Z	ESP	8529.9097.90
AX-FC00741042-DE	DC link reactor, 104.2 A, 0.74 mH, for 37 kW, 400 VAC	681.00	319436	4547648871716			EA	Z	ESP	8529.9097.90
AX-FC00920797-DE	DC link reactor, 79.7 A, 0.92 mH, for 30 kW, 400 VAC	461.90	319438	4547648871730			EA	Z	ESP	8529.9097.90
AX-FC01200644-DE	DC link reactor, 64.4 A, 1.2 mH, for 18.5 to 22 kW, 400 VAC	311.10	319440	4547648871754			EA	Z	ESP	8529.9097.90
AX-FC01750430-DE	DC link reactor, 43 A, 1.75 mH, for 15 kW, 400 VAC	215.60	319442	4547648871778			EA	Z	ESP	8529.9097.90
AX-FC02330307-DE	DC link reactor, 30.7 A, 2.33 mH, for 11 kW, 400 VAC	178.50	319443	4547648871785			EA	Z	ESP	8529.9097.90
AX-FC02810138-DE	DC link reactor, 13.8 A, 2.51 mH, for 1.5 kW and 2.2 kW, 200 VAC	59.50	319444	4547648871792			EA	Z	ESP	8529.9097.90
AX-FC03350219-DE	DC link reactor, 21.9 A, 3.25 mH, for 7.5 kW, 400 VAC	114.90	319445	4547648871808			EA	Z	ESP	8529.9097.90
AX-FC03510093-DE	DC link reactor, 9.3 A, 3.51 mH, for 0.7 kW and 1.5 kW, 200 VAC	54.80	319446	4547648871815			EA	Z	ESP	8529.9097.90
AX-FC04410167-DE	DC link reactor, 16.7 A, 4.41 mH, for 5.5 kW, 400 VAC	99.20	319447	4547648871822			EA	Z	ESP	8529.9097.90
AX-FC06400116-DE	DC link reactor, 11.6 A, 6.4 mH, for 4 kW, 400 VAC	86.30	319448	4547648871839			EA	Z	ESP	8529.9097.90
AX-FC06750061-DE	DC link reactor, 6.1 A, 6.75 mH, for 0.4 kW and 0.7 kW, 200 VAC	54.80	319449	4547648871846			EA	Z	ESP	8529.9097.90
AX-FC10100069-DE	DC link reactor, 6.9 A, 10.1 mH, for 2.2 kW, 400 VAC	57.90	319450	4547648871853			EA	Z	ESP	8529.9097.90
AX-FC10700032-DE	DC link reactor, 3.3 A, 10.7 mH, for 0.1 and 0.4 kW, 200 VAC	56.05	319451	4547648871860			EA	Z	ESP	8529.9097.90
AX-FC14000047-DE	DC link reactor, 4.7 A, 14 mH, for 1.5 kW, 400 VAC	56.05	319452	4547648871877			EA	Z	ESP	8529.9097.90
AX-FC21400016-DE	DC link reactor, 1.6 A, 21.4 mH, for 0.1 and 0.2 kW, 200 VAC	47.69	319453	4547648871884			EA	Z	ESP	8529.9097.90
AX-FC27000030-DE	DC link reactor, 3 A, 27 mH, for 0.7 kW, 400 VAC	51.40	319454	4547648871891			EA	Z	ESP	8529.9097.90
AX-FC43000020-DE	DC link reactor, 2 A, 43 mH, for 0.4 kW, 400 VAC	57.15	319455	4547648871907			EA	Z	ESP	8529.9097.90
MDB 400/700	AC Output reactor 700 A, 400 V, up to 120 Hz output frequency	5.960.00	694901	4549734995092			EA	Z	DEU	8529.9097.90
01-1865-00	SX Fan Heat exchanger 92x92x25 24V	67.70	689476	4549734977616			EA	Z	SWE	8473.3080.00
01-3179-10	PEBB300 Insulation cover HCB	10.10	695606	4549734997249			EA	Z	SWE	8473.3080.00
01-3446-00	SX Fan Power board 60x60x25 24V	52.35	689475	4549734977609			EA	Z	SWE	8473.3080.00
01-4880-01 48-250 EBW-250AY	PEBB 300 mm (250A) 480V FUJI with option Brake and coated	17.520.00	674296	4548583994355			EA	Z	JPN	8473.3080.00
01-6017-60	SX power board 500-690V NGL (coat+blue)	3.589.00	689260	4549734976671			EA	Z	SWE	8473.3080.00
2554155FC	Cooling fan 3G3FX	64.80	685137	4549734962124			EA	Z	JPN	8414.5925.90
IM-MOTOR-GK-DEMOCASE-V1	Georgii Kobold IM motor Democase for Q2 Series inverters.	6.285.00	689443	4549734977364			EA	Z	ESP	9032.8900.90
3G3AX-CAJOP300-EE	Cable for connecting remote operator.3 m	4.46	324009	4547648873703			EA	Z	ITA	8503.0099.90
3G3AX-PCACN2	RL45 TO USB converter/ connection cable	353.20	283120	4547648623186			EA	Z	JPN	9032.8900.90
A1000-CAVPC232-EE	PC connection cable, RS232 PC tool connection cable.	15.96	241953	4547648850759			EA	Z	ITA	8544.4290.90
RIKT40003AAAAA	Regen Braking Unit Rt000, 400V, 3.5kW, incl 1% reactor, 0.2ka copper	2.445.00	672516	4548583981584			EA	Z	JPN	9032.8900.90
RIKT40005AAAAA	Regen Braking Unit Rt000, 400V, 5kW, incl 1% reactor, 0.2ka copper	2.498.00	672522	4548583981645			EA	Z	JPN	9032.8900.90
RIKT40007AAAAA	Regen Braking Unit Rt000, 400V, 7kW, incl 1% reactor, 0.3ka copper	2.564.00	672528	4548583981706			EA	Z	JPN	9032.8900.90
RIKT40010AAAAA	Regen Braking Unit Rt000, 400V, 10kW, incl 1% reactor, 0.35ka copper	2.844.00	672524	4548583981669			EA	Z	JPN	9032.8900.90
RIKT40014AAAAA	Regen Braking Unit Rt000, 400V, 14kW, incl 1% reactor, 0.4ka copper	3.161.00	672523	4548583981652			EA	Z	JPN	9032.8900.90
RIKT40017AAAAA	Regen Braking Unit Rt000, 400V, 17kW, incl 1% reactor, 0.4ka copper	3.684.00	672515	4548583981577			EA	Z	JPN	9032.8900.90
RIKT40020AAAAA	Regen Braking Unit Rt000, 400V, 20kW, incl 1% reactor, 0.45ka copper	4.121.00	672521	4548583981638			EA	Z	JPN	9032.8900.90
RIKT40028AAAAA	Regen Braking Unit Rt000, 400V, 28kW, incl 1% reactor, 0.6ka copper	4.968.00	672519	4548583981614			EA	Z	JPN	9032.8900.90
RIKT40035AAAAA	Regen Braking Unit Rt000, 400V, 35kW, incl 1% reactor, 0.65ka copper	5.575.00	672529	4548583981713			EA	Z	JPN	9032.8900.90
RIKT40043AAAAA	Regen Braking Unit Rt000, 400V, 43kW, incl 1% reactor, 1.25ka copper	6.520.00	672530	4548583981621			EA	Z	JPN	9032.8900.90
RIKT40053AAAAA	Regen Braking Unit Rt000, 400V, 53kW, incl 1% reactor, 1.25ka copper	8.160.00	672517	4548583981591			EA	Z	JPN	9032.8900.90
RIKT40073AAAAA	Regen Braking Unit Rt000, 400V, 73kW, incl 1% reactor, 1.7ka copper	10.120.00	672518	4548583981607			EA	Z	JPN	9032.8900.90
RIKT40105AAAAA	Regen Braking Unit Rt000, 400V, 105kW, incl 1% reactor, 2ka copper	12.500.00	672525	4548583981676			EA	Z	JPN	9032.8900.90
RIKT40150AAAAA	Regen Braking Unit Rt000, 400V, 150kW, incl 1% reactor, 5.6ka copper	15.400.00	672526	4548583981683			EA	Z	JPN	9032.8900.90



Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Daheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
SGDV-5R5A01A	Sigma 5 servo driver, 1~ 230 V, 750 W, Pulse/Analog, rotating motor	1,870.00	330210	4547648881173			EE	D	GBR	8501.4020.80
SGDV-750J01A	Sigma 5 Servo Amplifier 30kW 3ph 400V Analog/Pulse	8,100.00	658947	4548583950139			EE	D	JPN	8501.4020.80
SGDV-8R4D01A	Sigma 5 servo driver, 3-phase 400 V, 2 kW, Pulse/Analog, rotating motor	2,556.00	330221	4547648881289			EE	D	GBR	8501.4020.80
SGDV-F90A01A	Sigma 5 servo driver, 1~ 230 V, 100 W, Pulse/Analog, rotating motor	1,747.00	330198	4547648881050			EE	D	GBR	8501.4020.80
SGDV-120A11A-008000	Sigma 5 servo driver, 3-phase 400 V, 1.5 kW, Mechatrolink 2, rotating motor	2,977.00	329515	4547648880671			EE	D	JPN	9032.8900.90
SGDV-120D11A	Sigma 5 servo driver, 3-phase 400 V, 3 kW, Mechatrolink 2, rotating motor	2,820.00	330227	4547648881340			EE	D	GBR	8501.4020.80
SGDV-170D11A	Sigma 5 servo driver, 3~ 400 V, 5 kW, Mechatrolink 2, rotating motor	4,052.00	330230	4547648881371	#		EE	D	GBR	8501.4020.80
SGDV-1R8A11A	Sigma 5 servo drive, 200 W, Mechatrolink II, 200 VAC, 1-phase	2,315.00	333084	4547648883986			EE	D	GBR	9032.8900.90
SGDV-1R8D11A	Sigma 5 servo driver, 3-phase 400 V, 500 W, Mechatrolink 2, rotating motor	2,318.00	330208	4547648881159			EE	D	GBR	8501.4020.80
SGDV-210D11A	Sigma 5 Servo Amplifier 6.00 kW 3 ph 400 V Mechatrolink II Rotary	7,280.00	392868	4547648982719			EE	D	GBR	8501.4020.80
SGDV-260D11A	Sigma 5 servo drive, 7.5 kW, 25.4A continuous, 400 VAC 3-phase	10,610.00	392870	4547648982733			EE	D	GBR	8501.4020.80
SGDV-2R8A11A	Sigma 5 MECHATROLINK drive, 1-phase, 230 V, 400 W	1,689.00	333085	4547648883993	#		EE	D	GBR	9032.8900.90
SGDV-3R5D11A	Sigma 5 servo driver, 3~ 400 V, 1k W, Mechatrolink 2, rotating motor	2,616.00	330215	4547648881227			EE	D	GBR	8501.4020.80
SGDV-3R5D15A	Sigma 5 servo driver, 3~ 400 V, 1k W, Mechatrolink 2, linear motor	4,234.00	330216	4547648881234			EE	D	GBR	8501.4020.80
SGDV-5R5D11A	Sigma V Servo driver, 1.5 kW, Mechatrolink II interface, 400 VAC, 3-phase	2,229.00	333087	4547648884013			EE	D	GBR	9032.8900.90
SGDV-5R5A11A	Sigma 5 servo driver, 1-phase 230 V, 750 W, pulse/analog, rotating motor	1,925.00	333086	4547648884006			EE	D	GBR	9032.8900.90
SGDV-8R4D11A	Sigma 5 servo driver, 3~ 400 V, 2 kW, Pulse/Analog, rotating motor	1,993.00	330223	4547648881302			EE	D	GBR	8501.4020.80
SGDV-R70A11A	Sigma 5 servo driver, 1~ 230 V, 50 W, Mechatrolink 2, rotating motor	1,917.00	330234	4547648881418			EE	D	GBR	8501.4020.80
SGDV-F90A11A	Sigma 5 servo drive, 100 W, 0.91A, Mechatrolink II, 200 VAC, 1-phase	2,027.00	333082	4547648883962			EE	D	GBR	9032.8900.90
SGDV-101E1A	Sigma5 servo driver 37kW DC power input, I/F type for rotary motor	9,390.00	411788	4547648995719			EE	D	JPN	9032.8900.90
SGDV-170DE1A	Sigma 5 Servo Amplifier 5.00kW 3ph 400V Other Network Rotary	3,794.00	351784	4547648894319			EE	D	JPN	9032.8900.90
SGDV-2R8AE1A	Sigma 5 servo drive 400 W, 200VAC rotating motor	2,118.00	351788	4547648894357			EE	D	JPN	9032.8900.90
SGDV-3R5DE1A	Sigma 5 servo drive 1.0 kW, 400VAC rotating motor	2,091.00	351780	4547648894272			EE	D	JPN	9032.8900.90
SGDV-5R4DE1A	Sigma 5 Servo Amplifier 1.50kW 3ph 400V Other Network Rotary	2,187.00	351781	4547648894289			EE	D	JPN	9032.8900.90
SGDV-5R5AE1A	Sigma 5 Servo Amplifier 0.75kW 1/3ph 230V Other Network Rotary	2,178.00	351789	4547648894364			EE	D	JPN	9032.8900.90
SGDV-750JE1A	Sigma5 servo driver 30kW DC power input, I/F type for rotary motor	8,655.00	410777	4547648995290			EE	D	JPN	9032.8900.90
SGMAV-01ADA61	Sigma V, AC servo motor, 100W, 3000rpm, 0.318Nm	676.00	329148	4547648880633			EE	D	JPN	8501.4020.80
SGMAV-01ADA6C	Sigma V, AC servo motor, 100 W, 3000 rpm, 0.318 Nm, with brake	1,069.00	330238	4547648881456			EE	D	JPN	8501.4020.80
SGMAV-02ADA61	Sigma V, AC servo motor, 200W, 3000rpm, 0.637Nm	982.50	330241	4547648881487			EE	D	JPN	8501.4020.80
SGMAV-04ADA61	Sigma V, AC servo motor, 400W, 3000rpm, 1.27Nm	940.50	330243	4547648881500			EE	D	JPN	8501.4020.80
SGMAV-04ADA6C	Sigma V, AC servo motor, 400 W, 3000 rpm, 1.27 Nm, with brake	1,655.00	330244	4547648881517			EE	D	JPN	8501.4020.80
SGMAV-08A3A61	Sigma V, AC servo motor, 750W, 3000rpm, 2.39Nm, absolute	1,512.00	330249	4547648881562			EE	D	JPN	8501.4020.80
SGMAV-08ADA61	Sigma V, AC servo motor, 750W, 3000rpm, 2.39Nm	1,402.00	330251	4547648881586			EE	D	JPN	8501.4020.80
SGMAV-10ADA61	Sigma V, AC servo motor, 1000 W, 3000 rpm, 3.18 Nm	1,585.00	330255	4547648881623			EE	D	JPN	8501.4020.80
SGM.JV-02AA61	Sigma V, AC servo motor, 200W, 3000rpm, 0.637Nm, 13 bit	739.00	330335	4547648882422			EE	D	JPN	8501.4020.80
SGM.JV-02ADA61	Sigma V, AC servo motor, 200W, 3000rpm, 0.637Nm	792.50	330337	4547648882446			EE	D	JPN	8501.4020.80
SGM.JV-04A3A61	Sigma V, AC servo motor, 400 W, 3000 rpm, 1.27 Nm, absolute,	1,324.00	330339	4547648882460			EE	D	JPN	8501.4020.80
SGM.JV-04AA61	Sigma V, AC servo motor, 400W, 3000rpm, 1.27Nm, 13 bit	1,020.00	330341	4547648882484	#		EE	D	JPN	8501.4020.80
SGM.JV-04ADA61	Sigma V, AC servo motor, 400W, 3000rpm, 1.27Nm,	1,097.00	330343	4547648882507			EE	D	JPN	8501.4020.80
SGM.JV-08ADA61	Sigma V, AC servo motor, 750W, 3000rpm, 2.39Nm,	1,386.00	330349	4547648882569			EE	D	JPN	8501.4020.80
SGM.JV-08ADA6C	Sigma V, AC servo motor, 750W, 3000rpm, 2.39Nm, with brake	1,947.00	330350	4547648882576			EE	D	JPN	8501.4020.80
SGMEV-04ADA61	Sigma V, AC servo motor, 400 W, 3000 r.p.m.	1,097.00	330277	4547648881845			EE	D	JPN	8501.4020.80
SGMEV-04DDA61	AC Motor 400V 3ph, 0.40kW(1.27Nm rated, 3.82Nm peak) 20bit IncEnc	1,215.00	330281	4547648881883			EE	D	JPN	8501.4020.80
SGMEV-07DDA61	AC Motor 400V 3ph, 0.65kW(2.07Nm rated, 7.16Nm peak) 20bit IncEnc	1,482.00	330285	4547648881920			EE	D	JPN	8501.4020.80
SGMEV-08ADA61	Sigma 5 motor, EV series, 750W, 200vac, 2.39Nm	1,290.00	330289	4547648881968			EE	D	JPN	8501.4020.80
SGMEV-08DDA61	AC Motor 400V 3ph, 0.75kW(2.39Nm rated, 7.16Nm peak) 20bit IncEnc	1,719.00	330293	4547648882002			EE	D	JPN	8501.4020.80
SGMGV-05DDA6F	Sigma V, AC servo motor, 450 W, 1500 rpm, 2.86 Nm, dust seal	1,023.00	330308	4547648882156			EE	D	JPN	8501.4020.80
SGMGV-05DDA6H	Sigma V, AC servo motor, 450 W, 1500 rpm, 2.86 Nm, dust seal with brake	1,631.00	330309	4547648882163			EE	D	JPN	8501.4020.80
SGMGV-09DDA6F	AC Motor 400V 3ph, 0.85kW (5.39Nm rated, 13.8Nm peak) 20bit IncEnc, DustS	1,143.00	355345	4547648909938			EE	D	JPN	8501.4020.80
SGMGV-09DDA6H	AC Motor 400V 3ph, 0.85kW (5.39Nm rated, 13.8Nm peak) 20bit IncEnc, DustS + Brake	1,998.00	355346	4547648909945			EE	D	JPN	8501.4020.80
SGMGV-19D3A6F	Sigma V, AC servo motor, 1.3kW, 1500rpm, 8.34Nm, absolute, dust seal	1,572.00	330314	4547648882217			EE	D	JPN	8501.4020.80
SGMGV-19D3A6H	Sigma V, AC servo motor, 1.3kW, 1500rpm, 8.34Nm, absolute, dust seal with brake	2,106.00	330315	4547648882224			EE	D	JPN	8501.4020.80
SGMGV-19DDA6F	AC Motor 400V 3ph, 1.30kW (8.34Nm rated, 23.3Nm peak) 20bit IncEnc, DustS	1,402.00	355347	4547648909952			EE	D	JPN	8501.4020.80
SGMGV-19DDA6H	AC Motor 400V 3ph, 1.30kW (8.34Nm rated, 23.3Nm peak) 20bit IncEnc, DustS + Brake	2,118.00	355348	4547648909969			EE	D	JPN	8501.4020.80
SGMGV-1ADDA6F	AC Motor 400V 3ph, 1.1kW (7.00Nm rated, 17.5Nm peak) 20bit IncEnc, DustS	4,787.00	255486	4547648862639			EE	D	JPN	8501.4020.80
SGMGV-20DDA6F	AC Motor 400V 3ph, 1.80kW (11.5Nm rated, 28.7Nm peak) 20bit IncEnc, DustS	1,606.00	355349	4547648909976			EE	D	JPN	8501.4020.80
SGMGV-20DDA6H	Sigma V, AC servo motor, 1.8kW, 1500rpm, 11.5Nm, dust seal with brake	1,878.00	330321	4547648882286			EE	D	JPN	8501.4020.80
SGMGV-30DDA6F	AC Motor 400V 3ph, 2.90kW (18.6Nm rated, 45.1Nm peak) 20bit IncEnc, DustS	1,958.00	355353	4547648910019	#		EE	D	JPN	8501.4020.80
SGMGV-30DDA6H	Sigma V, AC servo motor, 2.9 kW, 1500 rpm, 18.6 Nm, dust seal with brake	2,888.00	355354	4547648910026			EE	D	JPN	8501.4020.80
SGMGV-44DDA6F	Sigma V, AC servo motor, 4.4 kW, 1500rpm, 28.4 Nm, dust seal	2,496.00	355355	4547648910033	#		EE	D	JPN	8501.4020.80
SGMGV-44DDA6H	Sigma V, AC servo motor, 4.4kW, 1500rpm, 28.4Nm, dust seal with brake	2,819.00	355356	4547648910040			EE	D	JPN	8501.4020.80
SGMGV-55DDA6F	Sigma 5 driver, 400vac, 5.5kW, 35Nm	3,258.00	255482	4547648862677			EE	D	JPN	8501.4020.80
SGMGV-75DDA6F	AC Motor 400V 3ph, 7.50kW (48.0Nm rated, 119Nm peak) 20bit IncEnc, DustS	5,070.00	255484	4547648862691			EE	D	JPN	8501.4020.80
SGMW-2BD3B6N	Sigma5 servo motor 400V, 22kW, 1500RPM, abs encoder, flange mount	16,580.00	410792	4547648995443			EE	D	JPN	8501.4020.80
SGMW-3GD3B6G	Sigma5 Motor 400V 3ph, 37kW (236Nm rated, 589Nm peak) 1.500 rpm, Brake+DustSeal, Flange-mount	22,440.00	658949	4548583950153			EE	D	JPN	8501.4020.80
SGMW-3GD3B6N	Sigma5 Motor 400V 3ph, 37kW (236Nm rated, 589Nm peak) 1.500 rpm, 20bit AbsEnc, Flange-mount	19,160.00	658948	4548583950146			EE	D	JPN	8501.4020.80
SGMW-3ZD3B6N	Sigma5 Motor 400V 3ph, 30kW (191Nm rated, 478Nm peak) 1.500 rpm, 20bit AbsEnc, Flange-mount	17,710.00	658946	4548583950122			EE	D	JPN	8501.4020.80
SGMSV-10DDA6H-OY	Sigma V, AC servo motor, 1 kW, 3000 rpm, 3.18 Nm, 13 bit, with brake	1,884.00	330356	4547648882637			EE	D	JPN	8501.4020.80
SGMSV-15DDA6H-OY	Sigma V, AC servo motor, 1.5 kW, 3000 rpm, 4.9 Nm, 13 bit, with brake	2,109.00	330358	4547648882651			EE	D	JPN	8501.4020.80
SGMSV-20DDA6F-OY	Sigma V, AC servo motor, 2 kW, 3000 rpm, 6.36 Nm, 13 bit	1,955.00	330359	4547648882668			EE	D	JPN	8501.4020.80

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Daheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
SGMSV-20DDA6H-OY	Sama V, AC servo motor, 2 kW, 3000 rpm, 6.36 Nm, 13 bit, with brake	2,109.00	330360	4547648882675			EB	D	JPN	8501.4020.80
SGMSV-30DDA6F-OY	Sama V, AC servo motor, 3 kW, 3000 rpm, 9.8 Nm, 13 bit	2,544.00	330361	4547648882682			EB	D	JPN	8501.4020.80
SGMSV-30DDA6H-OY	Sama V, AC servo motor, 3 kW, 3000 rpm, 9.8 Nm, 13 bit, with brake	2,986.00	328035	4547648879156			EB	D	JPN	8501.4020.80
SGMSV-50DDA6F-OY	Sama V, AC servo motor, 5 kW, 3000 rpm, 15.8 Nm, 13 bit	3,480.00	324429	4547648875585			EB	D	JPN	8501.4020.80
SGDV-COA32DA	Reidist. Regenerative converter 30kW 400V, base mounted	7,465.00	410778	4547648995306			EB	D	JPN	8471.6070.00
SGDV-COA5EDA	Converter for Sama 5 LC 55kW 400V	9,960.00	377809	4547648963855			EB	D	JPN	8471.6070.00
SGDV-OCOA1A	EtherCAT I/F Option Card Sama 5	685.00	292090	4547648867825			EB	D	JPN	8471.6070.00
SGDV-OCB03A	Sama 5 PROFINET I/F network module	702.50	392857	4547648982603			EB	D	GBR	8471.6070.00
SGDV-OZA01A	Mounting Kit for Sama 5 Option Cards	52.65	326403	4547648878241			EB	D	GBR	8471.6070.00
<b>Servo Linear Motor.</b>										
R88LEC-FW-0303-APLC	Accurax linear motor iron core coil, m.a width 30mm, 3-coil model, with connectors	1,049.00	352721	4547648896740			EB	E	CHN	8501.4020.80
R88LEC-FW-0306-ANPC	Accurax linear motor iron core coil, m.a width 30 mm, 6-coil model, w/o connectors	723.50	352720	4547648896733			EB	E	CHN	8537.1098.99
R88LEC-FW-0306-APLC	Accurax linear motor iron core coil, m.a width 30mm, 6-coil model, with connectors	1,174.00	352722	4547648896757			EB	E	CHN	8537.1098.99
R88LEC-FW-0606-ANPC	Accurax linear motor iron core coil, m.a width 60 mm, 6-coil model, w/o connector	764.50	352723	4547648896764			EB	E	CHN	8537.1098.99
R88LEC-FW-0606-APLC	Accurax linear motor iron core coil, m.a width 60mm, 6-coil model, with connector	1,227.00	352726	4547648896795			EB	E	CHN	8537.1098.99
R88LEC-FW-0609-ANPC	Accurax linear motor iron core coil, m.a width 60 mm, 9-coil model, w/o connectors	932.00	352724	4547648896771			EB	E	CHN	8537.1098.99
R88LEC-FW-0612-ANPC	Accurax linear motor iron core coil, m.a width 60 mm, 12-coil model, w/o connectors	1,149.00	352725	4547648896788			EB	E	CHN	8537.1098.99
R88LEC-FW-0612-APLC	Accurax linear motor iron core coil, m.a width 60 mm, 12-coil model, with connectors	1,638.00	352728	4547648896818			EB	E	CHN	8537.1098.99
R88LEC-FW-1112-ANPC	Accurax linear motor iron core coil, m.a width 110 mm, 12-coil model, w/o connectors	2,850.00	352729	4547648896825			EB	E	CHN	8537.1098.99
TBW18N	Moving Coil TBW18, fn = 1140 N, vmax = 3 m/s	3,421.00	374646	4547648955614			EB	E	CHN	8504.9090.00
TBW18S	Moving Coil TBW18, fn = 1140 N, vmax = 6 m/s	3,421.00	374647	4547648955621			EB	E	CHN	8504.9090.00
R88LEC-GW-0303-ANPS	Accurax linear motor ironless coil, m.a width 30mm, 3-coil model, w/o connectors	947.00	324815	4547648876889			EB	E	CHN	8501.4020.80
R88LEC-GW-0303-APLS	Accurax linear motor ironless coil, m.a width 30mm, 3-coil model, with connectors	1,060.00	324818	4547648876919			EB	E	CHN	8501.4020.80
R88LEC-GW-0306-ANPS	Accurax linear motor ironless coil, m.a width 30mm, 6-coil model, w/o connectors	1,204.00	324816	4547648876896			EB	E	CHN	8501.4020.80
R88LEC-GW-0306-APLS	Accurax linear motor ironless coil, m.a width 30mm, 6-coil model, with connectors	1,318.00	324819	4547648876926			EB	E	CHN	8501.4020.80
R88LEC-GW-0309-ANPS	Ironless Motors, Rated Force 80 N	934.50	377215	4547648961547			EB	E	CHN	8501.4020.80
R88LEC-GW-0503-ANPS	Accurax linear motor ironless coil, m.a width 50mm, 3-coil model, w/o connectors	1,119.00	324822	4547648876957			EB	E	CHN	8501.4020.80
R88LEC-GW-0503-APLS	Accurax linear motor ironless coil, m.a width 50mm, 3-coil model, with connectors	1,246.00	324825	4547648876988			EB	E	CHN	8501.4020.80
R88LEC-GW-0506-ANPS	Accurax linear motor ironless coil, m.a width 50mm, 6-coil model, w/o connectors	1,399.00	324823	4547648876964			EB	E	CHN	8501.4020.80
R88LEC-GW-0506-APLS	Accurax linear motor ironless coil, m.a width 50mm, 6-coil model, with connectors	1,511.00	324826	4547648876995			EB	E	CHN	8501.4020.80
R88LEC-GW-0703-ANPS	Accurax linear motor ironless coil, m.a width 70mm, 3-coil model, w/o connectors	1,384.00	324829	4547648877022			EB	E	CHN	8501.4020.80
R88LEC-GW-0703-APLS	Accurax linear motor ironless coil, m.a width 70mm, 3-coil model, with connectors	1,497.00	324832	4547648877053			EB	E	CHN	8501.4020.80
R88LEC-GW-0706-ANPS	Accurax linear motor ironless coil, m.a width 70mm, 6-coil model, w/o connectors	1,689.00	324830	4547648877039			EB	E	CHN	8501.4020.80
R88LEC-GW-0706-APLS	Accurax linear motor ironless coil, m.a width 70mm, 6-coil model, with connectors	1,801.00	324833	4547648877069			EB	E	CHN	8501.4020.80
R88LEC-GW-0709-ANPS	Accurax linear motor ironless coil, m.a width 70mm, 9-coil model, w/o connectors	1,988.00	324831	4547648877046			EB	E	CHN	8501.4020.80
R88LEC-GW-0709-APLS	Accurax linear motor ironless coil, m.a width 70mm, 9-coil model, with connectors	2,108.00	324834	4547648877077			EB	E	CHN	8501.4020.80
R88LEA-AF-0303-0590-0005	Linear motor	8,555.00	393448	4547648984881			EB	E	DEU	9032.8900.90
R88LEA-AF-0303-0782-0005	Accurax linear slider, rated force 48 N, Peak force 105 N, 782 mm effective stroke, absolute encoder	9,225.00	379723	4547648969727			EB	E	DEU	9032.8900.90
R88LEA-AF-0303-0974-0005	Accurax linear slider, rated force 48 N, Peak force 105 N, 974 mm effective stroke, absolute encoder	10,410.00	659406	4548583952447			EB	E	DEU	9032.8900.90
R88LEA-AF-0303-1070-0005	Accurax linear slider, rated force 48 N, Peak force 105 N, 1070 mm effective stroke, absolute encoder	10,720.00	659405	4548583952430			EB	E	DEU	9032.8900.90
R88LEA-AF-0303-2126-0005	Accurax Linear Axes	13,830.00	670426	4548583970816			EB	E	DEU	8479.9070.99
R88LEA-AF-0306-0734-2826	Accurax linear motor axis, iron core coil, magnet width 60mm, 734mm stroke, optical inc. encoder system, nickel coated, right hand, special d-sub connectors	12,060.00	679253	4549734930789			EB	E	DEU	8479.9070.99
R88LEA-AF-0306-0734-2826	Accurax linear motor axis, iron core coil, magnet width 60mm, 734mm stroke, optical inc. encoder system, nickel coated, left hand, special d-sub connectors	12,060.00	679251	4549734930772			EB	E	DEU	8479.9070.99
R88LEA-AF-0306-1022-0005	Accurax linear motor axis, iron core coil R88LEC-FW-0306-ANPC, magnet width 30mm, 1022mm stroke, optical abs encoder system, standard cable chain 38mm radius, 1 Mio cycles cable life time	10,690.00	690461	4549734982061			EB	E	DEU	8479.9070.99
R88LEA-AF-0606-0302-0005	Accurax linear motor axis, iron core coil R88LEC-FW-0606-ANPC, magnet width 60 mm, 0302 mm stroke, optical abs encoder system, standard cable chain 38 mm radius, 1 Mio cycles cable life time	8,935.00	699933	4549734893756			EB	E	DEU	8479.9070.99
R88LEA-AF-0606-0590-0005	Accurax linear motor axis, iron core coil R88LEC-FW-0606-ANPC, magnet width 60 mm, 0590 mm stroke, optical abs encoder system, standard cable chain 38 mm radius, 1 Mio cycles cable life time	10,150.00	694881	4549734995009			EB	E	DEU	8479.9070.99
R88LEA-AF-0606-1070-0700	Accurax linear motor axis, iron core coil R88LEC-FW-0606-ANPC, magnet width 60mm, 1070mm stroke, optical abs encoder system, standard cable chain 38mm radius, 1 Mio cycles cable life time	14,620.00	689258	4549734976664			EB	E	DEU	8479.9070.99
R88LEA-AF-0606-1550-0105	Accurax linear motor axis, iron core coil R88LEC-FW-0606-ANPC, magnet width 60mm, 1550mm stroke, optical abs encoder system, high performance cable chain 100mm radius, 5 Mio cycles cable life time	12,590.00	690321	4549734981118			EB	E	DEU	8479.9070.99
R88LEA-AF-0609-0446-0005	Accurax linear motor axis, iron core coil R88LEC-FW-0609-ANPC, magnet width 60 mm, 0446 mm stroke, optical abs encoder system, standard cable chain 38 mm radius, 1 Mio cycles cable life time	9,665.00	701081	4549734896948			EB	E	DEU	8479.9070.99
R88LEA-AF-0609-0830-0005	Accurax linear motor axis, iron core coil R88LEC-FW-0609-ANPC, magnet width 60mm, 0830mm stroke, optical abs encoder system, standard cable chain 38mm radius, 1 Mio cycles cable life time	11,390.00	690463	4549734962078			EB	E	DEU	8479.9070.99
R88LEA-AF-0609-1022-0005	Accurax linear motor axis, iron core coil R88LEC-FW-0609-ANPC, magnet width 60 mm, 1022 mm stroke, optical abs encoder system, standard cable chain 38 mm radius, 1 Mio cycles cable life time	12,000.00	694941	4549734995337			EB	E	DEU	8479.9070.99
R88LEA-AF-0609-1022-0X05	Accurax linear motor axis, iron core coil R88LEC-FW-0609-ANPC, magnet width 60 mm, 1022 mm stroke, optical abs encoder system, no cable chain, no cable chain cables	11,660.00	700837	4549734895750			EB	E	DEU	8479.9070.99
R88LEA-AF-0609-1502-0105	Accurax linear motor axis, iron core coil R88LEC-FW-0609-ANPC, magnet width 60mm, 1502mm stroke, optical abs encoder system, high performance cable chain 100mm radius, 5 Mio cycles cable life time	12,560.00	690323	4549734981125			EB	E	DEU	8479.9070.99
R88LEA-AF-0609-1598-0105	Accurax linear motor axis, iron core coil R88LEC-FW-0609-ANPC, magnet width 60mm, 1598mm stroke, optical abs encoder system, high performance cable chain 100mm radius, 5 Mio cycles cable life time	12,960.00	690325	4549734981132			EB	E	DEU	8479.9070.99
R88LEA-AF-0612-0110-0005	Accurax linear motor axis, iron core coil R88LEC-FW-0612-ANPC, magnet width 60mm, 0110mm stroke, optical abs encoder system, standard cable chain 38mm radius, 1 Mio cycles cable life time	8,910.00	694028	4549734993968			EB	E	DEU	8479.9070.99
R88LEA-AF-0612-0206-0105	Accurax linear motor axis, iron core coil R88LEC-FW-0612-ANPC, magnet width 60 mm, 0206 mm stroke, optical abs encoder system, high performance cable chain 100 mm radius, 5 Mio cycles cable life time	9,650.00	695977	4549734999038			EB	E	DEU	8479.9070.99
R88LEA-AF-0612-0206-0X05	Accurax linear motor axis, iron core coil R88LEC-FW-0612-ANPC, magnet width 60 mm, 0206 mm stroke, optical abs encoder system, no cable chain, no cable chain cables	8,465.00	698911	4549734890953			EB	E	DEU	8479.9070.99
R88LEA-AF-0612-0398-0005	Accurax linear motor axis, iron core coil R88LEC-FW-0612-ANPC, magnet width 60mm, 0398mm stroke, optical abs encoder system, standard cable chain 38mm radius, 1 Mio cycles cables life time	8,735.00	682238	4549734947510			EB	E	DEU	8479.9070.99
R88LEA-AF-0612-0590-0005	Accurax linear motor axis, iron core coil R88LEC-FW-0612-ANPC, magnet width 60 mm, 0590 mm stroke, optical abs encoder system, standard cable chain 38 mm radius, 1 Mio cycles cable life time	9,330.00	684040	4549734955164			EB	E	DEU	8479.9070.99
R88LEA-AF-0612-0782-0005	Accurax linear motor axis, iron core coil R88LEC-FW-0612-ANPC, magnet width 60mm, 0782mm stroke, optical abs encoder system, standard cable chain 38mm radius, 1 Mio cycles cable life time	11,640.00	690465	4549734982085			EB	E	DEU	8479.9070.99
R88LEA-AF-0612-0974-0005	Accurax linear motor axis, iron core coil R88LEC-FW-0612-ANPC, magnet width 60 mm, 0974 mm stroke, optical abs encoder system, standard cable chain 38 mm radius, 1 Mio cycles cable life time	12,110.00	700928	4549734896252			EB	E	DEU	8479.9070.99
R88LEA-AF-0612-1358-0005	Accurax linear motor axis, iron core coil R88LEC-FW-0612-ANPC, magnet width 60mm, 1358mm stroke, optical abs encoder system, standard cable chain 38mm radius, 1 Mio cycles cable life time	13,700.00	693893	4549734993142			EB	E	DEU	8479.9070.99
R88LEA-AF-0612-1550-0005	Accurax linear motor axis, iron core coil R88LEC-FW-0612-ANPC, magnet width 60 mm, 1550 mm stroke, optical abs encoder system, Bis-C type encoder, standard cable chain 38 mm radius, 1 Mio cycles cable life time	14,270.00	702029	4549734971492			EB	E	DEU	8479.9070.99
R88LEA-AF-0612-1550-0105	Accurax linear motor axis, iron core coil R88LEC-FW-0612-ANPC, magnet width 60mm, 1550mm stroke, optical abs encoder system, high performance cable chain 100mm radius, 5 Mio cycles cable life time	13,110.00	690327	4549734981149			EB	E	DEU	8479.9070.99
R88LEA-AF-0612-2030-0005	Linear slider	16,140.00	670076	4548583969575			EB	E	DEU	8479.9070.99
R88LEA-AF-0615-1502-0105	Accurax linear motor axis, iron core coil R88LEC-FW-0615-ANPC, magnet width 60mm, 1502mm stroke, optical abs encoder system, high performance cable chain 100mm radius, 5 Mio cycles cable life time	15,690.00	690545	4549734982573			EB	E	DEU	8479.9070.99
R88LEA-AF-0615-1598-0105	Accurax linear motor axis, iron core coil R88LEC-FW-0615-ANPC, magnet width 60mm, 1598mm stroke, optical abs encoder system, high performance cable chain 100mm radius, 5 Mio cycles cable life time	15,960.00	690547	4549734982580			EB	E	DEU	8479.9070.99
R88LEA-AF-1112-0398-0005	Accurax linear motor axis, iron core coil R88LEC-FW-1112-ANPC, magnet width 110 mm, 0302mm stroke, optical abs encoder system, standard cable chain 38mm radius, 1 Mio cycles cable life time	11,300.00	688919	4549734975339			EB	E	DEU	8479.9070.99
R88LEA-AF-1112-0590-0005	Accurax linear motor axis, iron core coil R88LEC-FW-1112-ANPC, magnet width 110 mm, 0590 mm stroke, optical abs encoder system, standard cable chain 38 mm radius, 1 Mio cycles cable life time	13,280.00	690904	4549734891166			EB	E	DEU	8479.9070.99
R88LEA-AF-1112-1262-0005	Accurax linear motor axis, iron core coil R88LEC-FW-1112-ANPC, magnet width 110 mm, 1262 mm stroke, optical abs encoder system, standard cable chain 38 mm radius, 1 Mio cycles cable life time	17,160.00	694883	4549734995016			EB	E	DEU	8479.9070.99
R88LEA-AF-1112-1454-0005	Accurax linear motor axis, iron core coil R88LEC-FW-1112-ANPC, magnet width 110 mm, 1454 mm stroke, optical abs encoder system, standard cable chain 38 mm radius, 1 Mio cycles cable life time	17,780.00	699907	4549734893626			EB	E	DEU	8479.9070.99
R88LEA-AF-1115-0158-0005	Accurax linear motor axis, iron core coil R88LEC-FW-1115-ANPC, magnet width 110 mm, 0158 mm stroke, optical abs encoder system, standard cable chain 38 mm radius, 1 Mio cycles cable life time	13,300.00	684434	4549734957366			EB	E	DEU	8479.9070.99

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Data sheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
F88L-EA-AF-1115-0254-0005	Accurax linear motor axis, iron core coil, magnet width 110 mm, 254 mm stroke, optical abs encoder system	10,260.00	674030	4548583992580			EE	E	DEU	9032.8900.90
F88L-EA-AF-1115-1118-0005	Accurax linear motor axis, iron core coil F88L-EC-FW-1115-ANPC, magnet width 110 mm, 1118 mm stroke, optical abs encoder system, standard cable chain 38 mm radius, 1 Mio cycles cable life time	16,420.00	701337	4549734789929			EE	E	DEU	8479.9070.99
F88L-EA-AF-1115-1310-0005	Accurax linear motor axis, iron core coil F88L-EC-FW-1115-ANPC, magnet width 110 mm, 1310 mm stroke, optical abs encoder system, standard cable chain 38 mm radius, 1 Mio cycles cable life time	17,740.00	694079	4549734994200			EE	E	DEU	8479.9070.99
F88L-EA-AF-1115-1502-0105	Accurax linear motor axis, iron core coil F88L-EC-FW-0612-ANPC, magnet width 60 mm, 1550 mm stroke, optical abs encoder system, high performance cable chain 100 mm radius, 5 Mio cycles cable life time	19,020.00	709392	4549734896276			EE	E	DEU	8479.9070.99
F88L-EA-AF-N118-0158-0005	Accurax linear motor axis, iron core coil TBW18N, magnet width 110 mm, 0158 mm stroke, optical abs encoder system, standard cable chain 38mm radius, 1 Mio cycles cable life time	12,630.00	695730	4549734998062			EE	E	DEU	8479.9070.99
F88L-EA-AF-N118-0254-0005	Accurax linear motor axis, iron core coil TBW18N, magnet width 110 mm, 0254mm stroke, optical abs encoder system, standard cable chain 38mm radius, 1 Mio cycles cable life time	15,430.00	691048	4549734985352			EE	E	DEU	8479.9070.99
F88L-EA-AF-N618-0206-0005	Accurax linear motor axis, iron core coil TL8N, magnet width 060mm, 0206mm stroke, optical abs encoder system, standard cable chain 38mm radius, 1 Mio cycles cable life time	11,880.00	691050	4549734985369			EE	E	DEU	8479.9070.99
F88L-EA-MM-0615-0010-0005	Accurax linear motor axis, F88L-EC-FW-0615-BNPS 100 mm stroke, optical abs encoder systems, Panasonic, moving magnet, without cables	10,930.00	699545	4549734989219			EE	E	DEU	8479.9070.99
F88L-EA-ZF-0306-0605-NN05	Accurax linear motor axis, vertical, F88L-EC-FW-0306-ANPC 100 mm stroke, optical abs encoder system, moving magnet, 60 N compensation, 3.5 k payload	7,905.00	700930	4549734896269			EE	E	DEU	8479.9070.99
F88L-EA-ZF-0306-0605-NN65	Accurax linear motor axis, vertical, F88L-EC-FW-0306-ANPC 100 mm stroke, optical abs encoder system, moving magnet, 60N compensation, 3.5 k payload	7,905.00	700958	4549734896429			EE	E	DEU	8479.9070.99
F88L-EA-ZF-0306-0610-NN65	Accurax linear motor axis, vertical, F88L-EC-FW-0306-ANPC 100 mm stroke, optical abs encoder system, moving magnet, 60 N compensation, 3.1 k payload	8,545.00	701403	4549734790383			EE	E	DEU	8479.9070.99
F88L-EA-ZF-0306-0610-NN65	Accurax linear motor axis, vertical, F88L-EC-FW-0306-ANPC 100 mm stroke, optical abs encoder system, moving magnet, 60 N compensation, 3.1 k payload, inverted	8,730.00	701401	4549734790376			EE	E	DEU	8479.9070.99
F88L-ES-PP-D206-B150-0001	Accurax linear motor axis system, horizontal F88L-EC-FW-0609-ANPC 206mm stroke, vertical F88L-EC-FW-0306-ANPC 150mm stroke, optical abs encoder systems, PMA cable hoses, 1 Mio cycles cable life time	21,050.00	684365	4549734956956			EE	E	DEU	8479.9070.99
F88L-ES-PP-D206-B200-0001	Accurax linear motor axis system, horizontal F88L-EC-FW-0609-ANPC 206mm stroke, vertical F88L-EC-FW-0306-ANPC 200mm stroke, optical abs encoder systems, PMA cable hoses, 1 Mio cycles cable life time	21,210.00	684363	4549734956932			EE	E	DEU	8479.9070.99
F88L-ES-XY-9921-0001	Accurax linear motor cross table, iron core coils, optical abs encoder system, primary: magnet width 60mm, stroke 206mm, secondary: magnet width 30mm, 158mm	17,990.00	679452	4549734932547			EE	E	DEU	9032.8900.90
F88L-EC-FM-03096-A	Accurax linear motor iron core magnet track, m.a width 30 mm, 96 mm length	146.30	324253	4547648875370			EE	E	CHN	8503.0099.99
F88L-EC-FM-03144-A	Accurax linear motor iron core magnet track, m.a width 30 mm, 144 mm length	198.90	324254	4547648875367			EE	E	CHN	8503.0099.99
F88L-EC-FM-03384-A	Accurax linear motor iron core magnet track, m.a width 30 mm, 384 mm length	417.50	324255	4547648875394			EE	E	CHN	8503.0099.99
F88L-EC-FM-06192-A	Accurax linear motor iron core magnet track, m.a width 60 mm, 192 mm length	394.60	324256	4547648875400			EE	E	CHN	8503.0099.99
F88L-EC-FM-06288-A	Accurax linear motor iron core magnet track, m.a width 60 mm, 288 mm length	508.00	324257	4547648875417			EE	E	CHN	8503.0099.99
F88L-EC-FM-11192-A	Accurax linear motor iron core magnet track, m.a width 110 mm, 192 mm length	740.00	324258	4547648875424			EE	E	CHN	8503.0099.99
F88L-EC-FM-11288-A	Accurax linear motor iron core magnet track, m.a width 110 mm, 288 mm length	1,038.00	324259	4547648875431			EE	E	CHN	8503.0099.99
F88L-EC-GM-03090-A	Accurax linear motor iron core magnet track, m.a width 30mm, 90mm length	454.30	324836	4547648877091			EE	E	CHN	8503.0099.99
F88L-EC-GM-03120-A	Accurax linear motor iron core magnet track, m.a width 30mm, 120mm length	499.80	324837	4547648877107			EE	E	CHN	8503.0099.99
F88L-EC-GM-03390-A	Accurax linear motor iron core magnet track, m.a width 30mm, 390mm length	1,394.00	324838	4547648877114			EE	E	CHN	8503.0099.99
F88L-EC-GM-05126-A	Accurax linear motor iron core magnet track, m.a width 50mm, 126mm length	702.50	324839	4547648877121			EE	E	CHN	8503.0099.99
F88L-EC-GM-05168-A	Accurax linear motor iron core magnet track, m.a width 50mm, 168mm length	819.00	324840	4547648877138			EE	E	CHN	8503.0099.99
F88L-EC-GM-05210-A	Accurax linear motor iron core magnet track, m.a width 50mm, 210mm length	1,023.00	324841	4547648877145			EE	E	CHN	8503.0099.99
F88L-EC-GM-05546-A	Accurax linear motor iron core magnet track, m.a width 50mm, 546mm length	2,273.00	324842	4547648877152			EE	E	CHN	8503.0099.99
F88L-EC-GM-07114-A	Accurax linear motor iron core magnet track, m.a width 70mm, 114mm length	908.00	324843	4547648877169			EE	E	CHN	8503.0099.99
F88L-EC-GM-07171-A	Accurax linear motor iron core magnet track, m.a width 70mm, 171mm length	1,360.00	324844	4547648877176			EE	E	CHN	8503.0099.99
F88L-EC-GM-07456-A	Accurax linear motor iron core magnet track, m.a width 30mm, 456mm length	3,345.00	324845	4547648877183			EE	E	CHN	8503.0099.99
SGLFM-1E135AC-E	Magnetic Way w/ magnet cover Length 135mm for SGLFW-1Exxxx-E	1,019.00	686212	4549734966832			EE	E	JPN	8544.4290.90
SGLFM-1Z405AC-E	Linear motor magnet track F-type iron core, magnet length 405 mm	1,860.00	678375	4549734924573			EE	E	JPN	8503.0099.99
SGLFM-1Z375-AC-E	Sigma linear magnetic way, F-type iron core, 675 mm, with magnet cover	2,297.00	678796	4549734928285			EE	E	JPN	8544.4290.90
SGLFM-35755-AC	Magnetic Way w/ magnet cover Length 357mm for SGLFW-35xxxx	2,111.00	679472	4549734932721			EE	E	JPN	8503.0099.99
SGLFM-50675AC-E	Linear magnetic way, F-type, iron core, magnet width 50 mm, length 675 mm, with magnet cover	1,634.00	677865	4549734921510			EE	E	JPN	8544.4290.90
SGLFM-50945AC-E	Linear magnetic way, F-type, iron core, magnet width 50 mm, length 945 mm, with magnet cover	2,027.00	677866	4549734921527			EE	E	JPN	8544.4290.90
SGLFW-1ED380-BP	Sigma linear motor coil, F-type iron core, 380mm, 400 VAC, with hall sensor	4,906.00	223972	4536853902940			EE	E	JPN	8503.0099.99
SGLFW-1ED380BP-E	Sigma linear motor coil, F-type iron core, 380 mm, 400 VAC, with hall sensor	4,906.00	683973	4549734954563			EE	E	JPN	8503.0099.99
SGLFW-1ZD200BPD-E	Linear motor coil, F-type, iron core, magnet height 95 mm, 400 V, coil length 200 mm, with hall sensor and connector	1,894.00	677868	4549734921541			EE	E	JPN	8503.0099.99
SGLFW-50D200BPD-E	Moving Coil 3AC 400V, Rated Force 280 N, Peak Force 600 N, w/ Hall Sensor Inter, Conn.	1,646.00	683972	4549734954556			EE	E	JPN	8503.0099.99
SGLFW-50D380BPD-E	Linear motor coil, F-type, iron core, magnet height 50 mm, 400 V, coil length 380 mm, with hall sensor and connector	2,567.00	677867	4549734921534			EE	E	JPN	8503.0099.99
F88L-EP-CB-0010-0054	Accurax linear motor axis spare part, power cable, drive side Intercontec connectors, actuator side Smiths LPPA-06A-MFPN-182, cable length 5.4 m	474.00	699551	4549734892940			EE	E	DEU	8544.4290.90
F88L-EP-CB-0010-0033	Accurax linear motor axis spare part, power cable, drive side Intercontec connectors, actuator side Smiths LPPA-06A-MFPN-182, cable length 3.3m	398.00	354950	4547648908641			EE	E	DEU	9032.8900.90
F88L-EP-CB-0021-0027	Accurax linear motor axis spare part, encoder cable, drive side Intercontec connectors, actuator side d-sub 15pin male, cable length 2.7m	403.00	690998	4549734984966			EE	E	DEU	9032.8900.90
F88L-EP-CB-0021-0039	Accurax linear motor axis spare part, encoder cable, drive side Intercontec connectors, actuator side d-sub 15pin male, cable length 3.9m	454.50	691000	4549734984973			EE	E	DEU	9032.8900.90
F88L-EP-CB-0021-0048	Accurax linear motor axis spare part, encoder cable, drive side Intercontec connectors, actuator side d-sub 15pin male, cable length 2.7m	493.90	691002	4549734984980			EE	E	DEU	9032.8900.90
F88L-EP-CB-0021-0051	Accurax linear motor axis spare part, encoder cable, drive side Intercontec connectors, actuator side d-sub 15pins, 5.1m long	785.00	684432	4549734957342			EE	E	DEU	9032.8900.90
F88L-EP-CB-0021-0057	Accurax linear motor axis spare part, encoder cable, drive side Intercontec connectors, actuator side d-sub 15pin male, cable length 2.7m	532.50	691004	4549734984997			EE	E	DEU	9032.8900.90
F88L-EP-FM-ML-0001	Accurax linear motor axis spare part, F88L-ES-FM, horizontal axis, 2 mechanical limits, 2 dampers, small components	215.10	684362	4549734956925			EE	E	DEU	9032.8900.90
F88L-EP-CB-0010-0045	Accurax linear motor axis spare part, power cable, drive side Intercontec connectors, actuator side Smiths LPPA-06A-MFPN-182, cable length 4.5 m	441.40	695519	4549734996860			EE	E	DEU	8544.4290.90
F88L-EP-CB-0010-0066	Accurax linear motor axis spare part, power cable, drive side Intercontec connectors, actuator side Smiths LPPA-06A-MFPN-182, cable length 6.6 m	518.00	695518	4549734996853			EE	E	DEU	8544.4290.90
F88L-EP-CB-0021-0045	Accurax linear motor axis spare part, encoder cable, drive side Intercontec connectors, actuator side d-sub 15-pin male, cable length 4.5 m	480.10	695522	4549734996884			EE	E	DEU	8544.4290.90
F88L-EP-CB-0021-0066	Accurax linear motor axis spare part, encoder cable, drive side Intercontec connectors, actuator side d-sub 15-pin male, cable length 6.6 m	571.00	695520	4549734996877			EE	E	DEU	8544.4290.90
<b>Servo G-series</b>										
F88D-GT01H	G-Series servo drive, 1~ 200 VAC, Analog/Pulse input type, 100 W	1,186.00	346799	4547648475266			EE	K	CHN	9032.8900.90
F88D-GT02H	G-Series servo drive, 1~ 200 VAC, Analog/Pulse input type, 200 W	1,263.00	346800	4547648475273			EE	K	CHN	9032.8900.90
F88D-GT04H	G-Series servo drive, 1~ 200 VAC, Analog/Pulse input type, 400 W	1,186.00	346801	4547648475280		#	EE	K	CHN	9032.8900.90
F88D-GT08H	G-Series servo drive, 1~ 200 VAC, Analog/Pulse input type, 800 W	1,357.00	346802	4547648475297		#	EE	K	CHN	9032.8900.90
F88D-GT15H	G-Series servo drive, 1~ 200 VAC, Analog/Pulse input type, 1.5 kW	1,934.00	364998	4547648475310			EE	K	CHN	9032.8900.90
F88D-GN01H-ML2	G-Series servo drive, 1~ 200 VAC, MECHATROLINK-II integrated, 100 W	1,246.00	285522	4547648493284			EE	K	CHN	8501.4020.80
F88D-GN02H-ML2	G-Series servo drive, 1~ 200 VAC, MECHATROLINK-II integrated, 200 W	1,279.00	285523	4547648493291			EE	K	CHN	8501.4020.80
F88D-GN04H-ML2	G-Series servo drive, 1~ 200 VAC, MECHATROLINK-II integrated, 400 W	1,297.00	285524	4547648493307		#	EE	K	CHN	8501.4020.80
F88D-GN08H-ML2	G-Series servo drive, 1~ 200 VAC, MECHATROLINK-II integrated, 750 W	1,594.00	285525	4547648493314			EE	K	CHN	8501.4020.80
F88D-GN15H-ML2	G-Series servo drive, 1~ 200 VAC, MECHATROLINK-II integrated, 1.5 kW	2,405.00	355423	4547648493338			EE	K	CHN	9032.8900.90
F88D-GN30H-ML2	G-series ML2 3kW 230V drive	3,459.00	667285	4547648493352			EE	K	CHN	9032.8900.90



Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Daheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
F8BM-G05030H-BS2	G-Series AC servo motor, 50 W, 200 VAC, 3000 rpm, 0.16 Nm, incremental, Brake	550.00	322925	4547648493635			EB	K	CHN	8501.4020.80
F8BM-G05030H-S2	G-Series AC servo motor, 50 W, 200 VAC, 3000 rpm, 0.16 Nm, incremental	372.70	322924	4547648493437			EB	K	CHN	8501.4020.80
F8BM-G10030H-BS2	G-Series/SmartStep 2 AC servo motor (cylinder type), 100 W, 200 VAC, 3000 rpm, 0.32 Nm, with brake	629.00	285893	4547648493642			EB	K	CHN	8501.4020.80
F8BM-G10030H-S2	G-Series AC servo motor, 100 W, 200 VAC, 3000 rpm, 0.32 Nm, incremental, with circular connector	408.40	285890	4547648493444			EB	K	CHN	8501.4020.80
F8BM-G10030H-S2-D	G-Series AC servo motor, 100 W, 200 VAC, 3000 rpm, 0.32 Nm, incremental, with circular connector	462.40	378071	4548583414815			EB	K	CHN	8501.4020.80
F8BM-G10030L-BS2	AC Servomotor, With INC Encoder 100 W, 100 VAC, With Key / With Brake, 3000 rpm	778.50	377894	4547648494816			EB	K	CHN	8501.4020.80
F8BM-G20030H-BS2	G-Series/SmartStep 2 AC servo motor (cylinder type), 200 W, 200 VAC, 3000 rpm, 0.64 Nm, with brake	743.50	285894	4547648493659			EB	K	CHN	8501.4020.80
F8BM-G20030H-BS2-D	G-Series AC servo motor, 200 W, 200 VAC, 3000 rpm, 0.64 Nm, incremental, Brake, with circular connector	749.50	378066	4548583415195			EB	K	CHN	8501.4020.80
F8BM-G20030H-S2	G-Series/SmartStep 2 AC servo motor (cylinder type), 200 W, 200 VAC, 3000 rpm, 0.64 Nm	502.50	285891	4547648493451			EB	K	CHN	8501.4020.80
F8BM-G20030H-S2-D	G-Series AC servo motor, 200 W, 200 VAC, 3000 rpm, 0.64 Nm, incremental, with circular connector	595.50	378075	4548583414853			EB	K	CHN	8501.4020.80
F8BM-G40030H-BS2	G-Series/SmartStep 2 AC servo motor (cylinder type), 400 W, 200 VAC, 3000 rpm, 1.3 Nm, with brake	805.50	285895	4547648493666	#		EB	K	CHN	8501.4020.80
F8BM-G40030H-BS2-D	G-Series AC servo motor, 400 W, 200 VAC, 3000 rpm, 1.3 Nm, incremental, Brake, with circular connector	897.00	378047	4548583414587			EB	K	CHN	8501.4020.80
F8BM-G40030H-S2	G-Series/SmartStep 2 AC servo motor (cylinder type), 400 W, 200 VAC, 3000 rpm, 1.3 Nm	543.50	285892	4547648493468	#		EB	K	CHN	8501.4020.80
F8BM-G40030H-S2-D	G-Series AC servo motor, 400 W, 200 VAC, 3000 rpm, 1.3 Nm, incremental, with circular connector	649.50	378046	4548583414570	#		EB	K	CHN	8501.4020.80
F8BM-G75030H-BS2	G-Series AC servo motor, 750 W, 200 VAC, 3000 rpm, 2.4 Nm, incremental, Brake	1,028.00	286728	4547648493673	#		EB	K	CHN	8501.4020.80
F8BM-G75030H-BS2-D	G-Series AC servo motor, 750 W, 200 VAC, 3000 rpm, 2.4 Nm, incremental, Brake, with circular connector	1,122.00	378051	4548583414624	#		EB	K	CHN	8501.4020.80
F8BM-G75030H-S2	G-Series AC servo motor, 750 W, 200 VAC, 3000 rpm, 2.4 Nm, incremental	748.00	286727	4547648493475	#		EB	K	CHN	8501.4020.80
F8BM-G75030H-S2-D	G-Series AC servo motor, 750 W, 200 VAC, 3000 rpm, 2.4 Nm, incremental, with circular connector	838.00	378050	4548583414617	#		EB	K	CHN	8501.4020.80
F8BM-GP10030H-S2	G-Series/SmartStep 2 AC servo motor (cube type), 100 W, 200 VAC, 3000 rpm, 0.32 Nm	510.50	285896	4547648496131			EB	K	CHN	8501.4020.80
F8BM-GP40030H-BS2	G-Series Flat type AC servo motor, 400 W, 200 VAC, 3000 rpm, 1.3 Nm, incremental, Brake	1,080.00	322928	4547648496278			EB	K	CHN	8501.4020.80
F8BM-GP40030H-S2	G-Series/SmartStep 2 AC servo motor (cube type), 400 W, 200 VAC, 3000 rpm, 1.3 Nm	633.00	285898	4547648496155			EB	K	CHN	8501.4020.80
F8BM-G05030T-BS2	G-Series AC servo motor, 50 W, 200 VAC, 3000 rpm, 0.16 Nm, absolute, Brake	820.00	355426	4547648494335			EB	K	CHN	8501.4020.80
F8BM-G05030T-S2	G-Series AC servo motor, 50 W, 200 VAC, 3000 rpm, 0.16 Nm, absolute	975.00	317938	4547648493895			EB	K	CHN	8501.4020.80
F8BM-G10030T-BS2	G-Series AC servo motor, 100 W, 200 VAC, 3000 rpm, 0.32 Nm, absolute, Brake	1,366.00	332276	4547648494342			EB	K	CHN	8501.4020.80
F8BM-G10030T-S2	G-Series AC servo motor, 100 W, 200 VAC, 3000 rpm, 0.32 Nm, absolute	822.00	313364	4547648493901			EB	K	CHN	8501.4020.80
F8BM-G1K030T-BS2	G-Series AC servo motor, 1 kW, 200 VAC, 3000 rpm, 3.18 Nm, absolute, Brake	2,230.00	356460	4547648494380			EB	K	CHN	8501.4020.80
F8BM-G1K030T-S2	G-Series AC servo motor, 1 kW, 200 VAC, 3000 rpm, 3.18 Nm, absolute	1,661.00	317939	4547648493949			EB	K	CHN	8501.4020.80
F8BM-G1K520T-S2	G-series servo motor 1.5kW 2000PPM 230V, abs encoder	1,970.00	668450	4547648495226			EB	K	CHN	8501.4020.80
F8BM-G1K530T-BS2	G-Series AC servo motor, 1.5 kW, 200 VAC, 3000 rpm, 4.77 Nm, absolute, Brake	2,432.00	355419	4547648494397			EB	K	CHN	8501.4020.80
F8BM-G1K530T-S2	G-Series AC servo motor, 1.5 kW, 200 VAC, 3000 rpm, 4.77 Nm, absolute	1,895.00	356590	4547648493956			EB	K	CHN	8501.4020.80
F8BM-G20030T-BS2	G-Series AC servo motor, 200 W, 200 VAC, 3000 rpm, 0.64 Nm, absolute, Brake	1,482.00	332277	4547648494359			EB	K	CHN	8501.4020.80
F8BM-G20030T-S2	G-Series AC servo motor, 200 W, 200 VAC, 3000 rpm, 0.64 Nm, absolute	1,088.00	317940	4547648493918			EB	K	CHN	8501.4020.80
F8BM-G40030T-BS2	G-Series AC servo motor, 400 W, 200 VAC, 3000 rpm, 1.3 Nm, absolute, Brake	1,637.00	332278	4547648494366			EB	K	CHN	8501.4020.80
F8BM-G40030T-BS2-D	G-Series AC servo motor, 400 W, 200 VAC, 3000 rpm, 1.3 Nm, absolute, Brake, with circular connector	1,767.00	378049	4548583414600			EB	K	CHN	8501.4020.80
F8BM-G40030T-S2	G-Series AC servo motor, 400 W, 200 VAC, 3000 rpm, 1.3 Nm, absolute	1,202.00	317942	4547648493925			EB	K	CHN	8501.4020.80
F8BM-G75030T-BS2	G-Series AC servo motor, 750 W, 200 VAC, 3000 rpm, 2.4 Nm, absolute, Brake	1,919.00	332279	4547648494373			EB	K	CHN	8501.4020.80
F8BM-G75030T-S2	G-Series AC servo motor, 750 W, 200 VAC, 3000 rpm, 2.4 Nm, absolute	1,435.00	317943	4547648493932			EB	K	CHN	8501.4020.80
F8BA-CC002P2	PC cable for SmartStep 2, G- and G5-series	163.40	700317	4549734665605	#		EB	K	JPN	8544.4210.00
F8BA-CNG01A	Servo motor connector for servo motor power cable	15.27	292061	4547648491075			EB	K	CHN	8501.4020.80
F8BA-CNG01B	Brake cable connector G/SmartStep 2 motor side	9.89	292063	4547648560313			EB	K	CHN	8501.4020.80
F8BA-CNG01R	Servo motor connector for absolute encoder cable G-Series 50-750 W	18.41	292059	4547648493222			EB	K	CHN	8501.4020.80
F8BA-CNG02R	Servo motor connector for incremental encoder cable G-Series 50 to 150 W	18.41	678730	4549734927987			EB	K	CHN	8544.4290.90
F8BA-FR50020S	Servo accessory, resistor 500 W, 20 ohm	304.10	292062	4547648560306			EB	K	JPN	8533.2900.00
<b>Servo GE-series</b>										
F8BA-CPG001M1	Control cable for CSIW-MC221/421, C200H-MC221, 1 axis, 1m	188.10	292050	4547648493130			EB	L	CHN	8501.4020.80
F8BA-CPG001M2	Control cable for CSIW-MC221/421, C200H-MC221, 2 axes, 1m	291.40	292054	4547648493178			EB	L	CHN	8501.4020.80
F8BA-CPG001S	General purpose servo control cable, 1m	155.70	292048	4547648493116	#		EB	L	CHN	8544.4290.90
F8BA-CPG002M1	Control cable for CSIW-MC221/421, C200H-MC221, 1 axis, 2m	201.80	292051	4547648493147			EB	L	CHN	8501.4020.80
F8BA-CPG002M2	Control cable for CSIW-MC221/421, C200H-MC221, 2 axes, 2 m	290.60	292055	4547648493185			EB	L	CHN	8501.4020.80
F8BA-CPG002S	General purpose servo control cable, 2m	179.90	292049	4547648493123	#		EB	L	CHN	8501.4020.80
F8BA-CPG003M1	Control cable for CSIW-MC221/421, C200H-MC221, 1 axis, 3m	213.00	292052	4547648493154			EB	L	CHN	8501.4020.80
F8BA-CPG003M2	Control cable for CSIW-MC221/421, C200H-MC221, 2 axes, 3m	327.50	292056	4547648493192			EB	L	CHN	8501.4020.80
F8BA-CPG005M1	Control cable for CSIW-MC221/421, C200H-MC221, 1 axis, 5m	233.20	292053	4547648493161			EB	L	CHN	8501.4020.80
F8BA-CPG005M2	Control cable for CSIW-MC221/421, C200H-MC221, 2 axes, 5m	363.90	292057	4547648493208			EB	L	CHN	8501.4020.80
XW22-100J-B24	General Purpose servo terminal block cable, 1 m	230.70	294103	4547648520881			EB	L	JPN	8501.4020.80
XW22-100J-B25	Servo control cable for CSIW/CJ1W/C200HW-NCx13, 1 m	155.30	294105	4547648520904			EB	L	JPN	8501.4020.80
XW22-100J-B31	Cable: Servo Relay Unit to Servo driver, 1 m (G, G5)	155.30	294107	4547648521031			EB	L	JPN	8501.4020.80
XW22-100J-B33	Terminal block cable, 1 m	146.10	294109	4547648561297			EB	L	JPN	8501.4020.80
XW22-100J-B34	G5 series, terminal block cable, for CN1 connector, use with XW2B-20G terminal blocks, 1 m	130.00	323497	4547648737951			EB	L	JPN	8536.9010.00
XW22-200J-B24	General Purpose servo terminal block cable, 2 m	258.60	294104	4547648520898			EB	L	JPN	8501.4020.80
XW22-200J-B25	Servo control cable for CSIW/CJ1W/C200HW-NCx13, 2 m	169.30	294106	4547648520928			EB	L	JPN	8501.4020.80
XW22-200J-B31	Cable: Servo Relay Unit to Servo driver, 2 m (G, G5)	169.30	294108	4547648521048			EB	L	JPN	8501.4020.80
XW22-200J-B33	Cable from G-series servodriver (MECHATROLINK-II) to terminal block XW2B-20G4/G5 or XW2D-20G6, 2 m	164.90	294110	4547648561303			EB	L	JPN	8501.4020.80
XW22-200J-B34	G5 series terminal block cable, for CN1 connector, use with XW2B-20G terminal blocks, 2 m	139.40	323498	4547648737968			EB	L	JPN	8536.9010.00
F8BD-KT01H	Accurax G5 servo drive, 1~ 200 VAC, analog/pulse type, 100 W	1,088.00	285527	4547648651370			EB	L	CHN	8501.4020.80
F8BD-KT02H	Accurax G5 servo drive, 1~ 200 VAC, analog/pulse type, 200 W	1,280.00	285528	4547648651387			EB	L	CHN	8501.4020.80
F8BD-KT02H-L	Accurax G5 servo drive, 1~ 200 VAC, analog/pulse type, 200 W, for linear motors	1,295.00	340297	4547648885867			EB	L	CHN	8501.4020.80
F8BD-KT04H	Accurax G5 servo drive, 1~ 200 VAC, analog/pulse type, 400 W	1,361.00	285529	4547648651394	#		EB	L	CHN	8501.4020.80
F8BD-KT04H-L	Accurax G5 servo drive, 1~ 200 VAC, analog/pulse type, 400 W, for linear motors	1,464.00	336933	4547648884877			EB	L	CHN	9032.8900.90

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Daheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
F88D-KT06F	Accurax G5 servo drive, 3- 400 VAC, analog/pulse type, 600 W	1,525.00	285533	4547648651462			EE	L	CHN	8501.4020.80
F88D-KT08H	Accurax G5 servo drive, 1- 200 VAC, analog/pulse type, 750 W	1,548.00	285530	4547648651400			EE	L	CHN	8501.4020.80
F88D-KT08H-L	Accurax G5 servo drive, 1- 200 VAC, analog/pulse type, 750 W, for linear motors	1,548.00	340298	4547648895874			EE	L	CHN	8501.4020.80
F88D-KT10F	Accurax G5 servo drive, 3- 400 VAC, analog/pulse type, 1.0 kW	1,821.00	285534	4547648651479	#		EE	L	CHN	8501.4020.80
F88D-KT10F-L	G5 Series servo drive, pulse analog type, 1000W, 400VAC three phase	1,166.00	336934	4547648894884			EE	L	CHN	9032.8900.90
F88D-KT10H	Accurax G5 servo drive, 1- 200 VAC, analog/pulse type, 1.0 kW	1,863.00	285531	4547648651417			EE	L	CHN	8501.4020.80
F88D-KT10H-L	Accurax G5 servo drive, 1- 200 VAC, analog/pulse type, 1.0 kW, for linear motors	1,893.00	340299	4547648895881			EE	L	CHN	8501.4020.80
F88D-KT150F	Accurax G5 servo drive, 3- 400 VAC, analog/pulse type, 15 kW	7,200.00	352678	4548583016262			EE	L	CHN	8501.4020.80
F88D-KT150H	G5 Series servo drive, analog/ Pulse type, 15KW, 200VAC three phase	9,660.00	352676	4548583016248			EE	L	CHN	8501.4020.80
F88D-KT15F	Accurax G5 servo drive, 3- 400 VAC, analog/pulse type, 1.5 kW	1,627.00	285535	4547648651486	#		EE	L	CHN	8501.4020.80
F88D-KT15F-L	Accurax G5 servo drive, 3- 400 VAC, analog/pulse type, 1.5 kW, for linear motors	1,183.00	351596	4547648893572			EE	L	CHN	9032.8900.90
F88D-KT15H	Accurax G5 servo drive, 1- 200 VAC, analog/pulse type, 1.5 kW	2,139.00	285532	4547648651424			EE	L	CHN	8501.4020.80
F88D-KT15H-L	Accurax G5 servo drive, 1- 200 VAC, analog/pulse type, 1.5 kW, for linear motors	2,212.00	336936	4547648894907			EE	L	CHN	9032.8900.90
F88D-KT20F	Accurax G5 servo drive, 3- 400 VAC, analog/pulse type, 2.0 kW	1,852.00	285536	4547648651493	#		EE	L	CHN	8501.4020.80
F88D-KT20F-L	Accurax G5 servo drive, 3- 400 VAC, analog/pulse type, 2.0 kW, for linear motors	1,455.00	351597	4547648893589			EE	L	CHN	9032.8900.90
F88D-KT20H	Accurax G5 Series servo drive, analog/ Pulse type, 2KW, 200VAC three phase	2,499.00	353552	4547648651431			EE	L	CHN	8501.4020.80
F88D-KT30F	Accurax G5 servo drive, 3- 400 VAC, analog/pulse type, 3.0 kW	2,005.00	285537	4547648651509	#		EE	L	CHN	8501.4020.80
F88D-KT30F-L	Accurax G5 servo drive, 3- 400 VAC, analog/pulse type, 3.0 kW, for linear motors	2,488.00	336937	4547648884914			EE	L	CHN	9032.8900.90
F88D-KT50F	Accurax G5 servo drive, 3- 400 VAC, analog/pulse type, 5.0 kW	2,893.00	285538	4547648651516	#		EE	L	CHN	8501.4020.80
F88D-KT50F-L	Servo drive, G5 series	2,277.00	336935	4547648884891			EE	L	CHN	9032.8900.90
F88D-KT75F	Accurax G5 servo drive, 3- 400 VAC, analog/pulse type, 7.5 kW	5,315.00	352677	4548583016255			EE	L	CHN	8501.4020.80
F88D-GN75H-ML2	Servo drive, G5 series, Mechatrolink II interface	8,790.00	375759	4547648493376			EE	L	CHN	9032.8900.90
F88D-KN01H-ML2	Accurax G5 servo drive, 1- 200 VAC, MECHATROLINK II type, 100 W	1,605.00	285539	4547648651561			EE	L	CHN	8501.4020.80
F88D-KN02H-ML2	Accurax G5 servo drive, 1- 200 VAC, MECHATROLINK II type, 200 W	1,816.00	285540	4547648651578			EE	L	CHN	8501.4020.80
F88D-KN04H-ML2	Accurax G5 servo drive, 1- 200 VAC, MECHATROLINK II type, 400 W	1,902.00	285541	4547648651585			EE	L	CHN	8501.4020.80
F88D-KN06F-ML2	Accurax G5 servo drive, 3- 400 VAC, MECHATROLINK II type, 600 W	2,082.00	285545	4547648651653			EE	L	CHN	8501.4020.80
F88D-KN08H-ML2	Accurax G5 servo drive, 1- 200 VAC, MECHATROLINK II type, 750 W	2,088.00	285542	4547648651592			EE	L	CHN	8501.4020.80
F88D-KN10F-ML2	Accurax G5 servo drive, 3- 400 VAC, MECHATROLINK II type, 1.0 kW	2,182.00	285546	4547648651660			EE	L	CHN	8501.4020.80
F88D-KN10H-ML2	Accurax G5 servo drive, 1- 200 VAC, MECHATROLINK II type, 1.0 kW	2,494.00	285543	4547648651608			EE	L	CHN	8501.4020.80
F88D-KN15F-ML2	Accurax G5 servo drive, 3- 400 VAC, MECHATROLINK II type, 1.5 kW	2,191.00	285547	4547648651677			EE	L	CHN	8501.4020.80
F88D-KN15H-ML2	Accurax G5 servo drive, 1- 200 VAC, MECHATROLINK II type, 1.5 kW	2,759.00	285544	4547648651615			EE	L	CHN	8501.4020.80
F88D-KN20F-ML2	Accurax G5 servo drive, 3- 400 VAC, MECHATROLINK II type, 2.0 kW	2,444.00	285548	4547648651684			EE	L	CHN	8501.4020.80
F88D-KN20H-ML2	Accurax G5 servo drive, 1- 200 VAC, MECHATROLINK II type, 2.0 kW	3,337.00	355425	4547648651622			EE	L	CHN	9032.8900.90
F88D-KN30F-ML2	Accurax G5 servo drive, 3- 400 VAC, MECHATROLINK II type, 3.0 kW	2,600.00	285549	4547648651691			EE	L	CHN	8501.4020.80
F88D-KN30H-ML2	Servo drive, G5 series, 3x 230VAC, Mechatrolink II interface	3,395.00	357148	4547648651639			EE	L	CHN	8501.4020.80
F88D-KN50F-ML2	Accurax G5 servo drive, 3- 400 VAC, MECHATROLINK II type, 5.0 kW	3,580.00	285550	4547648651707			EE	L	CHN	8501.4020.80
F88D-KN01H-ECT	G5 Series servo drive, EtherCAT type, 100 W, 1- 200 VAC	1,485.00	352679	4548583021310	#		EE	L	CHN	8501.4020.80
F88D-KN01H-ECT-L	G5 Series servo drive, EtherCAT type, 100 W, 1- 200 VAC, for linear motors	1,554.00	356046	4548583061828			EE	L	CHN	9032.8900.90
F88D-KN02H-ECT	G5 Series servo drive, EtherCAT type, 200 W, 1- 200 VAC	1,748.00	352680	4548583021327	#		EE	L	CHN	8501.4020.80
F88D-KN02H-ECT-L	G5 Series servo drive, EtherCAT type, 200 W, 1- 200 VAC, for linear motors	1,772.00	356047	4548583061835			EE	L	CHN	9032.8900.90
F88D-KN04H-ECT	G5 Series servo drive, EtherCAT type, 400 W, 1- 200 VAC	1,832.00	352681	4548583021334	#		EE	L	CHN	8501.4020.80
F88D-KN04H-ECT-L	G5 Series servo drive, EtherCAT type, 400 W, 1- 200 VAC, for linear motors	1,921.00	356048	4548583061842			EE	L	CHN	9032.8900.90
F88D-KN06F-ECT	G5 Series servo drive, EtherCAT type, 600 W, 3- 400 VAC	2,017.00	352685	4548583021426	#		EE	L	CHN	8501.4020.80
F88D-KN06F-ECT-L	G5 Series servo drive, EtherCAT type, 600 W, 3- 400 VAC, for linear motors	2,103.00	356057	4548583061934			EE	L	CHN	9032.8900.90
F88D-KN08H-ECT	G5 Series servo drive, EtherCAT type, 750 W, 1- 200 VAC	2,014.00	352682	4548583021341	#		EE	L	CHN	8501.4020.80
F88D-KN08H-ECT-L	G5 Series servo drive, EtherCAT type, 750 W, 1- 200 VAC, for linear motors	2,103.00	356049	4548583061859			EE	L	CHN	9032.8900.90
F88D-KN10F-ECT	G5 Series servo drive, EtherCAT type, 1000 W, 3- 400 VAC	2,103.00	352686	4548583021433	#		EE	L	CHN	8501.4020.80
F88D-KN10F-ECT-L	G5 Series servo drive, EtherCAT type, 1000 W, 3-phase 400 VAC, for linear motors	2,194.00	356058	4548583061941			EE	L	CHN	9032.8900.90
F88D-KN10H-ECT	G5 Series servo drive, EtherCAT type, 1000 W, 1- 200 VAC	2,407.00	352683	4548583021358			EE	L	CHN	8501.4020.80
F88D-KN10H-ECT-L	G5 Series servo drive, EtherCAT type, 1000 W, 1- 200 VAC, for linear motors	2,496.00	356050	4548583061866			EE	L	CHN	9032.8900.90
F88D-KN150F-ECT	G5 Series servo drive, EtherCAT type, 15 kW, 3- 400 VAC	8,255.00	353422	4548583021495	#		EE	L	CHN	8501.4020.80
F88D-KN150H-ECT	G5 Series servo drive, EtherCAT type, 15kW, 200VAC three phase	10,990.00	353420	4548583021419			EE	L	CHN	8501.4020.80
F88D-KN15F-ECT	G5 Series servo drive, EtherCAT type, 1500 W, 3- 400 VAC	2,144.00	352687	4548583021440	#		EE	L	CHN	8501.4020.80
F88D-KN15F-ECT-L	G5 Series servo drive, EtherCAT type, 1500 W, 3- 400 VAC, for linear motors	2,226.00	356059	4548583061958			EE	L	CHN	9032.8900.90
F88D-KN15H-ECT	G5 Series servo drive, EtherCAT type, 1500 W, 1- 200 VAC	2,496.00	352684	4548583021365			EE	L	CHN	8501.4020.80
F88D-KN15H-ECT-L	G5 Series servo drive, EtherCAT type, 1500 W, 1- 200 VAC, for linear motors	2,589.00	356051	4548583061873			EE	L	CHN	9032.8900.90
F88D-KN20F-ECT	G5 Series servo drive, EtherCAT type, 2 kW, 3- 400 VAC	2,309.00	352688	4548583021457	#		EE	L	CHN	8501.4020.80
F88D-KN20F-ECT-L	G5 Series servo drive, EtherCAT type, 2 kW, 3-phase 400 VAC, for linear motors	2,372.00	356060	4548583061965			EE	L	CHN	9032.8900.90
F88D-KN20H-ECT	Accurax G5 series servo drive, EtherCAT type, 2.0KW, 200VAC	2,547.00	355424	4548583021372			EE	L	CHN	9032.8900.90
F88D-KN30F-ECT	G5 Series servo drive, EtherCAT type, 3 kW, 3- 400 VAC	2,455.00	352689	4548583021464	#		EE	L	CHN	8501.4020.80
F88D-KN30F-ECT-L	G5 Series servo drive, EtherCAT type, 3 kW, 3- 400 VAC, for linear motors	2,881.00	356061	4548583061972			EE	L	CHN	9032.8900.90
F88D-KN30H-ECT	G5 Series servo drive, EtherCAT type, 3 kW, 1- 230 VAC	3,525.00	360601	4548583021389			EE	L	CHN	9032.8900.90
F88D-KN50F-ECT	G5 Series servo drive, EtherCAT type, 5 kW, 3- 400 VAC	3,268.00	352690	4548583021471	#		EE	L	CHN	8501.4020.80
F88D-KN50F-ECT-L	G5 Series servo drive, EtherCAT type, 5 kW, 3- 400 VAC, for linear motors	3,268.00	356062	4548583061989			EE	L	CHN	9032.8900.90
F88D-KN50H-ECT	G5 Series servo drive, EtherCAT type, 5 kW, 1- 230 VAC	4,439.00	360698	4548583021396			EE	L	CHN	9032.8900.90
F88D-KN75F-ECT	G5 Series servo drive, EtherCAT type, 7.5 kW, 3- 400 VAC	5,170.00	353421	4548583021488	#		EE	L	CHN	8501.4020.80
F88D-KN75F-ECT-L	G5 Series servo drive, EtherCAT type, 7.5 kW, 3- 400 VAC, for linear motors	5,315.00	356063	4548583061996			EE	L	CHN	9032.8900.90
F88M-K05030H-BS2	G5 series AC servo motor, 50 W, 200 VAC, 3000 rpm, 0.16 Nm, Incremental encoder, with brake	979.50	285565	4547648653176			EE	L	CHN	8501.4020.80
F88M-K05030H-SS	G5 series AC servo motor, 50 W, 200 VAC, 3000 rpm, 0.16 Nm, Incremental encoder	618.50	285551	4547648652964			EE	L	CHN	8501.4020.80
F88M-K05030T-BS2	G5 series AC servo motor, 50 W, 200 VAC, 3000 rpm, 0.16 Nm, Absolute encoder, with brake	1,259.00	322953	45476486546852			EE	L	CHN	8501.4020.80
F88M-K05030T-SS	G5 series AC servo motor, 50 W, 200 VAC, 3000 rpm, 0.16 Nm, Absolute encoder	910.00	322939	4547648654647			EE	L	CHN	8501.4020.80
F88M-K10030H-BS2	G5 series AC servo motor, 100 W, 200 VAC, 3000 rpm, 0.32 Nm, Incremental encoder, with brake	1,013.00	285566	4547648653183			EE	L	CHN	8501.4020.80
F88M-K10030H-SS	G5 series AC servo motor, 100 W, 200 VAC, 3000 rpm, 0.32 Nm, Incremental encoder	642.00	285552	4547648652971			EE	L	CHN	8501.4020.80
F88M-K10030T-BS2	G5 series AC servo motor, 100 W, 200 VAC, 3000 rpm, 0.32 Nm, Absolute encoder, with brake	1,289.00	322954	4547648654869			EE	L	CHN	8501.4020.80

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Data sheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
F8BM-K1K030T-S2	G5 series AC servo motor, 100 W, 200 VAC, 3000 rpm, 0.32 Nm, Absolute encoder	942.50	322940	4547648654654			EE	L	CHN	8501.4020.80
F8BM-K1K1015C-BO-S2	G5 series AC servo motor, 11 kW, 400 VAC, 1500 rpm, 70 Nm, Absolute encoder, with brake, with oil seal	6.660.00	352745	4548583017191			EE	L	CHN	8501.4020.80
F8BM-K1K1015C-S2	G5 series AC servo motor, 11 kW, 400 VAC, 1500 rpm, 70 Nm, Absolute encoder	6.330.00	352743	4548583016590		#	EE	L	CHN	8501.4020.80
F8BM-K1K1015T-S2	G5 series AC servo motor, 11 kW, 230 VAC, 1500 rpm, 70 Nm, Absolute encoder	5.545.00	352742	4548583016545			EE	L	CHN	8501.4020.80
F8BM-K1K5015C-BO-S2	G5 series AC servo motor, 15 kW, 400 VAC, 1500 rpm, 95.9 Nm, Absolute encoder, with brake, with oil seal	7.795.00	352691	4548583017207			EE	L	CHN	8501.4020.80
F8BM-K1K5015C-S2	G5 series AC servo motor, 15 kW, 400 VAC, 1500 rpm, 95.9 Nm, Absolute encoder	7.200.00	352697	4548583016606			EE	L	CHN	8501.4020.80
F8BM-K1K5015T-BO-S2	G5 series AC servo motor, 15 kW, 230 VAC, 1500 rpm, 95 Nm, Absolute encoder, with brake, with oil seal	8.290.00	352700	4548583017153			EE	L	CHN	8501.4020.80
F8BM-K1K5015T-S2	G5 series AC servo motor, 15 kW, 230 VAC, 1500 rpm, 95 Nm, Absolute encoder	7.990.00	352694	4548583016552			EE	L	CHN	8501.4020.80
F8BM-K1K020C-BS2	G5 series AC servo motor, 1 kW, 400 VAC, 2000 rpm, 4.77 Nm, Absolute encoder, with brake	1.692.00	322981	4547648657358			EE	L	CHN	8501.4020.80
F8BM-K1K020C-S2	G5 series AC servo motor, 1 kW, 400 VAC, 2000 rpm, 4.77 Nm, Absolute encoder	1.123.00	322971	4547648657211			EE	L	CHN	8501.4020.80
F8BM-K1K020F-BS2	G5 series AC servo motor, 1 kW, 400 VAC, 2000 rpm, 4.77 Nm, Incremental encoder, with brake	1.375.00	285592	4547648656238			EE	L	CHN	8501.4020.80
F8BM-K1K020F-S2	G5 series AC servo motor, 1 kW, 400 VAC, 2000 rpm, 4.77 Nm, Incremental encoder	917.00	285582	4547648656092		#	EE	L	CHN	8501.4020.80
F8BM-K1K020H-BS2	G5 series AC servo motor, 1 kW, 200 VAC, 2000 rpm, 4.77 Nm, Incremental encoder, with brake	1.173.00	285588	4547648656153			EE	L	CHN	8501.4020.80
F8BM-K1K020H-S2	G5 series AC servo motor, 1 kW, 200 VAC, 2000 rpm, 4.77 Nm, Incremental encoder	874.00	285578	4547648656016			EE	L	CHN	8501.4020.80
F8BM-K1K020T-BS2	G5 series AC servo motor, 1 kW, 200 VAC, 2000 rpm, 4.77 Nm, Absolute encoder, with brake	1.469.00	322977	4547648657273			EE	L	CHN	8501.4020.80
F8BM-K1K020T-S2	G5 series AC servo motor, 1 kW, 200 VAC, 2000 rpm, 4.77 Nm, Absolute encoder	1.158.00	322967	4547648657136			EE	L	CHN	8501.4020.80
F8BM-K1K030C-BS2	G5 series AC servo motor, 1 kW, 400 VAC, 3000 rpm, 3.18 Nm, Absolute encoder, with brake	1.993.00	322961	4547648654975		#	EE	L	CHN	8501.4020.80
F8BM-K1K030C-S2	G5 series AC servo motor, 1 kW, 400 VAC, 3000 rpm, 3.18 Nm, Absolute encoder	1.574.00	322947	4547648654760			EE	L	CHN	8501.4020.80
F8BM-K1K030F-BS2	G5 series AC servo motor, 1 kW, 400 VAC, 3000 rpm, 3.18 Nm, Incremental encoder, with brake	1.886.00	285572	4547648653299			EE	L	CHN	8501.4020.80
F8BM-K1K030F-S2	G5 series AC servo motor, 1 kW, 400 VAC, 3000 rpm, 3.18 Nm, Incremental encoder	1.297.00	285559	4547648653094		#	EE	L	CHN	8501.4020.80
F8BM-K1K030H-BS2	G5 series AC servo motor, 1 kW, 200 VAC, 3000 rpm, 3.18 Nm, Incremental encoder, with brake	1.761.00	322929	4547648653230			EE	L	CHN	8501.4020.80
F8BM-K1K030H-S2	G5 series AC servo motor, 1 kW, 200 VAC, 3000 rpm, 3.18 Nm, Incremental encoder	1.245.00	285556	4547648653015			EE	L	CHN	8501.4020.80
F8BM-K1K030T-BS2	G5 series AC servo motor, 1 kW, 200 VAC, 3000 rpm, 3.18 Nm, Absolute encoder, with brake	2.048.00	322958	4547648654906			EE	L	CHN	8501.4020.80
F8BM-K1K030T-S2	G5 series AC servo motor, 1 kW, 200 VAC, 3000 rpm, 3.18 Nm, Absolute encoder	1.612.00	322944	4547648654692			EE	L	CHN	8501.4020.80
F8BM-K1K520C-BS2	G5 series AC servo motor, 1.5 kW, 400 VAC, 2000 rpm, 7.16 Nm, Absolute encoder, with brake	1.765.00	322982	4547648657365			EE	L	CHN	8501.4020.80
F8BM-K1K520C-S2	G5 series AC servo motor, 1.5 kW, 400 VAC, 2000 rpm, 7.16 Nm, Absolute encoder	1.315.00	322972	4547648657228			EE	L	CHN	8501.4020.80
F8BM-K1K520F-BO-S2	G5 series AC servo motor, 1.5 kW, 400 VAC, 2000 rpm, 7.16 Nm, Incremental encoder, with brake, with oil seal	1.602.00	671117	4547648656528		#	EE	L	CHN	8501.4020.80
F8BM-K1K520F-BS2	G5 series AC servo motor, 1.5 kW, 400 VAC, 2000 rpm, 7.16 Nm, Incremental encoder, with brake	1.446.00	285593	4547648656245			EE	L	CHN	8501.4020.80
F8BM-K1K520F-S2	G5 series AC servo motor, 1.5 kW, 400 VAC, 2000 rpm, 7.16 Nm, Incremental encoder	1.041.00	285583	4547648656108		#	EE	L	CHN	8501.4020.80
F8BM-K1K520H-BS2	G5 series AC servo motor, 1.5 kW, 200 VAC, 2000 rpm, 7.16 Nm, Incremental encoder, with brake	1.383.00	285589	4547648656153			EE	L	CHN	8501.4020.80
F8BM-K1K520H-S2	G5 series AC servo motor, 1.5 kW, 200 VAC, 2000 rpm, 7.16 Nm, Incremental encoder	1.047.00	285579	4547648656023			EE	L	CHN	8501.4020.80
F8BM-K1K520T-BS2	G5 series AC servo motor, 1.5 kW, 200 VAC, 2000 rpm, 7.16 Nm, Absolute encoder, with brake	1.647.00	322978	4547648657280			EE	L	CHN	8501.4020.80
F8BM-K1K520T-S2	G5 series AC servo motor, 1.5 kW, 200 VAC, 2000 rpm, 7.16 Nm, Absolute encoder	1.323.00	322968	4547648657143			EE	L	CHN	8501.4020.80
F8BM-K1K530C-BO-S2	G5 series AC servo motor, 1.5 kW, 400 VAC, 3000 rpm, 4.77 Nm, Absolute encoder, with brake and with oil seal	2.242.00	684832	4547648655408			EE	L	CHN	8501.4020.80
F8BM-K1K530C-BS2	G5 series AC servo motor, 1.5 kW, 400 VAC, 3000 rpm, 4.77 Nm, Absolute encoder, with brake	2.233.00	322962	4547648654982			EE	L	CHN	8501.4020.80
F8BM-K1K530C-S2	G5 series AC servo motor, 1.5 kW, 400 VAC, 3000 rpm, 4.77 Nm, Absolute encoder	1.743.00	322948	4547648654777		#	EE	L	CHN	8501.4020.80
F8BM-K1K530F	G5 series AC servo motor, 1.5 kW, 400 VAC, 3000 rpm, 4.77 Nm, Incremental encoder, no key	1.513.00	366380	4547648652254			EE	L	CHN	8501.4020.80
F8BM-K1K530F-BO-S2	G5 series AC servo motor, 1.5 kW, 400 VAC, 3000 rpm, 4.77 Nm, Incremental encoder, with brake and with oil seal	2.026.00	684831	4547648655725			EE	L	CHN	8501.4020.80
F8BM-K1K530F-BS2	G5 series AC servo motor, 1.5 kW, 400 VAC, 3000 rpm, 4.77 Nm, Incremental encoder, with brake	1.946.00	285573	4547648653030		#	EE	L	CHN	8501.4020.80
F8BM-K1K530F-S2	G5 series AC servo motor, 1.5 kW, 400 VAC, 3000 rpm, 4.77 Nm, Incremental encoder	1.513.00	285560	4547648653091			EE	L	CHN	8501.4020.80
F8BM-K1K530H-BS2	G5 series AC servo motor, 1.5 kW, 200 VAC, 3000 rpm, 4.77 Nm, Incremental encoder, with brake	1.956.00	285570	4547648653237			EE	L	CHN	8501.4020.80
F8BM-K1K530H-OS2	G5 series AC servo motor, 1.5 kW, 200 VAC, 3000 rpm, 4.77 Nm, Incremental encoder, with oil seal	1.571.00	345288	4547648653442			EE	L	CHN	8501.4020.80
F8BM-K1K530H-S2	G5 series AC servo motor, 1.5 kW, 200 VAC, 3000 rpm, 4.77 Nm, Incremental encoder	1.503.00	285557	4547648653022			EE	L	CHN	8501.4020.80
F8BM-K1K530T-BS2	G5 series AC servo motor, 1.5 kW, 200 VAC, 3000 rpm, 4.77 Nm, Absolute encoder, with brake	2.221.00	322959	4547648654913			EE	L	CHN	8501.4020.80
F8BM-K1K530T-S2	G5 series AC servo motor, 1.5 kW, 200 VAC, 3000 rpm, 4.77 Nm, Absolute encoder	1.778.00	322945	4547648654708			EE	L	CHN	8501.4020.80
F8BM-K20030H-BS2	G5 series AC servo motor, 200 W, 200 VAC, 3000 rpm, 0.64 Nm, Incremental encoder, with brake	1.114.00	285567	4547648653190			EE	L	CHN	8501.4020.80
F8BM-K20030H-S2	G5 series AC servo motor, 200 W, 200 VAC, 3000 rpm, 0.64 Nm, Incremental encoder	747.00	285553	4547648652988			EE	L	CHN	8501.4020.80
F8BM-K20030T-BS2	G5 series AC servo motor, 200 W, 200 VAC, 3000 rpm, 0.64 Nm, Absolute encoder, with brake	1.397.00	322955	4547648654876		#	EE	L	CHN	8501.4020.80
F8BM-K20030T-OS2	G5 series AC servo motor, 200 W, 200 VAC, 3000 rpm, 0.64 Nm, Absolute encoder, with oil seal	1.071.00	365396	4547648655088			EE	L	CHN	8501.4020.80
F8BM-K20030T-S2	G5 series AC servo motor, 200 W, 200 VAC, 3000 rpm, 0.64 Nm, Absolute encoder	1.015.00	322941	4547648654661		#	EE	L	CHN	8501.4020.80
F8BM-K2010C-BS2	G5 series AC servo motor, 2 kW, 400 VAC, 1000 rpm, 19.1 Nm, Absolute encoder, with brake	2.618.00	322937	4547648658515			EE	L	CHN	8501.4020.80
F8BM-K2010C-S2	G5 series AC servo motor, 2 kW, 400 VAC, 1000 rpm, 19.1 Nm, Absolute encoder	2.105.00	322933	4547648658454			EE	L	CHN	8501.4020.80
F8BM-K2010F-BS2	G5 series AC servo motor, 2 kW, 400 VAC, 1000 rpm, 19.1 Nm, Incremental encoder, with brake	2.369.00	285603	4547648658034			EE	L	CHN	8501.4020.80
F8BM-K2010F-S2	G5 series AC servo motor, 2 kW, 400 VAC, 1000 rpm, 19.1 Nm, Incremental encoder	1.855.00	285600	4547648657976			EE	L	CHN	8501.4020.80
F8BM-K2020C-BS2	G5 series AC servo motor, 2 kW, 400 VAC, 2000 rpm, 9.55 Nm, Absolute encoder, with brake	1.976.00	322983	4547648657372			EE	L	CHN	8501.4020.80
F8BM-K2020C-S2	G5 series AC servo motor, 2 kW, 400 VAC, 2000 rpm, 9.55 Nm, Absolute encoder	1.540.00	322973	4547648657235			EE	L	CHN	8501.4020.80
F8BM-K2020F-BO-S2	G5 series AC servo motor, 2 kW, 400 VAC, 2000 rpm, 9.55 Nm, Incremental encoder, with brake, with oil seal	1.838.00	377242	4547648656536			EE	L	CHN	8501.4020.80
F8BM-K2020F-BS2	G5 series AC servo motor, 2 kW, 400 VAC, 2000 rpm, 9.55 Nm, Incremental encoder, with brake	1.704.00	285594	4547648656252		#	EE	L	CHN	8501.4020.80
F8BM-K2020F-OS2	G5 series AC servo motor, 2 kW, 400 VAC, 2000 rpm, 9.55 Nm, Incremental encoder, with oil seal	1.334.00	679567	4547648656399			EE	L	CHN	8501.4020.80
F8BM-K2020F-S2	G5 series AC servo motor, 2 kW, 400 VAC, 2000 rpm, 9.55 Nm, Incremental encoder	1.204.00	285584	4547648656115		#	EE	L	CHN	8501.4020.80
F8BM-K2020H-BS2	G5 series AC servo motor, 2 kW, 200 VAC, 2000 rpm, 9.55 Nm, Incremental encoder	1.217.00	353551	4547648656030			EE	L	CHN	8501.4020.80
F8BM-K2030C-BS2	G5 series AC servo motor, 2 kW, 400 VAC, 3000 rpm, 6.37 Nm, Absolute encoder, with brake	2.464.00	322963	4547648654999			EE	L	CHN	8501.4020.80
F8BM-K2030C-S2	G5 series AC servo motor, 2 kW, 400 VAC, 3000 rpm, 6.37 Nm, Absolute encoder	1.979.00	322949	4547648654784		#	EE	L	CHN	8501.4020.80
F8BM-K2030F-BS2	G5 series AC servo motor, 2 kW, 400 VAC, 3000 rpm, 6.37 Nm, Incremental encoder, with brake	2.201.00	285574	4547648653312			EE	L	CHN	8501.4020.80
F8BM-K2030F-S2	G5 series AC servo motor, 2 kW, 400 VAC, 3000 rpm, 6.37 Nm, Incremental encoder	1.680.00	285561	4547648653107		#	EE	L	CHN	8501.4020.80
F8BM-K3010C-BS2	G5 series AC servo motor, 3 kW, 400 VAC, 1000 rpm, 28.7 Nm, Absolute encoder, with brake	3.188.00	322938	4547648658522			EE	L	CHN	8501.4020.80
F8BM-K3010C-S2	G5 series AC servo motor, 3 kW, 400 VAC, 1000 rpm, 28.7 Nm, Absolute encoder	2.688.00	322934	4547648658461			EE	L	CHN	8501.4020.80
F8BM-K3010F-BS2	G5 series AC servo motor, 3 kW, 400 VAC, 1000 rpm, 28.7 Nm, Incremental encoder, with brake	2.955.00	285604	4547648658041			EE	L	CHN	8501.4020.80
F8BM-K3010F-S2	G5 series AC servo motor, 3 kW, 400 VAC, 1000 rpm, 28.7 Nm, Incremental encoder	2.441.00	285601	4547648657983		#	EE	L	CHN	8501.4020.80
F8BM-K3020C-BS2	G5 series AC servo motor, 3 kW, 400 VAC, 2000 rpm, 14.3 Nm, Absolute encoder, with brake	2.293.00	322984	4547648657389			EE	L	CHN	8501.4020.80
F8BM-K3020C-S2	G5 series AC servo motor, 3 kW, 400 VAC, 2000 rpm, 14.3 Nm, Absolute encoder	1.882.00	322974	4547648657242			EE	L	CHN	8501.4020.80
F8BM-K3020F-BS2	G5 series AC servo motor, 3 kW, 400 VAC, 2000 rpm, 14.3 Nm, Incremental encoder, with brake	2.011.00	285595	4547648656269		#	EE	L	CHN	8501.4020.80
F8BM-K3020F-S2	G5 series AC servo motor, 3 kW, 400 VAC, 2000 rpm, 14.3 Nm, Incremental encoder	1.507.00	285585	4547648656122		#	EE	L	CHN	8501.4020.80
F8BM-K3030C-BO-S2	G5 series AC servo motor, 3 kW, 400 VAC, 3000 rpm, 9.55 Nm, Absolute encoder, with brake and with oil seal	3.061.00	684833	4547648655422			EE	L	CHN	8501.4020.80
F8BM-K3030C-BS2	G5 series AC servo motor, 3 kW, 400 VAC, 3000 rpm, 9.55 Nm, Absolute encoder, with brake	2.981.00	322964	4547648655002			EE	L	CHN	8501.4020.80
F8BM-K3030C-S2	G5 series AC servo motor, 3 kW, 400 VAC, 3000 rpm, 9.55 Nm, Absolute encoder	2.258.00	322950							

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Data sheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
F8BM-K3K030F-B52	G5 series AC servo motor, 3 kW, 400 VAC, 3000 rpm, 9.55 Nm, Incremental encoder, with brake	2,700.00	285575	4547648653329			EE	L	CHN	8501.4020.80
F8BM-K3K030F-S2	G5 series AC servo motor, 3 kW, 400 VAC, 3000 rpm, 9.55 Nm, Incremental encoder	1,962.00	285562	4547648653114	#		EE	L	CHN	8501.4020.80
F8BM-K4K020C-B52	G5 series AC servo motor, 400 W, 400 VAC, 2000 rpm, 1.91 Nm, Absolute encoder, with brake	1,397.00	322979	4547648657334			EE	L	CHN	8501.4020.80
F8BM-K4K020C-S2	G5 series AC servo motor, 400 W, 400 VAC, 2000 rpm, 1.91 Nm, Absolute encoder	1,018.00	322969	4547648657198			EE	L	CHN	8501.4020.80
F8BM-K4K020F-B52	G5 series AC servo motor, 400 W, 400 VAC, 2000 rpm, 1.91 Nm, Incremental encoder, with brake	1,100.00	285590	4547648656214			EE	L	CHN	8501.4020.80
F8BM-K4K020F-S2	G5 series AC servo motor, 400 W, 400 VAC, 2000 rpm, 1.91 Nm, Incremental encoder	737.50	285580	4547648656078			EE	L	CHN	8501.4020.80
F8BM-K4K030H-B52	G5 series AC servo motor, 400 W, 200 VAC, 3000 rpm, 1.3 Nm, Incremental encoder, with brake	1,271.00	285568	4547648653206	#		EE	L	CHN	8501.4020.80
F8BM-K4K030H-S2	G5 series AC servo motor, 400 W, 200 VAC, 3000 rpm, 1.3 Nm, Incremental encoder	845.50	285554	4547648652995			EE	L	CHN	8501.4020.80
F8BM-K4K030T-B52	G5 series AC servo motor, 400 W, 200 VAC, 3000 rpm, 1.3 Nm, Absolute encoder, with brake	1,538.00	322956	4547648654883			EE	L	CHN	8501.4020.80
F8BM-K4K030T-S2	G5 series AC servo motor, 400 W, 200 VAC, 3000 rpm, 1.3 Nm, Absolute encoder	1,122.00	322942	4547648654678	#		EE	L	CHN	8501.4020.80
F8BM-K4K020C-B52	G5 series AC servo motor, 4 kW, 400 VAC, 2000 rpm, 19.1 Nm, Absolute encoder, with brake	2,660.00	322985	4547648657396			EE	L	CHN	8501.4020.80
F8BM-K4K020C-S2	G5 series AC servo motor, 4 kW, 400 VAC, 2000 rpm, 19.1 Nm, Absolute encoder	2,337.00	322975	4547648657259			EE	L	CHN	8501.4020.80
F8BM-K4K020F-B52	G5 series AC servo motor, 4 kW, 400 VAC, 2000 rpm, 19.1 Nm, Incremental encoder, with brake	2,387.00	285596	4547648656276			EE	L	CHN	8501.4020.80
F8BM-K4K020F-S2	G5 series AC servo motor, 4 kW, 400 VAC, 2000 rpm, 19.1 Nm, Incremental encoder	1,911.00	285586	4547648656139			EE	L	CHN	8501.4020.80
F8BM-K4K030C-B52	G5 series AC servo motor, 4 kW, 400 VAC, 3000 rpm, 12.7 Nm, Absolute encoder, with brake	3,683.00	322965	4547648655019			EE	L	CHN	8501.4020.80
F8BM-K4K030C-S2	G5 series AC servo motor, 4 kW, 400 VAC, 3000 rpm, 12.7 Nm, Absolute encoder	2,944.00	322951	4547648654807			EE	L	CHN	8501.4020.80
F8BM-K4K030F-B52	G5 series AC servo motor, 4 kW, 400 VAC, 3000 rpm, 12.7 Nm, Incremental encoder, with brake	3,363.00	285576	4547648653336			EE	L	CHN	8501.4020.80
F8BM-K4K030F-S2	G5 series AC servo motor, 4 kW, 400 VAC, 3000 rpm, 12.7 Nm, Incremental encoder	2,593.00	285563	4547648653121	#		EE	L	CHN	8501.4020.80
F8BM-K4K510C-B52	G5 series AC servo motor, 4.5 kW, 400 VAC, 1000 rpm, 43 Nm, Absolute encoder, with brake, with oil seal	3,674.00	373213	4548583017160			EE	L	CHN	8501.4020.80
F8BM-K4K510C-S2	G5 series AC servo motor, 4.5 kW, 400 VAC, 1000 rpm, 43 Nm, Absolute encoder	3,707.00	356385	4548583016589			EE	L	CHN	8501.4020.80
F8BM-K5K020C-B52	G5 series AC servo motor, 5 kW, 400 VAC, 2000 rpm, 23.9 Nm, Absolute encoder, with brake, with oil seal	2,899.00	670925	4547648657686	#		EE	L	CHN	8501.4020.80
F8BM-K5K020C-S2	G5 series AC servo motor, 5 kW, 400 VAC, 2000 rpm, 23.9 Nm, Absolute encoder	2,949.00	322986	4547648657402			EE	L	CHN	8501.4020.80
F8BM-K5K020F-B52	G5 series AC servo motor, 5 kW, 400 VAC, 2000 rpm, 23.9 Nm, Incremental encoder, with brake and with oil seal	2,606.00	322976	4547648657266	#		EE	L	CHN	8501.4020.80
F8BM-K5K020F-S2	G5 series AC servo motor, 5 kW, 400 VAC, 2000 rpm, 23.9 Nm, Incremental encoder, with brake	2,591.00	684834	4547648656566			EE	L	CHN	8501.4020.80
F8BM-K5K020F-S2	G5 series AC servo motor, 5 kW, 400 VAC, 2000 rpm, 23.9 Nm, Incremental encoder	2,552.00	285597	4547648656283	#		EE	L	CHN	8501.4020.80
F8BM-K5K030C-B52	G5 series AC servo motor, 5 kW, 400 VAC, 3000 rpm, 15.9 Nm, Absolute encoder, with brake	2,011.00	285587	4547648656146	#		EE	L	CHN	8501.4020.80
F8BM-K5K030C-S2	G5 series AC servo motor, 5 kW, 400 VAC, 3000 rpm, 15.9 Nm, Absolute encoder	4,830.00	322966	4547648655026	#		EE	L	CHN	8501.4020.80
F8BM-K5K030F-B52	G5 series AC servo motor, 5 kW, 400 VAC, 3000 rpm, 15.9 Nm, Incremental encoder, with brake	4,080.00	322952	4547648654814			EE	L	CHN	8501.4020.80
F8BM-K5K030F-S2	G5 series AC servo motor, 5 kW, 400 VAC, 3000 rpm, 15.9 Nm, Incremental encoder	4,450.00	285577	4547648653343			EE	L	CHN	8501.4020.80
F8BM-K60020C-B52	G5 series AC servo motor, 600 W, 400 VAC, 2000 rpm, 2.86 Nm, Absolute encoder, with brake	3,733.00	285564	4547648653138	#		EE	L	CHN	8501.4020.80
F8BM-K60020C-S2	G5 series AC servo motor, 600 W, 400 VAC, 2000 rpm, 2.86 Nm, Absolute encoder	1,424.00	322980	4547648657341			EE	L	CHN	8501.4020.80
F8BM-K60020F-B52	G5 series AC servo motor, 600 W, 400 VAC, 2000 rpm, 2.86 Nm, Incremental encoder, with brake	1,033.00	322970	4547648657204			EE	L	CHN	8501.4020.80
F8BM-K60020F-S2	G5 series AC servo motor, 600 W, 400 VAC, 2000 rpm, 2.86 Nm, Incremental encoder	1,179.00	285591	4547648656221	#		EE	L	CHN	8501.4020.80
F8BM-K6K010C-B52	G5 series AC servo motor, 6 kW, 400 VAC, 1000 rpm, 57.3 Nm, Absolute encoder, with brake, with oil seal	837.00	285581	4547648656085	#		EE	L	CHN	8501.4020.80
F8BM-K6K010C-S2	G5 series AC servo motor, 6 kW, 400 VAC, 1000 rpm, 57.3 Nm, Absolute encoder	5,020.00	352701	4548583017177			EE	L	CHN	8501.4020.80
F8BM-K75030C-B52	G5 series AC servo motor, 750 W, 400 VAC, 3000 rpm, 2.39 Nm, Absolute encoder, with brake	4,593.00	352695	4548583016576			EE	L	CHN	8501.4020.80
F8BM-K75030C-S2	G5 series AC servo motor, 750 W, 400 VAC, 3000 rpm, 2.39 Nm, Absolute encoder	1,941.00	322960	4547648654968			EE	L	CHN	8501.4020.80
F8BM-K75030F-B52	G5 series AC servo motor, 750 W, 400 VAC, 3000 rpm, 2.39 Nm, Incremental encoder, with brake	1,615.00	322946	4547648654753			EE	L	CHN	8501.4020.80
F8BM-K75030F-S2	G5 series AC servo motor, 750 W, 400 VAC, 3000 rpm, 2.39 Nm, Incremental encoder	1,869.00	285571	4547648653282			EE	L	CHN	8501.4020.80
F8BM-K75030H-B52	G5 series AC servo motor, 750 W, 200 VAC, 3000 rpm, 2.4 Nm, Incremental encoder, with brake	1,276.00	285558	4547648653077			EE	L	CHN	8501.4020.80
F8BM-K75030H-S2	G5 series AC servo motor, 750 W, 200 VAC, 3000 rpm, 2.4 Nm, Incremental encoder	1,552.00	285569	4547648653213	#		EE	L	CHN	8501.4020.80
F8BM-K75030T-B52	G5 series AC servo motor, 750 W, 200 VAC, 3000 rpm, 2.4 Nm, Absolute encoder, with brake	1,067.00	285555	4547648653008	#		EE	L	CHN	8501.4020.80
F8BM-K75030T-S2	G5 series AC servo motor, 750 W, 200 VAC, 3000 rpm, 2.4 Nm, Absolute encoder	1,962.00	322957	4547648654890			EE	L	CHN	8501.4020.80
F8BM-K7K515C-B52	G5 series AC servo motor, 7.5 kW, 400 VAC, 1500 rpm, 47.8 Nm, Absolute encoder, with brake, with oil seal	1,552.00	322943	4547648654685			EE	L	CHN	8501.4020.80
F8BM-K7K515C-S2	G5 series AC servo motor, 7.5 kW, 400 VAC, 1500 rpm, 47.8 Nm, Absolute encoder	5,530.00	352702	4548583017184	#		EE	L	CHN	8501.4020.80
F8BM-K90010C-B52	G5 series AC servo motor, 900 W, 400 VAC, 1000 rpm, 8.59 Nm, Absolute encoder, with brake	4,945.00	352696	4548583016583	#		EE	L	CHN	8501.4020.80
F8BM-K90010C-S2	G5 series AC servo motor, 900 W, 400 VAC, 1000 rpm, 8.59 Nm, Absolute encoder	2,030.00	322936	4547648658508			EE	L	CHN	8501.4020.80
F8BM-K90010F-B52	G5 series AC servo motor, 900 W, 400 VAC, 1000 rpm, 8.59 Nm, Incremental encoder, with brake	1,719.00	322932	4547648658447			EE	L	CHN	8501.4020.80
F8BM-K90010F-S2	G5 series AC servo motor, 900 W, 400 VAC, 1000 rpm, 8.59 Nm, Incremental encoder	1,716.00	285602	4547648658027			EE	L	CHN	8501.4020.80
F8BM-K90010H-B52	G5 series AC servo motor, 900 W, 200 VAC, 1000 rpm, 8.59 Nm, Incremental encoder, with brake	1,304.00	285599	4547648657969			EE	L	CHN	8501.4020.80
F8BM-K90010H-S2	G5 series AC servo motor, 900 W, 200 VAC, 1000 rpm, 8.59 Nm, Incremental encoder	1,772.00	322930	4547648657990			EE	L	CHN	8501.4020.80
F8BM-K90010T-B52	G5 series AC servo motor, 900 W, 200 VAC, 1000 rpm, 8.59 Nm, Absolute encoder, with brake	1,304.00	285598	4547648657938			EE	L	CHN	8501.4020.80
F8BM-K90010T-S2	G5 series AC servo motor, 900 W, 200 VAC, 1000 rpm, 8.59 Nm, Absolute encoder	2,030.00	322935	4547648658478			EE	L	CHN	8501.4020.80
F8BM-KH40030H-B52-D	G5 series high inertia AC servo motor, 400 W, 200 VAC, 3000 rpm, 1.3 Nm, incremental, with brake	1,621.00	322931	4547648658416			EE	L	CHN	8501.4020.80
F8BM-KH40030H-S2-D	G5 series high inertia AC servo motor, 400 W, 200 VAC, 3000 rpm, 1.3 Nm, incremental	1,281.00	378081	4548583406704			EE	L	CHN	8501.4020.80
F8BM-KH75030H-B52-D	G5 series high inertia AC servo motor, 750 W, 200 VAC, 3000 rpm, 2.4 Nm, incremental, with brake	897.50	378080	4548583406698			EE	L	CHN	8501.4020.80
F8BM-KH75030H-S2-D	G5 series high inertia AC servo motor, 750 W, 200 VAC, 3000 rpm, 2.4 Nm, incremental	1,802.00	378085	4548583406742			EE	L	CHN	8501.4020.80
F8BM-KH75030H-S2-D	G5 series high inertia AC servo motor, 750 W, 200 VAC, 3000 rpm, 2.4 Nm, incremental	1,105.00	378084	4548583406735			EE	L	CHN	8501.4020.80
F8BM-K2K020H-B52	G5 series AC servo motor, 2 kW, 200 VAC, 2000 rpm, 9.55 Nm, Incremental encoder, with brake	1,672.00	354027	4547648656177			EE	L	CHN	8501.4020.80
F8BM-K2K020T-B52	G5 series AC servo motor, 2 kW, 200 VAC, 2000 rpm, 9.55 Nm, Absolute encoder, with brake	1,843.00	354035	4547648657297			EE	L	CHN	8501.4020.80
F8BM-K2K030H-B52	G5 series AC servo motor, 2 kW, 200 VAC, 3000 rpm, 6.37 Nm, Incremental encoder, with brake	2,216.00	410308	4547648653244			EE	L	CHN	8501.4020.80
F8BM-K3K020H-B52	G5 series AC servo motor, 3 kW, 200 VAC, 2000 rpm, 14.3 Nm, Incremental encoder, with brake	2,005.00	354028	4547648656184			EE	L	CHN	8501.4020.80
F8BM-K3K030H-B52	G5 series AC servo motor, 3 kW, 200 VAC, 3000 rpm, 9.55 Nm, Incremental encoder, with brake	2,635.00	354013	4547648653251			EE	L	CHN	8501.4020.80
F8BM-K3K030T-S2	G5 series AC servo motor, 3 kW, 200 VAC, 3000 rpm, 9.55 Nm, Absolute encoder	2,440.00	354017	4547648654222			EE	L	CHN	8501.4020.80
F8BM-K4K020T-S2	G5 series AC servo motor, 4 kW, 200 VAC, 2000 rpm, 19.1 Nm, Absolute encoder	2,452.00	354033	4547648657174			EE	L	CHN	8501.4020.80
F8BM-KH1K020F-B51	G5 series high inertia AC servo motor, 1.0 kW, 400 VAC, 2000 rpm, 4.77 Nm, incremental, with brake	1,292.00	377699	4548583406780			EE	L	CHN	8501.4020.80
F8BM-KH1K520F-S1	G5 series high inertia AC servo motor, 1.0 kW, 400 VAC, 2000 rpm, 4.77 Nm, incremental	961.50	374909	4548583406773			EE	L	CHN	8501.4020.80
F8BM-KH1K520F-S1	G5 series high inertia AC servo motor, 1.5 kW, 400 VAC, 2000 rpm, 7.16 Nm, incremental	1,141.00	374910	4548583406810			EE	L	CHN	8501.4020.80
F8BM-KH3K020F-S1	G5 series high inertia AC servo motor, 4.0 kW, 400 VAC, 2000 rpm, 19.1 Nm, incremental	1,865.00	377860	4548583406896			EE	L	CHN	8501.4020.80
F8BM-KH4K020F-S1	G5 series high inertia AC servo motor, 3.0 kW, 400 VAC, 2000 rpm, 14.3 Nm, incremental	2,088.00	377709	4548583406933			EE	L	CHN	8501.4020.80
F8BM-KH5K020C-B51	G5 series high inertia AC servo motor, 5.0 kW, 400 VAC, 2000 rpm, 23.9 Nm, absolute, with brake	3,567.00	377716	4548583407008			EE	L	CHN	8501.4020.80
F8BM-KH5K020C-S2	G5 series high inertia AC servo motor, 5.0 kW, 400 VAC, 2000 rpm, 23.9 Nm, absolute	2,889.00	377715	4548583406995			EE	L	CHN	8501.4020.80
F8BM-KH5K020F-B51	G5 series high inertia AC servo motor, 5.0 kW, 400 VAC, 2000 rpm, 23.9 Nm, incremental, with brake	2,917.00	377714	4548583406988			EE	L	CHN	8501.4020.80
F8BM-KH5K020F-S1	G5 series high inertia AC servo motor, 5.0 kW, 400 VAC, 2000 rpm, 23.9 Nm, incremental	2,298.00	377713	4548583406971			EE	L	CHN	8501.4020.80
F8BM-KH7K515C-B51	G5 series high inertia AC servo motor, 7.5 kW, 400 VAC, 1500 rpm, 47.8 Nm, absolute, with brake	5,890.00	377862	4548583407022			EE	L	CHN	8501.4020.80

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Daheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
F88A-CM001S	Analog monitor cable, 1 m	25.42	678728	4549734927963	#		EE	L	JPN	8544.4290.90
F88A-CN141L	G5 series servo external encoder connector (for CN4)	30.83	294101	4547648720489			EE	L	JPN	8501.4020.80
F88A-CN181S	Accessory servo, G5, safety I/O signal connector (CN8)	22.54	678726	4549734927949			EE	L	CHN	8536.9010.00
F88A-CN101R	Encoder cable connector (CN2), drive side, all models	51.30	678725	4549734927932	#		EE	L	CHN	8544.4290.90
F88A-CRGD0R3C	Absolute encoder battery cable (battery not included)	124.10	292058	4547648493215			EE	L	CHN	8501.4020.80
F88A-CRGD0R3C-BS	Absolute encoder battery cable (BAT01G included)	217.50	292064	4547648582780	#		EE	L	CHN	8501.4020.80
<b>Servo SmartStep2</b>										
R7A-CPB001S	SmartStep 2 series servo control cable, 1m	74.85	292039	4547648491013			EE	M	CHN	8501.4020.80
XW22-100J-B29	I/O connection cable, C11W-NC113/213/413 to terminal block, 1 m	196.60	292069	4547648520997			EE	M	JPN	8501.4020.80
XW22-100J-B32	Cable: Servo Relay Unit to Servo driver, 1 m (SmartStep 2)	159.00	292071	4547648521055			EE	M	JPN	8501.4020.80
XW22-200J-B28	SmartStep 2 general purpose servo control cable, 2 m	203.00	292068	4547648520980			EE	M	JPN	8501.4020.80
XW22-200J-B29	Servo drive cable from servo relay unit to servo drive, 2 m	206.20	292070	4547648521000			EE	M	JPN	8501.4020.80
XW22-200J-B32	Servo drive cable from servo relay unit to servo drive, 2 m	183.40	292072	4547648521062			EE	M	JPN	8501.4020.80
R7D-BP01H	SmartStep 2 servo drive, pulse input type, 100 W, 1- 200 VAC	817.50	285887	4547648475181			EE	M	CHN	8501.4020.80
R7D-BP01L	Smartstep 2 servo drive, pulse input type, 100W, 100vac single phase	880.50	362767	4547648475167			EE	M	CHN	8501.4020.80
R7D-BP02HH	SmartStep 2 servo drive, pulse input type, 200 W, 1-phase 200 VAC	838.50	285888	4547648475204			EE	M	CHN	8501.4020.80
R7D-BP04H	SmartStep 2 servo drive, pulse input type, 400 W, 1- 200 VAC	869.00	285889	4547648475211	#		EE	M	CHN	8501.4020.80
R8BD-GP08H	G-Series Servo Drive, Pulse input type, 800 W, 1- 200 VAC	1,156.00	285526	4547648728911	#		EE	M	CHN	8501.4020.80
R7A-CNB01A	SmartStep 2 servo motor connector (CNB)	12.00	292043	4547648491068			EE	M	CHN	8501.4020.80
R7A-CNB01P	SmartStep 2 main circuit connector (CNA)	10.67	292044	4547648491062			EE	M	CHN	8501.4020.80
F88A-FF080100S	Servo accessory, resistor 80 W, 100 ohm	78.40	292066	4547648512688			EE	M	JPN	8533.2900.00
F88A-FF08050S	Servo accessory, resistor 80 W, 50 ohm	78.40	292065	4547648512671			EE	M	JPN	8533.2900.00
R7A-CLB002FG	External regenerative resistor connector cable, 2m	23.11	292042	4547648491051			EE	M	CHN	8501.4020.80
<b>Integrated Servo Motors</b>										
F88E-AECT0230D-BS2	Integrated AC servo motor, 880 W, 560 VDC, 3000 rpm, 2.55 Nm, Incremental encoder, with brake, Shaft with Key	2,581.00	419095	4548583575141			EE	N	ITA	8501.4020.80
F88E-AECT0230D-S2	Integrated AC servo motor, 880 W, 560 VDC, 3000 rpm, 2.55 Nm, Incremental encoder, without brake, Shaft with Key	2,189.00	419089	4548583575080			EE	N	ITA	8501.4020.80
F88E-AECT0230E-BS2	Integrated AC servo motor, 880 W, 560 VDC, 3000 rpm, 2.55 Nm, Multiturn Abs. encoder, with brake, Shaft with Key	2,962.00	419083	4548583575028			EE	N	ITA	8501.4020.80
F88E-AECT0230E-S2	Integrated AC servo motor, 880 W, 560 VDC, 3000 rpm, 2.55 Nm, Multiturn Abs. encoder, without brake, Shaft with Key	2,544.00	419077	4548583574960			EE	N	ITA	8501.4020.80
F88E-AECT0330D-BS2	Integrated AC servo motor, 1000 W, 560 VDC, 3000 rpm, 3.2 Nm, Incremental encoder, with brake, Shaft with Key	2,692.00	419056	4548583575159			EE	N	ITA	8501.4020.80
F88E-AECT0330D-S2	Integrated AC servo motor, 1000 W, 560 VDC, 3000 rpm, 3.2 Nm, Incremental encoder, without brake, Shaft with Key	2,310.00	419050	4548583575097			EE	N	ITA	8501.4020.80
F88E-AECT0330E-BS2	Integrated AC servo motor, 1000 W, 560 VDC, 3000 rpm, 3.2 Nm, Multiturn Abs. encoder, with brake, Shaft with Key	3,094.00	419084	4548583575035			EE	N	ITA	8501.4020.80
F88E-AECT0330E-S2	Integrated AC servo motor, 1000 W, 560 VDC, 3000 rpm, 3.2 Nm, Multiturn Abs. encoder, without brake, Shaft with Key	2,663.00	419078	4548583574977			EE	N	ITA	8501.4020.80
F88E-AECT0430D-BS2	Integrated AC servo motor, 1350 W, 560 VDC, 3000 rpm, 4.3 Nm, Incremental encoder, with brake, Shaft with Key	2,777.00	419097	4548583575165			EE	N	ITA	8501.4020.80
F88E-AECT0430D-S2	Integrated AC servo motor, 1350 W, 560 VDC, 3000 rpm, 4.3 Nm, Incremental encoder, without brake, Shaft with Key	2,396.00	419091	4548583575103			EE	N	ITA	8501.4020.80
F88E-AECT0430E-BS2	Integrated AC servo motor, 1350 W, 560 VDC, 3000 rpm, 4.3 Nm, Multiturn Abs. encoder, with brake, Shaft with Key	3,170.00	419085	4548583575042			EE	N	ITA	8501.4020.80
F88E-AECT0430E-S2	Integrated AC servo motor, 1350 W, 560 VDC, 3000 rpm, 4.3 Nm, Multiturn Abs. encoder, without brake, Shaft with Key	2,751.00	419079	4548583574984			EE	N	ITA	8501.4020.80
F88E-AECT0530D-BS2	Integrated AC servo motor, 1570 W, 560 VDC, 3000 rpm, 5.0 Nm, Incremental encoder, with brake, Shaft with Key	3,321.00	419098	4548583575172			EE	N	ITA	8501.4020.80
F88E-AECT0530D-S2	Integrated AC servo motor, 1570 W, 560 VDC, 3000 rpm, 5.0 Nm, Incremental encoder, without brake, Shaft with Key	2,932.00	419092	4548583575110			EE	N	ITA	8501.4020.80
F88E-AECT0530E-BS2	Integrated AC servo motor, 1570 W, 560 VDC, 3000 rpm, 5.0 Nm, Multiturn Abs. encoder, with brake, Shaft with Key	3,700.00	419086	4548583575059			EE	N	ITA	8501.4020.80
F88E-AECT0530E-S2	Integrated AC servo motor, 1570 W, 560 VDC, 3000 rpm, 5.0 Nm, Multiturn Abs. encoder, without brake, Shaft with Key	3,280.00	419080	4548583574991			EE	N	ITA	8501.4020.80
F88E-AECT1130D-BS2	Integrated AC servo motor, 3670 W, 560 VDC, 3000 rpm, 11.7 Nm, Incremental encoder, with brake, Shaft with Key	5,575.00	419099	4548583575189			EE	N	ITA	8501.4020.80
F88E-AECT1130D-S2	Integrated AC servo motor, 3670 W, 560 VDC, 3000 rpm, 11.7 Nm, Incremental encoder, without brake, Shaft with Key	5,005.00	419093	4548583575127			EE	N	ITA	8501.4020.80
F88E-AECT1130E-BS2	Integrated AC servo motor, 3670 W, 560 VDC, 3000 rpm, 11.7 Nm, Multiturn Abs. encoder, with brake, Shaft with Key	5,865.00	419087	4548583575066			EE	N	ITA	8501.4020.80
F88E-AECT1130E-S2	Integrated AC servo motor, 3670 W, 560 VDC, 3000 rpm, 11.7 Nm, Multiturn Abs. encoder, without brake, Shaft with Key	5,300.00	419081	4548583575004			EE	N	ITA	8501.4020.80
F88E-AECT2530D-BS2	Integrated AC servo motor, 7850 W, 560 VDC, 3000 rpm, 25 Nm, Incremental encoder, with brake, Shaft with Key	8,365.00	419100	4548583575196			EE	N	ITA	8501.4020.80
F88E-AECT2530D-S2	Integrated AC servo motor, 7850 W, 560 VDC, 3000 rpm, 25 Nm, Incremental encoder, without brake, Shaft with Key	7,755.00	419094	4548583575134			EE	N	ITA	8501.4020.80
F88E-AECT2530E-BS2	Integrated AC servo motor, 7850 W, 560 VDC, 3000 rpm, 25 Nm, Multiturn Abs. encoder, with brake, Shaft with Key	8,660.00	419088	4548583575073			EE	N	ITA	8501.4020.80
F88E-AECT2530E-S2	Integrated AC servo motor, 7850 W, 560 VDC, 3000 rpm, 25 Nm, Multiturn Abs. encoder, without brake, Shaft with Key	8,145.00	419082	4548583575011			EE	N	ITA	8501.4020.80
F88A-CC5A002P2-E	Serial port cable for Integrated servo motor with straight connector	59.90	656885	4548583949515			EE	N	ITA	8544.4290.90
F88A-CC5E002P2-E	Serial port cable for DC power supply unit with straight connector	54.45	658934	4548583950009			EE	N	ITA	8544.4290.90
F88A-CDEA001-5-E	Power cables for Integrated servo motor with straight connector, 1.5 m	110.80	656888	4548583949546			EE	N	ITA	8544.4290.90
F88A-CDEA003-E	Power cables for Integrated servo motor with straight connector, 3 m	133.60	656887	4548583949539			EE	N	ITA	8544.4290.90
F88A-CDEA005-E	Power cables for Integrated servo motor with straight connector, 5 m	164.10	656892	4548583949584			EE	N	ITA	8544.4290.90
F88A-CDEA010-E	Power cables for Integrated servo motor with straight connector, 10 m	240.00	656894	4548583949607			EE	N	ITA	8544.4290.90
F88A-CDEA015-E	Power cables for Integrated servo motor with straight connector, 15 m	316.40	656893	4548583949591			EE	N	ITA	8544.4290.90
F88A-CDEA020-E	Power cables for Integrated servo motor with straight connector, 20 m	392.20	656891	4548583949577			EE	N	ITA	8544.4290.90
F88A-CNEA01C-E	M23 straight IO connector for Integrated Motor	36.36	659666	4548583954281			EE	N	ITA	8536.9010.00
F88A-CNEA01P-E	M23 straight power connector for Integrated Motor	56.20	659665	4548583954274			EE	N	ITA	8536.9010.00
F88A-CNEA02P-E	M23 right angle 90 IO connector for Integrated Motor	85.85	659663	4548583954250			EE	N	ITA	8536.9010.00
F88A-CNEA02P-E	M23 right angle 90 power connector for Integrated Motor	170.70	659664	4548583954267			EE	N	ITA	8536.9010.00
F88A-CPEA001S-E	I/O cable with straight connector, 1 m	94.70	656889	4548583949553			EE	N	ITA	8544.4290.90
F88A-CPEA002S-E	I/O cable with straight connector, 2 m	98.55	656890	4548583949560			EE	N	ITA	8544.4290.90
F88A-CPEA005S-E	I/O cable with straight connector, 5 m	121.80	656886	4548583949522			EE	N	ITA	8544.4290.90
F88A-PCVEA01-E	IP67 Blind plug for M12 socket	4.40	668026	4548583957992			EE	N	ITA	8536.9010.00
F88S-EAD20R	DC power supply unit for Integrated servo motor, 400 VAC, 20 A DC, with integrated regeneration circuit	1,582.00	419125	4548583575455			EE	N	ITA	8504.4030.00
F88S-EAD40R	DC power supply unit for Integrated servo motor, 400 VAC, 40 A DC, with integrated regeneration circuit	1,735.00	419126	4548583575462			EE	N	ITA	8504.4030.00

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Daheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
<b>Servo Gearbox</b>										
CP005S-MF1-10-0B1/F88M-1M10030	Wittenstein gearbox, model CP005S-MF1, ratio 10, option code -0B1, for motor F88M-1M10030*	259.60	698812	4549734890755			EE	W	DEU	8483.4051.90
CP005S-MF1-10-1B1/F88M-1M20030	Wittenstein gearbox, model CP005S-MF1, ratio 10, option code -1B1, for motor F88M-1M20030*	259.60	699052	4549734891714			EE	W	DEU	8483.4051.90
CP005S-MF1-10-1B1/SGM/JV 01A	Wittenstein gearbox, model CP005S-MF1, ratio 10, option code -1B1, for motor SGM/JV 01A*	259.60	691140	4549734985550			EE	W	DEU	8483.4051.90
CP005S-MF1-10-1B1-2S/1M10030	Wittenstein gearbox, model CP005S-MF1, ratio 10, option code -1B1-2S, for motor 1M10030*	259.60	693962	4549734993623			EE	W	DEU	8483.4051.90
CP005S-MF1-4-1B1/F88M-1M20030	Wittenstein gearbox, model CP005S-MF1, ratio 4, option code -1B1, for motor F88M-1M20030*	259.60	700722	4549734895163			EE	W	DEU	8483.4051.90
CP005S-MF1-5-1B1-2S/1M10030	Wittenstein gearbox, model CP005S-MF1, ratio 5, option code -1B1-2S, for motor 1M10030*	259.60	689264	4549734976695			EE	W	DEU	8483.4051.90
CP005S-MF2-16-1B1/F88M-1M10030	Wittenstein gearbox, model CP005S-MF2, ratio 16, option code -1B1, for motor F88M-1M10030*	336.90	702565	4549734793889			EE	W	DEU	8483.4051.90
CP005S-MF2-25-0B1/F88M-1M10030	Wittenstein gearbox, model CP005S-MF2, ratio 25, option code -0B1, for motor F88M-1M10030*	336.90	698811	4549734890748			EE	W	DEU	8483.4051.90
CP015S-MF1-10-0C1-2S/1M40030	Wittenstein gearbox, model CP015S-MF1, ratio 10, option code -0C1-2S, for motor 1M40030*	321.40	690918	4549734984645			EE	W	DEU	8483.4051.90
CP015S-MF1-10-1C1/F88M-K40030	Wittenstein gearbox, model CP015S-MF1, ratio 10, option code -1C1, for motor F88M-K40030*	321.40	693033	4549734988674			EE	W	DEU	8483.4051.90
CP015S-MF1-10-1C1-2S/1M10030	Wittenstein gearbox, model CP015S-MF1, ratio 10, option code -1C1-2S, for motor 1M10030*	321.40	688607	4549734973298			EE	W	DEU	8483.4051.90
CP015S-MF1-10-1C1-2S/1M20030	Wittenstein gearbox, model CP015S-MF1, ratio 10, option code -1C1-2S, for motor 1M20030*	321.40	688683	4549734973854			EE	W	DEU	8483.4051.90
CP015S-MF1-10-1C1-2S/1M40030	Wittenstein gearbox, model CP015S-MF1, ratio 10, option code -1C1-2S, for motor 1M40030*	321.40	693844	4549734992695			EE	W	DEU	8483.4051.90
CP015S-MF1-10-1C1-2S/K20030	Wittenstein gearbox, model CP015S-MF1, ratio 10, option code -1C1-2S, for motor F88M-K20030*	321.40	694782	4549734994620			EE	W	DEU	8483.4051.90
CP015S-MF1-3-0C1-2S/1M10030	Wittenstein gearbox, model CP015S-MF1, ratio 3, option code -0C1-2S, for motor 1M10030*	321.40	690919	4549734984652			EE	W	DEU	8483.4051.90
CP015S-MF1-3-1C1/F88M-1M40030	Wittenstein gearbox, model CP015S-MF1, ratio 3, option code -1C1, for motor F88M-1M40030*	321.40	690901	4549734891707			EE	W	DEU	8483.4051.90
CP015S-MF1-3-1C1/F88M-K40030	Wittenstein gearbox, model CP015S-MF1, ratio 3, option code -1C1, for motor F88M-K40030*	321.40	692850	4549734987028			EE	W	DEU	8483.4051.90
CP015S-MF1-4-1C1/F88M-K40030	Wittenstein gearbox, model CP015S-MF1, ratio 4, option code -1C1, for motor F88M-K40030*	321.40	702194	4549734792202			EE	W	DEU	8483.4051.90
CP015S-MF1-4-1C1-2S/1M20030	Wittenstein gearbox, model CP015S-MF1, ratio 4, option code -1C1-2S, for motor F88M-K20030*	321.40	695566	4549734997157			EE	W	DEU	8483.4051.90
CP015S-MF1-5-1C1/F88M-K20030	Wittenstein gearbox, model CP015S-MF1, ratio 5, option code -1C1, for motor F88M-K20030*	321.40	695054	4549734892711			EE	W	DEU	8483.4051.90
CP015S-MF1-5-1C1-2S/R7M-A40030	Wittenstein gearbox, model CP015S-MF1, ratio 5, option code -1C1-2S, for motor R7M-A40030*	321.40	689621	4549734978514			EE	W	DEU	8483.4051.90
CP015S-MF1-5-1C1-2S/F88M-K40030	Wittenstein gearbox, model CP015S-MF1, ratio 5, option code -1C1-2S, for motor F88M-K40030*	321.40	688566	4549734972925			EE	W	DEU	8483.4051.90
CP015S-MF1-7-0E1/F88M-K40020	Wittenstein gearbox, model CP015S-MF1, ratio 7, option code -0E1, for motor F88M-K40020*	321.40	693090	4549734988759			EE	W	DEU	8483.4051.90
CP015S-MF1-7-1C1/F88M-1M40030	Wittenstein gearbox, model CP015S-MF1, ratio 7, option code -1C1, for motor F88M-1M40030*	321.40	696465	4549734890465			EE	W	DEU	8483.4051.90
CP015S-MF1-7-1C1/F88M-K40030	Wittenstein gearbox, model CP015S-MF1, ratio 7, option code -1C1, for motor F88M-K40030*	321.40	693032	4549734988667			EE	W	DEU	8483.4051.90
CP015S-MF1-7-1C1-2S/F88M-K20030	Wittenstein gearbox, model CP015S-MF1, ratio 7, option code -1C1-2S, for motor F88M-K20030*	321.40	689101	4549734975650			EE	W	DEU	8483.4051.90
CP015S-MF1-7-1C1-2S/F88M-G40030	Wittenstein gearbox, model CP015S-MF1, ratio 7, option code -1C1-2S, for motor F88M-G40030*	321.40	689100	4549734975643			EE	W	DEU	8483.4051.90
CP015S-MF1-8-1C1/F88M-1M40030	Wittenstein gearbox, model CP015S-MF1, ratio 8, option code -1C1, for motor F88M-1M40030*	321.40	702206	4549734792257			EE	W	DEU	8483.4051.90
CP015S-MF2-25-0C1-2S/1M20030	Wittenstein gearbox, model CP015S-MF2, ratio 25, option code -0C1-2S, for motor 1M20030*	417.20	690147	4549734979900			EE	W	DEU	8483.4051.90
CP015S-MF2-25-1C1-2S/1M20030	Wittenstein gearbox, model CP015S-MF2, ratio 25, option code -1C1-2S, for motor 1M20030*	417.20	690146	4549734979894			EE	W	DEU	8483.4051.90
CP015S-MF2-35-1C1/F88M-K40030	Wittenstein gearbox, model CP015S-MF2, ratio 35, option code -1C1, for motor F88M-K40030*	417.20	702301	4549734792639			EE	W	DEU	8483.4051.90
CP015S-MF2-50-1C1/F88M-1M20030	Wittenstein gearbox, model CP015S-MF2, ratio 50, option code -1C1, for motor F88M-1M20030*	417.20	693230	4549734996259			EE	W	DEU	8483.4051.90
CP015S-MF2-50-1C1/F88M-1M40030	Wittenstein gearbox, model CP015S-MF2, ratio 50, option code -1C1-2S, for motor F88M-1M40030*	417.20	699119	4549734891813			EE	W	DEU	8483.4051.90
CP015S-MF2-9-0E1/F88M-1M40030	Wittenstein gearbox, model CP015S-MF2, ratio 9, option code -0E1, for motor F88M-1M40030*	417.20	700192	4549734894067			EE	W	DEU	8483.4051.90
CP025S-MF1-10-1E1/F88M-G40030	Wittenstein gearbox, model CP025S-MF1, ratio 10, option code -1E1, for motor F88M-G40030*	377.00	699172	4549734891912			EE	W	DEU	8483.4051.90
CP025S-MF1-10-1E1/F88M-1M75030	Wittenstein gearbox, model CP025S-MF1, ratio 10, option code -1E1, for motor F88M-1M75030*	377.00	695943	4549734985029			EE	W	DEU	8483.4051.90
CP025S-MF1-10-1E1/F88M-G40030	Wittenstein gearbox, model CP025S-MF1, ratio 10, option code -1E1, for motor F88M-G40030*	377.00	696235	4549734889490			EE	W	DEU	8483.4051.90
CP025S-MF1-10-1E1/F88M-G75030	Wittenstein gearbox, model CP025S-MF1, ratio 10, option code -1E1, for motor F88M-G75030*	377.00	694792	4549734994699			EE	W	DEU	8483.4051.90
CP025S-MF1-10-1E1/F88M-K60020	Wittenstein gearbox, model CP025S-MF1, ratio 10, option code -1E1, for motor F88M-K60020*	377.00	696101	4549734999311			EE	W	DEU	8483.4051.90
CP025S-MF1-10-1E1/F88M-K75030(H/T)	Wittenstein gearbox, model CP025S-MF1, ratio 10, option code -1E1, for motor F88M-K75030(H/T)*	377.00	702445	4549734792936			EE	W	DEU	8483.4051.90
CP025S-MF1-10-1E1-2S/1L2K030	Wittenstein gearbox, model CP025S-MF1, ratio 10, option code -1E1-2S, for motor 1L2K030*	377.00	692933	4549734987714			EE	W	DEU	8483.4051.90
CP025S-MF1-10-1G1/F88M-K60020	Wittenstein gearbox, model CP025S-MF1, ratio 10, option code -1G1, for motor F88M-K60020*	377.00	695999	4549734999175			EE	W	DEU	8483.4051.90
CP025S-MF1-3-1E1/F88M-1M75030	Wittenstein gearbox, model CP025S-MF1, ratio 3, option code -1E1, for motor F88M-1M75030*	377.00	698967	4549734891080			EE	W	DEU	8483.4051.90
CP025S-MF1-3-1E1/F88M-K1K030	Wittenstein gearbox, model CP025S-MF1, ratio 3, option code -1E1, for motor F88M-K1K030*	377.00	692849	4549734987011			EE	W	DEU	8483.4051.90
CP025S-MF1-5-1E1-2S/1M75030	Wittenstein gearbox, model CP025S-MF1, ratio 5, option code -1E1-2S, for motor 1M75030*	377.00	693846	4549734992718			EE	W	DEU	8483.4051.90
CP025S-MF1-5-1G1/F88M-K1K020	Wittenstein gearbox, model CP025S-MF1, ratio 5, option code -1G1, for motor F88M-K1K020*	377.00	692848	4549734987004			EE	W	DEU	8483.4051.90
CP025S-MF1-7-1E1/F88M-1M75030	Wittenstein gearbox, model CP025S-MF1, ratio 7, option code -1E1, for motor F88M-1M75030*	377.00	698968	4549734891097			EE	W	DEU	8483.4051.90
CP025S-MF1-7-1E1/F88M-G40030	Wittenstein gearbox, model CP025S-MF1, ratio 7, option code -1E1, for motor F88M-G40030*	377.00	694793	4549734994705			EE	W	DEU	8483.4051.90
CP025S-MF2-100-0E1/F88M-1M40030	Wittenstein gearbox, model CP025S-MF2, ratio 100, option code -0E1, for motor F88M-1M40030*	488.30	700824	4549734895644			EE	W	DEU	8483.4051.90
CP025S-MF2-15-1E1/F88M-K40030	Wittenstein gearbox, model CP025S-MF2, ratio 15, option code -1E1, for motor F88M-K40030*	488.30	700768	4549734895286			EE	W	DEU	8483.4051.90
CP025S-MF2-15-1E1/F88M-K75030(H/T)	Wittenstein gearbox, model CP025S-MF2, ratio 15, option code -1E1, for motor F88M-K75030(H/T)*	488.30	700769	4549734895293			EE	W	DEU	8483.4051.90
CP025S-MF2-16-1E1/F88M-1L1K030	Wittenstein gearbox, model CP025S-MF2, ratio 16, option code -1E1, for motor F88M-1L1K030*	488.30	702493	4549734793353			EE	W	DEU	8483.4051.90
CP025S-MF2-16-1E1/F88M-G40030	Wittenstein gearbox, model CP025S-MF2, ratio 16, option code -1E1, for motor F88M-G40030*	488.30	696440	4549734890137			EE	W	DEU	8483.4051.90
CP025S-MF2-25-1E1/F88M-K40030	Wittenstein gearbox, model CP025S-MF2, ratio 25, option code -1E1, for motor F88M-K40030*	488.30	696311	4549734889346			EE	W	DEU	8483.4051.90
CP025S-MF2-25-1E1-2S/1M75030	Wittenstein gearbox, model CP025S-MF2, ratio 25, option code -1E1-2S, for motor 1M75030*	488.30	692845	4549734992701			EE	W	DEU	8483.4051.90
CP025S-MF2-50-1E1/F88M-1M40030	Wittenstein gearbox, model CP025S-MF2, ratio 50, option code -1E1-2S, for motor F88M-1M40030*	488.30	699120	4549734891820			EE	W	DEU	8483.4051.90
CP025S-MF2-70-1E1/F88M-1M20030	Wittenstein gearbox, model CP025S-MF2, ratio 70, option code -1E1, for motor F88M-1M20030*	488.30	699088	4549734891677			EE	W	DEU	8483.4051.90
CP025S-MF2-70-1E1/F88M-K20030	Wittenstein gearbox, model CP025S-MF2, ratio 70, option code -1E1, for motor F88M-K20030*	488.30	700987	4549734896566			EE	W	DEU	8483.4051.90
CP035S-MF1-10-1G1/F88M-1M2K020	Wittenstein gearbox, model CP035S-MF1, ratio 10, option code -1G1, for motor F88M-1M2K020*	655.50	701212	4549734789080			EE	W	DEU	8483.4051.90
CP035S-MF1-10-1G1/F88M-G75030	Wittenstein gearbox, model CP035S-MF1, ratio 10, option code -1G1, for motor F88M-G75030*	655.50	695616	4549734997348			EE	W	DEU	8483.4051.90
CP035S-MF1-10-1G1/F88M-K1K030	Wittenstein gearbox, model CP035S-MF1, ratio 10, option code -1G1, for motor F88M-K1K030*	655.50	695352	4549734996372			EE	W	DEU	8483.4051.90
CP035S-MF1-10-1G1/F88M-K1K530	Wittenstein gearbox, model CP035S-MF1, ratio 10, option code -1G1, for motor F88M-K1K530*	655.50	694789	4549734994668			EE	W	DEU	8483.4051.90
CP035S-MF1-10-1G1/F88M-K3K030	Wittenstein gearbox, model CP035S-MF1, ratio 10, option code -1G1, for motor F88M-K3K030*	655.50	694799	4549734994767			EE	W	DEU	8483.4051.90
CP035S-MF1-10-1G1-2S/1L2K030	Wittenstein gearbox, model CP035S-MF1, ratio 10, option code -1G1-2S, for motor 1L2K030*	655.50	692934	4549734987721			EE	W	DEU	8483.4051.90
CP035S-MF1-10-1K1/F88M-1M1K520	Wittenstein gearbox, model CP035S-MF1, ratio 10, option code -1K1, for motor F88M-1M1K520*	655.50	700817	4549734895576			EE	W	DEU	8483.4051.90
CP035S-MF1-4-1G1/F88M-K3K030	Wittenstein gearbox, model CP035S-MF1, ratio 4, option code -1G1, for motor F88M-K3K030*	655.50	694791	4549734994682			EE	W	DEU	8483.4051.90
CP035S-MF1-5-1G1/F88M-K1K030	Wittenstein gearbox, model CP035S-MF1, ratio 5, option code -1G1, for motor F88M-K1K030*	655.50	695063	4549734995665			EE	W	DEU	8483.4051.90
CP035S-MF1-5-1G1/F88M-K1K530	Wittenstein gearbox, model CP035S-MF1, ratio 5, option code -1G1, for motor F88M-K1K530*	655.50	695614	4549734997324			EE	W	DEU	8483.4051.90
CP035S-MF1-5-1G1/F88M-K2K020	Wittenstein gearbox, model CP035S-MF1, ratio 5									

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Daheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
CP035S-MF2-16-1G1/F88M-1L2K030	Wittenstein gearbox, model CP035S-MF2, ratio 16, option code -1G1, for motor F88M-1L2K030*	850.00	695842	4549734998512			EE	W	DEU	8483.4051.90
CP035S-MF2-16-1G1/F88M-G75030	Wittenstein gearbox, model CP035S-MF2, ratio 16, option code -1G1, for motor F88M-G75030*	850.00	695062	4549734995658			EE	W	DEU	8483.4051.90
CP035S-MF2-16-1G1/F88M-K1K530	Wittenstein gearbox, model CP035S-MF2, ratio 16, option code -1G1, for motor F88M-K1K530*	850.00	695615	4549734997331			EE	W	DEU	8483.4051.90
CP035S-MF2-16-1G1/F88M-K2K030	Wittenstein gearbox, model CP035S-MF2, ratio 16, option code -1G1, for motor F88M-K2K030*	850.00	695662	4549734997751			EE	W	DEU	8483.4051.90
CP035S-MF2-16-1G1/F88M-K3K030	Wittenstein gearbox, model CP035S-MF2, ratio 16, option code -1G1, for motor F88M-K3K030*	850.00	694798	4549734994750			EE	W	DEU	8483.4051.90
CP035S-MF2-20-1G1/F88M-1L2K030	Wittenstein gearbox, model CP035S-MF2, ratio 20, option code -1G1, for motor F88M-1L2K030*	850.00	695353	4549734996389			EE	W	DEU	8483.4051.90
CP035S-MF2-20-1G1/F88M-K1K030	Wittenstein gearbox, model CP035S-MF2, ratio 20, option code -1G1, for motor F88M-K1K030*	850.00	700981	4549734896504			EE	W	DEU	8483.4051.90
CP035S-MF2-20-1G1/F88M-K1K530	Wittenstein gearbox, model CP035S-MF2, ratio 20, option code -1G1, for motor F88M-K1K530*	850.00	695859	4549734998574			EE	W	DEU	8483.4051.90
CP035S-MF2-20-1G1/F88M-K2K030	Wittenstein gearbox, model CP035S-MF2, ratio 20, option code -1G1, for motor F88M-K2K030*	850.00	694796	4549734994736			EE	W	DEU	8483.4051.90
CP035S-MF2-20-1G1/F88M-K2K030	Wittenstein gearbox, model CP035S-MF2, ratio 20, option code -1G1, for motor F88M-K2K030*	850.00	694797	4549734994743			EE	W	DEU	8483.4051.90
CP035S-MF2-25-1G1/F88M-K1K030	Wittenstein gearbox, model CP035S-MF2, ratio 25, option code -1G1, for motor F88M-K1K030*	850.00	695860	4549734998581			EE	W	DEU	8483.4051.90
CP035S-MF2-25-1G1/F88M-K1K530	Wittenstein gearbox, model CP035S-MF2, ratio 25, option code -1G1, for motor F88M-K1K530*	850.00	695065	4549734995689			EE	W	DEU	8483.4051.90
CP035S-MF2-35-1G1/F88M-K2K030	Wittenstein gearbox, model CP035S-MF2, ratio 35, option code -1G1, for motor F88M-K2K030*	850.00	694794	4549734994712			EE	W	DEU	8483.4051.90
CP035S-MF2-35-1G1/F88M-K75030F(C)	Wittenstein gearbox, model CP035S-MF2, ratio 35, option code -1G1, for motor F88M-K75030(F/C)*	850.00	698918	4549734891004			EE	W	DEU	8483.4051.90
CP035S-MF2-35-1G1/SGMSV-15D	Wittenstein gearbox, model CP035S-MF2, ratio 35, option code -1G1, for motor SGM SV-15D*	850.00	701254	4549734789264			EE	W	DEU	8483.4051.90
CP035S-MF2-50-1G1/F88M-1L75030	Wittenstein gearbox, model CP035S-MF2, ratio 50, option code -1G1, for motor F88M-1L75030*	850.00	695239	4549734995856			EE	W	DEU	8483.4051.90
CP035S-MF2-50-1G1/F88M-K1K030	Wittenstein gearbox, model CP035S-MF2, ratio 50, option code -1G1, for motor F88M-K1K030*	850.00	700980	4549734896498			EE	W	DEU	8483.4051.90
CP040-M01-10-111/F88M-1M10030T	Wittenstein gearbox, model CP040-M01, ratio 10, option code -111, for motor F88M-1M10030*	327.60	672551	4548583981843			EE	W	DEU	8483.4051.90
CP040-M01-10-111/F88M-G10030H	Wittenstein gearbox, model CP040-M01, ratio 10, option code -111, for motor F88M-G10030*	327.60	671741	4548583976191			EE	W	DEU	8483.4051.90
CP040-M01-10-111/F88M-K10030T	Wittenstein gearbox, model CP040-M01, ratio 10, option code -111, for motor F88M-K10030*	327.60	672821	4548583983489			EE	W	DEU	8483.4051.90
CP040-M01-5-111/F88M-1M10030T	Wittenstein gearbox, model CP040-M01, ratio 5, option code -111, for motor F88M-1M10030*	327.60	672552	4548583981850			EE	W	DEU	8483.4051.90
CP040-M02-20-111/F88M-G10030H	Wittenstein gearbox, model CP040-M02, ratio 20, option code -111, for motor F88M-G10030*	460.50	672871	4548583983984			EE	W	DEU	8483.4051.90
CP040-M02-25-111/F88M-G10030H	Wittenstein gearbox, model CP040-M02, ratio 25, option code -111, for motor F88M-G10030*	460.50	672892	4548583984196			EE	W	DEU	8483.4051.90
CP040-M02-25-111/F88M-K10030	Wittenstein gearbox, model CP040-M02, ratio 25, option code -111, for motor F88M-K10030*	460.50	689145	4549734975926			EE	W	DEU	8483.4051.90
CP040-M02-25-111/SJME-01	Wittenstein gearbox, model CP040-M02, ratio 25, option code -111, for motor SJME-01*	460.50	239780				EE	W	DEU	8483.4051.90
CP040-M02-35-111/F88M-1M10030	Wittenstein gearbox, model CP040-M02, ratio 35, option code -111, for motor F88M-1M10030*	460.50	680870	4549734941914			EE	W	DEU	8483.4051.90
CP045S-MF2-25-1G1-2S 1LK030	Wittenstein gearbox, model CP045S-MF2, ratio 25, option code -1G1-2S, for motor 1LK030*	1.465.00	689214	4549734976480			EE	W	DEU	8483.4051.90
CP045S-MF2-50-1G1/F88M-1M2K030	Wittenstein gearbox, model CP045S-MF2, ratio 50, option code -1G1, for motor F88M-1M2K030*	1.465.00	696398	4549734889941			EE	W	DEU	8483.4051.90
CP060-M01-007-111/F88M-G10030H	Wittenstein gearbox, model CP060-M01, ratio 7, option code -111, for motor F88M-G10030*	336.90	375459	4547648958707			EE	W	DEU	8483.4051.90
CP060-M01-10-111/F88M-G20030H	Wittenstein gearbox, model CP060-M01, ratio 10, option code -111, for motor F88M-G20030*	336.90	672870	4548583983977			EE	W	DEU	8483.4051.90
CP060-M01-10-111/F88M-G40030H	Wittenstein gearbox, model CP060-M01, ratio 10, option code -111, for motor F88M-G40030*	336.90	672849	4548583983762			EE	W	DEU	8483.4051.90
CP060-M01-10-111/F88M-K10030H	Wittenstein gearbox, model CP060-M01, ratio 10, option code -111, for motor F88M-K10030*	336.90	667828	4548583957008			EE	W	DEU	8483.4051.90
CP060-M01-10-111/F88M-K20030	Wittenstein gearbox, model CP060-M01, ratio 10, option code -111, for motor F88M-K20030*	336.90	694102	4549734994262			EE	W	DEU	8483.4051.90
CP060-M01-10-111/F88M-K40030H	Wittenstein gearbox, model CP060-M01, ratio 10, option code -111, for motor F88M-K40030*	336.90	672886	4548583984134			EE	W	DEU	8483.4051.90
CP060-M01-4-111/F88M-K40030H	Wittenstein gearbox, model CP060-M01, ratio 4, option code -111, for motor F88M-K40030*	336.90	672801	4548583983281			EE	W	DEU	8483.4051.90
CP060-M01-5-111/F88M-G20030H	Wittenstein gearbox, model CP060-M01, ratio 5, option code -111, for motor F88M-G20030*	336.90	672859	4548583983861			EE	W	DEU	8483.4051.90
CP060-M01-5-111/F88M-G40030H	Wittenstein gearbox, model CP060-M01, ratio 5, option code -111, for motor F88M-G40030*	336.90	672857	4548583983947			EE	W	DEU	8483.4051.90
CP060-M01-5-111/F88M-K40030H	Wittenstein gearbox, model CP060-M01, ratio 5, option code -111, for motor F88M-K40030*	336.90	672911	4548583984417			EE	W	DEU	8483.4051.90
CP060-M01-7-111/F88M-G40030H	Wittenstein gearbox, model CP060-M01, ratio 7, option code -111, for motor F88M-G40030*	336.90	672858	4548583984257			EE	W	DEU	8483.4051.90
CP060-M02-100-111/F88M-1M20030	Wittenstein gearbox, model CP060-M02, ratio 100, option code -111, for motor F88M-1M20030*	491.40	689474	4549734977593			EE	W	DEU	8483.4051.90
CP060-M02-100-111/F88M-G20030	Wittenstein gearbox, model CP060-M02, ratio 100, option code -111, for motor F88M-G20030*	491.40	695861	4549734998598			EE	W	DEU	8483.4051.90
CP060-M02-16-111/F88M-1M40030T	Wittenstein gearbox, model CP060-M02, ratio 16, option code -111, for motor F88M-1M40030*	491.40	672939	4548583984660			EE	W	DEU	8483.4051.90
CP060-M02-16-111/F88M-G20030H	Wittenstein gearbox, model CP060-M02, ratio 16, option code -111, for motor F88M-G20030*	491.40	672901	4548583984288			EE	W	DEU	8483.4051.90
CP060-M02-20-111/F88M-1M20030	Wittenstein gearbox, model CP060-M02, ratio 20, option code -111, for motor F88M-1M20030*	491.40	685799	4549734964142			EE	W	DEU	8483.4051.90
CP060-M02-20-111/F88M-G20030H	Wittenstein gearbox, model CP060-M02, ratio 20, option code -111, for motor F88M-G20030*	491.40	672790	4548583983175			EE	W	DEU	8483.4051.90
CP060-M02-25-111/F88M-G20030H	Wittenstein gearbox, model CP060-M02, ratio 25, option code -111, for motor F88M-G20030*	491.40	672934	4548583984615			EE	W	DEU	8483.4051.90
CP080-M01-10-111/F88M-1M40020	Wittenstein gearbox, model CP080-M01, ratio 10, option code -111, for motor F88M-1M40020*	426.50	682715	4549734949828			EE	W	DEU	8483.4051.90
CP080-M01-10-111/F88M-K75030H(T)*	Wittenstein gearbox, model CP080-M01, ratio 10, option code -111, for motor F88M-K75030(H/T)*	426.50	672789	4548583983168			EE	W	DEU	8483.4051.90
CP080-M01-5-111/F88M-G75030H	Wittenstein gearbox, model CP080-M01, ratio 5, option code -111, for motor F88M-G75030*	426.50	672927	4548583984547			EE	W	DEU	8483.4051.90
CP080-M01-5-111/F88M-K1K530	Wittenstein gearbox, model CP080-M01, ratio 5, option code -111, for motor F88M-K1K530*	426.50	674268	4548583994102			EE	W	DEU	8483.4051.90
CP080-M01-7-111/F88M-1M75030	Wittenstein gearbox, model CP080-M01, ratio 7, option code -111, for motor F88M-1M75030*	426.50	685432	4549734963213			EE	W	DEU	8483.4051.90
CP080-M02-100-111/AECT0230	Wittenstein gearbox, model CP080-M02, ratio 100, option code -111, for motor AECT0230*	609.00	690176	4549734980173			EE	W	DEU	8483.4051.90
CP080-M02-16-111/F88E-AECT0230	Wittenstein gearbox, model CP080-M02, ratio 16, option code -111, for motor F88E-AECT0230*	609.00	690173	4549734980142			EE	W	DEU	8483.4051.90
CP080-M02-16-111/F88M-G75030	Wittenstein gearbox, model CP080-M02, ratio 16, option code -111, for motor F88M-G75030*	609.00	692717	4549734986182			EE	W	DEU	8483.4051.90
CP080-M02-16-111/F88M-K40030	Wittenstein gearbox, model CP080-M02, ratio 16, option code -111, for motor F88M-K40030*	609.00	692786	4549734986403			EE	W	DEU	8483.4051.90
CP080-M02-20-111/F88E-AECT0230	Wittenstein gearbox, model CP080-M02, ratio 20, option code -111, for motor F88E-AECT0230*	609.00	690174	4549734980159			EE	W	DEU	8483.4051.90
CP080-M02-25-111/F88M-G40030H	Wittenstein gearbox, model CP080-M02, ratio 25, option code -111, for motor F88M-G40030*	609.00	672822	4548583983496			EE	W	DEU	8483.4051.90
CP080-M02-25-111/F88M-K75030H	Wittenstein gearbox, model CP080-M02, ratio 25, option code -111, for motor F88M-K75030(H/T)*	609.00	689150	4548583985522			EE	W	DEU	8483.4051.90
CP080-M02-35-111/F88E-AECT0230	Wittenstein gearbox, model CP080-M02, ratio 35, option code -111, for motor F88E-AECT0230*	609.00	690175	4549734980166			EE	W	DEU	8483.4051.90
CP080-M02-50-111/F88M-1M40030	Wittenstein gearbox, model CP080-M02, ratio 50, option code -111, for motor F88M-1M40030*	609.00	677842	4549734921305			EE	W	DEU	8483.4051.90
CP080-M02-70-111/F88M-K20030H	Wittenstein gearbox, model CP080-M02, ratio 70, option code -111, for motor F88M-K20030*	609.00	672861	4548583983885			EE	W	DEU	8483.4051.90
CP115-M01-10-111/F88M-G75030	Wittenstein gearbox, model CP115-M01, ratio 10, option code -111, for motor F88M-G75030*	671.00	675003	4548583985628			EE	W	DEU	8483.4051.90
CP115-M01-10-111/F88M-K3K030	Wittenstein gearbox, model CP115-M01, ratio 10, option code -111, for motor F88M-K3K030*	671.00	685794	4549734964975			EE	W	DEU	8483.4051.90
CP115-M01-10-111/F88M-K4K030	Wittenstein gearbox, model CP115-M01, ratio 10, option code -111, for motor F88M-K4K030*	671.00	685795	4549734964982			EE	W	DEU	8483.4051.90
CP115-M01-5-111/F88M-K1K020F	Wittenstein gearbox, model CP115-M01, ratio 5, option code -111, for motor F88M-K1K020*	671.00	672786	4548583983137			EE	W	DEU	8483.4051.90
CP115-M02-16-111/F88M-G75030	Wittenstein gearbox, model CP115-M02, ratio 16, option code -111, for motor F88M-G75030*	887.00	694795	4549734994729			EE	W	DEU	8483.4051.90
CP115-M02-20-111/F88M-K1K530H	Wittenstein gearbox, model CP115-M02, ratio 20, option code -111, for motor F88M-K1K530*	887.00	672924	4548583984516			EE	W	DEU	8483.4051.90
CP115-M02-50-111/F88M-K1K530H	Wittenstein gearbox, model CP115-M02, ratio 50, option code -111, for motor F88M-K1K530*	887.00	673220	4548583987371			EE	W	DEU	8483.4051.90
CPK005S-MF2-4-0B1/F88M-G10030	Wittenstein gearbox, model CPK005S-MF2, ratio 4, option code -0B1, for motor F88M-G10030*	463.50	699622	4549734893374			EE	W	DEU	8483.4051.90
CPK005S-MF2-4-1B1/F88M-1M10030	Wittenstein gearbox, model CPK005S-M									

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Data sheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
CVH040F-MF1-16-6E1-OC0/1M60020	Wittenstein gearbox, model CVH040F-MF1, ratio 16, option code -6E1-OC0, for motor F88M-1M60020*	1,224.00	701321	4549734789783			EE	W	DEU	8483.4051.90
CVH040F-MF1-28-6E1-OC0/1M60020	Wittenstein gearbox, model CVH040F-MF1, ratio 28, option code -6E1-OC0, for motor F88M-1M60020*	1,224.00	701320	4549734789776			EE	W	DEU	8483.4051.90
CVH040S-MF1-10-1E1-K0C/1L75030	Wittenstein gearbox, model CVH040S-MF1, ratio 10, option code -1E1-K0C, for motor F88M-1M75030*	1,165.00	700411	4549734894548			EE	W	DEU	8483.4051.90
CVH040S-MF1-10-1E1-K0C/1L75030	Wittenstein gearbox, model CVH040S-MF1, ratio 10, option code -1E1-K0C, for motor F88M-1M75030*	1,165.00	702133	4549734791748			EE	W	DEU	8483.4051.90
CVH040S-MF1-10-6E1-K0C/1L75030	Wittenstein gearbox, model CVH040S-MF1, ratio 10, option code -6E1-K0C, for motor F88M-1L75030*	1,165.00	700409	4549734894542			EE	W	DEU	8483.4051.90
CVH040S-MF1-16-6E1-OC1/1M60020	Wittenstein gearbox, model CVH040S-MF1, ratio 16, option code -6E1-OC1, for motor F88M-1M60020*	1,165.00	701251	4549734789233			EE	W	DEU	8483.4051.90
CVH040S-MF1-28-6C1-K0C1/1M40030	Wittenstein gearbox, model CVH040S-MF1, ratio 28, option code -6C1-K0C1, for motor F88M-1M40030*	1,165.00	690480	4549734982191			EE	W	DEU	8483.4051.90
CVH040S-MF1-28-6E1-OC0/1M60020	Wittenstein gearbox, model CVH040S-MF1, ratio 28, option code -6E1-OC0, for motor F88M-1M60020*	1,165.00	701250	4549734789226			EE	W	DEU	8483.4051.90
CVH040S-MF1-7-1E1-K0C/G75030	Wittenstein gearbox, model CVH040S-MF1, ratio 7, option code -1E1-K0C, for motor G75030*	1,165.00	685412	4549734963053			EE	W	DEU	8483.4051.90
CVH040S-MF1-7-6C1-KD/1M40030	Wittenstein gearbox, model CVH040S-MF1, ratio 7, option code -6C1-KD, for motor F88M-1M40030*	1,165.00	702509	4549734793384			EE	W	DEU	8483.4051.90
CVH040S-MF1-7-6C-K0G1/1M40030	Wittenstein gearbox, model CVH040S-MF1, ratio 7, option code -6C1-K0G1, for motor F88M-1M40030*	1,165.00	699554	4549734892964			EE	W	DEU	8483.4051.90
CVH040S-MF1-7-6E1-OC1/1M75030	Wittenstein gearbox, model CVH040S-MF1, ratio 7, option code -6E1-K0C1, for motor F88M-1M75030*	1,165.00	700885	4549734895958			EE	W	DEU	8483.4051.90
CVH050S-MF1-16-6E1-OC/1L2K030	Wittenstein gearbox, model CVH050S-MF1, ratio 16, option code -6E1-OC, for motor F88M-1L2K030*	1,240.00	678353	4549734924450			EE	W	DEU	8483.4051.90
CVH063S-MF1-16-6E1-OC/1L2K030	Wittenstein gearbox, model CVH063S-MF1, ratio 16, option code -6E1-OC, for motor F88M-1L2K030*	1,453.00	678354	4549734924467			EE	W	DEU	8483.4051.90
CVS063S-MF1-40-0H1KBD/1L1K030	Wittenstein gearbox, model CVS063S-MF1, ratio 40, option code -0H1-KBD, for motor F88M-1L1K030*	1,524.00	680589	4549734939942			EE	W	DEU	8483.4051.90
CVS063S-MF1-40-1H1-KBF/1M60020	Wittenstein gearbox, model CVS063S-MF1, ratio 40, option code -1H1-KBF, for motor F88M-1M60020*	1,524.00	695563	4549734997126			EE	W	DEU	8483.4051.90
HG075S-MF1-10-6E1-K/1L75030	Wittenstein gearbox, model HG075S-MF1, ratio 10, option code -6E1-K, for motor F88M-1L75030*	2,513.00	700410	4549734894531			EE	W	DEU	8483.4051.90
HG075S-MF1-7-6E1/F88M-1L2K030	Wittenstein gearbox, model HG075S-MF1, ratio 7, option code -6E1, for motor F88M-1L2K030*	2,513.00	680176	4549734937092			EE	W	DEU	8483.4051.90
HG075S-MF2-40-6C1/F88M-1M20030	Wittenstein gearbox, model HG075S-MF2, ratio 40, option code -6C1, for motor F88M-1M20030*	3,264.00	690479	4549734982184			EE	W	DEU	8483.4051.90
HG100S-MF2-16-5G1/F88M-1M1K520	Wittenstein gearbox, model HG100S-MF2, ratio 16, option code -5G1, for motor F88M-1M1K520*	3,790.00	694474	4549734957649			EE	W	DEU	8483.4051.90
HG140S-MF2-25-6K1-1S10/1M1K520	Wittenstein gearbox, model HG140S-MF2, ratio 25, option code -6K1-1S10, for motor F88M-1M1K520*	5,085.00	685027	4549734961707			EE	W	DEU	8483.4051.90
HG140S-MF2-70-6G1/F88M-1M75030	Wittenstein gearbox, model HG140S-MF2, ratio 70, option code -6G1, for motor F88M-1M75030*	5,085.00	683745	4549734953115			EE	W	DEU	8483.4051.90
LPK050-MC2-10-111/SGMAH-01	Wittenstein gearbox, model LPK050-MC2, ratio 10, option code -111, for motor SGMAH-01	1,153.00	672810	4548583983373			EE	W	DEU	8483.4051.90
LPK050-MC2-5-111/F88M-G10030H	Wittenstein gearbox, model LPK050-MC2, ratio 5, option code -111, for motor F88M-G10030*	1,153.00	672774	4548583983014			EE	W	DEU	8483.4051.90
LPK070-MC2-5-121/F88M-K1K030	Wittenstein gearbox, model LPK070-MC2, ratio 5, option code -121, for motor F88M-K1K030*	1,280.00	674267	4548583994096			EE	W	DEU	8483.4051.90
LPK070-MC2-5-121/SGMAV-08	Wittenstein gearbox, model LPK070-MC2, ratio 5, option code -121, for motor SGMAV-08	1,280.00	672817	4548583983441			EE	W	DEU	8483.4051.90
MN20088002	Wittenstein Gearbox Sealing Plate, Square ADP 100, MN 20088002	46.35	701267	4549734789370			EE	W	DEU	8483.4051.90
NP005S-MF1-10-0B1/F88M-1M20030	Wittenstein gearbox, model NP005S-MF1, ratio 10, option code -0B1, for motor F88M-1M20030*	380.10	699521	4549734892834			EE	W	DEU	8483.4051.90
NP005S-MF1-10-0C1/F88M-1M40030	Wittenstein gearbox, model NP005S-MF1, ratio 10, option code -0C1, for motor F88M-1M40030*	380.10	678226	4549734923278			EE	W	DEU	8483.4051.90
NP005S-MF1-10-1B1/F88M-K20030	Wittenstein gearbox, model NP005S-MF1, ratio 10, option code -1B1, for motor F88M-K20030*	380.10	691176	4549734985772			EE	W	DEU	8483.4051.90
NP005S-MF1-10-1C1/F88M-1M20030	Wittenstein gearbox, model NP005S-MF1, ratio 10, option code -1C1, for motor F88M-1M20030*	380.10	690703	4549734983310			EE	W	DEU	8483.4051.90
NP005S-MF1-10-1Z1/F88M-G10030	Wittenstein gearbox, model NP005S-MF1, ratio 10, option code -1Z1, for motor F88M-G10030*	380.10	699297	4549734892186			EE	W	DEU	8483.4051.90
NP005S-MF1-10-1Z1/F88M-K10030	Wittenstein gearbox, model NP005S-MF1, ratio 10, option code -1Z1, for motor F88M-K10030*	380.10	689238	4549734976541			EE	W	DEU	8483.4051.90
NP005S-MF1-10-1Z1/SGMJV-01A	Wittenstein gearbox, model NP005S-MF1, ratio 10, option code -1Z1, for motor SGMJV-01A*	380.10	691141	4549734985567			EE	W	DEU	8483.4051.90
NP005S-MF1-4-0C1/F88M-1M40030	Wittenstein gearbox, model NP005S-MF1, ratio 4, option code -0C1, for motor F88M-1M40030*	380.10	680928	4549734942485			EE	W	DEU	8483.4051.90
NP005S-MF1-4-1B1/F88M-K20030	Wittenstein gearbox, model NP005S-MF1, ratio 4, option code -1B1, for motor F88M-K20030*	380.10	684835	4549734960380			EE	W	DEU	8483.4051.90
NP005S-MF1-4-1C1/F88M-1M40030	Wittenstein gearbox, model NP005S-MF1, ratio 4, option code -1C1, for motor F88M-1M40030*	380.10	677531	4549734919500			EE	W	DEU	8483.4051.90
NP005S-MF1-5-0B1/F88M-1M20030	Wittenstein gearbox, model NP005S-MF1, ratio 5, option code -0B1, for motor F88M-1M20030*	380.10	700925	4549734969398			EE	W	DEU	8483.4051.90
NP005S-MF1-5-1C1/F88M-1M10030	Wittenstein gearbox, model NP005S-MF1, ratio 5, option code -1C1, for motor F88M-1M10030*	380.10	680967	4549734942772			EE	W	DEU	8483.4051.90
NP005S-MF1-5-1C1/F88M-1M40030	Wittenstein gearbox, model NP005S-MF1, ratio 5, option code -1C1, for motor F88M-1M40030*	380.10	680968	4549734942782			EE	W	DEU	8483.4051.90
NP005S-MF1-7-0B1/F88M-1M20030	Wittenstein gearbox, model NP005S-MF1, ratio 7, option code -0B1, for motor F88M-1M20030*	380.10	679550	4549734933131			EE	W	DEU	8483.4051.90
NP005S-MF1-7-0C1/F88M-1M40030	Wittenstein gearbox, model NP005S-MF1, ratio 7, option code -0C1, for motor F88M-1M40030*	380.10	680982	4549734942911			EE	W	DEU	8483.4051.90
NP005S-MF1-7-1C1/F88M-1M10030	Wittenstein gearbox, model NP005S-MF1, ratio 7, option code -1C1, for motor F88M-1M10030*	380.10	680709	4549734941099			EE	W	DEU	8483.4051.90
NP005S-MF1-7-1C1/F88M-1M40030	Wittenstein gearbox, model NP005S-MF1, ratio 7, option code -1C1, for motor F88M-1M40030*	380.10	683870	4549734953849			EE	W	DEU	8483.4051.90
NP005S-MF1-7-1Z1/F88M-1M10030	Wittenstein gearbox, model NP005S-MF1, ratio 7, option code -1Z1, for motor F88M-1M10030*	380.10	693796	4549734992381			EE	W	DEU	8483.4051.90
NP005S-MF1-8-1C1/F88M-1M40030	Wittenstein gearbox, model NP005S-MF1, ratio 8, option code -1C1, for motor F88M-1M40030*	380.10	680527	4549734939737			EE	W	DEU	8483.4051.90
NP005S-MF2-100-0C1/F88M 1M 10030	Wittenstein gearbox, model NP005S-MF2, ratio 100, option code -0C1, for motor F88M-1M10030*	494.40	677534	4549734919548			EE	W	DEU	8483.4051.90
NP005S-MF2-100-1C1/1M20030	Wittenstein gearbox, model NP005S-MF2, ratio 100, option code -1C1, for motor 1M20030*	494.40	690704	4549734983327			EE	W	DEU	8483.4051.90
NP005S-MF2-20-1B1/F88M-1M20030	Wittenstein gearbox, model NP005S-MF2, ratio 20, option code -1B1, for motor F88M-1M20030*	494.40	690364	4549734981576			EE	W	DEU	8483.4051.90
NP005S-MF2-28-1C1/F88M-K10030	Wittenstein gearbox, model NP005S-MF2, ratio 28, option code -1C1, for motor F88M-K10030*	494.40	683893	4549734954020			EE	W	DEU	8483.4051.90
NP005S-MF2-35-1B1/F88M-1M20030	Wittenstein gearbox, model NP005S-MF2, ratio 35, option code -1B1, for motor F88M-1M20030*	494.40	690332	4549734981187			EE	W	DEU	8483.4051.90
NP005S-MF2-35-1C1/F88M-G10030	Wittenstein gearbox, model NP005S-MF2, ratio 35, option code -1C1, for motor F88M-G10030*	494.40	678791	4549734928397			EE	W	DEU	8483.4051.90
NP005S-MF2-50-1B1/F88M-1M20030	Wittenstein gearbox, model NP005S-MF2, ratio 50, option code -1B1, for motor F88M-1M20030*	494.40	683667	4549734952378			EE	W	DEU	8483.4051.90
NP005S-MF2-50-1C1/F88M-K10030	Wittenstein gearbox, model NP005S-MF2, ratio 50, option code -1C1, for motor F88M-K10030*	494.40	691047	4549734985345			EE	W	DEU	8483.4051.90
NP005S-MF2-50-1Z1/F88M-1M10030	Wittenstein gearbox, model NP005S-MF2, ratio 50, option code -1Z1, for motor F88M-1M10030*	494.40	683574	4549734952422			EE	W	DEU	8483.4051.90
NP005S-MF2-50-1Z1/F88M-G10030	Wittenstein gearbox, model NP005S-MF2, ratio 50, option code -1Z1, for motor F88M-G10030*	494.40	679679	4549734934008			EE	W	DEU	8483.4051.90
NP015S-MA1-3-1C1/F88M-1M40030	Wittenstein gearbox, model NP015S-MA1, ratio 3, option code -1C1, for motor F88M-1M40030*	565.50	684321	4549734956796			EE	W	DEU	8483.4051.90
NP015S-MA1-3-1C1/SGMJV-04A	Wittenstein gearbox, model NP015S-MA1, ratio 3, option code -1C1, for motor SGMJV-04A*	565.50	690192	4549734980296			EE	W	DEU	8483.4051.90
NP015S-MA1-4-1E1/F88M-1L1K530	Wittenstein gearbox, model NP015S-MA1, ratio 4, option code -1E1, for motor F88M-1L1K530*	565.50	695723	4549734998000			EE	W	DEU	8483.4051.90
NP015S-MA1-5-1E1/F88M-1L1K530	Wittenstein gearbox, model NP015S-MA1, ratio 5, option code -1E1, for motor F88M-1L1K530*	565.50	696621	4549734997393			EE	W	DEU	8483.4051.90
NP015S-MA2-15-1C1/F88M-K40030	Wittenstein gearbox, model NP015S-MA2, ratio 15, option code -1C1, for motor F88M-K40030*	735.50	698583	4549734978255			EE	W	DEU	8483.4051.90
NP015S-MA2-20-0C1/F88M-1M40030	Wittenstein gearbox, model NP015S-MA2, ratio 20, option code -0C1, for motor F88M-1M40030*	734.50	700688	4549734894883			EE	W	DEU	8483.4051.90
NP015S-MA2-20-1C1/F88M-K40030	Wittenstein gearbox, model NP015S-MA2, ratio 20, option code -1C1, for motor F88M-K40030*	735.50	689584	4549734978262			EE	W	DEU	8483.4051.90
NP015S-MA2-28-0B1/F88M-1M20030	Wittenstein gearbox, model NP015S-MA2, ratio 28, option code -0B1, for motor F88M-1M20030*	735.50	698713	4549734890700			EE	W	DEU	8483.4051.90
NP015S-MF1-10-0C1/F88M-1M40030	Wittenstein gearbox, model NP015S-MF1, ratio 10, option code -0C1, for motor F88M-1M40030*	469.70	695691	4549734997898			EE	W	DEU	8483.4051.90
NP015S-MF1-10-0C1/F88M-K40030	Wittenstein gearbox, model NP015S-MF1, ratio 10, option code -0C1, for motor F88M-K40030*	469.70	702016	4549734791380			EE	W	DEU	8483.4051.90
NP015S-MF1-10-1B1/F88M-1M10030	Wittenstein gearbox, model NP015S-MF1, ratio 10, option code -1B1, for motor F88M-1M10030*	469.70	685130	4549734962087			EE	W	DEU	8483.4051.90
NP015S-MF1-10-1B1/F88M-1M20030	Wittenstein gearbox, model NP015S-MF1, ratio 10, option code -1B1, for motor F88M-1M20030*	469.70</								



Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Daheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
NP015S-MF1-4-0E1/F88M-K40020	Wittenstein gearbox, model NP015S-MF1, ratio 4, option code -0E1, for motor F88M-K40020*	469.70	681491	4549734945240			EE	W	DEU	8483.4051.90
NP015S-MF1-5-1C1/F88M-K40030	Wittenstein gearbox, model NP015S-MF1, ratio 5, option code -1C1, for motor F88M-K40030*	469.70	680256	4549734937719			EE	W	DEU	8483.4051.90
NP015S-MF1-5-1E1/F88M-1M75030	Wittenstein gearbox, model NP015S-MF1, ratio 5, option code -1E1, for motor F88M-1M75030*	469.70	680971	4549734942812			EE	W	DEU	8483.4051.90
NP015S-MF1-5-1E1/F88M-K1K030	Wittenstein gearbox, model NP015S-MF1, ratio 5, option code -1E1, for motor F88M-K1K030*	469.70	680632	4549734973502			EE	W	DEU	8483.4051.90
NP015S-MF1-5-1E1/F88M-K75030H	Wittenstein gearbox, model NP015S-MF1, ratio 5, option code -1E1, for motor F88M-K75030H/T	469.70	692908	4549734987523			EE	W	DEU	8483.4051.90
NP015S-MF1-7-0C1/F88M-1M40030	Wittenstein gearbox, model NP015S-MF1, ratio 7, option code -0C1, for motor F88M-1M40030*	469.70	695074	4549734959771			EE	W	DEU	8483.4051.90
NP015S-MF1-7-1E1/F88M-K1K030	Wittenstein gearbox, model NP015S-MF1, ratio 7, option code -1E1, for motor F88M-K1K030*	469.70	692851	4549734987035			EE	W	DEU	8483.4051.90
NP015S-MF1-7-1E1/F88M-K75030H	Wittenstein gearbox, model NP015S-MF1, ratio 7, option code -1E1, for motor F88M-K75030H/T	469.70	688744	4549734974349			EE	W	DEU	8483.4051.90
NP015S-MF1-8-0C1/F88M-G40030	Wittenstein gearbox, model NP015S-MF1, ratio 8, option code -0C1, for motor F88M-G40030*	469.70	689578	4549734978200			EE	W	DEU	8483.4051.90
NP015S-MF1-8-0E1/F88E-AECT0530	Wittenstein gearbox, model NP015S-MF1, ratio 8, option code -0E1, for motor F88E-AECT0530*	469.70	700689	4549734894980			EE	W	DEU	8483.4051.90
NP015S-MF1-8-0E1/F88M-1M75030	Wittenstein gearbox, model NP015S-MF1, ratio 8, option code -0E1, for motor F88M-1M75030*	469.70	679463	4549734932653			EE	W	DEU	8483.4051.90
NP015S-MF1-8-1B1/F88M-1M20030	Wittenstein gearbox, model NP015S-MF1, ratio 8, option code -1B1, for motor F88M-1M20030*	469.70	702014	4549734791366			EE	W	DEU	8483.4051.90
NP015S-MF1-8-1C1/F88M-1M40030	Wittenstein gearbox, model NP015S-MF1, ratio 8, option code -1C1, for motor F88M-1M40030*	469.70	695258	4549734959579			EE	W	DEU	8483.4051.90
NP015S-MF1-8-1E1/F88E-AECT0530	Wittenstein gearbox, model NP015S-MF1, ratio 8, option code -1E1, for motor F88E-AECT0530*	469.70	701268	4549734789387			EE	W	DEU	8483.4051.90
NP015S-MF1-8-1E1/F88M-1L1K530	Wittenstein gearbox, model NP015S-MF1, ratio 8, option code -1E1, for motor F88M-1L1K530*	469.70	689995	4549734979351			EE	W	DEU	8483.4051.90
NP015S-MF2-10-0C1/F88M-1M40030	Wittenstein gearbox, model NP015S-MF2, ratio 10, option code -0C1, for motor F88M-1M40030*	612.00	694016	4549734993869			EE	W	DEU	8483.4051.90
NP015S-MF2-20-1B1/F88M-1M20030	Wittenstein gearbox, model NP015S-MF2, ratio 20, option code -1B1, for motor F88M-1M20030*	612.00	688296	4549734971195			EE	W	DEU	8483.4051.90
NP015S-MF2-20-1C1-1S/SGMEV-02A	Wittenstein gearbox, model NP015S-MF2, ratio 20, option code -1C1-1S, for motor SGMEV-02A*	612.00	689112	4549734975735			EE	W	DEU	8483.4051.90
NP015S-MF2-20-1C1-1S/SGMHP-02A	Wittenstein gearbox, model NP015S-MF2, ratio 20, option code -1C1-1S, for motor SGMHP-02A*	612.00	688797	4549734974592			EE	W	DEU	8483.4051.90
NP015S-MF2-25-1C1/F88M-K10030	Wittenstein gearbox, model NP015S-MF2, ratio 25, option code -1C1, for motor F88M-K10030*	612.00	690284	4549734989876			EE	W	DEU	8483.4051.90
NP015S-MF2-25-1Z1/F88M-1M10030	Wittenstein gearbox, model NP015S-MF2, ratio 25, option code -1Z1, for motor F88M-1M10030*	612.00	693797	4549734992938			EE	W	DEU	8483.4051.90
NP015S-MF2-30-0C1/F88M-1M40030	Wittenstein gearbox, model NP015S-MF2, ratio 30, option code -0C1, for motor F88M-1M40030*	612.00	680922	4549734942423			EE	W	DEU	8483.4051.90
NP015S-MF2-30-0C1/F88M-K20030	Wittenstein gearbox, model NP015S-MF2, ratio 30, option code -0C1, for motor F88M-K20030*	612.00	681945	4549734946469			EE	W	DEU	8483.4051.90
NP015S-MF2-40-0C1-1S/1M10030	Wittenstein gearbox, model NP015S-MF2, ratio 40, option code -0C1-1S, for motor F88M-1M10030*	612.00	683565	4549734952347			EE	W	DEU	8483.4051.90
NP015S-MF2-40-1C1/F88M-1M40030	Wittenstein gearbox, model NP015S-MF2, ratio 40, option code -1C1, for motor F88M-1M40030*	612.00	694019	4549734993890			EE	W	DEU	8483.4051.90
NP015S-MF2-50-0C1/F88M-1M40030	Wittenstein gearbox, model NP015S-MF2, ratio 50, option code -0C1, for motor F88M-1M40030*	612.00	677928	4549734921947			EE	W	DEU	8483.4051.90
NP015S-MF2-50-0Z1/F88M-1M10030	Wittenstein gearbox, model NP015S-MF2, ratio 50, option code -0Z1, for motor F88M-1M10030*	612.00	693716	4549734992190			EE	W	DEU	8483.4051.90
NP015S-MF2-50-1C1/F88M-K40030	Wittenstein gearbox, model NP015S-MF2, ratio 50, option code -1C1, for motor F88M-K40030*	612.00	691046	4549734985338			EE	W	DEU	8483.4051.90
NP015S-MF2-70-1C1/F88M-1M20030	Wittenstein gearbox, model NP015S-MF2, ratio 70, option code -1C1, for motor F88M-1M20030*	612.00	700730	4549734895248			EE	W	DEU	8483.4051.90
NP025S-MA1-3-1G1-1S/F88M-K1K520	Wittenstein gearbox, model NP025S-MA1, ratio 3, option code -1G1-1S, for motor F88M-K1K520*	664.50	688658	4549734973700			EE	W	DEU	8483.4051.90
NP025S-MA2-15-1E1/F88M-1L1K030	Wittenstein gearbox, model NP025S-MA2, ratio 15, option code -1E1, for motor F88M-1L1K030*	862.50	695638	4549734997522			EE	W	DEU	8483.4051.90
NP025S-MF1-10-1C1/F88M-1M40030	Wittenstein gearbox, model NP025S-MF1, ratio 10, option code -1C1, for motor F88M-1M40030*	553.50	690266	4549734980760			EE	W	DEU	8483.4051.90
NP025S-MF1-10-1C1/F88M-K40030	Wittenstein gearbox, model NP025S-MF1, ratio 10, option code -1C1, for motor F88M-K40030*	553.50	689585	4549734978279			EE	W	DEU	8483.4051.90
NP025S-MF1-10-1D1/SJMED8	Wittenstein gearbox, model NP025S-MF1, ratio 10, option code -1D1, for motor SJMED8*	553.50	695981	4549734999069			EE	W	DEU	8483.4051.90
NP025S-MF1-10-1E1/F88E-A_0230	Wittenstein gearbox, model NP025S-MF1, ratio 10, option code -1E1, for motor F88E-AECT0230*	553.50	674684	4548583994492			EE	W	DEU	8483.4051.90
NP025S-MF1-10-1E1/F88M-1L1K030	Wittenstein gearbox, model NP025S-MF1, ratio 10, option code -1E1, for motor F88M-1L1K030*	553.50	689562	4549734978118			EE	W	DEU	8483.4051.90
NP025S-MF1-10-1E1/F88M-1L1K530	Wittenstein gearbox, model NP025S-MF1, ratio 10, option code -1E1, for motor F88M-1L1K530*	553.50	674307	4548583994461			EE	W	DEU	8483.4051.90
NP025S-MF1-10-1E1/F88M-1L75030	Wittenstein gearbox, model NP025S-MF1, ratio 10, option code -1E1, for motor F88M-1L75030*	553.50	684933	4549734962328			EE	W	DEU	8483.4051.90
NP025S-MF1-10-1E1/F88M-1M75030	Wittenstein gearbox, model NP025S-MF1, ratio 10, option code -1E1, for motor F88M-1M75030*	553.50	675044	4548583996014			EE	W	DEU	8483.4051.90
NP025S-MF1-10-1E1/F88M-G40030	Wittenstein gearbox, model NP025S-MF1, ratio 10, option code -1E1, for motor F88M-G40030*	553.50	683826	4549734953504			EE	W	DEU	8483.4051.90
NP025S-MF1-10-1E1/F88M-K1K530	Wittenstein gearbox, model NP025S-MF1, ratio 10, option code -1E1, for motor F88M-K1K530*	553.50	690285	4549734994126			EE	W	DEU	8483.4051.90
NP025S-MF1-10-1E1/F88M-K75030F	Wittenstein gearbox, model NP025S-MF1, ratio 10, option code -1E1, for motor F88M-K75030F/C	553.50	689335	4549734977173			EE	W	DEU	8483.4051.90
NP025S-MF1-10-1E1/F88M-K75030H	Wittenstein gearbox, model NP025S-MF1, ratio 10, option code -1E1, for motor F88M-K75030H/T	553.50	689336	4549734977180			EE	W	DEU	8483.4051.90
NP025S-MF1-10-1G1/1M1K520	Wittenstein gearbox, model NP025S-MF1, ratio 10, option code -1G1, for motor F88M-1M1K520*	553.50	679821	4549734934763			EE	W	DEU	8483.4051.90
NP025S-MF1-10-1G1/F88M-K1K020	Wittenstein gearbox, model NP025S-MF1, ratio 10, option code -1G1, for motor F88M-K1K020*	553.50	695870	4549734998642			EE	W	DEU	8483.4051.90
NP025S-MF1-10-1G1-1S/1M2K020	Wittenstein gearbox, model NP025S-MF1, ratio 10, option code -1G1-1S, for motor 1M2K020*	553.50	689108	4549734975698			EE	W	DEU	8483.4051.90
NP025S-MF1-3-0C1/F88M-1M40030	Wittenstein gearbox, model NP025S-MF1, ratio 3, option code -0C1, for motor F88M-1M40030*	553.50	690595	4549734982917			EE	W	DEU	8483.4051.90
NP025S-MF1-3-1E1/F88M-1M75030	Wittenstein gearbox, model NP025S-MF1, ratio 3, option code -1E1, for motor F88M-1M75030*	553.50	684811	4549734960236			EE	W	DEU	8483.4051.90
NP025S-MF1-3-1E1/F88M-G75030	Wittenstein gearbox, model NP025S-MF1, ratio 3, option code -1E1, for motor F88M-G75030*	553.50	683699	4549734952804			EE	W	DEU	8483.4051.90
NP025S-MF1-3-1G1/F88M-1L3K030	Wittenstein gearbox, model NP025S-MF1, ratio 3, option code -1G1, for motor F88M-1L3K030*	553.50	680523	4549734939690			EE	W	DEU	8483.4051.90
NP025S-MF1-3-1G1/F88M-K1K020	Wittenstein gearbox, model NP025S-MF1, ratio 3, option code -1G1, for motor F88M-K1K020*	553.50	694017	4549734993876			EE	W	DEU	8483.4051.90
NP025S-MF1-3-1G1/F88M-K1K520	Wittenstein gearbox, model NP025S-MF1, ratio 3, option code -1G1, for motor F88M-K1K520*	553.50	683753	4549734953177			EE	W	DEU	8483.4051.90
NP025S-MF1-3-1G1/F88M-K3K020	Wittenstein gearbox, model NP025S-MF1, ratio 3, option code -1G1, for motor F88M-K3K020*	553.50	694925	4549734995191			EE	W	DEU	8483.4051.90
NP025S-MF1-3-1G1/F88M-K90010	Wittenstein gearbox, model NP025S-MF1, ratio 3, option code -1G1, for motor F88M-K90010*	553.50	694924	4549734995184			EE	W	DEU	8483.4051.90
NP025S-MF1-4-1E1/F88M-1M75030	Wittenstein gearbox, model NP025S-MF1, ratio 4, option code -1E1, for motor F88M-1M75030*	553.50	693795	4549734992374			EE	W	DEU	8483.4051.90
NP025S-MF1-4-1G1/F88M-1M2K020	Wittenstein gearbox, model NP025S-MF1, ratio 4, option code -1G1, for motor F88M-1M2K020*	553.50	701040	4549734986832			EE	W	DEU	8483.4051.90
NP025S-MF1-4-1G1/F88M-G1K530	Wittenstein gearbox, model NP025S-MF1, ratio 4, option code -1G1, for motor F88M-G1K530*	553.50	690218	4549734980364			EE	W	DEU	8483.4051.90
NP025S-MF1-5-0E1/F88M-1L1K030	Wittenstein gearbox, model NP025S-MF1, ratio 5, option code -0E1, for motor F88M-1L1K030*	553.50	690549	4549734982597			EE	W	DEU	8483.4051.90
NP025S-MF1-5-0G1/F88M-1M1K1020	Wittenstein gearbox, model NP025S-MF1, ratio 5, option code -0G1, for motor F88M-1M1K1020*	553.50	690365	4549734981583			EE	W	DEU	8483.4051.90
NP025S-MF1-5-0G1/F88M-1M2K020	Wittenstein gearbox, model NP025S-MF1, ratio 5, option code -0G1, for motor F88M-1M2K020*	553.50	690302	4549734980944			EE	W	DEU	8483.4051.90
NP025S-MF1-5-1E1/F88M-1M40020	Wittenstein gearbox, model NP025S-MF1, ratio 5, option code -1E, for motor F88M-1M40020*	553.50	681531	4549734945646			EE	W	DEU	8483.4051.90
NP025S-MF1-5-1E1/F88M-1L1K530	Wittenstein gearbox, model NP025S-MF1, ratio 5, option code -1E1, for motor F88M-1L1K530*	553.50	696334	4549734889513			EE	W	DEU	8483.4051.90
NP025S-MF1-5-1G1/F88M-1L3K030	Wittenstein gearbox, model NP025S-MF1, ratio 5, option code -1G1, for motor F88M-1L3K030*	553.50	693904	4549734993241			EE	W	DEU	8483.4051.90
NP025S-MF1-5-1G1/F88M-1M1K520	Wittenstein gearbox, model NP025S-MF1, ratio 5, option code -1G1, for motor F88M-1M1K520*	553.50	679533	4549734933056			EE	W	DEU	8483.4051.90
NP025S-MF1-7-0C0/F88M-K40030	Wittenstein gearbox, model NP025S-MF1, ratio 7, option code -0C0, for motor F88M-K40030*	553.50	677726	4549734920391			EE	W	DEU	8483.4051.90
NP025S-MF1-7-1E1/F88E-A_0230	Wittenstein gearbox, model NP025S-MF1, ratio 7, option code -1E1, for motor F88E-AECT0230*	553.50	674685	4548583994508			EE	W	DEU	8483.4051.90
NP025S-MF1-7-1G1/F88M-1M1K520	Wittenstein gearbox, model NP025S-MF1, ratio 7, option code -1G1, for motor F88M-1M1K520*	553.50	679532	4549734933049			EE	W	DEU	8483.4051.90
NP025S-MF1-8-1E1/F88M-1L1K530	Wittenstein gearbox, model NP025S-MF1, ratio 8, option code -1E1, for motor F88M-1L1K530*	553.50	680526	4549734939720			EE	W	DEU	8483.4051.90
NP025S-MF1-8-1G1/F88M-1L3K030	Wittenstein gearbox, model NP025S-MF1, ratio 8, option code -1G1, for motor F88M-1L3K030*	553.50	689							

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Datest)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
NP025S-MF2-25-1C1/F88M-K40030	Wittenstein gearbox, model NP025S-MF2, ratio 25, option code -1C1, for motor F88M-K40030*	720.00	681947	4549734946483			EE	W	DEU	8483.4051.90
NP025S-MF2-25-1C1/SGMJV-04A	Wittenstein gearbox, model NP025S-MF2, ratio 25, option code -1C1, for motor SGMJV-04A*	720.00	690193	4549734980302			EE	W	DEU	8483.4051.90
NP025S-MF2-25-1E1/F88M-1L1K030	Wittenstein gearbox, model NP025S-MF2, ratio 25, option code -1E1, for motor F88M-1L1K030*	720.00	700721	4549734928156			EE	W	DEU	8483.4051.90
NP025S-MF2-25-1E1/F88M-1M75030	Wittenstein gearbox, model NP025S-MF2, ratio 25, option code -1E1, for motor F88M-1M75030*	720.00	678784	4549734928427			EE	W	DEU	8483.4051.90
NP025S-MF2-25-1E1/F88M-G40030	Wittenstein gearbox, model NP025S-MF2, ratio 25, option code -1E1, for motor F88M-G40030*	720.00	699033	4549734929704			EE	W	DEU	8483.4051.90
NP025S-MF2-28-0C1/F88M-1M40030	Wittenstein gearbox, model NP025S-MF2, ratio 28, option code -0C1-1S, for motor F88M-1M40030*	720.00	682564	4549734952330			EE	W	DEU	8483.4051.90
NP025S-MF2-30-0C1/F88M-G40030	Wittenstein gearbox, model NP025S-MF2, ratio 30, option code -0C1, for motor F88M-G40030*	720.00	680314	4549734938280			EE	W	DEU	8483.4051.90
NP025S-MF2-30-0C1/F88M-K40030	Wittenstein gearbox, model NP025S-MF2, ratio 30, option code -0C1, for motor F88M-K40030*	720.00	680313	4549734938273			EE	W	DEU	8483.4051.90
NP025S-MF2-30-0E1/F88M-1L1K030	Wittenstein gearbox, model NP025S-MF2, ratio 30, option code -0E1, for motor F88M-1L1K030*	720.00	682841	4549734950374			EE	W	DEU	8483.4051.90
NP025S-MF2-30-1E1/AECT0230	Wittenstein gearbox, model NP025S-MF2, ratio 30, option code -1E1, for motor F88E-AECT0230*	720.00	689988	4549734979306			EE	W	DEU	8483.4051.90
NP025S-MF2-35-0E1/F88M-1L1K530	Wittenstein gearbox, model NP025S-MF2, ratio 35, option code -0E1, for motor F88M-1L1K530*	720.00	699198	4549734929263			EE	W	DEU	8483.4051.90
NP025S-MF2-35-0E1/F88M-K75030H	Wittenstein gearbox, model NP025S-MF2, ratio 35, option code -0E1, for motor F88M-K75030H*	720.00	675385	4549734901925			EE	W	DEU	8483.4051.90
NP025S-MF2-35-1C1/F88M-K40030	Wittenstein gearbox, model NP025S-MF2, ratio 35, option code -1C1, for motor F88M-K40030*	720.00	690430	4549734981910			EE	W	DEU	8483.4051.90
NP025S-MF2-40-0C0/F88M-KH40030	Wittenstein gearbox, model NP025S-MF2, ratio 40, option code -0C0, for motor F88M-KH40030*	720.00	677725	4549734920384			EE	W	DEU	8483.4051.90
NP025S-MF2-40-1C1/F88M-K40030	Wittenstein gearbox, model NP025S-MF2, ratio 40, option code -1C1, for motor F88M-K40030*	720.00	684445	4549734963336			EE	W	DEU	8483.4051.90
NP025S-MF2-50-0B1/F88M-1M20030	Wittenstein gearbox, model NP025S-MF2, ratio 50, option code -0B1, for motor F88M-1M20030*	720.00	694809	4549734994859			EE	W	DEU	8483.4051.90
NP025S-MF2-50-1C1/F88M-1M40030	Wittenstein gearbox, model NP025S-MF2, ratio 50, option code -1C1, for motor F88M-1M40030*	720.00	675152	4549734900133			EE	W	DEU	8483.4051.90
NP025S-MF2-50-1C1/F88M-K40030	Wittenstein gearbox, model NP025S-MF2, ratio 50, option code -1C1, for motor F88M-K40030*	720.00	693889	4549734993111			EE	W	DEU	8483.4051.90
NP025S-MF2-50-1E1/F88M-1M40020	Wittenstein gearbox, model NP025S-MF2, ratio 50, option code -1E1, for motor F88M-1M40020*	720.00	689478	4549734977630			EE	W	DEU	8483.4051.90
NP025S-MF2-50-1E1/F88M-1M75030	Wittenstein gearbox, model NP025S-MF2, ratio 50, option code -1E1, for motor F88M-1M75030*	720.00	694962	4549734995375			EE	W	DEU	8483.4051.90
NP025S-MF2-50-1E1/F88M-K75030H	Wittenstein gearbox, model NP025S-MF2, ratio 50, option code -1E1, for motor F88M-K75030H/T*	720.00	693886	4549734993166			EE	W	DEU	8483.4051.90
NP025S-MF2-64-1C1/F88M-1M20030	Wittenstein gearbox, model NP025S-MF2, ratio 64, option code -1C1, for motor F88M-1M20030*	720.00	681070	4549734943628			EE	W	DEU	8483.4051.90
NP025S-MF2-70-1B1/F88M-1M20030	Wittenstein gearbox, model NP025S-MF2, ratio 70, option code -1B1, for motor F88M-1M20030*	720.00	692793	4549734996519			EE	W	DEU	8483.4051.90
NP025S-MF2-70-1C1/F88M-1M40030	Wittenstein gearbox, model NP025S-MF2, ratio 70, option code -1C1, for motor F88M-1M40030*	720.00	680972	4549734942829			EE	W	DEU	8483.4051.90
NP025S-MF2-70-1E1/F88M-1M75030	Wittenstein gearbox, model NP025S-MF2, ratio 70, option code -1E1, for motor F88M-1M75030*	720.00	678501	4549734925815			EE	W	DEU	8483.4051.90
NP035S-MA2-15-1G1/F88M-1M2K020	Wittenstein gearbox, model NP035S-MA2, ratio 15, option code -1G1, for motor F88M-1M2K020*	1264.00	688492	4549734972345			EE	W	DEU	8483.4051.90
NP035S-MA2-20-0G1/F88M-1L2K030	Wittenstein gearbox, model NP035S-MA2, ratio 20, option code -0G1, for motor F88M-1L2K030*	1264.00	684820	4549734960298			EE	W	DEU	8483.4051.90
NP035S-MF1-10-1E1/F88M-1L1K530	Wittenstein gearbox, model NP035S-MF1, ratio 10, option code -1E1, for motor F88M-1L1K530*	810.00	681937	4549734946384			EE	W	DEU	8483.4051.90
NP035S-MF1-10-1G1/F88M-1M1K520	Wittenstein gearbox, model NP035S-MF1, ratio 10, option code -1G1, for motor F88M-1M1K520*	810.00	679166	4549734929981			EE	W	DEU	8483.4051.90
NP035S-MF1-10-1G1/F88M-K3K030F	Wittenstein gearbox, model NP035S-MF1, ratio 10, option code -1G1, for motor F88M-K3K030*	810.00	673390	4548853988361			EE	W	DEU	8483.4051.90
NP035S-MF1-10-1G1-1S/1M2K020	Wittenstein gearbox, model NP035S-MF1, ratio 10, option code -1G1-1S, for motor 1M2K020*	810.00	689107	4549734975681			EE	W	DEU	8483.4051.90
NP035S-MF1-10-1G1-1S/K3K030	Wittenstein gearbox, model NP035S-MF1, ratio 10, option code -1G1-1S, for motor K3K030*	810.00	688917	4549734975315			EE	W	DEU	8483.4051.90
NP035S-MF1-3-1G1/F88M-1L3K030	Wittenstein gearbox, model NP035S-MF1, ratio 3, option code -1G1, for motor F88M-1L3K030*	810.00	680970	4549734942805			EE	W	DEU	8483.4051.90
NP035S-MF1-3-1G1/F88M-KH5K020	Wittenstein gearbox, model NP035S-MF1, ratio 3, option code -1K1, for motor F88M-KH5K020*	810.00	688631	4549734973496			EE	W	DEU	8483.4051.90
NP035S-MF1-4-1K1/F88M-K2K010	Wittenstein gearbox, model NP035S-MF1, ratio 4, option code -1K1, for motor F88M-K2K010*	810.00	699100	4549734891738			EE	W	DEU	8483.4051.90
NP035S-MF1-4-1K1/F88M-K5K020	Wittenstein gearbox, model NP035S-MF1, ratio 4, option code -1K1, for motor F88M-K5K020*	810.00	701387	4549734970291			EE	W	DEU	8483.4051.90
NP035S-MF1-5-1G1/F88M-K9K030	Wittenstein gearbox, model NP035S-MF1, ratio 5, option code -1G1, for motor F88M-K9K030*	810.00	689213	4549734976473			EE	W	DEU	8483.4051.90
NP035S-MF1-5-1K1/F88M-K4K020	Wittenstein gearbox, model NP035S-MF1, ratio 5, option code -1K1, for motor F88M-K4K020*	810.00	693983	4549734991721			EE	W	DEU	8483.4051.90
NP035S-MF1-5-1K1/F88M-K5K020	Wittenstein gearbox, model NP035S-MF1, ratio 5, option code -1K1, for motor F88M-K5K020*	810.00	691006	4549734985000			EE	W	DEU	8483.4051.90
NP035S-MF1-7-1G1/F88M-K5K030	Wittenstein gearbox, model NP035S-MF1, ratio 7, option code -1G1, for motor F88M-K5K030*	810.00	689212	4549734976466			EE	W	DEU	8483.4051.90
NP035S-MF1-7-1H1/F88M-1M3K020	Wittenstein gearbox, model NP035S-MF1, ratio 7, option code -1H1, for motor F88M-1M3K020*	810.00	680124	4549734936842			EE	W	DEU	8483.4051.90
NP035S-MF2-100-0C1/F88M-1M40030	Wittenstein gearbox, model NP035S-MF2, ratio 100, option code -0C1, for motor F88M-1M40030*	1051.00	695751	4549734998192			EE	W	DEU	8483.4051.90
NP035S-MF2-100-1H1/F88M-K75030F	Wittenstein gearbox, model NP035S-MF2, ratio 100, option code -1H1, for motor F88M-K75030F*	1051.00	683320	4549734951081			EE	W	DEU	8483.4051.90
NP035S-MF2-12-1G1/F88M-1M1K520	Wittenstein gearbox, model NP035S-MF2, ratio 12, option code -1G1, for motor F88M-1M1K520*	1051.00	679948	4549734935708			EE	W	DEU	8483.4051.90
NP035S-MF2-15-1E1/F88M-1L2K030	Wittenstein gearbox, model NP035S-MF2, ratio 15, option code -1E1, for motor F88M-1L2K030*	1051.00	702207	4549734972264			EE	W	DEU	8483.4051.90
NP035S-MF2-15-1E1/F88M-K1K530	Wittenstein gearbox, model NP035S-MF2, ratio 15, option code -1E1, for motor F88M-K1K530*	1051.00	683754	4549734953184			EE	W	DEU	8483.4051.90
NP035S-MF2-16-1E1-1S/1L1K530	Wittenstein gearbox, model NP035S-MF2, ratio 16, option code -1E1-1S, for motor 1L1K530*	1051.00	688608	4549734973304			EE	W	DEU	8483.4051.90
NP035S-MF2-16-1G1/F88M-1M1K520	Wittenstein gearbox, model NP035S-MF2, ratio 16, option code -1G1, for motor F88M-1M1K520*	1051.00	688490	4549734972321			EE	W	DEU	8483.4051.90
NP035S-MF2-16-1G1/F88M-1M2K020	Wittenstein gearbox, model NP035S-MF2, ratio 16, option code -1G1, for motor F88M-1M2K020*	1051.00	688491	4549734972338			EE	W	DEU	8483.4051.90
NP035S-MF2-20-1E1/F88M-1L1K530	Wittenstein gearbox, model NP035S-MF2, ratio 20, option code -1E1, for motor F88M-1L1K530*	1051.00	680441	4549734939072			EE	W	DEU	8483.4051.90
NP035S-MF2-20-1G1/F88M-K1K020	Wittenstein gearbox, model NP035S-MF2, ratio 20, option code -1G1, for motor F88M-K1K020*	1051.00	688836	4549734974936			EE	W	DEU	8483.4051.90
NP035S-MF2-25-1E1/F88M-1L75030	Wittenstein gearbox, model NP035S-MF2, ratio 25, option code -1E1, for motor F88M-1L75030*	1051.00	684821	4549734960304			EE	W	DEU	8483.4051.90
NP035S-MF2-25-1E1/F88M-1M60020	Wittenstein gearbox, model NP035S-MF2, ratio 25, option code -1E1, for motor F88M-1M60020*	1051.00	695278	4549734996051			EE	W	DEU	8483.4051.90
NP035S-MF2-25-1E1/F88M-1M75030	Wittenstein gearbox, model NP035S-MF2, ratio 25, option code -1E1, for motor F88M-1M75030*	1051.00	683889	4549734953993			EE	W	DEU	8483.4051.90
NP035S-MF2-25-1E1/F88M-G75030	Wittenstein gearbox, model NP035S-MF2, ratio 25, option code -1E1, for motor F88M-G75030*	1051.00	683104	4549734950541			EE	W	DEU	8483.4051.90
NP035S-MF2-25-1E1/F88M-K1K030	Wittenstein gearbox, model NP035S-MF2, ratio 25, option code -1E1, for motor F88M-K1K030*	1051.00	693903	4549734993234			EE	W	DEU	8483.4051.90
NP035S-MF2-25-1E1/SGMJV-08A	Wittenstein gearbox, model NP035S-MF2, ratio 25, option code -1E1, for motor SGMJV-08A*	1051.00	690296	4549734980913			EE	W	DEU	8483.4051.90
NP035S-MF2-25-1G1/F88M-1M1K020	Wittenstein gearbox, model NP035S-MF2, ratio 25, option code -1G1, for motor F88M-1M1K020*	1051.00	695279	4549734996068			EE	W	DEU	8483.4051.90
NP035S-MF2-28-1C1/F88M-K40030	Wittenstein gearbox, model NP035S-MF2, ratio 28, option code -1C1, for motor F88M-K40030*	1051.00	684601	4549734959884			EE	W	DEU	8483.4051.90
NP035S-MF2-30-1E1/F88M-1L1K030	Wittenstein gearbox, model NP035S-MF2, ratio 30, option code -1E1, for motor F88M-1L1K030*	1051.00	684974	4549734961417			EE	W	DEU	8483.4051.90
NP035S-MF2-30-1E1/F88M-1M75030	Wittenstein gearbox, model NP035S-MF2, ratio 30, option code -1E1, for motor F88M-1M75030*	1051.00	691236	4549734986014			EE	W	DEU	8483.4051.90
NP035S-MF2-30-1E1/F88M-K75030H	Wittenstein gearbox, model NP035S-MF2, ratio 30, option code -1E1, for motor F88M-K75030H/T*	1051.00	699047	4549734981578			EE	W	DEU	8483.4051.90
NP035S-MF2-35-1E1/F88M-K75030F	Wittenstein gearbox, model NP035S-MF2, ratio 35, option code -1E1, for motor F88M-K75030F/C*	1051.00	699485	4549734982582			EE	W	DEU	8483.4051.90
NP035S-MF2-40-0E1/F88M-1L75030	Wittenstein gearbox, model NP035S-MF2, ratio 40, option code -0E1, for motor F88M-1L75030*	1051.00	676082	4549734908085			EE	W	DEU	8483.4051.90
NP035S-MF2-40-1E1/F88M-1L75030	Wittenstein gearbox, model NP035S-MF2, ratio 40, option code -1E1, for motor F88M-1L75030*	1051.00	691162	4549734985697			EE	W	DEU	8483.4051.90
NP035S-MF2-40-1E1/F88M-1M75030	Wittenstein gearbox, model NP035S-MF2, ratio 40, option code -1E1-1S, for motor F88M-1M75030*	1051.00	683566	4549734952354			EE	W	DEU	8483.4051.90
NP035S-MF2-50-1E1/F88M-1M75030	Wittenstein gearbox, model NP035S-MF2, ratio 50, option code -1E1, for motor F88M-1M75030*	1051.00	691237	4549734986021			EE	W	DEU	8483.4051.90
NP035S-MF2-50-1E1/F88M-K75030H/T*	Wittenstein gearbox, model NP035S-MF2, ratio 50, option code -1E1, for motor F88M-K75030H/T*	1051.00	699046	4549734891561			EE	W	DEU	8483.4051.90

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Daheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
NP045S-MF2-50-1E1/F88M-1L1K030	Wittenstein gearbox, model NP045S-MF2, ratio 50, option code -1E1, for motor F88M-1L1K030*	1.481.00	681936	4549734946377			EB	W	DEU	8483.4051.90
NP045S-MF2-50-1G1/F88M-1L3K030	Wittenstein gearbox, model NP045S-MF2, ratio 50, option code -1G1, for motor F88M-1L3K030*	1.481.00	689988	4549734978987			EB	W	DEU	8483.4051.90
NP045S-MF2-50-1K1/F88M-1M20030	Wittenstein gearbox, model NP045S-MF2, ratio 50, option code -1K1, for motor F88M-1M20030*	1.481.00	689989	4549734979382			EB	W	DEU	8483.4051.90
NP045S-MF2-64-1G1/F88M-1M1K520	Wittenstein gearbox, model NP045S-MF2, ratio 64, option code -1G1, for motor F88M-1M1K520*	1.481.00	689479	4549734977647			EB	W	DEU	8483.4051.90
NP0005S-MF2-10-1B1/F88M-1M10030	Wittenstein gearbox, model NP0005S-MF2, ratio 10, option code -1B1, for motor F88M-1M10030*	1.703.00	688489	4549734972314			EB	W	DEU	8483.4051.90
NP0005S-MF2-10-1B1/F88M-K10030	Wittenstein gearbox, model NP0005S-MF2, ratio 10, option code -1B1, for motor F88M-K10030*	627.50	696355	4549734889605			EB	W	DEU	8483.4051.90
NP0005S-MF2-4-1B1-1S01/1M20030	Wittenstein gearbox, model NP0005S-MF2, ratio 4, option code -1B1-1S01, for motor F88M-1M20030*	627.50	689237	4549734976534			EB	W	DEU	8483.4051.90
NP0005S-MF3-50-1B1/F88M-1M10030	Wittenstein gearbox, model NP0005S-MF3, ratio 50, option code -1B1, for motor F88M-1M10030*	627.50	695655	4549734997140			EB	W	DEU	8483.4051.90
NP0015S-MF2-10-0C1/F88M-K40030	Wittenstein gearbox, model NP0015S-MF2, ratio 10, option code -0C1, for motor F88M-K40030*	776.00	696354	4549734889599			EB	W	DEU	8483.4051.90
NP0015S-MF2-10-1C1/1M40030	Wittenstein gearbox, model NP0015S-MF2, ratio 10, option code -1C1, for motor F88M-1M40030*	776.00	701342	4549734789967			EB	W	DEU	8483.4051.90
NP0025S-MF3-100-1C1/1M40030	Wittenstein gearbox, model NP0025S-MF3, ratio 100, option code -1C1, for motor F88M-1M40030*	776.00	693822	4549734992527			EB	W	DEU	8483.4051.90
NP0025S-MF3-30-1C1/1M40030	Wittenstein gearbox, model NP0025S-MF3, ratio 30, option code -1C1, for motor F88M-1M40030*	1.187.00	702564	4549734793872			EB	W	DEU	8483.4051.90
NP0025S-MF3-30-1C1/F88M-K40030	Wittenstein gearbox, model NP0025S-MF3, ratio 30, option code -1C1, for motor F88M-K40030*	1.187.00	700974	4549734896443			EB	W	DEU	8483.4051.90
NP0035S-MF3-20-0E1/F88M-1L1K530	Wittenstein gearbox, model NP0035S-MF3, ratio 20, option code -0E1, for motor F88M-1L1K530*	1.579.00	701332	4549734789875			EB	W	DEU	8483.4051.90
NP0035S-MF3-64-0E1/F88M-1M40030	Wittenstein gearbox, model NP0035S-MF3, ratio 64, option code -0E1, for motor F88M-1M40030*	1.579.00	701333	4549734789882			EB	W	DEU	8483.4051.90
NP0045S-MF3-64-1H1/1M1K520	Wittenstein gearbox, model NP0045S-MF3, ratio 64, option code -1H1, for motor F88M-1M1K520*	2.556.00	689110	4549734975711			EB	W	DEU	8483.4051.90
NPL015F-MF2-20-1B1/1M20030	Wittenstein gearbox, model NPL015F-MF2, ratio 20, option code -1B1, for motor F88M-1M20030*	805.00	701324	4549734789813			EB	W	DEU	8483.4051.90
NPL015S-MF1-5-1B1/F88M-1M10030	Wittenstein gearbox, model NPL015S-MF1, ratio 5, option code -1B1, for motor F88M-1M10030*	587.50	678065	4549734922371			EB	W	DEU	8483.4051.90
NPL015S-MF2-20-1B1/1M20030	Wittenstein gearbox, model NPL015S-MF2, ratio 20, option code -1B1, for motor F88M-1M20030*	587.50	678064	4549734922364			EB	W	DEU	8483.4051.90
NPL025F-MF2-15-1E1/1M60020	Wittenstein gearbox, model NPL025F-MF2, ratio 15, option code -1E1, for motor F88M-1M60020*	766.50	701246	4549734789202			EB	W	DEU	8483.4051.90
NPL025S-MF1-10-1E1-2S/1M75030	Wittenstein gearbox, model NPL025S-MF1, ratio 10, option code -1E1-2S, for motor F88M-1M75030*	944.50	701325	4549734789820			EB	W	DEU	8483.4051.90
NPL025S-MF2-15-1E1/1M60020	Wittenstein gearbox, model NPL025S-MF2, ratio 15, option code -1E1, for motor F88M-1M60020*	692.50	693862	4549734992862			EB	W	DEU	8483.4051.90
NPL025S-MF2-50-0B1/1M20030	Wittenstein gearbox, model NPL025S-MF2, ratio 50, option code -0B1, for motor F88M-1M20030*	899.50	701249	4549734789219			EB	W	DEU	8483.4051.90
NPL035S-MF1-3-1K1/F88M-K2K010	Wittenstein gearbox, model NPL035S-MF1, ratio 3, option code -1K1, for motor F88M-K2K010*	1.215.00	688701	4549734973977			EB	W	DEU	8483.4051.90
NPR015S-MF1-8-0E1/F88E-ACCT0530	Wittenstein gearbox, model NPR015S-MF1, ratio 8, option code -0E1, for motor F88E-ACCT0530*	658.50	701329	4549734789844			EB	W	DEU	8483.4051.90
NPR025S-MF1-10-1C1/F88M-1M40030	Wittenstein gearbox, model NPR025S-MF1, ratio 10, option code -1C1, for motor F88M-1M40030*	776.00	683988	4549734954051			EB	W	DEU	8483.4051.90
NPR025S-MF1-10-1E1/F88M-1M75030	Wittenstein gearbox, model NPR025S-MF1, ratio 10, option code -1E1, for motor F88M-1M75030*	776.00	702208	4549734792271			EB	W	DEU	8483.4051.90
NPR025S-MF1-8-0E1/F88E-ACCT0530	Wittenstein gearbox, model NPR025S-MF1, ratio 8, option code -0E1, for motor F88E-ACCT0530*	776.00	701328	4549734789837			EB	W	DEU	8483.4051.90
NPR025S-MF1-8-1E1/F88M-1L1K530	Wittenstein gearbox, model NPR025S-MF1, ratio 8, option code -1E1, for motor F88M-1L1K530*	776.00	699909	4549734893633			EB	W	DEU	8483.4051.90
NPR035S-MF1-4-2K1/F88M-K5K020	Wittenstein gearbox, model NPR035S-MF1, ratio 4, option code -2K1, for motor F88M-K5K020*	1.326.00	701386	4549734790284			EB	W	DEU	8483.4051.90
NPR035S-MF1-8-1G1/F88M-1L3K030	Wittenstein gearbox, model NPR035S-MF1, ratio 8, option code -1G1, for motor F88M-1L3K030*	1.131.00	699688	4549734893527			EB	W	DEU	8483.4051.90
NPS015S-MF1-10-0B1/F88M-1M20030	Wittenstein gearbox, model NPS015S-MF1, ratio 10, option code -0B1, for motor F88M-1M20030*	587.50	678062	4549734922340			EB	W	DEU	8483.4051.90
NPS015S-MF1-10-1C1/F88M-1M40030	Wittenstein gearbox, model NPS015S-MF1, ratio 10, option code -1C1, for motor F88M-1M40030*	587.50	695073	4549734995764			EB	W	DEU	8483.4051.90
NPS015S-MF1-3-0E1/F88M-1M75030	Wittenstein gearbox, model NPS015S-MF1, ratio 3, option code -0E1, for motor F88M-1M75030*	587.50	678063	4549734922357			EB	W	DEU	8483.4051.90
NPS015S-MF1-7-0C1/F88M-1M1K030	Wittenstein gearbox, model NPS015S-MF1, ratio 7, option code -0C1, for motor F88M-1M1K030*	587.50	679568	4549734933308			EB	W	DEU	8483.4051.90
NPS015S-MF1-7-0C1/F88M-1M40030	Wittenstein gearbox, model NPS015S-MF1, ratio 7, option code -0C1, for motor F88M-1M40030*	587.50	695072	4549734995757			EB	W	DEU	8483.4051.90
NPS025S-MF1-4-1G1/F88M-1M2K020	Wittenstein gearbox, model NPS025S-MF1, ratio 4, option code -1G1, for motor F88M-1M2K020*	831.00	700985	4549734896542			EB	W	DEU	8483.4051.90
NPS025S-MF1-15-1E1/1L1K030	Wittenstein gearbox, model NPS025S-MF1, ratio 15, option code -1E1, for motor F88M-1L1K030*	1.079.00	695635	4549734997492			EB	W	DEU	8483.4051.90
NPS025S-MF1-4-1G1/F88M-1M2K020	Wittenstein gearbox, model NPS025S-MF1, ratio 4, option code -1G1, for motor F88M-1M2K020*	692.50	700984	4549734896535			EB	W	DEU	8483.4051.90
NPS025S-MF1-5-1G1/1M1K520	Wittenstein gearbox, model NPS025S-MF1, ratio 5, option code -1G1, for motor F88M-1M1K520*	692.50	679450	4549734932523			EB	W	DEU	8483.4051.90
NPS025S-MF1-7-1G1/1M1K520	Wittenstein gearbox, model NPS025S-MF1, ratio 7, option code -1G1, for motor F88M-1M1K520*	692.50	679451	4549734932530			EB	W	DEU	8483.4051.90
NPS025S-MF1-7-1G1/F88M-1M1K520	Wittenstein gearbox, model NPS025S-MF1, ratio 7, option code -1G1, for motor F88M-1M1K520*	692.50	690527	4549734982399			EB	W	DEU	8483.4051.90
NPS025S-MF2-16-1C1/1M40030	Wittenstein gearbox, model NPS025S-MF2, ratio 16, option code -1C1, for motor F88M-1M40030*	899.50	696207	4549734999557			EB	W	DEU	8483.4051.90
NPS025S-MF2-20-1C1/1M40030	Wittenstein gearbox, model NPS025S-MF2, ratio 20, option code -1C1, for motor F88M-1M40030*	899.50	696206	4549734999540			EB	W	DEU	8483.4051.90
NPS025S-MF2-30-0B1/1M20030	Wittenstein gearbox, model NPS025S-MF2, ratio 30, option code -0B1, for motor F88M-1M20030*	899.50	685742	4549734964414			EB	W	DEU	8483.4051.90
NPS025S-MF2-30-1C1/F88M-K40030	Wittenstein gearbox, model NPS025S-MF2, ratio 30, option code -1C1, for motor F88M-K40030*	899.50	682540	4549734948685			EB	W	DEU	8483.4051.90
NPS025S-MF2-50-0B1/1M20030	Wittenstein gearbox, model NPS025S-MF2, ratio 50, option code -0B1, for motor F88M-1M20030*	899.50	694808	4549734994482			EB	W	DEU	8483.4051.90
NPS025S-MF2-50-1C1/1M40030	Wittenstein gearbox, model NPS025S-MF2, ratio 50, option code -1C1, for motor F88M-1M40030*	899.50	701307	4549734789691			EB	W	DEU	8483.4051.90
NPS035S-MF1-3-1K1/F88M-K5K020	Wittenstein gearbox, model NPS035S-MF1, ratio 3, option code -1K1, for motor F88M-K5K020*	1.014.00	679912	4549734935357			EB	W	DEU	8483.4051.90
NPS035S-MF1-7-1G1/F88M-1L4K030	Wittenstein gearbox, model NPS035S-MF1, ratio 7, option code -1G1, for motor F88M-1L4K030*	1.014.00	696327	4549734889476			EB	W	DEU	8483.4051.90
NPS035S-MF1-8-1G1/F88M-1M2K020	Wittenstein gearbox, model NPS035S-MF1, ratio 8, option code -1G1, for motor F88M-1M2K020*	1.014.00	700983	4549734896528			EB	W	DEU	8483.4051.90
NPS035S-MF2-20-1G1/F88M-K2K020	Wittenstein gearbox, model NPS035S-MF2, ratio 20, option code -1G1, for motor F88M-K2K020*	1.317.00	679909	4549734935326			EB	W	DEU	8483.4051.90
NPS035S-MF2-28-1E1/F88M-1L1K530	Wittenstein gearbox, model NPS035S-MF2, ratio 28, option code -1E1, for motor F88M-1L1K530*	1.317.00	699960	4549734991028			EB	W	DEU	8483.4051.90
NPT0025S-MF3-40-1E1/F88M-1L1K5	Wittenstein gearbox, model NPT0025S-MF3, ratio 40, option code -1E1, for motor F88M-1L1K5*	1.972.00	691239	4549734986045			EB	W	DEU	8483.4051.90
NPT025S-MF1-5-0C1/F88M-1M40030	Wittenstein gearbox, model NPT025S-MF1, ratio 5, option code -0C1, for motor F88M-1M40030*	637.00	702487	4549734793292			EB	W	DEU	8483.4051.90
NPT045S-MF1-8-0K1/F88M-1M4K015	Wittenstein gearbox, model NPT045S-MF1, ratio 8, option code -0K1, for motor F88M-1M4K015*	1.508.00	699606	4549734893206			EB	W	DEU	8483.4051.90
NVH040S-MF1-10-1E1-K0D/1M60020	Wittenstein gearbox, model NVH040S-MF1, ratio 10, option code -1E1-1K0D, for motor F88M-1M60020*	1.453.00	701632	4549734790758			EB	W	DEU	8483.4051.90
NVH040S-MF2-70-6C1S0F1/1M10030	Wittenstein gearbox, model NVH040S-MF2, ratio 70, option code -6C1-1S0F1, for motor F88M-1M10030*	1.817.00	700124	4549734894050			EB	W	DEU	8483.4051.90
NVH050F-MF2-100-6E1-OC0/1M60020	Wittenstein gearbox, model NVH050F-MF2, ratio 100, option code -6E1-OC0, for motor F88M-1M60020*	2.028.00	701322	4549734789790			EB	W	DEU	8483.4051.90
NVH050F-MF2-200-6E1-OC0/1M60020	Wittenstein gearbox, model NVH050F-MF2, ratio 200, option code -6E1-OC0, for motor F88M-1M60020*	2.028.00	701323	4549734789806			EB	W	DEU	8483.4051.90
NVH050S-MF1-40-1E1-OD/1M40030	Wittenstein gearbox, model NVH050S-MF1, ratio 40, option code -1E1-OD, for motor F88M-1M40030*	1.545.00	680210	4549734937351			EB	W	DEU	8483.4051.90
NVH050S-MF1-40-1E1-OF/1M40030	Wittenstein gearbox, model NVH050S-MF1, ratio 40, option code -1E1-OF, for motor F88M-1M40030*	1.545.00	680215	4549734937405			EB	W	DEU	8483.4051.90
NVH050S-MF2-100-1E1-OC-1L1K030	Wittenstein gearbox, model NVH050S-MF2, ratio 100, option code -1E1-OC, for motor F88M-1L1K030*	1.932.00	678842	4549734928823			EB	W	DEU	8483.4051.90
NVH050S-MF2-100-6E1-OC/1M60020	Wittenstein gearbox, model NVH050S-MF2, ratio 100, option code -6E1-OC, for motor F88M-1M60020*	1.932.00	701252	4549734789240			EB	W	DEU	8483.4051.90
NVH050S-MF2-200-6E1-OC/1M40020	Wittenstein gearbox, model NVH050S-MF2, ratio 200, option code -6E1-OC, for motor F88M-1M40020*	1.932.00	678355	4549734924474			EB	W	DEU	8483.4051.90
NVH050S-MF2-200-6E1-OC/1M60020	Wittenstein gearbox, model NVH050S-MF2, ratio 200, option code -6E1-OC, for motor F88M-1M60020*	1.932.00	701253	4549734789257			EB	W	DEU	8483.4051.90
NVH050S-MF2-400-6E1-OC/1M40030	Wittenstein gearbox, model NVH050S-MF2, ratio 400, option code -6E1-OC, for motor F88M-1M40030*	1.932.00	702455	4549734793025			EB	W	DEU	8483.4051.90
NVH050S-MF2-50-1E1-OB/1L1K030	Wittenstein gearbox, model NVH050S									

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Datest)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
NVS050S-MF1-40-0E1-BD/1M40030	Wittenstein gearbox, model NVS050S-MF1, ratio 40, option code -0E1-BD, for motor F88M-1M40030*	1.623,00	680213	4549734937382			EE	W	DEU	8483.4051.90
NVS050S-MF1-7-HE1-0D/K75030F	Wittenstein gearbox, model NVS050S-MF1, ratio 7, option code -HE1-0D, for motor F88M-K75030F/C1	1.623,00	680212	4549734937375			EE	W	DEU	8483.4051.90
SK060S-MF1-10-0C1/F88M-K40030	Wittenstein gearbox, model SK060S-MF1, ratio 10, option code -0C1, for motor F88M-K40030*	2.253,00	692583	4549734949968			EE	W	DEU	8483.4051.90
SK060S-MF1-10-1C1/F88M-K20030H	Wittenstein gearbox, model SK060S-MF1, ratio 10, option code -1C1, for motor F88M-K20030*	2.253,00	672804	4548583983311			EE	W	DEU	8483.4051.90
SK060S-MF1-10-1C1/F88M-K40030	Wittenstein gearbox, model SK060S-MF1, ratio 10, option code -1C1, for motor F88M-K40030*	2.253,00	682474	4549734948296			EE	W	DEU	8483.4051.90
SK060S-MF1-10-1E1/F88M-1M40020	Wittenstein gearbox, model SK060S-MF1, ratio 10, option code -1E1, for motor F88M-1M40020*	2.253,00	680091	4549734936705			EE	W	DEU	8483.4051.90
SK075E-MF1-10-1E1/F88M-1M75030	Wittenstein gearbox, model SK075E-MF1, ratio 10, option code -1E1-1K with sealing plate 20042472, for motor F88M-1M75030*	2.661,00	701334	4549734789999			EE	W	DEU	8483.4051.90
SK075S-MF1-10-1E1/F88M-1M75030	Wittenstein gearbox, model SK075S-MF1, ratio 10, option code -1E1-1K with sealing plate 20042472, for motor F88M-1M75030*	2.423,00	701335	4549734789905			EE	W	DEU	8483.4051.90
SK075S-MF1-10-1E1/F88M-K75030H	Wittenstein gearbox, model SK075S-MF1, ratio 10, option code -1E1, for motor F88M-K75030H/T1	2.380,00	676827	4549734914406			EE	W	DEU	8483.4051.90
SK180S-MF2-35-0K1/1M2K020	Wittenstein gearbox, model SK180S-MF2, ratio 35, option code -0K1, for motor 1M2K020*	6.575,00	693885	4549734993074			EE	W	DEU	8483.4051.90
SK180S-MF2-50-0K1/1M1K520	Wittenstein gearbox, model SK180S-MF2, ratio 50, option code -0K1, for motor 1M1K520*	6.575,00	693884	4549734993067			EE	W	DEU	8483.4051.90
SP060F-MF1-4-1E1-2S/1M75030	Wittenstein gearbox, model SP060F-MF1, ratio 4, option code -1E1-2S, for motor F88M-1M75030*	1.169,00	696200	4549734999519			EE	W	DEU	8483.4051.90
SP060S-MF1-10-0E0/F88M-1M60020	Wittenstein gearbox, model SP060S-MF1, ratio 10, reduced backlash, option code -0E0, for motor F88M-1M60020*	1.252,00	699187	4549734891998			EE	W	DEU	8483.4051.90
SP060S-MF1-10-1C0/F88M-1M40030	Wittenstein gearbox, model SP060S-MF1, ratio 10, reduced backlash, option code -1C0, for motor F88M-1M40030*	1.391,00	689573	4549734978170			EE	W	DEU	8483.4051.90
SP060S-MF1-3-0C1/F88M-1M20030	Wittenstein gearbox, model SP060S-MF1, ratio 3, option code -0C1, for motor F88M-1M20030*	1.252,00	694018	4549734993883			EE	W	DEU	8483.4051.90
SP060S-MF1-7-1C1	Wittenstein gearbox, model SP060F-MF1, ratio 7, option code -1C1	1.252,00	352900	4547648897693			EE	W	DEU	8483.4051.90
SP060S-MF1-7-1C1/F88M-K40030	Wittenstein gearbox, model SP060S-MF1, ratio 7, option code -1C1, for motor F88M-K40030*	1.252,00	677459	4549734918794			EE	W	DEU	8483.4051.90
SP060S-MF2-100-1C1/F88M-1M40030	Wittenstein gearbox, model SP060S-MF2, ratio 100, option code -1C1, for motor F88M-1M40030*	1.629,00	701343	4549734789974			EE	W	DEU	8483.4051.90
SP060S-MF2-40-1C1/F88M-1M40030	Wittenstein gearbox, model SP060S-MF2, ratio 40, option code -1C1, for motor F88M-1M40030*	1.629,00	684524	4549734958028			EE	W	DEU	8483.4051.90
SP060S-MF2-50-1B1/F88M-1M20030	Wittenstein gearbox, model SP060S-MF2, ratio 50, option code -1B1, for motor F88M-1M20030*	1.629,00	690959	4549734941815			EE	W	DEU	8483.4051.90
SP060S-MF2-50-1B1/F88M-K20030	Wittenstein gearbox, model SP060S-MF2, ratio 50, option code -1B1, for motor F88M-K20030*	1.629,00	690916	4549734984621			EE	W	DEU	8483.4051.90
SP060W-MF1-3-1E1/F88M-1L75030	Wittenstein gearbox, model SP060W-MF1, ratio 3, option code -1E1, for motor F88M-1L75030*	1.565,00	690370	4549734981637			EE	W	DEU	8483.4051.90
SP075S-MF1-10-1E0/F88M-1L1K530	Wittenstein gearbox, model SP075S-MF1, ratio 10, reduced backlash, option code -1E0, for motor F88M-1L1K530*	1.342,00	701179	4549734897099			EE	W	DEU	8483.4051.90
SP075S-MF1-10-4E1-2S/K75030H	Wittenstein gearbox, model SP075S-MF1, ratio 10, option code -4E1-2S, for motor F88M-K75030H/T1	1.175,00	696148	4549734999366			EE	W	DEU	8483.4051.90
SP075S-MF1-3-1G1/SGMSV-25DDA61	Wittenstein gearbox, model SP075S-MF1, ratio 3, option code -1G1, for motor SGMSV-25DDA61	1.323,00	695156	4548583951501			EE	W	DEU	8483.4051.90
SP075S-MF1-7-1G1-2S/1M1K520	Wittenstein gearbox, model SP075S-MF1, ratio 7, option code -1G1-2S, for motor 1M1K520*	1.323,00	690528	4549734982405			EE	W	DEU	8483.4051.90
SP075S-MF2-25-1C1/F88M-G40030H	Wittenstein gearbox, model SP075S-MF2, ratio 25, option code -1C1, for motor F88M-G40030*	1.719,00	399512	4547648990752			EE	W	DEU	8483.4051.90
SP075S-MF2-40-0E0/SGMAH-08	Wittenstein gearbox, model SP075S-MF2, ratio 40, reduced backlash, option code -0E0, for motor SGMAH-08*	1.885,00	695950	4549734998925			EE	W	DEU	8483.4051.90
SP100S-MC1-3-5K1-2K/1M4K015	Wittenstein gearbox, model SP100S-MC1, high speed, ratio 3, option code -5K1-2K, for motor F88M-1M4K015*	1.525,00	691074	4549734985475			EE	W	DEU	8483.4051.90
SP100S-MC1-5-5G1-2K/1M3K020	Wittenstein gearbox, model SP100S-MC1, high speed, ratio 5, option code -5G1-2K, for motor F88M-1M3K020*	1.525,00	691075	4549734985482			EE	W	DEU	8483.4051.90
SP100S-MC2-50-1E1-2K/K40030	Wittenstein gearbox, model SP100S-MC2, ratio 50, option code -1E1-2K, for motor K40030*	2.289,00	699048	4549734891585			EE	W	DEU	8483.4051.90
SP100S-MF1-5-5K0S/F88M-1M4K015	Wittenstein gearbox, model SP100S-MF1, ratio 5, reduced backlash, option code -5K0-2S, for motor F88M-1M4K015*	1.753,00	701970	4549734791113			EE	W	DEU	8483.4051.90
SP100S-MF1-7-0G1/F88M-K5K030	Wittenstein gearbox, model SP100S-MF1, ratio 7, option code -0G1, for motor F88M-K5K030*	1.530,00	688702	4549734973984			EE	W	DEU	8483.4051.90
SP100S-MF2-20-0E1/F88M-1L1K530	Wittenstein gearbox, model SP100S-MF2, ratio 20, option code -0E1, for motor F88M-1L1K530*	1.990,00	701361	4549734790741			EE	W	DEU	8483.4051.90
SP100S-MF2-25-0G1/F88M-1L1K530	Wittenstein gearbox, model SP100S-MF2, ratio 25, option code -0G1, for motor F88M-1L1K530*	1.990,00	701355	4549734790086			EE	W	DEU	8483.4051.90
SP100S-MF2-28-1N0/F88M-1L3K030	Wittenstein gearbox, model SP100S-MF2, ratio 28, reduced backlash, option code -1N0, for motor F88M-1L3K030*	2.185,00	701178	4549734897084			EE	W	DEU	8483.4051.90
SP100W-MF2-16-1E1/F88M-1L75030	Wittenstein gearbox, model SP100W-MF2, ratio 16, option code -1E1, for motor F88M-1L75030*	2.488,00	690371	4549734981642			EE	W	DEU	8483.4051.90
SP100W-MF2-20-1G1/SGMSV-20D	Wittenstein gearbox, model SP100W-MF2, ratio 20, option code -1G1-2S, for motor SGMSV-20D*	2.488,00	701430	4549734790536			EE	W	DEU	8483.4051.90
SP140L-MC1-3-1M0-2K/1M7K515	Wittenstein gearbox, model SP140L-MC1, ratio 3, reduced backlash, option code -1M0-2K, for motor 1M7K515*	2.422,00	702125	4549734791687			EE	W	DEU	8483.4051.90
SP140S-MF1-10-1K1/F88M-1M1K520	Wittenstein gearbox, model SP140S-MF1, ratio 10, option code -1K1, for motor F88M-1M1K520*	2.058,00	679240	4549734930673			EE	W	DEU	8483.4051.90
SP140S-MF1-10-1M1/F88M-K7K515	Wittenstein gearbox, model SP140S-MF1, ratio 10, option code -1M1, for motor F88M-K7K515*	2.058,00	679581	4549734933407			EE	W	DEU	8483.4051.90
SP140S-MF1-3-0K1/F88M-KH3K010	Wittenstein gearbox, model SP140S-MF1, ratio 3, option code -0K1, for motor F88M-KH3K010*	2.058,00	677952	4549734922036			EE	W	DEU	8483.4051.90
SP140S-MF1-5-1G1/F88M-K2K020	Wittenstein gearbox, model SP140S-MF1, ratio 5, option code -1G1, for motor F88M-K2K020*	2.058,00	694923	4549734995177			EE	W	DEU	8483.4051.90
SP140S-MF1-7-0K1/F88M-K5K020	Wittenstein gearbox, model SP140S-MF1, ratio 7, option code -0K1, for motor F88M-K5K020*	2.058,00	690279	4549734980821			EE	W	DEU	8483.4051.90
SP140S-MF1-7-1G1/F88M-K5K030	Wittenstein gearbox, model SP140S-MF1, ratio 7, option code -1G1, for motor F88M-K5K030*	2.058,00	682171	4549734946865			EE	W	DEU	8483.4051.90
SP140S-MF1-7-1K1/F88M-K2K010F	Wittenstein gearbox, model SP140S-MF1, ratio 7, option code -1K0, for motor F88M-K2K010*	2.058,00	672831	4548583983588			EE	W	DEU	8483.4051.90
SP140S-MF1-7-1K1/F88M-K4K020	Wittenstein gearbox, model SP140S-MF1, ratio 7, option code -1K1, for motor F88M-K4K020*	2.058,00	696362	4549734889667			EE	W	DEU	8483.4051.90
SP140S-MF2-100-1G1/F88M-1M1K520	Wittenstein gearbox, model SP140S-MF2, ratio 100, option code -1G1, for motor F88M-1M1K520*	2.676,00	678763	4549734928175			EE	W	DEU	8483.4051.90
SP140S-MF2-16-0K12S/KH3K020	Wittenstein gearbox, model SP140S-MF2, ratio 16, option code -0K12S, for motor KH3K020*	2.676,00	688918	4549734975322			EE	W	DEU	8483.4051.90
SP140S-MF2-16-0K1-2S/KH3K020	Wittenstein gearbox, model SP140S-MF2, ratio 16, option code -0K1-2S, for motor KH3K020*	2.676,00	688841	4549734974967			EE	W	DEU	8483.4051.90
SP140S-MF2-16-1G1/F88M-K5K030	Wittenstein gearbox, model SP140S-MF2, ratio 16, option code -1G1, for motor F88M-K5K030*	2.676,00	699480	4549734892551			EE	W	DEU	8483.4051.90
SP140S-MF2-16-1K1/F88M-K5K020	Wittenstein gearbox, model SP140S-MF2, ratio 16, option code -1K1, for motor F88M-K5K020*	2.676,00	702015	4549734791373			EE	W	DEU	8483.4051.90
SP140S-MF2-20-1K1/F88M-K5K030	Wittenstein gearbox, model SP140S-MF2, ratio 20, option code -1K1, for motor F88M-K5K030*	2.676,00	680559	4549734939928			EE	W	DEU	8483.4051.90
SP180S-MF2-16-1K1/F88M-K4K020	Wittenstein gearbox, model SP180S-MF2, ratio 16, option code -1K1, for motor F88M-K4K020*	3.653,00	696361	4549734889650			EE	W	DEU	8483.4051.90
SP180S-MF2-16-1K1/F88M-K5K020	Wittenstein gearbox, model SP180S-MF2, ratio 16, option code -1K1, for motor F88M-K5K020*	3.653,00	696424	4549734899014			EE	W	DEU	8483.4051.90
SP180S-MF2-25-1G1/F88M-K3K020F	Wittenstein gearbox, model SP180S-MF2, ratio 25, option code -1G1, for motor F88M-K3K020*	3.653,00	672806	4548583983335			EE	W	DEU	8483.4051.90
SP180S-MF2-28-1G1/F88M-1M3K020	Wittenstein gearbox, model SP180S-MF2, ratio 28, option code -1G1, for motor F88M-1M3K020*	3.653,00	699689	4549734893534			EE	W	DEU	8483.4051.90
SP180S-MF2-50-1G1/F88M-1L3K030	Wittenstein gearbox, model SP180S-MF2, ratio 50, option code -1G1, for motor F88M-1L3K030*	3.653,00	699910	4549734893640			EE	W	DEU	8483.4051.90
SP180S-MF2-50-1K1/F88M-1M4K015	Wittenstein gearbox, model SP180S-MF2, ratio 50, option code -1K1, for motor F88M-1M4K015*	3.653,00	691240	4549734986052			EE	W	DEU	8483.4051.90
SP210S-MF1-4-1N1/F88M-K11K015	Wittenstein gearbox, model SP210S-MF1, ratio 4, option code -1N1, for motor F88M-K11K015*	5.285,00	675354	4549734991635			EE	W	DEU	8483.4051.90
SP240S-MF2-70-3M0/F88M-K5K030	Wittenstein gearbox, model SP240S-MF2, ratio 70, reduced backlash, option code -3M0, for motor F88M-K5K030*	9.945,00	685656	4549734964241			EE	W	DEU	8483.4051.90
SPC075S-MF2-8-1E1/K75030H	Wittenstein gearbox, model SPC075S-MF2, ratio 8, option code -1E1-1K for motor K75030H/T1	3.103,00	685622	4549734964173			EE	W	DEU	8483.4051.90
SPC075S-MF2-8-1E1-1K01/ECT0230	Wittenstein gearbox, model SPC075S-MF2, ratio 8, option code -1E1-1K01, for motor F88E-AECT0230*	3.103,00	690177	4549734980180			EE	W	DEU	8483.4051.90
SPK075S-MF3-125-1B1/1M20030	Wittenstein gearbox, model SPK075S-MF3, ratio 125, option code -1B1, for motor F88M-1M20030*	3.573,00	696353	4549734889582			EE	W	DEU	8483.4051.90
SPK100S-MF2-20-1H1/1L3K030	Wittenstein gearbox, model SPK100S-MF2, ratio 20, option code -1H1, for motor F88M-1L3K030*	3.597,00	701281	4549734789516			EE	W	DEU	8483.4051.90
SPK180S-MF2-100-0K1-1K/1M1K520	Wittenstein gearbox, model SPK180S-MF2, ratio 100, option code -0K1-1K for motor 1M1K520*	6.605,00	693886	4549734993081			EE	W	DEU	8483.4051.90
SPK180S-MF2-16-1K1/F88M-K4K020	Wittenstein gearbox, model SPK180S-MF2, ratio 16, option code -1K1, for motor F88M-K4K020*	6.605,00	690690	4549734983198			EE	W	DEU	8483.4051.90
SPK180S-MF2-40-1G1/F88M-1L5K03	Wittenstein gearbox, model SPK180S-MF2, ratio 40, option code -1G1, for motor F88M-1L5K03*									

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Daheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
TP050S-MF2-100-0E1-2S/1M40030	Wittenstein gearbox, model TP050S-MF2, ratio 100, option code -0E1-2S, for motor 1M40030*	3.480,00	690865	4549734984447			EB	W	DEU	8483.4051.90
TP110S-MF2-16-0M1/F88M-K7K515	Wittenstein gearbox, model TP110S-MF2, ratio 16, option code -0M1, for motor F88M-K7K515*	4.747,00	683363	4549734951173			EB	W	DEU	8483.4051.90
TP500S-MF2-100-0M1/F88M-K5K030	Wittenstein gearbox, model TP500S-MF2, ratio 100, option code -0M1, for motor F88M-K5K030*	11.760,00	685657	4549734964258			EB	W	DEU	8483.4051.90
TP300S-MF2-70-0M1/1K/1M5K515	Wittenstein gearbox, model TP300S-MF2, ratio 70, option code -0M1-1K, for motor 1M5K515*	13.210,00	692810	4549734989656			EB	W	DEU	8483.4051.90
TPK500S-MA4-5775-0K1/1L3K030	Wittenstein gearbox, model TPK500S-MA4, ratio 5775, option code -0K1, for motor F88M-1L3K030*	23.300,00	701449	4549734790673			EB	W	DEU	8483.4051.90
VH080S-MF2-200-1G01S0E/1M3K020	Wittenstein gearbox, model VH080S-MF2, ratio 200, reduced backlash, option code -1G0-1S-0E, for motor F88M-1M3K020*; Adapter no.: 20028998	4.399,00	684527	4549734958059			EB	W	DEU	8483.4051.90
VH080S-MF2-400-1G1-0C/1L1K030	Wittenstein gearbox, model VH080S-MF2, ratio 400, option code -1G1-0C, for motor F88M-1L1K030*	3.999,00	679084	4549734929240			EB	W	DEU	8483.4051.90
VH100S-MF1-28-1M1-1K-0C/K7K515	Wittenstein gearbox, model VH-100S-MF1, ratio 28, option code -1M1-1K-0C, for motor F88M-K7K515*	4.589,00	680404	4549734938792			EB	W	DEU	8483.4051.90
VH100S-MF2-20-6K1-0G0/1M4K015	Wittenstein gearbox, model VH100S-MF2, ratio 20, option code -6K1-0G0, for motor F88M-1M4K015*	5.740,00	700691	4549734894913			EB	W	DEU	8483.4051.90
VT050S-MF1-4-5E1-1KAC/K1K030	Wittenstein gearbox, model VT050S-MF1, ratio 4, option code -5E1-1KAC, for motor F88M-K1K030*	2.340,00	680216	4549734937412			EB	W	DEU	8483.4051.90
VT080S-MF1-10-5K1-1KAF/K5K030	Wittenstein gearbox, model VT080S-MF1, ratio 10, option code -5K1-1KAF, for motor K5K030*	3.999,00	693120	4549734988940			EB	W	DEU	8483.4051.90
XP040S-MF2-20-0K1/F88M-1M4K015	Wittenstein gearbox, model XP040S-MF2, ratio 20, option code -0K1, for motor F88M-1M4K015*	3.746,00	700690	4549734894906			EB	W	DEU	8483.4051.90
<b>Other Servo</b>										
R7M-A10030-SI	Smart Step AC servo motor (cylinder type), non-IP67 connectors, 100W, 3000PPM, 0.318Nm	272,60	323365				EB	X	JPN	9032.8900.90
300-026-738	Sigma5 drive motor connector	34,59	372456	454764884104			EB	X	JPN	8536.9010.00
<b>Special Servo</b>										
<b>Accessory for Servo</b>										
R7A-CP2001S	Junma series Control cable, non-IP67 connectors, 1 m (JZSP-CH003-01)	58,00	231783	4547648292269			EB	Z	CHN	8544.4290.90
F88A-CPU002-S	Smart Step series servo control cable, 2 m	164,60	244353	4547648401982			EB	Z	CHN	8544.4290.90
JZSP-CHP800-01-5E	Junma series encoder cable, non-IP67 connectors, flexible type, 1.5m	133,80	231451	4536853906641			EB	Z	ITA	8544.4290.90
JZSP-CHP800-03-E	Junma series encoder cable, non-IP67 connectors, flexible type, 3m	138,50	231452	4536853906658			EB	Z	ITA	8544.4290.90
JZSP-CHP800-03-ME	Encoder cable 3 m	196,90	247405	4547648856133			EB	Z	ITA	8544.4290.90
JZSP-CHP800-05	Junma series encoder cable, non-IP67 connectors, flexible type, 5m	191,50	224274	4536853903145			EB	Z	JPN	8544.4290.90
JZSP-CHP800-05-E	Junma series encoder cable, non-IP67 connectors, flexible type, 5m	155,30	231453	4536853906665			EB	Z	ITA	8544.4290.90
JZSP-CHP800-05-ME	Encoder cable 5m	210,20	247406	4547648856140			EB	Z	ITA	8544.4290.90
JZSP-CHP800-10-E	Junma series encoder cable, non-IP67 connectors, flexible type, 10m	183,40	231454	4536853906672			EB	Z	ITA	8544.4290.90
JZSP-CHP800-10-ME	Encoder cable 10 m	197,60	247407	4547648856157			EB	Z	ITA	8544.4290.90
JZSP-CHP800-15-E	Junma series encoder cable, non-IP67 connectors, flexible type, 15m	215,30	231455	4536853906689			EB	Z	ITA	8544.4290.90
JZSP-CHP800-15-ME	Encoder cable 15m	222,90	247408	4547648856164			EB	Z	ITA	8544.4290.90
JZSP-CHP800-20-E	Junma series encoder cable, non-IP67 connectors, flexible type, 20m	247,60	231456	4536853906696			EB	Z	ITA	8544.4290.90
JZSP-CLL00-03-E	Extension cable for Renishaw Linear Encoders	311,70	171453	4536853878702			EB	Z	DEU	8544.4290.90
JZSP-CLL10-01-E	Extension cable for Hall Sensor	246,10	171457	4536853878740			EB	Z	DEU	8544.4290.90
JZSP-CLL10-03-E	Extension cable for Hall Sensor	403,70	171458	4536853878757			EB	Z	DEU	8544.4290.90
JZSP-CLP70-03-E-G5	CN2 to Serial Converter Cable for SGLGW, SGLFW, and SGLTW Linear Motors	147,20	691194	4549734985895			EB	Z	POL	8544.4290.90
JZSP-CLP70-05-E-G5	CN2 to Serial Converter Cable for SGLGW, SGLFW, and SGLTW Linear Motors	185,00	691196	4549734985918			EB	Z	POL	8544.4290.90
JZSP-CLP70-10-E-G5	CN2 to Serial Converter Cable for SGLGW, SGLFW, and SGLTW Linear Motors	279,30	691195	4549734985901			EB	Z	POL	8544.4290.90
JZSP-CLP70-15-E-G5	CN2 to Serial Converter Cable for SGLGW, SGLFW, and SGLTW Linear Motors	376,30	691193	4549734985888			EB	Z	POL	8544.4290.90
JZSP-CSP01-10-E	Sigma V 10m encoder cable incremental, (20metres or less)	187,80	245773	4547648854719			EB	Z	JPN	8544.4999.00
JZSP-CSP07-20-E	Standard Absolute Encoder Anqled Connector cable (20m) for SGMVV, Large capacity Sigma-5	679,00	667316	4548853955097			EB	Z	JPN	8544.4290.90
JZSP-CSP12-E	Sigma V 0.3m absolute encoder cable extension with a battery case (still require F88A-CFWx0@C-DE)	316,60	249335	4547648857536			EB	Z	JPN	8544.4290.90
JZSP-CSP21-01-5E-E	Sigma V 1.5 m incremental encoder cable	116,10	340757	4547648886178			EB	Z	ITA	8544.4290.90
JZSP-CSP21-03-E-E	Sigma V 3m incremental encoder cable	110,10	340758	4547648886185			EB	Z	ITA	8544.4290.90
JZSP-CSP21-05-E-E	Sigma V 5m incremental encoder cable	166,90	334080	4547648884310			EB	Z	ITA	8544.4999.00
JZSP-CSP21-10-E-E	Sigma V 10m incremental encoder cable	157,70	340759	4547648886192			EB	Z	ITA	8544.4290.90
JZSP-CSP21-20-E-E	Sigma V 20 m incremental encoder cable	217,90	340761	4547648886215			EB	Z	ITA	8544.4290.90
JZSP-CV020-A4-E	Sigma5 Control Power Cable 24VDC with connectors, length 0.4m	38,19	413712	4547648996884			EB	Z	JPN	8544.4290.90
JZSP-CV02-A4-E	V O connection cable with connectors for Sigma5, 0.4 m	340,10	413713	4547648996891			EB	Z	JPN	8544.4290.90
JZSP-CV12-03-E-E	Sigma V 3 m encoder cable incremental for SGM/GV/SV	194,30	340763	4547648886239			EB	Z	ITA	8544.4290.90
JZSP-CV12-05-E-E	Sigma V 5m encoder cable incremental for SGM/GV/SV	242,00	340764	4547648886246			EB	Z	ITA	8544.4290.90
JZSP-CV12-10-E-E	Sigma V 10m encoder cable incremental for SGM/GV/SV	281,50	340765	4547648886253			EB	Z	ITA	8544.4290.90
JZSP-CV12-15-E-E	Sigma V 15m encoder cable incremental for SGM/GV/SV	321,00	340766	4547648886260			EB	Z	ITA	8544.4290.90
JZSP-CV12-20-E-E	Sigma V 20m encoder cable incremental for SGM/GV/SV	362,00	340767	4547648886277			EB	Z	ITA	8544.4290.90
JZSP-CV12-05-G5	Encoder cable for abs encoder, flexible with connector, 5m, L-shaped plug, for SGM/GV	421,40	392417	4547648980111			EB	Z	DEU	8544.4290.90
JZSP-CV12-20-E-G5	Encoder cable for abs encoder, flexible with connector, 20m, L-shaped plug, for SGM/GV	625,50	392419	4547648980135			EB	Z	DEU	8544.4290.90
R7A-CRA003F-DE	Smart Step high-flex encoder cable (use with F88A-CAWA****-DE motor cable), IP67 connector, 3m	167,50	175760	4536853883981			EB	Z	DEU	8544.4999.00
R7A-CRA005F-DE	Smart Step high-flex encoder cable (use with F88A-CAWA****-DE motor cable), IP67 connector, 5m	167,50	175761	4536853883988			EB	Z	DEU	8544.4999.00
R7A-CRA005-FE	Smart Step high-flex encoder cable (use with R7A-CAA****-FE motor cable), non-IP67 connector, 5m	251,60	175778	4536853884062			EB	Z	DEU	8544.4999.00
R7A-CRA015F-DE	Smart Step high-flex encoder cable (use with F88A-CAWA****-DE motor cable), IP67 connector, 15m	306,90	175763	4536853883911			EB	Z	DEU	8544.4999.00
R7A-CRA020F-DE	Smart Step high-flex encoder cable (use with F88A-CAWA****-DE motor cable), IP67 connector, 20m	348,60	175764	4536853883928			EB	Z	DEU	8544.4999.00
F88A-CFA0003CR-E	Extension cable from linear encoder to serial converter, 3m	148,10	354077	4547648903530			EB	Z	ITA	8544.4290.90
F88A-CFA0005CR-E	Extension cable from linear encoder to serial converter, 5m	162,00	354078	4547648903547			EB	Z	ITA	8544.4290.90
F88A-CFA0010CR-E	Extension cable from linear encoder to serial converter, 10m	267,10	354079	4547648903554			EB	Z	ITA	8544.4290.90
F88A-CFB0005CR-E	Extension cable from Hall and Temperature sensors to Serial Converter, 5m	155,30	354073	4547648903493			EB	Z	ITA	8544.4290.90
F88A-CFB010CR-E	Extension cable from Hall and Temperature sensors to Serial Converter, 10m	148,10	354074	4547648903509			EB	Z	ITA	8544.4290.90
F88A-CFC0005CR-E	Extension cable 5m from Renishaw linear encoder to serial converter	138,50	374761	4547648955942			EB	Z	ITA	8544.4290.90
F88A-CRGA001-5CR-E	G-Series servo encoder cable, 1.5 m, absolute encoder type, 50 to 750 W	99,85	294075	4547648867917			EB	Z	ITA	8544.4290.90
F88A-CRGA003CR-E	G-Series servo encoder cable, 3 m, absolute encoder type, 50 to 750 W	112,80	294076	4547648867924			EB	Z	ITA	8544.4290.90
F88A-CRGA005CR-E	G-Series servo encoder cable, 5 m, absolute encoder type, 50 to 750 W	126,70	294077	4547648867931			EB	Z	ITA	8544.4290.90
F88A-CRGA010CR-E	G-Series servo encoder cable, 10 m, absolute encoder type, 50 to 750 W	159,00	294078	4547648867948			EB	Z	ITA	8544.4290.90

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Daheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
F8BA-CRGA015CR-E	G-Series servo encoder cable, 15 m, absolute encoder type, 50 to 750 W	194.00	294079	4547648867955			EB	Z	ITA	8544.4290.90
F8BA-CRGA020CR-E	G-Series servo encoder cable, 20 m, absolute encoder type, 50 to 750 W	229.30	294080	4547648867962			EB	Z	ITA	8544.4290.90
F8BA-CRGA015CR-E	Servo encoder cable, 1.5 m, incremental encoder type, 50 to 750 W	89.80	281397	4547648865593			EB	Z	ITA	8544.4290.90
F8BA-CRGA020CR-E	Servo encoder cable, 5 m, incremental encoder type, 50 to 750 W	100.50	281398	4547648865609	#		EB	Z	ITA	8544.4290.90
F8BA-CRGA005CR-E	Servo encoder cable, 3 m, incremental encoder type, 50 to 750 W	114.70	281399	4547648865616	#		EB	Z	ITA	8544.4290.90
F8BA-CRGA010CR-E	Servo encoder cable, 10 m, incremental encoder type, 50 to 750 W	150.60	281400	4547648865623	#		EB	Z	ITA	8544.4290.90
F8BA-CRGA015CR-E	Servo encoder cable, 15 m, incremental encoder type, 50 to 750 W	186.10	281401	4547648865630	#		EB	Z	ITA	8544.4290.90
F8BA-CRGA020CR-E	Servo encoder cable, 20 m, incremental encoder type, 50 to 750 W	222.00	281402	4547648865647	#		EB	Z	ITA	8544.4290.90
F8BA-CRGA003NR-E	Servo encoder cable, 3m, absolute encoder type, 900 W-1.5 kW	219.10	301750	4547648870207	#		EB	Z	ITA	8544.4290.90
F8BA-CRGA005NR-E	Servo encoder cable, 5m, absolute encoder type, 900 W-1.5 kW	233.50	301751	4547648870214	#		EB	Z	ITA	8544.4290.90
F8BA-CRGA010NR-E	Servo encoder cable, 10m, absolute encoder type, 900 W-1.5 kW	270.00	301752	4547648870221	#		EB	Z	ITA	8544.4290.90
F8BA-CRGA015NR-E	Servo encoder cable, 15m, absolute encoder type, 900 W-1.5 kW	308.00	301753	4547648870238	#		EB	Z	ITA	8544.4290.90
F8BA-CRKA0015CR-E	G5 series servo encoder cable, 1.5 m, 50 to 750 W	95.15	298261	4547648868419	#		EB	Z	ITA	8544.4290.90
F8BA-CRKA003CR-E	G5 series servo encoder cable, 3 m, 50 to 750 W	105.60	298262	4547648868426	#		EB	Z	ITA	8544.4290.90
F8BA-CRKA005CR-E	G5 series servo encoder cable, 5 m, 50 to 750 W	120.00	301748	4547648870184	#		EB	Z	ITA	8544.4290.90
F8BA-CRKA010CR-E	G5 series servo encoder cable, 10 m, 50 to 750 W	155.30	298264	4547648868440	#		EB	Z	ITA	8544.4290.90
F8BA-CRKA015CR-E	G5 series servo encoder cable, 15 m, 50 to 750 W	191.10	298265	4547648868457	#		EB	Z	ITA	8544.4290.90
F8BA-CRKA020CR-E	G5 series servo encoder cable, 20 m, 50 to 750 W	226.40	298266	4547648868464	#		EB	Z	ITA	8544.4290.90
F8BA-CRKA030CR-E	G5 series servo encoder cable, 30 m, 50 to 750 W	368.50	347145	4547648889612	#		EB	Z	ITA	8544.4290.90
F8BA-CRKA0015NR-E	G5 series servo encoder cable, 1.5 m, 200 V: 1 to 1.5 kW, 400 V: 400 W to 5 kW	119.40	301010	4547648889553	#		EB	Z	ITA	8544.4290.90
F8BA-CRKA003NR-E	G5 series servo encoder cable, 3 m, 200 V: 1 to 1.5 kW, 400 V: 400 W to 5 kW	130.00	301011	4547648889560	#		EB	Z	ITA	8544.4290.90
F8BA-CRKA005NR-E	G5 series servo encoder cable, 5 m, 200 V: 1 to 1.5 kW, 400 V: 400 W to 5 kW	144.70	298269	4547648889495	#		EB	Z	ITA	8544.4290.90
F8BA-CRKA010NR-E	G5 series servo encoder cable, 10 m, 200 V: 1 to 1.5 kW, 400 V: 400 W to 5 kW	180.10	298270	4547648889501	#		EB	Z	ITA	8544.4290.90
F8BA-CRKA015NR-E	G5 series servo encoder cable, 15 m, 200 V: 1 to 1.5 kW, 400 V: 400 W to 5 kW	215.60	298271	4547648889518	#		EB	Z	ITA	8544.4290.90
F8BA-CRKA020NR-E	G5 series servo encoder cable, 20 m, 200 V: 1 to 1.5 kW, 400 V: 400 W to 5 kW	251.50	298272	4547648889525	#		EB	Z	ITA	8544.4290.90
F8BA-CRKA030NR-E	G5 series servo encoder cable, 30 m, 200 V: 1 to 1.5 kW, 400 V: 400 W to 5 kW	362.00	341857	4547648887090	#		EB	Z	ITA	8544.4290.90
F8BA-CRKA005NR-E	G5 series servo encoder cable, 50 m, 200 V: 1 to 1.5 kW, 400 V: 400 W to 5 kW	557.00	347149	4547648889650	#		EB	Z	ITA	8544.4290.90
F8BA-CRKM005SP-E	Accurax G5 external encoder cable for CN4, 5m	148.60	349416	4547648891875	#		EB	Z	ITA	8544.4290.90
F8BA-CRKM010SP-E	Accurax G5 external encoder cable for CN4, 10m	192.50	349417	4547648891882	#		EB	Z	ITA	8501.4020.80
F8BA-CRKM020SP-E	Accurax G5 external encoder cable for CN4, 20m	280.20	349418	4547648891899	#		EB	Z	ITA	8501.4020.80
F8BA-CRKN0015CR-E	Accurax G5 linear drive to serial converter cable, 1.5m	217.60	354065	4547648903417	#		EB	Z	ITA	8544.4290.90
F8BA-CRKN003CR-E	Accurax G5 linear drive to serial converter cable 3m	166.40	354066	4547648903424	#		EB	Z	ITA	8544.4290.90
F8BA-CRKN005CR-E	Accurax G5 linear drive to serial converter cable, 5m	185.20	354067	4547648903431	#		EB	Z	ITA	8544.4290.90
F8BA-CRKN010CR-E	Accurax G5 linear drive to serial converter cable 10m	289.40	354068	4547648903448	#		EB	Z	ITA	8544.4290.90
F8BA-CRKN015CR-E	Accurax G5 linear drive to serial converter cable 15m	299.90	354069	4547648903455	#		EB	Z	ITA	8544.4290.90
F8BA-CRKN020CR-E	Accurax G5 linear drive to serial converter cable 20m	358.60	354070	4547648903462	#		EB	Z	ITA	8544.4290.90
F8BA-CRMA003C-DE	servo encoder cable, 3m (equivalent to DP9325256-3G)	167.50	139213	4536853863616	#		EB	Z	DEU	8544.4290.90
F8BA-CRMA005C-DE	servo encoder cable, 5m (equivalent to DP9325256-5G)	199.70	139214	4536853863630	#		EB	Z	DEU	8544.4290.90
F8BA-CRMA010C-DE	servo encoder cable, 10m (equivalent to DP9325256-10G)	237.80	139215	4536853863654	#		EB	Z	DEU	8544.4290.90
F8BA-CRMA015C-DE	servo encoder cable, 15m (equivalent to DP9325256-15G)	298.50	139216	4536853863661	#		EB	Z	DEU	8544.4290.90
F8BA-CRMA020C-DE	servo encoder cable, 20m (equivalent to DP9325256-20G)	348.30	139217	4536853863685	#		EB	Z	DEU	8544.4290.90
F8BA-CRWB003N-E	Sigma II encoder cable for 415 V motors, 3m (straight connector, similar JZSP-CMP02-3G is right-angled)	227.60	155713	4536853861636	#		EB	Z	ITA	8544.4290.90
F8BA-CRWB005N-E	Sigma II encoder cable for 415 V motors, 5m (straight connector, similar JZSP-CMP02-5G is right-angled)	243.40	139427	4536853861643	#		EB	Z	ITA	8544.4290.90
F8BA-CRWB010N-E	Sigma II encoder cable for 415 V motors, 10m (straight connector, similar JZSP-CMP02-10G is right-angled)	281.50	157478	4536853861667	#		EB	Z	ITA	8544.4290.90
F8BA-CRWB015N-E	Sigma II encoder cable for 415 V motors, 15 m (straight connector, similar JZSP-CMP02-15G is right-angled)	321.00	139428	4536853861681	#		EB	Z	ITA	8544.4290.90
F8BA-CRWB020N-E	Sigma II encoder cable for 415 V motors, 20m (straight connector, similar JZSP-CMP02-20G is right-angled)	362.00	139429	4536853861704	#		EB	Z	ITA	8544.4290.90
F8BA-CRWB030N-E	Sigma II servo encoder cable, 30 m	563.50	232750	4536853909482	#		EB	Z	ITA	8544.4999.00
F8BA-CSK003S-E	Servo drive, accessory, safety cable, 3m, G5 (CN8) - open wires	69.35	413679	4547648996754	#		EB	Z	ITA	8544.4999.00
F8BL-EP-CB-0021-0033	Accurax linear motor axis spare part, encoder cable, drive side Intercontec connectors, actuator side d-sub 15pin male, cable length 3.3 m	428.30	695975	4549734999021	#		EB	Z	DEU	8544.4290.90
F8BL-EP-CB-0021-0054	Accurax linear motor axis spare part, encoder cable, drive side Intercontec connectors, actuator side D-sub 15-pin male, cable length 5.4 m	519.50	699552	4549734982957	#		EB	Z	DEU	8544.4290.90
XD-CRWB005-NE	XtraDrive to SGMGH/SGMSH/SGMLH motor encoder cable, 5m	174.30	163469	4536853874797	#		EB	Z	ITA	8529.9097.90
JZSP-CHM000-01-5E	Junma series power cable, non-IP67 connectors, flexible type, 1.5 m	85.80	231439	4536853906528	#		EB	Z	ITA	8544.4290.90
JZSP-CHM000-03-E	Junma series power cable, non-IP67 connectors, flexible type, 3 m	91.15	231440	4536853906535	#		EB	Z	ITA	8544.4290.90
JZSP-CHM000-05-E	Junma series power cable, non-IP67 connectors, flexible type, 5 m	107.20	231441	4536853906542	#		EB	Z	ITA	8544.4290.90
JZSP-CHM000-05-ME	Power cable with brake 5 m	142.70	247394	4547648856027	#		EB	Z	ITA	8544.4290.90
JZSP-CHM000-10-E	Junma series power cable, non-IP67 connectors, flexible type, 10 m	147.80	231442	4536853906559	#		EB	Z	ITA	8544.4290.90
JZSP-CHM000-15-E	Junma series power cable, non-IP67 connectors, flexible type, 15 m	188.40	231443	4536853906566	#		EB	Z	ITA	8544.4290.90
JZSP-CHM000-20-E	Junma series power cable, non-IP67 connectors, flexible type, 20 m	229.40	231444	4536853906573	#		EB	Z	ITA	8544.4290.90
JZSP-CHM030-05-E	Junma series power cable, non-IP67 connectors, flexible type, 5 m, braked motors	143.30	231447	4536853906603	#		EB	Z	ITA	8544.4290.90
JZSP-CHM030-10-E	Junma series power cable, non-IP67 connectors, flexible type, 10 m, braked motors	200.10	231448	4536853906610	#		EB	Z	ITA	8544.4290.90
JZSP-CHM030-10-ME	Power cable with brake 10 m	196.90	247401	4547648856096	#		EB	Z	ITA	8544.4290.90
JZSP-CHM030-15-ME	Power cable with brake 15 m	245.40	247402	4547648856102	#		EB	Z	ITA	8544.4290.90
JZSP-CSM22-03-E-E	Sigma 5 servo power cable, AV series, 3 m, mid power	132.90	340781	4547648886413	#		EB	Z	ITA	8544.4999.00
JZSP-CSM22-05-E-E	Sigma 5 servo power cable, AV series, 5 m, mid power	154.80	340782	4547648886420	#		EB	Z	ITA	8544.4999.00
JZSP-CSM22-10-E-E	Sigma 5 servo power cable, AV series, 10 m, mid power	148.10	340783	4547648886437	#		EB	Z	ITA	8544.4999.00
JZSP-CSM22-20-E-E	Sigma 5 servo power cable, AV series, 20 m, mid power	211.20	340785	4547648886451	#		EB	Z	ITA	8544.4999.00
JZSP-CSM23-03-E-E	Sigma 5 power cable, 800 W 3 m, 200 VAC	120.00	340793	4547648886536	#		EB	Z	ITA	8544.4999.00
JZSP-CSM23-05-E-E	Sigma 5 power cable, 800 W 5 m, 200 VAC	152.20	340794	4547648886543	#		EB	Z	ITA	8544.4999.00
JZSP-CSM23-10-E-E	Sigma 5 power cable, 800 W 10 m, 200 VAC	220.20	340795	4547648886550	#		EB	Z	ITA	8544.4999.00
JZSP-CSM23-15-E-E	Sigma 5 power cable, 800 W 15 m, 200 VAC	283.10	340796	4547648886567	#		EB	Z	ITA	8544.4999.00
JZSP-CSM31-10-E-E	Sigma V servo motor (with brake) cable, 10 m (for SGMJV-(A5/01)A@A@C-OY.SGMVA-(A5/01)C2IA@A@C-OY)	174.80	340777	4547648886376	#		EB	Z	ITA	8544.4999.00
JZSP-CVB12-03-E-E	Sigma 5 motor separate brake cable, 3 m	123.60	340817	4547648886772	#		EB	Z	ITA	8544.4999.00
JZSP-CVB12-05-E-E	Sigma 5 motor separate brake cable, 5 m	130.30	340818	4547648886789	#		EB	Z	ITA	8544.4999.00
JZSP-CVB12-10-E-E	Sigma 5 motor separate brake cable, 10 m	147.80	340819	4547648886796	#		EB	Z	ITA	8544.4999.00
JZSP-CVB12-15-E-E	Sigma 5 motor separate brake cable, 15 m	165.20	340820	4547648886802	#		EB	Z	ITA	8544.4999.00
JZSP-CVB12-20-E-E	Sigma 5 motor separate brake cable, 20 m	181.80	340821	4547648886819	#		EB	Z	ITA	8544.4999.00

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Daheet)	GTIN	Stock Qty.	Lot	Gr.	Fam	COO	Tariff Code
JZSP-CVMCA12-15-E-G6	Sigma S servo motor (with extra cable required) & without brake cable, 15m (for SGMGV-13/20/D@A@@OY, SGM5V-15/20/25/D@A@@OY)	730.50	367442	4547648940047			EE	Z	DEU	8544.4290.90
JZSP-CVMCA13-15-E-G6	Flexible Analed Connector CE05 Power cable (15 m) for SGMGV (2.9-4.4 kW)	567.00	378096	4547648965057			EE	Z	DEU	8544.4290.90
JZSP-CVM21-03-E-E	Sigma 5 power cable, GV series, for 400 VAC up to 500 W models, 3 m	178.90	340805	4547648866559			EE	Z	ITA	8544.4999.00
JZSP-CVM21-05-E-E	Sigma 5 power cable, GV series, for 400 VAC up to 500 W models, 5 m	188.30	340806	4547648866565			EE	Z	ITA	8544.4290.90
R7A-CAB01-5SR-E	Power cable for SmartStep 2 motor, 1.5 m	46.24	281391	4547648865531			EE	Z	ITA	8544.4999.00
R7A-CAB03SR-E	Power cable for SmartStep 2 motor, 3 m	52.70	281392	4547648865548			EE	Z	ITA	8544.4999.00
R7A-CAB05SR-E	SmartStep 2 power cable for 50 W to 400 W models, circular IP67 connectors, non braked, 5 m	110.10	377686	454764893251			EE	Z	ITA	8544.4999.00
R7A-CAB05SR-E	Power cable for SmartStep 2 motor, 5 m	60.30	281393	4547648865555			EE	Z	ITA	8544.4999.00
R7A-CAB10SR-E	Power cable for SmartStep 2 motor, 10 m	80.70	281394	4547648865562			EE	Z	ITA	8544.4999.00
R7A-CAB15SR-E	Power cable for SmartStep 2 motor, 15 m	100.50	281395	4547648865579			EE	Z	ITA	8544.4999.00
R7A-CAB20SR-E	Power cable for SmartStep 2 motor, 20 m	121.00	281396	4547648865586			EE	Z	ITA	8544.4999.00
R8BA-CAGA01-5BR-E	SmartStep 2/G-Series brake cable 1.5m, 50-750 W	42.23	281403	4547648865654			EE	Z	ITA	8544.4290.90
R8BA-CAGA01-5SR-E	SmartStep 2/G-Series power cable 1.5 m, 50-750 W	43.91	294069	4547648867856			EE	Z	ITA	8544.4999.00
R8BA-CAGA03BR-E	SmartStep 2/G-Series brake cable 3m, 50-750 W	46.87	281404	4547648865661			EE	Z	ITA	8544.4290.90
R8BA-CAGA03SR-E	SmartStep 2/G-Series power cable 3 m, 50-750 W	49.88	294070	4547648867863	#		EE	Z	ITA	8544.4999.00
R8BA-CAGA05BR-E	SmartStep 2/G-Series brake cable 5m, 50-750 W	53.30	281405	4547648865678	#		EE	Z	ITA	8544.4290.90
R8BA-CAGA05SR-E	SmartStep 2/G-Series power cable 5 m, 50-750 W	58.35	294071	4547648867870	#		EE	Z	ITA	8544.4999.00
R8BA-CAGA10BR-E	SmartStep 2/G-Series brake cable 10m, 50-750 W	68.75	281406	4547648865685	#		EE	Z	ITA	8544.4290.90
R8BA-CAGA10SR-E	SmartStep 2/G-Series power cable 10 m, 50-750 W	78.35	294072	4547648867887	#		EE	Z	ITA	8544.4999.00
R8BA-CAGA15BR-E	SmartStep 2/G-Series brake cable 15 m, 50-750 W	84.10	281407	4547648865692			EE	Z	ITA	8544.4290.90
R8BA-CAGA15SR-E	SmartStep 2/G-Series power cable 15 m, 50-750 W	98.45	294073	4547648867894			EE	Z	ITA	8544.4999.00
R8BA-CAGA20BR-E	SmartStep 2/G-Series brake cable 20m, 50-750 W	99.50	281408	4547648865708	#		EE	Z	ITA	8544.4290.90
R8BA-CAGA20SR-E	SmartStep 2/G-Series power cable 20 m, 50-750 W	118.40	294074	4547648867900			EE	Z	ITA	8544.4999.00
R8BA-CAGB001-5BR-E	Servo motor power cable, 1.5 m, with brake, 900 W-1.5 kW	131.60	294087	4547648869037			EE	Z	ITA	8544.4999.00
R8BA-CAGB001-5SR-E	Servo motor power cable, 1.5 m, w/o brake, 900 W-1.5 kW	119.00	294081	4547648867979			EE	Z	ITA	8544.4999.00
R8BA-CAGB003BR-E	Servo motor power cable, 3 m, with brake, 900 W-1.5 kW	151.90	294088	4547648868044			EE	Z	ITA	8544.4999.00
R8BA-CAGB003SR-E	Servo motor power cable, 3 m, w/o brake, 900 W-1.5 kW	136.90	294082	4547648867986	#		EE	Z	ITA	8544.4999.00
R8BA-CAGB005BR-E	Servo motor power cable, 5 m, with brake, 900 W-1.5 kW	179.00	294089	4547648868051			EE	Z	ITA	8544.4999.00
R8BA-CAGB005SR-E	Servo motor power cable, 5 m, w/o brake, 900 W-1.5 kW	160.70	294083	4547648867993	#		EE	Z	ITA	8544.4999.00
R8BA-CAGB10BR-E	Servo motor power cable, 10 m, with brake, 900 W-1.5 kW	247.60	294090	4547648868068			EE	Z	ITA	8544.4999.00
R8BA-CAGB10SR-E	Servo motor power cable, 10 m, w/o brake, 900 W-1.5 kW	219.70	294084	4547648868006	#		EE	Z	ITA	8544.4999.00
R8BA-CAGB15BR-E	Servo motor power cable, 15 m, with brake, 900 W-1.5 kW	315.50	294091	4547648868075			EE	Z	ITA	8544.4999.00
R8BA-CAGB15SR-E	Servo motor power cable, 15 m, w/o brake, 900 W-1.5 kW	278.50	294085	4547648868013	#		EE	Z	ITA	8544.4999.00
R8BA-CAGB20BR-E	Servo motor power cable, 20 m, with brake, 900 W-1.5 kW	405.70	294092	4547648868082			EE	Z	ITA	8544.4999.00
R8BA-CAGB20SR-E	Servo motor power cable, 20 m, w/o brake, 900 W-1.5 kW	338.60	294086	4547648868020	#		EE	Z	ITA	8544.4999.00
R8BA-CAGB30SR-E	Servo motor power cable, 30 m, w/o brake, 900W-1.5 kW	486.00	347177	4547648889933			EE	Z	ITA	8544.4999.00
R8BA-CAGB050SR-E	Servo motor power cable, 50 m, w/o brake, 900W-1.5 kW	831.00	347173	4547648889936			EE	Z	ITA	8544.4999.00
R8BA-CAGD001-5BR-E	G5 series servo motor power cable, 1.5 m, with brake, 3 to 5 kW	199.70	301012	4547648868577			EE	Z	ITA	8544.4999.00
R8BA-CAGD001-5SR-E	G5 series servo motor power cable, 1.5 m, w/o brake, 3 to 5 kW	130.30	298279	4547648868594			EE	Z	ITA	8544.4999.00
R8BA-CAGD003BR-E	G5 series servo motor power cable, 3 m, with brake, 3 to 5 kW	228.70	298292	4547648868723			EE	Z	ITA	8544.4999.00
R8BA-CAGD003SR-E	G5 series servo motor power cable, 3 m, w/o brake, 3 to 5 kW	149.40	298280	4547648869600	#		EE	Z	ITA	8544.4999.00
R8BA-CAGD005BR-E	G5 series servo motor power cable, 5 m, with brake, 3 to 5 kW	267.10	298293	4547648868730	#		EE	Z	ITA	8544.4999.00
R8BA-CAGD005SR-E	G5 series servo motor power cable, 5 m, w/o brake, 3 to 5 kW	174.80	298281	4547648868617	#		EE	Z	ITA	8544.4999.00
R8BA-CAGD010BR-E	G5 series servo motor power cable, 10 m, with brake, 3 to 5 kW	365.50	298294	4547648868747	#		EE	Z	ITA	8544.4999.00
R8BA-CAGD010SR-E	G5 series servo motor power cable, 10 m, w/o brake, 3 to 5 kW	249.20	298282	4547648868624	#		EE	Z	ITA	8544.4999.00
R8BA-CAGD015BR-E	G5 series servo motor power cable, 15 m, with brake, 3 to 5 kW	459.10	301013	4547648869584			EE	Z	ITA	8544.4999.00
R8BA-CAGD015SR-E	G5 series servo motor power cable, 15 m, w/o brake, 3 to 5 kW	372.00	298283	4547648868631	#		EE	Z	ITA	8544.4999.00
R8BA-CAGD020BR-E	G5 series servo motor power cable, 20 m, with brake, 3 to 5 kW	523.50	298296	4547648868754			EE	Z	ITA	8544.4999.00
R8BA-CAGD020SR-E	G5 series servo motor power cable, 20 m, w/o brake, 3 to 5 kW	452.00	298284	4547648868648	#		EE	Z	ITA	8544.4999.00
R8BA-CAGD030BR-E	G5 series servo motor power cable, 30 m, with brake, 3 k W to 5 kW	756.00	341859	4547648887113			EE	Z	ITA	8544.4290.90
R8BA-CAGD030SR-E	G5 series servo motor power cable, 30 m, w/o brake, 3 k W to 5 kW	574.00	347167	4547648889834			EE	Z	ITA	8544.4999.00
R8BA-CAGD050BR-E	G5 series servo motor power cable, 50 m, with brake, 3 k W to 5 kW	1,433.00	347171	4547648889872			EE	Z	ITA	8544.4999.00
R8BA-CAGD050SR-E	G5 series servo motor power cable, 50 m, w/o brake, 3 k W to 5 kW	757.50	347169	4547648889858			EE	Z	ITA	8544.4999.00
R8BA-CAGE003BR-E	G5 series servo brake cable, 3 m, 6 kW - 15 kW	123.10	355781	4547648917346			EE	Z	ITA	8544.4290.90
R8BA-CAGE005BR-E	G5 series servo brake cable, 5 m, 6 kW - 15 kW	123.10	355782	4547648917353			EE	Z	ITA	8544.4290.90
R8BA-CAGE10BR-E	G5 series servo brake cable, 10 m, 6 kW - 15 kW	153.70	355783	4547648917360			EE	Z	ITA	8544.4290.90
R8BA-CAGE15BR-E	G5 series servo brake cable, 15 m, 6 kW - 15 kW	178.50	355784	4547648917377			EE	Z	ITA	8544.4290.90
R8BA-CAGE20BR-E	G5 series servo brake cable, 20 m, 6 kW - 15 kW	181.20	355785	4547648917384			EE	Z	ITA	8544.4290.90
R8BA-CAKA001-5BR-E	G5 series servo brake cable, 1.5m, 50-750W	100.90	298297	4547648868761			EE	Z	ITA	8544.4999.00
R8BA-CAKA001-5SR-E	G5 series servo motor power cable, 1.5 m, non braked, 50-750 W	151.00	298273	4547648868532			EE	Z	ITA	8544.4999.00
R8BA-CAKA003BR-E	G5 series servo brake cable, 3m, 50-750W	105.60	298298	4547648868778			EE	Z	ITA	8544.4999.00
R8BA-CAKA003SR-E	G5 series servo motor power cable, 3 m, non braked, 50-750 W	163.50	298274	4547648868549			EE	Z	ITA	8544.4999.00
R8BA-CAKA005BR-E	G5 series servo brake cable, 5m, 50-750W	111.90	298299	4547648868785	#		EE	Z	ITA	8544.4999.00
R8BA-CAKA005SR-E	G5 series servo motor power cable, 5 m, non braked, 50-750 W	180.70	298275	4547648868556	#		EE	Z	ITA	8544.4999.00
R8BA-CAKA10BR-E	G5 series servo brake cable, 10m, 50-750W	127.10	298300	4547648868792	#		EE	Z	ITA	8544.4999.00
R8BA-CAKA10SR-E	G5 series servo motor power cable, 10 m, non braked, 50-750 W	223.50	298276	4547648868563	#		EE	Z	ITA	8544.4999.00
R8BA-CAKA15BR-E	G5 series servo brake cable, 15m, 50-750W	143.00	298301	4547648868808			EE	Z	ITA	8544.4999.00
R8BA-CAKA15SR-E	G5 series servo motor power cable, 15 m, non braked, 50-750 W	265.60	298277	4547648868570			EE	Z	ITA	8544.4999.00
R8BA-CAKA20BR-E	G5 series servo brake cable, 20m, 50-750W	157.70	298302	4547648868815			EE	Z	ITA	8544.4999.00
R8BA-CAKA20SR-E	G5 series servo motor power cable, 20 m, non braked, 50-750 W	307.90	298278	4547648868587	#		EE	Z	ITA	8544.4999.00
R8BA-CAKA30SR-E	G5 series servo brake cable, 30m, 50-750W	223.50	347164	4547648889803			EE	Z	ITA	8544.4999.00
R8BA-CAK030SR-E	G5 series servo motor power cable, 30 m, non braked, 50 to 750 W	448.80	347158	4547648889742			EE	Z	ITA	8544.4999.00
R8BA-CAK003SR-E	Accessory servo, G5 motor power cable, 3 m	181.20	393032	4547648989297			EE	Z	ITA	8544.4999.00
R8BA-CAK005SR-E	Accessory servo, G5 motor power cable, 5 m	223.50	393033	4547648989303			EE	Z	ITA	8544.4999.00
R8BA-CAKE003SR-E	G5 series servo motor power cable, 3 m, non braked, 6 k W to 7.5 kW	307.20	355769	4547648917223			EE	Z	ITA	8544.4290.90
R8BA-CAKE005SR-E	G5 series servo motor power cable, 5 m, non braked, 6 k W to 7.5 kW	395.70	355770	4547648917230	#		EE	Z	ITA	8544.4290.90
R8BA-CAKE10SR-E	G5 series servo motor power cable, 10 m, non braked, 6 k W to 7.5 kW	536.00	355771	4547648917247	#		EE	Z	ITA	8544.4290.90

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Dahaset)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
R88A-CAKED15SR-E	G5 series servo motor power cable, 15 m, non braked, 6 k W to 7.5 k W	774.00	355772	4547648917254			EB	Z	ITA	8544.4290.90
R88A-CAKED20SR-E	G5 series servo motor power cable, 20 m, non braked, 6 k W to 7.5 k W	801.00	355773	4547648917261			EB	Z	ITA	8544.4290.90
R88A-CAKF001-5SR-E	G5 series servo motor power cable, 1.5 m, braked, 750 W to 2 kW	188.10	298285	4547648986855			EB	Z	ITA	8544.4999.00
R88A-CAKF003BR-E	G5 series servo motor power cable, 3 m, braked, 750 W to 2 kW	204.80	298286	4547648986862			EB	Z	ITA	8544.4999.00
R88A-CAKF005BR-E	G5 series servo motor power cable, 5 m, braked, 750 W to 2 kW	227.70	298287	4547648986879	#		EB	Z	ITA	8544.4999.00
R88A-CAKF010BR-E	G5 series servo motor power cable, 10 m, braked, 750 W to 2 kW	284.50	298288	4547648986886	#		EB	Z	ITA	8544.4999.00
R88A-CAKF015BR-E	G5 series servo motor power cable, 15 m, braked, 750 W to 2 kW	341.70	298289	4547648986893	#		EB	Z	ITA	8544.4999.00
R88A-CAKF020BR-E	G5 series servo motor power cable, 20 m, braked, 750 W to 2 kW	399.20	298290	4547648986909			EB	Z	ITA	8544.4999.00
R88A-CAKF030BR-E	G5 series servo motor power cable, 30 m, braked, 750 W to 2 kW	519.00	347161	4547648889773			EB	Z	ITA	8544.4999.00
R88A-CAKG003SR-E	G5 series servo motor power cable, 3 m, non braked, 11 k W to 15 kW	372.00	355775	4547648917285			EB	Z	ITA	8544.4290.90
R88A-CAKG005SR-E	G5 series servo motor power cable, 5 m, non braked, 11 k W to 15 kW	419.10	355776	4547648917292			EB	Z	ITA	8544.4290.90
R88A-CAKG010SR-E	G5 series servo motor power cable, 10 m, non braked, 11 k W to 15 kW	680.00	355777	4547648917308			EB	Z	ITA	8544.4290.90
R88A-CAKG015SR-E	G5 series servo motor power cable, 15 m, non braked, 11 k W to 15 kW	951.50	355778	4547648917315			EB	Z	ITA	8544.4290.90
R88A-CAKG020SR-E	G5 series servo motor power cable, 20 m, non braked, 11 k W to 15 kW	1,043.00	355779	4547648917322			EB	Z	ITA	8544.4290.90
R88A-CAWA003B-DE	servo motor (with brake) cable, 3 m (equivalent to DP9325253-3G)	123.90	139296	4536853863371			EB	Z	DEU	8544.4290.90
R88A-CAWA003S-DE	servo motor cable, 3 m (equivalent to DP9325252-3G)	116.10	157422	4536853863302	#		EB	Z	DEU	8544.4290.90
R88A-CAWA005B-DE	servo motor (with brake) cable, 5 m (equivalent to DP9325253-5G)	150.10	139297	4536853863395			EB	Z	DEU	8544.4290.90
R88A-CAWA010B-DE	servo motor (with brake) cable, 10 m (equivalent to DP9325253-10G)	208.20	139298	4536853863418			EB	Z	DEU	8544.4290.90
R88A-CAWA010S-DE	servo motor cable, 10 m (equivalent to DP9325252-10G)	194.00	139295	4536853863333			EB	Z	DEU	8544.4290.90
R88A-CAWA015B-DE	servo motor (with brake) cable, 15 m (equivalent to DP9325253-15G)	270.70	153730	4536853863425			EB	Z	DEU	8544.4290.90
R88A-CAWA015S-DE	servo motor cable, 15 m (equivalent to DP9325252-15G)	261.90	155691	4536853863340			EB	Z	DEU	8544.4290.90
R88A-CAWA020B-DE	servo motor (with brake) cable, 20 m (equivalent to DP9325253-20G)	332.10	139299	4536853863449			EB	Z	DEU	8544.4290.90
R88A-CAWA020S-DE	servo motor cable, 20 m (equivalent to DP9325252-20G)	321.90	146112	4536853863364			EB	Z	DEU	8544.4290.90
R88A-CAWB001-5S-DE	Sigma II/V servo motor cable, 1.5 m (equivalent to DP93252543G)	135.80	355666	4547648916356			EB	Z	DEU	8544.4290.90
R88A-CAWB003B-DE	Sigma II/V servo motor (with brake) cable, 3 m (equivalent to DP93252553G)	136.40	139209	4536853863531			EB	Z	DEU	8544.4290.90
R88A-CAWB003S-DE	Sigma II/V servo motor cable, 3 m (equivalent to DP93252543G)	131.00	139204	4536853863456			EB	Z	DEU	8544.4290.90
R88A-CAWB005B-DE	Sigma II/V servo motor (with brake) cable, 5 m (equivalent to DP93252555G)	165.80	139210	4536853863555			EB	Z	DEU	8544.4290.90
R88A-CAWB005S-DE	Sigma II/V servo motor cable, 5 m (equivalent to DP93252545G)	163.20	139205	4536853863470			EB	Z	DEU	8544.4290.90
R88A-CAWB010B-DE	Sigma II/V servo motor (with brake) cable, 10 m (equivalent to DP932525510G)	237.80	149306	4536853863562			EB	Z	DEU	8544.4290.90
R88A-CAWB010S-DE	Sigma II/V servo motor cable, 10 m (equivalent to DP932525410G)	232.60	139206	4536853863487			EB	Z	DEU	8544.4290.90
R88A-CAWB015B-DE	Sigma II/V servo motor (with brake) cable, 15 m (equivalent to DP932525515G)	303.60	139211	4536853863586			EB	Z	DEU	8544.4290.90
R88A-CAWB015S-DE	Sigma II/V servo motor cable, 15 m (equivalent to DP932525415G)	300.10	139207	4536853863500			EB	Z	DEU	8544.4290.90
R88A-CAWB020S-DE	Sigma II/V servo motor cable, 20 m (equivalent to DP932525420G)	368.50	139208	4536853863524			EB	Z	DEU	8544.4290.90
R88A-CAWC003B-E	Sigma II brake cable for all 415 V motors, 3m (use with relevant power cable) (straight connector, JZSP-CMM02BR-03G is right-angled)	117.40	139434	4536853861797			EB	Z	ITA	8544.4290.90
R88A-CAWC003S-E	Sigma II power cable for 0.45, 0.85, 1.1, 1.3, 1.5, 2 k W motors, 3 m	174.10	139430	4536853861711			EB	Z	ITA	8544.4290.90
R88A-CAWC005B-E	Sigma II power cable for all 415 V motors, 5m (use with relevant power cable) (straight connector, JZSP-CMM02BR-05G is right-angled)	125.70	143871	4536853861810			EB	Z	ITA	8544.4290.90
R88A-CAWC005S-E	Sigma II power cable for 0.45, 0.85, 1.1, 1.3, 1.5, 2 k W motors, 5 m	192.50	139431	4536853861735			EB	Z	ITA	8544.4290.90
R88A-CAWC010B-E	Sigma II brake cable for all 415 V motors, 10m (use with relevant power cable) (straight connector, JZSP-CMM02BR-10G is right-angled)	147.80	147180	4536853861834			EB	Z	ITA	8544.4290.90
R88A-CAWC010S-E	Sigma II power cable for 0.45, 0.85, 1.1, 1.3, 1.5, 2 k W motors, 10 m	238.30	142761	4536853861759			EB	Z	ITA	8544.4290.90
R88A-CAWC015B-E	Sigma II brake cable for all 415 V motors, 15m (use with relevant power cable) (straight connector, JZSP-CMM02BR-15G is right-angled)	169.60	139435	4536853861841			EB	Z	ITA	8544.4290.90
R88A-CAWC015S-E	Sigma II power cable for 0.45, 0.85, 1.1, 1.3, 1.5, 2 k W motors, 15 m	286.20	139432	4536853861766			EB	Z	ITA	8544.4290.90
R88A-CAWC020B-E	Sigma II brake cable for all 415 V motors, 20m (use with relevant power cable) (straight connector, JZSP-CMM02BR-20G is right-angled)	190.70	139436	4536853861865			EB	Z	ITA	8544.4290.90
R88A-CAWC020S-E	Sigma II power cable for 0.45, 0.85, 1.1, 1.3, 1.5, 2 k W motors, 20 m	333.60	139433	4536853861780			EB	Z	ITA	8544.4290.90
R88A-CAWC030S-E	Sigma II 30 m power cable	452.00	232749	4536853909444			EB	Z	ITA	8544.4290.90
R88A-CAWD003S-E	Sigma II power cable for 1.8, 2.9, 3, 4, 5 k W motors, 3 m	190.70	139437	4536853861872			EB	Z	ITA	8544.4290.90
R88A-CAWD005S-E	Sigma II power cable for 1.8, 2.9, 3, 4, 5 k W motors, 5 m	212.50	152680	4536853861896			EB	Z	ITA	8544.4290.90
R88A-CAWD010S-E	Sigma II power cable for 1.8, 2.9, 3, 4, 5 k W motors, 10 m	267.40	139438	4536853861919			EB	Z	ITA	8544.4290.90
R88A-CAWD015S-E	Sigma II power cable for 1.8, 2.9, 3, 4, 5 k W motors, 15 m	321.90	139439	4536853861926			EB	Z	ITA	8544.4290.90
R88A-CAWD020S-E	Sigma II power cable for 1.8, 2.9, 3, 4, 5 k W motors, 20 m	372.00	154919	4536853861949			EB	Z	ITA	8544.4290.90
R88A-CAWF003S-E	Sigma II motor cable for 5.5 k W motors, 3 m (straight connector, similar JZSP-CMM02D55-03G is right-angled)	260.40	138833	4536853867294			EB	Z	ITA	8544.4290.90
R88A-CAWF005S-E	Sigma II motor cable for 5.5 k W motors, 5 m (straight connector, similar JZSP-CMM02D55-05G is right-angled)	302.30	138836	4536853867379			EB	Z	ITA	8544.4290.90
R88A-CAWF010S-E	Sigma II motor cable for 5.5 k W motors, 10 m (straight connector, similar JZSP-CMM02D55-10G is right-angled)	368.50	151433	4536853867454			EB	Z	ITA	8544.4290.90
R88A-CAWF015S-E	Sigma II motor cable for 5.5 k W motors, 15 m (straight connector, similar JZSP-CMM02D55-15G is right-angled)	419.10	138839	4536853867539			EB	Z	ITA	8544.4290.90
R88A-CAWF020S-E	Sigma II motor cable for 5.5 k W motors, 20 m (straight connector, similar JZSP-CMM02D55-20G is right-angled)	486.00	138843	4536853867614			EB	Z	ITA	8544.4290.90
R88A-CAWG003S-E	Sigma II motor cable for 4.4 k W motors, 3 m (straight connector, similar JZSP-CMM02D44-03G is right-angled)	194.90	150202	4536853867270	#		EB	Z	ITA	8544.4290.90
R88A-CAWG005S-E	Sigma II motor cable for 4.4 k W motors, 5 m (straight connector, similar JZSP-CMM02D44-05G is right-angled)	234.60	138835	4536853867355			EB	Z	ITA	8544.4290.90
R88A-CAWG010S-E	Sigma II motor cable for 4.4 k W motors, 10 m (straight connector, similar JZSP-CMM02D44-10G is right-angled)	310.50	156912	4536853867430			EB	Z	ITA	8544.4290.90
R88A-CAWG015S-E	Sigma II motor cable for 4.4 k W motors, 15 m (straight connector, similar JZSP-CMM02D44-15G is right-angled)	391.70	138838	4536853867515			EB	Z	ITA	8544.4290.90
R88A-CAWG020S-E	Sigma II motor cable for 4.4 k W motors, 20 m (straight connector, similar JZSP-CMM02D44-20G is right-angled)	448.80	138842	4536853867591			EB	Z	ITA	8544.4290.90
R88A-CAWH003S-E	Sigma II motor cable for 7.5 & 11 k W motors, 3 m (straight connector, similar JZSP-CMM02D1 A-03G is right-angled)	276.00	142693	4536853867317			EB	Z	ITA	8544.4290.90
R88A-CAWH005S-E	Sigma II motor cable for 7.5 & 11 k W motors, 5 m (straight connector, similar JZSP-CMM02D1 A-05G is right-angled)	329.80	148062	4536853867393			EB	Z	ITA	8544.4290.90
R88A-CAWH010S-E	Sigma II motor cable for 7.5 & 11 k W motors, 10 m (straight connector, similar JZSP-CMM02D1 A-10G is right-angled)	446.10	158096	4536853867487			EB	Z	ITA	8544.4290.90
R88A-CAWH015S-E	Sigma II motor cable for 7.5 & 11 k W motors, 15 m (straight connector, similar JZSP-CMM02D1 A-15G is right-angled)	513.00	138840	4536853867553			EB	Z	ITA	8544.4290.90
R88A-CAWH020S-E	Sigma II motor cable for 7.5 & 11 k W motors, 20 m (straight connector, similar JZSP-CMM02D1 A-15G is right-angled)	624.00	103756	4536853867638			EB	Z	ITA	8544.4290.90
R88A-CAWJ003S-E	Sigma II motor cable for 15 k W motors, 3 m (straight connector, similar JZSP-CMM02D1E-05G is right-angled)	308.50	138834	4536853867331			EB	Z	ITA	8544.4290.90
R88A-CAWJ010S-E	Sigma II motor cable for 15 k W motors, 10 m (straight connector, similar JZSP-CMM02D1E-05G is right-angled)	440.30	138837	4536853867492			EB	Z	ITA	8544.4290.90
R88A-CAWJ020S-E	Sigma II motor cable for 15 k W motors, 20 m (straight connector, similar JZSP-CMM02D1E-05G is right-angled)	827.50	138844	4536853867652			EB	Z	ITA	8544.4290.90
R88A-CAWK001-5S-DE	Sigma II/V servo motor power cable (400 V without brake), 1.5 m	170.10	355665	4547648916349			EB	Z	DEU	8544.4290.90
R88A-CAWK003B-DE	Sigma II/V, Servo motor (with brake) cable, 3 m	162.50	138781	4536853868321			EB	Z	DEU	8544.4290.90
R88A-CAWK003S-DE	Sigma II/V servo motor power cable (400 V without brake), 3 m	144.30	158042	4536853870362			EB	Z	DEU	8544.4290.90
R88A-CAWK005B-DE	Sigma II/V, Servo motor (with brake) cable, 5 m	186.00	138783	4536853868369			EB	Z	DEU	8544.4290.90
R88A-CAWK005S-DE	Sigma II/V servo motor power cable (400 V without brake), 5 m	144.70	138782	4536853868345			EB	Z	DEU	8544.4290.90
R88A-CAWK010B-DE	Sigma II/V, Servo motor (with brake) cable, 10 m	222.90	138785	4536853868406			EB	Z	DEU	8544.4290.90
R88A-CAWK010S-DE	Sigma II/V servo motor power cable (400 V without brake), 10 m	183.10	138784	4536853868383			EB	Z	DEU	8544.4290.90
R88A-CAWK015S-DE	Sigma II/V servo motor power cable (400 V without brake), 15 m	272.40	104588	4536853868420			EB	Z	DEU	8544.4290.90
R88A-CAWK020B-DE	Sigma II/V, Servo motor (with brake) cable, 20 m	328.10	138780	4536853868307			EB	Z	DEU	8544.4290.90
R88A-CAWK020S-DE	Sigma II/V servo motor power cable (400 V without brake), 20 m	345.30	138787	4536853868451			EB	Z	DEU	8544.4290.90





Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Data sheet)	GTIN	Stock Qty.	Lot Qty.	Gr.	Fam	COO	Tariff Code
SPOC-06K-FSDN169	Motor power connector (female) for SGM4H (200 V) and SGM5PH (200 V). Similar to SPOC-06K-FSDN169, but cable clamp variable from 5.5mm to 12mm	32.93	137635	4536853874124			EB	Z	DEU	8536.5015.90
SPOC-17H-FRON169	Motor encoder connector (female) for SGM4H and SGM5PH. Similar to SPOC-17H-FRON169, but cable clamp variable from 5.5mm to 12mm	32.92	156581	4536853874131			EB	Z	DEU	8536.5015.90
SRUC-06J-MSCN236	Smart Step IP67 motor power connector, male (used by the motor)	19.89	137636	4536853874155	20		EB	Z	DEU	8536.5015.90
SRUC-17G-MRWNO67	Smart Step IP67 motor encoder connector, male (used by the motor)	25.16	175766	4536853883942	20		EB	Z	DEU	8536.9010.00
JUSP-RA18	Regenerative resistor unit for SGDH-60/75-DE-OY, 18 Ohm, 880 W	727.50	352059	4547648895194			EB	Z	JPN	9032.8900.90
R88L-EC-FH-NNNN-B	Accurax linear motor iron core model hall sensor	174.10	371210	4547648941709			EB	Z	CHN	8503.0099.99
R88L-EC-GH-03NN-A	Accurax linear motor ironless model hall sensor, m.q width 30mm	292.30	327840	4547648879057			EB	Z	CHN	8503.0099.99
R88L-EC-GH-05NN-A	Accurax linear motor ironless model hall sensor, m.q width 50mm	292.30	327841	4547648879064			EB	Z	CHN	8503.0099.99
R88L-EC-GH-07NN-A	Accurax linear motor ironless model hall sensor, m.q width 70mm	292.30	327842	4547648879071			EB	Z	CHN	8503.0099.99
R88A-PR22047S1	Servo accessory, resistor 220 W, 47 ohm	83.10	357773	4547648803557	#		EB	Z	JPN	8533.2900.00
R88A-PR02G	SmartStep 2 Parameter copy unit, with cable	432.00	271921	4547648491099			EB	Z	JPN	8501.4020.80
JZSP-BA01	Battery for 30 W to 5 kW drives	53.95	149040	4536853837877			EB	Z	JPN	8506.5010.90
JZSP-CVS06-02-E	Sqm a V, USB Mini Connector cable	120.40	251939	4547648861274			EB	Z	JPN	8544.4290.90
R7A-CLB002S2	Power supply cable (CNA), 2m	29.23	298303	4547648868822			EB	Z	ITA	8544.4999.00
R88A-BAT01G	Absolute encoder backup battery	80.10	292045	4547648491105	#		EB	Z	JPN	8506.5010.90
R88A-CPK0001S-E	General purpose I/O cable (CN1) for G5 EtherCAT driver, 1m	103.00	349412	4547648891837			EB	Z	ITA	8501.4020.80
R88A-CPK0001S-E	General purpose I/O cable (CN1) for G5 EtherCAT driver, 1m	113.10	349414	4547648891851	#		EB	Z	ITA	8501.4020.80
R88A-CPK002S-E	General purpose I/O cable (CN1) for G5 EtherCAT driver, 2m	126.10	349415	4547648891868	#		EB	Z	ITA	8501.4020.80
R88A-CAWA005S-DE	servo motor cable, 5 m (equivalent to DP9325252-5G)	142.90	139294	4536853863319			EB	Z	DEU	8544.4290.90
<b>Motion PLC-based control</b>										
CJ1W-NC281	CJ1 Position Control unit over EtherCAT, 2 axes, 16 nodes	1,580.00	332458	4547648810418			EC	A	JPN	8471.6070.00
CJ1W-NC481	CJ1 Position Control unit over EtherCAT, 4 axes, 16 nodes	2,206.00	332459	4547648810425			EC	A	JPN	8471.6070.00
CJ1W-NC482	CJ1 Position Control unit over EtherCAT, 4 axes, 64 nodes	2,299.00	339849	4547648837453			EC	A	JPN	8471.6070.00
CJ1W-NC881	CJ1 Position Control unit over EtherCAT, 8 axes, 16 nodes	2,724.00	332460	4547648810432			EC	A	JPN	8471.6070.00
CJ1W-NC882	CJ1 Position Control unit over EtherCAT, 8 axes, 64 nodes	2,740.00	339850	4547648837460			EC	A	JPN	8471.6070.00
CJ1W-NCF81	CJ1 Position Control unit over EtherCAT, 16 axes, 16 nodes	2,894.00	339848	4547648837446			EC	A	JPN	8471.6070.00
CJ1W-NCF82	CJ1 Position Control unit over EtherCAT, 16 axes, 64 nodes	3,142.00	354622	4548583044388			EC	A	JPN	8471.6070.00
CJ1W-MC472	Trajexia based motion controller for CJ series, 4 axes, MECHATROLINK II motion bus	2,658.00	340427	4547648840224			EC	A	NLD	8471.4100.00
CJ1W-MC472	Trajexia based motion controller for CJ series, 30 axes, MECHATROLINK II motion bus	4,205.00	249931	4547648589543			EC	A	NLD	8471.4100.00
CJ1W-NC271	CJ1 Position control unit with MECHATROLINK II, 2 axes	1,427.00	323608	4547648708906			EC	A	CHN	8471.6070.00
CJ1W-NC471	CJ1 Position control unit with MECHATROLINK II, 4 axes	1,516.00	323609	4547648708913			EC	A	CHN	8471.6070.00
CJ1W-NCF71	CJ1 Position control unit with MECHATROLINK II, 16 axes	2,864.00	323225	4547648708869			EC	A	CHN	8471.6070.00
CS1W-NC471	Position control unit, 4 axes, over MECHATROLINK II	2,121.00	255292	4547648606094			EC	A	JPN	8537.1098.99
CS1W-NCF71	Position control unit, 16 axes, over MECHATROLINK II	1,807.00	229314	4547648235228			EC	A	JPN	8537.1098.99
CS1W-MC221-V1	Motion control unit, 2 axis	2,880.00	171093	4547648074438			EC	A	JPN	8471.6070.00
CS1W-MC421-V1	4 axis motion control unit	4,695.00	171092	4547648074421			EC	A	JPN	8471.6070.00
CJ1W-NC113	Position control unit, 1 axis, NPN open collector pulse string output, 500 kHz	1,139.00	323223	4547648708845			EC	A	CHN	8471.6070.00
CJ1W-NC133	Position control unit, 1 axis, line driver pulse string output, 500kHz	809.00	323221	4547648708821			EC	A	CHN	8471.6070.00
CJ1W-NC213	Position control unit, 2 axes, NPN open collector pulse string output, 500 kHz	1,631.00	323224	4547648708852			EC	A	CHN	8471.6070.00
CJ1W-NC214	Position control unit, 2 axes, NPN open collector pulse string output, 500kHz, built in feedback pulse counters, synchronous multi-axis control	2,732.00	280903	4547648651141			EC	A	JPN	8471.6070.00
CJ1W-NC233	Position control unit, 2 axes, Line-driver output, 500kHz	1,652.00	323222	4547648708838			EC	A	CHN	8471.6070.00
CJ1W-NC234	CJ position control unit, 2 axes, Line-driver output, sync axes	2,853.00	280904	4547648651158			EC	A	JPN	8471.6070.00
CJ1W-NC413	Position control unit, 4 axes, NPN open collector pulse string output, 500 kHz	2,441.00	323227	4547648708883			EC	A	CHN	8471.6070.00
CJ1W-NC433	Position control unit, 4 axes, line driver pulse string output, 500kHz	2,094.00	323226	4547648708876			EC	A	CHN	8471.6070.00
CJ1W-NC434	CJ position control unit, 4 axes, line driver, 500kHz, sync axes	3,235.00	280906	4547648651172			EC	A	JPN	8471.6070.00
CS1W-NC113	Position control unit, 1 axis, NPN open collector pulse string output, 500 kHz	1,123.00	106116	4536854647352			EC	A	JPN	8471.6070.00
CS1W-NC133	Position control unit, 1 axis, line-driver pulse string output, 500kHz	1,035.00	106117	4536854647347			EC	A	JPN	8537.1098.99
CS1W-NC213	Position control unit, 2 axes, NPN open collector pulse string output, 500 kHz	1,664.00	154840	4536854647369			EC	A	JPN	8471.6070.00
CS1W-NC233	Position control unit, 2 axes, line-driver pulse string output, 500kHz	1,530.00	135631	4536854647444			EC	A	JPN	8537.1098.99
CS1W-NC413	Position control unit, 4 axes, NPN open collector pulse string output, 500 kHz	2,399.00	149304	4536854647383			EC	A	JPN	8471.6070.00
CS1W-NC433	Position control unit, 4 axes, line-driver pulse string output, 500kHz	2,428.00	104603	4536854647451			EC	A	JPN	8471.6070.00
IPC DEMOCASE V1	IPC Democase Version 1	42,500.00	672940	4548583984677			EC	A	ESP	9023.0080.00
SYSMACDEMOCASE V3-V4	Update of Sysmac Demo Case from Version 3 to Version 4	20,440.00	678213	4549734923248			EC	A	ESP	9023.0080.00
SYSMACDEMOCASE V4	Sysmac Demo Case Version 4	58,600.00	672495	4548583981508			EC	A	ESP	9023.0080.00
SYSMACDEMOCASE V4 NX1	Sysmac Demo Case Version 4 with NX1 controller	47,410.00	672758	4548583982857			EC	A	ESP	9023.0080.00
SYSMACSAFETYEXTDEMOC1	Sysmac Safety Demo Case, Additional to the EtherCAT case or can be used as stand alone.	36,910.00	392535	4547648980807			EC	A	JPN	9023.0080.00
<b>Motion stand alone control</b>										
FQM1-MMP22	Motion Control Module, Built-in I/O, 12 Inputs / 8 Outputs, 2 Pulse Inputs, 2 Pulse Outputs	2,400.00	334082	4547648230797			EC	C	JPN	8473.3080.00
TJ1-MC04	Trajexia motion controller unit, 4 axes [Trajexia end cover unit TJ1-TER included]	1,485.00	234750	4547648353533			EC	C	NLD	8471.4100.00
TJ1-MC16	Trajexia motion controller unit [Trajexia end cover unit TJ1-TER included]	2,213.00	223974	4547648236447			EC	C	NLD	8471.4100.00
JEP1C-MP2300-E	MP2300 stand alone motion controller module, CPU included, 1 channel for MECHATROLINK II	5,610.00	306791	4547648871013			EC	C	JPN	9032.8900.90

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	SLN. (Daheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
3F88L-160	Cam Positioner	1,154.00	100043	4536854513763			EC	C	JPN	8537.1098.99
TJ1-COFT	Trajexia CANopen unit	591.00	239632	4547648429139			EC	C	NLD	8471.4100.00
TJ2-ECT04	Trajexia EtherCAT master unit (up to 4 axes)	883.00	352415	4547648840231			EC	C	NLD	8471.4100.00
TJ2-ECT16	Trajexia EtherCAT master unit (up to 16 axes)	1,789.00	352416	4547648840248			EC	C	NLD	8471.4100.00
<b>Other Motion Control</b>										
F88A-CPU001-S	Smart Step series servo control cable, 1 m	157.80	243829	4547648401975			EC	X	CHN	8544.4290.90
<b>Accessory for Motion Control</b>										
F88A-CMX001-J1-E	I/O connection cable, terminal block to MC unit, 1 cable per MC unit, 40 pin.	473.00	139370	4536853862268			EC	Z	JPN	9032.8900.90
F88A-CMX001-S-E	I/O connection cable, terminal block to MC unit, 1 cable per MC unit, 26 pin.	309.10	139369	4536853862244			EC	Z	JPN	9032.8900.90
F88A-CPW001-S	Sigma II servo driver CN1 interface cable with flying leads, 1 m	247.00	241775	4547648401944			EC	Z	CHN	8544.4290.90
F88A-TC04E	Motion control terminal block, four axis, for MC402 and OMNUC W servo drive	637.00	139368	4536853862220			EC	Z	JPN	9032.8900.90
XW2B-20J6-1B	Servo Relay Unit, 1 axis, for CSIW-NC113/133, CJ1W-NC113/133, C200HW-NC113 and C200H-NC112 (Doesn't support communications functions)	124.50	107563	4536854229695			EC	Z	JPN	8536.9010.00
XW2B-20J6-3B	Servo Relay Unit, 1 axis, for COM1H-PLB21 and COM1-CPU43-V1 (Doesn't support communications functions)	237.00	107565	4536854229725			EC	Z	JPN	8536.9010.00
XW2B-20J6-6	Servo Relay Unit, 1 axis	177.50	107561	4536854229671			EC	Z	JPN	8536.9010.00
XW2B-20J6-9A	Servo Relay Unit, 1 axis (Does not support communications functions)	163.90	149077	4536854871949			EC	Z	JPN	8536.9010.00
XW2B-40J6-2B	Servo Relay Unit, 2 axis, for CSIW-NC213/233/413/433, CJ1W-NC213/233/413/433, C200HW-NC213/413, C500-NC113/211 and C200H-NC211 (Doesn't support communications functions)	167.20	107564	4536854229718			EC	Z	JPN	8536.9010.00
XW2B-40J6-4A	Servo terminal block for CS/CJ1 NC units, support communication functions, 2 axes	159.50	107566	4536854765223			EC	Z	JPN	8536.9010.00
XW2B-40J6-7	Servo Relay Unit, 2 axis	175.70	107562	4536854229688			EC	Z	JPN	8536.9010.00
XW2B-40J6-9A	Servo Relay Unit, 2 axis (Does not support communications functions)	194.00	107567	4536854871856			EC	Z	JPN	8536.9010.00
XW22-010X	I/O connection cable, CJ1W-NCx14/x34 to terminal block XW2B-20G4/G5, 10 m	2023.00	300893	4547648236423			EC	Z	JPN	8536.9010.00
XW22-050J-A1	I/O connection cable, C200H-NC112 to terminal block, 0.5 m	96.30	107494	4536854230127			EC	Z	JPN	8536.9010.00
XW22-050J-A10	Servo control cable for CSIW-NC133, 0.5 m	135.40	107516	4536854651106			EC	Z	JPN	8536.9010.00
XW22-050J-A11	Servo control cable for CSIW-NC233/433, 0.5 m	168.80	144893	4536854651120			EC	Z	JPN	8536.9010.00
XW22-050J-A14	Servo control cable for CSIW-NC113, 0.5 m	125.90	107525	4536854778155			EC	Z	JPN	8536.9010.00
XW22-050J-A15	Servo control cable for CSIW-NC213/413, 0.5 m	187.90	107527	4536854778179			EC	Z	JPN	8536.9010.00
XW22-050J-A16	I/O connection cable, CJ1W-NC113 to XW2B-**J6-1B, 0.5 m	114.80	154815	4536854778193			EC	Z	JPN	8536.9010.00
XW22-050J-A18	Servo control cable for CSIW-NC133, 0.5 m	135.40	107435	4536854778247			EC	Z	JPN	8536.9010.00
XW22-050J-A19	Servo control cable for CSIW-NC233/433, 0.5 m	163.40	107437	4536854778261			EC	Z	JPN	8536.9010.00
XW22-050J-A2	I/O connection cable, C200H-NC211 to terminal block, 0.5 m	103.60	151788	4536854230141			EC	Z	JPN	8536.9010.00
XW22-050J-A27	I/O connection cable, CJ1M-CPU2x or C&M-MD21x to XW2B-**J6-8A/9A, for Sama II, 0.5 m	123.70	281445	4547648087575			EC	Z	JPN	8536.9010.00
XW22-050J-A33	Cable: Pulse I/O Modules to Servo Relay Unit, 0.5 m (SmartStep2, G, G5)	132.10	281446	4547648521079			EC	Z	JPN	8536.9010.00
XW22-050J-A6	Servo control cable for C200HW-NC113, CSIW-NC113, 0.5 m	132.40	107505	4536854386152			EC	Z	JPN	8536.9010.00
XW22-050J-A7	Servo control cable for C200HW-NC213/413, CSIW-NC213/413, 0.5 m	155.30	155979	4536854386145			EC	Z	JPN	8536.9010.00
XW22-050J-A9	I/O connection cable, CSIW-NC213/413 or C200HW-NC213/413 to XW2B-**J6-1B, 0.5 m	168.50	154109	4536854386213			EC	Z	JPN	8536.9010.00
XW22-100J-A1	I/O connection cable, C200H-NC112 to terminal block, 1 m	89.95	107495	4536854230134			EC	Z	JPN	8536.9010.00
XW22-100J-A10	Servo control cable for CSIW-NC133, 1 m	154.20	107517	4536854651113			EC	Z	JPN	8536.9010.00
XW22-100J-A11	Servo control cable for CSIW-NC233/433, 1 m	187.30	107518	4536854651137			EC	Z	JPN	8536.9010.00
XW22-100J-A14	Servo control cable for CSIW-NC113, 1 m	130.90	107526	4536854778162			EC	Z	JPN	8536.9010.00
XW22-100J-A15	Servo control cable for CSIW-NC213/413, 1 m	202.30	107528	4536854778186			EC	Z	JPN	8536.9010.00
XW22-100J-A16	I/O connection cable, CJ1W-NC113 to XW2B-**J6-1B, 1 m	133.40	107529	4536854778209			EC	Z	JPN	8536.9010.00
XW22-100J-A17	I/O connection cable, CJ1W-NC213/413 to XW2B-**J6-1B, 1 m	199.10	103762	4536854778223			EC	Z	JPN	8536.9010.00
XW22-100J-A18	Servo control cable for CSIW-NC133, 1 m	147.50	107436	4536854778254			EC	Z	JPN	8536.9010.00
XW22-100J-A19	Servo control cable for CSIW-NC233/433, 1 m	168.50	107438	4536854778278			EC	Z	JPN	8536.9010.00
XW22-100J-A2	I/O connection cable, C200H-NC211 to terminal block, 1 m	113.80	105352	4536854230158			EC	Z	JPN	8536.9010.00
XW22-100J-A20	I/O connection cable, CJ1W-NC133 to XW2B-**J6-1B, 1 m	144.00	107447	4536854778407			EC	Z	JPN	8536.9010.00
XW22-100J-A21	I/O connection cable, CSIW-NC233/433 to XW2B-**J6-1B, 1 m	167.20	107441	4536854778315			EC	Z	JPN	8536.9010.00
XW22-100J-A26	I/O connection cable, CJ1M-CPU2x or C&M-MD21x to XW2B-**J6-8A/9A, for SmartStep/Junma, 1 m	187.00	107453	4536854871870			EC	Z	JPN	8536.9010.00
XW22-100J-A27	I/O connection cable, CJ1M-CPU2x or C&M-MD21x to XW2B-**J6-8A/9A, for Sama II, 1 m	174.80	156885	4536854871863			EC	Z	JPN	8536.9010.00
XW22-100J-A33	Cable: Pulse I/O Modules to Servo Relay Unit, 1 m (SmartStep2, G, G5)	140.80	281447	4547648521086			EC	Z	JPN	8536.9010.00
XW22-100J-A6	Servo control cable for C200HW-NC113, CSIW-NC113, 1 m	142.40	107506	4536854386169			EC	Z	JPN	8536.9010.00
XW22-100J-A7	Servo control cable for C200HW-NC213/413, CSIW-NC213/413, 1 m	165.70	152950	4536854386176			EC	Z	JPN	8536.9010.00
XW22-100J-A8	I/O connection cable, CSIW-NC113 or C200HW-NC113 to XW2B-**J6-1B, 1 m	139.10	105017	4536854386183			EC	Z	JPN	8536.9010.00
XW22-100J-A9	I/O connection cable, CSIW-NC213/413 or C200HW-NC213/413 to XW2B-**J6-1B, 1 m	177.50	107507	4536854386190			EC	Z	JPN	8536.9010.00
XW22-100J-B19	Terminal block connector cable, 1 m	129.50	231792	4547648295017			EC	Z	JPN	8536.9010.00
XW22-100J-B4	Cable from XW2B-**J6-1B to Sama II servo drive, 1 m	108.50	107500	4536854230288			EC	Z	JPN	8536.9010.00
XW22-100J-F1	Cable to Servo Drive, 1 m	175.20	107499	4536854230271			EC	Z	JPN	8536.9010.00
XW22-100J-G1	Cable for SmartStep 2 (750 W), G or G5 series servodriver and CJ1W-NCx34 (2 axes), 1 m	277.80	300848	4547648731980			EC	Z	JPN	8536.9010.00
XW22-100J-G12	Cable for connecting SmartStep 2 series servodriver (100-400 W) with CJ1W-NCx34, 1 m	121.00	300877	4547648732277			EC	Z	JPN	8536.9010.00
XW22-100J-G13	Cable for SmartStep 2 (750W), G or G5 series servodriver (pulse) and CJ1W-NCx14 (1 axis), 1 m	142.20	300880	4547648732307			EC	Z	JPN	8536.9010.00
XW22-100J-G16	Cable for connecting SmartStep 2 series servodriver (100-400 W) with CJ1W-NCx14, 1 m	123.00	300886	4547648732383			EC	Z	JPN	8536.9010.00
XW22-100J-G4	Cable for connecting SmartStep 2 series servodriver (100-400 W) with CJ1W-NCx34, 1 m	232.50	300857	4547648732079			EC	Z	JPN	8536.9010.00
XW22-100J-G5	Cable from SmartStep 2 (750 W), G and G5-series servo drives to CJ1W-NCx14, 1 m	277.80	300860	4547648732109			EC	Z	JPN	8536.9010.00
XW22-100J-G8	Cable for connecting SmartStep 2 series servodriver (100-400 W) with CJ1W-NCx14, 1 m	268.20	300866	4547648732161			EC	Z	JPN	8536.9010.00
XW22-100J-G9	Cable for SmartStep 2 (750 W), G or G5 series servodriver and CJ1W-NCx34 (1 axis), 1 m	142.20	300868	4547648732185			EC	Z	JPN	8536.9010.00
XW22-10M-J-G1	Cable for SmartStep 2 (750 W), G or G5 series servodriver and CJ1W-NCx34 (2 axes), 10 m	528.00	300850	4547648732000			EC	Z	JPN	8536.9010.00
XW22-10M-J-G12	Cable for connecting SmartStep 2 series servodriver (100-400 W) with CJ1W-NCx34, 10 m	232.50	300879	4547648732291			EC	Z	JPN	8536.9010.00
XW22-10M-J-G4	Cable for connecting SmartStep 2 series servodriver (100-400 W) with CJ1W-NCx34, 10 m	460.90	300859	4547648732093			EC	Z	JPN	8536.9010.00
XW22-10M-J-G9	Cable for SmartStep 2 (750 W), G or G5 series servodriver and CJ1W-NCx34 (1 axis), 10 m	268.20	300870	4547648732208			EC	Z	JPN	8536.9010.00
XW22-200J-B4	Cable from XW2B-**J6-1B to Sama II servo drive, 2 m	110.80	107501	4536854230295			EC	Z	JPN	8536.9010.00
XW22-300J-G13	Cable for SmartStep 2 (750 W), G or G5 series servodriver (pulse) and CJ1W-NCx14 (1 axis), 3 m	172.40	300881	4547648732338			EC	Z	JPN	8536.9010.00
XW22-300J-G16	Cable from SmartStep 2 (100-400 W), G and G5-series servo drives to CJ1W-NCx14 (2 axes), 3 m	146.90	300887	4547648732390			EC	Z	JPN	8536.9010.00
XW22-300J-G5	Cable from SmartStep 2 (750 W), G and G5-series servo drives to CJ1W-NCx14 (2 axes), 3 m	333.70	300861	4547648732116			EC	Z	JPN	8536.9010.00

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	SLN. (Daheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
XW22-300J-G8	Cable from SmartStep 2 (100-400W), G and G5-series servo drives to CJ1W-NCx14 (2 axes), 3 m	285.80	300867	4547648732178			EC	Z	JPN	8536.9010.00
XW22-300X	I/O connection cable, CJ1W-NCx14/x34 to terminal block XW2B-20G4/G5, 3 m	98.80	300891	4547648236409			EC	Z	JPN	8536.9010.00
XW22-500J-G1	Cable from SmartStep 2 (750 W), G and G5 series servo drives to CJ1W-NCx34, 5 m	391.00	300849	4547648731997			EC	Z	JPN	8536.9010.00
XW22-500J-G2	Cable from SmartStep 2 (750 W), G and G5 series servo drives to CJ1W-NCx34, 5 m	172.40	300878	4547648732284			EC	Z	JPN	8536.9010.00
XW22-500J-G4	Cable from SmartStep 2 (750 W), G and G5 series servo drives to CJ1W-NCx34, 5 m	338.30	300868	4547648732086			EC	Z	JPN	8536.9010.00
XW22-500J-G9	Cable from SmartStep 2 (750 W), G and G5 series servo driver to CJ1W-NCx34 (1 axis), 5 m	197.00	300869	4547648732192			EC	Z	JPN	8536.9010.00
XW22-500X	I/O connection cable, CJ1W-NCx14/x34 to terminal block XW2B-20G4/G5, 5 m	122.70	300892	4547648236416			EC	Z	JPN	8536.9010.00
XW22-C50X	I/O connection cable, CJ1W-NCx14/x34 to terminal block XW2B-20G4/G5, 0.5 m	57.55	300888	4547648236355			EC	Z	JPN	8536.9010.00
F88A-CM001P5-E	Splitter cable, 1m	37.69	241824	4547648851817			EC	Z	ITA	8544.4290.90
F88A-CM002P4-E	Programming cable, 2 m (port 0)	54.40	321832	4547648872157			EC	Z	ITA	8544.4290.90
JAPMC-CM2300-E	Ethernet communication module (RS-232C)	898.00	321967	4547648872164			EC	Z	JPN	8501.4020.80
JAPMC-CM2310-E	General-purpose serial communication module (RS-232C / RS422 communication)	561.50	328828	4547648880329			EC	Z	JPN	9032.8900.90
JEPM-C-BU2200-E	Motion accessory	1,774.00	323902	4547648873574			EC	Z	JPN	9032.8900.90
JEPM-C-BU2210-E	MP2200 24V	1,616.00	323991	4547648873659			EC	Z	JPN	9032.8900.90
JEPM-C-OP2300	MP series, empty slot cover	23.95	176188	4536853868651			EC	Z	JPN	9032.8900.90
TJ1-FL02	Traexia flexible axis unit (for 2 axes)	1,164.00	230523	4547648290869			EC	Z	NLD	8471.4100.00
TJ1-ML04	Traexia MECHATROLINK II master unit (up to 4 axes)	1,256.00	234751	4547648535340			EC	Z	NLD	8471.4100.00
TJ1-ML16	Traexia MECHATROLINK II master unit (up to 16 axes)	1,876.00	223975	4547648296454			EC	Z	NLD	8471.4100.00
TJ1-PR1	Traexia PROFIBUS DP slave unit	525.00	223976	4547648296478			EC	Z	NLD	8471.4100.00
T.L2-KC01M	Traexia cable to G5 servo, 1m	105.00	372417	4547648948005			EC	Z	ESP	8503.0099.99
T.L2-KC03M	G5 Serial cable for KS02 3m	117.90	372418	4547648948012			EC	Z	ESP	8503.0099.99
JEPM-C-PL2900-E	Mechatrolink II counter module	959.50	321968	4547648872171			EC	Z	JPN	8501.4020.80
JEPM-C-FEP2000-E	Mechatrolink II repeater	1,305.00	327411	4547648878692			EC	Z	JPN	8523.8090.00
JEPM-C-W6003-01-E-G5	Mechatrolink II connecting cable, 1 m	151.90	382709	4547648972086	#		EC	Z	DEU	8544.4290.90
JEPM-C-W6003-03-E-G5	Mechatrolink II connecting cable, 3 m	171.40	382710	4547648972093			EC	Z	DEU	8544.4290.90
JEPM-C-W6003-05-E-G5	Mechatrolink II connecting cable, 5 m	181.20	382711	4547648972109	#		EC	Z	DEU	8544.4290.90
JEPM-C-W6003-10-E-G5	Mechatrolink II connecting cable, 10 m	221.60	382712	4547648972116			EC	Z	DEU	8544.4290.90
JEPM-C-W6003-20-E-G5	Mechatrolink II connecting cable, 20 m	303.30	382713	4547648972123			EC	Z	DEU	8544.4290.90
JEPM-C-W6003-30-E-G5	Mechatrolink II connecting cable, 30 m	373.40	382714	4547648972130			EC	Z	DEU	8544.4290.90
JEPM-C-W6003-A5-E-G5	Mechatrolink II connecting cable, 0.5 m	150.00	382715	4547648972147	#		EC	Z	DEU	8544.4290.90
JEPM-C-W6022-E	Terminating resistor for Mechatrolink II network	49.60	249677	4547648857895	#		EC	Z	JPN	8544.4290.90
3F88L-RF010C	Extension cable for 3F88L-RS17 resolver, 10m	205.00	408464	4548583078062			EC	Z	CHN	8544.4290.90
3F88L-RS17	Resolver, 3m cable, for use with C200H-CP114 or C500-CP131 cam positioner unit	658.00	100021	4536854279294			EC	Z	JPN	8537.1098.99
GRT1-ML2	SmartSlice communication adaptor for Mechatrolink II, connects up to 64 GRT1 I/O units (End plate to be ordered separately)	411.20	239859	4547648446198			EC	Z	NLD	8471.6070.00
Traexia Tools	Traexia Motion Perfect and CX-Drive v1.2 or higher	56.95	221306	4536853902681			EC	Z	NLD	8523.8090.00
XW22-100X	I/O connection cable, CJ1W-NCx14/x34 to terminal block XW2B-20G4/G5, 1 m	60.35	300889	4547648236362			EC	Z	JPN	8536.9010.00
XW22-100X-R	I/O connection cable, NX-OD5256-5 and XW2R-P16GD-C3-COM, 1 m	70.00	702464	4549734724586			EC	Z	JPN	8544.4290.90
XW22-200X	I/O connection cable, CJ1W-NCx14/x34 to terminal block XW2B-20G4/G5, 2 m	67.50	300890	4547648236379			EC	Z	JPN	8536.9010.00
<b>Robot XC-series</b>										
REYXC100020YFC	Omron SCARA Robot, R= 1000mm, H= 200mm, PL= 20 kg, C10	54,300.00	353385	4548583039032			ED	B	JPN	8479.5000.00
REYXC100040YFC	Omron SCARA Robot, R= 1000mm, H= 400mm, PL= 20 kg, C10	56,350.00	353386	4548583039049			ED	B	JPN	8479.5000.00
REYXC180100YFC	Omron SCARA Robot, R= 180mm, H= 150mm, PL= 1 kg, C10	36,120.00	353372	4548583038905			ED	B	JPN	8479.5000.00
REYXC220100YFC	Omron SCARA Robot, R= 220mm, H= 150mm, PL= 1 kg, C10	36,120.00	353373	4548583038912			ED	B	JPN	8479.5000.00
REYXC700200YFC	Omron SCARA Robot, R= 700mm, H= 200mm, PL= 20 kg, C10	50,050.00	353381	4548583038998			ED	B	JPN	8479.5000.00
REYXC800200YFC	Omron SCARA Robot, R= 800mm, H= 200mm, PL= 20 kg, C10	50,900.00	353383	4548583039018			ED	B	JPN	8479.5000.00
REYXC800400YFC	Omron SCARA Robot, R= 800mm, H= 400mm, PL= 20 kg, C10	53,000.00	353384	4548583039025			ED	B	JPN	8479.5000.00
<b>Robot XE-series</b>										
REYXE10200YRCX	Omron SCARA Robot XE series, R= 610 mm, H= 200 mm, PL= 10 kg	25,140.00	701346	4549734790000			ED	C	JPN	8479.5000.00
REYXE170200YRCX	Omron SCARA Robot XE series, R= 710 mm, H= 200 mm, PL= 10 kg	28,630.00	701345	4549734789998			ED	C	JPN	8479.5000.00
REYXE-S-400-150	Omron SCARA Robot XE series, R= 400 mm, H= 150 mm, PL= 4 kg, Origin Sensor	22,790.00	695557	4549734997065			ED	C	JPN	8479.5000.00
REYXE400150YRCX	Omron SCARA Robot XE series, R= 400 mm, H= 150 mm, PL= 4 kg, Origin Sensor	22,790.00	701347	4549734790017			ED	C	JPN	8479.5000.00
REYXE-T-400-150	Omron SCARA Robot XE series, R= 400 mm, H= 150 mm, PL= 4 kg	22,650.00	695556	4549734997058			ED	C	JPN	8479.5000.00
REYXET400150YRCX	Omron SCARA Robot XE series, R= 400 mm, H= 150 mm, PL= 4 kg	22,650.00	701348	4549734790024			ED	C	JPN	8479.5000.00
REYXG1000400YRCX	Omron SCARA Robot, R= 1000mm, H= 400mm, PL= 20kg, IP40, with RCX-340 controller	53,100.00	681016	4549734943239			ED	C	JPN	8479.5000.00
REYXG12050YFC	Omron SCARA Robot, R= 120mm, H= 50mm, PL= 1 kg, IP40	26,030.00	353326	4548583038448			ED	C	JPN	8479.5000.00
REYXG12050YRCX	Omron SCARA robot, R= 120mm, H= 50mm, PL= 1kg, IP40 with YRCX controller	28,470.00	692890	4549734987387			ED	C	JPN	8479.5000.00
REYXG15050YRCX	Omron SCARA robot, R= 150mm, H= 50mm, PL= 1kg, IP40 with YRCX controller	28,470.00	692891	4549734987394			ED	C	JPN	8479.5000.00
REYXG500300YRCX	Omron SCARA Robot, R= 500mm, H= 300mm, PL= 10 kg, IP40 with YRCX controller	38,970.00	691160	4549734985673			ED	C	JPN	8479.5000.00
REYXG700400YRCX	Omron SCARA robot, R= 700mm, H= 400mm, PL= 20kg, IP40, with RCX-340 controller	45,930.00	687634	4549734969031			ED	C	JPN	8479.5000.00
REYXG800200YFC	Omron SCARA Robot, R= 800mm, H= 200mm, PL= 20 kg, IP40	37,560.00	353341	4548583038592			ED	C	JPN	8479.5000.00
REY-XC800400-YRCX	Omron SCARA Robot, R= 800mm, H= 400mm, PL= 20 kg, IP40 with YRCX Controller	49,170.00	693883	4549734993050			ED	C	JPN	8479.5000.00
REYXC800400YRCX	Omron SCARA Robot, R= 800mm, H= 400mm, PL= 20 kg, IP40 with YRCX controller	46,320.00	692837	4549734986908			ED	C	JPN	8479.5000.00
REYXGL400150YRCX	Omron SCARA Robot XGL, R= 400mm, H= 150mm, PL= 5kg, IP40, with RCX-340 controller	29,980.00	681017	4549734943246			ED	C	JPN	8479.5000.00
REYXGL500150YRCX	XG series SCARA robot, 500mm reach, 5kg payload, 150mm Z reach with RCX-340 controller	30,450.00	688374	4549734971348			ED	C	JPN	8479.5000.00
REYXGS800400YRCR3	Omron SCARA Robot, R= 800mm, H= 400mm, PL= 20 kg, IP40, wall-mount	46,870.00	375865	4548583429529			ED	C	JPN	8479.5000.00
YK610XE-1020010L-RCX3404EPPPE4	Yamaha SCARA Robot XE series, R= 610 mm, H= 200 mm, PL= 10 kg, cable 10 m, EIP board, IO expansion module	27,300.00	695706	4549734997959			ED	C	JPN	8479.5000.00

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	SLN. (Daheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
YK610XE-10-200-SL-RCX340-4EPS4	Yamaha SCARA Robot XE series, R= 610 mm, H= 200 mm, PL= 10 kg	25,860.00	695558	4549734997072			ED	C	JPN	8479.5000.00
<b>Robot XP-series</b>										
F6YXGLP400150YRCX	Omron SCARA Robot, R=400mm, H=150, PL=4kg, IP65, with YRCX controller	50,100.00	693640	4549734991704			ED	D	JPN	8479.5000.00
F6YXGLP500150YRCX	Omron SCARA Robot, R=500mm, H=150, PL=4kg, IP65, with YRCX controller	51,150.00	693641	4549734991711			ED	D	JPN	8479.5000.00
F6YXGLP600150YRCX	Omron SCARA Robot, R=600mm, H=150, PL=4kg, IP65, with YRCX controller	51,850.00	693642	4549734991728			ED	D	JPN	8479.5000.00
F6YXGP1000400YRCR3	Omron SCARA Robot, R=1000mm, H=400mm, PL=16 kg, IP65	73,500.00	393608	4548583564930			ED	D	JPN	8479.5000.00
F6YXGP500200YRCR3	Omron SCARA Robot, R=500mm, H=200mm, PL=8 kg, IP65	57,500.00	393595	4548583564800			ED	D	JPN	8479.5000.00
<b>Robot Accessories Robots</b>										
KBF-M6211-20	Yamaha cable SCARA KBF 10 m	1,350.00	695629	4549734997461			ED	Z	JPN	8479.9070.99
F6YACCC005	Communication cable (DB9)	147.10	353295	4548583037946			ED	Z	JPN	8479.9070.99
F6YACCC011	CC-Link interface (CC)	1,103.00	353271	4548583037700			ED	Z	JPN	8479.9070.99
F6YACCR005	Encoder cable for tracking 5m	275.80	353291	4548583037908			ED	Z	JPN	8479.9070.99
F6YACCV006	Camera cable 6m	734.00	353280	4548583037793			ED	Z	JPN	8479.9070.99
F6YACX0002T1	Robot cable 2m for 120XG, 150XG, 180XG	367.30	353250	4548583037496			ED	Z	JPN	8479.9070.99
F6YACX0003T1	Robot cable 3.5m for 120XG, 150XG, 180XG	551.50	353251	4548583037502			ED	Z	JPN	8479.9070.99
F6YACX0003T2	Robot cable 3.5m for 220XG, 180XG, 220XC	551.50	353254	4548583037533			ED	Z	JPN	8479.9070.99
F6YACX0003XGS	Robot cable 3.5m for customized XG-S series	551.50	353263	4548583037625			ED	Z	JPN	8479.9070.99
F6YACX0003GX	Robot DETACHABLE cable 3.5m for 250XH, 350XH, 400XH, XG series, 1200X	1,286.00	353257	4548583037564			ED	Z	JPN	8479.9070.99
F6YACX0003XP	Robot cable 3.5m for customized XP series	917.50	353266	4548583037656			ED	Z	JPN	8479.9070.99
F6YACX0003XSC	Robot cable 3.5m for XS, XSH, XC, XCH series	551.50	353260	4548583037595			ED	Z	JPN	8479.9070.99
F6YACX0005T1	Robot cable 5m for 120XG, 150XG, 180XG	734.00	353252	4548583037519			ED	Z	JPN	8479.9070.99
F6YACX0005T2	Robot cable 5m for 220XG, 180XC, 220XC	734.00	353255	4548583037540			ED	Z	JPN	8479.9070.99
F6YACX0005XGS	Robot cable 5m for customized XG-S series	734.00	353264	4548583037632			ED	Z	JPN	8479.9070.99
F6YACX0005GX	Robot DETACHABLE cable 5m for 250XH, 350XH, 400XH, XG series, 1200X	1,470.00	353258	4548583037571			ED	Z	JPN	8479.9070.99
F6YACX0005XP	Robot cable 5m for customized XP series	1,103.00	353267	4548583037663			ED	Z	JPN	8479.9070.99
F6YACX0005XSC	Robot cable 5m for XS, XSH, XC, XCH series	734.00	353261	4548583037601			ED	Z	JPN	8479.9070.99
F6YACX010T1	Robot cable 10m for 120XG, 150XG, 180XG	1,103.00	353253	4548583037526			ED	Z	JPN	8479.9070.99
F6YACX010T2	Robot cable 10m for 220XG, 180XC, 220XC	1,103.00	353256	4548583037557			ED	Z	JPN	8479.9070.99
F6YACX010XGCXGP	Cable, robot : 10 m	1,103.00	401130	4548583582545			ED	Z	JPN	8479.9070.99
F6YACX010XGS	Robot cable 10m for customized XG-S series	1,103.00	353265	4548583037649			ED	Z	JPN	8479.9070.99
F6YACX010XGX	Robot DETACHABLE cable 10m for 250XH, 350XH, 400XH, XG series, 1200X	1,837.00	353259	4548583037588			ED	Z	JPN	8479.9070.99
F6YACX010XP	Robot cable 10m for customized XP series	1,470.00	353268	4548583037670			ED	Z	JPN	8479.9070.99
F6YACX010XSXC	Robot cable 10m for XS, XSH, XC, XCH series	1,103.00	353262	4548583037618			ED	Z	JPN	8479.9070.99
F6YACDR011	DaisyNet interface (DN)	1,103.00	353272	4548583037717			ED	Z	JPN	8479.9070.99
F6YACER011	SCARA series - EtherNet/IP option card	1,224.00	373271	4548583071484			ED	Z	JPN	8479.9070.99
F6YACET011	Ethernet interface (EN)	1,103.00	353274	4548583037731			ED	Z	JPN	8479.9070.99
F6YACLE012	Lens 12mm	458.70	353283	4548583037823			ED	Z	JPN	8479.9070.99
F6YACLE016	Lens 16mm	458.70	353284	4548583037830			ED	Z	JPN	8479.9070.99
F6YACLE025	Lens 25mm	458.70	353285	4548583037847			ED	Z	JPN	8479.9070.99
F6YACLI01	Lighting control board	1,070.00	353276	4548583037755			ED	Z	JPN	8479.9070.99
F6YACLR005	Close up ring 0.5mm	36.67	353286	4548583037854			ED	Z	JPN	8479.9070.99
F6YACLR010	Close up ring 1.0mm	36.67	353287	4548583037861			ED	Z	JPN	8479.9070.99
F6YACLR020	Close up ring 2.0mm	36.67	353288	4548583037878			ED	Z	JPN	8479.9070.99
F6YACLR050	Close up ring 5.0mm	73.35	353289	4548583037885			ED	Z	JPN	8479.9070.99
F6YACMD241	NPN interface expansion 24/16 I/O	458.70	353269	4548583037687			ED	Z	JPN	8479.9070.99
F6YACMD242	PNP interface expansion 24/16 I/O	458.70	353270	4548583037694			ED	Z	JPN	8479.9070.99
F6YACPB005E	PB (5m cable)	1,837.00	353292	4548583037915			ED	Z	JPN	8479.9070.99
F6YACPB012E	PB (12m cable)	2,111.00	353293	4548583037922			ED	Z	JPN	8479.9070.99
F6YACPR011	PROFIBUS DP interface (-PB)	1,103.00	353273	4548583037724			ED	Z	JPN	8479.9070.99
F6YACPR01X	PROFIBUS DP interface (-PB) for controller YRCX	1,726.00	691161	4549734985680			ED	Z	JPN	8479.9070.99
F6YACSSC1	Scara Studio	734.00	353294	4548583037939			ED	Z	JPN	8479.9070.99
F6YACSSC1XS	License Double purple color SCARA-YRCX Studio 2020 (including simulation) for YRCX (RCX-340) controller	3513.00	695574	4549734997225			ED	Z	JPN	8479.9070.99
F6YACTR01	Tracking and Lighting control board	2,848.00	353277	4548583037762			ED	Z	JPN	8479.9070.99
F6YACUSB005	Communication cable (DB9) with USB	298.70	371588	4548583352551			ED	Z	JPN	8479.9070.99
F6YACXEBRAKEUNIT	SCARA Robot Brake Release Option for XE series (400, 510, 610 and 710)	145.00	700112	4549734893978			ED	Z	JPN	8479.9070.99
F6YACXGLF	Tool flange option for XGL SCARA robot models	302.30	375793	4548583424180			ED	Z	JPN	8479.9070.99
F6YSPCX010XP	Spare part Robot cable 10m for customized XP series	1,837.00	353418	4548583038431			ED	Z	JPN	8479.9070.99
F6YSPLE008	Spare part Lens 8mm	574.50	353309	4548583038080			ED	Z	JPN	8479.9070.99
F6YSPLE012	Spare part Lens 12mm	574.50	353310	4548583038097			ED	Z	JPN	8479.9070.99
F6YSPLE016	Spare part Lens 16mm	574.50	353311	4548583038103			ED	Z	JPN	8479.9070.99
F6YSPLE025	Spare part Lens 25mm	574.50	353312	4548583038110			ED	Z	JPN	8479.9070.99
F6YSPLI01	Spare part Lighting control board	1,378.00	353303	4548583038028			ED	Z	JPN	8479.9070.99
F6YSPLR005	Spare part Close up ring 0.5mm	45.90	353313	4548583038127			ED	Z	JPN	8479.9070.99
F6YSPLR010	Spare part Close up ring 1.0mm	45.90	353314	4548583038134			ED	Z	JPN	8479.9070.99
F6YSPLR020	Spare part Close up ring 2.0mm	45.90	353315	4548583038141			ED	Z	JPN	8479.9070.99
F6YSPLR050	Spare part Close up ring 5.0mm	91.85	353316	4548583038158			ED	Z	JPN	8479.9070.99
F6YSPMD241	Spare part NPN interface expansion 24/16 I/O	574.50	353296	4548583037953			ED	Z	JPN	8479.9070.99
YK-Profibus	PROFIBUS DP interface (-PB)	1,082.00	285105	4547648866156			ED	Z	JPN	8479.9070.99
YK-PPB-E	PPB-E(Programming box) with 3 position enable switch	1,846.00	285102	4547648866125			ED	Z	JPN	8479.9070.99
92012-03008	Bolt, button head		699024	4549734891417			ED	Z	JPN	7318.1595.89
F6YACBP01X	SCARA Yamaha Series - EtherNet/IP option card - RCX340	1,585.00	679715	4549734934244			ED	Z	JPN	8479.9070.99
F6YACPB005EX	Omron Yamaha SCARA robot PB for RCX340 controller (5 m cable)	2,318.00	677920	4549734921879			ED	Z	JPN	8479.9070.99

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Data sheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
FEYACPB012EX	Omron Yamaha SCARA robot PB for RCX340 controller (12 m cable)	2.605,00	681450	4549734944908			ED	Z	JPN	8479.9070.99
CR_ART.1003	Delta robot spare part - spring package for secondary arms (6pcs)	749,00	360379	4547648830642			ED	Z	NLD	8479.9070.99
CR_ART.1383 5m	Cable hose 5m. D4-HD robot	420,40	671123	4548583974999			ED	Z	NLD	8479.9070.99
<b>Robot product.</b>										
FEY30110S03067NJ5	3 axes Washdown Delta Robot, working range: X, Y: Ø 1100 mm, Z:300 mm, payload 3kg	44.240,00	375002	4548583417380			EE	A	JPN	8479.9070.99
FEY3106S02067NJ5	Delta 3 Robot, IP67, R850mm/Z:150mm, Payload: 2kg, With Rotation, High Inertia	49.930,00	659399	4548583749979			EE	A	JPN	8479.9070.99
FEY31110H03067NJ5	4 axes Washdown Delta Robot, working range: X, Y: Ø 1100 mm, Z:300 mm, payload 3kg	56.850,00	375004	4548583417403			EE	A	JPN	8479.9070.99
FEY31110L03067NJ5	4 axes Washdown Delta Robot, working range: X, Y: Ø 1100 mm, Z:300 mm, payload 3kg	51.950,00	375003	4548583417397			EE	A	JPN	8479.9070.99
CR_UGD2_1000_R_1S	Omron Delta Robot - Delta 2 with Rotation 1000 mm Servos 1S	40.340,00	696393	4549734889803			EE	A	NLD	8479.5000.00
CR_UGD21000_NR	Omron Delta Robot - Delta 2 1000mm	49.440,00	659505	4548583953383			EE	A	NLD	8479.5000.00
CR_UGD21000T_NR	Delta 2 robot TWIN model, work range 1000 mm	83.300,00	677766	4549734920766			EE	A	NLD	8479.5000.00
CR_UGD21500_NR	Delta-2, 1500 mm working area range, without rotary axis, 35 kg max payload, IP65	52.850,00	673761	4548583989894			EE	A	NLD	8479.5000.00
CR_UGD21500_R	Delta-2, 1500 mm working area range, with rotary axis, 35 kg max payload, IP65	59.500,00	673735	4548583989665			EE	A	NLD	8479.5000.00
CR_UGD2800_NR	Delta robot	34.800,00	393778	4547648986991			EE	A	NLD	8479.5000.00
CR_UGD2800_R	Delta-2, 800 mm working area range, with rotary axis, 3 kg max payload, IP65	42.730,00	673733	4548583989641			EE	A	NLD	8479.5000.00
CR_UGD4_NR	Delta robot, 3 axis, no rotation	33.210,00	354939	4547648980559			EE	A	NLD	8479.5000.00
CR_UGD4_NR_HD10	Delta 3 Robot, IP69K R1100mm/Z:250mm, Payload: 2kg, Cable length 10 m, No Rotation	69.100,00	410300	4547648995078			EE	A	NLD	8479.5000.00
CR_UGD4_NR_HD15	Delta 3 Robot, IP69K R1100mm/Z:250mm, Payload: 2kg, Cable length 20 m, No Rotation	69.650,00	410302	4547648995092			EE	A	NLD	8479.5000.00
CR_UGD4_NR_HD20	Delta 3 Robot, IP69K R1100mm/Z:250mm, Payload: 2kg, Cable length 3 m, No Rotation	70.200,00	410304	4547648995115			EE	A	NLD	8479.5000.00
CR_UGD4_NR_HD3	Delta 3 Robot, IP69K R1100mm/Z:250mm, Payload: 2kg, Cable length 3 m, No Rotation	67.950,00	410296	4547648995030			EE	A	NLD	8479.5000.00
CR_UGD4_NR_HD5	Delta 3 Robot, IP69K R1100mm/Z:250mm, Payload: 2kg, Cable length 5 m, No Rotation	68.550,00	410298	4547648995054			EE	A	NLD	8479.5000.00
CR_UGD4_R	Delta robot series - 1100mm working range, rotational axis, payload 2kg, IP65	40.340,00	354940	4547648908566			EE	A	NLD	8479.5000.00
CR_UGD4_R_HD10	Delta 3 Robot, IP69K R1100mm/Z:250mm, Payload: 2kg, Cable length 10 m, With Rotation	79.600,00	410290	4547648994972			EE	A	NLD	8479.5000.00
CR_UGD4_R_HD15	Delta 3 Robot, IP69K R1100mm/Z:250mm, Payload: 2kg, Cable length 15 m, With Rotation	82.300,00	410292	4547648994996			EE	A	NLD	8479.5000.00
CR_UGD4_R_HD20	Delta 3 Robot, IP69K R1100mm/Z:250mm, Payload: 2kg, Cable length 20 m, With Rotation	83.050,00	410294	4547648995016			EE	A	NLD	8479.5000.00
CR_UGD4_R_HD3	Delta 3 Robot, IP69K R1100mm/Z:250mm, Payload: 2kg, Cable length 3 m, With Rotation	78.100,00	410286	4547648994934			EE	A	NLD	8479.5000.00
CR_UGD4_R_HD5	Delta 3 Robot, IP69K R1100mm/Z:250mm, Payload: 2kg, Cable length 5 m, With Rotation	78.900,00	410288	4547648994958			EE	A	NLD	8479.5000.00
CR_UGD4_XS_1S	Delta robot series - 650mm working range, rotational axis, payload 2kg	39.500,00	688586	4549734973106			EE	A	NLD	8479.5000.00
CR_UGD4_XS_NR_1S	Delta robot series - 650mm working range, non rotational axis, payload 2kg	32.370,00	688584	4549734973090			EE	A	NLD	8479.5000.00
CR_UGD4MINI_NR	Mini Delta robot series - 500mm working range, non rotational axis, payload 1kg, IP65	24.480,00	353538	4547648910064			EE	A	NLD	8479.5000.00
CR_UGD4MINI_R	Mini Delta robot series - 450mm working range, rotational axis, payload 1kg, IP65	29.540,00	353539	4547648910071			EE	A	NLD	8479.5000.00
CR_UGD4XL_NR	Delta robot series - 1300mm working range, non rotational axis, payload 2kg, IP65 design	42.150,00	374539	4547648955331			EE	A	NLD	8479.5000.00
CR_UGD4XL_R	Delta robot series - 1300mm working range, rotational axis, payload 2kg, IP65 design	49.200,00	374538	4547648955324			EE	A	NLD	8479.5000.00
CR_UGD5_XL	Delta 5 robot, axis, speed 1200/1min, payload 1,5 kg, working range 1300 x 250 mm	61.250,00	672055	4549734930798			EE	A	NLD	8479.5000.00
CR_UGD5_XL_G_1S	Omron Delta-5 robot, 1300 mm, gripper control, design with 1S series servomotors	48.570,00	695704	4549734997942			EE	A	NLD	8479.5000.00
CRUGD4XL1300HR	Delta 3 Robot, IP65, R1300mm/Z:300mm, Payload: 8kg, With Rotation	78.100,00	402028	4547648991513			EE	A	NLD	8479.5000.00
<b>MX2 Bundle.</b>										
3G3MX2-A2007-E-ECT	MX inverter drive, 0.75/1.1 kW (HD/ND), 5.0/6.0 A (HD/ND), 200 VAC, 3- input, sensorless vector, with EtherCAT interface, max. output freq, 580Hz	549,50	658980	4548583950351			EZ	A	NLD	9032.8900.90
3G3MX2-A4004-E-ECT	MX inverter drive, 0.4/0.75 kW (HD/ND), 1.8/2.1 A (HD/ND), 400 VAC, 3- input, sensorless vector + MX2 EtherCAT option card, max. output freq, 580Hz	658,00	410015	4547648994422	#		EZ	A	NLD	9032.8900.90
3G3MX2-A4007-E-ECT	MX inverter drive, 0.75/1.5 kW (HD/ND), 3.4/4.1 A (HD/ND), 400 VAC, 3- input, sensorless vector + MX2 EtherCAT option card, max. output freq, 580Hz	675,50	410017	4547648994446	#		EZ	A	NLD	9032.8900.90
3G3MX2-A4015-E-ECT	MX inverter drive, 1.5/2.2 kW (HD/ND), 4.8/5.4 A (HD/ND), 400 VAC, 3- input, sensorless vector + MX2 EtherCAT option card, max. output freq, 580Hz	739,50	410019	4547648994460	#		EZ	A	NLD	9032.8900.90
3G3MX2-A4022-E-ECT	MX inverter drive, 2.2/3.0 kW (HD/ND), 5.5/6.9 A (HD/ND), 400 VAC, 3- input, sensorless vector + MX2 EtherCAT option card, max. output freq, 580Hz	789,00	410021	4547648994484	#		EZ	A	NLD	9032.8900.90
3G3MX2-A4030-E-ECT	MX inverter drive, 3.0/4.0 kW (HD/ND), 7.2/8.8 A (HD/ND), 400 VAC, 3- input, sensorless vector + MX2 EtherCAT option card, max. output freq, 580Hz	853,00	410023	4547648994507	#		EZ	A	NLD	9032.8900.90
3G3MX2-A4040-E-ECT	MX inverter drive, 4.0/5.5 kW (HD/ND), 9.2/11.1 A (HD/ND), 400 VAC, 3- input, sensorless vector + MX2 EtherCAT option card, max. output freq, 580Hz	987,00	410025	4547648994521	#		EZ	A	NLD	9032.8900.90
3G3MX2-A4055-E-ECT	MX inverter drive, 5.5/7.5 kW (HD/ND), 14.8/17.5 A (HD/ND), 400 VAC, 3-phase, sensorless vector + MX2 EtherCAT option card, max. output freq, 580Hz	1.071,00	670452	4548583971066	#		EZ	A	NLD	9032.8900.90
3G3MX2-A4075-E-ECT	MX inverter drive, 7.5/11 kW (HD/ND), 18/23 A (HD/ND), 400 VAC, 3-phase, sensorless vector + MX2 EtherCAT option card, max. output freq, 580Hz	1.170,00	670454	4548583971080	#		EZ	A	NLD	9032.8900.90
3G3MX2-A4110-E-ECT	MX inverter drive, 11/15 kW (HD/ND), 24/31 A (HD/ND), 400 VAC, 3- input, sensorless vector + MX2 EtherCAT option card, max. output freq, 580Hz	2.004,00	668517	4548583961814	#		EZ	A	NLD	9032.8900.90
3G3MX2-A4150-E-ECT	MX inverter drive, 15/18.5 kW (HD/ND), 31/38 A (HD/ND), 400 VAC, 3- input, sensorless vector + MX2 EtherCAT option card, max. output freq, 580Hz	2.182,00	668519	4548583961838	#		EZ	A	NLD	9032.8900.90
3G3MX2-AB001-E-ECT	MX inverter drive, 0.1/0.2 kW (HD/ND), 1.0/1.2 A (HD/ND), 200 VAC, 1- input, sensorless vector + MX2 EtherCAT option card, max. output freq, 580Hz	446,80	410027	4547648994545	#		EZ	A	NLD	9032.8900.90
3G3MX2-AB022-E-ECT	MX inverter drive, 0.2/0.4 kW (HD/ND), 1.6/1.9 A (HD/ND), 200 VAC, 1- input, sensorless vector + MX2 EtherCAT option card, max. output freq, 580Hz	446,80	410029	4547648994569	#		EZ	A	NLD	9032.8900.90
3G3MX2-AB004-E-ECT	MX inverter drive, 0.4/0.55 kW (HD/ND), 3.0/3.5 A (HD/ND), 200 VAC, 1- input, sensorless vector + MX2 EtherCAT option card, max. output freq, 580Hz	457,80	410031	4547648994583	#		EZ	A	NLD	9032.8900.90
3G3MX2-AB007-E-ECT	MX inverter drive, 0.75/1.1 kW (HD/ND), 5.0/6.0 A (HD/ND), 200 VAC, 1- input, sensorless vector + MX2 EtherCAT option card, max. output freq, 580Hz	503,00	410033	4547648994606	#		EZ	A	NLD	9032.8900.90
3G3MX2-AB015-E-ECT	MX inverter drive, 1.5/2.2 kW (HD/ND), 8.0/9.6 A (HD/ND), 200 VAC, 1- input, sensorless vector + MX2 EtherCAT option card, max. output freq, 580Hz	532,50	410035	4547648994620	#		EZ	A	NLD	9032.8900.90
3G3MX2-AB022-E-ECT	MX inverter drive, 2.2/3.0 kW (HD/ND), 11.0/12.0 A (HD/ND), 200 VAC, 1- input, sensorless vector + MX2 EtherCAT option card, max. output freq, 580Hz	678,00	410037	4547648994644	#		EZ	A	NLD	9032.8900.90
3G3MX2-A4004-E-EBP	MX inverter drive, 0.4/0.75 kW (HD/ND), 1.8/2.1 A (HD/ND), 400 VAC, 3-phase, sensorless vector + MX2 EtherNet/IP option card, max. output freq, 580Hz	658,00	669182	4548583965812			EZ	A	CHN	9032.8900.90
3G3MX2-A4007-E-EBP	MX inverter drive, 0.75/1.5 kW (HD/ND), 3.4/4.1 A (HD/ND), 400 VAC, 3-phase, sensorless vector + MX2 EtherNet/IP option card, max. output freq, 580Hz	826,50	669172	4548583965713			EZ	A	CHN	9032.8900.90
3G3MX2-A4015-E-EBP	MX inverter drive, 1.5/2.2 kW (HD/ND), 4.8/5.4 A (HD/ND), 400 VAC, 3-phase, sensorless vector + MX2 EtherNet/IP option card, max. output freq, 580Hz	892,50	669174	4548583965737			EZ	A	CHN	9032.8900.90
3G3MX2-A4022-E-EBP	MX inverter drive, 2.2/3.0 kW (HD/ND), 5.5/6.9 A (HD/ND), 400 VAC, 3- input, sensorless vector + MX2 EtherNet/IP option card, max. output freq, 580Hz	941,50	669186	4548583965850			EZ	A	CHN	9032.8900.90
3G3MX2-AB015-E-EBP	MX inverter drive, 1.5/2.2 kW (HD/ND), 8.0/9.6 A (HD/ND), 200 VAC, 1- input, sensorless vector + MX2 EtherNet/IP option card, max. output freq, 580Hz	673,50	669180	4548583965799			EZ	A	CHN	9032.8900.90
<b>Safety limit switch.</b>										
D4N-1120	Limit switch, Roller lever (resin lever, resin roller), 1NC/1NO (snap-action), 1NC/1NO (snap-action), Pg13.5 (1-conduit)	12.81	170095	4547648033732	#		FA	A	JPN	8536.5007.00
D4N-1122	Limit switch, Roller lever (metal lever, resin roller), 1NC/1NO (snap-action), 1NC/1NO (snap-action), Pg13.5 (1-conduit)	17.16	170101	4547648033794	#		FA	A	JPN	8536.5007.00
D4N-1125	Limit switch, Roller lever (metal lever, metal roller), 1NC/1NO (snap-action), 1NC/1NO (snap-action), Pg13.5 (1-conduit)	15.93	170109	4547648033879	#		FA	A	JPN	8536.5007.00
D4N-1126	Limit switch, Roller lever (metal lever, bearing roller), 1NC/1NO (snap-action), 1NC/1NO (snap-action), Pg13.5 (1-conduit)	37.26	170688	4547648050425	#		FA	A	JPN	8536.5007.00
D4N-112G	Limit switch, Adjustable roller lever, form lock (metal lever, resin roller), 1NC/1NO (snap-action), Pg13.5 (1-conduit)	15.71	170140	4547648034180	#		FA	A	JPN	8536.5007.00
D4N-112H	Limit switch, Adjustable roller lever, form lock (metal lever, rubber roller), 1NC/1NO (snap-action), 1NC/1NO (snap-action), Pg13.5 (1-conduit)	20.09	170146	4547648034241	#		FA	A	JPN	8536.5007.00
D4N-1131	Limit switch, Top plunger, 1NC/1NO (snap-action), 1NC/1NO (snap-action), Pg13.5 (1-conduit)	10.23	170114	4547648033923	#		FA	A	JPN	8536.5007.00
D4N-1132	Limit switch, Top roller plunger, 1NC/1NO (snap-action), 1NC/1NO (snap-action), Pg13.5 (1-conduit)	11.31	170120	4547648033985	#		FA	A	JPN	8536.5007.00

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Data sheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
D4N-1162	Limit switch, One-way roller arm lever (horizontal), 1NC/1NO (snap-action), 1NC/1NO (snap-action), Pa13.5 (1-conduit)	11.37	170126	4547648034043			FA	A	JPN	8536.5007.00
D4N-1225	Limit switch, Roller lever (metal lever, metal roller), 2NC (snap-action), 2NC (snap-action), Pa13.5 (1-conduit)	14.77	170168	4547648034463			FA	A	JPN	8536.5007.00
D4N-1226	Limit switch, Adjustable roller lever, form lock (metal lever, resin roller), 2NC (snap-action), 2NC (snap-action), Pa13.5 (1-conduit)	16.07	170205	4547648034638			FA	A	JPN	8536.5007.00
D4N-122H	Limit switch, Adjustable roller lever, form lock (metal lever, rubber roller), 2NC (snap-action), 2NC (snap-action), Pa13.5 (1-conduit)	17.89	170212	4547648034906			FA	A	JPN	8536.5007.00
D4N-1231	Limit switch, Top plunger, 2NC (snap-action), 2NC (snap-action), Pa13.5 (1-conduit)	11.50	170173	4547648034517			FA	A	JPN	8536.5007.00
D4N-1232	Limit switch, Top roller plunger, 2NC (snap-action), 2NC (snap-action), Pa13.5 (1-conduit)	11.70	170181	4547648034593			FA	A	JPN	8536.5007.00
D4N-1262	Limit switch, One-way roller arm lever (horizontal), 2NC (snap-action), 2NC (snap-action), Pa13.5 (1-conduit)	11.56	170189	4547648034678			FA	A	JPN	8536.5007.00
D4N-1A20	Limit switch, Roller lever (resin lever, resin roller), 1NC/1NO (slow-action), 1NC/1NO (slow-action), Pa13.5 (1-conduit)	15.71	170219	4547648034975			FA	A	JPN	8536.5007.00
D4N-1A22	Limit switch, Roller lever (metal lever, resin roller), 1NC/1NO (slow-action), 1NC/1NO (slow-action), Pa13.5 (1-conduit)	16.07	170225	4547648035033			FA	A	JPN	8536.5007.00
D4N-1A2G	Limit switch, Adjustable roller lever, form lock (metal lever, resin roller), 1NC/1NO (slow-action), 1NC/1NO (slow-action), Pa13.5 (1-conduit)	16.07	170267	4547648035453			FA	A	JPN	8536.5007.00
D4N-1A2H	Limit switch, Adjustable roller lever, form lock (metal lever, rubber roller), 1NC/1NO (slow-action), 1NC/1NO (slow-action), Pa13.5 (1-conduit)	19.34	170274	4547648035521			FA	A	JPN	8536.5007.00
D4N-1A31	Limit switch, Top plunger, 1NC/1NO (slow-action), 1NC/1NO (slow-action), Pa13.5 (1-conduit)	11.31	170238	4547648035163			FA	A	JPN	8536.5007.00
D4N-1A32	Limit switch, Top roller plunger, 1NC/1NO (slow-action), 1NC/1NO (slow-action), Pa13.5 (1-conduit)	11.31	170245	4547648035293			FA	A	JPN	8536.5007.00
D4N-1A62	Limit switch, One-way roller arm lever (horizontal), 1NC/1NO (slow-action), 1NC/1NO (slow-action), Pa13.5 (1-conduit)	12.81	170251	4547648035293			FA	A	JPN	8536.5007.00
D4N-1B20	Limit switch, Roller lever (resin lever, resin roller), 2NC (slow-action), 2NC (slow-action), Pa13.5 (1-conduit)	14.97	170281	4547648035590			FA	A	JPN	8536.5007.00
D4N-1B22	Limit switch, Roller lever (metal lever, resin roller), 2NC (slow-action), 2NC (slow-action), Pa13.5 (1-conduit)	16.07	170289	4547648035675			FA	A	JPN	8536.5007.00
D4N-1B2G	Limit switch, Adjustable roller lever, form lock (metal lever, resin roller), 2NC (slow-action), 2NC (slow-action), Pa13.5 (1-conduit)	16.07	170333	4547648036122			FA	A	JPN	8536.5007.00
D4N-1B31	Limit switch, Top plunger, 2NC (slow-action), 2NC (slow-action), Pa13.5 (1-conduit)	9.26	170301	4547648035804			FA	A	JPN	8536.5007.00
D4N-1B32	Limit switch, Top roller plunger, 2NC (slow-action), 2NC (slow-action), Pa13.5 (1-conduit)	11.31	170309	4547648035880			FA	A	JPN	8536.5007.00
D4N-1C20	Limit switch, Roller lever (resin lever, resin roller), 2NC/1NO (slow-action), 2NC/1NO (slow-action), Pa13.5 (1-conduit)	16.07	170347	4547648036269			FA	A	JPN	8536.5007.00
D4N-1D62	Limit switch, One-way roller arm lever (horizontal), 3NC (slow-action), 3NC (slow-action), Pa13.5 (1-conduit)	17.16	170437	4547648037143			FA	A	JPN	8536.5007.00
D4N-1E32	Limit switch, Top roller plunger, 1NC/1NO (MBB contact-/slow-action), 1NC/1NO (MBB contact-/slow-action), Pa13.5 (1-conduit)	10.83	170492	4547648037686			FA	A	JPN	8536.5007.00
D4N-2120	Limit switch, Roller lever (resin lever, resin roller), 1NC/1NO (snap-action), 1NC/1NO (snap-action), G1/2 (1-conduit)	13.85	170081	4547648030328			FA	A	JPN	8536.5007.00
D4N-2126	Limit switch, Roller lever (metal lever, bearing roller), 1NC/1NO (snap-action), 1NC/1NO (snap-action), G1/2 (1-conduit)	31.83	170659	4547648050463			FA	A	JPN	8536.5007.00
D4N-212G	Limit switch, Adjustable roller lever, form lock (metal lever, resin roller), 1NC/1NO (snap-action), 1NC/1NO (snap-action), G1/2 (1-conduit)	15.71	170093	4547648030458	#		FA	A	JPN	8536.5007.00
D4N-212H	Limit switch, Adjustable roller lever, form lock (metal lever, rubber roller), 1NC/1NO (snap-action), 1NC/1NO (snap-action), G1/2 (1-conduit)	20.80	170094	4547648030465			FA	A	JPN	8536.5007.00
D4N-2131	Limit switch, Top plunger, 1NC/1NO (snap-action), 1NC/1NO (snap-action), G1/2 (1-conduit)	10.57	170082	4547648030342			FA	A	JPN	8536.5007.00
D4N-2180	Limit switch, Cat whisker, 1NC/1NO (snap-action), 1NC/1NO (snap-action), G1/2 (1-conduit)	24.31	170588	4547648038638			FA	A	JPN	8536.5007.00
D4N-2187	Limit switch, Plastic rod, 1NC/1NO (snap-action), 1NC/1NO (snap-action), G1/2 (1-conduit)	20.01	170593	4547648038683			FA	A	JPN	8536.5007.00
D4N-2232	Limit switch, Top roller plunger, 2NC (snap-action), 2NC (snap-action), G1/2 (1-conduit)	12.75	170182	4547648034609			FA	A	JPN	8536.5007.00
D4N-2280	Limit switch, Cat whisker, 2NC (snap-action), 2NC (snap-action), G1/2 (1-conduit)	25.48	170598	4547648038737			FA	A	JPN	8536.5007.00
D4N-2287	Limit switch, Plastic rod, 2NC (snap-action), 2NC (snap-action), G1/2 (1-conduit)	20.71	170603	4547648038782			FA	A	JPN	8536.5007.00
D4N-2A20	Limit switch, Roller lever (resin lever, resin roller), 1NC/1NO (slow-action), 1NC/1NO (slow-action), G1/2 (1-conduit)	13.51	170088	4547648030403			FA	A	JPN	8536.5007.00
D4N-2A31	Limit switch, Top plunger, 1NC/1NO (slow-action), 1NC/1NO (slow-action), G1/2 (1-conduit)	11.31	170090	4547648030427			FA	A	JPN	8536.5007.00
D4N-2A32	Limit switch, Top roller plunger, 1NC/1NO (slow-action), 1NC/1NO (slow-action), G1/2 (1-conduit)	10.88	170091	4547648030434			FA	A	JPN	8536.5007.00
D4N-2A3E	Limit switch, Fork lever lock (left operation), 1NC/1NO (slow-action), 1NC/1NO (slow-action), G1/2 (1-conduit)	38.90	170633	4547648044776			FA	A	JPN	8536.5007.00
D4N-2500	Limit switch, Roller lever (resin lever, resin roller), 2NC (slow-action), 2NC (slow-action), G1/2 (1-conduit)	13.85	170282	4547648035606			FA	A	JPN	8536.5007.00
D4N-2505	Limit switch, Roller lever (metal lever, metal roller), 2NC (slow-action), 2NC (slow-action), G1/2 (1-conduit)	15.92	170725	45476480374810			FA	A	JPN	8536.5007.00
D4N-250S	Limit switch, Adjustable roller lever, form lock (metal lever, resin roller), 2NC (slow-action), 2NC (slow-action), G1/2 (1-conduit)	13.56	170334	4547648036139			FA	A	JPN	8536.5007.00
D4N-2B31	Limit switch, Top plunger, 2NC (slow-action), 2NC (slow-action), G1/2 (1-conduit)	9.55	170302	4547648035811			FA	A	JPN	8536.5007.00
D4N-2B32	Limit switch, Top roller plunger, 2NC (slow-action), 2NC (slow-action), G1/2 (1-conduit)	12.42	170310	4547648035897			FA	A	JPN	8536.5007.00
D4N-2B62	Limit switch, One-way roller arm lever (horizontal), 2NC (slow-action), 2NC (slow-action), G1/2 (1-conduit)	13.15	170318	4547648035972			FA	A	JPN	8536.5007.00
D4N-2B80	Limit switch, Cat whisker, 2NC (slow-action), 2NC (slow-action), G1/2 (1-conduit)	25.92	170608	4547648038836			FA	A	JPN	8536.5007.00
D4N-2B87	Limit switch, Plastic rod, 2NC (slow-action), 2NC (slow-action), G1/2 (1-conduit)	22.41	170613	4547648038881			FA	A	JPN	8536.5007.00
D4N-2C25	Limit switch, Roller lever (metal lever, metal roller), 2NC/1NO (slow-action), 2NC/1NO (slow-action), G1/2 (1-conduit)	28.28	170362	4547648041812			FA	A	JPN	8536.5007.00
D4N-2D20	Limit switch, Roller lever (resin lever, resin roller), 3NC (slow-action), 3NC (slow-action), G1/2 (1-conduit)	15.63	170406	4547648036849			FA	A	JPN	8536.5007.00
D4N-2D80	Limit switch, Cat whisker, 3NC (slow-action), 3NC (slow-action), G1/2 (1-conduit)	31.24	170618	4547648038935			FA	A	JPN	8536.5007.00
D4N-2D87	Limit switch, Plastic rod, 3NC (slow-action), 3NC (slow-action), G1/2 (1-conduit)	26.56	170623	4547648038980			FA	A	JPN	8536.5007.00
D4N-2E32	Limit switch, Top roller plunger, 1NC/1NO (MBB contact-/slow-action), 1NC/1NO (MBB contact-/slow-action), G1/2 (1-conduit)	11.64	170493	4547648037693			FA	A	JPN	8536.5007.00
D4N-2F20	Limit switch, Roller lever (resin lever, resin roller), 2NC/1NO (MBB contact-/slow-action), 2NC/1NO (MBB contact-/slow-action), G1/2 (1-conduit)	20.20	170531	4547648038072			FA	A	JPN	8536.5007.00
D4N-2F25	Limit switch, Roller lever (metal lever, metal roller), 2NC/1NO (MBB contact-/slow-action), 2NC/1NO (MBB contact-/slow-action), G1/2 (1-conduit)	18.97	170545	4547648041829			FA	A	JPN	8536.5007.00
D4N-2FLE	Limit switch, Fork lever lock (left operation), 2NC/1NO (MBB contact-/slow-action), 2NC/1NO (MBB contact-/slow-action), G1/2 (1-conduit)	47.12	170683	4547648045278			FA	A	JPN	8536.5007.00
D4N-4120	Safety Limit switch, D4N, M20 (1 conduit), 1NC/1NO (snap-action), roller lever (resin lever, resin roller)	12.05	168848	4547648030335	#		FA	A	JPN	8536.5007.00
D4N-4122	Limit switch, Roller lever (metal lever, resin roller), 1NC/1NO (snap-action), 1NC/1NO (snap-action), M20 (1-conduit)	16.07	170104	4547648033824			FA	A	JPN	8536.5007.00
D4N-4125	Limit switch, Roller lever (metal lever, metal roller), 1NC/1NO (snap-action), 1NC/1NO (snap-action), M20 (1-conduit)	16.98	170112	4547648033969			FA	A	JPN	8536.5007.00
D4N-412G	Safety Limit switch, D4N, M20 (1 conduit), 1NC/1NO (snap-action), adjustable roller lever (metal lever, resin roller)	14.60	170142	45476480304203	#		FA	A	JPN	8536.5007.00
D4N-412H	Safety Limit switch, D4N, M20 (1 conduit), 1NC/1NO (snap-action), adjustable roller lever (metal lever, rubber roller)	20.80	170148	45476480304265			FA	A	JPN	8536.5007.00
D4N-4131	Safety Limit switch, D4N, M20 (1 conduit), 1NC/1NO (snap-action), top plunger	9.75	170083	4547648030359	#		FA	A	JPN	8536.5007.00
D4N-4132	Safety Limit switch, D4N, M20 (1 conduit), 1NC/1NO (snap-action), top roller plunger	10.57	170085	4547648030373	#		FA	A	JPN	8536.5007.00
D4N-4162	Safety Limit switch, D4N, M20 (1 conduit), 1NC/1NO (snap-action), one-way roller arm lever (horizontal)	11.36	170087	4547648030397	#		FA	A	JPN	8536.5007.00
D4N-4172	Safety Limit switch, D4N, M20 (1 conduit), 1NC/1NO (snap-action), one-way roller arm lever (vertical)	14.60	170135	45476480304135			FA	A	JPN	8536.5007.00
D4N-4180	Limit switch, cat whisker, 1 conduit, M20	25.54	170590	4547648038652			FA	A	JPN	8536.5007.00
D4N-4187	Limit switch, plastic rod, 1 conduit, M20	19.89	170595	4547648038706	#		FA	A	JPN	8536.5007.00
D4N-4220	Limit switch, Roller lever (resin lever, resin roller), 2NC (snap-action), 2NC (snap-action), M20 (1-conduit)	13.15	170155	4547648034333			FA	A	JPN	8536.5007.00
D4N-422G	Limit switch, adjustable roller lever (form lock), M20 conduit, 2NC snap action	18.61	170208	4547648034869			FA	A	JPN	8536.5007.00
D4N-4232	Limit switch, Top roller plunger, 2NC (snap-action), 2NC (snap-action), M20 (1-conduit)	12.96	170184	4547648034623			FA	A	JPN	8536.5007.00
D4N-4262	Limit switch, One-way roller arm lever (horizontal), 2NC (snap-action), 2NC (snap-action), M20 (1-conduit)	11.70	170192	4547648034708			FA	A	JPN	8536.5007.00
D4N-4280	Limit switch, Cat whisker, 2NC (snap-action), 2NC (snap-action), M20 (1-conduit)	22.73	170600	4547648038751			FA	A	JPN	8536.5007.00
D4N-4287	Limit switch, Plastic rod, 2NC (snap-action), 2NC (snap-action), M20 (1-conduit)	20.18	170605	4547648038805			FA	A	JPN	8536.5007.00
D4N-4A20	Safety Limit switch, D4N, M20 (1 conduit), 1NC/1NO (slow-action), roller lever (resin lever, resin roller)	14.23	170089	4547648030410			FA	A	JPN	8536.5007.00
D4N-4A2G	Safety Limit switch, D4N, M20 (1 conduit), 1NC/1NO (slow-action), adjustable roller lever (metal lever, resin roller)	14.97	170270	4547648035844			FA	A	JPN	8536.5007.00
D4N-4A2H	Safety Limit switch, D4N, M20 (1 conduit), 1NC/1NO (slow-action), adjustable roller lever (metal lever, rubber roller)	19.73	170277	4547648035852			FA	A	JPN	8536.5007.00
D4N-4A31	Safety Limit switch, D4N, M20 (1 conduit), 1NC/1NO (slow-action), top plunger	10.23	170240	4547648035187			FA	A	JPN	8536.5007.00
D4N-4A32	Safety Limit switch, D4N, M20 (1 conduit), 1NC/1NO (slow-action), top roller plunger	10.66	170092	4547648030441			FA	A	JPN	8536.5007.00
D4N-4A62	Safety Limit switch, D4N, M20 (1 conduit), 1NC/1NO (slow-action), one-way roller arm lever (horizontal)	12.05	170254	4547648035323			FA	A	JPN	8536.5007.00
D4N-4A72	Safety Limit switch, D4N, M20 (1 conduit), 1NC/1NO (slow-action), one-way roller arm lever (vertical)	17.54	170262	4547648035408			FA	A	JPN	8536.5007.00
D4N-4ALE	Limit switch, Fork lever lock (left operation), 1NC/1NO (slow-action), 1NC/1NO (slow-action), M20 (1-conduit)	42.96	170635	4547648044790			FA	A	JPN	8536.5007.00

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	SLN. (Data sheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
D4N-4AFE	Limit switch, Fork lever lock (right operation),1NC/1NO (slow-action), 1NC/1NO (slow-action), M20 (1-conduit)	42.96	170630	4547648044745			FA	A	JPN	8536.5007.00
D4N-4B2G	Limit switch, Roller lever (metal lever, resin roller), 2NC (slow-action), 2NC (slow-action), M20 (1-conduit)	14.80	170292	4547648035705			FA	A	JPN	8536.5007.00
D4N-4B31	Safety Limit switch, D4N, M20 (1 conduit), 2NC (slow-action), adjustable roller lever (metal lever, resin roller)	15.45	170336	4547648036153			FA	A	JPN	8536.5007.00
D4N-4B32	Safety Limit switch, D4N, M20 (1 conduit), 2NC (slow-action), top plunger	10.23	170304	4547648035835			FA	A	JPN	8536.5007.00
D4N-4B72	Safety Limit switch, D4N, M20 (1 conduit), 2NC (slow-action), one-way roller arm lever (vertical)	10.53	170312	4547648035910			FA	A	JPN	8536.5007.00
D4N-4B80	Limit switch, Cat whisker, 2NC (slow-action), 2NC (slow-action), M20 (1-conduit)	17.68	170328	4547648036078			FA	A	JPN	8536.5007.00
D4N-4B87	Limit switch, Plastic rod, 2NC (slow-action), 2NC (slow-action), M20 (1-conduit)	25.92	170610	4547648036850			FA	A	JPN	8536.5007.00
D4N-4C72	Limit switch, one way roller arm lever (vert), 1 conduit, M20	22.41	170615	4547648036904			FA	A	JPN	8536.5007.00
D4N-4D32	Limit switch, Top roller plunger, 3NC (slow-action), 3NC (slow-action), M20 (1-conduit)	14.74	170389	4547648036672			FA	A	JPN	8536.5007.00
D4N-4D80	Limit switch, Cat whisker, 3NC (slow-action), 3NC (slow-action), M20 (1-conduit)	20.91	170433	4547648037105			FA	A	JPN	8536.5007.00
D4N-4D87	Limit switch, Plastic rod, 3NC (slow-action), 3NC (slow-action), M20 (1-conduit)	31.24	170620	4547648038959			FA	A	JPN	8536.5007.00
D4N-4E32	Safety Limit switch, D4N, M20 (1 conduit), 1NC/1NO (MBB contact/slow-action), top roller plunger	26.56	170625	4547648039000			FA	A	JPN	8536.5007.00
D4N-4E62	Safety Limit switch, D4N, M20 (1 conduit), 1NC/1NO (MBB contact/slow-action), top roller plunger, one-way roller arm lever (horizontal)	9.74	170495	4547648037716			FA	A	JPN	8536.5007.00
D4N-4FFE	Limit switch, Fork lever lock (right operation), 2NC/1NO (MBB contact/-/slow-action), 2NC/1NO (MBB contact/-/slow-action), M20 (1-conduit)	14.57	170503	4547648037792			FA	A	JPN	8536.5007.00
D4N-612G	Limit switch, Adjustable roller lever, form lock (metal lever, resin roller), 1NC/1NO (snap-action), 1NC/1NO (snap-action), G1/2 (2-conduit)	47.12	170680	4547648045247			FA	A	JPN	8536.5007.00
D4N-6131	Limit switch, Top plunger, 1NC/1NO (snap-action), 1NC/1NO (snap-action), G1/2 (2-conduit)	19.39	170144	4547648034227			FA	A	JPN	8536.5007.00
D4N-6132	Limit switch, Top roller plunger, 1NC/1NO (snap-action), 1NC/1NO (snap-action), G1/2 (2-conduit)	15.50	170118	4547648033961			FA	A	JPN	8536.5007.00
D4N-6A31	Limit switch, Top plunger, 1NC/1NO (slow-action), 1NC/1NO (slow-action), G1/2 (2-conduit)	16.25	170124	4547648034029			FA	A	JPN	8536.5007.00
D4N-6B31	Limit switch, Top plunger, 2NC (slow-action), 2NC (slow-action), G1/2 (2-conduit)	16.11	170243	4547648035217			FA	A	JPN	8536.5007.00
D4N-6B32	Limit switch, Top roller plunger, 2NC (slow-action), 2NC (slow-action), G1/2 (2-conduit)	15.93	170307	4547648035866			FA	A	JPN	8536.5007.00
D4N-6D32	Limit switch, Top roller plunger, 3NC (slow-action), 3NC (slow-action), G1/2 (2-conduit)	19.34	170315	4547648035941			FA	A	JPN	8536.5007.00
D4N-8120	Limit switch, Roller lever (resin lever, resin roller), 1NC/1NO (snap-action), 1NC/1NO (snap-action), M20 (2-conduit)	27.01	170435	4547648037129			FA	A	JPN	8536.5007.00
D4N-8122	Limit switch, Roller lever (metal lever, resin roller), 1NC/1NO (snap-action), 1NC/1NO (snap-action), M20 (2-conduit)	20.09	170100	4547648033787			FA	A	JPN	8536.5007.00
D4N-812G	Limit switch, Adjustable roller lever, form lock (metal lever, resin roller), 1NC/1NO (snap-action), 1NC/1NO (snap-action), M20 (2-conduit)	20.31	170108	4547648033962			FA	A	JPN	8536.5007.00
D4N-812H	Limit switch, Adjustable roller lever, form lock (metal lever, rubber roller), 1NC/1NO (snap-action), 1NC/1NO (snap-action), M20 (2-conduit)	18.34	170145	4547648034234			FA	A	JPN	8536.5007.00
D4N-8131	Limit switch, plunger, 2 conduit, M20	22.00	170151	4547648034296			FA	A	JPN	8536.5007.00
D4N-8132	Limit switch, roller plunger, 2 conduit, M20	15.75	170119	4547648033978		50	FA	A	JPN	8536.5007.00
D4N-8162	Limit switch, one way roller arm lever (horiz), 2 conduit, M20	18.98	170125	4547648034036			FA	A	JPN	8536.5007.00
D4N-8172	Limit switch, One-way roller arm lever (vertical), 1NC/1NO (snap-action), 1NC/1NO (snap-action), M20 (2-conduit)	20.09	170131	4547648034098		#	FA	A	JPN	8536.5007.00
D4N-8232	Limit switch, Top roller plunger, 2NC (snap-action), 2NC (snap-action), M20 (2-conduit)	20.09	170139	4547648034173			FA	A	JPN	8536.5007.00
D4N-8A32	Limit switch, Top roller plunger, 1NC/1NO (slow-action), 1NC/1NO (slow-action), M20 (2-conduit)	22.22	170188	4547648034661			FA	A	JPN	8536.5007.00
D4N-8A62	Limit switch, One-way roller arm lever (horizontal), 1NC/1NO (slow-action), 1NC/1NO (slow-action), M20 (2-conduit)	16.73	170250	4547648035286			FA	A	JPN	8536.5007.00
D4N-8B22	Limit switch, Roller lever (metal lever, resin roller), 2NC (slow-action), 2NC (slow-action), M20 (2-conduit)	17.02	170258	4547648035361			FA	A	JPN	8536.5007.00
D4N-8F31	Limit switch, Top plunger, 2NC/1NO (MBB contact/-/slow-action), 2NC/1NO (MBB contact/-/slow-action), M20 (2-conduit)	31.24	170296	4547648035743			FA	A	JPN	8536.5007.00
D4N-9120	Safety Limit switch, D4N, M12 connector (1 conduit), 1NC/1NO (snap-action), roller lever (resin lever, resin roller)	23.36	170554	4547648038294			FA	A	JPN	8536.5007.00
D4N-912G	Safety Limit switch, D4N, M12 connector (1 conduit), 1NC/1NO (snap-action), adjustable roller lever (metal lever, resin roller)	35.34	170097	4547648033756			FA	A	JPN	8536.5007.00
D4N-912H	Safety Limit switch, D4N, M12 connector (1 conduit), 1NC/1NO (snap-action), adjustable roller lever (metal lever, rubber roller)	37.91	170143	4547648034210			FA	A	JPN	8536.5007.00
D4N-9131	Safety Limit switch, D4N, M12 connector (1 conduit), 1NC/1NO (snap-action), top plunger	42.85	170148	4547648034272			FA	A	JPN	8536.5007.00
D4N-9132	Safety Limit switch, D4N, M12 connector (1 conduit), 1NC/1NO (snap-action), top roller plunger	31.72	170116	4547648033947			FA	A	JPN	8536.5007.00
D4N-9162	Safety Limit switch, D4N, M12 connector (1 conduit), 1NC/1NO (snap-action), one-way roller arm lever (horizontal)	31.02	170122	4547648034005			FA	A	JPN	8536.5007.00
D4N-9225	Limit switch, Roller lever (metal lever, metal roller), 2NC (snap-action), 2NC (snap-action), M12 connector (1-conduit)	31.02	170128	4547648034067			FA	A	JPN	8536.5007.00
D4N-922H	Limit switch, Adjustable roller lever, form lock (metal lever, rubber roller), 2NC (snap-action), 2NC (snap-action), M12 connector (1-conduit)	38.38	170172	4547648034500			FA	A	JPN	8536.5007.00
D4N-9232	Limit switch, Top roller plunger, 2NC (snap-action), 2NC (snap-action), M12 connector (1-conduit)	42.96	170216	4547648034944			FA	A	JPN	8536.5007.00
D4N-9A20	Safety Limit switch, D4N, M12 connector (1 conduit), 1NC/1NO (slow-action), roller lever (resin lever, resin roller)	34.04	170185	4547648034630			FA	A	JPN	8536.5007.00
D4N-9A2G	Safety Limit switch, D4N, M12 connector (1 conduit), 1NC/1NO (slow-action), adjustable roller lever (metal lever, resin roller)	37.26	170221	4547648034999			FA	A	JPN	8536.5007.00
D4N-9A31	Safety Limit switch, D4N, M12 connector (1 conduit), 1NC/1NO (slow-action), top plunger	37.91	170271	4547648035491			FA	A	JPN	8536.5007.00
D4N-9A32	Safety Limit switch, D4N, M12 connector (1 conduit), 1NC/1NO (slow-action), top roller plunger	31.72	170241	4547648035194			FA	A	JPN	8536.5007.00
D4N-9A62	Safety Limit switch, D4N, M12 connector (1 conduit), 1NC/1NO (slow-action), one-way roller arm lever (horizontal)	31.02	170247	4547648035255			FA	A	JPN	8536.5007.00
D4N-9B31	Safety Limit switch, D4N, M12 connector (1 conduit), 2NC/1NO (slow-action), top plunger	35.34	170255	4547648035330			FA	A	JPN	8536.5007.00
D4N-9B62	Safety Limit switch, D4N, M12 connector (1 conduit), 2NC/1NO (slow-action), one-way roller arm lever (horizontal)	29.02	170305	4547648035842			FA	A	JPN	8536.5007.00
D4N-9E32	Safety Limit switch, D4N, M12 connector (1 conduit), 1NC/1NO (MBB contact/slow-action), top roller plunger	33.33	170321	4547648036009			FA	A	JPN	8536.5007.00
		31.24	170496	4547648037723			FA	A	JPN	8536.5007.00
<b>Safety relay.</b>										
G7SA-2A2B 24DC	Safety relay, plug-in, DPST-NO, DPST-NC, 6 A, forcibly-guided contacts, 24 VDC	29.08	146147	4536854579691	#	20	FA	B	JPN	8536.4900.99
G7SA-2A2B DC12	Safety relay, plug-in, DPST-NO, DPST-NC, 6 A, forcibly-guided contacts, 12 VDC	29.08	121498	4536854716041	#	20	FA	B	JPN	8536.4900.99
G7SA-3A1B 24DC	Safety relay, plug-in, 3PST-NO, SPST-NC, 6 A, forcibly-guided contacts, 24 VDC	29.08	121590	4536854579752	#	10	FA	B	JPN	8536.4900.99
G7SA-3A3B 24DC	Safety relay, plug-in, 3PST-NO, 3PST-NC, 6 A, forcibly-guided contacts, 24 VDC	32.60	121592	4536854579721	#	20	FA	B	JPN	8536.4900.99
G7SA-3A3B DC21	Safety relay, plug-in, 3PST-NO, 3PST-NC, 6 A, forcibly-guided contacts, 21 VDC	32.60	177286	4536854718298	#	20	FA	B	JPN	8536.4900.99
G7SA-4A2B 110VDC	Safety relay, plug-in, 4PST-NO, DPST-NC, 6 A, forcibly-guided contacts, 110 VDC	32.60	679423	4547648247993	#	20	FA	B	JPN	8536.4900.99
G7SA-4A2B 24DC	Safety relay, plug-in, 4PST-NO, DPST-NC, 6 A, forcibly-guided contacts, 24 VDC	32.60	121591	4536854579714	#	20	FA	B	JPN	8536.4900.99
G7SA-4A2B DC21	Safety relay, plug-in, 4PST-NO, DPST-NC, 6 A, forcibly-guided contacts, 21 VDC	32.60	121502	4536854718311	#	20	FA	B	JPN	8536.4900.99
G7SA-5A1B 24DC	Safety relay, plug-in, 5PST-NO, SPST-NC, 6 A, forcibly-guided contacts, 24 VDC	32.60	151526	4536854579707	#	20	FA	B	JPN	8536.4900.99
P7SA-10F	Socket, DIN rail/surface mounting, 10-pin, screw terminals, for G7SA 4 pole relays	23.86	377197	4548583409095	#	10	FA	B	CHN	8536.6990.99
P7SA-10F-ND DC24	Socket, DIN rail/surface mounting, 10 pin, screw terminals, for G7SA 4 pole relays, LED indicator	31.76	377195	4548583409071	#	10	FA	B	CHN	8536.6990.99
P7SA-10F-ND-PU 24VDC	Socket, DIN rail/surface mounting, 10 pin, push-in terminals, for G7SA 4 pole relays, LED indicator	30.94	677437	4549734136150	#	10	FA	B	MYS	8536.6990.99
P7SA-10P	Socket, back connecting, PCB terminals, 10-pin, for G7SA 4 pole relays	7.94	377193	4548583409057	#	10	FA	B	CHN	8536.6990.99
P7SA-14F	Socket, DIN rail/surface mounting, 14-pin, screw terminals, for G7SA 6 pole relays	22.20	377194	4548583409064	#	10	FA	B	CHN	8536.6990.99
P7SA-14F-ND DC24	Socket, DIN rail/surface mounting, 14 pin, screw terminals, for G7SA 6 pole relays, LED indicator	31.76	377196	4548583409088	#	10	FA	B	CHN	8536.6990.99
P7SA-14F-ND-PU 24VDC	Socket, DIN rail/surface mounting, 14 pin, push-in terminals, for G7SA 6 pole relays, LED indicator	30.94	677438	4549734136167	#	10	FA	B	MYS	8536.6990.99
P7SA-14P	Socket, back connecting, PCB terminals, 14-pin, for G7SA 6 pole relays	6.98	377192	4548583409040	#	10	FA	B	CHN	8536.6990.99
G7S-3A3B-E DC24	Safety relay, plug-in, 3PST-NO, 3PST-NC, 10 A, forcibly-guided contacts, 24 VDC	36.75	121503	4536854872631	#	20	FA	B	JPN	8536.4900.99
G7S-4A2B-E DC24	Safety relay, plug-in, 4PST-NO, 2PST-NC, 10 A, forcibly-guided contacts, 24 VDC	36.75	121504	4536854872648	#	20	FA	B	JPN	8536.4900.99



Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Data sheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
P7S-14F-END DC24	Socket, DIN rail surface mounting, screw terminals, led indicator, for G7S relay	25.12	113493	4536854872655	#	5	FA	B	JPN	8536.4900.99
<b>Safety unit G8SA / B</b>										
G8SA-301-AC/DC24	Safety relay unit, 3PST-NO (Category 4), 5 A, SPST-NC aux, 1 or 2 channel input	119.70	346855	4547648813945	#		FA	C	CHN	8536.4900.99
G8SA-301-AC100-240	Safety relay unit, 3PST-NO (Category 4), 5 A, SPST-NC aux, 1 or 2 channel input	175.50	347788	4547648814058	#		FA	C	CHN	8536.4900.99
G8SA-301-P DC24	Safety relay unit, 3PST-NO (Category 4) 5 A, SPST-NC aux, 1 or 2 channel input	149.30	347789	4547648814119	#		FA	C	CHN	8536.4900.99
G8SA-321-T075 AC/DC24	Safety relay unit, 3PST-NO (Category 4), 5 A, SPST-NC aux, DPST-NO 0.5 to 7.5sec 'OFF-delay' category 3 outputs, 1 or 2 channel input	217.90	346848	4547648813969	#		FA	C	CHN	8536.4900.99
G8SA-321-T075 AC100-240	Safety relay unit, 3PST-NO (Category 4) 5 A, SPST-NC aux, DPST-NO 0.5 to 7.5sec 'OFF-delay' category 3 outputs, 1 or 2 channel input	218.40	347775	4547648814072	#		FA	C	CHN	8536.4900.99
G8SA-321-T15 AC/DC24	Safety relay unit, 3PST-NO (Category 4), 5 A, SPST-NC aux, DPST-NO 1 to 15sec 'OFF-delay' category 3 outputs, 1 or 2 channel input	217.60	347783	4547648813976	#		FA	C	CHN	8536.4900.99
G8SA-321-T15 AC100-240	Safety relay unit, 3PST-NO (Category 4) 5 A, SPST-NC aux, DPST-NO 1 to 15sec 'OFF-delay' category 3 outputs, 1 or 2 channel input	353.20	347776	4547648814089	#		FA	C	CHN	8536.4900.99
G8SA-321-T30 AC/DC24	Safety relay unit, 3PST-NO (Category 4), 5 A, SPST-NC aux, DPST-NO 2 to 30sec 'OFF-delay' category 3 outputs, 1 or 2 channel input	217.00	347784	4547648813983	#		FA	C	CHN	8536.4900.99
G8SA-321-T30 AC100-240	Safety relay unit, 3PST-NO (Category 4) 5 A, SPST-NC aux, DPST-NO 2 to 30sec 'OFF-delay' category 3 outputs, 1 or 2 channel input	353.20	347777	4547648814096	#		FA	C	CHN	8536.4900.99
G8SA-501 AC/DC24	Safety relay unit, 5PST-NO (Category 4), 5 A, SPST-NC aux, 1 or 2 channel input	168.90	346847	4547648813952	#		FA	C	CHN	8536.4900.99
G8SA-501 AC100-240	Safety relay unit, 5PST-NO (Category 4), 5 A, SPST-NC aux, 1 or 2 channel input	229.40	347774	4547648814065	#		FA	C	CHN	8536.4900.99
G8SA-TH301 AC/DC24	Two-hand controller, 3PST-NO (Category 4), 5 A, SPST-NC aux, 2 channel input	131.50	347785	4547648813990	#		FA	C	CHN	8536.4900.99
G8SA-TH301 AC100-240	Two-hand controller, 3PST-NO (Category 4), 5 A, SPST-NC aux, 2 channel input	156.20	347778	4547648814102	#		FA	C	CHN	8536.4900.99
G8SA-EX301	Expansion unit for G8SA, 3PST-NO (Category 4), 5 A, SPST-NC aux	108.80	347786	4547648814003	#		FA	C	CHN	8536.4900.99
G8SB-2002-A AC/DC24	Safety relay unit, DPST-NO (Category 4), 5 A, 2 channel input, auto-reset	98.15	346849	4547648814195	#		FA	C	CHN	8536.4900.99
G8SB-2002-C AC/DC24	Safety relay unit, DIN 17.5mm, DPST-NO (Category 4), 5 A, 1 or 2 channel input, manual-reset (+ common input)	98.15	346850	4547648814218	#		FA	C	CHN	8536.4900.99
G8SB-200-B AC/DC24	Safety relay unit, DIN 17.5mm, DPST-NO (Category 4), 5 A, 1 or 2 channel input, manual-reset (+ common input)	87.20	347790	4547648814201	#		FA	C	CHN	8536.4900.99
G8SB-200-D AC/DC24	Safety relay unit, DIN 17.5mm, DPST-NO (Category 4), 5 A, 1 or 2 channel input, manual-reset (+ common input)	97.95	347791	4547648814225	#		FA	C	CHN	8536.4900.99
G8SB-3010 DC24	Safety relay unit, DIN 17.5mm, 3PST-NO (Category 3), SPST-NC aux, 5 A, 2 channel direct breaking input, auto-reset	103.80	346851	4547648814232	#		FA	C	CHN	8536.4900.99
G8SB-3012-A AC/DC24	Safety relay unit, 3PST-NO (Category 4), SPST-NC aux, 5 A, 2 channel input, auto-reset	107.80	347792	4547648814249	#		FA	C	CHN	8536.4900.99
G8SB-3012-C AC/DC24	Safety relay unit, 3PST-NO (Category 4), SPST-NC aux, 5 A, 2 channel input, manual-reset	107.80	346852	4547648814263	#		FA	C	CHN	8536.4900.99
G8SB-301-B AC/DC24	Safety relay unit, DIN 22.5mm, 3PST-NO (Category 4), 5 A, SPST-NC aux, 1 or 2 channel input, auto-reset (+ common input)	95.90	347793	4547648814256	#		FA	C	CHN	8536.4900.99
G8SB-301-D AC/DC24	Safety relay unit, DIN 22.5mm, 3PST-NO (Category 4), 5 A, SPST-NC aux, 1 or 2 channel input, manual-reset (+ common input)	108.10	347794	4547648814270	#		FA	C	CHN	8536.4900.99
<b>Safety unit G8SX</b>										
G8SX-AD322-T150-FC DC24	Advanced unit (to be used with Basic unit), 2 x NO solid state outputs (1 A), 2 x NO off delay solid state outputs (0-150s), 2 x NO solid state auxs, logic AND output, 1 or 2 channel input, spring mounted terminals	343.90	353667	4547648837149	#		FA	D	CHN	8536.4900.99
G8SX-AD322-T15-FC DC24	Advanced unit (to be used with Basic unit), 3 x NO solid state outputs (1 A), 2 x NO off delay solid state outputs (0-15s), 2 x NO solid state auxs, logic AND output, 1 or 2 channel input, spring mounted terminals	333.60	353677	4547648837026	#		FA	D	CHN	8536.4900.99
G8SX-AD322-T15-RT DC24	Advanced unit (to be used with Basic unit), 3 x NO solid state outputs (1 A), 2 x NO off delay solid state outputs (0-15s), 2 x NO solid state auxs, logic AND output, 1 or 2 channel input, screw terminals	343.90	353676	4547648837019	#		FA	D	CHN	8536.4900.99
G8SX-AD422-T15-RT DC24	Advanced unit (to be used with Basic unit), 2 x NO solid state outputs (1 A), 2 x NO off delay solid state outputs (0-15s), 2 x NO solid state auxs, logic AND output, 1 or 2 channel input, screw terminals	445.10	353664	4547648837118	#		FA	D	CHN	8536.4900.99
G8SX-EX041-T-FC DC24	Expansion unit (to be used with advanced unit), 4PST-NO off delay relay outputs (3 A), 1 x NO solid state output (PNP), spring mounted terminals	238.60	353661	4547648837088	#		FA	D	CHN	8536.4900.99
G8SX-EX041-T-RT DC24	Expansion unit (to be used with advanced unit), 4PST-NO off delay relay outputs (3 A), 1 x NO solid state output (PNP), screw terminals	302.60	353660	4547648837071	#		FA	D	CHN	8536.4900.99
G8SX-BC202-FC DC24	Basic unit, 2 x NO solid state safety outputs (1 A), 2 x NO solid state auxs, 2 logic AND outputs, 1 or 2 channel input, spring mounted terminals	276.40	353679	4547648837040	#		FA	D	CHN	8536.4900.99
G8SX-BC202-RT DC24	Basic unit, 2 x NO solid state safety outputs (1 A), 2 x NO solid state auxs, 2 logic AND outputs, 1 or 2 channel input, screw terminals	276.40	353678	4547648837033	#		FA	D	CHN	8536.4900.99
G8SX-EX401-FC DC24	Expansion unit (to be used with advanced unit), 4PST-NO relay outputs (3 A), 1 x NO solid state output (PNP), spring mounted terminals	234.70	353681	4547648837064	#		FA	D	CHN	8536.4900.99
G8SX-EX401-RT DC24	Expansion unit (to be used with advanced unit), 4PST-NO relay outputs (3 A), 1 x NO solid state output (PNP), screw terminals	240.00	353680	4547648837057	#		FA	D	CHN	8536.4900.99
G8SX-LM224-F10-FC	Limited speed monitoring unit with spring-clip terminals	1,051.00	353671	4547648837286	#		FA	D	CHN	8536.4900.99
G8SX-LM224-F10-RT	Limited speed monitoring unit with screw terminals	1,051.00	353670	4547648837279	#		FA	D	CHN	8536.4900.99
G8SX-NS202-FC DC24	Safety relays for D40A non-contact switches, 2 semiconductor outputs, 2 auxiliary outputs, spring-clip terminals	300.50	353683	4547648837166	#		FA	D	CHN	8536.4900.99
G8SX-NS202-RT DC24	Non Contact door switch controller for D40A, 2 instantaneous, 2 Aux, Screw terminals, 24DC	286.80	353682	4547648837156	#		FA	D	CHN	8536.4900.99
G8SX-NSA222-T03-FC DC24	Safety relays for D40A non-contact switches, 2 semiconductor outputs without delay, 2 semiconductor outputs with up to .3s delay, 2 auxiliary outputs, spring-clip terminals	438.20	353685	4547648837187	#		FA	D	CHN	8536.4900.99
G8SX-NSA222-T03-RT DC24	Non Contact door switch controller for D40A, 2 instantaneous, 2 timed, 2 Aux, Screw terminals, 24DC	438.20	353684	4547648837170	#		FA	D	CHN	8536.4900.99
G8SX-GS226-T15-FC DC24	Safety guard switching unit with two operation modes, spring-clip terminals	554.00	353687	4547648837200	#		FA	D	CHN	8536.4900.99
G8SX-GS226-T15-RT DC24	Safety guard switching unit with two operation modes, screw terminals	564.00	353686	4547648837194	#		FA	D	CHN	8536.4900.99
G8SX-SM032-FC	Standstill monitoring unit with spring-clip terminals	780.50	353689	4547648837262	#		FA	D	CHN	8536.4900.99
G8SX-SM032-RT	Standstill monitoring unit with screw terminals	780.50	353688	4547648837255	#		FA	D	CHN	8536.4900.99
<b>Safety door switch or guard lock</b>										
D4NS-1AF	Safety interlock switch, 1NC/1NO, 10 A, single PG 13.5 conduit	25.19	163395	4536854963629	#		FA	E	JPN	8536.5015.90
D4NS-1BF	Safety interlock switch, 2NC, 10 A, 1 x PG13.5 conduit	25.19	163393	4536854963674	#		FA	E	JPN	8536.5015.90
D4NS-1CF	Safety interlock switch, 2NC-1NO, 10 A, single PG 13.5 conduit	23.36	162281	4536854963728	#		FA	E	JPN	8536.5015.90
D4NS-1DF	Safety interlock switch, 3NC, 10 A, single PG 13.5 conduit	23.72	100324	4536854963766	#		FA	E	JPN	8536.5015.90
D4NS-2AF	Safety interlock switch, 1NC/1NO, 10 A, single G1/2 conduit	21.84	163779	4536854963636	#		FA	E	JPN	8536.5015.90
D4NS-2BF	Safety interlock switch, 2NC, 10 A, single G1/2 conduit	24.82	163692	4536854963681	#		FA	E	JPN	8536.5015.90
D4NS-2CF	Safety interlock switch, 2NC/1NO, 10 A, single G1/2 conduit	25.19	162586	4536854963735	#		FA	E	JPN	8536.5015.90
D4NS-2DF	Safety interlock switch, 3NC, 10 A, single G1/2 conduit	23.36	162290	4536854963773	#		FA	E	JPN	8536.5015.90
D4NS-2FF	Safety interlock switch, 2NC/1NO (MIBB), 10 A, single G1/2 conduit	26.71	163036	4536854963858	#		FA	E	JPN	8536.5015.90
D4NS-4AF	Safety-door switch, D4NS, M20 (1-conduit), 1NC/1NO (slow-action)	20.76	162578	4536854963667	#		FA	E	JPN	8536.5015.90
D4NS-4BF	Safety interlock switch, M20 (1-conduit), 2NC (slow-action)	20.76	163778	4536854963704	#		FA	E	JPN	8536.5015.90
D4NS-4CF	Safety-door switch, D4NS, M20 (1-conduit), 2NC/1NO (slow-action)	24.11	163875	4536854963759	#		FA	E	JPN	8536.5015.90
D4NS-4DF	Safety-door switch, D4NS, M20 (1-conduit), 3NC (slow-action)	24.11	163560	4536854963797	#		FA	E	JPN	8536.5015.90
D4NS-4FF	Safety-door switch, D4NS, M20 (1-conduit), 1NC/1NO (MIBB contact)	22.64	163561	4536854963834	#		FA	E	JPN	8536.5015.90
D4NS-4FF	Safety-door switch, D4NS, M20 (1-conduit), 2NC/1NO (MIBB contact)	25.92	163876	4536854963872	#		FA	E	JPN	8536.5015.90
D4NS-5AF	Safety-door switch, PG13.5 (2-conduit), 1NC/NO (slow-action)	26.53	163563	4536854963889	#		FA	E	JPN	8536.5015.90
D4NS-5BF	Safety interlock switch, PG13.5 (2-conduit), 2NC (slow-action)	28.94	162295	4536854963919	#		FA	E	JPN	8536.5015.90
D4NS-6BF	Safety interlock switch, G1/2 (2-conduit), 2NC (slow-action)	25.92	163037	4536854963926	#		FA	E	JPN	8536.5015.90
D4NS-6CF	Safety interlock switch, 2-Conduit, 2NC/1NO, G1/2	29.62	163871	4536854963971	#		FA	E	JPN	8536.5015.90

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Daheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
D4NS-8AF	Safety interlock switch, 1NC/1NO, 10 A, 2x M20 conduit	27.45	163394	4536854963902			FA	E	JPN	8536.5015.90
D4NS-8BF	Safety interlock switch, 2NC, 10 A, 2 x M20 conduit	26.46	163693	4536854963957			FA	E	JPN	8536.5015.90
D4NS-8CF	Safety interlock switch, 2NC+1NO, 10 A, 2 x M20 conduit	28.77	100390	4536854964095			FA	E	JPN	8536.5015.90
D4NS-8DF	Safety interlock switch, 3NC, 10 A, 2 x M20 conduit	31.52	163039	4536854964039			FA	E	JPN	8536.5015.90
D4NS-9AF	Safety interlock switch, 1NC/1NO, 10 A, M12 connector	51.45	163192	4536854964121			FA	E	JPN	8536.5015.90
D4NS-9BF	Safety interlock switch, 2NC, 10 A, M12 connector	51.45	163874	4536854964138			FA	E	JPN	8536.5015.90
D4NS-9EF	Safety interlock switch, 1NC/1NO, 10 A, M12 connector	49.35	163562	4536854964152			FA	E	JPN	8536.5015.90
D4LL-2NFA-C5	Door switch with mechanical lock, Solenoid release, with green indicator, (2NC/1NO + 2NC/1NO)	210.00	674215	4547648174589			FA	E	JPN	8536.5015.90
D4LL-2NFA-C6	Guard lock safety door-switch, G1/2, 2NC/1NO + 2NC/1NO, plastic, mechanical lock/24 VDC solenoid release, 24VDC, Special release key + rear release button	172.10	262988	4547648175227			FA	E	JPN	8536.5015.90
D4LL-2NFA-C8-01-SJ	Door switch with mechanical lock, solenoid release, with green indicator, (2NC/1NO-2NC/1NO), trapped key, rear release buttons	327.30	699631	4548583466289			FA	E	JPN	8536.5015.90
D4LL-2NFA-D5	Door switch with mechanical lock, Solenoid release, with orange indicator, (2NC/1NO+2NC/1NO)	217.30	670949	4547648174909			FA	E	JPN	8536.5015.90
D4LL-2NFA-D6	Guard lock safety door-switch, D4LL, Front And Rear Release Model, Special Release Key, Indicator : Orange, Mechanical Lock/Solenoid Release, 2NC/1NO+2NC/1NO, G1/2	217.30	224005	4547648175388			FA	E	JPN	8536.5015.90
D4LL-2FFA-C6	Guard lock safety door-switch, G1/2, 3NC + 3NC, plastic, Mechanical lock/ Solenoid release, 24 VDC green LED Indicator, Rear release buttons	235.90	689094	4547648175340			FA	E	JPN	8536.5007.00
D4LL-2FFA-C8-01-SJ	Guard lock safety door-switch, G1/2, 3NC + 3NC, plastic, Mechanical lock/ Solenoid release, 24 VDC green LED Indicator, trapped key type	308.70	689113	4548583515277			FA	E	JPN	8536.5007.00
D4LL-4NFA-C5	Guard lock safety door-switch, M20, 2NC/1NO + 2NC/1NO, plastic, mechanical lock/24 VDC solenoid release, 24 VDC green LED indicator, special release key	189.20	249720	4547648174602			FA	E	JPN	8536.5015.90
D4LL-4NFA-C6	Guard lock safety door-switch, M20, 2NC/1NO + 2NC/1NO, plastic, mechanical lock/24 VDC solenoid release, 24 VDC green LED indicator, special release key + rear release button	210.90	265608	4547648175241			FA	E	JPN	8536.5015.90
D4LL-4NFA-G7-01	Guard Lock Safety-door Switch/Slide key, M20, 2NC/1NO + 2NC/1NO, Plastic, Mechanical Lock/24 VDC solenoid release, 24 VDC(greenLEDindicator), Trapped key01	272.30	392694	4547648175562			FA	E	JPN	8536.5007.00
D4NL-1DA-B	Safety door-lock switch, PG13.5 entry, 1NC/1NO + 1NC/1NO, metal head, mechanical lock, 24 VDC,	137.30	224189	4547648242448			FA	E	JPN	8536.5015.90
D4NL-1AFA-B	Safety door-lock switch, mechanical lock, 24 VDC, 1NC/1NO + 1NC/1NO, 10 A, PG 13.5 entry	147.80	133792	4536854898341	#		FA	E	JPN	8536.5015.90
D4NL-1AFG-B	Safety door-lock switch, solenoid lock, 24 VDC, 1NC/1NO + 1NC/1NO, 10 A, PG 13.5 entry	153.30	154667	4536854898567			FA	E	JPN	8536.5015.90
D4NL-1BFG-B	Guard lock safety-door switch, D4NL, Standard Release Key, Solenoid Lock/Mechanical Release, Pa 13.5	144.70	158073	4536854898617			FA	E	JPN	8536.5015.90
D4NL-1CFA-B	Safety door-lock switch, mechanical lock, 24 VDC, 2NC + 1NC/1NO, 10 A, PG 13.5 entry	146.70	133797	4536854898402			FA	E	JPN	8536.5015.90
D4NL-1CFG-B	Safety door-lock switch, solenoid lock, 24 VDC, 2NC + 1NC/1NO, 10 A, PG 13.5 entry	146.10	133813	4536854898648			FA	E	JPN	8536.5015.90
D4NL-1DFA-B	Safety door-lock switch, mechanical lock, 24 VDC, 2NC + 2NC, 10 A, PG 13.5 entry	153.60	144779	4536854898433	#		FA	E	JPN	8536.5015.90
D4NL-1DFA-B5	Safety door-lock switch, PG13.5 entry, 2NC + 2NC, mechanical lock, 24 VDC,	164.70	133736	4536854898914			FA	E	JPN	8536.5015.90
D4NL-1DFA-BS	Safety door-lock switch, mechanical lock, 24 VDC, 2NC + 2NC, PG13.5 entry, Front key release	151.40	228865	4536854903212			FA	E	JPN	8536.5015.90
D4NL-1EFA-B	Safety door-lock switch, PG13.5 entry, 2NC/1NO + 1NC/1NO, mechanical lock, 24 VDC	146.10	133802	4536854898464			FA	E	JPN	8536.5015.90
D4NL-1EFG-B	Guard lock safety-door switch, D4NL, Standard Release Key, Solenoid Lock/Mechanical Release, Pa 13.5	146.40	133818	4536854898709			FA	E	JPN	8536.5015.90
D4NL-1FFA-B	Guard lock safety-door switch, D4NL, Standard Release Key, Mechanical Lock/Solenoid Release, Pa 13.5	146.40	133804	4536854898495			FA	E	JPN	8536.5015.90
D4NL-1FFG-B	Guard lock safety-door switch, D4NL, Standard Release Key, Solenoid Lock/Mechanical Release, Pa 13.5	146.40	133821	4536854898730			FA	E	JPN	8536.5015.90
D4NL-1HDG-B	Safety door-lock switch, PG13.5 entry, 3NC + 2NC, metal head, solenoid lock, 24 VDC,	151.50	363820	4548583138193			FA	E	JPN	8536.5007.00
D4NL-2AFA-B	Safety door-lock switch, G1/2 entry, 1NC/1NO + 1NC/1NO, mechanical lock, Plastic head, 24 VDC,	165.90	104486	4536854898358			FA	E	JPN	8536.5015.90
D4NL-2AFA-B4	Safety door-lock switch, mechanical lock, 24 VDC, 1NC/1NO + 1NC/1NO, G1/2 entry	149.70	133732	4536854898839			FA	E	JPN	8536.5015.90
D4NL-2AFG-B	Safety door-lock switch, G1/2 entry, 1NC/1NO + 1NC/1NO, solenoid lock, 24 VDC	151.00	105913	4536854898594			FA	E	JPN	8536.5015.90
D4NL-2BFA-B	Safety door-lock switch, mechanical lock, 24 VDC, 1NC/1NO + 2NC, G1/2 entry	148.10	133795	4536854898389			FA	E	JPN	8536.5015.90
D4NL-2CFA-B	Safety door-lock switch, G1/2 entry, 2NC + 1NC/1NO, mechanical lock, 24 VDC,	141.60	133798	4536854898419			FA	E	JPN	8536.5015.90
D4NL-2CFA-B4	Safety door-lock switch, G1/2 entry, 2NC + 1NC/1NO, mechanical lock, 24 VDC, special release key	152.20	133735	4536854898681			FA	E	JPN	8536.5015.90
D4NL-2CFG-B	Safety door-lock switch, solenoid lock, 24 VDC, 2NC + 1NC/1NO, 10 A, G1/2 entry	148.80	133814	4536854898655			FA	E	JPN	8536.5015.90
D4NL-2DFA-B	Safety door-lock switch, mechanical lock, 24 VDC, 2NC + 2NC, 10 A, G1/2 entry	141.20	133800	4536854898440	#		FA	E	JPN	8536.5015.90
D4NL-2DFA-B4	Safety door-lock switch, mechanical lock, 24 VDC, 2NC + 2NC, G1/2 entry	153.60	145668	4536854898921	#		FA	E	JPN	8536.5015.90
D4NL-2DFG-B	Safety door-lock switch, mechanical lock, 24 VDC, 2NC + 2NC, G1/2 entry	133.50	133817	4536854898686			FA	E	JPN	8536.5015.90
D4NL-2FDG-B	Safety door-lock switch, G1/2 entry, 2NC/1NO + 2NC, metal head, solenoid lock, 24 VDC,	179.90	206395	4547648026598			FA	E	JPN	8536.5015.90
D4NL-2FFA-B	Safety door-lock switch, G1/2 entry, 3NC + 2NC, mechanical lock, 24 VDC	168.40	133805	4536854898501			FA	E	JPN	8536.5015.90
D4NL-2FFA-B4	Guard lock safety-door switch, D4NL, Special Release Key, Mechanical Lock/Solenoid Release, G1/2	168.90	133740	4536854898983			FA	E	JPN	8536.5015.90
D4NL-2FFA-BS	Safety door-lock switch, G1/2 entry, 2NC/1NO + 2NC, mechanical lock, 24 VDC, Front key release	168.40	353628	4547648621021			FA	E	JPN	8536.5007.00
D4NL-2FFG-B	Safety door-lock switch, G1/2 entry, 2NC/1NO + 2NC, 24 VDC solenoid lock / mechanical release	163.50	133822	4536854898747			FA	E	JPN	8536.5015.90
D4NL-2FGF-B	Safety door-lock switch, G1/2 entry, 3NC + 1NC/1NO, solenoid lock, 24 VDC,	128.90	133825	4536854898778			FA	E	JPN	8536.5015.90
D4NL-2HDA-B4	Safety door-lock switch, G1/2 entry, 3NC + 2NC, metal head, mechanical lock, 24 VDC,	139.00	331936	4547648520551			FA	E	JPN	8536.5007.00
D4NL-2HFG-B	Safety door-lock switch, G1/2 entry, 3NC + 2NC, solenoid lock, 24 VDC	157.00	155468	4536854898808			FA	E	JPN	8536.5015.90
D4NL-4AFA-B	Guard lock safety-door switch, D4NL, M20, 1NC/1NO + 1NC/1NO (slow-action), head: plastic, mechanical lock/24-VDC solenoid release, 10 to 115 VAC/VDC LED indicator	150.10	133793	4536854898365	#		FA	E	JPN	8536.5015.90
D4NL-4AFG-B	Guard lock safety-door switch, D4NL, M20, 1NC/1NO + 1NC/1NO (slow-action), head: plastic, 24-VDC solenoid lock/mechanical release, 10 to 115 VAC/VDC LED indicator	151.40	133810	4536854898600			FA	E	JPN	8536.5015.90
D4NL-4AFG-B4	Guard lock safety-door switch, D4NL, Special Release Key, Solenoid Lock/Mechanical Release, M20	163.20	133746	4536854898908			FA	E	JPN	8536.5015.90
D4NL-4AFH-B	Safety door-lock switch, M20 entry, 1NC/1NO + 1NC/1NO, solenoid lock, 110 VAC,	201.80	133768	4536854898908			FA	E	JPN	8536.5015.90
D4NL-4BFA-B	Guard lock safety-door switch, D4NL, M20, 1NC/1NO + 2NC (slow-action), head: plastic, mechanical lock/24-VDC solenoid release, 10 to 115 VAC/VDC LED indicator	152.20	133796	4536854898395			FA	E	JPN	8536.5015.90
D4NL-4BFG-B	Guard lock safety-door switch, D4NL, M20, 1NC/1NO + 2NC (slow-action), head: plastic, 24-VDC solenoid lock/mechanical release, 10 to 115 VAC/VDC LED indicator	152.20	133812	4536854898631			FA	E	JPN	8536.5015.90
D4NL-4CFA-B	Guard lock safety-door switch, D4NL, M20, 2NC + 1NC/1NO (slow-action), head: plastic, mechanical lock/24-VDC solenoid release, 10 to 115 VAC/VDC LED indicator	148.10	133799	4536854898426	#		FA	E	JPN	8536.5015.90
D4NL-4CFA-B4	Safety door-lock switch, M20 entry, 2NC + 1NC/1NO, mechanical lock, 24 VDC,	161.30	158074	4536854898907			FA	E	JPN	8536.5015.90
D4NL-4CFG-B	Guard lock safety-door switch, D4NL, M20, 2NC + 1NC/1NO (slow-action), head: plastic, 24-VDC solenoid lock/mechanical release, 10 to 115 VAC/VDC LED indicator	151.40	133815	4536854898662			FA	E	JPN	8536.5015.90
D4NL-4DFA-B	Guard lock safety-door switch, D4NL, M20, 2NC + 2NC (slow-action), head: plastic, mechanical lock/24-VDC solenoid release, 10 to 115 VAC/VDC LED indicator	152.20	133801	4536854898457			FA	E	JPN	8536.5015.90
D4NL-4DFG-B	Guard lock safety-door switch, D4NL, M20, 2NC + 2NC (slow-action), head: plastic, 24-VDC solenoid lock/mechanical release, 10 to 115 VAC/VDC LED indicator	152.20	151293	4536854898693			FA	E	JPN	8536.5015.90
D4NL-4EDA-B4	Safety door-lock switch, M20 entry, 2NC/1NO + 1NC/1NO, metal head, mechanical lock, 24 VDC	156.70	678839	4536854959974			FA	E	JPN	8536.5015.90
D4NL-4EFA-B	Guard lock safety-door switch, D4NL, M20, 2NC/1NO + 1NC/1NO (slow-action), head: plastic, mechanical lock/24-VDC solenoid release, 10 to 115 VAC/VDC LED indicator	156.70	133803	4536854898488			FA	E	JPN	8536.5015.90
D4NL-4EFG-B	Guard lock safety-door switch, D4NL, M20, 2NC/1NO + 1NC/1NO (slow-action), head: plastic, 24-VDC solenoid lock/mechanical release, 10 to 115 VAC/VDC LED indicator	156.70	133820	4536854898723			FA	E	JPN	8536.5015.90
D4NL-4FFA-B	Guard lock safety-door switch, D4NL, M20, 2NC/1NO + 2NC (slow-action), head: plastic, mechanical lock/24-VDC solenoid release, 10 to 115 VAC/VDC LED indicator	157.00	142528	4536854898518	#		FA	E	JPN	8536.5015.90
D4NL-4FFG-B	Guard lock safety-door switch, D4NL, M20, 2NC/1NO + 2NC (slow-action), head: plastic, 24-VDC solenoid lock/mechanical release, 10 to 115 VAC/VDC LED indicator	157.00	133823	4536854898754			FA	E	JPN	8536.5015.90
D4NL-4GDA-B4	Safety door-lock switch, M20 entry, 3NC + 1NC/1NO, metal head, mechanical lock, 24 VDC,	165.90	288126	4536854959981			FA	E	JPN	8536.5015.90
D4NL-4GDG-B4	Guard lock safety-door switch, D4NL, M20, 3NC + 1NC/1NO (slow-action), head: Metal, 24-VDC solenoid lock/mechanical release, 10 to 115 VAC/VDC, Special release key	165.90	674754	4536854960000			FA	E	JPN	8536.5015.90
D4NL-4GFA-B	Guard lock safety-door switch, D4NL, M20, 3NC + 1NC/1NO (slow-action), head: plastic, mechanical lock/24-VDC solenoid release, 10 to 115 VAC/VDC LED indicator	157.00	133806	4536854898549	#		FA	E	JPN	8536.5015.90
D4NL-4GFG-B	Guard lock safety-door switch, D4NL, M20, 3NC + 1NC/1NO (slow-action), head: plastic, 24-VDC solenoid lock/mechanical release, 10 to 115 VAC/VDC LED indicator	157.00	103662	4536854898785	#		FA	E	JPN	8536.5015.90
D4NL-4HFA-B	Guard lock safety-door switch, D4NL, M20, 3NC + 1NC/1NO (slow-action), head: plastic, 24-VDC solenoid lock / mechanical release, 10 to 115 VAC/VDC LED indicator, special release key	141.90	144782	4536854898263			FA	E	JPN	8536.5015.90
D4NL-4HFG-B	Guard lock safety-door switch, D4NL, M20, 3NC + 2NC (slow-action), head: plastic, mechanical lock/24-VDC solenoid release, 10 to 115 VAC/VDC LED indicator	157.00	133809	4536854898570			FA	E	JPN	8536.5015.90
D4NL-4HFG-B4	Guard lock safety-door switch, D4NL, M20, 3NC + 2NC (slow-action), head: plastic, 24-VDC solenoid lock/mechanical release, 10 to 115 VAC/VDC LED indicator	157.00	133827	4536854898815			FA	E	JPN	8536.5015.90
D4SL-N2AFA-N	Guard lock safety-door switch, G1/2, 1NC/1NO + 1NC/1NO, head: resin, Mechanical lock/24VDC solenoid release, connector	163.20	377199	4548583214740			FA	E	JPN	847.841.9000.00
D4SL-N2CFG	Guard lock safety-door switch, D4SL, N, G1/2, 2NC + 1NC/1NO, head: resin, 24 VDC solenoid lock/mechanical release	163.70	672717	4548583314832			FA	E	JPN	8536.5007.00
D4SL-N2DFG	Guard lock safety-door switch, G1/2, conduit, 2NC + 2NC, resin head, 24 VDC solenoid lock,	163.70	679263	4548583314870			FA	E	JPN	8536.5007.00
D4SL-N2HFA-D	Guard lock safety door switch, G1/2 conduit, 3NC+2NC, resin head, solenoid release, indicator	146.90	668182	4548583315457			FA	E	JPN	8536.5007.00

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	SLN. (Data sheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
D4SL-N2NDA-D	Guard lock safety door switch, G1/2 conduit, 2NC/1NO + 2NC/1NO, metal head, solenoid release, terminal block	190.90	373085	4548583317130			FA	E	JPN	8536.5007.00
D4SL-N2NFA-D	Guard lock safety door switch, G1/2 conduit, 2NC/1NO+2NC/1NO, resin, Mechanical lock/24VDC solenoid release, LED indicator	200.10	069102	4548583318171			FA	E	JPN	8536.5007.00
D4SL-N2NFA-D4	Guard lock safety door switch, G1/2 conduit, 2NC/1NO+2NC/1NO, resin, Mechanical lock/24VDC solenoid release, LED indicator, special release key	115.00	702497	4548583318195			FA	E	JPN	8536.5007.00
D4SL-N2NFG-DN	Guard lock safety door switch, G1/2 conduit, 2NC/1NO+2NC/1NO, resin head, solenoid lock, connector	163.20	372876	4548583318235			FA	E	JPN	8536.5007.00
D4SL-N2PFG-D4N	Door locking switch, G1/2, 2NFC/1NC+3NC, head: resin, 24VDC solenoid/mechanical release, 24VSC (orange LED indicator), special release key, connector	163.20	379848	4548583316324			FA	E	JPN	8536.5007.00
D4SL-N3HFG-DN	Safety Switch	176.30	374908	4548583315822			FA	E	JPN	8536.5007.00
D4SL-N4AFA	Guard lock safety-door switch, D4SL-N, M20, 1NC/1NO + 1NC/1NO, head: resin, mechanical lock/24VDC solenoid release	163.20	367767	4548583315051			FA	E	JPN	8536.5007.00
D4SL-N4AFA-N	Guard lock safety-door switch, M20, 1NC/1NO + 1NC/1NO, head: resin, Mechanical lock/24VDC solenoid release, connector	176.30	382531	4548583315068			FA	E	JPN	8536.5007.00
D4SL-N4AFG	Guard lock safety-door switch, D4SL-N, M20, 1NC/1NO + 1NC/1NO, head: resin, 24VDC solenoid lock/mechanical release	170.60	374819	4548583315075			FA	E	JPN	8536.5007.00
D4SL-N4AFG-N	Guard lock safety-door switch, D4SL-N, M20, 1NC/1NO + 1NC/1NO, head: resin, 24VDC solenoid release/mechanical lock, connector type	165.20	374820	4548583315082			FA	E	JPN	8536.5007.00
D4SL-N4CFA	Guard lock safety-door switch, D4SL-N, M20, 2NC + 1NC/1NO, head: resin, Mechanical lock/24VDC solenoid release	133.50	382548	4548583315136			FA	E	JPN	8536.5007.00
D4SL-N4CFG	Guard lock safety-door switch, D4SL-N, M20, 2NC + 1NC/1NO, head: resin, 24VDC solenoid lock/mechanical release	165.20	377986	4548583315150			FA	E	JPN	8536.5007.00
D4SL-N4DFG	Guard lock safety-door switch, D4SL-N, M20, 2NC + 2NC, head: resin, Mechanical lock/24VDC solenoid release	135.50	382551	4548583315174			FA	E	JPN	8536.5007.00
D4SL-N4DFG-D	Guard lock safety-door switch, D4SL-N, M20, 2NC + 2NC, head: resin, 24VDC solenoid lock/mechanical release	135.50	377987	4548583315198			FA	E	JPN	8536.5007.00
D4SL-N4EFA-D	Guard lock safety-door switch, D4SL-N, M20, 2NC/1NO + 1NC/1NO, head: resin, Mechanical lock/24VDC solenoid release, LED indicator	133.50	382663	4548583315853			FA	E	JPN	8536.5007.00
D4SL-N4EFG-D	Guard lock safety-door switch, D4SL-N, M20, 2NC/1NO + 1NC/1NO, head: resin, 24VDC solenoid lock/mechanical release, LED indicator	140.80	382555	4548583315891			FA	E	JPN	8536.5007.00
D4SL-N4FDA-D	Door locking switch, M20, 2NC/1NO + 2NC, head: metal, Mechanical lock/24VDC solenoid release, LED indicator	163.20	382640	4548583370241			FA	E	JPN	8536.5007.00
D4SL-N4FFA-D	Guard lock safety-door switch, D4SL-N, M20, 2NC/1NO + 2NC, head: resin, Mechanical lock/24VDC solenoid release, LED indicator	140.80	382664	4548583315938			FA	E	JPN	8536.5007.00
D4SL-N4FFA-D4	Door locking switch, M20, 2NC/1NO + 2NC, head: resin, Mechanical lock/24VDC solenoid release, LED indicator, special release key	140.80	382560	4548583315952			FA	E	JPN	8536.5007.00
D4SL-N4FFG-DN	Door locking switch, M20, 2NC/1NO + 2NC, head: resin, Mechanical lock/24VDC solenoid release, LED indicator, connector	133.50	382559	4548583315945			FA	E	JPN	8536.5007.00
D4SL-N4FFG-D4N	Guard lock safety-door switch, D4SL-N, M20, 2NC/1NO + 2NC, head: resin, 24VDC solenoid lock/mechanical release, LED indicator	140.80	382562	4548583315976			FA	E	JPN	8536.5007.00
D4SL-N4FFG-D4N	Door locking switch, M20, 2NC/1NO + 2NC, head: resin, 24VDC solenoid lock/mechanical release, LED indicator, special release key, connector	133.50	382565	4548583316003			FA	E	JPN	8536.5007.00
D4SL-N4FFG-DN	Door locking switch, M20, 2NC/1NO + 2NC, head: resin, 24VDC solenoid lock/mechanical release, LED indicator, connector	133.50	382563	4548583315983			FA	E	JPN	8536.5007.00
D4SL-N4GDA-D	Door locking switch, M20, 3NC + 1NC/1NO, head: metal, Mechanical lock/24VDC solenoid release, LED indicator	151.70	382647	4548583370326			FA	E	JPN	8536.5007.00
D4SL-N4GDG-D	Door locking switch, M20, 3NC + 1NC/1NO, head: metal, 24VDC solenoid lock/mechanical release, LED indicator	165.20	377991	4548583370364			FA	E	JPN	8536.5007.00
D4SL-N4GFA-D	Guard lock safety-door switch, D4SL-N, M20, 3NC + 1NC/1NO, head: resin, Mechanical lock/24VDC solenoid release, LED indicator	158.40	382661	4548583316010			FA	E	JPN	8536.5007.00
D4SL-N4GFG-D	Guard lock safety-door switch, D4SL-N, M20, 3NC + 1NC/1NO, head: resin, 24VDC solenoid lock/mechanical release, LED indicator	165.90	382569	4548583316058			FA	E	JPN	8536.5007.00
D4SL-N4HGD-D	Door locking switch, M20, 3NC+ 2NC, head: metal, 24VDC solenoid lock/mechanical release, LED indicator	165.20	377992	4548583370432			FA	E	JPN	8536.5007.00
D4SL-N4HFA-D	Guard lock safety-door switch, D4SL-N, M20, 3NC + 2NC, head: resin, Mechanical lock/24VDC solenoid release, LED indicator	144.50	382573	4548583316096			FA	E	JPN	8536.5007.00
D4SL-N4HFG-D	Guard lock safety-door switch, D4SL-N, M20, 3NC + 2NC, head: resin, 24VDC solenoid lock/mechanical release, LED indicator	140.90	382577	4548583316133			FA	E	JPN	8536.5007.00
D4SL-N4NDA-D	Guard lock safety door switch, M20 conduit, 2NC/1NO+2NC/1NO, metal head, solenoid release, terminal block	190.90	373889	4548583317772			FA	E	JPN	8536.5007.00
D4SL-N4NDA-DN	Guard lock safety door switch, M20 conduit, 2NC/1NO+2NC/1NO, metal head, solenoid release, connector	176.30	373892	4548583317789			FA	E	JPN	8536.5007.00
D4SL-N4NDG-D	Guard lock safety door switch, M20 conduit, 2NC/1NO+2NC/1NO, metal head, solenoid lock, terminal block	189.20	373890	4548583317819			FA	E	JPN	8536.5007.00
D4SL-N4NDG-DN	Guard lock safety door switch, M20 conduit, 2NC/1NO+2NC/1NO, metal head, solenoid lock, connector	176.90	373891	4548583317826			FA	E	JPN	8536.5007.00
D4SL-N4NFA-DN	Guard lock safety-door switch, D4SL-N, M20, 2NC/1NO + 2NC/1NO, head: resin, mechanical lock/24VDC solenoid release, 24VDC (LED indicator)	178.90	371536	4548583316812			FA	E	JPN	8536.5007.00
D4SL-N4NFA-DN	Guard lock safety-door switch, D4SL-N, M20, 2NC/1NO + 2NC/1NO, head: resin, Mechanical lock/24VDC solenoid release, LED indicator, connector	133.50	382581	4548583316829			FA	E	JPN	8536.5007.00
D4SL-N4NFG-D	Guard lock safety-door switch, D4SL-N, M20, 2NC/1NO + 2NC/1NO, head: resin, 24VDC solenoid lock/mechanical release, LED indicator	140.80	382584	4548583316850			FA	E	JPN	8536.5007.00
D4SL-N4NFG-D4N	Door locking switch, M20, 2NC/1NO + 2NC/1NO, head: resin, 24VDC solenoid lock/mechanical release, LED indicator, special release key, connector	133.50	382582	4548583316867			FA	E	JPN	8536.5007.00
D4SL-N4NFG-DN	Guard lock safety-door switch, D4SL-N, M20, 2NC/1NO + 2NC/1NO, head: resin, 24VDC solenoid lock/mechanical release, LED indicator, connector	133.50	382585	4548583316887			FA	E	JPN	8536.5007.00
D4SL-N4QDA-D	Door locking switch, M20, 3NC + 2NC/1NO, head: metal, Mechanical lock/24VDC solenoid release, LED indicator	129.60	382622	4548583317932			FA	E	JPN	8536.5007.00
D4SL-N4QDG-D	Door locking switch, M20, 3NC + 2NC/1NO, head: metal, 24VDC solenoid lock/mechanical release, LED indicator	165.20	377998	4548583317970			FA	E	JPN	8536.5007.00
D4SL-N4QFG-D	Guard lock safety-door switch, D4SL-N, M20, 3NC + 2NC/1NO, head: resin, Mechanical lock/24VDC solenoid release, LED indicator	122.40	382596	4548583316973			FA	E	JPN	8536.5007.00
D4SL-N4RDA-D	Guard lock safety door switch, M20 conduit, 3NC-3NC, metal head, solenoid release, terminal block	190.90	373886	4548583318014			FA	E	JPN	8536.5007.00
D4SL-N4RDA-DN	Guard lock safety door switch, M20 conduit, 3NC-3NC, metal head, solenoid release, connector	176.90	367248	4548583318021			FA	E	JPN	8536.5007.00
D4SL-N4RDG-D	Guard lock safety door switch, M20 conduit, 3NC-3NC, metal head, solenoid lock, terminal block	193.10	373887	4548583318052			FA	E	JPN	8536.5007.00
D4SL-N4RDG-D4	Door locking switch, M20, 3NC + 3NC, head: metal, 24VDC solenoid lock/mechanical release, LED indicator, special release key	165.20	377989	4548583318076			FA	E	JPN	8536.5007.00
D4SL-N4RDG-D4N	Door locking switch, M20, 3NC + 3NC, head: metal, 24VDC solenoid lock/mechanical release, LED indicator, special release key, connector	165.20	377990	4548583318083			FA	E	JPN	8536.5007.00
D4SL-N4RDG-DN	Guard lock safety door switch, M20 conduit, 3NC-3NC, metal head, solenoid lock, connector	176.90	373888	4548583318069			FA	E	JPN	8536.5007.00
D4SL-N4RFA-D4	Guard lock safety-door switch	178.90	374064	4548583317079			FA	E	JPN	8536.5007.00
D4SL-N4VFA	Guard lock safety-door switch, D4SL-N, M20, 2NC + 2NC, head: resin, Mechanical lock / 24 VDC solenoid release	137.90	395860	4548583314696			FA	E	JPN	8536.5007.00
D4SL-N4VFG-N	Guard lock safety-door switch, D4SL-N, M20, 2NC + 2NC, head: resin, 24 VDC solenoid lock/mechanical release, Connector	128.30	699229	4548583314726			FA	E	JPN	8536.5007.00
D4DS-K1	Guard lock safety-door switch accessory, D4NL/DS, operation key: horizontal mounting	3.05	104525	4536853219956	#	10	FA	E	JPN	8301.7000.00
D4DS-K2	Guard lock safety-door switch accessory, D4NL/DS, operation key: horizontal mounting	3.05	134023	4536853219963	#	10	FA	E	JPN	8301.7000.00
D4DS-K3	Guard lock safety-door switch accessory, D4NL/DS, operation key: adjustable mounting (horizontal)	10.74	150258	4536853219970	#	10	FA	E	JPN	8301.7000.00
D4DS-K5	Guard lock safety-door switch accessory, D4NL/DS, operation key: adjustable mounting (horizontal/vertical)	17.06	152522	4536854838378	#	10	FA	E	JPN	8301.7000.00
D4LL-K1	Operation key for D4LL, horizontal mounting	6.64	262987	4547648174558			FA	E	JPN	8536.5015.90
D4LL-K2	Operation key for D4LL, vertical mounting	6.64	234053	4547648174555			FA	E	JPN	8536.5015.90
D4LL-K3	Operation key for D4LL, adjustable mounting (horizontal)	46.36	372385	4547648527460			FA	E	JPN	8536.5007.00
D4LL-SK40	Door lock assembly mechanism for D4LL-FF-16	670.50	265609	4547648271240			FA	E	JPN	8536.5015.90
D4LL-TK-002	Guard lock safety-door switch accessory, D4LL-SK40/D4SL-NSK10-LK, lock-out key 2, 2 pieces	33.84	690468	4547648509145			FA	E	JPN	8536.5007.00
D4NH-1AAS	Safety door-hinge switch, Shaft Actuator, PG 13.5 Conduit, 1NC/1NO (slow-action)	44.02	170730	4547648045322			FA	E	JPN	8536.5015.90
D4NH-1BAS	Safety door-hinge switch, Shaft Actuator, PG 13.5 Conduit, 2NC (slow-action)	44.36	170746	4547648045483			FA	E	JPN	8536.5015.90
D4NH-1BBC	Safety door-hinge switch, Arm lever actuator, PG 13.5 Conduit, 2NC (slow-action)	44.68	170754	4547648045568			FA	E	JPN	8536.5015.90
D4NH-1CBC	Safety door-hinge switch, Arm lever actuator, PG 13.5 Conduit, 2NC/1NO (slow-action)	52.40	170770	4547648045728			FA	E	JPN	8536.5015.90
D4NH-2ABC	Safety door-hinge switch, Arm lever actuator, G1/2 Conduit, 1NC/1NO (slow-action)	37.88	170728	4547648030601			FA	E	JPN	8536.5015.90
D4NH-2BAS	Safety door-hinge switch, Shaft Actuator, G1/2 Conduit, 2NC (slow-action)	38.35	170727	4547648030595			FA	E	JPN	8536.5015.90
D4NH-2BBC	Safety door-hinge switch, Arm lever actuator, G1/2 Conduit, 2NC (slow-action)	45.01	170729	4547648030618			FA	E	JPN	8536.5015.90
D4NH-2DAS	Safety door-hinge switch, Shaft Actuator, G1/2 Conduit, 3NC (slow-action)	47.00	170779	4547648045810			FA	E	JPN	8536.5015.90
D4NH-4AAS	Safety Limit switch, D4NH, M20 (1 conduit), 1NC/1NO (slow-action), shaft actuator	44.02	170732	4547648045346			FA	E	JPN	8536.5015.90
D4NH-4ABC	Safety Limit switch, D4NH, M20 (1 conduit), 1NC/1NO (slow-action), arm lever actuator	43.27	170740	4547648045421			FA	E	JPN	8536.5015.90
D4NH-4BAS	Safety Limit switch, D4NH, M20 (1 conduit), 2NC (slow-action), shaft actuator	43.34	170748	4547648045506			FA	E	JPN	8536.5015.90
D4NH-4BBC	Safety Limit switch, D4NH, M20 (1 conduit), 2NC (slow-action), arm lever actuator	42.37	170756	4547648045582			FA	E	JPN	8536.5015.90
D4NH-4CAS	Safety Limit switch, D4NH, M20 (1 conduit), 2NC/1NO (slow-action), shaft actuator	52.05	170765	4547648045674			FA	E	JPN	8536.5015.90
D4NH-4CBC	Safety Limit switch, D4NH, M20 (1 conduit), 2NC/1NO (slow-action), arm lever actuator	49.98	170773	4547648045759			FA	E	JPN	8536.5015.90
D4NH-4EAS	Safety Limit switch, D4NH, M20 (1 conduit), 1NC/1NO (M/B contact/slow-action), shaft actuator	47.36	170797	4547648045995			FA	E	JPN	8536.5015.90

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Data sheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
D4NH-4BC	Safety Limit switch, D4NH, M20 (1 conduit), 1NC/1NO (MBS contact/slow-action), arm lever actuator	46.70	170806	4547648046084			FA	E	JPN	8536.5015.90
<b>Accessory for safety limit switch.</b>										
D4BL-K1	Slide operation key for D4BL switch, horizontal mounting	7.94	134705	4536853204402	#	10	FA	F	JPN	8301.7000.00
D4BL-K2	Slide operation key for D4BL switch, vertical mounting	11.03	134706	4536853204419	#	10	FA	F	JPN	8301.7000.00
D4BL-K3	Slide operation key for D4BL switch, vertical mounting (horiz. adjust.)	20.48	134707	4536853204426	#	10	FA	F	JPN	8301.7000.00
D4BS-K1	Safety-door switch accessory, D4BS operation key; horizontal mounting	5.49	134587	4536853207533	#	10	FA	F	JPN	8301.7000.00
D4BS-K2	Safety-door switch accessory, D4BS operation key; vertical mounting	6.28	134588	4536853207540	#	10	FA	F	JPN	8301.7000.00
D4BS-K3	Safety-door switch accessory, D4BS operation key; horizontal mounting	19.82	148097	4536853207557	#	10	FA	F	JPN	8301.7000.00
D4GS-NK1	Operation Key, horizontal mounting	7.41	133923	4536854688300	#	10	FA	F	JPN	8536.5015.90
D4GS-NK2	Operation Key, vertical mounting	7.81	133828	4536854688317	#	10	FA	F	JPN	8536.5015.90
D4GS-NK4	Operation Key, adjustable	19.66	133829	4536854688324	#	10	FA	F	JPN	8536.5015.90
<b>Safety light curtain.</b>										
F3SJ-A0245P14	Safety Light Curtain, F3SJ Advanced, Type 4, 14mm resolution, range 0.2 to 9.0m, height 245mm, PNP	2,051.00	225437	4547648138352			FA	G	JPN	8536.5019.90
F3SJ-A0299P14	Safety Light Curtain, F3SJ Advanced, Type 4, 14mm resolution, range 0.2 to 9.0m, height 299mm, PNP	2,389.00	246952	4547648138363			FA	G	JPN	8536.5019.90
F3SJ-A0317P14	Safety Light Curtain, F3SJ Advanced, Type 4, 14mm resolution, range 0.2 to 9.0m, height 317mm, PNP	2,370.00	328736	4547648138390			FA	G	JPN	8536.5019.90
F3SJ-A0461P14	Safety Light Curtain, F3SJ Advanced, Type 4, 14mm resolution, range 0.2 to 9.0m, height 461mm, PNP	2,962.00	294390	4547648139475			FA	G	JPN	8536.5019.90
F3SJ-A0623P14	Safety Light Curtain, F3SJ Advanced, Type 4, 14mm resolution, range 0.2 to 9.0m, height 731mm, PNP	3,702.00	232587	4547648138567			FA	G	JPN	8536.5019.90
F3SJ-A0731P14	Safety Light Curtain, F3SJ Advanced, Type 4, 14mm resolution, range 0.2 to 9.0m, height 875mm, PNP	4,100.00	225440	4547648138598			FA	G	JPN	8536.5019.90
F3SJ-A0875P14	Safety Light Curtain, F3SJ Advanced, Type 4, 14mm resolution, range 0.2 to 9.0m, height 875mm, PNP	4,636.00	289065	4547648138635			FA	G	JPN	8536.5019.90
F3SJ-A1055P14	Safety Light Curtain, F3SJ Advanced, Type 4, 14mm resolution, range 0.2 to 9.0m, height 1055mm, PNP	5,370.00	249991	4547648138666			FA	G	JPN	8536.5019.90
F3SJ-A1199P14	Safety Light Curtain, F3SJ Advanced, Type 4, 14mm resolution, range 0.2 to 9.0m, height 1199mm, PNP	6,035.00	247527	4547648138680			FA	G	JPN	8536.5019.90
F3SJ-A1631P14	Safety Light Curtain, F3SJ Advanced, Type 4, 14mm resolution, range 0.2 to 9.0m, height 1631mm, PNP	6,835.00	241850	4547648138758			FA	G	JPN	8536.5019.90
F3SJ-A0245P20	Safety Light Curtain, F3SJ Advanced, Type 4, 20mm resolution, range 0.2 to 9.0m, height 245mm, PNP	1,113.00	189726	4547648138608			FA	G	JPN	8536.5019.90
F3SJ-A0245P30	Safety Light Curtain, F3SJ Advanced, Type 4, 30mm resolution, range 0.2 to 9.0m, height 245mm, PNP	847.50	189825	4547648137799			FA	G	JPN	8536.5019.90
F3SJ-A0295P30	Safety Light Curtain, F3SJ Advanced, Type 4, 30mm resolution, range 0.2 to 9.0m, height 295mm, PNP	940.50	189827	4547648137812			FA	G	JPN	8536.5019.90
F3SJ-A0300P25	Safety Light Curtain, F3SJ Advanced, Type 4, 25mm resolution, range 0.2 to 9.0m, height 300mm, PNP	1,071.00	353526	4547648426336			FA	G	JPN	8536.5019.90
F3SJ-A0305P20	Safety Light Curtain, F3SJ Advanced, Type 4, 20mm resolution, range 0.2 to 9.0m, height 305mm, PNP	1,335.00	224503	4547648138622			FA	G	JPN	8536.5019.90
F3SJ-A0305P20-TS	Safety Light Curtain, F3SJ Advanced, Type 4, 20mm resolution, range 0.2 to 9.0m, height 305mm, PNP, TS version	1,335.00	239147	4547648221412			FA	G	JPN	8536.5019.90
F3SJ-A0395P30	Safety Light Curtain, F3SJ Advanced, Type 4, 30mm resolution, range 0.2 to 9.0m, height 395mm, PNP	1,197.00	229453	4547648137850			FA	G	JPN	8536.5019.90
F3SJ-A0455P20	Safety Light Curtain, F3SJ Advanced, Type 4, 20mm resolution, range 0.2 to 9.0m, height 455mm, PNP	1,669.00	232589	4547648136877			FA	G	JPN	8536.5019.90
F3SJ-A0470N30	Safety Light Curtain, F3SJ Advanced, Type 4, 30mm resolution, range 0.2 to 9.0m, height 470mm, NPN	1,271.00	392340	4547648137355			FA	G	JPN	8536.5019.90
F3SJ-A0470P30	Safety Light Curtain, F3SJ Advanced, Type 4, 30mm resolution, range 0.2 to 9.0m, height 470mm, PNP	1,188.00	224505	4547648137881			FA	G	JPN	8536.5019.90
F3SJ-A0490P25-01TS	Safety Light Curtain, F3SJ Advanced, Type 4, 25mm resolution, range 0.2 to 9.0m, height 490mm, PNP, 01TS version	1,519.00	353913	4547648030715			FA	G	JPN	8536.5019.90
F3SJ-A0520P30	Safety Light Curtain, F3SJ Advanced, Type 4, 30mm resolution, range 0.2 to 9.0m, height 520mm, PNP	1,343.00	349172	4547648137900			FA	G	JPN	8536.5019.90
F3SJ-A0545P20	Safety Light Curtain, F3SJ Advanced, Type 4, 20mm resolution, range 0.2 to 9.0m, height 545mm, PNP	1,775.00	225435	4547648136903			FA	G	JPN	8536.5019.90
F3SJ-A0605P20	Safety Light Curtain, F3SJ Advanced, Type 4, 20mm resolution, range 0.2 to 9.0m, height 605mm, PNP	2,001.00	232590	4547648136921			FA	G	JPN	8536.5019.90
F3SJ-A0620P25	Safety Light Curtain, F3SJ Advanced, Type 4, 25mm resolution, range 0.2 to 9.0m, height 620mm, PNP	1,763.00	353511	4547648426282			FA	G	JPN	8536.5019.90
F3SJ-A0620P30	Safety Light Curtain, F3SJ Advanced, Type 4, 30mm resolution, range 0.2 to 9.0m, height 620mm, PNP	1,492.00	251359	4547648137942			FA	G	JPN	8536.5019.90
F3SJ-A0755P20	Safety Light Curtain, F3SJ Advanced, Type 4, 20mm resolution, range 0.2 to 9.0m, height 755mm, PNP	2,322.00	232591	4547648136976			FA	G	JPN	8536.5019.90
F3SJ-A0785P20	Safety Light Curtain, F3SJ Advanced, Type 4, 20mm resolution, range 0.2 to 9.0m, height 785mm, PNP	2,411.00	339507	4547648136983			FA	G	JPN	8536.5019.90
F3SJ-A0795P30	Safety Light Curtain, F3SJ Advanced, Type 4, 30mm resolution, range 0.2 to 9.0m, height 795mm, PNP	1,852.00	365521	4547648138017			FA	G	JPN	8536.5019.90
F3SJ-A0870P30	Safety Light Curtain, F3SJ Advanced, Type 4, 30mm resolution, range 0.2 to 9.0m, height 870mm, PNP	2,159.00	364575	4547648138048			FA	G	JPN	8536.5019.90
F3SJ-A0875P20-TS	Safety Light Curtain, F3SJ Advanced, Type 4, 20mm resolution, range 0.2 to 9.0m, height 875mm, PNP, TS version	2,707.00	264241	4547648265898			FA	G	JPN	8536.5019.90
F3SJ-A0920P30	Safety Light Curtain, F3SJ Advanced, Type 4, 30mm resolution, range 0.2 to 9.0m, height 920mm, PNP	2,038.00	243892	4547648138062			FA	G	JPN	8536.5019.90
F3SJ-A0935P20	Safety Light Curtain, F3SJ Advanced, Type 4, 20mm resolution, range 0.2 to 9.0m, height 935mm, PNP	2,733.00	334220	4547648137034			FA	G	JPN	8536.5019.90
F3SJ-A0940P25	Safety Light Curtain, F3SJ Advanced, Type 4, 25mm resolution, range 0.2 to 9.0m, height 940mm, PNP	2,707.00	353512	4547648426305			FA	G	JPN	8536.5019.90
F3SJ-A0995P30	Safety Light Curtain, F3SJ Advanced, Type 4, 30mm resolution, range 0.2 to 9.0m, height 995mm, PNP	2,176.00	223949	4547648138093			FA	G	JPN	8536.5019.90
F3SJ-A1020P30	Safety Light Curtain, F3SJ Advanced, Type 4, 30mm resolution, range 0.2 to 9.0m, height 1020mm, PNP	2,224.00	250735	4547648138109			FA	G	JPN	8536.5019.90
F3SJ-A1095P30	Safety Light Curtain, F3SJ Advanced, Type 4, 30mm resolution, range 0.2 to 9.0m, height 1095mm, PNP	2,609.00	330446	4547648138130			FA	G	JPN	8536.5019.90
F3SJ-A1115P20	Safety Light Curtain, F3SJ Advanced, Type 4, 20mm resolution, range 0.2 to 9.0m, height 1115mm, PNP	3,504.00	225436	4547648137096			FA	G	JPN	8536.5019.90
F3SJ-A1195P30	Safety Light Curtain, F3SJ Advanced, Type 4, 30mm resolution, range 0.2 to 9.0m, height 1195mm, PNP	2,695.00	247530	4547648138178			FA	G	JPN	8536.5019.90
F3SJ-A1205P20	Safety Light Curtain, F3SJ Advanced, Type 4, 20mm resolution, range 0.2 to 9.0m, height 1205mm, PNP	3,403.00	232593	4547648137126			FA	G	JPN	8536.5019.90
F3SJ-A1270P30	Safety Light Curtain, F3SJ Advanced, Type 4, 30mm resolution, range 0.2 to 9.0m, height 1270mm, PNP	2,714.00	365522	4547648138208			FA	G	JPN	8536.5019.90
F3SJ-A1445P20	Safety Light Curtain, F3SJ Advanced, Type 4, 20mm resolution, range 0.2 to 9.0m, height 1445mm, PNP	3,902.00	293266	4547648137171			FA	G	JPN	8536.5019.90
F3SJ-A1505P20	Safety Light Curtain, F3SJ Advanced, Type 4, 20mm resolution, range 0.2 to 9.0m, height 1505mm, PNP	4,115.00	670396	4547648137188			FA	G	JPN	8536.5019.90
F3SJ-A1520P25-01TS	Safety Light Curtain, F3SJ Advanced, Type 4, 25mm resolution, range 0.2 to 9.0m, height 1520mm, PNP, 01TS version	3,651.00	351981	4547648809955			FA	G	JPN	8536.5019.90
F3SJ-A1620P30	Safety Light Curtain, F3SJ Advanced, Type 4, 30mm resolution, range 0.2 to 9.0m, height 1620mm, PNP	3,333.00	239470	4547648138246			FA	G	JPN	8536.5019.90
F3SJ-A1955P20	Safety Light Curtain, F3SJ Advanced, Type 4, 20mm resolution, range 0.2 to 7.0m, height 1955mm, PNP	5,110.00	225444	4547648137218			FA	G	JPN	8536.5019.90
F3SJ-A1995P30	Safety Light Curtain, F3SJ Advanced, Type 4, 30mm resolution, range 0.2 to 7.0m, height 1995mm, PNP	4,100.00	317936	4547648138277			FA	G	JPN	8536.5019.90
F3SJ-A2495P30	Safety Light Curtain, F3SJ Advanced, Type 4, 30mm resolution, range 0.2 to 7.0m, height 2495mm, PNP	4,935.00	288259	4547648138314			FA	G	JPN	8536.5019.90
F3SJ-B0185P25	Safety Light Curtain, F3SJ Basic, Type 4, 25mm resolution, range 0.2 to 7.0m, height 185mm, PNP	697.00	356723	4548583047402			FA	G	JPN	8536.5019.90
F3SJ-B0225N25	Safety Light Curtain, F3SJ Basic, Type 4, 25mm resolution, range 0.2 to 7.0m, height 225mm, NPN	803.50	356783	4548583056695			FA	G	JPN	8536.5019.90
F3SJ-B0225P25	Safety Light Curtain, F3SJ Basic, Type 4, 25mm resolution, range 0.2 to 7.0m, height 225mm, PNP	760.50	356745	4548583047419	#		FA	G	JPN	8536.5019.90
F3SJ-B0305N25	Safety Light Curtain, F3SJ Basic, Type 4, 25mm resolution, range 0.2 to 7.0m, height 305mm, NPN	889.00	356797	4548583056701			FA	G	JPN	8536.5019.90
F3SJ-B0305P25	Safety Light Curtain, F3SJ Basic, Type 4, 25mm resolution, range 0.2 to 7.0m, height 305mm, PNP	831.00	356724	4548583047426	#		FA	G	JPN	8536.5019.90
F3SJ-B0305P25-01TS	Safety Light Curtain, F3SJ Basic, Type 4, 25mm resolution, range 0.2 to 7.0m, height 305mm, PNP, 01TS version	1,293.00	418008	4548583061569			FA	G	JPN	8536.5019.90
F3SJ-B0385P25	Safety Light Curtain, F3SJ Basic, Type 4, 25mm resolution, range 0.2 to 7.0m, height 385mm, PNP	964.50	356725	4548583047433			FA	G	JPN	8536.5019.90
F3SJ-B0385P25-01TS	Safety Light Curtain, F3SJ Basic, Type 4, 25mm resolution, range 0.2 to 7.0m, height 385mm, PNP, 01TS version	1,374.00	699196	4548583061576			FA	G	JPN	8536.5019.90
F3SJ-B0465N25	Safety Light Curtain, F3SJ Basic, Type 4, 25mm resolution, range 0.2 to 7.0m, height 465mm, NPN	980.00	356798	4548583056725			FA	G	JPN	8536.5019.90
F3SJ-B0465P25	Safety Light Curtain, F3SJ Basic, Type 4, 25mm resolution, range 0.2 to 7.0m, height 465mm, PNP	1,021.00	356740	4548583047440	#		FA	G	JPN	8536.5019.90
F3SJ-B0545P25	Safety Light Curtain, F3SJ Basic, Type 4, 25mm resolution, range 0.2 to 7.0m, height 545mm, PNP	1,038.00	356741	4548583047457	#		FA	G	JPN	8536.5019.90
F3SJ-B0625P25	Safety Light Curtain, F3SJ Basic, Type 4, 25mm resolution, range 0.2 to 7.0m, height 625mm, PNP	1,168.00	356738	4548583047464	#		FA	G	JPN	8536.5019.90

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Daheet)	GTIN	Stock Qty.	Lot Qty.	Gr.	Fam	COO	Tariff Code
F3SJ-B0705P25	Safety Light Curtain, F3SJ Basic, Type 4, 25 mm resolution, range 0.2 to 7.0 m, height 705 mm, PNP	1,229.00	356726	4548583047471	#		FA	G	JPN	8536.5019.90
F3SJ-B0785N25	Safety Light Curtain, F3SJ Basic, Type 4, 25mm resolution, range 0.2 to 7.0m, height 785mm, NPN	1,320.00	356799	4548583056763			FA	G	JPN	8536.5019.90
F3SJ-B0785P25	Safety Light Curtain, F3SJ Basic, Type 4, 25 mm resolution, range 0.2 to 7.0 m, height 785 mm, PNP	1,320.00	356739	4548583047498	#		FA	G	JPN	8536.5019.90
F3SJ-B0785P25-01TS	Safety Light Curtain, F3SJ Basic, Type 4, 25 mm resolution, range 0.2 to 7.0 m, height 785 mm, PNP, 01TS version	1,252.00	690526	4548583061620			FA	G	JPN	8536.5019.90
F3SJ-B0865P25	Safety Light Curtain, F3SJ Basic, Type 4, 25mm resolution, range 0.2 to 7.0m, height 865mm, PNP	1,392.00	356727	4548583047495			FA	G	JPN	8536.5019.90
F3SJ-B0945N25	Safety Light Curtain, F3SJ Basic, Type 4, 25mm resolution, range 0.2 to 7.0m, height 945mm, NPN	1,468.00	356785	4548583056787			FA	G	JPN	8536.5019.90
F3SJ-B0945P25	Safety Light Curtain, F3SJ Basic, Type 4, 25 mm resolution, range 0.2 to 7.0 m, height 945 mm, PNP	1,468.00	356746	4548583047501	#		FA	G	JPN	8536.5019.90
F3SJ-B0945P25-01TS	Safety Light Curtain, F3SJ Basic, Type 4, 25 mm resolution, range 0.2 to 7.0 m, height 945 mm, PNP, 01TS version	2,036.00	373469	4548583061644			FA	G	JPN	8536.5019.90
F3SJ-B1025P25	Safety Light Curtain, F3SJ Basic, Type 4, 25mm resolution, range 0.2 to 7.0m, height 1025mm, PNP	1,556.00	356728	4548583047518	#		FA	G	JPN	8536.5019.90
F3SJ-B1105P25	Safety Light Curtain, F3SJ Basic, Type 4, 25mm resolution, range 0.2 to 7.0m, height 1105mm, PNP	1,669.00	356743	4548583047525			FA	G	JPN	8536.5019.90
F3SJ-B1185P25	Safety Light Curtain, F3SJ Basic, Type 4, 25mm resolution, range 0.2 to 7.0m, height 1185mm, PNP	1,781.00	356729	4548583047532	#		FA	G	JPN	8536.5019.90
F3SJ-B1265N25-01T	Safety Light Curtain, F3SJ Basic, Type 4, 25 mm resolution, range 0.2 to 7.0 m, height 1265 mm, NPN, T01	1,626.00	693667	4548583076105			FA	G	JPN	8536.5019.90
F3SJ-B1265P25	Safety Light Curtain, F3SJ Basic, Type 4, 25mm resolution, range 0.2 to 7.0m, height 1265mm, PNP	1,892.00	356747	4548583047549	#		FA	G	JPN	8536.5019.90
F3SJ-B1345P25	Safety Light Curtain, F3SJ Basic, Type 4, 25mm resolution, range 0.2 to 7.0m, height 1345mm, PNP	1,966.00	356744	4548583047556	#		FA	G	JPN	8536.5019.90
F3SJ-B1425N25	Safety Light Curtain, F3SJ Basic, Type 4, 25mm resolution, range 0.2 to 7.0m, height 1425mm, NPN	1,957.00	356791	4548583056848			FA	G	JPN	8536.5019.90
F3SJ-B1425P25	Safety Light Curtain, F3SJ Basic, Type 4, 25 mm resolution, range 0.2 to 7.0 m, height 1425 mm, PNP	2,038.00	356730	4548583047563			FA	G	JPN	8536.5019.90
F3SJ-B1505P25	Safety Light Curtain, F3SJ Basic, Type 4, 25mm resolution, range 0.2 to 7.0m, height 1505mm, PNP	2,074.00	356742	4548583047570	#		FA	G	JPN	8536.5019.90
F3SJ-B1585P25	Safety Light Curtain, F3SJ Basic, Type 4, 25mm resolution, range 0.2 to 7.0m, height 1585mm, PNP	2,150.00	356731	4548583047587			FA	G	JPN	8536.5019.90
F3SJ-B1585P25-01TS	Safety Light Curtain, F3SJ Basic, Type 4, 25mm resolution, range 0.2 to 7.0m, height 1585mm, PNP, 01TS version	1,802.00	361777	4548583061729			FA	G	JPN	8536.5019.90
F3SJ-B1655P25	Safety Light Curtain, F3SJ Basic, Type 4, 25mm resolution, range 0.2 to 7.0m, height 1655mm, PNP	2,230.00	356732	4548583047594			FA	G	JPN	8536.5019.90
F3SJ-B1745P25	Safety Light Curtain, F3SJ Basic, Type 4, 25mm resolution, range 0.2 to 7.0m, height 1745mm, PNP	2,316.00	356733	4548583047600			FA	G	JPN	8536.5019.90
F3SJ-B1825P25	Safety Light Curtain, F3SJ Basic, Type 4, 25mm resolution, range 0.2 to 7.0m, height 1825mm, PNP	2,411.00	356734	4548583047617			FA	G	JPN	8536.5019.90
F3SJ-B1905N25	Safety Light Curtain, F3SJ Basic, Type 4, 25mm resolution, range 0.2 to 7.0m, height 1905mm, NPN	2,375.00	356793	4548583056909			FA	G	JPN	8536.5019.90
F3SJ-B1905P25	Safety Light Curtain, F3SJ Basic, Type 4, 25mm resolution, range 0.2 to 7.0m, height 1905mm, PNP	2,502.00	356735	4548583047624			FA	G	JPN	8536.5019.90
F3SJ-B1985P25	Safety Light Curtain, F3SJ Basic, Type 4, 25mm resolution, range 0.2 to 7.0m, height 1985mm, PNP	2,592.00	356736	4548583047631			FA	G	JPN	8536.5019.90
F3SJ-B2065N25	Safety Light Curtain, F3SJ Basic, Type 4, 25 mm resolution, range 0.2 to 7.0 m, height 2065 mm, NPN	2,675.00	693849	4548583056923			FA	G	JPN	8536.5019.90
F3SJ-B2065P25	Safety Light Curtain, F3SJ Basic, Type 4, 25mm resolution, range 0.2 to 7.0m, height 2065mm, PNP	2,675.00	356737	4548583047648			FA	G	JPN	8536.5019.90
F3SJ-E0185P25	Safety Light Curtain, F3SJ Easy, Type 4, 25 mm resolution, range 0.2 to 7.0 m, height 185 mm, PNP	657.50	356003	4548583047655			FA	G	JPN	8536.5019.90
F3SJ-E0225P25	Safety Light Curtain, F3SJ Easy, Type 4, 25 mm resolution, range 0.2 to 7.0 m, height 225 mm, PNP	791.00	356004	4548583047662			FA	G	JPN	8536.5019.90
F3SJ-E0305P25	Safety Light Curtain, F3SJ Easy, Type 4, 25 mm resolution, range 0.2 to 7.0 m, height 305 mm, PNP	874.00	356005	4548583047679	#		FA	G	JPN	8536.5019.90
F3SJ-E0385N25	Safety Light Curtain, F3SJ Easy, Type 4, 25mm resolution, range 0.2 to 7.0m, height 385mm, NPN	874.00	670507	4548583056961			FA	G	JPN	8536.5019.90
F3SJ-E0385P25	Safety Light Curtain, F3SJ Easy, Type 4, 25 mm resolution, range 0.2 to 7.0 m, height 385 mm, PNP	870.50	356016	4548583047686			FA	G	JPN	8536.5019.90
F3SJ-E0465P25	Safety Light Curtain, F3SJ Easy, Type 4, 25 mm resolution, range 0.2 to 7.0 m, height 465 mm, PNP	924.50	356006	4548583047693	#		FA	G	JPN	8536.5019.90
F3SJ-E0545P25	Safety Light Curtain, F3SJ Easy, Type 4, 25 mm resolution, range 0.2 to 7.0 m, height 545 mm, PNP	1,081.00	356007	4548583047709			FA	G	JPN	8536.5019.90
F3SJ-E0625P25	Safety Light Curtain, F3SJ Easy, Type 4, 25 mm resolution, range 0.2 to 7.0 m, height 625 mm, PNP	1,126.00	356013	4548583047716	#		FA	G	JPN	8536.5019.90
F3SJ-E0705P25	Safety Light Curtain, F3SJ Easy, Type 4, 25 mm resolution, range 0.2 to 7.0 m, height 705 mm, PNP	1,246.00	356011	4548583047723			FA	G	JPN	8536.5019.90
F3SJ-E0785P25	Safety Light Curtain, F3SJ Easy, Type 4, 25 mm resolution, range 0.2 to 7.0 m, height 785 mm, PNP	1,287.00	356008	4548583047730			FA	G	JPN	8536.5019.90
F3SJ-E0865N25	Safety Light Curtain, F3SJ Easy, Type 4, 25 mm resolution, range 0.2 to 7.0 m, height 865 mm, NPN	1,536.00	672926	4548583057028			FA	G	JPN	8536.5019.90
F3SJ-E0865P25	Safety Light Curtain, F3SJ Easy, Type 4, 25mm resolution, range 0.2 to 7.0m, height 865mm, PNP	1,433.00	356014	4548583047747			FA	G	JPN	8536.5019.90
F3SJ-E0945N25	Safety Light Curtain, F3SJ Easy, Type 4, 25mm resolution, range 0.2 to 7.0m, height 945mm, NPN	1,475.00	659270	4548583057036			FA	G	JPN	8536.5019.90
F3SJ-E0945P25	Safety Light Curtain, F3SJ Easy, Type 4, 25 mm resolution, range 0.2 to 7.0 m, height 945 mm, PNP	1,330.00	356009	4548583047754			FA	G	JPN	8536.5019.90
F3SJ-E1025P25	Safety Light Curtain, F3SJ Easy, Type 4, 25 mm resolution, range 0.2 to 7.0 m, height 1025 mm, PNP	1,572.00	356012	4548583047761			FA	G	JPN	8536.5019.90
F3SJ-E1105P25	Safety Light Curtain, F3SJ Easy, Type 4, 25mm resolution, range 0.2 to 7.0m, height 1105mm, PNP	1,723.00	356010	4548583047778			FA	G	JPN	8536.5019.90
F3SJ-A0470P55	Safety Light Curtain, F3SJ Advanced, Type 4, 55mm resolution, range 0.2 to 9.0m, height 470mm, PNP	1,048.00	253909	4547648342285			FA	G	JPN	8536.5019.90
F3SJ-A0620P55	Safety Light Curtain, F3SJ Advanced, Type 4, 55mm resolution, range 0.2 to 9.0m, height 620mm, PNP	1,262.00	367028	4547648342315			FA	G	JPN	8536.5019.90
F3SJ-A0770N55	Safety Light Curtain, F3SJ Advanced, Type 4, 55mm resolution, range 0.2 to 9.0m, height 770mm, NPN	1,435.00	375834	4547648409766			FA	G	JPN	8536.5019.90
F3SJ-A0920P55	Safety Light Curtain, F3SJ Advanced, Type 4, 55mm resolution, range 0.2 to 9.0m, height 920mm, PNP	1,602.00	253910	4547648342377			FA	G	JPN	8536.5019.90
F3SJ-A0970P55	Safety Light Curtain, F3SJ Advanced, Type 4, 55mm resolution, range 0.2 to 9.0m, height 970mm, PNP	1,763.00	270969	4547648342384			FA	G	JPN	8536.5019.90
F3SJ-A1170P55	Safety Light Curtain, F3SJ Advanced, Type 4, 55mm resolution, range 0.2 to 9.0m, height 1170mm, PNP	1,909.00	354714	4547648342421			FA	G	JPN	8536.5019.90
F3SJ-A1770P55	Safety Light Curtain, F3SJ Advanced, Type 4, 55mm resolution, range 0.2 to 7.0m, height 1770mm, PNP	3,001.00	356043	4547648342544			FA	G	JPN	8536.5019.90
F3SJ-A1920P55	Safety Light Curtain, F3SJ Advanced, Type 4, 55mm resolution, range 0.2 to 7.0m, height 1920mm, PNP	3,224.00	392696	4547648342575			FA	G	JPN	8536.5019.90
F3SJ-A2220P55	Safety Light Curtain, F3SJ Advanced, Type 4, 55mm resolution, range 0.2 to 7.0m, height 2220mm, PNP	3,638.00	356044	4547648342636			FA	G	JPN	8536.5019.90
F3SJ-A2470P55	Safety Light Curtain, F3SJ Advanced, Type 4, 55mm resolution, range 0.2 to 7.0m, height 2470mm, PNP	4,080.00	669161	4547648342681			FA	G	JPN	8536.5019.90
F39-LH4	Safety Sensor Accessory, F3SJ A Series, Top/bottom bracket B	56.45	688518	4547648149754			FA	G	JPN	8538.9099.99
MS4800S-EB-030-0720	Safety light curtain, Basic, category 4, hand protection (30mm), 720mm height, DC, 20m scan distance	2,469.00	419265	4548583730403			FA	G	USA	8536.5019.90
<b>Safety light curtain TGR</b>										
F3S-TGR-CL2A-014-1050	Safety light curtain, finger 14mm, range 0.2-6m, stand-alone, height 1050mm	1,526.00	656711	4548583739253			FA	H	NLD	8536.5019.90
F3S-TGR-CL2A-014-1200	Safety light curtain, finger 14mm, range 0.2-6m, stand-alone, height 1200mm	1,692.00	656637	4548583739376			FA	H	NLD	8536.5019.90
F3S-TGR-CL2A-014-1350	Safety light curtain, finger 14mm, range 0.2-6m, stand-alone, height 1350mm	1,873.00	656529	4548583739451			FA	H	NLD	8536.5019.90
F3S-TGR-CL2A-014-150	Safety light curtain, finger 14mm, range 0.2-6m, stand-alone, height 150mm	501.50	656735	4548583738133			FA	H	NLD	8536.5019.90
F3S-TGR-CL2A-014-1500	Safety light curtain, finger 14mm, range 0.2-6m, stand-alone, height 1500mm	2,044.00	656798	4548583739536			FA	H	NLD	8536.5019.90
F3S-TGR-CL2A-014-150S	Safety light curtain, finger 14mm, range 0.2-6m, slave, height 150mm	710.00	656672	4548583740112			FA	H	NLD	8536.5019.90
F3S-TGR-CL2A-014-1650	Safety light curtain, finger 14mm, range 0.2-6m, stand-alone, height 1650mm	2,212.00	656717	4548583739574			FA	H	NLD	8536.5019.90
F3S-TGR-CL2A-014-1800	Safety light curtain, finger 14mm, range 0.2-6m, stand-alone, height 1800mm	2,381.00	656800	4548583739611			FA	H	NLD	8536.5019.90
F3S-TGR-CL2A-014-1900	Safety light curtain, finger 14mm, range 0.2-6m, stand-alone, height 1950mm	2,551.00	656668	4548583739659			FA	H	NLD	8536.5019.90
F3S-TGR-CL2A-014-2100	Safety light curtain, finger 14mm, range 0.2-6m, stand-alone, height 2100mm	2,725.00	656669	4548583739697			FA	H	NLD	8536.5019.90
F3S-TGR-CL2A-014-2250	Safety light curtain, finger 14mm, range 0.2-6m, stand-alone, height 2250mm	2,921.00	656801	4548583739734			FA	H	NLD	8536.5019.90
F3S-TGR-CL2A-014-2400	Safety light curtain, finger 14mm, range 0.2-6m, stand-alone, height 2400mm	3,089.00	656534	4548583739772			FA	H	NLD	8536.5019.90
F3S-TGR-CL2A-014-300	Safety light curtain, finger 14mm, range 0.2-6m, stand-alone, height 300mm	680.00	656590	4548583738539			FA	H	NLD	8536.5019.90
F3S-TGR-CL2A-014-450	Safety light curtain, finger 14mm, range 0.2-6m, stand-alone, height 450mm	845.00	656745	4548583738812			FA	H	NLD	8536.5019.90
F3S-TGR-CL2A-014-600	Safety light curtain, finger 14mm, range 0.2-6m, stand-alone, height 600mm	1,015.00	656747	4548583738935			FA	H	NLD	8536.5019.90
F3S-TGR-CL2A-014-750	Safety light curtain, finger 14mm, range 0.2-6m, stand-alone, height 750mm	1,181.00	656631	4548583739017			FA	H	NLD	8536.5019.90

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Daheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
F3S-TGR-CL2A-014-900	Safety light curtain, finger 14mm, range 0.2-6m, stand-alone, height 900mm	1,355.00	656710	4548583739130			FA	H	NLD	8536.5019.90
F3S-TGR-CL2B-014-1050	Safety light curtain, finger 14mm, range 0.2-6m, stand-alone, height 1050mm	1,490.00	656634	4548583739260			FA	H	NLD	8536.5019.90
F3S-TGR-CL2B-014-1200	Safety light curtain, finger 14mm, range 0.2-6m, stand-alone, height 1200mm	1,657.00	656638	4548583739368			FA	H	NLD	8536.5019.90
F3S-TGR-CL2B-014-1350	Safety light curtain, finger 14mm, range 0.2-6m, stand-alone, height 1350mm	1,838.00	656523	4548583739468			FA	H	NLD	8536.5019.90
F3S-TGR-CL2B-014-1500	Safety light curtain, finger 14mm, range 0.2-6m, stand-alone, height 1500mm	465.60	656513	4548583738140			FA	H	NLD	8536.5019.90
F3S-TGR-CL2B-014-1500	Safety light curtain, finger 14mm, range 0.2-6m, stand-alone, height 1500mm	2,010.00	656639	4548583739543			FA	H	NLD	8536.5019.90
F3S-TGR-CL2B-014-1650	Safety light curtain, finger 14mm, range 0.2-6m, stand-alone, height 1650mm	2,177.00	656597	4548583739581			FA	H	NLD	8536.5019.90
F3S-TGR-CL2B-014-1800	Safety light curtain, finger 14mm, range 0.2-6m, stand-alone, height 1800mm	2,344.00	656531	4548583739628			FA	H	NLD	8536.5019.90
F3S-TGR-CL2B-014-1950	Safety light curtain, finger 14mm, range 0.2-6m, stand-alone, height 1950mm	2,516.00	656756	4548583739666			FA	H	NLD	8536.5019.90
F3S-TGR-CL2B-014-2100	Safety light curtain, finger 14mm, range 0.2-6m, stand-alone, height 2100mm	2,688.00	656525	4548583739703			FA	H	NLD	8536.5019.90
F3S-TGR-CL2B-014-2250	Safety light curtain, finger 14mm, range 0.2-6m, stand-alone, height 2250mm	2,475.00	656598	4548583739741			FA	H	NLD	8536.5019.90
F3S-TGR-CL2B-014-2400	Safety light curtain, finger 14mm, range 0.2-6m, stand-alone, height 2400mm	2,619.00	656642	4548583739789			FA	H	NLD	8536.5019.90
F3S-TGR-CL2B-014-300m	Safety light curtain, finger 14mm, range 0.2-6m, stand-alone, height 300m	649.50	656784	4548583738546			FA	H	NLD	8536.5019.90
F3S-TGR-CL2B-014-450	Safety light curtain, finger 14mm, range 0.2-6m, stand-alone, height 450m	825.50	656585	4548583738829			FA	H	NLD	8536.5019.90
F3S-TGR-CL2B-014-600	Safety light curtain, finger 14mm, range 0.2-6m, stand-alone, height 600m	1,001.00	656510	4548583738942			FA	H	NLD	8536.5019.90
F3S-TGR-CL2B-014-750	Safety light curtain, finger 14mm, range 0.2-6m, stand-alone, height 750m	1,145.00	656512	4548583739024			FA	H	NLD	8536.5019.90
F3S-TGR-CL2B-014-900	Safety light curtain, finger 14mm, range 0.2-6m, stand-alone, height 900m	1,319.00	656632	4548583739147			FA	H	NLD	8536.5019.90
F3S-TGR-CL2A-035-1050	Safety light curtain, hand 35mm, range 0.2-14m, stand-alone, height 1050mm	1,224.00	656661	4548583738898			FA	H	NLD	8536.5019.90
F3S-TGR-CL2A-035-1200	Safety light curtain, hand 35mm, range 0.2-14m, stand-alone, height 1200mm	1,343.00	656630	4548583738973			FA	H	NLD	8536.5019.90
F3S-TGR-CL2A-035-1350	Safety light curtain, hand 35mm, range 0.2-14m, stand-alone, height 1350mm	1,476.00	656750	4548583739055			FA	H	NLD	8536.5019.90
F3S-TGR-CL2A-035-1500	Safety light curtain, hand 35mm, range 0.2-14m, stand-alone, height 1500mm	464.10	656575	4548583738906			FA	H	NLD	8536.5019.90
F3S-TGR-CL2A-035-1500	Safety light curtain, hand 35mm, range 0.2-14m, stand-alone, height 1500mm	1,600.00	656588	4548583739093			FA	H	NLD	8536.5019.90
F3S-TGR-CL2A-035-1650	Safety light curtain, hand 35mm, range 0.2-14m, stand-alone, height 1650mm	1,728.00	656752	4548583739178			FA	H	NLD	8536.5019.90
F3S-TGR-CL2A-035-1800	Safety light curtain, hand 35mm, range 0.2-14m, stand-alone, height 1800mm	1,855.00	656795	4548583739215			FA	H	NLD	8536.5019.90
F3S-TGR-CL2A-035-1950	Safety light curtain, hand 35mm, range 0.2-14m, stand-alone, height 1950mm	1,979.00	656520	4548583739291			FA	H	NLD	8536.5019.90
F3S-TGR-CL2A-035-2100	Safety light curtain, hand 35mm, range 0.2-14m, stand-alone, height 2100mm	2,102.00	656713	4548583739338			FA	H	NLD	8536.5019.90
F3S-TGR-CL2A-035-2250	Safety light curtain, hand 35mm, range 0.2-14m, stand-alone, height 2250mm	2,235.00	656755	4548583739413			FA	H	NLD	8536.5019.90
F3S-TGR-CL2A-035-2400	Safety light curtain, hand 35mm, range 0.2-14m, stand-alone, height 2400mm	2,360.00	656530	4548583739499			FA	H	NLD	8536.5019.90
F3S-TGR-CL2A-035-300m	Safety light curtain, hand 35mm, range 0.2-14m, stand-alone, height 300m	584.50	656655	4548583738294			FA	H	NLD	8536.5019.90
F3S-TGR-CL2A-035-450	Safety light curtain, hand 35mm, range 0.2-14m, stand-alone, height 450m	716.50	656781	4548583738416			FA	H	NLD	8536.5019.90
F3S-TGR-CL2A-035-600	Safety light curtain, hand 35mm, range 0.2-14m, stand-alone, height 600m	913.00	656705	4548583738577			FA	H	NLD	8536.5019.90
F3S-TGR-CL2A-035-750	Safety light curtain, hand 35mm, range 0.2-14m, stand-alone, height 750m	967.50	656509	4548583738775			FA	H	NLD	8536.5019.90
F3S-TGR-CL2A-035-900	Safety light curtain, hand 35mm, range 0.2-14m, stand-alone, height 900m	1,088.00	656660	4548583738850			FA	H	NLD	8536.5019.90
F3S-TGR-CL2B-035-1050	Safety light curtain, hand 35mm, range 0.2-14m, stand-alone, height 1050mm	1,163.00	656746	4548583738904			FA	H	NLD	8536.5019.90
F3S-TGR-CL2B-035-1200	Safety light curtain, hand 35mm, range 0.2-14m, stand-alone, height 1200mm	1,286.00	656748	4548583738980			FA	H	NLD	8536.5019.90
F3S-TGR-CL2B-035-1350	Safety light curtain, hand 35mm, range 0.2-14m, stand-alone, height 1350mm	1,507.00	656587	4548583739062			FA	H	NLD	8536.5019.90
F3S-TGR-CL2B-035-1500	Safety light curtain, hand 35mm, range 0.2-14m, stand-alone, height 1500mm	416.90	656656	4548583738102			FA	H	NLD	8536.5019.90
F3S-TGR-CL2B-035-1500	Safety light curtain, hand 35mm, range 0.2-14m, stand-alone, height 1500mm	1,561.00	656528	4548583739109			FA	H	NLD	8536.5019.90
F3S-TGR-CL2B-035-1650	Safety light curtain, hand 35mm, range 0.2-14m, stand-alone, height 1650mm	1,633.00	656590	4548583739185			FA	H	NLD	8536.5019.90
F3S-TGR-CL2B-035-1800	Safety light curtain, hand 35mm, range 0.2-14m, stand-alone, height 1800mm	1,796.00	656592	4548583739222			FA	H	NLD	8536.5019.90
F3S-TGR-CL2B-035-1950	Safety light curtain, hand 35mm, range 0.2-14m, stand-alone, height 1950mm	1,919.00	656635	4548583739307			FA	H	NLD	8536.5019.90
F3S-TGR-CL2B-035-2100	Safety light curtain, hand 35mm, range 0.2-14m, stand-alone, height 2100mm	2,044.00	656753	4548583739345			FA	H	NLD	8536.5019.90
F3S-TGR-CL2B-035-2250	Safety light curtain, hand 35mm, range 0.2-14m, stand-alone, height 2250mm	2,174.00	656521	4548583739420			FA	H	NLD	8536.5019.90
F3S-TGR-CL2B-035-2400	Safety light curtain, hand 35mm, range 0.2-14m, stand-alone, height 2400mm	2,293.00	656667	4548583739505			FA	H	NLD	8536.5019.90
F3S-TGR-CL2B-035-300m	Safety light curtain, hand 35mm, range 0.2-14m, stand-alone, height 300m	538.50	656656	4548583738300			FA	H	NLD	8536.5019.90
F3S-TGR-CL2B-035-450	Safety light curtain, hand 35mm, range 0.2-14m, stand-alone, height 450m	731.50	656502	4548583738423			FA	H	NLD	8536.5019.90
F3S-TGR-CL2B-035-600	Safety light curtain, hand 35mm, range 0.2-14m, stand-alone, height 600m	870.50	656706	4548583738584			FA	H	NLD	8536.5019.90
F3S-TGR-CL2B-035-750	Safety light curtain, hand 35mm, range 0.2-14m, stand-alone, height 750m	956.50	656583	4548583738782			FA	H	NLD	8536.5019.90
F3S-TGR-CL2B-035-900	Safety light curtain, hand 35mm, range 0.2-14m, stand-alone, height 900m	1,155.00	656708	4548583738867			FA	H	NLD	8536.5019.90
F3S-TGR-CL2A-K2-500	Safety light curtain, 2 beam, active/active, body, beam distance 500mm, range 0.5-40m, detection zone 500mm	873.50	656618	4548583738171			FA	H	NLD	8536.5019.90
F3S-TGR-CL2A-K2-500-LD	Safety light curtain, 2 beam, active/active, body, beam distance 500mm, range 25-50m, detection zone 500mm	892.50	656737	4548583738188			FA	H	NLD	8536.5019.90
F3S-TGR-CL2A-K2C-500	Safety light curtain, 2 beam, active/passive, body, beam distance 500mm, range 0.5-12m, detection zone 500mm	756.00	656615	4548583738058			FA	H	NLD	8536.5019.90
F3S-TGR-CL2A-K3-800	Safety light curtain, 3 beam, active/active, body, beam distance 400mm, range 0.5-40m, detection zone 800mm	1,071.00	656657	4548583738454			FA	H	NLD	8536.5019.90
F3S-TGR-CL2A-K3-900-LD	Safety light curtain, 3 beam, active/active, body, beam distance 400mm, range 25-50m, detection zone 800mm	1,079.00	656782	4548583738461			FA	H	NLD	8536.5019.90
F3S-TGR-CL2A-K3C-800	Safety light curtain, 3 beam, active/passive, body, beam distance 400mm, range 0.5-8m, detection zone 800mm	953.50	656500	4548583738256			FA	H	NLD	8536.5019.90
F3S-TGR-CL2A-K4-1200	Safety light curtain, 4 beam, active/active, body, beam distance 400mm, range 0.5-40m, detection zone 1200mm	1,231.00	656507	4548583738690			FA	H	NLD	8536.5019.90
F3S-TGR-CL2A-K4-1200-LD	Safety light curtain, 4 beam, active/active, body, beam distance 400mm, range 25-50m, detection zone 1200mm	1,246.00	656744	4548583738706			FA	H	NLD	8536.5019.90
F3S-TGR-CL2A-K4-900	Safety light curtain, 4 beam, active/active, body, beam distance 300mm, range 0.5-40m, detection zone 900mm	1,170.00	656785	4548583738614			FA	H	NLD	8536.5019.90
F3S-TGR-CL2A-K4-900-LD	Safety light curtain, 4 beam, active/active, body, beam distance 300mm, range 25-50m, detection zone 900mm	1,186.00	656786	4548583738621			FA	H	NLD	8536.5019.90
F3S-TGR-CL2A-K4C-1200	Safety light curtain, 4 beam, active/passive, body, beam distance 400mm, range 0.5-7m, detection zone 1200mm	1,239.00	656501	4548583738379			FA	H	NLD	8536.5019.90
F3S-TGR-CL2A-K4C-900	Safety light curtain, 4 beam, active/passive, body, beam distance 300mm, range 0.5-7m, detection zone 900mm	1,040.00	656578	4548583738331			FA	H	NLD	8536.5019.90
F3S-TGR-CL2B-K2-500	Safety light curtain, 2 beam, active/active, body, beam distance 500mm, range 0.5-40m, detection zone 500mm	858.00	656624	4548583738195			FA	H	NLD	8536.5019.90
F3S-TGR-CL2B-K2-500-LD	Safety light curtain, 2 beam, active/active, body, beam distance 500mm, range 25-50m, detection zone 500mm	832.00	656778	4548583738201			FA	H	NLD	8536.5019.90
F3S-TGR-CL2B-K2C-500	Safety light curtain, 2 beam, active/passive, body, beam distance 500mm, range 0.5-12m, detection zone 500mm	740.50	656700	4548583738065			FA	H	NLD	8536.5019.90
F3S-TGR-CL2B-K3-800	Safety light curtain, 3 beam, active/active, body, beam distance 400mm, range 0.5-40m, detection zone 800mm	1,010.00	656703	4548583738478			FA	H	NLD	8536.5019.90
F3S-TGR-CL2B-K3-800-LD	Safety light curtain, 3 beam, active/active, body, beam distance 400mm, range 25-50m, detection zone 800mm	1,033.00	656504	4548583738485			FA	H	NLD	8536.5019.90
F3S-TGR-CL2B-K3C-800	Safety light curtain, 3 beam, active/passive, body, beam distance 400mm, range 0.5-8m, detection zone 800mm	895.50	656702	4548583738263			FA	H	NLD	8536.5019.90
F3S-TGR-CL2B-K4-1200	Safety light curtain, 4 beam, active/active, body, beam distance 400mm, range 0.5-40m, detection zone 1200mm	1,170.00	656658	4548583738713			FA	H	NLD	8536.5019.90
F3S-TGR-CL2B-K4-1200-LD	Safety light curtain, 4 beam, active/active, body, beam distance 400mm, range 25-50m, detection zone 1200mm	1,186.00	656627	4548583738720			FA	H	NLD	8536.5019.90
F3S-TGR-CL2B-K4-900	Safety light curtain, 4 beam, active/active, body, beam distance 300mm, range 0.5-40m, detection zone 900mm	1,109.00	656743	4548583738636			FA	H	NLD	8536.5019.90
F3S-TGR-CL2B-K4-900-LD	Safety light curtain, 4 beam, active/active, body, beam distance 300mm, range 25-50m, detection zone 900mm	1,128.00	656582	4548583738644			FA	H	NLD	8536.5019.90
F3S-TGR-CL2B-K4C-1200	Safety light curtain, 4 beam, active/passive, body, beam distance 400mm, range 0.5-7m, detection zone 1200mm	1,044.00	656579	4548583738386			FA	H	NLD	8536.5019.90
F3S-TGR-CL2B-K4C-900	Safety light curtain, 4 beam, active/passive, body, beam distance 300mm, range 0.5-7m, detection zone 900mm	991.50	656515	4548583738348			FA	H	NLD	8536.5019.90
F3S-TGR-CL4A-014-1050	Safety light curtain, finger 14mm, range 0.2-6m, stand-alone, height 1050mm	2,573.00	656712	4548583739277			FA	H	NLD	8536.5019.90

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Data sheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
F3S-TGR-CL4A-014-1200	Safety light curtain, finger 14mm, range 0.2-6m, stand-alone, height 1200mm	2.939,00	656797	4548583739390			FA	H	NLD	8536.5019.90
F3S-TGR-CL4A-014-150	Safety light curtain, finger 14mm, range 0.2-6m, stand-alone, height 150mm	898,00	656736	4548583738157			FA	H	NLD	8536.5019.90
F3S-TGR-CL4A-014-300	Safety light curtain, finger 14mm, range 0.2-6m, stand-alone, height 300mm	1.190,00	656596	4548583738553			FA	H	NLD	8536.5019.90
F3S-TGR-CL4A-014-450	Safety light curtain, finger 14mm, range 0.2-6m, stand-alone, height 450mm	1.490,00	656596	4548583738638			FA	H	NLD	8536.5019.90
F3S-TGR-CL4A-014-600	Safety light curtain, finger 14mm, range 0.2-6m, stand-alone, height 600mm	1.778,00	656511	4548583739059			FA	H	NLD	8536.5019.90
F3S-TGR-CL4A-014-750	Safety light curtain, finger 14mm, range 0.2-6m, stand-alone, height 750mm	2.061,00	656662	4548583739031			FA	H	NLD	8536.5019.90
F3S-TGR-CL4A-014-900	Safety light curtain, finger 14mm, range 0.2-6m, stand-alone, height 900mm	2.331,00	656663	4548583739154			FA	H	NLD	8536.5019.90
F3S-TGR-CL4B-014-1050	Safety light curtain, finger 14mm, range 0.2-6m, stand-alone, height 1050mm	2.323,00	656796	4548583739284			FA	H	NLD	8536.5019.90
F3S-TGR-CL4B-014-1200	Safety light curtain, finger 14mm, range 0.2-6m, stand-alone, height 1200mm	2.714,00	656715	4548583739406			FA	H	NLD	8536.5019.90
F3S-TGR-CL4B-014-1350	Safety light curtain, finger 14mm, range 0.2-6m, stand-alone, height 1350mm	2.840,00	656594	4548583739482			FA	H	NLD	8536.5019.90
F3S-TGR-CL4B-014-1500	Safety light curtain, finger 14mm, range 0.2-6m, stand-alone, height 1500mm	812,50	656514	4548583738164			FA	H	NLD	8536.5019.90
F3S-TGR-CL4B-014-1500	Safety light curtain, finger 14mm, range 0.2-6m, stand-alone, height 1500mm	3.097,00	656799	4548583739567			FA	H	NLD	8536.5019.90
F3S-TGR-CL4B-014-1650	Safety light curtain, finger 14mm, range 0.2-6m, stand-alone, height 1650mm	3.352,00	656640	4548583739604			FA	H	NLD	8536.5019.90
F3S-TGR-CL4B-014-1800	Safety light curtain, finger 14mm, range 0.2-6m, stand-alone, height 1800mm	3.589,00	656533	4548583739642			FA	H	NLD	8536.5019.90
F3S-TGR-CL4B-014-1950	Safety light curtain, finger 14mm, range 0.2-6m, stand-alone, height 1950mm	3.868,00	656641	4548583739680			FA	H	NLD	8536.5019.90
F3S-TGR-CL4B-014-2100	Safety light curtain, finger 14mm, range 0.2-6m, stand-alone, height 2100mm	4.147,00	656555	4548583739727			FA	H	NLD	8536.5019.90
F3S-TGR-CL4B-014-2250	Safety light curtain, finger 14mm, range 0.2-6m, stand-alone, height 2250mm	4.413,00	656719	4548583739765			FA	H	NLD	8536.5019.90
F3S-TGR-CL4B-014-2400	Safety light curtain, finger 14mm, range 0.2-6m, stand-alone, height 2400mm	4.641,00	656670	4548583739802			FA	H	NLD	8536.5019.90
F3S-TGR-CL4B-014-300	Safety light curtain, finger 14mm, range 0.2-6m, stand-alone, height 300mm	1.088,00	656742	4548583738560			FA	H	NLD	8536.5019.90
F3S-TGR-CL4B-014-450	Safety light curtain, finger 14mm, range 0.2-6m, stand-alone, height 450mm	1.359,00	656659	4548583739843			FA	H	NLD	8536.5019.90
F3S-TGR-CL4B-014-600	Safety light curtain, finger 14mm, range 0.2-6m, stand-alone, height 600mm	1.579,00	656792	4548583739666			FA	H	NLD	8536.5019.90
F3S-TGR-CL4B-014-750	Safety light curtain, finger 14mm, range 0.2-6m, stand-alone, height 750mm	1.992,00	656527	4548583739048			FA	H	NLD	8536.5019.90
F3S-TGR-CL4B-014-900	Safety light curtain, finger 14mm, range 0.2-6m, stand-alone, height 900mm	2.256,00	656518	4548583739161			FA	H	NLD	8536.5019.90
F3S-TGR-CL4A-035-1050	Safety light curtain, hand 35mm, range 0.2-14m, stand-alone, height 1050mm	1.692,00	656629	4548583738911			FA	H	NLD	8536.5019.90
F3S-TGR-CL4A-035-1200	Safety light curtain, hand 35mm, range 0.2-14m, stand-alone, height 1200mm	1.890,00	656793	4548583738997			FA	H	NLD	8536.5019.90
F3S-TGR-CL4A-035-1350	Safety light curtain, hand 35mm, range 0.2-14m, stand-alone, height 1350mm	1.979,00	656517	4548583739079			FA	H	NLD	8536.5019.90
F3S-TGR-CL4A-035-1500	Safety light curtain, hand 35mm, range 0.2-14m, stand-alone, height 1500mm	770,00	656777	4548583738119			FA	H	NLD	8536.5019.90
F3S-TGR-CL4A-035-1500	Safety light curtain, hand 35mm, range 0.2-14m, stand-alone, height 1500mm	2.131,00	656751	4548583739116			FA	H	NLD	8536.5019.90
F3S-TGR-CL4A-035-1800	Safety light curtain, hand 35mm, range 0.2-14m, stand-alone, height 1800mm	2.574,00	656633	4548583739239			FA	H	NLD	8536.5019.90
F3S-TGR-CL4A-035-300	Safety light curtain, hand 35mm, range 0.2-14m, stand-alone, height 300mm	898,00	656779	4548583738317			FA	H	NLD	8536.5019.90
F3S-TGR-CL4A-035-450	Safety light curtain, hand 35mm, range 0.2-14m, stand-alone, height 450mm	1.123,00	656741	4548583738430			FA	H	NLD	8536.5019.90
F3S-TGR-CL4A-035-600	Safety light curtain, hand 35mm, range 0.2-14m, stand-alone, height 600mm	1.255,00	656621	4548583738591			FA	H	NLD	8536.5019.90
F3S-TGR-CL4A-035-750	Safety light curtain, hand 35mm, range 0.2-14m, stand-alone, height 750mm	1.397,00	656790	4548583738799			FA	H	NLD	8536.5019.90
F3S-TGR-CL4A-035-900	Safety light curtain, hand 35mm, range 0.2-14m, stand-alone, height 900mm	1.545,00	656628	4548583738874			FA	H	NLD	8536.5019.90
F3S-TGR-CL4B-035-1050	Safety light curtain, hand 35mm, range 0.2-14m, stand-alone, height 1050mm	1.830,00	656709	4548583738928			FA	H	NLD	8536.5019.90
F3S-TGR-CL4B-035-1200	Safety light curtain, hand 35mm, range 0.2-14m, stand-alone, height 1200mm	1.925,00	656749	4548583739000			FA	H	NLD	8536.5019.90
F3S-TGR-CL4B-035-1350	Safety light curtain, hand 35mm, range 0.2-14m, stand-alone, height 1350mm	1.982,00	656734	4548583739086			FA	H	NLD	8536.5019.90
F3S-TGR-CL4B-035-1500	Safety light curtain, hand 35mm, range 0.2-14m, stand-alone, height 1500mm	724,00	656617	4548583738126			FA	H	NLD	8536.5019.90
F3S-TGR-CL4B-035-1500	Safety light curtain, hand 35mm, range 0.2-14m, stand-alone, height 1500mm	2.036,00	656589	4548583739123			FA	H	NLD	8536.5019.90
F3S-TGR-CL4B-035-1650	Safety light curtain, hand 35mm, range 0.2-14m, stand-alone, height 1650mm	2.196,00	656591	4548583739208			FA	H	NLD	8536.5019.90
F3S-TGR-CL4B-035-1800	Safety light curtain, hand 35mm, range 0.2-14m, stand-alone, height 1800mm	2.367,00	656593	4548583739246			FA	H	NLD	8536.5019.90
F3S-TGR-CL4B-035-2100	Safety light curtain, hand 35mm, range 0.2-14m, stand-alone, height 2100mm	2.622,00	656714	4548583739369			FA	H	NLD	8536.5019.90
F3S-TGR-CL4B-035-2250	Safety light curtain, hand 35mm, range 0.2-14m, stand-alone, height 2250mm	2.799,00	656665	4548583739444			FA	H	NLD	8536.5019.90
F3S-TGR-CL4B-035-2400	Safety light curtain, hand 35mm, range 0.2-14m, stand-alone, height 2400mm	2.926,00	656596	4548583739529			FA	H	NLD	8536.5019.90
F3S-TGR-CL4B-035-300	Safety light curtain, hand 35mm, range 0.2-14m, stand-alone, height 300mm	870,50	656577	4548583738324			FA	H	NLD	8536.5019.90
F3S-TGR-CL4B-035-450	Safety light curtain, hand 35mm, range 0.2-14m, stand-alone, height 450mm	1.034,00	656503	4548583738447			FA	H	NLD	8536.5019.90
F3S-TGR-CL4B-035-600	Safety light curtain, hand 35mm, range 0.2-14m, stand-alone, height 600mm	1.196,00	656581	4548583738607			FA	H	NLD	8536.5019.90
F3S-TGR-CL4B-035-750	Safety light curtain, hand 35mm, range 0.2-14m, stand-alone, height 750mm	1.359,00	656584	4548583738805			FA	H	NLD	8536.5019.90
F3S-TGR-CL4B-035-900	Safety light curtain, hand 35mm, range 0.2-14m, stand-alone, height 900mm	1.522,00	656791	4548583738881			FA	H	NLD	8536.5019.90
F3S-TGR-CL4A-K2-500	Safety light curtain, 2 beam, active/active, body, beam distance 500mm, range 0.5-40m, detection zone 500mm	934,00	656625	4548583738218			FA	H	NLD	8536.5019.90
F3S-TGR-CL4A-K2-500-LD	Safety light curtain, 2 beam, active/active, body, beam distance 500mm, range 25-50m, detection zone 500mm	729,50	656701	4548583738225			FA	H	NLD	8536.5019.90
F3S-TGR-CL4A-K2C-500	Safety light curtain, 2 beam, active/passive, body, beam distance 500mm, range 0.5-12m, detection zone 500mm	808,50	656616	4548583738072			FA	H	NLD	8536.5019.90
F3S-TGR-CL4A-K3-800	Safety light curtain, 3 beam, active/active, body, beam distance 400mm, range 0.5-40m, detection zone 800mm	1.089,00	656505	4548583739492			FA	H	NLD	8536.5019.90
F3S-TGR-CL4A-K3-800-LD	Safety light curtain, 3 beam, active/active, body, beam distance 400mm, range 25-50m, detection zone 800mm	873,50	656704	4548583738506			FA	H	NLD	8536.5019.90
F3S-TGR-CL4A-K3C-800	Safety light curtain, 3 beam, active/passive, body, beam distance 400mm, range 0.5-8m, detection zone 800mm	1.018,00	656738	4548583738270			FA	H	NLD	8536.5019.90
F3S-TGR-CL4A-K4-900	Safety light curtain, 4 beam, active/active, body, beam distance 300mm, range 0.5-40m, detection zone 900mm	1.215,00	656622	4548583738652			FA	H	NLD	8536.5019.90
F3S-TGR-CL4A-K4-900-LD	Safety light curtain, 4 beam, active/active, body, beam distance 300mm, range 25-50m, detection zone 900mm	1.159,00	656626	4548583738669			FA	H	NLD	8536.5019.90
F3S-TGR-CL4A-K4C-1200	Safety light curtain, 4 beam, active/passive, body, beam distance 400mm, range 0.5-7m, detection zone 1200mm	1.089,00	656740	4548583738393			FA	H	NLD	8536.5019.90
F3S-TGR-CL4A-K4C-900	Safety light curtain, 4 beam, active/passive, body, beam distance 300mm, range 0.5-7m, detection zone 900mm	1.093,00	656739	4548583738355			FA	H	NLD	8536.5019.90
F3S-TGR-CL4B-K2-500	Safety light curtain, 2 beam, active/active, body, beam distance 500mm, range 0.5-40m, detection zone 500mm	866,00	656653	4548583738232			FA	H	NLD	8536.5019.90
F3S-TGR-CL4B-K2-500-LD	Safety light curtain, 2 beam, active/active, body, beam distance 500mm, range 25-50m, detection zone 500mm	801,50	656654	4548583738249			FA	H	NLD	8536.5019.90
F3S-TGR-CL4B-K2C-500	Safety light curtain, 2 beam, active/passive, body, beam distance 500mm, range 0.5-12m, detection zone 500mm	778,50	656776	4548583738089			FA	H	NLD	8536.5019.90
F3S-TGR-CL4B-K3-800	Safety light curtain, 3 beam, active/active, body, beam distance 400mm, range 0.5-40m, detection zone 800mm	1.021,00	656783	4548583738515			FA	H	NLD	8536.5019.90
F3S-TGR-CL4B-K3-800-LD	Safety light curtain, 3 beam, active/active, body, beam distance 400mm, range 25-50m, detection zone 800mm	971,50	656620	4548583738522			FA	H	NLD	8536.5019.90
F3S-TGR-CL4B-K3C-800	Safety light curtain, 3 beam, active/passive, body, beam distance 400mm, range 0.5-8m, detection zone 800mm	888,00	656576	4548583738267			FA	H	NLD	8536.5019.90
F3S-TGR-CL4B-K4-1200	Safety light curtain, 4 beam, active/active, body, beam distance 400mm, range 0.5-40m, detection zone 1200mm	1.186,00	656788	4548583738751			FA	H	NLD	8536.5019.90
F3S-TGR-CL4B-K4-1200-LD	Safety light curtain, 4 beam, active/active, body, beam distance 400mm, range 25-50m, detection zone 1200mm	1.205,00	656789	4548583738768			FA	H	NLD	8536.5019.90
F3S-TGR-CL4B-K4-900	Safety light curtain, 4 beam, active/active, body, beam distance 300mm, range 0.5-40m, detection zone 900mm	1.128,00	656787	4548583738676			FA	H	NLD	8536.5019.90
F3S-TGR-CL4B-K4-900-LD	Safety light curtain, 4 beam, active/active, body, beam distance 300mm, range 25-50m, detection zone 900mm	1.055,00	656707	4548583738683			FA	H	NLD	8536.5019.90
F3S-TGR-CL4B-K4C-1200	Safety light curtain, 4 beam, active/passive, body, beam distance 400mm, range 0.5-7m, detection zone 1200mm	1.089,00	656780	4548583738409			FA	H	NLD	8536.5019.90
F3S-TGR-CL4B-K4C-900	Safety light curtain, 4 beam, active/passive, body, beam distance 300mm, range 0.5-7m, detection zone 900mm	1.048,00	656619	4548583738362			FA	H	NLD	8536.5019.90

**Safety non-contact switch**

F39-TGR-SMS-A	Accessory F3S-TGR-SMSA and -SMSD actuator	38,73	387940	4547648977517			FA	I	GBR	8536.5005.00
---------------	---	-------	--------	---------------	--	--	----	---	-----	--------------

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Data sheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
F39-TGRKH-F	Actuator Key, stainless steel, body anodized black, flexible	20.61	393680	4547648986250			FA	I	GBR	8536.5005.00
F3S-TGRNBMX-21-05	Non-contact door switch, red, barrel stainless steel M30, 2NC+1NO, 5m cable	194.60	387904	4547648977159			FA	I	GBR	8536.5005.00
F3S-TGRNBMX-21-05	Non-contact door switch, red, barrel stainless steel M30, 2NC+1NO, 5m cable	323.90	387943	4547648977548			FA	I	GBR	8536.5005.00
F3S-TGRNBP-21-05	Non-contact door switch, red, barrel plastic M30, 2NC+1NO, 5m cable	134.30	387901	4547648977128			FA	I	GBR	8536.5005.00
F3S-TGRNBP-21-M1J8	Non-contact door switch, red, barrel plastic M30, 2NC+1NO, M12 connector pigtail	148.20	387903	4547648977142			FA	I	GBR	8536.5005.00
F3S-TGRNCP-21-05	Non-contact door switch, red, compact sensor 5 m, plastic, 2NC+1NO contacts (D40B size equivalent)	122.20	330853	4547648892927			FA	I	GBR	8536.5007.00
F3S-TGRNLMR-21-05	Non-contact door switch, red, elongated stainless steel, 2NC+1NO, 5m cable	201.10	387898	4547648977098			FA	I	GBR	8536.5005.00
F3S-TGRNLMR-21-10	Non-contact door switch, red, elongated stainless steel, 2NC+1NO, 10m cable	210.50	387899	4547648977104			FA	I	GBR	8536.5005.00
F3S-TGRNLMX-21-05	Non-contact door switch, ex zone, red, elongated stainless steel, 2NC+1NO, 5m cable	297.50	387941	4547648977524	#		FA	I	GBR	8536.5005.00
F3S-TGRNLMX-21-10	Non-contact door switch, ex zone, red, elongated stainless steel, 2NC+1NO, 10m cable	329.00	387942	4547648977531			FA	I	GBR	8536.5005.00
F3S-TGRNLR-20-02	Non-contact door switch, red, elongated sensor 2 m, plastic, 2NC contacts	108.50	231384	4536853906252			FA	I	GBR	8536.5007.00
F3S-TGRNLR-20-05	Non-contact door switch, red, elongated sensor 5m, plastic, 2NC contacts	114.40	231385	4536853906269			FA	I	GBR	8536.5007.00
F3S-TGRNLR-21-02	Non-contact door switch, red, elongated sensor 2m, plastic, 2NC+1NO contacts	112.10	231388	4536853906290			FA	I	GBR	8536.5007.00
F3S-TGRNLR-21-05	Non-contact door switch, red, elongated sensor plastic, 2 NC+1 NO, 5m cable	120.30	231389	4536853906306			FA	I	GBR	8536.5007.00
F3S-TGRNLR-21-10	Non-contact door switch, red, elongated sensor, plastic, 2 NC+1 NO contacts, 10m cable	135.60	231390	4536853906313			FA	I	GBR	8536.5007.00
F3S-TGRNLR-21-M1J8	Non-contact door switch, red, elongated sensor, plastic, 2 NC+1 NO contacts, M12 connector pigtail	138.80	231391	4536853906283			FA	I	GBR	8536.5007.00
F3S-TGRNMHR-21-05	Non-contact door switch, red, miniature stainless steel hygienic design, 2NC+1NO, 5m cable	157.90	387891	4547648977029			FA	I	GBR	8536.5005.00
F3S-TGRNMHR-21-10	Non-contact door switch, red, miniature stainless steel hygienic design, 2NC+1NO, 10m cable	167.80	387892	4547648977036			FA	I	GBR	8536.5005.00
F3S-TGRNMP-11-08-L10	Non-contact door switch, red, miniature plastic, 1NC+1NO, M8 connector left side	99.55	387897	4547648976985			FA	I	GBR	8536.5005.00
F3S-TGRNMP-20-05	Non-contact door switch, red, miniature plastic, 2NC, 5m cables	99.55	387886	4547648976978			FA	I	GBR	8536.5005.00
F3S-TGRNMP-20-08-L10	Non-contact door switch, red, miniature plastic, 2NC, M8 connector left side	83.15	252048	4547648861397			FA	I	GBR	8536.5007.00
F3S-TGRNMP-20-M8-WN	Non-contact door switch, red, miniature plastic, 2NC, M8 connector	100.60	387885	4547648976961			FA	I	GBR	8536.5005.00
F3S-TGRNMP-21-02	Non-contact door switch, Miniature, red, 2m, plastic, 2NC+1NO contacts	47.59	295581	4547648868273	#		FA	I	GBR	8536.5007.00
F3S-TGRNMP-21-05	Non-contact door switch, Miniature, red, 5m, plastic, 2NC+1NO contacts	84.75	252051	4547648861427			FA	I	GBR	8536.5007.00
F3S-TGRNMP-21-10	Non-contact door switch, Miniature, red, 10m, plastic, 2NC+1NO contacts	92.20	252052	4547648861434			FA	I	GBR	8536.5007.00
F3S-TGRNMP-21-M1J8	Non-contact door switch, Miniature, red, M12 connector, plastic, 2NC+1NO contacts	107.20	252053	4547648861441			FA	I	GBR	8536.5007.00
F3S-TGRNSFR-21-05	Non-contact door switch, red, small stainless steel food design, 2NC+1NO, 5m cable	111.50	252054	4547648861410			FA	I	GBR	8536.5007.00
F3S-TGRNSFR-21-05	Non-contact door switch, red, small stainless steel food design, 2NC+1NO, 5m cable	178.40	387896	4547648977074			FA	I	GBR	8536.5005.00
F3S-TGRNSFR-21-05	Non-contact door switch, red, small stainless steel hygienic design, 2NC+1NO, 5m cable	178.40	387894	4547648977050			FA	I	GBR	8536.5005.00
F3S-TGRNSMR-20-02	Non-contact door switch, red, small sensor 2m, stainless steel, 2NC contacts	171.30	231392	4536853906412			FA	I	GBR	8536.5007.00
F3S-TGRNSMR-20-05	Non-contact door switch, red, small sensor 5m, stainless steel, 2NC contacts	175.80	231393	4536853906429			FA	I	GBR	8536.5007.00
F3S-TGRNSMR-20-M1J8	Non-contact door switch, red, small sensor M12 connector, steel, 2NC contacts	189.90	231395	4536853906405			FA	I	GBR	8536.5007.00
F3S-TGRNSMR-21-02	Non-contact door switch, red, small sensor 2 m, stainless steel, 2NC+1NO contacts	173.70	231396	4536853906450			FA	I	GBR	8536.5007.00
F3S-TGRNSMR-21-05	Non-contact door switch, red, small stainless steel, 2NC+1NO, 5m cable	178.40	231397	4536853906467			FA	I	GBR	8536.5007.00
F3S-TGRNSMR-21-10	Non-contact door switch, red, small stainless steel, 2NC+1NO, 10m cable	182.80	231398	4536853906474			FA	I	GBR	8536.5007.00
F3S-TGRNSMR-21-M1J8	Non-contact door switch, red, small stainless steel, 2NC+1NO, M12 connector pigtail	192.70	231399	4536853906443			FA	I	GBR	8536.5007.00
F3S-TGRNSPR-21-05	Non-contact door switch, red, small plastic, 2NC+1NO, 5m cable	128.90	330847	4547648862896			FA	I	GBR	8536.5007.00
F3S-TGRNSPR-21-10	Non-contact door switch, red, small plastic, 2NC+1NO, 10m cable	138.50	330848	4547648862904			FA	I	GBR	8536.5007.00
F3S-TGRNWPR-21-05	Non-contact door switch, red, Wide Body sensor 5m, plastic, 2NC+1NO contacts (D40B size equivalent)	121.50	330855	4547648882941			FA	I	GBR	8536.5007.00
F3S-TGRNLP-21-05	Non-contact door switch, PFID master coded, elongated plastic, 2NC+1NO, 5m cable	115.30	387923	4547648977340			FA	I	GBR	8536.5005.00
F3S-TGRNLP-21-10	Non-contact door switch, PFID master coded, elongated plastic, 2NC+1NO, 10m cable	128.20	387924	4547648977357			FA	I	GBR	8536.5005.00
F3S-TGRNLP-21-M1J8	Safety Non-contact Doorswitch, PFID master coded, elongated plastic housing, 2NC+1NO, M12 8pin	130.00	378257	4547648965590	#		FA	I	GBR	8536.5005.00
F3S-TGRNLP-21-05	Non-contact door switch, PFID unique coded, elongated plastic, 2NC+1NO, 5m cable	115.30	387921	4547648977326	#		FA	I	GBR	8536.5005.00
F3S-TGRNLP-21-10	Non-contact door switch, PFID unique coded, elongated plastic, 2NC+1NO, 10m cable	128.20	387922	4547648977333			FA	I	GBR	8536.5005.00
F3S-TGRNLP-21-M1J8	Safety Non-contact Doorswitch, PFID unique coded, elongated plastic housing, 2NC+1NO, M12 connector pigtail	131.40	378256	4547648965583	#		FA	I	GBR	8536.5005.00
F3S-TGRNSPM-21-05	Non-contact door switch, PFID master coded, small plastic, 2NC+1NO, 5m cable	132.00	387919	4547648977302			FA	I	GBR	8536.5005.00
F3S-TGRNSPM-21-10	Non-contact door switch, PFID master coded, small plastic, 2NC+1NO, 10m cable	141.70	387920	4547648977319			FA	I	GBR	8536.5005.00
F3S-TGRNSPM-21-M1J8	Non-contact door switch, small, PFID master code, M12 pigtail connector, 2NC+1NO contacts	138.80	383763	4547648974042			FA	I	GBR	8536.5007.00
F3S-TGRNSPU-21-05	Non-contact door switch, PFID unique coded, small plastic, 2NC+1NO, 5m cable	132.00	387916	4547648977272	#		FA	I	GBR	8536.5005.00
F3S-TGRNSPU-21-10	Non-contact door switch, PFID unique coded, small plastic, 2NC+1NO, 10m cable	141.70	387917	4547648977289			FA	I	GBR	8536.5005.00
F3S-TGRNSPU-21-M1J8	Non-contact door switch, PFID unique coded, small plastic, 2NC+1NO, M12 connector pigtail	149.00	387918	4547648977296	#		FA	I	GBR	8536.5005.00
F3S-TGRNBM-21-05	Non-contact door switch, coded, barrel stainless steel M30, 2NC+1NO, 5m cable	167.80	387873	4547648976848			FA	I	GBR	8536.5005.00
F3S-TGRNBP-21-05	Non-contact door switch, coded, barrel plastic M30, 2NC+1NO, 5m cable	95.55	387870	4547648976817			FA	I	GBR	8536.5005.00
F3S-TGRNBP-21-M1J8	Non-contact door switch, coded, barrel plastic M30, 2NC+1NO, M12 connector pigtail	110.80	387872	4547648976831			FA	I	GBR	8536.5005.00
F3S-TGRNLMC-21-05	Non-contact door switch, coded, elongated stainless steel, 2NC+1NO, 5m cable	164.40	387867	4547648976787			FA	I	GBR	8536.5005.00
F3S-TGRNLP-20-02	Non-contact door switch, coded, elongated sensor 2 m, plastic, 2 NC contacts	73.70	231368	4536853906177			FA	I	GBR	8536.5005.00
F3S-TGRNLP-20-05	Non-contact door switch, coded, elongated sensor 5m, plastic, 2 NC contacts	76.00	231369	4536853906184	#		FA	I	GBR	8536.5005.00
F3S-TGRNLP-20-10	Non-contact door switch, coded, elongated sensor 10 m, plastic, 2 NC contacts	97.95	231370	4536853906191			FA	I	GBR	8536.5005.00
F3S-TGRNLP-20-M1J8	Non-contact door switch, coded, elongated sensor M12 connector, plastic, 2 NC contacts	93.15	231371	4536853906160	#		FA	I	GBR	8536.5005.00
F3S-TGRNLP-21-02	Non-contact door switch, coded, elongated sensor 2m, plastic, 2 NC+1 NO contacts	80.30	231372	4536853906214	#		FA	I	GBR	8536.5005.00
F3S-TGRNLP-21-05	Non-contact door switch, coded, elongated sensor plastic, 2 NC+1 NO, 5m cable	82.55	231373	4536853906221	#		FA	I	GBR	8536.5005.00
F3S-TGRNLP-21-10	Non-contact door switch, coded, elongated sensor, plastic, 2 NC+1 NO contacts, 10m cable	104.40	231374	4536853906238	#		FA	I	GBR	8536.5005.00
F3S-TGRNLP-21-M1J8	Non-contact door switch, coded, elongated sensor, plastic, 2 NC+1 NO contacts, M12 connector pigtail	107.10	231375	4536853906207	#		FA	I	GBR	8536.5005.00
F3S-TGRNMHC-21-05	Non-contact door switch, coded, miniature stainless steel hygienic design, 2NC+1NO, 5m cable	150.90	387858	4547648976695			FA	I	GBR	8536.5005.00
F3S-TGRNMHC-21-M1J8	Non-contact door switch, coded, miniature stainless steel hygienic design, 2NC+1NO, M12 connector pigtail	185.10	387860	4547648976718			FA	I	GBR	8536.5005.00
F3S-TGRNMP-20-02	Non-contact door switch, miniature, coded, 2m, plastic, 2 NC contacts	86.25	252056	4547648861304			FA	I	GBR	8536.5005.00
F3S-TGRNMP-20-05	Non-contact door switch, miniature, coded, 5m plastic, 2 NC contacts	79.40	252057	4547648861311			FA	I	GBR	8536.5005.00
F3S-TGRNMP-20-M1J8	Non-contact door switch, miniature, coded, M12 connector, plastic, 2 NC contacts	94.50	252059	4547648861298	#		FA	I	GBR	8536.5005.00
F3S-TGRNMP-21-02	Non-contact door switch, miniature, coded, 2m, plastic, 2 NC+1 NO contacts	77.50	252060	4547648861342			FA	I	GBR	8536.5005.00
F3S-TGRNMP-21-05	Non-contact door switch, coded, miniature plastic, 2NC+1NO, 5m cable	92.20	252061	4547648861359	#		FA	I	GBR	8536.5005.00
F3S-TGRNMP-21-10	Non-contact door switch, coded, miniature plastic, 2NC+1NO, 10m cable	107.20	252062	4547648861366			FA	I	GBR	8536.5005.00
F3S-TGRNMP-21-M1J8	Non-contact door switch, miniature, coded, M12 connector, plastic, 2 NC+1 NO contacts	111.50	252063	4547648861335			FA	I	GBR	8536.5005.00
F3S-TGRNSFC-21-05	Non-contact door switch, coded, small stainless steel food design, 2NC+1NO, 5m cable	161.10	387864	4547648976756			FA	I	GBR	8536.5005.00
F3S-TGRNSFC-21-10	Non-contact door switch, coded, small stainless steel hygienic design, 2NC+1NO, 5m cable	164.50	387861	4547648976725			FA	I	GBR	8536.5005.00



Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Data sheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
F3S-TGR-NSMC-20-05	Non-contact door switch, coded, small sensor 5m, stainless steel, 2 NC contacts	150.10	231377	4536853906344			FA	I	GBR	8536.5005.00
F3S-TGR-NSMC-20-M1.8	Non-contact door switch, coded, small sensor M12 connector, steel, 2 NC contacts	179.90	231379	4536853906320			FA	I	GBR	8536.5005.00
F3S-TGR-NSMC-21-02	Non-contact door switch, coded, small sensor 2m, stainless steel, 2 NC+1 NO contacts	153.50	231380	4536853906375			FA	I	GBR	8536.5005.00
F3S-TGR-NSMC-21-05	Non-contact door switch, coded, small stainless steel, 2NC+1NO, 5m cable	163.40	231381	4536853906382			FA	I	GBR	8536.5005.00
F3S-TGR-NSMC-21-10	Non-contact door switch, coded, small stainless steel, 2NC+1NO, M12 connector	176.00	231382	4536853906399			FA	I	GBR	8536.5005.00
F3S-TGR-NSMC-21-M1.8	Non-contact door switch, coded, small stainless steel, 2NC+1NO, M12 connector pigtail	183.20	231383	4536853906368			FA	I	GBR	8536.5005.00
F3S-TGR-NSPC-21-05	Non-contact door switch, coded, small plastic, 2NC+1NO, 5m cable	83.15	330850	4547648882897			FA	I	GBR	8536.5007.00
F3S-TGR-NSPC-21-10	Non-contact door switch, coded, small plastic, 2NC+1NO, 10 m cable	104.10	330851	4547648882903			FA	I	GBR	8536.5007.00
F3S-TGR-NSPC-21-M1.8	Non-contact door switch, coded, small plastic, 2NC+1NO, M12 connector pigtail	112.50	330852	4547648882910			FA	I	GBR	8536.5007.00
F3S-TGR-SPSA-05	Non-contact door switch, stand alone, plastic, single actuator, 2NC+1NO, 5m cable	182.00	387927	4547648977388			FA	I	GBR	8536.5005.00
F3S-TGR-SPSD-M1.8	Non-contact door switch, stand alone, plastic, double actuator, 2NC+1NO, M12 connector pigtail	226.00	387932	4547648977432			FA	I	GBR	8536.5005.00
D40ML-M1-B-10M	FFID Magnetic Locking Safety Switch, Die-cast Metal, 1500N, Basic Actuator Code, 10m Cable	487.80	669724	4548583967953			FA	I	GBR	8536.5007.00
D40ML-M1-B-5M	FFID Magnetic Locking Safety Switch, Die-cast Metal, 1500N, Basic Actuator Code, 5m Cable	472.10	669734	4548583968059			FA	I	GBR	8536.5007.00
D40ML-M1-B-M12	FFID Magnetic Locking Safety Switch, Die-cast Metal, 1500N, Basic Actuator Code, Pigtail w/M12 Connector	494.20	669730	4548583968011			FA	I	GBR	8536.5007.00
D40ML-M1-U-10M	FFID Magnetic Locking Safety Switch, Die-cast Metal, 1500N, Unique Actuator Code, 10m Cable	487.80	669727	4548583967984			FA	I	GBR	8536.5007.00
D40ML-M1-U-5M	FFID Magnetic Locking Safety Switch, Die-cast Metal, 1500N, Unique Actuator Code, 5m Cable	472.10	669720	4548583967915			FA	I	GBR	8536.5007.00
D40ML-M1-U-M12	FFID Magnetic Locking Safety Switch, Die-cast Metal, 1500N, Unique Actuator Code, Pigtail w/M12 Connector	494.20	669707	4548583967786			FA	I	GBR	8536.5007.00
D40ML-M2-B-10M	FFID Magnetic Locking Safety Switch, Die-cast Metal, 900N, Basic Actuator Code, 10m Cable	402.20	669737	4548583968080			FA	I	GBR	8536.5007.00
D40ML-M2-B-5M	FFID Magnetic Locking Safety Switch, Die-cast Metal, 900N, Basic Actuator Code, 5m Cable	388.10	669736	4548583968073			FA	I	GBR	8536.5007.00
D40ML-M2-B-M12	FFID Magnetic Locking Safety Switch, Die-cast Metal, 900N, Basic Actuator Code, Pigtail w/M12 Connector	408.20	669710	4548583967816			FA	I	GBR	8536.5007.00
D40ML-M2-U-10M	FFID Magnetic Locking Safety Switch, Die-cast Metal, 900N, Unique Actuator Code, 10m Cable	402.20	669704	4548583967755			FA	I	GBR	8536.5007.00
D40ML-M2-U-5M	FFID Magnetic Locking Safety Switch, Die-cast Metal, 900N, Unique Actuator Code, 5m Cable	388.10	669733	4548583968042			FA	I	GBR	8536.5007.00
D40ML-M2-U-M12	FFID Magnetic Locking Safety Switch, Die-cast Metal, 900N, Unique Actuator Code, Pigtail w/M12 Connector	408.20	669719	4548583967908			FA	I	GBR	8536.5007.00
D40ML-P1-B-10M	FFID Magnetic Locking Safety Switch, Plastic, 1500N, Basic Actuator Code, 10m Cable	462.80	669700	4548583967717			FA	I	GBR	8536.5007.00
D40ML-P1-B-5M	FFID Magnetic Locking Safety Switch, Plastic, 1500N, Basic Actuator Code, 5m Cable	448.70	669738	4548583968097			FA	I	GBR	8536.5007.00
D40ML-P1-B-M12	FFID Magnetic Locking Safety Switch, Plastic, 1500N, Basic Actuator Code, Pigtail w/M12 Connector	469.20	669702	4548583967731			FA	I	GBR	8536.5007.00
D40ML-P1-U-10M	FFID Magnetic Locking Safety Switch, Plastic, 1500N, Unique Actuator Code, 10m Cable	462.80	669697	4548583967687			FA	I	GBR	8536.5007.00
D40ML-P1-U-5M	FFID Magnetic Locking Safety Switch, Plastic, 1500N, Unique Actuator Code, 5m Cable	448.70	669728	4548583967991			FA	I	GBR	8536.5007.00
D40ML-P1-U-M12	FFID Magnetic Locking Safety Switch, Plastic, 1500N, Unique Actuator Code, Pigtail w/M12 Connector	469.20	669712	4548583967830			FA	I	GBR	8536.5007.00
D40ML-P2-B-10M	FFID Magnetic Locking Safety Switch, Plastic, 900N, Basic Actuator Code, 10m Cable	377.40	669725	4548583967960			FA	I	GBR	8536.5007.00
D40ML-P2-B-5M	FFID Magnetic Locking Safety Switch, Plastic, 900N, Basic Actuator Code, 5m Cable	363.20	669735	4548583968066			FA	I	GBR	8536.5007.00
D40ML-P2-B-M12	FFID Magnetic Locking Safety Switch, Plastic, 900N, Basic Actuator Code, Pigtail w/M12 Connector	383.30	669708	4548583967793		#	FA	I	GBR	8536.5007.00
D40ML-P2-U-10M	FFID Magnetic Locking Safety Switch, Plastic, 900N, Unique Actuator Code, 10m Cable	377.40	669722	4548583967939			FA	I	GBR	8536.5007.00
D40ML-P2-U-5M	FFID Magnetic Locking Safety Switch, Plastic, 900N, Unique Actuator Code, 5m Cable	363.20	669714	4548583967854			FA	I	GBR	8536.5007.00
D40ML-P2-U-M12	FFID Magnetic Locking Safety Switch, Plastic, 900N, Unique Actuator Code, Pigtail w/M12 Connector	383.30	669709	4548583967809		#	FA	I	GBR	8536.5007.00
D40ML-SS1-B-10M	FFID Magnetic Locking Safety Switch, Stainless Steel, 950N, Basic Actuator Code, 10m Cable	591.00	669699	4548583967700			FA	I	GBR	8536.5007.00
D40ML-SS1-B-5M	FFID Magnetic Locking Safety Switch, Stainless Steel, 950N, Basic Actuator Code, 5m Cable	575.50	669711	4548583967823			FA	I	GBR	8536.5007.00
D40ML-SS1-B-M12	FFID Magnetic Locking Safety Switch, Stainless Steel, 950N, Basic Actuator Code, Pigtail w/M12 Connector	595.50	669721	4548583967922			FA	I	GBR	8536.5007.00
D40ML-SS1-U-10M	FFID Magnetic Locking Safety Switch, Stainless Steel, 950N, Unique Actuator Code, 10m Cable	591.00	669717	4548583967885			FA	I	GBR	8536.5007.00
D40ML-SS1-U-5M	FFID Magnetic Locking Safety Switch, Stainless Steel, 950N, Unique Actuator Code, 5m Cable	575.50	669705	4548583967762			FA	I	GBR	8536.5007.00
D40ML-SS1-U-M12	FFID Magnetic Locking Safety Switch, Stainless Steel, 950N, Unique Actuator Code, Pigtail w/M12 Connector	595.50	669703	4548583967748			FA	I	GBR	8536.5007.00
D40ML-SS2-B-10M	FFID Magnetic Locking Safety Switch, Stainless Steel, 600N, Basic Actuator Code, 10m Cable	497.00	669698	4548583967694			FA	I	GBR	8536.5007.00
D40ML-SS2-B-5M	FFID Magnetic Locking Safety Switch, Stainless Steel, 600N, Basic Actuator Code, 5m Cable	482.90	669713	4548583967847			FA	I	GBR	8536.5007.00
D40ML-SS2-B-M12	FFID Magnetic Locking Safety Switch, Stainless Steel, 600N, Basic Actuator Code, Pigtail w/M12 Connector	503.50	669731	4548583968028			FA	I	GBR	8536.5007.00
D40ML-SS2-U-10M	FFID Magnetic Locking Safety Switch, Stainless Steel, 600N, Unique Actuator Code, 10m Cable	497.00	669718	4548583967892			FA	I	GBR	8536.5007.00
D40ML-SS2-U-5M	FFID Magnetic Locking Safety Switch, Stainless Steel, 600N, Unique Actuator Code, 5m Cable	482.90	669715	4548583967861			FA	I	GBR	8536.5007.00
D40ML-SS2-U-M12	FFID Magnetic Locking Safety Switch, Stainless Steel, 600N, Unique Actuator Code, Pigtail w/M12 Connector	503.50	669716	4548583967878			FA	I	GBR	8536.5007.00
D40ML-CBL-M12-10M	Quick Disconnect Cable, 8-pin M12 to Flying Leads, PVC Jacket, 10 Meter Length	56.20	670948	4548583973756			FA	I	GBR	8544.4290.90
D40ML-CBL-M12-5M	Quick Disconnect Cable, 8-pin M12 to Flying Leads, PVC Jacket, 5 Meter Length	46.76	670947	4548583973749			FA	I	GBR	8544.4290.90
D40ML-M1-B-ACT	FFID Magnetic Locking Safety Switch Replacement Actuator, Die-cast Metal (M1), Basic Code	98.20	669726	4548583967977			FA	I	GBR	8536.5007.00
D40ML-M2-B-ACT	FFID Magnetic Locking Safety Switch Replacement Actuator, Die-cast Metal (M2), Basic Code	81.10	669729	4548583968004			FA	I	GBR	8536.5007.00
D40ML-P1-B-ACT	FFID Magnetic Locking Safety Switch Replacement Actuator, Plastic (P1), Basic Code	77.95	669706	4548583967779			FA	I	GBR	8536.5007.00
D40ML-P2-B-ACT	FFID Magnetic Locking Safety Switch Replacement Actuator, Plastic (P2), Basic Code	68.60	669701	4548583967724			FA	I	GBR	8536.5007.00
D40ML-SS1-B-ACT	FFID Magnetic Locking Safety Switch Replacement Actuator, Stainless Steel (SS1), Basic Code	107.50	669732	4548583968035			FA	I	GBR	8536.5007.00
D40ML-SS2-B-ACT	FFID Magnetic Locking Safety Switch Replacement Actuator, Stainless Steel (SS2), Basic Code	87.30	669723	4548583967946			FA	I	GBR	8536.5007.00
F3S-TGR-NLXM-A	Accessory F3S-TGR-NLXM, actuator	67.60	387945	4547648977562			FA	I	GBR	8536.5005.00
F3S-TGR-NLPC-A	Spare actuator for Coded type, Plastic, Elongated	22.80	234166	4536853907402			FA	I	GBR	8536.5007.00
F3S-TGR-NLR-SPACER	Accessory F3S-TGR-NLR, spacer	8.72	387950	4547648977616			FA	I	GBR	8536.5005.00
F3S-TGR-NMPC-A	Accessory F3S-TGR-NMPC, actuator	24.45	252064	4547648861458			FA	I	GBR	8536.5005.00
F3S-TGR-NMPR-A	Spare actuator for non-coded type, Plastic, Miniature	24.45	252055	4547648861465			FA	I	GBR	8536.5007.00
F3S-TGR-NMR-SPACER	Accessory F3S-TGR-NMR, spacer	8.72	387948	4547648977593			FA	I	GBR	8536.5005.00
F3S-TGR-N-SCREWS	Safety Torx screws set, M4, 4 x 30 mm + 4 x 20 mm + 4 x 10 mm, incl. Washers and Torx bit	7.89	387947	4547648977586		20	FA	I	GBR	8536.5005.00
F3S-TGR-NSR-SPACER	Accessory F3S-TGR-NMR, spacer	8.72	387949	4547648977609			FA	I	GBR	8536.5005.00

#### Safety Device/Net component

NE1A-EDR01	Network router Ethernet/IP and DeviceNet	797.00	241369	4547648411417			FA	J	JPN	8471.4100.00
NE1A-SCPJ01-EP-VER1.0	Safety network controller, 16x PNP inputs, 8x PNP outputs, 4x test outputs, Ethernet	2,431.00	313543	4547648695114			FA	J	JPN	8471.4100.00
NE1A-SCPJ01-V1-VER2.0	Safety network controller, 16x PNP inputs, 8x PNP outputs, 4x test outputs	2,068.00	231688	4547648303385			FA	J	JPN	8471.4100.00
NE1A-SCPJ02-VER1.0	Safety network controller, 40 x PNP inputs, 8x PNP outputs, 8x test outputs	3,638.00	231689	4547648303392			FA	J	JPN	8471.4100.00
NE1A-SCPJ02-EP-VER1.0	Safety network controller, 40 x PNP inputs, 8x PNP outputs, 8x test outputs, IP	4,672.00	313544	4547648695121			FA	J	JPN	8471.4100.00
DST1-ID12SL-1	Remote I/O terminal, 12 x PNP inputs, 4 x test outputs	840.50	353672	4547648836821			FA	J	CHN	8536.4900.99
DST1-MFD08SL-1	Remote I/O terminal, 4 x PNP inputs, 4 x relay outputs, 4 x test outputs	1,021.00	353655	4547648836845			FA	J	CHN	8536.4900.99

2021 List Price	SLN. (Daheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
971.00	353673	4547648836838			FA	J	CHN	8536.4900.99
840.50	353657	4547648836951			FA	J	CHN	8536.4900.99
561.00	354910	4548583052260			FA	J	JPN	8523.8090.00
943.50	684979	4549734420525			FA	J	CHN	8471.6070.00
1,009.00	684978	4549734420501			FA	J	CHN	8471.6070.00
<b>Safety limit switch D4B</b>								
32.04	134568	4536853207151	#		FA	K	CHN	8536.5007.00
42.62	104521	4536853205379			FA	K	JPN	8536.5007.00
42.45	134571	4536853207182	#		FA	K	CHN	8536.5007.00
27.32	134572	4536853207212			FA	K	CHN	8536.5007.00
29.50	149173	4536853207229			FA	K	CHN	8536.5007.00
43.96	134690	4536853205621			FA	K	JPN	8536.5007.00
48.39	134689	4536853205591			FA	K	JPN	8536.5007.00
45.53	315062	4536853205683			FA	K	JPN	8536.5007.00
49.63	134688	4536853205594			FA	K	JPN	8536.5007.00
72.65	172192	4536854844393			FA	K	JPN	8536.5007.00
54.10	224504	4536853205645			FA	K	JPN	8536.5007.00
32.81	373424	4548583369528	#	10	FA	K	CHN	8536.5007.00
54.85	251100	4547648598989			FA	K	JPN	8536.5007.00
56.60	372114	4548583106901			FA	K	JPN	8536.5007.00
44.56	370630	4547648740999			FA	K	JPN	8536.5007.00
34.86	373425	4548583369481	#	10	FA	K	CHN	8536.5007.00
38.53	373233	4548583369498	#	10	FA	K	CHN	8536.5007.00
33.43	373246	4548583369504	#		FA	K	CHN	8536.5007.00
34.04	373234	4548583369511	#		FA	K	CHN	8536.5007.00
37.76	134607	4536854776601			FA	K	JPN	8536.5007.00
42.79	373626	4547648811835			FA	K	JPN	8536.5007.00
42.93	158135	4536854776618			FA	K	JPN	8536.5007.00
38.99	134612	4536854790959			FA	K	JPN	8536.5007.00
42.68	134609	4536854776632		10	FA	K	JPN	8536.5007.00
44.50	103702	4536854776649			FA	K	JPN	8536.5007.00
53.05	134610	4536854776656			FA	K	JPN	8536.5007.00
48.39	134613	4536854790966			FA	K	JPN	8536.5007.00
44.56	153805	4536854776663			FA	K	JPN	8536.5007.00
47.10	134611	4536854776670			FA	K	JPN	8536.5007.00
<b>Safety Area</b>								
4,270.00	674732	4548583061118			FA	O	USA	8536.5019.90
4,701.00	674735	4548583409217			FA	O	USA	8536.5019.90
3,470.00	674727	4548583061132			FA	O	USA	8536.5019.90
3,072.00	674724	4548583409231			FA	O	USA	8536.5019.90
4,270.00	674725	4548583061125	#		FA	O	USA	8536.5019.90
4,701.00	674734	4548583409224	#		FA	O	USA	8536.5019.90
5,175.00	674731	4548583522183			FA	O	USA	8536.5019.90
5,705.00	674726	4548583522213			FA	O	USA	8536.5019.90
3,870.00	674730	4548583522190			FA	O	USA	8536.5019.90
4,253.00	674728	4548583522220			FA	O	USA	8536.5019.90
5,175.00	674729	4548583522176			FA	O	USA	8536.5019.90
5,705.00	674733	4548583522206			FA	O	USA	8536.5019.90
104.80	349185	4547648823531	#		FA	O	USA	8541.4090.00
115.10	349186	4547648823548			FA	O	USA	8541.4090.00
71.40	349187	4547648823555			FA	O	USA	8541.4090.00
74.00	349188	4547648823562			FA	O	USA	8541.4090.00
115.70	349178	4547648823463	#		FA	O	MYS	8541.4090.00
153.90	349179	4547648823470	#		FA	O	MYS	8541.4090.00
225.90	349180	4547648823487			FA	O	MYS	8541.4090.00
297.10	349181	4547648823494			FA	O	MYS	8541.4090.00
175.10	349182	4547648823500			FA	O	JPN	8541.4090.00
224.90	349183	4547648823517			FA	O	JPN	8541.4090.00
340.90	349184	4547648823524			FA	O	JPN	8541.4090.00
884.00	349176	4547648823449			FA	O	USA	8541.4090.00
884.00	349177	4547648823456			FA	O	USA	8541.4090.00
48.36	349150	4547648823586			FA	O	USA	8541.4090.00
740.00	349189	4547648823579			FA	O	USA	8541.4090.00
134.30	349191	4547648823593	#		FA	O	USA	8541.4090.00
74.00	359022	4548583130548			FA	O	USA	8541.4090.00

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Data sheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
UMAL	Aluminium ramp trim, 2,44m	168.20	363812	4547648535298			FA	O	USA	8536.5007.00
UMIC	Molded inside corner	57.70	363814	4547648579261			FA	O	USA	8536.5007.00
UMJS4	Safety mat, joining trim, 1,22 m	207.50	679544	4547648535267			FA	O	USA	8536.5007.00
UMJS8	Safety mat, joining trim, 2,44 m	137.50	363813	4547648535274			FA	O	USA	8536.5007.00
<b>Safety Controller</b>										
G9SP-N10D	G9SP Standalone Safety controller, 10 safety input, 16 safety output, 6 test output, PNP	713.00	342714	4547648830263			FA	P	CHN	8471.4100.00
G9SP-N10S	G9SP Standalone Safety controller, 10 safety input, 4 safety output, 4 test output, 4 standard output, PNP	588.50	342713	4547648830256			FA	P	CHN	8471.4100.00
G9SP-N20S	G9SP Standalone Safety controller, 20 safety input, 8 safety output, 6 test output, PNP	615.50	342715	4547648830270	#		FA	P	CHN	8471.4100.00
WS02-G9SP01-V2	G9SP Configurator, 1 license, WIN-2000/XP/Vista.	425.60	393620	4548583546318			FA	P	JPN	8471.4100.00
WS02-G9SP10-V2	G9SP Configurator, 10 license, WIN-2000/XP/Vista.	1.825.00	393622	4548583546325			FA	P	JPN	8471.4100.00
<b>Other Safety</b>										
E3ZS-T81A	Photoelectric sensor, rectangular housing, through-beam, red LED, P.Lc. Safety Category 2, 10 m, DC, 3-wire, PNP, 2 m cable	223.50	323229	4547648674355	#		FA	X	CHN	8541.4090.00
A4EG-OP2	Mounting bracket for securing the A4EG	61.85	247808	4547648477062			FA	X	JPN	8536.5015.90
A4EG-OP3	A4EG Holding Key	52.55	247809	4547648477079			FA	X	JPN	8536.5015.90
D4BS-15FS	Safety-door switch, D4BS, PG13.5 (1 conduit), 1NC/1NO (slow-action)	40.57	134578	4536853207366		10	FA	X	JPN	8536.5015.90
D4BS-1AFS	Safety-door switch, D4BS, PG13.5 (1 conduit), 2NC (slow-action)	43.37	134589	4536853207564			FA	X	JPN	8536.5015.90
D4BS-25FS	Limit switch	41.24	134579	4536853207373			FA	X	JPN	8536.5015.90
D4BS-2AFS	Safety interlock switch, DPDB 2-NC, 10 A	51.75	134590	4536853207571			FA	X	JPN	8536.5015.90
D4BS-45FS	Limit switch	42.70	147019	4536854776724			FA	X	JPN	8536.5015.90
D4BS-4AFS	Safety interlock switch, DPDB 2-NC, 10 A	45.53	148098	4536854776731			FA	X	JPN	8536.5015.90
D4GS-N1R	Safety door switch, IP67, 1NC/1NO (slow-action), horizontal key insertion, 1m cable	61.00	133907	4536854687976			FA	X	JPN	8536.5015.90
D4GS-N1R-3	Safety door switch, IP67, 1NC/1NO (slow-action), horizontal key insertion, 3 m cable	78.45	147021	4536854687990			FA	X	JPN	8536.5015.90
D4GS-N1T	Safety door switch, IP67, 1NC/1NO (slow-action), vertical key insertion, 1m cable	62.80	103716	4536854687983			FA	X	JPN	8536.5015.90
D4GS-N1T-3	Safety door switch, IP67, 1NC/1NO (slow-action), vertical key insertion, 3m cable	79.25	133908	4536854688003			FA	X	JPN	8536.5015.90
D4GS-N1T-5	Safety door switch, IP67, 1NC/1NO (slow-action), vertical key insertion, 5m cable	93.30	133909	4536854688027			FA	X	JPN	8536.5015.90
D4GS-N2R	Safety door switch, IP67, 2NC (slow-action), horizontal key insertion, 1m cable	62.80	133910	4536854688034			FA	X	JPN	8536.5015.90
D4GS-N2T	Safety door switch, IP67, 2NC (slow-action), vertical key insertion, 1m cable	62.80	133911	4536854688041			FA	X	JPN	8536.5015.90
D4GS-N2T-3	Safety door switch, IP67, 2NC (slow-action), vertical key insertion, 3m cable	79.25	133913	4536854688096			FA	X	JPN	8536.5015.90
D4GS-N2T-5	Safety door switch, IP67, 2NC (slow-action), vertical key insertion, 5m cable	95.35	133915	4536854688102			FA	X	JPN	8536.5015.90
D4GS-N3T	Safety door switch, IP67, 2NC/1NO (slow-action), horizontal key insertion, 1 m cable	67.80	133916	4536854688171			FA	X	JPN	8536.5015.90
D4GS-N3T-3	Safety door switch, IP67, 2NC/1NO (slow-action), horizontal key insertion, 3 m cable	67.80	142616	4536854688195			FA	X	JPN	8536.5015.90
D4GS-N3T-5	Safety door switch, IP67, 2NC/1NO (slow-action), horizontal key insertion, 5m cable	85.30	152523	4536854688218			FA	X	JPN	8536.5015.90
D4GS-N4R	Safety door switch, IP67, 3NC (slow-action), horizontal key insertion, 1m cable	102.20	154743	4536854688232			FA	X	JPN	8536.5015.90
D4GS-N4T	Safety door switch, IP67, 3NC (slow-action), vertical key insertion, 1m cable	67.80	133918	4536854688249			FA	X	JPN	8536.5015.90
D4GS-N4T-3	Safety door switch, IP67, 3NC (slow-action), vertical key insertion, 3m cable	67.80	133919	4536854688256			FA	X	JPN	8536.5015.90
D4GS-N4T-5	Safety door switch, IP67, 3NC (slow-action), vertical key insertion, 5 m cable	85.40	133921	4536854688270			FA	X	JPN	8536.5015.90
F3S-TGR-KH16-22	Safety key switch, full stainless steel body, M20, 2NC/2NO	102.20	144862	4536854688294			FA	X	JPN	8536.5015.90
F3S-TGR-KH16-30	Safety key switch, full stainless steel body, M20, 3NC	165.00	419038	4547648999830			FA	X	GBR	8536.5005.00
F3S-TGR-KM15-21	Safety key switch, plastic body with stainless steel head, M20, 2NC/1NO	152.30	419039	4547648999847			FA	X	GBR	8536.5005.00
F3S-TGR-KM16-22	Safety key switch, plastic body with stainless steel head, M20, 2NC/2NO	60.10	419032	4547648999779			FA	X	GBR	8536.5005.00
F3S-TGR-KM16-30	Safety key switch, plastic body with stainless steel head, M20, 3NC	75.35	419036	4547648999816			FA	X	GBR	8536.5005.00
D41G-1YDA-N2	Guard locking Switch, RFID High-coded, Solenoid monitoring, Power to unlock, PNP, Test Pulse, Connector plug M12, 8-pole	782.00	701145	4549734703079			FA	X	DEU	8536.5019.90
D41G-1YDA-T1	Guard locking Switch, RFID High-coded, Solenoid monitoring, Power to unlock, PNP, Test Pulse, Screw connection	680.00	701146	4549734703062			FA	X	DEU	8536.5019.90
D41G-2YDA-N2	Guard locking Switch, RFID High-coded, Solenoid monitoring, Power to unlock, PNP, Test Pulse, Connector plug M12, 8-pole, re-teaching enabled	762.00	701143	4549734703109			FA	X	DEU	8536.5019.90
D41G-2YDA-T1	Guard locking Switch, RFID High-coded, Solenoid monitoring, Power to unlock, PNP, Test Pulse, Screw connection, re-teaching enabled	661.00	701144	4549734703086			FA	X	DEU	8536.5019.90
D41G-2YDG-N2	Guard locking Switch, RFID High-coded, Solenoid monitoring, Power to lock, PNP, Test Pulse, Connector plug M12, 8-pole, re-teaching enabled	762.00	701142	4549734703116			FA	X	DEU	8536.5019.90
D41G-2YDG-T1	Guard locking Switch, RFID High-coded, Solenoid monitoring, Power to lock, PNP, Test Pulse, Screw connection, re-teaching enabled	661.00	701116	4549734703093			FA	X	DEU	8536.5019.90
D41G-2ZDA-N2	Guard locking Switch, RFID High-coded, Actuator monitoring, Power to unlock, PNP, Test Pulse, Screw connection	661.00	701149	4549734703031			FA	X	DEU	8536.5019.90
D41G-2ZDG-N2	Guard locking Switch, RFID High-coded, Actuator monitoring, Power to lock, PNP, Test Pulse, Connector plug M12, 8-pole	762.00	701147	4549734703055			FA	X	DEU	8536.5019.90
D41G-2ZDG-T1	Guard locking Switch, RFID High-coded, Actuator monitoring, Power to lock, PNP, Test Pulse, Screw connection	661.00	701148	4549734703048			FA	X	DEU	8536.5019.90
D41L-1YDA-N2	Hygienic Guard locking Switch, RFID High-coded, Solenoid monitoring, Power to unlock, PNP, Test Pulse, Connector plug M12, 8-pole	634.00	701132	4549734703277			FA	X	DEU	8536.5019.90
D41L-1YDG-N2	Hygienic Guard locking Switch, RFID High-coded, Solenoid monitoring, Power to lock, PNP, Test Pulse, Connector plug M12, 8-pole	634.00	701131	4549734703284			FA	X	DEU	8536.5019.90
D41L-1ZDA-N2	Hygienic Guard locking Switch, RFID High-coded, Actuator monitoring, Power to unlock, PNP, Test Pulse, Connector plug M12, 8-pole	634.00	701137	4549734703222			FA	X	DEU	8536.5019.90
D41L-1ZDG-N2	Hygienic Guard locking Switch, RFID High-coded, Actuator monitoring, Power to lock, PNP, Test Pulse, Connector plug M12, 8-pole	634.00	701136	4549734703239			FA	X	DEU	8536.5019.90
D41L-2YDAE-N2	Hygienic Guard locking Switch, RFID High-coded, Solenoid monitoring, Power to lock, PNP, Test Pulse, Connector plug M12, 8-pole, re-teaching enabled, Emergency exit	709.00	701128	4549734703314			FA	X	DEU	8536.5019.90
D41L-2YDA-N2	Hygienic Guard locking Switch, RFID High-coded, Solenoid monitoring, Power to unlock, PNP, Test Pulse, Connector plug M12, 8-pole, re-teaching enabled	614.00	701130	4549734703291			FA	X	DEU	8536.5019.90
D41L-2YDG-N2	Hygienic Guard locking Switch, RFID High-coded, Solenoid monitoring, Power to lock, PNP, Test Pulse, Connector plug M12, 8-pole, re-teaching enabled	614.00	701129	4549734703307			FA	X	DEU	8536.5019.90
D41L-2ZDA-N2	Hygienic Guard locking Switch, RFID High-coded, Actuator monitoring, Power to unlock, PNP, Test Pulse, Connector plug M12, 8-pole, re-teaching enabled	614.00	701135	4549734703246			FA	X	DEU	8536.5019.90
D41L-2ZDG-N2	Hygienic Guard locking Switch, RFID High-coded, Actuator monitoring, Power to lock, PNP, Test Pulse, Connector plug M12, 8-pole, re-teaching enabled, Emergency exit	709.00	701133	4549734703260			FA	X	DEU	8536.5019.90
D41L-2ZDG-T1	Hygienic Guard locking Switch, RFID High-coded, Actuator monitoring, Power to lock, PNP, Test Pulse, Connector plug M12, 8-pole, re-teaching enabled	614.00	701134	4549734703253			FA	X	DEU	8536.5019.90
D4BL-1CPA	Safety door-lock switch, mechanical lock, 24 VDC, 1NC/1NO+1NC, 10 A	263.80	134702	4536853204372			FA	X	JPN	8536.5015.90
D4BL-1CPA-A	Safety door-lock switch, mechanical lock, 24 VDC, 1NC/1NO+1NC, 10 A	341.40	158134	4536853204365			FA	X	JPN	8536.5015.90
D4BL-1DRA	Safety door-lock switch, mechanical lock, 24 VDC, 2 NC/1 NO+1 NC, 10 A	312.80	106037	4536853204518			FA	X	JPN	8536.5015.90
D4BL-1DRA-A	Safety door-lock switch, mechanical lock, 24 VDC, 2 NC/1 NO+1 NC, 10 A	380.50	134710	4536853204525			FA	X	JPN	8536.5015.90
D4BL-2CPA	Safety door-lock switch, mechanical lock, 24 VDC, 1NC+1NO+1NC, 10 A	279.60	134708	4536853204433	#		FA	X	JPN	8536.5015.90
D4BL-2DRA	Safety door-lock switch, mechanical lock, 24 VDC, 2NC/1NO+1NC, 10 A	328.60	134711	4536853204556	#		FA	X	JPN	8536.5015.90
D4BL-2DRA-A	Safety door-lock switch, mechanical lock, 24 VDC, 2NC/1NO+1NC, 10 A	351.40	104519	4536853204563			FA	X	JPN	8536.5015.90
D4BL-2DRG	Limit switch	305.20	134724	4536854404221	#		FA	X	JPN	8536.5015.90

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Data sheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
D4BL-2GRD-A1	Limit switch	313.00	134714	4536853204600			FA	X	JPN	8536.5015.90
D4BL-4CRA-A	Safety door-lock switch, mechanical lock, 24 VDC, 1NC/1NO+1NC, 10 A	348.00	134728	4536854776502			FA	X	JPN	8536.5015.90
D4BL-4DRA-A	Safety door-lock switch, mechanical lock, 24 VDC, 2NC + 1NC, 10 A	310.10	147015	4536854776526	#		FA	X	JPN	8536.5015.90
F3S-TGR-KHL1	Safety interlock key switch, stainless steel housing, 2000N holding force, M20, 2NC/2NO	399.50	419040	4547648998954			FA	X	GBR	8536.5005.00
F3S-TGR-KHL2R	Safety interlock key switch, hygienic stainless steel housing with manual release button, 3000N holding force, M20, 2NC/2NO	614.00	419042	4547648998978			FA	X	GBR	8536.5005.00
D4OZ-1C2	Non-contact door switch, compact sensor, LED indicator, 1NO aux. requires G9SX-NS or G9SP controller for Category 4/Plc, 2 m	221.90	356424	4547648833752			FA	X	CHN	8536.5015.90
D4OZ-1C5	Non-contact door switch, compact sensor, LED indicator, 1NO aux. requires G9SX-NS or G9SP controller for Category 4/Plc, 5 m	232.90	356425	4547648833677			FA	X	CHN	8536.5015.90
D4OZ-1C5-S	Safety non-contact door switch, Cat. 4/Plc, 5m cable, switch only	192.80	356440	4547648833707			FA	X	CHN	8536.5015.90
D4OZ-1C-A	Safety non-contact door switch, Cat. 4/Plc, actuator only	87.55	356438	4547648833684			FA	X	CHN	8536.5015.90
D41D-1CD-N1	Non-contact Interlock Switch, RFID High-coded, PNP, Test Pulse, Connector plug M8	209.00	701115	4549734702935			FA	X	DEU	8536.5019.90
D41D-2CD-025N2	Non-contact Interlock Switch, RFID High-coded, PNP, Test Pulse, Pigtail with M12 connector 8-pole	231.00	701114	4549734702942			FA	X	DEU	8536.5019.90
D40A-1C015-F	Non-contact door switches, Pigtail with M12 connector 4-pole	125.90	355125	4547648839068			FA	X	CHN	8536.5015.90
D40A-1C2	Non-contact door switches, 2m cable	131.50	353674	4547648839044			FA	X	CHN	8536.5015.90
D40A-1C5	Non-contact door switches, 5m cable	126.20	353675	4547648839051			FA	X	CHN	8536.5015.90
D41D-8P5-CFM8-702M	Female cable connector for D41D, straight, screw type M8, 8 poles, PUR, cable length 2 m	37.00	701299	4549734703000			FA	X	DEU	8536.5019.90
D41D-8P5-CFM8-705M	Female cable connector for D41D, straight, screw type M8, 8 poles, PUR, cable length 5 m	50.00	701298	4549734703017			FA	X	DEU	8536.5019.90
D41D-8P5-CFM8-710M	Female cable connector for D41D, straight, screw type M8, 8 poles, PUR, cable length 10 m	70.00	701297	4549734703024			FA	X	DEU	8536.5019.90
D41D-A1	Actuator for D41D, actuation from side, 2 x M4 screw, 39 x 29.5 x 18 mm	25.00	701127	4549734702959			FA	X	DEU	8536.5019.90
D41D-A2	Actuator for D41D, frontal actuation, 2 x M5 screw, 60 x 16 x 6.8 mm	25.00	701152	4549734702966			FA	X	DEU	8536.5019.90
D41D-A3	Actuator for D41D, frontal actuation, 1 x M3 screw, 23 x 9 x 7 mm	25.00	701151	4549734702973			FA	X	DEU	8536.5019.90
D41D-MS	Mounting Kit for D41D, 2 mounting plates and 4 ferrule plugs	23.00	701150	4549734702997			FA	X	DEU	8536.5019.90
D41D-SK	Sealing Kit for D41D, 4 flat plugs and 4 plugs with rim for high screw head	8.00	701126	4549734702980			FA	X	DEU	8536.5019.90
D41G-A1L	Actuator for D41G, compact, left-hand side, without emergency exit	160.00	701141	4549734703123			FA	X	DEU	8536.5019.90
D41G-A1L-E0	Actuator for D41G, compact, left-hand side, with emergency exit	221.00	701140	4549734703130			FA	X	DEU	8536.5019.90
D41G-A1R	Actuator for D41G, compact, right-hand side, without emergency exit	160.00	701139	4549734703147			FA	X	DEU	8536.5019.90
D41G-A1R-E0	Actuator for D41G, compact, right-hand side, with emergency exit	221.00	701138	4549734703154			FA	X	DEU	8536.5019.90
D41G-A2L	Actuator for D41G, with door handle, left-hand side, without emergency exit	245.00	701120	4549734703161			FA	X	DEU	8536.5019.90
D41G-A2L-E1	Actuator for D41G, with door handle, left-hand side, with emergency exit	366.00	701121	4549734703178			FA	X	DEU	8536.5019.90
D41G-A2L-E1T	Actuator for D41G, with door handle, left-hand side, with emergency exit, with lockout tag	438.00	701122	4549734703185			FA	X	DEU	8536.5019.90
D41G-A2R	Actuator for D41G, with door handle, right-hand side, without emergency exit	245.00	701123	4549734703192			FA	X	DEU	8536.5019.90
D41G-A2R-E1	Actuator for D41G, with door handle, right-hand side, with emergency exit	366.00	701124	4549734703208			FA	X	DEU	8536.5019.90
D41G-A2R-E1T	Actuator for D41G, with door handle, right-hand side, with emergency exit, with lockout tag	438.00	701125	4549734703215			FA	X	DEU	8536.5019.90
D41L-8P5-CFM12-905M	Female cable connector for D41L, straight, screw type M12, 8 poles, PUR, cable length 5 m	64.70	701296	4549734703352			FA	X	DEU	8536.5019.90
D41L-8P5-CFM12-910M	Female cable connector for D41L, straight, screw type M12, 8 poles, PUR, cable length 10 m	97.00	701295	4549734703369			FA	X	DEU	8536.5019.90
D41L-A1	Actuator for D41L, straight, 127 x 35 x 46 mm	86.00	701119	4549734703321			FA	X	DEU	8536.5019.90
D41L-MP	Mounting plate for D41L, Plastic, 101 x 40 x 18.5 mm	21.00	701118	4549734703338			FA	X	DEU	8536.5019.90
D41L-MS	Mounting Kit for D41L, 1 x Aluminium protective plate, 2x Aluminium threaded head Ø 20 mm with M6 thread, 2x Rubber discs	25.00	701117	4549734703345			FA	X	DEU	8536.5019.90
A4E-B200HS	Enabling switch, two outputs, horizontal mounting, no rubber seal	43.96	155443	4536854780318			FA	X	JPN	8536.5080.90
A4E-B200SS	Enabling switch, two outputs, no mounting bracket, no rubber seal	41.01	329800	4536854780295	2		FA	X	JPN	8536.5080.90
A4E-B200VA	Enabling switch, two outputs, vertical mounting, with rubber seal	62.15	140171	4536854780356			FA	X	JPN	8536.5080.90
A4E-B200VS	Enabling switch, two outputs, vertical mounting, no rubber seal	62.15	140170	4536854780332			FA	X	JPN	8536.5080.90
A4E-C211VA	Enabling switch, four outputs, vertical mounting, with rubber seal	78.80	150156	4536854780363	10		FA	X	JPN	8536.5080.90
A4EG-BE2P041	Emergency stop switch, enabling grip switch, emergency stop switch (2NC)	349.20	674137	4548583869417			FA	X	JPN	8536.5015.90
A4EG-EM2B041	Emergency stop switch, enabling grip switch, momentary operation switch (2NO)	360.80	247806	4547648521642	#		FA	X	JPN	8536.5015.90
A4EG-C00041	Emergency stop switch, enabling grip switch, 1 NC (grip output)	283.90	247804	4547648477031	#		FA	X	JPN	8536.5015.90
MTKCA-0400-0400	Set of molded outside corners and trims that fit the mat dimensions 400 x 400 mm	229.30	680390	4549734114011			FA	X	USA	9031.4990.00
MTKCA-0500-0250	Set of molded outside corners and Trims that fit the mat dimensions 500*250	186.40	679658	4549734114066			FA	X	USA	9031.4990.00
MTKCA-0500-0400	Set of molded outside corners and trims that fit the mat dimensions 500 x 400 mm	266.00	680039	4549734114080			FA	X	USA	9031.4990.00
MTKCA-0500-0400	Set of molded outside corners and trims that fit the mat dimensions 600 x 400 mm	306.90	680043	4549734114165			FA	X	USA	9031.4990.00
MTKCA-0750-0250	Set of molded outside corners and Trims that fit the mat dimensions 750*250	286.50	679437	4549734114233			FA	X	USA	9031.4990.00
MTKCA-0750-0500	Set of molded outside corners and Trims that fit the mat dimensions 750*500	313.00	679571	4549734114264			FA	X	USA	9031.4990.00
MTKCA-0750-0750	Set of molded outside corners and trims that fit the mat dimensions 750 x 750 mm	402.70	680181	4549734114288			FA	X	USA	9031.4990.00
MTKCA-0750-1500	Set of molded outside corners and Trims that fit the mat dimensions 750*1500 mm	392.40	679543	4549734114301			FA	X	USA	9031.4990.00
MTKCA-1000-0750	Set of molded outside corners and Trim that fit the mat dimensions 1000 x 750 mm	374.30	679818	4549734114615			FA	X	USA	9031.4990.00
MTKCA-1000-1250	Set of molded outside corners and Trims that fit the mat dimensions 1000*1250 mm	398.40	679540	4549734114653			FA	X	USA	9031.4990.00
UMA-24-18-1	Safety mat black with 1-cable, 24 x 18 inch dimension	234.40	692907	4549734119436			FA	X	USA	9031.4990.00
UMA-24-18-2	Safety mat black with 2-cables, 24 x 18 inch dimension	240.40	692906	4549734120203			FA	X	USA	9031.4990.00
UMA-TRES	Terminating resistor 8.2 Ohm; to connect 2-cable Mat to a safety Mat Controller	21.54	687491	4549734113762			FA	X	MYS	8544.4290.90
UMMA-0300-0300-1	Safety mat black with 1-cable, 300 x 300 mm dimension	222.60	678348	4549734115131			FA	X	USA	9031.4990.00
UMMA-0400-0400-1	Safety mat black with 1-cable, 400 x 400 mm dimension	278.90	680389	4549734115209			FA	X	USA	9031.4990.00
UMMA-0400-0400-2	Safety mat black with 2-cable, 400 x 400 mm dimension	278.90	680361	4549734116220			FA	X	USA	9031.4990.00
UMMA-0500-0250-1	Safety mat black with 1-cable, 500 x 250 mm dimension	184.00	679659	4549734115254			FA	X	USA	9031.4990.00
UMMA-0500-0250-2	Safety mat black with 2-cable, 500 x 250 mm dimension	199.40	679657	4549734116275			FA	X	USA	9031.4990.00
UMMA-0500-0400-1	Safety mat black with 1-cable, 500 x 400 mm dimension	299.40	680041	4549734115278			FA	X	USA	9031.4990.00
UMMA-0500-0400-2	Safety mat black with 2-cable, 500 x 400 mm dimension	299.40	680046	4549734116299			FA	X	USA	9031.4990.00
UMMA-0500-0500-1	Safety mat black with 1-cable, 500 x 500 mm dimension	328.10	680119	4549734115285			FA	X	USA	9031.4990.00
UMMA-0500-1500-1	Safety mat black with 1-cable, 500 x 1500 mm dimension	648.50	680386	4549734115308	#		FA	X	USA	9031.4990.00
UMMA-0500-1500-2	Safety mat black with 2-cable, 500 x 1500 mm dimension	648.50	679239	4549734116329			FA	X	USA	9031.4990.00
UMMA-0600-0400-1	Safety mat black with 1-cable, 600 x 400 mm dimension	311.70	680042	4549734115353			FA	X	USA	9031.4990.00
UMMA-0600-0400-2	Safety mat black with 2-cable, 600 x 400 mm dimension	311.70	680040	4549734116374			FA	X	USA	9031.4990.00
UMMA-0750-0250-1	Safety mat black with 1-cable, 750 x 250 mm dimension	286.50	679435	4549734115421			FA	X	USA	9031.4990.00
UMMA-0750-0250-2	Safety mat black with 2-cable, 750 x 250 mm dimension	299.40	680388	4549734116442			FA	X	USA	9031.4990.00

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Daheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code	
UMMA-0750-0500-1	Safety mat black with 1-cable, 750 x 500 mm dimension	398.40	679570	4549734115452			FA	X	USA	9031.4990.00	
UMMA-0750-0500-2	Safety mat black with 2-cable, 750 x 500 mm dimension	471.00	680375	4549734116473			FA	X	USA	9031.4990.00	
UMMA-0750-0750-1	Safety mat black with 1-cable, 750 x 750 mm dimension	592.00	680179	4549734115476			FA	X	USA	9031.4990.00	
UMMA-0750-0750-2	Safety mat black with 2-cable, 750 x 750 mm dimension	592.00	680182	4549734116497			FA	X	USA	9031.4990.00	
UMMA-0750-1500-1	Safety mat black with 1-cable, 750 x 1500 mm dimension	847.50	680365	4549734115490			FA	X	USA	9031.4990.00	
UMMA-0750-1500-2	Safety mat black with 2-cable, 750 x 1500 mm dimension	847.50	680363	4549734116510			FA	X	USA	9031.4990.00	
UMMA-1000-0500-1	Safety mat black with 1-cable, 1000 x 500 mm dimension	478.00	680378	4549734115780			FA	X	USA	9031.4990.00	
UMMA-1000-0500-2	Safety mat black with 2-cable, 1000 x 500 mm dimension	478.00	678240	4549734116800			FA	X	USA	9031.4990.00	
UMMA-1000-0750-1	Safety mat black with 1-cable, 1000 x 750 mm dimension	640.50	679817	4549734115803	#		FA	X	USA	9031.4990.00	
UMMA-1000-0750-2	Safety mat black with 2-cable, 1000 x 750 mm dimension	640.50	679819	4549734116824			FA	X	USA	9031.4990.00	
UMMA-1000-1000-1	Safety mat black with 1-cable, 1000 x 1000 mm dimension	753.00	680368	4549734115834			FA	X	USA	9031.4990.00	
UMMA-1000-1250-1	Safety mat black with 1-cable, 1000 x 1250 mm dimension	826.00	679486	4549734115841			FA	X	USA	9031.4990.00	
UMMA-1000-1250-2	Safety mat black with 2-cable, 1000 x 1250 mm dimension	819.00	680370	4549734116862			FA	X	USA	9031.4990.00	
UMMA-1000-1500-1	Safety mat black with 1-cable, 1000 x 1500 mm dimension	939.00	678350	4549734115858	#		FA	X	USA	9031.4990.00	
UMMA-1000-1500-2	Safety mat black with 2-cable, 1000 x 1500 mm dimension	939.00	678351	4549734116879			FA	X	USA	9031.4990.00	
UMMYA-0300-0300-1	Safety mat yellow with 1-cable, 300 x 300 mm dimension	186.10	680381	4549734117173			FA	X	USA	9031.4990.00	
UMMYA-0300-0300-2	Safety mat yellow with 2-cable, 300 x 300 mm dimension	186.10	680364	4549734118194			FA	X	USA	9031.4990.00	
UMMYA-0400-0400-1	Safety mat yellow with 1-cable, 400 x 400 mm dimension	220.00	702454	4549734117241			FA	X	USA	9031.4990.00	
UMMYA-0500-0250-1	Safety mat yellow with 1-cable, 500 x 250 mm dimension	217.60	680380	4549734117296			FA	X	USA	9031.4990.00	
UMMYA-0500-0250-2	Safety mat yellow with 2-cable, 500 x 250 mm dimension	217.60	680371	4549734118316			FA	X	USA	9031.4990.00	
UMMYA-0500-0400-1	Safety mat yellow with 1-cable, 500 x 400 mm dimension	328.10	680044	4549734117319			FA	X	USA	9031.4990.00	
UMMYA-0500-0400-2	Safety mat yellow with 2-cable, 500 x 400 mm dimension	328.10	680038	4549734118330			FA	X	USA	9031.4990.00	
UMMYA-0500-1500-1	Safety mat yellow with 1-cable, 500 x 1500 mm dimension	680.50	677813	4549734117340			FA	X	USA	9031.4990.00	
UMMYA-0500-1500-2	Safety mat yellow with 2-cable, 500 x 1500 mm dimension	690.00	680374	4549734118361			FA	X	USA	9031.4990.00	
UMMYA-0600-0400-1	Safety mat yellow with 1-cable, 600 x 400 mm dimension	327.10	680045	4549734117395			FA	X	USA	9031.4990.00	
UMMYA-0600-0400-2	Safety mat yellow with 2-cable, 600 x 400 mm dimension	327.10	680047	4549734118415			FA	X	USA	9031.4990.00	
UMMYA-0750-0250-1	Safety mat yellow with 1-cable, 750 x 250 mm dimension	327.10	680376	4549734117463			FA	X	USA	9031.4990.00	
UMMYA-0750-0250-2	Safety mat yellow with 2-cable, 750 x 250 mm dimension	327.10	680382	4549734118484			FA	X	USA	9031.4990.00	
UMMYA-0750-0500-1	Safety mat yellow with 1-cable, 750 x 500 mm dimension	498.50	680373	4549734117494			FA	X	USA	9031.4990.00	
UMMYA-0750-0500-2	Safety mat yellow with 2-cable, 750 x 500 mm dimension	498.50	680377	4549734118514			FA	X	USA	9031.4990.00	
UMMYA-0750-0750-1	Safety mat yellow with 1-cable, 750 x 750 mm dimension	629.00	680180	4549734118538			FA	X	USA	9031.4990.00	
UMMYA-0750-0750-2	Safety mat yellow with 2-cable, 750 x 750 mm dimension	629.00	680180	4549734118538			FA	X	USA	9031.4990.00	
UMMYA-0750-1500-1	Safety mat yellow with 1-cable, 750 x 1500 mm dimension	767.00	679542	4549734117531			FA	X	USA	9031.4990.00	
UMMYA-0750-1500-2	Safety mat yellow with 2-cable, 750 x 1500 mm dimension	893.50	680383	4549734118552			FA	X	USA	9031.4990.00	
UMMYA-1000-0500-1	Safety mat yellow with 1-cable, 1000 x 500 mm dimension	498.50	680358	4549734117821			FA	X	USA	9031.4990.00	
UMMYA-1000-0500-2	Safety mat yellow with 2-cable, 1000 x 500 mm dimension	498.50	680386	4549734118842			FA	X	USA	9031.4990.00	
UMMYA-1000-0750-1	Safety mat yellow with 1-cable, 1000 x 750 mm dimension	671.50	679816	4549734117845			FA	X	USA	9031.4990.00	
UMMYA-1000-1000-1	Safety mat yellow with 1-cable, 1000 x 1000 mm dimension	671.50	679815	4549734118866			FA	X	USA	9031.4990.00	
UMMYA-1000-1000-2	Safety mat yellow with 2-cable, 1000 x 1000 mm dimension	695.00	679539	4549734117876			FA	X	USA	9031.4990.00	
UMMYA-1000-1250-1	Safety mat yellow with 1-cable, 1000 x 1250 mm dimension	794.00	680372	4549734118897			FA	X	USA	9031.4990.00	
UMMYA-1000-1250-2	Safety mat yellow with 2-cable, 1000 x 1250 mm dimension	868.50	680379	4549734117883			FA	X	USA	9031.4990.00	
UMMYA-1000-1500-1	Safety mat yellow with 1-cable, 1000 x 1500 mm dimension	868.50	680359	4549734118903			FA	X	USA	9031.4990.00	
UMMYA-1000-1500-2	Safety mat yellow with 2-cable, 1000 x 1500 mm dimension	925.50	679541	4549734117890			FA	X	USA	9031.4990.00	
UMOC	Molded outside corner	928.50	679538	4549734118910			FA	X	USA	9031.4990.00	
UMRT4	Ramp trim with yellow PVC cover (1.22 m)	32.81	354882	4547648562133			FA	X	USA	9031.4990.00	
UMRT8	Ramp trim, yellow PVC, 2.44 m	130.00	393576	4547648535212			FA	X	USA	9031.4990.00	
		134.10	354881	4547648535229			FA	X	USA	9031.4990.00	
AL 25-10 H 1m	Aluminium C Profile, 1 m	40.88	674048	4548583992764			FA	X	DEU	8536.5080.90	
AL 25-14 1m	Aluminium C Profile, 1 m	25.16	674049	4548583992771			FA	X	ROU	8536.5080.90	
AL 25-14 V 1m	Aluminium C Profile, 1 m	26.75	674047	4548583992757			FA	X	ROU	8536.5080.90	
AL 35-14 0.54m	Aluminium C Profile, 0.54 m	62.75	884460	4549734957588			FA	X	ROU	7616.9990.90	
AL 35-14 1m	Aluminium C Profile, 1 m	62.95	674046	4548583992740			5	FA	X	ROU	8536.5080.90
KS 4 L10 m 25.30-Set	KS 4 L2.5 m 25.30-Set (Plug with 10 m cable. Lock cap and end cap)	39.81	672709	4548583982482			FA	X	DEU	8536.5080.90	
KS 4 L10 m 35.55-Set	KS 4 L2.5 m 35.55-Set (Plug with 10 m cable. Lock cap and end cap)	39.81	672705	4548583982444			FA	X	DEU	8536.5080.90	
KS 4 L2.5 m 25.30-Set	KS 4 L2.5 m 25.30-Set (Plug with 2.5 m cable. Lock cap and end cap)	20.09	672707	4548583982468			FA	X	DEU	8536.5080.90	
KS 4 L2.5 m 35.55-Set	KS 4 L2.5 m 35.55-Set (Plug with 2.5 m cable. Lock cap and end cap)	21.47	672703	4548583982420			5	FA	X	DEU	8536.5080.90
KS 4 L5 m 25.30-Set	KS 4 L2.5 m 25.30-Set (Plug with 5 m cable. Lock cap and end cap)	27.01	672708	4548583982476			FA	X	DEU	8536.5080.90	
KS 4 L5 m 35.55-Set	KS 4 L2.5 m 35.55-Set (Plug with 5 m cable. Lock cap and end cap)	27.69	672704	4548583982437			5	FA	X	DEU	8536.5080.90
KS 4 W 25.30-Set	KS 4 W 25.30-Set (Plug with resistor Lock cap and end cap 8.2kOhm)	15.94	672706	4548583982451			FA	X	DEU	8536.5080.90	
KS 4 W 35.55-Set	KS 4 W 35.55-Set (Plug with resistor Lock cap and end cap 8.2kOhm)	17.31	672702	4548583982413			FA	X	DEU	8536.5080.90	
KS4 L0.5m-M8-Female-EK25.30	KS4 L0.5 m 25.30-Set (Plug with 0.5 m cable with M8 Female connector. Lock cap and end cap)	36.17	674070	4548583992955			FA	X	DEU	8536.5080.90	
KS4 L0.5m-M8-Female-EK35.55	KS4 L0.5 m 35.55-Set (Plug with 0.5 m cable with M8 Female connector. Lock cap and end cap)	37.44	674072	4548583992979			FA	X	DEU	8536.5080.90	
KS4 L0.5m-M8-Male-EK25.30	KS4 L0.5 m 25.30-Set (Plug with 0.5 m cable with M8 Male connector. Lock cap and end cap)	30.85	674069	4548583992948			FA	X	DEU	8536.5080.90	
KS4 L0.5m-M8-Male-EK35.55	KS4 L0.5 m 35.55-Set (Plug with 0.5 m cable with M8 Male connector. Lock cap and end cap)	31.30	674071	4548583992962			FA	X	DEU	8536.5080.90	
SE Set-0.5m SE 25.30 TT	Sentr edge 25.30 TT (Safety edges), AL25-14 (Alu Frame) 2 x KS 4 L2.5 m 25.30-Set (Plug with cable. Lock cap and end cap), content list	94.35	672711	4548583982505			FA	X	DEU	8536.5080.90	
SE Set-0.5m SE 35.55 TT	Sentr edge 35.55 TT (0.5 m Safety edges), AL35-14 (Alu Frame) 2 x KS 4 L2.5 m 35.55Set (Plug with cable. Lock cap and end cap), content list	107.00	672714	4548583982536			FA	X	DEU	8536.5080.90	
SE Set-1.0m SE 25.30 TT	Sentr edge 25.30 TT (1.0 m Safety edges), AL25-14 (Alu Frame) 2 x KS 4 L2.5 m 25.30-Set (Plug with cable. Lock cap and end cap), content list	121.20	672712	4548583982512			FA	X	DEU	8536.5080.90	
SE Set-1.0m SE 35.55 TT	Sentr edge 35.55 TT (1.0 m Safety edges), AL35-14 (Alu Frame) 2 x KS 4 L2.5 m 35.55Set (Plug with cable. Lock cap and end cap), content list	138.50	672715	4548583982529			FA	X	DEU	8536.5080.90	
SE Set-1.5m SE 25.30 TT	Sentr edge 25.30 TT (1.5 m Safety edges), AL25-14 (Alu Frame) 2 x KS 4 L2.5 m 25.30-Set (Plug with cable. Lock cap and end cap), content list	146.40	672713	4548583982529			FA	X	DEU	8536.5080.90	
SE Set-1.5m SE 35.55 TT	Sentr edge 35.55 TT (1.5 m Safety edges), AL35-14 (Alu Frame) 2 x KS 4 L2.5 m 35.55Set (Plug with cable. Lock cap and end cap), content list	176.30	672716	4548583982550			FA	X	DEU	8536.5080.90	
Sealing cap AL 25-10H	Sealing cap for safety edges with AL 25-10H	5.03	677849	4549734921367		20	FA	X	DEU	8536.5080.90	
Sealing cap AL 25-14	Sealing cap for safety edges with AL 25-14	9.43	677848	4549734921350		20	FA	X	DEU	8536.5080.90	
UMA-CBL-3PCF-M8-02M	Single connector 2 m cable to connect a 2-cable Mat (UMMA-2) to a Controller, M8, 3-socket	6.43	677847	4549734921343			FA	X	DEU	8536.5080.90	
UMA-CBL-3PCF-M8-05M	Single connector 5 m cable to connect a 2-cable Mat (UMMA-2) to a Controller, M8, 3-socket	31.70	680360	4549734113854			FA	X	MYS	8544.4290.90	
UMA-CBL-3PCF-M8-10M	Single connector 10 m cable to connect a 2-cable Mat (UMMA-2) to a Controller, M8, 3-socket	33.23	678244	4549734113861			FA	X	MYS	8544.4290.90	
UMA-CBL-3PCF-M8-0.15M	Single connector 0.15 m, to connect the connector plugs of 2-cable UMA Safety Mat together.	30.69	678245	4549734113878			FA	X	MYS	8544.4290.90	
		28.65	680245	4549734113847			FA	X	MYS	8544.4290.90	

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Sheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
UMA-CBL-3PMF-M8-02M	Extension cable 2 m to connect a 2-cable mat (UMMA-2) to a controller, M8, 3-Pin	36.78	680244	4549734113779			FA	X	MY5	8544.4290.90
UMA-CBL-3PMF-M8-10M	Extension cable 10 m to connect a 2-cable mat (UMMA-2) to a controller, M8, 3-Pin	48.01	680362	4549734113793			FA	X	MY5	8544.4290.90
UMA-CBL-3PMF-M8-0.15M	M8, 3-pin male to male extension cable, 0.15 m, to connect the connector sockets of 2-cable UMA Safety Mat together.	35.31	678243	4549734113830			FA	X	MY5	8544.4290.90
UMA-CBL-4PCF-M8-05M	Single connector 5 m cable to connect a 1-cable mat (UMMA-1) to a controller, M8, 4-socket	42.93	678436	4549734113892			FA	X	MY5	9021.4990.00
UMA-CBL-4PCF-M8-10M	Single connector 10 m cable to connect a 1-cable mat (UMMA-1) to a controller, M8, 4-socket	57.60	677814	4549734113908			FA	X	MY5	9021.4990.00
UMA-CBL-4PMF-M8-02M	Extension cable 2 m to connect a 1-cable mat (UMMA-1) to a controller, M8, 4-Pin	41.91	680385	4549734113809			FA	X	MY5	8544.4290.90
UMA-CBL-4PMF-M8-05M	Extension cable 5 m to connect a 1-cable mat (UMMA-1) to a controller, M8, 4-Pin	54.15	680369	4549734113816			FA	X	MY5	8544.4290.90
UMA-CBL-4PMF-M8-10M	Extension cable 10 m to connect a 1-cable mat (UMMA-1) to a controller, M8, 4-Pin	68.50	680384	4549734113823			FA	X	MY5	8544.4290.90
SGE-125-0-0350 00950C-00950C	Safety Edge, SGE, 15 x 25 mm, length: 350 mm, 2-wire cable on both sides, length, cable lengths: 950 mm & 950 mm	131.30	696001	4547648746632			FA	X	USA	8536.5007.00
SGE-125-0-0600 05000C-05000C	Safety Edge, SGE, 15 mm x 25 mm, length: 600 mm, 2-wire cable on both sides, length, cable lengths: 5000 mm & 5000 mm	150.00	700810	4547648746755			FA	X	USA	8536.5007.00
SGE-125-0-0800 05000C-05000C	Safety Edge, SGE, 15 mm x 25 mm, length: 800 mm, 2-wire cable on both sides, length, cable lengths: 5000 mm & 5000 mm	160.00	700668	4547648746816			FA	X	USA	8536.5007.00
SGE-125-0-0900 01500C-00500C	Safety Edge, SGE, 15 mm x 25 mm, length: 900 mm, 2-wire cable on both sides, length, cable lengths: 1500 mm & 500 mm	198.20	378156	4548583443402			FA	X	USA	8536.5007.00
SGE-125-0-1000 02000C-01000C	Safety Edge, SGE, 15 mm x 25 mm, two 2-wire connections, length: 1000 mm, cable lengths: 2000 mm & 1000 mm	122.60	682281	4549734260466			FA	X	USA	8536.5007.00
SGE-125-2-0350 05000C	Safety Edge, SGE, 15 mm x 25 mm, 2-wire cable and one internal resistor connection, length: 350 mm, cable lengths: 5000 mm	136.40	696000	4547648747493			FA	X	USA	8536.5007.00
SGE-125-2-0400 10000C	Safety edge, SGE, 15 mm x 25 mm, one 2-wire connection and one internal resistor connection, length: 400 mm, cable length: 10 m	152.60	685172	4547648827133			FA	X	USA	8536.5007.00
SGE-125-2-0500 05000C	Safety edge, SGE, 15 mm x 25 mm, one 2-wire connection and one internal resistor connection, length: 500 mm, cable length: 500 mm	160.80	394829	4548583571488			FA	X	USA	8536.5007.00
SGE-125-2-0530 05000C	Safety edge, SGE, 15 mm x 25 mm, one 2-wire connection and one internal resistor connection, length: 530 mm, cable length: 500 mm	161.60	394830	4548583571495			FA	X	USA	8536.5007.00
SGE-125-2-0550 10000C	Safety edge, SGE, 15 mm x 25 mm, one 2-wire connection and one internal resistor connection, length: 550 mm, cable length: 10 m	152.60	685171	4549734492850			FA	X	USA	8536.5007.00
SGE-125-2-0750 05000C	Safety edge, SGE, 15 mm x 25 mm, one 2-wire connection and one internal resistor connection, length: 750 mm, cable length: 500 mm	174.80	394831	4548583571518			FA	X	USA	8536.5007.00
SGE-125-2-1000 05000C	Safety Edge, SGE, 15 mm x 25 mm, 2-wire cable and one internal resistor connection, length: 1000 mm, cable lengths: 500 mm	180.70	394809	4547648769817			FA	X	USA	8536.5007.00
SGE-125-2-1000 01000C	Safety edge, SGE, 15 mm x 25 mm, two 2-wire connections, length: 1000 mm, cable lengths: 1000 mm	116.50	682284	4549734260473			FA	X	USA	8536.5007.00
SGE-125-2-1070 00500C	Safety edge, SGE, 15 mm x 25 mm, one 2-wire connection and one internal resistor connection, length: 1070 mm, cable length: 500 mm	192.60	394832	4548583571501			FA	X	USA	8536.5007.00
SGE-125-2-1500 02000C	Safety Edge	239.90	374532	4547648778770			FA	X	USA	8536.5007.00
SGE-125-2-2000 02000C	Safety edge, SGE, 15 mm x 25 mm, one 2-wire connection and one internal resistor connection, length: 2000 mm, cable length: 2000 mm	242.40	394810	4547648778381			FA	X	USA	8536.5007.00
SGE-125-3-0300 01000M-00100F	Safety Edge, SGE, 15 mm x 25 mm, one quick-disconnect male and one quick-disconnect female connector, length: 300 mm, cable lengths: 100 mm & 100 mm	192.00	699879	4549734193603			FA	X	USA	8536.5007.00
SGE-125-3-0550 01000M-00100F	Safety Edge, SGE, 15 mm x 25 mm, one quick-disconnect male and one quick-disconnect female connector, length: 550 mm, cable lengths: 100 mm & 100 mm	201.00	701033	4549734184458			FA	X	USA	8536.5007.00
SGE-125-3-0700 01000M-00100F	Safety Edge, SGE, 15 mm x 25 mm, one quick-disconnect male and one quick-disconnect female connector, length: 700 mm, cable lengths: 100 mm & 100 mm	207.00	699877	4549734184472			FA	X	USA	8536.5007.00
SGE-125-3-0750 01000M-00100F	Safety Edge, SGE, 15 mm x 25 mm, one quick-disconnect male and one quick-disconnect female connector, length: 750 mm, cable lengths: 100 mm & 100 mm	210.00	701032	4549734184489			FA	X	USA	8536.5007.00
SGE-125-3-0800 01000M-00100F	Safety Edge, SGE, 15 mm x 25 mm, one quick-disconnect male and one quick-disconnect female connector, length: 800 mm, cable lengths: 100 mm & 100 mm	213.20	695712	4548583562653			FA	X	USA	8536.5007.00
SGE-125-4-0350 01000M	Safety Edge, SGE, 15 mm x 25 mm, one quick-disconnect male and one internal resistor connection, length: 350 mm, cable length: 100 mm	152.00	699880	4549734193610			FA	X	USA	8536.5007.00
SGE-125-4-0450 01000M	Safety Edge, SGE, 15 mm x 25 mm, one quick-disconnect male and one internal resistor connection, length: 450 mm, cable length: 100 mm	156.00	699876	4549734184434			FA	X	USA	8536.5007.00
SGE-125-4-0500 01000M	Safety Edge, SGE, 15 mm x 25 mm, one quick-disconnect male and one internal resistor connection, length: 500 mm, cable length: 100 mm	160.60	695713	4549734188890			FA	X	USA	8536.5007.00
SGE-125-0-0350 05000C-00100F	Safety Edge, SGE, 15 mm x 25 mm, one quick-disconnect female and 2-wire connection, length: 350 mm, cable lengths: 5000 mm & 100 mm	158.00	699878	4549734193597			FA	X	USA	8536.5007.00
SGE-225-0-0200 01500C-00500C	Safety edge, SGE, 25 mm x 25 mm, two 2-wire connections, length: 200 mm, cable lengths: 1500 mm & 500 mm	164.90	394812	4548583561342			FA	X	USA	8536.5007.00
SGE-225-0-0300 01500C-00500C	Safety edge, SGE, 25 mm x 25 mm, two 2-wire connections, length: 300 mm, cable lengths: 1500 mm & 500 mm	170.70	394813	4548583561359			FA	X	USA	8536.5007.00
SGE-225-0-0500 01500C-00500C	Safety edge, SGE, 25 mm x 25 mm, two 2-wire connections, length: 500 mm, cable lengths: 1500 mm & 500 mm	182.60	394814	4548583561366			FA	X	USA	8536.5007.00
SGE-225-0-0600 05000C-05000C	Safety edge, SGE, 25 x 25 mm, two 2-wire connections, length: 600 mm, cable lengths: 5000 mm & 5000 mm	145.70	699883	4547648763263			FA	X	USA	8536.5007.00
SGE-225-0-0700 03000C-03000C	Safety edge, SGE, 25 mm x 25 mm, two 2-wire connections, length: 700 mm, cable lengths: 3000 mm & 3000 mm	160.60	686191	4549734539718			FA	X	USA	8536.5007.00
SGE-225-0-0900 01500C-00500C	Safety edge, SGE, 25 mm x 25 mm, two 2-wire connections, length: 900 mm, cable lengths: 1500 mm & 500 mm	210.50	394815	4548583561373			FA	X	USA	8536.5007.00
SGE-225-0-1000 01500C-00500C	Safety edge, SGE, 25 mm x 25 mm, two 2-wire connections, length: 1000 mm, cable lengths: 1500 mm & 500 mm	216.10	394816	4548583561380			FA	X	USA	8536.5007.00
SGE-225-0-1000N 05000C-05000C	Safety edge, SGE, 25 x 25 mm, two 2-wire connections, length: 1000 mm, cable lengths: 5000 mm & 5000 mm	165.70	695244	4547648580304			FA	X	USA	8536.5007.00
SGE-225-0-1200N 05000C-05000C	Safety edge, SGE, 25 x 25 mm, two 2-wire connections, length: 1200 mm, cable lengths: 5000 mm & 5000 mm	174.80	695243	4547648580342			FA	X	USA	8536.5007.00
SGE-225-0-2230 05000C-05000C	Safety edge, SGE, 25 x 25 mm, two 2-wire connections, length: 2230 mm, cable lengths: 5000 mm & 5000 mm	226.70	690683	4547648751810			FA	X	USA	8536.5007.00
SGE-225-0-2240N 05000C-05000C	Safety edge, SGE, 25 x 25 mm, two 2-wire connections, length: 2240 mm, cable lengths: 5000 mm & 5000 mm	213.20	695242	4548583519804			FA	X	USA	8536.5007.00
SGE-225-2-0300 02000C	Safety edge, SGE, 25 mm x 25 mm, one 2-wire connection and one internal resistor connection, length: 300 mm, cable length: 2000 mm	157.30	394817	4548583561397			FA	X	USA	8536.5007.00
SGE-225-2-0500 02000C	Safety edge, SGE, 25 mm x 25 mm, one 2-wire connection and one internal resistor connection, length: 500 mm, cable length: 2000 mm	180.70	394818	4548583561403			FA	X	USA	8536.5007.00
SGE-225-2-0750 05000C	Safety edge, SGE, 25 mm x 25 mm, one 2-wire connection and one internal resistor connection, length: 750 mm, cable length: 5000 mm	146.50	693666	4547648753500			FA	X	USA	8536.5007.00
SGE-225-2-0950 05000C	Safety edge, SGE, 25 mm x 25 mm, one 2-wire connection and one internal resistor connection, length: 950 mm, cable length: 5000 mm	131.30	690472	4549734443647			FA	X	USA	8536.5007.00
SGE-225-2-1000 02000C	Safety edge, SGE, 25 mm x 25 mm, one 2-wire connection and one internal resistor connection, length: 1000 mm, cable length: 2000 mm	204.20	394805	4547648753838			FA	X	USA	8536.5007.00
SGE-225-2-1500 02000C	Safety edge, SGE, 25 mm x 25 mm, one 2-wire connection and one internal resistor connection, length: 1500 mm, cable length: 2000 mm	261.90	394806	4547648754347			FA	X	USA	8536.5007.00
SGE-225-2-1800 10000C	Safety edge, SGE, 25 x 25 mm, one 2-wire connection and one internal resistor connection, length: 1800 mm, cable length: 10000 mm	210.10	693704	4547648674850			FA	X	USA	8536.5007.00
SGE-225-2-2000 02000C	Safety edge, SGE, 25 mm x 25 mm, one 2-wire connection and one internal resistor connection, length: 2000 mm, cable length: 2000 mm	263.80	394819	4548583561410			FA	X	USA	8536.5007.00
SGE-225-2-2500 05000C	Safety edge, SGE, 25 x 25 mm, one 2-wire connection and one internal resistor connection, length: 2500 mm, cable length: 5000 mm	233.90	690780	4547648755108			FA	X	USA	8536.5007.00
SGE-225-2-2800 05000C	Safety edge, SGE, 25 mm x 25 mm, one 2-wire connection and one internal resistor connection, length: 2800 mm, cable length: 5000 mm	315.80	394811	4548583126329			FA	X	USA	8536.5007.00
SGE-245-0-0200 01500C-00500C	Safety edge, SGE, 25 mm x 45 mm, two 2-wire connections, length: 200 mm, cable lengths: 1500 mm & 500 mm	178.50	394820	4548583561427			FA	X	USA	8536.5007.00
SGE-245-0-0300 01500C-00500C	Safety edge, SGE, 25 mm x 45 mm, two 2-wire connections, length: 300 mm, cable lengths: 1500 mm & 500 mm	184.60	394821	4548583561434			FA	X	USA	8536.5007.00
SGE-245-0-0500 01500C-00500C	Safety edge, SGE, 25 mm x 45 mm, two 2-wire connections, length: 500 mm, cable lengths: 1500 mm & 500 mm	200.40	394822	4548583561441			FA	X	USA	8536.5007.00
SGE-245-0-0550 02000C-02000C	Safety Edge, SGE, 25 mm x 45 mm, two 2-wire connections, length: 550 mm, cable lengths: 2000 mm & 2000 mm	128.60	682283	4549734260411			FA	X	USA	8536.5007.00
SGE-245-0-0650 02000C-02000C	Safety Edge, SGE, 25 mm x 45 mm, two 2-wire connections, length: 650 mm, cable lengths: 2000 mm & 2000 mm	134.80	682280	4549734260435			FA	X	USA	8536.5007.00
SGE-245-0-0750 02000C-02000C	Safety Edge, SGE, 25 mm x 45 mm, two 2-wire connections, length: 750 mm, cable lengths: 2000 mm & 2000 mm	137.30	682414	4549734260404			FA	X	USA	8536.5007.00
SGE-245-0-0900 01500C-00500C	Safety edge, SGE, 25 mm x 45 mm, two 2-wire connections, length: 900 mm, cable lengths: 1500 mm & 500 mm	234.10	394823	4548583561458			FA	X	USA	8536.5007.00
SGE-245-0-1000 01500C-00500C	Safety edge, SGE, 25 mm x 45 mm, two 2-wire connections, length: 1000 mm, cable lengths: 1500 mm & 500 mm	239.90	394824	4548583561465			FA	X	USA	8536.5007.00
SGE-245-0-2170 02000C-02000C	Safety Edge, SGE, 25 x 45 mm, two 2-wire connections, length: 2170 mm, cable lengths: 2000 mm & 2000 mm	208.60	681995	4547648758475			FA	X	USA	8536.5007.00
SGE-245-2-0300 02000C	Safety edge, SGE, 25 mm x 45 mm, one 2-wire connection and one internal resistor connection, length: 300 mm, cable length: 2000 mm	182.60	394825	4548583561472			FA	X	USA	8536.5007.00
SGE-245-2-0500 02000C	Safety edge, SGE, 25 mm x 45 mm, one 2-wire connection and one internal resistor connection, length: 500 mm, cable length: 2000 mm	196.30	394826	4548583561489			FA	X	USA	8536.5007.00
SGE-245-2-0650 02000C	Safety edge, SGE, 25 mm x 45 mm, one 2-wire connection and one internal resistor connection, length: 650 mm, cable length: 2000 mm	129.70	682285	4549734260442			FA	X	USA	8536.5007.00
SGE-245-2-0750 02000C	Safety Edge, SGE, 25 mm x 45 mm, two 2-wire connections, and one internal resistor connection, length: 750 mm, cable lengths: 2000 mm	134.80	682282	4549734260428			FA	X	USA	8536.5007.00
SGE-245-2-1000 02000C	Safety edge, SGE, 25 mm x 45 mm, one 2-wire connection and one internal resistor connection, length: 1000 mm, cable lengths: 2000 mm	218.20	394807	4547648759335			FA	X	USA	8536.5007.00
SGE-245-2-1500 02000C	Safety edge, SGE, 25 mm x 45 mm, one 2-wire connection and one internal resistor connection, length: 1500 mm, cable length: 2000 mm	259.90								

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	SLN. (Daheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
SGE-365-5-0550 03000C-01000F	Safety edge SGE 35 mm x 65 mm, black, Connector cable on one side and the other side, length: 550 mm, cable lengths: 3000 mm & 1000 mm	214.20	696430	4549734578240			FA	X	USA	8536.5007.00
Sentir Edge 25.30TT-10m	Safety Edge Sentir 25.30TT-10 m	349.40	674066	4548583992917			FA	X	DEU	8536.5080.90
Sentir Edge 25.30TT-25m	Safety Edge Sentir 25.30TT-25 m	704.00	674065	4548583992900			FA	X	DEU	8536.5080.90
Sentir Edge 25.30TT-5m	Safety Edge Sentir 25.30TT-5 m	189.90	674022	4548583992904			FA	X	DEU	8536.5080.90
Sentir Edge 35.55TT-10m	Safety Edge Sentir 35.55TT-10 m	474.20	674068	4548583992931			FA	X	DEU	8536.5080.90
Sentir Edge 35.55TT-25m	Safety Edge Sentir 35.55TT-25 m	964.50	674067	4548583992924			FA	X	DEU	8536.5080.90
Sentir Edge 35.55TT-5m	Safety Edge Sentir 35.55TT-5 m	255.10	674023	4548583992911			FA	X	DEU	8536.5080.90
MC3	Safety mat controller	464.50	354880	4547648535328	#		FA	X	USA	9031.4990.00
SCC-1224A	Safety Edge Controller	471.60	683824	4549734113755			FA	X	DEU	8536.5019.90
ELMON-RAIL-39-726	Safety relay for safety edge, Pl.d, 24 VDC, 2 circuit input, OSSD output	345.70	393976	4547648987523			FA	X	DEU	8536.3010.90
ELMON-RAIL-41-322	Safety relay for safety edge, Pl.d, 24 VAC/DC, 1 channel input, relay output	286.20	393975	4547648987516			FA	X	DEU	8536.3010.90
A165E-01	SPST-NC contact block for A165E Emergency stop switch	8.23	160648	4536854344787			FA	X	JPN	8536.5015.90
A165E-02	DPST-NC contact block for A165E Emergency stop switch	13.87	160649	4536854344794	#	50	FA	X	JPN	8536.5015.90
A165E-02L	Emergency stop switch(16mm), illuminated	16.46	144467	4536854356988			FA	X	JPN	8536.5015.90
A165E-LM-24D-02	Emergency stop switch, illuminated, 40mm dia, push-lock/turn-reset, DPST-NC, 24 VDC	41.80	160651	4536854344817		5	FA	X	JPN	8536.5015.90
A165E-LS	Emergency stop switch, 30mm dia, push-lock/turn-reset, SPST-NC, 24 VDC	5.23	160647	4536854344756			FA	X	JPN	8536.5015.90
A165E-LS-24D-01	Emergency stop switch, illuminated, 30mm dia, push-lock/turn-reset, SPST-NC, 24 VDC	30.72	160652	4536854344824		5	FA	X	JPN	8536.5015.90
A165E-LS-24D-02	Emergency stop switch, non-illuminated, 30mm dia, push-lock/turn-reset, DPST-NC, 24 VDC	44.98	103317	4536854344831		5	FA	X	JPN	8536.5015.90
A165E-M-02	Emergency stop switch, non-illuminated, 40mm dia, push-lock/turn-reset, DPST-NC	34.14	160653	4536854344855		5	FA	X	JPN	8536.5015.90
A165E-M-03U	Emergency stop switch, non-illuminated, 40mm dia, push-lock/turn-reset, TPST-NC	39.50	148126	4536854479083		10	FA	X	JPN	8536.5015.90
A165E-S	Emergency stop switch, non-illuminated, 30mm dia, push-lock / turn-reset	5.67	153220	4536854344770		20	FA	X	JPN	8536.5015.90
A165E-S-01	Emergency stop switch, non-illuminated, 30mm dia, push-lock/turn-reset, SPST-NC	30.72	142199	4536854344862		5	FA	X	JPN	8536.5015.90
A165E-S-02	Emergency stop switch, non-illuminated, 30mm dia, push-lock/turn-reset, DPST-NC	36.78	142200	4536854344879	#	5	FA	X	JPN	8536.5015.90
A165E-S-03U	Emergency stop switch, non-illuminated, 30mm dia, push-lock/turn-reset, TPST-NC	49.63	103725	4536854479090	#	10	FA	X	JPN	8536.5015.90
A165E-SGR-02	Emergency Stop Switch, 30 dia, non-illuminated, gray, DPST-NC	49.49	384216	4547648268738			FA	X	JPN	8536.5015.90
A22E-L	Emergency stop switch, non-illuminated, 60 mm dia, push-lock/turn-reset, IP65	18.63	141589	4536854380259		5	FA	X	JPN	8536.5015.90
A22E-L-01	Emergency stop switch, non-illuminated, 60 mm dia, push-lock/turn-reset, 1NC	31.58	142272	4536854380303		4	FA	X	JPN	8536.5015.90
A22E-L-M	Emergency stop switch, illuminated, 40mm dia, push-lock/turn-reset, IP65	23.78	141588	4536854349225		10	FA	X	JPN	8536.5015.90
A22E-L-M-24A-01	Emergency stop switch, 24 VAC/DC illuminated, 40 mm dia, push-lock/turn-reset, SPST-NC, IP65	45.32	155246	4536854349324		20	FA	X	JPN	8536.5015.90
A22E-L-M-24A-02	Emergency stop switch, illuminated, 40 mm dia, push-lock/turn-reset, IP65	51.80	151036	4536854349331	#	30	FA	X	JPN	8536.5015.90
A22E-L-M-24A-11	Emergency stop switch, 24 VAC/DC illuminated, 40 mm dia, push-lock/turn-reset, SPST-NO + SPST-NC, IP65	48.57	142271	4536854349348		10	FA	X	JPN	8536.5015.90
A22E-L-M-T2-01	Emergency stop switch, illuminated, 40mm dia, push-lock/turn-reset, 1NC	53.95	141508	4536854380365			FA	X	JPN	8536.5015.90
A22E-L-M-T2-02	Emergency stop switch, illuminated, 40mm dia, push-lock/turn-reset, 2NC	53.55	141509	4536854380372			FA	X	JPN	8536.5015.90
A22E-M	Emergency stop switch, non-illuminated, 40mm dia, push-lock/turn-reset, IP65	14.72	153298	4536854349232		10	FA	X	JPN	8536.5015.90
A22E-M-01	Emergency stop switch, screw terminal, non-illuminated, 40 mm dia, push-lock/turn-reset, 1NC	27.86	141595	4536854349249		20	FA	X	JPN	8536.5015.90
A22E-M-01B	40-dia, head Medium Turn-reset, with integrated control box	71.40	264244	4536854860256			FA	X	JPN	8536.5015.90
A22E-M-02	Emergency stop switch, screw terminal, non-illuminated, 40 mm dia, push-lock/turn-reset, 2NC	35.04	141596	4536854349256		20	FA	X	JPN	8536.5015.90
A22E-M-02B	Emergency stop switch, 24 VAC / VDC, 40 mm dia, push-lock / turn-reset, DPST-NC, within a control box	79.95	264239	4536854860263	#		FA	X	JPN	8536.5015.90
A22E-M-11	Emergency stop switch, screw terminal, non-illuminated, 40 mm dia, push-lock/turn-reset, 1NC + 1NO	25.52	148854	4536854349270		20	FA	X	JPN	8536.5015.90
A22E-M-11B	Emergency stop switch, 24 VAC/DC, 40 mm dia, push-lock/turn-reset, SPST-NO + SPST-NC, within a control box	78.90	264240	4536854860270			FA	X	JPN	8536.5015.90
A22E-M-12	Emergency stop switch, screw terminal, non-illuminated, 40 mm dia, push-lock/turn-reset, 2NC + 1NO	32.54	374574	4536854847196		5	FA	X	JPN	8536.5007.00
A22E-MP-01	Emergency stop switch, screw terminal, non-illuminated, 40 mm dia, push-lock/pull-reset, 1NC	25.92	103436	4536854417405			FA	X	JPN	8536.5015.90
A22E-S	Emergency stop switch, non-illuminated, 30 mm dia, push-lock/turn-reset, IP65	18.63	141591	4536854380280		10	FA	X	JPN	8536.5015.90
A22E-S-01	Emergency stop switch, non-illuminated, 30mm dia, push-lock/turn-reset, SPST-N/C, IP65	24.45	153295	4536854380426		20	FA	X	JPN	8536.5015.90
A22E-S-02	Emergency stop switch, non-illuminated, 30 mm dia, push-lock/turn-reset, 2 x SPST-N/C, IP65	27.66	141511	4536854380433		20	FA	X	JPN	8536.5015.90
A22E-S-11	Emergency stop switch, non-illuminated, 30 mm dia, push-lock/turn-reset, SPST-N/O + SPST-N/C, IP65	27.66	141512	4536854380457			FA	X	JPN	8536.5015.90
A22E-L-N	Emergency stop switch, non-illuminated, 60 mm dia, push-lock/turn-reset, IP65	28.67	680137	4549734184632			FA	X	JPN	8536.5015.90
A22E-L-P002-N	Emergency stop switch, Push-In, non-illuminated, 60 mm dia, push-lock/turn-reset, 1NC	35.52	679739	4549734184779			FA	X	JPN	8536.5015.90
A22E-L-P102-N	Emergency stop switch, Push-In, non-illuminated, 60 mm dia, push-lock/turn-reset, 1NO + 1NC	40.10	679723	4549734184786			FA	X	JPN	8536.5015.90
A22E-L-P202-N	Emergency stop switch, Push-In, non-illuminated, 60 mm dia, push-lock/turn-reset, 2NC	40.10	679736	4549734184793		10	FA	X	JPN	8536.5015.90
A22E-L-P212-N	Emergency stop switch, Push-In, non-illuminated, 60 mm dia, push-lock/turn-reset, 2NC+NO	45.84	679735	4549734184809			FA	X	JPN	8536.5015.90
A22E-L-P222-N	Emergency stop switch, Push-In, non-illuminated, 60 mm dia, push-lock/turn-reset, 3NC	45.84	679728	4549734184816			FA	X	JPN	8536.5015.90
A22E-L-PD01-N	Emergency stop switch, Push-In, non-illuminated, 60 mm dia, push-lock/turn-reset, 1 NC	37.02	687829	4549734443067			FA	X	JPN	8536.5015.90
A22E-L-PD02-N	Emergency stop switch, Push-In, non-illuminated, 60 mm dia, push-lock/turn-reset, 2 NC	40.61	687830	4549734443074			FA	X	JPN	8536.5015.90
A22E-L-PD11-N	Emergency stop switch, Push-In, non-illuminated, 60 mm dia, push-lock/turn-reset, 1 NC + 1 NO	42.34	687831	4549734443104			FA	X	JPN	8536.5015.90
A22E-L-PD12-N	Emergency stop switch, Push-In, non-illuminated, 60 mm dia, push-lock/turn-reset, 2 NC + 1 NO	47.37	687832	4549734443111			FA	X	JPN	8536.5015.90
A22E-L-PD22-N	Emergency stop switch, Push-In, non-illuminated, 60 mm dia, push-lock/turn-reset, 2 NC + 2 NO	52.65	687833	4549734443142			FA	X	JPN	8536.5015.90
A22E-M-L	Emergency stop switch, illuminated, 40mm dia, push-lock/turn-reset, IP65	27.51	680136	4549734184649		10	FA	X	JPN	8536.5015.90
A22E-M-N	Emergency stop switch, non-illuminated, 40mm dia, push-lock/turn-reset, IP65	19.49	680134	4549734184588		10	FA	X	JPN	8536.5015.90
A22E-M-P002-C	Emergency stop switch, 24 VAC/DC illuminated, 40 mm dia, push-lock/turn-reset, SPST-NC, Push-In	58.50	679730	4549734184885		10	FA	X	JPN	8536.5015.90
A22E-M-P002-N	Emergency stop switch, Push-In, non-illuminated, 40 mm dia, push-lock/turn-reset, 1NC	33.26	679746	4549734184724		10	FA	X	JPN	8536.5015.90
A22E-M-P002-N-B	E-Stop, push-in, 1NC, 40-dia, head Medium Turn-reset, with integrated control box	55.05	679806	4549734185295			FA	X	JPN	8536.5015.90
A22E-M-P102-C	Emergency stop switch, Push-In, 24 VAC/DC illuminated, 40 mm dia, push-lock/turn-reset, NO + NC	63.05	679748	4549734184892			FA	X	JPN	8536.5015.90
A22E-M-P102-N	Emergency stop switch, Push-In, non-illuminated, 40 mm dia, push-lock/turn-reset, 1NC+NO	37.84	679732	4549734184731		10	FA	X	JPN	8536.5015.90
A22E-M-P102-N-B	E-Stop, push-in, 1NC+1NO, 40-dia, head Medium Turn-reset, with integrated control box	64.15	679808	4549734185301			FA	X	JPN	8536.5015.90
A22E-M-P202-C	Emergency stop switch, Push-In, 24 VAC/DC illuminated, 40 mm dia, push-lock/turn-reset, 2NC	63.05	679722	4549734184908		10	FA	X	JPN	8536.5015.90
A22E-M-P202-N	Emergency stop switch, Push-In, non-illuminated, 40 mm dia, push-lock/turn-reset, 2NC	37.84	679734	4549734184748	#	10	FA	X	JPN	8536.5015.90
A22E-M-P202-N-B	E-Stop, push-in, 2NC, 40-dia, head Medium Turn-reset, with integrated control box	63.05	679807	4549734185318			FA	X	JPN	8536.5015.90
A22E-M-P212-N	Emergency stop switch, Push-In, non-illuminated, 40 mm dia, push-lock/turn-reset, 2NC+NO	43.55	679745	4549734184755			FA	X	JPN	8536.5007.00
A22E-M-P222-N	Emergency stop switch, Push-In, non-illuminated, 40 mm dia, push-lock/turn-reset, 3NC	43.55	679747	4549734184762		10	FA	X	JPN	8536.5007.00
A22E-M-PD01-C	Emergency stop switch, Push-In, 24 VAC/DC illuminated, 40 mm dia, push-lock/turn-reset, 1 NC	41.22	687814	4549734441803			FA	X	JPN	8536.5015.90
A22E-M-PD01-N	Emergency stop switch, Push-In, non-illuminated, 40 mm dia, push-lock/turn-reset, 1 NC	36.61	687824	4549734442169			FA	X	JPN	8536.5015.90
A22E-M-PD02-C	Emergency stop switch, Push-In, 24 VAC/DC illuminated, 40 mm dia, push-lock/turn-reset, 2 NC	46.56	687815	4549734441810			FA	X	JPN	8536.5015.90

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Data sheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
A22NE-M-PD02-N	Emergency stop switch, Push-In, non-illuminated, 40 mm dia, push-lock/turn-reset, 2 NC	40.40	687825	4549734442176	#		FA	X	JPN	8536.5015.90
A22NE-M-PD04-N	Emergency stop switch, Push-In, 24 VAC/DC illuminated, 40 mm dia, push-lock/turn-reset, 4 NC	62.00	702192	4549734441834			FA	X	JPN	8536.5015.90
A22NE-M-PD04-N	Emergency stop switch, Push-In, non-illuminated, 40 mm dia, push-lock/turn-reset, 4 NC	55.00	702496	4549734442190			FA	X	JPN	8536.5015.90
A22NE-M-PD11-C	Emergency stop switch, Push-In, 24 VAC/DC illuminated, 40 mm dia, push-lock/turn-reset, 1 NC + 1 NO	47.05	687816	4549734441841			FA	X	JPN	8536.5015.90
A22NE-M-PD11-N	Emergency stop switch, Push-In, non-illuminated, 40 mm dia, push-lock/turn-reset, 1 NC + 1 NO	41.74	687826	4549734442206			FA	X	JPN	8536.5015.90
A22NE-M-PD12-C	Emergency stop switch, Push-In, non-illuminated, 40 mm dia, push-lock/turn-reset, 2 NC + 1 NO	52.15	687817	4549734441858			FA	X	JPN	8536.5015.90
A22NE-M-PD12-N	Emergency stop switch, Push-In, non-illuminated, 40 mm dia, push-lock/turn-reset, 2 NC + 1 NO	47.16	687827	4549734442213	10		FA	X	JPN	8536.5015.90
A22NE-M-PD13-C	Emergency stop switch, Push-In, 24 VAC/DC illuminated, 40 mm dia, push-lock/turn-reset, 3 NC + 1 NO	57.45	689627	4549734441865			FA	X	JPN	8536.5015.90
A22NE-M-PD22-C	Emergency stop switch, Push-In, 24 VAC/DC illuminated, 40 mm dia, push-lock/turn-reset, 2 NC + 2 NO	55.80	687818	4549734441889			FA	X	JPN	8536.5015.90
A22NE-M-PD22-N	Emergency stop switch, Push-In, non-illuminated, 40 mm dia, push-lock/turn-reset, 2 NC + 2 NO	52.45	687828	4549734442244	10		FA	X	JPN	8536.5015.90
A22NE-M-P-N	Emergency stop switch, 40 mm dia, push-lock/pull-reset, IP65	26.37	680133	4549734184564	10		FA	X	JPN	8536.5015.90
A22NE-M-P-N-69K	Emergency stop mushroom head, 40 mm dia, push-lock/pull-reset, IP69K	27.39	687743	4549734198653			FA	X	JPN	8536.5015.90
A22NE-M-P-P002-N	Emergency stop switch, Push-in, non-illuminated, 40 mm dia, push-lock/pull-reset, 1NC	36.68	679738	4549734184977			FA	X	JPN	8536.5015.90
A22NE-M-P-P002-N-69K	Emergency stop switch, Push-in, non-illuminated, 40 mm dia, push-lock/pull-reset, 1NC	34.51	685209	4549734198660			FA	X	JPN	8536.5015.90
A22NE-M-P-P102-N	Emergency stop switch, Push-in, non-illuminated, 40 mm dia, push-lock/pull-reset, 1NO + 1NC	41.24	679741	4549734184984			FA	X	JPN	8536.5015.90
A22NE-M-P-P102-N-69K	Emergency stop switch, Push-in, non-illuminated, 40 mm dia, push-lock/pull-reset, 1NO + 1NC	38.60	685206	4549734198677			FA	X	JPN	8536.5015.90
A22NE-M-P-P202-N	Emergency stop switch, Push-in, non-illuminated, 40 mm dia, push-lock/pull-reset, 2NC	41.24	679740	4549734184991			FA	X	JPN	8536.5015.90
A22NE-M-P-P202-N-69K	Emergency stop switch, Push-in, non-illuminated, 40 mm dia, push-lock/pull-reset, 2NC, IP69K	38.60	685207	4549734198684			FA	X	JPN	8536.5015.90
A22NE-M-P-P212-N	Emergency stop switch, Push-in, non-illuminated, 40 mm dia, push-lock/pull-reset, 2NC+1NO	46.98	679731	4549734185004			FA	X	JPN	8536.5015.90
A22NE-M-P-P212-N-69K	Emergency stop switch, Push-in, non-illuminated, 40 mm dia, push-lock/pull-reset, 2NC+1NO	42.68	685208	4549734198707			FA	X	JPN	8536.5015.90
A22NE-M-P-P222-N	Emergency stop switch, Push-in, non-illuminated, 40 mm dia, push-lock/pull-reset, 3NC	46.98	679742	4549734185011			FA	X	JPN	8536.5015.90
A22NE-M-P-P222-N-69K	Emergency stop switch, Push-in, non-illuminated, 40 mm dia, push-lock/pull-reset, 3NC	42.68	685205	4549734198714			FA	X	JPN	8536.5015.90
A22NE-M-P-PD01-N-69K	Emergency stop switch, Push-in, non-illuminated, 40 mm dia, push-lock/pull-reset, 1 NC, IP69K	72.15	687834	4549734443333			FA	X	JPN	8536.5015.90
A22NE-M-P-PD02-N-69K	Emergency stop switch, Push-in, non-illuminated, 40 mm dia, push-lock/pull-reset, 2 NC, IP69K	78.15	687835	4549734443340			FA	X	JPN	8536.5015.90
A22NE-M-P-PD11-N-69K	Emergency stop switch, Push-in, non-illuminated, 40 mm dia, push-lock/pull-reset, 1 NC + 1 NO, IP69K	80.30	687836	4549734443371			FA	X	JPN	8536.5015.90
A22NE-M-P-PD12-N-69K	Emergency stop switch, Push-in, non-illuminated, 40 mm dia, push-lock/pull-reset, 2 NC + 1 NO, IP69K	84.90	687837	4549734443388			FA	X	JPN	8536.5015.90
A22NE-M-P-PD22-N-69K	Emergency stop switch, Push-in, non-illuminated, 40 mm dia, push-lock/pull-reset, 2 NC + 2 NO, IP69K	88.30	687838	4549734443418			FA	X	JPN	8536.5015.90
A22NE-S-N	Emergency stop switch, non-illuminated, 30 mm dia, push-lock/turn-reset, IP65	20.63	680135	4549734184571	10		FA	X	JPN	8536.5015.90
A22NE-S-P002-N	Emergency stop switch, Push-In, non-illuminated, 30 mm dia, push-lock/turn-reset, NC	30.99	679744	4549734184670			FA	X	JPN	8536.5015.90
A22NE-S-P102-N	Emergency stop switch, Push-In, non-illuminated, 30 mm dia, push-lock/turn-reset, NC+NO	35.52	679743	4549734184687	5		FA	X	JPN	8536.5015.90
A22NE-S-P202-N	Emergency stop switch, Push-In, non-illuminated, 30 mm dia, push-lock/turn-reset, 2NC	35.52	679727	4549734184694	10		FA	X	JPN	8536.5015.90
A22NE-S-P212-N	Emergency stop switch, Push-In, non-illuminated, 30 mm dia, push-lock/turn-reset, 2NC+NO	41.24	679737	4549734184700	5		FA	X	JPN	8536.5015.90
A22NE-S-P222-N	Emergency stop switch, Push-In, non-illuminated, 30 mm dia, push-lock/turn-reset, 3NC	41.24	679733	4549734184717	10		FA	X	JPN	8536.5015.90
A22NE-S-PD01-N	Emergency stop switch, Push-In, non-illuminated, 30 mm dia, push-lock/turn-reset, 1 NC	36.30	687819	4549734441988			FA	X	JPN	8536.5015.90
A22NE-S-PD02-N	Emergency stop switch, Push-In, non-illuminated, 30 mm dia, push-lock/turn-reset, 2 NC	40.19	687820	4549734441995	20		FA	X	JPN	8536.5015.90
A22NE-S-PD11-N	Emergency stop switch, Push-In, non-illuminated, 30 mm dia, push-lock/turn-reset, 1 NC + 1 NO	41.53	687821	4549734442022			FA	X	JPN	8536.5015.90
A22NE-S-PD12-N	Emergency stop switch, Push-In, non-illuminated, 30 mm dia, push-lock/turn-reset, 2 NC + 1 NO	46.96	687822	4549734442039	10		FA	X	JPN	8536.5015.90
A22NE-S-PD22-N	Emergency stop switch, Push-In, non-illuminated, 30 mm dia, push-lock/turn-reset, 2 NC + 2 NO	52.25	687823	4549734442060	5		FA	X	JPN	8536.5015.90
A22Z-EG1	E-stop shroud, EMERGENCY OFF legend included.	32.46	224501	4536854840059			FA	X	JPN	8536.5015.90
A22Z-EG10	E-stop shroud, EMERGENCY OFF legend not included.	21.05	351868	4547648646116			FA	X	JPN	8536.5080.90
A22Z-EG2	E-Stop Shroud yellow	32.46	234627	4536854952579			FA	X	JPN	8536.5015.90
A22Z-EG22	E-Stop shroud	34.57	234626	4536854952562			FA	X	JPN	8536.5015.90
44506-4010 EP5018-021M	Safety rope pull E-stop switch, up to 40m, 2NC + 1NO, M20 wiring entry (3x)	118.70	406333	4547648564427	#		FA	X	GBR	8536.5080.90
44506-4030 EP5018-030M	Safety rope pull E-stop switch, up to 40m, 3 NC, M20 wiring entry (3x)	138.50	406349	4547648581608			FA	X	GBR	8536.5080.90
44506-4110 EP5018-021ME	Safety rope pull E-stop switch, up to 40m, 2 NC + 1NO, M20 wiring entry (3x)	161.80	406335	4547648564687	#		FA	X	GBR	8536.5080.90
44506-4120 EP5018-021NE	Safety rope pull E-stop switch, up to 40m, 2 NC + 1 NO, wiring 3x 1/2 in. NPT	175.80	419134	4548583948181			FA	X	GBR	8536.5080.90
44506-4130 EP5018-030ME	Safety rope pull E-stop switch, up to 40m, 3 NC, M20 wiring entry (3x)	175.80	406353	4547648579865			FA	X	GBR	8536.5080.90
44506-5010 EP6022-021M	Safety rope pull E-stop switch, up to 80 m, contact 2 NC+1 NO, wiring 3 x M20	140.50	406341	4547648565004	#		FA	X	GBR	8536.5080.90
44506-5110 EP6022-021ML	Safety rope pull E-stop switch, up to 80m, indicator beacon, contact 2 NC+1 NO, wiring 3 x M20	153.00	406358	4547648582018			FA	X	GBR	8536.5080.90
44506-5150 EP6022-031ML	Safety rope pull E-stop switch, up to 80m, indicator beacon, contact 3 NC+1 NO, wiring 3x M20	210.20	406362	4548583151444			FA	X	GBR	8536.5080.90
44506-5210 EP6022-021ME	Safety rope pull E-stop switch, up to 80m, E-stop, contact 2 NC+1 NO, wiring 3 x M20	159.00	406351	4547648579889			FA	X	GBR	8536.5080.90
44506-5250 EP6022-031ME	Safety rope pull E-stop switch, up to 80m, E-stop, contact 3 NC+ NO, wiring 3 x M20	176.60	406363	4548583151468			FA	X	GBR	8536.5080.90
44506-5410 EP6022-021MEL	Safety rope pull E-stop switch, up to 80m, E-stop, indicator beacon, contact 2 NC+1 NO, wiring 3 x M20	215.80	406340	4547648565479			FA	X	GBR	8536.5080.90
44506-5450 EP6022-031MEL	Safety rope pull E-stop switch, up to 80m, E-stop, indicator beacon, contact 3 NC+1 NO, wiring 3 x M20	315.90	406364	4548583151499			FA	X	GBR	8536.5080.90
44506-5610 XEP6022-011CS3S	Safety rope pull E-stop switch, explosion proof, die-cast, 1NC + 1NO	1021.00	245673	4547648564658			FA	X	GBR	8536.5080.90
44506-5620 XEP6022-020CS3S	Safety rope pull E-stop switch, explosion proof, die-cast, 2NC	1021.00	245674	4547648564665			FA	X	GBR	8536.5080.90
44506-5850 EP6022-022MESS	Safety rope pull E-stop switch, up to 100m, E-stop, 2 NC + 2 NO contacts, wiring 3 x M20 stainless	354.80	406360	4547648591157			FA	X	GBR	8536.5080.90
44506-5870 EP6022-031MESS	Safety rope pull E-stop switch, up to 100m, indicator beacon, 3 NC + 1 NO contacts, wiring 3x M20 stainless	392.00	406366	4547648591171			FA	X	GBR	8536.5080.90
44506-5930 EP6022-031MLSS	Safety rope pull E-stop switch, up to 100m, indicator beacon, 3 NC + 1 NO contacts, wiring 3x M20 stainless	392.00	406367	4547648591218			FA	X	GBR	8536.5080.90
44506-5950 EP6022-022MELSS	Safety rope pull E-stop switch, up to 100m, E-stop, indicator beacon, 2 NC + 2 NO contacts, wiring 3 x M20 stainless	377.10	406352	4547648581806			FA	X	GBR	8536.5080.90
44506-5970 EP6022-031MELSS	Safety rope pull E-stop switch, up to 100m, E-stop, indicator beacon, 3 NC + 1 NO contacts, wiring 3 x M20 stainless	495.00	406368	4547648591232			FA	X	GBR	8536.5080.90
44506-6410 ER1022-042MEL	Safety rope pull E-stop switch, up to 125m, 4NC + 2NO, M20 wiring entry (4x), 24 VDC indicator beacon, left-sided	251.50	406347	4547648579919			FA	X	GBR	8536.5080.90
44506-6510 ER1022-042MELR	Safety rope pull E-stop switch, up to 125m, 4NC + 2NO, M20 wiring entry (4x), 24 VDC indicator beacon, right-sided	251.50	406348	4547648591126			FA	X	GBR	8536.5080.90
44506-7410 ER1032-042MEL	Safety rope pull E-stop switch, up to 200 m, 4NC + 2NO, M20 wiring entry (4x), 24 VDC indicator beacon, both-sided	365.60	406334	4547648580694	#		FA	X	GBR	8536.5080.90
44506-2705 FK5	Safety rope pull E-stop switch accessory, rope kit 5m	63.90	406346	4547648563192			FA	X	GBR	8536.5080.90
44506-2710 FK10	Safety rope pull E-stop switch accessory, rope kit 10m	71.45	406342	4547648563420	#		FA	X	GBR	8536.5080.90
44506-2711 FK100	Safety rope pull E-stop switch accessory, rope kit 100m	202.70	406372	4547648566865			FA	X	GBR	8536.5080.90
44506-2720 FK20	Safety rope pull E-stop switch accessory, rope kit 20m	86.75	406339	4547648563987	#		FA	X	GBR	8536.5080.90
44506-2750 FK50	Safety rope pull E-stop switch accessory, rope kit 50m	129.20	406338	4547648565387	#		FA	X	GBR	8536.5080.90
44506-2780 FK90	Safety rope pull E-stop switch accessory, rope kit 90m	179.90	406374	4547648566438			FA	X	GBR	8536.5080.90
44506-3705 FSM	Safety rope pull E-stop switch accessory, rope only 5m	10.89	406375	4547648561716			FA	X	GBR	8536.5080.90
44506-3710 R10M	Safety rope pull E-stop switch accessory, rope only 10m	16.44	406376	4547648561921			FA	X	GBR	8536.5080.90
44506-3711 R100M	Safety rope pull E-stop switch accessory, rope only 100m	127.90	406350	4547648563888			FA	X	GBR	8536.5080.90
44506-3720 R20M	Safety rope pull E-stop switch accessory, rope only 20m	19.34	406377	4547648562072			FA	X	GBR	8536.5080.90
44506-3726 R126M	Safety rope pull E-stop switch accessory, rope only 126m	98.15	406378	4547648564304			FA	X	GBR	8536.5080.90



Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Data sheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
44506-3750 F60M	Safety rope pull E-stop switch accessory, rope only 50m	36.14	406379	4547648562713			FA	X	GBR	8536.5080.90
44506-4700 SM06-TG00	Safety rope pull E-stop switch accessory, tensioner gripper, stainless steel	54.10	406344	4547648562751			FA	X	GBR	8536.5080.90
44506-4710 SM06-EB10	Safety rope pull E-stop switch accessory, eye bolt stainless steel, 8 pack	16.34	406354	4547648561989			FA	X	GBR	8536.5080.90
44506-4720 SM06-DL20	Safety rope pull E-stop switch accessory, double loop clip, stainless steel, 4 pack	11.00	406355	4547648561754			FA	X	GBR	8536.5080.90
44506-4730 SM06-TB30	Safety rope pull E-stop switch accessory, rope pull switch turnbuckle, stainless steel	13.60	406357	4547648561822			FA	X	GBR	8536.5080.90
44506-4750 SM06-SP50	Safety rope pull E-stop switch accessory, spring, stainless steel	18.75	406345	4547648561990			FA	X	GBR	8536.5080.90
44506-4760 SM06-ES90	Safety rope pull E-stop switch accessory, E-stop mechanism	25.64	406380	4547648561976			FA	X	GBR	8536.5080.90
44506-4770 SM06-THSS	Safety rope pull E-stop switch accessory, thimble stainless steel, 4 pack	9.59	406356	4547648561693			FA	X	GBR	8536.5080.90
44506-4780 SM06-PSS	Safety rope pull E-stop switch accessory, rope pulley, stainless steel	37.62	406343	4547648562331			FA	X	GBR	8536.5080.90
44506-4791 SM06-VLES	Safety rope pull E-stop switch accessory, yellow e stop label	2.98	406381	4548583151390			FA	X	GBR	8536.5080.90
A22LK2RLA-22-K01-SJ	Safety key selector switch, operation unit 2RLA, 1NC/1NO + 1NC/1NO, Key 01	197.30	393919	4548583466364			FA	X	JPN	8536.5015.90
A22TK-2LL-11-K01	Safety Key Selector Switch, Operation Unit 2LL, SPST-NO/ SPST-NC, Key 01	119.00	675053	4547648715034			FA	X	JPN	8536.5015.90
A22TK-2LL-11-K01-SJ	Key-type selector switch with direct opening mechanism, NO/NC contact configuration, Key hold position function	122.40	671532	4548583343757			FA	X	JPN	8536.5015.90
A22TK-2LL-12-K01	Safety Key Selector Switch, Operation Unit 2LL, DPST-NC + SPST-NO, Key 01	181.80	308692	4547648715058			FA	X	JPN	8536.5015.90
A22TK-2LR-11-K01	Safety Key Selector Switch, Operation Unit 2LR, SPST-NO + SPST-NC, Key 01	51.30	690566	4547648715157			FA	X	JPN	8536.5015.90
A22TK-2LR-12-K01	Safety Key Selector Switch, Operation Unit 2LR, Key 01	164.60	308698	4547648715171			FA	X	JPN	8536.5015.90
A22TK-2RL-11-K01	Safety Key Selector Switch, Operation Unit 2RL, DPST-NO/NC, Key 01	51.30	690524	4547648715270			FA	X	JPN	8536.5015.90
A22TK-2RL-12-K01-SJ	Safety Key Selector Switch, Operation Unit 2RL, DPST-NO + SPST-NO, Key 01, Key hold position function	158.60	692808	4548583103597			FA	X	JPN	8536.5015.90
F3SP-B1P	Control Unit for F3SJ-3NO + 1NC, (use F3J-3C B double ended cable)	357.60	346846	4547648813402	#		FA	X	CHN	8536.4900.99
F3SP-U3P-TGR	controller for 2 x E3FS safety photoelectric sensors	444.20	149979	4536853864842			FA	X	ITA	8541.4090.00
B2210159-7F1	Pole adaptor for LRA, Off-white	20.20	695709	4549734997980			FA	X	IDN	8531.9000.00
B2210161-9F1	Bottom part of LRB unit without bolts	20.20	693902	4549734993227			FA	X	IDN	8531.9000.00
CLA12S-24A-CD-30	Patlite LED bar illumination, 1200 mm x 30 mm, white (daylight 6800 K, 3 m cable, IP69K)	93.00	700831	4549734895705			FA	X	TWN	8531.9000.00
CLA3S-24A-CD-30	LED bar illumination, 300mm x 30mm, white (daylight 6800K, 3 m cable, IP69K)	296.00	699188	4549734892001			FA	X	TWN	8531.9000.00
CLK2C-24AG-CD+ FL005	Led light Bar, 24 VDC, Illumination Area 200 mm, M12, Aluminum & Glass, Color Daylight	394.80	689602	4549734978392			FA	X	JPN	8531.9000.00
CLK2S-24AG-CD	LED Light Bar, 24 VDC, Illuminated Area 200 mm, M12, Aluminum & Glass, Color Daylight	328.10	689603	4549734978408			FA	X	JPN	8531.9000.00
CLN-24-CD-PT	LED Light Bar, 24 VDC, Aluminum & Glass, Color Daylight, Pan/Tilt	317.90	689604	4549734978415			FA	X	IDN	8531.9000.00
CWF3S-24-CD	LED bar illumination, 300 mm x 30 mm, white (daylight 5700K, 3 m cable, IP20)	127.30	692918	4549734987592			FA	X	KOR	8531.9000.00
LH4-102P/NW-C	Signal tower, complete, 40 mm dia., 24 VDC, 1 tier (white), white body, pole mount w/ Circular bracket/ cable	120.00	700461	4549734894654			FA	X	IDN	8531.8070.00
LH4-102P/NW-R	Signal tower, complete, 40 mm dia., 24 VDC, 1 tier (red), white body, pole mount w/ Circular bracket/ cable	120.00	700462	4549734894661			FA	X	IDN	8531.8070.00
LH4-202W/NW-RG	Signal Tower Pre-assembled 2Tiers, DC24 V, Direct Cable, Body color Off-White, Red, Green colours	101.00	692752	4549734986328			FA	X	JPN	8531.8070.00
LH4-302P/NW-RYG	Signal tower, complete, 40 mm dia., 24 VDC, 3 tiers (red, amber, green), white body, pole mount w/ Circular bracket/ cable	166.00	700460	4549734894647			FA	X	IDN	8531.8070.00
LH4-302W/NW-RYG	Signal Tower Pre-assembled 3Tiers, DC24 V, Direct Cable, Flashing/Buzzer, Body color Off-White, Red, Amber, Green colours	171.70	692751	4549734986311			FA	X	IDN	8531.8070.00
LH4-302W/NW-RYG	Signal Tower Pre-assembled 3Tiers, DC24 V, Direct Cable, Body color Off-White, Red, Amber, Green colours	120.20	692750	4549734986304			FA	X	IDN	8531.8070.00
LH4-402W/NW-RYG	Signal Tower Pre-assembled 4Tiers, DC24 V, Pole Mounting/Circular Bracket/Cable, Flashing/Buzzer, Body color Off-White, Red, Amber, Green, Blue colours	228.30	692749	4549734986298			FA	X	JPN	8531.8070.00
LH502P/BW/RYG/CBC	Signal Tower Pre-assembled 4Tiers, DC24 V, Pole Mounting/Circular Bracket/Cable, Flashing/Buzzer, Body color Off-White, Red, Amber, Green, Blue, White colours	243.70	681960	4549734946537			FA	X	JPN	8531.2020.90
LH4-M2W/NW	100 - 240 VAC, Base Unit, Direct Mount/Cable, No Flashing/Buzzer, Off-white	123.90	680309	4549734938235			FA	X	IDN	8531.9000.00
LH5-02KTNK	DC 24 V, Base Unit, Mounting Bracket with knock-outs/Terminal, No Flashing Buzzer, Black	42.59	679426	4549734932332			FA	X	IDN	8531.8070.00
LH5-02KTNL	DC 24 V, Base Unit, Mounting Bracket with knock-outs/Terminal, No Flashing Buzzer, Silver	45.98	679427	4549734932349			FA	X	IDN	8531.8070.00
LH5-02KTNW	DC 24 V, Base Unit, Mounting Bracket with knock-outs/Terminal, No Flashing Buzzer, Off-white	42.59	679425	4549734932325			FA	X	IDN	8531.8070.00
LH5-02NTNW	DC 24 V, Base Unit, Direct Mount/Terminal, No Flashing Buzzer, Off-white	36.30	678265	4549734923651			FA	X	IDN	8531.9000.00
LH5-102P/BW-G	Signal tower, complete, 50 mm dia., 24 VDC, 1 tier (green), white body, flashing/ buzzer, pole mount w/ Circular bracket/ cable	173.00	700311	4549734894326			FA	X	IDN	8531.9000.00
LH5-102P/NW-C	Signal tower, complete, 50 mm dia., 24 VDC, 1 tier (white), white body, pole mount w/ Circular bracket/ cable	120.00	700457	4549734894616			FA	X	IDN	8531.8070.00
LH5-102P/NW-R	Signal tower, complete, 50 mm dia., 24 VDC, 1 tier (red), white body, pole mount w/ Circular bracket/ cable	120.00	700459	4549734894319			FA	X	IDN	8531.8070.00
LH5-102W/BW-G	Signal tower, complete, 50 mm dia., 24 VDC, 1 tier (green), white body, flashing/ buzzer, direct mount with cable	153.00	700312	4549734894333			FA	X	IDN	8531.9000.00
LH5-302P/BW-RYG	Signal tower, complete, 50 mm dia., 24 VDC, 3 tiers (red, amber, green), white body, flashing/buzzer, pole mount w/ Circular bracket/ cable	231.00	700310	4549734894319			FA	X	IDN	8531.9000.00
LH5-302P/NW-RYG	Signal tower, complete, 50 mm dia., 24 VDC, 3 tiers (red, amber, green), white body, pole mount w/ Circular bracket/ cable	179.00	700458	4549734894623			FA	X	IDN	8531.8070.00
LH5-302W/BW-RYG	Signal tower, complete, 50 mm dia., 24 VDC, 3 tiers (red, amber, green), white body, flashing/ buzzer, direct mount with cable	211.00	700313	4549734894340			FA	X	IDN	8531.9000.00
LH5-E-C	DC 24 V, LED Unit, White	37.53	678269	4549734923699			FA	X	IDN	8531.2020.90
LH5-02W/CNW	DC 24 V, Base Unit, Direct Mount/ M12 Connector, No Flashing/Buzzer, Off-white, 60mm dia.	124.40	680308	4549734938228			FA	X	IDN	8531.9000.00
LH5-02W/JNU	DC 24 V, Base Unit, Direct Mount/Cable, No Flashing/Buzzer, Silver	71.80	678307	4549734924078			FA	X	IDN	8531.9000.00
LH5-02W/JNW	DC 24 V, Base Unit, Direct Mount/Cable, No Flashing/Buzzer, Off-white	60.50	679255	4549734923552			FA	X	IDN	8531.9000.00
LH5-102W/JBU-R	Signal tower, 60 mm dia., 24 VDC, 1 tier RED, Silver body, Direct Mount/Cable, With Flashing/Buzzer	160.60	691148	4549734985635			FA	X	IDN	8531.9000.00
LH5-102W/JBU-R-EX	Signal tower, 60 mm dia., 24 VDC, 1 tier RED, Silver body, Direct Mount/Cable, With Flashing/Buzzer, Explosion Proof	885.00	691147	4549734985628			FA	X	IDN	8531.9000.00
LH5-302P/JBU-RYG	60 dia., DC 24 V, 3 tiers, silver body, w/ flashing/ buzzer, pole mount w/ Circular bracket/ cable	238.90	690275	4549734980814			FA	X	IDN	8531.9000.00
LH5-302 W/JBU-RYG	Signal Tower, 60 dia., DC 24 V, 3 tiers (red, amber, green), silver body, flashing/buzzer, direct mount/ cable	291.90	683198	4549734950916			FA	X	IDN	8531.2020.90
LH5-3ILW/MNW-RYG	Signal Tower, I/O Link Pre-assembled model, 3 Tiers, Direct Mount/M12 Connector, Off-white	261.50	690784	4549734983983			FA	X	JPN	8531.9000.00
LH5-BU	DC 24 V, Buzzer Unit, Silver	54.35	678294	4549734923941			FA	X	IDN	8531.2020.90
LH5-BW	DC 24 V, Buzzer Unit, Off-white	51.55	678257	4549734923576			FA	X	IDN	8531.2020.90
LH5-E-B	DC 24 V, LED Unit, Blue	45.98	679432	4549734932394			FA	X	IDN	8531.8070.00
LH5-E-G	DC 24 V, LED Unit, Green	35.26	679431	4549734932387			FA	X	IDN	8531.8070.00
LH5-E-MZ	Multi Color LED Unit 60 mm, 7 different colors.	124.20	680310	4549734938242			FA	X	IDN	8531.8070.00
LH5-E-R	Modular signal tower, LED modul, Red, 24 VDC	35.26	679434	4549734932417			FA	X	IDN	8531.8070.00
LH5-E-Y	DC 24 V, LED Unit, Amber	35.26	679433	4549734932400			FA	X	IDN	8531.8070.00
LH7-02KTNK	Signal Tower Ø 70 mm LH7 24 VDC Base module Black PNP/NPN	45.98	679430	4549734932370			FA	X	IDN	8531.8070.00
LH7-02KTNL	DC 24 V, Base Unit, Mounting Bracket with knock-outs/Terminal, No Flashing/Buzzer, Silver	56.30	679428	4549734932356			FA	X	IDN	8531.9000.00
LH7-02KTNW	DC 24 V, Base Unit, Mounting Bracket with knock-outs/Terminal, No Flashing/Buzzer, Off-white	45.98	679429	4549734932363			FA	X	IDN	8531.8070.00
LH7-02NTNW	DC 24 V, Base Unit, Direct Mount/Terminal, No Flashing Buzzer, Off-white	51.50	678250	4549734923507			FA	X	IDN	8531.9000.00
LH7-402W/JBW-RYGB	Signal Tower, complete, 70 dia., DC 24 V, 4 tiers (red, amber, green, blue), white body, flashing/ buzzer, direct mount with cable	290.90	694872	4549734994965			FA	X	IDN	8531.9000.00
LH7-402W/JNW-RYGB	Signal Tower, complete, 70 dia., DC 24 V, 4 tiers (red, amber, green, blue), white body, without buzzer, direct mount with cable	214.00	700202	4549734894074			FA	X	IDN	8531.9000.00
LH7-BU	DC 24 V, Buzzer Unit, Silver	55.95	678274	4549734923743			FA	X	IDN	8531.2020.90
LH7-BW	DC 24 V, Buzzer Unit, Off-white	58.80	678295	4549734923958			FA	X	IDN	8531.2020.90
LH7-E-B	DC 24 V, LED Unit, Blue	44.09	678252	4549734923521			FA	X	IDN	8531.2020.90
LH7-E-C	DC 24 V, LED Unit, White	44.09	678306	4549734924061			FA	X	IDN	8531.2020.90

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Data sheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
LR7-E-G	DC 24 V, LED Unit, Green	34.45	678284	4549734923842			FA	X	IDN	8531.2020.90
LR7-E-R	DC 24 V, LED Unit, Red	39.16	678266	4549734923668			FA	X	IDN	8531.2020.90
LR7-E-Y	DC 24 V, LED Unit, Amber	34.45	678260	4549734923606			FA	X	IDN	8531.2020.90
LST-502SBWC-RYGB	24 VDC, Base Unit, M12 Connector, No Flashing, Buzzer, Silver	540.50	685749	4549734926852			FA	X	IDN	8531.9000.00
MPS-402-RYGB	Signal tower LED, short body silver, 4 lights red-yellow-green-blue, dia 30 mm, 24 VAC/DC, NPN/ PNP, IP65, 1.2 m cable	214.00	701034	4549734926795			FA	X	IDN	8531.9000.00
NE-001D	Upper Bracket for NE-24A and NEM-1	21.54	690239	4549734990500			FA	X	IDN	8531.2020.90
NE-002D	Wall Mount Bracket for NE-24A and NEM-1	14.36	690238	4549734990494			FA	X	IDN	8531.2020.90
NE-24A-B	Signal Beacon NE-A Mono-Color Blue 24 VDC	48.19	690228	4549734990425			FA	X	IDN	8531.2020.90
NE-24A-C	Signal Beacon NE-A Mono-Color White 24 VDC	48.19	690227	4549734990418			FA	X	IDN	8531.2020.90
NE-24A-G	Signal Beacon NE-A Mono-Color Green 24 VDC	48.19	690229	4549734990432			FA	X	IDN	8531.2020.90
NE-24A-R	Signal Beacon NE-A Mono-Color Red 24 VDC	42.04	690231	4549734990456			FA	X	IDN	8531.2020.90
NE-24A-Y	Signal Beacon NE-A Mono-Color Yellow 24 VDC	42.04	690230	4549734990449			FA	X	IDN	8531.2020.90
NE-ILNB-M	Signal Beacon IO-Link Multi-color, M12 connector 5 pins, 24 VDC	174.40	690241	4549734990517			FA	X	JPN	8531.2020.90
NE-ILTB-M	Signal Beacon IO-Link Multi-color Touch sensor, M12 connector 5 pins, 24 VDC	201.00	690283	4549734990869			FA	X	JPN	8531.9000.00
NE-ILXB-M	Signal Beacon IO-Link Multi-color Digital/ Analog input, M12 connector 8 pins, 24 VDC	240.00	690240	4549734990517			FA	X	JPN	8531.2020.90
NE-M1ANB-M	Signal Beacon Multi-color Continuous/ Flashing 12-24 VDC IP65	122.10	690243	4549734990548			FA	X	IDN	8531.2020.90
NE-M1ANN-M	Signal Beacon Multi-color Continuous/ Flashing 12-24 VDC IP67	95.35	690244	4549734990555			FA	X	IDN	8531.2020.90
NE-M1ATB-M	Signal Beacon Multi-color Continuous/ Touch sensor 12-24 VDC IP65	153.90	690242	4549734990531			FA	X	IDN	8531.2020.90
POLE-100A21+FB062	Aluminium pole LU Signal Tower, length 100mm, dia 21.7mm	12.41	187133	4547648890847			FA	X	JPN	8531.2020.90
POLE-100A21+O0109	Aluminium pole LP8 Signal Tower, length 100 mm, dia 21.7mm	26.24	685810	4549734965125			FA	X	JPN	8531.9000.00
POLE22-0800AT	22 dia, 800 mm aluminum pole, 2 nuts and 2 screws included - with threads, silver	35.25	699324	4549734992322			FA	X	JPN	8531.9000.00
POLE22-1000AN	22 dia, 1000 mm aluminum pole, 2 nuts and 2 screws included - no threads, silver	48.48	699325	4549734992339			FA	X	JPN	8531.9000.00
POLE-300A21+O0109	Aluminium pole LP8 Signal Tower, length 300 mm, dia 21.7mm	28.26	685811	4549734965132			FA	X	JPN	8531.9000.00
POLE-800A21+O0109	Aluminium pole LP8 Signal Tower, length 800 mm, dia 21.7mm	46.41	685809	4549734965118			FA	X	JPN	8531.9000.00
SL10-M11KTB-Y	Flashing beacon, dia. 100 mm, 12-24 DC, Amber	197.00	701640	4549734790802			FA	X	IDN	8531.2020.90
SZ-010	Surface-mounting Bracket for LR Signal Tower, Aluminium	17.17	692748	4549734996281			FA	X	TWN	8531.9000.00
SZ-016A	Signal tower, low pole mounting bracket	20.83	226896	4547648891486			FA	X	JPN	8531.2020.90
SZ-70L	Pre-assembled mounting set with 'L' bracket for model LME-W	42.82	682619	4549734949170			FA	X	JPN	8531.2020.90
SZK-002K	Wall mounting bracket Signal Tower, black	14.32	681962	4549734946551			FA	X	IDN	8531.2020.90
SZK-003K	Wall mounting bracket Signal Tower, black	14.70	681961	4549734946544			FA	X	IDN	8531.2020.90
SZK-003W	Wall-mount Bracket for LR7/LR7, Off-white	16.16	678287	4549734923873			FA	X	IDN	8531.9000.00
SZP-003K	Circular Bracket diameter 40 mm with 3 mounting holes 5 mm	9.80	681979	4549734946728			FA	X	IDN	8539.9090.00
SZP-003U	Circular bracket, Silver.	11.77	679424	4549734932318			FA	X	IDN	8531.8070.00
SZP-004K	Pole bracket, Color Black	22.20	688805	4549734965088			FA	X	IDN	8531.2020.90
SZP-004W	Pole bracket, Color Off-white	22.20	688806	4549734965095			FA	X	IDN	8531.9000.00
SZP-092D	NPT 1/2" Bracket for NE-24A and NEM-1	21.54	690237	4549734990487			FA	X	IDN	8531.2020.90
D4F-102-1D	Small Safety Limit Switch, 1NC/1NO slow-action, roller plunger, 1 m cable, vertical cable exit	95.75	134004	4536854896187			FA	X	JPN	8536.5007.00
D4F-102-1R	Small Safety Limit Switch, 1NC/1NO slow-action, roller plunger, 1 m cable, horizontal cable exit	75.70	150189	4536854896101		#	FA	X	JPN	8536.5007.00
D4F-102-3D	Small Safety Limit Switch, 1NC/1NO slow-action, roller plunger, 3 m cable, vertical cable exit	99.70	134013	4536854896347			FA	X	JPN	8536.5007.00
D4F-102-3R	Small Safety Limit Switch, 1NC/1NO slow-action, roller plunger, 3 m cable, horizontal cable exit	92.90	134008	4536854896262			FA	X	JPN	8536.5007.00
D4F-102-5D	Small Safety Limit Switch, 1NC/1NO slow-action, roller plunger, 5 m cable, vertical cable exit	99.35	133924	4536854896507			FA	X	JPN	8536.5007.00
D4F-120-1D	Small Safety Limit Switch, 1NC/1NO slow-action, roller lever, 1 m cable, vertical cable exit	95.75	134001	4536854896149			FA	X	JPN	8536.5007.00
D4F-120-1R	Small Safety Limit Switch, 1NC/1NO slow-action, roller lever, 1 m cable, horizontal cable exit	77.10	144788	4536854896064			FA	X	JPN	8536.5007.00
D4F-120-3D	Small Safety Limit Switch, 1NC/1NO slow-action, roller lever, 3 m cable, vertical cable exit	124.60	156891	4536854896309			FA	X	JPN	8536.5007.00
D4F-120-5D	Small Safety Limit Switch, 1NC/1NO slow-action, roller lever, 5 m cable, vertical cable exit	100.80	134019	4536854896460			FA	X	JPN	8536.5007.00
D4F-120-5R	Small Safety Limit Switch, 1NC/1NO slow-action, roller lever, 5 m cable, horizontal cable exit	80.70	134016	4536854896385			FA	X	JPN	8536.5007.00
D4F-202-1D	Small Safety Limit Switch, 2NC slow-action, roller plunger, 1 m cable, vertical cable exit	95.75	143734	4536854896194			FA	X	JPN	8536.5007.00
D4F-202-1R	Small Safety Limit Switch, 2NC slow-action, roller plunger, 1 m cable, horizontal cable exit	75.70	144789	4536854896118			FA	X	JPN	8536.5007.00
D4F-220-1D	Small Safety Limit Switch, 1NC/2NO slow-action, roller lever, 1 m cable, vertical cable exit	95.75	156890	4536854896156			FA	X	JPN	8536.5007.00
D4F-220-1R	Small Safety Limit Switch, 2NC slow-action, roller lever, 1 m cable, horizontal cable exit	80.70	133999	4536854896071			FA	X	JPN	8536.5007.00
D4F-302-1D	Small Safety Limit Switch, 2NC/2NO slow-action, roller plunger, 1 m cable, vertical cable exit	121.50	134005	4536854896200			FA	X	JPN	8536.5007.00
D4F-302-1R	Small Safety Limit Switch, 2NC/2NO slow-action, roller plunger, 1 m cable, horizontal cable exit	102.60	156889	4536854896125			FA	X	JPN	8536.5007.00
D4F-302-3D	Small Safety Limit Switch, 2NC/2NO slow-action, roller plunger, 3 m cable, vertical cable exit	104.20	134014	4536854896361			FA	X	JPN	8536.5007.00
D4F-302-3R	Small Safety Limit Switch, 2NC/2NO slow-action, roller plunger, 3 m cable, horizontal cable exit	118.00	134010	4536854896286			FA	X	JPN	8536.5007.00
D4F-302-5D	Small Safety Limit Switch, 2NC/2NO slow-action, roller plunger, 5 m cable, vertical cable exit	131.00	133925	4536854896521			FA	X	JPN	8536.5007.00
D4F-302-5R	Small Safety Limit Switch, 2NC/2NO slow-action, roller plunger, 5 m cable, horizontal cable exit	131.00	145878	4536854896446			FA	X	JPN	8536.5007.00
D4F-320-1D	Small Safety Limit Switch, 2NC/2NO slow-action, roller lever, 1 m cable, vertical cable exit	131.00	134002	4536854896163			FA	X	JPN	8536.5007.00
D4F-320-1R	Small Safety Limit Switch, 2NC/2NO slow-action, roller lever, 1 m cable, horizontal cable exit	109.00	151302	4536854896088			FA	X	JPN	8536.5007.00
D4F-320-3D	Small Safety Limit Switch, 2NC/2NO slow-action, roller lever, 3 m cable, vertical cable exit	125.30	152464	4536854896323			FA	X	JPN	8536.5007.00
D4F-320-3R	Small Safety Limit Switch, 2NC/2NO slow-action, roller lever, 3 m cable, horizontal cable exit	124.90	143735	4536854896248			FA	X	JPN	8536.5007.00
D4F-320-5D	Small Safety Limit Switch, 2NC/2NO slow-action, roller lever, 5 m cable, vertical cable exit	136.40	149121	4536854896484			FA	X	JPN	8536.5007.00
D4F-402-1D	Small Safety Limit Switch, 4NC slow-action, roller plunger, 1 m cable, vertical cable exit	121.50	134006	4536854896217			FA	X	JPN	8536.5007.00
D4F-402-1R	Small Safety Limit Switch, 4NC slow-action, roller plunger, 1 m cable, horizontal cable exit	102.60	134000	4536854896132			FA	X	JPN	8536.5007.00
D4F-420-1D	Small Safety Limit Switch, 4NC slow-action, roller lever, 1 m cable, vertical cable exit	131.60	134003	4536854896170			FA	X	JPN	8536.5007.00
D4F-420-1R	Small Safety Limit Switch, 4NC slow-action, roller lever, 1 m cable, horizontal cable exit	109.00	152462	4536854896095			FA	X	JPN	8536.5007.00
D4N-4C32	Safety Limit switch, D4N, M20 (1 conduit), 2NC/1NO (slow-action), top roller plunger	14.23	170375	4547648036535			FA	X	JPN	8536.5007.00
D4N-1A2GR	Limit switch, Adjustable roller lever, form lock (metal lever, resin roller), 1NC/1NO (slow-action), 1NC/1NO (slow-action), Pt13.5 (1-conduit), manual reset feature	27.39	170873	4547648039482			FA	X	JPN	8536.5007.00
D4N-1A2HR	Limit switch, Adjustable roller lever, form lock (metal lever, rubber roller), 1NC/1NO (slow-action), 1NC/1NO (slow-action), Pt13.5 (1-conduit), manual reset feature	33.91	170882	4547648039574			FA	X	JPN	8536.5007.00
D4N-1A62R	Limit switch, One-way roller arm lever (horizontal), 1NC/1NO (slow-action), 1NC/1NO (slow-action), Pt13.5 (1-conduit), manual reset feature	23.35	170855	4547648039307			FA	X	JPN	8536.5007.00
D4N-1B20R	Limit switch, Roller lever resin lever, resin roller, 2NC (slow-action), Pt13.5 (1-conduit), manual reset feature	29.94	170891	4547648039666			FA	X	JPN	8536.5007.00
D4N-1B2GR	Limit switch, Adjustable roller lever, form lock (metal lever, resin roller), 2NC (slow-action), Pt13.5 (1-conduit), manual reset feature	27.51	170936	4547648040112			FA	X	JPN	8536.5007.00
D4N-1B32R	Limit switch, Top roller plunger, 2NC (slow-action), Pt13.5 (1-conduit), manual reset feature	30.88	170909	4547648039840			FA	X	JPN	8536.5007.00
D4N-1B62R	Limit switch, One-way roller arm lever (horizontal), 2NC (slow-action), 2NC (slow-action), Pt13.5 (1-conduit), manual reset feature	27.39	170918	4547648039932			FA	X	JPN	8536.5007.00
D4N-1C62R	Limit switch, One-way roller arm lever (horizontal), 2NC/1NO (slow-action), 2NC/1NO (slow-action), Pt13.5 (1-conduit), manual reset feature	34.73	170978	4547648040532			FA	X	JPN	8536.5007.00
D4N-2A20R	Limit switch, Roller lever resin lever, resin roller, 1NC/1NO (slow-action), 1NC/1NO (slow-action), G1/2 (1-conduit), manual reset feature	28.24	170829	4547648039048			FA	X	JPN	8536.5007.00

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Data sheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
D4N-2A32R	Limit switch, Top roller plunger, 1NC/1NO (slow-action), 1NC/1NO (slow-action), G1/2 (1-conduit), manual reset feature	11.70	170847	4547648039222			FA	X	JPN	8536.5007.00
D4N-2B20R	Limit switch, Roller lever (resin lever, resin roller), 2NC (slow-action), 2NC (slow-action), G1/2 (1-conduit), manual reset feature	25.91	170892	4547648039673			FA	X	JPN	8536.5007.00
D4N-2B32R	Limit switch, Top roller plunger, 2NC (slow-action), 2NC (slow-action), G1/2 (1-conduit), manual reset feature	32.57	170910	4547648039857			FA	X	JPN	8536.5007.00
D4N-2C20R	Limit switch, One-way roller arm lever (horizontal), 2NC (slow-action), 2NC (slow-action), G1/2 (1-conduit), manual reset feature	32.57	170919	4547648039949			FA	X	JPN	8536.5007.00
D4N-2C31R	Limit switch, Top plunger, 2NC/1NO (slow-action), 2NC/1NO (slow-action), G1/2 (1-conduit), manual reset feature	40.86	170955	4547648040303			FA	X	JPN	8536.5007.00
D4N-2C31R	Limit switch, Top plunger, 2NC/1NO (slow-action), 2NC/1NO (slow-action), G1/2 (1-conduit), manual reset feature	34.73	170963	4547648040389			FA	X	JPN	8536.5007.00
D4N-2C32R	Limit switch, Top roller plunger, 2NC/1NO (slow-action), 2NC/1NO (slow-action), G1/2 (1-conduit), manual reset feature	31.07	170971	4547648040454			FA	X	JPN	8536.5007.00
D4N-4A20R	Safety Limit switch, D4N, M20 (1 conduit), 1NC/1NO (slow-action), roller lever (resin lever, resin roller), manual reset feature	21.48	170831	4547648039062			FA	X	JPN	8536.5007.00
D4N-4A2GR	Limit switch, Adjustable roller lever, form lock (metal lever, resin roller), 1NC/1NO (slow-action), 1NC/1NO (slow-action), M20 (1-conduit), manual reset feature	24.76	170876	4547648039512			FA	X	JPN	8536.5007.00
D4N-4A31R	Safety Limit switch, D4N, M20 (1 conduit), 1NC/1NO (slow-action), top plunger, manual reset feature	21.48	170840	4547648039154			FA	X	JPN	8536.5007.00
D4N-4A32R	Safety Limit switch, D4N, M20 (1 conduit), 1NC/1NO (slow-action), top roller plunger, manual reset feature	23.94	170849	4547648039246			FA	X	JPN	8536.5007.00
D4N-4B62R	Limit switch, One-way roller arm lever (horizontal), 2NC (slow-action), 2NC (slow-action), M20 (1-conduit), manual reset feature	27.38	170921	4547648039963			FA	X	JPN	8536.5007.00
D4N-4C20R	Safety Limit switch, D4N, M20 (1 conduit), 2NC/1NO (slow-action), roller lever (resin lever, resin roller), manual reset feature	28.09	170957	4547648040327			FA	X	JPN	8536.5007.00
D4N-4C2GR	Limit switch, Adjustable roller lever, form lock (metal lever, resin roller), 2NC/1NO (slow-action), 2NC/1NO (slow-action), M20 (1-conduit), manual reset feature	25.78	170997	4547648040723			FA	X	JPN	8536.5007.00
D4N-4C31R	Safety Limit switch, D4N, M20 (1 conduit), 2NC/1NO (slow-action), top plunger, manual reset feature	15.46	170965	4547648040402			FA	X	JPN	8536.5007.00
<b>Special Safety</b>										
A22TK-2LR-12-K01-SJ	Safety Key Selector Switch, Operation Unit 2LR, DPST-NC + SPST-NO, Key 01, Key hold position function	146.00	701035	4548583103603			FA	Y	JPN	8536.5015.90
BOX FORMERKIT PROT	Safety Application Solution for Box Former: Protective Stop with 2 sensors and Carton detector FB-Symac FB EASmain2(*) electronic delivery format FB's and installation guides manuals available in G-TKS	480.00	701242	4549734789172			FA	Y	CHN	8471.4100.00
BOX FORMERKIT PROT+ALARM	Safety Application Solution for Box Former: Protective Stop and pre-alarm with 4 sensors and Carton detector FB-Symac FB EASmain4(*) electronic delivery format FB's and installation guides manuals available in G-TKS	950.00	701244	4549734789189			FA	Y	CHN	8471.4100.00
<b>Accessory for safety component</b>										
F39-A11	Muting lamp, to be used with F3SP controllers	90.70	150199	4536853860066			FA	Z	ITA	8531.2020.90
F39-A11MB	Bulb 24 V, 3 W/E14 to F39-A11	6.30	185490	4536853862955			FA	Z	ITA	8541.4090.00
F39-CN3	Branch Connector	71.50	242652	4547648085557			FA	Z	JPN	8541.4090.00
F39-CN5	Accessory for Safety Light Curtain, T-brach connector for reduced wiring	129.40	181192	4547648134651			FA	Z	JPN	8541.4090.00
F39-CN6	Key cap for muting, F3SJ only, emitter or receiver	67.65	230587	4547648149716			FA	Z	JPN	8541.9000.00
F39-GWUM	Safety light curtain accessory, F3SJ-A, setting tool, CD-ROM, F39-CN1 branch connector, connector cap, 2m dedicated cable, 0.3m dedicated cable with plug	582.50	233703	4547648234719			FA	Z	JPN	8541.9000.00
F39-JB2W	Series connection cable for extension for F3SJ	156.50	357833	4548583047792			FA	Z	JPN	8541.4090.00
F39-JD10A	Safety Light Curtain Accessory, F3SJ Series, emitter + receiver cable M12 8-pin, female, 10 m	363.10	356813	4548583097124		#	FA	Z	CHN	8544.4290.90
F39-JD10B	Safety Light Curtain Accessory, F3SJ Series, emitter + receiver extension cable M12 8-pin, male/female, 10 m	260.60	374272	4548583097209			FA	Z	CHN	8541.4090.00
F39-JD15A	Safety Light Curtain Accessory, F3SJ Series, emitter + receiver cable M12 8-pin, female, 15 m	494.60	356814	4548583097131			FA	Z	CHN	8544.4290.90
F39-JD15B	Safety Light Curtain Accessory, F3SJ Series, emitter + receiver extension cable M12 8-pin, male/female, 1 m	133.70	374273	4548583097162			FA	Z	CHN	8541.4090.00
F39-JD20A	Safety Light Curtain Accessory, F3SJ Series, emitter + receiver cable M12 8-pin, female, 20 m	600.50	356815	4548583097148			FA	Z	CHN	8544.4290.90
F39-JD20B	Safety Light Curtain Accessory, F3SJ Series, emitter + receiver extension cable M12 8-pin, male/female, 20 m	600.50	374275	4548583097223			FA	Z	CHN	8541.4090.00
F39-JD3A	Safety Light Curtain Accessory, F3SJ Series, emitter + receiver cable M12 8-pin, female, 3 m	191.10	356811	4548583097100			FA	Z	CHN	8544.4290.90
F39-JD5B	Safety Light Curtain Accessory, F3SJ Series, emitter + receiver extension cable M12 8-pin, male/female, 5 m	168.50	374274	4548583097186			FA	Z	CHN	8541.4090.00
F39-JD7A	Safety Light Curtain Accessory, F3SJ Series, emitter + receiver cable M12 8-pin, female, 7 m	280.40	356812	4548583097117			FA	Z	CHN	8544.4290.90
F39-JD7B	Safety Light Curtain Accessory, F3SJ Series, emitter + receiver extension cable M12 8-pin, male/female, 7 m	245.50	374271	4548583097193			FA	Z	CHN	8541.4090.00
F39-JD9B	Safety Light Curtain Accessory, F3SJ Series, emitter + receiver extension cable M12 8-pin, male/female, 0.5 m	153.80	359019	4548583097155			FA	Z	CHN	8544.4290.90
F39-JR06L	Series connection cable for F3SL 0.06m (cap both ends)	113.50	247101	4547648183505			FA	Z	JPN	8541.9000.00
F39-JR15L	Series connection cable for F3SL 0.15 m (cap both ends)	113.50	189901	4547648149631			FA	Z	JPN	8541.9000.00
F39-JR3W	Series connection cable for F3SL 0.3 m (cap one end M12 one end)	113.50	189902	4547648149648			FA	Z	JPN	8541.9000.00
F39-TGR-CT-B-E	Connector M12, 4-pin, female for wiring	10.15	249194	4547648856829			FA	Z	ITA	8544.4999.00
F39-TGR-CT-B-R	Connector M12, 8-pin, female for wiring	19.99	249195	4547648856836			FA	Z	ITA	8544.4999.00
F39-TGR-CT-W-E	Connector M12, 4-pin, male for wiring	9.56	249197	4547648856850			FA	Z	ITA	8544.4999.00
F39-TGR-CT-W-R	Connector M12, 8-pin, male for wiring	19.27	249198	4547648856867			FA	Z	ITA	8544.4999.00
F39-TGR-CVL-B-15-E	Emitter cable M12 4-pin, female connector, shielded cable 15 m	90.70	284042	4547648866071			FA	Z	ITA	8541.4090.00
F39-TGR-CVL-B-15-R	Receiver cable M12 8-pin, female connector, shielded cable 15 m	106.00	284041	4547648866064			FA	Z	ITA	8541.4090.00
F39-TGR-CVL-N-2	https://industrial.omron.com/it/it/products/f3s-1tr-cl	37.33	246737	4547648855204			FA	Z	ITA	8544.4999.00
F39-TGR-MCL	Muting actuators for active/passive safety sensor, set of Transmitter and Receiver unit, mounting bracket are pre-mounted	348.00	337393	4547648855010			FA	Z	ITA	8541.4090.00
F39-TGR-MCL-CMD	Muting connection box for Transceiver and Receiver	87.90	337396	4547648855041			FA	Z	ITA	8536.9010.00
F39-TGR-MCL-CML	Muting connection box for Transmitter	48.48	337395	4547648855034			FA	Z	ITA	8536.9010.00
F39-TGR-MCL-D	Muting actuators for active/active safety sensor, Receiver, mounting bracket are pre-mounted	192.10	340388	4547648855966			FA	Z	ITA	8541.4090.00
F39-TGR-MCL-L	Muting actuators for active/active safety sensor, Transmitter, mounting bracket are pre-mounted	178.80	340387	4547648855959			FA	Z	ITA	8541.4090.00
F39-TGR-MCL-R	Muting actuators for active/passive safety sensor, set of Transceiver and Reflector unit, mounting bracket are pre-mounted	353.70	337394	4547648855027			FA	Z	ITA	8541.4090.00
F39-TGR-MCL-B-A	Muting actuators for active/passive safety sensor, Transceiver, mounting bracket are pre-mounted	278.20	340385	4547648855935			FA	Z	ITA	8541.4090.00
F39-TGR-MCL-R-P	Muting actuators for active/passive safety sensor, Reflector unit, mounting bracket are pre-mounted	93.35	340386	4547648855942			FA	Z	ITA	8541.4090.00
F39-TGR-MDG0310	Mirror, 125x362mm, for 300mm Safety light curtains	123.80	249218	4547648857062			FA	Z	ITA	8531.9000.00
F39-TGR-MDG0460	Mirror for all light guards, 125mm wide, 460mm sensing height	145.40	249219	4547648857079			FA	Z	ITA	8531.9000.00
F39-TGR-MDG0607	Mirror, 125x658mm, for 600mm Safety light curtains	166.60	249220	4547648857086			FA	Z	ITA	8531.9000.00
F39-TGR-MDG0907	Mirror, 125x958mm, for 900mm Safety light curtains	219.90	249222	4547648857109			FA	Z	ITA	8531.9000.00
F39-TGR-MDG1057	Mirror, 125x1108mm, for 1050mm Safety light curtains	231.60	249223	4547648857116			FA	Z	ITA	8531.9000.00
F39-TGR-MDG1207	Mirror, 125x1258mm, for 1200mm Safety light curtains	252.70	249224	4547648857123			FA	Z	ITA	8531.9000.00
F39-TGR-MDG1357	Mirror, 125x1408mm, for 1350mm Safety light curtains	362.50	249225	4547648857130			FA	Z	ITA	8531.9000.00
F39-TGR-MDG1500	Mirror, 125x1551mm, for 1500mm Safety light curtains	389.00	249226	4547648857147			FA	Z	ITA	8531.9000.00
F39-TGR-MDG1657	Mirror, 125x1708mm, for 1650mm Safety light curtains	419.80	249227	4547648857154			FA	Z	ITA	8531.9000.00
F39-TGR-MDG1822	Mirror, 125x1873mm, for 1800mm Safety light curtains	450.70	249228	4547648857161			FA	Z	ITA	8531.9000.00
F39-TGR-ST-MDG2	Mounting kit to fix MDG-serie mirror on ECO-1 stand	74.30	249241	4547648857291			FA	Z	ITA	8541.4090.00
F39-TGR-AS-AM1	Kit with adjustable mirror, can be mounted on F39-TGR-AS-MA-MM1	129.10	354162	4548583056244			FA	Z	DEU	8541.9000.00
F39-TGR-AS-B-1200	Adjustable stand for F3S-TGR-CL family, height 1200 mm, 1 pcs.	547.50	352024	4548583036680			FA	Z	DEU	8541.4090.00
F39-TGR-AS-B-1600	Adjustable stand for F3S-TGR-CL family, height 1600 mm, 1 pcs.	848.50	352025	4548583036697			FA	Z	DEU	8541.4090.00

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	SLN. (Data sheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code	
F39-TGR-AS-MA-CC12	Cable cover 1200mm, used with stand for F39-TGR-CL family	65.65	352030	4548583036741			FA	Z	DEU	8541.4090.00	
F39-TGR-AS-MA-MBL	Accessory safety, F39-TGR-CL, protective mounting arm for L-type muting sensor	287.20	352026	4548583036703			FA	Z	DEU	8541.4090.00	
F39-TGR-AS-MA-MBXT	Accessory safety, F39-TGR-CL, protective mounting arm for T-type muting sensor	418.80	352027	4548583036710			FA	Z	DEU	8541.4090.00	
F39-TGR-AS-MM1	Mirror mounting bracket for 1200 and 1600 mm stand	204.60	354161	4548583056237			FA	Z	DEU	8541.9000.00	
F39-TGR-AS-MM2	Accessory for SLC stands: mirror mounting plate (L=1385mm)	255.20	373893	4548583387935			FA	Z	DEU	8541.9000.00	
F39-CN10	Key cap for muting, F39J-B only, emitter or receiver, orange case	47.17	365162	4548583047785			FA	Z	JPN	8541.4090.00	
F39-CN11	End cap for F39J-B only, both emitter and receiver, black case	15.00	701426	4549734131759			FA	Z	JPN	8541.4090.00	
F39-HB0305	Safety Light Curtain Accessory, F39J-E/-B, spatter protection cover, height 305mm	59.30	372956	4548583057081			FA	Z	JPN	8541.4090.00	
F39-HB0945	Safety Light Curtain Accessory, F39J-E/-B, spatter protection cover, height 945mm	84.90	372964	4548583057166			FA	Z	JPN	8541.4090.00	
F39-HJ0445	Safety Light Curtain accessory, F39J-A, spatter protection cover, height 445 mm	36.00	700834	4547648180603			FA	Z	JPN	8541.4090.00	
F39-HJ1505	Safety Light Curtain Accessory, F39J-A, spatter protection cover, height 1505mm	59.80	236216	4547648207614			FA	Z	JPN	8541.9000.00	
F39-LJ1	Safety Sensor Accessory, F39J-A Series, standard top/bottom bracket (4pcs.)	47.95	250325	4547648149723			FA	Z	JPN	8541.9000.00	
F39-LJ11	Safety Sensor Accessory, F39J-A Series, Top/bottom bracket C: mounting hole pitch 13 mm (4pcs.)	21.00	701981	4547648231589			FA	Z	JPN	8541.9000.00	
F39-LB3	Safety Sensor Accessory, F39J-A Series, free-location mounting bracket (2pcs.)	53.30	189910	4547648149747			FA	Z	JPN	8541.9000.00	
F39-LB1	Safety Light Curtain Accessory, F39J-E/-B Series, top/bottom bracket (4 pcs.)	38.57	355956	4548583033092		#	FA	Z	CHN	8541.9000.00	
F39-LB2	Safety Light Curtain Accessory, F39J-E/-B Series, intermediate-side mounting bracket (2 pcs.)	65.35	355957	4548583033108		#	FA	Z	CHN	8541.9000.00	
F39-LB3-M6	Safety Light Curtain Accessory, F39J-E/-B Series, quick mount bracket, M6 slide nut (2 pcs.)	69.85	355958	4548583033115		20	FA	Z	CHN	8541.9000.00	
F39-LB3-M6K	Safety Light Curtain Accessory, F39J-E/-B Series, quick mount M6 bracket to mount an intermediate bracket	4.59	355960	4548583033139			FA	Z	CHN	8541.9000.00	
F39-LB3-M8	Safety Light Curtain Accessory, F39J-E/-B Series, quick mount bracket, M8 slide nut (2pcs.)	70.20	355959	4548583033122			FA	Z	CHN	8541.9000.00	
F39-LB3-M8K	Safety Light Curtain Accessory, F39J-E/-B Series, quick mount M8 bracket to mount an intermediate bracket	4.73	355961	4548583033146			FA	Z	CHN	8541.9000.00	
F39-LB4	Safety Light Curtain Accessory, F39J-E/-B Series, compatible mounting bracket to replace existing F39J-A/F39N (4pcs.)	59.30	355962	4548583033153			FA	Z	CHN	8541.9000.00	
F39-LB5	Safety Light Curtain Accessory, F39J-E/-B Series, contact mount bracket (4 pcs.)	43.80	355963	4548583033202			FA	Z	CHN	8541.9000.00	
F39-PTJ	Safety Light Curtain Accessory, F39J Series, Laser-alignment kit	920.00	355126	4547648811453			FA	Z	JPN	8541.4090.00	
F39-TGR-CL-LLK	Laser-alignment kit including bracket for F39-TGR-CL SLC	645.50	377560	4547648962902			FA	Z	ITA	8541.4090.00	
F39-TGR-ECCO-1-1200	Aluminum stand, 45x45mm, 120x120mm base plate, 1200mm length	139.00	357111	4547648926317			FA	Z	ITA	8541.4090.00	
F39-TGR-ECCO-1-1600	Aluminum stand, 45x45mm, 120x120mm base plate, 1600mm length	228.70	357112	4547648926324			FA	Z	ITA	8541.4090.00	
F39-TGR-N-PLUGS	Rubber cover plugs for Safety Torx screws set, M4	5.07	687755	4549734969604			FA	Z	GBR	4016.9997.90	
F39-TGR-ST-ADJ	Mounting bracket (1 pc) for TGR light curtain, adjustable +/- 8°	22.60	249239	4547648857277			FA	Z	ITA	8541.4090.00	
F39-TGR-ST-SB	Mounting bracket (1 pc) for TGR light curtain	11.95	249246	4547648857345			FA	Z	ITA	8541.4090.00	
F39-TRD14	Safety light curtain accessory, test rod, 14 mm	45.45	397116	4548583561038		#	FA	Z	JPN	8541.9000.00	
F39-TRD30	Safety light curtain accessory, test rod, 30 mm	43.49	397119	4548583561069			FA	Z	JPN	8541.9000.00	
F39-JMR-10M	Receiver MS cable, 10m length	37.73	247737	4547648856461			FA	Z	MYS	8544.4999.00	
F39-JMT-10M	Transmitter MS cable, 10m length	29.17	247741	4547648856508			FA	Z	MYS	8544.4999.00	
D4NS-SK00	Slide key with protective cover, for D4NS 1-conduit type, includes D4DS-K2	476.80	227639	4547648183109		#	FA	Z	JPN	8536.5015.90	
D4SL-CN1	Guard lock safety-door switch accessory, D4SL-N, connector cable 1m	29.76	357559	4547648782418			FA	Z	CHN	8536.5007.00	
D4SL-CN10	Guard lock safety-door switch accessory, D4SL-N, connector cable 10 m	80.00	393318	4548583560284		#	FA	Z	CHN	8536.5007.00	
D4SL-CN3	Guard lock safety-door switch accessory, D4SL-N, connector cable 3m	39.66	357560	4547648782425			FA	Z	CHN	8536.5007.00	
D4SL-CN5	Guard lock safety-door switch accessory, D4SL-N, connector cable 5m	63.95	357561	4547648782432			FA	Z	CHN	8536.5007.00	
D4SL-NK1	Guard lock safety-door switch accessory, D4SL-N, operation key: horizontal mounting	6.67	373813	4548583322271		#	FA	Z	JPN	8536.5007.00	
D4SL-NK1G	Guard lock safety-door switch accessory, D4SL-N, operation key: horizontal mounting, cushion rubber	9.11	373815	4548583322318			FA	Z	JPN	8536.5007.00	
D4SL-NK1S	Guard lock safety-door switch accessory, D4SL-N, operation key: horizontal mounting, no cushion rubber (short type)	6.67	372695	4548583322301			FA	Z	JPN	8536.5007.00	
D4SL-NK2	Guard lock safety-door switch accessory, D4SL-N, operation key: vertical mounting	6.89	373814	4548583322288		#	10	FA	Z	JPN	8536.5007.00
D4SL-NK2G	Guard lock safety-door switch accessory, D4SL-N, operation key: vertical mounting, cushion rubber	7.37	373816	4548583322325		#	FA	Z	JPN	8536.5007.00	
D4SL-NK3	Guard lock safety-door switch accessory, D4SL-N, operation key: adjustable mounting (horizontal)	20.76	367249	4548583322295		#	10	FA	Z	JPN	8536.5007.00
D4SL-NK5	Guard lock safety-door switch accessory, D4SL-N, operation key: adjustable (horizontal/vertical)	18.46	412973	4548583560277		#	FA	Z	JPN	8536.5007.00	
D4SL-NSK10-LK	D4SL-N slide/lockout key system, without inner lever	194.60	373979	4548583330122		#	FA	Z	JPN	8536.5007.00	
D4SL-NSK10-LK-14	D4SL-N slide key with mounting plate, 3 door switch special mounting screws, D4SL-NK1 + 2 special mounting screws, 2 lockout keys 14, 1 lockout key strap	225.60	690374	4548583413399			FA	Z	JPN	8536.5007.00	
D4SL-NSK10-LK-15	D4SL-N slide key with mounting plate, 3 door switch special mounting screws, D4SL-NK1 + 2 special mounting screws, 2 lockout keys 15, 1 lockout key strap	225.60	690372	4548583413405			FA	Z	JPN	8536.5007.00	
D4SL-NSK10-LK-16	D4SL-N slide key with mounting plate, 3 door switch special mounting screws, D4SL-NK1 + 2 special mounting screws, 2 lockout keys 16, 1 lockout key strap	225.60	690373	4548583413412			FA	Z	JPN	8536.5007.00	
D4SL-NSK10-LK-H	D4SL-N slide/lockout key system, with inner lever	235.20	373978	4548583330153			FA	Z	JPN	8536.5007.00	
D4SL-SK10H	Inner lever for slide key D4SL-NSK10-LK	51.70	374846	4548583075061			FA	Z	JPN	8536.5007.00	
F39-TGR-KAM	Key for safety key switch with metal head	5.71	419025	4547648999700			FA	Z	GBR	8536.5005.00	
F39-TGR-KF	Key for safety key switch, flat version	5.71	419027	4547648999724			FA	Z	GBR	8536.5005.00	
F39-TGR-K4FH	Key for safety key switch, flexible with hygienic stainless steel body	40.65	419029	4547648999748			FA	Z	GBR	8536.5005.00	
F39-TGR-M20	Accessory, M20 gland for safety key switches with metal body, stainless steel	25.00	419043	4547648999885			FA	Z	GBR	8536.5005.00	
F39-TGR-NT	T-Connector for F39-TGR-N C and F39-TGR-N M(U)	70.65	667288	4548583954809			FA	Z	ITA	8544.4999.00	
44506-7412 ERI032-042MEL-01	Safety rope pull E-stop switch, up to 200m, 4NC + 2NO, M20 wiring entry (4x), 24 VDC indicator beacon, both-sided	353.80	658983	4548583950412			FA	Z	GBR	8536.5080.90	
82611-0010 CM-EIP-1	G9SP EIP communications option	291.90	364929	4548583062429			FA	Z	USA	8538.9099.99	
<b>G9SE</b>											
G9SE-201-DC24	Safety relay unit, 24 VDC, 2 safety outputs 5 A max, aux. output	87.75	679415	4549734169332		#	FB	E	CHN	8536.4900.99	
G9SE-221-T05-DC24	Safety relay unit, 24 VDC, 4 safety outputs 5 A max (2+2 with 5 s off delay), aux. output	110.80	679416	4549734169356		#	FB	E	CHN	8536.4900.99	
G9SE-221-T30-DC24	Safety relay unit, 24 VDC, 4 safety outputs 5 A max (2+2 with 30 s off delay), aux. output	110.80	679413	4549734169363		#	FB	E	CHN	8536.4900.99	
G9SE-401-DC24	Safety relay unit, 24 VDC, 4 safety outputs 5 A max, aux. output	92.20	679414	4549734169349		#	FB	E	CHN	8536.4900.99	
<b>G9SR</b>											
G9SR-AD201-FC	Safety relay unit, 24VDC, 2 safety 5A, aux. output	149.30	395792	4547648989039			FB	R	NLD	8536.4900.99	
G9SR-BC201-FC	Safety relay unit, 24VDC, 2 safety 2A max, aux. output	93.50	395791	4547648989022			FB	R	NLD	8536.4900.99	
G9SR-EX031-T90-FC	Safety relay unit, 24VDC, output extension, 90s, 3 safety 5A, aux. output	144.30	395793	4547648989046			FB	R	NLD	8536.4900.99	

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Daheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
<b>F3SG Safety Light Curtain.</b>										
F3SG-2RA1440-14	Safety Sensor, F3SG-R Advanced, Type 2, 14 mm resolution, range 0.3 to 10.0 m, height 1440 mm, PNP/NPN	1,842.00	674078	4549734102452			FC	S	NLD	8536.5019.90
F3SG-2RE0160P14	Safety Sensor, F3SG-R Easy, Type 2, 14 mm resolution, range 0.3 to 10.0 m, height 160 mm, PNP	421.20	673577	4549734103685			FC	S	NLD	8536.5019.90
F3SG-2RE0240P14	Safety Sensor, F3SG-R Easy, Type 2, 14 mm resolution, range 0.3 to 10.0 m, height 240 mm, PNP	454.20	673551	4549734103701			FC	S	NLD	8536.5019.90
F3SG-2RE0320P14	Safety Sensor, F3SG-R Easy, Type 2, 14 mm resolution, range 0.3 to 10.0 m, height 320 mm, PNP	654.00	673572	4549734103718			FC	S	NLD	8536.5019.90
F3SG-2RE1040P14	Safety Sensor, F3SG-R Easy, Type 2, 14 mm resolution, range 0.3 to 10.0 m, height 1040 mm, PNP	1,334.00	673516	4549734103800			FC	S	NLD	8536.5019.90
F3SG-2RE1920P14	Safety Sensor, F3SG-R Easy, Type 2, 14 mm resolution, range 0.3 to 10.0 m, height 1920 mm, PNP	2,276.00	673488	4549734103916			FC	S	NLD	8536.5019.90
F3SG-2RE2000P14	Safety Sensor, F3SG-R Easy, Type 2, 14 mm resolution, range 0.3 to 10.0 m, height 2000 mm, PNP	2,383.00	673540	4549734103923			FC	S	NLD	8536.5019.90
F3SG-2RE2080P14	Safety Sensor, F3SG-R Easy, Type 2, 14 mm resolution, range 0.3 to 10.0 m, height 2080 mm, PNP	2,489.00	673595	4549734103930			FC	S	NLD	8536.5019.90
F3SG-2SFB0160-14	Safety Light Curtain, F3SG-SRB Standard, Type 2, 14 mm resolution, range 0.3 to 10.0 m, height 160 mm, PNP/NPN	522.50	699754	4549734517157			FC	S	CHN	8536.5019.90
F3SG-2SFB0240-14	Safety Light Curtain, F3SG-SRB Standard, Type 2, 14 mm resolution, range 0.3 to 10.0 m, height 240 mm, PNP/NPN	594.00	699756	4549734517164			FC	S	CHN	8536.5019.90
F3SG-2SFB0320-14	Safety Light Curtain, F3SG-SRB Standard, Type 2, 14 mm resolution, range 0.3 to 10.0 m, height 320 mm, PNP/NPN	665.00	699759	4549734517171			FC	S	CHN	8536.5019.90
F3SG-2SFB0400-14	Safety Light Curtain, F3SG-SRB Standard, Type 2, 14 mm resolution, range 0.3 to 10.0 m, height 400 mm, PNP/NPN	700.00	699761	4549734517188			FC	S	CHN	8536.5019.90
F3SG-2SFB0480-14	Safety Light Curtain, F3SG-SRB Standard, Type 2, 14 mm resolution, range 0.3 to 10.0 m, height 480 mm, PNP/NPN	771.00	689743	4549734454407			FC	S	JPN	8536.5019.90
F3SG-2SFB0480-14	Safety Light Curtain, F3SG-SRB Standard, Type 2, 14 mm resolution, range 0.3 to 10.0 m, height 480 mm, PNP/NPN	771.00	699765	4549734517195			FC	S	CHN	8536.5019.90
F3SG-2SFB0560-14	Safety Light Curtain, F3SG-SRB Standard, Type 2, 14 mm resolution, range 0.3 to 10.0 m, height 560 mm, PNP/NPN	842.50	699767	4549734517201			FC	S	CHN	8536.5019.90
F3SG-2SFB0640-14	Safety Light Curtain, F3SG-SRB Standard, Type 2, 14 mm resolution, range 0.3 to 10.0 m, height 640 mm, PNP/NPN	879.00	699771	4549734517218			FC	S	CHN	8536.5019.90
F3SG-2SFB0800-14	Safety Light Curtain, F3SG-SRB Standard, Type 2, 14 mm resolution, range 0.3 to 10.0 m, height 800 mm, PNP/NPN	1,022.00	699775	4549734517225			FC	S	CHN	8536.5019.90
F3SG-2SFB1000-14	Safety Light Curtain, F3SG-SRB Standard, Type 2, 14 mm resolution, range 0.3 to 10.0 m, height 1000 mm, PNP/NPN	1,179.00	699780	4549734517232			FC	S	CHN	8536.5019.90
F3SG-2SFB1200-14	Safety Light Curtain, F3SG-SRB Standard, Type 2, 14 mm resolution, range 0.3 to 10.0 m, height 1200 mm, PNP/NPN	1,318.00	699783	4549734517249			FC	S	CHN	8536.5019.90
F3SG-2SFB1400-14	Safety Light Curtain, F3SG-SRB Standard, Type 2, 14 mm resolution, range 0.3 to 10.0 m, height 1400 mm, PNP/NPN	1,468.00	699788	4549734517256			FC	S	CHN	8536.5019.90
F3SG-2SFB1600-14	Safety Light Curtain, F3SG-SRB Standard, Type 2, 14 mm resolution, range 0.3 to 10.0 m, height 1600 mm, PNP/NPN	1,626.00	699792	4549734517263			FC	S	CHN	8536.5019.90
F3SG-2SFB1800-14	Safety Light Curtain, F3SG-SRB Standard, Type 2, 14 mm resolution, range 0.3 to 10.0 m, height 1800 mm, PNP/NPN	1,807.00	699796	4549734517270			FC	S	CHN	8536.5019.90
F3SG-2SFB2000-14	Safety Light Curtain, F3SG-SRB Standard, Type 2, 14 mm resolution, range 0.3 to 10.0 m, height 2000 mm, PNP/NPN	1,946.00	699799	4549734517287			FC	S	CHN	8536.5019.90
F3SG-2RA0510-30	Safety Sensor, F3SG-R Advanced, Type 2, 30 mm resolution, range 0.3 to 20.0 m, height 510 mm, PNP/NPN	757.00	674108	4549734102889			FC	S	NLD	8536.5019.90
F3SG-2RE0190P30	Safety Sensor, F3SG-R Easy, Type 2, 30 mm resolution, range 0.3 to 20.0 m, height 190 mm, PNP	384.60	673584	4549734103947			FC	S	NLD	8536.5019.90
F3SG-2RE0270P30	Safety Sensor, F3SG-R Easy, Type 2, 30 mm resolution, range 0.3 to 20.0 m, height 270 mm, PNP	470.00	673579	4549734103954			FC	S	NLD	8536.5019.90
F3SG-2RE0510P30	Safety Sensor, F3SG-R Easy, Type 2, 30 mm resolution, range 0.3 to 20.0 m, height 510 mm, PNP	628.00	673556	4549734103985			FC	S	NLD	8536.5019.90
F3SG-2RE0590P30	Safety Sensor, F3SG-R Easy, Type 2, 30 mm resolution, range 0.3 to 20.0 m, height 590 mm, PNP	707.00	673500	4549734103992			FC	S	NLD	8536.5019.90
F3SG-2RE0910P30	Safety Sensor, F3SG-R Easy, Type 2, 30 mm resolution, range 0.3 to 20.0 m, height 910 mm, PNP	935.50	673490	4549734104036			FC	S	NLD	8536.5019.90
F3SG-2RE0990P30	Safety Sensor, F3SG-R Easy, Type 2, 30 mm resolution, range 0.3 to 20.0 m, height 990 mm, PNP	943.00	673591	4549734104043			FC	S	NLD	8536.5019.90
F3SG-2RE1070P30	Safety Sensor, F3SG-R Easy, Type 2, 30 mm resolution, range 0.3 to 20.0 m, height 1070 mm, PNP	1,019.00	673489	4549734104050			FC	S	NLD	8536.5019.90
F3SG-2SFB0160-25	Safety Light Curtain, F3SG-SRB Standard, Type 2, 25 mm resolution, range 0.3 to 20.0 m, height 160 mm, PNP/NPN	490.90	689753	4549734454506			FC	S	JPN	8536.5019.90
F3SG-2SFB0160-25	Safety Light Curtain, F3SG-SRB Standard, Type 2, 25 mm resolution, range 0.3 to 20.0 m, height 160 mm, PNP/NPN	490.90	699755	4549734517294			FC	S	CHN	8536.5019.90
F3SG-2SFB0240-25	Safety Light Curtain, F3SG-SRB Standard, Type 2, 25 mm resolution, range 0.3 to 20.0 m, height 240 mm, PNP/NPN	547.50	689754	4549734454513			FC	S	JPN	8536.5019.90
F3SG-2SFB0240-25	Safety Light Curtain, F3SG-SRB Standard, Type 2, 25 mm resolution, range 0.3 to 20.0 m, height 240 mm, PNP/NPN	547.50	699757	4549734517300			FC	S	CHN	8536.5019.90
F3SG-2SFB0320-25	Safety Light Curtain, F3SG-SRB Standard, Type 2, 25 mm resolution, range 0.3 to 20.0 m, height 320 mm, PNP/NPN	603.00	699760	4549734517317			FC	S	CHN	8536.5019.90
F3SG-2SFB0400-25	Safety Light Curtain, F3SG-SRB Standard, Type 2, 25 mm resolution, range 0.3 to 20.0 m, height 400 mm, PNP/NPN	621.50	689756	4549734454537			FC	S	JPN	8536.5019.90
F3SG-2SFB0400-25	Safety Light Curtain, F3SG-SRB Standard, Type 2, 25 mm resolution, range 0.3 to 20.0 m, height 400 mm, PNP/NPN	621.50	699762	4549734517324			FC	S	CHN	8536.5019.90
F3SG-2SFB0480-25	Safety Light Curtain, F3SG-SRB Standard, Type 2, 25 mm resolution, range 0.3 to 20.0 m, height 480 mm, PNP/NPN	678.00	699766	4549734517331			FC	S	CHN	8536.5019.90
F3SG-2SFB0560-25	Safety Light Curtain, F3SG-SRB Standard, Type 2, 25 mm resolution, range 0.3 to 20.0 m, height 560 mm, PNP/NPN	734.50	699768	4549734517348			FC	S	CHN	8536.5019.90
F3SG-2SFB0640-25	Safety Light Curtain, F3SG-SRB Standard, Type 2, 25 mm resolution, range 0.3 to 20.0 m, height 640 mm, PNP/NPN	751.50	699772	4549734517355			FC	S	CHN	8536.5019.90
F3SG-2SFB0720-25	Safety Light Curtain, F3SG-SRB Standard, Type 2, 25 mm resolution, range 0.3 to 20.0 m, height 720 mm, PNP/NPN	808.00	699773	4549734517362			FC	S	CHN	8536.5019.90
F3SG-2SFB0800-25	Safety Light Curtain, F3SG-SRB Standard, Type 2, 25 mm resolution, range 0.3 to 20.0 m, height 800 mm, PNP/NPN	865.00	699776	4549734517379			FC	S	CHN	8536.5019.90
F3SG-2SFB0880-25	Safety Light Curtain, F3SG-SRB Standard, Type 2, 25 mm resolution, range 0.3 to 20.0 m, height 880 mm, PNP/NPN	882.00	699777	4549734517386			FC	S	CHN	8536.5019.90
F3SG-2SFB0960-25	Safety Light Curtain, F3SG-SRB Standard, Type 2, 25 mm resolution, range 0.3 to 20.0 m, height 960 mm, PNP/NPN	950.50	699779	4549734517393			FC	S	CHN	8536.5019.90
F3SG-2SFB1040-25	Safety Light Curtain, F3SG-SRB Standard, Type 2, 25 mm resolution, range 0.3 to 20.0 m, height 1040 mm, PNP/NPN	1,006.00	699781	4549734517409			FC	S	CHN	8536.5019.90
<b>F3SG-2SFB1040-25-K</b>	<b>Safety Light Curtain, F3SG-SRB IP69K version, Type 2, 25 mm resolution, range 0.3 to 16.0 m, height 1040 mm, PNP/NPN</b>	<b>2,481.00</b>	<b>702463</b>	<b>4549734514040</b>			<b>FC</b>	<b>S</b>	<b>JPN</b>	<b>8536.5019.90</b>
F3SG-2SFB1120-25	Safety Light Curtain, F3SG-SRB Standard, Type 2, 25 mm resolution, range 0.3 to 20.0 m, height 1120 mm, PNP/NPN	1,025.00	699782	4549734517416			FC	S	CHN	8536.5019.90
F3SG-2SFB1200-25	Safety Light Curtain, F3SG-SRB Standard, Type 2, 25 mm resolution, range 0.3 to 20.0 m, height 1200 mm, PNP/NPN	1,082.00	699784	4549734517423			FC	S	CHN	8536.5019.90
F3SG-2SFB1280-25	Safety Light Curtain, F3SG-SRB Standard, Type 2, 25 mm resolution, range 0.3 to 20.0 m, height 1280 mm, PNP/NPN	1,141.00	699786	4549734517430			FC	S	CHN	8536.5019.90
F3SG-2SFB1360-25	Safety Light Curtain, F3SG-SRB Standard, Type 2, 25 mm resolution, range 0.3 to 20.0 m, height 1360 mm, PNP/NPN	1,159.00	699787	4549734517447			FC	S	CHN	8536.5019.90
F3SG-2SFB1440-25	Safety Light Curtain, F3SG-SRB Standard, Type 2, 25 mm resolution, range 0.3 to 20.0 m, height 1440 mm, PNP/NPN	1,215.00	699789	4549734517454			FC	S	CHN	8536.5019.90
F3SG-2SFB1520-25	Safety Light Curtain, F3SG-SRB Standard, Type 2, 25 mm resolution, range 0.3 to 20.0 m, height 1520 mm, PNP/NPN	1,291.00	699790	4549734517461			FC	S	CHN	8536.5019.90
F3SG-2SFB1600-25	Safety Light Curtain, F3SG-SRB Standard, Type 2, 25 mm resolution, range 0.3 to 20.0 m, height 1600 mm, PNP/NPN	1,308.00	689771	4549734454681			FC	S	JPN	8536.5019.90
F3SG-2SFB1600-25	Safety Light Curtain, F3SG-SRB Standard, Type 2, 25 mm resolution, range 0.3 to 20.0 m, height 1600 mm, PNP/NPN	1,308.00	699793	4549734517478			FC	S	CHN	8536.5019.90
F3SG-2SFB1680-25	Safety Light Curtain, F3SG-SRB Standard, Type 2, 25 mm resolution, range 0.3 to 20.0 m, height 1680 mm, PNP/NPN	1,366.00	699794	4549734517485			FC	S	CHN	8536.5019.90
F3SG-2SFB1760-25	Safety Light Curtain, F3SG-SRB Standard, Type 2, 25 mm resolution, range 0.3 to 20.0 m, height 1760 mm, PNP/NPN	1,421.00	699795	4549734517492			FC	S	CHN	8536.5019.90
F3SG-2SFB1840-25	Safety Light Curtain, F3SG-SRB Standard, Type 2, 25 mm resolution, range 0.3 to 20.0 m, height 1840 mm, PNP/NPN	1,439.00	699797	4549734517508			FC	S	CHN	8536.5019.90
F3SG-2SFB1920-25	Safety Light Curtain, F3SG-SRB Standard, Type 2, 25 mm resolution, range 0.3 to 20.0 m, height 1920 mm, PNP/NPN	1,496.00	699798	4549734517515			FC	S	CHN	8536.5019.90
F3SG-2SFB2080-25	Safety Light Curtain, F3SG-SRB Standard, Type 2, 25 mm resolution, range 0.3 to 20.0 m, height 2080 mm, PNP/NPN	1,570.00	699800	4549734517522			FC	S	CHN	8536.5019.90
F3SG-2SFB2280-25	Safety Light Curtain, F3SG-SRB Standard, Type 2, 25 mm resolution, range 0.3 to 20.0 m, height 2280 mm, PNP/NPN	1,751.00	699801	4549734517539			FC	S	CHN	8536.5019.90
F3SG-2SFB2480-25	Safety Light Curtain, F3SG-SRB Standard, Type 2, 25 mm resolution, range 0.3 to 20.0 m, height 2480 mm, PNP/NPN	1,849.00	699802	4549734517546			FC	S	CHN	8536.5019.90
F3SG-2SFB0240-45	Safety Light Curtain, F3SG-SRB Standard, Type 2, 45 mm resolution, range 0.3 to 20.0 m, height 240 mm, PNP/NPN	526.50	699758	4549734517553			FC	S	CHN	8536.5019.90
F3SG-2SFB0280-85	Safety Light Curtain, F3SG-SRB Standard, Type 2, 85 mm resolution, range 0.3 to 20.0 m, height 280 mm, PNP/NPN	545.50	699725	4549734517621			FC	S	CHN	8536.5019.90
F3SG-2SFB0400-45	Safety Light Curtain, F3SG-SRB Standard, Type 2, 45 mm resolution, range 0.3 to 20.0 m, height 400 mm, PNP/NPN	587.00	699763	4549734517560			FC	S	CHN	8536.5019.90
F3SG-2SFB0440-85	Safety Light Curtain, F3SG-SRB Standard, Type 2, 85 mm resolution, range 0.3 to 20.0 m, height 440 mm, PNP/NPN	600.00	699764	4549734517638			FC	S	CHN	8536.5019.90
F3SG-2SFB0560-45	Safety Light Curtain, F3SG-SRB Standard, Type 2, 45 mm resolution, range 0.3 to 20.0 m, height 560 mm, PNP/NPN	685.00	699769	4549734517577			FC	S	CHN	8536.5019.90
F3SG-2SFB0600-85	Safety Light Curtain, F3SG-SRB Standard, Type 2, 85 mm resolution, range 0.3 to 20.0 m, height 600 mm, PNP/NPN	691.00	699660	4549734454958			FC	S	JPN	8536.5019.90
F3SG-2SFB0600-85	Safety Light Curtain, F3SG-SRB Standard, Type 2, 85 mm resolution, range 0.3 to 20.0 m, height 600 mm, PNP/NPN	691.00	699770	4549734517645			FC	S	CHN	8536.5019.90
F3SG-2SFB0720-45	Safety Light Curtain, F3SG-SRB Standard, Type 2, 45 mm resolution, range 0.3 to 20.0 m, height 720 mm, PNP/NPN	745.50	699774	4549734517584			FC	S	CHN	8536.5019.90
F3SG-2SFB0760-85	Safety Light Curtain, F3SG-SRB Standard, Type 2, 85 mm resolution, range 0.3 to 20.0 m, height 760 mm, PNP/NPN	745.50	699727	4549734517652			FC	S	CHN	8536.5019.90
F3SG-2SFB0880-85	Safety Light Curtain, F3SG-SRB Standard, Type 2, 45 mm resolution, range 0.3 to 20.0 m, height 880 mm, PNP/NPN	807.00	6							

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Daheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
F3SG-2SRB1200-45	Safety Light Curtain, F3SG-SRB Standard, Type 2, 45 mm resolution, range 0.3 to 20.0 m, height 1200 mm, PNP/NPN	979.00	699785	4549734517607			FC	S	CHN	8536.5019.90
F3SG-2SRB1520-45	Safety Light Curtain, F3SG-SRB Standard, Type 2, 45 mm resolution, range 0.3 to 20.0 m, height 1520 mm, PNP/NPN	1,161.00	699791	4549734517614			FC	S	CHN	8536.5019.90
F3SG-4RA0160-14	Safety Sensor, F3SG-R Advanced, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 160 mm, PNP/NPN	746.50	673587	4549734102049			FC	S	NLD	8536.5019.90
F3SG-4RA0240-14	Safety Sensor, F3SG-R Advanced, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 240 mm, PNP/NPN	825.00	673576	4549734102056			FC	S	NLD	8536.5019.90
F3SG-4RA0320-14	Safety Sensor, F3SG-R Advanced, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 320 mm, PNP/NPN	902.00	673491	4549734102063	#		FC	S	NLD	8536.5019.90
F3SG-4RA0400-14	Safety Sensor, F3SG-R Advanced, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 400 mm, PNP/NPN	979.50	673497	4549734102070			FC	S	NLD	8536.5019.90
F3SG-4RA0480-14	Safety Sensor, F3SG-R Advanced, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 480 mm, PNP/NPN	1,057.00	673567	4549734102087	#		FC	S	NLD	8536.5019.90
F3SG-4RA0560-14	Safety Sensor, F3SG-R Advanced, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 560 mm, PNP/NPN	1,136.00	673542	4549734102094			FC	S	NLD	8536.5019.90
F3SG-4RA0640-14	Safety Sensor, F3SG-R Advanced, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 640 mm, PNP/NPN	1,212.00	673510	4549734102101	#		FC	S	NLD	8536.5019.90
F3SG-4RA0720-14	Safety Sensor, F3SG-R Advanced, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 720 mm, PNP/NPN	1,289.00	673518	4549734102117	#		FC	S	NLD	8536.5019.90
F3SG-4RA0800-14	Safety Sensor, F3SG-R Advanced, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 800 mm, PNP/NPN	1,367.00	673529	4549734102124	#		FC	S	NLD	8536.5019.90
F3SG-4RA0880-14	Safety Sensor, F3SG-R Advanced, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 880 mm, PNP/NPN	1,447.00	673573	4549734102131	#		FC	S	NLD	8536.5019.90
F3SG-4RA0960-14	Safety Sensor, F3SG-R Advanced, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 960 mm, PNP/NPN	1,522.00	673568	4549734102148	#		FC	S	NLD	8536.5019.90
F3SG-4RA1040-14	Safety Sensor, F3SG-R Advanced, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 1040 mm, PNP/NPN	1,599.00	673550	4549734102155	#		FC	S	NLD	8536.5019.90
F3SG-4RA1120-14	Safety Sensor, F3SG-R Advanced, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 1120 mm, PNP/NPN	1,678.00	673524	4549734102162	#		FC	S	NLD	8536.5019.90
F3SG-4RA1200-14	Safety Sensor, F3SG-R Advanced, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 1200 mm, PNP/NPN	1,755.00	673580	4549734102179	#		FC	S	NLD	8536.5019.90
F3SG-4RA1280-14	Safety Sensor, F3SG-R Advanced, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 1280 mm, PNP/NPN	1,833.00	673570	4549734102186	#		FC	S	NLD	8536.5019.90
F3SG-4RA1360-14	Safety Sensor, F3SG-R Advanced, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 1360 mm, PNP/NPN	1,909.00	673548	4549734102193	#		FC	S	NLD	8536.5019.90
F3SG-4RA1520-14	Safety Sensor, F3SG-R Advanced, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 1520 mm, PNP/NPN	2,080.00	673537	4549734102216	#		FC	S	NLD	8536.5019.90
F3SG-4RA1600-14	Safety Sensor, F3SG-R Advanced, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 1600 mm, PNP/NPN	2,143.00	673535	4549734102223	#		FC	S	NLD	8536.5019.90
F3SG-4RA1840-14	Safety Sensor, F3SG-R Advanced, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 1840 mm, PNP/NPN	2,444.00	673551	4549734102254	#		FC	S	NLD	8536.5019.90
F3SG-4RE0160P14	Safety Sensor, F3SG-R Easy, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 160 mm, PNP	615.50	673303	4549734103145	#		FC	S	NLD	8536.5019.90
F3SG-4RE0240P14	Safety Sensor, F3SG-R Easy, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 240 mm, PNP	686.50	673276	4549734103152	#		FC	S	NLD	8536.5019.90
F3SG-4RE0320P14	Safety Sensor, F3SG-R Easy, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 320 mm, PNP	757.00	673294	4549734103169	#		FC	S	NLD	8536.5019.90
F3SG-4RE0400P14	Safety Sensor, F3SG-R Easy, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 400 mm, PNP	828.00	673272	4549734103176	#		FC	S	NLD	8536.5019.90
F3SG-4RE0480P14	Safety Sensor, F3SG-R Easy, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 480 mm, PNP	899.00	673258	4549734103183	#		FC	S	NLD	8536.5019.90
F3SG-4RE0560P14	Safety Sensor, F3SG-R Easy, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 560 mm, PNP	969.50	673298	4549734103190	#		FC	S	NLD	8536.5019.90
F3SG-4RE0640P14	Safety Sensor, F3SG-R Easy, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 640 mm, PNP	1,041.00	673270	4549734103206	#		FC	S	NLD	8536.5019.90
F3SG-4RE0720P14	Safety Sensor, F3SG-R Easy, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 720 mm, PNP	1,113.00	673292	4549734103213	#		FC	S	NLD	8536.5019.90
F3SG-4RE0800P14	Safety Sensor, F3SG-R Easy, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 800 mm, PNP	1,183.00	673290	4549734103220	#		FC	S	NLD	8536.5019.90
F3SG-4RE0880P14	Safety Sensor, F3SG-R Easy, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 880 mm, PNP	1,254.00	673300	4549734103237	#		FC	S	NLD	8536.5019.90
F3SG-4RE0960P14	Safety Sensor, F3SG-R Easy, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 960 mm, PNP	1,326.00	673283	4549734103244	#		FC	S	NLD	8536.5019.90
F3SG-4RE1040P14	Safety Sensor, F3SG-R Easy, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 1040 mm, PNP	1,395.00	673304	4549734103251	#		FC	S	NLD	8536.5019.90
F3SG-4RE1120P14	Safety Sensor, F3SG-R Easy, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 1120 mm, PNP	1,468.00	673301	4549734103268	#		FC	S	NLD	8536.5019.90
F3SG-4RE1200P14	Safety Sensor, F3SG-R Easy, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 1200 mm, PNP	1,539.00	673262	4549734103275	#		FC	S	NLD	8536.5019.90
F3SG-4RE1280P14	Safety Sensor, F3SG-R Easy, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 1280 mm, PNP	1,610.00	673282	4549734103282	#		FC	S	NLD	8536.5019.90
F3SG-4RE1360P14	Safety Sensor, F3SG-R Easy, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 1360 mm, PNP	1,701.00	673277	4549734103289	#		FC	S	NLD	8536.5019.90
F3SG-4RE1520P14	Safety Sensor, F3SG-R Easy, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 1520 mm, PNP	1,836.00	673281	4549734103312	#		FC	S	NLD	8536.5019.90
F3SG-4RE1840P14	Safety Sensor, F3SG-R Easy, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 1840 mm, PNP	2,500.00	673251	4549734103350	#		FC	S	NLD	8536.5019.90
F3SG-4RE1920P14	Safety Sensor, F3SG-R Easy, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 1920 mm, PNP	2,277.00	673265	4549734103367	#		FC	S	NLD	8536.5019.90
F3SG-4RE2000P14	Safety Sensor, F3SG-R Easy, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 2000 mm, PNP	2,383.00	673267	4549734103374	#		FC	S	NLD	8536.5019.90
F3SG-4RE2080P14	Safety Sensor, F3SG-R Easy, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 2080 mm, PNP	2,489.00	673268	4549734103381	#		FC	S	NLD	8536.5019.90
F3SG-4SRA0160-14	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 160 mm, PNP/NPN	537.00	699729	4549734515511	#		FC	S	CHN	8536.5019.90
F3SG-4SRA0200-14-F	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 200 mm, PNP/NPN	460.00	699881	4549734515528	#		FC	S	CHN	8536.5019.90
F3SG-4SRA0240-14	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 240 mm, PNP/NPN	615.00	699731	4549734515535	#		FC	S	CHN	8536.5019.90
F3SG-4SRA0280-14-F	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 280 mm, PNP/NPN	644.00	699882	4549734515542	#		FC	S	CHN	8536.5019.90
F3SG-4SRA0320-14	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 320 mm, PNP/NPN	700.00	699734	4549734515559	#		FC	S	CHN	8536.5019.90
F3SG-4SRA0360-14-F	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 360 mm, PNP/NPN	828.00	699883	4549734515566	#		FC	S	CHN	8536.5019.90
F3SG-4SRA0400-14	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 400 mm, PNP/NPN	919.50	693028	4549734452786	#		FC	S	JPN	8536.5019.90
F3SG-4SRA0400-14-F	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 400 mm, PNP/NPN	919.50	699736	4549734515573	#		FC	S	CHN	8536.5019.90
F3SG-4SRA0440-14-F	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 440 mm, PNP/NPN	853.00	699884	4549734515580	#		FC	S	CHN	8536.5019.90
F3SG-4SRA0480-14	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 480 mm, PNP/NPN	899.00	699739	4549734515587	#		FC	S	CHN	8536.5019.90
F3SG-4SRA0520-14-F	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 520 mm, PNP/NPN	942.00	699885	4549734515594	#		FC	S	CHN	8536.5019.90
F3SG-4SRA0560-14	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 560 mm, PNP/NPN	1,555.00	699741	4549734515601	#		FC	S	CHN	8536.5019.90
F3SG-4SRA0600-14-F	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 600 mm, PNP/NPN	1,031.00	699742	4549734515627	#		FC	S	CHN	8536.5019.90
F3SG-4SRA0640-14	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 640 mm, PNP/NPN	1,071.00	699740	4549734452847	#		FC	S	JPN	8536.5019.90
F3SG-4SRA0640-14-F	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 640 mm, PNP/NPN	1,071.00	699743	4549734515634	#		FC	S	CHN	8536.5019.90
F3SG-4SRA0680-14-F	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 680 mm, PNP/NPN	1,113.00	699886	4549734515641	#		FC	S	CHN	8536.5019.90
F3SG-4SRA0720-14-F	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 720 mm, PNP/NPN	1,155.00	699887	4549734515658	#		FC	S	CHN	8536.5019.90
F3SG-4SRA0760-14-F	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 760 mm, PNP/NPN	1,196.00	699888	4549734515665	#		FC	S	CHN	8536.5019.90
F3SG-4SRA0800-14	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 800 mm, PNP/NPN	1,238.00	699744	4549734515672	#		FC	S	CHN	8536.5019.90
F3SG-4SRA0840-14-F	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 840 mm, PNP/NPN	1,298.00	699889	4549734515689	#		FC	S	CHN	8536.5019.90
F3SG-4SRA0880-14-F	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 880 mm, PNP/NPN	1,357.00	699890	4549734515696	#		FC	S	CHN	8536.5019.90
F3SG-4SRA0920-14-F	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 920 mm, PNP/NPN	1,480.00	699745	4549734515702	#		FC	S	CHN	8536.5019.90
F3SG-4SRA1000-14	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 1000 mm, PNP/NPN	1,536.00	699747	4549734515726	#		FC	S	CHN	8536.5019.90
F3SG-4SRA1200-14	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 1200 mm, PNP/NPN	1,710.00	699748	4549734515733	#		FC	S	CHN	8536.5019.90
F3SG-4SRA1400-14	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 1400 mm, PNP/NPN	1,899.00	699457	4549734452953	#		FC	S	JPN	8536.5019.90
F3SG-4SRA1400-14-F	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 1400 mm, PNP/NPN	1,880.00	699749	4549734515740	#		FC	S	CHN	8536.5019.90
F3SG-4SRA1600-14	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 1600 mm, PNP/NPN	2,081.00	699750	4549734515757	#		FC	S	CHN	8536.5019.90
F3SG-4SRA1800-14	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 1800 mm, PNP/NPN	2,293.00	699751	4549734515764	#		FC	S	CHN	8536.5019.90
F3SG-4SRA2000-14	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 2000 mm, PNP/NPN	2,515.00	699752	4549734515771	#		FC	S	CHN	8536.5019.90
F3SG-4SRB0160-14	Safety Light Curtain, F3SG-SRB Standard, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 160 mm, PNP/NPN	525.50	699803	4549734516286	#		FC	S	CH	

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Daheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
F3SG-4FRB0320-14-K	Safety Light Curtain, F3SG-SRB IP69K version, Type 4, 14 mm resolution, range 0.3 to 8.0 m, height 320 mm, PNP/NPN	1.831.000	700911	4549734513531			FC	S	JPN	8536.5019.90
F3SG-4FRB0360-14-F	Safety Light Curtain, F3SG-SRB Standard, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 360 mm, PNP/NPN	712.50	699815	4549734516440			FC	S	CHN	8536.5019.90
F3SG-4FRB0400-14	Safety Light Curtain, F3SG-SRB Standard, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 400 mm, PNP/NPN	747.50	699817	4549734516457			FC	S	CHN	8536.5019.90
F3SG-4FRB0440-14-F	Safety Light Curtain, F3SG-SRB Standard, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 440 mm, PNP/NPN	788.00	699820	4549734516464			FC	S	CHN	8536.5019.90
F3SG-4FRB0480-14	Safety Light Curtain, F3SG-SRB Standard, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 480 mm, PNP/NPN	828.50	699871	4549734536864			FC	S	JPN	8536.5019.90
F3SG-4FRB0480-14-F	Safety Light Curtain, F3SG-SRB Standard, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 480 mm, PNP/NPN	828.50	699823	4549734516471			FC	S	CHN	8536.5019.90
F3SG-4FRB0480-14-K	Safety Light Curtain, F3SG-SRB IP69K version, Type 4, 14 mm resolution, range 0.3 to 8.0 m, height 480 mm, PNP/NPN	1.999.000	695983	4549734513555			FC	S	JPN	8536.5019.90
F3SG-4FRB0520-14-F	Safety Light Curtain, F3SG-SRB Standard, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 520 mm, PNP/NPN	864.00	699825	4549734516488			FC	S	CHN	8536.5019.90
F3SG-4FRB0560-14	Safety Light Curtain, F3SG-SRB Standard, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 560 mm, PNP/NPN	899.00	699827	4549734516495			FC	S	CHN	8536.5019.90
F3SG-4FRB0560-14-K	Safety Light Curtain, F3SG-SRB IP69K version, Type 4, 14 mm resolution, range 0.3 to 8.0 m, height 560 mm, PNP/NPN	2.058.000	700703	4549734513562			FC	S	JPN	8536.5019.90
F3SG-4FRB0600-14-F	Safety Light Curtain, F3SG-SRB Standard, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 600 mm, PNP/NPN	939.50	699898	4549734516501			FC	S	CHN	8536.5019.90
F3SG-4FRB0640-14	Safety Light Curtain, F3SG-SRB Standard, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 640 mm, PNP/NPN	980.00	699832	4549734516518			FC	S	CHN	8536.5019.90
F3SG-4FRB0640-14-K	Safety Light Curtain, F3SG-SRB IP69K version, Type 4, 14 mm resolution, range 0.3 to 8.0 m, height 640 mm, PNP/NPN	2.105.000	700704	4549734513579			FC	S	JPN	8536.5019.90
F3SG-4FRB0680-14-F	Safety Light Curtain, F3SG-SRB Standard, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 680 mm, PNP/NPN	1.016.000	699834	4549734516525			FC	S	CHN	8536.5019.90
F3SG-4FRB0720-14-F	Safety Light Curtain, F3SG-SRB Standard, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 720 mm, PNP/NPN	1.051.000	699836	4549734516532			FC	S	CHN	8536.5019.90
F3SG-4FRB0760-14-F	Safety Light Curtain, F3SG-SRB Standard, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 760 mm, PNP/NPN	1.091.000	699839	4549734516549			FC	S	CHN	8536.5019.90
F3SG-4FRB0800-14	Safety Light Curtain, F3SG-SRB Standard, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 800 mm, PNP/NPN	1.132.000	699842	4549734516556			FC	S	CHN	8536.5019.90
F3SG-4FRB0840-14-F	Safety Light Curtain, F3SG-SRB Standard, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 840 mm, PNP/NPN	1.167.000	699844	4549734516563			FC	S	CHN	8536.5019.90
F3SG-4FRB0880-14-F	Safety Light Curtain, F3SG-SRB Standard, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 880 mm, PNP/NPN	1.202.000	699846	4549734516570			FC	S	CHN	8536.5019.90
F3SG-4FRB0920-14-F	Safety Light Curtain, F3SG-SRB Standard, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 920 mm, PNP/NPN	1.243.000	699849	4549734516587			FC	S	CHN	8536.5019.90
F3SG-4FRB0960-14-F	Safety Light Curtain, F3SG-SRB Standard, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 960 mm, PNP/NPN	1.283.000	699852	4549734516594			FC	S	CHN	8536.5019.90
F3SG-4FRB1000-14	Safety Light Curtain, F3SG-SRB Standard, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 1000 mm, PNP/NPN	1.394.000	699854	4549734516600			FC	S	CHN	8536.5019.90
F3SG-4FRB1000-14-K	Safety Light Curtain, F3SG-SRB IP69K version, Type 4, 14 mm resolution, range 0.3 to 8.0 m, height 1000 mm, PNP/NPN	2.536.000	699291	4549734513593			FC	S	JPN	8536.5019.90
F3SG-4FRB1200-14	Safety Light Curtain, F3SG-SRB Standard, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 1200 mm, PNP/NPN	1.505.000	699858	4549734516617			FC	S	CHN	8536.5019.90
F3SG-4FRB1200-14-K	Safety Light Curtain, F3SG-SRB IP69K version, Type 4, 14 mm resolution, range 0.3 to 8.0 m, height 1200 mm, PNP/NPN	2.726.000	699292	4549734513609			FC	S	JPN	8536.5019.90
F3SG-4FRB1400-14	Safety Light Curtain, F3SG-SRB Standard, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 1400 mm, PNP/NPN	1.692.000	699863	4549734516624			FC	S	CHN	8536.5019.90
F3SG-4FRB1400-14-K	Safety Light Curtain, F3SG-SRB IP69K version, Type 4, 14 mm resolution, range 0.3 to 8.0 m, height 1400 mm, PNP/NPN	2.898.000	696213	4549734513616			FC	S	JPN	8536.5019.90
F3SG-4FRB1600-14	Safety Light Curtain, F3SG-SRB Standard, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 1600 mm, PNP/NPN	1.879.000	699867	4549734516631			FC	S	CHN	8536.5019.90
F3SG-4FRB1800-14	Safety Light Curtain, F3SG-SRB Standard, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 1800 mm, PNP/NPN	2.071.000	699871	4549734516648			FC	S	CHN	8536.5019.90
F3SG-4FRB1800-14-K	Safety Light Curtain, F3SG-SRB IP69K version, Type 4, 14 mm resolution, range 0.3 to 8.0 m, height 1800 mm, PNP/NPN	3.245.000	700977	4549734513630			FC	S	JPN	8536.5019.90
F3SG-4FRB2000-14	Safety Light Curtain, F3SG-SRB Standard, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 2000 mm, PNP/NPN	2.263.000	699874	4549734516655			FC	S	CHN	8536.5019.90
F3SG-4RA0185-25-01TS	Safety Sensor, F3SG-R Advanced, Type 4, 25 mm resolution, range 0.3 to 17 m, height 185 mm, PNP/NPN	585.00	679519	4548583864801			FC	S	JPN	8536.5019.90
F3SG-4RA0190-30	Safety Sensor, F3SG-R Advanced, Type 4, 30 mm resolution, range 0.3 to 20.0 m, height 190 mm, PNP/NPN	641.00	673582	4549734102544			FC	S	NLD	8536.5019.90
F3SG-4RA0265-25-01TS	Safety Sensor, F3SG-R Advanced, Type 4, 25 mm resolution, range 0.3 to 17 m, height 265 mm, PNP/NPN	599.00	679528	4548583864818			FC	S	JPN	8536.5019.90
F3SG-4RA0270-30	Safety Sensor, F3SG-R Advanced, Type 4, 30 mm resolution, range 0.3 to 20.0 m, height 270 mm, PNP/NPN	699.50	673533	4549734102551	#		FC	S	NLD	8536.5019.90
F3SG-4RA0345-25-01TS	Safety Sensor, F3SG-R Advanced, Type 4, 25 mm resolution, range 0.3 to 17 m, height 345 mm, PNP/NPN	663.50	679513	4548583864825			FC	S	JPN	8536.5019.90
F3SG-4RA0350-30	Safety Sensor, F3SG-R Advanced, Type 4, 30 mm resolution, range 0.3 to 20.0 m, height 350 mm, PNP/NPN	757.00	673554	4549734102568			FC	S	NLD	8536.5019.90
F3SG-4RA0425-25-01TS	Safety Sensor, F3SG-R Advanced, Type 4, 25 mm resolution, range 0.3 to 17 m, height 425 mm, PNP/NPN	727.00	679514	4548583864832			FC	S	JPN	8536.5019.90
F3SG-4RA0430-30	Safety Sensor, F3SG-R Advanced, Type 4, 30 mm resolution, range 0.3 to 20.0 m, height 430 mm, PNP/NPN	815.50	673560	4549734102575	#		FC	S	NLD	8536.5019.90
F3SG-4RA0505-25-01TS	Safety Sensor, F3SG-R Advanced, Type 4, 25 mm resolution, range 0.3 to 17 m, height 505 mm, PNP/NPN	746.00	679529	4548583864849			FC	S	JPN	8536.5019.90
F3SG-4RA0510-30	Safety Sensor, F3SG-R Advanced, Type 4, 30 mm resolution, range 0.3 to 20.0 m, height 510 mm, PNP/NPN	872.00	673569	4549734102582			FC	S	NLD	8536.5019.90
F3SG-4RA0585-25-01TS	Safety Sensor, F3SG-R Advanced, Type 4, 25 mm resolution, range 0.3 to 17 m, height 585 mm, PNP/NPN	925.50	679520	4548583864856			FC	S	JPN	8536.5019.90
F3SG-4RA0590-30	Safety Sensor, F3SG-R Advanced, Type 4, 30 mm resolution, range 0.3 to 20.0 m, height 590 mm, PNP/NPN	930.50	673519	4549734102599	#		FC	S	NLD	8536.5019.90
F3SG-4RA0665-25-01TS	Safety Sensor, F3SG-R Advanced, Type 4, 25 mm resolution, range 0.3 to 17 m, height 665 mm, PNP/NPN	867.00	679518	4548583864863			FC	S	JPN	8536.5019.90
F3SG-4RA0670-30	Safety Sensor, F3SG-R Advanced, Type 4, 30 mm resolution, range 0.3 to 20.0 m, height 670 mm, PNP/NPN	988.00	673578	4549734102605			FC	S	NLD	8536.5019.90
F3SG-4RA0750-30	Safety Sensor, F3SG-R Advanced, Type 4, 30 mm resolution, range 0.3 to 20.0 m, height 750 mm, PNP/NPN	1.047.000	673511	4549734102612	#		FC	S	NLD	8536.5019.90
F3SG-4RA0825-25-01TS	Safety Sensor, F3SG-R Advanced, Type 4, 25 mm resolution, range 0.3 to 17 m, height 825 mm, PNP/NPN	948.50	679527	4548583864887			FC	S	JPN	8536.5019.90
F3SG-4RA0830-30	Safety Sensor, F3SG-R Advanced, Type 4, 30 mm resolution, range 0.3 to 20.0 m, height 830 mm, PNP/NPN	1.105.000	673504	4549734102629			FC	S	NLD	8536.5019.90
F3SG-4RA0905-25-01TS	Safety Sensor, F3SG-R Advanced, Type 4, 25 mm resolution, range 0.3 to 17 m, height 905 mm, PNP/NPN	1.002.000	679522	4548583864894			FC	S	JPN	8536.5019.90
F3SG-4RA0910-30	Safety Sensor, F3SG-R Advanced, Type 4, 30 mm resolution, range 0.3 to 20.0 m, height 910 mm, PNP/NPN	1.162.000	673554	4549734102636	#		FC	S	NLD	8536.5019.90
F3SG-4RA0985-25-01TS	Safety Sensor, F3SG-R Advanced, Type 4, 25 mm resolution, range 0.3 to 17 m, height 985 mm, PNP/NPN	884.50	679515	4548583864900			FC	S	JPN	8536.5019.90
F3SG-4RA0990-30	Safety Sensor, F3SG-R Advanced, Type 4, 30 mm resolution, range 0.3 to 20.0 m, height 990 mm, PNP/NPN	1.221.000	673505	4549734102643			FC	S	NLD	8536.5019.90
F3SG-4RA1065-25-01TS	Safety Sensor, F3SG-R Advanced, Type 4, 25 mm resolution, range 0.3 to 17 m, height 1065 mm, PNP/NPN	941.50	679526	4548583864917			FC	S	JPN	8536.5019.90
F3SG-4RA1070-30	Safety Sensor, F3SG-R Advanced, Type 4, 30 mm resolution, range 0.3 to 20.0 m, height 1070 mm, PNP/NPN	1.277.000	673553	4549734102650	#		FC	S	NLD	8536.5019.90
F3SG-4RA1145-25-01TS	Safety Sensor, F3SG-R Advanced, Type 4, 25 mm resolution, range 0.3 to 17 m, height 1145 mm, PNP/NPN	1.171.000	679525	4548583864924			FC	S	JPN	8536.5019.90
F3SG-4RA1150-30	Safety Sensor, F3SG-R Advanced, Type 4, 30 mm resolution, range 0.3 to 20.0 m, height 1150 mm, PNP/NPN	1.336.000	673527	4549734102667			FC	S	NLD	8536.5019.90
F3SG-4RA1225-25-01TS	Safety Sensor, F3SG-R Advanced, Type 4, 25 mm resolution, range 0.3 to 17 m, height 1225 mm, PNP/NPN	1.195.000	679524	4548583864931			FC	S	JPN	8536.5019.90
F3SG-4RA1230-30	Safety Sensor, F3SG-R Advanced, Type 4, 30 mm resolution, range 0.3 to 20.0 m, height 1230 mm, PNP/NPN	1.393.000	673594	4549734102674	#		FC	S	NLD	8536.5019.90
F3SG-4RA1305-25-01TS	Safety Sensor, F3SG-R Advanced, Type 4, 25 mm resolution, range 0.3 to 17 m, height 1305 mm, PNP/NPN	1.265.000	679516	4548583864948			FC	S	JPN	8536.5019.90
F3SG-4RA1310-30	Safety Sensor, F3SG-R Advanced, Type 4, 30 mm resolution, range 0.3 to 20.0 m, height 1310 mm, PNP/NPN	1.453.000	673502	4549734102681			FC	S	NLD	8536.5019.90
F3SG-4RA1390-30	Safety Sensor, F3SG-R Advanced, Type 4, 30 mm resolution, range 0.3 to 20.0 m, height 1390 mm, PNP/NPN	1.510.000	673593	4549734102698			FC	S	NLD	8536.5019.90
F3SG-4RA1465-25-01TS	Safety Sensor, F3SG-R Advanced, Type 4, 25 mm resolution, range 0.3 to 17 m, height 1465 mm, PNP/NPN	1.344.000	679521	4548583864955			FC	S	JPN	8536.5019.90
F3SG-4RA1470-30	Safety Sensor, F3SG-R Advanced, Type 4, 30 mm resolution, range 0.3 to 20.0 m, height 1470 mm, PNP/NPN	1.567.000	673513	4549734102704	#		FC	S	NLD	8536.5019.90
F3SG-4RA1545-25-01TS	Safety Sensor, F3SG-R Advanced, Type 4, 25 mm resolution, range 0.3 to 17 m, height 1545 mm, PNP/NPN	1.409.000	679523	4549734104258			FC	S	JPN	8536.5019.90
F3SG-4RA1550-30	Safety Sensor, F3SG-R Advanced, Type 4, 30 mm resolution, range 0.3 to 20.0 m, height 1550 mm, PNP/NPN	1.626.000	673549	4549734102711			FC	S	NLD	8536.5019.90
F3SG-4RA1625-25-01TS	Safety Sensor, F3SG-R Advanced, Type 4, 25 mm resolution, range 0.3 to 17 m, height 1625 mm, PNP/NPN	1.481.000	679517	4548583864962			FC	S	JPN	8536.5019.90
F3SG-4RA1630-30	Safety Sensor, F3SG-R Advanced, Type 4, 30 mm resolution, range 0.3 to 20.0 m, height 1630 mm, PNP/NPN	1.682.000	673523	4549734102728			FC	S	NLD	8536.5019.90
F3SG-4RA1710-30	Safety Sensor, F3SG-R Advanced, Type 4, 30 mm resolution, range 0.3 to 20.0 m, height 1710 mm, PNP/NPN	1.741.000	673559	4549734102735			FC	S	NLD	8536.5019.90
F3SG-4RA1785-25-01TS	Safety Sensor, F3SG-R Advanced, Type 4, 25 mm resolution, range 0.3 to 17 m, height 1785 mm, PNP/NPN	1.556.000	679512	4548583864979			FC	S	JPN	8536.5019.90
F3SG-4RA1790-30	Safety Sensor, F3SG-R Advanced, Type 4, 30 mm resolution, range 0.3 to 20.0 m, height 1790 mm, PNP/NPN	1.799.000	673546	4549734102742			FC	S	NLD	8536.5019.90
F3SG-4RA1870-30	Safety Sensor, F3SG-R Advanced, Type 4, 30 mm resolution, range 0.3 to 20.0 m, height 1870 mm, PNP/NPN	1.855.000	673543	4549734102759			FC	S	NLD	8536.5019.90
F3SG-4RA1950-30	Safety Sensor, F3SG-R Advanced, Type 4, 30 mm resolution, range 0.3 to 20.0 m, height 1950 mm,									





Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Daheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
F3SG-4SRB0400-25	Safety Light Curtain, F3SG-SRB Standard, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 400 mm, PNP/NPN	586.00	699818	4549734516723			FC	S	CHN	8536.5019.90
F3SG-4SRB0440-25-F	Safety Light Curtain, F3SG-SRB Standard, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 440 mm, PNP/NPN	616.50	699821	4549734516730			FC	S	CHN	8536.5019.90
F3SG-4SRB0480-25	Safety Light Curtain, F3SG-SRB Standard, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 480 mm, PNP/NPN	646.50	699824	4549734516747			FC	S	CHN	8536.5019.90
F3SG-4SRB0480-25-K	Safety Light Curtain, F3SG-SRB Standard, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 520 mm, PNP/NPN	2,104.00	700917	4549734513661			FC	S	JPN	8536.5019.90
F3SG-4SRB0520-25-F	Safety Light Curtain, F3SG-SRB Standard, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 560 mm, PNP/NPN	677.00	699826	4549734516754			FC	S	CHN	8536.5019.90
F3SG-4SRB0560-25	Safety Light Curtain, F3SG-SRB Standard, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 600 mm, PNP/NPN	702.00	699828	4549734516761			FC	S	CHN	8536.5019.90
F3SG-4SRB0560-25-K	Safety Light Curtain, F3SG-SRB IP69K version, Type 4, 25 mm resolution, range 0.3 to 16.0 m, height 560 mm, PNP/NPN	2,200.00	699491	4549734513678			FC	S	JPN	8536.5019.90
F3SG-4SRB0600-25-F	Safety Light Curtain, F3SG-SRB Standard, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 600 mm, PNP/NPN	727.50	699830	4549734516778			FC	S	CHN	8536.5019.90
F3SG-4SRB0640-25	Safety Light Curtain, F3SG-SRB Standard, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 640 mm, PNP/NPN	757.50	699833	4549734516785			FC	S	CHN	8536.5019.90
F3SG-4SRB0640-25-K	Safety Light Curtain, F3SG-SRB IP69K version, Type 4, 25 mm resolution, range 0.3 to 16.0 m, height 640 mm, PNP/NPN	2,234.00	696356	4549734513685			FC	S	JPN	8536.5019.90
F3SG-4SRB0680-25-F	Safety Light Curtain, F3SG-SRB Standard, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 680 mm, PNP/NPN	788.00	699835	4549734516792			FC	S	CHN	8536.5019.90
F3SG-4SRB0720-25	Safety Light Curtain, F3SG-SRB Standard, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 720 mm, PNP/NPN	813.50	699837	4549734516808			FC	S	CHN	8536.5019.90
F3SG-4SRB0720-25-K	Safety Light Curtain, F3SG-SRB IP69K version, Type 4, 25 mm resolution, range 0.3 to 16.0 m, height 720 mm, PNP/NPN	2,596.00	696346	4549734513692			FC	S	JPN	8536.5019.90
F3SG-4SRB0760-25-F	Safety Light Curtain, F3SG-SRB Standard, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 760 mm, PNP/NPN	838.50	699840	4549734516815			FC	S	CHN	8536.5019.90
F3SG-4SRB0800-25	Safety Light Curtain, F3SG-SRB Standard, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 800 mm, PNP/NPN	869.00	699843	4549734516822			FC	S	CHN	8536.5019.90
F3SG-4SRB0800-25-K	Safety Light Curtain, F3SG-SRB IP69K version, Type 4, 25 mm resolution, range 0.3 to 16.0 m, height 800 mm, PNP/NPN	2,382.00	698652	4549734513708			FC	S	JPN	8536.5019.90
F3SG-4SRB0840-25-F	Safety Light Curtain, F3SG-SRB Standard, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 840 mm, PNP/NPN	899.00	699845	4549734516839			FC	S	CHN	8536.5019.90
F3SG-4SRB0880-25	Safety Light Curtain, F3SG-SRB Standard, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 880 mm, PNP/NPN	929.50	699847	4549734516846			FC	S	CHN	8536.5019.90
F3SG-4SRB0920-25-F	Safety Light Curtain, F3SG-SRB Standard, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 920 mm, PNP/NPN	959.50	699850	4549734516853			FC	S	CHN	8536.5019.90
F3SG-4SRB0960-25	Safety Light Curtain, F3SG-SRB Standard, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 960 mm, PNP/NPN	985.00	699853	4549734516860			FC	S	CHN	8536.5019.90
F3SG-4SRB1000-25-K	Safety Light Curtain, F3SG-SRB IP69K version, Type 4, 25 mm resolution, range 0.3 to 16.0 m, height 960 mm, PNP/NPN	2,575.00	695799	4549734513722			FC	S	JPN	8536.5019.90
F3SG-4SRB1000-25-F	Safety Light Curtain, F3SG-SRB Standard, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 1000 mm, PNP/NPN	1,010.00	699855	4549734516877			FC	S	CHN	8536.5019.90
F3SG-4SRB1000-25-K	Safety Light Curtain, F3SG-SRB IP69K version, Type 4, 25 mm resolution, range 0.3 to 16.0 m, height 1000 mm, PNP/NPN	2,617.00	699189	4549734610353			FC	S	JPN	8536.5019.90
F3SG-4SRB1040-25	Safety Light Curtain, F3SG-SRB Standard, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 1040 mm, PNP/NPN	1,071.00	699856	4549734516894			FC	S	CHN	8536.5019.90
F3SG-4SRB1040-25-K	Safety Light Curtain, F3SG-SRB IP69K version, Type 4, 25 mm resolution, range 0.3 to 16.0 m, height 1040 mm, PNP/NPN	2,633.00	700925	4549734513739			FC	S	JPN	8536.5019.90
F3SG-4SRB1120-25	Safety Light Curtain, F3SG-SRB Standard, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 1120 mm, PNP/NPN	1,132.00	699857	4549734516891			FC	S	CHN	8536.5019.90
F3SG-4SRB1200-25	Safety Light Curtain, F3SG-SRB Standard, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 1200 mm, PNP/NPN	1,182.00	699859	4549734516907			FC	S	CHN	8536.5019.90
F3SG-4SRB1200-25-K	Safety Light Curtain, F3SG-SRB IP69K version, Type 4, 25 mm resolution, range 0.3 to 16.0 m, height 1200 mm, PNP/NPN	2,483.00	700894	4549734513753			FC	S	JPN	8536.5019.90
F3SG-4SRB1280-25	Safety Light Curtain, F3SG-SRB Standard, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 1280 mm, PNP/NPN	1,243.00	699861	4549734516914			FC	S	CHN	8536.5019.90
F3SG-4SRB1360-25	Safety Light Curtain, F3SG-SRB Standard, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 1360 mm, PNP/NPN	1,303.00	699862	4549734516921			FC	S	CHN	8536.5019.90
F3SG-4SRB1360-25-K	Safety Light Curtain, F3SG-SRB IP69K version, Type 4, 25 mm resolution, range 0.3 to 16.0 m, height 1360 mm, PNP/NPN	2,605.00	699293	4549734513777			FC	S	JPN	8536.5019.90
F3SG-4SRB1440-25	Safety Light Curtain, F3SG-SRB Standard, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 1440 mm, PNP/NPN	1,354.00	699864	4549734516938			FC	S	CHN	8536.5019.90
F3SG-4SRB1520-25	Safety Light Curtain, F3SG-SRB Standard, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 1520 mm, PNP/NPN	1,414.00	699865	4549734516945			FC	S	CHN	8536.5019.90
F3SG-4SRB1520-25-K	Safety Light Curtain, F3SG-SRB IP69K version, Type 4, 25 mm resolution, range 0.3 to 16.0 m, height 1520 mm, PNP/NPN	3,051.00	699029	4549734513791			FC	S	JPN	8536.5019.90
F3SG-4SRB1600-25	Safety Light Curtain, F3SG-SRB Standard, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 1600 mm, PNP/NPN	1,475.00	699868	4549734516952			FC	S	CHN	8536.5019.90
F3SG-4SRB1600-25-K	Safety Light Curtain, F3SG-SRB IP69K version, Type 4, 25 mm resolution, range 0.3 to 16.0 m, height 1600 mm, PNP/NPN	3,083.00	699490	4549734513807			FC	S	JPN	8536.5019.90
F3SG-4SRB1680-25	Safety Light Curtain, F3SG-SRB Standard, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 1680 mm, PNP/NPN	1,526.00	699869	4549734516969			FC	S	CHN	8536.5019.90
F3SG-4SRB1760-25	Safety Light Curtain, F3SG-SRB Standard, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 1760 mm, PNP/NPN	1,592.00	699870	4549734516976			FC	S	CHN	8536.5019.90
F3SG-4SRB1840-25	Safety Light Curtain, F3SG-SRB Standard, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 1840 mm, PNP/NPN	1,647.00	699872	4549734516983			FC	S	CHN	8536.5019.90
F3SG-4SRB1840-25-K	Safety Light Curtain, F3SG-SRB IP69K version, Type 4, 25 mm resolution, range 0.3 to 16.0 m, height 1840 mm, PNP/NPN	3,270.00	699489	4549734513838			FC	S	JPN	8536.5019.90
F3SG-4SRB1920-25	Safety Light Curtain, F3SG-SRB Standard, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 1920 mm, PNP/NPN	1,697.00	699873	4549734516990			FC	S	CHN	8536.5019.90
F3SG-4SRB2080-25	Safety Light Curtain, F3SG-SRB Standard, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 2080 mm, PNP/NPN	1,758.00	699875	4549734517003			FC	S	CHN	8536.5019.90
F3SG-4SRB2280-25	Safety Light Curtain, F3SG-SRB Standard, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 2280 mm, PNP/NPN	1,869.00	699728	4549734517010			FC	S	CHN	8536.5019.90
F3SG-4SRB2480-25	Safety Light Curtain, F3SG-SRB Standard, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 2480 mm, PNP/NPN	1,980.00	699753	4549734517027			FC	S	CHN	8536.5019.90
F3SG-4PGA0670-2A	Safety Multi-Light Beam, F3SG-PG Perimeter Guarding, Type 4, 2 beams, range 0.5 to 20.0 m, product length 670 mm, Active/active	749.50	695671	4549734453486			FC	S	JPN	8536.5019.90
F3SG-4PGA0670-2C	Safety Multi-Light Beam, F3SG-PG Perimeter Guarding, Type 4, 2 beams, range 0.5 to 5 m, product length 670 mm, Active/passive	671.00	695715	4549734453523			FC	S	JPN	8536.5019.90
F3SG-4PGA0670-2L	Safety Multi-Light Beam, F3SG-PG Perimeter Guarding, Type 4, 2 beams, range 0.5 to 70 m, product length 670 mm, Active/active	769.00	695718	4549734453561			FC	S	JPN	8536.5019.90
F3SG-4PGA0970-3A	Safety Multi-Light Beam, F3SG-PG Perimeter Guarding, Type 4, 3 beams, range 0.5 to 20.0 m, product length 970 mm, Active/active	931.50	695664	4549734453493			FC	S	JPN	8536.5019.90
F3SG-4PGA0970-3L	Safety Multi-Light Beam, F3SG-PG Perimeter Guarding, Type 4, 3 beams, range 0.5 to 70 m, product length 970 mm, Active/active	956.00	695719	4549734453578			FC	S	JPN	8536.5019.90
F3SG-4PGA1070-4A	Safety Multi-Light Beam, F3SG-PG Perimeter Guarding, Type 4, 4 beams, range 0.5 to 20 m, product length 1070 mm, Active/active	1,196.00	695711	4549734453509			FC	S	JPN	8536.5019.90
F3SG-4PGA1070-4C	Safety Multi-Light Beam, F3SG-PG Perimeter Guarding, Type 4, 4 beams, range 0.5 to 5 m, product length 1070 mm, Active/passive	1,072.00	695716	4549734453547			FC	S	JPN	8536.5019.90
F3SG-4PGA1070-4L	Safety Multi-Light Beam, F3SG-PG Perimeter Guarding, Type 4, 4 beams, range 0.5 to 70 m, product length 1070 mm, Active/active	1,201.00	695720	4549734453585			FC	S	JPN	8536.5019.90
F3SG-4PGA1370-4A	Safety Multi-Light Beam, F3SG-PG Perimeter Guarding, Type 4, 4 beams, range 0.5 to 20 m, product length 1370 mm, Active/active	1,250.00	695710	4549734453516			FC	S	JPN	8536.5019.90
F3SG-4PGA1370-4C	Safety Multi-Light Beam, F3SG-PG Perimeter Guarding, Type 4, 4 beams, range 0.5 to 5 m, product length 1370 mm, Active/passive	1,123.00	695717	4549734453554			FC	S	JPN	8536.5019.90
F3SG-4PGA1370-4L	Safety Multi-Light Beam, F3SG-PG Perimeter Guarding, Type 4, 4 beams, range 0.5 to 70 m, product length 1370 mm, Active/active	1,256.00	695721	4549734453592			FC	S	JPN	8536.5019.90
F3SG-4SRA0280-85	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 85 mm resolution, range 0.3 to 20.0 m, height 280 mm, PNP/NPN	550.00	699903	4549734516228			FC	S	CHN	8536.5019.90
F3SG-4SRA0440-85	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 85 mm resolution, range 0.3 to 20.0 m, height 440 mm, PNP/NPN	625.00	699904	4549734516235			FC	S	CHN	8536.5019.90
F3SG-4SRA0560-45	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 45 mm resolution, range 0.3 to 20.0 m, height 560 mm, PNP/NPN	670.00	699901	4549734516174			FC	S	CHN	8536.5019.90
F3SG-4SRA0600-85	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 85 mm resolution, range 0.3 to 20.0 m, height 600 mm, PNP/NPN	740.00	699905	4549734516242			FC	S	CHN	8536.5019.90
F3SG-4SRA0760-85	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 85 mm resolution, range 0.3 to 20.0 m, height 760 mm, PNP/NPN	812.00	699906	4549734516259			FC	S	CHN	8536.5019.90
F3SG-4SRA0920-85	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 85 mm resolution, range 0.3 to 20.0 m, height 920 mm, PNP/NPN	1,187.00	699699	4549734516266			FC	S	CHN	8536.5019.90
F3SG-4SRA1520-45	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 45 mm resolution, range 0.3 to 20.0 m, height 1520 mm, PNP/NPN	1,591.00	699700	4549734516211			FC	S	CHN	8536.5019.90
F3SG-4SRB0240-45	Safety Light Curtain, F3SG-SRB Standard, Type 4, 45 mm resolution, range 0.3 to 20.0 m, height 240 mm, PNP/NPN	631.50	699809	4549734517034			FC	S	CHN	8536.5019.90
F3SG-4SRB0280-85	Safety Light Curtain, F3SG-SRB Standard, Type 4, 85 mm resolution, range 0.3 to 20.0 m, height 280 mm, PNP/NPN	654.50	699812	4549734517102			FC	S	CHN	8536.5019.90
F3SG-4SRB0400-45	Safety Light Curtain, F3SG-SRB Standard, Type 4, 45 mm resolution, range 0.3 to 20.0 m, height 400 mm, PNP/NPN	704.00	699819	4549734517041			FC	S	CHN	8536.5019.90
F3SG-4SRB0440-85	Safety Light Curtain, F3SG-SRB Standard, Type 4, 85 mm resolution, range 0.3 to 20.0 m, height 440 mm, PNP/NPN	719.50	699822	4549734517119			FC	S	CHN	8536.5019.90
F3SG-4SRB0560-45	Safety Light Curtain, F3SG-SRB Standard, Type 4, 45 mm resolution, range 0.3 to 20.0 m, height 560 mm, PNP/NPN	821.50	699829	4549734517058			FC	S	CHN	8536.5019.90
F3SG-4SRB0600-85	Safety Light Curtain, F3SG-SRB Standard, Type 4, 85 mm resolution, range 0.3 to 20.0 m, height 600 mm, PNP/NPN	828.50	699831	4549734517126			FC	S	CHN	8536.5019.90
F3SG-4SRB0720-45	Safety Light Curtain, F3SG-SRB Standard, Type 4, 45 mm resolution, range 0.3 to 20.0 m, height 720 mm, PNP/NPN	895.00	699838	4549734517065			FC	S	CHN	8536.5019.90
F3SG-4SRB0760-85	Safety Light Curtain, F3SG-SRB Standard, Type 4, 85 mm resolution, range 0.3 to 20.0 m, height 760 mm, PNP/NPN	895.00	699841	4549734517133			FC	S	CHN	8536.5019.90
F3SG-4SRB0880-45	Safety Light Curtain, F3SG-SRB Standard, Type 4, 45 mm resolution, range 0.3 to 20.0 m, height 880 mm, PNP/NPN	968.00	699846	4549734517072			FC	S	CHN	8536.5019.90</

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	SLN. (Daheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
F3W-MA0300P	Safety Sensor Accessory, F3W-MA Smart Muting Actuator, 300mm beam cap	465.70	667381	4548583571167			FC	S	JPN	8541.4090.00
<b>F3SG Accessories</b>										
F39-BT	Safety sensor accessory, F3SG-R Advanced, bluetooth unit	95.00	667386	4548583564350			FC	Z	JPN	8541.4090.00
F39-BTLP	Safety Sensor Accessory, F3SG-R Advanced, bluetooth and lamp unit	85.80	667384	4548583564367	#		FC	Z	JPN	8541.4090.00
F39-FMA150R	Muting sensor arm mounter for retroreflective sensor,length 150 mm (2 mounters per set)	69.70	695791	4549734523134			FC	Z	CHN	8541.4090.00
F39-FMA150T	Muting sensor arm mounter for through-beam sensor,length 150 mm (2 mounters per set)	56.60	695793	4549734523110			FC	Z	CHN	8541.4090.00
F39-FMA400R	Muting sensor arm mounter for retroreflective sensor,length 400 mm (2 mounters per set)	77.80	695790	4549734523141			FC	Z	CHN	8541.4090.00
F39-FMA400T	Muting sensor arm mounter for through-beam sensor,length 400 mm (2 mounters per set)	64.65	695792	4549734523127			FC	Z	CHN	8541.4090.00
F39-GCN4	Safety sensor accessory, F3W-MA Smart Muting Actuator, 4 joint connector set (1 for receiver + 1 for emitter)	135.70	667378	4548583594197			FC	Z	JPN	8541.4090.00
F39-GCN4-D	Safety Sensor Accessory, F3W-MA Smart Muting Actuator, 4 joint connector for receiver	76.15	667380	4548583594210			FC	Z	JPN	8541.4090.00
F39-GCN4-L	Safety Sensor Accessory, F3W-MA Smart Muting Actuator, 4 joint connector for emitter	59.50	667379	4548583594203			FC	Z	JPN	8541.4090.00
F39-GCN5	Muting Sensor Connection Box for F3SG-SR/PG series	183.90	695767	4549734458177			FC	Z	JPN	8541.4090.00
F39-GCNY1	Safety sensor accessory, F3SG-R Easy, M12 Y-joint connector, 0.5 m	24.89	667638	4548583568013			FC	Z	JPN	8541.4090.00
F39-GCNY2	Safety sensor accessory, F3SG-R SR, M12 Y-joint connector, 0.5 m	42.42	667643	4548583568020			FC	Z	JPN	8541.4090.00
F39-GCNY3	Safety sensor accessory, F3SG-R SR, Reset Switch M12 Y-joint connector, 0.5 m	44.51	690523	4549734458184			FC	Z	JPN	8541.4090.00
F39-JG10A-D	Safety sensor accessory, F3SG-R Advanced, receiver cable M12 8-pin, female, 10 m	52.40	667628	4548583567856			FC	Z	JPN	8544.4290.90
F39-JG10A-L	Safety sensor accessory, F3SG-R Advanced, emitter cable M12 5-pin, female, 10 m	38.64	667630	4548583567672			FC	Z	JPN	8544.4290.90
F39-JG10B-L	Safety sensor accessory, F3SG-R Advanced, emitter extension cable M12 5-pin, male/female, 10 m	48.48	667645	4548583567801			FC	Z	JPN	8544.4290.90
F39-JG10C-D	Root-straight cable 10 m for F3SG-SR (cable for emitter with dedicated connector - Black)	41.41	690360	4549734458009			FC	Z	JPN	8544.4290.90
F39-JG10C-L	Root-straight cable 10 m for F3SG-SR (cable for emitter with dedicated connector - Gray)	31.31	690359	4549734457996			FC	Z	JPN	8544.4290.90
F39-JG15A-D	Safety sensor accessory, F3SG-R Advanced, receiver cable M12 8-pin, female, 15 m	70.70	667600	4548583567863			FC	Z	JPN	8544.4290.90
F39-JG15A-L	Safety sensor accessory, F3SG-R Advanced, emitter cable M12 5-pin, female, 15 m	50.80	667626	4548583567689			FC	Z	JPN	8544.4290.90
F39-JG1B-D	Safety sensor accessory, F3SG-R Advanced, receiver extension cable M12 8-pin, male/female, 1 m	28.83	667634	4548583567948	5		FC	Z	JPN	8544.4290.90
F39-JG1B-L	Safety sensor accessory, F3SG-R Advanced, emitter extension cable M12 5-pin, male/female, 1 m	21.61	667631	4548583567764	5		FC	Z	JPN	8544.4290.90
F39-JG20A-D	Safety sensor accessory, F3SG-R Advanced, receiver cable M12 8-pin, female, 20 m	88.40	667633	4548583567870			FC	Z	JPN	8544.4290.90
F39-JG20A-L	Safety sensor accessory, F3SG-R Advanced, emitter cable M12 5-pin, female, 20 m	63.80	667644	4548583567696			FC	Z	JPN	8544.4290.90
F39-JG3A-D	Safety sensor accessory, F3SG-R Advanced, receiver cable M12 8-pin, female, 3 m	26.19	667599	4548583567832	5		FC	Z	JPN	8544.4290.90
F39-JG3A-L	Safety sensor accessory, F3SG-R Advanced, emitter cable M12 5-pin, female, 3 m	19.63	667598	4548583567658	5		FC	Z	JPN	8544.4290.90
F39-JG3B-L	Safety sensor accessory, F3SG-R Advanced, emitter extension cable M12 5-pin, male/female, 3 m	27.00	667639	4548583567771	5		FC	Z	JPN	8544.4290.90
F39-JG3C	Single-ended cable set 3 m for F3SG-SR (2 cables per set with dedicated connector, one for emitter Gray and one for receiver Black)	52.15	688668	4549734457958			FC	Z	JPN	8544.4290.90
F39-JG3C-D	Root-straight cable 3 m for F3SG-SR (cable for receive with dedicated connector - Black)	23.23	690027	4549734457941			FC	Z	JPN	8544.4290.90
F39-JG3C-L	Root-straight cable 3 m for F3SG-SR (cable for emitter with dedicated connector - Gray)	19.19	690033	4549734457934			FC	Z	JPN	8544.4290.90
F39-JG7A-D	Safety sensor accessory, F3SG-R Advanced, receiver cable M12 8-pin, female, 7 m	40.92	667627	4548583567849			FC	Z	JPN	8544.4290.90
F39-JG7A-L	Safety sensor accessory, F3SG-R Advanced, emitter cable M12 5-pin, female, 7 m	30.14	667625	4548583567665			FC	Z	JPN	8544.4290.90
F39-JG7C-D	Root-straight cable 7 m for F3SG-SR (cable for receive with dedicated connector - Black)	31.31	690358	4549734457972			FC	Z	JPN	8544.4290.90
F39-JG7C-L	Root-straight cable 7 m for F3SG-SR (cable for emitter with dedicated connector - Gray)	25.25	690357	4549734457965	5		FC	Z	JPN	8544.4290.90
F39-JGR12-L	Safe-by-side Cascading Cable set 0.12 m for F3SG-4SR (2 cables per set, for emitter and receiver)	87.20	688922	4549734458061			FC	Z	JPN	8544.4290.90
F39-JGR2W	Safety Sensor Accessory, F3SG-R Advanced, cascading cable set (2pcs.)	43.15	667568	4548583564398			FC	Z	JPN	8544.4290.90
F39-JGR2WTS	Cascading cable for Safety sensor F3SG-4RA - 25-01TS (two cables per set, for emitter and receiver) M12 (8-pin) to cap connector	97.10	679503	4548583985013			FC	Z	JPN	8544.4290.90
F39-JGR3K	Root-Plug cable for extended set 0.3 m for F3SG-4SR (2 cables per set, for emitter and receiver)	42.42	690025	4549734458047			FC	Z	JPN	8544.4290.90
F39-JGR3K-D	Root-Plug cable for extended set 0.3 m for F3SG-4SR (cable for receiver - black)	25.25	690029	4549734458030			FC	Z	JPN	8544.4290.90
F39-JGR3K-L	Root-Plug cable for extended set 0.3 m for F3SG-4SR (cable for emitter - gray)	21.21	690028	4549734458023			FC	Z	JPN	8544.4290.90
F39-JGR3K-MS	Root-Plug cable for extended set 0.3 m for conversion MS (2 cables per set, for emitter and receiver)	74.10	701183	4549734523677			FC	Z	JPN	8544.4290.90
F39-JGR3K-MS-D	Root-Plug cable for extended set 0.3 m for Conversion with MS (cable for receiver - black)	39.50	701184	4549734522960			FC	Z	JPN	8544.4290.90
F39-JGR3K-MS-L	Root-Plug cable for extended set 0.3 m for Conversion with MS (cable for emitter - gray)	34.50	701185	4549734522953			FC	Z	JPN	8544.4290.90
F39-JGR3K-RE	Root-Plug cable for extended set 0.3 m for conversion F3SG-RE (2 cables per set, for emitter and receiver)	59.60	690299	4549734458093			FC	Z	JPN	8544.4290.90
F39-JGR3K-RE-L	Root-Plug cable for extended set 0.3 m for Conversion with F3SG-RAV RE (cable for receiver - black)	32.32	690300	4549734458085			FC	Z	JPN	8544.4290.90
F39-JGR3K-RE-L	Root-Plug cable for extended set 0.3 m for Conversion with F3SG-RAV RE (cable for emitter - gray)	28.28	690301	4549734458078			FC	Z	JPN	8544.4290.90
F39-JGR3K-SJ	Root-Plug cable for extended set 0.3 m for conversion F3SJ SN/ SR (2 cables per set, for emitter and receiver)	59.60	690356	4549734523660			FC	Z	JPN	8544.4290.90
F39-JGR3K-SJ-D	Root-Plug cable for extended set 0.3 m for Conversion with F3SJ SN (cable for receiver - black)	32.32	690355	4549734522946			FC	Z	JPN	8544.4290.90
F39-JGR3K-SJ-L	Root-Plug cable for extended set 0.3 m for Conversion with F3SJ SN (cable for emitter - gray)	28.28	690354	4549734522939			FC	Z	JPN	8544.4290.90
F39-JGR3W	Cascading cable for extended set 0.3 m for F3SG-4SR (2 cables per set, for emitter and receiver)	87.20	688669	4549734458054			FC	Z	JPN	8544.4290.90
F39-LMFA1	Bracket for muting sensor arm mounter (2 units per set)	28.28	695794	4549734523714			FC	Z	CHN	8541.4090.00
F39-PML0990-2	Mirror column 990 mm for multibeam safety sensor F3SG-PG A/L (2 beam/s)	227.30	695785	4549734523264			FC	Z	CHN	8541.9000.00
F39-PML1310-3	Mirror column 1310 mm for multibeam safety sensor F3SG-PG A/L (3 beam/s)	278.80	695784	4549734523271			FC	Z	CHN	8541.9000.00
F39-PML1310-4	Mirror column 1310 mm for multibeam safety sensor F3SG-PG A/L (4 beam/s)	327.30	695783	4549734523288			FC	Z	CHN	8541.9000.00
F39-PML1630-4	Mirror column 1630 mm for multibeam safety sensor F3SG-PG A/L (4 beam/s)	334.40	695782	4549734523295			FC	Z	CHN	8541.9000.00
F39-SML0990	Mirror column 990 mm for Safety Light Curtain F3SG-SR/PG up to 800 mm	409.10	695789	4549734523219			FC	Z	CHN	8541.9000.00
F39-SML1310	Mirror column 1310 mm for Safety Light Curtain F3SG-SR/PG up to 1120 mm	463.00	695788	4549734523226			FC	Z	CHN	8541.9000.00
F39-SML1630	Mirror column 1630 mm for Safety Light Curtain F3SG-SR/PG up to 1440 mm	610.50	695787	4549734523233			FC	Z	CHN	8541.9000.00
F39-SML1950	Mirror column 1950 mm for Safety Light Curtain F3SG-SR/PG up to 1760 mm	638.00	695786	4549734523240			FC	Z	CHN	8541.9000.00
F39-ST0990	Floor mount column of 990 mm for F3SG-SR/PG, Protective Height up to 880 mm	132.40	695770	4549734523165			FC	Z	CHN	8541.9000.00
F39-ST1310	Floor mount column of 1310 mm for F3SG-SR/PG, protective height up to 1280 mm	155.60	695771	4549734523172			FC	Z	CHN	8541.9000.00
F39-ST1630	Floor mount column of 1630 mm for F3SG-SR/PG, protective height up to 1520 mm	202.00	695772	4549734523189			FC	Z	CHN	8541.9000.00
F39-ST1950	Floor mount column of 1950 mm for F3SG-SR/PG, protective height up to 1840 mm	207.10	695773	4549734523196			FC	Z	CHN	8541.9000.00
F39-ST2270	Floor mount column of 2270 mm for F3SG-SR/PG, protective height up to 2080 mm	222.20	695774	4549734523202			FC	Z	CHN	8541.9000.00
F39-STB	Mount-column adjustable base for F3SG-SR/PG	107.10	695769	4549734523158			FC	Z	CHN	8541.9000.00
F39-GIF	Safety sensor accessory, F3SG-R Advanced, interface unit	168.00	667567	4548583564381			FC	Z	JPN	8541.4090.00
F39-HGA0360	Safety Sensor Accessory, F3SG-R Advanced, spatter protection cover, height 360mm	52.45	667339	4548583571204			FC	Z	JPN	8541.4090.00
F39-HGA0520	Safety Sensor Accessory, F3SG-R Advanced, spatter protection cover, height 520mm	60.05	667440	4548583571228			FC	Z	JPN	8541.4090.00
F39-HGA0600	Safety Sensor Accessory, F3SG-R Advanced, spatter protection cover, height 600mm	63.50	667362	4548583571235			FC	Z	JPN	8541.4090.00
F39-HGA0680	Safety Sensor Accessory, F3SG-R Advanced, spatter protection cover, height 680mm	67.15	667413	4548583571242			FC	Z	JPN	8541.4090.00
F39-HGA0760	Safety Sensor Accessory, F3SG-R Advanced, spatter protection cover, height 760mm	70.30	667427	4548583571259			FC	Z	JPN	8541.4090.00

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Daheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
F39-HGA0840	Safety Sensor Accessory, F3SG-R Advanced, spatter protection cover, height 840mm	73.90	667428	4548583571266			FC	Z	JPN	8541.4090.00
F39-HGA0920	Safety Sensor Accessory, F3SG-R Advanced, spatter protection cover, height 920mm	77.30	667340	4548583571273			FC	Z	JPN	8541.4090.00
F39-HGA1160	Safety Sensor Accessory, F3SG-R Advanced, spatter protection cover, height 1160mm	92.70	667364	4548583571303			FC	Z	JPN	8541.4090.00
F39-HGA1320	Safety Sensor Accessory, F3SG-R Advanced, spatter protection cover, height 1320mm	101.50	667414	4548583571327			FC	Z	JPN	8541.4090.00
F39-HGA1640	Safety Sensor Accessory, F3SG-R Advanced, spatter protection cover, height 1640mm	114.80	667442	4548583571365			FC	Z	JPN	8541.4090.00
F39-HGA1800	Safety Sensor Accessory, F3SG-R Advanced, spatter protection cover, height 1800mm	122.00	667521	4548583571389			FC	Z	JPN	8541.4090.00
F39-HGA1960	Safety Sensor Accessory, F3SG-R Advanced, spatter protection cover, height 1960mm	126.40	667342	4548583571402			FC	Z	JPN	8541.4090.00
F39-HGB0500	Safety Sensor Accessory, F3SG-R Easy, spatter protection cover, height 500mm	58.50	667432	4548583588431			FC	Z	JPN	8541.4090.00
F39-HGB0740	Safety Sensor Accessory, F3SG-R Easy, spatter protection cover, height 740mm	69.70	667345	4548583588462			FC	Z	JPN	8541.4090.00
F39-HGB0900	Safety Sensor Accessory, F3SG-R Easy, spatter protection cover, height 900mm	76.75	667387	4548583588486			FC	Z	JPN	8541.4090.00
F39-HSG0240	Spatter Protection Cover, height 240 mm, two pieces per set	31.06	690920	4549734458429			FC	Z	JPN	8541.4090.00
F39-HSG0320	Spatter Protection Cover, height 320 mm, two pieces per set	33.13	690832	4549734458436			FC	Z	JPN	8541.4090.00
F39-HSG0360	Spatter Protection Cover, height 360 mm, two pieces per set	34.17	690922	4549734458641			FC	Z	JPN	8541.4090.00
F39-HSG0560	Spatter Protection Cover, height 560 mm, two pieces per set	41.41	690921	4549734458467			FC	Z	JPN	8541.4090.00
F39-HSG0640	Spatter Protection Cover, height 640 mm, two pieces per set	45.45	693691	4549734458474			FC	Z	JPN	8541.4090.00
F39-HSG0960	Spatter Protection Cover, height 960 mm, two pieces per set	55.00	699922	4549734458511			FC	Z	JPN	8541.4090.00
F39-HSG1200	Spatter Protection Cover, height 1200 mm, two pieces per set	62.00	700455	4549734458542			FC	Z	JPN	8541.4090.00
F39-HSG1280	Spatter Protection Cover, height 1280 mm, two pieces per set	63.20	690833	4549734458559			FC	Z	JPN	8541.4090.00
F39-HSG1600	Spatter Protection Cover, height 1600 mm, two pieces per set	72.50	690834	4549734458597			FC	Z	JPN	8541.4090.00
F39-LGA	Safety Sensor Accessory, F3SG-R Series, adjustable bracket set (2pcs), adjustable +/- 15°	21.83	667566	4548583564121			FC	Z	JPN	8541.4090.00
F39-LGF	Safety sensor accessory, F3SG-R Series, fixed bracket set (2 pcs)	14.03	667565	4548583564114			FC	Z	JPN	8541.4090.00
F39-LGTB	Safety Sensor Accessory, F3SG-R Series, top/bottom adjustable bracket set (4pcs), adjustable +/- 22.5°	73.65	667385	4548583564329	#		FC	Z	JPN	8541.4090.00
F39-LGTB-1	Safety Sensor Accessory, F3SG-R Series, top/bottom adjustable bracket set (4pcs), adjustable +/- 22.5° (without angle bracket)	59.30	667383	4548583564336			FC	Z	JPN	8541.4090.00
F39-LP	Safety Sensor Accessory, F3SG-R Advanced, lamp unit	36.57	667337	4548583564343			FC	Z	JPN	8541.4090.00
F39-LSGA	Adjustable Side-Mount Bracket (2 brackets per set)	27.27	690252	4549734523684			FC	Z	CHN	8544.4290.90
F39-LSGF	Fixed Side-Mount Bracket (2 brackets per set)	25.25	694903	4549734457804	#		FC	Z	JPN	8544.4290.90
F39-LSGTB-K	Mounting bracket for F3SG-SFB IP69K Model (set of 2 brackets)	53.55	695798	4549734457903			FC	Z	JPN	8541.4090.00
F39-LSGTB-MS	Adjustable top/bottom bracket set (2 pcs) for MS4800/F3SR series	68.35	688670	4549734523073			FC	Z	CHN	8541.4090.00
F39-LSGTB-FE	Adjustable top/bottom bracket set (2 pcs) for F3SG-RAV RE series	19.19	690269	4549734523066			FC	Z	CHN	8541.4090.00
F39-LSGTB-SJ	Adjustable top/bottom bracket set (2 pcs) for F3SJ SN series	17.17	690268	4549734523042			FC	Z	CHN	8541.4090.00
F39-PTG	Safety Sensor Accessory, F3SG-R Series, Laser-alignment kit	300.70	668894	4548583757707			FC	Z	JPN	8541.4090.00
F39-PTS	Laser-alignment kit for F3SG-SRPG Series	530.00	701636	4549734712286			FC	Z	JPN	8541.4090.00
F39-SGLP	Safety sensor accessory, F3SG-SR PG, lamp unit	17.17	695768	4549734523103			FC	Z	CHN	8541.4090.00
F39-LITF1	Intelligent Tap Bracket For DIN in Panel	16.57	688923	4549734523745			FC	Z	CHN	8541.4090.00
F39-SGBT	Bluetooth Communication Unit for F39-SGIT-IL3	67.05	688899	4549734523097			FC	Z	CHN	8541.4090.00
F39-SGIT-IL3	Intelligent Tap unit for F3SG-SR PG	191.60	688700	4549734523080			FC	Z	CHN	8541.4090.00
<b>Ultrasonic sensor</b>										
E4C-UDA11	Amplifier for Ultrasonic E4C head, twin output, NPN, 2m cable	320.00	224796	4547648213349			GA	A	JPN	8536.5019.90
E4C-UDA41	Amplifier for Ultrasonic E4C head, transistor output, PNP, 2 m cable	341.40	224808	4547648260114			GA	A	JPN	8536.5019.90
E4E2-TS50C1 2M	Ultrasonic sensor, through-beam, 500 mm, NPN-NO, 2 m cable	547.00	329619	4536854838736			GA	A	JPN	8541.4090.00
E4PA-LS200-M1-N	Ultrasonic sensor, 120-2000mm measuring range, analog output (voltage and current)	1,224.00	185058	4536854951817			GA	A	SGP	8536.5015.90
E4PA-LS400-M1-N	Ultrasonic sensor, 24 to 4000 mm measuring range, analog output (voltage and current)	1,278.00	185059	4536854951824			GA	A	SGP	8536.5015.90
E4PA-LS50-M1-N	Ultrasonic sensor, 50-500mm measuring range, analog output (voltage and current)	1,221.00	185057	4536854951800			GA	A	SGP	8536.5015.90
E4PA-LS600-M1-N	Ultrasonic sensor, 400-6000mm measuring range, analog output (voltage and current)	1,628.00	185060	4536854951831			GA	A	SGP	8536.5015.90
E4C-DS100	Ultrasonic sensor, M18, 110 to 910 mm, diffuse	1,215.00	224794	4547648213325			GA	A	SGP	8536.5019.90
E4C-DS30	Ultrasonic sensor, M18, 50 to 300 mm, diffuse	736.50	224790	4547648213264			GA	A	SGP	8536.5019.90
E4C-DS30L	Ultrasonic sensor, M18, 50 to 300 mm, diffuse, side view	866.50	224791	4547648213271			GA	A	SGP	8536.5019.90
E4C-DS80	Ultrasonic sensor, M18, 85 to 735 mm, diffuse	832.00	224792	4547648213288			GA	A	SGP	8536.5019.90
E4C-DS80L	Ultrasonic sensor, M18, 85 to 735 mm, diffuse, side view	957.00	224793	4547648213301			GA	A	SGP	8536.5019.90
E4C-UDA11AN	Amplifier for Ultrasonic E4C head, analog 1-5VDC & transistor output, NPN, 2m cable	358.50	224795	4547648213356			GA	A	JPN	8536.5019.90
E4C-UDA41AN	Amplifier for Ultrasonic E4C head, analog 1-5VDC & transistor output, PNP, 2m cable	368.80	224809	4547648260121			GA	A	JPN	8536.5019.90
E4PA-P1	Replacement setting plug	52.15	323658	4536854975530			GA	A	HUN	8536.5015.90
<b>Profile measurement system ZG</b>										
ZG2-WDC11A	ZG Profile sensor controller, NPN, 24 VDC, includes Smart Monitor ZG Software.	4,848.00	257543	4547648621663			GA	B	JPN	8541.4090.00
ZG2-WDC41A	ZG Profile sensor controller, PNP, 24 VDC, includes Smart Monitor ZG Software.	4,848.00	257544	4547648621687			GA	B	JPN	8541.4090.00
ZG2-WDS2 2M	ZG sensor head, width measurement 22mm (30µm), height profile 100+/-12mm (3µm)	7,310.00	257545	4547648621717			GA	B	JPN	8541.4090.00
ZG2-WDS3VT 2M	ZG sensor head, width measurement 3mm (5µm), height profile 20+/-0.5mm (0.25µm)	11,790.00	257556	4547648639118			GA	B	JPN	8541.4090.00
ZG2-WDS70 2M	ZG sensor head, width measurement 70mm (110µm), height profile 210+/-30mm (10µm)	11,560.00	257547	4547648621731			GA	B	JPN	8541.4090.00
ZG2-WDS8T 2M	ZG sensor head, width measurement 8mm (13µm), height profile 50+/-3mm (1µm)	8,950.00	257554	4547648638616			GA	B	JPN	8541.4090.00
ZG2-XC15CR	15-m Extension Cable (also requires 2 x Digital Equalisers & Equaliser connection cable)	1,263.00	257550	4547648621779			GA	B	JPN	8541.4090.00
ZG2-XC25CR	25-m Extension Cable (also requires 2 x Digital Equalisers & Equaliser connection cable)	1,665.00	257551	4547648621786			GA	B	JPN	8541.4090.00
ZG2-XC3CR	3-m Extension Cable (also requires 2 x Digital Equalisers & Equaliser connection cable)	733.50	257954	4547648621755			GA	B	JPN	8541.4090.00
ZG2-XC8CR	8 m Extension Cable (also requires 2 x Digital Equalisers & Equaliser connection cable)	943.50	257549	4547648621762			GA	B	JPN	8541.4090.00
ZG2-DSU11	Data Storage Unit for ZG2, NPN output	2,192.00	257552	4547648621793			GA	B	JPN	8541.4090.00
ZG2-DSU41	Data Storage Unit for ZG2, PNP output	2,192.00	257553	4547648621809			GA	B	JPN	8541.4090.00

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Daheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
<b>Laser measurement system ZS</b>										
ZS-LDC11	ZS Controller, Analogue output and NPN digital outputs	1,789.00	180549	4547648084505			GA	C	JPN	8536.5015.90
ZS-LDC41	ZS Controller, Analogue output and PNP digital outputs	1,789.00	180565	4547648111355			GA	C	JPN	8536.5015.90
ZS-MDC11	Multi-controller (Calculation unit), NPN	1,440.00	180550	4547648084512			GA	C	JPN	8536.5015.90
ZS-MDC41	Multi-controller (Calculation unit), PNP	1,435.00	180566	4547648111362			GA	C	JPN	8536.5015.90
ZS-LD130 2M	Sensor head, diffuse, 130 ±15mm sensing range, 3um resolution, 2 m prewired	2,307.00	201079	4547648129350			GA	C	JPN	8541.4090.00
ZS-HLDC11	ZS-H controller, analog output and NPN digital outputs	1,500.00	223616	4547648218610			GA	C	JPN	8541.4090.00
ZS-HLDC41	ZS-H controller, analog output and PNP digital outputs	1,500.00	223618	4547648218634			GA	C	JPN	8541.4090.00
ZS-HLDC41A	ZS-H controller, analog output and PNP digital outputs, software & USB lead	1,904.00	223617	4547648218627			GA	C	JPN	8541.4090.00
ZS-HLDS10 2M	Sensor head, diffuse, 100+/-20mm sensing range, 1um resolution, 2 m cable	5,435.00	214993	4547648218528			GA	C	JPN	8541.4090.00
ZS-HLDS5T 2M	Sensor head, diffuse, 50+/-5mm sensing range, 0.25um resolution	5,110.00	223621	4547648218511			GA	C	JPN	8541.4090.00
ZS-HLDS150 2M	Sensor head, diffuse, 1500+/-500mm sensing range, 500um resolution	7,205.00	223629	4547648224178			GA	C	JPN	8541.4090.00
ZS-HLDS60 2M	Sensor head, diffuse, 600+/-350mm sensing range, 8um resolution	6,240.00	223628	4547648224154			GA	C	JPN	8541.4090.00
ZS-LD10GT 2M	Sensor head, Angular reflective, 10±0.5m sensing range, 0.25um resolution	4,106.00	194116	4547648197502			GA	C	JPN	8541.4090.00
ZS-LD15GT 2M	Sensor head, Angular reflective, 15±0.75m sensing range, 0.25um resolution	3,989.00	194118	4547648197533			GA	C	JPN	8541.4090.00
ZS-LD200 0.5M	Sensor head, diffuse, 200+/-50mm sensing range, 5um resolution, 0.5 m cable	2,407.00	180554	4547648084550			GA	C	JPN	8541.4090.00
ZS-LD200 2M	Sensor head, diffuse, 200+/-50mm sensing range, 5um resolution, 2 m cable	2,276.00	180553	4547648084543			GA	C	JPN	8541.4090.00
ZS-LD20ST 2M	Sensor head, Angular reflective, 20±1mm sensing range, 0.25um resolution	3,702.00	194120	4547648197571			GA	C	JPN	8541.4090.00
ZS-LD20T 2M	Sensor head, angular reflective, 20+/-1m sensing range, 0.25um resolution	3,201.00	181036	4547648134781			GA	C	JPN	8541.4090.00
ZS-LD350S 2M	Sensor head, diffuse, 350+/-135m sensing range, 240um resolution	2,279.00	194124	4547648197632			GA	C	JPN	8541.4090.00
ZS-LD40T 2M	Sensor head, angular reflective, 40+/-2.5m sensing range, 0.4um resolution	2,749.00	181038	4547648134804			GA	C	JPN	8541.4090.00
ZS-LD50 2M	Sensor head, diffuse, 50+/-5m sensing range, 0.8um resolution	2,574.00	180559	4547648103565			GA	C	JPN	8541.4090.00
ZS-LD50S 2M	Sensor head, diffuse, 50+/-5m sensing range, 0.8um resolution, 2 m cable	3,014.00	194122	4547648197595			GA	C	JPN	8541.4090.00
ZS-LD80 2M	Sensor head, diffuse, 80+/-15m sensing range, 2um resolution	2,249.00	180551	4547648084529			GA	C	JPN	8541.4090.00
ZS-SW11E	PC software to ZG measuring sensor	537.00	252341	4547648532075			GA	C	JPN	8541.4090.00
<b>Smart sensor ZX</b>										
ZX-LDA11-N 2M	Smart Sensor amplifier and display, selectable voltage/current output, high/pass/low transistor NPN outputs	1,168.00	169183	4547648027342			GA	D	JPN	9031.9000.00
ZX-LDA41-N 2M	Smart Sensor amplifier and display, selectable voltage/current output, high/pass/low transistor PNP outputs	1,190.00	169184	4547648027359			GA	D	JPN	9031.9000.00
ZX-LD100L	Laser displacement sensor head, 100+/-40m m, line beam (requires amplifier)	1,316.00	106270	4536854772399			GA	D	JPN	9031.9000.00
ZX-LD300L	Laser displacement sensor head, 300+/-200mm, line beam (requires amplifier)	1,316.00	147007	4536854772405			GA	D	JPN	9031.9000.00
ZX-LD30VL	Laser displacement sensor head, 30+/-2mm, line beam, for highly reflective surfaces (requires amplifier)	2,548.00	106276	4536854810107			GA	D	JPN	9031.9000.00
ZX-LD40L	Laser displacement sensor head, 40+/-10mm, line beam (requires amplifier)	1,309.00	106269	4536854772375			GA	D	JPN	9031.9000.00
ZX-LD40L 2M	Laser displacement sensor head, 40+/-10mm, line beam (requires amplifier)	1,401.00	237554	4547648342186			GA	D	JPN	9031.9000.00
ZX-GTC11	controller, NPN output	882.00	238014	4547648424370			GA	D	JPN	8541.4090.00
ZX-GTC41	controller, PNP output	882.00	238015	4547648424387			GA	D	JPN	8541.4090.00
ZX-GT2840S11	Sensor head integrated type, measuring width 28mm, distance 40mm, NPN (for use with ZX-GTC)	2,935.00	238018	4547648424417			GA	D	JPN	8541.4090.00
ZX-GT2840S41	Sensor head integrated type, measuring width 28mm, distance 40mm, PNP (for use with ZX-GTC)	2,935.00	238019	4547648424424			GA	D	JPN	8541.4090.00
ZX-GT28S11	Sensor head separate type, measuring width 28mm, distance 500m m, NPN (for use with ZX-GTC)	2,862.00	238016	4547648424394			GA	D	JPN	8541.4090.00
ZX-GT28S41	Sensor head separate type, measuring width 28mm, distance 500m m, PNP (for use with ZX-GTC)	2,862.00	238017	4547648424400			GA	D	JPN	8541.4090.00
ZX-LD100	Laser displacement sensor head, 100+/-40m m, spot focus (requires amplifier)	1,131.00	154718	4536854772306			GA	D	JPN	9031.9000.00
ZX-LD300	Laser displacement sensor head, 300+/-200mm, spot focus (requires amplifier)	1,142.00	154719	4536854772313			GA	D	JPN	9031.9000.00
ZX-LD30V	Laser displacement sensor head, 30+/-2mm, spot focus, for highly reflective surfaces (requires amplifier)	2,544.00	106275	4536854810091			GA	D	JPN	9031.9000.00
ZX-LD40	Laser displacement sensor head, 40+/-10mm, spot focus (requires amplifier)	1,131.00	150241	4536854772290			GA	D	JPN	9031.9000.00
ZX-LT001	Laser sensor head, through-beam, 1mm beam width (requires amplifier)	1,156.00	145951	4536854810114			GA	D	JPN	9031.4990.00
ZX-LT005	Laser sensor head, through-beam, 5mm beam width (requires amplifier)	1,168.00	106277	4536854810121			GA	D	JPN	9031.4990.00
ZX-LT010	Laser sensor head, through-beam, 10mm beam width (requires amplifier)	1,175.00	106279	4536854823633			GA	D	JPN	9031.4990.00
ZX-LT030 0.5M	Laser sensor head, through-beam, 30mm beam width (requires amplifier)	1,567.00	182448	4547648147934			GA	D	JPN	9031.4990.00
ZX-GIF41	ZX-GT interface unit PNP	770.50	238029	4547648424561			GA	D	JPN	8541.4090.00
ZX-GIF41A	Interface unit with PC setup software Smart Monitor, PNP 12-bit binary output	868.50	238031	4547648424585			GA	D	JPN	8541.4090.00
ZX-GSW11	Setup software PC - Smart Monitor GT	348.30	238033	4547648436731			GA	D	JPN	8541.4090.00
ZX-XC4A 4M	Extension cable (amplifier to head), 4m	266.00	267630	4547648597081			GA	D	CHN	8544.4290.90
ZX-EDA11 2M	Proximity Smart Sensor amplifier and display, selectable voltage/current output, high/pass/low transistor, NPN output model	938.50	106186	4536854864049			GA	D	JPN	8542.3390.00
ZX-EDA41 2M	Proximity Smart Sensor amplifier and display, selectable voltage/current output, high/pass/low transistor, PNP output model	938.50	147926	4536854864063			GA	D	JPN	8542.3390.00
ZX-EM02HT	Inductive proximity sensor head, 12mm dia., Heat resistant, 2mm sensing distance (requires ZX-EDA amplifier)	1,102.00	162403	4547648007979			GA	D	JPN	9031.4990.00
ZX-EM02T	Inductive proximity sensor head, 10mm dia., Shielded type, 2mm sensing distance (requires ZX-EDA amplifier)	639.50	106190	4536854895777			GA	D	JPN	9031.4990.00
ZX-EM07MT	Inductive proximity sensor head, 18mm dia., Shielded type, 7mm sensing distance (requires ZX-EDA amplifier)	1,066.00	106191	4536854895784			GA	D	JPN	9031.4990.00
ZX-ED01T	Inductive proximity sensor head, 5.4mm dia., Shielded type, 1mm sensing distance (requires ZX-EDA amplifier)	670.00	106188	4536854895753			GA	D	JPN	9031.4990.00
ZX-ED02T	Inductive proximity sensor head, 8mm dia., Shielded type, 2mm sensing distance (requires ZX-EDA amplifier)	639.50	106189	4536854895760			GA	D	JPN	9031.4990.00

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	SLN. (Data sheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
ZX-EDF5T ZX-EV04T	Inductive proximity sensor head, 3mm dia., Shielded type, 0.5 mm sensing distance (requires ZX-EDA amplifier) Inductive proximity sensor head, 30 x 14 x 4.8 mm, flat type, 4mm sensing distance (requires ZX-EDA amplifier)	659.00 804.00	143642 162899	4536854895746 4547648007962			GA	D	JPN	9031.4990.00 9031.4990.00
EBNC-TA0 EBNC-TA21 2M EBNC-TA51 2M ZX-TDA11 2M ZX-TDA41 2M	Contact sensor amplifier, Smart tuning, fieldbus communication Contact sensor amplifier, 1 input, 2 outputs, NPN, 2m cable Contact sensor amplifier, 1 input, 2 outputs, PNP, 2m cable Contact smart sensor amplifier and display, selectable voltage/current output, high/pass/low transistor, NPN output model Contact smart sensor amplifier and display, selectable voltage/current output, high/pass/low transistor, PNP output model	244.60 207.40 207.40 1,180.00 1,180.00	393087 393085 393086 168311 175666	4548583519046 4548583414518 4548583414525 4536854940286 4547648095488			GA	D	JPN	8541.4090.00 8541.4090.00 8541.4090.00 8541.4090.00 8541.4090.00
EBNC-TH12SF 2M EBNC-TH5S 2M ZX-TDS01T ZX-TDS04T ZX-TDS04T-L ZX-TDS10T ZX-TDS10T-V	Contact sensor, straight type, M9, flange, 12 mm detection range, 0.1um resolution Contact sensor, straight type, 8mm dia., 5 mm detection range, 0.1um resolution Sensor head, short type Ø 6mm, distance 1mm (for use with ZX-TDA) Sensor head, standard type Ø 6 mm, distance 4 mm (for use with ZX-TDA) Sensor head, low measurement type Ø 6 mm, distance 4 mm (for use with ZX-TDA) Sensor head, standard type Ø 8mm, distance 10mm (for use with ZX-TDA) Sensor head, air lift type Ø 8mm, distance 10mm (for use with ZX-TDA)	1,724.00 1,662.00 1,614.00 1,934.00 1,574.00 1,863.00 2,035.00	393068 393078 168124 168125 168126 197353 197354	4548583414396 4548583414341 4547648006064 4547648006071 4547648006088 4547648206440 4547648206457	#		GA	D	JPN	8541.4090.00 8541.4090.00 8541.4090.00 8541.4090.00 8541.4090.00 8541.4090.00 8541.4090.00
EBNC-TH12LF 2M EBNC-TH5LF 2M ZX-TDS10T-L ZX-TDS10T-VL	Contact sensor, right-angle air type, M9, flange, 12 mm detection range, 0.1 um resolution Contact sensor, right-angle air type, M9, flange, 5 mm detection range, 0.1um resolution Sensor head, ultra-low-load type Ø 8mm, distance 10mm (for use with ZX-TDA) Sensor head, air lift/air push type Ø 8mm, distance 4mm (for use with ZX-TDA)	1,785.00 1,785.00 2,220.00 2,353.00	393082 393080 197355 197356	4548583414419 4548583414372 4547648206464 4547648206471	#		GA	D	JPN	8541.4090.00 8541.4090.00 8541.4090.00 8541.4090.00
EBNC-G12 EBNC-TB3 EBNC-TX05	Accessory contact sensor, EBNC, rubber boot for contact sensor, 12 mm model Accessory contact sensor, EBNC, probe for contact sensor, flat surface Accessory contact sensor, EBNC, connection cable for contact sensor, 5 m	123.10 358.90 97.95	393072 393083 393084	4548583414464 4548583414440 4548583414488			GA	D	JPN	9031.9000.00 9031.9000.00 9031.9000.00
ZX2-LDA11 2M ZX2-LDA41 2M	Laser displacement sensor, CMOS type, amplifier unit, NPN output Laser displacement sensor, CMOS type, amplifier unit, PNP output	558.00 558.00	351515 351516	4548583005860 4548583005877			GA	D	JPN	9031.9000.00 9031.9000.00
ZX2-LD100 0.5M ZX2-LD100L 0.5M ZX2-LD50 0.5M ZX2-LD50L 0.5M ZX2-LD50V 0.5M	Laser displacement sensor, CMOS type, sensor head, spot beam type, 100mm +/-35mm, 5um resolution, 0.5m cable Laser displacement sensor, CMOS type, sensor head, line beam type, 100mm +/-35mm, 5um resolution, 0.5m cable Laser displacement sensor, CMOS type, sensor head, spot beam type, 50mm +/-10mm, 1.5um resolution, 0.5m cable Laser displacement sensor, CMOS type, sensor head, line beam type, 50mm +/-10mm, 1.5um resolution, 0.5m cable Laser displacement sensor head, 48 +/- 5mm, spot focus (requires amplifier), glass-mirror-wafer applications	726.00 692.00 670.00 688.50 1,276.00	351521 351522 351519 351520 351535	4548583005938 4548583005945 4548583005914 4548583005921 4548583074019	#		GA	D	JPN	9031.9000.00 9031.9000.00 9031.9000.00 9031.9000.00 9031.9000.00
ZX2-XC1R ZX2-XC4R ZX2-XC9R	Extension cable (amplifier to head), 1m Extension cable (amplifier to head), 4m Extension cable (amplifier to head), 9m	106.10 167.50 263.30	351517 351518 351523	4548583005891 4548583005907 4548583006952	#		GA	D	CHN	9031.9000.00 9031.9000.00 9031.9000.00
E39-L178 ZX2-CAL ZX2-SF11	Mounting bracket for ZX2-LD50 sensor Calculation unit for ZX2 smart sensor RS232C communication interface	83.05 217.00 576.50	355879 352349 392414	4548583074026 4548583005894 4548583488236			GA	D	JPN	9031.9000.00 9031.9000.00 9031.9000.00
ZX1-LD100A61 2M ZX1-LD100A61 5M ZX1-LD100A66 0.5M ZX1-LD100A81 2M ZX1-LD100A81 5M ZX1-LD100A86 0.5M ZX1-LD300A61 2M ZX1-LD300A61 5M ZX1-LD300A66 0.5M ZX1-LD300A81 2M ZX1-LD300A81 5M ZX1-LD300A86 0.5M ZX1-LD50A61 2M ZX1-LD50A61 5M ZX1-LD50A66 0.5M ZX1-LD50A81 2M ZX1-LD50A81 5M ZX1-LD50A86 0.5M ZX1-LD600A61 2M ZX1-LD600A61 5M ZX1-LD600A66 0.5M ZX1-LD600A81 2M ZX1-LD600A81 5M ZX1-LD600A81L 2M ZX1-LD600A86 0.5M	Laser displacement sensor, 100 +/- 35 mm, NPN, 2m cable Laser displacement sensor, 100 +/- 35 mm, NPN, 5m cable Laser displacement sensor, 100 +/- 35 mm, NPN, 0.5m pigtail connector Laser displacement sensor, 100 +/- 35 mm, PNP, 2m cable Laser displacement sensor, 100 +/- 35 mm, PNP, 5m cable Laser displacement sensor, 100 +/- 35 mm, PNP, 0.5m pigtail connector Laser displacement sensor, 300 +/- 150 mm, NPN, 2m cable Laser displacement sensor, 300 +/- 150 mm, NPN, 5m cable Laser displacement sensor, 300 +/- 150 mm, NPN, 0.5m pigtail connector Laser displacement sensor, 300 +/- 150 mm, PNP, 2m cable Laser displacement sensor, 300 +/- 150 mm, PNP, 5m cable Laser displacement sensor, 300 +/- 150 mm, PNP, 0.5m pigtail connector Laser displacement sensor, 50 +/- 10 mm, NPN, 5 m cable Laser displacement sensor, 50 +/- 10 mm, NPN, 5 m cable Laser displacement sensor, 50 +/- 10 mm, NPN, 0.5m pigtail connector Laser displacement sensor, 50 +/- 10 mm, PNP, 2m cable Laser displacement sensor, 50 +/- 10 mm, PNP, 5m cable Laser displacement sensor, 50 +/- 10 mm, PNP, 0.5m pigtail connector Laser displacement sensor, 600 +/- 400 mm, NPN, 2m cable Laser displacement sensor, 600 +/- 400 mm, NPN, 5m cable Laser displacement sensor, 600 +/- 400 mm, NPN, 0.5m pigtail connector Laser displacement sensor, 600 +/- 400 mm, PNP, 2m cable Laser displacement sensor, 600 +/- 400 mm, PNP, 5m cable Laser displacement sensor, 600 +/- 400 mm, PNP, 2m cable, laser class 1 Laser displacement sensor, 600 +/- 400 mm, PNP, 0.5m pigtail connector	882.00 923.00 1,006.00 882.00 923.00 1,006.00 882.00 923.00 1,006.00 882.00 923.00 1,006.00 882.00 923.00 1,006.00 882.00 923.00 1,006.00 882.00 923.00 1,006.00 882.00 923.00 879.00 1,006.00	358734 358742 358750 358735 358743 358751 358736 358744 358752 358737 358745 358753 358732 358740 358748 358733 358741 358749 358738 358746 358754 358739 358747 668927 358755	4548583105836 4548583105928 4548583106031 4548583105843 4548583105935 4548583106048 4548583105867 4548583105942 4548583106055 4548583105874 4548583105959 4548583106062 4548583105812 4548583105904 4548583106017 4548583105829 4548583105911 4548583106024 4548583105881 4548583105966 4548583106079 4548583105898 4548583105980 4548583314054 4548583106086	#		GA	D	JPN	9031.9000.00 9031.9000.00
<b>Pressure sensor</b>										
EBF2-A01B EBF2-A01C EBF2-AN0B-1.0-0 EBF2-AN0C EBF2-B10B EBF2-B10C	Pressure sensor, LED display, 1-5 VDC output, positive pressure, 0 - 100kPa, 2 x PNP output Pressure sensor, LED display, 1-5 VDC output, positive pressure, 0 - 100kPa, 2 x NPN output Pressure sensor, LED display, 1-5 VDC output, negative pressure, 0 to -101kPa, 2 x PNP output Pressure sensor, LED display, 1-5 VDC output, negative pressure, 0 - 101kPa, 2 x NPN output Pressure sensor, LED display, 1 to 5 VDC output, positive pressure, 0 to 1 mPa, 2 x PNP output Pressure sensor, LED display, 1 to 5 VDC output, positive pressure, 0 to 1 mPa, 2 x NPN output	269.50 267.40 266.00 267.40 220.50 267.40	127916 127912 127915 127913 127917 127914	4536854538827 4536854390692 4536854538810 4536854390708 4536854538834 4536854390715			GA	E	JPN	8536.5080.90 8536.5080.90 8536.5080.90 8536.5080.90 8536.5080.90 8536.5080.90

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Data sheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
<b>IoT Flow/Pressure sensors</b>										
EBPC-010	Pressure sensor, liquid and gas, -0.1 to 1 MPa, NPN, analog, display MPa only	600.50	684388	4549734213189			GA	F	JPN	9026.2020.00
EBPC-010D	Pressure sensor, liquid and gas, -0.1 to 1 MPa, PNP, IO-Link COM2, analog, display MPa only	600.50	684382	4549734213127			GA	F	JPN	9026.2020.00
EBPC-010D-E	Pressure sensor, liquid and gas, -0.1 to 1 MPa, PNP, IO-Link COM2, analog	600.50	684391	4549734213219			GA	F	JPN	9026.2020.00
EBPC-010-E	Pressure sensor, liquid and gas, -0.1 to 1 MPa, NPN, analog	600.50	684397	4549734213271			GA	F	JPN	9026.2020.00
EBPC-010T	Pressure sensor, liquid and gas, -0.1 to 1 MPa, PNP, IO-Link COM3, analog, display MPa only	600.50	684385	4549734213158			GA	F	JPN	9026.2020.00
EBPC-010T-E	Pressure sensor, liquid and gas, -0.1 to 1 MPa, PNP, IO-Link COM3, analog	600.50	684394	4549734213240	#		GA	F	JPN	9026.2020.00
EBPC-100	Pressure sensor, liquid, 0 to 10 MPa, NPN, analog, display MPa only	600.50	684389	4549734213196			GA	F	JPN	9026.2020.00
EBPC-100D	Pressure sensor, liquid, 0 to 10 MPa, PNP, IO-Link COM2, analog, display MPa only	600.50	684383	4549734213134			GA	F	JPN	9026.2020.00
EBPC-100D-E	Pressure sensor, liquid, 0 to 10 MPa, PNP, IO-Link COM2, analog	600.50	684392	4549734213226			GA	F	JPN	9026.2020.00
EBPC-100-E	Pressure sensor, liquid, 0 to 10 MPa, NPN, analog	600.50	684398	4549734213288			GA	F	JPN	9026.2020.00
EBPC-100T	Pressure sensor, liquid, 0 to 10 MPa, PNP, IO-Link COM3, analog, display MPa only	600.50	684386	4549734213165			GA	F	JPN	9026.2020.00
EBPC-100T-E	Pressure sensor, liquid, 0 to 10 MPa, PNP, IO-Link COM3, analog	600.50	684395	4549734213257	#		GA	F	JPN	9026.2020.00
EBPC-400	Pressure sensor, liquid, 0 to 40 MPa, NPN, analog, display MPa only	600.50	684390	4549734213202			GA	F	JPN	9026.2020.00
EBPC-400D	Pressure sensor, liquid, 0 to 40 MPa, PNP, IO-Link COM2, analog, display MPa only	600.50	684384	4549734213141			GA	F	JPN	9026.2020.00
EBPC-400D-E	Pressure sensor, liquid, 0 to 40 MPa, PNP, IO-Link COM2, analog	600.50	684393	4549734213233			GA	F	JPN	9026.2020.00
EBPC-400-E	Pressure sensor, liquid, 0 to 40 MPa, NPN, analog	600.50	684399	4549734213295			GA	F	JPN	9026.2020.00
EBPC-400T	Pressure sensor, liquid, 0 to 40 MPa, PNP, IO-Link COM3, analog, display MPa only	600.50	684387	4549734213172			GA	F	JPN	9026.2020.00
EBPC-400T-E	Pressure sensor, liquid, 0 to 40 MPa, PNP, IO-Link COM3, analog	600.50	684396	4549734213264	#		GA	F	JPN	9026.2020.00
EBFC-25	Flow sensor, liquid, NPN, analog	772.50	684372	4549734213028			GA	F	JPN	9026.1021.00
EBFC-25D	Flow sensor, liquid, PNP, IO-Link COM2, analog	772.50	684370	4549734213004			GA	F	JPN	9026.1021.00
EBFC-25T	Flow sensor, liquid, PNP, IO-Link COM3, analog	772.50	684371	4549734213011	#		GA	F	JPN	9026.1021.00
<b>N-Smart Separate Amp. Sensors</b>										
EBNC-LA0	Photoelectric sensor, Laser amplifier, Smart tuning, Fieldbus communication	208.50	375781	4548583375024			GA	N	CHN	8536.5019.90
EBNC-LA21 2M	Photoelectric sensor, Laser amplifier, Smart tuning, NPN, double output, external input, 2m cable	208.50	375078	4548583374980			GA	N	CHN	8536.5019.90
EBNC-LA24	Photoelectric Sensor, Laser amplifier, Smart tuning, NPN, single output, external input, M8 connector	208.50	379287	4548583424234			GA	N	CHN	8536.5019.90
EBNC-LA51 2M	Photoelectric sensor, Laser amplifier, Smart tuning, PNP, double output, external input, 2m cable	208.50	375079	4548583374997			GA	N	CHN	8536.5019.90
EBNC-LA54	Photoelectric Sensor, Laser amplifier, Smart tuning, PNP, single output, external input, M8 connector	208.50	379288	4548583424241			GA	N	CHN	8536.5019.90
EBNC-LA7	Photoelectric sensor, Laser amplifier, Smart tuning, NPN, single output, external input, system connector	208.50	375069	4548583375000			GA	N	CHN	8536.5019.90
EBNC-LA9	Photoelectric sensor, Laser amplifier, Smart tuning, PNP, single output, external input, system connector	208.50	375070	4548583375017			GA	N	CHN	8536.5019.90
EBNC-LH01 2M	Laser sensor head, 55-85mm, 0.1 mm spot	270.40	375086	4548583376144			GA	N	JPN	8541.4090.00
EBNC-LH01 5M	Laser sensor head, 55-85mm, 0.1 mm spot, 5M cable	383.40	392634	4548583507937			GA	N	JPN	8541.4090.00
EBNC-LH02 2M	Laser sensor head, 1200 mm, 0.8 mm spot adjustable	270.40	375085	4548583376137			GA	N	JPN	8541.4090.00
EBNC-LH03 2M	Laser sensor head, retro-reflective, 8m, 2 mm spot	227.30	392637	4548583498316			GA	N	JPN	8541.4090.00
EBNC-SA0	Photoelectric sensor, CMOS Laser amplifier, Smart tuning, Fieldbus communication	208.50	375784	4548583376120			GA	N	JPN	8536.5019.90
EBNC-SA21 2M	Photoelectric sensor, CMOS Laser amplifier, Smart tuning, NPN, double output, external input, 2m cable	208.50	375082	4548583376083			GA	N	JPN	8536.5019.90
EBNC-SA24	Photoelectric Sensor, Laser amplifier, Smart tuning, NPN, single output, external input, M8 connector	208.50	379285	4548583425729			GA	N	JPN	8536.5019.90
EBNC-SA51 2M	Photoelectric sensor, CMOS Laser amplifier, Smart tuning, PNP, double output, external input, 2m cable	208.50	375071	4548583376090			GA	N	JPN	8536.5019.90
EBNC-SA54	Photoelectric Sensor, Laser amplifier, Smart tuning, PNP, single output, external input, M8 connector	208.50	379286	4548583425743			GA	N	JPN	8536.5019.90
EBNC-SA7	Photoelectric sensor, CMOS Laser amplifier, Smart tuning, NPN, single output, external input, system connector	208.50	375083	4548583376106			GA	N	JPN	8536.5019.90
EBNC-SA9	Photoelectric sensor, CMOS Laser amplifier, Smart tuning, PNP, single output, external input, system connector	208.50	375084	4548583376113			GA	N	JPN	8536.5019.90
EBNC-SH100 2M	CMOS Laser sensor head, 35-100mm, 1 mm spot	382.40	375074	4548583376151			GA	N	JPN	8541.4090.00
EBNC-SH250 2M	CMOS Laser sensor head, 35-250mm, 0.5 mm spot	382.40	375077	4548583376168			GA	N	JPN	8541.4090.00
EBNC-SH250H 2M	CMOS Laser head, 35-250mm, 1mm spot, Class 2 Laser	382.40	379290	4548583442061			GA	N	JPN	8541.4090.00
EBNX-CA11 2M	Fiber amplifier, standard model, color mark detection white LED, NPN output, smart tuning, 2m cable	205.10	671056	4548583802582	#		GA	N	JPN	8536.5019.90
EBNX-CA21 2M	Fiber amplifier, advanced model, color mark detection white LED, NPN output, smart tuning, 2m cable	250.20	671057	4548583802599			GA	N	JPN	8536.5019.90
EBNX-CA41 2M	Fiber amplifier, standard model, color mark detection white LED, PNP output, smart tuning, 2m cable	208.30	671058	4548583802605	#		GA	N	JPN	8536.5019.90
EBNX-CA51 2M	Fiber amplifier, advanced model, color mark detection white LED, PNP output, smart tuning, 2m cable	250.20	671059	4548583802612	#		GA	N	JPN	8536.5019.90
EBNX-FA0	Fiber amplifier, red LED, twin digital display, smart tuning, Fieldbus communication	198.20	375783	4548583375222			GA	N	CHN	8536.5019.90
EBNX-FA11 2M	Fiber amplifier, twin digital display, smart tuning, NPN, single output, 2m cable	182.50	375081	4548583375123			GA	N	CHN	8536.5019.90
EBNX-FA11-S 2M	Fiber amplifier, twin digital display, smart tuning, NPN, single output, mutual interference protection in SHS2 mode, 2 m cable	199.50	700943	4549734190480			GA	N	CHN	8536.5019.90
EBNX-FA11AN 2M	Fiber amplifier, red LED, twin digital display, smart tuning, analog output, NPN output, 2 m cable	229.30	681543	4549734190442	#		GA	N	CHN	8536.5019.90
EBNX-FA21 2M	Fiber amplifier, twin digital display, smart tuning, NPN, double output, external input, 2m cable	198.20	375076	4548583375130			GA	N	CHN	8536.5019.90
EBNX-FA24	Fiber amplifier, twin digital display, smart tuning, NPN, single output, external input, M8 connector	198.20	378462	4548583424203			GA	N	CHN	8536.5019.90
EBNX-FA40 2M	Fiber amplifier for communications unit, twin digital display, smart tuning, PNP, single output, 2 m cable	205.10	690222	4549734203999			GA	N	CHN	8536.5019.90
EBNX-FA41 2M	Fiber amplifier, twin digital display, smart tuning, PNP, single output, 2m cable	182.50	375075	4548583375147	#		GA	N	CHN	8536.5019.90
EBNX-FA41AN 2M	Fiber amplifier, red LED, twin digital display, smart tuning, analog output, PNP output, 2 m cable	229.30	681545	4549734190459			GA	N	CHN	8536.5019.90
EBNX-FA51 2M	Fiber amplifier, twin digital display, smart tuning, PNP, double output, external input, 2m cable	198.20	375073	4548583375154			GA	N	CHN	8536.5019.90
EBNX-FA54	Fiber amplifier, twin digital display, smart tuning, PNP, single output, external input, M8 connector	198.20	378463	4548583424210			GA	N	CHN	8536.5019.90
EBNX-FA54TW	Fiber amplifier, twin digital display, smart tuning, PNP, double output, M8 connector	198.20	382424	4548583424227			GA	N	CHN	8536.5019.90
EBNX-FA6	Fiber amplifier, twin digital display, smart tuning, NPN, single output, system connector	182.50	375072	4548583375161			GA	N	CHN	8536.5019.90
EBNX-FA7	Fiber amplifier, twin digital display, smart tuning, NPN, single output, external input, system connector	198.20	375080	4548583375178			GA	N	CHN	8536.5019.90
EBNX-FA7TW	Fiber amplifier, twin digital display, smart tuning, NPN, double output, system connector	198.20	375067	4548583375208			GA	N	CHN	8536.5019.90
EBNX-FA8	Fiber amplifier, twin digital display, smart tuning, PNP, single output, system connector	182.50	375065	4548583375185			GA	N	CHN	8536.5019.90
EBNX-FA9	Fiber amplifier, twin digital display, smart tuning, NPN, single output, external input, system connector	198.20	375066	4548583375192			GA	N	CHN	8536.5019.90
EBNX-FA9TW	Fiber amplifier, twin digital display, smart tuning, PNP, double output, system connector	198.20	375068	4548583375215			GA	N	CHN	8536.5019.90
EBNX-FAH0	Fiber amplifier, infrared LED, twin digital display, smart tuning, Fieldbus communication	191.10	681544	4549734190435			GA	N	CHN	8536.5019.90
EBNX-FAH11 2M	Fiber amplifier, infrared LED, twin digital display, smart tuning, NPN, single output, 2 m cable	162.50	681540	4549734190398			GA	N	CHN	8536.5019.90
EBNX-FAH41 2M	Fiber amplifier, infrared LED, twin digital display, smart tuning, PNP, single output, 2 m cable	162.50	681542	4549734190404			GA	N	CHN	8536.5019.90
EBNX-FAH6	Fiber amplifier, infrared LED, twin digital display, smart tuning, NPN, single output, system connector	162.50	681541	4549734190411			GA	N	CHN	8536.5019.90
EBNX-FAH8	Fiber amplifier, infrared LED, twin digital display, smart tuning, PNP, single output, system connector	162.50	681539	4549734190428			GA	N	CHN	8536.5019.90
EBNX-FAT6-1	Fiber amplifier, twin digital display, smart tuning, NPN, single output, system connector. For use with fiber head E32-HE05-L	161.60	684046	4549734190466			GA	N	CHN	8536.5019.90

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Dataheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
EBNX-MA0	Fiber amplifier, 2 fiber input, tw in digital display, smart tuning, multiple functions, fieldbus communication	272.10	681536	4548583514751			GA	N	CHN	8536.5019.90
EBNX-MA11 2M	Fiber amplifier, 2 fiber input, tw in digital display, smart tuning, multiple functions, 2 NPN output, 2 m cable	238.70	681533	4548583514690			GA	N	CHN	8536.5019.90
EBNX-MA41 2M	Fiber amplifier, 2 fiber input, tw in digital display, smart tuning, multiple functions, 2 NPN output, 2 m cable	238.70	681532	4548583514713	#		GA	N	CHN	8536.5019.90
EBNX-MA6	Fiber amplifier, 2 fiber input, tw in digital display, smart tuning, multiple functions, 2 NPN output, system connector	234.10	681534	4548583514737			GA	N	CHN	8536.5019.90
EBNX-MA8	Fiber amplifier, 2 fiber input, tw in digital display, smart tuning, multiple functions, 2 NPN output, system connector	234.10	681535	4548583514744			GA	N	CHN	8536.5019.90
EBNW-CCL	CC-link communication unit for N-Smart sensors	405.10	397060	4548583424029			GA	N	CHN	8541.4090.00
EBNW-DS	Dispersion (Slave) communication unit for N-Smart sensors	136.40	375782	4548583375096			GA	N	CHN	8541.4090.00
EBNW-ECT	EtherCat communication unit for N-Smart sensors	423.90	375785	4548583375093			GA	N	CHN	8541.4090.00
<b>Other sensing component</b>										
E2C-ED01	Sensor head shielded, cylindrical 5.4mm, distance 1mm (for use with E2C-EDA)	335.10	176694	4547648076852			GA	X	JPN	8541.4090.00
E2C-ED02	Sensor head shielded, cylindrical 8mm, distance 2mm (for use with E2C-EDA)	335.10	176697	4547648076883			GA	X	JPN	8541.4090.00
E2C-EDA11 2M	High precision positioning inductive proximity sensor amplifier, DC, twin output model, NPN, digital display, 2m cable	275.40	176685	4547648076760			GA	X	JPN	8536.5019.90
E2C-EDA21 2M	High precision positioning inductive proximity sensor amplifier, DC, external input model, NPN, digital display, 2m cable	275.40	176686	4547648076777			GA	X	JPN	8536.5019.90
E2C-EDA41 2M	High precision positioning inductive proximity sensor amplifier, DC, twin output model, PNP, digital display, 2m cable	275.40	176687	4547648076784			GA	X	JPN	8536.5019.90
E2C-EDA51 2M	High precision positioning inductive proximity sensor amplifier, DC, external input model, PNP, digital display, 2m cable	275.40	176688	4547648076791			GA	X	JPN	8536.5019.90
E2C-EDA6	High precision positioning inductive proximity sensor amplifier, DC, twin output model, NPN, digital display, connector type	277.40	176689	4547648076807			GA	X	JPN	8536.5019.90
E2C-EDA7	High precision positioning inductive proximity sensor amplifier, DC, external input model, NPN, digital display, connector type	277.40	176690	4547648076814			GA	X	JPN	8536.5019.90
E2C-EDA8	High precision positioning inductive proximity sensor amplifier, DC, twin output model, PNP, digital display, connector type	277.40	176691	4547648076821			GA	X	JPN	8536.5019.90
E2C-EDA9	High precision positioning inductive proximity sensor amplifier, DC, external input model, PNP, digital display, connector type	277.40	176692	4547648076838			GA	X	JPN	8536.5019.90
E2C-EDP6-F	Sensor head shielded, cylindrical 3mm, distance 0.6mm (for use with E2C-EDA)	352.40	176693	4547648076845			GA	X	JPN	8541.4090.00
E2C-EM02	Sensor head shielded, screw M10, distance 2mm (for use with E2C-EDA)	335.70	176700	4547648076913			GA	X	JPN	8541.4090.00
E2C-EM02H	High precision positioning inductive proximity sensor head, heat resistant, M12 x 22mm, 2mm sensing distance (for use with E2C-EDA amplifiers)	695.00	176709	4547648077002			GA	X	JPN	8541.4090.00
E2C-EM07M	Sensor head non-shielded, screw M18, distance 7mm (for use with E2C-EDA)	335.10	176703	4547648076944			GA	X	JPN	8541.4090.00
E2C-EM05	Sensor head shielded, flat 30x14x4.8mm, distance 5mm (for use with E2C-EDA)	326.00	176706	4547648076975			GA	X	JPN	8541.4090.00
E2CY-C1FSA-1 3M	Sensor Head, Inductive type, Shielded, dia. 5.4 mm, Sensing distance 1.5 mm, Pre-wired models(3 m)	79.65	672293	4536854449369			GA	X	JPN	8536.5080.90
E2CY-C2A 3M	Sensor Head, Inductive type, Shielded, dia. 8 mm, Sensing distance 2 mm, Pre-wired models (3 m)	81.40	133300	4536853244330			GA	X	JPN	8536.5080.90
E2CY-SD11 2M	Inductive proximity sensor amplifier, non-ferrous metal targets, NPN, 2 m cable	180.10	357975	4548583077478			GA	X	JPN	8536.5080.90
E2CY-V3A 3M	Non-Ferrous Sensing Prox, Flat model, 3.0 mm sensing distance	74.40	157672	4536853244347			GA	X	JPN	8536.5080.90
E2CY-X1FSA 3M	Proximity sensor	76.15	133395	4536853244323			GA	X	JPN	8536.5080.90
E2NC-EA21 2M	High precision positioning inductive proximity sensor amplifier, DC, 2 outputs + 1 input, NPN, digital display, 2 m prewired	222.20	695035	4549734192774			GA	X	JPN	8536.5019.90
E2NC-EA51 2M	High precision positioning inductive proximity sensor amplifier, DC, 2 outputs + 1 input, PNP, digital display, 2 m prewired	222.20	687083	4549734192781			GA	X	JPN	8536.5019.90
E2NC-EA9TW	High precision positioning inductive proximity sensor amplifier, DC, 2 outputs, PNP, digital display, wire-saving connectors	212.10	695036	4549734192828			GA	X	JPN	8536.5019.90
E2NC-ED01	Sensor head, shielded, cylindrical 5.4 dia. x 18 mm, distance 1 mm, repeat accuracy 1 µm, standard cable	166.70	695037	4549734192866			GA	X	JPN	8536.5080.90
E2NC-ED01-S	Sensor head, shielded, cylindrical 5.4 dia. x 18 mm, distance 1 mm, repeat accuracy 1 µm, cable with protective spiral tube	191.90	695038	4549734192873			GA	X	JPN	8536.5080.90
E2NC-ED02	Sensor head, shielded, cylindrical 8 dia. x 22 mm, distance 2 mm, repeat accuracy 2 µm, standard cable	176.80	695039	4549734192897			GA	X	JPN	8536.5019.90
E2NC-ED02-S	Sensor head, shielded, cylindrical 8 dia. x 22 mm, distance 2 mm, repeat accuracy 2 µm, cable with protective spiral tube	202.00	695040	4549734192903			GA	X	JPN	8536.5080.90
E2NC-EDP6-F	Sensor head, shielded, cylindrical 3 dia. x 18 mm, distance 0.6 mm, repeat accuracy 1 µm, free cutting cable	171.70	695041	4549734192927			GA	X	JPN	8536.5080.90
E2NC-EM07M	Sensor head non-shielded, screw M18, distance 7 mm, repeat accuracy 5 µm (for use with E2NC amplifier)	358.90	687084	4549734192972			GA	X	JPN	8541.4090.00
F3E-06-T1 5M	Light curtain, through-beam, 5m, pitch 40mm, potential free output, M8 4-pin plug-in, detection area 200m m	291.90	253470	4547648861540			GA	X	DEU	8536.5019.90
F3E-06-T6	Light curtain, through-beam, 5m, pitch 40mm, potential free output, M8 4-pin connector, detection area 200m m	249.90	235624	4536853911218			GA	X	DEU	8536.5019.90
F3E-12-T1 5M	Light curtain, through-beam, 5m, pitch 120mm, potential free output, detection area 1320m m, 5m cable	399.30	253471	4547648861564			GA	X	DEU	8536.5019.90
F3E-12-T6	Light curtain, through-beam, 5m, pitch 120mm, potential free output, detection area 1320m m, M8 4-pin connector	399.30	253472	4547648861588			GA	X	DEU	8536.5019.90
F3E-16-T1 3.5M	Multibeam light curtain,	398.70	242526	4547648852470			GA	X	DEU	8536.5019.90
F3E-16-T1 5M	Light curtain, through-beam, 5m, pitch 120mm, potential free output, cable 5m, detection area 1800m m	434.50	231742	4536853908461			GA	X	DEU	8536.5019.90
F3E-16-T6	Light curtain, through-beam, 5m, pitch 120mm, potential free output, M8 4-pin plug-in, detection area 1800m m	434.50	231744	4536853908485			GA	X	DEU	8536.5019.90
F3E-46-T1 5M	Light curtain, through-beam, 5m, pitch 40mm, potential free output, cable 5m, detection area 1800m m	610.50	231746	4536853908508			GA	X	DEU	8536.5019.90
F3E-46-T6	Light curtain, through-beam, 5m, pitch 40mm, potential free output, M8 4-pin plug-in, detection area 1800m m	610.50	231748	4536853908522			GA	X	DEU	8536.5019.90
F39-LE3	Protective Bracket	33.52	242188	4547648455145			GA	X	CHN	8541.4090.00
F3W-D052AP 2M	Picking Sensor, Through Beam, sensing distance 3 m, NPN output, external indicator connection, 2 m cable	590.00	677794	4549734111485			GA	X	JPN	8536.5019.90
F3W-D052B 1M	Picking Sensor, Through Beam, sensing distance 3 m, NPN output, M12 pigtail 1 m cable	682.00	677797	4549734111454			GA	X	JPN	8536.5019.90
F3W-D052B 2M	Picking Sensor, Through Beam, sensing distance 3 m, NPN output, M12 pigtail 2 m cable	715.50	677796	4549734111461			GA	X	JPN	8536.5019.90
F3W-D052B 3.5M	Picking Sensor, Through Beam, sensing distance 3 m, NPN output, M12 pigtail 3.5 m cable	715.50	677795	4549734111478			GA	X	JPN	8536.5019.90
F3W-D052C 5M	Picking Sensor, Through Beam, sensing distance 3 m, PNP output, 5 m cable	446.40	677791	4549734111539			GA	X	JPN	8536.5019.90
F3W-D052D 1M	Picking Sensor, Through Beam, Sensing distance 3 m, PNP output	761.50	676805	4549734111522	#		GA	X	JPN	8536.5019.90
F3W-D052D 2M	Picking Sensor, Through Beam, Sensing distance 3 m, PNP output, external indicator connection, M12 pigtail 2 m cable	597.50	677698	4549734111560			GA	X	JPN	8536.5019.90
F3W-ED32B8 0.3M	Picking Sensor, Through Beam, Sensing distance 300 mm, 3 beams, 25 mm gap, PNP output, M12 cable end connector 0.3 m	426.80	242185	4547648454919			GA	X	CHN	8541.4090.00
D5SN-TA	Conversion adaptor	40.40	168493	4536854888243			GA	X	JPN	8536.5015.90
D5SN-TB1	Steel ball (fitted as standard to sensor heads), general purpose, flat surfaces	28.83	168487	4536854888250			GA	X	JPN	8536.5015.90
D5SN-TB2	Steel ball, measuring carbide steel or softer materials	87.55	168488	4536854888267			GA	X	JPN	8536.5015.90
D5SN-TB3	Ruby ball, measuring carbide steel or softer materials	138.50	168489	4536854888274			GA	X	JPN	8536.5015.90
D5SN-TF1	Carbide steel Ball, measuring spherical surfaces (requires conversion adaptor)	410.70	168491	4536854888298			GA	X	JPN	8536.5015.90
D5SN-TN1	Carbide steel Pin, measuring bottom of grooves and holes (requires conversion adaptor)	396.60	168490	4536854888281			GA	X	JPN	8536.5015.90
ZW-8000T	Confocal Displacement controller, ultra high precision model, with EtherCAT communication, NPN/PNP	5,555.00	683875	4549734194877			GA	X	JPN	9031.4990.00
ZW-CE15T	Controller with EtherCAT communication, PNP	6,640.00	378697	4548583481268			GA	X	JPN	9031.4990.00
ZW-SS010 0.3M	Confocal displacement sensor, sensing head square shape, measuring range 10 mm +/- 0.5 mm, spot diameter 9 µm, 0.3 m cable	2,322.00	684072	4549734122306			GA	X	JPN	9031.4990.00
ZW-SS010 2M	Confocal displacement sensor, sensing head square shape, measuring range 10 mm +/- 0.5 mm, spot diameter 9 µm, 2 m cable	2,322.00	684071	4549734122313			GA	X	JPN	9031.4990.00
ZW-SS020 0.3M	Confocal displacement sensor, sensing head square shape, measuring range 20 mm +/- 1 mm, spot diameter 13 µm, 0.3 m cable	2,322.00	684070	4549734122320			GA	X	JPN	9031.4990.00

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Data sheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
ZW-S020 2M	Confocal displacement sensor, sensing head square shape, measuring range 20 mm +/- 1 mm, spot diameter 13 µm, 2 m cable	2,322.00	684069	4549734122337			GA	X	JPN	9031.4990.00
ZW-S030 0.3M	Confocal displacement sensor, sensing head square shape, measuring range 30 mm +/- 2 mm, spot diameter 18 µm, 0.3 m cable	2,322.00	684068	4549734122344			GA	X	JPN	9031.4990.00
ZW-S7010 0.3M	Confocal displacement sensor, sensing head square shape, measuring range 10 mm +/- 0.5 mm, spot diameter 50 µm, 0.3 m cable	2,322.00	684067	4549734122351			GA	X	JPN	9031.4990.00
ZW-S7020 0.3M	Confocal displacement sensor, sensing head square shape, measuring range 20 mm +/- 1 mm, spot diameter 70 µm, 0.3 m cable	2,926.00	676431	4548583796034			GA	X	JPN	9031.4990.00
ZW-S7020 2M	Confocal displacement sensor, sensing head square shape, measuring range 20 mm +/- 1 mm, spot diameter 70 µm, 2 m cable	2,926.00	676434	4548583796041			GA	X	JPN	9031.4990.00
ZW-S7030 0.3M	Confocal displacement sensor, sensing head square shape, measuring range 30 mm +/- 2 mm, spot diameter 100 µm, 0.3 m cable	2,926.00	676437	4548583796058			GA	X	JPN	9031.4990.00
ZW-S7030 2M	Confocal displacement sensor, sensing head square shape, measuring range 30 mm +/- 2 mm, spot diameter 100 µm, 2 m cable	2,926.00	676435	4548583796065			GA	X	JPN	9031.4990.00
ZW-S7040 0.3M	Confocal displacement sensor, sensing head square shape, measuring range 40 mm +/- 3 mm, spot diameter 120 µm, 0.3 m cable	2,926.00	676433	4548583796072			GA	X	JPN	9031.4990.00
ZW-S7040 2M	Confocal displacement sensor, sensing head square shape, measuring range 40 mm +/- 3 mm, spot diameter 120 µm, 2 m cable	2,926.00	676436	4548583796089			GA	X	JPN	9031.4990.00
ZW-S8010 0.3M	Confocal displacement sensor, sensing head square shape, measuring range 10 mm +/- 0.5 mm, spot diameter 4 µm, 0.3 m cable	2,926.00	684229	4549734194945			GA	X	JPN	9031.4990.00
ZW-S8010 2M	Confocal displacement sensor, sensing head square shape, measuring range 10 mm +/- 0.5 mm, spot diameter 4 µm, 2 m cable	2,926.00	684243	4549734194952			GA	X	JPN	9031.4990.00
ZW-S8020 0.3M	Confocal displacement sensor, sensing head square shape, measuring range 10 mm +/- 1 mm, spot diameter 7 µm, 0.3 m cable	3,634.00	682734	4549734194884			GA	X	JPN	9031.4990.00
ZW-S8020 2M	Confocal displacement sensor, sensing head square shape, measuring range 10 mm +/- 1 mm, spot diameter 7 µm, 2 m cable	3,634.00	682731	4549734194891			GA	X	JPN	9031.4990.00
ZW-S8030 0.3M	Confocal displacement sensor, sensing head square shape, measuring range 20 mm +/- 1 mm, spot diameter 7 µm, 0.3 m cable	3,634.00	682730	4549734194907			GA	X	JPN	9031.4990.00
ZW-S8030 2M	Confocal displacement sensor, sensing head square shape, measuring range 20 mm +/- 1 mm, spot diameter 7 µm, 2 m cable	3,634.00	682736	4549734194914			GA	X	JPN	9031.4990.00
ZW-S8030 0.3M	Confocal displacement sensor, sensing head square shape, measuring range 30 mm +/- 2 mm, spot diameter 10 µm, 0.3 m cable	3,634.00	682735	4549734194921			GA	X	JPN	9031.4990.00
ZW-S8030 2M	Confocal displacement sensor, sensing head square shape, measuring range 30 mm +/- 2 mm, spot diameter 10 µm, 2 m cable	3,634.00	682733	4549734194938			GA	X	JPN	9031.4990.00
ZW-SF5007 0.3M	Confocal displacement sensor, sensing head pen-shape, straight head, measuring range 7 mm +/- 0.3 mm, spot diameter 13 µm, 0.3 m cable	2,322.00	684066	4549734195102			GA	X	JPN	9031.4990.00
ZW-SF5007 2M	Confocal displacement sensor, sensing head pen-shape, straight head, measuring range 7 mm +/- 0.3 mm, spot diameter 13 µm, 2 m cable	2,322.00	684065	4549734195119			GA	X	JPN	9031.4990.00
ZW-SF5010 0.3M	Confocal displacement sensor, sensing head pen-shape, straight head, measuring range 10 mm +/- 0.7 mm, spot diameter 18 µm, 0.3 m cable	2,322.00	684066	4549734195126			GA	X	JPN	9031.4990.00
ZW-SF5010 2M	Confocal displacement sensor, sensing head pen-shape, straight head, measuring range 10 mm +/- 0.7 mm, spot diameter 18 µm, 2 m cable	2,322.00	684065	4549734195133			GA	X	JPN	9031.4990.00
ZW-SF7007 0.3M	Confocal displacement sensor, sensing head pen-shape, straight head, measuring range 7 mm +/- 0.3 mm, spot diameter 130 µm, 0.3 m cable	2,926.00	684242	4549734195065			GA	X	JPN	9031.4990.00
ZW-SF7007 2M	Confocal displacement sensor, sensing head pen-shape, straight head, measuring range 7 mm +/- 0.3 mm, spot diameter 130 µm, 2 m cable	2,926.00	684241	4549734195072			GA	X	JPN	9031.4990.00
ZW-SF7010 0.3M	Confocal displacement sensor, sensing head pen-shape, straight head, measuring range 10 mm +/- 0.7 mm, spot diameter 170 µm, 0.3 m cable	2,926.00	684240	4549734195089			GA	X	JPN	9031.4990.00
ZW-SF7010 2M	Confocal displacement sensor, sensing head pen-shape, straight head, measuring range 10 mm +/- 0.7 mm, spot diameter 170 µm, 2 m cable	2,926.00	684239	4549734195096			GA	X	JPN	9031.4990.00
ZW-SF8007 0.3M	Confocal displacement sensor, sensing head pen-shape, straight head, measuring range 7 mm +/- 0.3 mm, spot diameter 7 µm, 0.3 m cable	3,634.00	682728	4549734195027			GA	X	JPN	9031.4990.00
ZW-SF8007 2M	Confocal displacement sensor, sensing head pen-shape, straight head, measuring range 7 mm +/- 0.3 mm, spot diameter 7 µm, 2 m cable	3,634.00	682727	4549734195034			GA	X	JPN	9031.4990.00
ZW-SF8010 0.3M	Confocal displacement sensor, sensing head pen-shape, straight head, measuring range 10 mm +/- 0.7 mm, spot diameter 10 µm, 0.3 m cable	3,634.00	682726	4549734195041			GA	X	JPN	9031.4990.00
ZW-SF8010 2M	Confocal displacement sensor, sensing head pen-shape, straight head, measuring range 10 mm +/- 0.7 mm, spot diameter 10 µm, 2 m cable	3,634.00	682725	4549734195058			GA	X	JPN	9031.4990.00
ZW-SF9507 0.3M	Confocal displacement sensor, sensing head pen-shape, 90° angled head, measuring range 7 mm +/- 0.3 mm, spot diameter 15 µm, 0.3 m cable	2,522.00	684059	4549734195225			GA	X	JPN	9031.4990.00
ZW-SF9507 2M	Confocal displacement sensor, sensing head pen-shape, 90° angled head, measuring range 7 mm +/- 0.3 mm, spot diameter 15 µm, 2 m cable	2,522.00	684058	4549734195232			GA	X	JPN	9031.4990.00
ZW-SF9510 0.3M	Confocal displacement sensor, sensing head pen-shape, 90° angled head, measuring range 10 mm +/- 0.7 mm, spot diameter 20 µm, 0.3 m cable	2,522.00	684060	4549734195249			GA	X	JPN	9031.4990.00
ZW-SF9510 2M	Confocal displacement sensor, sensing head pen-shape, 90° angled head, measuring range 10 mm +/- 0.7 mm, spot diameter 20 µm, 2 m cable	2,522.00	684061	4549734195256			GA	X	JPN	9031.4990.00
ZW-SFR7007 0.3M	Confocal displacement sensor, sensing head pen-shape, 90° angled head, measuring range 7 mm +/- 0.3 mm, spot diameter 150 µm, 0.3 m cable	3,128.00	684238	4549734195188			GA	X	JPN	9031.4990.00
ZW-SFR7007 2M	Confocal displacement sensor, sensing head pen-shape, 90° angled head, measuring range 7 mm +/- 0.3 mm, spot diameter 150 µm, 2 m cable	3,128.00	684237	4549734195195			GA	X	JPN	9031.4990.00
ZW-SFR7010 0.3M	Confocal displacement sensor, sensing head pen-shape, 90° angled head, measuring range 10 mm +/- 0.7 mm, spot diameter 190 µm, 0.3 m cable	3,128.00	684236	4549734195201			GA	X	JPN	9031.4990.00
ZW-SFR7010 2M	Confocal displacement sensor, sensing head pen-shape, 90° angled head, measuring range 10 mm +/- 0.7 mm, spot diameter 190 µm, 2 m cable	3,128.00	684235	4549734195218			GA	X	JPN	9031.4990.00
ZW-SFR8007 0.3M	Confocal displacement sensor, sensing head pen-shape, 90° angled head, measuring range 7 mm +/- 0.3 mm, spot diameter 8 µm, 0.3 m cable	3,835.00	682723	4549734195140			GA	X	JPN	9031.4990.00
ZW-SFR8007 2M	Confocal displacement sensor, sensing head pen-shape, 90° angled head, measuring range 7 mm +/- 0.3 mm, spot diameter 8 µm, 2 m cable	3,835.00	682722	4549734195157			GA	X	JPN	9031.4990.00
ZW-SFR8010 0.3M	Confocal displacement sensor, sensing head pen-shape, 90° angled head, measuring range 10 mm +/- 0.7 mm, spot diameter 11 µm, 0.3 m cable	3,835.00	682722	4549734195164			GA	X	JPN	9031.4990.00
ZW-SFR8010 2M	Confocal displacement sensor, sensing head pen-shape, 90° angled head, measuring range 10 mm +/- 0.7 mm, spot diameter 11 µm, 2 m cable	3,835.00	682721	4549734195171			GA	X	JPN	9031.4990.00
ZW-SQ5007 0.3M	Confocal displacement sensor, sensing head square shape, measuring range 7 mm +/- 0.3 mm, spot diameter 18 µm, 0.3 m cable	2,000.00	684234	4549734201278			GA	X	JPN	9031.4990.00
ZW-SQ5007 2M	Confocal displacement sensor, sensing head square shape, measuring range 7 mm +/- 0.3 mm, spot diameter 18 µm, 2 m cable	2,000.00	684213	4549734201209			GA	X	JPN	9031.4990.00
ZW-SQ5020 0.3M	Confocal displacement sensor, sensing head square shape, measuring range 20 mm +/- 1 mm, spot diameter 40 µm, 0.3 m cable	2,000.00	684233	4549734201285			GA	X	JPN	9031.4990.00
ZW-SQ5020 2M	Confocal displacement sensor, sensing head square shape, measuring range 20 mm +/- 1 mm, spot diameter 40 µm, 2 m cable	2,000.00	684222	4549734201216			GA	X	JPN	9031.4990.00
ZW-SQ5030 0.3M	Confocal displacement sensor, sensing head square shape, measuring range 30 mm +/- 3 mm, spot diameter 60 µm, 0.3 m cable	2,000.00	684232	4549734201292			GA	X	JPN	9031.4990.00
ZW-SQ5030 2M	Confocal displacement sensor, sensing head square shape, measuring range 30 mm +/- 3 mm, spot diameter 60 µm, 2 m cable	2,000.00	684221	4549734201223			GA	X	JPN	9031.4990.00
ZW-SQ5040 0.3M	Confocal displacement sensor, sensing head square shape, measuring range 40 mm +/- 6 mm, spot diameter 80 µm, 0.3 m cable	2,000.00	684231	4549734201308			GA	X	JPN	9031.4990.00
ZW-SQF5007 0.3M	Confocal displacement sensor, sensing head square shape, 90° angled head, measuring range 7 mm +/- 0.3 mm, spot diameter 18 µm, 0.3 m cable	2,071.00	684216	4549734201315			GA	X	JPN	9031.4990.00
ZW-SQF5007 2M	Confocal displacement sensor, sensing head square shape, 90° angled head, measuring range 7 mm +/- 0.3 mm, spot diameter 18 µm, 2 m cable	2,071.00	684219	4549734201247			GA	X	JPN	9031.4990.00
ZW-SQF5020 0.3M	Confocal displacement sensor, sensing head square shape, 90° angled head, measuring range 20 mm +/- 1 mm, spot diameter 40 µm, 0.3 m cable	2,071.00	684215	4549734201322			GA	X	JPN	9031.4990.00
ZW-SQF5020 2M	Confocal displacement sensor, sensing head square shape, 90° angled head, measuring range 20 mm +/- 1 mm, spot diameter 40 µm, 2 m cable	2,071.00	684218	4549734201254			GA	X	JPN	9031.4990.00
ZW-SQF5040 0.3M	Confocal displacement sensor, sensing head square shape, 90° angled head, measuring range 40 mm +/- 6 mm, spot diameter 80 µm, 0.3 m cable	2,071.00	684214	4549734201339			GA	X	JPN	9031.4990.00
ZW-SQF5040 2M	Confocal displacement sensor, sensing head square shape, 90° angled head, measuring range 40 mm +/- 6 mm, spot diameter 80 µm, 2 m cable	2,071.00	684217	4549734201261			GA	X	JPN	9031.4990.00
Z4D-F04A	Micro Displacement Sensor, compact, analog output	306.90	106465	4536854275463			GA	X	JPN	8541.4090.00
Z4D-F04D	Micro Displacement Sensor, compact, ON/OFF output	306.90	106466	4536854275470			GA	X	JPN	8541.4090.00
ZJ-BAS050	High performance bar type ioniser, 500m m	1,956.00	250523	4547648514446			GA	X	JPN	8543.7090.99
ZJ-BAS074	High performance bar type ioniser, 740m m	1,849.00	250525	4547648514460			GA	X	JPN	8543.7090.99
ZJ-BAS090	High performance bar type ioniser, 900m m	1,734.00	250526	4547648514477			GA	X	JPN	8543.7090.99
ZJ-FW013	Fan type ioniser, size 130m m, high speed, lightweight body, easy configuration	438.20	377873	4548583115194			GA	X	JPN	8543.7090.99
ZJ-FW029	Fan type ioniser, size 290 m m, high speed, lightweight body, easy configuration	609.50	377874	4548583115200			GA	X	JPN	8543.7090.99
ZJ-FW053	Fan type ioniser, size 530m m, high speed, lightweight body, easy configuration	951.50	377875	4548583115217			GA	X	JPN	8543.7090.99
ZJ-SD100	ZJ-SD ion sensor head	1,252.00	235680	4547648213172			GA	X	JPN	8543.7090.99
ZJ-SDA11	ZJ-SD ion sensor amplifier	450.50	235681	4547648213189			GA	X	JPN	8543.7090.99
ZJ-BAS-NT105	ZJ-BAS replacement discharge electrodes (pack of 5)	227.70	250583	4547648515269			GA	X	JPN	8543.7090.99
ZJ-BAS-NT110	ZJ-BAS replacement discharge electrodes (pack of 10)	386.90	250554	4547648515276			GA	X	JPN	8543.7090.99
ZJ-BAS-FC15A	ZJ-BAS I/O cable, 15m	163.80	250551	4547648515245			GA	X	JPN	8543.7090.99
ZJ-BAS-FC20A	ZJ-BAS I/O cable, 20m	202.20	250552	4547648515252			GA	X	JPN	8543.7090.99
ZJ-BAS-MC02A	ZJ-BAS connector cable, single end, 2m	39.24	250532	4547648515054			GA	X	JPN	8543.7090.99
ZJ-BAS-MC15A	ZJ-BAS connector cable, single end, 15m	138.20	250535	4547648515085			GA	X	JPN	8543.7090.99
ZJ-BAS-MC20A	ZJ-BAS connector cable, single end, 20m	176.30	250536	4547648515092			GA	X	JPN	8543.7090.99



Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Data sheet)	GTIN	Stock	Lot Qty.	Gr.	Fam.	COO	Tariff Code
ZN-PD50-SA	Air particle sensor, dust measurement type, without AC adaptor	6.510,00	376251	4548583066922			GA	X	JPN	8543.7090.99
ZN-THS11-S	Data logger for temperature and humidity, sensing head	379,40	373966	4548583044012			GA	X	JPN	8543.7090.99
ZN-THX11-SA	Data logger for temperature and humidity, storage unit	627,50	373967	4548583066985			GA	X	JPN	8543.7090.99
ZN-THX21-SA	Data logger for temperature and humidity, storage unit	426,60	373968	4548583066992			GA	X	JPN	8543.7090.99
ZN9-EM01-S	Mounting magnet	41,50	383072	4548583044029			GA	X	JPN	8543.7090.99
ZN-SW11-S	Wave inspire software	1.644,00	324299	4547648695671			GA	X	JPN	8543.7090.99
ZUV-C20H-D1	Basic controller for UV-Light curing systems, without AC adaptor	3.938,00	672644	4549734105422			GA	X	JPN	8543.7090.99
ZUV-L8H	Lens unit for ZUV UV curing system, spot dia.8mm	268,80	379391	454858333710			GA	X	CHN	8543.7090.99
<b>Accessory for sensor system</b>										
F3E-IK-M	Installation kit for mounting to mobile door panel	190,30	231752	4536853908423			GA	Z	DEU	8541.4090.00
F3E-IK-S	Installation Kit for stationary mounting on lift doors	205,40	231750	4536853908430			GA	Z	DEU	8541.4090.00
F39-L10	Mounting bracket, L-shaped	37,36	144840	4536854487323			GA	Z	JPN	8541.4090.00
F39-L11	Mounting Bracket, Flat-Shaped	40,44	103785	4536854487330			GA	Z	JPN	8541.4090.00
F39-L12	Protective Bracket, One each for emitter & receiver, (mounting screws included)	35,79	127294	4536854487347			GA	Z	JPN	8541.4090.00
E39-F22	Accessory photosensor, microtriple reflector, 40x55mm	35,48	392638	4548583489332			GA	Z	JPN	8541.4090.00
E39-PS1	Line beam lens attachment for E3NC-LH03	21,05	392643	4548583489363			GA	Z	JPN	8541.4090.00
E39-PS2	Line beam lens attachment for E3NC-LH02	24,72	392640	4548583489370			GA	Z	JPN	8541.4090.00
ZX-XF22	Right angle head adaptor for ZX-LT010	232,30	106280	4536854823695			GA	Z	JPN	9031.9000.00
ZX-SF11	RS-232C communications interface	703,50	106278	4536854810145			GA	Z	JPN	8536.5015.90
ZX-SW11E	USE VERSION 2 S/W	961,00	106281	4536854823985			GA	Z	JPN	8536.5015.90
ZX-XC1A 1M	Extension cable (amplifier to head), 1m	194,30	106271	4536854776465			GA	Z	JPN	8544.4290.90
ZX-XC8A 8M	Extension cable (amplifier to head), 8m	363,80	106274	4536854810169			GA	Z	JPN	8544.4290.90
ZX-XC8R	Extension cable (amplifier to head), robotic cable, 8m	787,50	106194	4536854849237			GA	Z	JPN	8544.4290.90
ZX-XGC1A	ZX-GT - receiver-controller extension cable 1m	205,90	238020	4547648424431			GA	Z	JPN	8541.4090.00
ZX-XGC20A	ZX-GT - receiver-controller extension cable 20m	824,50	238022	4547648424493			GA	Z	JPN	8541.4090.00
ZX-XGC2A	ZX-GT - receiver-controller extension cable 2m	318,90	238032	4547648424455			GA	Z	JPN	8541.4090.00
ZX-XGC2R	ZX-GT - receiver-controller extension cable 2m, flexible cable	393,90	238024	4547648424516			GA	Z	JPN	8541.4090.00
ZX-XGC5A	ZX-GT - receiver-controller extension cable 5m	370,20	238021	4547648424479			GA	Z	JPN	8541.4090.00
ZX-XGC5R	ZX-GT - receiver-controller extension cable 5m, flexible cable	533,50	238025	4547648424523			GA	Z	JPN	8541.4090.00
ZX-XGC8A	ZX-GT - receiver-controller extension cable 8m	390,00	238034	4547648424486			GA	Z	JPN	8541.4090.00
ZX-CAL2	Calculation unit for ZX proximity Smart Sensor	404,00	106187	4536854881589			GA	Z	JPN	8541.9000.00
ZX-XBE1	Amplifier Mounting Bracket (screw mounting)	10,06	157978	4536854871900			GA	Z	JPN	8538.9099.99
ZX-XBE2	Amplifier Mounting Bracket (DIN rail)	47,12	143639	4536854871917			GA	Z	JPN	8538.9099.99
ZX-SW11EV3	Advanced setting and logging software for ZX range	330,10	175746	4547648101820			GA	Z	JPN	8536.5015.90
E39-L180	Mounting bracket for ZX1-LD50/LD100 sensor	32,71	364865	4548583104938			GA	Z	JPN	9031.9000.00
E39-L181	Mounting bracket for ZX1-LD300/LD600 sensor	32,71	364866	4548583104945			GA	Z	JPN	9031.9000.00
ZX0-XC10R	Extension cable ZX1 (for pre-wired connector models), 10m	156,00	359063	4548583104914			GA	Z	CHN	8544.4290.90
ZX0-XC20R	Extension cable ZX1 (for pre-wired connector models), 20m	208,50	359064	4548583104921			GA	Z	CHN	8544.4290.90
ZS-XON	Amplifier linking unit (common with Smart Sensor ZS series)	58,75	177221	4547648084567			GA	Z	JPN	8536.5015.90
ZS-XPM1	Panel mounting adapter For 1st controller	142,70	177222	4547648084568			GA	Z	JPN	8536.5015.90
ZS-XPM2	Panel mounting adapter for 2nd controller and onwards	134,80	177223	4547648084598			GA	Z	JPN	8536.5015.90
ZS-DSU11	Data storage unit, NPN	1.631,00	180564	4547648108836			GA	Z	JPN	8536.5015.90
ZS-DSU41	Data storage unit, PNP	1.519,00	180567	4547648111379			GA	Z	JPN	8536.5015.90
ZS-XC10B	Extension cable (amplifier to head), 10m	707,00	180563	4547648103602			GA	Z	JPN	8536.5015.90
ZS-XC1A	Extension cable (amplifier to head), 1m	297,90	180556	4547648084604			GA	Z	JPN	8536.5015.90
ZS-XC4A	Extension cable (amplifier to head), 4m	400,40	180557	4547648084611			GA	Z	JPN	8536.5015.90
ZS-XC5B	5m extension cable for sensor head	545,50	180562	4547648103596			GA	Z	JPN	8536.5015.90
ZS-XC5BR	Extension Robot cable (amplifier to head), 5m	670,00	180561	4547648103589			GA	Z	JPN	8536.5015.90
ZS-XP73	RS-232C cable, 2 m cable length, for PLC/PT connection (for controllers produced after November 2017)	201,80	684151	4549734168724			GA	Z	JPN	8544.4210.00
ZS-XF83	RS-232C cable, 2 m cable length, for PC connection	153,60	680914	4549734168717			GA	Z	JPN	8544.4210.00
ZG-RPD41-N	Real time parallel unit for ZG-WDC, PNP	706,00	680522	4549734168762			GA	Z	JPN	8541.4090.00
ZW-XF5002R	Extension fiber optic cable 2 m for family ZW-5000. Fiber adapter ZW-XFC2 is included	353,20	684078	4549734122368			GA	Z	JPN	8544.7000.90
ZW-XF5005R	Extension fiber optic cable 5 m for family ZW-5000. Fiber adapter ZW-XFC2 is included	373,20	684077	4549734122375			GA	Z	JPN	8544.7000.90
ZW-XF5010R	Extension fiber optic cable 10 m for family ZW-5000. Fiber adapter ZW-XFC2 is included	454,20	684076	4549734122382			GA	Z	JPN	8544.7000.90
ZW-XF5020R	Extension fiber optic cable 20 m for family ZW-5000. Fiber adapter ZW-XFC2 is included	626,00	684075	4549734122399			GA	Z	JPN	8544.7000.90
ZW-XF5030R	Extension fiber optic cable 30m for family ZW-5000. Fiber adapter ZW-XFC2 is included	696,50	684074	4549734122405			GA	Z	JPN	8544.7000.90
ZW-XF7002R	Extension fiber optic cable 2 m for family ZW-7000. Fiber adapter ZW-XFCM is included	605,50	676439	4548583796096			GA	Z	JPN	8544.7000.90

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Data sheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
ZW-XF7005R	Extension fiber optic cable 5 m for family ZW-7000. Fiber adapter ZW-XFCM is included	605.50	676438	4548583796102			GA	Z	JPN	8544.7000.90
ZW-XF7010R	Extension fiber optic cable 10 m for family ZW-7000. Fiber adapter ZW-XFCM is included	667.00	688394	4548583796119			GA	Z	JPN	8544.7000.90
ZW-XF8002R	Extension fiber optic cable 2 m for family ZW-8000. Fiber adapter ZW-XFCS is included	504.50	694080	4549734194959			GA	Z	JPN	8544.7000.90
ZW-XF8005R	Extension fiber optic cable 5 m for family ZW-8000. Fiber adapter ZW-XFCS is included	555.50	682719	4549734194976			GA	Z	JPN	8544.7000.90
ZW-XF8010R	Extension fiber optic cable 10 m for family ZW-8000. Fiber adapter ZW-XFCS is included	595.50	684079	4549734194983			GA	Z	JPN	8544.7000.90
ZW-XFC2	Fiber adapter for ZW-5000 sensor head and extension cable	70.65	684230	4549734127080			GA	Z	JPN	9031.4990.00
ZW-XFCM	Fiber adapter for ZW-7000 sensor head and extension cable	70.65	676432	4548583796140			GA	Z	JPN	9031.4990.00
ZW-XFCS	Fiber adapter for ZW-8000 sensor head and extension cable	75.70	682729	4549734195010			GA	Z	JPN	9031.4990.00
ZW-XP12	RS-232C cable for PLC/ Programmable Terminal 2m	132.10	365160	4548583107977			GA	Z	JPN	9031.4990.00
ZW-XRS2	RS-232C cable for personal computer 2m	128.60	365159	4548583107960			GA	Z	JPN	9031.4990.00
EBPC-YA-A14	Pressure sensor adapter, R taper thread, male, 8A 1/4, SUS304	95.90	684401	4549734213318			GA	Z	JPN	9031.9000.00
EBPC-YA-A18	Pressure sensor adapter, R taper thread, male, 6A 1/8, SUS304	95.90	684400	4549734213301			GA	Z	JPN	9031.9000.00
EBPC-YA-A38	Pressure sensor adapter, R taper thread, male, 10A 3/8, SUS304	95.90	684402	4549734213325			GA	Z	JPN	9031.9000.00
EBPC-YA-B14N	Pressure sensor adapter, G parallel thread, female, 8A 1/4, SUS304	95.90	684403	4549734213332			GA	Z	JPN	9031.9000.00
EBPC-YA-C14	Pressure sensor adapter, NPT taper thread, male, 8A 1/4, SUS304	95.90	684405	4549734213356			GA	Z	JPN	9031.9000.00
EBPC-YA-C18	Pressure sensor adapter, NPT taper thread, male, 6A 1/8, SUS304	95.90	684404	4549734213349			GA	Z	JPN	9031.9000.00
EBPC-YL-1	Pressure sensor O-ring for EBPC-010	29.78	684408	4549734213387			GA	Z	JPN	9031.9000.00
EBPC-YL-2	Pressure sensor O-ring for EBPC-100/400	36.34	684409	4549734213394			GA	Z	JPN	9031.9000.00
EBPC-YL-3	Pressure sensor O-ring for female adaptor G1/4	29.78	684369	4549734213400			GA	Z	JPN	9031.9000.00
EBPC-YS	Pressure sensor throttle for a male adaptor, SUS304	29.78	684406	4549734213363			GA	Z	CHN	9031.9000.00
EBPC-YS-N	Pressure sensor throttle for a female adaptor, SUS304	29.78	684407	4549734213370			GA	Z	CHN	9031.9000.00
E39-R13	Reflector, E3C-LDA sensor, 7x7mm effective area	24.89	163377	4536854958311	#		GA	Z	JPN	8541.9000.00
EBFC-YA-N10A	Flow sensor adapter, NPT taper thread, 10A 3/8, SUS304	53.05	684374	4549734213042			GA	Z	JPN	9026.9000.00
EBFC-YA-N15A	Flow sensor adapter, NPT taper thread, 15A 1/2, SUS304	53.05	684376	4549734213066			GA	Z	JPN	9026.9000.00
EBFC-YA-N20A	Flow sensor adapter, NPT taper thread, 20A 3/4, SUS304	53.05	684378	4549734213080			GA	Z	JPN	9026.9000.00
EBFC-YA-N25A	Flow sensor adapter, NPT taper thread, 25A 1, SUS304	65.65	684380	4549734213103			GA	Z	JPN	9026.9000.00
EBFC-YA-R10A	Flow sensor adapter, R taper thread, 10A 3/8, SUS304	53.05	684373	4549734213035			GA	Z	JPN	9026.9000.00
EBFC-YA-R15A	Flow sensor adapter, R taper thread, 15A 1/2, SUS304	53.05	684375	4549734213059			GA	Z	JPN	9026.9000.00
EBFC-YA-R20A	Flow sensor adapter, R taper thread, 20A 3/4, SUS304	53.05	684377	4549734213073			GA	Z	JPN	9026.9000.00
EBFC-YA-R25A	Flow sensor adapter, R taper thread, 25A 1, SUS304	65.65	684379	4549734213097			GA	Z	JPN	9026.9000.00
EBFC-YL-1	Flow sensor O-ring for EBFC-25	65.65	684381	4549734213110			GA	Z	JPN	9026.9000.00
<b>Rotary encoder ERB2</b>										
EA2-CSSC 200P/R.2M	Encoder, incremental, 200ppr, 5-12 VDC, NPN open collector, 2 m cable	266.60	105492	4536853366582			GC	A	JPN	9032.9000.90
EA2-CSSC 60P/R.0.5M	Encoder, incremental, 60ppr, 5-12 VDC, NPN open collector, 0.5m cable	168.90	128464	4536853366285			GC	A	JPN	9032.9000.90
EA2-CSSC 200P/R.0.5M	Encoder, incremental, 200ppr, 5-12 VDC, NPN voltage output, 0.5 m cable	251.20	128471	4536853366360			GC	A	JPN	9032.9000.90
EA2-CSSC 100P/R.0.5M	Encoder, incremental, 100ppr, 12-24 VDC, NPN open collector, 0.5 m cable	159.60	128476	4536853366414			GC	A	JPN	9032.9000.90
EA2-CSSC 100P/R.2M	Encoder, incremental, 100ppr, 12-24 VDC, NPN open collector, 2 m cable	172.40	128496	4536853366698			GC	A	JPN	9032.9000.90
EA2-CSSC 10P/R.0.5M	Encoder, incremental, 10ppr, 12-24 VDC, NPN open collector, 0.5m cable	179.90	105483	4536853366674			GC	A	JPN	9032.9000.90
EA2-CSSC 200P/R.2M	Encoder, incremental, 200ppr, 12-24 VDC, NPN open collector, 2 m cable	172.40	104041	4536853366704			GC	A	JPN	9032.9000.90
EA2-CSSC 360P/R.0.5M	Encoder, incremental, 360ppr, 12-24 VDC, NPN open collector, 0.5m cable	159.60	128479	4536853366445			GC	A	JPN	9032.9000.90
EA2-CSSC 360P/R.2M	Encoder, incremental, 360ppr, 12-24 VDC, NPN open collector, 2 m cable	172.40	147610	4536853366728			GC	A	JPN	9032.9000.90
EA2-CSSC 500P/R.0.5M	Encoder, incremental, 500ppr, 12-24 VDC, NPN open collector, 0.5m cable	189.50	128410	4536854493935			GC	A	JPN	9032.9000.90
EA2-CSSC 60P/R.2M	Encoder, incremental, 60 ppr, 12 to 24 VDC, NPN open collector, 0.5 m cable	166.90	128475	4536853366407			GC	A	JPN	9032.9000.90
EA2-CSSC 60P/R.2M	Encoder, incremental, 60 ppr, 12 to 24 VDC, NPN open collector, 2 m cable	179.60	143268	4536853366681			GC	A	JPN	9032.9000.90
EA2-CW3C 100P/R.0.5M	Encoder, incremental, 100ppr, 5-12 VDC, NPN open collector, 0.5m cable	162.90	128480	4536853366452			GC	A	JPN	9032.9000.90
EA2-CW3C 100P/R.2M	Rotary Encoder	175.80	148626	4536853366773			GC	A	JPN	9032.9000.90
EA2-CW3C 200P/R.0.5M	Encoder, incremental, 200ppr, 5-12 VDC, NPN open collector, 0.5 m cable	162.80	128481	4536853366469			GC	A	JPN	9032.9000.90
EA2-CW3C 200P/R.2M	Encoder, incremental, 200ppr, 5-12 VDC, NPN open collector, 2 m cable	175.70	148627	4536853366780			GC	A	JPN	9032.9000.90
EA2-CW3E 500P/R.0.5M	Encoder, incremental, 500ppr, 5-12 VDC, NPN voltage output, 0.5m cable	218.90	150418	4536854493959			GC	A	JPN	9032.9000.90
EA2-CW5C 100P/R.0.5M	Encoder, incremental, 100ppr, 12-24 VDC, NPN open collector, 0.5m cable	160.70	128484	4536853366490			GC	A	JPN	9032.9000.90
EA2-CW5C 100P/R.2M	Encoder, incremental, 100ppr, 12-24 VDC, NPN open collector, 2m cable	173.70	128501	4536853366810			GC	A	JPN	9032.9000.90
EA2-CW5C 200P/R.0.5M	Encoder, incremental, 200ppr, 12-24 VDC, 2-phase, NPN open collector, 0.5m cable	160.70	128485	4536853366506			GC	A	JPN	9032.9000.90
EA2-CW5C 200P/R.2M	Encoder, incremental, 200ppr, 12-24 VDC, 2-phase, NPN open collector, 2m cable	173.50	128502	4536853366827			GC	A	JPN	9032.9000.90
EA2-CW5C 360P/R.0.5M	Encoder, incremental, 360ppr, 12-24 VDC, 2-phase, NPN open collector, 0.5m cable	160.70	345289	4536854493980			GC	A	JPN	9032.9000.90
EA2-CW5C 500P/R.0.5M	Encoder, incremental, 500 ppr, 12 to 24 VDC, 2-phase, NPN open collector, 0.5 m cable	191.20	143879	4536854493997			GC	A	JPN	9032.9000.90
EA2-CW23C 100P/R.0.5M	Encoder, incremental, 100ppr, 5-12 VDC, NPN open collector, 0.5m cable	168.10	128486	4536853366513			GC	A	JPN	9032.9000.90
EA2-CW23C 100P/R.2M	Encoder, incremental, 100ppr, 5-12 VDC, NPN open collector, 2 m cable	180.90	144305	4536853366735			GC	A	JPN	9032.9000.90
EA2-CW23C 200P/R.0.5M	Encoder, incremental, 200 ppr, 5 to 12 VDC, NPN open collector, 0.5 m cable	167.90	143267	4536853366520			GC	A	JPN	9032.9000.90
EA2-CW23C 200P/R.2M	Encoder, incremental, 200ppr, 5-12 VDC, NPN open collector, 2 m cable	180.70	144306	4536853366742			GC	A	JPN	9032.9000.90
EA2-CW23C 360P/R.0.5M	Encoder, incremental, 360ppr, 5-12 VDC, NPN open collector, 0.5m cable	168.10	154197	4536854494024			GC	A	JPN	9032.9000.90
EA2-CW23E 100P/R.0.5M	Encoder, incremental, 100ppr, 5-12 VDC, NPN voltage output, 0.5m cable	179.60	128487	4536853366537			GC	A	JPN	9032.9000.90
EA2-CW23E 100P/R.2M	Rotary Encoder	192.50	128498	4536853366759			GC	A	JPN	9032.9000.90
EA2-CW23E 200P/R.0.5M	Encoder, incremental, 200ppr, 5-12 VDC, NPN voltage output, 0.5m cable	179.60	128488	4536853366544			GC	A	JPN	9032.9000.90
EA2-CW23E 500P/R.0.5M	Encoder, incremental, 500ppr, 5-12 VDC, NPN voltage output, 0.5m cable	190.90	128412	4536854494017			GC	A	JPN	9032.9000.90
EA2-CW25C 100P/R.0.5M	Encoder, incremental, 100ppr, 12-24 VDC, 2-phase, NPN output, 0.5m cable	165.90	373506	4536854494048			GC	A	JPN	9032.9000.90
EA2-CW25C 200P/R.0.5M	Encoder, incremental, 200 ppr, 12 to 24 VDC, NPN open collector, 0.5 m cable	165.90	128414	4536854494055			GC	A	JPN	9032.9000.90
EA2-CW25C 360P/R.0.5M	Encoder, incremental, 360ppr, 12-24 VDC, NPN open collector, 0.5m cable	231.60	147612	4536854494062			GC	A	JPN	9032.9000.90
EA2-CW25C 500P/R.0.5M	Encoder, incremental, 500ppr, 12-24 VDC, NPN open collector, 0.5m cable	233.90	128415	4536854494079			GC	A	JPN	9032.9000.90
<b>Rotary encoder ERB2</b>										
E6B2-CWZ1X 1000P/R.0.5M	Encoder, incremental, 1000 ppr, 5 VDC, Line driver 0.5 m cable	211.10	236008	4547648295543			GC	B	CHN	9032.9000.90

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Daheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
E5B2-CW21X 1000P/R2M	Encoder, incremental, 1000ppr, 5 VDC, Line driver 2m cable	227.10	235972	4547648295642			GC	B	CHN	9032.9000.90
E5B2-CW21X 1024P/R0.5M	Encoder, incremental, 1024ppr, 5 VDC, Line driver 0.5m cable	265.70	235966	4547648296311			GC	B	CHN	9032.9000.90
E5B2-CW21X 2000P/R0.5M	Encoder, incremental, 2000ppr, 5 VDC, Line driver 0.5m cable	233.00	236009	4547648295581			GC	B	CHN	9032.9000.90
E5B2-CW21X 2000P/R2M	Encoder, incremental, 2000ppr, 5 VDC, Line driver 2m cable	246.90	235974	4547648296045	#		GC	B	CHN	9032.9000.90
E5B2-CW21X 200P/R0.5M	Encoder, incremental, 200ppr, 5 VDC, Line driver 0.5m cable	216.80	235931	4547648295482			GC	B	CHN	9032.9000.90
E5B2-CW21X 20P/R0.5M	Encoder, incremental, 20ppr, 5 VDC, Line driver 0.5m cable	222.40	235925	4547648295420			GC	B	CHN	9032.9000.90
E5B2-CW21X 300P/R0.5M	Encoder, incremental, 300ppr, 5 VDC, Line driver 0.5m cable	187.50	235932	4547648295499			GC	B	CHN	9032.9000.90
E5B2-CW21X 360P/R0.5M	Encoder, incremental, 360 ppr, 5 VDC, Line driver 0.5 m cable	195.40	235933	4547648295505			GC	B	CHN	9032.9000.90
E5B2-CW21X 500P/R0.5M	Encoder, incremental, 500ppr, 5 VDC, Line driver 0.5m cable	197.40	235935	4547648295529			GC	B	CHN	9032.9000.90
E5B2-CW21X 50P/R0.5M	Encoder, incremental, 1000ppr, 5 VDC, Line driver 0.5m cable	227.30	235928	4547648295451			GC	B	CHN	9032.9000.90
E5B2-CW21X 600P/R2M	Encoder, incremental, 600ppr, 5 VDC, Line driver 2m cable	205.10	235940	4547648295628			GC	B	CHN	9032.9000.90
E5B2-CW23E 1000P/R2M	Encoder, incremental, 60ppr, 5-12VDC, NPN voltage output	227.10	235971	4547648295635			GC	B	CHN	9032.9000.90
E5B2-CW23E 100P/R0.5M	Encoder, incremental, 100ppr, 5-12 VDC, NPN voltage output, 0.5m cable	185.50	236006	4547648295291			GC	B	CHN	9032.9000.90
E5B2-CW23E 100P/R2M	Encoder, incremental, 60 ppr, 5 to 12 VDC, NPN voltage output	195.40	235975	4547648295710			GC	B	CHN	9032.9000.90
E5B2-CW23E 2000P/R0.5M	Encoder, incremental, 2000ppr, 5-12 VDC, NPN voltage output, 0.5m cable	235.90	235923	4547648295406			GC	B	CHN	9032.9000.90
E5B2-CW23E 200P/R0.5M	Encoder, incremental, 200ppr, 5-12 VDC, NPN voltage output, 0.5m cable	187.50	235915	4547648295307			GC	B	CHN	9032.9000.90
E5B2-CW23E 200P/R2M	Encoder, incremental, 60ppr, 5-12VDC, NPN voltage output	199.40	235941	4547648295673			GC	B	CHN	9032.9000.90
E5B2-CW23E 360P/R0.5M	Encoder, incremental, 360ppr, 5-12 VDC, NPN voltage output, 0.5m cable	201.20	235917	4547648295321			GC	B	CHN	9032.9000.90
E5B2-CW23E 360P/R2M	Encoder, incremental, 60ppr, 5-12VDC, NPN voltage output	213.10	235944	4547648295765			GC	B	CHN	9032.9000.90
E5B2-CW23E 500P/R0.5M	Encoder, incremental, 500ppr, 5-12VDC, NPN voltage output, 0.5m cable	203.30	235970	4547648295345			GC	B	CHN	9032.9000.90
E5B2-CW23E 500P/R2M	Encoder, incremental, 600ppr, 5-12 VDC, NPN voltage output	215.00	235974	4547648295680			GC	B	CHN	9032.9000.90
E5B2-CW23E 600P/R0.5M	Encoder, incremental, 600ppr, 5-12 VDC, NPN voltage output, 0.5m cable	211.10	236007	4547648295352			GC	B	CHN	9032.9000.90
E5B2-CW23E 60P/R2M	Encoder, incremental, 60ppr, 5-12VDC, NPN voltage output	251.50	235949	4547648295819			GC	B	CHN	9032.9000.90
E5B2-CW25B 1000P/R0.5M	Encoder, incremental, 1000ppr, 12-24 VDC, PNP output, 0.5m cable	215.00	235986	4547648296212			GC	B	CHN	9032.9000.90
E5B2-CW25B 100P/R0.5M	Encoder, incremental, 100ppr, 12-24 VDC, PNP output, 0.5m cable	222.90	235982	4547648296168			GC	B	CHN	9032.9000.90
E5B2-CW25B 2000P/R0.5M	Encoder, incremental, 2000ppr, 12-24 VDC, PNP output, 0.5m cable	236.90	235987	4547648296229	#		GC	B	CHN	9032.9000.90
E5B2-CW25B 2000P/R5M	Encoder, incremental, 2000 ppr, 5-24 VDC, 3-phase, PNP output, 5 m cable	423.70	297194	4547648739580			GC	B	CHN	9032.9000.90
E5B2-CW25B 200P/R0.5M	Encoder, incremental, 200ppr, 12-24 VDC, PNP output, 0.5m cable	230.30	235983	4547648296175			GC	B	CHN	9032.9000.90
E5B2-CW25B 360P/R0.5M	Encoder, incremental, 360ppr, 12-24 VDC, PNP output, 0.5m cable	266.00	235984	4547648296182			GC	B	CHN	9032.9000.90
E5B2-CW25B 360P/R2M	Encoder, incremental, 360 ppr, 12 to 24 VDC, PNP output, 0.5 m cable	213.10	361819	4547648462907	#		GC	B	CHN	9032.9000.90
E5B2-CW25B 500P/R0.5M	Encoder, incremental, 500ppr, 12-24 VDC, PNP output, 0.5m cable	237.60	235985	4547648296199			GC	B	CHN	9032.9000.90
E5B2-CW25B 600P/R0.5M	Encoder, incremental, 600ppr, 12-24 VDC, PNP output, 0.5m cable	246.90	235963	4547648296205			GC	B	CHN	9032.9000.90
E5B2-CW25B 600P/R2M	Encoder, incremental, 600ppr, 12-24 VDC, PNP output, 2m cable	223.20	235964	4547648296236			GC	B	CHN	9032.9000.90
E5B2-CW26C 1000P/R0.5M	Encoder, incremental, 1000 ppr, 5 to 24 VDC, 3-phase, NPN output, 0.5 m cable	213.10	236001	4547648295185			GC	B	CHN	9032.9000.90
E5B2-CW26C 1000P/R2M	Encoder, incremental, 1000ppr, 5-24 VDC, 3-phase, NPN output	223.20	236012	4547648295611	#		GC	B	CHN	9032.9000.90
E5B2-CW26C 1024P/R0.5M	Encoder, incremental, 1024ppr, 5-24 VDC, NPN output, 0.5m cable	226.10	236010	4547648295598			GC	B	CHN	9032.9000.90
E5B2-CW26C 10P/R2M	Rotary Encoder, incremental, 10ppr, 5-24 VDC, 3-phase, NPN output, 2m cable	267.50	351619	4547648296304			GC	B	CHN	9032.9000.90
E5B2-CW26C 1200P/R2M	Rotary Encoder, incremental, 1200ppr, 5-24 VDC, 3-phase, NPN output, 2m cable	193.00	235976	4547648295734			GC	B	CHN	9032.9000.90
E5B2-CW26C 1500P/R0.5M	Encoder, incremental, 1500ppr, 5-24 VDC, NPN output, 0.5m cable	227.10	235980	4547648296007			GC	B	CHN	9032.9000.90
E5B2-CW26C 1500P/R2M	Encoder, incremental, 1500ppr, 5-24 VDC, NPN output, 0.5m cable	219.40	236003	4547648295208			GC	B	CHN	9032.9000.90
E5B2-CW26C 1800P/R2M	https://industrial.omron.com.tr/tr/products/e6b2-c	244.80	353659	4547648296069			GC	B	CHN	9032.9000.90
E5B2-CW26C 2000P/R0.5M	Encoder, incremental, 2000ppr, 5-24 VDC, NPN output, 0.5m cable	277.70	236005	4547648295222			GC	B	CHN	9032.9000.90
E5B2-CW26C 2000P/R2M	Encoder, incremental, 2000ppr, 5-24VDC, 3-phase, NPN output, 2m cable	244.80	235979	4547648295949			GC	B	CHN	9032.9000.90
E5B2-CW26C 200P/R2M	Encoder, incremental, 200ppr, 5-24 VDC, 3-phase, NPN output	193.40	236015	4547648295703			GC	B	CHN	9032.9000.90
E5B2-CW26C 20P/R2M	Rotary Encoder, incremental, 20 ppr, 5 to 24 VDC, 3-phase, NPN output, 2 m cable	193.40	235952	4547648295940			GC	B	CHN	9032.9000.90
E5B2-CW26C 300P/R2M	Rotary Encoder, incremental, 300ppr, 5-24 VDC, 3-phase, NPN output, 2m cable	195.40	235977	4547648295758			GC	B	CHN	9032.9000.90
E5B2-CW26C 360P/R0.5M	Encoder, incremental, 360 ppr, 5 to 24 VDC, NPN output, 0.5 m cable	213.10	235997	4547648295147			GC	B	CHN	9032.9000.90
E5B2-CW26C 360P/R2M	Encoder, incremental, 360ppr, 5-24 VDC, 3-phase, NPN output	223.20	236014	4547648295697			GC	B	CHN	9032.9000.90
E5B2-CW26C 400P/R2M	Rotary Encoder, incremental, 400ppr, 5-24 VDC, 3-phase, NPN output, 2m cable	244.50	235956	4547648295895			GC	B	CHN	9032.9000.90
E5B2-CW26C 40P/R2M	Rotary Encoder, incremental, 40ppr, 5-24 VDC, 3-phase, NPN output, 2m cable	197.40	235954	4547648295864			GC	B	CHN	9032.9000.90
E5B2-CW26C 500P/R0.5M	Encoder, incremental, 500 ppr, 5 to 24 VDC, NPN output, 0.5 m cable	213.10	235999	4547648295161			GC	B	CHN	9032.9000.90
E5B2-CW26C 500P/R2M	Encoder, incremental, 500ppr, 5-24 VDC, 3-phase, NPN output	209.10	236011	4547648295604	#		GC	B	CHN	9032.9000.90
E5B2-CW26C 50P/R2M	Encoder	227.00	235978	4547648295871			GC	B	CHN	9032.9000.90
E5B2-CW26C 600P/R2M	Encoder, incremental, 600ppr, 5-24VDC, 3-phase, NPN output	217.10	236013	4547648295659	#		GC	B	CHN	9032.9000.90
E5B2-CW26C 60P/R2M	Rotary Encoder, incremental, 60ppr, 5-24 VDC, 3-phase, NPN output, 2m cable	226.10	235955	4547648295888			GC	B	CHN	9032.9000.90
E5B2-CW26C-10 1000P/R5M	Encoder, incremental, 1000ppr, 5-24 VDC, 3-phase, NPN output, 5 m cable	246.90	235981	4547648296083			GC	B	CHN	9032.9000.90
<b>Rotary encoder FR02-C</b>										
E5C2-CW21X 1000P/R2M	Encoder, incremental, 1000ppr, 5 VDC, Line driver output, 2m cable	301.90	257299	4547648528559	#		GC	C	CHN	9032.9000.90
E5C2-CW21X 1000P/R5M	Encoder, incremental, 1000 ppr, 5 VDC, Line driver output, 5 m cable	340.30	257319	4547648528856	#		GC	C	CHN	9032.9000.90
E5C2-CW21X 100P/R2M	Encoder, incremental, 100ppr, 5 VDC, Line driver output, 2m cable	227.90	257292	4547648528481			GC	C	CHN	9032.9000.90
E5C2-CW21X 1024P/R2M	Encoder, incremental, 1024 ppr, 5 VDC, Line driver output, 2 m cable	258.80	257311	4547648528696			GC	C	CHN	9032.9000.90
E5C2-CW21X 1200P/R2M	Encoder, incremental, 1200ppr, 5 VDC, Line driver output, 2m cable	304.40	257300	4547648528566			GC	C	CHN	9032.9000.90
E5C2-CW21X 1800P/R2M	Encoder, incremental, 1800ppr, 5 VDC, Line driver output, 2m cable	323.70	257302	4547648528580			GC	C	CHN	9032.9000.90
E5C2-CW21X 2000P/R2M	Encoder, incremental, 2000ppr, 5 VDC, Line driver output, 2m cable	321.90	257303	4547648528597	#		GC	C	CHN	9032.9000.90
E5C2-CW21X 200P/R2M	Encoder, incremental, 200ppr, 5 VDC, Line driver output, 2m cable	229.60	257293	4547648528498			GC	C	CHN	9032.9000.90
E5C2-CW21X 360P/R2M	Encoder, incremental, 360 ppr, 5 VDC, Line driver output, 2 m cable	240.70	257297	4547648528535			GC	C	CHN	9032.9000.90
E5C2-CW21X 500P/R2M	Encoder, incremental, 500ppr, 5 VDC, Line driver output, 2m cable	240.70	257296	4547648528528			GC	C	CHN	9032.9000.90
E5C2-CW21X 600P/R2M	Encoder, incremental, 600ppr, 5 VDC, Line driver output, 2m cable	249.80	257298	4547648528542			GC	C	CHN	9032.9000.90
E5C2-CW23E 1000P/R2M	Encoder, incremental, 1000 ppr, 5 to 12 VDC, NPN voltage output, 2 m cable	298.50	257281	4547648528375			GC	C	CHN	9032.9000.90
E5C2-CW23E 10P/R2M	Encoder, incremental, 10ppr, 5-12 VDC, NPN voltage output, 2m cable	226.40	257274	4547648528306			GC	C	CHN	9032.9000.90
E5C2-CW23E 10P/R2M	Encoder, incremental, 10ppr, 5-12 VDC, NPN voltage output, 2m cable	227.90	257268	4547648528245			GC	C	CHN	9032.9000.90
E5C2-CW23E 200P/R2M	Encoder, incremental, 200ppr, 5-12 VDC, NPN voltage output, 2m cable	229.60	257275	4547648528313			GC	C	CHN	9032.9000.90
E5C2-CW23E 300P/R2M	Encoder, incremental, 300ppr, 5-12 VDC, NPN voltage output, 2m cable	227.90	257276	4547648528320			GC	C	CHN	9032.9000.90
E5C2-CW23E 500P/R2M	Encoder, incremental, 500ppr, 5-12 VDC, NPN voltage output, 2m cable	244.50	257279	4547648528351			GC	C	CHN	9032.9000.90
E5C2-CW23E 600P/R2M	Encoder, incremental, 600ppr, 5-12 VDC, NPN voltage output, 2m cable	249.80	257280	4547648528368			GC	C	CHN	9032.9000.90

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Daheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
E6C2-CWZ5B 1000P/R2M	Encoder, incremental, 1000ppr, 12-24 VDC, PNP output, 2m cable	255.20	257309	4547648528658	#		GC	C	CHN	9032.9000.90
E6C2-CWZ5B 100P/R2M	Encoder, incremental, 100ppr, 12-24 VDC, PNP output, 2m cable	226.40	257304	4547648528603	#		GC	C	CHN	9032.9000.90
E6C2-CWZ5B 2000P/R2M	Encoder, incremental, 2000ppr, 12-24 VDC, PNP output, 2m cable	273.30	257310	4547648528665	#		GC	C	CHN	9032.9000.90
E6C2-CWZ5B 200P/R2M	Encoder, incremental, 200ppr, 12-24 VDC, PNP output, 2m cable	226.40	257305	4547648528610	#		GC	C	CHN	9032.9000.90
E6C2-CWZ5B 360P/R2M	Encoder, incremental, 360ppr, 12-24 VDC, PNP output, 2m cable	238.70	257306	4547648528627	#		GC	C	CHN	9032.9000.90
E6C2-CWZ5B 500P/R2M	Encoder, incremental, 500ppr, 12-24 VDC, PNP output, 2m cable	240.70	257307	4547648528634	#		GC	C	CHN	9032.9000.90
E6C2-CWZ5B 50P/R2M	Encoder, incremental, 50ppr, 12-24 VDC, PNP output, 2m cable	288.00	257322	4547648528917	#		GC	C	CHN	9032.9000.90
E6C2-CWZ5B 600P/R2M	Encoder, incremental, 600ppr, 12-24 VDC, PNP output, 2m cable	251.50	257308	4547648528641	#		GC	C	CHN	9032.9000.90
E6C2-CWZ5B-10 1000P/R5M	https://industrial.omron.com.tr/tr/products/e6c2-c-e6c3-c	275.40	257323	4547648528931	#		GC	C	CHN	9032.9000.90
E6C2-CWZ5B-10 2000P/R5M	Incremental Encoder, 2000 ppr, 12-24 VDC, PNP output, 5 m cable	398.60	686523	4549734495141	#		GC	C	CHN	9032.9000.90
E6C2-CWZ6C 1000P/R2M	Encoder, incremental, 1000ppr, 5-24 VDC, NPN output, 2m cable	297.00	257263	4547648528191	#		GC	C	CHN	9032.9000.90
E6C2-CWZ6C 100P/R2M	Encoder, incremental, 100ppr, 5-24 VDC, NPN output, 2m cable	224.30	257256	4547648528122	#		GC	C	CHN	9032.9000.90
E6C2-CWZ6C 1024P/R2M	Encoder, incremental, 1024 ppr, 5 to 24 VDC, NPN output, 2 m cable	255.20	257314	4547648528757	#		GC	C	CHN	9032.9000.90
E6C2-CWZ6C 10P/R2M	Encoder, incremental, 10ppr, 5-24 VDC, NPN output, 2m cable	224.30	257250	4547648528061	#		GC	C	CHN	9032.9000.90
E6C2-CWZ6C 1200P/R2M	Encoder, incremental, 1200ppr, 5-24 VDC, NPN output, 2m cable	301.90	257264	4547648528207	#		GC	C	CHN	9032.9000.90
E6C2-CWZ6C 1500P/R2M	Encoder, incremental, 1500ppr, 5-24 VDC, NPN output, 2m cable	302.30	257265	4547648528214	#		GC	C	CHN	9032.9000.90
E6C2-CWZ6C 1800P/R2M	Encoder, incremental, 1800ppr, 5-24 VDC, NPN output, 2m cable	357.60	257266	4547648528221	#		GC	C	CHN	9032.9000.90
E6C2-CWZ6C 2000P/R2M	Encoder, incremental, 2000ppr, 5-24 VDC, NPN output, 2m cable	317.50	257267	4547648528238	#		GC	C	CHN	9032.9000.90
E6C2-CWZ6C 200P/R2M	Encoder, incremental, 200ppr, 5-24 VDC, NPN output, 2m cable	224.30	257257	4547648528139	#		GC	C	CHN	9032.9000.90
E6C2-CWZ6C 20P/R2M	Encoder, incremental, 20ppr, 5-24 VDC, NPN output, 2m cable	312.70	257251	4547648528078	#		GC	C	CHN	9032.9000.90
E6C2-CWZ6C 300P/R2M	Encoder, incremental, 300ppr, 5-24 VDC, NPN output, 2m cable	226.40	257258	4547648528146	#		GC	C	CHN	9032.9000.90
E6C2-CWZ6C 30P/R2M	Encoder, incremental, 30ppr, 5-24 VDC, NPN output, 2m cable	238.70	257252	4547648528085	#		GC	C	CHN	9032.9000.90
E6C2-CWZ6C 360P/R2M	Encoder, incremental, 360ppr, 5-24 VDC, NPN output, 2m cable	237.00	257259	4547648528153	#		GC	C	CHN	9032.9000.90
E6C2-CWZ6C 400P/R2M	Encoder, incremental, 400ppr, 5-24 VDC, NPN output, 2m cable	316.20	257260	4547648528160	#		GC	C	CHN	9032.9000.90
E6C2-CWZ6C 40P/R2M	Encoder, incremental, 40ppr, 5-24 VDC, NPN output, 2m cable	264.00	257253	4547648528092	#		GC	C	CHN	9032.9000.90
E6C2-CWZ6C 500P/R2M	Encoder, incremental, 500ppr, 5-24 VDC, NPN output, 2m cable	238.70	257261	4547648528177	#		GC	C	CHN	9032.9000.90
E6C2-CWZ6C 50P/R2M	Encoder, incremental, 50ppr, 5-24 VDC, NPN output, 2m cable	261.90	257254	4547648528108	#		GC	C	CHN	9032.9000.90
E6C2-CWZ6C 600P/R2M	Encoder, incremental, 600ppr, 5-24 VDC, NPN output, 2m cable	246.10	257262	4547648528184	#		GC	C	CHN	9032.9000.90
E6C2-CWZ6C 60P/R2M	Encoder, incremental, 60ppr, 5-24 VDC, NPN output, 2m cable	263.00	257255	4547648528115	#		GC	C	CHN	9032.9000.90
E6C2-CWZ6C 720P/R2M	Encoder, incremental, 720ppr, 5-24 VDC, NPN output, 2m cable	357.90	257313	4547648528733	#		GC	C	CHN	9032.9000.90
E6C2-CWZ6C 800P/R2M	Encoder, incremental, 800ppr, 5-24VDC, NPN output, 2m cable	253.50	378243	4547648528740	#		GC	C	CHN	9032.9000.90
E6C2-CWZ6C 12 500P/R10M	https://industrial.omron.com.tr/tr/products/e6c2-c-e6c3-c	345.60	257318	4547648528825	#		GC	C	CHN	9032.9000.90
<b>Rotary encoder EBCP</b>										
EBCP-AG5C-C 256 2M	Encoder, absolute, 256ppr, 8-bit, 12-24 VDC, gray code output, 2m cable, H8PS connector	251.60	106174	4536854588532	#		GC	E	CHN	9032.9000.90
<b>Rotary encoder EBF</b>										
EBF-CWZ5G 1000P/R2M	Encoder, incremental, 1000 ppr, 12 to 24 VDC complimentary output, 2 m cable	543.00	128114	4536854740435	#		GC	F	JPN	9032.9000.90
EBF-CWZ5G 100P/R2M	Encoder, incremental, 100ppr, 12-24VDC, complimentary output, 2m cable	552.50	128111	4536854740381	#		GC	F	JPN	9032.9000.90
EBF-CWZ5G 200P/R2M	Encoder, incremental, 200ppr, 12-24VDC, complimentary output, 2m cable	678.50	128112	4536854740398	#		GC	F	JPN	9032.9000.90
EBF-CWZ5G 360P/R2M	Encoder, incremental, 360ppr, 12-24VDC, complimentary output, 2m cable	553.50	151316	4536854740404	#		GC	F	JPN	9032.9000.90
EBF-CWZ5G 500P/R2M	Encoder, incremental, 500ppr, 12-24VDC, complimentary output, 2m cable	510.50	151250	4536854740411	#		GC	F	JPN	9032.9000.90
EBF-AB3C 360 2M	Encoder, absolute, 360ppr, 10-bit, 5-12 VDC, BCD output, 2m cable	666.00	149716	4536853371944	#		GC	F	JPN	9032.9000.90
EBF-AB3C-C 360 2M	Encoder, absolute, 360ppr, 10-bit, 5-12 VDC, BCD output, 2m cable, H8PR connector	678.00	154208	4536853371975	#		GC	F	JPN	9032.9000.90
EBF-AB3C-C 360 5M	Rotary Encoder	720.50	146573	4536853371982	#		GC	F	JPN	9032.9000.90
EBF-AB5B 360 2M	Encoder, absolute, 360ppr, 12-24 VDC, PNP open collector, BCD output, 2m cable	662.50	106003	4536854687815	#		GC	F	JPN	9032.9000.90
EBF-AB5C 360 2M	Encoder, absolute, 360ppr, 12-24 VDC, NPN open collector, BCD output, 2m cable	653.50	128104	4536854687792	#		GC	F	JPN	9032.9000.90
EBF-AB5C-C 360 2M	Encoder, absolute, 360ppr, 12-24 VDC, PNP open collector, BCD output, 2m cable, H8PS connector	666.50	148067	4536854687808	#		GC	F	JPN	9032.9000.90
EBF-AG5B 1024 2M	Encoder, absolute, 1024ppr, 8-bit, 12-24 VDC, gray code output, 2m cable	621.00	128110	4536854687891	#		GC	F	JPN	9032.9000.90
EBF-AG5B 360 2M	Encoder, absolute, 360ppr, 8-bit, 12-24 VDC, gray code output, 2m cable	595.50	128108	4536854687877	#		GC	F	JPN	9032.9000.90
EBF-AG5B 720 2M	Encoder, absolute, 720ppr, 8-bit, 12-24 VDC, gray code output, 2m cable	632.00	128109	4536854687884	#		GC	F	JPN	9032.9000.90
EBF-AG5C 256 2M	Encoder, absolute, 256ppr, 8-bit, 12-24 VDC, gray code output, 2m cable	579.50	128105	4536854687822	#		GC	F	JPN	9032.9000.90
EBF-AG5C-C 256 2M	Encoder, absolute, 256ppr, 8-bit, 12-24 VDC, gray code output, 2m cable, H8PS connector	585.00	145524	4536853372033	#		GC	F	JPN	9032.9000.90
EBF-AG5C-C 360 2M	Encoder, absolute, 360ppr, 8-bit, 12-24 VDC, gray code output, 2m cable, H8PS connector	608.50	168882	4547648048132	#		GC	F	JPN	9032.9000.90
EBF-AG5C-C 720 2M	Encoder, absolute, 720ppr, 8-bit, 12-24 VDC, gray code output, 2m cable, H8PS connector	635.50	168883	4547648048149	#		GC	F	JPN	9032.9000.90
<b>Rotary encoder EBC3-C</b>										
EBC3-CWZ3B 1000P/R2M	https://industrial.omron.com.tr/tr/products/e6c2-c-e6c3-c	404.60	128171	4536854871573	#		GC	G	JPN	9032.9000.90
EBC3-CWZ3B 100P/R2M	https://industrial.omron.com.tr/tr/products/e6c2-c-e6c3-c	364.50	104492	4536854871498	#		GC	G	JPN	9032.9000.90
EBC3-CWZ3B 3600P/R2M	Encoder	437.90	128178	4536854871658	#		GC	G	JPN	9032.9000.90
EBC3-CWZ3B 500P/R2M	https://industrial.omron.com.tr/tr/products/e6c2-c-e6c3-c	404.60	128263	4536854871535	#		GC	G	JPN	9032.9000.90
EBC3-CWZ3H 1000P/R2M	Encoder	404.60	128184	4536854871740	#		GC	G	JPN	9032.9000.90
EBC3-CWZ3XH 100P/R2M	Incremental Encoder 8 dia tough model, line driver output	364.50	128179	4536854871665	#		GC	G	JPN	9032.9000.90
EBC3-CWZ3XH 1024P/R2M	Incremental Encoder 8 dia tough model, line driver output	404.60	128185	4536854871757	#		GC	G	JPN	9032.9000.90
EBC3-CWZ3XH 2000P/R2M	Incremental Encoder 8 dia tough model, line driver output	404.60	128188	4536854871795	#		GC	G	JPN	9032.9000.90
EBC3-CWZ3XH 200P/R2M	Incremental Encoder 8 dia tough model, line driver output	399.90	153532	4536854871672	#		GC	G	JPN	9032.9000.90
EBC3-CWZ3XH 2048P/R2M	Incremental Encoder 8 dia tough model, line driver output	474.20	128189	4536854871801	#		GC	G	JPN	9032.9000.90
EBC3-CWZ3XH 2500P/R2M	Rotary Encoder	404.60	144787	4536854871818	#		GC	G	JPN	9032.9000.90
EBC3-CWZ3XH 3600P/R1M	Encoder incremental 8 dia, rugged housing, line driver output, 3600 ppr	404.60	150186	4536854873553	#		GC	G	JPN	9032.9000.90
EBC3-CWZ3XH 3600P/R2M	Encoder incremental 8 dia rugged housing, line driver output, 3600 ppr, 2m cable	437.90	149118	4536854871825	#		GC	G	JPN	9032.9000.90
EBC3-CWZ3XH 500P/R2M	Incremental Encoder 8 dia tough model, line driver output	404.60	128181	4536854871702	#		GC	G	JPN	9032.9000.90
EBC3-CWZ5GH 1000P/R2M	Encoder incremental 8 dia rugged housing, 1000ppr, 12-24 VDC, Complimentary output, 2m cable	404.60	143733	4536854871399	#		GC	G	JPN	9032.9000.90
EBC3-CWZ5GH 100P/R2M	Encoder incremental 8 dia rugged housing, 100ppr, 12-24 VDC, Complimentary output, 2m cable	364.50	151300	4536854871313	#		GC	G	JPN	9032.9000.90



Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Daheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
<b>Fiber sensing head E32</b>										
E32-D11N 2M	Fiber optic sensor, diffuse, M6 side view, 2m cable	132.80	374494	4548583336124			GD	A	CHN	8541.4090.00
E32-D11N 5M	Fiber optic sensor, diffuse, M6 hex head, Right-Angle, high flex Rt fibre, 5m cable	155.20	351770	4547648510769			GD	A	JPN	8541.4090.00
E32-D11R 2M	Photoelectric sensor, fiber sensor head, diffuse, M6, high flex, 2 m cable	36.57	412734	4548583049208			GD	A	CHN	8541.4090.00
E32-D14L 2M	Fiber optic sensor, diffuse, 6mm diameter, long side view, 2m cable (requires E3X amplifier)	108.80	182524	4547648094924			GD	A	CHN	8541.4090.00
E32-D14LR 2M	Fiber optic sensor, diffuse, 6mm dia, high flex	335.70	131578	4536854634741			GD	A	JPN	8541.4090.00
E32-D211 2M	Fiber optic sensor, diffuse, M4 head, standard R10 fiber, 2 m cable	34.22	379167	4548583413863			GD	A	CHN	8541.4090.00
E32-D211R 2M	Fiber optic sensor, diffuse, M4 head, high flex Rt, 2 m cable	85.35	379168	4548583413870			GD	A	CHN	8541.4090.00
E32-D21N 2M	Fiber optic sensor, diffuse, M4 hex right-angled head, high-flex R2 fiber, 2 m cable	82.65	383729	4548583487833			GD	A	CHN	8541.4090.00
E32-D21R 2M	Fiber optic sensor, diffuse, M3, high flex, 2 m cable	113.90	416699	4548583049215			GD	A	CHN	8541.4090.00
E32-DC200	Fiber optic sensor, diffuse, M6, 2m cable	27.96	182959	4547648094986	#		GD	A	CHN	8541.4090.00
E32-DC200E 2M	Fiber optic sensor, diffuse, M3, 2m cable	36.88	182804	4547648094993	#		GD	A	CHN	8541.4090.00
E32-DC500 5M	Fiber optic sensor, diffuse, M6, 5m	61.35	182799	4547648094764	#		GD	A	CHN	8541.4090.00
E32-LR1 1NP 2M	Fiber optic sensor, retro-reflective, M6 hex right-angled head, integrated lens, high-flex R2 fiber, 2 m cable	58.20	383734	4548583487871			GD	A	CHN	8541.4090.00
E32-LR1 1NP 5M	Fiber optic sensor, retro-reflective, M6 hex right-angled head, integrated lens, high-flex R2 fiber, 5m cable	103.10	383732	4548583487888			GD	A	CHN	8541.4090.00
E32-R21 2M	Fiber optic sensor, retro-reflective, M6 head, R10 fiber, 2m cable	154.50	357347	4548583049130			GD	A	CHN	8541.4090.00
E32-T11N 2M	Fiber optic sensor, through-beam, M4 side view, 2m cable	103.10	374495	4548583336117	#		GD	A	CHN	8541.4090.00
E32-T11R 2M	Fiber optic sensor, through-beam, M4 head, high flex Rt fibre, 2m cable	53.70	356136	4548583049147		10	GD	A	CHN	8541.4090.00
E32-T21R 2M	Fiber optic sensing head, through-beam, M3, high-flex Rt fiber, 2 m	90.90	411346	4548583049185			GD	A	CHN	8541.4090.00
E32-TC1000	Diffuse, M4, 10m standard fiber	108.80	131663	4536853292614			GD	A	JPN	8541.4090.00
E32-TC200 2M	Fiber optic sensor, through-beam, M4, 2m cable	32.51	182801	4547648094870	#		GD	A	CHN	8541.4090.00
E32-TC200E 2M	Fiber optic sensor, through-beam, M3, 2m cable	45.78	182803	4547648094894			GD	A	CHN	8541.4090.00
E32-TC300	Fiber optic sensor, thru-beam, M4 head, standard R25 fibre, 3m cable	49.96	131559	4536853294328			GD	A	JPN	8541.4090.00
E32-TC500 5M	Fiber optic sensor, through-beam, M4, 5m cable	70.70	182793	4547648094702			GD	A	CHN	8541.4090.00
E32-A03-1 2M	Fiber optic sensor, through-beam, side view, high-flex Rt fiber, 2m cable	240.70	165074	4536854981487			GD	A	JPN	8541.4090.00
E32-D15XR 2M	Fiber optic sensor, diffuse, square head, high flex Rt fiber, 2 m cable	128.20	379164	4548583413825			GD	A	CHN	8541.4090.00
E32-D15Y 2M	Fiber optic sensor, diffuse, square shape, standard R25 fiber, 2m cable	108.30	172129	4547648018081			GD	A	JPN	8541.4090.00
E32-D15YR 2M	Fiber optic sensor, diffuse, square side view, high flex Rt fiber, 2 m cable	87.00	379165	4548583413832			GD	A	CHN	8541.4090.00
E32-D15ZR 2M	Fibre optic sensor, diffuse, square flat form head, high flex Rt fibre, 2m cable	129.40	379166	4548583413849			GD	A	CHN	8541.4090.00
E32-D25-S3 2M	Fiber optic sensor, diffuse, square head with sleeve over 50 mm., standard R10 fiber, 2 m cable	140.80	683070	4548583385009			GD	A	JPN	8541.4090.00
E32-EC41-1 1M	Fiber optic sensor, diffuse co-axial, M3 head, high-flex fiber Rt, 1 m cable	111.90	156830	4548583737624			GD	A	NLD	8541.4090.00
E32-ET15YR-1 2M	Fiber optic sensor, through-beam, square shape, long hole mounting, high-flex Rt fiber, 2m cable	224.30	656856	4548583737860			GD	A	NLD	8541.4090.00
E32-ETS14R 2M	Fiber optic sensor, through-beam, rectangular body, side view, high flex, 2m cable	156.80	656843	4548583737969			GD	A	NLD	8541.4090.00
E32-ETS20R 2M	Photoelectric sensor optical fiber, through-beam, rectangular body, 2m flexible cable (requires E3X amplifier)	195.40	656837	4548583737990			GD	A	NLD	8541.4090.00
E32-L13S2 2M	Fibre optic sensor, through-beam, square flat form head, built-in lens for long sensing distance, high flex Rt fiber, 2 m cable	184.80	690947	4548583783232			GD	A	CHN	8541.4090.00
E32-T15X 2M	Fiber optic sensor, through-beam, square, standard fiber R25, 2m cable	104.70	172114	4547648017930			GD	A	JPN	8541.4090.00
E32-T15Y 2M	Fiber optic sensor, through-beam, square right angle head, standard R25 fiber, 2m cable	120.20	379183	4548583414167			GD	A	CHN	8541.4090.00
E32-T15YR 2M	Fiber optic sensor, through-beam, square side view, high flex Rt fiber, 2m cable	160.70	379197	4548583414174			GD	A	CHN	8541.4090.00
E32-T15ZR 2M	Fiber optic sensor, through-beam, square flat form head, high flex Rt fibre, 2 m cable	167.70	379196	4548583414198			GD	A	CHN	8541.4090.00
E32-D21-S3 2M	Fiber optic sensor, diffuse, M4 head with 1.65 mm sleeve over 50 mm., standard R10 fiber, 2 m cable	116.50	683069	4548583384996			GD	A	JPN	8541.4090.00
E32-D22 2M	Fiber optic sensor, diffuse, miniature, dia 3mm, standard fiber Rt0, 2m cable	69.75	250469	4547648021296			GD	A	JPN	8541.4090.00
E32-D22R 2M	Fiber optic sensor, diffuse, miniature shape, dia 3mm, high-flex fiber Rt, 2m cable	75.75	357351	4548583049222			GD	A	CHN	8541.4090.00
E32-D24 2M	Fiber optic sensor, diffuse, 3m diameter, side view, 2m cable	81.90	374487	4548583336148			GD	A	CHN	8541.4090.00
E32-D24R 2M	Fiber optic sensor, diffuse, 2m dia right-angle head, flexible Rt fiber, 2m cable	130.90	379169	4548583413900			GD	A	CHN	8541.4090.00
E32-D32 2M	Fiber optic sensor, diffuse, 2m diameter, coaxial, 2m cable	62.05	182528	4547648094979			GD	A	CHN	8541.4090.00
E32-D32R 2M	Fiber optic sensor, diffuse, miniature shape, dia 2 mm, high-flex fiber Rt, 2 m cable	79.25	131501	4536854642135			GD	A	JPN	8541.4090.00
E32-D33 2M	Fiber optic sensor, diffuse, 3mm dia, needle, 2m cable	65.10	182796	4547648094733			GD	A	CHN	8541.4090.00
E32-D43M 1M	Fiber optic sensor, diffuse, 1.5mm dia head, 0.5 mm dia sleeve, standard R4 fiber, 2 m cable	95.95	695010	4548583413962			GD	A	CHN	8541.4090.00
E32-DC200B 2M	Fiber optic sensor, diffuse, M6 with 90mm bendable sleeve	47.87	182797	4547648094740			GD	A	CHN	8541.4090.00
E32-DC200B4 2M	Fiber optic sensor, diffuse, dia 2.5mm head with bendable sleeve, standard fiber R25, 2m cable	58.60	182798	4547648094757			GD	A	CHN	8541.4090.00
E32-DC200BR	Fiber optic sensor, diffuse, M6 head with 2.5 mm sleeve, high flex Rt fiber, 2 m cable	97.80	379174	4548583413979			GD	A	CHN	8541.4090.00
E32-DC200F	Fiber optic sensor, diffuse, M3 head with 1.2mm dia sleeve, standard R10 fiber, 2m cable	32.65	379175	4548583413986			GD	A	CHN	8541.4090.00
E32-DC200F4	Fiber optic sensor, diffuse, M3 head with 1.2mm dia sleeve, R10, 2m cable	71.00	379176	4548583413993			GD	A	CHN	8541.4090.00
E32-DC200F4R	Fiber optic sensor, diffuse, 3 dia, head, 1.2 dia sleeve, high-flex Rt fiber, 2 m cable	93.15	379177	4548583414006			GD	A	CHN	8541.4090.00
E32-ED22 2M	Fiber optic sensor, diffuse, 3 mm dia head, standard R10 fibre, 2 m cable	47.42	658812	4548583737709			GD	A	NLD	8541.4090.00
E32-T12R 2M	Fiber optic sensor, through-beam, miniature shape, dia 3mm, high-flex fiber Rt, 2m cable	55.05	356130	4548583049178			GD	A	CHN	8541.4090.00
E32-T14L 2M	Fiber optic sensor, through-beam, long-distance, 2m cable	115.40	182517	4547648094818			GD	A	CHN	8541.4090.00
E32-T14LR 2M	Fiber optic sensor, through-beam, 3m side view, high flex Rt fiber, 2m cable	220.70	374490	4548583336193			GD	A	CHN	8541.4090.00
E32-T21-S1 2M	Fiber optic sensor, through-beam, M3 with 40 mm sleeve, 0.5 mm diameter, standard fiber Rt0, 2 m cable	132.40	694800	4548583384965			GD	A	JPN	8541.4090.00
E32-T22 2M	Fiber optic sensor, through-beam, 2mm dia head, standard R10 fiber, 2m cable	58.90	182520	4547648094849			GD	A	CHN	8541.4090.00
E32-T22R 2M	Fiber optic sensor, through-beam, 1.5mm dia head, high flex Rt fiber, 2m cable	102.00	379186	4548583414228			GD	A	CHN	8541.4090.00
E32-T23R 2M	Fiber optic sensor, through-beam, 1mm dia head, high flex Rt fiber, 2m cable	88.90	379187	4548583414235			GD	A	CHN	8541.4090.00
E32-T24 2M	Fiber optic sensor, through-beam, 1mm, side-view, 2m cable	110.40	374488	4548583336155			GD	A	CHN	8541.4090.00
E32-T24E 2M	Fibre optic sensor, through-beam, 0.81 mm dia right angle head, R10 fibre, 2 m cable	153.90	690199	4548583414242			GD	A	CHN	8541.4090.00
E32-TC200B	Fiber optic sensor, through-beam, M4 head with 1.2mm sleeve, standard R25 fiber, 2m cable	65.10	379191	4548583414303			GD	A	CHN	8541.4090.00
E32-TC200B4	Fiber optic sensor, through-beam, dia 1.2mm head with bendable sleeve, standard fiber R25, 2m cable	100.50	158113	4536853293147			GD	A	JPN	8541.4090.00
E32-D11L 2M	Photoelectric sensor optical fiber, diffuse, M6, long-distance, 2m cable (requires E3X amplifier)	86.75	182523	4547648094917			GD	A	CHN	8541.4090.00
E32-D11L 5M	Fiber optic sensor, diffuse, M6 head, long distance, standard R25 fibre, 5 m cable	131.80	131621	4536853293673			GD	A	JPN	8541.4090.00
E32-D12 2M	Photoelectric sensor optical fiber, diffuse, 3mm dia, long distance, 2m cable (requires E3X amplifier)	61.10	182794	4547648094719			GD	A	CHN	8541.4090.00
E32-D12R 5M	Fiber optic sensor, diffuse, 3 mm dia head, high flex Rt fibre, 5 m cable	178.20	680074	4547648297851			GD	A	JPN	8541.4090.00
E32-D16 2M	Photoelectric sensor optical fiber head, diffuse reflective, square head 22 x 17.5 x 9 mm, large lens, cable length 2 m	341.10	392251	4548583413856			GD	A	CHN	8541.4090.00
E32-D21L 2M	Fiber optic sensor, diffuse, M4, long-distance, 2m cable	93.35	182526	4547648094955			GD	A	CHN	8541.4090.00
E32-D22L 2M	Photoelectric sensor optical fiber, diffuse, 3 mm diameter, long-distance, 2 m cable (requires E3X amplifier)	88.15	182527	4547648094962			GD	A	CHN	8541.4090.00

2021	2021	SLN.	GTIN	Stock	Lot	Gr.	Fam	COO	Tariff Code
Qty.	Price	(Daheet)		Qty.					
E32-LD11 2M	Fiber optic sensor, diffuse, M6 head with lens, long distance, standard R25 fibre, 2m cable	45.11	374457	4548583363458		GD	A	CHN	8541.4090.00
E32-LD11R2M	Fiber optic sensor, diffuse, M6 head, long distance, high flex R1 fiber, 2m cable	96.10	374454	4548583363472		GD	A	CHN	8541.4090.00
E32-LT11 2M	Fiber optic sensor, through-beam, M4 head with lens, long distance, standard R25 fibre, 2m cable	59.70	374449	4548583363551		GD	A	CHN	8541.4090.00
E32-LT11N 2M	Fiber optic sensor, through-beam, M4 head, long distance, high flex R2 fiber, 2 m cable	84.75	383736	4548583485666		GD	A	CHN	8541.4090.00
E32-LT11R2M	Fiber optic sensor, through-beam, M4 hex right-angled head, integrated lens, high-flex R2 fiber, 2 m cable	101.60	374460	4548583365668		GD	A	CHN	8541.4090.00
E32-R16 2M	Fiber optic sensor, retro-reflective, long distance, 2m cable	123.90	392257	4548583414075		GD	A	CHN	8541.4090.00
E32-T11L 2M	Photoelectric sensor optical fiber, through-beam, M4, long-distance, 2m cable (requires EX3 amplifier)	68.15	182515	4547648094795		GD	A	CHN	8541.4090.00
E32-T11L 3M	Fiber optic sensor, thru-beam, M4 head, long distance, standard R25 fibre, 3m cable	131.80	131561	4536853294434		GD	A	JPN	8541.4090.00
E32-T12L 2M	Fiber optic sensor, through-beam, dia 3mm head with lens, long distance, standard R25 fibre, 2m cable	89.90	182516	4547648094801		GD	A	CHN	8541.4090.00
E32-T14 2M	Fiber optic sensor, through-beam, side view, 2m cable	92.70	356129	4548583049123		GD	A	CHN	8541.4090.00
E32-T14 5M	Fiber optic sensor, through-beam, screw mount right angle head, long distance, standard R25 fibre, 5 m cable	145.20	131622	4536853293680		GD	A	JPN	8541.4090.00
E32-T17L 10M	Fiber optic sensor, through-beam, M14 head, long distance, standard R25 fibre, 10m cable	104.70	374489	454858336179		GD	A	CHN	8541.4090.00
E32-T21L 2M	Fiber optic sensing head, through-beam, 2 m cable	73.35	182519	4547648094832		GD	A	CHN	8541.4090.00
E32-T22L 2M	Fiber optic sensor, through-beam, dia 2mm head with lens, long distance, standard R25 fibre, 2m cable	102.30	182521	4547648094863		GD	A	CHN	8541.4090.00
E32-TC200A 2M	Fiber optic sensor, through-beam, M3, 2m cable	31.69	182802	4547648094887		GD	A	CHN	8541.4090.00
E32-D11 2M	Fiber optic sensor, diffuse, M6, robotic fiber R4, 2m cable	49.17	182522	4547648094900		GD	A	CHN	8541.4090.00
E32-D21 2M	Fiber optic sensor, diffuse, M3, robotic fiber R4, 2m cable	71.80	182525	4547648094931		GD	A	CHN	8541.4090.00
E32-D21B 2M	Fiber optic sensor, diffuse, M4, robotic fiber R4, 2m cable	91.25	182958	4547648094948		GD	A	CHN	8541.4090.00
E32-D21B 2M	Fiber optic sensor, diffuse, 3mm dia head, robot application, break resistant R4 fiber, 2m cable	44.29	379198	4548583413887		GD	A	CHN	8541.4090.00
E32-D22B 2M	Fiber optic sensor, diffuse, dia 1.5m head, high-flex fiber R1, 2m cable	137.40	182795	4547648094726		GD	A	CHN	8541.4090.00
E32-DC200C	Photoelectric sensor optical fibre, diffuse, M6, 2m spiral flex cable (requires EX3 amplifier)	52.05	103780	4536853293871		GD	A	JPN	8541.4090.00
E32-T11 2M	Fiber optic sensor, through-beam, M4, 2m cable	48.44	182514	4547648094788		GD	A	CHN	8541.4090.00
E32-T12B 2M	Fiber optic sensor, through-beam, 3 mm dia head, robot application, break resistant R4 fiber, 2 m cable	66.45	379179	4548583414129		GD	A	CHN	8541.4090.00
E32-T21 2M	Fiber optic sensor, through-beam, M3, robotic fiber R4, 2m cable	80.80	182518	4547648094825		GD	A	CHN	8541.4090.00
E32-T22B 2M	Fiber optic sensor, through-beam, dia 1.5m head, robotic fiber R4, 2m cable	82.05	182957	4547648094856		GD	A	CHN	8541.4090.00
E32-A09 2M	Fiber optic sensor, limited reflective, 15 to 38mm, 2m cable	413.20	172351	4547648093569		GD	A	JPN	8541.4090.00
E32-A12 2M	Fibre optic sensor, square type, limited reflective, sd 12-30mm, standard R25 fibre, 2m	223.50	377872	4548583008670		GD	A	JPN	8541.4090.00
E32-C11N 2M	Fiber optic sensor, diffuse coaxial, M6 side view, high flex R4 fiber, 2m cable	126.10	379158	4548583413757		GD	A	CHN	8541.4090.00
E32-C21N 10M	Fiber optic sensor, diffuse, M3 hex right-angled head, co-axial, high-flex R2 fiber, 10m cable	174.70	383728	4548583485761		GD	A	CHN	8541.4090.00
E32-C21N 2M	Fiber optic sensor, diffuse, M3 hex right-angled head, co-axial, high-flex R2 fiber, 2 m cable	114.70	383726	4548583485747		GD	A	CHN	8541.4090.00
E32-C31 2M	Fiber optic sensor, diffuse, coaxial, M3, R25 fibre, 2 m cable	67.15	411347	4547648095006		GD	A	CHN	8541.4090.00
E32-C31N 2M	Fiber optic sensor, diffuse coaxial, M3 side view, high flex R4 fiber, 2m cable	120.20	379159	4548583413771		GD	A	CHN	8541.4090.00
E32-C41 1M	Fiber optic sensor, diffuse, coaxial, M3, R25 fibre, 1 m cable	89.60	411346	4547648094771		GD	A	CHN	8541.4090.00
E32-C41 2M	Fiber optic sensor, diffuse, coaxial, M3, R25 fibre, 2 m cable	210.00	702220	4548583065505		GD	A	JPN	8536.5019.90
E32-C42 1M	Fiber optic sensor, diffuse coaxial, 2 mm, standard R25 fibre, 1 m cable	136.10	379160	4548583413788		GD	A	CHN	8541.4090.00
E32-C42S 1M	Fiber optic sensor, reflective, focused beam, standard R25 fibre, 1 m cable	201.50	305599	4547648074508		GD	A	JPN	8541.4090.00
E32-CC200 2M	Fiber optic sensor, diffuse coaxial, M6, standard fiber R25, 2m cable	37.91	182805	4547648095013		GD	A	CHN	8541.4090.00
E32-CC200R	Fiber optic sensor, diffuse coaxial, M6, high flex R4 fiber, 2 m cable	59.60	379161	4548583413795		GD	A	CHN	8541.4090.00
E32-CC500 5M	Fiber optic sensor, diffuse, M6 head, co-axial type, standard R25 fibre, 5m cable	89.20	131662	4536853292584		GD	A	JPN	8541.4090.00
E32-D32L 2M	Fiber optic sensor, diffuse, 3mm dia head, coaxial type, standard R25 fibre, 2m cable	60.90	379199	4548583413931		GD	A	CHN	8541.4090.00
E32-D32LR 2M	Fiber optic sensor, diffuse, 3mm dia head, co-axial type, high flex R4 fibre, 2m cable	185.90	144834	4536854642128		GD	A	JPN	8541.4090.00
E32-EC31 6M	Fiber optic sensor, diffuse, M3 head, co-axial type, standard R25 fibre, 6 m cable	95.05	656864	4548583737600		GD	A	NLD	8541.4090.00
E32-L15 2M	Diffuse fiber, 50 mm stand-off, 6 mm beam spot, 2 m cable	185.20	392260	4548583414020		GD	A	CHN	8541.4090.00
E32-L16-N 2M	Fiber optic sensor, flat shape, limited reflective, 15 mm, R25 fibre, 2 m cable	133.70	392253	4548583414037		GD	A	CHN	8541.4090.00
E32-L24S 2M	Fiber optic sensor, convergent reflective, square flat form head, standard R25 fibre, 2 m cable	242.40	131532	4536854688508		GD	A	JPN	8541.4090.00
E32-L25	Fiber optic sensor, limited reflective, 2m cable	79.25	392254	4548583414044		GD	A	CHN	8541.4090.00
E32-L25L 2M	Fiber optic sensor, limited reflective, label detection, 7mm, R10 fiber, 2m cable	129.70	357349	4548583049093		GD	A	CHN	8541.4090.00
E32-T22S 2M	Fiber optic sensor, through-beam, 3m dia head, standard R10 fiber, 2m cable	115.40	374492	454858336216		GD	A	CHN	8541.4090.00
E32-D36P1 2M	Fiber optic sensor, diffuse, square head, area sensing 11 mm, robot application, break resistant R4, 2 m cable	357.60	379173	4548583413955		GD	A	CHN	8541.4090.00
E32-ET16WR-1 2M	Fiber optic sensor, through-beam, 70mm curtain, 2m cable	681.50	656858	4548583737891		GD	A	NLD	8541.4090.00
E32-ET16WR-2 2M	Fiber optic sensor, through-beam, 50mm curtain, 2m cable	700.50	656836	4548583737907		GD	A	NLD	8541.4090.00
E32-M21 2M	Fiber optic sensor, multi-head, through-beam, M3 x 4, 2m cable	325.80	392256	4548583414068		GD	A	CHN	8541.4090.00
E32-T16 2M	Fiber optic sensor, through-beam, area detection, 10mm area, R25 fibre, 2m cable	165.60	357343	4548583049062		GD	A	CHN	8541.4090.00
E32-T16 S 2M	Fiber optic sensor, through-beam, square right angled head, area detection (10mm), standard R25 fibre, 5m cable	169.60	357342	4548583049079		GD	A	CHN	8541.4090.00
E32-T16J 2M	Fiber optic sensor, through-beam, area detection, 11mm area, standard fiber R10, 2m cable	471.60	356125	4548583049000		GD	A	CHN	8541.4090.00
E32-T16JR 2M	Fiber optic sensor, through-beam, area detection, 11mm area, high-flex fiber R1, 2m cable	309.10	356127	4548583049024		GD	A	CHN	8541.4090.00
E32-T16P 2M	Fiber optic sensor, through-beam, area detection, 11mm area, R10 fiber, 2m cable	204.70	356124	4548583048980		GD	A	CHN	8541.4090.00
E32-T16PR 2M	Fiber optic sensor, through-beam, area detection, 11mm area, high-flex fiber R1, 2m cable	285.90	356126	4548583049017		GD	A	CHN	8541.4090.00
E32-T16W 2M	Fiber optic sensor, through-beam, area detection, 30mm area, R10 fiber, 2m cable	471.60	357346	4548583048997		GD	A	CHN	8541.4090.00
E32-T16WR 2M	Fiber optic sensor, through-beam, area detection, 30mm area, high-flex fiber R1, 2m cable	544.00	357348	4548583049055		GD	A	CHN	8541.4090.00
E32-A01 5M	Fiber optic sensor, liquid level detection, tube mounting, standard R4 fibre, 5m cable	479.50	379193	4548583414327		GD	A	CHN	8541.4090.00
E32-A10 2M	Fiber optic sensor, limited reflective, square side view, R25 fibre, 2m cable	486.90	250748	4547648238083		GD	A	JPN	8541.4090.00
E32-C91N 2M	Fiber optic sensor, diffuse, M6 hex right-angled head, flexible R4 fiber, 2m cable	115.90	671062	4548583802643		GD	A	CHN	8541.4090.00
E32-D11U 2M	Fiber optic sensor, diffuse, M6 head, chemical resistant coating, R4 fiber, 2m cable	77.00	379162	4548583413801		GD	A	CHN	8541.4090.00
E32-D12F 2M	Fiber optic sensor, diffuse, 6mm dia head, chemical resistant coating, standard R40 fiber, 2m cable	380.70	379163	4548583413818		GD	A	CHN	8541.4090.00
E32-D36T 2M	Fiber optic sensor, diffuse, line beam for liquid level detection, R4 fiber, 2m cable	62.05	392261	4548583477032		GD	A	CHN	8541.4090.00
E32-D51 2M	Fiber optic sensor, diffuse, M6 head, temperature resistant (150 deg C), R25 fibre, 2 m cable	135.50	131592	4536853292904		GD	A	JPN	8541.4090.00
E32-D51R 2M	Fiber optic sensor, diffuse, heat resistant 100°C, high flex R2, 2 m cable	209.70	305595	4547648651097		GD	A	JPN	8541.4090.00
E32-D61 2M	Fiber optic sensor, diffuse, M6 head, heat resistant 350°C, R25 fibre, 2m cable, for EX3-NA/SD amp only	319.80	365161	4548583090454		GD	A	CHN	8541.4090.00
E32-D61 2M	Fiber optic sensor, diffuse, M6 head, temperature resistant (350 deg C), R25 fibre, for EX3-NA, 3m cable	491.70	355394	4548583033962		GD	A	CHN	8541.4090.00
E32-D61 5M	Fiber optic sensor, diffuse, M6 head, temperature resistant (350 deg C), R25 fibre, for EX3-NA, 5 m cable	513.00	365155	4548583090461		GD	A	CHN	8541.4090.00
E32-D61-S 2M	Fiber optic sensor, diffuse, M6 head, heat resistant 350°C, R25 fibre, 2m cable	247.60	369327	4548583080478		GD	A	CHN	8541.4090.00
E32-D73 2M	Fiber optic sensor, diffuse, M4, heat resistant 400°C, R25, 2m cable, for EX3-NA/SD amp.	452.50	355395	4548583034204		GD	A	CHN	8541.4090.00

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Daheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code	
E32-D73-S2M	Fiber optic sensor, diffuse, M4, heat resistant 400°C, R25, 2 m cable	263.70	355397	4548583034273			GD	A	CHN	8541.4090.00	
E32-D81R2M	Fiber optic sensor, diffuse, heat resistant up to 200°C, R10, cable length 2m (fixed), for E3X-NA	271.50	392534	4548583034303			GD	A	CHN	8541.4090.00	
E32-D81FS2M	Fiber optic sensor, diffuse, M8 head, heat resistant 200°C, R10, 2 m cable	411.00	355398	4548583034341			GD	A	CHN	8541.4090.00	
E32-D82F1 4M	Fiber optic sensor, liquid level detection, dia 5mm head, chemical resistant, 4m cable	1,136.00	131572	4536853294682			GD	A	JPN	8541.4090.00	
E32-ED34 2M	Fiber optic sensor, diffuse, side view, dia 5 mm head, R5 fiber, 2 m cable	103.40	656813	4548583737754			GD	A	NLD	8541.4090.00	
E32-ED84-1 12M	Fiber optic sensor, diffuse, side view, dia 9 mm head, SUS, R20 glass fiber, 1.2 m cable with protection tube	332.10	656814	4548583737761			GD	A	NLD	8541.4090.00	
E32-ET11-1 2M	Fiber optic sensor, through-beam, M4 head, R20 fiber, 2 m cable	47.42	656849	4548583737815			GD	A	NLD	8541.4090.00	
E32-G14	Fiber optic sensor, through-beam, 10mm slot, 2m cable	168.90	356128	4548583049260			GD	A	CHN	8541.4090.00	
E32-G16 2M	Fiber optic sensor, through-beam, 10mm slot, 2m cable	126.10	671064	4548583802667			GD	A	TWN	8541.4090.00	
E32-L11FP2M	Photoelectric sensor optical fiber head, limited reflective, sensing distance 8-20mm, square head 40x27x14 mm, large lens, cable length 2m	415.20	392252	4548583414013			GD	A	CHN	8541.4090.00	
E32-L11FS2M	Fiber optic sensor, limited reflective 8-20mm, chemical resistant, 2m cable	937.00	250472	4547648583565			GD	A	JPN	8541.4090.00	
E32-L64 2M	Fiber optic sensor, square, limited reflective, 1-5mm, side view, heat resistant 300°, R25, 2m cable	1,466.00	251078	4547648266093			GD	A	JPN	8541.4090.00	
E32-T10V	Fibre optic sensing head for E3X range of Amplifiers.	50.35	158115	4536853294489			GD	A	JPN	8541.4090.00	
E32-T11U 2M	Fiber optic sensor, through-beam, M4 head, chemical resistant, R4 fiber, 2m cable	103.10	374491	4548583362009			GD	A	CHN	8541.4090.00	
E32-T14F2M	Fiber optic sensor, through-beam, 5mm dia side view, chemical resistant, R40 fiber, 2m cable	335.00	379181	4548583414143			GD	A	CHN	8541.4090.00	
E32-T24S2M	Fiber optic sensor, through-beam, 3 mm dia, side view, standard R10 fiber, 2 m cable	323.70	374493	4548583362223			GD	A	CHN	8541.4090.00	
E32-T24SR2M	Fiber optic sensor, thru-beam, 3.5mm dia side-view head, high flex R1 fiber, 2m cable	325.00	379189	4548583414266			GD	A	CHN	8541.4090.00	
E32-T54 2M	Fiber optic sensor, through-beam, dia 2mm side view, heat-resistant 150°C, R35, 2m cable	602.00	158116	4536853294502			GD	A	JPN	8541.4090.00	
E32-T61-S2M	Fiber optic sensor, through-beam, M4 head, heat resistant 350°C, R25 fiber, 2m cable	315.20	355403	4548583034495			GD	A	CHN	8541.4090.00	
E32-T61-S5M	Fiber optic sensor, through-beam, M4 head, temperature resistant (350 ded°C), R25 fibre, 5 m cable	880.50	355405	4548583034518			GD	A	CHN	8541.4090.00	
E32-T81RS2M	Fiber optic sensor, through-beam, M4, heat resistant 200°C, R10, 2 m cable	431.50	355406	4548583034365			GD	A	CHN	8541.4090.00	
E32-T84SS2M	Fiber optic sensor, through-beam, 3m dia head, heat resistant 200°C, R25, 2m cable	905.00	163196	4536854903588			GD	A	JPN	8541.4090.00	
E39-EF51	Sideview lens 90 deg for E32 fiber	148.30	656850	4548583738010			GD	A	NLD	8541.9000.00	
E32-ED1 100M	Optical fiber, 100m roll, R10, 2.2mm dia, monocore	768.00	656829	4548583737501			GD	A	NLD	8541.4090.00	
E32-ED1R 100M	Optical Fiber, 100m roll, high-flex R1, 2.2mm dia, multicore	3,020.00	656861	4548583737525			GD	A	NLD	8541.4090.00	
E32-ED2R 100M	Optical Fiber, 100m roll, high flex R1, 1.1mm dia, multicore	3,172.00	656862	4548583737563			GD	A	NLD	8541.4090.00	
<b>Photoelectric sensor ESJM</b>											
ESJM-10M4-G-NN	Photoelectric sensor, square shape, through-beam, 10m, relay output, connector clamps, PG13.5	133.20	680474	4549734172912			GD	G	CHN	8541.4090.00	
ESJM-10M4-NN	Photoelectric sensor, square shape, through-beam, 10m, relay output, connector clamps, PF1/2 conduit	143.00	680483	4549734172875			GD	G	CHN	8541.4090.00	
ESJM-10M4T-G-NN	Photoelectric sensor, square shape, through-beam, 10m, timer function, relay output, connector clamps, PG13.5	143.50	680478	4549734172943			GD	G	CHN	8541.4090.00	
ESJM-10M4T-NN	Photoelectric sensor, square shape, through-beam, 10m, timer function, relay output, connector clamps, PF1/2 conduit	159.40	680476	4549734172929			GD	G	CHN	8541.4090.00	
ESJM-10S4-NN	Photoelectric sensor, square shape, through-beam, 10m, SSR connector clamps	169.70	680477	4549734173018			GD	G	CHN	8541.4090.00	
ESJM-10S4T-G-NN	Photoelectric sensor, square shape, through-beam, 10m, timer function, SSR output/minus common, connector clamps	336.50	680481	4549734173067			GD	G	CHN	8541.4090.00	
ESJM-D570M4	Photoelectric sensor, diffuse, 700 mm, AC/DC, relay	99.00	232899	4536854779190			GD	G	CHN	8541.4090.00	
ESJM-D570M4-G	Photoelectric sensor, diffuse, 700mm, AC/DC, relay	93.35	232860	4536854779107			#	GD	G	CHN	8541.4090.00
ESJM-D570M4T-G	Photoelectric sensor, diffuse, 700mm, AC/DC, relay, timer 5s, conduit size PG13.5	103.50	232861	4536854779114			#	GD	G	CHN	8541.4090.00
ESJM-D570S4	Photoelectric sensor, square shape, diffuse, 700 mm, SSR output/minus common, relay clamps, PF1/2 conduit	137.10	232878	4536854779282			GD	G	CHN	8541.4090.00	
ESJM-D570S4T	Photo-electric sensor	182.20	232879	4536854779305			GD	G	CHN	8541.4090.00	
ESJM-R4M4	Photoelectric sensor, retro-reflective, 4m, AC/DC, relay, conduit PF 1/2	98.00	232871	4536854779213			GD	G	CHN	8541.4090.00	
ESJM-R4M4-G	Photoelectric sensor, retro-reflective, 4m, AC/DC, relay	93.70	232862	4536854779121			#	GD	G	CHN	8541.4090.00
ESJM-R4M4T	Light Barrier, Retroreflective Type With M.S.R. Function, Screw Terminal, Sensing Distance 4 m, Relay Output, With Timer Function	115.10	232872	4536854779220			GD	G	CHN	8541.4090.00	
ESJM-R4M4T-G	Photoelectric sensor, retro-reflective, 4m, AC/DC, relay, timer 5s	105.40	232863	4536854779138			#	GD	G	CHN	8541.4090.00
ESJM-R4R4-G	Photoelectric sensor, polarized retro reflective, 4m, AC/DC, transistor output PNP	126.20	232892	4536854779435			GD	G	CHN	8541.4090.00	
ESJM-R4R4T	Photoelectric sensor, square shape, retro-reflective, 4m, timer function, SSR output/plus common, relay clamps	146.00	232897	4536854779480			GD	G	CHN	8541.4090.00	
ESJM-R4R4T-G 33	Photoelectric sensor, Polarized retroreflective, 4m, AC/DC, Transistor output PNP, timer	146.00	232904	4536854779923			GD	G	CHN	8541.4090.00	
ESJM-R4S4	Photoelectric sensor	115.10	232880	4536854779312			GD	G	CHN	8541.4090.00	
ESJM-R4S4T	Light Barrier, Retroreflective Type With M.S.R. Function, Screw Terminal, Sensing Distance 4 m, Solid-State Output, With Timer Function	146.00	232881	4536854779329			GD	G	CHN	8541.4090.00	
<b>Photoelectric sensor ESAS</b>											
ESAS-F1000MD 2M	Photoelectric sensor, rectangular housing, stainless steel, infrared laser class 1, time-of-flight, 1000 mm, PNP, Light-ON/Dark-ON, IO-Link COM2, 2 m cable	141.40	690971	4549734512555			GD	H	CHN	8541.4090.00	
ESAS-F1000MD M3	Photoelectric sensor, rectangular housing, stainless steel, infrared laser class 1, time-of-flight, 1000 mm, PNP, Light-ON/Dark-ON, IO-Link COM2, M8 4-pin connector	136.40	690207	4549734512589			GD	H	CHN	8541.4090.00	
ESAS-F1000MD-M1TJ 0.3M	Photoelectric sensor, rectangular housing, stainless steel, infrared laser class 1, time-of-flight, 1000 mm, PNP, Light-ON/Dark-ON, IO-Link COM2, M12 digital Smartclick connector, 0.3 m	166.70	690970	4549734512602			GD	H	CHN	8541.4090.00	
ESAS-F1000MN 2M	Photoelectric sensor, rectangular housing, stainless steel, infrared laser class 1, time-of-flight, 1000 mm, NPN, Light-ON/Dark-ON, 2 m cable	141.40	690973	4549734512510			GD	H	CHN	8541.4090.00	
ESAS-F1000MN M3	Photoelectric sensor, rectangular housing, stainless steel, infrared laser class 1, time-of-flight, 1000 mm, NPN, Light-ON/Dark-ON, M8 4-pin connector	136.40	690206	4549734512534			GD	H	CHN	8541.4090.00	
ESAS-F1000MN-M1TJ 0.3M	Photoelectric sensor, rectangular housing, stainless steel, infrared laser class 1, time-of-flight, 1000 mm, NPN, Light-ON/Dark-ON, M12 digital Smartclick connector, 0.3 m	166.70	690972	4549734512558			GD	H	CHN	8541.4090.00	
ESAS-F1000MT 2M	Photoelectric sensor, rectangular housing, stainless steel, infrared laser class 1, time-of-flight, 1000 mm, PNP, Light-ON/Dark-ON, IO-Link COM3, 2 m cable	141.40	690969	4549734512619			GD	H	CHN	8541.4090.00	
ESAS-F1000MT M3	Photoelectric sensor, rectangular housing, stainless steel, infrared laser class 1, time-of-flight, 1000 mm, PNP, Light-ON/Dark-ON, IO-Link COM3, M8 4-pin connector	136.40	690208	4549734512633			#	GD	H	CHN	8541.4090.00
ESAS-F1000MT-M1TJ 0.3M	Photoelectric sensor, rectangular housing, stainless steel, infrared laser class 1, time-of-flight, 1000 mm, PNP, Light-ON/Dark-ON, IO-Link COM3, M12 digital Smartclick connector, 0.3 m	166.70	690968	4549734512657			GD	H	CHN	8541.4090.00	
ESAS-F1000PD 2M	Photoelectric sensor, rectangular housing, plastic body, infrared laser class 1, time-of-flight, 1000 mm, PNP, Light-ON/Dark-ON, IO-Link COM2, 2 m cable	106.10	690965	4549734512718			GD	H	CHN	8541.4090.00	
ESAS-F1000PD M3	Photoelectric sensor, rectangular housing, plastic body, infrared laser class 1, time-of-flight, 1000 mm, PNP, Light-ON/Dark-ON, IO-Link COM2, M8 4-pin connector	95.95	690210	4549734512732			GD	H	CHN	8541.4090.00	
ESAS-F1000PD-M1TJ 0.3M	Photoelectric sensor, rectangular housing, plastic body, infrared laser class 1, time-of-flight, 1000 mm, PNP, Light-ON/Dark-ON, IO-Link COM2, M12 digital Smartclick connector, 0.3 m	131.30	690964	4549734512756			GD	H	CHN	8541.4090.00	
ESAS-F1000PN 2M	Photoelectric sensor, rectangular housing, plastic body, infrared laser class 1, time-of-flight, 1000 mm, NPN, Light-ON/Dark-ON, 2 m cable	106.10	690967	4549734512664			GD	H	CHN	8541.4090.00	
ESAS-F1000PN M3	Photoelectric sensor, rectangular housing, plastic body, infrared laser class 1, time-of-flight, 1000 mm, NPN, Light-ON/Dark-ON, M8 4-pin connector	95.95	690209	4549734512688			GD	H	CHN	8541.4090.00	
ESAS-F1000PN-M1TJ 0.3M	Photoelectric sensor, rectangular housing, plastic body, infrared laser class 1, time-of-flight, 1000 mm, NPN, Light-ON/Dark-ON, M12 digital Smartclick connector, 0.3 m	131.30	690966	4549734512701			GD	H	CHN	8541.4090.00	
ESAS-F1000PT 2M	Photoelectric sensor, rectangular housing, plastic body, infrared laser class 1, time-of-flight, 1000 mm, PNP, Light-ON/Dark-ON, IO-Link COM3, 2 m cable	106.10	690963	4549734512763			GD	H	CHN	8541.4090.00	
ESAS-F1000PT M3	Photoelectric sensor, rectangular housing, plastic body, infrared laser class 1, time-of-flight, 1000 mm, PNP, Light-ON/Dark-ON, IO-Link COM3, M8 4-pin connector	95.95	690211	4549734512787			#	GD	H	CHN	8541.4090.00
ESAS-F1000PT-M1TJ 0.3M	Photoelectric sensor, rectangular housing, plastic body, infrared laser class 1, time-of-flight, 1000 mm, PNP, Light-ON/Dark-ON, IO-Link COM3, M12 digital Smartclick connector, 0.3 m	131.30	690961	4549734512800			GD	H	CHN	8541.4090.00	
ESAS-F1000PT-M3 0.3M	Photoelectric sensor, rectangular housing, plastic body, infrared laser class 1, time-of-flight, 1000 mm, PNP, Light-ON/Dark-ON, IO-Link COM3, M8 digital connector 4-pin, 0.3 m	131.30	690962	4549734512794			GD	H	CHN	8541.4090.00	
ESAS-F1500MD 2M	Photoelectric sensor, rectangular housing, stainless steel, infrared laser class 1, time-of-flight, 1500 mm, PNP, Light-ON/Dark-ON, IO-Link COM2, 2 m cable	141.40	690984	4549734512628			GD	H	CHN	8541.4090.00	
ESAS-F1500MD M3	Photoelectric sensor, rectangular housing, stainless steel, infrared laser class 1, time-of-flight, 1500 mm, PNP, Light-ON/Dark-ON, IO-Link COM2, M8 4-pin connector	136.40	690201	4549734512282			GD	H	CHN	8541.4090.00	
ESAS-F1500MD-M1TJ 0.3M	Photoelectric sensor, rectangular housing, stainless steel, infrared laser class 1, time-of-flight 1500 mm, PNP, Light-ON/Dark-ON, IO-Link COM2, M12 digital Smartclick connector, 0.3 m	166.70	690983	4549734512305			GD	H	CHN	8541.4090.00	
ESAS-F1500MN 2M	Photoelectric sensor, rectangular housing, stainless steel, infrared laser class 1, time-of-flight, 1500 mm, NPN, Light-ON/Dark-ON, 2 m cable	141.40	690948	4549734512213			GD	H	CHN	8541.4090.00	





Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Dataheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
E3Z-D61 2M	Photoelectric sensor, rectangular housing, red LED, diffuse, 100 mm, NPN, Light-ON/Dark-ON, 2 m cable	79.35	685917	4549734446600	#		GD	I	IDN	8541.4090.00
E3Z-D61 5M	Photoelectric sensor, rectangular housing, red LED, diffuse, 100 mm, NPN, Light-ON/Dark-ON, 5 m cable	80.00	241529	4547648287166			GD	I	CHN	8541.4090.00
E3Z-D62 2M	Photoelectric sensor, rectangular housing, infrared LED, diffuse, 1 m, NPN, Light-ON/Dark-ON, 2 m cable	79.65	685920	4549734446648	#		GD	I	IDN	8541.4090.00
E3Z-D62 5M	Photoelectric sensor, rectangular housing, infrared LED, diffuse, 1 m, NPN, Light-ON/Dark-ON, 5 m cable	80.00	241530	4547648287180			GD	I	CHN	8541.4090.00
<b>E3Z-D62KM3J0.3M</b>	Photoelectric sensor, rectangular housing, infrared LED, diffuse, 1 m, NPN, Light-ON/Dark-ON, M8 pigtail connector 4-pin, 0.3 m	118.20	699055	4547648677370			GD	I	CHN	8541.4090.00
E3Z-D66	Photoelectric sensor, rectangular housing, red LED, diffuse, 100 mm, PNP, Light-ON/Dark-ON, M8 4-pin connector	83.35	685918	4549734446624		50	GD	I	IDN	8541.4090.00
E3Z-D67	Photoelectric sensor, rectangular housing, infrared LED, diffuse, 1 m, NPN, Light-ON/Dark-ON, M8 4-pin connector	83.35	685921	4549734446662			GD	I	IDN	8541.4090.00
E3Z-D81 2M	Photoelectric sensor, rectangular housing, red LED, diffuse, 100 mm, PNP, Light-ON/Dark-ON, 2 m cable	79.40	685614	4549734446617	#		GD	I	IDN	8541.4090.00
E3Z-D81 5M	Photoelectric sensor, rectangular housing, red LED, diffuse, 100 mm, PNP, Light-ON/Dark-ON, 5 m cable	82.35	241516	4547648287173			GD	I	CHN	8541.4090.00
E3Z-D81-JDSHW-P2	Photoelectric sensor, rectangular housing, infrared LED, diffuse, 100 mm, PNP, Light-ON/Dark-ON, with diagnostic function, no timer function, 2 m cable	78.10	323089	4547648681704			GD	I	CHN	8541.4090.00
E3Z-D81-M1J0.3M	Photoelectric sensor, rectangular housing, red LED, diffuse, 100 mm, PNP, Light-ON/Dark-ON, M12 pigtail connector, 0.3 m	81.05	338387	4547648676212			GD	I	CHN	8541.4090.00
E3Z-D82 2M	Photoelectric sensor, rectangular housing, infrared LED, diffuse, 1 m, PNP, Light-ON/Dark-ON, 2 m cable	79.65	685613	4549734446655	#		GD	I	IDN	8541.4090.00
E3Z-D82 5M	Photoelectric sensor, rectangular housing, infrared LED, diffuse, 1 m, PNP, Light-ON/Dark-ON, 5 m cable	82.35	241531	4547648287197			GD	I	CHN	8541.4090.00
E3Z-D82-IL2 2M	Photoelectric sensor, rectangular housing, infrared LED, diffuse, 1 m, PNP, Light-ON/Dark-ON, IO-Link COM2, 2 m cable	83.65	671096	4548583793217			GD	I	CHN	8541.4090.00
E3Z-D82-IL2 5M	Photoelectric sensor, rectangular housing, infrared LED, diffuse, 1 m, PNP, Light-ON/Dark-ON, IO-Link COM2, 5 m cable	90.45	671114	4548583793224			GD	I	CHN	8541.4090.00
E3Z-D82-IL3 2M	Photoelectric sensor, rectangular housing, infrared LED, diffuse, 1 m, PNP, Light-ON/Dark-ON, IO-Link COM3, 2 m cable	83.65	671105	4548583793255			GD	I	CHN	8541.4090.00
E3Z-D82-IL3 5M	Photoelectric sensor, rectangular housing, infrared LED, diffuse, 1 m, PNP, Light-ON/Dark-ON, IO-Link COM3, 5 m cable	90.45	671100	4548583793262			GD	I	CHN	8541.4090.00
E3Z-D82-M1J0.3M	Photoelectric sensor, rectangular housing, infrared LED, diffuse, 1 m, PNP, Light-ON/Dark-ON, M12 pigtail connector, 0.3 m	92.00	338388	4547648676229			GD	I	CHN	8541.4090.00
<b>E3Z-D82-M1J-1 0.3M</b>	Photoelectric sensor, rectangular housing, infrared LED, diffuse, 1 m, PNP, Light-ON/Dark-ON, M12 pigtail connector with protective tube, 0.3 m	81.70	338392	4547648677295			GD	I	CHN	8541.4090.00
E3Z-D82-M1TJ-IL2 0.3M	Photoelectric sensor, rectangular housing, infrared LED, diffuse, 1 m, PNP, Light-ON/Dark-ON, IO-Link COM2, M12 pigtail Smartclick connector, 0.3 m	83.65	671089	4548583793231			GD	I	CHN	8541.4090.00
E3Z-D82-M1TJ-IL3 0.3M	Photoelectric sensor, rectangular housing, infrared LED, diffuse, 1 m, PNP, Light-ON/Dark-ON, IO-Link COM3, M12 pigtail Smartclick connector, 0.3 m	83.65	671222	4548583793279			GD	I	CHN	8541.4090.00
E3Z-D86	Photoelectric sensor, rectangular housing, red LED, diffuse, 100 mm, PNP, Light-ON/Dark-ON, M8 4-pin connector	83.35	685919	4549734446631	#		GD	I	IDN	8541.4090.00
E3Z-D87	Photoelectric sensor, rectangular housing, infrared LED, diffuse, 1 m, PNP, Light-ON/Dark-ON, M8 4-pin connector	83.35	685922	4549734446679	#		GD	I	IDN	8541.4090.00
E3Z-D87-IL2	Photoelectric sensor, rectangular housing, infrared LED, diffuse, 1 m, PNP, Light-ON/Dark-ON, IO-Link COM2, M8 4-pin connector	83.65	671087	4548583793293			GD	I	CHN	8541.4090.00
E3Z-D87-IL3	Photoelectric sensor, rectangular housing, infrared LED, diffuse, 1 m, PNP, Light-ON/Dark-ON, IO-Link COM3, M8 4-pin connector	83.65	671102	4548583793309			GD	I	CHN	8541.4090.00
E3Z-FDP14 2M	Photoelectric sensor, rectangular housing with M18 threaded barrel, red LED, diffuse, 1 m, PNP, Light-ON/Dark-ON, 2 m cable	46.14	686077	4548583448216			GD	I	CHN	8541.4090.00
E3Z-FDP18 2M	Photoelectric sensor, rectangular housing with M18 threaded barrel, infrared LED, diffuse, 1 m, PNP, Light-ON/Dark-ON, 2 m cable	46.14	686121	4548583584136			GD	I	CHN	8541.4090.00
E3Z-FDP21	Photoelectric sensor, rectangular housing with M18 threaded barrel, red LED, diffuse, 100 mm, PNP, Light-ON/Dark-ON, M12 connector	95.95	695827	4548583448247			GD	I	CHN	8541.4090.00
E3Z-FRP11 2M	Photoelectric sensor, rectangular housing with M18 threaded barrel, red LED, retro-reflective, 4 m, PNP, Light-ON/Dark-ON, 2 m cable	83.00	695835	4548583448179			GD	I	CHN	8541.4090.00
E3Z-G61 2M	Photoelectric sensor, slot housing, infrared LED, single through-beam, 25 mm, NPN, Light-ON/Dark-ON, 2 m cable	104.50	332056	4547648676519			GD	I	CHN	8541.4090.00
E3Z-G61-M1J-1 0.3M	Photoelectric sensor, slot housing, infrared LED, single through-beam, 25 mm, NPN, Light-ON/Dark-ON, M12 pigtail connector with protective tube, 0.3 m	100.30	332038	4547648677127			GD	I	CHN	8541.4090.00
E3Z-G61-M3J	Photoelectric sensor, slot housing, infrared LED, single through-beam, 25 mm, NPN, Light-ON/Dark-ON, M8 pigtail connector 4-pin, 0.3 m	108.40	332057	4547648676533		10	GD	I	CHN	8541.4090.00
E3Z-G62 2M	Photoelectric sensor, slot housing, infrared LED, twin through-beam, 25 mm, NPN, Light-ON/Dark-ON, 2 m cable	127.30	332058	4547648676540			GD	I	CHN	8541.4090.00
E3Z-G62-M3J	Photoelectric sensor, slot housing, infrared LED, twin through-beam, 25 mm, NPN, Light-ON/Dark-ON, M8 pigtail connector 4-pin, 0.3 m	122.70	332033	4547648676564		10	GD	I	CHN	8541.4090.00
E3Z-G81 2M	Photoelectric sensor, slot housing, infrared LED, single through-beam, 25 mm, PNP, Light-ON/Dark-ON, 2 m cable	104.50	332059	4547648676908	#	10	GD	I	CHN	8541.4090.00
E3Z-G81-M1J-1 0.3M	Photoelectric sensor, slot housing, infrared LED, single through-beam, 25 mm, PNP, Light-ON/Dark-ON, M12 pigtail connector with protective tube, 0.3 m	100.30	332063	4547648677318			GD	I	CHN	8541.4090.00
E3Z-G81-M3J	Photoelectric sensor, slot housing, infrared LED, single through-beam, 25 mm, PNP, Light-ON/Dark-ON, M8 pigtail connector 4-pin, 0.3 m	136.00	332060	4547648676915		10	GD	I	CHN	8541.4090.00
E3Z-G82 0.5M	Photoelectric sensor, slot housing, infrared LED, twin through-beam, 25 mm, PNP, Light-ON/Dark-ON, 0.5 m cable	118.20	332037	4547648676922		10	GD	I	CHN	8541.4090.00
E3Z-G82 2M	Photoelectric sensor, slot housing, infrared LED, twin through-beam, 25 mm, PNP, Light-ON/Dark-ON, 2 m cable	127.30	332061	4547648676939			GD	I	CHN	8541.4090.00
E3Z-G82-M3J	Photoelectric sensor, slot housing, infrared LED, twin through-beam, 25 mm, PNP, Light-ON/Dark-ON, M8 pigtail connector 4-pin, 0.3 m	160.20	332062	4547648676946	#		GD	I	CHN	8541.4090.00
E3Z-L61 2M	Photoelectric sensor, rectangular housing, red LED, diffuse, narrow beam, 90 ± 30 mm, NPN, Light-ON/Dark-ON, 2 m cable	113.30	323114	4547648676250			GD	I	CHN	8541.4090.00
E3Z-L63	Photoelectric sensor, rectangular housing, red LED, limited-reflective, transparent classes detection, 30 ± 20 mm, NPN, Light-ON/Dark-ON, 2 m cable	121.20	326298	4547648906985			GD	I	CHN	8541.4090.00
E3Z-L66	Photoelectric sensor, rectangular housing, red LED, diffuse, narrow beam, 90 ± 30 mm, NPN, Light-ON/Dark-ON, M8 4-pin connector	113.30	323116	4547648676261			GD	I	CHN	8541.4090.00
E3Z-L81 2M	Photoelectric sensor, rectangular housing, red LED, diffuse, narrow beam, 90 ± 30 mm, PNP, Light-ON/Dark-ON, 2 m cable	126.20	323115	4547648676274			GD	I	CHN	8541.4090.00
E3Z-L81-IL2 2M	Photoelectric sensor, rectangular housing, red LED, diffuse, narrow beam, 90 mm, PNP, Light-ON/Dark-ON, IO-Link COM2, 2 m cable	83.65	671098	4548583793316			GD	I	CHN	8541.4090.00
E3Z-L81-IL2 5M	Photoelectric sensor, rectangular housing, red LED, diffuse, narrow beam, 90 mm, PNP, Light-ON/Dark-ON, IO-Link COM2, 5 m cable	90.45	671111	4548583793323			GD	I	CHN	8541.4090.00
E3Z-L81-IL3 2M	Photoelectric sensor, rectangular housing, red LED, diffuse, narrow beam, 90 mm, PNP, Light-ON/Dark-ON, IO-Link COM3, 2 m cable	83.65	671107	4548583793354			GD	I	CHN	8541.4090.00
E3Z-L81-IL3 5M	Photoelectric sensor, rectangular housing, red LED, diffuse, narrow beam, 90 mm, PNP, Light-ON/Dark-ON, IO-Link COM3, 5 m cable	90.45	671104	4548583793361			GD	I	CHN	8541.4090.00
<b>E3Z-L81-M1J-1 0.3M</b>	Photoelectric sensor, rectangular housing, red LED, diffuse, narrow beam, 90 ± 30 mm, PNP, Light-ON/Dark-ON, M12 pigtail connector with protective tube, 0.3 m	110.70	323131	4547648677301	#		GD	I	CHN	8541.4090.00
E3Z-L81-M1TJ-IL2 1 0.3M	Photoelectric sensor, rectangular housing, red LED, diffuse, narrow beam, 90 mm, PNP, Light-ON/Dark-ON, IO-Link COM2, M12 pigtail Smartclick connector with protective tube, 0.3 m	94.45	671091	4548583793347			GD	I	CHN	8541.4090.00
E3Z-L81-M1TJ-IL3 1 0.3M	Photoelectric sensor, rectangular housing, red LED, diffuse, narrow beam, 90 mm, PNP, Light-ON/Dark-ON, IO-Link COM3, M12 pigtail Smartclick connector with protective tube, 0.3 m	94.45	671090	4548583793385			GD	I	CHN	8541.4090.00
E3Z-L83	Photoelectric sensor, rectangular housing, red LED, limited-reflective, transparent classes detection, 30 ± 20 mm, PNP, Light-ON/Dark-ON, 2 m cable	139.40	326296	4547648807005			GD	I	CHN	8541.4090.00
E3Z-L86	Photoelectric sensor, rectangular housing, red LED, diffuse, narrow beam, 90 ± 30 mm, PNP, Light-ON/Dark-ON, M8 4-pin connector	126.20	323117	4547648676298			GD	I	CHN	8541.4090.00
E3Z-L86-IL2	Photoelectric sensor, rectangular housing, red LED, diffuse, narrow beam, 90 mm, PNP, Light-ON/Dark-ON, IO-Link COM2, M8 4-pin connector	83.65	671097	4548583793392			GD	I	CHN	8541.4090.00
E3Z-L86-IL3	Photoelectric sensor, rectangular housing, red LED, diffuse, narrow beam, 90 mm, PNP, Light-ON/Dark-ON, IO-Link COM3, M8 4-pin connector	83.65	671112	4548583793408			GD	I	CHN	8541.4090.00
E3Z-L88	Photoelectric sensor, rectangular housing, red LED, limited-reflective, transparent classes detection, 30 ± 20 mm, PNP, Light-ON/Dark-ON, M8 4-pin connector	108.30	326297	4547648807012			GD	I	CHN	8541.4090.00
E3Z-LL61 2M	Photoelectric sensor, rectangular housing, red laser class 1, background suppression, 300 mm, NPN, Light-ON/Dark-ON, 2 m cable	173.50	323137	4547648678736	#		GD	I	CHN	8541.4090.00
E3Z-LL63 2M	Photoelectric sensor, rectangular housing, red laser class 1, background suppression, high speed version, 300 mm, NPN, Light-ON/Dark-ON, 2 m cable	173.50	323141	4547648678773			GD	I	CHN	8541.4090.00
E3Z-LL66	Photoelectric sensor, rectangular housing, red laser class 1, background suppression, 300 mm, NPN, Light-ON/Dark-ON, M8 4-pin connector	169.50	323138	4547648678742	#		GD	I	CHN	8541.4090.00
E3Z-LL68	Photoelectric sensor, rectangular housing, red laser class 1, background suppression, high speed version, 300 mm, NPN, Light-ON/Dark-ON, M8 4-pin connector	204.20	323142	4547648678780			GD	I	CHN	8541.4090.00
E3Z-LL81 2M	Photoelectric sensor, rectangular housing, red laser class 1, background suppression, 300 mm, PNP, Light-ON/Dark-ON, 2 m cable	173.50	323139	4547648678759	#		GD	I	CHN	8541.4090.00
E3Z-LL81-M1J0.3M	Photoelectric sensor, rectangular housing, red laser class 1, background suppression, 300 mm, PNP, Light-ON/Dark-ON, M12 pigtail connector, 0.3 m	205.70	323041	4547648678926			GD	I	CHN	8541.4090.00
E3Z-LL81-M3J0.3M	Photoelectric sensor, rectangular housing, red laser class 1, background suppression, 300 mm, PNP, Light-ON/Dark-ON, M8 pigtail connector 4-pin, 0.3 m	174.10	323064	4547648679282	#		GD	I	CHN	8541.4090.00
E3Z-LL83 2M	Photoelectric sensor, rectangular housing, red laser class 1, background suppression, high speed version, 300 mm, PNP, Light-ON/Dark-ON, 2 m cable	173.50	323143	4547648678797			GD	I	CHN	8541.4090.00
E3Z-LL83-M1J0.3M	Photoelectric sensor, rectangular housing, red laser class 1, background suppression, high speed version, 300 mm, PNP, Light-ON/Dark-ON, M12 pigtail connector, 0.3 m	205.70	323045	4547648678964			GD	I	CHN	8541.4090.00
E3Z-LL86	Photoelectric sensor, rectangular housing, red laser class 1, background suppression, 300 mm, PNP, Light-ON/Dark-ON, M8 4-pin connector	170.20	323140	4547648678766	#		GD	I	CHN	8541.4090.00
E3Z-LL88	Photoelectric sensor, rectangular housing, red laser class 1, background suppression, high speed version, 300 mm, PNP, Light-ON/Dark-ON, M8 4-pin connector	172.80	323144	4547648678803	#		GD	I	CHN	8541.4090.00
E3Z-LP61 2M	Photoelectric sensor, rectangular housing, red laser class 1, retro-reflective, 15 m, NPN, Light-ON/Dark-ON, 2 m cable	136.30	323145	4547648678910			GD	I	CHN	8541.4090.00
E3Z-LP66	Photoelectric sensor, rectangular housing, red laser class 1, retro-reflective, 15 m, NPN, Light-ON/Dark-ON, M8 4-pin connector	137.80	323146	4547648678927			GD	I	CHN	8541.4090.00
E3Z-LP81 2M	Photoelectric sensor, rectangular housing, red laser class 1, retro-reflective, 15 m, PNP, Light-ON/Dark-ON, 2 m cable	136.30	323147	4547648678934	#		GD	I	CHN	8541.4090.00
E3Z-LP81-M1J0.3M	Photoelectric sensor, rectangular housing, red laser class 1, retro-reflective, 15 m, PNP, Light-ON/Dark-ON, M12 pigtail connector, 0.3 m	124.70	323049	4547648679008			GD	I	CHN	8541.4090.00
E3Z-LP86	Photoelectric sensor, rectangular housing, red laser class 1, retro-reflective, 15 m, PNP, Light-ON/Dark-ON, M8 4-pin connector	134.90	323148	4547648678941	#		GD	I	CHN	8541.4090.00
E3Z-LS61 2M	Photoelectric sensor, rectangular housing, red LED, background suppression, 200 mm, NPN, Light-ON/Dark-ON, 2 m cable	110.10	323126	4547648677011	#		GD	I	CHN	8541.4090.00
E3Z-LS61-M1J0.3M	Photoelectric sensor, rectangular housing, red LED, background suppression, 200 mm, NPN, Light-ON/Dark-ON, M12 pigtail connector, 0.3 m	141.40	323036	4547648677455			GD	I	CHN	8541.4090.00
E3Z-LS63 2M	Photoelectric sensor, rectangular housing, red LED, background suppression, 80 mm, NPN, Light-ON/Dark-ON, 2 m cable	138.90	323153	4547648680592			GD	I	CHN	8541.4090.00
E3Z-LS66	Photoelectric sensor, rectangular housing, red LED, background suppression, 200 mm, NPN, Light-ON/Dark-ON, M8 4-pin connector	113.30	323128	4547648677035	#		GD	I		

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	SLN. (Daheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
E3Z-LS81 2M	Photoelectric sensor, rectangular housing, red LED, background suppression, 200 mm, PNP, Light-ON/Dark-ON, 2 m cable	110.10	323129	4547648677059	#		GD	I	CHN	8541.4090.00
E3Z-LS81 5M	Photoelectric sensor, rectangular housing, red LED, background suppression, 200 mm, PNP, Light-ON/Dark-ON, 5 m cable	128.30	323034	4547648677080			GD	I	CHN	8541.4090.00
E3Z-LS81-M 1J0.3M	Photoelectric sensor, rectangular housing, red LED, background suppression, 200 mm, PNP, Light-ON/Dark-ON, M12 pigtail connector, 0.3 m	159.60	323136	4547648679674			GD	I	CHN	8541.4090.00
E3Z-LS81-M3J0.3M	Photoelectric sensor, rectangular housing, red LED, background suppression, 200 mm, PNP, Light-ON/Dark-ON, M8 pigtail connector 4-pin, 0.3 m	89.50	323113	4547648677912			GD	I	CHN	8541.4090.00
E3Z-LS83 2M	Photoelectric sensor, rectangular housing, red LED, background suppression, 200 mm, PNP, Light-ON/Dark-ON, 2 m cable	137.90	323134	4547648678339			GD	I	CHN	8541.4090.00
E3Z-LS86	Photoelectric sensor, rectangular housing, red LED, background suppression, 200 mm, PNP, Light-ON/Dark-ON, M8 4-pin connector	113.30	323130	4547648677066	#		GD	I	CHN	8541.4090.00
E3Z-LS88	Photoelectric sensor, rectangular housing, red LED, background suppression, 80 mm, PNP, Light-ON/Dark-ON, M8 4-pin connector	139.90	323135	4547648678353			GD	I	CHN	8541.4090.00
E3Z-LT61 2M	Photoelectric sensor, rectangular housing, red laser class 1, through-beam, 60 m, NPN, Light-ON/Dark-ON, 2 m cable	173.50	323149	4547648678858	#		GD	I	CHN	8541.4090.00
E3Z-LT61-L 2M	Photoelectric sensor, rectangular housing, red laser class 1, through-beam, emitter unit, NPN, Light-ON/Dark-ON, 2 m cable	124.20	323054	4547648679053			GD	I	CHN	8541.4090.00
E3Z-LT61-L M1J0.3M	Photoelectric sensor, rectangular housing, red laser class 1, through-beam, emitter unit, NPN, Light-ON/Dark-ON, M12 pigtail connector, 0.3 m	143.00	323057	4547648679084			GD	I	CHN	8541.4090.00
E3Z-LT66	Photoelectric sensor, rectangular housing, red laser class 1, through-beam, 60 m, NPN, Light-ON/Dark-ON, M8 4-pin connector	170.20	323150	4547648678865			GD	I	CHN	8541.4090.00
E3Z-LT81 2M	Photoelectric sensor, rectangular housing, red laser class 1, through-beam, 60 m, PNP, Light-ON/Dark-ON, 2 m cable	173.50	323151	4547648678872			GD	I	CHN	8541.4090.00
E3Z-LT81-M 1J0.3M	Photoelectric sensor, rectangular housing, red laser class 1, through-beam, 60 m, PNP, Light-ON/Dark-ON, M12 pigtail connector, 0.3 m	191.10	323053	4547648679046			GD	I	CHN	8541.4090.00
E3Z-LT86	Photoelectric sensor, rectangular housing, red laser class 1, through-beam, 60 m, PNP, Light-ON/Dark-ON, M8 4-pin connector	173.50	323152	4547648678889	#		GD	I	CHN	8541.4090.00
E3Z-LT86-D	Photoelectric sensor, rectangular housing, red laser class 1, through-beam, receiver unit, PNP, Light-ON/Dark-ON, M8 4-pin connector	191.10	323053	4547648679046			GD	I	CHN	8541.4090.00
E3Z-LT86-L	Photoelectric sensor, rectangular housing, red laser class 1, through-beam, emitter unit, PNP, Light-ON/Dark-ON, M8 4-pin connector	67.20	333179	4547648679695	#		GD	I	CHN	8541.4090.00
E3Z-R61 0.5M	Photoelectric sensor, rectangular housing, red LED, retro-reflective, 4 m, NPN, Light-ON/Dark-ON, 0.5 m cable	124.70	323058	4547648679091			GD	I	CHN	8541.4090.00
E3Z-R61 2M	Photoelectric sensor, rectangular housing, red LED, retro-reflective, 4 m, NPN, Light-ON/Dark-ON, 2 m cable	82.00	241519	4547648287005			GD	I	CHN	8541.4090.00
E3Z-R61 4 2M	Photoelectric sensor, rectangular housing, red LED, retro-reflective, 4 m, NPN, Light-ON/Dark-ON, 2 m cable	84.65	685914	4549734466563	#		GD	I	IDN	8541.4090.00
E3Z-R61 4 2M	Photoelectric sensor, rectangular housing, red LED, retro-reflective, without MSR function, 4 m, NPN, Light-ON/Dark-ON, 2 m cable	78.60	339280	4547648677905			GD	I	CHN	8541.4090.00
E3Z-R61 0.5M	Photoelectric sensor, rectangular housing, red LED, retro-reflective, 4 m, NPN, Light-ON/Dark-ON, 5 m cable, reflector E39-F3 included	126.20	372328	4547648676748			GD	I	CHN	8541.4090.00
E3Z-R61K-M3J0.3M	Photoelectric sensor, rectangular housing, oil resistant coating, red LED, retro-reflective, 4 m, NPN, Light-ON/Dark-ON, M8 pigtail connector 4-pin, 0.3 m	97.00	342548	4547648677943			GD	I	CHN	8541.4090.00
E3Z-R66	Photoelectric sensor, rectangular housing, red LED, retro-reflective, 4 m, NPN, Light-ON/Dark-ON, M8 4-pin connector	88.70	685915	4549734466587	#		GD	I	IDN	8541.4090.00
E3Z-R81 2M	Photoelectric sensor, rectangular housing, red LED, retro-reflective, 4 m, PNP, Light-ON/Dark-ON, 2 m cable	84.75	685615	4549734466570	#		GD	I	IDN	8541.4090.00
E3Z-R81 5M	Photoelectric sensor, rectangular housing, red LED, retro-reflective, 4 m, PNP, Light-ON/Dark-ON, 5 m cable	84.75	241528	4547648287159			GD	I	CHN	8541.4090.00
E3Z-R81 4 2M	Photoelectric sensor, rectangular housing, infrared LED, retro-reflective, without MSR function, 4 m, PNP, Light-ON/Dark-ON, 2 m cable	84.65	339293	4547648679992			GD	I	CHN	8541.4090.00
E3Z-R81-IL2 2M	Photoelectric sensor, rectangular housing, red LED, retro-reflective, 4 m, PNP, Light-ON/Dark-ON, IO-Link COM2, 2 m cable	83.10	671092	4548583793118			GD	I	CHN	8541.4090.00
E3Z-R81-IL2 5M	Photoelectric sensor, rectangular housing, red LED, retro-reflective, 4 m, PNP, Light-ON/Dark-ON, IO-Link COM2, 5 m cable	90.45	671099	4548583793125			GD	I	CHN	8541.4090.00
E3Z-R81-IL3 2M	Photoelectric sensor, rectangular housing, red LED, retro-reflective, 4 m, PNP, Light-ON/Dark-ON, IO-Link COM3, 2 m cable	83.10	671110	4548583793156			GD	I	CHN	8541.4090.00
E3Z-R81-IL3 5M	Photoelectric sensor, rectangular housing, red LED, retro-reflective, 4 m, PNP, Light-ON/Dark-ON, IO-Link COM3, 5 m cable	90.45	671106	4548583793163			GD	I	CHN	8541.4090.00
E3Z-R81-M1J0.3M	Photoelectric sensor, rectangular housing, red LED, retro-reflective, 4 m, PNP, Light-ON/Dark-ON, M12 pigtail connector, 0.3 m	63.30	338386	4547648678205			GD	I	CHN	8541.4090.00
E3Z-R81-M1J0.8M	Photoelectric sensor, rectangular housing, red LED, retro-reflective, 4 m, PNP, Light-ON/Dark-ON, M12 pigtail connector, 0.8 m	77.20	339281	4547648678179			GD	I	CHN	8541.4090.00
E3Z-R81-M1J-1 0.3M	Photoelectric sensor, rectangular housing, red LED, retro-reflective, 4 m, PNP, Light-ON/Dark-ON, M12 pigtail connector with protective tube, 0.3 m	76.40	338393	4547648677479			GD	I	CHN	8541.4090.00
E3Z-R81-M1J-IL2 0.3M	Photoelectric sensor, rectangular housing, red LED, retro-reflective, 4 m, PNP, Light-ON/Dark-ON, IO-Link COM2, M12 pigtail Smartclick connector, 0.3 m	83.10	671095	4548583793132			GD	I	CHN	8541.4090.00
E3Z-R81-M1J-IL3 0.3M	Photoelectric sensor, rectangular housing, red LED, retro-reflective, 4 m, PNP, Light-ON/Dark-ON, IO-Link COM3, M12 pigtail Smartclick connector, 0.3 m	83.10	671094	4548583793170			GD	I	CHN	8541.4090.00
E3Z-R81-M3J0.3M	Photoelectric sensor, rectangular housing, red LED, retro-reflective, 4 m, PNP, Light-ON/Dark-ON, M8 pigtail connector 4-pin, 0.3 m	81.40	339271	4547648676994			GD	I	CHN	8541.4090.00
E3Z-R81-M3J 1M	Photoelectric sensor, rectangular housing, red LED, retro-reflective, 4 m, PNP, Light-ON/Dark-ON, M8 pigtail connector 4-pin, 1 m	82.95	389692	4548583507517			GD	I	CHN	8541.4090.00
E3Z-R81-M3J0.3M	Photoelectric sensor, rectangular housing, red LED, retro-reflective, 4 m, PNP, Light-ON/Dark-ON, M8 pigtail connector 3-pin, 0.3 m	95.20	339405	4547648678131			GD	I	CHN	8541.4090.00
E3Z-R86	Photoelectric sensor, rectangular housing, red LED, retro-reflective, 4 m, PNP, Light-ON/Dark-ON, M8 4-pin connector	88.70	685916	4549734466596	#		GD	I	IDN	8541.4090.00
E3Z-R86-4	Photoelectric sensor, rectangular housing, infrared LED, retro-reflective, without MSR function, 4 m, PNP, Light-ON/Dark-ON, M8 4-pin connector	79.65	339294	4547648680011			GD	I	CHN	8541.4090.00
E3Z-R86H	Photoelectric sensor, rectangular housing, infrared LED, retro-reflective, 4 m, PNP, Light-ON/Dark-ON, switch output with wire, M8 4-pin connector	68.05	658924	4548583583818			GD	I	CHN	8541.4090.00
E3Z-R86-IL2	Photoelectric sensor, rectangular housing, red LED, retro-reflective, 4 m, PNP, Light-ON/Dark-ON, IO-Link COM2, M8 4-pin connector	83.10	671093	4548583793194			GD	I	CHN	8541.4090.00
E3Z-R86-IL3	Photoelectric sensor, rectangular housing, red LED, retro-reflective, 4 m, PNP, Light-ON/Dark-ON, IO-Link COM3, M8 4-pin connector	83.10	671109	4548583793200			GD	I	CHN	8541.4090.00
E3Z-T61 2M	Photoelectric sensor, rectangular housing, infrared LED, through-beam, 15 m, NPN, Light-ON/Dark-ON, 2 m cable	107.70	685902	4549734464648	#		GD	I	IDN	8541.4090.00
E3Z-T61 5M	Photoelectric sensor, rectangular housing, infrared LED, through-beam, 15 m, NPN, Light-ON/Dark-ON, 5 m cable	123.70	241515	4547648287128			GD	I	CHN	8541.4090.00
E3Z-T61A 2M	Photoelectric sensor, rectangular housing, red LED, through-beam, 10 m, NPN, Light-ON/Dark-ON, 2 m cable	102.30	685906	4549734464688			GD	I	IDN	8541.4090.00
E3Z-T61A-D 2M	Photoelectric sensor, rectangular housing, red LED, through-beam, receiver unit, NPN, Light-ON/Dark-ON, 2 m cable	46.14	685930	4549734464778			GD	I	IDN	8541.4090.00
E3Z-T61A-L 2M	Photoelectric sensor, rectangular housing, red LED, through-beam, emitter unit, NPN, Light-ON/Dark-ON, 2 m cable	41.15	685929	4549734464671			GD	I	IDN	8541.4090.00
E3Z-T61K 2M	Photoelectric sensor, rectangular housing, oil resistant coating, infrared LED, through-beam, 15 m, NPN, Light-ON/Dark-ON, 2 m cable	143.50	342544	4547648677325			GD	I	CHN	8541.4090.00
E3Z-T61K-M3J0.3M	Photoelectric sensor, rectangular housing, oil resistant coating, infrared LED, through-beam, 15 m, NPN, Light-ON/Dark-ON, M8 pigtail connector 4-pin, 0.3 m	203.10	342545	4547648677332			GD	I	CHN	8541.4090.00
E3Z-T61-M1J0.3M	Photoelectric sensor, rectangular housing, infrared LED, through-beam, 15 m, NPN, Light-ON/Dark-ON, M12 pigtail connector, 0.3 m	112.00	338384	4547648676151			GD	I	CHN	8541.4090.00
E3Z-T62 2M	Photoelectric sensor, rectangular housing, infrared LED, through-beam, 30 m, NPN, Light-ON/Dark-ON, 2 m cable	112.70	685910	4549734466525			GD	I	IDN	8541.4090.00
E3Z-T66	Photoelectric sensor, rectangular housing, infrared LED, through-beam, 15 m, NPN, Light-ON/Dark-ON, M8 4-pin connector	111.70	685904	4549734464644	#		GD	I	IDN	8541.4090.00
E3Z-T66A	Photoelectric sensor, rectangular housing, red LED, through-beam, 10 m, NPN, Light-ON/Dark-ON, M8 4-pin connector	111.40	685908	4549734464650			GD	I	IDN	8541.4090.00
E3Z-T66A-L	Photoelectric sensor, rectangular housing, red LED, through-beam, emitter unit, NPN, Light-ON/Dark-ON, M8 4-pin connector	58.80	685933	4549734464608			GD	I	IDN	8541.4090.00
E3Z-T66-D	Photoelectric sensor, rectangular housing, infrared LED, through-beam, receiver unit, NPN, Light-ON/Dark-ON, M8 4-pin connector	89.75	685926	4549734464730			GD	I	IDN	8541.4090.00
E3Z-T67	Photoelectric sensor, rectangular housing, infrared LED, through-beam, 30 m, NPN, Light-ON/Dark-ON, M8 4-pin connector	128.20	685912	4549734464654			GD	I	IDN	8541.4090.00
E3Z-T81 2M	Photoelectric sensor, rectangular housing, infrared LED, through-beam, 15 m, PNP, Light-ON/Dark-ON, 2 m cable	108.60	685903	4549734464657	#		GD	I	IDN	8541.4090.00
E3Z-T81 5M	Photoelectric sensor, rectangular housing, infrared LED, through-beam, 15 m, PNP, Light-ON/Dark-ON, 5 m cable	44.56	241526	4547648287135			GD	I	CHN	8541.4090.00
E3Z-T81A 2M	Photoelectric sensor, rectangular housing, red LED, through-beam, 10 m, PNP, Light-ON/Dark-ON, 2 m cable	36.41	685907	4549734464495			GD	I	IDN	8541.4090.00
E3Z-T81A-D 2M	Photoelectric sensor, rectangular housing, red LED, through-beam, receiver unit, PNP, Light-ON/Dark-ON, 2 m cable	76.95	685932	4549734464792			GD	I	IDN	8541.4090.00
E3Z-T81A-L 2M	Photoelectric sensor, rectangular housing, red LED, through-beam, emitter unit, PNP, Light-ON/Dark-ON, 2 m cable	76.95	685931	4549734464785			GD	I	IDN	8541.4090.00
E3Z-T81A-M 1J0.3M	Photoelectric sensor, rectangular housing, red LED, through-beam, 10 m, NPN, Light-ON/Dark-ON, M12 pigtail connector, 0.3 m	156.90	339279	4547648677653			GD	I	CHN	8541.4090.00
E3Z-T81C-G0SPD-CN	Photoelectric sensor, rectangular housing, red LED, through-beam, receiver unit, PNP, Dark-ON fixed, with emission stop function, M8 4-pin connector	83.65	323111	4547648683081			GD	I	CHN	8541.4090.00
E3Z-T81C-G0SPL-CN	Photoelectric sensor, rectangular housing, red LED, through-beam, emitter unit, PNP, Dark-ON fixed, with emission stop function, M8 4-pin connector	49.46	323110	4547648683074			GD	I	CHN	8541.4090.00
E3Z-T81-D 2M	Photoelectric sensor, rectangular housing, infrared LED, through-beam, receiver unit, PNP, Light-ON/Dark-ON, 2 m cable	68.00	685924	4549734464671			GD	I	IDN	8541.4090.00
E3Z-T81-D 5M	Photoelectric sensor, rectangular housing, infrared LED, through-beam, receiver unit, PNP, Light-ON/Dark-ON, 5 m cable	70.65	683859	4547648675567			GD	I	CHN	8541.4090.00
E3Z-T81-D-M1J-1 0.3M	Photoelectric sensor, rectangular housing, infrared LED, through-beam, receiver unit, PNP, Light-ON/Dark-ON, M12 pigtail connector with protective tube, 0.3 m	71.05	339296	4547648680042			GD	I	CHN	8541.4090.00
E3Z-T81-IL2 2M	Photoelectric sensor, rectangular housing, infrared LED, through-beam, 15 m, PNP, Light-ON/Dark-ON, IO-Link COM2, 2 m cable	110.10	671084	4548583793019			GD	I	CHN	8541.4090.00
E3Z-T81-IL2 5M	Photoelectric sensor, rectangular housing, infrared LED, through-beam, 15 m, PNP, Light-ON/Dark-ON, IO-Link COM2, 5 m cable	119.50	671085	4548583793026			GD	I	CHN	8541.4090.00
E3Z-T81-IL3 2M	Photoelectric sensor, rectangular housing, infrared LED, through-beam, 15 m, PNP, Light-ON/Dark-ON, IO-Link COM3, 2 m cable	110.10	671108	4548583793057			GD	I	CHN	8541.4090.00
E3Z-T81-IL3 5M	Photoelectric sensor, rectangular housing, infrared LED, through-beam, 15 m, PNP, Light-ON/Dark-ON, IO-Link COM3, 5 m cable	119.50	671107	4548583793064			GD	I	CHN	8541.4090.00
E3Z-T81K 2M	Photoelectric sensor, rectangular housing, oil resistant coating, infrared LED, through-beam, 15 m, PNP, Light-ON/Dark-ON, 2 m cable	107.40	342546	4547648677387			GD	I	CHN	8541.4090.00
E3Z-T81K-M3J0.3M	Photoelectric sensor, rectangular housing, oil resistant coating, infrared LED, through-beam, 15 m, PNP, Light-ON/Dark-ON, M8 pigtail connector 4-pin, 0.3 m	184.50	353940	4547648677394			GD	I	CHN	8541.4090.00
E3Z-T81-L 2M	Photoelectric sensor, rectangular housing, infrared LED, through-beam, emitter unit, PNP, Light-ON/Dark-ON, 2 m cable	51.15	685923	4549734464709			GD	I	IDN	8541.4090.00
E3Z-T81-L 5M	Photoelectric sensor, rectangular housing, infrared LED, through-beam, emitter unit, PNP, Light-ON/Dark-ON, 5 m cable	60.55	683860	4547648675543			GD	I	CHN	8541.4090.00
E3Z-T81-L-M1J-1 0.3M	Photoelectric sensor, rectangular housing, infrared LED, through-beam, emitter unit, PNP, Light-ON/Dark-ON, M12 pigtail connector with protective tube, 0.3 m	47.77	339295	4547648680042						

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Daheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
E3Z-T81-M1J-1 0.3M	Photoelectric sensor, rectangular housing, infrared LED, through-beam, 15 m, NPN, Light-ON/Dark-ON, M12 pigtail connector with protective tube, 0.3 m	107.90	338391	4547648677288			GD	I	CHN	8541.4090.00
E3Z-T81-M1J-L2 0.3M	Photoelectric sensor, rectangular housing, infrared LED, through-beam, 15 m, PNP, Light-ON/Dark-ON, IO-Link COM2, M12 pigtail Smartclick connector, 0.3 m	124.70	671086	4548583793033			GD	I	CHN	8541.4090.00
E3Z-T81-M1J-L3 0.3M	Photoelectric sensor, rectangular housing, infrared LED, through-beam, 15 m, PNP, Light-ON/Dark-ON, IO-Link COM3, M12 pigtail Smartclick connector, 0.3 m	124.70	671103	4548583793071			GD	I	CHN	8541.4090.00
E3Z-T82 2M	Photoelectric sensor, rectangular housing, infrared LED, through-beam, 30 m, PNP, Light-ON/Dark-ON, 2 m cable	112.70	338408	4547648680547			GD	I	CHN	8541.4090.00
E3Z-T82 2M	Photoelectric sensor, rectangular housing, infrared LED, through-beam, 30 m, PNP, Light-ON/Dark-ON, 2 m cable	112.70	685911	454973446532		40	GD	I	IDN	8541.4090.00
E3Z-T86	Photoelectric sensor, rectangular housing, infrared LED, through-beam, 15 m, PNP, Light-ON/Dark-ON, M8 4-pin connector	111.70	685905	4549734446471			GD	I	IDN	8541.4090.00
E3Z-T86A	Photoelectric sensor, rectangular housing, red LED, through-beam, 10 m, PNP, Light-ON/Dark-ON, M8 4-pin connector	107.90	685909	4549734446518			GD	I	IDN	8541.4090.00
E3Z-T86A-D	Photoelectric sensor, rectangular housing, red LED, through-beam, receiver unit, PNP, Light-ON/Dark-ON, M8 4-pin connector	81.40	685900	4549734446839			GD	I	IDN	8541.4090.00
E3Z-T86A-L	Photoelectric sensor, rectangular housing, red LED, through-beam, emitter unit, PNP, Light-ON/Dark-ON, M8 4-pin connector	61.80	685901	4549734446822			GD	I	IDN	8541.4090.00
E3Z-T86-D	Photoelectric sensor, rectangular housing, infrared LED, through-beam, receiver unit, PNP, Light-ON/Dark-ON, M8 4-pin connector	59.50	685928	4549734446754			GD	I	IDN	8541.4090.00
E3Z-T86-L2	Photoelectric sensor, rectangular housing, infrared LED, through-beam, 15 m, PNP, Light-ON/Dark-ON, IO-Link COM2, M8 4-pin connector	110.10	671088	4548583793095			GD	I	CHN	8541.4090.00
E3Z-T86-L3	Photoelectric sensor, rectangular housing, infrared LED, through-beam, 15 m, PNP, Light-ON/Dark-ON, IO-Link COM3, M8 4-pin connector	110.10	671113	4548583793101			GD	I	CHN	8541.4090.00
E3Z-T86-L	Photoelectric sensor, rectangular housing, infrared LED, through-beam, emitter unit, PNP, Light-ON/Dark-ON, M8 4-pin connector	61.55	685927	4549734446747			GD	I	IDN	8541.4090.00
E3Z-T87	Photoelectric sensor, rectangular housing, infrared LED, through-beam, 30 m, PNP, Light-ON/Dark-ON, M8 4-pin connector	110.90	685913	4549734446556			GD	I	IDN	8541.4090.00
E3ZM-B61 2M	Photoelectric sensor, rectangular housing, stainless steel, red LED, retro-reflective, transparent object, 500 mm, with teach-button, NPN, Light-ON/Dark-ON, 2 m cable	172.10	332040	4547648689250			GD	I	CHN	8541.4090.00
E3ZM-B66	Photoelectric sensor, rectangular housing, stainless steel, red LED, retro-reflective, transparent object, 500 mm, with teach-button, NPN, Light-ON/Dark-ON, M8 4-pin connector	169.60	332044	4547648689298			GD	I	CHN	8541.4090.00
E3ZM-B66T	Photoelectric sensor, rectangular housing, stainless steel, red LED, retro-reflective, transparent object, 500 mm, with potentiometer, NPN, Light-ON/Dark-ON, M8 4-pin connector	181.50	323655	4547648797306			GD	I	JPN	8541.4090.00
E3ZM-B81 2M	Photoelectric sensor, rectangular housing, stainless steel, red LED, retro-reflective, transparent object, 500 mm, with teach-button, PNP, Light-ON/Dark-ON, 2 m cable	172.10	332042	4547648689274			GD	I	CHN	8541.4090.00
E3ZM-B81T 2M	Photoelectric sensor, rectangular housing, stainless steel, red LED, retro-reflective, transparent object, 500 mm, with potentiometer, PNP, Light-ON/Dark-ON, 2 m cable	175.10	323656	4547648797313			GD	I	JPN	8541.4090.00
E3ZM-B86	Photoelectric sensor, rectangular housing, stainless steel, red LED, retro-reflective, transparent object, 500 mm, with teach-button, PNP, Light-ON/Dark-ON, M8 4-pin connector	169.60	332045	4547648689304			GD	I	CHN	8541.4090.00
E3ZM-B86-L	Photoelectric sensor, rectangular housing, stainless steel, red LED, retro-reflective, transparent object, 500 mm, with teach-button, reflector E39-FPI included, PNP, Light-ON/Dark-ON, M8 4-pin connector	169.60	332054	4547648728706			GD	I	CHN	8541.4090.00
E3ZM-B86-C	Photoelectric sensor, rectangular housing, stainless steel, red LED, retro-reflective, transparent object, 500 mm, with teach-button, reflector E39-FPI included, PNP, Light-ON/Dark-ON, M8 4-pin connector	220.00	328598	4547648689427			GD	I	CHN	8541.4090.00
E3ZM-B86T	Photoelectric sensor, rectangular housing, stainless steel, red LED, retro-reflective, transparent object, 500 mm, with potentiometer, PNP, Light-ON/Dark-ON, M8 4-pin connector	166.20	323657	4547648797320			GD	I	JPN	8541.4090.00
E3ZM-CD82 2M	Photoelectric sensor, rectangular housing, stainless steel, oil-resistant, infrared LED, diffuse, 1 m, PNP, Light-ON/Dark-ON, 2 m cable	144.10	232321	4547648319551			GD	I	JPN	8541.4090.00
E3ZM-CD82 5M	Photoelectric sensor, rectangular housing, stainless steel, oil-resistant, infrared LED, diffuse, 1 m, PNP, Light-ON/Dark-ON, 5 m cable	151.20	232322	4547648319568			GD	I	JPN	8541.4090.00
E3ZM-CD82-M1TJ 0.3M	Photoelectric sensor, rectangular housing, stainless steel, oil-resistant, infrared LED, diffuse, 1 m, PNP, Light-ON/Dark-ON, M12 pigtail connector, 0.3 m	157.80	232369	4547648324854			GD	I	JPN	8541.4090.00
E3ZM-CD87	Photoelectric sensor, rectangular housing, stainless steel, oil-resistant, infrared LED, diffuse, 1 m, PNP, Light-ON/Dark-ON, M8 4-pin connector	165.90	232323	4547648319575			GD	I	JPN	8541.4090.00
E3ZM-CL69H	Photoelectric sensor, rectangular housing, stainless steel, red LED, background suppression, 200 mm, NPN, Light-ON/Dark-ON, M8 4-pin connector	132.80	232338	4547648316156			GD	I	JPN	8541.4090.00
E3ZM-CR81-M1TJ 0.3M	Photoelectric sensor, rectangular housing, stainless steel, oil-resistant, red LED, retro-reflective, 4 m, PNP, Light-ON/Dark-ON, M12 pigtail Smartclick connector, 0.3 m	183.90	232370	4547648324878			GD	I	JPN	8541.4090.00
E3ZM-CT81 2M	Photoelectric sensor, rectangular housing, stainless steel, oil-resistant, infrared LED, through-beam, 15 m, PNP, Light-ON/Dark-ON, 2 m cable	229.00	232309	4547648315814			GD	I	JPN	8541.4090.00
E3ZM-CT82-M1TJ 0.3M	Photoelectric sensor, rectangular housing, stainless steel, oil-resistant, orange LED, through-beam, 20 m, PNP, Light-ON/Dark-ON, M12 pigtail Smartclick connector, 0.3 m	217.60	232391	4547648325134			GD	I	JPN	8541.4090.00
E3ZM-D62 2M	Photoelectric sensor, rectangular housing, stainless steel, infrared LED, diffuse, 1 m, NPN, Light-ON/Dark-ON, 2 m cable	151.20	232465	4547648235587			GD	I	JPN	8541.4090.00
E3ZM-D67	Photoelectric sensor, rectangular housing, stainless steel, infrared LED, diffuse, 1 m, NPN, Light-ON/Dark-ON, M8 4-pin connector	173.00	232466	4547648235594			GD	I	JPN	8541.4090.00
E3ZM-D82 2M	Photoelectric sensor, rectangular housing, stainless steel, infrared LED, diffuse, 1 m, PNP, Light-ON/Dark-ON, 2 m cable	151.20	232467	4547648235600			GD	I	JPN	8541.4090.00
E3ZM-D87	Photoelectric sensor, rectangular housing, stainless steel, infrared LED, diffuse, 1 m, PNP, Light-ON/Dark-ON, M8 4-pin connector	150.50	232468	4547648235617			GD	I	JPN	8541.4090.00
E3ZM-LS61H 2M	Photoelectric sensor, rectangular housing, stainless steel, red LED, background suppression, 100 mm, NPN, Light-ON/Dark-ON, 2 m cable	151.90	232469	4547648235624			GD	I	JPN	8541.4090.00
E3ZM-LS62H 2M	Photoelectric sensor, rectangular housing, stainless steel, red LED, background suppression, 150 mm, NPN, Light-ON/Dark-ON, 2 m cable	151.20	232470	4547648235631			GD	I	JPN	8541.4090.00
E3ZM-LS64H 2M	Photoelectric sensor, rectangular housing, stainless steel, red LED, background suppression, 200 mm, NPN, Light-ON/Dark-ON, 2 m cable	151.20	232471	4547648235638			GD	I	JPN	8541.4090.00
E3ZM-LS69H	Photoelectric sensor, rectangular housing, stainless steel, red LED, background suppression, 200 mm, NPN, Light-ON/Dark-ON, M8 4-pin connector	129.10	232472	4547648235679			GD	I	JPN	8541.4090.00
E3ZM-LS69X	Photoelectric sensor, rectangular housing, stainless steel, red LED, background suppression, 200 mm, NPN, Light-ON fixed, M8 4-pin connector	129.10	227231	4547648279369			GD	I	JPN	8541.4090.00
E3ZM-LS81H 2M	Photoelectric sensor, rectangular housing, stainless steel, red LED, background suppression, 100 mm, PNP, Light-ON/Dark-ON, 2 m cable	151.90	232473	4547648235686			GD	I	JPN	8541.4090.00
E3ZM-LS81X 2M	Photoelectric sensor, rectangular housing, stainless steel, red LED, background suppression, 100 mm, PNP, Light-ON fixed, 2 m cable	125.40	227232	4547648279376			GD	I	JPN	8541.4090.00
E3ZM-LS82H 2M	Photoelectric sensor, rectangular housing, stainless steel, red LED, background suppression, 150 mm, PNP, Light-ON/Dark-ON, 2 m cable	151.20	232474	4547648235693			GD	I	JPN	8541.4090.00
E3ZM-LS84H 2M	Photoelectric sensor, rectangular housing, stainless steel, red LED, background suppression, 200 mm, PNP, Light-ON/Dark-ON, 2 m cable	151.20	232475	4547648235709			GD	I	JPN	8541.4090.00
E3ZM-LS86H	Photoelectric sensor, rectangular housing, stainless steel, red LED, background suppression, 100 mm, PNP, Light-ON/Dark-ON, M8 4-pin connector	150.30	232476	4547648235716			GD	I	JPN	8541.4090.00
E3ZM-LS86X	Photoelectric sensor, rectangular housing, stainless steel, red LED, background suppression, 100 mm, PNP, Light-ON fixed, M8 4-pin connector	156.50	227237	4547648279375			GD	I	JPN	8541.4090.00
E3ZM-LS89H	Photoelectric sensor, rectangular housing, stainless steel, red LED, background suppression, 200 mm, PNP, Light-ON/Dark-ON, M8 4-pin connector	129.10	232478	4547648235760			GD	I	JPN	8541.4090.00
E3ZM-LS89X	Photoelectric sensor, rectangular housing, stainless steel, red LED, background suppression, 200 mm, PNP, Light-ON fixed, M8 4-pin connector	180.20	227239	4547648279398			GD	I	JPN	8541.4090.00
E3ZM-F61 2M	Photoelectric sensor, rectangular housing, stainless steel, red LED, retro-reflective, 4 m, NPN, Light-ON/Dark-ON, 2 m cable	148.00	232479	4547648235747			GD	I	JPN	8541.4090.00
E3ZM-F66	Photoelectric sensor, rectangular housing, stainless steel, red LED, retro-reflective, 4 m, NPN, Light-ON/Dark-ON, M8 4-pin connector	172.00	232480	4547648235754			GD	I	JPN	8541.4090.00
E3ZM-F81 2M	Photoelectric sensor, rectangular housing, stainless steel, red LED, retro-reflective, 4 m, PNP, Light-ON/Dark-ON, 2 m cable	148.00	232481	4547648235761			GD	I	JPN	8541.4090.00
E3ZM-F81-STJ 0.3M	Photoelectric sensor, rectangular housing, stainless steel, red LED, retro-reflective, 4 m, PNP, Light-ON/Dark-ON, M12 stainless steel pigtail connector, 0.3 m	215.40	689631	4549734577908			GD	I	JPN	8541.4090.00
E3ZM-F86	Photoelectric sensor, rectangular housing, stainless steel, red LED, retro-reflective, 4 m, PNP, Light-ON/Dark-ON, M8 4-pin connector	151.20	223482	4547648235778			GD	I	JPN	8541.4090.00
E3ZM-T61 2M	Photoelectric sensor, rectangular housing, stainless steel, infrared LED, through-beam, 15 m, NPN, Light-ON/Dark-ON, 2 m cable	237.60	223483	4547648235785			GD	I	JPN	8541.4090.00
E3ZM-T63 2M	Photoelectric sensor, rectangular housing, stainless steel, infrared LED, through-beam, 800 mm, NPN, Light-ON/Dark-ON, 2 m cable	248.90	227527	4547648289344			GD	I	JPN	8541.4090.00
E3ZM-T66	Photoelectric sensor, rectangular housing, stainless steel, infrared LED, through-beam, 15 m, NPN, Light-ON/Dark-ON, M8 4-pin connector	248.90	223484	4547648235792			GD	I	JPN	8541.4090.00
E3ZM-T81 2M	Photoelectric sensor, rectangular housing, stainless steel, infrared LED, through-beam, 15 m, PNP, Light-ON/Dark-ON, 2 m cable	237.60	223485	4547648235808			GD	I	JPN	8541.4090.00
E3ZM-T81 5M	Photoelectric sensor, rectangular housing, stainless steel, infrared LED, through-beam, 15 m, PNP, Light-ON/Dark-ON, 5 m cable	279.60	226037	4547648271790			GD	I	JPN	8541.4090.00
E3ZM-T81-D 2M	Photoelectric sensor, rectangular housing, stainless steel, infrared LED, through-beam, receiver unit, PNP, Light-ON/Dark-ON, 2 m cable	155.80	233775	4547648386616			GD	I	JPN	8541.4090.00
E3ZM-T81-L 2M	Photoelectric sensor, rectangular housing, stainless steel, infrared LED, through-beam, emitter unit, PNP, Light-ON/Dark-ON, 2 m cable	123.30	233774	4547648386609			GD	I	JPN	8541.4090.00
E3ZM-T81-L 5M	Photoelectric sensor, rectangular housing, stainless steel, infrared LED, through-beam, emitter unit, PNP, Light-ON/Dark-ON, 5 m cable	129.60	292361	4547648719148			GD	I	JPN	8541.4090.00
E3ZM-T83 2M	Photoelectric sensor, rectangular housing, stainless steel, infrared LED, through-beam, 800 mm, PNP, Light-ON/Dark-ON, 2 m cable	248.90	227529	4547648289368			GD	I	JPN	8541.4090.00
E3ZM-T83 5M	Photoelectric sensor, rectangular housing, stainless steel, infrared LED, through-beam, 800 mm, PNP, Light-ON/Dark-ON, 5 m cable	239.40	227530	4547648289375			GD	I	JPN	8541.4090.00
E3ZM-T86	Photoelectric sensor, rectangular housing, stainless steel, infrared LED, through-beam, 15 m, PNP, Light-ON/Dark-ON, switch output with wire, M8 4-pin connector	238.10	223486	4547648235815			GD	I	JPN	8541.4090.00
E3ZM-T86-L	Photoelectric sensor, rectangular housing, stainless steel, infrared LED, through-beam, emitter unit, NPN, Light-ON/Dark-ON, M8 4-pin connector	125.90	233776	4547648386623			GD	I	JPN	8541.4090.00
E3ZM-T88	Photoelectric sensor, rectangular housing, stainless steel, infrared LED, through-beam, 800 mm, PNP, Light-ON/Dark-ON, M8 4-pin connector	250.40	227532	4547648289399			GD	I	JPN	8541.4090.00
E3ZM-V61 2M	Registration mark sensor, rectangular housing, stainless steel, white LED, diffuse, 12 ± 2 mm, with teach-button, NPN, Light-ON/Dark-ON, 2 m cable	203.80	332046	4547648689311			GD	I	CHN	8541.4090.00
E3ZM-V61 5M	Registration mark sensor, rectangular housing, stainless steel, white LED, diffuse, 12 ± 2 mm, with teach-button, NPN, Light-ON/Dark-ON, 5 m cable	211.10	332047	4547648689328			GD	I	CHN	8541.4090.00
E3ZM-V66	Registration mark sensor, rectangular housing, stainless steel, white LED, diffuse, 12 ± 2 mm, with teach-button, PNP, Light-ON/Dark-ON, M8 4-pin connector	201.40	332048	4547648689359			GD	I	CHN	8541.4090.00
E3ZM-V81 2M	Registration mark sensor, rectangular housing, stainless steel, white LED, diffuse, 12 ± 2 mm, with teach-button, PNP, Light-ON/Dark-ON, 2 m cable	203.00	326595	4547648689335			GD	I	CHN	8541.4090.00
E3ZM-V81 5M	Registration mark sensor, rectangular housing, stainless steel, white LED, diffuse, 12 ± 2 mm, with teach-button, PNP, Light-ON/Dark-ON, 5 m cable	211.10	326596	4547648689342			GD	I	CHN	8541.4090.00
E3ZM-V86	Registration mark sensor, rectangular housing, stainless steel, white LED, diffuse, 12 ± 2 mm, with teach-button, PNP, Light-ON/Dark-ON, M8 4-pin connector	200.40	332049	4547648689366			GD	I	CHN	8541.4090.00
E3ZR-CD81D-M1TJ 0.3M	Photoelectric sensor, rectangular housing, stainless steel, oil-resistant, red LED, diffuse, 0.5 m, PNP, Dark-ON, M12 pigtail Smartclick connector, 0.3 m	300.50	674922	4548583870932			GD	I	CHN	8541.4090.00
E3ZR-CR81L 2M	Photoelectric sensor, rectangular housing, stainless steel, oil-resistant, red LED, retro-reflective, 2.5 m, PNP, Light-ON, 2 m cable	285.00	674892	4548583870673			GD	I	CHN	8541.4090.00

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Daheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
<b>Photoelectric sensor E6S</b>										
E6S-AD11	Photoelectric sensor, diffuse, 200 mm, DC, 3-wire, NPN, horizontal, 2 m cable	103.80	130510	4536853282233			GD	J	JPN	8541.4090.00
E6S-AD12	Photoelectric sensor, diffuse, 700 mm, DC, 3-wire, NPN, horizontal, 2 m cable	103.20	143232	4536853282257			GD	J	JPN	8541.4090.00
E6S-AD13	Photoelectric sensor, diffuse, 100 mm, DC, 3-wire, NPN, horizontal, 2 m cable	109.60	142140	4536853283872			GD	J	JPN	8541.4090.00
E6S-AD16	Photoelectric sensor, diffuse, 200 mm, DC, 3-wire, NPN, horizontal, M12 plug-in	110.90	130513	4536853282318			GD	J	JPN	8541.4090.00
E6S-AD17	Photoelectric sensor, diffuse, 700 mm, DC, 3-wire, NPN, horizontal, M12 plug-in	107.40	145474	4536853282325			GD	J	JPN	8541.4090.00
E6S-AD18	Photoelectric sensor, diffuse, 100mm, DC, 3-wire, NPN, horizontal, M12 plug-in	107.40	153135	4536853283803			GD	J	JPN	8541.4090.00
E6S-AD21	Photoelectric sensor, diffuse, 200mm, DC, 3-wire, NPN, timer, horizontal, 2m cable	130.80	130518	4536853282394			GD	J	JPN	8541.4090.00
E6S-AD31	Photoelectric sensor, diffuse, 200 mm, DC, 3-wire, PNP, horizontal, 2 m cable	105.10	155083	4536853282493			GD	J	JPN	8541.4090.00
E6S-AD32	Photoelectric sensor, diffuse, 700 mm, DC, 3-wire, PNP, horizontal, 2 m cable	103.50	149804	4536853282516			GD	J	JPN	8541.4090.00
E6S-AD33	Photoelectric sensor, diffuse, 100 mm, DC, 3-wire, PNP, horizontal, 2 m cable	120.50	147715	4536853283858			GD	J	JPN	8541.4090.00
E6S-AD36	Photoelectric sensor, diffuse, 200 mm, DC, 3-wire, PNP, horizontal, M12 plug-in	109.60	130433	4536853282578	#		GD	J	JPN	8541.4090.00
E6S-AD37	Photoelectric sensor, diffuse, 700 mm, DC, 3-wire, PNP, horizontal, M12 plug-in	110.90	104096	4536853282585			GD	J	JPN	8541.4090.00
E6S-AD38	Photoelectric sensor, diffuse, 100 mm, DC, 3-wire, PNP, horizontal, M12 plug-in	115.40	104101	4536853283780			GD	J	JPN	8541.4090.00
E6S-AD41	Photoelectric sensor, diffuse, 200mm, DC, 3-wire, PNP, timer, horizontal, 2m cable	132.00	130440	4536853282653			GD	J	JPN	8541.4090.00
E6S-AD42	Photoelectric sensor, diffuse, 700mm, DC, 3-wire, PNP, timer, horizontal, 2m cable	103.60	105533	4536853282677			GD	J	JPN	8541.4090.00
E6S-AD61	Photoelectric sensor, diffuse, 200 mm, DC, 3-wire, NPN, vertical, 2 m cable	103.80	130445	4536853282752			GD	J	JPN	8541.4090.00
E6S-AD62	Photoelectric sensor, diffuse, 700mm, DC, 3-wire, NPN, vertical, 2m cable	103.20	130446	4536853282776			GD	J	JPN	8541.4090.00
E6S-AD63	Photoelectric sensor, diffuse, 100 mm, DC, 3-wire, NPN, vertical, 2 m cable	111.90	144400	4536853283698			GD	J	JPN	8541.4090.00
E6S-AD65	Photoelectric sensor, diffuse, 700mm, DC, 3-wire, NPN, vertical, M12 plug-in	108.80	157686	4536853283837			GD	J	JPN	8541.4090.00
E6S-AD67	Photoelectric sensor, diffuse, 100mm, DC, 3-wire, NPN, vertical, M12 plug-in	112.60	142135	4536853282844			GD	J	JPN	8541.4090.00
E6S-AD68	Photoelectric sensor, diffuse, 100mm, DC, 3-wire, NPN, vertical, M12 plug-in	111.90	148538	4536853283797			GD	J	JPN	8541.4090.00
E6S-AD81	Photoelectric sensor, diffuse, 200 mm, DC, 3-wire, PNP, vertical, 2 m cable	106.70	130456	4536853283018			GD	J	JPN	8541.4090.00
E6S-AD82	Photoelectric sensor, diffuse, 700 mm, DC, 3-wire, PNP, vertical, 2 m cable	103.50	142136	4536853283032			GD	J	JPN	8541.4090.00
E6S-AD83	Photoelectric sensor, diffuse, 100 mm, DC, 3-wire, PNP, vertical, 2 m cable	109.90	130404	4536853283827			GD	J	JPN	8541.4090.00
E6S-AD86	Photoelectric sensor, diffuse, 200 mm, DC, 3-wire, PNP, vertical, M12 plug-in	109.60	130461	4536853283094			GD	J	JPN	8541.4090.00
E6S-AD87	Photoelectric sensor, diffuse, 700 mm, DC, 3-wire, PNP, vertical, M12 plug-in	108.80	130462	4536853283100	#		GD	J	JPN	8541.4090.00
E6S-AD88	Photoelectric sensor, diffuse, 100 mm, DC, 3-wire, PNP, vertical, M12 plug-in	115.10	130402	4536853283773			GD	J	JPN	8541.4090.00
E6S-AD91	Photoelectric sensor, diffuse, 200mm, DC, 3-wire, PNP, timer, vertical, 2m cable	132.30	104099	4536853283179			GD	J	JPN	8541.4090.00
E6S-AD92	Photoelectric sensor, diffuse, 700 mm, DC, 3-wire, PNP, timer, vertical, 2 m cable	125.90	130470	4536853283193			GD	J	JPN	8541.4090.00
E6S-AR11	Photoelectric sensor, retroreflective, 2 m, DC, 3-wire, NPN, horizontal, 2 m cable	116.10	142134	4536853282219			GD	J	JPN	8541.4090.00
E6S-AR21	Photoelectric sensor, retroreflective, 2m, DC, 3-wire, NPN, timer, horizontal, 2m cable	144.30	130516	4536853282370			GD	J	JPN	8541.4090.00
E6S-AR31	Photoelectric sensor, retroreflective, 2 m, DC, 3-wire, PNP, horizontal, 2 m cable	116.10	130428	4536853282479			GD	J	JPN	8541.4090.00
E6S-AR36	Photoelectric sensor, retroreflective, 2 m, DC, 3-wire, PNP, horizontal, M12 plug-in	120.00	130432	4536853282561			GD	J	JPN	8541.4090.00
E6S-AR61	Photoelectric sensor, retroreflective, 2m, DC, 3-wire, PNP, timer, horizontal, 2m cable	144.30	130438	4536853282639			GD	J	JPN	8541.4090.00
E6S-AR66	Photoelectric sensor, retroreflective, 2 m, DC, 3-wire, NPN, vertical, 2 m cable	115.70	152076	4536853282738			GD	J	JPN	8541.4090.00
E6S-AR71	Photoelectric sensor, retroreflective, 2 m, DC, 3-wire, NPN, vertical, M12 plug-in	122.20	105534	4536853282820			GD	J	JPN	8541.4090.00
E6S-AR81	Photoelectric sensor, retroreflective, 2 m, DC, 3-wire, PNP, vertical, 2 m cable	116.10	130455	4536853282998			GD	J	JPN	8541.4090.00
E6S-AR86	Photoelectric sensor, retroreflective, 2 m, DC, 3-wire, PNP, vertical, M12 plug-in	120.00	130460	4536853283087			GD	J	JPN	8541.4090.00
E6S-AR91	Photoelectric sensor, retroreflective, 2 m, DC, 3-wire, PNP, timer, vertical, 2 m cable	144.70	130467	4536853283155			GD	J	JPN	8541.4090.00
E6S-AT11	Photoelectric sensor, through-beam, 7 m, DC, 3-wire, NPN, horizontal, 2 m cable	140.80	130506	4536853282172			GD	J	JPN	8541.4090.00
E6S-AT11-D-2M	Photoelectric sensor, through-beam receiver, 7 m, DC, 3-wire, NPN, horizontal, 2 m cable	99.00	130509	4536853282202			GD	J	JPN	8541.4090.00
E6S-AT11-L-2M	Photoelectric sensor, through-beam emitter, 7 m, DC, 3-wire, NPN, horizontal, 2 m cable	75.00	130508	4536853282196			GD	J	JPN	8541.4090.00
E6S-AT16	Photoelectric sensor, through-beam, 7 m, DC, 3-wire, NPN, horizontal, M12 plug-in	151.00	130512	4536853282271			GD	J	JPN	8541.4090.00
E6S-AT21	Photoelectric sensor, through-beam, 7 m, DC, 3-wire, NPN, timer, horizontal, 2m cable	165.90	150890	4536853282332			GD	J	JPN	8541.4090.00
E6S-AT31	Photoelectric sensor, through-beam, 7 m, DC, 3-wire, PNP, horizontal, 2 m cable	142.70	130521	4536853282431			GD	J	JPN	8541.4090.00
E6S-AT31-D-2M	Photoelectric sensor, through-beam receiver, 7 m, DC, 3-wire, PNP, horizontal, 2 m cable,	100.00	130427	4536853282462			GD	J	JPN	8541.4090.00
E6S-AT31-L-2M	Photoelectric sensor, through-beam emitter, 7 m, DC, 3-wire, PNP, horizontal, 2 m cable	75.40	130426	4536853282455			GD	J	JPN	8541.4090.00
E6S-AT36	Photoelectric sensor, through-beam, 7 m, DC, 3-wire, PNP, horizontal, M12 plug-in	151.20	130430	4536853282530	#		GD	J	JPN	8541.4090.00
E6S-AT36-D	Photoelectric sensor, through-beam receiver, 7 m, DC, 3-wire, PNP, horizontal, M12 plug-in	115.40	130431	4536853282554			GD	J	JPN	8541.4090.00
E6S-AT36-L	Photoelectric sensor, through-beam emitter, 7 m, DC, 3-wire, PNP, horizontal, M12 plug-in	66.10	156494	4536853282547			GD	J	JPN	8541.4090.00
E6S-AT41	Photoelectric sensor, through-beam, 7m, DC, 3-wire, PNP, timer, horizontal, 2m cable	183.40	130434	4536853282592			GD	J	JPN	8541.4090.00
E6S-AT61	Photoelectric sensor, through-beam, 7 m, DC, 3-wire, NPN, vertical, 2 m cable	140.80	154285	4536853282691			GD	J	JPN	8541.4090.00
E6S-AT66	Photoelectric sensor, through-beam, 7 m, DC, 3-wire, NPN, vertical, M12 plug-in	151.00	130448	4536853282790			GD	J	JPN	8541.4090.00
E6S-AT81	Photoelectric sensor, through-beam, 7m, DC, 3-wire, PNP, vertical, 2m cable	142.70	130454	4536853282950			GD	J	JPN	8541.4090.00
E6S-AT81-D	Photoelectric sensor, through-beam (receiver only), 7 m, DC, vertical, 2 m cable	109.90	105535	4536853282981			GD	J	JPN	8541.4090.00
E6S-AT86	Photoelectric sensor, through-beam, 7 m, DC, 3-wire, PNP, vertical, M12 plug-in	151.20	130458	4536853283056			GD	J	JPN	8541.4090.00
E6S-AT86-D	Photoelectric sensor, through-beam receiver, 7 m, DC, 3-wire, PNP, vertical, M12 plug-in	101.50	130459	4536853283070			GD	J	JPN	8541.4090.00
E6S-AT91	Photoelectric sensor, through-beam, 7m, DC, 3-wire, PNP, timer, vertical, 2m cable	183.40	130463	4536853283117			GD	J	JPN	8541.4090.00
E6S-CD11-2M	Photoelectric sensor, diffuse, 700 mm, DC, 3-wire, NPN/PNP, horizontal, 2 m cable	152.60	239839	4547648357180			GD	J	CHN	8541.4090.00
E6S-CD11-M1J0.3M	Photoelectric sensor, Diffuse, 700 mm range, Horizontal, NPN/PNP, M12 connector	174.40	239819	4547648357357			GD	J	CHN	8541.4090.00
E6S-CD12-2M	Photoelectric sensor, diffuse, 2m, DC, 3-wire, NPN/PNP, horizontal, 2m cable	161.30	239840	4547648357197			GD	J	CHN	8541.4090.00
E6S-CD16	Photoelectric sensor, diffuse, 700 mm, DC, 3-wire, NPN/PNP, horizontal, M12 plug-in	174.40	239827	4547648357593			GD	J	CHN	8541.4090.00
E6S-CD17	Photoelectric sensor, diffuse, 2m, DC, 3-wire, NPN/PNP, horizontal, M12 plug-in	172.90	239828	4547648357609			GD	J	CHN	8541.4090.00
E6S-CD61-2M	Photoelectric sensor, diffuse, 700 mm, DC, 3-wire, NPN/PNP, vertical, 2 m cable	148.10	239811	4547648357227			GD	J	CHN	8541.4090.00
E6S-CD61-5M	Photoelectric sensor, diffuse, 700 mm, DC, 3-wire, NPN/PNP, vertical, 5 m cable	173.70	239813	4547648357265			GD	J	CHN	8541.4090.00
E6S-CD61-M1J0.3M	Photoelectric sensor, diffuse, 700 mm, DC, 3-wire, NPN/PNP, vertical, 0.3 m cable with M12 connector	156.70	239806	4547648357395			GD	J	CHN	8541.4090.00
E6S-CD62-2M	Photoelectric sensor, diffuse, 2m, DC, 3-wire, NPN/PNP, vertical, 2m cable	163.20	239812	4547648357234			GD	J	CHN	8541.4090.00
E6S-CD62-M1J0.3M	Photoelectric sensor, diffuse, 2m, DC, 3-wire, NPN/PNP, vertical, 0.3 m cable with M12 connector	163.20	239807	4547648357401			GD	J	CHN	8541.4090.00
E6S-CD66	Photoelectric sensor, diffuse, 700 mm, DC, 3-wire, NPN/PNP, vertical, M12 plug-in	181.30	239829	4547648357616			GD	J	CHN	8541.4090.00
E6S-CL1-2M	Photoelectric sensor distance setting BGS, 5-200mm, NPN/PNP, 2m cable	181.30	239830	4547648357623			GD	J	CHN	8541.4090.00
E6S-CL1-5M	Photoelectric sensor distance setting BGS, 5-200 mm, NPN/PNP, 5 m cable	193.40	239843	4547648357418	#		GD	J	CHN	8541.4090.00
E6S-CL1-M1J0.3M	Photoelectric sensor distance setting BGS, 5-200mm, NPN/PNP, M12 pigtail	183.30	239821	4547648357425			GD	J	CHN	8541.4090.00
E6S-CL2-2M	Photoelectric sensor distance setting BGS, 5-500mm, NPN/PNP, 2m cable	184.20	239808	4547648357517			GD	J	CHN	8541.4090.00
E6S-CL2-5M	Photoelectric sensor distance setting BGS, 5-500mm, NPN/PNP, 5m cable	177.50	239844	4547648357432	#		GD	J	CHN	8541.4090.00
		198.70	239822	4547648357449			GD	J	CHN	8541.4090.00

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Data sheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
E3S-QL2-M1J0.3M	Photoelectric sensor distance setting BGS, 5-500mm, NPN/PNP, M12 pigtail	196.30	239809	4547648357524			GD	J	CHN	8541.4090.00
E3S-CR11 2M	Photoelectric sensor, retro-reflective, 3m, DC, 3-wire, NPN/PNP, horizontal, 2m cable	151.20	239838	4547648357173			GD	J	CHN	8541.4090.00
E3S-CR11 5M	Photoelectric sensor, retro-reflective, 3m, DC, 3-wire, NPN/PNP, horizontal, 5 m cable	171.00	239814	4547648357272			GD	J	CHN	8541.4090.00
E3S-CR11-M1J0.3M	Photoelectric sensor, retro-reflective, 3m, DC, 3-wire, NPN/PNP, horizontal, pigtail connector	176.80	239802	4547648357340			GD	J	CHN	8541.4090.00
E3S-CR16	Photoelectric sensor, retro-reflective, 3m, DC, 3-wire, NPN/PNP, vertical, 2m cable	219.20	239831	4547648357630			GD	J	CHN	8541.4090.00
E3S-CR61 2M	Photoelectric sensor, retro-reflective, 3m, DC, 3-wire, NPN/PNP, vertical, 2m cable	149.20	239842	4547648357210			GD	J	CHN	8541.4090.00
E3S-CR61 5M	Photoelectric sensor, retro-reflective, 3m, DC, 3-wire, NPN/PNP, vertical, 5 m cable	171.00	239815	4547648357289			GD	J	CHN	8541.4090.00
E3S-CR61-M1J0.3M	Photoelectric sensor, retro-reflective	176.80	239805	4547648357388			GD	J	CHN	8541.4090.00
E3S-CR66	Photoelectric sensor, retro-reflective, 3m, DC, 3-wire, NPN/PNP, vertical, M12 plug-in	157.70	239845	4547648357494			GD	J	CHN	8541.4090.00
E3S-CT11 2M	Photoelectric sensor, through-beam, 30m, DC, 3-wire, NPN/PNP, horizontal, 2m cable	201.80	239837	4547648357166			GD	J	CHN	8541.4090.00
E3S-CT11 5M	Photoelectric sensor, through beam	228.70	239816	4547648357296			GD	J	CHN	8541.4090.00
E3S-CT11-D 2M	Photoelectric sensor, through-beam receiver, 30 m range, Oil-resistant, DC, 3-wire, PNP/NPN, 2 m cable	132.00	239802	4547648357326			GD	J	CHN	8541.4090.00
E3S-CT11-D 5M	Photoelectric sensor, through-beam receiver, 30 m range, Oil-resistant, DC, 3-wire, PNP/NPN, 5 m cable	151.00	239823	4547648357463			GD	J	CHN	8541.4090.00
E3S-CT11-L 2M	Photoelectric sensor, through-beam emitter, 30 m range, Oil-resistant, DC, 3-wire, PNP/NPN, 2 m cable	101.80	239789	4547648357319			GD	J	CHN	8541.4090.00
E3S-CT11-L 5M	Photoelectric sensor, through-beam emitter, 30 m range, Oil-resistant, DC, 3-wire, PNP/NPN, 5 m cable	117.50	239790	4547648357456			GD	J	CHN	8541.4090.00
E3S-CT16	Photoelectric sensor, through-beam, 30 m, DC, 3-wire, NPN/PNP, horizontal, M12 plug-in	232.10	239846	4547648357531			GD	J	CHN	8541.4090.00
E3S-CT61 2M	Photoelectric sensor, through-beam, 30m, DC, 3-wire, NPN/PNP, vertical, 2m cable	215.00	239841	4547648357203			GD	J	CHN	8541.4090.00
E3S-CT61 5M	Photoelectric sensor, through-beam, 30 m, DC, 3-wire, NPN/PNP, vertical, 5 m cable	229.00	239817	4547648357302			GD	J	CHN	8541.4090.00
E3S-CT61-D 5M	Photoelectric sensor, through-beam receiver, Sns=12 m, NPN/PNP, zinc diecast, 5 m PVC cable	151.00	239825	4547648357487		#	GD	J	CHN	8541.4090.00
E3S-CT61-L 5M	Photoelectric sensor, through-beam emitter, Sns=12 m, zinc diecast, 5 m PVC cable	104.80	239824	4547648357470			GD	J	CHN	8541.4090.00
E3S-CT61-L-5 5M	Through-beam, emitter, 5 m range, oil-resistant, DC, 5 m cable output	103.20	239835	4547648357739			GD	J	CHN	8541.4090.00
E3S-CT66	Photoelectric sensor, through-beam, 30m, DC, 3-wire, NPN/PNP, vertical, M12 plug-in	197.10	239847	4547648357562			GD	J	CHN	8541.4090.00
E3S-CT66-D	Photoelectric sensor, through-beam receiver, 30 m, DC, 3-wire, NPN/PNP, vertical, M12 plug-in	173.70	239826	4547648357586			GD	J	CHN	8541.4090.00
E3S-CT66-L	Photoelectric sensor, through-beam (emitter only), 30 m, DC, vertical, M12 plug-in	128.70	239793	4547648357579			GD	J	CHN	8541.4090.00
E3S-CT66-L-5	Photoelectric sensor, through-beam emitter, 5 m, customized emission power, DC, 3-wire, NPN/PNP, vertical, M12 plug-in	109.90	409500	454858353930			GD	J	CHN	8541.4090.00
E3S-R11	Photoelectric sensor, retroreflective, 1m, DC, 3-wire, NPN, horizontal, 2m cable	139.20	104100	4536853283711			GD	J	JPN	8541.4090.00
E3S-R17	Photoelectric sensor, retroreflective, 300 mm, DC, 3-wire, NPN, horizontal, M12 plug-in	137.10	130422	4536853284244			GD	J	JPN	8541.4090.00
E3S-R32	Photoelectric sensor, retroreflective, 300 mm, DC, 3-wire, PNP, horizontal, 2 m cable	137.10	130354	4536853284701			GD	J	JPN	8541.4090.00
E3S-R36	Photoelectric sensor, retroreflective, 1 m, DC, 3-wire, PNP, horizontal, M12 plug-in	134.30	130355	4536853284718			GD	J	JPN	8541.4090.00
E3S-R37	Photoelectric sensor, retroreflective, 300 mm, DC, 3-wire, PNP, horizontal, M12 plug-in	128.70	130356	4536853284725			GD	J	JPN	8541.4090.00
E3S-R61	Photoelectric sensor, retroreflective, 1 m, DC, 3-wire, NPN, vertical, 2 m cable	143.40	130401	4536853283728			GD	J	JPN	8541.4090.00
E3S-R62	Photoelectric sensor, retroreflective, 300mm, DC, 3-wire, NPN, vertical, 2m cable	134.30	130421	4536853284220			GD	J	JPN	8541.4090.00
E3S-R67	Photoelectric sensor, retroreflective, 300mm, DC, 3-wire, NPN, vertical, M12 plug-in	134.30	130423	4536853284251			GD	J	JPN	8541.4090.00
E3S-R81	Photoelectric sensor, retroreflective, 1m, DC, 3-wire, PNP, vertical, 2m cable	132.00	130357	4536853284732			GD	J	JPN	8541.4090.00
E3S-R82	Photoelectric sensor, retroreflective, 300mm, DC, 3-wire, PNP, vertical, 2m cable	126.50	130358	4536853284749			GD	J	JPN	8541.4090.00
E3S-R86	Photoelectric sensor, retroreflective, 1 m, DC, 3-wire, PNP, vertical, M12 plug-in	130.80	130359	4536853284756			GD	J	JPN	8541.4090.00
E3S-R87	Photoelectric sensor, retroreflective, 300 mm, DC, 3-wire, PNP, vertical, M12 plug-in	132.00	130360	4536853284763			GD	J	JPN	8541.4090.00
<b>Fiber optic amplifier EXX</b>										
E3X-DA51-S 2M	Fiber optic sensor amplifier, DC, 3-wire, PNP, teach, twin digital display, twin output, ATC function, 2m cable	199.70	336340	4547648647991	#		GD	K	CHN	8536.5019.90
E3X-DR121-S VER3	Fiber amplifier sensor communication unit	504.00	306527	4547648646987			GD	K	CHN	8536.5019.90
E3X-ECT	E3X communication unit, EherCAT	470.10	357104	4548583057661			GD	K	CHN	8541.4090.00
E3X-HD0	Fiber amplifier for communication unit connection	196.00	356808	4548583104280			GD	K	JPN	8536.5019.90
E3X-HD11 2M	Fiber amplifier, Stable and Easy operation, Giga Ray II LED, NPN, 2M	154.80	691084	4549734551069	#		GD	K	CHN	8536.5019.90
E3X-HD11 5M	Fiber amplifier, Stable and Easy operation, Giga Ray II LED, NPN, 5 m	168.70	691083	4549734551076			GD	K	CHN	8536.5019.90
E3X-HD14	Fiber amplifier, Stable and Easy operation, Giga Ray II LED, NPN, M8 (4pin) connector	178.20	691082	4549734551090			GD	K	CHN	8536.5019.90
E3X-HD41 2M	Fiber amplifier, Stable and Easy operation, Giga Ray II LED, PNP, 2M	154.80	691076	4549734551106	#		GD	K	CHN	8536.5019.90
E3X-HD41 5M	Fiber amplifier, Stable and Easy operation, Giga Ray II LED, PNP, 5 M	171.70	691081	4549734551113			GD	K	CHN	8536.5019.90
E3X-HD44	Fiber amplifier, Stable and Easy operation, Giga Ray II LED, PNP, M8 (4pin) connector	178.20	691079	4549734551144			GD	K	CHN	8536.5019.90
E3X-HD6	Fiber amplifier, Stable and Easy operation, Giga Ray II LED, NPN, CN-connector	154.80	691078	4549734551151			GD	K	CHN	8536.5019.90
E3X-HD8	Fiber amplifier, Stable and Easy operation, Giga Ray II LED, PNP, CN-connector	154.80	691077	4549734551168			GD	K	CHN	8536.5019.90
E3X-MDA11 2M	Fiber amplifier, 2 fiber input, AND/OR functions, 2 NPN output, 2m cable	278.90	323853	4547648647281			GD	K	CHN	8536.5019.90
E3X-MDA41 2M	Fiber amplifier, 2 fiber input, AND/OR functions, 2 PNP output, 2m cable	278.90	323855	4547648647304			GD	K	CHN	8536.5019.90
E3X-MDA9	Fiber amplifier, 2 fiber input, AND/OR functions, 2 PNP output, connector	269.20	323856	4547648647311			GD	K	CHN	8536.5019.90
E3X-NA11 2M	Amplifier with potentiometer, IP50, NPN output, 2m cable	113.60	239765	4547648358750	#		GD	K	CHN	8536.5019.90
E3X-NA11F 2M	Fiber amplifier with potentiometer, fast response time, NPN output, 2m cable	194.60	239772	4547648358828			GD	K	CHN	8536.5019.90
E3X-NA11V 2M	Amplifier with potentiometer, IP66, NPN output, 2m cable	171.00	239773	4547648358842			GD	K	CHN	8536.5019.90
E3X-NA21 2M	Photoelectric sensor, optical fibre amplifier, bar LED display, diagnostic output, DC, 3-wire, NPN, 2 m cable	119.20	239776	4547648358910			GD	K	CHN	8536.5019.90
E3X-NA41 2M	Amplifier with potentiometer, IP50, PNP output, 2m cable	113.60	239766	4547648358767	#		GD	K	CHN	8536.5019.90
E3X-NA41-1 2M	Fiber amplifier, DC, 3-wire, PNP, 2m cable, with 20 ms ON-delay timer function	139.40	239761	4547648358903			GD	K	CHN	8536.5019.90
E3X-NA41F 2M	Fiber amplifier with potentiometer, fast response time, PNP output, 2m cable	194.60	239775	4547648358835			GD	K	CHN	8536.5019.90
E3X-NA41-M5J0.15M	Photoelectric sensor, optical fibre amplifier, bar LED display, DC, 3-wire, PNP, M8 pigtail 0.15 m	139.40	239758	4547648359061			GD	K	CHN	8536.5019.90
E3X-NA41V 2M	Amplifier with potentiometer, IP66, PNP output, 2m cable	167.90	239760	4547648358859			GD	K	CHN	8536.5019.90
E3X-NA44V	Fiber amplifier with potentiometer, fast response time, PNP output, M8 connector 4-pin	217.30	290559	4547648731843			GD	K	CHN	8536.5019.90
E3X-NA44V	Amplifier with potentiometer, IP66, PNP output, M8 plug-in	167.90	239771	4547648358811			GD	K	CHN	8536.5019.90
E3X-NA51 2M	Photoelectric sensor, optical fibre amplifier, bar LED display, diagnostic output, DC, 3-wire, PNP, 2m cable	186.10	239777	4547648358927			GD	K	CHN	8536.5019.90
E3X-NA6	Amplifier with potentiometer, IP50, NPN output, connector	97.40	239769	4547648358798			GD	K	CHN	8536.5019.90
E3X-NA8	Amplifier with potentiometer, IP50, PNP output, connector	97.40	239770	4547648358804			GD	K	CHN	8536.5019.90
E3X-NAG11 2M	Amplifier, with potentiometer, mark detection, green LED, NPN output, 2m cable	126.20	239767	4547648358774			GD	K	CHN	8536.5019.90
E3X-NAG41 2M	Amplifier, with potentiometer, mark detection, green LED, PNP output, 2m cable	113.90	239768	4547648358781			GD	K	CHN	8536.5019.90
E3X-SD21 2M	Fiber amplifier, easy one button teach, one display, Giga ray LED, NPN, 2M	113.60	340860	4547648809221			GD	K	CHN	8536.5019.90
E3X-SD51 2M	Fiber amplifier, easy one button teach, one display, Giga ray LED, PNP, 2M	113.60	340861	4547648809238	#		GD	K	CHN	8536.5019.90
E3X-SD7	Fiber amplifier, easy one button teach, one display, Giga ray LED, NPN, connector	120.80	340862	4547648809245			GD	K	CHN	8536.5019.90
E3X-SD9	Fiber amplifier, easy one button teach, one display, Giga ray LED, PNP, connector	120.80	340863	4547648809252			GD	K	CHN	8536.5019.90
E3X-CN02	Plug, wire-saving, for E3X fiber optic amplifier	14.53	336336	4547648647793			GD	K	CHN	8541.4090.00

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	SLN. (Daheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
EXX-CN11	Connector, 3-wire cable for master amplifier, 2 m cable	15.11	336330	4547648647717			GD	K	CHN	8541.4090.00
EXX-CN11 5M	Connector, 3-wire, cable for master amplifier, 5 m cable	21.51	336334	4547648647755			GD	K	CHN	8541.4090.00
EXX-CN12	Connector, 1-wire cable for slave amplifier, 2m cable	13.75	336331	4547648647724			GD	K	CHN	8541.4090.00
EXX-CN12 5M	Connector, 1-wire cable for slave amplifier, 5 m cable	15.80	336335	4547648647762			GD	K	CHN	8541.4090.00
EXX-CN21	Accessory fiber amplifier, system connector for master amplifier, standard, 2M cables	21.14	336332	4547648647731			GD	K	CHN	8541.4090.00
EXX-CRT	Accessory fiber amplifier EXX communication unit, CompoNet	360.20	356826	4548583057654			GD	K	CHN	8541.4090.00
<b>Photoelectric sensor EST</b>										
E3T-CD11 2M	Photoelectric sensor, M6 stainless steel housing, diffuse 50 mm, Light-ON, NPN, 2 m cable	125.90	351567	4547648838542	#		GD	O	JPN	8541.4090.00
E3T-CD13 2M	Photoelectric sensor, M6 stainless steel housing, diffuse 50 mm, Light-ON, PNP, 2 m cable	184.30	351568	4547648838559			GD	O	JPN	8541.4090.00
E3T-CT12 2M	Photoelectric sensor, M6 stainless steel housing, through-beam 1m, Dark-ON, NPN, 2m cable	146.60	351563	4547648838504			GD	O	JPN	8541.4090.00
E3T-CT14 2M	Photoelectric sensor, M6 stainless steel housing, through-beam 1 m, Dark-ON, PNP, 2 m cable	146.60	351564	4547648838511			GD	O	JPN	8541.4090.00
E3T-CT2S 2M	Photoelectric sensor, M6 stainless steel housing, side view, through-beam 500mm, Dark-ON, NPN, 2m cable	146.60	351565	4547648838528			GD	O	JPN	8541.4090.00
E3T-CT4S 2M	Photoelectric sensor, M6 stainless steel housing, side view, through-beam 500 mm, Dark-ON, PNP, 2 m cable	146.60	351566	4547648838535			GD	O	JPN	8541.4090.00
E3T-FD11 2M	Photoelectric sensor, diffuse, 30mm, DC, 3-wire, NPN, light-on, flat, 2m cable (requires E39-L119 bracket)	91.95	130184	4536853289881			GD	O	JPN	8541.4090.00
E3T-FD12 2M	Photoelectric sensor, diffuse, 30mm, DC, 3-wire, NPN, dark-on, flat, 2m cable (requires E39-L119 bracket)	91.95	130185	4536853289898			GD	O	JPN	8541.4090.00
E3T-FD13 2M	Photoelectric sensor, diffuse, 30mm, DC, 3-wire, PNP, light-on, flat, 2m cable (requires E39-L119 bracket)	89.65	156504	4536854366437			GD	O	JPN	8541.4090.00
E3T-FD13M 2M	Photoelectric sensor, diffuse, 30mm, DC, 3-wire, PNP, dark-on, flat, 2m cable (requires E39-L119 bracket)	66.40	351549	4548583011144			GD	O	JPN	8541.4090.00
E3T-FD14 2M	Photoelectric sensor, flat, diffuse 5-30mm, Dark-ON, PNP, 2m cable (requires M3 screw & bracket)	92.25	142150	4536854366451			GD	O	JPN	8541.4090.00
E3T-FD14M 2M	Photoelectric sensor, flat, diffuse 5-30mm, Dark-ON, PNP, 2m cable (requires M3 screw & bracket)	114.90	351536	4548583011151			GD	O	JPN	8541.4090.00
E3T-FL11 2M	Photoelectric sensor, background suppression, 1-15mm, DC, 3-wire, NPN, light-on, flat, 2m cable (requires bracket)	113.00	224243	4547648223641			GD	O	JPN	8541.4090.00
E3T-FL13 2M	Photoelectric sensor, background suppression, 1-15mm, DC, 3-wire, PNP, light-on, flat, 2m cable (requires bracket)	150.80	224245	4547648223621			GD	O	JPN	8541.4090.00
E3T-FL21 2M	Photoelectric sensor, background suppression, 1-30mm, DC, 3-wire, NPN, light-on, flat, 2m cable (requires bracket)	127.30	224247	4547648223645			GD	O	JPN	8541.4090.00
E3T-FL22 2M	Photoelectric sensor, background suppression, 1-30mm, DC, 3-wire, PNP, light-on, flat, 2m cable (requires bracket)	127.30	224248	4547648223652			GD	O	JPN	8541.4090.00
E3T-FL23 2M	Photoelectric sensor, background suppression, 1-30mm, DC, 3-wire, PNP, light-on, flat, 2m cable (requires bracket)	123.40	224249	4547648223669			GD	O	JPN	8541.4090.00
E3T-FL23R 2M	Photoelectric sensor, BGS, 1-30mm, DC, 3-wire, PNP, light-on, flat-form, 2m robot cable, M2 mounting	134.40	224661	4547648242523			GD	O	JPN	8541.4090.00
E3T-FL24 2M	Photoelectric sensor, background suppression, 1-30mm, DC, 3-wire, PNP, dark-on, flat, 2m cable (requires bracket)	127.30	224250	4547648223676			GD	O	JPN	8541.4090.00
E3T-FT11 2M	Photoelectric sensor, through-beam, 500mm, DC, 3-wire, NPN, light-on, flat, 2m cable (requires 2x E39-L119 bracket)	122.60	149691	4536853289867			GD	O	JPN	8541.4090.00
E3T-FT12 2M	Photoelectric sensor, through-beam, 500mm, DC, 3-wire, NPN, dark-on, flat, 2m cable (requires 2x E39-L119 bracket)	119.80	130183	4536853289874			GD	O	JPN	8541.4090.00
E3T-FT13 2M	Photo-electric sensor, through-beam, miniature, flat-view, 500mm, L-on, PNP, 2m cable	122.60	130100	4536854366345	#		GD	O	JPN	8541.4090.00
E3T-FT14 2M	Photoelectric sensor, through-beam, 500mm, DC, 3-wire, PNP, dark-on, flat, 2m cable (requires 2 x E39-L119 bracket)	119.80	130101	4536854366352			GD	O	JPN	8541.4090.00
E3T-FT14-M1TJ0.3M	Photoelectric sensor, through-beam, 500 mm, DC, 3-wire, PNP, dark-on, flat-form, M2 mounting, M12 pre-wired connector	153.60	695491	4547648330138			GD	O	JPN	8541.4090.00
E3T-FT1 2M	Photoelectric sensor, through-beam, miniature, flat-shape, 300mm, NPN, light-on, 2m cable, M2 mounting	176.10	182987	4536854914089		5	GD	O	JPN	8541.4090.00
E3T-FT2 2M	Photoelectric sensor, through-beam, miniature, 300 mm, DC, 3-wire, NPN, dark-on, flat-view, 2 m cable	126.60	224647	4536854914072			GD	O	JPN	8541.4090.00
E3T-FT3 2M	Photoelectric sensor, through-beam, miniature, flat-shape, 300mm, PNP, light-on, 2m cable, M2 mounting	151.50	224644	4536854914102			GD	O	JPN	8541.4090.00
E3T-FT24 2M	Photoelectric sensor, through-beam, miniature, 300mm, DC, 3-wire, PNP, dark-on, flat-view, 2m cable	154.70	224652	4536854914065			GD	O	JPN	8541.4090.00
E3T-SL11 2M	Photoelectric sensor, diffuse, 15mm, DC, 3-wire, NPN, light-on, side view, 2m cable (requires bracket)	93.30	156503	4536853289836			GD	O	JPN	8541.4090.00
E3T-SL13 2M	Photoelectric sensor, diffuse, 15mm, DC, 3-wire, PNP, light-on, side view, 2m cable (requires bracket)	88.30	145481	4536854366383			GD	O	JPN	8541.4090.00
E3T-SL13M 2M	Photoelectric sensor, side view, limited 5 to 15 mm, Light-ON, PNP, 2 m cable (requires M3 screw & bracket)	98.95	351546	4548583011069			GD	O	JPN	8541.4090.00
E3T-SL13-MSJ0.3M	Photo-electric sensor	89.95	100408	4547648016551		5	GD	O	JPN	8541.4090.00
E3T-SL14 2M	Photo-electric sensor, convergent-reflective, miniature, side view, 5 to 15 mm, D-on, PNP, 2 m cable	82.35	149692	4536854366406			GD	O	JPN	8541.4090.00
E3T-SL14-M1TJ0.3M	Photoelectric sensor, diffuse, 5-15 mm, DC, 3-wire, PNP, dark-on, side-view, M2 mounting, M12 pre-wired connector	99.00	695492	4547648330077			GD	O	JPN	8541.4090.00
E3T-SL21 2M	Photoelectric sensor, diffuse, 30mm, DC, 3-wire, NPN, light-on, side view, 2m cable (requires bracket)	89.65	147720	4536853289904			GD	O	JPN	8541.4090.00
E3T-SL22 2M	Photoelectric sensor, diffuse, 30 mm, DC, 3-wire, NPN, dark-on, side view, 2 m cable (requires bracket)	93.60	104111	4536853289911			GD	O	JPN	8541.4090.00
E3T-SL23 2M	Photoelectric sensor, diffuse, 30mm, DC, 3-wire, PNP, light-on, side view, 2m cable (requires bracket)	91.30	130103	4536854366413	#		GD	O	JPN	8541.4090.00
E3T-SL23-MSJ0.3M	Photoelectric sensor, diffuse, 30 mm, DC, 3-wire, PNP, light-on, side-view, M8 connector (requires bracket)	115.00	163556	4547648016575			GD	O	JPN	8541.4090.00
E3T-SL24 2M	Photoelectric sensor, convergent-reflective, miniature, side view, 5-30mm, D-on, PNP, 2m cable	89.65	130104	4536854366420	#		GD	O	JPN	8541.4090.00
E3T-SL24 5M	Photoelectric sensor, diffuse, 5 to 30 mm, DC, 3-wire, PNP, dark-on, side-view, 5 m cable, M2 mounting	74.05	130110	4536854366598			GD	O	JPN	8541.4090.00
E3T-SL24-MSJ0.3M	Photoelectric sensor, diffuse, 5 to 30 mm, DC, 3-wire, PNP, dark-on, side-view, M8 3 pin connector, M2 mounting	113.70	162306	4547648016582			GD	O	JPN	8541.4090.00
E3T-SR21 2M	Photoelectric sensor, retroreflective (reflector supplied), 200mm, DC, 3-wire, NPN, light-on, side-view, 2m cable (requires bracket)	98.55	224197	4547648222853			GD	O	JPN	8541.4090.00
E3T-SR22 2M	Photoelectric sensor, retroreflective (reflector supplied), 200mm, DC, 3-wire, NPN, light-on, side-view, 2m cable (requires bracket)	98.95	224199	4547648222884			GD	O	JPN	8541.4090.00
E3T-SR23 2M	Photoelectric sensor, retroreflective (reflector supplied), 200mm, DC, 3-wire, PNP, light-on, side-view, 2m cable (requires bracket)	97.85	224201	4547648222952			GD	O	JPN	8541.4090.00
E3T-SR24 2M	Photoelectric sensor, retro-reflective (reflector supplied), 200mm, DC, 3-wire, PNP, dark-on, side-view, 2m cable (requires bracket)	97.85	224204	4547648222983			GD	O	JPN	8541.4090.00
E3T-SR41 2M	Photoelectric sensor, retro-reflective, 200 mm range	106.20	249849	4547648590341			GD	O	JPN	8541.4090.00
E3T-SR41-C 2M	Photoelectric sensor, retro-reflective, miniature, side view, 200mm, NPN, L-on, 2m cable, M2 mounting	124.70	249831	4547648590389			GD	O	JPN	8541.4090.00
E3T-SR41-S 2M	Photoelectric sensor, coaxial retro-reflective (reflector supplied), 200mm, DC, 3-wire, NPN, light-on, side-view, 2m cable (requires bracket)	125.90	249851	4547648590426			GD	O	JPN	8541.4090.00
E3T-SR42 2M	Photoelectric sensor, retro-reflective, miniature, side view, 200 mm, PNP, D-on, 2 m cable, M2 mounting, Small reflector E39-F4 included	106.20	249850	4547648590358			GD	O	JPN	8541.4090.00
E3T-SR42-C 2M	Photoelectric sensor, retro-reflective, miniature side view, 200mm, NPN, D-on, 2m cable, M2 mounting	124.70	249832	4547648590336			GD	O	JPN	8541.4090.00
E3T-SR42-S 2M	Photoelectric sensor, coaxial retro-reflective (flat reflector supplied), 100mm, DC, 3-wire, NPN, dark-on, side-view, 2m cable (requires bracket)	125.90	249852	4547648590433			GD	O	JPN	8541.4090.00
E3T-SR43 2M	Photoelectric sensor, retro-reflective, 200 mm range	106.20	249829	4547648590365			GD	O	JPN	8541.4090.00
E3T-SR43-C 2M	Photoelectric sensor, retro-reflective, miniature, side view, 200mm, PNP, L-on, 2m cable, M2 mounting	80.35	249833	4547648590402			GD	O	JPN	8541.4090.00
E3T-SR43-S 2M	Photoelectric sensor, coaxial retro-reflective (reflector supplied), 200 mm, DC, 3-wire, PNP, light-on, side-view, 2 m cable (requires bracket)	117.00	249835	4547648590440			GD	O	JPN	8541.4090.00
E3T-SR44 2M	Photoelectric sensor, retro-reflective, miniature, side view, 200 mm, PNP, D-on, 2 m cable, M2 mounting, Small reflector E39-F4 included	106.20	249830	4547648590372			GD	O	JPN	8541.4090.00
E3T-SR44-C 2M	Photoelectric sensor, retro-reflective, miniature, side view, 200mm, PNP, D-on, 2m cable, M2 mounting	90.50	249834	4547648590419			GD	O	JPN	8541.4090.00
E3T-ST11 2M	Photoelectric sensor, through-beam, 1m, DC, 3-wire, NPN, light-on, side-view, 2m cable (requires 2 brackets)	122.60	156502	4536853289805			GD	O	JPN	8541.4090.00
E3T-ST11F 2M	Photoelectric sensor, through-beam, miniature, side-view, IRLed, 1m, NPN, L-on, 2m cable, M2 mounting	92.60	393222	4548583516373			GD	O	JPN	8541.4090.00
E3T-ST12 2M	Photoelectric sensor, through-beam, 1m, DC, 3-wire, NPN, dark-on, side view, 2m cable (requires 2 brackets)	120.20	130180	4536853289812			GD	O	JPN	8541.4090.00
E3T-ST13 2M	Photo-electric sensor, through-beam, miniature, side view, 1m, L-on, PNP, 2m cable	119.80	130098	4536854366321			GD	O	JPN	8541.4090.00
E3T-ST14 2M	Photoelectric sensor, through-beam, 1m, DC, 3-wire, PNP, dark-on, side view, 2m cable (requires 2 brackets)	118.90	130059	4536854366338	#		GD	O	JPN	8541.4090.00
E3T-ST14-M1TJ0.3M	Photoelectric sensor, through-beam, 1 m, DC, 3-wire, PNP, dark-on, side-view, M12 pre-wired connector	151.50	695490	4547648329972			GD	O	JPN	8541.4090.00
E3T-ST21 2M	Photoelectric sensor, through-beam, miniature, side view, 300mm, NPN, L-on, 2m cable, M2 mounting	118.00	182984	4536854914058		5	GD	O	JPN	8541.4090.00
E3T-ST23 2M	Photoelectric sensor, through-beam, miniature, side view, 300mm, PNP, light-on, 2m cable, M2 mounting	136.00	224653	4536854914126			GD	O	JPN	8541.4090.00
E3T-ST23M 2M	Photoelectric sensor, side view, through-beam 0.3m, Light-ON, PNP, 2m cable (requires M3 screw & bracket)	119.50	351561	4548583011021			GD	O	JPN	8541.4090.00
E3T-ST24 2M	Photoelectric sensor, through-beam, miniature, side view, 300mm, PNP, D-on, 2m cable, M2 mounting	125.00	224649	4536854914096			GD	O	JPN	8541.4090.00
E3T-ST24-M3J0.5M	Photoelectric sensor, through-beam, 300mm, DC, 3-wire, PNP, dark-on, side-view, M8 4 pin connector, M2 mounting	278.80	224654	4547648196826			GD	O	JPN	8541.4090.00

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Data sheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code	
E3T-ST31 2M	Photoelectric sensor, through-beam, miniature, side view, 2m, NPN, L-on, 2m cable, M2 mounting	96.95	351526	4547648841634			GD	O	JPN	8541.4090.00	
E3T-ST32 2M	Photoelectric sensor, through-beam, miniature, side view, 2m, NPN, D-on, 2m cable, M2 mounting	84.65	351528	4548583004672			GD	O	JPN	8541.4090.00	
<b>Photoelectric sensor E3C-LDA</b>											
E3C-LD11 2M	Laser sensor head, diffuse reflective, "Spot beam" type, 2 m cable	380.50	131199	4536854894503			GD	Q	JPN	8541.4090.00	
E3C-LD11 6M	Laser sensor head, diffuse reflective, "Spot beam" type, 6 m cable	420.30	163375	4536854960383			GD	Q	JPN	8541.4090.00	
E3C-LD21 2M	Laser sensor head, diffuse reflective, "Line beam" type	476.60	131200	4536854894510			GD	Q	JPN	8541.4090.00	
E3C-LD31 2M	Laser sensor head, diffuse reflective, "Area beam" type	476.60	131201	4536854894527			GD	Q	JPN	8541.4090.00	
E3C-LDA11 2M	Photoelectric sensor, Laser amplifier, twin output, DC, NPN, 2m cable	272.00	131202	4536854894534			GD	Q	JPN	8542.3390.00	
E3C-LDA11AN 2M	Photoelectric sensor, Laser amplifier, analog model, DC, NPN, 2m cable	284.50	192123	4547648161688			GD	Q	JPN	8542.3390.00	
E3C-LDA11AT 2M	Photoelectric sensor, Laser amplifier, DC, NPN, 2m cable	284.50	192119	4547648133432			GD	Q	JPN	8542.3390.00	
E3C-LDA21 2M	Photoelectric sensor, Laser amplifier, external input, DC, NPN, 2m cable	284.50	131204	4536854907791			GD	Q	JPN	8542.3390.00	
E3C-LDA41 2M	Photoelectric sensor, Laser amplifier, twin output, DC, PNP, 2m cable	272.00	142564	4536854907760			GD	Q	JPN	8542.3390.00	
E3C-LDA41AN 2M	Photoelectric sensor, Laser amplifier, analog output, DC, PNP, 2m cable	284.50	192124	4547648161695			GD	Q	JPN	8542.3390.00	
E3C-LDA41AT 2M	Photoelectric sensor, Laser amplifier, DC, PNP, 2m cable	284.50	192120	4547648133449			GD	Q	JPN	8542.3390.00	
E3C-LDA51 2M	Photoelectric sensor, Laser amplifier, external input, DC, PNP, 2m cable	284.50	131205	4536854907807			GD	Q	JPN	8542.3390.00	
E3C-LDA9	Photoelectric sensor, laser amplifier, external-input model, DC, PNP (separate connector required)	264.60	131207	4536854907821			GD	Q	JPN	8542.3390.00	
E3C-LR1 1 2M	Laser sensor head, coaxial retro-reflective, variable spot (requires reflector)	387.00	162304	4536854958281			GD	Q	JPN	8541.4090.00	
E3C-LR11 4M	Laser sensor head, coaxial retroreflective, variable spot (requires reflector)	453.20	231825	4547648044110			GD	Q	JPN	8541.4090.00	
E3C-LR12 2M	Laser sensor head, coaxial retro-reflective, 2mm fixed spot (requires reflector)	385.30	163373	4536854958288			GD	Q	JPN	8541.4090.00	
E3C-LR15	Laser sensor head, coaxial retro-reflective, variable spot, Sensing distance 7 m, semiconductor laser (650nm, 3mW max.) (requires reflector), 2 m cable	705.00	231171	4547648320351			GD	Q	JPN	8541.4090.00	
E39-P11	Line beam adaptor for E3C-LD11	80.00	131456	4536854895289			GD	Q	JPN	8541.9000.00	
E39-P21	Area beam adaptor for E3C-LD11	55.00	131457	4536854895029			GD	Q	JPN	8541.9000.00	
<b>Photo micro sensor built-in amp.</b>											
EE-SX470	Photo micro sensor, slot type, standard shape, L-ON, NPN, connector	10.91	392301	4548583475991		##	GD	R	JPN	8536.5019.90	
EE-SX471	Photo micro sensor, slot type, L-shaped, L-ON, NPN, connector	10.91	392302	4548583476004		10	GD	R	JPN	8536.5019.90	
EE-SX472	Photo micro sensor, slot type, T-shaped, L-ON, NPN, connector	7.68	392303	4548583476011		#	##	GD	R	JPN	8536.5019.90
EE-SX473	Photo micro sensor, slot type, close-mounting, L-ON, NPN, connector	10.91	392304	4548583476028		20	GD	R	JPN	8536.5019.90	
EE-SX474	Photo micro sensor, slot type, close-mounting, L-ON, NPN, connector	14.94	392305	4548583476035		#	10	GD	R	JPN	8536.5019.90
EE-SX670	Photo micro sensor, slot type, standard shape, L-ON/D-ON selectable, NPN, connector	10.15	392306	4548583476042		#	##	GD	R	JPN	8536.5019.90
EE-SX670A	Photo micro sensor, slot type, standard shape, L-ON/D-ON selectable, NPN, connector	10.51	392307	4548583476059		#	##	GD	R	JPN	8536.5019.90
EE-SX670P	Photo micro sensor, slot type, standard shape, L-ON/D-ON selectable, PNP, connector	17.41	392308	4548583476080		#	##	GD	R	JPN	8536.5019.90
EE-SX670P-WR 1M	Photo micro sensor, slot type, standard shape, L-ON/D-ON selectable, PNP, 1 m robotic cable	21.82	237964	4547648354639		#	##	GD	R	CHN	8536.5019.90
EE-SX670R	Photo micro sensor, slot type, standard shape, L-ON/D-ON selectable, PNP, connector	14.08	392309	4548583475997		#	##	GD	R	JPN	8536.5019.90
EE-SX670R-WR 1M	Photo micro sensor, slot type, standard shape, L-ON/D-ON selectable, PNP, 1 m robotic cable	15.97	237956	4547648354654		#	20	GD	R	CHN	8536.5019.90
EE-SX671	Photo micro sensor, slot type, L-shaped, L-ON/D-ON selectable, NPN, connector	9.65	392310	4548583476073		#	50	GD	R	JPN	8536.5019.90
EE-SX671A	Photo micro sensor, slot type, L-shaped, L-ON/D-ON selectable, NPN, connector	10.51	392311	4548583476103		#	50	GD	R	JPN	8536.5019.90
EE-SX671P	Photo micro sensor, slot type, L-shaped, L-ON/D-ON selectable, PNP, connector	17.06	392312	4548583476110		#	50	GD	R	JPN	8536.5019.90
EE-SX671P-WR 1M	Photomicro sensor	37.64	237965	4547648354660		#	20	GD	R	CHN	8536.5019.90
EE-SX671R	Photo micro sensor, slot type, L-shaped, L-ON/D-ON selectable, PNP, connector	14.08	392313	4548583476127		#	50	GD	R	JPN	8536.5019.90
EE-SX671R-WR 1M	Photomicro sensor	36.08	237957	4547648354661		#	20	GD	R	CHN	8536.5019.90
EE-SX672	Photo micro sensor, slot type, T-shaped, L-ON/D-ON selectable, NPN, connector	10.51	392314	4548583476134		#	50	GD	R	JPN	8536.5019.90
EE-SX672A	Photo micro sensor, slot type, T-shaped, L-ON/D-ON selectable, NPN, connector	10.00	392315	4548583476141		#	50	GD	R	JPN	8536.5019.90
EE-SX672P	Photo micro sensor, slot type, T-shaped, L-ON/D-ON selectable, PNP, connector	14.47	392316	4548583476158		#	50	GD	R	JPN	8536.5019.90
EE-SX672P-WR 1M	Photo micro sensor, slot type, T-shaped, L-ON/D-ON selectable, PNP, 1 m robotic cable	17.31	237966	4547648354677			GD	R	CHN	8536.5019.90	
EE-SX672R-WR 1M	Photo micro sensor, slot type, T-shaped, L-ON/D-ON selectable, NPN, 1 m robotic cable	18.22	237958	4547648354578		20	GD	R	CHN	8536.5019.90	
EE-SX673	Photo micro sensor, slot type, Close-mounting, L-ON/D-ON selectable, NPN, connector	8.18	392318	4548583476172		##	GD	R	JPN	8536.5019.90	
EE-SX673A	Photo micro sensor, slot type, Close-mounting, L-ON/D-ON selectable, NPN, connector	10.38	392319	4548583476189		50	GD	R	JPN	8536.5019.90	
EE-SX673R	Photo micro sensor, slot type, Close-mounting, L-ON/D-ON selectable, PNP, connector	16.69	392320	4548583476202		10	GD	R	JPN	8536.5019.90	
EE-SX673R-WR 1M	Photomicro sensor	31.31	237959	4547648354585			GD	R	CHN	8536.5019.90	
EE-SX674	Photo micro sensor, slot type, Close-mounting, L-ON/D-ON selectable, NPN, connector	12.94	392321	4548583476219		#	50	GD	R	JPN	8536.5019.90
EE-SX674A	Photo micro sensor, slot type, Close-mounting, L-ON/D-ON selectable, NPN, connector	14.55	392322	4548583476226		50	GD	R	JPN	8536.5019.90	
EE-SX674P	Photo micro sensor, slot type, Close-mounting, L-ON/D-ON selectable, PNP, connector	21.12	392323	4548583476233		50	GD	R	JPN	8536.5019.90	
EE-SX674P-WR 1M	Photomicro sensor, close mounting, PNP, Dark ON indicator, pre-wired 2 m	18.52	237968	4547648354691			GD	R	CHN	8536.5019.90	
EE-SX674R	Photo micro sensor, slot type, close-mounting, L-ON/D-ON selectable, PNP, connector	12.03	392324	4548583476240		10	GD	R	JPN	8536.5019.90	
EE-SX674R-WR 1M	Photomicro sensor	13.96	237960	4547648354592			GD	R	CHN	8536.5019.90	
EE-SX675	Photo micro sensor, slot type, T-shaped, L-ON/D-ON selectable, NPN, connector	11.51	392325	4548583476257		50	GD	R	JPN	8536.5019.90	
EE-SX675P	Photo micro sensor, slot type, T-shaped, L-ON/D-ON selectable, PNP, connector	18.18	392326	4548583476264		10	GD	R	JPN	8536.5019.90	
EE-SX675-WR 1M	Photomicro sensor	32.00	237961	4547648354608			GD	R	CHN	8536.5019.90	
EE-SX770 2M	Photomicro sensor, slim, 5 mm slot, indicator incident light on, D-on, NPN, 2 m cable	45.32	127668	4536854355509			GD	R	JPN	8536.5019.90	
EE-SX770A 2M	Photomicro sensor, slim, 5 mm slot, indicator incident light off, D-on, NPN, 2 m cable	30.32	127669	4536854355516		#	GD	R	JPN	8536.5019.90	
EE-SX770P	Photomicro sensor, slim, 5 mm slot, indicator incident light on, D-on, PNP, 2 m cable	29.88	127688	4536854402371		10	GD	R	JPN	8536.5019.90	
EE-SX771 2M	Photomicro sensor, slim, L-shape, indicator incident light on, D-on, NPN, 2 m cable	32.30	127672	4536854355547		10	GD	R	JPN	8536.5019.90	
EE-SX771A 2M	Photomicro sensor, slim, 5 mm slot, L-shaped, indicator incident light off, D-on, NPN, 2 m cable	30.72	127673	4536854355554			GD	R	JPN	8536.5019.90	
EE-SX771P	Photomicro sensor, slim, 5 mm slot, L-shaped, indicator incident light on, D-on, PNP, 2 m cable	29.29	127689	4536854402388		10	GD	R	JPN	8536.5019.90	
EE-SX771R	Photomicro sensor, slim, 5 mm slot, L-shaped, indicator incident light off, D-on, PNP, 2 m cable	29.50	127597	4536854402456			GD	R	JPN	8536.5019.90	
EE-SX772 2M	Photomicro sensor, slot type, slim, T-shaped, indicator incident light on, NPN, 2 m cable	30.32	127675	4536854356728			GD	R	JPN	8536.5019.90	
EE-SX772A 2M	Photomicro sensor, slim, 5mm slot, T-shaped, indicator incident light off, D-on, NPN, 2 m cable	30.72	151458	4536854356735			GD	R	JPN	8536.5019.90	
EE-SX772P	Photomicro sensor, slim, 5mm slot, T-shaped, indicator incident light on, D-on, PNP, 2 m cable	28.26	127594	4536854402395		10	GD	R	JPN	8536.5019.90	
EE-SX772R	Photomicro sensor, slim, 5mm slot, T-shaped, indicator incident light off, D-on, PNP, 2 m cable	29.11	127598	4536854402463		##	GD	R	JPN	8536.5019.90	
EE-SX870 2M	Photomicro sensor, slim, Standard-shape, indicator incident light on, L-on, NPN, 2 m cable	39.02	127670	4536854355523			GD	R	JPN	8536.5019.90	
EE-SX870P	Photomicro sensor, slim, 5mm slot, indicator incident light on, L-on, PNP, 2 m cable	29.29	142714	4536854402401		10	GD	R	JPN	8536.5019.90	
EE-SX871 2M	Photomicro sensor, L-shaped 5 mm slot width, indicator incident light on, L-ON, 5-24 Vdc, NPN, 2 m cable	30.72	127674	4536854355561			GD	R	JPN	8536.5019.90	



Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Daheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
EE-SX871P	Photomicro sensor, L-shaped 5 mm slot width, indicator incident light on, L-ON, 5-24 Vdc, PNP, 2 m cable	26.66	127595	4536854402418	10	GD	R	JPN		8536.5019.90
EE-SX871R	Photo micro sensor, L-shaped 5 mm slot width, indicator incident light off, L-ON, 5-24 VDC, PNP, 2 m cable	30.72	127600	4536854402487	10	GD	R	JPN		8536.5019.90
EE-SX872-2M	Photomicro sensor, T-shaped 5 mm slot width, indicator incident light on, L-ON, 5-24 Vdc, NPN, 2 m cable	32.30	127676	4536854356742	10	GD	R	JPN		8536.5019.90
EE-SX872A-2M	Photo micro sensor, T-shaped 5 mm slot width, indicator incident light off, L-ON, 5 to 24 VDC, NPN, 2 m cable	32.30	104676	4536854356759	10	GD	R	JPN		8536.5019.90
EE-SX872P	Photomicro sensor, T-shaped 5 mm slot width, indicator incident light on, L-ON, 5-24 Vdc, PNP, 2 m cable	29.29	103843	4536854402425	10	GD	R	JPN		8536.5019.90
EE-SX950P-R1M	Photo micro sensor, slot type, PNP, 1 m robotic cable	15.69	378494	4548583416789	10	GD	R	JPN		8536.5019.90
EE-SX950P-W1M	Photo micro sensor, slot type, PNP, 1 m cable	15.22	378484	4548583416734	5	GD	R	JPN		8536.5019.90
EE-SX950-R1M	Photo micro sensor, slot type, NPN, 1 m robotic cable	15.69	378491	4548583416680	10	GD	R	JPN		8536.5019.90
EE-SX950-R3M	Photo micro sensor, slot type, NPN, 3m robotic cable	26.15	378504	4548583416888	10	GD	R	JPN		8536.5019.90
EE-SX951P-R1M	Photo micro sensor, slot type, PNP, 1 m robotic cable	16.07	378495	4548583416796	10	GD	R	JPN		8536.5019.90
EE-SX951P-W1M	Photo micro sensor, slot type, PNP, 1 m cable	15.22	378485	4548583416741	5	GD	R	JPN		8536.5019.90
EE-SX951-R1M	Photo micro sensor, slot type, NPN, 1 m robotic cable	19.31	378492	4548583416697	10	GD	R	JPN		8536.5019.90
EE-SX951-W1M	Photo micro sensor, slot type, NPN, 1 m cable	15.43	378480	4548583416642	5	GD	R	JPN		8536.5019.90
EE-SX952P-R1M	Photo micro sensor, slot type, PNP, 1 m robotic cable	19.59	378496	4548583416802	10	GD	R	JPN		8536.5019.90
EE-SX952P-R3M	Photo micro sensor, slot type, PNP, 3 m robotic cable	30.66	382542	4548583494879	10	GD	R	JPN		8536.5019.90
EE-SX952P-W1M	Photo micro sensor, slot type, PNP, 1 m cable	13.30	378486	4548583416758	5	GD	R	JPN		8536.5019.90
EE-SX952-R1M	Photo micro sensor, slot type, NPN, 1 m robotic cable	11.06	378489	4548583416703	10	GD	R	JPN		8536.5019.90
EE-SX952-W1M	Photo micro sensor, slot type, NPN, 1 m cable	13.30	378481	4548583416659	5	GD	R	JPN		8536.5019.90
EE-SX953P-R1M	Photo micro sensor, slot type, PNP, 1 m robotic cable	19.88	378497	4548583416819	10	GD	R	JPN		8536.5019.90
EE-SX953-R1M	Photo micro sensor, slot type, NPN, 1 m robotic cable	16.69	378490	4548583416710	10	GD	R	JPN		8536.5019.90
EE-SX953-W1M	Photo micro sensor, slot type, NPN, 1m cable	13.38	378482	4548583416666	5	GD	R	JPN		8536.5019.90
EE-SX953-W3M	Photo micro sensor, slot type, NPN, 3m cable	19.11	378502	4548583416864	10	GD	R	JPN		8536.5019.90
EE-SX954P-R1M	Photo micro sensor, slot type, PNP, 1 m robotic cable	19.59	378498	4548583416826	10	GD	R	JPN		8536.5019.90
EE-SX954P-W1M	Photo micro sensor, slot type, PNP, 1 m cable	18.13	378488	4548583416772	5	GD	R	JPN		8536.5019.90
EE-SX954-R1M	Photo micro sensor, slot type, NPN, 1 m robotic cable	21.02	378493	4548583416727	10	GD	R	JPN		8536.5019.90
EE-SX970-C1	Photomicro sensor, slot type, standard-shape, 5 mm, NPN, connector	23.83	335085	4547648822251	10	GD	R	CHN		8536.5019.90
EE-SX970P-C1	Photomicro sensor, slot type, standard-shape, 5mm, PNP, connector	23.83	335080	4547648822312	10	GD	R	CHN		8536.5019.90
EE-SX971-C1	Photomicro sensor, slot type, L-shape, 5mm, NPN, connector	21.82	335086	4547648822268	50	GD	R	CHN		8536.5019.90
EE-SX971P-C1	Photomicro sensor, slot type, L-shape, 5mm, PNP, connector	21.82	335081	4547648822329	4	GD	R	CHN		8536.5019.90
EE-SX972-C1	Photomicro sensor, slot type, T-shape, 5mm, NPN, connector	21.82	335087	4547648822275	50	GD	R	CHN		8536.5019.90
EE-SX972P-C1	Photomicro sensor, slot type, T-shape, 5mm, PNP, connector	21.82	335082	4547648822336	25	GD	R	CHN		8536.5019.90
EE-SX974-C1	Photomicro sensor, slot type, 5mm, close-mounting, NPN, connector	21.82	335088	4547648822282	##	GD	R	CHN		8536.5019.90
EE-SX974P-C1	Photomicro sensor, slot type, 5mm, close-mounting, PNP, connector	21.82	335083	4547648822343	10	GD	R	CHN		8536.5019.90
EE-SX975-C1	Photomicro sensor, slot type, T-shape, 5mm, NPN, connector	21.82	335074	4547648822428	10	GD	R	CHN		8536.5019.90
EE-SX975P-C1	Photomicro sensor, slot type, T-shape, 5mm, PNP, connector	21.82	335089	4547648822350	10	GD	R	CHN		8536.5019.90
EE-SX976-C1	Photomicro sensor, slot type, 5mm, F-shaped, NPN, connector	21.82	335075	4547648822299	10	GD	R	CHN		8536.5019.90
EE-SX976P-C1	Photomicro sensor, slot type, 5mm, F-shaped, PNP, connector	23.04	335090	4547648822367	10	GD	R	CHN		8536.5019.90
EE-SX977-C1	Photomicro sensor, slot type, R-shape, 5mm, NPN, connector	21.82	335076	4547648822305	##	GD	R	CHN		8536.5019.90
EE-SX977P-C1	Photomicro sensor, slot type, R-shape, 5mm, PNP, connector	23.83	335091	4547648822374	15	GD	R	CHN		8536.5019.90
EE-SPX302-W2A 1M	Photomicro sensor, slot type, 3.6 mm, D-ON, NPN, 1 m cable	33.15	127753	4536854778513	5	GD	R	CHN		8536.5019.90
EE-SPX302-W2A 2M	Photo micro sensor	27.80	225408	4536854778735	10	GD	R	CHN		8536.5019.90
EE-SPX303N	Photomicro sensor, slot type, 13 mm, D-on, NPN, connector	25.84	324057	4547648766548	50	GD	R	JPN		8536.5019.90
EE-SPX304-W2A 1M	Photomicro sensor	44.68	143764	4536854778537	10	GD	R	CHN		8536.5019.90
EE-SPX306-W2A 2M	Photo micro sensor	38.05	127759	4536854778711	10	GD	R	CHN		8536.5019.90
EE-SPX401	Photomicro sensor, slot type, 3.6 mm, L-ON, NPN, connector	22.24	103759	4536854776458	50	GD	R	CHN		8536.5019.90
EE-SPX403N	Photomicro sensor, slot type, 13 mm, NPN, connector	23.43	324058	4547648766555	10	GD	R	JPN		8536.5019.90
EE-SPX404-W2A 1M	Photomicro sensor	28.36	127755	4536854778544	10	GD	R	CHN		8536.5019.90
EE-SPX406-W2A 1M	Photo micro sensor	29.11	226153	4536854778681	10	GD	R	CHN		8536.5019.90
EE-SPX406-W2A 2M	Photo micro sensor	38.70	155510	4536854778728	5	GD	R	CHN		8536.5019.90
EE-SPX613 1M	Photomicro sensor, tube type, liquid level detection, L-ON/D-ON selectable, NPN, 1 m cable	68.05	127750	4536853234195	10	GD	R	JPN		8536.5019.90
EE-SPX613 3M	Photomicro sensor, tube type, liquid level detection, L-ON/D-ON selectable, NPN, 3 m cable	116.80	231172	4536854827402	#	GD	R	JPN		8536.5019.90
EE-SPX740	Photomicro sensor	25.84	164201	4536854518249	10	GD	R	JPN		8541.4090.00
EE-SPX743	Photomicro sensor	24.86	164204	4536854518270	10	GD	R	JPN		8536.5019.90
EE-SPX840	Photo micro sensor	22.64	225407	4536854518287	10	GD	R	JPN		8536.5019.90
EE-SPW311	Photomicro sensor	85.85	127738	4536853233723	10	GD	R	JPN		8536.5019.90
EE-SPWD311	Photomicro sensor	39.72	127740	4536853233761	10	GD	R	JPN		8536.5019.90
EE-SPWL311	Photomicro sensor	27.85	127739	4536853233747	10	GD	R	JPN		8536.5019.90
EE-SPY301	Photo micro sensor, reflective type, horizontal (radial), Sn=5 mm, D-ON, NPN, connector	27.07	148064	4536854778070	##	GD	R	CHN		8536.5019.90
EE-SPY302	Photomicro sensor, reflective type, vertical (axial), Sn=5 mm, D-ON, NPN, connector	26.66	144819	4536854778094	##	GD	R	CHN		8536.5019.90
EE-SPY311	Photomicro sensor, convergent reflective type, horizontal (radial), Sn=2.5 mm, D-ON, NPN, connector	37.73	127757	4536854778575	20	GD	R	CHN		8536.5019.90
EE-SPY312	Photomicro sensor, convergent reflective type, vertical (axial), Sn=2.5 mm, D-ON, NPN, connector	36.67	144820	4536854778582	10	GD	R	CHN		8536.5019.90
EE-SPY401	Photomicro sensor, reflective type, horizontal (radial), Sn=5 mm, L-ON, NPN, connector	21.82	127752	4536854778087	##	GD	R	CHN		8536.5019.90
EE-SPY402	Photomicro sensor, reflective type, vertical (axial), Sn=5mm, L-ON, NPN, connector	21.02	158099	4536854778100	50	GD	R	CHN		8536.5019.90
EE-SPY411	Photomicro sensor, convergent reflective type, horizontal (radial), Sn=2.5 mm, L-ON, NPN, connector	43.34	127758	4536854778599	#	20	GD	R	CHN	8536.5019.90
EE-SPY412	Photomicro sensor, convergent reflective type, vertical (axial), Sn=2.5 mm, L-ON, NPN, connector	33.74	148065	4536854778605	#	20	GD	R	CHN	8536.5019.90
EE-SY871	Photomicro sensor, reflective type, horizontal (radial), Sn= 1 to 5 mm (adjustable), L-ON/D-ON selectable, NPN, connector	20.18	127546	4536853238780	10	GD	R	JPN		8536.5019.90
EE-SY872	Photomicro sensor, reflective type, vertical (axial), Sn=1-5mm (adjustable), L-ON/D-ON selectable, NPN, connector	21.02	127547	4536853238797	20	GD	R	JPN		8536.5019.90
EE-1017 3M	Connector with cable for photomicrosensor EE-SX97 series, 3 m	19.59	335077	4547648822398	10	GD	R	CHN		8541.4090.00
<b>Photoelectric sensor E3FA / E3FA</b>										
E3FA-BN11 2M	Photoelectric sensor, M18 axial, plastic body, red LED, transparent object detection, 500mm, NPN, L-ON/D-ON selectable, 2m cable	47.90	378858	4548583440623	10	GD	S	IDN		8536.9095.00

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Dahaset)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
E3FA-BN12 2M	Photoelectric sensor, M18 axial, plastic body, red LED, transparent object detection, 0.1-2m, NPN, L-ON/D-ON selectable, 2m cable	47.90	378859	4548583440630			GD	S	IDN	8536.9095.00
E3FA-BN21	Photoelectric sensor, M18 axial, plastic body, red LED, transparent object detection, 500mm, NPN, L-ON/D-ON selectable, M12 connector	47.90	378868	4548583440739			GD	S	IDN	8536.9095.00
E3FA-BN22	Photoelectric sensor, M18 axial, plastic body, red LED, transparent object detection, 500mm, NPN, L-ON/D-ON selectable, M12 connector	47.90	378869	4548583440746			GD	S	IDN	8536.9095.00
E3FA-BP11 2M	Photoelectric sensor, M18 axial, plastic body, red LED, transparent object detection, 0.1-2m, NPN, L-ON/D-ON selectable, 2m cable	47.90	378878	4548583440845			GD	S	IDN	8536.9095.00
E3FA-BP12 2M	Photoelectric sensor, M18 axial, plastic body, red LED, transparent object detection, 0.1-2m, PNP, L-ON/D-ON selectable, 2m cable	47.90	378879	4548583440852			GD	S	IDN	8536.9095.00
E3FA-BP21	Photoelectric sensor, M18 axial, plastic body, red LED, transparent object detection, 500mm, PNP, L-ON/D-ON selectable, M12 connector	47.90	378888	4548583440951			GD	S	IDN	8536.9095.00
E3FA-BP22	Photoelectric sensor, M18 axial, plastic body, red LED, transparent object detection, 0.1-2m, PNP, L-ON/D-ON selectable, M12 connector	47.90	378889	4548583440968	#		GD	S	IDN	8536.9095.00
E3FA-DN11 2M	Photoelectric sensor, M18 axial, plastic body, red LED, diffuse, 100mm, NPN, L-ON/D-ON selectable, 2m cable	37.88	378852	4548583440562			GD	S	IDN	8536.9095.00
E3FA-DN12 2M	Photoelectric sensor, M18 axial, plastic body, red LED, diffuse, 300mm, NPN, L-ON/D-ON selectable, 2m cable	37.88	378853	4548583440579			GD	S	IDN	8536.9095.00
E3FA-DN13 2M	Photoelectric sensor, M18 axial, plastic body, red LED, diffuse, 1m, NPN, L-ON/D-ON selectable, 2m cable	39.92	378854	4548583440586	#		GD	S	IDN	8536.9095.00
E3FA-DN14 2M	Photoelectric sensor, M18 axial, plastic body, IR LED, diffuse reflective, 100 mm, NPN, L-ON/D-ON selectable, 2m cable	36.85	381318	4548583468498			GD	S	CHN	8541.4090.00
E3FA-DN15 2M	Photoelectric sensor, M18 axial, plastic body, IR LED, diffuse reflective, 300mm, NPN, L-ON/D-ON selectable, 2m cable	36.85	381322	4548583468535			GD	S	CHN	8541.4090.00
E3FA-DN16 2M	Photoelectric sensor, M18 axial, plastic body, IR LED, diffuse reflective, 1m, NPN, L-ON/D-ON selectable, 2m cable	39.17	381326	4548583468573			GD	S	CHN	8541.4090.00
E3FA-DN21	Photoelectric sensor, M18 axial, plastic body, red LED, diffuse, 100mm, NPN, L-ON/D-ON selectable, M12 connector	37.88	378862	4548583440678	#		GD	S	IDN	8536.9095.00
E3FA-DN22	Photoelectric sensor, M18 axial, plastic body, red LED, diffuse, 300mm, NPN, L-ON/D-ON selectable, M12 connector	37.88	378863	4548583440685			GD	S	IDN	8536.9095.00
E3FA-DN23	Photoelectric sensor, M18 axial, plastic body, red LED, diffuse, 1m, NPN, L-ON/D-ON selectable, M12 connector	39.92	378864	4548583440692	#		GD	S	IDN	8536.9095.00
E3FA-DN24	Photoelectric sensor, M18 axial, plastic body, IR LED, diffuse reflective, 100 mm, NPN, L-ON/D-ON selectable, M12 connector	36.85	381319	4548583468504			GD	S	CHN	8541.4090.00
E3FA-DN25	Photoelectric sensor, M18 axial, plastic body, IR LED, diffuse reflective, 300mm, NPN, L-ON/D-ON selectable, M12 connector	36.85	381323	4548583468542			GD	S	CHN	8541.4090.00
E3FA-DN26	Photoelectric sensor, M18 axial, plastic body, IR LED, diffuse reflective, 1m, NPN, L-ON/D-ON selectable, M12 connector	39.17	381327	4548583468580			GD	S	CHN	8541.4090.00
E3FA-DP11 2M	Photoelectric sensor, M18 axial, plastic body, red LED, diffuse, 100mm, PNP, L-ON/D-ON selectable, 2m cable	37.88	378872	4548583440784	#		GD	S	IDN	8536.9095.00
E3FA-DP12 2M	Photoelectric sensor, M18 axial, plastic body, red LED, diffuse, 300mm, PNP, L-ON/D-ON selectable, 2m cable	37.88	378873	4548583440791	#		GD	S	IDN	8536.9095.00
E3FA-DP13 2M	Photoelectric sensor, M18 axial, plastic body, red LED, diffuse, 1m, PNP, L-ON/D-ON selectable, 2m cable	39.92	378874	4548583440807	#		GD	S	IDN	8536.9095.00
E3FA-DP14 2M	Photoelectric sensor, M18 axial, plastic body, IR LED, diffuse reflective, 100mm, PNP, L-ON/D-ON selectable, 2m cable	36.85	381320	4548583468511			GD	S	CHN	8541.4090.00
E3FA-DP14-F2 2M	Photoelectric sensor, M18 axial, plastic body, IR LED, diffuse reflective, 100mm, PNP, L-ON/D-ON selectable/inverted logic, 2m cable	36.85	382773	4548583499447			GD	S	CHN	8541.4090.00
E3FA-DP15 2M	Photoelectric sensor, M18 axial, plastic body, IR LED, diffuse reflective, 300mm, PNP, L-ON/D-ON selectable, 2m cable	36.85	381324	4548583468559			GD	S	CHN	8541.4090.00
E3FA-DP16 2M	Photoelectric sensor, M18 axial, plastic body, IR LED, diffuse reflective, 1m, PNP, L-ON/D-ON selectable, 2m cable	39.17	381328	4548583468597			GD	S	CHN	8541.4090.00
E3FA-DP21	Photoelectric sensor, M18 axial, plastic body, red LED, diffuse, 100mm, PNP, L-ON/D-ON selectable, M12 connector	37.88	378882	4548583440890	#		GD	S	IDN	8536.9095.00
E3FA-DP22	Photoelectric sensor, M18 axial, plastic body, red LED, diffuse, 300mm, PNP, L-ON/D-ON selectable, M12 connector	37.88	378883	4548583440906			GD	S	IDN	8536.9095.00
E3FA-DP23	Photoelectric sensor, M18 axial, plastic body, red LED, diffuse, 1m, PNP, L-ON/D-ON selectable, M12 connector	39.92	378884	4548583440913	#		GD	S	IDN	8536.9095.00
E3FA-DP24	Photoelectric sensor, M18 axial, plastic body, IR LED, diffuse reflective, 100mm, PNP, L-ON/D-ON selectable, M12 connector	36.85	381321	4548583468528			GD	S	CHN	8541.4090.00
E3FA-DP24-ED19	Photoelectric sensor, M18 axial, plastic body, infrared LED, diffuse reflective, 150 mm fixed, PNP, L-ON/D-ON selectable, M12 connector	29.14	659020	4548583731110			GD	S	CHN	8541.4090.00
E3FA-DP24-F2	Photoelectric sensor, M18 axial, plastic body, IR LED, diffuse reflective, 100mm, PNP, L-ON/D-ON selectable/inverted logic, M12 connector	28.53	382777	4548583499485			GD	S	CHN	8541.4090.00
E3FA-DP25	Photoelectric sensor, M18 axial, plastic body, IR LED, diffuse reflective, 300mm, PNP, L-ON/D-ON selectable, M12 connector	36.85	381325	4548583468566	#		GD	S	CHN	8541.4090.00
E3FA-DP25-F2	Photoelectric sensor, M18 axial, plastic body, IR LED, diffuse reflective, 300mm, PNP, L-ON/D-ON selectable/inverted logic, M12 connector	28.49	382778	4548583499492			GD	S	CHN	8541.4090.00
E3FA-DP26	Photoelectric sensor, M18 axial, plastic body, IR LED, diffuse reflective, 1m, PNP, L-ON/D-ON selectable, M12 connector	39.17	381329	4548583468603			GD	S	CHN	8541.4090.00
E3FA-DP26-F2	Photoelectric sensor, M18 axial, plastic body, IR LED, diffuse reflective, 1m, PNP, L-ON/D-ON selectable/inverted logic, M12 connector	30.88	382779	4548583499508			GD	S	CHN	8541.4090.00
E3FA-LN11 2M	Photoelectric sensor, M18 axial, plastic body, red LED, BGS, 100mm, NPN, L-ON/D-ON selectable, 2m cable	44.78	378855	4548583440593			GD	S	IDN	8536.9095.00
E3FA-LN12 2M	Photoelectric sensor, M18 axial, plastic body, red LED, BGS, 200 mm, NPN, L-ON/D-ON selectable, 2m cable	44.78	378856	4548583440609			GD	S	IDN	8536.9095.00
E3FA-LN21	Photoelectric sensor, M18 axial, plastic body, red LED, BGS, 100 mm, NPN, L-ON/D-ON selectable, M12 connector	44.39	378865	4548583440708			GD	S	IDN	8536.9095.00
E3FA-LN22	Photoelectric sensor, M18 axial, plastic body, red LED, BGS, 200 mm, NPN, L-ON/D-ON selectable, M12 connector	44.39	378866	4548583440715			GD	S	IDN	8536.9095.00
E3FA-LP11 2M	Photoelectric sensor, M18 axial, plastic body, red LED, BGS, 100mm, PNP, L-ON/D-ON selectable, 2m cable	44.65	378875	4548583440814			GD	S	IDN	8536.9095.00
E3FA-LP12 2M	Photoelectric sensor, M18 axial, plastic body, red LED, BGS, 200mm, PNP, L-ON/D-ON selectable, 2m cable	44.39	378876	4548583440821			GD	S	IDN	8536.9095.00
E3FA-LP21	Photoelectric sensor, M18 axial, plastic body, red LED, BGS, 100mm, PNP, L-ON/D-ON selectable, M12 connector	44.06	378885	4548583440920	#		GD	S	IDN	8536.9095.00
E3FA-LP21-F2	Photoelectric sensor, M18 axial, plastic body, red LED, BGS, 100 mm, PNP, L-ON/D-ON selectable/inverted logic, M12 connector	44.09	382780	4548583499515			GD	S	CHN	8541.4090.00
E3FA-LP22	Photoelectric sensor, M18 axial, plastic body, red LED, BGS, 200mm, PNP, L-ON/D-ON selectable, M12 connector	43.91	378886	4548583440937	#		GD	S	IDN	8536.9095.00
E3FA-LP22-F2	Photoelectric sensor, M18 axial, plastic body, red LED, BGS, 200 mm, PNP, L-ON/D-ON selectable, inverted logic, M12 connector	44.04	659592	4548583731158			GD	S	CHN	8536.9095.00
E3FA-RN11 2M	Photoelectric sensor, M18 axial, plastic body, red LED, retro-reflective, 0.1-4m, NPN, L-ON/D-ON selectable, 2m cable	37.88	378850	4548583440548	#		GD	S	IDN	8536.9095.00
E3FA-RN12 2M	Photoelectric sensor, M18 axial, plastic body, red LED, coaxial retro-reflective, 0-500m m, NPN, L-ON/D-ON selectable, 2m cable	39.92	378851	4548583440555			GD	S	IDN	8536.9095.00
E3FA-RN21	Photoelectric sensor, M18 axial, plastic body, red LED, retro-reflective, 0.1-4m, NPN, L-ON/D-ON selectable, M12 connector	37.88	378860	4548583440654			GD	S	IDN	8536.9095.00
E3FA-RN22	Photoelectric sensor, M18 axial, plastic body, red LED, coaxial retro-reflective, 0-500 m m, NPN, L-ON/D-ON selectable, M12 connector	39.92	378861	4548583440661			GD	S	IDN	8536.9095.00
E3FA-RP11 2M	Photoelectric sensor, M18 axial, plastic body, red LED, retro-reflective, 0.1-4m, PNP, L-ON/D-ON selectable, 2m cable	37.88	378870	4548583440760	#		GD	S	IDN	8536.9095.00
E3FA-RP11 5M	Photoelectric sensor, M18 axial, plastic body, red LED, retro-reflective, 0.1 to 4 m, PNP, L-ON/D-ON selectable, 5 m cable	38.83	419143	4548583595576			GD	S	CHN	8541.4090.00
E3FA-RP12 2M	Photoelectric sensor, M18 axial, plastic body, red LED, coaxial retro-reflective, 0-500mm, PNP, L-ON/D-ON selectable, 2m cable	39.92	378871	4548583440777			GD	S	IDN	8536.9095.00
E3FA-RP21	Photoelectric sensor, M18 axial, plastic body, red LED, retro-reflective, 0.1-4m, PNP, L-ON/D-ON selectable, M12 connector	37.88	378880	4548583440876	#		GD	S	IDN	8536.9095.00
E3FA-RP21-ED19	Photoelectric sensor, M18 axial, plastic body, red LED, retro-reflective, 4 m fixed, PNP, L-ON/D-ON selectable, inverted logic, M12 connector	37.88	659018	4548583731202			GD	S	CHN	8541.4090.00
E3FA-RP21-F2	Photoelectric sensor, M18 axial, plastic body, red LED, retro-reflective, 0.1 to 4 m, PNP, L-ON/D-ON selectable, inverted logic, M12 connector	44.29	659017	4548583731196			GD	S	CHN	8536.9095.00
E3FA-RP22	Photoelectric sensor, M18 axial, plastic body, red LED, coaxial retro-reflective, 0-500m, PNP, L-ON/D-ON selectable, M12 connector	39.92	378881	4548583440883			GD	S	IDN	8536.9095.00
E3FA-TN11 2M	Photoelectric sensor, M18 axial, plastic body, red LED, through-beam, 20m, NPN, L-ON/D-ON selectable, 2m cable	51.65	389692	4548583440531			GD	S	IDN	8536.9095.00
E3FA-TN11-D 2M	Photoelectric sensor, M18 axial, plastic body, red LED, thru-beam receiver, 20m, NPN, L-ON/D-ON selectable, 2m cable	31.05	419145	4548583595590			GD	S	CHN	8541.4090.00
E3FA-TN11-L 2M	Photoelectric sensor, M18 axial, plastic body, red LED, thru-beam emitter, 20m, NPN, L-ON/D-ON selectable, 2m cable	31.05	419147	4548583595610			GD	S	CHN	8541.4090.00
E3FA-TN12 2M	Photoelectric sensor, M18 axial, plastic body, infrared LED, through-beam, 15m, NPN, L-ON/D-ON selectable, 2m cable	52.70	381314	4548583468450			GD	S	CHN	8541.4090.00
E3FA-TN21	Photoelectric sensor, M18 axial, plastic, red LED, through-beam, 20m, NPN, L-ON/D-ON selectable, M12 connector	51.65	404483	4548583440647	#		GD	S	IDN	8541.4090.00
E3FA-TN21-D	Photoelectric sensor, M18 axial, plastic body, red LED, thru-beam receiver, 20m, NPN, L-ON/D-ON selectable, M12 connector	34.53	419149	4548583595637			GD	S	CHN	8541.4090.00
E3FA-TN22	Photoelectric sensor, M18 axial, plastic body, infrared LED, through-beam, 15m, NPN, L-ON/D-ON selectable, M12 connector	52.70	381315	4548583468467			GD	S	CHN	8541.4090.00
E3FA-TP11 2M	Photoelectric sensor, M18 axial, plastic, red LED, through-beam, 20m, PNP, L-ON/D-ON selectable, 2m PVC cable	51.65	404484	4548583440753	#		GD	S	IDN	8541.4090.00
E3FA-TP11 5M	Photoelectric sensor, M18 axial, plastic, red LED, through-beam, 20 m, PNP, L-ON/D-ON selectable, 5 m PVC cable	43.20	416701	4548583569201			GD	S	CHN	8541.4090.00
E3FA-TP11-D 2M	Photoelectric sensor, M18 axial, plastic body, red LED, through-beam receiver, 20 m, PNP, L-ON/D-ON selectable, 2 m cable	37.84	419151	4548583595651			GD	S	CHN	8541.4090.00
E3FA-TP11-L 2M	Photoelectric sensor, M18 axial, plastic body, red LED, thru-beam emitter, 20 m, PNP, L-ON/D-ON selectable, 2 m cable	18.54	419152	4548583595668			GD	S	CHN	8541.4090.00
E3FA-TP12 2M	Photoelectric sensor, M18 axial, plastic body, infrared LED, through-beam, 15 m, PNP, L-ON/D-ON selectable, 2 m cable	52.70	381316	4548583468474			GD	S	CHN	8541.4090.00
E3FA-TP21	Photoelectric sensor, M18 axial, plastic, red LED, through-beam, 20m, NPN, L-ON/D-ON selectable, M12 connector	51.65	404485	4548583440869	#		GD	S	IDN	8541.4090.00
E3FA-TP21-D	Photoelectric sensor, M18 axial, plastic body, red LED, through-beam receiver, 20 m, PNP, L-ON/D-ON selectable, M12 connector	34.53	415553	4548583547308			GD	S	CHN	8541.4090.00
E3FA-TP21-ED11	Photoelectric sensor, M18 axial, plastic body, red LED, thru-beam, 20m, PNP, L-ON fixed, M12 connector	48.27	389255	4548583502208			GD	S	CHN	8541.4090.00
E3FA-TP21-L	Photoelectric sensor, M18 axial, plastic body, red LED, through-beam emitter, 20 m, PNP, L-ON/D-ON selectable, M12 connector	24.35	415552	4548583547292			GD	S	CHN	8541.4090.00
E3FA-TP22	Photoelectric sensor, M18 axial, plastic body, infrared LED, through-beam, 15 m, PNP, L-ON/D-ON selectable, M12 connector	52.70	381317	4548583468481			GD	S	CHN	8541.4090.00
E3FA-VN11 2M	Photoelectric sensor, M18 axial, plastic body, red LED, limited distance reflective, 10-50mm, NPN, L-ON/D-ON selectable, 2m cable	46.24	378857	4548583440616			GD	S	IDN	8536.9095.00
E3FA-VN21	Photoelectric sensor, M18 axial, plastic body, red LED, limited distance reflective, 10-50mm, NPN, L-ON/D-ON selectable, M12 connector	46.24	378867	4548583440722			GD	S	IDN	8536.9095.00
E3FA-VP11 2M	Photoelectric sensor, M18 axial, plastic body, red LED, limited distance reflective, 10-50mm, PNP, L-ON/D-ON selectable, 2m cable	46.24	378877	4548583440838			GD	S	IDN	8536.9095.00

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Dataheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
E3FA-VP21	Photoelectric sensor, M18 axial, plastic body, red LED, limited distance reflective, 10-50mm, PNP, L-ON/D-ON selectable, M12 connector	46.24	378887	4548583440944			GD	S	IDN	8536.9095.00
E3FB-BN1 2M	Photoelectric sensor, M18 axial, metal body, red LED, transparent object detection, 500mm, NPN, L-ON/D-ON selectable, 2m cable	53.00	378899	4548583441064			GD	S	IDN	8536.9095.00
E3FB-BN2 2M	Photoelectric sensor, M18 axial, metal body, red LED, transparent object detection, 0.1-2m, NPN, L-ON/D-ON selectable, 2m cable	53.00	378900	4548583441071			GD	S	IDN	8536.9095.00
E3FB-BN21	Photoelectric sensor, M18 axial, metal body, red LED, transparent object detection, 0.1-2m, NPN, L-ON/D-ON selectable, M12 connector	53.00	378910	4548583441170			GD	S	IDN	8536.9095.00
E3FB-BN22	Photoelectric sensor, M18 axial, metal body, red LED, transparent object detection, 0.1-2m, NPN, L-ON/D-ON selectable, M12 connector	53.00	378911	4548583441187			GD	S	IDN	8536.9095.00
E3FB-BP1 2M	Photoelectric sensor, M18 axial, metal body, red LED, transparent object detection, 500mm, PNP, L-ON/D-ON selectable, 2m cable	53.00	378921	4548583441286			GD	S	IDN	8536.9095.00
E3FB-BP12 2M	Photoelectric sensor, M18 axial, metal body, red LED, transparent object detection, 0.1-2m, PNP, L-ON/D-ON selectable, 2m cable	53.00	378922	4548583441293			GD	S	IDN	8536.9095.00
E3FB-BP21	Photoelectric sensor, M18 axial, metal body, red LED, transparent object detection, 500mm, PNP, L-ON/D-ON selectable, M12 connector	53.00	378932	4548583441392			GD	S	IDN	8536.9095.00
E3FB-BP22	Photoelectric sensor, M18 axial, metal body, red LED, transparent object detection, 0.1 to 2 m, PNP, L-ON/D-ON selectable, M12 connector	53.00	378933	4548583441408			GD	S	IDN	8536.9095.00
E3FB-DN11 2M	Photoelectric sensor, M18 axial, metal body, red LED, diffuse, 100 mm, NPN, L-ON/D-ON selectable, 2 m cable	43.20	378893	4548583441002			GD	S	IDN	8536.9095.00
E3FB-DN12 2M	Photoelectric sensor, M18 axial, metal body, red LED, diffuse, 300mm, NPN, L-ON/D-ON selectable, 2m cable	39.57	378894	4548583441019			GD	S	IDN	8536.9095.00
E3FB-DN13 2M	Photoelectric sensor, M18 axial, metal body, red LED, diffuse, 1 m, NPN, L-ON/D-ON selectable, 2 m cable	45.20	378895	4548583441026			GD	S	IDN	8536.9095.00
E3FB-DN21	Photoelectric sensor, M18 axial, metal body, red LED, diffuse, 100mm, NPN, L-ON/D-ON selectable, M12 connector	43.20	378904	4548583441118			GD	S	IDN	8536.9095.00
E3FB-DN22	Photoelectric sensor, M18 axial, metal body, red LED, diffuse, 300mm, NPN, L-ON/D-ON selectable, M12 connector	43.20	378905	4548583441125			GD	S	IDN	8536.9095.00
E3FB-DN23	Photoelectric sensor, M18 axial, metal body, red LED, diffuse, 1m, NPN, L-ON/D-ON selectable, M12 connector	45.20	378906	4548583441132			GD	S	IDN	8536.9095.00
E3FB-DP1 2M	Photoelectric sensor, M18 axial, metal body, red LED, diffuse, 100mm, PNP, L-ON/D-ON selectable, 2m cable	43.20	378915	4548583441224		#	GD	S	IDN	8536.9095.00
E3FB-DP12 2M	Photoelectric sensor, M18 axial, metal body, red LED, diffuse, 300mm, PNP, L-ON/D-ON selectable, 2m cable	43.20	378916	4548583441231		#	GD	S	IDN	8536.9095.00
E3FB-DP13 2M	Photoelectric sensor, M18 axial, metal body, red LED, diffuse, 1 m, PNP, L-ON/D-ON selectable, 2 m cable	45.20	378917	4548583441248		#	GD	S	IDN	8536.9095.00
E3FB-DP21	Photoelectric sensor, M18 axial, metal body, red LED, diffuse, 100mm, PNP, L-ON/D-ON selectable, M12 connector	43.20	378926	4548583441330		#	GD	S	IDN	8536.9095.00
E3FB-DP22	Photoelectric sensor, M18 axial, metal body, red LED, diffuse, 300mm, PNP, L-ON/D-ON selectable, M12 connector	43.20	378927	4548583441347		#	GD	S	IDN	8536.9095.00
E3FB-DP23	Photoelectric sensor, M18 axial, metal body, red LED, diffuse, 1m, PNP, L-ON/D-ON selectable, M12 connector	45.20	378928	4548583441354		#	GD	S	IDN	8536.9095.00
E3FB-DP25-F2	Photoelectric sensor, M18 axial, metal body, infrared LED, diffuse reflective, 300mm, PNP, L-ON/D-ON selectable, inverted logic, M12 connector	41.91	387806	4548583518926			GD	S	CHN	8541.4090.00
E3FB-DP26-F2	Photoelectric sensor, M18 axial, metal body, infrared LED, diffuse reflective, 1 m, PNP, L-ON/D-ON selectable inverted logic, M12 connector	43.91	659014	4548583731295			GD	S	CHN	9031.9000.00
E3FB-LN11 2M	Photoelectric sensor, M18 axial, metal body, red LED, BGS, 100mm, NPN, L-ON/D-ON selectable, 2m cable	48.72	378896	4548583441033			GD	S	IDN	8536.9095.00
E3FB-LN12 2M	Photoelectric sensor, M18 axial, metal body, red LED, BGS, 200mm, NPN, L-ON/D-ON selectable, 2m cable	48.72	378897	4548583441040			GD	S	IDN	8536.9095.00
E3FB-LN21	Photoelectric sensor, M18 axial, metal body, red LED, BGS, 100 mm, NPN, L-ON/D-ON selectable, M12 connector	49.97	378907	4548583441149			GD	S	IDN	8536.9095.00
E3FB-LN22	Photoelectric sensor, M18 axial, metal body, red LED, BGS, 200mm, NPN, L-ON/D-ON selectable, M12 connector	50.30	378908	4548583441156			GD	S	IDN	8536.9095.00
E3FB-LP1 2M	Photoelectric sensor, M18 axial, metal body, red LED, BGS, 100 mm, PNP, L-ON/D-ON selectable, 2 m cable	48.63	378918	4548583441255			GD	S	IDN	8536.9095.00
E3FB-LP12 2M	Photoelectric sensor, M18 axial, metal body, red LED, BGS, 200m, PNP, L-ON/D-ON selectable, 2m cable	48.81	378919	4548583441262			GD	S	IDN	8536.9095.00
E3FB-LP21	Photoelectric sensor, M18 axial, metal body, red LED, BGS, 100mm, PNP, L-ON/D-ON selectable, M12 connector	49.65	378929	4548583441361		#	GD	S	IDN	8536.9095.00
E3FB-LP22	Photoelectric sensor, M18 axial, metal body, red LED, BGS, 200mm, PNP, L-ON/D-ON selectable, M12 connector	49.85	378930	4548583441378		#	GD	S	IDN	8536.9095.00
E3FB-RN11 2M	Photoelectric sensor, M18 axial, metal body, red LED, retro-reflective, 0.1 to 4 m, NPN, L-ON/D-ON selectable, 2 m cable	43.20	378891	4548583440982			GD	S	IDN	8536.9095.00
E3FB-RN21	Photoelectric sensor, M18 axial, metal body, red LED, retro-reflective, 0.1-4m, NPN, L-ON/D-ON selectable, M12 connector	43.20	378902	4548583441095			GD	S	IDN	8536.9095.00
E3FB-RP1 2M	Photoelectric sensor, M18 axial, metal body, red LED, retro-reflective, 0.1-4m, PNP, L-ON/D-ON selectable, 2m cable	43.20	378913	4548583441200		#	GD	S	IDN	8536.9095.00
E3FB-RP12 2M	Photoelectric sensor, M18 axial, metal body, red LED, coaxial retro-reflective, 0-500mm, PNP, L-ON/D-ON selectable, 2m cable	35.11	378914	4548583441217		#	GD	S	IDN	8536.9095.00
E3FB-RP21	Photoelectric sensor, M18 axial, metal body, red LED, retro-reflective, 0.1 to 4 m, PNP, L-ON/D-ON selectable, M12 connector	43.20	378924	4548583441316		#	GD	S	IDN	8536.9095.00
E3FB-RP21-F2	Photoelectric sensor, M18 axial, metal body, red LED, retro-reflective, 0.1 to 4 m, PNP, L-ON/D-ON selectable, inverted logic, M12 connector	40.86	659019	4548583731325			GD	S	CHN	8536.9095.00
E3FB-RP22	Photoelectric sensor, M18 axial, metal body, red LED, coaxial retro-reflective, 0-500mm, PNP, L-ON/D-ON selectable, M12 connector	45.20	378925	4548583441323			GD	S	IDN	8536.9095.00
E3FB-TN11 2M	Photoelectric sensor, M18 axial, metal body, red LED, through-beam, 20 mm, NPN, L-ON/D-ON selectable, 2 m cable	61.70	378890	4548583440975			GD	S	IDN	8536.9095.00
E3FB-TN21	Photoelectric sensor, M18 axial, metal body, red LED, through-beam, 20m, NPN, L-ON/D-ON selectable, M12 connector	61.70	378901	4548583441088			GD	S	IDN	8536.9095.00
E3FB-TP1 2M	Photoelectric sensor, M18 axial, metal body, red LED, through-beam, 20m, PNP, L-ON/D-ON selectable, 2m cable	61.70	378912	4548583441194			GD	S	IDN	8536.9095.00
E3FB-TP21	Photoelectric sensor, M18 axial, metal body, red LED, through-beam, 20m, PNP, L-ON/D-ON selectable, M12 connector	61.70	378923	4548583441309			GD	S	IDN	8536.9095.00
E3FB-TP21-D	Photoelectric sensor, M18 axial, metal body, red LED, thru-beam receiver, 20m, PNP, L-ON/D-ON selectable, M12 connector	40.21	415550	4548583593671			GD	S	CHN	8541.4090.00
E3FB-TP21-L	Photoelectric sensor, M18 axial, metal body, red LED, thru-beam emitter, 20 m, PNP, L-ON/D-ON selectable, M12 connector	28.17	415551	4548583593688			GD	S	CHN	8541.4090.00
E3FB-VN11 2M	Photoelectric sensor, M18 axial, metal body, red LED, limited distance reflective, 10-50mm, NPN, L-ON/D-ON selectable, 2m cable	44.88	378898	4548583441057			GD	S	IDN	8536.9095.00
E3FB-VN21	Photoelectric sensor, M18 axial, metal body, red LED, limited distance reflective, 10 to 50 mm, NPN, L-ON/D-ON selectable, M12 connector	44.88	378909	4548583441163			GD	S	IDN	8536.9095.00
E3FB-VP1 2M	Photoelectric sensor, M18 axial, metal body, red LED, limited distance reflective, 10-50mm, PNP, L-ON/D-ON selectable, 2m cable	44.88	378920	4548583441179			GD	S	IDN	8536.9095.00
E3FB-VP21	Photoelectric sensor, M18 axial, metal body, red LED, limited distance reflective, 10-50 mm, PNP, L-ON/D-ON selectable, M12 connector	44.88	378931	4548583441285			GD	S	IDN	8536.9095.00
E3FC-BP1 2M	Photoelectric sensor, M18 axial, SUS body, red LED, transparent object detection, 500mm, PNP, L-ON/D-ON selectable, 2m cable	73.45	659444	4548583732867			GD	S	CHN	8541.4090.00
E3FC-BP21 2M	Photoelectric sensor, M18 axial, SUS body, red LED, transparent object detection, 0.1 to 2 m, PNP, L-ON/D-ON selectable, 2 m cable	79.70	659450	4548583732874			GD	S	CHN	8541.4090.00
E3FC-DN12 2M	Photoelectric sensor, M18 axial, SUS body, red LED, diffuse, 300mm, NPN, L-ON/D-ON selectable, 2m cable	61.35	659451	4548583732704			GD	S	CHN	8541.4090.00
E3FC-DN13 2M	Photoelectric sensor, M18 axial, SUS body, red LED, diffuse, 1m, NPN, L-ON/D-ON selectable, 2m cable	61.35	659438	4548583732711			GD	S	CHN	8541.4090.00
E3FC-DN15 2M	Photoelectric sensor, M18 axial, SUS body, infrared LED, diffuse, 300mm, NPN, L-ON/D-ON selectable, 2m cable	62.35	659458	4548583732728			GD	S	CHN	8541.4090.00
E3FC-DN16 2M	Photoelectric sensor, M18 axial, SUS body, infrared LED, diffuse, 1m, NPN, L-ON/D-ON selectable, 2m cable	61.35	659432	4548583732735			GD	S	CHN	8541.4090.00
E3FC-DN22	Photoelectric sensor, M18 axial, SUS body, red LED, diffuse, 300mm, NPN, L-ON/D-ON selectable, M12 connector	61.90	659435	4548583732742			GD	S	CHN	8541.4090.00
E3FC-DN23	Photoelectric sensor, M18 axial, SUS body, red LED, diffuse, 1m, NPN, L-ON/D-ON selectable, M12 connector	62.35	659422	4548583732759			GD	S	CHN	8541.4090.00
E3FC-DN25	Photoelectric sensor, M18 axial, SUS body, infrared LED, diffuse, 300mm, NPN, L-ON/D-ON selectable, M12 connector	62.35	659441	4548583732766			GD	S	CHN	8541.4090.00
E3FC-DN26	Photoelectric sensor, M18 axial, SUS body, infrared LED, diffuse, 1m, NPN, L-ON/D-ON selectable, M12 connector	61.90	659431	4548583732773			GD	S	CHN	8541.4090.00
E3FC-DP12 2M	Photoelectric sensor, M18 axial, SUS body, red LED, diffuse, 300mm, PNP, L-ON/D-ON selectable, 2m cable	61.35	659430	4548583732800			GD	S	CHN	8541.4090.00
E3FC-DP13 2M	Photoelectric sensor, M18 axial, SUS body, red LED, diffuse, 1m, PNP, L-ON/D-ON selectable, 2m cable	62.35	659436	4548583732797			GD	S	CHN	8541.4090.00
E3FC-DP13 5M	Photoelectric sensor, M18 axial, SUS body, red LED, diffuse reflective, 1m, PNP, L-ON/D-ON selectable, 5m cable	71.00	659437	4548583732803			GD	S	CHN	8541.4090.00
E3FC-DP15 2M	Photoelectric sensor, M18 axial, SUS body, infrared LED, diffuse, 300mm, PNP, L-ON/D-ON selectable, 2m cable	62.35	659429	4548583732810			GD	S	CHN	8541.4090.00
E3FC-DP16 2M	Photoelectric sensor, M18 axial, SUS body, infrared LED, diffuse, 1m, PNP, L-ON/D-ON selectable, 2m cable	62.35	659449	4548583732827			GD	S	CHN	8541.4090.00
E3FC-DP22	Photoelectric sensor, M18 axial, SUS body, red LED, diffuse, 300mm, PNP, L-ON/D-ON selectable, M12 connector	61.35	659445	4548583732834			GD	S	CHN	8541.4090.00
E3FC-DP23	Photoelectric sensor, M18 axial, SUS body, red LED, diffuse, 1m, PNP, L-ON/D-ON selectable, M12 connector	62.35	659439	4548583732841			GD	S	CHN	8541.4090.00
E3FC-DP25	Photoelectric sensor, M18 axial, SUS body, infrared LED, diffuse, 300mm, PNP, L-ON/D-ON selectable, M12 connector	61.35	659448	4548583732858			GD	S	CHN	8541.4090.00
E3FC-DP26	Photoelectric sensor, M18 axial, SUS body, infrared LED, diffuse, 1m, PNP, L-ON/D-ON selectable, M12 connector	62.35	659462	4548583732872			GD	S	CHN	8541.4090.00
E3FC-LN11 2M	Photoelectric sensor, M18 axial, SUS body, red LED, BGS, 100mm, NPN, L-ON/D-ON selectable, 2m cable	88.40	659456	4548583732889			GD	S	CHN	8541.4090.00
E3FC-LN12 2M	Photoelectric sensor, M18 axial, SUS body, red LED, BGS, 200mm, NPN, L-ON/D-ON selectable, 2m cable	89.35	659460	4548583732896			GD	S	CHN	8541.4090.00
E3FC-LN21	Photoelectric sensor, M18 axial, SUS body, red LED, BGS, 100mm, NPN, L-ON/D-ON selectable, M12 connector	89.35	659447	4548583732902			GD	S	CHN	8541.4090.00
E3FC-LN22	Photoelectric sensor, M18 axial, SUS body, red LED, BGS, 200mm, NPN, L-ON/D-ON selectable, M12 connector	88.40	659459	4548583732919			GD	S	CHN	8541.4090.00
E3FC-LP1 2M	Photoelectric sensor, M18 axial, SUS body, red LED, BGS, 100mm, PNP, L-ON/D-ON selectable, 2m cable	89.35	659428	4548583732926			GD	S	CHN	8541.4090.00
E3FC-LP11 5M	Photoelectric sensor, M18 axial, SUS body, red LED, BGS, 100mm, PNP, L-ON/D-ON selectable, 5m cable	98.55	659440	4548583732933			GD	S	CHN	8541.4090.00
E3FC-LP12 2M	Photoelectric sensor, M18 axial, SUS body, red LED, BGS, 200mm, PNP, L-ON/D-ON selectable, 2m cable	88.85	659424	4548583732940			GD	S	CHN	8541.4090.00
E3FC-LP12, E020	Photoelectric sensor, M18 axial, SUS body, IR LED, BGS, 200mm, PNP, L-ON/D-ON selectable, 5m cable	88.40	659442	4548583732957			GD	S	CHN	8541.4090.00
E3FC-LP21	Photoelectric sensor, M18 axial, SUS body, red LED, BGS, 100mm, PNP, L-ON/D-ON selectable, M12 connector	88.40	659426	4548583732964			GD	S	CHN	8541.4090.00
E3FC-LP22	Photoelectric sensor, M18 axial, SUS body, red LED, BGS, 200mm, PNP, L-ON/D-ON selectable, M12 connector	89.35	659454	4548583732971			GD	S	CHN	8541.4090.00

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Daheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
E3FC-FN11 2M	Photoelectric sensor, M18 axial, SUS body, red LED, retro-reflective, 0.1-4m, NPN, L-ON/D-ON selectable, 2m cable	61.90	659427	4548583732988			GD	S	CHN	8541.4090.00
E3FC-FN21	Photoelectric sensor, M18 axial, SUS body, red LED, retro-reflective, 0.1-4m, NPN, L-ON/D-ON selectable, M12 connector	61.90	659425	4548583732995			GD	S	CHN	8541.4090.00
E3FC-FP11 2M	Photoelectric sensor, M18 axial, SUS body, red LED, retro-reflective, 0.1-4m, PNP, L-ON/D-ON selectable, 2m cable	62.35	659446	4548583733008			GD	S	CHN	8541.4090.00
E3FC-FP21	Photoelectric sensor, M18 axial, SUS body, red LED, retro-reflective, 0.1-4m, PNP, L-ON/D-ON selectable, M12 connector	71.50	659453	4548583733015			GD	S	CHN	8541.4090.00
E3FC-FR21	Photoelectric sensor, M18 axial, SUS body, red LED, through-beam, 20m, NPN, L-ON/D-ON selectable, 2m cable	61.90	659455	4548583733022			GD	S	CHN	8541.4090.00
E3FC-TN11 2M	Photoelectric sensor, M18 axial, SUS body, red LED, through-beam, 20m, NPN, L-ON/D-ON selectable, 2m cable	103.10	659457	4548583733039			GD	S	CHN	8541.4090.00
E3FC-TN21	Photoelectric sensor, M18 axial, SUS body, red LED, through-beam, 20m, NPN, L-ON/D-ON selectable, M12 connector	108.30	659452	4548583733046			GD	S	CHN	8541.4090.00
E3FC-TP11 2M	Photoelectric sensor, M18 axial, SUS body, red LED, through-beam, 20m, PNP, L-ON/D-ON selectable, 2m cable	100.50	659443	4548583733053			GD	S	CHN	8541.4090.00
E3FC-TP11 5M	Photoelectric sensor, M18 axial, SUS body, red LED, thru-beam, 20m, PNP, L-ON/D-ON selectable, 5m cable	122.90	659423	4548583733060			GD	S	CHN	8541.4090.00
E3FC-TP11-ED22	Photoelectric sensor, M18 axial, SUS body, red LED, through-beam, 20m, PNP, L-ON/D-ON selectable, 10 m PUR cable, flush mount	175.50	659434	4548583733077			GD	S	CHN	8541.4090.00
E3FC-TP21	Photoelectric sensor, M18 axial, SUS body, red LED, through-beam, 20m, PNP, L-ON/D-ON selectable, M12 connector	104.40	659433	4548583733084			GD	S	CHN	8541.4090.00
E3RA-DN11 2M	Photoelectric sensor, M18 radial, plastic body, red LED, diffuse, 100mm, NPN, L-ON/D-ON selectable, 2m cable	42.23	378952	4548583441900			GD	S	IDN	8536.9095.00
E3RA-DN12 2M	Photoelectric sensor, M18 radial, plastic body, red LED, diffuse, 300mm, NPN, L-ON/D-ON selectable, 2m cable	43.20	378953	4548583441606			GD	S	IDN	8536.9095.00
E3RA-DN13 2M	Photoelectric sensor, M18 radial, plastic body, red LED, diffuse, 700 mm, NPN, L-ON/D-ON selectable, 2 m cable	45.20	378954	4548583441613			GD	S	IDN	8536.9095.00
E3RA-DN21	Photoelectric sensor, M18 radial, plastic body, red LED, diffuse, 100mm, NPN, L-ON/D-ON selectable, M12 connector	42.23	378957	4548583441644			GD	S	IDN	8536.9095.00
E3RA-DN22	Photoelectric sensor, M18 radial, plastic body, red LED, diffuse, 300mm, NPN, L-ON/D-ON selectable, M12 connector	43.20	378958	4548583441651			GD	S	IDN	8536.9095.00
E3RA-DN23	Photoelectric sensor, M18 radial, plastic body, red LED, diffuse, 700mm, NPN, L-ON/D-ON selectable, M12 connector	45.20	378959	4548583441668			GD	S	IDN	8536.9095.00
E3RA-DP11 2M	Photoelectric sensor, M18 radial, plastic body, red LED, diffuse, 100mm, PNP, L-ON/D-ON selectable, 2m cable	42.23	378962	4548583441699			GD	S	IDN	8536.9095.00
E3RA-DP12 2M	Photoelectric sensor, M18 radial, plastic body, red LED, diffuse, 300 mm, PNP, L-ON/D-ON selectable, 2 m cable	43.20	378963	4548583441705			GD	S	IDN	8536.9095.00
E3RA-DP13 2M	Photoelectric sensor, M18 radial, plastic body, red LED, diffuse, 700mm, PNP, L-ON/D-ON selectable, 2 m cable	45.20	378964	4548583441712			GD	S	IDN	8536.9095.00
E3RA-DP21	Photoelectric sensor, M18 radial, plastic body, red LED, diffuse, 100 mm, PNP, L-ON/D-ON selectable, M12 connector	42.23	378967	4548583441743			GD	S	IDN	8536.9095.00
E3RA-DP22	Photoelectric sensor, M18 radial, plastic body, red LED, diffuse, 300mm, PNP, L-ON/D-ON selectable, M12 connector	43.20	378968	4548583441750		40	GD	S	IDN	8536.9095.00
E3RA-DP23	Photoelectric sensor, M18 radial, plastic body, red LED, diffuse, 700 mm, PNP, L-ON/D-ON selectable, M12 connector	45.20	378969	4548583441767			GD	S	IDN	8536.9095.00
E3RA-FN11 2M	Photoelectric sensor, M18 radial, plastic body, red LED, retro-reflective, 0.1 to 4 m, NPN, L-ON/D-ON selectable, 2 m cable	42.23	378951	4548583441583			GD	S	IDN	8536.9095.00
E3RA-FN21	Photoelectric sensor, M18 radial, plastic body, red LED, retro-reflective, 0.1 to 4 m, NPN, L-ON/D-ON selectable, M12 connector	42.23	378956	4548583441637			GD	S	IDN	8536.9095.00
E3RA-FP11 2M	Photoelectric sensor, M18 radial, plastic body, red LED, retro-reflective, 0.1-4m, PNP, L-ON/D-ON selectable, 2m cable	42.23	378961	4548583441682			GD	S	IDN	8536.9095.00
E3RA-FP21	Photoelectric sensor, M18 radial, plastic body, red LED, retro-reflective, 0.1-4m, PNP, L-ON/D-ON selectable, M12 connector	42.23	378966	4548583441736			GD	S	IDN	8536.9095.00
E3RA-TN11 2M	Photoelectric sensor, M18 radial, plastic body, red LED, through-beam, 15m, NPN, L-ON/D-ON selectable, 2m cable	56.00	378950	4548583441576			GD	S	IDN	8536.9095.00
E3RA-TN21	Photoelectric sensor, M18 radial, plastic body, red LED, through-beam, 15m, NPN, L-ON/D-ON selectable, M12 connector	56.00	378955	4548583441620			GD	S	IDN	8536.9095.00
E3RA-TP11 2M	Photoelectric sensor, M18 radial, plastic body, red LED, through-beam, 15 m, PNP, L-ON/D-ON selectable, 2 m cable	56.00	378960	4548583441675			GD	S	IDN	8536.9095.00
E3RA-TP21	Photoelectric sensor, M18 radial, plastic body, red LED, through-beam, 15m, PNP, L-ON/D-ON selectable, M12 connector	56.00	378965	4548583441729			GD	S	IDN	8536.9095.00
E3RB-DN22	Photoelectric sensor, M18 radial, metal body, red LED, diffuse, 300mm, NPN, L-ON/D-ON selectable, M12 connector	48.60	378978	4548583441859			GD	S	IDN	8536.9095.00
E3RB-DP12 2M	Photoelectric sensor, M18 radial, metal body, red LED, diffuse, 300mm, PNP, L-ON/D-ON selectable, 2m cable	48.60	378983	4548583441903			GD	S	IDN	8536.9095.00
E3RB-DP21	Photoelectric sensor, M18 radial, metal body, red LED, diffuse, 100 mm, PNP, L-ON/D-ON selectable, M12 connector	47.90	378987	4548583441941			GD	S	IDN	8536.9095.00
E3RB-DP21-F2	Photoelectric sensor, M18 radial, metal body, red LED, diffuse, 100 mm, PNP, L-ON/D-ON selectable, inverted logic, M12 connector	72.50	683197	4549734276993			GD	S	CHN	8536.9095.00
E3RB-DP22	Photoelectric sensor, M18 radial, metal body, red LED, diffuse, 300mm, PNP, L-ON/D-ON selectable, M12 connector	40.65	378988	4548583441958			GD	S	IDN	8536.9095.00
E3RB-DP23	Photoelectric sensor, M18 radial, metal body, red LED, diffuse, 700 mm, PNP, L-ON/D-ON selectable, M12 connector	50.30	378989	4548583441965			GD	S	IDN	8536.9095.00
E3RB-FN11 2M	Photoelectric sensor, M18 radial, metal body, red LED, retro-reflective, 0.1-4m, NPN, L-ON/D-ON selectable, 2m cable	43.56	379371	4548583441791			GD	S	IDN	8536.9095.00
E3RB-FN21	Photoelectric sensor, M18 radial, metal body, red LED, retro-reflective, 0.1-4m, NPN, L-ON/D-ON selectable, M12 connector	43.56	379376	4548583441835			GD	S	IDN	8536.9095.00
E3RB-FP11 2M	Photoelectric sensor, M18 radial, metal body, red LED, retro-reflective, 0.1-4m, PNP, L-ON/D-ON selectable, 2m cable	39.92	378991	4548583441880			GD	S	IDN	8536.9095.00
E3RB-FP21	Photoelectric sensor, M18 radial, metal body, red LED, retro-reflective, 0.1-4m, PNP, L-ON/D-ON selectable, M12 connector	47.90	378996	4548583441934			GD	S	IDN	8536.9095.00
E3RB-TP11 2M	Photoelectric sensor, M18 radial, metal body, red LED, through-beam, 15m, PNP, L-ON/D-ON selectable, 2m cable	65.20	378990	4548583441873			GD	S	IDN	8536.9095.00
E3RB-TP21	Photoelectric sensor, M18 radial, metal body, red LED, through-beam, 15m, PNP, L-ON/D-ON selectable, M12 connector	65.35	378995	4548583441927			GD	S	IDN	8536.9095.00
<b>Photoelectric sensor E3FL</b>										
E3F1-DN11 2M	Photoelectric sensor, M18 axial, plastic body, red LED, diffuse, 100 mm, NPN, L-ON/D-ON selectable, 2 m cable	26.40	378936	4548583441439			GD	T	IDN	8536.9095.00
E3F1-DN12 2M	Photoelectric sensor, M18 axial, plastic body, red LED, diffuse, 300 mm, NPN, L-ON/D-ON selectable, 2 m cable	27.18	378937	4548583441446			GD	T	IDN	8536.9095.00
E3F1-DN21	Photoelectric sensor, M18 axial, plastic body, red LED, diffuse, 100 mm, NPN, L-ON/D-ON selectable, M12 connector	26.40	378940	4548583441477			GD	T	IDN	8536.9095.00
E3F1-DN22	Photoelectric sensor, M18 axial, plastic body, red LED, diffuse, 300 mm, NPN, L-ON/D-ON selectable, M12 connector	27.18	378941	4548583441484			GD	T	IDN	8536.9095.00
E3F1-DP11 2M	Photoelectric sensor, M18 axial, plastic body, red LED, diffuse, 100mm, PNP, L-ON/D-ON selectable, 2m cable	26.40	378944	4548583441514			GD	T	IDN	8536.9095.00
E3F1-DP12 2M	Photoelectric sensor, M18 axial, plastic body, red LED, diffuse, 300mm, PNP, L-ON/D-ON selectable, 2m cable	27.18	378945	4548583441521		#	GD	T	IDN	8536.9095.00
E3F1-DP21	Photoelectric sensor, M18 axial, plastic body, red LED, diffuse, 100mm, PNP, L-ON/D-ON selectable, M12 connector	26.40	378948	4548583441552		#	GD	T	IDN	8536.9095.00
E3F1-DP21-10	Photoelectric sensor, LTE M18 axial, plastic body, red LED, diffuse reflective, 100 mm, PNP, L-ON/D-ON selectable, M12 connector, Multipack 10 pcs	238.30	401860	4548583571624			GD	T	CHN	8536.9095.00
E3F1-DP22	Photoelectric sensor, M18 axial, plastic body, red LED, diffuse, 300mm, PNP, L-ON/D-ON selectable, M12 connector	27.18	378949	4548583441569		#	GD	T	IDN	8536.9095.00
E3F1-DP22-10	Photoelectric sensor, LTE M18 axial, plastic body, red LED, diffuse reflective, 300 mm, PNP, L-ON/D-ON selectable, M12 connector, Multipack 10 pcs	245.80	401859	4548583571617			GD	T	CHN	8536.9095.00
E3F1-FN11 2M	Photoelectric sensor, M18 axial, plastic body, red LED, retro-reflective, 0.1-3m, NPN, L-ON/D-ON selectable, 2m cable	26.40	378935	4548583441422			GD	T	IDN	8536.9095.00
E3F1-FN21	Photoelectric sensor, M18 axial, plastic body, red LED, retro-reflective, 0.1 to 3 m, NPN, L-ON/D-ON selectable, M12 connector	26.40	378939	4548583441460			GD	T	IDN	8536.9095.00
E3F1-FP11 2M	Photoelectric sensor, M18 axial, plastic body, red LED, retro-reflective, 0.1-3m, PNP, L-ON/D-ON selectable, 2m cable	26.40	378943	4548583441507			GD	T	IDN	8536.9095.00
E3F1-FP21	Photoelectric sensor, M18 axial, plastic body, red LED, retro-reflective, 0.1-3m, PNP, L-ON/D-ON selectable, M12 connector	26.40	378947	4548583441545		#	GD	T	IDN	8536.9095.00
E3F1-FP21-10	Photoelectric sensor, LTE M18 axial, plastic body, red LED, retro-reflective, 3 m, PNP, L-ON/D-ON selectable, M12 connector, Multipack 10 pcs	238.30	401861	4548583571631			GD	T	CHN	8536.9095.00
E3F1-TN11 2M	Photoelectric sensor, M18 axial, plastic body, red LED, through-beam, 15 m, NPN, L-ON/D-ON selectable, 2 m cable	37.02	378934	4548583441415			GD	T	IDN	8536.9095.00
E3F1-TN21	Photoelectric sensor, M18 axial, plastic body, red LED, through-beam, 15 m, NPN, L-ON/D-ON selectable, M12 connector	35.86	378938	4548583441453			GD	T	IDN	8536.9095.00
E3F1-TP11 2M	Photoelectric sensor, M18 axial, plastic body, red LED, through-beam, 15m, PNP, L-ON/D-ON selectable, 2m cable	37.91	378942	4548583441491			GD	T	IDN	8536.9095.00
E3F1-TP21	Photoelectric sensor, M18 axial, plastic body, red LED, through-beam, 15m, PNP, L-ON/D-ON selectable, M12 connector	35.86	378946	4548583441538		#	GD	T	IDN	8536.9095.00
<b>Photoelectric sensor E3KCLite</b>										
E3K-DN11 2M	Photoelectric sensor, square body, red LED, diffuse, 2.5m, NPN, L-ON/D-ON selectable, 2m cable	59.70	668837	4548583746541			GD	U	IDN	8541.4090.00
E3K-DN12 2M	Photoelectric sensor, square body, red LED, diffuse, 300mm, NPN, L-ON/D-ON selectable, 2m cable	61.75	668834	4548583746565			GD	U	IDN	8541.4090.00
E3K-DN13 2M	Photoelectric sensor, square body, IR LED, diffuse, 2.5m, NPN, L-ON/D-ON selectable, 2m cable	55.75	669202	4548583580824			GD	U	CHN	8541.4090.00
E3K-DN14 2M	Photoelectric sensor, square body, IR LED, diffuse, 300mm, NPN, L-ON/D-ON selectable, 2m cable	58.05	669199	4548583580848			GD	U	CHN	8541.4090.00
E3K-DP11 2M	Photoelectric sensor, square body, red LED, diffuse, 2.5m, PNP, L-ON/D-ON selectable, 2m cable	59.70	668839	4548583746589		#	GD	U	IDN	8541.4090.00
E3K-DP11-C5M	Photoelectric sensor, square body, red LED, diffuse reflective, 2.5m, PNP, L-ON/D-ON selectable, 5m cable, E39-L40 bracket included	68.90	400808	4548583558106			GD	U	CHN	8541.4090.00
E3K-DP12 2M	Photoelectric sensor, square body, red LED, diffuse, 300mm, PNP, L-ON/D-ON selectable, 2m cable	61.75	668840	4548583746602			GD	U	IDN	8541.4090.00
E3K-DP13 2M	Photoelectric sensor, square body, IR LED, diffuse, 2.5m, PNP, L-ON/D-ON selectable, 2m cable	55.75	669198	4548583580862			GD	U	CHN	8541.4090.00
E3K-DP14 2M	Photoelectric sensor, square body, IR LED, diffuse, 300mm, PNP, L-ON/D-ON selectable, 2m cable	58.05	669195	4548583580886			GD	U	CHN	8541.4090.00

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Dataheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
E3JK-DR11 2M	Photoelectric sensor, square body, red LED, diffuse, 2.5m, AC/DC, relay, L-ON/D-ON selectable, 2m cable	70.00	668835	4548583746480	#		GD	U	IDN	8541.4090.00
E3JK-DR11 5M	Photoelectric sensor, square body, red LED, diffuse reflective, 2.5m, AC/DC, relay, L-ON/D-ON selectable, 5m cable	76.75	668828	4548583746497			GD	U	IDN	8541.4090.00
E3JK-DR12 2M	Photoelectric sensor, square body, red LED, diffuse, 300mm, AC/DC, relay, L-ON/D-ON selectable, 2m cable	66.70	668843	4548583746510	#		GD	U	IDN	8541.4090.00
E3JK-DR13 2M	Photoelectric sensor, square body, IR LED, diffuse, 2.5m, AC/DC, relay, L-ON/D-ON selectable, 2m cable	69.00	669192	4548583580763	#		GD	U	CHN	8541.4090.00
E3JK-DR15 2M	Photoelectric sensor, square body, IR LED, diffuse, 2.5m, AC/DC, relay, L-ON/D-ON selectable, 2m cable	73.25	669194	4548583580770	#		GD	U	CHN	8541.4090.00
E3JK-DR14 2M	Photoelectric sensor, square body, IR LED, diffuse, 300mm, AC/DC, relay, L-ON/D-ON selectable, 2m cable	63.40	669197	4548583580794	#		GD	U	CHN	8541.4090.00
E3JK-FN11 2M	Photoelectric sensor, square body, red LED, retro-reflective, non-polarized, 7m, NPN, L-ON/D-ON selectable, 2m cable	59.70	668832	4548583746640			GD	U	IDN	8541.4090.00
E3JK-FN12 2M	Photoelectric sensor, square body, red LED, retro-reflective, polarized, 6m, NPN, L-ON/D-ON selectable, 2m cable	59.70	668831	4548583746701			GD	U	IDN	8541.4090.00
E3JK-FN13 2M	Photoelectric sensor, square body, IR LED, retro-reflective, non-polarized, 7m, NPN, L-ON/D-ON selectable, 2m cable	55.75	669193	4548583581838			GD	U	CHN	8541.4090.00
E3JK-FP11 2M	Photoelectric sensor, square body, red LED, retro-reflective, non-polarized, 7m, PNP, L-ON/D-ON selectable, 2m cable	59.70	668833	4548583746664			GD	U	IDN	8541.4090.00
E3JK-FP12 2M	Photoelectric sensor, square body, red LED, retro-reflective, polarized, 6m, PNP, L-ON/D-ON selectable, 2m cable	59.70	668836	4548583746725	#		GD	U	IDN	8541.4090.00
E3JK-FP13 2M	Photoelectric sensor, square body, IR LED, retro-reflective, non-polarized, 7m, PNP, L-ON/D-ON selectable, 2m cable	55.75	669204	4548583581852			GD	U	CHN	8541.4090.00
E3JK-RR1 2M	Photoelectric sensor, square body, red LED, retro-reflective, non-polarized, 7m, AC/DC, relay, L-ON/D-ON selectable, 2m cable	64.70	668844	4548583746626	#		GD	U	IDN	8541.4090.00
E3JK-RR12 2M	Photoelectric sensor, square body, red LED, retro-reflective, polarized, 6m, AC/DC, relay, L-ON/D-ON selectable, 2m cable	64.70	668829	4548583746688	#		GD	U	IDN	8541.4090.00
E3JK-RR1 5M	Photoelectric sensor, square body, red LED, retro-reflective (polarized), 6m, AC/DC, Relay, 5 m cable	64.35	379009	4548583484023			GD	U	CHN	8541.4090.00
E3JK-RR13 2M	Photoelectric sensor, square body, IR LED, retro-reflective, non-polarized, 7m, AC/DC, relay, L-ON/D-ON selectable, 2m cable	60.00	669200	4548583581814			GD	U	CHN	8541.4090.00
E3JK-TN11 2M	Photoelectric sensor, square body, red LED, through-beam, 40m, NPN, L-ON/D-ON selectable, 2m cable	89.10	668842	4548583746404			GD	U	IDN	8541.4090.00
E3JK-TN13 2M	Photoelectric sensor, square body, IR LED, through-beam, 40m, NPN, L-ON/D-ON selectable, 2m cable	81.70	669191	4548583580688			GD	U	CHN	8541.4090.00
E3JK-TP11 2M	Photoelectric sensor, square body, red LED, through-beam, 40m, PNP, L-ON/D-ON selectable, 2m cable	89.10	668830	4548583746442			GD	U	IDN	8541.4090.00
E3JK-TP12 2M	Photoelectric sensor, square body, red LED, through-beam, 5m, PNP, L-ON/D-ON selectable, 2m cable	89.10	687737	4548583746466			GD	U	IDN	8541.4090.00
E3JK-TP13 2M	Photoelectric sensor, square body, IR LED, through-beam, 40m, NPN, L-ON/D-ON selectable, 2m cable	81.70	669201	4548583580725			GD	U	CHN	8541.4090.00
E3JK-TR1 1 2M	Photoelectric sensor, square body, red LED, through-beam, 40m, AC/DC, relay, L-ON/D-ON selectable, 2m cable	95.00	668838	4548583746343	#		GD	U	IDN	8541.4090.00
E3JK-TR1 1 5M	Photoelectric sensor, square body, red LED, through-beam, 40 m, AC/DC, relay, L-ON/D-ON selectable, 5 m cable	97.45	668841	4548583746350			GD	U	IDN	8541.4090.00
E3JK-TR12 2M	Photoelectric sensor, square body, red LED, through-beam, 5 m, AC/DC, relay, L-ON/D-ON selectable, 2m cable	95.00	668862	4548583746374			GD	U	IDN	8541.4090.00
E3JK-TR13 2M	Photoelectric sensor, square body, IR LED, through-beam, 40m, AC/DC, relay, L-ON/D-ON selectable, 2m cable	86.75	669196	4548583580626			GD	U	CHN	8541.4090.00
E3JK-TR13 5M	Photoelectric sensor, square body, IR LED, through-beam, 40m, AC/DC, relay, L-ON/D-ON selectable, 5m cable	93.35	669203	4548583580633			GD	U	CHN	8541.4090.00
E3JK-TR14 2M	Photoelectric sensor, square body, IR LED, through-beam, 5 m range, AC/DC, relay, L-ON/D-ON selectable, 2 m cable	110.40	679547	4548583580657			GD	U	CHN	8541.4090.00

**Photoelectric sensor EBSD**

E3S-DBN11 2M	Photoelectric sensor, rectangular shape, red LED, transparent object detection, SmartTeach, 4.5 m NPN, antivalent output, prewired 2 m	129.40	668055	4548583720961			GD	V	CHN	8541.4090.00
E3S-DBN11T 2M	Photoelectric sensor, rectangular shape, red LED, transparent object detection, multi-turn trimmer, 4.5 m NPN, antivalent output, prewired 2 m	114.90	668062	4548583721043			GD	V	CHN	8541.4090.00
E3S-DBN12 2M	Photoelectric sensor, rectangular shape, red LED, transparent object detection, narrow beam, SmartTeach, 0.7 m NPN, antivalent output, prewired 2 m	131.30	668067	4548583721005			GD	V	CHN	8541.4090.00
E3S-DBN12T 2M	Photoelectric sensor, rectangular shape, red LED, transparent object detection, narrow beam, multi-turn trimmer, 0.7m NPN, antivalent output, prewired 2m	116.70	668063	4548583721081			GD	V	CHN	8541.4090.00
E3S-DBN21	Photoelectric sensor, rectangular shape, red LED, transparent object detection, SmartTeach, 4.5 m, NPN, antivalent output, M12 connector	115.60	393258	4548583518339			GD	V	CHN	8541.4090.00
E3S-DBN21T	Photoelectric sensor, rectangular shape, red LED, transparent object detection, multi-turn trimmer, 4.5 m, NPN, antivalent output, M12 connector	106.10	393257	4548583518322			GD	V	CHN	8541.4090.00
E3S-DBN22	Photoelectric sensor, rectangular shape, red LED, transparent object detection, narrow beam, SmartTeach, 0.7 m, NPN, antivalent output, M12 connector	115.60	393260	4548583518353			GD	V	CHN	8541.4090.00
E3S-DBN22T	Photoelectric sensor, rectangular shape, red LED, transparent object detection, narrow beam, multi-turn trimmer, 0.7 m, NPN, antivalent output, M12 connector	109.60	393259	4548583518346			GD	V	CHN	8541.4090.00
E3S-DBN31	Photoelectric sensor, rectangular shape, red LED, transparent object detection, SmartTeach, 4.5 m, NPN, antivalent output, Pigtail connector M12	143.30	668065	4548583720985			GD	V	CHN	8541.4090.00
E3S-DBN31T	Photoelectric sensor, rectangular shape, red LED, transparent object detection, multi-turn trimmer, 4.5m NPN, antivalent output, Pigtail connector M12	128.90	668058	4548583721067			GD	V	CHN	8541.4090.00
E3S-DBN32	Photoelectric sensor, rectangular shape, red LED, transparent object detection, narrow beam, SmartTeach, 0.7m NPN, antivalent output, Pigtail connector M12	145.10	668056	4548583721029			GD	V	CHN	8541.4090.00
E3S-DBN32T	Photoelectric sensor, rectangular shape, red LED, transparent object detection, narrow beam, multi-turn trimmer, 0.7m NPN, antivalent output, Pigtail connector M12	127.60	668064	4548583721104			GD	V	CHN	8541.4090.00
E3S-DBP11 2M	Photoelectric sensor, rectangular shape, red LED, transparent object detection, SmartTeach, 4.5 m PNP, antivalent output, prewired 2 m	110.40	668061	4548583720978			GD	V	CHN	8541.4090.00
E3S-DBP11T 2M	Photoelectric sensor, rectangular shape, red LED, transparent object detection, multi-turn trimmer, 4.5 m PNP, antivalent output, prewired 2 m	114.90	668066	4548583721050			GD	V	CHN	8541.4090.00
E3S-DBP12 2M	Photoelectric sensor, rectangular shape, red LED, transparent object detection, narrow beam, SmartTeach, 0.7 m PNP, antivalent output, prewired 2 m	112.20	668054	4548583721012			GD	V	CHN	8541.4090.00
E3S-DBP12T 2M	Photoelectric sensor, rectangular shape, red LED, transparent object detection, narrow beam, multi-turn trimmer, 0.7 m PNP, antivalent output, prewired 2 m	116.70	668068	4548583721088			GD	V	CHN	8541.4090.00
E3S-DBP21	Photoelectric sensor, rectangular shape, red LED, transparent object detection, SmartTeach, 4.5m, PNP, antivalent output, M12 conn.	102.30	388939	4548583518292	#		GD	V	CHN	8541.4090.00
E3S-DBP21T	Photoelectric sensor, rectangular shape, red LED, transparent object detection, multi-turn trimmer, 4.5m, PNP, antivalent output, M12 conn.	91.00	388938	4548583518285			GD	V	CHN	8541.4090.00
E3S-DBP22	Photoelectric sensor, rectangular shape, red LED, transparent object detection, narrow beam, SmartTeach, 0.7m, PNP, antivalent output, M12 conn.	103.80	388941	4548583518315	#		GD	V	CHN	8541.4090.00
E3S-DBP22T	Photoelectric sensor, rectangular shape, red LED, transparent object detection, narrow beam, multi-turn trimmer, 0.7m, PNP, antivalent output, M12 conn.	95.60	388940	4548583518308			GD	V	CHN	8541.4090.00
E3S-DBP31	Photoelectric sensor, rectangular shape, red LED, transparent object detection, SmartTeach, 4.5 m PNP, antivalent output, Pigtail connector M12	121.20	668069	4548583720992			GD	V	CHN	8541.4090.00
E3S-DBP31T	Photoelectric sensor, rectangular shape, red LED, transparent object detection, multi-turn trimmer, 4.5 m PNP, antivalent output, Pigtail connector M12	125.90	668060	4548583721074			GD	V	CHN	8541.4090.00
E3S-DBP32	Photoelectric sensor, rectangular shape, red LED, transparent object detection, narrow beam, SmartTeach, 0.7m PNP, antivalent output, Pigtail connector M12	123.00	668059	4548583721036			GD	V	CHN	8541.4090.00
E3S-DBP32T	Photoelectric sensor, rectangular shape, red LED, transparent object detection, narrow beam, multi-turn trimmer, 0.7 m PNP, antivalent output, Pigtail connector M12	127.60	668057	4548583721111			GD	V	CHN	8541.4090.00
E3S-DCN21	Registration mark sensor, diffuse, rectangular shape, IP67, 10 +/- 3mm, 50µs response time, NPN, M12 connector	203.00	670883	4548583819047			GD	V	CHN	8541.4090.00
E3S-DCP21-I-L2	Registration mark sensor, diffuse, rectangular shape, IP67, 10 +/- 3mm, 50µs response time, Push-Pull, IO-Link V1.1 communication COM2 (36.4Kbps), M12 connector	240.70	670884	4548583819054			GD	V	CHN	8541.4090.00
E3S-DCP21-I-L3	Registration mark sensor, diffuse, rectangular shape, IP67, 10 +/- 3mm, 50µs response time, Push-Pull, IO-Link V1.1 communication COM3 (230.4Kbps), M12 connector	240.70	670885	4548583819061	#		GD	V	CHN	8541.4090.00

**Other photoelectric sensor**

E3S-GS3B4	Photoelectric sensor, slot, 30 mm, DC, 3-wire, PNP, 2 m cable	164.70	130258	4536853286194	#		GD	X	JPN	8541.4090.00
E3S-GS3B4 5M	Photoelectric sensor, slot, 30 mm, DC, 3-wire, PNP, 5 m cable	185.20	130268	4536853286514			GD	X	JPN	8541.4090.00
E3S-GS3E4	Photoelectric sensor, slot, 30 mm, DC, 3-wire, NPN, 2 m cable	146.80	130246	4536853285937	#		GD	X	JPN	8541.4090.00
E3S-LS10XB4	Photoelectric sensor, definite, 30 to 100 mm, DC, 3-wire, PNP, 2 m cable	186.30	130256	4536853286132			GD	X	JPN	8541.4090.00
E3S-LS10XE4	Photoelectric sensor, definite, 30 to 100 mm, DC, 3-wire, NPN, 2 m cable	186.30	130243	4536853285876			GD	X	JPN	8541.4090.00
E3S-LS20XB4	Photoelectric sensor, definite, 50 to 250 mm, DC, 3-wire, PNP, 2 m cable	186.30	130257	4536853286156			GD	X	JPN	8541.4090.00
E3S-LS20XB4 5M	Photoelectric sensor, definite, 50 to 250 mm, DC, 3-wire, PNP, 5 m cable	197.60	130266	4536853286477			GD	X	JPN	8541.4090.00
E3S-LS20XE4	Photoelectric sensor, definite, 50 to 250 mm, DC, 3-wire, NPN, 2 m cable	186.30	130244	4536853285890			GD	X	JPN	8541.4090.00
E3S-LS3N 2M	Photoelectric sensor, diffuse, 20-35mm, DC, 3-wire, NPN, vertical, 2m cable	64.00	150300	4536854586071			GD	X	JPN	8541.4090.00
E3S-LS3N 5M	Photoelectric sensor, diffuse, 10-60mm, DC, 3-wire, NPN, vertical, 2m cable	110.50	154808	4536854810060			GD	X	JPN	8541.4090.00
E3S-LS3NWT 2M	Photoelectric sensor, limited reflective, compact square, 10 to 60 mm range, NPN, red LED, timer function, 2 m cable	178.90	679474	4536854917356			GD	X	JPN	8541.4090.00
E3S-LS3P 2M	Photoelectric sensor, limited reflective, diffuse, wide beam for structured/shiny-irregularly objects, 20-35m, PNP, 2m cable	64.00	130313	4536854917301			GD	X	JPN	8541.4090.00
E3S-LS3PW 2M	Photoelectric sensor, limited reflective, diffuse, wide beam for structured/shiny-irregularly objects, 10-60mm, PNP, 2m cable	119.50	130314	4536854917318			GD	X	JPN	8541.4090.00
E3S-LS3PW-M3.0 3M	Photoelectric sensor, limited reflective, compact square, 10 to 60mm range, PNP, red LED, M8-4pin pig-tail connector	93.05	130317	4536854917387			GD	X	JPN	8541.4090.00
E3S-LS3PW 2M	Photoelectric sensor, limited reflective, compact square, 10 to 60mm range, PNP, red LED, timer function, 2m cable	113.10	130316	4536854917332			GD	X	JPN	8541.4090.00
E3S-RS30B42-30	Photoelectric sensor, retroreflective, 300 mm, DC, 3-wire, PNP, vertical, 2 m cable	320.00	130213	4536853287924			GD	X	JPN	8541.4090.00
E3S-RS30B4-30	Photoelectric sensor, retroreflective, 300 mm, DC, 3-wire, PNP, horizontal, 2 m cable	323.00	130211	4536853287900			GD	X	JPN	8541.4090.00

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Data sheet)	GTIN	Stock Qty.	Gr.	Fam	COO	Tariff Code
E3H2-DS10B4M 2M	Photoelectric sensor M12 brass housing, diffuse, 100mm fixed, PNP, 2m cable	73.65	323686	4547648873017		GD	X	ITA	8541.4090.00
E3H2-DS10B4M-M1	Photoelectric sensor M12 brass housing, diffuse, 100mm fixed, PNP, Photoelectric sensor M12 4-pin connection	84.50	323687	4547648873024		GD	X	ITA	8541.4090.00
E3H2-DS30B4M 2M	Photoelectric sensor M12 brass housing, diffuse, 100mm fixed, NPN, 2m cable	79.90	323688	4547648873031		GD	X	ITA	8541.4090.00
E3H2-DS30B4M-M1	Photoelectric sensor M12 brass housing, diffuse, 300mm teachable, PNP, 2m cable	130.90	323689	4547648872973		GD	X	ITA	8541.4090.00
E3H2-DS30C4M 2M	Photoelectric sensor M12 brass housing, diffuse, 300mm teachable, PNP, Photoelectric sensor M12 4-pin connection	85.70	323683	4547648872980	#	GD	X	ITA	8541.4090.00
E3H2-DS30C4M-M1	Photoelectric sensor M12 brass housing, diffuse, 300mm teachable, NPN, 2m cable	130.90	323684	4547648872997		GD	X	ITA	8541.4090.00
E3H2-R2B4M 2M	Photoelectric sensor M12 brass housing, diffuse, 300mm teachable, NPN, Photoelectric sensor M12 4-pin connection	86.45	323685	4547648873000		GD	X	ITA	8541.4090.00
E3H2-R2B4M-M1	Photoelectric sensor M12 brass housing, retro-reflective with M.S.R., 2m teachable, PNP, 2m cable	89.45	323678	4547648872935		GD	X	ITA	8541.4090.00
E3H2-R2C4M-M1	Photoelectric sensor M12 brass housing, retro-reflective with M.S.R., 2m teachable, PNP, Photoelectric sensor M12 4-pin connection	91.10	323679	4547648872942		GD	X	ITA	8541.4090.00
E3H2-T2B1S2M	Photoelectric sensor M12 brass housing, retro-reflective with M.S.R. 2m teachable, NPN, Photoelectric sensor M12 4-pin connection	103.00	323681	4547648872966		GD	X	ITA	8541.4090.00
E3H2-T2B1S2M5	M8 SUS housing, through-beam, 2m, light-on, PNP, 2m cable	171.00	323691	4547648873062		GD	X	ITA	8541.4090.00
E3H2-T2B2S2M	M8 SUS housing, through-beam, 2m, light-on, PNP, M8 3-pin connector	205.70	323693	4547648873086		GD	X	ITA	8541.4090.00
E3H2-T2B2S2M5	M8 SUS housing, through-beam, 2m, dark-on, PNP, 2m cable	171.00	323690	4547648873055		GD	X	ITA	8541.4090.00
E3H2-T2C1S2M	M8 SUS housing, through-beam, 2m, dark-on, PNP, M8 3-pin connector	205.70	323692	4547648873079		GD	X	ITA	8541.4090.00
E3H2-T4B4M 2M	M8 SUS housing, through-beam 2 m, light-on, NPN, 2 m cable	205.00	323695	4547648873109		GD	X	ITA	8541.4090.00
E3H2-T4B4M-M1	Photoelectric sensor M12 brass housing, through-beam, 4m adjustable, PNP, 2m cable	123.90	323674	4547648872898		GD	X	ITA	8541.4090.00
E3H2-T4C4M 2M	Photoelectric sensor M12 brass housing, through-beam, 4m adjustable, PNP, Photoelectric sensor M12 4-pin connection	165.60	323675	4547648872904	#	GD	X	ITA	8541.4090.00
E3H2-T4C4M-M1	Photoelectric sensor M12 brass housing, through-beam 4m adjustable, NPN, 2m cable	135.50	323676	4547648872911		GD	X	ITA	8541.4090.00
E3H2-T4C4M-M1	Photoelectric sensor M12 brass housing, through-beam 4m adjustable, NPN, Photoelectric sensor M12 4-pin connection	165.60	323677	4547648872928		GD	X	ITA	8541.4090.00
F3E2-005-150	Light curtain, 5mm resolution, 150mm height, NPN/PNP output	1,032.00	365856	4548583326828		GD	X	ITA	8536.5019.90
F3E2-005-1500	Light curtain, 5mm resolution, 1500mm height, NPN/PNP output	5,760.00	365868	4548583326941		GD	X	ITA	8536.5019.90
F3E2-005-300	Light curtain, 5mm resolution, 300mm height, NPN/PNP output	1,551.00	365858	4548583326842		GD	X	ITA	8536.5019.90
F3E2-005-450	Light curtain, 5mm resolution, 450mm height, NPN/PNP output	2,073.00	365860	4548583326866		GD	X	ITA	8536.5019.90
F3E2-005-600	Light curtain, 5mm resolution, 600mm height, NPN/PNP output	2,588.00	365862	4548583326880		GD	X	ITA	8536.5019.90
F3E2-005-900	Light curtain, 5mm resolution, 900mm height, NPN/PNP output	3,637.00	365864	4548583326903		GD	X	ITA	8536.5019.90
F3E2-018-1200	Light curtain, 18mm resolution, 1200mm height, NPN/PNP output	2,036.00	365867	4548583326934		GD	X	ITA	8536.5019.90
F3E2-018-150	Light curtain, 18mm resolution, 150mm height, NPN/PNP output	688.50	365857	4548583326835		GD	X	ITA	8536.5019.90
F3E2-018-1500	Light curtain, 18mm resolution, 1500mm height, NPN/PNP output	2,701.00	365869	4548583326958		GD	X	ITA	8536.5019.90
F3E2-018-2100	Light curtain, 18mm resolution, 2100mm height, NPN/PNP output	3,036.00	365872	4548583326989		GD	X	ITA	8536.5019.90
F3E2-018-300	Light curtain, 18mm resolution, 300mm height, NPN/PNP output	864.00	365859	4548583326859		GD	X	ITA	8536.5019.90
F3E2-018-450	Light curtain, 18mm resolution, 450mm height, NPN/PNP output	1,042.00	365861	4548583326873		GD	X	ITA	8536.5019.90
F3E2-018-600	Light curtain, 18mm resolution, 600mm height, NPN/PNP output	1,221.00	365863	4548583326897		GD	X	ITA	8536.5019.90
F3E2-018-900	Light curtain, 18mm resolution, 900mm height, NPN/PNP output	1,572.00	365865	4548583326910		GD	X	ITA	8536.5019.90
F3E2-005-1200	Measuring light curtain, 5mm resolution, 1200mm height, RS-232 output	4,754.00	365900	4548583327269		GD	X	ITA	8536.5019.90
F3E2-005-1200-485	Measuring light curtain, 5mm resolution, 1200mm height, analog output	4,754.00	655776	4548583741362		GD	X	ITA	8536.5019.90
F3E2-005-1200-AV	Measuring light curtain, 5mm resolution, 1200mm height, analog output	4,683.00	365890	4548583327092		GD	X	ITA	8536.5019.90
F3E2-005-150	Measuring light curtain, 5mm resolution, 150mm height, RS-232 output	1,106.00	365890	4548583327160		GD	X	ITA	8536.5019.90
F3E2-005-1500	Measuring light curtain, 5mm resolution, 1500mm height, RS-232 output	5,805.00	365902	4548583327283		GD	X	ITA	8536.5019.90
F3E2-005-1500-485	Measuring light curtain, 1500mm, 5mm beam pitch, 24VDC, RS485 output	5,805.00	377419	4548583442825		GD	X	ITA	8536.5019.90
F3E2-005-1500-AV	Measuring light curtain, 5mm resolution, 1500mm height, analog output	5,735.00	365885	4548583327115		GD	X	ITA	8536.5019.90
F3E2-005-150-485	Measuring light curtain, 150mm, 5mm beam pitch, 24VDC, RS485 output	1,106.00	382871	4548583514683		GD	X	ITA	8536.5019.90
F3E2-005-150-AV	Measuring light curtain, 5mm resolution, 150mm height, analog output	1,032.00	365873	4548583326996		GD	X	ITA	8536.5019.90
F3E2-005-1800	Measuring light curtain, 5mm resolution, 1800mm height, RS-232 output	6,855.00	365904	4548583327306		GD	X	ITA	8536.5019.90
F3E2-005-1800-485	Measuring light curtain, 1800mm, 5mm beam pitch, 24VDC, RS485 output	6,855.00	378712	4548583488083		GD	X	ITA	8536.5019.90
F3E2-005-1800-AV	Measuring light curtain, 5mm resolution, 1800mm height, analog output	6,780.00	365887	4548583327139		GD	X	ITA	8536.5019.90
F3E2-005-300	Measuring light curtain, 5mm resolution, 300mm height, RS-232 output	1,625.00	365892	4548583327184		GD	X	ITA	8536.5019.90
F3E2-005-300-485	Measuring light curtain, 5mm resolution, 300mm height, RS485 serial output	1,625.00	658958	4548583746886		GD	X	ITA	8536.5019.90
F3E2-005-300-AV	Measuring light curtain, 5mm resolution, 300mm height, analog output	1,551.00	365875	4548583327016		GD	X	ITA	8536.5019.90
F3E2-005-450	Measuring light curtain, 5mm resolution, 450mm height, RS-232 output	2,145.00	365894	4548583327207		GD	X	ITA	8536.5019.90
F3E2-005-450-AV	Measuring light curtain, 5mm resolution, 450mm height, analog output	2,073.00	365877	4548583327030		GD	X	ITA	8536.5019.90
F3E2-005-600	Measuring light curtain, 5mm resolution, 600mm height, RS-232 output	2,655.00	365896	4548583327221		GD	X	ITA	8536.5019.90
F3E2-005-600-485	Measuring light curtain, 600mm, 5mm beam pitch, 24VDC, RS485 output	2,655.00	375981	4548583433007		GD	X	ITA	8536.5019.90
F3E2-005-600-AV	Measuring light curtain, 5mm resolution, 600mm height, analog output	2,588.00	365879	4548583327054		GD	X	ITA	8536.5019.90
F3E2-005-900	Measuring light curtain, 5mm resolution, 900mm height, RS-232 output	3,709.00	365898	4548583327245		GD	X	ITA	8536.5019.90
F3E2-005-900-485	Measuring light curtain, 900mm, 5mm beam pitch, 24VDC, RS485 output	3,709.00	378711	4548583488076		GD	X	ITA	8536.5019.90
F3E2-005-900-AV	Measuring light curtain, 5mm resolution, 900mm height, analog output	3,637.00	365881	4548583327078		GD	X	ITA	8536.5019.90
F3E2-018-1050-485	Measuring light curtain, 1000mm, 18mm beam pitch, 24VDC, RS485 output	1,826.00	377982	4548583466258		GD	X	ITA	8536.5019.90
F3E2-018-1200	Measuring light curtain, 18mm resolution, 1200mm height, RS-232 output	2,007.00	365901	4548583327276		GD	X	ITA	8536.5019.90
F3E2-018-1200-485	Measuring light curtain, 1200 mm, 18 mm beam pitch, 24VDC, RS485 output	2,007.00	373045	4548583373037		GD	X	ITA	8536.5019.90
F3E2-018-1200-AV	Measuring light curtain, 18mm resolution, 1200mm height, analog output	1,935.00	365884	4548583327108		GD	X	ITA	8536.5019.90
F3E2-018-150	Measuring light curtain, 18mm resolution, 150mm height, RS-232 output	762.00	365891	4548583327177		GD	X	ITA	8536.5019.90
F3E2-018-1500	Measuring light curtain, 18mm resolution, 1500mm height, RS-232 output	2,390.00	365903	4548583327290		GD	X	ITA	8536.5019.90
F3E2-018-1500-485	Measuring light curtain, 1500mm, 18mm beam pitch, 24VDC, RS485 output	2,390.00	379010	4548583491519		GD	X	ITA	8536.5019.90
F3E2-018-1500-AV	Measuring light curtain, 18mm resolution, 1500mm height, analog output	2,312.00	365886	4548583327122		GD	X	ITA	8536.5019.90
F3E2-018-150-AV	Measuring light curtain, 18mm resolution, 150mm height, analog output	688.50	365874	4548583327009		GD	X	ITA	8536.5019.90
F3E2-018-1650-485	https://industrial.omron.com.tr/tr/products/13em2	2,568.00	370898	4548583351233		GD	X	ITA	8536.5019.90
F3E2-018-1650-AV	Measuring light curtain with analog output; Measurement range: 1650mm; Pitch: 18mm; No of channels: 88 ;Sensing distance: 15m	2,494.00	373187	4548583379565		GD	X	ITA	8536.5019.90
F3E2-018-1800	Measuring light curtain, 18mm resolution, 1800mm height, RS-232 output	2,749.00	365905	4548583327313		GD	X	ITA	8536.5019.90
F3E2-018-1800-485	Measuring light curtain, 1800mm, 18mm beam pitch, 24VDC, RS485 output	2,747.00	377763	4548583452084		GD	X	ITA	8536.5019.90
F3E2-018-1800-AV	Measuring light curtain, 18mm resolution, 1800mm height, analog output	2,671.00	365898	4548583327146		GD	X	ITA	8536.5019.90
F3E2-018-1950-485	Measuring light curtain, 1950mm, 18mm beam pitch, 24VDC, RS485 output	2,922.00	377983	4548583466265		GD	X	ITA	8536.5019.90
F3E2-018-2100	Measuring light curtain, 18mm resolution, 2100mm height, RS-232 output	3,112.00	365906	4548583327320		GD	X	ITA	8536.5019.90
F3E2-018-2100-485	Measuring light curtain with serial communication (RS485); Measurement range: 2100 mm ;Pitch: 18 mm ;No of channels: 112 ;Sensing distance: 15 m	3,112.00	373493	4548583386617		GD	X	ITA	8536.5019.90
F3E2-018-2100-AV	Measuring light curtain, 18mm resolution, 2100mm height, analog output	3,036.00	365899	4548583327153		GD	X	ITA	8536.5019.90
F3E2-018-2250	Measuring light curtain, 2250mm, 18mm beam pitch, 24VDC, RS232 output	3,328.00	394168	4548583570337		GD	X	ITA	8536.5019.90

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Data sheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
F3EM2-018-2250-485	Measuring light curtain, 2250mm, 18mm beam pitch, 24VDC, RS-485 output	3,328.00	377166	4548583438323			GD	X	ITA	8536.5019.90
F3EM2-018-2250-AV	Measuring light curtain, 2250mm, 18mm beam pitch, 24VDC, analog output	3,258.00	377984	4548583466272			GD	X	ITA	8536.5019.90
F3EM2-018-2400-485	Measuring light curtain, 2400mm, 18mm beam pitch, 24VDC, RS-485 output	3,522.00	375758	4548583425576			GD	X	ITA	8536.5019.90
F3EM2-018-2550-485	Measuring light curtain, 2550mm, 18mm beam pitch, 24VDC, RS-485 output	3,603.00	375786	4548583430051			GD	X	ITA	8536.5019.90
F3EM2-018-2700-485	Measuring light curtain, 2700mm, 18mm beam pitch, 24VDC, RS-485 output	3,889.00	377418	4548583442818			GD	X	ITA	8536.5019.90
F3EM2-018-300	Measuring light curtain, 18mm resolution, 300mm height, RS-232 output	938.50	365893	4548583327191			GD	X	ITA	8536.5019.90
F3EM2-018-3000-485	Measuring light curtain, 3000mm, 18mm beam pitch, 24VDC, RS-485 output	4,299.00	378212	4548583434172			GD	X	ITA	8536.5019.90
F3EM2-018-3000-485	Measuring light curtain, 3000mm, 18mm beam pitch, 24VDC, RS-485 output	938.50	380815	4548583498709			GD	X	ITA	8536.5019.90
F3EM2-018-3000-AV	Measuring light curtain, 18mm resolution, 300mm height, analog output	864.00	365876	4548583327023			GD	X	ITA	8536.5019.90
F3EM2-018-3150	Measuring light curtain, 3150mm, 18mm beam pitch, 24VDC, RS-232 output	4,469.00	393873	4548583569218			GD	X	ITA	8536.5019.90
F3EM2-018-3300-485	Measuring light curtain, 3300mm, 18mm beam pitch, 24VDC, RS-485 output	4,609.00	392211	4548583532925			GD	X	ITA	8536.5019.90
F3EM2-018-3600-485	Measuring light curtain, 3600mm, 18mm beam pitch, 24VDC, RS-485 output	4,980.00	377765	4548583452107			GD	X	ITA	8536.5019.90
F3EM2-018-450	Measuring light curtain, 18mm resolution, 450mm height, RS-232 output	1,116.00	365895	4548583327214			GD	X	ITA	8536.5019.90
F3EM2-018-450-485	Measuring light curtain, 450mm, 18mm beam pitch, 24VDC, RS-485 output	1,116.00	377764	4548583452091			GD	X	ITA	8536.5019.90
F3EM2-018-450-AV	Measuring light curtain, 18mm resolution, 450mm height, analog output	1,042.00	365878	4548583327047			GD	X	ITA	8536.5019.90
F3EM2-018-600	Measuring light curtain, 18mm resolution, 600mm height, RS-232 output	1,294.00	365897	4548583327238			GD	X	ITA	8536.5019.90
F3EM2-018-600-485	Measuring light curtain, 600mm, 18mm beam pitch, 24VDC, RS-485 output	1,293.00	384311	4548583517202			GD	X	ITA	8536.5019.90
F3EM2-018-600-AV	Measuring light curtain, 18mm resolution, 600mm height, analog output	1,221.00	365880	4548583327061			GD	X	ITA	8536.5019.90
F3EM2-018-750-AV	Measuring light curtain, 18mm resolution, 750mm height, analog output	1,417.00	415326	4548583720848			GD	X	ITA	8536.5019.90
F3EM2-018-900	Measuring light curtain, 18mm resolution, 900mm height, RS-232 output	1,643.00	365899	4548583327252			GD	X	ITA	8536.5019.90
F3EM2-018-900-485	Measuring light curtain with RS485; Measurement range: 900mm; Pitch: 18mm; No of channels: 48; Sensing distance: 15m	1,643.00	382528	4548583503854			GD	X	ITA	8536.5019.90
F3EM2-018-900-AV	Measuring light curtain, 18mm resolution, 900mm height, analog output	1,572.00	365882	4548583327085			GD	X	ITA	8536.5019.90
EUJ-GLU1	Label sensor, ultrasonic type, 3 mm slot, all label detection, NPN/PNP, M12 connector	1,445.00	365351	4547648936293			GD	X	USA	8422.9090.00
EE-SA401-P12 MID-1	Photo micro sensor	5.44	127869	4536854886591		80	GD	X	CHN	8536.5019.90
EE-SB5	Photomicrosensor	4.92	144368	4536853231941		50	GD	X	JPN	8536.5019.90
EE-SF5	Photomicro sensor	4.38	127878	4536853232054		##	GD	X	JPN	8536.5019.90
EE-SG3	Photo micro sensor	3.68	127788	4536853232382		50	GD	X	JPN	8536.5019.90
EE-SV3	Photomicrosensor (without amplifier)	4.29	127760	4536853234263		##	GD	X	JPN	8536.5019.90
EE-SX1041	Photomicro sensor	1.95	157667	4536853235932		##	GD	X	JPN	8536.5019.90
EE-SX1042	Photo micro sensor	2.12	127697	4536853235789		##	GD	X	JPN	8536.5019.90
EE-SX1070	Photo micro sensor	2.32	127716	4536853236540		##	GD	X	JPN	8536.5019.90
EE-SX1071	Photo micro sensor	2.13	127710	4536853236403		##	GD	X	JPN	8536.5019.90
EE-SX1081	Photomicro sensor	2.37	154266	4536853236991		##	GD	X	JPN	8536.5019.90
EE-SX1106	Photoelectric sensor EE-SX miniature fork	1.43	382741	4548583420809		##	GD	X	CHN	8536.5019.90
EE-SX4009-P10	Photo micro sensor	4.97	192137	4536854793202		50	GD	X	CHN	8536.5019.90
EE-SX460-P1	Photomicrosensor	4.22	127606	4536854450297		50	GD	X	JPN	8536.5019.90
EE-SY113	Photo micro sensor	3.47	156474	4536853238971		##	GD	X	CHN	8536.5019.90
<b>Accessory for photoelectric sensor</b>										
E3X-CN21-M3J2 0.3M	Accessory fiber amplifier, system connector for master amplifier, optical M8 4-pin connector, 0.3m cable	36.51	238254	4547648454308			GD	Z	DEU	8541.9000.00
E39-F9	Fine fiber attachment for E3X amplifiers	5.97	146998	4536853297251		##	GD	Z	JPN	8541.9000.00
E39-L143	Sensor mounting Bracket, for E3X-NA, E3C-LDA, E2C-EDA	8.52	130028	4536854537578			GD	Z	JPN	8541.9000.00
E39-EF1-37	Lens attachment for E32-T61-S and E32-T51, stainless steel 1.4305	90.80	656867	4548583738027			GD	Z	NLD	8541.9000.00
E39-EF1-37-90-HT	Side-view attachment for E39-EF1-37 and E39-EF1-37-Z, high temperature -20 - 350°C, stainless steel 1.4404	203.00	656851	4548583738041			GD	Z	NLD	8541.4090.00
E39-F1	Long-distance lens unit for E32 through-beam fibers with M2.6 thread	46.36	323182	4547648667876		##	GD	Z	CHN	8541.4090.00
E39-F16	Long-distance lens unit for E32 through-beam fibers	265.60	305600	4547648266178			GD	Z	JPN	8541.4090.00
E39-F17	Fibre lens unit	261.90	305602	4547648736565			GD	Z	CHN	8541.4090.00
E39-F18	Focal lens for E32-CC200 / E32-C11N, 50mm range	194.30	305601	4547648651134			GD	Z	CHN	8541.4090.00
E39-F2	Focal lens, side view unit for E32 through-beam optical fibers	75.00	323183	4547648667883			GD	Z	CHN	8541.4090.00
E39-F3	Through-Beam Type, Limited Distance Lens Unit, Heat Resistance 200 °C	139.20	131350	4536853297152			GD	Z	JPN	8541.9000.00
E39-F3A	Small spot lens unit for E32-D32 optical fiber	108.40	323185	4547648667937			GD	Z	CHN	8541.4090.00
E39-F3A-5	Focus lens for E32-EC41 fiber sensor head, 7mm focus length, 0.1mm spot	86.75	323188	4547648667968			GD	Z	CHN	8541.4090.00
E39-F3B	Focus lens for E32-EC31 fiber sensor head, 17mm focus length, 0.5mm spot	89.75	323189	4547648667975			GD	Z	CHN	8541.4090.00
E39-F3C	Focus lens for E32-EC31 fibre sensor head, 20mm focus length, 4mm spot	210.00	323190	4547648667982			GD	Z	CHN	8541.4090.00
E39-F3R	Lens unit for E32-EC31 optical fibre, M3	312.70	357076	4547648550864			GD	Z	JPN	8541.9000.00
E39-F10	Connector for E32 optical fiber cable	11.33	155530	4536853297268			GD	Z	JPN	8541.9000.00
E39-F32A 1M	Spiral protective tube for E32, M3, diffuse, optical fibers, 1m	41.65	131355	4536853297367			GD	Z	JPN	8541.9000.00
E39-F32C 1M	Spiral protective tube for E32, M4, through-beam, optical fibers, 1m	57.05	106026	4536853297381			GD	Z	JPN	8541.9000.00
E39-F32C5 0.5M	Spiral protective tube for E32, M4, through-beam, optical fibers, 0.5m	55.75	131359	4536853297442			GD	Z	JPN	8541.9000.00
E39-F32D 1M	Spiral protective tube for E32, M6, diffuse, optical fibers, 1m	39.02	131357	4536853297398			GD	Z	JPN	8541.9000.00
E39-F32D5 0.5M	Spiral protective tube for E32, M6, diffuse, optical fibers, 0.5m	31.31	144836	4536853297459			GD	Z	JPN	8541.9000.00
E39-F4	Cutter for all E32 optical fibers	3.62	131351	4536853297169			GD	Z	JPN	8541.9000.00
EE-1001	Accessory Connector for Photomicrosensors, 4-pin, solder terminals	1.70	379735	4548583379572		##	GD	Z	CHN	8544.4290.90
EE-1001-1	Connector for Photomicrosensors, 4-pin, solder terminals, bridge between L and +	3.62	379736	4548583379589		##	GD	Z	CHN	8541.4090.00
EE-1002	Photomicrosensor connector	1.56	142712	4536853290739		10	GD	Z	JPN	8541.4090.00
EE-1003	Accessory Photomicro sensor connector	3.30	154591	4536854886485		50	GD	Z	JPN	8541.4090.00
EE-1003A	Mounting clip for EE-1003 connector	1.56	157519	4536853230753		##	GD	Z	JPN	8541.4090.00
EE-1006 1M	Accessory Photomicro sensor connector with cable 1 m	3.49	158029	4536854831942		50	GD	Z	CHN	8541.4090.00
EE-1006 2M	Accessory Photomicro sensor connector with cable 2 m	4.82	149189	4536854831935		##	GD	Z	CHN	8541.4090.00

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Dahaset)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
EE-1006 3M	Accessory Photomicro sensor connector with cable 3m	5.15	127851	4536854831959			GD	Z	CHN	8544.4290.90
EE-1006A	Mounting clip for EE-1006 connector	2.95	127845	4536853230845		##	GD	Z	JPN	8544.4290.90
EE-1006D	Accessory Connector for Photomicrosensor, 3-wire, cable 2m	4.68	127853	4536854831973			GD	Z	CHN	8541.4090.00
EE-1006L	Accessory connector for photomicro sensor, 2-wire, cable 2 m	4.38	127852	4536854831966			GD	Z	CHN	8541.4090.00
EE-1010 1M	Accessory Photomicrosensor EE-SPX 03, cable connector, PVC, 1 m	5.24	688839	4536853231064			GD	Z	CHN	8544.4290.90
EE-1010 2M	Accessory Photomicro sensor EE-SPX 03, cable connector, PVC, 2m	5.58	127848	4536853231057		#	GD	Z	CHN	8541.4090.00
EE-1010-R2M	Accessory photomicro sensor EE-SPX 03, cable connector, robotic PVC, 2 m	15.76	127849	4536853231071			GD	Z	CHN	8541.4090.00
EE-1013 1M	Photo micro sensor	4.19	127850	4536854537363			GD	Z	JPN	8541.4090.00
EE-1016-R2M	Photo micro sensor	7.70	225449	4547648223911	20		GD	Z	CHN	8541.4090.00
EE-2001	Accessory Photomicro sensor EE-SPX3/4/01, EE-SPY3/4/0 1, EE-SPZ3/4/01-A, NPN/ PNP converter and cable connector EE-1002, 0.5m	18.97	149279	4536853230951			GD	Z	JPN	8541.4090.00
EE-2002	Accessory Photomicro sensor EE-SPX 03, NPN/ PNP converter and cable connector, 0.5 m	18.61	127846	4536853230944	20		GD	Z	JPN	8541.4090.00
E39-R1	Accessory photosensor, reflector, 40 x 60 x 7.5 mm, ABS & Acrylic	13.75	358211	4548583065079		##	GD	Z	CHN	8541.9000.00
E39-R10	Accessory photosensor, reflector, 52x62x8 mm, ABS & Acrylic	15.36	131424	4536854515217			GD	Z	JPN	8541.9000.00
E39-R1K	Accessory photosensor, reflector, 40x60x7.5 mm, ABS & Acrylic, anti-fogging coating	33.15	372980	4548583128873	15		GD	Z	CHN	8541.9000.00
E39-R1R	Reflector, oil-resistant, 106 x 65.4 x 11.55 mm	97.00	674914	4548583870949			GD	Z	CHN	8541.4090.00
E39-R1S	Accessory photosensor, reflector, 40x60x7.5 mm, ABS & Acrylic	7.68	372803	4548583128910		#	GD	Z	CHN	8541.9000.00
E39-R2	Accessory photosensor, reflector, 80.8x60x7.5 mm, ABS & Acrylic	18.61	372981	4548583128859		##	GD	Z	CHN	8541.9000.00
E39-R21	Accessory photoelectric sensors, reflector, microtriple 30x35mm	17.58	386286	4548583489325		#	GD	Z	JPN	8541.9000.00
E39-R3	Accessory photosensor, reflector, 42x22mm	21.02	131460	4536853295950			GD	Z	JPN	8541.9000.00
E39-R37-CA	Sensor reflector, high precision type, 14mm x 23mm	9.69	249845	4547648595193			GD	Z	JPN	8541.9000.00
E39-R4	Accessory photosensor, reflector, 23x14mm	21.42	131468	4536853296193			GD	Z	JPN	8541.9000.00
E39-R40	Accessory photosensor, reflector, 84.5 x 84.5 x 8.7 mm, ABS & Acrylic	17.66	356162	4547648923460		##	GD	Z	DEU	8541.4090.00
E39-R42	Reflector 51x60 mm	2.31	699561	4549734893008		#	GD	Z	DEU	8541.9000.00
E39-R47	Reflector, heat resistant 450°C, 95 x 51 x 8 mm	160.00	356166	4547648923507			GD	Z	DEU	8541.4090.00
E39-R49	Sensor reflector, snap fitting, 30mm dia	7.19	356167	4547648923514			GD	Z	DEU	8541.4090.00
E39-R50	Reflector, 40x60mm, IP69K detergent resistant	33.15	699563	4549734893022			GD	Z	DEU	8541.9000.00
E39-R51	Reflector, 20x60 mm, IP69K detergent resistant	20.24	699564	4549734893039			GD	Z	DEU	8541.9000.00
E39-R6	Reflector, 52x40mm, micro-triple surface	9.39	356168	4547648923521			GD	Z	DEU	8541.4090.00
E39-R7	Sensor reflector, round, 84mm dia	7.68	356169	4547648923538		#	GD	Z	DEU	8541.4090.00
E39-R8	Reflector 100x100mm	14.20	356170	4547648923545		#	GD	Z	DEU	8541.4090.00
E39-R9	Reflector 35x42 mm	13.75	154931	4536854515200			GD	Z	JPN	8541.9000.00
E39-RP1	Reflector, polarizing, to use with E3ZM-B, 44mm x 64mm	20.31	235857	4547648395526			GD	Z	JPN	8541.9000.00
E39-RP37	Reflective foil including mounting plate, active size: 10.2 x 8.2 mm	21.82	357075	4547648736497			GD	Z	JPN	8541.9000.00
E39-RS1	Reflective tape, self adhesive, 35 x 10 mm	8.07	131412	4536854386329			GD	Z	JPN	8541.9000.00
E39-RS1-CA	Accessory photoelectric sensor, reflective tape, self-adhesive, 10x35mm, optimised for E3T-SF4	9.85	249846	4547648595216			GD	Z	JPN	8541.9000.00
E39-RS2	Accessory photoelectric sensor, reflective tape, 40 x 35 x 0.6, self adhesive	13.35	145484	4536854386336			GD	Z	JPN	8541.9000.00
E39-RS25 22.8M	Accessory photoelectric sensor, reflective tape, 25 mm x 22.8 m	232.60	356171	4547648923552			GD	Z	USA	9001.2000.00
E39-RS25 5M	Accessory photoelectric sensor, reflective tape, 25 mm x 5 m	94.00	356172	4547648923569			GD	Z	DEU	9001.2000.00
E39-RS2-CA	Reflective tape, self adhesive, 35mm x 40mm, optimised for E3T-SF4	16.18	249847	4547648595223			GD	Z	JPN	8541.9000.00
E39-RS3	Reflective tape, self-adhesive, 70x80mm	26.28	131413	4536854386343			GD	Z	JPN	8541.9000.00
E39-RS3-CA	Reflective tape, self-adhesive, 70x80mm, optimised for E3T-SF4	25.02	249848	4547648595230			GD	Z	JPN	8541.9000.00
E39-RS50 1M	Accessory photoelectric sensor, reflective tape, 50 mm x 1 m	29.90	357623	4547648926843			GD	Z	DEU	8541.9000.00
E39-RS50 22.8M	Accessory photoelectric sensor, reflective tape, 50mm x 22.8m	464.20	356173	4547648923576			GD	Z	USA	9001.2000.00
E39-RS50 5M	Accessory photoelectric sensor, reflective tape, 50 mm x 5 m	193.10	356174	4547648923583			GD	Z	DEU	9001.2000.00
E39-RSA	Reflector (tape type), 35x10mm	10.15	157697	4536853295967			GD	Z	JPN	8541.9000.00
E39-RSP1	Sensor reflector, high precision type, 12 mm x 50 mm	43.34	352333	4547648532099			GD	Z	JPN	8541.9000.00
E39-L103	Mounting Bracket for E3S	10.91	148722	4536853296728			GD	Z	JPN	8541.9000.00
E39-L104	Mounting bracket for E3Z sensor, standard, vertical mounting	5.78	131393	4536853296643			GD	Z	JPN	8541.9000.00
E39-L117	Mounting bracket for E3T-S* sensor, rear mounting	7.28	103300	4536853296810			GD	Z	JPN	8541.9000.00
E39-L142	Mounting Bracket, protective side wall (for E3Z)	9.31	155635	4536854552557			GD	Z	JPN	8541.9000.00
E39-L144	Sensor mounting Bracket, Protective bracket for E3Z pre-wired	12.11	354104	4548583009004		50	GD	Z	CHN	8541.4090.00
E39-L150	Sensor mounting Bracket for E3Z, 100mm high post	46.46	131426	4536854806674			GD	Z	JPN	8541.9000.00
E39-L151	Sensor mounting Bracket, for E3Z, 200mm high post	23.83	142623	4536854806691			GD	Z	JPN	8541.9000.00
E39-L153	Mounting bracket for E3Z sensor, L shape, for prewired	5.34	131427	4536854817274			GD	Z	JPN	8541.9000.00
E39-L166	Mounting Bracket, for Side-View Shape	9.75	351539	4548583011182			GD	Z	JPN	8541.9000.00
E39-L182	E3FA/R flush mounting bracket	6.32	370092	454858328075			GD	Z	CHN	8541.9000.00
E39-L183	M18 L-type mounting bracket, stainless steel (SUS304)	6.32	370093	4548583280802			GD	Z	CHN	8541.9000.00
E39-L192	Mounting bracket for E3S-D, horizontal mounting	16.24	700855	4548583757219			GD	Z	CHN	8541.9000.00
E39-L193	Mounting bracket for E3S-D, vertical mounting	12.69	700856	4548583757226			GD	Z	CHN	8541.9000.00
E39-L201	Mounting bracket for E3AS sensor, L shaped	6.06	694038	4549734513111			GD	Z	CHN	8541.9000.00
E39-L202	Protective mounting bracket for E3AS, vertical mounting	8.08	694039	4549734513128			GD	Z	CHN	8541.9000.00
E39-L203	Mounting bracket for E3AS sensor, rear mounting	6.06	694040	4549734513135			GD	Z	CHN	8541.9000.00
E39-L204	Protective metal cover for E3AS, horizontal surface mounting	9.09	694041	4549734513142			GD	Z	CHN	8541.9000.00
E39-L211	Mounting bracket for E3AS sensor, L shaped	6.16	690767	4549734513159			GD	Z	CHN	8541.9000.00
E39-L212	Protective mounting bracket for E3AS, vertical mounting	8.21	690765	4549734513166		20	GD	Z	CHN	8541.9000.00
E39-L214	Protective metal cover for E3AS, horizontal surface mounting	13.34	690766	4549734513173		20	GD	Z	CHN	8541.4090.00
E39-L221	L-shaped mounting bracket	8.54	696039	4549734663410			GD	Z	CHN	8541.9000.00
E39-L222	Horizontal protective cover bracket	11.37	696051	4549734663427			GD	Z	CHN	8541.9000.00
E39-L223	Rear mounting bracket	9.70	696050	4549734663434			GD	Z	CHN	8541.9000.00
E39-L224	Robust mounting bracket	12.07	696049	4549734663441			GD	Z	CHN	8541.9000.00
E39-L231	L-shaped mounting bracket	10.86	696048	4549734663458			GD	Z	CHN	8541.9000.00
E39-L232	Horizontal protective cover bracket	15.10	696047	4549734663465			GD	Z	CHN	8541.9000.00
E39-L234	Robust mounting bracket	15.61	696046	4549734663472			GD	Z	CHN	8541.9000.00
E39-L261	Flexible mounting bracket	40.15	696045	4549734663489			GD	Z	CHN	8541.9000.00
E39-L262	50mm post for flexible mounting bracket E39-L261	18.39	696044	4549734663496			GD	Z	CHN	8541.9000.00



Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Dahaset)	GTIN	Stock Qty.	Lot	Gr.	Fam	COO	Tariff Code
E39-L263	100mm post for flexible mounting bracket E39-L261	22,73	696043	4549734663502			GD	Z	CHN	8541.9000.00
E39-L40	Accessory photosensor E3JK mounting bracket	2,24	349111	4547648625344	#		GD	Z	CHN	8541.4090.00
E39-L43	Mounting bracket for E3Z sensor, side mounting	6,14	131444	4536853295721			GD	Z	JPN	8541.9000.00
E39-L44	Mounting bracket for E3Z sensor, rear mounting	5,49	150902	4536853295714			GD	Z	JPN	8541.9000.00
E39-L51	Adapter bracket for E3JM replacement of E3A photoelectric sensor	11,33	152085	4536853295806			GD	Z	JPN	8541.9000.00
E39-L53	Mounting bracket provided with E3JM	2,30	131386	4536853296513			GD	Z	JPN	8541.9000.00
E39-L69	Mounting bracket (provided with E3S-A horizontal sensors)	5,58	131387	4536853296544			GD	Z	JPN	8541.9000.00
E39-L93FH	Mounting bracket for E3Z, 3D telescope mounting	28,68	131429	4536854907517			GD	Z	JPN	8541.9000.00
E39-L93H	Adjustable Pillar bracket for E3Z, E3SA, horizontal mount fixings	28,26	131430	4536854907531			GD	Z	JPN	8541.9000.00
E39-L93V	Adjustable Pillar bracket for E3Z, E3SA, Vertical mount fixings	28,26	131431	4536854907548			GD	Z	JPN	8541.9000.00
E39-L93XY	2 positioning rods and horizontal mounting bracket for E3Z, E3S-A, E3S-R1, E39-R1, E39-R3	21,42	131432	4536854907555			GD	Z	JPN	8541.9000.00
E39-L96	Optional reflector bracket for photoelectric sensor	12,23	131397	4536853296681			GD	Z	JPN	8541.9000.00
E39-L98	Protective metal cover for E3S-A/E3Z vertical sensor	15,77	354103	4548583008991			GD	Z	CHN	8541.4090.00
E39-E11	Mutual interference filters for the E3Z-TA models	21,05	143880	4536854555923			GD	Z	JPN	8541.9000.00
E39-S1	Slit for E3S series	7,28	146549	4536853295608			GD	Z	JPN	8541.9000.00
E39-S46	Slit, 0,5-2mm, for E3S-A photoelectric sensor	8,92	148720	4536853296162			GD	Z	JPN	8541.9000.00
E39-S61	Slit for E3S-CT series	18,22	131390	4536853296582			GD	Z	JPN	8541.9000.00
E39-S63	Slits for E3T-ST1* types, 0,5mm & 1mm dia pairs supplied	7,27	156507	4536853296834			GD	Z	JPN	8541.9000.00
E39-S64	Slits for E3T-FT1* types, 0,5mm & 1mm dia pairs supplied	7,28	131404	4536853296858			GD	Z	JPN	8541.9000.00
E39-S65A	Slit for E3Z-T, 0,5mm diameter	7,12	145485	4536854499104			GD	Z	JPN	8541.9000.00
E39-S65B	Slit for E3Z-T, 1mm diameter	7,84	143240	4536854499111			GD	Z	JPN	8541.9000.00
E39-S65C	Slit for E3Z-T, 2mm diameter	9,18	131420	4536854499128			GD	Z	JPN	8541.9000.00
E39-S65D	Slit for E3Z-T, 0,5 x 10 mm dia.	8,61	131421	4536854499135	50		GD	Z	JPN	8541.9000.00
E39-S65E	Slit for E3Z-T, 1x10mm diameter	9,31	131422	4536854499142			GD	Z	JPN	8541.9000.00
E39-S65F	Slit for E3Z-T, 2x10mm diameter	10,15	131423	4536854499159			GD	Z	JPN	8541.9000.00
E39-E16	Air blow unit	34,50	696042	4549734663519			GD	Z	CHN	8541.9000.00
E39-E19	Front protection cover for E3AS-HL	28,08	696041	4549734663526			GD	Z	CHN	8541.9000.00
E39-VA	Sensor test unit, hand-held, battery-powered	74,45	131364	4536853297497			GD	Z	JPN	8541.9000.00
E39-R12	Reflector, E3C-LDA sensor, 23x23mm effective area	35,73	163867	4536854958304			GD	Z	JPN	8541.9000.00
E39-R15	Reflector, stainless steel housing, 105 x 30 mm	278,50	659473	4548583750807			GD	Z	NLD	8541.9000.00
E39-R16	Reflector, E3C-LDA, highest detergent resistance, SUS316L, 43x30x5 mm	147,10	659474	4548583750814			GD	Z	NLD	8541.9000.00
E39-R64	Reflective tape, high precision microtropol, self adhesive, 195mm x 22mm	117,80	165090	4536854958335	#		GD	Z	JPN	8541.9000.00
E39-R65	Reflective tape, high precision microtropol, self adhesive, 108mm x 46mm	133,50	165091	4536854958342			GD	Z	JPN	8541.9000.00
<b>New EPE</b>										
E2E-X10B1T30-10M	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 10 mm, DC, 3-wire, PNP NO, IO-Link COM3, 10 m cable	53,90	700794	4549734710831			GE	A	CHN	8536.5080.90
E2E-X10B1T30-2M	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 10 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	43,20	698907	4549734490567			GE	A	CHN	8536.5080.90
E2E-X10B1T30-5M	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 10 mm, DC, 3-wire, PNP NO, IO-Link COM3, 5 m cable	45,90	700075	4549734480598			GE	A	CHN	8536.5080.90
E2E-X10B1T30-M1	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 10 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	43,20	696110	4549734480741			GE	A	CHN	8536.5080.90
E2E-X10B1T30-M1TJ.0.3M	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 10 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 pigtail Smartclick connector, 0.3 m	56,70	699977	4549734480680			GE	A	CHN	8536.5080.90
E2E-X10B1T30-R2M	Proximity sensor, inductive, nickel-brass short body, M30, shielded, 10 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m robotic cable	45,90	700025	4549734480628			GE	A	CHN	8536.5080.90
E2E-X10B1TL30-2M	Proximity sensor, inductive, nickel-brass long body, M30, shielded, 10 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m prewired	54,00	700024	4549734481540			GE	A	CHN	8536.5080.90
E2E-X10B1TL30-5M	Proximity sensor, inductive, nickel-brass, long body, M30, shielded, 10 mm, DC, 3-wire, PNP NO, IO-Link COM3, 5 m prewired	56,70	700073	4549734481571			GE	A	CHN	8536.5080.90
E2E-X10B1TL30-M1	Proximity sensor, inductive, nickel-brass long body, M30, shielded, 10 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	54,00	699975	4549734481632			GE	A	CHN	8536.5080.90
E2E-X10B230-2M	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 10 mm, DC, 3-wire, PNP NC, 2 m cable	43,20	700026	4549734480574			GE	A	CHN	8536.5080.90
E2E-X10B230-5M	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 10 mm, DC, 3-wire, PNP NC, 5 m cable	45,90	700074	4549734480604			GE	A	CHN	8536.5080.90
E2E-X10B230-M1	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 10 mm, DC, 3-wire, PNP NC, M12 connector	43,20	699976	4549734480758			GE	A	CHN	8536.5080.90
E2E-X10B2L30-2M	Proximity sensor, inductive, nickel-brass, long body, M30, shielded, 10 mm, DC, 3-wire, PNP NC, 2 m prewired	52,20	700023	4549734481157			GE	A	CHN	8536.5080.90
E2E-X10B2L30-M1	Proximity sensor, inductive, nickel-brass, long body, M30, shielded, 10 mm, DC, 3-wire, PNP NC, M12 connector	52,20	699974	4549734481149			GE	A	CHN	8536.5080.90
E2E-X10C130-2M	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 10 mm, DC, 3-wire, NPN NO, 2 m cable	43,20	700031	4549734478465			GE	A	CHN	8536.5080.90
E2E-X10C130-5M	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 10 mm, DC, 3-wire, NPN NO, 5 m cable	45,90	700078	4549734478498			GE	A	CHN	8536.5080.90
E2E-X10C130-M1	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 10 mm, DC, 3-wire, NPN NO, M12 connector	43,20	699981	4549734478649			GE	A	CHN	8536.5080.90
E2E-X10C130-R2M	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 10 mm, DC, 3-wire, NPN NO, 2 m robotic cable	45,90	700029	4549734478526			GE	A	CHN	8536.5080.90
E2E-X10C1L30-2M	Proximity sensor, inductive, nickel-brass, long body, M30, shielded, 10 mm, DC, 3-wire, NPN NO, 2 m cable	54,00	700028	4549734479448			GE	A	CHN	8536.5080.90
E2E-X10C1L30-5M	Proximity sensor, inductive, nickel-brass, long body, M30, shielded, 10 mm, DC, 3-wire, NPN NO, 5 m cable	56,70	700076	4549734479479			GE	A	CHN	8536.5080.90
E2E-X10C1L30-M1	Proximity sensor, inductive, nickel-brass, long body, M30, shielded, 10 mm, DC, 3-wire, NPN NO, M12 connector	54,00	699979	4549734479530			GE	A	CHN	8536.5080.90
E2E-X10C230-2M	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 10 mm, DC, 3-wire, NPN NO, 2 m cable	43,20	700030	4549734478472			GE	A	CHN	8536.5080.90
E2E-X10C230-5M	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 10 mm, DC, 3-wire, NPN NO, 5 m cable	45,90	700077	4549734478502			GE	A	CHN	8536.5080.90
E2E-X10C230-M1	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 10 mm, DC, 3-wire, NPN NO, M12 connector	43,20	699980	4549734478656			GE	A	CHN	8536.5080.90
E2E-X10C2L30-2M	Proximity sensor, inductive, nickel-brass, long body, M30, shielded, 10 mm, DC, 3-wire, NPN NC, 2 m cable	54,00	700027	4549734479455			GE	A	CHN	8536.5080.90
E2E-X10C2L30-M1	Proximity sensor, inductive, nickel-brass, long body, M30, shielded, 10 mm, DC, 3-wire, NPN NC, M12 connector	54,00	699978	4549734479547			GE	A	CHN	8536.5080.90
E2E-X10MB1DL12-M1	Proximity sensor, inductive, nickel-brass, long body, M12, unshielded, 10 mm, DC, 3-wire, PNP NO, IO-Link COM2, M12 connector	54,00	689152	4549734472548			GE	A	CHN	8536.5080.90
E2E-X10MB1T12-2M	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 10 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	46,80	688012	4549734469838			GE	A	CHN	8536.5080.90
E2E-X10MB1T12-M1	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 10 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	45,90	687517	4549734470018			GE	A	CHN	8536.5080.90
E2E-X10MB1T12-M1TJ.0.3M	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 10 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 pigtail Smartclick connector, 0.3 m	60,30	688010	4549734469951			GE	A	CHN	8536.5080.90
E2E-X10MB1T12-R2M	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 10 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m robotic cable	49,50	688011	4549734469890			GE	A	CHN	8536.5080.90
E2E-X10MB1T18-10M	Proximity sensor, inductive, nickel-brass, short body, M18, unshielded, 10 mm, DC, 3-wire, PNP NO, IO-Link COM3, 10 m cable	48,50	700799	4549734710787			GE	A	CHN	8536.5080.90
E2E-X10MB1T18-2M	Proximity sensor, inductive, nickel-brass, short body, M18, unshielded, 10 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	37,80	699525	4549734475594			GE	A	CHN	8536.5080.90
E2E-X10MB1T18-5M	Proximity sensor, inductive, nickel-brass, short body, M18, unshielded, 10 mm, DC, 3-wire, PNP NO, IO-Link COM3, 5 m cable	40,50	698903	4549734475624			GE	A	CHN	8536.5080.90
E2E-X10MB1T18-M1	Proximity sensor, inductive, nickel-brass, short body, M18, unshielded, 10 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	37,80	698861	4549734475778			GE	A	CHN	8536.5080.90
E2E-X10MB1T18-M1TJ.0.3M	Proximity sensor, inductive, nickel-brass, short body, M18, unshielded, 10 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 pigtail Smartclick connector, 0.3 m	51,30	699985	4549734475716			GE	A	CHN	8536.5080.90
E2E-X10MB1T18-R2M	Proximity sensor, inductive, nickel-brass short body, M18, unshielded, 10 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m robotic cable	40,50	700034	4549734475655			GE	A	CHN	8536.5080.90
E2E-X10MB1TL12-2M	Proximity sensor, inductive, nickel-brass, long body, M12, unshielded, 10 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	46,80	688002	4549734470865			GE	A	CHN	8536.5080.90

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Daheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code	
E2E-X10MB1TL12-M1	Proximity sensor, inductive, nickel-brass, long body, M12, unshielded, 10 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	46.80	687879	4549734470957			GE	A	CHN	8536.5080.90	
E2E-X10MB1TL12-M1TJ0.3M	Proximity sensor, inductive, nickel-brass, long body, M12, unshielded, 10 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 pigtail Smartclick connector, 0.3 m	60.30	688001	4549734470926			GE	A	CHN	8536.5080.90	
E2E-X10MB1TL18-2M	Proximity sensor, inductive, nickel-brass, long body, M18, unshielded, 10 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	40.50	700033	4549734476454			GE	A	CHN	8536.5080.90	
E2E-X10MB1TL18-3M	Proximity sensor, inductive, nickel-brass, long body, M18, unshielded, 10 mm, DC, 3-wire, PNP NO, IO-Link COM3, 5 m cable	43.20	700079	4549734476485			GE	A	CHN	8536.5080.90	
E2E-X10MB1TL18-M1	Proximity sensor, inductive, nickel-brass, long body, M18, unshielded, 10 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	40.50	699983	4549734476546			GE	A	CHN	8536.5080.90	
E2E-X10MB212-2M	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 10 mm, DC, 3-wire, PNP NC, 2 m cable	37.80	695737	4549734469845			GE	A	CHN	8536.5080.90	
E2E-X10MB212-M1	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 10 mm, DC, 3-wire, PNP NC, M12 connector	37.80	695738	4549734470025			GE	A	CHN	8536.5080.90	
E2E-X10MB218-2M	Proximity sensor, inductive, nickel-brass, short body, M18, unshielded, 10 mm, DC, 3-wire, PNP NC, 2 m cable	37.80	700035	4549734475600			GE	A	CHN	8536.5080.90	
E2E-X10MB218-5M	Proximity sensor, inductive, nickel-brass, short body, M18, unshielded, 10 mm, DC, 3-wire, PNP NC, 5 m prewired	40.50	700080	4549734475631			GE	A	CHN	8536.5080.90	
E2E-X10MB218-M1	Proximity sensor, inductive, nickel-brass, short body, M18, unshielded, 10 mm, DC, 3-wire, PNP NC, M12 connector	37.80	699984	4549734475785			GE	A	CHN	8536.5080.90	
E2E-X10MB212-12M	Proximity sensor, inductive, nickel-brass, long body, M12, unshielded, 10 mm, DC, 3-wire, PNP NC, 2 m cable	46.80	698689	4549734470872			GE	A	CHN	8536.5080.90	
E2E-X10MB212-12-M1	Proximity sensor, inductive, nickel-brass, long body, M12, unshielded, 10 mm, DC, 3-wire, PNP NC, M12 connector	46.80	698688	4549734470964			GE	A	CHN	8536.5080.90	
E2E-X10MB218-2M	Proximity sensor, inductive, nickel-brass, long body, M18, unshielded, 10 mm, DC, 3-wire, PNP NC, 2 m cable	34.20	700032	4549734476461			GE	A	CHN	8536.5080.90	
E2E-X10MB218-M1	Proximity sensor, inductive, nickel-brass, long body, M18, unshielded, 10 mm, DC, 3-wire, PNP NC, M12 connector	40.50	699982	4549734476553			GE	A	CHN	8536.5080.90	
E2E-X10MB3D12-M1	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 10 mm, DC, 3-wire, PNP NO+NC, IO-Link COM2, M12 connector	46.80	688591	4549734471961			GE	A	CHN	8536.5080.90	
E2E-X10MC1-12-M1	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 10 mm, DC, 3-wire, PNP NO, M12 connector	46.80	687893	4549734467599			GE	A	CHN	8536.5080.90	
E2E-X10MC1-18-2M	Proximity sensor, inductive, nickel-brass, short body, M18, unshielded, 10 mm, DC, 3-wire, PNP NO, 2 m cable	37.80	699320	4549734473378			GE	A	CHN	8536.5080.90	
E2E-X10MC1-18-5M	Proximity sensor, inductive, nickel-brass, short body, M18, unshielded, 10 mm, DC, 3-wire, PNP NO, 5 m cable	40.50	700083	4549734473408			GE	A	CHN	8536.5080.90	
E2E-X10MC1-18-M1	Proximity sensor, inductive, nickel-brass, short body, M18, unshielded, 10 mm, DC, 3-wire, PNP NO, M12 connector	37.80	699989	4549734473552			GE	A	CHN	8536.5080.90	
E2E-X10MC18-R2M	Proximity sensor, inductive, nickel-brass, short body, M18, unshielded, 10 mm, DC, 3-wire, PNP NO, 2 m robotic cable	40.50	700037	4549734473439			GE	A	CHN	8536.5080.90	
E2E-X10MC1L18-2M	Proximity sensor, inductive, nickel-brass, long body, M18, unshielded, 10 mm, DC, 3-wire, PNP NO, 2 m cable	40.50	699322	4549734474238			GE	A	CHN	8536.5080.90	
E2E-X10MC1L18-5M	Proximity sensor, inductive, nickel-brass, long body, M18, unshielded, 10 mm, DC, 3-wire, PNP NO, 5 m cable	43.20	700081	4549734474269			GE	A	CHN	8536.5080.90	
E2E-X10MC1L18-M1	Proximity sensor, inductive, nickel-brass, long body, M18, unshielded, 10 mm, DC, 3-wire, PNP NO, M12 connector	34.20	699987	4549734474329			GE	A	CHN	8536.5080.90	
E2E-X10MC218-2M	Proximity sensor, inductive, nickel-brass, short body, M18, unshielded, 10 mm, DC, 3-wire, PNP NC, 2 m cable	37.80	700038	4549734473385			GE	A	CHN	8536.5080.90	
E2E-X10MC218-5M	Proximity sensor, inductive, nickel-brass, short body, M18, unshielded, 10 mm, DC, 3-wire, PNP NC, 5 m cable	40.50	700082	4549734473415			GE	A	CHN	8536.5080.90	
E2E-X10MC218-M1	Proximity sensor, inductive, nickel-brass, short body, M18, unshielded, 10 mm, DC, 3-wire, PNP NC, M12 connector	37.80	699988	4549734473569			GE	A	CHN	8536.5080.90	
E2E-X10MC2L18-2M	Proximity sensor, inductive, nickel-brass, long body, M18, unshielded, 10 mm, DC, 3-wire, PNP NC, 2 m cable	40.50	700036	4549734474245			GE	A	CHN	8536.5080.90	
E2E-X10MC2L18-M1	Proximity sensor, inductive, nickel-brass, long body, M18, unshielded, 10 mm, DC, 3-wire, PNP NC, M12 connector	40.50	699986	4549734474337			GE	A	CHN	8536.5080.90	
E2E-X10MD1-12-2M	Proximity sensor, inductive, brass-nickel, M12, non-shielded, 10 mm, NO, 2 m cable, DC2-wire	49.77	681829	4549734182393			GE	A	CHN	8536.5080.90	
E2E-X10MD1-12-5M	Proximity sensor, inductive, brass-nickel, M12, non-shielded, 10 mm, NO, 5 m cable, DC2-wire	52.05	681763	4549734182416			GE	A	CHN	8536.5080.90	
E2E-X10MD1-12-M1TQJ0.3M	Proximity sensor, inductive, brass-nickel, M12, non-shielded, 10 mm, NO, 0.3 m pig-tail, DC2-wire	53.55	681902	4549734182478			GE	A	CHN	8536.5080.90	
E2E-X10MD1-12-M1TQJ-T0.3M	Proximity sensor, inductive, brass-nickel, M12, non-shielded, 10 mm, NO, 0.3 m pig-tail, DC2-wire, no polarity	53.55	681799	4549734182577			GE	A	CHN	8536.5080.90	
E2E-X10MD1-12-R2M	Proximity sensor, inductive, brass-nickel, M12, non-shielded, 10 mm, NO, 2 m cable robotic, DC2-wire	53.55	681790	4549734182430			GE	A	CHN	8536.5080.90	
E2E-X10MD1-12-R5M	Proximity sensor, inductive, brass-nickel, M12, non-shielded, 10 mm, NO, 5 m cable robotic, DC2-wire	55.80	681829	4549734182454			GE	A	CHN	8536.5080.90	
E2E-X10MD1-12-T2M	Proximity sensor, inductive, brass-nickel, M12, non-shielded, 10 mm, NO, 2 m cable, DC2-wire, no polarity	49.77	681863	4549734182492			GE	A	CHN	8536.5080.90	
E2E-X10MD1-12-T5M	Proximity sensor, inductive, brass-nickel, M12, non-shielded, 10 mm, NO, 5 m cable, DC2-wire, no polarity	52.05	681639	4549734182515			GE	A	CHN	8536.5080.90	
E2E-X10MD1-12-TR2M	Proximity sensor, inductive, brass-nickel, M12, non-shielded, 10 mm, NO, 2 m cable robotic, DC2-wire, no polarity	52.05	681674	4549734182539			GE	A	CHN	8536.5080.90	
E2E-X10MD1-12-TR5M	Proximity sensor, inductive, brass-nickel, M12, non-shielded, 10 mm, NO, 5 m cable robotic, DC2-wire, no polarity	55.80	681693	4549734182553			GE	A	CHN	8536.5080.90	
E2E-X10MD212-2M	Proximity sensor, inductive, brass-nickel, M12, non-shielded, 10 mm, NO, 2 m cable, DC2-wire	49.77	681900	4549734182409			GE	A	CHN	8536.5080.90	
E2E-X10MD212-5M	Proximity sensor, inductive, brass-nickel, M12, non-shielded, 10 mm, NO, 5 m cable, DC2-wire	52.05	681667	4549734182423			GE	A	CHN	8536.5080.90	
E2E-X10MD212-M1TQJ0.3M	Proximity sensor, inductive, brass-nickel, M12, non-shielded, 10 mm, NO, 0.3 m pig-tail, DC2-wire	53.55	681709	4549734182485			GE	A	CHN	8536.5080.90	
E2E-X10MD212-M1TQJ-T0.3M	Proximity sensor, inductive, brass-nickel, M12, non-shielded, 10 mm, NO, 0.3 m pig-tail, DC2-wire, no polarity	53.55	681801	4549734182584			GE	A	CHN	8536.5080.90	
E2E-X10MD212-R2M	Proximity sensor, inductive, brass-nickel, M12, non-shielded, 10 mm, NO, 2 m cable robotic, DC2-wire	53.55	681820	4549734182447			GE	A	CHN	8536.5080.90	
E2E-X10MD212-R5M	Proximity sensor, inductive, brass-nickel, M12, non-shielded, 10 mm, NO, 5 m cable robotic, DC2-wire	55.80	681710	4549734182461			GE	A	CHN	8536.5080.90	
E2E-X10MD212-T2M	Proximity sensor, inductive, brass-nickel, M12, non-shielded, 10 mm, NO, 2 m cable, DC2-wire, no polarity	49.77	681814	4549734182508			GE	A	CHN	8536.5080.90	
E2E-X10MD212-T5M	Proximity sensor, inductive, brass-nickel, M12, non-shielded, 10 mm, NO, 5 m cable, DC2-wire, no polarity	52.05	681794	4549734182522			GE	A	CHN	8536.5080.90	
E2E-X10MD212-TR2M	Proximity sensor, inductive, brass-nickel, M12, non-shielded, 10 mm, NO, 2 m cable robotic, DC2-wire, no polarity	53.55	681839	4549734182546			GE	A	CHN	8536.5080.90	
E2E-X10MD212-TR5M	Proximity sensor, inductive, brass-nickel, M12, non-shielded, 10 mm, NO, 5 m cable robotic, DC2-wire, no polarity	55.80	681654	4549734182560			GE	A	CHN	8536.5080.90	
E2E-X11D118-2M	Proximity sensor, inductive, brass-nickel, M18, shielded, 11 mm, NO, 2 m cable, DC2-wire	49.77	681749	4549734182638			GE	A	CHN	8536.5080.90	
E2E-X11D118-5M	Proximity sensor, inductive, brass-nickel, M18, shielded, 11 mm, NO, 5 m cable, DC2-wire	52.05	681684	4549734182652			GE	A	CHN	8536.5080.90	
E2E-X11D118-M1TQJ0.3M	Proximity sensor, inductive, brass-nickel, M18, shielded, 11 mm, NO, 0.3 m pig-tail, DC2-wire	53.55	681827	4549734182713			GE	A	CHN	8536.5080.90	
E2E-X11D118-M1TQJ-T0.3M	Proximity sensor, inductive, brass-nickel, M18, shielded, 11 mm, NO, 0.3 m pig-tail, DC2-wire, no polarity	53.55	681715	4549734182812			GE	A	CHN	8536.5080.90	
E2E-X11D118-R2M	Proximity sensor, inductive, brass-nickel, M18, shielded, 11 mm, NO, 2 m cable robotic, DC2-wire	53.55	681653	4549734182676			GE	A	CHN	8536.5080.90	
E2E-X11D118-R5M	Proximity sensor, inductive, brass-nickel, M18, shielded, 11 mm, NO, 5 m cable robotic, DC2-wire	63.70	681823	4549734182690			GE	A	CHN	8536.5080.90	
E2E-X11D118-T2M	Proximity sensor, inductive, brass-nickel, M18, shielded, 11 mm, NO, 2 m cable, DC2-wire, no polarity	49.77	681767	4549734182738			GE	A	CHN	8536.5080.90	
E2E-X11D118-T5M	Proximity sensor, inductive, brass-nickel, M18, shielded, 11 mm, NO, 5 m cable, DC2-wire, no polarity	52.05	681786	4549734182751			GE	A	CHN	8536.5080.90	
E2E-X11D118-TR2M	Proximity sensor, inductive, brass-nickel, M18, shielded, 11 mm, NO, 2 m cable robotic, DC2-wire, no polarity	52.05	681738	4549734182775			GE	A	CHN	8536.5080.90	
E2E-X11D118-TR5M	Proximity sensor, inductive, brass-nickel, M18, shielded, 11 mm, NO, 5 m cable robotic, DC2-wire, no polarity	63.70	681782	4549734182799			GE	A	CHN	8536.5080.90	
E2E-X11D218-2M	Proximity sensor, inductive, brass-nickel, M18, shielded, 11 mm, NC, 2 m cable, DC2-wire	49.77	681740	4549734182645			GE	A	CHN	8536.5080.90	
E2E-X11D218-5M	Proximity sensor, inductive, brass-nickel, M18, shielded, 11 mm, NC, 5 m cable, DC2-wire	52.05	681718	4549734182669			GE	A	CHN	8536.5080.90	
E2E-X11D218-M1TQJ0.3M	Proximity sensor, inductive, brass-nickel, M18, shielded, 11 mm, NC, 0.3 m pig-tail, DC2-wire	53.55	681751	4549734182720			GE	A	CHN	8536.5080.90	
E2E-X11D218-R2M	Proximity sensor, inductive, brass-nickel, M18, shielded, 11 mm, NC, 0.3 m pig-tail, DC2-wire, no polarity	53.55	681865	4549734182829			GE	A	CHN	8536.5080.90	
E2E-X11D218-R5M	Proximity sensor, inductive, brass-nickel, M18, shielded, 11 mm, NC, 5 m cable robotic, DC2-wire	53.55	681878	4549734182683			GE	A	CHN	8536.5080.90	
E2E-X11D218-T2M	Proximity sensor, inductive, brass-nickel, M18, shielded, 11 mm, NC, 5 m cable robotic, DC2-wire	63.70	681755	4549734182706			GE	A	CHN	8536.5080.90	
E2E-X11D218-T5M	Proximity sensor, inductive, brass-nickel, M18, shielded, 11 mm, NC, 2 m cable, DC2-wire, no polarity	49.77	681659	4549734182744			GE	A	CHN	8536.5080.90	
E2E-X11D218-TR2M	Proximity sensor, inductive, brass-nickel, M18, shielded, 11 mm, NC, 5 m cable, DC2-wire, no polarity	52.05	681736	4549734182768			GE	A	CHN	8536.5080.90	
E2E-X11D218-TR5M	Proximity sensor, inductive, brass-nickel, M18, shielded, 11 mm, NC, 5 m cable robotic, DC2-wire, no polarity	63.70	681722	4549734182805			GE	A	CHN	8536.5080.90	
E2E-X12B1T18-2M	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 12 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	45.90	687511	4549734475242			GE	A	CHN	8536.5080.90	
E2E-X12B1T18-5M	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 12 mm, DC, 3-wire, PNP NO, IO-Link COM3, 5 m prewired	49.50	691126	4549734475273			GE	A	CHN	8536.5080.90	
E2E-X12B1T18-M1	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 12 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	45.90	687510	4549734475426			GE	A	CHN	8536.5080.90	
E2E-X12B1T18-M1TJ0.3M	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 12 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 pigtail Smartclick connector, 0.3 m	60.30	697871	4549734475365		20	GE	A	CHN	8536.5080.90	
E2E-X12B1T18-R2M	Proximity sensor, inductive, nickel-brass, long body, M18, shielded, 12 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m robotic cable	49.50	697957	4549734475303			GE	A	CHN	8536.5080.90	
E2E-X12B1T18-2M	Proximity sensor, inductive, nickel-brass, long body, M18, shielded, 12 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	46.80	687868	4549734476256			10	GE	A	CHN	8536.5080.90
E2E-X12B1T18-M1	Proximity sensor, inductive, nickel-brass, long body, M18, shielded, 12 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	46.80	687866	4549734476348</							

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Dataheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
E2E-X12B218-5M	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 12 mm, DC, 3-wire, PNP NC, 5 m prewired	49.50	691125	4549734475280			GE	A	CHN	8536.5080.90
E2E-X12B218-M1	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 12 mm, DC, 3-wire, PNP NC, M12 connector	46.80	691087	4549734475433			GE	A	CHN	8536.5080.90
E2E-X12B218-M1TJ0.3M	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 12 mm, DC, 3-wire, PNP NC, M12 pigtail Smartclick connector, 0.3 m	60.30	698492	4549734475372			GE	A	CHN	8536.5080.90
E2E-X12B2L18-2M	Proximity sensor, inductive, nickel-brass, long body, M18, shielded, 12 mm, DC, 3-wire, PNP NC, M12 connector	46.80	698662	4549734476263			GE	A	CHN	8536.5080.90
E2E-X12B2L18-M1	Proximity sensor, inductive, nickel-brass, long body, M18, shielded, 12 mm, DC, 3-wire, PNP NC, M12 connector	46.80	698661	4549734476355			GE	A	CHN	8536.5080.90
E2E-X12B3D18-2M	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 12 mm, DC, 3-wire, PNP NO-NC, IO-Link COM2, 2 m cable	46.80	698301	4549734477338			GE	A	CHN	8536.5080.90
E2E-X12B3D18-M1	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 12 mm, DC, 3-wire, PNP NO-NC, IO-Link COM2, M12 connector	46.80	687858	4549734477451			GE	A	CHN	8536.5080.90
E2E-X12B3D18-M1TJ0.3M	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 12 mm, DC, 3-wire, PNP NO-NC, IO-Link COM2, M12 pigtail Smartclick connector, 0.3 m	55.80	687859	4549734477413			GE	A	CHN	8536.5080.90
E2E-X12B3DL18-2M	Proximity sensor, inductive, nickel-brass, long body, M18, shielded, 12 mm, DC, 3-wire, PNP NO-NC, IO-Link COM2, 2 m cable	46.80	688753	4549734477967			GE	A	CHN	8536.5080.90
E2E-X12B3DL18-M1	Proximity sensor, inductive, nickel-brass, long body, M18, shielded, 12 mm, DC, 3-wire, PNP NO-NC, IO-Link COM2, M12 connector	46.80	687854	4549734478045			GE	A	CHN	8536.5080.90
E2E-X12C118-2M	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 12 mm, DC, 3-wire, NPN NO, 2 m cable	46.80	691129	4549734473026			GE	A	CHN	8536.5080.90
E2E-X12C118-M1	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 12 mm, DC, 3-wire, NPN NO, M12 connector	46.80	687874	4549734473200			GE	A	CHN	8536.5080.90
E2E-X12C218-2M	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 12 mm, DC, 3-wire, NPN NC, 2 m cable	46.80	689614	4549734473033			GE	A	CHN	8536.5080.90
E2E-X12C218-5M	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 12 mm, DC, 3-wire, NPN NC, 5 m prewired	49.50	691128	4549734473064			GE	A	CHN	8536.5080.90
E2E-X12C218-M1	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 12 mm, DC, 3-wire, NPN NC, M12 connector	46.80	691127	4549734473217			GE	A	CHN	8536.5080.90
E2E-X14B1T18-2M	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 14 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	51.30	687509	4549734475457			GE	A	CHN	8536.5080.90
E2E-X14B1T18-M1	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 14 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	51.30	687507	4549734475750			GE	A	CHN	8536.5080.90
E2E-X14B1T18-M1TJ0.3M	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 14 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 pigtail Smartclick connector, 0.3 m	51.30	687508	4549734475532			GE	A	CHN	8536.5080.90
E2E-X14B1T18-M1TJR0.3M	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 14 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 pigtail Smartclick connector, 0.3 m robotic cable	78.30	687870	4549734475556			GE	A	CHN	8536.5080.90
E2E-X14B1T18-P2M	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 14 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m robotic cable	54.00	697996	4549734475495			GE	A	CHN	8536.5080.90
E2E-X14B1TL18-2M	Proximity sensor, inductive, nickel-brass, long body, M18, shielded, 14 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	51.30	687865	4549734476379		10	GE	A	CHN	8536.5080.90
E2E-X14B1TL18-M1	Proximity sensor, inductive, nickel-brass, long body, M18, shielded, 14 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	51.30	687863	4549734476430			GE	A	CHN	8536.5080.90
E2E-X14B1TL18-M1TJ0.3M	Proximity sensor, inductive, nickel-brass, long body, M18, shielded, 14 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 pigtail Smartclick connector, 0.3 m	64.80	687864	4549734476416			GE	A	CHN	8536.5080.90
E2E-X14B218-2M	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 14 mm, DC, 3-wire, PNP NC, 2 m cable	51.30	698663	4549734475464			GE	A	CHN	8536.5080.90
E2E-X14B218-M1	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 14 mm, DC, 3-wire, PNP NC, M12 connector	51.30	689616	4549734475587			GE	A	CHN	8536.5080.90
E2E-X14B2L18-2M	Proximity sensor, inductive, nickel-brass, long body, M18, shielded, 14 mm, DC, 3-wire, PNP NC, 2 m cable	51.30	698660	4549734476386			GE	A	CHN	8536.5080.90
E2E-X14B2L18-M1	Proximity sensor, inductive, nickel-brass, long body, M18, shielded, 14 mm, DC, 3-wire, PNP NC, M12 connector	51.30	698659	4549734476447			GE	A	CHN	8536.5080.90
E2E-X14C118-M1	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 14 mm, DC, 3-wire, NPN NO, M12 connector	51.30	687514	4549734473354			GE	A	CHN	8536.5080.90
E2E-X14C1L18-M1	Proximity sensor, inductive, nickel-brass, long body, M18, shielded, 14 mm, DC, 3-wire, NPN NO, M12 connector	51.30	689099	4549734474214			GE	A	CHN	8536.5080.90
E2E-X14C218-2M	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 14 mm, DC, 3-wire, NPN NC, 2 m cable	51.30	689615	4549734473248			GE	A	CHN	8536.5080.90
E2E-X14C218-5M	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 14 mm, DC, 3-wire, NPN NC, 5 m cable	54.00	690489	4549734473262			GE	A	CHN	8536.5080.90
E2E-X14C218-M1	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 14 mm, DC, 3-wire, NPN NC, M12 connector	51.30	693663	4549734473361			GE	A	CHN	8536.5080.90
E2E-X15B1D30-2M	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 15 mm, DC, 3-wire, PNP NO, IO-Link COM2, 2 m cable	43.20	694151	4549734482806			GE	A	CHN	8536.5080.90
E2E-X15B1D30-M1	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 15 mm, DC, 3-wire, PNP NO, IO-Link COM2, M12 connector	43.20	694150	4549734482929			GE	A	CHN	8536.5080.90
E2E-X15B1T30-10M	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 15 mm, DC, 3-wire, PNP NO, IO-Link COM3, 10 m cable	53.90	700793	4549734710848			GE	A	CHN	8536.5080.90
E2E-X15B1T30-2M	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 15 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	43.20	687502	4549734480772			GE	A	CHN	8536.5080.90
E2E-X15B1T30-5M	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 15 mm, DC, 3-wire, PNP NO, IO-Link COM3, 5 m cable	45.50	696122	4549734480802			GE	A	CHN	8536.5080.90
E2E-X15B1T30-M1	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 15 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	43.20	697505	4549734480956			GE	A	CHN	8536.5080.90
E2E-X15B1T30-M1TJ0.3M	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 15 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 pigtail Smartclick connector, 0.3 m	56.70	687901	4549734480895			GE	A	CHN	8536.5080.90
E2E-X15B1T30-R2M	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 15 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m robotic cable	45.90	687980	4549734480833			GE	A	CHN	8536.5080.90
E2E-X15B1TL30-2M	Proximity sensor, inductive, nickel-brass, long body, M30, shielded, 15 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	54.00	687977	4549734481693			GE	A	CHN	8536.5080.90
E2E-X15B1TL30-5M	Proximity sensor, inductive, nickel-brass, long body, M30, shielded, 15 mm, DC, 3-wire, PNP NO, IO-Link COM3, 5 m cable	56.70	696119	4549734481664			GE	A	CHN	8536.5080.90
E2E-X15B1TL30-M1	Proximity sensor, inductive, nickel-brass, long body, M30, shielded, 15 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	54.00	687975	4549734481755			GE	A	CHN	8536.5080.90
E2E-X15B1TL30-M1TJ0.3M	Proximity sensor, inductive, nickel-brass, long body, M30, shielded, 15 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 pigtail Smartclick connector, 0.3 m	67.50	687976	4549734481724			GE	A	CHN	8536.5080.90
E2E-X15B230-10M	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 15 mm, DC, 3-wire, PNP NC, 10 m cable	53.90	700792	4549734710855			GE	A	CHN	8536.5080.90
E2E-X15B230-2M	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 15 mm, DC, 3-wire, PNP NC, 2 m cable	43.20	694058	4549734480789			GE	A	CHN	8536.5080.90
E2E-X15B230-5M	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 15 mm, DC, 3-wire, PNP NC, 5 m cable	45.90	696121	4549734480819			GE	A	CHN	8536.5080.90
E2E-X15B230-M1	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 15 mm, DC, 3-wire, PNP NC, M12 connector	43.20	694057	4549734480963			GE	A	CHN	8536.5080.90
E2E-X15B2L30-2M	Proximity sensor, inductive, nickel-brass, long body, M30, shielded, 15 mm, DC, 3-wire, PNP NC, 2 m cable	52.20	696120	4549734481670			GE	A	CHN	8536.5080.90
E2E-X15B2L30-5M	Proximity sensor, inductive, nickel-brass, long body, M30, shielded, 15 mm, DC, 3-wire, PNP NC, 5 m cable	54.90	698831	4549734481700			GE	A	CHN	8536.5080.90
E2E-X15B2L30-M1	Proximity sensor, inductive, nickel-brass, long body, M30, shielded, 15 mm, DC, 3-wire, PNP NC, M12 connector	52.20	694121	4549734481762			GE	A	CHN	8536.5080.90
E2E-X15B3D30-2M	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 15 mm, DC, 3-wire, PNP NO-NC, IO-Link COM2, 2 m cable	43.20	694068	4549734482813			GE	A	CHN	8536.5080.90
E2E-X15B3D30-M1	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 15 mm, DC, 3-wire, PNP NO-NC, IO-Link COM2, M12 connector	43.20	687849	4549734482936			GE	A	CHN	8536.5080.90
E2E-X15B3D30-M1TJ0.3M	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 15 mm, DC, 3-wire, PNP NO-NC, IO-Link COM2, M12 pigtail Smartclick connector, 0.3 m	56.70	699611	4549734482899			GE	A	CHN	8536.5080.90
E2E-X15B3DL30-2M	Proximity sensor, inductive, nickel-brass, long body, M30, shielded, 15 mm, DC, 3-wire, PNP NO-NC, IO-Link COM2, 2 m cable	52.20	695081	4549734483364			GE	A	CHN	8536.5080.90
E2E-X15B3DL30-5M	Proximity sensor, inductive, nickel-brass, long body, M30, shielded, 15 mm, DC, 3-wire, PNP NO-NC, IO-Link COM2, 5 m cable	54.90	698226	4549734483407			GE	A	CHN	8536.5080.90
E2E-X15B3DL30-M1	Proximity sensor, inductive, nickel-brass, long body, M30, shielded, 15 mm, DC, 3-wire, PNP NO-NC, IO-Link COM2, M12 connector	58.50	695080	4549734483445			GE	A	CHN	8536.5080.90
E2E-X15C130-2M	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 15 mm, DC, 3-wire, NPN NO, 2 m cable	43.20	694853	4549734478670			GE	A	CHN	8536.5080.90
E2E-X15C130-5M	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 15 mm, DC, 3-wire, NPN NO, 5 m cable	45.90	698833	4549734478700			GE	A	CHN	8536.5080.90
E2E-X15C130-M1	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 15 mm, DC, 3-wire, NPN NO, M12 connector	43.20	694852	4549734478854			GE	A	CHN	8536.5080.90
E2E-X15C1L30-2M	Proximity sensor, inductive, nickel-brass, long body, M30, shielded, 15 mm, DC, 3-wire, NPN NO, 2 m cable	54.00	696300	4549734479561			GE	A	CHN	8536.5080.90
E2E-X15C1L30-5M	Proximity sensor, inductive, nickel-brass, long body, M30, shielded, 15 mm, DC, 3-wire, NPN NO, 5 m cable	56.70	699619	4549734479592			GE	A	CHN	8536.5080.90
E2E-X15C1L30-M1	Proximity sensor, inductive, nickel-brass, long body, M30, shielded, 15 mm, DC, 3-wire, NPN NO, M12 connector	54.00	696111	4549734479653			GE	A	CHN	8536.5080.90
E2E-X15C230-2M	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 15 mm, DC, 3-wire, NPN NC, 2 m cable	43.20	698834	4549734478687			GE	A	CHN	8536.5080.90
E2E-X15C230-5M	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 15 mm, DC, 3-wire, NPN NC, 5 m cable	45.90	699621	4549734478717			GE	A	CHN	8536.5080.90
E2E-X15C230-M1	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 15 mm, DC, 3-wire, NPN NC, M12 connector	43.20	698832	4549734478861			GE	A	CHN	8536.5080.90
E2E-X15C2L30-2M	Proximity sensor, inductive, nickel-brass, long body, M30, shielded, 15 mm, DC, 3-wire, NPN NC, 2 m cable	54.00	698906	4549734479578			GE	A	CHN	8536.5080.90
E2E-X15C2L30-5M	Proximity sensor, inductive, nickel-brass, long body, M30, shielded, 15 mm, DC, 3-wire, NPN NC, 5 m cable	56.70	699618	4549734479608			GE	A	CHN	8536.5080.90
E2E-X15C2L30-M1	Proximity sensor, inductive, nickel-brass, long body, M30, shielded, 15 mm, DC, 3-wire, NPN NC, M12 connector	54.00	699617	4549734479660			GE	A	CHN	8536.5080.90
E2E-X15C330-2M	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 15 mm, DC, 3-wire, NPN NO+NC, 2 m cable	43.20	694975	4549734478694			GE	A	CHN	8536.5080.90
E2E-X15C330-M1	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 15 mm, DC, 3-wire, NPN NO+NC, M12 connector	43.20	694974	4549734478878			GE	A	CHN	8536.5080.90
E2E-X15C3L30-2M	Proximity sensor, inductive, nickel-brass, long body, M30, shielded, 15 mm, DC, 3-wire, NPN NO+NC, 2 m cable	54.00	699620	4549734479585			GE	A	CHN	8536.5080.90
E2E-X15C3L30-M1	Proximity sensor, in									

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	SLN. (Daheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
E2E-X16MB1T12-M1TJ0.3M	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 16 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 pigtail Smartclick connector, 0.3 m	64.80	687887	4549734470124	10		GE	A	CHN	8536.5080.90
E2E-X16MB1T12-R2M	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 16 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m robotic cable	54.00	688008	4549734470087			GE	A	CHN	8536.5080.90
E2E-X16MB1T18-10M	Proximity sensor, inductive, nickel-brass, short body, M18, unshielded, 16 mm, DC, 3-wire, PNP NO, IO-Link COM3, 10 m cable	48.50	700798	4549734470794			GE	A	CHN	8536.5080.90
E2E-X16MB1T18-2M	Proximity sensor, inductive, nickel-brass, short body, M18, unshielded, 16 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	37.80	687506	4549734475808			GE	A	CHN	8536.5080.90
E2E-X16MB1T18-5M	Proximity sensor, inductive, nickel-brass, short body, M18, unshielded, 16 mm, DC, 3-wire, PNP NO, IO-Link COM3, 5 m cable	40.50	696126	4549734475839			GE	A	CHN	8536.5080.90
E2E-X16MB1T18-M1	Proximity sensor, inductive, nickel-brass, short body, M18, unshielded, 16 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	37.80	687505	4549734475889			GE	A	CHN	8536.5080.90
E2E-X16MB1T18-M1TJ0.3M	Proximity sensor, inductive, nickel-brass, short body, M18, unshielded, 16 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 pigtail Smartclick connector, 0.3 m	51.30	687869	4549734475921	10		GE	A	CHN	8536.5080.90
E2E-X16MB1T18-R2M	Proximity sensor, inductive, nickel-brass, short body, M18, unshielded, 16 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m robotic cable	40.50	687995	4549734475860			GE	A	CHN	8536.5080.90
E2E-X16MB1TL12-2M	Proximity sensor, inductive, nickel-brass, long body, M12, unshielded, 16 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	51.30	688000	4549734470968			GE	A	CHN	8536.5080.90
E2E-X16MB1TL12-M1	Proximity sensor, inductive, nickel-brass, long body, M12, unshielded, 16 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	51.30	687878	4549734471046			GE	A	CHN	8536.5080.90
E2E-X16MB1TL12-M1TJ0.3M	Proximity sensor, inductive, nickel-brass, long body, M12, unshielded, 16 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 pigtail Smartclick connector, 0.3 m	64.80	687999	4549734471022			GE	A	CHN	8536.5080.90
E2E-X16MB1TL18-2M	Proximity sensor, inductive, nickel-brass, long body, M18, unshielded, 16 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	40.50	687991	4549734476577			GE	A	CHN	8536.5080.90
E2E-X16MB1TL18-5M	Proximity sensor, inductive, nickel-brass, long body, M18, unshielded, 16 mm, DC, 3-wire, PNP NO, IO-Link COM3, 5 m cable	43.20	698905	4549734476607			GE	A	CHN	8536.5080.90
E2E-X16MB1TL18-M1	Proximity sensor, inductive, nickel-brass, long body, M18, unshielded, 16 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	40.50	687989	4549734476669			GE	A	CHN	8536.5080.90
E2E-X16MB1TL18-M1TJ0.3M	Proximity sensor, inductive, nickel-brass, long body, M18, unshielded, 16 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 pigtail Smartclick connector, 0.3 m	54.00	687990	4549734476638			GE	A	CHN	8536.5080.90
E2E-X16MB212-2M	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 16 mm, DC, 3-wire, PNP NC, 2 m cable	51.30	698990	4549734470056			GE	A	CHN	8536.5080.90
E2E-X16MB212-M1	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 16 mm, DC, 3-wire, PNP NC, M12 connector	51.30	689613	4549734470179			GE	A	CHN	8536.5080.90
E2E-X16MB218-2M	Proximity sensor, inductive, nickel-brass, short body, M18, unshielded, 16 mm, DC, 3-wire, PNP NC, 2 m cable	37.80	694060	45497344759815			GE	A	CHN	8536.5080.90
E2E-X16MB218-5M	Proximity sensor, inductive, nickel-brass, short body, M18, unshielded, 16 mm, DC, 3-wire, PNP NC, 5 m cable	40.50	698904	4549734475946			GE	A	CHN	8536.5080.90
E2E-X16MB218-M1	Proximity sensor, inductive, nickel-brass, short body, M18, unshielded, 16 mm, DC, 3-wire, PNP NC, M12 connector	37.80	694059	4549734475990			GE	A	CHN	8536.5080.90
E2E-X16MB2L12-2M	Proximity sensor, inductive, nickel-brass, long body, M12, unshielded, 16 mm, DC, 3-wire, PNP NC, 2 m cable	51.30	698687	4549734470995			GE	A	CHN	8536.5080.90
E2E-X16MB2L12-M1	Proximity sensor, inductive, nickel-brass, long body, M12, unshielded, 16 mm, DC, 3-wire, PNP NC, M12 connector	51.30	698686	4549734471053			GE	A	CHN	8536.5080.90
E2E-X16MB2L18-2M	Proximity sensor, inductive, nickel-brass, long body, M18, unshielded, 16 mm, DC, 3-wire, PNP NC, 2 m cable	34.20	694977	4549734476594			GE	A	CHN	8536.5080.90
E2E-X16MB2L18-5M	Proximity sensor, inductive, nickel-brass, long body, M18, unshielded, 16 mm, DC, 3-wire, PNP NC, 5 m cable	43.20	698660	4549734476614			GE	A	CHN	8536.5080.90
E2E-X16MB2L18-M1	Proximity sensor, inductive, nickel-brass, long body, M18, unshielded, 16 mm, DC, 3-wire, PNP NC, M12 connector	40.50	695823	4549734476676			GE	A	CHN	8536.5080.90
E2E-X16MB3D18-2M	Proximity sensor, inductive, nickel-brass, short body, M18, unshielded, 16 mm, DC, 3-wire, PNP NO+NC, IO-Link COM2, 2 m cable	37.80	694153	4549734477680			GE	A	CHN	8536.5080.90
E2E-X16MB3D18-M1	Proximity sensor, inductive, nickel-brass, short body, M18, unshielded, 16 mm, DC, 3-wire, PNP NO+NC, IO-Link COM2, M12 connector	37.80	687856	4549734477802	10		GE	A	CHN	8536.5080.90
E2E-X16MB3D18-M1TJ0.3M	Proximity sensor, inductive, nickel-brass, short body, M18, unshielded, 16 mm, DC, 3-wire, PNP NO+NC, IO-Link COM2, M12 pigtail Smartclick connector, 0.3 m	46.80	687857	4549734477765			GE	A	CHN	8536.5080.90
E2E-X16MB3DL18-2M	Proximity sensor, inductive, nickel-brass, long body, M18, unshielded, 16 mm, DC, 3-wire, PNP NO+NC, IO-Link COM2, 2 m cable	34.20	694976	4549734478182			GE	A	CHN	8536.5080.90
E2E-X16MB3DL18-M1	Proximity sensor, inductive, nickel-brass, long body, M18, unshielded, 16 mm, DC, 3-wire, PNP NO+NC, IO-Link COM2, M12 connector	40.50	696112	4549734478243			GE	A	CHN	8536.5080.90
E2E-X16MC112-M1	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 16 mm, DC, 3-wire, PNP NO, M12 connector	51.30	687892	4549734467742	5		GE	A	CHN	8536.5080.90
E2E-X16MC118-2M	Proximity sensor, inductive, nickel-brass, short body, M18, unshielded, 16 mm, DC, 3-wire, PNP NO, 2 m cable	37.80	694854	4549734473583			GE	A	CHN	8536.5080.90
E2E-X16MC118-5M	Proximity sensor, inductive, nickel-brass, short body, M18, unshielded, 16 mm, DC, 3-wire, PNP NO, 5 m cable	40.50	698894	4549734473613			GE	A	CHN	8536.5080.90
E2E-X16MC118-M1	Proximity sensor, inductive, nickel-brass, short body, M18, unshielded, 16 mm, DC, 3-wire, PNP NO, M12 connector	37.80	687873	4549734473767	15		GE	A	CHN	8536.5080.90
E2E-X16MC118-2M	Proximity sensor, inductive, nickel-brass, long body, M18, unshielded, 16 mm, DC, 3-wire, PNP NO, 2 m cable	34.20	695825	4549734474351			GE	A	CHN	8536.5080.90
E2E-X16MC118-5M	Proximity sensor, inductive, nickel-brass, long body, M18, unshielded, 16 mm, DC, 3-wire, PNP NO, 5 m cable	43.20	698901	4549734474382			GE	A	CHN	8536.5080.90
E2E-X16MC118-M1	Proximity sensor, inductive, nickel-brass, long body, M18, unshielded, 16 mm, DC, 3-wire, PNP NO, M12 connector	34.20	695824	4549734474443			GE	A	CHN	8536.5080.90
E2E-X16MC12-2M	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 16 mm, DC, 3-wire, PNP NC, 2 m cable	51.30	698995	4549734467636			GE	A	CHN	8536.5080.90
E2E-X16MC12-5M	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 16 mm, DC, 3-wire, PNP NC, 5 m cable	37.80	698993	4549734473590			GE	A	CHN	8536.5080.90
E2E-X16MC12-M1	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 16 mm, DC, 3-wire, PNP NC, 5 m cable	40.50	698995	4549734473620			GE	A	CHN	8536.5080.90
E2E-X16MC218-M1	Proximity sensor, inductive, nickel-brass, short body, M18, unshielded, 16 mm, DC, 3-wire, PNP NC, M12 connector	37.80	694119	4549734473774			GE	A	CHN	8536.5080.90
E2E-X16MC2L18-2M	Proximity sensor, inductive, nickel-brass, long body, M18, unshielded, 16 mm, DC, 3-wire, PNP NC, 2 m cable	40.50	698899	4549734474368			GE	A	CHN	8536.5080.90
E2E-X16MC2L18-5M	Proximity sensor, inductive, nickel-brass, long body, M18, unshielded, 16 mm, DC, 3-wire, PNP NC, 5 m cable	43.20	698662	4549734474399			GE	A	CHN	8536.5080.90
E2E-X16MC2L18-M1	Proximity sensor, inductive, nickel-brass, long body, M18, unshielded, 16 mm, DC, 3-wire, PNP NC, M12 connector	40.50	698858	4549734474450			GE	A	CHN	8536.5080.90
E2E-X16MC318-2M	Proximity sensor, inductive, nickel-brass, short body, M18, unshielded, 16 mm, DC, 3-wire, PNP NO+NC, 2 m cable	37.80	696664	4549734473606			GE	A	CHN	8536.5080.90
E2E-X16MC318-M1	Proximity sensor, inductive, nickel-brass, short body, M18, unshielded, 16 mm, DC, 3-wire, PNP NO+NC, M12 connector	37.80	694157	4549734473781			GE	A	CHN	8536.5080.90
E2E-X16MC3L18-2M	Proximity sensor, inductive, nickel-brass, long body, M18, unshielded, 16 mm, DC, 3-wire, PNP NO+NC, 2 m cable	40.50	698900	4549734474375			GE	A	CHN	8536.5080.90
E2E-X16MC3L18-M1	Proximity sensor, inductive, nickel-brass, long body, M18, unshielded, 16 mm, DC, 3-wire, PNP NO+NC, M12 connector	40.50	698859	4549734474467			GE	A	CHN	8536.5080.90
E2E-X18MB1T30-2M	Proximity sensor, inductive, nickel-brass, short body, M30, unshielded, 18 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	52.20	694440	4549734481335			GE	A	CHN	8536.5080.90
E2E-X18MB1T30-5M	Proximity sensor, inductive, nickel-brass, short body, M30, unshielded, 18 mm, DC, 3-wire, PNP NO, IO-Link COM3, 5 m cable	56.70	700069	4549734481366			GE	A	CHN	8536.5080.90
E2E-X18MB1T30-M1	Proximity sensor, inductive, nickel-brass, short body, M30, unshielded, 18 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	45.00	696323	4549734481519			GE	A	CHN	8536.5080.90
E2E-X18MB1T30-M1TJ0.3M	Proximity sensor, inductive, nickel-brass, short body, M30, unshielded, 18 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 pigtail Smartclick connector, 0.3 m	67.50	699970	4549734481458			GE	A	CHN	8536.5080.90
E2E-X18MB1T30-R2M	Proximity sensor, inductive, nickel-brass, short body, M30, unshielded, 18 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m robotic cable	56.70	700020	4549734481397			GE	A	CHN	8536.5080.90
E2E-X18MB1TL30-2M	Proximity sensor, inductive, nickel-brass, long body, M30, unshielded, 18 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	54.00	700016	4549734481984			GE	A	CHN	8536.5080.90
E2E-X18MB1TL30-5M	Proximity sensor, inductive, nickel-brass, long body, M30, unshielded, 18 mm, DC, 3-wire, PNP NO, IO-Link COM3, 5 m prewired	56.70	699937	4549734482011			GE	A	CHN	8536.5080.90
E2E-X18MB1TL30-M1	Proximity sensor, inductive, nickel-brass, long body, M30, unshielded, 18 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	54.00	699935	4549734482073			GE	A	CHN	8536.5080.90
E2E-X18MB230-2M	Proximity sensor, inductive, nickel-brass, short body, M30, unshielded, 18 mm, DC, 3-wire, PNP NC, 2 m cable	54.00	700017	4549734481342			GE	A	CHN	8536.5080.90
E2E-X18MB230-5M	Proximity sensor, inductive, nickel-brass, short body, M30, unshielded, 18 mm, DC, 3-wire, PNP NC, 5 m cable	56.70	700068	4549734481373			GE	A	CHN	8536.5080.90
E2E-X18MB230-M1	Proximity sensor, inductive, nickel-brass, short body, M30, unshielded, 18 mm, DC, 3-wire, PNP NC, M12 connector	52.20	699969	4549734481526			GE	A	CHN	8536.5080.90
E2E-X18MB2L30-2M	Proximity sensor, inductive, nickel-brass, long body, M30, unshielded, 18 mm, DC, 3-wire, PNP NC, 2 m cable	54.00	700015	4549734481991			GE	A	CHN	8536.5080.90
E2E-X18MB2L30-M1	Proximity sensor, inductive, nickel-brass, long body, M30, unshielded, 18 mm, DC, 3-wire, PNP NC, M12 connector	52.20	699968	4549734482080			GE	A	CHN	8536.5080.90
E2E-X18MC130-2M	Proximity sensor, inductive, nickel-brass, long body, M30, unshielded, 18 mm, DC, 3-wire, PNP NO, 2 m cable	52.20	699506	4549734479233			GE	A	CHN	8536.5080.90
E2E-X18MC130-5M	Proximity sensor, inductive, nickel-brass, short body, M30, unshielded, 18 mm, DC, 3-wire, PNP NO, 5 m cable	56.70	700072	4549734479264			GE	A	CHN	8536.5080.90
E2E-X18MC130-M1	Proximity sensor, inductive, nickel-brass, short body, M30, unshielded, 18 mm, DC, 3-wire, PNP NO, M12 connector	54.00	699971	4549734479417			GE	A	CHN	8536.5080.90
E2E-X18MC130-M1TJ0.3M	Proximity sensor, inductive, nickel-brass, short body, M30, unshielded, 18 mm, DC, 3-wire, PNP NO, M12 pigtail Smartclick connector, 0.3 m	67.50	699972	4549734479356			GE	A	CHN	8536.5080.90
E2E-X18MC130-R2M	Proximity sensor, inductive, nickel-brass, short body, M30, unshielded, 18 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m robotic cable	56.70	700021	4549734479295			GE	A	CHN	8536.5080.90
E2E-X18MC1L30-2M	Proximity sensor, inductive, nickel-brass, long body, M30, unshielded, 18 mm, DC, 3-wire, PNP NO, 2 m cable	54.00	700019	4549734479882			GE	A	CHN	8536.5080.90
E2E-X18MC1L30-5M	Proximity sensor, inductive, nickel-brass, long body, M30, unshielded, 18 mm, DC, 3-wire, PNP NO, 5 m cable	56.70	700070	4549734479912			GE	A	CHN	8536.5080.90
E2E-X18MC1L30-M1	Proximity sensor, inductive, nickel-brass, long body, M30, unshielded, 18 mm, DC, 3-wire, PNP NO, M12 connector	54.00	699967	4549734479974			GE	A	CHN	8536.5080.90
E2E-X18MC230-2M	Proximity sensor, inductive, nickel-brass, short body, M30, unshielded, 18 mm, DC, 3-wire, PNP NC, 2 m cable	54.00	700022	4549734479240			GE	A	CHN	8536.5080.90
E2E-X18MC230-M1	Proximity sensor, inductive, nickel-brass, short body, M30, unshielded, 18 mm, DC, 3-wire, PNP NC, 5 m cable	56.70	700071	4549734479271			GE	A	CHN	8536.5080.90
E2E-X18MC2L30-2M	Proximity sensor, inductive, nickel-brass, long body, M30, unshielded, 18 mm, DC, 3-wire, PNP NC, 2 m cable	54.00	699973	4549734479424			GE	A	CHN	8536.5080.90

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Daheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
E2E-X1F5B1T8-M3	Proximity sensor, inductive, SJS short body, M8, shielded, 1.5 mm, DC, 3-wire, PNP NO, IO-Link COM3, M8 connector 4 pins	40.50	698867	4549734462686			GE	A	CHN	8536.5080.90
E2E-X1F5B1T8-M5	Proximity sensor, inductive, SJS short body, M8, shielded, 1.5 mm, DC, 3-wire, PNP NO, IO-Link COM3, M8 connector 3 pins	40.50	698869	4549734462709			GE	A	CHN	8536.5080.90
E2E-X1F5B1T8-R2M	Proximity sensor, inductive, SJS body, short body, M8, shielded, 1.5 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m robotic cable	43.20	700039	4549734462587			GE	A	CHN	8536.5080.90
E2E-X1F5B1T8-R5M	Proximity sensor, inductive, SJS long body, M8, shielded, 1.5 mm, DC, 3-wire, PNP NO, IO-Link COM3, 5 m robotic cable	54.00	700086	4549734462600			GE	A	CHN	8536.5080.90
E2E-X1F5B1TL8-2M	Proximity sensor, inductive, SJS long body, M8, shielded, 1.5 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	45.00	698877	4549734463980			GE	A	CHN	8536.5080.90
E2E-X1F5B1TL8-5M	Proximity sensor, inductive, SJS long body, M8, shielded, 1.5 mm, DC, 3-wire, PNP NO, IO-Link COM3, 5 m cable	47.70	699659	4549734464004			GE	A	CHN	8536.5080.90
E2E-X1F5B1TL8-M1	Proximity sensor, inductive, SJS body, long body, M8, shielded, 1.5 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	45.00	698847	4549734464048			GE	A	CHN	8536.5080.90
E2E-X1F5B1TL8-M3	Proximity sensor, inductive, SJS body, long body, M8, shielded, 1.5 mm, DC, 3-wire, PNP NO, IO-Link COM3, M8 connector 4 pins	45.00	699671	4549734464079			GE	A	CHN	8536.5080.90
E2E-X1F5B1TL8-M5	Proximity sensor, inductive, SJS long body, M8, shielded, 1.5 mm, DC, 3-wire, PNP NO, IO-Link COM3, M8 connector 3 pins	45.00	698870	4549734464093			GE	A	CHN	8536.5080.90
E2E-X1F5B28-2M	Proximity sensor, inductive, short SJS body M8, shielded, 1.5 mm, DC, 3-wire, PNP NC, 2 m cable	40.50	698874	4549734462556			GE	A	CHN	8536.5080.90
E2E-X1F5B28-5M	Proximity sensor, inductive, short SJS body M8, shielded, 1.5 mm, DC, 3-wire, PNP NC, 5 m cable	43.20	700086	4549734462570			GE	A	CHN	8536.5080.90
E2E-X1F5B28-M1	Proximity sensor, inductive, short SJS body M8, shielded, 1.5 mm, DC, 3-wire, PNP NC, M12 connector	40.50	698845	4549734462679			GE	A	CHN	8536.5080.90
E2E-X1F5B28-M3	Proximity sensor, inductive, short SJS body M8, shielded, 1.5 mm, DC, 3-wire, PNP NC, M8 connector 4 pins	45.00	699663	4549734462693			GE	A	CHN	8536.5080.90
E2E-X1F5B28-R5M	Proximity sensor, inductive, short SJS body M8, shielded, 1.5 mm, DC, 3-wire, PNP NC, 5 m robotic cable	54.00	700084	4549734462617			GE	A	CHN	8536.5080.90
E2E-X1F5C18-2M	Proximity sensor, inductive, short SJS body M8, shielded, 1.5 mm, DC, 3-wire, PNP NO, 2 m cable	40.50	698871	4549734460101			GE	A	CHN	8536.5080.90
E2E-X1F5C18-5M	Proximity sensor, inductive, short SJS body M8, shielded, 1.5 mm, DC, 3-wire, PNP NO, 5 m cable	43.20	699654	4549734460125			GE	A	CHN	8536.5080.90
E2E-X1F5C18-M1	Proximity sensor, inductive, short SJS body M8, shielded, 1.5 mm, DC, 3-wire, PNP NO, M12 connector	40.50	699628	4549734460224			GE	A	CHN	8536.5080.90
E2E-X1F5C18-M3	Proximity sensor, inductive, short SJS body M8, shielded, 1.5 mm, DC, 3-wire, PNP NO, M8 connector 4 pins	40.50	699959	4549734460248			GE	A	CHN	8536.5080.90
E2E-X1F5C18-M5	Proximity sensor, inductive, short SJS body M8, shielded, 1.5 mm, DC, 3-wire, PNP NO, M8 connector 3 pins	40.50	699627	4549734460262			GE	A	CHN	8536.5080.90
E2E-X1F5C18-R2M	Proximity sensor, inductive, short SJS body M8, shielded, 1.5 mm, DC, 3-wire, PNP NO, 2 m robotic cable	43.20	700040	4549734460149			GE	A	CHN	8536.5080.90
E2E-X1F5C18-M5	Proximity sensor, inductive, long SJS body M8, shielded, 1.5 mm, DC, 3-wire, PNP NO, M8 connector 3 pins	45.00	699650	4549734461658			GE	A	CHN	8536.5080.90
E2E-X1F5C28-2M	Proximity sensor, inductive, short SJS body M8, shielded, 1.5 mm, DC, 3-wire, PNP NC, 2 m cable	40.50	699655	4549734460118			GE	A	CHN	8536.5080.90
E2E-X1F5C28-5M	Proximity sensor, inductive, short SJS body M8, shielded, 1.5 mm, DC, 3-wire, PNP NC, 5 m prewired	43.20	700087	4549734460132			GE	A	CHN	8536.5080.90
E2E-X1F5C28-M1	Proximity sensor, inductive, short SJS body M8, shielded, 1.5 mm, DC, 3-wire, PNP NC, M12 connector	40.50	699990	4549734460231			GE	A	CHN	8536.5080.90
E2E-X1F5C28-M3	Proximity sensor, inductive, short SJS body M8, shielded, 1.5 mm, DC, 3-wire, PNP NC, M8 connector 4 pins	40.50	699960	4549734460255			GE	A	CHN	8536.5080.90
E2E-X1F5D1-M1TGJ-0.3M	Proximity sensor, inductive, brass-nickel, M8, shielded, 1.5 mm, NO, 0.3 m pig-tail, DC2-wire	41.48	681667	4549734183994			GE	A	CHN	8536.5080.90
E2E-X1F5D1-M1TGJ-T-0.3M	Proximity sensor, inductive, brass-nickel, M8, shielded, 1.5 mm, NO, 0.3 m pig-tail, DC2-wire, no polarity	41.48	681713	4549734184090			GE	A	CHN	8536.5080.90
E2E-X1F5D1-N-2M	Proximity sensor, inductive, brass-nickel, M8, shielded, 1.5 mm, NO, 2 m cable, DC2-wire	37.71	681795	4549734183918			GE	A	CHN	8536.5080.90
E2E-X1F5D1-N-5M	Proximity sensor, inductive, brass-nickel, M8, shielded, 1.5 mm, NO, 5 m cable, DC2-wire	39.96	681651	4549734183932			GE	A	CHN	8536.5080.90
E2E-X1F5D1-RN-2M	Proximity sensor, inductive, brass-nickel, M8, shielded, 1.5 mm, NO, 2 m cable robotic, DC2-wire	41.48	681812	4549734183956			GE	A	CHN	8536.5080.90
E2E-X1F5D1-RN-5M	Proximity sensor, inductive, brass-nickel, M8, shielded, 1.5 mm, NO, 5 m cable robotic, DC2-wire	43.74	681689	4549734183970			GE	A	CHN	8536.5080.90
E2E-X1F5D1-TN-2M	Proximity sensor, inductive, brass-nickel, M8, shielded, 1.5 mm, NO, 2 m cable, DC2-wire, no polarity	37.71	681668	4549734184014			GE	A	CHN	8536.5080.90
E2E-X1F5D1-TN-5M	Proximity sensor, inductive, brass-nickel, M8, shielded, 1.5 mm, NO, 5 m cable, DC2-wire, no polarity	39.96	681664	4549734184038			GE	A	CHN	8536.5080.90
E2E-X1F5D1-TRN-2M	Proximity sensor, inductive, brass-nickel, M8, shielded, 1.5 mm, NO, 2 m cable robotic, DC2-wire, no polarity	39.96	681661	4549734184052			GE	A	CHN	8536.5080.90
E2E-X1F5D1-TRN-5M	Proximity sensor, inductive, brass-nickel, M8, shielded, 1.5 mm, NO, 5 m cable robotic, DC2-wire, no polarity	43.74	681775	4549734184076			GE	A	CHN	8536.5080.90
E2E-X1F5D2-M1TGJ-0.3M	Proximity sensor, inductive, brass-nickel, M8, shielded, 1.5 mm, NC, 0.3 m pig-tail, DC2-wire	37.71	681885	4549734184007			GE	A	CHN	8536.5080.90
E2E-X1F5D2-M1TGJ-T-0.3M	Proximity sensor, inductive, brass-nickel, M8, shielded, 1.5 mm, NC, 0.3 m pig-tail, DC2-wire, no polarity	39.96	681662	4549734184106			GE	A	CHN	8536.5080.90
E2E-X1F5D2-N-2M	Proximity sensor, inductive, brass-nickel, M8, shielded, 1.5 mm, NC, 2 m cable, DC2-wire	41.48	681720	4549734183926			GE	A	CHN	8536.5080.90
E2E-X1F5D2-N-5M	Proximity sensor, inductive, brass-nickel, M8, shielded, 1.5 mm, NC, 5 m cable, DC2-wire	41.48	681735	4549734183949			GE	A	CHN	8536.5080.90
E2E-X1F5D2-RN-2M	Proximity sensor, inductive, brass-nickel, M8, shielded, 1.5 mm, NC, 2 m cable robotic, DC2-wire	41.48	681869	4549734183963			GE	A	CHN	8536.5080.90
E2E-X1F5D2-RN-5M	Proximity sensor, inductive, brass-nickel, M8, shielded, 1.5 mm, NC, 5 m cable robotic, DC2-wire	43.74	681803	4549734183987			GE	A	CHN	8536.5080.90
E2E-X1F5D2-TN-2M	Proximity sensor, inductive, brass-nickel, M8, shielded, 1.5 mm, NC, 2 m cable, DC2-wire, no polarity	37.71	681675	4549734184021			GE	A	CHN	8536.5080.90
E2E-X1F5D2-TN-5M	Proximity sensor, inductive, brass-nickel, M8, shielded, 1.5 mm, NC, 5 m cable, DC2-wire, no polarity	39.96	681655	4549734184045			GE	A	CHN	8536.5080.90
E2E-X1F5D2-TRN-2M	Proximity sensor, inductive, brass-nickel, M8, shielded, 1.5 mm, NC, 2 m cable robotic, DC2-wire, no polarity	41.48	681851	4549734184069			GE	A	CHN	8536.5080.90
E2E-X1F5D2-TRN-5M	Proximity sensor, inductive, brass-nickel, M8, shielded, 1.5 mm, NC, 5 m cable robotic, DC2-wire, no polarity	43.74	681757	4549734184083			GE	A	CHN	8536.5080.90
E2E-X20D130-2M	Proximity sensor, inductive, brass-nickel, M30, shielded, 20 mm, NO, 2 m cable, DC2-wire	52.80	681883	4549734183031			GE	A	CHN	8536.5080.90
E2E-X20D130-5M	Proximity sensor, inductive, brass-nickel, M30, shielded, 20 mm, NO, 5 m cable, DC2-wire	55.05	681897	4549734183055			GE	A	CHN	8536.5080.90
E2E-X20D130-M1TGJ-0.3M	Proximity sensor, inductive, brass-nickel, M30, shielded, 20 mm, NO, 0.3 m pig-tail, DC2-wire	62.85	681888	4549734183116			GE	A	CHN	8536.5080.90
E2E-X20D130-M1TGJ-T-0.3M	Proximity sensor, inductive, brass-nickel, M30, shielded, 20 mm, NO, 0.3 m pig-tail, DC2-wire, no polarity	62.85	681732	4549734183215			GE	A	CHN	8536.5080.90
E2E-X20D130-R2M	Proximity sensor, inductive, brass-nickel, M30, shielded, 20 mm, NO, 2 m cable robotic, DC2-wire	56.60	681750	4549734183079			GE	A	CHN	8536.5080.90
E2E-X20D130-R5M	Proximity sensor, inductive, brass-nickel, M30, shielded, 20 mm, NO, 5 m cable robotic, DC2-wire	72.10	681698	4549734183093			GE	A	CHN	8536.5080.90
E2E-X20D130-T-2M	Proximity sensor, inductive, brass-nickel, M30, shielded, 20 mm, NO, 2 m cable, DC2-wire, no polarity	52.80	681768	4549734183130			GE	A	CHN	8536.5080.90
E2E-X20D130-T-5M	Proximity sensor, inductive, brass-nickel, M30, shielded, 20 mm, NO, 5 m cable, DC2-wire, no polarity	55.05	681792	4549734183154			GE	A	CHN	8536.5080.90
E2E-X20D130-TR2M	Proximity sensor, inductive, brass-nickel, M30, shielded, 20 mm, NO, 2 m cable robotic, DC2-wire, no polarity	55.05	681637	4549734183178			GE	A	CHN	8536.5080.90
E2E-X20D130-TR5M	Proximity sensor, inductive, brass-nickel, M30, shielded, 20 mm, NO, 5 m cable robotic, DC2-wire, no polarity	72.90	681673	4549734183192			GE	A	CHN	8536.5080.90
E2E-X20D230-2M	Proximity sensor, inductive, brass-nickel, M30, shielded, 20 mm, NC, 2 m cable, DC2-wire	52.80	681692	4549734183048			GE	A	CHN	8536.5080.90
E2E-X20D230-5M	Proximity sensor, inductive, brass-nickel, M30, shielded, 20 mm, NC, 5 m cable, DC2-wire	55.05	681744	4549734183062			GE	A	CHN	8536.5080.90
E2E-X20D230-M1TGJ-0.3M	Proximity sensor, inductive, brass-nickel, M30, shielded, 20 mm, NC, 0.3 m pig-tail, DC2-wire	62.85	681781	4549734183123			GE	A	CHN	8536.5080.90
E2E-X20D230-M1TGJ-T-0.3M	Proximity sensor, inductive, brass-nickel, M30, shielded, 20 mm, NC, 0.3 m pig-tail, DC2-wire, no polarity	62.85	681694	4549734183222			GE	A	CHN	8536.5080.90
E2E-X20D230-R2M	Proximity sensor, inductive, brass-nickel, M30, shielded, 20 mm, NC, 2 m cable robotic, DC2-wire	56.60	681691	4549734183068			GE	A	CHN	8536.5080.90
E2E-X20D230-R5M	Proximity sensor, inductive, brass-nickel, M30, shielded, 20 mm, NC, 5 m cable robotic, DC2-wire	72.10	681752	4549734183109			GE	A	CHN	8536.5080.90
E2E-X20D230-T-2M	Proximity sensor, inductive, brass-nickel, M30, shielded, 20 mm, NC, 2 m cable, DC2-wire, no polarity	52.80	681874	4549734183147			GE	A	CHN	8536.5080.90
E2E-X20D230-T-5M	Proximity sensor, inductive, brass-nickel, M30, shielded, 20 mm, NC, 5 m cable, DC2-wire, no polarity	55.05	681894	4549734183161			GE	A	CHN	8536.5080.90
E2E-X20D230-TR2M	Proximity sensor, inductive, brass-nickel, M30, shielded, 20 mm, NC, 2 m cable robotic, DC2-wire, no polarity	56.60	681852	4549734183185			GE	A	CHN	8536.5080.90
E2E-X20D230-TR5M	Proximity sensor, inductive, brass-nickel, M30, shielded, 20 mm, NC, 5 m cable robotic, DC2-wire, no polarity	72.90	681760	4549734183208			GE	A	CHN	8536.5080.90
E2E-X20M1TL18-2M	Proximity sensor, inductive, nickel-brass, long body, M18, unshielded, 20 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	46.80	687988	4549734476690			GE	A	CHN	8536.5080.90
E2E-X20M1TL18-M1	Proximity sensor, inductive, nickel-brass, long body, M18, unshielded, 20 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	46.80	687985	4549734476874			GE	A	CHN	8536.5080.90
E2E-X20M1TL18-M1TGJ-0.3M	Proximity sensor, inductive, nickel-brass, long body, M18, unshielded, 20 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 pigtail Smartclick connector, 0.3 m	60.30	687986	4549734476812			GE	A	CHN	8536.5080.90
E2E-X20M1TL18-R2M	Proximity sensor, inductive, nickel-brass, long body, M18, unshielded, 20 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m robotic cable	49.50	687987	4549734476751			GE	A	CHN	8536.5080.90
E2E-X20M1TL18-5M	Proximity sensor, inductive, nickel-brass, long body, M18, unshielded, 20 mm, DC, 3-wire, PNP NC, 2 m cable	46.80	698885	4549734476706			GE	A	CHN	8536.5080.90
E2E-X20M1TL18-M1	Proximity sensor, inductive, nickel-brass, long body, M18, unshielded, 20 mm, DC, 3-wire, PNP NC, M12 connector	46.80	698884	4549734476881			GE	A	CHN	8536.5080.90
E2E-X20M1TL18-2M	Proximity sensor, inductive, nickel-brass, long body, M18, unshielded, 20 mm, DC, 3-wire, PNP NO, IO-Link COM2, 2 m cable	46.80	698752	4549734476267			GE	A	CHN	8536.5080.90
E2E-X20M1TL18-M1	Proximity sensor, inductive, nickel-brass, long body, M18, unshielded, 20 mm, DC, 3-wire, PNP NO, IO-Link COM2, M12 connector	46.80	698751	4549734476380			GE	A	CHN	8536.5080.90
E2E-X20M1Cl18-2M	Proximity sensor, inductive, nickel-brass, long body, M18, unshielded, 20 mm, DC, 3-wire, PNP NO, 2 m cable	46.80	699323	4549734474474			GE	A	CHN	8536.5080.90
E2E-X20M1L18-2M	Proximity sensor, inductive, brass-nickel, M18, non-shielded, 20 mm, NO, 2 m cable, DC2-wire									

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	SLN. (Daheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code	
E2E-X20MD1L18-M1TGJ-T0.3M	Proximity sensor, inductive, brass-nickel, M18, non-shielded, 20 mm, NO, 0.3 m pig-tail, DC 2-wire, no polarity	55.05	681677	4549734183017			GE	A	CHN	8536.5080.90	
E2E-X20MD1L18-R-2M	Proximity sensor, inductive, brass-nickel, M18, non-shielded, 20 mm, NO, 2 m cable robotic, DC2-wire	55.05	681746	4549734182874			GE	A	CHN	8536.5080.90	
E2E-X20MD1L18-R-5M	Proximity sensor, inductive, brass-nickel, M18, non-shielded, 20 mm, NO, 5 m cable robotic, DC2-wire	63.70	681679	4549734182898			GE	A	CHN	8536.5080.90	
E2E-X20MD1L18-T-2M	Proximity sensor, inductive, brass-nickel, M18, non-shielded, 20 mm, NO, 2 m cable, DC 3-wire, no polarity	51.30	681784	4549734182935			GE	A	CHN	8536.5080.90	
E2E-X20MD1L18-T-5M	Proximity sensor, inductive, brass-nickel, M18, non-shielded, 20 mm, NO, 5 m cable, DC 3-wire, no polarity	53.55	681699	4549734182959			GE	A	CHN	8536.5080.90	
E2E-X20MD1L18-TR-2M	Proximity sensor, inductive, brass-nickel, M18, non-shielded, 20 mm, NO, 2 m cable robotic, DC2-wire, no polarity	53.55	681606	4549734182973			GE	A	CHN	8536.5080.90	
E2E-X20MD1L18-TR-5M	Proximity sensor, inductive, brass-nickel, M18, non-shielded, 20 mm, NO, 5 m cable robotic, DC2-wire, no polarity	63.70	681704	4549734182997			GE	A	CHN	8536.5080.90	
E2E-X20MD2L18-2M	Proximity sensor, inductive, brass-nickel, M18, non-shielded, 20 mm, NC, 2 m cable, DC 2-wire	51.30	681714	4549734182843			GE	A	CHN	8536.5080.90	
E2E-X20MD2L18-5M	Proximity sensor, inductive, brass-nickel, M18, non-shielded, 20 mm, NC, 5 m cable, DC 2-wire	53.55	681836	4549734182867			GE	A	CHN	8536.5080.90	
E2E-X20MD2L18-M1TGJ0.3M	Proximity sensor, inductive, brass-nickel, M18, non-shielded, 20 mm, NC, 0.3 m pig-tail, DC 2-wire	55.05	681685	4549734182928			GE	A	CHN	8536.5080.90	
E2E-X20MD2L18-M1TGJ-T0.3M	Proximity sensor, inductive, brass-nickel, M18, non-shielded, 20 mm, NC, 0.3 m pig-tail, DC 2-wire, no polarity	55.05	681770	4549734183024			GE	A	CHN	8536.5080.90	
E2E-X20MD2L18-R-2M	Proximity sensor, inductive, brass-nickel, M18, non-shielded, 20 mm, NC, 2 m cable robotic, DC2-wire	55.05	681766	4549734182881			GE	A	CHN	8536.5080.90	
E2E-X20MD2L18-R-5M	Proximity sensor, inductive, brass-nickel, M18, non-shielded, 20 mm, NC, 5 m cable robotic, DC 2-wire	63.70	681891	4549734182904			GE	A	CHN	8536.5080.90	
E2E-X20MD2L18-T-2M	Proximity sensor, inductive, brass-nickel, M18, non-shielded, 20 mm, NC, 2 m cable, DC 2-wire, no polarity	51.30	681815	4549734182942			GE	A	CHN	8536.5080.90	
E2E-X20MD2L18-T-5M	Proximity sensor, inductive, brass-nickel, M18, non-shielded, 20 mm, NC, 5 m cable, DC 2-wire, no polarity	53.55	681695	4549734182966			GE	A	CHN	8536.5080.90	
E2E-X20MD2L18-TR-2M	Proximity sensor, inductive, brass-nickel, M18, non-shielded, 20 mm, NC, 2 m cable robotic, DC2-wire, no polarity	55.05	681670	4549734182980			GE	A	CHN	8536.5080.90	
E2E-X20MD2L18-TR-5M	Proximity sensor, inductive, brass-nickel, M18, non-shielded, 20 mm, NC, 5 m cable robotic, DC2-wire, no polarity	63.70	681905	4549734183000			GE	A	CHN	8536.5080.90	
E2E-X22B1T30-2M	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 22 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	52.20	687500	4549734480987			GE	A	CHN	8536.5080.90	
E2E-X22B1T30-5M	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 22 mm, DC, 3-wire, PNP NO, IO-Link COM3, 5 m cable	55.20	700809	4549734481014			GE	A	CHN	8536.5080.90	
E2E-X22B1T30-M1	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 22 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	52.20	687499	4549734481168			GE	A	CHN	8536.5080.90	
E2E-X22B1T30-M1TJ0.3M	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 22 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 pigtail Smartclick connector, 0.3 m	72.00	687853	4549734481106		10	GE	A	CHN	8536.5080.90	
E2E-X22B1T30-2M	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 22 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m robotic cable	61.20	687979	4549734481045			GE	A	CHN	8536.5080.90	
E2E-X22B1TL30-2M	Proximity sensor, inductive, nickel-brass, long body, M30, shielded, 22 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	58.50	687974	4549734481786			GE	A	CHN	8536.5080.90	
E2E-X22B1TL30-M1	Proximity sensor, inductive, nickel-brass, long body, M30, shielded, 22 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	58.50	687851	4549734481878			5	GE	A	CHN	8536.5080.90
E2E-X22B1TL30-M1TJ0.3M	Proximity sensor, inductive, nickel-brass, long body, M30, shielded, 22 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 pigtail Smartclick connector, 0.3 m	72.00	687973	4549734481847			GE	A	CHN	8536.5080.90	
E2E-X22B230-10M	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 22 mm, DC, 3-wire, PNP NC, 10 m cable	65.00	700791	4549734710862			GE	A	CHN	8536.5080.90	
E2E-X22B230-2M	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 22 mm, DC, 3-wire, PNP NC, 2 m cable	54.00	691086	4549734480994			GE	A	CHN	8536.5080.90	
E2E-X22B230-5M	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 22 mm, DC, 3-wire, PNP NC, 5 m cable	57.00	700808	4549734481021			GE	A	CHN	8536.5080.90	
E2E-X22B230-M1	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 22 mm, DC, 3-wire, PNP NC, M12 connector	54.00	691085	4549734481175			GE	A	CHN	8536.5080.90	
E2E-X22B2L30-2M	Proximity sensor, inductive, nickel-brass, long body, M30, shielded, 22 mm, DC, 3-wire, PNP NC, 2 m cable	58.50	696851	4549734481793			GE	A	CHN	8536.5080.90	
E2E-X22B2L30-M1	Proximity sensor, inductive, nickel-brass, long body, M30, shielded, 22 mm, DC, 3-wire, PNP NC, M12 connector	58.50	696850	4549734481885			GE	A	CHN	8536.5080.90	
E2E-X22B3D30-M1	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 22 mm, DC, 3-wire, PNP NO+NC, IO-Link COM2, M12 connector	54.00	687848	4549734483070			GE	A	CHN	8536.5080.90	
E2E-X22B3D30-M1	Proximity sensor, inductive, nickel-brass, long body, M30, shielded, 22 mm, DC, 3-wire, PNP NO+NC, IO-Link COM2, M12 connector	54.00	687846	4549734483520			GE	A	CHN	8536.5080.90	
E2E-X22C130-2M	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 22 mm, DC, 3-wire, NPN NO, 2 m cable	52.20	687504	4549734478885			GE	A	CHN	8536.5080.90	
E2E-X22C130-M1	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 22 mm, DC, 3-wire, NPN NO, M12 connector	52.20	687503	4549734479066			GE	A	CHN	8536.5080.90	
E2E-X22C130-2M	Proximity sensor, inductive, nickel-brass, long body, M30, shielded, 22 mm, DC, 3-wire, NPN NO, M12 connector	49.50	696317	4549734479776			GE	A	CHN	8536.5080.90	
E2E-X22C130-M1	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 22 mm, DC, 3-wire, NPN NC, 2 m cable	58.50	691124	4549734478992			GE	A	CHN	8536.5080.90	
E2E-X22C230-M1	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 22 mm, DC, 3-wire, NPN NO, M12 connector	58.50	691123	4549734479079			GE	A	CHN	8536.5080.90	
E2E-X23B1D30-M1	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 23 mm, DC, 3-wire, PNP NO, IO-Link COM2, M12 connector	58.50	696445	4549734483144			GE	A	CHN	8536.5080.90	
E2E-X23B1T30-2M	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 23 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	58.50	687498	4549734481199			GE	A	CHN	8536.5080.90	
E2E-X23B1T30-M1	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 23 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	58.50	687497	4549734481311			GE	A	CHN	8536.5080.90	
E2E-X23B1T30-M1TJ0.3M	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 23 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 pigtail Smartclick connector, 0.3 m	76.50	687852	4549734481274		15	GE	A	CHN	8536.5080.90	
E2E-X23B1T30-R-2M	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 23 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m robotic cable	65.70	687978	4549734481236			GE	A	CHN	8536.5080.90	
E2E-X23B1TL30-2M	Proximity sensor, inductive, nickel-brass, long body, M30, shielded, 23 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	63.00	687972	4549734481906			GE	A	CHN	8536.5080.90	
E2E-X23B1TL30-M1	Proximity sensor, inductive, nickel-brass, long body, M30, shielded, 23 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	63.00	687850	4549734481960		5	GE	A	CHN	8536.5080.90	
E2E-X23B1TL30-M1TJ0.3M	Proximity sensor, inductive, nickel-brass, long body, M30, shielded, 23 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 pigtail Smartclick connector, 0.3 m	76.50	687971	4549734481946			GE	A	CHN	8536.5080.90	
E2E-X23B230-2M	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 23 mm, DC, 3-wire, PNP NC, 2 m cable	58.50	696857	4549734481205			GE	A	CHN	8536.5080.90	
E2E-X23B230-M1	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 23 mm, DC, 3-wire, PNP NC, M12 connector	58.50	696856	4549734481328			GE	A	CHN	8536.5080.90	
E2E-X23B2L30-2M	Proximity sensor, inductive, nickel-brass, long body, M30, shielded, 23 mm, DC, 3-wire, PNP NC, 2 m cable	63.00	696849	4549734481915			GE	A	CHN	8536.5080.90	
E2E-X23B2L30-M1	Proximity sensor, inductive, nickel-brass, long body, M30, shielded, 23 mm, DC, 3-wire, PNP NC, M12 connector	63.00	696848	4549734481977			GE	A	CHN	8536.5080.90	
E2E-X23C130-M1	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 23 mm, DC, 3-wire, NPN NO, M12 connector	58.50	689361	4549734479219			GE	A	CHN	8536.5080.90	
E2E-X23C230-2M	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 23 mm, DC, 3-wire, NPN NC, 2 m cable	58.50	693947	4549734479103			GE	A	CHN	8536.5080.90	
E2E-X23C230-M1	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 23 mm, DC, 3-wire, NPN NC, M12 connector	58.50	694070	4549734479226			GE	A	CHN	8536.5080.90	
E2E-X23C230-2M	Proximity sensor, inductive, nickel-brass, long body, M30, shielded, 23 mm, DC, 3-wire, NPN NC, M12 connector	58.50	694069	4549734479875			GE	A	CHN	8536.5080.90	
E2E-X23B1D8-2M	Proximity sensor, inductive, short SUSbody M8, shielded, 2 mm, DC, 3-wire, PNP NO, IO-Link COM2, 2 m cable	40.50	694065	4549734465076			GE	A	CHN	8536.5080.90	
E2E-X23B1D8-M1	Proximity sensor, inductive, short SUSbody M8, shielded, 2 mm, DC, 3-wire, PNP NO, IO-Link COM2, M12 connector 4 pins	40.50	694064	4549734465137			GE	A	CHN	8536.5080.90	
E2E-X23B1D8-M1	Proximity sensor, inductive, long SUSbody M8, shielded, 2 mm, DC, 3-wire, PNP NO, IO-Link COM2, M12 connector 4 pins	45.00	693950	4549734465809			GE	A	CHN	8536.5080.90	
E2E-X23B1T12-2M	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 2 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	37.80	698886	4549734468640			GE	A	CHN	8536.5080.90	
E2E-X23B1T12-5M	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 2 mm, DC, 3-wire, PNP NO, IO-Link COM3, 5 m cable	40.50	698887	4549734468671			GE	A	CHN	8536.5080.90	
E2E-X23B1T12-M1	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 2 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	37.80	698848	4549734468824			GE	A	CHN	8536.5080.90	
E2E-X23B1T12-M1TJ0.3M	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 2 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 pigtail Smartclick connector, 0.3 m	51.30	698975	4549734468763			GE	A	CHN	8536.5080.90	
E2E-X23B1T12-R-2M	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 2 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m robotic cable	40.50	700046	4549734468701			GE	A	CHN	8536.5080.90	
E2E-X23B1T8-10M	Proximity sensor, inductive, short SUSbody M8, shielded, 2 mm, DC, 3-wire, PNP NO, IO-Link COM3, 10 m cable	51.20	700806	4549734710718			GE	A	CHN	8536.5080.90	
E2E-X23B1T8-2M	Proximity sensor, inductive, short SUSbody M8, shielded, 2 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	40.50	687537	4549734462723			GE	A	CHN	8536.5080.90	
E2E-X23B1T8-5M	Proximity sensor, inductive, short SUSbody M8, shielded, 2 mm, DC, 3-wire, PNP NO, IO-Link COM3, 5 m cable	43.20	696139	4549734462747			GE	A	CHN	8536.5080.90	
E2E-X23B1T8-M1	Proximity sensor, inductive, short SUSbody M8, shielded, 2 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	40.50	687536	4549734462846			GE	A	CHN	8536.5080.90	
E2E-X23B1T8-M1TJ0.3M	Proximity sensor, inductive, short SUSbody M8, shielded, 2 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 pigtail Smartclick connector, 0.3 m	54.00	688109	4549734462808			GE	A	CHN	8536.5080.90	
E2E-X23B1T8-M3	Proximity sensor, inductive, short SUSbody M8, shielded, 2 mm, DC, 3-wire, PNP NO, IO-Link COM3, M8 connector 4 pins	40.50	688108	4549734462860			GE	A	CHN	8536.5080.90	
E2E-X23B1T8-M5	Proximity sensor, inductive, short SUSbody M8, shielded, 2 mm, DC, 3-wire, PNP NO, IO-Link COM3, M8 connector 3 pin	40.50	687535	4549734462884		20	GE	A	CHN	8536.5080.90	
E2E-X23B1T8-R-2M	Proximity sensor, inductive, short SUSbody M8, shielded, 2 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m robotic cable	43.20	688110	4549734462761			GE	A	CHN	8536.5080.90	
E2E-X23B1TL12-2M	Proximity sensor, inductive, nickel-brass, long body, M12, shielded, 4 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	40.50	700045	4549734470186			GE	A	CHN	8536.5080.90	
E2E-X23B1TL12-5M	Proximity sensor, inductive, nickel-brass, long body, M12, shielded, 2 mm, DC, 3-wire, PNP NO, IO-Link COM3, 5 m cable	43.20	698968	4549734470216			GE	A	CHN	8536.5080.90	
E2E-X23B1TL12-M1	Proximity sensor, inductive, nickel-brass, long body, M12, shielded, 2 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	40.50</									

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Daheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
E2E-X2B1TL8-M3	Proximity sensor, inductive, long SJSbody M8, shielded, 2 mm, DC, 3-wire, PNP NO, IO-Link COM3, M8 connector 4 pins	45.00	688084	4549734464208			GE	A	CHN	8536.5080.90
E2E-X2B1TL8-M5	Proximity sensor, inductive, long SJSbody M8, shielded, 2 mm, DC, 3-wire, PNP NO, IO-Link COM3, M8 connector 3 pins	45.00	688083	4549734464222			GE	A	CHN	8536.5080.90
E2E-X2B12 2M	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 2 mm, DC, 3-wire, PNP NC, 2 m cable	37.80	700047	4549734468657			GE	A	CHN	8536.5080.90
E2E-X2B12 5M	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 2 mm, DC, 3-wire, PNP NC, 5 m cable	40.50	700053	4549734468668			GE	A	CHN	8536.5080.90
E2E-X2B12-M1	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 2 mm, DC, 3-wire, PNP NC, M12 connector	37.80	698849	4549734468831			GE	A	CHN	8536.5080.90
E2E-X2B12-M1TJ0.3M	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 2 mm, DC, 3-wire, PNP NC, M12 pigtail Smartclick connector, 0.3 m	51.30	699994	4549734468770			GE	A	CHN	8536.5080.90
E2E-X2B28 10M	Proximity sensor, inductive, short SJSbody M8, shielded, 2 mm, DC, 3-wire, PNP NC, 10 m cable	51.20	700805	4549734710725			GE	A	CHN	8536.5080.90
E2E-X2B28 2M	Proximity sensor, inductive, short SJSbody M8, shielded, 2 mm, DC, 3-wire, PNP NC, 2 m cable	40.50	693989	4549734462730			GE	A	CHN	8536.5080.90
E2E-X2B28 5M	Proximity sensor, inductive, short SJSbody M8, shielded, 2 mm, DC, 3-wire, PNP NC, 5 m cable	43.20	696138	4549734462754			GE	A	CHN	8536.5080.90
E2E-X2B28-M1	Proximity sensor, inductive, short SJSbody M8, shielded, 2 mm, DC, 3-wire, PNP NC, M12 connector	40.50	693951	4549734462853			GE	A	CHN	8536.5080.90
E2E-X2B28-M3	Proximity sensor, inductive, short SJSbody M8, shielded, 2 mm, DC, 3-wire, PNP NC, M8 connector 4 pins	40.50	696137	4549734462877			GE	A	CHN	8536.5080.90
E2E-X2B28-M5	Proximity sensor, inductive, short SJSbody M8, shielded, 2 mm, DC, 3-wire, PNP NC, M8 connector 3 pins	40.50	694114	4549734462891			GE	A	CHN	8536.5080.90
E2E-X2B2L12 2M	Proximity sensor, inductive, nickel-brass, long body, M12, shielded, 2 mm, DC, 3-wire, PNP NC, 2 m cable	40.50	700044	4549734470193			GE	A	CHN	8536.5080.90
E2E-X2B2L12 5M	Proximity sensor, inductive, nickel-brass, long body, M12, shielded, 2 mm, DC, 3-wire, PNP NC, 5 m cable	43.20	700092	4549734470223			GE	A	CHN	8536.5080.90
E2E-X2B2L12-M1	Proximity sensor, inductive, nickel-brass, long body, M12, shielded, 2 mm, DC, 3-wire, PNP NC, M12 connector	40.50	699993	4549734470285			GE	A	CHN	8536.5080.90
E2E-X2B2L6 2M	Proximity sensor, inductive, long SJSbody M8, shielded, 2 mm, DC, 3-wire, PNP NC, 2 m cable	45.00	696217	4549734464123			GE	A	CHN	8536.5080.90
E2E-X2B2L6 5M	Proximity sensor, inductive, long SJSbody M8, shielded, 2 mm, DC, 3-wire, PNP NC, 5 m cable	47.70	698878	4549734464147			GE	A	CHN	8536.5080.90
E2E-X2B2L8-M1	Proximity sensor, inductive, long SJSbody M8, shielded, 2 mm, DC, 3-wire, PNP NO, M12 connector	45.00	694115	4549734464185			GE	A	CHN	8536.5080.90
E2E-X2B2L8-M3	Proximity sensor, inductive, long SJSbody M8, shielded, 2 mm, DC, 3-wire, PNP NC, M8 connector 4 pins	45.00	698677	4549734464215			GE	A	CHN	8536.5080.90
E2E-X2B2L8-M5	Proximity sensor, inductive, long SJSbody M8, shielded, 2 mm, DC, 3-wire, PNP NC, M8 connector 3 pins	45.00	695866	4549734464239			GE	A	CHN	8536.5080.90
E2E-X2B3D12-M1	Proximity sensor, inductive, long SJSbody M8, shielded, 2 mm, DC, 3-wire, PNP NO, NC, IO-Link COM2, M12 connector	37.80	698853	4549734471190			GE	A	CHN	8536.5080.90
E2E-X2B3DL8-M1	Proximity sensor, inductive, long SJSbody M8, shielded, 2 mm, DC, 3-wire, PNP NO, NC, IO-Link COM2, M12 connector 4 pins	45.00	695084	4549734465816			GE	A	CHN	8536.5080.90
E2E-X2C1 12 2M	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 2 mm, DC, 3-wire, PNP NC, 2 m cable	37.80	698881	4549734466226			GE	A	CHN	8536.5080.90
E2E-X2C1 12 5M	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 2 mm, DC, 3-wire, PNP NC, 5 m cable	40.50	698882	4549734466257			GE	A	CHN	8536.5080.90
E2E-X2C1 12-M1	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 2 mm, DC, 3-wire, PNP NO, M12 connector	37.80	699998	4549734466400			GE	A	CHN	8536.5080.90
E2E-X2C1 12-M1TJ0.3M	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 2 mm, DC, 3-wire, PNP NO, M12 pigtail Smartclick connector, 0.3 m	40.50	699999	4549734466434			GE	A	CHN	8536.5080.90
E2E-X2C1 12-R2M	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 2 mm, DC, 3-wire, PNP NO, 2 m robotic cable	40.50	700050	4549734466288			GE	A	CHN	8536.5080.90
E2E-X2C18 2M	Proximity sensor, inductive, short SJSbody M8, shielded, 2 mm, DC, 3-wire, PNP NO, 2 m cable	40.50	694862	4549734460286			GE	A	CHN	8536.5080.90
E2E-X2C18 5M	Proximity sensor, inductive, short SJSbody M8, shielded, 2 mm, DC, 3-wire, PNP NO, 5 m cable	43.20	696230	4549734460309			GE	A	CHN	8536.5080.90
E2E-X2C18-M1	Proximity sensor, inductive, short SJSbody M8, shielded, 2 mm, DC, 3-wire, PNP NO, M12 connector	40.50	687496	4549734460408			GE	A	CHN	8536.5080.90
E2E-X2C18-M3	Proximity sensor, inductive, short SJSbody M8, shielded, 2 mm, DC, 3-wire, PNP NO, M8 connector 4 pins	40.50	696146	4549734460422			GE	A	CHN	8536.5080.90
E2E-X2C18-M5	Proximity sensor, inductive, short SJSbody M8, shielded, 2 mm, DC, 3-wire, PNP NO, M8 connector 3 pins	40.50	696145	4549734460446			GE	A	CHN	8536.5080.90
E2E-X2C1L12 2M	Proximity sensor, inductive, nickel-brass, long body, M12, shielded, 2 mm, DC, 3-wire, PNP NO, 2 m cable	34.20	700049	4549734467766			GE	A	CHN	8536.5080.90
E2E-X2C1L12 5M	Proximity sensor, inductive, nickel-brass, long body, M12, shielded, 2 mm, DC, 3-wire, PNP NO, 5 m cable	43.20	700094	4549734467797			GE	A	CHN	8536.5080.90
E2E-X2C1L12-M1	Proximity sensor, inductive, nickel-brass, long body, M12, shielded, 2 mm, DC, 3-wire, PNP NO, M12 connector	34.20	699996	4549734467858			GE	A	CHN	8536.5080.90
E2E-X2C1L8 2M	Proximity sensor, inductive, long SJSbody M8, shielded, 2 mm, DC, 3-wire, PNP NO, 2 m cable	45.00	695086	4549734461672			GE	A	CHN	8536.5080.90
E2E-X2C1L8 5M	Proximity sensor, inductive, long SJSbody M8, shielded, 2 mm, DC, 3-wire, PNP NO, 5 m cable	47.70	699649	4549734461696			GE	A	CHN	8536.5080.90
E2E-X2C1L8-M1	Proximity sensor, inductive, long SJSbody M8, shielded, 2 mm, DC, 3-wire, PNP NO, M12 connector	45.00	696118	4549734461733			GE	A	CHN	8536.5080.90
E2E-X2C1L8-M3	Proximity sensor, inductive, long SJSbody M8, shielded, 2 mm, DC, 3-wire, PNP NO, M8 connector 4 pins	45.00	697075	4549734461764			GE	A	CHN	8536.5080.90
E2E-X2C1L8-M5	Proximity sensor, inductive, long SJSbody M8, shielded, 2 mm, DC, 3-wire, PNP NO, M8 connector 3 pins	45.00	696228	4549734461788			GE	A	CHN	8536.5080.90
E2E-X2C2 12 2M	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 2 mm, DC, 3-wire, PNP NC, 2 m cable	31.50	700051	4549734466233			GE	A	CHN	8536.5080.90
E2E-X2C2 12 5M	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 2 mm, DC, 3-wire, PNP NC, 5 m cable	40.50	700095	4549734466264			GE	A	CHN	8536.5080.90
E2E-X2C2 12-M1	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 2 mm, DC, 3-wire, PNP NC, M12 connector	37.80	699997	4549734466417			GE	A	CHN	8536.5080.90
E2E-X2C28 2M	Proximity sensor, inductive, short SJSbody M8, shielded, 2 mm, DC, 3-wire, PNP NC, 2 m cable	40.50	696231	4549734460293			GE	A	CHN	8536.5080.90
E2E-X2C28 5M	Proximity sensor, inductive, short SJSbody M8, shielded, 2 mm, DC, 3-wire, PNP NC, 5 m cable	43.20	698872	4549734460316			GE	A	CHN	8536.5080.90
E2E-X2C28-M1	Proximity sensor, inductive, short SJSbody M8, shielded, 2 mm, DC, 3-wire, PNP NC, M12 connector	40.50	694113	4549734460415			GE	A	CHN	8536.5080.90
E2E-X2C28-M3	Proximity sensor, inductive, short SJSbody M8, shielded, 2 mm, DC, 3-wire, PNP NC, M8 connector 4 pins	40.50	698708	4549734460439			GE	A	CHN	8536.5080.90
E2E-X2C28-M5	Proximity sensor, inductive, short SJSbody M8, shielded, 2 mm, DC, 3-wire, PNP NC, M8 connector 3 pins	40.50	696187	4549734460453			GE	A	CHN	8536.5080.90
E2E-X2C2L12 2M	Proximity sensor, inductive, nickel-brass, long body, M12, shielded, 2 mm, DC, 3-wire, PNP NC, 2 m cable	34.20	700048	4549734467773			GE	A	CHN	8536.5080.90
E2E-X2C2L12-M1	Proximity sensor, inductive, nickel-brass, long body, M12, shielded, 2 mm, DC, 3-wire, PNP NC, M12 connector	34.20	699995	4549734467865			GE	A	CHN	8536.5080.90
E2E-X2C2L8 2M	Proximity sensor, inductive, long SJSbody M8, shielded, 2 mm, DC, 3-wire, PNP NC, 2 m cable	45.00	695085	4549734461689			GE	A	CHN	8536.5080.90
E2E-X2C2L8 5M	Proximity sensor, inductive, long SJSbody M8, shielded, 2 mm, DC, 3-wire, PNP NC, 5 m cable	47.70	699648	4549734461702			GE	A	CHN	8536.5080.90
E2E-X2C2L8-M1	Proximity sensor, inductive, long SJSbody M8, shielded, 2 mm, DC, 3-wire, PNP NC, M12 connector	45.00	698844	4549734461740			GE	A	CHN	8536.5080.90
E2E-X2C2L8-M3	Proximity sensor, inductive, long SJSbody M8, shielded, 2 mm, DC, 3-wire, PNP NC, M8 connector 4 pins	45.00	698704	4549734461771			GE	A	CHN	8536.5080.90
E2E-X2C2L8-M5	Proximity sensor, inductive, long SJSbody M8, shielded, 2 mm, DC, 3-wire, PNP NC, M8 connector 3 pins	45.00	698703	4549734461795			GE	A	CHN	8536.5080.90
E2E-X2C3L12-M1	Proximity sensor, inductive, nickel-brass, long body, M12, shielded, 2 mm, DC, 3-wire, PNP NO, NC, 2 m cable	40.50	699670	4549734467872			GE	A	CHN	8536.5080.90
E2E-X2M81T8 2M	Proximity sensor, inductive, SJSshort body, M8, unshielded, 2 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	40.50	698876	4549734463263			GE	A	CHN	8536.5080.90
E2E-X2M81T8 5M	Proximity sensor, inductive, short SJSbody M8, unshielded, 2 mm, DC, 3-wire, PNP NO, IO-Link COM3, 5 m cable	43.20	700089	4549734463287			GE	A	CHN	8536.5080.90
E2E-X2M81T8-M1	Proximity sensor, inductive, SJSshort body, M8, unshielded, 2 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	40.50	698846	4549734463386			GE	A	CHN	8536.5080.90
E2E-X2M81T8-M3	Proximity sensor, inductive, SJSshort body, M8, unshielded, 2 mm, DC, 3-wire, PNP NO, IO-Link COM3, M8 connector 4 pins	40.50	699964	4549734463409			GE	A	CHN	8536.5080.90
E2E-X2M81T8-M5	Proximity sensor, inductive, short SJSbody M8, unshielded, 2 mm, DC, 3-wire, PNP NO, IO-Link COM3, M8 connector 3 pins	40.50	699524	4549734463423			GE	A	CHN	8536.5080.90
E2E-X2M81T8-R2M	Proximity sensor, inductive, SJSshort body, M8, unshielded, 2 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m robotic cable	43.20	700041	4549734463300			GE	A	CHN	8536.5080.90
E2E-X2M828 2M	Proximity sensor, inductive, SJSshort body, M8, unshielded, 2 mm, DC, 3-wire, PNP NC, 2 m cable	40.50	699657	4549734463270			GE	A	CHN	8536.5080.90
E2E-X2M828 5M	Proximity sensor, inductive, short SJSbody M8, unshielded, 2 mm, DC, 3-wire, PNP NC, 5 m cable	43.20	700088	4549734463294			GE	A	CHN	8536.5080.90
E2E-X2M828-M1	Proximity sensor, inductive, short SJSbody M8, unshielded, 2 mm, DC, 3-wire, PNP NC, M12 connector	40.50	699991	4549734463393			GE	A	CHN	8536.5080.90
E2E-X2M828-M3	Proximity sensor, inductive, short SJSbody M8, unshielded, 2 mm, DC, 3-wire, PNP NC, M8 connector 4 pins	40.50	699965	4549734463416			GE	A	CHN	8536.5080.90
E2E-X2M8C18 2M	Proximity sensor, inductive, short SJSbody M8, unshielded, 2 mm, DC, 3-wire, PNP NO, 2 m cable	40.50	700043	4549734460828			GE	A	CHN	8536.5080.90
E2E-X2M8C18 5M	Proximity sensor, inductive, short SJSbody M8, unshielded, 2 mm, DC, 3-wire, PNP NO, 5 m cable	43.20	700091	4549734460842			GE	A	CHN	8536.5080.90
E2E-X2M8C18-M1	Proximity sensor, inductive, short SJSbody M8, unshielded, 2 mm, DC, 3-wire, PNP NO, M12 connector	40.50	698843	4549734460941			GE	A	CHN	8536.5080.90
E2E-X2M8C18-M3	Proximity sensor, inductive, short SJSbody M8, unshielded, 2 mm, DC, 3-wire, PNP NO, M8 connector 4 pins	40.50	699961	4549734460965			GE	A	CHN	8536.5080.90
E2E-X2M8C28 2M	Proximity sensor, inductive, short SJSbody M8, unshielded, 2 mm, DC, 3-wire, PNP NC, 2 m cable	43.20	700042	4549734460866			GE	A	CHN	8536.5080.90
E2E-X2M8C28 5M	Proximity sensor, inductive, short SJSbody M8, unshielded, 2 mm, DC, 3-wire, PNP NC, 5 m cable	40.50	699653	4549734460835			GE	A	CHN	8536.5080.90
E2E-X2M8C28-M1	Proximity sensor, inductive, short SJSbody M8, unshielded, 2 mm, DC, 3-wire, PNP NC, M12 connector	43.20	700090	4549734460859			GE	A	CHN	8536.5080.90
E2E-X2M8C28-M3	Proximity sensor, inductive, short SJSbody M8, unshielded, 2 mm, DC, 3-wire, PNP NC, M8 connector 4 pins	40.50	699962	4549734460972			GE	A	CHN	8536.5080.90
E2E-X2P5D1-M1TGJ0.3M	Proximity sensor, inductive, brass-nickel, M12, shielded, 2 mm, NO, 0.3 m pig-tail, DC 2-wire	40.73	681681	4549734184151			GE	A	CHN	8536.5080.90
E2E-X2P5D1-M1TGJ-T 0.3M	Proximity sensor, inductive, brass-nickel, M12, shielded, 2 mm, NO, 0.3 m pig-tail, DC 2-wire, no polarity	40.73	681797	4549734184250			GE			

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Daheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code	
E2E-X2F5D1-N 2M	Proximity sensor, inductive, brass-nickel, M12, shielded, 2 mm, NO, 2 m cable, DC 2-wire	36,97	681723	4549734182157			GE	A	CHN	8536.5080.90	
E2E-X2F5D1-N 5M	Proximity sensor, inductive, brass-nickel, M12, shielded, 2 mm, NO, 5 m cable, DC 2-wire	39,21	681791	4549734182171			GE	A	CHN	8536.5080.90	
E2E-X2F5D1-RN 2M	Proximity sensor, inductive, brass-nickel, M12, shielded, 2 mm, NO, 2 m cable robotic, DC 2-wire	40,73	681769	4549734184113			GE	A	CHN	8536.5080.90	
E2E-X2F5D1-RN 5M	Proximity sensor, inductive, brass-nickel, M12, shielded, 2 mm, NO, 5 m cable, DC 2-wire, no polarity	42,99	681742	4549734184137			GE	A	CHN	8536.5080.90	
E2E-X2F5D1-TN 2M	Proximity sensor, inductive, brass-nickel, M12, shielded, 2 mm, NO, 2 m cable, DC 2-wire, no polarity	36,97	681845	4549734184175			GE	A	CHN	8536.5080.90	
E2E-X2F5D1-TN 5M	Proximity sensor, inductive, brass-nickel, M12, shielded, 2 mm, NO, 5 m cable, DC 2-wire, no polarity	39,21	681800	4549734184199			GE	A	CHN	8536.5080.90	
E2E-X2F5D1-TRN 2M	Proximity sensor, inductive, brass-nickel, M12, shielded, 2 mm, NO, 2 m cable robotic, DC 2-wire, no polarity	39,21	681716	4549734184212			GE	A	CHN	8536.5080.90	
E2E-X2F5D1-TRN 5M	Proximity sensor, inductive, brass-nickel, M12, shielded, 2 mm, NO, 5 m cable robotic, DC 2-wire, no polarity	42,99	681904	4549734184236			GE	A	CHN	8536.5080.90	
E2E-X2F5D2-M1TGJ 0,3M	Proximity sensor, inductive, brass-nickel, M12, shielded, 2 mm, NC, 0,3 m pig-tail, DC 2-wire	36,97	681796	4549734184168			GE	A	CHN	8536.5080.90	
E2E-X2F5D2-M1TGJ-T 0,3M	Proximity sensor, inductive, brass-nickel, M12, shielded, 2 mm, NC, 0,3 m pig-tail, DC 2-wire, no polarity	39,21	681649	4549734184267			GE	A	CHN	8536.5080.90	
E2E-X2F5D2-N 2M	Proximity sensor, inductive, brass-nickel, M12, shielded, 2 mm, NC, 2 m cable, DC 2-wire	40,73	681808	4549734182164			GE	A	CHN	8536.5080.90	
E2E-X2F5D2-N 5M	Proximity sensor, inductive, brass-nickel, M12, shielded, 2 mm, NC, 5 m cable, DC 2-wire	40,73	681725	4549734182188			GE	A	CHN	8536.5080.90	
E2E-X2F5D2-RN 2M	Proximity sensor, inductive, brass-nickel, M12, shielded, 2 mm, NC, 2 m cable robotic, DC 2-wire	40,73	681804	4549734184120			GE	A	CHN	8536.5080.90	
E2E-X2F5D2-RN 5M	Proximity sensor, inductive, brass-nickel, M12, shielded, 2 mm, NC, 5 m cable robotic, DC 2-wire	42,99	681761	4549734184144			GE	A	CHN	8536.5080.90	
E2E-X2F5D2-TN 2M	Proximity sensor, inductive, brass-nickel, M12, shielded, 2 mm, NC, 2 m cable, DC 2-wire, no polarity	36,97	681771	4549734184182			GE	A	CHN	8536.5080.90	
E2E-X2F5D2-TN 5M	Proximity sensor, inductive, brass-nickel, M12, shielded, 2 mm, NC, 5 m cable, DC 2-wire, no polarity	39,21	681898	4549734184205			GE	A	CHN	8536.5080.90	
E2E-X2F5D2-TRN 2M	Proximity sensor, inductive, brass-nickel, M12, shielded, 2 mm, NC, 2 m cable robotic, DC 2-wire, no polarity	40,73	681644	4549734184229			GE	A	CHN	8536.5080.90	
E2E-X2F5D2-TRN 5M	Proximity sensor, inductive, brass-nickel, M12, shielded, 2 mm, NC, 5 m cable robotic, DC 2-wire, no polarity	42,99	681734	4549734184243			GE	A	CHN	8536.5080.90	
E2E-X30M1BDL30 2M	Proximity sensor, inductive, nickel-brass, long body, M30, unshielded, 30 mm, DC, 3-wire, PNP NO, IO-Link COM2, 2 m cable	54,00	694811	4549734483650			GE	A	CHN	8536.5080.90	
E2E-X30M1BDL30 5M	Proximity sensor, inductive, nickel-brass, long body, M30, unshielded, 30 mm, DC, 3-wire, PNP NO, IO-Link COM2, M12 connector	52,20	690007	4549734483773			GE	A	CHN	8536.5080.90	
E2E-X30M1BL18 2M	Proximity sensor, inductive, nickel-brass, long body, M18, unshielded, 30 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	51,30	687984	4549734476904			GE	A	CHN	8536.5080.90	
E2E-X30M1BL18-M1	Proximity sensor, inductive, nickel-brass, long body, M18, unshielded, 30 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	51,30	687981	4549734477024			5	GE	A	CHN	8536.5080.90
E2E-X30M1BL18-M1TJ 0,3M	Proximity sensor, inductive, nickel-brass, long body, M18, unshielded, 30 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 pigtail Smartclick connector, 0,3 m	64,80	687982	4549734476980			GE	A	CHN	8536.5080.90	
E2E-X30M1BL18-R2M	Proximity sensor, inductive, nickel-brass, long body, M18, unshielded, 30 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m robotic cable	54,00	687983	4549734476942			GE	A	CHN	8536.5080.90	
E2E-X30M1BL30 2M	Proximity sensor, inductive, nickel-brass, long body, M30, unshielded, 30 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	54,00	687970	4549734482103			GE	A	CHN	8536.5080.90	
E2E-X30M1BL30 5M	Proximity sensor, inductive, nickel-brass, long body, M30, unshielded, 30 mm, DC, 3-wire, PNP NO, IO-Link COM3, 5 m cable	56,70	698830	4549734482134			GE	A	CHN	8536.5080.90	
E2E-X30M1BL30-M1	Proximity sensor, inductive, nickel-brass, long body, M30, unshielded, 30 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	54,00	687967	4549734482288			GE	A	CHN	8536.5080.90	
E2E-X30M1BL30-M1TJ 0,3M	Proximity sensor, inductive, nickel-brass, long body, M30, unshielded, 30 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 pigtail Smartclick connector, 0,3 m	67,50	687968	4549734482266			GE	A	CHN	8536.5080.90	
E2E-X30M1BL30-R2M	Proximity sensor, inductive, nickel-brass, long body, M30, unshielded, 30 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m robotic cable	56,70	687969	4549734482165			GE	A	CHN	8536.5080.90	
E2E-X30M1BL18-M1	Proximity sensor, inductive, nickel-brass, long body, M18, unshielded, 30 mm, DC, 3-wire, PNP NC, 2 m cable	51,30	698863	4549734476911			GE	A	CHN	8536.5080.90	
E2E-X30M1BL30 2M	Proximity sensor, inductive, nickel-brass, long body, M30, unshielded, 30 mm, DC, 3-wire, PNP NC, M12 connector	51,30	698658	4549734477031			GE	A	CHN	8536.5080.90	
E2E-X30M1BL30 5M	Proximity sensor, inductive, nickel-brass, long body, M30, unshielded, 30 mm, DC, 3-wire, PNP NC, 2 m cable	54,00	696214	4549734482110			GE	A	CHN	8536.5080.90	
E2E-X30M1BL30-M1	Proximity sensor, inductive, nickel-brass, long body, M30, unshielded, 30 mm, DC, 3-wire, PNP NC, 5 m cable	56,70	699612	4549734482141			GE	A	CHN	8536.5080.90	
E2E-X30M1BDL30 2M	Proximity sensor, inductive, nickel-brass, long body, M30, unshielded, 30 mm, DC, 3-wire, PNP NC, M12 connector	52,20	696109	4549734482295			GE	A	CHN	8536.5080.90	
E2E-X30M1BDL30-M1	Proximity sensor, inductive, nickel-brass, long body, M30, unshielded, 30 mm, DC, 3-wire, PNP NO+NC, IO-Link COM2, 2 m cable	54,00	696299	4549734483667			GE	A	CHN	8536.5080.90	
E2E-X30M1CL18 2M	Proximity sensor, inductive, nickel-brass, long body, M18, unshielded, 30 mm, DC, 3-wire, PNP NO, 2 m cable	52,20	696108	4549734483780			GE	A	CHN	8536.5080.90	
E2E-X30M1CL18-M1	Proximity sensor, inductive, nickel-brass, long body, M18, unshielded, 30 mm, DC, 3-wire, PNP NO, M12 connector	51,30	699318	4549734474689			GE	A	CHN	8536.5080.90	
E2E-X30M1CL30 2M	Proximity sensor, inductive, nickel-brass, long body, M30, unshielded, 30 mm, DC, 3-wire, PNP NO, 2 m cable	54,00	699398	4549734474680			GE	A	CHN	8536.5080.90	
E2E-X30M1CL30 5M	Proximity sensor, inductive, nickel-brass, long body, M30, unshielded, 30 mm, DC, 3-wire, PNP NO, 2 m cable	54,00	694851	4549734480000			GE	A	CHN	8536.5080.90	
E2E-X30M1CL30-M1	Proximity sensor, inductive, nickel-brass, long body, M30, unshielded, 30 mm, DC, 3-wire, PNP NO, M12 connector	56,70	699614	4549734480031			GE	A	CHN	8536.5080.90	
E2E-X30M1CL30 2M	Proximity sensor, inductive, nickel-brass, long body, M30, unshielded, 30 mm, DC, 3-wire, PNP NO, M12 connector	54,00	694850	4549734480185			GE	A	CHN	8536.5080.90	
E2E-X30M1CL30 5M	Proximity sensor, inductive, nickel-brass, long body, M30, unshielded, 30 mm, DC, 3-wire, PNP NO, 2 m cable	54,00	699616	4549734480017			GE	A	CHN	8536.5080.90	
E2E-X30M1CL30-M1	Proximity sensor, inductive, nickel-brass, long body, M30, unshielded, 30 mm, DC, 3-wire, PNP NC, M12 connector	56,70	698864	4549734480192			GE	A	CHN	8536.5080.90	
E2E-X30M1CL30-M1	Proximity sensor, inductive, nickel-brass, long body, M30, unshielded, 30 mm, DC, 3-wire, PNP NO+NC, 2 m cable	54,00	699615	4549734480024			GE	A	CHN	8536.5080.90	
E2E-X30M1CL30-M1	Proximity sensor, inductive, nickel-brass, long body, M30, unshielded, 30 mm, DC, 3-wire, PNP NO+NC, M12 connector	54,00	698865	4549734480208			GE	A	CHN	8536.5080.90	
E2E-X3B1D8-M1	Proximity sensor, inductive, short brass body M8, shielded, 3 mm, DC, 3-wire, PNP NO, IO-Link COM2, M12 connector 4 pins	49,50	689358	4549734465249			GE	A	CHN	8536.5080.90	
E2E-X3B1D8-M5	Proximity sensor, inductive, short brass body M8, shielded, 3 mm, DC, 3-wire, PNP NO, IO-Link COM2, M8 connector 3 pins	49,50	689357	4549734465243			GE	A	CHN	8536.5080.90	
E2E-X3B1D8-M1	Proximity sensor, inductive, long brass body M8, shielded, 3 mm, DC, 3-wire, PNP NO, IO-Link COM2, M12 connector 4 pins	49,50	689356	4549734465878			GE	A	CHN	8536.5080.90	
E2E-X3B1D8-M3	Proximity sensor, inductive, long brass body M8, shielded, 3 mm, DC, 3-wire, PNP NO, IO-Link COM2, M8 connector 4 pins	49,50	699608	4549734465885			GE	A	CHN	8536.5080.90	
E2E-X3B1D8-M5	Proximity sensor, inductive, long brass body M8, shielded, 3 mm, DC, 3-wire, PNP NO, IO-Link COM2, M8 connector 3 pins	49,50	689355	4549734465892			GE	A	CHN	8536.5080.90	
E2E-X3B1T8 2M	Proximity sensor, inductive, short brass body M8, shielded, 3 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	49,50	688107	4549734462907			GE	A	CHN	8536.5080.90	
E2E-X3B1T8 5M	Proximity sensor, inductive, short brass body M8, shielded, 3 mm, DC, 3-wire, PNP NO, IO-Link COM3, 5 m prewired	52,20	691134	4549734462921			GE	A	CHN	8536.5080.90	
E2E-X3B1T8-M1	Proximity sensor, inductive, short brass body M8, shielded, 3 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	49,50	687534	4549734463027			GE	A	CHN	8536.5080.90	
E2E-X3B1T8-M1TJ 0,3M	Proximity sensor, inductive, short brass body M8, shielded, 3 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 pigtail Smartclick connector, 0,3 m	63,00	698105	4549734462983			GE	A	CHN	8536.5080.90	
E2E-X3B1T8-M3	Proximity sensor, inductive, short brass body M8, shielded, 3 mm, DC, 3-wire, PNP NO, IO-Link COM3, M8 connector 4 pins	49,50	688104	4549734463041			GE	A	CHN	8536.5080.90	
E2E-X3B1T8-M5	Proximity sensor, inductive, short brass body M8, shielded, 3 mm, DC, 3-wire, PNP NO, IO-Link COM3, M8 connector 3 pins	49,50	687533	4549734463065			GE	A	CHN	8536.5080.90	
E2E-X3B1T8-R2M	Proximity sensor, inductive, short brass body M8, shielded, 3 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m robotic cable	52,20	688106	4549734462945			GE	A	CHN	8536.5080.90	
E2E-X3B1TL8 2M	Proximity sensor, inductive, SJS body, long body, M8, shielded, 3 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	49,50	688082	4549734464246			GE	A	CHN	8536.5080.90	
E2E-X3B1TL8-M1	Proximity sensor, inductive, long brass body M8, shielded, 3 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	49,50	688080	4549734464304			GE	A	CHN	8536.5080.90	
E2E-X3B1TL8-M1TJ 0,3M	Proximity sensor, inductive, long brass body M8, shielded, 3 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 pigtail Smartclick connector, 0,3 m	63,00	688081	4549734464284			GE	A	CHN	8536.5080.90	
E2E-X3B1TL8-M3	Proximity sensor, inductive, long brass body M8, shielded, 3 mm, DC, 3-wire, PNP NO, IO-Link COM3, M8 connector 4 pins	49,50	688079	4549734464321			GE	A	CHN	8536.5080.90	
E2E-X3B1TL8-M5	Proximity sensor, inductive, long brass body M8, shielded, 3 mm, DC, 3-wire, PNP NO, IO-Link COM3, M8 connector 3 pins	49,50	688078	4549734464345			GE	A	CHN	8536.5080.90	
E2E-X3B28 2M	Proximity sensor, inductive, short brass body M8, shielded, 3 mm, DC, 3-wire, PNP NC, 2 m cable	49,50	691090	4549734462914			GE	A	CHN	8536.5080.90	
E2E-X3B28-M1	Proximity sensor, inductive, short brass body M8, shielded, 3 mm, DC, 3-wire, PNP NC, M12 connector	49,50	691089	4549734463034			GE	A	CHN	8536.5080.90	
E2E-X3B28-M3	Proximity sensor, inductive, short brass body M8, shielded, 3 mm, DC, 3-wire, PNP NC, M8 connector 4 pins	49,50	698862	4549734463058			GE	A	CHN	8536.5080.90	
E2E-X3B28-M5	Proximity sensor, inductive, short brass body M8, shielded, 3 mm, DC, 3-wire, PNP NC, M8 connector 3 pins	49,50	689462	4549734463072			GE	A	CHN	8536.5080.90	
E2E-X3B2L8 2M	Proximity sensor, inductive, long brass body M8, shielded, 3 mm, DC, 3-wire, PNP NC, 2 m cable	49,50	698676	4549734464253			GE	A	CHN	8536.5080.90	
E2E-X3B2L8-M1	Proximity sensor, inductive, long brass body M8, shielded, 3 mm, DC, 3-wire, PNP NC, M12 connector	49,50	698675	4549734464314			GE	A	CHN	8536.5080.90	
E2E-X3B2L8-M3	Proximity sensor, inductive, long brass body M8, shielded, 3 mm, DC, 3-wire, PNP NC, M8 connector 4 pins	49,50	698674	4549734464338			GE	A	CHN	8536.5080.90	
E2E-X3C18 2M	Proximity sensor, inductive, short brass body M8, shielded, 3 mm, DC, 3-wire, PNP NO, 2 m cable	49,50	691139	4549734460460			GE	A	CHN	8536.5080.90	
E2E-X3C18-M1	Proximity sensor, inductive, short brass body M8, shielded, 3 mm, DC, 3-wire, PNP NO, M12 connector	49,50	691138	4549734460563			GE	A	CHN	8536.5080.90	
E2E-X3C18-M5	Proximity sensor, inductive, short brass body M8, shielded, 3 mm, DC, 3-wire, PNP NO, M8 connector 3 pins	49,50	691136	4549734460620			GE	A	CHN	8536.5080.90	
E2E-X3C28 2M	Proximity sensor, inductive, short brass body M8, shielded, 3 mm, DC, 3-wire, PNP NC, 2 m cable	49,50	699285	4549734460477			GE	A	CHN	8536.5080.90	
E2E-X3C28-M1	Proximity sensor, inductive, short brass body M8, shielded, 3 mm, DC, 3-wire, PNP NC, M12 connector	49,50	691137	4549734460590			GE	A	CHN	8536.5080.90	
E2E-X3C28-M5											



Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Daheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code	
E2E-X3D18-2M	Proximity sensor, inductive, brass-nickel, M8, shielded, 3 mm, NO, 2 m cable, DC 2-wire	49.01	681665	4549734181754			GE	A	CHN	8536.5080.90	
E2E-X3D18-5M	Proximity sensor, inductive, brass-nickel, M8, shielded, 3 mm, NO, 5 m cable, DC 2-wire	51.30	681871	4549734181778			GE	A	CHN	8536.5080.90	
E2E-X3D18-M1TGJ 0.3M	Proximity sensor, inductive, brass-nickel, M8, shielded, 3 mm, NO, 0.3 m pig-tail, DC 2-wire	52.80	681676	4549734181839			GE	A	CHN	8536.5080.90	
E2E-X3D18-M1TGJ T 0.3M	Proximity sensor, inductive, brass-nickel, M8, shielded, 3 mm, NO, 0.3 m pig-tail, DC 2-wire, no polarity	52.80	681846	4549734181938			GE	A	CHN	8536.5080.90	
E2E-X3D18-R-2M	Proximity sensor, inductive, brass-nickel, M8, shielded, 3 mm, NO, 2 m cable robotic, DC 2-wire	52.80	681882	4549734181792			GE	A	CHN	8536.5080.90	
E2E-X3D18-R-5M	Proximity sensor, inductive, brass-nickel, M8, shielded, 3 mm, NO, 5 m cable robotic, DC 2-wire	55.05	681895	4549734181815			GE	A	CHN	8536.5080.90	
E2E-X3D18-T-2M	Proximity sensor, inductive, brass-nickel, M8, shielded, 3 mm, NO, 2 m cable, DC 2-wire, no polarity	49.01	681658	4549734181853			GE	A	CHN	8536.5080.90	
E2E-X3D18-T-5M	Proximity sensor, inductive, brass-nickel, M8, shielded, 3 mm, NO, 5 m cable, DC 2-wire, no polarity	51.30	681719	4549734181877			GE	A	CHN	8536.5080.90	
E2E-X3D18-TR-2M	Proximity sensor, inductive, brass-nickel, M8, shielded, 3 mm, NO, 2 m cable robotic, DC 2-wire, no polarity	51.30	681824	4549734181891			GE	A	CHN	8536.5080.90	
E2E-X3D18-TR-5M	Proximity sensor, inductive, brass-nickel, M8, shielded, 3 mm, NO, 5 m cable robotic, DC 2-wire, no polarity	55.05	681656	4549734181914			GE	A	CHN	8536.5080.90	
E2E-X3D28-2M	Proximity sensor, inductive, brass-nickel, M8, shielded, 3 mm, NC, 2 m cable, DC 2-wire	49.01	681816	4549734181761			GE	A	CHN	8536.5080.90	
E2E-X3D28-5M	Proximity sensor, inductive, brass-nickel, M8, shielded, 3 mm, NC, 5 m cable, DC 2-wire	51.30	681854	4549734181785			GE	A	CHN	8536.5080.90	
E2E-X3D28-M1TGJ 0.3M	Proximity sensor, inductive, brass-nickel, M8, shielded, 3 mm, NC, 0.3 m pig-tail, DC 2-wire	52.80	681892	4549734181846			GE	A	CHN	8536.5080.90	
E2E-X3D28-M1TGJ T 0.3M	Proximity sensor, inductive, brass-nickel, M8, shielded, 3 mm, NC, 0.3 m pig-tail, DC 2-wire, no polarity	52.80	681872	4549734181945			GE	A	CHN	8536.5080.90	
E2E-X3D28-R-2M	Proximity sensor, inductive, brass-nickel, M8, shielded, 3 mm, NC, 2 m cable robotic, DC 2-wire	52.80	681678	4549734181808			GE	A	CHN	8536.5080.90	
E2E-X3D28-R-5M	Proximity sensor, inductive, brass-nickel, M8, shielded, 3 mm, NC, 5 m cable robotic, DC 2-wire	55.05	681886	4549734181822			GE	A	CHN	8536.5080.90	
E2E-X3D28-T-2M	Proximity sensor, inductive, brass-nickel, M8, shielded, 3 mm, NC, 2 m cable, DC 2-wire, no polarity	49.01	681741	4549734181860			GE	A	CHN	8536.5080.90	
E2E-X3D28-T-5M	Proximity sensor, inductive, brass-nickel, M8, shielded, 3 mm, NC, 5 m cable, DC 2-wire, no polarity	51.30	681657	4549734181884			GE	A	CHN	8536.5080.90	
E2E-X3D28-TR-2M	Proximity sensor, inductive, brass-nickel, M8, shielded, 3 mm, NC, 2 m cable robotic, DC 2-wire, no polarity	52.80	681756	4549734181907			GE	A	CHN	8536.5080.90	
E2E-X3D28-TR-5M	Proximity sensor, inductive, brass-nickel, M8, shielded, 3 mm, NC, 5 m cable robotic, DC 2-wire, no polarity	55.05	681652	4549734181921			GE	A	CHN	8536.5080.90	
E2E-X40M1TL30-2M	Proximity sensor, inductive, nickel-brass, long body, M30, unshielded, 40 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	58.50	687966	4549734482318			GE	A	CHN	8536.5080.90	
E2E-X40M1TL30-M1	Proximity sensor, inductive, nickel-brass, long body, M30, unshielded, 40 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	58.50	687963	4549734482493		10	GE	A	CHN	8536.5080.90	
E2E-X40M1TL30-M1TJ 0.3M	Proximity sensor, inductive, nickel-brass, long body, M30, unshielded, 40 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 pigtail Smartclick connector, 0.3 m	72.00	687964	4549734482431			GE	A	CHN	8536.5080.90	
E2E-X40M1TL30-2M	Proximity sensor, inductive, nickel-brass, long body, M30, unshielded, 40 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m robotic cable	61.20	687965	4549734482307			GE	A	CHN	8536.5080.90	
E2E-X40M1TL30-R-2M	Proximity sensor, inductive, nickel-brass, long body, M30, unshielded, 40 mm, DC, 3-wire, PNP NC, 2 m cable	58.50	689655	4549734482325			GE	A	CHN	8536.5080.90	
E2E-X40M1TL30-M1	Proximity sensor, inductive, nickel-brass, long body, M30, unshielded, 40 mm, DC, 3-wire, PNP NC, M12 connector	58.50	689654	4549734482509			GE	A	CHN	8536.5080.90	
E2E-X40M1L30-2M	Proximity sensor, inductive, brass-nickel, M30, non-shielded, 40 mm, NO, 2 m cable, DC 2-wire	54.35	681706	4549734183239			GE	A	CHN	8536.5080.90	
E2E-X40M1L30-5M	Proximity sensor, inductive, brass-nickel, M30, non-shielded, 40 mm, NO, 5 m cable, DC 2-wire	56.60	681788	4549734183253			GE	A	CHN	8536.5080.90	
E2E-X40M1L30-M1TGJ 0.3M	Proximity sensor, inductive, brass-nickel, M30, non-shielded, 40 mm, NO, 0.3 m pig-tail, DC 2-wire	64.50	681813	4549734183314			GE	A	CHN	8536.5080.90	
E2E-X40M1L30-M1TGJ T 0.3M	Proximity sensor, inductive, brass-nickel, M30, non-shielded, 40 mm, NO, 0.3 m pig-tail, DC 2-wire, no polarity	65.35	681853	4549734183413			GE	A	CHN	8536.5080.90	
E2E-X40M1L30-R-2M	Proximity sensor, inductive, brass-nickel, M30, non-shielded, 40 mm, NO, 2 m cable robotic, DC 2-wire	57.35	681660	4549734183277			GE	A	CHN	8536.5080.90	
E2E-X40M1L30-R-5M	Proximity sensor, inductive, brass-nickel, M30, non-shielded, 40 mm, NO, 5 m cable robotic, DC 2-wire	78.80	681759	4549734183291			GE	A	CHN	8536.5080.90	
E2E-X40M1L30-T-2M	Proximity sensor, inductive, brass-nickel, M30, non-shielded, 40 mm, NO, 2 m cable, DC 2-wire, no polarity	54.35	681841	4549734183338			GE	A	CHN	8536.5080.90	
E2E-X40M1L30-T-5M	Proximity sensor, inductive, brass-nickel, M30, non-shielded, 40 mm, NO, 5 m cable, DC 2-wire, no polarity	56.60	681666	4549734183352			GE	A	CHN	8536.5080.90	
E2E-X40M1L30-TR-2M	Proximity sensor, inductive, brass-nickel, M30, non-shielded, 40 mm, NO, 2 m cable robotic, DC 2-wire, no polarity	62.85	681811	4549734183376			GE	A	CHN	8536.5080.90	
E2E-X40M1L30-TR-5M	Proximity sensor, inductive, brass-nickel, M30, non-shielded, 40 mm, NO, 5 m cable robotic, DC 2-wire, no polarity	79.60	681870	4549734183390			GE	A	CHN	8536.5080.90	
E2E-X40M1D2L30-2M	Proximity sensor, inductive, brass-nickel, M30, non-shielded, 40 mm, NC, 2 m cable, DC 2-wire	54.35	681701	4549734183246			GE	A	CHN	8536.5080.90	
E2E-X40M1D2L30-5M	Proximity sensor, inductive, brass-nickel, M30, non-shielded, 40 mm, NC, 5 m cable, DC 2-wire	58.60	681717	4549734183260			GE	A	CHN	8536.5080.90	
E2E-X40M1D2L30-M1TGJ 0.3M	Proximity sensor, inductive, brass-nickel, M30, non-shielded, 40 mm, NC, 0.3 m pig-tail, DC 2-wire	64.50	681747	4549734183321			GE	A	CHN	8536.5080.90	
E2E-X40M1D2L30-M1TGJ T 0.3M	Proximity sensor, inductive, brass-nickel, M30, non-shielded, 40 mm, NC, 0.3 m pig-tail, DC 2-wire, no polarity	65.35	681711	4549734183420			GE	A	CHN	8536.5080.90	
E2E-X40M1D2L30-R-2M	Proximity sensor, inductive, brass-nickel, M30, non-shielded, 40 mm, NC, 2 m cable robotic, DC 2-wire	58.10	681817	4549734183284			GE	A	CHN	8536.5080.90	
E2E-X40M1D2L30-R-5M	Proximity sensor, inductive, brass-nickel, M30, non-shielded, 40 mm, NC, 5 m cable robotic, DC 2-wire	78.80	681896	4549734183307			GE	A	CHN	8536.5080.90	
E2E-X40M1D2L30-T-2M	Proximity sensor, inductive, brass-nickel, M30, non-shielded, 40 mm, NC, 2 m cable, DC 2-wire, no polarity	54.35	681822	4549734183345			GE	A	CHN	8536.5080.90	
E2E-X40M1D2L30-T-5M	Proximity sensor, inductive, brass-nickel, M30, non-shielded, 40 mm, NC, 5 m cable, DC 2-wire, no polarity	56.60	681638	4549734183369			GE	A	CHN	8536.5080.90	
E2E-X40M1D2L30-TR-2M	Proximity sensor, inductive, brass-nickel, M30, non-shielded, 40 mm, NC, 2 m cable robotic, DC 2-wire, no polarity	58.10	681890	4549734183383			GE	A	CHN	8536.5080.90	
E2E-X40M1D2L30-TR-5M	Proximity sensor, inductive, brass-nickel, M30, non-shielded, 40 mm, NC, 5 m cable robotic, DC 2-wire, no polarity	79.60	681859	4549734183406			GE	A	CHN	8536.5080.90	
E2E-X4B1D12-2M	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 4 mm, DC, 3-wire, PNP NO, IO-Link COM2, 2 m cable	37.80	694163	4549734471206			GE	A	CHN	8536.5080.90	
E2E-X4B1D12-M1	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 4 mm, DC, 3-wire, PNP NO, IO-Link COM2, M12 connector	37.80	690433	4549734471329			GE	A	CHN	8536.5080.90	
E2E-X4B1T12-10M	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 4 mm, DC, 3-wire, PNP NO, IO-Link COM3, 10 m cable	48.50	700803	4549734710749			GE	A	CHN	8536.5080.90	
E2E-X4B1T12-15M	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 4 mm, DC, 3-wire, PNP NO, IO-Link COM3, 15 m cable	55.50	700802	4549734710756			GE	A	CHN	8536.5080.90	
E2E-X4B1T12-2M	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 4 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	37.80	687525	4549734468855			GE	A	CHN	8536.5080.90	
E2E-X4B1T12-5M	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 4 mm, DC, 3-wire, PNP NO, IO-Link COM3, 5 m cable	40.50	695836	4549734468886			GE	A	CHN	8536.5080.90	
E2E-X4B1T12-M1	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 4 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	37.80	687524	4549734469036			GE	A	CHN	8536.5080.90	
E2E-X4B1T12-M1TJ 0.3M	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 4 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 pigtail Smartclick connector, 0.3 m	51.30	687891	4549734468978			10	GE	A	CHN	8536.5080.90
E2E-X4B1T12-M1TJ T 0.3M	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 4 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 pigtail Smartclick connector, 0.3 m robotic cable	64.80	687890	4549734469005			5	GE	A	CHN	8536.5080.90
E2E-X4B1T12-R-2M	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 4 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m robotic cable	40.50	688019	4549734468916			GE	A	CHN	8536.5080.90	
E2E-X4B1T8-2M	Proximity sensor, inductive, short brass body M8, shielded, 4 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	54.00	687532	4549734463089			GE	A	CHN	8536.5080.90	
E2E-X4B1T8-M1	Proximity sensor, inductive, short brass body M8, shielded, 4 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	54.00	687530	4549734463201			GE	A	CHN	8536.5080.90	
E2E-X4B1T8-M1TJ 0.3M	Proximity sensor, inductive, short brass body M8, shielded, 4 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 pigtail Smartclick connector, 0.3 m	54.00	687531	4549734463164			GE	A	CHN	8536.5080.90	
E2E-X4B1T8-M3	Proximity sensor, inductive, short brass body M8, shielded, 4 mm, DC, 3-wire, PNP NO, IO-Link COM3, M8 connector 4 pins	54.00	688102	4549734463225			GE	A	CHN	8536.5080.90	
E2E-X4B1T8-M5	Proximity sensor, inductive, short brass body M8, shielded, 4 mm, DC, 3-wire, PNP NO, IO-Link COM3, M8 connector 3 pin	54.00	687529	4549734463249			20	GE	A	CHN	8536.5080.90
E2E-X4B1T8-R-2M	Proximity sensor, inductive, short brass body M8, shielded, 4 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m robotic cable	56.70	688103	4549734463126			GE	A	CHN	8536.5080.90	
E2E-X4B1TL12-2M	Proximity sensor, inductive, nickel-brass, long body, M12, shielded, 4 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	40.50	687886	4549734470308			5	GE	A	CHN	8536.5080.90
E2E-X4B1TL12-5M	Proximity sensor, inductive, nickel-brass, long body, M12, shielded, 4 mm, DC, 3-wire, PNP NO, IO-Link COM3, 5 m cable	43.20	696131	4549734470339			GE	A	CHN	8536.5080.90	
E2E-X4B1TL12-M1	Proximity sensor, inductive, nickel-brass, long body, M12, shielded, 4 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	40.50	688007	4549734470391			GE	A	CHN	8536.5080.90	
E2E-X4B1TL12-M1TJ 0.3M	Proximity sensor, inductive, nickel-brass, long body, M12, shielded, 4 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 pigtail Smartclick connector, 0.3 m	54.00	687885	4549734470369			GE	A	CHN	8536.5080.90	
E2E-X4B1TL8-2M	Proximity sensor, inductive, long brass body M8, shielded, 4 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	54.00	687896	4549734464360			GE	A	CHN	8536.5080.90	
E2E-X4B1TL8-M1	Proximity sensor, inductive, long brass body M8, shielded, 4 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	54.00	687895	4549734464420			GE	A	CHN	8536.5080.90	
E2E-X4B1TL8-M1TJ 0.3M	Proximity sensor, inductive, long brass body M8, shielded, 4 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 pigtail Smartclick connector, 0.3 m	67.50	688077	4549734464406			GE	A	CHN	8536.5080.90	
E2E-X4B1TL8-M3	Proximity sensor, inductive, long brass body M8, shielded, 4 mm, DC, 3-wire, PNP NO, IO-Link COM3, M8 connector 4 pins	54.00	688076	4549734464444			GE	A	CHN	8536.5080.90	
E2E-X4B1TL8-M5	Proximity sensor, inductive, long brass body M8, shielded, 4 mm, DC, 3-wire, PNP NO, IO-Link COM3, M8 connector 3 pins	54.00	688075	4549734464488			GE	A	CHN	8536.5080.90	
E2E-X4B212-10M	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 4 mm, DC, 3-wire, PNP NC, 10 m cable	48.50	700801	4549734710763			GE	A	CHN	8536.5080.90	
E2E-X4B212-2M	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 4 mm, DC, 3-wire, PNP NC, 2 m cable	37.80	694063	4549734468862			GE	A	CHN	8536.5080.90	
E2E-X4B212-5M											

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Daheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
E2E-X4B28-M3	Proximity sensor, inductive, short brass body M8, shielded, 4 mm, DC, 3-wire, PNP NC, M8 connector 4 pins	54.00	698680	4549734463232			GE	A	CHN	8536.5080.90
E2E-X4B28-M5	Proximity sensor, inductive, short brass body M8, shielded, 4 mm, DC, 3-wire, PNP NC, M8 connector 3 pins	54.00	698679	4549734463256			GE	A	CHN	8536.5080.90
E2E-X4B2L12 2M	Proximity sensor, inductive, nickel-brass, long body, M12, shielded, 4 mm, DC, 3-wire, PNP NC, 2 m cable	40.50	694117	4549734470315			GE	A	CHN	8536.5080.90
E2E-X4B2L12 5M	Proximity sensor, inductive, nickel-brass, long body, M12, shielded, 4 mm, DC, 3-wire, PNP NC, M12 connector	43.20	698889	4549734470346			GE	A	CHN	8536.5080.90
E2E-X4B2L12-M1	Proximity sensor, inductive, nickel-brass, long body, M12, shielded, 4 mm, DC, 3-wire, PNP NC, M12 connector	40.50	694032	4549734470407			GE	A	CHN	8536.5080.90
E2E-X4B2L12-M1TJ0.3M	Proximity sensor, inductive, nickel-brass, long body, M12, shielded, 4 mm, DC, 3-wire, PNP NC, M12 pigtail Smartclick connector, 0.3 m	43.20	691107	4549734470377			GE	A	CHN	8536.5080.90
E2E-X4B2L8 2M	Proximity sensor, inductive, long brass body M8, shielded, 4 mm, DC, 3-wire, PNP NC, 2 m cable	54.00	698672	4549734464376			GE	A	CHN	8536.5080.90
E2E-X4B2L8-M1	Proximity sensor, inductive, long brass body M8, shielded, 4 mm, DC, 3-wire, PNP NC, M12 connector	54.00	698671	4549734464437			GE	A	CHN	8536.5080.90
E2E-X4B2L8-M3	Proximity sensor, inductive, long brass body M8, shielded, 4 mm, DC, 3-wire, PNP NC, M8 connector 4 pins	54.00	698670	4549734464451			GE	A	CHN	8536.5080.90
E2E-X4B2L8-M5	Proximity sensor, inductive, long brass body M8, shielded, 4 mm, DC, 3-wire, PNP NC, M8 connector 3 pins	54.00	698669	4549734464475			GE	A	CHN	8536.5080.90
E2E-X4B3D12 2M	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 4 mm, DC, 3-wire, PNP NO-NC, IO-Link COM2, 2 m cable	37.80	687877	4549734471213			GE	A	CHN	8536.5080.90
E2E-X4B3D12 5M	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 4 mm, DC, 3-wire, PNP NO-NC, IO-Link COM2, 5 m cable	40.50	698891	4549734471237			GE	A	CHN	8536.5080.90
E2E-X4B3D12-M1	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 4 mm, DC, 3-wire, PNP NO-NC, IO-Link COM2, M12 connector	37.80	694160	4549734471336			GE	A	CHN	8536.5080.90
E2E-X4B3D12-M1TJ0.3M	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 4 mm, DC, 3-wire, PNP NO-NC, IO-Link COM2, M12 pigtail Smartclick connector, 0.3 m	40.50	699666	4549734471299			GE	A	CHN	8536.5080.90
E2E-X4B3DL12 2M	Proximity sensor, inductive, nickel-brass, long body, M12, shielded, 4 mm, DC, 3-wire, PNP NO-NC, IO-Link COM2, 2 m cable	40.50	695083	4549734472135			GE	A	CHN	8536.5080.90
E2E-X4B3DL12 5M	Proximity sensor, inductive, nickel-brass, long body, M12, shielded, 4 mm, DC, 3-wire, PNP NO-NC, IO-Link COM2, 5 m cable	43.20	698835	4549734472159			GE	A	CHN	8536.5080.90
E2E-X4B3DL12-M1	Proximity sensor, inductive, nickel-brass, long body, M12, shielded, 4 mm, DC, 3-wire, PNP NO-NC, IO-Link COM2, M12 connector	40.50	687875	4549734472197			GE	A	CHN	8536.5080.90
E2E-X4C112 10M	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 4 mm, DC, 3-wire, PNP NO, 10 m cable	48.50	700800	4549734710770			GE	A	CHN	8536.5080.90
E2E-X4C112 2M	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 4 mm, DC, 3-wire, PNP NO, 2 m cable	37.80	694859	4549734466431			GE	A	CHN	8536.5080.90
E2E-X4C112 5M	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 4 mm, DC, 3-wire, PNP NO, 5 m cable	40.50	696135	4549734466462			GE	A	CHN	8536.5080.90
E2E-X4C112-M1	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 4 mm, DC, 3-wire, PNP NO, M12 connector	37.80	687527	4549734466616			GE	A	CHN	8536.5080.90
E2E-X4C112-M1TJ0.3M	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 4 mm, DC, 3-wire, PNP NO, M12 pigtail Smartclick connector, 0.3 m	40.50	694978	4549734466554			GE	A	CHN	8536.5080.90
E2E-X4C18 2M	Proximity sensor, inductive, short brass body M8, shielded, 4 mm, DC, 3-wire, PNP NO, 2 m cable	45.00	690190	4549734460644			GE	A	CHN	8536.5080.90
E2E-X4C18-M1	Proximity sensor, inductive, short brass body M8, shielded, 4 mm, DC, 3-wire, PNP NO, M12 connector	54.00	687538	4549734460767			GE	A	CHN	8536.5080.90
E2E-X4C18-M1TJ0.3M	Proximity sensor, inductive, short brass body M8, shielded, 4 mm, DC, 3-wire, PNP NO, M12 pigtail Smartclick connector, 0.3 m	54.00	694981	4549734460729			GE	A	CHN	8536.5080.90
E2E-X4C18-M3	Proximity sensor, inductive, short brass body M8, shielded, 4 mm, DC, 3-wire, PNP NO, M8 connector 4 pins	54.00	698707	4549734460781			GE	A	CHN	8536.5080.90
E2E-X4C18-M5	Proximity sensor, inductive, short brass body M8, shielded, 4 mm, DC, 3-wire, PNP NO, M8 connector 3 pins	45.00	694980	4549734460804			GE	A	CHN	8536.5080.90
E2E-X4C1L12 2M	Proximity sensor, inductive, nickel-brass, long body, M12, shielded, 4 mm, DC, 3-wire, PNP NO, 2 m cable	34.20	695801	4549734467889			GE	A	CHN	8536.5080.90
E2E-X4C1L12 5M	Proximity sensor, inductive, nickel-brass, long body, M12, shielded, 4 mm, DC, 3-wire, PNP NO, 5 m cable	43.20	698884	4549734467919			GE	A	CHN	8536.5080.90
E2E-X4C1L12-M1	Proximity sensor, inductive, nickel-brass, long body, M12, shielded, 4 mm, DC, 3-wire, PNP NO, M12 connector	34.20	695803	4549734467971			GE	A	CHN	8536.5080.90
E2E-X4C1L8 2M	Proximity sensor, inductive, long brass body M8, shielded, 4 mm, DC, 3-wire, PNP NO, 2 m cable	54.00	699437	4549734461924			GE	A	CHN	8536.5080.90
E2E-X4C1L8-M1	Proximity sensor, inductive, long brass body M8, shielded, 4 mm, DC, 3-wire, PNP NO, M12 connector	54.00	699438	4549734461986			GE	A	CHN	8536.5080.90
E2E-X4C1L8-M5	Proximity sensor, inductive, long brass body M8, shielded, 4 mm, DC, 3-wire, PNP NO, M8 connector 3 pins	54.00	699439	4549734462020			GE	A	CHN	8536.5080.90
E2E-X4C212 2M	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 4 mm, DC, 3-wire, PNP NC, 2 m cable	31.50	695800	4549734466448			GE	A	CHN	8536.5080.90
E2E-X4C212 5M	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 4 mm, DC, 3-wire, PNP NC, 5 m cable	40.50	698883	4549734466479			GE	A	CHN	8536.5080.90
E2E-X4C212-M1	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 4 mm, DC, 3-wire, PNP NC, M12 connector	37.80	694116	4549734466622			GE	A	CHN	8536.5080.90
E2E-X4C28-M1	Proximity sensor, inductive, short brass body M8, shielded, 4 mm, DC, 3-wire, PNP NC, M12 connector	45.00	693658	4549734460774			GE	A	CHN	8536.5080.90
E2E-X4C28-M3	Proximity sensor, inductive, short brass body M8, shielded, 4 mm, DC, 3-wire, PNP NC, M8 connector 4 pins	54.00	698706	4549734460798			GE	A	CHN	8536.5080.90
E2E-X4C2L12 2M	Proximity sensor, inductive, nickel-brass, long body, M12, shielded, 4 mm, DC, 3-wire, PNP NC, 2 m cable	34.20	695802	4549734467936			GE	A	CHN	8536.5080.90
E2E-X4C2L12 5M	Proximity sensor, inductive, nickel-brass, long body, M12, shielded, 4 mm, DC, 3-wire, PNP NC, 5 m cable	43.20	698885	4549734467926			GE	A	CHN	8536.5080.90
E2E-X4C2L12-M1	Proximity sensor, inductive, nickel-brass, long body, M12, shielded, 4 mm, DC, 3-wire, PNP NC, M12 connector	34.20	695804	4549734467988			GE	A	CHN	8536.5080.90
E2E-X4C312 2M	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 4 mm, DC, 3-wire, PNP NO-NC, 2 m cable	31.50	694979	4549734466455			GE	A	CHN	8536.5080.90
E2E-X4C312-M1	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 4 mm, DC, 3-wire, PNP NO-NC, M12 connector	37.80	694162	4549734466639			GE	A	CHN	8536.5080.90
E2E-X4C3L12 2M	Proximity sensor, inductive, nickel-brass, long body, M12, shielded, 4 mm, DC, 3-wire, PNP NO-NC, 2 m cable	40.50	698805	4549734467902			GE	A	CHN	8536.5080.90
E2E-X4C3L12-M1	Proximity sensor, inductive, nickel-brass, long body, M12, shielded, 4 mm, DC, 3-wire, PNP NO-NC, M12 connector	40.50	696115	4549734467995			GE	A	CHN	8536.5080.90
E2E-X4MB1D8 2M	Proximity sensor, inductive, short SUS body M8, unshielded, 4 mm, DC, 3-wire, PNP NO, IO-Link COM2, 2 m cable	40.50	694056	4549734465434			GE	A	CHN	8536.5080.90
E2E-X4MB1D8-M1	Proximity sensor, inductive, short SUS body M8, unshielded, 4 mm, DC, 3-wire, PNP NO, IO-Link COM2, M12 connector 4 pins	40.50	694055	4549734465436			GE	A	CHN	8536.5080.90
E2E-X4MB1T8 2M	Proximity sensor, inductive, short SUS body M8, unshielded, 4 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	40.50	688101	4549734463447			GE	A	CHN	8536.5080.90
E2E-X4MB1T8 5M	Proximity sensor, inductive, short SUS body M8, unshielded, 4 mm, DC, 3-wire, PNP NO, IO-Link COM3, 5 m cable	43.20	696136	4549734463447			GE	A	CHN	8536.5080.90
E2E-X4MB1T8-M1	Proximity sensor, inductive, short SUS body M8, unshielded, 4 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	40.50	688098	4549734463560			GE	A	CHN	8536.5080.90
E2E-X4MB1T8-M1TJ0.3M	Proximity sensor, inductive, short SUS body M8, unshielded, 4 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 pigtail Smartclick connector, 0.3 m	54.00	688099	4549734463522			GE	A	CHN	8536.5080.90
E2E-X4MB1T8-M3	Proximity sensor, inductive, short SUS body M8, unshielded, 4 mm, DC, 3-wire, PNP NO, IO-Link COM3, M8 connector 4 pins	40.50	688097	4549734463584			GE	A	CHN	8536.5080.90
E2E-X4MB1T8-M5	Proximity sensor, inductive, short SUS body M8, unshielded, 4 mm, DC, 3-wire, PNP NO, IO-Link COM3, M8 connector 3 pins	40.50	688096	4549734463607			GE	A	CHN	8536.5080.90
E2E-X4MB1T8-R 2M	Proximity sensor, inductive, short SUS body M8, unshielded, 4 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m robotic cable	43.20	688100	4549734463485			GE	A	CHN	8536.5080.90
E2E-X4MB1T8L 2M	Proximity sensor, inductive, long SUS body M8, unshielded, 4 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	45.00	688074	4549734464611			GE	A	CHN	8536.5080.90
E2E-X4MB1T8L 5M	Proximity sensor, inductive, long SUS body M8, unshielded, 4 mm, DC, 3-wire, PNP NO, IO-Link COM3, 5 m cable	47.70	698879	4549734464635			GE	A	CHN	8536.5080.90
E2E-X4MB1T8L-M1	Proximity sensor, inductive, long SUS body M8, unshielded, 4 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	45.00	688072	4549734464673			GE	A	CHN	8536.5080.90
E2E-X4MB1T8L-M1TJ0.3M	Proximity sensor, inductive, long SUS body M8, unshielded, 4 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 pigtail Smartclick connector, 0.3 m	58.50	688073	4549734464659			GE	A	CHN	8536.5080.90
E2E-X4MB1T8L-M3	Proximity sensor, inductive, long SUS body M8, unshielded, 4 mm, DC, 3-wire, PNP NO, IO-Link COM3, M8 connector 4 pins	45.00	688071	4549734464703			GE	A	CHN	8536.5080.90
E2E-X4MB1T8L-M5	Proximity sensor, inductive, long SUS body M8, unshielded, 4 mm, DC, 3-wire, PNP NO, IO-Link COM3, M8 connector 3 pins	45.00	688070	4549734464727			GE	A	CHN	8536.5080.90
E2E-X4MB28 2M	Proximity sensor, inductive, short SUS body M8, unshielded, 4 mm, DC, 3-wire, PNP NC, 2 m cable	40.50	694067	4549734463454			GE	A	CHN	8536.5080.90
E2E-X4MB28 5M	Proximity sensor, inductive, short SUS body M8, unshielded, 4 mm, DC, 3-wire, PNP NC, 5 m cable	43.20	696658	4549734463478			GE	A	CHN	8536.5080.90
E2E-X4MB28-M1	Proximity sensor, inductive, short SUS body M8, unshielded, 4 mm, DC, 3-wire, PNP NC, M12 connector	40.50	694066	4549734463577			GE	A	CHN	8536.5080.90
E2E-X4MB28-M3	Proximity sensor, inductive, short SUS body M8, unshielded, 4 mm, DC, 3-wire, PNP NC, M8 connector 4 pins	40.50	698678	4549734463591			GE	A	CHN	8536.5080.90
E2E-X4MB28-M5	Proximity sensor, inductive, short SUS body M8, unshielded, 4 mm, DC, 3-wire, PNP NC, M8 connector 3 pins	40.50	695867	4549734463614			GE	A	CHN	8536.5080.90
E2E-X4MB2L8 2M	Proximity sensor, inductive, long SUS body M8, unshielded, 4 mm, DC, 3-wire, PNP NC, 2 m cable	45.00	696216	4549734464628			GE	A	CHN	8536.5080.90
E2E-X4MB2L8 5M	Proximity sensor, inductive, long SUS body M8, unshielded, 4 mm, DC, 3-wire, PNP NC, 5 m cable	47.70	698880	4549734464642			GE	A	CHN	8536.5080.90
E2E-X4MB2L8-M1	Proximity sensor, inductive, long SUS body M8, unshielded, 4 mm, DC, 3-wire, PNP NC, M12 connector	45.00	696215	4549734464680			GE	A	CHN	8536.5080.90
E2E-X4MB2L8-M3	Proximity sensor, inductive, long SUS body M8, unshielded, 4 mm, DC, 3-wire, PNP NC, M8 connector 4 pins	45.00	695865	4549734464710			GE	A	CHN	8536.5080.90
E2E-X4MB2L8-M5	Proximity sensor, inductive, long SUS body M8, unshielded, 4 mm, DC, 3-wire, PNP NC, M8 connector 3 pins	45.00	695864	4549734464734			GE	A	CHN	8536.5080.90
E2E-X4MB3D8-M1	Proximity sensor, inductive, long SUS body M8, unshielded, 4 mm, DC, 3-wire, PNP NO-NC, IO-Link COM2, M12 connector 4 pins	45.00	696304	4549734468073			GE	A	CHN	8536.5080.90
E2E-X4MC18 10M	Proximity sensor, inductive, short SUS body M8, unshielded, 4 mm, DC, 3-wire, PNP NO, 10 m cable	51.20	700807	4549734710701			GE	A	CHN	8536.5080.90
E2E-X4MC18 2M	Proximity sensor, inductive, short SUS body M8, unshielded, 4 mm, DC, 3-wire, PNP NO, 2 m cable	40.50	694861	4549734461009			GE	A	CHN	8536.5080.90
E2E-X4MC18 5M	Proximity sensor, inductive, short SUS body M8, unshielded, 4 mm, DC, 3-wire, PNP NO, 5 m cable	43.20	698873	4549734461023			GE	A	CHN	8536.5080.90
E2E-X4MC18-M1	Proximity sensor, inductive, short SUS body M8, unshielded, 4 mm, DC, 3-wire, PNP NO, M12 connector	40.50	694860	4549734461122			GE	A	CHN	8536.5080.90

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Daheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
E2E-X4MC1L8 2M	Proximity sensor, inductive, long SJS body M8, unshielded, 4 mm, DC, 3-wire, NPN NO, 2 m cable	45.00	696142	4549734462174			GE	A	CHN	8536.5080.90
E2E-X4MC1L8 5M	Proximity sensor, inductive, long SJS body M8, unshielded, 4 mm, DC, 3-wire, NPN NO, 5 m cable	47.70	699646	4549734462198			GE	A	CHN	8536.5080.90
E2E-X4MC1L8-M1	Proximity sensor, inductive, long SJS body M8, unshielded, 4 mm, DC, 3-wire, NPN NO, M12 connector	45.00	696198	4549734462235			GE	A	CHN	8536.5080.90
E2E-X4MC1L8-M5	Proximity sensor, inductive, long SJS body M8, unshielded, 4 mm, DC, 3-wire, NPN NO, M8 connector 3 pins	45.00	696141	4549734462280			GE	A	CHN	8536.5080.90
E2E-X4MC28 2M	Proximity sensor, inductive, short SJS body M8, unshielded, 4 mm, DC, 3-wire, NPN NC, 2 m cable	40.50	696229	4549734461106			GE	A	CHN	8536.5080.90
E2E-X4MC28 5M	Proximity sensor, inductive, short SJS body M8, unshielded, 4 mm, DC, 3-wire, NPN NC, 5 m cable	43.20	696144	4549734461030			GE	A	CHN	8536.5080.90
E2E-X4MC28-M1	Proximity sensor, inductive, short SJS body M8, unshielded, 4 mm, DC, 3-wire, NPN NC, M12 connector	40.50	696552	4549734461139			GE	A	CHN	8536.5080.90
E2E-X4MC28-M3	Proximity sensor, inductive, short SJS body M8, unshielded, 4 mm, DC, 3-wire, NPN NC, M8 connector 4 pins	40.50	696651	4549734461153			GE	A	CHN	8536.5080.90
E2E-X4MC28-M5	Proximity sensor, inductive, short SJS body M8, unshielded, 4 mm, DC, 3-wire, NPN NC, M12 connector	40.50	696652	4549734461153			GE	A	CHN	8536.5080.90
E2E-X4MC2L8 2M	Proximity sensor, inductive, long SJS body M8, unshielded, 4 mm, DC, 3-wire, NPN NC, 2 m cable	45.00	699647	4549734462181			GE	A	CHN	8536.5080.90
E2E-X4MC2L8 5M	Proximity sensor, inductive, long SJS body M8, unshielded, 4 mm, DC, 3-wire, NPN NC, 5 m cable	47.70	699645	4549734462204			GE	A	CHN	8536.5080.90
E2E-X4MC2L8-M1	Proximity sensor, inductive, long SJS body M8, unshielded, 4 mm, DC, 3-wire, NPN NC, M12 connector	45.00	699644	4549734462242			GE	A	CHN	8536.5080.90
E2E-X4MC2L8-M5	Proximity sensor, inductive, long SJS body M8, unshielded, 4 mm, DC, 3-wire, NPN NC, M8 connector 3 pins	45.00	696556	4549734462297			GE	A	CHN	8536.5080.90
E2E-X50M1TL30 2M	Proximity sensor, inductive, nickel-brass, long body, M30, unshielded, 50 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	63.00	687962	4549734482523			GE	A	CHN	8536.5080.90
E2E-X50M1TL30-M1	Proximity sensor, inductive, nickel-brass, long body, M30, unshielded, 50 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	63.00	687958	4549734482646		5	GE	A	CHN	8536.5080.90
E2E-X50M1TL30-M1TJ0.3M	Proximity sensor, inductive, nickel-brass, long body, M30, unshielded, 50 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 pigtail Smartclick connector, 0.3 m	76.50	687960	4549734482608			GE	A	CHN	8536.5080.90
E2E-X50M1TL30-R2M	Proximity sensor, inductive, nickel-brass, long body, M30, unshielded, 50 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m robotic cable	65.70	687961	4549734482561			GE	A	CHN	8536.5080.90
E2E-X50M1TL30 2M	Proximity sensor, inductive, nickel-brass, long body, M30, unshielded, 50 mm, DC, 3-wire, PNP NC, 2 m cable	63.00	696653	4549734482530			GE	A	CHN	8536.5080.90
E2E-X50M1TL30-M1	Proximity sensor, inductive, nickel-brass, long body, M30, unshielded, 50 mm, DC, 3-wire, PNP NC, M12 connector	58.50	689619	4549734482653			GE	A	CHN	8536.5080.90
E2E-X50M1L30-M1	Proximity sensor, inductive, nickel-brass, long body, M30, unshielded, 50 mm, DC, 3-wire, NPN NO, M12 connector	58.50	696617	4549734480543			GE	A	CHN	8536.5080.90
E2E-X50M2L30-M1	Proximity sensor, inductive, nickel-brass, long body, M30, unshielded, 50 mm, DC, 3-wire, PNP NO, M12 connector	58.50	696618	4549734480550			GE	A	CHN	8536.5080.90
E2E-X5B1T18 2M	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 5 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	37.80	698902	4549734474825			GE	A	CHN	8536.5080.90
E2E-X5B1T18 5M	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 5 mm, DC, 3-wire, PNP NO, IO-Link COM3, 5 m cable	34.20	700099	4549734474856			GE	A	CHN	8536.5080.90
E2E-X5B1T18-M1	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 5 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	37.80	698860	4549734475006			GE	A	CHN	8536.5080.90
E2E-X5B1T18-M1TJ0.3M	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 8 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 pigtail Smartclick connector, 0.3 m	51.30	700003	4549734474948			GE	A	CHN	8536.5080.90
E2E-X5B1T18-R2M	Proximity sensor, inductive, nickel-brass short body, M18, shielded, 5 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m robotic cable	40.50	700054	4549734474887			GE	A	CHN	8536.5080.90
E2E-X5B1TL18 2M	Proximity sensor, inductive, nickel-brass long body, M18, shielded, 5 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	40.50	700053	4549734476017			GE	A	CHN	8536.5080.90
E2E-X5B1TL18 5M	Proximity sensor, inductive, nickel-brass, long body, M18, shielded, 5 mm, DC, 3-wire, PNP NO, IO-Link COM3, 5 m cable	43.20	700097	4549734476041			GE	A	CHN	8536.5080.90
E2E-X5B1TL18-M1	Proximity sensor, inductive, nickel-brass long body, M18, shielded, 5 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	40.50	698862	4549734476102			GE	A	CHN	8536.5080.90
E2E-X5B218 2M	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 5 mm, DC, 3-wire, PNP NC, 2 m cable	37.80	700055	4549734474832			GE	A	CHN	8536.5080.90
E2E-X5B218 5M	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 5 mm, DC, 3-wire, PNP NC, 5 m cable	40.50	700098	4549734474863			GE	A	CHN	8536.5080.90
E2E-X5B218-M1	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 5 mm, DC, 3-wire, PNP NC, M12 connector	37.80	700001	4549734475013			GE	A	CHN	8536.5080.90
E2E-X5B218-M1TJ0.3M	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 8 mm, DC, 3-wire, PNP NC, M12 pigtail Smartclick connector, 0.3 m	51.30	700002	4549734474955			GE	A	CHN	8536.5080.90
E2E-X5B218 2M	Proximity sensor, inductive, nickel-brass, long body, M18, shielded, 5 mm, DC, 3-wire, PNP NC, 2 m cable	40.50	700052	4549734476027			GE	A	CHN	8536.5080.90
E2E-X5B218 5M	Proximity sensor, inductive, nickel-brass, long body, M18, shielded, 5 mm, DC, 3-wire, PNP NC, 5 m cable	43.20	700096	4549734476058			GE	A	CHN	8536.5080.90
E2E-X5B218-M1	Proximity sensor, inductive, nickel-brass, long body, M18, shielded, 5 mm, DC, 3-wire, PNP NC, M12 connector	40.50	700000	4549734476119			GE	A	CHN	8536.5080.90
E2E-X5C118 2M	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 5 mm, DC, 3-wire, NPN NO, 2 m cable	37.80	699319	4549734472609			GE	A	CHN	8536.5080.90
E2E-X5C118 5M	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 5 mm, DC, 3-wire, NPN NO, 5 m cable	40.50	700102	4549734472630			GE	A	CHN	8536.5080.90
E2E-X5C118-M1	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 5 mm, DC, 3-wire, NPN NO, M12 connector	37.80	698855	4549734472784			GE	A	CHN	8536.5080.90
E2E-X5C118-R2M	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 5 mm, DC, 3-wire, NPN NO, 2 m robotic cable	40.50	700057	4549734472661			GE	A	CHN	8536.5080.90
E2E-X5C1L18 2M	Proximity sensor, inductive, nickel-brass, long body, M18, shielded, 5 mm, DC, 3-wire, NPN NO, 2 m cable	40.50	699321	4549734473798			GE	A	CHN	8536.5080.90
E2E-X5C1L18 5M	Proximity sensor, inductive, nickel-brass, long body, M18, shielded, 5 mm, DC, 3-wire, NPN NO, 5 m cable	43.20	700100	4549734473828			GE	A	CHN	8536.5080.90
E2E-X5C1L18-M1	Proximity sensor, inductive, nickel-brass, long body, M18, shielded, 5 mm, DC, 3-wire, NPN NO, M12 connector	40.50	700005	4549734473880			GE	A	CHN	8536.5080.90
E2E-X5C218 2M	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 5 mm, DC, 3-wire, NPN NC, 2 m cable	37.80	700058	4549734472616			GE	A	CHN	8536.5080.90
E2E-X5C218 5M	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 5 mm, DC, 3-wire, NPN NC, 5 m cable	40.50	700101	4549734472647			GE	A	CHN	8536.5080.90
E2E-X5C218-M1	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 5 mm, DC, 3-wire, NPN NC, M12 connector	37.80	700006	4549734472791			GE	A	CHN	8536.5080.90
E2E-X5C2L18 2M	Proximity sensor, inductive, nickel-brass, long body, M18, shielded, 5 mm, DC, 3-wire, NPN NC, 2 m prewired	40.50	700056	4549734473804			GE	A	CHN	8536.5080.90
E2E-X5C2L18-M1	Proximity sensor, inductive, nickel-brass, long body, M18, shielded, 5 mm, DC, 3-wire, NPN NC, M12 connector	40.50	700004	4549734473897			GE	A	CHN	8536.5080.90
E2E-X5D1-M1TGJ0.3M	Proximity sensor, inductive, brass-nickel, M18, shielded, 5 mm, NO, 0.3 m pig-tail, DC 2-wire	49.46	681884	4549734184311			GE	A	CHN	8536.5080.90
E2E-X5D1-M1TGJ-T0.3M	Proximity sensor, inductive, brass-nickel, M18, shielded, 5 mm, NO, 0.3 m pig-tail, DC 2-wire, no polarity	50.30	681785	4549734184410			GE	A	CHN	8536.5080.90
E2E-X5D1-N 2M	Proximity sensor, inductive, brass-nickel, M18, shielded, 5 mm, NO, 2 m cable, DC 2-wire	38.49	681724	4549734182591			GE	A	CHN	8536.5080.90
E2E-X5D1-N 5M	Proximity sensor, inductive, brass-nickel, M18, shielded, 5 mm, NO, 5 m cable, DC 2-wire	40.73	681847	4549734182614			GE	A	CHN	8536.5080.90
E2E-X5D1-R-N 2M	Proximity sensor, inductive, brass-nickel, M18, shielded, 5 mm, NO, 2 m cable robotic, DC2-wire	46.94	681748	4549734184274			GE	A	CHN	8536.5080.90
E2E-X5D1-R-N 5M	Proximity sensor, inductive, brass-nickel, M18, shielded, 5 mm, NO, 5 m cable robotic, DC2-wire	47.80	681889	4549734184298			GE	A	CHN	8536.5080.90
E2E-X5D1-T-N 2M	Proximity sensor, inductive, brass-nickel, M18, shielded, 5 mm, NO, 2 m cable, DC 2-wire, no polarity	38.49	681643	4549734184335			GE	A	CHN	8536.5080.90
E2E-X5D1-T-N 5M	Proximity sensor, inductive, brass-nickel, M18, shielded, 5 mm, NO, 5 m cable, DC 2-wire, no polarity	40.73	681635	4549734184359			GE	A	CHN	8536.5080.90
E2E-X5D1-TR-N 2M	Proximity sensor, inductive, brass-nickel, M18, shielded, 5 mm, NO, 2 m cable robotic, DC 2-wire, no polarity	45.27	681860	4549734184373			GE	A	CHN	8536.5080.90
E2E-X5D1-TR-N 5M	Proximity sensor, inductive, brass-nickel, M18, shielded, 5 mm, NO, 5 m cable robotic, DC 2-wire, no polarity	64.50	681828	4549734184397			GE	A	CHN	8536.5080.90
E2E-X5D2-M1TGJ0.3M	Proximity sensor, inductive, brass-nickel, M18, shielded, 5 mm, NC, 0.3 m pig-tail, DC 2-wire	49.46	681868	4549734184328			GE	A	CHN	8536.5080.90
E2E-X5D2-M1TGJ-T0.3M	Proximity sensor, inductive, brass-nickel, M18, shielded, 5 mm, NC, 0.3 m pig-tail, DC 2-wire, no polarity	50.30	681633	4549734184427			GE	A	CHN	8536.5080.90
E2E-X5D2-N 2M	Proximity sensor, inductive, brass-nickel, M18, shielded, 5 mm, NC, 2 m cable, DC 2-wire	42.22	681825	4549734182607			GE	A	CHN	8536.5080.90
E2E-X5D2-N 5M	Proximity sensor, inductive, brass-nickel, M18, shielded, 5 mm, NC, 5 m cable, DC 2-wire	42.22	681702	4549734182621			GE	A	CHN	8536.5080.90
E2E-X5D2-R-N 2M	Proximity sensor, inductive, brass-nickel, M18, shielded, 5 mm, NC, 2 m cable robotic, DC2-wire	46.94	681772	4549734184281			GE	A	CHN	8536.5080.90
E2E-X5D2-R-N 5M	Proximity sensor, inductive, brass-nickel, M18, shielded, 5 mm, NC, 5 m cable robotic, DC2-wire	63.70	681837	4549734184304			GE	A	CHN	8536.5080.90
E2E-X5D2-T-N 2M	Proximity sensor, inductive, brass-nickel, M18, shielded, 5 mm, NC, 2 m cable, DC 2-wire, no polarity	38.49	681707	4549734184342			GE	A	CHN	8536.5080.90
E2E-X5D2-T-N 5M	Proximity sensor, inductive, brass-nickel, M18, shielded, 5 mm, NC, 5 m cable, DC 2-wire, no polarity	40.73	681776	4549734184366			GE	A	CHN	8536.5080.90
E2E-X5D2-TR-N 2M	Proximity sensor, inductive, brass-nickel, M18, shielded, 5 mm, NC, 2 m cable robotic, DC2-wire, no polarity	46.94	681793	4549734184380			GE	A	CHN	8536.5080.90
E2E-X5D2-TR-N 5M	Proximity sensor, inductive, brass-nickel, M18, shielded, 5 mm, NC, 5 m cable robotic, DC2-wire, no polarity	64.50	681645	4549734184403			GE	A	CHN	8536.5080.90
E2E-X5MB1DL12-M1	Proximity sensor, inductive, nickel-brass, long body, M12, unshielded, 5 mm, DC, 3-wire, PNP NO, IO-Link COM2, M12 connector	46.80	689154	4549734472388			GE	A	CHN	8536.5080.90
E2E-X5MB1T12 2M	Proximity sensor, inductive, nickel-brass short body, M12, unshielded, 5 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	37.80	698888	4549734469418			GE	A	CHN	8536.5080.90
E2E-X5MB1T12 5M	Proximity sensor, inductive, nickel-brass short body, M12, unshielded, 5 mm, DC, 3-wire, PNP NO, IO-Link COM3, 5 m cable	40.50	699669	4549734469449			GE	A	CHN	8536.5080.90
E2E-X5MB1T12-M1	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 5 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	37.80	698850	4549734469593			GE	A	CHN	8536.5080.90
E2E-X5MB1T12-M1TJ0.3M	Proximity sensor, inductive, nickel-brass short body, M12, unshielded, 5 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 pigtail Smartclick connector, 0.3 m	51.30	700009	4549734469531			GE	A	CHN	8536.5080.90
E2E-X5MB1T12-R2M	Proximity sensor, inductive, nickel-brass short body, M12, unshielded, 5 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m robotic cable	40.50	700061	4549734469470			GE	A	CHN	8536.5080.90
E2E-X5MB1TL12 2M	Proximity sensor, inductive, nickel-brass long body, M12, unshielded, 5 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	40.50	700060	4549						

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Data sheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
E2E-X5M8212-2M	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 5 mm, DC, 3-wire, PNP NC, 2 m cable	37.80	700062	4549734469425			GE	A	CHN	8536.5080.90
E2E-X5M8212-5M	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 5 mm, DC, 3-wire, PNP NC, 5 m cable	40.50	700104	4549734469456			GE	A	CHN	8536.5080.90
E2E-X5M8212-M1	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 5 mm, DC, 3-wire, PNP NC, M12 connector	37.80	700008	4549734469609			GE	A	CHN	8536.5080.90
E2E-X5M8212-2M	Proximity sensor, inductive, nickel-brass, long body, M12, unshielded, 5 mm, DC, 3-wire, PNP NC, 2 m cable	40.50	700059	4549734470636			GE	A	CHN	8536.5080.90
E2E-X5M8212-5M	Proximity sensor, inductive, nickel-brass, long body, M12, unshielded, 5 mm, DC, 3-wire, PNP NC, 5 m cable	40.50	700103	4549734470667			GE	A	CHN	8536.5080.90
E2E-X5M8212-M1	Proximity sensor, inductive, nickel-brass, long body, M12, unshielded, 5 mm, DC, 3-wire, PNP NC, M12 connector	40.50	700007	4549734470728			GE	A	CHN	8536.5080.90
E2E-X5M83D12-M1	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 5 mm, DC, 3-wire, PNP NO-NC, IO-Link COM2, M12 connector	37.80	698554	4549734471688			GE	A	CHN	8536.5080.90
E2E-X5M C112-2M	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 5 mm, DC, 3-wire, NPN NO, 2 m cable	37.80	699626	4549734466998			GE	A	CHN	8536.5080.90
E2E-X5M C112-5M	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 5 mm, DC, 3-wire, NPN NO, 5 m cable	40.50	700067	4549734467025			GE	A	CHN	8536.5080.90
E2E-X5M C112-M1	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 5 mm, DC, 3-wire, NPN NO, M12 connector	37.80	700013	4549734467179			GE	A	CHN	8536.5080.90
E2E-X5M C112-R2M	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 5 mm, DC, 3-wire, NPN NO, 2 m robotic cable	40.50	700065	4549734467056			GE	A	CHN	8536.5080.90
E2E-X5M C112-2M	Proximity sensor, inductive, nickel-brass, long body, M12, unshielded, 5 mm, DC, 3-wire, NPN NO, 2 m cable	40.50	700064	4549734468206			GE	A	CHN	8536.5080.90
E2E-X5M C112-5M	Proximity sensor, inductive, nickel-brass, long body, M12, unshielded, 5 mm, DC, 3-wire, NPN NO, 5 m cable	43.20	700105	4549734468237			GE	A	CHN	8536.5080.90
E2E-X5M C112-M1	Proximity sensor, inductive, nickel-brass, long body, M12, unshielded, 5 mm, DC, 3-wire, NPN NO, M12 connector	40.50	700011	4549734468299			GE	A	CHN	8536.5080.90
E2E-X5M C212-2M	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 5 mm, DC, 3-wire, NPN NC, 2 m cable	37.80	700014	4549734467001			GE	A	CHN	8536.5080.90
E2E-X5M C212-5M	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 5 mm, DC, 3-wire, NPN NC, 5 m cable	40.50	700066	4549734467032			GE	A	CHN	8536.5080.90
E2E-X5M C212-M1	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 5 mm, DC, 3-wire, NPN NC, M12 connector	37.80	700012	4549734467186			GE	A	CHN	8536.5080.90
E2E-X5M C2L12-2M	Proximity sensor, inductive, nickel-brass, long body, M12, unshielded, 5 mm, DC, 3-wire, NPN NC, 2 m cable	40.50	700063	4549734468213			GE	A	CHN	8536.5080.90
E2E-X5M C2L12-M1	Proximity sensor, inductive, nickel-brass, long body, M12, unshielded, 5 mm, DC, 3-wire, NPN NC, M12 connector	40.50	700010	4549734468305			GE	A	CHN	8536.5080.90
E2E-X5M C312-2M	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 5 mm, DC, 3-wire, NPN NO-NC, 2 m cable	37.80	699625	4549734467018			GE	A	CHN	8536.5080.90
E2E-X6B1D12-M1	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 6 mm, DC, 3-wire, PNP NO, IO-Link COM2, M12 connector	46.80	689354	4549734471466			GE	A	CHN	8536.5080.90
E2E-X6B1T12-2M	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 6 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	45.90	687523	4549734469067			GE	A	CHN	8536.5080.90
E2E-X6B1T12-M1	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 6 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	45.90	687522	4549734469241			GE	A	CHN	8536.5080.90
E2E-X6B1T12-M1TJ0.3M	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 6 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 pigtail Smartclick connector, 0.3 m	60.30	688017	4549734469180			GE	A	CHN	8536.5080.90
E2E-X6B1T12-M1TLR0.3M	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 6 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 pigtail Smartclick connector, 0.3 m robotic cable	73.80	687889	4549734469210			GE	A	CHN	8536.5080.90
E2E-X6B1T12-R2M	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 6 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m robotic cable	49.50	688018	4549734469128			GE	A	CHN	8536.5080.90
E2E-X6B1TL12-2M	Proximity sensor, inductive, nickel-brass, long body, M12, shielded, 6 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	46.80	688006	4549734470421			GE	A	CHN	8536.5080.90
E2E-X6B1TL12-M1	Proximity sensor, inductive, nickel-brass, long body, M12, shielded, 6 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	46.80	687883	4549734470513			GE	A	CHN	8536.5080.90
E2E-X6B1TL12-M1TJ0.3M	Proximity sensor, inductive, nickel-brass, long body, M12, shielded, 6 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 pigtail Smartclick connector, 0.3 m	60.30	687884	4549734470483			GE	A	CHN	8536.5080.90
E2E-X6B212-2M	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 6 mm, DC, 3-wire, PNP NC, 2 m cable	46.80	690783	4549734469074			GE	A	CHN	8536.5080.90
E2E-X6B212-M1	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 6 mm, DC, 3-wire, PNP NC, M12 connector	46.80	690781	4549734469258			GE	A	CHN	8536.5080.90
E2E-X6B212-M1TJ0.3M	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 6 mm, DC, 3-wire, PNP NC, M12 pigtail Smartclick connector, 0.3 m	55.80	690782	4549734469197			GE	A	CHN	8536.5080.90
E2E-X6B2L12-2M	Proximity sensor, inductive, nickel-brass, long body, M12, shielded, 6 mm, DC, 3-wire, PNP NC, 2 m cable	46.80	698667	4549734470438			GE	A	CHN	8536.5080.90
E2E-X6B2L12-M1	Proximity sensor, inductive, nickel-brass, long body, M12, shielded, 6 mm, DC, 3-wire, PNP NC, M12 connector	46.80	698666	4549734470520			GE	A	CHN	8536.5080.90
E2E-X6B3D12-2M	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 6 mm, DC, 3-wire, PNP NO-NC, IO-Link COM2, 2 m cable	46.80	696303	4549734471350			GE	A	CHN	8536.5080.90
E2E-X6B3D12-M1	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 6 mm, DC, 3-wire, PNP NO-NC, IO-Link COM2, M12 connector	46.80	687876	4549734471473		20	GE	A	CHN	8536.5080.90
E2E-X6C112-2M	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 6 mm, DC, 3-wire, NPN NO, 2 m cable	46.80	691133	4549734466846			GE	A	CHN	8536.5080.90
E2E-X6C112-M1	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 6 mm, DC, 3-wire, NPN NO, M12 connector	46.80	691132	4549734466820			GE	A	CHN	8536.5080.90
E2E-X6C212-2M	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 6 mm, DC, 3-wire, NPN NC, 2 m cable	46.80	691131	4549734466653			GE	A	CHN	8536.5080.90
E2E-X6C212-M1	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 6 mm, DC, 3-wire, NPN NC, M12 connector	46.80	691130	4549734466837			GE	A	CHN	8536.5080.90
E2E-X6M81T8-2M	Proximity sensor, inductive, short SJS body M8, unshielded, 6 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	49.50	688095	4549734463621			GE	A	CHN	8536.5080.90
E2E-X6M81T8-5M	Proximity sensor, inductive, short SJS body M8, unshielded, 6 mm, DC, 3-wire, PNP NO, IO-Link COM3, 5 m cable	52.50	701264	4549734463645			GE	A	CHN	8536.5080.90
E2E-X6M81T8-M1	Proximity sensor, inductive, short SJS body M8, unshielded, 6 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	49.50	688092	4549734463744			GE	A	CHN	8536.5080.90
E2E-X6M81T8-M1TJ0.3M	Proximity sensor, inductive, short SJS body M8, unshielded, 6 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 pigtail Smartclick connector, 0.3 m	63.00	688093	4549734463706			GE	A	CHN	8536.5080.90
E2E-X6M81T8-M3	Proximity sensor, inductive, short SJS body M8, unshielded, 4 mm, DC, 3-wire, PNP NO, IO-Link COM3, M8 connector 4 pins	49.50	688091	4549734463782			GE	A	CHN	8536.5080.90
E2E-X6M81T8-M5	Proximity sensor, inductive, short SJS body M8, unshielded, 6 mm, DC, 3-wire, PNP NO, IO-Link COM3, M8 connector 3 pins	49.50	688090	4549734463768			GE	A	CHN	8536.5080.90
E2E-X6M81T8-R2M	Proximity sensor, inductive, short SJS body M8, unshielded, 6 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m robotic cable	52.20	688094	4549734463669			GE	A	CHN	8536.5080.90
E2E-X6M81TL8-2M	Proximity sensor, inductive, long SJS body M8, unshielded, 6 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	49.50	688069	4549734464741			GE	A	CHN	8536.5080.90
E2E-X6M81TL8-5M	Proximity sensor, inductive, long SJS body M8, unshielded, 6 mm, DC, 3-wire, PNP NO, IO-Link COM3, 5 m cable	52.50	701265	4549734464765			GE	A	CHN	8536.5080.90
E2E-X6M81TL8-M1	Proximity sensor, inductive, long SJS body M8, unshielded, 6 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	49.50	688067	4549734464802			GE	A	CHN	8536.5080.90
E2E-X6M81TL8-M1TJ0.3M	Proximity sensor, inductive, long SJS body M8, unshielded, 6 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 pigtail Smartclick connector, 0.3 m	63.00	688068	4549734464789			GE	A	CHN	8536.5080.90
E2E-X6M81TL8-M3	Proximity sensor, inductive, long SJS body M8, unshielded, 6 mm, DC, 3-wire, PNP NO, IO-Link COM3, M8 connector 4 pins	49.50	688066	4549734464826			GE	A	CHN	8536.5080.90
E2E-X6M81TL8-M5	Proximity sensor, inductive, long SJS body M8, unshielded, 6 mm, DC, 3-wire, PNP NO, IO-Link COM3, M8 connector 3 pins	49.50	687994	4549734464840			GE	A	CHN	8536.5080.90
E2E-X6M828-2M	Proximity sensor, inductive, short SJS body M8, unshielded, 6 mm, DC, 3-wire, PNP NC, 2 m cable	49.50	698702	4549734463638			GE	A	CHN	8536.5080.90
E2E-X6M828-M1	Proximity sensor, inductive, short SJS body M8, unshielded, 6 mm, DC, 3-wire, PNP NC, M12 connector	49.50	698701	4549734463751			GE	A	CHN	8536.5080.90
E2E-X6M828-M5	Proximity sensor, inductive, short SJS body M8, unshielded, 6 mm, DC, 3-wire, PNP NC, M8 3 pins	49.50	698700	4549734463799			GE	A	CHN	8536.5080.90
E2E-X6M82L8-2M	Proximity sensor, inductive, long SJS body M8, unshielded, 6 mm, DC, 3-wire, PNP NC, 2 m cable	49.50	698696	4549734464758			GE	A	CHN	8536.5080.90
E2E-X6M82L8-M1	Proximity sensor, inductive, long SJS body M8, unshielded, 6 mm, DC, 3-wire, PNP NC, M12 connector	49.50	698695	4549734464819			GE	A	CHN	8536.5080.90
E2E-X6M82L8-M5	Proximity sensor, inductive, long SJS body M8, unshielded, 6 mm, DC, 3-wire, PNP NC, M8 3 pins	49.50	698694	4549734464857			GE	A	CHN	8536.5080.90
E2E-X6MD18-2M	Proximity sensor, inductive, stainless steel, M8, non-shielded, 6 mm, NO, 2 m cable, DC2-wire	50.55	681745	4549734181952			GE	A	CHN	8536.5080.90
E2E-X6MD18-5M	Proximity sensor, inductive, stainless steel, M8, non-shielded, 6 mm, NO, 5 m cable, DC2-wire	52.80	681672	4549734181976			GE	A	CHN	8536.5080.90
E2E-X6MD18-M1TGJ0.3M	Proximity sensor, inductive, stainless steel, M8, non-shielded, 6 mm, NO, 0.3 m pig-tail, DC2-wire	54.35	681876	4549734182034			GE	A	CHN	8536.5080.90
E2E-X6MD18-M1TGU-T0.3M	Proximity sensor, inductive, stainless steel, M8, non-shielded, 6 mm, NO, 0.3 m pig-tail, DC2-wire, no polarity	54.35	681844	4549734182133			GE	A	CHN	8536.5080.90
E2E-X6MD18-R2M	Proximity sensor, inductive, stainless steel, M8, non-shielded, 6 mm, NO, 2 m cable robotic, DC2-wire	54.35	681708	4549734181990			GE	A	CHN	8536.5080.90
E2E-X6MD18-R5M	Proximity sensor, inductive, stainless steel, M8, non-shielded, 6 mm, NO, 5 m cable robotic, DC2-wire	56.60	681697	4549734182010			GE	A	CHN	8536.5080.90
E2E-X6MD18-T-2M	Proximity sensor, inductive, stainless steel, M8, non-shielded, 6 mm, NO, 2 m cable, DC2-wire, no polarity	50.55	681798	4549734182058			GE	A	CHN	8536.5080.90
E2E-X6MD18-T-5M	Proximity sensor, inductive, stainless steel, M8, non-shielded, 6 mm, NO, 5 m cable, DC2-wire, no polarity	52.80	681650	4549734182072			GE	A	CHN	8536.5080.90
E2E-X6MD18-TR2M	Proximity sensor, inductive, stainless steel, M8, non-shielded, 6 mm, NO, 2 m cable robotic, DC2-wire, no polarity	52.80	681810	4549734182096			GE	A	CHN	8536.5080.90
E2E-X6MD18-TR5M	Proximity sensor, inductive, stainless steel, M8, non-shielded, 6 mm, NO, 5 m cable robotic, DC2-wire, no polarity	56.60	681832	4549734182119			GE	A	CHN	8536.5080.90
E2E-X6MD28-2M	Proximity sensor, inductive, stainless steel, M8, non-shielded, 6 mm, NC, 2 m cable, DC2-wire	50.55	681877	4549734181968			GE	A	CHN	8536.5080.90
E2E-X6MD28-5M	Proximity sensor, inductive, stainless steel, M8, non-shielded, 6 mm, NC, 5 m cable, DC2-wire	52.80	681842	4549734181983			GE	A	CHN	8536.5080.90
E2E-X6MD28-M1TGJ0.3M	Proximity sensor, inductive, stainless steel, M8, non-shielded, 6 mm, NC, 0.3 m pig-tail, DC2-wire	54.35	681833	4549734182041			GE	A	CHN	8536.5080.90
E2E-X6MD28-M1TGU-T0.3M	Proximity sensor, inductive, stainless steel, M8, non-shielded, 6 mm, NC, 0.3 m pig-tail, DC2-wire, no polarity	54.35	681642	4549734182140			GE	A	CHN	8536.5080.90
E2E-X6MD28-R2M	Proximity sensor, inductive, stainless steel, M8, non-shielded, 6 mm, NC, 2 m cable robotic, DC2-wire	54.35	681783	4549734182003			GE	A	CHN	8536.5080.90
E2E-X6MD28-R5M										

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Data sheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
E2E-X6MD28-TR2M	Proximity sensor, inductive, stainless steel, M8, non-shielded, 6 mm, NC, 2 m cable robotic, DC 2-wire, no polarity	54,35	681700	4549734182102			GE	A	CHN	8536 5080 90
E2E-X6MD28-TR5M	Proximity sensor, inductive, stainless steel, M8, non-shielded, 6 mm, NC, 5 m cable robotic, DC 2-wire, no polarity	56,60	681682	4549734182126			GE	A	CHN	8536 5080 90
E2E-X7D112-2M	Proximity sensor, inductive, brass-nickel, M12, shielded, 7 mm, NO, 2 m cable, DC 2-wire	48,29	681730	4549734182218			GE	A	CHN	8536 5080 90
E2E-X7D112-5M	Proximity sensor, inductive, brass-nickel, M12, shielded, 7 mm, NO, 0,3 m pig-tail, DC 2-wire	50,55	681712	4549734182218			GE	A	CHN	8536 5080 90
E2E-X7D112-M1TQJ0,3M	Proximity sensor, inductive, brass-nickel, M12, shielded, 7 mm, NO, 0,3 m pig-tail, DC 2-wire	52,05	681887	4549734182270			GE	A	CHN	8536 5080 90
E2E-X7D112-M1TQJ-T 0,3M	Proximity sensor, inductive, brass-nickel, M12, shielded, 7 mm, NO, 0,3 m pig-tail, DC 2-wire, no polarity	52,05	681693	4549734182279			GE	A	CHN	8536 5080 90
E2E-X7D112-R2M	Proximity sensor, inductive, brass-nickel, M12, shielded, 7 mm, NO, 2 m cable robotic, DC 2-wire	52,05	681806	4549734182232			GE	A	CHN	8536 5080 90
E2E-X7D112-R5M	Proximity sensor, inductive, brass-nickel, M12, shielded, 7 mm, NO, 5 m cable robotic, DC 2-wire	54,35	681840	4549734182256			GE	A	CHN	8536 5080 90
E2E-X7D112-T 2M	Proximity sensor, inductive, brass-nickel, M12, shielded, 7 mm, NO, 2 m cable, DC 2-wire, no polarity	48,29	681843	4549734182294			GE	A	CHN	8536 5080 90
E2E-X7D112-T 5M	Proximity sensor, inductive, brass-nickel, M12, shielded, 7 mm, NO, 5 m cable, DC 2-wire, no polarity	50,55	681778	4549734182317			GE	A	CHN	8536 5080 90
E2E-X7D112-TR2M	Proximity sensor, inductive, brass-nickel, M12, shielded, 7 mm, NO, 2 m cable robotic, DC 2-wire, no polarity	50,55	681866	4549734182331			GE	A	CHN	8536 5080 90
E2E-X7D112-TR5M	Proximity sensor, inductive, brass-nickel, M12, shielded, 7 mm, NO, 5 m cable robotic, DC 2-wire, no polarity	54,35	681858	4549734182355			GE	A	CHN	8536 5080 90
E2E-X7D212-2M	Proximity sensor, inductive, brass-nickel, M12, shielded, 7 mm, NC, 2 m cable, DC 2-wire	48,29	681640	4549734182201			GE	A	CHN	8536 5080 90
E2E-X7D212-5M	Proximity sensor, inductive, brass-nickel, M12, shielded, 7 mm, NC, 5 m cable, DC 2-wire	50,55	681634	4549734182225			GE	A	CHN	8536 5080 90
E2E-X7D212-M1TQJ0,3M	Proximity sensor, inductive, brass-nickel, M12, shielded, 7 mm, NC, 0,3 m pig-tail, DC 2-wire	52,05	681873	4549734182287			GE	A	CHN	8536 5080 90
E2E-X7D212-M1TQJ-T 0,3M	Proximity sensor, inductive, brass-nickel, M12, shielded, 7 mm, NC, 0,3 m pig-tail, DC 2-wire, no polarity	52,05	681846	4549734182386			GE	A	CHN	8536 5080 90
E2E-X7D212-R2M	Proximity sensor, inductive, brass-nickel, M12, shielded, 7 mm, NC, 2 m cable robotic, DC 2-wire	52,05	681737	4549734182249			GE	A	CHN	8536 5080 90
E2E-X7D212-R5M	Proximity sensor, inductive, brass-nickel, M12, shielded, 7 mm, NC, 5 m cable robotic, DC 2-wire	54,35	681802	4549734182263			GE	A	CHN	8536 5080 90
E2E-X7D212-T 2M	Proximity sensor, inductive, brass-nickel, M12, shielded, 7 mm, NC, 2 m cable, DC 2-wire, no polarity	48,29	681780	4549734182300			GE	A	CHN	8536 5080 90
E2E-X7D212-T 5M	Proximity sensor, inductive, brass-nickel, M12, shielded, 7 mm, NC, 5 m cable, DC 2-wire, no polarity	50,55	681754	4549734182324			GE	A	CHN	8536 5080 90
E2E-X7D212-TR2M	Proximity sensor, inductive, brass-nickel, M12, shielded, 7 mm, NC, 2 m cable robotic, DC 2-wire, no polarity	52,05	681696	4549734182348			GE	A	CHN	8536 5080 90
E2E-X7D212-TR5M	Proximity sensor, inductive, brass-nickel, M12, shielded, 7 mm, NC, 5 m cable robotic, DC 2-wire, no polarity	54,35	681805	4549734182362			GE	A	CHN	8536 5080 90
E2E-X8B1D18-2M	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 8 mm, DC, 3-wire, PNP NO, IO-Link COM2, 2 m cable	37,80	694156	4549734477185			GE	A	CHN	8536 5080 90
E2E-X8B1D18-M1	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 8 mm, DC, 3-wire, PNP NO, IO-Link COM2, M12 connector	37,80	694155	4549734477307			GE	A	CHN	8536 5080 90
E2E-X8B1T18-10M	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 8 mm, DC, 3-wire, PNP NO, IO-Link COM3, 10 m cable	42,20	700797	4549734710800			GE	A	CHN	8536 5080 90
E2E-X8B1T18-2M	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 8 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	37,80	687513	4549734475037			GE	A	CHN	8536 5080 90
E2E-X8B1T18-5M	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 8 mm, DC, 3-wire, PNP NO, IO-Link COM3, 5 m cable	34,20	695739	4549734475068			GE	A	CHN	8536 5080 90
E2E-X8B1T18-M1	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 8 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	37,80	687512	4549734475211			GE	A	CHN	8536 5080 90
E2E-X8B1T18-M1TJ0,3M	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 8 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 pigtail Smartclick connector, 0,3 m	51,30	687872	4549734475150		20	GE	A	CHN	8536 5080 90
E2E-X8B1T18-R2M	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 8 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m robotic cable	40,50	687998	4549734475099			GE	A	CHN	8536 5080 90
E2E-X8B1TL18-10M	Proximity sensor, inductive, nickel-brass, long body, M18, shielded, 8 mm, DC, 3-wire, PNP NO, IO-Link COM3, 10 m cable	51,20	700795	4549734710824			GE	A	CHN	8536 5080 90
E2E-X8B1TL18-2M	Proximity sensor, inductive, nickel-brass, long body, M18, shielded, 8 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	40,50	687959	4549734476133			GE	A	CHN	8536 5080 90
E2E-X8B1TL18-5M	Proximity sensor, inductive, nickel-brass, long body, M18, shielded, 8 mm, DC, 3-wire, PNP NO, IO-Link COM3, 5 m cable	43,20	696124	4549734476164			GE	A	CHN	8536 5080 90
E2E-X8B1TL18-M1	Proximity sensor, inductive, nickel-brass, long body, M18, shielded, 8 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	40,50	687992	4549734476225			GE	A	CHN	8536 5080 90
E2E-X8B1TL18-M1TJ0,3M	Proximity sensor, inductive, nickel-brass, long body, M18, shielded, 8 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 pigtail Smartclick connector, 0,3 m	54,00	687993	4549734476195			GE	A	CHN	8536 5080 90
E2E-X8B218-2M	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 8 mm, DC, 3-wire, PNP NC, 2 m cable	37,80	693988	4549734475044			GE	A	CHN	8536 5080 90
E2E-X8B218-5M	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 8 mm, DC, 3-wire, PNP NC, 5 m cable	40,50	696127	4549734475075			GE	A	CHN	8536 5080 90
E2E-X8B218-M1	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 8 mm, DC, 3-wire, PNP NC, M12 connector	37,80	693989	4549734475228			GE	A	CHN	8536 5080 90
E2E-X8B2L18-2M	Proximity sensor, inductive, nickel-brass, long body, M18, shielded, 8 mm, DC, 3-wire, PNP NC, 2 m cable	40,50	696125	4549734476140			GE	A	CHN	8536 5080 90
E2E-X8B2L18-5M	Proximity sensor, inductive, nickel-brass, long body, M18, shielded, 8 mm, DC, 3-wire, PNP NC, 5 m cable	43,20	695961	4549734476171			GE	A	CHN	8536 5080 90
E2E-X8B2L18-M1	Proximity sensor, inductive, nickel-brass, long body, M18, shielded, 8 mm, DC, 3-wire, PNP NC, M12 connector	40,50	694120	4549734476232			GE	A	CHN	8536 5080 90
E2E-X8B3D18-2M	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 8 mm, DC, 3-wire, PNP NO-NC, IO-Link COM2, 2 m cable	37,80	687862	4549734477192		5	GE	A	CHN	8536 5080 90
E2E-X8B3D18-5M	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 8 mm, DC, 3-wire, PNP NO-NC, IO-Link COM2, 5 m cable	40,50	696123	4549734477215			GE	A	CHN	8536 5080 90
E2E-X8B3D18-M1	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 8 mm, DC, 3-wire, PNP NO-NC, IO-Link COM2, M12 connector	37,80	687860	4549734477314		10	GE	A	CHN	8536 5080 90
E2E-X8B3D18-M1TJ0,3M	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 8 mm, DC, 3-wire, PNP NO-NC, IO-Link COM2, M12 pigtail Smartclick connector, 0,3 m	46,80	687861	4549734477277			GE	A	CHN	8536 5080 90
E2E-X8B3DL18-2M	Proximity sensor, inductive, nickel-brass, long body, M18, shielded, 8 mm, DC, 3-wire, PNP NO-NC, IO-Link COM2, 2 m cable	40,50	695082	4549734477901			GE	A	CHN	8536 5080 90
E2E-X8B3DL18-M1	Proximity sensor, inductive, nickel-brass, long body, M18, shielded, 8 mm, DC, 3-wire, PNP NO-NC, IO-Link COM2, M12 connector	40,50	687855	4549734477963			GE	A	CHN	8536 5080 90
E2E-X8C118-10M	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 8 mm, DC, 3-wire, PNP NO, 10 m cable	48,50	700796	4549734710817			GE	A	CHN	8536 5080 90
E2E-X8C118-2M	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 8 mm, DC, 3-wire, PNP NO, 2 m cable	37,80	694855	4549734472814			GE	A	CHN	8536 5080 90
E2E-X8C118-5M	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 8 mm, DC, 3-wire, PNP NO, 5 m cable	40,50	696129	4549734472845			GE	A	CHN	8536 5080 90
E2E-X8C118-M1	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 8 mm, DC, 3-wire, PNP NO, M12 connector	37,80	687515	4549734472999			GE	A	CHN	8536 5080 90
E2E-X8C1L18-2M	Proximity sensor, inductive, nickel-brass, long body, M18, shielded, 8 mm, DC, 3-wire, PNP NO, 2 m cable	40,50	696128	4549734473910			GE	A	CHN	8536 5080 90
E2E-X8C1L18-5M	Proximity sensor, inductive, nickel-brass, long body, M18, shielded, 8 mm, DC, 3-wire, PNP NO, 5 m cable	43,20	698988	4549734473941			GE	A	CHN	8536 5080 90
E2E-X8C1L18-M1	Proximity sensor, inductive, nickel-brass, long body, M18, shielded, 8 mm, DC, 3-wire, PNP NO, M12 connector	40,50	696114	4549734474009			GE	A	CHN	8536 5080 90
E2E-X8C218-2M	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 8 mm, DC, 3-wire, PNP NC, 2 m cable	37,80	696130	4549734472821			GE	A	CHN	8536 5080 90
E2E-X8C218-5M	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 8 mm, DC, 3-wire, PNP NC, 5 m cable	40,50	698992	4549734472852			GE	A	CHN	8536 5080 90
E2E-X8C218-M1	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 8 mm, DC, 3-wire, PNP NC, M12 connector	37,80	694118	4549734473002			GE	A	CHN	8536 5080 90
E2E-X8C2L18-2M	Proximity sensor, inductive, nickel-brass, long body, M18, shielded, 8 mm, DC, 3-wire, PNP NC, 2 m cable	40,50	698996	4549734473927			GE	A	CHN	8536 5080 90
E2E-X8C2L18-5M	Proximity sensor, inductive, nickel-brass, long body, M18, shielded, 8 mm, DC, 3-wire, PNP NC, 5 m cable	43,20	699663	4549734473958			GE	A	CHN	8536 5080 90
E2E-X8C2L18-M1	Proximity sensor, inductive, nickel-brass, long body, M18, shielded, 8 mm, DC, 3-wire, PNP NC, M12 connector	40,50	698857	4549734474016			GE	A	CHN	8536 5080 90
E2E-X8C318-2M	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 8 mm, DC, 3-wire, PNP NO-NC, 2 m cable	45,00	689312	4549734472838			GE	A	CHN	8536 5080 90
E2E-X8C318-M1	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 8 mm, DC, 3-wire, PNP NO-NC, M12 connector	37,80	698856	4549734473019			GE	A	CHN	8536 5080 90
E2E-X8C3L18-2M	Proximity sensor, inductive, nickel-brass, long body, M18, shielded, 8 mm, DC, 3-wire, PNP NO-NC, 2 m cable	40,50	698897	4549734473934			GE	A	CHN	8536 5080 90
E2E-X8C3L18-M1	Proximity sensor, inductive, nickel-brass, long body, M18, shielded, 8 mm, DC, 3-wire, PNP NO-NC, M12 connector	40,50	696113	4549734474023			GE	A	CHN	8536 5080 90
E2E-X8MB1D12-2M	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 8 mm, DC, 3-wire, PNP NO, IO-Link COM2, 2 m cable	37,80	694159	4549734471695			GE	A	CHN	8536 5080 90
E2E-X8MB1D12-M1	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 8 mm, DC, 3-wire, PNP NO, IO-Link COM2, M12 connector	37,80	690434	4549734471817			GE	A	CHN	8536 5080 90
E2E-X8MB1D12-M1	Proximity sensor, inductive, nickel-brass, long body, M12, unshielded, 8 mm, DC, 3-wire, PNP NO, IO-Link COM2, M12 connector	46,80	689153	4549734472463			GE	A	CHN	8536 5080 90
E2E-X8MB1DL8-5M	Proximity sensor, inductive, long SUS body M8, unshielded, 8 mm, DC, 3-wire, PNP NO, IO-Link COM2, M8 connector 3 pins	64,80	689155	4549734466219			GE	A	CHN	8536 5080 90
E2E-X8MB1T12-10M	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 8 mm, DC, 3-wire, PNP NO, IO-Link COM3, 10 m cable	48,50	700804	4549734710732			GE	A	CHN	8536 5080 90
E2E-X8MB1T12-2M	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 8 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	37,80	688015	4549734469623			GE	A	CHN	8536 5080 90
E2E-X8MB1T12-5M	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 8 mm, DC, 3-wire, PNP NO, IO-Link COM3, 5 m cable	40,50	696132	4549734469654			GE	A	CHN	8536 5080 90
E2E-X8MB1T12-M1	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 8 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	37,80	687518	4549734469807			GE	A	CHN	8536 5080 90
E2E-X8MB1T12-M1TJ0,3M	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 8 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 pigtail Smartclick connector, 0,3 m	51,30	696013	4549734469746			GE	A	CHN	8536 5080 90
E2E-X8MB1T12-R2M	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 8 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 robotic cable	40,50	689014	454973446						

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Data sheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
E2E-X8MB1T8-M3	Proximity sensor, inductive, short SJSbody M8, unshielded, 8 mm, DC, 8-wire, PNP NO, IO-Link COM3, M8 connector 4 pins	54.00	688087	4549734463942			GE	A	CHN	8536.5080.90
E2E-X8MB1T8-M5	Proximity sensor, inductive, short SJSbody M8, unshielded, 8 mm, DC, 8-wire, PNP NO, IO-Link COM3, M8 connector 3 pins	54.00	688086	4549734463966	#		GE	A	CHN	8536.5080.90
E2E-X8MB1T8-R2M	Proximity sensor, inductive, short SJSbody M8, unshielded, 8 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m robotic cable	56.70	688088	4549734463943			GE	A	CHN	8536.5080.90
E2E-X8MB1TL12-2M	Proximity sensor, inductive, nickel-brass, long body, M12, unshielded, 8 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	40.50	688005	4549734470742			GE	A	CHN	8536.5080.90
E2E-X8MB1TL12-5M	Proximity sensor, inductive, nickel-brass, long body, M12, unshielded, 8 mm, DC, 3-wire, PNP NO, IO-Link COM3, 5 m cable	43.20	696189	4549734470773			GE	A	CHN	8536.5080.90
E2E-X8MB1TL12-M1	Proximity sensor, inductive, nickel-brass, long body, M12, unshielded, 8 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	40.50	688003	4549734470834			GE	A	CHN	8536.5080.90
E2E-X8MB1TL12-M1TJ0.3M	Proximity sensor, inductive, nickel-brass, long body, M12, unshielded, 8 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 pigtail Smartclick connector, 0.3 m	54.00	688004	4549734470803			GE	A	CHN	8536.5080.90
E2E-X8MB1TL8-2M	Proximity sensor, inductive, long SJSbody M8, unshielded, 6 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	54.00	688024	4549734464684			GE	A	CHN	8536.5080.90
E2E-X8MB1TL8-M1	Proximity sensor, inductive, long SJSbody M8, unshielded, 8 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	54.00	688022	4549734464925			GE	A	CHN	8536.5080.90
E2E-X8MB1TL8-M1TJ0.3M	Proximity sensor, inductive, long SJSbody M8, unshielded, 8 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 pigtail Smartclick connector, 0.3 m	67.50	688023	4549734464901			GE	A	CHN	8536.5080.90
E2E-X8MB1TL8-M3	Proximity sensor, inductive, long SJSbody M8, unshielded, 8 mm, DC, 3-wire, PNP NO, IO-Link COM3, M8 connector 4 pins	54.00	688021	4549734464949			GE	A	CHN	8536.5080.90
E2E-X8MB1TL8-M5	Proximity sensor, inductive, long SJSbody M8, unshielded, 8 mm, DC, 3-wire, PNP NO, IO-Link COM3, M8 connector 3 pins	54.00	688020	4549734464963			GE	A	CHN	8536.5080.90
E2E-X8MB212-2M	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 8 mm, DC, 3-wire, PNP NC, 2 m cable	37.80	694061	4549734469630			GE	A	CHN	8536.5080.90
E2E-X8MB212-5M	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 8 mm, DC, 3-wire, PNP NC, 5m cable	40.50	698836	4549734469661			GE	A	CHN	8536.5080.90
E2E-X8MB212-M1	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 8 mm, DC, 3-wire, PNP NC, M12 connector	37.80	690431	4549734469814			GE	A	CHN	8536.5080.90
E2E-X8MB228-2M	Proximity sensor, inductive, short SJSbody M8, unshielded, 8 mm, DC, 3-wire, PNP NC, 2 m cable	54.00	698699	4549734463812			GE	A	CHN	8536.5080.90
E2E-X8MB228-M1	Proximity sensor, inductive, short SJSbody M8, unshielded, 8 mm, DC, 3-wire, PNP NC, M12 connector	54.00	698698	4549734463935			GE	A	CHN	8536.5080.90
E2E-X8MB228-M5	Proximity sensor, inductive, short SJSbody M8, unshielded, 8 mm, DC, 3-wire, PNP NC, M8 3 pins	54.00	698697	4549734463973			GE	A	CHN	8536.5080.90
E2E-X8MB2L12-2M	Proximity sensor, inductive, nickel-brass, long body, M12, unshielded, 8 mm, DC, 3-wire, PNP NC, 2 m cable	40.50	695050	4549734470759			GE	A	CHN	8536.5080.90
E2E-X8MB2L12-5M	Proximity sensor, inductive, nickel-brass, long body, M12, unshielded, 8 mm, DC, 3-wire, PNP NC, 5 m cable	40.50	698990	4549734470780			GE	A	CHN	8536.5080.90
E2E-X8MB2L12-M1	Proximity sensor, inductive, nickel-brass, long body, M12, unshielded, 8 mm, DC, 3-wire, PNP NC, M12 connector	40.50	695049	4549734470841			GE	A	CHN	8536.5080.90
E2E-X8MB2L8-2M	Proximity sensor, inductive, long SJSbody M8, unshielded, 8 mm, DC, 3-wire, PNP NC, 2 m cable	54.00	698693	4549734464871			GE	A	CHN	8536.5080.90
E2E-X8MB2L8-M1	Proximity sensor, inductive, long SJSbody M8, unshielded, 8 mm, DC, 3-wire, PNP NC, M12 connector	54.00	698692	4549734464932			GE	A	CHN	8536.5080.90
E2E-X8MB2L8-M5	Proximity sensor, inductive, long SJSbody M8, unshielded, 8 mm, DC, 3-wire, PNP NC, M8 3 pins	54.00	698691	4549734464970			GE	A	CHN	8536.5080.90
E2E-X8MB3D12-2M	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 8 mm, DC, 3-wire, PNP NO+ NC, IO-Link COM2, 2 m cable	37.80	694158	4549734471701			GE	A	CHN	8536.5080.90
E2E-X8MB3D12-5M	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 8 mm, DC, 3-wire, PNP NO+ NC, IO-Link COM2, 5 m cable	40.50	696665	4549734471725			GE	A	CHN	8536.5080.90
E2E-X8MB3D12-M1	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 8 mm, DC, 3-wire, PNP NO+ NC, IO-Link COM2, M12 connector	45.00	689263	4549734471824			GE	A	CHN	8536.5080.90
E2E-X8MB3D12-M1	Proximity sensor, inductive, nickel-brass, long body, M12, unshielded, 8 mm, DC, 3-wire, PNP NO+ NC, IO-Link COM2, 2 m cable	40.50	696302	4549734472418			GE	A	CHN	8536.5080.90
E2E-X8MB3D12-M2	Proximity sensor, inductive, nickel-brass, long body, M12, unshielded, 8 mm, DC, 3-wire, PNP NO+ NC, IO-Link COM2, M12 connector	46.80	689262	4549734472470			GE	A	CHN	8536.5080.90
E2E-X8MC112-2M	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 8 mm, DC, 3-wire, PNP NO, 2 m cable	37.80	694858	4549734467209			GE	A	CHN	8536.5080.90
E2E-X8MC112-5M	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 8 mm, DC, 3-wire, PNP NO, 5 m cable	40.50	696133	4549734467230			GE	A	CHN	8536.5080.90
E2E-X8MC112-M1	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 8 mm, DC, 3-wire, PNP NO, M12 connector	37.80	694857	4549734467384			GE	A	CHN	8536.5080.90
E2E-X8MC112-M2	Proximity sensor, inductive, nickel-brass, long body, M12, unshielded, 8 mm, DC, 3-wire, PNP NO, 2 m cable	40.50	694856	4549734468329			GE	A	CHN	8536.5080.90
E2E-X8MC112-M5	Proximity sensor, inductive, nickel-brass, long body, M12, unshielded, 8 mm, DC, 3-wire, PNP NO, 5 m cable	43.20	699623	4549734468350			GE	A	CHN	8536.5080.90
E2E-X8MC112-M1	Proximity sensor, inductive, nickel-brass, long body, M12, unshielded, 8 mm, DC, 3-wire, PNP NO, M12 connector	40.50	693118	4549734468411			GE	A	CHN	8536.5080.90
E2E-X8MC118-2M	Proximity sensor, inductive, long SJSbody M8, unshielded, 8 mm, DC, 3-wire, PNP NO, 2 m cable	54.00	690628	4549734466246			GE	A	CHN	8536.5080.90
E2E-X8MC212-2M	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 8 mm, DC, 3-wire, PNP NC, 2 m cable	37.80	696134	4549734467216			GE	A	CHN	8536.5080.90
E2E-X8MC212-5M	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 8 mm, DC, 3-wire, PNP NC, 5 m cable	40.50	699624	4549734467247			GE	A	CHN	8536.5080.90
E2E-X8MC212-M1	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 8 mm, DC, 3-wire, PNP NC, M12 connector	37.80	696117	4549734467391			GE	A	CHN	8536.5080.90
E2E-X8MC2L12-2M	Proximity sensor, inductive, nickel-brass, long body, M12, unshielded, 8 mm, DC, 3-wire, PNP NC, 2 m cable	40.50	698804	4549734468336			GE	A	CHN	8536.5080.90
E2E-X8MC2L12-5M	Proximity sensor, inductive, nickel-brass, long body, M12, unshielded, 8 mm, DC, 3-wire, PNP NC, 5 m cable	43.20	699622	4549734468367			GE	A	CHN	8536.5080.90
E2E-X8MC2L12-M1	Proximity sensor, inductive, nickel-brass, long body, M12, unshielded, 8 mm, DC, 3-wire, PNP NC, M12 connector	40.50	698802	4549734468428			GE	A	CHN	8536.5080.90
E2E-X8MC312-2M	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 8 mm, DC, 3-wire, PNP NO+ NC, 2 m cable	37.80	698806	4549734467223			GE	A	CHN	8536.5080.90
E2E-X8MC312-M1	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 8 mm, DC, 3-wire, PNP NO+ NC, M12 connector	37.80	696116	4549734467407			GE	A	CHN	8536.5080.90
E2E-X8MC3L12-2M	Proximity sensor, inductive, nickel-brass, long body, M12, unshielded, 8 mm, DC, 3-wire, PNP NO+ NC, 2 m cable	40.50	698803	4549734468343			GE	A	CHN	8536.5080.90
E2E-X8MC3L12-M1	Proximity sensor, inductive, nickel-brass, long body, M12, unshielded, 8 mm, DC, 3-wire, PNP NO+ NC, M12 connector	40.50	698801	4549734468435			GE	A	CHN	8536.5080.90
E2E-X9B1DL12-M1	Proximity sensor, inductive, nickel-brass, long body, M12, shielded, 9 mm, DC, 3-wire, PNP NO, IO-Link COM2, M12 connector	51.30	696094	4549734472319			GE	A	CHN	8536.5080.90
E2E-X9B1T12-2M	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 9 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	51.30	687521	4549734469272			GE	A	CHN	8536.5080.90
E2E-X9B1T12-M1	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 9 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	51.30	687519	4549734469395	#		GE	A	CHN	8536.5080.90
E2E-X9B1T12-M1TJ0.3M	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 9 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 pigtail Smartclick connector, 0.3 m	51.30	687520	4549734469357			GE	A	CHN	8536.5080.90
E2E-X9B1T12-M1TJR0.3M	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 9 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 pigtail Smartclick connector, 0.3 m robotic cable	78.30	687888	4549734469371		10	GE	A	CHN	8536.5080.90
E2E-X9B1T12-R2M	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 9 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m robotic cable	54.00	688016	4549734469319			GE	A	CHN	8536.5080.90
E2E-X9B1TL12-2M	Proximity sensor, inductive, nickel-brass, long body, M12, shielded, 9 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	51.30	687882	4549734470544		10	GE	A	CHN	8536.5080.90
E2E-X9B1TL12-M1	Proximity sensor, inductive, nickel-brass, long body, M12, shielded, 9 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	51.30	687880	4549734470605		25	GE	A	CHN	8536.5080.90
E2E-X9B1TL12-M1TJ0.3M	Proximity sensor, inductive, nickel-brass, long body, M12, shielded, 9 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 pigtail Smartclick connector, 0.3 m	64.80	697891	4549734470582			GE	A	CHN	8536.5080.90
E2E-X9B212-2M	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 9 mm, DC, 3-wire, PNP NC, 2 m cable	51.30	698668	4549734469289			GE	A	CHN	8536.5080.90
E2E-X9B212-M1	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 9 mm, DC, 3-wire, PNP NC, M12 connector	42.30	691054	4549734469401			GE	A	CHN	8536.5080.90
E2E-X9B212-M1TJ0.3M	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 9 mm, DC, 3-wire, PNP NC, M12 pigtail Smartclick connector, 0.3 m	51.30	691053	4549734469364			GE	A	CHN	8536.5080.90
E2E-X9B2L12-2M	Proximity sensor, inductive, nickel-brass, long body, M12, shielded, 9 mm, DC, 3-wire, PNP NC, 2 m cable	51.30	698665	4549734470551			GE	A	CHN	8536.5080.90
E2E-X9B2L12-M1	Proximity sensor, inductive, nickel-brass, long body, M12, shielded, 9 mm, DC, 3-wire, PNP NC, M12 connector	51.30	698664	4549734470612			GE	A	CHN	8536.5080.90
E2E-X9C112-2M	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 9 mm, DC, 3-wire, PNP NO, 2 m cable	42.30	690191	4549734466851			GE	A	CHN	8536.5080.90
E2E-X9C112-M1	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 9 mm, DC, 3-wire, PNP NO, M12 connector	51.30	687526	4549734466974			GE	A	CHN	8536.5080.90
E2E-X9C112-M1TJ0.3M	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 9 mm, DC, 3-wire, PNP NO, M12 pigtail Smartclick connector, 0.3 m	64.80	687894	4549734466936		5	GE	A	CHN	8536.5080.90
E2E-X9C1L12-2M	Proximity sensor, inductive, nickel-brass, long body, M12, shielded, 9 mm, DC, 3-wire, PNP NO, 2 m cable	51.30	688755	4549734468121			GE	A	CHN	8536.5080.90
E2E-X9C1L12-M1	Proximity sensor, inductive, nickel-brass, long body, M12, shielded, 9 mm, DC, 3-wire, PNP NO, M12 connector	51.30	688754	4549734468183			GE	A	CHN	8536.5080.90
E2E-X9C212-M1	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 9 mm, DC, 3-wire, PNP NC, M12 connector	51.30	693664	4549734466981			GE	A	CHN	8536.5080.90
E2EQ-X11D118-2M	Proximity sensor, inductive, brass-nickel, Spatter-coating, M18, shielded, 11 mm, NO, 2 m cable, DC2-wire	86.30	681636	4549734183673			GE	A	CHN	8536.5080.90
E2EQ-X11D118-5M	Proximity sensor, inductive, brass-nickel, Spatter-coating, M18, shielded, 11 mm, NO, 5 m cable, DC2-wire	93.10	681688	4549734183697			GE	A	CHN	8536.5080.90
E2EQ-X11D118-M1TGJ0.3M	Proximity sensor, inductive, brass-nickel, Spatter-coating, M18, shielded, 11 mm, NO, 0.3 m pig-tail, DC2-wire	103.10	681893	4549734183710			GE	A	CHN	8536.5080.90
E2EQ-X11D118-M1TGJ-T0.3M	Proximity sensor, inductive, brass-nickel, Spatter-coating, M18, shielded, 11 mm, NO, 0.3 m pig-tail, DC2-wire, no polarity	104.00	681705	4549734183772			GE	A	CHN	8536.5080.90
E2EQ-X11D118-T2M	Proximity sensor, inductive, brass-nickel, Spatter-coating, M18, shielded, 11 mm, NO, 2 m cable, DC2-wire, no polarity	87.15	691834	4549734183734			GE	A	CHN	8536.5080.90
E2EQ-X11D118-T5M	Proximity sensor, inductive, brass-nickel, Spatter-coating, M18, shielded, 11 mm, NO, 5 m cable, DC2-wire, no polarity	93.90	681762	4549734183758			GE	A	CHN	8536.5080.90
E2EQ-X11D218-2M	Proximity sensor, inductive, brass-nickel, Spatter-coating, M18, shielded, 11 mm, NC, 2 m cable, DC2-wire	86.30	681831	4549734183680			GE	A	CHN	8536.5080.90
E2EQ-X11D218-5M	Proximity sensor, inductive, brass-nickel, Spatter-coating, M18, shielded, 11 mm, NC, 5 m cable, DC2-wire</									



Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Data sheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
E2EQ-X7D112-M1TGJ 0.3M	Proximity sensor, inductive, brass-nickel, Spatter-coating, M12, shielded, 7 mm, NO, 0.3 m pig-tail, DC 2-wire	87.95	681864	4549734183598			GE	A	CHN	8536.5080.90
E2EQ-X7D112-M1TGJ-T 0.3M	Proximity sensor, inductive, brass-nickel, Spatter-coating, M12, shielded, 7 mm, NO, 0.3 m pig-tail, DC 2-wire, no polarity	88.85	681821	4549734183659			GE	A	CHN	8536.5080.90
E2EQ-X7D112-T 2M	Proximity sensor, inductive, brass-nickel, Spatter-coating, M12, shielded, 7 mm, NO, 2 m cable, DC 2-wire, no polarity	75.10	691881	4549734183611			GE	A	CHN	8536.5080.90
E2EQ-X7D112-T 5M	Proximity sensor, inductive, brass-nickel, Spatter-coating, M12, shielded, 7 mm, NC, 2 m cable, DC 2-wire	78.65	681728	4549734183635			GE	A	CHN	8536.5080.90
E2EQ-X7D212 2M	Proximity sensor, inductive, brass-nickel, Spatter-coating, M12, shielded, 7 mm, NC, 5 m cable, DC 2-wire	75.10	681890	4549734183657			GE	A	CHN	8536.5080.90
E2EQ-X7D212 5M	Proximity sensor, inductive, brass-nickel, Spatter-coating, M12, shielded, 7 mm, NC, 5 m cable, DC 2-wire	78.65	681774	4549734183581			GE	A	CHN	8536.5080.90
E2EQ-X7D212-M1TGJ 0.3M	Proximity sensor, inductive, brass-nickel, Spatter-coating, M12, shielded, 7 mm, NC, 0.3 m pig-tail, DC 2-wire	87.95	681777	4549734183604			GE	A	CHN	8536.5080.90
E2EQ-X7D212-M1TGJ-T 0.3M	Proximity sensor, inductive, brass-nickel, Spatter-coating, M12, shielded, 7 mm, NC, 0.3 m pig-tail, DC 2-wire, no polarity	88.85	681856	4549734183666			GE	A	CHN	8536.5080.90
E2EQ-X7D212-T 2M	Proximity sensor, inductive, brass-nickel, Spatter-coating, M12, shielded, 7 mm, NC, 2 m cable, DC 2-wire, no polarity	75.10	681875	4549734183628			GE	A	CHN	8536.5080.90
E2EQ-X7D212-T 5M	Proximity sensor, inductive, brass-nickel, Spatter-coating, M12, shielded, 7 mm, NC, 5 m cable, DC 2-wire, no polarity	78.65	681726	4549734183642			GE	A	CHN	8536.5080.90
E2EQ-X8B1D18 2M	Proximity sensor, inductive, Fluoresces coating (base material: brass), M18, shielded, 8 mm, DC, 3-wire, PNP NO, IO-Link COM2, 2 m cable	67.50	688344	4549734486361			GE	A	CHN	8536.5080.90
E2EQ-X8B1D18-M1	Proximity sensor, inductive, Fluoresces coating (base material: brass), M18, shielded, 8 mm, DC, 3-wire, PNP NO, IO-Link COM2, M12 connector	67.50	688345	4549734486422			GE	A	CHN	8536.5080.90
E2EQ-X8B1T18 2M	Proximity sensor, inductive, Fluoresces coating (base material: brass), M18, shielded, 8 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	67.50	688340	4549734486040			GE	A	CHN	8536.5080.90
E2EQ-X8B1T18-M1	Proximity sensor, inductive, Fluoresces coating (base material: brass), M18, shielded, 8 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	67.50	688363	4549734486132			GE	A	CHN	8536.5080.90
E2EQ-X8B1T18-M1TJ0.3M	Proximity sensor, inductive, Fluoresces coating (base material: brass), M18, shielded, 8 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 pigtail Smartclick connector, 0.3 m	81.00	688341	4549734486101			GE	A	CHN	8536.5080.90
E2EQ-X8C118 2M	Proximity sensor, inductive, Fluoresces coating (base material: brass), M18, shielded, 8 mm, DC, 3-wire, NPN NO, 2 m cable	67.50	688336	4549734485685			GE	A	CHN	8536.5080.90
E2EQ-X8C118-M1	Proximity sensor, inductive, Fluoresces coating (base material: brass), M18, shielded, 8 mm, DC, 3-wire, NPN NO, M12 connector	67.50	688337	4549734485777			GE	A	CHN	8536.5080.90
<b>Inductive proximity sensor E2E2</b>										
E2E2-X10B1 2M	Proximity sensor, long body, inductive	85.35	232994	4547648309356			GE	B	CHN	8536.5080.90
E2E2-X10B1-M1	Proximity sensor, long body, inductive, M30, shielded, 10mm, DC, 3-wire, PNP-NO, M12 Connector	94.05	232977	4547648309189			GE	B	CHN	8536.5080.90
E2E2-X10D1 2M	Proximity sensor, inductive	85.35	233047	4547648309882			GE	B	CHN	8536.5080.90
E2E2-X10MB1 5M	Proximity sensor, long body, inductive, M18, unshielded, 10mm, DC, 3-wire, PNP-NO, 5m cable	78.20	232986	4547648309271			GE	B	CHN	8536.5080.90
E2E2-X10MC1-M1	Proximity sensor, long body, inductive, M18, unshielded, 10mm, DC, 3-wire, NPN-NO, M12 Connector	62.75	233001	4547648309424			GE	B	CHN	8536.5080.90
E2E2-X2B1 2M	Proximity sensor, long body, inductive, M12, shielded, 2 mm, DC, 3-wire, PNP-NO, 2 m cable	46.70	232982	4547648309233			GE	B	CHN	8536.5080.90
E2E2-X2B1-M1	Proximity sensor, long body, inductive, M12, shielded, 2 mm, DC, 3-wire, PNP-NO, M12 plug-in	36.50	232969	4547648309103			GE	B	CHN	8536.5080.90
E2E2-X2C1 2M	Proximity sensor, long body, inductive, M12, shielded, 2mm, DC, 3-wire, NPN-NO, 2m cable	38.55	233012	4547648309530			GE	B	CHN	8536.5080.90
E2E2-X2C1-M1	Proximity sensor, long body, inductive, M12, shielded, 2mm, DC, 3-wire, NPN-NO, M12 connector	63.40	232999	4547648309400			GE	B	CHN	8536.5080.90
E2E2-X3D2 2M	Proximity sensor	42.03	233034	4547648309752			GE	B	CHN	8536.5080.90
E2E2-X5C1 2M	Proximity sensor, long body, inductive, M18, shielded, 5 mm, DC, 3-wire, NPN-NO, 2 m cable	74.40	233018	4547648309592			GE	B	CHN	8536.5080.90
E2E2-X5C1-M1	Proximity sensor, long body, inductive, M18, shielded, 5mm, DC, 3-wire, NPN-NO, M12 connector	94.05	233003	4547648309448			GE	B	CHN	8536.5080.90
E2E2-X5MB1 2M	Proximity sensor, long body, inductive, M12, unshielded, 5 mm, DC, 3-wire, PNP-NO, 2 m cable	45.66	232979	4547648309202			GE	B	CHN	8536.5080.90
E2E2-X5MB1 5M	Proximity sensor, long body, inductive, M12, unshielded, 5mm, DC, 3-wire, PNP-NO, 5m cable	53.55	232980	4547648309219			GE	B	CHN	8536.5080.90
E2E2-X5MB1-M1	Proximity sensor, long body, inductive, M12, unshielded, 5 mm, DC, 3-wire, PNP-NO, M12 Connector	53.10	232967	4547648309080			GE	B	CHN	8536.5080.90
<b>Inductive proximity sensor E2E</b>										
E2EF-QX12D1 2M	proximity sensor, Metal Head for long distance Detection, M30, Sn=12mm, 2-wire, NO, 2m cable	159.70	379266	4548583354746			GE	C	JPN	8536.5080.90
E2EF-QX12D1-M1TGJ 0.3M	Proximity sensor, Metal head for long distance detection, M30, Sn=12 mm, 2-wire, NO, pig-tail M12 Smart-click	164.60	674692	4548583354753			GE	C	JPN	8536.5080.90
E2EF-QX2D1 2M	Proximity sensor, Metal head for long distance detection, M8, Sn=2 mm, 2-wire, NO, 2 m cable	189.70	680357	4548583354685			GE	C	JPN	8536.5080.90
E2EF-QX2D1-M1TGJ 0.3M	Proximity sensor, Metal head for long distance detection, M8, Sn=2 mm, 2-wire, NO, pig-tail M12 Smart-click	109.10	674689	4548583354692			GE	C	JPN	8536.5080.90
E2EF-QX3D1-M1TGJ 0.3M	Proximity sensor, Metal head for long distance detection, M12, Sn=3 mm, 2-wire, NO, pig-tail M12 Smart-click	111.70	674690	4548583354715			GE	C	JPN	8536.5080.90
E2EF-QX7D1 2M	proximity sensor, Metal Head for long distance Detection, M18, Sn=7mm, 2-wire, NO, 2m cable	116.40	379265	4548583354722			GE	C	JPN	8536.5080.90
E2EF-QX7D1-M1TGJ 0.3M	Proximity sensor, Metal head for long distance detection, M18, Sn=7 mm, 2-wire, NO, pig-tail M12 Smart-click	120.90	674691	4548583354739			GE	C	JPN	8536.5080.90
E2EF-X12D1 2M	Proximity sensor, Stainless steel, Metal head for long distance detection, M30, Sn=12 mm, 2-wire, NO, 2 m cable	130.20	674702	4548583354661			GE	C	JPN	8536.5080.90
E2EF-X2D1-M1TGJ 0.3M	Proximity sensor, stainless steel, metal head, M8, Sn=2 mm, 2-wire, M12 Smartclick Pig-tail 0.3 m	107.70	689360	4548583354630			GE	C	JPN	8536.5080.90
E2EF-X3D1 2M	Proximity sensor, stainless steel, metal head for long distance detection, M12, Sn=3 mm, 2-wire, NO, 2 m cable	112.90	686193	4548583354623			GE	C	JPN	8536.5080.90
E2EF-X3D1-M1TGJ 0.3M	Proximity sensor, stainless steel, metal head for long distance detection, M12, Sn=3 mm, 2-wire, NO, M12 Smartclick Pig-tail 0.3 m	112.90	689359	4548583354630			GE	C	JPN	8536.5080.90
E2EF-X7D1-M1TGJ 0.3M	Proximity sensor, Metal head for long distance detection, M18, Shielded, 7 mm, DC, 2-wire, NO, M12 Smartclick Pig-tail 0.3 m	146.50	692802	4548583354654			GE	C	JPN	8536.5080.90
E2EM-X16MB1-1 5M	Proximity sensor, inductive, nickel-brass, short body, M18, unshielded, 16 mm, DC, 3-wire, PNP-NO, 5 m prewired	31.59	393961	4548583566811			GE	C	CHN	8536.5080.90
E2E-X10D1-M1	Proximity sensor, inductive, M30, shielded, 10mm, DC, 2-wire, NO, M12 Connector	112.00	238476	4547648406130			GE	C	CHN	8536.5080.90
E2E-X10D1-M1G	Proximity sensor, inductive, M30, shielded, 10 mm, DC, 2-wire, NO, M12 Connector	104.10	238543	4547648407861			GE	C	CHN	8536.5080.90
E2E-X10D1-M1TGJ 0.3M	Proximity sensor, inductive, M30, shielded, 10 mm, DC, 2-wire, NO, 0.3 m cable with M12 connector	127.20	238553	4547648408028			GE	C	CHN	8536.5080.90
E2E-X10D1-M1TGJ-T 0.3M	Proximity sensor, inductive, M30, shielded, 10 mm, DC, 2-wire, NO, no polarity, pigtail connector M12	124.70	241134	4547648407137			GE	C	CHN	8536.5080.90
E2E-X10D1-M1T 0.3M	Proximity sensor, inductive	138.20	238525	4547648407168			GE	C	CHN	8536.5080.90
E2E-X10D1-N 2M	Proximity sensor, inductive, M30, shielded, 10mm, DC, 2-wire, NO, 2m cable	73.65	238467	4547648405942			GE	C	CHN	8536.5080.90
E2E-X10D1-N 5M	Proximity sensor, inductive, M30, shielded, 10mm, DC, 2-wire, NO, 5m cable	76.70	238468	4547648405959			GE	C	CHN	8536.5080.90
E2E-X10D1S 2M	Proximity sensor, inductive, M30, shielded, 10 mm, self-diagnostic, DC, 2-wire, NO, cable 2 m	74.05	238504	4547648406880			GE	C	CHN	8536.5080.90
E2E-X10D1SM 1	Proximity sensor, inductive, M30, shielded, 10 mm, self-diagnostic, DC, 2-wire, NO, connector M12	82.85	238510	4547648406864			GE	C	CHN	8536.5080.90
E2E-X10D2-M1G	Proximity sensor, inductive, M30, shielded, 10 mm, DC, 2-wire, NC, connector M12	102.50	238544	4547648407885			GE	C	CHN	8536.5080.90
E2E-X10D2-2 2M	Proximity sensor, inductive, M30, shielded, 10mm, DC, 2-wire, NC, 2m cable	53.50	238469	4547648405966			GE	C	CHN	8536.5080.90
E2E-X10E1 2M	Proximity sensor, inductive, M30, shielded, 10 mm, DC, 3-wire, NPN-NO, 2 m cable	74.75	238364	4547648403931			GE	C	CHN	8536.5080.90
E2E-X10E1-M1	Proximity sensor, inductive, M30, shielded, 10mm, DC, 3-wire, NPN-NO, M12 connector	118.00	238428	4547648405218			GE	C	CHN	8536.5080.90
E2E-X10E2 2M	Proximity sensor	66.65	238365	4547648403948			GE	C	CHN	8536.5080.90
E2E-X10F1 2M	Proximity sensor, inductive, M30, shielded, 10 mm, DC, 3-wire, PNP-NO, 2 m cable	74.40	238380	4547648404099			GE	C	CHN	8536.5080.90
E2E-X10F1-M1	Proximity sensor, inductive, M30, shielded, 10 mm, DC, 3-wire, PNP/NC, connector M12	80.80	238446	4547648405409			GE	C	CHN	8536.5080.90
E2E-X10ME1 2M	Proximity sensor, inductive	63.95	238362	4547648403917			GE	C	CHN	8536.5080.90
E2E-X10ME2 2M	Proximity sensor, inductive, M30, shielded, 10 mm, DC, 3-wire, NPN/NC, cable 2 m	64.70	238363	4547648403924			GE	C	CHN	8536.5080.90
E2E-X10MF1 2M	Proximity sensor, inductive, M18, non-shielded, 10 mm, DC, 3-wire, PNP-NO, 2 m cable PVC oil-resistant	55.40	238378	4547648404075			GE	C	CHN	8536.5080.90
E2E-X10MF1-M1	Proximity sensor, inductive, M18, unshielded, 10 mm, DC, 3-wire, PNP-NO, M12 connector	58.00	238450	4547648405447			GE	C	CHN	8536.5080.90
E2E-X10MY1 2M	Proximity sensor, inductive, M18, unshielded, 10mm, AC, 2-wire, NO, 2m cable	90.25	238407	4547648404723			GE	C	CHN	8536.5080.90
E2E-X10MY1 5M	Proximity sensor, inductive, M18, unshielded, 10mm, AC, 2-wire, NO, 5m cable	71.00	238422	4547648405126			GE	C	CHN	8536.5080.90
E2E-X10MY1-M1	Proximity sensor, inductive	70.80	238440	4547648405331			GE	C	CHN	8536.5080.90
E2E-X10MY2 2M	Proximity sensor, inductive, M18, unshielded, 10mm, AC, 2-wire, NC, 2m cable	84.60	238408	4547648404730			GE	C	CHN	8536.5080.90
E2E-X10T1 2M	Proximity sensor, inductive, M30, shielded, 10 mm, AC/DC, 2-wire, NO, cable 2 m	80.70	238516	4547648406949			GE	C	CHN	8536.5080.90
E2E-X10Y1 2M	Proximity sensor, inductive, M30, shielded, 10mm, AC, 2-wire, NO, 2 m cable	93.75	238409	4547648404747			GE	C	CHN	8536.5080.90



Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Data sheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
E2E-X10Y1-M1	Proximity sensor, inductive, M30, shielded, 10mm, AC, 2-wire, NO, M12 Connector	121.60	238436	4547648405294			GE	C	CHN	8536.5080.90
E2E-X10Y2-M1	Proximity sensor, inductive, M30, shielded, 10mm, AC, 2-wire, NC, 2 m cable	84.20	238410	4547648404754			GE	C	CHN	8536.5080.90
E2E-X14MD1-2M	Proximity sensor, inductive, M30, shielded, 10 mm, AC, 2-wire, NC, connector M12	123.10	238437	4547648405030			GE	C	CHN	8536.5080.90
E2E-X14MD1-5M	Proximity sensor, inductive, M18, unshielded, 14mm, DC, 2-wire, NO, 2m cable	59.85	238485	4547648406253	#		GE	C	CHN	8536.5080.90
E2E-X14MD1-M1	Proximity sensor, inductive, M18, non-shielded, 14mm, DC, 2-wire, NO, connector M12	63.25	238486	4547648406260			GE	C	CHN	8536.5080.90
E2E-X14MD1-2M	Proximity sensor, inductive, M18, non-shielded, 14mm, DC, 2-wire, NO, connector M12	59.15	238498	4547648406512			GE	C	CHN	8536.5080.90
E2E-X14MD1-M1G	Proximity sensor, inductive, M18, unshielded, 14mm, DC, 2-wire, NO, M12 Connector	69.20	238547	4547648407922	#		GE	C	CHN	8536.5080.90
E2E-X14MD1-M1GJ0.3M	Proximity sensor, inductive, M18, unshielded, 14 mm, DC, 2-wire, NO, Pig tail connector, M12	72.00	238555	4547648408090			GE	C	CHN	8536.5080.90
E2E-X14MD1-M1J0.3M	Proximity sensor, inductive, M18, non-shielded, 14mm, DC, 2-wire, NO, Pig tail connector, M12	90.50	241130	4547648407090			GE	C	CHN	8536.5080.90
E2E-X14MD1S2M	Proximity sensor, inductive	86.45	238506	4547648406765			GE	C	CHN	8536.5080.90
E2E-X14MD2-2M	Proximity sensor, inductive, M18, non-shielded, 14mm, DC, 2-wire, NC, cable 2 m	49.74	238494	4547648406390			GE	C	CHN	8536.5080.90
E2E-X14MD2-5M	Proximity sensor, inductive, M18, non-shielded, 14 mm, DC, 2-wire, NC, cable 5 m	55.40	241094	4547648406406			GE	C	CHN	8536.5080.90
E2E-X14MD2-M1G	Proximity sensor, inductive, M18, non-shielded, 14mm, DC, 2-wire, NC, connector M12	79.70	238548	4547648407946			GE	C	CHN	8536.5080.90
E2E-X18ME1-2M	Proximity sensor, inductive, M30, non-shielded, 18mm, NPN/NO, 3-wire, NO, cable 2 m	49.95	238366	4547648403955			GE	C	CHN	8536.5080.90
E2E-X18MF1-M1	Proximity sensor, inductive, M30, non-shielded, 18mm, PNP/NO, 3-wire, NO, cable 2 m	59.15	238382	4547648404112			GE	C	CHN	8536.5080.90
E2E-X18MF2-2M	Proximity sensor, inductive, M30, non-shielded, 18 mm, PNP/NO, 3-wire, NO, connector M12	98.80	238451	4547648405454			GE	C	CHN	8536.5080.90
E2E-X18MY1-2M	Proximity sensor, inductive, M30, non-shielded, 18mm, PNP/NC, 3-wire, NO, cable 2 m	59.60	238383	4547648404129			GE	C	CHN	8536.5080.90
E2E-X18MY1-M1	Proximity sensor, inductive	93.75	238411	4547648404761			GE	C	CHN	8536.5080.90
E2E-X18MY2-2M	Proximity sensor, inductive, M30, unshielded, 18 mm, AC, 2-wire, NC, 2 m cable	92.25	238442	4547648405362			GE	C	CHN	8536.5080.90
E2E-X18Y1-2M	Proximity sensor, inductive, M8, shielded, 1.5 mm, DC, 3-wire, NPN-NO, 2m cable	93.75	238412	4547648404778			GE	C	CHN	8536.5080.90
E2E-X18Y1-5M	Proximity sensor, inductive, M8, shielded, 1.5 mm, DC, 3-wire, NPN-NO, connector	53.50	238352	4547648403818			GE	C	CHN	8536.5080.90
E2E-X18Y1-M1	Proximity sensor, inductive, M8, shielded, 1.5 mm, DC, 3-wire, NPN/NC, cable 2 m	67.00	238443	4547648405379			GE	C	CHN	8536.5080.90
E2E-X18Y2-2M	Proximity sensor, inductive, M8, shielded, 1.5 mm, DC, 3-wire, PNP-NO, 2 m cable	63.60	238353	4547648403825			GE	C	CHN	8536.5080.90
E2E-X18Y2-M1	Proximity sensor, inductive, M8, shielded, 1.5 mm, DC, 3-wire, PNP-NO, M12 Connector	63.25	238368	4547648403979			GE	C	CHN	8536.5080.90
E2E-X18Y2-5M	Proximity sensor, inductive, M8, shielded, 1.5 mm, DC, 3-wire, PNP-NC, 2 m cable	68.85	238444	4547648405386			GE	C	CHN	8536.5080.90
E2E-X18Y2-2M	Proximity sensor, inductive, M8, shielded, 1.5 mm, DC, 3-wire, PNP-NC, 2 m cable	63.25	238369	4547648403986			GE	C	CHN	8536.5080.90
E2E-X18Y2-5M	Proximity sensor, inductive, M8, shielded, 1.5 mm, AC, 2-wire, NO, 2m cable	82.35	238384	4547648404136			GE	C	CHN	8536.5080.90
E2E-X20M1-2M	Proximity sensor, inductive, M8, shielded, 1.5 mm, AC, 2-wire, NC, 2m cable	82.35	238385	4547648404143			GE	C	CHN	8536.5080.90
E2E-X20M1-M1G	Proximity sensor, inductive, M30, unshielded, 20mm, DC, 2-wire, NO, 2m cable	60.20	238487	4547648406277			GE	C	CHN	8536.5080.90
E2E-X20M1-M1GJ0.3M	Proximity sensor, inductive, M30, non-shielded, 20mm, DC, 2-wire, NO, connector M12	112.00	238549	4547648407953			GE	C	CHN	8536.5080.90
E2E-X20M1-M1J0.3M	Proximity sensor, inductive, M30, non-shielded, 20mm, DC, 2-wire, NO, pig-tail connector M12	47.42	238557	4547648408110			GE	C	CHN	8536.5080.90
E2E-X20M2-2M	Proximity sensor, inductive, M30, non-shielded, 20mm, DC, 2-wire, NO, pig-tail connector M12	130.60	241131	4547648407106	#		GE	C	CHN	8536.5080.90
E2E-X20M2-M1G	Cylindrical Proximity Switch, DC 2-Wire Model, Unshielded, M30, Sensing Distance 20 mm, Operation Mode NC, Connector Type	58.00	238495	4547648406413			GE	C	CHN	8536.5080.90
E2E-X2D1-M1	Proximity sensor, inductive, M8, shielded, 2 mm, DC, 2-wire, NO, M12 Connector	61.80	238550	4547648407977	#		GE	C	CHN	8536.5080.90
E2E-X2D1-M1G	Proximity sensor, inductive, M8, shielded, 2mm, DC, 2-wire, NO, M12 Connector	64.70	238473	4547648406109			GE	C	CHN	8536.5080.90
E2E-X2D1-M1GJ0.3M	Proximity sensor, inductive, M8, shielded, 2 mm, DC, 2-wire, NO, pig tail connector, m12, 4 pin	75.15	238529	4547648407649	#		GE	C	CHN	8536.5080.90
E2E-X2D1-M1J0.3M	Proximity sensor, inductive, M8, shielded, 2 mm, DC, 2-wire, NO, pig tail connector, m12, 4 pin	82.55	238581	4547648408523			GE	C	CHN	8536.5080.90
E2E-X2D1-M3G	Proximity sensor, inductive, M8, shielded, 2mm, DC, 2-wire, NO, M8 Connector	115.50	241132	4547648408578			GE	C	CHN	8536.5080.90
E2E-X2D1-N-2M	Proximity sensor, inductive, M8, shielded, 2mm, DC, 2-wire, NO, 2m cable	53.50	238563	4547648408198	#		GE	C	CHN	8536.5080.90
E2E-X2D1-N-5M	Proximity sensor, inductive, M8, shielded, 2mm, DC, 2-wire, NO, 5m cable	57.65	238455	4547648405829	#		GE	C	CHN	8536.5080.90
E2E-X2D1-R-2M	Proximity sensor, inductive, M8, shielded, 2 mm, DC, 2-wire, NO, 2 m robotic cable	65.10	238456	4547648405836			GE	C	CHN	8536.5080.90
E2E-X2D2-M1	Proximity sensor, inductive, M8, shielded, 2 mm, DC, 2-wire, NO, 2 m robotic cable	74.40	238517	4547648406963			GE	C	CHN	8536.5080.90
E2E-X2D2-M1G	Proximity sensor, inductive, M8, shielded, 2 m m, DC, 2-wire, NC, connector M12	49.19	238478	4547648406178			GE	C	CHN	8536.5080.90
E2E-X2D2-M3G	Proximity sensor, inductive, M8, shielded, 2mm, DC, 2-wire, NC, M12 Connector	49.21	238530	4547648407656			GE	C	CHN	8536.5080.90
E2E-X2D2-N-2M	Proximity sensor, inductive, M8, shielded, 2mm, DC, 2-wire, NO, M8 4-pin connector	53.50	238564	4547648408202			GE	C	CHN	8536.5080.90
E2E-X2E1-2M	Proximity sensor, inductive, M12, shielded, 2m m, DC, 3-wire, NPN-NO, 2m cable	57.65	238457	4547648405843			GE	C	CHN	8536.5080.90
E2E-X2E1-M1	Proximity sensor, inductive, M12, shielded, 2m m, DC, 3-wire, NPN/NO, 2m cable	63.25	238356	4547648403856			GE	C	CHN	8536.5080.90
E2E-X2E2-2M	Proximity sensor, inductive, M12, shielded, 2 m, DC, 3-wire, NPN/NO, connector M12	72.95	238425	4547648405188			GE	C	CHN	8536.5080.90
E2E-X2E2-M1	Inductive sensor	42.68	238357	4547648403863			GE	C	CHN	8536.5080.90
E2E-X2F1-2M	Proximity sensor, inductive, M12, shielded, 2 m m, DC, 3-wire, NPN/NC, connector M12	63.60	238522	4547648407045			GE	C	CHN	8536.5080.90
E2E-X2F1-5M	Proximity sensor, inductive, M12, shielded, 2mm, DC, 3-wire, PNP-NO, 2 m cable	50.45	238372	4547648404013			GE	C	CHN	8536.5080.90
E2E-X2F1-M1	Proximity sensor, inductive, M12, shielded, 2mm, DC, 3-wire, PNP-NO, 5m cable	41.91	238401	4547648404549			GE	C	CHN	8536.5080.90
E2E-X2F1-R-2M	Inductive sensor	69.95	238426	4547648405195			GE	C	CHN	8536.5080.90
E2E-X2F2-2M	Proximity sensor, inductive, M12, shielded, 2mm, DC, 3-wire, PNP-NO, 2m cable	76.30	241136	4547648407182			GE	C	CHN	8536.5080.90
E2E-X2F2-M1	Proximity sensor, inductive, M12, shielded, 2 m m, DC, 3-wire, PNP/NC, connector M12	50.45	238373	4547648404020			GE	C	CHN	8536.5080.90
E2E-X2ME1-2M	Proximity sensor, inductive, M12, shielded, 2 m m, DC, 3-wire, NPN-NO, cable 2 m	72.60	238576	4547648408424			GE	C	CHN	8536.5080.90
E2E-X2ME1-M1	Proximity sensor, inductive, M12, shielded, 2 m m, DC, 3-wire, NPN-NO, connector M12	58.25	238354	4547648403832			GE	C	CHN	8536.5080.90
E2E-X2ME2-2M	Proximity sensor, inductive, M12, shielded, 2 m m, DC, 3-wire, NPN/NC, cable 2 m	58.25	238447	4547648405416			GE	C	CHN	8536.5080.90
E2E-X2MF1-2M	Proximity sensor, inductive, M8, non-shielded, 2 mm, DC, 3-wire, PNP-NO, 2 m cable PVC oil-resistant	58.25	238355	4547648403849			GE	C	CHN	8536.5080.90
E2E-X2MF1-M1	Proximity sensor, inductive, M8, unshielded, 2mm, DC, 3-wire, PNP-NO, M12 Connector	63.25	238370	4547648403993			GE	C	CHN	8536.5080.90
E2E-X2MY1-2M	Proximity sensor, inductive, 2 wire AC	68.85	238448	4547648405423			GE	C	CHN	8536.5080.90
E2E-X2Y1-2M	Proximity sensor, inductive, M12, shielded, 2m m, AC, 2-wire, NO, 2m cable	67.30	238386	4547648404150			GE	C	CHN	8536.5080.90
E2E-X2Y1-M1	Proximity sensor, inductive, M12, shielded, 2m m, AC, 2-wire, NO, M12 connector	81.90	238413	4547648404785			GE	C	CHN	8536.5080.90
E2E-X2Y2-2M	Proximity sensor, inductive, M12, shielded, 2m m, AC, 2-wire, NC, 2m cable	80.35	238432	4547648405256			GE	C	CHN	8536.5080.90
E2E-X3D1S-15-2M	Proximity sensor, inductive, M12, shielded, 3mm, DC, 2-wire, NO, cable 2 m	81.90	238414	4547648404792			GE	C	CHN	8536.5080.90
E2E-X3D1-M1	Proximity sensor, inductive, M12, shielded, 3mm, DC, 2-wire, NO	50.80	238471	4547648405980			GE	C	CHN	8536.5080.90
E2E-X3D1-M1G	Proximity sensor, inductive, M12, shielded, 3mm, DC, 2-wire, NO, M12 Connector	57.15	238474	4547648406116			GE	C	CHN	8536.5080.90
E2E-X3D1-M1GJ0.3M	Proximity sensor, inductive, M12, shielded, 3 mm, DC, 2-wire, NO, 0.3 m cable with M12 connector	75.15	238539	4547648407809	#		GE	C	CHN	8536.5080.90
E2E-X3D1-M1GJ0.3M	Proximity sensor, inductive, M12, shielded, 3 mm, DC, 2-wire, NO, 0.3 m cable with M12 connector	102.50	238533	4547648407687			GE	C	CHN	8536.5080.90
E2E-X3D1-M1GJ0.3M	Proximity sensor, inductive, M12, shielded, 3mm, DC, 2-wire, NO, no polarity, 0.3 m cable with M12 connector	105.10	241132	4547648407113			GE	C	CHN	8536.5080.90
E2E-X3D1-M1J0.3M	Proximity sensor, inductive, M12, shielded, 3mm, DC, 2-wire, NO	77.80	241146	4547648407298			GE	C	CHN	8536.5080.90
E2E-X3D1-M1J0.3M	Proximity sensor, inductive, M12, shielded, 3mm, DC, 2-wire, NO, pig tail connector, m12, 4 pin	121.80	257076	4547648407052			GE	C	CHN	8536.5080.90
E2E-X3D1-M1J0.3M	Proximity sensor, inductive, M12, shielded, 3mm, DC, 2-wire, NO, pig tail connector, m12, 4 pin	104.10	238523	4547648407144			GE	C	CHN	8536.5080.90
E2E-X3D1-N-2M	Proximity sensor, inductive, M12, shielded, 3 mm, DC, 2-wire, NO, 2 m cable	50.90	238459	4547648405867	#		GE	C	CHN	8536.5080.90
E2E-X3D1-N-5M	Proximity sensor, inductive, M12, shielded, 3 mm, DC, 2-wire, NO, 5 m cable	58.35	238460	4547648405874			GE	C	CHN	8536.5080.90
E2E-X3D1-R-2M	Proximity sensor, inductive, M12, shielded, 3 mm, DC, 2-wire, NO	55.80	238519	4547648406987			GE	C	CHN	8536.5080.90
E2E-X3D1S-2M	Proximity sensor, inductive, M12, shielded, 3mm, DC, 2-wire, NO, self-diagnostic output, 2 m cable	61.80	238502	4547648406604			GE	C	CHN	8536.5080.90

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Dataheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
E2E-X3D1S15M	Proximity sensor, inductive, M12, shielded, 3 mm, DC, 2-wire, NO, self-diagnostics output, 5 m cable	83.05	241105	4547648406611			GE	C	CHN	8536.5080.90
E2E-X3D1S1-M1	Proximity sensor, inductive, M12, shielded, 3mm, DC, 2-wire, NO, self-diagnostics output, M12 connector	92.75	238508	4547648406840			GE	C	CHN	8536.5080.90
E2E-X3D2-M1	Proximity sensor, inductive, M12, shielded, 3mm, DC, 2-wire, NC, di-nano M12	72.75	238479	4547648406185			GE	C	CHN	8536.5080.90
E2E-X3D2-M1G	Proximity sensor, inductive, M12, shielded, 3mm, DC, 2-wire, NC, M12 connector	77.05	238540	4547648407823	#		GE	C	CHN	8536.5080.90
E2E-X3D2-M1GJ.0.3M	Proximity sensor, inductive, M12, shielded, 3mm, DC, 2-wire, NC, pig-tail connector M12	122.80	241198	4547648406860			GE	C	CHN	8536.5080.90
E2E-X3D2-N 2M	Proximity sensor, inductive, M12, shielded, 3 mm, DC, 2-wire, NC, pre-wired, 2 m cable	50.15	238461	4547648405881	#		GE	C	CHN	8536.5080.90
E2E-X3D2-N 5M	Proximity sensor, inductive, M12, shielded, 3 mm, DC, 2-wire, NC, pre-wired, 5 m cable	50.15	238462	4547648405898			GE	C	CHN	8536.5080.90
E2E-X3T1 2M	Proximity sensor, AC/DC 2-wire	79.25	238514	4547648406901			GE	C	CHN	8536.5080.90
E2E-X4M01 2M	Proximity sensor, inductive, M8, unshielded, 4mm, DC, 2-wire, NO, 2m cable	52.40	238482	4547648406215			GE	C	CHN	8536.5080.90
E2E-X4M01-M1	Proximity sensor, inductive, M8, non-shielded, 4m, DC, 2-wire, NO, connector M12	74.05	238496	4547648406499			GE	C	CHN	8536.5080.90
E2E-X4M01-M1G	Proximity sensor, inductive, M8, unshielded, 4 mm, DC, 2-wire, NO, Pig Tail Connector	75.30	238531	4547648407663			GE	C	CHN	8536.5080.90
E2E-X4M01-M3G	Proximity sensor, inductive, M8, unshielded, 4 mm, DC, 2-wire, NO, Pig Tail Connector	68.45	238561	4547648408172			GE	C	CHN	8536.5080.90
E2E-X4M02 2M	Proximity sensor, inductive, M8, non-shielded, 4 mm, DC, 2-wire, NO, cable 2 m	57.65	238491	4547648406352			GE	C	CHN	8536.5080.90
E2E-X5E1 2M	Proximity sensor, inductive, M18, shielded, 5 mm, DC, 3-wire, NPN-NO, 2 m cable	68.45	238360	4547648403894			GE	C	CHN	8536.5080.90
E2E-X5E1S 2M	Proximity sensor, inductive, M18, shielded, 5mm, DC, 3-wire, NPN-NO, cable 2 m	60.20	238454	4547648405584			GE	C	CHN	8536.5080.90
E2E-X5E1-M1	Proximity sensor, inductive, M18, shielded, 5mm, DC, 3-wire, NPN-NO M12 connector	71.05	238427	4547648405201			GE	C	CHN	8536.5080.90
E2E-X5E2 2M	Proximity sensor, inductive, M18, shielded, 5mm, DC, 3-wire, NPN/NC, cable 2 m	63.60	238361	4547648403900			GE	C	CHN	8536.5080.90
E2E-X5E2-M1	Proximity sensor, inductive, M18, shielded, 5mm, DC, 3-wire, NPN/NC, connector M12	71.05	238570	4547648408325			GE	C	CHN	8536.5080.90
E2E-X5F1 2M	Proximity sensor, inductive, M18, shielded, 5 mm, DC, 3-wire, PNP-NO, 2 m cable	55.40	238376	4547648404051			GE	C	CHN	8536.5080.90
E2E-X5F1-M1	Proximity sensor, inductive, M18, shielded, 5mm, DC, 3-wire, PNP-NO, M12 Connector	71.05	238445	4547648405393			GE	C	CHN	8536.5080.90
E2E-X5F2 2M	Proximity sensor, inductive, M12, unshielded, 5mm, DC, 3-wire, NPN-NO, 2m cable	55.80	238377	4547648404068			GE	C	CHN	8536.5080.90
E2E-X5ME1 2M	Proximity sensor, inductive, M12, non-shielded, 5mm, DC, 3-wire, NPN/NO, 2m cable	49.74	238358	4547648403870			GE	C	CHN	8536.5080.90
E2E-X5ME1-M1	Proximity sensor, inductive, M12, non-shielded, 5mm, DC, 3-wire, NPN/NO, connector M12	71.05	238429	4547648405225			GE	C	CHN	8536.5080.90
E2E-X5ME2 2M	Proximity sensor, inductive, M12, non-shielded, 5mm, DC, 3-wire, NPN/NC, cable 2 m	50.45	238359	4547648403987			GE	C	CHN	8536.5080.90
E2E-X5MF1 2M	Proximity sensor, inductive, M12, unshielded, 5mm, DC, 3-wire, PNP-NO, 2m cable	49.74	238374	4547648404037			GE	C	CHN	8536.5080.90
E2E-X5MF1-M1	Proximity sensor, inductive, M12, non-shielded, 5mm, DC, 3-wire, PNP/NO, connector M12	69.95	238449	4547648405430			GE	C	CHN	8536.5080.90
E2E-X5MF2 2M	Proximity sensor, inductive, M12, non-shielded, 5mm, DC, 3-wire, PNP/NC, cable 2 m	51.25	238375	4547648404044			GE	C	CHN	8536.5080.90
E2E-X5MY1 2M	Proximity sensor, inductive, M12, unshielded, 5mm, AC, 2-wire, NO, 2m cable	81.90	238415	4547648404808			GE	C	CHN	8536.5080.90
E2E-X5MY2 2M	Proximity sensor, inductive, M12, unshielded, 5mm, AC, 2-wire, NC, 2m cable	81.90	238388	4547648404259			GE	C	CHN	8536.5080.90
E2E-X5Y1 2M	Proximity sensor, inductive, M18, shielded, 5m, AC, 2-wire, NO, 2m cable	75.70	238389	4547648404266			GE	C	CHN	8536.5080.90
E2E-X5Y1 5M	Proximity sensor, inductive, M18, shielded, 5m, AC, 2-wire, NO, 5m cable	76.50	238421	4547648405102			GE	C	CHN	8536.5080.90
E2E-X5Y1-M1	Proximity sensor, inductive, M18, shielded, 5mm, AC, 2-wire, NO, M12 Connector	74.95	238434	4547648405270			GE	C	CHN	8536.5080.90
E2E-X5Y2 2M	Proximity sensor, inductive, M18, shielded, 5mm, AC, 2-wire, NC, 2m cable	87.70	238390	4547648404273			GE	C	CHN	8536.5080.90
E2E-X5Y2-M1	Proximity Switch, AC	103.40	238435	4547648405287			GE	C	CHN	8536.5080.90
E2E-X7D1S15 2M	Proximity sensor, inductive, M18, shielded, 7mm, DC, 2-wire, NO, cable 2 m	48.60	238472	4547648406000			GE	C	CHN	8536.5080.90
E2E-X7D1-M1	Proximity sensor, inductive, M18, shielded, 7mm, DC, 2-wire, NO, M12 Connector	55.00	238475	4547648406123			GE	C	CHN	8536.5080.90
E2E-X7D1-M1G	Proximity sensor, inductive, M18, shielded, 7 mm, DC, 2-wire, NO, M12 connector	84.10	238541	4547648407830	#		GE	C	CHN	8536.5080.90
E2E-X7D1-M1GJ.0.3M	Proximity sensor, inductive, M18, shielded, 7 mm, DC, 2-wire, NO, pig tail connector, m12, 4 pin	66.65	238534	4547648407694	#		GE	C	CHN	8536.5080.90
E2E-X7D1-M1GJ.T.0.3M	Proximity sensor, inductive, M18, shielded, 7 mm, DC, 2-wire, NO, pig tail connector, m12, 4 pin	95.30	241133	4547648407120			GE	C	CHN	8536.5080.90
E2E-X7D1-M1G.T	Proximity sensor, inductive, M18, shielded, 7 mm, DC, 2-wire, NO, No polarity, M12 connector	84.10	241138	4547648407205			GE	C	CHN	8536.5080.90
E2E-X7D1-M1J.0.3M	Proximity sensor, inductive, M18, shielded, 7mm, DC, 2-wire, NO, pig tail connector, m12, 4 pin	66.65	241128	4547648407069			GE	C	CHN	8536.5080.90
E2E-X7D1-M1J.T.0.3M	Proximity sensor, M18, shielded, 7 mm, DC, 2-wire, NO, No polarity, 0.3 m cable with M12 connector	67.00	238524	4547648407151	#		GE	C	CHN	8536.5080.90
E2E-X7D1-N 2M	Proximity sensor, inductive, M18, shielded, 7mm, DC, 2-wire, NO, 2m cable	54.20	238463	4547648405904	#		GE	C	CHN	8536.5080.90
E2E-X7D1-N 5M	Proximity sensor, inductive, M18, shielded, 7mm, DC, 2-wire, NO, 5m cable	59.15	238464	4547648405911			GE	C	CHN	8536.5080.90
E2E-X7D1S 2M	Proximity sensor, inductive, M18, shielded, 7mm, DC, 2-wire, NO, 2m cable	66.65	238503	4547648406642			GE	C	CHN	8536.5080.90
E2E-X7D2-M1G	Proximity sensor, M18, shielded, 7 mm, DC, 2-wire, NC	61.80	238542	4547648407854			GE	C	CHN	8536.5080.90
E2E-X7D2-M1GJ.0.3M	Proximity sensor, M18, shielded, 7mm, DC, 2-wire, NC, pig-tail connector M12	74.05	241190	4547648405830			GE	C	CHN	8536.5080.90
E2E-X7D2-N 2M	Proximity sensor, inductive, M18, shielded, 7mm, DC, 2-wire, NC, 2m cable	59.50	238465	4547648405928			GE	C	CHN	8536.5080.90
E2E-X7D2-N 5M	Proximity sensor, inductive, M18, shielded, 7mm, DC, 2-wire, NC, 5m cable	58.35	238466	4547648405935			GE	C	CHN	8536.5080.90
E2E-X7T1 2M	Proximity sensor, inductive, nickel brass M18, shielded, 7 mm, AC/DC 2-wire-NO	94.55	238515	4547648406925	#		GE	C	CHN	8536.5080.90
E2E-X8M01 2M	Proximity sensor, inductive, M12, unshielded, 8 mm, DC, 2-wire, NO, 2 m cable	50.90	238483	4547648406239	#		GE	C	CHN	8536.5080.90
E2E-X8M01S 2M	Proximity sensor, inductive, M12, non-shielded, 8 mm, DC, 2-wire, NO, cable 2 m	51.30	238489	4547648406291			GE	C	CHN	8536.5080.90
E2E-X8M01-M1G	Proximity sensor, inductive, M12, unshielded, 8mm, DC, 2-wire, NO, Pig Tail Connector	69.95	238545	4547648407892	#		GE	C	CHN	8536.5080.90
E2E-X8M01S 2M	Proximity sensor, inductive, M12, non-shielded, 8 mm, DC, 2-wire, NO, cable 2 m	81.55	238505	4547648406727			GE	C	CHN	8536.5080.90
E2E-X8M01S-M1	Proximity sensor, inductive, M12, non-shielded, 8 mm, DC, 2-wire, NO, connector M12	118.00	238511	4547648406871			GE	C	CHN	8536.5080.90
E2E-X8M02 2M	Proximity sensor, inductive, M12, non-shielded, 8 mm, DC, 2-wire, NC, cable 2 m	44.88	238492	4547648406376			GE	C	CHN	8536.5080.90
E2E-X10B4-IL2 2M	Proximity sensor, inductive, brass-nickel, short body, M30, shielded, 10 mm, DC, 3-wire, PNP NO/NC switching type (Factory setting: NO), IO-Link V1.1 COM2 (38.4 kbps, 2.3ms), 2 m prewired	56.20	671229	4548583786349			GE	C	CHN	8536.5080.90
E2E-X10B4-IL2 5M	Proximity sensor, inductive, brass-nickel, short body, M30, shielded, 10 mm, DC, 3-wire, PNP NO/NC switching type (Factory setting: NO), IO-Link V1.1 COM2 (38.4 kbps, 2.3ms), 5 m prewired	59.60	671228	4548583786356			GE	C	CHN	8536.5080.90
E2E-X10B4-IL2 5M	Proximity sensor, inductive, brass-nickel, short body, M30, shielded, 10mm, DC, 3-wire, PNP NO/NC switching type (Factory setting: NO), IO-Link V1.1 COM3 (230.4 kbps, 1 ms), 2m prewired	56.20	671249	4548583786370			GE	C	CHN	8536.5080.90
E2E-X10B4-IL3 2M	Proximity sensor, inductive, brass-nickel, short body, M30, shielded, 10mm, DC, 3-wire, PNP NO/NC switching type (Factory setting: NO), IO-Link V1.1 COM3 (230.4 kbps, 1 ms), 5 m prewired	59.60	671243	4548583786387			GE	C	CHN	8536.5080.90
E2E-X10B4-M1TJ-IL2 0.3M	Proximity sensor, inductive, brass-nickel, short body, M30, shielded, 10 mm, DC, 3-wire, PNP NO/NC switching type (Factory setting: NO), IO-Link V1.1 COM2 (38.4 kbps, 2.3ms), M12 Smartclick Pig-tail 0.3 m	63.90	671250	4548583786363			GE	C	CHN	8536.5080.90
E2E-X10B4-M1TJ-IL3 0.3M	Proximity sensor, inductive, brass-nickel, short body, M30, shielded, 10 mm, DC, 3-wire, PNP NO/NC switching type (Factory setting: NO), IO-Link V1.1 COM3 (230.4 kbps, 1 ms), M12 Smartclick Pig-tail 0.3 m	63.90	671237	4548583786394			GE	C	CHN	8536.5080.90
E2E-X3B4-IL2 2M	Proximity sensor, inductive, brass-nickel, short body, M12, shielded, 3 mm, DC, 3-wire, PNP NO/NC switching type (Factory setting: NO), IO-Link V1.1 COM2 (38.4 kbps, 2.3ms), 2 m prewired	40.26	671227	4548583786226			GE	C	CHN	8536.5080.90
E2E-X3B4-IL2 5M	Proximity sensor, inductive, brass-nickel, short body, M12, shielded, 3 mm, DC, 3-wire, PNP NO/NC switching type (Factory setting: NO), IO-Link V1.1 COM2 (38.4 kbps, 2.3ms), 5 m prewired	44.16	671234	4548583786233			GE	C	CHN	8536.5080.90
E2E-X3B4-IL3 2M	Proximity sensor, inductive, brass-nickel, short body, M12, shielded, 3 mm, DC, 3-wire, PNP NO/NC switching type (Factory setting: NO), IO-Link V1.1 COM3 (230.4 kbps, 1 ms), 2 m prewired	41.76	671254	4548583786257			GE	C	CHN	8536.5080.90
E2E-X3B4-IL3 5M	Proximity sensor, inductive, brass-nickel, short body, M12, shielded, 3mm, DC, 3-wire, PNP NO/NC switching type (Factory setting: NO), IO-Link V1.1 COM3 (230.4 kbps, 1 ms), 5m prewired	44.16	671235	4548583786264			GE	C	CHN	8536.5080.90
E2E-X3B4-M1TJ-IL2 0.3M	Proximity sensor, inductive, brass-nickel, short body, M12, shielded, 3 mm, DC, 3-wire, PNP NO/NC switching type (Factory setting: NO), IO-Link V1.1 COM2 (38.4 kbps, 2.3ms), M12 Smartclick Pig-tail 0.3 m	50.30	671236	4548583786240			GE	C	CHN	8536.5080.90
E2E-X3B4-M1TJ-IL3 0.3M	Proximity sensor, inductive, brass-nickel, short body, M12, shielded, 3 mm, DC, 3-wire, PNP NO/NC switching type (Factory setting: NO), IO-Link V1.1 COM3 (230.4 kbps, 1 ms), M12 Smartclick Pig-tail 0.3 m	50.30	671253	4548583786271			GE	C	CHN	8536.5080.90
E2E-X7B4-IL2 2M	Proximity sensor, inductive, brass-nickel, short body, M18, shielded, 7 mm, DC, 3-wire, PNP NO/NC switching type (Factory setting: NO), IO-Link V1.1 COM2 (38.4 kbps, 2.3ms), 2 m prewired	42.17	671230	4548583786288			GE	C	CHN	8536.5080.90
E2E-X7B4-IL2 5M	Proximity sensor, inductive, brass-nickel, short body, M18, shielded, 7 mm, DC, 3-wire, PNP NO/NC switching type (Factory setting: NO), IO-Link V1.1 COM2 (38.4 kbps, 2.3ms), 5 m prewired	45.82	671231	4548583786295			GE	C	CHN	8536.5080.90
E2E-X7B4-IL3 2M	Proximity sensor, inductive, brass-nickel, short body, M18, shielded, 7mm, DC, 3-wire, PNP NO/NC switching type (Factory setting: NO), IO-Link V1.1 COM3 (230.4 kbps, 1 ms), 2m prewired	42.17	671233	4548583786318			GE	C	CHN	8536.5080.90
E2E-X7B4-IL3 5M	Proximity sensor, inductive, brass-nickel, short body, M18, shielded, 7mm, DC, 3-wire, PNP NO/NC switching type (Factory setting: NO), IO-Link V1.1 COM3 (230.4 kbps, 1 ms), 5m prewired	45.82	671240	4548583786325			GE	C	CHN	8536.5080.90
E2E-X7B4-M1TJ-IL2 0.3M	Proximity sensor, inductive, brass-nickel, short body, M18, shielded, 7 mm, DC, 3-wire, PNP NO/NC switching type (Factory setting: NO), IO-Link V1.1 COM2 (38.4 kbps, 2.3ms), M12 Smartclick Pig-tail 0.3 m	49.99	671248	4548583786301			GE	C	CHN	8536.5080.90
E2E-X7B4-M1TJ-IL3 0.3M	Proximity sensor, inductive, brass-nickel, short body, M18, shielded, 7 mm, DC, 3-wire, PNP NO/NC switching type (Factory setting: NO), IO-Link V1.1 COM3 (230.4 kbps, 1 ms), M12 Smartclick Pig-tail 0.3 m	49.99	671245	4548583786332			GE	C	CHN	8536.508

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Data sheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
EZE-C03N02-CJ-B2 0.3M	Proximity sensor, inductive, Dia 3mm, Non-Shielded, 2mm, DC, 3-wire, Pkg-Tail, PNP NC	96.95	375486	4548583405554			GE	C	CHN	8536.5080.90
EZE-C03N02-CJ-C1 0.3M	Proximity sensor, inductive, Dia 3mm, Non-Shielded, 2mm, DC, 3-wire, Pkg-Tail, PNP NC	96.95	375487	4548583405561			GE	C	CHN	8536.5080.90
EZE-C03N02-CJ-C2 0.3M	Proximity sensor, inductive, Dia 3mm, Non-Shielded, 2mm, DC, 3-wire, Pkg-Tail, PNP NC	96.95	375488	4548583405578			GE	C	CHN	8536.5080.90
EZE-C03N02-WC-B1 2M	Proximity sensor, inductive, Dia 3mm, Non-Shielded, 2mm, DC, 3-wire, PW, PNP NC	86.90	375544	4548583405559			GE	C	CHN	8536.5080.90
EZE-C03N02-WC-B2 2M	Proximity sensor, inductive, Dia 3mm, Non-Shielded, 2mm, DC, 3-wire, PW, PNP NC	86.90	375483	4548583405516			GE	C	CHN	8536.5080.90
EZE-C03N02-WC-C1 2M	Proximity sensor, inductive, Dia 3mm, Non-Shielded, 2mm, DC, 3-wire, PW, PNP NC	86.90	375545	4548583405523			GE	C	CHN	8536.5080.90
EZE-C03N02-WC-C2 2M	Proximity sensor, inductive, Dia 3mm, Non-Shielded, 2mm, DC, 3-wire, PW, PNP NC	86.90	375484	4548583405530			GE	C	CHN	8536.5080.90
EZE-C03S98-CJ-B1 0.3M	Proximity sensor, inductive, Dia 3mm, Shielded, 0.8mm, DC, 3-wire, Pkg-Tail, PNP NC	66.35	375480	4548583405462			GE	C	CHN	8536.5080.90
EZE-C03S98-CJ-B2 0.3M	Proximity sensor, inductive, Dia 3mm, Shielded, 0.8mm, DC, 3-wire, Pkg-Tail, PNP NC	66.35	375481	4548583405479			GE	C	CHN	8536.5080.90
EZE-C03S98-CJ-C1 0.3M	Proximity sensor, inductive, Dia 3mm, Shielded, 0.8mm, DC, 3-wire, Pkg-Tail, PNP NC	66.35	375543	4548583405486			GE	C	CHN	8536.5080.90
EZE-C03S98-CJ-C2 0.3M	Proximity sensor, inductive, Dia 3mm, Shielded, 0.8mm, DC, 3-wire, Pkg-Tail, PNP NC	66.35	375482	4548583405493			GE	C	CHN	8536.5080.90
EZE-C03S98-WC-B1 2M	Proximity sensor, inductive, Dia 3mm, Shielded, 0.8mm, DC, 3-wire, PW, PNP NC	55.95	375541	4548583405424			GE	C	CHN	8536.5080.90
EZE-C03S98-WC-B2 2M	Proximity sensor, inductive, Dia 3mm, Shielded, 0.8mm, DC, 3-wire, PW, PNP NC	55.95	375582	4548583405431			GE	C	CHN	8536.5080.90
EZE-C03S98-WC-C1 2M	Proximity sensor, inductive, Dia 3mm, Shielded, 0.8mm, DC, 3-wire, PW, PNP NC	55.95	375542	4548583405448			GE	C	CHN	8536.5080.90
EZE-C03S98-WC-C2 2M	Proximity sensor, inductive, Dia 3mm, Shielded, 0.8mm, DC, 3-wire, PW, PNP NC	55.95	375479	4548583405455			GE	C	CHN	8536.5080.90
EZE-C04N03-CJ-B1 0.3M	Proximity sensor, inductive, Dia 4mm, Non-Shielded, 3mm, DC, 3-wire, Pkg-Tail, PNP NO	66.35	375504	4548583405905			GE	C	CHN	8536.5080.90
EZE-C04N03-CJ-B2 0.3M	Proximity sensor, inductive, Dia 4mm, Non-Shielded, 3mm, DC, 3-wire, Pkg-Tail, PNP NC	66.35	375505	4548583405912			GE	C	CHN	8536.5080.90
EZE-C04N03-CJ-C1 0.3M	Proximity sensor, inductive, Dia 4mm, Non-Shielded, 3mm, DC, 3-wire, Pkg-Tail, PNP NO	66.35	375506	4548583405929			GE	C	CHN	8536.5080.90
EZE-C04N03-CJ-C2 0.3M	Proximity sensor, inductive, Dia 4mm, Non-Shielded, 3mm, DC, 3-wire, Pkg-Tail, PNP NC	66.35	375507	4548583405936			GE	C	CHN	8536.5080.90
EZE-C04N03-MC-B1	Proximity sensor, inductive, Dia 4mm, Non-Shielded, 3mm, DC, 3-wire, M8(3P), PNP NO	61.65	375508	4548583405943			GE	C	CHN	8536.5080.90
EZE-C04N03-MC-B2	Proximity sensor, inductive, Dia 4mm, Non-Shielded, 3mm, DC, 3-wire, M8(3P), PNP NC	61.65	375509	4548583405950			GE	C	CHN	8536.5080.90
EZE-C04N03-MC-C1	Proximity sensor, inductive, Dia 4mm, Non-Shielded, 3mm, DC, 3-wire, M8(3P), PNP NO	61.65	375510	4548583405967			GE	C	CHN	8536.5080.90
EZE-C04N03-MC-C2	Proximity sensor, inductive, Dia 4mm, Non-Shielded, 3mm, DC, 3-wire, M8(3P), PNP NC	61.65	375511	4548583405974			GE	C	CHN	8536.5080.90
EZE-C04N03-WC-B1 2M	Proximity sensor, inductive, Dia 4mm, Non-Shielded, 3mm, DC, 3-wire, PW, PNP NO	55.95	375561	4548583405868			GE	C	CHN	8536.5080.90
EZE-C04N03-WC-B2 2M	Proximity sensor, inductive, Dia 4mm, Non-Shielded, 3mm, DC, 3-wire, PW, PNP NC	55.95	375502	4548583405875			GE	C	CHN	8536.5080.90
EZE-C04N03-WC-C1 2M	Proximity sensor, inductive, Dia 4mm, Non-Shielded, 3mm, DC, 3-wire, PW, PNP NO	55.95	375562	4548583405882			GE	C	CHN	8536.5080.90
EZE-C04N03-WC-C2 2M	Proximity sensor, inductive, Dia 4mm, Non-Shielded, 3mm, DC, 3-wire, PW, PNP NC	55.95	375503	4548583405889			GE	C	CHN	8536.5080.90
EZE-C04S12-CJ-B1 0.3M	Proximity sensor, inductive, Dia 4mm, Shielded, 1.2mm, DC, 3-wire, Pkg-Tail, PNP NO	45.78	375557	4548583405783			GE	C	CHN	8536.5080.90
EZE-C04S12-CJ-B2 0.3M	Proximity sensor, inductive, Dia 4mm, Shielded, 1.2mm, DC, 3-wire, Pkg-Tail, PNP NC	45.78	375498	4548583405790			GE	C	CHN	8536.5080.90
EZE-C04S12-CJ-C1 0.3M	Proximity sensor, inductive, Dia 4mm, Shielded, 1.2mm, DC, 3-wire, Pkg-Tail, PNP NO	45.78	375558	4548583405806			GE	C	CHN	8536.5080.90
EZE-C04S12-CJ-C2 0.3M	Proximity sensor, inductive, Dia 4mm, Shielded, 1.2mm, DC, 3-wire, Pkg-Tail, PNP NC	45.78	375499	4548583405813			GE	C	CHN	8536.5080.90
EZE-C04S12-MC-B1	Proximity sensor, inductive, Dia 4mm, Shielded, 1.2mm, DC, 3-wire, M8(3P), PNP NO	40.71	375559	4548583405820			GE	C	CHN	8536.5080.90
EZE-C04S12-MC-B2	Proximity sensor, inductive, Dia 4mm, Shielded, 1.2mm, DC, 3-wire, M8(3P), PNP NC	40.71	375500	4548583405837			GE	C	CHN	8536.5080.90
EZE-C04S12-MC-C1	Proximity sensor, inductive, Dia 4mm, Shielded, 1.2mm, DC, 3-wire, M8(3P), PNP NO	40.71	375560	4548583405844			GE	C	CHN	8536.5080.90
EZE-C04S12-MC-C2	Proximity sensor, inductive, Dia 4mm, Shielded, 1.2mm, DC, 3-wire, M8(3P), PNP NC	40.71	375501	4548583405851			GE	C	CHN	8536.5080.90
EZE-C04S12-WC-B1 2M	Proximity sensor, inductive, Dia 4mm, Shielded, 1.2mm, DC, 3-wire, PW, PNP NO	35.73	375554	4548583405745		#	GE	C	CHN	8536.5080.90
EZE-C04S12-WC-B1 5M	Proximity sensor, inductive, Dia 4mm, Shielded, 1.2mm, DC, 3-wire, PW 5m, PNP NO	34.33	382448	4548583498037			GE	C	CHN	8536.5080.90
EZE-C04S12-WC-B2 2M	Proximity sensor, inductive, Dia 4mm, Shielded, 1.2mm, DC, 3-wire, PW, PNP NC	35.73	375497	4548583405752			GE	C	CHN	8536.5080.90
EZE-C04S12-WC-C1 2M	Proximity sensor, inductive, Dia 4mm, Shielded, 1.2mm, DC, 3-wire, PW, PNP NO	35.73	375555	4548583405769			GE	C	CHN	8536.5080.90
EZE-C04S12-WC-C2 2M	Proximity sensor, inductive, Dia 4mm, Shielded, 1.2mm, DC, 3-wire, PW, PNP NC	35.73	375556	4548583405776			GE	C	CHN	8536.5080.90
EZE-C05S01-WC-B1 2M	Proximity sensor, inductive, Dia 5.4 mm, Shielded, 1.0 mm, DC, 3-wire, PW 2M, PNP NO	36.68	659356	4548583518780			GE	C	CHN	8536.5080.90
EZE-C05S01-WC-C1 2M	Proximity sensor, inductive, Dia 5.4 mm, Shielded, 1.0 mm, DC, 3-wire, PW 2M, PNP NC	36.68	659355	4548583518742			GE	C	CHN	8536.5080.90
EZE-C05S01-WC-C1-R2M	Proximity sensor, inductive, dia 5.4 mm, Shielded, 1.0 mm, DC, 3-wire, PW 2M robotic cable, PNP-NO	37.23	680836	4548583518827			GE	C	CHN	8536.5080.90
EZE-C06N04-CJ-B1 0.3M	Proximity sensor, inductive, Dia 6.5mm, Non-Shielded, 4mm, DC, 3-wire, Pkg-Tail, PNP NO	66.35	375533	4548583406384			GE	C	CHN	8536.5080.90
EZE-C06N04-CJ-B2 0.3M	Proximity sensor, inductive, Dia 6.5mm, Non-Shielded, 4mm, DC, 3-wire, Pkg-Tail, PNP NC	66.35	375534	4548583406391			GE	C	CHN	8536.5080.90
EZE-C06N04-CJ-C1 0.3M	Proximity sensor, inductive, Dia 6.5mm, Non-Shielded, 4mm, DC, 3-wire, Pkg-Tail, PNP NO	66.35	375535	4548583406407			GE	C	CHN	8536.5080.90
EZE-C06N04-CJ-C2 0.3M	Proximity sensor, inductive, Dia 6.5mm, Non-Shielded, 4mm, DC, 3-wire, Pkg-Tail, PNP NC	66.35	375536	4548583406414			GE	C	CHN	8536.5080.90
EZE-C06N04-MC-B1	Proximity sensor, inductive, Dia 6.5mm, Non-Shielded, 4mm, DC, 3-wire, M8(3P), PNP NO	61.65	375537	4548583406421			GE	C	CHN	8536.5080.90
EZE-C06N04-MC-B2	Proximity sensor, inductive, Dia 6.5mm, Non-Shielded, 4mm, DC, 3-wire, M8(3P), PNP NC	61.65	375538	4548583406438			GE	C	CHN	8536.5080.90
EZE-C06N04-MC-C1	Proximity sensor, inductive, Dia 6.5mm, Non-Shielded, 4mm, DC, 3-wire, M8(3P), PNP NO	61.65	375539	4548583406445			GE	C	CHN	8536.5080.90
EZE-C06N04-MC-C2	Proximity sensor, inductive, Dia 6.5mm, Non-Shielded, 4mm, DC, 3-wire, M8(3P), PNP NC	61.65	375540	4548583406452			GE	C	CHN	8536.5080.90
EZE-C06N04-WC-B1 2M	Proximity sensor, inductive, Dia 6.5mm, Non-Shielded, 4mm, DC, 3-wire, PW, PNP NO	55.95	375580	4548583406346			GE	C	CHN	8536.5080.90
EZE-C06N04-WC-B2 2M	Proximity sensor, inductive, Dia 6.5mm, Non-Shielded, 4mm, DC, 3-wire, PW, PNP NC	55.95	375531	4548583406353			GE	C	CHN	8536.5080.90
EZE-C06N04-WC-C1 2M	Proximity sensor, inductive, Dia 6.5mm, Non-Shielded, 4mm, DC, 3-wire, PW, PNP NO	55.95	375581	4548583406360			GE	C	CHN	8536.5080.90
EZE-C06N04-WC-C1-R2M	Proximity sensor, inductive, Dia 6.5 mm, Non-Shielded, 4mm, DC, 3-wire, PW, PNP NO, 2 m prewired robotic cable	45.45	698828	4548583504455			GE	C	CHN	8536.5080.90
EZE-C06N04-WC-C2 2M	Proximity sensor, inductive, Dia 6.5mm, Non-Shielded, 4mm, DC, 3-wire, PW, PNP NC	55.95	375532	4548583406377			GE	C	CHN	8536.5080.90
EZE-C06S02-CJ-B1 0.3M	Proximity sensor, inductive, Dia 6.5mm, Shielded, 2mm, DC, 3-wire, Pkg-Tail, PNP NO	45.78	375576	4548583406261			GE	C	CHN	8536.5080.90
EZE-C06S02-CJ-B2 0.3M	Proximity sensor, inductive, Dia 6.5mm, Shielded, 2mm, DC, 3-wire, Pkg-Tail, PNP NC	45.78	375527	4548583406278			GE	C	CHN	8536.5080.90
EZE-C06S02-CJ-C1 0.3M	Proximity sensor, inductive, Dia 6.5mm, Shielded, 2mm, DC, 3-wire, Pkg-Tail, PNP NO	45.78	375577	4548583406285			GE	C	CHN	8536.5080.90
EZE-C06S02-CJ-C2 0.3M	Proximity sensor, inductive, Dia 6.5mm, Shielded, 2mm, DC, 3-wire, Pkg-Tail, PNP NC	45.78	375528	4548583406292			GE	C	CHN	8536.5080.90
EZE-C06S02-MC-B1	Proximity sensor, inductive, Dia 6.5mm, Shielded, 2mm, DC, 3-wire, M8(3P), PNP NO	40.71	375578	4548583406308			GE	C	CHN	8536.5080.90
EZE-C06S02-MC-B2	Proximity sensor, inductive, Dia 6.5mm, Shielded, 2mm, DC, 3-wire, M8(3P), PNP NC	40.71	375529	4548583406315			GE	C	CHN	8536.5080.90
EZE-C06S02-MC-C1	Proximity sensor, inductive, Dia 6.5mm, Shielded, 2mm, DC, 3-wire, M8(3P), PNP NO	40.71	375579	4548583406322			GE	C	CHN	8536.5080.90
EZE-C06S02-MC-C2	Proximity sensor, inductive, Dia 6.5mm, Shielded, 2mm, DC, 3-wire, M8(3P), PNP NC	40.71	375530	4548583406339			GE	C	CHN	8536.5080.90
EZE-C06S02-WC-B1 2M	Proximity sensor, inductive, Dia 6.5mm, Shielded, 2mm, DC, 3-wire, PW, PNP NO	35.73	375573	4548583406223			GE	C	CHN	8536.5080.90
EZE-C06S02-WC-B2 2M	Proximity sensor, inductive, Dia 6.5mm, Shielded, 2mm, DC, 3-wire, PW, PNP NC	35.73	375526	4548583406230			GE	C	CHN	8536.5080.90
EZE-C06S02-WC-C1 2M	Proximity sensor, inductive, Dia 6.5 mm, Shielded, 2 mm, DC, 3-wire, PW, PNP NO, 2 m prewired	35.73	375574	4548583406247			GE	C	CHN	8536.5080.90
EZE-C06S02-WC-C1-R2M	Proximity sensor, inductive, Dia 6.5 mm, Shielded, 2 mm, DC, 3-wire, PW, PNP NO, 2 m prewired robotic cable	45.45	698829	4548583504417			GE	C	CHN	8536.5080.90
EZE-C06S02-WC-C2 2M	Proximity sensor, inductive, Dia 6.5mm, Shielded, 2mm, DC, 3-wire, PW, PNP NC	35.73	375575	4548583406254			GE	C	CHN	8536.5080.90
EZE-S04N02-CJ-B1 0.3M	Proximity sensor, inductive, M4, Non-Shielded, 2mm, DC, 3-wire, Pkg-Tail, PNP NO	96.95	375493	4548583405707			GE	C	CHN	8536.5080.90
EZE-S04N02-CJ-B2 0.3M	Proximity sensor, inductive, M4, Non-Shielded, 2mm, DC, 3-wire, Pkg-Tail, PNP NC	96.95	375494	4548583405714			GE	C	CHN	8536.5080.90
EZE-S04N02-CJ-C1 0.3M	Proximity sensor, inductive, M4, Non-Shielded, 2mm, DC, 3-wire, Pkg-Tail, PNP NO	96.95	375495	4548583405721			GE	C	CHN	8536.5080.90
EZE-S04N02-CJ-C2 0.3M	Proximity sensor, inductive, M4, Non-Shielded, 2mm, DC, 3-wire, Pkg-Tail, PNP NC	96.95	375496	4548583405728			GE	C	CHN	8536.5080.90
EZE-S04N02-WC-B1 2M	Proximity sensor, inductive, M4, Non-Shielded, 2mm, DC, 3-wire, PW, PNP NO	86.90	375552	4548583405660			GE	C	CHN	8536.5080.90
EZE-S04N02-WC-B2 2M	Proximity sensor, inductive, M4, Non-Shielded, 2mm, DC, 3-wire, PW, PNP NC	86.90	375491	4548583405677			GE	C	CHN	8536.5080.90
EZE-S04N02-WC-C1 2M	Proximity sensor, inductive, M4, Non-Shielded, 2mm, DC, 3-wire, PW, PNP NO	86.90	375553	4548583405684			GE	C	CHN	8536.5080.90
EZE-S04N02-WC-C2 2M	Proximity sensor, inductive, M4, Non-Shielded, 2mm, DC, 3-wire, PW, PNP NC	86.90	375492	4548583405691			GE	C	CHN	8536.5080.90

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	SLN. (Dataheet)	GTIN	Stock Qty.	Lot	Gr.	Fam	COO	Tariff Code
E2E-S04SR8-CJ-B1 0.3M	Proximity sensor, inductive, M4, Shielded, 0.8mm, DC, 3-wire, Pkg-Tal, PNP NO	66.35	375550	4548583405622			GE	C	CHN	8536.5080.90
E2E-S04SR8-CJ-B2 0.3M	Proximity sensor, inductive, M4, Shielded, 0.8mm, DC, 3-wire, Pkg-Tal, PNP NO	66.35	375489	4548583405639			GE	C	CHN	8536.5080.90
E2E-S04SR8-CJ-C1 0.3M	Proximity sensor, inductive, M4, Shielded, 0.8mm, DC, 3-wire, Pkg-Tal, NPN NO	66.35	375551	4548583405646			GE	C	CHN	8536.5080.90
E2E-S04SR8-CJ-C2 0.3M	Proximity sensor, inductive, M4, Shielded, 0.8mm, DC, 3-wire, Pkg-Tal, NPN NO	66.35	375490	4548583405653			GE	C	CHN	8536.5080.90
E2E-S04SR8-WC-B1 2M	Proximity sensor, inductive, M4, Shielded, 0.8mm, DC, 3-wire, PW, PNP NO	55.95	375546	4548583405685	#		GE	C	CHN	8536.5080.90
E2E-S04SR8-WC-B2 2M	Proximity sensor, inductive, M4, Shielded, 0.8mm, DC, 3-wire, PW, PNP NO	55.95	375547	4548583405692			GE	C	CHN	8536.5080.90
E2E-S04SR8-WC-C1 2M	Proximity sensor, inductive, M4, Shielded, 0.8mm, DC, 3-wire, PW, NPN NO	55.95	375548	4548583405608			GE	C	CHN	8536.5080.90
E2E-S04SR8-WC-C2 2M	Proximity sensor, inductive, M4, Shielded, 0.8mm, DC, 3-wire, PW, NPN NO	55.95	375549	4548583405615			GE	C	CHN	8536.5080.90
E2E-S05N03-CJ-B1 0.3M	Proximity sensor, inductive, M5, Non-Shielded, 3mm, DC, 3-wire, Pkg-Tal, PNP NO	66.35	375518	4548583406148			GE	C	CHN	8536.5080.90
E2E-S05N03-CJ-B2 0.3M	Proximity sensor, inductive, M5, Non-Shielded, 3mm, DC, 3-wire, Pkg-Tal, PNP NO	66.35	375519	4548583406155			GE	C	CHN	8536.5080.90
E2E-S05N03-CJ-C1 0.3M	Proximity sensor, inductive, M5, Non-Shielded, 3mm, DC, 3-wire, Pkg-Tal, NPN NO	66.35	375520	4548583406162			GE	C	CHN	8536.5080.90
E2E-S05N03-CJ-C2 0.3M	Proximity sensor, inductive, M5, Non-Shielded, 3mm, DC, 3-wire, Pkg-Tal, NPN NO	66.35	375521	4548583406179			GE	C	CHN	8536.5080.90
E2E-S05N03-MC-B1	Proximity sensor, inductive, M5, Non-Shielded, 3mm, DC, 3-wire, M8(3P), PNP NO	61.65	375522	4548583406186			GE	C	CHN	8536.5080.90
E2E-S05N03-MC-B2	Proximity sensor, inductive, M5, Non-Shielded, 3mm, DC, 3-wire, M8(3P), PNP NO	61.65	375523	4548583406193			GE	C	CHN	8536.5080.90
E2E-S05N03-MC-C1	Proximity sensor, inductive, M5, Non-Shielded, 3mm, DC, 3-wire, M8(3P), NPN NO	61.65	375524	4548583406209			GE	C	CHN	8536.5080.90
E2E-S05N03-MC-C2	Proximity sensor, inductive, M5, Non-Shielded, 3mm, DC, 3-wire, M8(3P), NPN NO	61.65	375525	4548583406216			GE	C	CHN	8536.5080.90
E2E-S05N03-WC-B1 2M	Proximity sensor, inductive, M5, Non-Shielded, 3mm, DC, 3-wire, PW, PNP NO	55.95	375571	4548583406100			GE	C	CHN	8536.5080.90
E2E-S05N03-WC-B2 2M	Proximity sensor, inductive, M5, Non-Shielded, 3mm, DC, 3-wire, PW, PNP NO	55.95	375516	4548583406117			GE	C	CHN	8536.5080.90
E2E-S05N03-WC-C1 2M	Proximity sensor, inductive, M5, Non-Shielded, 3mm, DC, 3-wire, PW, NPN NO	55.95	375572	4548583406124			GE	C	CHN	8536.5080.90
E2E-S05N03-WC-C2 2M	Proximity sensor, inductive, M5, Non-Shielded, 3mm, DC, 3-wire, PW, NPN NO	55.95	375517	4548583406131			GE	C	CHN	8536.5080.90
E2E-S05S12-CJ-B1 0.2M	Proximity sensor, inductive, M5, Shielded, 1.2mm, DC, 3-wire, Pkg-Tal, PNP NO	35.73	670932	4548583859746			GE	C	CHN	8536.5080.90
E2E-S05S12-CJ-B2 0.2M	Proximity sensor, inductive, M5, Shielded, 1.2mm, DC, 3-wire, Pkg-Tal, PNP NO	45.78	375567	4548583406025			GE	C	CHN	8536.5080.90
E2E-S05S12-CJ-C1 0.2M	Proximity sensor, inductive, M5, Shielded, 1.2mm, DC, 3-wire, Pkg-Tal, NPN NO	45.78	375512	4548583406032			GE	C	CHN	8536.5080.90
E2E-S05S12-CJ-C2 0.2M	Proximity sensor, inductive, M5, Shielded, 1.2mm, DC, 3-wire, Pkg-Tal, NPN NO	45.78	375568	4548583406049			GE	C	CHN	8536.5080.90
E2E-S05S12-MC-B1	Proximity sensor, inductive, M5, Shielded, 1.2mm, DC, 3-wire, M8(3P), PNP NO	45.78	375513	4548583406056			GE	C	CHN	8536.5080.90
E2E-S05S12-MC-B2	Proximity sensor, inductive, M5, Shielded, 1.2mm, DC, 3-wire, M8(3P), PNP NO	40.71	375569	4548583406063	#		GE	C	CHN	8536.5080.90
E2E-S05S12-MC-C1	Proximity sensor, inductive, M5, Shielded, 1.2mm, DC, 3-wire, M8(3P), NPN NO	40.71	375514	4548583406070			GE	C	CHN	8536.5080.90
E2E-S05S12-MC-C2	Proximity sensor, inductive, M5, Shielded, 1.2mm, DC, 3-wire, M8(3P), NPN NO	40.71	375570	4548583406087	#		GE	C	CHN	8536.5080.90
E2E-S05S12-WC-B1 2M	Proximity sensor, inductive, M5, Shielded, 1.2mm, DC, 3-wire, PW, PNP NO	40.71	375515	4548583406094			GE	C	CHN	8536.5080.90
E2E-S05S12-WC-B1 5M	Proximity sensor, inductive, M5, Shielded, 1.2mm, DC, 3-wire, PW 5m, PNP NO	35.73	375563	4548583405981	#		GE	C	CHN	8536.5080.90
E2E-S05S12-WC-B2 2M	Proximity sensor, inductive, M5, Shielded, 1.2mm, DC, 3-wire, PW, PNP NO	40.61	382785	4548583498112			GE	C	CHN	8536.5080.90
E2E-S05S12-WC-C1 2M	Proximity sensor, inductive, M5, Shielded, 1.2mm, DC, 3-wire, PW, NPN NO	35.73	375564	4548583405998			GE	C	CHN	8536.5080.90
E2E-S05S12-WC-C2 2M	Proximity sensor, inductive, M5, Shielded, 1.2mm, DC, 3-wire, PW, NPN NO	35.73	375565	4548583406001	#		GE	C	CHN	8536.5080.90
E2E-S05S12-WC-C2 2M	Proximity sensor, inductive, M5, Shielded, 1.2mm, DC, 3-wire, PW, NPN NO	35.73	375566	4548583406018			GE	C	CHN	8536.5080.90
E2E-X10D1-U	Proximity sensor, inductive, M30, shielded, 10 mm, DC, 2-wire, NO, PUR cable 2 m	86.05	323240	4547648408851			GE	C	CHN	8536.5080.90
E2E-X2D1-M1TG-U 0.3M	Proximity sensor, inductive, M8, shielded, 2 mm, DC, 2-wire, NO, 0.3 m pigtail PUR (increased oil-resistant) with Junction Connector M12	82.00	290022	4547648624978			GE	C	CHN	8536.5080.90
E2E-X2D1-U 2M	Proximity sensor, inductive, M8, shielded, 2 mm, DC, 2-wire, NO, 2 m cable PUR oil-resistant	72.95	290127	4547648408813			GE	C	CHN	8536.5080.90
E2E-X3D1-M1TG-U 0.3M	Proximity sensor, inductive, M12, shielded, 3 mm, DC, 2-wire no polarity, NO, M12 pig-tail 0.3m	118.70	290027	4547648625371			GE	C	CHN	8536.5080.90
E2E-X3D1-U 2M	Proximity sensor, inductive, M12, shielded, 3 mm, DC, 2-wire, NO, 2 m cable PUR oil-resistant	72.95	290129	4547648408837			GE	C	CHN	8536.5080.90
E2E-X3D2-M1TG-U 0.3M	Proximity sensor, inductive, M12, shielded, 3 mm, DC, 2-wire, NO, 0.3 m pigtail PUR (increased oil-resistant) with Junction Connector M12	102.50	290026	4547648625104			GE	C	CHN	8536.5080.90
E2E-X3D2-U 2M	Proximity sensor, inductive, M12, shielded, 3 mm, DC, 2-wire, NC, 2 m cable PUR oil-resistant	72.95	290130	4547648408844			GE	C	CHN	8536.5080.90
E2E-X7D1-M1TG-U 0.3M	Proximity sensor, inductive, M18, shielded, 7 mm, DC, 2-wire no polarity, NO, M12 pig-tail 0.3 m	104.40	323236	4547648625968			GE	C	CHN	8536.5080.90
E2E-X7D1-U 2M	Proximity sensor, inductive, M18, shielded, 7 mm, DC, 2-wire no polarity, NO, 2 m cable PUR oil-resistant	90.10	323264	4547648627382			GE	C	CHN	8536.5080.90
<b>Inductive proximity sensor E2E</b>										
E2FQ-X10D1	Proximity sensor, inductive, M30, shielded, 10 mm, DC, 2-wire, NO, 2 m cable	182.80	131827	4536853263409			GE	D	JPN	8536.5080.90
E2FQ-X10E1	Proximity sensor, inductive, PTFE body, short, M30, shielded, 10mm, DC, NPN, 2m cable	242.40	131821	4536853263331			GE	D	JPN	8536.5080.90
E2FQ-X10F1	Proximity sensor, inductive, PTFE body, short, M30, shielded, 10mm, DC, PNP-NO, 2 m cable	196.50	154863	4536853263355			GE	D	JPN	8536.5080.90
E2FQ-X2D1	Proximity sensor, inductive, PTFE body, short, M12, shielded, 2mm, 2 wire DC, 2m cable	170.60	131829	4536853263423			GE	D	JPN	8536.5080.90
E2FQ-X2E1	Proximity sensor, inductive, PTFE body, short, M12, shielded, 2 mm, 3-wire DC, NPN-NO, 2 m cable	197.70	131830	4536853263447			GE	D	JPN	8536.5080.90
E2FQ-X2F1	Proximity sensor, inductive, PTFE body, short, M12, shielded, 2 mm, 3-wire DC, PNP-NO, 2 m cable	161.60	149293	4536853263461			GE	D	JPN	8536.5080.90
E2FQ-X5D1	Proximity sensor, inductive, PTFE body, short, M18, shielded, 5mm, 2 wire DC, 2m cable	157.50	131825	4536853263396			GE	D	JPN	8536.5080.90
E2FQ-X5E1	Proximity sensor, inductive, PTFE body, short, M18, shielded, 5mm, 3-wire DC, NPN-NO, 2 m cable	188.10	131912	4536853263287			GE	D	JPN	8536.5080.90
E2FQ-X5F1	Proximity sensor, inductive, PTFE body, short, M18, shielded, 5mm, 3-wire DC, PNP-NO, 2 m cable	149.40	131818	4536853263300			GE	D	JPN	8536.5080.90
E2F-X10F1 2M	Proximity sensor, plastic body, inductive, M30 shielded, 10 mm, DC, 3-wire, PNP-NO, 2 m cable	86.05	235657	4547648321235			GE	D	CHN	8536.5080.90
E2F-X2E1 2M	Proximity sensor, plastic body, inductive, M12, shielded, 2 mm, DC, 3-wire, NPN-NO, 2 m cable	85.00	235688	4547648321112			GE	D	CHN	8536.5080.90
E2F-X2F1 2M	Proximity sensor, plastic body, inductive, M12, shielded, 2 mm, DC, 3-wire, PNP-NO, 2 m cable	83.95	235694	4547648321198			GE	D	CHN	8536.5080.90
E2F-X5E1 2M	Proximity sensor, plastic body, inductive, M18, shielded, 5mm, DC, 3-wire, NPN-NO, 2m cable	56.15	235690	4547648321136			GE	D	CHN	8536.5080.90
E2F-X5F1 2M	Proximity sensor, plastic body, inductive, M18, shielded, 5 mm, DC, 3-wire, PNP-NO, 2 m cable	80.55	235696	4547648321211			GE	D	CHN	8536.5080.90
<b>Capacitive sensor E2K</b>										
E2K-X15M1E1	Proximity sensor, capacitive, M30, unshielded, 15 mm, DC, 3-wire, NPN-NO, 2 m cable	123.00	131777	4536853264352			GE	E	JPN	8536.5080.90
E2K-X15M1F1	Proximity sensor, capacitive, M30, unshielded, 15mm, DC, 3-wire, PNP-NO, 2m cable	123.00	131788	4536853264635	#		GE	E	JPN	8536.5080.90
E2K-X15M1F2	Proximity sensor, capacitive, M30, unshielded, 15mm, DC, 3-wire, PNP-NC, 2m cable	123.00	131790	4536853264659			GE	E	JPN	8536.5080.90
E2K-X4M1E1	Proximity sensor, capacitive, M12, unshielded, 4mm, DC, 3-wire, NPN-NO, 2m cable	104.70	131774	4536853264253			GE	E	JPN	8536.5080.90
E2K-X4M1F1	Proximity sensor, capacitive, M12, unshielded, 4mm, DC, 3-wire, PNP-NO, 2m cable	104.70	131783	4536853264550			GE	E	JPN	8536.5080.90
E2K-X4M1F2	Proximity sensor, capacitive, M12, unshielded, 4mm, DC, 3-wire, PNP-NC, 2m cable	117.40	131785	4536853264574			GE	E	JPN	8536.5080.90
E2K-X8M1E1	Proximity sensor, capacitive, M18, unshielded, 8mm, DC, 3-wire, NPN-NO, 2m cable	118.60	131775	4536853264307			GE	E	JPN	8536.5080.90
E2K-X8M1E2	Proximity sensor, capacitive, M18, unshielded, 8 mm, DC, 3-wire, NPN-NC, 2 m cable	118.60	131776	4536853264338			GE	E	JPN	8536.5080.90
E2K-X8M1F1	Proximity sensor, capacitive, M18, unshielded, 8mm, DC, 3-wire, PNP-NO, 2m cable	118.60	151474	4536853264598			GE	E	JPN	8536.5080.90
E2K-X8M1F2	Proximity sensor	118.60	157072	4536853264611			GE	E	JPN	8536.5080.90
E2K-C20M1C1 2M	Proximity sensor, capacitive, 34 mm dia, unshielded, 20 mm, DC, 3-wire, NPN-NO, 2 m cable	437.90	131848	4536854884061			GE	E	DEU	8536.5080.90

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Dahaet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code	
E2K-C20M2C 2M	Proximity sensor, capacitive, 34 mm dia, unshielded, 20 mm, DC, 3-wire, NPN-NC, 2 m cable	436.10	131849	4536854884078			GE	E	DEU	8536.5080.90	
E2K-C25M1E1	Proximity sensor, capacitive, 34 mm dia, unshielded, 25 mm, DC, 3-wire, NPN-NO, 2 m cable	155.90	131841	4536853263983			GE	E	JPN	8536.5080.90	
E2K-C25M1E2	Proximity sensor, capacitive, 34 mm dia, unshielded, 25 mm, DC, 3-wire, NPN-NO, 2 m cable	155.90	104692	4536853263706			GE	E	JPN	8536.5080.90	
E2K-C25M1F1	Proximity sensor, capacitive, 34 mm dia, unshielded, 25 mm, DC, 3-wire, PNP-NO, 2m cable	155.90	147129	4536853263690			GE	E	JPN	8536.5080.90	
E2K-C25M1F1 10M	Proximity sensor, capacitive, 34mm dia, unshielded, 25mm, DC, 3-wire, PNP-NO, 10 m cable	161.10	131847	4536854532900	#		GE	E	JPN	8536.5080.90	
E2K-C25M1F1 5M	Proximity sensor, capacitive, 34 mm diameter, non-shielded, 3-25 mm, 10-30 VDC, PNP-NO, 15 m cable	151.20	154864	4536853263775			GE	E	JPN	8536.5080.90	
E2K-C25M1F2	Proximity sensor, capacitive, 34mm dia, unshielded, 25m, DC, 3-wire, PNP-NC, 2m cable	155.90	131842	4536853263713	#		GE	E	JPN	8536.5080.90	
E2K-C25M1F2 5M	Proximity sensor, capacitive, 34 mm diameter, non-shielded, 3-25 mm, 10-30 VDC, PNP-NO, 5 m cable	168.20	144991	4536853263805			GE	E	JPN	8536.5080.90	
E2K-F10M1C1	Proximity sensor, capacitive, flat, unshielded, 10mm, DC, 3-wire, NPN-NO, 2m cable	76.10	106106	4536853264048	#		GE	E	JPN	8536.5080.90	
E2K-F10M1C1-A 2M	Proximity sensor, capacitive, flat, unshielded, 10 mm, DC, 3-wire, NPN-NO, 2 m cable	102.00	171939	4547648085656			GE	E	JPN	8536.5080.90	
E2K-F10M1C2	Proximity sensor, capacitive, flat, unshielded, 10mm, DC, 3-wire, NPN-NC, 2m cable	76.10	131854	4536853264079			GE	E	JPN	8536.5080.90	
E2K-L13M1C1 2M	Capacitive, Liquid level sensing, 8 to 11mm tube, NPN, 2m cable	188.00	131855	4536854711954			GE	E	JPN	8536.5080.90	
E2K-L26M1C1 2M	Capacitive, Liquid level sensing, 12 to 26mm tube, NPN	129.60	153644	4536854711947	#		GE	E	JPN	8536.5080.90	
E2K-Q10M1E1 2M	Proximity sensor, inductive, PTFE body, short, M18, shielded, 6-10mm adjustable, NPN, DC, 2m cable	270.40	131770	4536854538605			GE	E	JPN	8536.5080.90	
<b>Inductive proximity sensor E2E Special application</b>											
E2ER-X2D1 2M	Proximity sensor, inductive, M8, shielded, 2 mm, DC, 2-wire, NO, 2 m cable PUR, oil-resistant	82.90	674805	4548583861664			GE	F	JPN	8536.5080.90	
E2ER-X2D2-M1TGJ 0.3M	Proximity sensor, inductive, M8, shielded, 2 mm, DC, 2-wire, NC, 0.3 m pistol PUR with Junction Connector M12, oil-resistant	82.90	674767	4548583861718			GE	F	JPN	8536.5080.90	
E2ER-X3D1-M1TGJ 0.3M	Proximity sensor, inductive, M12, shielded, 3 mm, DC, 2-wire no polarity, NO, 0.3 m pistol PUR with Junction Connector M12, oil-resistant	114.20	674777	4548583861763			GE	F	JPN	8536.5080.90	
E2ER-X3D2 2M	Proximity sensor, inductive, M12, shielded, 3 mm, DC, 2-wire, NC, 2 m cable PUR, oil-resistant	88.45	674768	4548583861732			GE	F	JPN	8536.5080.90	
E2ER-X7D1 2M	Proximity sensor, inductive, M18, shielded, 7 mm, DC, 2-wire no polarity, NO, 2 m cable PUR, oil-resistant	107.60	674797	4548583861787			GE	F	JPN	8536.5080.90	
E2ERZ-X2D1-M1TGJ 0.3M	Proximity sensor, inductive, M12, shielded, 2 mm, DC, 2-wire no polarity, NO, 0.3 m pistol PUR with Junction Connector M12, chip-immune function, oil-resistant	120.20	674778	4548583861947			GE	F	JPN	8536.5080.90	
E2ERZ-X4D1 2M	Proximity sensor, inductive, M18, shielded, 4 mm, DC, 2-wire no polarity, NO, 2 m cable PUR, chip-immune function, oil-resistant	146.50	674775	4548583861961			GE	F	JPN	8536.5080.90	
E2EF-X2D1 2M	Proximity sensor, Stainless steel, Metal head for long distance detection, M8, S1=2 mm, 2-wire, NO, 2 m cable	69.75	688935	4548583354609			GE	F	JPN	8536.5080.90	
E2EF-X7D1 2M	Proximity sensor, Stainless steel, Metal head for long distance detection, M18, S1=7 mm, 2-wire, NO, 2 m cable	77.95	688936	4548583354647			GE	F	JPN	8536.5080.90	
<b>Inductive proximity sensor TL-T/W</b>											
TL-W1R5MB1	Proximity sensor, inductive, non-shielded, 1.5mm, DC, 3-wire, PNP-NO, 2m cable	61.35	110296	4536854116407			5	GE	G	JPN	8536.5080.90
TL-W1R5MB1-M1J 2M	https://industrial.omron.com.tr/tr/products/tl-w	92.20	356291	4548583006027			GE	G	JPN	8536.5080.90	
TL-W1R5MC1	Proximity sensor, inductive, non-shielded, 1.5mm, DC, 3-wire, NPN-NO, 2m cable	54.55	110289	4536854116315			5	GE	G	JPN	8536.5080.90
TL-W1R5MC15 2M	https://industrial.omron.com.tr/tr/products/tl-w	55.30	110290	4536854116322			GE	G	JPN	8536.5080.90	
TL-W20M1E1	Proximity sensor, inductive, unshielded, Rectangular, 20mm, 3 wire, NPN, NO, 2m cable	92.25	110302	4536854116612			GE	G	JPN	8536.5080.90	
TL-W20M2E2	Proximity sensor, inductive, non-shielded, 3 mm, DC, 3-wire, PNP-NO, 2 m cable	92.25	110304	4536854116650			GE	G	JPN	8536.5080.90	
TL-W3MB1 2M	Proximity sensor, inductive, unshielded, 3 mm, DC, 3-wire, PNP-NO, 2 m cable	48.81	110294	4536854116394	#		5	GE	CHN	8536.5080.90	
TL-W3MB1 5M	Proximity sensor, inductive, unshielded, 3 mm, DC, 3-wire, PNP-NO, 5 m cable	54.55	110307	4536854116735			3	GE	G	JPN	8536.5080.90
TL-W3MB1-R 2M	Proximity sensor, inductive, unshielded, 3 mm, DC, 3-wire, PNP-NO, 2 m robotic cable	74.95	110312	4536854116995			GE	G	JPN	8536.5080.90	
TL-W3MB2	Proximity sensor, inductive, non-shielded, 3mm, DC, 3-wire, PNP-NC, 2m cable	91.85	110305	4536854116698			5	GE	G	JPN	8536.5080.90
TL-W3MB2 5M	Proximity sensor, inductive, non-shielded, 3mm, DC, 3-wire, PNP-NC, 5m cable	93.75	110293	4536854116360			3	GE	G	JPN	8536.5080.90
TL-W3MB2-M1J 2M	Proximity sensor, inductive, non-shielded, 3mm, DC, 3-wire, PNP-NC, 2 m cable with M12 connector	125.50	354102	4548583006034			GE	G	JPN	8536.5080.90	
TL-W3MC1 2M	Proximity sensor, inductive, non-shielded, 3mm, DC, 3-wire, NPN-NO, 2m cable	49.20	110288	4536854116292	#		5	GE	G	CHN	8536.5080.90
TL-W3MC1 5M	Proximity sensor, inductive, unshielded, 3mm, DC, 3-wire, NPN-NO, 5m cable	44.13	153724	4536854116377			GE	G	CHN	8536.5080.90	
TL-W3MC15 2M	Proximity sensor, inductive, unshielded, 3mm, DC, 3-wire, NPN-NO, 2m cable, alternative frequency	40.01	151482	4536854116308			GE	G	CHN	8536.5080.90	
TL-W3MC1-R 2M	Proximity sensor, inductive, unshielded, 3 mm, DC, 3-wire, NPN-NO, 2 m robotic cable	58.85	110306	4536854116704			GE	G	CHN	8536.5080.90	
TL-W3MC2 2M	Proximity sensor, inductive, unshielded, 3mm, DC, 3-wire, NPN-NC, 2m cable	49.97	110292	4536854116353			5	GE	G	CHN	8536.5080.90
TL-W5E1	Proximity sensor, inductive, shielded, 5 mm, DC, 3-wire, NPN-NO, 2 m cable	85.35	110280	4536854116186			GE	G	JPN	8536.5080.90	
TL-W5E2	Proximity sensor, inductive, shielded, 5 mm, DC, 3-wire, NPN-NC, 2 m cable	88.40	110284	4536854116223			GE	G	JPN	8536.5080.90	
TL-W5F1	Proximity sensor, inductive, shielded, 5mm, DC, 3-wire, PNP-NO, 2m cable	85.35	110282	4536854116209	#		GE	G	JPN	8536.5080.90	
TL-W5F1 5M	Proximity sensor, inductive, shielded, 5 mm, DC, 3-wire, PNP-NO, 5 m cable	84.90	110283	4536854116216			GE	G	JPN	8536.5080.90	
TL-W5F2	Proximity sensor, inductive, shielded, 5 mm, DC, 3-wire, PNP-NC, 2 m cable	88.40	103868	4536854116247			GE	G	JPN	8536.5080.90	
TL-W5F2 5M	Proximity sensor, inductive, shielded, 5 mm, DC, 3-wire, PNP-NC, 5 m cable	100.20	110286	4536854116254			GE	G	JPN	8536.5080.90	
TL-W5MB1 2M	Proximity sensor, inductive, non-shielded, 5mm, DC, 3-wire, PNP-NO, 2m cable	39.63	110295	4536854116391			GE	G	CHN	8536.5080.90	
TL-W5MB2 2M	Proximity sensor, inductive, unshielded, 5mm, DC, 3-wire, PNP-NC, 2m cable	40.36	144995	4536854647376			GE	G	CHN	8536.5080.90	
TL-W5MC1 2M	Proximity sensor, inductive, unshielded, 5mm, DC, 3-wire, NPN-NO, 2m cable	38.84	110287	4536854116261	#		GE	G	CHN	8536.5080.90	
TL-W5MC2 2M	Proximity sensor, inductive, non-shielded, 5mm, DC, 3-wire, NPN-NC, 2 m cable	40.01	104697	4536854116438			GE	G	CHN	8536.5080.90	
TL-W5MD1 2M	Proximity sensor, inductive, unshielded, 5mm, DC, 2-wire DC, NO, 2m cable	60.35	110298	4536854116537	#		GE	G	CHN	8536.5080.90	
TL-W5MD2 2M	Proximity sensor, inductive, non-shielded, 5mm, DC, 2-wire DC, NC, 2 m cable	60.35	110301	4536854116575			GE	G	CHN	8536.5080.90	
<b>Inductive proximity sensor E2Q</b>											
E2Q2-N30ME3-H	Proximity sensor, inductive, square body, unshielded, 30mm, NPN-NO+NC, M20	65.65	131678	4536854963360			5	GE	H	IDN	8536.5015.90
E2Q6-N20E3-H	Proximity sensor, inductive, square body, shielded, 20 mm, NPN-NO/NC, M20 conduit	79.50	419021	4548583732544			GE	H	IDN	8536.5015.90	
E2Q6-N20F3-H	Proximity sensor, inductive, square body, shielded, 20 mm, PNP-NO/NC, M20 conduit	79.50	419020	4548583732537			GE	H	IDN	8536.5015.90	
E2Q6-N30ME3-H	Proximity sensor, inductive, square body, non-shielded, 30 mm, NPN-NO/NC, M20 conduit	82.75	419019	4548583732520			GE	H	IDN	8536.5015.90	
E2Q6-N30MF3-H	Proximity sensor, inductive, square body, non-shielded, 30 mm, PNP-NO/NC, M20 conduit	84.10	419018	4548583732483			GE	H	IDN	8536.5015.90	
E2Q5-N20E1-M1	Long distance square inductive proximity sensor, 20mm, shielded, NPN, NO	56.55	237305	4547648332057			GE	H	IDN	8536.5015.90	
E2Q5-N20E3-M1	Long distance square inductive proximity sensor, 20mm, shielded, NPN, NO & NC	62.15	237309	4547648332000			GE	H	IDN	8536.5015.90	
E2Q5-N20F1-M1	Long distance square inductive proximity sensor, 20mm, shielded, PNP, NO	56.55	237306	4547648332064			GE	H	IDN	8536.5015.90	
E2Q5-N20F3-M1	Long distance square inductive proximity sensor, 20mm, shielded, PNP, NO & NC	62.15	237310	4547648332217			GE	H	IDN	8536.5015.90	
E2Q5-N40ME1-M1	Long distance square inductive proximity sensor, 40mm, unshielded, NPN, NO	57.85	237307	4547648332187			GE	H	IDN	8536.5015.90	
E2Q5-N40ME3-M1	Long distance square inductive proximity sensor, 40mm, unshielded, NPN, NO & NC	64.10	237311	4547648332231			GE	H	IDN	8536.5015.90	

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	SLN. (Daheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
E2C5-N40MF1-M1	Long distance square inductive proximity sensor, 40mm, unshielded, PNP, NO	58.55	237308	454764832194	#		GE	H	IDN	8536.5015.90
E2C5-N40MF3-M1	Long distance square inductive proximity sensor, 40mm, unshielded, PNP, NO & NC	64.10	237312	454764832224			GE	H	IDN	8536.5015.90
<b>Inductive proximity sensor E2A</b>										
E2A-M08KN04-M1-B1	Proximity sensor, inductive, nickel-brass, short body, M8, unshielded, 4mm, DC, 3-wire, PNP-NO, M12 plug-in	34.86	183989	4547648149211			GE	I	CHN	8536.5080.90
E2A-M08KN04-M1-C1	Proximity sensor, inductive, brass-nickel, short body, M8, non-shielded, 4mm, DC, 3-wire, PNP-NO, M12	34.86	232020	4547648162340			GE	I	CHN	8536.5080.90
E2A-M08KS02-M1-B1	Proximity sensor, inductive, nickel-brass, short body, M8, shielded, 2mm, DC, 3-wire, PNP-NO, M12 plug-in	30.88	183908	4547648162364	#		GE	I	CHN	8536.5080.90
E2A-M08KS02-M1-B2	Proximity sensor	27.87	183909	4547648162371			GE	I	CHN	8536.5080.90
E2A-M08KS02-M1-C1	Proximity sensor, inductive, nickel-brass, short body, M8, shielded, 2mm, DC, 3-wire, PNP-NO, M12 plug-in	30.88	183990	4547648149228			GE	I	CHN	8536.5080.90
E2A-M08LN04-M1-B1	Proximity sensor, inductive, nickel-brass, long body, M8, non-shielded, 4mm, DC, 3-wire, PNP-NO, M12 plug-in	39.84	183911	4547648162395	#		GE	I	CHN	8536.5080.90
E2A-M08LS02-M1-B1	Proximity sensor, inductive, nickel-brass, long body, M8, shielded, 2mm, DC, 3-wire, PNP-NO, M12 plug-in	40.86	183914	4547648162425			GE	I	CHN	8536.5080.90
E2A-M08LS02-M1-B2	Proximity sensor, inductive, brass, long body, M8, shielded, 2 mm, DC, 3-wire, PNP-NC, M12 connector	48.93	401323	4547648149259			GE	I	CHN	8536.5080.90
E2A-M12KN05-M1-B1	Proximity sensor, inductive, brass-nickel, short body, M12, non-shielded, 5mm, DC, 3-wire, PNP-NO, M12 connector	42.33	234948	4547648390422			GE	I	CHN	8536.5080.90
E2A-M12KN05-M1-B1-TP	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 5 mm, DC, 3-wire, PNP-NO, M12 connector, including washer	53.95	236982	4547648424615			GE	I	CHN	8536.5080.90
E2A-M12KN05-M1-C1	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 5 mm, DC, 4-wire, PNP-Antivalent (NO+NC), M12 plug-in	38.82	667853	4548583724341			GE	I	CHN	8536.5080.90
E2A-M12KN05-WP-B1-2M	Proximity sensor, inductive, brass-nickel, short body, M12, non-shielded, 5mm, DC, 3-wire, PNP-NO, 2m prewired	40.86	234568	4547648390439			GE	I	CHN	8536.5080.90
E2A-M12KN05-WP-B1-5M	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 5mm, DC, 3-wire, PNP-NO, 5m cable	38.31	228771	4547648303248			GE	I	CHN	8536.5080.90
E2A-M12KN05-WP-B1-TP 5M	Proximity sensor, inductive, nickel-brass, M12, unshielded, 5 mm, PNP-NO 5 m, including a washer	32.37	232411	4547648340564			GE	I	CHN	8536.5080.90
E2A-M12KN08-M1-B1	Proximity sensor, inductive, brass-nickel, short body, M12, non-shielded, 8mm, DC, 3-wire, PNP-NO, M12 connector	27.39	133478	4536854918322			GE	I	CHN	8536.5080.90
E2A-M12KN08-M1-B1-20	Multi-pack E2A-M12KN08-M1-B1: 1 pcs. = 1 box of 20 pcs.	440.00	671535	4548583880771			GE	I	CHN	8536.5080.90
E2A-M12KN08-M1-B2	Proximity sensor, inductive, brass-nickel, short body, M12, non-shielded, 8mm, DC, 3-wire, PNP-NC, M12 connector	27.39	149004	4536854918384			GE	I	CHN	8536.5080.90
E2A-M12KN08-M1-B3	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 8mm, DC, 4-wire, PNP-Antivalent (NO or NC), M12 plug-in	44.80	659333	4548583724266			GE	I	CHN	8536.5080.90
E2A-M12KN08-M1-C1	Proximity sensor, inductive, brass-nickel, short body, M12, non-shielded, 8mm, DC, 3-wire, PNP-NO, M12 connector	27.39	133486	4536854918445			GE	I	CHN	8536.5080.90
E2A-M12KN08-M1-C2	Proximity sensor, inductive, brass-nickel, short body, M12, non-shielded, 8mm, DC, 3-wire, PNP-NC, M12 connector	29.40	154676	4536854918513			GE	I	CHN	8536.5080.90
E2A-M12KN08-M1-C3	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 8 mm, DC, 3-wire, PNP-Antivalent (NO+NC), M12 plug-in	63.40	667844	4548583724518			GE	I	CHN	8536.5080.90
E2A-M12KN08-M5-B1	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 8 mm, DC, 3-wire, PNP-NO, M8 3 pin plug-in	66.15	659160	4548583723121			GE	I	CHN	8536.5080.90
E2A-M12KN08-WP-B1-10M	Proximity sensor, inductive, brass-nickel, short body, M12, non-shielded, 8mm, DC, 3-wire, PNP-NO, 10m prewired	28.65	168365	4547648031776			GE	I	CHN	8536.5080.90
E2A-M12KN08-WP-B1-2M	Proximity sensor, inductive, brass-nickel, short body, M12, non-shielded, 8mm, DC, 3-wire, PNP-NO, 2m prewired	27.39	133538	4536854917745	#		GE	I	CHN	8536.5080.90
E2A-M12KN08-WP-B1-5M	Proximity sensor, inductive, brass-nickel, short body, M12, non-shielded, 8mm, DC, 3-wire, PNP-NO, 5m prewired	29.88	133448	4536854917844			GE	I	CHN	8536.5080.90
E2A-M12KN08-WP-B2-2M	Proximity sensor, inductive, brass-nickel, short body, M12, non-shielded, 8mm, DC, 3-wire, PNP-NC, 2m prewired	27.39	133452	4536854917967			GE	I	CHN	8536.5080.90
E2A-M12KN08-WP-B3-2M	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 8mm, DC, 4-wire, PNP-Antivalent(NO or NC), 2m Prewired	47.72	659320	4548583724242			GE	I	CHN	8536.5080.90
E2A-M12KN08-WP-C1-2M	Proximity sensor, inductive, brass-nickel, short body, M12, non-shielded, 8mm, DC, 3-wire, PNP-NO, 2m prewired	27.39	154674	4536854918087			GE	I	CHN	8536.5080.90
E2A-M12KN08-WP-C2-2M	Proximity sensor, inductive, brass-nickel, short body, M12, non-shielded, 8mm, DC, 3-wire, PNP-NC, 2m prewired	35.87	133470	4536854918209			GE	I	CHN	8536.5080.90
E2A-M12KN08-WP-C3-2M	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 8 mm, DC, 4-wire, PNP-Antivalent(NO or NC), 2m Prewired	48.34	659315	4548583724495			GE	I	CHN	8536.5080.90
E2A-M12KN08-WP-D1-2M	Proximity sensor, inductive, brass-nickel, short body, M12, non-shielded, 8 mm, DC, 2-wire, NO, 2 m prewired	39.71	411116	4547648096102			GE	I	CHN	8536.5080.90
E2A-M12KS02-M1-B1	Proximity sensor, inductive, brass-nickel, short body, M12, shielded, 2mm, DC, 3-wire, PNP-NO, M12 connector	51.85	235819	4547648390453			GE	I	CHN	8536.5080.90
E2A-M12KS02-M1-B2	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 2 mm, DC, 3-wire, PNP-NC, M12 plug-in	37.95	659172	4548583723214			GE	I	CHN	8536.5080.90
E2A-M12KS02-WA-B1-5M	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 2 mm, DC, 3-wire, PNP-NO, 5 m Prewired PUR dia. 4 mm	68.90	654718	4548583743838			GE	I	CHN	8536.5080.90
E2A-M12KS02-WP-B1-2M	Proximity sensor, inductive, brass-nickel, short body, M12, shielded, 2 mm, DC, 3-wire, PNP-NO, 2 m prewired	39.84	235820	4547648390477			GE	I	CHN	8536.5080.90
E2A-M12KS02-WP-C1-2M	Proximity sensor, inductive, brass-nickel, short body, M12, shielded, 2mm, DC, 3-wire, PNP-NO, 2m prewired	39.84	244365	4547648524971			GE	I	CHN	8536.5080.90
E2A-M12KS04-M1-B1	Proximity sensor, inductive, brass-nickel, short body, M12, shielded, 4mm, DC, 3-wire, PNP-NO, M12 connector	27.39	103677	4536854918315	#		GE	I	CHN	8536.5080.90
E2A-M12KS04-M1-B1-20	Multi-pack E2A-M12KS04-M1-B1: 1 pcs. = 1 box of 20 pcs.	444.00	671541	4548583880726			GE	I	CHN	8536.5080.90
E2A-M12KS04-M1-B1-4	Proximity sensor, inductive, brass-nickel, short body, M12, shielded, 4 mm, DC, 3-wire, PNP-NO, 12 plug-in, gold-plated pins	48.00	368983	4548583333871			GE	I	CHN	8536.5080.90
E2A-M12KS04-M1-B2	Proximity sensor, inductive, brass-nickel, short body, M12, shielded, 4mm, DC, 3-wire, PNP-NC, M12 connector	27.39	133482	4536854918377			GE	I	CHN	8536.5080.90
E2A-M12KS04-M1-B3	Proximity sensor, inductive, brass-nickel, short body, M12, shielded, 4 mm, DC, 4-wire, PNP-Antivalent (NO+NC), M12 connector	48.51	244372	4547648525046	#		GE	I	CHN	8536.5080.90
E2A-M12KS04-M1-C1	Proximity sensor, inductive, brass-nickel, short body, M12, shielded, 4mm, DC, 3-wire, PNP-NO, M12 connector	27.39	133485	4536854918438			GE	I	CHN	8536.5080.90
E2A-M12KS04-M1-C1-20	Multi-pack E2A-M12KS04-M1-C1: 1 pcs. = 1 box of 20 pcs	445.50	671540	4548583880764			GE	I	CHN	8536.5080.90
E2A-M12KS04-M1-C2	Proximity sensor, inductive, brass-nickel, short body, M12, shielded, 4mm, DC, 3-wire, PNP-NC, M12 connector	27.39	133489	4536854918490			GE	I	CHN	8536.5080.90
E2A-M12KS04-M1-C3	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 4mm, DC, 4-wire, PNP-Antivalent (NO+NC), M12 plug-in	57.25	659309	4548583724471			GE	I	CHN	8536.5080.90
E2A-M12KS04-M1G-D1	Proximity sensor, inductive, brass-nickel, short body, M12, shielded, 4mm, DC, 2-wire, NO, M12 connector	47.72	659194	4548583723078			GE	I	CHN	8536.5080.90
E2A-M12KS04-M3-B1	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 4 mm, DC, 3-wire, PNP-NO, M8 4 pin plug-in	45.87	659187	4548583723108			GE	I	CHN	8536.5080.90
E2A-M12KS04-M5-B1	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 4 mm, DC, 3-wire, PNP-NO, M8 3 pin plug-in	51.85	659199	4548583722958			GE	I	CHN	8536.5080.90
E2A-M12KS04-WA-B1-5M	Proximity sensor, inductive, brass-nickel, short body, M12, shielded, 4 mm, DC, 3-wire, PNP-NO, 5 m PUR prewired	58.60	658905	4548583723016			GE	I	CHN	8536.5080.90
E2A-M12KS04-WP-B1-2M	Proximity sensor, inductive, brass-nickel, short body, M12, shielded, 4mm, DC, 3-wire, PNP-NO, 2m prewired	27.39	133537	4536854917707	#		GE	I	CHN	8536.5080.90
E2A-M12KS04-WP-B1-5M	Proximity sensor, inductive, brass-nickel, short body, M12, shielded, 4mm, DC, 3-wire, PNP-NO, 5m prewired	30.88	133447	4536854917820			GE	I	CHN	8536.5080.90
E2A-M12KS04-WP-B2-2M	Proximity sensor, inductive, brass-nickel, short body, M12, shielded, 4 mm, DC, 3-wire, PNP-NC, 2 m prewired	27.39	133451	4536854917950			GE	I	CHN	8536.5080.90
E2A-M12KS04-WP-B2-5M	Proximity sensor, inductive, brass-nickel, short body, M12, shielded, 4 mm, DC, 3-wire, PNP-NC, 5 m prewired	29.40	133456	4536854918018			GE	I	CHN	8536.5080.90
E2A-M12KS04-WP-B3-2M	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 4mm, DC, 4-wire, PNP-Antivalent (NO or NC), 2m Prewired	48.51	659337	4548583724235			GE	I	CHN	8536.5080.90
E2A-M12KS04-WP-C1-2M	Proximity sensor, inductive, brass-nickel, short body, M12, shielded, 4mm, DC, 3-wire, PNP-NO, 2m prewired	27.39	133461	4536854918070			GE	I	CHN	8536.5080.90
E2A-M12KS04-WP-C2-2M	Proximity sensor, inductive, brass-nickel, short body, M12, shielded, 4mm, DC, 3-wire, PNP-NC, 2m prewired	27.39	133469	4536854918193			GE	I	CHN	8536.5080.90
E2A-M12KS04-WP-C3-2M	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 4 mm, DC, 4-wire, PNP-Antivalent (NO+NC), 2m Prewired	39.59	659336	4548583724457			GE	I	CHN	8536.5080.90
E2A-M12KS04-WP-D1-2M	Proximity sensor, inductive, brass-nickel, short body, M12, shielded, 4 mm, DC, 2-wire, NO, 2 m prewired	33.32	232068	4547648096096	#		GE	I	CHN	8536.5080.90
E2A-M12KS04-WP-D2-2M	Proximity sensor, inductive, brass-nickel, short body, M12, shielded, 4 mm, DC, 2-wire, NC, 2 m prewired	37.32	411120	4547648096188	#		GE	I	CHN	8536.5080.90
E2A-M12LN05-M1-B1	Proximity sensor, inductive, brass-nickel, long body, M12, non-shielded, 5 mm, DC, 3-wire, PNP-NO, M12 connector	39.35	244362	4547648520089			GE	I	CHN	8536.5080.90
E2A-M12LN05-M1-B1-TP	Proximity sensor, inductive, brass-nickel, long body, M12, non-shielded, 5 mm, DC, 3-wire, PNP-NO, M12 connector, including washer	42.33	658605	4548583722873	#		GE	I	CHN	8536.5080.90
E2A-M12LN05-WP-B1-TP 5M	Proximity sensor, inductive, brass-nickel, long body, M12, non-shielded, 5 mm, DC, 3-wire, PNP-NO, 5 m prewired, including washer	41.33	232412	4547648340571			GE	I	CHN	8536.5080.90
E2A-M12LN08-M1-B1	Proximity sensor, inductive, brass-nickel, long body, M12, non-shielded, 8mm, DC, 3-wire, PNP-NO, M12 connector	35.87	133399	4536854950377			GE	I	CHN	8536.5080.90
E2A-M12LN08-M1-B2	Proximity sensor, inductive, nickel-brass, long body, M12, non-shielded, 8mm, DC, 3-wire, PNP-NC, M12 connector	30.88	152246	4536854950384			GE	I	CHN	8536.5080.90
E2A-M12LN08-M1-B3	Proximity sensor, inductive, nickel-brass, long body, M12, unshielded, 8 mm, DC, 4-wire, PNP-Antivalent (NO+NC), M12 plug-in	60.10	659329	4548583724259			GE	I	CHN	8536.5080.90
E2A-M12LN08-M1-C1	Proximity sensor, inductive, brass-nickel, long body, M12, non-shielded, 8mm, DC, 3-wire, PNP-NO, M12 connector	35.87	133400	4536854950391			GE	I	CHN	8536.5080.90
E2A-M12LN08-M1-C2	Proximity sensor, inductive, nickel-brass, long body, M12, unshielded, 8 mm, DC, 3-wire, PNP-Antivalent (NO+NC), M12 plug-in	46.29	667851	4548583724501			GE	I	CHN	8536.5080.90
E2A-M12LN08-WP-B1-2M	Proximity sensor, inductive, brass-nickel, long body, M12, non-shielded, 8mm, DC, 3-wire, PNP-NO, 2m prewired	29.88	133402	4536854950414			GE	I	CHN	8536.5080.90
E2A-M12LN08-WP-B1-5M	Proximity sensor, inductive, brass-nickel, long body, M12, non-shielded, 8mm, DC, 3-wire, PNP-NO, 5m prewired	30.88	133403	4536854950421			GE	I	CHN	8536.5080.90
E2A-M12LN08-WP-B3-2M	Proximity sensor, inductive, nickel-brass, long body, M12, unshielded, 8 mm, DC, 4-wire, PNP-Antivalent (NO+NC), 2 m cable	48.24	659317	4548583724365			GE	I	CHN	8536.5080.90
E2A-M12LN08-WP-C1-2M	Proximity sensor, inductive, brass-nickel, long body, M12, non-shielded, 8mm, DC, 3-wire, PNP-NO, 2m prewired	29.88	133405	4536854950452			GE	I	CHN	

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Data sheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
E2A-M12LS02-WP-B1-TP 5M	Proximity sensor, inductive, brass-nickel, long body, M12, shielded, 2 mm, DC, 3-wire, PNP-NO, 5 m prewired, including washer	31.73	244366	4547648524988			GE	I	CHN	8536.5080.90
E2A-M12LS04-M1-B1	Proximity sensor, inductive, brass-nickel, long body, M12, shielded, 4 mm, DC, 3-wire, PNP-NO, M12 connector	29.88	155292	4536854950506	#		GE	I	CHN	8536.5080.90
E2A-M12LS04-M1-B1-20	Multi-pack E2A-M12LS04-M1-B1: 1pcs. = 1 box of 20 pcs.	474.40	671538	4548583724549			GE	I	CHN	8536.5080.90
E2A-M12LS04-M1-B2	Proximity sensor, inductive, brass-nickel, long body, M12, shielded, 4 mm, DC, 4-wire, PNP-NC, M12 connector	38.86	143546	4536854950513			GE	I	CHN	8536.5080.90
E2A-M12LS04-M1-B3	Proximity sensor, inductive, brass-nickel, long body, M12, shielded, 4 mm, DC, 3-wire, PNP-NC, M12 connector	50.25	244373	4547648525053	#		GE	I	CHN	8536.5080.90
E2A-M12LS04-M1-C1	Proximity sensor, inductive, brass-nickel, long body, M12, shielded, 4 mm, DC, 3-wire, PNP-NO, M12 connector	29.88	154478	4536854950520			GE	I	CHN	8536.5080.90
E2A-M12LS04-M1-C3	Proximity sensor, inductive, nickel-brass, long body, M12, shielded, 4 mm, DC, 4-wire, PNP-Antivalent (NO+NC), M12 plug-in	51.00	659311	4548583724454			GE	I	CHN	8536.5080.90
E2A-M12LS04-M3-B1	Proximity sensor, inductive, brass-nickel, long body, M12, shielded, 4 mm, DC, 3-wire, PNP-NO, M12 connector	64.10	659217	4548583723245			GE	I	CHN	8536.5080.90
E2A-M12LS04-WP-B1 2M	Proximity sensor, inductive, brass-nickel, long body, M12, shielded, 4 mm, DC, 3-wire, PNP-NO, 2m prewired	29.88	133409	4536854950544	#		GE	I	CHN	8536.5080.90
E2A-M12LS04-WP-B1 5M	Proximity sensor, inductive, brass-nickel, long body, M12, shielded, 4 mm, DC, 3-wire, PNP-NO, 5m prewired	24.90	133410	4536854950568			GE	I	CHN	8536.5080.90
E2A-M12LS04-WP-B2 2M	Proximity sensor, inductive, brass-nickel, long body, M12, shielded, 4 mm, DC, 3-wire, PNP-NC, 2m prewired	31.98	133411	4536854950575			GE	I	CHN	8536.5080.90
E2A-M12LS04-WP-B3 2M	Proximity sensor, inductive, nickel-brass, long body, M12, shielded, 4 mm, DC, 4-wire, PNP-Antivalent (NO+NC), 2 m cable	53.10	659321	4548583724358			GE	I	CHN	8536.5080.90
E2A-M12LS04-WP-C1 2M	Proximity sensor, inductive, brass-nickel, long body, M12, shielded, 4 mm, DC, 3-wire, PNP-NO, 2 m prewired	29.88	133413	4536854950599			GE	I	CHN	8536.5080.90
E2A-M12LS04-WP-C2 2M	Proximity sensor, inductive, brass-nickel, long body, M12, shielded, 4 mm, DC, 3-wire, PNP-NC, 2m cable	31.98	133415	4536854950612			GE	I	CHN	8536.5080.90
E2A-M12LS04-WP-C3 2M	Proximity sensor, inductive, nickel-brass, long body, M12, shielded, 4 mm, DC, 4-wire, PNP-Antivalent (NO+NC), 2 m cable	76.75	659339	4548583724440			GE	I	CHN	8536.5080.90
E2A-M12LS04-WP-D1 2M	Proximity sensor, inductive, nickel-brass, long body, M12, shielded, 4 mm, DC, 2-wire, NO, 2 m prewired	21.82	411126	4547648096249			GE	I	CHN	8536.5080.90
E2A-M12LS04-WP-D2 2M	Proximity sensor, inductive, nickel-brass, long body, M12, shielded, 4 mm, DC, 2-wire, NC, 2m prewired	22.59	411132	4547648096300			GE	I	CHN	8536.5080.90
E2A-M18KN16-M1-B1	Proximity sensor, inductive, brass-nickel, short body, M18, non-shielded, 16mm, DC, 3-wire, PNP-NO, M12 connector	34.86	133479	4536854918346			GE	I	CHN	8536.5080.90
E2A-M18KN16-M1-B1-20	Multi-pack E2A-M18KN16-M1-B1: 1pcs. = 1 box of 20 pcs.	665.50	671539	4548583880795			GE	I	CHN	8536.5080.90
E2A-M18KN16-M1-B2	Proximity sensor, inductive, brass-nickel, short body, M18, non-shielded, 16mm, DC, 3-wire, PNP-NC, M12 connector	40.32	142538	4536854918407			GE	I	CHN	8536.5080.90
E2A-M18KN16-M1-B3	Proximity sensor, inductive, brass-nickel, short body, M18, non-shielded, 16 mm, DC, 4-wire, PNP-Antivalent (NO+NC), M12 connector	49.34	244374	4547648525060			GE	I	CHN	8536.5080.90
E2A-M18KN16-M1-C1	Proximity sensor, inductive, brass-nickel, short body, M18, non-shielded, 16mm, DC, 3-wire, PNP-NO, M12 connector	34.86	133487	4536854918469			GE	I	CHN	8536.5080.90
E2A-M18KN16-WP-B1 2M	Proximity sensor, inductive, brass-nickel, short body, M18, non-shielded, 16mm, DC, 3-wire, PNP-NO, 2m prewired	33.32	133444	4536854917783			GE	I	CHN	8536.5080.90
E2A-M18KN16-WP-B1 5M	Proximity sensor, inductive, brass-nickel, short body, M18, non-shielded, 16mm, DC, 3-wire, PNP-NO, 5m prewired	33.32	133449	4536854917899			GE	I	CHN	8536.5080.90
E2A-M18KN16-WP-B2 2M	Proximity sensor, inductive, brass-nickel, short body, M18, non-shielded, 16mm, DC, 3-wire, PNP-NC, 2m prewired	33.32	133453	4536854917981			GE	I	CHN	8536.5080.90
E2A-M18KN16-WP-B3 2M	Proximity sensor, inductive, nickel-brass, short body, M18, non-shielded, 16mm, DC, 4-wire, PNP-Antivalent (NO+NC), 2m Prewired	53.10	659328	4548583724396			GE	I	CHN	8536.5080.90
E2A-M18KN16-WP-C1 2M	Proximity sensor, inductive, brass-nickel, short body, M18, non-shielded, 16mm, DC, 3-wire, PNP-NO, 2m prewired	33.32	133463	4536854918100			GE	I	CHN	8536.5080.90
E2A-M18KN16-WP-D1 2M	Proximity sensor, inductive, brass-nickel, short body, M18, non-shielded, 16 mm, DC, 2-wire, NO, 2 m prewired	43.56	411117	4547648096133			GE	I	CHN	8536.5080.90
E2A-M18KS05-M1-B1	Proximity sensor, inductive, brass-nickel, short body, M18, shielded, 5 mm, DC, 3-wire, PNP-NO, M12 connector	56.80	244367	4547648524995			GE	I	CHN	8536.5080.90
E2A-M18KS05-WP-B1 2M	Proximity sensor, inductive, brass-nickel, short body, M18, shielded, 5mm, DC, 3-wire, PNP-NO, 2m prewired	43.56	235823	4547648390538			GE	I	CHN	8536.5080.90
E2A-M18KS08-M1-B1	Proximity sensor, inductive, brass-nickel, short body, M18, shielded, 8mm, DC, 3-wire, PNP-NO, M12 connector	34.86	143612	4536854918339	#		GE	I	CHN	8536.5080.90
E2A-M18KS08-M1-B1-20	Multi-pack E2A-M18KS08-M1-B1: 1 pcs. = 1 box of 20 pcs.	583.50	671534	4548583880757			GE	I	CHN	8536.5080.90
E2A-M18KS08-M1-B1-S	Proximity sensor, inductive, brass-nickel, short body, M18, shielded, 8 mm, DC, 3-wire, PNP-NO, M12	57.25	247421	4547648570251			GE	I	CHN	8536.5080.90
E2A-M18KS08-M1-B2	Proximity sensor, inductive, brass-nickel, short body, M18, shielded, 8mm, DC, 3-wire, PNP-NC, M12 connector	34.86	144793	4536854918391			GE	I	CHN	8536.5080.90
E2A-M18KS08-M1-B3	Proximity sensor, inductive, brass-nickel, short body, M18, shielded, 8mm, DC, 4-wire, PNP-Antivalent (NO+NC), M12 connector	64.70	242078	4547648475037			GE	I	CHN	8536.5080.90
E2A-M18KS08-M1-C1	Proximity sensor, inductive, brass-nickel, short body, M18, shielded, 8mm, DC, 3-wire, PNP-NO, M12 connector	34.86	152470	4536854918452	#		GE	I	CHN	8536.5080.90
E2A-M18KS08-M1-C2	Proximity sensor, inductive, brass-nickel, short body, M18, shielded, 8mm, DC, 3-wire, PNP-NC, M12 connector	34.86	153536	4536854918506			GE	I	CHN	8536.5080.90
E2A-M18KS08-M1-C3	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 8 mm, DC, 4-wire, PNP-Antivalent (NO+NC), M12 plug-in	75.45	659312	4548583724556			GE	I	CHN	8536.5080.90
E2A-M18KS08-M1G-D1	Proximity sensor, inductive, brass-nickel, short body, M18, shielded, 8mm, DC, 2-wire, NO, M12 connector	51.50	659161	4548583723061			GE	I	CHN	8536.5080.90
E2A-M18KS08-M3-B1	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 8mm, DC, 3-wire, PNP-NO, M8 4 pin plug-in	56.55	659208	4548583723160			GE	I	CHN	8536.5080.90
E2A-M18KS08-M5-B1	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 8 mm, DC, 3-wire, PNP-NO, M8 3 pin plug-in	56.00	659164	4548583722965			GE	I	CHN	8536.5080.90
E2A-M18KS08-WP-B1 10M	Proximity sensor, inductive, brass-nickel, short body, M18, shielded, 8mm, DC, 3-wire, PNP-NO, 10m prewired	38.16	168103	4547648026291			GE	I	CHN	8536.5080.90
E2A-M18KS08-WP-B1 2M	Proximity sensor, inductive, brass-nickel, short body, M18, shielded, 8mm, DC, 3-wire, PNP-NO, 2m prewired	33.32	133539	4536854917769	#		GE	I	CHN	8536.5080.90
E2A-M18KS08-WP-B1 5M	Proximity sensor, inductive, brass-nickel, short body, M18, shielded, 8mm, DC, 3-wire, PNP-NO, 5m prewired	37.32	145881	4536854917875			GE	I	CHN	8536.5080.90
E2A-M18KS08-WP-B2 2M	Proximity sensor, inductive, brass-nickel, short body, M18, shielded, 8mm, DC, 3-wire, PNP-NC, 2m prewired	33.32	103675	4536854917974			GE	I	CHN	8536.5080.90
E2A-M18KS08-WP-B2 5M	Proximity sensor, inductive, brass-nickel, short body, M18, shielded, 8mm, DC, 3-wire, PNP-NC, 5m prewired	37.32	133458	4536854918032			GE	I	CHN	8536.5080.90
E2A-M18KS08-WP-B3 2M	Proximity sensor, inductive, brass-nickel, short body, M18, shielded, 8mm, DC, 4-wire, PNP-Antivalent (NO+NC), 2m prewired	53.50	244361	4547648520072			GE	I	CHN	8536.5080.90
E2A-M18KS08-WP-B3 5M	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 8 mm, DC, 4-wire, PNP-Antivalent (NO+NC), 2 m cable	53.50	659322	4548583724310			GE	I	CHN	8536.5080.90
E2A-M18KS08-WP-C1 2M	Proximity sensor, inductive, brass-nickel, short body, M18, shielded, 8mm, DC, 3-wire, PNP-NO, 2m prewired	33.32	133462	4536854918094			GE	I	CHN	8536.5080.90
E2A-M18KS08-WP-C2 2M	Proximity sensor, inductive, brass-nickel, short body, M18, shielded, 8mm, DC, 3-wire, PNP-NC, 2m prewired	42.33	133471	4536854918216			GE	I	CHN	8536.5080.90
E2A-M18KS08-WP-C3 2M	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 8 mm, DC, 4-wire, PNP-Antivalent (NO+NC), 2m Prewired	81.45	659310	4548583724232			GE	I	CHN	8536.5080.90
E2A-M18KS08-WP-D1 2M	Proximity sensor, inductive, brass-nickel, short body, M18, shielded, 8mm, DC, 2-wire, NO, 2m prewired	39.84	232069	4547648096126			GE	I	CHN	8536.5080.90
E2A-M18KS08-WP-D1 5M	https://industrial.omron.com.tr/tr/products/e2a	40.32	299337	4547648096959			GE	I	CHN	8536.5080.90
E2A-M18KS08-WP-D2 2M	Proximity sensor, inductive, brass-nickel, short body, M18, shielded, 8 mm, DC, 2-wire, NC, 2 m prewired	38.21	411122	4547648096201			GE	I	CHN	8536.5080.90
E2A-M18LN10-WP-B1-TP 5M	Proximity sensor, inductive, brass-nickel, long body, M18, non-shielded, 10 mm, DC, 3-wire, PNP-NO, 5 m cable, including washer	60.20	659205	4548583723313			GE	I	CHN	8536.5080.90
E2A-M18LN16-M1-B1	Proximity sensor, inductive, brass-nickel, long body, M18, non-shielded, 16mm, DC, 3-wire, PNP-NO, M12 connector	60.20	133417	4536854950636			GE	I	CHN	8536.5080.90
E2A-M18LN16-M1-B2	Proximity sensor, inductive, brass-nickel, long body, M18, non-shielded, 16mm, DC, 3-wire, PNP-NC, M12 connector	35.87	144580	4536854950643			GE	I	CHN	8536.5080.90
E2A-M18LN16-M1-B3	Proximity sensor, inductive, nickel-brass, long body, M18, unshielded, 16 mm, DC, 4-wire, PNP-Antivalent (NO+NC), M12 plug-in	47.72	659330	4548583724273			GE	I	CHN	8536.5080.90
E2A-M18LN16-M1-C1	Proximity sensor, inductive, brass-nickel, long body, M18, non-shielded, 16mm, DC, 3-wire, PNP-NO, M12 connector	40.32	133418	4536854950650			GE	I	CHN	8536.5080.90
E2A-M18LN16-M1-C2	Proximity sensor, inductive, brass-nickel, long body, M18, shielded, 16mm, DC, 3-wire, PNP-NC, M12 plug-in	36.92	133419	4536854950667			GE	I	CHN	8536.5080.90
E2A-M18LN16-WP-B1 2M	Proximity sensor, inductive, brass-nickel, long body, M18, non-shielded, 16mm, DC, 3-wire, PNP-NO, 2m prewired	36.99	149970	4536854950674			GE	I	CHN	8536.5080.90
E2A-M18LN16-WP-B2 2M	Proximity sensor, inductive, brass-nickel, long body, M18, non-shielded, 16 mm, DC, 3-wire, PNP-NC, 2 m cable	38.58	103537	4536854950698			GE	I	CHN	8536.5080.90
E2A-M18LN16-WP-C1 2M	Proximity sensor, inductive, brass-nickel, long body, M18, non-shielded, 16mm, DC, 3-wire, PNP-NO, 2m prewired	36.99	133422	4536854950711			GE	I	CHN	8536.5080.90
E2A-M18LN16-WP-C2 2M	Proximity sensor, inductive, brass-nickel, long body, M18, non-shielded, 16mm, DC, 3-wire, PNP-NC, 2m cable	38.58	157867	4536854950735			GE	I	CHN	8536.5080.90
E2A-M18LS05-M1-B1	Proximity sensor, inductive, brass-nickel, long body, M18, shielded, 5 mm, DC, 3-wire, PNP-NO, M12 connector	47.72	244368	4547648525008			GE	I	CHN	8536.5080.90
E2A-M18LS05-M1-B2	Proximity sensor, inductive, brass-nickel, long body, M18, shielded, 8mm, DC, 3-wire, PNP-NO, M12 connector	41.96	104288	4536854950759			GE	I	CHN	8536.5080.90
E2A-M18LS05-M1-B3	Proximity sensor, inductive, brass-nickel, long body, M18, shielded, 8mm, DC, 3-wire, PNP-NC, M12 connector	45.21	146851	4536854950766			GE	I	CHN	8536.5080.90
E2A-M18LS05-M1-C1	Proximity sensor, inductive, brass-nickel, long body, M18, shielded, 8mm, DC, 4-wire, PNP-Antivalent (NO+NC), M12 connector	56.80	244375	4547648525077	#		GE	I	CHN	8536.5080.90
E2A-M18LS05-M1-C2	Proximity sensor, inductive, brass-nickel, long body, M18, shielded, 8mm, DC, 3-wire, PNP-NO, M12 connector	41.96	133425	4536854950773			GE	I	CHN	8536.5080.90
E2A-M18LS05-M1-C3	Proximity sensor, inductive, nickel-brass, long body, M18, shielded, 8mm, DC, 3-wire, PNP-NC, M12 plug-in	44.80	133426	4536854950780			GE	I	CHN	8536.5080.90
E2A-M18LS08-M3-B1	Proximity sensor, inductive, brass, M18, long body, shielded, 8 mm, DC, PNP, NO, M8 4-pin connector	71.05	667845	4548583724549			GE	I	CHN	8536.5080.90
E2A-M18LS08-WP-B1 2M	Proximity sensor, inductive, brass-nickel, long body, M18, shielded, 8mm, DC, 3-wire, PNP-NO, 2m prewired	64.20	659631	4548583723867			GE	I	CHN	8536.5080.90
E2A-M18LS08-WP-B1 5M	Proximity sensor, inductive, brass-nickel, long body, M18, shielded, 8mm, DC, 3-wire, PNP-NO, 5m prewired	36.40	133427	4536854950797						

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Daheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
E2A-M18LS08-WP-C3 2M	Proximity sensor, inductive, nickel-brass, long body, M18, shielded, 8 mm, DC, 3-wire, NPN-Antivalent (NO+NC), 2 m cable	90.00	667860	4548583724525			GE	I	CHN	8536.5080.90
E2A-M18LS08-WP-D1 2M	Proximity sensor, inductive, brass-nickel, long body, M18, shielded, 8 mm, DC, 3-wire, NO, 2 m prewired	43.56	411128	4547648096263	#		GE	I	CHN	8536.5080.90
E2A-M18LS08-WP-D2 2M	Proximity sensor, inductive, nickel-brass, long body, M18, shielded, 8 mm, DC, 2-wire, NC, 2 m prewired	36.27	411134	4547648096324			GE	I	CHN	8536.5080.90
E2A-M18LS08-WS-B1 M01	Box M18, 8 mm, shield, PNP with circular plug connector for Automotive Industry, Replacement for TL38MF1-M01	70.50	667328	4548583030085			GE	I	CHN	8536.5080.90
E2A-M30KN20-M1-B1	Proximity sensor, inductive, brass-nickel, short body, M30, non-shielded, 20mm, DC, 3-wire, PNP-NO, M12 connector	49.34	145919	4536854939136			GE	I	CHN	8536.5080.90
E2A-M30KN20-M1-C1	Proximity sensor, inductive, brass-nickel, short body, M30, non-shielded, 20mm, DC, 3-wire, PNP-NO, M12 connector	49.34	154444	4536854939112			GE	I	CHN	8536.5080.90
E2A-M30KN20-WP-B1 2M	Proximity sensor, inductive, brass-nickel, short body, M30, non-shielded, 20mm, DC, 3-wire, PNP-NO, 2m prewired	44.20	133397	4536854939051			GE	I	CHN	8536.5080.90
E2A-M30KN20-WP-B1 5M	Proximity sensor, inductive, brass-nickel, short body, M30, non-shielded, 20mm, DC, 3-wire, PNP-NO, 5m prewired	47.27	145918	4536854939099			GE	I	CHN	8536.5080.90
E2A-M30KN20-WP-B2 2M	Proximity sensor, inductive, brass-nickel, short body, M30, non-shielded, 20 mm, DC, 3-wire, PNP-NC, 2 m cable	45.21	147933	4536854939044			GE	I	CHN	8536.5080.90
E2A-M30KN20-WP-C1 2M	Proximity sensor, inductive, brass-nickel, short body, M30, non-shielded, 20 mm, DC, 3-wire, PNP-NO, 2 m prewired	44.80	133396	4536854939037			GE	I	CHN	8536.5080.90
E2A-M30KN20-WP-C3 2M	Proximity sensor, inductive, nickel-brass, short body, M30 unshielded, 20mm, DC, 4-wire, NPN-Antivalent (NO+NC), 2m Prewired	73.20	659318	4548583724655			GE	I	CHN	8536.5080.90
E2A-M30KN20-WP-D1 2M	Proximity sensor, inductive, nickel-brass, M30, unshielded, 20mm, DC, 2 wire, NO, 2m prewired	49.79	411119	4547648096171			GE	I	CHN	8536.5080.90
E2A-M30KN20-WP-D2 2M	Proximity sensor, inductive, nickel-brass, M30, unshielded, 20mm, DC, 2 wire, NC, 2m Prewired	49.46	411125	4547648096232			GE	I	CHN	8536.5080.90
E2A-M30KSI0-WP-B1 2M	Proximity sensor, inductive, brass, M30, shielded, 10 mm, DC, PNP, NO, 2 m PVC cable	61.80	659621	4548583723757			GE	I	CHN	8536.5080.90
E2A-M30KSI0-WP-B3 10M	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 10mm, DC, 4-wire, PNP-antivalent (NO+NC), 10 m cable	93.60	659307	4548583724730			GE	I	CHN	8536.5080.90
E2A-M30KSI5-M1-B1	Proximity sensor, inductive, brass-nickel, short body, M30, shielded, 15mm, DC, 3-wire, PNP-NO, M12 connector	49.79	133480	4536854918353			GE	I	CHN	8536.5080.90
E2A-M30KSI5-M1-B2	Proximity sensor, inductive, brass-nickel, short body, M30, shielded, 15mm, DC, 3-wire, PNP-NC, M12 connector	49.34	133483	4536854918414			GE	I	CHN	8536.5080.90
E2A-M30KSI5-M1-B3	Proximity sensor, inductive, brass-nickel, short body, M30, shielded, 15mm, DC, 4-wire, PNP-Antivalent (NO+NC), M12 connector	65.60	244376	4547648525084			GE	I	CHN	8536.5080.90
E2A-M30KSI5-M1-C1	Proximity sensor, inductive, brass-nickel, short body, M30, shielded, 15mm, DC, 3-wire, PNP-NO, M12 connector	49.79	143613	4536854918476			GE	I	CHN	8536.5080.90
E2A-M30KSI5-WP-B1 10M	Inductive sensor, brass, M30, Sns-15 mm, shielded, short body, NO, 10 m PVC cable	56.40	171615	4547648096165			GE	I	CHN	8536.5080.90
E2A-M30KSI5-WP-B1 2M	Proximity sensor, inductive, brass-nickel, short body, M30, shielded, 15mm, DC, 3-wire, PNP-NO, 2m prewired	44.80	133445	4536854917790			GE	I	CHN	8536.5080.90
E2A-M30KSI5-WP-B1 5M	Proximity sensor, inductive, brass-nickel, short body, M30, shielded, 15 mm, DC, 3-wire, PNP-NO, 5m prewired	47.72	133450	4536854917912			GE	I	CHN	8536.5080.90
E2A-M30KSI5-WP-B2 2M	Proximity sensor, inductive, brass-nickel, short body, M30, shielded, 15 mm, DC, 3-wire, PNP-NC, 2 m prewired	48.12	133454	4536854917998			GE	I	CHN	8536.5080.90
E2A-M30KSI5-WP-B3 10M	Proximity sensor, inductive, nickel-brass, long body, M30, shielded, 15 mm, DC, 4-wire, PNP-Antivalent (NO+NC), 10 m cable	113.90	659301	4548583724877			GE	I	CHN	8536.5080.90
E2A-M30KSI5-WP-B3 2M	Proximity sensor, inductive, nickel-brass, short body, M30 shielded, 15 mm, DC, 4-wire, PNP-Antivalent (NO+NC), 2 m cable	62.25	659304	4548583724402			GE	I	CHN	8536.5080.90
E2A-M30KSI5-WP-C1 2M	Proximity sensor, inductive, brass-nickel, short body, M30, shielded, 15 mm, DC, 3-wire, PNP-NO, 2 m prewired	44.80	133464	4536854918117			GE	I	CHN	8536.5080.90
E2A-M30KSI5-WP-C2 2M	Proximity sensor, inductive, brass-nickel, short body, M30, shielded, 15 mm, DC, 3-wire, PNP-NC, 2 m prewired	48.51	149131	4536854918230			GE	I	CHN	8536.5080.90
E2A-M30KSI5-WP-D1 2M	Proximity sensor, inductive, brass-nickel, short body, M30, shielded, 15 mm, DC, 2-wire, NO, 2m prewired	51.85	411118	4547648096164			GE	I	CHN	8536.5080.90
E2A-M30KSI5-WP-D2 2M	Proximity sensor, inductive, nickel-brass, M30, shielded, 15mm, DC, 2 wire, NC, 2m prewired	48.60	411124	4547648096225			GE	I	CHN	8536.5080.90
E2A-M30KSI5-WS-C1 2M	Proximity sensor, inductive, brass-nickel, short body, M30, shielded, 15 mm, DC, 3-wire, PNP-NO, 2 m cable PVC dia. 6 mm	55.95	659192	4548583723320			GE	I	CHN	8536.5080.90
E2A-M30LN30-M1-B1	Proximity sensor, inductive, brass-nickel, long body, M30, non-shielded, 30mm, DC, 3-wire, PNP-NO, M12 connector	53.50	133481	4536854918360			GE	I	CHN	8536.5080.90
E2A-M30LN30-M1-B2	Proximity sensor, inductive, brass-nickel, long body, M30, non-shielded, 30 mm, DC, 3-wire, PNP-NC, M12 plug-in	52.70	133484	4536854918421			GE	I	CHN	8536.5080.90
E2A-M30LN30-M1-B3	Proximity sensor, inductive, nickel-brass, long body, M30, unshielded, 30 mm, DC, 4-wire, PNP-Antivalent (NO+NC), M12 plug-in	73.50	659314	4548583724297	#		GE	I	CHN	8536.5080.90
E2A-M30LN30-M1-C1	Proximity sensor, inductive, brass-nickel, long body, M30, non-shielded, 30 mm, DC, 3-wire, PNP-NO, M12 plug-in	53.50	133488	4536854918483			GE	I	CHN	8536.5080.90
E2A-M30LN30-M1-C2	Proximity sensor, inductive, brass-nickel, long body, M30, non-shielded, 30 mm, DC, 3-wire, PNP-NO, M12 plug-in	52.70	133491	4536854918544			GE	I	CHN	8536.5080.90
E2A-M30LN30-WP-B1 2M	Proximity sensor, inductive, brass-nickel, long body, M30, non-shielded, 30mm, DC, 3-wire, PNP-NO, 2m prewired	48.51	133446	4536854917813			GE	I	CHN	8536.5080.90
E2A-M30LN30-WP-B2 2M	Proximity sensor, inductive, brass-nickel, long body, M30, non-shielded, 30 mm, DC, 3-wire, PNP-NC, 2 m cable	43.98	133455	4536854918001			GE	I	CHN	8536.5080.90
E2A-M30LN30-WP-C1 2M	Proximity sensor, inductive, brass-nickel, long body, M30, non-shielded, 30 mm, DC, 3-wire, PNP-Antivalent (NO+NC), 2 m cable	54.95	667943	4548583724848			GE	I	CHN	8536.5080.90
E2A-M30LN30-WP-C2 2M	Proximity sensor, inductive, brass-nickel, long body, M30, non-shielded, 30 mm, DC, 3-wire, PNP-NO, 2 m prewired	48.51	144732	4536854918124			GE	I	CHN	8536.5080.90
E2A-M30LN30-WP-C3 2M	Proximity sensor, inductive, nickel-brass, long body, M30, unshielded, 30mm, DC, 3-wire, PNP-NC, 2m cable	43.13	151308	4536854918247			GE	I	CHN	8536.5080.90
E2A-M30LS15-M1-B1	Proximity sensor, inductive, brass-nickel, long body, M30, shielded, 15mm, DC, 3-wire, PNP-NO, M12 connector	53.50	133433	4536854950872	#		GE	I	CHN	8536.5080.90
E2A-M30LS15-M1-B2	Proximity sensor, inductive, brass-nickel, long body, M30, shielded, 15mm, DC, 3-wire, PNP-NO, M12 connector	53.50	133434	4536854950889			GE	I	CHN	8536.5080.90
E2A-M30LS15-M1-B3	Proximity sensor, inductive, brass-nickel, long body, M30, shielded, 15mm, DC, 4-wire, PNP-Antivalent (NO+NC), M12 connector	84.60	244377	4547648525091	#		GE	I	CHN	8536.5080.90
E2A-M30LS15-M1-C1	Proximity sensor, inductive, brass-nickel, long body, M30, shielded, 15 mm, DC, 3-wire, PNP-NO, M12 plug-in	53.50	133435	4536854950896			GE	I	CHN	8536.5080.90
E2A-M30LS15-WP-B1 2M	Proximity sensor, inductive, brass-nickel, long body, M30, shielded, 15mm, DC, 3-wire, PNP-NO, 2m prewired	49.79	142327	4536854950919	#		GE	I	CHN	8536.5080.90
E2A-M30LS15-WP-B1 5M	Proximity sensor, inductive, brass-nickel, long body, M30, shielded, 15mm, DC, 3-wire, PNP-NO, 5m prewired	48.51	133437	4536854950926			GE	I	CHN	8536.5080.90
E2A-M30LS15-WP-B2 2M	Proximity sensor, inductive, brass-nickel, long body, M30, shielded, 15mm, DC, 3-wire, PNP-NC, 2m prewired	48.12	133438	4536854950933			GE	I	CHN	8536.5080.90
E2A-M30LS15-WP-B3 5M	Proximity sensor, inductive, nickel-brass, long body, M30, shielded, 15 mm, DC, 4-wire, PNP-Antivalent (NO+NC), 5 m cable	63.45	659338	4548583724280			GE	I	CHN	8536.5080.90
E2A-M30LS15-WP-B3 2M	Proximity sensor, inductive, brass-nickel, long body, M30, shielded, 15 mm, DC, 4-wire, PNP-Antivalent (NO+NC), 5m prewired	86.70	242077	4547648475020			GE	I	CHN	8536.5080.90
E2A-M30LS15-WP-C1 2M	Proximity sensor, inductive, nickel-brass, long body, M30, shielded, 15mm, DC, 3-wire, PNP-NO, 2 m cable	49.79	133440	4536854950957			GE	I	CHN	8536.5080.90
E2A-M30LS15-WP-C2 2M	Proximity sensor, inductive, brass-nickel, long body, M30, shielded, 15mm, DC, 3-wire, PNP-NC, 2m cable	45.63	153443	4536854950971			GE	I	CHN	8536.5080.90
E2A-M30LS15-WP-C3 2M	Proximity sensor, inductive, nickel-brass, long body, M30, shielded, 15 mm, DC, 3-wire, PNP-Antivalent (NO+NC), 2 m cable	94.80	667854	4548583724600			GE	I	CHN	8536.5080.90
E2A-M30LS15-WP-D1 2M	Proximity sensor, inductive, nickel-brass, long body, M30, shielded, 15mm, DC, 2 wire, NO, 2m prewired	54.55	411130	4547648096287			GE	I	CHN	8536.5080.90
E2A-M30LS15-WP-D2 2M	Proximity sensor, inductive, nickel-brass, long body, M30, shielded, 15mm, DC, 2 wire, NC, 2m prewired	54.30	411136	4547648096348	#		GE	I	CHN	8536.5080.90
E2A-S08KN02-M1-B1	Proximity sensor, inductive, stainless steel, short body, M8, non-shielded, 2 mm, DC, 3-wire, PNP-NO, M12 4 pin plug-in	54.75	659182	4548583723535			GE	I	CHN	8536.5080.90
E2A-S08KN02-WP-B1 2M	Proximity sensor, inductive, stainless steel, short body, M8, non-shielded, 2 mm, DC, 3-wire, PNP-NO, 2 m cable	44.30	659181	4548583723627			GE	I	CHN	8536.5080.90
E2A-S08KN04-M1-B1	Proximity sensor, inductive, stainless steel, short body, M8, non-shielded, 4mm, DC, 3-wire, PNP-NO, M12 connector	40.86	183917	4547648162456	#		GE	I	CHN	8536.5080.90
E2A-S08KN04-M1-B2	Proximity sensor, inductive, stainless steel, short body, M8, non-shielded, 4 mm, DC, 3-wire, PNP-NC, M12 connector	37.46	401325	4547648162463			GE	I	CHN	8536.5080.90
E2A-S08KN04-M1-C1	Proximity sensor, inductive, stainless steel, short body, M8, non-shielded, 4mm, DC, 3-wire, PNP-NO, M12 connector	40.86	239506	4547648149266			GE	I	CHN	8536.5080.90
E2A-S08KN04-M1G-D1	Proximity sensor, inductive, stainless steel, M8, unshielded, 4mm, DC, N/O, 2 wire, M12 plug-in	75.15	659202	4548583723573			GE	I	CHN	8536.5080.90
E2A-S08KN04-M3-B1	Proximity sensor, inductive, stainless steel, short body, M8, unshielded, 4mm, DC, 3-wire, PNP-NO, M8 plug-in	54.75	659185	4548583723542			GE	I	CHN	8536.5080.90
E2A-S08KN04-M3-B2	Proximity sensor, inductive, stainless steel, short body, M8, non-shielded, 4 mm, DC, 3-wire, PNP-NC, M8 4 pin plug-in	54.80	659189	4548583723603			GE	I	CHN	8536.5080.90
E2A-S08KN04-M5-B1	Proximity sensor, inductive, stainless steel, short body, M8, non-shielded, 4mm, DC, 3-wire, PNP-NO, M8 connector	48.51	183894	4547648149273			GE	I	CHN	8536.5080.90
E2A-S08KN04-M5-B2	Proximity sensor, inductive, stainless steel, short body, M8, non-shielded, 4 mm, DC, 3-wire, PNP-NC, M8 connector	37.46	401326	4547648162487			GE	I	CHN	8536.5080.90
E2A-S08KN04-M5-C1	Proximity sensor, inductive, stainless steel, short body, M8, non-shielded, 4mm, DC, 3-wire, PNP-NO, M8 connector	48.51	183921	4547648162968			GE	I	CHN	8536.5080.90
E2A-S08KN04-WP-B1 2M	Proximity sensor, inductive, stainless steel, short body, M8, non-shielded, 4mm, DC, 3-wire, PNP-NO, 2m prewired	32.37	183895	4547648149280			GE	I	CHN	8536.5080.90
E2A-S08KN04-WP-B1 5M	Proximity sensor, inductive, stainless steel, short body, M8, non-shielded, 4 mm, DC, 3-wire, PNP-NO, 5 m prewired	38.56	401327	4547648162500			GE	I	CHN	8536.5080.90
E2A-S08KN04-WP-B2 2M	Proximity sensor, inductive, stainless steel, short body, M8, non-shielded, 4 mm, DC, 3-wire, PNP-NC, 2 m prewired	37.46	401328	4547648162517			GE	I	CHN	8536.5080.90
E2A-S08KN04-WP-C1 10M	Proximity sensor, inductive, stainless steel, short body, M8, non-shielded, 4 mm, DC, 3-wire, PNP-NO, 10 m prewired	53.50	234569	4547648390552			GE	I	CHN	8536.5080.90
E2A-S08KN04-WP-C1 2M	Proximity sensor, inductive, stainless steel, short body, M8, non-shielded, 4mm, DC, 3-wire, PNP-NO, 2m prewired	32.37	183926	4547648162531			GE	I	CHN	8536.5080.90
E2A-S08KN04-WP-C2 2M	Proximity sensor, inductive, stainless steel, short body, M8, non-shielded, 4mm, DC, 3-wire, PNP-NC, 2m Prewired	34.35	406770	4547648162555			GE	I	CHN	8536.5080.90
E2A-S08KN04-WP-D1 2M	Proximity sensor, inductive, stainless steel, M8, unshielded, 4mm, DC, 2 wire, 2m prewired	39.95	659196	4548583723580			GE	I	CHN	8536.5080.90
E2A-S08KN04-WP-D2 2M	Proximity sensor, inductive, stainless steel, short body, M8, non-shielded, 4 mm, DC, 2-wire, NC, 2 m cable	40.32	65919							



Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Daheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
E2A-S08K01-WP-B1-TP 5M	Proximity sensor, inductive, stainless steel, short body, M8, shielded, 1 mm, DC, 3-wire, PNP-NO, 5 m prewired, including washer	39.84	232413	4547648340588			GE	I	CHN	8536 5080 90
E2A-S08K01-WP-B2 2M	Proximity sensor, inductive, stainless steel, short body, M8, shielded, 1 mm, DC, 3-wire, PNP-NC, 2 m cable	42.33	659186	4548583729634			GE	I	CHN	8536 5080 90
E2A-S08K02-M1-B1	Proximity sensor, inductive, stainless steel, short body, M8, shielded, 2mm, DC, 3-wire, PNP-NO, M12 connector	34.86	183996	4547648149297	#		GE	I	CHN	8536 5080 90
E2A-S08K02-M1-B2	Proximity sensor, inductive, stainless steel, short body, M8, shielded, 2mm, DC, 3-wire, PNP-NO, M12 connector	34.86	183930	4547648162579			GE	I	CHN	8536 5080 90
E2A-S08K02-M1-C1	Proximity sensor, inductive, stainless steel, short body, M8, shielded, 2mm, DC, 3-wire, NPN-NO, M12 connector	34.86	183931	4547648162586			GE	I	CHN	8536 5080 90
E2A-S08K02-M1-C2	Proximity sensor, inductive, stainless steel, short body, M8, shielded, 2mm, DC, 3-wire, NPN-NO, M12 connector	34.86	406771	4547648162593			GE	I	CHN	8536 5080 90
E2A-S08K02-M3-B1	Proximity sensor, inductive, stainless steel, short body, M8, shielded, 2mm, DC, 3-wire, PNP-NO, M8 connector (4 pin)	40.32	242079	4547648475044			GE	I	CHN	8536 5080 90
E2A-S08K02-M3-B1-20	Multi-pack E2A-S08K02-M3-B1-1 pcs. = 1 box of 20 pcs.	561.00	671536	4548583880740			GE	I	CHN	8536 5080 90
E2A-S08K02-M3-B2	Proximity sensor, inductive, stainless steel, short body, M8, shielded, 2mm, DC, 3-wire, PNP-NC, M8 connector (4 pin)	41.00	244370	4547648525022			GE	I	CHN	8536 5080 90
E2A-S08K02-M3-C1	Proximity sensor, inductive, stainless steel, short body, M8, shielded, 2 mm, DC, 3-wire, NPN-NO, M8 4-pin plug-in	40.37	659227	4548583723511			GE	I	CHN	8536 5080 90
E2A-S08K02-M3-C1-20	Multi-pack E2A-S08K02-M3-C1-1 pcs. = 1 box of 20 pcs.	562.00	671537	4548583880788			GE	I	CHN	8536 5080 90
E2A-S08K02-M5-B1	Proximity sensor, inductive, stainless steel, short body, M8, shielded, 2mm, DC, 3-wire, PNP-NO, M8 connector (3 pin)	40.32	183933	4547648162609	#		GE	I	CHN	8536 5080 90
E2A-S08K02-M5-B2	Proximity sensor, inductive, stainless steel, short body, M8, shielded, 2mm, DC, 3-wire, PNP-NC, M8 connector (3 pin)	38.82	183934	4547648162616	#		GE	I	CHN	8536 5080 90
E2A-S08K02-M5-C1	Proximity sensor, inductive, stainless steel, short body, M8, shielded, 2mm, DC, 3-wire, NPN-NO, M8 connector (3 pin)	40.32	183997	4547648149303			GE	I	CHN	8536 5080 90
E2A-S08K02-M5-C2	Proximity sensor, inductive, stainless steel, short body, M8, shielded, 2mm, DC, 3-wire, NPN-NC, M8 connector (3 pin)	40.32	232021	4547648162623			GE	I	CHN	8536 5080 90
E2A-S08K02-WP-B1 10M	Proximity sensor, inductive, stainless steel, short body, M8, shielded, 2 mm, DC, 3-wire, PNP-NO, 10 m prewired	39.84	241819	4547648505529			GE	I	CHN	8536 5080 90
E2A-S08K02-WP-B1 2M	Proximity sensor, inductive, stainless steel, short body, M8, shielded, 2 mm, DC, 3-wire, PNP-NO, 2 m prewired	27.39	183936	4547648162630	#		GE	I	CHN	8536 5080 90
E2A-S08K02-WP-B1 5M	Proximity sensor, inductive, stainless steel, short body, M8, shielded, 2 mm, DC, 3-wire, PNP-NO, 5 m prewired	27.39	183937	4547648162647	#		GE	I	CHN	8536 5080 90
E2A-S08K02-WP-B2 2M	Proximity sensor, inductive, stainless steel, short body, M8, shielded, 2mm, DC, 3-wire, PNP-NC, 2m prewired	27.39	183938	4547648162654	#		GE	I	CHN	8536 5080 90
E2A-S08K02-WP-B2 5M	Proximity sensor, inductive, stainless steel, short body, M8, shielded, 2 mm, DC, 3-wire, PNP-NC, 5 m prewired	38.56	401329	4547648162661			GE	I	CHN	8536 5080 90
E2A-S08K02-WP-B2-1 0.2M	Proximity sensor, inductive, stainless steel, short body, M8, shielded, 2 mm, DC, 3-wire, PNP-NO, 200 mm M8 cable end connector (3 pole)	86.70	659912	4548583723030			GE	I	CHN	8536 5080 90
E2A-S08K02-WP-C1 2M	Proximity sensor, inductive, stainless steel, short body, M8, shielded, 2mm, DC, 3-wire, NPN-NO, 2m prewired	27.39	183988	4547648149327	#		GE	I	CHN	8536 5080 90
E2A-S08K02-WP-C2 2M	Proximity sensor, inductive, stainless steel, short body, M8, shielded, 2mm, DC, 3-wire, NPN-NO, 2m prewired	27.39	183941	4547648162685			GE	I	CHN	8536 5080 90
E2A-S08K02-WP-D1 2M	Proximity sensor, inductive, stainless steel, short body, M8, shielded, 2 mm, DC, 2-wire, NO, 2 m prewired	39.35	656810	4548583722910	#		GE	I	CHN	8536 5080 90
E2A-S08K02-WP-D2 2M	Proximity sensor, inductive, stainless steel, short body, M8, shielded, 2mm, DC, 2-wire, NC, 2m prewired	45.21	659911	4548583722996			GE	I	CHN	8536 5080 90
E2A-S08LN04-M1-B1	Proximity sensor, inductive, stainless steel, long body, M8, non-shielded, 4mm, DC, 3-wire, PNP-NO, M12 connector	47.72	183999	4547648149334	#		GE	I	CHN	8536 5080 90
E2A-S08LN04-M1-C1	Proximity sensor, inductive, stainless steel, long body, M8, non-shielded, 4 mm, DC, 3-wire, NPN-NO, M12 plug-in	47.72	406773	4547648162715			GE	I	CHN	8536 5080 90
E2A-S08LN04-M1-C2	Proximity sensor, inductive, stainless steel, long body, M8, non-shielded, 4mm, DC, 3-wire, NPN-NC, M12 plug-in	39.76	406774	4547648162722			GE	I	CHN	8536 5080 90
E2A-S08LN04-M3-B3	Proximity sensor, inductive, stainless steel, long body, M8, unshielded, 4 mm, DC, 4-wire, PNP-Antivalent (NO+NC), M8 4pin plug-in	68.55	667839	4548583724914			GE	I	CHN	8536 5080 90
E2A-S08LN04-M5-B1	Proximity sensor, inductive, stainless steel, long body, M8, non-shielded, 4mm, DC, 3-wire, PNP-NO, M8 connector(3 pin)	40.86	183946	4547648162739			GE	I	CHN	8536 5080 90
E2A-S08LN04-M5-C1	Proximity sensor, inductive, stainless steel, long body, M8, non-shielded, 4mm, DC, 3-wire, NPN-NO, M8 connector(3 pin)	40.86	183900	4547648149341			GE	I	CHN	8536 5080 90
E2A-S08LN04-WP-B1 2M	Proximity sensor, inductive, stainless steel, long body, M8, non-shielded, 4mm, DC, 3-wire, PNP-NO, 2m prewired	38.82	183949	4547648162760			GE	I	CHN	8536 5080 90
E2A-S08LN04-WP-C1 2M	Proximity sensor, inductive, stainless steel, long body, M8, non-shielded, 4 mm, DC, 3-wire, NPN-NO, 2 m prewired	38.82	401324	4547648149358			GE	I	CHN	8536 5080 90
E2A-S08L01-M5-B1	Proximity sensor, inductive, stainless steel, long body, M8, shielded, 1 mm, DC, 3-wire, PNP-NO, M8 4 pin plug-in	48.12	659167	4548583723665			GE	I	CHN	8536 5080 90
E2A-S08L02-M1-B1	Proximity sensor, inductive, stainless steel, long body, M8, shielded, 2mm, DC, 3-wire, PNP-NO, M12 connector	38.82	183956	4547648162838	#		GE	I	CHN	8536 5080 90
E2A-S08L02-M1-B2	Proximity sensor, inductive, stainless steel, long body, M8, shielded, 2mm, DC, 3-wire, PNP-NC, M12 connector	42.33	232023	4547648162845			GE	I	CHN	8536 5080 90
E2A-S08L02-M1-C1	Proximity sensor, inductive, stainless steel, long body, M8, shielded, 2mm, DC, 3-wire, NPN-NO, M12 connector	38.82	232019	4547648149365	#		GE	I	CHN	8536 5080 90
E2A-S08L02-M3-B1	Proximity sensor, inductive, stainless steel, long body, M8, shielded, 2mm, DC, 3-wire, PNP-NO, M8 connector (4 pin)	33.48	244371	4547648526039			GE	I	CHN	8536 5080 90
E2A-S08L02-M3-B3	Proximity sensor, inductive, stainless steel, long body, M8, shielded, 2 mm, DC, 4-wire, PNP-Antivalent (NO+NC), M8 4pin plug-in	92.50	659342	4548583724907			GE	I	CHN	8536 5080 90
E2A-S08L02-M5-B1	Proximity sensor, inductive, stainless steel, long body, M8, shielded, 2mm, DC, 3-wire, PNP-NO, M8 connector (3 pin)	40.32	183903	4547648149372	#		GE	I	CHN	8536 5080 90
E2A-S08L02-M5-B2	Proximity sensor, inductive, stainless steel, long body, M8, shielded, 2mm, DC, 3-wire, PNP-NC, M8 connector (3 pin)	39.35	183959	4547648162869			GE	I	CHN	8536 5080 90
E2A-S08L02-M5-C1	Proximity sensor, inductive, stainless steel, long body, M8, shielded, 2mm, DC, 3-wire, NPN-NO, M8 connector (3 pin)	40.32	183960	4547648162876			GE	I	CHN	8536 5080 90
E2A-S08L02-WP-B1 2M	Proximity sensor, inductive, stainless steel, long body, M8, shielded, 2mm, DC, 3-wire, PNP-NO, 2m prewired	36.40	183904	4547648149389			GE	I	CHN	8536 5080 90
E2A-S08L02-WP-B1 5M	Proximity sensor, inductive, stainless steel, long body, M8, shielded, 2 mm, DC, 3-wire, PNP-NO, 5 m prewired	38.56	401330	4547648162890			GE	I	CHN	8536 5080 90
E2A-S08L02-WP-B2 2M	Proximity sensor, inductive, stainless steel, long body, M8, shielded, 2mm, DC, 3-wire, PNP-NC, 2m prewired	36.40	243967	4547648162906			GE	I	CHN	8536 5080 90
E2A-S08L02-WP-C1 2M	Proximity sensor, inductive, stainless steel, long body, M8, shielded, 2mm, DC, 3-wire, NPN-NO, 2m prewired	36.40	183965	4547648162920			GE	I	CHN	8536 5080 90
E2A-S08L02-WP-C2 2M	Proximity sensor, inductive, stainless steel, long body, M8, shielded, 2mm, DC, 3-wire, NPN-NC, 2m cable	36.40	406779	4547648162944			GE	I	CHN	8536 5080 90
E2A-S12K05-M1-B2	Proximity sensor, inductive, stainless steel, short body, M12, non-shielded, 5 mm, DC, 3-wire, PNP-NC, M8 3 pin plug-in	42.88	659175	4548583723344			GE	I	CHN	8536 5080 90
E2A-S12K08-M1-B1	Proximity sensor, inductive, stainless steel, short body, M12, non-shielded, 8 mm, DC, 3-wire, PNP-NO, M12 connector	42.88	411139	4548583130456			GE	I	CHN	8536 5080 90
E2A-S12K08-WP-B1 2M	Proximity sensor, inductive, stainless steel, short body, M12, non-shielded, 8 mm, DC, 3-wire, PNP-NO, 2m prewired	47.72	242075	4547648475082			GE	I	CHN	8536 5080 90
E2A-S12K04-M1-B1	Proximity sensor, inductive, stainless steel, short body, M12, shielded, 4mm, DC, 3-wire, PNP-NO, M12 connector	36.53	351403	4548583020894			GE	I	CHN	8536 5080 90
E2A-S12K04-M1-B2	Proximity sensor, inductive, stainless steel, short body, M12, shielded, 4 mm, DC, 3-wire, PNP-NC, M12 connector	36.53	659200	4548583723290			GE	I	CHN	8536 5080 90
E2A-S12K04-M1-C1	Proximity sensor, inductive, stainless steel, short body, M12, shielded, 4 mm, DC, 3-wire, NPN-NO, M12 connector	66.00	656802	4548583722836			GE	I	CHN	8536 5080 90
E2A-S12K04-M5-B1	Proximity switch, inductive, stainless steel, short body, M12, shielded, 4 mm, DC, PNP-NO, M8 connector (3 pin)	72.20	659216	4548583723115			GE	I	CHN	8536 5080 90
E2A-S12K04-M5-B2	Proximity sensor, inductive, stainless steel, short body, M12, shielded, 4 mm, DC, 3-wire, PNP-NC, M8 plug-in 3-pin connector	72.20	659605	4548583723900			GE	I	CHN	8536 5080 90
E2A-S12K04-WP-B1 2M	Proximity sensor, inductive, stainless steel, short body, M12, shielded, 4mm, DC, 3-wire, PNP-NO, 2m prewired	35.28	341512	4548583004917			GE	I	CHN	8536 5080 90
E2A-S12K04-WP-B1 5M	Proximity sensor, inductive, stainless steel, short body, M12, shielded, 4mm, DC, 3-wire, PNP-NO, 5m prewired	42.64	659215	4548583723047			GE	I	CHN	8536 5080 90
E2A-S12K04-WP-C1 2M	Proximity sensor, inductive, stainless steel, short body, M12, shielded, 4 mm, DC, 3-wire, NPN-NO, 2 m prewired	42.33	659210	4548583723368			GE	I	CHN	8536 5080 90
E2A-S12LN08-M1-B1	Proximity sensor, inductive, stainless steel, long body, M12, unshielded, 8 mm, DC, 3-wire, PNP-NO, M12 plug-in connector	45.23	659613	4548583723894			GE	I	CHN	8536 5080 90
E2A-S12L04-M1-B1	Proximity sensor, inductive, stainless steel, long body, M12, shielded, 4 mm, DC, 3-wire, PNP-NO, M12 connector	47.75	658903	4548583722927			GE	I	CHN	8536 5080 90
E2A-S12L04-M1-C1	Proximity sensor, inductive, stainless steel, long body, M12, shielded, 4 mm, DC, 3-wire, NPN-NO, M12 plug-in	47.64	659218	4548583723351			GE	I	CHN	8536 5080 90
E2A-S18K16-M1-B1	Proximity sensor, inductive, stainless steel, short body, M18, non-shielded, 16mm, DC, 3-wire, PNP-NO, M12 connector	66.50	168903	4547648048613			GE	I	CHN	8536 5080 90
E2A-S18K16-WP-B1 2M	Proximity sensor, inductive, stainless steel, short body, M18, non-shielded, 16mm, DC, 3-wire, PNP-NO, 2 m cable	70.50	659119	4548583723474			GE	I	CHN	8536 5080 90
E2A-S18K16-WP-B2 5M	Proximity sensor, inductive, stainless steel, long body, M18, unshielded, 16 mm, DC, 3-wire, PNP-NO, 5 m cable	74.65	659624	4548583723825			GE	I	CHN	8536 5080 90
E2A-S18K08-M1-B1	Proximity sensor, inductive, stainless steel, short body, M18, shielded, 8mm, DC, 3-wire, PNP-NO, M12 connector	76.30	168902	4547648048606			GE	I	CHN	8536 5080 90
E2A-S18K08-WP-B1 2M	Proximity sensor, inductive, stainless steel, short body, M18, shielded, 8 mm, DC, 3-wire, PNP-NO, 2 m prewired	54.75	658904	4548583722989			GE	I	CHN	8536 5080 90
E2A-S18K08-WP-B1 5M	Proximity sensor, inductive, stainless steel, short body, M18, shielded, 8 mm, DC, 3-wire, PNP-NO, 5 m prewired	62.40	658906	4548583722934			GE	I	CHN	8536 5080 90
E2A-S18K08-WP-B3 10M	Proximity sensor, inductive, stainless steel, short body, M18, shielded, 8 mm, DC, 4-wire, PNP-Antivalent (NO+NC), 10 m cable	78.00	659313	4548583724778			GE	I	CHN	8536 5080 90
E2A-S18K08-WS-B1 5M	Proximity sensor, inductive, stainless steel, short body, M18, shielded, 8 mm, DC, 3-wire, PNP-NO, 5 m prewired	53.00	401331	4547648832137			GE	I	CHN	8536 5080 90
E2A-S18LN16-WP-B1 2M	Proximity sensor, inductive, stainless steel, long body, M18, shielded, 16 mm, DC, 3-wire, PNP-NO, 2 m PVC cable	68.25	659610	4548583723948			GE	I	CHN	8536 5080 90
E2A-S18L08-M1-B1	Proximity sensor, inductive, stainless steel, long body, M18, shielded, 8 mm, DC, 3-wire, PNP-NO, M12 connector	66.00	659207	4548583722941			GE	I	CHN	8536 5080 90
E2A-S18L08-WP-C1 2M	Proximity sensor, inductive, stainless steel, short body, M30, shielded, 15mm, DC, 3-wire, NPN-NO, 2 m Prewired	66.00	659220	4548583723412			GE	I	CHN	8536 5080 90
E2A-S20K15-M1-B1	Proximity sensor, inductive, stainless steel, short body, M30, shielded, 15 mm, DC, 3-wire, PNP-NO, M12 plug-in	72.55	168904	4547648048620			GE	I	CHN	8536 5080 90
E2A-S20K15-M5-B1	Proximity sensor, inductive, stainless steel, short body, M30, shielded, 15 mm, DC, 3-wire, NPN-NC, M8 plug-in 3-pin	152.80	659603	4548583723337	</					

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	SLN. (Data sheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
<b>Inductive proximity sensor E2B.</b>										
E2B-M12KN05-M1-B1	Proximity sensor, LITE, inductive, nickel-brass, short body, M12, unshielded, 5 mm, DC, 3-wire, PNP-NO, M12 plug-in	8,23	674364	4548583549517			GE	J	IDN	8536.5080.90
E2B-M12KN05-M1-B2	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 5 mm, DC, 3-wire, PNP-NC, M12 plug-in	8,46	674426	4548583549531			GE	J	IDN	8536.5080.90
E2B-M12KN05-M1-C1	Proximity sensor, LITE, inductive, nickel-brass, short body, M12, unshielded, 5 mm, DC, 3-wire, NPN-NO, M12 plug-in	8,36	674675	4548583549524			GE	J	IDN	8536.5080.90
E2B-M12KN05-M1-C2	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 5 mm, DC, 3-wire, NPN-NC, M12 plug-in	8,34	674350	4548583549548			GE	J	IDN	8536.5080.90
E2B-M12KN05-WP-B1 2M	Proximity sensor, LITE, inductive, nickel-brass, short body, M12, unshielded, 5 mm, DC, 3-wire, PNP-NO, 2 m cable	7,93	674338	4548583549432			GE	J	IDN	8536.5080.90
E2B-M12KN05-WP-B1 5M	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 5 mm, DC, 3-wire, PNP-NO, 5 m cable	9,73	674422	4548583549449			GE	J	IDN	8536.5080.90
E2B-M12KN05-WP-B2 2M	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 5 mm, DC, 3-wire, PNP-NC, 2 m Prewired	7,93	674405	4548583549456			GE	J	IDN	8536.5080.90
E2B-M12KN05-WP-B2 5M	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 5 mm, DC, 3-wire, PNP-NC, 5 m Prewired	9,73	674347	4548583549463			GE	J	IDN	8536.5080.90
E2B-M12KN05-WP-C1 2M	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 5 mm, DC, 3-wire, NPN-NO, 2 m cable	7,93	674369	4548583549494			GE	J	IDN	8536.5080.90
E2B-M12KN05-WP-C1 5M	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 5 mm, DC, 3-wire, NPN-NO, 5 m cable	9,73	674548	4548583549487			GE	J	IDN	8536.5080.90
E2B-M12KN05-WP-C2 2M	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 5 mm, DC, 3-wire, NPN-NC, 2 m cable	7,93	674360	4548583549500			GE	J	IDN	8536.5080.90
E2B-M12KN05-WP-C2 5M	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 5 mm, DC, 3-wire, NPN-NC, 5 m cable	9,73	674311	4548583549500			GE	J	IDN	8536.5080.90
E2B-M12KN08-M1-B1	Proximity sensor, LITE, inductive, nickel-brass, short body, M12, unshielded, 8 mm, DC, 3-wire, PNP-NO, M12 plug-in	9,73	674557	4548583549999	#		GE	J	IDN	8536.5080.90
E2B-M12KN08-M1-B1 20	Multi-pack E2B-M12KN08-M1-B1 OMS: 1 pcs. = 1 box of 20 pcs.	183,90	671224	4548583879317			GE	J	CHN	8536.5080.90
E2B-M12KN08-M1-B2	Proximity sensor, LITE, inductive, nickel-brass, short body, M12, unshielded, 8 mm, DC, 3-wire, PNP-NC, M12 plug-in	9,73	674640	4548583550018	#		GE	J	IDN	8536.5080.90
E2B-M12KN08-M1-C1	Proximity sensor, LITE, inductive, nickel-brass, short body, M12, unshielded, 8 mm, DC, 3-wire, NPN-NO, M12 plug-in	9,73	674637	4548583550025	#		GE	J	IDN	8536.5080.90
E2B-M12KN08-M1-C2	Proximity sensor, LITE, inductive, nickel-brass, short body, M12, unshielded, 8 mm, DC, 3-wire, NPN-NC, M12 plug-in	9,73	674571	4548583549913	#		GE	J	IDN	8536.5080.90
E2B-M12KN08-WP-B1 2M	Proximity sensor, LITE, inductive, nickel-brass, short body, M12, unshielded, 8 mm, DC, 3-wire, PNP-NO, 2 m cable	7,93	674571	4548583549920	#		GE	J	IDN	8536.5080.90
E2B-M12KN08-WP-B2 2M	Proximity sensor, LITE, inductive, nickel-brass, short body, M12, unshielded, 8 mm, DC, 3-wire, PNP-NC, 2 m cable	9,73	674322	4548583549937	#		GE	J	IDN	8536.5080.90
E2B-M12KN08-WP-B2 5M	Proximity sensor, LITE, inductive, nickel-brass, short body, M12, unshielded, 8 mm, DC, 3-wire, PNP-NC, 5 m cable	11,53	674488	4548583549944	#		GE	J	IDN	8536.5080.90
E2B-M12KN08-WP-C1 2M	Proximity sensor, LITE, inductive, nickel-brass, short body, M12, unshielded, 8 mm, DC, 3-wire, NPN-NO, 2 m cable	9,73	674561	4548583549951	#		GE	J	IDN	8536.5080.90
E2B-M12KN08-WP-C1 5M	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 8 mm, DC, 3-wire, NPN-NO, 5 m cable	11,53	674596	4548583549968	#		GE	J	IDN	8536.5080.90
E2B-M12KN08-WP-C2 2M	Proximity sensor, LITE, inductive, nickel-brass, short body, M12, unshielded, 8 mm, DC, 3-wire, NPN-NC, 2 m cable	9,73	674356	4548583549975	#		GE	J	IDN	8536.5080.90
E2B-M12KN08-WP-C2 5M	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 8 mm, DC, 3-wire, NPN-NC, 5 m cable	11,53	674554	4548583549982	#		GE	J	IDN	8536.5080.90
E2B-M12KS02-M1-B1	Proximity sensor, LITE, inductive, nickel-brass, short body, M12, shielded, 2 mm, DC, 3-wire, PNP-NO, M12 plug-in	8,36	674680	4548583549272	#		GE	J	IDN	8536.5080.90
E2B-M12KS02-M1-B2	Proximity sensor, LITE, inductive, nickel-brass, short body, M12, shielded, 2 mm, DC, 3-wire, PNP-NC, M12 plug-in	7,93	674363	4548583549296	#	40	GE	J	IDN	8536.5080.90
E2B-M12KS02-M1-C1	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 2 mm, DC, 3-wire, NPN-NO, M12 plug-in	8,36	674346	4548583549289	#		GE	J	IDN	8536.5080.90
E2B-M12KS02-M1-C2	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 2 mm, DC, 3-wire, NPN-NC, M12 plug-in	8,45	674566	4548583549302	#		GE	J	IDN	8536.5080.90
E2B-M12KS02-WP-B1 2M	Proximity sensor, LITE, inductive, nickel-brass, short body, M12, shielded, 2 mm, DC, 3-wire, PNP-NO, 2 m cable	7,93	674327	4548583549197	#		GE	J	IDN	8536.5080.90
E2B-M12KS02-WP-B1 5M	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 2 mm, DC, 3-wire, PNP-NO, 5 m Prewired	9,73	674543	4548583549203	#		GE	J	IDN	8536.5080.90
E2B-M12KS02-WP-B2 2M	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 2 mm, DC, 3-wire, PNP-NC, 2 m Prewired	7,93	674449	4548583549210	#		GE	J	IDN	8536.5080.90
E2B-M12KS02-WP-B2 5M	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 2 mm, DC, 3-wire, PNP-NC, 5 m Prewired	9,73	674607	4548583549227	#		GE	J	IDN	8536.5080.90
E2B-M12KS02-WP-C1 2M	Proximity sensor, LITE, inductive, nickel-brass, short body, M12, shielded, 2 mm, DC, 3-wire, NPN-NO, 2 m cable	7,93	674499	4548583549234	#		GE	J	IDN	8536.5080.90
E2B-M12KS02-WP-C1 5M	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 2 mm, DC, 3-wire, NPN-NO, 5 m cable	9,73	674558	4548583549258	#		GE	J	IDN	8536.5080.90
E2B-M12KS02-WP-C2 2M	Proximity sensor, LITE, inductive, nickel-brass, short body, M12, shielded, 2 mm, DC, 3-wire, NPN-NC, 2 m cable	9,73	674602	4548583549265	#		GE	J	IDN	8536.5080.90
E2B-M12KS04-M1-B1	Proximity sensor, LITE, inductive, nickel-brass, short body, M12, shielded, 4 mm, DC, 3-wire, PNP-NO, M12 plug-in	9,73	674633	4548583549353	#		GE	J	IDN	8536.5080.90
E2B-M12KS04-M1-B1 20	Multi-pack E2B-M12KS04-M1-B1 OMS: 1 pcs. = 1 box of 20 pcs.	183,90	392627	4548583552487	#		GE	J	CHN	8536.5080.90
E2B-M12KS04-M1-B2	Proximity sensor, LITE, inductive, nickel-brass, short body, M12, shielded, 4 mm, DC, 3-wire, PNP-NC, M12 plug-in	9,73	674624	4548583549377	#		GE	J	IDN	8536.5080.90
E2B-M12KS04-M1-C1	Proximity sensor, LITE, inductive, nickel-brass, short body, M12, shielded, 4 mm, DC, 3-wire, NPN-NO, M12 plug-in	9,73	674524	4548583549360	#		GE	J	IDN	8536.5080.90
E2B-M12KS04-M1-C1 20	Multi-pack E2B-M12KS04-M1-C1 OMS: 1 pcs. = 1 box of 20 pcs.	189,50	671223	4548583879270	#		GE	J	CHN	8536.5080.90
E2B-M12KS04-M1-C2	Proximity sensor, LITE, inductive, nickel-brass, short body, M12, shielded, 4 mm, DC, 3-wire, NPN-NC, M12 plug-in	9,73	674479	4548583549374	#		GE	J	IDN	8536.5080.90
E2B-M12KS04-WP-B1 2M	Proximity sensor, LITE, inductive, nickel-brass, short body, M12, shielded, 4 mm, DC, 3-wire, PNP-NO, 2 m cable	7,93	674414	4548583549678	#		GE	J	IDN	8536.5080.90
E2B-M12KS04-WP-B1 5M	Proximity sensor, LITE, inductive, nickel-brass, short body, M12, shielded, 4 mm, DC, 3-wire, PNP-NO, 5 m cable	11,53	674429	4548583549685	#		GE	J	IDN	8536.5080.90
E2B-M12KS04-WP-B2 2M	Proximity sensor, LITE, inductive, nickel-brass, short body, M12, shielded, 4 mm, DC, 3-wire, PNP-NC, 2 m cable	9,73	674573	4548583549692	#		GE	J	IDN	8536.5080.90
E2B-M12KS04-WP-B2 5M	Proximity sensor, LITE, inductive, nickel-brass, short body, M12, shielded, 4 mm, DC, 3-wire, PNP-NC, 5 m cable	11,53	674528	4548583549708	#		GE	J	IDN	8536.5080.90
E2B-M12KS04-WP-C1 2M	Proximity sensor, LITE, inductive, nickel-brass, short body, M12, shielded, 4 mm, DC, 3-wire, NPN-NO, 2 m cable	9,73	674459	4548583549715	#		GE	J	IDN	8536.5080.90
E2B-M12KS04-WP-C1 5M	Proximity sensor, LITE, inductive, nickel-brass, short body, M12, shielded, 4 mm, DC, 3-wire, NPN-NO, 5 m cable	11,53	674337	4548583549722	#		GE	J	IDN	8536.5080.90
E2B-M12KS04-WP-C2 2M	Proximity sensor, LITE, inductive, nickel-brass, short body, M12, shielded, 4 mm, DC, 3-wire, NPN-NC, 2 m cable	9,73	674500	4548583549739	#		GE	J	IDN	8536.5080.90
E2B-M12KS04-WP-C2 5M	Proximity sensor, inductive, nickel-brass, long body, M12, shielded, 4 mm, DC, 3-wire, NPN-NC, 5 m cable	11,53	674366	4548583549746	#		GE	J	IDN	8536.5080.90
E2B-M12LN05-M1-B1	Proximity sensor, inductive, nickel-brass, long body, M12, unshielded, 5 mm, DC, 3-wire, PNP-NO, M12 plug-in	7,93	674481	4548583549830	#		GE	J	IDN	8536.5080.90
E2B-M12LN05-M1-B2	Proximity sensor, inductive, nickel-brass, long body, M12, unshielded, 5 mm, DC, 3-wire, PNP-NC, M12 plug-in	7,93	674374	4548583549854	#		GE	J	IDN	8536.5080.90
E2B-M12LN05-M1-C1	Proximity sensor, inductive, nickel-brass, long body, M12, unshielded, 5 mm, DC, 3-wire, NPN-NO, M12 plug-in	7,93	674348	4548583549847	#		GE	J	IDN	8536.5080.90
E2B-M12LN05-M1-C2	Proximity sensor, inductive, nickel-brass, long body, M12, unshielded, 5 mm, DC, 3-wire, NPN-NC, M12 plug-in	7,93	674384	4548583549861	#		GE	J	IDN	8536.5080.90
E2B-M12LN05-WP-B1 2M	Proximity sensor, inductive, nickel-brass, long body, M12, unshielded, 5 mm, DC, 3-wire, PNP-NO, 2 m cable	8,39	674433	4548583549855	#		GE	J	IDN	8536.5080.90
E2B-M12LN05-WP-B1 5M	Proximity sensor, inductive, nickel-brass, long body, M12, unshielded, 5 mm, DC, 3-wire, PNP-NO, 5 m Prewired	9,73	674381	4548583549862	#		GE	J	IDN	8536.5080.90
E2B-M12LN05-WP-B2 2M	Proximity sensor, inductive, nickel-brass, long body, M12, unshielded, 5 mm, DC, 3-wire, PNP-NC, 2 m Prewired	8,39	674507	4548583549879	#		GE	J	IDN	8536.5080.90
E2B-M12LN05-WP-B2 5M	Proximity sensor, inductive, nickel-brass, long body, M12, unshielded, 5 mm, DC, 3-wire, PNP-NC, 5 m Prewired	9,73	674565	4548583549886	#		GE	J	IDN	8536.5080.90
E2B-M12LN05-WP-C1 2M	Proximity sensor, inductive, nickel-brass, long body, M12, unshielded, 5 mm, DC, 3-wire, NPN-NO, 2 m cable	8,38	674587	4548583549893	#		GE	J	IDN	8536.5080.90
E2B-M12LN05-WP-C1 5M	Proximity sensor, inductive, nickel-brass, long body, M12, unshielded, 5 mm, DC, 3-wire, NPN-NO, 5 m cable	8,11	674504	4548583549909	#		GE	J	IDN	8536.5080.90
E2B-M12LN05-WP-C2 2M	Proximity sensor, inductive, nickel-brass, long body, M12, unshielded, 5 mm, DC, 3-wire, NPN-NC, 2 m cable	8,38	674610	4548583549916	#		GE	J	IDN	8536.5080.90
E2B-M12LN05-WP-C2 5M	Proximity sensor, inductive, nickel-brass, long body, M12, unshielded, 5 mm, DC, 3-wire, NPN-NC, 5 m cable	8,11	674372	4548583549923	#		GE	J	IDN	8536.5080.90
E2B-M12LN08-M1-B1	Proximity sensor, LITE, inductive, nickel-brass, long body, M12, unshielded, 8 mm, DC, 3-wire, PNP-NO, M12 plug-in	9,73	674659	4548583550117	#		GE	J	IDN	8536.5080.90
E2B-M12LN08-M1-B2	Proximity sensor, LITE, inductive, nickel-brass, long body, M12, unshielded, 8 mm, DC, 3-wire, PNP-NC, M12 plug-in	9,73	674480	4548583550131	#		GE	J	IDN	8536.5080.90
E2B-M12LN08-M1-C1	Proximity sensor, LITE, inductive, nickel-brass, long body, M12, unshielded, 8 mm, DC, 3-wire, NPN-NO, M12 plug-in	9,73	674474	4548583550124	#		GE	J	IDN	8536.5080.90
E2B-M12LN08-M1-C2	Proximity sensor, inductive, nickel-brass, long body, M12, unshielded, 8 mm, DC, 3-wire, NPN-NC, M12 plug-in	9,73	674461	4548583550148	#	20	GE	J	IDN	8536.5080.90
E2B-M12LN08-WP-B1 2M	Proximity sensor, LITE, inductive, nickel-brass, long body, M12, unshielded, 8 mm, DC, 3-wire, PNP-NO, 2 m cable	9,73	674533	4548583550032	#		GE	J	IDN	8536.5080.90
E2B-M12LN08-WP-B1 5M	Proximity sensor, inductive, nickel-brass, long body, M12, unshielded, 8 mm, DC, 3-wire, PNP-NO, 5 m Prewired	11,53	674439	4548583550049	#		GE	J	IDN	8536.5080.90
E2B-M12LN08-WP-B2 2M	Proximity sensor, inductive, nickel-brass, long body, M12, unshielded, 8 mm, DC, 3-wire, PNP-NC, 2 m Prewired	9,73	674523	4548583550056	#		GE	J	IDN	8536.5080.90
E2B-M12LN08-WP-B2 5M	Proximity sensor, inductive, nickel-brass, long body, M12, unshielded, 8 mm, DC, 3-wire, PNP-NC, 5 m Prewired	11,53	674545	4548583550063	#		GE	J	IDN	8536.5080.90
E2B-M12LN08-WP-C1 2M	Proximity sensor, LITE, inductive, nickel-brass, long body, M12, unshielded, 8 mm, DC, 3-wire, NPN-NO, 2 m cable	9,73	674522	4548583550070	#		GE	J	IDN	8536.5080.90
E2B-M12LN08-WP-C1 5M	Proximity sensor, inductive, nickel-brass, long body, M12, unshielded, 8 mm, DC, 3-wire, NPN-NO, 5 m cable	9,73	674617	4548583550087	#		GE	J	IDN	8536.5080.90
E2B-M12LN08-WP-C2 2M	Proximity sensor, inductive, nickel-brass, long body, M12, unshielded, 8 mm, DC, 3-wire, NPN-NC, 2 m cable	9,73	674400	4548583550094	#		GE	J	IDN	8536.5080.90
E2B-M12LN08-WP-C2 5M	Proximity sensor, inductive, nickel-brass, long body, M12, unshielded, 8 mm, DC, 3-wire, NPN-NC, 5 m cable	9,73	674658	4548583550100	#		GE	J</		



Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Dataheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
E2B-M18L10-M1-C1	Proximity sensor, inductive, nickel-brass, long body, M18, unshielded, 10 mm, DC, 3-wire, NPN-NO, M12 plug-in	12,23	674531	4548583551329			GE	J	IDN	8536.5080.90
E2B-M18L10-M1-C2	Proximity sensor, inductive, nickel-brass, long body, M18, unshielded, 10 mm, DC, 3-wire, NPN-NC, M12 plug-in	12,23	674540	4548583551343			GE	J	IDN	8536.5080.90
E2B-M18L10-WP-B1 2M	Proximity sensor, inductive, nickel-brass, long body, M18, unshielded, 10 mm, DC, 3-wire, PNP-NO, 2 m cable	12,23	674401	4548583551237			GE	J	IDN	8536.5080.90
E2B-M18L10-WP-B1 5M	Proximity sensor, inductive, nickel-brass, long body, M18, unshielded, 10 mm, DC, 3-wire, PNP-NO, 5 m Prewired	14,27	674409	4548583551244			GE	J	IDN	8536.5080.90
E2B-M18L10-WP-B2 2M	Proximity sensor, inductive, nickel-brass, long body, M18, unshielded, 10 mm, DC, 3-wire, PNP-NC, 2 m Prewired	12,23	674529	4548583551251			GE	J	IDN	8536.5080.90
E2B-M18L10-WP-B2 5M	Proximity sensor, inductive, nickel-brass, long body, M18, unshielded, 10 mm, DC, 3-wire, PNP-NC, 5 m Prewired	14,27	674618	4548583551268			GE	J	IDN	8536.5080.90
E2B-M18L10-WP-C1 2M	Proximity sensor, inductive, nickel-brass, long body, M18, unshielded, 10 mm, DC, 3-wire, NPN-NO, 2 m cable	12,23	674321	4548583551275			GE	J	IDN	8536.5080.90
E2B-M18L10-WP-C1 5M	Proximity sensor, inductive, nickel-brass, long body, M18, unshielded, 10 mm, DC, 3-wire, NPN-NO, 5 m cable	12,23	674509	4548583551282			GE	J	IDN	8536.5080.90
E2B-M18L10-WP-C2 2M	Proximity sensor, inductive, nickel-brass, long body, M18, unshielded, 10 mm, DC, 3-wire, NPN-NC, 2 m cable	12,23	674514	4548583551299			GE	J	IDN	8536.5080.90
E2B-M18L10-WP-C2 5M	Proximity sensor, inductive, nickel-brass, long body, M18, unshielded, 10 mm, DC, 3-wire, NPN-NC, 5 m cable	12,23	674315	4548583551305			GE	J	IDN	8536.5080.90
E2B-M18L16-M1-B1	Proximity sensor, LITE, inductive, nickel-brass, long body, M18, unshielded, 16 mm, DC, 3-wire, PNP-NO, M12 plug-in	14,27	674430	4548583551794	#		GE	J	IDN	8536.5080.90
E2B-M18L16-M1-B2	Proximity sensor, inductive, nickel-brass, long body, M18, unshielded, 16 mm, DC, 3-wire, PNP-NC, M12 plug-in	14,27	674542	4548583551817	#		GE	J	IDN	8536.5080.90
E2B-M18L16-M1-C1	Proximity sensor, inductive, nickel-brass, long body, M18, unshielded, 16 mm, DC, 3-wire, NPN-NO, M12 plug-in	14,27	674383	4548583551800			GE	J	IDN	8536.5080.90
E2B-M18L16-M1-C2	Proximity sensor, inductive, nickel-brass, long body, M18, unshielded, 16 mm, DC, 3-wire, NPN-NC, M12 plug-in	14,27	674349	4548583551824			GE	J	IDN	8536.5080.90
E2B-M18L16-WP-B1 2M	Proximity sensor, LITE, inductive, nickel-brass, long body, M18, unshielded, 16 mm, DC, 3-wire, PNP-NO, 2 m cable	14,27	674613	4548583551718	#		GE	J	IDN	8536.5080.90
E2B-M18L16-WP-B1 5M	Proximity sensor, inductive, nickel-brass, long body, M18, unshielded, 16 mm, DC, 3-wire, PNP-NO, 5 m Prewired	16,29	674634	4548583551725			GE	J	IDN	8536.5080.90
E2B-M18L16-WP-B2 2M	Proximity sensor, inductive, nickel-brass, long body, M18, unshielded, 16 mm, DC, 3-wire, NPN-NC, 2 m Prewired	14,27	674462	4548583551732			GE	J	IDN	8536.5080.90
E2B-M18L16-WP-B2 5M	Proximity sensor, inductive, nickel-brass, long body, M18, unshielded, 16 mm, DC, 3-wire, PNP-NC, 5 m Prewired	16,29	674534	4548583551749			GE	J	IDN	8536.5080.90
E2B-M18L16-WP-C1 2M	Proximity sensor, inductive, nickel-brass, long body, M18, unshielded, 16 mm, DC, 3-wire, NPN-NO, 2 m cable	14,27	674453	4548583551756	#		GE	J	IDN	8536.5080.90
E2B-M18L16-WP-C1 5M	Proximity sensor, inductive, nickel-brass, long body, M18, unshielded, 16 mm, DC, 3-wire, NPN-NO, 5 m cable	14,27	674623	4548583551763			GE	J	IDN	8536.5080.90
E2B-M18L16-WP-C2 2M	Proximity sensor, inductive, nickel-brass, long body, M18, unshielded, 16 mm, DC, 3-wire, NPN-NC, 2 m cable	14,27	674581	4548583551770			GE	J	IDN	8536.5080.90
E2B-M18L16-WP-C2 5M	Proximity sensor, inductive, nickel-brass, long body, M18, unshielded, 16 mm, DC, 3-wire, NPN-NC, 5 m cable	14,27	674344	4548583551787			GE	J	IDN	8536.5080.90
E2B-M18L505-M1-B1	Proximity sensor, inductive, nickel-brass, long body, M18, shielded, 5 mm, DC, 3-wire, PNP-NO, M12 plug-in	12,23	674458	4548583551707			GE	J	IDN	8536.5080.90
E2B-M18L505-M1-B2	Proximity sensor, inductive, nickel-brass, long body, M18, shielded, 5 mm, DC, 3-wire, PNP-NC, M12 plug-in	12,23	674395	4548583551091			GE	J	IDN	8536.5080.90
E2B-M18L505-M1-C1	Proximity sensor, inductive, nickel-brass, long body, M18, shielded, 5 mm, DC, 3-wire, NPN-NO, M12 plug-in	12,23	674583	4548583551084			GE	J	IDN	8536.5080.90
E2B-M18L505-M1-C2	Proximity sensor, inductive, nickel-brass, long body, M18, shielded, 5 mm, DC, 3-wire, NPN-NC, M12 plug-in	12,23	674666	4548583551107			GE	J	IDN	8536.5080.90
E2B-M18L505-WP-B1 2M	Proximity sensor, inductive, nickel-brass, long body, M18, shielded, 5 mm, DC, 3-wire, PNP-NO, 2 m cable	12,23	674586	4548583550995			GE	J	IDN	8536.5080.90
E2B-M18L505-WP-B1 5M	Proximity sensor, inductive, nickel-brass, long body, M18, shielded, 5 mm, DC, 3-wire, PNP-NO, 5 m Prewired	14,27	674520	4548583551008			GE	J	IDN	8536.5080.90
E2B-M18L505-WP-B2 2M	Proximity sensor, inductive, nickel-brass, long body, M18, shielded, 5 mm, DC, 3-wire, PNP-NC, 2 m cable	12,23	674647	4548583551015			GE	J	IDN	8536.5080.90
E2B-M18L505-WP-B2 5M	Proximity sensor, inductive, nickel-brass, long body, M18, shielded, 5 mm, DC, 3-wire, PNP-NC, 5 m cable	14,27	674664	4548583551022			GE	J	IDN	8536.5080.90
E2B-M18L505-WP-C1 2M	Proximity sensor, inductive, nickel-brass, long body, M18, shielded, 5 mm, DC, 3-wire, NPN-NO, 2m cable	12,04	376083	4548583390119			GE	J	CHN	8536.5080.90
E2B-M18L505-WP-C1 2M	Proximity sensor, inductive, nickel-brass, long body, M18, shielded, 5 mm, DC, 3-wire, NPN-NO, 2 m cable	12,23	674413	4548583551039			GE	J	IDN	8536.5080.90
E2B-M18L505-WP-C1 5M	Proximity sensor, inductive, nickel-brass, long body, M18, shielded, 5 mm, DC, 3-wire, NPN-NO, 5 m cable	14,27	674423	4548583551046			GE	J	IDN	8536.5080.90
E2B-M18L505-WP-C2 2M	Proximity sensor, inductive, nickel-brass, long body, M18, shielded, 5 mm, DC, 3-wire, NPN-NC, 2 m cable	12,23	674377	4548583551053			GE	J	IDN	8536.5080.90
E2B-M18L505-WP-C2 5M	Proximity sensor, inductive, nickel-brass, long body, M18, shielded, 5 mm, DC, 3-wire, NPN-NC, 5 m cable	14,27	674550	4548583551060			GE	J	IDN	8536.5080.90
E2B-M18L308-M1-B1	Proximity sensor, LITE, inductive, nickel-brass, long body, M18, shielded, 8 mm, DC, 3-wire, PNP-NO, M12 plug-in	14,27	674628	4548583551558	#		GE	J	IDN	8536.5080.90
E2B-M18L308-M1-B2	Proximity sensor, LITE, inductive, nickel-brass, long body, M18, shielded, 8 mm, DC, 3-wire, PNP-NC, M12 plug-in	14,27	674328	4548583551572	#		GE	J	IDN	8536.5080.90
E2B-M18L308-M1-C1	Proximity sensor, LITE, inductive, nickel-brass, long body, M18, shielded, 8 mm, DC, 3-wire, NPN-NO, M12 plug-in	14,27	674445	4548583551589	#		GE	J	IDN	8536.5080.90
E2B-M18L308-M1-C2	Proximity sensor, LITE, inductive, nickel-brass, long body, M18, shielded, 8 mm, DC, 3-wire, NPN-NC, M12 plug-in	14,27	674436	4548583551589	#		GE	J	IDN	8536.5080.90
E2B-M18L308-WP-B1 2M	Proximity sensor, inductive, nickel-brass, long body, M18, shielded, 8 mm, DC, 3-wire, PNP-NO, 2 m cable	14,27	674562	4548583551473	#		GE	J	IDN	8536.5080.90
E2B-M18L308-WP-B1 5M	Proximity sensor, inductive, nickel-brass, long body, M18, shielded, 8 mm, DC, 3-wire, PNP-NO, 5 m Prewired	16,29	674585	4548583551480	#		GE	J	IDN	8536.5080.90
E2B-M18L308-WP-B2 2M	Proximity sensor, inductive, nickel-brass, long body, M18, shielded, 8 mm, DC, 3-wire, PNP-NC, 2 m cable	14,27	674354	4548583551497	#		GE	J	IDN	8536.5080.90
E2B-M18L308-WP-B2 5M	Proximity sensor, inductive, nickel-brass, long body, M18, shielded, 8 mm, DC, 3-wire, PNP-NC, 5 m cable	16,29	674577	4548583551503	#		GE	J	IDN	8536.5080.90
E2B-M18L308-WP-C1 2M	Proximity sensor, LITE, inductive, nickel-brass, long body, M18, shielded, 8 mm, DC, 3-wire, NPN-NO, 2 m cable	14,27	674567	4548583551510	#		GE	J	IDN	8536.5080.90
E2B-M18L308-WP-C1 5M	Proximity sensor, inductive, nickel-brass, long body, M18, shielded, 8 mm, DC, 3-wire, NPN-NO, 5 m cable	16,29	674428	4548583551527	#		GE	J	IDN	8536.5080.90
E2B-M18L308-WP-C2 2M	Proximity sensor, inductive, nickel-brass, long body, M18, shielded, 8 mm, DC, 3-wire, NPN-NC, 2 m cable	14,27	674584	4548583551534	#		GE	J	IDN	8536.5080.90
E2B-M18L308-WP-C2 5M	Proximity sensor, inductive, nickel-brass, long body, M18, shielded, 8 mm, DC, 3-wire, NPN-NC, 5 m cable	16,29	674335	4548583551527	#		GE	J	IDN	8536.5080.90
E2B-M30KN20-M1-B1	Proximity sensor, LITE, inductive, nickel-brass, short body, M30, unshielded, 20 mm, DC, 3-wire, PNP-NO, M12 plug-in	16,82	674397	4548583550438	#		GE	J	IDN	8536.5080.90
E2B-M30KN20-M1-B2	Proximity sensor, inductive, nickel-brass, short body, M30, unshielded, 20 mm, DC, 3-wire, PNP-NC, M12 plug-in	16,82	674376	4548583550445			GE	J	IDN	8536.5080.90
E2B-M30KN20-M1-C1	Proximity sensor, LITE, inductive, nickel-brass, short body, M30, unshielded, 20 mm, DC, 3-wire, NPN-NO, M12 plug-in	16,82	674444	4548583550452			GE	J	IDN	8536.5080.90
E2B-M30KN20-M1-C2	Proximity sensor, inductive, nickel-brass, short body, M30, unshielded, 20 mm, DC, 3-wire, NPN-NC, M12 plug-in	16,82	674476	4548583550469			GE	J	IDN	8536.5080.90
E2B-M30KN20-WP-B1 2M	Proximity sensor, LITE, inductive, nickel-brass, short body, M30, unshielded, 20 mm, DC, 3-wire, PNP-NO, 2 m cable	16,82	674673	4548583550353	#		GE	J	IDN	8536.5080.90
E2B-M30KN20-WP-B1 5M	Proximity sensor, inductive, nickel-brass, short body, M30, unshielded, 20 mm, DC, 3-wire, PNP-NO, 5 m cable	19,07	674399	4548583550360			GE	J	IDN	8536.5080.90
E2B-M30KN20-WP-B2 2M	Proximity sensor, LITE, inductive, nickel-brass, short body, M30, unshielded, 20 mm, DC, 3-wire, NPN-NO, 2 m cable	16,82	674398	4548583550377			GE	J	IDN	8536.5080.90
E2B-M30KN20-WP-B2 5M	Proximity sensor, inductive, nickel-brass, short body, M30, unshielded, 20 mm, DC, 3-wire, PNP-NC, 5 m Prewired	19,07	674544	4548583550384			GE	J	IDN	8536.5080.90
E2B-M30KN20-WP-C1 2M	Proximity sensor, LITE, inductive, nickel-brass, short body, M30, unshielded, 20 mm, DC, 3-wire, NPN-NO, 2 m cable	16,82	674493	4548583550391	#		GE	J	IDN	8536.5080.90
E2B-M30KN20-WP-C1 5M	Proximity sensor, inductive, nickel-brass, short body, M30, unshielded, 20 mm, DC, 3-wire, NPN-NO, 5 m cable	19,07	674662	4548583550407	#		GE	J	IDN	8536.5080.90
E2B-M30KN20-WP-C2 2M	Proximity sensor, inductive, nickel-brass, short body, M30, unshielded, 20 mm, DC, 3-wire, NPN-NC, 2 m cable	16,82	674483	4548583550414			GE	J	IDN	8536.5080.90
E2B-M30KN20-WP-C2 5M	Proximity sensor, inductive, nickel-brass, short body, M30, unshielded, 20 mm, DC, 3-wire, NPN-NC, 5 m cable	19,07	674325	4548583550421			GE	J	IDN	8536.5080.90
E2B-M30KS10-M1-B1	Proximity sensor, LITE, inductive, nickel-brass, short body, M30, shielded, 10 mm, DC, 3-wire, PNP-NO, M12 plug-in	16,82	674341	4548583551916			GE	J	IDN	8536.5080.90
E2B-M30KS10-M1-B2	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 10 mm, DC, 3-wire, PNP-NC, M12 plug-in	16,82	674489	4548583551930			GE	J	IDN	8536.5080.90
E2B-M30KS10-M1-C1	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 10 mm, DC, 3-wire, NPN-NO, M12 plug-in	16,82	674506	4548583551923			GE	J	IDN	8536.5080.90
E2B-M30KS10-M1-C2	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 10 mm, DC, 3-wire, NPN-NC, M12 plug-in	16,82	674312	4548583551947			GE	J	IDN	8536.5080.90
E2B-M30KS10-WP-B1 2M	Proximity sensor, LITE, inductive, nickel-brass, short body, M30, shielded, 10 mm, DC, 3-wire, PNP-NO, 2 m cable	16,82	674652	4548583551831	#		GE	J	IDN	8536.5080.90
E2B-M30KS10-WP-B1 5M	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 10 mm, DC, 3-wire, PNP-NO, 5 m Prewired	19,07	674463	4548583551848			GE	J	IDN	8536.5080.90
E2B-M30KS10-WP-B2 2M	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 10 mm, DC, 3-wire, PNP-NC, 2 m Prewired	16,82	674490	4548583551855			GE	J	IDN	8536.5080.90
E2B-M30KS10-WP-B2 5M	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 10 mm, DC, 3-wire, PNP-NC, 5 m Prewired	19,07	674339	4548583551862			GE	J	IDN	8536.5080.90
E2B-M30KS10-WP-C1 2M	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 10 mm, DC, 3-wire, NPN-NO, 2 m cable	16,82	674452	4548583551879			GE	J	IDN	8536.5080.90
E2B-M30KS10-WP-C1 5M	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 10 mm, DC, 3-wire, NPN-NO, 5 m cable	19,07	674431	4548583551886			GE	J	IDN	8536.5080.90
E2B-M30KS10-WP-C2 2M	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 10 mm, DC, 3-wire, NPN-NC, 2 m cable	16,82	674437	4548583551893			GE	J	IDN	8536.5080.90
E2B-M30KS10-WP-C2 5M	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 10 mm, DC, 3-wire, NPN-NC, 5 m cable	19,07	674485	4548583551909			GE	J	IDN	8536.5080.90
E2B-M30KS15-M1-B1	Proximity sensor, LITE, inductive, nickel-brass, short body, M30, shielded, 15 mm, DC, 3-wire, PNP-NO, M12 plug-in	19,07	674318	4548583550674	#		GE	J	IDN	8536.5080.90
E2B-M30KS15-M1-B2	Proximity sensor, LITE, inductive, nickel-brass, short body, M30, shielded, 15 mm, DC, 3-wire, PNP-NC, M12 plug-in	19,07	674418	454858355068						





Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Daheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code	
<b>Proximity sensor EA3.</b>											
E2A3-M12K306-M1-C1	Proximity sensor, inductive, triple distance, brass-nickel, short body, M12, shielded, 6mm, DC, 3-wire, NPN-NO, M12 plug-in	92.15	183129	4547648140140			GE	K	CHN	8536.5080.90	
E2A3-M18K511-M1-B1	Proximity sensor, inductive, triple distance, brass-nickel, short body, M18, shielded, 11mm, DC, 3-wire, PNP-NO, M12 plug-in	109.80	183131	4547648140164			GE	K	CHN	8536.5080.90	
E2A3-M18K511-M1-C1	Proximity sensor, inductive, triple distance, brass-nickel, short body, M18, shielded, 11mm, DC, 3-wire, NPN-NO, M12 plug-in	109.80	183133	4547648140188			GE	K	CHN	8536.5080.90	
E2A3-M18K511-WP-B1 2M	Proximity sensor, inductive, triple distance, brass-nickel, short body, M18, shielded, 11mm, DC, 3-wire, PNP-NO, 2m prewired	96.25	183119	4547648140044			GE	K	CHN	8536.5080.90	
E2A3-M18K511-WP-B2 2M	Proximity sensor, inductive, triple distance, brass-nickel, short body, M18, shielded, 11mm, DC, 3-wire, PNP-NC, 2m prewired	101.60	183120	4547648140058			GE	K	CHN	8536.5080.90	
E2A3-M18K511-WP-C1 2M	Proximity sensor, inductive, triple distance, brass-nickel, short body, M18, shielded, 11mm, DC, 3-wire, NPN-NO, 2m cable	96.25	183121	4547648140065			GE	K	CHN	8536.5080.90	
E2A3-M30K20-M1-B1	Proximity sensor, inductive, triple distance, brass-nickel, short body, M30, shielded, 20mm, DC, 3-wire, PNP-NO, M12 plug-in	119.70	183135	4547648140201			GE	K	CHN	8536.5080.90	
E2A3-M30K20-M1-C1	Proximity sensor, inductive, triple distance, brass-nickel, short body, M30, shielded, 20mm, DC, 3-wire, NPN-NO, M12 plug-in	119.70	183137	4547648140225			GE	K	CHN	8536.5080.90	
E2A3-M30K20-M1-C2	Proximity sensor, inductive, triple distance, brass-nickel, short body, M30, shielded, 20mm, DC, 3-wire, NPN-NC, M12 plug-in	119.70	183138	4547648140232			GE	K	CHN	8536.5080.90	
E2A3-M30K20-WP-C1 2M	Proximity sensor, inductive, triple distance, brass-nickel, short body, M30, shielded, 20mm, DC, 3-wire, NPN-NO, 2m cable	119.70	183125	4547648140102			GE	K	CHN	8536.5080.90	
E2A3-S08K503-M1-B1	Proximity sensor, inductive, triple distance, stainless steel, short body, M8, shielded, 3mm, DC, 3-wire, PNP-NO, M12 plug-in	76.25	183143	4547648150132			GE	K	CHN	8536.5080.90	
E2A3-S08K503-M1-C1	Proximity sensor, inductive, triple distance, stainless steel, short body, M8, shielded, 3mm, DC, 3-wire, NPN-NO, M12 Plug-in	76.25	183145	4547648150170			GE	K	CHN	8536.5080.90	
E2A3-S08K503-M3-B1	Proximity sensor, inductive, triple distance, stainless steel, short body, M8, shielded, 3mm, DC, 3-wire, PNP-NO, M8 plug-in (4 pin)	76.25	356135	4548583104495			GE	K	CHN	8536.5080.90	
E2A3-S08K503-M5-C1	Proximity sensor, inductive, triple distance, stainless steel, short body, M8, shielded, 3mm, DC, 3-wire, NPN-NO, M8 plug-in (3 pin)	76.25	183149	4547648150217			GE	K	CHN	8536.5080.90	
E2A3-S08K503-WP-B1 2M	Proximity sensor, inductive, triple distance, stainless steel, short body, M8, shielded, 3mm, DC, 3-wire, PNP-NO, 2m prewired	75.80	183139	4547648150095			GE	K	CHN	8536.5080.90	
E2A3-S08K503-WP-C1 2M	Proximity sensor, inductive, triple distance, stainless steel, short body, M8, shielded, 3mm, DC, 3-wire, NPN-NO, 2m cable	75.80	183141	4547648150118			GE	K	CHN	8536.5080.90	
E2A3-S08K503-WP-C2 2M	Proximity sensor, inductive, triple distance, stainless steel, short body, M8, shielded, 3mm, DC, 3-wire, NPN-NC, 2m Prewired	75.80	183142	4547648150125			GE	K	CHN	8536.5080.90	
<b>Other proximity sensor.</b>											
E2E2-X10M1 2M	Proximity sensor, long body, M18, unshielded, 10 mm, NO, AC, 2-wire, 2 m cable	77.15	233069	4547648310109			GE	X	CHN	8536.5080.90	
E2E2-X10Y1 2M	Proximity sensor, long body, M30, shielded, 10 mm, NO, AC, 2-wire, 2 m cable	83.95	233078	4547648310192			GE	X	CHN	8536.5080.90	
E2E2-X2Y1 2M	Proximity sensor, long body, M12, shielded, 2 mm, NO, AC, 2-wire, 2 m cable	63.80	233066	4547648310079			GE	X	CHN	8536.5080.90	
E2E2-X2Y1-US 2M	Proximity sensor, long body, M12, shielded, 2 mm, NO, AC, 2-wire, 2 m cable	92.90	233081	4547648310222			GE	X	CHN	8536.5080.90	
E2E2-X5Y1 2M	Proximity sensor, long body, M18, shielded, 5 mm, NO, AC, 2-wire, 2 m cable	77.15	233072	4547648310130			GE	X	CHN	8536.5080.90	
E2EC-C3D1	Proximity sensor	173.40	147698	4536853257590			GE	X	JPN	8536.5080.90	
E2EC-C3D1-M1J0.5M	Proximity sensor	213.60	132399	4536853257798			GE	X	JPN	8536.5080.90	
E2EC-C3D1-M1J-1	Proximity sensor, 8 mm diameter, 3 mm range, 2 wire DC, 2 m cable	247.50	177225	4536854887864			GE	X	JPN	8536.5080.90	
E2EC-C3D2 2M	Proximity sensor, inductive, Dia 8 mm, Shielded, 3 mm, DC, 2-wire, PW, NC	169.60	132395	4536853257613			GE	X	JPN	8536.5080.90	
E2EC-MC2B1 2M	Proximity sensor, inductive, Dia 8 mm, Shielded, 2 mm, DC, 3-wire, PW, PNP-NC	169.60	232147	4547648337359			GE	X	JPN	8536.5080.90	
E2EC-MC2D1 2M	Proximity sensor, inductive, Dia 8 mm, Shielded, 2 mm, DC, 2-wire, PW, PNP-NC	169.60	232148	4547648337366			GE	X	JPN	8536.5080.90	
E2EC-QC2D1-M1GJT 0.3M	Proximity sensor, inductive, dia. 8 mm, Shielded, 2 mm, DC, 2-wire, PW, NC, DC 2-wire (no polarity) (3)-(4) pin arrangement	369.00	231154	4547648313100			GE	X	JPN	8536.5080.90	
E2EC-QC2D1-M1GJT-T 0.3M	Proximity sensor	369.00	231656	4547648331852			GE	X	JPN	8536.5080.90	
E2EC-X4D1	Proximity sensor, inductive, M12, Shielded, 4 mm, DC, 2-wire, PW, NC	145.00	132396	4536853257675			GE	X	JPN	8536.5080.90	
E2EC-X4D2 2M	Proximity sensor, inductive, M12, Shielded, 4 mm, DC, 2-wire, PW, NC	145.00	132397	4536853257699			GE	X	JPN	8536.5080.90	
E2EM-X15X1-M1	Proximity sensor, inductive, Long-distance (Base material: brass), M30, shielded, 15 mm, DC, 3-wire, NPN NO, connector M12	119.70	290093	4547648630078			GE	X	CHN	8536.5080.90	
E2EM-X15X1-M1	Proximity sensor, inductive, Long-distance (Base material: brass), M30, shielded, 15 mm, DC, 2-wire, NPN NO, cable 2 m	98.40	290146	4547648629597			GE	X	CHN	8536.5080.90	
E2EM-X15X1-M1J0.3M	Proximity sensor, inductive, Long-distance (Base material: brass), M30, shielded, 15 mm, DC, 2-wire, NPN NO, M12 Smartlink	78.35	290154	4547648630207			GE	X	CHN	8536.5080.90	
E2EM-X15X2 2M	Proximity sensor, inductive, Long-distance (Base material: brass), M30, shielded, 15 mm, DC, 2-wire, NPN NC, cable 2 m	82.45	290089	4547648630009			GE	X	CHN	8536.5080.90	
E2EM-X16M2 2M	Proximity sensor, inductive, Long-distance (Base material: brass), M18, non-shielded, 15 mm, DC, 2-wire, NPN NC, cable 2 m	78.35	290091	4547648630047			GE	X	CHN	8536.5080.90	
E2EM-X30MX1 2M	Proximity sensor, inductive, Long-distance (Base material: brass), M30, non-shielded, 15 mm, DC, 2-wire, NPN NO, cable 2 m	195.70	290147	4547648630016			GE	X	CHN	8536.5080.90	
E2EM-X30MX2 2M	Proximity sensor, inductive, Long-distance (Base material: brass), M30, non-shielded, 15 mm, DC, 2-wire, NPN NC, cable 2 m	189.10	290090	4547648630023			GE	X	CHN	8536.5080.90	
E2EM-X4B1 2M	Proximity sensor, inductive, Long-distance (Base material: brass), M12, shielded, 4 mm, DC, 3-wire, PNP NO, cable 2 m	62.95	290137	4547648629546			GE	X	CHN	8536.5080.90	
E2EM-X4B1-M1	Proximity sensor, inductive, Long-distance (Base material: brass), M12, shielded, 4 mm, DC, 3-wire, PNP NO, connector M12	70.90	290138	4547648629560			GE	X	CHN	8536.5080.90	
E2EM-X4B2-M1	Proximity sensor, inductive, Long-distance (Base material: brass), M12, shielded, 4 mm, DC, 3-wire, PNP NC, connector M12	78.80	290076	4547648629576			GE	X	CHN	8536.5080.90	
E2EM-X4X1 2M	Proximity sensor M12, DC 2-Wire Model, Shielded, Sensing Distance 4 mm, Operation Mode NO, cable 2 m	68.05	290144	4547648629706			GE	X	CHN	8536.5080.90	
E2EM-X4X1-M1J0.3M	Proximity sensor M12, DC 2-Wire Model, Shielded, Sensing Distance 4 mm, Operation Mode NO, pig-tail M12	83.35	290145	4547648629713			GE	X	CHN	8536.5080.90	
E2EM-X4X2 2M	Proximity sensor M12, DC 2-Wire Model, Shielded, Sensing Distance 4 mm, Operation Mode NC, cable 2 m	62.95	290084	4547648629710			GE	X	CHN	8536.5080.90	
E2EM-X8B1-M1	Proximity sensor, inductive, Long-distance (Base material: brass), M18, shielded, 8 mm, DC, 3-wire, PNP NO, connector M12	50.50	290151	4547648630115			GE	X	CHN	8536.5080.90	
E2EM-X8C1-M1	Proximity sensor, inductive, Long-distance (Base material: brass), M18, shielded, 8 mm, DC, 3-wire, NPN NO, connector M12	78.45	290098	4547648630153			GE	X	CHN	8536.5080.90	
E2EM-X8X1 2M	Proximity sensor M18, DC 2-Wire Model, Shielded, Sensing Distance 8 mm, Operation Mode NO, cable 2 m	71.05	290153	4547648630177			GE	X	CHN	8536.5080.90	
E2EC-C1R5D1	Proximity sensor, inductive, Dia 5.4mm, Shielded, 1.5mm, DC, 2-wire, NO, 2m cable	169.80	144377	4536853257514			GE	X	JPN	8536.5080.90	
E2EC-C1R5D2 2M	Proximity sensor, inductive, Dia 5.4 mm, Shielded, 1.5 mm, DC, 2-wire, PW, NC	169.90	142126	4536853257538			GE	X	JPN	8536.5080.90	
E2EC-CR8D1	Proximity sensor, inductive, Dia 3mm, Shielded, 0.8mm, DC, 2-wire, NO, 2m cable	178.20	132394	4536853257439			GE	X	JPN	8536.5080.90	
E2EC-CR8D2 2M	Proximity sensor, inductive, Dia 3 mm, Shielded, 0.8 mm, DC, 2-wire, PW, NC	178.20	143345	4536853257453			GE	X	JPN	8536.5080.90	
E2S-Q11 1M	Miniature rectangular Inductive, end face sensing, unshielded, 1.6mm, 2 wire DC, NO, 1M cable	38.70	233106	4536854841552			GE	X	CHN	8536.5080.90	
E2S-Q11B 1M	Miniature rectangular Inductive, end face sensing, unshielded, 1.6 mm, 2 wire DC, NO, alternative frequency, 1M cable	41.18	233107	4536854841569			GE	X	CHN	8536.5080.90	
E2S-Q12 1M	Miniature rectangular Inductive, end face sensing, unshielded, 1.6mm, 2 wire DC, NC, 1M cable	41.18	233108	4536854841576			10	GE	X	CHN	8536.5080.90
E2S-Q13 1M	Miniature rectangular Inductive, end face sensing, unshielded, 1.6mm, NPN, NO, 1M cable	38.70	233109	4536854841583			10	GE	X	CHN	8536.5080.90
E2S-Q14 1M	Super compact proximity sensor, Sensing surface - front, non-shielded 1.6 mm, DC, 3-wire, NPN-NC, 1m cable	41.18	233111	4536854841637			GE	X	CHN	8536.5080.90	
E2S-Q15 1M	Miniature rectangular Inductive, end face sensing, unshielded, 1.6mm, PNP, NO, 1M cable	41.18	233113	4536854841651			GE	X	CHN	8536.5080.90	
E2S-Q16 1M	Super compact proximity sensor, Sensing surface - front, non-shielded 1.6 mm, DC, 3-wire, PNP-NC, 1m cable	41.18	233115	4536854841675			GE	X	CHN	8536.5080.90	
E2S-Q21 1M	Miniature rectangular Inductive, end face sensing, unshielded, 2.5mm, 2 wire DC, NO, 1M cable	41.18	231595	4536854841682			10	GE	X	CHN	8536.5080.90
E2S-Q21B 1M	Miniature rectangular Inductive, end face sensing, unshielded, 2.5mm, 2 wire DC, NO, alternative frequency, 1M cable	42.97	231596	4536854841712			GE	X	CHN	8536.5080.90	
E2S-Q22 1M	Miniature rectangular Inductive, end face sensing, unshielded, 2.5mm, 2 wire DC, NC, 1M cable	45.14	231597	4536854841736			GE	X	CHN	8536.5080.90	
E2S-Q23 1M	Miniature rectangular Inductive, end face sensing, unshielded, 2.5mm, NPN, NO, 1m cable	44.75	231599	4536854841767			GE	X	CHN	8536.5080.90	
E2S-Q24 1M	Miniature rectangular Inductive, end face sensing, unshielded, 2.5mm, NPN, NC, 1M cable	41.18	231601	4536854841781			GE	X	CHN	8536.5080.90	
E2S-Q25 1M	Miniature rectangular Inductive, end face sensing, unshielded, 2.5mm, PNP, NO, 1M cable	44.75	231602	4536854841798			10	GE	X	CHN	8536.5080.90
E2S-Q25 2M	Miniature rectangular Inductive, end face sensing, unshielded, 2.5 mm, PNP, NO, 2 m cable	49.06	231592	4547648285933			GE	X	CHN	8536.5080.90	
E2S-Q25B 1M	Miniature rectangular Inductive, end face sensing, unshielded, 2.5 mm, NPN, NO, alternative frequency, 1 m cable	45.25	231603	4536854841804			GE	X	CHN	8536.5080.90	
E2S-Q26 1M	Miniature rectangular Inductive, end face sensing, unshielded, 2.5mm, PNP, NC, 1m cable	38.70	231589	4536854841811			10	GE	X	CHN	8536.5080.90
E2S-W11 1M	Miniature rectangular Inductive, front face sensing, unshielded, 1.6 mm, 2 wire DC, NO, 1 m cable	41.18	233116	4536854841835			GE	X	CHN	8536.5080.90	
E2S-W12 1M	Miniature rectangular Inductive, front face sensing, unshielded, 1.6 mm, 2 wire DC, NC, 1 m cable	41.18	233118	4536854841866			10	GE	X	CHN	8536.5080.90

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Data sheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
E2S-W13 1M	Miniature rectangular inductive, front face sensing, unshielded, 1.6mm, NPN, NO, 1M cable	41.18	233119	4536854841873			GE	X	CHN	8536.5080.90
E2S-W14 1M	Miniature rectangular inductive, front face sensing, unshielded, 1.6mm, NPN, NC, 1M cable	41.18	233121	4536854841903			GE	X	CHN	8536.5080.90
E2S-W15 1M	Miniature rectangular inductive, front face sensing, unshielded, 1.6mm, PNP, NO, 1M cable	58.45	233123	4536854841927		10	GE	X	CHN	8536.5080.90
E2S-W16 1M	Miniature rectangular inductive, front face sensing, unshielded, 2.5mm, 2 wire DC, NO, 1M cable	41.18	233125	4536854841941			GE	X	CHN	8536.5080.90
E2S-W21 1M	Miniature rectangular inductive, front face sensing, unshielded, 1.6mm, PNP, NC, 1M cable	38.70	231604	4536854841958	#	10	GE	X	CHN	8536.5080.90
E2S-W21B 1M	Miniature rectangular inductive, front face sensing, unshielded, 2.5 mm, 2 wire DC, NO, alternative frequency, 1 m cable	48.33	231605	4536854841972		10	GE	X	CHN	8536.5080.90
E2S-W21-R 1M	Miniature rectangular inductive, front face sensing, unshielded, 2.5 mm, 2 wire DC, NO, 1 m robotic cable	51.30	689298	4536854842320			GE	X	CHN	8536.5080.90
E2S-W21-R5M	Miniature rectangular inductive, front face sensing, unshielded, 2.5 mm, 2 wire DC, NO, 5 m robotic cable	87.20	689314	4547648286183			GE	X	CHN	8536.5080.90
E2S-W22 1M	Miniature rectangular inductive, front face sensing, unshielded, 2.5mm, 2 wire DC, NC, 1M cable	41.18	231606	4536854842009		10	GE	X	CHN	8536.5080.90
E2S-W23 1M	Miniature rectangular inductive, front face sensing, unshielded, 2.5mm, NPN, NO, 1M cable	44.75	231608	4536854842054		10	GE	X	CHN	8536.5080.90
E2S-W23 3M	Miniature rectangular inductive, front face sensing, unshielded, 2.5mm, NPN, NO, 3M cable	49.49	400204	4536854842061		3	GE	X	CHN	8536.5080.90
E2S-W23-R 1M	Miniature rectangular inductive, front face sensing, unshielded, 2.5mm, NPN, NO, 1 m prewired robotic cable	10.91	695695	4547648286237			GE	X	CHN	8536.5080.90
E2S-W23-R5M	Miniature rectangular inductive, front face sensing, unshielded, 2.5mm, NPN, NO, 5 m prewired robotic cable	20.41	695696	4547648286220			GE	X	CHN	8536.5080.90
E2S-W24 1M	Miniature rectangular inductive, front face sensing, unshielded, 2.5 mm, NPN, NC, 1M cable	45.14	231609	4536854842108			GE	X	CHN	8536.5080.90
E2S-W25 1M	Miniature rectangular inductive, front face sensing, unshielded, 2.5mm, PNP, NO, 1m cable	44.75	231610	4536854842122	#	10	GE	X	CHN	8536.5080.90
E2S-W26 1M	Miniature rectangular inductive, front face sensing, unshielded, 2.5mm, PNP, NC, 1M cable	38.35	231591	4536854842146			GE	X	CHN	8536.5080.90
E2S-W26 2M	Miniature rectangular inductive, front face sensing, unshielded, 2.5mm, PNP, NC, 2M cable	46.56	233126	4547648286305		5	GE	X	CHN	8536.5080.90
TL-N10MD1	Proximity sensor, inductive, unshielded, Rectangular, 10mm, 2 wire DC, NO, 2m cable	108.60	110588	4536854113482			GE	X	JPN	8536.5080.90
TL-N10ME1 2M	Inductive proximity sensor, 10 mm, unshielded, NPN/NO, 2 m cable	86.00	110591	4536854478543	#		GE	X	CHN	8536.5080.90
TL-N10ME2 2M	Inductive proximity sensor, 10 mm, unshielded, NPN/NC, 2 m cable	85.50	110595	4536854478628			GE	X	CHN	8536.5080.90
TL-N12MD1 2M	Inductive proximity sensor, 12 mm, unshielded, DC 2-wire NO, 2 m cable	108.70	110593	4536854478588	#		GE	X	CHN	8536.5080.90
TL-N12MD1 5M	Inductive proximity sensor, 12 mm, unshielded, DC 2-wire NO, 5 m cable	91.50	110585	4536854113338			GE	X	JPN	8536.5080.90
TL-N20MD1-M1TGJ0.3M	Proximity sensor, inductive, square heads, 30 cm pig-tail connector	171.00	149299	4536854113536			GE	X	JPN	8536.5080.90
TL-N20ME1 2M	Inductive proximity sensor, 20 mm, unshielded, NPN/NO, 2 m cable	108.10	146106	4536854478550			GE	X	CHN	8536.5080.90
TL-N20ME2 2M	Inductive proximity sensor, 20 mm, unshielded, NPN/NC, 2 m cable	116.60	229307	4536854478635			GE	X	CHN	8536.5080.90
TL-N5ME1 2M	Inductive proximity sensor, 5 mm, unshielded, NPN/NO, 2 m cable	135.50	153722	4536854478536			GE	X	CHN	8536.5080.90
TL-N5ME15	Inductive proximity sensor, 5 mm, unshielded, NPN/NO, different frequency, 2 m cable	110.50	151478	4536854112539			GE	X	JPN	8536.5080.90
TL-N5ME2 2M	Inductive proximity sensor, 5 mm, unshielded, NPN/NC, 2 m cable	86.40	229309	4536854478611			GE	X	CHN	8536.5080.90
TL-N7MD1 2M	Inductive proximity sensor, cuboid 25 x 25 mm, 7 mm, unshielded, DC-wire, NO, 2 m cable	126.90	151479	4536854478581			GE	X	CHN	8536.5080.90
TL-N7MD15 2M	Inductive proximity sensor, cuboid 25 x 25 mm, 7 mm, unshielded, DC-wire, NO, different frequency, 2 m cable	134.10	110581	4536854113260			GE	X	JPN	8536.5080.90
TL-N7MD15 5M	Inductive proximity sensor, cuboid 25 x 25 mm, 7 mm, unshielded, DC-wire, NO, different frequency, 5 m cable	156.40	110582	4536854113277			GE	X	JPN	8536.5080.90
TL-N7MD2 2M	Inductive proximity sensor, cuboid 25 x 25 mm, 7 mm, unshielded, DC-wire, NC, different frequency, 2 m cable	116.90	110583	4536854113284			GE	X	JPN	8536.5080.90
TL-PP283 2M	Inductive sensor, special shape for welding wire detection, 20 mm, DC-2 wire, NO, 2 m cable	288.50	151432	4536854495007			GE	X	JPN	8536.5080.90
TL-Q2MC1	Proximity sensor, inductive, unshielded, 2 mm, 3 wire, NPN, NO, 2 m cable	94.20	153723	4536854115035			GE	X	JPN	8536.5080.90
TL-Q5MB1 2M	Inductive proximity sensor, 5 mm, PNP, NO, 2 m cable	65.95	110528	4536854115127	#		GE	X	CHN	8536.5080.90
TL-Q5MC1 2M	Inductive proximity sensor, 5 mm, NPN, NO	57.00	110518	4536854114854			GE	X	CHN	8536.5080.90
TL-Q5MC1 5M	TL-Q5MC1 5M CMT3	28.96	110519	4536854114861			GE	X	CHN	8536.5080.90
TL-Q5MC1-2 2M	Inductive proximity sensor, 5 mm, NPN, NO	56.65	110522	4536854114915			GE	X	JPN	8536.5080.90
TL-Q5MC15	Proximity sensor, inductive, unshielded, 5mm, 3 wire, NPN, NO, 2m cable	38.35	110527	4536854115110			GE	X	JPN	8536.5080.90
TL-Q5MC2 2M	Inductive proximity sensor, 5 mm, NPN, NC	26.98	110520	4536854114885			GE	X	CHN	8536.5080.90
TL-Q5MD1 2M	Inductive proximity sensor, 5 mm, DC-2-wire, NO	57.65	110526	4536854114991			GE	X	CHN	8536.5080.90
TL-Q5MD2 2M	Inductive proximity sensor, 5 mm, DC-2-wire, NC	46.39	674886	4536854115011			GE	X	JPN	8536.5080.90
E2EQ-X10B4-IL2 2M	Proximity sensor, inductive, Fluoresces coating (Base material: brass), short body, M30, shielded, 10mm, DC, 3-wire, PNP NO/NC switching type (Factory setting: NO), IO-Link V1.1 COM2 (38.4 kbps, 2.3ms), 2m prewired	80.55	671252	4548583786523			GE	X	CHN	8536.5080.90
E2EQ-X10B4-IL2 5M	Proximity sensor, inductive, Fluoresces coating (Base material: brass), short body, M30, shielded, 10mm, DC, 3-wire, PNP NO/NC switching type (Factory setting: NO), IO-Link V1.1 COM2 (38.4 kbps, 2.3ms), 5m prewired	83.60	671248	4548583786530			GE	X	CHN	8536.5080.90
E2EQ-X10B4-IL3 2M	Proximity sensor, inductive, Fluoresces coating (Base material: brass), short body, M30, shielded, 10mm, DC, 3-wire, PNP NO/NC switching type (Factory setting: NO), IO-Link V1.1 COM3 (230.4 kbps, 1 ms), 2m prewired	80.55	671257	4548583786554			GE	X	CHN	8536.5080.90
E2EQ-X10B4-IL3 5M	Proximity sensor, inductive, Fluoresces coating (Base material: brass), short body, M30, shielded, 10mm, DC, 3-wire, PNP NO/NC switching type (Factory setting: NO), IO-Link V1.1 COM3 (230.4 kbps, 1 ms), 5m prewired	83.60	671261	4548583786561			GE	X	CHN	8536.5080.90
E2EQ-X10B4-M1TJ-IL2 0.3M	Proximity sensor, inductive, Fluoresces coating (Base material: brass), short body, M30, shielded, 10mm, DC, 3-wire, PNP NO/NC switching type (Factory setting: NO), IO-Link V1.1 COM2 (38.4 kbps, 2.3ms), M12 Smartclick Pig-tail 0.3m	85.30	671251	4548583786547			GE	X	CHN	8536.5080.90
E2EQ-X10B4-M1TJ-IL3 0.3M	Proximity sensor, inductive, Fluoresces coating (Base material: brass), short body, M30, shielded, 10mm, DC, 3-wire, PNP NO/NC switching type (Factory setting: NO), IO-Link V1.1 COM3 (230.4 kbps, 1 ms), M12 Smartclick Pig-tail 0.3m	85.30	671244	4548583786578			GE	X	CHN	8536.5080.90
E2EQ-X3B4-IL2 2M	Proximity sensor, inductive, Fluoresces coating (Base material: brass), short body, M12, shielded, 3mm, DC, 3-wire, PNP NO/NC switching type (Factory setting: NO), IO-Link V1.1 COM2 (38.4 kbps, 2.3ms), 2m prewired	69.15	671262	4548583786400			GE	X	CHN	8536.5080.90
E2EQ-X3B4-IL2 5M	Proximity sensor, inductive, Fluoresces coating (Base material: brass), short body, M12, shielded, 3mm, DC, 3-wire, PNP NO/NC switching type (Factory setting: NO), IO-Link V1.1 COM2 (38.4 kbps, 2.3ms), 5m prewired	71.60	671232	4548583786417			GE	X	CHN	8536.5080.90
E2EQ-X3B4-IL3 2M	Proximity sensor, inductive, Fluoresces coating (Base material: brass), short body, M12, shielded, 3mm, DC, 3-wire, PNP NO/NC switching type (Factory setting: NO), IO-Link V1.1 COM3 (230.4 kbps, 1 ms), 2m prewired	69.15	671259	4548583786431			GE	X	CHN	8536.5080.90
E2EQ-X3B4-IL3 5M	Proximity sensor, inductive, Fluoresces coating (Base material: brass), short body, M12, shielded, 3mm, DC, 3-wire, PNP NO/NC switching type (Factory setting: NO), IO-Link V1.1 COM3 (230.4 kbps, 1 ms), 5m prewired	71.60	671239	4548583786448			GE	X	CHN	8536.5080.90
E2EQ-X3B4-M1TJ-IL2 0.3M	Proximity sensor, inductive, Fluoresces coating (Base material: brass), short body, M12, shielded, 3mm, DC, 3-wire, PNP NO/NC switching type (Factory setting: NO), IO-Link V1.1 COM2 (38.4 kbps, 2.3ms), M12 Smartclick Pig-tail 0.3m	73.90	671242	4548583786424			GE	X	CHN	8536.5080.90
E2EQ-X3B4-M1TJ-IL3 0.3M	Proximity sensor, inductive, Fluoresces coating (Base material: brass), short body, M12, shielded, 3mm, DC, 3-wire, PNP NO/NC switching type (Factory setting: NO), IO-Link V1.1 COM3 (230.4 kbps, 1 ms), M12 Smartclick Pig-tail 0.3m	73.90	671247	4548583786455			GE	X	CHN	8536.5080.90
E2EQ-X7B4-IL2 2M	Proximity sensor, inductive, Fluoresces coating (Base material: brass), short body, M18, shielded, 7mm, DC, 3-wire, PNP NO/NC switching type (Factory setting: NO), IO-Link V1.1 COM2 (38.4 kbps, 2.3ms), 2m prewired	74.85	671238	4548583786462			GE	X	CHN	8536.5080.90
E2EQ-X7B4-IL2 5M	Proximity sensor, inductive, Fluoresces coating (Base material: brass), short body, M18, shielded, 7mm, DC, 3-wire, PNP NO/NC switching type (Factory setting: NO), IO-Link V1.1 COM3 (230.4 kbps, 1 ms), 5m prewired	77.35	671246	4548583786479			GE	X	CHN	8536.5080.90
E2EQ-X7B4-IL3 2M	Proximity sensor, inductive, Fluoresces coating (Base material: brass), short body, M18, shielded, 7mm, DC, 3-wire, PNP NO/NC switching type (Factory setting: NO), IO-Link V1.1 COM2 (38.4 kbps, 2.3ms), 2m prewired	74.85	671256	4548583786493			GE	X	CHN	8536.5080.90
E2EQ-X7B4-IL3 5M	Proximity sensor, inductive, Fluoresces coating (Base material: brass), short body, M18, shielded, 7mm, DC, 3-wire, PNP NO/NC switching type (Factory setting: NO), IO-Link V1.1 COM3 (230.4 kbps, 1 ms), 5m prewired	77.35	671260	4548583786509			GE	X	CHN	8536.5080.90
E2EQ-X7B4-M1TJ-IL2 0.3M	Proximity sensor, inductive, Fluoresces coating (Base material: brass), short body, M18, shielded, 7mm, DC, 3-wire, PNP NO/NC switching type (Factory setting: NO), IO-Link V1.1 COM2 (38.4 kbps, 2.3ms), M12 Smartclick Pig-tail 0.3m	79.55	671231	4548583786486			GE	X	CHN	8536.5080.90
E2EQ-X7B4-M1TJ-IL3 0.3M	Proximity sensor, inductive, Fluoresces coating (Base material: brass), short body, M18, shielded, 7mm, DC, 3-wire, PNP NO/NC switching type (Factory setting: NO), IO-Link V1.1 COM3 (230.4 kbps, 1 ms), M12 Smartclick Pig-tail 0.3m	79.55	671255	4548583786516			GE	X	CHN	8536.5080.90
E2FM-X10B1 2M	Proximity sensor, inductive, stainless steel face & body, long body, M30, shielded, 10mm, DC, 3-wire, PNP-NO, 2 m cable	140.20	232116	4547648325851			GE	X	JPN	8536.5015.90
E2FM-X10B1-M1	Proximity sensor, inductive, stainless steel face & body, long body, M30, shielded, 10mm, DC, 3-wire, PNP-NO, M12 plug-in	157.70	224092	4547648228428			GE	X	JPN	8536.5015.90
E2FM-X10C1-M1	Proximity sensor, inductive, stainless steel face & body, long body, M30, shielded, 10mm, DC, 3-wire, NPN-NO, M12 plug-in	157.70	233320	4547648348744			GE	X	JPN	8536.5015.90
E2FM-X10D1 2M	Proximity sensor, inductive, stainless steel face & body, long body, M30, shielded, 10 mm, DC, 2-wire, NO, 2 m cable	242.90	232113	4547648325820			GE	X	JPN	8536.5015.90
E2FM-X10D1-M1TGJ0.3M	Proximity sensor, inductive, stainless steel face & body, long body, M30, shielded, 10mm, DC, 2-wire, NO, M12 with 0.3 m pigtail	146.30	355190	4547648490795			GE	X	JPN	8536.5015.90
E2FM-X1F8B1 2M	Proximity sensor, inductive, stainless steel face & body, long body, M8, shielded, 1.5mm, DC, 3-wire, PNP-NO, 2 m cable	124.20	233312	4547648348669			GE	X	JPN	8536.5015.90
E2FM-X1F8B1-M1	Proximity sensor, inductive, stainless steel face & body, long body, M8, shielded, 1.5mm, DC, 3-wire, PNP-NO, M12 plug-in	116.60	224089	4547648228398			GE	X	JPN	8536.5015.90
E2FM-X1F8C1-M1	Proximity sensor, inductive, stainless steel face & body, long body, M8, shielded, 1.5mm, DC, 3-wire, NPN-NO, M12 plug-in	146.90	233317	4547648348713			GE	X	JPN	8536.5015.90
E2FM-X1F8D1 2M	Proximity sensor, inductive, stainless steel face & body, long body, M8, shielded, 1.5 mm, DC, 2-wire, NO, cable 2 m	133.80	232110	4547648325790			GE	X	JPN	8536.5015.90
E2FM-X1F8D1-M1TGJ0.3M	Proximity sensor, inductive, stainless steel face & body, long body, M8, shielded, 1.5 mm, DC, 2-wire, NO, M12 with 0.3 m pigtail	152.60	355196	4547648525176			GE	X	JPN	8536.5015.90
E2FM-X2B1 M1	Proximity sensor, inductive, stainless steel face & body, long body, M12, shielded, 2mm, DC, 3-wire, PNP-NO, M12 plug-in	87.75	224090	4547648228404			GE	X	JPN	8536.5015.90
E2FM-X2C1 M1	Proximity sensor, inductive, stainless steel face & body, long body, M12, shielded, 2 mm, DC, 3-wire, NPN-NO, M12 plug-in	109.90	233318	4547648348720			GE	X	JPN	8536.5015.90
E2FM-X2D1 2M	Proximity sensor, inductive, stainless steel face & body, long body, M12, shielded, 2 mm, DC, 2-wire, NO, 2 m prewired	120.00	232111	4547648325800			GE	X	JPN	8536.5015.90
E2FM-X2D1-M1TGJ0.3M	Proximity sensor, inductive, stainless steel face & body, long body, M12, shielded, 2 mm, DC, 2-wire, NO, M12 with 0.3 m pigtail	159.40	355192	4547648490818			GE	X	JPN	8536.5015.90



Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Data sheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
E2FM-X2D1-M1TG-T 0.3M	Proximity sensor, inductive, stainless steel face & body, long body, M12, shielded, 2 mm, DC, 2-wire, NO, M12 with 0.3 m pigtail (no polarity)	146.70	355193	4547648490825			GE	X	JPN	8536.5015.90
E2FM-X5B1-M1	Proximity sensor, inductive, stainless steel face & body, long body, M18, shielded, 5mm, DC, 3-wire, PNP-NO, M12 plug-in	99.00	224091	4547648228411			GE	X	JPN	8536.5015.90
E2FM-X5C1-2M	Proximity sensor, inductive, stainless steel face & body, long body, M18, shielded, 5 mm, DC, 3-wire, PNP-NO, 2 m cable	134.90	233115	4547648348690			GE	X	JPN	8536.5015.90
E2FM-X5D1-2M	Proximity sensor, inductive, stainless steel face & body, long body, M18, shielded, 5mm, DC, 2-wire, NO, 2m prewired	134.90	232112	4547648325813			GE	X	JPN	8536.5015.90
E2FM-X5D1-M1TG 0.3M	Proximity sensor, inductive, stainless steel face & body, long body, M18, shielded, 5mm, DC, 2-wire, NO, M12 with 0.3m pigtail	165.20	355194	4547648490832			GE	X	JPN	8536.5015.90
E2H-X12B1-2M	Proximity sensor M30, high temperature (120°C) stainless steel, 12mm sensing range, DC PNP, NO, prewired, 2m	119.00	290046	4547648628662			GE	X	CHN	8536.5080.90
E2H-X12B1-M1	Proximity sensor M30, high temperature (120°C) stainless steel, 12mm sensing range, DC PNP, NO, M12 plug-in	174.60	290047	4547648628679			GE	X	CHN	8536.5080.90
E2H-X12B2-2M	Proximity sensor M30, high temperature (120°C) stainless steel, 12mm sensing range, DC PNP, NC, 2m cable	99.30	290048	4547648628686			GE	X	CHN	8536.5080.90
E2H-X12C2-2M	Proximity sensor M30, high temperature (120°C) stainless steel, 12mm sensing range, DC PNP, NC, 2m cable	99.30	290053	4547648628730			GE	X	CHN	8536.5080.90
E2H-X12D1-2M	Proximity sensor M30, high temperature (120°C) stainless steel, 12mm sensing range, DC 2-wire, NO, prewired, 2m	89.95	290133	4547648628761			GE	X	CHN	8536.5080.90
E2H-X12D1-M1G	Proximity sensor M30, high temperature (120°C) stainless steel, 12mm sensing range, DC 2-wire, NO, M12 plug-in	168.90	290056	4547648628778			GE	X	CHN	8536.5080.90
E2H-X12D1-T	Proximity sensor M30, high temperature (120°C) stainless steel, 12mm sensing range, DC 2-wire no polarity, NO, M12 plug-in	101.00	290134	4547648628785			GE	X	CHN	8536.5080.90
E2H-X12D2-2M	Proximity sensor M30, high temperature (120°C) stainless steel, 12mm sensing range, DC 2-wire, NC, prewired, 2m	100.50	290057	4547648628792			GE	X	CHN	8536.5080.90
E2H-X3B1-2M	Proximity sensor M12, high temperature (120°C) stainless steel, 3mm sensing range, DC PNP, NO, prewired, 2m	62.00	290031	4547648628495			GE	X	CHN	8536.5080.90
E2H-X3B1-5M	Proximity sensor M12, high temperature (120°C) stainless steel, 3mm sensing range, DC PNP, NO, prewired, 5m	70.70	290030	4547648628488			GE	X	CHN	8536.5080.90
E2H-X3B1-M1	Proximity sensor M12, high temperature (120°C) stainless steel, 3mm sensing range, DC PNP, NO, prewired, M12 plug-in	106.70	290032	4547648628501			GE	X	CHN	8536.5080.90
E2H-X3B2-M1	Proximity sensor M12, high temperature (120°C) stainless steel, 3mm sensing range, DC PNP, NC, prewired, 5m	102.20	290034	4547648628525			GE	X	CHN	8536.5080.90
E2H-X3C1-2M	Proximity sensor M12, high temperature (120°C) stainless steel, 3mm sensing range, DC PNP, NO, 2m cable	73.40	290036	4547648628549			GE	X	CHN	8536.5080.90
E2H-X3C1-M1	Proximity sensor M12, high temperature (120°C) stainless steel, 3mm sensing range, DC PNP, NO, M12 plug-in	102.10	290037	4547648628556			GE	X	CHN	8536.5080.90
E2H-X3C2-2M	Proximity sensor M12, high temperature (120°C) stainless steel, 3mm sensing range, DC PNP, NC, 2m cable	73.40	290038	4547648628563			GE	X	CHN	8536.5080.90
E2H-X3D1-2M	Proximity sensor M12, high temperature (120°C) stainless steel, 3mm sensing range, DC 2-wire, NO, 2m cable	59.85	290131	4547648628594			GE	X	CHN	8536.5080.90
E2H-X3D1-M1G	Proximity sensor M12, high temperature (120°C) stainless steel, 3mm sensing range, DC 2-wire, NO, prewired, M12 plug-in	89.95	290041	4547648628600			GE	X	CHN	8536.5080.90
E2H-X3D1-T	Proximity sensor M12, high temperature (120°C) stainless steel, 3mm sensing range, DC 2-wire no polarity, NO, 2 m cable	59.85	290132	4547648628617			GE	X	CHN	8536.5080.90
E2H-X3D2-M1G	Proximity sensor M12, high temperature (120°C) stainless steel, 3mm sensing range, DC 2-wire, NC, prewired, M12 plug-in	89.95	290044	4547648628648			GE	X	CHN	8536.5080.90
E2H-X7B1-2M	Proximity sensor M18, high temperature (120°C) stainless steel, 7mm sensing range, DC PNP, NO, prewired, 2m	118.60	290059	4547648628815			GE	X	CHN	8536.5080.90
E2H-X7B1-M1	Proximity sensor M18, high temperature (120°C) stainless steel, 7mm sensing range, DC PNP, NO, M12 plug-in	120.50	290061	4547648628839			GE	X	CHN	8536.5080.90
E2H-X7B2-2M	Proximity sensor M18, high temperature (120°C) stainless steel, 7 mm sensing range, DC PNP, NC, 2 m cable	75.55	290062	4547648628846			GE	X	CHN	8536.5080.90
E2H-X7C1-2M	Proximity sensor M18, high temperature (120°C) stainless steel, 7mm sensing range, DC PNP, NO, 2m cable	87.75	290065	4547648628877			GE	X	CHN	8536.5080.90
E2H-X7C1-M1	Proximity sensor M18, high temperature (120°C) stainless steel, 7mm sensing range, DC PNP, NO, M12 plug-in	103.60	290066	4547648628884			GE	X	CHN	8536.5080.90
E2H-X7D1-2M	Proximity sensor M18, high temperature (120°C) stainless steel, 7mm sensing range, DC 2-wire, NO, prewired, 2m	62.00	290135	4547648628938		#	GE	X	CHN	8536.5080.90
E2H-X7D1-5M	Proximity sensor M18, high temperature (120°C) stainless steel, 7mm sensing range, DC 2-wire, NO, 5 m cable	84.35	290070	4547648628931			GE	X	CHN	8536.5080.90
E2H-X7D1-M1G	Proximity sensor M18, high temperature (120°C) stainless steel, 7mm sensing range, DC 2-wire, NO, prewired, M12 plug-in	101.00	290071	4547648628945			GE	X	CHN	8536.5080.90
E2H-X7D1-T	Proximity sensor M18, high temperature (120°C) stainless steel, 7mm sensing range, DC 2-wire no polarity, NO, 2 m cable	73.10	290136	4547648628969			GE	X	CHN	8536.5080.90
E2H-X7D2-2M	Proximity sensor M18, high temperature (120°C) stainless steel, 7mm sensing range, DC 2-wire, NC, 2m cable	73.05	290073	4547648628990			GE	X	CHN	8536.5080.90
E2F-X10Y1-2M	Proximity sensor, plastic body, inductive, M30, shielded, 10mm, AC, 2-wire, NO, 2m cable	130.80	235710	4547648321556			GE	X	CHN	8536.5080.90
E2F-X2Y1-2M	Proximity sensor, plastic body, inductive, M12, shielded, 2 mm, AC, 2-wire, NO, 2 m cable	137.90	235698	4547648321358			GE	X	CHN	8536.5080.90
E2EQ-X10D1G-M1G-T 0.3M	Proximity sensor, inductive, S-patter resistant coating, M12, shielded, 10 mm, DC, 2-wire DC, NO, M12 pigtail cable	112.70	324434	4547648631464		#	GE	X	CHN	8536.5080.90
E2EQ-X10D1G-M1G-T 0.3M	Proximity sensor, inductive, S-patter resistant coating, M30, shielded, 10mm, DC, 2-wire DC (no polarity), NO, M12 pigtail cable (Smart-click)	112.70	376181	4547648631471			GE	X	CHN	8536.5080.90
E2EQ-X10D2R-M1G-T 0.3M	Proximity sensor, inductive, S-patter resistant coating, M12, shielded, 10 mm, DC, 2-wire DC, no polarity, NC, M12 pigtail robotic cable 0.3 m	85.85	324435	4547648631488		#	GE	X	CHN	8536.5080.90
E2EQ-X3D1G-M1G-T 0.3M	Proximity sensor, inductive, S-patter resistant coating, M12, shielded, 3 mm, DC, 2-wire DC, NO, M12 pigtail cable	94.55	324436	4547648631501		#	GE	X	CHN	8536.5080.90
E2EQ-X7D1G-M1G-T 0.3M	Proximity sensor, inductive, S-patter resistant coating, M12, shielded, 7 mm, DC, 2-wire DC, NO, M12 pigtail cable	90.65	324437	4547648631525		#	GE	X	CHN	8536.5080.90
E2EZ-X4D1-M1G 0.3M	Proximity sensor, inductive, Al swarf resistant, nickel-brass, short body, M18, shielded, 4 mm, DC, 2-wire, NO, M12 cable end connector 0.3 m	123.80	290158	4547648631945			GE	X	CHN	8536.5080.90
E2EZ-X4D1-N-2M	Proximity sensor, inductive, Al swarf resistant, nickel-brass, short body, M18, shielded, 4 mm, DC, 2-wire, NO, 2 m cable	96.95	290161	4547648632072			GE	X	CHN	8536.5080.90
E2EW-QX10B130-2M	Proximity sensor, inductive, fluoresein coating (base material: SJS303) M30, shielded, 10 mm, DC, 3-wire, PNP NO, 2 m cable	121.20	695190	4549734530507			GE	X	CHN	8536.5080.90
E2EW-QX10B130-M1TJ 0.3M	Proximity sensor, inductive, fluoresein coating (base material: SJS303) M30, shielded, 10 mm, DC, 3-wire, PNP NO, M12 pigtail Smartclick connector, 0.3 m	126.30	695193	4549734530606			GE	X	CHN	8536.5080.90
E2EW-QX10B1T18-2M	Proximity sensor, inductive, fluoresein coating (base material: SJS303) M18, shielded, 10 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	141.40	695173	4549734529617			GE	X	CHN	8536.5080.90
E2EW-QX10B1T18-M1	Proximity sensor, inductive, fluoresein coating (base material: SJS303) M18, shielded, 10 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	140.00	702320	4549734529761			GE	X	CHN	8536.5080.90
E2EW-QX10B1T18-M1TJ 0.3M	Proximity sensor, inductive, fluoresein coating (base material: SJS303) M18, shielded, 10 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 pigtail Smartclick connector, 0.3 m	146.50	695176	4549734529716			GE	X	CHN	8536.5080.90
E2EW-QX10E218-2M	Proximity sensor, inductive, fluoresein coating (base material: SJS303) M18, shielded, 10 mm, DC, 3-wire, PNP NC, 2 m cable	141.40	695174	4549734529631			GE	X	CHN	8536.5080.90
E2EW-QX10E218-M1	Proximity sensor, inductive, fluoresein coating (base material: SJS303) M18, shielded, 10 mm, DC, 3-wire, PNP NC, M12 connector	140.00	702321	4549734529785			GE	X	CHN	8536.5080.90
E2EW-QX10E218-M1TJ 0.3M	Proximity sensor, inductive, fluoresein coating (base material: SJS303) M18, shielded, 10 mm, DC, 3-wire, PNP NC, M12 pigtail Smartclick connector, 0.3 m	146.50	695177	4549734529730			GE	X	CHN	8536.5080.90
E2EW-QX10E230-2M	Proximity sensor, inductive, fluoresein coating (base material: SJS303) M30, shielded, 10 mm, DC, 3-wire, PNP NC, 2 m cable	121.20	695191	4549734530514			GE	X	CHN	8536.5080.90
E2EW-QX10E230-M1TJ 0.3M	Proximity sensor, inductive, fluoresein coating (base material: SJS303) M30, shielded, 10 mm, DC, 3-wire, PNP NC, M12 pigtail Smartclick connector, 0.3 m	126.30	695194	4549734530613			GE	X	CHN	8536.5080.90
E2EW-QX10E330-2M	Proximity sensor, inductive, fluoresein coating (base material: SJS303) M30, shielded, 10 mm, DC, 3-wire, PNP NO+NC, 2 m cable	126.30	695192	4549734530538			GE	X	CHN	8536.5080.90
E2EW-QX10E330-M1TJ 0.3M	Proximity sensor, inductive, fluoresein coating (base material: SJS303) M30, shielded, 10 mm, DC, 3-wire, PNP NO+NC, M12 pigtail Smartclick connector, 0.3 m	131.20	695195	4549734530637			GE	X	CHN	8536.5080.90
E2EW-QX10E3T18-2M	Proximity sensor, inductive, fluoresein coating (base material: SJS303) M18, shielded, 10 mm, DC, 3-wire, PNP NO+NC, IO-Link COM3, 2 m cable	146.50	695175	4549734529648			GE	X	CHN	8536.5080.90
E2EW-QX10E3T18-M1	Proximity sensor, inductive, fluoresein coating (base material: SJS303) M18, shielded, 10 mm, DC, 3-wire, PNP NO+NC, IO-Link COM3, M12 connector	145.00	702322	4549734529792			GE	X	CHN	8536.5080.90
E2EW-QX10E3T18-M1TJ 0.3M	Proximity sensor, inductive, fluoresein coating (base material: SJS303) M18, shielded, 10 mm, DC, 3-wire, PNP NO+NC, IO-Link COM3, M12 pigtail Smartclick connector, 0.3 m	151.50	695178	4549734529747			GE	X	CHN	8536.5080.90
E2EW-QX10C118-2M	Proximity sensor, inductive, fluoresein coating (base material: SJS303) M18, shielded, 10 mm, DC, 3-wire, PNP NO, 2 m cable	141.40	695232	4549734530255			GE	X	CHN	8536.5080.90
E2EW-QX10C118-M1	Proximity sensor, inductive, fluoresein coating (base material: SJS303) M18, shielded, 10 mm, DC, 3-wire, PNP NO, M12 connector	140.00	702323	4549734530347			GE	X	CHN	8536.5080.90
E2EW-QX10C118-M1TJ 0.3M	Proximity sensor, inductive, fluoresein coating (base material: SJS303) M18, shielded, 10 mm, DC, 3-wire, PNP NO, M12 pigtail Smartclick connector, 0.3 m	146.50	695222	4549734530316			GE	X	CHN	8536.5080.90
E2EW-QX10C130-2M	Proximity sensor, inductive, fluoresein coating (base material: SJS303) M30, shielded, 10 mm, DC, 3-wire, PNP NO, 2 m cable	121.20	695094	4549734531290			GE	X	CHN	8536.5080.90
E2EW-QX10C130-M1TJ 0.3M	Proximity sensor, inductive, fluoresein coating (base material: SJS303) M30, shielded, 10 mm, DC, 3-wire, PNP NO, M12 pigtail Smartclick connector, 0.3 m	126.30	695224	4549734531351			GE	X	CHN	8536.5080.90
E2EW-QX10C218-2M	Proximity sensor, inductive, fluoresein coating (base material: SJS303) M18, shielded, 10 mm, DC, 3-wire, PNP NC, 2 m cable	141.40	695188	4549734530262			GE	X	CHN	8536.5080.90
E2EW-QX10C218-M1TJ 0.3M	Proximity sensor, inductive, fluoresein coating (base material: SJS303) M18, shielded, 10 mm, DC, 3-wire, PNP NC, M12 pigtail Smartclick connector, 0.3 m	146.50	695187	4549734530323			GE	X	CHN	8536.5080.90
E2EW-QX10C230-2M	Proximity sensor, inductive, fluoresein coating (base material: SJS303) M30, shielded, 10 mm, DC, 3-wire, PNP NC, 2 m cable	121.20	695208	4549734531306			GE	X	CHN	8536.5080.90
E2EW-QX10C230-M1TJ 0.3M	Proximity sensor, inductive, fluoresein coating (base material: SJS303) M30, shielded, 10 mm, DC, 3-wire, PNP NC, M12 pigtail Smartclick connector, 0.3 m	126.30	695209	4549734531368			GE	X	CHN	8536.5080.90
E2EW-QX10C318-M1	Proximity sensor, inductive, fluoresein coating (base material: SJS303) M18, shielded, 10 mm, DC, 3-wire, PNP NO+NC, M12 connector	145.00	702324	4549734530361			GE	X	CHN	8536.5080.90
E2EW-QX12B1T18-2M	Proximity sensor, inductive, fluoresein coating (base material: SJS303) M18, shielded, 12 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	146.50	695179	4549734529815			GE	X	CHN	8536.5080.90
E2EW-QX12B1T18-M1	Proximity sensor, inductive, fluoresein coating (base material: SJS303) M18, shielded, 12 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	145.00	702325	4549734529969			GE	X	CHN	8536.5080.90
E2EW-QX12B1T18-M1TJ 0.3M	Proximity sensor, inductive, fluoresein coating (base material: SJS303) M18, shielded, 12 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 pigtail Smartclick connector, 0.3 m	151.50	695182	4549734529914			GE	X	CHN	8536.5080.90
E2EW-QX12E218-2M	Proximity sensor, inductive, fluoresein coating (base material: SJS303) M18, shielded, 12 mm, DC, 3-wire, PNP NC, 2 m cable	146.50	695180	4549734529839			GE	X	CHN	8536.5080.90
E2EW-QX12E218-M1	Proximity sensor, inductive, fluoresein coating									





Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Daheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code	
E2EW-X22C30-M1	Proximity sensor, inductive, full metal stainless steel 303, M30, shielded, 22 mm, DC, 3-wire, NPN NO+NC, M12 connector	145.00	702384	4549734527927			GE	X	CHN	8536.5080.90	
E2EW-X2B112-2M	Proximity sensor, inductive, full metal stainless steel 303 M12, shielded, 2 mm, DC, 3-wire, PNP NO, 2 m cable	90.90	695114	4549734524100			GE	X	CHN	8536.5080.90	
E2EW-X2B112-M1TJ0.3M	Proximity sensor, inductive, full metal stainless steel 303 M12, shielded, 2 mm, DC, 3-wire, PNP NO, 2 m cable	95.95	695120	4549734524209			GE	X	CHN	8536.5080.90	
E2EW-X2B112-2M	Proximity sensor, inductive, full metal stainless steel 303 M12, shielded, 2 mm, DC, 3-wire, PNP NC, 2 m cable	90.90	695113	4549734524117			GE	X	CHN	8536.5080.90	
E2EW-X2B212-M1TJ0.3M	Proximity sensor, inductive, full metal stainless steel 303 M12, shielded, 2 mm, DC, 3-wire, PNP NO, M12 pigtail Smartclick connector, 0.3 m	95.95	695121	4549734524216			GE	X	CHN	8536.5080.90	
E2EW-X2B312-2M	Proximity sensor, inductive, full metal stainless steel 303 M12, shielded, 2 mm, DC, 3-wire, PNP NO+NC, 2 m cable	95.95	695112	4549734524131			GE	X	CHN	8536.5080.90	
E2EW-X2B312-M1TJ0.3M	Proximity sensor, inductive, full metal stainless steel 303 M12, shielded, 2 mm, DC, 3-wire, PNP NO+NC, M12 pigtail Smartclick connector, 0.3 m	101.00	695122	4549734524230			GE	X	CHN	8536.5080.90	
E2EW-X2C112-2M	Proximity sensor, inductive, full metal stainless steel 303 M12, shielded, 2 mm, DC, 3-wire, PNP NO, 2 m cable	90.90	695111	4549734524836			GE	X	CHN	8536.5080.90	
E2EW-X2C112-M1TJ0.3M	Proximity sensor, inductive, full metal stainless steel 303 M12, shielded, 2 mm, DC, 3-wire, PNP NO, M12 pigtail Smartclick connector, 0.3 m	95.95	695213	4549734524957			GE	X	CHN	8536.5080.90	
E2EW-X2C212-2M	Proximity sensor, inductive, full metal stainless steel 303 M12, shielded, 2 mm, DC, 3-wire, PNP NO, 2 m cable	90.90	695110	4549734524902			GE	X	CHN	8536.5080.90	
E2EW-X2C212-M1TJ0.3M	Proximity sensor, inductive, full metal stainless steel 303 M12, shielded, 2 mm, DC, 3-wire, PNP NO, M12 pigtail Smartclick connector, 0.3 m	95.95	695213	4549734524964			GE	X	CHN	8536.5080.90	
E2EW-X5B118-2M	Proximity sensor, inductive, full metal stainless steel 303 M18, shielded, 5 mm, DC, 3-wire, PNP NO, 2 m cable	95.95	695109	4549734525361			GE	X	CHN	8536.5080.90	
E2EW-X5B118-M1TJ0.3M	Proximity sensor, inductive, full metal stainless steel 303 M18, shielded, 5 mm, DC, 3-wire, PNP NO, M12 pigtail Smartclick connector, 0.3 m	101.00	695124	4549734525480			GE	X	CHN	8536.5080.90	
E2EW-X5B218-2M	Proximity sensor, inductive, full metal stainless steel 303 M18, shielded, 5 mm, DC, 3-wire, PNP NC, 2 m cable	95.95	695108	4549734525398			GE	X	CHN	8536.5080.90	
E2EW-X5B218-M1TJ0.3M	Proximity sensor, inductive, full metal stainless steel 303 M18, shielded, 5 mm, DC, 3-wire, PNP NC, M12 pigtail Smartclick connector, 0.3 m	101.00	695125	4549734525497			GE	X	CHN	8536.5080.90	
E2EW-X5B318-2M	Proximity sensor, inductive, full metal stainless steel 303 M18, shielded, 5 mm, DC, 3-wire, PNP NO+NC, 2 m cable	101.00	695107	4549734525411			GE	X	CHN	8536.5080.90	
E2EW-X5B318-M1TJ0.3M	Proximity sensor, inductive, full metal stainless steel 303 M18, shielded, 5 mm, DC, 3-wire, PNP NO+NC, M12 pigtail Smartclick connector, 0.3 m	106.10	695126	4549734525510			GE	X	CHN	8536.5080.90	
E2EW-X5C118-2M	Proximity sensor, inductive, full metal stainless steel 303 M18, shielded, 5 mm, DC, 3-wire, PNP NO, 2 m cable	95.95	695106	4549734526173			GE	X	CHN	8536.5080.90	
E2EW-X5C118-M1TJ0.3M	Proximity sensor, inductive, full metal stainless steel 303 M18, shielded, 5 mm, DC, 3-wire, PNP NO, M12 pigtail Smartclick connector, 0.3 m	101.00	695214	4549734526234			GE	X	CHN	8536.5080.90	
E2EW-X5C218-2M	Proximity sensor, inductive, full metal stainless steel 303 M18, shielded, 5 mm, DC, 3-wire, PNP NC, 2 m cable	95.95	695105	4549734526180			GE	X	CHN	8536.5080.90	
E2EW-X5C218-M1TJ0.3M	Proximity sensor, inductive, full metal stainless steel 303 M18, shielded, 5 mm, DC, 3-wire, PNP NC, M12 pigtail Smartclick connector, 0.3 m	101.00	695137	4549734526241			GE	X	CHN	8536.5080.90	
E2EW-X6B112-2M	Proximity sensor, inductive, full metal stainless steel 303, M12, shielded, 6 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	105.00	702385	4549734524460			GE	X	CHN	8536.5080.90	
E2EW-X6B112-M1	Proximity sensor, inductive, full metal stainless steel 303, M12, shielded, 6 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	105.00	702386	4549734524483			GE	X	CHN	8536.5080.90	
E2EW-X6B112-M1TJ0.3M	Proximity sensor, inductive, full metal stainless steel 303, M12, shielded, 6 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 pigtail Smartclick connector, 0.3 m	110.00	702387	4549734524559			GE	X	CHN	8536.5080.90	
E2EW-X6B212-2M	Proximity sensor, inductive, full metal stainless steel 303, M12, shielded, 6 mm, DC, 3-wire, PNP NC, 2 m cable	105.00	702388	4549734524513			GE	X	CHN	8536.5080.90	
E2EW-X6B212-M1	Proximity sensor, inductive, full metal stainless steel 303, M12, shielded, 6 mm, DC, 3-wire, PNP NC, M12 connector	105.00	702389	4549734524667			GE	X	CHN	8536.5080.90	
E2EW-X6B312-2M	Proximity sensor, inductive, full metal stainless steel 303, M12, shielded, 6 mm, DC, 3-wire, PNP NO+NC, IO-Link COM3, 2 m cable	110.00	702390	4549734524520			GE	X	CHN	8536.5080.90	
E2EW-X6B312-M1	Proximity sensor, inductive, full metal stainless steel 303, M12, shielded, 6 mm, DC, 3-wire, PNP NO+NC, IO-Link COM3, M12 connector	110.00	702391	4549734524674			GE	X	CHN	8536.5080.90	
E2EW-X6B312-M1TJ0.3M	Proximity sensor, inductive, full metal stainless steel 303, M12, shielded, 6 mm, DC, 3-wire, PNP NO+NC, IO-Link COM3, M12 pigtail Smartclick connector, 0.3 m	115.00	702392	4549734524629			GE	X	CHN	8536.5080.90	
E2EW-X6C112-2M	Proximity sensor, inductive, full metal stainless steel 303, M12, shielded, 6 mm, DC, 3-wire, PNP NO, 2 m cable	105.00	702393	4549734525138			GE	X	CHN	8536.5080.90	
E2EW-X6C112-M1	Proximity sensor, inductive, full metal stainless steel 303, M12, shielded, 6 mm, DC, 3-wire, PNP NO, M12 connector	105.00	702394	4549734525220			GE	X	CHN	8536.5080.90	
E2EW-X6C312-M1	Proximity sensor, inductive, full metal stainless steel 303, M12, shielded, 6 mm, DC, 3-wire, PNP NO+NC, M12 connector	110.00	702395	4549734525244			GE	X	CHN	8536.5080.90	
E2EW-X7B112-2M	Proximity sensor, inductive, full metal stainless steel 303, M12, shielded, 7 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	110.00	702396	4549734524698			GE	X	CHN	8536.5080.90	
E2EW-X7B112-M1	Proximity sensor, inductive, full metal stainless steel 303, M12, shielded, 7 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	110.00	702397	4549734524841			GE	X	CHN	8536.5080.90	
E2EW-X7B112-M1TJ0.3M	Proximity sensor, inductive, full metal stainless steel 303, M12, shielded, 7 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 pigtail Smartclick connector, 0.3 m	115.00	702398	4549734524797			GE	X	CHN	8536.5080.90	
E2EW-X7B212-2M	Proximity sensor, inductive, full metal stainless steel 303, M12, shielded, 7 mm, DC, 3-wire, PNP NC, 2 m cable	110.00	702399	4549734524711			GE	X	CHN	8536.5080.90	
E2EW-X7B212-M1	Proximity sensor, inductive, full metal stainless steel 303, M12, shielded, 7 mm, DC, 3-wire, PNP NC, M12 connector	110.00	702400	4549734524865			GE	X	CHN	8536.5080.90	
E2EW-X7B312-2M	Proximity sensor, inductive, full metal stainless steel 303, M12, shielded, 7 mm, DC, 3-wire, PNP NO+NC, IO-Link COM3, 2 m cable	115.00	702401	4549734524728			GE	X	CHN	8536.5080.90	
E2EW-X7B312-M1	Proximity sensor, inductive, full metal stainless steel 303, M12, shielded, 7 mm, DC, 3-wire, PNP NO+NC, IO-Link COM3, M12 connector	115.00	702402	4549734524872			GE	X	CHN	8536.5080.90	
E2EW-X7B312-M1TJ0.3M	Proximity sensor, inductive, full metal stainless steel 303, M12, shielded, 7 mm, DC, 3-wire, PNP NO+NC, IO-Link COM3, M12 pigtail Smartclick connector, 0.3 m	120.00	702403	4549734524827			GE	X	CHN	8536.5080.90	
E2EW-X7C112-2M	Proximity sensor, inductive, full metal stainless steel 303, M12, shielded, 7 mm, DC, 3-wire, PNP NO, 2 m cable	110.00	702317	4549734525251			GE	X	CHN	8536.5080.90	
E2EW-X7C112-M1	Proximity sensor, inductive, full metal stainless steel 303, M12, shielded, 7 mm, DC, 3-wire, PNP NO, M12 connector	110.00	702318	4549734525343			GE	X	CHN	8536.5080.90	
E2EW-X7C312-M1	Proximity sensor, inductive, full metal stainless steel 303, M12, shielded, 7 mm, DC, 3-wire, PNP NO+NC, M12 connector	115.00	702319	4549734525367			GE	X	CHN	8536.5080.90	
E2V-X10C1-2M	Proximity sensor, inductive, all metal sensing, brass-nickel, M30, shielded, 10 mm, DC, 3-wire, NPN-NO, 2 m prewired	125.40	249430	4547648456616			GE	X	JPN	8536.5080.90	
E2V-X15B1-M1TJ0.3M	Proximity sensor, inductive, all metal sensing, brass-nickel, M12, shielded, 4 mm, DC, 3-wire, PNP-NO, 2 m prewired	139.90	249441	4547648456739			GE	X	JPN	8536.5080.90	
E2V-X4B1-2M	Proximity sensor, inductive, all metal sensing, brass-nickel, M12, shielded, 4 mm, DC, 3-wire, PNP-NO, 2 m prewired	138.10	249391	4547648456210			GE	X	JPN	8536.5080.90	
E2V-X4C1-2M	Proximity sensor, inductive, all metal sensing, brass-nickel, M12, shielded, 4 mm, DC, 3-wire, PNP-NO, 2 m prewired	138.10	249395	4547648456258			GE	X	JPN	8536.5080.90	
E2V-X4C1-M1	Proximity sensor, inductive, all metal sensing, brass-nickel, M12, shielded, 4 mm, DC, 3-wire, PNP-NO, M12 connector	148.70	249402	4547648456333			GE	X	JPN	8536.5080.90	
E2V-X4C2-2M	Proximity sensor, inductive, all metal sensing, brass-nickel, M12, shielded, 4 mm, DC, 3-wire, PNP-NC, 2 m prewired	138.10	249397	4547648456272			GE	X	JPN	8536.5080.90	
E2V-X5C1-2M	Proximity sensor, inductive, all metal sensing, brass-nickel, M18, shielded, 5 mm, DC, 3-wire, PNP-NO, 2 m prewired	146.70	249408	4547648456395			GE	X	JPN	8536.5080.90	
E2V-X8B1-M1TJ0.3M	Proximity sensor, inductive, all metal sensing, brass-nickel, M18, shielded, 8 mm, DC, 3-wire, PNP-NO, 0.3 m cable with M12 SmartClick connector	151.70	249420	4547648456517			GE	X	JPN	8536.5080.90	
E2K-X15M1Y1	Proximity sensor, capacitive, M30, unshielded, 15 mm, AC, 2-wire, NO, 2 m cable	62.00	148233	4536853264505			GE	X	JPN	8536.5080.90	
E2K-X15M1Y1-5M	Proximity sensor, capacitive, M30, unshielded, 15 mm, AC, 2-wire, NO, 5 m cable	70.00	104693	4536853264512			GE	X	JPN	8536.5080.90	
E2K-X15M1Y2	Proximity sensor, capacitive, M30, unshielded, 15 mm, AC, 2-wire, NC, 2 m cable	65.00	153714	4536853264536			GE	X	JPN	8536.5080.90	
E2K-X4M1Y1	Proximity sensor, capacitive, M12, unshielded, 4 mm, AC, 2-wire, NO, 2 m cable	54.00	131780	4536853264406			GE	X	JPN	8536.5080.90	
E2K-X4M1Y2	Proximity sensor, capacitive, M12, unshielded, 4 mm, AC, 2-wire, NC, 2 m cable	57.00	106108	4536853264437			GE	X	JPN	8536.5080.90	
E2K-X8M1Y1	Proximity sensor, capacitive, M18, unshielded, 8 mm, AC, 2-wire, NO, 2 m cable	56.00	131781	4536853264451			GE	X	JPN	8536.5080.90	
E2K-X8M1Y1-5M	Proximity sensor, capacitive, M18, unshielded, 8 mm, AC, 2-wire, NO, 5 m cable	65.00	131782	4536853264468			GE	X	JPN	8536.5080.90	
E2K-X8M1Y2	Proximity sensor, capacitive, M18, unshielded, 8 mm, AC, 2-wire, NC, 2 m cable	58.00	157412	4536853264482			GE	X	JPN	8536.5080.90	
E2K-C20M1T1-2M	Proximity sensor, capacitive, 34 mm dia, unshielded, 20 mm, AC/DC, 2-wire, NO, 2 m cable	495.50	131850	4536854884085			GE	X	DEU	8536.5080.90	
E2K-C20M1T2-2M	Proximity sensor, capacitive, 34 mm dia, unshielded, 20 mm, AC/DC, 2-wire, NO, 2 m cable	462.80	131851	4536854884092			GE	X	DEU	8536.5080.90	
E2K-C25M1Y1	Proximity sensor, capacitive, 34mm dia, unshielded, 25mm, AC, 2-wire, NO, 2m cable	134.90	131840	4536853263669			GE	X	JPN	8536.5080.90	
E2K-C25M1Y2	Proximity sensor, capacitive, 34mm dia, unshielded, 25mm, AC, 2-wire, NC, 2m cable	133.50	150367	4536853263676			GE	X	JPN	8536.5080.90	
GLS-1	Magnetic Proximity Sensor, reed switch, sensor and magnet set	19.01	693661	4549734511469		10	GE	X	JPN	9031.9000.00	
GLS-1L	Magnetic Proximity Sensor, reed switch, 1 m prewired, sensor and magnet set	20.91	696218	4549734511438			GE	X	JPN	9031.9000.00	
GLS-M1	Magnet only for magnetic proximity switch set GLS-1	8.43	693660	4549734511452		#	20	GE	X	JPN	8536.5015.90
GLS-S1	Sensor only for magnetic proximity switch set GLS-1	13.51	693659	4549734511445		#	20	GE	X	JPN	9031.9000.00
<b>Accessory for proximity sensor.</b>											
XSF-A421-D90-F	Sensor cable, M12 straight socket (female), 4-poles, B coded, PVC fire-retardant robot cable, IP67, 2 m	15.80	372875	4548583080317		5	GE	Z	JPN	8544.4290.90	
XSF-A421-DB0-F	Sensor cable, M12 straight socket (female), 4-poles, 2-wires (3 - 4), B coded, PVC fire-retardant robot cable, IP67, 2 m	13.38	372801	4548583080324			GE	Z	JPN	8544.4290.90	
XSF-A421-G90-F	Sensor cable, M12 straight socket (female), 4-poles, B coded, PVC fire-retardant robot cable, IP67, 5 m	25.34	374459	4536854882838		5	GE	Z	JPN	8544.4290.90	

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Daheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
XS2F-A421-GB0-TR	Sensor cable, M12 straight socket (female), 4-poles, 2-wires (3 - 4), B coded, PVC, IP67, 5 m	22.05	107717	4536854225154		4	GE	Z	JPN	8544.4290.90
XS2F-D421-B80-F	Sensor cable, M12 straight socket (female), 4-poles, A coded, PVC fire-retardant robot cable, IP67, 0,5 m	15.51	180124	4536854892769			GE	Z	JPN	8544.4290.90
XS2F-D421-G80-F	Sensor cable, M12 straight socket (female), 4-poles, A coded, PVC fire-retardant robot cable, IP67, 1 m	17.14	107679	4536854224874			GE	Z	JPN	8544.4290.90
XS2F-D421-D80-F	Sensor cable, M12 straight socket (female), 4-poles, 3-wires (1 - 3 - 4), A coded, PVC, IP67, 2 m	18.40	107677	4536854224805	#	5	GE	Z	JPN	8544.4290.90
XS2F-D421-DC0-TR	Sensor cable, M12 straight socket (female), 4-poles, 3-wires (1 - 3 - 4), A coded, PVC fire-retardant robot cable, IP67, 2 m	17.96	147525	4536854223976			GE	Z	JPN	8544.4290.90
XS2F-D421-DD0	Sensor cable, M12 straight socket (female), 4-poles, 2-wires (3 - 4), A coded, PVC fire-retardant robot cable, IP67, 2 m	14.69	145300	4536854224683			GE	Z	JPN	8544.4290.90
XS2F-D421-E80-F	Sensor cable, M12 straight socket (female), 4-poles, A coded, PVC fire-retardant robot cable, IP67, 3 m	26.53	107714	4536854478857		5	GE	Z	JPN	8544.4290.90
XS2F-D421-G80-F	Sensor cable, M12 straight socket (female), 4-poles, A coded, PVC fire-retardant robot cable, IP67, 5 m	30.19	107678	4536854224812	#	5	GE	Z	JPN	8544.4290.90
XS2F-D421-GA0-F	Sensor cable, M12 straight socket (female), 4-poles, 2-wires (1 - 4), A coded, PVC fire-retardant robot cable, IP67, 5 m	31.78	374556	4536854780882			GE	Z	JPN	8544.4290.90
XS2F-D421-GC0-F	Sensor cable, M12 straight socket (female), 4-poles, 3-wires (1 - 3 - 4), A coded, PVC fire-retardant robot cable, IP67, 5 m	25.22	374507	4548583080713			GE	Z	JPN	8544.4290.90
XS2F-D421-GD0	Sensor cable, M12 straight socket (female), 4-poles, 2-wires (3 - 4), A coded, PVC fire-retardant robot cable, IP67, 5 m	19.18	107675	4536854224690	#		GE	Z	JPN	8544.4290.90
XS2F-D421-J80-F	Sensor cable, M12 straight socket (female), 4-poles, A coded, PVC fire-retardant robot cable, IP67, 10 m	48.13	107680	4536854224881	#		GE	Z	JPN	8544.4290.90
XS2F-D421-JA0-F	Sensor cable, M12 straight socket (female), 4-poles, 2-wires (1 - 4), A coded, PVC fire-retardant robot cable, IP67, 10 m	83.10	670483	4536854892776			GE	Z	JPN	8544.4290.90
XS2F-D421-K80-F	Sensor cable, M12 straight socket (female), 4-poles, A coded, PVC fire-retardant robot cable, IP67, 15 m	30.30	699126	4547648196093			GE	Z	JPN	8544.4290.90
XS2F-D421-KC0-F	Sensor cable, M12 straight socket (female), 4-poles, 3-wires (1 - 3 - 4), A coded, PVC fire-retardant robot cable, IP67, 15 m	43.43	693785	4548583082205			GE	Z	JPN	8544.4290.90
XS2F-D422-G80-F	Sensor cable, M12 right-angle socket (female), 4-poles, A coded, PVC fire-retardant robot cable, IP67, 1 m	17.48	693952	4547648698030			GE	Z	JPN	8544.4290.90
XS2F-D422-D80-F	Sensor cable, M12 right-angle socket (female), 4-poles, A coded, PVC fire-retardant robot cable, IP67, 2 m	21.21	355664	4547648698047		5	GE	Z	JPN	8544.4290.90
XS2F-D422-DA0-F	Sensor cable, M12 right-angle socket (female), 4-poles, 2-wires (1 - 4), A coded, PVC fire-retardant robot cable, IP67, 2 m	12.23	374065	4548583080843		5	GE	Z	JPN	8544.4290.90
XS2F-D422-DC0-F	Sensor cable, M12 right-angle socket (female), 4-poles, 3-wires (1 - 3 - 4), A coded, PVC fire-retardant robot cable, IP67, 2 m	11.43	372021	4548583080850		5	GE	Z	JPN	8544.4290.90
XS2F-D422-DD0-TR	Sensor cable, M12 right-angle socket (female), 4-poles, 3-wires (1 - 3 - 4), A coded, PVC, IP67, 2 m	17.96	107762	4536854223990			GE	Z	JPN	8544.4290.90
XS2F-D422-E80-F	Sensor cable, M12 right-angle socket (female), 4-poles, A coded, PVC fire-retardant robot cable, IP67, 3 m	22.22	693786	4548583080867		5	GE	Z	JPN	8544.4290.90
XS2F-D422-G80-F	Sensor cable, M12 right-angle socket (female), 4-poles, A coded, PVC fire-retardant robot cable, IP67, 5 m	34.01	355663	4547648622073		2	GE	Z	JPN	8544.4290.90
XS2F-D422-GA0-F	Sensor cable, M12 right-angle socket (female), 4-poles, 2-wires (1 - 4), A coded, PVC fire-retardant robot cable, IP67, 5 m	36.42	670485	4548583080911			GE	Z	JPN	8544.4290.90
XS2F-D422-GC0-F	Sensor cable, M12 right-angle socket (female), 4-poles, 3-wires (1 - 3 - 4), A coded, PVC fire-retardant robot cable, IP67, 5 m	30.69	680532	4548583080928			GE	Z	JPN	8544.4290.90
XS2F-D422-GD0-TR	Sensor cable, M12 right-angle socket (female), 4-poles, 3-wires (1 - 3 - 4), A coded, PVC cable, IP67, 5 m	28.14	149605	4536854224591		5	GE	Z	JPN	8544.4290.90
XS2F-D422-J80-F	Sensor cable, M12 right-angle socket (female), 4-poles, A coded, PVC fire-retardant robot cable, IP67, 10 m	43.43	359239	4547648623322			GE	Z	JPN	8544.4290.90
XS2F-D521-DG0-A	Sensor cable, M12 straight socket (female), 5-poles, A coded, PVC standard cable, IP67, 2 m	18.78	150307	4536854224515		5	GE	Z	JPN	8544.4290.90
XS2F-D521-GG0-A	Sensor cable, M12 straight socket (female), 5-poles, A coded, PVC standard cable, IP67, 5 m	26.92	107769	4536854224522		5	GE	Z	JPN	8544.4290.90
XS2F-D521-JG0-A	Sensor cable, M12 straight socket (female), 5-poles, A coded, PVC standard cable, IP67, 10 m	22.72	695391	4536854705168			GE	Z	JPN	8544.4290.90
XS2F-D521-KG0-A	Sensor cable, M12 straight socket (female), 5-poles, A coded, PVC standard cable, IP67, 15 m	96.40	695513	4547648521314			GE	Z	JPN	8544.4290.90
XS2F-D521-LG0-A	Sensor cable, M12 straight socket (female), 5-poles, A coded, PVC standard cable, IP67, 20 m	122.30	695514	4548583054769			GE	Z	JPN	8544.4290.90
XS2F-D522-DG0-A	Sensor cable, M12 right-angle socket (female), 5-poles, A coded, PVC standard cable, IP67, 2 m	20.36	107716	4536854695445			GE	Z	JPN	8544.4290.90
XS2F-D522-GG0-A	Sensor cable, M12 right-angle socket (female), 5-poles, A coded, PVC standard cable, IP67, 5 m	30.19	107715	4536854637988		5	GE	Z	JPN	8544.4290.90
XS2F-D821-GH0-C	Sensor cable, M12 straight socket (female), 8-poles, A coded, PVC standard cable, IP67, 5 m	65.30	107628	4536854503580			GE	Z	JPN	8544.4290.90
XS2F-E421-D80-E	Sensor cable, M12 straight socket (female), 4-poles, A coded, PVC heat-resistant cable, IP67, 2 m	35.04	237191	4547648395120		5	GE	Z	JPN	8544.4290.90
XS2F-E421-G80-E	Sensor cable, M12 straight socket (female), 4-poles, A coded, PVC heat-resistant cable, IP67, 5 m	35.35	237192	4547648395137		5	GE	Z	JPN	8544.4290.90
XS2F-E422-D80-E	Sensor cable, M12 right-angle socket (female), 4-poles, A coded, PVC heat-resistant cable, IP67, 2 m	53.04	237193	4547648395144		5	GE	Z	JPN	8544.4290.90
XS2F-E422-G80-E	Sensor cable, M12 right-angle socket (female), 4-poles, A coded, PVC heat-resistant cable, IP67, 5 m	44.89	237194	4547648395160		5	GE	Z	JPN	8544.4290.90
XS2F-LM12PVC3A10M	Sensor cable, M12 right-angle socket (female), 3-poles, A coded, PVC standard cable, IP67, 10 m	11.62	361130	4548583135260			GE	Z	CHN	8544.4290.90
XS2F-LM12PVC3A20M	Sensor cable, M12 right-angle socket (female), 3-poles, A coded, PVC standard cable, IP67, 2 m	6.51	358068	4548583127135			GE	Z	CHN	8544.4290.90
XS2F-LM12PVC3A35M	Sensor cable, M12 right-angle socket (female), 3-poles, A coded, PVC standard cable, IP67, 5 m	8.26	358069	4548583127159			GE	Z	CHN	8544.4290.90
XS2F-LM12PVC3S10M	Sensor cable, M12 straight socket (female), 3-poles, A coded, PVC standard cable, IP67, 10 m	11.62	361131	4548583135277			GE	Z	CHN	8544.4290.90
XS2F-LM12PVC3S25M	Sensor cable, M12 straight socket (female), 3-poles, A coded, PVC standard cable, IP67, 2 m	6.51	358070	4548583127197			GE	Z	CHN	8544.4290.90
XS2F-LM12PVC3S55M	Sensor cable, M12 straight socket (female), 3-poles, A coded, PVC standard cable, IP67, 5 m	8.26	358071	4548583127210	#		GE	Z	CHN	8544.4290.90
XS2F-LM12PVC4A10M	Sensor cable, M12 right-angle socket (female), 4-poles, A coded, PVC standard cable, IP67, 10 m	11.62	361128	4548583127258			GE	Z	CHN	8544.4290.90
XS2F-LM12PVC4A25M	Sensor cable, M12 right-angle socket (female), 4-poles, A coded, PVC standard cable, IP67, 2 m	6.51	358072	4548583127227	#		GE	Z	CHN	8544.4290.90
XS2F-LM12PVC4A55M	Sensor cable, M12 right-angle socket (female), 4-poles, A coded, PVC standard cable, IP67, 5 m	8.26	358073	4548583127234			GE	Z	CHN	8544.4290.90
XS2F-LM12PVC4S10M	Sensor cable, M12 straight socket (female), 4-poles, A coded, PVC standard cable, IP67, 10 m	11.62	361129	4548583127302	#		GE	Z	CHN	8544.4290.90
XS2F-LM12PVC4S25M	Sensor cable, M12 straight socket (female), 4-poles, A coded, PVC standard cable, IP67, 2 m	6.51	358074	4548583127272	#		GE	Z	CHN	8544.4290.90
XS2F-LM12PVC4S55M	Sensor cable, M12 straight socket (female), 4-poles, A coded, PVC standard cable, IP67, 5 m	8.26	358075	4548583127289	#		GE	Z	CHN	8544.4290.90
XS2F-M12PVC3A2M	Sensor cable, M12 right-angle socket (female), 3-poles, A coded, PVC fire-retardant cable, IP67, 2 m	11.00	419178	4548583435216			GE	Z	CHN	8544.4290.90
XS2F-M12PVC3A25MILED	Sensor cable, M12 right-angle socket (female), 3-poles, A coded, PVC fire-retardant cable, with LED indicator (NPN), IP67, 2 m	16.21	378097	4548583440265			GE	Z	JPN	8544.4290.90
XS2F-M12PVC3A25MILED	Sensor cable, M12 right-angle socket (female), 3-poles, A coded, PVC fire-retardant cable, with LED indicator (PNP), IP67, 2 m	19.89	378100	4548583440388			GE	Z	JPN	8544.4290.90
XS2F-M12PVC3A5M	Sensor cable, M12 right-angle socket (female), 3-poles, A coded, PVC fire-retardant cable, IP67, 5 m	14.32	419179	4548583435223			GE	Z	CHN	8544.4290.90
XS2F-M12PVC3A5MILED	Sensor cable, M12 right-angle socket (female), 3-poles, A coded, PVC fire-retardant cable, with LED indicator (NPN), IP67, 5 m	23.26	378101	4548583440395			GE	Z	JPN	8544.4290.90
XS2F-M12PVC3S2M	Sensor cable, M12 straight socket (female), 3-poles, A coded, PVC fire-retardant cable, IP67, 2 m	11.32	419181	4548583435247			GE	Z	CHN	8544.4290.90
XS2F-M12PVC3S5M	Sensor cable, M12 straight socket (female), 3-poles, A coded, PVC fire-retardant cable, IP67, 5 m	14.04	419182	4548583435254			GE	Z	CHN	8544.4290.90
XS2F-M12PVC4A10M	Sensor cable, M12 right-angle socket (female), 4-poles, A coded, PVC fire-retardant cable, IP67, 10 m	19.37	419183	4548583435261	#		GE	Z	CHN	8544.4290.90
XS2F-M12PVC4A10MILED	Sensor cable, M12 right-angle socket (female), 4-poles, A coded, PVC fire-retardant cable, with LED indicator (NPN), IP67, 10 m	28.99	378105	4548583440319			GE	Z	JPN	8544.4290.90
XS2F-M12PVC4A15M	Sensor cable, M12 right-angle socket (female), 4-poles, A coded, PVC fire-retardant cable, IP67, 15 m	23.94	419184	4548583435278			GE	Z	CHN	8544.4290.90
XS2F-M12PVC4A20M	Sensor cable, M12 right-angle socket (female), 4-poles, A coded, PVC fire-retardant cable, IP67, 20 m	21.65	419185	4548583435285			GE	Z	CHN	8544.4290.90
XS2F-M12PVC4A25M	Sensor cable, M12 right-angle socket (female), 4-poles, A coded, PVC fire-retardant cable, IP67, 25 m	9.08	419186	4548583435292			GE	Z	CHN	8544.4290.90
XS2F-M12PVC4A25MILED	Sensor cable, M12 right-angle socket (female), 4-poles, A coded, PVC fire-retardant cable, with LED indicator (NPN), IP67, 25 m	26.09	378103	4548583440296			GE	Z	JPN	8544.4290.90
XS2F-M12PVC4A5M	Sensor cable, M12 right-angle socket (female), 4-poles, A coded, PVC fire-retardant cable, IP67, 5 m	13.06	419187	4548583435308	#		GE	Z	CHN	8544.4290.90
XS2F-M12PVC4A5MILED	Sensor cable, M12 right-angle socket (female), 4-poles, A coded, PVC fire-retardant cable, with LED indicator (PNP), IP67, 5 m	28.14	378104	4548583440302	#		GE	Z	JPN	8544.4290.90
XS2F-M12PVC4S10M	Sensor cable, M12 straight socket (female), 4-poles, A coded, PVC fire-retardant cable, IP67, 10 m	17.75	419188	4548583435315			GE	Z	CHN	8544.4290.90
XS2F-M12PVC4S15M	Sensor cable, M12 straight socket (female), 4-poles, A coded, PVC fire-retardant cable, IP67, 15 m	21.21	419189	4548583435322			GE	Z	CHN	8544.4290.90
XS2F-M12PVC4S20M	Sensor cable, M12 straight socket (female), 4-poles, A coded, PVC fire-retardant cable, IP67, 20 m	29.53	419190	4548583435339			GE	Z	CHN	8544.4290.90
XS2F-M12PVC4S25M	Sensor cable, M12 straight socket (female), 4-poles, A coded, PVC fire-retardant cable, IP67, 25 m	9.70	419191	4548583435346			GE	Z	CHN	8544.4290.90
XS2F-M12PVC4S5M	Sensor cable, M12 straight socket (female), 4-poles, A coded, PVC fire-retardant cable, IP67, 5 m	13.06	419193	4548583435360	#		GE	Z	CHN	8544.4290.90
XS2F-M12PVC5A10M	Sensor cable, M12 right-angle socket (female), 5-poles, A coded, PVC fire-retardant cable, IP67, 10 m	15.50	419194	4548583435377			GE	Z	CHN	8544.4290.90
XS2F-M12PVC5A15M	Sensor cable, M12 right-angle socket (female), 5-poles, A coded, PVC fire-retardant cable, IP67, 15 m	25.05	419214	4548583585676			GE	Z	CHN	8544.4290.90
XS2F-M12PVC5A20M	Sensor cable, M12 right-angle socket (female), 5-poles, A coded, PVC fire-retardant cable, IP67, 20 m	24.00	419215	4548583585683			GE	Z	CHN	8544.4290.90
XS2F-M12PVC5A25M	Sensor cable, M12 right-angle socket (female), 5-poles, A coded, PVC fire-retardant cable, IP67, 25 m	9.64	419195	4548583435384			GE	Z	CHN	8544.4290.90
XS2F-M12PVC5A5M	Sensor cable, M12 right-angle socket (female), 5-poles, A coded, PVC fire-retardant cable, IP67, 5 m	13.92	419196	4548583435391	#		GE	Z	CHN	8544.4290.90
XS2F-M12PVC5S10M	Sensor cable, M12 straight socket (female), 5-poles, A coded, PVC fire-retardant cable, IP67, 10 m	20.54	419197	4548583435407			GE	Z	CHN	8544.4290.90
XS2F-M12PVC5S25M	Sensor cable, M12 straight socket (female), 5-poles, A coded, PVC fire-retardant cable, IP67, 25 m	11.33	419199	4548583435421			GE	Z	CHN	8544.

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Data sheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
XS2F-M12PVC3SSM	Sensor cable, M12 straight socket (female), 5-poles, A coded, PVC fire-retardant cable, IP67, 5 m	13,69	419200	4548583435438	#		GE	Z	CHN	8544.4290.90
XS2H-D421-AA0-F	Sensor cable, M12 straight plug (male), 4-poles, 2-wires (1 - 4), A coded, PVC fire-retardant robot cable, IP67, 0.3 m	8,39	693953	4548583081147			GE	Z	JPN	8544.4290.90
XS2H-D421-B80-F	Sensor cable, M12 straight plug (male), 4-poles, A coded, PVC fire-retardant robot cable, IP67, 0.5 m	15,51	107647	4536854226236			GE	Z	JPN	8544.4290.90
XS2H-D421-C80-F	Sensor cable, M12 straight plug (male), 4-poles, A coded, PVC fire-retardant robot cable, IP67, 2 m	18,15	152958	4536854226109		10	GE	Z	JPN	8544.4290.90
XS2H-D421-D80-F	Sensor cable, M12 straight plug (male), 4-poles, A coded, PVC fire-retardant robot cable, IP67, 5 m	22,59	107645	4536854226205		5	GE	Z	JPN	8544.4290.90
XS2H-D421-G80-F	Sensor cable, M12 straight plug (male), 4-poles, A coded, PVC fire-retardant robot cable, IP67, 5 m	27,26	167683	4536854537745		5	GE	Z	JPN	8544.4290.90
XS2H-D421-J80-F	Sensor cable, M12 straight plug (male), 4-poles, A coded, PVC fire-retardant robot cable, IP67, 10 m	33,75	679412	4536854516191			GE	Z	JPN	8544.4290.90
XS2H-D521-A00-A	Sensor cable, M12 straight plug (male), 5-poles, A coded, PVC standard cable, IP67, 0.3 m	12,52	256459	4536854226090			GE	Z	JPN	8544.4290.90
XS2H-D521-C00-A	Sensor cable, M12 straight plug (male), 5-poles, A coded, PVC standard cable, IP67, 1 m	15,45	213830	4536854226106			GE	Z	JPN	8544.4290.90
XS2H-D821-CH0-C	Sensor cable, M12 straight plug (male), 8-poles, A coded, PVC standard cable, IP67, 1 m	32,02	254442	4536854505881			GE	Z	JPN	8544.4290.90
XS2R-D426-B11-F	Y-Joint Connector, M12, connectors on both cable ends, 0.5 m	70,60	107662	4536854226809		10	GE	Z	JPN	8544.4290.90
XS2R-D426-D11-F	Y-Joint Connector, M12, connectors on both cable ends, 2 m	58,30	107664	4536854226830		5	GE	Z	JPN	8544.4290.90
XS2R-D426-E11-F	Y-Joint Connector, M12, connectors on both cable ends, 3 m	85,70	142700	4536854226847		5	GE	Z	JPN	8544.4290.90
XS2R-D426-G10-F	Y-Joint Connector, M12, connectors on one cable end, 5 m	62,80	151444	4536854226854			GE	Z	JPN	8544.4290.90
XS2W-D421-A81-SA	Cable with connectors on both cable ends, M12 straight socket (female), M12 straight plug (male), 4-poles, A coded, PVC spatter-resistant cable, IP67, 0.3 m	29,54	372743	4536854341274			GE	Z	JPN	8544.4290.90
XS2W-D421-B81-F	Cable with connectors on both cable ends, M12 straight socket (female), M12 straight plug (male), 4-poles, A coded, PVC fire-retardant robot cable, IP67, 0.5 m	24,04	107603	4536854228049			GE	Z	JPN	8544.4290.90
XS2W-D421-B81-SA	Cable with connectors on both cable ends, M12 straight socket (female), M12 straight plug (male), 4-poles, A coded, PVC spatter-resistant cable, IP67, 0.5 m	29,96	367772	4536854341281			GE	Z	JPN	8544.4290.90
XS2W-D421-C81-F	Cable with connectors on both cable ends, M12 straight socket (female), M12 straight plug (male), 4-poles, A coded, PVC fire-retardant robot cable, IP67, 1 m	26,53	149606	4536854228056		8	GE	Z	JPN	8544.4290.90
XS2W-D421-D81-F	Cable with connectors on both cable ends, M12 straight socket (female), M12 straight plug (male), 4-poles, A coded, PVC fire-retardant robot cable, IP67, 2 m	31,01	107608	4536854465024			GE	Z	JPN	8544.4290.90
XS2W-D421-E81-F	Cable with connectors on both cable ends, M12 straight socket (female), M12 straight plug (male), 4-poles, A coded, PVC fire-retardant robot cable, IP67, 3 m	35,73	149267	4536854342462		5	GE	Z	JPN	8544.4290.90
XS2W-D421-G81-F	Cable with connectors on both cable ends, M12 straight socket (female), M12 straight plug (male), 4-poles, A coded, PVC fire-retardant robot cable, IP67, 7 m	48,44	107609	4536854465031			GE	Z	JPN	8544.4290.90
XS2W-D421-H81-F	Cable with connectors on both cable ends, M12 straight socket (female), M12 straight plug (male), 4-poles, A coded, PVC fire-retardant robot cable, IP67, 5 m	45,11	373177	4548583081468			GE	Z	JPN	8544.4290.90
XS2W-D421-J81-F	Cable with connectors on both cable ends, M12 straight socket (female), M12 straight plug (male), 4-poles, A coded, PVC fire-retardant robot cable, IP67, 10 m	73,05	148350	4536854228063			GE	Z	JPN	8544.4290.90
XS2W-D421-K81-F	Cable with connectors on both cable ends, M12 straight socket (female), M12 straight plug (male), 4-poles, A coded, PVC fire-retardant robot cable, IP67, 15 m	42,93	696448	4548583057794			GE	Z	JPN	8544.4290.90
XS2W-D423-G81-F	Cable with connectors on both cable ends, M12 right-angle socket (female), M12 right-angle plug (male), 4-poles, A coded, PVC fire-retardant robot cable, IP67, 5 m	18,44	698785	4548583082243			GE	Z	JPN	8544.4290.90
XS2W-D424-G81-F	Cable with connectors on both cable ends, M12 right-angle socket (female), M12 straight plug (male), 4-poles, A coded, PVC fire-retardant robot cable, IP67, 5 m	36,02	668475	4547648609876			GE	Z	JPN	8536.9010.00
XS2W-D521-G01-A	Cable with connectors on both cable ends, M12 straight socket (female), M12 straight plug (male), 5-poles, A coded, PVC standard cable, IP67, 5 m	42,08	354394	4536854828362			GE	Z	JPN	8544.4290.90
XS3F-E421-402-A	Sensor cable, M8 straight socket (female), SUS connector, 4-poles, PVC standard cable, IP67, 2 m	26,09	250787	4547648386456		4	GE	Z	JPN	8544.4290.90
XS3F-E421-405-A	Sensor cable, M8 straight socket (female), SUS connector, 4-poles, PVC standard cable, IP67, 5 m	27,32	250788	4547648386463			GE	Z	JPN	8544.4290.90
XS3F-E422-405-A	Sensor cable, M8 right-angle socket (female), SUS connector, 4-poles, PVC standard cable, IP67, 5 m	27,32	250790	4547648386487		5	GE	Z	JPN	8544.4290.90
XS3F-LM8PVC3A2M	Sensor cable, M8 right-angle socket (female), 3-poles, PVC standard cable, IP67, 2 m	5,73	358076	4548583127005	#		GE	Z	CHN	8544.4290.90
XS3F-LM8PVC3A5M	Sensor cable, M8 right-angle socket (female), 3-poles, PVC standard cable, IP67, 5 m	7,47	358077	4548583127012	#		GE	Z	CHN	8544.4290.90
XS3F-LM8PVC3S2M	Sensor cable, M8 straight socket (female), 3-poles, PVC standard cable, IP67, 2 m	5,73	358078	4548583127036	#		GE	Z	CHN	8544.4290.90
XS3F-LM8PVC3S5M	Sensor cable, M8 straight socket (female), 3-poles, PVC standard cable, IP67, 5 m	7,47	358079	4548583127043	#		GE	Z	CHN	8544.4290.90
XS3F-LM8PVC4A2M	Sensor cable, M8 right-angle socket (female), 4-poles, PVC standard cable, IP67, 2 m	5,73	358080	4548583127050	#		GE	Z	CHN	8544.4290.90
XS3F-LM8PVC4A5M	Sensor cable, M8 right-angle socket (female), 4-poles, PVC standard cable, IP67, 5 m	7,47	358081	4548583127067	#		GE	Z	CHN	8544.4290.90
XS3F-LM8PVC4S2M	Sensor cable, M8 straight socket (female), 4-poles, PVC standard cable, IP67, 2 m	5,73	358082	4548583127081	#		GE	Z	CHN	8544.4290.90
XS3F-LM8PVC4S5M	Sensor cable, M8 straight socket (female), 4-poles, PVC standard cable, IP67, 5 m	7,47	358083	4548583127098	#		GE	Z	CHN	8544.4290.90
XS3F-M321-302-R	Sensor cable, M8 straight socket (female), 3-poles, PVC robot cable, IP67, 2 m	7,25	372022	4548583359482		5	GE	Z	JPN	8544.4290.90
XS3F-M321-305-R	Sensor cable, M8 straight socket (female), 3-poles, PVC robot cable, IP67, 5 m	9,40	372023	4548583359499		5	GE	Z	JPN	8544.4290.90
XS3F-M321-310-R	Sensor cable, M8 straight socket (female), 3-poles, PVC robot cable, IP67, 10 m	22,00	701359	4548583476424			GE	Z	JPN	8544.4290.90
XS3F-M322-302-R	Sensor cable, M8 right-angle socket (female), 3-poles, PVC robot cable, IP67, 2 m	7,25	372024	4548583359505		5	GE	Z	JPN	8544.4290.90
XS3F-M322-305-R	Sensor cable, M8 right-angle socket (female), 3-poles, PVC robot cable, IP67, 5 m	9,40	372025	4548583359512		5	GE	Z	JPN	8544.4290.90
XS3F-M322-310-R	Sensor cable, M8 right-angle socket (female), 3-poles, PVC robot cable, IP67, 5 m	20,45	372026	4548583359529		5	GE	Z	JPN	8544.4290.90
XS3F-M421-401-A	Sensor cable, M8 straight socket (female), 4-poles, PVC standard cable, IP67, 1 m	11,03	167691	4536854739545		6	GE	Z	JPN	8544.4290.90
XS3F-M421-402-A	Sensor cable, M8 straight socket (female), 4-poles, PVC standard cable, IP67, 2 m	13,06	107537	4536854505812		5	GE	Z	JPN	8544.4290.90
XS3F-M421-402-PR	Sensor cable, M8 straight socket (female), 4-poles, PUR oil-resistant robot cable, IP67, 2 m	11,11	696604	4548583571563			GE	Z	JPN	8544.4290.90
XS3F-M421-402-R	Sensor cable, M8 straight socket (female), 4-poles, PVC robot cable, IP67, 2 m	14,33	156301	4536854228599		5	GE	Z	JPN	8544.4290.90
XS3F-M421-405-A	Sensor cable, M8 straight socket (female), 4-poles, PVC standard cable, IP67, 5 m	16,31	105016	4536854505829		5	GE	Z	JPN	8544.4290.90
XS3F-M421-405-R	Sensor cable, M8 straight socket (female), 4-poles, PVC robot cable, IP67, 5 m	13,60	107621	4536854228605		5	GE	Z	JPN	8544.4290.90
XS3F-M421-410-A	Sensor cable, M8 straight socket (female), 4-poles, PVC standard cable, IP67, 10 m	17,38	107539	4536854537776		5	GE	Z	JPN	8544.4290.90
XS3F-M421-410-R	Sensor cable, M8 straight socket (female), 4-poles, PVC robot cable, IP67, 10 m	20,09	250785	4536854648399			GE	Z	JPN	8544.4290.90
XS3F-M422-401-A	Sensor cable, M8 right-angle socket (female), 4-poles, PVC standard cable, IP67, 1 m	11,03	250786	4536854939594			GE	Z	JPN	8544.4290.90
XS3F-M422-402-A	Sensor cable, M8 right-angle socket (female), 4-poles, PVC standard cable, IP67, 2 m	13,06	107538	4536854505843		5	GE	Z	JPN	8544.4290.90
XS3F-M422-405-A	Sensor cable, M8 right-angle socket (female), 4-poles, PVC standard cable, IP67, 5 m	16,31	141967	4536854505850		5	GE	Z	JPN	8544.4290.90
XS3F-M422-410-A	Sensor cable, M8 right-angle socket (female), 4-poles, PVC standard cable, IP67, 10 m	24,55	107540	4536854537790		5	GE	Z	JPN	8544.4290.90
XS3F-M522-502-A	Sensor cable, M8 right-angle socket (female), 5-poles, PVC standard cable, IP67, 2 m	15,96	693959	4548583416031			GE	Z	JPN	8544.4290.90
XS3F-M8PVC3A10M	Sensor cable, M8 right-angle socket (female), 3-poles, PVC fire-retardant cable, IP67, 10 m	11,87	419237	4548583436800			GE	Z	CHN	8544.4290.90
XS3F-M8PVC3A15M	Sensor cable, M8 right-angle socket (female), 3-poles, PVC fire-retardant cable, IP67, 15 m	21,21	419238	4548583436817			GE	Z	CHN	8544.4290.90
XS3F-M8PVC3A20M	Sensor cable, M8 right-angle socket (female), 3-poles, PVC fire-retardant cable, IP67, 20 m	28,54	419239	4548583436824	#		GE	Z	CHN	8544.4290.90
XS3F-M8PVC3A2M	Sensor cable, M8 right-angle socket (female), 3-poles, PVC fire-retardant cable, IP67, 2 m	7,23	419240	4548583436831			GE	Z	CHN	8544.4290.90
XS3F-M8PVC3A5M	Sensor cable, M8 right-angle socket (female), 3-poles, PVC fire-retardant cable, IP67, 5 m	12,23	419241	4548583436848	#		GE	Z	CHN	8544.4290.90
XS3F-M8PVC3S10M	Sensor cable, M8 straight socket (female), 3-poles, PVC fire-retardant cable, IP67, 10 m	18,52	419242	4548583436855			GE	Z	CHN	8544.4290.90
XS3F-M8PVC3S15M	Sensor cable, M8 straight socket (female), 3-poles, PVC fire-retardant cable, IP67, 15 m	21,21	419243	4548583436862			GE	Z	CHN	8544.4290.90
XS3F-M8PVC3S20M	Sensor cable, M8 straight socket (female), 3-poles, PVC fire-retardant cable, IP67, 20 m	18,33	419244	4548583436879			GE	Z	CHN	8544.4290.90
XS3F-M8PVC3S2M	Sensor cable, M8 straight socket (female), 3-poles, PVC fire-retardant cable, IP67, 2 m	6,79	419245	4548583436886			GE	Z	CHN	8544.4290.90
XS3F-M8PVC3S5M	Sensor cable, M8 straight socket (female), 3-poles, PVC fire-retardant cable, IP67, 5 m	11,78	419246	4548583436893	#		GE	Z	CHN	8544.4290.90
XS3F-M8PVC4A10M	Sensor cable, M8 right-angle socket (female), 4-poles, PVC fire-retardant cable, IP67, 10 m	56,30	419247	4548583436923			GE	Z	CHN	8544.4290.90
XS3F-M8PVC4A15M	Sensor cable, M8 right-angle socket (female), 4-poles, PVC fire-retardant cable, IP67, 15 m	23,72	419248	4548583436930			GE	Z	CHN	8544.4290.90
XS3F-M8PVC4A2M	Sensor cable, M8 right-angle socket (female), 4-poles, PVC fire-retardant cable, IP67, 2 m	9,95	419250	4548583436954			GE	Z	CHN	8544.4290.90
XS3F-M8PVC4S10M	Sensor cable, M8 right-angle socket (female), 4-poles, PVC fire-retardant cable, IP67, 10 m	10,57	419251	4548583436961			GE	Z	CHN	8544.4290.90
XS3F-M8PVC4S15M	Sensor cable, M8 right-angle socket (female), 4-poles, PVC fire-retardant cable, IP67, 15 m	16,52	419252	4548583436978			GE	Z	CHN	8544.4290.90
XS3F-M8PVC4S20M	Sensor cable, M8 right-angle socket (female), 4-poles, PVC fire-retardant cable, IP67, 20 m	26,26	419254	4548583436992			GE	Z	CHN	8544.4290.90
XS3F-M8PVC4S2M	Sensor cable, M8 straight socket (female), 4-poles, PVC fire-retardant cable, IP67, 2 m	5,78	419255	4548583437005			GE	Z	CHN	8544.4290.90
XS3F-M8PVC4S5M	Sensor cable, M8 straight socket (female), 4-poles, PVC fire-retardant cable, IP67, 5 m	12,09	419256	4548583437012	#		GE	Z	CHN	8544.4290.90
XS3H-M321-301-R	Sensor cable, M8 straight plug (male), 3-poles, PVC robot cable, IP67, 1 m	4,66	393414	4548583432260			GE	Z	JPN	8544.4290.90
XS3H-M421-401-R	Sensor cable, M8 straight plug (male), 4-poles, PVC robot cable, IP67, 1 m	9,89	250798	4536854228735			GE	Z	JPN	8544.4290.90

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	SLN. (Data sheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code	
XSSH-M421-402-PR	Sensor cable, M8 straight plug (male), 4-poles, PUR, oil-resistant robot cable, IP67, 2 m	13.13	695605	4548583571587			GE	Z	JPN	8544.4290.90	
XSSH-M421-405-R	Sensor cable, M8 straight plug (male), 4-poles, PVC robot cable, IP67, 5 m	17.54	250804	4547648074179			GE	Z	JPN	8544.4290.90	
XSSH-S421-401-R	Sensor cable, M8 straight plug (male), Snap-In connector, 4-poles, PVC robot cable, IP67, 1 m	11.29	250806	4536854228773			GE	Z	JPN	8544.4290.90	
XSW-M321-301-R	Cable with connectors on both cable ends, M8 straight socket (female), M8 straight plug (male), 3-poles, PVC robot cable, IP67, 2 m	22.80	387058	4548583432277		10	GE	Z	JPN	8544.4290.90	
XSW-M321-302-R	Cable with connectors on both cable ends, M8 straight socket (female), M8 straight plug (male), 3-poles, PVC robot cable, IP67, 2 m	26.95	387059	4548583432284		5	GE	Z	JPN	8544.4290.90	
XSW-M321-310-R	Cable with connectors on both cable ends, M8 straight socket (female), M8 straight plug (male), 3-poles, PVC robot cable, IP67, 10 m	74.00	701412	4548583476486			GE	Z	JPN	8544.4290.90	
XSW-M32C-3C2-A	Cable with connectors on both cable ends, M8 straight socket (female), Smartclick M12 straight plug (male), 3-poles, PVC standard cable, IP67, 0.2 m	55.30	674687	4548583521841			GE	Z	JPN	8544.4290.90	
XSW-M32D-3C2-A	Cable with connectors on both cable ends, Smartclick M12 straight socket (female), M8 straight plug (male), 3-poles, PVC standard cable, IP67, 0.2 m	43.20	674309	4548583521827			GE	Z	JPN	8544.4290.90	
XSW-M421-401-R	Cable with connectors on both cable ends, M8 straight socket (female), M8 straight plug (male), 4-poles, PVC robot cable, IP67, 1 m	28.55	107542	4536854228872			GE	Z	JPN	8544.4290.90	
XSW-M421-405-R	Cable with connectors on both cable ends, M8 straight socket (female), M8 straight plug (male), 4-poles, PVC robot cable, IP67, 5 m	31.79	107544	4536854228896			GE	Z	JPN	8544.4290.90	
XSW-M421-410-R	Cable with connectors on both cable ends, M8 straight socket (female), M8 straight plug (male), 4-poles, PVC robot cable, IP67, 10 m	53.00	701360	4536854888113			GE	Z	JPN	8544.4290.90	
XSW-M422-405-R	Cable with connectors on both cable ends, M8 right-angle socket (female), M8 right-angle plug (male), 4-poles, PVC robot cable, IP67, 5 m	47.37	250812	4536854228926		5	GE	Z	JPN	8544.4290.90	
XSW-M423-405-R	Cable with connectors on both cable ends, M8 straight socket (female), M8 right-angle plug (male), 4-poles, PVC robot cable, IP67, 5 m	47.37	250814	4536854228957			GE	Z	JPN	8544.4290.90	
XSW-M424-405-R	Cable with connectors on both cable ends, M8 right-angle socket (female), M8 straight plug (male), 4-poles, PVC robot cable, IP67, 5 m	39.48	250816	4536854228988			GE	Z	JPN	8544.4290.90	
XSW-M42C-4C2-A	Cable with connectors on both cable ends, M8 straight socket (female), Smartclick M12 straight plug (male), 4-poles, PVC standard cable, IP67, 0.2 m	55.30	674688	4548583521858			GE	Z	JPN	8544.4290.90	
XSW-M42D-4C2-A	Cable with connectors on both cable ends, Smartclick M12 straight socket (female), M8 straight plug (male), 4-poles, PVC standard cable, IP67, 0.2 m	43.20	674686	4548583521834			GE	Z	JPN	8544.4290.90	
XSW-M8PVC3S2A2M	Cable with connectors on both cable ends, M8 right-angle socket (female), M8 straight plug (male), 4-poles, PVC fire-retardant cable, IP67, 2 m	9.23	700890	4548583437616			GE	Z	CHN	8544.4290.90	
XSSF-D421-080-X	Sensor cable, Smartclick M12 straight socket (female), 4-poles, A coded, PVC oil-resistant robot cable, IP67, 1 m	13.34	690504	4549734197939			GE	Z	JPN	8544.4290.90	
XSSF-D421-080-XR	Sensor cable, Smartclick M12 straight socket (female), 4-poles, A coded, PVC oil-resistant robot cable, IP67, 1 m	16.41	690512	4549734488273			GE	Z	JPN	8544.4290.90	
XSSF-D421-080-F	Sensor cable, Smartclick M12 straight socket (female), 4-poles, A coded, PVC fire-retardant robot cable, IP67, 2 m	18.78	237228	4547648305099		#	5	GE	Z	JPN	8536.9010.00
XSSF-D421-080-X	Sensor cable, Smartclick M12 straight socket (female), 4-poles, A coded, PVC oil-resistant robot cable, IP67, 2 m	14.36	690507	4549734197946			GE	Z	JPN	8544.4290.90	
XSSF-D421-080-XR	Sensor cable, Smartclick M12 straight socket (female), 4-poles, A coded, PVC oil-resistant robot cable, IP67, 2 m	20.51	690513	4549734488280			GE	Z	JPN	8544.4290.90	
XSSF-D421-080-X	Sensor cable, Smartclick M12 straight socket (female), 4-poles, A coded, PVC oil-resistant robot cable, IP67, 3 m	15.39	690510	4549734197953			5	GE	Z	JPN	8544.4290.90
XSSF-D421-080-XR	Sensor cable, Smartclick M12 straight socket (female), 4-poles, A coded, PVC oil-resistant robot cable, IP67, 3 m	24.61	690514	4549734488297			5	GE	Z	JPN	8544.4290.90
XSSF-D421-080-F	Sensor cable, Smartclick M12 straight socket (female), 4-poles, A coded, PVC fire-retardant robot cable, IP67, 5 m	26.53	237229	4547648305112		#	5	GE	Z	JPN	8536.9010.00
XSSF-D421-080-X	Sensor cable, Smartclick M12 straight socket (female), 4-poles, A coded, PVC oil-resistant robot cable, IP67, 5 m	17.44	690508	4549734197960			5	GE	Z	JPN	8544.4290.90
XSSF-D421-080-XR	Sensor cable, Smartclick M12 straight socket (female), 4-poles, A coded, PVC oil-resistant robot cable, IP67, 5 m	32.81	690515	4549734488303			5	GE	Z	JPN	8544.4290.90
XSSF-D421-080-F	Sensor cable, Smartclick M12 straight socket (female), 4-poles, A coded, PVC fire-retardant robot cable, IP67, 10 m	39.05	237230	4547648305129		#	5	GE	Z	JPN	8536.9010.00
XSSF-D421-080-X	Sensor cable, Smartclick M12 straight socket (female), 4-poles, A coded, PVC oil-resistant robot cable, IP67, 10 m	22.56	690505	4549734197977			5	GE	Z	JPN	8544.4290.90
XSSF-D421-080-XR	Sensor cable, Smartclick M12 straight socket (female), 4-poles, A coded, PVC oil-resistant robot cable, IP67, 10 m	66.70	690516	4549734488310			5	GE	Z	JPN	8544.4290.90
XSSF-D421-080-F	Sensor cable, Smartclick M12 straight socket (female), 4-poles, A coded, PVC fire-retardant robot cable, IP67, 15 m	68.20	688934	4547648545082			5	GE	Z	JPN	8544.4290.90
XSSF-D421-080-F	Sensor cable, Smartclick M12 straight socket (female), 4-poles, A coded, PVC fire-retardant robot cable, IP67, 20 m	71.70	669139	4548583008187			5	GE	Z	JPN	8536.9010.00
XSSF-D422-080-F	Sensor cable, Smartclick M12 right-angle socket (female), 4-poles, A coded, PVC fire-retardant robot cable, IP67, 5 m	27.58	269043	4547648623049			5	GE	Z	JPN	8536.9010.00
XSSF-D422-080-F	Sensor cable, Smartclick M12 right-angle socket (female), 4-poles, A coded, PVC fire-retardant robot cable, IP67, 10 m	47.77	269044	4547648623056			5	GE	Z	JPN	8536.9010.00
XSSF-D521-DJ0-L	Sensor cable, Smartclick M12 straight socket (female), 4-poles, A coded, PVC IO-Link cable, IP67, 5 m	30.76	690088	4549734547758			5	GE	Z	JPN	8544.4290.90
XSSH-D421-080-F	Sensor cable, Smartclick M12 straight plug (male), 4-poles, A coded, PVC fire-retardant robot cable, IP67, 2 m	16.18	237232	4547648305297			5	GE	Z	JPN	8536.9010.00
XSSH-D421-080-F	Sensor cable, Smartclick M12 straight plug (male), 4-poles, A coded, PVC fire-retardant robot cable, IP67, 5 m	24.58	237205	4547648305303			5	GE	Z	JPN	8536.9010.00
XSW-D421-081-F	Cable with connectors on both cable ends, Smartclick M12 straight socket (female), Smartclick M12 straight plug (male), 4-poles, A coded, PVC oil-resistant cable, IP67, 0.5 m	47.22	675203	4547648454643			2	GE	Z	JPN	8536.9010.00
XSW-D421-081-X	Cable with connectors on both cable ends, Smartclick M12 straight socket (female), Smartclick M12 straight plug (male), 4-poles, A coded, PVC oil-resistant cable, IP67, 1 m	25.64	690511	4549734197994			2	GE	Z	JPN	8544.4290.90
XSW-D421-081-XR	Cable with connectors on both cable ends, Smartclick M12 straight socket (female), Smartclick M12 straight plug (male), 4-poles, A coded, PVC oil-resistant robot cable, IP67, 1 m	28.71	690517	4549734488327			2	GE	Z	JPN	8544.4290.90
XSW-D421-081-F	Cable with connectors on both cable ends, Smartclick M12 straight socket (female), Smartclick M12 straight plug (male), 4-poles, A coded, PVC fire-retardant robot cable, IP67, 2 m	25.92	237236	4547648305198			2	GE	Z	JPN	8536.9010.00
XSW-D421-081-X	Cable with connectors on both cable ends, Smartclick M12 straight socket (female), Smartclick M12 straight plug (male), 4-poles, A coded, PVC oil-resistant cable, IP67, 2 m	26.66	690502	4549734197991			2	GE	Z	JPN	8544.4290.90
XSW-D421-081-XR	Cable with connectors on both cable ends, Smartclick M12 straight socket (female), Smartclick M12 straight plug (male), 4-poles, A coded, PVC oil-resistant robot cable, IP67, 2 m	32.81	690518	4549734488334			2	GE	Z	JPN	8544.4290.90
XSW-D421-081-F	Cable with connectors on both cable ends, Smartclick M12 straight socket (female), Smartclick M12 straight plug (male), 4-poles, A coded, PVC oil-resistant cable, IP67, 3 m	27.69	690509	4549734198004			5	GE	Z	JPN	8544.4290.90
XSW-D421-081-XR	Cable with connectors on both cable ends, Smartclick M12 straight socket (female), Smartclick M12 straight plug (male), 4-poles, A coded, PVC oil-resistant robot cable, IP67, 3 m	36.91	690519	4549734488341			5	GE	Z	JPN	8544.4290.90
XSW-D421-081-F	Cable with connectors on both cable ends, Smartclick M12 straight socket (female), Smartclick M12 straight plug (male), 4-poles, A coded, PVC fire-retardant robot cable, IP67, 5 m	38.37	237237	4547648305211		#	5	GE	Z	JPN	8536.9010.00
XSW-D421-081-XR	Cable with connectors on both cable ends, Smartclick M12 straight socket (female), Smartclick M12 straight plug (male), 4-poles, A coded, PVC oil-resistant robot cable, IP67, 5 m	29.74	690506	4549734198011			5	GE	Z	JPN	8544.4290.90
XSW-D421-081-F	Cable with connectors on both cable ends, Smartclick M12 straight socket (female), Smartclick M12 straight plug (male), 4-poles, A coded, PVC oil-resistant robot cable, IP67, 5 m	45.11	690520	4549734488358			5	GE	Z	JPN	8544.4290.90
XSW-D421-081-XR	Cable with connectors on both cable ends, Smartclick M12 straight socket (female), Smartclick M12 straight plug (male), 4-poles, A coded, PVC fire-retardant robot cable, IP67, 10 m	48.81	237238	4547648305228		#	5	GE	Z	JPN	8536.9010.00
XSW-D421-081-X	Cable with connectors on both cable ends, Smartclick M12 straight socket (female), Smartclick M12 straight plug (male), 4-poles, A coded, PVC oil-resistant cable, IP67, 10 m	34.86	690503	4549734198028			5	GE	Z	JPN	8544.4290.90
XSW-D421-081-F	Cable with connectors on both cable ends, Smartclick M12 straight socket (female), Smartclick M12 straight plug (male), 4-poles, A coded, PVC oil-resistant robot cable, IP67, 10 m	65.65	690521	4549734488365			5	GE	Z	JPN	8544.4290.90
XSW-D421-081-XR	Cable with connectors on both cable ends, Smartclick M12 straight socket (female), Smartclick M12 straight plug (male), 4-poles, A coded, PVC fire-retardant robot cable, IP67, 20 m	73.40	669140	4547648611716			5	GE	Z	JPN	8536.9010.00
XSW-D422-081-F	Cable with connectors on both cable ends, Smartclick M12 right-angle socket (female), Smartclick M12 right-angle plug (male), 4-poles, A coded, PVC fire-retardant robot cable, IP67, 5 m	39.99	690006	4548583082007			5	GE	Z	JPN	8544.4290.90
XSW-D424-081-F	Cable with connectors on both cable ends, Smartclick M12 right-angle socket (female), Smartclick M12 straight plug (male), 4-poles, A coded, PVC fire-retardant robot cable, IP67, 2 m	48.19	688111	4548583082045			5	GE	Z	JPN	8544.4290.90
XSW-D424-081-F	Cable with connectors on both cable ends, Smartclick M12 right-angle socket (female), Smartclick M12 straight plug (male), 4-poles, A coded, PVC fire-retardant robot cable, IP67, 5 m	62.60	688112	4548583082052			5	GE	Z	JPN	8544.4290.90
Y92E-M12PVC4A2M-L	Sensor cable, M12 right-angle socket (female), 4-poles, A coded, PVC standard cable, IP67, 2 m	6.15	375362	4547648958479			GE	Z	CZE	8544.4290.90	
Y92E-M12PVC3S10M-E	Sensor cable, M12 straight socket (female), 3-poles, PVC cable, 10 m	19.09	358062	4547648928069			GE	Z	CZE	8544.4290.90	
Y92E-M12PVC3S7M-E	Sensor cable, M12 straight socket (female), 3-poles, PVC cable, 7 m	18.59	358063	4547648928076			GE	Z	CZE	8544.4290.90	
Y92E-M12PVC4S5M-LED-L	Sensor cable, M12 straight socket (female), 4-poles, PVC cable, with LED 5 m	24.51	323210	4547648872430			GE	Z	CZE	8544.4290.90	
Y92E-M12PVC3S2M-L	Sensor cable, M12 straight socket (female), 5-poles, PVC cable, 2 m	19.50	206554	4536853901455			GE	Z	CZE	8544.4290.90	
Y92E-S08PVC3S5M-L	Sensor cable, M8 straight socket (female), 3-poles, PVC washdown resistant cable, IP67/IP69K, 5 m	21.41	227866	4536853910464			GE	Z	CZE	8544.4290.90	
Y92E-S08PVC3S5M-L	Sensor cable, M8 straight socket (female), 4-poles, PVC washdown resistant cable, IP67/IP69K, 5 m	22.83	224787	4536853903602			GE	Z	CZE	8544.4290.90	
Y92E-Si2PVC4A10M-L	Sensor cable, M12 right-angle socket (female), 4-poles, PVC washdown resistant cable, IP67/IP69K, 10 m	33.63	244005	4547648852944			GE	Z	CZE	8544.4290.90	
Y92E-Si2PVC4A15M-L	Sensor cable, M12 right-angle socket (female), 4-poles, PVC washdown resistant cable, IP67/IP69K, 15 m	42.53	285222	4547648866187			GE	Z	CZE	8544.4290.90	
Y92E-Si2PVC4A2M-L	Sensor cable, M12 right-angle socket (female), 4-poles, PVC washdown resistant cable, IP67/IP69K, 2 m	16.67	224782	4536853903558			GE	Z	CZE	8544.4290.90	
Y92E-Si2PVC4A5M-L	Sensor cable, M12 right-angle socket (female), 4-poles, PVC washdown resistant cable, IP67/IP69K, 5 m	17.46	224784	4536853903572			GE	Z	CZE	8544.4290.90	
Y92E-Si2PVC4S10M-L	Sensor cable, M12 straight socket (female), 4-poles, PVC washdown resistant cable, IP67/IP69K, 10 m	27.83	242626	4547648852524			GE	Z	CZE	8544.4290.90	
Y92E-Si2PVC4S2M-L	Sensor cable, M12 straight socket (female), 4-poles, PVC washdown resistant cable, IP67/IP69K, 2 m	16.01	224781	4536853903541			GE	Z	CZE	8544.4290.90	
Y92E-Si2PVC4S5M-L	Sensor cable, M12 straight socket (female), 4-poles, PVC washdown resistant cable, IP67/IP69K, 5 m	17.35	224783	4536853903565			GE	Z	CZE	8544.4290.90	
XS2F-M12PFR4A10M	Sensor cable, M12 right-angle socket (female), 3-poles, A coded, PUR fire-retardant halogen free cable, IP67, 10 m	22.24	419155	4548583434981			GE	Z	CHN	8544.4290.90	
XS2F-M12PFR4S10M	Sensor cable, M12 right-angle socket (female), 3-poles, A coded, PUR fire-retardant halogen free cable, IP67, 5 m	14.50	419157	4548583435001			GE	Z	CHN	8544.4290.90	
XS2F-M12PFR3S10M	Sensor cable, M12 straight socket (female), 3-poles, A coded, PUR fire-retardant halogen free cable, IP67, 10 m	22.24	419158	4548583435018			GE	Z	CHN	8544.4290.90	
XS2F-M12PFR3S5M	Sensor cable, M12 straight socket (female), 3-poles, A coded, PUR fire-retardant halogen free cable, IP67, 5 m	14.50	419160	4548583435032			GE	Z	CHN	8544.4290.90	
XS2F-M12PFR4A10M	Sensor cable, M12 right-angle socket (female), 4-poles, A coded, PUR fire-retardant halogen free cable, IP67, 10 m	22.06	419161	4548583435049			GE	Z	CHN	8544.4290.90	

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Data sheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
XS2F-M12PUR4A10M-PLD	Sensor cable, M12 right-angle socket (female), 4-poles, A coded, PUR fire-retardant halooen free cable, with LED indicator (PNP), IP67, 10 m	44.08	378111	4548583440371			GE	Z	JPN	8544.4290.90
XS2F-M12PUR4A15M	Sensor cable, M12 right-angle socket (female), 4-poles, A coded, PUR fire-retardant halooen free cable, IP67, 15 m	21.40	419162	4548583435056			GE	Z	CHN	8544.4290.90
XS2F-M12PUR4A2M	Sensor cable, M12 right-angle socket (female), 4-poles, A coded, PUR fire-retardant halooen free cable, IP67, 2 m	10.85	419164	4548583435070			GE	Z	CHN	8544.4290.90
XS2F-M12PUR4A2M-PLD	Sensor cable, M12 right-angle socket (female), 4-poles, A coded, PUR fire-retardant halooen free cable, with LED indicator (PNP), IP67, 2 m	29.37	378109	4548583440357			GE	Z	JPN	8544.4290.90
XS2F-M12PUR4A5M	Sensor cable, M12 right-angle socket (female), 4-poles, A coded, PUR fire-retardant halooen free cable, with LED indicator (PNP), IP67, 5 m	13.89	419165	4548583435087	#		GE	Z	CHN	8544.4290.90
XS2F-M12PUR4A5M-PLD	Sensor cable, M12 right-angle socket (female), 4-poles, A coded, PUR fire-retardant halooen free cable, with LED indicator (PNP), IP67, 5 m	30.14	378110	4548583440364			GE	Z	JPN	8544.4290.90
XS2F-M12PUR4S10M	Sensor cable, M12 straight socket (female), 4-poles, A coded, PUR fire-retardant halooen free cable, IP67, 10 m	22.24	419166	4548583435094			GE	Z	CHN	8544.4290.90
XS2F-M12PUR4S2M	Sensor cable, M12 straight socket (female), 4-poles, A coded, PUR fire-retardant halooen free cable, IP67, 2 m	10.88	419169	4548583435124			GE	Z	CHN	8544.4290.90
XS2F-M12PUR4S5M	Sensor cable, M12 straight socket (female), 4-poles, A coded, PUR fire-retardant halooen free cable, IP67, 5 m	14.50	419170	4548583435131	#		GE	Z	CHN	8544.4290.90
XS2F-M12PUR4S10M	Sensor cable, M12 right-angle socket (female), 5-poles, A coded, PUR fire-retardant halooen free cable, IP67, 10 m	21.80	419205	4548583585577			GE	Z	CHN	8544.4290.90
XS2F-M12PUR4S15M	Sensor cable, M12 right-angle socket (female), 5-poles, A coded, PUR fire-retardant halooen free cable, IP67, 15 m	17.64	419172	4548583435155			GE	Z	CHN	8544.4290.90
XS2F-M12PUR4S10M	Sensor cable, M12 straight socket (female), 5-poles, A coded, PUR fire-retardant halooen free cable, IP67, 10 m	14.92	419173	4548583435162			GE	Z	CHN	8544.4290.90
XS2F-M12PUR4S2M	Sensor cable, M12 straight socket (female), 5-poles, A coded, PUR fire-retardant halooen free cable, IP67, 2 m	11.97	419175	4548583435186			GE	Z	CHN	8544.4290.90
XS2F-M12PUR4S5M	Sensor cable, M12 straight socket (female), 5-poles, A coded, PUR fire-retardant halooen free cable, IP67, 5 m	17.64	419176	4548583435193			GE	Z	CHN	8544.4290.90
XS3F-M8PUR3A10M	Sensor cable, M8 right-angle socket (female), 3-poles, PUR fire-retardant halooen free cable, IP67, 10 m	21.39	419217	4548583436589			GE	Z	CHN	8544.4290.90
XS3F-M8PUR3A15M	Sensor cable, M8 right-angle socket (female), 3-poles, PUR fire-retardant halooen free cable, IP67, 15 m	20.40	419218	4548583436596	#		GE	Z	CHN	8544.4290.90
XS3F-M8PUR3A20M	Sensor cable, M8 right-angle socket (female), 3-poles, PUR fire-retardant halooen free cable, IP67, 20 m	35.35	419219	4548583436602			GE	Z	CHN	8544.4290.90
XS3F-M8PUR3A2M	Sensor cable, M8 right-angle socket (female), 3-poles, PUR fire-retardant halooen free cable, IP67, 2 m	9.27	419220	4548583436619			GE	Z	CHN	8544.4290.90
XS3F-M8PUR3A5M	Sensor cable, M8 right-angle socket (female), 3-poles, PUR fire-retardant halooen free cable, IP67, 5 m	13.75	419221	4548583436626			GE	Z	CHN	8544.4290.90
XS3F-M8PUR3S10M	Sensor cable, M8 straight socket (female), 3-poles, PUR fire-retardant halooen free cable, IP67, 10 m	18.02	419222	4548583436633			GE	Z	CHN	8544.4290.90
XS3F-M8PUR3S15M	Sensor cable, M8 straight socket (female), 3-poles, PUR fire-retardant halooen free cable, IP67, 15 m	27.32	419223	4548583436640			GE	Z	CHN	8544.4290.90
XS3F-M8PUR3S20M	Sensor cable, M8 straight socket (female), 3-poles, PUR fire-retardant halooen free cable, IP67, 20 m	35.35	419224	4548583436657			GE	Z	CHN	8544.4290.90
XS3F-M8PUR3S5M	Sensor cable, M8 straight socket (female), 3-poles, PUR fire-retardant halooen free cable, IP67, 5 m	6.58	419225	4548583436664	#		GE	Z	CHN	8544.4290.90
XS3F-M8PUR3S10M	Sensor cable, M8 straight socket (female), 3-poles, PUR fire-retardant halooen free cable, IP67, 5 m	13.75	419226	4548583436671			GE	Z	CHN	8544.4290.90
XS3F-M8PUR4A10M	Sensor cable, M8 right-angle socket (female), 4-poles, PUR fire-retardant halooen free cable, IP67, 10 m	21.39	419227	4548583436701			GE	Z	CHN	8544.4290.90
XS3F-M8PUR4A15M	Sensor cable, M8 right-angle socket (female), 4-poles, PUR fire-retardant halooen free cable, IP67, 15 m	28.65	419228	4548583436718			GE	Z	CHN	8544.4290.90
XS3F-M8PUR4A2M	Sensor cable, M8 right-angle socket (female), 4-poles, PUR fire-retardant halooen free cable, IP67, 2 m	6.58	419230	4548583436732			GE	Z	CHN	8544.4290.90
XS3F-M8PUR4A5M	Sensor cable, M8 right-angle socket (female), 4-poles, PUR fire-retardant halooen free cable, IP67, 5 m	14.32	419231	4548583436749			GE	Z	CHN	8544.4290.90
XS3F-M8PUR4S10M	Sensor cable, M8 straight socket (female), 4-poles, PUR fire-retardant halooen free cable, IP67, 10 m	21.39	419232	4548583436756			GE	Z	CHN	8544.4290.90
XS3F-M8PUR4S15M	Sensor cable, M8 straight socket (female), 4-poles, PUR fire-retardant halooen free cable, IP67, 15 m	27.32	419233	4548583436763			GE	Z	CHN	8544.4290.90
XS3F-M8PUR4S2M	Sensor cable, M8 straight socket (female), 4-poles, PUR fire-retardant halooen free cable, IP67, 2 m	10.09	419235	4548583436787			GE	Z	CHN	8544.4290.90
XS3F-M8PUR4S5M	Sensor cable, M8 straight socket (female), 4-poles, PUR fire-retardant halooen free cable, IP67, 5 m	13.64	419236	4548583436794			GE	Z	CHN	8544.4290.90
XS3W-M421-401-PR	Cable with connectors on both cable ends, M8 straight socket (female), M8 straight plug (male), 4-poles, PUR oil-resistant robot cable, IP67, 1 m	38.38	693806	4549734113007	5		GE	Z	JPN	8544.4290.90
XS3W-M421-402-PR	Cable with connectors on both cable ends, M8 straight socket (female), M8 straight plug (male), 4-poles, PUR oil-resistant robot cable, IP67, 2 m	41.41	693800	4548583585751	5		GE	Z	JPN	8544.4290.90
XS3W-M421-405-PR	Cable with connectors on both cable ends, M8 straight socket (female), M8 straight plug (male), 4-poles, PUR oil-resistant robot cable, IP67, 5 m	50.50	693799	4548583585768			GE	Z	JPN	8544.4290.90
XS3W-M422-401-PR	Cable with connectors on both cable ends, M8 right-angle socket (female), M8 right-angle plug (male), 4-poles, PUR oil-resistant robot cable, IP67, 1 m	38.38	693804	4549734113014			GE	Z	JPN	8544.4290.90
XS3W-M422-402-PR	Cable with connectors on both cable ends, M8 right-angle socket (female), M8 right-angle plug (male), 4-poles, PUR oil-resistant robot cable, IP67, 2 m	41.41	693809	4549734113021	5		GE	Z	JPN	8544.4290.90
XS3W-M422-405-PR	Cable with connectors on both cable ends, M8 right-angle socket (female), M8 right-angle plug (male), 4-poles, PUR oil-resistant robot cable, IP67, 5 m	50.50	693805	4549734113038			GE	Z	JPN	8544.4290.90
XS3W-M423-401-PR	Cable with connectors on both cable ends, M8 straight socket (female), M8 right-angle plug (male), 4-poles, PUR oil-resistant robot cable, IP67, 1 m	38.38	693810	4549734113045			GE	Z	JPN	8544.4290.90
XS3W-M423-402-PR	Cable with connectors on both cable ends, M8 straight socket (female), M8 right-angle plug (male), 4-poles, PUR oil-resistant robot cable, IP67, 2 m	41.41	693803	4549734113052	5		GE	Z	JPN	8544.4290.90
XS3W-M423-405-PR	Cable with connectors on both cable ends, M8 straight socket (female), M8 right-angle plug (male), 4-poles, PUR oil-resistant robot cable, IP67, 5 m	50.50	693801	4549734113069			GE	Z	JPN	8544.4290.90
XS3W-M424-401-PR	Cable with connectors on both cable ends, M8 right-angle socket (female), M8 straight plug (male), 4-poles, PUR oil-resistant robot cable, IP67, 1 m	38.38	693808	4549734113076	5		GE	Z	JPN	8544.4290.90
XS3W-M424-402-PR	Cable with connectors on both cable ends, M8 right-angle socket (female), M8 straight plug (male), 4-poles, PUR oil-resistant robot cable, IP67, 2 m	41.41	693807	4549734113083	5		GE	Z	JPN	8544.4290.90
XS3W-M424-405-PR	Cable with connectors on both cable ends, M8 right-angle socket (female), M8 straight plug (male), 4-poles, PUR oil-resistant robot cable, IP67, 5 m	50.50	693802	4549734113090			GE	Z	JPN	8544.4290.90
XS5F-D421-C80-F	Sensor cable, Smartclick M12 straight socket (female), 4-poles, A coded, PVC fire-retardant robot cable, IP67, 1 m	16.31	237197	4547648305082	10		GE	Z	JPN	8536.9010.00
XS5F-D421-D80-P	Sensor cable, Smartclick M12 straight socket (female), 4-poles, A coded, PUR oil-resistant cable, IP67, 2 m	57.25	237240	4547648424905	5		GE	Z	JPN	8536.9010.00
XS5F-D421-E80-F	Sensor cable, Smartclick M12 straight socket (female), 4-poles, A coded, PVC fire-retardant robot cable, IP67, 3 m	23.26	237198	4547648305105	5		GE	Z	JPN	8536.9010.00
XS5F-D42B-C80-PR	Sensor cable, Smartclick M12 straight socket (female), 4-poles, A coded, PUR oil-resistant robot cable, IP67, 5 m	22.70	700693	4548583731738			GE	Z	JPN	8544.4290.90
XS5FR-D423-C80-FB1	Sensor cable, Smartclick M12 straight socket (female), 4-poles, A coded, PA oil-resistant cable with fluorescein sheath, IP67/IP67G, 5 m	155.40	674791	4548583869172	2		GE	Z	JPN	8544.4290.90
XSSH-D421-A80-F	Sensor cable, Smartclick M12 straight plug (male), 4-poles, A coded, PVC fire-retardant robot cable, IP67, 0.3 m	13.75	237190	4547648305273	10		GE	Z	JPN	8536.9010.00
XSSH-D421-B80-F	Sensor cable, Smartclick M12 straight plug (male), 4-poles, A coded, PVC fire-retardant robot cable, IP67, 0.5 m	16.50	377947	4547648506595	#		GE	Z	JPN	8544.4290.90
XSSR-D42B-C11-F	Cable with connectors on both cable ends, Smartclick M12 straight socket (female), Smartclick M12 straight plug (male), 4-poles, A coded, PVC fire-retardant robot cable, IP67, 0.3 m	41.65	237210	4547648386371			GE	Z	JPN	8536.9010.00
XS5W-D421-A81-F	Cable with connectors on both cable ends, Smartclick M12 straight socket (female), Smartclick M12 straight plug (male), 4-poles, A coded, PVC fire-retardant robot cable, IP67, 1 m	23.58	392217	4547648454636			GE	Z	JPN	8536.9010.00
XS5W-D421-C81-F	Cable with connectors on both cable ends, Smartclick M12 straight socket (female), Smartclick M12 straight plug (male), 4-poles, A coded, PVC fire-retardant robot cable, IP67, 1 m	24.58	237220	4547648305181			GE	Z	JPN	8536.9010.00
XS5W-D421-E81-F	Cable with connectors on both cable ends, Smartclick M12 straight socket (female), Smartclick M12 straight plug (male), 4-poles, A coded, PVC fire-retardant robot cable, IP67, 3 m	28.97	237221	4547648305204	5		GE	Z	JPN	8536.9010.00
Y92E-M08PUR3A2M-LED-L	Sensor cable, M8 right-angle socket (female), 3-poles, PUR robotic cable, with LED indicator, IP67, 2 m	23.66	206324	4536853900472			GE	Z	CZE	8544.4290.90
Y92E-M08PUR4A2M-L	Sensor cable, M8 right-angle socket (female), 4-poles, PUR robotic cable, IP67, 2 m	17.17	206538	4536853901066			GE	Z	CZE	8544.4290.90
Y92E-M08PUR4A2M-R	Sensor cable, M8 right-angle socket (female), 4-poles, PUR robotic cable, IP67, 2 m	18.26	362685	4547648932134			GE	Z	CZE	8544.4290.90
Y92E-M08PUR4A5M-L	Sensor cable, M8 right-angle socket (female), 4-poles, PUR robotic cable, IP67, 5 m	22.22	206543	4536853901073			GE	Z	CZE	8544.4290.90
Y92E-M08PUR4A5M-R	Sensor cable, M8 right-angle socket (female), 4-poles, PUR robotic cable, IP67, 5 m	23.52	362686	4547648932141			GE	Z	CZE	8544.4290.90
Y92E-M08PUR4S2M-L	Sensor cable, M8 straight socket (female), 4-poles, PUR robotic cable, IP67, 2 m	12.18	206550	4536853901097			GE	Z	CZE	8544.4290.90
Y92E-M08PUR4S2M-R	Sensor cable, M8 straight socket (female), 4-poles, PUR robotic cable, IP67, 2 m	17.01	362683	4547648932110			GE	Z	CZE	8544.4290.90
Y92E-M08PUR4S5M-L	Sensor cable, M8 straight socket (female), 4-poles, PUR robotic cable, IP67, 5 m	17.35	206551	4536853901103			GE	Z	CZE	8544.4290.90
Y92E-M08PUR4S5M-R	Sensor cable, M8 straight socket (female), 4-poles, PUR robotic cable, IP67, 5 m	25.11	362684	4547648932107			GE	Z	CZE	8544.4290.90
Y92E-M12FSM12MSPURSH806M-L	Cable with connectors on both cable ends, M12 straight socket (female), M12 straight plug (male), 8-poles, A coded, PUR shielded cable, IP67, 0.3 m	36.91	341554	4547648887027			GE	Z	CZE	8544.4290.90
Y92E-M12FSM12MSPURSH810M-L	Cable with connectors on both cable ends, M12 straight socket (female), M12 straight plug (male), 8-poles, A coded, PUR shielded cable, IP67, 10 m	74.90	341555	4547648887038			GE	Z	CZE	8544.4290.90
Y92E-M12FSM12MSPURSH82M-L	Cable with connectors on both cable ends, M12 straight socket (female), M12 straight plug (male), 8-poles, A coded, PUR shielded cable, IP67, 2 m	40.48	341555	4547648887014			GE	Z	CZE	8544.4290.90
Y92E-M12FSM12MSPURSH85M-L	Cable with connectors on both cable ends, M12 straight socket (female), M12 straight plug (male), 8-poles, A coded, PUR shielded cable, IP67, 5 m	54.45	341556	4547648887021			GE	Z	CZE	8544.4290.90
Y92E-M12FSM12MSPURSH809M-L	Cable with connectors on both cable ends, M12 straight socket (female), M12 straight plug (male), 8-poles, A coded, PUR shielded cable, IP67, 0.3 m	51.30	364847	4547648934329			GE	Z	CZE	8544.4290.90
Y92E-M12SM3MSPUR4A2M-L	Sensor cable, M12 right-angle socket (female), M8 straight socket (female), M12 straight plug (male), 4-poles, A coded, PUR cable, IP67, 2 m	22.84	357809	4547648927536			GE	Z	CZE	8544.4290.90
Y92E-M12PUR4A2M-R	Sensor cable, M12 right-angle socket (female), 4-poles, PUR robot cable, 2 m	15.05	362689	4547648929172			GE	Z	CZE	8544.4290.90
Y92E-M12PUR4A5M-L	Sensor cable, M12 right-angle socket (female), 4-poles, PUR cable, 5 m	16.35	206552	4536853901318			GE	Z	CZE	8544.4290.90
Y92E-M12PUR4A5M-LED-L	Sensor cable, M12 right-angle socket (female), 4-poles, PUR cable, with LED, 5 m	30.75	323212	4547648872454			GE	Z	CZE	8544.4290.90
Y92E-M12PUR4A5M-R	Sensor cable, M12 right-angle socket (female), 4-poles, PUR robot cable, 5 m	27.83	362690	4547648932189			GE	Z	CZE	8544.4290.90
Y92E-M12PUR4S5M-L	Sensor cable, M12 straight socket (female), 4-poles, PUR cable, 5 m	16.25	206553	4536853901349			GE	Z	CZE	8544.4290.90



Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Data sheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code	
Y92E-M12PUSH4S10M-L	Sensor cable, M12 straight socket (female), 3-poles, PUR shielded cable, 10 m	53.85	341552	4547648886987	#		GE	Z	CZE	8544.4290.90	
Y92E-M12PUSH4S25M-L	Sensor cable, M12 straight socket (female), 4-poles, PUR shielded cable, 25 m	104.30	341553	4547648886994			GE	Z	CZE	8544.4290.90	
Y92E-M12PUSH4S5M-L	Sensor cable, M12 straight socket (female), 4-poles, PUR shielded cable, 2 m	27.83	341550	4547648886963			GE	Z	CZE	8544.4290.90	
Y92E-M12PUSH4S5M-L	Sensor cable, M12 straight socket (female), 4-poles, PUR shielded cable, 2 m	28.65	341551	4547648886970	#		GE	Z	CZE	8544.4290.90	
Y92E-M12PUSH4S10M-L	Sensor cable, M12 straight socket (female), 4-poles, PUR shielded cable, 5 m	48.13	341548	4547648886949	#		GE	Z	CZE	8544.4290.90	
Y92E-M12PUSH4S25M-L	Sensor cable, M12 straight socket (female), 8-poles, PUR shielded cable, 10 m	128.90	341549	4547648886956			GE	Z	CZE	8544.4290.90	
Y92E-M12PUSH4S25M-L	Sensor cable, M12 straight socket (female), 8-poles, PUR shielded cable, 2 m	31.58	341546	4547648886925			GE	Z	CZE	8544.4290.90	
Y92E-M12PUSH4S5M-L	Sensor cable, M12 straight socket (female), 8-poles, PUR shielded cable, 5 m	37.32	341547	4547648886932	#		GE	Z	CZE	8544.4290.90	
Y92E-S08PP3A 15M	Sensor cable, M8 right-angle socket (female), 3-poles, PP detergent and washdown resistant cable, IP67/IP68/IP69K 15 m	40.40	393689	4547648986298			GE	Z	CZE	8544.4290.90	
Y92E-S08PP3A 20M	Sensor cable, M8 right-angle socket (female), 3-poles, PP detergent and washdown resistant cable, IP67/IP68/IP69K 20 m	52.55	393690	4547648986304			GE	Z	CZE	8544.4290.90	
Y92E-S08PP3A 25M	Sensor cable, M8 right-angle socket (female), 3-poles, PP detergent and washdown resistant cable, IP67/IP68/IP69K 25 m	61.85	393691	4547648986311			GE	Z	CZE	8544.4290.90	
Y92E-S08PP3A 2M	Sensor cable, M8 right-angle socket (female), 3-poles, PP detergent and washdown resistant cable, IP67/IP68/IP69K 2 m	21.61	393692	4547648986328			GE	Z	CZE	8544.4290.90	
Y92E-S08PP3A 5M	Sensor cable, M8 right-angle socket (female), 3-poles, PP detergent and washdown resistant cable, IP67/IP68/IP69K 5 m	22.08	393693	4547648986335			GE	Z	CZE	8544.4290.90	
Y92E-S08PP3S 10M	Sensor cable, M8 straight socket (female), 3-poles, PP detergent and washdown resistant cable, IP67/IP68/IP69K 10 m	33.32	393694	4547648986342			GE	Z	CZE	8544.4290.90	
Y92E-S08PP3S 15M	Sensor cable, M8 straight socket (female), 3-poles, PP detergent and washdown resistant cable, IP67/IP68/IP69K 15 m	34.50	393695	4547648986359			GE	Z	CZE	8544.4290.90	
Y92E-S08PP3S 20M	Sensor cable, M8 straight socket (female), 3-poles, PP detergent and washdown resistant cable, IP67/IP68/IP69K 20 m	44.62	393696	4547648986366			GE	Z	CZE	8544.4290.90	
Y92E-S08PP3S 25M	Sensor cable, M8 straight socket (female), 3-poles, PP detergent and washdown resistant cable, IP67/IP68/IP69K 25 m	51.55	393697	4547648986373			GE	Z	CZE	8544.4290.90	
Y92E-S08PP3S 5M	Sensor cable, M8 straight socket (female), 3-poles, PP detergent and washdown resistant cable, IP67/IP68/IP69K 5 m	22.06	393699	4547648986397			GE	Z	CZE	8544.4290.90	
Y92E-S08PP4A 10M	Sensor cable, M8 right-angle socket (female), 4-poles, PP detergent and washdown resistant cable, IP67/IP68/IP69K 10 m	36.02	393700	4547648986403			GE	Z	CZE	8544.4290.90	
Y92E-S08PP4A 15M	Sensor cable, M8 right-angle socket (female), 4-poles, PP detergent and washdown resistant cable, IP67/IP68/IP69K 15 m	38.49	393701	4547648986410			GE	Z	CZE	8544.4290.90	
Y92E-S08PP4A 20M	Sensor cable, M8 right-angle socket (female), 4-poles, PP detergent and washdown resistant cable, IP67/IP68/IP69K 20 m	48.51	393702	4547648986427			GE	Z	CZE	8544.4290.90	
Y92E-S08PP4A 25M	Sensor cable, M8 right-angle socket (female), 4-poles, PP detergent and washdown resistant cable, IP67/IP68/IP69K 25 m	58.20	393703	4547648986434			GE	Z	CZE	8544.4290.90	
Y92E-S08PP4A 2M	Sensor cable, M8 right-angle socket (female), 4-poles, PP detergent and washdown resistant cable, IP67/IP68/IP69K 2 m	19.31	393704	4547648986441			GE	Z	CZE	8544.4290.90	
Y92E-S08PP4A 5M	Sensor cable, M8 right-angle socket (female), 4-poles, PP detergent and washdown resistant cable, IP67/IP68/IP69K 5 m	27.24	393705	4547648986458			GE	Z	CZE	8544.4290.90	
Y92E-S08PP4S 10M	Sensor cable, M8 straight socket (female), 4-poles, PP detergent and washdown resistant cable, IP67/IP68/IP69K 10 m	35.85	393706	4547648986465			GE	Z	CZE	8544.4290.90	
Y92E-S08PP4S 20M	Sensor cable, M8 straight socket (female), 4-poles, PP detergent and washdown resistant cable, IP67/IP68/IP69K 20 m	48.44	393708	4547648986489			GE	Z	CZE	8544.4290.90	
Y92E-S08PP4S 25M	Sensor cable, M8 straight socket (female), 4-poles, PP detergent and washdown resistant cable, IP67/IP68/IP69K 25 m	56.05	393709	4547648986496			GE	Z	CZE	8544.4290.90	
Y92E-S08PP4S 2M	Sensor cable, M8 straight socket (female), 4-poles, PP detergent and washdown resistant cable, IP67/IP68/IP69K 2 m	19.25	393710	4547648986502			GE	Z	CZE	8544.4290.90	
Y92E-S08PP4S 5M	Sensor cable, M8 straight socket (female), 4-poles, PP detergent and washdown resistant cable, IP67/IP68/IP69K 5 m	27.40	393711	4547648986519			GE	Z	CZE	8544.4290.90	
Y92E-SI2PP4A 10M	Sensor cable, M12 right-angle socket (female), 4-poles, PP detergent and washdown resistant cable, IP67/IP68/IP69K 10 m	25.81	393712	4547648986526			GE	Z	CZE	8544.4290.90	
Y92E-SI2PP4A 15M	Sensor cable, M12 right-angle socket (female), 4-poles, PP detergent and washdown resistant cable, IP67/IP68/IP69K 15 m	33.69	393713	4547648986533			GE	Z	CZE	8544.4290.90	
Y92E-SI2PP4A 20M	Sensor cable, M12 right-angle socket (female), 4-poles, PP detergent and washdown resistant cable, IP67/IP68/IP69K 20 m	41.57	393714	4547648986540			GE	Z	CZE	8544.4290.90	
Y92E-SI2PP4A 25M	Sensor cable, M12 right-angle socket (female), 4-poles, PP detergent and washdown resistant cable, IP67/IP68/IP69K 25 m	49.41	393715	4547648986557			GE	Z	CZE	8544.4290.90	
Y92E-SI2PP4A 2M	Sensor cable, M12 right-angle socket (female), 4-poles, PP detergent and washdown resistant cable, IP67/IP68/IP69K 2 m	15.80	393716	4547648986564			GE	Z	CZE	8544.4290.90	
Y92E-SI2PP4A 5M	Sensor cable, M12 right-angle socket (female), 4-poles, PP detergent and washdown resistant cable, IP67/IP68/IP69K 5 m	21.48	393717	4547648986571			GE	Z	CZE	8544.4290.90	
Y92E-SI2PP4S 10M	Sensor cable, M12 straight socket (female), 4-poles, PP detergent and washdown resistant cable, IP67/IP68/IP69K 10 m	25.81	393718	4547648986588			GE	Z	CZE	8544.4290.90	
Y92E-SI2PP4S 15M	Sensor cable, M12 straight socket (female), 4-poles, PP detergent and washdown resistant cable, IP67/IP68/IP69K 15 m	33.67	393719	4547648986595			GE	Z	CZE	8544.4290.90	
Y92E-SI2PP4S 20M	Sensor cable, M12 straight socket (female), 4-poles, PP detergent and washdown resistant cable, IP67/IP68/IP69K 20 m	41.57	393720	4547648986602			GE	Z	CZE	8544.4290.90	
Y92E-SI2PP4S 25M	Sensor cable, M12 straight socket (female), 4-poles, PP detergent and washdown resistant cable, IP67/IP68/IP69K 25 m	49.41	393721	4547648986618			GE	Z	CZE	8544.4290.90	
Y92E-SI2PP4S 2M	Sensor cable, M12 straight socket (female), 4-poles, PP detergent and washdown resistant cable, IP67/IP68/IP69K 2 m	15.80	393722	4547648986625			GE	Z	CZE	8544.4290.90	
Y92E-SI2PP4S 5M	Sensor cable, M12 straight socket (female), 4-poles, PP detergent and washdown resistant cable, IP67/IP68/IP69K 5 m	21.48	393723	4547648986632			GE	Z	CZE	8544.4290.90	
Y92E-SI2PP5A 10M	Sensor cable, M12 right-angle socket (female), 5-poles, PP detergent and washdown resistant cable, IP67/IP68/IP69K 10 m	30.35	393724	4547648986649			GE	Z	CZE	8544.4290.90	
Y92E-SI2PP5A 2M	Sensor cable, M12 right-angle socket (female), 5-poles, PP detergent and washdown resistant cable, IP67/IP68/IP69K 2 m	17.72	393725	4547648986656			GE	Z	CZE	8544.4290.90	
Y92E-SI2PP5A 5M	Sensor cable, M12 right-angle socket (female), 5-poles, PP detergent and washdown resistant cable, IP67/IP68/IP69K 5 m	20.83	393726	4547648986663			GE	Z	CZE	8544.4290.90	
Y92E-SI2PP5S 10M	Sensor cable, M12 straight socket (female), 5-poles, PP detergent and washdown resistant cable, IP67/IP68/IP69K 10 m	26.86	393727	4547648986670			GE	Z	CZE	8544.4290.90	
Y92E-SI2PP5S 2M	Sensor cable, M12 straight socket (female), 5-poles, PP detergent and washdown resistant cable, IP67/IP68/IP69K 2 m	17.72	393728	4547648986687			GE	Z	CZE	8544.4290.90	
Y92E-M08PVC3Sconf-L	Field assembly connector, M8 straight plug (male), 3-poles, screw connection, for cable diameters 3.5-5 mm	22.12	206327	4536853900519			GE	Z	DEU	8544.4290.90	
Y92E-M08PVC4Sconf-L	Field assembly connector, M8 straight socket (female), 4-poles, screw connection, for cable diameters 3.5-5 mm	23.99	206580	4536853901219			GE	Z	HUN	8544.4290.90	
Y92E-M12PVC4Aconf-L	Field assembly connector, M12 right-angle socket (female), 4-poles, screw connection	10.51	206333	4536853900588			GE	Z	HUN	8544.4290.90	
Y92E-M12PVC4AconfTRP-H	Field assembly connector, M12 right-angle socket (female), 4-poles	20.56	225120	4536853900405			GE	Z	DEU	8536.9010.00	
Y92E-M12PVC4Sconf-L	Field assembly connector, M12 straight socket (female), 4-poles	11.11	206334	4536853900618			GE	Z	HUN	8544.4290.90	
Y92E-MM08PVC4Sconf-L	Field assembly connector, M8 straight plug (male), 4-poles, screw connection	24.51	206582	4536853900939			GE	Z	HUN	8544.4290.90	
Y92E-MM12PVC4Sconf-L	Field assembly connector, M12 straight plug (male), 4-poles, screw connection	12.70	206558	4536853900953			GE	Z	HUN	8544.4290.90	
XS2C-A421	Field assembly connector, M12 straight socket (female), 4-poles, B coded, solder connection, for cable diameters 5-6 mm	9.80	107745	4536854222443			GE	Z	JPN	8544.4290.90	
XS2C-A423	Field assembly connector, M12 straight socket (female), 4-poles, B coded, solder connection, for cable diameters 4-5 mm	9.80	107747	4536854222467			GE	Z	JPN	8544.4290.90	
XS2C-A424	Field assembly connector, M12 right-angle socket (female), 4-poles, B coded, solder connection, for cable diameters 4-5 mm	10.24	107748	4536854222474			GE	Z	JPN	8544.4290.90	
XS2C-D421	Field assembly connector, M12 straight socket (female), 4-poles, A coded, solder connection, for cable diameters 5-6 mm	9.00	107733	4536854222320	#	50	GE	Z	JPN	8544.4290.90	
XS2C-D423	Field assembly connector, M12 straight socket (female), 4-poles, A coded, solder connection, for cable diameters 4-5 mm	9.80	107735	4536854222344			50	GE	Z	JPN	8544.4290.90
XS2C-D424	Field assembly connector, M12 right-angle socket (female), 4-poles, A coded, solder connection, for cable diameters 4-5 mm	10.24	107736	4536854222351			30	GE	Z	JPN	8544.4290.90
XS2C-D4C2	Field assembly connector, M12 right-angle socket (female), 4-poles, A coded, crimp connection, for cable diameters 5-6 mm	6.82	107737	4536854222399			GE	Z	JPN	8544.4290.90	
XS2C-D4C3	Field assembly connector, M12 straight socket (female), 4-poles, A coded, crimp connection, for cable diameters 4-5 mm	7.47	107738	4536854222405			50	GE	Z	JPN	8544.4290.90
XS2C-D4C4	Field assembly connector, M12 right-angle socket (female), 4-poles, A coded, crimp connection, for cable diameters 4-5 mm	7.75	145297	4536854222412			GE	Z	JPN	8544.4290.90	
XS2C-D4S1	Field assembly connector, M12 straight socket (female), 4-poles, A coded, screw connection, for cable diameters 5-6 mm	6.82	155975	4536854455919			30	GE	Z	JPN	8544.4290.90
XS2C-D4S2	Field assembly connector, M12 right-angle socket (female), 4-poles, A coded, screw connection, for cable diameters 5-6 mm	6.77	147522	4536854455926			GE	Z	JPN	8544.4290.90	
XS2C-D4S3	Field assembly connector, M12 straight socket (female), 4-poles, A coded, screw connection, for cable diameters 4-5 mm	6.97	152945	4536854455933			GE	Z	JPN	8544.4290.90	
XS2C-D4S7	Field assembly connector, M12 straight socket (female), 4-poles, A coded, screw connection, for cable diameters 7-8 mm	14.33	107744	4536854735547			GE	Z	JPN	8544.4290.90	
XS2C-D5S1	Field assembly connector, M12 straight socket (female), 5-poles, A coded, screw connection, for cable diameters 5-6 mm	9.74	374557	4536854735523			GE	Z	JPN	8544.4290.90	
XS2C-D5S2	Field assembly connector, M12 right-angle socket (female), 5-poles, A coded, screw connection, for cable diameters 5-6 mm	9.74	374558	4536854735530			GE	Z	JPN	8544.4290.90	
XS2C-D5S7	Field assembly connector, M12 straight socket (female), 5-poles, A coded, screw connection, for cable diameters 7-8 mm	16.24	107743	4536854735530			GE	Z	JPN	8544.4290.90	
XS2F-D421-S006	Sensor cable, M12 straight socket (female), 4-poles, custom lead item	75.45	148602	4536854222304			GE	Z	JPN	8544.4290.90	
XS2G-A421	Field assembly connector, M12 straight plug (male), 4-poles, B coded, solder connection, for cable diameters 5-6 mm	9.40	107640	4536854225741			GE	Z	JPN	8544.4290.90	
XS2G-D421	Field assembly connector, M12 straight plug (male), 4-poles, A coded, solder connection, for cable diameters 5-6 mm	10.24	107630	4536854225642			50	GE	Z	JPN	8544.4290.90
XS2G-D423	Field assembly connector, M12 straight plug (male), 4-poles, A coded, solder connection, for cable diameters 4-5 mm	8.62	107631	4536854225659			GE	Z	JPN	8544.4290.90	
XS2G-D424	Field assembly connector, M12 right-angled plug (male), 4-poles, A coded, solder connection, for cable diameters 4-5 mm	9.00	256450	4536854225710			GE	Z	JPN	8544.4290.90	

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Data sheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code	
XS2G-D4C3	Field assembly connector, M12 straight plug (male), 4-poles, A coded, crimp connection, for cable diameters 4-5 mm	7.47	107632	4536854225680			GE	Z	JPN	8544.4290.90	
XS2G-D4S1	Field assembly connector, M12 straight plug (male), 4-poles, A coded, screw connection, for cable diameters 4-5 mm	8.26	107634	4536854455971		30	GE	Z	JPN	8544.4290.90	
XS2G-D4S2	Field assembly connector, M12 right-angle plug (male), 4-poles, A coded, screw connection, for cable diameters 5-6 mm	7.78	107635	4536854455988			GE	Z	JPN	8544.4290.90	
XS2G-D4S3	Field assembly connector, M12 right-angle plug (male), 4-poles, A coded, screw connection, for cable diameters 5-6 mm	7.78	107636	4536854455995			GE	Z	JPN	8544.4290.90	
XS2G-D4S7	Field assembly connector, M12 straight plug (male), 4-poles, A coded, screw connection, for cable diameters 4-5 mm	8.59	146013	4536854735424			GE	Z	JPN	8544.4290.90	
XS2G-D5S1	Field assembly connector, M12 straight plug (male), 5-poles, A coded, screw connection, for cable diameters 5-6 mm	9.93	374560	4536854735516			GE	Z	JPN	8544.4290.90	
XS2G-D5S2	Field assembly connector, M12 right-angle plug (male), 5-poles, A coded, screw connection, for cable diameters 5-6 mm	9.93	374559	4536854735455			GE	Z	JPN	8544.4290.90	
XS2G-D5S7	Field assembly connector, M12 straight plug (male), 5-poles, A coded, screw connection, for cable diameters 7-8 mm	10.24	107639	4536854735509			GE	Z	JPN	8544.4290.90	
XS2M-D421	Sensor embedded connector, M12 plug (male), 4-poles, A coded, with screw threads	3.30	152947	4536854226427			GE	Z	JPN	8538.9099.99	
XS2M-D422	Sensor embedded connector, M12 plug (male), 4-poles, A coded, without screw threads	3.30	105348	4536854226434			GE	Z	JPN	8538.9099.99	
XS2M-D423	Panel mount connector, M12 plug (male), 4 poles, A coded, flange-mounting with solder cup pins	3.31	146349	4536854226441		10	GE	Z	JPN	8538.9099.99	
XS2M-D424-2	Panel mount connector, M12 plug (male), 4 poles, A coded, screw-mounting with solder cup pins	5.56	141966	4536854226465			GE	Z	JPN	8538.9099.99	
XS2M-D524-1	Panel mount connector, M12 plug (male), 5 poles, A coded, screw-mounting with DIP pins	7.50	251465	4536854507977			GE	Z	JPN	8538.9099.99	
XS2M-D524-2	Panel mount connector, M12 plug (male), 5 poles, A coded, screw-mounting with solder cup pins	10.61	256467	4536854511547			GE	Z	JPN	8538.9099.99	
XS2M-D524-4	Panel mount connector, M12 plug (male), 5 poles, A coded, metal body plug, screw-mounting with solder cup pins	25.80	269994	4536854696077			GE	Z	JPN	8538.9099.99	
XS2M-D824-4	Panel mount connector, M12 plug (male), 8 poles, A coded, metal body plug, screw-mounting with solder cup pins	25.76	326221	4536854718625			GE	Z	JPN	8544.4290.90	
XS2P-D422-2	Panel mount connector, M12 socket (female), 4 poles, A coded, front lock, with solder cup pins	13.44	107654	4536854226656			GE	Z	JPN	8544.4290.90	
XS2P-D522-2	Panel mount connector, M12 socket (female), 5 poles, A coded, front lock, with solder cup pins	18.91	269995	4536854511523			GE	Z	JPN	8544.4290.90	
XS2P-D822-2	Panel mount connector, M12 socket (female), 8 poles, A coded, front lock, with solder cup pins	26.57	256469	4536854718649			GE	Z	JPN	8544.4290.90	
XS2R-D422-1	Connector, M12 T-joint plug/socket, aareqata model, 4-4-2-4	50.40	107659	4536854226748			GE	Z	JPN	8544.4290.90	
XS2R-D422-5	Connector, M12 T-joint plug/socket, aareqata model, 1-1	46.61	107660	4536854226752		20	GE	Z	JPN	8544.4290.90	
XS2R-D424-1	<a href="https://industrial.omron.com.tr/tr/products/m12-connectors-and-cordsets">https://industrial.omron.com.tr/tr/products/m12-connectors-and-cordsets</a>	49.33	171571	4536854226786			GE	Z	JPN	8544.4290.90	
XS2R-D426-1	Y-Joint plug/socket M12 without cable (3 pole 1:2)	41.86	107661	4536854226793		10	GE	Z	JPN	8544.4290.90	
XS2R-D426-81	Y-Joint plug/socket M12 without cable	39.83	256470	4536854475610		10	GE	Z	JPN	8544.4290.90	
XS2R-D426-82	Y-Joint plug/socket M12 without cable	45.98	256471	4536854484841		4	GE	Z	JPN	8544.4290.90	
XS2R-D427-5	DeviceNet environment resistive terminal T-junction power connector (2 x female, 1 x male)	47.63	107668	4536854469275		10	GE	Z	JPN	8544.4290.90	
XS2R-D526-S001-2	<a href="https://industrial.omron.com.tr/tr/products/m12-connectors-and-cordsets">https://industrial.omron.com.tr/tr/products/m12-connectors-and-cordsets</a>	59.20	107665	4536854459207		5	GE	Z	JPN	8544.4290.90	
XS2R-D526-S001-5	Y-Joint plug/socket M12 without cable 5 pole	68.95	107666	4536854459214			GE	Z	JPN	8544.4290.90	
XS2R-D526-S003	Remote I/O	70.60	107667	4536854459221			GE	Z	JPN	8544.4290.90	
XS2W-D421-S046	Cable with connectors on both cable ends, M12 straight socket (female), M12 straight plug (male), 4-poles, A coded, customized item	56.95	367773	4547648325509			GE	Z	JPN	8544.4290.90	
XS2W-T015	Cable with connectors on both cable ends, customized item	34.33	107610	4536854469312			GE	Z	JPN	8544.4290.90	
XS3C-D418	Field assembly connector, Smartclick M12 straight socket (female), 4-poles, A coded, IDC connection, for cable diameters 3-8 mm	7.64	377248	4548583407824		50	GE	Z	JPN	8536.9010.00	
XS3C-D422	Field assembly connector, Smartclick M12 right-angle socket (female), 4-poles, A coded, solder connection, for cable diameters 5-6 mm	12.53	269083	4547648622738		50	GE	Z	JPN	8536.9010.00	
XS3C-D4C1	Field assembly connector, Smartclick M12 straight socket (female), 4-poles, A coded, crimp connection, for cable diameters 5-6 mm	6.79	269064	4547648622547			GE	Z	JPN	8536.9010.00	
XS3C-D4C3	Field assembly connector, Smartclick M12 straight socket (female), 4-poles, A coded, crimp connection, for cable diameters 4-5 mm	6.79	269065	4547648622554			GE	Z	JPN	8536.9010.00	
XS3C-D4S2	Field assembly connector, Smartclick M12 right-angle socket (female), 4-poles, A coded, screw connection, for cable diameters 5-6 mm	12.66	269086	4547648622679			GE	Z	JPN	8536.9010.00	
XS3C-D5S5	Field assembly connector, Smartclick M12 straight socket (female), 5-poles, A coded, screw connection, for cable diameters 3-4 mm	10.85	269077	4547648622677			GE	Z	JPN	8536.9010.00	
XS3G-D418	Field assembly connector, Smartclick M12 straight plug (male), 4-poles, A coded, IDC connection, for cable diameters 3-8 mm	7.78	377249	4548583407831		50	GE	Z	JPN	8536.9010.00	
XS3G-D422	Field assembly connector, Smartclick M12 right-angle plug (male), 4-poles, A coded, solder connection, for cable diameters 5-6 mm	9.09	269105	4547648622486		30	GE	Z	JPN	8536.9010.00	
XS3G-D4C1	Field assembly connector, Smartclick M12 straight plug (male), 4-poles, A coded, crimp connection, for cable diameters 5-6 mm	7.73	269089	4547648622325			GE	Z	JPN	8536.9010.00	
XS3G-D4C3	Field assembly connector, Smartclick M12 straight plug (male), 4-poles, A coded, crimp connection, for cable diameters 4-5 mm	7.73	269090	4547648622332			GE	Z	JPN	8536.9010.00	
XS3G-D4S1	Field assembly connector, Smartclick M12 straight plug (male), 4-poles, A coded, screw connection, for cable diameters 5-6 mm	9.08	269095	4547648622387		20	GE	Z	JPN	8536.9010.00	
XS3M-D427-5	Panel mount connector, M12 Smartclick plug (male), 4 poles, A coded, front lock, 0.5 m cable	16.98	269116	4547648578967			GE	Z	JPN	8536.9010.00	
XS3M-D526-4	Panel mount connector, M12 Smartclick plug (male), 5 poles, A coded, rear lock, screw-mounting with solder cup pins	16.90	700242	4548583516731			GE	Z	JPN	8536.9010.00	
XS3P-D426-5	Panel mount connector, M12 Smartclick socket (female), 4 poles, A coded, rear lock, 0.5 m cable	14.20	257487	4547648487962			GE	Z	JPN	8536.9010.00	
XS3P-D427-5	Panel mount connector, M12 Smartclick socket (female), 4 poles, A coded, front lock, 0.5 m cable	14.20	257434	4547648521604		10	GE	Z	JPN	8536.9010.00	
XS3R-D426-1	Y-Joint plug/socket M12 SmartClick without cable (4-4, 4-2)	42.41	237217	4547648386449		10	GE	Z	JPN	8536.9010.00	
XW3D-P452-G11	Connector terminal box, M12 SmartClick, female, 4 sockets, DC 2-wire, 5 m cable	200.40	355033	4547648424790			GE	Z	JPN	8536.9010.00	
XW3D-P453-G11	Connector terminal box, M12 SmartClick, female, 4 sockets, PNP 3-wire, 5 m cable	200.40	355031	4547648424776			GE	Z	JPN	8536.9010.00	
XW3D-P455-G11	Connector terminal box, M12 SmartClick, female, 4 sockets, NNP 3-wire, 5 m cable	200.40	355037	4547648424752			GE	Z	JPN	8536.9010.00	
XW3D-P457-G11	Connector terminal box, M12 SmartClick, female, 4 sockets, PNP 3-wire and actuator, 5 m cable	257.50	355035	4547648424813			GE	Z	JPN	8536.9010.00	
XW3D-P458-G11	Connector terminal box, M12 SmartClick, female, 4 sockets, NPN 3-wire and actuator, 5 m cable	257.50	355036	4547648424820			GE	Z	JPN	8536.9010.00	
XW3D-P852-G11	Connector terminal box, M12 SmartClick, female, 8 sockets, DC 2-wire, 5 m cable	303.20	355034	4547648424806			GE	Z	JPN	8536.9010.00	
XW3D-P853-G11	Connector terminal box, M12 SmartClick, female, 8 sockets, PNP 3-wire, 5 m cable	303.20	355032	4547648424783			GE	Z	JPN	8536.9010.00	
XW3D-P855-G11	Connector terminal box, M12 SmartClick, female, 8 sockets, NPN 3-wire, 5 m cable	303.20	355030	4547648424769			GE	Z	JPN	8536.9010.00	
XW3B-P453-G11	M12 Terminal Box, 4-ports, IP67, PVC cable 5m	243.10	176897	4536854772535			GE	Z	JPN	8536.9010.00	
XW3B-P653-G11	M12 Terminal Box, 6-ports, IP67, PVC cable 5m	265.30	176901	4536854772634			GE	Z	JPN	8536.9010.00	
XW3B-P853-G11	M12 Terminal Box, 8-ports, IP67, PVC cable 5m	285.50	176904	4536854772696			GE	Z	JPN	8536.9010.00	
Y92E-NWM12-N1	Clamping nut set for PFOX M12, 2 nuts brass nickel plated, 2 toothed washer galvanized iron	3.79	695282	4548583574632			GE	Z	JPN	8536.5080.90	
Y92E-NWM18-N1	Clamping nut set for PFOX M18, 2 nuts brass nickel plated, 2 toothed washer galvanized iron	5.11	695281	4548583574649			GE	Z	JPN	8536.5080.90	
Y92E-NWM30-N1	Clamping nut set for PFOX M30, 2 nuts brass nickel plated, 2 toothed washer galvanized iron	8.74	695283	4548583574625			GE	Z	JPN	8536.5080.90	
XS2Z-12	IP67 cap for not used I/O connectors (M12)	4.02	107618	4536854228544			#	GE	Z	JPN	8538.9099.99
XS2Z-18	Loosening-preventing C-ring accessory for XS2F/H/W connectors	0.83	690336	4536854633423			GE	Z	JPN	8538.9099.99	
XS2Z-22	Water-resistive Covers for M12-male connector	6.69	143740	4536854557408		20	GE	Z	JPN	8538.9099.99	
Y92E-A34	Mounting Bracket for E2K sensor	5.70	107409	4536854247293		10	GE	Z	JPN	9031.9000.00	
Y92E-B12	Sensor mounting bracket, M12 size	3.72	681044	4549734156547		50	GE	Z	THA	9031.9000.00	
Y92E-B18	Sensor mounting bracket, M18 size	3.72	681043	4549734156554		50	GE	Z	THA	9031.9000.00	
Y92E-B30	Sensor mounting bracket, M18 size	3.71	144997	4536854247286			GE	Z	JPN	9031.9000.00	
Y92E-BC08	Sensor mounting bracket, M8 size, Hinge lever type	6.49	688180	4549734670532			GE	Z	DEJ	9031.9000.00	
Y92E-BC12	Sensor mounting bracket, M12 size, Hinge lever type	5.11	180665	4547648131377			GE	Z	DEJ	9031.9000.00	
Y92E-BC18	Sensor mounting bracket, M18 size, Hinge lever type	8.15	180666	4547648131384			GE	Z	DEJ	9031.9000.00	
Y92E-C10	Mounting Bracket, for TL-N10ME/N10MY/N12MD	3.35	107411	4536854247347			GE	Z	JPN	9031.9000.00	
Y92E-C2R5	Bracket for E2S-Q	4.39	107414	4536854504037			GE	Z	JPN	8536.5015.90	

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	SLN. (Data sheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
Y92E-E12	Sensor end cap cover for M12 shielded inductive sensor, polyacetal resin	6.31	110238	4536854117374		10	GE	Z	JPN	9031.9000.00
Y92E-E12-2	Sensor sputter protective cover for M12 shielded inductive sensor, without thread, silicone rubber	9.33	147136	4536854117435			GE	Z	JPN	9031.9000.00
Y92E-E12-M	Sensor sputter protective cover for M12 shielded inductive sensor	9.80	171959	4547648051835			GE	Z	JPN	9031.9000.00
Y92E-E12M	Sensor end cap cover for M12 unshielded inductive sensor, polyacetal resin	8.15	110240	4536854117398		4	GE	Z	JPN	9031.9000.00
Y92E-E18	Sensor end cap cover for M18 shielded inductive sensor, polyacetal resin	6.28	110239	4536854117381		10	GE	Z	JPN	9031.9000.00
Y92E-E18-2	Sensor sputter protective cover for M18 shielded inductive sensor, without thread, silicone rubber	7.35	110244	4536854117442		10	GE	Z	JPN	9031.9000.00
Y92E-E18-7	Sensor sputter protective cover for M18 shielded inductive sensor	9.80	171960	4547648051842		10	GE	Z	JPN	9031.9000.00
Y92E-E18M	Sensor end cap cover for M18 unshielded inductive sensor, polyacetal resin	8.15	110242	4536854117411			GE	Z	JPN	9031.9000.00
Y92E-E30	Sensor end cap cover for M30 shielded inductive sensor, polyacetal resin	6.28	110241	4536854117404			GE	Z	JPN	9031.9000.00
Y92E-E30-2	Sensor sputter protective cover for M30 shielded inductive sensor, without thread, silicone rubber	8.15	110245	4536854117459			GE	Z	JPN	9031.9000.00
Y92E-E30-7	Sensor sputter protective cover for M30 shielded inductive sensor	13.60	171961	4547648051859		8	GE	Z	JPN	9031.9000.00
Y92E-E30M	Sensor end cap cover for M30 unshielded inductive sensor, polyacetal resin	8.15	110243	4536854117428		20	GE	Z	JPN	9031.9000.00
Y92E-E8-7	Sensor sputter protective cover for M8 shielded inductive sensor	9.95	171958	4547648051828			GE	Z	JPN	9031.9000.00
Y92E-G12	Through mounting clamp for M12 threaded sensors	19.79	171963	4547648051873			GE	Z	JPN	9031.9000.00
Y92E-J12R18	Spare part, rubber O-ring for IP67 e-iiq for M12 Prox	2.93	681671	4549734190800			GE	Z	CHN	9031.9000.00
Y92E-J12S18	Mounting Sleeves e-iiq for M12 Prox	10.91	681733	4549734190770			GE	Z	CHN	9031.9000.00
Y92E-J18R30	Spare part, rubber O-ring for IP67 e-iiq for M18 Prox	3.36	681830	4549734190817			GE	Z	CHN	9031.9000.00
Y92E-J18S30	Mounting Sleeves e-iiq for M18 Prox	16.49	681880	4549734190787			GE	Z	CHN	9031.9000.00
Y92E-J8R12	Spare part, rubber O-ring for IP67 e-iiq for M8 Prox	2.67	681727	4549734190794			GE	Z	CHN	9031.9000.00
Y92E-J8S12	Mounting Sleeves e-iiq for M8 Prox	10.20	681669	4549734190763			GE	Z	CHN	9031.9000.00
Y92E-SC04	Mounting block for 4 dia., M3 x P0.5 screws: 2 pieces	10.36	379150	4548583420861			GE	Z	CHN	9031.9000.00
Y92E-VM18	Protective cover ring, SJS303, M12, for E3V and E3EZ series	15.39	258941	4547648607605			GE	Z	JPN	9031.9000.00
<b>Vision sensor ZFV</b>										
ZFV-A25	Standard function amplifier, PNP output	2,008.00	177099	4547648098229			GF	E	JPN	9031.9000.00
ZFV-A25-04	Standard function amplifier, PNP output, Version -04	2,106.00	230747	4547648206273			GF	E	JPN	9031.9000.00
ZFV-CA45	Colour multifunction amplifier, PNP output	1,953.00	224126	4547648224215			GF	E	JPN	9031.9000.00
ZFV-F6015	Set of sensor head & amplifier, Wide view & single function, PNP output	2,627.00	177094	4547648098151			GF	E	JPN	9031.9000.00
ZFV-F6025	Set of sensor head & amplifier, Wide view & standard function, PNP output	3,379.00	177095	4547648098168			GF	E	JPN	9031.9000.00
ZFV-SC50	Colour sensor head, 50mm Field of view (needs ZFV-CA** amplifier)	1,341.00	224133	4547648224239			GF	E	JPN	9031.9000.00
ZFV-SF60	Wide view sensor head	1,504.00	183160	4547648098182			GF	E	JPN	9031.9000.00
<b>Vision sensor ZFX</b>										
ZFX-SF60	Monochrome camera with lighting, max FOV 50mm, 2m cable	1,325.00	235837	4547648402712			GF	F	JPN	9031.9000.00
<b>Vision sensor FQ</b>										
FQ2-CH1100F-M	FQ2 Vision sensor, OCR type, mono, NPN, wide view (240mm), long distance (970mm)	2,192.00	373188	4548583361874			GF	L	JPN	9031.9000.00
FQ2-CH15100F-M	FQ2 Vision sensor, OCR type, mono, PNP, wide view (240mm), long distance (970mm)	2,192.00	373185	4548583361911			GF	L	JPN	9031.9000.00
FQ2-CH15100N-M	FQ2 Vision sensor, OCR type, mono, PNP, wide view (300mm), short distance (380mm)	2,686.00	373186	4548583361928			GF	L	JPN	9031.9000.00
FQ2-S3010F-08	FQ2 vision sensor, high resolution, color, NPN, wide view (240mm), long distance (970mm)	3,217.00	372118	4548583322448			GF	L	JPN	9031.9000.00
FQ2-S3010N-08	FQ2 vision sensor, high resolution, color, NPN, wide view (300mm), short distance (380mm)	3,573.00	372119	4548583322455			GF	L	JPN	9031.9000.00
FQ2-S3010N-08M	FQ2 vision sensor, high resolution, mono, NPN, wide view (300mm), short distance (380mm)	3,573.00	372127	4548583107663			GF	L	JPN	9031.9000.00
FQ2-S30-13M	FQ2 vision sensor, c-mount type, mono, NPN	2,754.00	372134	4548583107731			GF	L	JPN	9031.9000.00
FQ2-S3505F-08	FQ2 vision sensor, high resolution, color, PNP, standard view (50 mm)	4,068.00	372121	4548583322479			GF	L	JPN	9031.9000.00
FQ2-S3505F-08M	FQ2 vision sensor, high resolution, mono, PNP, standard view (50mm)	4,068.00	372129	4548583107687			GF	L	JPN	9031.9000.00
FQ2-S3510F-08M	FQ2 vision sensor, high resolution, mono, PNP, wide view (240mm), long distance (970mm)	4,498.00	372130	4548583107694			GF	L	JPN	9031.9000.00
FQ2-S3510N-08	FQ2 vision sensor, high resolution, color, PNP, wide view (300 mm), short distance (380 mm)	3,902.00	372123	4548583322493			GF	L	JPN	9031.9000.00
FQ2-S35-13	FQ2 vision sensor, c-mount type, color, PNP	3,002.00	372133	4548583107724			GF	L	JPN	9031.9000.00
FQ2-S35-13M	FQ2 vision sensor, c-mount type, mono, PNP	3,937.00	372135	4548583107748			GF	L	JPN	9031.9000.00
FQ2-S4010F	FQ2 vision sensor, ID + Inspection, color, NPN, wide view (240mm), long distance (970mm)	3,542.00	373117	4548583361959			GF	L	JPN	9031.9000.00
FQ2-S4010F-M	FQ2 vision sensor, ID + Inspection, mono, NPN, wide view (240mm), long distance (970mm)	3,542.00	373125	4548583362031			GF	L	JPN	9031.9000.00
FQ2-S40-13	FQ2 vision sensor, c-mount type, ID + Inspection, color, NPN	4,232.00	373149	4548583362253			GF	L	JPN	9031.9000.00
FQ2-S40-13M	FQ2 vision sensor, c-mount type, ID + Inspection, mono, NPN	4,068.00	373150	4548583362277			GF	L	JPN	9031.9000.00
FQ2-S4505F	FQ2 vision sensor, ID + Inspection, color, PNP, standard view (50 mm)	3,635.00	373120	4548583361980			GF	L	JPN	9031.9000.00
FQ2-S4505F-08	FQ2 vision sensor, high resolution, ID + Inspection, color, PNP, standard view (50 mm)	4,393.00	373136	4548583362147			GF	L	JPN	9031.9000.00
FQ2-S4505F-M	FQ2 vision sensor, ID + Inspection, mono, PNP, standard view (50 mm)	3,635.00	373128	4548583362062			GF	L	JPN	9031.9000.00
FQ2-S4510F	FQ2 vision sensor, ID + Inspection, color, PNP, wide view (240 mm), long distance (970 mm)	3,542.00	373121	4548583361997			GF	L	JPN	9031.9000.00
FQ2-S4510F-08	FQ2 vision sensor, high resolution, ID + Inspection, color, PNP, wide view (240mm), long distance (970mm)	4,464.00	373137	4548583362154			GF	L	JPN	9031.9000.00
FQ2-S4510F-08M	FQ2 vision sensor, high resolution, ID + Inspection, mono, PNP, wide view (240mm), long distance (970mm)	4,464.00	373145	4548583362239			GF	L	JPN	9031.9000.00
FQ2-S4510F-M	FQ2 vision sensor, ID + Inspection, mono, PNP, wide view (240mm), long distance (970mm)	3,542.00	373129	4548583362079			GF	L	JPN	9031.9000.00
FQ2-S4510N	FQ2 vision sensor, ID + Inspection, color, PNP, wide view (300 mm), short distance (380 mm)	2,881.00	373122	4548583362000			GF	L	JPN	9031.9000.00
FQ2-S4510N-08	FQ2 vision sensor, high resolution, ID + Inspection, color, PNP, wide view (300 mm), short distance (380 mm)	4,561.00	373138	4548583362161			GF	L	JPN	9031.9000.00
FQ2-S4510N-08M	FQ2 vision sensor, high resolution, ID + Inspection, mono, PNP, wide view (300mm), short distance (380mm)	4,464.00	373146	4548583362246			GF	L	JPN	9031.9000.00
FQ2-S4510N-M	FQ2 vision sensor, ID + Inspection, mono, PNP, wide view (300mm), short distance (380mm)	3,055.00	373130	4548583362086			GF	L	JPN	9031.9000.00
FQ2-S45-13	FQ2 vision sensor, c-mount type, ID + Inspection, color, PNP	4,163.00	373147	4548583362260			GF	L	JPN	9031.9000.00
FQ2-S45-13M	FQ2 vision sensor, c-mount type, ID + Inspection, mono, PNP	4,031.00	373148	4548583362284			GF	L	JPN	9031.9000.00
FQ-M-S120	FQ-M vision sensor, color, Ethernet communications, NPN	2,828.00	355896	4548583092846			GF	L	JPN	9031.9000.00
FQ-M-S120-ECT	FQ-M vision sensor, color, Ethernet & EtherCAT communications, NPN	3,798.00	355900	4548583092945			GF	L	JPN	9031.9000.00
FQ-M-S120-M	FQ-M vision sensor, greyscale, Ethernet communications, NPN	2,828.00	355898	4548583092860			GF	L	JPN	9031.9000.00
FQ-M-S120-M-ECT	FQ-M vision sensor, greyscale, Ethernet & EtherCAT communications, NPN	3,798.00	355901	4548583092969			GF	L	JPN	9031.9000.00
FQ-M-S125	FQ-M vision sensor, color, Ethernet communications, PNP	2,828.00	355897	4548583092853			GF	L	JPN	9031.9000.00
FQ-M-S125-ECT	FQ-M vision sensor, color, Ethernet & EtherCAT communications, PNP	3,798.00	355894	4548583092952			GF	L	JPN	9031.9000.00
FQ-M-S125-M	FQ-M vision sensor, greyscale, Ethernet communications, PNP	2,828.00	355899	4548583092877			GF	L	JPN	9031.9000.00
FQ-M-S125-M-ECT	FQ-M vision sensor, greyscale, Ethernet & EtherCAT communications, PNP	3,798.00	355895	4548583092976			GF	L	JPN	9031.9000.00

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Daheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
FQ2-S10010F	FQ2 vision sensor, single function, NPN, narrow view(13mm)	1,130.00	372146	454858322349			GF	L	JPN	9031.9000.00
FQ2-S10050F	FQ2 vision sensor, single function, NPN, standard view(50mm)	1,113.00	372147	454858322356			GF	L	JPN	9031.9000.00
FQ2-S10100F	FQ2 vision sensor, single function, NPN, wide view(240mm), long distance(970mm)	1,165.00	372148	454858322363			GF	L	JPN	9031.9000.00
FQ2-S10100N	FQ2 vision sensor, single function, NPN, wide view(300mm), short distance(380mm)	1,633.00	372149	454858322370			GF	L	JPN	9031.9000.00
FQ2-S15010F	FQ2 vision sensor, single function, PNP, narrow view(13mm)	1,130.00	372150	454858322387			GF	L	JPN	9031.9000.00
FQ2-S15050F	FQ2 vision sensor, single function, PNP, standard view(50 mm)	1,113.00	372151	454858322394			GF	L	JPN	9031.9000.00
FQ2-S15100F	FQ2 vision sensor, single function, PNP, wide view(240 mm), long distance(970 mm)	1,165.00	372152	454858322400	#		GF	L	JPN	9031.9000.00
FQ2-S15100N	FQ2 vision sensor, single function, PNP, wide view(300 mm), short distance(380 mm)	1,633.00	372153	454858322417			GF	L	JPN	9031.9000.00
FQ2-S20010F	FQ2 vision sensor, standard function, NPN, narrow view(13mm)	1,832.00	372138	4548583107557			GF	L	JPN	9031.9000.00
FQ2-S20050F	FQ2 vision sensor, standard function, NPN, standard view(50mm)	1,816.00	372139	4548583107564			GF	L	JPN	9031.9000.00
FQ2-S20100F	FQ2 vision sensor, standard function, NPN, wide view(240 mm), long distance(970 mm)	1,852.00	372140	4548583107571			GF	L	JPN	9031.9000.00
FQ2-S20100N	FQ2 vision sensor, standard function, NPN, wide view(300 mm), short distance(380 mm)	2,559.00	372141	4548583107588			GF	L	JPN	9031.9000.00
FQ2-S25010F	FQ2 vision sensor, standard function, PNP, narrow view(13 mm)	1,832.00	372142	4548583107595			GF	L	JPN	9031.9000.00
FQ2-S25050F	FQ2 vision sensor, standard function, PNP, standard view(50 mm)	1,816.00	372143	4548583107601			GF	L	JPN	9031.9000.00
FQ2-S25100F	FQ2 vision sensor, standard function, PNP, wide view(240 mm), long distance(970 mm)	1,852.00	372144	4548583107618	#		GF	L	JPN	9031.9000.00
FQ2-S25100N	FQ2 vision sensor, standard function, PNP, wide view(300 mm), short distance(380 mm)	2,559.00	372145	4548583107625	#		GF	L	JPN	9031.9000.00
FQ-AC4	FQ touch finder AC adaptor, Euro plug, for FQ-D31 only	225.40	670551	4548583762039			GF	L	TWN	9031.9000.00
FQ-BAT1	FQ battery, for models for VAC/ VDC/Battery	215.40	337802	4547648830171			GF	L	JPN	9031.9000.00
FQ-MWD005	FQ-M, I/O cable, straight, 5 m	495.50	355886	4548583093041			GF	L	JPN	8544.4290.90
FQ-MWD010	FQ-M, I/O cable, straight, 10 m	581.00	355889	4548583093058			GF	L	JPN	8544.4290.90
FQ-MWDL005	FQ-M, I/O cable, angled, 5 m	816.50	355890	4548583093065			GF	L	JPN	8544.4290.90
FQ-MWDL010	FQ-M, I/O cable, angled, 10 m	1,034.00	355891	4548583093072			GF	L	JPN	8544.4290.90
FQ-MWNE005	FQ-M, EtherCAT connector cable, sensor-to-sensor, straight, 5 m	390.20	355884	4548583093003			GF	L	JPN	8544.4290.90
FQ-MWNE010	FQ-M, EtherCAT connector cable, sensor-to-sensor, straight, 10 m	475.90	355885	4548583093010			GF	L	JPN	8544.4290.90
FQ-MWNE005	FQ-M, EtherCAT connector cable, sensor-to-sensor, angled, 5 m	390.20	355886	4548583093027			GF	L	POL	8544.4290.90
FQ-MWNE010	FQ-M, EtherCAT connector cable, sensor-to-sensor, angled, 10 m	475.90	355887	4548583093034			GF	L	POL	8544.4290.90
FQ-MWNL005	FQ-M Ethernet/EtherCAT cable, bend resistant, angle M12/straight RJ45, 5 m	390.20	355882	4548583092983			GF	L	POL	8544.4290.90
FQ-MWNL010	FQ-M Ethernet/EtherCAT cable, bend resistant, angle M12/straight RJ45, 10 m	475.90	355883	4548583092990			GF	L	POL	8544.4290.90
FQ-SDU10	FQ2 I/O extension unit, NPN (For FQ2-S3* only)	396.40	372164	4548583107519			GF	L	JPN	9031.9000.00
FQ-SDU15	FQ2 I/O extension unit, PNP (For FQ2-S3* only)	396.40	372165	4548583107526			GF	L	JPN	9031.9000.00
FQ-SDU20	FQ2 RS-232 interface, NPN (For FQ2-S3* only)	403.40	372166	4548583107533			GF	L	JPN	9031.9000.00
FQ-SDU25	FQ2 RS-232 interface, PNP (For FQ2-S3* only)	403.40	372167	4548583107540	#		GF	L	JPN	9031.9000.00
FQ-VP1002	Parallel cable for FQ-SDU1*, 2 m	82.20	372160	4548583334137			GF	L	JPN	9031.9000.00
FQ-VP1005	Parallel cable for FQ-SDU1*, 5 m	130.90	372155	4548583334144			GF	L	JPN	9031.9000.00
FQ-VP1010	Parallel cable for FQ-SDU1*, 10 m	209.60	372156	4548583334151			GF	L	JPN	9031.9000.00
FQ-VP2002	Parallel cable for FQ-SDU2*, 2 m	73.40	372163	4548583334168			GF	L	JPN	9031.9000.00
FQ-VP2005	Parallel cable for FQ-SDU2*, 5 m	125.10	372161	4548583334175			GF	L	JPN	9031.9000.00
FQ-VP2010	Parallel cable for FQ-SDU2*, 10 m	202.00	372162	4548583334182			GF	L	JPN	9031.9000.00
FQ-WD002-E	FQ I/O cable, 2 m	166.90	678182	4549734922951			GF	L	CZE	8544.4290.90
FQ-WD003-E	FQ I/O cable, 3 m	110.80	678183	4549734922968	#		GF	L	CZE	8544.4290.90
FQ-WD005	FQ I/O cable, 5 m	100.50	409003	4548583107465			GF	L	CHN	9031.9000.00
FQ-WD005-E	FQ I/O cable, 5 m	135.90	678184	4549734922975	#		GF	L	CZE	8544.4290.90
FQ-WD010-E	FQ I/O cable, 10 m	224.30	678185	4549734922982	#		GF	L	CZE	8544.4290.90
FQ-WD020	FQ I/O cable, 20 m	644.50	337796	4547648830119			GF	L	CHN	8544.4290.90
FQ-WN002	FQ Ethernet cable, 2 m	166.60	337805	4547648830065			GF	L	JPN	8544.4290.90
FQ-WN002-E	FQ Ethernet cable, 2 m	72.05	360744	4548583129269			GF	L	JPN	8544.4290.90
FQ-WN003-E	FQ Ethernet cable, 3 m	80.60	360745	4548583129276	#		GF	L	JPN	8544.4290.90
FQ-WN005	FQ Ethernet cable, bend resistant, 5 m	206.10	679127	4548583056312			GF	L	JPN	8544.4290.90
FQ-WN005-E	FQ Ethernet cable, 5 m	96.45	360746	4548583129283	#		GF	L	JPN	8544.4290.90
FQ-WN010	FQ Ethernet cable, bend resistant, 10 m	257.60	337806	4547648830072			GF	L	JPN	8544.4290.90
FQ-WN010-E	FQ Ethernet cable, 10 m	134.70	360741	4548583129290	#		GF	L	JPN	8544.4290.90
FQ-WU020	FQ Ethernet cable, 20 m	605.00	337807	4547648830089			GF	L	JPN	8544.4290.90
FQ-WU002	FQ sensor data unit cable for FQ-SDU*, 2 m	221.50	372157	4548583107472			GF	L	JPN	9031.9000.00
FQ-WU005	FQ sensor data unit cable for FQ-SDU*, 5 m	319.20	372158	4548583107489			GF	L	JPN	9031.9000.00
FQ-WU010	FQ sensor data unit cable for FQ-SDU*, 10 m	468.00	372154	4548583107496			GF	L	JPN	9031.9000.00
FQ-WU020	FQ sensor data unit cable for FQ-SDU*, 20 m	775.50	372159	4548583107502			GF	L	JPN	9031.9000.00
FQ-XF1	FQ Polarizing Filter, (enclosed with sensor)	305.50	337800	4547648830157			GF	L	JPN	9031.9000.00
FQ-XH	FQ Strap neck/hand, to Touch Finder	81.35	337801	4547648830164			GF	L	JPN	9031.9000.00
FQ-XL	Accessory FQ/FQ2 Mounting Bracket, (enclosed with sensor)	92.55	337797	4547648830126			GF	L	CHN	9031.9000.00
FQ-XLC	Accessory FQ/FQ2, mounting bracket for C-mount type	59.45	374628	4548583351684			GF	L	CHN	9031.9000.00
FQ-XP	Accessory FQ/FQ2 Panel Mounting Adapter, for Touch Finder	269.70	337799	4547648830140			GF	L	CHN	9031.9000.00
FQ-XT	Accessory FQ/FQ2 Touch Pen, (enclosed with Touch Finder)	47.89	337798	4547648830133			GF	L	CHN	9031.9000.00
FQ2-D30	FQ2 touch finder, 3.5" TFT color LCD screen, SD card, 24VDC	1,354.00	372137	4548583107755	#		GF	L	JPN	9031.9000.00
FQ2-D31	FQ2 touch finder, 3.5" TFT color LCD screen, SD card, 24VDC, AC adaptor, battery	1,463.00	372138	4548583107762			GF	L	JPN	9031.9000.00
FQ-MD30	FQ-M Touchfinder, 24DC	1,266.00	355892	4548583093089			GF	L	JPN	9031.9000.00
FQ-MD31	FQ-M Touchfinder, 24DC & battery supply	1,334.00	355893	4548583093096			GF	L	JPN	9031.9000.00
FQ-CR10010F-M	Code reader, multi code, distance 38-60mm, view 7-13mm, NPN	1,675.00	371410	4548583343320			GF	L	JPN	9031.8080.00
FQ-CR10050F-M	Code reader, multi code, distance 56-215mm, view 13-53mm, NPN	1,731.00	371412	4548583343344			GF	L	JPN	9031.8080.00
FQ-CR10100F-M	Code reader, multi code, long distance 220-970mm, view 53-240mm, NPN	1,752.00	371414	4548583343368			GF	L	JPN	9031.8080.00
FQ-CR10100N-M	Code reader, multi code, short distance 32-380mm, view 29-300mm, NPN	2,292.00	371416	4548583343405			GF	L	JPN	9031.8080.00
FQ-CR15010F-M	Code reader, multi code, distance 38-60mm, view 7-13mm, PNP	1,675.00	371411	4548583343337			GF	L	JPN	9031.8080.00
FQ-CR15050F-M	Code reader, multi code, distance 56-215mm, view 13-53mm, PNP	1,861.00	371413	4548583343351			GF	L	JPN	9031.8080.00
FQ-CR15100F-M	Code reader, multi code, long distance 220-970mm, view 53-240mm, PNP	1,752.00	371415	4548583343382			GF	L	JPN	9031.8080.00

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Daheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
FO-CR15100N-M	Code reader, multi code, short distance 32-380mm, view 29-300mm, PNP	2.475.00	371417	4548583343412			GF	L	JPN	9031.8080.00
FO-CR20010F-M	Code reader, 2D code, distance 38-60mm, view 7-13mm, NPN	3.608.00	355267	4548583070349			GF	L	JPN	9031.8080.00
FO-CR20050F-M	Code reader, 2D code, distance 56-215mm, view 13-53mm, NPN	3.608.00	355274	4548583070363			GF	L	JPN	9031.8080.00
FO-CR20100F-M	Code reader, 2D code, distance 56-215mm, view 13-53mm, PNP	3.608.00	355270	4548583070367			GF	L	JPN	9031.8080.00
FO-CR20100N-M	Code reader, 2D code, long distance 220-970mm, view 53-240mm, NPN	3.608.00	355272	4548583070400			GF	L	JPN	9031.8080.00
FO-CR25101F-M	Code reader, 2D code, short distance 32-380mm, view 29-300mm, NPN	3.608.00	355268	4548583070356			GF	L	JPN	9031.8080.00
FO-CR25101F-M	Code reader, 2D code, distance 56-215mm, view 13-53mm, PNP	3.608.00	355269	4548583070370			GF	L	JPN	9031.8080.00
FO-CR25100F-M	Code reader, 2D code, long distance 220-970mm, view 53-240mm, PNP	3.608.00	355271	4548583070394			GF	L	JPN	9031.8080.00
FO-CR25100N-M	Code reader, 2D code, short distance 32-380mm, view 29-300mm, PNP	3.608.00	355273	4548583070417			GF	L	JPN	9031.8080.00
<b>Xpectia vision system FZ OEM</b>										
FH-1050-H	FH standard controller 2-core, NPN/PNP 2 cameras with Halcon license	9.520.00	393770	4548583535565			GF	R	JPN	9031.9000.00
FH-2050	FH high-speed / high performance controller 2-core, NPN/PNP, 2 cameras	9.885.00	684330	4549734133944	#		GF	R	JPN	9031.9000.00
FH-2050-10	FH high-speed / high performance controller 2-core, NPN/PNP, 4 cameras	12.620.00	684331	4549734133951			GF	R	JPN	9031.9000.00
FH-2050-10H	FH high speed, large capacity controller 2-core, NPN/PNP 4 cameras with Halcon license	11.680.00	695088	4549734540803			GF	R	JPN	9031.9000.00
FH-2050-20	FH high-speed / high performance controller 2-core, NPN/PNP, 8 cameras	14.070.00	684332	4549734133968	#		GF	R	JPN	9031.9000.00
FH-2050-20H	FH high speed, large capacity controller 2-core, NPN/PNP 8 cameras with Halcon license	13.430.00	695089	4549734540810			GF	R	JPN	9031.9000.00
FH-2050-H	FH high speed, large capacity controller 2-core, NPN/PNP 2 cameras with Halcon license	9.520.00	695087	4549734540797			GF	R	JPN	9031.9000.00
FH-5050	FH high-speed / high performance controller 4-core, NPN/PNP, 2 cameras	14.910.00	684333	4549734133975			GF	R	JPN	9031.9000.00
FH-5050-10	FH high-speed / high performance controller 4-core, NPN/PNP, 4 cameras	18.370.00	684334	4549734133982			GF	R	JPN	9031.9000.00
FH-5050-10H	FH high-speed / high performance controller 4-core, NPN/PNP 4 cameras with Halcon license	16.100.00	695091	4549734540834			GF	R	JPN	9031.9000.00
FH-5050-20	FH high-speed / high performance controller 4-core, NPN/PNP, 8 cameras	20.240.00	684335	4549734133999			GF	R	JPN	9031.9000.00
FH-5050-20H	FH high-speed, large capacity controller 4-core, NPN/PNP 8 cameras with Halcon license	18.120.00	695092	4549734540841			GF	R	JPN	9031.9000.00
FH-5050-H	FH high-speed, large capacity controller 4-core, NPN/PNP 2 cameras with Halcon license	13.440.00	695090	4549734540827			GF	R	JPN	9031.9000.00
FH-5051	FH high-speed / high performance controller 4-core, NPN/PNP, 2 cameras, OS2	14.910.00	701438	4549734711968			GF	R	JPN	9031.9000.00
FH-5051-10	FH high-speed / high performance controller 4-core, NPN/PNP, 4 cameras, OS2	18.370.00	701439	4549734711975			GF	R	JPN	9031.9000.00
FH-5051-20	FH high-speed / high performance controller 4-core, NPN/PNP, 8 cameras, OS2	20.240.00	701440	4549734711982			GF	R	JPN	9031.9000.00
FH-5550	FH high-speed / high performance / extended storage, controller 4-core, NPN/PNP, 2 cameras	15.420.00	695758	4549734145725			GF	R	JPN	9031.9000.00
FH-5550-10	FH high-speed / high performance / extended storage, controller 4-core, NPN/PNP, 4 cameras	18.870.00	695759	4549734145732			GF	R	JPN	9031.9000.00
FH-5550-20	FH high-speed / high performance / extended storage, controller 4-core, NPN/PNP, 8 cameras	20.740.00	695760	4549734145749			GF	R	JPN	9031.9000.00
FH-L550	FH-Lite controller, standard grade, box type, 2 camera	6.320.00	670063	4548583785779	#		GF	R	JPN	9031.9000.00
FH-L550-10	FH-Lite controller, standard grade, box type, 4 camera	7.430.00	670064	4548583785786			GF	R	JPN	9031.9000.00
FZ5-1200	FZ5 vision controller, high grade, integrated LCD touchscreen, 2 camera, NPN	15.970.00	679700	4548583859210			GF	R	JPN	9031.9000.00
FZ5-1200-10	FZ5 vision controller, high grade, integrated LCD touchscreen, 4 camera, NPN	17.280.00	679701	4548583859234			GF	R	JPN	9031.9000.00
FZ5-1205	FZ5 vision controller, high grade, integrated LCD touchscreen, 2 camera, PNP	15.970.00	679702	4548583859227			GF	R	JPN	9031.9000.00
FZ5-1205-10	FZ5 vision controller, high grade, integrated LCD touchscreen, 4 camera, PNP	17.280.00	679699	4548583859241			GF	R	JPN	9031.9000.00
FZ5-800	FZ5 vision controller, standard grade, integrated LCD touchscreen, 2 camera, NPN	10.480.00	679698	4548583859258			GF	R	JPN	9031.9000.00
FZ5-800-10	FZ5 vision controller, standard grade, integrated LCD touchscreen, 4 camera, NPN	12.490.00	679695	4548583859272			GF	R	JPN	9031.9000.00
FZ5-805	FZ5 vision controller, standard grade, integrated LCD touchscreen, 2 camera, PNP	10.480.00	679699	4548583859265			GF	R	JPN	9031.9000.00
FZ5-805-10	FZ5 vision controller, standard grade, integrated LCD touchscreen, 4 camera, PNP	12.490.00	679696	4548583859289			GF	R	JPN	9031.9000.00
FZ5-L350	FZ5-Lite controller, standard grade, box type, 2 camera, NPN	7.005.00	377466	4548583385672			GF	R	JPN	9031.9000.00
FZ5-L350-10	FZ5-Lite controller, standard grade, box type, 4 camera, NPN	8.260.00	377468	4548583385696			GF	R	JPN	9031.9000.00
FZ5-L355	FZ5-Lite controller, standard grade, box type, 2 camera, PNP	7.005.00	377467	4548583385689			GF	R	JPN	9031.9000.00
FZ5-L355-10	FZ5-Lite controller, standard grade, box type, 4 camera, PNP	8.260.00	377469	4548583385702			GF	R	JPN	9031.9000.00
FH-SC	FH camera, standard resolution, colour	1.682.00	377457	4548583385498	#		GF	R	JPN	9031.9000.00
FH-SC02	FH camera, high resolution 2M pixel, color	4.092.00	377455	4548583385474	#		GF	R	JPN	9031.9000.00
FH-SC04	FH camera, high resolution 4M pixel, color	8.155.00	377453	4548583385450			GF	R	JPN	9031.9000.00
FH-SC05R	FH camera, high resolution 5 m pixel, color, rolling shutter	2.383.00	670066	4548583785809	#		GF	R	JPN	9031.9000.00
FH-SC12	FH camera, high resolution 12M pixel, colour	7.855.00	384724	4548583385436			GF	R	JPN	9031.9000.00
FH-SC21R	FH Camera, high speed, 20.4MPixel, c-Mount, rolling shutter, color	8.480.00	684318	4549734145671			GF	R	JPN	9031.9000.00
FH-SCX	FH Camera, high speed, 0.4MPixel, c-Mount, global shutter, color	1.616.00	684314	4549734145695	#		GF	R	JPN	9031.9000.00
FH-SCX05	FH Camera, high speed, 5 MPixel, c-Mount, global shutter, color	5.255.00	684313	4549734145697			GF	R	JPN	9031.9000.00
FH-SCX12	FH Camera, high speed, 12 MPixel, C-Mount, global shutter, color	9.050.00	684447	4549734145718			GF	R	JPN	9031.9000.00
FH-SM	FH camera, standard resolution, monochrome	1.682.00	377458	4548583385504	#		GF	R	JPN	9031.9000.00
FH-SM02	FH camera, high resolution 2M pixel, monochrome	4.092.00	377456	4548583385481			GF	R	JPN	9031.9000.00
FH-SM04	FH camera, high resolution 4M pixel, monochrome	8.155.00	377454	4548583385467			GF	R	JPN	9031.9000.00
FH-SM05R	FH camera, high resolution 5 m pixel, monochrome, rolling shutter	2.383.00	670065	4548583785793			GF	R	JPN	9031.9000.00
FH-SM12	FH camera, high resolution 12M pixel, monochrome	9.300.00	384725	4548583385443			GF	R	JPN	9031.9000.00
FH-SM21R	FH Camera, high speed, 20.4MPixel, c-Mount, rolling shutter, monochrome	8.480.00	684315	4549734145664			GF	R	JPN	9031.9000.00
FH-SMX	FH Camera, high speed, 0.4MPixel, c-Mount, global shutter, monochrome	1.616.00	684317	4549734145688	#		GF	R	JPN	9031.9000.00
FH-SMX05	FH Camera, high speed, 5 MPixel, c-Mount, global shutter, monochrome	5.255.00	684316	4549734145640	#		GF	R	JPN	9031.9000.00
FH-SMX12	FH Camera, high speed, 12 MPixel, C-Mount, global shutter, monochrome	9.050.00	684445	4549734145701			GF	R	JPN	9031.9000.00
FZ-S	FZ camera, standard resolution, monochrome	1.737.00	372096	4548583329508			GF	R	CHN	9031.9000.00
FZ-S2M	FZ/FJ Camera, high resolution 2M pixel, greyscale	5.475.00	375355	4548583368057			GF	R	CHN	9031.9000.00
FZ-S5M3	FZ Camera, high resolution 5 Mpixel CMOS, monochrome	11.700.00	679420	4549734144261			GF	R	JPN	9031.9000.00
FZ-SC	FZ camera, standard resolution, color	1.737.00	372097	4548583329522	#		GF	R	CHN	9031.9000.00
FZ-SC2M	FZ camera, high resolution 2M pixel, color	5.475.00	374930	4548583368064			GF	R	CHN	9031.9000.00
FZ-SC5M3	FZ Camera, high resolution 5 Mpixel CMOS Sensor, color	11.700.00	679419	4549734144278			GF	R	JPN	9031.9000.00
FZ-SP	FZ micro camera, cube type, standard resolution, monochrome	4.712.00	254742	4547648597920			GF	R	JPN	9031.9000.00
FZ-SFC	FZ micro camera, cube type, standard resolution, color	4.712.00	254741	4547648597913			GF	R	JPN	9031.9000.00
FZ-SH	FZ camera, high speed, standard resolution, monochrome	4.250.00	334976	4547648817554			GF	R	JPN	9031.9000.00
FZ-SHC	FZ camera, high speed, standard resolution, color	4.250.00	334977	4547648817561			GF	R	JPN	9031.9000.00
FZ-SP	FZ micro camera, cylinder type, standard resolution, monochrome	4.712.00	254744	4547648597944			GF	R	JPN	9031.9000.00
FZ-SFC	FZ micro camera, cylinder type, standard resolution, color	4.712.00	254743	4547648597937			GF	R	JPN	9031.9000.00

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Dataheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
FZ-SQ010F	FZ-SQ intelligent compact color camera, high-power lighting, distance 38-60mm, narrow view 7-13mm	1.392.00	351977	4548583008793			GF	R	JPN	9031.9000.00
FZ-SQ050F	FZ-SQ intelligent compact color camera, high-power lighting, distance 56-215mm, standard view 13-53mm	1.392.00	351978	4548583008809			GF	R	JPN	9031.9000.00
FZ-SQ100F	FZ-SQ intelligent compact color camera, high-power lighting, long-distance 220-970mm, wide view 53-240mm	1.447.00	351979	4548583008816	#		GF	R	JPN	9031.9000.00
FZ-SQ100N	FZ-SQ intelligent compact color camera, high-power lighting, short-distance 32-380mm, wide view 29-300mm	1.960.00	351980	4548583008823	#		GF	R	JPN	9031.9000.00
FJ-S2MG2	FJvision camera, Gig-E interface, 2MP, monochrome	2.737.00	694944	4549734556255			GF	R	JPN	9031.9000.00
FJ-S2MG2-S	FJvision camera & software license, Gig-E interface, 2MP, monochrome	3.769.00	694950	4549734556323			GF	R	JPN	9031.9000.00
FJ-S5MG2	FJvision camera, Gig-E interface, 5MP, monochrome	4.520.00	694946	4549734556279			GF	R	JPN	9031.9000.00
FJ-S5MG2-S	FJvision camera & software license, Gig-E interface, 5MP, monochrome	5.660.00	694952	4549734556347			GF	R	JPN	9031.9000.00
FJ-SC2MG2	FJvision camera, Gig-E interface, 2MP, color	2.737.00	694945	4549734556262			GF	R	JPN	9031.9000.00
FJ-SC2MG2-S	FJvision camera & software license, Gig-E interface, 2MP, color	3.769.00	694951	4549734556330			GF	R	JPN	9031.9000.00
FJ-SC5MG2	FJvision camera, Gig-E interface, 5MP, color	4.520.00	694947	4549734556286			GF	R	JPN	9031.9000.00
FJ-SC5MG2-S	FJvision camera & software license, Gig-E interface, 5MP, color	5.660.00	694953	4549734556354			GF	R	JPN	9031.9000.00
FJ-SCG2	FJvision camera, Gig-E interface, VGA, color	1.869.00	694943	4549734556248			GF	R	JPN	9031.9000.00
FJ-SCG2-S	FJvision camera & software license, Gig-E interface, VGA, color	3.002.00	694949	4549734556316			GF	R	JPN	9031.9000.00
FJ-SG2	FJvision camera, Gig-E interface, VGA, greyscale	1.869.00	694942	4549734556231			GF	R	JPN	9031.9000.00
FJ-SG2-S	FJvision camera & software license, Gig-E interface, VGA, monochrome	3.002.00	694948	4549734556309			GF	R	JPN	9031.9000.00
FH-VMRGB	DVI-I RGB conversion connector, for FH series only	87.45	377548	4548583425583			GF	R	CHN	9031.9000.00
FH-VR 1.5M	Encoder cable for line-driver, 1.5m, for FH series only	198.30	377547	4548583413160			GF	R	JPN	9031.9000.00
FJ-VS3 10M	FJ-Gig-E camera interface cable, 10m	393.90	355508	4548583060937			GF	R	JPN	9031.9000.00
FJ-VS3 3M	FJ-Gig-E camera interface cable, 3m	296.20	355494	4548583060913			GF	R	JPN	9031.9000.00
FJ-VS3 5M	FJ-Gig-E camera interface cable, 5m	272.00	355507	4548583060920			GF	R	JPN	9031.9000.00
FJ-VSP2 10M	FJ-Gig-E power and I/O cable, 10 m	314.20	694956	4549734597784			GF	R	JPN	8544.4290.90
FJ-VSP2 3M	FJ-Gig-E power and I/O cable, 3 m	194.30	694954	4549734597760			GF	R	JPN	8544.4290.90
FJ-VSP2 5M	FJ-Gig-E power and I/O cable, 5 m	226.30	694955	4549734597777			GF	R	JPN	8544.4290.90
FZ-VP 2M	Parallel I/O cable, 2m	178.10	348112	4548583002883			GF	R	CHN	9031.9000.00
FZ-VP 5M	Parallel I/O cable, 5 m	301.40	348113	4548583002890			GF	R	CHN	9031.9000.00
FZ-VS3 10M	Accessory vision, FH and FZ, standard camera cable, 10m	615.50	393354	4548583533721	#		GF	R	CHN	8544.4290.90
FZ-VS3 2M	Accessory vision, FH and FZ, standard camera cable, 2m	353.80	393351	4548583533691	#		GF	R	CHN	8544.4290.90
FZ-VS3 3M	Accessory vision, FH and FZ, standard camera cable, 3m	400.00	393352	4548583533707			GF	R	CHN	8544.4290.90
FZ-VS3 5M	Accessory vision, FH and FZ, standard camera cable, 5m	500.50	393353	4548583533714	#		GF	R	CHN	8544.4290.90
FZ-VS4 15M	Accessory vision, FH and FZ, camera cable, long distance, 15m	1.567.00	393355	4548583533738	#		GF	R	JPN	8544.4290.90
FZ-VSB3 10M	Accessory vision, FH and FZ, camera cable, bend resistant, 10 m	739.50	682708	4549734126922	#	3	GF	R	CHN	8544.4290.90
FZ-VSB3 5M	Accessory vision, FH and FZ, camera cable, bend resistant, 5 m	625.50	684803	4549734126915			GF	R	CHN	8544.4290.90
FZ-VSJ	FZ Camera cable extension hub (max 3 cables 45m)	1.435.00	241486	4547648445849	#		GF	R	JPN	9031.9000.00
FZ-VSL3 10M	Accessory vision, FH and FZ, camera cable, standard, right angled connector, 10 m	810.50	393359	4548583533776			GF	R	JPN	8544.4290.90
FZ-VSL3 2M	Accessory vision, FH and FZ, camera cable, standard, right angled connector, 2m	511.00	393356	4548583533745			GF	R	JPN	8544.4290.90
FZ-VSL3 5M	Accessory vision, FH and FZ, camera cable, standard, right angled connector, 5m	626.00	393358	4548583533769			GF	R	JPN	8544.4290.90
FZ-VSL4 15M	Accessory vision, FH and FZ, camera cable, right angle, long distance, 15m	1.618.00	393360	4548583533783			GF	R	JPN	8544.4290.90
FZ-VSLB3 5M	Accessory vision, FH and FZ, camera cable, bend resistant, right angled connector, 5m	983.20	393367	4548583533851			GF	R	JPN	8544.4290.90
FH-AP1L	Application producer licence or FH vision systems (requires software development tool FH-AP1)	1,118.00	377759	4548583429574			GF	R	JPN	9031.9000.00
FH-UM3D1	3D Software license for FH, license key dongle	5950.00	701171	4549734684668			GF	R	JPN	9031.9000.00
FH-UMAI1	AI filter installer for FH controller, USB license key dongle	7,575.00	695761	4549734594783			GF	R	JPN	9031.9000.00
FH-XDM-L	FH-L DIN rail mounting bracket	85.80	670241	4548583763722	#		GF	R	JPN	9031.9000.00
FJ-API	Application producer for FJ vision systems, software development tool	658.50	355492	45485830061019			GF	R	JPN	9031.9000.00
FZ-DS	FZ2 Series desktop stand	707.00	241473	4547648246699			GF	R	JPN	9031.9000.00
FZ-LES16	Micro camera lens, 16 mm (only for FZ-SF**0)	985.50	254747	4547648597975			GF	R	JPN	9031.9000.00
FZ-LES3	Micro camera lens, 3 mm (only for FZ-SF**1)	985.50	254745	4547648597951			GF	R	JPN	9031.9000.00
FZ-LES30	Micro camera lens, 30 mm (only for FZ-SF**1)	985.50	254748	4547648597982			GF	R	JPN	9031.9000.00
FZ-LES6	Micro camera lens, 6 mm (only for FZ-SF**1)	985.50	254746	4547648597968			GF	R	JPN	9031.9000.00
FZ-LESR	Micro camera extension tube set (only for FZ-SF**1)	566.50	254749	4547648597999			GF	R	JPN	9031.9000.00
FZ-MEM2G	Accessory FZ, USB Memory 2G	194.80	371445	4548583135229			GF	R	JPN	9031.9000.00
FZ-S0M-XLC	FZ camera mounting bracket for FZ-S5M 2	102.60	393768	4548583392205			GF	R	JPN	9031.9000.00
FZ-S-XLC	FZ camera mounting bracket for FZ-S	73.75	393767	4548583392199			GF	R	JPN	9031.9000.00
FZ-VESA	VESA adaptor, for installing integrated LCD type controller	373.20	241472	4547648246682			GF	R	JPN	9031.9000.00
<b>Vision system</b>										
FH-SMDA-GS050B	FH 3D camera, FOV 400x300x200 mm, WD 500 mm, 24 V	13,750.00	701170	4549734684590			GF	X	JPN	9031.9000.00
HK02196-FQ	<a href="https://industrial.omron.com.tr/tr/products/flv-lighting-324s-lenses">https://industrial.omron.com.tr/tr/products/flv-lighting-324s-lenses</a>	215.20	355700	4547648916660			GF	Y	DEU	9031.9000.00
SAH3 4103	LED ring light, dark field, red, outer dia. 103mm, inner dia. 73mm, height 12mm, 10° angle	773.50	374147	4547648952569			GF	Y	SWE	9031.9000.00
<b>Accessory for vision system</b>										
3Z4S-LE SV-03514V	Vision lens, standard, low distortion 3.5 mm	315.20	381493	4548583496880			GF	Z	CHN	9031.9000.00
3Z4S-LE SV-04514V	Vision lens, standard, low distortion 4.5 mm	264.60	381494	4548583496897			GF	Z	CHN	9031.9000.00
3Z4S-LE SV-0614H	Accessory vision, lens 6 mm, high resolution, low distortion	690.00	373706	4548583335479	#		GF	Z	JPN	9031.9000.00
3Z4S-LE SV-0614V	Accessory vision, lens 6 mm	436.70	373659	4548583335387	#		GF	Z	CHN	9031.9000.00
3Z4S-LE SV-0813V	Accessory vision, lens 8 mm	369.20	373700	4548583335394	#		GF	Z	CHN	9031.9000.00
3Z4S-LE SV-0814H	Accessory vision, lens 8 mm, high resolution, low distortion	817.50	373707	4548583335486	#		GF	Z	JPN	9031.9000.00
3Z4S-LE SV-1214H	Accessory vision, lens 12 mm, high resolution, low distortion	600.00	373708	4548583335493	#		GF	Z	JPN	9031.9000.00
3Z4S-LE SV-1214V	Accessory vision, lens 12 mm	254.60	373701	4548583335400	#		GF	Z	CHN	9031.9000.00
3Z4S-LE SV-1614H	Accessory vision, lens 16 mm, high resolution, low distortion	577.00	373709	4548583335509	#		GF	Z	JPN	9031.9000.00
3Z4S-LE SV-1614V	Accessory vision, lens 16 mm	331.50	373702	4548583335417	#		GF	Z	CHN	9031.9000.00

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Data sheet)	GTIN	Stock Qty.	Lot Qty.	Gr.	Fam	COO	Tariff Code
3Z4S-LE-SV-2514H	Accessory vision, lens 25 mm, high resolution, low distortion	363.80	373710	4548583335516	#		GF	Z	JPN	9031.9000.00
3Z4S-LE-SV-2514V	Accessory vision, lens 25 mm	315.20	373703	4548583335424			GF	Z	CHN	9031.9000.00
3Z4S-LE-SV-3514H	Accessory vision, lens 35 mm, high resolution, low distortion	511.00	373711	4548583335523			GF	Z	JPN	9031.9000.00
3Z4S-LE-SV-3518V	Accessory vision, lens 35 mm	369.20	373704	4548583335431			GF	Z	CHN	9031.9000.00
3Z4S-LE-SV-5014H	Accessory vision, lens 50 mm, high resolution, low distortion	520.50	373712	4548583335530	#		GF	Z	JPN	9031.9000.00
3Z4S-LE-SV-5018V	Accessory vision, lens 50 mm	315.20	373705	4548583335448			GF	Z	CHN	9031.9000.00
3Z4S-LE-SV-7525H	Accessory vision, lens 75 mm, high resolution, low distortion	473.60	687750	4549734509497			GF	Z	CHN	9031.9000.00
3Z4S-LE-SV-EXR	Extension tube set, 7 piece (40, 20, 10, 5, 2, 1, 0.5 mm)	145.50	373713	4548583335547	#		GF	Z	JPN	9031.9000.00
3Z4S-LE-SV-EXR05	Extension tube 0.5 mm	16.67	373714	4548583335554			GF	Z	JPN	9031.9000.00
3Z4S-LE-SV-EXR1	Extension tube 1 mm	16.06	373718	4548583335561			GF	Z	JPN	9031.9000.00
3Z4S-LE-SV-EXR10	Extension tube 10 mm	36.77	373717	4548583335592			GF	Z	JPN	9031.9000.00
3Z4S-LE-SV-EXR2	Extension tube 2 mm	18.13	373715	4548583335578			GF	Z	JPN	9031.9000.00
3Z4S-LE-SV-EXR20	Extension tube 20 mm	44.85	373686	4548583335615			GF	Z	JPN	9031.9000.00
3Z4S-LE-SV-EXR40	Extension tube 40 mm	64.65	373689	4548583335646			GF	Z	JPN	9031.9000.00
3Z4S-LE-SV-EXR5	Extension tube 5 mm	31.52	373716	4548583335585			GF	Z	CHN	9031.9000.00
3Z4S-LE-SV-EXR60	Extension tube 50 mm	64.65	373690	4548583335653			GF	Z	JPN	9031.9000.00
3Z4S-LE-SV-GA355	protection for lens, M35.5 P0.5	218.90	659589	4548583722682			GF	Z	JPN	9031.9000.00
3Z4S-LE-SV-PL255-SS	Polarizing filter for lens, M25.5 P0.5, with Anti-rotation mechanism	70.45	670517	4548583722538			GF	Z	JPN	9031.9000.00
3Z4S-LE-SV-PL270	Polarizing filter	42.74	373695	4548583335691			GF	Z	JPN	9031.9000.00
3Z4S-LE-SV-PL270-SS	Polarizing filter for lens, M27.0 P0.5, with Anti-rotation mechanism	86.45	670696	4548583722545			GF	Z	JPN	9031.9000.00
3Z4S-LE-SV-PL305-SS	Polarizing filter for lens, M30.5 P0.5, with Anti-rotation mechanism	86.45	670697	4548583722552			GF	Z	JPN	9031.9000.00
3Z4S-LE-SV-PL340-SS	Polarizing filter for lens, M34.0 P0.5, with Anti-rotation mechanism	253.40	670698	4548583722569			GF	Z	JPN	9031.9000.00
3Z4S-LE-SV-PL355-SS	Polarizing filter for lens, M35.5 P0.5, with Anti-rotation mechanism	210.50	659391	4548583722576			GF	Z	JPN	9031.9000.00
3Z4S-LE-SV-PL375-SS	Polarizing filter for lens, M37.5 P0.5, with Anti-rotation mechanism	253.40	670699	4548583722583			GF	Z	JPN	9031.9000.00
3Z4S-LE-SV-PL520-SS	Polarizing filter for lens, M52.0 P0.75, with Anti-rotation mechanism	291.90	670700	4548583722606			GF	Z	JPN	9031.9000.00
3Z4S-LE-SV-PL550-SS	Polarizing filter for lens, M55.0 P0.75, with Anti-rotation mechanism	243.10	670280	4548583722613			GF	Z	JPN	9031.9000.00
3Z4S-LE-SV-PL620-SS	Polarizing filter for lens, M62.0 P0.75, with Anti-rotation mechanism	243.10	670279	4548583722620			GF	Z	JPN	9031.9000.00
3Z4S-LE-VS-0814H1	Vision lens, high resolution, low distortion, 8 mm for 1-inch sensor size	61.00	386974	4548583417854			GF	Z	JPN	9031.9000.00
3Z4S-LE-VS-1214H1	Vision lens, high resolution, low distortion, 12 mm for 1-inch sensor size	558.00	682707	4549734181426	#		GF	Z	CHN	9031.9000.00
3Z4S-LE-VS-1614H1N	Vision lens, high resolution, low distortion, 16 mm for 1-inch sensor size	558.00	682633	4549734181433			GF	Z	CHN	9031.9000.00
3Z4S-LE-VS-2514H1	Vision lens, high resolution, low distortion, 25 mm for 1-inch sensor size	557.50	683380	4549734181440			GF	Z	CHN	9031.9000.00
3Z4S-LE-SV-EXR M42	Extension tube for M42-Mount lenses	437.20	386976	4548583498860			GF	Z	JPN	9031.9000.00
3Z4S-LE-VS-MC01-330	Non telecentric macro lens, FOV 8.8 x 6.6mm	469.60	673726	4548583749313			GF	Z	CHN	9031.9000.00
3Z4S-LE-VS-MC1-80	Non telecentric macro lens, FOV 8.8 x 6.6mm	427.30	669147	4548583749283			GF	Z	CHN	9031.9000.00
3Z4S-LT-IDGB-150M4-L01	Digital Lighting Controller for FLV Series, 4 channels, 24 VDC, 144 W	1,101.00	695297	4548583571037			GF	Z	JPN	9032.9000.90
3Z4S-LT-IDGB-50M2-L01	Digital Lighting Controller for FLV Series, 2 channels, 24 VDC, 46 W	739.50	695298	4548583571020			GF	Z	JPN	9032.9000.90
FH-VMDA 2M	Vision system accessory FH conversion cable monitor DVI-FGB 2 m	106.10	410312	4548583564480			GF	Z	JPN	9031.9000.00
FH-VMDA 5M	Vision system accessory FH conversion cable monitor DVI-FGB 5 m	182.00	410313	4548583564497	#		GF	Z	JPN	9031.9000.00
FH-VSDX-BX 10M	3D FH Camera IO cable, straight connector, 10 m	480.00	701192	4549734684620			GF	Z	JPN	8544.4290.90
FH-VSDX-BX 3M	3D FH Camera IO cable, straight connector, 3 m	310.00	701196	4549734684606			GF	Z	JPN	8544.4290.90
FH-VSDX-BX 5M	3D FH Camera IO cable, straight connector, 5 m	380.00	701191	4549734684613			GF	Z	JPN	8544.4290.90
FH-VSDX-LBX 10M	3D FH Camera IO cable, Right angle connector, 10 m	480.00	701193	4549734684651			GF	Z	JPN	8544.4290.90
FH-VSDX-LBX 3M	3D FH camera IO cable, right angle connector, 3 m	310.00	701197	4549734684637			GF	Z	JPN	8544.4290.90
FH-VSDX-LBX 5M	3D FH camera IO cable, right angle connector, 5 m	380.00	701198	4549734684644			GF	Z	JPN	8544.4290.90
FH-VUAB 2M	Vision system accessory FH USB cable touch panel 2 m	53.10	410315	4548583564534			GF	Z	JPN	9031.9000.00
FH-VUAB 5M	Vision system accessory FH USB cable touch panel 5 m	68.35	410316	4548583564541	#		GF	Z	JPN	9031.9000.00
FH-XCAL-S	Camera calibration target, FH 3D system	1,050.00	701194	4549734684675			GF	Z	JPN	8544.4290.90
FL-BR13120DF	Bar light Diffusion plate, 131x18x4mm	61.55	354152	4548583032880			GF	Z	JPN	9032.9000.90
FL-BR13120V	Bar ODR-light, 131x20mm, wide area model, white LED, IP20, cable 0.3m	1,015.00	354125	4548583032965			GF	Z	JPN	9031.9000.00
FL-BR13120W-H	Bar ODR-light, 131x20mm, high-brightness model, white LED, IP20, cable 0.3m	1,277.00	354126	4548583032972			GF	Z	JPN	9031.9000.00
FL-BF5020W	Bar ODR-light, 50x20mm, wide area model, white LED, IP20, cable 0.2m	443.60	354121	4548583032927			GF	Z	JPN	9031.9000.00
FL-BF5020W-H	Bar ODR-light, 50x20mm, high-brightness model, white LED, IP20, cable 0.2m	548.00	354122	4548583032934			GF	Z	JPN	9031.9000.00
FL-BR120DF	Bar light Diffusion plate, 91x18x4mm	48.00	354151	4548583032873			GF	Z	JPN	9032.9000.90
FL-BR120W	Bar ODR-light, 91x20mm, wide area model, white LED, IP20, cable 0.2m	724.00	354123	4548583032941			GF	Z	JPN	9031.9000.00
FL-BR120W-H	Bar ODR-light, 91x20mm, high-brightness model, white LED, IP20, cable 0.2m	996.50	354124	4548583032958			GF	Z	JPN	9031.9000.00
FL-DR82W	Ring ODR-light, 32/10mm, wide area model, white LED, IP20, cable 0.3m	831.00	354127	4548583035660			GF	Z	JPN	9031.9000.00
FL-DR82W-H	Ring ODR-light, 32/10mm, high-brightness model, white LED, IP20, cable 0.3m	1,061.00	354128	4548583035700			GF	Z	JPN	9031.9000.00
FL-DR50W	Ring ODR-light, 50/28mm, wide area model, white LED, IP20, cable 0.3m	924.50	354129	4548583035713			GF	Z	JPN	9031.9000.00
FL-DR50W-H	Ring ODR-light, 50/28mm, high-brightness model, white LED, IP20, cable 0.3m	1,157.00	354130	4548583035720			GF	Z	JPN	9031.9000.00
FL-DR90DF	Ring light Diffusion plate, 90/50x4mm	71.80	354156	4548583035775			GF	Z	JPN	9032.9000.90
FL-DR90W	Ring ODR-light, 90/50mm, wide area model, white LED, IP20, cable 0.3m	1,737.00	354131	4548583035737			GF	Z	JPN	9031.9000.00
FL-DR90W-H	Ring ODR-light, 90/50mm, high-brightness model, white LED, IP20, cable 0.3m	2,202.00	354132	4548583035744			GF	Z	JPN	9031.9000.00
FL-STC10	Lighting controller, 1-channel, light adjustment 400 levels, continuous light or triquetred light or strobe light, 24 VDC, I/O interface D-SUB, NPN	531.00	354133	4548583032989			GF	Z	JPN	9032.9000.90
FL-STC15	Lighting controller, 1-channel, light adjustment 400 levels, continuous light or triquetred light or strobe light, 24 VDC, I/O interface D-SUB, PNP	531.00	354134	4548583032996			GF	Z	JPN	9032.9000.90
FL-STC20	Lighting controller, 2-channel, light adjustment 400 levels, continuous light or triquetred light or strobe light, 24 VDC, I/O interface D-SUB, NPN	677.00	354135	4548583033009			GF	Z	JPN	9032.9000.90
FL-STC25	Lighting controller, 2-channel, light adjustment 400 levels, continuous light or triquetred light or strobe light, 24 VDC, I/O interface D-SUB, PNP	677.00	354136	4548583033016			GF	Z	JPN	9032.9000.90
FL-TCC1	Strobe controller for vision lighting, 1-channel, separate holder to be mounted on the FZ camera	531.00	355849	4548583067011			GF	Z	JPN	9032.9000.90
FL-TCC1-XAT	Camera mounting attachment, for controller FL-TCC1	161.30	355851	4548583067035			GF	Z	JPN	9032.9000.90
FL-TCC1-XSP	Camera mounting spacer, for controller FL-TCC1	39.02	355850	4548583067028			GF	Z	JPN	9032.9000.90
FLV-ATC10405-C	Analog Dimming 1ch 5V for spot lighting	413.50	378519	4548583426023			GF	Z	CHN	9032.9000.90
FLV-ATC21024-C	Analog lighting controller dimming 2ch 24	391.80	378517	4548583426009			GF	Z	CHN	9032.9000.90
FLV-ATC0405-C	Analog Dimming 4ch 5V for spot lighting	524.00	378520	4548583426030			GF	Z	CHN	9032.9000.90
FLV-ATC1024-C	Analog lighting controller dimming 4ch 24	468.70	378518	4548583426016			GF	Z	CHN	9032.9000.90
FLV-BR11222DF	Diffuser plate for bar light FLV-BR12222	56.20	378583	4548583426836			GF	Z	CHN	9031.9000.00
FLV-BR11222IR	Bar Light 112 x 22mm, infrared	719.50	387476	4548583426869			GF	Z	CHN	9031.9000.00
FLV-BR11222PL	Accessory vision, FLV polarisation plate for FLV bar light, polarization direction:long side	393.85	393835	4548583429062			GF	Z	JPN	9031.9000.00
FLV-BR11222R	Bar Light 112 x 22mm, red	750.00	387410	4548583427389			GF	Z	CHN	9031.9000.00

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Data sheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
FLV-BR11222W	Bar Light 112 x 22mm, white	1.371.00	378535	4548583427297	#		GF	Z	CHN	9031.9000.00
FLV-BR11624UV	Accessory vision, FLV, bar light 116 x 24mm, ultraviolet	1.413.00	393818	4548583428591			GF	Z	CHN	9031.9000.00
FLV-BR14030DF	Diffuser plate for bar light FLV-BR14030	66.85	378582	4548583428629			GF	Z	CHN	9031.9000.00
FLV-BR14030PL	Accessory vision, FLV, polarisation plate for FLV bar light, polarisation direction:long side	107.40	393834	4548583429055			GF	Z	JPN	9031.9000.00
FLV-BR14030R	Bar Light 140 x 30mm, red	1.067.00	387409	4548583427372			GF	Z	CHN	9031.9000.00
FLV-BR14030W	Bar Light 140 x 30mm, white	1.729.00	378534	4548583427290			GF	Z	CHN	9031.9000.00
FLV-BR15020DF	Diffuser plate for bar light FLV-BR15020	66.85	378581	4548583428812			GF	Z	CHN	9031.9000.00
FLV-BR15020W	Bar Light 150 x 20mm, white	1.754.00	378533	4548583427273			GF	Z	CHN	9031.9000.00
FLV-BR21222B	Bar Light 212 x 22mm, blue	2.158.00	387415	4548583427433			GF	Z	CHN	9031.9000.00
FLV-BR21222DF	Diffuser plate for bar light FLV-BR21222	77.50	378579	4548583428799			GF	Z	CHN	9031.9000.00
FLV-BR21222W	Bar Light 212 x 22mm, white	2.150.00	378531	4548583427259			GF	Z	CHN	9031.9000.00
FLV-BR21230DF	Diffuser plate for bar light FLV-BR21230	77.50	378580	4548583428805			GF	Z	CHN	9031.9000.00
FLV-BR21230IR	Bar Light 212 x 30mm, infrared	2.018.00	387475	4548583428652			GF	Z	CHN	9031.9000.00
FLV-BR21230UV	Accessory vision, FLV, bar light 212 x 30mm, ultraviolet	2.214.00	393817	4548583428584			GF	Z	CHN	9031.9000.00
FLV-BR21230W	Bar Light 212 x 30mm, white	1.370.00	378532	4548583427266			GF	Z	CHN	9031.9000.00
FLV-BR38037DF	Diffuser plate for bar light FLV-BR38037	82.45	378578	4548583428782			GF	Z	CHN	9031.9000.00
FLV-BR38037W	Bar Light 380 x 37mm, white	2.640.00	378530	4548583427242			GF	Z	CHN	9031.9000.00
FLV-BR48031B	Bar Light 480 x 31mm, blue	2.364.00	387413	4548583427419			GF	Z	CHN	9031.9000.00
FLV-BR48031DF	Diffuser plate for bar light FLV-BR48031	97.10	378577	4548583428775			GF	Z	CHN	9031.9000.00
FLV-BR48031R	Bar Light 480 x 31mm, red	2.364.00	387404	4548583427327			GF	Z	CHN	9031.9000.00
FLV-BR48031W	Bar Light 480 x 31mm, white	3.439.00	378559	4548583427235			GF	Z	CHN	9031.9000.00
FLV-BR6022DF	Diffuser plate for bar light FLV-BR6022	47.93	378585	4548583428850			GF	Z	CHN	9031.9000.00
FLV-BR6022W	Bar Light 60 x 22mm, white	578.00	378537	4548583427310			GF	Z	CHN	9031.9000.00
FLV-BR8532B	Bar Light 85 x 32mm, blue	667.00	387420	4548583427488			GF	Z	CHN	9031.9000.00
FLV-BR8532DF	Diffuser plate for bar light FLV-BR8532	56.20	378584	4548583428843			GF	Z	CHN	9031.9000.00
FLV-BR8532R	Bar Light 85 x 32mm, red	700.00	387411	4548583427396			GF	Z	CHN	9031.9000.00
FLV-BR8532W	Bar Light 85 x 32mm, white	820.50	378536	4548583427303			GF	Z	CHN	9031.9000.00
FLV-CL100B	Coaxial light, 100mm, blue	1.779.00	387435	4548583427761			GF	Z	CHN	9031.9000.00
FLV-CL100R	Coaxial light, 100mm, red	1.779.00	387430	4548583427716			GF	Z	CHN	9031.9000.00
FLV-CL100W	Coaxial light, 100mm, white	2.531.00	378544	4548583427662			GF	Z	CHN	9031.9000.00
FLV-CL30W	Coaxial light, 30mm, white	1.099.00	378540	4548583427624			GF	Z	CHN	9031.9000.00
FLV-CL40W	Coaxial light, 40mm, white	1.323.00	378541	4548583427631			GF	Z	CHN	9031.9000.00
FLV-CL60W	Coaxial light, 60mm, white	1.652.00	378542	4548583427648			GF	Z	CHN	9031.9000.00
FLV-CL80W	Coaxial light, 80mm, white	2.094.00	378543	4548583427655			GF	Z	CHN	9031.9000.00
FLV-DB10181R	Accessory vision, back light, direct, 101 x 81mm, red	1.187.00	392802	4548583503106			GF	Z	JPN	9031.9000.00
FLV-DB10181W	Accessory vision, back light, direct, 101 x 81mm, white	1.522.00	392798	4548583503069			GF	Z	JPN	9031.9000.00
FLV-DB130130R	Accessory vision, back light, direct, 130 x 130, red	1.966.00	392801	4548583503090			GF	Z	JPN	9031.9000.00
FLV-DB130130W	Accessory vision, back light, direct, 130 x 130, white	1.966.00	392797	4548583503052			GF	Z	JPN	9031.9000.00
FLV-DB212152R	Accessory vision, back light, direct, 212 x 152, red	1.208.00	392600	4548583503083			GF	Z	JPN	9031.9000.00
FLV-DB212152W	Accessory vision, back light, direct, 212 x 152, white	2.721.00	392796	4548583503045			GF	Z	JPN	9031.9000.00
FLV-DB3729B	Accessory vision, FLV, back light, direct, 37 x 29mm, blue	800.00	393871	4548583503151			GF	Z	JPN	9031.9000.00
FLV-DB3729R	Accessory vision, back light, direct, 37 x 29mm, red	795.00	392803	4548583503113			GF	Z	JPN	9031.9000.00
FLV-DB3729W	Accessory vision, back light, direct, 37 x 29mm, white	815.00	392799	4548583503076			GF	Z	JPN	9031.9000.00
FLV-DD100W	Accessory vision, dome light, 100mm dia, white	1.059.00	392805	4548583503328			GF	Z	JPN	9031.9000.00
FLV-DD150W	Accessory vision, dome light, 150mm dia, white	1.119.00	392804	4548583503311			GF	Z	JPN	9031.9000.00
FLV-DD70W	Accessory vision, dome light, 70mm dia, white	887.00	392806	4548583503335			GF	Z	JPN	9031.9000.00
FLV-DL12060B	Accessory vision, ring light, low angle, 120mm dia, 60 deg, blue	1.236.00	392838	4548583503663			GF	Z	JPN	9031.9000.00
FLV-DL12060DF	Diffuser plate for low angle ring light FLV-DL12060	165.90	378587	4548583428874			GF	Z	CHN	9031.9000.00
FLV-DL12060DF50	Diffuser plate for FLV-DL12060X	128.20	687813	4548583859999			GF	Z	CHN	9031.9000.00
FLV-DL12060R	Accessory vision, ring light, low angle, 120mm dia, 60 deg, red	1.236.00	392833	4548583503618			GF	Z	JPN	9031.9000.00
FLV-DL12060W	Accessory vision, ring light, low angle, 120 dia, 60 deg, white	1.311.00	392828	4548583503564			GF	Z	JPN	9031.9000.00
FLV-DL15060DF	Diffuser plate for low angle ring light FLV-DL15060	197.90	378586	4548583428867			GF	Z	CHN	9031.9000.00
FLV-DL15060PL	Accessory vision, FLV, polarisation plate for FLV low angle ring light	167.50	393838	4548583429093			GF	Z	JPN	9031.9000.00
FLV-DL15060R	Accessory vision, ring light, low angle, 150mm dia, 60 deg, red	1.590.00	392832	4548583503601			GF	Z	JPN	9031.9000.00
FLV-DL15060W	Accessory vision, ring light, low angle, 150 dia, 60 deg, white	1.590.00	392827	4548583503557			GF	Z	JPN	9031.9000.00
FLV-DL5890DF	Diffuser plate for low angle ring light FLV-DL5890	88.40	378569	4548583428904			GF	Z	CHN	9031.9000.00
FLV-DL5890R	Accessory vision, ring light, low angle, 58mm dia, 90 deg, red	486.00	392836	4548583503649			GF	Z	JPN	9031.9000.00
FLV-DL5890W	Accessory vision, ring light, low angle, 58mm dia, 90 deg, white	519.00	392831	4548583503595			GF	Z	JPN	9031.9000.00
FLV-DL7260DF	Diffuser plate for low angle ring light FLV-DL7260	49.11	378588	4548583428898			GF	Z	CHN	9031.9000.00
FLV-DL7260R	Accessory vision, ring light, low angle, 72mm dia, 60 deg, red	883.00	392835	4548583503632			GF	Z	JPN	9031.9000.00
FLV-DL7260W	Accessory vision, ring light, low angle, 72mm dia, 60 deg, white	728.50	392830	4548583503588			GF	Z	JPN	9031.9000.00
FLV-DL9090R	Accessory vision, ring light, low angle, 90mm dia, 90 deg, red	971.00	392834	4548583503625			GF	Z	JPN	9031.9000.00
FLV-DR12030DF	Diffuser plate for direct ring light FLV-DR12030	88.00	378568	4548583428683			GF	Z	CHN	9031.9000.00
FLV-DR12030W	Ring light, direct, 120 dia, 30 deg, white	1.433.00	378521	4548583426962			GF	Z	CHN	9031.9000.00
FLV-DR3220W	Ring light, direct, 32mm dia, 20 deg, white	661.00	378528	4548583427044			GF	Z	CHN	9031.9000.00
FLV-DR4415W	Ring light, direct, 40 mm dia, 30 deg, white, 24 VDC	687.00	693111	4548583749689			GF	Z	CHN	9031.9000.00
FLV-DR6030W	Ring light, direct, 50mm dia, 30 deg, white	752.50	378527	4548583427037			GF	Z	CHN	9031.9000.00
FLV-DR6615W	Ring light, direct, 66mm dia, 15 deg, white	884.00	378513	4548583427020			GF	Z	CHN	9031.9000.00
FLV-DR7000W	Ring light, direct, 70mm dia, white	950.00	378525	4548583427006			GF	Z	CHN	9031.9000.00
FLV-DR9000DF50	Diffuser plate for FLV-DR9000X	71.80	687812	4548583859913			GF	Z	CHN	9031.9000.00
FLV-DR9000W	Ring light, direct, 90mm dia, white	1.099.00	378524	4548583426993	#		GF	Z	CHN	9031.9000.00
FLV-DR9030DF	Diffuser plate for direct ring light FLV-DR9030	77.75	378570	4548583428706			GF	Z	CHN	9031.9000.00
FLV-DR9030PL	Accessory vision, FLV, polarisation plate for direct ring light	143.60	393822	4548583428935			GF	Z	JPN	9031.9000.00
FLV-DR9030W	Ring light, direct, 90 dia, 30 deg, white	1.099.00	378523	4548583426986			GF	Z	CHN	9031.9000.00
FLV-DR9215DF	Diffuser plate for direct ring light FLV-DR9215	77.75	378569	4548583428690	#		GF	Z	CHN	9031.9000.00
FLV-DR9215W	Ring light, direct, 92mm dia, 15 deg, white	1.208.00	378522	4548583426979			GF	Z	CHN	9031.9000.00
FLV-EP0803W	Accessory vision, spot light, 8mm dia, white	848.50	392842	4548583503700			GF	Z	JPN	9031.9000.00



Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Data sheet)	GTIN	Stock Qty.	Gr.	Fam	COO	Tariff Code
FLV-FB200200W	Edge type light, 200mm, white	1,760.00	378563	4548583428393		GF	Z	CHN	9031.9000.00
FLV-FB5050W	Edge type light, 50mm, white	550.50	378567	4548583428430		GF	Z	CHN	9031.9000.00
FLV-FB7070W	Edge type light, 70mm, white	661.00	378566	4548583428423		GF	Z	CHN	9031.9000.00
FLV-FP130R	Accessory vision, shadowless light, 130 mm outer dia, 100 mm inner dia, red	1,034.00	392820	4548583503472		GF	Z	JPN	9031.9000.00
FLV-FO48W	Accessory vision, shadowless light, 48 mm, white	743.50	392817	4548583503441		GF	Z	JPN	9031.9000.00
FLV-FR114W	Accessory vision, shadowless light, 114mm outer dia, 40mm inner dia, white	1,000.00	392814	4548583503410		GF	Z	JPN	9031.9000.00
FLV-FR150W	Accessory vision, shadowless light, 150mm outer dia, 40mm inner dia, white	1,074.00	392813	4548583503403		GF	Z	JPN	9031.9000.00
FLV-FS74W	Accessory vision, shadowless light, 74 mm outer dia, 20 mm inner dia, white	697.00	392816	4548583503434		GF	Z	JPN	9031.9000.00
FLV-FX100W	Coaxial light, edge type, 100mm, white	1,460.00	378514	4548583427877		GF	Z	CHN	9031.9000.00
FLV-FX143W	Coaxial light, edge type, 143mm, white	1,760.00	378548	4548583427860		GF	Z	CHN	9031.9000.00
FLV-LN442B	Accessory vision, FLV, line light, 442mm, blue	1,150.00	393807	4548583428386		GF	Z	CHN	9031.9000.00
FLV-LN442W	Accessory vision, FLV, line light, 442mm, white	1,220.00	393799	4548583428300		GF	Z	CHN	9031.9000.00
FLV-TCC1	standard camera-mount lighting controller 1ch for FLV	274.60	378512	4548583425774	#	GF	Z	CHN	9032.9000.90
FLV-TCC4	standard camera-mount lighting controller 4ch for FLV	550.50	378516	4548583425781	#	GF	Z	CHN	9032.9000.90
FLV-XC1	Extension cable 1m for standard lighting	27.46	378590	4548583429147		GF	Z	CHN	8544.4290.90
FLV-XC10R	Accessory vision, FLV, extension cable, robot type 10m for standard lighting	71.70	393867	4548583553521		GF	Z	CHN	9031.9000.00
FLV-XC1EP	Extension cable 1m for spot lighting	27.46	378597	4548583429970		GF	Z	CHN	8544.4290.90
FLV-XC1S2	Branch cable 1m	38.70	378593	4548583429185		GF	Z	CHN	8544.4290.90
FLV-XC2	Extension cable 2m for standard lighting	33.15	378591	4548583429154		GF	Z	CHN	8544.4290.90
FLV-XC2EP	Extension cable 2m for spot lighting	33.15	378598	4548583429987		GF	Z	CHN	8544.4290.90
FLV-XC2R	Accessory vision, FLV, extension cable, robot type, 2m for standard lighting	51.20	393859	4548583523753		GF	Z	CHN	9031.9000.00
FLV-XC2S2	Branch cable 2m	44.36	378594	4548583429192		GF	Z	CHN	8544.4290.90
FLV-XC3	Extension cable 3m for standard lighting	38.70	378592	4548583429161		GF	Z	CHN	8544.4290.90
FLV-XC3EP	Extension cable 3m for spot lighting	38.70	378599	4548583429994		GF	Z	CHN	8544.4290.90
FLV-XC3S2	Branch cable 3m	49.35	378595	4548583429208		GF	Z	CHN	8544.4290.90
FLV-XC5	Extension cable 5m for standard lighting	49.35	378515	4548583429178	#	GF	Z	CHN	8544.4290.90
FLV-XC5EP	Extension cable 5m for spot lighting	49.35	378600	4548583430006		GF	Z	CHN	8544.4290.90
FLV-XC5LN	Accessory vision, FLV, extension cable 5m for line lighting	136.40	393844	4548583430044		GF	Z	CHN	9031.9000.00
FLV-XC5R	Accessory vision, FLV, extension cable, robot type, 5m for standard lighting	58.35	393861	4548583523777		GF	Z	CHN	9031.9000.00
FLV-XC5S2	Branch cable 5m	61.05	378596	4548583429215		GF	Z	CHN	8544.4290.90
FL-XBK1	Bar light FL-mounting brackets	49.98	354153	4548583032897		GF	Z	JPN	9032.9000.90
FL-XC1	Extension standard cable, 1m	55.75	354137	4548583032712		GF	Z	JPN	8544.4290.90
FL-XC10	Extension standard cable, 10m	251.90	354141	4548583032767		GF	Z	JPN	8544.4290.90
FL-XC10R	Extension flexible cable, 10m	370.20	354147	4548583032835		GF	Z	JPN	8544.4290.90
FL-XC1R	Extension flexible cable, 1m	72.40	354143	4548583032781		GF	Z	JPN	8544.4290.90
FL-XC2	Extension standard cable, 2m	78.00	354138	4548583032729		GF	Z	JPN	8544.4290.90
FL-XC25	Extension standard cable, 25m	483.30	354142	4548583032774		GF	Z	JPN	8544.4290.90
FL-XC25R	Extension flexible cable, 25m	733.50	354148	4548583032842		GF	Z	JPN	8544.4290.90
FL-XC2R	Extension flexible cable, 2m	98.40	354144	4548583032736		GF	Z	JPN	8544.4290.90
FL-XC3	Extension standard cable, 3m	96.45	354139	4548583032736		GF	Z	JPN	8544.4290.90
FL-XC3R	Extension flexible cable, 3m	127.70	354145	4548583032811		GF	Z	JPN	8544.4290.90
FL-XC5	Extension standard cable, 5m	135.50	354140	4548583032750		GF	Z	JPN	8544.4290.90
FL-XC5R	Extension flexible cable, 5m	198.40	354146	4548583032828		GF	Z	JPN	8544.4290.90
FL-XCP2	Parallel cable D-SUB 15-pin, 2m	153.90	354149	4548583032859		GF	Z	JPN	8544.4290.90
XW22-010PP-1	Vision system accessory FH RS-232C cable 10 m	317.80	410311	4548583583948		GF	Z	JPN	9031.9000.00
XW22-050EE	Parallel I/O cable for terminal block XW2R_34G-T, 0.5 m	170.00	385122	4548583484962		GF	Z	JPN	9031.9000.00
XW22-100EE	Parallel I/O cable for terminal block XW2R_34G-T, 1 m	111.40	385123	4548583484979		GF	Z	JPN	9031.9000.00
XW22-150EE	Parallel I/O cable for terminal block XW2R_34G-T, 1.5 m	97.00	385124	4548583484986		GF	Z	JPN	9031.9000.00
XW22-200EE	Parallel I/O cable for terminal block XW2R_34G-T, 2 m	99.10	385125	4548583484993		GF	Z	JPN	9031.9000.00
XW22-200PP-1	Vision system accessory FH RS-232C cable 2m	106.10	410309	4548583583924		GF	Z	JPN	9031.9000.00
XW22-300EE	Parallel I/O cable for terminal block XW2R_34G-T, 3 m	123.90	385126	4548583485006		GF	Z	JPN	9031.9000.00
XW22-500PP-1	Vision system accessory FH RS-232C cable 5m	211.40	410310	4548583583931		GF	Z	JPN	9031.9000.00
XW22-5013-15	Parallel I/O cable, 15 m, for FH series only	333.30	696382	4548583572157		GF	Z	JPN	8544.4290.90
XW22-5013-2	Parallel I/O cable, 2m, for FH series only	151.40	377508	4548583434455	#	GF	Z	JPN	9031.9000.00
XW22-5013-5	Parallel I/O cable, 5m, for FH series only	252.10	377509	4548583434462		GF	Z	JPN	9031.9000.00
FH-MT12	Vision system FH touch panel monitor 12-inch	1,273.00	410318	4548583564473	#	GF	Z	JPN	9031.9000.00
FH-XCAL-R	Hand-eye calibration target, FH 3D system	910.00	701195	4549734684682		GF	Z	JPN	9031.9000.00
FLV-BR38037DF30	Diffuser plate for bar light FLV-BR38037, transparency rate low	110.00	700673	4548583860261		GF	Z	CHN	9031.9000.00
FLV-BR38037DF50	Diffuser plate for bar light FLV-BR38037, transparency rate middle	110.00	700672	4548583860032		GF	Z	CHN	9031.9000.00
FZ-M08	LCD color Monitor 8.4" (RGB)	3,234.00	235825	4547648231688		GF	Z	JPN	9031.9000.00
FZ-VM 2M	Monitor cable, 2m (RGB output)	129.70	235826	4547648231695		GF	Z	CHN	9031.9000.00
3Z4S-LE SV-10028H	Accessory vision, lens 100 mm, high resolution, low distortion	557.50	688237	4549734509503		GF	Z	CHN	9031.9000.00
3Z4S-LE SV-PL225-SS	Polarizing filter for lens, M22.5 P0.5, with Anti-rotation mechanism	253.40	670695	4548583722521		GF	Z	JPN	9031.9000.00
3Z4S-LE SV-PL405-SS	Polarizing filter for lens, M40.5 P0.5, with Anti-rotation mechanism	210.50	670518	4548583722590		GF	Z	JPN	9031.9000.00
3Z4S-LE VS-0618H1	Vision lens, high resolution, low distortion, 6 mm for 1-inch sensor size	751.00	693930	4549734552172		GF	Z	CHN	9031.9000.00
3Z4S-LE VS-3514H1	Vision lens, high resolution, low distortion, 35 mm for 1-inch sensor size	558.00	682441	4549734181457		GF	Z	CHN	9031.9000.00
3Z4S-LE VS-5018H1	Vision lens, high resolution, low distortion, 50 mm for 1-inch sensor size	544.00	682440	4549734181464		GF	Z	CHN	9031.9000.00
3Z4S-LE VS-L10028/M42-10	Vision lens, high resolution, focal length 100 mm, 1.8-inch sensor size, M42-Mount	965.50	690805	4549734509565		GF	Z	CHN	9031.9000.00
3Z4S-LE VS-L1828/M42-10	Vision lens, high resolution, focal length 18 mm, 1.8-inch sensor size, M42-Mount	1,378.00	690809	4549734509510		GF	Z	CHN	9031.9000.00
3Z4S-LE VS-L2526/M42-10	Vision lens, high resolution, focal length 25 mm, 1.8-inch sensor size, M42-Mount	1,069.00	690808	4549734509527		GF	Z	CHN	9031.9000.00
3Z4S-LE VS-L3528/M42-10	Vision lens, high resolution, focal length 35 mm, 1.8-inch sensor size, M42-Mount	1,052.00	688177	4549734509534		GF	Z	CHN	9031.9000.00
3Z4S-LE VS-L5028/M42-10	Vision lens, high resolution, focal length 50 mm, 1.8-inch sensor size, M42-Mount	1,020.00	690807	4549734509541		GF	Z	CHN	9031.9000.00
3Z4S-LE VS-L8540/M42-10	Vision lens, high resolution, focal length 85 mm, 1.8-inch sensor size, M42-Mount	1,393.00	690806	4549734509558		GF	Z	CHN	9031.9000.00
3Z4S-LE VS-LLD12.5	Vision lens, ultra high resolution, low distortion 12.5 mm for 4/3-inch sensor size, C-Mount	1,587.00	684300	4549734193184		GF	Z	JPN	9031.9000.00

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Data sheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
3Z4S-LEVS-LLD18	Vision lens, ultra high resolution, low distortion 18 mm for 4/3-inch sensor size, C-Mount	1.017,00	684299	4549734193191			GF	Z	JPN	9031.9000.00
3Z4S-LEVS-LLD25	Vision lens, ultra high resolution, low distortion 25 mm for 4/3-inch sensor size, C-Mount	986,50	684298	4549734193207			GF	Z	JPN	9031.9000.00
3Z4S-LEVS-LLD35	Vision lens, ultra high resolution, low distortion 35 mm for 4/3-inch sensor size, C-Mount	1.017,00	684297	4549734193214			GF	Z	JPN	9031.9000.00
3Z4S-LEVS-LLD50	Vision lens, ultra high resolution, low distortion 50 mm for 4/3-inch sensor size, C-Mount	1.017,00	684296	4549734193221			GF	Z	JPN	9031.9000.00
3Z4S-LEVMC08H1	Vibrations resistant lens with iris plate system F#1.4, 5.6, 8.0, 12 mm focal length, meapixvel resolution, 1" chip size	1.297,00	701069	4549734531825			GF	Z	CHN	9031.9000.00
3Z4S-LEVMC12H1	Vibrations resistant lens with iris plate system F#1.4, 5.6, 8.0, 12 mm focal length, meapixvel resolution, 1" chip size	1.238,00	701070	4549734531832			GF	Z	CHN	9031.9000.00
3Z4S-LEVMC16H1	Vibrations resistant lens with iris plate system F#1.4, 5.6, 8.0, 16 mm focal length, meapixvel resolution, 1" chip size	1.238,00	701071	4549734531849			GF	Z	CHN	9031.9000.00
3Z4S-LEVMC25H1	Vibrations resistant lens with iris plate system F#1.4, 5.6, 8.0, 25 mm focal length, meapixvel resolution, 1" chip size	1.238,00	701072	4549734531856			GF	Z	CHN	9031.9000.00
3Z4S-LEVMC35H1	Vibrations resistant lens with iris plate system F#1.4, 5.6, 8.0, 35 mm focal length, meapixvel resolution, 1" chip size	1.238,00	701073	4549734531863			GF	Z	CHN	9031.9000.00
3Z4S-LEVMC50H1	Vibrations resistant lens with iris plate system F#1.4, 5.6, 8.0, 50 mm focal length, meapixvel resolution, 1" chip size	1.238,00	701074	4549734531870			GF	Z	CHN	9031.9000.00
3Z4S-LEVMCA10-F5.6	Fixed focal vision lens, high resolution, low distortion, focal length 10 mm, F 5.6, vibration and shock resistant, C-mount	771,00	699435	4549734443920			GF	Z	CHN	9031.9000.00
3Z4S-LEVMCA15	Fixed focal vision lens, high resolution, low distortion, focal length 15 mm, vibration and shock resistant, C-mount	468,70	694914	4549734213769			GF	Z	CHN	9031.9000.00
3Z4S-LEVMCA15-F5.6	Fixed focal vision lens, high resolution, low distortion, focal length 15 mm, F 5.6, vibration and shock resistant, C-mount	469,70	699436	4549734443944			GF	Z	CHN	9031.9000.00
3Z4S-LEVMCA20	Fixed focal vision lens, high resolution, low distortion, focal length 20 mm, vibration and shock resistant, C-mount	504,00	694909	4549734213790			GF	Z	CHN	9031.9000.00
3Z4S-LEVMCA20-F5.6	Fixed focal vision lens, high resolution, low distortion, focal length 20 mm, F 5.6, vibration and shock resistant, C-mount	506,50	699434	4549734443968			GF	Z	CHN	9031.9000.00
3Z4S-LEVMCA25	Fixed focal vision lens, high resolution, low distortion, focal length 25 mm, vibration and shock resistant, C-mount	456,60	694910	4549734213820			GF	Z	CHN	9031.9000.00
3Z4S-LEVMCA25-F5.6	Fixed focal vision lens, high resolution, low distortion, focal length 25 mm, F 5.6, vibration and shock resistant, C-mount	457,60	699433	4549734443982			GF	Z	CHN	9031.9000.00
3Z4S-LEVMCA30	Fixed focal vision lens, high resolution, low distortion, focal length 30 mm, vibration and shock resistant, C-mount	504,00	694912	4549734213851			GF	Z	CHN	9031.9000.00
3Z4S-LEVMCA30-F5.6	Fixed focal vision lens, high resolution, low distortion, focal length 30 mm, F#5.6, vibration and shock resistant, C-mount	501,00	700674	4549734444002			GF	Z	CHN	9031.9000.00
3Z4S-LEVMCA30-F8	Fixed focal vision lens, high resolution, low distortion, focal length 30 mm, F#8.0, vibration and shock resistant, C-mount	501,00	701349	4549734444019			GF	Z	CHN	9031.9000.00
3Z4S-LEVMCA35	Fixed focal vision lens, high resolution, low distortion, focal length 35 mm, vibration and shock resistant, C-mount	479,80	694911	4549734213862			GF	Z	CHN	9031.9000.00
3Z4S-LEVMCA4	Fixed focal vision lens, high resolution, low distortion, focal length 50 mm, vibration and shock resistant, C-mount	816,50	694913	4549734213912			GF	Z	CHN	9031.9000.00
3Z4S-LEVMCA50	Fixed focal vision lens, high resolution, low distortion, focal length 50 mm, vibration and shock resistant, C-mount	529,50	694906	4549734213943			GF	Z	CHN	9031.9000.00
3Z4S-LEVMCA50-F5.6	Fixed focal vision lens, high resolution, low distortion, focal length 50 mm, vibration and shock resistant, C-mount, F# 5.6	525,00	700314	4549734444064			GF	Z	CHN	9031.9000.00
3Z4S-LEVMCA6.5	Fixed focal vision lens, high resolution, low distortion, focal length 6.5 mm, vibration and shock resistant, C-mount	792,00	694908	4549734213974			GF	Z	CHN	9031.9000.00
3Z4S-LEVMCA6.5-F5.6	Fixed focal vision lens, high resolution, low distortion, focal length 6.5 mm, vibration and shock resistant, C-mount, F# 5.6	787,00	700315	4549734444088			GF	Z	CHN	9031.9000.00
3Z4S-LEVMCA75	Fixed focal vision lens, high resolution, low distortion, focal length 75 mm, vibration and shock resistant, C-mount	540,50	694907	4549734214001			GF	Z	CHN	9031.9000.00
3Z4S-LEVMCA75-F5.6	Fixed focal vision lens, high resolution, low distortion, focal length 75 mm, F 5.6, vibration and shock resistant, C-mount	542,50	699432	4549734444101			GF	Z	CHN	9031.9000.00
3Z4S-LEVMCL18-FNO56/M42-10	Vision lens, high resolution, 18mm, vibration and shock resistant aperture f/5.6, 1.8-inch sensor size, M42-Mount	3.862,00	688300	4549734509589			GF	Z	CHN	9031.9000.00
3Z4S-LEVS-TCH1.5-110CO-O	High-resolution telecentric lens, Optical magnification 1.5 x, WD 110.8 mm, Effective f/11.97, Depth of field 0.43 mm, resolution 5.3 um, Coaxial, 2/3 inch	2.057,00	680556	4548583722354			GF	Z	JPN	9031.9000.00
3Z4S-LEVS-TCH05-110-O	High-resolution telecentric lens, optical magnification 0.5 x, WD 110.8 mm, effective f/9.49, depth of field 3.04 mm, resolution 12.9 um, 2/3 inch	1.988,00	701214	4548583722286			GF	Z	JPN	9031.9000.00
3Z4S-LEVS-TCH05-65CO-O	High-resolution telecentric lens, Coaxial illumination, Optical magnification 0.5x, WD 75.3 mm, Effective f/9.42, Depth of field 3 mm, resolution 12.3 um, Straight, 2/3 inch	2.197,00	685570	4548583722255			GF	Z	JPN	9031.9000.00
3Z4S-LEVS-TCH1-110CO-O	High-resolution telecentric lens, Optical magnification 1.0 x, WD 110.3 mm, Effective f/10.49, Depth of field 0.84 mm, resolution 6.99 um, Coaxial, 2/3 inch	1.909,00	683879	4548583722316			GF	Z	JPN	9031.9000.00
3Z4S-LEVS-TCH1-110-O	High-resolution telecentric lens, optical magnification 1.0 x, WD 110.3 mm, effective f/10.49, depth of field 0.85 mm, resolution 6.99 um, straight, 2/3 inch	1.988,00	701246	4548583722323			GF	Z	JPN	9031.9000.00
3Z4S-LEVS-TCH1-65CO-O	High-resolution telecentric lens, Optical magnification 1.0 x, WD 65.0 mm, Effective f/9.94, Depth of field 0.8 mm, resolution 6.7 um, Coaxial, 2/3 inch, coaxial	1.743,00	685415	4548583722293			GF	Z	JPN	9031.9000.00
3Z4S-LEVS-TCH2-110-O	High-resolution telecentric lens, magnification 2Dx, working distance 110 mm, f/13.6, DOF 0.23 mm, chip size max 2/3 inch	1.743,00	685142	4548583722408			GF	Z	JPN	9031.9000.00
3Z4S-LEVS-TCH2-65CO-O	High-resolution telecentric lens, magnification 2Dx, working distance 65 mm, f/13.6, DOF 0.3 mm, chip size max 2/3 inch, coaxial illumination opening 8 mm	1.965,00	699556	4548583722378			GF	Z	JPN	9031.9000.00
3Z4S-LEVS-TCH4-110CO-O	High-resolution telecentric lens, Optical magnification 4.0 x, WD 110.8 mm, Effective f/22.2, Depth of field 0.11 mm, resolution 3.37 um, Coaxial, 2/3 inch	1.975,00	698581	4548583722439			GF	Z	JPN	9031.9000.00
3Z4S-LEVS-TCH4-110-O	High-resolution telecentric lens, Optical magnification 4.0 x, WD 110.8 mm, Effective f/22.2, Depth of field 0.11 mm, resolution 3.37 um, Straight, 2/3 inch	1.969,00	685414	4548583722446			GF	Z	JPN	9031.9000.00
3Z4S-LEVS-TCH4-65CO-O	High-resolution telecentric lens, Optical magnification 4.0 x, WD 65 mm, Effective f/17.91, Depth of field 0.09 mm, resolution 3.0 um, Coaxial, 2/3 inch	1.975,00	698583	4548583722415			GF	Z	JPN	9031.9000.00
3Z4S-LEVS-TCH4-65-O	High-resolution telecentric lens, Optical magnification 4.0 x, WD 65 mm, Effective f/17.91, Depth of field 0.09 mm, resolution 3.0 um, Straight, 2/3 inch	1.975,00	698582	4548583722422			GF	Z	JPN	9031.9000.00
3Z4S-LEVS-TEV0305	Ultra High-resolution telecentric lens, Optical magnification 0.75x-0.1x, WD 133 to 114 mm, Effective f/6.8 to f/8.5, Depth of field 1.0 to 0.7 mm, resolution 6.10 to 5.69 um, 1.1 inch	2.733,00	684925	4549734193153			GF	Z	JPN	9031.9000.00
3Z4S-LEVS-TEV07510	Ultra High-resolution telecentric lens, Optical magnification 0.3x-0.5x, WD 221 to 125 mm, Effective f/4.3 to f/6.2, Depth of field 3.8 to 2.0 mm, resolution 9.59 to 8.39 um, 1.1 inch	2.550,00	684923	4549734193177			GF	Z	JPN	9031.9000.00
3Z4S-LEVMCH12	Vision lens, high resolution, low distortion 12 mm vibration and shock resistant aperture f/2, chip size up to 1	2.214,00	686099	4548583425217			GF	Z	JPN	9031.9000.00
3Z4S-LT-IC-MIL-20-1	External on/off cables for digital lighting controllers LT-IDGB series, 1 m	54,40	695318	4548583571044			GF	Z	JPN	8544.4290.90
3Z4S-LT-IC-MIL-20-10	External on/off cables for digital lighting controllers LT-IDGB series, 10 m	226,10	695314	4548583571082			GF	Z	JPN	8544.4290.90
3Z4S-LT-IC-MIL-20-2	External on/off cables for digital lighting controllers LT-IDGB series, 2 m	72,55	695317	4548583571051			GF	Z	JPN	8544.4290.90
3Z4S-LT-IC-MIL-20-3	External on/off cables for digital lighting controllers LT-IDGB series, 3 m	90,60	695316	4548583571068			GF	Z	JPN	8544.4290.90
3Z4S-LT-IC-MIL-20-5	External on/off cables for digital lighting controllers LT-IDGB series, 5 m	133,40	695315	4548583571075			GF	Z	JPN	8544.4290.90
3Z4S-LT-IC-MIL-26-1	Light control cables for digital lighting controllers LT-IDGB series, 1m	65,75	695313	4548583571099			GF	Z	JPN	8544.4290.90
3Z4S-LT-IC-MIL-26-10	Light control cables for digital lighting controllers LT-IDGB series, 10 m	222,40	695306	4548583571136			GF	Z	JPN	8544.4290.90
3Z4S-LT-IC-MIL-26-2	Light control cables for digital lighting controllers LT-IDGB series, 2 m	81,80	695311	4548583571105			GF	Z	JPN	8544.4290.90
3Z4S-LT-IC-MIL-26-3	Light control cables for digital lighting controllers LT-IDGB series, 3 m	97,45	695310	4548583571112			GF	Z	JPN	8544.4290.90
3Z4S-LT-IC-MIL-26-5	Light control cables for digital lighting controllers LT-IDGB series, 5 m	137,10	695309	4548583571129			GF	Z	JPN	8544.4290.90
FL-MD180MC	MDMC, Multi Color / Multi Direction LED illuminator, 215 x 180 x 154 mm, 24 VDC	7.270,00	684307	4549734168960			GF	Z	JPN	9031.9000.00
FL-MD90MC	MDMC, Multi Color / Multi Direction LED illuminator, 125 x 90 x 82 mm, 24 VDC	4.239,00	684308	4549734168953			GF	Z	JPN	9031.9000.00
FL-PS140W	Photometric Stereo Light, inner Diameter 100 mm, outer Diameter 140 mm, white	2.220,00	684311	4549734168922			GF	Z	JPN	9031.9000.00
FL-PS260W	Photometric Stereo Light, inner Diameter 200 mm, outer Diameter 260 mm, white	3.230,00	684310	4549734168939			GF	Z	JPN	9031.9000.00
FL-PS90W	Photometric Stereo Light, inner Diameter 50 mm, outer Diameter 90 mm, white	1.616,00	684312	4549734168915			GF	Z	JPN	9031.9000.00
FL-TCC1PS	Lighting Controller for Photometric Stereo Lights	656,50	684309	4549734168946			GF	Z	JPN	9032.9000.90
FLV-DR9030DF50	Diffuser for FLV-DR9030 LED Illuminator	76,60	680943	4548583859906			GF	Z	CHN	9031.9000.00
FL-XC05PS	Cable for FL-PS illuminator, 0.5 m	343,20	684306	4549734168977			GF	Z	JPN	8544.4290.90
FL-XC1PS	Cable for FL-PS illuminator, 1 m	343,20	684305	4549734168984			GF	Z	JPN	8544.4290.90
FLV-BR11222DF50	Diffuser for FLV-BR11222 LED Illuminator	67,55	680942	4548583860087			GF	Z	CHN	9031.9000.00
3Z4S-LESV-GA255	Protection for lens, M25.5 P05	111,10	699579	4548583722644			GF	Z	JPN	9031.9000.00
<b>Machine Controllers NJ Series</b>										
NJ501-FR00	Robotic Integrated Controller NJ.5: 8 robots and 16 servo axes	6.500,00	695980	4549734665704			HA	A	JPN	8471.5000.00
NJ501-FR20	Robotic Integrated Controller NJ.5: 8 robots and 16 servo axes, SQL client	7.000,00	695956	4549734665735			HA	A	JPN	8471.5000.00
NJ501-FR40	Robotic Integrated Controller NJ.5: 8 robots and 32 servo axes	7.500,00	695879	4549734665711			HA	A	JPN	8471.5000.00
NJ501-FR40	Robotic Integrated Controller NJ.5: 8 robots and 32 servo axes, SQL client	8.000,00	699957	4549734665742			HA	A	JPN	8471.5000.00

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Data sheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
NJ501-F500	Robotic Integrated Controller NJ5: 8 robots and 64 servo axes	8.500,00	695878	4549734665728			HA	A	JPN	8471.5000.00
NJ501-F520	Robotic Integrated Controller NJ5: 8 robots and 64 servo axes, SQL client	9.000,00	699958	4549734665759			HA	A	JPN	8471.5000.00
NJ501-1300	Sysmac NJ5 CPU, 20 mB memory, built-in EtherCAT (16 servo axes, in total 192 EtherCAT nodes) and EtherNet/IP	3.374,00	355309	4548583020450	#		HA	A	JPN	8471.4100.00
NJ501-1320	Sysmac NJ5 CPU with Database Connectivity, 20MB memory, built-in EtherCAT (16 servo axes, in total 192 EtherCAT nodes) and EtherNet/IP	4.034,00	375708	4548583418028	#		HA	A	JPN	8471.4100.00
NJ501-1400	Sysmac NJ5 CPU, 20 mB memory, built-in EtherCAT (32 servo axes, in total 192 EtherCAT nodes) and EtherNet/IP	3.667,00	355310	4548583020467	#		HA	A	JPN	8471.4100.00
NJ501-1420	Sysmac NJ5 CPU with Database Connectivity, 20MB memory, built-in EtherCAT (32 servo axes, in total 192 EtherCAT nodes) and EtherNet/IP	4.402,00	375709	4548583418035	#		HA	A	JPN	8471.4100.00
NJ501-1500	Sysmac NJ5 CPU, 20 mB memory, built-in EtherCAT (64 servo axes, in total 192 EtherCAT nodes) and EtherNet/IP	4.402,00	355311	4548583020474	#		HA	A	JPN	8471.4100.00
NJ501-1520	Sysmac NJ5 CPU with Database Connectivity, 20MB memory, built-in EtherCAT (64 servo axes, in total 192 EtherCAT nodes) and EtherNet/IP	4.965,00	375710	4548583418042	#		HA	A	JPN	8471.4100.00
NJ501-4300	Sysmac NJ5 CPU with Fbot kinematics (max 4 robots), 20MB memory, built-in EtherCAT (16 servo axes, in total 192 EtherCAT nodes) and EtherNet/IP	4.402,00	368567	4548583137745	#		HA	A	JPN	8471.4100.00
NJ501-4310	Sysmac NJ5 CPU with Fbot kinematics (max 1 robot), 20 MB memory, built-in EtherCAT (16 servo axes, in total 192 EtherCAT nodes) and EtherNet/IP	3.870,00	374968	4548583351356	#		HA	A	JPN	8471.4100.00
NJ501-4320	Sysmac NJ5 CPU with Fbot kinematics, 16 axes, SQL client	4.766,00	392998	4548583546882	#		HA	A	JPN	8471.4100.00
NJ501-4400	Sysmac NJ5 CPU with Fbot kinematics, (max 8 robots), 20MB memory, built-in EtherCAT (32 servo axes, in total 192 EtherCAT nodes) and EtherNet/IP	4.766,00	368568	4548583137752	#		HA	A	JPN	8471.4100.00
NJ501-4500	Sysmac NJ5 CPU with Fbot kinematics, (max 8 robots), 20MB memory, built-in EtherCAT (64 servo axes, in total 192 EtherCAT nodes) and EtherNet/IP	5.505,00	368569	4548583137769	#		HA	A	JPN	8471.4100.00
NJ301-1100	Sysmac NJ3 CPU, 5 MB memory, built-in EtherCAT (4 servo axes, in total 192 EtherCAT nodes) and EtherNet/IP	2.352,00	363842	4548583113121	#		HA	A	JPN	8471.4100.00
NJ301-1200	Sysmac NJ3 CPU, 5 MB memory, built-in EtherCAT (8 servo axes, in total 192 EtherCAT nodes) and EtherNet/IP	2.826,00	363924	4548583113138	#		HA	A	JPN	8471.4100.00
NJ101-1000	Sysmac NJ1 CPU, 3MB memory, built-in EtherCAT (2 servo axes, in total 64 EtherCAT nodes) and EtherNet/IP	1.984,00	413717	4548583593749	#		HA	A	JPN	8471.4100.00
NJ101-1020	Sysmac NJ1 CPU with Database Connectivity, 3MB memory, built-in EtherCAT (2 servo axes, in total 64 EtherCAT nodes) and EtherNet/IP	2.486,00	668370	4548583758803	#		HA	A	JPN	8471.4100.00
NJ101-9000	Sysmac NJ1 CPU, 3MB memory, built-in EtherCAT (0 servo axes, in total 64 EtherCAT nodes) and EtherNet/IP	1.740,00	413718	4548583593756	#		HA	A	JPN	8471.4100.00
NJ101-9020	Sysmac NJ1 CPU with Database Connectivity, 3MB memory, built-in EtherCAT (0 servo axes, in total 64 EtherCAT nodes) and EtherNet/IP	2.176,00	668371	4548583758810	#		HA	A	JPN	8471.4100.00
NJ501-5300	Sysmac NJ5 CNC CPU, 20MB memory, built-in EtherCAT (16 servo axes, in total 192 EtherCAT nodes) and EtherNet/IP	6.300,00	679768	4549734145435	#		HA	A	JPN	8471.5000.00
NJ501-5300-1	Sysmac NJ5 CNC CPU, 20MB memory, built-in EtherCAT (16 servo axes, in total 192 EtherCAT nodes) and EtherNet/IP. USB license not included.	5.600,00	702310	4549734711524	#		HA	A	JPN	8471.5000.00
SYSMAC-AL0100D	Sysmac controller NJ software, rotating knives application library, installation DVD	22.59	382783	4548583447950			HA	A	JPN	8523.8090.00
SYSMAC-AL0101L	Sysmac controller NJ software, rotating knives application library, 1 licence	305.30	382784	4548583447967			HA	A	JPN	8523.8090.00
<b>Machine Controllers NX1</b>										
NX102-1000	Sysmac NX1 Modular CPU, 5MB program and 33.5MB data memory , built-in EtherCAT (2 servo axes, 4 PTP axes, total 64 EtherCAT nodes), 2 Ethernet ports (OPC-UA and EtherNet/IP)	2.056,00	682580	4549734205313	#		HA	B	CHN	8471.4100.00
NX102-1020	Sysmac NX1 Modular CPU with Database Connectivity, 5MB program and 33.5MB data memory , built-in EtherCAT (2 servo axes, 4 PTP axes, total 64 EtherCAT nodes), 2 Ethernet ports (OPC-UA and EtherNet/IP)	2.423,00	683383	4549734205351	#		HA	B	CHN	8471.4100.00
NX102-1100	Sysmac NX1 Modular CPU, 5MB program and 33.5MB data memory , built-in EtherCAT (4 servo axes, 4 PTP axes, total 64 EtherCAT nodes), 2 Ethernet ports (OPC-UA and EtherNet/IP)	2.569,00	682581	4549734205320	#		HA	B	CHN	8471.4100.00
NX102-1120	Sysmac NX1 Modular CPU with Database Connectivity, 5MB program and 33.5MB data memory , built-in EtherCAT (4 servo axes, 4 PTP axes, total 64 EtherCAT nodes), 2 Ethernet ports (OPC-UA and EtherNet/IP)	2.889,00	683381	4549734205368	#		HA	B	CHN	8471.4100.00
NX102-1200	Sysmac NX1 Modular CPU, 5MB program and 33.5MB data memory , built-in EtherCAT (8 servo axes, 4 PTP axes, total 64 EtherCAT nodes), 2 Ethernet ports (OPC-UA and EtherNet/IP)	3.491,00	682578	4549734205337	#		HA	B	CHN	8471.4100.00
NX102-1220	Sysmac NX1 Modular CPU with Database Connectivity, 5MB program and 33.5MB data memory , built-in EtherCAT (8 servo axes, 4 PTP axes, total 64 EtherCAT nodes), 2 Ethernet ports (OPC-UA and EtherNet/IP)	3.726,00	683384	4549734205375	#		HA	B	CHN	8471.4100.00
NX102-3000	Sysmac NX1 Modular CPU, 5MB program and 33.5MB data memory , built-in EtherCAT (0 servo axes, 4 PTP axes, total 64 EtherCAT nodes), 2 Ethernet ports (OPC-UA and EtherNet/IP)	1.543,00	682579	4549734205306	#		HA	B	CHN	8471.4100.00
NX102-9020	Sysmac NX1 Modular CPU with Database Connectivity, 5MB program and 33.5MB data memory , built-in EtherCAT (0 servo axes, 4 PTP axes, total 64 EtherCAT nodes), 2 Ethernet ports (OPC-UA and EtherNet/IP)	1.959,00	683382	4549734205344	#		HA	B	CHN	8471.4100.00
NX-END02	Spare part - End plate for NX1P controller	15.87	680107	4548583866553			HA	B	CHN	8471.6070.00
<b>Multi-axis Controller CQSE</b>										
CQSE-1210	Programmable Multi-Axis Controller µPower PMAC, 8 axes	3.181,00	700996	4549734695275	#		HA	C	JPN	8471.4100.00
CQSE-1310	Programmable Multi-Axis Controller µPower PMAC, 16 axes	4.618,00	672537	4548583870994			HA	C	USA	8471.4100.00
CQSE-1310	Programmable Multi-Axis Controller µPower PMAC, 16 axes	4.618,00	700995	4549734695282			HA	C	JPN	8471.4100.00
CQSE-1410	Programmable Multi-Axis Controller µPower PMAC, 32 axes	7.305,00	700994	4549734695299			HA	C	JPN	8471.4100.00
<b>Multi-axis Controller CQ3M</b>										
CQ3M-CPU100	CQ3M CPU, 1 GB RAM, 1 GB Flash, No ECAT. Up to two axis interface units can be connected	2.279,00	682495	4549734208802			HA	D	JPN	8471.4100.00
CQ3W-AD2100	CQ3W Analog IN, 4 points, +/-10 V, 16 bit (full scale)	1.171,00	689322	4549734537902			HA	D	CHN	8471.6070.00
CQ3W-AD3100	CQ3W Analog IN, 8 points, +/-10 V, 16 bit (full scale)	1.442,00	689321	4549734537896			HA	D	CHN	8471.6070.00
CQ3W-AX1111N	CQ3W 4 Axis Interface Unit, CH1/CH2: Digital quadrature, DA/Filtered PWM), CH3/CH4: Digital quadrature, DA/Filtered PWM), NPN	2.121,00	682496	4549734208840			HA	D	JPN	8471.4100.00
CQ3W-AX1313N	CQ3W 4 Axis Interface Unit, Digital encoder, DirectPWM, NPN	2.566,00	689316	4549734537934			HA	D	JPN	8471.6070.00
CQ3W-AX1313P	CQ3W 4 Axis Interface Unit, Digital encoder, DirectPWM, PNP	2.566,00	689317	4549734537841			HA	D	JPN	8471.6070.00
CQ3W-AX2323N	CQ3W 4 Axis Interface Unit, Sinusoidal encoder, DirectPWM, NPN	3.421,00	689313	4549734537858			HA	D	JPN	8471.6070.00
CQ3W-AX2323P	CQ3W 4 Axis Interface Unit, Sinusoidal encoder, DirectPWM, PNP	3.421,00	689318	4549734537865			HA	D	JPN	8471.6070.00
CQ3W-CAAD009A	CQ3W DirectPWM Cable (0.9 m)	473.70	689327	4549734537957			HA	D	JPN	8544.4290.90
CQ3W-CAAD018A	CQ3W DirectPWM Cable (1.8 m)	466.60	689326	4549734537940			HA	D	JPN	8544.4290.90
CQ3W-CAAD036A	CQ3W DirectPWM Cable (3.6 m)	619.00	689325	4549734537933			HA	D	JPN	8544.4290.90
CQ3W-CAEA03A	CQ3W Sinusoidal Encoder Cable (3.0 m)	405.10	689328	4549734537964			HA	D	JPN	8544.4290.90
CQ3W-CAEAW03A	CQ3W Sinusoidal Encoder+ Serial or UUV Cable (3.0 m)	545.50	689329	4549734537971			HA	D	JPN	8544.4290.90
CQ3W-CAX003A	CQ3W Expansion Cable (0.3 m)	665.00	689330	4549734537988			HA	D	CHN	8544.4290.90
CQ3W-EXM01	CQ3W Expansion Master Unit	360.90	689323	4549734537919			HA	D	CHN	8471.8000.00
CQ3W-EXS02	CQ3W Expansion Slave Unit	360.90	689324	4549734537926			HA	D	CHN	8471.8000.00
CQ3W-MD7110	CQ3W Digital IO, IN/OUT:16/16, NPN	900.50	689319	4549734537872			HA	D	CHN	8471.6070.00
CQ3W-MD7120	CQ3W Digital IO, IN/OUT:16/16, PNP	900.50	689320	4549734537889			HA	D	CHN	8471.6070.00
CQ3W-PD028	CQ3W Power Supply Unit for CQ3M-CPU110, 5 VDC / 24 VDC, max current 8 A (5 VDC)	349.10	682492	4549734208833			HA	D	JPN	8471.4100.00
<b>Machine Controllers NX1P2</b>										
NX1P2-1040DT	Sysmac NX1P CPU with 40 Digital Transistor I/O (NPN), 1.5 MB memory, EtherCAT (2 servo axes, 4 PTP axes, 16 EtherCAT nodes), EtherNet/IP and 2 serial option ports	1.095,00	672500	4548583866454			HA	E	CHN	8471.4100.00
NX1P2-1040DT1	Sysmac NX1P CPU with 40 Digital Transistor I/O (PNP), 1.5 MB memory, EtherCAT (2 servo axes, 4 PTP axes, 16 EtherCAT nodes), EtherNet/IP and 2 serial option ports	1.095,00	672504	4548583866461	#		HA	E	CHN	8471.4100.00
NX1P2-1140DT	Sysmac NX1P CPU with 40 Digital Transistor I/O (NPN), 1.5 MB memory, EtherCAT (4 servo axes, 4 PTP axes, 16 EtherCAT nodes), EtherNet/IP and 2 serial option ports	1.594,00	672510	4548583866478	#		HA	E	CHN	8471.4100.00

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	SLN. (Data sheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
NX1P2-1140D1	Sysmac NX1P CPU with 40 Digital Transistor I/O (PNP), 1.5 MB memory, EtherCAT (4 servo axes, 4 PTP axes, 16 EtherCAT nodes), EtherNet/IP and 2 serial option ports	1.594.00	672501	4548583866485	#		HA	E	CHN	8471.4100.00
NX1P2-9024D1	Sysmac NX1P CPU with 24 Digital Transistor I/O (PNP), 1.5 MB memory, EtherCAT (0 servo axes, 4 PTP axes, 16 EtherCAT nodes), EtherNet/IP and 1 serial option port	813.00	672509	4548583866430	#		HA	E	CHN	8471.4100.00
NX1P2-9024D1T	Sysmac NX1P CPU with 24 Digital Transistor I/O (PNP), 1.5 MB memory, EtherCAT (0 servo axes, 4 PTP axes, 16 EtherCAT nodes), EtherNet/IP and 1 serial option port	820.50	672498	4548583866447	#		HA	E	CHN	8471.4100.00
NX1P2-9B24D1	Sysmac NX1P CPU with 24 Digital Transistor I/O (PNP), 1 MB memory, EtherCAT (0 servo axes, 2 PTP axes, 8 EtherCAT nodes), EtherNet/IP and 1 serial option port	577.00	689915	4549734556712	#		HA	E	CHN	8471.4100.00
NX1P2-9B24D1T	Sysmac NX1P CPU with 24 Digital Transistor I/O (PNP), 1 MB memory, EtherCAT (0 servo axes, 2 PTP axes, 8 EtherCAT nodes), EtherNet/IP and 1 serial option port	577.00	689914	4549734556729	#		HA	E	CHN	8471.4100.00
NX1P2-9B40D1	Sysmac NX1P CPU with 40 Digital Transistor I/O (PNP), 1 MB memory, EtherCAT (0 servo axes, 2 PTP axes, 8 EtherCAT nodes), EtherNet/IP and 2 serial option ports	729.50	689913	4549734556736	#		HA	E	CHN	8471.4100.00
NX1P2-9B40D1T	Sysmac NX1P CPU with 40 Digital Transistor I/O (PNP), 1 MB memory, EtherCAT (0 servo axes, 2 PTP axes, 8 EtherCAT nodes), EtherNet/IP and 2 serial option ports	729.50	689912	4549734556743	#		HA	E	CHN	8471.4100.00
NX1P2-FW116-STD	SD memory card for firmware upgrades of NX1P2	331.60	682484	4549734187671			HA	E	JPN	8473.3080.00
<b>NX1P option boards</b>										
NX1W-ADB21	Sysmac NX1P Analog I/O screwless option board, 2 x analog inputs 0 to 10 V, resolution 1/4000 or 0 to 20 mA, resolution 1/2000	100.20	672499	4548583866522	#		HA	F	CHN	8471.6070.00
NX1W-CIF01	Sysmac NX1P RS-232C screwless (15 m max.) serial communication option board	49.65	672505	4548583866492	#		HA	F	CHN	8471.8000.00
NX1W-CIF11	Sysmac NX1P RS422/485 screwless (50 m max.) serial communication option board	49.65	672502	4548583866508	#		HA	F	CHN	8471.8000.00
NX1W-CIF12	Sysmac NX1P RS422/485 screwless (isolated 500 m max.) serial communication option board	99.35	672503	4548583866515	#		HA	F	CHN	8471.8000.00
NX1W-DBA21V	Sysmac NX1P Analog I/O screwless option board, 2 x analog outputs 0 to 10 V, resolution 1/4000	109.80	672506	4548583866539	#		HA	F	CHN	8471.6070.00
NX1W-MAB21V	Sysmac NX1P Analog I/O screwless option board, 2 x analog inputs 0 to 10 V, resolution 1/4000 or 0 to 20 mA, resolution 1/2000, 2 x analog outputs 0 to 10 V, resolution 1/4000	209.10	672507	4548583866546	#		HA	F	CHN	8471.6070.00
<b>Machine Controllers NX701</b>										
NX701-1600	Sysmac NX7 CPU, 80MB memory, built-in EtherCAT (128 servo axes, in total 512 EtherCAT nodes) and 2 EtherNet/IP ports	5.195.00	418668	4548583593685			HA	G	JPN	8471.4100.00
NX701-1620	Sysmac NX7 CPU with Database Connectivity, 80MB memory, built-in EtherCAT (128 servo axes, in total 512 EtherCAT nodes) and 2 EtherNet/IP ports	7.825.00	680732	4549734193863			HA	G	JPN	8471.4100.00
NX701-1700	Sysmac NX7 CPU, 80MB memory, built-in EtherCAT (256 servo axes, in total 512 EtherCAT nodes) and 2 EtherNet/IP ports	5.460.00	418669	4548583593701			HA	G	JPN	8471.4100.00
NX701-1720	Sysmac NX7 CPU with Database Connectivity, 80MB memory, built-in EtherCAT (256 servo axes, in total 512 EtherCAT nodes) and 2 EtherNet/IP ports	7.830.00	680733	4549734193870			HA	G	JPN	8471.4100.00
NX701-Z600	Sysmac NX7 AI Controller, 80MB memory, built-in EtherCAT (128 servo axes, in total 512 EtherCAT nodes) and 2 EtherNet/IP ports	10.610.00	685577	4549734450201			HA	G	JPN	8471.5000.00
NX701-Z700	Sysmac NX7 AI Controller, 80MB memory, built-in EtherCAT (256 servo axes, in total 512 EtherCAT nodes) and 2 EtherNet/IP ports	10.910.00	685578	4549734451093			HA	G	JPN	8471.5000.00
<b>Accessories N1a and NX1</b>										
NJ-PA3001	Sysmac NJ power supply unit, 100-240 VAC, 30 W, "RUN" output relay	251.90	355312	4548583020665	#		HA	Z	CHN	8504.4030.00
NJ-PD3001	Sysmac NJ power supply unit, 24 VDC, 30 W, "RUN" output relay	258.10	355313	4548583020672	#		HA	Z	CHN	8504.4030.00
NX-PA9001	Sysmac NX power supply unit, 100 to 240 VAC, 90 W, "RUN" output relay	601.00	418671	4548583593725	#		HA	Z	JPN	8504.4030.00
NX-PD7001	Sysmac NX power supply unit, 24 VDC, 70 W, "RUN" output relay	491.40	418672	4548583593732	#		HA	Z	JPN	8504.4030.00
HMC-SD291	2 GB SD memory card	199.00	355818	4548583020689			HA	Z	JPN	8471.9000.00
HMC-SD491	4 GB SD memory card	299.00	400806	4548583438101			HA	Z	JPN	8471.9000.00
<b>NX-series</b>										
NX-ID3117	4 Digital Inputs, 240 VAC, individually isolated, screwless push-in connector, 12 mm wide	67.00	380132	4548583353107			HB	A	CHN	8471.6070.00
NX-ID3317	4 Digital Inputs, Standard speed, NPN 24 VDC, screwless push-in connector, 12 mm wide	50.95	375601	4548583353008			HB	A	CHN	8471.6070.00
NX-ID3343	4 Digital Inputs, High speed, NPN 24 VDC, screwless push-in connector, 12 mm wide	99.35	375607	4548583353060			HB	A	CHN	8471.6070.00
NX-ID3344	4 Digital Inputs, High speed Timestamp, NPN 24 VDC, screwless push-in connector, 12 mm wide	175.40	377554	4548583353084			HB	A	CHN	8471.6070.00
NX-ID3417	4 Digital Inputs, Standard speed, PNP 24 VDC, screwless push-in connector, 12 mm wide	50.95	686025	4549734450478			HB	A	NLD	8471.6070.00
NX-ID3443	4 Digital Inputs, High speed, PNP 24 VDC, screwless push-in connector, 12 mm wide	99.35	375661	4548583368378	#		HB	A	CHN	8471.6070.00
NX-ID3444	4 Digital Inputs, High speed Timestamp, PNP 24 VDC, screwless push-in connector, 12 mm wide	175.40	377555	4548583353091			HB	A	CHN	8471.6070.00
NX-ID4342	8 Digital Inputs, Standard speed, NPN 24 VDC, screwless push-in connector, 12 mm wide	67.65	686026	4549734450485	#		HB	A	NLD	8471.6070.00
NX-ID4442	8 Digital Inputs, Standard speed, PNP 24 VDC, screwless push-in connector, 12 mm wide	67.65	686027	4549734450492	#		HB	A	NLD	8471.6070.00
NX-ID5142-1	16 Digital Inputs, Standard speed, NPN/PNP 24 VDC, screw connector, 30 mm wide	114.70	645477	4548583572881	#		HB	A	CHN	8471.6070.00
NX-ID5142-5	16 Digital Inputs, Standard speed, NPN/PNP 24 VDC, MIL20 connector (not included), 30 mm wide	125.60	393625	4548583552029			HB	A	CHN	8471.6070.00
NX-ID5342	16 Digital Inputs, Standard speed, NPN 24 VDC, screwless push-in connector, 12 mm wide	116.60	686028	4549734450508			HB	A	NLD	8471.6070.00
NX-ID5442	16 Digital Inputs, Standard speed, PNP 24 VDC, screwless push-in connector, 12 mm wide	116.60	686029	4549734450515	#		HB	A	NLD	8471.6070.00
NX-ID6142-5	32 Digital Inputs, Standard speed, NPN/PNP 24 VDC, MIL40 connector (not included), 30 mm wide	212.50	393626	4548583552036	#		HB	A	CHN	8471.6070.00
NX-ID6142-6	32 Digital Inputs, Standard speed, NPN/PNP 24 VDC, FCN40 connector (not included), 30 mm wide	212.50	646854	4548583572898	#		HB	A	CHN	8471.6070.00
NX-OC2633	2 Digital Outputs, Normally-open Relays, 2 A, 250 VAC, screwless push-in connector, 12 mm wide	63.80	686030	4549734450522			HB	A	NLD	8471.6070.00
NX-OC2733	2 Digital Outputs, NO-NC (SPDT) Relays, 2 A, 250 VAC, screwless push-in connector, 12 mm wide	66.90	686031	4549734450539			HB	A	NLD	8471.6070.00
NX-OC4633	8 Digital Outputs, normally-open relays, 2 A, 250 VAC, screwless push-in connector, 24 mm wide	166.90	672508	4548583866569	#		HB	A	CHN	8471.6070.00
NX-OD2154	2 Digital Outputs, High speed Timestamp, NPN 24 VDC, 0.5 A/point, 1 A/NX Unit, screwless push-in connector, 12 mm wide	129.00	377556	4548583407596	#		HB	A	CHN	8471.6070.00
NX-OD2258	2 Digital Outputs, High speed Timestamp, PNP 24 VDC, 0.5 A/point, 1 A/NX Unit, screwless push-in connector, 12 mm wide	129.00	377557	4548583407602	#		HB	A	CHN	8471.6070.00
NX-OD3121	4 Digital Outputs, Standard speed, NPN 24 VDC, 0.5 A/point, 2 A/NX Unit, screwless push-in connector, 12 mm wide	57.90	375608	4548583353114			HB	A	CHN	8471.6070.00
NX-OD3153	4 Digital Outputs, High speed, NPN 24 VDC, 0.5 A/point, 2 A/NX Unit, screwless push-in connector, 12 mm wide	110.60	375614	4548583353176			HB	A	CHN	8471.6070.00
NX-OD3256	4 Digital Outputs, Standard speed, PNP 24 VDC, 0.5 A/point, 2 A/NX Unit, screwless push-in connector, 12 mm wide	54.80	686032	4549734450546			HB	A	NLD	8471.6070.00
NX-OD3257	4 Digital Outputs, High speed, PNP 24 VDC, 0.5 A/point, 2 A/NX Unit, screwless push-in connector, 12 mm wide	105.60	375615	4548583353183			HB	A	CHN	8471.6070.00
NX-OD3268	4 Digital Outputs, Standard speed, PNP 24 VDC, 2 A/point, 8 A/NX unit, screwless push-in connector, 12 mm wide	74.80	646461	4548583572928	#		HB	A	CHN	8471.6070.00
NX-OD4121	8 Digital Outputs, Standard speed, NPN 24 VDC, 0.5 A/point, 4 A/NX Unit, screwless push-in connector, 12 mm wide	76.05	375610	4548583353138	#		HB	A	CHN	8471.6070.00
NX-OD4256	8 Digital Outputs, Standard speed, PNP 24 VDC, 0.5 A/point, 4 A/NX Unit, screwless push-in connector, 12 mm wide	80.20	686033	4549734450553	#		HB	A	NLD	8471.6070.00
NX-OD5121	16 Digital Outputs, Standard speed, NPN 24 VDC, 0.5 A/point, 4 A/NX Unit, screwless push-in connector, 12 mm wide	125.30	686034	4549734450560	#		HB	A	NLD	8471.6070.00
NX-OD5121-5	16 Digital Outputs, Standard speed, PNP 24 VDC, 0.5 A/point, 4 A/NX Unit, MIL20 connector (not included), 30 mm wide	134.40	393627	4548583552043			HB	A	CHN	8471.6070.00
NX-OD5256	16 Digital Outputs, Standard speed, PNP 24 VDC, 0.5 A/point, 4 A/NX Unit, screwless push-in connector, 12 mm wide	125.30	686035	4549734450577	#		HB	A	NLD	8471.6070.00
NX-OD5256-1	16 Digital Outputs, Standard speed, PNP 24 VDC, 0.5 A/point, 5 A/NX Unit, screw connector, 30 mm wide	162.60	645603	4548583572935			HB	A	CHN	8471.6070.00
NX-OD5256-5	16 Digital Outputs, Standard speed, PNP 24 VDC, 0.5 A/point, 4 A/NX Unit, MIL20 connector (not included), 30 mm wide	138.10	393629	4548583552067			HB	A	CHN	8471.6070.00
NX-OD6121-5	32 Digital Outputs, Standard speed, NPN 24 VDC, 0.5 A/point, 4 A/NX Unit, MIL40 connector (not included), 30 mm wide	228.20	393628	4548583552050			HB	A	CHN	8471.6070.00
NX-OD6121-6	32 Digital Outputs, Standard speed, NPN 24 VDC, 0.5 A/point, 4 A/NX Unit, FCN40 connector (not included), 30 mm wide	228.20	645602	4548583572911	#		HB	A	CHN	8471.6070.00
NX-OD6256-5	32 Digital Outputs, Standard speed, PNP 24 VDC, 0.5 A/point, 4 A/NX Unit, MIL40 connector (not included), 30 mm wide	228.20	393630	4548583552074	#		HB	A	CHN	8471.6070.00

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Daheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
NX-MD6121-5	16 Digital Inputs + 16 Digital NPN Outputs, Standard speed, 24 VDC, 2 x MIL20 connectors (not included), 30 mm wide	220.60	393631	4548583552081			HB	A	CHN	8471.6070.00
NX-MD6121-6	16 Digital Inputs + 16 Digital NPN Outputs, Standard speed, 24 VDC, 2 x FCN24 connectors (not included), 30 mm wide	220.60	646462	4548583572942			HB	A	CHN	8471.6070.00
NX-MD6256-5	16 Digital Inputs + 16 Digital PNP Outputs, Standard speed, 24 VDC, 2 x MIL20 connectors (not included), 30 mm wide	220.60	393632	4548583552098			HB	A	CHN	8471.6070.00
NX-AD2203	2 Analog Inputs, 4 to 20 mA single ended, resolution 1.8000, 250 us/ch, screwless push-in connector, 12 mm wide	200.60	686016	4549734450386	#		HB	A	NLD	8471.6070.00
NX-AD2204	2 Analog Inputs, 4 to 20 mA differential, resolution 1.8000, 250 us/ch, screwless push-in connector, 12 mm wide	200.60	375627	4548583353336			HB	A	CHN	8471.6070.00
NX-AD2208	2 Analog Inputs, 4 to 20 mA differential, resolution 1.30000, 10 us/ch, screwless push-in connector, 12 mm wide	257.80	375628	4548583353343	#		HB	A	CHN	8471.6070.00
NX-AD2603	2 Analog Inputs, -10 to 10 V single ended, resolution 1.8000, 250 us/ch, screwless push-in connector, 12 mm wide	200.60	686017	4549734450393			HB	A	NLD	8471.6070.00
NX-AD2604	2 Analog Inputs, -10 to 10 V differential, resolution 1.8000, 250 us/ch, screwless push-in connector, 12 mm wide	200.60	375618	4548583353244			HB	A	CHN	8471.6070.00
NX-AD2608	2 Analog Inputs, -10 to 10 V differential, resolution 1.30000, 10 us/ch, screwless push-in connector, 12 mm wide	257.80	375619	4548583353251	#		HB	A	CHN	8471.6070.00
NX-AD3203	4 Analog Inputs, 4 to 20 mA single ended, resolution 1.8000, 250 us/ch, screwless push-in connector, 12 mm wide	228.80	686018	4549734450409			HB	A	NLD	8471.6070.00
NX-AD3204	4 Analog Inputs, 4 to 20 mA differential, resolution 1.8000, 250 us/ch, screwless push-in connector, 12 mm wide	228.80	686019	4549734450416	#		HB	A	NLD	8471.6070.00
NX-AD3208	4 Analog Inputs, 4 to 20 mA differential, resolution 1.30000, 10 us/ch, screwless push-in connector, 12 mm wide	356.00	375631	4548583353374			HB	A	CHN	8471.6070.00
NX-AD3603	4 Analog Inputs, -10 to 10 V single ended, resolution 1.8000, 250 us/ch, screwless push-in connector, 12 mm wide	228.80	375620	4548583353268	#		HB	A	CHN	8471.6070.00
NX-AD3604	4 Analog Inputs, -10 to 10 V differential, resolution 1.8000, 250 us/ch, screwless push-in connector, 12 mm wide	228.80	375621	4548583353275	#		HB	A	CHN	8471.6070.00
NX-AD3608	4 Analog Inputs, -10 to 10 V differential, resolution 1.30000, 10 us/ch, screwless push-in connector, 12 mm wide	356.00	375622	4548583353282	#		HB	A	CHN	8471.6070.00
NX-AD4203	8 Analog Inputs, 4 to 20 mA single ended, resolution 1.8000, 250 us/ch, screwless push-in connector, 12 mm wide	314.70	686020	4549734450423			HB	A	NLD	8471.6070.00
NX-AD4204	8 Analog Inputs, 4 to 20 mA differential, resolution 1.8000, 250 us/ch, screwless push-in connector, 12 mm wide	314.70	686021	4549734450430	#		HB	A	NLD	8471.6070.00
NX-AD4208	8 Analog Inputs, 4 to 20 mA differential, resolution 1.30000, 10 us/ch, screwless push-in connector, 12 mm wide	456.60	375634	4548583353404			HB	A	CHN	8471.6070.00
NX-AD4603	8 Analog Inputs, -10 to +10 V single ended, resolution 1.8000, 250 us/ch, screwless push-in connector, 12 mm wide	314.70	375623	4548583353299	#		HB	A	CHN	8471.6070.00
NX-AD4604	8 Analog Inputs, -10 to +10 V differential, resolution 1.30000, 10 us/ch, screwless push-in connector, 12 mm wide	314.70	375624	4548583353305	#		HB	A	CHN	8471.6070.00
NX-AD4608	8 High Speed Analog Inputs, -10 to 10 V, -5 to 5 V, 0 to 10 V, 0 to 5 V, 1 to 5V, 0 to 20 mA, differential, resolution 1.84000, 5 us/ch, screwless push-in connector, 24 mm wide, PNP	456.60	375625	4548583353312	#		HB	A	CHN	8471.6070.00
NX-HAD402	4 High Speed Analog Inputs, -10 to 10 V, -5 to 5 V, 0 to 10 V, 0 to 5 V, 1 to 5V, 0 to 20 mA, differential, resolution 1.84000, 5 us/ch, screwless push-in connector, 24 mm wide, PNP	1041.00	682695	4549734209663			HB	A	CHN	8471.6070.00
NX-HB3101	Heater Burnout Detection Unit, 4 CT inputs, 4 NPN Outputs, screwless push-in connector, 12 mm wide	393.00	670521	4548583801981			HB	A	CHN	8471.6070.00
NX-HB3201	Heater Burnout Detection Unit, 4 CT inputs, 4 PNP Outputs, screwless push-in connector, 12 mm wide	393.00	670522	4548583801998	#		HB	A	CHN	8471.6070.00
NX-RS1201	1 x Load Cell Input, -5.0 to 5.0 mV/V, 24 bit, 125 us, screwless push-in connector, 12 mm wide	475.50	670275	4548583799158	#		HB	A	JPN	8471.6070.00
NX-RS1201-K	1 x Load Cell Input with certification, -5.0 to 5.0 mV/V, 24 bit, 125 us, screwless push-in connector, 12 mm wide	683.00	674186	4549734110235			HB	A	JPN	8471.6070.00
NX-TS2101	2 Thermocouple Inputs, type K, J, T, E, L, U, N, R, S, B, C/W/Re5-26, P(PLI), resolution 0.1°C, 250 ms/Unit, screwless push-in connector, 12 mm wide	234.10	373773	4548583353497			HB	A	CHN	8471.6070.00
NX-TS2102	2 Thermocouple Inputs, type K, J, T, E, L, U, N, R, S, B, C/W/Re5-26, P(PLI), resolution 0.01°C, 10 ms/Unit, screwless push-in connector, 12 mm wide	377.10	380149	4548583353503			HB	A	CHN	8471.6070.00
NX-TS2104	2 Thermocouple Inputs, type K, J, T, E, L, U, N, R, S, B, C/W/Re5-26, P(PLI), resolution 0.001°C, 60 ms/Unit, screwless push-in connector, 12 mm wide	377.10	380134	4548583353510			HB	A	CHN	8471.6070.00
NX-TS2201	2 Temperature Sensor Inputs, Pt100 (3-wire), Pt1000, resolution 0.1 °C, 250 ms/Unit, screwless push-in connector, 12 mm wide	234.10	375643	4548583353558	#		HB	A	CHN	8471.6070.00
NX-TS2202	2 Temperature Sensor Inputs, Pt100 (3-wire), resolution 0.01°C, 10 ms/Unit, screwless push-in connector, 12 mm wide	377.10	380136	4548583353565			HB	A	CHN	8471.6070.00
NX-TS2204	2 Temperature Sensor Inputs, Pt100 (3-wire), Pt1000 (3-wire) resolution 0.001°C, 60 ms/Unit, screwless push-in connector, 12 mm wide	377.10	380137	4548583353572	#		HB	A	CHN	8471.6070.00
NX-TS3101	4 Thermocouple Inputs, type K, J, T, E, L, U, N, R, S, B, C (W/Re5-26), P (PLI), resolution 0.1°C, 250 ms/Unit, screwless push-in connectors, 24 mm wide	298.50	373774	4548583353527	#		HB	A	CHN	8471.6070.00
NX-TS3102	4 Thermocouple Inputs, type K, J, T, E, L, U, N, R, S, B, C (W/Re5-26), P (PLI), resolution 0.01°C, 10 ms/Unit, screwless push-in connectors, 24 mm wide	481.30	380135	4548583353534			HB	A	CHN	8471.6070.00
NX-TS3104	4 Thermocouple Inputs, type K, J, T, E, L, U, N, R, S, B, C (W/Re5-26), P (PLI), resolution 0.001°C, 60 ms/Unit, screwless push-in connectors, 24 mm wide	481.30	380150	4548583353541			HB	A	CHN	8471.6070.00
NX-TS3201	4 Temperature Sensor Inputs, Pt100 (3-wire), Pt1000, resolution 0.1 °C, 250 ms/Unit, screwless push-in connectors, 24 mm wide	298.50	375644	4548583353589	#		HB	A	CHN	8471.6070.00
NX-TS3202	4 Temperature Sensor Inputs, Pt100 (3-wire), resolution 0.01°C, 10 ms/Unit, screwless push-in connectors, 24 mm wide	481.30	380138	4548583353596			HB	A	CHN	8471.6070.00
NX-TS3204	4 Temperature Sensor Inputs, Pt100 (3-wire), Pt1000 (3-wire) resolution 0.001°C, 60 ms/Unit, screwless push-in connectors, 24 mm wide	481.30	380139	4548583353602			HB	A	CHN	8471.6070.00
NX-DA2203	2 Analog Outputs, 4 - 20 mA, resolution 1.8000, 250 us/ch, screwless push-in connector, 12 mm wide	219.50	375639	4548583353459	#		HB	A	CHN	8471.6070.00
NX-DA2205	2 Analog Outputs, 4 - 20 mA, resolution 1.30000, 10 us/ch, screwless push-in connector, 12 mm wide	276.20	375640	4548583353466			HB	A	CHN	8471.6070.00
NX-DA2603	2 Analog Outputs, -10 to 10 V, resolution 1.8000, 250 us/ch, screwless push-in connector, 12 mm wide	219.50	686022	4549734450447	#		HB	A	NLD	8471.6070.00
NX-DA2605	2 Analog Outputs, -10 to 10 V, resolution 1.30000, 10 us/ch, screwless push-in connector, 12 mm wide	276.20	375636	4548583353428			HB	A	CHN	8471.6070.00
NX-DA3203	4 Analog Outputs, 4 - 20 mA, resolution 1.8000, 250 us/ch, screwless push-in connector, 12 mm wide	251.50	686023	4549734450454	#		HB	A	NLD	8471.6070.00
NX-DA3205	4 Analog Outputs, 4 - 20 mA, resolution 1.30000, 10 us/ch, screwless push-in connector, 12 mm wide	373.20	375642	4548583353480			HB	A	CHN	8471.6070.00
NX-DA3603	4 Analog Outputs, -10 to 10 V, resolution 1.8000, 250 us/ch, screwless push-in connector, 12 mm wide	251.50	686024	4549734450461	#		HB	A	NLD	8471.6070.00
NX-DA3605	4 Analog Outputs, -10 to 10 V, resolution 1.30000, 10 us/ch, screwless push-in connector, 12 mm wide	373.20	375638	4548583353442	#		HB	A	CHN	8471.6070.00
NX-EO0112	1 x Incremental Encoder NPN Input, Phases A and B: Single-phase 500 kHz (phase difference pulse input x4: 125 kHz), Phase Z: 125 kHz, screwless push-in connector, 12 mm wide	239.20	393633	4548583552104			HB	A	CHN	8471.6070.00
NX-EO122	1 x Incremental Encoder PNP Input, Phases A and B: Single-phase 500 kHz (phase difference pulse input x4: 125 kHz), Phase Z: 125 kHz, screwless push-in connector, 12 mm wide	223.50	375645	4548583353619	#		HB	A	CHN	8471.6070.00
NX-EO132	1 x Incremental Encoder Line driver Input, Phases A and B: Single-phase 4 MHz (phase difference pulse input x4: 1 MHz), Phase Z: 1 MHz, NPN, screwless push-in connectors, 24 mm wide	373.20	393635	4548583552128			HB	A	CHN	8471.6070.00
NX-EO142	1 x Incremental Encoder Line driver Input, phases A and B: single-phase 4 MHz (phase difference pulse input x4: 1 MHz), Phase Z: 1 MHz, PNP, screwless push-in connectors, 24 mm wide	346.30	375647	4548583353633	#		HB	A	CHN	8471.6070.00
NX-EO212	2 x Incremental Encoder NPN Inputs, Phases A and B: Single-phase 500 kHz (phase difference pulse input x4: 125 kHz), Phase Z: 125 kHz, screwless push-in connector, 12 mm wide	267.10	393634	4548583552111	#		HB	A	CHN	8471.6070.00
NX-EO222	2 x Incremental Encoder PNP Inputs, Phases A and B: Single-phase 500 kHz (phase difference pulse input x4: 125 kHz), Phase Z: 125 kHz, screwless push-in connector, 12 mm wide	248.90	375646	4548583353626	#		HB	A	CHN	8471.6070.00
NX-ES0112	1 x SSI encoder Input, EA standard RS-422-A, 32 bits max data length, screwless push-in connector, 12 mm wide	314.70	375648	4548583353640			HB	A	CHN	8471.6070.00
NX-ES0212	2 x SSI encoder Inputs, EA standard RS-422-A, 32 bits max data length, screwless push-in connector, 12 mm wide	373.20	375649	4548583353657			HB	A	CHN	8471.6070.00
NX-PG0112	1 x Pulse Output, Forward/reverse direction pulses or Pulse + direction signal, NPN, screwless push-in connector, 12 mm wide	282.40	393636	4548583552135			HB	A	CHN	8471.6070.00
NX-PG0122	1 x Pulse Output, Forward/reverse direction pulses or Pulse + direction signal, PNP, screwless push-in connector, 12 mm wide	263.40	375650	4548583353664	#		HB	A	CHN	8471.6070.00
NX-PG0232-5	2 x Line Driver Pulse Output, NPN, 4 Mpps, 1 x MIL connector, 12 mm wide	628.00	670274	4548583783461			HB	A	JPN	8471.6070.00
NX-PG0242-5	2 x Line Driver Pulse Output, PNP, 4 Mpps, 1 x MIL connector, 12 mm wide	628.00	670276	4548583783478			HB	A	JPN	8471.6070.00
NX-PG0332-5	4 x Line Driver Pulse Output, NPN, 4 Mpps, 2 x MIL connectors, 24 mm wide	896.50	670273	4548583783447			HB	A	JPN	8471.6070.00
NX-PG0342-5	4 x Line Driver Pulse Output, PNP, 4 Mpps, 2 x MIL connectors, 24 mm wide	896.50	670272	4548583783454			HB	A	JPN	8471.6070.00
NX-CIF01	Serial Communication Interface Unit, 1 x RS-232C, screwless push-in connector, 12 mm wide	366.50	656498	4548583588653	#		HB	A	JPN	8471.8000.00
NX-CIF05	Serial Communication Interface Unit, 1 x RS-422/485C, screwless push-in connector, 12 mm wide	366.50	656497	4548583588660	#		HB	A	JPN	8471.8000.00
NX-CIF20	Serial Communication Interface Unit, 2 x RS-232C, 9-pin D-sub, 30 mm wide	431.10	656499	4548583588677			HB	A	JPN	8471.8000.00
NX-TC2405	2 loops, Thermocouple/Pt100 input, PNP 2 Digital Outputs 24 VDC, 21mA/point, Heat or Cool control, Heater burnout alarm, Push-in Plus terminals	375.30	680545	4549734191388	#		HB	A	CHN	8471.6070.00
NX-TC2406	2 loops, Thermocouple/Pt100 input, PNP 2 Digital Outputs 24 VDC, 21 mA/point, Heat or Cool control, Push-in Plus terminals	343.90	680937	4549734191395	#		HB	A	CHN	8471.6070.00
NX-TC2407	2 loops, Thermocouple/Pt100 input, PNP 4 Digital Outputs 24 VDC, 21mA/point, Heat and Cool control, Push-in Plus terminals	353.40	680542	4549734191401			HB	A	CHN	8471.6070.00
NX-TC2408	2 loops, Thermocouple/Pt100 input, 2 Analog Outputs, 4 - 20 mA, resolution 1:10000, Heat or Cool control, Push-in Plus terminals	401.80	680541	4549734191418			HB	A	CHN	8471.6070.00
NX-TC2409	4 loops, Thermocouple/Pt100 input, PNP 4 Digital Outputs 24 VDC, 21mA/point, Heat or Cool control, Heater burnout alarm, Push-in Plus terminals	477.20	680543	4549734191425	#		HB	A	CHN	8471.6070.00
NX-TC2406	4 loops, Thermocouple/Pt100 input, PNP 4 Digital Outputs 24 VDC, 21 mA/point, Heat or Cool control, Push-in Plus terminals	428.60	680544	4549734191432	#		HB	A	CHN	8471.6070.00
NX-TC2407	4 loops, Thermocouple/Pt100 input, PNP 8 Digital Outputs 24 VDC, 21 mA/point, Heat and Cool control, Push-in Plus terminals	438.10	680935	4549734191449			HB	A	CHN	8471.6070.00
NX-TC2408	4 loops, Thermocouple/Pt100 input, 4 Analog Outputs, 4 - 20 mA, resolution 1:10000, Heat or Cool control, Push-in Plus terminals	516.50	680936	4549734191456			HB	A	CHN	8471.6070.00

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	SLN. (Data sheet)	GTIN	Stock Qty.	Lot Qty.	Gr.	Fam	COO	Tariff Code
NX-EC201	NX-series EtherCAT Coupler, 2 ports, 250 us cycle time, 63 I/O units, max I/O current 4 A, screwless push-in connector, delivered with end cover	206.30	375658	4548583325262			HB	A	CHN	8471.6070.00
NX-EC202	NX-series EtherCAT Coupler, 2 ports, 250 us cycle time, 63 I/O units, max I/O current 10 A, screwless push-in connector, delivered with end cover	206.30	380148	4548583453586	#		HB	A	CHN	8471.6070.00
NX-EC203	NX-series EtherCAT Coupler, 2 ports, 125 us cycle time, 63 I/O units, max I/O current 10 A, screwless push-in connector, delivered with end cover	209.90	419154	4548583561939	#		HB	A	CHN	8471.6070.00
NX-EC202	NX-series EtherNet/IP Coupler, 2 ports, supports local safety, 63 I/O units, max I/O current 10 A, screwless push-in connector, delivered with end cover	334.30	399449	4548583523333	#		HB	A	CHN	8471.6070.00
NX-ILM400	NX-series IO-Link master IP20, 4 channels	226.10	671127	4548583819139	#		HB	A	JPN	8471.6070.00
NX-PC0010	NX I/O power connection unit, IOG, 5-24 V DC input, 16 terminals, screwless push-in connector, 12mm wide	43.88	686036	4549734450584	#		HB	A	NLD	8471.8000.00
NX-PC0020	NX I/O power connection unit, IOV, 5-24 V DC input, 16 terminals, screwless push-in connector, 12mm wide	43.88	686037	4549734450591	#		HB	A	NLD	8471.8000.00
NX-PC0030	NX I/O power connection unit, IOV, IOG, 5-24 V DC input, 8 + 8 terminals, screwless push-in connector, 12mm wide	43.88	686038	4549734450607	#		HB	A	NLD	8471.8000.00
NX-PD1000	NX bus power supply unit, 24 V DC input, non-isolated, screwless push-in connector, 12 mm wide	79.50	686039	4549734450614	#		HB	A	NLD	8471.8000.00
NX-PF0630	NX I/O power feed unit, 5-24 V DC input, 8 terminals, 4A, screwless push-in connector, 12mm wide	49.00	686040	4549734450621	#		HB	A	NLD	8471.8000.00
NX-PF0730	NX I/O power feed unit, 5-24 V DC input, 8 terminals, 10A, screwless push-in connector, 12mm wide	49.00	686041	4549734450638	#		HB	A	NLD	8471.8000.00
NX-PNC202	NX-series PROFINET Coupler, 2 ports, 63 I/O units, max I/O current 10 A, screwless push-in connector, delivered with end cover	460.00	701999	4549734710978	#		HB	A	CHN	8471.8000.00
NX-TBX01	NX FG shield connection unit, 16 terminals, screwless push-in connector, 12mm wide	42.03	375656	4548583353725	#		HB	A	CHN	8471.6070.00
NX-V680C2	NX series FFD communication unit, 2 antenna ports	2208.00	685616	4549734261869			HB	A	JPN	8471.6070.00
NX-AUX01	NX-series accessory, DIN rail insulation spacers, set of 3 pcs	20.17	375659	4548583364561			HB	A	JPN	8471.6070.00
NX-AUX02	Terminal block coding pins for 10x NX I/O units (terminal block: 30 pins, unit: 30 pins)	10.14	375660	4548583365148			HB	A	CHN	8471.6070.00
NX-END01	Replacement end cover for NX I/O series	9.92	375657	4548583353732			HB	A	CHN	8471.6070.00
NX-TBA082	Replacement screwless push-in connector with 8 wiring terminals (marked A+B)	11.11	380141	4548583476516			HB	A	CHN	8536.9010.00
NX-TBA162	Replacement screwless push-in connector with 16 wiring terminals (marked A+B)	9.93	380143	4548583476530			HB	A	CHN	8536.9010.00
NX-TBB162	Replacement screwless push-in connector with 16 wiring terminals (marked C+D)	9.49	380145	4548583476554			HB	A	CHN	8536.9010.00
<b>NXR-series</b>										
72MDm4MDm4005K	Ethernet cable, PVC, M12 plug (D-coding, male) to M12 plug (D-coding, male), 0.5 m, green	94.35	696256	4549734999861			HB	B	CHN	8544.4210.00
72MDm4MDm4010K	Ethernet cable, PVC, M12 plug (D-coding, male) to M12 plug (D-coding, male), 1 m, green	112.80	696255	4549734999854			HB	B	CHN	8544.4210.00
72MDm4MDm4020K	Ethernet cable, PVC, M12 plug (D-coding, male) to M12 plug (D-coding, male), 2 m, green	149.90	696254	4549734999847			HB	B	CHN	8544.4210.00
72MDm4MDm4030K	Ethernet cable, PVC, M12 plug (D-coding, male) to M12 plug (D-coding, male), 3 m, green	186.90	696253	4549734999830			HB	B	CHN	8544.4210.00
72MDm4MDm4050K	Ethernet cable, PVC, M12 plug (D-coding, male) to M12 plug (D-coding, male), 5 m, green	260.90	696252	4549734999823			HB	B	CHN	8544.4210.00
72MDm4MDm4100K	Ethernet cable, PVC, M12 plug (D-coding, male) to M12 plug (D-coding, male), 10 m, green	298.00	696251	4549734999816			HB	B	CHN	8544.4210.00
72MDm4Rm4005K	Ethernet cable, PVC, M12 plug (D-coding, male) to RJ45, 0.5 m, green	86.70	696233	4549734999632			HB	B	CHN	8544.4210.00
72MDm4Rm4010K	Ethernet cable, PVC, M12 plug (D-coding, male) to RJ45, 1 m, green	105.30	696261	4549734999915			HB	B	CHN	8544.4210.00
72MDm4Rm4020K	Ethernet cable, PVC, M12 plug (D-coding, male) to RJ45, 2 m, green	142.30	696260	4549734999908			HB	B	CHN	8544.4210.00
72MDm4Rm4030K	Ethernet cable, PVC, M12 plug (D-coding, male) to RJ45, 3 m, green	179.30	696259	4549734999892			HB	B	CHN	8544.4210.00
72MDm4Rm4050K	Ethernet cable, PVC, M12 plug (D-coding, male) to RJ45, 5 m, green	253.40	696258	4549734999885			HB	B	CHN	8544.4210.00
72MDm4Rm4100K	Ethernet cable, PVC, M12 plug (D-coding, male) to RJ45, 10 m, green	290.40	696257	4549734999878			HB	B	CHN	8544.4210.00
GX-ILM08C	GX Series IO-Link Master Unit IP67, 8 ports, EtherCAT	665.00	671128	4548583819146			HB	B	JPN	8471.6070.00
NXR-ILM08C-BT	NXR Series IO-Link Master Unit IP67, 8 ports, EtherNet/IP	640.00	695390	4549734605632			HB	B	JPN	8471.6070.00
NXR-ID166C-IL2	NXR Series IO-Hub IP67, 16 input, 8x M12 connectors	313.10	695388	4549734605656			HB	B	JPN	8471.6070.00
NXR-CD166C-IL2	NXR Series IO-Hub IP67, 16 input/output, 8x M12 connectors	386.40	695389	4549734605649			HB	B	JPN	8471.6070.00
1302011110	7/8 inch Waterproof Cover	57.80	696234	4549734999649			HB	B	MEX	8536.9095.00
72MNI4010	Power cable, PVC, 7/8 inch socket (female) to discrete wire, straight, 1 m	157.00	696250	4549734999809			HB	B	CHN	8544.4290.90
72MNI4020	Power cable, PVC, 7/8 inch socket (female) to discrete wire, straight, 2 m	165.10	696249	4549734999793			HB	B	CHN	8544.4290.90
72MNI4050	Power cable, PVC, 7/8 inch socket (female) to discrete wire, straight, 5 m	189.60	696248	4549734999786			HB	B	CHN	8544.4290.90
72MNI4100	Power cable, PVC, 7/8 inch socket (female) to discrete wire, straight, 10 m	230.50	696247	4549734999779			HB	B	CHN	8544.4290.90
72MNI4MNm4010	Power cable, PVC, 7/8 inch socket (female) to 7/8 inch plug (male), straight, 1 m	204.10	696242	4549734999724			HB	B	CHN	8544.4290.90
72MNI4MNm4020	Power cable, PVC, 7/8 inch socket (female) to 7/8 inch plug (male), straight, 2 m	212.30	696241	4549734999717			HB	B	CHN	8544.4290.90
72MNI4MNm4050	Power cable, PVC, 7/8 inch socket (female) to 7/8 inch plug (male), straight, 5 m	236.80	696240	4549734999700			HB	B	CHN	8544.4290.90
72MNI4MNm4100	Power cable, PVC, 7/8 inch socket (female) to 7/8 inch plug (male), straight, 10 m	277.80	696239	4549734999694			HB	B	CHN	8544.4290.90
72MNI4L010	Power cable, PVC, 7/8 inch socket (female) to discrete wire, right angle, 1 m	174.80	696246	4549734999762			HB	B	CHN	8544.4290.90
72MNI4L020	Power cable, PVC, 7/8 inch socket (female) to discrete wire, right angle, 2 m	182.80	696245	4549734999755			HB	B	CHN	8544.4290.90
72MNI4L050	Power cable, PVC, 7/8 inch socket (female) to discrete wire, right angle, 5 m	207.30	696244	4549734999748			HB	B	CHN	8544.4290.90
72MNI4L100	Power cable, PVC, 7/8 inch socket (female) to discrete wire, right angle, 10 m	248.20	696243	4549734999731			HB	B	CHN	8544.4290.90
72MNI4MNmL4010	Power cable, PVC, 7/8 inch socket (female) to 7/8 inch plug (male), right angle, 1 m	239.50	696238	4549734999687			HB	B	CHN	8544.4290.90
72MNI4MNmL4020	Power cable, PVC, 7/8 inch socket (female) to 7/8 inch plug (male), right angle, 2 m	247.60	696237	4549734999670			HB	B	CHN	8544.4290.90
72MNI4MNmL4050	Power cable, PVC, 7/8 inch socket (female) to 7/8 inch plug (male), right angle, 5 m	272.20	696236	4549734999663			HB	B	CHN	8544.4290.90
72MNI4MNmL4100	Power cable, PVC, 7/8 inch socket (female) to 7/8 inch plug (male), right angle, 10 m	313.00	696235	4549734999656			HB	B	CHN	8544.4290.90
<b>NX-safety</b>										
NX-SL3300	Safety controller, 32 safety master connections, up to 256 safety I/O	295.00	393736	4548583556058	#		HC	A	CHN	8471.6070.00
NX-SL3500	Safety controller, 128 safety master connections, up to 1024 safety I/O, 2MB memory capacity	663.00	393737	4548583556065	#		HC	A	CHN	8471.6070.00
NX-SL5500	Safety controller, CiP-S and EtherCAT, 128 safety master connections, up to 1024 safety I/O, 2 MB memory capacity, SD Backup/Restore supported	810.00	684733	4549734205702			HC	A	CHN	8471.6070.00
NX-SL5700	Safety controller, CiP-S and EtherCAT, 254 safety master connections, up to 2032 safety I/O, 4 MB memory capacity, SD Backup/Restore supported	1,105.00	684734	4549734205696			HC	A	CHN	8471.6070.00
NX-SD080	8 Digital Safety Inputs, PNP 24 VDC, screwless push-in connector, 12 mm wide	366.20	377519	454858377080			HC	A	CHN	8471.6070.00
NX-SD090	8 Digital Safety Inputs, PNP 24 VDC, screwless push-in connector, 12 mm wide	366.20	701996	4549734450027	#		HC	A	NLD	8471.6070.00
NX-SH400	4 Digital Safety Inputs, PNP 24 VDC, high connectivity unit, screwless push-in connector, 12 mm wide	283.80	393738	4548583556072	#		HC	A	CHN	8471.6070.00
NX-SH400	4 Digital Safety Inputs, PNP 24 VDC, high connectivity unit, screwless push-in connector, 12 mm wide	283.80	702008	4549734450058	#		HC	A	NLD	8471.6070.00
NX-SOD400	4 Digital Safety Outputs, PNP 24 VDC, 0.5 A/point, 2.0 A/NX Unit, screwless push-in connector, 12 mm wide	314.00	377518	4548583377066	#		HC	A	CHN	8471.6070.00
NX-SOD400	4 Digital Safety Outputs, PNP 24 VDC, 0.5 A/point, 2.0 A/NX Unit, screwless push-in connector, 12 mm wide	314.00	701995	4549734450010	#		HC	A	NLD	8471.6070.00

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Data sheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
NX-SQH200	2 Digital Safety Outputs. PNP 24 VDC, 2.0 A/point, 4.0 A/NX Unit, screwless push-in connector, 12 mm wide	273.30	377520	4548583377097			HC	A	CHN	8471.6070.00
NX-SQH200	2 Digital Safety Outputs. PNP 24 VDC, 2.0 A/point, 4.0 A/NX Unit, screwless push-in connector, 12 mm wide	273.30	701997	4549734450034			HC	A	NLD	8471.6070.00
NX-CSG320	Safety Gateway for CiP-Safety, SD-Card slot, I.Bus connection up to 10 A, Interface 1: Ethernet/IP port, Interface 2: CiP-Safety switching ports	1,049.00	684732	4549734205719			HC	A	CHN	8471.8000.00
<b>Promotional Item</b>										
NJ1 SQL STARTER KIT	NJ1 SQL Controller Promotion Kit	3,560.00	669042	4548583964723			HZ	A	NLD	9023.0080.00
NJ1 STARTER KIT	Integrated Automation, Machine Controllers others, Promotional Item, NJ1 STARTER KIT	4,676.00	656302	4548583948266			HZ	A	NLD	9023.0080.00
<b>Robot OAT Szara</b>										
17010-16000	eCobra 600 Lite, 5.5 kg payload, 600mm reach, 4 axis, 210mm Zaxis, IP20	15,230.00	684692	4549734445207			IB	A	JPN	8479.5000.00
17010-16010	eCobra 600 Lite, 5.5 kg payload, 600mm reach, 4 axis, 210mm Zaxis, IP20, Cleanroom	15,900.00	673890	4548583991187			IB	A	USA	8479.5000.00
17010-16010	eCobra 600 Lite, 5.5 kg payload, 600mm reach, 4 axis, 210mm Zaxis, IP20, Cleanroom	15,900.00	698783	4549734676199			IB	A	USA	8479.5000.00
17010-18000	eCobra 800 Lite, 5.5 kg payload, 800mm reach, 4 axis, 210mm Zaxis, IP20	18,400.00	684908	4549734445238			IB	A	JPN	8479.5000.00
17010-18010	eCobra 800 Lite, 5.5 kg payload, 800mm reach, 4 axis, 210mm Zaxis, IP20, Cleanroom	20,610.00	673896	4548583991255			IB	A	USA	8479.5000.00
17010-18010	eCobra 800 Lite, 5.5 kg payload, 800mm reach, 4 axis, 210mm Zaxis, IP20, Cleanroom	20,610.00	698780	4549734676236			IB	A	USA	8479.5000.00
17010-18030	eCobra 800 Lite, 5.5 kg payload, 800mm reach, 4 axis, 210mm Zaxis, IP65	24,160.00	673897	4548583991262			IB	A	USA	8479.5000.00
17010-18030	eCobra 800 Lite, 5.5 kg payload, 800mm reach, 4 axis, 210mm Zaxis, IP65	24,160.00	698758	4549734676532			IB	A	USA	8479.5000.00
17010-18400	eCobra 800 Lite Inverted, 5.5 kg payload, 800mm reach, 4 axis, 210mm Zaxis, IP20	21,940.00	674004	4548583992337			IB	A	USA	8479.5000.00
17010-18400	eCobra 800 Lite Inverted, 5.5 kg payload, 800mm reach, 4 axis, 210mm Zaxis, IP20, Cleanroom	21,940.00	698775	4549734676328			IB	A	USA	8479.5000.00
17010-18410	eCobra 800 Lite Inverted, 5.5 kg payload, 800mm reach, 4 axis, 210mm Zaxis, IP20, Cleanroom	23,760.00	673909	4548583991385			IB	A	USA	8479.5000.00
17010-18410	eCobra 800 Lite Inverted, 5.5 kg payload, 800mm reach, 4 axis, 210mm Zaxis, IP20, Cleanroom	23,760.00	698770	4549734676427			IB	A	USA	8479.5000.00
17010-18430	eCobra 800 Lite Inverted, 5.5 kg payload, 800mm reach, 4 axis, 210mm Zaxis, IP65	25,130.00	673910	4548583991392			IB	A	USA	8479.5000.00
17010-18430	eCobra 800 Lite Inverted, 5.5 kg payload, 800mm reach, 4 axis, 210mm Zaxis, IP65	25,130.00	698765	4549734676519			IB	A	USA	8479.5000.00
17111-16000	eCobra 600 Standard, 5.5 kg payload, 600mm reach, 4 axis, 210mm Zaxis, IP20, ePLC	17,410.00	684693	4549734445214			IB	A	JPN	8479.5000.00
17111-16010	eCobra 600 Standard, 5.5 kg payload, 600mm reach, 4 axis, 210mm Zaxis, IP20, ePLC, Cleanroom	19,730.00	673891	4548583991194			IB	A	USA	8479.5000.00
17111-16010	eCobra 600 Standard, 5.5 kg payload, 600mm reach, 4 axis, 210mm Zaxis, IP20, ePLC, Cleanroom	19,730.00	698782	4549734676205			IB	A	USA	8479.5000.00
17111-18000	eCobra 800 Standard, 5.5 kg payload, 800mm reach, 4 axis, 210mm Zaxis, IP20, ePLC	19,840.00	684909	4549734445245			IB	A	JPN	8479.5000.00
17111-18010	eCobra 800 Standard, 5.5 kg payload, 800mm reach, 4 axis, 210mm Zaxis, IP20, ePLC, Cleanroom	22,040.00	673898	4548583991279			IB	A	USA	8479.5000.00
17111-18010	eCobra 800 Standard, 5.5 kg payload, 800mm reach, 4 axis, 210mm Zaxis, IP20, ePLC, Cleanroom	22,040.00	698777	4549734676304			IB	A	USA	8479.5000.00
17111-18030	eCobra 800 Standard, 5.5 kg payload, 800mm reach, 4 axis, 210mm Zaxis, IP65, ePLC	24,990.00	673887	4548583991156			IB	A	USA	8479.5000.00
17111-18030	eCobra 800 Standard, 5.5 kg payload, 800mm reach, 4 axis, 210mm Zaxis, IP65, ePLC	24,990.00	698757	4549734676663			IB	A	USA	8479.5000.00
17111-18400	eCobra 800 Standard Inverted, 5.5 kg payload, 800mm reach, 4 axis, 210mm Zaxis, IP20, ePLC	23,450.00	698772	4549734676380			IB	A	USA	8479.5000.00
17111-18410	eCobra 800 Standard Inverted, 5.5 kg payload, 800mm reach, 4 axis, 210mm Zaxis, IP20, ePLC, Cleanroom	25,350.00	673911	4548583991408			IB	A	USA	8479.5000.00
17111-18410	eCobra 800 Standard Inverted, 5.5 kg payload, 800mm reach, 4 axis, 210mm Zaxis, IP20, ePLC, Cleanroom	25,350.00	698767	4549734676496			IB	A	USA	8479.5000.00
17111-18430	eCobra 800 Standard Inverted, 5.5 kg payload, 800mm reach, 4 axis, 210mm Zaxis, IP65, ePLC	26,720.00	673912	4548583991415			IB	A	USA	8479.5000.00
17111-18430	eCobra 800 Standard Inverted, 5.5 kg payload, 800mm reach, 4 axis, 210mm Zaxis, IP65, ePLC	26,720.00	698762	4549734676571			IB	A	USA	8479.5000.00
1713-16000	eCobra 600 Standard, Add-On, 5.5 kg payload, 600mm reach, 4 axis, 210mm Zaxis, IP20	17,210.00	684695	4549734445269			IB	A	JPN	8479.5000.00
1713-16010	eCobra 600 Standard, Add-On, 5.5 kg payload, 600mm reach, 4 axis, 210mm Zaxis, IP20, Cleanroom	19,820.00	673892	4548583991200			IB	A	USA	8479.5000.00
1713-16010	eCobra 600 Standard, Add-On, 5.5 kg payload, 600mm reach, 4 axis, 210mm Zaxis, IP20, Cleanroom	19,820.00	698781	4549734676212			IB	A	USA	8479.5000.00
1713-18000	eCobra 800 Standard, Add-On, 5.5 kg payload, 800mm reach, 4 axis, 210mm Zaxis, IP20	19,840.00	684911	4549734445283			IB	A	JPN	8479.5000.00
1713-18010	eCobra 800 Standard, Add-On, 5.5 kg payload, 800mm reach, 4 axis, 210mm Zaxis, IP20, Cleanroom	22,040.00	673899	4548583991286			IB	A	USA	8479.5000.00
1713-18010	eCobra 800 Standard, Add-On, 5.5 kg payload, 800mm reach, 4 axis, 210mm Zaxis, IP20, Cleanroom	22,040.00	698776	4549734676311			IB	A	USA	8479.5000.00
1713-18030	eCobra 800 Standard, Add-On, 5.5 kg payload, 800mm reach, 4 axis, 210mm Zaxis, IP65	25,060.00	673900	4548583991293			IB	A	USA	8479.5000.00
1713-18030	eCobra 800 Standard, Add-On, 5.5 kg payload, 800mm reach, 4 axis, 210mm Zaxis, IP65	25,060.00	698756	4549734676670			IB	A	USA	8479.5000.00
1713-18400	eCobra 800 Standard, Add-On, 5.5 kg payload, 800mm reach, 4 axis, 210mm Zaxis, IP20	24,190.00	673995	4548583992245			IB	A	USA	8479.5000.00
1713-18400	eCobra 800 Standard, Add-On, 5.5 kg payload, 800mm reach, 4 axis, 210mm Zaxis, IP20	24,190.00	698771	4549734676410			IB	A	USA	8479.5000.00
1713-18410	eCobra 800 Standard Inverted, Add-On, 5.5 kg payload, 800mm reach, 4 axis, 210mm Zaxis, IP20, Cleanroom	26,200.00	673913	4548583991422			IB	A	USA	8479.5000.00
1713-18410	eCobra 800 Standard Inverted, Add-On, 5.5 kg payload, 800mm reach, 4 axis, 210mm Zaxis, IP20, Cleanroom	26,200.00	698766	4549734676502			IB	A	USA	8479.5000.00
1713-18430	eCobra 800 Standard Inverted, Add-On, 5.5 kg payload, 800mm reach, 4 axis, 210mm Zaxis, IP65	28,190.00	673914	4548583991439			IB	A	USA	8479.5000.00
1713-18430	eCobra 800 Standard Inverted, Add-On, 5.5 kg payload, 800mm reach, 4 axis, 210mm Zaxis, IP65	28,190.00	698761	4549734676588			IB	A	USA	8479.5000.00
17201-14500	Cobra 450, 5 kg payload, 450mm reach, 4 axis, 200mm Zaxis, IP20	18,370.00	684809	4549734444293		#	IB	A	CHN	8479.5000.00
17201-15000	Cobra 500, 5 kg payload, 500mm reach, 4 axis, 200mm Zaxis, IP20	18,720.00	694727	4549734444316			IB	A	CHN	8479.5000.00
17201-16500	Cobra 650, 5 kg payload, 650mm reach, 4 axis, 200mm Zaxis, IP20	19,820.00	694729	4549734444330			IB	A	CHN	8479.5000.00
17203-14500	Cobra 450, Add-On, 5 kg payload, 450mm reach, 4 axis, 200mm Zaxis, IP20	18,370.00	684810	4549734444309			IB	A	CHN	8479.5000.00
17203-15000	Cobra 500, Add-On, 5 kg payload, 500mm reach, 4 axis, 200mm Zaxis, IP20	18,720.00	684728	4549734444323			IB	A	CHN	8479.5000.00
17203-16500	Cobra 650, Add-On, 5 kg payload, 650mm reach, 4 axis, 200mm Zaxis, IP20	19,820.00	684726	4549734444347			IB	A	CHN	8479.5000.00
17211-16000	eCobra 600 Pro, 5.5 kg payload, 600mm reach, 4 axis, 210mm Zaxis, IP20, ePLC	19,800.00	684694	4549734445221		#	IB	A	JPN	8479.5000.00
17211-16010	eCobra 600 Pro, 5.5 kg payload, 600mm reach, 4 axis, 210mm Zaxis, IP20, ePLC, Cleanroom	22,010.00	673893	4548583991217			IB	A	USA	8479.5000.00
17211-16010	eCobra 600 Pro, 5.5 kg payload, 600mm reach, 4 axis, 210mm Zaxis, IP20, ePLC, Cleanroom	22,010.00	698778	4549734676267			IB	A	USA	8479.5000.00
17211-18000	eCobra 800 Pro, 5.5 kg payload, 800mm reach, 4 axis, 210mm Zaxis, IP20, ePLC	23,170.00	684910	4549734445252			IB	A	JPN	8479.5000.00
17211-18010	eCobra 800 Pro, 5.5 kg payload, 800mm reach, 4 axis, 210mm Zaxis, IP20, ePLC, Cleanroom	25,420.00	673901	4548583991309			IB	A	USA	8479.5000.00
17211-18010	eCobra 800 Pro, 5.5 kg payload, 800mm reach, 4 axis, 210mm Zaxis, IP20, ePLC, Cleanroom	25,420.00	698773	4549734676366			IB	A	USA	8479.5000.00
17211-18030	eCobra 800 Pro, 5.5 kg payload, 800mm reach, 4 axis, 210mm Zaxis, IP65, ePLC	30,360.00	673902	4548583991316			IB	A	USA	8479.5000.00
17211-18030	eCobra 800 Pro, 5.5 kg payload, 800mm reach, 4 axis, 210mm Zaxis, IP65, ePLC	30,360.00	698754	4549734676700			IB	A	USA	8479.5000.00
17211-18400	eCobra 800 Pro Inverted, 5.5 kg payload, 800mm reach, 4 axis, 210mm Zaxis, IP20, ePLC	26,000.00	673991	4548583992207			IB	A	USA	8479.5000.00
17211-18400	eCobra 800 Pro Inverted, 5.5 kg payload, 800mm reach, 4 axis, 210mm Zaxis, IP20, ePLC	26,000.00	698769	4549734676441			IB	A	USA	8479.5000.00
17211-18410	eCobra 800 Pro Inverted, 5.5 kg payload, 800mm reach, 4 axis, 210mm Zaxis, IP20, ePLC, Cleanroom	27,930.00	673915	4548583991446			IB	A	USA	8479.5000.00
17211-18410	eCobra 800 Pro Inverted, 5.5 kg payload, 800mm reach, 4 axis, 210mm Zaxis, IP20, ePLC, Cleanroom	27,930.00	698764	4549734676540			IB	A	USA	8479.5000.00
17211-18430	eCobra 800 Pro Inverted, 5.5 kg payload, 800mm reach, 4 axis, 210mm Zaxis, IP65, ePLC	29,910.00	673916	4548583991453			IB	A	USA	8479.5000.00
17211-18430	eCobra 800 Pro Inverted, 5.5 kg payload, 800mm reach, 4 axis, 210mm Zaxis, IP65, ePLC	29,910.00	698760	4549734676601			IB	A	USA	8479.5000.00
17213-16000	eCobra 600 Pro, Add-On, 5.5 kg payload, 600mm reach, 4 axis, 210mm Zaxis, IP20	19,800.00	684689	4549734445276			IB	A	JPN	8479.5000.00
17213-16010	eCobra 600 Pro, Add-On, 5.5 kg payload, 600mm reach, 4 axis, 210mm Zaxis, IP20, Cleanroom	22,010.00	673894	4548583991224			IB	A	USA	8479.5000.00
17213-16010	eCobra 600 Pro, Add-On, 5.5 kg payload, 600mm reach, 4 axis, 210mm Zaxis, IP20, Cleanroom	22,010.00	698779	4549734676243			IB	A	USA	8479.5000.00
17213-18000	eCobra 800 Pro, Add-On, 5.5 kg payload, 800mm reach, 4 axis, 210mm Zaxis, IP20	23,170.00	684912	4549734445290			IB	A	JPN	8479.5000.00

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Daheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
17213-18010	eCobra 800 Pro, Add-On, 5.5 kg payload, 800mm reach, 4 axis, 210mm Zaxis, IP20, Cleanroom	25,420.00	673903	4548583991323			IB	A	USA	8479.5000.00
17213-18010	eCobra 800 Pro, Add-On, 5.5 kg payload, 800mm reach, 4 axis, 210mm Zaxis, IP20, Cleanroom	25,420.00	698774	4549734676342			IB	A	USA	8479.5000.00
17213-18030	eCobra 800 Pro, Add-On, 5.5 kg payload, 800mm reach, 4 axis, 210mm Zaxis, IP65	30,440.00	698755	4549734676687			IB	A	USA	8479.5000.00
17213-18400	eCobra 800 Pro Inverted, Add-On, 5.5 kg payload, 800mm reach, 4 axis, 210mm Zaxis, IP20	27,460.00	673973	4548583992023			IB	A	USA	8479.5000.00
17213-18400	eCobra 800 Pro Inverted, Add-On, 5.5 kg payload, 800mm reach, 4 axis, 210mm Zaxis, IP20	27,460.00	698768	4549734676465			IB	A	USA	8479.5000.00
17213-18410	eCobra 800 Pro Inverted, Add-On, 5.5 kg payload, 800mm reach, 4 axis, 210mm Zaxis, IP20, Cleanroom	29,440.00	673917	4548583991480			IB	A	USA	8479.5000.00
17213-18410	eCobra 800 Pro Inverted, Add-On, 5.5 kg payload, 800mm reach, 4 axis, 210mm Zaxis, IP20, Cleanroom	29,440.00	698763	4549734676557			IB	A	USA	8479.5000.00
17213-18430	eCobra 800 Pro Inverted, Add-On, 5.5 kg payload, 800mm reach, 4 axis, 210mm Zaxis, IP65	27,520.00	673918	4548583991477			IB	A	USA	8479.5000.00
17213-18430	eCobra 800 Pro Inverted, Add-On, 5.5 kg payload, 800mm reach, 4 axis, 210mm Zaxis, IP65	27,520.00	698759	4549734676618			IB	A	USA	8479.5000.00
RL4-1166000	eCobra 600 Standard, 5.5 kg payload, 600 mm reach, 4 axis, 210 mm Zaxis, IP20, EtherCAT	17,290.00	695944	4549734671156			IB	A	JPN	8479.5000.00
RL4-1166010	eCobra 600 Standard, 5.5 kg payload, 600 mm reach, 4 axis, 210 mm Zaxis, IP20, EtherCAT	19,620.00	695943	4549734671163			IB	A	JPN	8479.5000.00
RL4-1168000	eCobra 800 Standard, 5.5 kg payload, 600 mm reach, 4 axis, 210 mm Zaxis, IP20, EtherCAT	21,400.00	695940	4549734671194			IB	A	JPN	8479.5000.00
RL4-1168010	eCobra 800 Standard, 5.5 kg payload, 600 mm reach, 4 axis, 210 mm Zaxis, IP20, EtherCAT	23,770.00	695939	4549734671200			IB	A	JPN	8479.5000.00
RL4-1168030	eCobra 800 Standard, 5.5 kg payload, 600 mm reach, 4 axis, 210 mm Zaxis, IP65, EtherCAT	25,940.00	695938	4549734671217			IB	A	JPN	8479.5000.00
RL4-2166000	eCobra 600 Pro, 5.5 kg payload, 600 mm reach, 4 axis, 210 mm Zaxis, IP20, EtherCAT	21,350.00	695942	4549734671170			IB	A	JPN	8479.5000.00
RL4-2166010	eCobra 600 Pro, 5.5 kg payload, 600 mm reach, 4 axis, 210 mm Zaxis, IP20, EtherCAT	23,720.00	695941	4549734671187			IB	A	JPN	8479.5000.00
RL4-2168000	eCobra 800 Pro, 5.5 kg payload, 600 mm reach, 4 axis, 210 mm Zaxis, IP20, EtherCAT	24,990.00	695937	4549734671224			IB	A	JPN	8479.5000.00
RL4-2168010	eCobra 800 Pro, 5.5 kg payload, 600 mm reach, 4 axis, 210 mm Zaxis, IP65, EtherCAT	27,410.00	695936	45497346711231			IB	A	JPN	8479.5000.00
RS4-2030002	i4-350L, 5 kg payload, 350 mm reach, 4 axis, 180 mm Zaxis, Table Mount, IP20, ICS-ENET	9,290.00	695954	4549734693011			IB	A	CHN	8479.5000.00
RS4-2054002	i4-450L, 5 kg payload, 450 mm reach, 4 axis, 180 mm Zaxis, Table Mount, IP20, ICS-ENET	10,100.00	695943	4549734693028			IB	A	CHN	8479.5000.00
RS4-2055002	i4-550L, 5 kg payload, 550 mm reach, 4 axis, 180 mm Zaxis, Table Mount, IP20, ICS-ENET	11,110.00	695938	4549734693035			IB	A	CHN	8479.5000.00
RS4-2055004	i4-550L, 5 kg payload, 550 mm reach, 4 axis, 350 mm Zaxis, Table Mount, IP20, ICS-ENET	12,120.00	695937	4549734693042			IB	A	CHN	8479.5000.00
RS4-2055102	i4-550L, 5 kg payload, 550 mm reach, 4 axis, 180 mm Zaxis, Wall Mount, IP20, ICS-ENET	11,110.00	695936	4549734693073			IB	A	CHN	8479.5000.00
RS4-2055104	i4-550L, 5 kg payload, 550 mm reach, 4 axis, 350 mm Zaxis, Wall Mount, IP20, ICS-ENET	12,000.00	695935	4549734693080			IB	A	CHN	8479.5000.00
RS4-2066502	i4-650H, 15 kg payload, 650 mm reach, 4 axis, 210 mm Zaxis, Table Mount, IP20, ICS-ECAT	22,900.00	700387	4549734704359			IB	A	USA	8479.5000.00
RS4-2066504	i4-650H, 15 kg payload, 650 mm reach, 4 axis, 410 mm Zaxis, Table Mount, IP20, ICS-ECAT	23,900.00	700386	4549734704366			IB	A	USA	8479.5000.00
RS4-2066702	i4-650H, 15 kg payload, 650 mm reach, 4 axis, 210 mm Zaxis, Inverted Mount, IP20, ICS-ECAT	22,900.00	700385	4549734704373			IB	A	USA	8479.5000.00
RS4-2066704	i4-650H, 15 kg payload, 650 mm reach, 4 axis, 410 mm Zaxis, Inverted Mount, IP20, ICS-ECAT	23,900.00	700384	4549734704380			IB	A	USA	8479.5000.00
RS4-2067502	i4-750H, 15 kg payload, 750 mm reach, 4 axis, 210 mm Zaxis, Table Mount, IP20, ICS-ECAT	23,900.00	700383	4549734704397			IB	A	USA	8479.5000.00
RS4-2067504	i4-750H, 15 kg payload, 750 mm reach, 4 axis, 410 mm Zaxis, Table Mount, IP20, ICS-ECAT	24,900.00	700382	4549734704403			IB	A	USA	8479.5000.00
RS4-2067702	i4-750H, 15 kg payload, 750 mm reach, 4 axis, 210 mm Zaxis, Inverted Mount, IP20, ICS-ECAT	23,900.00	700381	4549734704410			IB	A	USA	8479.5000.00
RS4-2067704	i4-750H, 15 kg payload, 750 mm reach, 4 axis, 410 mm Zaxis, Inverted Mount, IP20, ICS-ECAT	24,900.00	700380	4549734704427			IB	A	USA	8479.5000.00
RS4-2068502	i4-850H, 15 kg payload, 850 mm reach, 4 axis, 210 mm Zaxis, Table Mount, IP20, ICS-ECAT	24,900.00	700379	4549734704434			IB	A	USA	8479.5000.00
RS4-2068504	i4-850H, 15 kg payload, 850 mm reach, 4 axis, 410 mm Zaxis, Table Mount, IP20, ICS-ECAT	25,900.00	700378	4549734704441			IB	A	USA	8479.5000.00
RS4-2068702	i4-850H, 15 kg payload, 850 mm reach, 4 axis, 210 mm Zaxis, Inverted Mount, IP20, ICS-ECAT	24,900.00	700377	4549734704458			IB	A	USA	8479.5000.00
RS4-2068704	i4-850H, 15 kg payload, 850 mm reach, 4 axis, 410 mm Zaxis, Inverted Mount, IP20, ICS-ECAT	25,900.00	700376	4549734704465			IB	A	USA	8479.5000.00
<b>Bobot OAT Delta</b>										
17200-45600	Hornet 565, 8 kg payload, 565mm reach, 0° rotation, 3 axis, 425mm Zaxis, IP20, ePLC	27,150.00	683025	4549734264280			IB	B	NLD	8479.5000.00
17200-45604	Hornet 565, 3 kg payload, 565mm reach, 360° rotation, 4 axis, 425mm Zaxis, IP20, ePLC	30,360.00	683026	4549734264297			IB	B	NLD	8479.5000.00
17200-45610	Hornet 565, 8 kg payload, 565mm reach, 0° rotation, 3 axis, 425mm Zaxis, IP65, ePLC	28,130.00	683027	4549734264303			IB	B	NLD	8479.5000.00
17200-45614	Hornet 565, 3 kg payload, 565mm reach, 360° rotation, 4 axis, 425mm Zaxis, IP65, ePLC	31,340.00	683028	4549734264310			IB	B	NLD	8479.5000.00
17201-45600	Hornet 565, 8 kg payload, 565mm reach, 0° rotation, 3 axis, 425mm Zaxis, IP20, ePLC	24,240.00	683061	4549734263733			IB	B	NLD	8479.5000.00
17201-45604	Hornet 565, 3 kg payload, 565mm reach, 360° rotation, 4 axis, 425mm Zaxis, IP20, ePLC	21,470.00	683024	4549734263726			IB	B	NLD	8479.5000.00
17201-45614	Hornet 565, 3 kg payload, 565mm reach, 360° rotation, 4 axis, 425mm Zaxis, IP65, ePLC	22,210.00	683064	4549734264099			IB	B	NLD	8479.5000.00
17202-45600	Hornet 565, SmartController EX, 8 kg payload, 565mm reach, 0° rotation, 3 axis, 425mm Zaxis, IP20, ePLC	28,860.00	683029	4549734264327			IB	B	NLD	8479.5000.00
17202-45610	Hornet 565, SmartController EX, 8 kg payload, 565mm reach, 0° rotation, 3 axis, 425mm Zaxis, IP65, ePLC	29,810.00	683031	4549734264341			IB	B	NLD	8479.5000.00
17203-45600	Hornet 565, Add-On, 8 kg payload, 565mm reach, 0° rotation, 3 axis, 425mm Zaxis, IP20, ePLC	24,670.00	683063	4549734263757			IB	B	NLD	8479.5000.00
17203-45604	Hornet 565, Add-On, 3 kg payload, 565mm reach, 360° rotation, 4 axis, 425mm Zaxis, IP20, ePLC	27,930.00	683062	4549734263740			IB	B	NLD	8479.5000.00
17203-45610	Hornet 565, Add-On, 8 kg payload, 565mm reach, 0° rotation, 3 axis, 425mm Zaxis, IP65, ePLC	26,410.00	683066	4549734264105			IB	B	NLD	8479.5000.00
17203-45614	Hornet 565, Add-On, 3 kg payload, 565mm reach, 360° rotation, 4 axis, 425mm Zaxis, IP65, ePLC	21,470.00	683023	4549734264112			IB	B	NLD	8479.5000.00
17204-45600	Hornet 565, SmartController EX, 8 kg payload, 565mm reach, 0° rotation, 3 axis, 425mm Zaxis, IP20, ePLC	28,880.00	683033	4549734264365			IB	B	NLD	8479.5000.00
17204-45610	Hornet 565, SmartController EX, 8 kg payload, 565mm reach, 0° rotation, 3 axis, 425mm Zaxis, IP65, ePLC	29,890.00	683035	4549734264389			IB	B	NLD	8479.5000.00
17212-26000	Quattro 650H, SmartController EX, 15 kg payload, 1300mm diameter reach, P30, 0° rotation, 4 axis, 500mm Zaxis, IP20 Base, IP67 Tooling, ePLC	36,810.00	683037	4549734264402			IB	B	NLD	8479.5000.00
17212-26001	Quattro 650H, SmartController EX, 6 kg payload, 1300mm diameter reach, P31, 46.25° rotation, 4 axis, 500mm Zaxis, IP20 Base, IP67 Tooling, ePLC	38,030.00	683040	4549734264433			IB	B	NLD	8479.5000.00
17212-26002	Quattro 650H, SmartController EX, 6 kg payload, 1300mm diameter reach, P32, 92.5° rotation, 4 axis, 500mm Zaxis, IP20 Base, IP67 Tooling, ePLC	39,480.00	683043	4549734264464			IB	B	NLD	8479.5000.00
17212-26004	Quattro 650H, SmartController EX, 6 kg payload, 1300mm diameter reach, P34, 185° rotation, 4 axis, 500mm Zaxis, IP20 Base, IP67 Tooling, ePLC	39,420.00	683046	4549734264495			IB	B	NLD	8479.5000.00
17212-26010	Quattro 650HS, SmartController EX, 8 kg payload, 1300mm diameter reach, P30, 0° rotation, 4 axis, 500mm Zaxis, IP67 Base, IP67 Tooling, ePLC, USDA	49,810.00	683038	4549734264419			IB	B	NLD	8479.5000.00
17212-26011	Quattro 650HS, SmartController EX, 3 kg payload, 1300mm diameter reach, P31, 46.25° rotation, 4 axis, 500mm Zaxis, IP67 Base, IP67 Tooling, ePLC, USDA	52,150.00	683041	4549734264440			IB	B	NLD	8479.5000.00
17212-26012	Quattro 650HS, SmartController EX, 3 kg payload, 1300mm diameter reach, P32, 92.5° rotation, 4 axis, 500mm Zaxis, IP67 Base, IP67 Tooling, ePLC, USDA	54,600.00	683044	4549734264471			IB	B	NLD	8479.5000.00
17212-26014	Quattro 650HS, SmartController EX, 3 kg payload, 1300mm diameter reach, P34, 185° rotation, 4 axis, 500mm Zaxis, IP67 Base, IP67 Tooling, ePLC, USDA	54,550.00	683047	4549734264501			IB	B	NLD	8479.5000.00
17212-26020	Quattro 650H, SmartController EX, 15 kg payload, 1300mm diameter reach, P30, 0° rotation, 4 axis, 500mm Zaxis, IP65 Base, IP67 Tooling, ePLC	37,780.00	683039	4549734264426			IB	B	NLD	8479.5000.00
17212-26021	Quattro 650H, SmartController EX, 6 kg payload, 1300mm diameter reach, P31, 46.25° rotation, 4 axis, 500mm Zaxis, IP65 Base, IP67 Tooling, ePLC	39,040.00	683042	4549734264457			IB	B	NLD	8479.5000.00
17212-26022	Quattro 650H, SmartController EX, 6 kg payload, 1300mm diameter reach, P32, 92.5° rotation, 4 axis, 500mm Zaxis, IP65 Base, IP67 Tooling, ePLC	40,460.00	683045	4549734264488			IB	B	NLD	8479.5000.00
17212-26024	Quattro 650H, SmartController EX, 6 kg payload, 1300mm diameter reach, P34, 185° rotation, 4 axis, 500mm Zaxis, IP65 Base, IP67 Tooling, ePLC	40,370.00	683048	4549734264518			IB	B	NLD	8479.5000.00
17212-26300	Quattro 800H, SmartController EX, 10 kg payload, 1600mm diameter reach, P30, 0° rotation, 4 axis, 500mm Zaxis, IP20 Base, IP67 Tooling, ePLC	36,850.00	683049	4549734264525			IB	B	NLD	8479.5000.00
17212-26301	Quattro 800H, SmartController EX, 4 kg payload, 1600mm diameter reach, P31, 46.25° rotation, 4 axis, 500mm Zaxis, IP20 Base, IP67 Tooling, ePLC	38,060.00	683052	4549734264556			IB	B	NLD	8479.5000.00
17212-26302	Quattro 800H, SmartController EX, 4 kg payload, 1600mm diameter reach, P32, 92.5° rotation, 4 axis, 500mm Zaxis, IP20 Base, IP67 Tooling, ePLC	39,510.00	683055	4549734264587			IB	B	NLD	8479.5000.00
17212-26304	Quattro 800H, SmartController EX, 4 kg payload, 1600mm diameter reach, P34, 185° rotation, 4 axis, 500mm Zaxis, IP20 Base, IP67 Tooling, ePLC	39,450.00	683058	4549734264617			IB	B	NLD	8479.5000.00
17212-26310	Quattro 800HS, SmartController EX, 7 kg payload, 1600mm diameter reach, P30, 0° rotation, 4 axis, 500mm Zaxis, IP67 Base, IP67 Tooling, ePLC, USDA	49,830.00	683050	4549734264532			IB	B	NLD	8479.5000.00
17212-26311	Quattro 800HS, SmartController EX, 1 kg payload, 1600mm diameter reach, P31, 46.25° rotation, 4 axis, 500mm Zaxis, IP67 Base, IP67 Tooling, ePLC, USDA	52,200.00	683053	4549734264563			IB	B	NLD	8479.5000.00
17212-26312	Quattro 800HS, SmartController EX, 1 kg payload, 1600mm diameter reach, P32, 92.5° rotation, 4 axis, 500mm Zaxis, IP67 Base, IP67 Tooling, ePLC, USDA	54,600.00	683056	4549734264594			IB	B	NLD	8479.5000.00
17212-26314										





Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Data sheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
FX4-2166324	IX4-800H, 4 kg payload, 1600 mm diameter reach, P34, 185° rotation, 4 axis, 500 mm Z-axis, IP65 Base, IP67 Tooling, iCS ECAT	45.410,00	700767	4549734704748			IB	B	NLD	8479.5000.00
<b>Robot QAT Articulated.</b>										
17201-36000	Viper 650, 5 kg payload, 653mm reach, 6 axis, IP40, ePLC	27.060,00	687015	4548583805330			IB	C	JPN	8479.5000.00
17201-36010	Viper 650, 5 kg payload, 653mm reach, 6 axis, IP65, ePLC	33.960,00	687013	4549734107679			IB	C	JPN	8479.5000.00
17201-36020	Viper 650, 5 kg payload, 653mm reach, 6 axis, IP40, ePLC, Cleanroom	34.560,00	687012	4549734107686			IB	C	JPN	8479.5000.00
17201-38000	Viper 850, 5 kg payload, 855mm reach, 6 axis, IP40, ePLC	32.920,00	687014	4548583805347		#	IB	C	JPN	8479.5000.00
17201-38010	Viper 850, 5 kg payload, 855mm reach, 6 axis, IP65, ePLC	35.590,00	687011	4549734107693			IB	C	JPN	8479.5000.00
17201-38020	Viper 850, 5 kg payload, 855mm reach, 6 axis, IP40, ePLC, Cleanroom	36.770,00	687010	4549734107709			IB	C	JPN	8479.5000.00
17203-36000	Viper 650, Add-On, 5 kg payload, 653mm reach, 6 axis, IP40, ePLC	27.120,00	687016	4548583805354			IB	C	JPN	8479.5000.00
17203-36010	Viper 650, Add-On, 5 kg payload, 653mm reach, 6 axis, IP65, ePLC	34.080,00	687009	4549734107716			IB	C	JPN	8479.5000.00
17203-36020	Viper 650, Add-On, 5 kg payload, 653mm reach, 6 axis, IP40, ePLC, Cleanroom	34.670,00	687008	4549734107723			IB	C	JPN	8479.5000.00
17203-38000	Viper 850, Add-On, 5 kg payload, 855mm reach, 6 axis, IP40, ePLC	32.860,00	687017	4548583805361			IB	C	JPN	8479.5000.00
17203-38010	Viper 850, Add-On, 5 kg payload, 855mm reach, 6 axis, IP65, ePLC	35.700,00	687007	4549734107730			IB	C	JPN	8479.5000.00
17203-38020	Viper 850, Add-On, 5 kg payload, 855mm reach, 6 axis, IP40, ePLC, Cleanroom	36.860,00	687006	4549734107747			IB	C	JPN	8479.5000.00
RL6-2066000	Viper 650, 5 kg payload, 653 mm reach, 6 axis, IP40, EtherCAT	30.720,00	699099	4549734685795			IB	C	JPN	8479.5000.00
RL6-2066010	Viper 650, 5 kg payload, 653 mm reach, 6 axis, IP65, EtherCAT	46.480,00	699098	4549734685801			IB	C	JPN	8479.5000.00
RL6-2066020	Viper 650, 5 kg payload, 653 mm reach, 6 axis, Cleanroom, EtherCAT	46.960,00	699097	4549734685818			IB	C	JPN	8479.5000.00
RL6-2068000	Viper 850, 5 kg payload, 855 mm reach, 6 axis, IP40, EtherCAT	31.960,00	699096	4549734685825			IB	C	JPN	8479.5000.00
RL6-2068010	Viper 850, 5 kg payload, 855 mm reach, 6 axis, IP65, EtherCAT	49.490,00	699095	4549734685832			IB	C	JPN	8479.5000.00
RL6-2068020	Viper 850, 5 kg payload, 855 mm reach, 6 axis, Cleanroom, EtherCAT	48.610,00	699094	4549734685849			IB	C	JPN	8479.5000.00
<b>Robot QAT Mobile Light Duty.</b>										
37031-00000	Mobile Robot, LD-60, without Battery, with S300 LIDAR	29.710,00	679592	4549734176095			IB	D	JPN	8479.5000.00
37032-00000	Mobile Robot, LD-60, without Battery, with OS32C LIDAR	27.780,00	687561	4549734491303			IB	D	JPN	8479.5000.00
37032-00002	Mobile Robot Docking Station Kit, LD-60, Charger, without Battery, with OS32C LIDAR	30.100,00	687599	4549734491310			IB	D	JPN	8479.5000.00
37032-10004	Mobile Robot Starter Kit, LD-60, with Charger, without Battery, Joystick, Top Plate, with OS32C LIDAR	31.570,00	687560	4549734491327		#	IB	D	JPN	8479.5000.00
37032-20000	Mobile Robot, LD-60, ESD, without Battery, with OS32C LIDAR	32.830,00	687554	4549734491396			IB	D	JPN	8479.5000.00
37032-20002	Mobile Robot Docking Station Kit, LD-60, ESD, Charger, without Battery, with OS32C LIDAR	35.150,00	687553	4549734491402			IB	D	JPN	8479.5000.00
37032-20004	Mobile Robot Starter Kit, LD-60, ESD, without Battery, with Charger, Joystick, Top Plate, with OS32C LIDAR	36.820,00	687552	4549734491419			IB	D	JPN	8479.5000.00
37041-10004	Mobile Robot Starter Kit, LD-90, without Battery, with Charger, Joystick, Top Plate, with S300 LIDAR	35.570,00	679593	4549734176149			IB	D	JPN	8479.5000.00
37042-00000	Mobile Robot, LD-90, without Battery, with OS32C LIDAR	27.780,00	687559	4549734491334			IB	D	JPN	8479.5000.00
37042-00002	Mobile Robot Docking Station Kit, LD-90, Charger, without Battery, with OS32C LIDAR	30.100,00	687600	4549734491341		#	IB	D	JPN	8479.5000.00
37042-10004	Mobile Robot Starter Kit, LD-90, with Charger, without Battery, Joystick, Top Plate, with OS32C LIDAR	31.570,00	687558	4549734491358			IB	D	JPN	8479.5000.00
37042-20000	Mobile Robot, LD-90, ESD, without Battery, with OS32C LIDAR	32.830,00	687551	4549734491426			IB	D	JPN	8479.5000.00
37042-20002	Mobile Robot Docking Station Kit, LD-90, ESD, Charger, without Battery, with OS32C LIDAR	35.150,00	687550	4549734491433			IB	D	JPN	8479.5000.00
37042-20004	Mobile Robot Starter Kit, LD-90, ESD, without Battery, with Charger, Joystick, Top Plate, with OS32C LIDAR	36.820,00	687549	4549734491440			IB	D	JPN	8479.5000.00
37062-00000	Mobile Robot, LD-90x, without Battery, with OS32C LIDAR	31.820,00	687557	4549734491365			IB	D	JPN	8479.5000.00
37062-00002	Mobile Robot Docking Station Kit, LD-90x, Charger, without Battery, with OS32C LIDAR	34.140,00	687556	4549734491372			IB	D	JPN	8479.5000.00
37062-10004	Mobile Robot Starter Kit, LD-90x, with Charger, without Battery, Joystick, Top Plate, with OS32C LIDAR	35.610,00	687555	4549734491389			IB	D	JPN	8479.5000.00
37062-20000	Mobile Robot, LD-90x, ESD, without Battery, with OS32C LIDAR	36.870,00	687548	4549734491457			IB	D	JPN	8479.5000.00
37062-20002	Mobile Robot Docking Station Kit, LD-90x, ESD, Charger, without Battery, with OS32C LIDAR	40.200,00	687547	4549734491464			IB	D	JPN	8479.5000.00
37062-20004	Mobile Robot Starter Kit, LD-90x, ESD, without Battery, with Charger, Joystick, Top Plate, with OS32C LIDAR	41.670,00	687546	4549734491471			IB	D	JPN	8479.5000.00
37142-00010	Mobile Robot, LD-105CT, without Battery, with OS32C LIDAR	56.100,00	688848	4549734549707			IB	D	JPN	8479.5000.00
37142-00012	Mobile Robot Docking Station Kit, LD-105CT, with Charger, without Battery, with OS32C LIDAR	58.400,00	688849	4549734549714			IB	D	JPN	8479.5000.00
37142-01014	Mobile Robot Starter Kit, LD-105CT, with Charger, without Battery, Joystick, Acuity, Cart, with OS32C LIDAR	65.250,00	688850	4549734549721			IB	D	JPN	8479.5000.00
37162-00010	Mobile Robot, LD-130CT, without Battery, with OS32C LIDAR	56.100,00	688851	4549734549738			IB	D	JPN	8479.5000.00
37162-00012	Mobile Robot Docking Station, LD-130CT, with Charger, without Battery, with OS32C LIDAR	58.400,00	688852	4549734549745			IB	D	JPN	8479.5000.00
37162-01014	Mobile Robot Starter Kit, LD-130CT, with Charger, without Battery, Joystick, Acuity, Cart, with OS32C LIDAR	65.250,00	688853	4549734549752			IB	D	JPN	8479.5000.00
37222-00000	Mobile Robot, LD-250, without Battery, with OS32C LIDAR	37.880,00	690743	4549734578646			IB	D	JPN	8479.5000.00
37222-00002	Mobile Robot Docking Station Kit, LD-250, Charger, without Battery, with OS32C LIDAR	40.200,00	690744	4549734578653			IB	D	JPN	8479.5000.00
37222-10004	Mobile Robot Starter Kit, LD-250, with Charger, without Battery, Joystick, Top Plate, with OS32C LIDAR	41.670,00	690745	4549734578660			IB	D	JPN	8479.5000.00
37222-20000	Mobile Robot, LD-250, ESD, without Battery	44.700,00	699234	4549734670982			IB	D	JPN	8479.5000.00
37222-20002	Mobile Robot Docking Station Kit, LD-250, ESD, Charger, without Battery	47.020,00	699233	4549734670999			IB	D	JPN	8479.5000.00
37222-20004	Mobile Robot Starter Kit, LD-250, ESD, with Charger, without Battery, Joystick, Top Plate	48.480,00	699232	4549734671002			IB	D	JPN	8479.5000.00
LD250-BETA-UNIT-7625-00001	Mobile Robot LD250 Beta Unit Without Battery 7625-00001	101.000,00	690427	4549734981880			IB	D	JPN	8479.5000.00
LD250-BETA-UNIT-7625-00012	Mobile Robot LD250 Beta Unit Without Battery 7625-00012	101.000,00	690429	4549734981903			IB	D	JPN	8479.5000.00
LD250-BETA-UNIT-7625-00015	Mobile Robot LD250 Beta Unit Without Battery 7625-00015	101.000,00	690428	4549734981897			IB	D	JPN	8479.5000.00
LD250-BETA-UNIT-7625-BETA2	Mobile Robot LD250 Beta Unit Without Battery 7625-Beta2	101.000,00	692742	4549734986236			IB	D	JPN	8479.5000.00
LD250-BETA-UNIT-7625-BETA3	Mobile Robot LD250 Beta Unit Without Battery 7625-Beta3	101.000,00	692743	4549734986243			IB	D	JPN	8479.5000.00
18578-000	Mobile Robot Battery LD-60/90/CT	4.628,00	680490	4549734176255			IB	D	USA	8507.6000.90
20452-000	Mobile Robot Battery for all LD	4.182,00	690742	4549734580120		#	IB	D	USA	8507.6000.90
LD90 OEM 70628	Mobile Robot Starter Kit, LD-90, without Battery, with Charger, Joystick, Top Plate, MobilePlanner License	47.220,00	688415	4549734971645			IB	D	JPN	8479.5000.00
LOAN37041100041	Mobile Robot Starter Kit, LD-90, without Battery, with Charger, Joystick, Top Plate, MobilePlanner License	47.220,00	687391	4549734968607			IB	D	JPN	8479.5000.00
LOAN37041100042	Mobile Robot Starter Kit, LD-90, without Battery, with Charger, Joystick, Top Plate, MobilePlanner License	47.220,00	687390	4549734968591			IB	D	JPN	8479.5000.00
LOAN37041100043	Mobile Robot Starter Kit, LD-90, without Battery, with Charger, Joystick, Top Plate, MobilePlanner License	47.220,00	687389	4549734968584			IB	D	JPN	8479.5000.00
LOAN37041100044	Mobile Robot Starter Kit, LD-90, without Battery, with Charger, Joystick, Top Plate, MobilePlanner License	47.220,00	688063	4549734970297			IB	D	JPN	8479.5000.00
<b>Robot QAT Collaborative.</b>										
16100-01332	Robot TM12 with food-grade H1 lubrication, 12 m cable, HW32	66.600,00	699462	4549734892377			IB	E	TWN	8479.5000.00

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Daheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
RT6-0007001	Bundle, Cobot, TM5-700, HW3.2	24.240,00	691200	4549734596527			IB	E	TWN	8479.5000.00
RT6-0007001	Bundle, Cobot, TM5-700, HW3.2	24.240,00	701888	4549734596527			IB	E	TWN	8479.5000.00
RT6-0007002	Bundle, Cobot, TM5-700, 12 m cable, HW3.2	25.250,00	701889	4549734596534			IB	E	TWN	8479.5000.00
RT6-0007021	Bundle, Cobot, TM5-700, HW3.2, PROFINET & EtherNet/IP	25.260,00	701923	4549734671354			IB	E	TWN	8479.5000.00
RT6-0007022	Bundle, Cobot, TM5-700, 12 m cable, HW3.2, PROFINET & EtherNet/IP	26.270,00	701924	4549734671361			IB	E	TWN	8479.5000.00
RT6-0009001	Bundle, Cobot, TM5-900, HW3.2	24.240,00	701895	4549734596596			IB	E	TWN	8479.5000.00
RT6-0009002	Bundle, Cobot, TM5-900, 12 m cable, HW3.2	25.250,00	701896	4549734596602			IB	E	TWN	8479.5000.00
RT6-0009021	Bundle, Cobot, TM5-900, HW3.2, PROFINET & EtherNet/IP	25.260,00	701929	4549734671415			IB	E	TWN	8479.5000.00
RT6-0009022	Bundle, Cobot, TM5-900, 12 m cable, HW3.2, PROFINET & EtherNet/IP	26.270,00	701930	4549734671422			IB	E	TWN	8479.5000.00
RT6-0017001	Bundle, Cobot, TM5X-700 (model without camera), HW3.2	23.230,00	701890	4549734596541			IB	E	TWN	8479.5000.00
RT6-0017002	Bundle, Cobot, TM5X-700 (model without camera), 12 m cable, HW3.2	24.240,00	701891	4549734596558			IB	E	TWN	8479.5000.00
RT6-0017021	Bundle, Cobot, TM5X-700 (model without camera), HW3.2, PROFINET & EtherNet/IP	24.250,00	701925	4549734671378			IB	E	TWN	8479.5000.00
RT6-0017022	Bundle, Cobot, TM5X-700 (model without camera), 12 m cable, HW3.2, PROFINET & EtherNet/IP	25.260,00	701926	4549734671385			IB	E	TWN	8479.5000.00
RT6-0019001	Bundle, Cobot, TM5X-900 (model without camera), HW3.2	23.230,00	701898	4549734596626			IB	E	TWN	8479.5000.00
RT6-0019002	Bundle, Cobot, TM5X-900 (model without camera), 12 m cable, HW3.2	24.240,00	701899	4549734596633			IB	E	TWN	8479.5000.00
RT6-0019021	Bundle, Cobot, TM5X-900 (model without camera), HW3.2, PROFINET & EtherNet/IP	24.250,00	701932	4549734671446			IB	E	TWN	8479.5000.00
RT6-0019022	Bundle, Cobot, TM5X-900 (model without camera), 12 m cable, HW3.2, PROFINET & EtherNet/IP	25.260,00	701933	4549734671453			IB	E	TWN	8479.5000.00
<b>RT6-0107000</b>	<b>Bundle, Cobot, TM5M-700</b>	<b>27.270,00</b>	<b>685113</b>	<b>4549734488761</b>			IB	E	TWN	<b>8479.5000.00</b>
RT6-0107001	Bundle, Cobot, TM5M-700, HW3.2	27.270,00	701892	4549734596565			IB	E	TWN	8479.5000.00
RT6-0107011	Bundle, Cobot, TM5M-700, Sem1, HW3.2	30.300,00	701893	4549734596572			IB	E	TWN	8479.5000.00
RT6-0107021	Bundle, Cobot, TM5M-700, HW3.2, PROFINET & EtherNet/IP	28.290,00	701927	4549734671392			IB	E	TWN	8479.5000.00
RT6-0109001	Bundle, Cobot, TM5M-900, HW3.2	27.270,00	701897	4549734596619			IB	E	TWN	8479.5000.00
RT6-0109011	Bundle, Cobot, TM5M-900, Sem1, HW3.2	30.300,00	701900	4549734596640			IB	E	TWN	8479.5000.00
RT6-0109021	Bundle, Cobot, TM5M-900, HW3.2, PROFINET & EtherNet/IP	28.290,00	701931	4549734671439			IB	E	TWN	8479.5000.00
RT6-0117001	Bundle, Cobot, TM5MX-700 (model without camera), HW3.2	26.260,00	701894	4549734596589			IB	E	TWN	8479.5000.00
RT6-0117021	Bundle, Cobot, TM5MX-700 (model without camera), HW3.2, PROFINET & EtherNet/IP	27.280,00	701928	4549734671408			IB	E	TWN	8479.5000.00
RT6-0119001	Bundle, Cobot, TM5MX-900 (model without camera), HW3.2	26.260,00	701901	4549734596657			IB	E	TWN	8479.5000.00
RT6-0119021	Bundle, Cobot, TM5MX-900 (model without camera), HW3.2, PROFINET & EtherNet/IP	27.280,00	701934	4549734671460			IB	E	TWN	8479.5000.00
RT6-1001301	Bundle, Cobot, TM12, HW3.2	33.330,00	701902	4549734596664			IB	E	TWN	8479.5000.00
RT6-1001302	Bundle, Cobot, TM12, 12 m cable, HW3.2	34.340,00	691215	4549734596671			IB	E	TWN	8479.5000.00
RT6-1001321	Bundle, Cobot, TM12, HW3.2, PROFINET & EtherNet/IP	34.340,00	701903	4549734596671			IB	E	TWN	8479.5000.00
RT6-1001321	Bundle, Cobot, TM12, HW3.2, PROFINET & EtherNet/IP	34.350,00	696023	4549734671477			IB	E	TWN	8479.5000.00
RT6-1001321	Bundle, Cobot, TM12, HW3.2, PROFINET & EtherNet/IP	34.350,00	701935	4549734671477			IB	E	TWN	8479.5000.00
RT6-1001322	Bundle, Cobot, TM12, 12 m cable, HW3.2, PROFINET & EtherNet/IP	35.360,00	701936	4549734671484			IB	E	TWN	8479.5000.00
RT6-1011301	Bundle, Cobot, TM12X (model without camera), HW3.2	32.320,00	691216	4549734596688			IB	E	TWN	8479.5000.00
RT6-1011301	Bundle, Cobot, TM12X (model without camera), HW3.2	32.320,00	701904	4549734596688			IB	E	TWN	8479.5000.00
RT6-1011302	Bundle, Cobot, TM12X (model without camera), 12 m cable, HW3.2	33.330,00	701905	4549734596695			IB	E	TWN	8479.5000.00
RT6-1011321	Bundle, Cobot, TM12X (model without camera), HW3.2, PROFINET & EtherNet/IP	33.340,00	701921	4549734671491			IB	E	TWN	8479.5000.00
RT6-1011322	Bundle, Cobot, TM12X (model without camera), 12 m cable, HW3.2, PROFINET & EtherNet/IP	34.350,00	701938	4549734671507			IB	E	TWN	8479.5000.00
RT6-1101301	Bundle, Cobot, TM12M, HW3.2	36.360,00	701906	4549734596701			IB	E	TWN	8479.5000.00
RT6-1101311	Bundle, Cobot, TM12M, Sem1, HW3.2	40.400,00	701907	4549734596718			IB	E	TWN	8479.5000.00
RT6-1101321	Bundle, Cobot, TM12M, HW3.2, PROFINET & EtherNet/IP	37.380,00	701939	4549734671514			IB	E	TWN	8479.5000.00
RT6-1111301	Bundle, Cobot, TM12MX (model without camera), HW3.2	35.350,00	701908	4549734596725			IB	E	TWN	8479.5000.00
RT6-1111321	Bundle, Cobot, TM12MX (model without camera), HW3.2, PROFINET & EtherNet/IP	36.370,00	701940	4549734671521			IB	E	TWN	8479.5000.00
RT6-2001101	Bundle, Cobot, TM14, HW3.2	35.350,00	691221	4549734596732			IB	E	TWN	8479.5000.00
RT6-2001101	Bundle, Cobot, TM14, HW3.2	35.350,00	701909	4549734596732			IB	E	TWN	8479.5000.00
RT6-2001102	Bundle, Cobot, TM14, 12 m cable, HW3.2	36.360,00	701910	4549734596749			IB	E	TWN	8479.5000.00
RT6-2001121	Bundle, Cobot, TM14, HW3.2, PROFINET & EtherNet/IP	36.370,00	701941	4549734671538			IB	E	TWN	8479.5000.00
RT6-2001122	Bundle, Cobot, TM14, 12 m cable, HW3.2, PROFINET & EtherNet/IP	37.380,00	701942	4549734671545			IB	E	TWN	8479.5000.00
RT6-2011101	Bundle, Cobot, TM14X (model without camera), HW3.2	34.340,00	691223	4549734596756			IB	E	TWN	8479.5000.00
RT6-2011101	Bundle, Cobot, TM14X (model without camera), HW3.2	34.340,00	701911	4549734596756			IB	E	TWN	8479.5000.00
RT6-2011102	Bundle, Cobot, TM14X (model without camera), 12 m cable, HW3.2	35.350,00	701912	4549734596763			IB	E	TWN	8479.5000.00
RT6-2011121	Bundle, Cobot, TM14X (model without camera), HW3.2, PROFINET & EtherNet/IP	35.360,00	701943	4549734671552			IB	E	TWN	8479.5000.00
RT6-2011122	Bundle, Cobot, TM14X (model without camera), 12 m cable, HW3.2, PROFINET & EtherNet/IP	36.370,00	701944	4549734671569			IB	E	TWN	8479.5000.00
RT6-2101101	Bundle, Cobot, TM14M, HW3.2	38.380,00	701913	4549734596770			IB	E	TWN	8479.5000.00
RT6-2101111	Bundle, Cobot, TM14M, Sem1, HW3.2	42.420,00	701914	4549734596787			IB	E	TWN	8479.5000.00
RT6-2101121	Bundle, Cobot, TM14M, HW3.2, PROFINET & EtherNet/IP	39.400,00	701945	4549734671576			IB	E	TWN	8479.5000.00
RT6-2111101	Bundle, Cobot, TM14MX (model without camera), HW3.2	37.370,00	701915	4549734596794			IB	E	TWN	8479.5000.00
RT6-2111121	Bundle, Cobot, TM14MX (model without camera), HW3.2, PROFINET & EtherNet/IP	38.390,00	701887	4549734671583			IB	E	TWN	8479.5000.00

**Robot Mobile Heavy Duty**

37480-00000	Mobile Robot, HD-1500, without Battery	95.000,00	695895	4549734670647			IB	H	USA	8479.5000.00
37480-00002	Mobile Robot Docking Station Kit, HD-1500, Charger, No Battery	109.000,00	695903	4549734670562			IB	H	USA	8479.5000.00
37480-00010	Mobile Robot, HD-1500, Side Lasers, without Battery	100.000,00	695892	4549734670678			IB	H	USA	8479.5000.00
37480-00100	Mobile Robot, HD-1500, Single HAPS, without Battery	97.000,00	695894	4549734670654			IB	H	USA	8479.5000.00
37480-00110	Mobile Robot, HD-1500, Single HAPS, Side Lasers, without Battery	102.000,00	695891	4549734670708			IB	H	USA	8479.5000.00
37480-00200	Mobile Robot, HD-1500, Double HAPS, without Battery	99.000,00	695893	4549734670661			IB	H	USA	8479.5000.00
37480-00210	Mobile Robot, HD-1500, Double HAPS, Side Lasers, without Battery	104.000,00	695890	4549734670715			IB	H	USA	8479.5000.00
37480-10004	Mobile Robot Starter Kit, HD-1500, Charger, Pendant, Top Plate, without Battery	112.000,00	695889	4549734670753			IB	H	USA	8479.5000.00
37480-10104	Mobile Robot Starter Kit, HD-1500, Single HAPS, Charger, Pendant, Top Plate, without Battery	114.000,00	695888	4549734670760			IB	H	USA	8479.5000.00
37480-10114	Mobile Robot Starter Kit, HD-1500, Single HAPS, Side Lasers, Charger, Pendant, Top Plate, without Battery	119.000,00	695886	4549734670784			IB	H	USA	8479.5000.00
37480-10204	Mobile Robot Starter Kit, HD-1500, Double HAPS, Charger, Pendant, Top Plate, without Battery	116.000,00	695887	4549734670777			IB	H	USA	8479.5000.00
37480-10214	Mobile Robot Starter Kit, HD-1500, Double HAPS, Side Lasers, Charger, Pendant, Top Plate, without Battery	121.000,00	695885	4549734670791			IB	H	USA	8479.5000.00
68310-000	Mobile Robot Charging Station - Power Supply (For HD-1500)	11.100,00	695897	4549734670623			IB	H	USA	8479.9070.99
68330-000	Mobile Robot Battery for HD-1500	17.400,00	695899	4549734670609			IB	H	USA	8507.6000.90

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Dataheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
68910-000	Mobile Robot Charging Station - Docking Target (For HD-1500)	3,200.00	695896	4549734670630			IB	H	USA	8479.9070.99
68910-010	Mobile Robot Charging Station - Charging Bundle (Power Supply and Docking Target) (For HD-1500)	14,200.00	695902	4549734670579			IB	H	USA	8479.9070.99
68940-000L	Pendant (for HD-1500)	1,500.00	695900	4549734670593			IB	H	USA	8479.9070.99
68945-010	Side Lasers Kit (includes mounting kit and metal enclosures) - For HD-1500	5,500.00	695901	4549734670586			IB	H	USA	8479.9070.99
68950-000	Top Plate for HD-1500	1,700.00	695898	4549734670616			IB	H	USA	8479.9070.99
<b>Robot QAT/Other</b>										
2FG7-GRIPPER	2FG7 Gripper OnRobot	3,515.00	699513	4549734892759			IB	S	DNK	8479.9070.99
3FG15-3-FINGER-GRIPPER	3FG15-3-FINGER-GRIPPER OnRobot	4,051.00	699475	4549734892506			IB	S	DNK	8479.9070.99
ACC-SPLIT-M12-2:1	Robotiq Gripper - Kit Dual - Cable Splitter	156.60	688232	4549734970679			IB	S	CAN	8479.9070.99
AGC-APL-159-002	Robotiq Gripper - Kit Dual - Adapteur plate with a "Y" shape to install 2 grippers at the wrist	429.30	688233	4549734970686			IB	S	CAN	8479.9070.99
AGC-OMRON-KIT-140	Gripper Robotiq 2F-140 kit	3,889.00	687100	4549734967860			IB	S	CAN	8479.9070.99
AGC-OMRON-KIT-140-W	Gripper Robotiq 2F-140 kit with Wrist Connect Kit	3,889.00	691035	4549734985222			IB	S	CAN	8479.9070.99
AGC-OMRON-KIT-85	Gripper Robotiq 2F-85 kit	3,763.00	687101	4549734967877			IB	S	CAN	8479.9070.99
AGC-OMRON-KIT-85-DEMO	2F-85 Demo Kit for Omron	3,763.00	687097	4549734967839		2	IB	S	CAN	8479.9070.99
AGC-OMRON-KIT-85-W	Gripper Robotiq 2F-85 kit with Wrist Connect Kit	3,763.00	691034	4549734985215			IB	S	CAN	8479.9070.99
AGC-PRO-KITV4	Protector kit to cover the fingers of the AGC-OMRON-KIT-85 Robotiq gripper	62.65	693818	4549734992480			IB	S	CAN	8479.9070.99
DUAL-QUICK-CHANGER	Dual Quick Changer OnRobot	2,243.00	696375	4549734889704			IB	S	DNK	8479.9070.99
DUAL-QUICK-CHANGER-DEMO	Dual Quick Changer OnRobot Demo	1,768.00	696420	4549734889971			IB	S	DNK	8479.9070.99
FTS-300-OMRON-KIT	Force Sensor Robotiq FT-300 kit	4,015.00	687098	4549734967846			IB	S	CAN	8479.9070.99
GECKO-SP1-GRIPPER	GECKO-SP1-Gripper OnRobot	742.50	696381	4549734889766			IB	S	DNK	8479.9070.99
GECKO-SP3-GRIPPER	GECKO-SP3-Gripper OnRobot	742.50	696380	4549734889759			IB	S	DNK	8479.9070.99
GECKO-SP5-GRIPPER	GECKO-SP5-Gripper OnRobot	742.50	696379	4549734889742			IB	S	DNK	8479.9070.99
HEX-E-ETHERCAT-FLANGE A	OnRobot HEX-Ew/ EtherCAT Converter & Flange A	4,495.00	699516	4549734892780			IB	S	HUN	8479.9070.99
HND-OMRON-KIT	Gripper Robotiq Hand-E kit	3,131.00	687099	4549734967853			IB	S	CAN	8479.9070.99
HND-OMRON-KIT-DEMO	Hand-E Gripper Demo Kit for Omron	3,131.00	687096	4549734967822			IB	S	CAN	8479.9070.99
HND-OMRON-KIT-W	Gripper Robotiq Hand-E kit with Wrist Connect Kit	3,131.00	691033	4549734985208			IB	S	CAN	8479.9070.99
IO-CPL-OMRON-KIT	I/O Coupling Kit	656.50	691042	4549734985291			IB	S	CAN	8479.9070.99
IO-CPL-OMRON-KIT-DEMO	I/O Coupling Kit DEMO	318.20	691043	4549734985307			IB	S	CAN	8479.9070.99
MG10	MG10-Gripper OnRobot	2,120.00	702226	4549734792417			IB	S	DNK	8479.9070.99
OMRON-TM-ROBOT-KIT	OnRobot Omron TM Robot Kit	757.50	699469	4549734892445			IB	S	DNK	9031.8080.00
ONROBOTSANDER	OnRobot Sander	2,637.00	699527	4549734892865			IB	S	DNK	8479.9070.99
ONROBOT-SANDER-ACCESSORY-KIT	OnRobot Sander Accessory Kit	1,021.00	699528	4549734892872			IB	S	DNK	8479.9070.99
QUICK-CHANGER-KIT	Quick Changer Kit OnRobot	1,051.00	696376	4549734889711			IB	S	DNK	8479.9070.99
QUICK-CHANGER-KIT-DEMO	Quick Changer Kit OnRobot Demo	757.50	696419	4549734889964			IB	S	DNK	8479.9070.99
QUICK-CHANGER-ROBOT-SIDE	Quick Changer Robot Side OnRobot	474.70	696378	4549734889735			IB	S	DNK	8479.9070.99
QUICK-CHANGER-ROBOT-SIDE-4.5A	Quick Changer Robot Side 4.5A OnRobot	494.90	699470	4549734892452			IB	S	DNK	8479.9070.99
QUICK-CHANGER-ROBOT-SIDE-DEMO	Quick Changer Robot Side OnRobot Demo	378.80	696417	4549734889940			IB	S	DNK	8479.9070.99
QUICK-CHANGER-TOOL-SIDE	Quick Changer Tool Side OnRobot	474.70	696377	4549734889728			IB	S	DNK	8479.9070.99
QUICK-CHANGER-TOOL-SIDE-DEMO	Quick Changer Tool Side OnRobot Demo	378.80	696418	4549734889957			IB	S	DNK	8479.9070.99
RAIL-M4	OnRobot Rail M4	252.50	699514	4549734892766			IB	S	JFN	8479.9070.99
RG2-FT	RG2-FT Gripper OnRobot	8,630.00	699477	4549734892520			IB	S	DNK	8479.9070.99
RG2-GRIPPER	RG2-Gripper OnRobot	4,293.00	696374	4549734889698			IB	S	DNK	8479.9070.99
RG2-GRIPPER-DEMO	RG2-Gripper OnRobot Demo	3,344.00	696414	4549734889919			IB	S	DNK	8479.9070.99
RG6-GRIPPER	RG6-Gripper OnRobot	5,145.00	696383	4549734889780			IB	S	DNK	8479.9070.99
RG6-GRIPPER-DEMO	RG6-Gripper OnRobot Demo	4,010.00	696415	4549734889926			IB	S	DNK	8479.9070.99
SCREWDRIVER	Screwdriver OnRobot	6,840.00	699495	4549734892629			IB	S	DNK	8479.9070.99
SCREWDRIVER-ACCESSORY-KIT	Screwdriver Accessory Kit OnRobot	1,162.00	699512	4549734892742			IB	S	DNK	8479.9070.99
SCREW-FEEDER-M2-M6	OnRobot Screw Feeder M2-M6	1,970.00	699515	4549734892773			IB	S	DNK	8479.9070.99
SG-A-H	Soft Gripper SG-A-H OnRobot	899.00	699473	4549734892483			IB	S	DNK	8479.9070.99
SG-A-S	Soft Gripper SG-A-S OnRobot	899.00	699472	4549734892476			IB	S	DNK	8479.9070.99
SG-BASE-PART	Soft Gripper Base Part OnRobot	3,636.00	699474	4549734892490			IB	S	DNK	8479.9070.99
SG-B-H	Soft Gripper SG-B-H OnRobot	899.00	699471	4549734892469			IB	S	DNK	8479.9070.99
VAC-OMRON-AIRPICK-KIT1	Airpick Kit for Omron / One (1) Cup	2,929.00	688900	4549734975148			IB	S	CAN	8479.9070.99
VAC-OMRON-AIRPICK-KIT1-W	Airpick Kit for Omron / One (1) Cup with Wrist Connect Kit	2,929.00	691039	4549734985260			IB	S	CAN	8479.9070.99
VAC-OMRON-AIRPICK-KIT2	Airpick Kit for Omron / Two (2) Cups	3,232.00	688901	4549734975155			IB	S	CAN	8479.9070.99
VAC-OMRON-AIRPICK-KIT2-W	Airpick Kit for Omron / Two (2) Cups with Wrist Connect Kit	3,232.00	691040	4549734985277			IB	S	CAN	8479.9070.99
VAC-OMRON-AIRPICK-KIT4	Airpick Kit for Omron / Four (4) Cups	3,434.00	688902	4549734975162			IB	S	CAN	8479.9070.99
VAC-OMRON-AIRPICK-KIT4-W	Airpick Kit for Omron / Four (4) Cups with Wrist Connect Kit	3,434.00	691041	4549734985284			IB	S	CAN	8479.9070.99
VAC-OMRON-EPIK-KIT1	Epick Kit for Omron / One (1) Cup	3,838.00	688897	4549734975117			IB	S	CAN	8479.9070.99
VAC-OMRON-EPIK-KIT1-W	Epick Kit for Omron / One (1) Cup with Wrist Connect Kit	3,838.00	691036	4549734985239			IB	S	CAN	8479.9070.99
VAC-OMRON-EPIK-KIT2	Epick Kit for Omron / Two (2) Cups	4,141.00	688898	4549734975124			IB	S	CAN	8479.9070.99
VAC-OMRON-EPIK-KIT2-W	Epick Kit for Omron / Two (2) Cups with Wrist Connect Kit	4,141.00	691037	4549734985246			IB	S	CAN	8479.9070.99
VAC-OMRON-EPIK-KIT4	Epick Kit for Omron / Four (4) Cups	4,343.00	688899	4549734975131			IB	S	CAN	8479.9070.99
VAC-OMRON-EPIK-KIT4-W	Epick Kit for Omron / Four (4) Cups with Wrist Connect Kit	4,343.00	691038	4549734985253			IB	S	CAN	8479.9070.99
VAC-OMRON-KIT-AIRPICK-DEMO	Airpick Demo Kit for internal use and Omron partners	1,919.00	688905	4549734975193			IB	S	CAN	8479.9070.99
VAC-OMRON-KIT-EPIK-DEMO	Epick Demo Kit for internal use and Omron partners	2,222.00	688904	4549734975196			IB	S	CAN	8479.9070.99
VAC-SCS-TM4	Kit 4 Suction Cup System for Omron - 4 Suctions Cups	1,036.00	688903	4549734975179			IB	S	CAN	8479.9070.99
VG10-GRIPPER	VG10-Gripper OnRobot	4,828.00	696382	4549734889773			IB	S	DNK	8479.9070.99
VG10-GRIPPER-DEMO	VG10-Gripper OnRobot Demo	3,485.00	696416	4549734889933			IB	S	DNK	8479.9070.99
VG10	VG10-Gripper OnRobot	2,869.00	699476	4549734892513			IB	S	DNK	8479.9070.99
VGP20-EXTENDER	VGP20-Extender Only for Cobots with camera - OnRobot	120.00	702227	4549734792424			IB	S	DNK	8479.9070.99
VGP20-GRIPPER	VGP20-Gripper OnRobot	4,860.00	702228	4549734792431			IB	S	DNK	8479.9070.99

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Data sheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
<b>Robot OAT Collaborative Accessories.</b>										
EQ-1242IPNMS-A	Modbus to PROFINET Gateway with Wide Temp.	747.50	693821	4549734992510			IB	V	NLD	8517.6200.00
RT6-A00000	Accessory, TM, ROBOT STICK STAND	35.35	701916	4549734488960			IB	V	TWN	8479.5000.00
RT6-A00002	Accessory, TM, Kit, Calibration Set with Additional Pin	353.50	685102	4549734488877			IB	V	TWN	8479.5000.00
RT6-A00002	Accessory, TM, Kit, Calibration Set with Additional Pin	353.50	701917	4549734488877			IB	V	TWN	8479.5000.00
RT6-A00004	Accessory, TM, USB DONGLE	141.40	685101	4549734488894	#		IB	V	TWN	8479.5000.00
RT6-A00008	Accessory, TM, TM LAND MARK	7.07	685100	4549734488891	#		IB	V	TWN	8479.5000.00
RT6-A00008	Accessory, TM, TM LAND MARK	7.07	701918	4549734488891			IB	V	TWN	8479.5000.00
RT6-A00009	Accessory, TM, ROBOT STAND	3020.00	685099	4549734488907			IB	V	TWN	8479.5000.00
RT6-A00009	Accessory, TM, ROBOT STAND	3020.00	701919	4549734488907			IB	V	TWN	8479.5000.00
RT6-A00010	Accessory, TM, MOBILE WORKSTATION(MWS)	4.798.00	685098	4549734488914			IB	V	TWN	8479.5000.00
RT6-A00010	Accessory, TM, MOBILE WORKSTATION(MWS)	4.798.00	701920	4549734488914			IB	V	TWN	8479.5000.00
RT6-A00012	Accessory, TM, Kit, SSD with Cable	262.60	685097	4549734488921			IB	V	CHN	8479.5000.00
RT6-A00012	Accessory, TM, Kit, SSD with Cable	262.60	701921	4549734488921			IB	V	CHN	8479.5000.00
RT6-A00015	Accessory, TM, PNEUMATIC CONTROL BOX	838.50	685096	4549734488938			IB	V	TWN	8479.5000.00
RT6-A00015	Accessory, TM, PNEUMATIC CONTROL BOX	838.50	701922	4549734488938			IB	V	TWN	8479.5000.00
RT6-A00020	Omron TM Cobot Teach Pendant	2.390.00	701368	4549734717885			IB	V	TWN	8479.9070.99
RT6-A00021	Accessory, OMRON LAND MARK	7.00	702012	4549734715713			IB	V	TWN	8479.5000.00
16500-80000	License Bundle, Education, Cobot Offline Editing	151.50	695552	4549734997010			IB	V	TWN	8479.5000.00
16500-80001	License Bundle, Education, Cobot Vision Tools	959.50	695551	4549734997003			IB	V	TWN	8479.5000.00
RT6-S100000	License, Software, TM Identify & Measure	2.192.00	685094	4549734488969			IB	V	TWN	8479.5000.00
RT6-S100002	License, Software, TM External Vision	899.00	685093	4549734488976			IB	V	TWN	8479.5000.00
RT6-S100003	License, Software, TM OCR	616.50	685092	4549734488983			IB	V	TWN	8479.5000.00
RT6-S100005	License, Software, TMFlow Editor - Offline AOI	535.50	685091	4549734488990			IB	V	TWN	8479.5000.00
RT6-S100006	License, Software, Omron TM Operator Suite	1.590.00	701372	4549734488945			IB	V	TWN	8479.9070.99
RT6-S100009	License, Software, Omron TM Runtime & Palletizing Wizard	360.00	701369	4549734711463			IB	V	TWN	8479.9070.99
RT6-S200001	License, TMFlow Editor	535.50	685095	4549734488945			IB	V	TWN	8479.5000.00
<b>Robot OAT Mobile Accessories.</b>										
20271-900	Primary Fleet Manager, EM2100 Base package, 120 Day Temporary FLOW Core License	8.585.00	690656	4549734511315	#		IB	W	USA	8479.9070.99
20271-900	Primary Fleet Manager, EM2100 Base package, 120 Day Temporary FLOW Core License	8.585.00	701985	4549734511315			IB	W	USA	8479.9070.99
20271-901	Secondary Fleet Manager, EM2100 Base package, 120 Day Temporary FLOW Core License	8.585.00	690657	4549734511322			IB	W	USA	8479.9070.99
20271-901	Secondary Fleet Manager, EM2100 Base package, 120 Day Temporary FLOW Core License	8.585.00	701986	4549734511322			IB	W	USA	8479.9070.99
20271-903	Bundle, Fleet Simulator, EM2100 appliance and Perpetual Fleet Simulator License	15.050.00	701988	4549734511346			IB	W	USA	8479.9070.99
11168-200	Fleet Manager, EM2100 Base package, No FLOW Core License	9.295.00	686261	4549734504997			IB	W	USA	8479.9070.99
11168-200	Fleet Manager, EM2100 Base package, No FLOW Core License	9.295.00	701987	4549734504997			IB	W	USA	8479.9070.99
12477-000	Mobile Robot Charging Station (For LD-60/90/250)	6.050.00	680095	4549734189873			IB	W	JPN	8479.9070.99
12477-050	Mobile Robot Charging Station - Extended Wall mount (For Cart Transporters)	6.050.00	680090	4549734189880			IB	W	JPN	8479.9070.99
12944-000	Top Plate Assembly for LD-60/90	1.139.00	691058	4549734578356			IB	W	JPN	8479.9070.99
13029-802	Mobile Robot Call/Door Box, WiFi	1.662.00	679614	4549734133876			IB	W	USA	8536.6990.99
13456-000	Side Lasers Bundle (2 lasers, one cable and 2 brackets) - For LD-60/90/250	5.255.00	679594	4549734123013			IB	W	DEU	8479.9070.99
13456-100	Side Lasers Kit (2 lasers, 2 painted metal covers, one cable and 2 brackets) - For LD-60/90/250	5.555.00	679597	4549734133852			IB	W	DEU	8479.9070.99
13558-000	Joystick (for all LD)	1.051.00	679605	4549734123655			IB	W	USA	8537.1098.99
13605-000	HMI (7" touchscreen, cables, power supply, mounting gasket)	3.583.00	679611	4549734123211	#		IB	W	GBR	8479.9070.99
13660-000	Mobile Robot HAPS (High Accuracy Positioning System) option LD-60/90/CT - Double Sensor, Magnetic tape, 50 m roll	4.320.00	679613	4549734133807	#		IB	W	CHN	8479.9070.99
13660-100	Mobile Robot HAPS (High Accuracy Positioning System) option LD-60/90/CT - Single Sensor, Magnetic tape, 50 m roll	3.825.00	679601	4549734123037			IB	W	CHN	8479.9070.99
13700-000	Mobile Robot Acuity Option with leveling kit	7.335.00	679598	4549734133821			IB	W	DEU	8479.9070.99
13700-100	Mobile Robot Acuity Option without leveling kit	6.480.00	679602	4549734133838			IB	W	DEU	8479.9070.99
14165-000	DB44HD Breakout cable	413.50	679615	4549734133845	#		IB	W	USA	8544.4290.90
14925-000	Magnetic Tape, 25 mm wide for Track Following Sensor, 50 m Length - For all LD	371.20	679596	4549734133814			IB	W	USA	8479.9070.99
20458-002	Top Plate Assembly for LD-250	989.00	695379	4549734664516			IB	W	JPN	8479.9070.99
21374-000	Mobile Robot HAPS (High Accuracy Positioning System) option LD-250 - Double Sensor, Magnetic tape, 50 m roll	4.636.00	691156	4549734596138			IB	W	CHN	8479.9070.99
21374-100	Mobile Robot HAPS (High Accuracy Positioning System) option LD-250 - Single Sensor, Magnetic tape, 50 m roll	3.828.00	691155	4549734596121			IB	W	CHN	8479.9070.99
75020-000	Mobile Robot Cart Platform with 4" casters and braking hardware	4.444.00	698321	4549734677141			IB	W	USA	8479.9070.99
<b>Robot OAT Accessories.</b>										
02853-000	ADEPT Cobra 600/800 All Spare Part Valve Kit, 24VDC	821.50	698719	4549734680714			IB	Z	USA	8479.9070.99
10051-003	ADEPT Cobra 600/800 All Spare Part T20 Pendant Adapter Cable	458.50	676576	4549734912631			IB	Z	USA	8544.4290.90
10051-003	ADEPT Cobra 600/800 All Spare Part T20 Pendant Adapter Cable	458.50	698722	4549734680370			IB	Z	CHN	8544.4290.90
14161-105	Kit (without sensor), Intelligent Force Sensing, eCobra 600/800 (Std/Pro)	1.020.00	684357	4549734956871			IB	Z	USA	8479.9070.99
14161-105	Kit (without sensor), Intelligent Force Sensing, eCobra 600/800 (Std/Pro)	1.020.00	698740	4549734677240			IB	Z	USA	8479.9070.99
14529-101	License, eSeries Robot, Standard	4.829.00	698716	4549734680820			IB	Z	USA	8479.9070.99
14529-102	License, eSeries Robot, Professional	4.829.00	698715	4549734680837			IB	Z	USA	8479.9070.99
14161-200	Kit, Intelligent Force Sensing, Viper 650/850	11.190.00	673728	4548583989924			IB	Z	USA	8479.9070.99
14161-200	Kit, Intelligent Force Sensing, Viper 650/850	11.190.00	698735	4549734677295			IB	Z	USA	8479.9070.99
14161-205	Kit (without sensor), Intelligent Force Sensing, Viper 650/850	1.020.00	684356	4549734956864			IB	Z	USA	8479.9070.99
14161-205	Kit (without sensor), Intelligent Force Sensing, Viper 650/850	1.020.00	698739	4549734677257			IB	Z	USA	8479.9070.99
14161-300	Kit, Intelligent Force Sensing, Hornet and Quattro	11.190.00	673729	4548583989931			IB	Z	USA	8479.9070.99
14161-300	Kit, Intelligent Force Sensing, Hornet and Quattro	11.190.00	698734	4549734677301			IB	Z	USA	8479.9070.99
14161-305	Kit (without sensor), Intelligent Force Sensing, Hornet and Quattro	1.020.00	684355	4549734956857			IB	Z	USA	8479.9070.99

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Data sheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
14161-305	Kit (without sensor), Intelligent Force Sensing, Hornet and Quattro	1.020.00	698738	4549734677264			IB	Z	USA	8479.9070.99
05284-101	Anyfeeder Surface, POM, Flat, White, SX240	266.30	682872	4549734264648			IB	Z	CHE	8479.9070.99
05284-102	Anyfeeder Surface, POM, Flat, Black, SX240	388.70	682873	4549734264655			IB	Z	CHE	8479.9070.99
05284-103	Anyfeeder Surface, POM, Flat, Light Brown, ESD, SX240	1.197.00	682861	4549734264662			IB	Z	CHE	8479.9070.99
05284-104	Anyfeeder Surface, POM, Flat, Black, ESD, SX240	1.197.00	682862	4549734264679			IB	Z	CHE	8479.9070.99
05284-105	Anyfeeder Surface, PVC, Flat, Gray, SX240	386.70	682863	4549734264686			IB	Z	CHE	8479.9070.99
05284-107	Anyfeeder Surface, POM-C, Textured Flock, White, SX240	1.028.00	682857	4549734264976			IB	Z	CHE	8479.9070.99
05284-108	Anyfeeder Surface, POM-C, Textured Flock, Black, SX240	1.028.00	682858	4549734264983			IB	Z	CHE	8479.9070.99
05284-109	Surface, AnyFeeder SX240, White, Flat Matte	424.20	695043	4549734615747			IB	Z	SWZ	8479.9070.99
05284-110	Surface, AnyFeeder SX240, White, Fine Bumps, POM-C, no ESD	1.465.00	695044	4549734615754			IB	Z	SWZ	8479.9070.99
05284-111	Surface, Anyfeeder SX240, White, Medium Bumps, POM-C, no ESD	1.465.00	695045	4549734615761			IB	Z	SWZ	8479.9070.99
05284-115	Anyfeeder Surface, POM-C, Textured Flock, White, no ESD, SX240	1.424.00	682856	4549734264952			IB	Z	CHE	8479.9070.99
05284-204	ESD Option, Anyfeeder SX240	2.991.00	682864	4549734264693			IB	Z	CHE	8479.9070.99
05284-206	Anyfeeder Backlight - Red 630 nm, SX240	2.263.00	682874	4549734264709			IB	Z	CHE	8479.9070.99
05284-208	Anyfeeder Backlight - IR 875 nm, SX240	2.677.00	682875	4549734264716			IB	Z	CHE	8479.9070.99
09725-101	Anyfeeder Surface, POM, Flat, White, SXM100	193.50	682876	4549734264723			IB	Z	CHE	8479.9070.99
09725-102	Anyfeeder Surface, POM, Flat, Black, SXM100	254.10	682877	4549734264730			IB	Z	CHE	8479.9070.99
09725-103	Anyfeeder Surface, POM, Flat, Black, ESD, SXM100	398.80	682878	4549734264747			IB	Z	CHE	8479.9070.99
09725-104	Anyfeeder Surface, POM Flat, Light Brown, ESD, SXM100	495.40	682865	4549734264754			IB	Z	CHE	8479.9070.99
09725-201	Anyfeeder Backlight - Red 630 nm, SXM100	1.259.00	682866	4549734264761			IB	Z	CHE	8479.9070.99
09725-202	Anyfeeder Backlight - IR 875 nm, SXM100	1.259.00	682879	4549734264778			IB	Z	CHE	8479.9070.99
09725-301	Anyfeeder Surface, POM, Flat, White, SXM140	217.50	682842	4549734264785			IB	Z	CHE	8479.9070.99
09725-302	Anyfeeder Surface, POM, Flat, Black, SXM140	266.30	682843	4549734264792			IB	Z	CHE	8479.9070.99
09725-303	Anyfeeder Surface, POM, Flat, Light Brown, ESD, SXM140	568.50	682844	4549734264808			IB	Z	CHE	8479.9070.99
09725-304	Anyfeeder Surface, PVC, Flat, Gray, SXM140	314.40	682845	4549734264815			IB	Z	CHE	8479.9070.99
09725-305	Anyfeeder Surface, POM-C, Texture ID 161, white, No ESD, SXM140	1.148.00	682860	4549734265003			IB	Z	CHE	8479.9070.99
09725-500	Anyfeeder SXM-100 without Feed Surface	15.080.00	682846	4549734264822			IB	Z	CHE	8479.9070.99
09725-501	Anyfeeder SXM100, No Feed Surface, integrated Backlight (IR)	15.000.00	687082	4549734491488			IB	Z	CHE	8479.9070.99
09725-502	Anyfeeder SXM100, No Feed Surface, integrated Backlight (Red)	15.000.00	687081	4549734491495			IB	Z	CHE	8479.9070.99
12480-500	Anyfeeder SX-240 without Feed Surface	20.170.00	682847	4549734264839			IB	Z	CHE	8479.9070.99
12480-501	Anyfeeder SX240, No Feed Surface, integrated Backlight (IR)	20.990.00	687078	4549734491525			IB	Z	CHE	8479.9070.99
12480-502	Anyfeeder SX240, No Feed Surface, integrated Backlight (Red)	20.650.00	687077	4549734491532			IB	Z	CHE	8479.9070.99
14269-001	Anyfeeder Backlight - IR 875 nm, SX340	3.262.00	682880	4549734264846			IB	Z	CHE	8479.9070.99
14269-002	Anyfeeder Backlight - Red 630 nm, SX340	3.262.00	682881	4549734264853			IB	Z	CHE	8479.9070.99
14269-003	Anyfeeder Surface, POM, Flat, White, SX340	495.40	682882	4549734264860			IB	Z	CHE	8479.9070.99
14269-004	Anyfeeder Surface, POM, Flat, Black, SX340	700.50	682848	4549734264877			IB	Z	CHE	8479.9070.99
14269-005	Anyfeeder Surface, POM, Flat, Light Brown, ESD, SX340	1.306.00	682849	4549734264884			IB	Z	CHE	8479.9070.99
14269-006	Anyfeeder Surface, PVC, Flat, Light Gray, no ESD, SX340	840.50	682850	4549734264891			IB	Z	CHE	8479.9070.99
14269-007	Anyfeeder Surface, POM-C, Texture ID 161, White, No ESD, SX340	2.264.00	682859	4549734264908			IB	Z	CHE	8479.9070.99
14269-008	Surface, Anyfeeder SX340, White, Flat Matte, POM-C, no ESD	1.465.00	695047	4549734615785			IB	Z	SWZ	8479.9070.99
14269-010	Anyfeeder Surface, POM, Flat, Black, SX340	1.424.00	682855	4549734264945			IB	Z	CHE	8479.9070.99
14269-500	Anyfeeder SX-340 without Feed Surface	25.420.00	682851	4549734264907			IB	Z	CHE	8479.9070.99
14269-501	Anyfeeder SX340, No Feed Surface, integrated Backlight (IR)	26.440.00	687076	4549734491549			IB	Z	CHE	8479.9070.99
14269-502	Anyfeeder SX340, No Feed Surface, integrated Backlight (Red)	26.440.00	687075	4549734491556			IB	Z	CHE	8479.9070.99
14630-000	Anyfeeder Backlight, IR, SXM140	1.271.00	682852	4549734264914			IB	Z	CHE	8479.9070.99
14630-001	Anyfeeder Backlight, Red, Spare, SXM140	1.391.00	682853	4549734264921			IB	Z	CHE	8479.9070.99
18819-500	Anyfeeder SXM-140 without Feed Surface	18.700.00	682854	4549734264938			IB	Z	CHE	8479.9070.99
18819-501	Anyfeeder SXM140, No Feed Surface, integrated Backlight (IR)	18.420.00	687080	4549734491501			IB	Z	CHE	8479.9070.99
18819-502	Anyfeeder SXM140, No Feed Surface, integrated Backlight (Red)	18.520.00	687079	4549734491518			IB	Z	CHE	8479.9070.99
01056-030	ACE Adept Sight 3.0 Vision Software	4.517.00	670160	4548583806399			IB	Z	USA	8479.9070.99
01056-030	ACE Adept Sight 3.0 Vision Software	4.517.00	698752	4549734676960			IB	Z	USA	8479.9070.99
01056-200	Lens, Camera, 16 mm, F1.4, C-Mount	314.70	687074	4549734491884			IB	Z	USA	8479.9070.99
04219-000	LABEL AIB FAULT CODE	0.97	698733	4549734677554			IB	Z	USA	8479.9070.99
04677-030	IO Box extension cable, 3.0 m (connects IO Box to robot)	191.10	698748	4549734677028			IB	Z	USA	8544.4290.90
04679-003	IO Box extension cable, 0.3 m (connects IO Box to IO Box)	191.10	670190	4548583806177			IB	Z	USA	8479.9070.99
04679-003	IO Box extension cable, 0.3 m (connects IO Box to IO Box)	191.10	698750	4549734677004			IB	Z	USA	8544.4290.90
04679-030	IO Box extension cable, 3.0 m (connects IO Box to IO Box)	191.10	670164	4548583806184			IB	Z	USA	8544.4290.90
04679-030	IO Box extension cable, 3.0 m (connects IO Box to IO Box)	191.10	698749	4549734677011			IB	Z	USA	8544.4290.90
09187-000	ACE PackXpert License	2.683.00	670209	4548583806375			IB	Z	USA	8479.9070.99
09187-000	ACE PackXpert License	2.683.00	698753	4549734676946			IB	Z	USA	8479.9070.99
09187-010	ACE PackXpert with ACE adeptSight Vision	6.525.00	698751	4549734676991			IB	Z	USA	8479.9070.99
09322-000	Lens, Camera, 16 mm	512.50	687073	4549734491891			IB	Z	VNM	8479.9070.99
09323-000	Lens, Camera, 25 mm	582.50	687072	4549734491907			IB	Z	VNM	8479.9070.99
09323-100	Lens, Camera, 35mm, F1.6-16, C-Mount	663.00	687071	4549734491914			IB	Z	VNM	8479.9070.99
09438-000	Breakout Terminal Block, DB50 Male, DIN Rail Mount	351.30	673701	4548583989436			IB	Z	USA	8536.9010.00
09438-000	Breakout Terminal Block, DB50 Male, DIN Rail Mount	351.30	698747	4549734677035			IB	Z	USA	8536.9010.00
09439-001	Adept TR-1 Conveyor Encoder IP65	830.00	670165	4548583806047			IB	Z	USA	8479.9070.99
09439-001	Adept TR-1 Conveyor Encoder IP65	830.00	698741	4549734677233			IB	Z	USA	8479.9070.99
09439-001	Adept TR-1 Conveyor Encoder IP65	825.00	700111	4549734893961			IB	Z	GBR	8479.9070.99
09439-100	Mounting Bracket, TR1 Encoder	102.90	698727	4549734676407			IB	Z	USA	8479.9070.99
09439-100	Mounting Bracket, TR1 Encoder	99.00	700109	4549734893947			IB	Z	GBR	8479.9070.99
09443-000	Cable, Belt Encoder to M12 Female, Y-Adapter, 2-Encoder Support, 3 m	185.80	698745	4549734677172			IB	Z	USA	8544.4290.90
09446-050	Encoder Extension Cable, M12 Male to M12 Female, 8-pin, 5 m	276.30	670149	4548583806078			IB	Z	USA	8479.9070.99
09446-050	Encoder Extension Cable, M12 Male to M12 Female, 8-pin, 5 m	276.30	698744	4549734677189			IB	Z	USA	8544.4290.90
09446-050	Encoder Extension Cable, M12 Male to M12 Female, 8-pin, 5 m	295.00	700110	4549734893954			IB	Z	CHN	8544.4290.90

2021 List Price	SLN. (Daheet)	GTIN	Stock Qty.	Lot Qty.	Gr.	Fam.	COO	Tariff Code		
50.15	673702	4548583989443			IB	Z	USA	8544.4290.90		
50.15	698731	4549734677813			IB	Z	USA	8544.4290.90		
1,387.00	670172	4548583806016			IB	Z	USA	8479.9070.99		
1,387.00	698717	4549734680783			IB	Z	USA	8479.9070.99		
918.00	698718	4549734680738			IB	Z	USA	8479.9070.99		
990.00	700113	4549734893985			IB	Z	GBR	8479.9070.99		
280.60	698726	4549734678933			IB	Z	USA	8537.1091.99		
2,201.00	698737	4549734677271			IB	Z	USA	8537.1098.99		
95.40	670210	4548583805682			IB	Z	USA	8536.9010.00		
95.40	698728	4549734678261			IB	Z	USA	8536.9010.00		
145.00	687055	4549734492072			IB	Z	USA	8479.9070.99		
145.00	687054	4549734492089			IB	Z	USA	8479.9070.99		
663.00	687070	4549734491921			IB	Z	VNM	8479.9070.99		
663.00	687069	4549734491938			IB	Z	VNM	8479.9070.99		
663.00	687068	4549734491945			IB	Z	VNM	8479.9070.99		
145.00	687053	4549734492096			IB	Z	USA	8479.9070.99		
151.50	699235	4549734675765			IB	Z	CHN	8544.4290.90		
295.20	687052	4549734492102	#		IB	Z	USA	8479.9070.99		
11,190.00	673727	4548583989917			IB	Z	USA	8479.9070.99		
11,190.00	698736	4549734677288			IB	Z	USA	8479.9070.99		
3,899.00	670148	4548583805651			IB	Z	USA	8537.1091.99		
2,458.00	675154	4549734900157			IB	Z	USA	8479.9070.99		
2,298.00	678802	4549734928489			IB	Z	USA	8479.9070.99		
3,934.00	689880	4549734554565			IB	Z	USA	8479.9070.99		
4,005.00	698746	4549734677066			IB	Z	USA	8479.9070.99		
2,889.00	688612	4549734524063			IB	Z	USA	8479.9070.99		
4,857.00	688613	4549734524070	#		IB	Z	USA	8479.9070.99		
7,030.00	688614	4549734524087	#		IB	Z	USA	8479.9070.99		
20,000.00	702136	4549734605465			IB	Z	SVK	8479.9070.99		
25,000.00	702135	4549734605472			IB	Z	SVK	8479.9070.99		
30,000.00	702134	4549734605489			IB	Z	SVK	8479.9070.99		
1,180.00	687067	4549734491952			IB	Z	DEU	8479.9070.99		
1,180.00	687066	4549734491969			IB	Z	DEU	8479.9070.99		
1,180.00	687065	4549734491976			IB	Z	DEU	8479.9070.99		
1,180.00	687064	4549734491983			IB	Z	DEU	8479.9070.99		
1,180.00	687063	4549734491990	#		IB	Z	DEU	8479.9070.99		
1,180.00	687062	4549734492003			IB	Z	DEU	8479.9070.99		
3,203.00	697061	4549734492010	#		IB	Z	DEU	8479.9070.99		
3,411.00	697060	4549734492027			IB	Z	DEU	8479.9070.99		
11.92	698732	4549734677585			IB	Z	USA	8539.2988.90		
663.00	670185	4548583806146			IB	Z	USA	8544.4290.90		
663.00	698721	4549734680417			IB	Z	USA	8544.4290.90		
1,751.00	679459	4549734932615			IB	Z	USA	8544.4290.90		
471.80	698724	4549734679800			IB	Z	USA	8536.9010.00		
471.80	670168	4548583806153			IB	Z	USA	8536.9010.00		
471.80	698723	4549734679930			IB	Z	USA	8536.9010.00		
471.80	670220	4548583806207			IB	Z	USA	8536.9010.00		
471.80	698725	4549734679572			IB	Z	USA	8536.9010.00		
663.00	670214	4548583806238			IB	Z	USA	8479.9070.99		
663.00	698742	4549734677202			IB	Z	USA	8544.4290.90		
4,007.00	688611	4549734524056	#		IB	Z	NLD	8537.1091.99		
494.90	693703	4549734992114			IB	Z	NLD	8517.6200.00		
<b>1S-Series Drives</b>										
	R88D-1SN01H-ECT	1S servo drive, EtherCAT type, 100 W, 1- 230 VAC	755.00	670725	4548583789166	#	MB	A	JPN	8501.4020.80
	R88D-1SN02H-ECT	1S servo drive, EtherCAT type, 200 W, 1- 230 VAC	930.00	670719	4548583789173	#	MB	A	JPN	8501.4020.80
	R88D-1SN04H-ECT	1S servo drive, EtherCAT type, 400 W, 1- 230 VAC	990.00	670727	4548583789180	#	MB	A	JPN	8501.4020.80
	R88D-1SN06F-ECT	1S servo drive, EtherCAT type, 600 W, 3- 400 VAC	1,016.00	670720	4548583789241	#	MB	A	JPN	8501.4020.80
	R88D-1SN08H-ECT	1S servo drive, EtherCAT type, 800 W, 1- 230 VAC	1,009.00	670726	4548583789197	#	MB	A	JPN	8501.4020.80
	R88D-1SN10F-ECT	1S servo drive, EtherCAT type, 1 kW, 3- 400 VAC	1,086.00	670723	4548583789258	#	MB	A	JPN	8501.4020.80
	R88D-1SN150F-ECT	1S servo drive, EtherCAT type, 1.5 kW, 3- 400 VAC	6,250.00	689222	4549734210041		MB	A	JPN	9032.8900.90
	R88D-1SN15F-ECT	1S servo drive, EtherCAT type, 1.5 kW, 3- 400 VAC	1,129.00	670721	4548583789265	#	MB	A	JPN	8501.4020.80
	R88D-1SN15H-ECT	1S servo drive, EtherCAT type, 1.5 kW, 1- 230 VAC	1,471.00	670724	4548583789210	#	MB	A	JPN	8501.4020.80
	R88D-1SN20F-ECT	1S servo drive, EtherCAT type, 2 kW, 3- 400 VAC	1,371.00	670728	4548583789272	#	MB	A	JPN	8501.4020.80
	R88D-1SN20H-ECT	1S servo drive, EtherCAT type, 2 kW, 3- 230 VAC	2,697.00	691061	4548583789227	#	MB	A	JPN	8501.4020.80
	R88D-1SN30F-ECT	1S servo drive, EtherCAT type, 3 kW, 3- 400 VAC	1,497.00	670722	4548583789289	#	MB	A	JPN	8501.4020.80
	R88D-1SN55F-ECT	1S servo drive, EtherCAT type, 5.5 kW, 3- 400 VAC	2,277.00	689220	4549734210027	#	MB	A	PHL	9032.8900.90
	R88D-1SN75F-ECT	1S servo drive, EtherCAT type, 7.5 kW, 3- 400 VAC	4,061.00	689221	4549734210034	#	MB	A	PHL	9032.8900.90
	R88D-1SAN02H-ECT	1SA servo drive with safety, EtherCAT type, 200 W, 1- 230 VAC	1,135.00	693630	4549734219419		MB	A	CHN	8501.4020.80
	R88D-1SAN04H-ECT	1SA servo drive with safety, EtherCAT type, 400 W, 1- 230 VAC	1,208.00	693631	4549734219426	#	MB	A	CHN	8501.4020.80
	R88D-1SAN08H-ECT	1SA servo drive with safety, EtherCAT type, 800 W, 1- 230 VAC	1,232.00	693632	4549734219433		MB	A	CHN	8501.4020.80
	R88D-1SAN10F-ECT	1SA servo drive with safety, EtherCAT type, 1 kW, 3- 400 VAC	1,326.00	695499	4549734219488		MB	A	CHN	9032.8900.90
	R88D-1SAN15F-ECT	1SA servo drive with safety, EtherCAT type, 1.5 kW, 3- 400 VAC	1,377.00	695498	4549734219495		MB	A	CHN	9032.8900.90
	R88D-1SAN15H-ECT	1SA servo drive with safety, EtherCAT type, 1.5 kW, 1- 230 VAC	1,794.00	695500	4549734219457		MB	A	CHN	9032.8900.90
	R88D-1SAN20F-ECT	1SA servo drive with safety, EtherCAT type, 2 kW, 3- 400 VAC	1,673.00	695497	4549734219501	#	MB	A	CHN	9032.8900.90

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Dataheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
F88D-1SAN30F-ECT	1SA servo drive with safety, EtherCAT type, 3 kW, 3- 400 VAC	1.827,00	695496	4549734219518			MB	A	CHN	9032.8900.90
<b>1S-Series Motors</b>										
F88M-1L1K030C-BS2	1SAC servo motor, 1 kW, 400 VAC, 3000 rpm, 3.18 Nm, absolute encoder, with brake	1.761,00	672247	4548583789890	#		MB	B	JPN	8501.4020.80
F88M-1L1K030C-S2	1SAC servo motor, 1 kW, 400 VAC, 3000 rpm, 3.18 Nm, absolute encoder	1.501,00	672248	4548583789739	#		MB	B	JPN	8501.4020.80
F88M-1L1K030H-BS2	1SAC servo motor, 1 kW, 230 VAC, 3000 rpm, 3.18 Nm, incremental encoder, with brake	2.015,00	681567	4549734172479	#		MB	B	JPN	8501.5220.89
F88M-1L1K030H-S2	1SAC servo motor, 1 kW, 230 VAC, 3000 rpm, 3.18 Nm, incremental encoder	1.669,00	681573	4549734172462	#		MB	B	JPN	8501.5220.89
F88M-1L1K030T-BS2	1SAC servo motor, 1 kW, 230 VAC, 3000 rpm, 3.18 Nm, absolute encoder, with brake	1.768,00	672245	4548583789845	#		MB	B	JPN	8501.4020.80
F88M-1L1K030T-S2	1SAC servo motor, 1 kW, 230 VAC, 3000 rpm, 3.18 Nm, absolute encoder	1.463,00	672254	4548583789685	#		MB	B	JPN	8501.4020.80
F88M-1L1K530C-BS2	1SAC servo motor, 1.5 kW, 400 VAC, 3000 rpm, 4.77 Nm, absolute encoder, with brake	1.915,00	672249	4548583789906	#		MB	B	JPN	8501.4020.80
F88M-1L1K530C-S2	1SAC servo motor, 1.5 kW, 400 VAC, 3000 rpm, 4.77 Nm, absolute encoder	1.537,00	672250	4548583789746	#		MB	B	JPN	8501.4020.80
F88M-1L1K530H-BS2	1SAC servo motor, 1.5 kW, 230 VAC, 3000 rpm, 4.77 Nm, incremental encoder, with brake	2.322,00	681574	4549734172493	#		MB	B	JPN	8501.5220.89
F88M-1L1K530H-S2	1SAC servo motor, 1.5 kW, 230 VAC, 3000 rpm, 4.77 Nm, incremental encoder	1.892,00	681568	4549734172486	#		MB	B	JPN	8501.5220.89
F88M-1L1K530T-BS2	1SAC servo motor, 1.5 kW, 230 VAC, 3000 rpm, 4.77 Nm, absolute encoder, with brake	2.038,00	672246	4548583789852	#		MB	B	JPN	8501.4020.80
F88M-1L1K530T-S2	1SAC servo motor, 1.5 kW, 230 VAC, 3000 rpm, 4.77 Nm, absolute encoder	1.659,00	672255	4548583789692	#		MB	B	JPN	8501.4020.80
F88M-1L2K030C-BS2	1SAC servo motor, 2 kW, 400 VAC, 3000 rpm, 6.37 Nm, absolute encoder, with brake	2.279,00	672244	4548583789913	#		MB	B	JPN	8501.4020.80
F88M-1L2K030C-S2	1SAC servo motor, 2 kW, 400 VAC, 3000 rpm, 6.37 Nm, absolute encoder	1.894,00	672257	4548583789753	#		MB	B	JPN	8501.4020.80
F88M-1L3K030C-BS2	1SAC servo motor, 3 kW, 400 VAC, 3000 rpm, 9.55 Nm, absolute encoder, with brake	2.552,00	672251	4548583789920	#		MB	B	JPN	8501.4020.80
F88M-1L3K030C-S2	1SAC servo motor, 3 kW, 400 VAC, 3000 rpm, 9.55 Nm, absolute encoder	2.170,00	672252	4548583789760	#		MB	B	JPN	8501.4020.80
F88M-1L4K030C-BS2	1SAC servo motor, 4 kW, 400 VAC, 3000 rpm, 12.7 Nm, absolute encoder, with brake	3.209,00	689224	4549734210669	#		MB	B	JPN	8501.5220.89
F88M-1L4K030C-S2	1SAC servo motor, 4 kW, 400 VAC, 3000 rpm, 12.7 Nm, absolute encoder	2.672,00	689223	4549734210645	#		MB	B	JPN	8501.5220.89
F88M-1L5K030C-BS2	1SAC servo motor, 5 kW, 400 VAC, 3000 rpm, 15.9 Nm, absolute encoder, with brake	3.953,00	689226	4549734210744	#		MB	B	JPN	8501.5220.89
F88M-1L5K030C-S2	1SAC servo motor, 5 kW, 400 VAC, 3000 rpm, 15.9 Nm, absolute encoder	3.409,00	689225	4549734210720	#		MB	B	JPN	8501.5220.89
F88M-1L75030C-BS2	1SAC servo motor, 750 W, 400 VAC, 3000 rpm, 2.39 Nm, absolute encoder, with brake	1.746,00	672253	4548583789883	#		MB	B	JPN	8501.4020.80
F88M-1L75030C-S2	1SAC servo motor, 750 W, 400 VAC, 3000 rpm, 2.39 Nm, absolute encoder	1.429,00	672256	4548583789722	#		MB	B	JPN	8501.4020.80
F88M-1M10030H-BS2	1SAC servo motor, 100 W, 230 VAC, 3000 rpm, 0.318 Nm, incremental encoder, with brake	837,50	681576	4549734172394	#		MB	B	PHL	8501.5100.90
F88M-1M10030H-S2	1SAC servo motor, 100 W, 230 VAC, 3000 rpm, 0.318 Nm, incremental encoder	608,50	681572	4549734172387	#		MB	B	PHL	8501.5100.90
F88M-1M10030T-BS2	1SAC servo motor, 100 W, 230 VAC, 3000 rpm, 0.318 Nm, absolute encoder, with brake	1.047,00	670732	4548583789807	#		MB	B	PHL	8501.4020.80
F88M-1M10030T-S2	1SAC servo motor, 100 W, 230 VAC, 3000 rpm, 0.318 Nm, absolute encoder	760,00	670742	4548583789647	#		MB	B	PHL	8501.4020.80
F88M-1M20030H-BS2	1SAC servo motor, 200 W, 230 VAC, 3000 rpm, 0.637 Nm, incremental encoder, with brake	891,00	681570	4549734172417	#		MB	B	PHL	8501.5100.90
F88M-1M20030H-S2	1SAC servo motor, 200 W, 230 VAC, 3000 rpm, 0.637 Nm, incremental encoder	652,50	681565	4549734172400	#		MB	B	PHL	8501.5100.90
F88M-1M20030T-BS2	1SAC servo motor, 200 W, 230 VAC, 3000 rpm, 0.637 Nm, absolute encoder, with brake	1.116,00	670746	4548583789814	#		MB	B	PHL	8501.4020.80
F88M-1M20030T-S2	1SAC servo motor, 200 W, 230 VAC, 3000 rpm, 0.637 Nm, absolute encoder	815,50	670733	4548583789654	#		MB	B	PHL	8501.4020.80
F88M-1M40030H-BS2	1SAC servo motor, 400 W, 230 VAC, 3000 rpm, 1.27 Nm, incremental encoder, with brake	1.026,00	681566	4549734172431	#		MB	B	PHL	8501.5100.90
F88M-1M40030H-S2	1SAC servo motor, 400 W, 230 VAC, 3000 rpm, 1.27 Nm, incremental encoder	764,00	681571	4549734172424	#		MB	B	PHL	8501.5100.90
F88M-1M40030T-BS2	1SAC servo motor, 400 W, 230 VAC, 3000 rpm, 1.27 Nm, absolute encoder, with brake and oil seal	1.305,00	679421	4548583790469	#		MB	B	PHL	8501.4020.80
F88M-1M40030T-S2	1SAC servo motor, 400 W, 230 VAC, 3000 rpm, 1.27 Nm, absolute encoder, with oil seal	1.292,00	670749	4548583789821	#		MB	B	PHL	8501.4020.80
F88M-1M40030T-OS2	1SAC servo motor, 400 W, 230 VAC, 3000 rpm, 1.27 Nm, absolute encoder, with oil seal	973,00	675300	4548583790308	#		MB	B	PHL	8501.4020.80
F88M-1M40030T-S2	1SAC servo motor, 400 W, 230 VAC, 3000 rpm, 1.27 Nm, absolute encoder	953,50	670755	4548583789861	#		MB	B	PHL	8501.4020.80
F88M-1M75030H-BS2	1SAC servo motor, 750 W, 230 VAC, 3000 rpm, 2.39 Nm, incremental encoder, with brake	1.184,00	681563	4549734172455	#		MB	B	PHL	8501.5100.90
F88M-1M75030H-S2	1SAC servo motor, 750 W, 230 VAC, 3000 rpm, 2.39 Nm, incremental encoder	890,50	681561	4549734172448	#		MB	B	PHL	8501.5100.90
F88M-1M75030T-BS2	1SAC servo motor, 750 W, 230 VAC, 3000 rpm, 2.39 Nm, absolute encoder, with brake	1.477,00	670759	4548583789838	#		MB	B	PHL	8501.4020.80
F88M-1M75030T-S2	1SAC servo motor, 750 W, 230 VAC, 3000 rpm, 2.39 Nm, absolute encoder	1.114,00	670744	4548583789878	#		MB	B	PHL	8501.4020.80
F88M-1M11K015C-BS2	1SAC servo motor, 11 kW, 400 VAC, 1500 rpm, 70.0 Nm, absolute encoder, with brake	5.655,00	689234	4549734211062	#		MB	B	JPN	8501.5230.90
F88M-1M11K015C-S2	1SAC servo motor, 11 kW, 400 VAC, 1500 rpm, 70.0 Nm, absolute encoder	4.676,00	689233	4549734211048	#		MB	B	JPN	8501.5230.90
F88M-1M15K015C-BS2	1SAC servo motor, 15 kW, 400 VAC, 1500 rpm, 95.5 Nm, absolute encoder, with brake	6.885,00	689236	4549734211147	#		MB	B	JPN	8501.5230.90
F88M-1M15K015C-S2	1SAC servo motor, 15 kW, 400 VAC, 1500 rpm, 95.5 Nm, absolute encoder	5.910,00	689235	4549734211123	#		MB	B	JPN	8501.5230.90
F88M-1M1K020C-BS2	1SAC servo motor, 1 kW, 400 VAC, 2000 rpm, 4.77 Nm, absolute encoder, with brake	1.470,00	679973	4549734165204	#		MB	B	PHL	8501.4020.80
F88M-1M1K020C-S2	1SAC servo motor, 1 kW, 400 VAC, 2000 rpm, 4.77 Nm, absolute encoder	1.045,00	679958	4549734165105	#		MB	B	PHL	8501.4020.80
F88M-1M1K020H-BS2	1SAC servo motor, 1 kW, 230 VAC, 2000 rpm, 4.77 Nm, incremental encoder, with brake	1.731,00	681569	4549734172516	#		MB	B	PHL	8501.5220.89
F88M-1M1K020H-S2	1SAC servo motor, 1 kW, 230 VAC, 2000 rpm, 4.77 Nm, incremental encoder	1.373,00	681575	4549734172509	#		MB	B	PHL	8501.5220.89
F88M-1M1K020T-BS2	1SAC servo motor, 1 kW, 230 VAC, 2000 rpm, 4.77 Nm, absolute encoder, with brake	1.519,00	680427	4549734165143	#		MB	B	PHL	8501.4020.80
F88M-1M1K020T-S2	1SAC servo motor, 1 kW, 230 VAC, 2000 rpm, 4.77 Nm, absolute encoder	1.204,00	679974	4549734165044	#		MB	B	PHL	8501.4020.80
F88M-1M1K520C-BS2	1SAC servo motor, 1.5 kW, 400 VAC, 2000 rpm, 7.16 Nm, absolute encoder, with brake	1.564,00	679985	4549734165211	#		MB	B	PHL	8501.4020.80
F88M-1M1K520C-S2	1SAC servo motor, 1.5 kW, 400 VAC, 2000 rpm, 7.16 Nm, absolute encoder	1.323,00	679978	4549734165112	#		MB	B	PHL	8501.4020.80
F88M-1M1K520H-BS2	1SAC servo motor, 1.5 kW, 230 VAC, 2000 rpm, 7.16 Nm, incremental encoder, with brake	1.795,00	681564	4549734172530	#		MB	B	PHL	8501.5220.89
F88M-1M1K520H-S2	1SAC servo motor, 1.5 kW, 230 VAC, 2000 rpm, 7.16 Nm, incremental encoder	1.487,00	681577	4549734172523	#		MB	B	PHL	8501.5220.89
F88M-1M1K520T-BS2	1SAC servo motor, 1.5 kW, 230 VAC, 2000 rpm, 7.16 Nm, absolute encoder, with brake	1.577,00	679957	4549734165150	#		MB	B	PHL	8501.4020.80
F88M-1M1K520T-S2	1SAC servo motor, 1.5 kW, 230 VAC, 2000 rpm, 7.16 Nm, absolute encoder	1.305,00	679979	4549734165051	#		MB	B	PHL	8501.4020.80
F88M-1M2K020C-BS2	1SAC servo motor, 2 kW, 400 VAC, 2000 rpm, 9.55 Nm, absolute encoder, with brake	1.737,00	679953	4549734165228	#		MB	B	PHL	8501.4020.80
F88M-1M2K020C-S2	1SAC servo motor, 2 kW, 400 VAC, 2000 rpm, 9.55 Nm, absolute encoder	1.423,00	679952	4549734165129	#		MB	B	PHL	8501.4020.80
F88M-1M2K020T-BS2	1SAC servo motor, 2 kW, 200 VAC, 2000 rpm, 9.55 Nm, absolute encoder	1.422,00	690512	4549734165068	#		MB	B	PHL	8501.5220.89
F88M-1M3K020C-BS2	1SAC servo motor, 3 kW, 400 VAC, 2000 rpm, 14.32 Nm, absolute encoder, with brake	2.147,00	679972	4549734165235	#		MB	B	PHL	8501.4020.80
F88M-1M3K020C-S2	1SAC servo motor, 3 kW, 400 VAC, 2000 rpm, 14.32 Nm, absolute encoder	1.686,00	679984	4549734165136	#		MB	B	PHL	8501.4020.80
F88M-1M40020C-BS2	1SAC servo motor, 400 W, 400 VAC, 2000 rpm, 1.91 Nm, absolute encoder, with brake	1.355,00	681595	4549734165181	#		MB	B	PHL	8501.5100.90
F88M-1M40020C-S2	1SAC servo motor, 400 W, 400 VAC, 2000 rpm, 1.91 Nm, absolute encoder	970,00	681597	4549734165082	#		MB	B	PHL	8501.5100.90
F88M-1M4K015C-BS2	1SAC servo motor, 4 kW, 400 VAC, 1500 rpm, 25.5 Nm, absolute encoder, with brake	2.522,00	689228	4549734210829	#		MB	B	PHL	8501.5220.89
F88M-1M4K015C-S2	1SAC servo motor, 4 kW, 400 VAC, 1500 rpm, 25.5 Nm, absolute encoder	1.979,00	689227	4549734210805	#		MB	B	PHL	8501.5220.89
F88M-1M5K015T-BS2	1SAC servo motor, 5.5 kW, 400 VAC, 1500 rpm, 35.0 Nm, absolute encoder, with brake	1.970,00	700667	4549734210249	#		MB	B	PHL	8501.5220.89
F88M-1M5K015C-BS2	1SAC servo motor, 5.5 kW, 400 VAC, 1500 rpm, 35.0 Nm, absolute encoder	2.769,00	689230	4549734210904	#		MB	B	PHL	8501.5220.89
F88M-1M5K015C-S2	1SAC servo motor, 5.5 kW, 400 VAC, 1500 rpm, 35.0 Nm, absolute encoder	2.226,00	689229	4549734210881	#		MB	B	PHL	8501.5220.89
F88M-1M60020C-BS2	1SAC servo motor, 600 W, 400 VAC, 2000 rpm, 2.86 Nm, absolute encoder, with brake	1.409,00	681596	4549734165198	#		MB	B	PHL	8501.5100.90
F88M-1M60020C-S2	1SAC servo motor, 600 W, 400 VAC, 2000 rpm, 2.86 Nm, absolute encoder	1.015,00	681594	4549734165099	#		MB	B	PHL	8501.5100.90
F88M-1M7K515C-BS2	1SAC servo motor, 7.5 kW, 400 VAC, 1500 rpm, 47.8 Nm, absolute encoder, with brake	4.553,00	689232	4549734210980	#		MB	B	PHL	8501.5220.89
F88M-1M7K515C-S2	1SAC servo motor, 7.5 kW, 400 VAC, 1500 rpm, 47.8 Nm, absolute encoder	4.009,00	689231	4549734210966	#		MB	B	PHL	8501.5220.89



Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Daheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
F88M-1M2K010C-BS2	1S AC servo motor, 2 kW, 400 VAC, 1000 rpm, 19.1 Nm, absolute encoder, with brake	2,557.00	680412	4549734165860			MB	B	PHL	8501.4020.80
F88M-1M2K010C-S2	1S AC servo motor, 2 kW, 400 VAC, 1000 rpm, 19.1 Nm, absolute encoder	2,082.00	680268	4549734165808	#		MB	B	PHL	8501.4020.80
F88M-1M3K010C-BS2	1S AC servo motor, 3 kW, 400 VAC, 1000 rpm, 28.65 Nm, absolute encoder, with brake	3,047.00	679950	4549734165877	#		MB	B	PHL	8501.4020.80
F88M-1M3K010C-S2	1S AC servo motor, 3 kW, 400 VAC, 1000 rpm, 28.65 Nm, absolute encoder	2,610.00	679975	4549734165815	#		MB	B	PHL	8501.4020.80
F88M-1M90010C-BS2	1S AC servo motor, 900 W, 400 VAC, 1000 rpm, 8.59 Nm, absolute encoder, with brake	1,659.00	679976	4549734165853	#		MB	B	PHL	8501.4020.80
F88M-1M90010C-S2	1S AC servo motor, 900 W, 400 VAC, 1000 rpm, 8.59 Nm, absolute encoder	1,371.00	679980	4549734165792	#		MB	B	PHL	8501.4020.80
F88M-1M90010T-BS2	1S AC servo motor, 900 W, 230 VAC, 1000 rpm, 8.59 Nm, absolute encoder, with brake	1,731.00	679951	4549734165822	#		MB	B	PHL	8501.4020.80
F88M-1M90010T-S2	1S AC servo motor, 900 W, 230 VAC, 1000 rpm, 8.59 Nm, absolute encoder	1,364.00	679967	4549734165761	#		MB	B	PHL	8501.4020.80
F88M-1AL1K030C-BS2	1SA AC servo motor, 1 kW, 400 VAC, 3000 rpm, 3.18 Nm, absolute encoder, with brake	2,148.00	695577	4549734220378			MB	B	JPN	8501.5220.89
F88M-1AL1K030C-S2	1SA AC servo motor, 1 kW, 400 VAC, 3000 rpm, 3.18 Nm, absolute encoder	1,832.00	695578	4549734220354			MB	B	JPN	8501.5220.89
F88M-1AL1K030T-BS2	1SA AC servo motor, 1 kW, 230 VAC, 3000 rpm, 3.18 Nm, absolute encoder, with brake	2,157.00	695579	4549734219815			MB	B	JPN	8501.5220.89
F88M-1AL1K030T-S2	1SA AC servo motor, 1 kW, 230 VAC, 3000 rpm, 3.18 Nm, absolute encoder	1,785.00	695580	4549734219792			MB	B	JPN	8501.5220.89
F88M-1AL1K530C-BS2	1SA AC servo motor, 1.5 kW, 400 VAC, 3000 rpm, 4.77 Nm, absolute encoder, with brake	2,337.00	695581	4549734220453			MB	B	JPN	8501.5220.89
F88M-1AL1K530C-S2	1SA AC servo motor, 1.5 kW, 400 VAC, 3000 rpm, 4.77 Nm, absolute encoder	1,875.00	695582	4549734220439			MB	B	JPN	8501.5220.89
F88M-1AL1K530T-BS2	1SA AC servo motor, 1.5 kW, 230 VAC, 3000 rpm, 4.77 Nm, absolute encoder, with brake	2,486.00	695583	4549734219891			MB	B	JPN	8501.5220.89
F88M-1AL1K530T-S2	1SA AC servo motor, 1.5 kW, 230 VAC, 3000 rpm, 4.77 Nm, absolute encoder	2,024.00	695584	4549734219877			MB	B	JPN	8501.5220.89
F88M-1AL2K030C-BS2	1SA AC servo motor, 2 kW, 400 VAC, 3000 rpm, 6.37 Nm, absolute encoder, with brake	2,780.00	695585	4549734220538	#		MB	B	JPN	8501.5220.89
F88M-1AL2K030C-S2	1SA AC servo motor, 2 kW, 400 VAC, 3000 rpm, 6.37 Nm, absolute encoder	2,311.00	695586	4549734220514			MB	B	JPN	8501.5220.89
F88M-1AL3K030C-BS2	1SA AC servo motor, 3 kW, 400 VAC, 3000 rpm, 9.55 Nm, absolute encoder, with brake	3,113.00	695587	4549734220613			MB	B	JPN	8501.5220.89
F88M-1AL3K030C-S2	1SA AC servo motor, 3 kW, 400 VAC, 3000 rpm, 9.55 Nm, absolute encoder	2,648.00	695588	4549734220590			MB	B	JPN	8501.5220.89
F88M-1AL75030C-BS2	1SA AC servo motor, 750 W, 400 VAC, 3000 rpm, 2.39 Nm, absolute encoder, with brake	2,130.00	695589	4549734220293			MB	B	JPN	8501.5100.90
F88M-1AL75030C-S2	1SA AC servo motor, 750 W, 400 VAC, 3000 rpm, 2.39 Nm, absolute encoder	1,743.00	695590	4549734220279			MB	B	JPN	8501.5100.90
F88M-1AM20030T-BS2	1SA AC servo motor, 200 W, 230 VAC, 3000 rpm, 0.637 Nm, absolute encoder, with brake	1,361.00	695595	4549734219570			MB	B	PHL	8501.5100.90
F88M-1AM20030T-S2	1SA AC servo motor, 200 W, 230 VAC, 3000 rpm, 0.637 Nm, absolute encoder	995.00	695596	4549734219556			MB	B	PHL	8501.5100.90
F88M-1AM40030T-BS2	1SA AC servo motor, 400 W, 230 VAC, 3000 rpm, 1.27 Nm, absolute encoder, with brake	1,564.00	695599	4549734219655	#		MB	B	PHL	8501.5100.90
F88M-1AM40030T-S2	1SA AC servo motor, 400 W, 230 VAC, 3000 rpm, 1.27 Nm, absolute encoder	1,164.00	695600	4549734219631	#		MB	B	PHL	8501.5100.90
F88M-1AM75030T-BS2	1SA AC servo motor, 750 W, 230 VAC, 3000 rpm, 2.39 Nm, absolute encoder, with brake	1,802.00	695601	4549734219730			MB	B	PHL	8501.5100.90
F88M-1AM75030T-S2	1SA AC servo motor, 750 W, 230 VAC, 3000 rpm, 2.39 Nm, absolute encoder	1,358.00	695602	4549734219716	#		MB	B	PHL	8501.5100.90
F88M-1AM1K515C-BS2	1SA AC servo motor, 1.5 kW, 400 VAC, 1500 rpm, 9.55 Nm, absolute encoder, with brake	1,908.00	695591	4549734220699			MB	B	PHL	8501.5220.89
F88M-1AM1K515C-S2	1SA AC servo motor, 1.5 kW, 400 VAC, 1500 rpm, 9.55 Nm, absolute encoder	1,613.00	695592	4549734220675			MB	B	PHL	8501.5220.89
F88M-1AM1K515T-BS2	1SA AC servo motor, 1.5 kW, 230 VAC, 1500 rpm, 9.55 Nm, absolute encoder, with brake	1,924.00	695593	4549734220132			MB	B	PHL	8501.5220.89
F88M-1AM1K515T-S2	1SA AC servo motor, 1.5 kW, 230 VAC, 1500 rpm, 9.55 Nm, absolute encoder	1,592.00	695594	4549734220118			MB	B	PHL	8501.5220.89
F88M-1AM3K015C-BS2	1SA AC servo motor, 3 kW, 400 VAC, 1500 rpm, 19.1 Nm, absolute encoder, with brake	2,619.00	695597	4549734220774			MB	B	PHL	8501.5220.89
F88M-1AM3K015C-S2	1SA AC servo motor, 3 kW, 400 VAC, 1500 rpm, 19.1 Nm, absolute encoder	2,057.00	695598	4549734220750			MB	B	PHL	8501.5220.89
<b>Accessories Servo-2</b>										
F88A-CR1A001-5CF-E	1S series servo encoder cable, 1.5m, 230V, 50-750W	99.20	670619	4548583972438	#		MB	Z	ITA	8544.4290.90
F88A-CR1A003CF-E	1S series servo encoder cable, 3m, 230V, 50-750W	104.20	670612	4548583972360	#		MB	Z	ITA	8544.4290.90
F88A-CR1A005CF-E	1S series servo encoder cable, 5m, 230V, 50-750W	111.40	670623	4548583972476	#		MB	Z	ITA	8544.4290.90
F88A-CR1A010CF-E	1S series servo encoder cable, 10m, 230V, 50-750W	129.40	670620	4548583972445	#		MB	Z	ITA	8544.4290.90
F88A-CR1A015CF-E	1S series servo encoder cable, 15m, 230V, 50-750W	151.30	670624	4548583972483	#		MB	Z	ITA	8544.4290.90
F88A-CR1A020CF-E	1S series servo encoder cable, 20m, 230V, 50-750W	185.40	670613	4548583972377	#		MB	Z	ITA	8544.4290.90
F88A-CR1A030CF-E	1S series servo encoder cable, 30m, 230V, 50-750W	247.20	670615	4548583972391	#		MB	Z	ITA	8544.4290.90
F88A-CR1A040CF-E	1S series servo encoder cable, 40m, 230V, 50-750W	318.10	670614	4548583972384	#		MB	Z	ITA	8544.4290.90
F88A-CR1A050CF-E	1S series servo encoder cable, 50m, 230V, 50-750W	382.50	670617	4548583972414	#		MB	Z	ITA	8544.4290.90
F88A-CR1B001-5NF-E	1S series servo encoder cable, 1.5m, 230V, 900W-1.5kW, 400V-400W-15kW	120.50	670621	4548583972452	#		MB	Z	ITA	8544.4290.90
F88A-CR1B003NF-E	1S series servo encoder cable, 3m, 230V, 900W-1.5kW, 400V-400W-15kW	123.60	670616	4548583972407	#		MB	Z	ITA	8544.4290.90
F88A-CR1B005NF-E	1S series servo encoder cable, 5m, 230V, 900W-1.5kW, 400V-400W-15kW	129.60	670618	4548583972421	#		MB	Z	ITA	8544.4290.90
F88A-CR1B010NF-E	1S series servo encoder cable, 10m, 230V, 900W-1.5kW, 400V-400W-15kW	154.50	670622	4548583972469	#		MB	Z	ITA	8544.4290.90
F88A-CR1B015NF-E	1S series servo encoder cable, 15m, 230V, 900W-1.5kW, 400V-400W-15kW	176.10	670625	4548583972490	#		MB	Z	ITA	8544.4290.90
F88A-CR1B020NF-E	1S series servo encoder cable, 20m, 230V, 900W-1.5kW, 400V-400W-15kW	216.10	670626	4548583972506	#		MB	Z	ITA	8544.4290.90
F88A-CR1B025NF-E	1S series servo encoder cable, 25m, 230V, 900W-1.5kW, 400V-400W-15kW	246.10	688383	454973471416	#		MB	Z	ITA	8544.4290.90
F88A-CR1B030NF-E	1S series servo encoder cable, 30m, 230V, 900W-1.5kW, 400V-400W-15kW	287.10	670629	4548583972537	#		MB	Z	ITA	8544.4290.90
F88A-CR1B040NF-E	1S series servo encoder cable, 40m, 230V, 900W-1.5kW, 400V-400W-15kW	361.30	670628	4548583972520	#		MB	Z	ITA	8544.4290.90
F88A-CR1B050NF-E	1S series servo encoder cable, 50m, 230V, 900W-1.5kW, 400V-400W-15kW	459.80	670627	4548583972513	#		MB	Z	ITA	8544.4290.90
F88A-CA1A000-7SF-E	1S series servo motor power cable, 0.7 m, 230 V, 100 to 750 W	142.20	689998	4549734979375	#		MB	Z	ITA	8544.4999.00
F88A-CA1A001-5BF-E	1S series servo brake cable, 1.5 m, 230 V, 100 to 750 W	92.60	670638	4548583972629	#		MB	Z	ITA	8544.4999.00
F88A-CA1A001-5SF-E	1S series servo motor power cable, 1.5 m, 230 V, 100 to 750 W	142.00	670658	4548583972827	#		MB	Z	ITA	8544.4999.00
F88A-CA1A003BF-E	1S series servo brake cable, 3 m, 230 V, 100 to 750 W	98.80	670632	4548583972568	#		MB	Z	ITA	8544.4999.00
F88A-CA1A003BFR	1S series servo flexible brake cable, 3 m, 230 V, 50 to 750 W, reverse/non-load mounting	50.40	685019	4549734196208	#		MB	Z	CHN	8544.4999.00
F88A-CA1A003SF-E	1S series servo motor power cable, 3 m, 230 V, 100 to 750 W	145.30	670671	4548583972957	#		MB	Z	ITA	8544.4999.00
F88A-CA1A003SFR	1S series servo motor flexible power cable, 3 m, 230 V, 50 to 750 W, reverse/non-load mounting	85.10	685015	4549734196154	#		MB	Z	CHN	8544.4999.00
F88A-CA1A005BF-E	1S series servo brake cable, 5 m, 230 V, 100 to 750 W	102.00	670637	4548583972612	#		MB	Z	ITA	8544.4999.00
F88A-CA1A005SF-E	1S series servo motor power cable, 5 m, 230 V, 100 to 750 W	151.30	670672	4548583972964	#		MB	Z	ITA	8544.4999.00
F88A-CA1A010BF-E	1S series servo brake cable, 10 m, 230 V, 100 to 750 W	117.40	670634	4548583972582	#		MB	Z	ITA	8544.4999.00
F88A-CA1A010BFR	1S series servo flexible brake cable, 10 m, 230 V, 50 to 750 W, reverse/non-load mounting	114.70	685020	4549734196222	#		MB	Z	CHN	8544.4999.00
F88A-CA1A010SF-E	1S series servo motor power cable, 10 m, 230 V, 100 to 750 W	173.10	670676	4548583973008	#		MB	Z	ITA	8544.4999.00
F88A-CA1A010SFR	1S series servo motor flexible power cable, 10 m, 230 V, 50 to 750 W, reverse/non-load mounting	172.80	685016	4549734196178	#		MB	Z	CHN	8544.4999.00
F88A-CA1A015BF-E	1S series servo brake cable, 15 m, 230 V, 100 to 750 W	134.40	670633	4548583972575	#		MB	Z	ITA	8544.4999.00
F88A-CA1A015BFR	1S series servo flexible brake cable, 15 m, 230 V, 50 to 750 W, reverse/non-load mounting	388.90	685021	4549734196239	#		MB	Z	CHN	8544.4999.00
F88A-CA1A015SF-E	1S series servo motor power cable, 15 m, 230 V, 100 to 750 W	216.10	670643	4548583972674	#		MB	Z	ITA	8544.4999.00
F88A-CA1A015SFR	1S series servo motor flexible power cable, 15 m, 230 V, 50 to 750 W, reverse/non-load mounting	250.60	685017	4549734196185	#		MB	Z	CHN	8544.4999.00
F88A-CA1A020BF-E	1S series servo brake cable, 20 m, 230 V, 100 to 750 W	148.10	670635	4548583972599	#		MB	Z	ITA	8544.4999.00

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Daheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
R88A-CA1A020BFR	1S series servo flexible brake cable, 20 m, 230 V: 50 to 750 W, reverse/non-load mounting	570.00	685022	4549734196246	#		MB	Z	CHN	8544.4999.00
R88A-CA1A020SF-E	1S series servo motor power cable, 20 m, 230 V: 100 to 750 W	244.00	670653	4548583972773	#		MB	Z	ITA	8544.4999.00
R88A-CA1A020SFR	1S series servo motor flexible power cable, 20 m, 230 V: 50 to 750 W, reverse/non-load mounting	663.50	685018	4549734196192	#		MB	Z	CHN	8544.4999.00
R88A-CA1A025BF-E	1S series servo brake cable, 30 m, 230 V: 100 to 750 W	166.40	690209	4549734896640	#		MB	Z	ITA	8544.4999.00
R88A-CA1A030BF-E	1S series servo motor power cable, 30 m, 230 V: 100 to 750 W	179.30	670631	4548583972551	#		MB	Z	ITA	8544.4999.00
R88A-CA1A030SF-E	1S series servo motor power cable, 30 m, 230 V: 100 to 750 W	298.20	670655	4548583972797	#		MB	Z	ITA	8544.4999.00
R88A-CA1A040BF-E	1S series servo brake cable, 40 m, 230 V: 100 to 750 W	206.90	670630	4548583972544	#		MB	Z	ITA	8544.4999.00
R88A-CA1A040SF-E	1S series servo motor power cable, 40 m, 230 V: 100 to 750 W	349.10	670667	4548583972919	#		MB	Z	ITA	8544.4999.00
R88A-CA1A050BF-E	1S series servo brake cable, 50 m, 230 V: 100 to 750 W	237.60	670636	4548583972605	#		MB	Z	ITA	8544.4999.00
R88A-CA1A050SF-E	1S series servo motor power cable, 50 m, 230 V: 100 to 750 W	401.50	670652	4548583972766	#		MB	Z	ITA	8544.4999.00
R88A-CA1C001-5BF-E	1S series servo motor power cable, 1.5 m, with brake, 230 V: 900 W to 1.5 kW	194.60	670677	4548583973015	#		MB	Z	ITA	8544.4999.00
R88A-CA1C001-5SF-E	1S series servo motor power cable, 1.5 m, non braked, 230 V: 900 W to 1.5 kW, 400 V: 400 W to 1.5 k W & 2 k W (2000 & 3000 rpm)	142.00	670664	4548583972889	#		MB	Z	ITA	8544.4999.00
R88A-CA1C003BF-E	1S series servo motor power cable, 3 m, with brake, 230 V: 900 W to 1.5 kW	206.90	670650	4548583972742	#		MB	Z	ITA	8544.4999.00
R88A-CA1C003SF-E	1S series servo motor power cable, 3 m, non braked, 230 V: 900 W to 1.5 kW, 400 V: 400 W to 1.5 k W & 2 k W (2000 & 3000 rpm)	148.10	670683	4548583973077	#		MB	Z	ITA	8544.4999.00
R88A-CA1C005BF-E	1S series servo motor power cable, 5 m, with brake, 230 V: 900 W to 1.5 kW	228.70	670645	4548583972698	#		MB	Z	ITA	8544.4999.00
R88A-CA1C005SF-E	1S series servo motor power cable, 5 m, non braked, 230 V: 900 W to 1.5 kW, 400 V: 400 W to 1.5 k W & 2 k W (2000 & 3000 rpm)	163.70	670640	4548583972643	#		MB	Z	ITA	8544.4999.00
R88A-CA1C007SF-E	1S series servo motor power cable, 7 m, non braked, 230 V: 900 W to 1.5 kW, 400 V: 400 W to 1.5 k W & 2 k W (2000 & 3000 rpm)	211.10	680413	4549734938822	#		MB	Z	ITA	8544.4999.00
R88A-CA1C010BF-E	1S series servo motor power cable, 10 m, with brake, 230 V: 900 W to 1.5 kW	277.90	670668	4548583972926	#		MB	Z	ITA	8544.4999.00
R88A-CA1C010SF-E	1S series servo motor power cable, 10 m, non braked, 230 V: 900 W to 1.5 kW, 400 V: 400 W to 1.5 k W & 2 k W (2000 & 3000 rpm)	194.60	670659	4548583972834	#		MB	Z	ITA	8544.4999.00
R88A-CA1C015BF-E	1S series servo motor power cable, 15 m, with brake, 230 V: 900 W to 1.5 kW	333.60	670663	4548583972872	#		MB	Z	ITA	8544.4999.00
R88A-CA1C015SF-E	1S series servo motor power cable, 15 m, non braked, 230 V: 900 W to 1.5 kW, 400 V: 400 W to 1.5 k W & 2 k W (2000 & 3000 rpm)	231.60	670679	4548583973039	#		MB	Z	ITA	8544.4999.00
R88A-CA1C020BF-E	1S series servo motor power cable, 20 m, with brake, 230 V: 900 W to 1.5 kW	401.50	670647	4548583972711	#		MB	Z	ITA	8544.4999.00
R88A-CA1C020SF-E	1S series servo motor power cable, 20 m, non braked, 230 V: 900 W to 1.5 kW, 400 V: 400 W to 1.5 k W & 2 k W (2000 & 3000 rpm)	352.00	670641	4548583972650	#		MB	Z	ITA	8544.4999.00
R88A-CA1C025BF-E	1S series servo motor power cable, 25 m, with brake, 230 V: 900 W to 1.5 kW	497.30	688382	4549734971409	#		MB	Z	ITA	8544.4999.00
R88A-CA1C030BF-E	1S series servo motor power cable, 30 m, with brake, 230 V: 900 W to 1.5 kW	531.50	670651	4548583972759	#		MB	Z	ITA	8544.4999.00
R88A-CA1C030SF-E	1S series servo motor power cable, 30 m, non braked, 230 V: 900 W to 1.5 kW, 400 V: 400 W to 1.5 k W & 2 k W (2000 & 3000 rpm)	452.00	670669	4548583972933	#		MB	Z	ITA	8544.4999.00
R88A-CA1C040BF-E	1S series servo motor power cable, 40 m, with brake, 230 V: 900 W to 1.5 kW	645.00	670681	4548583973053	#		MB	Z	ITA	8544.4999.00
R88A-CA1C040SF-E	1S series servo motor power cable, 40 m, non braked, 230 V: 900 W to 1.5 kW, 400 V: 400 W to 1.5 k W & 2 k W (2000 & 3000 rpm)	556.50	670675	4548583972995	#		MB	Z	ITA	8544.4999.00
R88A-CA1C050BF-E	1S series servo motor power cable, 50 m, with brake, 230 V: 900 W to 1.5 kW	760.00	670656	4548583972803	#		MB	Z	ITA	8544.4999.00
R88A-CA1C050SF-E	1S series servo motor power cable, 50 m, non braked, 230 V: 900 W to 1.5 kW, 400 V: 400 W to 1.5 k W & 2 k W (2000 & 3000 rpm)	661.00	670661	4548583972858	#		MB	Z	ITA	8544.4999.00
R88A-CA1E001-5BF-E	1S series servo motor power cable, 1.5 m, with brake, 400 V: 400 W to 3 kW	222.40	670673	4548583972971	#		MB	Z	ITA	8544.4999.00
R88A-CA1E001-5SF-E	1S series servo motor power cable, 1.5 m, non braked, 400 V: 2 k W (1000 rpm) & 3 kW	166.90	670670	4548583972940	#		MB	Z	ITA	8544.4999.00
R88A-CA1E003BF-E	1S series servo motor power cable, 3 m, with brake, 400 V: 400 W to 3 kW	241.10	670639	4548583972636	#		MB	Z	ITA	8544.4999.00
R88A-CA1E003SF-E	1S series servo motor power cable, 3 m, non braked, 400 V: 2 k W (1000 rpm) & 3 kW	179.30	670648	4548583972728	#		MB	Z	ITA	8544.4999.00
R88A-CA1E005BF-E	1S series servo motor power cable, 5 m, with brake, 400 V: 400 W to 3 kW	268.60	670660	4548583972841	#		MB	Z	ITA	8544.4999.00
R88A-CA1E005SF-E	1S series servo motor power cable, 5 m, non braked, 400 V: 2 k W (1000 rpm) & 3 kW	194.60	670674	4548583972988	#		MB	Z	ITA	8544.4999.00
R88A-CA1E007SF-E	1S series servo motor power cable, 7 m, with brake, 400 V: 400 W to 3 kW	224.90	680414	4549734938839	#		MB	Z	ITA	8544.4999.00
R88A-CA1E010BF-E	1S series servo motor power cable, 10 m, with brake, 400 V: 400 W to 3 kW	333.60	670678	4548583973022	#		MB	Z	ITA	8544.4999.00
R88A-CA1E010SF-E	1S series servo motor power cable, 10 m, non braked, 400 V: 2 k W (1000 rpm) & 3 kW	250.20	670642	4548583972667	#		MB	Z	ITA	8544.4999.00
R88A-CA1E015BF-E	1S series servo motor power cable, 15 m, with brake, 400 V: 400 W to 3 kW	413.50	670666	4548583972902	#		MB	Z	ITA	8544.4999.00
R88A-CA1E015SF-E	1S series servo motor power cable, 15 m, non braked, 400 V: 2 k W (1000 rpm) & 3 kW	308.80	670644	4548583972961	#		MB	Z	ITA	8544.4999.00
R88A-CA1E020BF-E	1S series servo motor power cable, 20 m, with brake, 400 V: 400 W to 3 kW	481.60	670662	4548583972865	#		MB	Z	ITA	8544.4999.00
R88A-CA1E020SF-E	1S series servo motor power cable, 20 m, non braked, 400 V: 2 k W (1000 rpm) & 3 kW	391.70	670680	4548583973046	#		MB	Z	ITA	8544.4999.00
R88A-CA1E030BF-E	1S series servo motor power cable, 30 m, with brake, 400 V: 400 W to 3 kW	645.00	670682	4548583973060	#		MB	Z	ITA	8544.4999.00
R88A-CA1E030SF-E	1S series servo motor power cable, 30 m, non braked, 400 V: 2 k W (1000 rpm) & 3 kW	522.00	670665	4548583972896	#		MB	Z	ITA	8544.4999.00
R88A-CA1E040BF-E	1S series servo motor power cable, 40 m, with brake, 400 V: 400 W to 3 kW	830.50	670649	4548583972735	#		MB	Z	ITA	8544.4999.00
R88A-CA1E040SF-E	1S series servo motor power cable, 40 m, non braked, 400 V: 2 k W (1000 rpm) & 3 kW	661.00	670646	4548583972704	#		MB	Z	ITA	8544.4999.00
R88A-CA1E050BF-E	1S series servo motor power cable, 50 m, with brake, 400 V: 400 W to 3 kW	981.50	670657	4548583972810	#		MB	Z	ITA	8544.4999.00
R88A-CA1E050SF-E	1S series servo motor power cable, 50 m, non braked, 400 V: 2 k W (1000 rpm) & 3 kW	783.50	670654	4548583972780	#		MB	Z	ITA	8544.4999.00
R88A-CA1G003BF	1S series servo motor power cable, 3 m, with brake, 400 V: 4 kW to 5.5 kW	253.40	689535	4549734209755	#		MB	Z	POL	8544.4290.90
R88A-CA1G003SF	1S series servo motor power cable, 3 m, non braked, 400 V: 4 kW to 5.5 kW	219.50	689536	4549734209670	#		MB	Z	POL	8544.4290.90
R88A-CA1G005BF	1S series servo motor power cable, 5 m, with brake, 400 V: 4 kW to 5.5 kW	281.00	689537	4549734209762	#		MB	Z	POL	8544.4290.90
R88A-CA1G005SF	1S series servo motor power cable, 5 m, non braked, 400 V: 4 kW to 5.5 kW	244.10	689538	4549734209687	#		MB	Z	POL	8544.4290.90
R88A-CA1G010BF	1S series servo motor power cable, 10 m, with brake, 400 V: 4 kW to 5.5 kW	369.10	689539	4549734209779	#		MB	Z	POL	8544.4290.90
R88A-CA1G010SF	1S series servo motor power cable, 10 m, non braked, 400 V: 4 kW to 5.5 kW	314.90	689540	4549734209694	#		MB	Z	POL	8544.4290.90
R88A-CA1G015BF	1S series servo motor power cable, 15 m, with brake, 400 V: 4 kW to 5.5 kW	465.60	689541	4549734209786	#		MB	Z	POL	8544.4290.90
R88A-CA1G015SF	1S series servo motor power cable, 15 m, non braked, 400 V: 4 kW to 5.5 kW	381.40	689542	4549734209700	#		MB	Z	POL	8544.4290.90
R88A-CA1G020BF	1S series servo motor power cable, 20 m, with brake, 400 V: 4 kW to 5.5 kW	556.50	689543	4549734209793	#		MB	Z	POL	8544.4290.90
R88A-CA1G020SF	1S series servo motor power cable, 20 m, non braked, 400 V: 4 kW to 5.5 kW	453.20	689544	4549734209717	#		MB	Z	POL	8544.4290.90
R88A-CA1GE10BF	1S series servo motor EXTENSION power cable, 10 m, 400 V: 4 kW to 5.5 kW	440.90	689545	4549734451499	#		MB	Z	POL	8544.4290.90
R88A-CA1GE20BF	1S series servo motor EXTENSION power cable, 20 m, 400 V: 4 kW to 5.5 kW	628.00	689546	4549734451505	#		MB	Z	POL	8544.4290.90
R88A-CA1H003BF	1S series servo motor power cable, 3 m, with brake, 400 V: 7.5 kW	314.90	689547	4549734451338	#		MB	Z	POL	8544.4290.90
R88A-CA1H003SF	1S series servo motor power cable, 3 m, non braked, 400 V: 7.5 kW	290.20	689548	4549734451284	#		MB	Z	POL	8544.4290.90
R88A-CA1H005BF	1S series servo motor power cable, 5 m, with brake, 400 V: 7.5 kW	400.90	689549	4549734451345	#		MB	Z	POL	8544.4290.90
R88A-CA1H005SF	1S series servo motor power cable, 5 m, non braked, 400 V: 7.5 kW	354.80	689550	4549734451291	#		MB	Z	POL	8544.4290.90
R88A-CA1H010BF	1S series servo motor power cable, 10 m, with brake, 400 V: 7.5 kW	527.50	689551	4549734451352	#		MB	Z	POL	8544.4290.90
R88A-CA1H010SF	1S series servo motor power cable, 10 m, non braked, 400 V: 7.5 kW	504.50	689552	4549734451307	#		MB	Z	POL	8544.4290.90
R88A-CA1H015BF	1S series servo motor power cable, 15 m, with brake, 400 V: 7.5 kW	667.00	689553	4549734451369	#		MB	Z	POL	8544.4290.90
R88A-CA1H015SF	1S series servo motor power cable, 15 m, non braked, 400 V: 7.5 kW	663.00	689554	4549734451314	#		MB	Z	POL	8544.4290.90
R88A-CA1H020BF	1S series servo motor power cable, 20 m, with brake, 400 V: 7.5 kW	823.00	689555	4549734451376	#		MB	Z	POL	8544.4290.90
R88A-CA1H020SF	1S series servo motor power cable, 20 m, non braked, 400 V: 7.5 kW	814.50	689556	4549734451321	#		MB	Z	POL	8544.4290.90
R88A-CA1HE10BF	1S series servo motor EXTENSION power cable, 10 m, 400 V: 7.5 kW	354.90	689557	4549734451529	#		MB	Z	POL	8544.4290.90
R88A-CA1HE20BF	1S series servo motor EXTENSION power cable, 20 m, 400 V: 7.5 kW	864.00	689558	4549734451536	#		MB	Z	POL	8544.4290.90
R88A-CA1J003BF	1S series servo motor power cable, 3 m, with brake, 400 V: 11 kW & 15 kW	400.90	689863	4549734209915	#		MB	Z	POL	8544.4290.90
R88A-CA1J003SF	1S series servo motor power cable, 3 m, non braked, 400 V: 11 kW & 15 kW	400.90	689864	4549734209830	#		MB	Z	POL	8544.4290.90
R88A-CA1J005BF	1S series servo motor power cable, 5 m, with brake, 400 V: 11 kW & 15 kW	479.90	689865	4549734209922	#		MB	Z	POL	8544.4290.90

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Daheet)	GTIN	Stock Qty.	Lot	Gr.	Fam	COO	Tariff Code
F8BA-CA1J010BF	1S series servo motor power cable, 10 m, with brake, 400 V, 11 kW & 15 kW	677.00	689867	4549734209939	#		MB	Z	POL	8544.4290.90
F8BA-CA1J010SF	1S series servo motor power cable, 10 m, non braked, 400 V, 11 kW & 15 kW	677.00	689868	4549734209954	#		MB	Z	POL	8544.4290.90
F8BA-CA1J015BF	1S series servo motor power cable, 15 m, with brake, 400 V, 11 kW & 15 kW	876.00	689869	4549734209946	#		MB	Z	POL	8544.4290.90
F8BA-CA1J015SF	1S series servo motor power cable, 15 m, non braked, 400 V, 11 kW & 15 kW	876.00	689870	4549734209961	#		MB	Z	POL	8544.4290.90
F8BA-CA1J020BF	1S series servo motor power cable, 20 m, with brake, 400 V, 11 kW & 15 kW	1076.00	689871	4549734209953	#		MB	Z	POL	8544.4290.90
F8BA-CA1J020SF	1S series servo motor power cable, 20 m, non braked, 400 V, 11 kW & 15 kW	1073.00	689872	4549734209878	#		MB	Z	POL	8544.4290.90
F8BA-CA1JE10BF	1S series servo motor EXTENSION power cable, 10 m, 400 V, 11 kW & 15 kW	837.00	689873	4549734451550	#		MB	Z	POL	8544.4290.90
F8BA-CA1JE20BF	1S series servo motor EXTENSION power cable, 20 m, 400 V, 11 kW & 15 kW	1239.00	689874	4549734451567	#		MB	Z	POL	8544.4290.90
F8BA-F1S103-SE	1S Servo RFI filter; 230 VAC single-phase, for 100 and 200 W drives	64.80	670528	4548583971677	#		MB	Z	THA	8529.9097.90
F8BA-F1S105-SE	1S Servo RFI filter; 230 VAC single-phase, for 400 W drives	69.45	670529	4548583971684	#		MB	Z	THA	8529.9097.90
F8BA-F1S108-SE	1S Servo RFI filter; 230 VAC single-phase, for 800 W drives	74.05	670527	4548583971660	#		MB	Z	THA	8529.9097.90
F8BA-F1S109	1S Servo RFI filter; 230 VAC single-phase, for 800 W drives	254.60	671219	4548583786721	#		MB	Z	MYS	8529.9097.90
F8BA-F1S116-SE	1S Servo RFI filter; 230 VAC single-phase, for 1.5 kW drives	94.15	670531	4548583971707	#		MB	Z	THA	8529.9097.90
F8BA-F1S309-SE	1S Servo RFI filter; 400 VAC, for 600 W to 3 kW drives	98.80	670530	4548583971691	#		MB	Z	THA	8529.9097.90
F8BA-F1S330-SE	1S Servo RFI filter; 400 VAC, for 5.5 kW to 7.5 kW drives	191.80	689239	4549734976558	#		MB	Z	THA	8529.9097.90
F8BA-F1S350-SE	1S Servo RFI filter; 400 VAC, for 15 kW drives	290.20	689240	4549734976565	#		MB	Z	THA	8529.9097.90
F8BA-F1SA108-SE	1SA Servo RFI filter; 230 VAC single-phase, for 200 W to 800 W drives	89.90	690847	4549734984287	#		MB	Z	THA	8529.9097.90
F8BA-F1SA116-SE	1SA Servo RFI filter; 230 VAC single-phase, for 1.5 kW drives	117.20	690848	4549734984294	#		MB	Z	THA	8529.9097.90
F8BA-F1SA309-SE	1SA Servo RFI filter; 400 VAC, for 1 kW to 3 kW drives	119.20	690849	4549734984300	#		MB	Z	THA	8529.9097.90
F8BA-CX1A003BF	1SA series servo hybrid cable, 3 m, with brake, 230V, 200-750W	375.80	693618	4549734218931	#		MB	Z	POL	8544.4290.90
F8BA-CX1A003SF	1SA series servo hybrid cable, 3 m, non braked, 230V, 200-750W	290.90	693623	4549734219013	#		MB	Z	POL	8544.4290.90
F8BA-CX1A005BF	1SA series servo hybrid cable, 5 m, with brake, 230V, 200-750W	424.20	693619	4549734218948	#		MB	Z	POL	8544.4290.90
F8BA-CX1A005SF	1SA series servo hybrid cable, 5 m, non braked, 230V, 200-750W	339.40	693624	4549734219020	#		MB	Z	POL	8544.4290.90
F8BA-CX1A010BF	1SA series servo hybrid cable, 10 m, with brake, 230V, 200-750W	497.00	693620	4549734218955	#		MB	Z	POL	8544.4290.90
F8BA-CX1A010SF	1SA series servo hybrid cable, 10 m, non braked, 230V, 200-750W	412.10	693625	4549734219037	#		MB	Z	POL	8544.4290.90
F8BA-CX1A015BF	1SA series servo hybrid cable, 15 m, with brake, 230V, 200-750W	594.00	693621	4549734218962	#		MB	Z	POL	8544.4290.90
F8BA-CX1A015SF	1SA series servo hybrid cable, 15 m, non braked, 230V, 200-750W	509.50	693626	4549734219044	#		MB	Z	POL	8544.4290.90
F8BA-CX1A020BF	1SA series servo hybrid cable, 20 m, with brake, 230V, 200-750W	715.50	693622	4549734218979	#		MB	Z	POL	8544.4290.90
F8BA-CX1A020SF	1SA series servo hybrid cable, 20 m, non braked, 230V, 200-750W	630.50	693627	4549734219051	#		MB	Z	POL	8544.4290.90
F8BA-CX1BE10BF	1SA series servo EXTENSION hybrid cable, 10 m, 230 V, 1 kW to 1.5 kW, 400 V, 750 W to 3 kW	545.50	695502	4549734451840	#		MB	Z	POL	8544.4290.90
F8BA-CX1BE20BF	1SA series servo EXTENSION hybrid cable, 20 m, 230 V, 1 kW to 1.5 kW, 400 V, 750 W to 3 kW	776.00	695501	4549734451857	#		MB	Z	POL	8544.4290.90
F8BA-CX1C003BF	1SA series servo hybrid cable, 3 m, with brake, 230V, 1 kW to 1.5 kW, 400 V, 750 W to 3 kW	412.10	695507	4549734451659	#		MB	Z	POL	8544.4290.90
F8BA-CX1C003SF	1SA series servo hybrid cable, 3 m, non braked, 230 V, 1 kW to 1.5 kW, 400 V, 750 W to 3 kW	327.30	695512	4549734451604	#		MB	Z	POL	8544.4290.90
F8BA-CX1C005BF	1SA series servo hybrid cable, 5 m, with brake, 230V, 1 kW to 1.5 kW, 400 V, 750 W to 3 kW	460.60	695506	4549734451666	#		MB	Z	POL	8544.4290.90
F8BA-CX1C005SF	1SA series servo hybrid cable, 5 m, non braked, 230 V, 1 kW to 1.5 kW, 400 V, 750 W to 3 kW	375.80	695511	4549734451611	#		MB	Z	POL	8544.4290.90
F8BA-CX1C010BF	1SA series servo hybrid cable, 10 m, with brake, 230 V, 1 kW to 1.5 kW, 400 V, 750 W to 3 kW	533.50	695505	4549734451673	#		MB	Z	POL	8544.4290.90
F8BA-CX1C010SF	1SA series servo hybrid cable, 10 m, non braked, 230 V, 1 kW to 1.5 kW, 400 V, 750 W to 3 kW	448.50	695510	4549734451629	#		MB	Z	POL	8544.4290.90
F8BA-CX1C015BF	1SA series servo hybrid cable, 15 m, with brake, 230 V, 1 kW to 1.5 kW, 400 V, 750 W to 3 kW	630.50	695504	4549734451680	#		MB	Z	POL	8544.4290.90
F8BA-CX1C015SF	1SA series servo hybrid cable, 15 m, non braked, 230 V, 1 kW to 1.5 kW, 400 V, 750 W to 3 kW	545.50	695509	4549734451635	#		MB	Z	POL	8544.4290.90
F8BA-CX1C020BF	1SA series servo hybrid cable, 20 m, with brake, 230 V, 1 kW to 1.5 kW, 400 V, 750 W to 3 kW	751.50	695503	4549734451697	#		MB	Z	POL	8544.4290.90
F8BA-CX1C020SF	1SA series servo hybrid cable, 20 m, non braked, 230 V, 1 kW to 1.5 kW, 400 V, 750 W to 3 kW	667.00	695508	4549734451642	#		MB	Z	POL	8544.4290.90
F8BA-CN101A	1Smotor connector (CNC) for 230 V, 0.1 to 1 kW	90.45	674155	4548583859623	#		MB	Z	JPN	8536.9010.00
F8BA-CN101B	1S Brake interlock connector (CN12)	96.40	673342	4548583859630	#		MB	Z	JPN	8536.9010.00
F8BA-CN101C	1S control I/O connector (CN1)	57.45	674150	4548583859579	#		MB	Z	JPN	8536.9010.00
F8BA-CN101D	1S main circuit connector E (CNE) for 400 V, 5.5 to 7.5 kW	203.00	701155	4549734542074	#		MB	Z	DEU	8536.9010.00
F8BA-CN101E	1S main circuit connector B (CNB) for 400 V, 15 kW	117.00	701157	4549734542098	#		MB	Z	DEU	8536.9010.00
F8BA-CN101P	1S control power supply connector (CND) for 230 V, 1.5 to 3 kW and 400 V, 0.6 to 3 kW	69.45	674153	4548583859586	#		MB	Z	JPN	8536.9010.00
F8BA-CN101R	1S connector for encoder cable (drive side)	49.65	673346	4548583789098	#	50	MB	Z	CHN	8536.9010.00
F8BA-CN101S	1SA Safety signal connector (CN14)	39.00	701160	4549734532679	#		MB	Z	CHN	8536.9010.00
F8BA-CN102A	1Smotor connector (CNC) for 230 V, 1.5 to 3 kW and 400 V, 0.6 to 3 kW	106.20	674154	4548583863064	#		MB	Z	JPN	8536.9010.00
F8BA-CN102C	1SA control I/O connector (CN1)	43.00	701162	4549734532693	#		MB	Z	CHN	8536.9010.00
F8BA-CN102P	1S main circuit connector (CNA) for 230 V, 0.1 to 1 kW	127.20	674151	4548583859593	#		MB	Z	JPN	8536.9010.00
F8BA-CN102S	1SA Safe brake control connector (CN15)	15.00	701161	4549734532686	#		MB	Z	CHN	8536.9010.00
F8BA-CN103A	1Smotor connector (CNC) for 400 V, 5.5 to 15 kW	208.00	701156	4549734542081	#		MB	Z	DEU	8536.9010.00
F8BA-CN103P	1S main circuit connector A (CNA) for 230 V, 1.5 to 3 kW and 400 V, 0.6 to 3 kW	65.45	674152	4548583859609	#		MB	Z	JPN	8536.9010.00
F8BA-CN104P	1S main circuit connector B (CNB) for 230 V, 1.5 to 3 kW and 400 V, 0.6 to 3 kW	102.30	674149	4548583859616	#		MB	Z	JPN	8536.9010.00
F8BA-CN104R	1S connector for encoder cable (motor side); for 400 V and from 900 W, 230 V motors	62.40	673345	4548583789104	#	60	MB	Z	CHN	8536.9010.00
F8BA-CN105P	1S control power supply connector (CND) for 400 V, 5.5 to 15 kW	179.00	701158	4549734542104	#		MB	Z	DEU	8536.9010.00
F8BA-CN105R	1S connector for encoder cable (motor side); for 400 V and from 900 W, 230 V motors	52.25	692889	4549734540353	#		MB	Z	CHN	8536.9010.00
F8BA-CN106P	1S main circuit connector A (CNA) for 400 V, 5.5 to 7.5 kW	252.00	701153	4549734542050	#		MB	Z	DEU	8536.9010.00
F8BA-CN107P	1S main circuit connector B (CNB) for 400 V, 5.5 to 7.5 kW	219.00	701154	4549734542067	#		MB	Z	DEU	8536.9010.00
F8BA-CN108P	1S main circuit connector A (CNA) for 400 V, 15 kW	155.00	701159	4549734542111	#		MB	Z	DEU	8536.9010.00
F8BA-CN111A	1S connector for power cable (motor side); for 100-750 W, 230 V motors	56.50	673344	4548583789111	#		MB	Z	CHN	8536.9010.00
F8BA-CN111B	1S connector for brake cable (motor side)	52.55	673343	4548583789128	#		MB	Z	CHN	8536.9010.00
F8BA-FR12015	External regeneration resistor, capacity: 24 W, 15 Ohm	78.35	673208	4548583786899	#		MB	Z	JPN	8533.4090.00
F8BA-FR12025	External regeneration resistor, capacity: 24 W, 25 Ohm	78.35	673209	4548583786905	#		MB	Z	JPN	8533.4090.00
F8BA-FR1K666	Resistor: 640 W, 66 Ohm	1,177.00	675225	4548583787001	#		MB	Z	JPN	8533.4090.00
F8BA-RR0005R4	External regeneration resistor, capacity: 60 W, 5.4 Ohm	229.40	693932	4549734505178	#		MB	Z	JPN	8533.4090.00
F8BA-RR00010	External regeneration resistor, capacity: 60 W, 10 Ohm	229.40	673205	4548583786912	#		MB	Z	JPN	8533.4090.00
F8BA-RR00015	External regeneration resistor, capacity: 60 W, 15 Ohm	229.40	673203	4548583786936	#		MB	Z	JPN	8533.4090.00
F8BA-RR00016	External regeneration resistor, capacity: 60 W, 16 Ohm	229.40	690687	4549734505192	#		MB	Z	JPN	8533.4090.00
F8BA-RR00017	External regeneration resistor, capacity: 60 W, 17 Ohm	229.40	673206	4548583786943	#		MB	Z	JPN	8533.4090.00
F8BA-RR00020	External regeneration resistor 60 W, 20 Ohm	229.40	672007	4548583786950	#		MB	Z	JPN	8533.4090.00

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Data sheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
F8BA-FR30025	External regeneration resistor, capacity: 60 W, 25 Ohm	229.40	673204	4548583786967	#		MB	Z	JPN	8533.4090.00
F8BA-FR30033	External regeneration resistor, capacity: 60 W, 33 Ohm	229.40	673207	4548583786974	#		MB	Z	JPN	8533.4090.00
F8BA-SC0115-E	1S series cable clamp A. Used in 230 V drives up to 750 W	9.14	675088	4548583996397			MB	Z	ITA	8504.5000.90
F8BA-SC0215-E	1S series cable clamp B. Used in 400 V drives and 230 V (from 1.5 kW to 3 kW)	10.15	675089	4548583996403			MB	Z	ITA	8504.5000.90
F8BA-SC10CA	1S series cable clamp L. Used in 400 V drives (from 5.5 kW to 15 kW)	43.43	693647	4549734540001			MB	Z	JPN	8504.5000.90
F8BA-SC10CA-PE	1S series cable shield clamp L. Used in 400 V drives (from 5.5 kW to 15 kW)	51.00	701014	4549734896696			MB	Z	POL	7326.9098.90
F8BA-SC10CX-PE	1SA series cable shield clamp S. Used in 230V and 400 V drives	40.00	701015	4549734896702			MB	Z	POL	7326.9098.90
<b>NY PC</b>										
NYB17-21181		4,482.00	686578	4548583811126			NA	A	NLD	8471.4100.00
NYB17-21182		4,482.00	686577	4548583811133			NA	A	NLD	8471.4100.00
NYB17-21191		5,100.00	686547	4548583811140			NA	A	NLD	8471.4100.00
NYB17-21192		5,100.00	686546	4548583811157			NA	A	NLD	8471.4100.00
NYB17-211C1		4,478.00	686545	4548583811164			NA	A	NLD	8471.4100.00
NYB17-211C2		4,478.00	686544	4548583811171			NA	A	NLD	8471.4100.00
NYB17-211K1		4,672.00	686487	4548583871069			NA	A	NLD	8471.4100.00
NYB17-211K2		4,672.00	686486	4548583871076			NA	A	NLD	8471.4100.00
NYB17-21281		4,482.00	686543	4548583811188			NA	A	NLD	8471.4100.00
NYB17-21282		4,482.00	686542	4548583811195			NA	A	NLD	8471.4100.00
NYB17-21291		5,100.00	686541	4548583811201			NA	A	NLD	8471.4100.00
NYB17-21292		5,100.00	686540	4548583811218			NA	A	NLD	8471.4100.00
NYB17-212C1		4,478.00	686539	4548583811225			NA	A	NLD	8471.4100.00
NYB17-212C2		4,478.00	686538	4548583811232			NA	A	NLD	8471.4100.00
NYB17-212K1		4,672.00	686485	4548583871083			NA	A	NLD	8471.4100.00
NYB17-212K2		4,672.00	686484	4548583871090			NA	A	NLD	8471.4100.00
NYB17-31281		4,590.00	686537	4548583811249			NA	A	NLD	8471.4100.00
NYB17-31282		4,590.00	686536	4548583811256			NA	A	NLD	8471.4100.00
NYB17-31291		5,205.00	686535	4548583811263			NA	A	NLD	8471.4100.00
NYB17-31292		5,205.00	686534	4548583811270			NA	A	NLD	8471.4100.00
NYB17-312C1		4,601.00	686533	4548583811287			NA	A	NLD	8471.4100.00
NYB17-312C2		4,601.00	686532	4548583811294			NA	A	NLD	8471.4100.00
NYB17-312K1		4,793.00	686564	4548583871106			NA	A	NLD	8471.4100.00
NYB17-312K2		4,793.00	686563	4548583871113			NA	A	NLD	8471.4100.00
NYB17-31391		6,420.00	686474	4549734139250			NA	A	NLD	8471.4100.00
NYB17-313C1		5,565.00	686472	4549734139274			NA	A	NLD	8471.4100.00
NYB17-313D1		5,525.00	690560	4549734164474			NA	A	NLD	8471.4100.00
NYB17-313D2		5,520.00	690559	4549734170284			NA	A	NLD	8471.4100.00
NYB17-313D6		5,845.00	690558	4549734170291			NA	A	NLD	8471.4100.00
NYB17-313K1		5,130.00	686470	4549734139298			NA	A	NLD	8471.4100.00
NYB17-413D2		4,856.00	688417	4549734170437			NA	A	NLD	8471.4100.00
NYB17-413K2		4,809.00	690288	4549734170406			NA	A	NLD	8471.4100.00
NYB1C-11181	Industrial Box PC with Intel®Celeron®2980U, 2 GB DRAM (non-ECC), 32 GB SSD -S.L.C, WES 7 (32-bit), PCIe slot, RS-232	3,576.00	686567	4548583811607			NA	A	NLD	8471.4100.00
NYB1C-11182	Industrial Box PC with Intel®Celeron®2980U, 2 GB DRAM (non-ECC), 32 GB SSD -S.L.C, WES 7 (32-bit), PCIe slot, extra DVI-D	3,576.00	686566	4548583811614			NA	A	NLD	8471.4100.00
NYB1C-11191	Industrial Box PC with Intel®Celeron®2980U, 2 GB DRAM (non-ECC), 64 GB SSD -S.L.C, WES 7 (32-bit), PCIe slot, RS-232	4,200.00	686565	4548583811621			NA	A	NLD	8471.4100.00
NYB1C-11192	Industrial Box PC with Intel®Celeron®2980U, 2 GB DRAM (non-ECC), 64 GB SSD -S.L.C, WES 7 (32-bit), PCIe slot, extra DVI-D	4,200.00	686518	4548583811638			NA	A	NLD	8471.4100.00
NYB1C-111C1	Industrial Box PC with Intel®Celeron®2980U, 2 GB DRAM (non-ECC), 320 GB HDD, WES 7 (32-bit), PCIe slot, RS-232	3,020.00	686517	4548583811645			NA	A	NLD	8471.4100.00
NYB1C-111C2	Industrial Box PC with Intel®Celeron®2980U, 2 GB DRAM (non-ECC), 320 GB HDD, WES 7 (32-bit), PCIe slot, extra DVI-D	3,020.00	686516	4548583811652			NA	A	NLD	8471.4100.00
NYB1C-111K1	Industrial Box PC with Intel®Celeron®2980U, 2 GB DRAM (non-ECC), 128 GB SSD -IMLC, WES 7 (32-bit), PCIe slot, RS-232	3,237.00	686552	4548583871229			NA	A	NLD	8471.4100.00
NYB1C-111K2	Industrial Box PC with Intel®Celeron®2980U, 2 GB DRAM (non-ECC), 128 GB SSD -IMLC, WES 7 (32-bit), PCIe slot, extra DVI-D	3,237.00	686551	4548583871236			NA	A	NLD	8471.4100.00
NYB1C-11281	Industrial Box PC with Intel®Celeron®2980U, 2 GB DRAM (non-ECC), 32 GB SSD -S.L.C, WES 7 (64-bit), PCIe slot, RS-232	3,576.00	686515	4548583811669			NA	A	NLD	8471.4100.00
NYB1C-11282	Industrial Box PC with Intel®Celeron®2980U, 2 GB DRAM (non-ECC), 32 GB SSD -S.L.C, WES 7 (64-bit), PCIe slot, extra DVI-D	3,576.00	686514	4548583811676			NA	A	NLD	8471.4100.00
NYB1C-11291	Industrial Box PC with Intel®Celeron®2980U, 2 GB DRAM (non-ECC), 64 GB SSD -S.L.C, WES 7 (64-bit), PCIe slot, RS-232	4,200.00	686513	4548583811683			NA	A	NLD	8471.4100.00
NYB1C-11292	Industrial Box PC with Intel®Celeron®2980U, 2 GB DRAM (non-ECC), 64 GB SSD -S.L.C, WES 7 (64-bit), PCIe slot, extra DVI-D	4,200.00	686512	4548583811690			NA	A	NLD	8471.4100.00
NYB1C-112C1	Industrial Box PC with Intel®Celeron®2980U, 2 GB DRAM (non-ECC), 320 GB HDD, WES 7 (64-bit), PCIe slot, RS-232	3,020.00	686511	4548583811706			NA	A	NLD	8471.4100.00
NYB1C-112C2	Industrial Box PC with Intel®Celeron®2980U, 2 GB DRAM (non-ECC), 320 GB HDD, WES 7 (64-bit), PCIe slot, extra DVI-D	3,020.00	686510	4548583811713			NA	A	NLD	8471.4100.00
NYB1C-112K1	Industrial Box PC with Intel®Celeron®2980U, 2 GB DRAM (non-ECC), 128 GB SSD -IMLC, WES 7 (64-bit), PCIe slot, RS-232	3,237.00	686550	4548583871243			NA	A	NLD	8471.4100.00
NYB1C-112K2	Industrial Box PC with Intel®Celeron®2980U, 2 GB DRAM (non-ECC), 128 GB SSD -IMLC, WES 7 (64-bit), PCIe slot, extra DVI-D	3,237.00	686549	4548583871250			NA	A	NLD	8471.4100.00
NYB1C-21181	Industrial Box PC with Intel®Celeron®2980U, 4 GB DRAM (non-ECC), 32 GB SSD -S.L.C, WES 7 (32-bit), PCIe slot, RS-232	3,624.00	686509	4548583811720			NA	A	NLD	8471.4100.00
NYB1C-21182	Industrial Box PC with Intel®Celeron®2980U, 4 GB DRAM (non-ECC), 32 GB SSD -S.L.C, WES 7 (32-bit), PCIe slot, extra DVI-D	3,624.00	686508	4548583811727			NA	A	NLD	8471.4100.00
NYB1C-21191	Industrial Box PC with Intel®Celeron®2980U, 4 GB DRAM (non-ECC), 64 GB SSD -S.L.C, WES 7 (32-bit), PCIe slot, RS-232	4,250.00	686507	4548583811744			NA	A	NLD	8471.4100.00
NYB1C-21192	Industrial Box PC with Intel®Celeron®2980U, 4 GB DRAM (non-ECC), 64 GB SSD -S.L.C, WES 7 (32-bit), PCIe slot, extra DVI-D	4,250.00	686506	4548583811751			NA	A	NLD	8471.4100.00
NYB1C-211C1	Industrial Box PC with Intel®Celeron®2980U, 4 GB DRAM (non-ECC), 320 GB HDD, WES 7 (32-bit), PCIe slot, RS-232	3,066.00	686505	4548583811768			NA	A	NLD	8471.4100.00
NYB1C-211C2	Industrial Box PC with Intel®Celeron®2980U, 4 GB DRAM (non-ECC), 320 GB HDD, WES 7 (32-bit), PCIe slot, extra DVI-D	3,066.00	686504	4548583811775			NA	A	NLD	8471.4100.00
NYB1C-211K1	Industrial Box PC with Intel®Celeron®2980U, 4 GB DRAM (non-ECC), 128 GB SSD -IMLC, WES 7 (32-bit), PCIe slot, RS-232	3,286.00	686548	4548583871267			NA	A	NLD	8471.4100.00
NYB1C-211K2	Industrial Box PC with Intel®Celeron®2980U, 4 GB DRAM (non-ECC), 128 GB SSD -IMLC, WES 7 (32-bit), PCIe slot, extra DVI-D	3,286.00	686594	4548583871274			NA	A	NLD	8471.4100.00
NYB1C-21281	Industrial Box PC with Intel®Celeron®2980U, 4 GB DRAM (non-ECC), 32 GB SSD -S.L.C, WES 7 (64-bit), PCIe slot, RS-232	3,624.00	686503	4548583811782			NA	A	NLD	8471.4100.00
NYB1C-21282	Industrial Box PC with Intel®Celeron®2980U, 4 GB DRAM (non-ECC), 32 GB SSD -S.L.C, WES 7 (64-bit), PCIe slot, extra DVI-D	3,624.00	686502	4548583811789			NA	A	NLD	8471.4100.00
NYB1C-21291	Industrial Box PC with Intel®Celeron®2980U, 4 GB DRAM (non-ECC), 64 GB SSD -S.L.C, WES 7 (64-bit), PCIe slot, RS-232	4,250.00	686501	4548583811805			NA	A	NLD	8471.4100.00
NYB1C-21292	Industrial Box PC with Intel®Celeron®2980U, 4 GB DRAM (non-ECC), 64 GB SSD -S.L.C, WES 7 (64-bit), PCIe slot, extra DVI-D	4,250.00	686500	4548583811812			NA	A	NLD	8471.4100.00
NYB1C-212C1	Industrial Box PC with Intel®Celeron®2980U, 4 GB DRAM (non-ECC), 320 GB HDD, WES 7 (64-bit), PCIe slot, RS-232	3,066.00	686499	4548583811829			NA	A	NLD	8471.4100.00
NYB1C-212C2	Industrial Box PC with Intel®Celeron®2980U, 4 GB DRAM (non-ECC), 320 GB HDD, WES 7 (64-bit), PCIe slot, extra DVI-D	3,066.00	686498	4548583811836			NA	A	NLD	8471.4100.00
NYB1C-212K1	Industrial Box PC with Intel®Celeron®2980U, 4 GB DRAM (non-ECC), 128 GB SSD -IMLC, WES 7 (64-bit), PCIe slot, RS-232	3,286.00	686593	4548583871281			NA	A	NLD	8471.4100.00
NYB1C-212K2	Industrial Box PC with Intel®Celeron®2980U, 4 GB DRAM (non-ECC), 128 GB SSD -IMLC, WES 7 (64-bit), PCIe slot, extra DVI-D	3,286.00	686483	4548583871298			NA	A	NLD	8471.4100.00
NYB1C-31281	Industrial Box PC with Intel®Celeron®2980U, 8 GB DRAM (non-ECC), 32 GB SSD -S.L.C, WES 7 (64-bit), PCIe slot, RS-232	3,712.00	686497	4548583811843			NA	A	NLD	8471.4100.00
NYB1C-31282	Industrial Box PC with Intel®Celeron®2980U, 8 GB DRAM (non-ECC), 32 GB SSD -S.L.C, WES 7 (64-bit), PCIe slot, extra DVI-D	3,712.00	686496	4548583811850			NA	A	NLD	8471.4100.00

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Data sheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
NYBE-C-31291	Industrial Box PC with Intel®Celeron®2980U, 8 GB DRAM (non-ECC), 64 GB SSD-SLC, WES7 (64-bit), PCIe slot, RS-232	4,379.00	686495	4548583811867			NA	A	NLD	8471.4100.00
NYBE-C-31292	Industrial Box PC with Intel®Celeron®2980U, 8 GB DRAM (non-ECC), 64 GB SSD-SLC, WES7 (64-bit), PCIe slot, extra DVI-D	4,376.00	686494	4548583811874			NA	A	NLD	8471.4100.00
NYBE-C-312C1	Industrial Box PC with Intel®Celeron®2980U, 8 GB DRAM (non-ECC), 320 GB HDD, WES7 (64-bit), PCIe slot, RS-232	3,155.00	686493	4548583811881			NA	A	NLD	8471.4100.00
NYBE-C-312C2	Industrial Box PC with Intel®Celeron®2980U, 8 GB DRAM (non-ECC), 320 GB HDD, WES7 (64-bit), PCIe slot, extra DVI-D	3,155.00	686492	4548583811898			NA	A	NLD	8471.4100.00
NYBE-C-312K1	Industrial Box PC with Intel®Celeron®2980U, 8 GB DRAM (non-ECC), 128 GB SSD-IMLC, WES7 (64-bit), PCIe slot, RS-232	3,375.00	686482	4548583871304			NA	A	NLD	8471.4100.00
NYBE-C-312K2	Industrial Box PC with Intel®Celeron®2980U, 8 GB DRAM (non-ECC), 128 GB SSD-IMLC, WES7 (64-bit), PCIe slot, extra DVI-D	3,375.00	686481	4548583871311			NA	A	NLD	8471.4100.00
NYBE-E-31001	Industrial Box PC with Intel®Xeon®E3-1515M v5, 8 GB DRAM (non-ECC), No storage, No OS, PCIe slot, RS-232	5,205.00	685825	4549734212564			NA	A	NLD	8471.4100.00
NYBE-E-31002	Industrial Box PC with Intel®Xeon®E3-1515M v5, 8 GB DRAM (non-ECC), No storage, No OS, PCIe slot, extra DVI-D	5,210.00	685824	4549734212571			NA	A	NLD	8471.4100.00
NYBE-E-31006	Industrial Box PC with Intel®Xeon®E3-1515M v5, 8 GB DRAM (non-ECC), No storage, No OS, PCIe slot, NYML port	5,500.00	685823	4549734212588			NA	A	NLD	8471.4100.00
NYBE-E-313C1	Industrial Box PC with Intel®Xeon®E3-1515M v5, 8 GB DRAM (non-ECC), 320 GB HDD, WIN 10 IoT Ent. (64-bit), PCIe slot, RS-232	5,825.00	685884	4549734211819			NA	A	NLD	8471.4100.00
NYBE-E-313C2	Industrial Box PC with Intel®Xeon®E3-1515M v5, 8 GB DRAM (non-ECC), 320 GB HDD, WIN 10 IoT Ent. (64-bit), PCIe slot, extra DVI-D	5,830.00	685883	4549734211826			NA	A	NLD	8471.4100.00
NYBE-E-313C6	Industrial Box PC with Intel®Xeon®E3-1515M v5, 8 GB DRAM (non-ECC), 320 GB HDD, WIN 10 IoT Ent. (64-bit), PCIe slot, NYML port	6,115.00	685882	4549734211833			NA	A	NLD	8471.4100.00
NYBE-E-313D1	Industrial Box PC with Intel®Xeon®E3-1515M v5, 8 GB DRAM (non-ECC), 500 GB HDD, WIN 10 IoT Ent. (64-bit), PCIe slot, RS-232	5,825.00	685872	4549734211932			NA	A	NLD	8471.4100.00
NYBE-E-313D2	Industrial Box PC with Intel®Xeon®E3-1515M v5, 8 GB DRAM (non-ECC), 500 GB HDD, WIN 10 IoT Ent. (64-bit), PCIe slot, extra DVI-D	5,835.00	685871	4549734211949			NA	A	NLD	8471.4100.00
NYBE-E-313D6	Industrial Box PC with Intel®Xeon®E3-1515M v5, 8 GB DRAM (non-ECC), 500 GB HDD, WIN 10 IoT Ent. (64-bit), PCIe slot, NYML port	6,120.00	685870	4549734211956			NA	A	NLD	8471.4100.00
NYBE-E-313E1	Industrial Box PC with Intel®Xeon®E3-1515M v5, 8 GB DRAM (non-ECC), 1 TB HDD, WIN 10 IoT Ent. (64-bit), PCIe slot, RS-232	5,865.00	685860	4549734212052			NA	A	NLD	8471.4100.00
NYBE-E-313E2	Industrial Box PC with Intel®Xeon®E3-1515M v5, 8 GB DRAM (non-ECC), 1 TB HDD, WIN 10 IoT Ent. (64-bit), PCIe slot, extra DVI-D	5,870.00	685859	4549734212069			NA	A	NLD	8471.4100.00
NYBE-E-313E6	Industrial Box PC with Intel®Xeon®E3-1515M v5, 8 GB DRAM (non-ECC), 1 TB HDD, WIN 10 IoT Ent. (64-bit), PCIe slot, NYML port	6,165.00	685858	4549734212076			NA	A	NLD	8471.4100.00
NYBE-E-313K1	Industrial Box PC with Intel®Xeon®E3-1515M v5, 8 GB DRAM (non-ECC), 128 GB SSD-IMLC, WIN 10 IoT Ent. (64-bit), PCIe slot, RS-232	5,945.00	685848	4549734212175			NA	A	NLD	8471.4100.00
NYBE-E-313K2	Industrial Box PC with Intel®Xeon®E3-1515M v5, 8 GB DRAM (non-ECC), 128 GB SSD-IMLC, WIN 10 IoT Ent. (64-bit), PCIe slot, extra DVI-D	5,950.00	685847	4549734212182			NA	A	NLD	8471.4100.00
NYBE-E-313M1	Industrial Box PC with Intel®Xeon®E3-1515M v5, 8 GB DRAM (non-ECC), 500 GB SSD-IMLC, WIN 10 IoT Ent. (64-bit), PCIe slot, NYML port	6,245.00	685846	4549734212199			NA	A	NLD	8471.4100.00
NYBE-E-313M2	Industrial Box PC with Intel®Xeon®E3-1515M v5, 8 GB DRAM (non-ECC), 500 GB SSD-IMLC, WIN 10 IoT Ent. (64-bit), PCIe slot, RS-232	6,595.00	685836	4549734212441			NA	A	NLD	8471.4100.00
NYBE-E-313M6	Industrial Box PC with Intel®Xeon®E3-1515M v5, 8 GB DRAM (non-ECC), 500 GB SSD-IMLC, WIN 10 IoT Ent. (64-bit), PCIe slot, NYML port	6,890.00	685835	4549734212465			NA	A	NLD	8471.4100.00
NYBE-E-41001	Industrial Box PC with Intel®Xeon®E3-1515M v5, 16 GB DRAM (non-ECC), No storage, No OS, PCIe slot, RS-232	5,510.00	685822	4549734212595			NA	A	NLD	8471.4100.00
NYBE-E-41002	Industrial Box PC with Intel®Xeon®E3-1515M v5, 16 GB DRAM (non-ECC), No storage, No OS, PCIe slot, extra DVI-D	5,520.00	685821	4549734212602			NA	A	NLD	8471.4100.00
NYBE-E-41006	Industrial Box PC with Intel®Xeon®E3-1515M v5, 16 GB DRAM (non-ECC), No storage, No OS, PCIe slot, NYML port	5,805.00	685820	4549734212618			NA	A	NLD	8471.4100.00
NYBE-E-413C1	Industrial Box PC with Intel®Xeon®E3-1515M v5, 16 GB DRAM (non-ECC), 320 GB HDD, WIN 10 IoT Ent. (64-bit), PCIe slot, RS-232	6,130.00	685881	4549734211840			NA	A	NLD	8471.4100.00
NYBE-E-413C2	Industrial Box PC with Intel®Xeon®E3-1515M v5, 16 GB DRAM (non-ECC), 320 GB HDD, WIN 10 IoT Ent. (64-bit), PCIe slot, extra DVI-D	6,135.00	685880	4549734211857			NA	A	NLD	8471.4100.00
NYBE-E-413C6	Industrial Box PC with Intel®Xeon®E3-1515M v5, 16 GB DRAM (non-ECC), 320 GB HDD, WIN 10 IoT Ent. (64-bit), PCIe slot, NYML port	6,425.00	685879	4549734211864			NA	A	NLD	8471.4100.00
NYBE-E-413D1	Industrial Box PC with Intel®Xeon®E3-1515M v5, 16 GB DRAM (non-ECC), 500 GB HDD, WIN 10 IoT Ent. (64-bit), PCIe slot, RS-232	6,135.00	685869	4549734211963			NA	A	NLD	8471.4100.00
NYBE-E-413D2	Industrial Box PC with Intel®Xeon®E3-1515M v5, 16 GB DRAM (non-ECC), 500 GB HDD, WIN 10 IoT Ent. (64-bit), PCIe slot, extra DVI-D	6,140.00	685868	4549734211970			NA	A	NLD	8471.4100.00
NYBE-E-413D6	Industrial Box PC with Intel®Xeon®E3-1515M v5, 16 GB DRAM (non-ECC), 500 GB HDD, WIN 10 IoT Ent. (64-bit), PCIe slot, NYML port	6,425.00	685867	4549734211987			NA	A	NLD	8471.4100.00
NYBE-E-413E1	Industrial Box PC with Intel®Xeon®E3-1515M v5, 16 GB DRAM (non-ECC), 1 TB HDD, WIN 10 IoT Ent. (64-bit), PCIe slot, RS-232	6,180.00	685857	4549734212083			NA	A	NLD	8471.4100.00
NYBE-E-413E2	Industrial Box PC with Intel®Xeon®E3-1515M v5, 16 GB DRAM (non-ECC), 1 TB HDD, WIN 10 IoT Ent. (64-bit), PCIe slot, extra DVI-D	6,185.00	685856	4549734212090			NA	A	NLD	8471.4100.00
NYBE-E-413E6	Industrial Box PC with Intel®Xeon®E3-1515M v5, 16 GB DRAM (non-ECC), 1 TB HDD, WIN 10 IoT Ent. (64-bit), PCIe slot, NYML port	6,465.00	685855	4549734212106			NA	A	NLD	8471.4100.00
NYBE-E-413K1	Industrial Box PC with Intel®Xeon®E3-1515M v5, 16 GB DRAM (non-ECC), 128 GB SSD-IMLC, WIN 10 IoT Ent. (64-bit), PCIe slot, RS-232	6,255.00	685845	4549734212205			NA	A	NLD	8471.4100.00
NYBE-E-413K2	Industrial Box PC with Intel®Xeon®E3-1515M v5, 16 GB DRAM (non-ECC), 128 GB SSD-IMLC, WIN 10 IoT Ent. (64-bit), PCIe slot, extra DVI-D	6,260.00	685844	4549734212212			NA	A	NLD	8471.4100.00
NYBE-E-413M1	Industrial Box PC with Intel®Xeon®E3-1515M v5, 16 GB DRAM (non-ECC), 500 GB SSD-IMLC, WIN 10 IoT Ent. (64-bit), PCIe slot, NYML port	6,550.00	685843	4549734212299			NA	A	NLD	8471.4100.00
NYBE-E-413M2	Industrial Box PC with Intel®Xeon®E3-1515M v5, 16 GB DRAM (non-ECC), 500 GB SSD-IMLC, WIN 10 IoT Ent. (64-bit), PCIe slot, RS-232	6,895.00	685834	4549734212472			NA	A	NLD	8471.4100.00
NYBE-E-413M6	Industrial Box PC with Intel®Xeon®E3-1515M v5, 16 GB DRAM (non-ECC), 500 GB SSD-IMLC, WIN 10 IoT Ent. (64-bit), PCIe slot, extra DVI-D	6,905.00	685833	4549734212489			NA	A	NLD	8471.4100.00
NYBE-E-413M6	Industrial Box PC with Intel®Xeon®E3-1515M v5, 16 GB DRAM (non-ECC), 500 GB SSD-IMLC, WIN 10 IoT Ent. (64-bit), PCIe slot, NYML port	7,195.00	685832	4549734212496			NA	A	NLD	8471.4100.00
NYBE-E-C1001	Industrial Box PC with Intel®Xeon®E3-1515M v5, 8 GB DRAM (ECC), No storage, No OS, PCIe slot, RS-232	5,275.00	685819	4549734212625			NA	A	NLD	8471.4100.00
NYBE-E-C1002	Industrial Box PC with Intel®Xeon®E3-1515M v5, 8 GB DRAM (ECC), No storage, No OS, PCIe slot, extra DVI-D	5,280.00	685818	4549734212632			NA	A	NLD	8471.4100.00
NYBE-E-C1006	Industrial Box PC with Intel®Xeon®E3-1515M v5, 8 GB DRAM (ECC), No storage, No OS, PCIe slot, NYML port	5,575.00	685817	4549734212649			NA	A	NLD	8471.4100.00
NYBE-E-C1009	Industrial Box PC with Intel®Xeon®E3-1515M v5, 8 GB DRAM (ECC), No storage, No OS, PCIe slot, extra Ethernet port	5,365.00	685885	4549734211802			NA	A	NLD	8471.4100.00
NYBE-E-C13C1	Industrial Box PC with Intel®Xeon®E3-1515M v5, 8 GB DRAM (ECC), 320 GB HDD, WIN 10 IoT Ent. (64-bit), PCIe slot, RS-232	5,895.00	685878	4549734211871			NA	A	NLD	8471.4100.00
NYBE-E-C13C2	Industrial Box PC with Intel®Xeon®E3-1515M v5, 8 GB DRAM (ECC), 320 GB HDD, WIN 10 IoT Ent. (64-bit), PCIe slot, extra DVI-D	5,900.00	685877	4549734211888			NA	A	NLD	8471.4100.00
NYBE-E-C13C6	Industrial Box PC with Intel®Xeon®E3-1515M v5, 8 GB DRAM (ECC), 320 GB HDD, WIN 10 IoT Ent. (64-bit), PCIe slot, NYML port	6,195.00	685876	4549734211895			NA	A	NLD	8471.4100.00
NYBE-E-C13D1	Industrial Box PC with Intel®Xeon®E3-1515M v5, 8 GB DRAM (ECC), 500 GB HDD, WIN 10 IoT Ent. (64-bit), PCIe slot, RS-232	5,895.00	685866	4549734211994			NA	A	NLD	8471.4100.00
NYBE-E-C13D2	Industrial Box PC with Intel®Xeon®E3-1515M v5, 8 GB DRAM (ECC), 500 GB HDD, WIN 10 IoT Ent. (64-bit), PCIe slot, extra DVI-D	5,905.00	685865	4549734212007			NA	A	NLD	8471.4100.00
NYBE-E-C13D6	Industrial Box PC with Intel®Xeon®E3-1515M v5, 8 GB DRAM (ECC), 500 GB HDD, WIN 10 IoT Ent. (64-bit), PCIe slot, NYML port	6,195.00	685864	4549734212014			NA	A	NLD	8471.4100.00
NYBE-E-C13D9	Industrial Box PC with Intel®Xeon®E3-1515M v5, 8 GB DRAM (ECC), 500 GB HDD, WIN 10 IoT Ent. (64-bit), PCIe slot, extra Ethernet port	5,985.00	685813	4549734211789			NA	A	NLD	8471.4100.00
NYBE-E-C13E1	Industrial Box PC with Intel®Xeon®E3-1515M v5, 8 GB DRAM (ECC), 1 TB HDD, WIN 10 IoT Ent. (64-bit), PCIe slot, RS-232	5,935.00	685854	4549734212113			NA	A	NLD	8471.4100.00
NYBE-E-C13E2	Industrial Box PC with Intel®Xeon®E3-1515M v5, 8 GB DRAM (ECC), 1 TB HDD, WIN 10 IoT Ent. (64-bit), PCIe slot, extra DVI-D	5,940.00	685853	4549734212120			NA	A	NLD	8471.4100.00
NYBE-E-C13E6	Industrial Box PC with Intel®Xeon®E3-1515M v5, 8 GB DRAM (ECC), 1 TB HDD, WIN 10 IoT Ent. (64-bit), PCIe slot, NYML port	6,235.00	685852	4549734212137			NA	A	NLD	8471.4100.00
NYBE-E-C13K1	Industrial Box PC with Intel®Xeon®E3-1515M v5, 8 GB DRAM (ECC), 128 GB SSD-IMLC, WIN 10 IoT Ent. (64-bit), PCIe slot, RS-232	6,015.00	685842	4549734212236			NA	A	NLD	8471.4100.00
NYBE-E-C13K2	Industrial Box PC with Intel®Xeon®E3-1515M v5, 8 GB DRAM (ECC), 128 GB SSD-IMLC, WIN 10 IoT Ent. (64-bit), PCIe slot, extra DVI-D	6,020.00	685841	4549734212243			NA	A	NLD	8471.4100.00
NYBE-E-C13K6	Industrial Box PC with Intel®Xeon®E3-1515M v5, 8 GB DRAM (ECC), 128 GB SSD-IMLC, WIN 10 IoT Ent. (64-bit), PCIe slot, NYML port	6,315.00	685840	4549734212250			NA	A	NLD	8471.4100.00
NYBE-E-C13M1	Industrial Box PC with Intel®Xeon®E3-1515M v5, 8 GB DRAM (ECC), 500 GB SSD-IMLC, WIN 10 IoT Ent. (64-bit), PCIe slot, RS-232	6,665.00	685831	4549734212502			NA	A	NLD	8471.4100.00
NYBE-E-C13M2	Industrial Box PC with Intel®Xeon®E3-1515M v5, 8 GB DRAM (ECC), 500 GB SSD-IMLC, WIN 10 IoT Ent. (64-bit), PCIe slot, extra DVI-D	6,670.00	685830	4549734212519			NA	A	NLD	8471.4100.00
NYBE-E-C13M6	Industrial Box PC with Intel®Xeon®E3-1515M v5, 8 GB DRAM (ECC), 500 GB SSD-IMLC, WIN 10 IoT Ent. (64-bit), PCIe slot, NYML port	6,955.00	685829	4549734212526			NA	A	NLD	8471.4100.00
NYBE-E-C13M9	Industrial Box PC with Intel®Xeon®E3-1515M v5, 8 GB DRAM (ECC), 500 GB SSD-IMLC, WIN 10 IoT Ent. (64-bit), PCIe slot, extra Ethernet port	6,750.00	685886	4549734211796			NA	A	NLD	8471.4100.00
NYBE-E-D1001	Industrial Box PC with Intel®Xeon®E3-1515M v5, 16 GB DRAM (ECC), No storage, No OS, PCIe slot, RS-232	5,665.00	685816	4549734212656			NA	A	NLD	8471.4100.00
NYBE-E-D1002	Industrial Box PC with Intel®Xeon®E3-1515M v5, 16 GB DRAM (ECC), No storage, No OS, PCIe slot, extra DVI-D	5,675.00	685815	4549734212663			NA	A	NLD	8471.4100.00
NYBE-E-D1006	Industrial Box PC with Intel®Xeon®E3-1515M v5, 16 GB DRAM (ECC), No storage, No OS, PCIe slot, NYML port	5,960.00	685814	4549734212670			NA	A	NLD	8471.4100.00
NYBE-E-D13C1	Industrial Box PC with Intel®Xeon®E3-1515M v5, 16 GB DRAM (ECC), 320 GB HDD, WIN 10 IoT Ent. (64-bit), PCIe slot, RS-232	6,285.00	685875	4549734211910			NA	A	NLD	8471.4100.00
NYBE-E-D13C2	Industrial Box PC with Intel®Xeon®E3-1515M v5, 16 GB DRAM (ECC), 320 GB HDD, WIN 10 IoT Ent. (64-bit), PCIe slot, extra DVI-D	6,295.00	685874	4549734211917			NA	A	NLD	8471.4100.00
NYBE-E-D13C6	Industrial Box PC with Intel®Xeon®E3-1515M v5, 16 GB DRAM (ECC), 320 GB HDD, WIN 10 IoT Ent. (64-bit), PCIe slot, NYML port	6,585.00	685873	4549734211925			NA	A	NLD	8471.4100.00
NYBE-E-D13D1	Industrial Box PC with Intel®Xeon®E3-1515M v5, 16 GB DRAM (ECC), 500 GB HDD, WIN 10 IoT Ent. (64-bit), PCIe slot, RS-232	6,285.00	685863	4549734212021			NA	A	NLD	8471.4100.00
NYBE-E-D13D2	Industrial Box PC with Intel®Xeon®E3-1515M v5, 16 GB DRAM (ECC), 500 GB HDD, WIN 10 IoT Ent. (64-bit), PCIe slot, extra DVI-D	6,300.00	685862	4549734212038						

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Daheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
NYB1E-D13M1	Industrial Box PC with intel@Xeon@E3-1515M v5, 16 GB DRAM (ECC), 500 GB SSD IMLC, WIN 10 IoT Ent. (64-bit), PCIe slot, RS-232	7.050,00	685828	4549734212533			NA	A	NLD	8471.4100,00
NYB1E-D13M2	Industrial Box PC with intel@Xeon@E3-1515M v5, 16 GB DRAM (ECC), 500 GB SSD IMLC, WIN 10 IoT Ent. (64-bit), PCIe slot, extra DVI-D	7.055,00	685827	4549734212540			NA	A	NLD	8471.4100,00
NYB1E-D13M6	Industrial Box PC with intel@Xeon@E3-1515M v5, 16 GB DRAM (ECC), 500 GB SSD IMLC, WIN 10 IoT Ent. (64-bit), PCIe slot, extra DVI-D	7.350,00	685826	4549734212557			NA	A	NLD	8471.4100,00
NYB1E-E006	Industrial Box PC with intel@Xeon@E3-1515M v5, 32 GB DRAM (non-ECC), No storage, No OS, PCIe slot, N.Y.M.L port	6.700,00	692777	4549734597289			NA	A	NLD	8471.4100,00
NYB25-11181		4.482,00	686531	4548583811300			NA	A	NLD	8471.4100,00
NYB25-11182		4.482,00	686530	4548583811317			NA	A	NLD	8471.4100,00
NYB25-11191		5.185,00	686529	4548583811324			NA	A	NLD	8471.4100,00
NYB25-11192		5.185,00	686528	4548583811331			NA	A	NLD	8471.4100,00
NYB25-111C1		3.743,00	686527	4548583811348			NA	A	NLD	8471.4100,00
NYB25-111C2		3.778,00	686526	4548583811355			NA	A	NLD	8471.4100,00
NYB25-111K1		3.967,00	686562	4548583871120			NA	A	NLD	8471.4100,00
NYB25-111K2		3.967,00	686561	4548583871137			NA	A	NLD	8471.4100,00
NYB25-11281		4.482,00	686525	4548583811362			NA	A	NLD	8471.4100,00
NYB25-11282		4.482,00	686524	4548583811379			NA	A	NLD	8471.4100,00
NYB25-11291		5.185,00	686523	4548583811386			NA	A	NLD	8471.4100,00
NYB25-11292		5.185,00	686522	4548583811393			NA	A	NLD	8471.4100,00
NYB25-112C1		3.743,00	686521	4548583811409			NA	A	NLD	8471.4100,00
NYB25-112C2		3.778,00	686520	4548583811416			NA	A	NLD	8471.4100,00
NYB25-112K1		3.967,00	686560	4548583871144			NA	A	NLD	8471.4100,00
NYB25-112K2		3.967,00	686559	4548583871151			NA	A	NLD	8471.4100,00
NYB25-21181		4.529,00	686519	4548583811423			NA	A	NLD	8471.4100,00
NYB25-21182		4.529,00	686576	4548583811430			NA	A	NLD	8471.4100,00
NYB25-21191		5.230,00	686575	4548583811447			NA	A	NLD	8471.4100,00
NYB25-21192		5.230,00	686574	4548583811454			NA	A	NLD	8471.4100,00
NYB25-211C1		3.788,00	686573	4548583811461			NA	A	NLD	8471.4100,00
NYB25-211C2		3.824,00	686572	4548583811478			NA	A	NLD	8471.4100,00
NYB25-211K1		4.015,00	686558	4548583871168			NA	A	NLD	8471.4100,00
NYB25-211K2		4.015,00	686557	4548583871175			NA	A	NLD	8471.4100,00
NYB25-21281		4.529,00	686571	4548583811485			NA	A	NLD	8471.4100,00
NYB25-21282		4.529,00	686583	4548583811492			NA	A	NLD	8471.4100,00
NYB25-21291		5.230,00	686582	4548583811508			NA	A	NLD	8471.4100,00
NYB25-21292		5.230,00	686581	4548583811515			NA	A	NLD	8471.4100,00
NYB25-212C1		3.788,00	686580	4548583811522			NA	A	NLD	8471.4100,00
NYB25-212C2		3.824,00	686579	4548583811539			NA	A	NLD	8471.4100,00
NYB25-212K1		4.015,00	686556	4548583871182			NA	A	NLD	8471.4100,00
NYB25-212K2		4.015,00	686555	4548583871199			NA	A	NLD	8471.4100,00
NYB25-31281		4.653,00	686597	4548583811546			NA	A	NLD	8471.4100,00
NYB25-31282		4.653,00	686596	4548583811553			NA	A	NLD	8471.4100,00
NYB25-31291		5.350,00	686595	4548583811560			NA	A	NLD	8471.4100,00
NYB25-31292		5.350,00	686570	4548583811577			NA	A	NLD	8471.4100,00
NYB25-312C1		3.908,00	686569	4548583811584			NA	A	NLD	8471.4100,00
NYB25-312C2		3.908,00	686568	4548583811591			NA	A	NLD	8471.4100,00
NYB25-312K1		4.141,00	686554	4548583871205			NA	A	NLD	8471.4100,00
NYB25-312K2		4.139,00	686553	4548583871212			NA	A	NLD	8471.4100,00
NYB25-313C1		3.841,00	686591	4549734139519			NA	A	NLD	8471.4100,00
NYB25-313K6		4.402,00	686430	4549734157919			NA	A	NLD	8471.4100,00
NYB27-30000		3.500,00	700143	4549734687829			NA	A	NLD	8471.4100,00
NYB27-30006		3.817,00	700142	4549734687836			NA	A	NLD	8471.4100,00
NYB27-30460		4.170,00	700137	4549734687881			NA	A	NLD	8471.4100,00
NYB27-30466		4.410,00	700136	4549734687898			NA	A	NLD	8471.4100,00
NYB27-30470		4.434,00	700131	4549734687942			NA	A	NLD	8471.4100,00
NYB27-30476		4.675,00	700130	4549734687959			NA	A	NLD	8471.4100,00
NYB27-31001		4.558,00	690131	4549734583480			NA	A	NLD	8471.4100,00
NYB27-31002		4.558,00	690132	4549734583497			NA	A	NLD	8471.4100,00
NYB27-31006		4.790,00	690133	4549734583503			NA	A	NLD	8471.4100,00
NYB27-313K1		5.655,00	684464	4549734445580			NA	A	NLD	8471.4100,00
NYB27-314D1		4.539,00	700152	4549734687737			NA	A	NLD	8471.4100,00
NYB27-314D2		4.539,00	700151	4549734687744			NA	A	NLD	8471.4100,00
NYB27-314D6		4.747,00	700150	4549734687751			NA	A	NLD	8471.4100,00
NYB27-314K1		4.678,00	700161	4549734687379			NA	A	NLD	8471.4100,00
NYB27-314K2		4.678,00	700162	4549734687386			NA	A	NLD	8471.4100,00
NYB27-314K6		4.886,00	700163	4549734687393			NA	A	NLD	8471.4100,00
NYB27-314L1		4.896,00	700170	4549734687461			NA	A	NLD	8471.4100,00
NYB27-314L2		4.896,00	700171	4549734687478			NA	A	NLD	8471.4100,00
NYB27-314L6		5.105,00	700172	4549734687485			NA	A	NLD	8471.4100,00
NYB27-314M1		5.345,00	700179	4549734687553			NA	A	NLD	8471.4100,00
NYB27-314M2		5.345,00	700180	4549734687560			NA	A	NLD	8471.4100,00
NYB27-314M6		5.555,00	700181	4549734687577			NA	A	NLD	8471.4100,00
NYB27-314P1		5.095,00	700187	4549734687645			NA	A	NLD	8471.4100,00
NYB27-314P2		5.095,00	700188	4549734687652			NA	A	NLD	8471.4100,00
NYB27-314P6		5.300,00	700189	4549734687659			NA	A	NLD	8471.4100,00
NYB27-40000		3.674,00	700141	4549734687843			NA	A	NLD	8471.4100,00
NYB27-40006		3.837,00	700140	4549734687850			NA	A	NLD	8471.4100,00
NYB27-40460		4.267,00	700135	4549734687904			NA	A	NLD	8471.4100,00
NYB27-40466		4.507,00	700134	4549734687911			NA	A	NLD	8471.4100,00
NYB27-40470		4.532,00	700129	4549734687966			NA	A	NLD	8471.4100,00
NYB27-40476		4.772,00	700128	4549734687973			NA	A	NLD	8471.4100,00

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Daheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
NYB27-41001		4.187.00	700156	4549734687317			NA	A	NLD	8471.4100.00
NYB27-41002		3.906.00	700122	4549734687324			NA	A	NLD	8471.4100.00
NYB27-41006		4.394.00	700167	4549734687331			NA	A	NLD	8471.4100.00
NYB27-414D1		4.637.00	700149	4549734687768			NA	A	NLD	8471.4100.00
NYB27-414D2		4.637.00	700148	4549734687775			NA	A	NLD	8471.4100.00
NYB27-414D6		4.844.00	700147	4549734687782			NA	A	NLD	8471.4100.00
NYB27-414K1		4.775.00	700164	4549734687409			NA	A	NLD	8471.4100.00
NYB27-414K2		4.775.00	700165	4549734687416			NA	A	NLD	8471.4100.00
NYB27-414K6		4.983.00	700166	4549734687423			NA	A	NLD	8471.4100.00
NYB27-414L1		4.993.00	700173	4549734687492			NA	A	NLD	8471.4100.00
NYB27-414L2		4.993.00	700174	4549734687508			NA	A	NLD	8471.4100.00
NYB27-414L6		5.205.00	700175	4549734687515			NA	A	NLD	8471.4100.00
NYB27-414M1		5.080.00	700119	4549734687584			NA	A	NLD	8471.4100.00
NYB27-414M2		5.445.00	700182	4549734687591			NA	A	NLD	8471.4100.00
NYB27-414M6		5.650.00	700183	4549734687607			NA	A	NLD	8471.4100.00
NYB27-414P1		5.190.00	700190	4549734687676			NA	A	NLD	8471.4100.00
NYB27-414P2		5.190.00	700191	4549734687683			NA	A	NLD	8471.4100.00
NYB27-414P6		5.400.00	700125	4549734687690			NA	A	NLD	8471.4100.00
NYB27-50000		3.827.00	700139	4549734687867			NA	A	NLD	8471.4100.00
NYB27-50006		4.067.00	700138	4549734687874			NA	A	NLD	8471.4100.00
NYB27-50460		4.497.00	700133	4549734687928			NA	A	NLD	8471.4100.00
NYB27-50466		4.737.00	700132	4549734687935			NA	A	NLD	8471.4100.00
NYB27-50470		4.762.00	700127	4549734687980			NA	A	NLD	8471.4100.00
NYB27-50476		5.005.00	700126	4549734687997			NA	A	NLD	8471.4100.00
NYB27-51001		4.459.00	700158	4549734687348			NA	A	NLD	8471.4100.00
NYB27-51002		4.458.00	700159	4549734687355			NA	A	NLD	8471.4100.00
NYB27-51006		4.666.00	700160	4549734687362			NA	A	NLD	8471.4100.00
NYB27-514D1		4.867.00	700146	4549734687799			NA	A	NLD	8471.4100.00
NYB27-514D2		4.867.00	700145	4549734687805			NA	A	NLD	8471.4100.00
NYB27-514D6		5.075.00	700144	4549734687812			NA	A	NLD	8471.4100.00
NYB27-514K1		5.005.00	700167	4549734687430			NA	A	NLD	8471.4100.00
NYB27-514K2		5.005.00	700168	4549734687447			NA	A	NLD	8471.4100.00
NYB27-514K6		5.215.00	700169	4549734687454			NA	A	NLD	8471.4100.00
NYB27-514L1		5.225.00	700176	4549734687522			NA	A	NLD	8471.4100.00
NYB27-514L2		5.225.00	700177	4549734687539			NA	A	NLD	8471.4100.00
NYB27-514L6		5.435.00	700178	4549734687546			NA	A	NLD	8471.4100.00
NYB27-514M1		5.670.00	700184	4549734687614			NA	A	NLD	8471.4100.00
NYB27-514M2		5.670.00	700185	4549734687621			NA	A	NLD	8471.4100.00
NYB27-514M6		5.880.00	700186	4549734687638			NA	A	NLD	8471.4100.00
NYB27-514P1		5.420.00	700155	4549734687706			NA	A	NLD	8471.4100.00
NYB27-514P2		5.420.00	700154	4549734687713			NA	A	NLD	8471.4100.00
NYB27-514P6		5.630.00	700153	4549734687720			NA	A	NLD	8471.4100.00
NYB2A-10000		1.447.00	688956	4549734532723			NA	A	NLD	8471.4100.00
NYB2A-10006		1.712.00	688957	4549734532730			NA	A	NLD	8471.4100.00
NYB2A-20000		1.473.00	688958	4549734532747			NA	A	NLD	8471.4100.00
NYB2A-20006		1.739.00	688959	4549734532754			NA	A	NLD	8471.4100.00
NYB2A-20050		1.696.00	689344	454973455982			NA	A	NLD	8471.4100.00
NYB2A-20450		1.750.00	688960	4549734532761			NA	A	NLD	8471.4100.00
NYB2A-20456		2.015.00	688961	4549734532778			NA	A	NLD	8471.4100.00
NYB2A-20460		1.856.00	688962	4549734532785			NA	A	NLD	8471.4100.00
NYB2A-20466		2.121.00	688963	4549734532792			NA	A	NLD	8471.4100.00
NYB2A-20470		2.080.00	688964	4549734532808			NA	A	NLD	8471.4100.00
NYB2A-20476		2.346.00	688965	4549734532815			NA	A	NLD	8471.4100.00
NYB2A-30000		1.538.00	688966	4549734532822			NA	A	NLD	8471.4100.00
NYB2A-30006		1.803.00	688967	4549734532839			NA	A	NLD	8471.4100.00
NYB2A-30450		1.814.00	688968	4549734532846			NA	A	NLD	8471.4100.00
NYB2A-30456		2.080.00	688969	4549734532853			NA	A	NLD	8471.4100.00
NYB2A-30460		1.921.00	688970	4549734532860			NA	A	NLD	8471.4100.00
NYB2A-30466		2.185.00	688971	4549734532877			NA	A	NLD	8471.4100.00
NYB2A-30470		2.145.00	688972	4549734532884			NA	A	NLD	8471.4100.00
NYB2A-30476		2.410.00	688973	4549734532891			NA	A	NLD	8471.4100.00
NYB2C-20000	Industrial Box PC with Intel®Celeron®9395SU, 4 GB DDR4 RAM (non-ECC), No storage, No OS, No PCIe slot, no option port	1.341.00	683615	4549734262330			NA	A	NLD	8471.4100.00
NYB2C-20006	Industrial Box PC with Intel®Celeron®9395SU, 4 GB DDR4 RAM (non-ECC), No storage, No OS, No PCIe slot, NYML port	1.578.00	683617	4549734262347			NA	A	NLD	8471.4100.00
NYB2C-20350	Industrial Box PC with Intel®Celeron®9395SU, 4 GB DDR4 RAM (non-ECC), 64 GB CFast IMLC, WIN 10 IoT Ent. (64-bit), no PCIe slot, no option port	1.659.00	683618	4549734262354			NA	A	NLD	8471.4100.00
NYB2C-20356	Industrial Box PC with Intel®Celeron®9395SU, 4 GB DDR4 RAM (non-ECC), 64 GB CFast IMLC, WIN 10 IoT Ent. (64-bit), no PCIe slot, NYML port	1.895.00	683619	4549734262361			NA	A	NLD	8471.4100.00
NYB2C-20360	Industrial Box PC with Intel®Celeron®9395SU, 4 GB DDR4 RAM (non-ECC), 128 GB CFast IMLC, WIN 10 IoT Ent. (64-bit), no PCIe slot, no option port	1.758.00	683620	4549734262378			NA	A	NLD	8471.4100.00
NYB2C-20366	Industrial Box PC with Intel®Celeron®9395SU, 4 GB DDR4 RAM (non-ECC), 128 GB CFast IMLC, WIN 10 IoT Ent. (64-bit), no PCIe slot, NYML port	1.995.00	683621	4549734262385			NA	A	NLD	8471.4100.00
NYB2C-20370	Industrial Box PC with Intel®Celeron®9395SU, 4 GB DDR4 RAM (non-ECC), 256 GB CFast IMLC, WIN 10 IoT Ent. (64-bit), no PCIe slot, no option port	1.965.00	683622	4549734262392			NA	A	NLD	8471.4100.00
NYB2C-20376	Industrial Box PC with Intel®Celeron®9395SU, 4 GB DDR4 RAM (non-ECC), 256 GB CFast IMLC, WIN 10 IoT Ent. (64-bit), no PCIe slot, NYML port	2.202.00	683623	4549734262408			NA	A	NLD	8471.4100.00
NYB2C-21001	Industrial Box PC with Intel®Celeron®9395SU, 4 GB DDR4 RAM (non-ECC), No storage, No OS, PCIe slot, RS-232	2.810.00	683242	4549734206518			NA	A	NLD	8471.4100.00
NYB2C-21002	Industrial Box PC with Intel®Celeron®9395SU, 4 GB DDR4 RAM (non-ECC), No storage, No OS, PCIe slot, extra DVI-D	2.810.00	683237	4549734206464			NA	A	NLD	8471.4100.00
NYB2C-21006	Industrial Box PC with Intel®Celeron®9395SU, 4 GB DDR4 RAM (non-ECC), No storage, No OS, PCIe slot, NYML port	3.219.00	682759	4549734206716			NA	A	NLD	8471.4100.00
NYB2C-21391	Industrial Box PC with Intel®Celeron®9395SU, 4 GB DDR4 RAM (non-ECC), 64 GB SSD-SLC, WIN 10 IoT Ent. (64-bit), PCIe slot, RS-232	4.237.00	683243	4549734206525			NA	A	NLD	8471.4100.00
NYB2C-21392	Industrial Box PC with Intel®Celeron®9395SU, 4 GB DDR4 RAM (non-ECC), 64 GB SSD-SLC, WIN 10 IoT Ent. (64-bit), PCIe slot, extra DVI-D	4.237.00	683249	4549734206587			NA	A	NLD	8471.4100.00
NYB2C-21396	Industrial Box PC with Intel®Celeron®9395SU, 4 GB DDR4 RAM (non-ECC), 64 GB SSD-SLC, WIN 10 IoT Ent. (64-bit), PCIe slot, NYML port	4.645.00	682769	4549734206515			NA	A	NLD	8471.4100.00
NYB2C-213C1	Industrial Box PC with Intel®Celeron®9395SU, 4 GB DDR4 RAM (non-ECC), 320 GB HDD, WIN 10 IoT Ent. (64-bit), PCIe slot, RS-232	3,155.00	683250	4549734206594			NA	A	NLD	8471.4100.00
NYB2C-213C2	Industrial Box PC with Intel®Celeron®9395SU, 4 GB DDR4 RAM (non-ECC), 320 GB HDD, WIN 10 IoT Ent. (64-bit), PCIe slot, extra DVI-D	3,155.00	683225	4549734206341			NA	A	NLD	8471.4100.00

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Dataheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
NYB2C-21306	Industrial Box PC with Intel@Celeron@9365U, 4 GB DDR4 RAM (non-ECC), 320 GB HDD, WIN 10 IoT Ent. (64-bit), PCIe slot, NYML port	3,562.00	682756	4549734206686			NA	A	NLD	8471.4100.00
NYB2C-213K1	Industrial Box PC with Intel@Celeron@9365U, 4 GB DDR4 RAM (non-ECC), 128 GB SSD-I.M.L.C. WIN 10 IoT Ent. (64-bit), PCIe slot, RS-232	3,380.00	683226	4549734206358			NA	A	NLD	8471.4100.00
NYB2C-213K2	Industrial Box PC with Intel@Celeron@9365U, 4 GB DDR4 RAM (non-ECC), 128 GB SSD-I.M.L.C. WIN 10 IoT Ent. (64-bit), PCIe slot, extra DVI-D	3,380.00	683225	4549734206648			NA	A	NLD	8471.4100.00
NYB2C-213K6	Industrial Box PC with Intel@Celeron@9365U, 4 GB DDR4 RAM (non-ECC), 128 GB SSD-I.M.L.C. WIN 10 IoT Ent. (64-bit), PCIe slot, NYML port	3,785.00	682765	4549734206778			NA	A	NLD	8471.4100.00
NYB2C-30000	Industrial Box PC with Intel@Celeron@9365U, 8 GB DDR4 RAM (non-ECC), No storage, No OS, no PCIe slot, no option port	1,463.00	683624	4549734262415			NA	A	NLD	8471.4100.00
NYB2C-30006	Industrial Box PC with Intel@Celeron@9365U, 8 GB DDR4 RAM (non-ECC), No storage, No OS, no PCIe slot, NYML port	1,699.00	683625	4549734262422			NA	A	NLD	8471.4100.00
NYB2C-30350	Industrial Box PC with Intel@Celeron@9365U, 8 GB DDR4 RAM (non-ECC), 64 GB CFast I.M.L.C. WIN 10 IoT Ent. (64-bit), no PCIe slot, no option port	1,781.00	683626	4549734262439			NA	A	NLD	8471.4100.00
NYB2C-30356	Industrial Box PC with Intel@Celeron@9365U, 8 GB DDR4 RAM (non-ECC), 64 GB CFast I.M.L.C. WIN 10 IoT Ent. (64-bit), no PCIe slot, NYML port	2,018.00	683627	4549734262446			NA	A	NLD	8471.4100.00
NYB2C-30360	Industrial Box PC with Intel@Celeron@9365U, 8 GB DDR4 RAM (non-ECC), 128 GB CFast I.M.L.C. WIN 10 IoT Ent. (64-bit), no PCIe slot, no option port	1,880.00	683628	4549734262453			NA	A	NLD	8471.4100.00
NYB2C-30366	Industrial Box PC with Intel@Celeron@9365U, 8 GB DDR4 RAM (non-ECC), 128 GB CFast I.M.L.C. WIN 10 IoT Ent. (64-bit), no PCIe slot, NYML port	2,117.00	683629	4549734262460			NA	A	NLD	8471.4100.00
NYB2C-30370	Industrial Box PC with Intel@Celeron@9365U, 8 GB DDR4 RAM (non-ECC), 256 GB CFast I.M.L.C. WIN 10 IoT Ent. (64-bit), no PCIe slot, no option port	2,086.00	683630	4549734262477			NA	A	NLD	8471.4100.00
NYB2C-30376	Industrial Box PC with Intel@Celeron@9365U, 8 GB DDR4 RAM (non-ECC), 256 GB CFast I.M.L.C. WIN 10 IoT Ent. (64-bit), no PCIe slot, NYML port	2,326.00	683631	4549734262484			NA	A	NLD	8471.4100.00
NYB2C-30460	Industrial Box PC with Intel@Celeron@9365U, 8 GB DDR4 RAM (non-ECC), 128 GB CFast I.M.L.C. WIN 10 IoT 2019 (64-bit), no PCIe slot, no option port	2,376.00	702006	4549734719681			NA	A	NLD	8471.4100.00
NYB2C-30470	Industrial Box PC with Intel@Celeron@9365U, 8 GB DDR4 RAM (non-ECC), 256 GB CFast I.M.L.C. WIN 10 IoT 2019 (64-bit), no PCIe slot, no option port	2,684.00	702007	4549734719698			NA	A	NLD	8471.4100.00
NYB2C-31001	Industrial Box PC with Intel@Celeron@9365U, 8 GB DDR4 RAM (non-ECC), No storage, No OS, PCIe slot, RS-232	2,903.00	683253	4549734206624			NA	A	NLD	8471.4100.00
NYB2C-31002	Industrial Box PC with Intel@Celeron@9365U, 8 GB DDR4 RAM (non-ECC), No storage, No OS, PCIe slot, extra DVI-D	2,903.00	683236	4549734206457			NA	A	NLD	8471.4100.00
NYB2C-31006	Industrial Box PC with Intel@Celeron@9365U, 8 GB DDR4 RAM (non-ECC), No storage, No OS, PCIe slot, NYML port	3,312.00	682760	4549734206723			NA	A	NLD	8471.4100.00
NYB2C-31391	Industrial Box PC with Intel@Celeron@9365U, 8 GB DDR4 RAM (non-ECC), 64 GB SSD-S.L.C. WIN 10 IoT Ent. (64-bit), PCIe slot, RS-232	4,331.00	683232	4549734206419			NA	A	NLD	8471.4100.00
NYB2C-31392	Industrial Box PC with Intel@Celeron@9365U, 8 GB DDR4 RAM (non-ECC), 64 GB SSD-S.L.C. WIN 10 IoT Ent. (64-bit), PCIe slot, extra DVI-D	4,331.00	683233	4549734206426			NA	A	NLD	8471.4100.00
NYB2C-31396	Industrial Box PC with Intel@Celeron@9365U, 8 GB DDR4 RAM (non-ECC), 64 GB SSD-S.L.C. WIN 10 IoT Ent. (64-bit), PCIe slot, NYML port	4,736.00	682754	4549734206662			NA	A	NLD	8471.4100.00
NYB2C-313C1	Industrial Box PC with Intel@Celeron@9365U, 8 GB DDR4 RAM (non-ECC), 320 GB HDD, WIN 10 IoT Ent. (64-bit), PCIe slot, RS-232	3,246.00	683244	4549734206532			NA	A	NLD	8471.4100.00
NYB2C-313C2	Industrial Box PC with Intel@Celeron@9365U, 8 GB DDR4 RAM (non-ECC), 320 GB HDD, WIN 10 IoT Ent. (64-bit), PCIe slot, extra DVI-D	3,246.00	683239	4549734206488			NA	A	NLD	8471.4100.00
NYB2C-313C6	Industrial Box PC with Intel@Celeron@9365U, 8 GB DDR4 RAM (non-ECC), 320 GB HDD, WIN 10 IoT Ent. (64-bit), PCIe slot, NYML port	3,655.00	682758	4549734206709			NA	A	NLD	8471.4100.00
NYB2C-313K1	Industrial Box PC with Intel@Celeron@9365U, 8 GB DDR4 RAM (non-ECC), 128 GB SSD-I.M.L.C. WIN 10 IoT Ent. (64-bit), PCIe slot, RS-232	3,470.00	683251	4549734206600			NA	A	NLD	8471.4100.00
NYB2C-313K2	Industrial Box PC with Intel@Celeron@9365U, 8 GB DDR4 RAM (non-ECC), 128 GB SSD-I.M.L.C. WIN 10 IoT Ent. (64-bit), PCIe slot, extra DVI-D	3,470.00	683234	4549734206433			NA	A	NLD	8471.4100.00
NYB2C-313K6	Industrial Box PC with Intel@Celeron@9365U, 8 GB DDR4 RAM (non-ECC), 128 GB SSD-I.M.L.C. WIN 10 IoT Ent. (64-bit), PCIe slot, NYML port	3,876.00	682762	4549734206747			NA	A	NLD	8471.4100.00
NYB2C-40360	Industrial Box PC with Intel@Celeron@9365U, 16 GB DDR4 RAM (non-ECC), 128 GB CFast I.M.L.C. WIN 10 IoT Ent. (64-bit), no PCIe slot, no option port	2,204.00	694128	4549734610261			NA	A	NLD	8471.4100.00
NYB35-21001		3,364.00	683247	4549734206563			NA	A	NLD	8471.4100.00
NYB35-21002		3,364.00	683248	4549734206570			NA	A	NLD	8471.4100.00
NYB35-21006		3,773.00	682768	4549734206808			NA	A	NLD	8471.4100.00
NYB35-21391		4,793.00	683230	4549734206396			NA	A	NLD	8471.4100.00
NYB35-21392		4,793.00	683227	4549734206365			NA	A	NLD	8471.4100.00
NYB35-21396		5,210.00	682763	4549734206754			NA	A	NLD	8471.4100.00
NYB35-213C1		3,706.00	683256	4549734206655			NA	A	NLD	8471.4100.00
NYB35-213C2		3,706.00	683235	4549734206440			NA	A	NLD	8471.4100.00
NYB35-213C6		4,112.00	682764	4549734206761			NA	A	NLD	8471.4100.00
NYB35-213K1		3,933.00	683240	4549734206495			NA	A	NLD	8471.4100.00
NYB35-213K2		3,933.00	683231	4549734206402			NA	A	NLD	8471.4100.00
NYB35-213K6		4,337.00	682755	4549734206679			NA	A	NLD	8471.4100.00
NYB35-30000		2,249.00	683632	4549734262491			NA	A	NLD	8471.4100.00
NYB35-30006		2,487.00	683633	4549734262507			NA	A	NLD	8471.4100.00
NYB35-30350		2,568.00	683634	4549734262514			NA	A	NLD	8471.4100.00
NYB35-30356		2,804.00	683635	4549734262521			NA	A	NLD	8471.4100.00
NYB35-30360		2,666.00	683636	4549734262538			NA	A	NLD	8471.4100.00
NYB35-30366		2,903.00	683637	4549734262545			NA	A	NLD	8471.4100.00
NYB35-30370		2,874.00	683638	4549734262552			NA	A	NLD	8471.4100.00
NYB35-30376		3,509.00	683639	4549734262569			NA	A	NLD	8471.4100.00
NYB35-31001		3,457.00	683238	4549734206471			NA	A	NLD	8471.4100.00
NYB35-31002		3,457.00	683254	4549734206631			NA	A	NLD	8471.4100.00
NYB35-31006		3,864.00	682761	4549734206730			NA	A	NLD	8471.4100.00
NYB35-31391		4,883.00	683245	4549734206549			NA	A	NLD	8471.4100.00
NYB35-31392		4,883.00	683228	4549734206372			NA	A	NLD	8471.4100.00
NYB35-31396		5,295.00	682766	4549734206785			NA	A	NLD	8471.4100.00
NYB35-313C1		3,799.00	683252	4549734206617			NA	A	NLD	8471.4100.00
NYB35-313C2		3,799.00	683229	4549734206389			NA	A	NLD	8471.4100.00
NYB35-313C6		4,208.00	682767	4549734206792			NA	A	NLD	8471.4100.00
NYB35-313K1		4,023.00	683246	4549734206556			NA	A	NLD	8471.4100.00
NYB35-313K2		4,023.00	683241	4549734206501			NA	A	NLD	8471.4100.00
NYB35-313K6		4,429.00	682757	4549734206693			NA	A	NLD	8471.4100.00
NYB35-40000		2,476.00	683640	4549734262576			NA	A	NLD	8471.4100.00
NYB35-40006		2,714.00	683641	4549734262583			NA	A	NLD	8471.4100.00
NYB35-40350		2,794.00	683642	4549734262590			NA	A	NLD	8471.4100.00
NYB35-40356		3,032.00	683643	4549734262606			NA	A	NLD	8471.4100.00
NYB35-40360		2,894.00	683644	4549734262613			NA	A	NLD	8471.4100.00
NYB35-40366		3,130.00	683645	4549734262620			NA	A	NLD	8471.4100.00
NYB35-40370		3,099.00	683646	4549734262637			NA	A	NLD	8471.4100.00
NYB35-40376		3,336.00	683647	4549734262644			NA	A	NLD	8471.4100.00
NYB35-413M1		4,358.00	689433	4549734543316			NA	A	NLD	8471.4100.00
NYB35-413M2		4,390.00	689434	4549734543323			NA	A	NLD	8471.4100.00
NYB35-413M6		4,614.00	689435	4549734543330			NA	A	NLD	8471.4100.00
NYP17-21001-12WC1000		5,065.00	686621	4549734143219			NA	A	NLD	8471.4100.00
NYP17-21001-12WC1002		5,150.00	677692	4549734143851			NA	A	NLD	8471.4100.00
NYP17-21002-12WC1000		5,065.00	686619	4549734143233			NA	A	NLD	8471.4100.00
NYP17-21002-12WC1002		5,150.00	677665	4549734143875			NA	A	NLD	8471.4100.00
NYP17-21006-12WC1000		5,475.00	686613	4549734158688			NA	A	NLD	8471.4100.00
NYP17-21006-12WC1002		5,560.00	678921	4549734159722			NA	A	NLD	8471.4100.00



Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Daheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
NYP17-21181-12WC1000		6.215.00	886690	4548583813069			NA	A	NLD	8471.4100.00
NYP17-21182-12WC1000		6.215.00	886689	4548583813076			NA	A	NLD	8471.4100.00
NYP17-21191-12WC1000		6.925.00	886688	4548583813083			NA	A	NLD	8471.4100.00
NYP17-21192-12WC1000		6.925.00	886687	4548583813090			NA	A	NLD	8471.4100.00
NYP17-211C1-12WC1000		5.505.00	886686	4548583813106			NA	A	NLD	8471.4100.00
NYP17-211C2-12WC1000		5.505.00	886685	4548583813113			NA	A	NLD	8471.4100.00
NYP17-211K1-12WC1000		5.700.00	886651	4548583872202			NA	A	NLD	8471.4100.00
NYP17-211K2-12WC1000		5.700.00	886650	4548583872219			NA	A	NLD	8471.4100.00
NYP17-21281-12WC1000		6.215.00	886702	4548583813120			NA	A	NLD	8471.4100.00
NYP17-21282-12WC1000		6.215.00	886701	4548583813137			NA	A	NLD	8471.4100.00
NYP17-21291-12WC1000		6.925.00	886700	4548583813144			NA	A	NLD	8471.4100.00
NYP17-21292-12WC1000		6.925.00	886699	4548583813151			NA	A	NLD	8471.4100.00
NYP17-212C1-12WC1000		5.505.00	886698	4548583813168			NA	A	NLD	8471.4100.00
NYP17-212C2-12WC1000		5.505.00	886697	4548583813175			NA	A	NLD	8471.4100.00
NYP17-212K1-12WC1000		5.700.00	886649	4548583872226			NA	A	NLD	8471.4100.00
NYP17-212K2-12WC1000		5.700.00	886648	4548583872233			NA	A	NLD	8471.4100.00
NYP17-21391-12WC1000		7.125.00	886639	4549734139915			NA	A	NLD	8471.4100.00
NYP17-21391-12WC1002		7.215.00	886693	4549734142014			NA	A	NLD	8471.4100.00
NYP17-21392-12WC1000		7.125.00	886637	4549734139939			NA	A	NLD	8471.4100.00
NYP17-21392-12WC1002		7.215.00	886629	4549734142038			NA	A	NLD	8471.4100.00
NYP17-21396-12WC1000		7.415.00	886678	4549734158329			NA	A	NLD	8471.4100.00
NYP17-21396-12WC1002		7.500.00	886683	4549734159203			NA	A	NLD	8471.4100.00
NYP17-213C1-12WC1000		5.690.00	886635	4549734139953			NA	A	NLD	8471.4100.00
NYP17-213C1-12WC1002		5.775.00	886624	4549734142052			NA	A	NLD	8471.4100.00
NYP17-213C2-12WC1000		5.690.00	886633	4549734139977			NA	A	NLD	8471.4100.00
NYP17-213C2-12WC1002		5.775.00	886756	4549734142076			NA	A	NLD	8471.4100.00
NYP17-213C6-12WC1000		5.990.00	886676	4549734158343			NA	A	NLD	8471.4100.00
NYP17-213C6-12WC1002		6.075.00	886701	4549734159227			NA	A	NLD	8471.4100.00
NYP17-213D1-12WC1002		6.250.00	886547	4549734171496			NA	A	NLD	8471.4100.00
NYP17-213K1-12WC1000		5.885.00	886631	4549734139991			NA	A	NLD	8471.4100.00
NYP17-213K1-12WC1002		5.970.00	886734	4549734142090			NA	A	NLD	8471.4100.00
NYP17-213K2-12WC1000		5.885.00	886629	4549734140010			NA	A	NLD	8471.4100.00
NYP17-213K2-12WC1002		5.970.00	886725	4549734142113			NA	A	NLD	8471.4100.00
NYP17-213K6-12WC1000		6.175.00	886674	4549734158367			NA	A	NLD	8471.4100.00
NYP17-213K6-12WC1002		6.260.00	886669	4549734159241			NA	A	NLD	8471.4100.00
NYP17-31001-12WC1000		5.175.00	886617	4549734143257			NA	A	NLD	8471.4100.00
NYP17-31001-12WC1002		5.260.00	886704	4549734143999			NA	A	NLD	8471.4100.00
NYP17-31002-12WC1000		5.175.00	886615	4549734143271			NA	A	NLD	8471.4100.00
NYP17-31002-12WC1002		5.260.00	886788	4549734143912			NA	A	NLD	8471.4100.00
NYP17-31006-12WC1000		5.575.00	886611	4549734158701			NA	A	NLD	8471.4100.00
NYP17-31006-12WC1002		5.665.00	886909	4549734159746			NA	A	NLD	8471.4100.00
NYP17-31281-12WC1000		6.340.00	886696	4548583813182			NA	A	NLD	8471.4100.00
NYP17-31282-12WC1000		6.340.00	886695	4548583813199			NA	A	NLD	8471.4100.00
NYP17-31291-12WC1000		7.045.00	886694	4548583813205			NA	A	NLD	8471.4100.00
NYP17-31292-12WC1000		7.045.00	886693	4548583813212			NA	A	NLD	8471.4100.00
NYP17-312C1-12WC1000		5.640.00	886692	4548583813229			NA	A	NLD	8471.4100.00
NYP17-312C2-12WC1000		5.640.00	886691	4548583813236			NA	A	NLD	8471.4100.00
NYP17-312K1-12WC1000		5.825.00	886647	4548583872240			NA	A	NLD	8471.4100.00
NYP17-312K2-12WC1000		5.825.00	886646	4548583872257			NA	A	NLD	8471.4100.00
NYP17-31391-12WC1000		7.250.00	886627	4549734140034			NA	A	NLD	8471.4100.00
NYP17-31391-12WC1002		7.335.00	886715	4549734142137			NA	A	NLD	8471.4100.00
NYP17-31392-12WC1000		7.250.00	886625	4549734140058			NA	A	NLD	8471.4100.00
NYP17-31392-12WC1002		7.335.00	886789	4549734142151			NA	A	NLD	8471.4100.00
NYP17-31396-12WC1000		7.540.00	886672	4549734158381			NA	A	NLD	8471.4100.00
NYP17-31396-12WC1002		7.625.00	886987	4549734159265			NA	A	NLD	8471.4100.00
NYP17-313C1-12WC1000		5.815.00	886623	4549734140072			NA	A	NLD	8471.4100.00
NYP17-313C1-12WC1002		5.905.00	886785	4549734142175			NA	A	NLD	8471.4100.00
NYP17-313C2-12WC1000		5.815.00	886684	4549734140096			NA	A	NLD	8471.4100.00
NYP17-313C2-12WC1002		5.905.00	886777	4549734142199			NA	A	NLD	8471.4100.00
NYP17-313C6-12WC1000		6.110.00	886670	4549734158404			NA	A	NLD	8471.4100.00
NYP17-313C6-12WC1002		6.200.00	886963	4549734159289			NA	A	NLD	8471.4100.00
NYP17-313K1-12WC1000		6.010.00	886682	4549734140119			NA	A	NLD	8471.4100.00
NYP17-313K1-12WC1002		6.095.00	886727	4549734142212			NA	A	NLD	8471.4100.00
NYP17-313K2-12WC1000		6.010.00	886680	4549734140133			NA	A	NLD	8471.4100.00
NYP17-313K2-12WC1002		6.095.00	886714	4549734142236			NA	A	NLD	8471.4100.00
NYP17-313K6-12WC1000		6.305.00	886668	4549734158428			NA	A	NLD	8471.4100.00
NYP17-313K6-12WC1002		6.395.00	886973	4549734159302			NA	A	NLD	8471.4100.00
NYP17-413K1-15WC1000		6.320.00	886609	4549734170802			NA	A	NLD	8471.4100.00
NYP17-413K1-15WC1002		6.585.00	888546	4549734171854			NA	A	NLD	8471.4100.00
NYP1C-11001-12WC1000	Industrial Panel PC with Intel@Celeron@2980U, 2 GB DRAM (non-ECC), No storage, No OS, PCIe slot, RS-232, 12.1" display with capacitive touchscreen	4.222.00	886750	4549734143295			NA	A	NLD	8471.4100.00
NYP1C-11001-12WC1002	Industrial Panel PC with Intel@Celeron@2980U, 2 GB DRAM (non-ECC), No storage, No OS, PCIe slot, RS-232, 12.1" display with capacitive touchscreen, with custom logo - TEMPLATE	4.309.00	886785	4549734143936			NA	A	NLD	8471.4100.00
NYP1C-11002-12WC1000	Industrial Panel PC with Intel@Celeron@2980U, 2 GB DRAM (non-ECC), No storage, No OS, PCIe slot, extra DVI-D, 12.1" display with capacitive touchscreen	4.222.00	886748	4549734143318			NA	A	NLD	8471.4100.00
NYP1C-11002-12WC1002	Industrial Panel PC with Intel@Celeron@2980U, 2 GB DRAM (non-ECC), No storage, No OS, PCIe slot, extra DVI-D, 12.1" display with capacitive touchscreen, with custom logo - TEMPLATE	4.309.00	886755	4549734143950			NA	A	NLD	8471.4100.00
NYP1C-11006-12WC1000	Industrial Panel PC with Intel@Celeron@2980U, 2 GB DRAM (non-ECC), No storage, No OS, PCIe slot, NYML port, 12.1" display with capacitive touchscreen	4.630.00	886718	4549734158725			NA	A	NLD	8471.4100.00
NYP1C-11006-12WC1002	Industrial Panel PC with Intel@Celeron@2980U, 2 GB DRAM (non-ECC), No storage, No OS, PCIe slot, NYML port, 12.1" display with capacitive touchscreen, with custom logo - TEMPLATE	4.717.00	886899	4549734159760			NA	A	NLD	8471.4100.00
NYP1C-11181-12WC1000	Industrial Panel PC with Intel@Celeron@2980U, 2 GB DRAM (non-ECC), 32 GB SSD-SLC, WES7 (32-bit), PCIe slot, RS-232, 12.1" display with capacitive touchscreen	5.010.00	886874	4548583813540			NA	A	NLD	8471.4100.00
NYP1C-11182-12WC1000	Industrial Panel PC with Intel@Celeron@2980U, 2 GB DRAM (non-ECC), 32 GB SSD-SLC, WES7 (32-bit), PCIe slot, extra DVI-D, 12.1" display with capacitive touchscreen	5.010.00	886873	4548583813557			NA	A	NLD	8471.4100.00



Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Data sheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
NYP1C-313C2-12WC1002	Industrial Panel PC with Intel@Celeron@2980U, 8 GB DRAM (non-ECC), 320 GB HDD, WIN 10 IoT Ent. (64-bit), PCIe slot, extra DVI-D, 12.1" display with capacitive touchscreen, with custom logo - TEMPLATE	4.792.00	677652	4549734142434			NA	A	NLD	8471.4100.00
NYP1C-313C6-12WC1000	Industrial Panel PC with Intel@Celeron@2980U, 8 GB DRAM (non-ECC), 320 GB HDD, WIN 10 IoT Ent. (64-bit), PCIe slot, NYML port, 12.1" display with capacitive touchscreen	5.125.00	686728	4549734158527			NA	A	NLD	8471.4100.00
NYP1C-313K1-12WC1002	Industrial Panel PC with Intel@Celeron@2980U, 8 GB DRAM (non-ECC), 128 GB SSD-MLC, WIN 10 IoT Ent. (64-bit), PCIe slot, NYML port, 12.1" display with capacitive touchscreen, with custom logo - TEMPLATE	5.210.00	678994	4549734159401			NA	A	NLD	8471.4100.00
NYP1C-313K1-12WC1000	Industrial Panel PC with Intel@Celeron@2980U, 8 GB DRAM (non-ECC), 128 GB SSD-MLC, WIN 10 IoT Ent. (64-bit), PCIe slot, RS-232, 12.1" display with capacitive touchscreen	4.929.00	686902	4549734140355			NA	A	NLD	8471.4100.00
NYP1C-313K1-12WC1002	Industrial Panel PC with Intel@Celeron@2980U, 8 GB DRAM (non-ECC), 128 GB SSD-MLC, WIN 10 IoT Ent. (64-bit), PCIe slot, extra DVI-D, 12.1" display with capacitive touchscreen, with custom logo - TEMPLATE	5.020.00	677687	4549734142458			NA	A	NLD	8471.4100.00
NYP1C-313K2-12WC1000	Industrial Panel PC with Intel@Celeron@2980U, 8 GB DRAM (non-ECC), 128 GB SSD-MLC, WIN 10 IoT Ent. (64-bit), PCIe slot, extra DVI-D, 12.1" display with capacitive touchscreen	4.929.00	686900	4549734140379			NA	A	NLD	8471.4100.00
NYP1C-313K2-12WC1002	Industrial Panel PC with Intel@Celeron@2980U, 8 GB DRAM (non-ECC), 128 GB SSD-MLC, WIN 10 IoT Ent. (64-bit), PCIe slot, extra DVI-D, 12.1" display with capacitive touchscreen, with custom logo - TEMPLATE	5.020.00	677690	4549734142472			NA	A	NLD	8471.4100.00
NYP1C-313K6-12WC1000	Industrial Panel PC with Intel@Celeron@2980U, 8 GB DRAM (non-ECC), 128 GB SSD-MLC, WIN 10 IoT Ent. (64-bit), PCIe slot, NYML port, 12.1" display with capacitive touchscreen	5.345.00	686726	4549734158541			NA	A	NLD	8471.4100.00
NYP1C-313K6-12WC1002	Industrial Panel PC with Intel@Celeron@2980U, 8 GB DRAM (non-ECC), 128 GB SSD-MLC, WIN 10 IoT Ent. (64-bit), PCIe slot, NYML port, 12.1" display with capacitive touchscreen, with custom logo - TEMPLATE	5.435.00	678926	4549734159425			NA	A	NLD	8471.4100.00
NYP25-11001-12WC1000		4.724.00	686738	4549734143417			NA	A	NLD	8471.4100.00
NYP25-11001-12WC1002		4.811.00	677660	4549734144056			NA	A	NLD	8471.4100.00
NYP25-11002-12WC1000		4.724.00	686736	4549734143431			NA	A	NLD	8471.4100.00
NYP25-11002-12WC1002		4.811.00	677675	4549734144070			NA	A	NLD	8471.4100.00
NYP25-11006-12WC1000		5.145.00	686712	4549734158787			NA	A	NLD	8471.4100.00
NYP25-11006-12WC1002		5.230.00	678975	4549734159821			NA	A	NLD	8471.4100.00
NYP25-11181-12WC1000		5.500.00	686935	4548583813243			NA	A	NLD	8471.4100.00
NYP25-11182-12WC1000		5.500.00	686934	4548583813250			NA	A	NLD	8471.4100.00
NYP25-11191-12WC1000		6.215.00	686949	4548583813267			NA	A	NLD	8471.4100.00
NYP25-11192-12WC1000		6.215.00	686948	4548583813274			NA	A	NLD	8471.4100.00
NYP25-111C1-12WC1000		4.934.00	686947	4548583813281			NA	A	NLD	8471.4100.00
NYP25-111C2-12WC1000		4.934.00	686946	4548583813288			NA	A	NLD	8471.4100.00
NYP25-111K1-12WC1000		5.160.00	686795	4548583872264			NA	A	NLD	8471.4100.00
NYP25-111K2-12WC1000		5.160.00	686794	4548583872271			NA	A	NLD	8471.4100.00
NYP25-11281-12WC1000		5.500.00	686945	4548583813304			NA	A	NLD	8471.4100.00
NYP25-11282-12WC1000		5.500.00	686944	4548583813311			NA	A	NLD	8471.4100.00
NYP25-11291-12WC1000		6.215.00	686943	4548583813328			NA	A	NLD	8471.4100.00
NYP25-11292-12WC1000		6.215.00	686942	4548583813335			NA	A	NLD	8471.4100.00
NYP25-112C1-12WC1000		4.934.00	686941	4548583813342			NA	A	NLD	8471.4100.00
NYP25-112C2-12WC1000		4.934.00	686940	4548583813359			NA	A	NLD	8471.4100.00
NYP25-112K1-12WC1000		5.160.00	686793	4548583872288			NA	A	NLD	8471.4100.00
NYP25-112K2-12WC1000		5.160.00	686792	4548583872295			NA	A	NLD	8471.4100.00
NYP25-21001-12WC1000		4.771.00	686892	4549734143455			NA	A	NLD	8471.4100.00
NYP25-21001-12WC1002		4.858.00	677657	4549734144094			NA	A	NLD	8471.4100.00
NYP25-21002-12WC1000		4.771.00	686890	4549734143479			NA	A	NLD	8471.4100.00
NYP25-21002-12WC1002		4.858.00	677621	4549734144117			NA	A	NLD	8471.4100.00
NYP25-21006-12WC1000		5.195.00	686710	4549734158800			NA	A	NLD	8471.4100.00
NYP25-21006-12WC1002		5.280.00	678929	4549734159845			NA	A	NLD	8471.4100.00
NYP25-21181-12WC1000		5.550.00	686939	4548583813366			NA	A	NLD	8471.4100.00
NYP25-21182-12WC1000		5.550.00	686938	4548583813373			NA	A	NLD	8471.4100.00
NYP25-21191-12WC1000		6.265.00	686937	4548583813380			NA	A	NLD	8471.4100.00
NYP25-21192-12WC1000		6.265.00	686936	4548583813397			NA	A	NLD	8471.4100.00
NYP25-211C1-12WC1000		4.982.00	686706	4548583813403			NA	A	NLD	8471.4100.00
NYP25-211C2-12WC1000		4.982.00	686955	4548583813410			NA	A	NLD	8471.4100.00
NYP25-211K1-12WC1000		5.205.00	686791	4548583872301			NA	A	NLD	8471.4100.00
NYP25-211K2-12WC1000		5.205.00	686790	4548583872318			NA	A	NLD	8471.4100.00
NYP25-21281-12WC1000		5.550.00	686954	4548583813427			NA	A	NLD	8471.4100.00
NYP25-21282-12WC1000		5.550.00	686953	4548583813434			NA	A	NLD	8471.4100.00
NYP25-21291-12WC1000		6.265.00	686952	4548583813441			NA	A	NLD	8471.4100.00
NYP25-21292-12WC1000		6.265.00	686951	4548583813458			NA	A	NLD	8471.4100.00
NYP25-212C1-12WC1000		4.982.00	686950	4548583813465			NA	A	NLD	8471.4100.00
NYP25-212C2-12WC1000		4.982.00	686881	4548583813472			NA	A	NLD	8471.4100.00
NYP25-212K1-12WC1000		5.205.00	686789	4548583872325			NA	A	NLD	8471.4100.00
NYP25-212K2-12WC1000		5.205.00	686788	4548583872332			NA	A	NLD	8471.4100.00
NYP25-21391-12WC1000		6.230.00	686898	4549734140393			NA	A	NLD	8471.4100.00
NYP25-21391-12WC1002		6.315.00	677599	4549734142496			NA	A	NLD	8471.4100.00
NYP25-21392-12WC1000		6.230.00	686896	4549734140416			NA	A	NLD	8471.4100.00
NYP25-21392-12WC1002		6.315.00	677628	4549734142519			NA	A	NLD	8471.4100.00
NYP25-21396-12WC1000		6.630.00	686724	4549734158565			NA	A	NLD	8471.4100.00
NYP25-21396-12WC1002		6.720.00	679070	4549734159449			NA	A	NLD	8471.4100.00
NYP25-213C1-12WC1000		5.125.00	686894	4549734140430			NA	A	NLD	8471.4100.00
NYP25-213C1-12WC1002		5.210.00	677661	4549734142533			NA	A	NLD	8471.4100.00
NYP25-213C2-12WC1000		5.125.00	686882	4549734140454			NA	A	NLD	8471.4100.00
NYP25-213C2-12WC1002		5.210.00	677650	4549734142557			NA	A	NLD	8471.4100.00
NYP25-213C6-12WC1000		5.535.00	686722	4549734158589			NA	A	NLD	8471.4100.00
NYP25-213C6-12WC1002		5.625.00	678946	4549734159463			NA	A	NLD	8471.4100.00
NYP25-213K1-12WC1000		5.345.00	686754	4549734140478			NA	A	NLD	8471.4100.00
NYP25-213K1-12WC1002		5.435.00	677594	4549734142571			NA	A	NLD	8471.4100.00
NYP25-213K2-12WC1000		5.345.00	686752	4549734140492			NA	A	NLD	8471.4100.00
NYP25-213K2-12WC1002		5.435.00	677611	4549734142595			NA	A	NLD	8471.4100.00
NYP25-213K6-12WC1000		5.170.00	686720	4549734158602			NA	A	NLD	8471.4100.00
NYP25-213K6-12WC1002		5.845.00	678940	4549734159487			NA	A	NLD	8471.4100.00
NYP25-31001-12WC1000		4.865.00	686886	4549734143493			NA	A	NLD	8471.4100.00
NYP25-31001-12WC1002		4.953.00	677684	4549734144131			NA	A	NLD	8471.4100.00
NYP25-31002-12WC1000		4.866.00	686886	4549734143516			NA	A	NLD	8471.4100.00
NYP25-31002-12WC1002		4.953.00	677649	4549734144155			NA	A	NLD	8471.4100.00
NYP25-31006-12WC1000		5.285.00	686708	4549734158824			NA	A	NLD	8471.4100.00
NYP25-31006-12WC1002		5.375.00	678970	4549734159869			NA	A	NLD	8471.4100.00

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Data sheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
NYP25-31281-12WC1000		5.655.00	686880	4548583813489			NA	A	NLD	8471.4100.00
NYP25-31282-12WC1000		5.650.00	686879	4548583813496			NA	A	NLD	8471.4100.00
NYP25-31291-12WC1000		6.395.00	686878	4548583813502			NA	A	NLD	8471.4100.00
NYP25-31292-12WC1000		6.395.00	686877	4548583813519			NA	A	NLD	8471.4100.00
NYP25-312C1-12WC1000		5.075.00	686876	4548583813526			NA	A	NLD	8471.4100.00
NYP25-312C2-12WC1000		5.075.00	686875	4548583813533			NA	A	NLD	8471.4100.00
NYP25-312K1-12WC1000		5.295.00	686787	4548583872349			NA	A	NLD	8471.4100.00
NYP25-312K2-12WC1000		5.295.00	686786	4548583872356			NA	A	NLD	8471.4100.00
NYP25-31391-12WC1000		6.355.00	686973	4549734140515			NA	A	NLD	8471.4100.00
NYP25-31391-12WC1002		6.445.00	677662	4549734142618			NA	A	NLD	8471.4100.00
NYP25-31392-12WC1000		6.355.00	686971	4549734140539			NA	A	NLD	8471.4100.00
NYP25-31392-12WC1002		6.445.00	677601	4549734142632			NA	A	NLD	8471.4100.00
NYP25-31396-12WC1000		6.720.00	686961	4549734158626			NA	A	NLD	8471.4100.00
NYP25-31396-12WC1002		6.805.00	679074	4549734159500			NA	A	NLD	8471.4100.00
NYP25-313C1-12WC1000		5.215.00	686969	4549734140553			NA	A	NLD	8471.4100.00
NYP25-313C1-12WC1002		5.300.00	677655	4549734142656			NA	A	NLD	8471.4100.00
NYP25-313C2-12WC1000		5.215.00	686967	4549734140577			NA	A	NLD	8471.4100.00
NYP25-313C2-12WC1002		5.300.00	677686	4549734142670			NA	A	NLD	8471.4100.00
NYP25-313C6-12WC1000		5.630.00	686959	4549734158640			NA	A	NLD	8471.4100.00
NYP25-313C6-12WC1002		5.715.00	679038	4549734159524			NA	A	NLD	8471.4100.00
NYP25-313K1-12WC1000		5.440.00	686965	4549734140591			NA	A	NLD	8471.4100.00
NYP25-313K1-12WC1002		5.525.00	677694	4549734142694			NA	A	NLD	8471.4100.00
NYP25-313K2-12WC1000		5.440.00	686963	4549734140614			NA	A	NLD	8471.4100.00
NYP25-313K2-12WC1002		5.525.00	677622	4549734142717			NA	A	NLD	8471.4100.00
NYP25-313K6-12WC1000		5.850.00	686957	4549734158664			NA	A	NLD	8471.4100.00
NYP25-313K6-12WC1002		5.940.00	678999	4549734159548			NA	A	NLD	8471.4100.00
NYP27-30000-12WC1000		4.901.00	700263	4549734688000			NA	A	NLD	8471.4100.00
NYP27-30000-12WC1002		4.986.00	702052	4549734688727			NA	A	NLD	8471.4100.00
NYP27-30006-12WC1000		5.145.00	700264	4549734688017			NA	A	NLD	8471.4100.00
NYP27-30006-12WC1002		5.230.00	702053	4549734688734			NA	A	NLD	8471.4100.00
NYP27-30460-12WC1000		5.575.00	700269	4549734688062			NA	A	NLD	8471.4100.00
NYP27-30460-12WC1002		5.660.00	702058	4549734688789			NA	A	NLD	8471.4100.00
NYP27-30466-12WC1000		5.815.00	700270	4549734688079			NA	A	NLD	8471.4100.00
NYP27-30466-12WC1002		5.900.00	702059	4549734688796			NA	A	NLD	8471.4100.00
NYP27-30470-12WC1000		5.840.00	700275	4549734688123			NA	A	NLD	8471.4100.00
NYP27-30470-12WC1002		5.925.00	702064	4549734688840			NA	A	NLD	8471.4100.00
NYP27-30476-12WC1000		6.080.00	700276	4549734688130			NA	A	NLD	8471.4100.00
NYP27-30476-12WC1002		6.165.00	702065	4549734688857			NA	A	NLD	8471.4100.00
NYP27-40000-12WC1000		5.005.00	702055	4549734688024			NA	A	NLD	8471.4100.00
NYP27-40000-12WC1002		5.090.00	702054	4549734688741			NA	A	NLD	8471.4100.00
NYP27-40006-12WC1000		5.245.00	700266	4549734688031			NA	A	NLD	8471.4100.00
NYP27-40006-12WC1002		5.330.00	702055	4549734688758			NA	A	NLD	8471.4100.00
NYP27-40460-12WC1000		5.675.00	700271	4549734688086			NA	A	NLD	8471.4100.00
NYP27-40460-12WC1002		5.760.00	702060	4549734688802			NA	A	NLD	8471.4100.00
NYP27-40466-12WC1000		5.915.00	700272	4549734688093			NA	A	NLD	8471.4100.00
NYP27-40466-12WC1002		6.000.00	702061	4549734688819			NA	A	NLD	8471.4100.00
NYP27-40470-12WC1000		5.940.00	700277	4549734688147			NA	A	NLD	8471.4100.00
NYP27-40470-12WC1002		6.025.00	702066	4549734688864			NA	A	NLD	8471.4100.00
NYP27-40476-12WC1000		6.180.00	700278	4549734688154			NA	A	NLD	8471.4100.00
NYP27-40476-12WC1002		6.265.00	702067	4549734688871			NA	A	NLD	8471.4100.00
NYP27-50000-12WC1000		5.230.00	700267	4549734688048			NA	A	NLD	8471.4100.00
NYP27-50000-12WC1002		5.315.00	702056	4549734688765			NA	A	NLD	8471.4100.00
NYP27-50006-12WC1000		5.410.00	700268	4549734688051			NA	A	NLD	8471.4100.00
NYP27-50006-12WC1002		5.495.00	702057	4549734688772			NA	A	NLD	8471.4100.00
NYP27-50460-12WC1000		5.900.00	700273	4549734688109			NA	A	NLD	8471.4100.00
NYP27-50460-12WC1002		5.985.00	702062	4549734688826			NA	A	NLD	8471.4100.00
NYP27-50466-12WC1000		6.145.00	700274	4549734688116			NA	A	NLD	8471.4100.00
NYP27-50466-12WC1002		6.230.00	702063	4549734688833			NA	A	NLD	8471.4100.00
NYP27-50470-12WC1000		6.165.00	700279	4549734688161			NA	A	NLD	8471.4100.00
NYP27-50470-12WC1002		6.250.00	702068	4549734688888			NA	A	NLD	8471.4100.00
NYP27-50476-12WC1000		6.410.00	700280	4549734688178			NA	A	NLD	8471.4100.00
NYP27-50476-12WC1002		6.495.00	702069	4549734688895			NA	A	NLD	8471.4100.00
NYP2A-10000-12WC1000		2.623.00	688974	4549734532907			NA	A	NLD	8471.4100.00
NYP2A-10000-12WC1002		2.710.00	688992	4549734533089			NA	A	NLD	8471.4100.00
NYP2A-20000-12WC1000		2.649.00	688975	4549734532914			NA	A	NLD	8471.4100.00
NYP2A-20000-12WC1002		2.736.00	688993	4549734533096			NA	A	NLD	8471.4100.00
NYP2A-20450-12WC1000		2.904.00	688976	4549734532921			NA	A	NLD	8471.4100.00
NYP2A-20450-12WC1002		2.991.00	688994	4549734533102			NA	A	NLD	8471.4100.00
NYP2A-20460-12WC1000		3.001.00	688977	4549734532938			NA	A	NLD	8471.4100.00
NYP2A-20460-12WC1002		3.088.00	688995	4549734533119			NA	A	NLD	8471.4100.00
NYP2A-20470-12WC1000		3.208.00	688978	4549734532945			NA	A	NLD	8471.4100.00
NYP2A-20470-12WC1002		3.295.00	688996	4549734533126			NA	A	NLD	8471.4100.00
NYP2A-20F50-12WC1000		3.071.00	688796	4549734668927			NA	A	NLD	8471.4100.00

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Data sheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
NYP2A-20F50-12WC1002		3,084.00	698795	4549734668934			NA	A	NLD	8471.4100.00
NYP2A-30000-12WC1000		2,710.00	698979	4549734532952			NA	A	NLD	8471.4100.00
NYP2A-30000-12WC1002		2,796.00	698997	4549734533133			NA	A	NLD	8471.4100.00
NYP2A-30450-12WC1000		2,964.00	698980	4549734532969			NA	A	NLD	8471.4100.00
NYP2A-30450-12WC1002		3,050.00	698998	4549734533140			NA	A	NLD	8471.4100.00
NYP2A-30460-12WC1000		3,060.00	698991	4549734532976			NA	A	NLD	8471.4100.00
NYP2A-30460-12WC1002		3,147.00	698999	4549734533157			NA	A	NLD	8471.4100.00
NYP2A-30470-12WC1000		3,269.00	698982	4549734532983			NA	A	NLD	8471.4100.00
NYP2A-30470-12WC1002		3,355.00	699000	4549734533164			NA	A	NLD	8471.4100.00
NYP2C-20000-12WC1000	Industrial Panel PC with Intel@Celeron@9365U, 4 GB DDR4 RAM (non-ECC), No storage, No OS, no PCIe slot, no option port, 12.1" display with capacitive touchscreen	2,281.00	698368	4549734262668			NA	A	NLD	8471.4100.00
NYP2C-20000-12WC1002	Industrial Panel PC with Intel@Celeron@9365U, 4 GB DRAM (non-ECC), No Storage, No OS, No expansion slots, No I/F option, 12.1" (1280x800) display with capacitive touchscreen, build-in type, with custom logo - TEMPLATE	2,368.00	6987160	4549734500999			NA	A	NLD	8471.4100.00
NYP2C-20350-12WC1000	Industrial Panel PC with Intel@Celeron@9365U, 4 GB DDR4 RAM (non-ECC), 64 GB CFast IMLC, WIN 10 IoT Ent. (64-bit), no PCIe slot, no option port, 12.1" display with capacitive touchscreen	2,573.00	6983652	4549734262705			NA	A	NLD	8471.4100.00
NYP2C-20350-12WC1002	Industrial Panel PC with Intel@Celeron@9365U, 4 GB DRAM (non-ECC), 64 GB CFast IMLC, WIN 10 IoT Ent. (64-bit), No expansion slots, No I/F option, 12.1" (1280x800) display with capacitive touchscreen, build-in type, with custom logo - TEMPLATE	2,660.00	6987159	4549734501002			NA	A	NLD	8471.4100.00
NYP2C-20356-12WC1000	Industrial Panel PC with Intel@Celeron@9365U, 4 GB DRAM (non-ECC), 64 GB CFast IMLC, WIN 10 IoT Ent. (64-bit), No expansion slots, NY Monitor Link, 12.1" (1280x800) display with capacitive touchscreen, build-in type	3,787.00	6987431	4549734495035			NA	A	NLD	8471.4100.00
NYP2C-20356-12WC1002	Industrial Panel PC with Intel@Celeron@9365U, 4 GB DRAM (non-ECC), 64 GB CFast IMLC, WIN 10 IoT Ent. (64-bit), No expansion slots, NY Monitor Link, 12.1" (1280x800) display with capacitive touchscreen, build-in type, with custom logo - TEMPLATE	3,873.00	6987430	4549734495042			NA	A	NLD	8471.4100.00
NYP2C-20360-12WC1000	Industrial Panel PC with Intel@Celeron@9365U, 4 GB DDR4 RAM (non-ECC), 128 GB CFast IMLC, WIN 10 IoT Ent. (64-bit), no PCIe slot, no option port, 12.1" display with capacitive touchscreen	2,666.00	6983653	4549734262712			NA	A	NLD	8471.4100.00
NYP2C-20360-12WC1002	Industrial Panel PC with Intel@Celeron@9365U, 4 GB DRAM (non-ECC), 128 GB CFast IMLC, WIN 10 IoT Ent. (64-bit), No expansion slots, No I/F option, 12.1" (1280x800) display with capacitive touchscreen, build-in type, with custom logo - TEMPLATE	2,752.00	6987158	4549734501019			NA	A	NLD	8471.4100.00
NYP2C-20360-15WC1002	Industrial Panel PC with Intel@Celeron@9365U, 4 GB DRAM (non-ECC), 128 GB CFast IMLC, Win 10 IoT Ent. (64-bit), no PCIe slot, no option port, 15.4" display with capacitive touchscreen, with custom logo - TEMPLATE	3,644.00	6980459	4549734191555			NA	A	NLD	8471.4100.00
NYP2C-20370-12WC1000	Industrial Panel PC with Intel@Celeron@9365U, 4 GB DDR4 RAM (non-ECC), 256 GB CFast IMLC, WIN 10 IoT Ent. (64-bit), no PCIe slot, no option port, 12.1" display with capacitive touchscreen	2,855.00	6983654	4549734262729			NA	A	NLD	8471.4100.00
NYP2C-20370-12WC1002	Industrial Panel PC with Intel@Celeron@9365U, 4 GB DRAM (non-ECC), 256 GB CFast IMLC, WIN 10 IoT Ent. (64-bit), No expansion slots, No I/F option, 12.1" (1280x800) display with capacitive touchscreen, build-in type, with custom logo - TEMPLATE	2,942.00	6987157	4549734501026			NA	A	NLD	8471.4100.00
NYP2C-21001-12WC1000	Industrial Panel PC with Intel@Celeron@9365U, 4 GB DDR4 RAM (non-ECC), No storage, No OS, PCIe slot, RS-232, 12.1" display with capacitive touchscreen	4,274.00	6983288	4549734207157			NA	A	NLD	8471.4100.00
NYP2C-21001-12WC1002	Industrial Panel PC with Intel@Celeron@9365U, 4 GB DRAM (non-ECC), No Storage, No OS, 1 PCIe + 2 drive slots, RS-232C, 12.1" (1280x800) display with capacitive touchscreen, build-in type, with custom logo - TEMPLATE	4,361.00	6987200	4549734208116			NA	A	NLD	8471.4100.00
NYP2C-21002-12WC1000	Industrial Panel PC with Intel@Celeron@9365U, 4 GB DDR4 RAM (non-ECC), No storage, No OS, PCIe slot, extra DVI-D, 12.1" display with capacitive touchscreen	4,274.00	6983265	4549734206907			NA	A	NLD	8471.4100.00
NYP2C-21002-12WC1002	Industrial Panel PC with Intel@Celeron@9365U, 4 GB DRAM (non-ECC), No Storage, No OS, 1 PCIe + 2 drive slots, extra DVI-D, 12.1" (1280x800) display with capacitive touchscreen, build-in type, with custom logo - TEMPLATE	4,361.00	6987202	4549734207867			NA	A	NLD	8471.4100.00
NYP2C-21006-12WC1000	Industrial Panel PC with Intel@Celeron@9365U, 4 GB DDR4 RAM (non-ECC), No storage, No OS, PCIe slot, NYML port, 12.1" display with capacitive touchscreen	4,688.00	6982796	4549734207737			NA	A	NLD	8471.4100.00
NYP2C-21006-12WC1002	Industrial Panel PC with Intel@Celeron@9365U, 4 GB DRAM (non-ECC), No Storage, No OS, 1 PCIe + 2 drive slots, NY Monitor Link, 12.1" (1280x800) display with capacitive touchscreen, build-in type, with custom logo - TEMPLATE	4,775.00	6987166	4549734206897			NA	A	NLD	8471.4100.00
NYP2C-21391-12WC1000	Industrial Panel PC with Intel@Celeron@9365U, 4 GB DDR4 RAM (non-ECC), 64 GB SSD SLC, WIN 10 IoT Ent. (64-bit), PCIe slot, RS-232, 12.1" display with capacitive touchscreen	5,730.00	6983302	4549734207294			NA	A	NLD	8471.4100.00
NYP2C-21391-12WC1002	Industrial Panel PC with Intel@Celeron@9365U, 4 GB DRAM (non-ECC), 64 GB SSD SLC, WIN 10 IoT Ent. (64-bit), 1 PCIe + 2 drive slots, RS-232C, 12.1" (1280x800) display with capacitive touchscreen, build-in type, with custom logo - TEMPLATE	5,815.00	6987204	4549734208253			NA	A	NLD	8471.4100.00
NYP2C-21392-12WC1000	Industrial Panel PC with Intel@Celeron@9365U, 4 GB DDR4 RAM (non-ECC), 64 GB SSD SLC, WIN 10 IoT Ent. (64-bit), PCIe slot, extra DVI-D, 12.1" display with capacitive touchscreen	5,730.00	6983309	4549734207262			NA	A	NLD	8471.4100.00
NYP2C-21392-12WC1002	Industrial Panel PC with Intel@Celeron@9365U, 4 GB DRAM (non-ECC), 64 GB SSD SLC, WIN 10 IoT Ent. (64-bit), 1 PCIe + 2 drive slots, extra DVI-D, 12.1" (1280x800) display with capacitive touchscreen, build-in type, with custom logo - TEMPLATE	5,815.00	6987206	4549734208321			NA	A	NLD	8471.4100.00
NYP2C-21396-12WC1000	Industrial Panel PC with Intel@Celeron@9365U, 4 GB DDR4 RAM (non-ECC), 64 GB SSD SLC, WIN 10 IoT Ent. (64-bit), PCIe slot, NYML port, 12.1" display with capacitive touchscreen	6,135.00	6982792	4549734207690			NA	A	NLD	8471.4100.00
NYP2C-21396-12WC1002	Industrial Panel PC with Intel@Celeron@9365U, 4 GB DRAM (non-ECC), 64 GB SSD SLC, WIN 10 IoT Ent. (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link, 12.1" (1280x800) display with capacitive touchscreen, build-in type, with custom logo - TEMPLATE	6,220.00	6987170	4549734208659			NA	A	NLD	8471.4100.00
NYP2C-213C1-12WC1000	Industrial Panel PC with Intel@Celeron@9365U, 4 GB DDR4 RAM (non-ECC), 320 GB HDD, WIN 10 IoT Ent. (64-bit), PCIe slot, RS-232, 12.1" display with capacitive touchscreen	4,622.00	6983310	4549734207379			NA	A	NLD	8471.4100.00
NYP2C-213C1-12WC1002	Industrial Panel PC with Intel@Celeron@9365U, 4 GB DRAM (non-ECC), 320 GB HDD, WIN 10 IoT Ent. (64-bit), 1 PCIe + 2 drive slots, RS-232C, 12.1" (1280x800) display with capacitive touchscreen, build-in type, with custom logo - TEMPLATE	4,709.00	6987208	4549734208338			NA	A	NLD	8471.4100.00
NYP2C-213C2-12WC1000	Industrial Panel PC with Intel@Celeron@9365U, 4 GB DDR4 RAM (non-ECC), 320 GB HDD, WIN 10 IoT Ent. (64-bit), PCIe slot, extra DVI-D, 12.1" display with capacitive touchscreen	4,622.00	6983257	4549734206822			NA	A	NLD	8471.4100.00
NYP2C-213C2-12WC1002	Industrial Panel PC with Intel@Celeron@9365U, 4 GB DRAM (non-ECC), 320 GB HDD, WIN 10 IoT Ent. (64-bit), 1 PCIe + 2 drive slots, extra DVI-D, 12.1" (1280x800) display with capacitive touchscreen, build-in type, with custom logo - TEMPLATE	4,709.00	6987210	4549734207782			NA	A	NLD	8471.4100.00
NYP2C-213C6-12WC1000	Industrial Panel PC with Intel@Celeron@9365U, 4 GB DDR4 RAM (non-ECC), 320 GB HDD, WIN 10 IoT Ent. (64-bit), PCIe slot, NYML port, 12.1" display with capacitive touchscreen	5,035.00	6982770	4549734207461			NA	A	NLD	8471.4100.00
NYP2C-213C6-12WC1002	Industrial Panel PC with Intel@Celeron@9365U, 4 GB DRAM (non-ECC), 320 GB HDD, WIN 10 IoT Ent. (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link, 12.1" (1280x800) display with capacitive touchscreen, build-in type, with custom logo - TEMPLATE	5,120.00	6987193	4549734208420			NA	A	NLD	8471.4100.00
NYP2C-213K1-12WC1000	Industrial Panel PC with Intel@Celeron@9365U, 4 GB DDR4 RAM (non-ECC), 128 GB SSD IMLC, WIN 10 IoT Ent. (64-bit), PCIe slot, RS-232, 12.1" display with capacitive touchscreen	4,852.00	6983311	4549734207986			NA	A	NLD	8471.4100.00
NYP2C-213K1-12WC1002	Industrial Panel PC with Intel@Celeron@9365U, 4 GB DRAM (non-ECC), 128 GB SSD IMLC, WIN 10 IoT Ent. (64-bit), 1 PCIe + 2 drive slots, RS-232C, 12.1" (1280x800) display with capacitive touchscreen, build-in type, with custom logo - TEMPLATE	4,938.00	6987212	4549734208345			NA	A	NLD	8471.4100.00
NYP2C-213K2-12WC1000	Industrial Panel PC with Intel@Celeron@9365U, 4 GB DDR4 RAM (non-ECC), 128 GB SSD IMLC, WIN 10 IoT Ent. (64-bit), PCIe slot, extra DVI-D, 12.1" display with capacitive touchscreen	4,852.00	6983270	4549734206969			NA	A	NLD	8471.4100.00
NYP2C-213K2-12WC1002	Industrial Panel PC with Intel@Celeron@9365U, 4 GB DRAM (non-ECC), 128 GB SSD IMLC, WIN 10 IoT Ent. (64-bit), 1 PCIe + 2 drive slots, extra DVI-D, 12.1" (1280x800) display with capacitive touchscreen, build-in type, with custom logo - TEMPLATE	4,938.00	6987214	4549734207928			NA	A	NLD	8471.4100.00
NYP2C-213K6-12WC1000	Industrial Panel PC with Intel@Celeron@9365U, 4 GB DDR4 RAM (non-ECC), 128 GB SSD IMLC, WIN 10 IoT Ent. (64-bit), PCIe slot, NYML port, 12.1" display with capacitive touchscreen	5,270.00	6982772	4549734207485			NA	A	NLD	8471.4100.00
NYP2C-213K6-12WC1002	Industrial Panel PC with Intel@Celeron@9365U, 4 GB DRAM (non-ECC), 128 GB SSD IMLC, WIN 10 IoT Ent. (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link, 12.1" (1280x800) display with capacitive touchscreen, build-in type, with custom logo - TEMPLATE	5,355.00	6987191	4549734208444			NA	A	NLD	8471.4100.00
NYP2C-30000-12WC1000	Industrial Panel PC with Intel@Celeron@9365U, 8 GB DDR4 RAM (non-ECC), No storage, No OS, no PCIe slot, no option port, 12.1" display with capacitive touchscreen	2,392.00	6983655	4549734262736			NA	A	NLD	8471.4100.00
NYP2C-30000-12WC1002	Industrial Panel PC with Intel@Celeron@9365U, 8 GB DRAM (non-ECC), No Storage, No OS, No expansion slots, No I/F option, 12.1" (1280x800) display with capacitive touchscreen, build-in type, with custom logo - TEMPLATE	2,479.00	6987156	4549734501033			NA	A	NLD	8471.4100.00
NYP2C-30060-12WC1000	Industrial Panel PC with Intel@Celeron@9365U, 8 GB DRAM (non-ECC), 128 GB CFast IMLC, No OS, No expansion slots, No I/F option, 12.1" (1280x800) display with capacitive touchscreen, build-in type	3,507.00	6987425	4549734489423			NA	A	NLD	8471.4100.00
NYP2C-30350-12WC1000	Industrial Panel PC with Intel@Celeron@9365U, 8 GB DDR4 RAM (non-ECC), 64 GB CFast IMLC, WIN 10 IoT Ent. (64-bit), no PCIe slot, no option port, 12.1" display with capacitive touchscreen	2,686.00	6983660	4549734262781			NA	A	NLD	8471.4100.00
NYP2C-30350-12WC1002	Industrial Panel PC with Intel@Celeron@9365U, 8 GB DRAM (non-ECC), 64 GB CFast IMLC, WIN 10 IoT Ent. (64-bit), No expansion slots, No I/F option, 12.1" (1280x800) display with capacitive touchscreen, build-in type, with custom logo - TEMPLATE	2,773.00	6987155	4549734501040			NA	A	NLD	8471.4100.00
NYP2C-30360-12WC1000	Industrial Panel PC with Intel@Celeron@9365U, 8 GB DDR4 RAM (non-ECC), 128 GB CFast IMLC, WIN 10 IoT Ent. (64-bit), no PCIe slot, no option port, 12.1" display with capacitive touchscreen	2,778.00	6983661	4549734262798			NA	A	NLD	8471.4100.00
NYP2C-30360-12WC1002	Industrial Panel PC with Intel@Celeron@9365U, 8 GB DDR4 RAM (non-ECC), 128 GB CFast IMLC, WIN 10 IoT Ent. (64-bit), no PCIe slot, no option port, 12.1" display with capacitive touchscreen, with custom logo - TEMPLATE	2,865.00	6987154	4549734501057			NA	A	NLD	8471.4100.00
NYP2C-30370-12WC1000	Industrial Panel PC with Intel@Celeron@9365U, 8 GB DDR4 RAM (non-ECC), 128 GB CFast IMLC, WIN 10 IoT Ent. (64-bit), no PCIe slot, no option port, 12.1" display with capacitive touchscreen	2,971.00	6983662	4549734262804			NA	A	NLD	8471.4100.00
NYP2C-30370-12WC1002	Industrial Panel PC with Intel@Celeron@9365U, 8 GB DRAM (non-ECC), 256 GB CFast IMLC, WIN 10 IoT Ent. (64-bit), No expansion slots, No I/F option, 12.1" (1280x800) display with capacitive touchscreen, build-in type, with custom logo - TEMPLATE	3,057.00	6987153	4549734501064			NA	A	NLD	8471.4100.00
NYP2C-31001-12WC1000	Industrial Panel PC with Intel@Celeron@9365U, 8 GB DDR4 RAM (non-ECC), No storage, No OS, PCIe slot, RS-232, 12.1" display with capacitive touchscreen	4,369.00	6983267	4549734206992			NA	A	NLD	8471.4100.00
NYP2C-31001-12WC1002	Industrial Panel PC with Intel@Celeron@9365U, 8 GB DRAM (non-ECC), No Storage, No OS, 1 PCIe + 2 drive slots, RS-232C, 12.1" (1280x800) display with capacitive touchscreen, build-in type, with custom logo - TEMPLATE	4,456.00	6987216	4549734207881			NA	A	NLD	8471.4100.00
NYP2C-31002-12WC1000	Industrial Panel PC with Intel@Celeron@9365U, 8 GB DDR4 RAM (non-ECC), No storage, No OS, PCIe slot, extra DVI-D, 12.1" display with capacitive touchscreen	4,369.00	6983315	4549734207423			NA	A	NLD	8471.4100.00
NYP2C-31002-12WC1002	Industrial Panel PC with Intel@Celeron@9365U, 8 GB DRAM (non-ECC), No Storage, No OS, 1 PCIe + 2 drive slots, extra DVI-D, 12.1" (1280x800) display with capacitive touchscreen, build-in type, with custom logo - TEMPLATE	4,456.00	6987197	4549734208383			NA	A	NLD	8471.4100.00
NYP2C-31006-12WC1000	Industrial Panel PC with Intel@Celeron@9365U, 8 GB DDR4 RAM (non-ECC), No storage, No OS, PCIe slot, NYML port, 12.1" display with capacitive touchscreen	4,781.00	6982790	4549734207676			NA	A	NLD	8471.4100.00

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Data sheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
NYP2C-31006-12WC1002	Industrial Panel PC with Intel@Celeron@3965U, 8 GB DRAM (non-ECC), No Storage, No OS, 1 PCIe + 2 drive slots, NY Monitor Link, 12.1" (1280x800) display with capacitive touchscreen, build-in type, with custom logo - TEMPLATE	4,868.00	687172	4549734208635			NA	A	NLD	8471.4100.00
NYP2C-31391-12WC1000	Industrial Panel PC with Intel@Celeron@3965U, 8 GB DDR4 RAM (non-ECC), 64 GB SSD -S.L.C, WIN 10 IoT Ent. (64-bit), PCIe slot, RS-232, 12.1" display with capacitive touchscreen	5,815.00	683283	4549734207102			NA	A	NLD	8471.4100.00
NYP2C-31391-12WC1002	Industrial Panel PC with Intel@Celeron@3965U, 8 GB DRAM (non-ECC), 64 GB SSD S.L.C, WIN 10 IoT Ent. (64-bit), 1 PCIe + 2 drive slots, RS-232C, 12.1" (1280x800) display with capacitive touchscreen, build-in type, with custom logo - TEMPLATE	5,905.00	687219	4549734208062			NA	A	NLD	8471.4100.00
NYP2C-31392-12WC1000	Industrial Panel PC with Intel@Celeron@3965U, 8 GB DDR4 RAM (non-ECC), 64 GB SSD -S.L.C, WIN 10 IoT Ent. (64-bit), PCIe slot, extra DVI-D, 12.1" display with capacitive touchscreen	5,815.00	683277	4549734207034			NA	A	NLD	8471.4100.00
NYP2C-31392-12WC1002	Industrial Panel PC with Intel@Celeron@3965U, 8 GB DRAM (non-ECC), 64 GB SSD S.L.C, WIN 10 IoT Ent. (64-bit), 1 PCIe + 2 drive slots, extra DVI-D, 12.1" (1280x800) display with capacitive touchscreen, build-in type, with custom logo - TEMPLATE	5,905.00	687221	4549734207997			NA	A	NLD	8471.4100.00
NYP2C-31396-12WC1000	Industrial Panel PC with Intel@Celeron@3965U, 8 GB DDR4 RAM (non-ECC), 64 GB DDR4 RAM (non-ECC), 64 GB SSD -S.L.C, WIN 10 IoT Ent. (64-bit), PCIe slot, NYML port, 12.1" display with capacitive touchscreen	6,235.00	682794	4549734207713			NA	A	NLD	8471.4100.00
NYP2C-31396-12WC1002	Industrial Panel PC with Intel@Celeron@3965U, 8 GB DRAM (non-ECC), 64 GB SSD S.L.C, WIN 10 IoT Ent. (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link, 12.1" (1280x800) display with capacitive touchscreen, build-in type, with custom logo - TEMPLATE	6,320.00	687168	4549734208673			NA	A	NLD	8471.4100.00
NYP2C-313C1-12WC1000	Industrial Panel PC with Intel@Celeron@3965U, 8 GB DDR4 RAM (non-ECC), 320 GB HDD, WIN 10 IoT Ent. (64-bit), PCIe slot, RS-232, 12.1" display with capacitive touchscreen	4,716.00	683305	4549734207324			NA	A	NLD	8471.4100.00
NYP2C-313C1-12WC1002	Industrial Panel PC with Intel@Celeron@3965U, 8 GB DRAM (non-ECC), 320 GB HDD, WIN 10 IoT Ent. (64-bit), 1 PCIe + 2 drive slots, RS-232C, 12.1" (1280x800) display with capacitive touchscreen, build-in type, with custom logo - TEMPLATE	4,803.00	687223	4549734208284			NA	A	NLD	8471.4100.00
NYP2C-313C2-12WC1000	Industrial Panel PC with Intel@Celeron@3965U, 8 GB DDR4 RAM (non-ECC), 320 GB HDD, WIN 10 IoT Ent. (64-bit), PCIe slot, extra DVI-D, 12.1" display with capacitive touchscreen	4,716.00	683278	4549734207041			NA	A	NLD	8471.4100.00
NYP2C-313C2-12WC1002	Industrial Panel PC with Intel@Celeron@3965U, 8 GB DRAM (non-ECC), 320 GB HDD, WIN 10 IoT Ent. (64-bit), 1 PCIe + 2 drive slots, extra DVI-D, 12.1" (1280x800) display with capacitive touchscreen, build-in type, with custom logo - TEMPLATE	4,803.00	687225	4549734208000			NA	A	NLD	8471.4100.00
NYP2C-313C6-12WC1000	Industrial Panel PC with Intel@Celeron@3965U, 8 GB DDR4 RAM (non-ECC), 320 GB HDD, WIN 10 IoT Ent. (64-bit), PCIe slot, NYML port, 12.1" display with capacitive touchscreen	5,135.00	682785	4549734207621			NA	A	NLD	8471.4100.00
NYP2C-313C6-12WC1002	Industrial Panel PC with Intel@Celeron@3965U, 8 GB DRAM (non-ECC), 320 GB HDD, WIN 10 IoT Ent. (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link, 12.1" (1280x800) display with capacitive touchscreen, build-in type, with custom logo - TEMPLATE	5,220.00	687177	4549734208581			NA	A	NLD	8471.4100.00
NYP2C-313K1-12WC1000	Industrial Panel PC with Intel@Celeron@3965U, 8 GB DDR4 RAM (non-ECC), 128 GB SSD -IMLC, WIN 10 IoT Ent. (64-bit), PCIe slot, RS-232, 12.1" display with capacitive touchscreen	4,942.00	683279	4549734207058			NA	A	NLD	8471.4100.00
NYP2C-313K1-12WC1002	Industrial Panel PC with Intel@Celeron@3965U, 8 GB DRAM (non-ECC), 128 GB SSD -IMLC, WIN 10 IoT Ent. (64-bit), 1 PCIe + 2 drive slots, RS-232C, 12.1" (1280x800) display with capacitive touchscreen, build-in type, with custom logo - TEMPLATE	5,030.00	687227	4549734208017			NA	A	NLD	8471.4100.00
NYP2C-313K2-12WC1000	Industrial Panel PC with Intel@Celeron@3965U, 8 GB DDR4 RAM (non-ECC), 128 GB SSD -IMLC, WIN 10 IoT Ent. (64-bit), PCIe slot, extra DVI-D, 12.1" display with capacitive touchscreen	4,942.00	683294	4549734207218			NA	A	NLD	8471.4100.00
NYP2C-313K2-12WC1002	Industrial Panel PC with Intel@Celeron@3965U, 8 GB DRAM (non-ECC), 128 GB SSD -IMLC, WIN 10 IoT Ent. (64-bit), 1 PCIe + 2 drive slots, extra DVI-D, 12.1" (1280x800) display with capacitive touchscreen, build-in type, with custom logo - TEMPLATE	5,030.00	687229	4549734208178			NA	A	NLD	8471.4100.00
NYP2C-313K6-12WC1000	Industrial Panel PC with Intel@Celeron@3965U, 8 GB DDR4 RAM (non-ECC), 128 GB SSD -IMLC, WIN 10 IoT Ent. (64-bit), PCIe slot, NYML port, 12.1" display with capacitive touchscreen	5,365.00	682774	4549734207508			NA	A	NLD	8471.4100.00
NYP2C-313K6-12WC1002	Industrial Panel PC with Intel@Celeron@3965U, 8 GB DRAM (non-ECC), 128 GB SSD -IMLC, WIN 10 IoT Ent. (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link, 12.1" (1280x800) display with capacitive touchscreen, build-in type, with custom logo - TEMPLATE	5,450.00	687189	4549734208468			NA	A	NLD	8471.4100.00
NYP35-21001-12WC1000		4,783.00	683292	4549734207195			NA	A	NLD	8471.4100.00
NYP35-21001-12WC1002		4,870.00	687231	4549734208154			NA	A	NLD	8471.4100.00
NYP35-21006-12WC1000		5,205.00	682791	4549734207683			NA	A	NLD	8471.4100.00
NYP35-21006-12WC1002		5,290.00	687171	4549734208642			NA	A	NLD	8471.4100.00
NYP35-21391-12WC1000		6,235.00	683280	4549734207065			NA	A	NLD	8471.4100.00
NYP35-21391-12WC1002		6,320.00	687232	4549734208024			NA	A	NLD	8471.4100.00
NYP35-21392-12WC1000		6,235.00	683260	4549734206853			NA	A	NLD	8471.4100.00
NYP35-21392-12WC1002		6,320.00	687234	4549734207812			NA	A	NLD	8471.4100.00
NYP35-21396-12WC1000		6,645.00	682781	4549734207577			NA	A	NLD	8471.4100.00
NYP35-21396-12WC1002		6,730.00	687182	4549734208536			NA	A	NLD	8471.4100.00
NYP35-213C1-12WC1000		5,135.00	683300	4549734207270			NA	A	NLD	8471.4100.00
NYP35-213C1-12WC1002		5,220.00	687236	4549734208239			NA	A	NLD	8471.4100.00
NYP35-213C2-12WC1000		5,135.00	683312	4549734207393			NA	A	NLD	8471.4100.00
NYP35-213C2-12WC1002		5,220.00	687238	4549734208352			NA	A	NLD	8471.4100.00
NYP35-213C6-12WC1000		5,550.00	682782	4549734207584			NA	A	NLD	8471.4100.00
NYP35-213C6-12WC1002		5,640.00	687181	4549734208543			NA	A	NLD	8471.4100.00
NYP35-213K1-12WC1000		5,365.00	683272	4549734206983			NA	A	NLD	8471.4100.00
NYP35-213K1-12WC1002		5,450.00	687240	4549734207942			NA	A	NLD	8471.4100.00
NYP35-213K2-12WC1000		5,365.00	683295	4549734207225			NA	A	NLD	8471.4100.00
NYP35-213K2-12WC1002		5,450.00	687242	4549734208185			NA	A	NLD	8471.4100.00
NYP35-213K6-12WC1000		5,775.00	682753	4549734207775			NA	A	NLD	8471.4100.00
NYP35-213K6-12WC1002		5,860.00	687182	4549734208734			NA	A	NLD	8471.4100.00
NYP35-30000-12WC1000		3,121.00	683663	4549734262811			NA	A	NLD	8471.4100.00
NYP35-30000-12WC1002		3,207.00	687161	4549734500982			NA	A	NLD	8471.4100.00
NYP35-30350-12WC1000		3,414.00	683668	4549734262866			NA	A	NLD	8471.4100.00
NYP35-30350-12WC1002		3,501.00	687152	4549734501071			NA	A	NLD	8471.4100.00
NYP35-30360-12WC1000		3,507.00	683669	4549734262873			NA	A	NLD	8471.4100.00
NYP35-30360-12WC1002		3,594.00	687151	4549734501088			NA	A	NLD	8471.4100.00
NYP35-30370-12WC1000		3,698.00	683670	4549734262880			NA	A	NLD	8471.4100.00
NYP35-30370-12WC1002		3,785.00	687150	4549734501095			NA	A	NLD	8471.4100.00
NYP35-31001-12WC1000		4,877.00	683289	4549734207164			NA	A	NLD	8471.4100.00
NYP35-31001-12WC1002		4,964.00	687244	4549734208123			NA	A	NLD	8471.4100.00
NYP35-31002-12WC1000		4,877.00	683317	4549734207447			NA	A	NLD	8471.4100.00
NYP35-31002-12WC1002		4,964.00	687195	4549734208406			NA	A	NLD	8471.4100.00
NYP35-31006-12WC1000		5,295.00	682783	4549734207591			NA	A	NLD	8471.4100.00
NYP35-31006-12WC1002		5,385.00	687180	4549734208550			NA	A	NLD	8471.4100.00
NYP35-31391-12WC1000		6,325.00	683263	4549734206884			NA	A	NLD	8471.4100.00

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Daheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
NYP35-31391-12WC1002		6,415.00	687246	4549734207843			NA	A	NLD	8471.4100.00
NYP35-31392-12WC1000		6,325.00	683313	4549734207409			NA	A	NLD	8471.4100.00
NYP35-31392-12WC1002		6,415.00	687248	4549734208369			NA	A	NLD	8471.4100.00
NYP35-31396-12WC1000		6,735.00	682786	4549734207638			NA	A	NLD	8471.4100.00
NYP35-31396-12WC1002		6,820.00	687176	4549734208598			NA	A	NLD	8471.4100.00
NYP35-313C1-12WC1000		5,235.00	683314	4549734207416			NA	A	NLD	8471.4100.00
NYP35-313C1-12WC1002		5,320.00	687250	4549734208376			NA	A	NLD	8471.4100.00
NYP35-313C2-12WC1000		5,235.00	683307	4549734207348			NA	A	NLD	8471.4100.00
NYP35-313C2-12WC1002		5,320.00	687252	4549734208307			NA	A	NLD	8471.4100.00
NYP35-313C6-12WC1000		5,640.00	682777	4549734207539			NA	A	NLD	8471.4100.00
NYP35-313C6-12WC1002		5,725.00	687186	4549734208499			NA	A	NLD	8471.4100.00
NYP35-313K1-12WC1000		5,460.00	683308	4549734207355			NA	A	NLD	8471.4100.00
NYP35-313K1-12WC1002		5,545.00	687254	4549734208314			NA	A	NLD	8471.4100.00
NYP35-313K2-12WC1000		5,460.00	683301	4549734207287			NA	A	NLD	8471.4100.00
NYP35-313K2-12WC1002		5,545.00	687131	4549734208246			NA	A	NLD	8471.4100.00
NYP35-313K6-12WC1000		5,860.00	682795	4549734207720			NA	A	NLD	8471.4100.00
NYP35-313K6-12WC1002		5,950.00	687167	4549734208680			NA	A	NLD	8471.4100.00
NYP35-40000-12WC1000		3,331.00	683671	4549734262897			NA	A	NLD	8471.4100.00
NYP35-40000-12WC1002		3,417.00	687149	4549734501101			NA	A	NLD	8471.4100.00
NYP35-40350-12WC1000		3,621.00	683612	4549734262941			NA	A	NLD	8471.4100.00
NYP35-40350-12WC1002		3,708.00	687148	4549734501118			NA	A	NLD	8471.4100.00
NYP35-40360-12WC1000		3,715.00	683614	4549734262958			NA	A	NLD	8471.4100.00
NYP35-40360-12WC1002		3,802.00	687147	4549734501125			NA	A	NLD	8471.4100.00
NYP35-40370-12WC1000		3,905.00	683616	4549734262965			NA	A	NLD	8471.4100.00
NYP35-40370-12WC1002		3,992.00	687146	4549734501132			NA	A	NLD	8471.4100.00
NYP17-21001-15WC1000		5,175.00	686620	4549734143226			NA	A	NLD	8471.4100.00
NYP17-21001-15WC1002		5,260.00	677654	4549734143668			NA	A	NLD	8471.4100.00
NYP17-21002-15WC1000		5,175.00	686618	4549734143240			NA	A	NLD	8471.4100.00
NYP17-21002-15WC1002		5,260.00	677623	4549734143882			NA	A	NLD	8471.4100.00
NYP17-21006-15WC1000		5,505.00	686612	4549734158695			NA	A	NLD	8471.4100.00
NYP17-21006-15WC1002		5,595.00	679049	4549734159739			NA	A	NLD	8471.4100.00
NYP17-21181-15WC1000		6,320.00	686666	4548583813847			NA	A	NLD	8471.4100.00
NYP17-21182-15WC1000		6,320.00	686665	4548583813854			NA	A	NLD	8471.4100.00
NYP17-21191-15WC1000		7,015.00	686664	4548583813861			NA	A	NLD	8471.4100.00
NYP17-21192-15WC1000		7,015.00	686663	4548583813878			NA	A	NLD	8471.4100.00
NYP17-211C1-15WC1000		5,580.00	686662	4548583813885			NA	A	NLD	8471.4100.00
NYP17-211C2-15WC1000		5,580.00	686661	4548583813892			NA	A	NLD	8471.4100.00
NYP17-211K1-15WC1000		5,825.00	686645	4548583872462			NA	A	NLD	8471.4100.00
NYP17-211K2-15WC1000		5,825.00	686644	4548583872479			NA	A	NLD	8471.4100.00
NYP17-21281-15WC1000		6,320.00	686660	4548583813908			NA	A	NLD	8471.4100.00
NYP17-21282-15WC1000		6,320.00	686659	4548583813915			NA	A	NLD	8471.4100.00
NYP17-21291-15WC1000		7,015.00	686658	4548583813922			NA	A	NLD	8471.4100.00
NYP17-21292-15WC1000		7,015.00	686657	4548583813939			NA	A	NLD	8471.4100.00
NYP17-212C1-15WC1000		5,580.00	686656	4548583813946			NA	A	NLD	8471.4100.00
NYP17-212C2-15WC1000		5,580.00	686655	4548583813953			NA	A	NLD	8471.4100.00
NYP17-212K1-15WC1000		5,825.00	686643	4548583872486			NA	A	NLD	8471.4100.00
NYP17-212K2-15WC1000		5,825.00	686642	4548583872493			NA	A	NLD	8471.4100.00
NYP17-21391-15WC1000		7,225.00	686638	4549734139922			NA	A	NLD	8471.4100.00
NYP17-21391-15WC1002		7,310.00	677653	4549734142021			NA	A	NLD	8471.4100.00
NYP17-21392-15WC1000		7,225.00	686636	4549734139946			NA	A	NLD	8471.4100.00
NYP17-21392-15WC1002		7,310.00	677651	4549734142045			NA	A	NLD	8471.4100.00
NYP17-21396-15WC1000		7,500.00	686677	4549734158336			NA	A	NLD	8471.4100.00
NYP17-21396-15WC1002		7,590.00	678918	4549734159210			NA	A	NLD	8471.4100.00
NYP17-213C1-15WC1000		5,810.00	686634	4549734139960			NA	A	NLD	8471.4100.00
NYP17-213C1-15WC1002		5,895.00	677669	4549734142069			NA	A	NLD	8471.4100.00
NYP17-213C2-15WC1000		5,810.00	686632	4549734139984			NA	A	NLD	8471.4100.00
NYP17-213C2-15WC1002		5,895.00	677696	4549734142083			NA	A	NLD	8471.4100.00
NYP17-213C6-15WC1000		6,105.00	686675	4549734158350			NA	A	NLD	8471.4100.00
NYP17-213C6-15WC1002		6,190.00	678961	4549734159234			NA	A	NLD	8471.4100.00
NYP17-213K1-15WC1000		6,090.00	686630	4549734140003			NA	A	NLD	8471.4100.00
NYP17-213K1-15WC1002		6,090.00	677638	4549734142106			NA	A	NLD	8471.4100.00
NYP17-213K2-15WC1000		6,090.00	686628	4549734140027			NA	A	NLD	8471.4100.00
NYP17-213K2-15WC1002		6,090.00	677682	4549734142120			NA	A	NLD	8471.4100.00
NYP17-213K6-15WC1000		6,295.00	686673	4549734158374			NA	A	NLD	8471.4100.00

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Data sheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
NYPI7-213K6-15WC1002		6.380,00	679076	4549734159258			NA	A	NLD	8471.4100.00
NYPI7-31001-15WC1000		5.305,00	686616	4549734143264			NA	A	NLD	8471.4100.00
NYPI7-31001-15WC1002		5.390,00	677600	4549734143605			NA	A	NLD	8471.4100.00
NYPI7-31002-15WC1000		5.305,00	686614	4549734143268			NA	A	NLD	8471.4100.00
NYPI7-31002-15WC1002		5.290,00	677667	4549734143929			NA	A	NLD	8471.4100.00
NYPI7-31006-15WC1000		5.600,00	686610	4549734158718			NA	A	NLD	8471.4100.00
NYPI7-31006-15WC1002		5.685,00	678907	4549734159753			NA	A	NLD	8471.4100.00
NYPI7-31281-15WC1000		6.440,00	686654	4548583813960			NA	A	NLD	8471.4100.00
NYPI7-31282-15WC1000		6.440,00	686653	4548583813977			NA	A	NLD	8471.4100.00
NYPI7-31291-15WC1000		7.135,00	686652	4548583813984			NA	A	NLD	8471.4100.00
NYPI7-31292-15WC1000		7.135,00	686705	4548583813991			NA	A	NLD	8471.4100.00
NYPI7-312C1-15WC1000		5.700,00	686704	4548583814004			NA	A	NLD	8471.4100.00
NYPI7-312C2-15WC1000		5.700,00	686703	4548583814011			NA	A	NLD	8471.4100.00
NYPI7-312K1-15WC1000		5.890,00	686641	4548583872509			NA	A	NLD	8471.4100.00
NYPI7-312K2-15WC1000		5.890,00	686640	4548583872516			NA	A	NLD	8471.4100.00
NYPI7-31391-15WC1000		7.345,00	686626	4549734140041			NA	A	NLD	8471.4100.00
NYPI7-31391-15WC1002		7.430,00	677632	4549734142144			NA	A	NLD	8471.4100.00
NYPI7-31392-15WC1000		7.345,00	686624	4549734140065			NA	A	NLD	8471.4100.00
NYPI7-31392-15WC1002		7.430,00	677666	4549734142168			NA	A	NLD	8471.4100.00
NYPI7-31396-15WC1000		7.630,00	686671	4549734158398			NA	A	NLD	8471.4100.00
NYPI7-31396-15WC1002		7.715,00	678953	4549734159272			NA	A	NLD	8471.4100.00
NYPI7-313C1-15WC1000		5.940,00	686622	4549734140089			NA	A	NLD	8471.4100.00
NYPI7-313C1-15WC1002		6.025,00	677668	4549734142182			NA	A	NLD	8471.4100.00
NYPI7-313C2-15WC1000		5.940,00	686683	4549734140102			NA	A	NLD	8471.4100.00
NYPI7-313C2-15WC1002		6.025,00	677674	4549734142205			NA	A	NLD	8471.4100.00
NYPI7-313C6-15WC1000		6.240,00	686669	4549734158411			NA	A	NLD	8471.4100.00
NYPI7-313C6-15WC1002		6.325,00	678954	4549734159296			NA	A	NLD	8471.4100.00
NYPI7-313K1-15WC1000		6.130,00	686681	4549734140126			NA	A	NLD	8471.4100.00
NYPI7-313K1-15WC1002		6.215,00	677613	4549734142229			NA	A	NLD	8471.4100.00
NYPI7-313K2-15WC1000		6.130,00	686679	4549734140140			NA	A	NLD	8471.4100.00
NYPI7-313K2-15WC1002		6.215,00	677618	4549734142243			NA	A	NLD	8471.4100.00
NYPI7-313K6-15WC1000		6.420,00	686667	4549734158435			NA	A	NLD	8471.4100.00
NYPI7-313K6-15WC1002		6.505,00	679035	4549734159319			NA	A	NLD	8471.4100.00
NYPI7-413K1-15WC1000		6.435,00	686608	4549734171014			NA	A	NLD	8471.4100.00
NYPI-C-11001-15WC1000	Industrial Panel PC with Intel@Celeron@2980U, 2 GB DRAM (non-ECC), No storage, No OS, PCIe slot, RS-232, 15.4" display with capacitive touchscreen	4.263,00	686749	4549734143301			NA	A	NLD	8471.4100.00
NYPI-C-11001-15WC1002	Industrial Panel PC with Intel@Celeron@2980U, 2 GB DRAM (non-ECC), No storage, No OS, PCIe slot, RS-232, 15.4" display with capacitive touchscreen, with custom logo - TEMPLATE	4.349,00	677683	4549734143943			NA	A	NLD	8471.4100.00
NYPI-C-11002-15WC1000	Industrial Panel PC with Intel@Celeron@2980U, 2 GB DRAM (non-ECC), No storage, No OS, PCIe slot, extra DVI-D, 15.4" display with capacitive touchscreen	4.263,00	686747	4549734143325			NA	A	NLD	8471.4100.00
NYPI-C-11002-15WC1002	Industrial Panel PC with Intel@Celeron@2980U, 2 GB DRAM (non-ECC), No storage, No OS, PCIe slot, extra DVI-D, 15.4" display with capacitive touchscreen, with custom logo - TEMPLATE	4.349,00	677630	4549734143967			NA	A	NLD	8471.4100.00
NYPI-C-11006-15WC1000	Industrial Panel PC with Intel@Celeron@2980U, 2 GB DRAM (non-ECC), No storage, No OS, PCIe slot, N.YM.L port, 15.4" display with capacitive touchscreen	4.670,00	686717	4549734158732			NA	A	NLD	8471.4100.00
NYPI-C-11006-15WC1002	Industrial Panel PC with Intel@Celeron@2980U, 2 GB DRAM (non-ECC), No storage, No OS, PCIe slot, N.YM.L port, 15.4" display with capacitive touchscreen, with custom logo - TEMPLATE	4.756,00	677996	4549734159777			NA	A	NLD	8471.4100.00
NYPI-C-11181-15WC1000	Industrial Panel PC with Intel@Celeron@2980U, 2 GB DRAM (non-ECC), 32 GB SSD-SLC, WEST 7 (32-bit), PCIe slot, RS-232, 15.4" display with capacitive touchscreen	5.040,00	686825	4548583814325			NA	A	NLD	8471.4100.00
NYPI-C-11182-15WC1000	Industrial Panel PC with Intel@Celeron@2980U, 2 GB DRAM (non-ECC), 32 GB SSD-SLC, WEST 7 (32-bit), PCIe slot, extra DVI-D, 15.4" display with capacitive touchscreen	5.040,00	686824	4548583814332			NA	A	NLD	8471.4100.00
NYPI-C-11191-15WC1000	Industrial Panel PC with Intel@Celeron@2980U, 2 GB DRAM (non-ECC), 64 GB SSD-SLC, WEST 7 (32-bit), PCIe slot, RS-232, 15.4" display with capacitive touchscreen	5.540,00	686823	4548583814349			NA	A	NLD	8471.4100.00
NYPI-C-11192-15WC1000	Industrial Panel PC with Intel@Celeron@2980U, 2 GB DRAM (non-ECC), 64 GB SSD-SLC, WEST 7 (32-bit), PCIe slot, extra DVI-D, 15.4" display with capacitive touchscreen	5.540,00	686822	4548583814356			NA	A	NLD	8471.4100.00
NYPI-C-111C1-15WC1000	Industrial Panel PC with Intel@Celeron@2980U, 2 GB DRAM (non-ECC), 320 GB HDD, WEST 7 (32-bit), PCIe slot, RS-232, 15.4" display with capacitive touchscreen	4.479,00	686821	4548583814363			NA	A	NLD	8471.4100.00
NYPI-C-111C2-15WC1000	Industrial Panel PC with Intel@Celeron@2980U, 2 GB DRAM (non-ECC), 320 GB HDD, WEST 7 (32-bit), PCIe slot, extra DVI-D, 15.4" display with capacitive touchscreen	4.479,00	686820	4548583814370			NA	A	NLD	8471.4100.00
NYPI-C-111K1-15WC1000	Industrial Panel PC with Intel@Celeron@2980U, 2 GB DRAM (non-ECC), 128 GB SSD-MLC, WEST 7 (32-bit), PCIe slot, RS-232, 15.4" display with capacitive touchscreen	4.700,00	686765	4548583872622			NA	A	NLD	8471.4100.00
NYPI-C-111K2-15WC1000	Industrial Panel PC with Intel@Celeron@2980U, 2 GB DRAM (non-ECC), 128 GB SSD-MLC, WEST 7 (32-bit), PCIe slot, extra DVI-D, 15.4" display with capacitive touchscreen	4.700,00	686764	4548583872639			NA	A	NLD	8471.4100.00
NYPI-C-11281-15WC1000	Industrial Panel PC with Intel@Celeron@2980U, 2 GB DRAM (non-ECC), 32 GB SSD-SLC, WEST 7 (64-bit), PCIe slot, RS-232, 15.4" display with capacitive touchscreen	5.040,00	686819	4548583814387			NA	A	NLD	8471.4100.00
NYPI-C-11282-15WC1000	Industrial Panel PC with Intel@Celeron@2980U, 2 GB DRAM (non-ECC), 32 GB SSD-SLC, WEST 7 (64-bit), PCIe slot, extra DVI-D, 15.4" display with capacitive touchscreen	5.040,00	686818	4548583814394			NA	A	NLD	8471.4100.00
NYPI-C-11291-15WC1000	Industrial Panel PC with Intel@Celeron@2980U, 2 GB DRAM (non-ECC), 64 GB SSD-SLC, WEST 7 (64-bit), PCIe slot, RS-232, 15.4" display with capacitive touchscreen	5.540,00	686817	4548583814400			NA	A	NLD	8471.4100.00
NYPI-C-11292-15WC1000	Industrial Panel PC with Intel@Celeron@2980U, 2 GB DRAM (non-ECC), 64 GB SSD-SLC, WEST 7 (64-bit), PCIe slot, extra DVI-D, 15.4" display with capacitive touchscreen	5.540,00	686816	4548583814417			NA	A	NLD	8471.4100.00
NYPI-C-112C1-15WC1000	Industrial Panel PC with Intel@Celeron@2980U, 2 GB DRAM (non-ECC), 320 GB HDD, WEST 7 (64-bit), PCIe slot, RS-232, 15.4" display with capacitive touchscreen	4.479,00	686815	4548583814424			NA	A	NLD	8471.4100.00
NYPI-C-112C2-15WC1000	Industrial Panel PC with Intel@Celeron@2980U, 2 GB DRAM (non-ECC), 320 GB HDD, WEST 7 (64-bit), PCIe slot, extra DVI-D, 15.4" display with capacitive touchscreen	4.479,00	686814	4548583814431			NA	A	NLD	8471.4100.00
NYPI-C-112K1-15WC1000	Industrial Panel PC with Intel@Celeron@2980U, 2 GB DRAM (non-ECC), 128 GB SSD-MLC, WEST 7 (64-bit), PCIe slot, RS-232, 15.4" display with capacitive touchscreen	4.700,00	686763	4548583872646			NA	A	NLD	8471.4100.00
NYPI-C-112K2-15WC1000	Industrial Panel PC with Intel@Celeron@2980U, 2 GB DRAM (non-ECC), 128 GB SSD-MLC, WEST 7 (64-bit), PCIe slot, extra DVI-D, 15.4" display with capacitive touchscreen	4.700,00	686762	4548583872653			NA	A	NLD	8471.4100.00
NYPI-C-21001-15WC1000	Industrial Panel PC with Intel@Celeron@2980U, 4 GB DRAM (non-ECC), No storage, No OS, PCIe slot, RS-232, 15.4" display with capacitive touchscreen	4.306,00	686745	4549734143349			NA	A	NLD	8471.4100.00
NYPI-C-21001-15WC1002	Industrial Panel PC with Intel@Celeron@2980U, 4 GB DRAM (non-ECC), No storage, No OS, PCIe slot, RS-232, 15.4" display with capacitive touchscreen, with custom logo - TEMPLATE	4.392,00	677647	4549734143981			NA	A	NLD	8471.4100.00
NYPI-C-21002-15WC1000	Industrial Panel PC with Intel@Celeron@2980U, 4 GB DRAM (non-ECC), No storage, No OS, PCIe slot, extra DVI-D, 15.4" display with capacitive touchscreen	4.306,00	686743	4549734143363			NA	A	NLD	8471.4100.00
NYPI-C-21002-15WC1002	Industrial Panel PC with Intel@Celeron@2980U, 4 GB DRAM (non-ECC), No storage, No OS, PCIe slot, extra DVI-D, 15.4" display with capacitive touchscreen, with custom logo - TEMPLATE	4.392,00	677639	4549734144001			NA	A	NLD	8471.4100.00
NYPI-C-21006-15WC1000	Industrial Panel PC with Intel@Celeron@2980U, 4 GB DRAM (non-ECC), No storage, No OS, PCIe slot, N.YM.L port, 15.4" display with capacitive touchscreen	4.712,00	686715	4549734158756			NA	A	NLD	8471.4100.00
NYPI-C-21006-15WC1002	Industrial Panel PC with Intel@Celeron@2980U, 4 GB DRAM (non-ECC), No storage, No OS, PCIe slot, N.YM.L port, 15.4" display with capacitive touchscreen, with custom logo - TEMPLATE	4.798,00	679022	4549734159791			NA	A	NLD	8471.4100.00
NYPI-C-21181-15WC1000	Industrial Panel PC with Intel@Celeron@2980U, 4 GB DRAM (non-ECC), 32 GB SSD-SLC, WEST 7 (32-bit), PCIe slot, RS-232, 15.4" display with capacitive touchscreen	5.085,00	686813	4548583814448			NA	A	NLD	8471.4100.00
NYPI-C-21182-15WC1000	Industrial Panel PC with Intel@Celeron@2980U, 4 GB DRAM (non-ECC), 32 GB SSD-SLC, WEST 7 (32-bit), PCIe slot, extra DVI-D, 15.4" display with capacitive touchscreen	5.085,00	686812	4548583814455			NA	A	NLD	8471.4100.00
NYPI-C-21191-15WC1000	Industrial Panel PC with Intel@Celeron@2980U, 4 GB DRAM (non-ECC), 64 GB SSD-SLC, WEST 7 (32-bit), PCIe slot, RS-232, 15.4" display with capacitive touchscreen	5.585,00	686811	4548583814462			NA	A	NLD	8471.4100.00
NYPI-C-21192-15WC1000	Industrial Panel PC with Intel@Celeron@2980U, 4 GB DRAM (non-ECC), 64 GB SSD-SLC, WEST 7 (32-bit), PCIe slot, extra DVI-D, 15.4" display with capacitive touchscreen	5.585,00	686810	4548583814479			NA	A	NLD	8471.4100.00
NYPI-C-211C1-15WC1000	Industrial Panel PC with Intel@Celeron@2980U, 4 GB DRAM (non-ECC), 320 GB HDD, WEST 7 (32-bit), PCIe slot, RS-232, 15.4" display with capacitive touchscreen	4.525,00	686809	4548583814486			NA	A	NLD	8471.4100.00
NYPI-C-211C2-15WC1000	Industrial Panel PC with Intel@Celeron@2980U, 4 GB DRAM (non-ECC), 320 GB HDD, WEST 7 (32-bit), PCIe slot, extra DVI-D, 15.4" display with capacitive touchscreen	4.525,00	686808	4548583814493			NA	A	NLD	8471.4100.00
NYPI-C-211K1-15WC1000	Industrial Panel PC with Intel@Celeron@2980U, 4 GB DRAM (non-ECC), 128 GB SSD-MLC, WEST 7 (32-bit), PCIe slot, RS-232, 15.4" display with capacitive touchscreen	4.741,00	686761	4548583872660			NA	A	NLD	8471.4100.00
NYPI-C-211K2-15WC1000	Industrial Panel PC with Intel@Celeron@2980U, 4 GB DRAM (non-ECC), 128 GB SSD-MLC, WEST 7 (32-bit), PCIe slot, extra DVI-D, 15.4" display with capacitive touchscreen	4.741,00	686760	4548583872677			NA	A	NLD	8471.4100.00
NYPI-C-21281-15WC1000	Industrial Panel PC with Intel@Celeron@2980U, 4 GB DRAM (non-ECC), 32 GB SSD-SLC, WEST 7 (64-bit), PCIe slot, RS-232, 15.4" display with capacitive touchscreen	5.085,00	686807	4548583814509			NA	A	NLD	8471.4100.00
NYPI-C-21282-15WC1000	Industrial Panel PC with Intel@Celeron@2980U, 4 GB DRAM (non-ECC), 32 GB SSD-SLC, WEST 7 (64-bit), PCIe slot, extra DVI-D, 15.4" display with capacitive touchscreen	5.085,00	686806	4548583814516			NA	A	NLD	8471.4100.00
NYPI-C-21291-15WC1000	Industrial Panel PC with Intel@Celeron@2980U, 4 GB DRAM (non-ECC), 64 GB SSD-SLC, WEST 7 (64-bit), PCIe slot, RS-232, 15.4" display with capacitive touchscreen	5.585,00	686805	4548583814523			NA	A	NLD	8471.4100.00
NYPI-C-21292-15WC1000	Industrial Panel PC with Intel@Celeron@2980U, 4 GB DRAM (non-ECC), 64 GB SSD-SLC, WEST 7 (64-bit), PCIe slot, extra DVI-D, 15.4" display with capacitive touchscreen	5.585,00	686804	4548583814530			NA	A	NLD	8471.4100.00
NYPI-C-212C1-15WC1000	Industrial Panel PC with Intel@Celeron@2980U, 4 GB DRAM (non-ECC), 320 GB HDD, WEST 7 (64-bit), PCIe slot, RS-232, 15.4" display with capacitive touchscreen	4.525,00	686803	4548583814547			NA	A	NLD	8471.4100.00
NYPI-C-212C2-15WC1000	Industrial Panel PC with Intel@Celeron@2980U, 4 GB DRAM (non-ECC), 3									





Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Data sheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
NYP25-21006-15WC1000		5.220.00	686709	4549734158817	NA	A	NLD	8471.4100.00		
NYP25-21006-15WC1002		5.305.00	679043	4549734159852	NA	A	NLD	8471.4100.00		
NYP25-21181-15WC1000		5.645.00	686843	4548583814141	NA	A	NLD	8471.4100.00		
NYP25-21182-15WC1000		5.645.00	686842	4548583814158	NA	A	NLD	8471.4100.00		
NYP25-21191-15WC1000		6.380.00	686841	4548583814165	NA	A	NLD	8471.4100.00		
NYP25-21192-15WC1000		6.380.00	686840	4548583814172	NA	A	NLD	8471.4100.00		
NYP25-211C1-15WC1000		5.015.00	686839	4548583814189	NA	A	NLD	8471.4100.00		
NYP25-211C2-15WC1000		5.015.00	686838	4548583814196	NA	A	NLD	8471.4100.00		
NYP25-211K1-15WC1000		5.235.00	686771	4548583872561	NA	A	NLD	8471.4100.00		
NYP25-211K2-15WC1000		5.235.00	686770	4548583872578	NA	A	NLD	8471.4100.00		
NYP25-21281-15WC1000		5.645.00	686837	4548583814202	NA	A	NLD	8471.4100.00		
NYP25-21282-15WC1000		5.645.00	686836	4548583814219	NA	A	NLD	8471.4100.00		
NYP25-21291-15WC1000		6.380.00	686835	4548583814226	NA	A	NLD	8471.4100.00		
NYP25-21292-15WC1000		6.380.00	686834	4548583814233	NA	A	NLD	8471.4100.00		
NYP25-212C1-15WC1000		5.015.00	686833	4548583814240	NA	A	NLD	8471.4100.00		
NYP25-212C2-15WC1000		5.015.00	686832	4548583814257	NA	A	NLD	8471.4100.00		
NYP25-212K1-15WC1000		5.235.00	686769	4548583872585	NA	A	NLD	8471.4100.00		
NYP25-212K2-15WC1000		5.235.00	686768	4548583872592	NA	A	NLD	8471.4100.00		
NYP25-21391-15WC1000		6.345.00	686897	4549734140409	NA	A	NLD	8471.4100.00		
NYP25-21391-15WC1002		6.430.00	677692	4549734142502	NA	A	NLD	8471.4100.00		
NYP25-21392-15WC1000		6.340.00	686895	4549734140423	NA	A	NLD	8471.4100.00		
NYP25-21392-15WC1002		6.425.00	677598	4549734142526	NA	A	NLD	8471.4100.00		
NYP25-21396-15WC1000		6.645.00	686723	4549734158572	NA	A	NLD	8471.4100.00		
NYP25-21396-15WC1002		6.730.00	678888	4549734159456	NA	A	NLD	8471.4100.00		
NYP25-213C1-15WC1000		5.155.00	686883	4549734140447	NA	A	NLD	8471.4100.00		
NYP25-213C1-15WC1002		5.240.00	677597	4549734142540	NA	A	NLD	8471.4100.00		
NYP25-213C2-15WC1000		5.155.00	686755	4549734140461	NA	A	NLD	8471.4100.00		
NYP25-213C2-15WC1002		5.240.00	677643	4549734142564	NA	A	NLD	8471.4100.00		
NYP25-213C6-15WC1000		5.565.00	686721	4549734158596	NA	A	NLD	8471.4100.00		
NYP25-213C6-15WC1002		5.650.00	679017	4549734159470	NA	A	NLD	8471.4100.00		
NYP25-213K1-15WC1000		5.380.00	686753	4549734140485	NA	A	NLD	8471.4100.00		
NYP25-213K1-15WC1002		5.465.00	677637	4549734142588	NA	A	NLD	8471.4100.00		
NYP25-213K2-15WC1000		5.380.00	686751	4549734140508	NA	A	NLD	8471.4100.00		
NYP25-213K2-15WC1002		5.465.00	677678	4549734142601	NA	A	NLD	8471.4100.00		
NYP25-213K6-15WC1000		5.785.00	686719	4549734158619	NA	A	NLD	8471.4100.00		
NYP25-213K6-15WC1002		5.870.00	678990	4549734159494	NA	A	NLD	8471.4100.00		
NYP25-31001-15WC1000		4.898.00	686887	4549734143509	NA	A	NLD	8471.4100.00		
NYP25-31001-15WC1002		4.984.00	677616	4549734144146	NA	A	NLD	8471.4100.00		
NYP25-31002-15WC1000		4.898.00	686885	4549734143523	NA	A	NLD	8471.4100.00		
NYP25-31002-15WC1002		4.984.00	677664	4549734144162	NA	A	NLD	8471.4100.00		
NYP25-31006-15WC1000		5.315.00	686707	4549734158831	NA	A	NLD	8471.4100.00		
NYP25-31006-15WC1002		5.400.00	679052	4549734159876	NA	A	NLD	8471.4100.00		
NYP25-31281-15WC1000		5.770.00	686831	4548583814264	NA	A	NLD	8471.4100.00		
NYP25-31282-15WC1000		5.770.00	686830	4548583814271	NA	A	NLD	8471.4100.00		
NYP25-31291-15WC1000		6.505.00	686829	4548583814288	NA	A	NLD	8471.4100.00		
NYP25-31292-15WC1000		6.505.00	686828	4548583814295	NA	A	NLD	8471.4100.00		
NYP25-312C1-15WC1000		5.110.00	686827	4548583814301	NA	A	NLD	8471.4100.00		
NYP25-312C2-15WC1000		5.110.00	686826	4548583814318	NA	A	NLD	8471.4100.00		
NYP25-312K1-15WC1000		5.325.00	686767	4548583872608	NA	A	NLD	8471.4100.00		
NYP25-312K2-15WC1000		5.325.00	686766	4548583872615	NA	A	NLD	8471.4100.00		
NYP25-31391-15WC1000		6.470.00	686972	4549734140522	NA	A	NLD	8471.4100.00		
NYP25-31391-15WC1002		6.555.00	677616	4549734142625	NA	A	NLD	8471.4100.00		
NYP25-31392-15WC1000		6.465.00	686970	4549734140546	NA	A	NLD	8471.4100.00		
NYP25-31392-15WC1002		6.550.00	677635	4549734142649	NA	A	NLD	8471.4100.00		
NYP25-31396-15WC1000		6.765.00	686960	4549734158633	NA	A	NLD	8471.4100.00		
NYP25-31396-15WC1002		6.850.00	679056	4549734159517	NA	A	NLD	8471.4100.00		
NYP25-313C1-15WC1000		5.245.00	686968	4549734140560	NA	A	NLD	8471.4100.00		
NYP25-313C1-15WC1002		5.330.00	677690	4549734142663	NA	A	NLD	8471.4100.00		
NYP25-313C1-15WC1002		5.330.00	700868	4549734540995	NA	A	NLD	8471.4100.00		
NYP25-313C2-15WC1000		5.245.00	686966	4549734140584	NA	A	NLD	8471.4100.00		
NYP25-313C2-15WC1002		5.330.00	677645	4549734142687	NA	A	NLD	8471.4100.00		
NYP25-313C6-15WC1000		5.655.00	686958	4549734158657	NA	A	NLD	8471.4100.00		
NYP25-313C6-15WC1002		5.740.00	679065	4549734159531	NA	A	NLD	8471.4100.00		
NYP25-313K1-15WC1000		5.465.00	686964	4549734140607	NA	A	NLD	8471.4100.00		
NYP25-313K1-15WC1002		5.550.00	677640	4549734142700	NA	A	NLD	8471.4100.00		
NYP25-313K2-15WC1000		5.465.00	686962	4549734140621	NA	A	NLD	8471.4100.00		
NYP25-313K2-15WC1002		5.550.00	677676	4549734142724	NA	A	NLD	8471.4100.00		
NYP25-313K6-15WC1000		5.880.00	686956	4549734158671	NA	A	NLD	8471.4100.00		
NYP25-313K6-15WC1002		5.965.00	678987	4549734159555	NA	A	NLD	8471.4100.00		
NYP27-30000-15WC1000		5.095.00	700281	4549734688185	NA	A	NLD	8471.4100.00		
NYP27-30000-15WC1002		5.180.00	702070	4549734688901	NA	A	NLD	8471.4100.00		
NYP27-30006-15WC1000		5.340.00	702092	4549734689192	NA	A	NLD	8471.4100.00		
NYP27-30006-15WC1002		5.425.00	702071	4549734689918	NA	A	NLD	8471.4100.00		
NYP27-30460-15WC1000		5.765.00	702087	4549734689246	NA	A	NLD	8471.4100.00		
NYP27-30460-15WC1002		5.850.00	702076	4549734689963	NA	A	NLD	8471.4100.00		
NYP27-30466-15WC1000		6.010.00	700288	4549734689253	NA	A	NLD	8471.4100.00		
NYP27-30466-15WC1002		6.095.00	702077	4549734688970	NA	A	NLD	8471.4100.00		

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Daheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
NYP27-30470-15WC1000		6.030.00	700293	4549734688307			NA	A	NLD	8471.4100.00
NYP27-30470-15WC1002		6.115.00	702082	4549734689021			NA	A	NLD	8471.4100.00
NYP27-30476-15WC1000		6.275.00	700294	4549734689314			NA	A	NLD	8471.4100.00
NYP27-30476-15WC1002		6.360.00	702083	4549734689038			NA	A	NLD	8471.4100.00
NYP27-40000-15WC1000		5.195.00	700283	4549734688208			NA	A	NLD	8471.4100.00
NYP27-40000-15WC1002		5.280.00	702072	4549734688925			NA	A	NLD	8471.4100.00
NYP27-40006-15WC1000		5.435.00	700294	4549734688215			NA	A	NLD	8471.4100.00
NYP27-40006-15WC1002		5.520.00	702073	4549734688932			NA	A	NLD	8471.4100.00
NYP27-40460-15WC1000		5.865.00	700289	4549734688260			NA	A	NLD	8471.4100.00
NYP27-40460-15WC1002		5.950.00	702078	4549734688967			NA	A	NLD	8471.4100.00
NYP27-40466-15WC1000		6.105.00	700290	4549734688277			NA	A	NLD	8471.4100.00
NYP27-40466-15WC1002		6.190.00	702079	4549734688994			NA	A	NLD	8471.4100.00
NYP27-40470-15WC1000		6.130.00	700295	4549734688321			NA	A	NLD	8471.4100.00
NYP27-40470-15WC1002		6.215.00	702084	4549734689045			NA	A	NLD	8471.4100.00
NYP27-40476-15WC1000		6.370.00	700296	4549734688338			NA	A	NLD	8471.4100.00
NYP27-40476-15WC1002		6.455.00	702085	4549734689052			NA	A	NLD	8471.4100.00
NYP27-50000-15WC1000		5.425.00	700285	4549734688222			NA	A	NLD	8471.4100.00
NYP27-50000-15WC1002		5.510.00	702074	4549734688949			NA	A	NLD	8471.4100.00
NYP27-50006-15WC1000		5.665.00	700286	4549734688239			NA	A	NLD	8471.4100.00
NYP27-50006-15WC1002		5.750.00	702075	4549734688956			NA	A	NLD	8471.4100.00
NYP27-50460-15WC1000		6.095.00	700291	4549734688284			NA	A	NLD	8471.4100.00
NYP27-50460-15WC1002		6.180.00	702080	4549734689007			NA	A	NLD	8471.4100.00
NYP27-50466-15WC1000		6.335.00	700292	4549734688921			NA	A	NLD	8471.4100.00
NYP27-50466-15WC1002		6.420.00	702081	4549734689014			NA	A	NLD	8471.4100.00
NYP27-50470-15WC1000		6.360.00	700297	4549734688345			NA	A	NLD	8471.4100.00
NYP27-50470-15WC1002		6.445.00	702086	4549734689069			NA	A	NLD	8471.4100.00
NYP27-50476-15WC1000		6.600.00	700298	4549734688352			NA	A	NLD	8471.4100.00
NYP27-50476-15WC1002		6.685.00	702087	4549734689076			NA	A	NLD	8471.4100.00
NYP2A-10000-15WC1000		2.801.00	688983	4549734532990			NA	A	NLD	8471.4100.00
NYP2A-10000-15WC1002		2.887.00	689001	4549734533171			NA	A	NLD	8471.4100.00
NYP2A-20000-15WC1000		2.827.00	688984	4549734533003			NA	A	NLD	8471.4100.00
NYP2A-20000-15WC1002		2.913.00	689002	4549734533188			NA	A	NLD	8471.4100.00
NYP2A-20450-15WC1000		3.079.00	688985	4549734533010			NA	A	NLD	8471.4100.00
NYP2A-20450-15WC1002		3.165.00	689003	4549734533195			NA	A	NLD	8471.4100.00
NYP2A-20460-15WC1000		3.175.00	688986	4549734533027			NA	A	NLD	8471.4100.00
NYP2A-20460-15WC1002		3.261.00	689004	4549734533201			NA	A	NLD	8471.4100.00
NYP2A-20470-15WC1000		3.380.00	688987	4549734533034			NA	A	NLD	8471.4100.00
NYP2A-20470-15WC1002		3.466.00	689005	4549734533218			NA	A	NLD	8471.4100.00
NYP2A-20F50-15WC1000		3.253.00	698794	4549734668941			NA	A	NLD	8471.4100.00
NYP2A-20F50-15WC1002		3.267.00	698793	4549734668958			NA	A	NLD	8471.4100.00
NYP2A-30000-15WC1000		2.886.00	688988	4549734533041			NA	A	NLD	8471.4100.00
NYP2A-30000-15WC1002		2.972.00	689006	4549734533225			NA	A	NLD	8471.4100.00
NYP2A-30450-15WC1000		3.138.00	688989	4549734533058			NA	A	NLD	8471.4100.00
NYP2A-30450-15WC1002		3.223.00	689007	4549734533232			NA	A	NLD	8471.4100.00
NYP2A-30460-15WC1000		3.235.00	688990	4549734533065			NA	A	NLD	8471.4100.00
NYP2A-30460-15WC1002		3.320.00	689008	4549734533249			NA	A	NLD	8471.4100.00
NYP2A-30470-15WC1000		3.440.00	688991	4549734533072			NA	A	NLD	8471.4100.00
NYP2A-30470-15WC1002		3.525.00	689009	4549734533256			NA	A	NLD	8471.4100.00
NYP2C-20000-15WC1000	Industrial Panel PC with Intel@Celeron@9365U, 4 GB DDR4 RAM (non-ECC), No storage, No OS, No PCIe slot, no option port, 15.4" display with capacitive touchscreen	2.481.00	683649	4549734262675			NA	A	NLD	8471.4100.00
NYP2C-20000-15WC1002	Industrial Panel PC with Intel@Celeron@9365U, 4 GB DRAM (non-ECC), No Storage, No OS, No expansion slots, No I/F option, 15.4" (1280x800) display with capacitive touchscreen, build-in type, with custom logo - TEMPLATE	2.567.00	687145	4549734501149			NA	A	NLD	8471.4100.00
NYP2C-20350-15WC1000	Industrial Panel PC with Intel@Celeron@9365U, 4 GB DDR4 RAM (non-ECC), 64 GB CFast IMLC, WIN 10 IoT Ent. (64-bit), no PCIe slot, no option port, 15.4" display with capacitive touchscreen	2.773.00	683650	4549734262682			NA	A	NLD	8471.4100.00
NYP2C-20350-15WC1002	Industrial Panel PC with Intel@Celeron@9365U, 4 GB DRAM (non-ECC), 64 GB CFast IMLC, WIN 10 IoT Ent. (64-bit), No expansion slots, No I/F option, 15.4" (1280x800) display with capacitive touchscreen, build-in type, with custom logo - TEMPLATE	2.859.00	687144	4549734501156			NA	A	NLD	8471.4100.00
NYP2C-20360-15WC1000	Industrial Panel PC with Intel@Celeron@9365U, 4 GB DDR4 RAM (non-ECC), 128 GB CFast IMLC, WIN 10 IoT Ent. (64-bit), no PCIe slot, no option port, 15.4" display with capacitive touchscreen	3.522.00	683613	4549734192729			NA	A	NLD	8471.4100.00
NYP2C-20370-15WC1000	Industrial Panel PC with Intel@Celeron@9365U, 4 GB DDR4 RAM (non-ECC), 256 GB CFast IMLC, WIN 10 IoT Ent. (64-bit), no PCIe slot, no option port, 15.4" display with capacitive touchscreen	3.053.00	683651	4549734262699			NA	A	NLD	8471.4100.00
NYP2C-20370-15WC1002	Industrial Panel PC with Intel@Celeron@9365U, 4 GB DRAM (non-ECC), 256 GB CFast IMLC, WIN 10 IoT Ent. (64-bit), No expansion slots, No I/F option, 15.4" (1280x800) display with capacitive touchscreen, build-in type, with custom logo - TEMPLATE	3.139.00	687143	4549734501163			NA	A	NLD	8471.4100.00
NYP2C-21001-15WC1000	Industrial Panel PC with Intel@Celeron@9365U, 4 GB DDR4 RAM (non-ECC), No storage, No OS, PCIe slot, RS-232, 15.4" display with capacitive touchscreen	4.317.00	683290	4549734207171			NA	A	NLD	8471.4100.00
NYP2C-21001-15WC1002	Industrial Panel PC with Intel@Celeron@9365U, 4 GB DRAM (non-ECC), No Storage, No OS, 1 PCIe + 2 drive slots, RS-232C, 15.4" (1280x800) display with capacitive touchscreen, build-in type, with custom logo - TEMPLATE	4.403.00	687201	4549734208130			NA	A	NLD	8471.4100.00
NYP2C-21002-15WC1000	Industrial Panel PC with Intel@Celeron@9365U, 4 GB DDR4 RAM (non-ECC), No storage, No OS, PCIe slot, extra DVI-D, 15.4" display with capacitive touchscreen	4.317.00	683266	4549734206914			NA	A	NLD	8471.4100.00
NYP2C-21002-15WC1002	Industrial Panel PC with Intel@Celeron@9365U, 4 GB DRAM (non-ECC), No Storage, No OS, 1 PCIe + 2 drive slots, extra DVI-D, 15.4" (1280x800) display with capacitive touchscreen, build-in type, with custom logo - TEMPLATE	4.403.00	687203	4549734207874			NA	A	NLD	8471.4100.00
NYP2C-21006-15WC1000	Industrial Panel PC with Intel@Celeron@9365U, 4 GB DDR4 RAM (non-ECC), No storage, No OS, PCIe slot, NYML port, 15.4" display with capacitive touchscreen	4.724.00	682788	4549734207652			NA	A	NLD	8471.4100.00
NYP2C-21006-15WC1002	Industrial Panel PC with Intel@Celeron@9365U, 4 GB DRAM (non-ECC), No Storage, No OS, 1 PCIe + 2 drive slots, NY Monitor Link, 15.4" (1280x800) display with capacitive touchscreen, build-in type, with custom logo - TEMPLATE	4.810.00	687174	4549734208611			NA	A	NLD	8471.4100.00
NYP2C-21391-15WC1000	Industrial Panel PC with Intel@Celeron@9365U, 4 GB DDR4 RAM (non-ECC), 64 GB SSD-SLC, WIN 10 IoT Ent. (64-bit), PCIe slot, RS-232, 15.4" display with capacitive touchscreen	5.750.00	683303	4549734207300			NA	A	NLD	8471.4100.00
NYP2C-21391-15WC1002	Industrial Panel PC with Intel@Celeron@9365U, 4 GB DRAM (non-ECC), 64 GB SSD-SLC, WIN 10 IoT Ent. (64-bit), 1 PCIe + 2 drive slots, RS-232C, 15.4" (1280x800) display with capacitive touchscreen, build-in type, with custom logo - TEMPLATE	5.835.00	687205	4549734208260			NA	A	NLD	8471.4100.00
NYP2C-21392-15WC1000	Industrial Panel PC with Intel@Celeron@9365U, 4 GB DDR4 RAM (non-ECC), 64 GB SSD-SLC, WIN 10 IoT Ent. (64-bit), PCIe slot, extra DVI-D, 15.4" display with capacitive touchscreen	5.750.00	683274	4549734207003			NA	A	NLD	8471.4100.00
NYP2C-21392-15WC1002	Industrial Panel PC with Intel@Celeron@9365U, 4 GB DRAM (non-ECC), 64 GB SSD-SLC, WIN 10 IoT Ent. (64-bit), 1 PCIe + 2 drive slots, extra DVI-D, 15.4" (1280x800) display with capacitive touchscreen, build-in type, with custom logo - TEMPLATE	5.835.00	687207	4549734207966			NA	A	NLD	8471.4100.00
NYP2C-21396-15WC1000	Industrial Panel PC with Intel@Celeron@9365U, 4 GB DDR4 RAM (non-ECC), 64 GB SSD-SLC, WIN 10 IoT Ent. (64-bit), PCIe slot, NYML port, 15.4" display with capacitive touchscreen	6.165.00	682789	4549734207669			NA	A	NLD	8471.4100.00

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Data sheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
NYP2C-21396-15WC1002	Industrial Panel PC with Intel@Celeron@3965U, 4 GB DRAM (non-ECC), 64 GB SSD SLC, WIN 10 IoT Ent. (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link, 15.4" (1280x800) display with capacitive touchscreen, build-in type, with custom logo - TEMPLATE	6,250.00	687173	4549734208628			NA	A	NLD	8471.4100.00
NYP2C-213C1-15WC1000	Industrial Panel PC with Intel@Celeron@3965U, 4 GB DDR4 RAM (non-ECC), 320 GB HDD, WIN 10 IoT Ent. (64-bit), PCIe slot, RS-232C, 15.4" display with capacitive touchscreen	4,660.00	683275	4549734207010			NA	A	NLD	8471.4100.00
NYP2C-213C1-15WC1002	Industrial Panel PC with Intel@Celeron@3965U, 4 GB DRAM (non-ECC), 320 GB HDD, WIN 10 IoT Ent. (64-bit), 1 PCIe + 2 drive slots, RS-232C, 15.4" (1280x800) display with capacitive touchscreen, build-in type, with custom logo - TEMPLATE	4,745.00	687209	4549734207973			NA	A	NLD	8471.4100.00
NYP2C-213C2-15WC1000	Industrial Panel PC with Intel@Celeron@3965U, 4 GB DDR4 RAM (non-ECC), 320 GB HDD, WIN 10 IoT Ent. (64-bit), PCIe slot, extra DVI-D, 15.4" display with capacitive touchscreen	4,660.00	683269	4549734206952			NA	A	NLD	8471.4100.00
NYP2C-213C2-15WC1002	Industrial Panel PC with Intel@Celeron@3965U, 4 GB DRAM (non-ECC), 320 GB HDD, WIN 10 IoT Ent. (64-bit), 1 PCIe + 2 drive slots, extra DVI-D, 15.4" (1280x800) display with capacitive touchscreen, build-in type, with custom logo - TEMPLATE	4,745.00	687211	4549734207911			NA	A	NLD	8471.4100.00
NYP2C-213C6-15WC1000	Industrial Panel PC with Intel@Celeron@3965U, 4 GB DDR4 RAM (non-ECC), 320 GB HDD, WIN 10 IoT Ent. (64-bit), PCIe slot, NYML port, 15.4" display with capacitive touchscreen	5,075.00	682793	4549734207706			NA	A	NLD	8471.4100.00
NYP2C-213C6-15WC1002	Industrial Panel PC with Intel@Celeron@3965U, 4 GB DRAM (non-ECC), 320 GB HDD, WIN 10 IoT Ent. (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link, 15.4" (1280x800) display with capacitive touchscreen, build-in type, with custom logo - TEMPLATE	5,160.00	687169	4549734208666			NA	A	NLD	8471.4100.00
NYP2C-213K1-15WC1000	Industrial Panel PC with Intel@Celeron@3965U, 4 GB DDR4 RAM (non-ECC), 128 GB SSD-IMLC, WIN 10 IoT Ent. (64-bit), PCIe slot, RS-232C, 15.4" display with capacitive touchscreen	4,883.00	683298	4549734207256			NA	A	NLD	8471.4100.00
NYP2C-213K1-15WC1002	Industrial Panel PC with Intel@Celeron@3965U, 4 GB DRAM (non-ECC), 128 GB SSD-IMLC, WIN 10 IoT Ent. (64-bit), 1 PCIe + 2 drive slots, RS-232C, 15.4" (1280x800) display with capacitive touchscreen, build-in type, with custom logo - TEMPLATE	4,969.00	687213	4549734208215			NA	A	NLD	8471.4100.00
NYP2C-213K2-15WC1000	Industrial Panel PC with Intel@Celeron@3965U, 4 GB DDR4 RAM (non-ECC), 128 GB SSD-IMLC, WIN 10 IoT Ent. (64-bit), PCIe slot, extra DVI-D, 15.4" display with capacitive touchscreen	4,883.00	683293	4549734207201			NA	A	NLD	8471.4100.00
NYP2C-213K2-15WC1002	Industrial Panel PC with Intel@Celeron@3965U, 4 GB DRAM (non-ECC), 128 GB SSD-IMLC, WIN 10 IoT Ent. (64-bit), 1 PCIe + 2 drive slots, extra DVI-D, 15.4" (1280x800) display with capacitive touchscreen, build-in type, with custom logo - TEMPLATE	4,969.00	687215	4549734208161			NA	A	NLD	8471.4100.00
NYP2C-213K6-15WC1000	Industrial Panel PC with Intel@Celeron@3965U, 4 GB DDR4 RAM (non-ECC), 128 GB SSD-IMLC, WIN 10 IoT Ent. (64-bit), PCIe slot, NYML port, 15.4" display with capacitive touchscreen	5,295.00	682773	4549734207492			NA	A	NLD	8471.4100.00
NYP2C-213K6-15WC1002	Industrial Panel PC with Intel@Celeron@3965U, 4 GB DRAM (non-ECC), 128 GB SSD-IMLC, WIN 10 IoT Ent. (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link, 15.4" (1280x800) display with capacitive touchscreen, build-in type, with custom logo - TEMPLATE	5,380.00	687190	4549734208451			NA	A	NLD	8471.4100.00
NYP2C-30000-15WC1000	Industrial Panel PC with Intel@Celeron@3965U, 8 GB DDR4 RAM (non-ECC), No storage, No OS, no PCIe slot, no option port, 15.4" display with capacitive touchscreen	2,592.00	683656	4549734262743			NA	A	NLD	8471.4100.00
NYP2C-30000-15WC1002	Industrial Panel PC with Intel@Celeron@3965U, 8 GB DRAM (non-ECC), No Storage, No OS, No expansion slots, No I/F option, 15.4" (1280x800) display with capacitive touchscreen, build-in type, with custom logo - TEMPLATE	2,678.00	687142	4549734501170			NA	A	NLD	8471.4100.00
NYP2C-30350-15WC1000	Industrial Panel PC with Intel@Celeron@3965U, 8 GB DDR4 RAM (non-ECC), 64 GB CFast IMLC, WIN 10 IoT Ent. (64-bit), no PCIe slot, no option port, 15.4" display with capacitive touchscreen	2,885.00	683657	4549734262750			NA	A	NLD	8471.4100.00
NYP2C-30350-15WC1002	Industrial Panel PC with Intel@Celeron@3965U, 8 GB DRAM (non-ECC), 64 GB CFast IMLC, WIN 10 IoT Ent. (64-bit), No expansion slots, No I/F option, 15.4" (1280x800) display with capacitive touchscreen, build-in type, with custom logo - TEMPLATE	2,971.00	687141	4549734501187			NA	A	NLD	8471.4100.00
NYP2C-30360-15WC1000	Industrial Panel PC with Intel@Celeron@3965U, 8 GB DDR4 RAM (non-ECC), 128 GB CFast IMLC, WIN 10 IoT Ent. (64-bit), no PCIe slot, no option port, 15.4" display with capacitive touchscreen	2,976.00	683658	4549734262767	#		NA	A	NLD	8471.4100.00
NYP2C-30360-15WC1002	Industrial Panel PC with Intel@Celeron@3965U, 8 GB DRAM (non-ECC), 128 GB CFast IMLC, WIN 10 IoT Ent. (64-bit), No expansion slots, No I/F option, 15.4" (1280x800) display with capacitive touchscreen, build-in type, with custom logo - TEMPLATE	3,062.00	687140	4549734501194			NA	A	NLD	8471.4100.00
NYP2C-30370-15WC1000	Industrial Panel PC with Intel@Celeron@3965U, 8 GB DDR4 RAM (non-ECC), 256 GB CFast IMLC, WIN 10 IoT Ent. (64-bit), no PCIe slot, no option port, 15.4" display with capacitive touchscreen	3,166.00	683659	4549734262774			NA	A	NLD	8471.4100.00
NYP2C-30370-15WC1002	Industrial Panel PC with Intel@Celeron@3965U, 8 GB DRAM (non-ECC), 256 GB CFast IMLC, WIN 10 IoT Ent. (64-bit), No expansion slots, No I/F option, 15.4" (1280x800) display with capacitive touchscreen, build-in type, with custom logo - TEMPLATE	3,252.00	687139	4549734501200			NA	A	NLD	8471.4100.00
NYP2C-31001-15WC1000	Industrial Panel PC with Intel@Celeron@3965U, 8 GB DDR4 RAM (non-ECC), No storage, No OS, PCIe slot, RS-232C, 15.4" display with capacitive touchscreen	4,409.00	683291	4549734207188			NA	A	NLD	8471.4100.00
NYP2C-31001-15WC1002	Industrial Panel PC with Intel@Celeron@3965U, 8 GB DRAM (non-ECC), No Storage, No OS, 1 PCIe + 2 drive slots, RS-232C, 15.4" (1280x800) display with capacitive touchscreen, build-in type, with custom logo - TEMPLATE	4,495.00	687217	4549734208147			NA	A	NLD	8471.4100.00
NYP2C-31002-15WC1000	Industrial Panel PC with Intel@Celeron@3965U, 8 GB DDR4 RAM (non-ECC), No storage, No OS, PCIe slot, extra DVI-D, 15.4" display with capacitive touchscreen	4,409.00	683297	4549734207249			NA	A	NLD	8471.4100.00
NYP2C-31002-15WC1002	Industrial Panel PC with Intel@Celeron@3965U, 8 GB DRAM (non-ECC), No Storage, No OS, 1 PCIe + 2 drive slots, extra DVI-D, 15.4" (1280x800) display with capacitive touchscreen, build-in type, with custom logo - TEMPLATE	4,495.00	687218	4549734208208			NA	A	NLD	8471.4100.00
NYP2C-31006-15WC1000	Industrial Panel PC with Intel@Celeron@3965U, 8 GB DDR4 RAM (non-ECC), No storage, No OS, PCIe slot, NYML port, 15.4" display with capacitive touchscreen	4,816.00	682779	4549734207553			NA	A	NLD	8471.4100.00
NYP2C-31006-15WC1002	Industrial Panel PC with Intel@Celeron@3965U, 8 GB DRAM (non-ECC), No Storage, No OS, 1 PCIe + 2 drive slots, NY Monitor Link, 15.4" (1280x800) display with capacitive touchscreen, build-in type, with custom logo - TEMPLATE	4,902.00	687184	4549734208512			NA	A	NLD	8471.4100.00
NYP2C-31391-15WC1000	Industrial Panel PC with Intel@Celeron@3965U, 8 GB DDR4 RAM (non-ECC), 64 GB SSD-SLC, WIN 10 IoT Ent. (64-bit), PCIe slot, RS-232C, 15.4" display with capacitive touchscreen	5,845.00	683276	4549734207027			NA	A	NLD	8471.4100.00
NYP2C-31391-15WC1002	Industrial Panel PC with Intel@Celeron@3965U, 8 GB DRAM (non-ECC), 64 GB SSD SLC, WIN 10 IoT Ent. (64-bit), 1 PCIe + 2 drive slots, RS-232C, 15.4" (1280x800) display with capacitive touchscreen, build-in type, with custom logo - TEMPLATE	5,930.00	687220	4549734207980			NA	A	NLD	8471.4100.00
NYP2C-31392-15WC1000	Industrial Panel PC with Intel@Celeron@3965U, 8 GB DDR4 RAM (non-ECC), 64 GB SSD-SLC, WIN 10 IoT Ent. (64-bit), PCIe slot, extra DVI-D, 15.4" display with capacitive touchscreen	5,845.00	683304	4549734207317			NA	A	NLD	8471.4100.00
NYP2C-31392-15WC1002	Industrial Panel PC with Intel@Celeron@3965U, 8 GB DRAM (non-ECC), 64 GB SSD SLC, WIN 10 IoT Ent. (64-bit), 1 PCIe + 2 drive slots, extra DVI-D, 15.4" (1280x800) display with capacitive touchscreen, build-in type, with custom logo - TEMPLATE	5,930.00	687222	4549734208277			NA	A	NLD	8471.4100.00
NYP2C-31396-15WC1000	Industrial Panel PC with Intel@Celeron@3965U, 8 GB DDR4 RAM (non-ECC), 64 GB SSD-SLC, WIN 10 IoT Ent. (64-bit), PCIe slot, NYML port, 15.4" display with capacitive touchscreen	6,250.00	682798	4549734207751			NA	A	NLD	8471.4100.00
NYP2C-31396-15WC1002	Industrial Panel PC with Intel@Celeron@3965U, 8 GB DRAM (non-ECC), 64 GB SSD SLC, WIN 10 IoT Ent. (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link, 15.4" (1280x800) display with capacitive touchscreen, build-in type, with custom logo - TEMPLATE	6,335.00	687164	4549734208710			NA	A	NLD	8471.4100.00
NYP2C-313C1-15WC1000	Industrial Panel PC with Intel@Celeron@3965U, 8 GB DDR4 RAM (non-ECC), 320 GB HDD, WIN 10 IoT Ent. (64-bit), PCIe slot, RS-232C, 15.4" display with capacitive touchscreen	4,749.00	683306	4549734207331			NA	A	NLD	8471.4100.00
NYP2C-313C1-15WC1002	Industrial Panel PC with Intel@Celeron@3965U, 8 GB DRAM (non-ECC), 320 GB HDD, WIN 10 IoT Ent. (64-bit), 1 PCIe + 2 drive slots, RS-232C, 15.4" (1280x800) display with capacitive touchscreen, build-in type, with custom logo - TEMPLATE	4,834.00	687224	4549734208291			NA	A	NLD	8471.4100.00
NYP2C-313C2-15WC1000	Industrial Panel PC with Intel@Celeron@3965U, 8 GB DDR4 RAM (non-ECC), 320 GB HDD, WIN 10 IoT Ent. (64-bit), PCIe slot, extra DVI-D, 15.4" display with capacitive touchscreen	4,749.00	683271	4549734206976			NA	A	NLD	8471.4100.00
NYP2C-313C2-15WC1002	Industrial Panel PC with Intel@Celeron@3965U, 8 GB DRAM (non-ECC), 320 GB HDD, WIN 10 IoT Ent. (64-bit), 1 PCIe + 2 drive slots, extra DVI-D, 15.4" (1280x800) display with capacitive touchscreen, build-in type, with custom logo - TEMPLATE	4,834.00	687226	4549734207935			NA	A	NLD	8471.4100.00
NYP2C-313C6-15WC1000	Industrial Panel PC with Intel@Celeron@3965U, 8 GB DDR4 RAM (non-ECC), 320 GB HDD, WIN 10 IoT Ent. (64-bit), PCIe slot, NYML port, 15.4" display with capacitive touchscreen	5,170.00	682780	4549734207560			NA	A	NLD	8471.4100.00
NYP2C-313C6-15WC1002	Industrial Panel PC with Intel@Celeron@3965U, 8 GB DRAM (non-ECC), 320 GB HDD, WIN 10 IoT Ent. (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link, 15.4" (1280x800) display with capacitive touchscreen, build-in type, with custom logo - TEMPLATE	5,255.00	687183	4549734208529			NA	A	NLD	8471.4100.00
NYP2C-313K1-15WC1000	Industrial Panel PC with Intel@Celeron@3965U, 8 GB DDR4 RAM (non-ECC), 128 GB SSD-IMLC, WIN 10 IoT Ent. (64-bit), PCIe slot, RS-232C, 15.4" display with capacitive touchscreen	4,976.00	683299	4549734207263			NA	A	NLD	8471.4100.00
NYP2C-313K1-15WC1002	Industrial Panel PC with Intel@Celeron@3965U, 8 GB DRAM (non-ECC), 128 GB SSD IMLC, WIN 10 IoT Ent. (64-bit), 1 PCIe + 2 drive slots, RS-232C, 15.4" (1280x800) display with capacitive touchscreen, build-in type, with custom logo - TEMPLATE	5,065.00	687228	4549734208222			NA	A	NLD	8471.4100.00
NYP2C-313K2-15WC1000	Industrial Panel PC with Intel@Celeron@3965U, 8 GB DDR4 RAM (non-ECC), 128 GB SSD-IMLC, WIN 10 IoT Ent. (64-bit), PCIe slot, extra DVI-D, 15.4" display with capacitive touchscreen	4,976.00	683258	4549734206839			NA	A	NLD	8471.4100.00
NYP2C-313K2-15WC1002	Industrial Panel PC with Intel@Celeron@3965U, 8 GB DRAM (non-ECC), 128 GB SSD IMLC, WIN 10 IoT Ent. (64-bit), 1 PCIe + 2 drive slots, extra DVI-D, 15.4" (1280x800) display with capacitive touchscreen, build-in type, with custom logo - TEMPLATE	5,065.00	687230	4549734207799			NA	A	NLD	8471.4100.00
NYP2C-313K6-15WC1000	Industrial Panel PC with Intel@Celeron@3965U, 8 GB DDR4 RAM (non-ECC), 128 GB SSD-IMLC, WIN 10 IoT Ent. (64-bit), PCIe slot, NYML port, 15.4" display with capacitive touchscreen	5,390.00	682799	4549734207768			NA	A	NLD	8471.4100.00
NYP2C-313K6-15WC1002	Industrial Panel PC with Intel@Celeron@3965U, 8 GB DRAM (non-ECC), 128 GB SSD IMLC, WIN 10 IoT Ent. (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link, 15.4" (1280x800) display with capacitive touchscreen, build-in type, with custom logo - TEMPLATE	5,475.00	687163	4549734208727			NA	A	NLD	8471.4100.00
NYP35-21001-15WC1000		4,818.00	683316	4549734207430			NA	A	NLD	8471.4100.00
NYP35-21001-15WC1002		4,904.00	687196	4549734208390			NA	A	NLD	8471.4100.00
NYP35-21006-15WC1000		5,240.00	682778	4549734207546			NA	A	NLD	8471.4100.00
NYP35-21006-15WC1002		5,325.00	687185	4549734208505			NA	A	NLD	8471.4100.00
NYP35-21391-15WC1000		6,255.00	683259	4549734206846			NA	A	NLD	8471.4100.00
NYP35-21391-15WC1002		6,340.00	687233	4549734207805			NA	A	NLD	8471.4100.00
NYP35-21392-15WC1000		6,255.00	683284	4549734207119			NA	A	NLD	8471.4100.00
NYP35-21392-15WC1002		6,340.00	687235	4549734208079			NA	A	NLD	8471.4100.00
NYP35-21396-15WC1000		6,660.00	682775	4549734207515			NA	A	NLD	8471.4100.00
NYP35-21396-15WC1002		6,745.00	687188	4549734208475			NA	A	NLD	8471.4100.00

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Data sheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
NYP35-213C1-15WC1000		5.175.000	683261	4549734206860			NA	A	NLD	8471.4100.00
NYP35-213C1-15WC1002		5.260.000	687237	4549734207829			NA	A	NLD	8471.4100.00
NYP35-213C2-15WC1000		5.175.000	683262	4549734206877			NA	A	NLD	8471.4100.00
NYP35-213C2-15WC1002		5.260.000	687239	4549734207836			NA	A	NLD	8471.4100.00
NYP35-213C6-15WC1000		5.635.000	682784	4549734207607			NA	A	NLD	8471.4100.00
NYP35-213C6-15WC1002		5.720.000	687179	4549734208567			NA	A	NLD	8471.4100.00
NYP35-213K1-15WC1000		5.395.000	683285	4549734207126			NA	A	NLD	8471.4100.00
NYP35-213K1-15WC1002		5.480.000	687241	4549734208086			NA	A	NLD	8471.4100.00
NYP35-213K2-15WC1000		5.395.000	683281	4549734207072			NA	A	NLD	8471.4100.00
NYP35-213K2-15WC1002		5.480.000	687243	4549734208031			NA	A	NLD	8471.4100.00
NYP35-213K6-15WC1000		5.800.000	682776	4549734207522			NA	A	NLD	8471.4100.00
NYP35-213K6-15WC1002		5.885.000	687187	4549734208482			NA	A	NLD	8471.4100.00
NYP35-30000-15WC1000		3.315.000	683664	4549734262828			NA	A	NLD	8471.4100.00
NYP35-30000-15WC1002		3.401.000	687138	4549734501217			NA	A	NLD	8471.4100.00
NYP35-30350-15WC1000		3.606.000	683665	4549734262835			NA	A	NLD	8471.4100.00
NYP35-30350-15WC1002		3.692.000	687137	4549734501224			NA	A	NLD	8471.4100.00
NYP35-30360-15WC1000		3.697.000	683666	4549734262842			NA	A	NLD	8471.4100.00
NYP35-30360-15WC1002		3.783.000	687136	4549734501231			NA	A	NLD	8471.4100.00
NYP35-30370-15WC1000		3.887.000	683667	4549734262859			NA	A	NLD	8471.4100.00
NYP35-30370-15WC1002		3.973.000	687135	4549734501248			NA	A	NLD	8471.4100.00
NYP35-30370-15WC1100		5.215.000	695847	4549734669757			NA	A	NLD	8471.4100.00
NYP35-30370-15WC1102		5.300.000	695846	4549734669764			NA	A	NLD	8471.4100.00
NYP35-31001-15WC1000		4.909.000	683268	4549734206945			NA	A	NLD	8471.4100.00
NYP35-31001-15WC1002		4.995.000	687245	4549734207904			NA	A	NLD	8471.4100.00
NYP35-31002-15WC1000		4.909.000	683224	4549734207454			NA	A	NLD	8471.4100.00
NYP35-31002-15WC1002		4.995.000	687194	4549734208413			NA	A	NLD	8471.4100.00
NYP35-31006-15WC1000		5.395.000	682797	4549734207744			NA	A	NLD	8471.4100.00
NYP35-31006-15WC1002		5.480.000	687165	4549734209703			NA	A	NLD	8471.4100.00
NYP35-31391-15WC1000		6.340.000	683264	4549734206891			NA	A	NLD	8471.4100.00
NYP35-31391-15WC1002		6.425.000	687247	4549734207850			NA	A	NLD	8471.4100.00
NYP35-31392-15WC1000		6.340.000	683286	4549734207133			NA	A	NLD	8471.4100.00
NYP35-31392-15WC1002		6.425.000	687249	4549734208093			NA	A	NLD	8471.4100.00
NYP35-31396-15WC1000		6.750.000	682771	4549734207478			NA	A	NLD	8471.4100.00
NYP35-31396-15WC1002		6.835.000	687192	4549734208437			NA	A	NLD	8471.4100.00
NYP35-313C1-15WC1000		5.260.000	683282	4549734207089			NA	A	NLD	8471.4100.00
NYP35-313C1-15WC1002		5.345.000	687251	4549734208048			NA	A	NLD	8471.4100.00
NYP35-313C2-15WC1000		5.260.000	683273	4549734206990			NA	A	NLD	8471.4100.00
NYP35-313C2-15WC1002		5.345.000	687253	4549734207959			NA	A	NLD	8471.4100.00
NYP35-313K1-15WC1000		5.490.000	683287	4549734207140			NA	A	NLD	8471.4100.00
NYP35-313K1-15WC1002		5.580.000	687255	4549734208109			NA	A	NLD	8471.4100.00
NYP35-313K2-15WC1000		5.490.000	683296	4549734207232			NA	A	NLD	8471.4100.00
NYP35-313K2-15WC1002		5.580.000	687198	4549734208192			NA	A	NLD	8471.4100.00
NYP35-313K6-15WC1000		5.920.000	682787	4549734207645			NA	A	NLD	8471.4100.00
NYP35-313K6-15WC1002		6.005.000	687175	4549734208604			NA	A	NLD	8471.4100.00
NYP35-40000-15WC1000		3.520.000	683672	4549734262903			NA	A	NLD	8471.4100.00
NYP35-40000-15WC1002		3.606.000	687134	4549734501255			NA	A	NLD	8471.4100.00
NYP35-40350-15WC1000		3.811.000	683673	4549734262910			NA	A	NLD	8471.4100.00
NYP35-40350-15WC1002		3.897.000	687133	4549734501262			NA	A	NLD	8471.4100.00
NYP35-40360-15WC1000		3.902.000	683674	4549734262927			NA	A	NLD	8471.4100.00
NYP35-40360-15WC1002		3.988.000	687132	4549734501279			NA	A	NLD	8471.4100.00
NYP35-40370-15WC1000		4.092.000	683675	4549734262934			NA	A	NLD	8471.4100.00
NYP35-40370-15WC1002		4.178.000	687199	4549734501286			NA	A	NLD	8471.4100.00
NYP27-30000-19WC1000		5.650.000	700299	4549734688369			NA	A	NLD	8471.4100.00
NYP27-30000-19WC1002		5.735.000	702088	4549734689083			NA	A	NLD	8471.4100.00
NYP27-30000-19WC1100		5.860.000	700335	4549734688543			NA	A	NLD	8471.4100.00

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Daheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
NYP27-30000-19WC1102		5,945.00	702106	4549734689267			NA	A	NLD	8471.4100.00
NYP27-30006-19WC1000		5,890.00	700300	4549734688376			NA	A	NLD	8471.4100.00
NYP27-30006-19WC1002		5,975.00	700309	4549734689090			NA	A	NLD	8471.4100.00
NYP27-30006-19WC1100		6,100.00	700334	4549734688550			NA	A	NLD	8471.4100.00
NYP27-30006-19WC1102		6,185.00	702107	4549734689274			NA	A	NLD	8471.4100.00
NYP27-30460-19WC1000		6,320.00	700347	4549734688420			NA	A	NLD	8471.4100.00
NYP27-30460-19WC1002		6,405.00	702094	4549734689144			NA	A	NLD	8471.4100.00
NYP27-30460-19WC1100		6,530.00	700329	4549734688604			NA	A	NLD	8471.4100.00
NYP27-30460-19WC1102		6,615.00	702112	4549734689328			NA	A	NLD	8471.4100.00
NYP27-30466-19WC1000		6,560.00	700346	4549734688437			NA	A	NLD	8471.4100.00
NYP27-30466-19WC1002		6,645.00	702095	4549734689151			NA	A	NLD	8471.4100.00
NYP27-30466-19WC1100		6,770.00	700328	4549734688611			NA	A	NLD	8471.4100.00
NYP27-30466-19WC1102		6,855.00	702113	4549734689335			NA	A	NLD	8471.4100.00
NYP27-30470-19WC1000		6,585.00	700341	4549734688482			NA	A	NLD	8471.4100.00
NYP27-30470-19WC1002		6,670.00	702100	4549734689205			NA	A	NLD	8471.4100.00
NYP27-30470-19WC1100		6,795.00	700323	4549734688666			NA	A	NLD	8471.4100.00
NYP27-30470-19WC1102		6,880.00	702118	4549734689380			NA	A	NLD	8471.4100.00
NYP27-30476-19WC1000		6,825.00	700340	4549734688499			NA	A	NLD	8471.4100.00
NYP27-30476-19WC1002		6,910.00	702101	4549734689212			NA	A	NLD	8471.4100.00
NYP27-30476-19WC1100		7,035.00	700305	4549734688673			NA	A	NLD	8471.4100.00
NYP27-30476-19WC1102		7,120.00	702119	4549734689397			NA	A	NLD	8471.4100.00
NYP27-40000-19WC1000		5,745.00	700301	4549734688383			NA	A	NLD	8471.4100.00
NYP27-40000-19WC1002		5,830.00	702090	4549734689106			NA	A	NLD	8471.4100.00
NYP27-40000-19WC1100		5,955.00	700333	4549734688567			NA	A	NLD	8471.4100.00
NYP27-40000-19WC1102		6,040.00	702108	4549734689281			NA	A	NLD	8471.4100.00
NYP27-40006-19WC1000		5,990.00	700302	4549734688390			NA	A	NLD	8471.4100.00
NYP27-40006-19WC1002		6,075.00	702091	4549734689113			NA	A	NLD	8471.4100.00
NYP27-40006-19WC1100		6,200.00	700332	4549734688574			NA	A	NLD	8471.4100.00
NYP27-40006-19WC1102		6,285.00	702109	4549734689298			NA	A	NLD	8471.4100.00
NYP27-40460-19WC1000		6,415.00	700345	4549734688444			NA	A	NLD	8471.4100.00
NYP27-40460-19WC1002		6,500.00	702096	4549734689168			NA	A	NLD	8471.4100.00
NYP27-40460-19WC1100		6,625.00	700327	4549734688628			NA	A	NLD	8471.4100.00
NYP27-40460-19WC1102		6,710.00	702114	4549734689342			NA	A	NLD	8471.4100.00
NYP27-40466-19WC1000		6,660.00	700344	4549734688451			NA	A	NLD	8471.4100.00
NYP27-40466-19WC1002		6,745.00	702097	4549734689175			NA	A	NLD	8471.4100.00
NYP27-40466-19WC1100		6,870.00	700326	4549734688635			NA	A	NLD	8471.4100.00
NYP27-40466-19WC1102		6,955.00	702115	4549734689359			NA	A	NLD	8471.4100.00
NYP27-40470-19WC1000		6,680.00	700339	4549734688505			NA	A	NLD	8471.4100.00
NYP27-40470-19WC1002		6,765.00	702102	4549734689229			NA	A	NLD	8471.4100.00
NYP27-40470-19WC1100		6,890.00	700306	4549734688680			NA	A	NLD	8471.4100.00
NYP27-40470-19WC1102		6,975.00	702120	4549734689403			NA	A	NLD	8471.4100.00
NYP27-40476-19WC1000		6,925.00	700338	4549734688512			NA	A	NLD	8471.4100.00
NYP27-40476-19WC1002		7,010.00	702103	4549734689236			NA	A	NLD	8471.4100.00
NYP27-40476-19WC1100		7,135.00	700307	4549734688697			NA	A	NLD	8471.4100.00
NYP27-40476-19WC1102		7,220.00	702121	4549734689410			NA	A	NLD	8471.4100.00
NYP27-50000-19WC1000		5,975.00	700303	4549734688406			NA	A	NLD	8471.4100.00
NYP27-50000-19WC1002		6,060.00	702092	4549734689120			NA	A	NLD	8471.4100.00
NYP27-50000-19WC1100		6,185.00	700331	4549734688581			NA	A	NLD	8471.4100.00
NYP27-50000-19WC1102		6,270.00	702110	4549734689304			NA	A	NLD	8471.4100.00
NYP27-50006-19WC1000		6,220.00	700304	4549734688413			NA	A	NLD	8471.4100.00
NYP27-50006-19WC1002		6,305.00	702093	4549734689137			NA	A	NLD	8471.4100.00
NYP27-50006-19WC1100		6,430.00	700330	4549734688598			NA	A	NLD	8471.4100.00
NYP27-50006-19WC1102		6,515.00	702111	4549734689311			NA	A	NLD	8471.4100.00
NYP27-50460-19WC1000		6,645.00	700343	4549734688468			NA	A	NLD	8471.4100.00
NYP27-50460-19WC1002		6,730.00	702098	4549734689182			NA	A	NLD	8471.4100.00
NYP27-50460-19WC1100		6,855.00	700325	4549734688642			NA	A	NLD	8471.4100.00
NYP27-50460-19WC1102		6,940.00	702116	4549734689366			NA	A	NLD	8471.4100.00
NYP27-50466-19WC1000		6,890.00	700342	4549734688475			NA	A	NLD	8471.4100.00
NYP27-50466-19WC1002		6,975.00	702099	4549734689199			NA	A	NLD	8471.4100.00
NYP27-50466-19WC1100		7,100.00	700324	4549734688659			NA	A	NLD	8471.4100.00
NYP27-50466-19WC1102		7,185.00	702117	4549734689373			NA	A	NLD	8471.4100.00
NYP27-50470-19WC1000		6,910.00	700337	4549734689529			NA	A	NLD	8471.4100.00
NYP27-50470-19WC1002		6,995.00	702104	4549734689243			NA	A	NLD	8471.4100.00
NYP27-50470-19WC1100		7,120.00	700308	4549734688703			NA	A	NLD	8471.4100.00
NYP27-50470-19WC1102		7,205.00	702122	4549734689427			NA	A	NLD	8471.4100.00
NYP27-50476-19WC1000		7,155.00	700336	4549734688536			NA	A	NLD	8471.4100.00

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Data sheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
NYP27-50476-19WC1002		7.240,00	702105	4549734689250			NA	A	NLD	8471.4100.00
NYP27-50476-19WC1100		7.365,00	700309	4549734688710			NA	A	NLD	8471.4100.00
NYP27-50476-19WC1102		7.450,00	702051	4549734689434			NA	A	NLD	8471.4100.00
NYP2A-10000-19WC1000		3.286,00	689010	4549734539500			NA	A	NLD	8471.4100.00
NYP2A-10000-19WC1002		3.372,00	689019	4549734539593			NA	A	NLD	8471.4100.00
NYP2A-10000-19WC1100		3.765,00	695340	4549734539685			NA	A	NLD	8471.4100.00
NYP2A-10000-19WC1102		3.867,00	695331	4549734539777			NA	A	NLD	8471.4100.00
NYP2A-20000-19WC1000		3.310,00	689011	4549734539517			NA	A	NLD	8471.4100.00
NYP2A-20000-19WC1002		3.396,00	689020	4549734539609			NA	A	NLD	8471.4100.00
NYP2A-20000-19WC1100		3.805,00	695339	4549734539692			NA	A	NLD	8471.4100.00
NYP2A-20000-19WC1102		3.904,00	695330	4549734539784			NA	A	NLD	8471.4100.00
NYP2A-20450-19WC1000		3.563,00	689013	4549734539531			NA	A	NLD	8471.4100.00
NYP2A-20450-19WC1002		3.649,00	689022	4549734539623			NA	A	NLD	8471.4100.00
NYP2A-20450-19WC1100		4.079,00	695337	4549734539715			NA	A	NLD	8471.4100.00
NYP2A-20450-19WC1102		4.178,00	695328	4549734539807			NA	A	NLD	8471.4100.00
NYP2A-20460-19WC1000		3.659,00	689015	4549734539555			NA	A	NLD	8471.4100.00
NYP2A-20460-19WC1002		3.745,00	689024	4549734539647			NA	A	NLD	8471.4100.00
NYP2A-20460-19WC1100		4.182,00	695335	4549734539739			NA	A	NLD	8471.4100.00
NYP2A-20460-19WC1102		4.283,00	695326	4549734539821			NA	A	NLD	8471.4100.00
NYP2A-20470-19WC1000		3.864,00	689017	4549734539579			NA	A	NLD	8471.4100.00
NYP2A-20470-19WC1002		3.950,00	689026	4549734539661			NA	A	NLD	8471.4100.00
NYP2A-20470-19WC1100		4.406,00	695333	4549734539753			NA	A	NLD	8471.4100.00
NYP2A-20470-19WC1102		4.504,00	695324	4549734539845			NA	A	NLD	8471.4100.00
NYP2A-20F50-19WC1000		3.696,00	698792	4549734668965			NA	A	NLD	8471.4100.00
NYP2A-20F50-19WC1002		3.709,00	698791	4549734668972			NA	A	NLD	8471.4100.00
NYP2A-30000-19WC1000		3.369,00	689012	4549734539524			NA	A	NLD	8471.4100.00
NYP2A-30000-19WC1002		3.455,00	689021	4549734539616			NA	A	NLD	8471.4100.00
NYP2A-30000-19WC1100		3.893,00	695338	4549734539708			NA	A	NLD	8471.4100.00
NYP2A-30000-19WC1102		3.994,00	695329	4549734539791			NA	A	NLD	8471.4100.00
NYP2A-30450-19WC1000		3.620,00	689014	4549734539548			NA	A	NLD	8471.4100.00
NYP2A-30450-19WC1002		3.706,00	689023	4549734539630			NA	A	NLD	8471.4100.00
NYP2A-30450-19WC1100		4.167,00	695336	4549734539722			NA	A	NLD	8471.4100.00
NYP2A-30450-19WC1102		4.265,00	695327	4549734539814			NA	A	NLD	8471.4100.00
NYP2A-30460-19WC1000		3.717,00	689016	4549734539562			NA	A	NLD	8471.4100.00
NYP2A-30460-19WC1002		3.803,00	689025	4549734539654			NA	A	NLD	8471.4100.00
NYP2A-30460-19WC1100		4.272,00	695334	4549734539746			NA	A	NLD	8471.4100.00
NYP2A-30460-19WC1102		4.371,00	695325	4549734539838			NA	A	NLD	8471.4100.00
NYP2A-30470-19WC1000		3.922,00	689018	4549734539586			NA	A	NLD	8471.4100.00
NYP2A-30470-19WC1002		4.008,00	688955	4549734539678			NA	A	NLD	8471.4100.00
NYP2A-30470-19WC1100		4.493,00	695332	4549734539760			NA	A	NLD	8471.4100.00
NYP2A-30470-19WC1102		4.591,00	695323	4549734539852			NA	A	NLD	8471.4100.00
NYP2C-20000-19WC1000	Industrial Panel PC with Intel@Celeron@9365U, 4 GB DRAM (non-ECC), No Storage, No OS, No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type	3.670,00	688862	4549734539817			NA	A	NLD	8471.4100.00
NYP2C-20000-19WC1002	Industrial Panel PC with Intel@Celeron@9365U, 4 GB DRAM (non-ECC), No Storage, No OS, No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type, with custom logo - TEMPLATE	3.756,00	688878	4549734539135			NA	A	NLD	8471.4100.00
NYP2C-20350-19WC1000	Industrial Panel PC with Intel@Celeron@9365U, 4 GB DRAM (non-ECC), 64 GB CFast IMLC, WIN 10 IoT Ent. (64-bit), No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type	4.059,00	688864	4549734539831			NA	A	NLD	8471.4100.00
NYP2C-20350-19WC1002	Industrial Panel PC with Intel@Celeron@9365U, 4 GB DRAM (non-ECC), 64 GB CFast IMLC, WIN 10 IoT Ent. (64-bit), No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type, with custom logo - TEMPLATE	4.145,00	688880	4549734539159			NA	A	NLD	8471.4100.00
NYP2C-20360-19WC1000	Industrial Panel PC with Intel@Celeron@9365U, 4 GB DRAM (non-ECC), 128 GB CFast IMLC, WIN 10 IoT Ent. (64-bit), No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type	4.161,00	688866	4549734539855			NA	A	NLD	8471.4100.00
NYP2C-20360-19WC1002	Industrial Panel PC with Intel@Celeron@9365U, 4 GB DRAM (non-ECC), 128 GB CFast IMLC, WIN 10 IoT Ent. (64-bit), No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type, with custom logo - TEMPLATE	4.247,00	688882	4549734539173			NA	A	NLD	8471.4100.00
NYP2C-20370-19WC1000	Industrial Panel PC with Intel@Celeron@9365U, 4 GB DRAM (non-ECC), 256 GB CFast IMLC, WIN 10 IoT Ent. (64-bit), No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type	4.382,00	688868	4549734539879			NA	A	NLD	8471.4100.00
NYP2C-20370-19WC1002	Industrial Panel PC with Intel@Celeron@9365U, 4 GB DRAM (non-ECC), 256 GB CFast IMLC, WIN 10 IoT Ent. (64-bit), No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type, with custom logo - TEMPLATE	4.468,00	688884	4549734539197			NA	A	NLD	8471.4100.00
NYP2C-30000-19WC1000	Industrial Panel PC with Intel@Celeron@9365U, 8 GB DRAM (non-ECC), No Storage, No OS, No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type	3.753,00	688863	4549734539824			NA	A	NLD	8471.4100.00
NYP2C-30000-19WC1002	Industrial Panel PC with Intel@Celeron@9365U, 8 GB DRAM (non-ECC), No Storage, No OS, No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type, with custom logo - TEMPLATE	3.838,00	688879	4549734539142			NA	A	NLD	8471.4100.00
NYP2C-30350-19WC1000	Industrial Panel PC with Intel@Celeron@9365U, 8 GB DRAM (non-ECC), 64 GB CFast IMLC, WIN 10 IoT Ent. (64-bit), No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type	4.141,00	688865	4549734539848			NA	A	NLD	8471.4100.00
NYP2C-30350-19WC1002	Industrial Panel PC with Intel@Celeron@9365U, 8 GB DRAM (non-ECC), 64 GB CFast IMLC, WIN 10 IoT Ent. (64-bit), No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type, with custom logo - TEMPLATE	4.227,00	688881	4549734539166			NA	A	NLD	8471.4100.00
NYP2C-30360-19WC1000	Industrial Panel PC with Intel@Celeron@9365U, 8 GB DRAM (non-ECC), 128 GB CFast IMLC, WIN 10 IoT Ent. (64-bit), No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type	4.246,00	688867	4549734539862			NA	A	NLD	8471.4100.00
NYP2C-30360-19WC1002	Industrial Panel PC with Intel@Celeron@9365U, 8 GB DRAM (non-ECC), 128 GB CFast IMLC, WIN 10 IoT Ent. (64-bit), No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type, with custom logo - TEMPLATE	4.331,00	688883	4549734539180			NA	A	NLD	8471.4100.00
NYP2C-30360-19WC1100	Industrial Panel PC with Intel@Celeron@9365U, 8 GB DRAM (non-ECC), 128 GB CFast IMLC, WIN 10 IoT Ent. (64-bit), No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type, Ni plating	4.450,00	695341	4549734539847			NA	A	NLD	8471.4100.00
NYP2C-30370-19WC1000	Industrial Panel PC with Intel@Celeron@9365U, 8 GB DRAM (non-ECC), 256 GB CFast IMLC, WIN 10 IoT Ent. (64-bit), No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type	4.465,00	688869	4549734539886			NA	A	NLD	8471.4100.00

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Daheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
NYP25-30370-19WC1002	Industrial Panel PC with Intel@Celeron@3965U, 8 GB DRAM (non-ECC), 256 GB CFast IMLC, WIN 10 IoT Ent. (64-bit), No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type, with custom logo - TEMPLATE	4,551.00	688885	4549734539203			NA	A	NLD	8471.4100.00
NYP35-30000-19WC1000		4,791.00	688870	4549734539878			NA	A	NLD	8471.4100.00
NYP35-30000-19WC1002		4,877.00	688886	4549734539206			NA	A	NLD	8471.4100.00
NYP35-30350-19WC1000		5,160.00	688872	4549734539892			NA	A	NLD	8471.4100.00
NYP35-30350-19WC1002		5,245.00	688888	4549734539319			NA	A	NLD	8471.4100.00
NYP35-30360-19WC1000		5,290.00	688874	4549734539012			NA	A	NLD	8471.4100.00
NYP35-30360-19WC1002		5,375.00	688890	4549734539333			NA	A	NLD	8471.4100.00
NYP35-30370-19WC1000		5,510.00	688876	4549734539036			NA	A	NLD	8471.4100.00
NYP35-30370-19WC1002		5,600.00	688892	4549734539357			NA	A	NLD	8471.4100.00
NYP35-30370-19WC1100		5,735.00	695744	4549734539111			NA	A	NLD	8471.4100.00
NYP35-30370-19WC1102		5,820.00	695743	4549734539432			NA	A	NLD	8471.4100.00
NYP35-40000-19WC1000		4,953.00	688871	4549734539885			NA	A	NLD	8471.4100.00
NYP35-40000-19WC1002		5,040.00	688887	4549734539302			NA	A	NLD	8471.4100.00
NYP35-40350-19WC1000		5,345.00	688873	4549734539305			NA	A	NLD	8471.4100.00
NYP35-40350-19WC1002		5,430.00	688889	4549734539326			NA	A	NLD	8471.4100.00
NYP35-40360-19WC1000		5,445.00	688875	4549734539029			NA	A	NLD	8471.4100.00
NYP35-40360-19WC1002		5,530.00	688891	4549734539340			NA	A	NLD	8471.4100.00
NYP35-40370-19WC1000		5,670.00	688877	4549734539043			NA	A	NLD	8471.4100.00
NYP35-40370-19WC1002		5,755.00	688893	4549734539364			NA	A	NLD	8471.4100.00
NY512-1300-0XX44360X		5,675.00	701580	4549734598507			NA	A	NLD	8471.4100.00
NY512-1300-0XX44366X		6,035.00	701574	4549734598569			NA	A	NLD	8471.4100.00
NY512-1300-0XX44370X		6,070.00	701568	4549734598620			NA	A	NLD	8471.4100.00
NY512-1300-0XX44376X		6,425.00	701562	4549734598682			NA	A	NLD	8471.4100.00
NY512-1300-0XX44560X		6,230.00	701577	4549734598538			NA	A	NLD	8471.4100.00
NY512-1300-0XX44566X		6,590.00	701571	4549734598590			NA	A	NLD	8471.4100.00
NY512-1300-0XX44570X		6,625.00	701565	4549734598651			NA	A	NLD	8471.4100.00
NY512-1300-0XX44576X		6,980.00	701559	4549734598712			NA	A	NLD	8471.4100.00
NY512-1300-1XX21381X		6,315.00	686372	4548583816060			NA	A	NLD	8471.4100.00
NY512-1300-1XX21382X		6,315.00	686371	4548583816077			NA	A	NLD	8471.4100.00
NY512-1300-1XX21391X		6,810.00	686412	4548583816084			NA	A	NLD	8471.4100.00
NY512-1300-1XX21392X		6,810.00	686411	4548583816091			NA	A	NLD	8471.4100.00
NY512-1300-1XX213C1X		5,760.00	686410	4548583816107			NA	A	NLD	8471.4100.00
NY512-1300-1XX213C2X		5,760.00	686409	4548583816114			NA	A	NLD	8471.4100.00
NY512-1300-1XX213K1X		5,980.00	686350	4548583873636			NA	A	NLD	8471.4100.00
NY512-1300-1XX213K2X		5,980.00	686349	4548583873643			NA	A	NLD	8471.4100.00
NY512-1300-1XX44391X		7,075.00	701464	4549734597968			NA	A	NLD	8471.4100.00
NY512-1300-1XX44392X		7,355.00	701628	4549734598026			NA	A	NLD	8471.4100.00
NY512-1300-1XX44396X		7,665.00	701622	4549734598088			NA	A	NLD	8471.4100.00
NY512-1300-1XX443K1X		6,285.00	701616	4549734598149			NA	A	NLD	8471.4100.00
NY512-1300-1XX443K2X		6,285.00	701610	4549734598200			NA	A	NLD	8471.4100.00
NY512-1300-1XX443K6X		6,595.00	701604	4549734598262			NA	A	NLD	8471.4100.00
NY512-1300-1XX443P1X		6,870.00	701598	4549734598323			NA	A	NLD	8471.4100.00
NY512-1300-1XX443P2X		6,870.00	701592	4549734598385			NA	A	NLD	8471.4100.00
NY512-1300-1XX443P6X		7,180.00	701586	4549734598446			NA	A	NLD	8471.4100.00
NY512-1300-1XX44591X		7,910.00	701462	4549734597999			NA	A	NLD	8471.4100.00
NY512-1300-1XX44592X		7,910.00	701625	4549734598057			NA	A	NLD	8471.4100.00
NY512-1300-1XX44596X		8,220.00	701619	4549734598118			NA	A	NLD	8471.4100.00
NY512-1300-1XX445K1X		6,840.00	701613	4549734598170			NA	A	NLD	8471.4100.00
NY512-1300-1XX445K2X		6,840.00	701607	4549734598231			NA	A	NLD	8471.4100.00
NY512-1300-1XX445K6X		7,150.00	701601	4549734598293			NA	A	NLD	8471.4100.00
NY512-1300-1XX445P1X		7,430.00	701595	4549734598354			NA	A	NLD	8471.4100.00
NY512-1300-1XX445P2X		7,430.00	701589	4549734598415			NA	A	NLD	8471.4100.00
NY512-1300-1XX445P6X		7,735.00	701583	4549734598477			NA	A	NLD	8471.4100.00
NY512-1400-0XX44360X		6,005.00	701579	4549734598514			NA	A	NLD	8471.4100.00
NY512-1400-0XX44366X		6,385.00	701573	4549734598576			NA	A	NLD	8471.4100.00
NY512-1400-0XX44370X		6,420.00	701567	4549734598637			NA	A	NLD	8471.4100.00
NY512-1400-0XX44376X		6,800.00	701561	4549734598699			NA	A	NLD	8471.4100.00
NY512-1400-0XX44560X		6,595.00	701576	4549734598545			NA	A	NLD	8471.4100.00
NY512-1400-0XX44566X		6,970.00	701570	4549734598606			NA	A	NLD	8471.4100.00
NY512-1400-0XX44570X		7,010.00	701564	4549734598668			NA	A	NLD	8471.4100.00
NY512-1400-0XX44576X		7,390.00	701558	4549734598729			NA	A	NLD	8471.4100.00
NY512-1400-1XX21381X		6,715.00	686408	4548583816121			NA	A	NLD	8471.4100.00
NY512-1400-1XX21382X		6,715.00	686407	4548583816138			NA	A	NLD	8471.4100.00
NY512-1400-1XX21391X		7,210.00	686406	4548583816145			NA	A	NLD	8471.4100.00
NY512-1400-1XX21392X		7,210.00	686405	4548583816152			NA	A	NLD	8471.4100.00
NY512-1400-1XX213C1X		6,165.00	686404	4548583816169			NA	A	NLD	8471.4100.00
NY512-1400-1XX213C2X		6,165.00	686403	4548583816176			NA	A	NLD	8471.4100.00
NY512-1400-1XX213K1X		6,380.00	686348	4548583873650			NA	A	NLD	8471.4100.00



Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Daheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
NY512-1400-1XX213K2X		6.380.00	686347	4548583873667			NA	A	NLD	8471.4100.00
NY512-1400-1XX44391X		7.785.00	701463	4549734597975			NA	A	NLD	8471.4100.00
NY512-1400-1XX44392X		7.780.00	701627	4549734598033			NA	A	NLD	8471.4100.00
NY512-1400-1XX44396X		8.110.00	701621	4549734598095			NA	A	NLD	8471.4100.00
NY512-1400-1XX44391X		6.650.00	701615	4549734598156			NA	A	NLD	8471.4100.00
NY512-1400-1XX44392X		6.650.00	701609	4549734598217			NA	A	NLD	8471.4100.00
NY512-1400-1XX44396X		6.975.00	701603	4549734598279			NA	A	NLD	8471.4100.00
NY512-1400-1XX44391X		7.270.00	701597	4549734598330			NA	A	NLD	8471.4100.00
NY512-1400-1XX44392X		7.270.00	701591	4549734598392			NA	A	NLD	8471.4100.00
NY512-1400-1XX44396X		7.600.00	701585	4549734598453			NA	A	NLD	8471.4100.00
NY512-1400-1XX44591X		8.370.00	701456	4549734598002			NA	A	NLD	8471.4100.00
NY512-1400-1XX44592X		8.370.00	701624	4549734598064			NA	A	NLD	8471.4100.00
NY512-1400-1XX44596X		8.695.00	701618	4549734598125			NA	A	NLD	8471.4100.00
NY512-1400-1XX44591X		7.240.00	701612	4549734598187			NA	A	NLD	8471.4100.00
NY512-1400-1XX44592X		7.240.00	701606	4549734598248			NA	A	NLD	8471.4100.00
NY512-1400-1XX44596X		7.565.00	701600	4549734598309			NA	A	NLD	8471.4100.00
NY512-1400-1XX44591X		7.860.00	701594	4549734598361			NA	A	NLD	8471.4100.00
NY512-1400-1XX44592X		7.860.00	701588	4549734598422			NA	A	NLD	8471.4100.00
NY512-1400-1XX44596X		8.185.00	701582	4549734598484			NA	A	NLD	8471.4100.00
NY512-1500-0XX44390X		6.275.00	701578	4549734598521			NA	A	NLD	8471.4100.00
NY512-1500-0XX44396X		6.675.00	701572	4549734598583			NA	A	NLD	8471.4100.00
NY512-1500-0XX44370X		6.715.00	701566	4549734598644			NA	A	NLD	8471.4100.00
NY512-1500-0XX44376X		7.110.00	701560	4549734598705			NA	A	NLD	8471.4100.00
NY512-1500-0XX44560X		6.895.00	701575	4549734598552			NA	A	NLD	8471.4100.00
NY512-1500-0XX44566X		7.290.00	701569	4549734598613			NA	A	NLD	8471.4100.00
NY512-1500-0XX44570X		7.330.00	701563	4549734598675			NA	A	NLD	8471.4100.00
NY512-1500-0XX44576X		7.725.00	701557	4549734598736			NA	A	NLD	8471.4100.00
NY512-1500-1XX21381X		7.210.00	686402	4548583816183			NA	A	NLD	8471.4100.00
NY512-1500-1XX21382X		7.210.00	686401	4548583816190			NA	A	NLD	8471.4100.00
NY512-1500-1XX21391X		7.710.00	686400	4548583816206			NA	A	NLD	8471.4100.00
NY512-1500-1XX21392X		7.710.00	686399	4548583816213			NA	A	NLD	8471.4100.00
NY512-1500-1XX213C1X		6.655.00	686398	4548583816220			NA	A	NLD	8471.4100.00
NY512-1500-1XX213C2X		6.655.00	686397	4548583816237			NA	A	NLD	8471.4100.00
NY512-1500-1XX213K1X		6.875.00	686346	4548583873674			NA	A	NLD	8471.4100.00
NY512-1500-1XX213K2X		6.875.00	686345	4548583873681			NA	A	NLD	8471.4100.00
NY512-1500-1XX213K6X		7.845.00	686379	4549734160179			NA	A	NLD	8471.4100.00
NY512-1500-1XX44391X		8.135.00	701465	4549734597982			NA	A	NLD	8471.4100.00
NY512-1500-1XX44392X		8.135.00	701626	4549734598040			NA	A	NLD	8471.4100.00
NY512-1500-1XX44396X		8.475.00	701620	4549734598101			NA	A	NLD	8471.4100.00
NY512-1500-1XX44391X		6.955.00	701614	4549734598163			NA	A	NLD	8471.4100.00
NY512-1500-1XX44392X		6.950.00	701608	4549734598224			NA	A	NLD	8471.4100.00
NY512-1500-1XX44396X		7.295.00	701602	4549734598286			NA	A	NLD	8471.4100.00
NY512-1500-1XX44391X		7.600.00	701596	4549734598347			NA	A	NLD	8471.4100.00
NY512-1500-1XX44392X		7.600.00	701590	4549734598408			NA	A	NLD	8471.4100.00
NY512-1500-1XX44396X		7.945.00	701584	4549734598460			NA	A	NLD	8471.4100.00
NY512-1500-1XX44591X		8.750.00	701629	4549734598019			NA	A	NLD	8471.4100.00
NY512-1500-1XX44592X		8.750.00	701623	4549734598071			NA	A	NLD	8471.4100.00
NY512-1500-1XX44596X		9.095.00	701617	4549734598132			NA	A	NLD	8471.4100.00
NY512-1500-1XX44591X		7.570.00	701611	4549734598194			NA	A	NLD	8471.4100.00
NY512-1500-1XX44592X		7.570.00	701605	4549734598255			NA	A	NLD	8471.4100.00
NY512-1500-1XX44596X		7.910.00	701599	4549734598316			NA	A	NLD	8471.4100.00
NY512-1500-1XX44591X		8.215.00	701593	4549734598378			NA	A	NLD	8471.4100.00
NY512-1500-1XX44592X		8.215.00	701587	4549734598439			NA	A	NLD	8471.4100.00
NY512-1500-1XX44596X		8.560.00	701581	4549734598491			NA	A	NLD	8471.4100.00
NY532-1300-011443600		7.900.00	701556	4549734598743			NA	A	NLD	8471.4100.00
NY532-1300-011443660		8.260.00	701550	4549734598804			NA	A	NLD	8471.4100.00
NY532-1300-011443700		8.295.00	701544	4549734598866			NA	A	NLD	8471.4100.00
NY532-1300-011443760		8.655.00	701538	4549734598927			NA	A	NLD	8471.4100.00
NY532-1300-011445600		8.460.00	701553	4549734598774			NA	A	NLD	8471.4100.00
NY532-1300-011445660		8.820.00	701547	4549734598835			NA	A	NLD	8471.4100.00
NY532-1300-011445700		8.850.00	701541	4549734598897			NA	A	NLD	8471.4100.00
NY532-1300-011445760		9.210.00	701535	4549734598958			NA	A	NLD	8471.4100.00
NY532-1300-111213810		7.650.00	686396	4548583816244			NA	A	NLD	8471.4100.00
NY532-1300-111213820		7.650.00	686395	4548583816251			NA	A	NLD	8471.4100.00
NY532-1300-111213860		8.275.00	686321	4549734159975			NA	A	NLD	8471.4100.00
NY532-1300-111213862		8.360.00	678964	4549734160513			NA	A	NLD	8471.4100.00
NY532-1300-111213910		8.145.00	686394	4548583816268			NA	A	NLD	8471.4100.00
NY532-1300-111213920		8.145.00	686393	4548583816275			NA	A	NLD	8471.4100.00
NY532-1300-111213960		8.775.00	686320	4549734159982			NA	A	NLD	8471.4100.00
NY532-1300-111213962		8.860.00	678911	4549734160520			NA	A	NLD	8471.4100.00
NY532-1300-111213C10		7.090.00	686392	4548583816282			NA	A	NLD	8471.4100.00
NY532-1300-111213C20		7.090.00	686391	4548583816299			NA	A	NLD	8471.4100.00
NY532-1300-111213C60		7.695.00	686319	4549734159999			NA	A	NLD	8471.4100.00
NY532-1300-111213C62		7.780.00	679002	4549734160537			NA	A	NLD	8471.4100.00
NY532-1300-111213K10		7.310.00	686344	4548583873698			NA	A	NLD	8471.4100.00
NY532-1300-111213K20		7.310.00	686343	4548583873704			NA	A	NLD	8471.4100.00

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Data sheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
NY532-1300-111213K60		7.925.00	686378	4549734160186			NA	A	NLD	8471.4100.00
NY532-1300-111213K62		8.010.00	678935	4549734160780			NA	A	NLD	8471.4100.00
NY532-1400-011443600		8.360.00	701555	4549734598750			NA	A	NLD	8471.4100.00
NY532-1400-011443700		8.740.00	701549	4549734598811			NA	A	NLD	8471.4100.00
NY532-1400-011443700		8.780.00	701543	4549734598873			NA	A	NLD	8471.4100.00
NY532-1400-011443760		9.160.00	701537	4549734598934			NA	A	NLD	8471.4100.00
NY532-1400-011445600		8.950.00	701552	4549734598781			NA	A	NLD	8471.4100.00
NY532-1400-011445660		9.330.00	701546	4549734598842			NA	A	NLD	8471.4100.00
NY532-1400-011445700		9.365.00	701540	4549734598903			NA	A	NLD	8471.4100.00
NY532-1400-011445760		9.745.00	701534	4549734598965			NA	A	NLD	8471.4100.00
NY532-1400-111213810		8.040.00	686390	4548583816305			NA	A	NLD	8471.4100.00
NY532-1400-111213820		8.040.00	686389	4548583816312			NA	A	NLD	8471.4100.00
NY532-1400-111213860		8.685.00	686318	4549734160001			NA	A	NLD	8471.4100.00
NY532-1400-111213862		8.770.00	679066	4549734160544			NA	A	NLD	8471.4100.00
NY532-1400-111213910		8.550.00	686421	4548583816329			NA	A	NLD	8471.4100.00
NY532-1400-111213920		8.550.00	686420	4548583816336			NA	A	NLD	8471.4100.00
NY532-1400-111213960		9.185.00	686317	4549734160018			NA	A	NLD	8471.4100.00
NY532-1400-111213962		9.270.00	679036	4549734160551			NA	A	NLD	8471.4100.00
NY532-1400-111213C10		7.485.00	686419	4548583816343			NA	A	NLD	8471.4100.00
NY532-1400-111213C20		7.485.00	686418	4548583816350			NA	A	NLD	8471.4100.00
NY532-1400-111213C60		8.105.00	686316	4549734160025			NA	A	NLD	8471.4100.00
NY532-1400-111213C62		8.190.00	679039	4549734160568			NA	A	NLD	8471.4100.00
NY532-1400-111213K10		7.710.00	686342	4548583873711			NA	A	NLD	8471.4100.00
NY532-1400-111213K20		7.710.00	686341	4548583873728			NA	A	NLD	8471.4100.00
NY532-1400-111213K60		8.335.00	686377	4549734160193			NA	A	NLD	8471.4100.00
NY532-1400-111213K62		8.420.00	679006	4549734160797			NA	A	NLD	8471.4100.00
NY532-1500-011443600		8.740.00	701554	4549734598767			NA	A	NLD	8471.4100.00
NY532-1500-011443660		9.140.00	701548	4549734598828			NA	A	NLD	8471.4100.00
NY532-1500-011443700		9.175.00	701542	4549734598880			NA	A	NLD	8471.4100.00
NY532-1500-011443760		9.575.00	701536	4549734598941			NA	A	NLD	8471.4100.00
NY532-1500-011445600		9.355.00	701551	4549734598798			NA	A	NLD	8471.4100.00
NY532-1500-011445660		9.755.00	701545	4549734598859			NA	A	NLD	8471.4100.00
NY532-1500-011445700		9.790.00	701539	4549734598910			NA	A	NLD	8471.4100.00
NY532-1500-011445760		10.190.00	701533	4549734598972			NA	A	NLD	8471.4100.00
NY532-1500-111213810		8.550.00	686417	4548583816367			NA	A	NLD	8471.4100.00
NY532-1500-111213820		8.550.00	686416	4548583816374			NA	A	NLD	8471.4100.00
NY532-1500-111213860		9.185.00	686315	4549734160032			NA	A	NLD	8471.4100.00
NY532-1500-111213862		9.270.00	679097	4549734160575			NA	A	NLD	8471.4100.00
NY532-1500-111213910		9.035.00	686415	4548583816361			NA	A	NLD	8471.4100.00
NY532-1500-111213920		9.035.00	686414	4548583816368			NA	A	NLD	8471.4100.00
NY532-1500-111213960		9.700.00	686314	4549734160049			NA	A	NLD	8471.4100.00
NY532-1500-111213962		9.785.00	678891	4549734160582			NA	A	NLD	8471.4100.00
NY532-1500-111213C10		7.985.00	686370	4548583816404			NA	A	NLD	8471.4100.00
NY532-1500-111213C20		7.985.00	686369	4548583816411			NA	A	NLD	8471.4100.00
NY532-1500-111213C60		8.620.00	686313	4549734160056			NA	A	NLD	8471.4100.00
NY532-1500-111213C62		8.705.00	678936	4549734160599			NA	A	NLD	8471.4100.00
NY532-1500-111213K10		8.205.00	686340	4548583873735			NA	A	NLD	8471.4100.00
NY532-1500-111213K20		8.205.00	686339	4548583873742			NA	A	NLD	8471.4100.00
NY532-1500-111213K60		8.840.00	686376	4549734160209			NA	A	NLD	8471.4100.00
NY532-1500-111213K62		8.925.00	679027	4549734160803			NA	A	NLD	8471.4100.00
NY532-1300-012443600		8.000.00	701532	4549734598989			NA	A	NLD	8471.4100.00
NY532-1300-012443660		8.360.00	701526	4549734599047			NA	A	NLD	8471.4100.00
NY532-1300-012443700		8.390.00	701520	4549734599108			NA	A	NLD	8471.4100.00
NY532-1300-012443760		8.750.00	701514	4549734599160			NA	A	NLD	8471.4100.00
NY532-1300-012445600		8.555.00	701529	4549734599016			NA	A	NLD	8471.4100.00
NY532-1300-012445660		8.915.00	701523	4549734599078			NA	A	NLD	8471.4100.00
NY532-1300-012445700		8.950.00	701517	4549734599139			NA	A	NLD	8471.4100.00
NY532-1300-012445760		9.310.00	701511	4549734599191			NA	A	NLD	8471.4100.00
NY532-1300-112213810		7.725.00	686368	4548583816428			NA	A	NLD	8471.4100.00
NY532-1300-112213820		7.725.00	686367	4548583816435			NA	A	NLD	8471.4100.00
NY532-1300-112213860		8.350.00	686312	4549734160063			NA	A	NLD	8471.4100.00
NY532-1300-112213862		8.435.00	679060	4549734160605			NA	A	NLD	8471.4100.00
NY532-1300-112213910		8.230.00	686366	4548583816442			NA	A	NLD	8471.4100.00
NY532-1300-112213920		8.230.00	686365	4548583816459			NA	A	NLD	8471.4100.00
NY532-1300-112213960		8.860.00	686413	4549734160070			NA	A	NLD	8471.4100.00
NY532-1300-112213962		8.945.00	678920	4549734160612			NA	A	NLD	8471.4100.00
NY532-1300-112213C10		7.170.00	686364	4548583816466			NA	A	NLD	8471.4100.00
NY532-1300-112213C20		7.170.00	686363	4548583816473			NA	A	NLD	8471.4100.00
NY532-1300-112213C60		7.775.00	686388	4549734160087			NA	A	NLD	8471.4100.00
NY532-1300-112213C62		7.860.00	678934	4549734160629			NA	A	NLD	8471.4100.00
NY532-1300-112213K10		7.385.00	686338	4548583873759			NA	A	NLD	8471.4100.00
NY532-1300-112213K20		7.385.00	686337	4548583873766			NA	A	NLD	8471.4100.00
NY532-1300-112213K60		8.000.00	686375	4549734160216			NA	A	NLD	8471.4100.00
NY532-1300-112213K62		8.090.00	678890	4549734160810			NA	A	NLD	8471.4100.00
NY532-1400-012443600		8.465.00	701531	4549734598996			NA	A	NLD	8471.4100.00
NY532-1400-012443660		8.845.00	701525	4549734599054			NA	A	NLD	8471.4100.00

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Data sheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
NY532-1400-012443700		8.880.00	701519	4549734599115			NA	A	NLD	8471.4100.00
NY532-1400-012443760		9.260.00	701513	4549734599177			NA	A	NLD	8471.4100.00
NY532-1400-012445600		9.050.00	701528	4549734599028			NA	A	NLD	8471.4100.00
NY532-1400-012445700		9.435.00	701522	4549734599085			NA	A	NLD	8471.4100.00
NY532-1400-012445760		9.470.00	701516	4549734599146			NA	A	NLD	8471.4100.00
NY532-1400-012445760		9.850.00	701510	4549734599207			NA	A	NLD	8471.4100.00
NY532-1400-112213810		8.130.00	686361	4548583816480			NA	A	NLD	8471.4100.00
NY532-1400-112213820		8.130.00	686362	4548583816497			NA	A	NLD	8471.4100.00
NY532-1400-112213860		8.760.00	686387	4549734160094			NA	A	NLD	8471.4100.00
NY532-1400-112213862		8.845.00	678966	4549734160636			NA	A	NLD	8471.4100.00
NY532-1400-112213910		8.630.00	686360	4548583816503			NA	A	NLD	8471.4100.00
NY532-1400-112213920		8.630.00	686359	4548583816510			NA	A	NLD	8471.4100.00
NY532-1400-112213960		9.275.00	686386	4549734160100			NA	A	NLD	8471.4100.00
NY532-1400-112213962		9.360.00	678916	4549734160643			NA	A	NLD	8471.4100.00
NY532-1400-112213C10		7.570.00	686358	4548583816527			NA	A	NLD	8471.4100.00
NY532-1400-112213C20		7.570.00	686357	4548583816534			NA	A	NLD	8471.4100.00
NY532-1400-112213C60		8.190.00	686385	4549734160117			NA	A	NLD	8471.4100.00
NY532-1400-112213C62		8.275.00	678900	4549734160650			NA	A	NLD	8471.4100.00
NY532-1400-112213K10		7.785.00	686336	4548583873773			NA	A	NLD	8471.4100.00
NY532-1400-112213K20		7.785.00	686335	4548583873780			NA	A	NLD	8471.4100.00
NY532-1400-112213K60		8.410.00	686374	4549734160223			NA	A	NLD	8471.4100.00
NY532-1400-112213K62		8.495.00	678922	4549734160827			NA	A	NLD	8471.4100.00
NY532-1500-012443600		8.850.00	701530	4549734599009			NA	A	NLD	8471.4100.00
NY532-1500-012443660		9.245.00	701524	4549734599061			NA	A	NLD	8471.4100.00
NY532-1500-012443700		9.285.00	701518	4549734599122			NA	A	NLD	8471.4100.00
NY532-1500-012443760		9.680.00	701512	4549734599184			NA	A	NLD	8471.4100.00
NY532-1500-012445600		9.465.00	701527	4549734599030			NA	A	NLD	8471.4100.00
NY532-1500-012445660		9.860.00	701521	4549734599092			NA	A	NLD	8471.4100.00
NY532-1500-012445700		9.900.00	701515	4549734599153			NA	A	NLD	8471.4100.00
NY532-1500-012445760		10.300.00	701509	4549734599214			NA	A	NLD	8471.4100.00
NY532-1500-112213810		8.630.00	686356	4548583816541			NA	A	NLD	8471.4100.00
NY532-1500-112213820		8.630.00	686355	4548583816558			NA	A	NLD	8471.4100.00
NY532-1500-112213860		9.275.00	686384	4549734160124			NA	A	NLD	8471.4100.00
NY532-1500-112213862		9.360.00	678906	4549734160667			NA	A	NLD	8471.4100.00
NY532-1500-112213910		9.115.00	686354	4548583816565			NA	A	NLD	8471.4100.00
NY532-1500-112213920		9.115.00	686353	4548583816572			NA	A	NLD	8471.4100.00
NY532-1500-112213960		9.780.00	686383	4549734160131			NA	A	NLD	8471.4100.00
NY532-1500-112213962		9.865.00	678959	4549734160674			NA	A	NLD	8471.4100.00
NY532-1500-112213C10		8.065.00	686352	4548583816589			NA	A	NLD	8471.4100.00
NY532-1500-112213C20		8.065.00	686351	4548583816596			NA	A	NLD	8471.4100.00
NY532-1500-112213C60		8.700.00	686382	4549734160148			NA	A	NLD	8471.4100.00
NY532-1500-112213C62		8.785.00	679077	4549734160681			NA	A	NLD	8471.4100.00
NY532-1500-112213K10		8.290.00	686334	4548583873797			NA	A	NLD	8471.4100.00
NY532-1500-112213K20		8.290.00	686333	4548583873803			NA	A	NLD	8471.4100.00
NY532-1500-112213K60		8.920.00	686373	4549734160230			NA	A	NLD	8471.4100.00
NY532-1500-112213K62		9.005.00	678912	4549734160834			NA	A	NLD	8471.4100.00
NY532-1300-013443600		8.590.00	701508	4549734599221			NA	A	NLD	8471.4100.00
NY532-1300-013443660		9.250.00	701502	4549734599283			NA	A	NLD	8471.4100.00
NY532-1300-013443700		9.280.00	701496	4549734599344			NA	A	NLD	8471.4100.00
NY532-1300-013443760		9.640.00	701490	4549734599405			NA	A	NLD	8471.4100.00
NY532-1300-013445600		9.445.00	701505	4549734599252			NA	A	NLD	8471.4100.00
NY532-1300-013445660		9.805.00	701499	4549734599313			NA	A	NLD	8471.4100.00
NY532-1300-013445700		9.835.00	701493	4549734599375			NA	A	NLD	8471.4100.00
NY532-1300-013445760		10.200.00	701487	4549734599436			NA	A	NLD	8471.4100.00
NY532-1300-023443600		9.230.00	701484	4549734599467			NA	A	NLD	8471.4100.00
NY532-1300-023443660		9.590.00	701478	4549734599528			NA	A	NLD	8471.4100.00
NY532-1300-023443700		9.625.00	701472	4549734599580			NA	A	NLD	8471.4100.00
NY532-1300-023443760		9.985.00	701466	4549734599641			NA	A	NLD	8471.4100.00
NY532-1300-023445600		9.785.00	701481	4549734599498			NA	A	NLD	8471.4100.00
NY532-1300-023445660		10.150.00	701475	4549734599559			NA	A	NLD	8471.4100.00
NY532-1300-023445700		10.180.00	701469	4549734599610			NA	A	NLD	8471.4100.00
NY532-1300-023445760		10.540.00	701459	4549734599672			NA	A	NLD	8471.4100.00
NY532-1400-013443600		9.405.00	701507	4549734599238			NA	A	NLD	8471.4100.00
NY532-1400-013443660		9.785.00	701501	4549734599290			NA	A	NLD	8471.4100.00
NY532-1400-013443700		9.820.00	701495	4549734599351			NA	A	NLD	8471.4100.00
NY532-1400-013443760		10.200.00	701489	4549734599412			NA	A	NLD	8471.4100.00
NY532-1400-013445600		9.995.00	701504	4549734599269			NA	A	NLD	8471.4100.00
NY532-1400-013445660		10.380.00	701498	4549734599320			NA	A	NLD	8471.4100.00
NY532-1400-013445700		10.410.00	701492	4549734599382			NA	A	NLD	8471.4100.00
NY532-1400-013445760		10.790.00	701486	4549734599443			NA	A	NLD	8471.4100.00
NY532-1400-023443600		9.765.00	701483	4549734599474			NA	A	NLD	8471.4100.00

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Data sheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
NY532-1400-023443660		10,150.00	701477	4549734599535			NA	A	NLD	8471.4100.00
NY532-1400-023443700		10,190.00	701471	4549734599597			NA	A	NLD	8471.4100.00
NY532-1400-023443760		10,570.00	701461	4549734599658			NA	A	NLD	8471.4100.00
NY532-1400-023445600		10,260.00	701480	4549734599504			NA	A	NLD	8471.4100.00
NY532-1400-023445660		10,740.00	701474	4549734599566			NA	A	NLD	8471.4100.00
NY532-1400-023445700		10,770.00	701468	4549734599627			NA	A	NLD	8471.4100.00
NY532-1400-023445760		11,160.00	701458	4549734599689			NA	A	NLD	8471.4100.00
NY532-1500-013443600		9,830.00	701506	4549734599245			NA	A	NLD	8471.4100.00
NY532-1500-013443660		10,230.00	701500	4549734599306			NA	A	NLD	8471.4100.00
NY532-1500-013443700		10,270.00	701494	4549734599368			NA	A	NLD	8471.4100.00
NY532-1500-013443760		10,670.00	701488	4549734599429			NA	A	NLD	8471.4100.00
NY532-1500-013445600		10,450.00	701503	4549734599276			NA	A	NLD	8471.4100.00
NY532-1500-013445660		10,850.00	701497	4549734599337			NA	A	NLD	8471.4100.00
NY532-1500-013445700		10,880.00	701491	4549734599399			NA	A	NLD	8471.4100.00
NY532-1500-013445760		11,280.00	701485	4549734599450			NA	A	NLD	8471.4100.00
NY532-1500-023443600		10,210.00	701482	4549734599481			NA	A	NLD	8471.4100.00
NY532-1500-023443660		10,610.00	701476	4549734599542			NA	A	NLD	8471.4100.00
NY532-1500-023443700		10,650.00	701470	4549734599603			NA	A	NLD	8471.4100.00
NY532-1500-023443760		11,050.00	701460	4549734599665			NA	A	NLD	8471.4100.00
NY532-1500-023445600		10,830.00	701479	4549734599511			NA	A	NLD	8471.4100.00
NY532-1500-023445660		11,230.00	701473	4549734599573			NA	A	NLD	8471.4100.00
NY532-1500-023445700		11,260.00	701467	4549734599634			NA	A	NLD	8471.4100.00
NY532-1500-023445760		11,660.00	701457	4549734599696			NA	A	NLD	8471.4100.00
NY512-Z400-1XX214T1X		13,440.00	685598	4549734451116			NA	A	NLD	8471.4100.00
NY512-Z400-1XX214T2X		13,440.00	685601	4549734451147			NA	A	NLD	8471.4100.00
NY512-Z500-1XX214T1X		14,100.00	685599	4549734451123			NA	A	NLD	8471.4100.00
NY532-Z300-112214T10		13,890.00	685603	4549734451161			NA	A	NLD	8471.4100.00
NY532-Z400-112214T10		14,330.00	685604	4549734451178			NA	A	NLD	8471.4100.00
NY532-Z400-112214T20		14,330.00	685607	4549734451208			NA	A	NLD	8471.4100.00
NY532-Z500-112214T10		14,980.00	685605	4549734451185			NA	A	NLD	8471.4100.00
NY532-Z500-112214T20		14,980.00	685608	4549734451215			NA	A	NLD	8471.4100.00
NY532-5400-111213910		8,675.00	679847	4549734145442			NA	A	NLD	8471.4100.00
NY532-5400-111213K10		7,440.00	679848	4549734145459			NA	A	NLD	8471.4100.00
NY532-5400-112213910		8,430.00	679849	4549734145466			NA	A	NLD	8471.4100.00
NY532-5400-112213K10		8,055.00	679846	4549734145473			NA	A	NLD	8471.4100.00
NY512-A600-1XX11391X		10,780.00	686332	4548583873810			NA	A	NLD	8471.4100.00
NY512-A600-1XX21391X		10,780.00	686331	4548583873827			NA	A	NLD	8471.4100.00
NYB2C-31PK1	PMAC Motion Controller for 64 axes, Industrial Box PC with Intel®Celeron®8GB memory, 128GB SSD MLC, Linux, PCIe slot x1, 232C	6,060.00	688380	4549734500944			NA	A	NLD	8471.4100.00
NY512-Z300-1XX214T1X		13,000.00	685597	4549734450218			NA	A	NLD	8471.4100.00
NY512-Z300-1XX214T2X		13,000.00	685600	4549734451130			NA	A	NLD	8471.4100.00
NY512-Z500-1XX214T2X		14,100.00	685602	4549734451154			NA	A	NLD	8471.4100.00
NY532-Z300-112214T20		13,890.00	685606	4549734451192			NA	A	NLD	8471.4100.00
NYM12W-C1000	Industrial Monitor, 12.1" display with capacitive touchscreen, Build-in mounting, DVI-D port	1,572.00	686607	4548583813021			NA	A	NLD	8528.5291.00
NYM12W-C1060	Industrial Monitor, 12.1" display with capacitive touchscreen, Build-in mounting, NYML port	1,861.00	686605	4549734158268			NA	A	NLD	8528.5291.00
NYM12W-C1062	Industrial Monitor, 12.1" display with capacitive touchscreen, Build-in mounting, NYML port, with custom logo - TEMPLATE	1,947.00	678857	4549734158299			NA	A	NLD	8528.5291.00
NYM15W-C1000	Industrial Monitor, 15.4" display with capacitive touchscreen, Build-in mounting, DVI-D port	1,669.00	686606	4548583813038			NA	A	NLD	8528.5291.00
NYM15W-C1060	Industrial Monitor, 15.4" display with capacitive touchscreen, Build-in mounting, NYML port	1,962.00	686604	4549734158275			NA	A	NLD	8528.5291.00
NYM15W-C1062	Industrial Monitor, 15.4" display with capacitive touchscreen, Build-in mounting, NYML port, with custom logo - TEMPLATE	2,049.00	678860	4549734158312			NA	A	NLD	8528.5291.00
NYM19W-C1000	Industrial Monitor, 18.5" display with capacitive touchscreen, Build-in mounting, DVI-D port	2,151.00	688734	4549734279239			NA	A	NLD	8528.5291.00
NYM19W-C1002	Industrial Monitor, 18.5" display with capacitive touchscreen, Build-in mounting, DVI-D port, with custom logo - TEMPLATE	2,237.00	688733	4549734279246			NA	A	NLD	8528.5291.00
NYM19W-C1060	Industrial Monitor, 18.5" display with capacitive touchscreen, Build-in mounting, NYML port	2,341.00	688732	4549734279253			NA	A	NLD	8528.5291.00
NYM19W-C1062	Industrial Monitor, 18.5" display with capacitive touchscreen, Build-in mounting, NYML port, with custom logo - TEMPLATE	2,428.00	688731	4549734279260			NA	A	NLD	8528.5291.00
NYM19W-C1100	Industrial Monitor, 18.5" display with capacitive touchscreen, Build-in mounting, DVI-D port, Ni plating	2,286.00	693304	4549734279277			NA	A	NLD	8528.5291.00
NYM19W-C1102	Industrial Monitor, 18.5" display with capacitive touchscreen, Build-in mounting, DVI-D port, Ni plating, with custom logo - TEMPLATE	2,373.00	693303	4549734279284			NA	A	NLD	8528.5291.00
NY000-AC00 2M	DVI cable 2 m	79.35	686292	4548583873391			NA	A	NLD	8544.4290.90
NY000-AC00 5M	DVI cable 5 m	94.45	686291	4548583873407			NA	A	NLD	8544.4290.90
NY000-AH00	320 GB HDD	169.30	686296	4548583873353			NA	A	NLD	8471.7050.00
NY000-AH01	500 GB HDD	222.00	686289	4549734164504			NA	A	NLD	8471.7050.00
NY000-AH02	1 TB HDD	222.00	690445	4549734164511			NA	A	NLD	8471.7050.00
NY000-AS00	32 GB SSD (SLC)	794.00	686295	4548583873360			NA	A	NLD	8471.7098.00

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Data sheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
NY000-AS01	64 GB SSD (S/LC)	1.407,00	686294	4548583873377			NA	A	NLD	8471.7098.00
NY000-AS02	128 GB SSD (M/LC)	301,20	686293	4548583873384			NA	A	NLD	8471.7098.00
NY000-AS04	128 GB SSD (M/LC)	307,60	686298	4549734268758			NA	A	NLD	8471.7098.00
NY000-AS07	1 TB SSD (3D TLC)	850,00	699913	4549734689441			NA	A	NLD	8471.7098.00
NY000-AS08	256 GB SSD (M/LC)	450,00	699914	4549734609203			NA	A	NLD	8471.7098.00
NY000-AT00	CFast M.L.C. Capacity: 64 GB	185,80	684492	4549734262989			NA	A	NLD	8471.7098.00
NY000-AT01	CFast M.L.C. Capacity: 128 GB	319,90	684491	4549734262996			NA	A	NLD	8471.7098.00
NY000-AT02	CFast M.L.C. Capacity: 256 GB	593,00	684490	4549734263009			NA	A	NLD	8471.7098.00
NY000-AB00	Book mount bracket for following PC Models: NYB1E*, NYB17*, NYB27*, NYB25*, NYB1C*, NY51*	57,50	686299	4548583873308			NA	A	NLD	8471.8000.00
NY000-AB01	Wall mount bracket for Box PC	52,05	686298	4548583873315			NA	A	NLD	8471.8000.00
NY000-AB02	Book mount bracket for following PC Models: NYB2C*1", NYB35*1"	68,60	683575	4548583873322			NA	A	NLD	8471.8000.00
NY000-AF00	Spare part fan kit	50,00	686297	4548583873346			NA	A	NLD	8471.8000.00
NY000-AK00	Spare part accessory kit (connectors, drive bracket, screws, etc)	29,94	686290	4548583873414			NA	A	NLD	8471.8000.00
<b>Software HMI</b>										
NA-RTLD01	Soft-NA, for Windows 10 Pro 64 bit, 1 x USB Dongle License	1.465,00	694867	4549734592536	#		OA	B	NLD	8523.5190.00
<b>Scada software</b>										
ASTEL-B	Service Agreement (SA) Basic Yearly Subscription	1.082,00	695822	4549734998468			OB	A	ITA	
ASTEL-P	Service Agreement (SA) PP0D Yearly Subscription	2.165,00	695821	4549734998451			OB	A	ITA	4901.9900.00
RTC3-100K	Movicon Pro Runtime Scada Client 100,000 Tags	2.820,00	686004	4549734965903			OB	A	ITA	8523.5190.00
RTC3-1K	Movicon Pro Runtime Scada Client 1,000 Tags	718,00	686003	4549734965897			OB	A	ITA	8523.5190.00
RTC4	MOVICON NEXT V4 Run Time Client	1.539,00	696452	4549734890243			OB	A	ITA	8523.5190.00
RTC3-F-100K	Movicon Pro Runtime Scada 100,000 Tags	10.050,00	685388	4549734962810			OB	A	ITA	8523.5190.00
RTC3-F-100K-6W-M	Movicon Next Pro Runtime Client Server 100,000 tags 6x Webclient option+ Multidriver (up to 32 simultaneously) 100,000 tags option	17.480,00	692773	4549734966465			OB	A	ITA	8523.5190.00
RTC3-F-20K-3W-A	Movicon Next Pro Runtime Client Server 20,000 tags+ 3xWeb Client Option + Alarm Dispatcher Option	8.990,00	692905	4549734967516			OB	A	ITA	8523.5190.00
RTC3-F-5K-1W-20	Movicon Next Pro Runtime Client Server 5000 tags 1x Webclient 20,000 tags option	5.235,00	688391	4549734971492			OB	A	ITA	8523.5190.00
RTC3-F-5K-1W-O	Movicon Next Pro Runtime Client Server 5000 tags 1x Web Client Option +OPC-UA Server Option	5.960,00	693985	4549734993746			OB	A	ITA	8523.5190.00
RTC3-F-5K-2W-M	Movicon Next Pro Runtime Client Server 5000 tags 2x Webclient + Multidriver (up to 32 simultaneously)	6.155,00	690664	4549734983112			OB	A	ITA	8523.5190.00
RTC3-F-5K-8W	Movicon Pro SCADA, Client/Server 5000 tag + 8 Web Clients	7.795,00	690665	4549734983129			OB	A	ITA	8523.5190.00
RTC3-PLX1	ProLean 1 OEE + Movicon Pro Runtime	3.394,00	694020	4549734993906			OB	A	ITA	8523.5190.00
RTC3-PLX10	ProLean 10 OEE + Movicon Pro Runtime	10.090,00	694022	4549734993920			OB	A	ITA	8523.5190.00
RTC3-PLX15	ProLean 15 OEE + Movicon Pro Runtime	12.570,00	694023	4549734993937			OB	A	ITA	8523.5190.00
RTC3-PLX5	ProLean 5 OEE + Movicon Pro Runtime	8.345,00	694021	4549734993913			OB	A	ITA	8523.5190.00
RTC3-F-20K	Movicon Pro Runtime Scada 20,000 Tags	6.155,00	696456	4549734890281			OB	A	ITA	8523.5190.00
RTC3-F-20K-1W	Movicon Next Pro Runtime Client Server 20,000 tags 1x Web Client Option	6.975,00	696444	4549734890175			OB	A	ITA	8523.5190.00
RTC3-F-40K	Movicon Pro Runtime Scada 40,000 Tags	7.080,00	696455	4549734890274			OB	A	ITA	8523.5190.00
RTC3-F-5K	Movicon Pro Runtime Scada 5,000 Tags	4.511,00	696454	4549734890267			OB	A	ITA	8523.5190.00
RTC3-F-5K-1W	Movicon Pro SCADA, Client/Server 5000 tag + 1 Web client	5.235,00	696453	4549734890250			OB	A	ITA	8523.5190.00
RTC3-F-5K-1W-O	Movicon Pro Runtime Scada 5,000 Tags + 1 x Movicon Web Client+ OPC-UA Server Option	6.050,00	700418	4549734894593			OB	A	ITA	8523.5190.00
RTC3-F-5K-5W-A	Movicon Next Pro Runtime Client Server 5000 tags 5x Web Client Option + Alarm Dispatcher	8.920,00	696443	4549734890168			OB	A	ITA	8523.5190.00
RTC3-F-5K-5W-O-AS-3D	Movicon Pro SCADA, Client/Server 5000 tag + 5 Web client + OPC-UA Server + Alarm Dispatcher + Alarm Statistics + 3D Visualization	10.470,00	696438	4549734890113			OB	A	ITA	8523.5190.00
RTC3-F-5K-A	Movicon Next Pro Runtime Client Server 5000 tags + Alarm Dispatcher	5.255,00	696457	4549734890298			OB	A	ITA	8523.5190.00
RTC3-F-5K-M	Movicon Next Pro Runtime Client Server 5000 tags + Multidriver (32) option	5.255,00	696458	4549734890304			OB	A	ITA	8523.5190.00
RTC3-F-5K-O	Movicon Pro Runtime Scada 5,000 Tags + OPC-UA Server Option	5.335,00	700707	4549734895019			OB	A	ITA	8523.5190.00
<b>Scada software (OEM and accessories)</b>										
DEV3	Movicon SCADA Editor 1 License	1.949,00	685384	4549734962773			OB	Z	ITA	8523.5190.00
DEV4	Movicon Next V4 SCADA Editor, 1 License	1.949,00	696211	4549734995595			OB	Z	ITA	8523.5190.00
DEV403L	Movicon 4 SCADA Editor 3 Licenses package	2.727,00	696292	4549734889230			OB	Z	ITA	8523.5190.00
DEV410L	Movicon 4 SCADA Editor 10 Licenses package	5.455,00	696291	4549734889223			OB	Z	ITA	8523.5190.00
KWP-OMRNF0-PPD	KeWare OPC-UA Server (KeWareServerEX Omron Drivers) Version 6	975,50	678801	4549734928724			OB	Z	USA	8523.8090.00
RTH3-4K	Movicon OEM Runtime Scada Client-Server 4,000 tags	2.013,00	686274	4549734967143			OB	Z	ITA	8523.5190.00
RTH4-2K-0W-0	MOVICON 4 RunTime Client-Server 2000 tag OEM	1.539,00	696262	4549734999922			OB	Z	ITA	8523.5190.00
RTH4-2K-0W-0-3D	MOVICON 4 RunTime Client-Server 2000 tag OEM+3D Option	1.713,00	696263	4549734999939			OB	Z	ITA	8523.5190.00
RTH4-2K-0W-H	MOVICON 4 RunTime Client-Server 2000 tag OEM with Historian and Data Logger option	2.051,00	696264	4549734999946			OB	Z	ITA	8523.5190.00
RTH4-2K-0W-H-3D	MOVICON 4 RunTime Client-Server 2000 tag OEM+Historian and Data Logger+3D Option	2.226,00	696265	4549734999953			OB	Z	ITA	8523.5190.00
RTH4-2K-1W-0	MOVICON 4 RunTime Client-Server 2000 tag OEM with 1 webclient option	1.795,00	696266	4549734999960			OB	Z	ITA	8523.5190.00
RTH4-2K-1W-H	MOVICON 4 RunTime Client-Server 2000 tag OEM with Historian and Data Logger option with 1 webclient option	2.307,00	696267	4549734999977			OB	Z	ITA	8523.5190.00
RTH4-2K-1W-H-3D	MOVICON 4 RunTime Client-Server 2000 tag OEM+1xWeb Client Option+Historian and Data Logger+3D Option	2.481,00	696268	4549734999984			OB	Z	ITA	8523.5190.00
RTH4-2K-5W-H	MOVICON 4 RunTime Client-Server 2000 tag OEM+ 5x Web Clients Option+Historian and Data Logger	3.331,00	696269	4549734889001			OB	Z	ITA	8523.5190.00
RTH4-4K-0W-0	MOVICON 4 RunTime Client-Server 4000 tag OEM	2.013,00	696270	4549734889018			OB	Z	ITA	8523.5190.00
RTH4-4K-0W-0-3D	MOVICON 4 RunTime Client-Server 4000 tag OEM+3D Option	2.187,00	696271	4549734889025			OB	Z	ITA	8523.5190.00
RTH4-4K-0W-H	MOVICON 4 RunTime Client-Server 4000 tag OEM with Historian and Data Logger option	2.525,00	696272	4549734889032			OB	Z	ITA	8523.5190.00
RTH4-4K-0W-H-3D	MOVICON 4 RunTime Client-Server 4000 tag OEM+Historian and Data Logger+3D Option	2.700,00	696274	4549734889056			OB	Z	ITA	8523.5190.00
RTH4-4K-1W-0	MOVICON 4 RunTime Client-Server 4000 tag OEM with 1 webclient option	2.270,00	696276	4549734889070			OB	Z	ITA	8523.5190.00
RTH4-4K-1W-H	MOVICON 4 RunTime Client-Server 4000 tag OEM with Historian and Data Logger option with 1 webclients option	2.782,00	696277	4549734889087			OB	Z	ITA	8523.5190.00
RTH4-4K-2W-H	Movicon OEM Runtime Client-Server 4,000 tags + Movicon SCADA OEM Historian+Data Logger+ Reports Option+ 2 Web Clients Option	3.040,00	700822	4549734889560			OB	Z	ITA	8523.5190.00
RTH4-4K-2W-H-IDRV	Movicon OEM Runtime Client-Server 4,000 tags + 2 Web Clients + Historian+Data Logger + Reports Option + 1 Additional Automation Driver	3.212,00	699036	4549734891479			OB	Z	ITA	8523.5190.00
RTH4-4K-5W-0	MOVICON 4 RunTime Client-Server 4000 tag OEM+5xWeb Client Option	3.246,00	696278	4549734889094			OB	Z	ITA	8523.5190.00

Image	Rem Long Description (Web page)	2021 List Price	SLN. (Daheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
<b>Mobile Flow license.</b>										
20271-800	License, 1 Yr. Fleet Operations Workspace Core, Primary	1,000.00	690680	4549734511254			OC	A	USA	8479.5000.00
20271-802	License, 1 Yr. Fleet Operations Workspace Core, Secondary	1,000.00	690688	4549734511278			OC	A	USA	8479.5000.00
20271-806	License, 5 Yr. Fleet Operations Workspace Core, Primary	6,250.00	690670	4549734547475			OC	A	USA	8479.5000.00
20271-807	License, 5 Yr. Fleet Operations Workspace Core, Secondary	6,250.00	690671	4549734547482			OC	A	USA	8479.5000.00
<b>Mobile Other licenses.</b>										
20271-804	License, Fleet Simulator, Perpetual Fleet Simulator License for existinq EM2100 devices	7,880.00	694788	4549734511292			OC	B	USA	8479.5000.00
20271-805	License, One-Shot, Cell Alignment Positioning System (CAPS)	2,121.00	690669	4549734511308			OC	B	USA	8479.5000.00
20271-301	Migration Bundle, 1 AMR Migration Pack SW Only, 5-YR FLOW Core License	1,200.00	690672	4549734580212			OC	B	USA	8479.5000.00
20271-302	Migration Bundle, 2 AMR Migration Pack SW Only, 5-YR FLOW Core License	2,400.00	690673	4549734580229			OC	B	USA	8479.5000.00
20271-303	Migration Bundle, 3 AMR Migration Pack SW Only, 5-YR FLOW Core License	3,500.00	690674	4549734580236			OC	B	USA	8479.5000.00
20271-304	Migration Bundle, 4 AMR Migration Pack SW Only, 5-YR FLOW Core License	4,700.00	690675	4549734580243			OC	B	USA	8479.5000.00
20271-305	Migration Bundle, 5 AMR Migration Pack SW Only, 5-YR FLOW Core License	5,900.00	690676	4549734580250			OC	B	USA	8479.5000.00
20271-310	Migration Bundle, 10 AMR Migration Pack SW Only, 5-YR FLOW Core License	9,300.00	690677	4549734580267			OC	B	USA	8479.5000.00
20271-320	Migration Bundle, 20 AMR Migration Pack SW Only, 5-YR FLOW Core License	14,100.00	690678	4549734580274			OC	B	USA	8479.5000.00
20271-321	Migration Bundle, 21+ AMR Migration Pack SW Only, 5-YR FLOW Core License	23,500.00	690679	4549734580281			OC	B	USA	8479.5000.00
13495-200	Mobile Planner 4 License Dongle (per computer)	3,076.00	679604	4549734123457			OC	B	USA	8479.9070.99
<b>K6.</b>										
K6CM-CI2MA-EIP	Motor Condition Monitoring, AC, 3-phase, Induction motor, Current Analysis model, 100 to 240 VAC, Transistor control output, Push-in Plus, LCD display, Ethernet IP/Modbus, applicable in environment with inverters	1,310.00	695077	4549734605182			RA	A	JPN	9030.3370.00
K6CM-CI2MD-EIP	Motor Condition Monitoring, AC, 3-phase, Induction motor, Current Analysis model, 24 VAC/VDC, Transistor control output, Push-in Plus, LCD display, Ethernet IP/Modbus, applicable in environment with inverters	1,310.00	695076	4549734605199			RA	A	JPN	9030.3370.00
K6CM-CIMA-EIP	Motor Condition Monitoring, AC, 3-phase, Induction motor, Current Analysis model, 100 to 240 VAC, Transistor control output, Push-in Plus, LCD display, Ethernet IP	3,222.00	680574	4549734178693			RA	A	JPN	9030.3370.00
K6CM-CIMD-EIP	Motor Condition Monitoring, AC, 3-phase, Induction motor, Current Analysis model, 24 VAC/VDC, Transistor control output, Push-in Plus, LCD display, Ethernet IP	3,222.00	680573	4549734178709			RA	A	JPN	9030.3370.00
K6CM-ISMA-EIP	Motor Condition Monitoring, AC, 3-phase, Induction motor, Insulation resistance model, 100 to 240 VAC, Transistor control output, Push-in Plus, LCD display, Ethernet IP	980.00	680571	4549734178716			RA	A	JPN	9030.3370.00
K6CM-ISMD-EIP	Motor Condition Monitoring, AC, 3-phase, Induction motor, Insulation resistance model, 24 VAC/VDC, Transistor control output, Push-in Plus, LCD display, Ethernet IP	980.00	680572	4549734178723			RA	A	JPN	9030.3370.00
K6CM-VBMA-EIP	Motor Condition Monitoring, AC, 3-phase, Induction motor, Vibration & temperature model, 100 to 240 VAC, Transistor control output, Push-in Plus, LCD display, Ethernet IP	970.00	680567	4549734178679			RA	A	JPN	9030.8900.00
K6CM-VBMD-EIP	Motor Condition Monitoring, AC, 3-phase, Induction motor, Vibration & Temperature model, 24 VAC/VDC, Transistor control output, Push-in Plus, LCD display, Ethernet IP	970.00	680562	4549734178686			RA	A	JPN	9030.8900.00
K6PM-THMD-EIP	Thermal condition monitoring device for control cabinets and panels, 24 VDC, transistor control output, Push-in Plus, LCD display, EtherNet/IP and Modbus TCP	1,090.00	690911	4549734500920			RA	A	JPN	9031.8080.00
K7GE-MGMA	Insulation Resistance Monitoring Device for 3-phase & servo motors, pumps and heaters, 100 to 240 VAC, transistor control output, Push-in Plus, LCD display, RS-485/Modbus/RTU	1,050.00	700665	4549734673921			RA	A	JPN	9030.3370.00
K7GE-MGMD	Insulation Resistance Monitoring Device for 3-phase & servo motors, pumps and heaters, 24 VAC/VDC, transistor control output, Push-in Plus, LCD display, RS-485/Modbus RTU	1,050.00	700664	4549734673938			RA	A	JPN	9030.3370.00
<b>K6 Accessories.</b>										
K6CM-CICB005	CT sensor for Current analysis model K6CM-CIM, 5A rated primary-side current	110.00	680570	4549734178747			RA	Z	JPN	9030.3370.00
K6CM-CICB025	CT sensor for Current analysis model K6CM-CIM, 25A rated primary-side current	120.00	680563	4549734178754			RA	Z	JPN	9030.3370.00
K6CM-CICB100	CT sensor for Current analysis model K6CM-CIM, 100A rated primary-side current	130.00	680568	4549734178761			RA	Z	JPN	9030.3370.00
K6CM-CICB200	CT sensor for Current analysis model K6CM-CIM, 200A rated primary-side current	150.00	680564	4549734178778			RA	Z	JPN	9030.3370.00
K6CM-CICB400	CT sensor for Current analysis model K6CM-CIM, 400A rated primary-side current	180.00	680561	4549734178785			RA	Z	JPN	9030.3370.00
K6CM-CICB600	CT sensor for Current analysis model K6CM-CIM, 600A rated primary-side current	200.00	680566	4549734178792			RA	Z	JPN	9030.3370.00
K6CM-ISZBI52	ZCT sensor for Insulation Resistance model K6CM-ISM, 200 to 480 VAC, 52mm dia. Through hole	750.00	680569	4549734178808			RA	Z	JPN	9030.3370.00
K6CM-VBS1	Sensor head & Pre-amplifier for Vibration & temperature model K6CM-VBS1, M6 screw attachment part also included	640.00	680565	4549734178730			RA	Z	JPN	9030.8900.00
K6CM-VBSA11	Adhesive attachment for the vibration and temperature sensor K6CM-VBS1	42.00	700456	4549734489058			RA	Z	JPN	9030.8900.00
K6PM-THS3232	Infrared thermal sensor for K6PM-THMD-EIP, 24 VDC, 0°C - 200°C, 1,024 pixels, FOV 90° x 90°	760.00	690912	4549734500937			RA	Z	JPN	9031.8080.00
K7GE-MG1	Probe unit for Insulation Resistance Monitoring Device K7GE-MGM	250.00	700663	4549734673945			RA	Z	JPN	9030.3370.00
<b>A2W wireless pushbutton switch.</b>										
A2W-AT2.5-WC1	High-sensitivity magnetic base antenna for A2W Master unit receiver, cable length 2.5 m	20.51	685518	4549734188821			FB	A	JPN	8529.1069.00
A2W-H-WC1	Holder for Wireless Mushroom/Full quad button	20.51	688838	4549734188838			FB	A	JPN	8536.5011.90
A2W-FBN-WC1 EU	Master unit receiver, EU frequency 868.3 MHz, 8 NPN transistor outputs, 24 VDC	174.40	685476	4549734187749			FB	A	JPN	8536.5019.90
A2W-FBP-WC1 EU	Master unit receiver, EU frequency 868.3 MHz, 8 PNP transistor outputs, 24 VDC	174.40	685474	4549734187756			FB	A	JPN	8536.5019.90
A2W-S-WC1	Save button strap for A2W pushbutton	22.56	687091	4549734188845			FB	A	JPN	8536.5011.90
A2W-TB-WC1 EU1AB	Wireless Mushroom button, dia. 40 mm., EU frequency 868.3 MHz, Button/flange colors blue-black	123.10	685466	4549734188012			FB	A	JPN	8536.5011.90
A2W-TB-WC1 EU1BB	Wireless Mushroom button, dia. 40 mm., EU Frequency 868.3 MHz, Button/flange colors black-black	123.10	688933	4549734200615			FB	A	JPN	8536.5011.90
A2W-TB-WC1 EU1BR	Wireless Mushroom button, dia. 40 mm., EU Frequency 868.3 MHz, Button/flange colors black-red	123.10	685461	4549734188036			FB	A	JPN	8536.5011.90
A2W-TB-WC1 EU1BY	Wireless Mushroom button, dia. 40 mm., EU frequency 868.3 MHz, Button/flange colors black-yellow	123.10	685469	4549734188043			FB	A	JPN	8536.5011.90
A2W-TB-WC1 EU1GB	Wireless Mushroom button, dia. 40 mm., EU frequency 868.3 MHz, Button/flange colors green-black	123.10	685464	4549734187992			FB	A	JPN	8536.5011.90
A2W-TB-WC1 EU1FB	Wireless Mushroom button, dia. 40 mm., EU frequency 868.3 MHz, Button/flange colors red-black	123.10	685472	4549734187985			FB	A	JPN	8536.5011.90
A2W-TB-WC1 EU1WB	Wireless Mushroom button, dia. 40 mm., EU frequency 868.3 MHz, Button/flange colors white-black	123.10	685473	4549734188029			FB	A	JPN	8536.5011.90
A2W-TB-WC1 EU1YB	Wireless Mushroom button, dia. 40 mm., EU frequency 868.3 MHz, Button/flange colors yellow-black	123.10	685465	4549734188005			FB	A	JPN	8536.5011.90
A2W-TB-WC1 EU2AB	Wireless Full quad button, dia. 34.4 mm., EU frequency 868.3 MHz, Button/flange colors blue-black	118.00	685471	4549734188500			FB	A	JPN	8536.5011.90
A2W-TB-WC1 EU2BB	Wireless Full quad button, dia. 34.4 mm., EU frequency 868.3 MHz, Button/flange colors black-black	118.00	697759	4549734200622			FB	A	JPN	8536.5011.90
A2W-TB-WC1 EU2BR	Wireless Full quad button, dia. 34.4 mm., EU frequency 868.3 MHz, Button/flange colors black-red	118.00	685468	4549734188504			FB	A	JPN	8536.5011.90
A2W-TB-WC1 EU2BY	Wireless Full quad button, dia. 34.4 mm., EU frequency 868.3 MHz, Button/flange colors black-yellow	118.00	685475	4549734188531			FB	A	JPN	8536.5011.90
A2W-TB-WC1 EU2GB	Wireless Full quad button, dia. 34.4 mm., EU frequency 868.3 MHz, Button/flange colors green-black	118.00	685463	4549734188487			FB	A	JPN	8536.5011.90
A2W-TB-WC1 EU2FB	Wireless Full quad button, dia. 34.4 mm., EU frequency 868.3 MHz, Button/flange colors red-black	118.00	685462	4549734188470			FB	A	JPN	8536.5011.90
A2W-TB-WC1 EU2WB	Wireless Full quad button, dia. 34.4 mm., EU frequency 868.3 MHz, Button/flange colors white-black	118.00	685467	4549734188517			FB	A	JPN	8536.5011.90

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Daheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
A2W-TB-WC1 EU2YB	Wireless Full guard button, dia. 34.4 mm, EU frequency 868.3 MHz, Button/flange colors yellow-black	118.00	685470	4549734188494			FB	A	JPN	8536.5011.90
<b>Industrial Camera</b>										
STC-HD133DV	DVI over HDMI Area Scan Camera, HD 720p, Color, CCD Sony ICX445AQA, 1/3", 3.75 µm, 60 fps, Global Shutter, C Mount, Cased	448.80	681208	4549734202305			SA	A	JPN	9031.9000.00
STC-HD133DV-CS	DVI over HDMI Area Scan Camera, HD 720p, Color, CCD Sony ICX445AQA, 1/3", 3.75 µm, 60 fps, Global Shutter, CS Mount, Cased	448.80	681373	4549734202312			SA	A	JPN	9031.9000.00
STC-HD133SDI	SDI Area Scan Camera, HD 720p, Color, CCD Sony ICX445AQA, 1/3", 3.75 µm, 60 fps, Global Shutter, C Mount, Cased	521.00	681384	4549734202442			SA	A	JPN	9031.9000.00
STC-HD133SDI-CS	SDI Area Scan Camera, HD 720p, Color, CCD Sony ICX445AQA, 1/3", 3.75 µm, 60 fps, Global Shutter, CS Mount, Cased	521.00	681299	4549734202459			SA	A	JPN	9031.9000.00
STC-HD203DV	Area Scan Camera (cased type), DVI over HDMI, Full HD 1080p, Color, CMOS Sony IMX136, 1/2.8", 2.8 µm, 60 fps, Rolling Shutter, C Mount, cased	472.50	681265	4549734199667			SA	A	JPN	9031.9000.00
STC-HD203DV-B	Area Scan Camera (board type), DVI over HDMI, Full HD 1080p, Color, CMOS Sony IMX136, 1/2.8", 2.8 µm, 60 fps, Rolling Shutter, C Mount, board level	448.80	681245	4549734202329			SA	A	JPN	9031.9000.00
STC-HD213DV	Area Scan Camera (cased type), DVI over HDMI, Full HD 1080p, Color, CMOS Sony IMX291, 1/2.8", 2.8 µm, 60 fps, Rolling Shutter, C Mount, cased	520.50	696468	4549734667029			SA	A	JPN	9031.9000.00
STC-HD213DV-CS	Area Scan Camera (cased type), DVI over HDMI, Full HD 1080p, Color, CMOS Sony IMX291, 1/2.8", 2.8 µm, 60 fps, Rolling Shutter, CS Mount, cased	520.50	696466	4549734667043			SA	A	JPN	9031.9000.00
STC-HD213DVN-B	Area Scan Camera (cased type), DVI over HDMI, Full HD 1080p, color, CMOS Sony IMX291, 1/2.8", 2.8 µm, 60 fps, rolling shutter, C-Mount, non mem. mem. board level	495.00	702558	4549734667104			SA	A	JPN	9031.9000.00
STC-HD213SDI	HD SDI, Area Scan Camera, Full HD 1080p, Color, CMOS Sony IMX291, 1/2.8", 2.8 µm, 60 fps, Rolling Shutter, C Mount, Cased	605.00	696467	4549734667036			SA	A	JPN	9031.9000.00
STC-HD213SDI-CS	HD SDI, Area Scan Camera, Full HD 1080p, Color, CMOS Sony IMX291, 1/2.8", 2.8 µm, 60 fps, Rolling Shutter, CS Mount, Cased	605.00	696465	4549734667050			SA	A	JPN	9031.9000.00
STC-HD853HDMI	4K HDMI, Area Scan Camera, 4K2160p, Color, CMOS Sony IMX274, 1/2.5", 1.62 µm, 60 fps, C Mount, Cased	656.50	690475	4549734509947			SA	A	JPN	9031.9000.00
STC-HD93DV	DVI over HDMI Area Scan Camera, HD 720p, Color, CCD Sony ICX692AQA, 1/3", 4.08 µm, 60 fps, Global Shutter, C Mount, Cased	443.70	681357	4549734202336			SA	A	JPN	9031.9000.00
STC-HD93SDI	SDI Area Scan Camera, HD 720p, Color, CCD Sony ICX692AQA, 1/3", 4.08 µm, 60 fps, Global Shutter, C Mount, Cased	511.00	681153	4549734202466			SA	A	JPN	9031.9000.00
STC-HD93SDI-CS	SDI Area Scan Camera, HD 720p, Color, CCD Sony ICX692AQA, 1/3", 4.08 µm, 60 fps, Global Shutter, CS Mount, Cased	511.00	681199	4549734202473			SA	A	JPN	9031.9000.00
31940-010-E	KI, camera, GigE, POE, 720 x 540, 1/2.9", 282.2 fcs, B/W, M series, 10 m GigE cable, 10 m IO/power cable, camera tripod mount	872.00	699014	4549734891349			SA	A	JPN	9031.9000.00
31940-011-E	KI, camera, GigE, POE, 720 x 540, 1/2.9", 282.2 fcs, color, M series, 10 m GigE cable, 10 m IO/power cable, camera tripod mount	872.00	699012	4549734891332			SA	A	JPN	9031.9000.00
31940-100-E	KI, camera, GigE, POE, 3856 x 2764, 1/2.3", 10.3 fcs, B/W, M series, 10 m GigE cable, 10 m IO/power cable, camera tripod mount	908.00	698990	4549734891126			SA	A	JPN	9031.9000.00
31940-120-E	KI, camera, GigE, POE, 4000 x 3000, 1/1.7", 9.2 fcs, B/W, M series, 10 m GigE cable, 10 m IO/power cable, camera tripod mount	965.00	698988	4549734891219			SA	A	JPN	9031.9000.00
31940-121-E	KI, camera, GigE, POE, 4000 x 3000, 1/1.7", 9.2 fcs, Color, M series, 10 m GigE cable, 10 m IO/power cable, camera tripod mount	965.00	698986	4549734891202			SA	A	JPN	9031.9000.00
31940-130-E	KI, camera, GigE, POE, 1280 x 1024, 1/1.8", 61 fcs, B/W, M series, 10 m GigE cable, 10 m IO/power cable, camera tripod mount	891.00	699010	4549734891325			SA	A	JPN	9031.9000.00
31940-131-E	KI, camera, GigE, POE, 1280 x 1024, 1/1.8", 61 fcs, color, M series, 10 m GigE cable, 10 m IO/power cable, camera tripod mount	891.00	699008	4549734891318			SA	A	JPN	9031.9000.00
31940-160-E	KI, camera, GigE, POE, 1440 x 1088, 1/2.9", 70.7 fcs, B/W, M series, 10 m GigE cable, 10 m IO/power cable, camera tripod mount	903.00	699006	4549734891301			SA	A	JPN	9031.9000.00
31940-161-E	KI, camera, GigE, POE, 1440 x 1088, 1/2.9", 70.7 fcs, color, M series, 10 m GigE cable, 10 m IO/power cable, camera tripod mount	903.00	699004	4549734891295			SA	A	JPN	9031.9000.00
31940-200-E	KI, camera, GigE, POE, 1624 x 1240, 1/1.7", 54.6 fcs, B/W, M series, 10 m GigE cable, 10 m IO/power cable, camera tripod mount	978.00	699002	4549734891288			SA	A	JPN	9031.9000.00
31940-201-E	KI, camera, GigE, POE, 1624 x 1240, 1/1.7", 54.6 fcs, color, M series, 10 m GigE cable, 10 m IO/power cable, camera tripod mount	978.00	699000	4549734891271			SA	A	JPN	9031.9000.00
31940-240-E	KI, camera, GigE, POE, 5472 x 3648, 1", 5.5 fcs, B/W, M series, 10 m GigE cable, 10 m IO/power cable, camera tripod mount	1,015.00	698984	4549734891196			SA	A	JPN	9031.9000.00
31940-241-E	KI, camera, GigE, POE, 5472 x 3648, 1", 5.5 fcs, Color, M series, 10 m GigE cable, 10 m IO/power cable, camera tripod mount	1,015.00	698982	4549734891189			SA	A	JPN	9031.9000.00
31940-320-E	KI, camera, GigE, POE, 2048 x 1536, 2/3", 34.9 fcs, B/W, M series, 10 m GigE cable, 10 m IO/power cable, camera tripod mount	1,027.00	698989	4549734891264			SA	A	JPN	9031.9000.00
31940-321-E	KI, camera, GigE, POE, 2048 x 1536, 2/3", 34.9 fcs, color, M series, 10 m GigE cable, 10 m IO/power cable, camera tripod mount	1,027.00	698986	4549734891257			SA	A	JPN	9031.9000.00
31940-500-E	KI, camera, GigE, POE, 2448 x 2048, 2/3", 21.9 fcs, B/W, M series, 10 m GigE cable, 10 m IO/power cable, camera tripod mount	1,139.00	698980	4549734891172			SA	A	JPN	9031.9000.00
31940-501-E	KI, camera, GigE, POE, 2448 x 2048, 2/3", 21.9 fcs, color, M series, 10 m GigE cable, 10 m IO/power cable, camera tripod mount	1,139.00	698978	4549734891165			SA	A	JPN	9031.9000.00
31940-530-E	KI, camera, GigE, POE, 2592 x 1944, 1/2.3", 14 fcs, B/W, M series, 10 m GigE cable, 10 m IO/power cable, camera tripod mount	858.50	698994	4549734891246			SA	A	JPN	9031.9000.00
31940-531-E	KI, camera, GigE, POE, 2592 x 1944, 1/2.3", 14 fcs, color, M series, 10 m GigE cable, 10 m IO/power cable, camera tripod mount	858.50	698992	4549734891233			SA	A	JPN	9031.9000.00
STC-CM4M-POE	GigE Vision Area Scan Camera, 4 MP, Color, CMOS CMOS05CMV4000, 1", 5.5 µm, 25 fps, Global Shutter, C Mount, Cased, POE	1,129.00	681163	4549734197007			SA	A	JPN	9031.9000.00
STC-MBA1002POE	GigE Vision Area Scan Camera, 10.0 MP, Monochrome, CMOS MT9J003, 1/2.3", 1.67 µm, 10.3 fps, Rolling Shutter, C Mount, Cased, POE	545.50	695958	4549734594299			SA	A	JPN	9031.9000.00
STC-MBA503POE	GigE Vision Area Scan Camera, 5.0 MP, Monochrome, CMOS MT9P031, 1/2.5", 2.2 µm, 14 fps, Rolling Shutter, C Mount, Cased, POE	454.50	695913	4549734594882			SA	A	JPN	9031.9000.00
STC-MBE132POE	GigE Vision Area Scan Camera, 1.3 MP, Monochrome, CMOS EV76C560, 1/1.8", 5.3 µm, 61 fps, Global Shutter, C Mount, Cased, POE	424.20	695960	4549734594844			SA	A	JPN	9031.9000.00
STC-MBS1242POE	GigE Vision Area Scan Camera, 12.0 MP, Monochrome, CMOS Sony IMX226, 1/1.7", 1.85 µm, 8.7 fps, Rolling Shutter, C Mount, Cased, POE	923.00	690610	4549734548496			SA	A	JPN	9031.9000.00
STC-MBS163POE	GigE Vision Area Scan Camera, 1.6 MP, Monochrome, CMOS Sony IMX273, 1/2.9", 3.45 µm, 69 fps, Global Shutter, C Mount, Cased, POE	447.10	690602	4549734548410			SA	A	JPN	9031.9000.00
STC-MBS202POE	GigE Vision Area Scan Camera, 2.0 MP, Monochrome, CMOS Sony IMX430, 1/1.7", 4.5 µm, 54.4 fps, Global Shutter, C Mount, Cased, POE	621.00	690604	4549734548434			SA	A	JPN	9031.9000.00
STC-MBS2041POE	GigE Vision Area Scan Camera, 20.0 MP, Monochrome, CMOS Sony IMX183, 1", 2.4 µm, 5.6 fps, Rolling Shutter, C Mount, Cased, POE	943.50	690612	4549734548519			SA	A	JPN	9031.9000.00
STC-MBS231POE	GigE Vision Area Scan Camera, 2.3 MP, Monochrome, CMOS Sony IMX249, 1/1.2", 5.86 µm, 41.6 fps, Global Shutter, C Mount, Cased, POE	626.50	695907	4549734664325			SA	A	JPN	9031.9000.00
STC-MBS312POE	GigE Vision Area Scan Camera, 3.2 MP, Monochrome, CMOS Sony IMX265, 1/1.8", 3.45 µm, 33.4 fps, Global Shutter, C Mount, Cased, POE	826.00	690606	4549734548458			SA	A	JPN	9031.9000.00
STC-MBS43POE	GigE Vision Area Scan Camera, 0.4 MP, Monochrome, CMOS Sony IMX287, 1/2.9", 6.9 µm, 265 fps, Global Shutter, C Mount, Cased, POE	409.10	690600	4549734548439			SA	A	JPN	9031.9000.00
STC-MBS500POE	GigE Vision Area Scan Camera, 5.0 MP, Monochrome, CMOS Sony IMX264, 2/3", 3.45 µm, 21 fps, Global Shutter, C Mount, Cased, POE	930.50	690608	4549734548472			SA	A	JPN	9031.9000.00
STC-MBS52POE	GigE Vision Area Scan Camera, 0.5 MP, Monochrome, CMOS Sony IMX433, 1/1.7", 9.0 µm, 166.5 fps, Global Shutter, C Mount, Cased, POE	424.20	695915	4549734594868			SA	A	JPN	9031.9000.00
STC-MBS542POE	GigE Vision Area Scan Camera, 6.4 MP, Monochrome, CMOS Sony IMX178, 1/1.8", 2.4 µm, 17.4 fps, Rolling Shutter, C Mount, Cased, POE	484.80	695911	4549734594905			SA	A	JPN	9031.9000.00
STC-MBS581POE	GigE Vision Area Scan Camera, 8.9 MP, Monochrome, CMOS Sony IMX267, 1", 3.45 µm, 12.4 fps, Global Shutter, C Mount, Cased, POE	1,818.00	695909	4549734594936			SA	A	JPN	9031.9000.00
STC-MCA503POE	GigE Vision Area Scan Camera, 5.0 MP, Color, CMOS MT9P031, 1/2.5", 2.2 µm, 14 fps, Rolling Shutter, C Mount, Cased, POE	454.50	695912	4549734594899			SA	A	JPN	9031.9000.00
STC-MCE132POE	GigE Vision Area Scan Camera, 1.3 MP, Color, CMOS EV76C560, 1/1.8", 5.3 µm, 61 fps, Global Shutter, C Mount, Cased, POE	424.20	695959	4549734594851			SA	A	JPN	9031.9000.00
STC-MCSI242POE	GigE Vision Area Scan Camera, 12.0 MP, Color, CMOS Sony IMX226, 1/1.7", 1.85 µm, 8.7 fps, Rolling Shutter, C Mount, Cased, POE	923.00	690611	4549734548502			SA	A	JPN	9031.9000.00
STC-MCSI63POE	GigE Vision Area Scan Camera, 1.6 MP, Color, CMOS Sony IMX273, 1/2.9", 3.45 µm, 69 fps, Global Shutter, C Mount, Cased, POE	447.10	690603	4549734548427			SA	A	JPN	9031.9000.00
STC-MCS202POE	GigE Vision Area Scan Camera, 2.0 MP, Color, CMOS Sony IMX430, 1/1.7", 4.5 µm, 54.4 fps, Global Shutter, C Mount, Cased, POE	621.00	690605	4549734548441			SA	A	JPN	9031.9000.00
STC-MCS2041POE	GigE Vision Area Scan Camera, 20.0 MP, Color, CMOS Sony IMX183, 1", 2.4 µm, 5.6 fps, Rolling Shutter, C Mount, Cased, POE	943.50	690613	4549734548526			SA	A	JPN	9031.9000.00
STC-MCS231POE	GigE Vision Area Scan Camera, 2.3 MP, Color, CMOS Sony IMX249, 1/1.2", 5.86 µm, 41.6 fps, Global Shutter, C Mount, Cased, POE	626.50	695906	4549734664332			SA	A	JPN	9031.9000.00
STC-MCS312POE	GigE Vision Area Scan Camera, 3.2 MP, Color, CMOS Sony IMX265, 1/1.8", 3.45 µm, 33.4 fps, Global Shutter, C Mount, Cased, POE	826.00	690607	4549734548465			SA	A	JPN	9031.9000.00
STC-MCS43POE	GigE Vision Area Scan Camera, 0.4 MP, Color, CMOS Sony IMX287, 1/2.9", 6.9 µm, 265 fps, Global Shutter, C Mount, Cased, POE	409.10	690601	4549734548403			SA	A	JPN	9031.9000.00
STC-MCS500POE	GigE Vision Area Scan Camera, 5.0 MP, Color, CMOS Sony IMX264, 2/3", 3.45 µm, 21 fps, Global Shutter, C Mount, Cased, POE	930.50	690609	4549734548489			SA	A	JPN	9031.9000.00
STC-MCS52POE	GigE Vision Area Scan Camera, 0.5 MP, Color, CMOS Sony IMX433, 1/1.7", 9.0 µm, 166.5 fps, Global Shutter, C Mount, Cased, POE	424.20	695914	4549734594875			SA	A	JPN	9031.9000.00
STC-MCS642POE	GigE Vision Area Scan Camera, 6.4 MP, Color, CMOS Sony IMX178, 1/1.8", 2.4 µm, 17.4 fps, Rolling Shutter, C Mount, Cased, POE	484.80	695910	4549734594912			SA	A	JPN	9031.9000.00
STC-MCS81POE	GigE Vision Area Scan Camera, 8.9 MP, Color, CMOS Sony IMX267, 1", 3.45 µm, 12.4 fps, Global Shutter, C Mount, Cased, POE	1,818.00	695908	4549734594943			SA	A	JPN	9031.9000.00
STC-RBS163UV-SM12	Remote Head USB3.0 Area Scan Camera, 1.6 MP, Monochrome, CMOS Sony IMX273, 1/2.9", 3.45 µm, 238 fps, Global Shutter, S Mount, cable from rear, cable length 2.5 m	958.50	696388	4549734555210			SA	A	JPN	9031.9000.00
STC-RBS163UV-SM121	Remote Head USB3.0 Area Scan Camera, 1.6 MP, Monochrome, CMOS Sony IMX273, 1/2.9", 3.45 µm, 238 fps, Global Shutter, S Mount, cable from rear, cable length 1 m	958.50	696390	4549734555173			SA	A	JPN	9031.9000.00
STC-RBS163UV-SM1211	Remote Head USB3.0 Area Scan Camera, 1.6 MP, Monochrome, CMOS Sony IMX273, 1/2.9", 3.45 µm, 238 fps, Global Shutter, S Mount, cable from top, cable length 2.5 m	958.50	696389	4549734555197			SA	A	JPN	9031.9000.00
STC-RCS163PCL-SM12	Remote Head Camera Link Area Scan Camera, 1.6 MP, Color, CMOS Sony IMX273, 1/2.9", 3.45 µm, 238 fps, Global Shutter, S Mount, cable from rear, cable length 2.5 m	958.50	696403	4549734610070			SA	A	JPN	9031.9000.00
STC-RCS163PCL-UM12	Remote Head Camera Link Area Scan Camera, 1.6 MP, Color, CMOS Sony IMX273, 1/2.9", 3.45 µm, 238 fps, Global Shutter, S Mount, cable from top, cable length 2.5 m	958.50	696402	4549734610087			SA	A	JPN	9031.9000.00
STC-RCS163UV-SM12	Remote Head USB3.0 Area Scan Camera, 1.6 MP, Color, CMOS Sony IMX273, 1/2.9", 3.45 µm, 238 fps, Global Shutter, S Mount, cable from rear, cable length 2.5 m	9								

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Daheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
STC-RCS43PCL-UM12	Remote Head Camera Link Area Scan Camera, 0.4 MP, Color, CMOS Sony IMX287, 1/2.9", 6.9 µm, 523 fps, Global Shutter, S Mount, cable from top, cable length 25 m	958.50	696404	4549734610049			SA	A	JPN	9031.9000.00
STC-SB133POEHS	GigE Vision Area Scan Camera, 1.3 MP, Monochrome, CCD Sony ICX445AL, 1/3", 3.75 µm, 40 fps, Global Shutter, C Mount, Cased	415.30	681182	4549734202343			SA	A	JPN	9031.9000.00
STC-SB152POEHS	GigE Vision Area Scan Camera, 1.3 MP, Monochrome, CCD Sony ICX287AL, 1/2", 4.65 µm, 34 fps, Global Shutter, C Mount, Cased	592.50	681280	4549734203197			SA	A	JPN	9031.9000.00
STC-SB202POEHS	GigE Vision Area Scan Camera, 2 MP, Monochrome, CCD Sony ICX274AL, 1/1.8", 4.4 µm, 15 fps, Global Shutter, C Mount, Cased	621.00	681300	4549734202350			SA	A	JPN	9031.9000.00
STC-SB33POE	GigE Vision Area Scan Camera, 0.3 MP, Monochrome, CCD Sony ICX244AL, 1/3", 7.4 µm, 30 fps, Global Shutter, C Mount, Cased	372.30	681230	4549734202361			SA	A	JPN	9031.9000.00
STC-SB83POE	GigE Vision Area Scan Camera, 0.8 MP, Monochrome, CCD Sony ICX204AL, 1/3", 4.65 µm, 36 fps, Global Shutter, C Mount, Cased	429.60	681164	4549734202387			SA	A	JPN	9031.9000.00
STC-SC133POEHS	GigE Vision Area Scan Camera, 1.3 MP, Color, CCD Sony ICX445AQ, 1/3", 3.75 µm, 40 fps, Global Shutter, C Mount, Cased	429.60	681258	4549734202398			SA	A	JPN	9031.9000.00
STC-SC152POE	GigE Vision Area Scan Camera, 1.3 MP, Color, CCD Sony ICX205AK, 1/2", 4.65 µm, 19 fps, Global Shutter, C Mount, Cased	521.00	681159	4549734203180			SA	A	JPN	9031.9000.00
STC-SC202POE	GigE Vision Area Scan Camera, 2 MP, Color, CCD Sony ICX274AQ, 1/1.8", 4.4 µm, 15 fps, Global Shutter, C Mount, Cased	611.50	681343	4549734202404			SA	A	JPN	9031.9000.00
STC-SC202POEHS	GigE Vision Area Scan Camera, 2 MP, Color, CCD Sony ICX274AQ, 1/1.8", 4.4 µm, 30 fps, Global Shutter, C Mount, Cased	706.50	681360	4549734203203			SA	A	JPN	9031.9000.00
STC-SC33POEHS	GigE Vision Area Scan Camera, 0.3 MP, Color, CCD Sony ICX424AQ, 1/3", 7.4 µm, 122 fps, Global Shutter, C Mount, Cased	420.00	681225	4549734202411			SA	A	JPN	9031.9000.00
STC-SC83POE	GigE Vision Area Scan Camera, 0.8 MP, Color, CCD Sony ICX204AK, 1/3", 4.65 µm, 36 fps, Global Shutter, C Mount, Cased	443.70	681319	4549734202435			SA	A	JPN	9031.9000.00
STC-SCS231POE	GigE Vision Area Scan Camera, 2.3 MP, Color, CMOS Sony IMX249, 1/1.2", 5.86 µm, 31 fps, Global Shutter, C Mount, Cased, POE	583.00	681219	4549734196963			SA	A	JPN	9031.9000.00
STC-MB133USB	USB 2.0 Area Scan Camera, 1.3 MP, Monochrome, CCD Sony ICX445AL, 1/3", 3.75 µm, 22 fps, Global Shutter, CS Mount, Cased	310.50	681165	4549734202800			SA	A	JPN	9031.9000.00
STC-MB152USB	USB 2.0 Area Scan Camera, 1.4 MP, Monochrome, CCD Sony ICX205AL, 1/2", 4.65 µm, 19 fps, Global Shutter, C Mount, Cased	429.60	681374	4549734202817			SA	A	JPN	9031.9000.00
STC-MB202USB	USB 2.0 Area Scan Camera, 2 MP, Monochrome, CCD Sony ICX274AL, 1/1.8", 4.4 µm, 15 fps, Global Shutter, C Mount, Cased	535.00	681147	4549734202824			SA	A	JPN	9031.9000.00
STC-MB33USB	USB 2.0 Area Scan Camera, 0.3 MP, Monochrome, CCD Sony ICX424AL, 1/3", 7.4 µm, 60 fps, Global Shutter, CS Mount, Cased	272.10	681198	4549734202831			SA	A	JPN	9031.9000.00
STC-MB83USB	USB 2.0 Area Scan Camera, 0.8 MP, Monochrome, CCD Sony ICX204AL, 1/3", 4.65 µm, 29 fps, Global Shutter, CS Mount, Cased	324.60	681366	4549734202848			SA	A	JPN	9031.9000.00
STC-MC133USB	USB 2.0 Area Scan Camera, 1.4 MP, Color, CCD Sony ICX445AQ, 1/3", 3.75 µm, 22 fps, Global Shutter, CS Mount, Cased	324.60	681231	4549734202855			SA	A	JPN	9031.9000.00
STC-MC152USB	USB 2.0 Area Scan Camera, 1.4 MP, Color, CCD Sony ICX205AK, 1/2", 4.65 µm, 19 fps, Global Shutter, C Mount, Cased	425.10	681255	4549734202862			SA	A	JPN	9031.9000.00
STC-MC202USB	USB 2.0 Area Scan Camera, 2 MP, Color, CCD Sony ICX274AQ, 1/1.8", 4.4 µm, 15 fps, Global Shutter, C Mount, Cased	516.50	681143	4549734202879			SA	A	JPN	9031.9000.00
STC-MC33USB	USB 2.0 Area Scan Camera, 0.3 MP, Color, CCD Sony ICX424AQ, 1/3", 7.4 µm, 60 fps, Global Shutter, CS Mount, Cased	281.80	681288	4549734202886			SA	A	JPN	9031.9000.00
STC-MC83USB	USB 2.0 Area Scan Camera, 0.8 MP, Color, CCD Sony ICX204AK, 1/3", 4.65 µm, 29 fps, Global Shutter, CS Mount, Cased	334.30	681342	4549734202893			SA	A	JPN	9031.9000.00
STC-SB133USB-AL	USB 2.0 Area Scan Camera, 1.3 MP, Monochrome, CCD Sony ICX445AL, 1/3", 3.75 µm, 22 fps, Global Shutter, CS Mount, Cased	300.70	681233	4549734202909			SA	A	JPN	9031.9000.00
STC-SB133USB-BSLS	USB 2.0 Area Scan Camera, 1.3 MP, Monochrome, CCD Sony ICX445AL, 1/3", 3.75 µm, 22 fps, Global Shutter, CS Mount, Board Level with Left Angle Connector	253.10	681363	4549734202916			SA	A	JPN	9031.9000.00
STC-SB133USB-BSL	USB 2.0 Area Scan Camera, 1.4 MP, Monochrome, CCD Sony ICX445AL, 1/3", 3.75 µm, 22 fps, Global Shutter, Fixed Lens, Board Level with Left Angle Connector	253.10	681152	4549734202923			SA	A	JPN	9031.9000.00
STC-SB33USB-AL	USB 2.0 Area Scan Camera, 0.3 MP, Monochrome, CCD Sony ICX424AL, 1/3", 7.4 µm, 60 fps, Global Shutter, C Mount, Cased	246.60	681158	4549734202930			SA	A	JPN	9031.9000.00
STC-SB33USB-BSLS	USB 2.0 Area Scan Camera, 0.3 MP, Monochrome, CCD Sony ICX424AL, 1/3", 7.4 µm, 60 fps, Global Shutter, CS Mount, Board Level with Left Angle Connector	200.60	681368	4549734202947			SA	A	JPN	9031.9000.00
STC-SB33USB-BLL	USB 2.0 Area Scan Camera, 0.3 MP, Monochrome, CCD Sony ICX424AL, 1/3", 7.4 µm, 60 fps, Global Shutter, Fixed Lens, Board Level with Left Angle Connector	200.60	681275	4549734202954			SA	A	JPN	9031.9000.00
STC-SC133USB-AL	USB 2.0 Area Scan Camera, 1.3 MP, Color, CCD Sony ICX445AQ, 1/3", 3.75 µm, 22 fps, Global Shutter, CS Mount, Cased	305.80	681243	4549734202961			SA	A	JPN	9031.9000.00
STC-SC133USB-BLL	USB 2.0 Area Scan Camera, 1.3 MP, Color, CCD Sony ICX445AQ, 1/3", 3.75 µm, 22 fps, Global Shutter, Fixed Lens, Board Level with Left Angle Connector	263.00	681145	4549734202978			SA	A	JPN	9031.9000.00
STC-SC33USB-AL	USB 2.0 Area Scan Camera, 0.3 MP, Color, CCD Sony ICX424AQ, 1/3", 7.4 µm, 60 fps, Global Shutter, C Mount, Cased	253.10	681209	4549734202985			SA	A	JPN	9031.9000.00
STC-SC33USB-BLS	USB 2.0 Area Scan Camera, 0.3 MP, Color, CCD Sony ICX424AQ, 1/3", 7.4 µm, 60 fps, Global Shutter, CS Mount, Board Level with Left Angle Connector	210.00	681146	4549734202992			SA	A	JPN	9031.9000.00
STC-MB85AMUSB3	USB 3.0 Area Scan Camera, 5 MP, Monochrome, CMOS Aptina MT9P031, 1/2.5", 2.2 µm, 14 fps, Rolling Shutter, CS Mount, Cased	334.30	681298	4549734197304			SA	A	JPN	9031.9000.00
STC-MB85M200UV3	USB 3.0 Area Scan Camera, 2 MP, Monochrome, CMOS CMOS IMV2000, 2/3", 5.5 µm, 167 fps, Global Shutter, C Mount, Cased	773.50	681349	4549734197168			SA	A	JPN	9031.9000.00
STC-MB85M200UV3-NIR	USB 3.0 Area Scan Camera, 2 MP, Monochrome, CMOS CMOS IMV2000, 2/3", 5.5 µm, 167 fps, Global Shutter, C Mount, Cased, Near Infrared Enhanced	849.50	681292	4549734197182			SA	A	JPN	9031.9000.00
STC-MB85M401UV3	USB 3.0 Area Scan Camera, 4 MP, Monochrome, CMOS CMOS IMV4000, 1", 5.5 µm, 89 fps, Global Shutter, C Mount, Cased, Near Infrared Enhanced	1,089.00	681160	4549734197274			SA	A	JPN	9031.9000.00
STC-MB85M401UV3-NIR	USB 3.0 Area Scan Camera, 4 MP, Monochrome, CMOS CMOS IMV4000 NIR, 1", 5.5 µm, 89 fps, Global Shutter, C Mount, Cased, Near Infrared Enhanced	1,175.00	681191	4549734197288			SA	A	JPN	9031.9000.00
STC-MB8132U3V	USB 3.0 Area Scan Camera, 1.3 MP, Monochrome, CMOS e2v EV76C560, 1/1.8", 5.3 µm, 60 fps, Global Shutter, CS Mount, Cased	443.70	681177	4549734197120			SA	A	JPN	9031.9000.00
STC-MB8122BU3V	USB 3.0 Area Scan Camera, 1.2 MP, Monochrome, CMOS Sony IMX304, 1.1", 3.45 µm, 23 fps, Global Shutter, C Mount, Cased	2,229.00	681369	4549734197403			SA	A	JPN	9031.9000.00
STC-MB8123BU3V	USB 3.0 Area Scan Camera, 1.2 MP, Monochrome, CMOS Sony IMX253, 1.1", 3.45 µm, 30 fps, Global Shutter, C Mount, Cased	3,193.00	681286	4549734197427			SA	A	JPN	9031.9000.00
STC-MB81242U3V	USB 3.0 Area Scan Camera, 1.2 MP, Monochrome, CMOS Sony IMX226, 1/1.7", 1.85 µm, 31.2 fps, Rolling Shutter, C Mount, Cased	963.00	696368	4549734665957			SA	A	JPN	9031.9000.00
STC-MB8163U3V	USB 3.0 Area Scan Camera, 1.6 MP, Monochrome, CMOS Sony IMX273, 1/2.9", 3.45 µm, 238 fps, Global Shutter, C Mount, Cased	443.70	681268	4549734197144			SA	A	JPN	9031.9000.00
STC-MB82041U3V	USB 3.0 Area Scan Camera, 2.04 MP, Monochrome, CMOS Sony IMX183, 1", 2.4 µm, 18.5 fps, Rolling Shutter, C Mount, Cased	993.00	696366	4549734665971			SA	A	JPN	9031.9000.00
STC-MB8231U3V	USB 3.0 Area Scan Camera, 2.3 MP, Monochrome, CMOS Sony IMX249, 1/1.2", 5.86 µm, 41 fps, Global Shutter, C Mount, Cased	535.00	681185	4549734197199			SA	A	JPN	9031.9000.00
STC-MB8241U3V	USB 3.0 Area Scan Camera, 2.3 MP, Monochrome, CMOS Sony IMX174, 1/1.2", 5.86 µm, 163 fps, Global Shutter, C Mount, Cased	836.00	681380	4549734197212			SA	A	JPN	9031.9000.00
STC-MB8312U3V	USB 3.0 Area Scan Camera, 3.2 MP, Monochrome, CMOS Sony IMX265, 1/1.8", 3.45 µm, 55 fps, Global Shutter, C Mount, Cased	716.00	681154	4549734197236			SA	A	JPN	9031.9000.00
STC-MB8322U3V	USB 3.0 Area Scan Camera, 3.2 MP, Monochrome, CMOS Sony IMX252, 1/1.8", 3.45 µm, 121 fps, Global Shutter, C Mount, Cased	969.50	681371	4549734197250			SA	A	JPN	9031.9000.00
STC-MB843U3V	USB 3.0 Area Scan Camera, 0.4 MP, Monochrome, CMOS Sony IMX287, 1/2.9", 6.9 µm, 527 fps, Global Shutter, C Mount, Cased	381.90	681297	4549734197106			SA	A	JPN	9031.9000.00
STC-MB8590U3V	USB 3.0 Area Scan Camera, 5 MP, Monochrome, CMOS Sony IMX264, 2/3", 3.45 µm, 35 fps, Global Shutter, C Mount, Cased	798.00	681213	4549734197328			SA	A	JPN	9031.9000.00
STC-MB8510U3V	USB 3.0 Area Scan Camera, 5 MP, Monochrome, CMOS Sony IMX250, 2/3", 3.45 µm, 75 fps, Global Shutter, C Mount, Cased	1,198.00	681283	4549734197342			SA	A	JPN	9031.9000.00
STC-MB8570U3V	USB 3.0 Area Scan Camera, 7.1 MP, Monochrome, CMOS Sony IMX428, 1.1", 4.5 µm, 51.2 fps, Global Shutter, C Mount, Cased	1,969.00	696370	4549734609814			SA	A	JPN	9031.9000.00
STC-MB891U3V	USB 3.0 Area Scan Camera, 8.9 MP, Monochrome, CMOS Sony IMX255, 1", 3.45 µm, 42 fps, Global Shutter, C Mount, Cased	2,637.00	681149	4549734197380			SA	A	JPN	9031.9000.00
STC-MB133U3V-SP	High speed USB 3.0 Area Scan Camera, 1.3 MP, Monochrome, CMOS Sony IMX382, 1/3.2", 3.5 µm, 500 fps @ 1296 x 976, 1000 fps @ 648 x 474, Global Shutter, C Mount, cable from side	2,181.00	698212	4549734666985			SA	A	JPN	9031.9000.00
STC-MB133U3V-TP	High speed USB 3.0 Area Scan Camera, 1.3 MP, Monochrome, CMOS Sony IMX382, 1/3.2", 3.5 µm, 500 fps @ 1296 x 976, 1000 fps @ 648 x 474, Global Shutter, C Mount, cable from top	2,181.00	698210	4549734667005			SA	A	JPN	9031.9000.00
STC-MC85AMUSB3	USB 3.0 Area Scan Camera, 5 MP, Color, CMOS Aptina MT9P031, 1/2.5", 2.2 µm, 14 fps, Rolling Shutter, CS Mount, Cased	339.10	681121	4549734197311			SA	A	JPN	9031.9000.00
STC-MC85M200U3V	USB 3.0 Area Scan Camera, 2 MP, Color, CMOS CMOS IMV2000, 2/3", 5.5 µm, 167 fps, Global Shutter, C Mount, Cased	826.50	681294	4549734197175			SA	A	JPN	9031.9000.00
STC-MC85M401U3V	USB 3.0 Area Scan Camera, 4 MP, Color, CMOS CMOS IMV4000, 1", 5.5 µm, 89 fps, Global Shutter, C Mount, Cased	1,143.00	681378	4549734197281			SA	A	JPN	9031.9000.00
STC-MCE132U3V	USB 3.0 Area Scan Camera, 1.3 MP, Color, CMOS e2v EV76C560, 1/1.8", 5.3 µm, 60 fps, Global Shutter, CS Mount, Cased	448.80	681151	4549734197137			SA	A	JPN	9031.9000.00
STC-MC8123BU3V	USB 3.0 Area Scan Camera, 1.2 MP, Color, CMOS Sony IMX253, 1.1", 3.45 µm, 30 fps, Global Shutter, C Mount, Cased	3,193.00	681137	4549734197434			SA	A	JPN	9031.9000.00
STC-MC81242U3V	USB 3.0 Area Scan Camera, 1.2 MP, Color, CMOS Sony IMX226, 1/1.7", 1.85 µm, 31.2 fps, Rolling Shutter, C Mount, Cased	963.00	696367	4549734665964			SA	A	JPN	9031.9000.00
STC-MC8163U3V	USB 3.0 Area Scan Camera, 1.6 MP, Color, CMOS Sony IMX273, 1/2.9", 3.45 µm, 238 fps, Global Shutter, C Mount, Cased	463.00	681211	4549734197151			SA	A	JPN	9031.9000.00
STC-MC82041U3V	USB 3.0 Area Scan Camera, 2.04 MP, Color, CMOS Sony IMX183, 1", 2.4 µm, 18.5 fps, Rolling Shutter, C Mount, Cased	993.00	696365	4549734665988			SA	A	JPN	9031.9000.00
STC-MC8231U3V	USB 3.0 Area Scan Camera, 2.3 MP, Color, CMOS Sony IMX249, 1/1.2", 5.86 µm, 41 fps, Global Shutter, C Mount, Cased	549.50	681244	4549734197205			SA	A	JPN	9031.9000.00
STC-MC8241U3V	USB 3.0 Area Scan Camera, 2.3 MP, Color, CMOS Sony IMX174, 1/1.2", 5.86 µm, 163 fps, Global Shutter, C Mount, Cased	849.50	681156	4549734197229			SA	A	JPN	9031.9000.00
STC-MC8312U3V	USB 3.0 Area Scan Camera, 3.2 MP, Color, CMOS Sony IMX265, 1/1.8", 3.45 µm, 55 fps, Global Shutter, C Mount, Cased	730.50	681316	4549734197243			SA	A	JPN	9031.9000.00
STC-MC8322U3V	USB 3.0 Area Scan Camera, 3.2 MP, Color, CMOS Sony IMX252, 1/1.8", 3.45 µm, 121 fps, Global Shutter, C Mount, Cased	983.00	681218	4549734197267			SA	A	JPN	9031.9000.00
STC-MC834U3V	USB 3.0 Area Scan Camera, 0.4 MP, Color, CMOS Sony IMX287, 1/2.9", 6.9 µm, 527 fps, Global Shutter, C Mount, Cased	401.00	681148	4549734197113			SA	A	JPN	9031.9000.00
STC-MC8500U3V	USB 3.0 Area Scan Camera, 5 MP, Color, CMOS Sony IMX264, 2/3", 3.45 µm, 35 fps, Global Shutter, C Mount, Cased	817.00	681339	4549734197335			SA	A	JPN	9031.9000.00
STC-MC8510U3V	USB 3.0 Area Scan Camera, 5 MP, Color, CMOS Sony IMX2									



Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Dataheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
STC-SI333UVC-ALL	UVC Area Scan Camera, 1.2 MP, Color, CMOS Sony ISX017, 1/3.2", 3.5 µm, 60 fps, M12 lens mount, Cased	201.00	689497	4549734509909			SA	A	JPN	9031.9000.00
STC-SI333UVC-BL	UVC Area Scan Camera, 1.2MP, Color, CMOS Sony ISX017, 1/3.2", 3.5µm, 60fps, No Lens Mount, Board Level	162.50	681262	4549734199438			SA	A	JPN	9031.9000.00
STC-SI333UVC-BLCS	UVC Area Scan Camera, 1.2MP, Color, CMOS Sony ISX017, 1/3.2", 3.5µm, 60fps, CS Mount, Board Level	172.10	681166	4549734199452			SA	A	JPN	9031.9000.00
STC-SI333UVC-BLL	UVC Area Scan Camera, 1.2MP, Color, CMOS Sony ISX017, 1/3.2", 3.5µm, 60fps, M12 Mount, Board Level	172.10	681379	4549734199445			SA	A	JPN	9031.9000.00
STC-CMB120ACXP	CoaXPress Area Scan Camera, 12 MP, Monochrome, CMOS CMOSIS CMV12000, 1.76", 5.5 µm, 180 fps, Global Shutter, M42 Mount, 4 Lane Straight Connector, Cased	3,905.00	681324	4549734199582			SA	A	JPN	9031.9000.00
STC-CMB120ACXP-F	CoaXPress Area Scan Camera, 12 MP, Monochrome, CMOS CMOSIS CMV12000, 1.76", 5.5 µm, 180 fps, Global Shutter, F Mount, 4 Lane Straight Connector, Cased	3,992.00	681287	4549734199629			SA	A	JPN	9031.9000.00
STC-CMB120ACXP-T	CoaXPress Area Scan Camera, 12 MP, Monochrome, CMOS CMOSIS CMV12000, 1.76", 5.5 µm, 180 fps, Global Shutter, M42 Mount, 4 Lane Top Connector, Cased	4,676.00	681355	4549734199605			SA	A	JPN	9031.9000.00
STC-CMB120ACXP-T-F	CoaXPress Area Scan Camera, 12 MP, Monochrome, CMOS CMOSIS CMV12000, 1.76", 5.5 µm, 180 fps, Global Shutter, F Mount, 4 Lane Top Connector, Cased	4,734.00	681308	4549734199643			SA	A	JPN	9031.9000.00
STC-CMB120AOPQ	Opt-C Link Area Scan Camera, 12 MP, Monochrome, CMOS CMOSIS CMV12000, 1.76", 5.5 µm, 93.4 fps, Global Shutter, M42 Mount, 1x OSFP + Optical connector, 40Gbps	5,220.00	698800	4549734609937			SA	A	JPN	9031.9000.00
STC-CMB120AOPQ-F	Opt-C Link Area Scan Camera, 12 MP, Monochrome, CMOS CMOSIS CMV12000, 1.76", 5.5 µm, 93.4 fps, Global Shutter, F Mount, 1x OSFP + Optical connector, 40Gbps	5,220.00	698799	4549734609944			SA	A	JPN	9031.9000.00
STC-CMB120AOPQ-T	Opt-C Link Area Scan Camera, 12 MP, Monochrome, CMOS CMOSIS CMV12000, 1.76", 5.5 µm, 93.4 fps, Global Shutter, F Mount, 1x OSFP + Optical connector, 40Gbps	5,220.00	698807	4549734199544			SA	A	JPN	9031.9000.00
STC-CMB401CXP	CoaXPress Area Scan Camera, 4 MP, Monochrome, CMOS CMOSIS CMV4000, 1", 5.5 µm, 142 fps, Global Shutter, C Mount, Cased, 1 Lane	1,423.00	681190	4549734199588			SA	A	JPN	9031.9000.00
STC-CMCI20ACXP	CoaXPress Area Scan Camera, 12 MP, Color, CMOS CMOSIS CMV12000, 1.76", 5.5 µm, 180 fps, Global Shutter, M42 Mount, Cased, 4 Lane Straight Connector	4,010.00	681251	4549734199599			SA	A	JPN	9031.9000.00
STC-CMCI20ACXP-F	CoaXPress Area Scan Camera, 12 MP, Color, CMOS CMOSIS CMV12000, 1.76", 5.5 µm, 180 fps, Global Shutter, F Mount, Cased, 4 Lane Straight Connector	4,075.00	681161	4549734199636			SA	A	JPN	9031.9000.00
STC-CMCI20ACXP-T	CoaXPress Area Scan Camera, 12 MP, Color, CMOS CMOSIS CMV12000, 1.76", 5.5 µm, 180 fps, Global Shutter, M42 Mount, Cased, 4 Lane Top Connector	4,816.00	681345	4549734199612			SA	A	JPN	9031.9000.00
STC-CMCI20ACXP-T-F	CoaXPress Area Scan Camera, 12 MP, Color, CMOS CMOSIS CMV12000, 1.76", 5.5 µm, 180 fps, Global Shutter, F Mount, Cased, 4 Lane Top Connector	4,897.00	681304	4549734199650			SA	A	JPN	9031.9000.00
STC-CMCI20AOPQ	Opt-C Link Area Scan Camera, 12 MP, Color, CMOS CMOSIS CMV12000, 1.76", 5.5 µm, 93.4 fps, Global Shutter, M42 Mount, 1x OSFP + Optical connector, 40Gbps	5,220.00	698798	4549734609951			SA	A	JPN	9031.9000.00
STC-CMCI20AOPQ-F	Opt-C Link Area Scan Camera, 12 MP, Color, CMOS CMOSIS CMV12000, 1.76", 5.5 µm, 93.4 fps, Global Shutter, F Mount, 1x OSFP + Optical connector, 40Gbps	5,220.00	698797	4549734609968			SA	A	JPN	9031.9000.00
STC-CMCI20AOPQ-T	Opt-C Link Area Scan Camera, 12 MP, Color, CMOS CMOSIS CMV12000, 1.76", 5.5 µm, 93.4 fps, Global Shutter, F Mount, 1x OSFP + Optical connector, 40Gbps	5,220.00	698808	4549734199551			SA	A	JPN	9031.9000.00
STC-CMCI20ACXP	CoaXPress Area Scan Camera, 4 MP, Color, CMOS CMOSIS CMV4000, 1", 5.5 µm, 142 fps, Global Shutter, C Mount, Cased, 1 Lane	1,510.00	681176	4549734199575			SA	A	JPN	9031.9000.00
STC-CMB120APCL	Camera Link Area Scan Camera, 12 MP, Monochrome, CMOS CMOSIS CMV12000, 1.76", 5.5 µm, 62 fps, Global Shutter, M42 Mount, Cased, POCL	3,596.00	681170	4549734197649			SA	A	JPN	9031.9000.00
STC-CMB120APCL-F	Camera Link Area Scan Camera, 12 MP, Monochrome, CMOS CMOSIS CMV12000, 1.76", 5.5 µm, 62 fps, Global Shutter, F Mount, Cased, POCL	3,675.00	681320	4549734197663			SA	A	JPN	9031.9000.00
STC-CMB200PCL	Camera Link Area Scan Camera, 2 MP, Monochrome, CMOS CMOSIS CMV2000, 2/3", 5.5 µm, 333 fps, Global Shutter, C Mount, Cased, POCL	759.50	681271	4549734197465			SA	A	JPN	9031.9000.00
STC-CMB200PCL-NIR	Camera Link Area Scan Camera, 2 MP, Monochrome, CMOS CMOSIS CMV2000 NIR, 2/3", 5.5 µm, 333 fps, Global Shutter, C Mount, Cased, POCL, Near Infrared Enhanced	840.50	681364	4549734197489			SA	A	JPN	9031.9000.00
STC-CMB2MCL	Camera Link Area Scan Camera, 2 MP, Monochrome, CMOS CMOSIS CMV2000, 2/3", 5.5 µm, 333 fps, Global Shutter, C Mount, Cased	906.50	681241	4549734202220			SA	A	JPN	9031.9000.00
STC-CMB33PCL	Camera Link Area Scan Camera, 0.3 MP, Monochrome, CMOS CMOSIS CMV300, 1/3", 7.4 µm, 432 fps, Global Shutter, C Mount, Cased, POCL	348.30	681157	4549734197441			SA	A	JPN	9031.9000.00
STC-CMB401PCL	Camera Link Area Scan Camera, 4 MP, Monochrome, CMOS CMOSIS CMV4000, 1", 5.5 µm, 180 fps, Global Shutter, C Mount, Cased, POCL	1,061.00	681334	4549734197533			SA	A	JPN	9031.9000.00
STC-CMB401PCL-NIR	Camera Link Area Scan Camera, 4 MP, Monochrome, CMOS CMOSIS CMV4000 NIR, 1", 5.5 µm, 180 fps, Global Shutter, C Mount, Cased, POCL, Near Infrared Enhanced	1,244.00	681155	4549734197557			SA	A	JPN	9031.9000.00
STC-CMB4MCL	Camera Link Area Scan Camera, 4 MP, Monochrome, CMOS CMOSIS CMV4000, 1", 5.5 µm, 180 fps, Global Shutter, C Mount, Cased	954.50	681325	4549734202237			SA	A	JPN	9031.9000.00
STC-CMCI20APCL	Camera Link Area Scan Camera, 12 MP, Color, CMOS CMOSIS CMV12000, 1.76", 5.5 µm, 62 fps, Global Shutter, M42 Mount, Cased, POCL	3,732.00	681340	4549734197656			SA	A	JPN	9031.9000.00
STC-CMCI20APCL-F	Camera Link Area Scan Camera, 12 MP, Color, CMOS CMOSIS CMV12000, 1.76", 5.5 µm, 62 fps, Global Shutter, F Mount, Cased, POCL	3,837.00	681302	4549734197670			SA	A	JPN	9031.9000.00
STC-CMCI20CPCL	Camera Link Area Scan Camera, 2 MP, Color, CMOS CMOSIS CMV2000 NIR, 2/3", 5.5 µm, 333 fps, Global Shutter, C Mount, Cased, POCL	807.00	681370	4549734197472			SA	A	JPN	9031.9000.00
STC-CMCI20CPCL-F	Camera Link Area Scan Camera, 2 MP, Color, CMOS CMOSIS CMV2000, 2/3", 5.5 µm, 333 fps, Global Shutter, C Mount, Cased	1,109.00	681350	4549734202244			SA	A	JPN	9031.9000.00
STC-CMCI20CPCL-F	Camera Link Area Scan Camera, 2 MP, Color, CMOS CMOSIS CMV2000, 2/3", 5.5 µm, 333 fps, Global Shutter, C Mount, Cased, POCL	362.70	681347	4549734197458			SA	A	JPN	9031.9000.00
STC-CMCI20PCL	Camera Link Area Scan Camera, 4 MP, Color, CMOS CMOSIS CMV4000, 1", 5.5 µm, 180 fps, Global Shutter, C Mount, Cased, POCL	1,119.00	681307	4549734197540			SA	A	JPN	9031.9000.00
STC-CPC250BPCL	Camera Link Area Scan Camera, 25 MP, Monochrome, GMA X0505, 2.5 µm, 30 fps, Global Shutter, C Mount, Cased, POCL	1,759.00	702010	4549734171777			SA	A	JPN	9031.9000.00
STC-MR202PCL	Camera Link Area Scan Camera, 2 MP, Monochrome, CCD Sony ICX274AL, 1/1.8", 4.4 µm, 15 fps, Global Shutter, C Mount, Cased	1,759.00	702010	4549734171784			SA	A	JPN	9031.9000.00
STC-MR232PCL	Camera Link Area Scan Camera, 2 MP, Monochrome, CCD Sony ICX274AL, 1/1.8", 4.4 µm, 30 fps, Global Shutter, C Mount, Cased	792.50	681253	4549734202251			SA	A	JPN	9031.9000.00
STC-MR83PCL	Camera Link Area Scan Camera, 0.8 MP, Monochrome, CCD Sony ICX204AL, 1/3", 4.65 µm, 29 fps, Global Shutter, C Mount, Cased	906.50	681249	4549734202268			SA	A	CHN	9031.9000.00
STC-MC232PCL	Camera Link Area Scan Camera, 2 MP, Monochrome, CCD Sony ICX274A0, 1/1.8", 4.4 µm, 30 fps, Global Shutter, C Mount, Cased	448.80	681305	4549734202275			SA	A	JPN	9031.9000.00
STC-MC33PCL	Camera Link Area Scan Camera, 0.3 MP, Color, CCD Sony ICX424A0, 1/3", 7.4 µm, 60 fps, Global Shutter, C Mount, Cased	898.00	681141	4549734202282			SA	A	CHN	9031.9000.00
STC-OSB250CL	Camera Link Area Scan Camera, 0.3 MP, Color, CCD Sony ICX424A0, 1/3", 7.4 µm, 60 fps, Global Shutter, C Mount, Cased	353.40	681168	4549734202299			SA	A	JPN	9031.9000.00
STC-OSB250CL-F	Camera Link Area Scan Camera, 25 MP, Monochrome, Python 25K APS-H, 4.5 µm, 32 fps, Global Shutter, M42 Mount, Cased	4,970.00	698579	4549734609890			SA	A	JPN	9031.9000.00
STC-RBS163PCL-SM12	Remote Head Camera Link Area Scan Camera, 1.6 MP, Monochrome, CMOS Sony IMX273, 1/2.9", 3.45 µm, 238 fps, Global Shutter, S Mount, cable from rear, cable length 2.5 m	4,970.00	698578	4549734609906			SA	A	JPN	9031.9000.00
STC-RBS163PCL-UM12	Remote Head Camera Link Area Scan Camera, 1.6 MP, Monochrome, CMOS Sony IMX273, 1/2.9", 3.45 µm, 238 fps, Global Shutter, S Mount, cable from top, cable length 2.5 m	958.50	696384	4549734610056			SA	A	JPN	9031.9000.00
STC-RBS43PCL-SM12	Remote Head Camera Link Area Scan Camera, 0.4 MP, Monochrome, CMOS Sony IMX287, 1/2.9", 6.9 µm, 523 fps, Global Shutter, S Mount, cable from rear, cable length 2.5 m	958.50	696386	4549734610018			SA	A	JPN	9031.9000.00
STC-RBS43PCL-UM12	Remote Head Camera Link Area Scan Camera, 0.4 MP, Monochrome, CMOS Sony IMX287, 1/2.9", 6.9 µm, 523 fps, Global Shutter, S Mount, cable from top, cable length 2.5 m	958.50	696385	4549734610025			SA	A	JPN	9031.9000.00
STC-SPB123BPCL	Camera Link Area Scan Camera, 12 MP, Monochrome, CMOS Sony IMX253, 1.1", 3.45 µm, 67 fps, Global Shutter, C Mount, Cased, POCL	3,251.00	681248	4549734197687			SA	A	JPN	9031.9000.00
STC-SPB163PCL	Camera Link Area Scan Camera, 1.6 MP, Monochrome, CMOS Sony IMX273, 1/2.9", 3.45 µm, 153 fps, Global Shutter, C Mount, Cased, POCL	447.70	681382	4549734199483			SA	A	JPN	9031.9000.00
STC-SPB202PCL	Camera Link Area Scan Camera, 2.0 MP, Monochrome, CMOS Sony IMX430, 1/1.7", 4.5 µm, 89.1 fps, Global Shutter, C Mount, Cased, POCL	677.00	698325	4549734609999			SA	A	JPN	9031.9000.00
STC-SPB312PCL	Camera Link Area Scan Camera, 3.2 MP, Monochrome, CMOS Sony IMX265, 1/1.8", 3.45 µm, 57 fps, Global Shutter, C Mount, Cased, POCL	778.00	681169	4549734197496			SA	A	JPN	9031.9000.00
STC-SPB322PCL	Camera Link Area Scan Camera, 3.2 MP, Monochrome, CMOS Sony IMX252, 1/1.8", 3.45 µm, 57 fps, Global Shutter, C Mount, Cased, POCL	964.50	691295	4549734197519			SA	A	JPN	9031.9000.00
STC-SPB43PCL	Camera Link Area Scan Camera, 0.4 MP, Monochrome, CMOS Sony IMX287, 1/2.9", 6.9 µm, 524 fps, Global Shutter, C Mount, Cased, POCL	381.90	681285	4549734199469			SA	A	JPN	9031.9000.00
STC-SPB50PCL	Camera Link Area Scan Camera, 5 MP, Monochrome, CMOS Sony IMX264, 2/3", 3.45 µm, 36 fps, Global Shutter, C Mount, Cased, POCL	954.50	681172	4549734197588			SA	A	JPN	9031.9000.00
STC-SPB510PCL	Camera Link Area Scan Camera, 5 MP, Monochrome, CMOS Sony IMX250, 2/3", 3.45 µm, 163 fps, Global Shutter, C Mount, Cased, POCL	1,289.00	681204	4549734197601			SA	A	JPN	9031.9000.00
STC-SPB52PCL	Camera Link Area Scan Camera, 0.5 MP, Monochrome, CMOS Sony IMX433, 1/1.7", 9.0 µm, 166.5 fps, Global Shutter, C Mount, Cased, POCL	464.60	698327	4549734609975			SA	A	JPN	9031.9000.00
STC-SPB891PCL	Camera Link Area Scan Camera, 8.9 MP, Monochrome, CMOS Sony IMX255, 1", 3.45 µm, 92 fps, Global Shutter, C Mount, Cased, POCL	2,695.00	681313	4549734197625			SA	A	JPN	9031.9000.00
STC-SPC123BPCL	Camera Link Area Scan Camera, 12 MP, Color, CMOS Sony IMX253, 1.1", 3.45 µm, 67 fps, Global Shutter, C Mount, Cased, POCL	3,251.00	681144	4549734197694			SA	A	JPN	9031.9000.00
STC-SPC163PCL	Camera Link Area Scan Camera, 1.6 MP, Color, CMOS Sony IMX273, 1/2.9", 3.45 µm, 153 fps, Global Shutter, C Mount, Cased, POCL	458.20	681242	4549734199490			SA	A	JPN	9031.9000.00
STC-SPC202PCL	Camera Link Area Scan Camera, 2.0 MP, Color, CMOS Sony IMX430, 1/1.7", 4.5 µm, 89.1 fps, Global Shutter, C Mount, Cased, POCL	677.00	698324	4549734610001			SA	A	JPN	9031.9000.00
STC-SPC312PCL	Camera Link Area Scan Camera, 3.2 MP, Color, CMOS Sony IMX265, 1/1.8", 3.45 µm, 57 fps, Global Shutter, C Mount, Cased, POCL	792.50	681252	4549734197502			SA	A	JPN	9031.9000.00
STC-SPC322PCL	Camera Link Area Scan Camera, 3.2 MP, Color, CMOS Sony IMX252, 1/1.8", 3.45 µm, 57 fps, Global Shutter, C Mount, Cased, POCL	983.00	681239	4549734197526			SA	A	JPN	9031.9000.00
STC-SPC43PCL	Camera Link Area Scan Camera, 0.4 MP, Color, CMOS Sony IMX287, 1/2.9", 6.9 µm, 524 fps, Global Shutter, C Mount, Cased, POCL	396.30	681375	4549734199476			SA	A	JPN	9031.9000.00
STC-SPC50PCL	Camera Link Area Scan Camera, 5 MP, Color, CMOS Sony IMX264, 2/3", 3.45 µm, 36 fps, Global Shutter, C Mount, Cased, POCL	969.50	681175	4549734197595			SA	A	JPN	9031.9000.00
STC-SPC510PCL	Camera Link Area Scan Camera, 5 MP, Color, CMOS Sony IMX250, 2/3", 3.45 µm, 163 fps, Global Shutter, C Mount, Cased, POCL	1,320.00	681139	4549734197618			SA	A	JPN	9031.9000.00
STC-SPC52PCL	Camera Link Area Scan Camera, 0.5 MP, Color, CMOS Sony IMX433, 1/1.7", 9.0 µm, 166.5 fps, Global Shutter, C Mount, Cased, POCL	465.70	698326	4549734609982			SA	A	JPN	9031.9000.00
STC-SPC891PCL	Camera Link Area Scan Camera, 8.9 MP, Color, CMOS Sony IMX255, 1", 3.45 µm, 92 fps, Global Shutter, C Mount, Cased, POCL	2,695.00	681259	4549734197632			SA	A	JPN	9031.9000.00
STC-620PWC	Analog Area Scan Camera, 0.4 MP, NTSC, CCD Sony ICX419AKL, 1/2", 8.3 x 8.6 µm, 2:1 Interface, C Mount, Cased, 12 Pin Hirose Connector for Power, Video and External Synch	372.30	691179	4549734202534			SA	A	JPN	9031.9000.00
STC-625C3	Analog Area Scan Camera, 0.4 MP, PAL, CCD Sony ICX419AKL, 1/2", 8.3 x 8.6 µm, 2:1 Interface, C Mount, Board Level	296.10	691293	4549734202541			SA	A	JPN	9031.9000.

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Data sheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
STC-635CS3	Analog Area Scan Camera, 0.4 MP, PAL, CCD Sony ICX639BKA, 1/3", 6.25 x 6.5 µm, 2:1 Interface, CS Mount, Board Level	234.10	681353	4549734202596			SA	A	JPN	9031.9000.00
STC-635PWC	Analog Area Scan Camera, 0.4 MP, PAL, CCD Sony ICX639BKA, 1/3", 6.25 x 6.5 µm, 2:1 Interface, CS Mount, Cased, 12 Pin Hirose Connector for Power, Video and External Synchron	324.80	681195	4549734202602			SA	A	JPN	9031.9000.00
STC-635PWJ	Analog Area Scan Camera, 0.4 MP, PAL, CCD Sony ICX639BKA, 1/3", 6.25 x 6.5 µm, 2:1 Interface, CS Mount, Cased, Power Pin Jack	310.50	681351	4549734202619			SA	A	JPN	9031.9000.00
STC-635PWT	Analog Area Scan Camera, 0.4 MP, PAL, CCD Sony ICX639BKA, 1/3", 6.25 x 6.5 µm, 2:1 Interface, CS Mount, Cased, Power Terminal	310.50	681365	4549734202626			SA	A	JPN	9031.9000.00
STC-MB152A	Analog Area Scan Camera, 1.3 MP, Monochrome, CCD Sony ICX205AL, 1/2", 7.6 x 6.2 µm, 19 fps, C Mount, Cased	502.50	686576	4549734510349			SA	A	JPN	9031.9000.00
STC-MB355S	Analog Progressive Camera Area Scan Camera, VGA, Monochrome, RG38BAAADT, 2/3", 7.4 µm, 90 fps, Global Shutter, C Mount, Cased	299.00	689580	4549734509594			SA	A	JPN	9031.9000.00
STC-MB42C	Analog Area Scan Camera, 0.4 MP, CCR, Monochrome, CCD Sony ICX419AL, 1/2", 8.6 x 8.3 µm, 50 fps, 2:1 Interface, C Mount, Cased	343.90	681337	4549734202633			SA	A	JPN	9031.9000.00
STC-MB43E	Analog Area Scan Camera, 0.4 MP, EA, Monochrome, CCD Sony ICX408AL, 1/3", 6.35 x 7.4 µm, 60 fps, 2:1 Interface, C Mount, Cased	319.80	681291	4549734202640			SA	A	JPN	9031.9000.00
STC-MB44C	Analog Area Scan Camera, 0.4 MP, CCR, Monochrome, CCD Sony ICX429AAL, 1/2", 8.6 x 8.3 µm, 50 fps, 2:1 Interface, C Mount, Cased	391.30	681193	4549734202657			SA	A	JPN	9031.9000.00
STC-P64FL	Analog Area Scan Camera, 0.4 MP, Color, CCD Sony ICX649BKA, 1/4", 4.85 x 4.65 µm, 15 fps, Global Shutter, Fixed Lens, Board Level	90.65	681348	4549734202664			SA	A	JPN	9031.9000.00
STC-P64FP	Analog Area Scan Camera, 0.4 MP, Color, CCD Sony ICX649BKA, 1/4", 4.85 x 4.65 µm, 15 fps, Global Shutter, Pin Hole Lens, Board Level	95.45	681323	4549734202671			SA	A	JPN	9031.9000.00
STC-R645PWC	Analog Remote Head Area Scan Camera, 0.4 MP, PAL, Color, CCD Sony IC229AKB, 1/4", 5.55 x 4.75 µm, 15 fps, 2:1 Interlaced, Remote Head Camera CCU with 12 Pin Hirose Connector for Power, Video and External Synchron	291.40	681281	4549734202763			SA	A	JPN	9031.9000.00
STC-SI33N	TV Format NTSC Area Scan Camera, 0.65 MP, Color, CMOS Sony ISX017, 1/3.2", 3.5 µm, No Lens Mount	109.90	681181	4549734199704			SA	A	JPN	9031.9000.00
STC-SI33N-CS	TV Format NTSC Area Scan Camera, 0.65 MP, Color, CMOS Sony ISX017, 1/3.2", 3.5 µm, CS Mount	124.40	681207	4549734199742			SA	A	JPN	9031.9000.00
STC-SI33N-L	TV Format NTSC Area Scan Camera, 0.65 MP, Color, CMOS Sony ISX017, 1/3.2", 3.5 µm, Fixed Micro Lens	124.40	681183	4549734199728			SA	A	JPN	9031.9000.00
STC-SI33P	TV Format PAL Area Scan Camera, 0.65 MP, Color, CMOS Sony ISX017, 1/3.2", 3.5 µm, No Lens Mount	109.90	681237	4549734199711			SA	A	JPN	9031.9000.00
STC-SI33P-BJ	TV Format PAL Area Scan Camera, 0.65 MP, Color, CMOS Sony ISX017, 1/3.2", 3.5 µm, UN310-1210, CS Mount	140.40	689192	4549734548663			SA	A	JPN	9031.9000.00
STC-SI33P-CS	TV Format PAL Area Scan Camera, 0.65 MP, Color, CMOS Sony ISX017, 1/3.2", 3.5 µm, CS Mount	124.40	681359	4549734199759			SA	A	JPN	9031.9000.00
STC-SI33P-L	TV Format PAL Area Scan Camera, 0.65 MP, Color, CMOS Sony ISX017, 1/3.2", 3.5 µm, Fixed Micro Lens	124.40	681311	4549734199735			SA	A	JPN	9031.9000.00
FS-B1KJ35CLU-M72	Camera Link Line Scan Camera, 16K, Monochrome, CMOS AWAIBA DR-B&W-16K3.5, 3.5 µm, 40 kHz, M72 Mount, Field Update Capability	2,967.00	681217	4549734199872			SA	A	JPN	9031.9000.00
FS-B2KU7DCLU-C	Camera Link Line Scan Camera, 2K, Monochrome, CMOS AWAIBA DR-B&W-2K7, 7 µm, 80 kHz, C Mount, Field Update Capability	11,160.00	681234	4549734199766			SA	A	JPN	9031.9000.00
FS-B2KU7DCLU-F	Camera Link Line Scan Camera, 2K, Monochrome, CMOS AWAIBA DR-B&W-2K7, 7 µm, 80 kHz, F Mount, Field Update Capability	11,470.00	681192	4549734199773			SA	A	JPN	9031.9000.00
FS-B2KU7DCLU-M42	Camera Link Line Scan Camera, 2K, Monochrome, CMOS AWAIBA DR-B&W-2K7, 7 µm, 80 kHz, M42 Mount, Field Update Capability	11,090.00	681338	4549734199780			SA	A	JPN	9031.9000.00
FS-B2KU7DCLU-C	Camera Link Dual Line Scan Camera, 2K, Monochrome, CMOS AWAIBA DR-B&W-2x2K7, 7 µm, 80 kHz, C Mount, Field Update Capability	12,790.00	681270	4549734199889			SA	A	JPN	9031.9000.00
FS-B2KU7DCLU-F	Camera Link Dual Line Scan Camera, 2K, Monochrome, CMOS AWAIBA DR-B&W-2x2K7, 7 µm, 80 kHz, F Mount, Field Update Capability	15,630.00	681376	4549734199933			SA	A	JPN	9031.9000.00
FS-B2KU7DCLU-M42	Camera Link Dual Line Scan Camera, 2K, Monochrome, CMOS AWAIBA DR-B&W-2x2K7, 7 µm, 80 kHz, M42 Mount, Field Update Capability	15,100.00	681310	4549734199957			SA	A	JPN	9031.9000.00
FS-B2KU7DGES-C	GiE Dual Line Scan Camera, 2x 2K monochrome, CMOS AWAIBA DR-2X2K7-inver, 7.0 µm, 51 kHz, C-Mount, POE	1,440.00	699136	4549734667142			SA	A	JPN	9031.9000.00
FS-B2KU7DGES-F	GiE Dual Line Scan Camera, 2x 2K monochrome, CMOS AWAIBA DR-2X2K7-inver, 7.0 µm, 51 kHz, F-Mount, POE	1,478.00	699135	4549734667159			SA	A	JPN	9031.9000.00
FS-B2KU7DGES-M42	GiE Dual Line Scan Camera, 2x 2K monochrome, CMOS AWAIBA DR-2X2K7-inver, 7.0 µm, 51 kHz, M42-Mount, POE	1,460.00	699134	4549734667166			SA	A	JPN	9031.9000.00
FS-B2KU7GES-C	GiE Line Scan Camera, 2K, Monochrome, CMOS AWAIBA DR-2K7, 7.0 µm, 51 kHz, C-Mount, POE	1,266.00	696087	4549734609807			SA	A	JPN	9031.9000.00
FS-B2KU7GES-F	GiE Line Scan Camera, 2K, Monochrome, CMOS AWAIBA DR-2K7, 7.0 µm, 51 kHz, F-Mount, POE	1,289.00	696088	4549734609791			SA	A	JPN	9031.9000.00
FS-B2KU7GES-M42	GiE Line Scan Camera, 2K, Monochrome, CMOS AWAIBA DR-2K7, 7.0 µm, 51 kHz, M42 Mount, POE	1,275.00	696086	4549734609814			SA	A	JPN	9031.9000.00
FS-B4KJ35CLU-C	Camera Link Line Scan Camera, 4K, Monochrome, CMOS AWAIBA DR-B&W-4K3.5, 3.5 µm, 80 kHz, C Mount, Field Update Capability	1,257.00	681351	4549734199810			SA	A	JPN	9031.9000.00
FS-B4KJ35CLU-F	Camera Link Line Scan Camera, 4K, Monochrome, CMOS AWAIBA DR-B&W-4K3.5, 3.5 µm, 80 kHz, F Mount, Field Update Capability	1,285.00	681223	4549734199827			SA	A	JPN	9031.9000.00
FS-B4KJ35CLU-M42	Camera Link Line Scan Camera, 4K, Monochrome, CMOS AWAIBA DR-B&W-4K3.5, 3.5 µm, 80 kHz, M42 Mount, Field Update Capability	1,252.00	681167	4549734199834			SA	A	JPN	9031.9000.00
FS-B4KJ35GES-C	GiE Line Scan Camera, 4K, Monochrome, CMOS AWAIBA DR-4K3.5, 3.5 µm, 26 kHz, C-Mount, POE	1,372.00	696090	4549734609876			SA	A	JPN	9031.9000.00
FS-B4KJ35GES-F	GiE Line Scan Camera, 4K, Monochrome, CMOS AWAIBA DR-4K3.5, 3.5 µm, 26 kHz, F-Mount, POE	1,394.00	696089	4549734609868			SA	A	JPN	9031.9000.00
FS-B4KJ35GES-M42	GiE Line Scan Camera, 4K, Monochrome, CMOS AWAIBA DR-4K3.5, 3.5 µm, 26 kHz, M42 Mount, POE	1,371.00	696091	4549734609883			SA	A	JPN	9031.9000.00
FS-B4KU7DCLU-F	Camera Link Line Scan Camera, 4K, Monochrome, CMOS AWAIBA DR-B&W-4K7, 7 µm, 80 kHz, F Mount, Field Update Capability	1,215.00	681140	4549734199797			SA	A	JPN	9031.9000.00
FS-B4KU7DCLU-M42	Camera Link Line Scan Camera, 4K, Monochrome, CMOS AWAIBA DR-B&W-2x4K7, 7 µm, 80 kHz, M42 Mount, Field Update Capability	1,180.00	681200	4549734199803			SA	A	JPN	9031.9000.00
FS-B4KU7DCLU-F	Camera Link Dual Line Scan Camera, 4K, Monochrome, CMOS AWAIBA DR-B&W-2x4K7, 7 µm, 80 kHz, F Mount, Field Update Capability	1,846.00	681222	4549734199902			SA	A	JPN	9031.9000.00
FS-B4KU7DCLU-M42	Camera Link Dual Line Scan Camera, 4K, Monochrome, CMOS AWAIBA DR-B&W-2x4K7, 7 µm, 80 kHz, M42 Mount, Field Update Capability	1,768.00	681284	4549734199919			SA	A	JPN	9031.9000.00
FS-B4KU7DGES-F	GiE Dual Line Scan Camera, 2x 4K monochrome, CMOS AWAIBA DR-2X4K7-inver, 7.0 µm, 13 kHz, F-Mount, POE	1,781.00	699138	4549734667128			SA	A	JPN	9031.9000.00
FS-B4KU7DGES-M42	GiE Dual Line Scan Camera, 2x 4K monochrome, CMOS AWAIBA DR-2X4K7-inver, 7.0 µm, 13 kHz, M42-Mount, POE	1,752.00	699137	4549734667135			SA	A	JPN	9031.9000.00
FS-B4KU7GES-F	GiE Line Scan Camera, 4K, Monochrome, CMOS AWAIBA DR-4K7, 7.0 µm, 13 kHz, F-Mount, POE	1,391.00	696085	4549734609821			SA	A	JPN	9031.9000.00
FS-B4KU7GES-M42	GiE Line Scan Camera, 4K, Monochrome, CMOS AWAIBA DR-4K7, 7.0 µm, 13 kHz, M42 Mount, POE	1,310.00	696084	4549734609838			SA	A	JPN	9031.9000.00
FS-B8KU35CLU-F	Camera Link Line Scan Camera, 8K, Monochrome, CMOS AWAIBA DR-B&W-8K3.5, 3.5 µm, 80 kHz, F Mount, Field Update Capability	1,472.00	681247	4549734199858			SA	A	JPN	9031.9000.00
FS-B8KU35CLU-M42	Camera Link Line Scan Camera, 8K, Monochrome, CMOS AWAIBA DR-B&W-8K3.5, 3.5 µm, 80 kHz, M42 Mount, Field Update Capability	1,440.00	681314	4549734199865			SA	A	JPN	9031.9000.00
FS-B8KU35GES-F	GiE Line Scan Camera, 8K, Monochrome, CMOS AWAIBA DR-8K3.5, 3.5 µm, 13 kHz, F-Mount, POE	1,630.00	696082	4549734609845			SA	A	JPN	9031.9000.00
FS-B8KU35GES-M42	GiE Line Scan Camera, 8K, Monochrome, CMOS AWAIBA DR-8K3.5, 3.5 µm, 13 kHz, M42 Mount, POE	1,606.00	696083	4549734609852			SA	A	JPN	9031.9000.00
FS-B8KU7DCLU-M72	Camera Link Line Scan Camera, 8K, Monochrome, CMOS AWAIBA DR-B&W-8K7, 7 µm, 80 kHz, M72 Mount, Field Update Capability	1,724.00	681292	4549734199841			SA	A	JPN	9031.9000.00
FS-C2KU7DCLU-C	Camera Link Dual Line Scan Camera, 2K, Color, CMOS AWAIBA DR-RGB-2x2K7, 7 µm, 75 kHz, C Mount, Field Update Capability	2,956.00	681214	4549734199926			SA	A	JPN	9031.9000.00
FS-C2KU7DCLU-F	Camera Link Dual Line Scan Camera, 2K, Color, CMOS AWAIBA DR-RGB-2x2K7, 7 µm, 75 kHz, F Mount, Field Update Capability	1,279.00	681206	4549734199896			SA	A	JPN	9031.9000.00
FS-C2KU7DCLU-M42	Camera Link Dual Line Scan Camera, 2K, Color, CMOS AWAIBA DR-RGB-2x2K7, 7 µm, 75 kHz, M42 Mount, Field Update Capability	1,309.00	681312	4549734199940			SA	A	JPN	9031.9000.00
FS-C2KU7DGES-C	GiE Dual Line Scan Camera, 2x 2K color, CMOS AWAIBA DR-2X2K7-inver-RGB, dual scan, 7.0 µm, 26 kHz, C-Mount, POE	1,271.00	681250	4549734199964			SA	A	JPN	9031.9000.00
FS-C2KU7DGES-F	GiE Dual Line Scan Camera, 2x 2K color, CMOS AWAIBA DR-2X2K7-inver-RGB, dual scan, 7.0 µm, 26 kHz, F-Mount, POE	1,440.00	699131	4549734669900			SA	A	JPN	9031.9000.00
FS-C2KU7DGES-M42	GiE Dual Line Scan Camera, 2x 2K color, CMOS AWAIBA DR-2X2K7-inver-RGB, dual scan, 7.0 µm, 26 kHz, M42-Mount, POE	1,478.00	699130	4549734669917			SA	A	JPN	9031.9000.00
FS-C4KU7DCLU-F	Camera Link Dual Line Scan Camera, 4K, Color, CMOS AWAIBA DR-RGB-2x4K7, 7 µm, 75 kHz, F Mount, Field Update Capability	1,460.00	699129	4549734669924			SA	A	JPN	9031.9000.00
FS-C4KU7DCLU-M42	Camera Link Dual Line Scan Camera, 4K, Color, CMOS AWAIBA DR-RGB-2x4K7, 7 µm, 75 kHz, M42 Mount, Field Update Capability	1,539.00	681187	4549734199971			SA	A	JPN	9031.9000.00
FS-C4KU7DGES-F	GiE Dual Line Scan Camera, 2x 4K color, CMOS AWAIBA DR-2X4K7-inver-RGB, 7.0 µm, 13 kHz, F-Mount, POE	1,500.00	681224	4549734199988			SA	A	JPN	9031.9000.00
FS-C4KU7DGES-M42	GiE Dual Line Scan Camera, 2x 4K color, CMOS AWAIBA DR-2X4K7-inver-RGB, 7.0 µm, 13 kHz, M42-Mount, POE	1,781.00	699133	4549734669887			SA	A	JPN	9031.9000.00
FS-C8KU7DCLU-M72	Camera Link Dual Line Scan Camera, 8K, Color, CMOS AWAIBA DR-RGB-2x8K7, 7 µm, 40 kHz, M72 Mount, Field Update Capability	1,781.00	699132	4549734669894			SA	A	JPN	9031.9000.00
		3,124.00	681142	4549734199995			SA	A	JPN	9031.9000.00
JG-HD133-R	Controlling Unit for STC-HD133 and STC-HD203 Camera	120.70	683771	4549734953283			SA	A	USA	9026.9000.00
LM35JCM-V	Shock resistant Vision Lens, 35 mm focal length, f/1.4 - f/4 - f/8 - f/16, up to 2/3" sensor size	270.00	685030	4549734961714			SA	A	JPN	9031.9000.00
LM50JCM-V	Shock resistant Vision Lens, 50 mm focal length, F.No. F1.4/F4/F8/F16, up to 2/3" sensor size	270.00	685031	4549734961721			SA	A	JPN	9031.9000.00

**Accessories for Industrial Cameras**

12W-2P	12 Pin Hirose Power Cable with power spades, 2 m	49.63	681410	4549734944502			SA	B	USA	8544.4200.90
12W-3P	12 Pin Hirose Power Cable with power spades, 3 m	60.15	681394	4549734944434			SA	B	USA	8544.4200.90
CAB-CL10M-MINI	Camera Link Cable, Connectors: Standard on F.G. side & Mini on camera side, 10 m	256.10	681389	4549734944298			SA	B	CHN	8544.4210.00
CAB-CL2M-MINI	Camera Link Cable, Connectors: Standard on F.G. side & Mini on camera side, 2 m	195.70	681395	4549734944359			SA	B	CHN	8544.4210.00
CAB-CL3M-MINI	Camera Link Cable, Connectors: Standard on F.G. side & Mini on camera side, 3 m	200.60	681413	4549734944533			SA	B	CHN	8544.4210.00
CAB-CL5M-MINI	Camera Link Cable, Connectors: Standard on F.G. side & Mini on camera side, 5 m	215.90	681401	4549734944410			SA	B	CHN	8544.4210.00

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Daheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
CAB-CL7M-MINI	Camera Link Cable, Connectors: Standard on F.G. side & Mini on camera side, 7 m	231.10	681402	4549734944427			SA	B	CHN	8544.4210.00
CAB-US93-02	USB 3.0 cable, USB3.0 Micro-B, Camera side with fastening screws, 2 m	35.35	698597	4549734667180			SA	B	PHL	8544.4290.90
CAB-US93-02-FB	USB 3.0 cable, USB3.0 Micro-B, Camera side with fastening screws, robot cable, 2 m	82.85	698601	4549734667234			SA	B	PHL	8544.4290.90
CAB-US93-03	USB 3.0 cable, USB3.0 Micro-B, Camera side with fastening screws, 3 m	42.42	698596	4549734667197			SA	B	PHL	8544.4290.90
CAB-US93-03-FB	USB 3.0 cable, USB3.0 Micro-B, Camera side with fastening screws, robot cable, 3 m	103.10	698600	4549734667241			SA	B	PHL	8544.4290.90
CAB-US93-05	USB 3.0 cable, USB3.0 Micro-B, Camera side with fastening screws, 5 m	49.49	698595	4549734667203			SA	B	PHL	8544.4290.90
CAB-US93-05-FB	USB 3.0 cable, USB3.0 Micro-B, Camera side with fastening screws, robot cable, 5 m	151.50	698599	4549734667258			SA	B	PHL	8544.4290.90
CAB-US93-07	USB 3.0 cable, USB3.0 Micro-B, Camera side with fastening screws, 7 m	106.10	698594	4549734667210			SA	B	PHL	8544.4290.90
CAB-US93-07-FB	USB 3.0 cable, USB3.0 Micro-B, Camera side with fastening screws, robot cable, 7 m	252.50	698598	4549734667265			SA	B	PHL	8544.4290.90
CAB-US93-10	USB 3.0 cable, USB3.0 Micro-B, Camera side with fastening screws, 10 m	191.90	698593	4549734667227			SA	B	PHL	8544.4290.90
CBL-D302MBS-10M	USB 3.0 Active Cable, USB A to USB Micro B with Lock Down Screws at Micro B Plug End, 10 m	174.00	681388	4549734944281			SA	B	TWN	8544.4210.00
CBL-D302MBS-15M	USB 3.0 Active Cable, USB A to USB Micro B with Lock Down Screws at Micro B Plug End, 15 m	247.50	681397	4549734944373			SA	B	TWN	8544.4210.00
CBL-D302MBS-20M	USB 3.0 Active Cable, USB A to USB Micro B with Lock Down Screws at Micro B Plug End, 20 m	394.90	681412	4549734944526			SA	B	TWN	8544.4210.00
CBL-D302MBS-30M	USB 3.0 Active Cable, USB A to USB Micro B with Lock Down Screws at Micro B Plug End, 30 m	632.50	681414	4549734944540			SA	B	TWN	8544.4210.00
CBL-D302MBS-5M	USB 3.0 Cable, USB A to USB Micro B with Lock Down Screws at Micro B Plug End, 5 m	105.60	681406	4549734944465			SA	B	TWN	8544.4210.00
CBL-PD203MBS-2MS	USB 2.0 Cable, USB A to USB Mini B with Lock Down Screws at Micro B Plug End, 2 m	11.67	681386	4549734944267			SA	B	TWN	8544.4210.00
CBL-PD203MBS-3MS	USB 2.0 Cable, USB A to USB Mini B with Lock Down Screws at Micro B Plug End, 3 m	17.40	681411	4549734944519			SA	B	TWN	8544.4210.00
CBL-PD203MBS-5MS	USB 2.0 Cable, USB A to USB Mini B with Lock Down Screws at Micro B Plug End, 5 m	26.09	681392	4549734944328			SA	B	TWN	8544.4210.00
CBL-PD302MBS-1M	USB 3.0 Cable, USB A to USB Micro B with Lock Down Screws at Micro B Plug End, 1 m	31.98	681393	4549734944335			SA	B	TWN	8544.4210.00
CBL-PD302MBS-2M	USB 3.0 Cable, USB A to USB Micro B with Lock Down Screws at Micro B Plug End, 2 m	34.75	681403	4549734944434			SA	B	TWN	8544.4210.00
CBL-PD302MBS-3M	USB 3.0 Cable, USB A to USB Micro B with Lock Down Screws at Micro B Plug End, 3 m	43.45	681408	4549734944489			SA	B	TWN	8544.4210.00
CBL-PD302MBS-4M	USB 3.0 Cable, USB A to USB Micro B with Lock Down Screws at Micro B Plug End, 4 m	53.75	681409	4549734944496			SA	B	TWN	8544.4210.00
CBL-PD302MBSWB-5M	USB 3.0 Cable, USB A to USB Micro B with Lock Down Screws at both Ends, 5 m	60.60	681416	4549734944564			SA	B	TWN	8544.4210.00
HDMI-A/HDMI-A 1.8M	HDMI Cable, 1.8 m	8.92	681405	4549734944458			SA	B	CHN	8544.4210.00
HDMI-A/HDMI-A 3.0M	HDMI Cable, 3.0 m	10.02	681399	4549734944397			SA	B	CHN	8544.4210.00
HDMI-A/HDMI-A 4.5M	HDMI Cable, 4.5 m	12.62	681398	4549734944380			SA	B	CHN	8544.4210.00
HR10A-10R-12S(7/2)	Hirose 12 Position Circular Connector Receptacle, Female Sockets Solder Gold	13.13	681387	4549734944274			SA	B	JPN	8536.9010.00
HR10A-7P-6S(7/3)	Hirose 6 Position Circular Connector Plug, Female Sockets Solder Quo Silver	10.77	681415	4549734944557			SA	B	JPN	8536.9010.00
HR96-AV-6-3M	Female 6-pin Hirose Cable with 6 Conductor Breakout, For GiG, USB and 6 Pin capable cameras, 3 m	63.00	681391	4549734944311			SA	B	USA	8544.4290.90
HR96-AV-6-5M	Female 6-pin Hirose Cable with 6 Conductor Breakout, For GiG, USB and 6 Pin capable cameras, 5 m	86.00	681390	4549734944304			SA	B	USA	8544.4290.90
HR96-AV-6-7M	Female 6-pin Hirose Cable with 6 Conductor Breakout, For GiG, USB and 6 Pin capable cameras, 7 m	87.85	681400	4549734944403			SA	B	USA	8544.4290.90
NU3MBA3J3B-2M	USB 3.0 Cable, USB A to USB Micro B with Lock Down Screws, for robotic applications, 2 m	105.10	681336	4549734197724			SA	B	VNM	8544.4210.00
NU3MBA3J3B-3.5M	USB 3.0 Cable, USB A to USB Micro B with Lock Down Screws, for robotic applications, 3.5 m	124.40	681327	4549734197731			SA	B	VNM	8544.4210.00
NU3MBA3J3S-2M	USB 3.0 Cable, USB A to USB Micro B, with Lock Down Screws, 2 m	38.19	681341	4549734197700			SA	B	VNM	8544.4210.00
NU3MBA3J3S-3.5M	USB 3.0 Cable, USB A to USB Micro B, with Lock Down Screws, 3.5 m	47.72	681216	4549734197717			SA	B	VNM	8544.4210.00
PWR-PS94-50	Power Supply 12 VDC with 6-pin Hirose Female connector on camera side, wall AC plug	124.40	681404	4549734944441			SA	B	USA	8544.4290.90
PWR-PS9P-20	Power Supply 12 VDC with 12-pin Hirose Female, 6 m cable, with AC wall plug and all international adapters	108.90	681407	4549734944472			SA	B	USA	8544.4290.90
PWR-PS9P-6	Power Supply 12 VDC with 12-pin Hirose Female, 1.8 m cable, with AC wall plug and all international adapters	87.85	681396	4549734944366			SA	B	USA	8544.4290.90
1SC864E3MM	Optical Low Pass Filter for Peoper	9.55	681266	4549734203234		50	SA	B	CHN	9002.2000.00
1SC90354MM	Optical Low Pass Filter for Peoper	9.55	681203	4549734203241			SA	B	CHN	9002.2000.00
CAB-KWA-IEA	Converter, 6-pin connector to S Series pin assignment	55.55	696471	4549734667173			SA	B	JPN	9031.9000.00
CSC-C-R	C-Mount-Adapter to use CS-Mount Camera with C-Mount Optics	14.34	681136	4549734197755			SA	B	JPN	9031.9000.00
M42-F-R	F Mount Adapter to use M42 Mount Camera with F Mount Optics	81.25	681315	4549734197762			SA	B	CHN	9031.9000.00
MS-8STE	Micro Lens for Remote Head Camera series R640, Fixed f = 8.0 mm	76.40	681383	4549734203258			SA	B	JPN	9031.9000.00
MSC-444STE	Micro Lens for Remote Head Camera series R640, Fixed f = 4.0 mm	47.72	681276	4549734203210			SA	B	JPN	9031.9000.00
PT2823ST	Lens for N63SL, 630L, f = 2.3 mm	38.19	681289	4549734203227			SA	B	JPN	9031.9000.00
RC-HD133	Remote Control Unit for all DVI/SDI camera models	126.20	688176	4549734200035			SA	B	JPN	9031.9000.00
RC-S133	On Screen Display Remote Controller for STC-S133	95.45	681303	4549734200042			SA	B	JPN	9031.9000.00
RC-S133B	On screen display remote controller for STC-S133, jack pin	105.20	702127	4549734548861			SA	B	JPN	9031.9000.00
TP-HCA	Mounting Plate for STC-MCE/MBE132, STC-MBA/MCA5MUSB3, Analogue Cameras	12.31	688946	4549734510103			SA	B	JPN	9031.9000.00
TP-JQA	Tripod Mount for Cube Camera	30.30	696469	4549734667487			SA	B	CHN	9031.9000.00
TP-JVA	Tripod Mount for Cube Camera	28.67	681326	4549734200028			SA	B	CHN	9031.9000.00
TP-KWA	Tripod Mount for M-Series Camera	31.31	696351	4549734548847			SA	B	CHN	9031.9000.00
TP-KWA2	Tripod Mount for M-Series Camera	30.30	696470	4549734667470			SA	B	CHN	9031.9000.00
TP-KWA-IEA	Tripod Mount for M-Series Cameras, Used to set M-Series with sensor center at same height as that of S Series	31.31	696350	4549734548854			SA	B	CHN	9031.9000.00
VL-1618STF	Micro Lens for Remote Head Camera series R640, Fixed f = 16.0 mm	215.00	681356	4549734203005			SA	B	JPN	9031.9000.00
VL-2720VES	Micro Lens for Remote Head Camera series R640, Fixed f = 2.7 mm	47.72	681301	4549734203012			SA	B	JPN	9031.9000.00
<b>MicroHAWK Code Headers</b>										
7211-1102-0100	MicroHAWK.MV-20, IP40 Case, USB, WVGA, 0.3 Megapixel, Mono, Standard Density, 102 mm focus, No LED, AutoVISION Sensor	1,241.00	687765	4549734224727			SB	A	USA	9031.9000.00
7211-1102-0102	MicroHAWK.MV-20, IP40 Case, USB, WVGA, 0.3 Megapixel, Mono, Standard Density, 102 mm focus, No LED, AutoVISION + Visionscape	2,070.00	687759	4549734224741			SB	A	USA	9031.9000.00
7211-2050-0100	MicroHAWK.MV-20, IP40 Case, USB, WVGA, 0.3 Megapixel, Mono, High Density, 50 mm focus, No LED, AutoVISION Sensor	1,241.00	688118	4549734224871			SB	A	USA	9031.9000.00
7212-1102-0101	MicroHAWK.MV-20, IP40 Case, USB, SXGA, 1.2 Megapixel, Mono, Standard Density, 102 mm focus, No LED, AutoVISION	1,997.00	688509	4549734225137			SB	A	USA	9031.9000.00
7212-1102-0103	MicroHAWK.MV-20, IP40 Case, USB, SXGA, 1.2 Megapixel, Mono, Standard Density, 102 mm focus, AutoVISION + Verification	2,313.00	683981	4549734225151			SB	A	USA	9031.9000.00
7212-1190-0101	MicroHAWK.MV-20, IP40 Case, USB, SXGA, 1.2 Megapixel, Mono, Standard Density, 190 mm focus, No LED, AutoVISION	1,997.00	688510	4549734225182			SB	A	USA	9031.9000.00
7212-2102-0101	MicroHAWK.MV-20, IP40 Case, USB, SXGA, 1.2 Megapixel, Mono, High Density, 102 mm focus, No LED, AutoVISION	1,997.00	687764	4549734225335			SB	A	USA	9031.9000.00
7212-2102-0103	MicroHAWK.MV-20, IP40 Case, USB, SXGA, 1.2 Megapixel, Mono, High Density, 102 mm focus, No LED, AutoVISION + Verification	2,375.00	687757	4549734225359			SB	A	USA	9031.9000.00
7212-2102-0104	MicroHAWK.MV-20, IP40 Case, USB, SXGA, 1.2 Megapixel, Mono, High Density, 102 mm focus, No LED, AutoVISION + Verification + Visionscape	2,692.00	687763	4549734225366			SB	A	USA	9031.9000.00
7212-3064-0100	MicroHAWK.MV-20, IP40 Case, USB, SXGA, 1.2 Megapixel, Mono, Ultra High Density, 64 mm focus, No LED, AutoVISION Sensor	1,656.00	689027	4549734225472			SB	A	USA	9031.9000.00
7212-3400-0102	MicroHAWK.MV-20, IP40 Case, USB, SXGA, 1.2 Megapixel, Mono, Ultra High Density, 400 mm focus, No LED, AutoVISION + Visionscape	2,485.00	697761	4549734225540			SB	A	USA	9031.9000.00
7213-1102-0100	MicroHAWK.MV-20, IP40 Case, USB, QSXGA, 5 Megapixel, Color, Standard Density, 102 mm focus, No LED, AutoVISION Sensor	1,344.00	687760	4549734225625			SB	A	USA	9031.9000.00
7213-1102-0101	MicroHAWK.MV-20, IP40 Case, USB, QSXGA, 5 Megapixel, Color, Standard Density, 102 mm focus, No LED, AutoVISION	1,789.00	687762	4549734225632			SB	A	USA	9031.9000.00
7213-1102-0102	MicroHAWK.MV-20, IP40 Case, USB, QSXGA, 5 Megapixel, Color, Standard Density, 102 mm focus, No LED, AutoVISION + Visionscape	2,173.00	687758	4549734225649			SB	A	USA	9031.9000.00
7311-1000-2103	MicroHAWK.MV-30, IP54 Case, 5 VDC, USB, WVGA, 0.3 Megapixel, Mono, Standard Density, Autofocus, White LED, AutoVISION + Verification	3,210.00	682000	4549734226103			SB	A	USA	9031.9000.00
7311-2000-2103	MicroHAWK.MV-30, IP54 Case, 5 VDC, USB, WVGA, 0.3 Megapixel, Mono, High Density, Autofocus, White LED, AutoVISION + Verification	3,210.00	682041	4549734226851			SB	A	USA	9031.9000.00

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Sheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
7312-1000-2103	MicroHAWK MV-30, IP54 Case, 5 VDC, USB, SXGA, 1.2 Megapixel, Mono, Standard Density, Autofocus, White LED, AutoVISION + Verification	3,585.00	682090	4549734227612			SE	A	USA	9031.9000.00
7312-2000-1101	MicroHAWK MV-30, IP54 Case, 5 VDC, USB, SXGA, 1.2 Megapixel, Mono, High Density, Autofocus, Red LED, AutoVISION	3,090.00	683347	4549734228305			SE	A	USA	9031.9000.00
7312-2000-1102	MicroHAWK MV-30, IP54 Case, 5 VDC, USB, SXGA, 1.2 Megapixel, Mono, High Density, Autofocus, Red LED, AutoVISION + Visionscape	2,955.00	683958	4549734228312			SE	A	USA	9031.9000.00
7312-2000-1104	MicroHAWK MV-30, IP54 Case, 5 VDC, USB, SXGA, 1.2 Megapixel, Mono, High Density, Autofocus, Red LED, AutoVISION + Verification + Visionscape	3,314.00	689626	4549734228326			SE	A	USA	9031.9000.00
7312-2000-2101	MicroHAWK MV-30, IP54 Case, 5 VDC, USB, SXGA, 1.2 Megapixel, Mono, High Density, Autofocus, White LED, AutoVISION	2,548.00	683761	4549734228350			SE	A	USA	9031.9000.00
7312-2000-2102	MicroHAWK MV-30, IP54 Case, 5 VDC, USB, SXGA, 1.2 Megapixel, Mono, High Density, Autofocus, White LED, AutoVISION + Visionscape	2,754.00	683863	4549734228367			SE	A	USA	9031.9000.00
7312-2000-2103	MicroHAWK MV-30, IP54 Case, 5 VDC, USB, SXGA, 1.2 Megapixel, Mono, High Density, Autofocus, White LED, AutoVISION + Verification	3,585.00	682167	4549734228374			SE	A	USA	9031.9000.00
7312-2102-1102	MicroHAWK MV-30, IP54 Case, 5 VDC, USB, SXGA, 1.2 Megapixel, Mono, High Density, 102 mm focus, Red LED, AutoVISION + Visionscape	2,651.00	683760	4549734228619			SE	A	USA	9031.9000.00
7312-2102-2102	MicroHAWK MV-30, IP54 Case, 5 VDC, USB, SXGA, 1.2 Megapixel, Mono, High Density, 102 mm focus, White LED, AutoVISION + Visionscape	2,651.00	683762	4549734228664			SE	A	USA	9031.9000.00
7312-3000-2103	MicroHAWK MV-30, IP54 Case, 5 VDC, USB, SXGA, 1.2 Megapixel, Mono, Ultra High Density, Autofocus, White LED, AutoVISION + Verification	3,706.00	682040	4549734229074			SE	A	USA	9031.9000.00
7312-4000-2100	MicroHAWK MV-30, IP54 Case, 5 VDC, USB, SXGA, 1.2 Megapixel, Mono, Long Range, Autofocus, White LED, AutoVISION Sensor	2,030.00	686094	4549734487795			SE	A	USA	9031.9000.00
7312-4000-2101	MicroHAWK MV-30, IP54 Case, 5 VDC, USB, SXGA, 1.2 Megapixel, Mono, Long Range, Autofocus, White LED, AutoVISION	2,588.00	686093	4549734487801			SE	A	USA	9031.9000.00
7312-4000-2102	MicroHAWK MV-30, IP54 Case, 5 VDC, USB, SXGA, 1.2 Megapixel, Mono, Long Range, Autofocus, White LED, AutoVISION + Visionscape	2,795.00	686092	4549734487818			SE	A	USA	9031.9000.00
7313-1000-0102	MicroHAWK MV-30, IP54 Case, 5 VDC, USB, OSXGA, 5 Megapixel, Color, Standard Density, Autofocus, No LED, AutoVISION + Visionscape	2,650.00	683536	4549734229517			SE	A	USA	9031.9000.00
7313-1000-2103	MicroHAWK MV-30, IP54 Case, 5 VDC, USB, OSXGA, 5 Megapixel, Color, Standard Density, Autofocus, White LED, AutoVISION + Verification	3,339.00	682071	4549734229579			SE	A	USA	9031.9000.00
7313-2000-2101	MicroHAWK MV-30, IP54 Case, 5 VDC, USB, OSXGA, 5 Megapixel, Color, High Density, Autofocus, White LED, AutoVISION	3,088.00	682467	4549734230056			SE	A	USA	9031.9000.00
7313-2000-2102	MicroHAWK MV-30, IP54 Case, 5 VDC, USB, OSXGA, 5 Megapixel, Color, High Density, Autofocus, White LED, AutoVISION + Visionscape	3,339.00	682052	4549734230063			SE	A	USA	9031.9000.00
7313-2000-2103	MicroHAWK MV-30, IP54 Case, 5 VDC, USB, OSXGA, 5 Megapixel, Color, High Density, Autofocus, White LED, AutoVISION + Verification	3,339.00	683353	4549734230070			SE	A	USA	9031.9000.00
7411-1000-2103	MicroHAWK MV-40, IP65 Case, 24 VDC, Ethernet, WVGA, 0.3 Megapixel, Mono, Standard Density, Autofocus, White LED, AutoVISION + Verification	3,585.00	682061	4549734230636			SE	A	USA	9031.9000.00
7411-1050-2100	MicroHAWK MV-40, IP65 Case, 24 VDC, Ethernet, WVGA, 0.3 Megapixel, Mono, Standard Density, 102 mm focus, White LED, AutoVISION Sensor	1,889.00	686206	4549734230759			SE	A	USA	9031.9000.00
7411-1102-1100	MicroHAWK MV-40, IP65 Case, 24 VDC, Ethernet, WVGA, 0.3 Megapixel, Mono, Standard Density, 102 mm focus, Red LED, AutoVISION Sensor	1,834.00	691177	4549734230858			SE	A	USA	9031.9000.00
7411-2000-1100	MicroHAWK MV-40, IP65 Case, 24 VDC, Ethernet, WVGA, 0.3 Megapixel, Mono, High Density, Autofocus, Red LED, AutoVISION Sensor	2,173.00	687123	4549734231305			SE	A	USA	9031.9000.00
7411-2000-1102	MicroHAWK MV-40, IP65 Case, 24 VDC, Ethernet, WVGA, 0.3 Megapixel, Mono, High Density, Autofocus, Red LED, AutoVISION + Visionscape	2,618.00	687124	4549734231329			SE	A	USA	9031.9000.00
7411-2000-2103	MicroHAWK MV-40, IP65 Case, 24 VDC, Ethernet, WVGA, 0.3 Megapixel, Mono, High Density, Autofocus, White LED, AutoVISION + Verification	3,585.00	682156	4549734231331			SE	A	USA	9031.9000.00
7411-2050-2100	MicroHAWK MV-40, IP65 Case, 24 VDC, Ethernet, WVGA, 0.3 Megapixel, Mono, High Density, 50 mm focus, White LED, AutoVISION Sensor	1,889.00	686205	4549734231501			SE	A	USA	9031.9000.00
7411-2102-2101	MicroHAWK MV-40, IP65 Case, 24 VDC, Ethernet, WVGA, 0.3 Megapixel, Mono, High Density, 102 mm focus, White LED, AutoVISION	2,271.00	684328	4549734231664			SE	A	USA	9031.9000.00
7411-2100-1101	MicroHAWK MV-40, IP65 Case, 24 VDC, Ethernet, WVGA, 0.3 Megapixel, Mono, High Density, 190 mm focus, Red LED, AutoVISION	2,695.00	683204	4549734231763			SE	A	USA	9031.9000.00
7412-1000-1102	MicroHAWK MV-40, IP65 Case, 24 VDC, Ethernet, SXGA, 1.2 Megapixel, Mono, Standard Density, Autofocus, Red LED, AutoVISION + Visionscape	3,954.00	682101	4549734232098			SE	A	USA	9031.9000.00
7412-1000-1103	MicroHAWK MV-40, IP65 Case, 24 VDC, Ethernet, SXGA, 1.2 Megapixel, Mono, Standard Density, Autofocus, Red LED, AutoVISION + Verification	3,313.00	688420	4549734232104			SE	A	USA	9031.9000.00
7412-1000-1104	MicroHAWK MV-40, IP65 Case, 24 VDC, Ethernet, SXGA, 1.2 Megapixel, Mono, Standard Density, Autofocus, Red LED, AutoVISION + Verification + Visionscape	4,323.00	683528	4549734232111			SE	A	USA	9031.9000.00
7412-1000-2101	MicroHAWK MV-40, IP65 Case, 24 VDC, Ethernet, SXGA, 1.2 Megapixel, Mono, Standard Density, Autofocus, White LED, AutoVISION	2,900.00	686002	4549734232142			SE	A	USA	9031.9000.00
7412-1000-2102	MicroHAWK MV-40, IP65 Case, 24 VDC, Ethernet, SXGA, 1.2 Megapixel, Mono, Standard Density, Autofocus, White LED, AutoVISION + Visionscape	3,954.00	683208	4549734232159			SE	A	USA	9031.9000.00
7412-1000-2103	MicroHAWK MV-40, IP65 Case, 24 VDC, Ethernet, SXGA, 1.2 Megapixel, Mono, Standard Density, Autofocus, White LED, AutoVISION + Verification	3,954.00	682069	4549734232166			SE	A	USA	9031.9000.00
7412-1050-1101	MicroHAWK MV-40, IP65 Case, 24 VDC, Ethernet, SXGA, 1.2 Megapixel, Mono, Standard Density, 50 mm focus, Red LED, AutoVISION	2,618.00	684899	4549734232258			SE	A	USA	9031.9000.00
7412-1102-0102	MicroHAWK MV-40, IP65 Case, 24 VDC, Ethernet, SXGA, 1.2 Megapixel, Mono, Standard Density, 102 mm focus, No LED, AutoVISION + Visionscape	2,855.00	683724	4549734232364			SE	A	USA	9031.9000.00
7412-1102-2103	MicroHAWK MV-40, IP65 Case, 24 VDC, Ethernet, SXGA, 1.2 Megapixel, Mono, Standard Density, 102 mm focus, White LED, AutoVISION + Visionscape	3,582.00	683445	4549734232463			SE	A	USA	9031.9000.00
7412-1190-0103	MicroHAWK MV-40, IP65 Case, 24 VDC, Ethernet, SXGA, 1.2 Megapixel, Mono, Standard Density, 190 mm focus, No LED, AutoVISION + Verification	2,900.00	687333	4549734232524			SE	A	USA	9031.9000.00
7412-1190-2101	MicroHAWK MV-40, IP65 Case, 24 VDC, Ethernet, SXGA, 1.2 Megapixel, Mono, Standard Density, 190 mm focus, White LED, AutoVISION	2,618.00	686419	4549734232626			SE	A	USA	9031.9000.00
7412-2000-1101	MicroHAWK MV-40, IP65 Case, 24 VDC, Ethernet, SXGA, 1.2 Megapixel, Mono, High Density, Autofocus, Red LED, AutoVISION	3,459.00	682603	4549734232852			SE	A	USA	9031.9000.00
7412-2000-1102	MicroHAWK MV-40, IP65 Case, 24 VDC, Ethernet, SXGA, 1.2 Megapixel, Mono, High Density, Autofocus, Red LED, AutoVISION + Visionscape	3,954.00	682457	4549734232869			SE	A	USA	9031.9000.00
7412-2000-1103	MicroHAWK MV-40, IP65 Case, 24 VDC, Ethernet, SXGA, 1.2 Megapixel, Mono, High Density, Autofocus, Red LED, AutoVISION + Verification	3,954.00	682602	4549734232876			SE	A	USA	9031.9000.00
7412-2000-2100	MicroHAWK MV-40, IP65 Case, 24 VDC, Ethernet, SXGA, 1.2 Megapixel, Mono, High Density, Autofocus, White LED, AutoVISION Sensor	2,305.00	683696	4549734232890			SE	A	USA	9031.9000.00
7412-2000-2101	MicroHAWK MV-40, IP65 Case, 24 VDC, Ethernet, SXGA, 1.2 Megapixel, Mono, High Density, Autofocus, White LED, AutoVISION	3,463.00	683201	4549734232906			SE	A	USA	9031.9000.00
7412-2000-2102	MicroHAWK MV-40, IP65 Case, 24 VDC, Ethernet, SXGA, 1.2 Megapixel, Mono, High Density, Autofocus, White LED, AutoVISION + Visionscape	3,954.00	683325	4549734232913			SE	A	USA	9031.9000.00
7412-2000-2103	MicroHAWK MV-40, IP65 Case, 24 VDC, Ethernet, SXGA, 1.2 Megapixel, Mono, High Density, Autofocus, White LED, AutoVISION + Verification	3,954.00	682126	4549734232920			SE	A	USA	9031.9000.00
7412-2000-2104	MicroHAWK MV-40, IP65 Case, 24 VDC, Ethernet, SXGA, 1.2 Megapixel, Mono, High Density, Autofocus, White LED, AutoVISION + Verification + Visionscape	4,314.00	684993	4549734232937			SE	A	USA	9031.9000.00
7412-2050-2101	MicroHAWK MV-40, IP65 Case, 24 VDC, Ethernet, SXGA, 1.2 Megapixel, Mono, High Density, 50 mm focus, White LED, AutoVISION	2,578.00	684107	4549734233064			SE	A	USA	9031.9000.00
7412-2102-2101	MicroHAWK MV-40, IP65 Case, 24 VDC, Ethernet, SXGA, 1.2 Megapixel, Mono, High Density, 102 mm focus, White LED, AutoVISION	2,578.00	684106	4549734233217			SE	A	USA	9031.9000.00
7412-3000-1100	MicroHAWK MV-40, IP65 Case, 24 VDC, Ethernet, SXGA, 1.2 Megapixel, Mono, Ultra High Density, Autofocus, Red LED, AutoVISION Sensor	2,287.00	695808	4549734233552			SE	A	USA	9031.9000.00
7412-3000-1102	MicroHAWK MV-40, IP65 Case, 24 VDC, Ethernet, SXGA, 1.2 Megapixel, Mono, Ultra High Density, Autofocus, Red LED, AutoVISION + Visionscape	3,417.00	690810	4549734233576			SE	A	USA	9031.9000.00
7412-3000-2101	MicroHAWK MV-40, IP65 Case, 24 VDC, Ethernet, SXGA, 1.2 Megapixel, Mono, Ultra High Density, Autofocus, White LED, AutoVISION	3,624.00	683202	4549734233620			SE	A	USA	9031.9000.00
7412-3000-2102	MicroHAWK MV-40, IP65 Case, 24 VDC, Ethernet, SXGA, 1.2 Megapixel, Mono, Ultra High Density, Autofocus, White LED, AutoVISION + Visionscape	4,080.00	683328	4549734233637			SE	A	USA	9031.9000.00
7412-3000-2103	MicroHAWK MV-40, IP65 Case, 24 VDC, Ethernet, SXGA, 1.2 Megapixel, Mono, Ultra High Density, Autofocus, White LED, AutoVISION + Verification	4,080.00	682066	4549734233644			SE	A	USA	9031.9000.00
7412-2400-2100	MicroHAWK MV-40, IP65 Case, 24 VDC, Ethernet, SXGA, 1.2 Megapixel, Mono, Ultra High Density, 400 mm focus, White LED, AutoVISION Sensor	2,243.00	684154	4549734233927			SE	A	USA	9031.9000.00
7412-3400-2102	MicroHAWK MV-40, IP65 Case, 24 VDC, Ethernet, SXGA, 1.2 Megapixel, Mono, Ultra High Density, 400 mm focus, White LED, AutoVISION + Visionscape	3,106.00	694828	4549734233941			SE	A	USA	9031.9000.00
7412-4000-1103	MicroHAWK MV-40, IP65 Case, 24 VDC, Ethernet, SXGA, 1.2 Megapixel, Mono, Long Range, Autofocus, Red LED, AutoVISION + Verification	3,313.00	689788	4549734488105			SE	A	USA	9031.9000.00
7412-4000-2100	MicroHAWK MV-40, IP65 Case, 24 VDC, Ethernet, SXGA, 1.2 Megapixel, Mono, Long Range, Autofocus, White LED, AutoVISION Sensor	2,342.00	686087	4549734488129			SE	A	USA	9031.9000.00
7412-4000-2101	MicroHAWK MV-40, IP65 Case, 24 VDC, Ethernet, SXGA, 1.2 Megapixel, Mono, Long Range, Autofocus, White LED, AutoVISION	2,900.00	686096	4549734488136			SE	A	USA	9031.9000.00
7412-4000-2102	MicroHAWK MV-40, IP65 Case, 24 VDC, Ethernet, SXGA, 1.2 Megapixel, Mono, Long Range, Autofocus, White LED, AutoVISION + Visionscape	3,313.00	686085	4549734488143			SE	A	USA	9031.9000.00
7413-1000-2100	MicroHAWK MV-40, IP65 Case, 24 VDC, Ethernet, OSXGA, 5 Megapixel, Color, Standard Density, Autofocus, White LED, AutoVISION Sensor	2,720.00	683207	4549734234122			SE	A	USA	9031.9000.00
7413-1000-2101	MicroHAWK MV-40, IP65 Case, 24 VDC, Ethernet, OSXGA, 5 Megapixel, Color, Standard Density, Autofocus, White LED, AutoVISION	2,739.00	685083	4549734234139			SE	A	USA	9031.9000.00
7413-1000-2102	MicroHAWK MV-40, IP65 Case, 24 VDC, Ethernet, OSXGA, 5 Megapixel, Color, Standard Density, Autofocus, White LED, AutoVISION + Visionscape	3,706.00	683447	4549734234146			SE	A	USA	9031.9000.00
7413-1000-2103	MicroHAWK MV-40, IP65 Case, 24 VDC, Ethernet, OSXGA, 5 Megapixel, Color, Standard Density, Autofocus, White LED, AutoVISION + Verification	3,706.00	682044	4549734234153			SE	A	USA	9031.9000.00
7413-1300-2100	MicroHAWK MV-40, IP65 Case, 24 VDC, Ethernet, OSXGA, 5 Megapixel, Color, Standard Density, 300 mm focus, White LED, AutoVISION Sensor	2,347.00	682600	4549734234528			SE	A	USA	9031.9000.00
7413-2000-2101	MicroHAWK MV-40, IP65 Case, 24 VDC, Ethernet, OSXGA, 5 Megapixel, Color, High Density, Autofocus, White LED, AutoVISION	2,691.00	687266	4549734234634			SE	A	USA	9031.9000.00
7413-2000-2102	MicroHAWK MV-40, IP65 Case, 24 VDC, Ethernet, OSXGA, 5 Megapixel, Color, High Density, Autofocus, White LED, AutoVISION + Visionscape	3,106.00	687125	4549734234641			SE	A	USA	9031.9000.00
7413-2000-2103	MicroHAWK MV-40, IP65 Case, 24 VDC, Ethernet, OSXGA, 5 Megapixel, Color, High Density, Autofocus, White LED, AutoVISION + Verification	3,706.00	682025	4549734234658			SE	A	USA	9031.9000.00
7413-2000-2104	MicroHAWK MV-40, IP65 Case, 24 VDC, Ethernet, OSXGA, 5 Megapixel, Color, High Density, Autofocus, White LED, AutoVISION + Verification + Visionscape	3,706.00	682066	4549734234665			SE	A	USA	9031.9000.00
7413-2102-2100	MicroHAWK MV-40, IP65 Case, 24 VDC, Ethernet, OSXGA, 5 Megapixel, Color, High Density, 102 mm focus, White LED, AutoVISION Sensor	1,936.00	683697	4549734234825			SE	A	USA	9031.9000.00
S.L.N-0000046	DOT-PEEN SYMBOLGY VERIFICATION KIT, DOAL-50, HAWK-MV-4000	8,785.00	683418	4549734278269	#		SE	A	CAN	8471.6070.00
GM										

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Data sheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
FIS-0003-0001G	MS-3 Barcode Reader, Single Line, Low Density	1,221.00	700200	4549734216517			SB	A	JPN	8471.6070.00
FIS-0003-0002G	MS-3 Barcode Reader, Single Line, High Density	1,221.00	700199	4549734216524			SB	A	JPN	8471.6070.00
FIS-0003-0003G	MS-3 Barcode Reader, Raster, Low Density	1,288.00	700198	4549734216531			SB	A	JPN	8471.6070.00
FIS-0003-0004G	MS-3 Barcode Reader, Single Line, Low Density	1,288.00	700197	4549734216548			SB	A	JPN	8471.6070.00
FIS-0003-0005G	MS-3 Barcode Reader, Raster, High Density	1,373.00	700196	4549734216555			SB	A	JPN	8471.6070.00
FIS-0003-0007G	MS-3 Barcode Reader, Single Line, Low Density, Right Angle	1,440.00	700195	4549734216562			SB	A	JPN	8471.6070.00
FIS-0830-0001G	OX-830 Scanner, Single Line, LD, Serial	2,094.00	682343	4549734216593			SB	A	MYS	8471.6070.00
FIS-0830-0002G	OX-830 Scanner, Single Line, MD, Serial	2,094.00	682374	4549734216609			SB	A	MYS	8471.6070.00
FIS-0830-0003G	OX-830 Scanner, Single Line, HD, Serial	2,094.00	682337	4549734216616			SB	A	MYS	8471.6070.00
FIS-0830-0004G	OX-830 Scanner, Raster Line, LD, Serial	2,094.00	682394	4549734216623			SB	A	MYS	8471.6070.00
FIS-0830-0005G	OX-830 Scanner, Raster Line, MD, Serial	2,094.00	682338	4549734216630			SB	A	MYS	8471.6070.00
FIS-0830-0006G	OX-830 Scanner, Raster Line, HD, Serial	2,094.00	682369	4549734216647			SB	A	MYS	8471.6070.00
FIS-0830-1001G	OX-830 Industrial Barcode Reader, Single Line, Low Density, Serial+Ethernet	2,332.00	682405	4549734216661			SB	A	MYS	8471.6070.00
FIS-0830-1002G	OX-830 Scanner, Single Line, MD, Serial & Ethernet	2,332.00	682345	4549734216678			SB	A	MYS	8471.6070.00
FIS-0830-1003G	OX-830 Scanner, Single Line, HD, Serial & Ethernet	2,332.00	682404	4549734216685			SB	A	MYS	8471.6070.00
FIS-0830-1004G	OX-830 Industrial Barcode Reader, Raster Line, Low Density, Serial+Ethernet	2,332.00	682355	4549734216692			SB	A	MYS	8471.6070.00
FIS-0830-1005G	OX-830 Scanner, Raster Line, MD, Serial & Ethernet	2,332.00	682391	4549734216708			SB	A	MYS	8471.6070.00
FIS-0830-1006G	OX-830 Scanner, Raster Line, HD, Serial & Ethernet	2,332.00	682324	4549734216715			SB	A	MYS	8471.6070.00
FIS-0830-1010G	OX-830 Scanner, Raster Line, LD, Serial & Ethernet, Plastic Window	2,332.00	682372	4549734216722			SB	A	MYS	8471.6070.00
FIS-0870-0004G	OX-870 Industrial Barcode Reader, Low Density, Sweeping Raster, Serial	3,375.00	682331	4549734216739			SB	A	MYS	8471.6070.00
FIS-0870-0005G	OX-870 Industrial Barcode Reader, Medium Density, Sweeping Raster, Serial	3,375.00	682379	4549734216746			SB	A	MYS	8471.6070.00
FIS-0870-0006G	OX-870 Industrial Barcode Reader, High Density, Sweeping Raster, Serial	3,375.00	682350	4549734216753			SB	A	MYS	8471.6070.00
FIS-0870-1004G	OX-870 Industrial Barcode Reader, Low Density, Sweeping Raster, Serial+Ethernet	3,634.00	682335	4549734216777			SB	A	MYS	8471.6070.00
FIS-0870-1005G	OX-870 Industrial Barcode Reader, Medium Density, Sweeping Raster, Serial+Ethernet	3,634.00	682402	4549734216794			SB	A	MYS	8471.6070.00
FIS-0870-1006G	OX-870 Industrial Barcode Reader, High Density, Sweeping Raster, Serial+Ethernet	3,634.00	682359	4549734216787			SB	A	MYS	8471.6070.00
7211-1050-0002	MicroHAWK-ID-20, IP40 Case, USB, WVGA, 0.3 Megapixel, Mono, Standard Density, 50 mm focus, Standard Speed, 1D/2D Decoder	619.00	686118	4549734240284			SB	A	USA	9031.9000.00
7211-1064-0002	MicroHAWK-ID-20, IP40 Case, USB, WVGA, 0.3 Megapixel, Mono, Standard Density, 64 mm focus, Standard Speed, 1D/2D Decoder	738.00	682483	4549734240345			SB	A	USA	9031.9000.00
7211-1064-0003	MicroHAWK-ID-20, IP40 Case, USB, WVGA, 0.3 Megapixel, Mono, Standard Density, 64 mm focus, Standard Speed, X-Mode Decoder	914.00	684054	4549734240352			SB	A	USA	9031.9000.00
7211-1081-0002	MicroHAWK-ID-20, IP40 Case, USB, WVGA, 0.3 Megapixel, Mono, Standard Density, 81 mm focus, No LED, Standard Speed, 1D/2D Decoder	619.00	684905	4549734240406			SB	A	USA	9031.9000.00
7211-1102-0000	MicroHAWK-ID-20, IP40 Case, USB, WVGA, 0.3 Megapixel, Mono, Standard Density, 102 mm focus, Standard Speed, 1D Decoder	613.50	682526	4549734240444			SB	A	USA	9031.9000.00
7211-1102-0002	MicroHAWK-ID-20, IP40 Case, USB, WVGA, 0.3 Megapixel, Mono, Standard Density, 102 mm focus, Standard Speed, 1D/2D Decoder	609.00	683857	4549734240468			SB	A	USA	9031.9000.00
7211-1102-0005	MicroHAWK-ID-20, IP40 Case, USB, WVGA, 0.3 Megapixel, Mono, Standard Density, 102 mm focus, High Speed, X-Mode Decoder	1,344.00	686114	4549734240499			SB	A	USA	9031.9000.00
7211-1133-0000	MicroHAWK-ID-20, IP40 Case, USB, WVGA, 0.3 Megapixel, Mono, Standard Density, 133 mm focus, Standard Speed, 1D Decoder	613.50	682525	4549734240505			SB	A	USA	9031.9000.00
7211-2050-0002	MicroHAWK-ID-20, IP40 Case, USB, WVGA, 0.3 Megapixel, Mono, High Density, 50 mm focus, Standard Speed, 1D/2D Decoder	609.00	683952	4549734240703			SB	A	USA	9031.9000.00
7212-1081-0002	MicroHAWK-ID-20, IP40 Case, USB, SXGA, 1.2 Megapixel, Mono, Standard Density, 81 mm focus, Standard Speed, 1D/2D Decoder	1,109.00	682462	4549734241243			SB	A	USA	9031.9000.00
7212-1081-0003	MicroHAWK-ID-20, IP40 Case, USB, SXGA, 1.2 Megapixel, Mono, Standard Density, 81 mm focus, Standard Speed, X-Mode Decoder	1,109.00	682459	4549734241250			SB	A	USA	9031.9000.00
7212-1102-0002	MicroHAWK-ID-20, IP40 Case, USB, SXGA, 1.2 Megapixel, Mono, Standard Density, 102 mm focus, Standard Speed, 1D/2D Decoder	914.00	683859	4549734241304			SB	A	USA	9031.9000.00
7212-1102-0003	MicroHAWK-ID-20, IP40 Case, USB, SXGA, 1.2 Megapixel, Mono, Standard Density, 102 mm focus, No LED, Standard Speed, X-Mode Decoder	1,242.00	686188	4549734241311			SB	A	USA	9031.9000.00
7212-1102-0005	MicroHAWK-ID-20, IP40 Case, USB, SXGA, 1.2 Megapixel, Mono, Standard Density, 102 mm focus, No LED, High Speed, X-Mode Decoder	1,652.00	689963	4549734241335			SB	A	USA	9031.9000.00
7212-1133-0002	MicroHAWK-ID-20, IP40 Case, USB, SXGA, 1.2 Megapixel, Mono, Standard Density, 133 mm focus, No LED, Standard Speed, 1D/2D Decoder	929.50	687257	4549734241366			SB	A	USA	9031.9000.00
7212-2050-0002	MicroHAWK-ID-20, IP40 Case, USB, SXGA, 1.2 Megapixel, Mono, High Density, 50 mm focus, No LED, Standard Speed, 1D/2D Decoder	929.50	689566	4549734241540			SB	A	USA	9031.9000.00
7212-2064-0002	MicroHAWK-ID-20, IP40 Case, USB, SXGA, 1.2 Megapixel, Mono, High Density, 64 mm focus, Standard Speed, 1D/2D Decoder	1,109.00	683334	4549734241601			SB	A	USA	9031.9000.00
7213-1102-0003	MicroHAWK-ID-20, IP40 Case, USB, OSXGA, 5 Megapixel, Color, Standard Density, 102 mm focus, No LED, Standard Speed, X-Mode Decoder	1,034.00	688189	4549734242196			SB	A	USA	9031.9000.00
7311-1000-1002	MicroHAWK-ID-30, IP54 Case, 5 VDC, USB, WVGA, 0.3 Megapixel, Mono, Standard Density, Autofocus, Red LED, Standard Speed, 1D/2D Decoder	1,481.00	682349	4549734216807			SB	A	USA	8471.6070.00
7311-1000-1005	MicroHAWK-ID-30, IP54 Case, 5 VDC, USB, WVGA, 0.3 Megapixel, Mono, Standard Density, Autofocus, Red LED, High Speed, X-Mode Decoder	2,349.00	682358	4549734216814			SB	A	USA	8471.6070.00
7311-1064-0002	MicroHAWK-ID-30, IP54 Case, 5 VDC, USB, WVGA, 0.3 Megapixel, Mono, Standard Density, 64 mm focus, No LED, Standard Speed, 1D/2D Decoder	813.00	684053	4549734243193			SB	A	USA	9031.9000.00
7311-1102-0002	MicroHAWK-ID-30, IP54 Case, 5 VDC, USB, WVGA, 0.3 Megapixel, Mono, Standard Density, 102 mm focus, No LED, Standard Speed, 1D/2D Decoder	825.00	689437	4549734216838			SB	A	USA	9031.9000.00
7311-1102-1005	MicroHAWK-ID-30, IP54 Case, 5 VDC, USB, WVGA, 0.3 Megapixel, Mono, Standard Density, 102 mm focus, Red LED, High Speed, X-Mode Decoder	1,974.00	682322	4549734216845			SB	A	USA	9031.9000.00
7311-1190-1000	MicroHAWK-ID-30, IP54 Case, 5 VDC, USB, WVGA, 0.3 Megapixel, Mono, Standard Density, 190 mm focus, Red LED, Standard Speed, 1D Decoder	914.00	683723	4549734243940			SB	A	USA	9031.9000.00
7311-2000-1003	MicroHAWK-ID-30, IP54 Case, 5 VDC, USB, WVGA, 0.3 Megapixel, Mono, High Density, Autofocus, Red LED, Standard Speed, X-Mode Decoder	1,552.00	689464	4549734244312			SB	A	USA	9031.9000.00
7311-2000-1005	MicroHAWK-ID-30, IP54 Case, 5 VDC, USB, WVGA, 0.3 Megapixel, Mono, High Density, Autofocus, Red LED, High Speed, X-Mode Decoder	2,349.00	682351	4549734216852			SB	A	USA	9031.9000.00
7311-2050-0002	MicroHAWK-ID-30, IP54 Case, 5 VDC, USB, WVGA, 0.3 Megapixel, Mono, High Density, 50 mm focus, No LED, Standard Speed, 1D/2D Decoder	985.50	682524	4549734216869			SB	A	USA	9031.9000.00
7311-2050-1002	MicroHAWK-ID-30, IP54 Case, 5 VDC, USB, WVGA, 0.3 Megapixel, Mono, High Density, 50 mm focus, Red LED, Standard Speed, 1D/2D Decoder	1,109.00	682679	4549734216876			SB	A	USA	9031.9000.00
7311-2050-1005	MicroHAWK-ID-30, IP54 Case, 5 VDC, USB, WVGA, 0.3 Megapixel, Mono, High Density, 50 mm focus, Red LED, High Speed, X-Mode Decoder	1,951.00	682116	4549734244497			SB	A	USA	9031.9000.00
7311-2064-1002	MicroHAWK-ID-30, IP54 Case, 5 VDC, USB, WVGA, 0.3 Megapixel, Mono, High Density, 64 mm focus, Red LED, Standard Speed, 1D/2D Decoder	914.00	684301	4549734244640			SB	A	USA	9031.9000.00
7311-2081-1002	MicroHAWK-ID-30, IP54 Case, 5 VDC, USB, WVGA, 0.3 Megapixel, Mono, High Density, 81 mm focus, Red LED, Standard Speed, 1D/2D Decoder	1,081.00	682594	4549734244817			SB	A	USA	9031.9000.00
7311-2081-1005	MicroHAWK-ID-30, IP54 Case, 5 VDC, USB, WVGA, 0.3 Megapixel, Mono, High Density, 81 mm focus, Red LED, High Speed, X-Mode Decoder	1,951.00	682012	4549734244848			SB	A	USA	9031.9000.00
7311-2102-1002	MicroHAWK-ID-30, IP54 Case, 5 VDC, USB, WVGA, 0.3 Megapixel, Mono, High Density, 102 mm focus, Red LED, Standard Speed, 1D/2D Decoder	1,109.00	683606	4549734216890			SB	A	USA	9031.9000.00
7311-2102-1003	MicroHAWK-ID-30, IP54 Case, 5 VDC, USB, WVGA, 0.3 Megapixel, Mono, High Density, 102 mm focus, Red LED, Standard Speed, X-Mode Decoder	1,481.00	682328	4549734216906			SB	A	USA	9031.9000.00
7311-2102-1005	MicroHAWK-ID-30, IP54 Case, 5 VDC, USB, WVGA, 0.3 Megapixel, Mono, High Density, 102 mm focus, Red LED, High Speed, X-Mode Decoder	1,974.00	682413	4549734216913			SB	A	USA	9031.9000.00
7311-2102-2000	MicroHAWK-ID-30, IP54 Case, 5 VDC, USB, WVGA, 0.3 Megapixel, Mono, High Density, 102 mm focus, White LED, Standard Speed, 1D Decoder	825.00	688119	4549734245005			SB	A	USA	9031.9000.00
7312-1000-0002	MicroHAWK-ID-30, IP54 Case, 5 VDC, USB, SXGA, 1.2 Megapixel, Mono, Standard Density, Autofocus, No LED, Standard Speed, 1D/2D Decoder	1,137.00	684930	4549734245623			SB	A	USA	9031.9000.00
7312-1000-0003	MicroHAWK-ID-30, IP54 Case, 5 VDC, USB, SXGA, 1.2 Megapixel, Mono, Standard Density, Autofocus, No LED, Standard Speed, X-Mode Decoder	1,449.00	684932	4549734245630			SB	A	USA	9031.9000.00
7312-1000-1003	MicroHAWK-ID-30, IP54 Case, 5 VDC, USB, SXGA, 1.2 Megapixel, Mono, Standard Density, Autofocus, Red LED, Standard Speed, X-Mode Decoder	2,226.00	682593	4549734216920			SB	A	USA	8471.6070.00
7312-1000-1004	MicroHAWK-ID-30, IP54 Case, 5 VDC, USB, SXGA, 1.2 Megapixel, Mono, Standard Density, Autofocus, Red LED, High Speed, 1D/2D Decoder	1,967.00	685416	4549734245708			SB	A	USA	9031.9000.00
7312-1000-1005	MicroHAWK-ID-30, IP54 Case, 5 VDC, USB, SXGA, 1.2 Megapixel, Mono, Standard Density, Autofocus, Red LED, High Speed, X-Mode Decoder	2,594.00	682086	4549734245715			SB	A	USA	9031.9000.00
7312-1000-2002	MicroHAWK-ID-30, IP54 Case, 5 VDC, USB, SXGA, 1.2 Megapixel, Mono, Standard Density, Autofocus, White LED, Standard Speed, 1D/2D Decoder	1,552.00	689145	4549734245739			SB	A	USA	9031.9000.00
7312-1050-0000	MicroHAWK-ID-30, IP54 Case, 5 VDC, USB, SXGA, 1.2 Megapixel, Mono, Standard Density, 50 mm focus, No LED, Standard Speed, 1D Decoder	1,234.00	682599	4549734245777			SB	A	USA	9031.9000.00
7312-1050-1002	MicroHAWK-ID-30, IP54 Case, 5 VDC, USB, SXGA, 1.2 Megapixel, Mono, Standard Density, 50 mm focus, Red LED, Standard Speed, 1D/2D Decoder	2,347.00	683529	4549734245852			SB	A	USA	9031.9000.00
7312-1081-1004	MicroHAWK-ID-30, IP54 Case, 5 VDC, USB, SXGA, 1.2 Megapixel, Mono, Standard Density, 81 mm focus, Red LED, High Speed, 1D/2D Decoder	1,656.00	689994	4549734246231			SB	A	USA	9031.9000.00
7312-2000-0003	MicroHAWK-ID-30, IP54 Case, 5 VDC, USB, SXGA, 1.2 Megapixel, Mono, High Density, Autofocus, No LED, Standard Speed, X-Mode Decoder	2,347.00	683073	4549734247090			SB	A	USA	9031.9000.00
7312-2000-1003	MicroHAWK-ID-30, IP54 Case, 5 VDC, USB, SXGA, 1.2 Megapixel, Mono, High Density, Autofocus, Red LED, Standard Speed, X-Mode Decoder	2,226.00	682387	4549734216944			SB	A	USA	9031.9000.00
7312-2000-1005	MicroHAWK-ID-30, IP54 Case, 5 VDC, USB, SXGA, 1.2 Megapixel, Mono, High Density, Autofocus, Red LED, High Speed, X-Mode Decoder	2,594.00	682326	4549734216951			SB	A	USA	9031.9000.00
7312-2000-2005	MicroHAWK-ID-30, IP54 Case, 5 VDC, USB, SXGA, 1.2 Megapixel, Mono, High Density, Autofocus, White LED, High Speed, X-Mode Decoder	2,244.00	684961	4549734247146			SB	A	USA	9031.9000.00
7312-2081-0002	MicroHAWK-ID-30, IP54 Case, 5 VDC, USB,									

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Sheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
7312-2102-1003	MicroHAWKID-30, IP54 Case, 5 VDC, USB, SXGA, 1.2 Megapixel, Mono, High Density, 102 mm focus, Red LED, Standard Speed, X-Mode Decoder	1.852.000	682397	4549734216975			SB	A	USA	9031.9000.00
7312-2102-2003	MicroHAWKID-30, IP54 Case, 5 VDC, USB, SXGA, 1.2 Megapixel, Mono, High Density, 102 mm focus, White LED, Standard Speed, X-Mode Decoder	1.852.000	682458	4549734247818			SB	A	USA	9031.9000.00
7312-2130-1003	MicroHAWKID-30, IP54 Case, 5 VDC, USB, SXGA, 1.2 Megapixel, Mono, High Density, 133 mm focus, Red LED, Standard Speed, X-Mode Decoder	1.852.000	683065	4549734216999			SB	A	USA	9031.9000.00
7312-2190-1003	MicroHAWKID-30, IP54 Case, 5 VDC, USB, SXGA, 1.2 Megapixel, Mono, High Density, 190 mm focus, Red LED, Standard Speed, X-Mode Decoder	1.852.000	683007	4549734248112			SB	A	USA	9031.9000.00
7312-3000-1003	MicroHAWKID-30, IP54 Case, 5 VDC, USB, SXGA, 1.2 Megapixel, Mono, Ultra High Density, Autofocus, Red LED, Standard Speed, X-Mode Decoder	2.349.000	682079	4549734248419			SB	A	USA	9031.9000.00
7312-3000-1005	MicroHAWKID-30, IP54 Case, 5 VDC, USB, SXGA, 1.2 Megapixel, Mono, Ultra High Density, Autofocus, Red LED, High Speed, X-Mode Decoder	2.844.000	682398	4549734217002			SB	A	USA	9031.9000.00
7312-3000-2005	MicroHAWKID-30, IP54 Case, 5 VDC, USB, SXGA, 1.2 Megapixel, Mono, Ultra High Density, Autofocus, White LED, High Speed, X-Mode Decoder	2.981.000	689962	4549734217019			SB	A	USA	9031.9000.00
7312-3064-1005	MicroHAWKID-30, IP54 Case, 5 VDC, USB, SXGA, 1.2 Megapixel, Mono, Ultra High Density, 64 mm focus, Red LED, High Speed, X-Mode Decoder	2.472.000	682514	4549734249600			SB	A	USA	9031.9000.00
7312-3400-1005	MicroHAWKID-30, IP54 Case, 5 VDC, USB, SXGA, 1.2 Megapixel, Mono, Ultra High Density, 400 mm focus, Red LED, High Speed, X-Mode Decoder	2.472.000	682143	4549734248839			SB	A	USA	9031.9000.00
7312-4000-1003	MicroHAWKID-30, IP54 Case, 5 VDC, USB, SXGA, 1.2 Megapixel, Mono, Long Range, Autofocus, Red LED, Standard Speed, X-Mode Decoder	1.863.000	686098	4549734487603			SB	A	USA	9031.9000.00
7312-4000-1005	MicroHAWKID-30, IP54 Case, 5 VDC, USB, SXGA, 1.2 Megapixel, Mono, Long Range, Autofocus, Red LED, High Speed, X-Mode Decoder	2.174.000	686097	4549734487627			SB	A	USA	9031.9000.00
7312-4000-2003	MicroHAWKID-30, IP54 Case, 5 VDC, USB, SXGA, 1.2 Megapixel, Mono, Long Range, Autofocus, White LED, Standard Speed, X-Mode Decoder	1.863.000	686096	4549734487665			SB	A	USA	9031.9000.00
7312-4000-2005	MicroHAWKID-30, IP54 Case, 5 VDC, USB, SXGA, 1.2 Megapixel, Mono, Long Range, Autofocus, White LED, High Speed, X-Mode Decoder	2.174.000	686095	4549734487689			SB	A	USA	9031.9000.00
7312-5000-2005	MicroHAWKID-30, IP54 Case, 5 VDC, USB, SXGA, 1.2 Megapixel, Mono, Ultra High Density with polarizer, Autofocus, White LED, High Speed, X-Mode Decoder	1.861.000	689894	4549734249010			SB	A	USA	9031.9000.00
7313-1000-0003	MicroHAWKID-30, IP54 Case, 5 VDC, USB, QSKGA, 5 Megapixel, Color, Standard Density, Autofocus, No LED, Standard Speed, X-Mode Decoder	1.805.000	683538	4549734249058			SB	A	USA	9031.9000.00
7313-1000-2005	MicroHAWKID-30, IP54 Case, 5 VDC, USB, QSKGA, 5 Megapixel, Color, Standard Density, Autofocus, White LED, High Speed, X-Mode Decoder	2.347.000	682125	4549734249126			SB	A	USA	9031.9000.00
7313-2000-2003	MicroHAWKID-30, IP54 Case, 5 VDC, USB, QSKGA, 5 Megapixel, Color, High Density, Autofocus, White LED, Standard Speed, X-Mode Decoder	1.974.000	682339	4549734217026			SB	A	USA	9031.9000.00
7313-2000-2005	MicroHAWKID-30, IP54 Case, 5 VDC, USB, QSKGA, 5 Megapixel, Color, High Density, Autofocus, White LED, High Speed, X-Mode Decoder	2.347.000	682050	4549734250054			SB	A	USA	9031.9000.00
7411-1000-1000	MicroHAWKID-40, IP65 Case, 24 VDC, Ethernet, WVGA, 0.3 Megapixel, Mono, Standard Density, Autofocus, Red LED, Standard Speed, 1D Decoder	1.345.000	689879	4549734250955			SB	A	USA	9031.9000.00
7411-1000-1002	MicroHAWKID-40, IP65 Case, 24 VDC, Ethernet, WVGA, 0.3 Megapixel, Mono, Standard Density, Autofocus, Red LED, Standard Speed, 1D/2D Decoder	1.852.000	682597	4549734250979			SB	A	USA	9031.9000.00
7411-1000-1005	MicroHAWKID-40, IP65 Case, 24 VDC, Ethernet, WVGA, 0.3 Megapixel, Mono, Standard Density, Autofocus, Red LED, High Speed, X-Mode Decoder	2.616.000	682245	4549734251006			SB	A	USA	9031.9000.00
7411-1000-2002	MicroHAWKID-40, IP65 Case, 24 VDC, Ethernet, WVGA, 0.3 Megapixel, Mono, Standard Density, Autofocus, White LED, Standard Speed, 1D/2D Decoder	1.852.000	683532	4549734251037			SB	A	USA	9031.9000.00
7411-1000-2005	MicroHAWKID-40, IP65 Case, 24 VDC, Ethernet, WVGA, 0.3 Megapixel, Mono, Standard Density, Autofocus, White LED, High Speed, X-Mode Decoder	2.277.000	684988	4549734251068			SB	A	USA	9031.9000.00
7411-1081-2000	MicroHAWKID-40, IP65 Case, 24 VDC, Ethernet, WVGA, 0.3 Megapixel, Mono, Standard Density, 81 mm focus, White LED, Standard Speed, 1D Decoder	1.120.000	691178	4549734251556			SB	A	USA	9031.9000.00
7411-1102-0000	MicroHAWKID-40, IP65 Case, 24 VDC, Ethernet, WVGA, 0.3 Megapixel, Mono, Standard Density, 102 mm focus, No LED, Standard Speed, 1D Decoder	1.234.000	682592	4549734217033			SB	A	USA	9031.9000.00
7411-1102-0003	MicroHAWKID-40, IP65 Case, 24 VDC, Ethernet, WVGA, 0.3 Megapixel, Mono, Standard Density, 102 mm focus, White LED, High Speed, X-Mode Decoder	1.966.000	684987	4549734251785			SB	A	USA	9031.9000.00
7411-1102-1000	MicroHAWKID-40, IP65 Case, 24 VDC, Ethernet, WVGA, 0.3 Megapixel, Mono, Standard Density, 133 mm focus, Red LED, Standard Speed, 1D Decoder	1.137.000	688275	4549734251853			SB	A	USA	9031.9000.00
7411-1102-1003	MicroHAWKID-40, IP65 Case, 24 VDC, Ethernet, WVGA, 0.3 Megapixel, Mono, Standard Density, 133 mm focus, Red LED, Standard Speed, X-Mode Decoder	1.552.000	689247	4549734251984			SB	A	USA	9031.9000.00
7411-1102-1005	MicroHAWKID-40, IP65 Case, 24 VDC, Ethernet, WVGA, 0.3 Megapixel, Mono, Standard Density, 133 mm focus, White LED, High Speed, X-Mode Decoder	1.936.000	684256	4549734251969			SB	A	USA	9031.9000.00
7411-1133-1003	MicroHAWKID-40, IP65 Case, 24 VDC, Ethernet, WVGA, 0.3 Megapixel, Mono, Standard Density, 190 mm focus, Red LED, Standard Speed, 1D Decoder	1.137.000	686119	4549734252034			SB	A	USA	9031.9000.00
7411-1133-2005	MicroHAWKID-40, IP65 Case, 24 VDC, Ethernet, WVGA, 0.3 Megapixel, Mono, Standard Density, 190 mm focus, Red LED, Standard Speed, 1D/2D Decoder	1.481.000	683071	4549734252058			SB	A	USA	9031.9000.00
7411-1190-1000	MicroHAWKID-40, IP65 Case, 24 VDC, Ethernet, WVGA, 0.3 Megapixel, Mono, Standard Density, 190 mm focus, Red LED, High Speed, 1D/2D Decoder	1.656.000	686120	4549734252072			SB	A	USA	9031.9000.00
7411-1190-1002	MicroHAWKID-40, IP65 Case, 24 VDC, Ethernet, WVGA, 0.3 Megapixel, Mono, Standard Density, 190 mm focus, Red LED, Standard Speed, 1D/2D Decoder	1.241.000	687728	4549734252126			SB	A	USA	9031.9000.00
7411-1190-1004	MicroHAWKID-40, IP65 Case, 24 VDC, Ethernet, WVGA, 0.3 Megapixel, Mono, Standard Density, 190 mm focus, Red LED, High Speed, X-Mode Decoder	1.966.000	687727	4549734252140			SB	A	USA	9031.9000.00
7411-1190-2003	MicroHAWKID-40, IP65 Case, 24 VDC, Ethernet, WVGA, 0.3 Megapixel, Mono, Standard Density, 190 mm focus, White LED, Standard Speed, X-Mode Decoder	2.594.000	682329	4549734217040			SB	A	USA	9031.9000.00
7411-1200-1005	MicroHAWKID-40, IP65 Case, 24 VDC, Ethernet, WVGA, 0.3 Megapixel, Mono, High Density, Autofocus, Red LED, High Speed, X-Mode Decoder	2.347.000	682001	4549734252614			SB	A	USA	9031.9000.00
7411-2050-1002	MicroHAWKID-40, IP65 Case, 24 VDC, Ethernet, WVGA, 0.3 Megapixel, Mono, High Density, 64 mm focus, Red LED, Standard Speed, 1D/2D Decoder	1.241.000	685041	4549734252768			SB	A	USA	9031.9000.00
7411-2081-1005	MicroHAWKID-40, IP65 Case, 24 VDC, Ethernet, WVGA, 0.3 Megapixel, Mono, High Density, 81 mm focus, Red LED, High Speed, X-Mode Decoder	2.347.000	682068	4549734252873			SB	A	USA	9031.9000.00
7411-2081-2004	MicroHAWKID-40, IP65 Case, 24 VDC, Ethernet, WVGA, 0.3 Megapixel, Mono, High Density, 81 mm focus, White LED, Standard Speed, 1D/2D Decoder	1.656.000	686072	4549734253032			SB	A	USA	9031.9000.00
7411-2102-1002	MicroHAWKID-40, IP65 Case, 24 VDC, Ethernet, WVGA, 0.3 Megapixel, Mono, High Density, 102 mm focus, Red LED, Standard Speed, 1D/2D Decoder	1.965.000	685042	4549734253116			SB	A	USA	9031.9000.00
7411-2102-1005	MicroHAWKID-40, IP65 Case, 24 VDC, Ethernet, WVGA, 0.3 Megapixel, Mono, High Density, 102 mm focus, Red LED, High Speed, X-Mode Decoder	2.347.000	682363	4549734217057			SB	A	USA	9031.9000.00
7411-2102-2002	MicroHAWKID-40, IP65 Case, 24 VDC, Ethernet, WVGA, 0.3 Megapixel, Mono, High Density, 102 mm focus, White LED, Standard Speed, 1D/2D Decoder	1.852.000	682538	4549734253161			SB	A	USA	9031.9000.00
7411-2190-2003	MicroHAWKID-40, IP65 Case, 24 VDC, Ethernet, WVGA, 0.3 Megapixel, Mono, High Density, 190 mm focus, White LED, Standard Speed, X-Mode Decoder	1.528.000	683759	4549734253543			SB	A	USA	9031.9000.00
7412-1000-0002	MicroHAWKID-40, IP65 Case, 24 VDC, Ethernet, SXGA, 1.2 Megapixel, Mono, Standard Density, Autofocus, No LED, Standard Speed, 1D/2D Decoder	2.097.000	682537	4549734253940			SB	A	USA	9031.9000.00
7412-1000-1002	MicroHAWKID-40, IP65 Case, 24 VDC, Ethernet, SXGA, 1.2 Megapixel, Mono, Standard Density, Autofocus, Red LED, Standard Speed, 1D/2D Decoder	2.226.000	682454	4549734253901			SB	A	USA	9031.9000.00
7412-1000-1003	MicroHAWKID-40, IP65 Case, 24 VDC, Ethernet, SXGA, 1.2 Megapixel, Mono, Standard Density, Autofocus, Red LED, Standard Speed, X-Mode Decoder	2.141.000	684468	4549734217064			SB	A	USA	9031.9000.00
7412-1000-1004	MicroHAWKID-40, IP65 Case, 24 VDC, Ethernet, SXGA, 1.2 Megapixel, Mono, Standard Density, Autofocus, Red LED, High Speed, 1D/2D Decoder	2.243.000	684469	4549734253918			SB	A	USA	9031.9000.00
7412-1000-1005	MicroHAWKID-40, IP65 Case, 24 VDC, Ethernet, SXGA, 1.2 Megapixel, Mono, Standard Density, Autofocus, Red LED, High Speed, X-Mode Decoder	3.090.000	682393	4549734217071			SB	A	USA	9031.9000.00
7412-1000-2000	MicroHAWKID-40, IP65 Case, 24 VDC, Ethernet, SXGA, 1.2 Megapixel, Mono, Standard Density, Autofocus, White LED, Standard Speed, 1D Decoder	1.760.000	690024	4549734253949			SB	A	USA	9031.9000.00
7412-1000-2003	MicroHAWKID-40, IP65 Case, 24 VDC, Ethernet, SXGA, 1.2 Megapixel, Mono, Standard Density, Autofocus, White LED, Standard Speed, X-Mode Decoder	2.175.000	690681	4549734253970			SB	A	USA	9031.9000.00
7412-1000-2004	MicroHAWKID-40, IP65 Case, 24 VDC, Ethernet, SXGA, 1.2 Megapixel, Mono, Standard Density, Autofocus, White LED, High Speed, 1D/2D Decoder	2.279.000	688302	4549734253987			SB	A	USA	9031.9000.00
7412-1000-2005	MicroHAWKID-40, IP65 Case, 24 VDC, Ethernet, SXGA, 1.2 Megapixel, Mono, Standard Density, Autofocus, White LED, High Speed, X-Mode Decoder	3.090.000	683530	4549734253994			SB	A	USA	9031.9000.00
7412-1050-1005	MicroHAWKID-40, IP65 Case, 24 VDC, Ethernet, SXGA, 1.2 Megapixel, Mono, Standard Density, 50 mm focus, Red LED, High Speed, X-Mode Decoder	2.278.000	687045	4549734254113			SB	A	USA	9031.9000.00
7412-1050-2005	MicroHAWKID-40, IP65 Case, 24 VDC, Ethernet, SXGA, 1.2 Megapixel, Mono, Standard Density, 50 mm focus, White LED, High Speed, X-Mode Decoder	2.278.000	687127	4549734254175			SB	A	USA	9031.9000.00
7412-1064-1004	MicroHAWKID-40, IP65 Case, 24 VDC, Ethernet, SXGA, 1.2 Megapixel, Mono, Standard Density, 64 mm focus, Red LED, High Speed, 1D/2D Decoder	1.936.000	694466	4549734254281			SB	A	USA	9031.9000.00
7412-1102-0002	MicroHAWKID-40, IP65 Case, 24 VDC, Ethernet, SXGA, 1.2 Megapixel, Mono, Standard Density, 102 mm focus, No LED, Standard Speed, 1D/2D Decoder	1.449.000	685709	4549734254564			SB	A	USA	9031.9000.00
7412-1102-1005	MicroHAWKID-40, IP65 Case, 24 VDC, Ethernet, SXGA, 1.2 Megapixel, Mono, Standard Density, 102 mm focus, Red LED, High Speed, X-Mode Decoder	2.243.000	683964	4549734254656			SB	A	USA	9031.9000.00
7412-1133-1001	MicroHAWKID-40, IP65 Case, 24 VDC, Ethernet, SXGA, 1.2 Megapixel, Mono, Standard Density, 133 mm focus, Red LED, High Speed, 1D Decoder	1.864.000	688178	4549734254793			SB	A	USA	9031.9000.00
7412-1133-1003	MicroHAWKID-40, IP65 Case, 24 VDC, Ethernet, SXGA, 1.2 Megapixel, Mono, Standard Density, 133 mm focus, Red LED, Standard Speed, X-Mode Decoder	1.864.000	689250	4549734254816			SB	A	USA	9031.9000.00
7412-1133-1005	MicroHAWKID-40, IP65 Case, 24 VDC, Ethernet, SXGA, 1.2 Megapixel, Mono, Standard Density, 133 mm focus, Red LED, High Speed, X-Mode Decoder	2.717.000	683446	4549734254830			SB	A	USA	9031.9000.00
7412-1190-1005	MicroHAWKID-40, IP65 Case, 24 VDC, Ethernet, SXGA, 1.2 Megapixel, Mono, Standard Density, 190 mm focus, Red LED, High Speed, X-Mode Decoder	2.278.000	689467	4549734255011			SB	A	USA	9031.9000.00
7412-1190-2002	MicroHAWKID-40, IP65 Case, 24 VDC, Ethernet, SXGA, 1.2 Megapixel, Mono, Standard Density, 190 mm focus, White LED, Standard Speed, 1D/2D Decoder	1.528.000	683758	4549734255042			SB	A	USA	9031.9000.00
7412-1300-1002	MicroHAWKID-40, IP65 Case, 24 VDC, Ethernet, SXGA, 1.2 Megapixel, Mono, Standard Density, 300 mm focus, Red LED, Standard Speed, 1D/2D Decoder	1.852.000	682460	4549734255165			SB	A	USA	9031.9000.00
7412-1300-2002	MicroHAWKID-40, IP65 Case, 24 VDC, Ethernet, SXGA, 1.2 Megapixel, Mono, Standard Density, 300 mm focus, White LED, Standard Speed, 1D/2D Decoder	1.552.000	689160	4549734255226			SB	A	USA	9031.9000.00
7412-2000-1002	MicroHAWKID-40, IP65 Case, 24 VDC, Ethernet, SXGA, 1.2 Megapixel, Mono, High Density, Autofocus, Red LED, Standard Speed, 1D/2D Decoder	2.226.000	682604	4549734255332			SB	A	USA	9031.9000.00
7412-2000-1003	MicroHAWKID-40, IP65 Case, 24 VDC, Ethernet, SXGA, 1.2 Megapixel, Mono, High Density, Autofocus, Red LED, Standard Speed, X-Mode Decoder	2.594.000	682409	4549734217088			SB	A	USA	9031.9000.00
7412-2000-1005	MicroHAWKID-40, IP65 Case, 24 VDC, Ethernet, SXGA, 1.2 Megapixel, Mono, High Density, Autofocus, Red LED, High Speed, X-Mode Decoder	3.090.000	682367	4549734217095			SB	A	USA	9031.9000.00
7412-2000-2000	MicroHAWKID-40, IP65 Case, 24 VDC, Ethernet, SXGA, 1.2 Megapixel, Mono, High Density, Autofocus, White LED, Standard Speed, 1D Decoder	1.760.000	688706</							

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Sheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
7412-2102-1004	MicroHAWKID-40, IP65 Case, 24 VDC, Ethernet, SXGA, 1.2 Megapixel, Mono, High Density, 102 mm focus, Red LED, High Speed, 1D/2D Decoder	1,965.00	685040	4549734256018			SE	A	USA	9031.9000.00
7412-2102-2002	MicroHAWKID-40, IP65 Case, 24 VDC, Ethernet, SXGA, 1.2 Megapixel, Mono, High Density, 102 mm focus, White LED, Standard Speed, 1D/2D Decoder	1,834.00	683527	4549734256049			SE	A	USA	9031.9000.00
7412-2103-0003	MicroHAWKID-40, IP65 Case, 24 VDC, Ethernet, SXGA, 1.2 Megapixel, Mono, High Density, 133 mm focus, No LED, Standard Speed, X-Mode Decoder	2,099.00	682003	4549734256117			SE	A	USA	9031.9000.00
7412-2103-1003	MicroHAWKID-40, IP65 Case, 24 VDC, Ethernet, SXGA, 1.2 Megapixel, Mono, High Density, 133 mm focus, Red LED, Standard Speed, X-Mode Decoder	2,224.00	683604	4549734217156			SE	A	USA	9031.9000.00
7412-2103-2003	MicroHAWKID-40, IP65 Case, 24 VDC, Ethernet, SXGA, 1.2 Megapixel, Mono, High Density, 133 mm focus, Red LED, High Speed, X-Mode Decoder	2,278.00	684928	4549734256186			SE	A	USA	9031.9000.00
7412-2103-3003	MicroHAWKID-40, IP65 Case, 24 VDC, Ethernet, SXGA, 1.2 Megapixel, Mono, High Density, 133 mm focus, White LED, Standard Speed, X-Mode Decoder	1,864.00	687126	4549734256223			SE	A	USA	9031.9000.00
7412-2190-1003	MicroHAWKID-40, IP65 Case, 24 VDC, Ethernet, SXGA, 1.2 Megapixel, Mono, High Density, 190 mm focus, Red LED, Standard Speed, X-Mode Decoder	2,224.00	683609	4549734256346			SE	A	USA	9031.9000.00
7412-2190-1005	MicroHAWKID-40, IP65 Case, 24 VDC, Ethernet, SXGA, 1.2 Megapixel, Mono, High Density, 190 mm focus, Red LED, High Speed, X-Mode Decoder	2,720.00	683444	4549734256360			SE	A	USA	9031.9000.00
7412-2300-1003	MicroHAWKID-40, IP65 Case, 24 VDC, Ethernet, SXGA, 1.2 Megapixel, Mono, High Density, 300 mm focus, Red LED, Standard Speed, X-Mode Decoder	1,864.00	688418	4549734256513			SE	A	USA	9031.9000.00
7412-3000-1003	MicroHAWKID-40, IP65 Case, 24 VDC, Ethernet, SXGA, 1.2 Megapixel, Mono, Ultra High Density, Autofocus, Red LED, Standard Speed, X-Mode Decoder	2,720.00	682678	4549734217170			SE	A	USA	9031.9000.00
7412-3000-1005	MicroHAWKID-40, IP65 Case, 24 VDC, Ethernet, SXGA, 1.2 Megapixel, Mono, Ultra High Density, Autofocus, Red LED, High Speed, X-Mode Decoder	3,210.00	682342	4549734217187			SE	A	USA	9031.9000.00
7412-3000-2002	MicroHAWKID-40, IP65 Case, 24 VDC, Ethernet, SXGA, 1.2 Megapixel, Mono, Ultra High Density, Autofocus, White LED, Standard Speed, 1D/2D Decoder	1,967.00	689248	4549734256667			SE	A	USA	9031.9000.00
7412-3000-2005	MicroHAWKID-40, IP65 Case, 24 VDC, Ethernet, SXGA, 1.2 Megapixel, Mono, Ultra High Density, Autofocus, White LED, High Speed, X-Mode Decoder	2,548.00	684329	4549734217194			SE	A	USA	9031.9000.00
7412-3400-1002	MicroHAWKID-40, IP65 Case, 24 VDC, Ethernet, SXGA, 1.2 Megapixel, Mono, Ultra High Density, 400 mm focus, Red LED, Standard Speed, 1D/2D Decoder	1,529.00	692819	4549734256964			SE	A	USA	9031.9000.00
7412-3400-1005	MicroHAWKID-40, IP65 Case, 24 VDC, Ethernet, SXGA, 1.2 Megapixel, Mono, Ultra High Density, 400 mm focus, Red LED, High Speed, X-Mode Decoder	2,844.00	682165	4549734256995			SE	A	USA	9031.9000.00
7412-4000-1002	MicroHAWKID-40, IP65 Case, 24 VDC, Ethernet, SXGA, 1.2 Megapixel, Mono, Long Range, Autofocus, Red LED, Standard Speed, 1D/2D Decoder	1,864.00	688667	4549734487924			SE	A	USA	9031.9000.00
7412-4000-1003	MicroHAWKID-40, IP65 Case, 24 VDC, Ethernet, SXGA, 1.2 Megapixel, Mono, Long Range, Autofocus, Red LED, Standard Speed, X-Mode Decoder	2,174.00	686091	4549734487931			SE	A	USA	9031.9000.00
7412-4000-1005	MicroHAWKID-40, IP65 Case, 24 VDC, Ethernet, SXGA, 1.2 Megapixel, Mono, Long Range, Autofocus, Red LED, High Speed, X-Mode Decoder	2,588.00	686090	4549734487935			SE	A	USA	9031.9000.00
7412-4000-2002	MicroHAWKID-40, IP65 Case, 24 VDC, Ethernet, SXGA, 1.2 Megapixel, Mono, Long Range, Autofocus, White LED, Standard Speed, 1D/2D Decoder	1,864.00	689161	4549734487986			SE	A	USA	9031.9000.00
7412-4000-2005	MicroHAWKID-40, IP65 Case, 24 VDC, Ethernet, SXGA, 1.2 Megapixel, Mono, Long Range, Autofocus, White LED, High Speed, X-Mode Decoder	2,174.00	690089	4549734487993			SE	A	USA	9031.9000.00
7413-1000-2000	MicroHAWKID-40, IP65 Case, 24 VDC, Ethernet, OSXGA, 5 Megapixel, Color, Standard Density, Autofocus, White LED, High Speed, X-Mode Decoder	2,588.00	690088	4549734486013			SE	A	USA	9031.9000.00
7413-1000-2005	MicroHAWKID-40, IP65 Case, 24 VDC, Ethernet, OSXGA, 5 Megapixel, Color, Standard Density, Autofocus, White LED, High Speed, X-Mode Decoder	1,552.00	690085	4549734257251			SE	A	USA	9031.9000.00
7413-1000-2000	MicroHAWKID-40, IP65 Case, 24 VDC, Ethernet, OSXGA, 5 Megapixel, Color, High Density, Autofocus, White LED, Standard Speed, 1D Decoder	2,839.00	682095	4549734257312			SE	A	USA	9031.9000.00
7413-2000-2001	MicroHAWKID-40, IP65 Case, 24 VDC, Ethernet, OSXGA, 5 Megapixel, Color, High Density, Autofocus, White LED, High Speed, 1D Decoder	1,552.00	690086	4549734258203			SE	A	USA	9031.9000.00
7413-2000-2005	MicroHAWKID-40, IP65 Case, 24 VDC, Ethernet, OSXGA, 5 Megapixel, Color, High Density, Autofocus, White LED, High Speed, X-Mode Decoder	1,967.00	690036	4549734258210			SE	A	USA	9031.9000.00
7413-2050-2002	MicroHAWKID-40, IP65 Case, 24 VDC, Ethernet, OSXGA, 5 Megapixel, Color, High Density, Autofocus, White LED, High Speed, X-Mode Decoder	2,839.00	682027	4549734258258			SE	A	USA	9031.9000.00
7413-2102-2002	MicroHAWKID-40, IP65 Case, 24 VDC, Ethernet, OSXGA, 5 Megapixel, Color, High Density, 50 mm focus, White LED, Standard Speed, 1D/2D Decoder	1,344.00	689249	4549734258340			SE	A	USA	9031.9000.00
7413-2190-2003	MicroHAWKID-40, IP65 Case, 24 VDC, Ethernet, OSXGA, 5 Megapixel, Color, High Density, 102 mm focus, White LED, Standard Speed, 1D/2D Decoder	1,614.00	683539	4549734258692			SE	A	USA	9031.9000.00
7413-2300-2005	MicroHAWKID-40, IP65 Case, 24 VDC, Ethernet, OSXGA, 5 Megapixel, Color, High Density, 190 mm focus, White LED, Standard Speed, X-Mode Decoder	1,656.00	688811	4549734258944			SE	A	USA	9031.9000.00
7431-2000-1005	MicroHAWKID-40, IP65 Case, 24 VDC, Ethernet, OSXGA, 5 Megapixel, Color, High Density, 300 mm focus, White LED, High Speed, X-Mode Decoder	2,070.00	687122	4549734259088			SE	A	USA	9031.9000.00
7431-2000-2005	MicroHAWKID-45, IP65 Case, 24 VDC, Ethernet, WVGA, 0.3 Megapixel, Mono, High Density, Autofocus, Red LED, High Speed, X-Mode Decoder	2,675.00	684439	4549734957140			SE	A	USA	9031.9000.00
7431-2000-2005	MicroHAWKID-45, IP65 Case, 24 VDC, Ethernet, WVGA, 0.3 Megapixel, Mono, High Density, Autofocus, White LED, High Speed, X-Mode Decoder	2,675.00	684437	4549734957397			SE	A	USA	9031.9000.00
7431-3000-1005	MicroHAWKID-45, IP65 Case, 24 VDC, Ethernet, WVGA, 0.3 Megapixel, Mono, Ultra High Density, Autofocus, Red LED, High Speed, X-Mode Decoder	2,783.00	684438	4549734957403			SE	A	USA	9031.9000.00
7431-3000-2005	MicroHAWKID-45, IP65 Case, 24 VDC, Ethernet, SXGA, 1.2 Megapixel, Mono, Ultra High Density, Autofocus, White LED, High Speed, X-Mode Decoder	2,783.00	684436	4549734957380			SE	A	USA	9031.9000.00
7432-2000-1005	MicroHAWKID-45, IP65 Case, 24 VDC, Ethernet, SXGA, 1.2 Megapixel, Mono, High Density, Autofocus, Red LED, High Speed, X-Mode Decoder	2,994.00	683678	4549734276474			SE	A	USA	9031.9000.00
7432-2000-2005	MicroHAWKID-45, IP65 Case, 24 VDC, Ethernet, SXGA, 1.2 Megapixel, Mono, High Density, Autofocus, White LED, High Speed, X-Mode Decoder	2,999.00	684441	4549734957434			SE	A	USA	9031.9000.00
7432-3000-1005	MicroHAWKID-45, IP65 Case, 24 VDC, Ethernet, SXGA, 1.2 Megapixel, Mono, Ultra High Density, Autofocus, Red LED, High Speed, X-Mode Decoder	3,105.00	684442	4549734957441			SE	A	USA	9031.9000.00
7432-3000-2005	MicroHAWKID-45, IP65 Case, 24 VDC, Ethernet, SXGA, 1.2 Megapixel, Mono, Ultra High Density, Autofocus, White LED, High Speed, X-Mode Decoder	3,105.00	684443	4549734957427			SE	A	USA	9031.9000.00
FIS-0004-0001G	MS-4 Imager, SD, RS-232, 5 VDC	1,260.00	700231	4549734259101			SE	JPN	8471.6070.00	
FIS-0004-0002G	MS-4 Imager, LD, RS-232, 5 VDC	1,260.00	700230	4549734259118			SE	JPN	8471.6070.00	
FIS-0004-0003G	MS-4 Imager, SD, USB	1,360.00	700229	4549734259125			SE	JPN	8471.6070.00	
FIS-0004-0004G	MS-4 Imager, LD, USB	1,360.00	700228	4549734259132			SE	JPN	8471.6070.00	
FIS-0004-2001G	MS-4X Imager, SD, X-Mode, RS-232, 5 VDC	1,605.00	700223	4549734259378			SE	JPN	8471.6070.00	
FIS-0004-2003G	MS-4X Imager, SD, X-Mode, USB, 5 VDC	1,605.00	700222	4549734259385			SE	JPN	8471.6070.00	
FIS-6300-4007G	MINI Hawk Imager, High Resolution, SD, Serial, 5 VDC	2,424.00	700220	4549734259613			SE	JPN	8471.6070.00	
FIS-6300-4008G	MINI Hawk Imager, High Resolution, HD, Serial, 5 VDC	2,424.00	700219	4549734259620			SE	JPN	8471.6070.00	
FIS-6300-4009G	MINI Hawk Imager, High Resolution, Ultra HD, Serial, 5 VDC	2,424.00	700218	4549734259637			SE	JPN	8471.6070.00	
FIS-6300-4011G	MINI Hawk Imager, High Resolution, HD, USB & I/O, 5 VDC	2,541.00	700217	4549734259651			SE	JPN	8471.6070.00	
FIS-6300-4012G	MINI Hawk Imager, High Resolution, Ultra HD, USB & I/O, 5 VDC	2,541.00	700216	4549734259668			SE	JPN	8471.6070.00	
FIS-6300-4108G	MINI Hawk High Resolution, Serial	1,823.00	700215	4549734259699			SE	JPN	8471.6070.00	
FIS-6300-5005G	MINI Hawk Imager, High Speed, SD, Serial, 5 VDC	2,424.00	700214	4549734259729			SE	JPN	8471.6070.00	
FIS-6300-5006G	MINI Hawk Imager, High Speed, Ultra HD, Serial, 5 VDC	2,424.00	700194	4549734217217			SE	JPN	8471.6070.00	
FIS-6300-5007G	MINI Hawk Imager, High Speed, SD, USB & I/O, 5 VDC	2,129.00	700213	4549734259736			SE	JPN	8471.6070.00	
FIS-6300-5009G	MINI Hawk Imager, High Speed, UHD, USB, 5 VDC	2,094.00	700212	4549734259743			SE	JPN	8471.6070.00	
VZ20-F050M03M-NNP	VZ20 Code reader, 0.3 MP monochrome, Medium view, Fixed focus 50 mm, No outer light, 1D/2D decoder, RS-232, Ethernet via USB, IP40	656.50	697471	4549734568661			SE	MYS	9031.9000.00	
VZ20-F050M03M-NNX	VZ20 Code reader, 0.3 MP monochrome, Medium view, Fixed focus 50 mm, No outer light, X-Mode decoder, RS-232, Ethernet via USB, IP40	1,162.00	697472	4549734568678			SE	MYS	9031.9000.00	
VZ20-F050M12M-NNP	VZ20 Code reader, 1.2 MP monochrome, Medium view, Fixed focus 50 mm, No outer light, 1D/2D decoder, RS-232, Ethernet via USB, IP40	959.50	697499	4549734569064			SE	JPN	9031.9000.00	
VZ20-F050M12M-NNX	VZ20 Code reader, 1.2 MP monochrome, Medium view, Fixed focus 50 mm, No outer light, X-Mode decoder, RS-232, Ethernet via USB, IP40	1,465.00	697500	4549734569071			SE	JPN	9031.9000.00	
VZ20-F050M50C-NNP	VZ20 Code reader, 5.0 MP color, Medium view, Fixed focus 50 mm, No outer light, 1D/2D decoder, RS-232, Ethernet via USB, IP40	757.50	697527	4549734569460			SE	JPN	9031.9000.00	
VZ20-F050M50C-NNX	VZ20 Code reader, 5.0 MP color, Medium view, Fixed focus 50 mm, No outer light, X-Mode decoder, RS-232, Ethernet via USB, IP40	1,263.00	697528	4549734569477			SE	JPN	9031.9000.00	
VZ20-F050M03M-NNP	VZ20 Code reader, 0.3 MP monochrome, Wide view, Fixed focus 50 mm, No outer light, 1D/2D decoder, RS-232, Ethernet via USB, IP40	656.50	697457	4549734568524			SE	MYS	9031.9000.00	
VZ20-F050M03M-NNX	VZ20 Code reader, 0.3 MP monochrome, Wide view, Fixed focus 50 mm, No outer light, X-Mode decoder, RS-232, Ethernet via USB, IP40	1,162.00	697458	4549734568531			SE	MYS	9031.9000.00	
VZ20-F050M12M-NNP	VZ20 Code reader, 1.2 MP monochrome, Wide view, Fixed focus 50 mm, No outer light, 1D/2D decoder, RS-232, Ethernet via USB, IP40	959.50	697485	4549734568920			SE	JPN	9031.9000.00	
VZ20-F050M12M-NNX	VZ20 Code reader, 1.2 MP monochrome, Wide view, Fixed focus 50 mm, No outer light, X-Mode decoder, RS-232, Ethernet via USB, IP40	1,465.00	697486	4549734568937			SE	JPN	9031.9000.00	
VZ20-F050M50C-NNP	VZ20 Code reader, 5.0 MP color, Wide view, Fixed focus 50 mm, No outer light, 1D/2D decoder, RS-232, Ethernet via USB, IP40	757.50	697513	4549734569323			SE	JPN	9031.9000.00	
VZ20-F050M50C-NNX	VZ20 Code reader, 5.0 MP color, Wide view, Fixed focus 50 mm, No outer light, X-Mode decoder, RS-232, Ethernet via USB, IP40	1,263.00	697514	4549734569330			SE	JPN	9031.9000.00	
VZ20-F064M03M-NNP	VZ20 Code reader, 0.3 MP monochrome, Medium view, Fixed focus 64 mm, No outer light, 1D/2D decoder, RS-232, Ethernet via USB, IP40	656.50	697473	4549734568685			SE	MYS	9031.9000.00	
VZ20-F064M03M-NNX	VZ20 Code reader, 0.3 MP monochrome, Medium view, Fixed focus 64 mm, No outer light, X-Mode decoder, RS-232, Ethernet via USB, IP40	1,162.00	697474	4549734568692			SE	MYS	9031.9000.00	
VZ20-F064M12M-NNP	VZ20 Code reader, 1.2 MP monochrome, Medium view, Fixed focus 64 mm, No outer light, 1D/2D decoder, RS-232, Ethernet via USB, IP40	959.50	697501	4549734569088			SE	JPN	9031.9000.00	
VZ20-F064M12M-NNX	VZ20 Code reader, 1.2 MP monochrome, Medium view, Fixed focus 64 mm, No outer light, X-Mode decoder, RS-232, Ethernet via USB, IP40	1,465.00	697502	4549734569095			SE	JPN	9031.9000.00	
VZ20-F064M50C-NNP	VZ20 Code reader, 5.0 MP color, Medium view, Fixed focus 64 mm, No outer light, 1D/2D decoder, RS-232, Ethernet via USB, IP40	757.50	697529	4549734569484			SE	JPN	9031.9000.00	
VZ20-F064M50C-NNX	VZ20 Code reader, 5.0 MP color, Medium view, Fixed focus 64 mm, No outer light, X-Mode decoder, RS-232, Ethernet via USB, IP40	1,263.00	697530	4549734569491			SE	JPN	9031.9000.00	
VZ20-F064M03M-NNP	VZ20 Code reader, 0.3 MP monochrome, Wide view, Fixed focus 64 mm, No outer light, 1D/2D decoder, RS-232, Ethernet via USB, IP40	656.50	697459	4549734568548			SE	MYS	9031.9000.00	
VZ20-F064M03M-NNX	VZ20 Code reader, 0.3 MP monochrome, Wide view, Fixed focus 64 mm, No outer light									























Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Daheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
V430-F300W12M-NNP	V430 Code Reader, 1.2 MP monochrome, Wide view, Fixed focus 300 mm, No outer light, 1D/2D decoder, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	1,566.00	698031	4549734574990			SE	A	JPN	9031.9000.00
V430-F300W12M-NNX	V430 Code Reader, 1.2 MP monochrome, Wide view, Fixed focus 300 mm, No outer light, X-Mode decoder, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2,071.00	698032	4549734575003			SE	A	JPN	9031.9000.00
V430-F300W12M-SPP	V430 Code Reader, 1.2 MP monochrome, Wide view, Fixed focus 300 mm, Red light, 1D/2D decoder, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	1,667.00	698033	4549734575010			SE	A	JPN	9031.9000.00
V430-F300W12M-SRX	V430 Code Reader, 1.2 MP monochrome, Wide view, Fixed focus 300 mm, White light, 1D/2D decoder, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2,172.00	698034	4549734575027			SE	A	JPN	9031.9000.00
V430-F300W12M-SWX	V430 Code Reader, 1.2 MP monochrome, Wide view, Fixed focus 300 mm, White light, X-Mode decoder, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	1,667.00	698035	4549734575034			SE	A	JPN	9031.9000.00
V430-F300W12M-SXP	V430 Code Reader, 1.2 MP monochrome, Wide view, Fixed focus 300 mm, White light, X-Mode decoder, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2,172.00	698036	4549734575041			SE	A	JPN	9031.9000.00
V430-F300W50C-NNP	V430 Code Reader, 5 MP color, Wide view, Fixed focus 300 mm, No outer light, 1D/2D decoder, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	1,364.00	698103	4549734575713			SE	A	JPN	9031.9000.00
V430-F300W50C-NNX	V430 Code Reader, 5 MP color, Wide view, Fixed focus 300 mm, No outer light, X-Mode decoder, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	1,869.00	698104	4549734575720			SE	A	JPN	9031.9000.00
V430-F300W50C-SPP	V430 Code Reader, 5 MP color, Wide view, Fixed focus 300 mm, White light, 1D/2D decoder, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	1,465.00	698105	4549734575737			SE	A	JPN	9031.9000.00
V430-F300W50C-SWX	V430 Code Reader, 5 MP color, Wide view, Fixed focus 300 mm, White light, X-Mode decoder, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	1,970.00	698106	4549734575744			SE	A	JPN	9031.9000.00
V430-F400N12M-NNX	V430 Code Reader, 1.2 MP monochrome, Narrow view, Fixed focus 400 mm, No outer light, 1D/2D decoder, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	1,566.00	698167	4549734576413			SE	A	JPN	9031.9000.00
V430-F400N12M-NNP	V430 Code Reader, 1.2 MP monochrome, Narrow view, Fixed focus 400 mm, No outer light, X-Mode decoder, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2,071.00	698168	4549734576420			SE	A	JPN	9031.9000.00
V430-F400N12M-SPP	V430 Code Reader, 1.2 MP monochrome, Narrow view, Fixed focus 400 mm, Red light, 1D/2D decoder, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	1,667.00	698169	4549734576437			SE	A	JPN	9031.9000.00
V430-F400N12M-SRX	V430 Code Reader, 1.2 MP monochrome, Narrow view, Fixed focus 400 mm, Red light, X-Mode decoder, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2,172.00	698170	4549734576444			SE	A	JPN	9031.9000.00
V430-F400N12M-SWP	V430 Code Reader, 1.2 MP monochrome, Narrow view, Fixed focus 400 mm, White light, 1D/2D decoder, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	1,667.00	698171	4549734576451			SE	A	JPN	9031.9000.00
V430-F400N12M-SWX	V430 Code Reader, 1.2 MP monochrome, Narrow view, Fixed focus 400 mm, White light, X-Mode decoder, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2,172.00	698172	4549734576468			SE	A	JPN	9031.9000.00
HDS-3608-0001	Handheld DPM Scanner, Corded, HDS-3608	1,698.00	682181	4549734946957	#		SE	A	CHN	8471.6070.00
HDS-3678-0001	Handheld DPM Scanner, Cordless, HDS-3678	2,294.00	682207	4549734947213			SE	A	CHN	8471.6070.00
V410-HDS4608HC	V410-HC Handheld Reader, white, wired	386.90	699313	4549734570930			SE	A	MEX	8471.6070.00
V410-HDS4608SR	V410-H SR Handheld Reader, black, grey, wired	341.40	699314	4549734570923	#		SE	A	MEX	8471.6070.00
V410-HDS4608XD	V410-H XD Handheld Reader, black, grey, wired, with X-Mode	569.00	699312	4549734570947			SE	A	MEX	8471.6070.00
98-000229-01	Smart Series Pharmalite, 60°, Dark Field, White, M12 Connector	1,282.00	689331	4549734239431			SE	A	THA	8541.4010.00
NER-011600021	Darkfield LED Illuminator, 150 mm, red, diffuse, 24 V Continuous, Open-End Cable	795.00	689682	4549734239509			SE	A	THA	8541.4010.00
NER-011609311	NERLITE DF-50, Red, Non-Diffuse, Dark Field, 24V Continuous, Open-End Cable	584.50	683610	4549734239578			SE	A	THA	8541.4010.00
NER-011609321	NERlite DF-50, White, Non-Diffuse, Dark Field, 24 V Continuous, Open-End Cable	563.50	685141	4549734239585			SE	A	THA	8541.4010.00
NER-011659300G	NERLITE 47x59 mm, Red, Backlight, 24 V Continuous, 150 mm, Cable M12	552.50	684003	4549734239653			SE	A	THA	8541.4010.00
NER-011660100G	Smart Series MAX Narrow, 45 mm, Red, M12 Connector	485.80	682162	4549734239776			SE	A	THA	8541.4010.00
NER-011660101G	Smart Series MAX Wide, 45 mm, Red, M12 Connector	485.80	682160	4549734239783			SE	A	THA	8541.4010.00
NER-011660110G	Smart Series MAX Narrow, 45 mm, White, M12 Connector	548.00	682032	4549734239790			SE	A	THA	8541.4010.00
NER-011660111G	Smart Series MAX Wide, 45 mm, White, M12 Connector	548.00	682063	4549734239806			SE	A	THA	8541.4010.00
NER-011660200G	Smart Series MAX Narrow, 100 mm, Red, M12 Connector	844.50	682088	4549734239813			SE	A	THA	8541.4010.00
NER-011660201G	Smart Series MAX Wide, 100 mm, Red, M12 Connector	844.50	682038	4549734239820			SE	A	THA	8541.4010.00
NER-011660210G	Smart Series MAX Narrow, 100 mm, White, M12 Connector	908.00	682020	4549734239837			SE	A	THA	8541.4010.00
NER-011660211G	Smart Series MAX Wide, 100 mm, White, M12 Connector	908.00	682054	4549734239844			SE	A	THA	8541.4010.00
NER-011660300G	Smart Series MAX Narrow, 300 mm, Red, M12 Connector	1,092.00	682009	4549734239851			SE	A	THA	8541.4010.00
NER-011660301G	Smart Series MAX Wide, 300 mm, Red, M12 Connector	1,092.00	682096	4549734239868			SE	A	THA	8541.4010.00
NER-011660310G	Smart Series MAX Narrow, 300 mm, White, M12 Connector	1,151.00	682018	4549734239875			SE	A	THA	8541.4010.00
NER-011660311G	Smart Series MAX Wide, 300 mm, White, M12 Connector	1,151.00	682082	4549734239882			SE	A	THA	8541.4010.00
NER-011660400G	Smart Series DOAL, 25 mm, Red, M12 Connector	592.50	682169	4549734239899			SE	A	THA	8541.4010.00
NER-011660410G	Smart Series DOAL, 25 mm, White, M12 Connector	690.50	682104	4549734239905			SE	A	THA	8541.4010.00
NER-011660420G	Smart Series DOAL, 25 mm, Blue, M12 Connector	728.50	682122	4549734239912			SE	A	THA	8541.4010.00
NER-011660500G	Smart Series DOAL, 50 mm, Red, M12 Connector	728.50	682170	4549734239929			SE	A	THA	8541.4010.00
NER-011660520G	Smart Series DOAL, 50 mm, Blue, M12 Connector	1,092.00	682157	4549734239943			SE	A	THA	8541.4010.00
NER-011660600G	Smart Series DOAL, 75 mm, Red, M12 Connector	1,457.00	682036	4549734239967			SE	A	THA	8541.4010.00
NER-011660610G	Smart Series DOAL, 75 mm, White, M12 Connector	1,802.00	682081	4549734239974			SE	A	THA	8541.4010.00
NER-011660620G	Smart Series DOAL, 75 mm, Blue, M12 Connector	1,846.00	682110	4549734239981			SE	A	THA	8541.4010.00
NER-011660700G	Smart Series DOAL, 100 mm, Red, M12 Connector	2,050.00	682113	4549734239998			SE	A	THA	8541.4010.00
NER-011660710G	Smart Series DOAL, 100 mm, White, M12 Connector	2,850.00	682108	4549734240000			SE	A	THA	8541.4010.00
NER-011660720G	Smart Series DOAL, 100 mm, Blue, M12 Connector	2,850.00	682094	4549734240017			SE	A	THA	8541.4010.00
NER-011660800G	Smart Series Rno, 60 mm, Red, M12 Connector	548.00	682132	4549734240024			SE	A	THA	8541.4010.00
NER-011660810G	Smart Series Rno, 60 mm, White, M12 Connector	640.00	682031	4549734240031			SE	A	THA	8541.4010.00
NER-011661100G	Smart Series Rno, 100 mm, Red, M12 Connector	770.00	682107	4549734240109			SE	A	THA	8541.4010.00
NER-011661110G	Smart Series Rno, 100 mm, White, M12 Connector	917.00	682013	4549734240116			SE	A	THA	8541.4010.00
<b>Code Verification Products</b>										
7500-5-LT	LVS-7500 5" External System W/LT	11,500.00	683345	4549734217248			SE	B	USA	9031.9000.00
7500-5-LT-REW	LVS-7500 5" External System W/LT and Rewinder	16,160.00	683331	4549734223744			SE	B	USA	9031.9000.00
7500-8-LT-REW	LVS-7500 8" External System W/LT and Rewinder	19,730.00	683332	4549734223768			SE	B	USA	9031.9000.00
7510P-5-ZT610-203DPI	LVS-7510-5-ZT610-203DPI, Integrated W/Zebra ZT610 203 DPI Printer	16,110.00	683342	4549734276399			SE	B	USA	9031.9000.00
7510P-5-ZT610-203DPI-PP	LVS-7510-5-ZT610-203DPI, Integrated W/Zebra ZT610 203 DPI Printer, with Rewinder	18,870.00	683341	4549734276405			SE	B	USA	9031.9000.00
7510P-5-ZT610-300DPI	LVS-7510-5-ZT610-300DPI, Integrated W/Zebra ZT610 300 DPI Printer	16,520.00	683348	4549734223812			SE	B	CHN	9031.9000.00
7510P-5-ZT610-300DPI-PP	LVS-7510-5-ZT610-300DPI, Integrated W/Zebra ZT610 300 DPI Printer, with Rewinder	16,960.00	683340	4549734276412			SE	B	USA	9031.9000.00
7510P-8-220X4-300DPI	LVS-7510-8-220X4-300DPI, Integrated W/Zebra Xi220 Printer	23,260.00	683349	4549734223836			SE	B	CHN	9031.9000.00
7510P-8-T8308	LVS-7510 8" W/LT, PRINTRONIX T8308, Integrated W/Printer	23,890.00	683346	4549734223850			SE	B	CHN	9031.9000.00
7510P-8-ZT620-300DPI	LVS-7510-5-ZT620-300DPI, Integrated W/Zebra ZT620 300 DPI Printer	18,950.00	683339	4549734276436			SE	B	USA	9031.9000.00
7510P-8-ZT620-300DPI-PP	LVS-7510-5-ZT620-300DPI, Integrated W/Zebra ZT620 300 DPI Printer, with Rewinder	19,190.00	683338	4549734276443			SE	B	USA	9031.9000.00
9510-5-175	LVS-9510 Verifier, 1.75" FoV	7,840.00	682529	4549734223874			SE	B	USA	9031.9000.00
9510-5-3-0	LVS-9510 Verifier, 3" FoV	7,840.00	682319	4549734217255			SE	B	USA	9031.9000.00
9510-5-4-0	LVS-9510 Verifier, 4" FoV	7,840.00	682357	4549734217262			SE	B	USA	9031.9000.00
9510-5-4-5	LVS-9510 Verifier, 4.5" FoV	7,840.00	682336	4549734217279	#		SE	B	USA	9031.9000.00
9510-5-6-250	LVS-9510 Verifier, 6.25" FoV	7,840.00	682386	4549734217286			SE	B	USA	9031.9000.00
9570-C-5	LVS-9570 Rbiler, 1D & 2D Codes	5,805.00	682075	4549734223928			SE	B	USA	9031.9000.00
9580-1D-3	LVS-9580 Handheld, 1D Barcode Verification	5,190.00	682159	4549734223935			SE	B	USA	9031.9000.00
9580-2D-3	LVS-9580 Handheld, 2D Barcode Verification	5,585.00	682636	4549734223942			SE	B	USA	9031.9000.00

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	SLN. (Daheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
9580-C-3	LVS-9580 Handheld, 1D, 2D Barcode Verification	7.200,00	682403	4549734217293			SB	B	USA	9031.9000.00
9580-DPM	LVS-9580 Handheld, 1D, 2D & DPM Barcode Verification	7.965,00	682325	4549734217309			SB	B	USA	9031.9000.00
9580-DPM-HD	LVS-9585 Handheld, 1D, 2D & DPM Dome and 30 degree lightina, high density	6.565,00	694444	4549734217316			SB	B	USA	9031.9000.00
9585-DPM	LVS-9585 Handheld, 1D, 2D & DPM Dome and 30 degree lightina	8.960,00	682389	4549734217323	#		SB	B	USA	9031.9000.00
9585-DPM-HD	LVS-9585 Handheld, 1D, 2D & DPM Barcode Verification, high density	7.290,00	684443	4549734217330			SB	B	USA	9031.9000.00
98-9000995-01	KI, 8" Reader W/CAB, Printinrix	2.004,00	683333	4549734224222			SB	CHN	9031.9000.00	
98-9000254-01	KT, LVS-7000, Dalsa Cam, 90mm Vision lens, cables, bracket	12.310,00	687433	4549734511407			SB	B	CAN	9031.9000.00
V275-P46261030-CC	V275 verification system, 4", integrated with ZEBRA ZT610 300DPI printer	13.420,00	699594	4549734615907			SB	CHN	9031.9000.00	
V275-P4626103P-CC	V275 verification system, 4", integrated with ZEBRA ZT610 300DPI printer, peel & present	14.090,00	699593	4549734615914			SB	B	CHN	9031.9000.00
V275-P46261060-CC	V275 verification system, 4", integrated with ZEBRA ZT610 600DPI printer	16.140,00	699592	4549734615921			SB	B	CHN	9031.9000.00
V275-P4626106P-CC	V275 verification system, 4", integrated with ZEBRA ZT610 600DPI printer, peel & present	16.820,00	699591	4549734615938			SB	B	CHN	9031.9000.00
V275-P86262030-CC	V275 verification system, 8", integrated with ZEBRA ZT620 300DPI printer	16.820,00	699590	4549734615945			SB	B	CHN	9031.9000.00
V275-P8626203P-CC	V275 verification system, 8", integrated with ZEBRA ZT620 300DPI printer, peel & present	17.510,00	699589	4549734615952			SB	B	CHN	9031.9000.00
<b>MicroHAWK Smart Camera</b>										
F320-F050M03M-NNA	F320 Smart Camera, 0.3 MP monochrome, Medium view, Fixed focus 50 mm, No outer light, AutoVISION, RS-232, Ethernet via USB, IP40	1.465,00	696600	4549734558532			SB	C	MYS	9031.9000.00
F320-F050M03M-NNS	F320 Smart Camera, 0.3 MP monochrome, Medium view, Fixed focus 50 mm, No outer light, AutoVISION Sensor, RS-232, Ethernet via USB, IP40	656,50	696599	4549734558525			SB	C	MYS	9031.9000.00
F320-F050M03M-NNV	F320 Smart Camera, 0.3 MP monochrome, Medium view, Fixed focus 50 mm, No outer light, AutoVISION+ Vision scape, RS-232, Ethernet via USB, IP40	1.970,00	696601	4549734558549			SB	C	MYS	9031.9000.00
F320-F050M12M-NNA	F320 Smart Camera, 1.2 MP monochrome, Medium view, Fixed focus 50 mm, No outer light, AutoVISION Sensor, RS-232, Ethernet via USB, IP40	1.768,00	696642	4549734559133			SB	C	JPN	9031.9000.00
F320-F050M12M-NNS	F320 Smart Camera, 1.2 MP monochrome, Medium view, Fixed focus 50 mm, No outer light, AutoVISION+ Vision scape, RS-232, Ethernet via USB, IP40	959,50	696641	4549734559126			SB	C	JPN	9031.9000.00
F320-F050M12M-NNV	F320 Smart Camera, 1.2 MP monochrome, Medium view, Fixed focus 50 mm, No outer light, AutoVISION+ Vision scape, RS-232, Ethernet via USB, IP40	2.273,00	696643	4549734559140			SB	C	JPN	9031.9000.00
F320-F050M50C-NNA	F320 Smart Camera, 5.0 MP color, Medium view, Fixed focus 50 mm, No outer light, AutoVISION Sensor, RS-232, Ethernet via USB, IP40	1.566,00	696684	4549734559737			SB	C	JPN	9031.9000.00
F320-F050M50C-NNS	F320 Smart Camera, 5.0 MP color, Medium view, Fixed focus 50 mm, No outer light, AutoVISION+ Vision scape, RS-232, Ethernet via USB, IP40	757,50	696683	4549734559720			SB	C	JPN	9031.9000.00
F320-F050M50C-NNV	F320 Smart Camera, 5.0 MP color, Medium view, Fixed focus 50 mm, No outer light, AutoVISION+ Vision scape, RS-232, Ethernet via USB, IP40	2.071,00	696685	4549734559744			SB	C	JPN	9031.9000.00
F320-F050W03M-NNA	F320 Smart Camera, 0.3 MP monochrome, Wide view, Fixed focus 50 mm, No outer light, AutoVISION, RS-232, Ethernet via USB, IP40	1.465,00	696579	4549734558327			SB	C	MYS	9031.9000.00
F320-F050W03M-NNS	F320 Smart Camera, 0.3 MP monochrome, Wide view, Fixed focus 50 mm, No outer light, AutoVISION Sensor, RS-232, Ethernet via USB, IP40	656,50	696578	4549734558310			SB	C	MYS	9031.9000.00
F320-F050W03M-NNV	F320 Smart Camera, 0.3 MP monochrome, Wide view, Fixed focus 50 mm, No outer light, AutoVISION+ Vision scape, RS-232, Ethernet via USB, IP40	1.970,00	696580	4549734558334			SB	C	MYS	9031.9000.00
F320-F050W12M-NNA	F320 Smart Camera, 1.2 MP monochrome, Wide view, Fixed focus 50 mm, No outer light, AutoVISION Sensor, RS-232, Ethernet via USB, IP40	1.768,00	696621	4549734558921			SB	C	JPN	9031.9000.00
F320-F050W12M-NNS	F320 Smart Camera, 1.2 MP monochrome, Wide view, Fixed focus 50 mm, No outer light, AutoVISION+ Vision scape, RS-232, Ethernet via USB, IP40	959,50	696620	4549734558914			SB	C	JPN	9031.9000.00
F320-F050W12M-NNV	F320 Smart Camera, 1.2 MP monochrome, Wide view, Fixed focus 50 mm, No outer light, AutoVISION+ Vision scape, RS-232, Ethernet via USB, IP40	2.273,00	696622	4549734558938			SB	C	JPN	9031.9000.00
F320-F050W50C-NNA	F320 Smart Camera, 5.0 MP color, Wide view, Fixed focus 50 mm, No outer light, AutoVISION, RS-232, Ethernet via USB, IP40	1.566,00	696663	4549734559522			SB	C	JPN	9031.9000.00
F320-F050W50C-NNS	F320 Smart Camera, 5.0 MP color, Wide view, Fixed focus 50 mm, No outer light, AutoVISION Sensor, RS-232, Ethernet via USB, IP40	757,50	696662	4549734559515			SB	C	JPN	9031.9000.00
F320-F050W50C-NNV	F320 Smart Camera, 5.0 MP color, Wide view, Fixed focus 50 mm, No outer light, AutoVISION+ Vision scape, RS-232, Ethernet via USB, IP40	2.071,00	696664	4549734559539			SB	C	JPN	9031.9000.00
F320-F064M03M-NNA	F320 Smart Camera, 0.3 MP monochrome, Medium view, Fixed focus 64 mm, No outer light, AutoVISION Sensor, RS-232, Ethernet via USB, IP40	1.465,00	696603	4549734558563			SB	C	MYS	9031.9000.00
F320-F064M03M-NNS	F320 Smart Camera, 0.3 MP monochrome, Medium view, Fixed focus 64 mm, No outer light, AutoVISION+ Vision scape, RS-232, Ethernet via USB, IP40	656,50	696602	4549734558556			SB	C	MYS	9031.9000.00
F320-F064M03M-NNV	F320 Smart Camera, 0.3 MP monochrome, Medium view, Fixed focus 64 mm, No outer light, AutoVISION+ Vision scape, RS-232, Ethernet via USB, IP40	1.970,00	696604	4549734558570			SB	C	MYS	9031.9000.00
F320-F064M12M-NNA	F320 Smart Camera, 1.2 MP monochrome, Medium view, Fixed focus 64 mm, No outer light, AutoVISION Sensor, RS-232, Ethernet via USB, IP40	1.768,00	696645	4549734559164			SB	C	JPN	9031.9000.00
F320-F064M12M-NNS	F320 Smart Camera, 1.2 MP monochrome, Medium view, Fixed focus 64 mm, No outer light, AutoVISION+ Vision scape, RS-232, Ethernet via USB, IP40	959,50	696644	4549734559157			SB	C	JPN	9031.9000.00
F320-F064M12M-NNV	F320 Smart Camera, 1.2 MP monochrome, Medium view, Fixed focus 64 mm, No outer light, AutoVISION+ Vision scape, RS-232, Ethernet via USB, IP40	2.273,00	696646	4549734559171			SB	C	JPN	9031.9000.00
F320-F064M50C-NNA	F320 Smart Camera, 5.0 MP color, Medium view, Fixed focus 64 mm, No outer light, AutoVISION, RS-232, Ethernet via USB, IP40	1.566,00	696687	4549734559768			SB	C	JPN	9031.9000.00
F320-F064M50C-NNS	F320 Smart Camera, 5.0 MP color, Medium view, Fixed focus 64 mm, No outer light, AutoVISION Sensor, RS-232, Ethernet via USB, IP40	757,50	696686	4549734559751			SB	C	JPN	9031.9000.00
F320-F064M50C-NNV	F320 Smart Camera, 5.0 MP color, Medium view, Fixed focus 64 mm, No outer light, AutoVISION+ Vision scape, RS-232, Ethernet via USB, IP40	2.071,00	696688	4549734559775			SB	C	JPN	9031.9000.00
F320-F064W03M-NNA	F320 Smart Camera, 0.3 MP monochrome, Wide view, Fixed focus 64 mm, No outer light, AutoVISION, RS-232, Ethernet via USB, IP40	1.465,00	696582	4549734558358			SB	C	MYS	9031.9000.00
F320-F064W03M-NNS	F320 Smart Camera, 0.3 MP monochrome, Wide view, Fixed focus 64 mm, No outer light, AutoVISION Sensor, RS-232, Ethernet via USB, IP40	656,50	696581	4549734558341			SB	C	MYS	9031.9000.00
F320-F064W03M-NNV	F320 Smart Camera, 0.3 MP monochrome, Wide view, Fixed focus 64 mm, No outer light, AutoVISION+ Vision scape, RS-232, Ethernet via USB, IP40	1.970,00	696583	4549734558365			SB	C	MYS	9031.9000.00
F320-F064W12M-NNA	F320 Smart Camera, 1.2 MP monochrome, Wide view, Fixed focus 64 mm, No outer light, AutoVISION, RS-232, Ethernet via USB, IP40	1.768,00	696624	4549734558952			SB	C	JPN	9031.9000.00
F320-F064W12M-NNS	F320 Smart Camera, 1.2 MP monochrome, Wide view, Fixed focus 64 mm, No outer light, AutoVISION Sensor, RS-232, Ethernet via USB, IP40	959,50	696623	4549734558945			SB	C	JPN	9031.9000.00
F320-F064W12M-NNV	F320 Smart Camera, 1.2 MP monochrome, Wide view, Fixed focus 64 mm, No outer light, AutoVISION+ Vision scape, RS-232, Ethernet via USB, IP40	2.273,00	696625	4549734558969			SB	C	JPN	9031.9000.00
F320-F064W50C-NNA	F320 Smart Camera, 5.0 MP color, Wide view, Fixed focus 64 mm, No outer light, AutoVISION, RS-232, Ethernet via USB, IP40	1.566,00	696666	4549734559563			SB	C	JPN	9031.9000.00
F320-F064W50C-NNS	F320 Smart Camera, 5.0 MP color, Wide view, Fixed focus 64 mm, No outer light, AutoVISION Sensor, RS-232, Ethernet via USB, IP40	757,50	696665	4549734559546			SB	C	JPN	9031.9000.00
F320-F064W50C-NNV	F320 Smart Camera, 5.0 MP color, Wide view, Fixed focus 64 mm, No outer light, AutoVISION+ Vision scape, RS-232, Ethernet via USB, IP40	2.071,00	696667	4549734559560			SB	C	JPN	9031.9000.00
F320-F081M03M-NNA	F320 Smart Camera, 0.3 MP monochrome, Medium view, Fixed focus 81 mm, No outer light, AutoVISION, RS-232, Ethernet via USB, IP40	1.465,00	696606	4549734558594			SB	C	MYS	9031.9000.00
F320-F081M03M-NNS	F320 Smart Camera, 0.3 MP monochrome, Medium view, Fixed focus 81 mm, No outer light, AutoVISION Sensor, RS-232, Ethernet via USB, IP40	656,50	696605	4549734558587			SB	C	MYS	9031.9000.00
F320-F081M03M-NNV	F320 Smart Camera, 0.3 MP monochrome, Medium view, Fixed focus 81 mm, No outer light, AutoVISION+ Vision scape, RS-232, Ethernet via USB, IP40	1.970,00	696607	4549734558600			SB	C	MYS	9031.9000.00
F320-F081M12M-NNA	F320 Smart Camera, 1.2 MP monochrome, Medium view, Fixed focus 81 mm, No outer light, AutoVISION, RS-232, Ethernet via USB, IP40	1.768,00	696648	4549734559188			SB	C	JPN	9031.9000.00
F320-F081M12M-NNS	F320 Smart Camera, 1.2 MP monochrome, Medium view, Fixed focus 81 mm, No outer light, AutoVISION+ Vision scape, RS-232, Ethernet via USB, IP40	959,50	696647	4549734559181			SB	C	JPN	9031.9000.00
F320-F081M12M-NNV	F320 Smart Camera, 1.2 MP monochrome, Medium view, Fixed focus 81 mm, No outer light, AutoVISION+ Vision scape, RS-232, Ethernet via USB, IP40	2.273,00	696649	4549734559205			SB	C	JPN	9031.9000.00
F320-F081M50C-NNA	F320 Smart Camera, 5.0 MP color, Medium view, Fixed focus 81 mm, No outer light, AutoVISION, RS-232, Ethernet via USB, IP40	1.566,00	696690	4549734559799			SB	C	JPN	9031.9000.00
F320-F081M50C-NNS	F320 Smart Camera, 5.0 MP color, Medium view, Fixed focus 81 mm, No outer light, AutoVISION Sensor, RS-232, Ethernet via USB, IP40	757,50	696689	4549734559782			SB	C	JPN	9031.9000.00
F320-F081M50C-NNV	F320 Smart Camera, 5.0 MP color, Medium view, Fixed focus 81 mm, No outer light, AutoVISION+ Vision scape, RS-232, Ethernet via USB, IP40	2.071,00	696691	4549734559805			SB	C	JPN	9031.9000.00
F320-F081W03M-NNA	F320 Smart Camera, 0.3 MP monochrome, Wide view, Fixed focus 81 mm, No outer light, AutoVISION, RS-232, Ethernet via USB, IP40	1.465,00	696585	4549734558389			SB	C	MYS	9031.9000.00
F320-F081W03M-NNS	F320 Smart Camera, 0.3 MP monochrome, Wide view, Fixed focus 81 mm, No outer light, AutoVISION Sensor, RS-232, Ethernet via USB, IP40	656,50	696584	4549734558372			SB	C	MYS	9031.9000.00
F320-F081W03M-NNV	F320 Smart Camera, 0.3 MP monochrome, Wide view, Fixed focus 81 mm, No outer light, AutoVISION+ Vision scape, RS-232, Ethernet via USB, IP40	1.970,00	696586	4549734558396			SB	C	MYS	9031.9000.00
F320-F081W12M-NNA	F320 Smart Camera, 1.2 MP monochrome, Wide view, Fixed focus 81 mm, No outer light, AutoVISION, RS-232, Ethernet via USB, IP40	1.768,00	696627	4549734558983			SB	C	JPN	9031.9000.00
F320-F081W12M-NNS	F320 Smart Camera, 1.2 MP monochrome, Wide view, Fixed focus 81 mm, No outer light, AutoVISION Sensor, RS-232, Ethernet via USB, IP40	959,50	696626	4549734558976			SB	C	JPN	9031.9000.00
F320-F081W12M-NNV	F320 Smart Camera, 1.2 MP monochrome, Wide view, Fixed focus 81 mm, No outer light, AutoVISION+ Vision scape, RS-232, Ethernet via USB, IP40	2.273,00	696628	4549734558990			SB	C	JPN	9031.9000.00
F320-F081W50C-NNA	F320 Smart Camera, 5.0 MP color, Wide view, Fixed focus 81 mm, No outer light, AutoVISION, RS-232, Ethernet via USB, IP40	1.566,00	696669	4549734559584			SB	C	JPN	9031.9000.00
F320-F081W50C-NNS	F320 Smart Camera, 5.0 MP color, Wide view, Fixed focus 81 mm, No outer light, AutoVISION Sensor, RS-232, Ethernet via USB, IP40	757,50	696668	4549734559577			SB	C	JPN	9031.9000.00
F320-F081W50C-NNV	F320 Smart Camera, 5.0 MP color, Wide view, Fixed focus 81 mm, No outer light, AutoVISION+ Vision scape, RS-232, Ethernet via USB, IP40	2.071,00	696670	4549734559591			SB	C	JPN	9031.9000.00
F320-F102M03M-NNA	F320 Smart Camera, 0.3 MP monochrome, Medium view, Fixed focus 102 mm, No outer light, AutoVISION, RS-232, Ethernet via USB, IP40	1.465,00	696609	4549734558624			SB	C	MYS	9031.9000.00
F320-F102M03M-NNS	F320 Smart Camera, 0.3 MP monochrome, Medium view, Fixed focus 102 mm, No outer light, AutoVISION Sensor, RS-232, Ethernet via USB, IP40	656,50	696608	4549734558617			SB	C	MYS	9031.9000.00
F320-F102M03M-NNV	F320 Smart Camera, 0.3 MP monochrome, Medium view, Fixed focus 102 mm, No outer light, AutoVISION+ Vision scape, RS-232, Ethernet via USB, IP40	1.970,00	696610	4549734558641			SB	C	MYS	9031.9000.00
F320-F102M12M-NNA	F320 Smart Camera, 1.2 MP monochrome, Medium view, Fixed focus 102 mm, No outer light, AutoVISION, RS-232, Ethernet via USB, IP40	1.768,00	696651	4549734559225			SB	C	JPN	9031.9000.00
F320-F102M12M-NNS	F320 Smart Camera, 1.2 MP monochrome, Medium view, Fixed focus 102 mm, No outer light, AutoVISION Sensor, RS-232, Ethernet via USB, IP40	959,50	696650	4549734559218			SB	C	JPN	9031.9000.00
F320-F102M12M-NNV	F320 Smart Camera, 1.2 MP monochrome, Medium view, Fixed focus 102 mm, No outer light, AutoVISION+ Vision scape, RS-232, Ethernet via USB, IP40	2.273,00	696652	4549734559232			SB	C		

























Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Daheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
F430-F300W50C-SWS	F430 Smart Camera, 5 MP color, Wide view, Fixed focus 300 mm, White light, AutoVISION Sensor, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/ IP67	1.465.00	697354	4549734567220			SB	C	JPN	9031.9000.00
F430-F300W50C-SWV	F430 Smart Camera, 5 MP color, Wide view, Fixed focus 300 mm, White light, AutoVISION+ Visionscape, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/ IP67	2.778.00	697356	4549734567244			SB	C	JPN	9031.9000.00
F430-F400N12M-NNA	F430 Smart Camera, 1.2 MP monochrome, Narrow view, Fixed focus 400 mm, No outer light, AutoVISION Sensor, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/ IP67	2.374.00	697426	4549734568135			SB	C	JPN	9031.9000.00
F430-F400N12M-NNS	F430 Smart Camera, 1.2 MP monochrome, Narrow view, Fixed focus 400 mm, No outer light, AutoVISION+ Visionscape, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/ IP67	1.565.00	697435	4549734568128			SB	C	JPN	9031.9000.00
F430-F400N12M-NNV	F430 Smart Camera, 1.2 MP monochrome, Narrow view, Fixed focus 400 mm, Red light, AutoVISION Sensor, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/ IP67	2.879.00	697427	4549734568142			SB	C	JPN	9031.9000.00
F430-F400N12M-SRA	F430 Smart Camera, 1.2 MP monochrome, Narrow view, Fixed focus 400 mm, Red light, AutoVISION Sensor, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/ IP67	2.475.00	697429	4549734568166			SB	C	JPN	9031.9000.00
F430-F400N12M-SRS	F430 Smart Camera, 1.2 MP monochrome, Narrow view, Fixed focus 400 mm, Red light, AutoVISION Sensor, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/ IP67	1.667.00	697428	4549734568159			SB	C	JPN	9031.9000.00
F430-F400N12M-SRV	F430 Smart Camera, 1.2 MP monochrome, Narrow view, Fixed focus 400 mm, Red light, AutoVISION+ Visionscape, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/ IP67	2.980.00	697430	4549734568173			SB	C	JPN	9031.9000.00
F430-F400N12M-SWA	F430 Smart Camera, 1.2 MP monochrome, Narrow view, Fixed focus 400 mm, White light, AutoVISION Sensor, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/ IP67	2.475.00	697432	4549734568197			SB	C	JPN	9031.9000.00
F430-F400N12M-SWS	F430 Smart Camera, 1.2 MP monochrome, Narrow view, Fixed focus 400 mm, White light, AutoVISION Sensor, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/ IP67	1.667.00	697431	4549734568180			SB	C	JPN	9031.9000.00
F430-F400N12M-SWV	F430 Smart Camera, 1.2 MP monochrome, Narrow view, Fixed focus 400 mm, White light, AutoVISION+ Visionscape, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/ IP67	2.980.00	697433	4549734568203			SB	C	JPN	9031.9000.00
8011-0000-0100	HAWK MV-4000-03, 0.3 MP (640x480), Mono, AV Sensor	4.642.00	683390	4549734235075			SB	C	CAN	9031.9000.00
8011-0000-0101	HAWK MV-4000-03, 0.3 MP (640x480), Mono, AV	5.085.00	683398	4549734235082			SB	C	CAN	9031.9000.00
8011-0000-0102	HAWK MV-4000-03, 0.3 MP (640x480), Mono, AV+ VS	5.520.00	683407	4549734235099			SB	C	CAN	9031.9000.00
8011-0000-0103	HAWK MV-4000-03, 0.3 MP (640x480), Mono, AV+ Verif/ OCV	6.025.00	682251	4549734235105			SB	C	CAN	9031.9000.00
8011-0000-0104	HAWK MV-4000-03, 0.3 MP (640x480), Mono, AV+ VS+ Verif/ OCV	6.380.00	682260	4549734235112			SB	C	CAN	9031.9000.00
8012-0000-0100	HAWK MV-4000-13, 1.3 MP (1280x1024), Mono, AV Sensor	5.635.00	683399	4549734235129			SB	C	CAN	9031.9000.00
8012-0000-0101	HAWK MV-4000-13, 1.3 MP (1280x1024), Mono, AV	6.585.00	682605	4549734235136			SB	C	CAN	9031.9000.00
8012-0000-0102	HAWK MV-4000-13, 1.3 MP (1280x1024), Mono, AV+ VS	5.520.00	683395	4549734235143			SB	C	CAN	9031.9000.00
8012-0000-0103	HAWK MV-4000-13, 1.3 MP (1280x1024), Mono, AV+ Verif/ OCV	7.105.00	682244	4549734235150			SB	C	CAN	9031.9000.00
8012-0000-0104	HAWK MV-4000-13, 1.3 MP (1280x1024), Mono, AV+ VS+ Verif/ OCV	7.460.00	682252	4549734235167			SB	C	CAN	9031.9000.00
8013-0000-0100	HAWK MV-4000-20, 2.0 MP (1920x1200), Mono, AV Sensor	6.325.00	683411	4549734235174			SB	C	CAN	9031.9000.00
8013-0000-0101	HAWK MV-4000-20, 2.0 MP (1920x1200), Mono, AV	6.755.00	683396	4549734235181			SB	C	CAN	9031.9000.00
8013-0000-0102	HAWK MV-4000-20, 2.0 MP (1920x1200), Mono, AV+ VS	7.795.00	682453	4549734235198			SB	C	CAN	9031.9000.00
8013-0000-0103	HAWK MV-4000-20, 2.0 MP (1920x1200), Mono, AV+ Verif/ OCV	7.855.00	682262	4549734235204			SB	C	CAN	9031.9000.00
8013-0000-0104	HAWK MV-4000-20, 2.0 MP (1920x1200), Mono, AV+ VS+ Verif/ OCV	8.220.00	682250	4549734235211			SB	C	CAN	9031.9000.00
8014-0000-0100	HAWK MV-4000-50, 5.0 MP (2592x2048), Mono, AV Sensor	7.320.00	683394	4549734235228			SB	C	CAN	9031.9000.00
8014-0000-0101	HAWK MV-4000-50, 5.0 MP (2592x2048), Mono, AV	7.755.00	683402	4549734235235			SB	C	CAN	9031.9000.00
8014-0000-0102	HAWK MV-4000-50, 5.0 MP (2592x2048), Mono, AV+ VS	8.885.00	682452	4549734235242			SB	C	CAN	9031.9000.00
8014-0000-0103	HAWK MV-4000-50, 5.0 MP (2592x2048), Mono, AV+ Verif/ OCV	8.950.00	682255	4549734235259			SB	C	CAN	9031.9000.00
8014-0000-0104	HAWK MV-4000-50, 5.0 MP (2592x2048), Mono, AV+ VS+ Verif/ OCV	9.305.00	682256	4549734235266			SB	C	CAN	9031.9000.00
8015-0000-0100	HAWK MV-4000-03C, 0.3 MP (640x480), Color, AV Sensor	4.894.00	683420	4549734235303			SB	C	CAN	9031.9000.00
8015-0000-0101	HAWK MV-4000-03C, 0.3 MP (640x480), Color, AV	5.335.00	683410	4549734235310			SB	C	CAN	9031.9000.00
8015-0000-0102	HAWK MV-4000-03C, 0.3 MP (640x480), Color, AV+ VS	5.770.00	683387	4549734235327			SB	C	CAN	9031.9000.00
8016-0000-0100	HAWK MV-4000-13C, 1.3 MP (1280x1024), Color, AV Sensor	5.890.00	683408	4549734235358			SB	C	CAN	9031.9000.00
8016-0000-0101	HAWK MV-4000-13C, 1.3 MP (1280x1024), Color, AV	6.325.00	683386	4549734235365			SB	C	CAN	9031.9000.00
8016-0000-0102	HAWK MV-4000-13C, 1.3 MP (1280x1024), Color, AV+ VS	7.330.00	682618	4549734235372			SB	C	CAN	9031.9000.00
8017-0000-0100	HAWK MV-4000-20C, 2.0 MP (1920x1200), Color, AV Sensor	6.580.00	683389	4549734235402			SB	C	CAN	9031.9000.00
8017-0000-0101	HAWK MV-4000-20C, 2.0 MP (1920x1200), Color, AV	7.005.00	683409	4549734235419			SB	C	CAN	9031.9000.00
8017-0000-0102	HAWK MV-4000-20C, 2.0 MP (1920x1200), Color, AV+ VS	7.445.00	683388	4549734235426			SB	C	CAN	9031.9000.00
8017-0000-0104	HAWK MV-4000-20C, 2.0 MP (1920x1200), Color, AV+ VS+ Verif/ OCV	6.480.00	684467	4549734235440			SB	C	CAN	9031.9000.00
8018-0000-0100	HAWK MV-4000-50C, 5.0 MP (2592x2048), Color, AV Sensor	7.570.00	683400	4549734235457			SB	C	CAN	9031.9000.00
8018-0000-0101	HAWK MV-4000-50C, 5.0 MP (2592x2048), Color, AV	8.010.00	683405	4549734235464			SB	C	CAN	9031.9000.00
8018-0000-0102	HAWK MV-4000-50C, 5.0 MP (2592x2048), Color, AV+ VS	8.445.00	683401	4549734235471			SB	C	CAN	9031.9000.00
<b>Laser Marker</b>										
MX-Z2000H-V1	Laser Marker, Fiber laser Wavelength 1062 nm, 20 W Fiber laser transmitter output, Marking area 90x90 mm, Marking Resolution 2µm, Working distance 170±10 mm, 200 to 240 VAC, 50/60 Hz	39.890.00	692759	4549734523868			SB	U	JPN	8456.1190.00
MX-Z2005H-V1	Laser Marker, Fiber laser Wavelength 1062 nm, 20 W Fiber laser transmitter output, Marking area 160x160 mm, Marking Resolution 4µm, Working distance 210±10 mm, 200 to 240 VAC, 50/60 Hz	39.890.00	692758	4549734523875			SB	U	JPN	8456.1190.00
MX-Z2005H-V1	Laser Marker for Resins and Plastic films, Fiber laser Wavelength 1062 nm, 20 W Fiber laser transmitter output, Marking area 160x160 mm, Marking Resolution 4 µm, Working distance 210±10 mm, 200 to 240 VAC, 50/60 Hz	39.890.00	692757	4549734523882			SB	U	JPN	8456.1190.00
<b>Accessories for BCF Smart Cameras</b>										
98-000115-01	VS Glo E Camera, 0.3 MP Color, CMG03c, 656x494 Pixels, CCD	1.087.00	699534	4549734236133			SB	Z	DEJ	9031.9000.00
98-000120-01	VS Glo E Camera, 5 MP Mono, CMG50, 2448x2050 Pixels, CCD	5.970.00	682163	4549734236188			SB	Z	DEJ	9031.9000.00
98-000190-01	VS Glo E Camera, 5 MP Color, CMG50c, 2448x2050 Pixels, CCD	5.475.00	684303	4549734236218			SB	Z	DEJ	9031.9000.00
98-000222-01	VS Glo E Camera, 5 MP Mono, CMG50c, 2592x1944 Pixels, CMOS	2.253.00	682596	4549734236249			SB	Z	DEJ	9031.9000.00
98-000230-01	VS Glo E Camera, 5 MP Color, CMG50c, 2592x1944 Pixels, CMOS	2.653.00	682043	4549734236256			SB	Z	DEJ	9031.9000.00
98-9000181-01	Kit, Power supply for cradle / charger, HDS-3678, A/C Power Cord Required	41.39	684545	4549734958202			SB	Z	CHN	9031.9000.00
98-9000186-01	Stand, Intelligent, HS-360X	60.50	682223	4549734947374			SB	Z	CHN	9031.9000.00
V410-ACO-1	V410-H AC Power supply 5.2 VDC, 1.1 A	55.00	700371	4549734570954			SB	Z	CHN	8471.6070.00
V410-ASD	Presentation stand, hands free operation, V410-H	59.60	699311	4549734570961		#	SB	Z	MEX	9031.9000.00
V410-WR-2M	Cable, RS-232, DB9F, TXD-2, 2 m	42.42	699315	4549734570985			SB	Z	CHN	8544.4210.00
V410-WUB-2M	Cable, style 3 USB, Mod plu, 2 m	42.42	699316	4549734570978		#	SB	Z	CHN	8544.4210.00
98-9000100-01	KIT, 5" sensor white molex conn	1.021.00	688026	4549734224246			SB	Z	USA	9031.9000.00
98-LV50367	Light tower Interface unit LVS75xx	559.50	688028	4549734224512			SB	Z	USA	9031.9000.00
98-PCB0236	PCB Pop Light Tray for LVS-9510	353.80	686998	4549734238632			SB	Z	USA	9031.9000.00
98-PNL046	Top Cover Lit for LVS 9510	50.25	689500	4549734238649			SB	Z	USA	9031.9000.00
V275-ACGAN028-01	V275 calibration conformance test card, 4", serialized, undated	100.00	699568	4549734615976			SB	Z	USA	9031.9000.00
V275-ACGAN029-01	V275 calibration conformance test card, 6", serialized, undated	136.40	699567	4549734615980			SB	Z	USA	9031.9000.00
V275-ALCBL02T	V275 light tower cable, unterminated, for ZEBRA ZT	138.40	699585	4549734616010			SB	Z	POL	9031.9000.00
V275-ALRYGZTT	V275 light tower for ZEBRA ZT	1.046.00	699586	4549734616003			SB	Z	IDN	9031.9000.00
V275-APIQO003-01	V275 IQ/OQ/PO procedure, 300 DPI	2.995.00	700675	4549734616096			SB	Z	USA	9031.9000.00
V275-APIQO006-01	V275 IQ/OQ/PO procedure, 600 DPI	2.995.00	700676	4549734616102			SB	Z	USA	9031.9000.00

2021 List Price	SLN. (Data sheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
V275-REN00ZEB	Kit, V275, ZEBRA ZT encoder replacement	632.50	699582	4549734616058		SB	Z	CHN 9031.9000.00
V275-RFP00ZEB	Kit, V275, ZEBRA ZT peel & present sensor replacement	632.50	699581	4549734616065		SB	Z	CHN 9031.9000.00
V275-RFH04ZEB	Kit, V275, 4" read head replacement for ZEBRA ZT	3,513.00	699584	4549734616027		SB	Z	USA 9031.9000.00
V275-RFH06ZEB	Kit, V275, 6" read head replacement for ZEBRA ZT	4,932.00	699583	4549734616034		SB	Z	USA 9031.9000.00
V275-RFP00ZEB	Kit, V275, ZEBRA ZT rear panel cable	900.00	699580	4549734616072		SB	Z	USA 9031.9000.00
12-000130-01	Cable Grommet for IB890 wiring box (Sealed Strain Relief Wire Clamp)	29.74	689632	4549734978583		SB	Z	USA 9031.9000.00
12-9000937-01	Cradle / Charger, HDS-3678	303.60	682210	4549734947244		SB	Z	CHN 8504.4055.90
12-9000939-01	Battery, Spare, HDS-3678	42.04	684542	4549734958172		SB	Z	USA 8507.6000.90
12-9000943-01	Cable, USB, Shielded, 4.6 m, Ext. 12 V, HDS-3600 Family *** Power Supply Required ***	65.80	682183	4549734946971		SB	Z	CHN 8544.4210.00
12-9000946-01	Cable, USB, Shielded, 2 m, HDS-3600 Family	45.53	682189	4549734947039	#	SB	Z	CHN 8544.4210.00
12-9000953-01	Cable, RS-232, DB9 female, 2 m, straight, HDS-3600 Family	42.04	690151	4549734440905		SB	Z	CHN 8544.4210.00
12-9000960-01	AC Power Cord, 2.5 m, EU, C13 Conn.	18.20	682190	4549734947046		SB	Z	CHN 8544.4290.90
12-9000961-01	AC Power Cord, 2.5 m, UK	26.25	688550	4549734972772		SB	Z	CHN 9031.9000.00
37-000010-01	Software / Instruction on USB device	48.94	682717	4549734275866		SB	Z	USA 8523.5190.00
60-000031-01	Cable, 3.6m, Straight, USB Interface	104.10	682516	4549734236591		SB	Z	CHN 9031.9000.00
61-000010-02	Cable, Communication, DB-9 Socket-to-DB-9 Socket, 6 ft.	47.77	683344	4549734217514		SB	Z	USA 8544.4210.00
61-000148-02	QX Cordset, Common, M12 12-pin Socket (Screw-On) to M12 12-pin Plug (Screw-On), 3 m	127.30	682408	4549734217545		SB	Z	USA 8544.4210.00
61-000148-03	Cordset, M12 12 Pin Plug to M12 12 Pin Socket, Right Angle Down, 3M	111.70	698837	4549734236690		SB	Z	USA 8544.4290.90
61-000148-04	Cordset, M12 12 Pin Plug to M12 12 Pin Socket, Right Angle Up, 3M	111.70	698938	4549734236706		SB	Z	USA 8544.4290.90
61-000151-01	Cable, Mini USB, I/O Breakout, Flying Leads, 1.8 m	47.82	682051	4549734236713		SB	Z	USA 8544.4210.00
61-000152-02	QX Cordset, Host, Serial, M12 12-pin Plug (Screw-On) to DB-9 Socket, 1 m	122.30	682348	4549734217552		SB	Z	USA 8544.4210.00
61-000152-03	QX Cordset, Host, Serial, M12 12-pin Socket (Screw-On) to DB-9 Socket, 1 m	122.30	682347	4549734217559		SB	Z	CHN 8544.4210.00
61-000159-04	QX Cordset, M12 12-Pin Socket-to-IB-131, RS-232/RS-485, 2 m	198.90	683722	4549734217590		SB	Z	USA 8544.4210.00
61-000160-03	QX Cordset, Host, Ethernet, M12 8-pin Plug (Screw-On) to RJ45, 1 m	122.30	682412	4549734217606		SB	Z	MEX 8544.4210.00
61-000162-02	QX Cordset, Common, M12 12-pin Socket (Screw-On) to M12 12-pin Plug (Screw-On), 1 m	122.30	682401	4549734217613		SB	Z	USA 8544.4210.00
61-000163-03	QX Cordset, Host, Ethernet, M12 8-pin Plug (Screw-On) to RJ45, 3 m	127.30	682064	4549734236775		SB	Z	USA 8544.4210.00
61-000163-04	Cordset, M12 8-pin Plug to RJ45 Ethernet, Right Angle Down, 3 m	127.30	681997	4549734236782		SB	Z	MYS 8544.4210.00
61-000163-05	Cordset, M12 8-pin Plug to RJ45 Ethernet, Right Angle Up, 3 m	127.30	682096	4549734236799		SB	Z	MYS 8544.4210.00
61-000164-02	QX Cordset, Host, Serial, M12 12-pin Socket (Screw-On) to DB-9 Socket, 3 m	127.30	682376	4549734217620		SB	Z	USA 8544.4210.00
61-000165-02	QX Cordset, Host, Serial M12 12-Pin Plug (Screw-On)-to-DB-9 Socket, 3 m.	127.30	683074	4549734217637		SB	Z	USA 8544.4210.00
61-000166-02	QX Cordset, M12 12-Pin Plug (Screw-On)-to-Flying Leads, 3 m	105.10	683721	4549734217644		SB	Z	MYS 9031.9000.00
61-000167-03	Cordset, M12 12-pin Socket to Flying Leads, Right Angle Down, 3 m	127.30	682158	4549734236812		SB	Z	USA 8544.4210.00
61-000167-04	Cordset, M12 12-pin Socket to Flying Leads, Right Angle Up, 3 m	127.30	682030	4549734236829		SB	Z	USA 8544.4210.00
61-000185-01	Cable, M12 5-Pin Plug-to-M12 5-Pin Socket, 3 m., Shielded (for Daisy Chain)	82.80	684431	4549734236850		SB	Z	USA 8544.4210.00
61-000186-01	Cable, M12 5-Pin Socket-to-Flying Leads, 3 m.	95.45	682601	4549734236867		SB	Z	USA 8544.4210.00
61-000187-01	Cable, M12 5-pin Socket to Flying Leads, 5 m	167.80	682006	4549734236874		SB	Z	USA 8544.4210.00
61-000204-01	QX Cordset, Smart Series Light to QX-1, Continuous Power	274.50	681958	4549734236898		SB	Z	MYS 8544.4290.90
61-000218-01	QX Cordset, Smart series light to QX-1, strobe, NPN	175.20	682078	4549734236959		SB	Z	USA 8544.4290.90
61-100029-03	Cable, Daisy Chain, IB-131	47.82	682378	4549734217682		SB	Z	CHN 8544.4210.00
61-300026-03	Cable, Communication, DB-25 Plug to DB-9 Socket, 1.8 m	47.82	682370	4549734217699		SB	Z	CHN 8544.4210.00
61-9000034-01	Cable, USB A male to Micro USB B male, 1.8 m	47.82	683534	4549734237000		SB	Z	USA 8544.4210.00
61-9000037-01	Cable, DB15 to Ext. Power/RS232, MicroHAWK-30 (Cable only)	101.00	682139	4549734237017		SB	Z	USA 8544.4210.00
61-9000038-01	Cable, DB15 to Ext. Power/USB, MicroHAWK-30 (Cable only)	101.00	682103	4549734237024		SB	Z	USA 8544.4210.00
61-9000039-01	Cable, DB15 to Ext. Power/USB, I/O, MicroHAWK-30 (Cable only)	127.30	682005	4549734237031		SB	Z	USA 8544.4210.00
61-9000043-01	Cable, DB15 to Bus Power USB, MicroHAWK-30	87.70	682392	4549734217705		SB	Z	USA 8544.4210.00
61-9000045-01	Cable, USB A male to Micro USB B male, 1.8 m	26.92	683531	4549734237048		SB	Z	USA 8544.4210.00
61-9000054-01	Assy., Cable, M12 12-pin Socket to 9-pin Socket and M12 Plug	299.90	682070	4549734237055		SB	Z	USA 8544.4210.00
61-9000088-01	Cable, M12 12-PIN Socket to USB Keyboard and M12 plug	515.50	684430	4549734217712		SB	Z	MYS 8544.4210.00
61-9000102-01	Cable, DB15 to USB/RS232, Tri-colored, MicroHAWK-30 (Cable only)	513.00	682375	4549734217729		SB	Z	USA 8544.4210.00
61-9000117-01	Cordset, M12 12-pin Plug to M12 12-pin Socket, High Flex, 5 m	159.30	682017	4549734237062		SB	Z	MYS 8544.4210.00
61-9000118-01	Cordset, Ethernet, M12 8-pin Plug to RJ45, High Flex, 5 m	159.30	682150	4549734237079		SB	Z	USA 8544.4210.00
61-9000131-01	Cable, USB/RS-232/Power, MicroHAWK-30, 1 m	100.50	683392	4549734237083		SB	Z	USA 8544.4210.00
61-9000132-01	Cable, Adapter, HAWK 4000 to Accessory Cables/Power Supply (comes with cam era)	118.40	682147	4549734237093		SB	Z	USA 8544.4290.90
61-9000133-01	Cordset, M12 12-pin Socket to Flying Leads, High Flex, 5 m	159.30	682128	4549734237116		SB	Z	USA 8544.4210.00
61-9000134-02	Cable, HAWK 4000 Ethernet, X-Code/RJ45 Cat 6A, 3 m	236.40	682067	4549734237130		SB	Z	USA 8544.4210.00
61-9000134-03	Cable, HAWK 4000 Ethernet, X-Code/RJ45 Cat 6A, 5 m	259.40	682141	4549734237147		SB	Z	USA 8544.4210.00
61-9000135-01	Y Cable, HAWK 4000 Adaptor to Smart Light and QX-1, Power, 1 m	384.40	682056	4549734237154		SB	Z	USA 8544.4290.90
61-9000137-01	Y Cable, HAWK 4000 Adaptor to Smart Light and QX-1, Strobe, 1 m	384.40	682109	4549734237161		SB	Z	USA 8544.4290.90
61-9000143-01	Cable, HAWK 4000 M12 to USB Female, 1 m	33.16	682072	4549734237178		SB	Z	USA 8544.4210.00
61-9000147-01	Cable, HAWK 4000 M12 to VGA & USB, 1 m	62.50	682124	4549734237185		SB	Z	USA 8544.4210.00
61-9000151-01	Cable, HAWK 4000 M12 to Flying Leads, 3 m (no adaptor needed)	143.40	682007	4549734237192		SB	Z	USA 8544.4210.00
61-9000192-01	Cordset, M12 12-pin Socket to Flying Leads, High Flex, 15 m	189.70	690418	4549734535298		SB	Z	USA 8544.4210.00
61-9000193-01	Cordset, Ethernet, M12 8-pin Plug to RJ45, High Flex, 20 m	189.70	690417	4549734535304		SB	Z	USA 8544.4210.00
97-000011-01	Power Supply, 100 to 240 VAC, +5 VDC, 5-pin, USA/EUR Plug	125.00	682362	4549734217736		SB	Z	CHN 9031.9000.00
97-000011-02	Power Supply, 100 to 240 VAC, +5 VDC, 2PN PLG, USA/EUR Plug	125.00	682360	4549734217743		SB	Z	CHN 9031.9000.00
97-000012-01	Power Supply, 100 to 240 VAC, +24 VDC, M12 12-pin Socket	186.10	682321	4549734217750		SB	Z	CHN 9031.9000.00
97-000012-02	Power Supply, 100 to 240 VAC, +24 VDC, TPK3-pin, USA/EUR Plug	204.40	682385	4549734217767		SB	Z	CHN 9031.9000.00
97-000012-04	QX Power Supply, 24 VDC, M12 12-pin Plug, USA / Euro Plug	151.90	689993	4549734217774		SB	Z	CHN 9031.9000.00
97-9000006-01	Power Supply, 5 V for use with 61-9000037-01 and 61-9000038-01 cables	47.82	682361	4549734217781		SB	Z	CHN 9031.9000.00
98-000016-01	Kit, 15 cm Mounting Arm/Adapter, MS-820, QX-830, QX-870	159.30	682395	4549734217828		SB	Z	USA 9031.9000.00
98-000019-01	Mounting Arm/Adapter Kit, MS-890, 15.24 cm	171.40	682531	4549734237307		SB	Z	USA 9031.9000.00
98-000037-01	Mounting Arm Extension Kit, 15 cm, All Readers	82.45	682340	4549734217835		SB	Z	USA 9031.9000.00
98-000051-01	IC-3USB Interface Kit, USB to Serial, 15-pin	125.00	682407	4549734217859		SB	Z	USA 9031.9000.00
98-000054-01	Kit, Mounting Stand Base Plate	39.36	683720	4549734217880		SB	Z	USA 9031.9000.00
98-000057-02	Kit, Bracket, Through-Hole Mount, MS-2, MS-3, MINI	31.83	682364	4549734217897		SB	Z	USA 9031.9000.00
98-000059-01	Kit, Bracket, Angle Mount, MS-2, MS-3, MINI	31.83	682396	4549734217910		SB	Z	USA 9031.9000.00

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Daheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
98-000060-01	Kit, Bracket, Side Mount, MS-2, MS-3, MINI	31.83	682341	4549734217927			SE	Z	USA	9031.9000.00
98-000088-01	Kit, Right Angle Mirror, MS-4/Mini HAWK Vision MINI	74.40	682026	4549734237376			SE	Z	USA	9031.9000.00
98-000103-02	QX-1 Interface Device	260.90	682333	4549734217934			SE	Z	THA	9031.9000.00
98-000126-01	Visionscape GoE Camera Tripper & Strobo Cable, M8 4-pin, 5 m, Open-End Cable	114.40	682140	4549734237420			SE	Z	DEU	9031.9000.00
98-000128-01	VS GoE Camera Power Cable, M8 3-pin, 5 m, Open-End	106.30	682047	4549734237444			SE	Z	DEU	9031.9000.00
98-000134-01	Cat 6 Ethernet Cable, Jack Screws to RJ45, High Flex, 5 m	154.50	682022	4549734237499			SE	Z	USA	9031.9000.00
98-000142-01	VS GoE PCIe I/O Card, 16 Inputs/16 Outputs, PNP with Cable & Terminal	1,065.00	682694	4549734237536			SE	Z	USA	9031.9000.00
98-000144-01	Kit, RA Mirror, QX, HAWK	114.40	682008	4549734237543			SE	Z	USA	9031.9000.00
98-000146-01	Kit, Window Replacement, QX, HAWK	47.82	682145	4549734237550			SE	Z	USA	9031.9000.00
98-000148-01	Kit, L-Bracket, QX Series	61.10	682352	4549734217941			SE	Z	USA	9031.9000.00
98-000265-01	AV Verif. Calibration Card with NIST-Traceable Measurement Report	632.00	682034	4549734237802			SE	Z	USA	9031.9000.00
98-000265-02	AV Verif. Calibration Card	299.90	682152	4549734237819			SE	Z	USA	9031.9000.00
98-200026-02	Kit, Right Angle Mirror, MS-820/QX-830	111.70	682383	4549734217965			SE	Z	USA	9031.9000.00
98-500006-01	Kit, Mounting Plate, MS710, QX830, 870	31.78	683439	4549734217972			SE	Z	USA	9031.9000.00
98-9000039-03	Demo Kit Microhawk, no units	746.50	682637	4549734237987			SE	Z	USA	9031.9000.00
98-9000041-01	Kit, L Bracket, MicroHAWK	61.10	682055	4549734238007			SE	Z	USA	9031.9000.00
98-9000043-01	Kit, Diffuser, MicroHAWK30/40	101.00	682048	4549734238014			SE	Z	USA	9031.9000.00
98-9000045-02	Kit, Red LED, MicroHAWK30/40	167.80	682382	4549734218016			SE	Z	USA	9031.9000.00
98-9000046-01	Kit, White LED, MicroHAWK30/40	167.80	682134	4549734238038			SE	Z	USA	9031.9000.00
98-9000047-01	Kit, 1/4-20 Camera Mount, MicroHAWK	34.53	682142	4549734238045			SE	Z	USA	9031.9000.00
98-9000048-01	Kit, Cable, DB15 to Ext. Power/RS232, w/Power Supply, MicroHAWK30, ** Includes PN61-9000037-01 and PN97-9000006-01	149.80	682366	4549734218023			SE	Z	USA	9031.9000.00
98-9000049-01	Kit, Cable, DB15 to Ext. Power/USB, w/Power Supply, MicroHAWK30, ** Includes PN61-9000038-01 and PN97-9000006-01	149.80	682368	4549734218030			SE	Z	USA	9031.9000.00
98-9000050-01	Kit, Cable, DB15 to Ext. Power/USB, I/O, w/Power Supply, MicroHAWK30, ** Includes PN61-9000039-01 and PN97-000011-02, ***Recommend to purchase separately, one of: (PN99-000019-01, PN61-000151-01)	247.50	682410	4549734218047			SE	Z	USA	9031.9000.00
98-9000051-01	Kit, Window, MicroHAWK30/40	47.82	682085	4549734238052			SE	Z	USA	9031.9000.00
98-9000052-01	Kit, mount for MS3, Mini Hawk	93.35	690152	4549734218054			SE	Z	USA	9031.9000.00
98-9000054-01	Kit, Mounting, APG, MS-4, MINI, MicroHAWK	138.40	682318	4549734218061			SE	Z	USA	9031.9000.00
98-9000057-01	Kit, RA Mirror, MicroHAWK20	159.30	683329	4549734238076			SE	Z	USA	9031.9000.00
98-9000058-01	Kit, RA Mirror, MicroHAWK 30 & 40	159.30	682074	4549734238083			SE	Z	USA	9031.9000.00
98-9000059-01	Kit, Adapter Plate, MicroHAWK20/30/40 to MINI	127.30	682102	4549734238090			SE	Z	USA	9031.9000.00
98-9000062-01	KT, Polarizer, Microhawk M V-ID 20	35.89	689144	4549734238106			SE	Z	USA	9031.9000.00
98-9000064-01	Kit, Isolation Mounting, M3, MicroHAWKID-30/40	21.31	682368	4549734218078			SE	Z	USA	9031.9000.00
98-9000083-01	Kit, Red Filter, MicroHAWK 30 & 40	101.00	682400	4549734218085			SE	Z	USA	9031.9000.00
98-9000084-01	Kit, Blue Filter, MicroHAWK 30 & 40	101.00	682353	4549734218092			SE	Z	USA	9031.9000.00
98-9000092-01	KT, PCB0230-PCB POP 7500/9575 Driver	673.00	682482	4549734224192			SE	Z	USA	9031.9000.00
98-9000093-01	Kit, ENC0044-ENC 785PPR24" Cable	1,042.00	683354	4549734224208			SE	Z	USA	9031.9000.00
98-9000101-01	Kit P/S0057-PI S24 V 0.62 A-B W Ferrite Core	199.80	683419	4549734224253			SE	Z	CHN	9031.9000.00
98-9000102-01	Kit Cab0770-Cab USB 2.0 A-B W Ferrite Core	47.75	683391	4549734224260			SE	Z	USA	9031.9000.00
98-9000103-01	Kit CA9005-CAB USB 2.0 A-B W Ferrite Core	47.75	683387	4549734224271			SE	Z	USA	9031.9000.00
98-9000105-01	Kit, PCB0228-PCB POP 7500 3IU w/Relays	448.40	683330	4549734224284			SE	Z	USA	9031.9000.00
98-9000120-01	Kit, Bracket, MAX 300 to HAWK4000	578.00	682019	4549734238144			SE	Z	USA	9031.9000.00
98-9000121-01	Kit, Bracket, DOAL to HAWK4000	323.40	682023	4549734238151			SE	Z	USA	9031.9000.00
98-9000122-01	Kit, Bracket, Ring 60/70 to HAWK4000	323.40	682049	4549734238168			SE	Z	USA	9031.9000.00
98-9000123-01	Kit, Bracket, Ring 100 to HAWK4000	323.40	682078	4549734238175			SE	Z	USA	9031.9000.00
98-9000129-01	Kit, Polarizer, MicroHAWK30/40, External	167.80	682024	4549734238182			SE	Z	USA	9031.9000.00
98-9000131-01	KT, YAG Filter, MicroHAWK	167.60	683438	4549734276023			SE	Z	USA	9031.9000.00
98-9000132-01	Kit, ESD-Safe Window, MicroHAWK	160.40	682014	4549734238199			SE	Z	USA	9031.9000.00
98-9000137-01	Assy., Smart Series, Phamalit and Bracket for HAWK MV-4000	1,734.00	682164	4549734239448			SE	Z	THA	9031.9000.00
98-9000155-01	IP67 Lens Cover for HAWK4000, 50 mm length	306.10	682060	4549734238212			SE	Z	CAN	9031.9000.00
98-9000156-01	IP67 Lens Cover for HAWK4000, 70 mm length	306.10	682138	4549734238229			SE	Z	CAN	9031.9000.00
98-9000159-01	Kit, IR LED, MicroHAWK 30 & 40	167.80	682053	4549734238236			SE	Z	USA	9031.9000.00
98-9000160-01	Kit, Blue LED, MicroHAWK30 & 40	167.80	682093	4549734238243			SE	Z	USA	9031.9000.00
98-9000162-01	USB 2.0 Cable, 2 m., for LVS 958x	48.95	700893	4549734278140			SE	Z	CHN	8544.4210.00
98-9000165-01	Lens, C-mount, 8 mm, High resolution, up to 2/3" chip size	634.00	683072	4549734238274			SE	Z	JPN	9031.9000.00
98-9000168-01	Lens, C-mount, 9 mm, standard resolution, 2/3" Sensor	264.80	682683	4549734238304			SE	Z	JPN	9031.9000.00
98-9000178-01	Lens, Liquid, C-Mount, 1/4, 25 mm, 2/3" Sensor, I2C Interface	1,156.00	682112	4549734238397			SE	Z	USA	9031.9000.00
98-9000179-01	Lens, Liquid, C-Mount, 1/2, 16 mm, 2/3" Sensor, I2C Interface	1,156.00	682106	4549734238403			SE	Z	USA	9031.9000.00
98-9000182-01	Kit, Power supply for Battery charger, 4 Slot, HDS-3678, A/C Power Cord Required	59.60	684543	4549734958189			SE	Z	USA	9031.9000.00
98-9000185-01	4 Slot Battery charger, HDS-3678, Power Supply Required	207.10	684544	4549734958196			SE	Z	CHN	9031.9000.00
98-9000200-01	LVS-9580/9585 Adjustable Stand Mounting for use with AMSCOPE BSS-140	356.30	682330	4549734217347			SE	Z	USA	9031.9000.00
98-9000209-01	Universal Mount, HAWK4000	143.50	682264	4549734238434			SE	Z	USA	9031.9000.00
98-9000217-01	Kit, IR LED, MicroHAWK45	205.00	684453	4549734957519			SE	Z	USA	9031.9000.00
98-9000218-01	Kit, Blue LED, MicroHAWK45	205.00	684452	4549734957502			SE	Z	USA	9031.9000.00
98-9000219-01	Kit, White LED, MicroHAWK45	205.00	684451	4549734957496			SE	Z	USA	9031.9000.00
98-9000220-01	Kit, Polarizer, MicroHAWK45	183.70	684450	4549734957489			SE	Z	USA	9031.9000.00
98-9000221-01	Kit, Diffuser, MicroHAWK45	183.70	684449	4549734957472			SE	Z	USA	9031.9000.00
98-9000222-01	Kit, Mounting, QX HAWK to MicroHAWK45 Adapter / Isolation Kit	115.30	684454	4549734957526			SE	Z	USA	9031.9000.00
98-9000224-01	Battery, Spare, HDS-3678	42.04	687031	4549734967648			SE	Z	USA	8507.6000.90
98-9000234-01	Replacement window for ID45	142.60	690271	4549734490313			SE	Z	USA	9031.9000.00
98-9000239-01	QX-1 Field-Wireable M12 4 Pin Plug for any Tripper Source or Photo Sensor	39.39	692740	4549734495684			SE	Z	USA	8544.4210.00
98-92800371	Lens, Polarizing Filter, 25.5 mm, P.05	137.30	682680	4549734238458			SE	Z	USA	9031.9000.00
98-92800572	Lens 12 mm f/1.8 to f/16, Front Thread 25.5 mm P.0.5 mm, 2/3" C-mount	589.00	682595	4549734238496			SE	Z	JPN	9031.9000.00
98-CAB0005	USB 2.0 Cable, 1.8 m, for LVS 9510	24.51	682702	4549734238557			SE	Z	CHN	9031.9000.00
98-CAB0020	USB 2.0 Cable, 3 m., for LVS 958x	68.15	682706	4549734238564			SE	Z	CHN	9031.9000.00
98-CAB0631	USB 2.0 Cable, 1.8 m for LVS-9570 (with thumbscrew)	68.15	682698	4549734238571			SE	Z	CHN	9031.9000.00
98-CAL0021	Kit, Calibration card LVS-7000 10ml	489.40	683524	4549734224390			SE	Z	USA	9031.9000.00
98-CAL020	LVS Calibration Conformance Test Card, 9570/9580/9510 EAN/UPC dated	625.00	682377	4549734217361			SE	Z	USA	9031.9000.00
98-CAL020-01	LVS Calibration Conformance Test Card, 9570/9580/9510 EAN/UPC undated	625.00	682332	4549734217378			SE	Z	USA	9031.9000.00





Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Daheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
V430-AM4	V/F 4x0-F Nylon Screw and Washer Electrical Isolation Mounting Kit	34.34	696575	4549734555906			SB	Z	USA	9031.9000.00
V430-AM5	V/F 4x0-F MS-4 MINI to V/F4XX-F Adapter Plate	105.10	696576	4549734555913			SB	Z	USA	9031.9000.00
V430-AM7	V/F 4x0-F Smart Ring Light to V/F4XX-F Mounting Bracket	85.85	696577	4549734555920			SB	Z	USA	9031.9000.00
V430-AM7	V/F 4x0-F CxK Vision HAWK to V/F4XX-F Adapter Plate	115.20	696574	4549734555937			SB	Z	USA	9031.9000.00
V430-W2-3M	QX Cordset, host, serial, M12 12-pin socket (Screw-On) to DB-9 socket, 3 m	276.00	683089	4549734191876			SB	Z	USA	8544.4210.00
V430-W8-3M	V/F 430-F M12 to Flying Leads Cable, 3 m	126.30	683088	4549734191869	#		SB	Z	USA	8544.4210.00
V430-W8-5M	V/F 430-F M12 to Flying Leads Cable, 5 m	159.30	683090	4549734191883	#		SB	Z	USA	8544.4210.00
V430-W8F-3M	V/F 430-F M12 to Flying Leads Cable, with power filter, 3 m	239.00	700860	4549734583305			SB	Z	USA	8544.4290.90
V430-W8F-5M	V/F 430-F M12 to Flying Leads Cable, with power filter, 5 m	251.00	700859	4549734583312			SB	Z	USA	8544.4290.90
V430-W8LD-3M	V/F 430-F M12 to Flying Leads Cable, right angle down, 3 m	136.40	683092	4549734191906			SB	Z	USA	8544.4210.00
V430-W8LDF-3M	V/F 430-F M12 to Flying Leads Cable, right angle down, with power filter, 3 m	243.00	700858	4549734583329			SB	Z	USA	8544.4290.90
V430-W8LU-3M	V/F 430-F M12 to Flying Leads Cable, right angle up, 3 m	136.40	683093	4549734191913			SB	Z	USA	8544.4210.00
V430-W8LUF-3M	V/F 430-F M12 to Flying Leads Cable, right angle up, with power filter, 3 m	243.00	700857	4549734583336			SB	Z	USA	8544.4290.90
V430-WE-1M	V/F 430-F Ethernet cable M12 plug on camera to RJ45 connector, 1 m	92.95	698190	4549734555647			SB	Z	USA	8544.4210.00
V430-WE-3M	V/F 430-F Ethernet cable M12 plug on camera to RJ45 connector, 3 m	127.30	683087	4549734191852	#		SB	Z	USA	8544.4210.00
V430-WE-5M	V/F 430-F Ethernet cable M12 plug on camera to RJ45 connector, 5 m	159.30	683091	4549734191890	#		SB	Z	USA	8544.4210.00
V430-WELD-3M	V/F 430-F Ethernet cable M12 plug on camera to RJ45 connector, right angle down, 3 m	127.30	683094	4549734191920			SB	Z	USA	8544.4210.00
V430-WELU-3M	V/F 430-F Ethernet cable M12 plug on camera to RJ45 connector, right angle up, 3 m	127.30	683095	4549734191937			SB	Z	USA	8544.4210.00
V430-WO-1M	V/F 430-F Camera to QX-1 interconnect cable, M12 socket to M12 plug, 1 m	100.80	698186	4549734555593			SB	Z	USA	8544.4290.90
V430-WO-3M	V/F 430-F Camera to QX-1 interconnect cable, M12 socket to M12 plug, 3 m	126.30	698187	4549734555609			SB	Z	USA	8544.4290.90
V430-WO-5M	V/F 430-F Camera to QX-1 interconnect cable, M12 socket to M12 plug, 5 m	151.50	698188	4549734555616			SB	Z	USA	8544.4290.90
V430-WOK-3M	V/F 430-F Camera to QX-1 interconnect cable with USB keyboard wedge breakout, 2.7 m	454.50	698189	4549734555630			SB	Z	USA	8544.4290.90
V430-WOR-3M	V/F 430-F Camera to QX-1 interconnect cable with RS-232 breakout, 2.7 m	252.50	692731	4549734555623			SB	Z	USA	8544.4210.00
V430-WR-1M	V/F 430-F Cable, M12 socket to RS-232 DB9 socket, 1 m	100.80	698184	4549734555579			SB	Z	USA	8544.4290.90
V430-WR-3M	V/F 430-F Cable, M12 socket to RS-232 DB9 socket, 3 m	105.10	698185	4549734555586			SB	Z	USA	8544.4290.90
CBA-RF2-CO9ZAR	Serial cable for EA3600, 2 m	76.00	700700	4549734894968			SB	Z	USA	9031.9000.00
EA3600-RI-CP-11	EA3600 E/IP adapter kit for V410-H and V450-H	750.00	700702	4549734894982			SB	Z	USA	9031.9000.00
EA3600-SI-CP-11	EA3600 PROFINET adapter kit for V410-H and V450-H	750.00	700701	4549734894975			SB	Z	USA	9031.9000.00
MX-9011	Replacement air filter for MXZ20xx controller	19.19	695916	4548583545984			SB	Z	JPN	8456.1190.00
MX-9022 H-HEAD FAN	Replacement fan for laser head MXZ20xx	191.90	695918	4548583878389			SB	Z	PHL	8456.1190.00
MX-9023 H-CONT FAN	Replacement fan for controller MXZ20xx	161.60	695917	4548583878396			SB	Z	PHL	8456.1190.00
MX-9031	Cover Glass for MX-Z20xxH Laser Head	181.80	693705	4548583861244			SB	Z	JPN	8456.1190.00
MX-9032	Cover Glass Bracket Releaser for Laser Head	131.30	693707	4548583861251			SB	Z	JPN	8456.1190.00
MX-9034	Cover Glass Bracket for MX-Z20xxH Laser Head, black	69.70	693706	4549734161251			SB	Z	JPN	8456.1190.00
MX-9150	Camera Attachment for Finder Option for MX-Z2000H-V1	2,256.00	688294	4548583493681			SB	Z	JPN	8456.1190.00
MX-9151	Camera attachment for finder option for MX-Z2050H-V1 and MX-Z2055H-V1	2,256.00	694973	4548583493698			SB	Z	JPN	8456.1190.00
MX-915A-FZ	Camera Mount for Finder Option	205.10	688293	4548583493728			SB	Z	JPN	8456.1190.00
MX-915A-SSM2	Camera mount for Laser Marker Vision Finder option	121.20	695922	4548583561755			SB	Z	JPN	8456.1190.00
MX-9190	Laser Marker Masking Set, compatible with machine instructions (2006/42/EC) EN60204-1	205.10	688292	4549734161244			SB	Z	JPN	8456.1190.00
MX-9230	Laser Marker Energy Enhanced Mode activation key	1,539.00	688291	4548583861213			SB	Z	JPN	8456.1190.00
MX-9302	Laser Marker Controller power supply cable (VDEAS) plug type F, length 2.9 m	123.10	688295	4548583861237			SB	Z	JPN	8544.4290.90
<b>EH Smart Camera</b>										
FHV-VDB 10M	FHV7 Power / IO Cable, straight 10 m, M12 connector	497.00	685302	4549734282758	#		SC	A	CHN	8544.4290.90
FHV-VDB 20M	FHV7 Power / IO Cable, straight 20 m, M12 connector	823.00	685227	4549734282765			SC	A	CHN	8544.4290.90
FHV-VDB 2M	FHV7 Power / IO Cable, straight 2 m, M12 connector	151.00	685299	4549734282727			SC	A	CHN	8544.4290.90
FHV-VDB 3M	FHV7 Power / IO Cable, straight 3 m, M12 connector	193.90	685300	4549734282734			SC	A	CHN	8544.4290.90
FHV-VDB 5M	FHV7 Power / IO Cable, straight 5 m, M12 connector	262.60	685301	4549734282741	#		SC	A	CHN	8544.4290.90
FHV-VDBX 10M	FHV7 Power / IO Cable, straight, super bend resistant, 10 m, M12 connector	1,237.00	690898	4549734496346			SC	A	CHN	8544.4290.90
FHV-VDBX 2M	FHV7 Power / IO Cable, straight, super bend resistant, 2 m, M12 connector	418.30	690895	4549734496315			SC	A	CHN	8544.4290.90
FHV-VDBX 3M	FHV7 Power / IO Cable, straight, super bend resistant, 3 m, M12 connector	536.50	690896	4549734496322			SC	A	CHN	8544.4290.90
FHV-VDBX 5M	FHV7 Power / IO Cable, straight, super bend resistant, 5 m, M12 connector	738.50	690897	4549734496339			SC	A	CHN	8544.4290.90
FHV-VDLB 10M	FHV7 Power / IO Cable, right angle 10 m, M12 connector	497.00	685306	4549734282802			SC	A	CHN	8544.4290.90
FHV-VDLB 20M	FHV7 Power / IO Cable, right angle 20 m, M12 connector	823.00	685228	4549734282819			SC	A	CHN	8544.4290.90
FHV-VDLB 2M	FHV7 Power / IO Cable, right angle 2 m, M12 connector	151.00	685303	4549734282772			SC	A	CHN	8544.4290.90
FHV-VDLB 3M	FHV7 Power / IO Cable, right angle 3 m, M12 connector	193.90	685304	4549734282789			SC	A	CHN	8544.4290.90
FHV-VDLB 5M	FHV7 Power / IO Cable, right angle 5 m, M12 connector	262.60	685305	4549734282796	#		SC	A	CHN	8544.4290.90
FHV-VDLBX 10M	FHV7 Power / IO Cable, right angle, super bend resistant, 10 m, M12 connector	1,237.00	690902	4549734496384			SC	A	CHN	8544.4290.90
FHV-VDLBX 2M	FHV7 Power / IO Cable, right angle, super bend resistant, 2 m, M12 connector	418.30	690899	4549734496353			SC	A	CHN	8544.4290.90
FHV-VDLBX 3M	FHV7 Power / IO Cable, right angle, super bend resistant, 3 m, M12 connector	536.50	690900	4549734496360			SC	A	CHN	8544.4290.90
FHV-VDLBX 5M	FHV7 Power / IO Cable, right angle, super bend resistant, 5 m, M12 connector	738.50	690901	4549734496377			SC	A	CHN	8544.4290.90
FHV-VFLX-GD	External Light Conversion Cable for MDMC Light	155.40	688784	4549734496476			SC	A	JPN	8544.4290.90
FHV-VNB 10M	FHV7 Ethernet cable, straight 10 m, M12 connector	358.10	685294	4549734282659	#		SC	A	CHN	8544.4210.00
FHV-VNB 20M	FHV7 Ethernet cable, straight 20 m, M12 connector	686.00	685380	4549734282666	#		SC	A	CHN	8544.4210.00
FHV-VNB 2M	FHV7 Ethernet cable, straight 2 m, M12 connector	143.60	685291	4549734282628	#		SC	A	CHN	8544.4210.00
FHV-VNB 3M	FHV7 Ethernet cable, straight 3 m, M12 connector	177.60	685292	4549734282635			SC	A	CHN	8544.4210.00
FHV-VNB 5M	FHV7 Ethernet cable, straight 5 m, M12 connector	229.40	685293	4549734282642	#		SC	A	CHN	8544.4210.00
FHV-VNBX 10M	FHV7 Ethernet cable, straight, super bend resistant, 10 m, M12 connector	1,524.00	690890	4549734496261			SC	A	CHN	8544.4210.00
FHV-VNBX 2M	FHV7 Ethernet cable, straight, super bend resistant, 2 m, M12 connector	467.70	690887	4549734496230			SC	A	CHN	8544.4210.00
FHV-VNBX 3M	FHV7 Ethernet cable, straight, super bend resistant, 3 m, M12 connector	626.00	690888	4549734496247			SC	A	CHN	8544.4210.00
FHV-VNBX 5M	FHV7 Ethernet cable, straight, super bend resistant, 5 m, M12 connector	883.50	690889	4549734496254			SC	A	CHN	8544.4210.00
FHV-VNLB 10M	FHV7 Ethernet cable, right angle 10 m, M12 connector	358.10	685298	4549734282703			SC	A	CHN	8544.4210.00
FHV-VNLB 20M	FHV7 Ethernet cable, right angle 20 m, M12 connector	686.00	685381	4549734282710			SC	A	CHN	8544.4210.00
FHV-VNLB 2M	FHV7 Ethernet cable, right angle 2 m, M12 connector	143.60	685295	4549734282673			SC	A	CHN	8544.4210.00







Image	Rem Long Description	2021 List Price	S.L.N. (Data sheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
FHV7H-M063R-C	FH Vision Smart Camera, high performance, monochrome type, 6.3 Mpix resolution, 2.4 µm pixel size, 1/1.8" chip size, rolling shutter, C-mount, 24 VDC, IP40	4.123.00	687435	4549734282864			SC	A	JPN	9031.8080.00
FHV7H-M063R-H06	FH Vision Smart Camera, high performance, monochrome type, 6.3 Mpix resolution, 2.4 µm pixel size, 1/1.8" chip size, rolling shutter, high speed liquid lens module, focal length 6mm, 24 VDC, IP40, pre-assembled	5.965.00	689089	4549734496551			SC	A	JPN	9031.8080.00
FHV7H-M063R-H06-IR	FH Vision Smart Camera, high performance, monochrome type, 6.3 Mpix resolution, 2.4 µm pixel size, 1/1.8" chip size, rolling shutter, high speed liquid lens module, focal length 6mm, IR illuminator 24 VDC, IP67, pre-assembled	6.500.00	689093	4549734496711			SC	A	JPN	9031.8080.00
FHV7H-M063R-H06-MC	FH Vision Smart Camera, high performance, monochrome type, 6.3 Mpix resolution, 2.4 µm pixel size, 1/1.8" chip size, rolling shutter, high speed liquid lens module, focal length 6mm, multi color illuminator 24 VDC, IP67, pre-assembled	7.325.00	689071	4549734496759			SC	A	JPN	9031.8080.00
FHV7H-M063R-H06-R	FH Vision Smart Camera, high performance, monochrome type, 6.3 Mpix resolution, 2.4 µm pixel size, 1/1.8" chip size, rolling shutter, high speed liquid lens module, focal length 6mm, red illuminator 24 VDC, IP67, pre-assembled	6.485.00	689081	4549734496636			SC	A	JPN	9031.8080.00
FHV7H-M063R-H06-W	FH Vision Smart Camera, high performance, monochrome type, 6.3 Mpix resolution, 2.4 µm pixel size, 1/1.8" chip size, rolling shutter, high speed liquid lens module, focal length 6mm, white illuminator 24 VDC, IP67, pre-assembled	6.485.00	689077	4549734496674			SC	A	JPN	9031.8080.00
FHV7H-M063R-H09	FH Vision Smart Camera, high performance, monochrome type, 6.3 Mpix resolution, 2.4 µm pixel size, 1/1.8" chip size, rolling shutter, high speed liquid lens module, focal length 9mm, 24 VDC, IP40, pre-assembled	5.965.00	689085	4549734496599			SC	A	JPN	9031.8080.00
FHV7H-M063R-H19-IR	FH Vision Smart Camera, high performance, monochrome type, 6.3 Mpix resolution, 2.4 µm pixel size, 1/1.8" chip size, rolling shutter, high speed liquid lens module, focal length 19mm, IR illuminator 24 VDC, IP67, pre-assembled	6.500.00	689059	4549734496872			SC	A	JPN	9031.8080.00
FHV7H-M063R-H19-MC	FH Vision Smart Camera, high performance, monochrome type, 6.3 Mpix resolution, 2.4 µm pixel size, 1/1.8" chip size, rolling shutter, high speed liquid lens module, focal length 19mm, multi color illuminator 24 VDC, IP67, pre-assembled	7.325.00	689055	4549734496919			SC	A	JPN	9031.8080.00
FHV7H-M063R-H19-R	FH Vision Smart Camera, high performance, monochrome type, 6.3 Mpix resolution, 2.4 µm pixel size, 1/1.8" chip size, rolling shutter, high speed liquid lens module, focal length 19mm, red illuminator 24 VDC, IP67, pre-assembled	6.485.00	689067	4549734496797			SC	A	JPN	9031.8080.00
FHV7H-M063R-H19-W	FH Vision Smart Camera, high performance, monochrome type, 6.3 Mpix resolution, 2.4 µm pixel size, 1/1.8" chip size, rolling shutter, high speed liquid lens module, focal length 19mm, white illuminator 24 VDC, IP67, pre-assembled	6.485.00	689063	4549734496834			SC	A	JPN	9031.8080.00
FHV7H-M063R-S06	FH Vision Smart Camera, high performance, monochrome type, 6.3 Mpix resolution, 2.4 µm pixel size, 1/1.8" chip size, rolling shutter, motorized lens module, focal length 6 mm, 24 VDC, IP40, pre-assembled	5.410.00	687441	4549734282918			SC	A	JPN	9031.8080.00
FHV7H-M063R-S06-IR	FH Vision Smart Camera, high performance, monochrome type, 6.3 Mpix resolution, 2.4 µm pixel size, 1/1.8" chip size, rolling shutter, motorized lens module, focal length 6 mm, IR illuminator, 24 VDC, IP40, pre-assembled	5.940.00	687459	4549734283519			SC	A	JPN	9031.8080.00
FHV7H-M063R-S06-MC	FH Vision Smart Camera, high performance, monochrome type, 6.3 Mpix resolution, 2.4 µm pixel size, 1/1.8" chip size, rolling shutter, motorized lens module, focal length 6 mm, multi color illuminator, 24 VDC, IP40, pre-assembled	6.765.00	687700	4549734283717			SC	A	JPN	9031.8080.00
FHV7H-M063R-S06-R	FH Vision Smart Camera, high performance, monochrome type, 6.3 Mpix resolution, 2.4 µm pixel size, 1/1.8" chip size, rolling shutter, motorized lens module, focal length 6 mm, red illuminator, 24 VDC, IP40, pre-assembled	5.925.00	687446	4549734283113			SC	A	JPN	9031.8080.00
FHV7H-M063R-S06-W	FH Vision Smart Camera, high performance, monochrome type, 6.3 Mpix resolution, 2.4 µm pixel size, 1/1.8" chip size, rolling shutter, motorized lens module, focal length 6 mm, white illuminator, 24 VDC, IP40, pre-assembled	5.925.00	687451	4549734283311			SC	A	JPN	9031.8080.00
FHV7H-M063R-S09	FH Vision Smart Camera, high performance, monochrome type, 6.3 Mpix resolution, 2.4 µm pixel size, 1/1.8" chip size, rolling shutter, motorized lens module, focal length 9 mm, 24 VDC, IP40, pre-assembled	5.410.00	687442	4549734282956			SC	A	JPN	9031.8080.00
FHV7H-M063R-S09-IR	FH Vision Smart Camera, high performance, monochrome type, 6.3 Mpix resolution, 2.4 µm pixel size, 1/1.8" chip size, rolling shutter, motorized lens module, focal length 9 mm, IR illuminator, 24 VDC, IP40, pre-assembled	5.940.00	687463	4549734283557			SC	A	JPN	9031.8080.00
FHV7H-M063R-S09-MC	FH Vision Smart Camera, high performance, monochrome type, 6.3 Mpix resolution, 2.4 µm pixel size, 1/1.8" chip size, rolling shutter, motorized lens module, focal length 9 mm, multi color illuminator, 24 VDC, IP40, pre-assembled	6.765.00	687476	4549734283755			SC	A	JPN	9031.8080.00
FHV7H-M063R-S09-R	FH Vision Smart Camera, high performance, monochrome type, 6.3 Mpix resolution, 2.4 µm pixel size, 1/1.8" chip size, rolling shutter, motorized lens module, focal length 9 mm, red illuminator, 24 VDC, IP40, pre-assembled	5.925.00	687447	4549734283151			SC	A	JPN	9031.8080.00
FHV7H-M063R-S09-W	FH Vision Smart Camera, high performance, monochrome type, 6.3 Mpix resolution, 2.4 µm pixel size, 1/1.8" chip size, rolling shutter, motorized lens module, focal length 9 mm, white illuminator, 24 VDC, IP40, pre-assembled	5.925.00	687452	4549734283359			SC	A	JPN	9031.8080.00
FHV7H-M063R-S12	FH Vision Smart Camera, high performance, monochrome type, 6.3 Mpix resolution, 2.4 µm pixel size, 1/1.8" chip size, rolling shutter, motorized lens module, focal length 12 mm, 24 VDC, IP40, pre-assembled	5.410.00	687443	4549734282994			SC	A	JPN	9031.8080.00
FHV7H-M063R-S12-IR	FH Vision Smart Camera, high performance, monochrome type, 6.3 Mpix resolution, 2.4 µm pixel size, 1/1.8" chip size, rolling shutter, motorized lens module, focal length 12 mm, IR illuminator, 24 VDC, IP40, pre-assembled	5.940.00	687467	4549734283595			SC	A	JPN	9031.8080.00
FHV7H-M063R-S12-MC	FH Vision Smart Camera, high performance, monochrome type, 6.3 Mpix resolution, 2.4 µm pixel size, 1/1.8" chip size, rolling shutter, motorized lens module, focal length 12 mm, multi color illuminator, 24 VDC, IP40, pre-assembled	6.765.00	687701	4549734283793			SC	A	JPN	9031.8080.00
FHV7H-M063R-S12-R	FH Vision Smart Camera, high performance, monochrome type, 6.3 Mpix resolution, 2.4 µm pixel size, 1/1.8" chip size, rolling shutter, motorized lens module, focal length 12 mm, red illuminator, 24 VDC, IP40, pre-assembled	5.925.00	687448	4549734283199			SC	A	JPN	9031.8080.00
FHV7H-M063R-S12-W	FH Vision Smart Camera, high performance, monochrome type, 6.3 Mpix resolution, 2.4 µm pixel size, 1/1.8" chip size, rolling shutter, motorized lens module, focal length 12 mm, white illuminator, 24 VDC, IP40, pre-assembled	5.925.00	687453	4549734283397			SC	A	JPN	9031.8080.00
FHV7H-M063R-S16	FH Vision Smart Camera, high performance, monochrome type, 6.3 Mpix resolution, 2.4 µm pixel size, 1/1.8" chip size, rolling shutter, motorized lens module, focal length 16 mm, 24 VDC, IP40, pre-assembled	5.410.00	687444	4549734283038			SC	A	JPN	9031.8080.00
FHV7H-M063R-S16-IR	FH Vision Smart Camera, high performance, monochrome type, 6.3 Mpix resolution, 2.4 µm pixel size, 1/1.8" chip size, rolling shutter, motorized lens module, focal length 16 mm, IR illuminator, 24 VDC, IP40, pre-assembled	5.940.00	687471	4549734283632			SC	A	JPN	9031.8080.00
FHV7H-M063R-S16-MC	FH Vision Smart Camera, high performance, monochrome type, 6.3 Mpix resolution, 2.4 µm pixel size, 1/1.8" chip size, rolling shutter, motorized lens module, focal length 16 mm, multi color illuminator, 24 VDC, IP40, pre-assembled	6.765.00	687477	4549734283830			SC	A	JPN	9031.8080.00
FHV7H-M063R-S16-R	FH Vision Smart Camera, high performance, monochrome type, 6.3 Mpix resolution, 2.4 µm pixel size, 1/1.8" chip size, rolling shutter, motorized lens module, focal length 16 mm, red illuminator, 24 VDC, IP40, pre-assembled	5.925.00	687449	4549734283236			SC	A	JPN	9031.8080.00
FHV7H-M063R-S16-W	FH Vision Smart Camera, high performance, monochrome type, 6.3 Mpix resolution, 2.4 µm pixel size, 1/1.8" chip size, rolling shutter, motorized lens module, focal length 16 mm, white illuminator, 24 VDC, IP40, pre-assembled	5.925.00	687454	4549734283434			SC	A	JPN	9031.8080.00
FHV7H-M063R-S25	FH Vision Smart Camera, high performance, monochrome type, 6.3 Mpix resolution, 2.4 µm pixel size, 1/1.8" chip size, rolling shutter, motorized lens module, focal length 25 mm, 24 VDC, IP40, pre-assembled	5.410.00	687445	4549734283076			SC	A	JPN	9031.8080.00
FHV7H-M063R-S25-IR	FH Vision Smart Camera, high performance, monochrome type, 6.3 Mpix resolution, 2.4 µm pixel size, 1/1.8" chip size, rolling shutter, motorized lens module, focal length 25 mm, IR illuminator, 24 VDC, IP40, pre-assembled	5.940.00	687475	4549734283670			SC	A	JPN	9031.8080.00
FHV7H-M063R-S25-MC	FH Vision Smart Camera, high performance, monochrome type, 6.3 Mpix resolution, 2.4 µm pixel size, 1/1.8" chip size, rolling shutter, motorized lens module, focal length 25 mm, multi color illuminator, 24 VDC, IP40, pre-assembled	6.765.00	687478	4549734283878			SC	A	JPN	9031.8080.00
FHV7H-M063R-S25-R	FH Vision Smart Camera, high performance, monochrome type, 6.3 Mpix resolution, 2.4 µm pixel size, 1/1.8" chip size, rolling shutter, motorized lens module, focal length 25 mm, red illuminator, 24 VDC, IP40, pre-assembled	5.925.00	687450	4549734283274			SC	A	JPN	9031.8080.00
FHV7H-M063R-S25-W	FH Vision Smart Camera, high performance, monochrome type, 6.3 Mpix resolution, 2.4 µm pixel size, 1/1.8" chip size, rolling shutter, motorized lens module, focal length 25 mm, white illuminator, 24 VDC, IP40, pre-assembled	5.925.00	687455	4549734283472			SC	A	JPN	9031.8080.00
FHV7H-M120R-C	FH Vision Smart Camera, high performance, monochrome type, 12.0 Mpix resolution, 1.85 µm pixel size, 1/1.7" chip size, rolling shutter, C-mount, 24 VDC, IP40	4.823.00	687436	4549734282871			SC	A	JPN	9031.8080.00
FHV7H-C016-S25-W-K	FHV7 Starter Kit including FHV7H-C016-S25-W, FHV-VNB2m, FHV-VDB2m, FHV-XHD-L, FHV-XFC-C	6.165.00	688187	4549734523646			SC	A	JPN	9031.8080.00
FHV-LEM-H06	FHV7 Liquid lens module, 6 mm focal length	1.316.00	688770	4549734282512	#		SC	A	JPN	9031.9000.00
FHV-LEM-H19	FHV7 Liquid lens module, 19 mm focal length	1.316.00	688771	4549734282529	#		SC	A	JPN	9031.9000.00
FHV-LEM-S06	FHV7 lens module, 6 mm focal length	756.00	685283	4549734282536	#		SC	A	CHN	9031.9000.00
FHV-LEM-S09	FHV7 lens module, 9 mm focal length	756.00	685284	4549734282543	#		SC	A	CHN	9031.9000.00
FHV-LEM-S12	FHV7 lens module, 12 mm focal length	756.00	685285	4549734282550	#		SC	A	CHN	9031.9000.00
FHV-LEM-S16	FHV7 lens module, 16 mm focal length	756.00	685286	4549734282567	#		SC	A	CHN	9031.9000.00
FHV-LEM-S25	FHV7 lens module, 25 mm focal length	756.00	685287	4549734282574	#		SC	A	CHN	9031.9000.00
FHV-LTM-IR	FHV7 illumination module, IR, includes protection window	860.00	687434	4549734282604	#		SC	A	JPN	9031.9000.00
FHV-LTM-MC	FHV7 illumination module, multi color Red Green Blue, IR, includes protection window	1.671.00	685290	4549734282611	#		SC	A	JPN	9031.9000.00
FHV-LTM-R	FHV7 illumination module, red, includes protection window	836.50	685288	4549734282581	#		SC	A	JPN	9031.9000.00
FHV-LTM-W	FHV7 illumination module, white, includes protection window	836.50	685289	4549734282598	#		SC	A	JPN	9031.9000.00
FHV-SDU10	FHV7 extended data unit, Parallel interface	497.00	688772	4549734496117	#		SC	A	JPN	9031.9000.00
FHV-SDU30	FHV7 extended data unit, EtherCAT interface	611.50	688773	4549734496124	#		SC	A	JPN	9031.9000.00
<b>FH Smart Camera accessories</b>										
FHV-XCV	FHV7 Replacement Lighting cover	118.10	685309	4549734451970			SC	Z	JPN	9031.9000.00
FHV-XDF	FHV7 Diffusion filter	494.20	685307	4549734451949			SC	Z	JPN	9031.9000.00
FHV-XFC-C	Facina cover for C-mount Lens, 1 cover, 5 screws	14.50	686996	4549734496483			SC	Z	JPN	9031.9000.00
FHV-XFC-LBM-H	Facina cover for Liquid Lens Modules, 1 cover, 5 screws	14.50	688785	4549734496506			SC	Z	JPN	9031.9000.00
FHV-XFC-LBM-S	Facina cover for Lens Modules, 1 cover, 5 screws	14.50	686995	4549734496490			SC	Z	JPN	9031.9000.00
FHV-XHD-L	FHV7 Waterproof hood, long, for 3Z4S-LE SV-H series	173.80	685311	4549734451994	#		SC	Z	JPN	9031.9000.00
FHV-XHD-LBM	FHV7 Waterproof hood, for motorized lens modules	199.80	685312	4549734452007	#		SC	Z	JPN	9031.9000.00
FHV-XHD-S	FHV7 Waterproof hood, short, for 3Z4S-LE SV-V series	177.60	685310	4549734451987	#		SC	Z	JPN	9031.9000.00
FHV-XLS-LTM	FHV7 lighting shielding sheet	13.82	685320	4549734452083			SC	Z	JPN	9031.9000.00
FHV-XMT-7	Fixture for FHV7	60.85	685313	4549734452014	#		SC	Z	CHN	9031.9000.00
FHV-XMT-7-TCO	Lighting controller fixture for FHV7	37.48	685314	4549734452021			SC	Z	CHN	9031.9000.00
FHV-XPL	FHV7 Polarization filter, for visible light	208.40	685308	4549734451956	#		SC	Z	JPN	9031.9000.00
FHV-XPL-IR	Polarized Light Filter, for visible and IR light	590.50	686997	4549734451963	#		SC	Z	JPN	9031.9000.00
FHV-XSCP-MSD	Replacement Screw for FHV7 SD-Card Slot, 10 pieces	20.71	686994	4549734496513			SC	Z	JPN	9031.9000.00
FHV-XWC-EDN	FHV7 waterproof cap for Ethernet connector	6.89	685316	4549734452069			SC	Z	CHN	9031.9000.00
FHV-XWC-LCN	FHV7 waterproof cap for Lighting connector	7.14	685319	4549734452076			SC	Z	JPN	9031.9000.00
FHV-XWP-CAM	FHV7 waterproof packing for Camera	10.64	685315	4549734452038			SC	Z	JPN	9031.9000.00
FHV-XWP-HD_SL	FHV7 waterproof packing for hood	10.35	685317	4549734452052			SC	Z	JPN	9031.9000.00
FHV-XWP-LTM	FHV7 waterproof packing for Lighting	13.53	685316	4549734452045			SC	Z	JPN	9031.9000.00

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Daheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
<b>Accessories Inspection Non-OMRON</b>										
BK-LDQ2-74X30	Mounting bracket for LD12-74X30	369.70	696059	4549734966191			SZ	Z	JPN	9031.9000.00
CBSC0175GEXX2100CVA002	Camera Protective Housing for FZ SQ100N. FZ SQ050F and similar, Stainless Steel 1.4404, IP69	1.720.00	693708	4549734992121			SZ	Z	DEJ	9031.9000.00
C-M8-3P-6M	Cable, strip, 48 conductor, 3 pin, 5 m	22.48	329828				SZ	Z	FRA	8541.9000.00
CMBACK-2020-630	LED backlight, 200mm x 200mm, Red, 24VDC, M12 connector	1.289.00	668084	4548583958388			SZ	Z	FRA	9031.9000.00
CMHOC036	Clamping mechanics for TCo036 lenses and LTCLHP036-X illuminators	429.30	679767	4549734934459			SZ	Z	ITA	9031.9000.00
DF-LD12-41X16	Diffusion plate for LD12-41X16	21.47	356214	4547648923934			SZ	Z	JPN	9031.9000.00
DF-LFV3-200-UF	Diffusor for LFV3-200	68.75	700918	4549734896214			SZ	Z	JPN	9031.9000.00
EBAR1000-850-17	Barlight Ebar plus 1000 Infrared lenses +/-17	1.533.00	679140	4549734929721			SZ	Z	FRA	9031.9000.00
EBAR-375-WHI-10	LED bar light, 376mm x 31.5mm, 15 white LED, 24VDC, M12 5-pole connector, +/- 10°, IP65	807.00	668912	4548583963528			SZ	Z	FRA	9031.9000.00
EBAR-375-WHI-17	LED bar light, 375mm x 47mm, 15 white LED, 24VDC, M12 4-pole connector, +/- 17°, IP65	807.00	671152	4548583975163			SZ	Z	FRA	9031.9000.00
EBAR-600-630-17	LED bar light, 501 mm x 31.5 mm, 20 LED, red, 24 VDC, M12 5-pole connector, +/- 17°, IP65	886.00	692903	4549734967493			SZ	Z	FRA	9031.9000.00
EBAR-600-WHI-17-IP69K	LED bar light, 533 x 47 mm, 20 white LED, 24 VDC, M12 4-pole connector, +/- 17°, IP69K	2.360.00	701079	4549734896924			SZ	Z	FRA	9031.9000.00
EBAR-625-850-NL	LED bar light, 625mm x 47mm, 25 IR LED, 24 VDC, M12 4-pole connector, no lens, IP65	1.059.00	699053	4549734891639			SZ	Z	FRA	9031.9000.00
EBAR-625-WHI-17-IP69K	LED bar light, 625 mm x 47 mm, 25 white LED, 24 VDC, M12 4-pole connector, +/- 17°, IP69K	2.680.00	701078	4549734896917			SZ	Z	FRA	9031.9000.00
EBAR-675-WHI-17	LED bar light, 876 mm x 31.5 mm, 35 LED, white, 24 VDC, M12 5-pole connector, +/- 17°, IP65	1.488.00	701350	4549734790031			SZ	Z	FRA	9031.9000.00
EBAR-L-625-405-10	LED Bar Illuminator, active area 626 x 31.5 mm, 25 LED, UV 405 nm, Link Version, +/-10° emission angle, 24 VDC	1.648.00	694002	4549734993791			SZ	Z	FRA	9031.9000.00
EBAR-O-375-850-NL	LED bar light, 376 x 47mm, 15 IR LED 850 nm, 24 VDC, M12 4-pole connector, no lens, IP65	1.182.00	686981	4549734967396			SZ	Z	FRA	9031.9000.00
EXC36-83		75.75	354193	4547648904025			SZ	Z	JPN	9031.9000.00
F-BP470-27	Bandpass filter, 470 nm, M27	277.80	675382	4549734901888			SZ	Z	USA	9002.2000.00
F-BP635-22.5	Band pass filter, 635 nm, M22.5 x P 0.5 mm	233.70	679183	4549734930147			SZ	Z	USA	9002.2000.00
F-BP635-25.5	Band pass filter, 635 nm, M25.5 x P 0.5 mm	233.70	679473	4549734932738			SZ	Z	USA	9002.2000.00
F-BP635-27	Bandpass filter, 635 nm, M27	252.50	679666	4549734933872			SZ	Z	USA	9002.2000.00
F-BP635-30.5	Band pass filter, 635 nm, M30.5 x P 0.5 mm	252.50	679665	4549734933865			SZ	Z	USA	9002.2000.00
F-BP635-35.5	Band pass filter, 635 nm, M35.5 x P 0.5 mm	271.50	679664	4549734933858			SZ	Z	USA	9002.2000.00
F-BP660-27	Band pass filter, 660 nm, M27	252.50	679663	4549734934305			SZ	Z	USA	9002.2000.00
F-BP660-30.5	Band pass filter, 660 nm, M30.5 x P 0.5 mm	252.50	679662	4549734933841			SZ	Z	USA	9002.2000.00
F-BP850-27	Bandpass Filter, 850 nm, M27	252.50	679133	4549734929653			SZ	Z	USA	9002.2000.00
F-BP850-40.5	Bandpass Filters, 850 nm, M40.5	322.00	679417	4549734932288			SZ	Z	USA	9002.2000.00
F-BP850-52	Bandpass Filter, 850 nm, M52	371.70	688583	4549734973083			SZ	Z	USA	9002.2000.00
FCB-10-HSL-SM	Extension cable for CCS 24 V lighting, 10 m	151.50	679288	4549734931052			SZ	Z	JPN	9024.9000.00
FCB-2	Extension cable for CCS 24 V lighting, 2 m	27.78	215884	4547648910972			SZ	Z	JPN	9024.9000.00
FCB-3	Extension cable for CCS 24 V lighting, 3 m	32.83	215885	4547648910996			SZ	Z	JPN	9024.9000.00
FCB-5	Extension cable for CCS 24 V lighting, 5 m	37.88	215886	4547648911009			SZ	Z	JPN	9024.9000.00
HBR-991063-SW	LED bar light, active size 984mm x 38mm, white high luminosity, 24VDC	4.104.00	346896				SZ	Z	USA	9031.9000.00
HPD2-200SW	Dome light, white LED, Outer dia. 216mm, Inner dia. 40mm, height 107mm, 24VDC, connector SMR-03V-B	1.641.00	669591	4548583967205			SZ	Z	JPN	8541.4010.00
HPD2-250SW	Dome light, white LED, Outer dia. 266mm, Inner dia. 50mm, height 131.5mm, 24VDC, connector SMR-03V-B	1.776.00	658992	4548583949980			SZ	Z	JPN	8541.4010.00
HPD2-100SW	LED ring light, OD=116 mm, ID=66 mm, white, indirect, 24 VDC Connector SMR-03V-B	846.00	418315	4547648998468			SZ	Z	JPN	8541.4010.00
HPD2-150BL	LED Ring Illuminator, inner diameter 116 mm, outer diameter 166 mm, blue, 24 VDC	1.129.00	685695	4549734964470			SZ	Z	JPN	8541.4010.00
HPD2-200PD	LED Ring Light, OD=216 mm, ID=166 mm, indirect, red, 24 VDC.	1.544.00	679482	4549734932806			SZ	Z	JPN	8541.4010.00
HPD2-200SW-M12	LED Ring Light, OD=216 mm, ID=166 mm, indirect, white, 24 VDC, M12 Connector	1.543.00	687752	4549734969581			SZ	Z	JPN	8541.4010.00
HPD2-250SW-IP54	LED ring light, OD=266mm, ID=210mm, white, indirect, 24VDC, Connector M12	1.691.00	659672	4548583954342			SZ	Z	JPN	8541.4010.00
HPD2-50BL	LED ring light, OD=50 mm, ID=18 mm, blue, indirect, 24 VDC	759.00	695956	4549734989949			SZ	Z	JPN	8541.4010.00
HPD2-50SW	LED ring light, OD=50 mm, ID=18 mm, white, indirect, 24 VDC	759.50	679233	4549734930604			SZ	Z	JPN	8541.4010.00
HSL-58SW-D300PLC	LED Spot Light, outer diameter 58 mm, white	757.50	679289	4549734931069			SZ	Z	JPN	8541.4010.00
HSL-58SW-PLC Kit	Kit including spot light HSL-58SW-D300PLC (white, 2.8 W), power controller CC-PJ-0707 (24 VDC), cable NFCB2-CC-3 (3 m)	1.049.00	375359	4547648958455			SZ	Z	JPN	8541.4010.00
LC-LFV3-200	Light control film for LFV3-200	146.00	700898	4549734896030			SZ	Z	JPN	9031.9000.00
LC-TH-51X51-VE	Light control film for TH-51X51, vertical	56.85	679667	4549734933889			SZ	Z	JPN	9031.9000.00
LD12-119X16RD2	Bar LED Light, 131 x 20 x 20 mm (width x depth x height), active area 119 x 19 mm, Red	656.50	689444	4549734977371			SZ	Z	JPN	8541.4010.00
LD12-146X30SW2	LED Bar Light, white, 158 x 34 x 20 mm, active area 146 x 30 mm	1.251.00	679291	4549734931083			SZ	Z	JPN	8541.4010.00
LD12-33X8RD2	LED Barlight, active area 33 x 8 mm, 24 V, red	189.40	695296	4549734996181			SZ	Z	JPN	8541.4010.00
LD12-41X16RD	LED Bar light, active area 41 x 16 mm, red, 24 VDC	277.80	353550	4547648900539			SZ	Z	JPN	8541.4010.00
LD12-41X16SW-WD	bar light, white, emitting section measures 74 x 30 mm, wide angle	347.30	356213	4547648923927			SZ	Z	JPN	9031.9000.00
LD12-431X16RD		1.616.00	356436	4547648924405			SZ	Z	JPN	9031.9000.00
LD12-74X30RD	LED Bar light, active area 74 x 30 mm, red, 24 VDC	575.00	364959	4547648934626			SZ	Z	JPN	8541.4010.00
LD12-88X30RD2	Bar light, active size 98x30 mm, red, narrow angle, 24 VDC	732.50	684622	4549734958868			SZ	Z	JPN	9031.9000.00
LD12-98X30SW2	Bar light, active size 98x30 mm, white, narrow angle, 24 VDC	909.00	693877	4549734993005			SZ	Z	JPN	9031.9000.00
LDL-42X15FR2-850	LED Bar Light, active area 42 mm x 15 mm, IR850 nm, 24 V	313.10	679439	4549734932431			SZ	Z	JPN	8541.4010.00
LDL-42X15UV365		827.50	323598	4547648930888			SZ	Z	JPN	9031.9000.00
LDL-74X27FR80	LED bar light, active area 74 x 27 mm, IR980 nm, 24 VDC	1.199.00	690884	4549734984591			SZ	Z	JPN	9031.9000.00
LDR-206SW2-LA1	LED ring light, OD=206 mm, ID=170 mm, white, 24 VDC, low angle	1.795.00	675262	4549734901031			SZ	Z	JPN	9031.9000.00
LDR2-100PD2-LA-M12	LED ring light, OD=100 mm, ID=70 mm, red, low angle, 24 VDC, M12 Connector	921.00	687331	4549734968379			SZ	Z	JPN	8541.4010.00
LDR2-100UV2-365-N	LED ring light, high power, OD=100 mm, ID=30 mm, UV 365 nm, narrow type, 24 VDC	3.599.00	679290	4549734931076			SZ	Z	JPN	9031.9000.00
LDR2-132PD2-LA	LED ring light, OD=132mm, ID=96mm, red, low angle, 24VDC, Connector SMR-03V-B	1.425.00	408459	4547648993784			SZ	Z	JPN	8541.4010.00
LDR2-32SW2		677.00	241313	4547648912235			SZ	Z	JPN	8541.4010.00
LDR2-48RD2-LA	LED ring light, OD=48mm, ID=22mm, red, low angle, 24VDC	704.50	377867	4547648964333			SZ	Z	JPN	9031.9000.00
LDR2-60UV2-365-N	LED ring light, high power, OD=60 mm, ID=30 mm, UV 365, narrow type, 24 VDC	2.570.00	679184	4549734930154			SZ	Z	JPN	8541.4010.00
LDR2-70FR80	LED ring light, outer diameter 70 mm, inner diameter 35 mm, IR980 nm, 24 VDC	1.152.00	693648	4549734991773			SZ	Z	JPN	8541.4010.00
LDR2-74RD2-LA		1.244.00	365041	4547648935128			SZ	Z	JPN	8541.4010.00
LDR2-90BL2	LED ring light, blue, OD=90 mm, ID=50 mm, 24 VDC	1.363.00	679293	4549734931106			SZ	Z	JPN	9031.9000.00
LDR2-30SW2	LED ring light, OD = 90 mm, ID = 50 mm, white, 24 VDC	1.363.00	241317	4547648912518			SZ	Z	JPN	8541.4010.00
LDR-76SL2-LA1	Low-angle Ring light, inner diameter 46 mm, blue, 24 V	969.00	675409	4549734902108			SZ	Z	JPN	9031.9000.00
LFL-100FR2-940	Flat LED light, active size 100x80mm, IR940 nm, 24 VDC, Connector SMR-03V-B	886.00	699050	4549734991608			SZ	Z	JPN	8541.4010.00
LFL-1012PD2	Flat light (6mm), active size 41x30mm, red, 24VDC, attached to mounting plate	253.90	668186	4548583959118			SZ	Z	JPN	8541.4010.00
LFL-1012SW2	Flat light 42 x 43 x 6 mm, emitting surface measures 41 x 30 mm, white	347.30	673406	4548583988521			SZ	Z	JPN	9031.9000.00
LFL-180RD2	Flat light (8mm), active size 180x135mm, red 630nm, 24VDC, Connector SMR-03V-B	1.503.00	412474	4547648996150			SZ	Z	JPN	8541.4010.00

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Daheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
LFL-180SW2	White backlight 180 x 135 mm.	1.879,00	355858	4547648917766			SZ	Z	JPN	9031.9000.00
LFL-200SW2		2.161,00	247278	4547648917568			SZ	Z	JPN	8541.4010.00
LFL-360SW2		3.759,00	668936	4548583963672			SZ	Z	JPN	8541.4010.00
LFL-612P02-P-M12	Vision accessory, Flat light (16mm), Active size 360x250mm, white, 24VDC, Connector SMR-03V-B	243,80	686273	4549734967136			SZ	Z	JPN	9031.9000.00
LFV3-50X100FD(A)	Flat light, red, 26 x 45 x 7 mm, emitting surface measures 25 x 25 mm, M12 connector	1.389,00	679762	4549734934404			SZ	Z	JPN	8541.4010.00
LN-200UV365	Coaxial LED light, active size 52 x 100 mm, red, 24 VDC	3.007,00	668935	4548583963665			SZ	Z	JPN	9031.9000.00
LN2-200SW	Vision accessory, Line light, Active size 200x16mm, UV 365nm, 24VDC, Connector SMR-03V-B	1.988,00	675408	4549734920990			SZ	Z	JPN	8541.4010.00
LN2-100SW-HU	Line light (indirect), active area 803 x 182 mm, white, 24 V	1.024,00	679235	4549734930628			SZ	Z	JPN	8541.4010.00
LN2-300UV365-FNFR	Line light, white, emitting surface 100 x 15 mm, high uniformity type 24 VDC	7.445,00	668564	4548583962286			SZ	Z	JPN	8541.4010.00
MFDOME-4020-WHI-M1	ultraviolet bar light, W 336.3 x D 62 x H 74.6 mm, emit area 300 x 30 mm, 365 nm	1.591,00	695971	4549734998987			SZ	Z	FRA	8541.9000.00
MFDOME-4040-WHI-M1	Medium FLATDOME MFDOME, 400 x 200, white, M12 Position 1	2.513,00	679872	4549734953074			SZ	Z	FRA	8541.9000.00
MFDOME-4040-WHI-M4	Medium flat LED Dome Illuminator, 400 x 400 mm, white, M12 connector, Position 4, 24VDC	2.765,00	686189	4549734966641			SZ	Z	FRA	8541.9000.00
MFDOME-6040-WHI-M1	Medium flat dome MFDome PLUS 600x400 white, Connector output, M12 male 4 pins, T coding - in position n°1	3.246,00	684627	4549734958912			SZ	Z	FRA	8541.9000.00
MR-80-PC-LA	LED Low Angle Illuminator, active area 80 mm, red and cyan color, 24 VDC	858,50	686188	4549734966634			SZ	Z	FRA	8541.9000.00
NFCB2-3		13,89	355488	4547648910460			SZ	Z	JPN	9031.9000.00
PB-2430-1	DC Input Controller 24 V, 1 channel	234,90	675372	4549734991789			SZ	Z	JPN	8504.4030.00
PD2-1024(A)	Digital Power supply unit for 24VDC lights, 1 channel, 9W, Input supply voltage 100 to 120VAC	406,60	380574	4547648970464			SZ	Z	JPN	8541.4010.00
PD2-3024(A)	Digital Power supply unit for 24VDC lights, 1 channel, 28W	515,50	362413	4547648932059			SZ	Z	JPN	8541.4010.00
PD2-3024-2(A)		666,00	238127	4547648914024			SZ	Z	JPN	8504.4030.00
PD2-3024-4(A)		770,50	238129	4547648914031			SZ	Z	JPN	8504.4030.00
PD2-5024(A)		719,00	238125	4547648939789			SZ	Z	JPN	8541.4090.00
PD3-10024-8-PI	Digital Power supply unit for 24VDC lights, 95W - 8 channels, Parallel communication	1.702,00	374078	4547648952085			SZ	Z	JPN	9031.9000.00
PD3-3024-3-ET(A)	Digital Power supply unit for 24VDC lights, 28W, Ethernet communication (TCP-IP, UDP-IP)	667,00	671271	4548583975521			SZ	Z	JPN	9031.9000.00
PD3-5024-3-ET(A)	Digital Power supply unit for 24 VDC lights, 48 W - 3 channels, input: 24 VDC, Ethernet communication	999,00	699180	4549734891936			SZ	Z	JPN	9031.9000.00
PL2-55-NL	Polarizing plate, M55 x P0.75	187,50	701645	4549734790857			SZ	Z	JPN	8541.4010.00
PL-LD12-50X30-VE	Polarizer for LD12-50X30, polarized parallel to the shorter edge of the plate	44,19	685803	4549734965064			SZ	Z	JPN	9031.9000.00
PSB3-30024	Analog Power supply unit for 24VDC lights, 300W, constant light, input: 100-240VAC	1.983,00	393341	4547648984256			SZ	Z	JPN	9031.9000.00
PTU2-3024(A)		1.025,00	236053	4547648914260			SZ	Z	JPN	8504.4030.00
QADC-01	Adaptor cable for CCS24V power supply	49,24	237455	4547648914277			SZ	Z	USA	9024.9000.00
QCB-10	Lighting cable for Control Unit PSCC-60048, 10m	496,30	668562	4548583962262			SZ	Z	JPN	8541.4010.00
OCO3-052052R-00	Coaxial LED light, red, active size: 52x52 mm, 24 VDC	707,00	679624	4549734933605			SZ	Z	SGP	8541.4010.00
OCO3-052052W-00	Coaxial LED light, white, active size: 52 x 52 mm, 24 VDC	783,00	679234	4549734930611			SZ	Z	SGP	8541.4010.00
OFL3-400250W-00	Infrared light	2.564,00	668875	4548583963184			SZ	Z	SGP	8541.4010.00
OLA3-100070B-00	Low angle LED ring light, inner dia. 70 mm, blue, M12, 24VDC	643,00	702130	4549734791717			SZ	Z	SGP	8541.4010.00
QLC-200-24V	LED lighting controller, continuous and pulsed output, 24Vdc 30W	528,00	364844	4547648934299			SZ	Z	GBR	8504.4030.00
QFADC-01	Adaptor cable for SM to M12 connectors, length 155mm	49,24	392250	4547648979290			SZ	Z	USA	9031.9000.00
QFL3-100050W-60D	Direct convex LED ring light, outer diameter 100 mm, 24 V	1.551,00	677809	4549734921015			SZ	Z	SGP	8541.4010.00
QC3-0780370W-60D	Neat-axis High Angle Square Light, outer size 76 x 76 mm, white, 24 VDC	580,00	675410	4549734902113			SZ	Z	SGP	8541.4010.00
SBACQ0151002-880	TRP back light, Useful dimensions 153 x 102 mm, infra-red	1.010,00	659670	4548583954328			SZ	Z	FRA	9031.9000.00
SBACQ0201502880	TRP back light, Useful dimensions (mm)204x153, infra-red	985,00	670609	4548583972339			SZ	Z	FRA	9031.9000.00
SBACQ01202002-630	LED Back Illuminator, active area 204 x 204 mm, red, 24 VDC	1.453,00	687494	4549734969683			SZ	Z	FRA	9031.9000.00
SBAR-365-15-IP65	LED Spot Light, 1 high power LED, UV 365 nm, emission angle +-15°, 24 VDC	757,50	694001	4549734993784			SZ	Z	FRA	9031.9000.00
S-COA55-630-SE	Coaxial Led Illuminator, active area 50 x 50 mm, red	1.642,00	686187	4549734966627			SZ	Z	FRA	8541.9000.00
SE-16MS		357,40	350644	4548583961975			SZ	Z	JPN	8541.4010.00
TC13056	High resolution telecentric lens for 1/3" detectors, magnification 0.084x, C-Mount	1.459,00	679199	4549734930277			SZ	Z	ITA	9031.9990.00
TH2-300X75RD	Flat LED back light (15 mm), active area 300x75 mm, red, 24 VDC	4.375,00	702187	4549734792158			SZ	Z	JPN	8541.4010.00
TH2-63X60BL	Flat LED Back light (15 mm), active area 63 x 60 mm, blue, 24 VDC	858,50	685417	4549734963077			SZ	Z	JPN	8541.4010.00
TRING-WHI-DO	LED Ring Illuminator, inner diameter 38 mm, outer diameter 66 mm, white, opaque diffuser, 24 VDC	638,50	690030	4549734979597			SZ	Z	FRA	9031.9000.00
TSPOT1-WHI-9	LED spot light, 23 x 20 x 13 mm, 1 LED, white, 24 VDC, M12 4-pole connector, +/- 9°, IP40	345,50	696107	4549734999342			SZ	Z	FRA	9031.9000.00
VTAA007A	USB programming cable iBlueDrive	126,30	683689	4549734952767			SZ	Z	ESP	8544.4210.00
170203183C	Power Cord EU 3P2.5A 250V 183cm	15,15	690591	4549734982870			SZ	Z	TWN	8544.4290.90
96PSA-A90W190T-3	Power supply, ADP A/D 100-240 V, 90 W, 19 V W/PFC	32,32	692769	4549734986434			SZ	Z	CHN	8504.4030.00
PPC-174T-WL-MTE	Wall mount kit A800B for PPC-174T	78,80	690588	4549734982849			SZ	Z	TWN	9031.9000.00
PPC-3100S-GMR	Visualization Touch Panel for FH77 Smart Camera, 10.4" TFTLCD, Resolution 1024x768, Touch Type Capacitive, Front Panel Protection IP65, 24 VDC	1.334,00	699027	4549734975599			SZ	Z	TWN	8523.8090.00
PPC-ARM-A03	ARM VESA Standard (A-CLEVER) for PPC Series	181,80	690587	4549734982832			SZ	Z	TWN	9031.9000.00
PPC-STAND-A1E	Stand For PPC Series	167,70	690589	4549734982856			SZ	Z	TWN	9031.9000.00
CBSLH-24V-F-3M	Illumination cable, side A flying leads, side B SM 3 way female connector, 3 m, 24 V	21,21	690413	4549734981835			SZ	Z	ITA	9031.9000.00
CMHQ016	Clamping mechanics for TCxx016 lenses and LTCLHP016-X illuminators	184,90	693999	4549734993760			SZ	Z	ITA	9031.9000.00
CMHQ023	Clamping mechanics for TC2300v, TC23012, TC4M00v-x, LTCLHP023-x	175,00	700836	4549734895743			SZ	Z	ITA	9031.9000.00
CMHQ024	Clamping mechanics for TCxx024 lenses and LTCLHP024-X illuminators	191,90	680692	4549734940955			SZ	Z	ITA	9031.9000.00
CMHQ056	Clamping mechanics for TCxx056 lenses and LTCLHP056-X illuminators	429,30	688672	4549734973755			SZ	Z	ITA	9031.9000.00
CMHQ064	Clamping mechanics for TCxx064 lenses and LTCLHP064-X illuminators	447,50	690471	4549734982122			SZ	Z	ITA	9031.9000.00
CMHO120	Clamping mechanics for TCxx120 lenses and LTCLHP120-X illuminators	738,50	695048	4549734995559			SZ	Z	ITA	9031.9000.00
CMHOPCDD	Clamping Mechanic for PCDD Lenses	206,10	688722	4549734974165			SZ	Z	ITA	9031.9000.00
CMPTD16024	Mounting Plate for CMHQ024	371,20	680691	4549734940948			SZ	Z	ITA	9031.9000.00
CMTH080	Clamping mechanics with fine adjustment, for TCxx080 lenses and LTCLHP080-X illuminators	694,00	699289	4549734892131			SZ	Z	ITA	9031.9000.00
CMWFO64	Protective window clamp for TC series	243,00	702483	4549734793254			SZ	Z	ITA	9031.9000.00
EN10MPL1620		611,00	701990	4549734791243			SZ	Z	ITA	9031.9000.00
EN2MPO324		311,00	702027	4549734791458			SZ	Z	ITA	9031.9000.00
FTBPS0M143	Band Pass Filter, 850 nm, M443	153,60	696207	4549734966795			SZ	Z	TWN	9002.2000.00
FTBPS0M152	IR (850 nm) bandpass filter with filter thread M52 x P0.75	166,60	689288	4549734971171			SZ	Z	ITA	9031.9000.00
FTSP700C25.4	UV + NIR cut-off filter, C-mount, diameter 25.4 mm	137,40	688726	4549734974202			SZ	Z	ITA	9031.9000.00
LT2BC048144-R-CO	High uniformity continuous LED backlight, 48 x 144 mm lighting area, red, with collimation film in both directions	995,00	702468	4549734793100			SZ	Z	ITA	9031.9000.00
LT2COG025-00-X-G-24V	LED coaxial light, 25x25 mm light emitting area, green, 24 VDC	583,00	700316	4549734894357			SZ	Z	MYS	9031.9990.00
LT2COG025-00-X-W-24V	LED coaxial light, 27x27 mm light emitting area, white, 24 VDC	655,50	693752	4549734992244			SZ	Z	MYS	9031.9990.00



Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Data sheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
LT2C0G040-00-X-G-24V	LED coaxial light, 48 x 48 mm light emitting area, green, 24 V	648.00	702156	4549734791946			SZ	Z	MYS	9031.4990.00
LT2C0G040-00-X-W-24V	LED coaxial light, 48x48 mm light emitting area, white, 24 V	718.50	690486	4549734862252			SZ	Z	MYS	9031.9000.00
LT2C0G070-00-X-W-24V	LED coaxial light, 70x70 mm light emitting area, white, 24 VDC	1,123.00	690448	4549734892009			SZ	Z	MYS	9031.4990.00
LT2C0G100-00-X-W-24V	LED coaxial light, 100x100 mm light emitting area, white, 24 VDC	1,414.00	689487	4549734877708			SZ	Z	MYS	9031.4990.00
LT3RZF120-60-2-R-24V	LED ring light, 2 LED rows, outer diameter 120.5 mm, inner diameter 86 mm, 60°, red, 24 V	603.00	690485	4549734862248			SZ	Z	MYS	9031.9000.00
LT3RZF080-60-1-W-24V	LED ring light, 81 mm outer diameter, 1 LED row, 60°, white, 24V	438.40	694806	4549734994828			SZ	Z	MYS	9031.4990.00
LT3RZF130-60-1-W-24V	LED ring light, 131.5 mm outer diameter, 1 LED row, 60°, white, 24V	614.50	696003	4549734999199			SZ	Z	MYS	9031.4990.00
LT3WRH150-00-1-W-24V	LED tunnel light, 150x183 mm, white, 24V	1389.00	687790	4549734969826			SZ	Z	MYS	9031.4990.00
LTCLP048-G	Compact Telecentric HP illuminator, beam diameter 45 mm, green	1,831.00	686009	4549734965958			SZ	Z	ITA	9031.9000.00
LTCLHP016-G	Telecentric HP illuminator, beam diameter 20 mm, green	843.50	693941	4549734993487			SZ	Z	ITA	9031.9000.00
LTCLHP016-R	Telecentric HP illuminator, beam diameter 20 mm, red	843.50	695927	4549734998826			SZ	Z	ITA	9031.9000.00
LTCLHP023-G	Telecentric HP illuminator, beam diameter 16 mm, green, 24 V, FL	735.00	702217	4549734792332			SZ	Z	ITA	9031.4990.00
LTCLHP024-G	Telecentric HP illuminator, beam diameter 30 mm, green, 24 V, FL	927.00	680693	4549734940962			SZ	Z	ITA	9031.4990.00
LTCLHP064-G	Telecentric HP illuminator, beam diameter 80 mm, green	1,467.00	699499	4549734892667			SZ	Z	ITA	9031.9000.00
LTDV1CH-17V	LED Light Strobe controller, 1 channel, variable current 5 mA - 17A, 24 V	985.00	680720	4549734941204			SZ	Z	ITA	9031.4990.00
LTDVE2CH-20F	LED Strobe controller 2 channels, 20 A / 40 A pulsed - 2 A / 4 A continuous, fast version	1,045.00	702159	4549734791977			SZ	Z	ITA	9031.9000.00
LTDVEBCH-20	LED Light Strobe controller, 8 channel, Ethernet, 24 V	2,561.00	691181	4549734985802			SZ	Z	ITA	9031.4990.00
LTIC1CH-A1-4	Analoque lighting controller unit, 4A, 24V	1,016.00	695763	4549734998260			SZ	Z	ITA	9031.9000.00
LTPFH3PW-B	LED pattern projector, 3 W, blue, 24 VDC	598.00	683439	4549734877333			SZ	Z	ITA	9031.4990.00
LTPFH3PW-G	LED pattern projector, 3 W, green, 24 VDC	595.00	693162	4549734876022			SZ	Z	ITA	9031.4990.00
LTPRFP-G	High Power LED pattern projector, green 520 nm, C-Mount, 24 V	1,013.00	687725	4549734969468			SZ	Z	ITA	9031.4990.00
LTRN048NM	Ring LED illuminator, inner diameter 75 mm, straight type, white, 24 VDC	1,288.00	689486	4549734877692			SZ	Z	MYS	9031.4990.00
LTRN075W45	LED Ring Light, inner diameter 28 mm, outer diameter 75.4 mm, white, 24 V	702.00	688725	4549734974196			SZ	Z	MYS	9031.4990.00
LTRN165W45	LED Ring Light, inner diameter 134.5 mm, outer diameter 164.5 mm, white, 24 V	2,134.00	688723	4549734974172			SZ	Z	MYS	9031.4990.00
LTRN210W20	LED Ring Light, inner diameter 116 mm outer diameter 195 mm, white, 24 V	2,098.00	680721	4549734941211			SZ	Z	MYS	9031.4990.00
LTRNHP075G45	High power LED ring illuminators, oblique type, inner diam, 28mm, green, 525 nm	1,515.00	702185	4549734792134			SZ	Z	MYS	9031.4990.00
LTRNHP075W45	High power LED ring illuminators, oblique type, inner dia, 28 mm, white, 6200 K	1,515.00	702157	4549734791953			SZ	Z	MYS	9031.4990.00
LTRNHP075W45	High power LED ring illuminators, oblique type, inner dia, 116.5 mm, white, 6200 K	3,040.00	702158	4549734791960			SZ	Z	MYS	9031.4990.00
LTRNHP075W45	LED ring light, 2 LED rows, outer diameter 50 mm, inner diameter 30 mm, 15°, white, 24 V	313.70	690484	4549734982238			SZ	Z	MYS	9031.9000.00
LTRNHP075W45	LED bar illuminator, active area 80 x 26.3 mm, white, 24V	511.00	687334	4549734968393			SZ	Z	MYS	9031.9000.00
LTZP080-00-6-W-24V	LED low angle ring light, 3 LED rows, outer diameter 131 mm, inner diameter 111 mm, 75°, red, 24 V	748.50	690412	4549734981828			SZ	Z	MYS	9031.9000.00
LTZP080-00-6-W-24V	Macro lens for 2/3" detectors, magnification 0.50x, C-mount	365.70	688635	4549734973533			SZ	Z	ITA	9031.9000.00
LTZC0130-75-3-R-24V	Macro lens for 2/3" detectors, magnification 0.75 x, C-mount	365.70	688482	4549734972246			SZ	Z	ITA	9031.9000.00
MC050X	360° Pericentric lens for 1/3" detectors, f/4 to f/16	5,530.00	681088	4549734943802			SZ	Z	ITA	9031.4990.00
MC075X	360° Pericentric lens for 2/3" detectors, f/4 to f/16	3,990.00	680722	4549734941228			SZ	Z	ITA	9031.4990.00
PC13030HP	Borosopic probe for 1/3" detectors, 7 mm probe diam, with waveguide module	4,390.00	700953	4549734896375			SZ	Z	ITA	9031.9000.00
PC23030XS	360° optic, max. chip size 2/3", image circle 6.6 mm, f/8-f/24	3614.00	688238	4549734870716			SZ	Z	ITA	9031.9000.00
PCBPN013-WG	FOV extension lens for PCQ3	441.90	690231	4549734970708			SZ	Z	ITA	9031.9000.00
PCDD023	Pinhole 360° lens, Chip Size up to 1/3	2,004.00	694969	4549734995429			SZ	Z	ITA	9031.9000.00
PCDCLFAT	Pinhole 360° lens, Chip Size up to 1/3	2,004.00	681089	4549734943819			SZ	Z	ITA	9031.4990.00
PCH012	Micro Polyview optic, max chip size 2/3", C-mount	3,068.00	699294	4549734892155			SZ	Z	ITA	9031.9000.00
PCH013	Line pattern for LED Projector, line width 0.5 mm, line length 11 mm	120.70	687723	4549734969444			SZ	Z	ITA	9031.4990.00
PCH013	Grid pattern for LED Projector, line width 0.05 mm, line spacing 0.95 mm, 8x8 lines	151.50	689442	4549734977357			SZ	Z	GBR	9031.4990.00
PCH013	Cloud of dots pattern, density 20% for LED Projector	162.70	687724	4549734969451			SZ	Z	GBR	9031.4990.00
PCH013	Grid pattern for LED Projector, Line spacing 0.05 mm, Line thickness 0.05 mm, Number of lines 110 x 110	151.50	689164	4549734976046			SZ	Z	GBR	9031.4990.00
PCH013	Grid pattern for LED Projector, Line spacing 0.2 mm, Line thickness 0.05 mm, Number of lines 44 x 44	151.50	689165	4549734976053			SZ	Z	GBR	9031.4990.00
PCH013	Line pattern for LED Projector, Line spacing 0.01 mm, Line thickness 0.01 mm, number of lines 550	151.50	689163	4549734976039			SZ	Z	GBR	9031.4990.00
PCH013	Line pattern for LED Projector, Line spacing 0.05 mm, Line thickness 0.05 mm, number of lines 110	151.50	689892	4549734978859			SZ	Z	GBR	9031.4990.00
PCH013	Vison Lens, focal length 6.5 mm, f/1.4-16, max chip size 1", C-Mount	417.20	686208	4549734966801			SZ	Z	CHN	9031.9000.00
PCH013	5 Megaapixel Fixed focal lens, focal length 6.5 mm, max sensor size 1", f/2.0-f/22, C-mount	763.00	688289	4549734971188			SZ	Z	CHN	9031.9000.00
PCH013	Vison Lens, high resolution 5MPix, focal length 25 mm, Magnification 0.166-0, working distance 150-inf mm, f/2.0 - 32.0, max chip size 4/3", C-Mount	881.00	687330	4549734968362			SZ	Z	CHN	9031.9000.00
PCH013	Extension ring 1.5x	97.00	688640	4549734973588			SZ	Z	JPN	9031.9000.00
PCH013	Extension ring 2.5x	97.00	688639	4549734973571			SZ	Z	JPN	9031.9000.00
PCH013	9-megaapixel lens for 1", focal length 50 mm, f 2.4, C-mount	878.00	694972	4549734995450			SZ	Z	ITA	9031.9000.00
PCH013	9-megaapixel lens for 1", focal length 75 mm, f 2.8, C-mount	864.00	694971	4549734995443			SZ	Z	ITA	9031.9000.00
PCH013	Anti-reflective protective window with slip mount S29	383.80	690005	4549734979443			SZ	Z	USA	9031.9000.00
PCH013	Varifocal lens, focal length 12-36 mm, f# 2.8-16C, C-mount	418.00	702155	4549734791939			SZ	Z	JPN	9031.9000.00
PCH013	Fixed Focal lens, focal length 50 mm, f/1.4-16C, C-Mount	286.90	688641	4549734973595			SZ	Z	JPN	9031.9000.00
PCH013	5-megaapixel lens, focal length 50 mm, f 2.8-32, C-mount	400.00	694970	4549734995436			SZ	Z	ITA	9031.9000.00
PCH013	Macro Zoom Lens, Magnification 0.084 - 0.84, Working distance 152 - 457 mm, C-mount, max 1/2" chip size	424.20	687256	4549734968058			SZ	Z	JPN	9031.9000.00
PCH013	Macro zoom lens, magnification 3.3x, 14.5-22C, C-mount	494.90	692904	4549734987509			SZ	Z	JPN	9031.9000.00
PCH013	Telecentric Lens, Magnification 4x, max chip size 1.1", C-Mount	1,264.00	687337	4549734968423			SZ	Z	JPN	9031.9000.00
PCH013	Telecentric Lens, Magnification 2x, max chip size 1.1", C-Mount	1,606.00	687338	4549734968430			SZ	Z	JPN	9031.9000.00
PCH013	LED illuminator powers supply, 1 channel, 24 VDC, 5.0 A, DIN rail mount	121.20	688724	4549734974189			SZ	Z	ITA	9031.4990.00
PCH013	Party telecentric lens, focal length 55 mm, f/2.8-32C, C-Mount	631.50	688638	4549734973564			SZ	Z	JPN	9031.9000.00
PCH013	High resolution telecentric lens for 1/2" detectors, magnification 0.385x, C-Mount	896.50	690159	4549734980005			SZ	Z	ITA	9031.9000.00
PCH013	High resolution telecentric lens for 1/2" detectors, magnification 0.255 x, C-Mount	984.00	680723	4549734941235			SZ	Z	ITA	9031.4990.00
PCH013	High resolution telecentric lens for 1/2" detectors, magnification 0.177 x, C-Mount	1,211.00	680192	4549734937207			SZ	Z	ITA	9031.4990.00
PCH013	High resolution telecentric lens for 1/2" detectors, magnification 0.114x, C-Mount	1,459.00	686050	4549734966108			SZ	Z	ITA	9031.9000.00
PCH013	High resolution telecentric lens for 1/2" detectors, magnification 0.100x, C-Mount	1,845.00	690470	4549734982115			SZ	Z	ITA	9031.9000.00
PCH013	High resolution telecentric lens for 1/2" detectors, magnification 0.083x, C-Mount	2,240.00	683786	4549734955344			SZ	Z	ITA	9031.9000.00
PCH013	High resolution telecentric lens for 1/3" detectors, magnification 0.133x, C-Mount	1,211.00	690307	4549734989999			SZ	Z	ITA	9031.9000.00
PCH013	High resolution telecentric lens for 1/1.2" detectors, magnification 0.424x, C-mount	1,885.00	702470	4549734793124			SZ	Z	ITA	9031.9000.00
PCH013	High resolution telecentric lens for 1/1.2" detectors, magnification 0.166x, C-mount	2,392.00	702469	4549734793117			SZ	Z	ITA	9031.9000.00
PCH013	High resolution telecentric lens for 2/3" detectors, magnification 2.0x, C-Mount	605.00	696437	4549734890106			SZ	Z	ITA	9031.9000.00
PCH013	High resolution telecentric lens for 2/3" detectors, magnification 1.33x, C-Mount	605.00	695402	4549734996778			SZ	Z	ITA	9031.9000.00
PCH013	High resolution telecentric lens for 2/3" detectors, magnification 1.000x, C-Mount	605.00	683882	4549734953924			SZ	Z	ITA	9031.9000.00

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Data sheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
TC23012	High resolution telecentric lens for 2/3" detectors, magnification 0.735x, C-Mount	804.00	688646	4549734973649	SZ	Z	ITA			9031.9000.00
TC23016	High resolution telecentric lens for 2/3" detectors, magnification 0.528x, C-Mount	896.50	685428	4549734963176	SZ	Z	ITA			9031.9000.00
TC23024	High resolution telecentric lens for 2/3" detectors, magnification 0.350x, C-Mount	984.00	685198	4549734965131	SZ	Z	ITA			9031.9000.00
TC23036	High resolution telecentric lens for 2/3" detectors, magnification 0.243x, C-Mount	1,211.00	684826	4549734960342	SZ	Z	ITA			9031.9000.00
TC23056	High resolution telecentric lens for 2/3" detectors, magnification 0.157x, C-Mount	1,459.00	686671	4549734973748	SZ	Z	ITA			9031.9000.00
TC23064	High resolution telecentric lens for 2/3" detectors, magnification 0.138x, C-Mount	1,645.00	682236	4549734947497	SZ	Z	ITA			9031.4990.00
TC23072	High resolution telecentric lens for 2/3" detectors, magnification 0.122x, C-Mount	2,239.00	690582	4549734982788	SZ	Z	ITA			9031.9000.00
TC23080	High resolution telecentric lens for 2/3" detectors, magnification 0.110x, C-Mount	2,239.00	690567	4549734982719	SZ	Z	ITA			9031.9000.00
TC23110	High resolution telecentric lens for 2/3" detectors, magnification 0.079x, C-Mount	3,445.00	690273	4549734980791	SZ	Z	ITA			9031.9000.00
TC23144	High resolution telecentric lens for 2/3" detectors, magnification 0.061x, C-Mount	4,600.00	688574	4549734973007	SZ	Z	ITA			9031.9000.00
TC23192	High resolution telecentric lens for 2/3" detectors, magnification 0.046x, C-Mount	7,755.00	683881	4549734953917	SZ	Z	ITA			9031.9000.00
TC2MHR036-C	High resolution telecentric lens for 1" detectors, magnification 0.353x, C-mount	2,048.00	685696	4549734964487	SZ	Z	ITA			9031.9000.00
TC2MHR048-C	High resolution telecentric lens for 1" detectors, magnification 0.268x, C-Mount	2,167.00	683823	4549734953481	SZ	Z	ITA			9031.9000.00
TC2MHR080-C	High resolution telecentric lens for 1" detectors, magnification 0.160x, C-Mount	2,884.00	692924	4549734987646	SZ	Z	ITA			9031.9000.00
TC2MHR096-C	High resolution telecentric lens for 1" detectors, magnification 0.137x, C-Mount	3,023.00	689466	4549734977548	SZ	Z	ITA			9031.9000.00
TC2MHR240	High resolution telecentric lens for 1" detectors, magnification 0.053x, C-Mount	13,070.00	690223	4549734980371	SZ	Z	ITA			9031.9000.00
TC3MHR024-C	High resolution telecentric lens for 1.2" detectors, magnification 0.564x, C-Mount	1,904.00	689166	4549734976060	SZ	Z	ITA			9031.9000.00
TC3MHR036-C	High resolution telecentric lens for 1.2" detectors, magnification 0.392x, C-Mount	2,047.00	688915	4549734975292	SZ	Z	ITA			9031.9000.00
TC3MHR048-C	High resolution telecentric lens for 1.1" detectors, magnification 0.303x, C-Mount	2,167.00	693558	4549734892971	SZ	Z	ITA			9031.9000.00
TC3MHR096-C	High resolution telecentric lens for 1.1" detectors, magnification 0.153x, C-Mount	3,023.00	689116	4549734975766	SZ	Z	ITA			9031.9000.00
TC3MHR120-C	High resolution telecentric lens for 1.1" detectors, magnification 0.118x, C-Mount	4,519.00	689964	4549734979184	SZ	Z	ITA			9031.9000.00
TC3MHR192-C	High resolution telecentric lens for 1.1" detectors, magnification 0.075x, C-Mount	8,580.00	700927	4549734896245	SZ	Z	ITA			9031.9000.00
TC3MHR240-C	High resolution telecentric lens for 1.1" detectors, magnification 0.059x, C-Mount	12,930.00	700952	4549734896368	SZ	Z	ITA			9031.9000.00
TC4MHR016-C	High resolution telecentric lens for 1.2" detectors, image circle 21.6 mm, magnification 1.055x, C-Mount	1,835.00	689581	4549734978231	SZ	Z	ITA			9031.9000.00
TC4MHR024-C	High resolution telecentric lens for 1.2" detectors, magnification 0.700x, C-Mount	1,904.00	680686	4549734940894	SZ	Z	ITA			9031.4990.00
TC4MHR048-E	High resolution telecentric lens for 1.2" detectors, magnification 0.369x, M42x1 mount, Flange distance 16 mm	2,167.00	681090	4549734943826	SZ	Z	ITA			9031.4990.00
TC4MHR056-C	High resolution telecentric lens for 1.2" detectors, magnification 0.314x, C-Mount	2,177.00	701263	4549734789356	SZ	Z	ITA			9031.9000.00
TC4MHR056-E	High resolution telecentric lens for 1.2" detectors, magnification 0.317x, M42x1 mount, Flange distance 16 mm	2,200.00	689251	4549734976596	SZ	Z	ITA			9031.9000.00
TC4MHR064-E	High resolution telecentric lens for 1.2" detectors, magnification 0.275x, M42x1 mount, Flange distance 16 mm	2,451.00	689115	4549734975759	SZ	Z	ITA			9031.9000.00
TC4MHR080-E	High resolution telecentric lens for 1.2" detectors, magnification 0.221x, M42x1 mount, Flange distance 16 mm	2,884.00	692824	4549734986779	SZ	Z	ITA			9031.9000.00
TCCAE2E3048	Telecentric Optical System for 360° inspection, integrated illuminator, white, 24 VDC, image circle up to 2/3	4,382.00	685429	4549734963183	SZ	Z	ITA			9031.9000.00
TCCAE2E3096	Telecentric Optical System for 360° inspection, integrated illuminator, white, 24 VDC, image circle up to 2/3	6,290.00	686056	4549734966160	SZ	Z	ITA			9031.9000.00
TCOR12048	Compact High resolution telecentric lens for 1/2" detectors, magnification 0.134x, C-Mount	1,983.00	690487	4549734982269	SZ	Z	ITA			9031.9000.00
TCOR2048	Compact High resolution telecentric lens for 2/3" detectors, magnification 0.184x, C-Mount	1,982.00	686008	4549734965941	SZ	Z	ITA			9031.9000.00
TCOR23064	Compact High resolution telecentric lens for 2/3" detectors, magnification 0.138x, C-Mount	2,538.00	698604	4549734890601	SZ	Z	ITA			9031.9000.00
TCORM080-C	High resolution compact telecentric lens for 1" detectors, magnification 0.160x, C-Mount	3,952.00	688647	4549734973656	SZ	Z	ITA			9031.9000.00
TCORM080-C	High resolution compact telecentric lens for 1" detectors, magnification 0.182x, C-Mount	3,912.00	700811	4549734895514	SZ	Z	ITA			9031.9000.00
TCOLW086	High resolution telecentric lens for 2/3" detectors, magnification 0.06x, C-Mount, long working distance	1,428.00	683989	4549734954649	SZ	Z	ITA			9031.9000.00
TCOLW075	High resolution telecentric lens for 2/3" detectors, magnification 0.075x, C-Mount, long working distance	1,412.00	702559	4549734793827	SZ	Z	ITA			9031.9000.00
WI056	Protective window for 80 mm clamping diameter optics	74.75	694124	4549734994361	SZ	Z	ITA			9031.9000.00
WI064	Protection window for TC series	92.50	702484	4549734793261	SZ	Z	ITA			9031.9000.00
AD-QRL3-090050	Adapter for QRL3-090050	258.60	698569	4549734890496	SZ	Z	SGP			9031.9000.00
BKHPD2-100-LFV	Clamping Bracket for HPD2-100 Illuminator	355.60	691184	4549734985833	SZ	Z	JPN			8541.4010.00
BKTH-LE12	Mounting Bracket TH- Illuminator	29.04	690154	4549734979955	SZ	Z	JPN			8541.4010.00
CN-4024-2-EIPT	LED Light controller, EtherNet/IP interface, 2 channels, max 40 W per channel, max 40 W total, 24 VDC	1,226.00	694032	4549734993999	SZ	Z	JPN			9031.9000.00
CV-LDL2-41X16	Cover for LDL2-41X16	21.47	684050	4549734955256	SZ	Z	JPN			9031.9000.00
DF-LDL2-33X8	Diffusion plate for LDL2-33X8	13.89	682478	4549734948333	SZ	Z	JPN			8541.4010.00
DF-LDR-70 2MM	Diffusor plate for LDR 70	27.78	695781	4549734998345	SZ	Z	JPN			9031.9000.00
DF-QBR3-050030	Diffusor for QBR3-050030 Led Illuminator	22.73	688676	4549734973793	SZ	Z	SGP			9024.9000.00
DF-QBR3-100015	Diffusor for QBR3-100015	22.73	690554	4549734982634	SZ	Z	SGP			8541.4010.00
DF-QBR3-100030	Diffusor for QBR3-100030 Illuminator	27.78	688483	4549734972253	SZ	Z	SGP			9024.9000.00
DF-QRL3-090050	Diffusor for QRL3-090050	69.70	698322	4549734890410	SZ	Z	SGP			8541.4010.00
ECB-5-FL	Extension Cable for Illuminator EL Series, Rivina Leads, 5 m	75.75	689270	4549734976756	SZ	Z	FRA			8544.4290.90
ELB-200RD	LED Flood Bar Illuminator, active area 200 x 45 mm, red, 24 VDC, M8 Connector	876.00	689624	4549734978545	SZ	Z	FRA			8541.4010.00
ELB-200SW	LED Flood Bar Illuminator, active area 200 x 45 mm, white, 24 VDC, M8 Connector	876.00	689625	4549734978552	SZ	Z	FRA			8541.4010.00
ELB-300IR	LED Flood Bar Illuminator, active area 300 x 45 mm, IR, 24 VDC, M8 Connector	1,105.00	689623	4549734978538	SZ	Z	FRA			8541.4010.00
ELB-300RD	LED Flood Bar Illuminator, active area 300 x 45 mm, red, 24 VDC, M8 Connector	1,068.00	689267	4549734976725	SZ	Z	FRA			8541.4010.00
ELB-300SW	LED Flood Bar Illuminator, active area 300 x 45 mm, white, 24 VDC, M8 Connector	1,068.00	689268	4549734976732	SZ	Z	FRA			8541.4010.00
ELB-500SW	LED Flood Bar Illuminator, active area 500 x 45 mm, white, 24 VDC, M8 Connector	1,421.00	689440	4549734977340	SZ	Z	FRA			8541.4010.00
F-BP324-27	Bandpass filter, 324 nm, M27	277.80	679130	4549734929622	SZ	Z	USA			9002.2000.00
F-BP470-30.5	Band-pass Filter, 470 nm, M30.5	277.80	684152	4549734955799	SZ	Z	USA			9002.2000.00
F-BP505-27	Bandpass filter, 505 nm, M27	252.50	688426	4549734971690	SZ	Z	USA			9002.2000.00
F-BP525-27	Bandpass filter, 525 nm, M27	252.50	688425	4549734971683	SZ	Z	USA			9002.2000.00
F-BP590-27	Bandpass filter, 590 nm, M27	252.50	688424	4549734971676	SZ	Z	USA			9002.2000.00
F-BP635-40.5	Band pass filter, 635 nm, M40.5 x P 0.5 mm	321.20	692825	4549734986786	SZ	Z	USA			9002.2000.00
F-BP850-30.5	Bandpass Filters, 850 nm, M30.5	252.50	679134	4549734929660	SZ	Z	USA			9002.1100.90
FCB-3-M12	Illumination cable for HLDR-IP67	51.80	682696	4549734949743	SZ	Z	JPN			9024.9000.00
FCB-3-PF-EL9	Illumination extension cable for PF series, EL connector, 3 m	87.00	699941	4549734893800	SZ	Z	JPN			8541.4010.00
FCB-5-PF	Extension Cable, PF Series, EL connector, 4-pin	82.85	699596	4549734893169	SZ	Z	JPN			8544.4290.90
FCB-W-1	2-branch cable, 24 V input LED Light Units, 24 V output Control Unit 1 m, 3-pin SPM connectors	41.67	688573	4549734972994	SZ	Z	JPN			9031.9000.00
FECB-3-M12-5F	Extension cable for LED series, M12, 4 Pin, Rivina leads, 3m	125.00	700854	4549734895842	SZ	Z	JPN			8544.4290.90
F-FK 10	Filter test kit for fixed focal length lenses	1,662.00	702219	4549734792356	SZ	Z	JPN			9002.2000.00
F-LP340-25.5	Protective filter for vision lens, M2555	188.90	699577	4549734893138	SZ	Z	USA			9002.2000.00
F-LP340-30.5	Protective filter for vision lens, M30.5	208.40	688990	4549734967457	SZ	Z	USA			9002.2000.00
FPO3-120SW	LED Square Illuminator, 120 x 120 mm, white, 24 VDC	1,452.00	696320	4549734889414	SZ	Z	JPN			8541.4010.00
FPO3-75BL	LED Square Illuminator, 75 x 75 mm, blue, 24 VDC	1,137.00	689332	4549734977142	SZ	Z	JPN			8541.4010.00

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Daheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
FPQ3-75BL-FL	LED Square Illuminator, 75 x 75 mm, blue, 24 VDC, flying leads	1,137.00	689333	4549734977159			SZ	Z	JPN	8541.4010.00
FPQ3-96BL	LED square illuminator, 96 x 96 mm, blue, 24 VDC	1,225.00	702499	4549734793360			SZ	Z	JPN	8541.4010.00
FPF1-180FD2	Low-angle Ring Light, outer diameter 180 mm, inner diameter 153 mm, height 40 mm, red, 24VDC	2,349.00	698485	4549734972277			SZ	Z	JPN	9031.9000.00
HL2-25-P	Compact condenser lens for spot illumination, mounted on the HLV3-22-1- or HLV3-22-2-series	252.50	693828	4549734992589			SZ	Z	JPN	9031.9000.00
HLDL2-450X45IRDFWM12	Bar light, high intensity, active size 450x45 mm, white, 24 VDC, wide angle, M12 connector	1,363.00	689599	4549734978378			SZ	Z	JPN	9031.9000.00
HLDL2-450X45SW-DF-W	Bar light, high intensity, active size 450 x 45 mm, white, 24 VDC, wide angle	1,363.00	681941	4549734946421			SZ	Z	JPN	9031.9000.00
HLDL2-450X45SW-DF-W-M12	Bar light, high intensity, active size 450 x 45 mm, white, 24 VDC, wide angle, M12 connector	1,363.00	680592	4549734939973			SZ	Z	JPN	9031.9000.00
HLDL2-600X45IRDFWM12	LED Bar light, high intensity, active size 600 x 45 mm, IR, 860 nm, 24 VDC, wide angle, M12 connector	1,614.00	680430	4549734939983			SZ	Z	JPN	8541.4010.00
HLDL2-600x45FD-DF-W-M12	LED Bar light, high intensity, active size 600 x 45 mm, red, 24 VDC, wide angle, M12 connector	1,515.00	680116	4549734936804			SZ	Z	JPN	8541.4010.00
HLDL2-600x45SW-DF-W	LED bar light, high intensity, active area 600 x 45 mm, white, 24 VDC, narrow angle	1,614.00	681584	4549734945882			SZ	Z	JPN	9031.9000.00
HLDL2-750X45IR-DF-W	LED bar light, active size 750 x 45 mm, IR, 24 VDC, wide angle	2,098.00	683079	4549734950510			SZ	Z	JPN	8541.4010.00
HLV3-22GR-4S	LED Spot Light, tip diameter 8 mm, green, 24 V	757.50	684476	4549734957663			SZ	Z	JPN	9031.9000.00
HLV3-22RD-1	LED Spot Light, tip diameter 8 mm, red, 24 V	472.70	696322	4549734889438			SZ	Z	JPN	9031.9000.00
HLV3-22SW-4M	LED Spot Light, tip diameter 8 mm, white, 24 V	757.50	695680	4549734997782			SZ	Z	JPN	9031.9000.00
HLV3-22SW-4S	LED Spot Light, tip diameter 8 mm, white, 24 V	757.50	693827	4549734992572			SZ	Z	JPN	9031.9000.00
HPD2-150SW-M12	Dome light, red LED, outer dia. 166 mm, inner dia. 116 mm, height 81.9 mm, 24 VDC, M12 connector	1,116.00	702218	4549734792349			SZ	Z	JPN	8541.4010.00
HPD2-200SW-S050	Dome light, white LED, Outer dia. 216 mm, Inner dia. 40 mm, height 107 mm, 24 VDC, square camera window 50 x 50 mm	1,657.00	693103	4549734988841			SZ	Z	JPN	8541.4010.00
HPD2-400SW-FL	Dome light, white LED, Outer dia. 424 mm, Inner dia. 360 mm, height 205 mm, 24 VDC, flying lead	3,256.00	681085	4549734943772			SZ	Z	JPN	8541.4010.00
HPD2-75FC	Dome LED light, Outer dia. 91 mm, Inner dia. 20 mm, height 45.1 mm, RGB color, 24VDC	1,374.00	694958	4549734995344			SZ	Z	JPN	8541.4010.00
HPR2-100FD	LED ring light, OD=116 mm, ID=66 mm, red, indirect, 24 VDC	845.00	682278	4549734947671			SZ	Z	JPN	8541.4010.00
HPR2-150FC	LED Ring Illuminator, inner diameter 116 mm, outer diameter 166 mm, RGB, 24 VDC	1,672.00	690181	4549734980227			SZ	Z	JPN	8541.4010.00
HPR2-150FD	LED Ring Illuminator, inner diameter 116 mm, outer diameter 166 mm, red, 24 VDC	1,128.00	696347	4549734889551			SZ	Z	JPN	8541.4010.00
HPR2-250SW	LED ring light, OD=266 mm, ID=210 mm, white, indirect, 24 VDC	1,673.00	700815	4549734895552			SZ	Z	JPN	8541.4010.00
HPR2-400FD-FT	LED ring light, OD=424 mm, ID=330 mm, red, indirect, 24 VDC	2,538.00	682279	4549734947688			SZ	Z	JPN	8541.4010.00
HPR2-50RD-FL	LED ring light, outer diameter 50 mm, inner diameter 18 mm, red 635 nm, indirect, 24 VDC, flying leads	759.50	690411	4549734981811			SZ	Z	JPN	8541.4010.00
HPR2-75FC	LED ring light, OD=91 mm, ID=41 mm, RGB color, indirect, 24 VDC	1,250.00	694959	4549734995351			SZ	Z	JPN	8541.4010.00
HPR2-75RD-FL	LED ring light, outer diameter 91 mm, inner diameter 41 mm, red 635 nm, indirect, 24 VDC, flying leads	810.00	690410	4549734981804			SZ	Z	JPN	8541.4010.00
HSL-58FD-D300PCL	LED Spot Light, outer diameter 58 mm, red, 24 VDC	757.50	688854	4549734975032			SZ	Z	JPN	8541.4010.00
IFL-CGR24-SM-PNP	Triquer Connection Cable for LED Illuminator, M12 connector 4 pin MALE, SM connector 3 pin FEMALE, 1 m, 24 VDC	340.40	690622	4549734983013			SZ	Z	JPN	8541.4010.00
LC-TH-140X105-VE	Light control film for TH-140X105, vertical	190.90	695382	4549734996648			SZ	Z	JPN	9031.9000.00
LC-TH-160X120-VE	Light control film for TH-160X120, vertical	209.60	695381	4549734996631			SZ	Z	JPN	9031.9000.00
LDL-130X15IF2-940	LED Bar Light, active area 130 mm x 15 mm, IR, 940 nm, 24 V	626.50	681580	4549734945844			SZ	Z	JPN	8541.4010.00
LDL2-119X16BL	Bar light, active size 119x16 mm, blue, 24 VDC	821.00	695982	4549734999076			SZ	Z	JPN	9031.9000.00
LDL2-146X30RD2	LED Bar light, 158 x 34 x 20 mm, active area 146 x 30 mm, red	1,010.00	679292	4549734931090			SZ	Z	JPN	8541.4010.00
LDL2-158X16SW2	LED Bar light, active area 158x16 mm, white, 24 VDC	1,073.00	689878	4549734978781			SZ	Z	JPN	8541.4010.00
LDL2-275X16SW2	LED Bar light, active area 275 mm x 16 mm, 24 V, white	1,529.00	681581	4549734948585			SZ	Z	JPN	8541.4010.00
LDL2-33X85W2	LED Bar light, active area 33 x 8 mm, white, 24 VDC	328.30	682477	4549734948326			SZ	Z	JPN	8541.4010.00
LDL2-362X30RD2	LED Bar light, active area 362 x 30 mm, white, 24 VDC	1,970.00	694120	4549734939434			SZ	Z	JPN	8541.4010.00
LDL2-41X16BL2-WD	LED Bar light, active area 41x16 mm, blue, wide emission, 24 VDC	337.50	702028	4549734791485			SZ	Z	JPN	8541.4010.00
LDL2-41X16SW2	LED Bar light, active area 41x16 mm, white, 24 VDC	340.90	684049	4549734955249			SZ	Z	JPN	8541.4010.00
LDL2-50X30BL2	LED Bar light, active area 50 x 30 mm, blue, 24VDC	543.00	682476	4549734948319			SZ	Z	JPN	8541.4010.00
LDL2-50X30SW2	LED bar light, 62 x 34 x 20 mm (width x depth x height), active area 50 x 30 mm, wide angle, white, 24VDC	543.00	682587	4549734949002			SZ	Z	JPN	8541.4010.00
LDL2-50X30SW2-WD	LED Bar Light, red, 62 x 34 x 20 mm (width x depth x height), active area 50 x 30 mm, white, wide angle	543.00	685039	4549734961745			SZ	Z	JPN	8541.4010.00
LDL2-74X30RD2	LED Bar light, active area 74 x 30 mm, white, 24 VDC	555.50	695948	4549734989901			SZ	Z	JPN	8541.4010.00
LDL2-80X16BL2	LED bar light, active area 80 x 16 mm, blue, 24 VDC	555.50	685653	4549734964210			SZ	Z	JPN	8541.4010.00
LDL2-80X16RD2	LED bar light, active area 80 x 16 mm, red, 24 VDC	454.50	698577	4549734890571			SZ	Z	JPN	8541.4010.00
LDL2-80X16SW2-WD	Bar light, active size 80x16 mm, white, wide emission, 24 VDC	550.00	701077	4549734896900			SZ	Z	JPN	9031.9000.00
LDL-60x60IR2-850	IR lighting, 92 x 72 x 38 mm (width x depth x height), light-emitting surface 60 x 60 mm	884.00	680521	4549734939683			SZ	Z	JPN	8541.4010.00
LDL-60x60IR2-850-M12	IR lighting, 92 x 72 x 38 mm (width x depth x height), light-emitting surface 60 x 60 mm, 24 VDC, M12	884.00	694990	4549734995528			SZ	Z	JPN	8541.4010.00
LDL-71X12UV2-365	LED Bar Light, active area 71 x 21 mm, UV 365 nm, 24 V	1,645.00	681086	4549734943789			SZ	Z	JPN	8541.4010.00
LDL-82X15IR2-850	LED bar light, active size 82 x 15 mm, IR 850 nm, 24 VDC	519.50	695527	4549734996921			SZ	Z	JPN	9031.9000.00
LDL-82X15UV365	LED bar light, active size 82 x 15 mm, UV 365 nm, 24 VDC	1,129.00	680999	4549734943062			SZ	Z	JPN	9031.9000.00
LDM2-90SW2	LED Dome light, outer diameter 94 mm, inner diameter 16 mm, 24 VDC, White, Connector SMR-03V-B	2,518.00	688403	4549734971584			SZ	Z	JPN	8541.4010.00
LDL-146BL2-LA1-M12	LED ring light, outer diameter 146 mm, inner diameter 110 mm, blue, 24 VDC, low angle, M12 connector	1,475.00	684294	4549734956741			SZ	Z	JPN	9031.9000.00
LDL-206BL2-LA1	LED ring light, outer diameter 206 mm, inner diameter 170 mm, blue, 24 VDC, low angle	1,795.00	694252	4549734956468			SZ	Z	JPN	9031.9000.00
LDL-206BL2-LA1-M12	LED ring light, outer diameter 206 mm, inner diameter 170 mm, blue, 24 VDC, low angle, M12 connector	1,795.00	694295	4549734956758			SZ	Z	JPN	9031.9000.00
LDL2-70BL2	LED ring light, outer diameter 70 mm, inner diameter 35 mm, blue, 24 VDC	826.00	690552	4549734982610			SZ	Z	JPN	8541.4010.00
LDL2-70IR2-850	LED ring light, OD = 70 mm, ID = 35 mm, IR 850 nm, 24 VDC	518.00	680356	4549734938709			SZ	Z	JPN	8541.4010.00
LFL-3212FD2-IU	Flat back light, red LED, 66 x 81 x 7 mm, 24 VDC, intensity control unit, connector SMR-03V-B	487.00	702129	4549734791700			SZ	Z	JPN	8541.4010.00
LFL-4012FD2-M12	Flat light (7 mm), active size 53 x 70 mm, red, 24 VDC, M12	423.00	680941	4549734942553			SZ	Z	JPN	8541.4010.00
LFL-4012SW2	Flat light (7 mm), active size 53 x 70 mm, white, 24 VDC	770.50	687596	4549734968799			SZ	Z	JPN	8541.4010.00
LFR-130FD2	Flat LED ring light, active outer dia. 103 mm, total outer dia. 130 mm, inner dia. 44 mm, red, 24 VDC	819.00	702449	4549734792974			SZ	Z	JPN	8541.4010.00
LFV3-130BL(A)	Coaxial LED light, active area: 130 x 130 mm, blue, 24 VDC	2,778.00	684420	4549734957243			SZ	Z	JPN	8541.4010.00
LFV3-130FD(A)	Coaxial LED light, red, active area: 130 mm x 130 mm, 24 VDC	2,412.00	680302	4549734938167			SZ	Z	JPN	8541.4010.00
LFV3-130SW(A)	Coaxial LED light, active area: 130 x 130 mm, white, 24 VDC	2,778.00	681942	4549734946438			SZ	Z	JPN	8541.4010.00
LFV3-200SW(A)	Coaxial light, white, active size: 150 x 217 mm, total size: 226 x 272 x 207 mm, 24 VDC	3,874.00	688721	4549734974158			SZ	Z	JPN	8541.4010.00
LFV3-34SW(A)	Coaxial LED light, Active size 34 x 34 mm, white, 24 VDC, connector SMR-03V-B	1,024.00	683911	4549734954174			SZ	Z	JPN	8541.4010.00
LFV3-35FD(A)	Coaxial LED light, Active size 35 x 35 mm, red, 24 VDC, connector SMR-03V-B	884.00	680243	4549734937610			SZ	Z	JPN	8541.4010.00
LFV3-35SW(A)	Coaxial LED light, Active size 35 x 35 mm, white, 24 VDC	1,023.00	688945	4549734975506			SZ	Z	JPN	8541.4010.00
LFV3-50X100SW	Coaxial LED light, Active size 50 x 100 mm, white, 24 VDC	1,616.00	694111	4549734994323			SZ	Z	JPN	8541.4010.00
LFV3-70SW-M12(A)	Coaxial LED light, active area 76 x 73 mm, total size 84 x 120 x 79 mm, white, 24 VDC, M12	1,364.00	681579	4549734945837			SZ	Z	JPN	8541.4010.00
LFP-35FD	High Power Coaxial LED light, Active size 34 x 38 mm, red, 48 VDC	2,159.00	699491	4549734895568			SZ	Z	JPN	8541.4010.00
LFP-70SW	High Power Coaxial LED light, active size 76 x 73 mm, white, 48 VDC	3,512.00	699939	4549734893787			SZ	Z	JPN	8541.4010.00
LFX3-200FD	Flat dome light, Active size 200 x 200 mm, red, 24 VDC, connector SMR-03V-B	2,438.00	680255	4549734937702			SZ	Z	JPN	8541.4010.00
LFX3-200SW	Flat dome light, Active size 200 x 200 mm, red, 24 VDC, connector SMR-03V-B	2,438.00	680472	4549734939317			SZ	Z	JPN	8541.4010.00
LFX3-200X100SW-FL	Flat dome LED light, Active size 200 x 100 mm, white, 24 VDC, flying leads	2,298.00	696194	4549734999458			SZ	Z	JPN	8541.4010.00
LFX3-200X100SW-M12	Flat dome LED light, Active size 200 x 100 mm, white, 24 VDC	2,298.00	682589	4549734949026			SZ	Z	JPN	8541.4010.00

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Daheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
LFX3-25SW	Flat dome LED light, Active size 25 x 25 mm, white, 24 VDC	922.00	680591	4549734939966			SZ	Z	JPN	8541.4010.00
LFX3-75R860-M12	Flat dome LED light, Active area 75x75, IR860nm, 24 VDC, M12 Connector	1.496.00	695698	4549734997911			SZ	Z	JPN	8541.4010.00
LFX3-75RD	Flat dome LED light, active area 75x75, Red, 24 VDC, connector SMR-03V-B	1.497.00	680435	4549734951500			SZ	Z	JPN	8541.4010.00
LFX3-75RD-M12	Flat dome LED light, active area 75x75, Red, 24 VDC, M12 Connector	1.497.00	680519	4549734952149			SZ	Z	JPN	8541.4010.00
LFVX-100SW	Flat LED dome light, 143 x 143 mm, active size 200 x 200 mm, white, 24 VDC	1.793.00	696434	4549734890076			SZ	Z	JPN	8541.4010.00
LFVX-200SW	Flat LED dome light, 243 x 243 mm, active size 200 x 200 mm, white, 24 VDC	3.030.00	695740	4549734998123			SZ	Z	JPN	8541.4010.00
LFVX-200X100RD	Flat LED dome light, 243 x 143 mm, active size 200 x 100 mm, red, 24 VDC	2.750.00	700895	4549734896009			SZ	Z	JPN	8541.4010.00
LFVX-200X100SW	Flat LED dome light, 243 x 243 mm, active size 200 x 100 mm, white, 24 VDC	2.778.00	698570	4549734890502			SZ	Z	JPN	8541.4010.00
LFVX-300SW	Flat LED dome light, 343 x 343 mm, active size 300 x 300 mm, white, 24 VDC	5.205.00	695742	4549734998147			SZ	Z	JPN	8541.4010.00
LFVX-300X100RD	Flat LED dome light, 343 x 143 mm, active size 300 x 100 mm, red, 24 VDC	3.600.00	700861	4549734895859			SZ	Z	JPN	8541.4010.00
LFVX-300X100SW	Flat LED dome light, 343 x 143 mm, active size 300 x 100 mm, white, 24 VDC	3.636.00	698644	4549734890632			SZ	Z	JPN	8541.4010.00
LFVX-300X200RD	Flat LED dome light, 343 x 243 mm, active size 300 x 200 mm, red, 24 VDC	4.437.00	700862	4549734895866			SZ	Z	JPN	8541.4010.00
LFVX-300X200SW	Flat LED dome light, 343 x 243 mm, active size 300 x 200 mm, white, 24 VDC	4.483.00	695741	4549734998130			SZ	Z	JPN	8541.4010.00
LFVX-50FD	Flat LED dome light, 93 x 93 mm, Active size 50 x 50 mm, red, 24 VDC	1.287.00	701013	4549734896689			SZ	Z	JPN	8541.4010.00
LFVX-50SW	Flat LED dome light, 93 x 93 mm, Active size 50 x 50 mm, white, 24 VDC	1.300.00	690250	4549734980616			SZ	Z	JPN	8541.4010.00
LFVX-75R860	Flat LED dome light, 118 x 118 mm, active size 75 x 75 mm, IR860nm, 24 VDC	1.475.00	701635	4549734790789			SZ	Z	JPN	8541.4010.00
LFVX-75RD	Flat LED dome light, 118 x 118 mm, active size 75 x 75 mm, red, 24 VDC	1.490.00	699051	4549734891615			SZ	Z	JPN	8541.4010.00
LFVX-75SW	Flat LED dome light, 118 x 118 mm, active size 75 x 75 mm, white, 24 VDC	1.475.00	701262	4549734789349			SZ	Z	JPN	8541.4010.00
LKR-125FD2	LED Ring light, indirect, outer dia 125 mm, inner dia 25 mm, red, 24 VDC	1.297.00	680682	4549734940856			SZ	Z	JPN	8541.4010.00
LV-27RD2	LED Spot Light, active area 6 mm diameter, red, 24 VDC	516.50	691057	4549734985383			SZ	Z	JPN	8541.4010.00
PD2-302(A)	Digital Power supply unit for 24 VDC lights, 1 channel, 28 W	515.50	681053	45497349403550			SZ	Z	JPN	8504.4030.00
PD3-5024-4-ET(A)	Digital Power supply unit for 24VDC lights, 40W, 4 channels, Ethernet communication	1.286.00	700869	4549734895903			SZ	Z	JPN	8541.4010.00
PDM-150-15SW2	LED dome, low-angled, coaxial light combination, outer diameter 156 mm, inner diameter 28 mm, height of 120 mm, white, 24VDC	5.040.00	698571	4549734890519			SZ	Z	JPN	8541.4010.00
PF-A1604-8	Multi-functional Control Unit for High Power Strobe LEDs, 4 channels, Variable-voltage control, Strobe time control, 100- 240 VAC	2.462.00	699597	4549734893176			SZ	Z	JPN	9031.9000.00
PF-A4048-2	Multi-functional Control Unit for High Power Strobe LEDs, 2 channels, variable-voltage control, Strobe time control, 100- 240 VAC	1.287.00	699940	4549734893794			SZ	Z	JPN	8541.4010.00
PFB3-20SW-F-AJT-DJ1	Analog external LED Light source, Light adapter dimension: diameter 7.92 mm, Length 11.8 mm, 15 W, 24 VDC	1.344.00	694037	4549734994040			SZ	Z	JPN	9031.9000.00
PL2-1505-2CA-PE	Dedicated Analog Control Units for the Spot Light HLX3/HLV2 series, 2 channels, 100 to 240 VAC	896.50	693826	4549734992565			SZ	Z	JPN	9031.9000.00
PL-40-NL	Polariser, M40.5 x P0.5, Outer diameter 45.0 mm, Inner diameter 42.0 mm, Height 12 mm	93.45	686117	4549734966511			SZ	Z	JPN	9002.2000.00
PL-ELB-300	Polariser for ELB 300 illuminator	94.95	689269	4549734976749			SZ	Z	FRA	9002.2000.00
PL-ELB-500	Polarizer for ELB 500	126.30	690883	4549734984584			SZ	Z	FRA	9002.2000.00
PL-HLDL2-450X45-VE	Polarizer film for HLDL2-450X45	258.80	683884	4549734953948			SZ	Z	JPN	9031.9000.00
PL-LDL2-33X8-HO	Polarizing plate for LDL2-33X8, Light is polarized parallel to the longer edge of the plate	31.57	696462	4549734890342			SZ	Z	JPN	9031.9000.00
PL-LDL2-33X8-VE	Polarizing plate for LDL2-33X8, Light is polarized parallel to the shorter edge of the plate	31.57	696463	4549734890359			SZ	Z	JPN	9031.9000.00
PL-LDL2-50X30	Polarizer for LDL2-50X30	44.19	685038	4549734961738			SZ	Z	JPN	9031.9000.00
PL-LFV3-35	Polariser for LFV3-35	32.83	690452	4549734982047			SZ	Z	JPN	9031.9000.00
PL-LFV3-50	Polarizer for LFV3-50	32.83	690310	4549734981026			SZ	Z	JPN	9031.9000.00
PL-LFV3-70	Polarising filter for LFV3-70 series	40.40	681981	4549734946742			SZ	Z	JPN	9031.9000.00
PL-QBR3-150015	Polarizer for QBR3-150015	27.75	690552	4549734982627			SZ	Z	SGP	8541.4010.00
PL-QBR3-150015	Polarizer for QBR3-150015	32.83	685801	45497349655040			SZ	Z	SGP	9031.9000.00
PL-QRL3-070032	Polarizer for QRL3-070032	108.10	690932	4549734984751			SZ	Z	SGP	9002.2000.00
PL-QSQ3-070070	Polarizer for QSQ3-70	49.24	688487	4549734972291			SZ	Z	SGP	9024.9000.00
PR-HPD-150	Protection Plate for HPD 150	227.30	688859	4549734975087			SZ	Z	JPN	8541.4010.00
PR-HPD2-150 SET	Set containing AD-HPD-150 and PR-HPD-150	596.00	688120	4549734970365			SZ	Z	JPN	8541.4010.00
QBL3-030030W-00	LED Back Light, active area 30 mm x 30 mm, red, M12 connector	277.80	692821	4549734986748			SZ	Z	SGP	8541.4010.00
QBL3-060060W-00	LED Back Light, active area 60 x 60 mm, white, M12 connector	404.00	686111	4549734966474			SZ	Z	SGP	8541.4010.00
QBL3-090090W-00	LED Back Light, active area 90 x 90 mm, red, M12 connector	631.50	680114	4549734936781			SZ	Z	SGP	8541.4010.00
QBL3-120120R-00	LED Back Light, active area 120 mm x 120 mm, red, M12 connector	745.00	681087	4549734943796			SZ	Z	SGP	8541.4010.00
QBL3-120120W-00	LED Back Light, active area 120 x 120 mm, white, M12 connector	821.00	685804	4549734965071			SZ	Z	SGP	8541.4010.00
QBL3-180120R-00	LED Back Light, active area 180 x 120 mm, red, M12 connector	1.667.00	686051	4549734966115			SZ	Z	SGP	8541.4010.00
QBL3-180180W-00	LED Back Light, active area 180 mm x 180 mm, white, M12 connector	1.743.00	683199	4549734950923			SZ	Z	SGP	8541.4010.00
QBR3-050015B-00	LED Bar Light, active area 50 x 15 mm, blue, 24 VDC	214.70	692715	4549734986168			SZ	Z	SGP	8541.4010.00
QBR3-050015R-00	LED Bar Light, active area 50 x 15 mm, red, 24 VDC	189.90	686052	4549734966122			SZ	Z	SGP	8541.4010.00
QBR3-050015W-00	LED Bar Light, active area 50 x 15 mm, white, 24 VDC	214.70	688897	4549734973953			SZ	Z	SGP	8541.4010.00
QBR3-050030W-00	LED Bar Light, active area 50 x 30 mm, white, 24 VDC	340.40	688675	4549734973786			SZ	Z	SGP	9024.9000.00
QBR3-100015B-00	LED Bar Light, active area 100 x 15 mm, blue, 24 VDC	504.00	700896	4549734986016			SZ	Z	SGP	8541.4010.00
QBR3-100015R-00	LED Bar Light, active area 100 x 15 mm, red, 24 VDC	555.50	692727	4549734986212			SZ	Z	SGP	8541.4010.00
QBR3-100015W-00	LED Bar Light, active area 100 x 15 mm, white, 24 VDC	454.50	693709	4549734992138			SZ	Z	JPN	8541.4010.00
QBR3-100015W-00	LED Bar Light, active area 100 mm x 15 mm, white, 24 VDC	505.00	690555	4549734982641			SZ	Z	SGP	8541.4010.00
QBR3-100030W-00	LED Bar Light, active area 100 mm x 30 mm, white, 24 VDC	656.50	685802	4549734965057			SZ	Z	SGP	8541.4010.00
QBR3-125030W-00	LED Bar Light, active area 125 x 15 mm, white, 24 VDC	656.50	688674	4549734973779			SZ	Z	JPN	8541.4010.00
QBR3-150015W-00	LED Bar Light, active area 150 x 15 mm, white, 24 VDC	732.50	686112	4549734966481			SZ	Z	SGP	8541.4010.00
QBR3-150030R-00	LED Bar Light, active area 150 mm x 30 mm, red, 24 VDC	707.00	682590	4549734949033			SZ	Z	SGP	8541.4010.00
CCO3-052052G-00	Coaxial LED light, green, active size: 52 x 52 mm, 24 VDC	783.00	680473	4549734939324			SZ	Z	SGP	8541.4010.00
ODF3-075045R-00	Off Axis Low Angle Ring Illuminator, 75 x 75 mm, inner diameter 45 mm, red, 24 VDC	517.50	693137	4549734989039			SZ	Z	SGP	8541.4010.00
ODF3-090060W-00	Off Axis Low Angle Ring Illuminator, 90 x 90 mm, inner diameter 60 mm, white, 24 VDC	644.00	688636	4549734973540			SZ	Z	SGP	8541.4010.00
ODF3-138102R-00	Off Axis Low Angle Ring Illuminator, 138 x 138 mm, inner diameter 102 mm, red, 24 VDC	745.00	688634	4549734973526			SZ	Z	SGP	8541.4010.00
ODF3-138102W-00	Off Axis Low Angle Ring Illuminator, 138 x 138 mm, inner diameter 102 mm, white, 24 VDC	820.50	688812	4549734974714			SZ	Z	SGP	8541.4010.00
QRL3-400400R-C40-00	LED Back Light, active Area: 400 x 400 mm, red, 40 mm camera window, M12 Connector	2.551.00	680113	4549734936774			SZ	Z	SGP	8541.4010.00
QRL3-400400W-C40-00	LED Back Light, active Area: 400 x 400 mm, white, 40 mm camera window, M12 Connector	2.816.00	680429	4549734938976			SZ	Z	SGP	8541.4010.00
QLA3-074048W-00	Low Angle Ring LED Light, Inner Diameter 48 mm, outer Diameter 74 mm, White, M12, 24 VDC	905.00	688642	4549734973601			SZ	Z	SGP	8541.4010.00
QLA3-132096R-00	Low Angle Ring LED Light, Inner Diameter 96 mm, outer Diameter 132 mm, Red, M12, 24 VDC	959.50	690618	4549734962993			SZ	Z	SGP	8541.4010.00
QLA3-132096W-00	Low Angle Ring LED Light, Inner Diameter 96 mm, outer Diameter 132 mm, White, M12, 24VDC	1.071.00	683773	4549734953306			SZ	Z	SGP	8541.4010.00
QLA3-208174R-00	Low Angle Ring LED Light, Inner Diameter 174 mm, outer Diameter 208 mm, red, M12, 24 VDC	1.515.00	687682	4549734969154			SZ	Z	SGP	8541.4010.00
QRL3-050028R-00	Direct convex LED ring light, outer diameter 50 mm, red, 24 V	352.80	688954	4549734975582			SZ	Z	SGP	8541.4010.00
QRL3-050028W-00	Direct convex LED ring light, outer diameter 50 mm, white, 24 V	391.90	687680	4549734969130			SZ	Z	SGP	8541.4010.00
QRL3-090050B-00	Direct convex LED ring light, outer diameter 90 mm, inner diameter 50 mm, blue, 24 V	770.00	688673	4549734973762			SZ	Z	JPN	8541.4010.00
QRL3-090050R-00	Direct convex LED ring light, outer diameter 90 mm, inner diameter 50 mm, red, 24 V	694.00	688858	4549734975070			SZ	Z	SGP	8541.4010.00

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Data sheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
QFL3-090050W-00	Direct convex LED ring light, outer diameter 90 mm, inner diameter 50 mm, white, 24 V	770.50	689565	4549734978149			SZ	Z	SGP	8541.4010.00
QFL3-120070W-60D	Direct convex LED ring light, outer diameter 120 mm, white, 24 V	1,742.00	680354	4549734938686			SZ	Z	SGP	8541.4010.00
QSQ3-056036R-00	Neat-axis High Angle Square Light, outer size 56 x 56 mm, red, 24 VDC	252.50	698524	4549734972504			SZ	Z	SGP	8541.4010.00
QSQ3-070070R	Neat-axis High Angle Square Light, outer size 70 x 70 mm, IR, 24 VDC	459.60	698603	4549734899595			SZ	Z	SGP	8541.4010.00
R60-27	Optical Filter etare cut, F27	79.80	690881	4549734984560			SZ	Z	JPN	9002.2000.00
SE-110ST20	Telecentric lens, C-Mount, magnification 2x, working distance 110 mm	493.70	684048	4549734955232			SZ	Z	JPN	9031.9000.00
SE-18MS	Set of Makro Lenses, C-Mount, includes a Straight Lens Unit, Coaxial Lens Unit, C-mount Ring, 4x Ring, 6x Ring	545.50	337945				SZ	Z	JPN	9031.9000.00
SE-65V08	Telecentric lens, magnification x0.8m, working distance 67.7 mm, coaxial type	658.00	695681	4549734997799			SZ	Z	JPN	9031.9000.00
TH2-100X100FD	Flat LED Back light (15 mm), active area 100x100 mm, red, 24 VDC	1,150.00	689114	4549734975742			SZ	Z	JPN	8541.4010.00
TH2-100X100FD-PM	Flat LED Backlight (15 mm), active area 100x100 mm, red, highly directive type, 24 VDC	1,275.00	690931	4549734984744			SZ	Z	JPN	8541.4010.00
TH2-100X100FD-PM-M12	Flat LED Backlight (15 mm), active area 100x100 mm, red, highly directive type, 24 VDC, M12 connector	1,262.00	701397	4549734790369			SZ	Z	JPN	8541.4010.00
TH2-100X100SW	Flat LED Back light (15 mm), active area 100x100 mm, white, 24 VDC	1,616.00	685652	4549734964203			SZ	Z	JPN	8541.4010.00
TH2-100X100SW-FL	Flat LED Back light (15 mm), active area 100x100 mm, white, 24 VDC, flying leads	1,616.00	696193	4549734999441			SZ	Z	JPN	8541.4010.00
TH2-140X105FD-PM-M12	Flat LED Back light (15 mm), active area 140x105 mm, red, high directive, 24 VDC	1,768.00	683434	4549734951494			SZ	Z	JPN	8541.4010.00
TH2-150X150SW-CR35	Flat LED Back light (15 mm), active area 150x150 mm, camera hole 35 mm, white, 24 VDC	2,778.00	695923	4549734998796			SZ	Z	JPN	8541.4010.00
TH2-160X120FD	Flat LED Back light (15 mm), active area 160x120 mm, red, 24 VDC	1,945.00	692823	4549734986762			SZ	Z	JPN	8541.4010.00
TH2-200X150SW	Flat LED Backlight (15 mm), active area 200 x 150 mm, white, 24 VDC, M12 connector	3,131.00	691070	4549734985437			SZ	Z	JPN	8541.4010.00
TH2-211X200FD-FL	Flat LED Back light (15 mm), active area 211 mm x 220 mm, red, 24 VDC, flying leads	2,879.00	696410	4549734889889			SZ	Z	JPN	8541.4010.00
TH2-211X200SW	Flat LED Back light (15 mm), active area 211 x 200 mm, white, 24 VDC	3,601.00	686053	4549734966139			SZ	Z	JPN	8541.4010.00
TH2-211X220SW	Flat LED Back light (15 mm), active area 211 mm x 220 mm, white, 24 VDC	3,598.00	696007	4549734965934			SZ	Z	JPN	8541.4010.00
TH2-27X27BL	Flat LED Back light (15 mm), active area 27 x 27 mm, blue, 24 VDC	378.80	694960	4549734995369			SZ	Z	JPN	8541.4010.00
TH2-27X27BL-PM	Flat LED Back light (15 mm), active area 27 x 27 mm, blue, 24 VDC	416.70	681589	4549734945936			SZ	Z	JPN	8541.4010.00
TH2-27X27RD	Flat LED Back light (15 mm), active area 27 x 27 mm, red, 24 VDC	277.80	699508	4549734892728			SZ	Z	JPN	8541.4010.00
TH2-27X27RD-M12	Flat LED Back light (15 mm), active area 27 x 27 mm, red, 24 VDC, M12 connector	277.80	680507	4549734939553			SZ	Z	JPN	8541.4010.00
TH2-27X27RD-PM	Flat LED Back light (15 mm), active area 27 x 27 mm, red, high directive type, 24 VDC	315.70	681591	4549734945950			SZ	Z	JPN	8541.4010.00
TH2-27X27SW-FL	Flat LED Back light (15 mm), active area 27 x 27 mm, white, 24 VDC, Flying Leads	378.80	694000	4549734993777			SZ	Z	JPN	8541.4010.00
TH2-27X27SW-PM	Flat LED Back light (15 mm), active area 27 x 27 mm, white, high directive type, 24 VDC	416.70	681590	4549734945943			SZ	Z	JPN	8541.4010.00
TH2-280X100FD-PM-M12	Flat LED Back light (15 mm), active area 280x100 mm, red, 24 VDC, M12 Connector	4,337.00	679694	4549734934121			SZ	Z	JPN	8541.4010.00
TH2-300X300FD-FL	Flat LED Back light (15 mm), active area 300x300 mm, red, 24 VDC, flying leads	5,045.00	687900	4549734969888			SZ	Z	JPN	8541.4010.00
TH2-380X250FD	Flat LED Back light (15 mm), active area 380 x 250 mm, red, 24 VDC	5,675.00	687681	4549734969147			SZ	Z	JPN	8541.4010.00
TH2-380X250FD-FL	Flat LED Back light (15 mm), active area 380x250 mm, red, 24 VDC, flying leads	5,675.00	687899	4549734969871			SZ	Z	JPN	8541.4010.00
TH2-43X35BL-PM	Flat LED back light (15 mm), active area 43 x 35 mm, blue, high directive type, 24 VDC	543.00	681587	4549734945912			SZ	Z	JPN	8541.4010.00
TH2-43X35PD	Flat LED back light (15 mm), active area 43 mm x 35 mm, red, 24 VDC	306.30	701396	4549734790352			SZ	Z	JPN	8541.4010.00
TH2-43X35PD-PM	Flat LED Back light (15 mm), active area 43 mm x 35 mm, red, high directive type 24 VDC	353.50	680355	4549734938693			SZ	Z	JPN	8541.4010.00
TH2-43X35SW-PM	Flat LED back light (15 mm), active area 43 x 35 mm, white, high directive type, 24 VDC	543.00	681588	4549734945929			SZ	Z	JPN	8541.4010.00
TH2-500X500SW	Flat LED Back light (15 mm), active area 500 x 500 mm, red, 24 VDC	8,310.00	681583	4549734945875			SZ	Z	JPN	8541.4010.00
TH2-51X51BL-PM	Flat LED back light (15 mm), active area 51 x 51 mm, blue, high directive type, 24 VDC	745.00	681585	4549734945899			SZ	Z	JPN	8541.4010.00
TH2-51X51PD-PM	Flat LED back light (15 mm), active area 51 x 51 mm, red, high directive type, 24 VDC	530.50	691558	4549734945905			SZ	Z	JPN	8541.4010.00
TH2-51X51SW	Flat LED Back light (15 mm), active area 51 x 51 mm, white, 24 VDC	662.00	699954	4549734893900			SZ	Z	JPN	8541.4010.00
TH2-51X51SW-M12	Flat LED Back light (15 mm), active area 51 x 51 mm, white, M12 connector, 24 VDC	669.50	687030	4549734967631			SZ	Z	JPN	8541.4010.00
TH2-51X51SW-PM	Flat LED Back light (15 mm), active area 51 mm x 51 mm, white, high directive type 24 VDC	745.00	680538	4549734939799			SZ	Z	JPN	8541.4010.00
TH2-63X60FD	Flat LED Back light (15 mm), active area 63 x 60 mm, red, 24 VDC, M12 connector	555.50	680193	4549734937214			SZ	Z	JPN	8541.4010.00
TH2-63X60FD-PM	Flat LED Back light (15 mm), active area 63x60 mm, red, 24 VDC, high directive type	618.50	690153	4549734979948			SZ	Z	JPN	8541.4010.00
TH2-83X75-FD-M12	Flat LED Back light, active area 83 mm x 75 mm, red, 24 VDC, M12 connector	720.00	680112	4549734936767			SZ	Z	JPN	8541.4010.00
TH2-83X75-SW-FL	Flat LED Back light, active area 83 x 75 mm, white, 24 VDC, M12 connector	1,086.00	680115	4549734936798			SZ	Z	JPN	8541.4010.00
TH2-83X75SW-PM	Flat LED Back light, active area 83 mm x 75 mm, white, directed type, 24 VDC, M12 connector	1,187.00	682591	4549734949040			SZ	Z	JPN	9031.9000.00
XC-D3524-2-ET(A)	Strobe controller for LED Illuminator, 2 channels, 35 W, 24 VDC	624.50	690619	4549734983006			SZ	Z	JPN	8504.4030.00
ALB0804A-850C/AW	Direct LED Ring Light, 94.5 x 77 x 16.5 mm, inner diameter 40 mm, 5 high power LED, 24 V, IR850 nm, Wide aperture angle 40°, continuous mode	678.00	688514	4549734972529			SZ	Z	ESP	9031.9000.00
ALB0804A-850I/AD	Direct LED Ring Light, 94.5x77x16.5 mm, inner diameter 40 mm, 5 high power LED, 24 V, IR850 nm, diffuse Angle, iBlueDrive	881.50	687279	4549734968263			SZ	Z	ESP	9031.9000.00
ALB0804A-850I/AW	Direct LED Ring Light, 94.5x77x16.5 mm, inner diameter 40 mm, 5 high power LED, 24 V, IR850 nm, Wide aperture angle 40°, iBlueDrive	881.50	687278	4549734968256			SZ	Z	ESP	9031.9000.00
ALB0804A-W001/AN	Direct LED Ring Light, 94.5 x 77 x 16.5 mm, inner diameter 40 mm, 5 high power LED, 24 V, white, narrow aperture angle, iBlueDrive	881.50	687683	4549734969161			SZ	Z	ESP	9031.9000.00
ALB0810A-630I/AD	Direct LED Ring Light, 94.5 x 77 x 16.5 mm, inner diameter 40 mm, 10 high power LED, 24 V, red, diffuse Type, iBlueDrive	900.00	687260	4549734968089			SZ	Z	ESP	9031.9000.00
ALB0810A-630I/AW	LED Ring Illuminator, inner DM 40 mm, outer diameter 77 mm, Red, Medium Angle, iBlueDrive	991.00	688486	4549734972284			SZ	Z	ESP	9031.9000.00
ALB0810A-630I/AN	LED Ring Illuminator, inner DM 40 mm, outer diameter 77 mm, Red, Wide Angle, iBlueDrive	901.00	693252	4549734976602			SZ	Z	ESP	9031.9000.00
ALB0810A-W001/AD	LED Ring Illuminator, inner DM 40 mm, outer diameter 77 mm, white, Direct Angle, iBlueDrive, 24 VDC	900.50	690375	4549734981651			SZ	Z	ESP	9031.9000.00
ALB0810A-W001/AM	LED Ring Illuminator, inner DM 40 mm, outer diameter 77 mm, white, Medium Angle, iBlueDrive, 24 VDC	900.00	689028	4549734975605			SZ	Z	ESP	9031.9000.00
ALD0303A-630C	Direct LED ring light, inner dia. 21 mm, outer dia. 48 mm, red, continuous, 24 VDC	280.30	690376	4549734981668			SZ	Z	ESP	9031.9000.00
ALD0606A-470C	Direct LED ring light, inner dia. 40 mm, outer dia. 73 mm, blue, continuous, 24 VDC	527.50	688677	4549734973809			SZ	Z	ESP	9031.9000.00
ALSI307A-630I	Diffuse LED Ring Light, outer diameter 145 mm, inner diameter 49 mm, 24 V, red, i-Blue Drive	1,470.00	688942	4549734975483			SZ	Z	ESP	9031.9000.00
ALU0502A-630C	Diffuse LED Ring Light, 55x50x20 mm, inner diameter 20 mm, 24 V, Red, Continuous mode	258.90	684176	4549734955990			SZ	Z	ESP	9031.9000.00
ALU0704A-630I	Diffuse LED Ring Light, 75x75x22 mm, inner diameter 37 mm, 24 V, Red, iBlue Drive	683.50	684484	4549734957748			SZ	Z	ESP	9031.9000.00
ALU1006A-470C	Diffuse LED Ring Light, 100 x 100 x 28 mm, inner diameter 61 mm, 24 V, blue, Continuous mode	650.00	688484	4549734972260			SZ	Z	ESP	9031.9000.00
BK0303A-630C	LED Backlight, active area 30x30 mm, red, 24 V, Continuous mode	227.30	690032	4549734979610			SZ	Z	ESP	9031.9000.00
BK0505A-630C	LED Back light, active area 50x50 mm, red, 24 V, continuous mode	327.30	690157	4549734979986			SZ	Z	ESP	9031.9000.00
BK0705B-630C	LED Backlight, active area 70 x 50 mm, red, continuous, 24 V	436.40	690882	4549734984577			SZ	Z	ESP	9031.9000.00
BK0707B-W00C	LED Backlight, active area 70 x 70 mm, white, 24 V, Continuous mode	716.50	685569	4549734964128			SZ	Z	ESP	9031.9000.00
BK1510A-W00C	LED Backlight, active area 100 x 150 mm, White, 24 V, continuous mode	1,243.00	686116	4549734966504			SZ	Z	ESP	9031.9000.00
BK2010A-630I	LED Backlight, active area 200x100 mm, red, 24 V, iBlue	1,687.00	688488	4549734972307			SZ	Z	ESP	9031.9000.00
BK2518A-W00C	LED back light, active area 250 x 180 mm, white, continuous mode, 24 V	2,121.00	689095	4549734979612			SZ	Z	ESP	9031.9000.00
BK2518A-W00S	LED back light, active area 250 x 180 mm, white, strobe mode, 24 V	2,121.00	689097	4549734975636			SZ	Z	ESP	9031.9000.00
BK3005A-630C	LED Backlight, active Area 300 x 50 mm, red, 24 VDC, continuous mode	1,857.00	690758	4549734983723			SZ	Z	ESP	8541.4010.00
BK4020A-630C	LED backlight, active area 400 x 200 mm, red, continuous mode, 24 VDC, 3 m power cable with free terminals	3,677.00	689271	4549734976763			SZ	Z	ESP	9031.9000.00
BK44030A-630C	LED backlight, active area 400 x 300 mm, red, continuous mode, 24 VDC, 3 m power cable with free terminals	3,838.00	690251	4549734980623			SZ	Z	ESP	9031.9000.00
C-M12-4P-5M	Straight M12 cable, 4 contacts, 5 m	28.79	693812	4549734992428			SZ	Z	FRA	8544.4290.90
C-M12-C-4P-T-2M	High power cable, right-angle M12 connectors, 4 contacts, 2 m	45.45	688953	4549734975575			SZ	Z	FRA	9031.9000.00
C-M8-3P-2M	Cable, straight M8 connector, 3 pin, 2 m	27.27	685423	4549734963138			SZ	Z	FRA	9031.9000.00

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Data sheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
DF29-46	Filter adapter M46x0.75 to M29X0.5	38.38	687276	4549734968232			SZ	Z	ESP	9031.9000.00
DKL1813A-850I	Darkfield LED light, 188 x 188 x 13 mm, inner diameter 130 mm, IR850nm, iBlue, 24 VDC	1,470.00	695401	4549734889872			SZ	Z	ESP	9031.9000.00
DKL2418A-470I	Darkfield LED light, 240 x 240 x 13 mm, inner diameter 180 mm, blue, 24 VDC, iBlueDrive	1,778.00	692479	4549734946340			SZ	Z	ESP	9031.9000.00
DKL2418A-630I	Darkfield LED light, 240 x 240 x 13 mm, inner diameter 180 mm, red, 24 VDC, iBlueDrive	1,840.00	690830	4549734984089			SZ	Z	ESP	9031.9000.00
DOM1410A-W00C	LED Dome Illuminator, 145 x 145 x 72 mm, white, continuous mode, 24 VDC	994.50	688637	4549734973557			SZ	Z	ESP	9031.9000.00
DOM4127A-W00S/M02	Dome LED light, Inner dia. 265 mm, Outer dim. 425x425x181 mm, white, Continuous mode, 24 VDC, cable 1.8 m, 40 camera hole	1,965.00	690158	4549734979993			SZ	Z	ESP	9031.9000.00
DTL3521B-630C	Transmitted Dome LED Light, inner Dia. 55 mm, outer Dia. 211 mm, red, continuous mode	2,601.00	684429	4549734957335			SZ	Z	ESP	9031.9000.00
HPRING-850-10-DT	Ring light, 12 high power LED, inner dia 58 mm, outer dia 112 mm, 10° angle, IR transparent window, 24 VDC, M8 connector	895.00	690226	4549734980401			SZ	Z	FRA	9031.9000.00
LC-LFV3-70	Light Control Film for LFV3-70 Series	59.35	681980	4549734946735			SZ	Z	JPN	9031.9000.00
P0608A01-VAL	OCR Lighting Sat	5,255.00	693698	4549734992060			SZ	Z	ESP	9031.9000.00
PLA1013A-630I/AM	Compact Line LED Projector, 130 x 10 mm, 48 W, red, medium angle, iBlueDrive mode, 24 VDC	985.00	687335	4549734968409			SZ	Z	ESP	9031.9000.00
PLA1013A-W00I/AM	Compact Line Projector, 130 x 10 mm, 48 W, White, medium angle 40°, iBlueDrive mode, 24 VDC, cable end connector	985.00	684338	4549734956833			SZ	Z	ESP	9031.9000.00
PLC0412C-W00C/AD/67	LED Linear Projector, active area 120 mm, white, continuous mode, direct angle, IP67	656.50	690161	4549734980029			SZ	Z	ESP	9031.9000.00
PLC0412C-W00C/AM/67	LED Linear Projector, active area 120 mm, white, continuous mode, medium angle, IP67	656.50	690160	4549734980012			SZ	Z	ESP	9031.9000.00
PLC0412C-W00I/AD	LED line projector, active area 120 mm, 24 W, white, iBlue drive, diffuse, 24 V	885.50	684986	4549734961509			SZ	Z	ESP	9031.9000.00
PLC0824C-850I/AM	LED line projector, active area 240 mm, 48 W, white, iBlue drive, medium angle, 24 V	1,157.00	690449	4549734982016			SZ	Z	ESP	9031.9000.00
PLC0824C-W00C/AD/67	LED Linear Projector, active area 240 mm, white, continuous mode, direct angle, IP67	825.00	690163	4549734980043			SZ	Z	ESP	9031.9000.00
PLC0824C-W00C/AM/67	LED Linear Projector, active area 240 mm, white, continuous mode, medium angle, IP67	825.00	690162	4549734980036			SZ	Z	ESP	9031.9000.00
PLC0824C-W00I/AM	LED Linear Projector, active area 240 mm, white, iBlueDrive, medium angle	1,081.00	690450	4549734982023			SZ	Z	ESP	9031.9000.00
PLC1239C-525C/AM	Linear lights projector, Compact, 360 x 39 x 34.5 mm, 12 LED, green, Continuous, medium aperture angle 35°, 24 VDC, connector	928.50	689644	4549734973625			SZ	Z	ESP	9031.9000.00
PLC1239C-630C/AM	Linear lights projector, Compact, 360 x 39 x 34.5 mm, 12 LED, White, Continuous, Medium aperture angle 35°, 24 VDC	928.50	689645	4549734973632			SZ	Z	ESP	9031.9000.00
PLC1239C-W00C/AM	Linear lights projector, Compact, 360 x 39 x 34.5 mm, 12 LED, White, Continuous, Medium aperture angle 35°, 24 VDC, IP67	928.50	688428	4549734971720			SZ	Z	ESP	9031.9000.00
PLC1239C-W00C/AM/67	LED linear projector, active area 480 mm, red, Continuous mode, medium angle, IP65	1,024.00	688428	4549734971713			SZ	Z	ESP	9031.9000.00
PLC1648C-630C/AM	Linear LED Projector, active area 480 mm, red, Continuous mode, medium angle, IP65	1,091.00	688809	4549734974707			SZ	Z	ESP	9031.9000.00
PLC1648C-630C/AN	Linear LED Projector, active area 473 x 25 mm, red, continuous mode, narrow angle, IP65	1,091.00	690759	4549734983730			SZ	Z	ESP	8541.4010.00
PLC1648C-W00I/AM	Linear LED Projector, active area 473 x 25 mm, white, iBlue Drive, IP65	1,364.00	688791	4549734974561			SZ	Z	ESP	9031.9000.00
PLC2060C-630C/AD	LED linear projector, active area 600 mm, Red, Continuous, diffuse, IP65	1,261.00	689965	4549734979191			SZ	Z	ESP	9031.9000.00
PLC2060C-630C/AM	LED linear projector, active area 600 mm, Red, Continuous mode, medium angle, IP65	1,263.00	688807	4549734974684			SZ	Z	ESP	9031.9000.00
PLC2060C-630I/AM	LED linear projector, active area 600 mm, Red, iBlueDrive, medium angle, IP65	1,528.00	688808	4549734974691			SZ	Z	ESP	9031.9000.00
PLD1302B-630C	LED direct light linear projector, active area 128x16 mm, Red, 24V, continuous mode	498.40	684177	4549734955997			SZ	Z	ESP	9031.9000.00
PLD1802A-W00I	LED direct light linear projector, active area 180 x 16 mm, white, 24 V, iBlue Drive	874.00	688941	4549734975476			SZ	Z	ESP	9031.9000.00
PLU1802A-630C	Ultra diffuse LED bar light 180 x 16 mm, Red Continuous, 24 V	672.00	686978	4549734967365			SZ	Z	ESP	9031.9000.00
PLU1802A-W00I	Ultra diffuse LED bar light 180 x 16 mm, white, iBlue Drive, 24V	972.00	689253	4549734976619			SZ	Z	ESP	9031.9000.00
PLU2602A-470C	LED Bar Illuminator, active area 259 x 16 mm, blue, 24 V, continuous mode	831.50	684473	4549734957632			SZ	Z	ESP	9031.9000.00
PRC0604C-850C/AN/67	LED Projector, active area 60 x 50 mm, IR850 nm, narrow angle, continuous mode, IP67, 24 V	582.50	687495	4549734968690			SZ	Z	ESP	9031.9000.00
PRC0604C-850C/AW	LED Projector, active area 60x50 mm, IR850 nm, continuous mode, wide angle, 24 V	515.50	689496	4549734977777			SZ	Z	ESP	9031.9000.00
PRC0608C-W00I/AW	LED Projector, active area 60x50 mm, white, wide angle, iBlue drive, IP65, 24 V	947.00	686204	4549734966788			SZ	Z	ESP	9031.9000.00
PRH0104A-470C/AN	High Power LED Spot, blue, Continuous mode, Narrow Angle, IP65, 24 VDC	404.00	689099	4549734975629			SZ	Z	ESP	9031.9000.00
PRH0104A-630C/AN	High Power LED Spot, red, Continuous mode, narrow Angle, IP65, 24 VDC	404.00	689893	4549734978965			SZ	Z	ESP	9031.9000.00
PRH0104A-630C/AM/67	Spot LED Projector, Red, continuous mode, Narrow Angle, IP67	473.70	689626	4549734978569			SZ	Z	ESP	9031.9000.00
PRH0104A-630C/AM/P	Spot LED Projector, Red, continuous mode, Narrow Angle, IP67, PNP	564.00	690232	4549734980463			SZ	Z	ESP	9031.9000.00
PRH0104A-W00C/AW	High Power LED Spot, white, Continuous mode, 21° medium Angle, IP65, 24VDC	404.00	688030	4549734970129			SZ	Z	ESP	9031.9000.00
PRH1612A-365I/AW	LED Projector, active area 115 x 115 mm, UV 365 nm, iBlue, Wide aperture 70°, 24 V	3,079.00	690837	4549734984188			SZ	Z	ESP	9031.9000.00
PRH1612A-400I/AW	LED Projector, active area 115 x 115 mm, UV 400 nm, iBlue, Wide aperture 70°, 24 V	1,514.00	690838	4549734984195			SZ	Z	ESP	9031.9000.00
PRH1612A-630I/AW	LED Projector, active area 115 x 115 mm, red, iBlue, Wide aperture 70°, 24 V	1,362.00	681939	4549734946407			SZ	Z	ESP	9031.9000.00
PRH1612A-850I/AD	LED Projector, active area 115 x 115 mm, IR850 nm, iBlue, diffuse emission, 24 VDC	1,437.00	690839	4549734984201			SZ	Z	ESP	9031.9000.00
PRH1612A-W00I/AD	LED Projector, active area 115 x 115 mm, white, iBlue, diffuse emission, 24 VDC	1,362.00	690840	4549734984218			SZ	Z	ESP	9031.9000.00
SAC0505A-W00C	Coaxial LED light, active surface 50 x 50 mm, white, continuous mode, 24 VDC	690.00	689465	4549734977531			SZ	Z	ESP	9031.9000.00
SAX0505A-W00C	Coaxial LED light, active area 50 x 50 mm, white, continuous, 24 V	795.50	685568	4549734964111			SZ	Z	ESP	9031.9000.00
SAX1010B-630I	Coaxial LED light, active area 100 x 100 mm, red, 24 V, iBlueDrive	1,530.00	690818	4549734984065			SZ	Z	ESP	9031.9000.00
SAX1515A-630C	LED coaxial Light, active area 152 x 150 mm, red, 24 VDC, continuous	2,109.00	688430	4549734971737			SZ	Z	ESP	9031.9000.00
SAX1515A-630I	LED coaxial Light, active area 152 mm x 150 mm, red, 24 VDC, iBlueDrive	2,037.00	682480	4549734948357			SZ	Z	ESP	9031.9000.00
SAX1515A-W00I	LED coaxial Light, active area 152 x 150 mm, white, 24 VDC, iBlueDrive	2,480.00	690819	4549734984072			SZ	Z	ESP	9031.9000.00
VBA050A	Side Bracket for PLD PLU	31.57	688955	4549734975049			SZ	Z	ESP	9031.9000.00
VBA055A	Back fixing bracket for PLC Illuminator	56.60	689643	4549734973618			SZ	Z	ESP	9031.9000.00
VBA075A	Back Bracket for BKL Illuminator, excluding BKL0303	40.40	688431	4549734971744			SZ	Z	ESP	9031.9000.00
VCB050-AC1	Power cable for LED Illuminators, 2 cores, Right angle, 5 m	50.50	688956	4549734975056			SZ	Z	ESP	9031.9000.00
VCB100	Power cable, 2 cores, 10 meters for: ALD, ALS, LU, ALW, BKL, BKN, PLD, PLU, PPD, PRL, PRY, SAC, SAL, SAX.	50.50	684120	4549734955652			SZ	Z	ESP	8544.4290.90
VCFXYBK0504B	Collimator filter xy axis for BKL0504B	151.50	690031	4549734979603			SZ	Z	ESP	9031.9000.00
VCFXYBK0505A	Collimator filter X and Y axis for BKL0505A	170.70	690183	4549734980241			SZ	Z	ESP	9031.9000.00
VCFXYBK1515B	Collimator filter X and Y axis for BKL1515A	424.20	691030	4549734985178			SZ	Z	ESP	9032.8900.90
VCFXYBK2010A	Collimator filter X and Y axis for BKL2010A	381.80	687336	4549734968416			SZ	Z	ESP	9031.9000.00
VDALB0804A	Diffuser filter for ALB0804A	84.10	687275	4549734968225			SZ	Z	ESP	9031.9000.00
VDFLA1013A	Diffuser filter for PLA1013A	51.80	687023	4549734967563			SZ	Z	ESP	9031.9000.00
VL930-27	Lines polarizer, M27 x 0.5	143.20	684419	4549734957236			SZ	Z	ESP	9031.9000.00
VPB635-27	Optical bandpass filter 635 nm, M27 x 0.5	136.40	688537	4549734972703			SZ	Z	ESP	9031.9000.00
VPB850-25.5	Bandpass Filter, 850 nm, M25.5 x 0.5	158.60	689852	4549734978248			SZ	Z	ESP	9031.9000.00
VPB850-35.5	Bandpass Filter, 850 nm, 35.5 x 0.5	149.00	689117	4549734975773			SZ	Z	ESP	9031.9000.00
VPB850-46	850 nm bandpass filter for lens type M46x0.75	191.90	687277	4549734968249			SZ	Z	ESP	9031.9000.00
VFPPLA2026A	Polarizer filter for PLA1026A, PLA2026A	112.50	685116	4549734961981			SZ	Z	ESP	9031.9000.00
VPLN-27	Lens protection cover M27, UV absorbing	131.60	684417	4549734957212			SZ	Z	ESP	9031.9000.00
VPLN35.5	Polarizing filter for M35.5x0.5 optics + fixing screw	126.30	689857	4549734979063			SZ	Z	ESP	9031.9000.00
VTA0005A	iBlueBox, Control interface for iBlueDrive devices, USB	333.30	688940	4549734975469			SZ	Z	ESP	8544.4210.00
10273701P/RD823/D5/C70	Backlight 53 x 43 x 21 mm for use with Omron driver. Red 823 nm. Diffuser type 5, cable length 70 cm.	621.00	685887	4549734965156			SZ	Z	NLD	9031.9000.00
10415001/R82/L15	Accessory Y-Cable for VHP Illuminator	40.40	687756	4549734969611			SZ	Z	NLD	8544.4290.90
10741604_02/BL455/20DEG	Spotlight 53 x 43 x 21 mm for use with Omron driver. Blue 455 nm, viewing angle 20 degrees	542.50	688423	4549734971669			SZ	Z	NLD	9031.9000.00

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Data sheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
AC-EBAR-L	Anaile changer modular line light	30,00	699680	4549734893459			SZ	Z	FRA	9031.9000.00
AC-EBAR-M	Anaile changer modular line light, medium	30,00	699682	4549734893473			SZ	Z	FRA	9031.9000.00
AC-EBAR-N	Anaile changer modular line light, narrow	30,00	699683	4549734893480			SZ	Z	FRA	9031.9000.00
AC-EBAR-W	Anaile changer modular line light, wide	30,00	699681	4549734893466			SZ	Z	FRA	9031.9000.00
BK-1510A-850S	LED Back light, active area 100 x 150 mm, IR 850 nm, 24 V, strobe mode	1,267,00	686992	4549734967471			SZ	Z	ESP	8541.4010.00
BLBAR-1000-WHI	LED backlight, 1033 x 47.6 x 45 mm, active area 1001 mm x 31.5 mm, 40 LEDs, white, 24 VDC	2,136,00	687787	4549734969802			SZ	Z	FRA	8541.9000.00
BLBAR-1250-WHI	LED backlight, 1590 x 47.6 x 45 mm, active area 1283 mm x 31.5 mm, 50 LEDs, white, 24 VDC	2,589,00	692876	4549734987264			SZ	Z	FRA	9031.9000.00
BLBAR-125-850	LED backlight, 158 x 47.6 x 45 mm, active area 125 x 31.5 mm, 5 LEDs, IR 850 nm, 24 VDC	517,50	693942	4549734993494			SZ	Z	FRA	9031.9000.00
BLBAR-125-WHI	LED backlight, 158 x 47.6 x 45 mm, active area 125 mm x 31.5 mm, 5 LEDs, white, 24 VDC	517,50	686974	4549734967327			SZ	Z	FRA	9031.9000.00
BLBAR-250-630	LED backlight, 283 x 47.6 x 45 mm, active area 250 mm x 31.5 mm, 10 LEDs, white, 24 VDC	748,50	690156	4549734979979			SZ	Z	FRA	9031.9000.00
BLBAR-375-630	LED backlight, 408 x 47.6 x 45 mm, active area 375 mm x 31.5 mm, 15 LEDs, white, 24 VDC	980,00	690155	4549734979962			SZ	Z	FRA	9031.9000.00
BLBAR-375-850	LED backlight, 408 x 47.6 x 45 mm, active area 376 x 31.5 mm, 20 LEDs, IR 850, 24 VDC	970,00	701175	4549734897075			SZ	Z	FRA	9031.9000.00
BLBAR-500-850	LED backlight, 533 x 47.6 x 45 mm, active area 501 x 31.5 mm, 20 LEDs, IR 850, 24 VDC	1,210,00	693946	4549734993531			SZ	Z	FRA	9031.9000.00
BLBAR-500-WHI-IP69K	LED Bar illuminator, active area 500 mm x 31.5, white, 24VDC, IP69K	2,230,00	701642	4549734790826			SZ	Z	FRA	9031.9000.00
BLBAR-750-WHI	LED backlight, 783 x 47.6 x 45 mm, active area 751 x 31.5 mm, 30 LEDs, white, 24 VDC	1,673,00	686058	4549734966184			SZ	Z	FRA	9031.9000.00
BLBAR-875-WHI	LED backlight, 876 x 47.6 x 45 mm, active area 751 x 31.5 mm, 35 LEDs, white, 24 VDC	1,904,00	689438	4549734977326			SZ	Z	FRA	9031.9000.00
BLBAR-L-250-525	LED backlight, link, 283 x 47.6 x 45 mm, active area 250 mm x 31.5 mm, 10 LEDs, green, 24 VDC	748,50	699566	4549734893053			SZ	Z	FRA	9031.9000.00
BLBAR-O-500-WHI	LED backlight, overdrive, 533 x 47.6 x 45 mm, active area 500 mm x 31.5 mm, 20 LEDs, white, 24 VDC	1,361,00	696285	4549734889162			SZ	Z	FRA	9031.9000.00
EMOUNT	Mount for TPL Bar Lights	46,46	692877	4549734987271			SZ	Z	FRA	9031.9000.00
BR335-M27	Bandpass filter 635nm, M27	188,90	696319	4549734899407			SZ	Z	FRA	9031.9000.00
C-INTEBRICK-250MM	Brick to brick cable for LED bricks, 250 mm	9,90	699193	4549734892025			SZ	Z	FRA	9031.9000.00
C-M12-4P-2M	M12 male, 4 pins cable, 2 m	24,24	688861	4549734975100			SZ	Z	FRA	9031.9000.00
C-M12-4P-T-2M	M12 male T-POWER 4 pins cable, 2 m	39,39	688185	4549734970587			SZ	Z	FRA	9031.9000.00
C-M12-5P-10M	Cable, Straight M12, 5 pin, 10 m	57,60	686977	4549734967358			SZ	Z	FRA	8544.4290.90
C-M12-5P-5M	Cable, Straight M12, 5 pin, 5 m	52,75	685454	4549734963398			SZ	Z	FRA	8544.4290.90
C-M12-8P-5M	Straight M12 Cable, 8 Contacts, 5 m	72,75	698574	4549734890540			SZ	Z	FRA	8544.4290.90
C-M12-C-4P-5M	Power Cable, bended, M12, 4 contacts, 5 m	28,79	693878	4549734993012			SZ	Z	FRA	8544.4290.90
C-M12-C-5P-10M	Cable, 90° bended, M12, 5 contacts, 10 m	62,00	702216	4549734792325			SZ	Z	FRA	9031.9000.00
C-M12-C-5P-5M	Cable, 90° bend, M12, 5 pin, 5 m	39,39	693850	4549734992749			SZ	Z	FRA	8544.4290.90
C-M8-3P-10M	Cable, straight M8 connector, 3 pin, 10 m	39,00	701358	4549734790116			SZ	Z	FRA	8544.4290.90
CMBACK-2020-525-M1	Collimated LED Backlight, active area 200x200 mm, green, 24 VDC, M12 connector	1,427,00	699290	4549734892148			SZ	Z	FRA	9031.9000.00
CMBACK-2020-WHI-M1	Collimated LED Backlight, active area 200x200 mm, white, 24 VDC, M12 connector	1,389,00	693009	4549734981019			SZ	Z	FRA	9031.9000.00
CMBACK-3030-630-M1	Collimated LED Backlight, active area 300x300 mm, red, 24 VDC, M12 connector	2,336,00	695386	4549734996686			SZ	Z	FRA	9031.9000.00
CMBACK-4020-WHI-M1	Collimated LED Backlight, active area 400x200 mm, white, 24 VDC, M12 connector	2,083,00	693008	4549734981002			SZ	Z	FRA	9031.9000.00
CMBACK-O-2020-850-M1	Collimated LED Backlight, active area 200 x 200 mm, IR 850 nm, 24 VDC, M12 connector, overdrive	1,503,00	690812	4549734984003			SZ	Z	FRA	9031.9000.00
CMBACK-O-4012-850-M1	Collimated LED Backlight, active area 400x120 mm, IR 850 nm, 24 VDC, M12 connector, overdrive	2,323,00	688988	4549734973960			SZ	Z	FRA	9031.9000.00
D-MR-80	Dom e module for MR80 led light	88,40	694989	4549734995511			SZ	Z	FRA	8541.9000.00
DO-30X20	Opaque diffuser 30 x 200 mm	64,85	693441	4549734992346			SZ	Z	FRA	9031.9000.00
DO-BAR-1000	Diffuser for Bar 1000 Illuminator	126,30	687788	4549734969819			SZ	Z	FRA	8541.9000.00
DO-BAR-1125	Opaque diffuser for Bar 1125	145,30	684423	4549734957274			SZ	Z	FRA	9031.9000.00
DO-BAR-125	Diffuser Plate for EBar 125	31,57	687704	4549734969338			SZ	Z	FRA	9031.9000.00
DO-BAR-1250	Opaque diffuser for Bar 1250	164,20	684424	4549734957281			SZ	Z	FRA	9031.9000.00
DO-BAR-250	Opaque diffuser for Bar 250	37,88	690817	4549734984058			SZ	Z	FRA	9031.9000.00
DO-BAR-375	Opaque diffuser for type 300 LED bar illuminator	56,60	688512	4549734972505			SZ	Z	FRA	9031.9000.00
DO-BAR-500	Opaque diffuser for Bar 500	68,00	701634	4549734790772			SZ	Z	FRA	9031.9000.00
DO-BAR-750	Opaque Diffuser for Bar 750	101,00	686075	4549734966313			SZ	Z	FRA	9031.9000.00
DO-TSPOT1	Diffuser option for TSpot1, opaque	74,00	700813	4549734895538			SZ	Z	FRA	9031.9000.00
DS-BAR-1125	Satin Diffuser for Bar 1125	145,30	684422	4549734957267			SZ	Z	FRA	9031.9000.00
DS-BAR-125	Satin Diffuser for Bar 125	31,57	690345	4549734981309			SZ	Z	FRA	9031.9000.00
DS-BAR-1250	Satin Diffuser for Bar 1250	164,20	684421	4549734957250			SZ	Z	FRA	9031.9000.00
DS-BAR-250	Satin Diffuser for Bar 250	37,88	696450	4549734890229			SZ	Z	FRA	9031.9000.00
DS-BAR-375	Satin Diffuser for Bar 375	56,85	686991	4549734967464			SZ	Z	FRA	9031.9000.00
DS-BAR-500	Satin diffuser for BAR 500	69,45	693939	4549734993463			SZ	Z	FRA	9031.9000.00
DS-BAR-625	Diffuser for Bar 625	87,50	702215	4549734792318			SZ	Z	FRA	9031.9000.00
DS-BAR-750	Satin diffuser for BAR 750	100,00	702035	4549734894104			SZ	Z	FRA	9031.9000.00
DT-BAR-250	Transparent Diffuser for Bar 250 Illuminator	37,88	686980	4549734967389			SZ	Z	FRA	9031.9000.00
EBAR-1000-470-25	LED bar light, 1033 x 47 mm, 40 blue LED, 24 VDC, M12 4-pole connector, +/- 25°, IP65	1,697,00	683883	4549734953931			SZ	Z	FRA	9031.9000.00
EBAR-1000-630-10	LED Bar Light, 1000 mm, red, +/- 10°, 24 VDC	1,528,00	690841	4549734984225			SZ	Z	FRA	9031.9000.00
EBAR-1000-WHI-NL	LED bar light, 1033 x 47 mm, 40 white LED, 24 VDC, M12 4-pole connector, No lens, IP65	1,528,00	695679	4549734997775			SZ	Z	FRA	9031.9000.00
EBAR10-WHI-10-DO-IP69K	LED bar light, 246 x 47 mm, 10 white LED, 24 VDC, M12 4-pole connector, opaque diffuser, IP69K	1,729,00	689564	4549734981312			SZ	Z	FRA	9031.9000.00
EBAR10-WHI-NL-DO-IP69K	LED bar light, active area 246 x 39 mm, 10 white LED, 24 VDC, M12 4-pole connector, no lens, opaque diffuser, IP69K	1,729,00	690346	4549734981316			SZ	Z	FRA	9031.9000.00
EBAR-1125-405-17	LED bar light, 1158 x 47 mm, 45 LED, 405 nm UV, 24 VDC, M12 4-pole connector, +/- 17°, IP65	2,671,00	684426	4549734957304			SZ	Z	FRA	9031.9000.00
EBAR-1125-WHI-10-IP69K	LED bar light, 1158 x 47 mm, 45 LED, white, 24 VDC, M12 4-pole connector, +/- 10°, IP69K	3,630,00	701989	4549734791236			SZ	Z	FRA	9031.9000.00
EBAR-1125-WHI-7	LED bar light, 1158 x 47 mm, 45 LED, white, 24 VDC, M12 4-pole connector, +/- 7°, IP65	1,401,00	701361	4549734790123			SZ	Z	FRA	9031.9000.00
EBAR-1250-850-17	LED Bar light, 1250 mm, IR 850 nm, 50 high power LED, +/- 17° emitting angle, 24 VDC	1,841,00	696412	4549734889902			SZ	Z	FRA	9031.9000.00
EBAR-1250-WHI-7	LED Bar light, 1250 mm, white, 50 high power LED, +/- 7° emitting angle, 24 VDC	1,522,00	702214	4549734792301			SZ	Z	FRA	9031.9000.00
EBAR-125-630-17	LED Bar light, 125 mm, red, 5 high power LED, +/- 17° emitting angle, 24 VDC	405,10	693363	4549734989107			SZ	Z	FRA	9031.9000.00
EBAR-125-850-17	LED Bar light, 125 mm, IR 850 nm, 5 high power LED, +/- 17° emitting angle, 24 VDC	424,20	693699	4549734992077			SZ	Z	FRA	9031.9000.00
EBAR-125-WHI-25	LED Bar light, 125 mm, white, 5 high power LED, +/- 25° emitting angle, 24 VDC	405,40	699181	4549734891943			SZ	Z	FRA	9031.9000.00
EBAR-125-WHI-7	LED Bar light, 125 mm, white, 5 high power LED, +/- 7° emitting angle, 24 VDC	450,80	687703	4549734969321			SZ	Z	FRA	9031.9000.00
EBAR15-630-10-IP69K	LED bar light, 317 mm x 39 mm, 15 red LED, 24 VDC, M12 4-pole connector, +/- 10°, IP69K	2,323,00	682481	4549734948364			SZ	Z	FRA	9031.9000.00
EBAR-250-405-17	LED bar light, 283 x 47 mm, UV 405 nm, 24 VDC, M12 4-pole connector	722,50	690816	4549734984041			SZ	Z	FRA	9031.9000.00
EBAR-250-630-17	LED bar light, 283 x 47 mm, red, emission angle +/- 17°, 24 VDC, M12 4-pole connector	566,00	693362	4549734989091			SZ	Z	FRA	9031.9000.00
EBAR-250-630-7	LED bar light, 283 x 47 mm, red, emission angle 7°, 24 VDC, M12 4-pole connector	629,00	688633	4549734973519			SZ	Z	FRA	9031.9000.00
EBAR-250-850-10	LED bar light, 283 x 47 mm, 10 IR LED 850 nm, emission angle 10°, 24 VDC, M12 4-pole connector	850,50	686975	4549734967334			SZ	Z	FRA	9031.9000.00
EBAR-250-WHI-10	LED bar light, 283 x 47 mm, 10 white, emission angle 10°, 24 VDC, M12 5-pole connector	629,00	687786	4549734969796			SZ	Z	FRA	8541.9000.00
EBAR-250-WHI-25	LED bar light, 283 x 47 mm, 10 white, emission angle 25°, 24 VDC, M12 5-pole connector	629,00	702169	4549734792004			SZ	Z	FRA	8541.9000.00

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Daheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
EBAR0-WHH17-IP69K	LED bar light, active area 746 mm x 39 mm, white, +/- 17°, 24 V, IP69K	3,369.00	681582	4549734945868			SZ	Z	FRA	9031.9000.00
EBAR-375-405-10	LED bar light, 375 x 47 mm, UV 405, 24 VDC, M12 4-pole connector, +/- 10, IP65	972.00	699194	4549734892032			SZ	Z	FRA	9031.9000.00
EBAR-375-630-17	LED bar light, 376 x 31.5 mm, 15 LED, red, 24 VDC, M12 5-pole connector, +/- 17°, IP65	725.50	693890	4549734993036			SZ	Z	FRA	9031.9000.00
EBAR-375-630-7	LED bar light, 376 x 31.5 mm, 15 LED, red, 24 VDC, M12 5-pole connector, +/- 7°, IP65	725.50	695076	4549734995788			SZ	Z	FRA	9031.9000.00
EBAR-375-850-10	LED bar light, 375 x 47 mm, 15 IRLED 850 nm, 24 VDC, M12 4-pole connector, +/- 10°, IP65	825.50	690586	4549734982825			SZ	Z	FRA	9031.9000.00
EBAR-375-850-25	LED bar light, 375 x 47 mm, 15 IRLED 850 nm, 24 VDC, M12 4-pole connector, +/- 25°, IP65	826.00	686057	4549734996177			SZ	Z	FRA	9031.9000.00
EBAR-375-850-NL	LED bar light, 375 x 47 mm, 15 IRLED 850 nm, 24 VDC, M12 4-pole connector, no lens, IP65	744.50	689463	4549734977524			SZ	Z	FRA	9031.9000.00
EBAR-375-WHH-17-IP69K	LED bar light, 375 x 47 mm, white, 24 VDC, M12 4-pole connector, +/- 17°, IP69K	1,940.00	701641	4549734790819			SZ	Z	FRA	9031.9000.00
EBAR-375-WHH-25	LED bar light, 375mm x 47mm, 15 white LED, 24VDC, M12 4-pole connector, +/- 25°, IP65	792.00	700835	4549734895736			SZ	Z	FRA	9031.9000.00
EBAR-375-WHH-7	LED bar light, 375 x 47 mm, white, 24 VDC, M12 4-pole connector, +/- 7°, IP65	807.00	688511	4549734972499			SZ	Z	FRA	9031.9000.00
EBAR-500-470-17	LED bar light, 533 x 47 mm, 20 blue LED, 24 VDC, M12 4-pole connector, +/- 17°, IP65	886.50	686876	4549734973816			SZ	Z	FRA	9031.9000.00
EBAR-625-WHH-7	LED bar light, 625mm x 47mm, 25 white LED, 24VDC, M12 4-pole connector, +/- 7°, IP65	779.00	702128	4549734791694			SZ	Z	FRA	9031.9000.00
EBAR-750-850-25	LED bar light, 783 x 47 mm, 30 LED, IR850 nm, 24 VDC, M12 4-pole connector, +/- 25°, IP65	1,205.00	700206	4549734894111			SZ	Z	FRA	9031.9000.00
EBAR-750-850-9-16	LED bar light, 783 x 47 mm, 30 LED, IR850 nm, 24 VDC, M12 4-pole connector, +/- 9-16°, IP65	1,353.00	688427	4549734971706			SZ	Z	FRA	9031.9000.00
EBAR-750-WHH-17-IP69K	LED bar light, 783 x 47 mm, 30 white LED, 24 VDC, M12 4-pole connector, +/- 17°, IP69K	2,800.00	702448	4549734792967			SZ	Z	FRA	9031.9000.00
EBAR-750-WHH-25	LED bar light, 783 x 47mm, 30white LED, 24 VDC, M12 4-pole connector, +/- 25°, IP65	1,342.00	686899	4549734967440			SZ	Z	FRA	9031.9000.00
EBAR-750-WHH-NL-IP69K-POL	LED bar light, 783 x 47 mm, 30 white LED, 24 VDC, M12 4-pole connector, no lens, polarizer, IP69K	3,020.00	701643	4549734790833			SZ	Z	FRA	9031.9000.00
EBAR-875-630-17	LED bar light, 908 x 47 mm, 35 red LED, 24 VDC, M12 4-pole connector, +/- 17°, IP65	1,367.00	692878	4549734987288			SZ	Z	FRA	9031.9000.00
EBAR-C-1000-630-17	LED Bar Light, curved, active length 1000 mm, red, 17° optic angle	1,913.00	694123	4549734994347			SZ	Z	FRA	9031.9000.00
EBAR-C-1000-850-17	LED Bar Light, curved, active length 1000 mm, IR850nm, 17° optic angle, 24 VDC	1,913.00	696976	4549734967341			SZ	Z	FRA	9031.9000.00
EBAR-C-200-WHH-17	LED Bar Light, curved light pattern, active area 200 mm, white, emitting angle +/- 17°	606.00	696225	4549734966924			SZ	Z	FRA	8541.9000.00
EBAR-C-600-630-17	LED Bar Light, curved light pattern, active area 600 mm, red, emitting angle +/- 17°	1,334.00	687281	4549734968287			SZ	Z	FRA	8541.9000.00
EBAR-C-600-850-17	LED Bar Light, curved light pattern, active area 600 mm, IR850 nm, emitting angle +/- 17°	1,334.00	686109	4549734966450			SZ	Z	FRA	8541.9000.00
EBAR-O-125-850-17	LED bar light, overdrive, 125 x 47 mm, 5 IR850nm LED, 24 VDC, M12 4-pole connector, +/- 17°, IP65	707.00	695697	4549734997904			SZ	Z	FRA	9031.9000.00
EBAR-O-125-WHH-10	LED bar light, overdrive, 125 x 47 mm, 5 white LED, 24 VDC, M12 4-pole connector, +/- 10°, IP65	578.50	695516	4549734996839			SZ	Z	FRA	9031.9000.00
EBAR-O-125-WHH-25	LED bar light, overdrive, 125 x 47 mm, 5 white LED, 24 VDC, M12 4-pole connector, +/- 25°, IP65	578.50	690814	4549734984027			SZ	Z	FRA	9031.9000.00
EYE PROTECT GLASSES CE4	Protection Glasses for wavelength 350 nm to 1000 nm	60.60	686084	4549734966399			SZ	Z	FRA	9031.9000.00
FLOOD-O-6030-WHH-17-M1	LED Flat Light with camera opening, active area 600 x 300 mm, white, 24 V, M12	3,056.00	687022	4549734967556			SZ	Z	FRA	8541.9000.00
FLOOD-O-6060-850-17-M1	LED Flat Light with camera opening, active area 600 x 600 mm, IR850 nm, 24 V, M12	6,525.00	691183	4549734985826			SZ	Z	FRA	9031.9000.00
FLOOD-O-6060-WHH-17-M1	LED Flat Light with camera opening, active area 600 x 600 mm, white, 24 V, M12	4,884.00	691180	4549734985794			SZ	Z	FRA	8541.9000.00
HPB-13060-WHH-N1	High Power LED Backlight, 1300 x 600 mm, white, M12 male 5 point connector - in position 1, 1 cable 4 x 1.5 mm <sup>2</sup> , 2.5 m in position 2, 24 VDC	6,900.00	702467	4549734793094			SZ	Z	FRA	9031.9000.00
HPB-2020-630-N1	High Power LED Backlight, 200 x 200 mm, red, M12 male 5 point connector - in position n1, 24 VDC	665.00	696318	4549734899391			SZ	Z	FRA	9031.9000.00
HPB-2020-850-N1	High Power LED Backlight, 200 x 200 mm, IR850nm, M12 male 5 point connector - in position n1, 24 VDC	828.50	696445	4549734890182			SZ	Z	FRA	9031.9000.00
HPB-2020-WHH-N1	High Power LED Backlight, 200 x 200 mm, white, M12 male 5 point connector - in position n1, 24 VDC	666.00	691182	4549734985819			SZ	Z	FRA	9031.9000.00
HPB-3020-850-N1	High Power LED Backlight, 300 x 200 mm, IR850nm, M12 male 5 point connector - in position n1, 24 VDC	1,074.00	696447	4549734890205			SZ	Z	FRA	9031.9000.00
HPB-3020-WHH-N1	High Power LED Backlight, 300 x 200 mm, white, M12 male 5 point connector - in position n1, 24 VDC	800.00	702471	4549734793131			SZ	Z	FRA	9031.9000.00
HPB-3030-850-N1	High Power LED Backlight, 300 x 300 mm, IR850nm, M12 male 5 point connector - in position n1, 24 VDC	1,574.00	696446	4549734890199			SZ	Z	FRA	9031.9000.00
HPB-4020-850-N1	High Power LED Backlight, 400 x 200 mm, IR850 nm, M12 male 5 point connector - in position n1, 24 VDC	1,351.00	690845	4549734984293			SZ	Z	FRA	9031.9000.00
HPB-4020-WHH-N1	High Power LED Backlight, 400 x 200 mm, white, M12 male 5 point connector - in position n1, 24 VDC	1,012.00	702315	4549734792689			SZ	Z	FRA	9031.9000.00
HPB-4030-850-N1	High Power LED Backlight, 400 x 300 mm, IR850nm, M12 male 5 point connector - in position n1, 24 VDC	1,802.00	699938	4549734893770			SZ	Z	FRA	9031.9000.00
HPB-4030-WHH-N1	High Power LED Backlight, 400 x 300 mm, white, M12 male 5 point connector - in position n1, 24 VDC	1,320.00	695377	4549734996600			SZ	Z	FRA	9031.9000.00
HPB-5030-WHH-N1	High Power LED Backlight, 500 x 300 mm, white, M12 male 5 point connector - in position n1, 24 VDC	1,650.00	700705	4549734984999			SZ	Z	FRA	9031.9000.00
HPB-5040-850-N1	High power LED backlight, 500 x 400 mm, infrared, M12 male 5 point connector - in position n1, 24 VDC	2,845.00	702482	4549734793247			SZ	Z	FRA	9031.9000.00
HPB-5050-WHH-N3	High Power LED Backlight, 500 x 500 mm, white, M12 male 5 point connector - in position n3, 24 VDC	2,516.00	694042	4549734994057			SZ	Z	FRA	9031.9000.00
HPB-6040-WHH-N1	High power LED backlight, 600 x 400 mm, white, M12 male 5 point connector - in position n1, 24 VDC	2,309.00	702026	4549734791441			SZ	Z	FRA	9031.9000.00
HPB-7020-WHH-N1	High power LED backlight, 700 x 200 mm, white, M12 male 5 point connector - in position n1, 24 VDC	1,518.00	701256	4549734789288			SZ	Z	FRA	9031.9000.00
HPB-8020-WHH-N1	High power LED backlight, 800 x 200 mm, white, M12 male 5 point connector - in position n1, 24 VDC	1,660.00	701257	4549734789295			SZ	Z	FRA	9031.9000.00
HPB-9020-WHH-N1	High Power LED Backlight, 900 x 200 mm, white, M12 male 5 point connector - in position n1, 24 VDC	1,812.00	700926	4549734896238			SZ	Z	FRA	9031.9000.00
HPFD-2020-630-N1	High Power Flat LED Dome, 200 x 200 mm, red, 24 VDC, Connection through 1x M12 male 5 point connector - in position n1	1,116.00	696192	4549734999434			SZ	Z	FRA	9031.9000.00
HPFD-2020-850-N1	High Power Flat LED Dome, 200 x 200 mm, IR850 nm, 24 VDC, Connection through 1x M12 male 5 point connector - in position n1	1,268.00	693943	4549734993500			SZ	Z	FRA	9031.9000.00
HPFD-3030-WHH-N1	High Power Flat LED Dome, 300 x 300 mm, white, 24 VDC, Connection through 1 M12 male 5 point connector - in position n1	1,427.00	700816	4549734895569			SZ	Z	FRA	9031.9000.00
HPFD-4030-WHH-N1	High Power Flat LED Dome, 400 x 300 mm, white, 24 VDC, connection through 1x M12 male 5 point connector - in position n	1,691.00	702188	4549734792165			SZ	Z	FRA	9031.9000.00
HPFD-4040-630-N1	High Power Flat LED Dome, 400 x 400 mm, red, 24 VDC, Connection through 1x M12 male 5 point connector - in position n	1,881.00	698207	4549734890380			SZ	Z	FRA	9031.9000.00
HPFD-4040-WHH-N1	High Power Flat LED Dome, 400 x 400 mm, white, 24 VDC, Connection through 1x M12 male 5 point connector - in position n	1,881.00	698323	4549734890427			SZ	Z	FRA	9031.9000.00
HPFD-5030-WHH-N1	High power flat LED dome, 500 x 400 mm, white, 24 VDC, connection through 1x M12 male 5 point connector - in position n	2,076.00	701433	4549734790543			SZ	Z	FRA	9031.9000.00
HPFD-5040-WHH-N1	High Power Flat LED Dome, 500 x 400 mm, white, 24 VDC, Connection through 1 M12 male 5 point connector - in position n1	2,586.00	691185	4549734985840			SZ	Z	FRA	9031.9000.00
HPFD-5050-630-N1	High Power Flat LED Dome, 500 x 500 mm, red, 24 VDC, Connection through 1x M12 male 5 point connector - in position n	2,946.00	698208	4549734890397			SZ	Z	FRA	9031.9000.00
HPFD-6030-WHH-N1	High power flat dome LED illuminator, 600x300 mm, white, 24 VDC, M12 connector in position n1	2,384.00	689501	4549734977807			SZ	Z	FRA	8541.9000.00
HPFD-6040-WHH-N1	High Power Flat LED Dome, 600 x 400 mm, white, 24 VDC, Connection through 1 M12 male 5 point connector - in position n1	2,894.00	691031	4549734985185			SZ	Z	FRA	9031.9000.00
HPFD-7040-WHH-N1A2	High Power Flat LED Dome, 700 x 400 mm, white, 24 VDC, cable 2.5m, 4x1.25" - in position n2	3,922.00	701012	4549734896672			SZ	Z	FRA	9031.9000.00
HPFD-8060-WHH-N1A2	High Power Flat LED Dome, 800 x 600 mm, white, 24 VDC, 2.5m 4x1.5" cable, position n2	5,445.00	700993	4549734896627			SZ	Z	FRA	9031.9000.00
HPRING-405-10	Ring light, 12 high power LED, inner dia 58 mm, outer dia 112 mm, 10° angle, UV 405nm, 24 VDC, M8 connector	1,162.00	691028	4549734985154			SZ	Z	FRA	9031.9000.00
HPRING-405-10-IP65	Ring light, 12 high power LED, inner dia 58 mm, outer dia 112 mm, 10° angle, UV 405nm, 24 VDC, M8 connector, IP65	1,250.00	692820	4549734986731			SZ	Z	FRA	9031.9000.00
HPRING-470-25-DT	Ring light, 12 high power LED, inner dia 58 mm, outer dia 112 mm, 25° angle, blue, 24 VDC, M8 connector	798.00	700954	4549734896382			SZ	Z	FRA	9031.9000.00
HPRING-630-10-DO	Ring light, 12 high power LED, inner dia 58 mm, outer dia 112 mm, 10° angle, red, opaque diffuser, 24 VDC, M8 connector	798.00	700901	4549734896061			SZ	Z	FRA	9031.9000.00
HPRING-630-10-DT	Ring light, 12 high power LED, inner dia 58 mm, outer dia 112 mm, 10° angle, red, 24 VDC, M8 connector	807.00	689272	4549734976770			SZ	Z	FRA	9031.9000.00
HPRING-630-10-POL	Ring light, 12 high power LED, inner dia 58 mm, outer dia 112 mm, 10° angle, red, polarizer, 24 VDC, M8 connector	911.00	700899	4549734896047			SZ	Z	FRA	9031.9000.00
HPRING-630-25-DO	Ring light, 12 high power LED, inner dia 58 mm, outer dia 112 mm, 25° angle, red, 24 VDC, M8 connector	807.00	686054	4549734966146			SZ	Z	FRA	9031.9000.00
HPRING-850-25-DS	LED IR ring light, outer 112mm inner 58mm, 12 white LED, 24 VDC, M8 3-pole connector, +/- 25°, IP65, satin diffuse	895.00	699023	4549734891400			SZ	Z	FRA	9031.9000.00
HPRING-WHH-10-DS	Ring light, 12 high power LED, inner dia 58 mm, outer dia 112 mm, 10° angle, white, 24 VDC, M8 connector, satin diffuser	806.00	698786	4549734890724			SZ	Z	FRA	9031.9000.00
HPRING-WHH-10-DT	Ring light, 12 high power LED, inner dia 58 mm, outer dia 112 mm, 10° angle, white, 24 VDC, M8 connector	807.00	689860	4549734975094			SZ	Z	FRA	9031.9000.00
HPRING-WHH-17-DS	Ring light, 12 high power LED, inner dia 58 mm, outer dia 112 mm, 17° angle, white, diffuse emission, 24 VDC, M8 connector	799.00	701357	4549734790109			SZ	Z	FRA	9031.9000.00
HPRING-WHH-17-DT	Ring light, 12 high power LED, inner dia 58 mm, outer dia 112 mm, 17° angle, white, transparent, 24 VDC, M8 connector	799.00	700902	4549734896078			SZ	Z	FRA	9031.9000.00
HPRING-WHH-17-POL	Ring light, 12 high power LED, inner dia 58 mm, outer dia 112 mm, 17° angle, white, Polarizer, 24 VDC, M8 connector	921.00	690813	4549734984010			SZ	Z	FRA	9031.90



Catalog Description (Image)	Rem Long Description (Web page)	2021 List Price	S.L.N. (Data sheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
LBAR-1750-WH1NL	LED bar light, 1751 x 31.5 mm, 35 x white LED, 24 VDC, M12 4-pole connector, no lens, IP65	1.894.00	689255	4549734976633			SZ	Z	FRA	9031.9000.00
LBAR-250-850-10	LED bar light, 250 mm x 31.5 mm, 5 x LED 850 nm, 24 VDC, M12 4-pole connector, +/- 10°, IP65	498.80	685654	4549734964227			SZ	Z	FRA	9031.9000.00
LBAR-250-850-17	LED bar light, 250 mm x 31.5 mm, 5 x LED 850 nm, 24 VDC, M12 4-pole connector, +/- 17°, IP65	498.80	685655	4549734964234			SZ	Z	FRA	9031.9000.00
LBAR-250-WH1-17	LED bar light, 250 mm x 31.5 mm, 5 x LED white, 24 VDC, M12 4-pole connector, +/- 17°, IP65	491.90	695877	4549734998697			SZ	Z	FRA	9031.9000.00
LBAR-500-WH1-10	LED bar light, 500 x 31.5 mm, 10 x LED white, 24 VDC, M12 4-pole connector, +/- 10°, IP65	726.50	693940	4549734993470			SZ	Z	FRA	9031.9000.00
LBAR-750-630-10	LED Bar Light, 750 mm, red, +/- 10°, 24 VDC	959.50	690842	4549734984232			SZ	Z	FRA	9031.9000.00
LDOME-WH1	LED Dome Illuminator, inner diameter 300 mm, white	1.642.00	685422	4549734963121			SZ	Z	FRA	8541.9000.00
LED-BRICK-470	LED brick circuit, 4 blue LED	52.55	699195	4549734892049			SZ	Z	FRA	9031.9000.00
LP830-M27	Long pass filter, 830 nm, M27	203.00	700814	4549734895545			SZ	Z	FRA	9031.9000.00
LRMOUNT-V1	Mounting kit for HPRING version 1	69.00	702316	4549734792707			SZ	Z	FRA	8544.4290.90
LTQLHP048-G	Telecentric HP illuminator, beam diameter 60 mm, green 520 nm	11,176.00	681091	4549734943833			SZ	Z	ITA	9031.9000.00
MBACK-11080-850-M1A2	LED back illuminator, active area 100 x 400 mm, 850 nm, 24 VDC, M12 connector at position 2.	10,640.00	695305	4549734996235			SZ	Z	FRA	9031.9000.00
MBACK-2020-630-M1	LED backlight, 200 x 200 mm, Red, 24 VDC, M12 connector	738.50	698964	4549734891059			SZ	Z	FRA	9031.9000.00
MBACK-2020-850-M1	LED backlight, 200 x 200 mm, IR 850 nm, 24 VDC, M12 connector	1,024.00	688575	4549734973014			SZ	Z	FRA	9031.9000.00
MBACK-3020-630-M1	LED backlight, 300 x 200 mm, Red, 24 VDC, M12 connector, Position 1.	997.50	687785	4549734969789			SZ	Z	FRA	9031.9000.00
MBACK-3020-850-M1	Flat LED Back Illuminator, active area 300 x 200 mm, IR 850 nm, M12 Connector Position 1, 24 VDC	1,327.00	688520	4549734972574			SZ	Z	FRA	8541.9000.00
MBACK-3020-WH1-M1	LED backlight, 300 x 200 mm, White, 24 VDC, M12 connector, Position 1.	898.00	690182	4549734980234			SZ	Z	FRA	9031.9000.00
MBACK-3030-630-M1	LED backlight, 300 x 300 mm, Red, 24 VDC, M12 connector	1,427.00	685952	4549734965439			SZ	Z	FRA	9031.9000.00
MBACK-3030-WH1-A1	LED backlight, 300 x 300 mm, White, 24 VDC, Connection through 1 cable 4 x 1.5', length 2.5 m, position n°1	1,301.00	684427	4549734957311			SZ	Z	FRA	9031.9000.00
MBACK-3030-WH1-M1	LED backlight, 300 x 300 mm, White, 24 VDC, Connection through M12 male 4 pins connector - T coding - in position 1'n	1,285.00	693958	4549734993456			SZ	Z	FRA	9031.9000.00
MBACK-4020-630-M1	LED backlight, 400 x 200 mm, Red, 24 VDC, M12 connector, Position 4	1,263.00	688029	4549734870112			SZ	Z	FRA	9031.9000.00
MBACK-4020-850-M1	Medium LED Backlight, 400 x 200 mm, IR 850 nm, M12 male 4 pins connector, T coding, in position n°1, 24 VDC	1,500.00	690844	4549734984256			SZ	Z	FRA	9031.9000.00
MBACK-4030-850-M1	Flat LED Back Illuminator, active area 400 x 300 mm, IR 850 nm, M12 Connector Position 1, 24 VDC	2,248.00	688519	4549734972567			SZ	Z	FRA	9031.9000.00
MBACK-4040-630-M1	LED backlight, 400 x 400 mm, Red, 24 VDC, M12 connector	1,882.00	685567	4549734964104			SZ	Z	FRA	9031.9000.00
MBACK-4040-850-M1	LED backlight, 400 x 400 mm, IR 850 nm, 24 VDC, M12 connector	2,613.00	692770	4549734986441			SZ	Z	FRA	9031.9000.00
MBACK-4040-WH1-M1	LED backlight, 400 x 400 mm, White, 24 VDC, M12 connector	1,882.00	684428	4549734957328			SZ	Z	FRA	9031.9000.00
MBACK-5020-630-M1	LED backlight, 500 x 200 mm, red, 24 VDC, M12 connector	1,667.00	702186	4549734792141			SZ	Z	FRA	9031.9000.00
MBACK-5030-WH1-A1	LED backlight, 500 x 300 mm, White, 24 VDC, M12 connector, position 1	2,058.00	687259	4549734968072			SZ	Z	FRA	8541.9000.00
MBACK-5040-WH1-M1	LED backlight, 500 x 400 mm, White, 24 VDC, M12 connector	2,500.00	686005	4549734965910			SZ	Z	FRA	9031.9000.00
MBACK-5050-630-M1	LED backlight, 500 x 500 mm, red, 24 VDC, M12 connector, position 1	2,795.00	699186	4549734891981			SZ	Z	FRA	8541.9000.00
MBACK-6060-WH1-M1	LED backlight, 600 mm x 600 mm, White, 24 VDC, M12	3,546.00	690473	4549734982139			SZ	Z	FRA	9031.9000.00
MBACK-7020-630-M1	LED backlight, 700 x 200 mm, Red, 24 VDC, M12 connector	1,894.00	686113	4549734966498			SZ	Z	FRA	9031.9000.00
MBACK-8040-630-M1	LED backlight, 800 x 400 mm, Red, 24 VDC, M12 connector	3,239.00	694036	4549734994033			SZ	Z	FRA	9031.9000.00
MBACK-9040-850-M1	LED backlight, 900 x 400 mm, IR 850nm, 24 VDC, M12 connector position 1, 1 cable 4 x 1.5 mm², length: 2.5 m - in position n°1	5,175.00	695664	4549734997133			SZ	Z	FRA	8541.9000.00
MBACK-9040-WH1-M1	LED backlight, 900 x 400 mm, white, 24 VDC, M12 connector position 1, 1 cable 4 x 1.5 mm², length: 2.5m - in position n°1	3,546.00	690451	4549734982030			SZ	Z	FRA	8541.9000.00
MBACK-9090-630-M1A2	LED backlight, 900 x 900 mm, Red, 24 VDC, M12 connector position 1, 1 cable 4 x 1.5 mm², length: 2.5m - in position n°2	6,710.00	690272	4549734980784			SZ	Z	FRA	8541.9000.00
MBACK-O-2020-630-M1	LED backlight, overdrive, 200 x 200 mm, red, 24 VDC, M12 Connector, positions 1.	871.50	695241	4549734995870			SZ	Z	FRA	9031.9000.00
MBACK-O-2020-850-M1	LED backlight, overdrive, 200 x 200 mm, red, 24 VDC, M12 Connector, positions 2.	871.00	695329	4549734996921			SZ	Z	FRA	9031.9000.00
MBACK-O-3030-WH1-M2	LED backlight, overdrive, 300 x 300 mm, white, 24 VDC, M12 Connector, positions 2.	1,642.00	689468	4549734977555			SZ	Z	FRA	9031.9000.00
MBACK-O-4020-630-M2	LED backlight, overdrive, 400 x 200 mm, red, 24 VDC, M12 connector, position 2	1,289.00	695300	4549734996204			SZ	Z	FRA	9031.9000.00
MBACK-O-4030-WH1-M1	LED backlight, overdrive, 400 x 300 mm, white, 24 VDC, M12 connector, positions 1	1,862.00	700207	4549734894128			SZ	Z	FRA	9031.9000.00
M-EBAR-125-WH1-LIN	Modular LED bar light, active area 125 mm, white, ultra narrow lens, 24 VDC	371.00	701031	4549734896788			SZ	Z	FRA	9031.9000.00
M-EBAR-250-WH1-LIN	Modular LED bar light, 250mm, white, ultra narrow lens, 24VDC	500.00	699678	4549734893435			SZ	Z	FRA	9031.9000.00
M-EBAR-375-WH1-LIN	Modular LED bar light, 375 mm, white, ultra narrow lens, 24 VDC	628.00	701174	4549734897068			SZ	Z	FRA	9031.9000.00
M-EBAR-375-WH1-LIN-CO	Modular LED bar light, 375 mm, white, ultra narrow lens, COMBO including: 1 x M-EBAR-500-WH1-LIN, 4 x AC-EBAR-N, 4 x AC-EBAR-M, 4 x AC-EBAR-W, 4 x AC-EBAR-L, 24 VDC	989.00	702178	4549734792073			SZ	Z	FRA	9031.9000.00
M-EBAR-500-WH1-LIN	Modular LED bar light, 500 mm, white, ultra narrow lens, 24 VDC	757.50	701075	4549734896887			SZ	Z	FRA	9031.9000.00
M-EBAR-500-WH1-LIN-CO	Modular LED bar light, 500 mm, white, ultra narrow lens, COMBO including: 1 x M-EBAR-500-WH1-LIN, 4 x AC-EBAR-N, 4 x AC-EBAR-M, 4 x AC-EBAR-W, 4 x AC-EBAR-L, 24 VDC	1,237.00	702179	4549734792080			SZ	Z	FRA	9031.9000.00
MPDOME-11080-WH1-M1A2	Flat dome LED illuminator, active area 1100 x 800 mm, white, 24 VDC, Connection through 1 cable 4 x 1.5 mm² - length: 2.5 m - in position n°2	7,700.00	690585	4549734982818			SZ	Z	FRA	8541.9000.00
MPDOME-14040-WH1-A1	Flat dome LED illuminator, active area 1400 x 400 mm, white, 24 VDC, Connection through 1 cable 4 x 1.5 mm² - length: 2.5 m - in position n°1	6,105.00	686110	4549734966467			SZ	Z	FRA	8541.9000.00
MPDOME-2020-630-M1	Medium LED Dome, active area 200 x 200 mm, red, M12 Position 1	1,239.00	698826	4549734890885			SZ	Z	FRA	9031.9000.00
MPDOME-2020-WH1-M1	Medium LED Dome, active area 200 x 200 mm, white, M12 Position 1	1,376.00	686979	4549734967372			SZ	Z	FRA	9031.9000.00
MPDOME-3020-WH1-M1	Flat LED Dome Illuminator, active area 300 x 200 mm, White, M12 Connector Position 1, 24 VDC	1,541.00	688522	4549734972598			SZ	Z	FRA	8541.9000.00
MPDOME-3030-WH1-A1	Flat dome LED illuminator, active area 300 x 300 mm, white, 24 VDC, Connection through 1 cable 4 x 1.5 mm² - length: 2.5 m - in position n°1	1,596.00	689885	4549734973861			SZ	Z	FRA	8541.9000.00
MPDOME-4040-850-M1	Medium FLATDOME MPDOME, 400 x 400 mm, IR 850 nm, M12 Position 1	3,690.00	687492	4549734968669			SZ	Z	FRA	9031.9000.00
MPDOME-5030-850-M1	Flat LED Dome Illuminator, active area 500 x 300 mm, IR 850 nm, M12 Connector Position 1, 24 VDC	3,320.00	698400	4549734971553			SZ	Z	FRA	8541.9000.00
MPDOME-5040-WH1-A1	Flat LED Dome Illuminator, active area 500 x 400 mm, white, M12 Connector Position 1, 24 VDC	3,195.00	687258	4549734969065			SZ	Z	FRA	8541.9000.00
MPDOME-5040-WH1-M1	Flat LED Dome Illuminator, active area 500 x 400 mm, White, M12 Connector Position 1, 24 VDC	3,194.00	688521	4549734972581			SZ	Z	FRA	8541.9000.00
MPDOME-5050-630-M1	Flat LED Dome Illuminator, active area 500 x 500 mm, Red, M12 Connector Position 1, 24 VDC	3,273.00	693114	4549734988896			SZ	Z	FRA	8541.9000.00
MPDOME-7050-850-M1	Medium LED Flatdome, Active Area 700 x 500 mm, IR, M12 connector, Position 1, 24 VDC	5,525.00	690352	4549734981361			SZ	Z	FRA	8541.9000.00
MPDOME-7070-WH1-M1	Medium LED Flatdome, Active Area 700 x 700 mm, white, M12 connector, Position 1, 24 VDC	5,635.00	687121	4549734968010			SZ	Z	FRA	8541.9000.00
MPDOME-8060-630-M1	Medium flat LED Dome Illuminator, 800 x 600 mm, red, M12 connector, Position 1, 24 VDC	5,000.00	688939	4549734975452			SZ	Z	FRA	8541.9000.00
MPDOME-8060-WH1-M1	Medium flat LED Dome Illuminator, 800 x 600 mm, white, M12 connector, Position 1, 24 VDC	5,000.00	694988	4549734995504			SZ	Z	FRA	8541.9000.00
MPDOME-8080-WH1-M1	Medium flat LED Dome Illuminator, 800 x 800 mm, red, M12 connector, Position 1, 24 VDC	6,120.00	692902	4549734987486			SZ	Z	FRA	8541.9000.00
MPDOME-9080-WH1-M1A2	Medium flat dome MPDOME PLUS 900 x 800, white, Connector output, M12 male 4 pins, T coding - in position n°1	6,445.00	690815	4549734984034			SZ	Z	FRA	9031.9000.00
MPDOME-O-3030-630-M1	Medium LED Flatdome, active Area 300 x 300 mm, red, overdrive, M12 connector, Position 1, 24 VDC	2,121.00	699578	4549734893145			SZ	Z	FRA	8541.9000.00
MPDOME-O-3030-WH1-M1	MEDIUM FLATDOME MPDOME PLUS OVERDRIVE 300x300 WHITE M12 Position 1	2,121.00	672555	4548683981881			SZ	Z	FRA	8541.9000.00
MPDOME-O-5040-850-M1	Medium LED Flatdome, Active Area 500 x 400 mm, IR 850 nm, overdrive, M12 connector, Position 1, 24 VDC	4,611.00	686226	4549734966931			SZ	Z	FRA	8541.9000.00
MR-130-RC-LA	LED Ring Illuminator, 130 mm, red / cyan color, 24 VDC	11,111.00	698573	4549734890533			SZ	Z	FRA	9031.9000.00
MR-130-RC-WIR-CO-B	Modular LED ring illuminator, lab kit, diameter 130 mm, red and cyan, white and infrared, Including a power supply, with 3 cables (European, UK and US).	2,550.00	702011	4549734791342			SZ	Z	FRA	9031.9000.00
MR-130-WIR-CO-B	LED modular ring light, 130 mm, white / infra red color, including power supply, 24 VDC	1,513.00	701076	4549734896894			SZ	Z	FRA	9031.9000.00
MR-130-WIR-DF	LED dark field illuminator, 130 mm, white / infra red color, 24 VDC	11,111.00	695296	4549734892179			SZ	Z	FRA	9031.9000.00
MR-130-WIR-FR	LED Ring Illuminator, 130 mm, white / infra red color, 24 VDC	1,024.00	698184	4549734970570			SZ	Z	FRA	9031.9000.00
MR-80-WIR-D	LED Dome Illuminator, active area 80 mm, white and infrared, 24 VDC	858.50	687707	4549734969369			SZ	Z	FRA	8541.9000.00
MR-80-WIR-R	LED Ring Illuminator, active area 80 mm, white and infrared, 24 VDC	770.50	691242	4549734986076			SZ	Z	FRA	8541.9000.00
POL-BAR-500	Polarizer film for BAR 500	126.30	696284	4549734889155			SZ	Z	FRA	9031.9000.00
POL-HPRING	Polarizer for HPRING	113.80	700900	4549734896054			SZ	Z	FRA	9031.9000.00
SBACKII-050502-630	Flat LED light, 51 X 51 mm, red, 24 V	340.40	687339	4549734968447			SZ	Z	FRA	9031.9000.00



Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Daheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
TCD51 MNT LD250	In house Training Course for Robot Maintenance - LD250 (2.0 days, price per person)	900.00	695968				YA	A	NLD	
ROBOT TRAINING DAY IN HOUSE	After Sales Robotic Services - Customized In-House Training for Robotics within Omron Premises. Day Rate During Office Hours (Price per trainee)	823.50	677949				YA	A	NLD	
ROBOT TRAINING DAY ON SITE	After Sales Robotic Services - Customized On-Site Training for Robotics within Customer Premises. Day Rate During Office Hours (Price per group, Travel cost not included)	1,774.00	677948				YA	A	NLD	
ROBOT TRAINING HALFDAYINHOUSE	After Sales Robotic Services - Customized In-House Training for Robotics within Omron Premises. Half Day Rate During Office Hours (Price per trainee)	436.20	677951				YA	A	NLD	
ROBOT TRAINING HALFDAYONSITE	After Sales Robotic Services - Customized On-Site Training for Robotics within Customer Premises. Half Day Rate During Office Hours (Price per group, Travel cost not included)	872.50	677950				YA	A	NLD	
ROBOT ASABROAD ALW WITH HOTEL	After Sales Robotic Services - Daily allowance including hotel costs. Only in countries where Omron doesn't have offices.	275.00	688142				YA	A	NLD	
ROBOT ASABROAD ALW WO HOTEL	After Sales Robotic Services - Daily allowance excluding hotel costs. Only in countries where Omron doesn't have offices.	175.00	688143				YA	A	NLD	
ROBOT AS DAY ALW WITH HOTEL	After Sales Robotic Services - Daily allowance including hotel costs	175.00	688138				YA	A	NLD	
ROBOT AS DAY ALW WO HOTEL	After Sales Robotic Services - Daily allowance excluding hotel costs	75.00	688139				YA	A	NLD	
ROBOT AS DAY FEE	After Sales Robotic Services - Day rate for complete working day (Includes hour application fees and daily allowances)	1,440.00	693882				YA	A	NLD	
ROBOT AS HOUR FEE	After Sales Robotic Services - Hourly Rate for Working Days (local office working hours)	116.40	688132				YA	A	NLD	
ROBOT AS HOUR FEE OVT	After Sales Robotic Services - Hourly Rate for Working Days (overtime, outside local office working hours)	145.50	688133				YA	A	NLD	
ROBOT AS HOUR FEE WKD	After Sales Robotic Services - Hourly Rate for Weekends / Public Holidays	220.00	688134				YA	A	NLD	
ROBOT AS TRAVEL DST FEE	After Sales Robotic Services - Distance value per kilometer	0.02	688200				YA	A	NLD	
ROBOT AS TRAVEL EXPENSES	After Sales Robotic Services - Value for the Tickets, Tolls, Parking, Car rentals, Taxi	0.02	676649				YA	A	NLD	
ROBOT AS TRAVEL HOURS WKD	After Sales Robotic Services - Travelling Hourly Rate for Weekends / Public Holidays (from/ to OMRON - Customer)	175.00	699122				YA	A	NLD	
ROBOT AS TRAVELLING HOURS	After Sales Robotic Services - Travelling Hours (from/ to OMRON - Customer)	106.70	675833				YA	A	NLD	
ROBOT CONSUMABLE	Locally purchased items	0.01	701983				YA	A	NLD	
ROBOT EQUIPMENT UPGRADE	Legacy or old Robot Replacement with a new or current Robot. Hardware/product replacement and not to be used for Application modifications or changes.	0.01	700852				YA	A	NLD	
ROBOT PREPARATION ONSITE VISIT	After Sales Robotic Services - Hourly rate for preparation and follow up on-site service visit	120.00	686209				YA	A	NLD	
ROBOT REMOTE CALIBRATION	After Sales Robotic Services - Robot rough calibration by remote control	420.00	688046				YA	A	NLD	
ROBOT VIRTUAL ASSISTANCE	After Sales Robot Services - Virtual Assistance Service via Augmented Reality, value for each 30 minutes	50.00	699118				YA	A	NLD	
ROBOT RENTAL LD	After Sales Robotic Services - LD Robot Rental (1 week fee, Delivery cost not included)	969.50	682521				YA	A	NLD	
ROBOT RENTAL ROBOT COBRA	After Sales Robotic Services - eCobra Robot Rental (1 week fee, Delivery cost not included)	968.50	675834				YA	A	NLD	
ROBOT RENTAL ROBOT HORNET	After Sales Robotic Services - Hornet Robot Rental (1 week fee, Delivery cost not included)	968.50	675835				YA	A	NLD	
ROBOT RENTAL ROBOT QUATTRO	After Sales Robotic Services - Quattro Robot Rental (1 week fee, Delivery cost not included)	968.50	675836				YA	A	NLD	
ROBOT RENTAL ROBOT VIPER	After Sales Robotic Services - Viper Robot Rental (1 week fee, Delivery cost not included)	968.50	675837				YA	A	NLD	
ROBOT 6MTH WRITY EXT LB COBOT	After Sales Robotic Services - 6 Months Warranty Extension Package for Labor Collaborative Robot (Labor and Travelling costs included, Warranty Extension package requires Basic and/or Registered warranty)	500.00	688815				YA	A	NLD	
ROBOT 6MTH WRITY EXT LB ECOBRA	After Sales Robotic Services - 6 Months Warranty Extension Package for Labor eCobra Robot (Labor and Travelling costs included, Warranty Extension package requires Basic and/or Registered warranty)	484.50	675829				YA	A	NLD	
ROBOT 6MTH WRITY EXT LB HD1500	After Sales Robotic Services - 6 Months Warranty Extension Package for Labor HD1500 Robot. (Labor and Travelling costs included, Warranty Extension package requires Basic and/or Registered warranty)	2,500.00	702201				YA	A	NLD	
ROBOT 6MTH WRITY EXT LB HORNET	After Sales Robotic Services - 6 Months Warranty Extension Package for Labor Hornet Robot (Labor and Travelling costs included, Warranty Extension package requires Basic and/or Registered warranty)	484.50	675828				YA	A	NLD	
ROBOT 6MTH WRITY EXT LB I4	After Sales Robotic Services - 6 Months Warranty Extension Package for Labor I4/H Robot. (Labor and Travelling costs included, Warranty Extension package requires Basic and/or Registered warranty)	500.00	702199				YA	A	NLD	
ROBOT 6MTH WRITY EXT LB LD250	After Sales Robotic Services - 6 Months Warranty Extension Package for Labor LD-250 Robot. (Labor and Travelling costs included, Warranty Extension package requires Basic and/or Registered warranty)	1,000.00	702203				YA	A	NLD	
ROBOT 6MTH WRITY EXT LB MOBILE	After Sales Robotic Services - 6 Months Warranty Extension Package for Labor LD-250/90 :LD 105/130CT Robot. (Labor and Travelling costs included, Warranty Extension package requires Basic and/or Registered warranty)	650.00	695291				YA	A	NLD	
ROBOT 6MTH WRITY EXT LB QUATTRO	After Sales Robotic Services - 6 Months Warranty Extension Package for Labor Quattro Robot (Labor and Travelling costs included, Warranty Extension package requires Basic and/or Registered warranty)	484.50	675827				YA	A	NLD	
ROBOT 6MTH WRITY EXT LB VIPER	After Sales Robotic Services - 6 Months Warranty Extension Package for Labor Viper Robot (Labor and Travelling costs included, Warranty Extension package requires Basic and/or Registered warranty)	484.50	675826				YA	A	NLD	
ROBOT 6MTH WRITY EXT SP COBOT	After Sales Robotic Services - 6 Months Warranty Extension Package for Spare Parts Collaborative Robot (Warranty extension package requires Basic and/or Registered warranty)	1,200.00	688916				YA	A	NLD	
ROBOT 6MTH WRITY EXT SP ECOBRA	After Sales Robotic Services - 6 Months Warranty Extension Package for Spare Parts eCobra Robot (Warranty extension package requires Basic and/or Registered warranty)	1,164.00	675825				YA	A	NLD	
ROBOT 6MTH WRITY EXT SP HD1500	After Sales Robotic Services - 6 Months Warranty Extension Package for Spare Parts HD1500 Robot (Warranty extension package requires Basic and/or Registered warranty)	5,000.00	702202				YA	A	NLD	
ROBOT 6MTH WRITY EXT SP HORNET	After Sales Robotic Services - 6 Months Warranty Extension Package for Spare Parts Hornet Robot (Warranty extension package requires Basic and/or Registered warranty)	1,164.00	675824				YA	A	NLD	
ROBOT 6MTH WRITY EXT SP I4	After Sales Robotic Services - 6 Months Warranty Extension Package for Spare Parts I4/H Robot (Warranty extension package requires Basic and/or Registered warranty)	1,200.00	702200				YA	A	NLD	
ROBOT 6MTH WRITY EXT SP LD250	After Sales Robotic Services - 6 Months Warranty Extension Package for Spare Parts LD250 Robot (Warranty extension package requires Basic and/or Registered warranty)	2,500.00	702204				YA	A	NLD	
ROBOT 6MTH WRITY EXT SP MOBILE	After Sales Robotic Services - 6 Months Warranty Extension Package for Spare Parts LD-60/90 :LD 105/130CT Robot (Warranty extension package requires Basic and/or Registered warranty)	1,500.00	695292				YA	A	NLD	
ROBOT 6MTH WRITY EXT SP QUATTRO	After Sales Robotic Services - 6 Months Warranty Extension Package for Spare Parts Quattro Robot (Warranty extension package requires Basic and/or Registered warranty)	1,164.00	675823				YA	A	NLD	
ROBOT 6MTH WRITY EXT SP VIPER	After Sales Robotic Services - 6 Months Warranty Extension Package for Spare Parts Viper Robot (Warranty extension package requires Basic and/or Registered warranty)	1,164.00	675822				YA	A	NLD	
OSSE CE HEALTH CHECK	OMRON Safety Service Europe - Consultancy for CE health check. CE health check assessment focus on the identification of gaps in the CE Marking process and its requirements for stand-alone machines and complex assemblies.	0.02	676610				YA	A	NLD	
AIC-RELEARNING SUPPORT	AI Preventive Libraries Relearning support (1 Hour)	150.00	685573				YA	A	NLD	
AIC-STARTUP SUPPORT	AI Preventive Libraries Startup support (1 Hour)	150.00	685572				YA	A	NLD	
AUTOM AS DAY ALW FAE WITHHOTEL	After Sales Application Automation Services - Daily allowance including hotel costs (service provided by local engineer)	175.00	689826				YA	A	NLD	
AUTOM AS DAY ALW FAE WOHOTEL	After Sales Application Automation Services - Daily allowance excluding hotel costs (service provided by local engineer)	75.00	689827				YA	A	NLD	
AUTOM AS DAY FEE FAE	After Sales Application Automation Services - Day rate for complete working day (Includes hour fees, travelling hours, travel expenses, travel distance fees and daily allowances. Service provided by local engineer)	1,440.00	689833				YA	A	NLD	
AUTOM AS HOUR FEE FAE	After Sales Application Automation Services - Hourly Rate for Working Days (local office working hours, service provided by local engineer)	100.00	689830				YA	A	NLD	
AUTOM AS HOUR FEE FAE OVT	After Sales Application Automation Services - Hourly Rate for Working Days (overtime, outside local office working hours, service provided by local engineer)	150.00	689831				YA	A	NLD	
AUTOM AS HOUR FEE FAE WKD	After Sales Application Automation Services - Hourly Rate for Weekends / Public Holidays (service provided by local engineer)	275.00	689832				YA	A	NLD	
AUTOM AS TRAVEL DST FEE FAE	After Sales Application Automation Services - Distance value per kilometer (service provided by local engineer)	0.02	689825				YA	A	NLD	
AUTOM AS TRAVEL EXPENSES FAE	After Sales Application Automation Services - Value for the Tickets, Tolls, Parking, Car rentals, Taxi. Service provided by local engineer	0.02	689829				YA	A	NLD	
AUTOM AS TRAVELLING HOURS FAE	After Sales Application Automation Services - Travelling Hours (from/ to OMRON - Customer, service provided by local engineer)	80.00	689828				YA	A	NLD	
AUTOM PART DAILY ALLOWANCE	Automation Services - Partial Daily Allowance	0.02	683808				YA	A	NLD	
ROBOT AS DAY ALW FAE WITHHOTEL	After Sales Application Robotic Services - Daily allowance including hotel costs (service provided by local engineer)	175.00	688204				YA	A	NLD	
ROBOT AS DAY ALW FAE WOHOTEL	After Sales Application Robotic Services - Daily allowance excluding hotel costs (service provided by local engineer)	75.00	688205				YA	A	NLD	
ROBOT AS DAY FEE FAE	After Sales Application Robotic Services - Day rate for complete working day (Includes hour fees, travelling hours, travel expenses, travel distance fees and daily allowances. Service provided by local engineer)	1,440.00	689307				YA	A	NLD	
ROBOT AS HOUR FEE FAE	After Sales Application Robotic Services - Hourly Rate for Working Days (local office working hours, service provided by local engineer)	100.00	688215				YA	A	NLD	
ROBOT AS HOUR FEE FAE OVT	After Sales Application Robotic Services - Hourly Rate for Working Days (overtime, outside local office working hours, service provided by local engineer)	150.00	688216				YA	A	NLD	
ROBOT AS HOUR FEE FAE WKD	After Sales Application Robotic Services - Hourly Rate for Weekends / Public Holidays (service provided by local engineer)	275.00	688217				YA	A	NLD	
ROBOT AS TRAVEL DST FEE FAE	After Sales Application Robotic Services - Distance value per kilometer (service provided by local engineer)	0.02	688202				YA	A	NLD	
ROBOT AS TRAVEL EXPENSES FAE	After Sales Application Robotic Services - Value for the Tickets, Tolls, Parking, Car rentals, Taxi. Service provided by local engineer	0.02	688211				YA	A	NLD	
ROBOT AS TRAVELLING HOURS FAE	After Sales Application Robotic Services - Travelling Hours (from/ to OMRON - Customer, service provided by local engineer)	80.00	688209				YA	A	NLD	
ROBOT AS TRAVEL HOURS FAE WITHHOTEL	After Sales Application Safety Services - Daily allowance including hotel costs (service provided by local engineer)	175.00	689809				YA	A	NLD	
SAFETY AS DAY ALW FAE WOHOTEL	After Sales Application Safety Services - Daily allowance excluding hotel costs (service provided by local engineer)	75.00	689810				YA	A	NLD	
SAFETY AS DAY FEE FAE	After Sales Application Safety Services - Day rate for complete working day (Includes hour fees, travelling hours, travel expenses, travel distance fees and daily allowances. Service provided by local engineer)	1,440.00	689816				YA	A	NLD	
SAFETY AS HOUR FEE FAE	After Sales Application Safety Services - Hourly Rate for Working Days (local office working hours, service provided by local engineer)	100.00	689813				YA	A	NLD	

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Data sheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
SAFETY AS HOUR FEE FAE OVT	After Sales Application Safety Services - Hourly Rate for Working Days (overtime, outside local office working hours, service provided by local engineer)	150,00	689814				YA	A	NLD	
SAFETY AS HOUR FEE FAE WHD	After Sales Application Safety Services - Hourly Rate for Weekends / Public Holidays (service provided by local engineer)	275,00	689815				YA	A	NLD	
SAFETY AS TRAVEL DST FEE FAE	After Sales Application Safety Services - Distance value per kilometer (service provided by local engineer)	0,02	689808				YA	A	NLD	
SAFETY AS TRAVEL EXPENSES FAE	After Sales Application Safety Services - Value for the Tickets, Tolls, Parking, Car rentals, Taxi. Service provided by local engineer	0,02	689812				YA	A	NLD	
SAFETY AS TRAVELLING HOURS FAE	After Sales Application Safety Services - Travelling Hours (from/ to OMRON - Customer, service provided by local engineer)	80,00	689811				YA	A	NLD	
VISION AS DAY ALM FAE WITHHOTEL	After Sales Application Vision Services - Daily allowance including hotel costs (service provided by local engineer)	175,00	689791				YA	A	NLD	
VISION AS DAY ALM FAE WOHOTEL	After Sales Application Vision Services - Daily allowance excluding hotel costs (service provided by local engineer)	75,00	689792				YA	A	NLD	
VISION AS DAY FEE FAE	After Sales Application Vision Services - Day rate for complete working day (Includes hour fees, travelling hours, travel expenses, travel distance fees and daily allowances. Service provided by local engineer)	1.440,00	689798				YA	A	NLD	
VISION AS HOUR FEE FAE	After Sales Application Vision Services - Hourly Rate for Working Days (local office working hours, service provided by local engineer)	100,00	689795				YA	A	NLD	
VISION AS HOUR FEE FAE OVT	After Sales Application Vision Services - Hourly Rate for Working Days (overtime, outside local office working hours, service provided by local engineer)	150,00	689796				YA	A	NLD	
VISION AS HOUR FEE FAE WKD	After Sales Application Vision Services - Hourly Rate for Weekends / Public Holidays (service provided by local engineer)	275,00	689797				YA	A	NLD	
VISION AS TRAVEL DST FEE FAE	After Sales Application Vision Services - Distance value per kilometer (service provided by local engineer)	0,02	689790				YA	A	NLD	
VISION AS TRAVEL EXPENSES FAE	After Sales Application Vision Services - Value for the Tickets, Tolls, Parking, Car rentals, Taxi. Service provided by local engineer	0,02	689794				YA	A	NLD	
VISION AS TRAVELLING HOURS FAE	After Sales Application Vision Services - Travelling Hours (from/ to OMRON - Customer, service provided by local engineer)	80,00	689793				YA	A	NLD	
AUTOM AS INHOUSE REMOTE ASSIS	After Sales Automation Services - In House Remote Assistance Phone / Team Viewer, value for each 30 minutes	48,45	675884				YA	A	NLD	
VIRTUAL ASSISTANCE AS AUTOM		50,00	696100				YA	A	NLD	
VIRTUAL ASSISTANCE AS ROBOT		50,00	696102				YA	A	NLD	
VIRTUAL ASSISTANCE AS SAFETY		50,00	696096				YA	A	NLD	
VIRTUAL ASSISTANCE AS VISION		50,00	696098				YA	A	NLD	
VISION AS INHOUSE REMOTE ASSIS	After Sales Vision Services - In House Remote Assistance Phone / Team Viewer, value for each 30 minutes	48,45	675877				YA	A	NLD	
GCD AS DAY ALM FAE WITHHOTEL	After Sales Global Consultation Desk Services - Daily allowance including hotel costs (service provided by local engineer)	175,00	689844				YA	A	NLD	
GCD AS DAY ALM FAE WOHOTEL	After Sales Global Consultation Desk Services - Daily allowance excluding hotel costs (service provided by local engineer)	75,00	689845				YA	A	NLD	
GCD AS DAY FEE FAE	After Sales Global Consultation Desk Services - Day rate for complete working day (Includes hour fees, travelling hours, travel expenses, travel distance fees and daily allowances. Service provided by local engineer)	1.440,00	689851				YA	A	NLD	
GCD AS HOUR FEE FAE	After Sales Global Consultation Desk Services - Hourly Rate for Working Days (local office working hours, service provided by local engineer)	100,00	689848				YA	A	NLD	
GCD AS HOUR FEE FAE OVT	After Sales Global Consultation Desk Services - Hourly Rate for Working Days (overtime, outside local office working hours, service provided by local engineer)	145,50	689849				YA	A	NLD	
GCD AS HOUR FEE FAE WHD	After Sales Global Consultation Desk Services - Hourly Rate for Weekends / Public Holidays (service provided by local engineer)	267,00	689850				YA	A	NLD	
GCD AS TRAVEL DST FEE FAE	After Sales Global Consultation Desk Services - Distance value per kilometer (service provided by local engineer)	0,02	689843				YA	A	NLD	
GCD AS TRAVEL EXPENSES FAE	After Sales Global Consultation Desk Services - Value for the Tickets, Tolls, Parking, Car rentals, Taxi. Service provided by local engineer	0,02	689847				YA	A	NLD	
GCD AS TRAVELLING HOURS FAE	After Sales Global Consultation Desk Services - Travelling Hours (from/ to OMRON - Customer, service provided by local engineer)	77,55	689846				YA	A	NLD	
SERVICE CONTRACT CONDESK	Service Contract - Consultation Desk, 35% of discount in every intervention during the year	375,00	680704				YA	A	NLD	
SERVICE CONTRACT CONDESK 1D	Service Contract - Consultation Desk, 1 day labor fee (transport, hotel, etc cost excluded)	695,00	680703				YA	A	NLD	
SERVICE CONTRACT CONDESK 2D	Service Contract - Consultation Desk, 2 day labor fee (transport, hotel, etc cost excluded)	1.115,00	680702				YA	A	NLD	
TSUNAGI AS HOUR FEE	Tsunagi Services After Sales - Hourly Rate for solving inter-connectivity issues between Omron and other supplier products	150,00	688696				YA	A	NLD	
RETURNS TRANSPORTATION COST	Cost payable for customer in case of products returns requested by customer	0,02	676636				YA	A	NLD	
ADMINISTRATIVE CHARGE	Administrative charge	0,02	676662				YA	A	NLD	
DELIVERY CHARGE ANYFEEDER	Price of Delivery for ANYFEEDER	300,00	681030				YA	A	NLD	
DELIVERY CHARGE COBOT	Price of Delivery for Cobot (from/ to OMRON - Customer)	260,00	685179				YA	A	NLD	
DELIVERY CHARGE COBOT ACCS	Price of Delivery for Cobot Accessory (from/ to OMRON - Customer)	260,00	685180				YA	A	NLD	
DELIVERY CHARGE COBRA 500	Price of Delivery for COBRA 500 (from/ to OMRON - Customer)	200,00	685595				YA	A	NLD	
DELIVERY CHARGE COBRA 650	Price of Delivery for COBRA 650 (from/ to OMRON - Customer)	200,00	687754				YA	A	NLD	
DELIVERY CHARGE HD	Price of Delivery for HD Mobile Robots	550,00	695954				YA	A	NLD	
DELIVERY CHARGE HD BATTERY	Price of Delivery for HD Mobile Robot battery	235,00	695953				YA	A	NLD	
DELIVERY CHARGE HD DOCK	Price of Delivery for HD Mobile Robots charging station, docking target	300,00	695952				YA	A	NLD	
DELIVERY CHARGE HD DOCK POWER	Price of Delivery for HD Mobile Robots charging station, power supply	160,00	695951				YA	A	NLD	
DELIVERY CHARGE I4-LI4-H	Price of Delivery for Robot - I4-LI4-H Scara (from/ to OMRON - Customer)	200,00	700118				YA	A	NLD	
DELIVERY CHARGE INV 160KW	Price of Delivery for High Power Inverter, SX-series, 160 to 629 kW (from/ to OMRON - Customer)	360,00	685662				YA	A	NLD	
DELIVERY CHARGE INV 45KW	Price of Delivery for High Power Inverter, SX-series, IP54, 45 to 159 kW (from/ to OMRON - Customer)	100,00	685663				YA	A	NLD	
DELIVERY CHARGE INV 630KW	Price of Delivery for High Power Inverter, SX-series, IP54, 630 kW or larger (from/ to OMRON - Customer)	800,00	685661				YA	A	NLD	
DELIVERY CHARGE IX3	Price of Delivery for Robot - IX3 Delta (from/ to OMRON - Customer)	235,00	701225				YA	A	NLD	
DELIVERY CHARGE IX4	Price of Delivery for Robot - IX4 Delta (from/ to OMRON - Customer)	235,00	701224				YA	A	NLD	
DELIVERY CHARGE LD CONV TOP	Price of Delivery for LD-60/90 Conveyor Top (from/ to OMRON - Customer)	200,00	701421				YA	A	NLD	
DELIVERY CHARGE LS LARGE	Price of Delivery for Linear Systems fitting on three or more pallets / special cases	360,00	688653				YA	A	NLD	
DELIVERY CHARGE LS MEDIUM	Price of Delivery for Linear Systems fitting on two pallets	260,00	688654				YA	A	NLD	
DELIVERY CHARGE LS SMALL	Price of Delivery for Linear Systems fitting on a single pallet	130,00	688655				YA	A	NLD	
DELIVERY CHARGE ROBOT X-SERIES	Price of Delivery for Robot, X-series (from/ to OMRON - Customer)	260,00	684724				YA	A	NLD	
DELIVERYCHARGE AIR FREIGHT	Price of Express Delivery from EDC to local warehouse with air freight	0,02	683806				YA	A	NLD	
DELIVERYCHARGE COBRA 450	Price of Delivery for COBRA 450 (from/ to OMRON - Customer)	200,00	683466				YA	A	NLD	
DELIVERYCHARGE COBRA 600/800	Price of Delivery for COBRA 600/800 (from/ to OMRON - Customer)	200,00	675890				YA	A	NLD	
DELIVERYCHARGE COBRA S350	Price of Delivery for COBRA 350 (from/ to OMRON - Customer)	200,00	675889				YA	A	NLD	
DELIVERYCHARGE COURIER TAXI	Price of Special Express Delivery, when the customer requested delivery by courier/taxi	0,02	676642				YA	A	NLD	
DELIVERYCHARGE EXPRESS SERVICE	Price of Express Delivery, when the customer requested delivery within 24 hours	48,45	675885				YA	A	NLD	
DELIVERYCHARGE HEAVY PAYLOAD	Price of Delivery for heavy payload items or shipments	0,02	683953				YA	A	NLD	
DELIVERYCHARGE HORNET	Price of Delivery for HORNET (from/ to OMRON - Customer)	200,00	675870				YA	A	NLD	
DELIVERYCHARGE MOBILE	Price of Delivery for LD60 LD90 or LD250 Mobile Robot	360,00	679655				YA	A	NLD	
DELIVERYCHARGE MOBILE BATTERY	Price of Delivery for LD60 LD90 or LD250 Mobile Robot battery	235,00	681452				YA	A	NLD	
DELIVERYCHARGE ON SATURDAY	Price of Special Express Delivery, when the customer requested delivery in Saturday	145,50	675888				YA	A	NLD	
DELIVERYCHARGE PFE 12	Price of Special Express Delivery, when the customer requested delivery next day before 12,00	72,70	675886				YA	A	NLD	
DELIVERYCHARGE PFE 9	Price of Special Express Delivery, when the customer requested delivery next day before 09,00	96,85	675887				YA	A	NLD	
DELIVERYCHARGE QUATTRO	Price of Delivery for QUATTRO (from/ to OMRON - Customer)	260,00	675894				YA	A	NLD	
DELIVERYCHARGE VIPER 650/850	Price of Delivery for VIPER 650/850 (from/ to OMRON - Customer)	200,00	675891				YA	A	NLD	
FREIGHT CHARGE	Standard carriage per order	0,02	165702				YA	A	GBR	
HANDLING CHARGE	Handling Charge	0,02	676656				YA	A	NLD	

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	SLN. (Daheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
BUFFER STOCK SERVICE FEE	Logistics Service fee for managing customer requested stock in Omron distribution center. Price per item per month. Can be implemented only with the non-stocked items of Omron.	100.00	690442				YA	A	NLD	
BUFFER STOCK SETUP FEE	Registration and administration fee of the Buffer Stock service	200.00	690440				YA	A	NLD	
CONSIGNMENT STOCK SERVICE FEE	Logistics Service fee for managing consignment stock to the customer premises. Contractual agreement	0.01	690443				YA	A	NLD	
CONSIGNMENT STOCK SETUP FEE	Registration and administration fee of the Consignment stock service	200.00	690441				YA	A	NLD	
VAL BARCODES ON DELIVERY NOTE	Value Added Logistics - Barcodes on delivery note. Only a setup fee for registration and administration, no recurring costs.	50.00	702514				YA	A	NLD	
VAL BOX CONTENT LIST	Value Added Logistics - Box content list, price per box.	0.18	702518				YA	A	NLD	
VAL BOX LABELLING	Value Added Logistics - Box labelling, price per box.	0.38	702516				YA	A	NLD	
VAL ITEM LABELLING	Value Added Logistics - Item labelling, price per item.	1.82	702517				YA	A	NLD	
VAL MAX PALLET HEIGHT	Value Added Logistics - Maximum pallet height, price per pallet.	3.80	702515				YA	A	NLD	
VALUE ADDED LOGISTICS	Value Added Logistics - Bespoke service to you including some or all of the these services: sorting, documentation, clustering, consolidation, labelling, palletizing and repacking activities.	0.01	686260				YA	A	NLD	
VALUE ADDED LOGISTICS SETUP FEE	Value Added Logistics - Registration and administration fee of the VAL service.	500.00	694011				YA	A	NLD	
COO - CERTIFICATE OF ORIGIN	Document confirming origin of a product, issued by the Chamber of Commerce, needed in case of export to certain countries	40.00	690568				YA	A	NLD	
REPAIR CHARGE	Price of the product repair	0.02	683801				YA	A	NLD	
REPAIR CHARGE NFF	Costs when there was no failure found from the product	0.02	683803				YA	A	NLD	
REPAIR CHARGE NOT REPAIRABLE	Costs when product was not repairable	0.02	683802				YA	A	NLD	
REPAIRS		0.02	164346				YA	A	BEL	
FAST REPLACEMENT SERVICE FEE	Service to replace a failing product with an exchange unit without going through the standard repair process.	0.01	699128				YA	A	NLD	
COATING	Price of the coating chargeable to the customer	0.02	677881				YA	A	NLD	
REPAIR ANALYSIS CHARGE	Price of the EPC repair analysis	0.02	683804				YA	A	NLD	
REPAIR COATING CHARGE	Price of the product coating	0.02	683805				YA	A	NLD	
SPARE PARTS INVERTERS	Price of the spare part chargeable to the customer	0.02	677890				YA	A	NLD	
EXTENDED WARRANTY 1 YEAR	Extended warranty, 1 year	0.01	670430	4548583970854			YA	A	GBR	
EXTENDED WARRANTY 2 YEAR	Extended warranty, 2 year	0.01	670428	4548583970830			YA	A	GBR	
EXTENDED WARRANTY 3 YEAR	Extended warranty, 3 year	0.01	670429	4548583970847			YA	A	GBR	
TC131 PMAC ADV	Training Course PMAC - Technology and Advanced Motion Capabilities (price per person, per day)	400.00	682677				YA	A	NLD	
TC121 MNT SYSMAC	Training Course Maintenance - Sysmac Studio. Ideally suited for maintenance personnel (price per person, 2 days)	500.00	685446				YA	A	NLD	
TC122 MNT FIXED ROBOTS	Training Course Maintenance - Fixed Robotics in pick and place applications. Ideally suited for maintenance personnel (price per person, per day)	400.00	685447				YA	A	NLD	
TCD21 PROG E V+ PROF	In House Training Course for Robot Programming - eV+ Professional (4.5 days, price per person)	2,025.00	680767				YA	A	NLD	
TCD22 PROG VIEWER	In House Training Course for Robot Programming - Viewer (0.5 days, price per person)	225.00	680752				YA	A	NLD	
TCD23 PROG ACE OPERATORS	In House Training Course for Robot Programming - ACE for Operator's (2.0 days, price per person)	900.00	680809				YA	A	NLD	
TCD24 PROG MOBILE ROBOTS	In House Training Course for Robot Programming - Mobile Robots (4.0 days, price per person)	1,800.00	680759				YA	A	NLD	
TCD25 PROG ENTERPRISE MGR	In House Training Course for Robot Programming - Enterprise Manager (1.0 days, price per person)	450.00	680763				YA	A	NLD	
TCD27 PROG COBOT	In House Training Course for Robot Programming - Cobot Basics (2.0 days, price per person)	1,000.00	696341				YA	A	NLD	
LOAN COBOT HANDLING FEE	Price of Delivery for LOAN service, Cobot - 2 ways (Handling, delivery and return costs of the loan of the product)	500.00	689571				YA	A	NLD	
LOAN ROBOT LD HANDLING FEE	Price of Delivery of LOAN service, LD Robot - 2 ways (Handling, delivery and return costs of the loan of the product)	1,500.00	688227				YA	A	NLD	
LOAN ROBOT LD WEEK FEE	Price of Loaned LD Robot, Service Fee for a week, Delivery cost not included	1,000.00	688226				YA	A	NLD	
LOAN STAND HANDLING FEE	Price of Delivery for LOAN service, Cobot Accessories (Stand or Mobile Work Station) - 2 ways (Handling, delivery and return costs of the loan of the product)	575.00	689570				YA	A	NLD	
LOANED COBOT WEEK SERVICE FEE	Price of Loaned Cobot, Service Fee for a week, Delivery cost not included	500.00	689572				YA	A	NLD	
EXPENDABLE ITEM	Locally purchased items	0.02	677896				YA	A	NLD	
EXPENDABLE ITEM - AUTOMATION	Indirect material - Vision	0.01	694896				YA	A	NLD	
EXPENDABLE ITEM - ROBOTS	Indirect material - Robots	0.01	685965				YA	A	NLD	
EXPENDABLE ITEM - SAFETY	Indirect material - Safety	0.01	694895				YA	A	NLD	
OPSE MAN HOUR	OMRON Project Services for EMEA - Omron employees manhours	0.01	695061				YA	A	NLD	
Equipment Rental	Short-term rental of automation equipment	0.02	684125				YA	A	NLD	
<b>Pre-Sales Services</b>										
ROBOT PS ABROAD ALW WITH HOTEL	Pre Sales Robotic Services - Daily allowance including hotel costs. Only in countries where Omron doesn't have offices.	275.00	688144				YB	A	NLD	
ROBOT PS ABROAD ALW WO HOTEL	Pre Sales Robotic Services - Daily allowance excluding hotel costs. Only in countries where Omron doesn't have offices.	175.00	688145				YB	A	NLD	
ROBOT PS DAY ALW WITH HOTEL	Pre Sales Robotic Services - Daily allowance including hotel costs	175.00	688140				YB	A	NLD	
ROBOT PS DAY ALW WO HOTEL	Pre Sales Robotic Services - Daily allowance excluding hotel costs	75.00	688141				YB	A	NLD	
ROBOT PS HOUR FEE	Pre Sales Robotic Services - Hourly Rate for Working Days (local office working hours)	121.20	688135				YB	A	NLD	
ROBOT PS HOUR FEE OVT	Pre Sales Robotic Services - Hourly Rate for Working Days (overtime, outside local office working hours)	155.30	688136				YB	A	NLD	
ROBOT PS HOUR FEE WKD	Pre Sales Robotic Services - Overtime Hourly Rate for Weekends / Public Holidays	242.40	688137				YB	A	NLD	
ROBOT PS TRAVEL DST FEE	Pre Sales Robotic Services - Distance value per kilometer	0.02	688201				YB	A	NLD	
ROBOT PS TRAVEL EXPENSES	Pre Sales Robotic Services - Value for the Tickets, Tolls, Parking, Car rentals, Taxi	0.02	677888				YB	A	NLD	
ROBOT PS TRAVELLING HOURS	Pre Sales Robotic Services - Travelling Hours (from / to OMRON - Customer)	121.20	677887				YB	A	NLD	
ROBOT EXTEND WRTY VALIDATION	Pre-Sales Robotics Services - Field service visit to validate robots condition. Enables registration of the robot for extended warranty: 2 year warranty for spare parts with shipping costs, includes 1st years warranty for labor and travelling costs	0.01	685510				YB	A	NLD	
OSSE AMR RISK ASSESSMT + CSD	OMRON Safety Service Europe - Autonomous Mobile Robot (AMR) risk assessment and conceptual safety design (CSD). AMR applications are required by law to complete a specific design-based risk assessment. In accordance with ISO 12100 and ISO 3691-4.	4,000.00	701221				YB	A	NLD	
OSSE CE MARKING SUPPORT	OMRON Safety Service Europe - Consultancy formal CE marking	0.02	684073				YB	A	NLD	

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	SLN. (Data sheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
OSSE COBOT PFM	OMRON Safety Service Europe - Cobot pressure and force measurement (PFM). PFM is carried in accordance with ISO/TS 15066 to ensure maximum permissible values are not exceeded for the application. Both quasi-static and transient contacts can be assessed.	0.01	701219				YB	A	NLD	
OSSE COBOT RISK ASSESSMENT	Pre Sales OSSE Safety Services - Cobot Risk Assessment	3,000.00	685175				YB	A	NLD	
OSSE COBOT RISK ASSESSMT + CSD	OMRON Safety Service Europe - Cobot risk assessment and conceptual safety design (CSD). Collaborative robot applications are required by law to complete a specific design-based risk assessment. In accordance with ISO 12100, ISO 10218 and ISO/TS 15066.	3,000.00	701223				YB	A	NLD	
OSSE CONCEPTUAL DESIGN	OMRON Safety Service Europe - Conceptual safety design (CSD). Based on a previous risk assessment report, CSD offers more accurate guidance on risk reduction measures as the result of our technical feasibility study. CSD is the base for remediation work.	480.00	683783				YB	A	NLD	
OSSE CONSULTATION	OMRON Safety Service Europe - General consultation	0.02	683779				YB	A	NLD	
OSSE ENGINEERING	OMRON Safety Service Europe - Engineering - Includes performance level calculation	0.02	683784				YB	A	NLD	
OSSE FORCE AND PRESSURE TEST	OMRON Safety Service Europe - Force and pressure test	0.01	694898				YB	A	NLD	
OSSE MACHINE RISK ASSESSMENT	OMRON Safety Service Europe - Machine risk assessment. Provides identified hazards report, risk scoring and risk reduction strategies. Conducted in accordance with ISO 12100. Help Customer meet requirements of the Machinery Directive 2006/42/EC.	480.00	683782				YB	A	NLD	
OSSE MACHINE SAFEGUARD EVAL	OMRON Safety Service Europe - Machine safeguarding evaluation - gap analysis	0.02	701222				YB	A	NLD	
OSSE MACHINE SAFEGUARDING	Pre Sales OSSE Safety Services - Machine Safeguarding Evaluation - Gap Analysis	0.02	683781				YB	A	NLD	
OSSE PRE DELIVERY ACCEPTANCE	OMRON Safety Service Europe - Pre-delivery acceptance (Design review - FAT - SAT). Assurance of compliance of equipment procured from 3rd-party OEMs and System Integrators. Performing design review and site acceptance activities on behalf of the Customer.	0.01	701220				YB	A	NLD	
OSSE VALIDATION	OMRON Safety Service Europe - Validation	0.02	683777				YB	A	NLD	
OSSE VIRTUAL ASSISTANCE	OMRON Safety Service Europe - Virtual Assistance Service via Augmented Reality	50.00	699020				YB	A	NLD	
OSSE TRAINING	OMRON Safety Service Europe - Training	0.02	683778				YB	A	NLD	
OSSE TRAVEL EXPENSES	OMRON Safety Service Europe - Value for the tickets, tolls, petrol, hotels, meals + other expenses	0.02	683780				YB	A	NLD	
OSSE REMEDIATION	OMRON Safety Service Europe - Remediation - Turn key	0.02	683785				YB	A	NLD	
AUTOM PS DAY ALW FAE WITHHOTEL	Pre Sales Application Automation Services - Daily allowance including hotel costs (service provided by local engineer)	175.00	689836				YB	A	NLD	
AUTOM PS DAY ALW FAE WOHOTEL	Pre Sales Application Automation Services - Daily allowance excluding hotel costs (service provided by local engineer)	75.00	689837				YB	A	NLD	
AUTOM PS DAY FEE FAE	Pre Sales Application Automation Services - Day rate for complete working day (Includes hour fees, travelling hours, travel expenses, travel distance fees and daily allowances. Service provided by local engineer)	1,440.00	689842				YB	A	NLD	
AUTOM PS HOUR FEE FAE	Pre Sales Application Automation Services - Hourly Rate for Working Days (local office working hours, service provided by local engineer)	100.00	689839				YB	A	NLD	
AUTOM PS HOUR FEE FAE OVT	Pre Sales Application Automation Services - Hourly Rate for Working Days (overtime, outside local office working hours, service provided by local engineer)	150.00	689840				YB	A	NLD	
AUTOM PS HOUR FEE FAE WKD	Pre Sales Application Automation Services - Hourly Rate for Weekends / Public Holidays (service provided by local engineer)	275.00	689841				YB	A	NLD	
AUTOM PS TRAVEL DST FEE FAE	Pre Sales Application Automation Services - Distance value per kilometer (service provided by local engineer)	0.02	689835				YB	A	NLD	
AUTOM PS TRAVEL EXPENSES FAE	Pre Sales Application Automation Services - Value for the Tickets, Tolls, Parking, Car rentals, Taxi. Service provided by local engineer	0.02	689838				YB	A	NLD	
AUTOM PS TRAVELLING HOURS FAE	Pre Sales Application Automation Services - Travelling Hours (from / to OMRON - Customer, service provided by local engineer)	80.00	689834				YB	A	NLD	
ROBOT PS DAY ALW FAE WITHHOTEL	Pre Sales Application Robotic Services - Daily allowance including hotel costs (service provided by local engineer)	175.00	689206				YB	A	NLD	
ROBOT PS DAY ALW FAE WOHOTEL	Pre Sales Application Robotic Services - Daily allowance excluding hotel costs (service provided by local engineer)	75.00	689207				YB	A	NLD	
ROBOT PS DAY FEE FAE	Pre Sales Application Robotic Services - Day rate for complete working day (Includes hour fees, travelling hours, travel expenses, travel distance fees and daily allowances. Service provided by local engineer)	1,440.00	689306				YB	A	NLD	
ROBOT PS HOUR FEE FAE	Pre Sales Application Robotic Services - Hourly Rate for Working Days (local office working hours, service provided by local engineer)	100.00	689212				YB	A	NLD	
ROBOT PS HOUR FEE FAE OVT	Pre Sales Application Robotic Services - Hourly Rate for Working Days (overtime, outside local office working hours, service provided by local engineer)	150.00	689213				YB	A	NLD	
ROBOT PS HOUR FEE FAE WKD	Pre Sales Application Robotic Services - Hourly Rate for Weekends / Public Holidays (service provided by local engineer)	275.00	689214				YB	A	NLD	
ROBOT PS TRAVEL DST FEE FAE	Pre Sales Application Robotic Services - Distance value per kilometer (service provided by local engineer)	0.02	689203				YB	A	NLD	
ROBOT PS TRAVEL EXPENSES FAE	Pre Sales Application Robotic Services - Value for the Tickets, Tolls, Parking, Car rentals, Taxi. Service provided by local engineer	0.02	689210				YB	A	NLD	
ROBOT PS TRAVELLING HOURS FAE	Pre Sales Application Robotic Services - Travelling Hours (from / to OMRON - Customer, service provided by local engineer)	80.00	689208				YB	A	NLD	
SAFETY PS DAY ALW FAE WITHHOTEL	Pre Sales Application Safety Services - Daily allowance including hotel costs (service provided by local engineer)	175.00	689819				YB	A	NLD	
SAFETY PS DAY ALW FAE WOHOTEL	Pre Sales Application Safety Services - Daily allowance excluding hotel costs (service provided by local engineer)	75.00	689820				YB	A	NLD	
SAFETY PS DAY FEE FAE	Pre Sales Application Safety Services - Day rate for complete working day (Includes hour fees, travelling hours, travel expenses, travel distance fees and daily allowances. Service provided by local engineer)	1,440.00	689824				YB	A	NLD	
SAFETY PS HOUR FEE FAE	Pre Sales Application Safety Services - Hourly Rate for Working Days (local office working hours, service provided by local engineer)	100.00	689822				YB	A	NLD	
SAFETY PS HOUR FEE FAE OVT	Pre Sales Application Safety Services - Hourly Rate for Working Days (overtime, outside local office working hours, service provided by local engineer)	150.00	689787				YB	A	NLD	
SAFETY PS HOUR FEE FAE WKD	Pre Sales Application Safety Services - Hourly Rate for Weekends / Public Holidays (service provided by local engineer)	275.00	689823				YB	A	NLD	
SAFETY PS TRAVEL DST FEE FAE	Pre Sales Application Safety Services - Distance value per kilometer (service provided by local engineer)	0.02	689818				YB	A	NLD	
SAFETY PS TRAVEL EXPENSES FAE	Pre Sales Application Safety Services - Value for the Tickets, Tolls, Parking, Car rentals, Taxi. Service provided by local engineer	0.02	689821				YB	A	NLD	
SAFETY PS TRAVELLING HOURS FAE	Pre Sales Application Safety Services - Travelling Hours (from / to OMRON - Customer, service provided by local engineer)	80.00	689817				YB	A	NLD	
VISION PS DAY ALW FAE WITHHOTEL	Pre Sales Application Vision Services - Daily allowance including hotel costs (service provided by local engineer)	175.00	689801				YB	A	NLD	
VISION PS DAY ALW FAE WOHOTEL	Pre Sales Application Vision Services - Daily allowance excluding hotel costs (service provided by local engineer)	75.00	689802				YB	A	NLD	
VISION PS DAY FEE FAE	Pre Sales Application Vision Services - Day rate for complete working day (Includes hour fees, travelling hours, travel expenses, travel distance fees and daily allowances. Service provided by local engineer)	1,440.00	689807				YB	A	NLD	
VISION PS HOUR FEE FAE	Pre Sales Application Vision Services - Hourly Rate for Working Days (local office working hours, service provided by local engineer)	100.00	689804				YB	A	NLD	
VISION PS HOUR FEE FAE OVT	Pre Sales Application Vision Services - Hourly Rate for Working Days (overtime, outside local office working hours, service provided by local engineer)	150.00	689805				YB	A	NLD	
VISION PS HOUR FEE FAE WKD	Pre Sales Application Vision Services - Hourly Rate for Weekends / Public Holidays (service provided by local engineer)	275.00	689806				YB	A	NLD	
VISION PS TRAVEL DST FEE FAE	Pre Sales Application Vision Services - Distance value per kilometer (service provided by local engineer)	0.02	689800				YB	A	NLD	
VISION PS TRAVEL EXPENSES FAE	Pre Sales Application Vision Services - Value for the Tickets, Tolls, Parking, Car rentals, Taxi. Service provided by local engineer	0.02	689803				YB	A	NLD	
VISION PS TRAVELLING HOURS FAE	Pre Sales Application Vision Services - Travelling Hours (from / to OMRON - Customer, service provided by local engineer)	80.00	689799				YB	A	NLD	
VIRTUAL ASSISTANCE PS AUTOM		50.00	696099				YB	A	NLD	
VIRTUAL ASSISTANCE PS ROBOT		50.00	696103				YB	A	NLD	
VIRTUAL ASSISTANCE PS SAFETY		50.00	696095				YB	A	NLD	
VIRTUAL ASSISTANCE PS VISION		50.00	696097				YB	A	NLD	
GCD PS DAY ALW FAE WITHHOTEL	Pre Sales Global Consultation Desk Services - Daily allowance including hotel costs (service provided by local engineer)	175.00	689854				YB	A	NLD	
GCD PS DAY ALW FAE WOHOTEL	Pre Sales Global Consultation Desk Services - Daily allowance excluding hotel costs (service provided by local engineer)	75.00	689855				YB	A	NLD	
GCD PS DAY FEE FAE	Pre Sales Global Consultation Desk Services - Day rate for complete working day (Includes hour fees, travelling hours, travel expenses, travel distance fees and daily allowances. Service provided by local engineer)	1,440.00	689789				YB	A	NLD	
GCD PS HOUR FEE FAE	Pre Sales Global Consultation Desk Services - Hourly Rate for Working Days (local office working hours, service provided by local engineer)	100.00	689785				YB	A	NLD	
GCD PS HOUR FEE FAE OVT	Pre Sales Global Consultation Desk Services - Hourly Rate for Working Days (overtime, outside local office working hours, service provided by local engineer)	150.00	689786				YB	A	NLD	
GCD PS HOUR FEE FAE WKD	Pre Sales Global Consultation Desk Services - Hourly Rate for Weekends / Public Holidays (service provided by local engineer)	275.00	689788				YB	A	NLD	
GCD PS TRAVEL DST FEE FAE	Pre Sales Global Consultation Desk Services - Distance value per kilometer (service provided by local engineer)	0.02	689853				YB	A	NLD	
GCD PS TRAVEL EXPENSES FAE	Pre Sales Global Consultation Desk Services - Value for the Tickets, Tolls, Parking, Car rentals, Taxi. Service provided by local engineer	0.02	689856				YB	A	NLD	
GCD PS TRAVELLING HOURS FAE	Pre Sales Global Consultation Desk Services - Travelling Hours (from / to OMRON - Customer, service provided by local engineer)	77.55	689852				YB	A	NLD	

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Data sheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
TSUNAGI PSHOUR FEE	Tsunagi Services Pre Sales - Hourly Rate for solving inter-connectivity issues between Omron and other supplier products	150,00	688695				YB	A	NLD	
AUTOM PS PROOF OF CONCEPT ROBOT FEASIBILITY STUDY	Automation Services Pre Sales - Prove of viability of Omron Solution for the customer application. Hourly rate for the Proof of Concept (PoC) study	150,00	675878				YB	A	NLD	
ROBOT PROOF OF CONCEPT	Pre Sales Robotic Services - Feasibility Study contains an On-site Study, Analysis of the viability and Case Description of a Potential Robotics solution(s).	0,02	682527				YB	A	NLD	
VISION PS PROOF OF CONCEPT	Pre Sales Robotic Services - Prove of viability of Omron Solution for the customer application. Hourly rate for the Proof of Concept (PoC) study	150,00	682522				YB	A	NLD	
VISION PS PROOF OF CONCEPT	Vision Services Pre Sales - Prove of viability of Omron Solution for the customer application. Hourly rate for the Proof of Concept (PoC) study	150,00	675871				YB	A	NLD	
SAFETY FB DEVELOPMENT	Safety Services - Function Block development, hourly rate. Includes creation of software specifications, its validation and verification and creation of documentation such as user guides.	175,00	688499				YB	A	NLD	
SAFETY FB DEVELOPMENT TUV CERT	Safety Services - Function Block development, TUV Certification of safety related function block	0,01	688500				YB	A	NLD	
AUTOM PS TRAINING	Automation Services Pre Sales - Daily Rate for Training	800,00	679707	4549734934169			YB	A	NLD	
TC01 PLC BASIC	Training Course PLC - Basic (price per person, per day)	292,00	680778				YB	A	NLD	
TC02 PLC ADV	Training Course PLC - Advanced (price per person, per day)	315,00	680766				YB	A	NLD	
TC03 PLC PROF	Training Course PLC - Professional (price per person, per day)	292,00	680758				YB	A	NLD	
TC04 PLC STRUCTURED TEXT	Training Course PLC - Structured text (price per person, per day)	400,00	680787				YB	A	NLD	
TC05 PLC SFC PROGRAMMING	Training Course PLC - Sequential Function Chart Programming (price per person, per day)	400,00	680815				YB	A	NLD	
TC06 PLC FUNCTION BLOCKS INT	Training Course PLC - Function Blocks Introduction (price per person, per day)	400,00	680795				YB	A	NLD	
TC07 PLC INT	Training Course PLC - Introduction (price per person, per day)	292,00	701030				YB	A	NLD	
TC11 HMI BASIC	Training Course HMI - Basic programming for NS HMI's (price per person, per day)	400,00	680780				YB	A	NLD	
TC12 HMI ADV	Training Course HMI - Advanced programming for NS HMI's (price per person, per day)	400,00	680797				YB	A	NLD	
TC13 HMI NB	Training Course HMI - NB (price per person, per day)	400,00	680810				YB	A	NLD	
TC21 SCADA CX-SUPERVISOR	Training Course SCADA - CX-Supervisor (price per person, per day)	315,00	680779				YB	A	NLD	
TC22 SCADA CX-SUPERVISOR ADV	Training Course SCADA - CX-Supervisor Advanced (price per person, per day)	400,00	680799				YB	A	NLD	
TC23 SCADA CX-SUPERVISOR PROF	Training Course SCADA - CX-Supervisor Professional (price per person, per day)	400,00	680753				YB	A	NLD	
TC25 VAR SPEED DRIVES BASIC	Training Course Inverters - Variable Speed Drives Basic (price per person, per day)	150,00	680762				YB	A	NLD	
TC26 VAR SPEED DRIVES ADV	Training Course Inverters - Variable Speed Drives Advanced (price per person, per day)	400,00	680751				YB	A	NLD	
TC27 SERVO MOTORS DRIVES INT	Training Course Servo Motors and Drives - Introduction (price per person, per day)	400,00	680816				YB	A	NLD	
TC31 COMPONENTS BASIC	Training Course Components - Basic (price per person, per day)	400,00	680760				YB	A	NLD	
TC34 PANEL BUILDING WORKSHOP	Training Course Panel Building - Technology Workshop (price per person, per day)	400,00	680803				YB	A	NLD	
TC37 TEMP CONTROL BASIC	Training Course Temperature Control - Basic (price per person, per day)	400,00	680783				YB	A	NLD	
TC38 TEMP CONTROL ADV	Training Course Temperature Control - Advanced (price per person, per day)	400,00	680744				YB	A	NLD	
TC46 SENSORS BASIC	Training Course Sensors - Basic (price per person, per day)	400,00	680776				YB	A	NLD	
TC47 SENSORS ADV	Training Course Sensors - Advanced (price per person, per day)	400,00	680788				YB	A	NLD	
TC51 SYSMAC CONTROL BASIC	Training Course Sysmac Studio - Basic (price per person, per day)	292,00	680801				YB	A	NLD	
TC52 SYSMAC CONTROL ADV	Training Course Sysmac Studio - Advanced (price per person, per day)	315,00	680792				YB	A	NLD	
TC53 SYSMAC NX I/O AND SAFETY	Training Course Sysmac Studio - NX I/O and Safety (price per person, per day)	315,00	680755				YB	A	NLD	
TC54 SYSMAC MOTION CONTROL	Training Course Sysmac Studio - Motion Control (price per person, per day)	400,00	680770				YB	A	NLD	
TC55 SYSMAC NA HMI	Training Course Sysmac Studio - Basic programming for NA HMI's (price per person, per day)	250,00	680771				YB	A	NLD	
TC56 SYSMAC SQL	Training Course Sysmac Studio - SQL Database Connectivity (price per person, per day)	400,00	680791				YB	A	NLD	
TC57 SYSMAC STRUCTURED TEXT	Training Course Sysmac Studio - Structured Text (price per person, per day)	292,00	681948				YB	A	NLD	
TC58 SYSMAC CNC	Training Course Sysmac Studio - CNC (price per person, per day)	400,00	680756				YB	A	NLD	
TC61 SYSMAC HMI ADV	Training Course Sysmac Studio - Advanced programming for NA HMI's (price per person, per day)	425,00	688789				YB	A	NLD	
TC62 SYSMAC MOTION ADV	Training Course Sysmac Studio - Motion Control Advanced (price per person, per day)	425,00	688790				YB	A	NLD	
TC63 SYSMAC I/O AND SAFETY ADV	Training Course Sysmac Studio - I/O and Safety Advanced (price per person, per day)	425,00	689597				YB	A	NLD	
TC91 NETW FIELDBUS AND EIP	Training Course Networks - Field Bus and Industrial Ethernet (price per person, per day)	400,00	680757				YB	A	NLD	
TC93 NETW DEVICENET	Training Course Networks - DeviceNet (price per person, per day)	400,00	680777				YB	A	NLD	
TC95 NETW INDUSTRIAL NETW INT	Training Course Networks - Introduction to Industrial Networks (price per person, per day)	400,00	680789				YB	A	NLD	
TC101 CUSTOMISED ONE-TO-ONE	Training Course Customised - One-to-One (price per person, per day)	550,00	680794				YB	A	NLD	
TC102 CUSTOMISED ONE-TO-N	Training Course Customised - One-to-N (price per person, per day, training course for a group)	500,00	680800				YB	A	NLD	
TC111 ROBOTICS FIXED	Training Course Robotics - Fixed Robots (price per person, per day)	400,00	681484				YB	A	NLD	
TC112 ROBOTICS MOBILE	Training Course Robotics - Mobile Robots (price per person, per day)	400,00	681483				YB	A	NLD	
TC113 ROBOTICS VISION	Training Course Robotics - Vision for Robotics (price per person, per day)	400,00	681485				YB	A	NLD	
TC114 ROBOTICS COBOT BASIC	Training Course Robotics - Collaborative Robots (price per person, per day)	425,00	691118				YB	A	NLD	
TC81 SAFETY SENSORS	Training Course Safety - Sensors (price per person, per day)	400,00	680782				YB	A	NLD	
TC82 SAFETY STANDALONE CTR	Training Course Safety - Standalone Controllers (price per person, per day)	400,00	680765				YB	A	NLD	
TC83 SAFETY DIR 2006 42 EC	Training Course Safety - The Machinery Directive 2006/42/EC (price per person, per day)	400,00	680768				YB	A	NLD	
TC84 SAFETY MACHINE SYSTEM	Training Course Safety - Machine Control Systems (price per person, per day)	400,00	680813				YB	A	NLD	
TC85 SAFETY CEI EN60204-1	Training Course Safety - Electrical Equipment of Machines - CEI EN60204-1 (price per person, per day)	400,00	680775				YB	A	NLD	
TC86 SAFETY RISK ASSESSMENT	Training Course Safety - Machine Risk Assessment (price per person, per day)	400,00	680769				YB	A	NLD	
TC87 SAFETY BASICS CIP SAFETY	Training Course Safety - Safety Basics and CIP Safety (price per person, per day)	425,00	699031				YB	A	NLD	
TC41 VISION SENSOR BASIC	Training Course Vision - Sensor Basics (price per person, per day)	400,00	680807				YB	A	NLD	
TC42 VISION SYSTEMS BASIC	Training Course Vision - Systems Basic (price per person, per day)	400,00	680804				YB	A	NLD	
TC43 VISION INT	Training Course Maintenance - Vision. Ideally suited for maintenance personnel (price per person, per day)	400,00	682518				YB	A	NLD	
VISION PS TRAINING	Vision Services Pre Sales - Daily Rate for Training	800,00	679704	4549734934138			YB	A	NLD	
TC01R PLC BASIC	Remote Training Course PLC - Basic (price per person)	292,00	700403				YB	A	NLD	
TC02R PLC ADV	Remote Training Course PLC - Advanced (price per person)	315,00	700402				YB	A	NLD	
TC101R CUSTOMISED ONE-TO-ONE	Remote Training Course Customised - One-to-One (price per person)	550,00	700394				YB	A	NLD	
TC102R CUSTOMISED TO GROUP	Remote Training Course Customised - One-to-N (price per person, per day, training course for a group)	500,00	700393				YB	A	NLD	
TC114R ROBOTICS COBOT BASIC	Remote Training Course Robotics - Collaborative Robots (price per person)	425,00	700392				YB	A	NLD	
TC42R VISION SYSTEMS BASIC	Remote Training Course Vision - Systems Basic (price per person)	400,00	700401				YB	A	NLD	
TC51R SYSMAC BASIC	Remote Training Course Sysmac Studio - Basic (price per person)	292,00	700400				YB	A	NLD	
TC52R SYSMAC ADV	Remote Training Course Sysmac Studio - Advanced (price per person)	315,00	700399				YB	A	NLD	

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Daheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code	
TC53R SYSMAC NX IO AND SAFETY	Remote Training Course Sysmac Studio - NX I/O and Safety (price per person)	315.00	700398				YB	A	NLD		
TC54R SYSMAC MOTION CONTROL	Remote Training Course Sysmac Studio - Motion Control (price per person)	400.00	700397				YB	A	NLD		
TC55R SYSMAC NA HMI	Remote Training Course Sysmac Studio - Basic programming for NA HMIs (price per person)	250.00	700396				YB	A	NLD		
TC64R SAFETY MACHINE SYSTEM	Remote Training Course Safety - Machine Control Systems (price per person)	400.00	700395				YB	A	NLD		
TC103 CUSTOMISED ON-SITE	Training Course Customised - On-site Training at Customer's Site (price/day, training course for a person or a group)	1,000.00	680764				YB	A	NLD		
ELEARNING GROUP LICENSE	eLearning through OmronLearning.com. Yearly payment to create a closed environment for group(s) with 2 levels of access rights. Includes creation of the accounts, courses selection and reports. License is active for a year and limited for 100 users.	950.00	694984				YB	A	NLD		
ELEARNING TEST LICENSE	eLearning through OmronLearning.com. One-shot payment to create a closed environment for group(s) with 2 levels of access rights. Includes creation of the accounts, courses selection and reports. Test license is active for a calendar week.	100.00	694982				YB	A	NLD		
DOCUMENTS - DUPLICATES	Duplicate of previously delivered documentation - PDF electronic	100.00	687094				YB	A	NLD		
DOCUMENTS - SOLUTION SPECIFIC	Solution specific documentation created by technical support	0.01	687093				YB	A	NLD		
COMARKETING SERVPACK BRONZE	Promotional Package Bronze - Customer testimonial video - For Partners	2,500.00	690221				YB	A	NLD		
COMARKETING SERVPACK GOLD	Promotional Package Gold - Customer testimonial video, article and Partner video- OSPs only	4,500.00	690219				YB	A	NLD		
COMARKETING SERVPACK SILVER	Promotional Package Silver - Customer testimonial video and article - For Partners	3,500.00	690220				YB	A	NLD		
SERVICE COMMT LVL BLUE		1,000.00	694897				YB	A	NLD		
SERVICE COMMT LVL PLATINUM		3,000.00	694893				YB	A	NLD		
LEASE ADMINISTRATION CHARGE	Lease contract set up administration and service fees	0.01	689575				YB	A	NLD		
LEASE MONTHLY FEE	Monthly fee for the leased equipment	0.01	689576				YB	A	NLD		
<b>Robots spare parts</b>											
00000-0001	Backup CompactFlash including V+ and Licences on Customers demand	504.00	680140	4549734936903			YR	A	DEU	8523.8090.00	
00000-0002	Backup SD Card including eV+ and licences on Customers demand	262.50	680141	4549734936910			YR	A	DEU	8523.8090.00	
00000-0003	Backup MicroSD Card including eV+ and Licences on Customers demand	262.50	680142	4549734936927			YR	A	DEU	8523.8090.00	
00205-000	ADEPT Legacy Spare Part Bracket Kit, Mounting, Table/Rack Mt., SmartController	122.90	696534	4549734679305			YR	A	USA	8479.9070.99	
00212-200	Bellows Kit, with Mounting Hardware, AIB Cobra	769.00	696512	4549734680868			YR	A	USA	8479.9070.99	
00326-000	ADEPT Legacy Spare Part PCA,DAP-MPC8241	607.00	699225	4549734690591			YR	A	USA	8479.9070.99	
00356-00100	SMARTCONTROLLER USERS GUIDE	105.00	698587	4549734678827			YR	A	USA	4901.9900.00	
00411-000	Cable, Splitter, DB9M to Dual DB9F	31.00	687059	4549734492034			YR	A	USA	8479.9070.99	
00603-000	ADEPT VME Spare Part ASSY, H AMP	5,315.00	698231	4549734682596			YR	A	USA	8479.9070.99	
00604-000	ADEPT VME Spare Part ASSY, T AMP	5,320.00	698338	4549734682602			YR	A	USA	8479.9070.99	
00628-100	KIT, ADEPTSX CAL TOOL	3,971.00	696486	4549734682527			YR	A	USA	8479.9070.99	
00692-000	ADEPT AIB Family Spare Part Amplifier, Power HV1A, AIB, Snote Channel	2,307.00	696353	4549734691643			YR	A	USA	8479.9070.99	
00727-000	Strain Encoder, 20lb Test (Unit of Issue, FT)	35.70	696309	4549734677905			YR	A	USA	8479.9070.99	
01044-000	ADEPT VME Spare Part Chassis, Amplifier, PA-4, CAT3, Model 336 (CE)	9,860.00	698334	4549734683074			YR	A	USA	8479.9070.99	
01056-120	Camera, Firewire-b, 659 x 494, CCD, 1/2" Sensor, B/W	1,341.00	683156	4549734950589			YR	A	USA	8525.8091.90	
01056-401	ADEPT License Spare Part KEY, USB, ADEPTSGHT & OPT	223.70	698284	4549734679725			YR	A	USA	8479.9070.99	
01056-402	KEY, USB, ADEPT ACE OPTIONS	152.30	679609	4549734933513			YR	A	USA	8523.5110.00	
01056-800	ADEPT License Spare Part LIC, S/W, ADEPTSGHT 2X	906.50	698262	4549734680813			YR	A	USA	8479.9070.99	
01056-803	License, S/W Option, ACE Sght, 2 Controllers	1,863.00	699283	4549734690614			YR	A	USA	8479.9070.99	
01056-806	ADEPT License Spare Part LIC,S/W, ADEPTSGHT,COLOR	1,208.00	698256	4549734681018			YR	A	USA	8479.9070.99	
01056-830	License, Software, ACE AdeptSght 3 for ACE PackXpert	1,213.00	699282	4549734690621			YR	A	USA	8523.4920.00	
01059-003	ADEPT Spare Part ADEPT DESKTOP 4.2 PACKAGE	778.50	698263	4549734680790			YR	A	USA	8479.9070.99	
01069-000	ADEPT Legacy Spare Part TIMING,BELT,6AX,662,J6	277.20	698279	4549734679817			YR	A	JPN	8479.9070.99	
01075-000	ADEPT Legacy Spare Part DRIVE,SPEED,FCR6AX,662,J6	2,047.00	698242	4549734681674			YR	A	JPN	8479.9070.99	
01080-000	ADEPT Legacy Spare Part MOT,6AX,662,100W,0.89A,J4/5/6	4,867.00	698233	4549734682435			YR	A	JPN	8479.9070.99	
01256-000	ADEPT Common - Mech Spare Part GRS,HD,MLYWHHT RE 00.400G TUBE	126.00	698401	4549734678934			YR	A	USA	8479.9070.99	
01257-000	ADEPT Common - Mech Spare Part GRS,HD,SK-1A,AGAX,600/2000	352.80	698369	4549734680042			YR	A	USA	8479.9070.99	
01260-000	ADEPT Common - Mech Spare Part GRS,HD,ALVANIA EP,AGX,600/2000	92.40	698411	4549734678445			YR	A	USA	8479.9070.99	
01912-000D	Seal, Conductive, 1.25" OD, 0.045" ID Hollow O-Ring, Fluoro-Silicon w/ Silver Plated Aluminum Filler (not for Quattro or Hornet)	107.10	698038	4549734511957			YR	A	CHN	4018.9300.90	
02073-000	ADEPT Legacy Spare Part GRS FTNG,PT1,6,6AX,660/662/664	8.40	698439	4549734677424			YR	A	USA	8479.9070.99	
02074-000	ADEPT Legacy Spare Part GRS FTNG,MT6X1,6,6AX,660/662/664	8.40	698214	4549734677431			YR	A	USA	8479.9070.99	
02109-000	THERMAL GREASE	35.22	682940	4549734265591			#	YR	A	USA	3403.1980.00
02144-000	ADEPT Legacy Spare Part Hard Stop, J1	57.75	698415	4549734678117			YR	A	USA	8479.9070.99	
02168-000	ADEPT SmartController CX Spare Part MOTOR,200W SIGMA II	1,543.00	698247	4549734681384			YR	A	JPN	8479.9070.99	
02169-000	ADEPT SmartController CX Spare Part Pulley, Timing, J3 Motor, 40T, AIB 800	462.00	698269	4549734680240			YR	A	USA	8479.9070.99	
02192-000	FAN,COBPA AIB,J1 CFM	67.20	683181	4549734950831			YR	A	USA	8414.5995.90	
02212-015	ADEPT Common - Elec Spare Part Fuse, 2x20mm, 15A, 250V, Slow-Blow, Quattro AIB	7.35	696473	4549734677387			YR	A	USA	8479.9070.99	
02213-000	FUSE, MINI BLADE, 15A, 32VDC	7.00	695237	4549734995832			#	YR	A	USA	8536.1050.90
02253-000	PLATE, MOTOR AIB COBPA	198.50	683180	4549734950824			YR	A	USA	7326.9098.90	
02267-000	ADEPT Cobra 600 Spare Part Pulley, Timing, J3 Driven, Quill, 50T	462.00	698270	4549734680257			YR	A	USA	8479.9070.99	
02281-000	ADEPT Cobra 600 Spare Part Pulley, Timing, J3 Motor, 32T, AIB 600	462.00	698271	4549734680264			YR	A	USA	8479.9070.99	
02309-000	ADEPT Cobra 600 Spare Part PCA, Diagnostic Board	484.10	698365	4549734680349			YR	A	USA	8479.9070.99	
02357-000	ADEPT Cobra 600 Spare Part Bracket, Rear Outer Link Cover, AIB 600	242.60	698282	4549734679510			YR	A	USA	8479.9070.99	
02448-100	ADEPT Legacy Spare Part READ,HD,ENC,DR3,CH,LN DRUS DIG	851.00	698265	4549734680860			YR	A	USA	8479.9070.99	
02492-000	ADEPT Cobra 600 Spare Part Belt, Timing, J3, 179T, AIB 600	49.35	698418	4549734677974			YR	A	USA	8479.9070.99	
02501-000	ADEPT Cobra 600 Spare Part Seal, Shaft, 14x30x7mm, J11, J2 Motors	38.85	698421	4549734677912			YR	A	USA	8479.9070.99	
02539-000	ADEPT SmartController CX Spare Part Bulkhead, Outer Link Connectors/ Hand Valve	119.70	698294	4549734678742			YR	A	USA	8479.9070.99	
02551-000	ADEPT Cobra 600 Spare Part Inner Link, Cobra AIB 600	1,058.00	698258	4549734681209			YR	A	USA	8479.9070.99	
02560-000	ADEPT Cobra 600 Spare Part MTR,400W SIGMA II	1,795.00	698244	4549734681544			YR	A	JPN	8479.9070.99	
02562-000	ADEPT Cobra 600 Spare Part Motor Assy, J3, AIB 600	2,675.00	696496	4549734681865			YR	A	USA	8501.4020.80	
02563-000	ADEPT Cobra 600/800 All Spare Part Motor Assy, J4	2,252.00	696502	4549734681780			YR	A	USA	8501.4020.80	



Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Data sheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
02569-000	ADEPT Cobra 600/800 All Spare Part MTR SIGMA II 100W	1.533.000	698248	4549734681193			YR	A	JPN	8479.9070.99
02571-000	ADEPT Cobra 600 Spare Part Outer Link, Cobra AIB 600	1.265.000	698253	4549734681216			YR	A	USA	8479.9070.99
02574-000F	ADEPT Cobra 600/800 All Spare Part Ball Spline Assy, Cobra AIB 600/800	6.225.000	698484	4549734682756			YR	A	USA	8479.9070.99
02574-001F	Spare Part Quill Assembly, Cobra AIB 800, 260mm Quill (Extended Quill)	9.195.000	698526	4549734682848			YR	A	USA	8479.9070.99
02579-000	ADEPT Cobra 600/800 All Spare Part O-Ring, J1 Motor Plate to Base	12.60	696472	4549734677462			YR	A	USA	8479.9070.99
02581-000	ADEPT Cobra 600/800 All Spare Part O-Ring, J2 Motor Plate to Inner Link	12.00	675520	4549734903196		10	YR	A	USA	8479.9070.99
02581-000	ADEPT Cobra 600/800 All Spare Part O-Ring, J2 Motor Plate to Inner Link	12.00	698438	4549734677479			YR	A	USA	8479.9070.99
02582-000	CLAMP, BAND	9.79	682941	4549734265607			YR	A	USA	7326.9098.90
02583-000	ADEPT Cobra 600 Spare Part Plug, Harmonic Drive Alignment, J1, AIB 600	76.65	698298	4549734678278			YR	A	USA	8479.9070.99
02584-000	ADEPT Cobra 600 Spare Part Plug, Harmonic Drive Alignment, J2, AIB 600	76.65	698299	4549734678285			YR	A	USA	8479.9070.99
02588-000F	ADEPT Cobra 600/800 All Spare Part Cover Assy, J1 Upper	1.779.000	698563	4549734681452			YR	A	USA	8479.9070.99
02589-000	ADEPT Cobra 600/800 All Spare Part Cover Assy, Outer Link, Back	427.40	698273	4549734680141			YR	A	USA	8479.9070.99
02592-000	Stop Kit, Adjustable Limit it, J1/J2	673.50	696515	4549734680769			YR	A	USA	8479.9070.99
02632-000	Base Harness, Support, Cobra AIB	714.00	698264	4549734680776			YR	A	USA	8544.4290.90
02638-000	ADEPT Cobra 800 Spare Part Spacer, Base to J1, AIB 800	227.90	698283	4549734679596			YR	A	USA	8479.9070.99
02690-000	ADEPT Cobra 600/800 All Spare Part Harness, Encoder Signal, Internal, Joint 2	71.40	675521	4549734903202			YR	A	USA	8544.4290.90
02690-000	ADEPT Cobra 600/800 All Spare Part Harness, Encoder Signal, Internal, Joint 2	209.00	698588	4549734678292			YR	A	USA	8544.4290.90
02728-000	ADEPT Cobra 600 Spare Part LED Assembly, Amber, with Cable	119.70	696538	4549734678759			YR	A	USA	8541.4010.00
02728-002	ASSY, LED AND CABLE INVERTED	138.60	699223	4549734690638			YR	A	USA	8541.4010.00
02728-003	ADEPT Cobra 600 Spare Part LED Assembly, Bi-Color, Red/Green, with Cable	186.10	699406	4549734678766			YR	A	USA	8479.9070.99
02729-000F	ADEPT Cobra 600/800 All Spare Part Fan Assy, J1	173.30	698392	4549734679107			YR	A	USA	8414.5925.90
02754-000	Seal, Brake Button	15.75	699222	4549734690645			YR	A	USA	8479.9070.99
02780-000	ADEPT Cobra 600/800 All Spare Part Robot Accessory Kit, Cobra AIB, MB40, MB60, Quattro	32.55	698425	4549734677820			YR	A	USA	8536.9010.00
02786-000	ADEPT Cobra 800 Spare Part Inner Link, Cobra AIB 800	1.265.000	698254	4549734681223			YR	A	USA	8479.9070.99
02787-000	ADEPT Cobra 800 Spare Part Cover, Outerlink, AIB 800	691.00	696514	4549734680547			YR	A	USA	8479.9070.99
02788-000	ADEPT Cobra 800 Spare Part Outer Link, Cobra AIB 800	1.509.000	698249	4549734681230			YR	A	USA	8479.9070.99
02789-000	ADEPT Cobra 800 Spare Part Motor Assy, J3, AIB 800	2.607.000	696497	4549734681872			YR	A	USA	8501.4020.80
02810-000	ADEPT Cobra 600/800 All Spare Part O-Ring Seal, M10 Screw	13.65	696548	4549734677486			YR	A	USA	8479.9070.99
02811-000	ADEPT Cobra 600/800 All Spare Part O-Ring Seal, M8 Screw	13.65	696549	4549734677493			YR	A	USA	8479.9070.99
02812-000	ADEPT Cobra 600 Spare Part O-Ring Seal, HD Alignment, Flua, J1	12.60	698432	4549734677509			YR	A	USA	8479.9070.99
02813-000	ADEPT Cobra 600 Spare Part O-Ring Seal, HD Alignment, Flua, J2	12.60	698433	4549734677516			YR	A	USA	8479.9070.99
02912-000	ADEPT Cobra 600/800 All Spare Part O-Ring Seal, Harmonic Drive to Base, J1	12.60	698434	4549734677523			YR	A	USA	8479.9070.99
02913-000	ADEPT Cobra 600/800 All Spare Part O-Ring Seal, Harmonic Drive to Innerlink, J2	12.60	698435	4549734677530			YR	A	USA	8479.9070.99
02915-000	LOCITITE 243	13.65	696550	4549734677615			YR	A	USA	3919.1080.90
02916-000	ADEPT Common - Mech Spare Part Gasket, Harmonic Drive, J1	12.60	698436	4549734677547			YR	A	USA	8479.9070.99
02928-000	ADEPT Cobra 600/800 All Spare Part Cable, Serial, DB9, Male/Male, 15ft (XSLV to XSYS)	23.10	698430	4549734677738			YR	A	USA	8544.4290.90
03017-000	User Guide, COBRA S600/S800	105.00	698586	4549734678841			YR	A	USA	4901.5900.00
03332-00020	Label, Hit Surface	7.00	699225	4549734690652			YR	A	USA	4821.0100.00
03562-40000	Label, Caution, Outer Link Cover, Cobra 800 IP65	13.00	699280	4549734690669			YR	A	USA	4821.0100.00
03624-000	ADEPT SmartController CX Spare Part XIO Termination Block, without Cable	372.80	698275	4549734680066			YR	A	USA	8479.9070.99
03722-000	ADEPT Cobra 600 Spare Part Harness, DeviceNet, in J1 Cover Assy	183.80	698391	4549734679350			YR	A	USA	8479.9070.99
03862-00020	Label, Blue Stripe	7.00	699279	4549734690676			YR	A	USA	4821.0100.00
04081-000	ADEPT Cobra 600 Spare Part Cable Assy, X-PANEL Adapter Cable with Jumpers	302.40	675541	4549734903400			YR	A	USA	8544.4290.90
04081-000	ADEPT Cobra 600 Spare Part Cable Assy, X-PANEL Adapter Cable with Jumpers	302.40	698376	4549734679862			YR	A	USA	8544.4290.90
04116-001	ADEPT Cobra 600 Spare Part Cable, RS232, Null Modem, DB9F/F, 5M, Shielded	72.45	698301	4549734678360			YR	A	USA	8544.4290.90
04118-000	Cable, 220 VAC sCobra Power, 5m	69.65	687058	4549734492041			YR	A	USA	8479.9070.99
04120-000	Cable, 24 VDC sCobra Power, 5m	69.65	687057	4549734492058			YR	A	USA	8479.9070.99
04209-000	ADEPT Cobra 600 Spare Part Brake, J1,3, with Connector	315.00	696525	4549734679824			YR	A	USA	8479.9070.99
04302-000	ADEPT Cobra 600 Spare Part Cover, Outerlink, AIB 600	464.10	696520	4549734680332			YR	A	USA	8479.9070.99
04372000398-0001	ADEPT Common - Mech Spare Part HINGERMovableSOUTHOO P/N F6	26.25	698312	4549734677806			YR	A	USA	8479.9070.99
04386-000	ADEPT Spare Part Hard Stop, J1,2, Arc	201.60	698285	4549734679459			YR	A	USA	8479.9070.99
04387-000	ADEPT Spare Part Hard Stop, J1,2, Block	118.70	698295	4549734678698			YR	A	USA	8479.9070.99
04465-000	Cable, XIO Connector Breakout, 5m, with unterminated ends	103.50	696537	4549734678605			YR	A	USA	8544.4290.90
04500-000	ADEPT Python Spare Part SYSTEM, MOTIONBLOX 10	3.019.000	696492	4549734682275			YR	A	USA	8479.9070.99
04510-000	ADEPT Cobra 800 Spare Part Cleanroom Kit, Cobra s800 / 1600 / PLC800	5.920.000	698228	4549734682541			YR	A	USA	3926.9097.90
04510-010	ADEPT Cobra 800 Spare Part Cleanroom Kit, Cobra s800 / 1600 / PLC800, ESD	6.170.000	698226	4549734682571			YR	A	JPN	8479.9070.99
04562-000	ADEPT Cobra 600/800 All Consumable Oil, Harmonic Drive, J1/J2, 80cc Packet	23.49	675634	4549734904339			YR	A	USA	8479.9070.99
04562-000	ADEPT Cobra 600/800 All Consumable Oil, Harmonic Drive, J1/J2, 80cc Packet	25.20	698426	4549734677769			YR	A	USA	8479.9070.99
04624-000	Cover, Inner Link, AIB 600 Clean Room	136.00	699221	4549734690683			YR	A	USA	8479.9070.99
04625-000	ADEPT Cobra 600 Spare Part Bellows, Cobra AIB Cleanroom	635.00	696516	4549734680509			YR	A	USA	8479.9070.99
04633-000	ADEPT Cobra 800 Spare Part Cleanroom Kit, Cobra s800 / 1800 / PLC800	5.920.000	698229	4549734682558			YR	A	USA	8479.9070.99
04644-000	Assembly, Cobra AIB Motor Harness, CE	151.20	686282	4549734967181			YR	A	USA	8544.4290.90
04673-010	HARNESS, COBRA AIB, EXPIO, EMC	1.05	683178	4549734950800			YR	A	USA	8544.4290.90
04677-003	Cable, EXPIO to IOBLOX, 0.3m	101.90	699220	4549734690690			YR	A	USA	8544.4290.90
04677-016	CABLE EXPIO TO IOBLOX, 1.6M	99.75	687776	4549734534895			YR	A	POL	8544.4290.90
04679-014	Cable, IOBLOX TO IOBLOX, 1.4m	105.00	698941	4549734679381			YR	A	USA	8544.4290.90
04693-000	ADEPT Cobra 600/800 All Tool Oil Dye, Fluorescent Leak Detector Dye	25.20	698313	4549734677776			YR	A	USA	8479.9070.99
04715-000	ADEPT SmartController CX Spare Part Cable, X-PANEL Adapter Cable, without Jumpers	189.00	698388	4549734679404			YR	A	USA	8479.9070.99
04736-000	ADEPT Common - Elec Spare Part Jumper/Bypass Plug, XUSR, 25 Pin	63.10	675641	4549734904407			YR	A	USA	8479.9070.99
04736-000	ADEPT Common - Elec Spare Part Jumper/Bypass Plug, XUSR, 25 Pin	64.05	698414	4549734678162			YR	A	USA	8479.9070.99
04738-000	O-Ring, Harmonic Drive CSF25-S0, J2	69.05	698947	4549734677721			YR	A	JPN	4016.5300.90
04739-000	O-Ring, Harmonic Drive CSF32-S0, J1	12.00	698946	4549734677698			YR	A	JPN	4016.5300.90
04770-000	ADEPT AIB Family Spare Part Label, Warning, AIB Encoder	12.60	698437	4549734677561			YR	A	USA	8479.9070.99
04800-000	ADEPT Cobra 800 Spare Part Harness Assembly, Cobra AIB	3.106.000	698348	4549734682176			YR	A	USA	8544.4290.90
04805-000	Battery 3.5V LITH LTC-7PN, S4	111.30	699219	4549734690706			YR	A	USA	8506.5090.90
04813-000	ADEPT Cobra 800 Spare Part AIB Cable Seal Kit, for Cobra AIB IP65	844.50	698362	4549734680806			YR	A	JPN	8479.9070.99
04832-150	ADEPT Legacy Spare Part MOT.YASKAWA.SIGMA3.150W	1.002.000	698261	4549734680905			YR	A	USA	8479.9070.99

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Data sheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
04832-160	ADEPT Legacy Spare Part MOT,YASKAWA,SIGMA3,150W BRAKE	1,254.00	698255	4549734681070			YR	A	JPN	8479.9070.99
04860-000	Cobra 800 Spare Part KIT,ACCESSORY, COBRA S900 IP65	1,370.00	679303	4549734931205			YR	A	USA	8501.4020.80
04892-100	ADEPT Legacy Spare Part CBL,SIGMA-2,EXTRNL,BATT,MB-10	1,26.00	698402	4549734678872			YR	A	CHN	8479.9070.99
04892-300	ADEPT Legacy Spare Part CBL,SIGMA-3,EXTRNL,BATT,MB-10	163.80	698395	4549734679237			YR	A	CHN	8479.9070.99
04900-000R	SYSTEM COBRA AIB, CE, Refurbished	6,870.00	682435	4549734948159			YR	A	USA	8479.9070.99
04965-203	ADEPT Legacy Spare Part T2 Pendant Kit, 3M Cable	2,585.00	698240	4549734682046			YR	A	USA	8479.9070.99
04965-210	ADEPT Legacy Spare Part T2 Pendant Kit, 10M Cable	2,761.00	698351	4549734682282			YR	A	USA	8537.1098.99
04972-000	ADEPT SmartController CX Spare Part Cable Kit, AC/DC Power, 5m	186.90	698390	4549734679091			YR	A	USA	8479.9070.99
04982-000	ADEPT Common - Elec Spare Part BATTERY, LITHIUM, 3.6V, 2AH, w	95.55	698408	4549734678476			YR	A	USA	8479.9070.99
04991-000	ADEPT Viper 1700 Spare Part PCA, PSC, Adept Viper	582.00	698363	4549734680608			YR	A	USA	8479.9070.99
05002-000	ADEPT Legacy Spare Part T1 or T2 Pendant Adaptor Cable	393.00	675558	4549734903578			YR	A	USA	8544.4290.90
05002-000	ADEPT Legacy Spare Part T1 or T2 Pendant Adaptor Cable	393.00	698367	4549734680363			YR	A	AUT	8544.4290.90
05003-000	ADEPT Legacy Spare Part T1 or T2 Pendant Bracket, Wall-Mount	188.00	698389	4549734679619			YR	A	AUT	8479.9070.99
05004-000	ADEPT Legacy Spare Part T1 or T2 Pendant Bypass Plug	86.10	698412	4549734678636			YR	A	USA	8544.4290.90
05015-000	ADEPT Legacy Spare Part sDAI System Module, Programmed	6,255.00	698225	4549734682626			YR	A	USA	8479.9070.99
05019-000	ADEPT Viper 650 Spare Part Accessory Kit, Adept Viper	122.90	696535	4549734678353			YR	A	USA	8536.9010.00
05020-000	ADEPT Viper 650 Spare Part Cable, Robot Power/Signal, Adept Viper, 4m	1,574.00	698246	4549734681407			YR	A	JPN	8544.4290.90
05043-000	ADEPT Viper All Spare Part EMI Box Assy, PA-4 to Adept Viper, w/ Interconn Harness	1,757.00	698245	4549734681520			YR	A	USA	8479.9070.99
05043-001	ADEPT Viper 1700 Spare Part ASSEMBLY, EMI BOX, PA4, VIPER	3,463.00	698342	4549734682329			YR	A	JPN	8479.9070.99
05083-100	Motor, Sigma 2, 100W, Without Brake, For MotionBox	2,385.00	699218	4549734690713			YR	A	JPN	8501.5100.90
05083-101	Motor, Sigma 2, 100W, With Bra	2,484.00	687117	4549734967976			YR	A	USA	8501.5100.90
05083-200	Motor, Sigma 2, 200W, Without Brake	904.50	680271	4549734937856			YR	A	USA	8501.3100.99
05083-201	ADEPT Legacy Spare Part MOTOR, SIGMA 2, 200W, WITH BRA	1,108.00	698257	4549734681087			YR	A	JPN	8479.9070.99
05083-400	ADEPT Legacy Spare Part MOTOR, SIGMA 2, 400W, WITHOUT	1,322.00	698360	4549734681261			YR	A	JPN	8479.9070.99
05083-401	ADEPT Legacy Spare Part MOTOR, SIGMA 2, 400W, WITH BRA	1,564.00	698358	4549734681292			YR	A	USA	8479.9070.99
05083-750	Motor, Sigma 2, 750W, Without Brake, For MotionBox.	1,507.00	699278	4549734690720			YR	A	JPN	8501.5100.90
05122-000	ADEPT Viper All Spare Part Motor Assy, J.1, 750W, No Brake	3,600.00	696489	4549734682220			YR	A	USA	8501.5100.90
05122-065F	Motor With Brake, Axis 1, 750W, Viper 650 IP65, UL, Field Replaceable Unit	3,652.00	689455	4549734977470			YR	A	USA	8501.3100.99
05123-000	ADEPT Viper All Spare Part Motor Assy, J.2, 400W, Brake	3,600.00	696488	4549734682237			YR	A	USA	8501.5100.90
05124-000	ADEPT Viper All Spare Part Motor Assy, J.3, 200W, Brake	3,600.00	698341	4549734682244			YR	A	USA	8501.5100.90
05125-000	Motor Assembly, Joint 4 100W Brake (Viper s850)	3,600.00	698340	4549734682251			YR	A	USA	8501.5100.90
05126-000	ADEPT Viper All Spare Part Motor Assy, J.5, 80W, Brake	2,931.00	696495	4549734681971			YR	A	USA	8501.5100.90
05127-000	ADEPT Viper All Spare Part Motor Assy, J.6, 50W, Brake	2,931.00	696494	4549734681988			YR	A	USA	8501.5100.90
05142-000	ADEPT Legacy Spare Part BATTERY, LITHIUM, DIODE & RESI	95.55	698409	4549734678483			YR	A	USA	8479.9070.99
05233-000	ADEPT Viper All Spare Part PCA, Power Supply Conversion Board	580.00	698266	4549734680615			YR	A	JPN	8479.9070.99
05234-000	Encoder backup battery pack, Viper all	328.00	696523	4549734679732		#	YR	A	JPN	8506.5090.90
05237-026	Harness, Sigma-II Encoder, MotionBox Extension, 2.6 Meter, High Flex	191.00	698938	4549734679565			YR	A	USA	8544.4290.90
05294-302	Cable, Parallel, AnyFeeder SX240	332.90	699202	4549734694148			YR	A	CZE	8544.4290.90
05294-304	Plug, RS232, AnyFeeder SX240	110.30	701004	4549734700658			YR	A	CHE	8479.9070.99
05294-502	ADEPT Anyfeeder Spare Part Plates, Excenter, AnyFeeder SX	2,884.00	701003	4549734700665			YR	A	CHE	8479.9070.99
05294-504	Clutch, Flip, AnyFeeder SX240	2,840.00	701001	4549734700689			YR	A	CHE	8479.9070.99
05294-601	Flat spring, Anyfeeder SX240	223.00	700999	4549734700719			YR	A	CHE	7320.2085.90
05298-050	ADEPT Legacy Spare Part CABLE, MOTOR, SIGMA3, 50-150W	163.80	698290	4549734679244			YR	A	CHN	8479.9070.99
05327-000	ADEPT Viper 650 Spare Part Harness Assy, Internal	2,884.00	698349	4549734681919			YR	A	JPN	8544.4290.90
05412-000	ADEPT Viper All Spare Part Pulley, Joint 5 Motor	308.70	698375	4549734679947			YR	A	JPN	8479.9070.99
05413-000	Plate, Motor, Joint 5/6	2,329.00	698352	4549734681773			YR	A	JPN	8479.9070.99
05414-000	ADEPT Viper All Spare Part Pulley, Joint 6 Motor	209.00	698382	4549734679473			YR	A	JPN	8479.9070.99
05420-000	ADEPT Viper All Spare Part Pulley, Harmonic Drive, Joint 6	209.00	698383	4549734679480			YR	A	JPN	8479.9070.99
05438-000	ADEPT Viper All Spare Part Cable, Robot Power/Signal, Adept Viper, 12m	2,423.00	696498	4549734682008			YR	A	JPN	8544.4290.90
05438-112	Cable, Robot, 12m, Adept Viper, Hi Flex	2,423.00	685808	4549734965101			YR	A	USA	8544.4290.90
05459-000	ADEPT Training Spare Part SELF-SUPPORT KIT,COBRA,S&I	11,730.00	698219	4549734683005			YR	A	USA	8479.9070.99
05463-000	Cable, Robot, 4m, Denso, Splash Proof and Cleanroom	1,905.00	699117	4549734586610			YR	A	USA	8544.4290.90
05522-000	Brake rel box, Motionblox-40/60 SmartController CX	520.00	696518	4549734680158			YR	A	USA	8479.9070.99
05573-000	Fine Calibration Fixture, Cobra s350	2,053.00	679603	4549734933476			YR	A	USA	7616.9990.99
05573-000	Fine Calibration Fixture, Cobra s350	2,053.00	696503	4549734691599			YR	A	USA	7616.9990.99
05584-000	ADEPT Viper All Spare Part Connector Set, CN20 and CN21, IP54/65 and Cleanroom	254.10	698381	4549734679664			YR	A	USA	8479.9070.99
05625-000D	GASKET, EMI, TUBULAR, ULTRA QUICK-SHIELD, .125"OD	122.90	688033	4549734511896			YR	A	USA	4016.9300.90
05679-000	ADEPT SmartController CX Spare Part Fan, Base Enclosure, 80x80x15, 24VDC, 30CFM	173.30	698393	4549734679114			YR	A	CHN	8479.9070.99
05701-000D	HARNES, MOTIONBLOX-40/60R POWER AND SIGNAL	636.50	688034	4549734511902			YR	A	USA	8544.4290.90
05728-000	ADEPT VME Spare Part ASSY, "K" AMP	6,020.00	698337	4549734682497			YR	A	USA	8479.9070.99
05739-040	ADEPT Viper 1300 Spare Part CABLE ASSY, I/O VIPER SOLENOID	361.20	698276	4549734680059			YR	A	USA	8479.9070.99
05751-262	Cable, Flat Ribbon Assembly, 30 Pin, 26.25 Inch	35.00	699276	4549734690768			YR	A	USA	8544.4290.90
05766-000	ADEPT Viper All Spare Part Timing Belt, Joint 5	45.15	696544	4549734677981			YR	A	JPN	4010.3900.90
05767-000	ADEPT Viper All Spare Part Timing Belt, Joint 6	32.55	698311	4549734677844			YR	A	JPN	4010.3900.90
05770-000	ADEPT Viper All Spare Part O-Ring, Motor Flange, Axis 1/2 (650/850), Axis 3/4 (1300)	95.55	698410	4549734678490			YR	A	JPN	8479.9070.99
05771-000	ADEPT Viper All Spare Part O-Ring, Cable Assy, I/O, Outerlink	36.00	675678	4549734904773		15	YR	A	USA	8479.9070.99
05771-000	ADEPT Viper All Spare Part O-Ring, Cable Assy, I/O, Outerlink	36.00	698423	4549734677950			YR	A	JPN	8479.9070.99
05774-000	ADEPT Viper All Spare Part Pulley, Harmonic Drive, Joint 5	171.20	698394	4549734679329			YR	A	JPN	8479.9070.99
05775-000	ADEPT Viper All Spare Part Manifold Assy, Solenoid Valve	1,486.00	698250	4549734681339			YR	A	JPN	8479.9070.99
05776-000	ADEPT Viper 650 Spare Part Harmonic Drive, Joint 2, s650	3,276.00	698347	4549734682053			YR	A	JPN	8479.9070.99
05777-000	ADEPT Viper 650 Spare Part Harmonic Drive, Joint 1, s650	3,276.00	698346	4549734682060			YR	A	JPN	8479.9070.99
05778-000	ADEPT Viper 650 Spare Part Harmonic Drive, Joint 3, s650	3,276.00	698345	4549734682077			YR	A	JPN	8479.9070.99
05779-000	ADEPT Viper All Spare Part Harmonic Drive, Joint 6, s650/s850	2,355.00	696501	4549734681735			YR	A	JPN	8479.9070.99
05780-000	ADEPT Viper All Spare Part Harmonic Drive, Joints 4/5, s650/s850	2,418.00	696499	4549734681742			YR	A	JPN	8479.9070.99
05825-000	KIT,BELLOWS,COBRA S350 CR ESD	1,510.00	680918	4549734942386			YR	A	USA	4016.9300.90
05825-000	KIT,BELLOWS,COBRA S350 CR ESD	1,510.00	698538	4549734681469			YR	A	USA	4016.9300.90
05828-000	ADEPT Viper 850 Spare Part Internal Harness Assy, s850	2,814.00	698350	4549734681926			YR	A	JPN	8544.4290.90

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Data sheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
05845-000	ADEPT AIB Family Spare Part Controller, MotionBox-40R	11.680,00	698332	4549734683135			YR	A	USA	8537.1091.99
05861-000	Cable, DB9F TO DB9F, 5in., Ribbon	41,00	699273	4549734699005			YR	A	USA	8544.4290.90
05866-000	ADEPT Viper 850 Spare Part Harmonic Drive, Joint 2, s850	3.136,00	698237	4549734682064			YR	A	JPN	8479.9070.99
05866-000	ADEPT Viper 850 Spare Part Harmonic Drive, Joint 3, s850	3.136,00	698236	4549734682091			YR	A	JPN	8479.9070.99
05886-000	ADEPT Legacy Spare Part SYSTEM, sDA1, 100W	6.595,00	698335	4549734682633			YR	A	USA	8479.9070.99
05888-000	ADEPT Viper 1300 Spare Part ASSY, EM1 BOX, PA4, VIPER s100	1.826,00	698356	4549734681551			YR	A	JPN	8479.9070.99
05921-000	ADEPT Viper 850 Spare Part Harmonic Drive, Joint 1, s850	3.136,00	698238	4549734682107			YR	A	JPN	8479.9070.99
05934-000	Motor, Joint 4, 100W, Brake, Viper s650	3.449,00	698343	4549734682268			YR	A	JPN	8501.4020.80
05935-000	ADEPT Viper 650 Spare Part Harness, Internal, Dust/Mist Proof, IP54/65, s650	1.889,00	698354	4549734681575			YR	A	JPN	8544.4290.90
05936-000	ADEPT Viper All Spare Part Motor Mount Plate, Joints 1/2, s650	138,60	698399	4549734678940			YR	A	JPN	8479.9070.99
05937-000	ADEPT Viper All Spare Part Motor Mount Plate, Joint 3, s650	201,60	698384	4549734679466			YR	A	JPN	8479.9070.99
05938-000	ADEPT Viper All Spare Part O-Ring, Motor Mount Plate, Joints 1/2, s650	15,75	696547	4549734677622			YR	A	JPN	8479.9070.99
05939-000	ADEPT Viper All Spare Part O-Ring, Motor Mount Plate, Joint 3, s650	114,50	698405	4549734678643			YR	A	JPN	8479.9070.99
05941-000	ADEPT Viper All Spare Part O-Ring, Motor Mount Plate, Joint 4	116,60	698404	4549734678667			YR	A	JPN	8479.9070.99
05942-000	ADEPT Viper All Spare Part O-Ring, Motor Mount Flange, Joint 4, s650/850	27,00	698590	4549734677578			YR	A	JPN	8479.9070.99
05943-000	ADEPT Viper All Spare Part O-Ring, Cross Roller Bearing, Joint 6	138,60	698400	4549734678957			YR	A	JPN	8479.9070.99
05944-000	ADEPT Viper All Spare Part O-Ring, Harmonic Drive Plate, Joint 5	119,70	698403	4549734678773			YR	A	JPN	8479.9070.99
05945-000	ADEPT Viper All Spare Part Cable Ass. I/O, Outerlink	276,20	698378	4549734679794			YR	A	JPN	8544.4290.90
05946-000	ADEPT Viper All Spare Part Gasket, Manifold Ass., Solenoid	146,00	698398	4549734679304			YR	A	JPN	8479.9070.99
05947-000	ADEPT Viper All Spare Part Shim Kit, Bevel Gear, Joint 6, s650/850	265,70	698379	4549734678749			YR	A	JPN	8479.9070.99
05967-050	Assembly, Motor, Sq ma 2, 50W, No Brake, MotionBox 10	1.374,00	698585	4549734680844			YR	A	USA	8479.9070.99
06125-000	ADEPT Cobra 350 Spare Part PCA, Power Supply Conversion	491,40	698364	4549734680822			YR	A	JPN	8479.9070.99
06126-000	Enc backup battery, COBRA 350	177,50	698531	4549734679121			YR	A	JPN	8506.5090.90
06129-000	ADEPT Cobra 350 Spare Part Harness, Internal, Cobra s350	1.850,00	698355	4549734681506			YR	A	JPN	8479.9070.99
06131-000	ADEPT Cobra 350 Spare Part Motor, Joint 4	1.479,00	698251	4549734681155			YR	A	JPN	8479.9070.99
06132-000	ADEPT Cobra 350 Spare Part Motor, Joint 3	1.479,00	698359	4549734681162			YR	A	JPN	8479.9070.99
06133-000	ADEPT Cobra 350 Spare Part Motor, Joint 2	1.614,00	698357	4549734681360			YR	A	JPN	8479.9070.99
06134-000	ADEPT Cobra 350 Spare Part Motor, Joint 1	2.050,00	696504	4549734681568			YR	A	JPN	8479.9070.99
06185-000	Spare Part Viper All CARBET, 12M, DNSO, SPL, PRF, CR	3.381,00	698344	4549734682152			YR	A	JPN	8479.9070.99
06213-000	ADEPT Cobra 800 Inv Spare Part Ring Plate, Sealing Surface	139,70	698292	4549734679138			YR	A	JPN	8479.9070.99
06231-000	ADEPT Cobra 800 Inv Spare Part Adapter, C Shape, Cobra s800 Inverted	1.335,00	698252	4549734681377			YR	A	JPN	8479.9070.99
06273-000	Connector Set, Standard Arm I/O, Adept Cobra s350 (includes connectors for CN20 and CN21)	104,00	698296	4549734678902			YR	A	JPN	8536.9010.00
06297-000	ADEPT Cobra 800 Inv Spare Part Seal, V-Ring, 120 mm ID	39,90	698452	4549734677998			YR	A	JPN	8479.9070.99
06315-000	ADEPT Cobra 350 Consumable Grease, EPINOC AP-1, 2.5 Kg	80,85	698453	4549734678308			YR	A	JPN	8479.9070.99
06316-000	ADEPT Cobra 350 Consumable Grease, Silicon, 2 Kg	706,00	698454	4549734680721			YR	A	JPN	8479.9070.99
06317-000	ADEPT Cobra 350 Spare Part Belt A, Timing, Joint 4	80,85	698455	4549734678315			YR	A	JPN	8479.9070.99
06318-000	ADEPT Cobra 350 Spare Part Belt B, Timing, Joint 4	121,80	698536	4549734678650			YR	A	JPN	8479.9070.99
06319-000	ADEPT Cobra 350 Spare Part Brake Assembly, Joint 3	576,50	698267	4549734680530			YR	A	JPN	8479.9070.99
06319-001	3 Flywheel, Cobra s350	99,00	699272	4549734680812			YR	A	JPN	8479.9070.99
06320-000	ADEPT Cobra 350 Spare Part Brake Assembly, Joint 4	442,10	698272	4549734680196			YR	A	JPN	8479.9070.99
06321-000	ADEPT Cobra 350 Spare Part Harmonic Drive, Joint 2	3.148,00	698235	4549734682114			YR	A	JPN	8479.9070.99
06322-000	ADEPT Cobra 350 Spare Part Brake Adjustment Seal, Joint 3	95,55	698456	4549734678506			YR	A	JPN	8479.9070.99
06323-000	ADEPT Cobra 350 Spare Part Switch, Brake Release	236,30	698457	4549734679527			YR	A	JPN	8479.9070.99
06324-000	ADEPT Cobra 350 Spare Part Wiring, User I/O	517,00	698330	4549734680479			YR	A	JPN	8479.9070.99
06325-000	ADEPT Cobra 350 Spare Part O-Ring, User I/O Wiring Connector	89,25	698468	4549734678438			YR	A	JPN	8479.9070.99
06326-000	ADEPT Cobra 350 Spare Part Cable, Guide B, Outerlink Cover	100,80	698469	4549734678568			YR	A	JPN	8479.9070.99
06327-000	ADEPT Cobra 350 Spare Part Outerlink Cover, Joint 2, Cobra s350	379,10	696524	4549734680073			YR	A	JPN	8479.9070.99
06328-000	ADEPT Cobra 350 Spare Part Outerlink Cover, Joint 2, Cobra s350 Cleanroom	713,00	698440	4549734680752			YR	A	JPN	8479.9070.99
06329-000	ADEPT Cobra 350 Spare Part Harmonic Drive, Joint 1	3.362,00	696490	4549734682121			YR	A	JPN	8479.9070.99
06330-000	ADEPT Cobra 350 Spare Part Pulley Set, Joint 4 Intermediate Shaft	40,95	698307	4549734677929			YR	A	JPN	8479.9070.99
06331-000	ADEPT Cobra 350 Spare Part Pulley, Joint 4 Intermediate Shaft Shaft	242,60	698441	4549734679602			YR	A	JPN	8479.9070.99
06332-000	ADEPT Cobra 350 Spare Part Pulley, Joint 4 Intermediate Shaft Output	175,40	698287	4549734679251			YR	A	JPN	8479.9070.99
06338-000	ADEPT Cobra 350 Spare Part Quill, Spline Shaft, Cobra s350	4.599,00	696485	4549734682428			YR	A	JPN	8479.9070.99
06342-000	Link, Inner, Inverted Cobra 800	2.056,00	698288	4549734681841			YR	A	USA	8479.9070.99
06343-000	ADEPT Cobra 350 Spare Part Harness, Cleanroom, Cobra s350	3.148,00	698442	4549734682138			YR	A	JPN	8479.9070.99
06344-000	ADEPT Cobra 350 Spare Part Pulley, Joint 3 Motor, Cobra s350	169,10	698289	4549734679145			YR	A	JPN	8479.9070.99
06345-000	ADEPT Cobra 350 Spare Part Pulley, Joint 4 Motor, Cobra s350	134,40	698293	4549734678919			YR	A	JPN	8479.9070.99
06346-000	ADEPT Cobra 350 Spare Part Belt, Timing, Joint 3	54,60	696541	4549734678070			YR	A	JPN	8479.9070.99
06347-000	ADEPT Cobra 350 Spare Part O-Ring, Flat Seal, Joint 2 Cover, Cleanroom	415,80	698443	4549734680202			YR	A	JPN	8479.9070.99
06356-000	O-Ring, OL cover skirt, Cobra s800 IP65	18,00	693895	4549734993159			YR	A	USA	4016.9300.90
06370-000	ADEPT Cobra 800 Inv Spare Part Hard Stop, J 2, Urethane, Inverted Cobra s800	68,25	698444	4549734678322			YR	A	JPN	8479.9070.99
06376-000	O-Ring, Joint 1 Motor, Adept Cobra s350	39,90	688047	4549734970136			YR	A	USA	4016.9300.90
06376-000	O-Ring, Joint 1 Motor, Adept Cobra s350	39,90	699214	4549734690829			YR	A	JPN	4016.9300.90
06382-000	Kit, Belt Seal, Python L08, 2150mm, Standard	330,00	698937	4549734680219			YR	A	USA	8479.9070.99
06383-008	ADEPT Python Spare Part KIT, BELT SEAL, L08 CLEANROOM	347,60	698277	4549734680035			YR	A	USA	8479.9070.99
06384-120	Kit, Belt Seal, Replacement, Python, 4700mm, L12, L18, L26	333,00	698936	4549734680233			YR	A	USA	8479.9070.99
06385-120	ADEPT Python Spare Part KIT, BELT SEAL, L12, L18, L26, CR	315,00	698278	4549734679954			YR	A	USA	8479.9070.99
06452-000	ADEPT Viper 1300 Spare Part Motor, Joint1, 1500W, Adept Vipe	7.415,00	698499	4549734682855			YR	A	JPN	8479.9070.99
06453-000	ADEPT Viper 1300 Spare Part Motor, Joint2, 750W, Adept Vipe	8.555,00	698521	4549734682893			YR	A	JPN	8479.9070.99
06454-000	ADEPT Viper 1300 Spare Part Motor, Joint3, 400W, Adept Vipe	7.010,00	698503	4549734682718			YR	A	JPN	8479.9070.99
06455-000	ADEPT Viper 1300 Spare Part Motor, Joint4, 200W, Adept Vipe	5.935,00	698513	4549734682725			YR	A	JPN	8479.9070.99
06456-000	ADEPT Viper 1300 Spare Part Motor, Joint5, 200W, Adept Vipe	7.010,00	698497	4549734682732			YR	A	JPN	8479.9070.99
06457-000	ADEPT Viper 1300 Spare Part Motor, Joint6, 100W, Adept Vipe	6.805,00	698495	4549734682688			YR	A	JPN	8479.9070.99
06458-000	ADEPT Viper 1300 Spare Part Drive, Harmonic, J 1, Adept V	3.387,00	698498	4549734682299			YR	A	JPN	8479.9070.99
06459-000	ADEPT Viper 1300 Spare Part Drive, Harmonic, J 2, Adept V	3.387,00	698508	4549734682305			YR	A	JPN	8479.9070.99
06460-000	ADEPT Viper 1300 Spare Part Drive, Harmonic, J 3, Adept	3.387,00	698507	4549734682312			YR	A	JPN	8479.9070.99
06461-000	ADEPT Viper 1300 Spare Part Drive, Harmonic, J 4 and 5,	2.255,00	698509	4549734681759			YR	A	JPN	8479.9070.99

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Data sheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
06462-000	ADEPT Viper 1300 Spare Part Drive, Harmonic, Jt 6, Adept	2,255.00	698493	4549734681766			YR	A	JPN	8479.9070.99
06463-000	ADEPT Viper 1300 Spare Part Gear Assy, Shim set, Joint6, A	1,596.00	698517	4549734681537			YR	A	JPN	8479.9070.99
06464-000	ADEPT Viper 1300 Spare Part Gear Assy, Shim set, Joint6, A	1,255.00	698494	4549734681179			YR	A	JPN	8479.9070.99
06465-000	ADEPT Viper 1300 Spare Part Shim set, Joint 6, Adept Viper	600.00	698515	4549734680691			YR	A	JPN	8479.9070.99
06468-000	ADEPT Viper 1300 Spare Part Pulley, Harmonic Drive, Jt 5, A	593.50	698504	4549734680455			YR	A	JPN	8479.9070.99
06469-000	ADEPT Viper 1300 Spare Part Pulley, Motor, Jt 5, Adept Vp	2,851.00	698516	4549734682145			YR	A	JPN	8479.9070.99
06470-000	ADEPT Viper 1300 Spare Part Pulley, Motor, Jt 6, Adept Vp	342.30	698492	4549734680090			YR	A	JPN	8479.9070.99
06471-000	ADEPT Viper 1300 Spare Part Belt, Timing, Joint5, Adept V	68.25	698511	4549734678186			YR	A	JPN	8479.9070.99
06472-000	ADEPT Viper 1300 Spare Part Belt, Timing, Joint6, Adept V	101.90	698506	4549734678513			YR	A	JPN	4010.3900.90
06474-000	ADEPT Viper 1300 Spare Part Harness, Main, Adept Viper1300	1,483.00	698496	4549734681186			YR	A	JPN	8479.9070.99
06475-000	ADEPT Viper 1300 Spare Part Tooling, Motor, Removal, Adept	600.00	698519	4549734680707			YR	A	JPN	8479.9070.99
06476-000	ADEPT Viper 1300 Spare Part O-Ring, Motor, Flange, Jt1/Jt2	45.15	698505	4549734678001			YR	A	JPN	8479.9070.99
06478-000	ADEPT Viper 1300 Spare Part Manifold, NPN Solind Valve Assy	2,157.00	698512	4549734681650			YR	A	JPN	8479.9070.99
06479-000	ADEPT Viper 1300 Spare Part Manifold, PNP Solind Valve Assy	2,168.00	698510	4549734681667			YR	A	JPN	8479.9070.99
06491-000	ADEPT Cobra 800 Inv Spare Part Diagnostic Window Assembly	706.00	698445	4549734680486			YR	A	USA	8479.9070.99
06496-000	ADEPT Cobra 800 Inv Spare Part Harness, Flyover, Cobra s800 Inverted	4,338.00	698446	4549734682381			YR	A	JPN	8544.4290.90
06567-000	Fan Guard, 80mm Dia.	4.00	698950	4549734677349			YR	A	USA	8414.5995.90
06654-000	ADEPT Cobra 800 Inv Spare Part Hard Stop, Jt 1, Right Side, Inverted Cobra s800	68.25	698518	4549734678339			YR	A	JPN	8479.9070.99
06655-000	ADEPT Cobra 800 Inv Spare Part Hard Stop, Jt 1, Left Side, Inverted Cobra s800	68.25	698500	4549734678346			YR	A	JPN	8479.9070.99
06703-000	SET,TRGT ADEPTSGHT/HEXSGHT	29.40	691959	4549734686229			YR	A	USA	4821.1010.00
06703-000	SET,TRGT ADEPTSGHT/HEXSGHT	29.40	698540	4549734677851			YR	A	USA	4821.1010.00
06764-000	ADEPT Leassy Spare Part SYSTEM, sDAI-HP	7,225.00	696479	4549734682640			YR	A	USA	8479.9070.99
06937-000	ADEPT Cobra 800 Inv Spare Part USR GDECOBRA S800 INVRTD	153.30	698291	4549734678926			YR	A	JPN	8479.9070.99
07001-000	COVER,JOINT 3,AV650/850	95.55	683508	4549734952033			YR	A	USA	8479.9070.99
07001-000	COVER,JOINT 3,AV650/850	95.55	698297	4549734678612			YR	A	JPN	8479.9070.99
07018-000	Cover, Motor, Axis 2, Cleanroom / IP65	114.00	698942	4549734678995			YR	A	JPN	8479.9070.99
07021-000	Cover, Joint 2, Adept Viper, CR/IP65	264.60	683509	4549734952040			YR	A	USA	8479.9070.99
07021-000	Cover, Joint 2, Adept Viper, CR/IP65	264.60	698550	4549734679909			YR	A	JPN	8479.9070.99
07024-000	Cover, Motor, Axis 3, (CR/IP65)	127.10	683510	4549734952057			YR	A	USA	8479.9070.99
07024-000	Cover, Motor, Axis 3, (CR/IP65)	127.10	698466	4549734679008			YR	A	JPN	8479.9070.99
07025-000	Cover, Joint 3, Adept Viper, CR/IP65	238.40	683511	4549734952064			YR	A	USA	8479.9070.99
07025-000	Cover, Joint 3, Adept Viper, CR/IP65	238.40	698467	4549734679770			YR	A	JPN	8479.9070.99
07026-000	Cover, Housing, Fourth Axis (CR/IP65)	829.50	683512	4549734952071			YR	A	USA	8479.9070.99
07026-000	Cover, Housing, Fourth Axis (CR/IP65)	829.50	698558	4549734680882			YR	A	JPN	8479.9070.99
07034-000	Cover, Housing, Fourth Axis (CR/IP65)	819.00	683503	4549734951982			YR	A	USA	8479.9070.99
07034-000	Cover, Housing, Fourth Axis (CR/IP65)	819.00	698549	4549734680875			YR	A	JPN	8479.9070.99
07035-000	Housing Cover, 2nd Axis (CR/IP65)	793.00	683513	4549734952088			YR	A	USA	8479.9070.99
07035-000	Housing Cover, 2nd Axis (CR/IP65)	793.00	698557	4549734680851			YR	A	JPN	8479.9070.99
07036-000	Manifold Set, Solenoid Valve, Viper s650/s850, Cleanroom / IP65	1,526.00	699271	4549734690836			YR	A	JPN	8479.9070.99
07046-000	ADEPT Quattro All Spare Part Shield, Seal	104.00	698520	4549734678810			YR	A	USA	8479.9070.99
07051-000	ACTUATOR, ESTOP MUSHROOM	93.45	690663	4549734983105			YR	A	USA	8536.5019.90
07051-000	ACTUATOR, ESTOP MUSHROOM	93.45	699270	4549734690843			YR	A	DEU	8536.5019.90
07052-000	Contact Block, 2NC	24.00	699269	4549734690850			YR	A	DEU	8479.9070.99
07053-000	Actuator, Momentary Pushbutton, With Lamp	17.00	699268	4549734690867			YR	A	DEU	8479.9070.99
07054-000	Contact Block, 1NO, Lamp	7.00	699267	4549734690874			YR	A	DEU	8479.9070.99
07055-000	Actuator, Push Cap, Clear	21.00	699266	4549734690881			YR	A	DEU	8479.9070.99
07056-000	Actuator, Nameplate, Blank White	7.00	699265	4549734690898			YR	A	DEU	8479.9070.99
07058-000	Contact Block, 2NO	27.00	699264	4549734690904			YR	A	DEU	8479.9070.99
07076-000	ADEPT Viper 1700 Spare Part Liquid Gasket	184.80	698286	4549734679169			YR	A	JPN	8479.9070.99
07077-000	ADEPT Viper 1700 Spare Part Battery Unit, s1700	634.50	696517	4549734680561			YR	A	JPN	8479.9070.99
07078-000	ADEPT Viper 1700 Spare Part Timing Belt Jt-5, s1700	184.80	696530	4549734679176			YR	A	JPN	8479.9070.99
07078-100	ADEPT Viper 1700 Spare Part Timing Belt Jt-6, s1700	259.40	698280	4549734679879			YR	A	JPN	4010.3900.90
07079-001	ADEPT Viper 1700 Spare Part Motor, Sigma, Jt-1, s1700	11,050.00	698221	4549734682909			YR	A	JPN	8479.9070.99
07079-002	ADEPT Viper 1700 Spare Part Motor, Sigma, Jt-2, s1700	11,050.00	698220	4549734682916			YR	A	JPN	8479.9070.99
07079-003	ADEPT Viper 1700 Spare Part Motor, Sigma, Jt-3, s1700	12,520.00	698522	4549734683142			YR	A	JPN	8479.9070.99
07080-001	ADEPT Viper 1700 Spare Part SPEED REDUCER, Jt 1, s1700	22,090.00	698501	4549734683241			YR	A	JPN	8479.9070.99
07080-002	ADEPT Viper 1700 Spare Part Speed Reducer, Jt-2, s1700	22,090.00	698216	4549734683258			YR	A	JPN	8479.9070.99
07080-003	ADEPT Viper 1700 Spare Part Speed Reducer, Jt-3, s1700	17,680.00	698217	4549734683234			YR	A	JPN	8479.9070.99
07080-004	ADEPT Viper 1700 Spare Part Speed Reducer, Jt-4, s1700	8,105.00	698223	4549734682787			YR	A	JPN	8479.9070.99
07080-005	ADEPT Viper 1700 Spare Part Speed Reducer, Jt-5, s1700	6,630.00	696483	4549734682565			YR	A	JPN	8479.9070.99
07080-006	ADEPT Viper 1700 Spare Part Speed Reducer, Jt-6, s1700	7,215.00	696480	4549734682695			YR	A	JPN	8479.9070.99
07081-001	ADEPT Viper 1700 Spare Part Harness, Wiring, Main, s1700	13,990.00	698218	4549734683227			YR	A	JPN	8479.9070.99
07081-002	ADEPT Viper 1700 Spare Part Harness, Wiring, Jt-5.6, s1700	1,841.00	698502	4549734681414			YR	A	JPN	8544.4290.90
07090-000	Assembly, Motor, Sigma 3, 150W, MotionBlox 10	1,036.00	698934	4549734681117			YR	A	USA	8501.5100.90
07091-000	ADEPT Python Spare Part MTRASSY, SGA-3, 150W, BRK, MB10	1,522.00	696508	4549734681391			YR	A	USA	8479.9070.99
07109-000	ADEPT Viper 1700 Spare Part Kit, Hard Stop Option, Adept	1,170.00	698514	4549734681094			YR	A	JPN	8479.9070.99
07116-000	Bolt, AIB Hanging Fixture, Inverted Cobra	24.00	699263	4549734690911			YR	A	USA	7318.1582.98
07139-000	Gasket, Display, IP65	16.00	699116	4549734586979			YR	A	USA	4016.9300.90
07140-010	ASSY,HARN.QUATTRO S650H.PWM	1,355.00	679933	4549734935562			YR	A	NLD	8479.9020.90
07140-010	ASSY,HARN.QUATTRO S650H.PWM	1,355.00	682888	4549734265058			YR	A	USA	8479.9020.90
08394-106	Spoon* Insert for Quattro & Hornet robots (Plastic bearing on Carbon outer arms)	41.75	682886	4549734265034			YR	A	USA	8479.9070.99
08394-116	ADEPT Quattro All Spare Part Insert, Spoon	63.00	698305	4549734679087			YR	A	USA	8479.9070.99
08387-101	Stainless Spring on Outer arm or Quattro & Hornet robots	20.36	682885	4549734265027			YR	A	USA	7320.2085.90
08404-000	ADEPT Quattro All Spare Part Belt, End Effector Drive, Quattro Platform	40.95	698308	4549734678018			YR	A	USA	8479.9070.99
08420-100	ADEPT Viper All Spare Part Crankshaft Kit, Joint 4, Adept Viper s650/s850	3,209.00	698447	4549734681933			YR	A	JPN	8479.9070.99
08462-000	ADEPT Common - Mech Spare Part SCREW,HEX HEAD,STAINLESS,3X6	1.05	698215	4549734677318			YR	A	USA	8479.9070.99
08478-000	ALPHA DRIVE50:1,TP25,14MMBORE	2,924.00	682942	4549734265614			YR	A	USA	8479.9070.99

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Daheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
08487-000	ADEPT Quattro All Spare Part Motor Assy, 600 Watt, with Brake, Sigma III, Quattro	1.796.00	698243	4549734681704			YR	A	JPN	8501.5100.90
08495-000	ADEPT Common - Mech Spare Part Spring Bushing, Quattro Outer Arm	33.60	698310	4549734677936			YR	A	USA	8479.9070.99
08496-200	ADEPT Common - Mech Spare Part Bolt, Shoulder, Stainless Steel	31.50	698524	4549734677899			YR	A	USA	8479.9070.99
08605-000	Adapt ePLC Connection Server Software	871.50	698620	4549734676985			YR	A	USA	8479.9070.99
08662-001	HTSNKLINCMCHND.600W MTR.OTTRQ	30.56	682931	4549734265485			YR	A	USA	8479.9070.99
08662-002	HTSNKSHRT.MCHND.600W MTR.OTTRQ	38.70	682929	4549734265461			YR	A	USA	8479.9070.99
08672-000	Seal, Conductive, 125° OD, Solid O-Ring	65.00	698943	4549734678377			YR	A	USA	4016.9300.90
08686-045	Direction Indication Label, Adept Cobra s350	15.00	699262	4549734690928			YR	A	JPN	4821.1010.00
08765-000	SEAL KIT, CA, QUATTRO, IP65	893.00	682905	4549734265225			YR	A	USA	4016.9300.90
08765-000F	Seal Kit, Cables, Quattro, IP65	1120.00	701005	4549734694377			YR	A	NLD	4016.9300.90
08773-000	Kit, Compression Block, 8 Position	353.90	698627	4549734680400			YR	A	USA	8479.9070.99
08818-000	Dowel Pin, M6 x 14mm, Stainless Steel	6.00	698949	4549734677963			YR	A	USA	7318.1639.90
08962-000	MACH RING INNER ARM, QUATTRO	112.10	679956	4549734935739			YR	A	NLD	8479.9070.99
08962-000	MACH RING INNER ARM, QUATTRO	112.10	682914	4549734265317			YR	A	USA	8479.9070.99
08962-100	MACH RING INNER ARM, EN, QUATTRO	148.70	682926	4549734265430			YR	A	USA	8479.9020.90
08968-102	CVRMTR, ETFE, OTTRQ S650HS	428.00	682934	4549734265515			YR	A	USA	8479.9070.99
08971-000	FXTRFINE CAL, QUATTRO 650	1.475.00	696506	4549734681476			YR	A	USA	7616.9990.90
09015-000	GASKET, INNER HUB SEAL RING	9.17	679924	4549734935470			YR	A	NLD	4016.9300.90
09015-000	GASKET, INNER HUB SEAL RING	9.17	682901	4549734265188			YR	A	USA	4016.9300.90
09015-100	ADEPT Quattro 650HS Spare Part GASKET, INR HUB SEAL RING EPDM	9.45	675752	4549734905510		4	YR	A	USA	8479.9070.99
09015-100	ADEPT Quattro 650HS Spare Part GASKET, INR HUB SEAL RING EPDM	9.45	697777	4549734534932			YR	A	USA	4016.9300.90
09016-000	GASKET, MOTOR COVER, QUATTRO	30.56	682896	4549734265133			YR	A	USA	4016.9300.90
09016-100	GASKET, MTR COVER, EPDM, S650HS	20.55	682904	4549734265218			YR	A	USA	4016.9300.90
09023-000	ADEPT Quattro All Spare Part Platform Assy, +/- 60 degrees	6010.00	698227	4549734682770			YR	A	USA	8479.9070.99
09072-000	GREASE, FDA, EXTREME PRESSURE	68.20	682910	4549734265270		#	YR	A	USA	3403.1980.00
09074-000	CAP, INNER HUB, QUATTRO, 80MM	21.00	682889	4549734265065			YR	A	USA	3926.9097.90
09074-100	PLUG, 80MM X 10MM, EPDM, FDA BLK	25.46	682953	4549734265768			YR	A	USA	8536.6990.99
09078-000	SEAL, OIL, INNER, ARM, QUATTRO	30.56	682918	4549734265355			YR	A	USA	4016.9300.90
09078-101	SEAL V-RING, 73MM SHAFT, VITON	278.00	680337	4549734938518			YR	A	NLD	4016.9300.90
09078-101	SEAL V-RING, 73MM SHAFT, VITON	278.00	682954	4549734265775			YR	A	USA	4016.9300.90
09080-000	GSKT, DIAG, DISPLAY, QUATTRO	10.50	679932	4549734935555			YR	A	NLD	4016.9300.90
09085-000	ADEPT Common - Elec Spare Part FUSE, 1.3A, 48V AC/DC	11.55	698527	4549734677448			YR	A	USA	8479.9070.99
09088-000	LAMP, LED, AMBER, HIGH POWER	36.66	682903	4549734265201			YR	A	USA	8541.4010.00
09093-000	ASSY, FAN, AIB, QUATTRO	38.15	682943	4549734265621		#	YR	A	USA	8414.5925.90
09094-000	ASSY, FAN, MOTOR, QUATTRO	28.53	682890	4549734265072			YR	A	USA	8414.5925.90
09130-002F	Base, Painted, Quattro H	3.397.00	695700	4549734615792			YR	A	USA	8479.9070.99
09130-202F	Base, Quattro H, with Hard Stops	2.083.00	695699	4549734615908			YR	A	NLD	8479.9070.99
09190-000	PCA, Power Control, PA-4, CE	5.500.00	699213	4549734696935			YR	A	USA	8504.4090.90
09198-000D	PCA, Smart Controller EX	1.005.00	688032	4549734511889			YR	A	JPN	8528.9091.89
09200-000	Spare Part Smart Controller EX w/o front panel	4.988.00	679954	4549734935722			YR	A	NLD	8537.1091.99
09227-000	ADEPT Common - Elec Spare Part PROFIBUS/DEVICENET GATEWAY OPT	1.404.00	675758	4549734905572			YR	A	USA	8479.9070.99
09227-000	ADEPT Common - Elec Spare Part PROFIBUS/DEVICENET GATEWAY OPT	1.404.00	698448	4549734681421			YR	A	DEU	8479.9070.99
09228-021	Camera and Accessories Spare Part ADAPTER, PCIE, GIGABIT ADPTR, 1P	201.00	698624	4549734679657			YR	A	USA	8538.9091.89
09228-030R	ADAPTER, PCIE, IEEE 1394B, 3PORT, R	111.30	683160	4549734950626			YR	A	USA	8538.9091.89
09272-000	ADEPT Quattro 650H Spare Part Motor and Alpha Drive Assembly, Quattro s650H	5820.00	698230	4549734682749			YR	A	USA	8479.9070.99
09275-400	AsInrLink, Wht, Qtrro S650/800HS	1.157.00	682939	4549734265577		#	YR	A	USA	8544.4290.90
09275-410	Assembly, Inner Link, White, Quattro s650H & s800H, Die-Cast	1.256.00	682936	4549734265539			YR	A	USA	8544.4290.90
09275-600F	Assembly, Inner Link, Quattro HS, Gen 2	924.00	700942	4549734694261			YR	A	USA	8479.9070.99
09275-700F	Assembly, Inner Link, Quattro H, Gen 2	719.00	695694	4549734615815			YR	A	USA	8479.9070.99
09332-000	CASE, DVD, PLAIN	15.75	681972	4549734946650			YR	A	USA	3926.9097.90
09332-201	INSERT, DVD, ACE	3.15	681971	4549734946643			YR	A	USA	8479.9070.99
09335-000	CVR W/LBL, MTR, QUATTRO 650H	620.50	682937	4549734265546			YR	A	USA	8479.9070.99
09335-200F	Motor Cover with Logo, Quattro H	358.00	701009	4549734694278			YR	A	USA	8479.9070.99
09339-000	BALL, SS, 20MM DIA	176.10	682887	4549734265041			YR	A	USA	8483.3080.90
09449-100	CA, RING, 10P TO SOLDER, 10M	32.55	683182	4549734950848			YR	A	USA	8544.4290.90
09450-100	Cable, HRS 12-pin to Untermated, 10 meter	316.10	683157	4549734950586			YR	A	USA	8544.4290.90
09450-100	Cable, HRS 12-pin to Untermated, 10 meter	316.10	698543	4549734679961			YR	A	DEU	8544.4290.90
09454-610	Legacy Spare Part CA, PWR/1 O6P HRSTO UNTERM, 10M	291.90	681968	4549734946612			YR	A	USA	8544.2000.90
09503-000	ASSY, PLATFORM P31, +/-46 DEG	4257.00	682893	4549734265102			YR	A	USA	8479.9020.90
09503-200	ASSY, PLTFRM P31, +/-46 DEG, SS	3912.00	682899	4549734265164			YR	A	USA	8479.9020.90
09550-000	SOX-BELTY-Adapter	36.00	687056	4549734492065		#	YR	A	USA	8479.9070.99
09554-002F	Base, ETFE Coated, Quattro HS, USDA	6720.00	700941	4549734694285			YR	A	USA	8479.9070.99
09554-202F	Base, Quattro HS, with Hard Stops	4854.00	700940	4549734694292			YR	A	NLD	8479.9070.99
09557-000	ADEPT Spare Part SYSTEM, QUATTRO AIB, CE	8785.00	698222	4549734683111			YR	A	USA	8479.9070.99
09560-001	ADEPT Spare Part KIT, COBRA S600/S800 J4 HR, BNC	924.00	696511	4549734680929			YR	A	USA	8479.9070.99
09563-004	CLAMP, BALL, SPOON, PEEK	24.15	687841	4549734534918			YR	A	USA	7318.1300.90
09564-000	SEAL KIT, CA, EN, OTTRQ S650HS	915.00	679971	4549734935852			YR	A	NLD	4016.9300.90
09564-000	SEAL KIT, CA, EN, OTTRQ S650HS	915.00	682912	4549734265294			YR	A	USA	4016.9300.90
09564-000F	Seal Kit, Cables, Electroless Nickel, Quattro HS	980.00	701006	4549734694353			YR	A	USA	4016.9300.90
09566-000	GSKT, HSG, FLGE, EPDM, OTTRQ HS	31.59	682898	4549734265157			YR	A	USA	4016.9300.90
09567-000	GSKT, HSG, ABS, DE, EPDM, OTTRQ HS	19.37	682902	4549734265195			YR	A	USA	4016.9300.90
09571-000	GSKT, AIB, HEAT, SW, OTTRQ S650HS	142.10	682906	4549734265232			YR	A	USA	4016.9300.90
09572-000	GSKT, MT PAD, QUATTRO S650HS	11.21	682930	4549734265478		#	YR	A	USA	4016.9300.90
09573-000	GSKT, DIAG DISP, EPDM S650HS	11.21	682907	4549734265249			YR	A	USA	4016.9300.90
09575-000	ASSY, DIAG WNDW OTTRQ S650HS	495.20	682944	4549734265638		#	YR	A	USA	8538.9091.89
09613-128	GSKT, 16MM MTG HPU S650HS	69.00	682922	4549734265393			YR	A	USA	4016.9300.90
09614-028	WASHER, SEAL, 4MM BOLT, PEEK	11.21	682915	4549734265324			YR	A	USA	7318.1595.89

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	SLN. (Data sheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
09614-039	WASHER SEAL, 6MM BOLT, PEEK	11.21	682927	4549734265447			YR	A	USA	7318.1595.89
09615-100	ADEPT Spare Part 20 MM SPHERE, BALL, SST, GSKT	181.70	699490	4549734679442			YR	A	USA	8479.9070.99
09617-073	SPACER, 16MM FLGD BOLT, SST	19.37	682928	4549734265454			YR	A	USA	7616.9990.99
09618-160	SCR, M16X40, FHH,SST DIN 9137	37.00	682929	4549734265396			YR	A	USA	7318.1595.89
09627-000	SEAL V-RING 2.091D X 1.6W BLACK	12.00	682894	4549734265119			YR	A	USA	4016.9300.90
09638-002	Bushing HorseShoe (material Delrin) for Quattro & Hornet robots	25.46	682884	4549734265010	#		YR	A	USA	8483.3080.90
09663-000	CAMR, GIGE, 752X480, B/W	1,154.00	683176	4549734950787			YR	A	USA	8525.8091.90
09663-010	CAMR, GIGE, 1296X966, B/W	1,990.00	683175	4549734950770			YR	A	USA	8525.8091.90
09668-000	BELT,TIMING,GT2 TWIN,15MM WIDE	74.30	682891	4549734265089			YR	A	USA	4010.9300.90
09723-081	GASKET, 20MM SPHR,HPU, NO PSA	22.00	682923	4549734265409			YR	A	USA	4016.9300.90
09730-000	ASSY, PLATFORM P30, FIXED	1,725.00	682897	4549734265140			YR	A	USA	8479.9020.90
09730-200	ASSY, PLATFORM P30, FIXED,SS	2,136.00	682945	4549734265645			YR	A	USA	8479.9020.90
09732-000	ASSY, PLATFORM P32,+/-92.5 DEG	7,390.00	682895	4549734265126			YR	A	USA	8479.9020.90
09732-200	ASSY, P32,+/-92.5 DEG, SS	8,280.00	682909	4549734265263			YR	A	USA	8479.9020.90
09734-000	ASSY, P34,+/-185 DEG	7,730.00	682892	4549734265096			YR	A	USA	8479.9020.90
09756-010	ASSY, OUTFR ARM, H 565 Q 650	3,224.00	682908	4549734265256			YR	A	FRA	7320.2085.90
09756-011F	Assembly, Outer Arm Shaft, Hornet 565 & Quattro 650H	1,002.00	700261	4549734665315			YR	A	FRA	8479.9070.99
09756-210	Assembly, Outer Arm, Stainless Steel Spoons, Quattro s650HS	4,113.00	682946	4549734265652	#		YR	A	FRA	8479.9070.99
09756-211F	Assembly, Outer Arm, Stainless Steel Spoons, Quattro s650HS	1,395.00	695692	4549734665322	#		YR	A	FRA	8479.9070.99
09760-210	ASSY,OTFR ARM,LOCKBL,1125MM, SS	3,894.00	692956	4549734265805			YR	A	FRA	8479.9070.99
09795-000	Calym-R90 Spare Part CYBOTRANK/EBVARIO600	561.50	680320	4549734939341			YR	A	USA	8479.9070.99
09961-00002	ADEPT Spare Part LIC.V-EXTENSION	1,234.00	700372	4549734681353			YR	A	USA	8479.9070.99
09961-00013	Spare Part : License, Enhanced Trajectory Control	1,970.00	699261	4549734690980			YR	A	USA	8523.8090.00
09961-00016	License, AdapITFT Client/Server	363.30	699260	4549734690997			YR	A	USA	8479.9070.99
09961-00017	Multiple Adept Robots	4,403.00	699927	4549734893725			YR	A	USA	8479.9070.99
09961-00020	ADEPT Spare Part LIC,TEACH MODE CAT 3	414.80	698274	4549734680226			YR	A	USA	8479.9070.99
09963-00033	ADEPT License Spare Part LIC,AIM VRSN 4.X	2,390.00	698241	4549734682190			YR	A	USA	8479.9070.99
09966-043	LIC, ADEPT DESKTOP 4.X	1,043.00	698259	4549734680967			YR	A	USA	8523.4920.00
09966-044	ADEPT Spare Part LIC, LICENSE, ACE MOTION	1,037.00	698260	4549734680989			YR	A	USA	8479.9070.99
09968-000	Kit, Quattro, Robot Spring Upgrade	1,022.00	683968	4549734282116			YR	A	USA	8479.9070.99
09970-000	Kit, Quattro, Robot Spring/Bushing Replacement	463.10	683967	4549734282123	#		YR	A	FRA	8479.9070.99
09970-049	LIC, THREE OR MORE BELTS	378.00	700260	4549734894302			YR	A	USA	8479.9070.99
09977-000	ASSY,ENC BACKUP BATT L MTL	146.00	682961	4549734265669	#		YR	A	POL	8506.5010.90
10052-000	JUMPERSC-EX-XMCP,RED	57.05	682911	4549734265287			YR	A	USA	8471.6070.00
10053-000	JUMPERSC-EX-XFP,GREEN	57.05	682925	4549734265423			YR	A	USA	8471.6070.00
10032-00505	PCA,VME, Joint Interface enhanced Board	5,810.00	679454	4549734932561			YR	A	USA	8544.4290.90
10332-01367	ADEPT VME Spare Part Cable, Camera Interface 2X, w/ Strobe, 2m (6.6')	736.50	699449	4549734680592			YR	A	USA	8544.4290.90
10356-10370	ADEPT SmartController CX Spare Part MCP,Adaptor, Donale/Connector	259.30	699289	4549734679534			YR	A	USA	8479.9070.99
10356-10400	ADEPT Comm on - Elec Spare Part Cable, XMCP to MCP Adaptor, 6ft	152.30	698450	4549734679988			YR	A	USA	8544.4290.90
10356-10500	Front Panel Cable	63.00	698621	4549734677165			YR	A	USA	8544.4290.90
10410-00502	ADEPT SmartMotion (sM16 or SmartServo Kit, MB10s) Spare Part Cable, 1394, 0.3m	142.80	696533	4549734679183			YR	A	USA	8479.9070.99
10410-00508	Cable, Firewire, 0.80 m, w/Latch	133.00	699259	4549734691048			YR	A	USA	8544.4290.90
10410-00565	Cable, Firewire, 6.5 m, w/Latch	442.10	699258	4549734691055			YR	A	USA	8544.4290.90
10410-10545	ADEPT SmartMotion (sM16 or SmartServo Kit, MB10s) Spare Part Cable, 1394, 3.0m (controller - amp)	99.75	698451	4549734678414			YR	A	USA	8479.9070.99
10828-000	CLAMP,QUATTRO,MTR GRBX	42.00	698944	4549734678094			YR	A	USA	8479.9070.99
10840-000	ASSY,DIAG WINDOW,QUATTRO	354.20	682947	4549734265676			YR	A	USA	8538.9091.89
10970-000	Bearing, Cross Roller, Axis 6	1,362.00	683514	4549734952095			YR	A	USA	8482.5000.90
10970-000	Bearing, Cross Roller, Axis 6	1,362.00	698560	4549734681247			YR	A	JPN	8482.5000.90
11000-000D	PCA, DAP-MPCS200B	917.00	688040	4549734511971			YR	A	JPN	8479.9070.99
11001-000D	PCA, HV1A Amplifier (for eAIB)	2,609.00	688042	4549734511995			YR	A	JPN	8479.9070.99
11002-000D	PCA, HV2A Amplifier (for eAIB)	898.00	688037	4549734511940			YR	A	JPN	8538.9091.89
11003-000D	PCA, ePMAl Base Board	2,130.00	688043	4549734512008			YR	A	JPN	8479.9070.99
11004-000D	PCA, ePMAl Teach Restrict	378.00	688041	4549734511988			YR	A	JPN	8479.9070.99
11011-000	Assembly, Cable, Encoder, 7M, Viper s1700D	2,742.00	699932	4549734682206			YR	A	JPN	8544.4290.90
11012-000	Assembly, Cable, Motor, 7M, Viper s1700D	3,403.00	699931	4549734682398			YR	A	JPN	8544.4290.90
11044-000	ASSY,EMI BOX,PP4,VIPER S1700D	3,440.00	683174	4549734950763			YR	A	USA	8479.9020.90
11044-000	ASSY,EMI BOX,PP4,VIPER S1700D	3,440.00	698234	4549734682350			YR	A	JPN	8479.9020.90
11274-000D	Fan, 60 x 60 x 10mm, 12 VDC, 16 CFM	67.20	688031	4549734511872			YR	A	PHL	8414.5995.90
11295-003D	Harness Assembly, MB-60R, Amps and TR	125.00	687751	4549734511933			YR	A	USA	8544.4290.90
11459-000D	Assembly, Fan, Internal, eMB/MB 40/60	146.00	688035	4549734511919			YR	A	THA	8414.5995.90
11474-000D	Harness, Cobra eAIB Motors and Teach Restrict assy	414.80	688039	4549734511964			YR	A	CHN	8544.4290.90
11584-000	ADEPT eAIB Family Spare Part Cable, eAIB/XSLV Adapter	21.00	696546	4549734677745			YR	A	USA	8544.4290.90
11585-000F	Cable, eAIB XSYS Cable, 15 ft	74.00	701008	4549734694322			YR	A	USA	8544.4290.90
11820-000	MOTOR, SIGMA 5, JT1, S1700D	8,740.00	683171	4549734950732			YR	A	USA	8501.3100.99
11820-000	MOTOR, SIGMA 5, JT1, S1700D	8,740.00	698547	4549734682923			YR	A	JPN	8501.3100.99
11820-001	MOTOR, SIGMA 5, JT2, S1700D	8,740.00	696476	4549734682930			YR	A	JPN	8501.5100.90
11820-002	MOTOR, SIGMA 5, JT3, S1700D	6,885.00	696481	4549734682794			YR	A	JPN	8501.5100.90
11820-003	MOTOR, SIGMA 5, JT 4-6, S1700D	6,885.00	683170	4549734950725			YR	A	USA	8501.3100.99
11820-003	MOTOR, SIGMA 5, JT 4-6, S1700D	6,885.00	696482	4549734682800			YR	A	JPN	8501.3100.99
11820-004	DRIVE, SPD REDCR, AXI 1, S1700D	9,320.00	683169	4549734950718			YR	A	USA	8479.9070.99
11820-004	DRIVE, SPD REDCR, AXI 1, S1700D	9,320.00	698546	4549734683081			YR	A	JPN	8479.9070.99
11820-005	DRIV, SPD REDCR, AX 2, S1700D	8,855.00	683168	4549734950701			YR	A	USA	8479.9070.99
11820-005	DRIV, SPD REDCR, AX 2, S1700D	8,855.00	698545	4549734683098			YR	A	JPN	8479.9070.99
11820-006	DRIVE, SPEED REDUCER, AX 3, S1700D	6,885.00	696477	4549734682879			YR	A	JPN	8479.9070.99
11820-007	HRNSS, INTRNL, AX 1-4, S1700D	6,885.00	683167	4549734950695			YR	A	USA	8544.4290.90
11820-007	HRNSS, INTRNL, AX 1-4, S1700D	6,885.00	698544	4549734682817			YR	A	JPN	8544.4290.90
11820-008	Harness, Internal, Axis 5/6, s1700D	1,163.00	698559	4549734681100			YR	A	JPN	8544.4290.90

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Daheet)	GTIN	Stock Qty.	Lot	Gr.	Fam	COO	Tariff Code
12000-310	ADEPT SmartMotion (sM16 or SmartServo Kit, MB10s) Spare Part sM16 Unit	3,715.00	676370	4549734910675			YR	A	USA	8543.7090.99
12000-310	ADEPT SmartMotion (sM16 or SmartServo Kit, MB10s) Spare Part sM16 Unit	3,715.00	698481	4549734682343			YR	A	USA	8543.7090.99
12337-000	Motor Assembly Joint 1, Oil Change Version	3,284.00	698491	4549734681995			YR	A	USA	8501.4020.99
12340-255F	Kit, J2, Harmonic Drive, I4H, Standard	1,727.00	700454	4549734701785			YR	A	DEU	8479.9070.99
12340-328F	Kit, J1, Harmonic Drive, I4H, Standard	1,687.00	700453	4549734701792			YR	A	DEU	8479.9070.99
12342-000	HD ASSY SHIELD, J1, OIL CHG	2,838.00	698239	4549734681810			YR	A	JPN	8483.4090.99
12350-000	ADEPT Cobra 600/800 All Spare Part Motor Assy., Joint 2, Oil Change Version	3,014.00	696493	4549734681896			YR	A	USA	8479.9070.99
12370-000F	Oil Change Kit, Cobra/I4H	1,622.00	700879	4549734711821			YR	A	USA	8479.9070.99
12480-505	INTERFACE PANEL, IF2011, AF SX : 12480-505	2,052.00	682959	4549734265850			YR	A	CHE	8538.9091.89
12528-000	ASSY,CBL,HD15DSUBM-F,SHLD,5'	35.70	679678	4549734933995			YR	A	USA	8544.4290.90
12712-200L	Cable, Left Lynx Motor Drive, White	72.00	693133	4549734187169			YR	A	USA	8544.4290.90
12730-000L	Estop Jumper	72.45	683568	4549734125130		#	YR	A	USA	8479.9070.99
13083-350	IR Backlight, Adept Flexibowl 350	1,231.00	680190	4549734937184			YR	A	USA	8539.4900.00
13083-350	IR Backlight, Adept Flexibowl 350	1,231.00	698531	4549734681308			YR	A	USA	8539.4900.00
13117-000	TOOL, BAND-IT	526.50	687842	4549734534925			YR	A	NLD	8479.9070.99
13119-000	SELF-SUPPORT KIT,QUATTRO	7,940.00	681439	4549734944793			YR	A	USA	8479.9070.99
13200-00030	ADEPT Camera and Accessories Spare Part Cable, Camera, w/ shield, 10m (32.8ft)	277.20	698471	4549734679831			YR	A	USA	8544.4290.90
13307-000L	Label, class invisible laser	7.00	699257	4549734691079			YR	A	USA	4821.1010.00
13322-100F	Cable, eAIB XSYSTEM Adapter with ENET, 6 ft	180.00	696162	4549734671774			YR	A	CHN	8544.4290.90
13486-502	COVER, TIM SENSOR	650.00	679608	4549734933506			YR	A	USA	8479.9070.99
13523-000L	ASSY,CABLE,LYNX,DOUBLE,TIM,2M	186.90	683166	4549734950688			YR	A	USA	8544.4290.90
13555-000L	Power Supply, DC, DC, 24V, 5A, 18-36 In. DIN 120	455.70	682438	4549734948180			YR	A	USA	8504.4030.00
13577-000	Assembly, Oil Change, J1 HD & Sigma 2 Motor, Inverted Cobra	5,300.00	698232	4549734682534			YR	A	USA	8479.9070.99
13632-045	Cable, 1394, 4.5M, w/ Latches, Standard Flex	99.90	687051	4549734492119		#	YR	A	USA	8479.9070.99
13716-000	Mobile Accessory ( Call buttons, MDM1 cables) Spare Part LENS,FLTR,NRTL,ND32,55MM,ACTY	144.90	680470	4549734939294			YR	A	USA	9002.2000.00
13716-000	Mobile Accessory ( Call buttons, MDM1 cables) Spare Part LENS,FLTR,NRTL,ND32,55MM,ACTY	144.90	698535	4549734679220			YR	A	USA	9002.2000.00
13768-000	Camera, POE, 659 x 494, 100fps, B/W, ACE Series	1,575.00	699169	4549734691109			YR	A	DEU	8479.9070.99
13838-000	ASSM,FORCE SENS,RVPR,BT	11,010.00	683165	4549734950671			YR	A	USA	9031.8020.00
13891-100L	ASSY,PCA,OTR,GR,LYNX,TRNSPTR	777.00	682437	4549734948173			YR	A	USA	8538.9091.89
14106-000L	ASY,LYNX,GENEVA,REFL,BEAM,SENS	240.50	683154	4549734950565			YR	A	USA	8479.9070.99
14162-000	Input Shaft, Harmonic Drive, Joint 5, Viper s650	433.00	699255	4549734691123			YR	A	JPN	8479.9070.99
14210-000	ASSY,PROFINET IO,DVCNT-G	1,485.00	682275	4549734947640			YR	A	DEU	8479.9070.99
14215-000	ASSY,PROFIBUS DP/DVCNT-G	1,485.00	682276	4549734947657			YR	A	DEU	8479.9070.99
14220-400	Assembly White Inner link for Hornet Robot	757.50	682957	4549734265812			YR	A	USA	8544.4290.90
14230-000	ASSY, PLTFRM, J14,EN,HRNT S565	4,178.00	682938	4549734265553			YR	A	USA	8479.9020.90
14245-000L	PCA, Diagnostic Display and RSC, Hornet	296.00	701007	4549734694339			YR	A	CHN	8504.9090.00
14245-010D	PCA, Diagnostic Display	248.90	688036	4549734511926			YR	A	USA	8538.9091.89
14276-001	Seal, Shaft, Retainr, 15 mm x 25 mm x 5 mm	20.00	699946	4549734677752			YR	A	USA	4016.9300.90
14280-000	Kit, Joint 4 Motor/Gearbox, Hornet 565 Robot	3,554.00	682948	4549734265683			YR	A	USA	8479.9070.99
14296-000	ADEPT Hornet 565 Spare Part PLATE, SEAL, J1-3, HORNET 565	131.30	698623	4549734679039			YR	A	USA	8479.9070.99
14297-000	Assembly, Motor and Gearbox, J1-3, Hornet 565	4,257.00	682949	4549734265690			YR	A	USA	8479.9070.99
14298-000	Assembly Diagnostic Display for Hornet robot	529.50	679945	4549734935685		#	YR	A	NLD	8541.4010.00
14298-000	Assembly Diagnostic Display for Hornet robot	529.50	682960	4549734265560			YR	A	USA	8541.4010.00
14308-000	Mount, Camera Tripod, Basler ACE Series	35.31	698945	4549734678063			YR	A	DEU	8525.8091.90
14324-100	U-Joint Replacement Kit, Hornet	1,331.00	683969	4549734282109			YR	A	USA	8479.9070.99
14330-000	MOTOR, MITSUBI 400W W/BK SER ENC	2,489.00	682917	4549734265348			YR	A	JPN	8501.3100.99
14331-000	MOTOR, MITSUBI 200W, SER ENC	1,399.00	682919	4549734265362			YR	A	JPN	8501.3100.99
14332-000	GEARBOX, 40:1, PLFN90, NEUGART	2,261.00	682935	4549734265522			YR	A	USA	8479.9070.99
14333-000	GEARBOX, 7:1, PLE60, NEUGART	1,582.00	679930	4549734935531		#	YR	A	NLD	8479.9070.99
14333-000	GEARBOX, 7:1, PLE60, NEUGART	3,876.00	682920	4549734265379			YR	A	USA	8479.9070.99
14336-000	Grease, FDA, EXTREME PRESSURE	53.55	696542	4549734678148			YR	A	USA	3403.1980.00
14337-000	Flange, Joint 4, Neugart PLE60, Hornet s565	180.00	698940	4549734679497			YR	A	USA	7616.9990.99
14346-000	ADEPT Hornet 565 Spare Part GASKET, SEAL PLATE, HORNET565	16.80	698622	4549734677653			YR	A	USA	8479.9070.99
14347-000	GASKET, COVER, HORNET 565	83.00	682950	4549734265706			YR	A	USA	4016.9300.90
14349-000	END COVER, 125MM DIA X 12MM HT, NB	21.41	682932	4549734265492			YR	A	USA	4016.9300.90
14351-000	END COVER, 100MM DIA, 10MM HT, NB	22.05	682924	4549734265416			YR	A	USA	4016.9300.90
14352-000	Hornet 565 Spare Part END COVER, 25MM DIA, 7MM HT, NBR	22.05	687778	4549734534949			YR	A	CHN	8479.9070.99
14353-000	BUMPER, 40MM DIA, 20MM HT, M8, NAT	25.46	682913	4549734265300			YR	A	USA	8483.5080.90
14359-000	Cable, CAT6 SFTP, ACE, GIGE, 10 m	28.35	699254	4549734691130			YR	A	DEU	8544.4290.90
14380-000	ASSY, PLTFRM, FXD, SSHRNT S565	3,118.00	679940	4549734935630			YR	A	NLD	8479.9020.90
14380-000	ASSY, PLTFRM, FXD, SSHRNT S565	2,730.00	682869	4549734265584			YR	A	USA	8479.5000.00
14391-000	Kit, Mounting Bracket for Smart Vision MX	273.00	698529	4549734679916			YR	A	USA	7326.9098.90
14397-000	Kit, Retrofit, IR Backlight, AnyFeeder SX240 (Used to replace a Gen 1 Backlight with Gen 2)	3,317.00	687744	4549734534956			YR	A	CHE	8539.4900.00
14399-000	Kit, Retrofit, Amber Backlight, AnyFeeder SX240 (Used to replace a Gen 1 Backlight with Gen 2)	3,317.00	687745	4549734534963			YR	A	CHE	8539.4900.00
14422-000	Mount, Camera, Tripod, Basler Scout Firewire-b	50.40	683158	4549734950602			YR	A	USA	8479.9070.99
14426-000	Assembly, H-Amplifier with Teach Pestrict	4,151.00	699212	4549734691147			YR	A	USA	8479.9070.99
14426-010	Assembly, I - Amplifier w/ Teach Pestrict	4,503.00	699211	4549734691154			YR	A	USA	8479.9070.99
14435-000	HARN, ASSY, HORNET 565	1,322.00	679981	4549734935869			YR	A	NLD	8479.9070.99
14435-000	HARN, ASSY, HORNET 565	1,322.00	682916	4549734265331			YR	A	USA	8479.9070.99
14525-000	Hornet (J4) Calibration J4	396.90	683765	4549734953238			YR	A	USA	8479.9070.99
14708-601	Motor, Yaskawa S-Max 5, 600W, with Brake, Smooth Shaft	2,793.00	682933	4549734265508			YR	A	USA	8501.3100.99
14765-000	Cart Spare Part BRACKET, SENSOR, REAR, CART	212.10	683878	4549734853960			YR	A	USA	7616.9990.99
14849-000	Cover, Joint 2, Adept Viper	148.10	683516	4549734952118			YR	A	USA	8479.9070.99
14849-000	Cover, Joint 2, Adept Viper	148.10	698553	4549734679312			YR	A	JPN	8479.9070.99
14870-000	ASSY, DRV SHFT, 4 BAR, J4, HRNT	1,649.00	682951	4549734265713		#	YR	A	USA	8483.4030.90
14927-000	Kit, Fine Calibration, Hornet	6,745.00	698336	4549734682657			YR	A	USA	8479.9070.99
15005-000	KIT, FFBL, DRV SHFT, HRNT 565	760.00	682958	4549734265829			YR	A	USA	8483.4030.90

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Data sheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
18029-000L	Power Cord, Switzerland, IEC320/C13 --- SEV1011 (IEC Type J)	25.00	699249	4549734661390			YR	A	CHN	8544.4290.90
18101-000	Assembly, Cobra 600 Base Robot w/o AIB, Sigma 7 Motors	11,230.00	699618	4549734665030			YR	A	JPN	8479.5000.00
18102-000	Assembly, Cobra 800 Base Robot w/o AIB, Sigma 7 Motors	13,340.00	699619	4549734665047			YR	A	JPN	8479.5000.00
18110-010	Assembly, J1 Motor, 400W, Sigma 7, Cobra 600 & 800	2,514.00	690416	4549734939853			YR	A	USA	8501.5100.90
18143-000	FAN ASSEMBLY, J1, COBRA	153.30	698554	4549734679336			YR	A	USA	8414.5995.90
18181-010	Cobra 600 Spare Part KIT, J1, SIG7 RPLC MTR 600/ 800	2,402.00	679145	4549734929776			YR	A	USA	8479.9070.99
18181-011	KIT, J1, SIG7 RPLC MTR 800 INV	3,007.00	683163	4549734950657			YR	A	USA	8479.9070.99
18181-012	Kit, Joint 1 Sigma 7 Replacement Motor, Cobra 600 & 800, FRU	2,572.00	680678	4549734940825			YR	A	USA	8501.5100.90
18181-012	Kit, Joint 1 Sigma 7 Replacement Motor, Cobra 600 & 800, FRU	2,572.00	698537	4549734681964			YR	A	USA	8501.5100.90
18181-020	Kit, Joint 2 Sigma 7 Replacement Motor, Cobra 600 & 800, FRU	2,363.00	696500	4549734681858			YR	A	JPN	8501.5100.90
18181-030	Kit, Joint 3 Sigma 7 Replacement Motor, Cobra 600	2,096.00	680187	4549734937153			YR	A	USA	8501.4020.80
18181-030	Kit, Joint 3 Sigma 7 Replacement Motor, Cobra 600	2,096.00	698530	4549734681681			YR	A	USA	8501.4020.80
18181-031	Kit, Joint 3 Sigma 7 Replacement Motor, Cobra 800	2,013.00	680272	4549734937863			YR	A	USA	8501.5220.89
18181-031	Kit, Joint 3 Sigma 7 Replacement Motor, Cobra 800	2,013.00	698532	4549734681698			YR	A	USA	8501.5220.89
18181-040	Assembly, J4 Motor, 150W, Sigma 7, Cobra 600 & 800	1,856.00	680675	4549734940795			YR	A	USA	8501.5100.90
18181-040	Assembly, J4 Motor, 150W, Sigma 7, Cobra 600 & 800	1,856.00	698536	4549734681483			YR	A	USA	8501.5100.90
18211-000	Link Outer, eCobra 800	1,645.00	698842	4549734890915			YR	A	USA	8479.9070.99
18213-000	Link Outer, eCobra 600	1,500.00	699153	4549734661437			YR	A	JPN	8479.9070.99
18228-000	Assembly, HD & Motor, Inverted Cobra, J1	5,850.00	680273	4549734937870			YR	A	USA	8501.5100.90
18228-000	Assembly, HD & Motor, Inverted Cobra, J1	5,850.00	698533	4549734662701			YR	A	USA	8501.5100.90
18265-000	Label, Brake Release, Hornet	25.00	700937	4549734696346			YR	A	NLD	4821.1010.00
18266-000	ADEPT Hornet S&S Spare Part BUTTON, BRAKE RLS, WHITE	44.10	698487	4549734678056			YR	A	USA	8479.9070.99
18273-000	Sam a5 Motor&Alpha Drive Q650H	5,625.00	682952	4549734265720			YR	A	USA	8501.3100.99
18302-000L	Actuator, Keypress, 1x90, L/R Removable	169.10	699245	4549734691482			YR	A	DEU	8536.5019.90
18433-000	Pulley, J3 Motor, 40 Teeth, AIB Cobra 800, 14mm bore w/ keyway	191.00	696372	4549734587617			YR	A	USA	8483.5080.90
18472-000	Cable, Camera, GigE, Industrial, SSTP (CAT 6), 10 meter	349.70	680453	4549734939140			YR	A	USA	8544.2000.90
18472-000	Cable, Camera, GigE, Industrial, SSTP (CAT 6), 10 meter	349.70	698534	4549734679886			YR	A	DEU	8544.2000.90
18524-000F	Replacement Hard Stop, Quattro	56.00	695693	4549734615822			YR	A	USA	8536.5011.90
18530-000	BRIDGE, SX240	132.30	682421	4549734948135			YR	A	CHE	8479.9020.90
18530-000	BRIDGE, SX240	223.00	701000	4549734700696			YR	A	CHE	8479.9020.90
18572-000	ADEPT Spare Part ENCODER DISK, MYLAR, 2880LN	474.60	698626	4549734680165			YR	A	USA	8479.9070.99
18609-006	Cap, Arm 2, Inner, Cobra s350	34.00	699244	4549734691499			YR	A	JPN	3926.9097.90
18609-007	Cable Guide, Arm 1/2, IP65, Cobra s350	85.00	699243	45497346691505			YR	A	JPN	8479.9070.99
18622-000	Label, Maximum Grade Capability	7.00	699242	45497346691512			YR	A	USA	4821.1010.00
18623-000	Label, Caution Automatic Vehicle	7.00	699241	45497346691529			YR	A	USA	4821.1010.00
18692-003	Cover, Second Arm, 5th Axis Side	344.40	685993	4549734965798			YR	A	USA	8479.9070.99
18692-003	Cover, Second Arm, 5th Axis Side (CRI IP65)	344.40	698371	4549734680639			YR	A	USA	8479.9070.99
18692-004	Cover, Second Arm, 5th Axis Side (CRI IP65)	819.00	685994	4549734965804			YR	A	USA	8479.9070.99
18692-004	Cover, Second Arm, 5th Axis Side (CRI IP65)	819.00	698561	45497346681322			YR	A	USA	8479.9070.99
18692-005	Cover, Second Arm, 6th Axis Side	332.90	685995	4549734965811			YR	A	USA	8479.9070.99
18692-005	Cover, Second Arm, 6th Axis Side	332.90	698372	4549734680646			YR	A	USA	8479.9070.99
18692-006	Cover, Second Arm, 6th Axis Side (CRI IP65)	823.50	685996	4549734965828			YR	A	USA	8479.9070.99
18692-006	Cover, Second Arm, 6th Axis Side (CRI IP65)	823.50	698562	4549734681346			YR	A	USA	8479.9070.99
18692-007	Cover, Housing, Fourth Axis, Viper s650	179.00	698939	4549734679503			YR	A	USA	8479.9070.99
18692-009	Cover, Housing, Fourth Axis	173.30	698625	4549734679701			YR	A	USA	8479.9070.99
18692-011	Cover, Motor, Axis 3	65.10	698551	4549734678469			YR	A	USA	8479.9070.99
18692-012	Cover, Motor, Axis 2	133.40	698555	4549734679428			YR	A	USA	8479.9070.99
18692-014	Cover, Housing, 2nd Axis	173.30	685983	4549734965699			YR	A	USA	8479.9070.99
18692-014	Cover, Housing, 2nd Axis	173.30	698556	4549734679718			YR	A	USA	8479.9070.99
18692-017	Cover, Motor, Axis 1	68.25	698552	4549734678537			YR	A	USA	8479.9070.99
18996-000	Cylinder, Short Stroke, AnyFeeder SX240	127.10	682970	4549734265867			YR	A	DEU	8479.9020.90
18997-000	Timing Belt, HTD-165 3M B9, AnyFeeder SX100, SX240, SX340	51.45	682971	4549734265874			YR	A	GBR	4010.3900.90
18998-000	Timing Belt, HTD-177 3M B9, AnyFeeder SX100, SX240, SX340	51.45	682972	4549734265881			YR	A	GBR	4010.3900.90
18999-000	Timing Belt, HTD-177 3M B9, AnyFeeder SX100, SX240, SX340	87.15	682973	4549734265898			YR	A	GBR	4010.3900.90
19000-000	Coupler, Flip Drive, AnyFeeder SX240	1,064.00	682974	4549734265904			YR	A	CHE	8483.6080.90
19002-000	Coupler, Drive Drive, AnyFeeder SX240	1,064.00	682975	4549734265911			YR	A	CHE	8483.6080.90
19003-000	RS232 Cable, DSUB9 Male/Female, 4.5m, SX240	99.75	682991	4549734265843			YR	A	TWN	8544.4290.90
19005-001F	Kit, Motor, Brake, I4H	126.00	700452	4549734701808			YR	A	DEU	8479.9070.99
19039-000	Cable, Power Supply, 24V DC, AnyFeeder SX240, SX340	270.90	682976	4549734265836			YR	A	CZE	8544.4290.90
19040-000	Block, Solenoid, AnyFeeder SX240/SX340	702.50	682977	4549734265928			YR	A	JPN	8479.9070.99
19041-000	Cable, Internal, SX-Flip-IO (motor 1), AnyFeeder, SX240, SX340	288.80	682978	4549734265935			YR	A	CZE	8544.4290.90
19042-000	Cable, Internal, SX Servo (motor 1 and 2), AnyFeeder SX240, SX340	253.10	682979	4549734265942			YR	A	CZE	8544.4290.90
19044-000	Cable, Motor-IO (Motor 1 and 2), AnyFeeder, SX240, SX340	253.10	682980	4549734265959			YR	A	DEU	8544.4290.90
19045-000	Cable, Internal, SX Disp-IO (motor 2), AnyFeeder SX240, SX340	288.80	682981	4549734265966			YR	A	CZE	8544.4290.90
19046-000	LED Controller Module	779.00	682867	4549734265973			YR	A	CHE	8544.4290.90
19048-000	LED Backlight, IR 8705nm, LED panel (incl. cable to LED controller module), AnyFeeder SX240	2,882.00	682982	4549734265980			YR	A	CHE	8539.4900.00
19049-000	Servo Motor, w. Pulley, AnyFeeder SXM100, SXM140, SX240, SX340	2,019.00	682868	4549734265997			YR	A	DEU	8501.5100.90
19050-000	eDrive SX Single, 5mm, AnyFeeder SX240, SX340	6,755.00	682983	4549734266000			YR	A	CHE	8471.7098.00
19051-000	LED Backlight, RED/630nm, AnyFeeder SX240	2,882.00	682984	4549734266017			YR	A	CHE	8539.4900.00
19052-000	LED Backlight, WHITE LED panel, AnyFeeder SX240	3,062.00	682985	4549734266024			YR	A	CHE	8539.4900.00
19053-000	LED Backlight, BLUE 470nm LED Panel, AnyFeeder SX240	3,242.00	682986	4549734266031			YR	A	CHE	8539.4900.00
19054-000	LED Backlight, AMBER 590nm, AnyFeeder SX240	3,242.00	682987	4549734266048			YR	A	CHE	8539.4900.00
19055-000	LED Backlight, IR 875nm, AnyFeeder SX340	3,962.00	682988	4549734266055			YR	A	CHE	8539.4900.00
19056-000	LED Backlight, RED/630nm, AnyFeeder SX340	3,962.00	682989	4549734266062			YR	A	CHE	8539.4900.00
19057-000	LED Backlight, WHITE, AnyFeeder SX340	4,221.00	682990	4549734266079			YR	A	CHE	8539.4900.00
19058-000	COUPLER, FEED PLATE, SX340	1,869.00	682871	4549734266086			YR	A	CHE	8538.9091.89
19059-000	Eccentric, 2mm, AnyFeeder SX100	177.50	682992	4549734266093			YR	A	CHE	8479.9070.99



Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Daheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
19060-000	SM Adapter Print, AnyFeeder SXM100, SXM140	325.50	682993	4549734266109			YR	A	CHE	8479.9070.99
19061-000	Proximity switch D6.5xL36, AnyFeeder SXM100, SXM140	88.20	682994	4549734266116			YR	A	CHE	8536.5019.90
19062-000	Cable, Ribbon 210mm, AnyFeeder SXM100	40.95	682995	4549734266123			YR	A	CZE	8544.4290.90
19063-000	Cable, Ribbon 520mm, AnyFeeder SXM100, SXM140	46.20	682996	4549734266130			YR	A	CZE	8544.4290.90
19068-000	Cable, Power, 210mm, AnyFeeder SXM100	46.20	682997	4549734266147			YR	A	CZE	8544.4290.90
19069-000	Cable, Power, 520mm, AnyFeeder SXM100, SXM140	51.45	682998	4549734266154			YR	A	CZE	8544.4290.90
19070-000	eDrive, Dual, AnyFeeder SXM100	10,080.00	682969	4549734266161	#		YR	A	CHE	8471.7098.00
19071-000	Timing Belt, HTD-336 3/8 B9, SXM100	63.00	683000	4549734266178			YR	A	GBR	4010.3900.90
19072-000	eDrive, Piggyback, SXM100	3,962.00	683001	4549734266185	#		YR	A	CHE	8471.7098.00
19073-000	SM Adapter Print, Straight, SXM100	325.50	683002	4549734266192			YR	A	CHE	8479.9070.99
19074-000	LED Backlight, IR/875nm, AnyFeeder, SXM100	1,783.00	683003	4549734266208			YR	A	CHE	8539.4900.00
19075-000	LED Backlight, RED/630nm, AnyFeeder SXM100	1,783.00	683004	4549734266215			YR	A	CHE	8539.4900.00
19076-000	eDrive, Main, SXM100	6,125.00	683005	4549734266222	#		YR	A	CHE	8471.7098.00
19077-000	Cable, Drive/Motor 1, AnyFeeder SXM100	252.00	683006	4549734266239			YR	A	CZE	8544.4290.90
19080-000	Timing Belt, HTD-462 3/8 B9, SXM140	69.30	683007	4549734266246			YR	A	GBR	4010.3900.90
19081-000	eDrive, a=2mm, AnyFeeder, SXM140	6,300.00	683008	4549734266253	#		YR	A	CHE	8471.7098.00
19082-000	eDrive, a=3.5mm, SXM140, AnyFeeder	6,300.00	683009	4549734266260	#		YR	A	CHE	8471.7098.00
19083-000	Cable, LED controller-to-LED-bar, SXM140, AnyFeeder	81.90	683010	4549734266277			YR	A	CHE	8544.4290.90
19084-000	Cable, Drive/Flip, SXM140, AnyFeeder	144.90	683011	4549734266284			YR	A	CZE	8544.4290.90
19085-000	Cable, Ribbon, Short, SXM140, AnyFeeder	46.20	683012	4549734266291			YR	A	CZE	8544.4290.90
19086-000	LED Backlight Kit, WHITE, SXM140, AnyFeeder	1,501.00	687840	4549734534901			YR	A	CHE	8539.4900.00
19098-000F	Kit, J1 Motor, 4H, Standard	1,538.00	700451	4549734701815			YR	A	DEU	8479.9070.99
19099-001F	Assembly, Quill, 4H, 210mm Stroke, Standard	3,125.00	700450	4549734701822			YR	A	JPN	8479.9070.99
19099-002F	Assembly, Quill, 4H, 410mm Stroke, Standard	2,446.00	700449	4549734701839			YR	A	JPN	8479.9070.99
19101-000F	Kit, J2 Motor, 4H, Standard	1,315.00	700448	4549734701846			YR	A	JPN	8479.9070.99
19102-000F	Kit, J3 Motor, 4H	1,171.00	700447	4549734701853			YR	A	JPN	8479.9070.99
19104-000F	Kit, J4 Motor, 4H	1,075.00	700446	4549734701860			YR	A	JPN	8479.9070.99
19111-35000F	Castling, Base, J4L	277.00	701099	4549734684026			YR	A	CHN	7616.9990.90
19159-000	Cable, Power, Short, SXM140, AnyFeeder	46.20	682999	4549734266307			YR	A	CZE	8544.4290.90
19230-001	Base, Finished, Hornet 565 Robot	1,320.00	700939	4549734694308			YR	A	NLD	8479.9070.99
19234-001	Cover, Base, Finished, Hornet 565 Robot	851.00	700938	4549734694315			YR	A	NLD	8479.9070.99
19238-000F	Assembly, Battery, Encoder Backup, i4H	147.00	700445	4549734701877			YR	A	POL	8506.5010.90
19301-010L	Fuse, 5x20mm, 10A, 250V, Slow Blow, 1.5KA Interrupting current	4.00	698957	4549734587655			YR	A	USA	8536.1050.90
19314-000	Motor Assembly, J1/A-Axis, Cobra 450, 500, 650	1,029.00	682811	4549734950121			YR	A	CHN	8479.9070.99
19314-000	Motor Assembly, J1/A-Axis, Cobra 450, 500, 650	1,029.00	698642	4549734684903			YR	A	CHN	8501.5100.90
19314-001	Seal, Washer, M10	7.35	682801	4549734950022		30	YR	A	JPN	4016.9300.90
19314-002	O-Ring, J2/B-Axis Speed Reducer Mount, Cobra 450/500/650	12.00	698633	4549734684811			YR	A	JPN	4016.9300.90
19315-000	Speed Reducer, J1/A-Axis, Cobra 450, 500, 650	3,299.00	699115	4549734587679			YR	A	USA	4016.9300.90
19315-000	Speed Reducer, J1/A-Axis, Cobra 450, 500, 650	3,299.00	682812	4549734950138			YR	A	JPN	8483.4023.90
19315-001	O-ring, J1/A-Axis Plug, Cobra 450/500/650	3,299.00	698643	4549734684910			YR	A	JPN	8483.4023.90
19315-002	O-ring, J1/A-Axis Speed Reducer, Cobra 450/500/650	7.00	699114	4549734587686			YR	A	USA	4016.9300.90
19316-000	Cap, Round, Inner Link, Cobra 450, 500, 650	2.00	699113	4549734587693			YR	A	USA	4016.9300.90
19316-000	Cap, Round, Inner Link, Cobra 450, 500, 650	48.30	682813	4549734950145			YR	A	CHN	8479.9070.99
19317-000	End Cap, Inner Link, Cobra 450, 500, 650	48.30	698607	4549734684927			YR	A	CHN	8479.9070.99
19317-000	End Cap, Inner Link, Cobra 450, 500, 650	48.30	682814	4549734950152			YR	A	CHN	8479.9070.99
19317-000	End Cap, Inner Link, Cobra 450, 500, 650	48.30	698608	4549734684934			YR	A	CHN	8479.9070.99
19321-000	Motor Assembly, J2/B-Axis, Cobra 450, 500, 650	922.00	682815	4549734950169			YR	A	CHN	8479.9070.99
19321-000	Motor Assembly, J2/B-Axis, Cobra 450, 500, 650	922.00	698609	4549734684941			YR	A	CHN	8501.5100.90
19321-001	Seal, Washer, M8	7.35	682802	4549734950039		30	YR	A	JPN	4016.9300.90
19321-001	Seal, Washer, M8	7.35	698634	4549734684828			YR	A	JPN	4016.9300.90
19321-002	O-ring, J2/B-Axis Mounting Plate, Cobra 450/500/650	7.00	699112	4549734587709			YR	A	USA	4016.9300.90
19322-000	Speed Reducer, J2/B-Axis, Cobra 450, 500, 650	2,629.00	682816	4549734950176			YR	A	JPN	8483.4023.90
19322-000	Speed Reducer, J2/B-Axis, Cobra 450, 500, 650	2,629.00	698610	4549734684958			YR	A	JPN	8483.4023.90
19322-001	O-Ring, J2/B-Axis Plug, Cobra 450/500/650	2.00	699111	4549734587716			YR	A	USA	4016.9300.90
19322-002	O-ring, J2/B-Axis Speed Reducer Mount, Cobra 450/500/650	14.00	699110	4549734587723			YR	A	USA	4016.9300.90
19322-003	O-Ring, J2/B-Axis Speed Reducer Mount, Cobra 450/500/650	7.00	699109	4549734587730			YR	A	USA	4016.9300.90
19323-000	Cover, Outer Link, Rear, Cobra 450, 500, 650	53.55	682817	4549734950183			YR	A	CHN	8479.9070.99
19323-000	Cover, Outer Link, Rear, Cobra 450, 500, 650	53.55	698611	4549734684965			YR	A	CHN	8479.9070.99
19324-000	Cover, Outer Link, Cobra 450, 500, 650	106.10	682818	4549734950190			YR	A	CHN	8479.9070.99
19324-000	Cover, Outer Link, Cobra 450, 500, 650	106.10	698612	4549734684972			YR	A	CHN	8479.9070.99
19326-000	Motor, J3/Z-Axis, Cobra 450, 500, 650	1,210.00	682819	4549734950206			YR	A	CHN	8501.5100.90
19326-000	Motor, J3/Z-Axis, Cobra 450, 500, 650	1,210.00	698613	4549734684989			YR	A	CHN	8501.5100.90
19327-000	Quill Assembly, Cobra 450, 500, 650	3,556.00	682820	4549734950213			YR	A	JPN	8479.9070.99
19327-000	Quill Assembly, Cobra 450, 500, 650	3,556.00	698614	4549734684996			YR	A	CHN	8479.9070.99
19328-000	Timing Belt, J3/Z-Axis, L501 x W15, Cobra 450, 500, 650	64.05	682821	4549734950220			YR	A	CHN	4010.3900.90
19328-000	Timing Belt, J3/Z-Axis, L501 x W15, Cobra 450, 500, 650	64.05	698615	4549734685009			YR	A	CHN	4010.3900.90
19329-000	Motor, J4/W-Axis, Cobra 450, 500, 650	786.50	682822	4549734950237			YR	A	CHN	8501.5100.90
19329-000	Motor, J4/W-Axis, Cobra 450, 500, 650	786.50	698616	4549734685016			YR	A	CHN	8501.5100.90
19330-000	Belt, Timing, J4/W-Axis Motor, Cobra 450, 500, 650	29.40	682823	4549734950244			YR	A	CHN	4010.3900.90
19330-000	Belt, Timing, J4/W-Axis Motor, Cobra 450, 500, 650	29.40	698617	4549734685023			YR	A	CHN	4010.3900.90
19331-000	Belt, Timing, Idler to Quill, Cobra 450, 500, 650	100.80	682807	4549734950084			YR	A	CHN	4010.3900.90
19331-000	Belt, Timing, Idler to Quill, Cobra 450, 500, 650	100.80	698639	4549734684873			YR	A	CHN	4010.3900.90
19335-000	Calibration Fixture, Pin, B4 x 8, Cobra 450, 500, 650	7.35	682806	4549734950077			YR	A	CHN	8479.9070.99
19335-000	Calibration Fixture, Pin, B4 x 8, Cobra 450, 500, 650	7.35	698638	4549734684866			YR	A	CHN	8479.9070.99
19336-000	Calibration Fixture, Pin, B5 x 10, Cobra 450, 500, 650	7.35	682805	4549734950060			YR	A	CHN	8479.9070.99
19336-000	Calibration Fixture, Pin, B5 x 10, Cobra 450, 500, 650	7.35	698637	4549734684859			YR	A	CHN	8479.9070.99
19337-000	Calibration Fixture, A Cal, Cobra 450, 500, 650	168.00	682804	4549734950053			YR	A	CHN	8479.9070.99

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Daheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
19337-000	Calibration Fixture.A Cal. Cobra 450, 500, 650	168.00	698636	4549734684842			YR	A	CHN	8479.9070.99
19338-000	Bracket, Calibration Fixture.A Cal. Cobra 450, 500, 650	39.90	682803	4549734950046			YR	A	CHN	7616.9990.99
19344-000	Bracket, Calibration Fixture.A Cal. Cobra 450, 500, 650	39.90	698635	4549734684835			YR	A	CHN	7616.9990.99
19344-000	Harness, Fly-over, Cobra 450/500	889.50	682809	4549734950107			YR	A	CHN	8544.4290.90
19345-000	Harness, Fly-over, Cobra 450/500	889.50	698640	4549734684880			YR	A	CHN	8544.4290.90
19345-000	Harness, Fly-over, Cobra 650	934.50	682810	4549734950114			YR	A	CHN	8544.4290.90
19345-000	Harness, Fly-over, Cobra 650	934.50	698641	4549734684897			YR	A	CHN	8544.4290.90
19347-002F	Castino, Inner Link, i4L,350	173.00	701095	4549734683982			YR	A	CHN	8479.9070.99
19349-002F	Castino, Outer Link, i4L,350/450	160.00	701097	4549734684002			YR	A	CHN	8479.9070.99
19354-010F	Controller Assembly,i4L ENET	2.500.00	702495	4549734717779			YR	A	CHN	8537.1091.99
19356-001F	Assembly, J3 Motor, i4L w/ Belts	824.00	701087	4549734683890			YR	A	CHN	8479.9070.99
19356-200D	Assembly, J3 Motor, i4L,350/450/550	752.00	702230	4549734689023			YR	A	CHN	8501.3100.99
19357-001F	Assembly, J4 Motor, i4L w/ Belts	808.00	701088	4549734683906			YR	A	CHN	8479.9070.99
19358-000F	Assembly, Quill, i4-350/450/550L, Std	1.746.00	701090	4549734683937			YR	A	CHN	8479.9070.99
19358-350F	Assembly, 350mm Quill, i4-550L	1.746.00	701091	4549734683944			YR	A	CHN	8479.9070.99
19360-016F	Tool Flange, 16mm, i4L	104.00	701092	4549734683951			YR	A	CHN	7616.9990.99
19362-101F	Assembly, J1 and HD 50:1, i4L	2.550.00	701085	4549734683876			YR	A	JPN	8479.9070.99
19362-201F	Assembly, J2 and HD 50:1, i4L	2.253.00	701086	4549734683883			YR	A	JPN	8479.9070.99
19400-000	ADEPT Cobra 350 Spare Part Controller, eMB-40R, Top Level	11.440.00	698333	4549734683166			YR	A	JPN	8537.1091.99
19400-350	eMB40R Chassis, Cobra s350	11.440.00	683162	4549734950640			YR	A	USA	8537.1091.99
19458-100F	Cover, Outer Link, i4L, 350/450	117.00	701093	4549734683968			YR	A	CHN	8479.9070.99
19500-000	Controller, eMB-40M, Top Level	11.440.00	685670	4549734964340	#		YR	A	USA	8537.1091.99
19600-000	ADEPT eAIB Family Spare Part CONTROLLER, EMB-60R TOP LEVEL	13.120.00	698331	4549734683173			YR	A	USA	8537.1091.99
19600-650	ADEPT eAIB Family Spare Part eMB60R Chassis, Viper s850	12.710.00	676373	4549734910705			YR	A	USA	8479.9070.99
19600-850	ADEPT eAIB Family Spare Part eMB60R Chassis, Viper s850	12.710.00	676367	4549734910644			YR	A	USA	8479.9070.99
19740-000F	Assembly, Calibration Bar, i4H/Cobra	1.395.00	700874	4549734711838			YR	A	USA	8479.9070.99
19778-002F	Castino, Inner Link, i4L,450/550	218.00	701096	4549734683999			YR	A	CHN	7616.9990.99
19800-000	ADEPT eAIB Family Spare Part System Cobra eAIB	10.680.00	696474	4549734682947			YR	A	USA	8479.9070.99
19800-040	SYSTEM, HORNET EAIB	11.020.00	683013	4549734265737	#		YR	A	USA	8479.9070.99
19800-050	SYSTEM, QUATTRO EAIB	11.020.00	683014	4549734265744			YR	A	USA	8479.9070.99
19800-150	SYSTEM, QUATTRO EAIB 650HS	11.020.00	683015	4549734265751	#		YR	A	USA	8479.9070.99
19800-600	ADEPT Cobra 600 Spare Part eAIB Chassis, Cobra s600	10.680.00	676379	4549734910767			YR	A	USA	8479.9070.99
19800-800	ADEPT Cobra 800 Spare Part eAIB Chassis, Cobra s800	10.680.00	676355	4549734910521			YR	A	USA	8479.9070.99
19939-002F	Castino, Outer Link, i4L, 550	189.00	701098	4549734684019			YR	A	CHN	7616.9990.99
20000-310	ADEPT SmartController CX Spare Part SmartController CX, CAT3 (Model 2000), Base Model	9.975.00	696475	4549734683159			YR	A	USA	8537.1091.99
20090-100F	Cover, Outer Link, i4L, 550	132.00	701094	4549734683975			YR	A	CHN	8479.9070.99
20235-000F	Assembly, Outer Link Controls w/ fan and Harness, i4L	11.400.00	701084	4549734683969			YR	A	CHN	8479.9070.99
20239-000F	Battery, 3.6V, i4L, Pack of 3	13.00	702232	4549734689061			YR	A	CHN	8506.5010.99
20350-12250	Battery, CX, Internal	13.00	695207	4549734691536			YR	A	IND	8506.5010.99
20950-000F	Quill Grosse, THK i4L	49.00	700878	4549734712170			YR	A	JPN	3403.1980.00
21373-000F	Joint 1 Motor Removal Tool, i4H	1.386.00	700444	4549734701884			YR	A	USA	8479.9070.99
21947-100F	HD Oil, 100ml	27.00	700443	4549734701891			YR	A	USA	3403.1980.00
21947-170F	HD Oil, 170ml	32.00	700442	4549734701907			YR	A	USA	3403.1980.00
22385-000	Straight Reducer, 6 mm x 4 mm Tube OD	25.00	700441	4549734701914			YR	A	MEX	7318.1300.90
24114-100	Kit, Camera, GigE PoE, 640 x 480, 120 fps, B/W, ACE, 1/4" CCD	693.00	670154	4548883805705			YR	A	DEJ	8479.9070.99
24114-200	Kit, Camera, GigE PoE, 1296 x 996, 30 fps, B/W, ACE, 1/3" CCD	874.00	670222	4548883805736			YR	A	DEJ	8479.9070.99
25040-00201	ADEPT SmartController CX Spare Part Connector, Terminal Block, User 24 VDC	24.15	698479	4549734677707			YR	A	USA	8479.9070.99
29600-000F	System, 6 Axis, eCS-ECAT, Top Level	11.020.00	699108	4549734685306			YR	A	NLD	8479.9070.99
29800-000F	System, Cobra iCS-ECAT	11.020.00	696161	4549734671767			YR	A	NLD	8479.9070.99
29900-000F	Controller, i4H, iCS-ECAT, Standard, IP20	8.500.00	701100	4549734711807			YR	A	NLD	8537.1091.99
29910-000F	Controller, i4H, iCS-ECAT, Inverted, IP20	8.500.00	701101	4549734711814			YR	A	NLD	8537.1091.99
30350-10352	ADEPT Legacy Spare Part ASSY,MECH,CIP2	4.550.00	677732	4549734920445			YR	A	USA	8479.9070.99
30350-10352	ADEPT Legacy Spare Part ASSY,MECH,CIP2	4.550.00	698525	4549734682473			YR	A	USA	8479.9070.99
30356-30000	ADEPT SmartMotion (sM16 or SmartServo Kit, MB10s) Spare Part sDIO Unit (Model 3563)	1.705.00	698475	4549734681438			YR	A	USA	8479.9070.99
30410-220	SmartController CX Spare Part ASSY,REMOTE I/O-JO-BLOX	472.50	699152	4549734691543			YR	A	USA	8479.9070.99
30450-60300F	BK ASSY,24VDC,3M IBF	372.80	680503	4549734939515			YR	A	USA	8505.2000.90
30560-12100	ADEPT Cobra 600/800 All Spare Part Valve Assy, Hand, 24 VDC	567.00	698476	4549734680578			YR	A	USA	8479.9070.99
30560-40070	ADEPT Cobra 600/800 All Spare Part Stop, Hard Limit, J3 Upper	101.90	698407	4549734678575			YR	A	USA	8479.9070.99
30560-40400F	ADEPT Cobra 600/800 All Spare Part Encoder Reader Assy, High-Pres, J4	740.50	696513	4549734680677			YR	A	USA	8479.9070.99
30560-40500	ADEPT Cobra 800 Spare Part Pulley Assy, Idler, J4 w/ Secondary Trn Belt, 600/AIB 600	2.749.00	698473	4549734681827			YR	A	USA	8479.9070.99
30560-40501F	ADEPT Cobra 600/800 All Spare Part Idler Pulley Assy, J4, with Timing Belt, 800/AIB 800	2.749.00	698564	4549734681834			YR	A	USA	8479.9070.99
30560-40700F	Tooling Flange Assembly	462.00	696522	4549734680189			YR	A	USA	8479.9070.99
30562-000	Cobra 800 IP-65 Outlink Cover Assembly	3.961.00	698629	4549734682459			YR	A	USA	8479.9070.99
30660-30000	ADEPT Legacy Spare Part Brake Release Box, AdeptSk, Viper, PA-4	447.30	698478	4549734680356			YR	A	USA	8479.9070.99
30965-021	ADEPT License Spare Part CompactFlash, V+ 15.0E1 / AIM 4.1C, 30 MB, SC	1.215.00	698361	4549734680950			YR	A	USA	8479.9070.99
30967-230	ADEPT SmartController CX Spare Part ASSY,CF,PROGD,V+ 17.2C3,SC	1.517.00	698491	4549734681124			YR	A	USA	8479.9070.99
40340-00030	ADEPT Legacy Spare Part AIR FLTR	69.30	699151	4549734691550			YR	A	USA	8479.9070.99
40560-20060	ADEPT Cobra 600/800 All Spare Part Stop, Hard Limit, J1 Right	192.20	698387	4549734679268			YR	A	USA	8479.9070.99
40560-20110	ADEPT Cobra 600/800 All Spare Part Stop, Hard Limit, J1 Left	192.20	698385	4549734679275			YR	A	USA	3926.9097.90
40560-30030	Cover, Inner Link, Standard	26.25	698956	4549734588041			YR	A	USA	3926.9097.90
40560-30030	Cover, Inner Link, Standard	26.25	699062	4549734984416			YR	A	USA	3926.9097.90
40560-30110	ADEPT Cobra 600/800 All Spare Part Stop, Hard Limit, J2	192.20	698386	4549734679282			YR	A	USA	8479.9070.99
40560-40090	ADEPT Cobra 600/800 All Spare Part Motor Mount, J3 Motor Base	283.50	698377	4549734679855			YR	A	JPN	8479.9070.99
40560-40120	CA GUIDE, QUL TOWER	68.00	696153	4549734999397			YR	A	USA	8479.9020.90
40560-40130	ADEPT Cobra 600/800 All Spare Part Ball Spline Assy, NSK for Cobra and Z-Theta II	4.362.00	698339	4549734682411			YR	A	USA	8479.9070.99
40560-40200	ADEPT Cobra 600/800 All Spare Part Spacer, Idler Pulley Assy	37.80	698422	4549734677868			YR	A	USA	8479.9070.99
40560-40212	ADEPT Legacy Spare Part Cover, J4 Encoder Disk, Plastic Molded	158.60	698396	4549734679213			YR	A	USA	8479.9070.99

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Data sheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code	
40560-40230	ADEPT Cobra 600/800 All Spare Part Vacuum Chamber (on outerlink)	152.30	698397	4549734679060			YR	A	JPN	8479.9070.99	
40560-40250	ADEPT Cobra 600/800 All Spare Part Pulley, Timing, J4 Motor Drive, 20T	447.30	698366	4549734680271			YR	A	USA	8479.9070.99	
40560-40280	ADEPT Cobra 600/800 All Spare Part Pulley, Timing, J4 Ball Spine, 70T	447.30	698474	4549734680288			YR	A	USA	8479.9070.99	
40560-40340	BELLOW, COBRA	533.00	698935	4549734680516			YR	A	USA	8479.9070.99	
40560-40350	ADEPT Cobra 600/800 All Spare Part Stop, Hard Limit, J3 Lower, Rubber Cover, Inner Link, Cleanroom	25.20	698470	4549734677783			YR	A	USA	8479.9070.99	
40561-30031	COV, OUTERLINK, 260MM QUILL	184.80	699150	4549734691567			YR	A	USA	3926.9097.90	
40561-40030	ADEPT Cobra 600/800 All Spare Part BRKT.OL.PLY COV	259.40	698380	4549734679633			YR	A	JPN	8479.9070.99	
40561-40161	CLAMP, UPPER, BELLOW	494.00	694165	4549734994576			YR	A	USA	8479.9070.99	
40562-40370	ADEPT Cobra 600/800 All Spare Part Clamp Shield, Lower Bellows	197.40	698472	4549734679411			YR	A	JPN	8479.9070.99	
40562-40380	CLAMP, UPPER, BELLOW	93.45	681578	4549734945820			YR	A	USA	7318.1300.90	
40562-40380	CLAMP, UPPER, BELLOW	93.45	698539	4549734678803			YR	A	USA	7318.1300.90	
42089-27004	ADEPT Cobra 600/800 All Spare Part Bulkhead, Union, Tube, 4 mm	23.10	698428	4549734677660			YR	A	USA	8479.9070.99	
42089-27006	ADEPT Cobra 600/800 All Spare Part Bulkhead, Union, Tube, 6 mm	23.10	698427	4549734677677			YR	A	USA	8479.9070.99	
46001-00190	ADEPT Common - Mech Spare Part Belt, Timing, J4 Motor Drive, 600 and AIB 600	49.35	696543	4549734678025			YR	A	USA	4010.3900.90	
46001-00230	ADEPT Common - Mech Spare Part Belt, Timing, J3 Motor Drive, 800 and AIB 800	49.35	698417	4549734678032			YR	A	USA	4010.3900.90	
46001-00240	ADEPT Common - Mech Spare Part Belt, Timing, J4 Motor Drive, 800 and AIB 800	49.35	698485	4549734678049			YR	A	USA	8479.9070.99	
46001-00250	Idler Belt Cobra 800	69.00	698955	4549734588218			YR	A	USA	4010.3900.90	
49560-25500	Harmonic Drive Gear Assembly, #25, 50:1 (VME Cobra)	3014.00	699149	4549734691574			YR	A	JPN	8479.9070.99	
53202-99001	ADEPT Leqacy Spare Part Nut, Lock, Steel, Tubing Connection, IP65	23.10	698429	4549734677684			YR	A	USA	8479.9070.99	
57000-02770	O-RING, 3.18IDx0.7C5BN 70	7.00	698677	4549734949818		10	YR	A	USA	4016.3000.90	
57000-02770	O-RING, 3.18IDx0.7C5BN 70	7.00	699148	4549734691581			YR	A	MEX	4016.3000.90	
57100-35870	ADEPT Common - Mech Spare Part Seal, Quad Ring, 5.750 ROD	32.55	698424	4549734677875			YR	A	USA	8479.9070.99	
58300-00130	ADEPT Common - Mech Spare Part Plug, Black Nylon, Cobra Backstop (qty. 2 req'd)	14.70	698431	4549734677592			YR	A	USA	8479.9070.99	
60554-00050	Grease, Silicon (Shin-Etsu KS-83W) (Unit of Issue - or) (Packaging 1 kg can)	463.10	696521	4549734680424			YR	A	USA	3403.1980.00	
69962-151	Spare Part ASSY, Micro SD, Prod. Servo 20.1 Et. for Cobra eAIB	951.50	699147	4549734691598			YR	A	JPN	8501.4020.80	
85130-00042	ADEPT Cobra 600/800 All Consumable Grease, Harmonic Drive, 500 g Can	131.30	698488	4549734678780			YR	A	JPN	8479.9070.99	
85304-00000	grease, O-Ring	42.00	698419	4549734677967			YR	A	USA	3403.1980.00	
86720-102	Kt, Quattro, Ball Joint Spoon Inserts, Delrin w/hoie	546.00	683966	4549734282130			YR	A	FRA	8479.9070.99	
87103-00108	ADH, SEALING, RIV	27.30	696545	4549734677790			YR	A	USA	3919.1080.90	
90350-10352	ADEPT Leqacy Spare Part KIT, CIP2, AWC FRNT PNL	4,505.00	677759	4549734920711			YR	A	USA	8479.9070.99	
90356-10358	KIT, FRONT PANEL, PCI CTRLR	675.00	687050	4549734492126			#	YR	A	USA	8479.9070.99
90356-20100	ADEPT Smart Controller CX Spare Part MCP Adapter Kt, MCP3 to Smart Controller sDIO	379.10	698368	4549734680110			YR	A	USA	8479.9070.99	
90356-20200	KT, BRKT, 2U, SMARTCNTRLR	1,428.00	698628	4549734680998			YR	A	USA	8479.9070.99	
90356-40000	KT, BRKT, 2U, SMARTCNTRLR	67.20	682740	4549734949903			YR	A	USA	8479.9070.99	
90356-40000	KT, BRKT, 1U, SMARTCNTRLR	67.20	696540	4549734678100			YR	A	USA	8479.9070.99	
90356-41000	KT, BRKT, 1U, SMARTVISION	67.20	698413	4549734678131			YR	A	USA	7326.9098.90	
90356-42000	ADEPT Leqacy Consumable Grease, Ball Spine/Screw, LG2, 50 cc	209.00	682739	4549734949897			YR	A	USA	8479.9070.99	
90401-04029	Cleanroom Seal Belt	160.70	696532	4549734678558			YR	A	JPN	8479.9070.99	
90401-04041	KIT, CABLE, MB-10, 1.8M	265.00	699146	4549734691611			YR	A	JPN	4010.3900.90	
90410-10018	Kt, Cable, 4.5m	317.10	698374	4549734680011			YR	A	CHN	8544.4290.90	
90410-10045	ADEPT Python Spare Part KIT, CABLE, SC2/3, 1.8M	1,395.00	698933	4549734681445			YR	A	USA	8479.9070.99	
90410-12018	KIT, PDUS EXPANSION	317.10	698373	4549734680028			YR	A	CHN	8544.4290.90	
90430-30001	KT, BAS-OL HARN, 800	2,051.00	681463	4549734945035			YR	A	USA	8538.9091.89	
90560-16001	ADEPT Cobra 600/800 All Spare Part Harmonic Drive Kt, Joint 2, Cobra s600/s800	5,640.00	679620	4549734933568			YR	A	USA	8544.4290.90	
90570-00003	ADEPT Cobra 600/800 All Spare Part Harmonic Drive Kt, Joint 2, Cobra s600/s800	3,867.00	696487	4549734682367			YR	A	JPN	8479.9070.99	
90570-00004	ADEPT Cobra 600/800 All Spare Part Harmonic Drive Kt, Joint 2, Cobra s600/s800	3,867.00	676419	4549734911160			#	YR	A	USA	8479.9070.99
90570-00004	ADEPT Cobra 600/800 All Spare Part Harmonic Drive Kt, Joint 2, Cobra s600/s800	3,867.00	698489	4549734682374			YR	A	JPN	8479.9070.99	
90580-103	Adept Cobra s350, IP65 Cover	474.00	699145	4549734691628			YR	A	JPN	8479.9070.99	
90580-104	Adept Cobra s350, Cleanroom Upper Quill Assembly, With 2 Clamps	673.00	699144	4549734691635			YR	A	JPN	8483.4030.90	
90840-41200F	ADEPT Direct Drive Spare Part Ring Clamp Kt, Flange	185.00	698589	4549734678216			YR	A	USA	8479.9070.99	
ACC-ADT-RS232-RS485	Converter RS232-RS485 from a 2F-85 tripper.	45.15	688050	4549734970167			YR	A	USA	8536.6990.99	
05307-000	Label, Generic Ground, 0.625" Diameter, Chrome Mylar/Black	25.00	699277	4549734690737			YR	A	USA	4821.1010.00	
09090-000	GSKT, DIAG, DISPLAY, QUATTRO	10.19	682900	4549734265171			YR	A	USA	4016.3000.90	
09229-000L	Common - Mech Spare Part CONN, TRM BLOC, 3.5MM, 2P, SCREW	25.20	698314	4549734677691			YR	A	USA	8479.9070.99	
09760-010	ASY, OTR, ARM, LCK, 1129MM, EPSILON	3,869.00	682955	4549734265799			YR	A	FRA	8479.9070.99	
10616-000	ANTENNA, WIRELESS, RVRSE SMA	68.25	681623	4549734123853			#	YR	A	USA	8529.1011.00
11161-000D	Gearbox, On Drive P45-15 with Modification	1,461.00	693753	4549734605908			YR	A	GBR	8483.4051.90	
11161-020D	Gearbox, On Drive P45-20 with Modification	1,653.00	693754	4549734605915			YR	A	GBR	8483.4051.90	
11161-030D	Gearbox, On Drive P45-30 with Modification	1,771.00	693755	4549734605922			YR	A	GBR	8483.4051.90	
11168-200F	EM2100, Field Replacement Unit	9,200.00	701648	4549734505000			YR	A	USA	8479.9070.99	
11202-000D	Drive Train, Suspension Guide Rod, Machined, MTX	100.00	693777	4549734606141			YR	A	USA	8479.9070.99	
11210-000	Lynx All Spare Part ASSY, TIRE WHEEL, MTX	522.00	688792	4549734549233			YR	A	JPN	8479.9070.99	
11256-000D	Weldment, Gearbox Cover, Drive Train, Left	215.00	693758	4549734605953			YR	A	JPN	8479.9070.99	
11257-000D	Weldment, Gearbox Cover, Drive Train, Right	224.00	693759	4549734605960			YR	A	JPN	8479.9070.99	
11259-000D	Sheet Metal, Drive Train, Bearing Retainer, Qty 10	441.00	693760	4549734605977			YR	A	JPN	8479.9070.99	
11261-000D	Brake Retainer, Drive Train, Hex, Machined, MTX, Qty 10	266.00	693776	4549734606134			YR	A	USA	8479.9070.99	
11262-000D	Drive Belt, Pitch 3mm, GT2, Width 9mm, Length 204mm	115.00	693761	4549734605984			YR	A	USA	4010.3900.90	
11288-000	Hub, Wheel, Drive Train	132.30	690726	4549734983440			YR	A	USA	8479.9070.99	
11322-000D	Pulley, Drive Train, Machined, 22 Tooth, MTX	200.00	693762	4549734605991			YR	A	USA	8483.5080.90	
11344-000D	Pulley, Drive Train, Mach, 44 Tooth, Mtx	115.00	693763	4549734606004			YR	A	GBR	8483.5080.90	
11347-000L	ETHERNET SWITCH, 1TP, 10/100, 24V	311.90	694322	4549734956802			YR	A	USA	8517.6990.00	
11619-000	CABLE, ETHERNET, CAT5E, 1FT	41.00	700437	4549734702430			YR	A	CHN	8544.4290.90	
11687-000D	Sheetmetal, Drive Train, Suspension Bearing Mounting Plate, MTX, Qty 40	1,610.00	693779	4549734606165			YR	A	USA	8479.9070.99	
11708-000L	PCA, LYNX LIGHTING DISC	237.30	683172	4549734950749			YR	A	USA	8538.9091.89	
11711-000	Sonar Controller Assembly	619.50	682433	4549734124621			YR	A	JPN	8537.1091.99	
11714-000	ADEPT Lynx All Spare Part PIEZ ULTRAS SENS, 40KHZ WCABLE	21.00	681914	4549734125468			YR	A	USA	8479.9070.99	



Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Data sheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
13052-000D		75.00	693768	4549734606059			YR	A	USA	7318.1582.98
13091-000	ADEPT Common - Elec Spare Part FUSE,1A,3AG,1/4X11/4,LYNXDOK	5.00	698486	4549734683333			YR	A	USA	8479.9070.99
13131-000F	License Dongle, AMR Leacay	178.50	699075	4549734592902			YR	A	USA	8523.8090.00
13131-100F	License Dongle, AMR FLOW	155.40	699061	4549734592796			YR	A	USA	8523.8090.00
13131-1500F	Key, Micro-USB, Blue, HD	203.00	699330	4549734694094			YR	A	CHN	8479.9070.99
13131-210F	License Dongle, EM2100 Leacay	178.50	701881	4549734592789			YR	A	USA	8523.8090.00
13131-250F	License Dongle, LD250, Programmed, FRU	199.00	700423	4549734702607			YR	A	USA	8523.8090.00
13131-400F	EM2100 Simulator Dongle	170.00	701647	4549734609135			YR	A	USA	8523.8090.00
13408-000L	Cable, Safety Bumper, Extension, Lynx	39.90	698924	4549734685573			YR	A	CHN	8544.4290.90
13438-000	ADEPT Handler Spare Part SICK TIM LASER	3,435.00	684660	4549734124256			YR	A	DEU	8479.9070.99
13441-000	Label, Core LED Status, LD	7.00	699256	4549734691086			YR	A	USA	4821.1010.00
13507-000L	BEACON,RYG,24V,COMPACT,LED,NPN	466.20	681498	4549734945318			YR	A	USA	8541.4010.00
13507-000L	BEACON,RYG,24V,COMPACT,LED,NPN	466.20	696519	4549734683654			YR	A	USA	8541.4010.00
13517-000L	Assembly, Cable, Lynx,Wireless, RP SMA, RG58C COAX , 7 Feet Long	97.00	698483	4549734683487			YR	A	USA	8479.9070.99
13523-000L	Assembly, Cable, LD, Double TIM Laser, 2 m	186.90	699170	4549734691093			YR	A	USA	8544.4290.90
13523-103L	ASSY,CABLE,LYNX,TRIPLE,TIM,2M	434.70	684675	4549734459006			YR	A	USA	8544.4290.90
13717-000L	CABLE,AUX PWR SPLITTER,LYNX	76.65	698300	4549734683388			YR	A	USA	8544.4290.90
13718-000L	CABLE,CAMERA POWER,ACUTY	44.53	698541	4549734683470			YR	A	USA	8544.2000.90
13950-000F	LED, Pilot, Panel, Green, 24 VDC, 14 mm	19.00	699379	4549734693608			YR	A	GBR	8541.4010.00
14096-100L	Assembly, Cable, LD PCA, 24V Distribution	57.00	699168	4549734691116			YR	A	USA	8544.4290.90
14181-000L	HMI Key Switch	69.30	698302	4549734683456			YR	A	USA	8536.5019.90
14184-000L	HMI Stop Switch	69.30	698303	4549734683432			YR	A	USA	8536.5019.90
14185-100L	HMI Lighted Run Switch	63.00	698306	4549734683425			YR	A	USA	8536.5019.90
14186-000L	HMI Brake Release Switch	69.30	698304	4549734683449			YR	A	USA	8536.5019.90
14364-000	ADEPT Lynx All Spare Part KEY,MICRO-USB,UNPROGRAMMED	130.40	676598	4549734912853		25	YR	A	USA	8479.9070.99
14364-000	ADEPT Lynx All Spare Part KEY,MICRO-USB,UNPROGRAMMED	130.40	698630	4549734683548			YR	A	USA	8479.9070.99
14364-200F	License Dongle, EM2100 FLOW	327.60	701882	4549734592772			YR	A	CHN	8523.8090.00
14401-000L	PCA, Lynx, User Power and IO Distribution	1,686.00	687689	4549734969222			YR	A	USA	8479.9070.99
14401-000L	PCA, Lynx, User Power and IO Distribution	1,686.00	696507	4549734683760			YR	A	USA	8479.9070.99
14432-000	CART CAPTURE PLATE	1,144.00	696510	4549734683722			YR	A	USA	7616.9990.99
14460-000	Support Post, Cart HMI	1,318.00	699167	4549734691161			YR	A	USA	8479.9070.99
14463-000	Label, Buttons, Cart HMI	13.00	699166	4549734691178			YR	A	USA	4821.1010.00
14464-000	Handle, Pull, 128 mm	19.00	699253	4549734691185			YR	A	TWN	8479.9070.99
14518-000	TUBE, SENSOR MOUNT	344.40	682808	4549734950091		2	YR	A	USA	8479.9070.99
14518-000	TUBE, SENSOR MOUNT	344.40	698542	4549734683623			YR	A	USA	8479.9070.99
14519-000	Flange, Sensor Mount	113.00	698928	4549734683524			YR	A	USA	7616.9990.99
14520-000	Cover, Side Sensor	214.20	698631	4549734683579			YR	A	USA	8479.9070.99
14521-000	SUPPORT ROD, SIDE SENSOR	216.40	695527	4549734683661			YR	A	USA	8479.9070.99
14558-000	Spring, Extension, Anchor Stud, 6.32, 5/8 Inch Long	33.00	699252	4549734691192			YR	A	USA	7320.2085.90
14563-000	Spring, Extension, 1.0" Length, 0.25" OD, 0.26 Wire Diam, 2.43 lbs/in, Cart	12.00	699210	4549734691208			YR	A	USA	7320.2085.90
14584-250F	Pin, Cotter, 7/64" Dia, X 1" LG, Steel	29.00	695532	4549734664998			YR	A	JPN	7318.2200.95
14628-000	Label, Latch, Unlatch, Cart	13.00	699165	4549734691239			YR	A	USA	4821.1010.00
14637-000		27.30	699164	4549734691246			YR	A	CHN	8479.9070.99
14638-000L	Assembly, Cable, LD Cart, HMI Switches	220.00	698926	4549734683616			YR	A	USA	8544.4290.90
14640-000L	Assembly, Cable, LD Cart, ESTOP	117.00	699251	4549734691253			YR	A	USA	8544.4290.90
14641-000L	Assembly, Cable, LD Cart, Top Power and IO	190.00	698927	4549734683593			YR	A	USA	8544.4290.90
14644-000L	Assembly, Cable, LD Cart, PCA Power Input	64.00	699209	4549734691260			YR	A	USA	8544.4290.90
14647-100L	Assembly, Cable, LD Cart Top, 5V User Panel Power, Molex	47.00	699163	4549734691277			YR	A	USA	8544.4290.90
14651-000	Assembly, LD Cart, Latch Motor, Brake_w_Cable	1,655.00	699250	4549734691284			YR	A	USA	8501.5100.90
14653-000	Assembly, Hall Effect Sensor,12", 3 wire, Panel Mount	127.10	699162	4549734691291			YR	A	USA	9031.8020.00
14654-000L	Assembly, Cable, LD Cart, Motor Sensors	125.00	699161	4549734691307			YR	A	USA	8544.4290.90
14658-000	Cover, Actuator, Cart	375.00	699208	4549734691314			YR	A	USA	8479.9070.99
14659-000	Window, Bar Code Reader	41.00	699160	4549734691321			YR	A	USA	8479.9020.90
14669-100	ASSY,CBL,LYNX CART,EMO SW 16MM	196.40	687684	4549734969178			YR	A	USA	8536.5019.90
14669-100	ASSY,CBL,LYNX CART,EMO SW 16MM	196.40	696528	4549734683562			YR	A	USA	8536.5019.90
14670-000L	Assembly, Cable, LD Cart, Motor, Brake	125.00	699159	4549734691336			YR	A	USA	8544.4290.90
14682-000L	Assembly, Cable, Lynx System, Single TIM, 1M	296.00	696526	4549734683630			YR	A	USA	8544.4290.90
14715-000L	Assembly, Cable, LD Cart, Lifecole	71.00	699158	4549734691345			YR	A	USA	8544.4210.00
14718-000	Cover Set, Optic, Sck Laser, S300/S300 Mini	236.00	701373	4549734587419			YR	A	USA	8479.9070.99
14742-000L	Assembly, Cable, Lynx Cart, Core IO	309.80	687688	4549734969215			YR	A	USA	8544.4290.90
14742-000L	Assembly, Cable, Lynx Cart, Core IO	309.80	699157	4549734691352			YR	A	USA	8544.4290.90
14753-000	Assembly, Caster, Lynx, Hardened	290.90	682632	4549734124706			YR	A	USA	8479.9070.99
14765-000	Cart Spare Part BRACKET, SENSOR, REAR, CART	212.10	698565	4549734683531			YR	A	USA	7616.9990.99
14767-000	Skin, Front Bumper Panel, Lynx, Modified for Tim Sensor	568.50	693692	4549734601894			YR	A	JPN	8479.9070.99
14783-000	ASSY, BUMPER, MTX	3,301.00	693693	4549734601900			YR	A	JPN	8479.9070.99
14786-000	GUIDE, CART CAPTURE, LYNX	660.50	699156	4549734691369			YR	A	USA	8479.9070.99
14821-000	Pad, Hook, Cart	57.00	698416	4549734683401			YR	A	USA	8479.9070.99
14822-000	Mount, Wall, Dock, Cart Puller	160.00	699155	4549734691376			YR	A	USA	8479.9070.99
14845-000	CART CAPTURE PLATE, BRACKET	195.30	696529	4549734683555			YR	A	USA	7616.9990.99
14851-000L	Assembly, Cable, LD System, Debus to RS232	62.00	695262	4549734587426			YR	A	USA	8544.4290.90
14860-000	Assembly, Proximity Sensor, 12", 24VDC, PNP, NO	165.90	699154	4549734691383			YR	A	USA	9031.8020.00
14896-000	CART, SENSOR FLAG	84.90	696539	4549734693418			YR	A	USA	9031.8020.00
14914-000	Assembly, Belt Tensioner, Lynx	2516.00	693782	4549734992275			YR	A	USA	8479.9070.99
14976-000F	Kit, LD, Caster Wheel Assembly, 3 in.	293.00	695013	4549734614382			YR	A	VNM	8479.9070.99
18024-000D	Damping Sheets, Gearbox, Set, Qty 10	507.00	693767	4549734606042			YR	A	USA	4016.9997.90
18070-000	Modification, Motor Pulley, 22 Groove, Steel	487.00	699248	4549734691406			YR	A	USA	8479.9070.99
18071-000	Timing Belt, 5MM Pitch, 535, 15 mm Wide	108.00	699247	4549734691413			YR	A	USA	4010.3900.90

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Daheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code	
18072-000	Modification, Idler Pulley, 22 Groove, Steel	407.00	699246	4549734691420			YR	A	USA	8479.9070.99	
18090-000	Shield, Magnet Mount	154.00	699929	4549734683517			2	YR	A	USA	7616.9990.99
18091-000	Magnet, 1.0 x 2.0 x .125	39.00	699450	4549734683357			20	YR	A	USA	8505.9990.90
18098-000	CASTER, SWIVEL, 4", HARDENED	53.55	698546	4549734683364				YR	A	CHN	8302.2000.90
18195-000F	FUSE Fast Acting, 80VDC, 150A	31.00	696180	4549734672344				YR	A	MEX	8536.1090.90
18234-000L	Assembly, Lynx Cart Transp. Buzzer	79.80	684674	4549734459013				YR	A	USA	8479.9070.99
18234-000L	Assembly, Lynx Cart Transp. Buzzer	79.80	698922	4549734685597				YR	A	CHN	8479.9070.99
18234-100L	Cable, Auxiliary Light Splitter, Lynx	50.00	698930	4549734683395				YR	A	USA	8544.4920.00
18452-151	Skin, Front Bumper, ESD, FRU	663.00	684670	4549734459051				YR	A	USA	8479.9070.99
18452-201	Skin, Front Top Panel, ESD, FRU	799.50	684669	4549734459068				YR	A	USA	8479.9070.99
18452-350	Assembly, Skin Right, Lynx, ESD	1251.00	684668	4549734459075				YR	A	USA	8479.9070.99
18452-450	Assembly, Skin Left, Lynx, ESD	1251.00	684667	4549734459082				YR	A	USA	8479.9070.99
18452-600	Skin, Left Hatch, Lynx, ESD	281.40	684665	4549734459105				YR	A	USA	8479.9070.99
18452-701	Skin, Rear Panel, ESD, LD-60, FRU	986.00	684663	4549734459129				YR	A	USA	8479.9070.99
18452-702	Skin, Rear Panel, ESD, LD-90, FRU	986.00	684662	4549734459136				YR	A	USA	8479.9070.99
18452-705	Skin, Rear Panel, ESD, LD-90x, 60:1, FRU	989.50	684661	4549734459143				YR	A	USA	8479.9070.99
18452-801	Skin, Battery Door, ESD, FRU	913.50	684666	4549734459099				YR	A	USA	8479.9070.99
18452-995	Assv, Skin Set, ESD, LD-60	4,465.00	683017	4549734263016				YR	A	USA	8479.9070.99
18452-996	Assv, Skin Set, ESD, LD-90	4,465.00	683018	4549734263023				YR	A	USA	8479.9070.99
18673-000	Assv, Service, Cart, Top Plate, Eec	8,635.00	699478	4549734693821				YR	A	USA	8479.9070.99
20276-100F	Cable, Core to RIGHT Motor Panel Mount, LD250	374.00	695535	4549734666025				YR	A	CHN	8544.4290.90
20276-200F	Cable, Core to LEFT Motor Panel Mount, LD250	374.00	695536	4549734666032				YR	A	CHN	8544.4290.90
20290-100F	Assembly, Drive, Motor & Harness, Right Side, LD250	2,994.00	693734	4549734606301				YR	A	USA	8501.5100.90
20291-000F	Drive wheel, Polyurethane Tread, Aluminum Core, LD250	259.00	693731	4549734606332				YR	A	USA	8479.9070.99
20291-100F	Assembly, Drive, Motor & Harness, Left Side, LD250	2,994.00	693735	4549734606295				YR	A	USA	8501.5100.90
20292-000F	Steel drive wheel hub, LD250	107.00	700426	4549734702546				YR	A	JPN	8479.9070.99
20298-000F	Spring Assv, Drive Train, LD250	233.00	693732	4549734606325				YR	A	USA	7320.2085.90
20301-100F	Assembly, Casters, LD250	154.00	695538	4549734665056				YR	A	USA	8302.2000.90
20301-121F	Casters, wheel, LD250	103.00	693728	4549734606363				YR	A	USA	8302.2000.90
20315-100F	Sheet Metal, Toe Laser Bracket, LD250	87.00	700429	4549734702515				YR	A	JPN	8479.9070.99
20381-000F	Button, E-stop, LD250	85.00	693737	4549734606271				YR	A	JPN	8536.5019.90
20457-002F	Cover, Side, Left, Painted with decal, LD250	413.00	693747	4549734606172				YR	A	USA	8479.9070.99
20458-002F	Cover, Plate, Top, Painted, LD250	626.00	695722	4549734664523				YR	A	JPN	8479.9070.99
20461-002F	Cover, Side, Right, Painted with decal, LD250	413.00	693746	4549734606189				YR	A	USA	8479.9070.99
20465-002F	Assembly, cover, front, top, LD250	512.00	693744	4549734606202				YR	A	USA	8479.9070.99
20474-002F	Cover, Rear, Left, Painted, LD250	417.00	693742	4549734606226				YR	A	USA	8479.9070.99
20475-002F	Cover, Front, Bottom, Painted, with label LD250	475.00	693741	4549734606233				YR	A	USA	8479.9070.99
20476-000F	Cover, Rear, Right, Painted, LD250	408.00	693743	4549734606219				YR	A	USA	8479.9070.99
20481-000F	Cover, I/O Port, With Hinge and Hardware, LD250	230.00	693736	4549734606264				YR	A	USA	8479.9070.99
20492-000F	Assembly, Skin, Light Ring, LD250	348.00	693740	4549734606240				YR	A	JPN	8479.9070.99
20496-000F	HAPS Mounting bracket, LD250	91.00	700428	4549734702522				YR	A	JPN	8479.9070.99
20607-000F	Assembly, Left ToF Sensor, LD250	634.00	693724	4549734606400				YR	A	USA	8479.9070.99
20607-000F	Assembly, Left ToF Sensor, LD250	634.00	699571	4549734694933				YR	A	JPN	8479.9070.99
20610-000F	Assembly, Right ToF Sensor, LD250	634.00	693723	4549734606417				YR	A	USA	8479.9070.99
20610-000F	Assembly, Right ToF Sensor, LD250	634.00	699570	4549734694940				YR	A	JPN	8479.9070.99
20652-000F	Bracket, Mounting, Laser, Toe, LD250	130.00	695534	4549734665018				YR	A	USA	7616.9990.99
20758-000F	Jumpers, LD250 LOCKOUT, Tethered to Chassis	93.00	700427	4549734702539				YR	A	USA	8479.9070.99
20818-000F	Assembly, Battery Access Door, LD250	214.00	693739	4549734606257				YR	A	USA	8479.9070.99
20820-000F	Assembly, Maintenance Panel, LD250	208.00	693727	4549734606370				YR	A	JPN	8479.9070.99
20829-000F	Motor Lift Tool, LD250	121.00	693730	4549734606349				YR	A	USA	8479.9070.99
20841-000F	Tool, Brake, Engagement, LD250	65.00	695530	4549734664974				YR	A	USA	8479.9070.99
20873-000F	End Clamp, DIN Rail, 35 mm, screw clamp, 9.5 mm	13.00	699354	4549734693851				YR	A	DEU	7326.9098.90
20906-000F	Adapter, U.FL Male to RP-SMA Male	16.00	699356	4549734693837				YR	A	TWN	8479.9070.99
20912-000F	Cable, WiFi, R/A RP-SMA Male to R/A RP-SMA Female, LMR100, 4ft	46.00	700435	4549734702454				YR	A	USA	8544.4210.00
21029-000F	Magnet, 1/2 x 1/4 x 1	13.00	699347	4549734693929				YR	A	CHN	8505.9990.90
21271-000F	Cable, ToF sensor side cable, LD250	140.00	693719	4549734606455				YR	A	USA	8544.4290.90
21272-000F	Cable, Rear Sensor to Core, LD250	135.00	693718	4549734606462				YR	A	CHN	8544.4290.90
21280-000F	LED Pilot Light, Red, 14 mm cutout, 24 VDC	16.00	699380	4549734693592				YR	A	GBR	8541.4010.00
21281-000F	LED, Pilot, Panel, Yellow, 24 VDC, 14 mm	21.00	699381	4549734693585				YR	A	GBR	8541.4010.00
21282-000F	LED Pilot Light, Blue, 14 mm cutout, 24 VDC	27.00	699382	4549734693578				YR	A	GBR	8541.4010.00
21316-000F	Nut, U-type, extruded, M6-1.0, Locking thread	46.00	695528	4549734664950				YR	A	USA	7318.1699.90
21324-000F	Lens, ToF Sensor, Center, LD250	83.00	693721	4549734606441				YR	A	USA	9002.1100.90
21325-000F	Lens, ToF Sensor, Side, LD250	56.00	693720	4549734606448				YR	A	USA	9002.1100.90
21328-000F	Kit, ASM, ToF Sensor, Center	1,386.00	693722	4549734606424				YR	A	USA	8479.9070.99
21328-000F	Kit, ASM, ToF Sensor, Center	1,386.00	699572	4549734694957				YR	A	JPN	8479.9070.99
21350-000F	O-Ring, Double Seal, X-Profile, 70 Shore A, 3.125 Inch	31.00	700440	4549734702393				YR	A	USA	4016.9300.90
21452-151F	Skin, Front Bumper, ESD, FRU	663.00	695025	4549734615570				YR	A	JPN	8479.9070.99
21452-201F	Skin, Front Top Panel, ESD, FRU	799.50	695026	4549734615587				YR	A	JPN	8479.9070.99
21452-350F	Assembly, Skin Right, Lynx, ESD	1,251.00	695027	4549734615594				YR	A	JPN	8479.9070.99
21452-450F	Assembly, Skin Left, Lynx, ESD	1,251.00	695028	4549734615600				YR	A	JPN	8479.9070.99
21452-600F	Skin, Left Hatch, Lynx, ESD	281.40	695030	4549734615624				YR	A	JPN	8479.9070.99
21452-701F	Skin, Rear Panel, ESD, LD-60, FRU	986.00	695031	4549734615631				YR	A	JPN	8479.9070.99
21452-702F	Skin, Rear Panel, ESD, LD-90, FRU	986.00	695032	4549734615648				YR	A	JPN	8479.9070.99
21452-705F	Skin, Rear Panel, ESD, LD-90x, 60:1, FRU	989.50	695033	4549734615655				YR	A	JPN	8479.9070.99
21452-801F	Skin, Battery Door, ESD, FRU	913.50	695029	4549734615617				YR	A	JPN	8479.9070.99
21452-995F	Assv, Skin Set, ESD, LD-60	4,465.00	695022	4549734615549				YR	A	JPN	8479.9070.99
21452-996F	Assv, Skin Set, ESD, LD-90	4,465.00	695023	4549734615556				YR	A	JPN	8479.9070.99

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Daheet)	GTIN	Stock Qty.	Lot	Gr.	Fam	COO	Tariff Code
21452-997F	Assy, Skin Set, ESD, LD-90x, 60:1	4,465.00	695024	4549734615563			YR	A	JPN	8479.9070.99
21471-000F	ASl Motor Brush Kit	104.00	693733	4549734606318			YR	A	CHN	8479.9070.99
21517-000F	Grommet, Rubber 1/2" Hole Diameter, 1/8" Material Thickness, 1/4" ID	7.00	699339	4549734694001			YR	A	USA	4016.9300.90
21537-000F	Latch, Push to Close, Slide Open, Flush	15.00	698174	4549734672283			YR	A	USA	3926.9097.90
21638-000F	Handle, Pull flush	13.00	699331	4549734694087			YR	A	GBR	8479.9070.99
21615-000F	Pin, Tapered, 11.50 O.D., M6	53.00	699332	4549734694070			YR	A	USA	7326.9098.90
21626-000F	Seal Plug, 1 1/8" Stem Length, 1" Stem Dia	7.00	699335	4549734694049			YR	A	CHN	4016.9300.90
21665-000F	USB Bulkhead Dust Cover	13.00	699336	4549734694032			YR	A	CHN	8479.9070.99
21671-000F	Foam Tape, 1/2" wide, 3/8" thick, Neoprene, Black	13.00	699400	4549734693394			YR	A	USA	4016.9997.90
21842-000F	Rubber, Neoprene, Adhesive Back, Shore 50A, 1.0" x .125" x .36	47.00	699342	4549734693974			YR	A	USA	4016.9300.90
21887-001F	Cable, Ethernet, Cat5e, UTP, Snagless, 4ft, White	13.00	699406	4549734693332			YR	A	CHN	8544.4290.90
21887-002F	Cable, Ethernet, Cat5e, UTP, Snagless, 4ft, Green	7.00	699407	4549734693325			YR	A	CHN	8544.4290.90
21946-000F	Drawer Slide, 18 inch	128.00	699409	4549734693301			YR	A	USA	8479.9070.99
21963-000F	Adapter, Power over Ethernet, 19.W, DC	99.00	699403	4549734693363			YR	A	CHN	8504.4090.90
21993-000F	DC Converter, Up to 106 V, 24 V output, 360 W	17.00	699402	4549734693370			YR	A	THA	8504.4090.90
21993-100F	Spring, Extension, 0.437in. O.D., 0.072in Wire, 3.13in Long, Stainless Steel	17.00	699327	4549734694124			YR	A	USA	7318.2100.95
22000-000F	Switch, SNAP, SPST-NO, 100MA 30V	7.00	696156	4549734672450			YR	A	IDN	8536.5080.90
22017-000	Label, Serial Number, Dock, HD	7.00	699369	4549734693707			YR	A	USA	4821.1010.00
22029-000	Label, AC Fuse Rating, Dock, HD	7.00	699370	4549734693691			YR	A	USA	4821.1010.00
22048-000	Label, DC Fuse Label, Dock, HD	7.00	699368	4549734693714			YR	A	USA	4821.1010.00
22049-000	Label, DC Output Label, Dock, HD	7.00	699371	4549734693684			YR	A	USA	4821.1010.00
22052-000	Label, Remove Power Sources, Dock, HD	7.00	699367	4549734693721			YR	A	USA	4821.1010.00
22054-000	Label, Electrical Hazard	7.00	699404	4549734693356			YR	A	USA	4821.1010.00
22122-000F	Fuse, Cartridge, 60 A, Slow Blow, .80 VDC	40.00	699410	4549734693295			YR	A	MEX	8536.1090.90
22159-000F	Safety Laser Scanner, OS32C back port, Ethernet/IP4 (Rear)	3,168.00	696164	4549734672184			YR	A	USA	9013.2000.00
22160-000F	Safety Laser Scanner, OS32C back port, Ethernet/IP4 (Front)	3,168.00	696163	4549734672177			YR	A	USA	9013.2000.00
22174-000	Label, General Fuse Replacement Warning 2.75" x 1.35	7.00	699405	4549734693349			YR	A	USA	4821.1010.00
22386-000F	Fan, Blower, 75.7 x 30 mm, 24 VDC, 11.3 CFM	43.00	699408	4549734693318			YR	A	THA	8414.5995.90
22421-000F	Alignment Tool, Safety Lasers, HD1500	374.00	699326	4549734694131			YR	A	USA	8479.9070.99
22735-000	Tested I5 LD Core	12,130.00	683019	4549734263047			YR	A	JPN	8537.1091.99
22881-300F	LD250 Core, Tested, FRU	11,530.00	693736	4549734606288			YR	A	JPN	8479.9070.99
46070-03316D	KEY.3MMX3MMX16MM, Qty 40	135.00	693775	4549734606127			YR	A	DEU	8479.9070.99
51023-72025F	SCR, BHCS, M8X25, STL, ZP, CLS 10.9, ISO7380	7.00	699341	4549734693981			YR	A	USA	7318.1582.98
51352-75030F	Screw, Hex Head, M12 x 30, 10.9 Grade	13.00	699344	4549734693950			YR	A	CAN	7318.1582.98
51361-79050F	Screw, Hex Head, M16 x 50, 10.9 Grade	13.00	699346	4549734693936			YR	A	CHN	7318.1582.98
51918-70020F	Screw, Flat Head, Torx Plus M6 x 20, SST, Black Oxide-Coated	51.00	693726	4549734606387			YR	A	JPN	7318.1582.98
53102-04000D	Nut, Hex, Zinc Plt, 4-40, Qty 20	60.00	693769	4549734606066			YR	A	TWN	7318.1582.98
53229-74000F	Nut, Hex, M12, Self Lock, Zinc	62.00	695531	4549734694691			YR	A	JPN	7318.1699.99
54002-97500F	Washer, FLT, STL, ZN, M16	7.00	699343	4549734693987			YR	A	CHN	7318.2200.95
54020-97400F	Washer, Fender, M12, Stainless Steel	35.00	695533	4549734685501			YR	A	JPN	7318.2200.95
54122-79000F	Washer, Nord Lock, M16, Zinc Coated	13.00	699345	4549734693943			YR	A	SWE	7318.2100.95
54909-97000F	Washer, Retaining, M6, Polyamide	24.00	693725	4549734606394			YR	A	JPN	7318.2200.95
68110-124F	Panel, Battery Door, HD1500	106.00	699384	4549734693554			YR	A	USA	8479.9070.99
68110-130F	50mm Bumper, 6mm Hole, 11mm Thick	16.00	699348	4549734693912			YR	A	USA	8479.9070.99
68110-132F	Hinge, Heavy load, Stainless Steel	32.00	699338	4549734694018			YR	A	CHN	7326.9098.90
68121-100F	HD Side Skin	554.00	699388	4549734693516			YR	A	USA	8479.9070.99
68121-102F	Cover, Electronics Bay, Side Skin, HD	120.00	699334	4549734694056			YR	A	USA	8479.9070.99
68121-103F	Stiffener, Side Skin, HD	77.00	699333	4549734694063			YR	A	USA	8479.9070.99
68121-104F	Diffuser, Light Ring, Side Skin, HD	55.00	699365	4549734693745			YR	A	USA	9002.2000.00
68121-105F	Cover, Light Ring	74.00	699430	4549734693097			YR	A	USA	8479.9070.99
68121-107F	Light Ring, LED Mount	102.00	699349	4549734693905			YR	A	CHN	9405.4099.90
68121-201F	Cable, Side Skins Light Cable to Electronics Bay	112.00	699416	4549734693233			YR	A	USA	8544.4290.90
68122-000F	PCA, HD LED Differential Receiver	154.00	696178	4549734672320			YR	A	USA	8538.9091.89
68124-000F	LED light strip, RGB, Addressable APA102, 40 LEDs, JST connector	31.00	696173	4549734672276			YR	A	CHN	8539.2998.90
68125-100F	HD Front Skin	1,835.00	699390	4549734693493			YR	A	USA	8479.9070.99
68125-110F	Diffuser, Light Strip, HD Front & Rear Skin	76.00	699364	4549734693752			YR	A	USA	9405.4099.90
68125-111F	Mount, Light Strip, HD Front & Rear Skin	96.00	699363	4549734693769			YR	A	USA	8479.9070.99
68125-112F	Retainer, Light Strip, HD Front & Rear Skin	27.00	699374	4549734693653			YR	A	USA	7318.2100.95
68125-201F	Cable, Forward Aft, Skins Light Cable to Electronics Bay	100.00	699417	4549734693226			YR	A	USA	8544.4290.90
68126-100F	HD Rear Skin	1,867.00	699389	4549734693509			YR	A	USA	8479.9070.99
68127-102F	Laser Corner, Painted	2,714.00	699352	4549734693875			YR	A	USA	8479.9070.99
68127-105F	Laser Cover Fin, Painted	472.00	699353	4549734693868			YR	A	USA	8479.9070.99
68127-127F	Plate, Plastic, Adjustment, OS32C, HD1500	189.00	699386	4549734693530			YR	A	USA	3926.9097.90
68127-801F	Tooling, Connector Extractor, Low Laser, HD	212.00	699391	4549734693486			YR	A	USA	8479.9070.99
68129-115F	Bus bar, charging contacts	110.00	699375	4549734693646			YR	A	USA	8536.9010.00
68129-117F	Blanking plate, Acuity	30.00	699385	4549734693547			YR	A	USA	8479.9070.99
68129-118F	Cover plate, Antenna, HD	40.00	699362	4549734693776			YR	A	USA	8479.9070.99
68129-120F	Brush, Contact, 150A Kit, HD	344.00	696176	4549734672306			YR	A	USA	8545.2000.00
68150-000F	Assembly, HMI, HD1500	2,542.00	696175	4549734672290			YR	A	USA	8531.2040.90
68150-209F	Cable, Internal Brake Button Harness, HD	134.00	699387	4549734693523			YR	A	USA	8544.4290.90
68160-101F	Caster, 8 inch, Dual, Ultrafast, HD	858.00	696165	4549734672191			YR	A	USA	8302.2000.90
68160-1030F	Retainer, Suspension Arm, Front & Rear, HD	177.00	699366	4549734693738			YR	A	USA	7318.2100.95
68160-112F	Rocker, Left, Drive, As Painted, HD	2,210.00	699350	4549734693869			YR	A	USA	8479.9070.99
68160-401F	Wheel Motor, 250mm DIA, 201, HD	2,731.00	696166	4549734672207			YR	A	ITA	8479.9070.99
68160-800F	Tooling, HD Rocker Guide	214.00	696155	4549734672467			YR	A	USA	8479.9070.99
68165-112F	Rockers, Right, Drive, As Painted, HD	2,210.00	699351	4549734693882			YR	A	USA	8479.9070.99
68210-401F	Ethernet Switch, 10/100/1000, 8 ports, 24 VDC	273.00	699401	4549734693387			YR	A	TWN	8517.6200.00

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Data sheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
68220-400F	Supplementary Laser Scanner, Ethernet	2,168.00	696177	4549734672313			YR	A	DEU	9013.2000.00
68250-205F	Cable, Motor Phase "A" Cable (Port Side), HD	138.00	696167	4549734672214			YR	A	USA	8544.4290.90
68250-206F	Cable, Motor Phase "B" Cable (Port Side), HD	141.00	696168	4549734672221			YR	A	USA	8544.4290.90
68250-207F	Cable, Motor Phase "C" Cable (Port Side), HD	116.00	696169	4549734672238			YR	A	USA	8544.4290.90
68250-208F	Cable, Motor Phase "A" Cable (Starboard Side), HD	118.00	696170	4549734672245			YR	A	USA	8544.4290.90
68250-209F	Cable, Motor Phase "B" Cable (Starboard Side), HD	125.00	696171	4549734672252			YR	A	USA	8544.4290.90
68250-210F	Cable, Motor Phase "C" Cable (Starboard Side), HD	125.00	696172	4549734672259			YR	A	USA	8544.4290.90
68250-213F	Cable, Motor Controller to Panel, Starboard, HD	264.00	699415	4549734693240			YR	A	USA	8544.4290.90
68250-214F	Cable, Motor Controller to Panel, Starboard, HD	264.00	699414	4549734693257			YR	A	USA	8544.4290.90
68250-215F	Cable, Power, Motor Controller, External, Port, HD	115.00	699413	4549734693264			YR	A	USA	8544.4290.90
68250-216F	Cable, Power, Motor Controller, External, Starboard, HD	106.00	699412	4549734693271			YR	A	USA	8544.4290.90
68250-401F	Motor Controller, 80VDC, 200A (Port)	3,159.00	696182	4549734672368			YR	A	USA	8479.9070.99
68250-402F	Motor Controller, 80VDC, 200A (Starboard)	3,159.00	696183	4549734672375			YR	A	USA	8479.9070.99
68260-000F	Assembly, Module, Brake Economizer, HD1500	542.00	699359	4549734693806			YR	A	USA	8479.9070.99
68260-201F	Cable, Brake Economizer Inputs, HD	80.00	699424	4549734693158			YR	A	USA	8544.4290.90
68260-202F	Cable, Brake Economizer Outputs, HD	83.00	699423	4549734693165			YR	A	USA	8544.4290.90
68270-000F	Assembly, Module, Audio Visual, HD1500	796.00	699340	4549734693998			YR	A	USA	8479.9070.99
68270-202F	Cable, Audio Amplifier, IO Cable, HD	114.00	699420	4549734693196			YR	A	USA	8544.4290.90
68270-216F	Cable, Audio Amplifier, Speaker Jumper, HD	74.00	699419	4549734693202			YR	A	USA	8544.4290.90
68281-000F	PCA, HD Signal Distribution Top	538.00	699399	4549734699400			YR	A	USA	8538.9091.89
68282-000F	PCA, Signal Distribution Adapter, HD	1,064.00	699398	4549734693417			YR	A	USA	8538.9091.89
68283-000F	PCA, HD User Signal Distribution	989.00	699397	4549734693424			YR	A	USA	8538.9091.89
68310-133F	Seal, Lid, Wind Tunnel, HD1500	42.00	699361	4549734693783			YR	A	USA	4016.9300.90
68310-134F	Seal, Side Box, Docking Station, HD1500	34.00	699360	4549734693790			YR	A	USA	4016.9300.90
68310-141	Label, AC Power, HD1500, Charger, Black	13.00	699396	4549734693431			YR	A	USA	4821.1010.00
68310-142	Label, Operation, HD1500, Charger, Black	13.00	699395	4549734693448			YR	A	USA	4821.1010.00
68310-143	Label, DC Power, HD1500, Charger, Black	13.00	699394	4549734693455			YR	A	USA	4821.1010.00
68310-144	Label, Error, HD1500, Charger, Black	13.00	699393	4549734693462			YR	A	USA	4821.1010.00
68310-145	Label, Service, HD1500, Charger, Black	13.00	699392	4549734693479			YR	A	USA	4821.1010.00
68310-202F	Cable, Fused Bus Tap Cable, HD	87.00	696159	4549734672429			YR	A	USA	8544.4290.90
68310-204F	Cable, Contactor Coils, HD	63.00	696158	4549734672436			YR	A	USA	8544.4290.90
68310-207F	Cable, User Power Contactor Power Jumper, HD	133.00	696160	4549734672412			YR	A	USA	8544.4290.90
68310-400F	Contactor, 900VDC, 200A, 24VDC Coil, Panel Mount, Bottom Mount, studs	148.00	696179	4549734672337			YR	A	MEX	8536.2090.90
68310-405F	Contactor, Connectorized, HD	326.00	699411	4549734693288			YR	A	USA	8536.9095.00
68320-000F	Assembly, Module, Power Sequencing, HD1500	540.00	699357	4549734693820			YR	A	USA	8479.9070.99
68320-201F	Cable, Power Sequencer Inputs, HD	121.00	699421	4549734693189			YR	A	USA	8544.4290.90
68320-202F	Cable, Power Sequencer Outputs, HD	136.00	699422	4549734693172			YR	A	USA	8544.4290.90
68330-108F	Clamo, Handle, Battery Pack, P1, HD1500	152.00	699372	4549734693677			YR	A	USA	7326.9098.90
68330-109F	Handle, Sliding, Front, Battery Pack, P1, HD1500	61.00	699373	4549734693660			YR	A	USA	8479.9070.99
68330-132F	Miniature clamo lever, threaded, M6, 32 mm long, HD1500	27.00	699337	4549734694025			YR	A	JPN	7326.9098.90
68330-202F	Cable, Battery Internal Harness, HD	189.00	696157	4549734672443			YR	A	USA	8544.4290.90
68410-000F	Assembly, PLC, HD1500	15,810.00	696185	4549734672399			YR	A	USA	8537.1091.99
68410-208F	Cable, PLC Power Jumper, HD	54.00	699427	4549734693127			YR	A	USA	8544.4290.90
68410-216F	Cable, PLC, User Outputs Jumper, HD	118.00	699428	4549734693110			YR	A	USA	8544.4290.90
68410-217F	Cable, PLC, User Inputs Jumper, HD	93.00	699429	4549734693103			YR	A	USA	8544.4290.90
68440-000F	Assembly, Module, Speed Conversion, HD1500	920.00	699358	4549734693813			YR	A	USA	8479.9070.99
68440-201F	Cable, Speed Conversion Module Outputs, HD	155.00	699426	4549734693134			YR	A	USA	8544.4290.90
68440-202F	Cable, Speed Conversion Module Inputs, HD	291.00	699425	4549734693141			YR	A	USA	8479.9070.99
68510-001F	Assembly, IPC AMR, HD1500	8,640.00	696181	4549734672351			YR	A	NLD	8479.9070.99
68530-401F	Antenna, PIFA, UFL Connector, 2.4 GHz / 5 GHz	15.00	699355	4549734693844			YR	A	MYS	8529.1069.00
68910-105	Bracket, HD Docking Station, Wall Mount	25.00	699383	4549734693561			YR	A	USA	7616.9990.99
68910-108F	Target, Docking Station, HD1500	196.00	699328	4549734694117			YR	A	USA	8479.9070.99
68910-200F	HD Target Paddle and Shroud Assembly	2,364.00	696184	4549734672382			YR	A	CHN	8479.9070.99
68915-201F	Cable, Dock, Power Supply Cable, HD	70.00	699378	4549734693615			YR	A	USA	8544.4290.90
68915-225F	Cable, Dock, DC Power Supply Cable, HD	1,546.00	699418	4549734693219			YR	A	USA	8544.4290.90
68915-401F	Assembly, Fan, Docking Station, HD	286.00	699377	4549734693622			YR	A	USA	8414.5995.00
68940-000F	Control Grip, CANOpen, Mobile Teach Device	2,138.00	699329	4549734694100			YR	A	CAN	8479.9070.99
75020-001	ASSEMBLY, CART CASTER BRAKE	1,969.00	696505	4549734683753			YR	A	USA	7616.9990.99
AMT-009-SP-100-001	Metal guides 400mm incl. small comp	1,423.00	702290	4549734792523			YR	A	ESP	8431.3900.00
AMT-009-SP-110-001	Side cover standard no options	789.00	702291	4549734792530			YR	A	ESP	8431.3900.00
AMT-009-SP-110-002	Side cover with option (acuity or beacon)	604.00	702292	4549734792547			YR	A	ESP	8431.3900.00
AMT-009-SP-120-001	Limit bumper incl. small comp.	301.00	702293	4549734792554			YR	A	ESP	8431.3900.00
AMT-009-SP-130-001	Side laser brackets incl. small comp.	379.00	702295	4549734792578			YR	A	ESP	8431.3900.00
AMT-009-SP-140-001	Finger protection in between the rollers	4,646.00	702296	4549734792585			YR	A	ESP	8431.3900.00
AMT-009-SP-140-002	Finger protection front/end inc. small comp.	492.00	702297	4549734792592			YR	A	ESP	8431.3900.00
AMT-009-SP-150-001	Limit sensor bracket	235.00	702298	4549734792608			YR	A	ESP	8431.3900.00
AMT-009-SP-160-001	Beacon bracket	379.00	702299	4549734792615			YR	A	ESP	8431.3900.00
AMT-009-SP-160-002	Acuity bracket	379.00	702300	4549734792622			YR	A	ESP	8431.3900.00
AMT-009-SP-310-001	Push button	119.00	702289	4549734792516			YR	A	ESP	8536.5019.90
AMT-009-SP-310-002	ODT option	1,413.00	702294	4549734792561			YR	A	ESP	8431.3900.00
AMT-009-SP-400-001	Roller drive (active roller, FB type)	809.00	702283	4549734792455			YR	A	ESP	8431.3900.00
AMT-009-SP-400-002	Roller drive (active roller, FR type)	842.00	702284	4549734792462			YR	A	ESP	8431.3900.00
AMT-009-SP-410-001	Roller (passive roller, FB type)	198.00	702285	4549734792479			YR	A	ESP	8431.3900.00
AMT-009-SP-410-002	Roller (passive roller, FR type)	189.00	702286	4549734792486			YR	A	ESP	8431.3900.00
AMT-009-SP-420-001	Drive control 20	379.00	702288	4549734792509			YR	A	ESP	8431.3900.00
AMT-009-SP-490-001	Poly V belt incl. finger protection	108.00	702287	4549734792493			YR	A	ESP	4010.3900.90



2021 List Price	SLN. (Data sheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
02562-000R	Motor Assv. J3, AIB 600 - Refurbished	2.006.00	689431	4549734977296			YR A USA	8501.4020.80
02574-000R	ADEPT Cobra 600/800 All Spare Part Ball Spline Assv, Cobra AIB 600/800 - refurbished	4.669.00	695056	4549734995603			YR A USA	8479.9070.99
02789-000R	ADEPT Cobra 600 Spare Part Motor Assv. J3, AIB 800 - refurbished	1.955.00	695055	4549734995597			YR A USA	8501.4020.80
04065-210R	ADEPT Repaired or Refurbished Legacy Spare Part KIT, T2 PENDANT, 10M.R PART	2.071.00	675562	4549734903615			YR A USA	8479.9070.99
05284-501R	Assembly, Motor, ArmFeeder SK240	4.934.00	690178	4549734980197			YR A USA	8501.3100.99
05845-000R	MotionBox-40R - Refurbished	8.760.00	688239	4549734970723			YR A USA	8537.1091.99
08478-000R	Alpha Drive, 501, Quattro - Refurbished	2.951.00	691116	4549734985505			YR A USA	8479.9070.99
09200-000R	SmartController EX, w/o frontpanel - Refurbished	3.742.00	689218	4549734976527			YR A USA	8537.1091.99
09455-000R	ADEPT Spare Part KIT, SM16, CUSTOM CONFIG	3.110.00	684304	4549734956765			YR A USA	8543.7090.99
09503-000R	ASSY, PLATFORM P31,+/-46 DEG - Refurbished	3.429.00	688249	4549734970822			YR A USA	8479.9070.99
09503-200R	ASSY, PLTFRM P31,+/-46 DEG,SS - Refurbished	3.028.00	688260	4549734970938			YR A USA	8479.9070.99
09557-000R	SYSTEM,QUATTRO AIB, CE - Refurbished	6.920.00	689470	4549734977562			YR A USA	8479.9070.99
09732-000R	ADEPT Repaired or Refurbished Quattro All Spare Part ASSY, PLTFRM P32,+/-92.5 DEGR	5.950.00	675790	4549734905893			YR A USA	8479.9070.99
09732-100R	ASSY, P32,+/-92.5 DEG, EN - refurbished	5.585.00	693668	4549734991889			YR A USA	8479.9070.99
09732-200R	ASSY, P32,+/-92.5 DEG, SS - Refurbished	6.415.00	688262	4549734970952			YR A USA	8479.9070.99
09734-000R	ASSY, P34,+/-185 DEG - Refurbished	5.985.00	688254	4549734970877			YR A USA	8479.9020.90
09734-200R	ASSY, P34,+/-185 DEG, SS - Refurbished	5.910.00	688264	4549734970976			YR A USA	8479.9070.99
12337-000R	Motor Assembly Joint 1, Oil Change Version - Refurbished	2.463.00	702427	4549734792752			YR A USA	8501.4020.80
12350-000R	Motor Assembly Joint 2, Oil Change Version - refurbished	2.261.00	695405	4549734996785			YR A USA	8501.3100.99
12746-000R	Assembly, Left Drive Train, 301 - Refurbished	4.980.00	692866	4549734987189			YR A USA	8479.9070.99
12804-200R	Regular Skin, Front Top Panel, LD Series Mobile Robot - Refurbished	895.50	688555	4549734972819			YR A USA	8479.9070.99
12804-350R	Skin and Light Assembly (Cover), Right, Lynx - Refurbished	1.070.00	688556	4549734972826			YR A USA	3926.9097.90
12804-450R	Skin and Light Assembly (Cover), Left, Lynx - Refurbished	1.070.00	688557	4549734972833			YR A USA	3926.9097.90
12804-500R	Skin, Wheel Cover, MTX - Refurbished	104.00	690540	4549734982528			YR A USA	8479.9070.99
12804-600R	Skin, I/O Cover, Lynx - Refurbished	274.10	688558	4549734972840			YR A USA	3926.9097.90
12804-700R	Skin, Rear Panel, Lynx - Refurbished	551.50	688559	4549734972857			YR A USA	3926.9097.90
12804-800R	Regular Skin, Battery Door, LD Series Mobile Robot - Refurbished	812.00	688560	4549734972864			YR A USA	8479.9070.99
14767-000R	Skin, Front Bumper Panel, Lynx, Modified for Tim Sensor - Refurbished	426.30	688561	4549734972871			YR A USA	8479.9070.99
18452-150R	Skin, Front Bumper, Modified TIM, Lynx, ESD - Refurbished	426.30	690541	4549734982535			YR A USA	8479.9070.99
18452-200R	ESD Skin, Front Top Panel, LD Series Mobile Robot - Refurbished	698.50	688592	4549734973144			YR A USA	8479.9070.99
18452-300R	Skin, Right Panel, Lynx, ESD - Refurbished	887.50	690542	4549734982542			YR A USA	8479.9070.99
18452-350R	Assembly, Skin Right, Lynx, ESD - Refurbished	938.00	688562	4549734972888			YR A USA	8479.9070.99
18452-400R	Skin, Left Panel, Lynx, ESD - Refurbished	887.50	690543	4549734982559			YR A USA	8479.9070.99
18452-450R	Assembly, Skin Left, Lynx, ESD - Refurbished	938.00	688563	4549734972895			YR A USA	8479.9070.99
18452-500R	Skin, Wheel Cover, Lynx, ESD - Refurbished	104.00	690544	4549734982566			YR A USA	8479.9070.99
18452-600R	Skin, Left Hatch, Lynx, ESD - Refurbished	211.10	688564	4549734972901			YR A USA	8479.9070.99
18452-800R	ESD Skin, Battery door, LD Series Mobile Robot - Refurbished	796.00	688565	4549734972918			YR A USA	8479.9070.99
19049-000R	Servo Motor, w. Pulley, ArmFeeder SKM100, SKM140, SK240, SK340 - Refurbished	1.267.00	690768	4549734983877			YR A USA	8501.3100.99
19070-000R	eDrive, Dual, ArmFeeder SKM100	7.560.00	692800	4549734988571			YR A USA	8479.9070.99
19400-000R	EMB-40R, Cobra e350 - Refurbished	8.580.00	688245	4549734970785			YR A USA	8537.1091.99
19500-000R	Controller, eMB-40M, Top Level - Refurbished	8.580.00	688252	4549734970853			YR A USA	8537.1091.99
19600-000R	EMB-60R TOP LEVEL - Refurbished	9.840.00	688246	4549734970792			YR A USA	8537.1091.99
19800-000R	System, Cobra eAIB - Refurbished	8.265.00	688242	4549734970754			YR A USA	8479.9070.99
19800-040R	System, eAIB, Hornet - Refurbished	8.265.00	688266	4549734970990			YR A USA	8479.9070.99
19800-050R	SYSTEM, QUATTRO eAIB - Refurbished	8.265.00	688258	4549734970914			YR A USA	8479.9070.99
19800-150R	SYSTEM, QUATTRO EAIB 650HS - Refurbished	8.265.00	688256	4549734970891			YR A USA	8479.9070.99
20000-310R	ADEPT Repaired or Refurbished SmartController CX Spare Part SYS,ONTLR SC-CX	7.485.00	676349	4549734910460			YR A USA	8479.9070.99
22700-000R	System, Adept Lynx Core - refurbished	9.100.00	690923	4549734984669			YR A USA	8537.1091.99
22710-000R	Lynx Core - refurbished	9.435.00	689118	4549734975780			YR A USA	8537.1091.99
22735-000R	Motor Assv. J3, with Key/Pulley (no seal), 800 - refurbished	8.665.00	689119	4549734975797			YR A USA	8537.1091.99
30560-40651R	ADEPT Repaired or Refurbished SmartController CX Spare Part KIT,FRONT PANEL,PCI CTRLR	2.469.00	690623	4549734983020			YR A USA	8501.5100.90
90356-10358R		591.00	676414	4549734911115			YR A USA	8479.9070.99
RS_2019_010	Amplifier, Power Dual J - Refurbished	3.264.00	688056	4549734970228			YR A USA	8479.9070.99
RS_2019_011	Amplifier, Power Dual J - Refurbished	3.264.00	689057	4549734970235			YR A USA	8479.9070.99
RS_2019_19	eCobra 800 - 8AIB	15.750.00	690019	4549734979566			YR A USA	8479.5000.00
RS_2020_010	sCobra 600 with AIB - refurbished	10.500.00	695380	4549734996624			YR A USA	8479.5000.00
TEMP ROB 101	ORSE Temporary Robot 101 -- Bundle sCobra 350	7.350.00	689533	4549734978071			YR A USA	8479.8997.90
TEMP ROB 121	ORSE Temporary Robot 121 -- Viper s650	22.050.00	689511	4549734977852			YR A USA	8479.5000.00
TEMP ROB 122	ORSE Temporary Robot 122 -- Viper s650	22.050.00	690944	4549734984867			YR A USA	8479.5000.00
TEMP ROB 141	ORSE Temporary Robot 141 -- Viper s850	24.630.00	689512	4549734977869			YR A USA	8479.5000.00
TEMP ROB 201	ORSE Temporary Robot 201 -- Cobra VME	9.975.00	689513	4549734977876			YR A USA	8479.5000.00
TEMP ROB 221	ORSE Temporary Robot 221 -- Bundle sCobra 600	9.975.00	689514	4549734977883			YR A USA	8479.5000.00
TEMP ROB 222	ORSE Temporary Robot 222 -- Bundle sCobra 600	9.975.00	689515	4549734977890			YR A USA	8479.5000.00
TEMP ROB 241	ORSE Temporary Robot 241 -- Bundle eCobra 600	15.490.00	689516	4549734977906			YR A USA	8479.5000.00
TEMP ROB 242	ORSE Temporary Robot 242 -- Bundle eCobra 600	15.490.00	689517	4549734977913			YR A USA	8479.5000.00
TEMP ROB 243	ORSE Temporary Robot 243 -- Bundle eCobra 600	15.490.00	689518	4549734977920			YR A USA	8479.5000.00
TEMP ROB 244	ORSE Temporary Robot 244 -- Bundle eCobra 600	15.490.00	689519	4549734977937			YR A USA	8479.5000.00
TEMP ROB 245	ORSE Temporary Robot 245 -- Bundle eCobra 600	15.490.00	689520	4549734977944			YR A USA	8479.5000.00
TEMP ROB 321	ORSE Temporary Robot 321 -- Bundle sCobra 800	10.500.00	689521	4549734977951			YR A USA	8479.5000.00
TEMP ROB 322	ORSE Temporary Robot 322 -- Bundle sCobra 800	10.500.00	689522	4549734977968			YR A USA	8479.5000.00
TEMP ROB 323	ORSE Temporary Robot 323 -- Bundle sCobra 800	10.500.00	689523	4549734977975			YR A USA	8479.5000.00
TEMP ROB 324	ORSE Temporary Robot 324 -- Bundle sCobra 800	10.500.00	689524	4549734977982			YR A USA	8479.5000.00
TEMP ROB 325	ORSE Temporary Robot 325 -- Bundle sCobra 800	10.500.00	689525	4549734977989			YR A USA	8479.5000.00
TEMP ROB 341	ORSE Temporary Robot 341 -- Bundle eCobra 800	13.920.00	689526	4549734978002			YR A USA	8479.5000.00
TEMP ROB 342	ORSE Temporary Robot 342 -- Bundle eCobra 800	13.920.00	700827	4549734985675			YR A USA	8479.5000.00
TEMP ROB 361	ORSE Temporary Robot 361 -- Bundle Cobra 800 Inv	21.320.00	689527	4549734978019			YR A USA	8479.5000.00

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Data sheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code	
TEMP ROB 401	ORSE Temporary Robot 401 -- Cobra 450	12.130,00	690755	4549734983693			YR	A	USA	8479.5000.00	
TEMP ROB 801	ORSE Temporary Robot 801 -- LD-60 without Battery	23.940,00	689532	4549734978064			YR	A	USA	8479.5000.00	
TEMP ROB 802	ORSE Temporary Robot 802 -- LD-130 CT without Battery	45.380,00	693134	4549734969015			YR	A	USA	8479.5000.00	
SEP02324-100	Service Exchange Part : System, iCobra AIB Electronics Package	4.580,00	699087	4549734891660			YR	A	USA	8479.9070.99	
SEP04900-000	Service Exchange Part : Amplifier In-Base (AIB) Assy	4.578,00	688241	4549734970747			YR	A	USA	8479.9070.99	
SEP05845-000	Service Exchange Part : MotionBlox-40R	5.840,00	688240	4549734970730			YR	A	USA	8537.1091.99	
SEP05865-000	Service Exchange Part : Controller, MotionBlox 60R	6.500,00	688244	4549734970778			YR	A	USA	8537.1091.99	
SEP08500-000	Service Exchange Part : Amplifier In-Base (AIB) Assy, for Quattro s650 and s650H	4.578,00	688248	4549734970815			YR	A	USA	8479.9070.99	
SEP09503-000	Service Exchange Part : ASSY, PLATFORM P31,+/-46 DEG	2.286,00	688250	4549734970839			YR	A	USA	8479.9070.99	
SEP09503-200	Service Exchange Part : ASSY, PLTFRM P31,+/-46 DEG,SS	2.019,00	688261	4549734970945			YR	A	USA	8479.9070.99	
SEP09657-000	Service Exchange part : SYSTEM QUATTRO AIB, CE	4.613,00	689471	4549734977579			YR	A	USA	8479.9070.99	
SEP09732-000	Service Exchange Part : ASSY, PLATFORM P32,+/-92.5 DEG	3.964,00	688251	4549734970846			YR	A	USA	8479.9020.90	
SEP09732-200	Service Exchange Part : ASSY, P32,+/-92.5 DEG, SS	4.274,00	688263	4549734970969			YR	A	USA	8479.9070.99	
SEP09734-000	Service Exchange Part : ASSY, P34,+/-185 DEG	3.987,00	688255	4549734970884			YR	A	USA	8479.9020.90	
SEP09734-200	Service Exchange Part : ASSY, P34,+/-185 DEG, SS	3.938,00	688265	4549734970983			YR	A	USA	8479.9070.99	
SEP12745-000	Service Exchange Part : Assembly, Right Drive Train, 30:1	3.652,00	692857	4549734987097			YR	A	USA	8479.9070.99	
SEP12745-040	Service Exchange Part : Assembly, Right Drive Train, 40:1	3.721,00	692858	4549734987103			YR	A	USA	8479.9070.99	
SEP12745-060	Service Exchange Part : Assembly, Right Drive Train, 60:1	3.418,00	692859	4549734987110			YR	A	USA	8479.9070.99	
SEP12746-000	Service Exchange Part : Assembly, Left Drive Train, 30:1	3.652,00	692860	4549734987127			YR	A	USA	8479.9070.99	
SEP12746-040	Service Exchange Part : Assembly, Left Drive Train, 40:1	3.721,00	692861	4549734987134			YR	A	USA	8479.9070.99	
SEP12746-060	Service Exchange Part : Assembly, Left Drive Train, 60:1	3.418,00	692862	4549734987141			YR	A	USA	8479.9070.99	
SEP19400-000	Service Exchange Part : Controller, eMB-40R, Top Level	5.720,00	685740	4549734964791			YR	A	USA	8537.1091.99	
SEP19500-000	Service Exchange Part : Controller, eMB-40M, Top Level	5.720,00	688253	4549734970860			YR	A	USA	8537.1091.99	
SEP19600-000	Service Exchange Part : EMB-60R TOP LEVEL	6.560,00	688247	4549734970808			YR	A	USA	8537.1091.99	
SEP19800-000	Service Exchange Part : System Cobra eAIB	5.510,00	688243	4549734970761			YR	A	USA	8479.9070.99	
SEP19800-040	Service Exchange Part : System, eAIB, Hornet	5.510,00	688267	4549734971003			YR	A	USA	8479.9070.99	
SEP19800-050	Service Exchange Part : SYSTEM, QUATTRO eAIB	5.510,00	688259	4549734970921			YR	A	USA	8479.9070.99	
SEP19800-150	Service Exchange Part : SYSTEM, QUATTRO EAIB 650HS	5.510,00	688257	4549734970907			YR	A	USA	8479.9070.99	
CR_AS-2080	Calibration tool D5-S020 head	176,40	688602	4549734973243			YR	A	NLD	8479.9070.99	
CR_AS-2797	Calibration tool D2-1500-S030 / TW030	604,00	694870	4549734994941			YR	A	NLD	8479.9070.99	
TEMP ROB 810	ORSE Temporary Robot 802 -- LD-250 without Battery	28.410,00	700950	4549734896351			YR	A	JPN	8479.5000.00	
19936-100F	MODULE ASSEMBLY, JOINT 102	3.598,00	701880	4549734498937			YR	A	TWN	8479.9070.99	
19936-101D	PSJ SINGLE OUTPUT,48V,1000W	497,70	687319	4549734498999			YR	A	CHN	8504.4090.90	
19936-101D	PSJ SINGLE OUTPUT,48V,1000W	497,70	701875	4549734498999			YR	A	CHN	8504.4090.90	
19936-102D	PSJ SINGLE OUTPUT,24V,4000W	194,30	687318	4549734499002			YR	A	CHN	8504.4090.90	
19936-102D	PSJ SINGLE OUTPUT,24V,4000W	194,30	701874	4549734499002			YR	A	CHN	8504.4090.90	
19936-103F	WIRE CABLE,19AWG,300MM,RED	53,55	687303	4549734499156			YR	A	TWN	8544.4290.90	
19936-103F	WIRE CABLE,19AWG,300MM,RED	53,55	701859	4549734499156			YR	A	TWN	8544.4290.90	
19936-104F	WIRE CABLE,19AWG,300MM,BLACK	53,55	687302	4549734499163			YR	A	TWN	8544.4290.90	
19936-104F	WIRE CABLE,19AWG,300MM,BLACK	53,55	701858	4549734499163			YR	A	TWN	8544.4290.90	
19936-105F	WIRE CABLE,19AWG,340MM,RED	53,55	687301	4549734499170			YR	A	TWN	8544.4290.90	
19936-105F	WIRE CABLE,19AWG,340MM,RED	53,55	701857	4549734499170			YR	A	TWN	8544.4290.90	
19936-106F	WIRE CABLE,19AWG,340MM,BLACK	53,55	687300	4549734499187			YR	A	TWN	8544.4290.90	
19936-106F	WIRE CABLE,19AWG,340MM,BLACK	53,55	701856	4549734499187			YR	A	TWN	8544.4290.90	
19936-107F	WIRE CABLE,19AWG,420MM,RED	54,60	687299	4549734499194			YR	A	TWN	8544.4290.90	
19936-107F	WIRE CABLE,19AWG,420MM,RED	54,60	701855	4549734499194			YR	A	TWN	8544.4290.90	
19936-108F	WIRE CABLE,19AWG,420MM,BLACK	54,60	687298	4549734499200			YR	A	TWN	8544.4290.90	
19936-108F	WIRE CABLE,19AWG,420MM,BLACK	54,60	701854	4549734499200			YR	A	TWN	8544.4290.90	
19936-109F	WIRE CABLE,21AWG,580MM,RED-BLACK	65,10	687297	4549734499217			YR	A	TWN	8544.4290.90	
19936-109F	WIRE CABLE,21AWG,580MM,RED-BLACK	65,10	701853	4549734499217			YR	A	TWN	8544.4290.90	
19936-110F	HOUSING CABLE,HOUSIN=2 L=440MM	60,90	687291	4549734499309			YR	A	TWN	8479.9070.99	
19936-110F	HOUSING CABLE,HOUSIN=2 L=440MM	60,90	701844	4549734499309			#	YR	A	TWN	8479.9070.99
19936-111F	HOUSING CABLE,HOUSIN=2 L=420MM	60,90	687290	4549734499316			YR	A	TWN	8479.9070.99	
19936-111F	HOUSING CABLE,HOUSIN=2 L=420MM	60,90	701843	4549734499316			YR	A	TWN	8479.9070.99	
19936-112F	HOUSING CABLE,HOUSIN=2 L=530MM	56,70	687289	4549734499347			#	YR	A	TWN	8479.9070.99
19936-112F	HOUSING CABLE,HOUSIN=2 L=530MM	56,70	701840	4549734499347			YR	A	TWN	8479.9070.99	
19936-113F	HOUSING CABLE,HOUSIN=2 L=700MM	57,75	687288	4549734499354			#	YR	A	TWN	8479.9070.99
19936-113F	HOUSING CABLE,HOUSIN=2 L=700MM	57,75	701839	4549734499354			YR	A	TWN	8479.9070.99	
19936-114F	HOUSING CABLE,HOUSIN=2 L=960MM	55,65	687287	4549734499361			#	YR	A	TWN	8479.9070.99
19936-114F	HOUSING CABLE,HOUSIN=2 L=960MM	55,65	701838	4549734499361			YR	A	TWN	8479.9070.99	
19936-115F	WIRE CABLE,USB2.0 MINI MALE TO FEMALE L=1300MM	65,10	687423	4549734499408			YR	A	TWN	8544.4290.90	
19936-115F	WIRE CABLE,USB2.0 MINI MALE TO FEMALE L=1300MM	65,10	701834	4549734499408			YR	A	TWN	8544.4290.90	
19936-116F	WIRE CABLE,USB2.0 MINI MALE TO FEMALE L=750MM	60,90	687422	4549734499415			YR	A	TWN	8544.4290.90	
19936-116F	WIRE CABLE,USB2.0 MINI MALE TO FEMALE L=750MM	60,90	701833	4549734499415			YR	A	TWN	8544.4290.90	
19936-117F	WIRE CABLE,USB2.0 MINI MALE TO MALE L=750MM	67,20	687421	4549734499422			YR	A	TWN	8544.4290.90	
19936-117F	WIRE CABLE,USB2.0 MINI MALE TO MALE L=750MM	67,20	701832	4549734499422			YR	A	TWN	8544.4290.90	
19936-118F	HOUSING CABLE,3.0MM MICRO-FIT CONNECTOR-USB2.0 TYPE A+ TERMINAL*5, L=3150MM	283,50	687419	4549734499446			YR	A	TWN	8544.4290.90	
19936-118F	HOUSING CABLE,3.0MM MICRO-FIT CONNECTOR-USB2.0 TYPE A+ TERMINAL*5, L=3150MM	283,50	701830	4549734499446			YR	A	TWN	8544.4290.90	
19936-119D	POWER CONTROL BOARD for TM5	1.565,00	687405	4549734499583			YR	A	TWN	8517.6890.00	
19936-119D	POWER CONTROL BOARD for TM5	1.565,00	701816	4549734499583			YR	A	TWN	8517.6890.00	
19936-120D	CONNECTOR BOARD for TM5	395,90	687403	4549734499606			YR	A	TWN	8536.9010.00	
19936-120D	CONNECTOR BOARD for TM5	395,90	701814	4549734499606			YR	A	TWN	8536.9010.00	
19936-121F	I/O MODULE M5/TM5M	1.727,00	687398	4549734499651			YR	A	TWN	8479.9070.99	

2021	2021	SLN.	GTIN	Stock	Lot	Gr.	Fam	COO	Tariff
Price	(Daheet)			Qty.					Code
1.727,00	701809	4549734499651				YR	A	TWN	8479.9070.99
55,65	687572	4549734499927				YR	A	TWN	8544.4290.90
55,65	701792	4549734499927				YR	A	TWN	8544.4290.90
55,65	687570	4549734499941				YR	A	TWN	8544.4290.90
55,65	701780	4549734499941				YR	A	TWN	8544.4290.90
54,60	687609	4549734499224				YR	A	TWN	8544.4290.90
54,60	701852	4549734499224				YR	A	TWN	8544.4290.90
54,60	687610	4549734499231				YR	A	TWN	8544.4290.90
54,60	701851	4549734499231				YR	A	TWN	8544.4290.90
65,10	687611	4549734499248				YR	A	TWN	8544.4290.90
65,10	701850	4549734499248				YR	A	TWN	8544.4290.90
60,90	687612	4549734499323		#		YR	A	TWN	8544.4290.90
60,90	701842	4549734499323				YR	A	TWN	8544.4290.90
63,00	687613	4549734499330		#		YR	A	TWN	8544.4290.90
63,00	701841	4549734499330				YR	A	TWN	8544.4290.90
2.222,00	690712	4549734592062				YR	A	TWN	8479.9070.99
2.222,00	701765	4549734592062				YR	A	TWN	8479.9070.99
9.185,00	701719	4549734616669				YR	A	TWN	8471.4100.00
10.350,00	701720	4549734616676				YR	A	TWN	8471.4100.00
51,00	695408	4549734616768				YR	A	TWN	4016.9300.90
51,00	701729	4549734616768				YR	A	TWN	4016.9300.90
51,00	695409	4549734616751				YR	A	TWN	4016.9300.90
51,00	701728	4549734616751				YR	A	TWN	4016.9300.90
52,00	695410	4549734616799				YR	A	TWN	4016.9300.90
52,00	701732	4549734616799				YR	A	TWN	4016.9300.90
52,00	695411	4549734616805				YR	A	TWN	4016.9300.90
52,00	701733	4549734616805				YR	A	TWN	4016.9300.90
48,00	695412	4549734616850				YR	A	TWN	4016.9300.90
48,00	701738	4549734616850				YR	A	TWN	4016.9300.90
444,00	695014	4549734614306				YR	A	TWN	8544.4290.90
444,00	701661	4549734614306				YR	A	TWN	8544.4290.90
813,00	695015	4549734614313				YR	A	TWN	8544.4290.90
813,00	701662	4549734614313				YR	A	TWN	8544.4290.90
1.362,00	695016	4549734614320				YR	A	TWN	8544.4290.90
1.362,00	701663	4549734614320				YR	A	TWN	8544.4290.90
224,00	695020	4549734614368				YR	A	TWN	8544.4210.00
224,00	701667	4549734614368				YR	A	TWN	8544.4210.00
13.140,00	701715	4549734616621				YR	A	TWN	8471.4100.00
1.882,00	695414	4549734616164				YR	A	TWN	8471.6070.00
1.882,00	701669	4549734616164				YR	A	TWN	8471.6070.00
62,00	695415	4549734616324				YR	A	TWN	8544.4290.90
62,00	701685	4549734616324				YR	A	TWN	8544.4290.90
57,00	695416	4549734616331				YR	A	TWN	8544.4290.90
57,00	701686	4549734616331				YR	A	TWN	8544.4290.90
62,00	695417	4549734616423				YR	A	TWN	8544.4290.90
62,00	701695	4549734616423				YR	A	TWN	8544.4290.90
66,00	695418	4549734616478				YR	A	TWN	8479.9070.99
66,00	701700	4549734616478				YR	A	TWN	8479.9070.99
66,00	695419	4549734616485				YR	A	TWN	8544.4290.90
66,00	701701	4549734616485				YR	A	TWN	8544.4290.90
1.847,00	695420	4549734616522				YR	A	TWN	8534.0011.00
1.847,00	701705	4549734616522				YR	A	TWN	8534.0011.00
50,00	695421	4549734616362				YR	A	TWN	8544.4290.90
50,00	701689	4549734616362				YR	A	TWN	8544.4290.90
51,00	701742	4549734616898				YR	A	TWN	7318.1592.98
3.598,00	687323	4549734498944				YR	A	TWN	8479.9070.99
3.598,00	701879	4549734498944				YR	A	TWN	8479.9070.99
7.930,00	687102	4549734498975				YR	A	TWN	8479.9070.99
7.930,00	701876	4549734498975				YR	A	TWN	8479.9070.99
995,50	687317	4549734499019				YR	A	PHL	8504.4090.90
995,50	701873	4549734499019				YR	A	PHL	8504.4090.90
205,80	687316	4549734499026				YR	A	TWN	8504.4090.90
205,80	701872	4549734499026				YR	A	TWN	8504.4090.90
592,50	687315	4549734499033				YR	A	TWN	8504.4090.90
592,50	701871	4549734499033				YR	A	TWN	8504.4090.90
348,60	687314	4549734499040				YR	A	CHN	8504.4090.90
348,60	701870	4549734499040				YR	A	CHN	8504.4090.90
53,55	687312	4549734499064				YR	A	TWN	8544.4210.00
53,55	701868	4549734499064				YR	A	TWN	8544.4210.00
53,55	687311	4549734499071				YR	A	TWN	8544.4210.00
53,55	701867	4549734499071				YR	A	TWN	8544.4210.00
54,60	687310	4549734499088				YR	A	TWN	8544.4290.90
54,60	701866	4549734499088				YR	A	TWN	8544.4290.90
54,60	687309	4549734499085				YR	A	TWN	8544.4210.00
54,60	701865	4549734499085				YR	A	TWN	8544.4210.00
56,70	687308	4549734499101				YR	A	TWN	8544.4290.90
56,70	701864	4549734499101				YR	A	TWN	8544.4290.90

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Daheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
19936-211F	WIRE CABLE:19AWG,730MM,BLACK	56.70	687307	4549734499118			YR	A	TWN	8544.4290.90
19936-211F	WIRE CABLE:19AWG,730MM,BLACK	56.70	701863	4549734499118			YR	A	TWN	8544.4290.90
19936-212F	WIRE CABLE:21AWG,900MM,RED, BLACK	55.65	687306	4549734499125			YR	A	TWN	8544.4290.90
19936-212F	WIRE CABLE:21AWG,900MM,RED, BLACK	55.65	701862	4549734499125			YR	A	TWN	8544.4290.90
19936-213F	HOUSING CABLEHOUSIN=2 L=440MM	64.05	687296	4549734499255	#		YR	A	TWN	8479.9070.99
19936-213F	HOUSING CABLEHOUSIN=2 L=440MM	64.05	701849	4549734499255			YR	A	TWN	8479.9070.99
19936-214F	HOUSING CABLEHOUSIN=2 L=440MM	64.05	687295	4549734499252	#		YR	A	TWN	8479.9070.99
19936-214F	HOUSING CABLEHOUSIN=2 L=440MM	64.05	701848	4549734499252			YR	A	TWN	8479.9070.99
19936-215F	HOUSING CABLEHOUSIN=2 L=800MM	75.60	687294	4549734499279	#		YR	A	TWN	8479.9070.99
19936-215F	HOUSING CABLEHOUSIN=2 L=800MM	75.60	701847	4549734499279			YR	A	TWN	8479.9070.99
19936-216F	HOUSING CABLEHOUSIN=2 L=970MM	79.80	687293	4549734499286	#		YR	A	TWN	8479.9070.99
19936-216F	HOUSING CABLEHOUSIN=2 L=970MM	79.80	701846	4549734499286			YR	A	TWN	8479.9070.99
19936-217F	HOUSING CABLEHOUSIN=2 L=360MM	87.15	687292	4549734499293	#		YR	A	TWN	8479.9070.99
19936-217F	HOUSING CABLEHOUSIN=2 L=360MM	87.15	701845	4549734499293			YR	A	TWN	8479.9070.99
19936-218F	WIRE CABLE:USB2.0 MINI MALE TO FEMALE L= 1400MM	56.70	687286	4549734499378			YR	A	TWN	8544.4290.90
19936-218F	WIRE CABLE:USB2.0 MINI MALE TO FEMALE L= 1400MM	56.70	701837	4549734499378			YR	A	TWN	8544.4290.90
19936-219F	WIRE CABLE:USB2.0 MINI MALE TO FEMALE L= 850MM	55.65	687285	4549734499385			YR	A	TWN	8544.4290.90
19936-219F	WIRE CABLE:USB2.0 MINI MALE TO FEMALE L= 850MM	55.65	701836	4549734499385			YR	A	TWN	8544.4290.90
19936-220F	WIRE CABLE:USB2.0 MINI MALE TO MALE 90 DEGREE L= 750MM	56.70	687424	4549734499392			YR	A	TWN	8544.4290.90
19936-220F	WIRE CABLE:USB2.0 MINI MALE TO MALE 90 DEGREE L= 750MM	56.70	701835	4549734499392			YR	A	TWN	8544.4290.90
19936-221F	HOUSING CABLE:3.0MM MICRO-FIT CONNECTOR-> USB2.0 TYPE A+ TEMINTAL*5, L=3150MM	299.30	687420	4549734499436			YR	A	TWN	8544.4210.00
19936-221F	HOUSING CABLE:3.0MM MICRO-FIT CONNECTOR-> USB2.0 TYPE A+ TEMINTAL*5, L=3150MM	299.30	701831	4549734499436			YR	A	TWN	8544.4210.00
19936-222F	SCREW M6L20 HEX HEAD CAP. MAT'L: SCM435	39.90	687415	4549734499484			YR	A	TWN	7318.1582.98
19936-222F	SCREW M6L20 HEX HEAD CAP. MAT'L: SCM435	39.90	701826	4549734499484			YR	A	TWN	7318.1582.98
19936-223F	WASHER 6.4X12X1.5T, MAT'L: SUS304	39.90	687412	4549734499514			YR	A	TWN	7318.1595.89
19936-223F	WASHER 6.4X12X1.5T, MAT'L: SUS304	39.90	701823	4549734499514			YR	A	TWN	7318.1595.89
19936-224D	POWER CONTROL BOARD	1,596.00	687406	4549734499576			YR	A	TWN	8517.6990.00
19936-224D	POWER CONTROL BOARD	1,596.00	701817	4549734499576			YR	A	TWN	8517.6990.00
19936-225D	CONNECTOR BOARD for TM12/TM14	400.10	687404	4549734499590			YR	A	TWN	8536.9010.00
19936-225D	CONNECTOR BOARD for TM12/TM14	400.10	701815	4549734499590			YR	A	TWN	8536.9010.00
19936-226F	I/O Module for TM12/TM12M/TM14/TM14M	1,727.00	687397	4549734499668			YR	A	TWN	8479.9070.99
19936-226F	I/O Module for TM12/TM12M/TM14/TM14M	1,727.00	701808	4549734499668			YR	A	TWN	8479.9070.99
19936-227D	HOUSING CABLEHOUSIN=1,DF22-3S 7.92C,3P,BROWN-GREEN/YELLOW-BLUE,14AWG*3CL=550MM	56.70	687568	4549734499965			YR	A	TWN	8544.4290.90
19936-227D	HOUSING CABLEHOUSIN=1,DF22-3S 7.92C,3P,BROWN-GREEN/YELLOW-BLUE,14AWG*3CL=550MM	56.70	701778	4549734499965			YR	A	TWN	8544.4290.90
19936-228D	WIRE CABLE:14AWG,300MM, GREEN/YELLOW	49.35	687566	4549734499986			YR	A	TWN	8544.4290.90
19936-228D	WIRE CABLE:14AWG,300MM, GREEN/YELLOW	49.35	701775	4549734499986			YR	A	TWN	8544.4290.90
19936-229D	WIRE CABLE:14AWG,110MM, GREEN/YELLOW	49.35	687565	4549734500005			YR	A	TWN	8544.4290.90
19936-229D	WIRE CABLE:14AWG,110MM, GREEN/YELLOW	49.35	701773	4549734500005			YR	A	TWN	8544.4290.90
19936-230D	WIRE CABLE:14AWG*4C,460MM,RED*2,BLACK*2	64.05	687564	4549734500012			YR	A	TWN	8544.4290.90
19936-230D	WIRE CABLE:14AWG*4C,460MM,RED*2,BLACK*2	64.05	701773	4549734500012			YR	A	TWN	8544.4290.90
19936-231F	I/O MODULE HW3.1, TM12/14	2,244.00	690713	4549734592079			YR	A	TWN	8479.9070.99
19936-231F	I/O MODULE HW3.1, TM12/14	2,244.00	701764	4549734592079			YR	A	TWN	8479.9070.99
19936-232F	Control Box, HW3.0, TM12/TM14	10,390.00	701721	4549734616683			YR	A	TWN	8471.4100.00
19936-233F	CONTROL BOX, HW3.1, TM12/TM14	11,650.00	701723	4549734616706			YR	A	TWN	8471.4100.00
19936-234F	COVER,JOINT700, TM12/14	99.00	695425	4549734616577			YR	A	TWN	8479.9070.99
19936-234F	COVER,JOINT700, TM12/14	99.00	701710	4549734616577			YR	A	TWN	8479.9070.99
19936-235F	RUBBER RING AFM1 SIDE A	62.00	695426	4549734616867			YR	A	TWN	4016.9300.90
19936-235F	RUBBER RING AFM1 SIDE A	62.00	701739	4549734616867			YR	A	TWN	4016.9300.90
19936-236F	RUBBER RING AFM1 SIDE B	62.00	695427	4549734616874			YR	A	TWN	4016.9300.90
19936-236F	RUBBER RING AFM1 SIDE B	62.00	701740	4549734616874			YR	A	TWN	4016.9300.90
19936-237F	RUBBER RING AFM2	252.00	695428	4549734616881			YR	A	TWN	4016.9300.90
19936-237F	RUBBER RING AFM2	252.00	701741	4549734616881			YR	A	TWN	4016.9300.90
19936-238F	O-RING,JOINT700,O/R148X2	52.00	695429	4549734616812			YR	A	TWN	4016.9300.90
19936-238F	O-RING,JOINT700,O/R148X2	52.00	701734	4549734616812			YR	A	TWN	4016.9300.90
19936-239F	O-RING,JOINT700,O/R112X1.5	49.00	695430	4549734616829			YR	A	TWN	4016.9300.90
19936-239F	O-RING,JOINT700,O/R112X1.5	49.00	701735	4549734616829			YR	A	TWN	4016.9300.90
19936-241F	Cable, Housinq, Hi-Flex, 3 m, HW3.2, TM12/14	524.00	695017	4549734614337			YR	A	TWN	8544.4290.90
19936-241F	Cable, Housinq, Hi-Flex, 3 m, HW3.2, TM12/14	524.00	701664	4549734614337			YR	A	TWN	8544.4290.90
19936-242F	Cable, Housinq, Hi-Flex, 6 m, HW3.2, TM12/14	817.00	695018	4549734614344			YR	A	TWN	8544.4290.90
19936-242F	Cable, Housinq, Hi-Flex, 6 m, HW3.2, TM12/14	817.00	701665	4549734614344			YR	A	TWN	8544.4290.90
19936-243F	Cable, Housinq, Hi-Flex, 12 m, HW3.2, TM12/14	1,364.00	701666	4549734614351			YR	A	TWN	8544.4290.90
19936-244F	Cable, Housinq, Hi-Flex, 1.5 m, HW3.2, TM12M/14M	224.00	695021	4549734614375			YR	A	TWN	8544.4290.90
19936-244F	Cable, Housinq, Hi-Flex, 1.5 m, HW3.2, TM12M/14M	224.00	701668	4549734614375			YR	A	TWN	8544.4290.90
19936-245F	CONTROL BOX, HW3.2, TM12/14	14,150.00	701716	4549734616638			YR	A	TWN	8471.4100.00
19936-246F	I/O MODULE HW3.2, TM12/14	1,887.00	695432	4549734616195			YR	A	TWN	8471.6070.00
19936-246F	I/O MODULE HW3.2, TM12/14	1,887.00	701672	4549734616195			YR	A	TWN	8471.6070.00
19936-247F	PCBA, SAFETY CONTROL, HW3.2, TM12/14	1,768.00	695433	4549734616492			YR	A	TWN	8534.0011.00
19936-247F	PCBA, SAFETY CONTROL, HW3.2, TM12/14	1,768.00	701702	4549734616492			YR	A	TWN	8534.0011.00
19936-248F	PCBA, RELAY BOARD, HW3.2, TM5M/12M/14M	384.00	695434	4549734616539			YR	A	TWN	8534.0011.00
19936-248F	PCBA, RELAY BOARD, HW3.2, TM5M/12M/14M	384.00	701706	4549734616539			YR	A	TWN	8534.0011.00
19936-249F	Cable, LAN, Base to J1, 430mm, HW3.2, TM12/14	63.00	695435	4549734616416	#		YR	A	TWN	8544.4290.90
19936-249F	Cable, LAN, Base to J1, 430mm, HW3.2, TM12/14	63.00	701694	4549734616416			YR	A	TWN	8544.4290.90
19936-250F	Cable, LAN, J1 to J2, 400mm, HW3.2, TM12/14	58.00	695436	4549734616447	#		YR	A	TWN	8544.4290.90
19936-250F	Cable, LAN, J1 to J2, 400mm, HW3.2, TM12/14	58.00	701697	4549734616447			YR	A	TWN	8544.4290.90
19936-251F	Cable, Power, Red, Base to J1, 330mm, HW3.2, TM12/14	50.00	695260	4549734616454	#		YR	A	TWN	8544.4210.00
19936-251F	Cable, Power, Red, Base to J1, 330mm, HW3.2, TM12/14	50.00	701698	4549734616454			YR	A	TWN	8544.4210.00
19936-252F	Cable, Power, Black, Base to J1, 330mm, HW3.2, TM12/14	50.00	695259	4549734616461	#		YR	A	TWN	8544.4290.90

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Daheet)	GTIN	Stock Qty.	Lot	Gr.	Fam	COO	Tariff Code
19936-252F	Cable, Power, Black, Base to J1, 330mm, HW3.2, TM12/14	50.00	701699	4549734616461			YR	A	TWN	8544.4290.90
19936-253F	Screw, M4L6, SCRT HD CP, MAT: SUS3XX	56.00	701743	4549734616904			YR	A	TWN	7318.1582.98
19936-254F	Cable, LAN, J3 to J4, 860mm, HW3.2, TM12/14	71.00	695438	4549734616355	#		YR	A	TWN	8544.4290.90
19936-254F	Cable, LAN, J3 to J4, 860mm, HW3.2, TM12/14	71.00	701686	4549734616355			YR	A	TWN	8544.4290.90
19936-300F	MODULE ASSEMBLY, JOINT 104	3598.00	687322	4549734498951			YR	A	TWN	8479.9070.99
19936-300F	MODULE ASSEMBLY, JOINT 104	3598.00	701878	4549734498951			YR	A	TWN	8479.9070.99
19936-400F	MODULE ASSEMBLY, JOINT 402	4358.00	687321	4549734498968			YR	A	TWN	8479.9070.99
19936-400F	MODULE ASSEMBLY, JOINT 402	4358.00	701877	4549734498968			YR	A	TWN	8479.9070.99
19936-401D	STICK MODULE	451.50	701646	4549734498962			YR	A	TWN	8479.9070.99
19936-402F	WIPE CABLE21AWG260MM,RED- BLACK	72.45	687305	4549734499132			YR	A	TWN	8544.4210.00
19936-402F	WIPE CABLE21AWG260MM,RED- BLACK	72.45	701861	4549734499132			YR	A	TWN	8544.4210.00
19936-403F	WIPE CABLE22AWG300MM,RED- BLACK	56.70	687304	4549734499149			YR	A	TWN	8544.4290.90
19936-403F	WIPE CABLE22AWG300MM,RED- BLACK	56.70	701860	4549734499149			YR	A	TWN	8544.4290.90
19936-404F	SCREW, M3L6 TORX SOCKET HEAD CAP, MATL: SCM435	39.90	687418	4549734499453			YR	A	TWN	7318.1582.98
19936-404F	SCREW, M3L6 TORX SOCKET HEAD CAP, MATL: SCM435	39.90	701829	4549734499453			YR	A	TWN	7318.1582.98
19936-405F	SCREW, M3L12 HEX HEAD CAP, MATL: SCM435	39.90	687417	4549734499460			YR	A	TWN	7318.1582.98
19936-405F	SCREW, M3L12 HEX HEAD CAP, MATL: SCM435	39.90	701828	4549734499460			YR	A	TWN	7318.1582.98
19936-406F	SCREW, M3L20 HEX HEAD CAP, MATL: SCM435	39.90	687416	4549734499477			YR	A	TWN	7318.1582.98
19936-406F	SCREW, M3L20 HEX HEAD CAP, MATL: SCM435	39.90	701827	4549734499477			YR	A	TWN	7318.1582.98
19936-407F	WASHER3.2X6X0.8T, MATL: SUS304	39.90	687414	4549734499491			YR	A	TWN	7318.1582.98
19936-407F	WASHER3.2X6X0.8T, MATL: SUS304	39.90	701825	4549734499491			YR	A	TWN	7318.1582.98
19936-408F	WASHER, 5.3X3.2X1T, MATL: SUS304	39.90	687413	4549734499507			YR	A	TWN	7318.1582.98
19936-408F	WASHER, 5.3X3.2X1T, MATL: SUS304	39.90	701824	4549734499507			YR	A	TWN	7318.1582.98
19936-409F	SCREW, M3L5 PAN HEAD CAP, MATL: SCM435 WITH NYLON	39.90	687411	4549734499521			YR	A	TWN	7318.1582.98
19936-409F	SCREW, M3L5 PAN HEAD CAP, MATL: SCM435 WITH NYLON	39.90	701822	4549734499521			YR	A	TWN	7318.1582.98
19936-410F	SCREW, M3L10 SOCKET HEAD CAP, MATL: SCM435 WITH NYLON	39.90	687410	4549734499538			YR	A	TWN	7318.1582.98
19936-410F	SCREW, M3L10 SOCKET HEAD CAP, MATL: SCM435 WITH NYLON	39.90	701821	4549734499538			YR	A	TWN	7318.1582.98
19936-411F	SCREW, M3L6 SOCKET HEAD CAP, MATL: SCM435 WITH NYLON	39.90	687409	4549734499545			YR	A	TWN	7318.1582.98
19936-411F	SCREW, M3L6 SOCKET HEAD CAP, MATL: SCM435 WITH NYLON	39.90	701820	4549734499545			YR	A	TWN	7318.1582.98
19936-412D	IPC Module (CPU,DDR, IPC MAIN BOARD,FAN)	1.832.00	687408	4549734499552			YR	A	TWN	8471.5000.00
19936-412D	IPC Module (CPU,DDR, IPC MAIN BOARD,FAN)	1.832.00	701819	4549734499552			YR	A	TWN	8471.5000.00
19936-413D	POWER RELAY BOARD	1.832.00	687407	4549734499569			YR	A	TWN	8536.4900.99
19936-413D	POWER RELAY BOARD	1.832.00	701818	4549734499569			YR	A	TWN	8536.4900.99
19936-414D	COUPLER BOARD	265.70	687402	4549734499613			YR	A	TWN	8536.9010.00
19936-414D	COUPLER BOARD	265.70	701813	4549734499613			YR	A	TWN	8536.9010.00
19936-415D	EX IO BOARD	278.30	687401	4549734499620	#		YR	A	TWN	8537.1098.99
19936-415D	EX IO BOARD	278.30	701812	4549734499620			YR	A	TWN	8537.1098.99
19936-416D	IO BOARD	496.70	687400	4549734499637			YR	A	TWN	8537.1098.99
19936-416D	IO BOARD	496.70	701811	4549734499637			YR	A	TWN	8537.1098.99
19936-417D	POWER EATER WITH FAN	365.40	687399	4549734499644			YR	A	TWN	8479.9070.99
19936-417D	POWER EATER WITH FAN	365.40	701810	4549734499644			YR	A	TWN	8479.9070.99
19936-418D	HOUSING CABLEFC-60H(3)2H CABLEL=300MM (PC-17072801)	51.45	687396	4549734499675			YR	A	TWN	8544.4290.90
19936-418D	HOUSING CABLEFC-60H(3)2H CABLEL=300MM (PC-17072801)	51.45	701807	4549734499675			YR	A	TWN	8544.4290.90
19936-419D	HOUSING CABLE, RU-45 CABLE, TMAA,TM5A,CAT6 26AWG 4P 200MM	52.50	687395	4549734499682			YR	A	TWN	8544.4290.90
19936-419D	HOUSING CABLE, RU-45 CABLE, TMAA,TM5A,CAT6 26AWG 4P 200MM	52.50	701806	4549734499682			YR	A	TWN	8544.4290.90
19936-420D	HOUSING CABLEHOUSIN=2.DF1E-2EP-2.5C.CP.H20-02.2P,RED- BLACK24AWG*2CL=280MM	50.40	687541	4549734499699			YR	A	TWN	8544.4290.90
19936-420D	HOUSING CABLEHOUSIN=2.DF1E-2EP-2.5C.CP.H20-02.2P,RED- BLACK24AWG*2CL=280MM	50.40	701805	4549734499699			YR	A	TWN	8544.4290.90
19936-421D	HOUSING CABLEHOUSIN=2.DF11-10DS-2C.10P.CP.H20-02.2P,RED- BLACK-BROWN,24AWG*3CL=300MM	52.50	687591	4549734499705			YR	A	TWN	8544.4290.90
19936-421D	HOUSING CABLEHOUSIN=2.DF11-10DS-2C.10P.CP.H20-02.2P,RED- BLACK-BROWN,24AWG*3CL=300MM	52.50	701804	4549734499705			YR	A	TWN	8544.4290.90
19936-422D	HOUSING CABLEHOUSIN=2.8P28AWG*8CL=300MM	56.70	687590	4549734499712			YR	A	TWN	8544.4290.90
19936-422D	HOUSING CABLEHOUSIN=2.8P28AWG*8CL=300MM	56.70	701803	4549734499712			YR	A	TWN	8544.4290.90
19936-423D	HOUSING CABLEHOUSIN=3.8P/4P.CR-H423M-2X04.CR-H423M-2X02*2,RED/BLACK-18AWG*4C-L=170MM,YELLOW/BLACK-18AWG*4C-L=300MM	55.65	687589	4549734499729			YR	A	TWN	8544.4290.90
19936-423D	HOUSING CABLEHOUSIN=3.8P/4P.CR-H423M-2X04.CR-H423M-2X02*2,RED/BLACK-18AWG*4C-L=170MM,YELLOW/BLACK-18AWG*4C-L=300MM	55.65	701802	4549734499729			YR	A	TWN	8544.4290.90
19936-424D	HOUSING CABLEHOUSIN=2.2031H-02.2510-02.2P,YELLOW-WHITE26AWG*2CL=430MM	48.30	687588	4549734499736			YR	A	TWN	8544.4290.90
19936-424D	HOUSING CABLEHOUSIN=2.2031H-02.2510-02.2P,YELLOW-WHITE26AWG*2CL=430MM	48.30	701801	4549734499736			YR	A	TWN	8544.4290.90
19936-425D	HOUSING CABLEHOUSIN=1.DF60-3S-10.16C.3P,RED- BLACK,10AWG*2CL=1200MM	69.90	687587	4549734499743			YR	A	TWN	8544.4290.90
19936-425D	HOUSING CABLEHOUSIN=1.DF60-3S-10.16C.3P,RED- BLACK,10AWG*2CL=1200MM	69.90	701800	4549734499743			YR	A	TWN	8544.4290.90
19936-426D	HOUSING CABLEHOUSIN=2.DF60-3EP-10.16C.DF22L-2S-7.92C,RED- BLACK,10AWG*2CL=300MM	61.95	687586	4549734499750			YR	A	TWN	8544.4290.90
19936-426D	HOUSING CABLEHOUSIN=2.DF60-3EP-10.16C.DF22L-2S-7.92C,RED- BLACK,10AWG*2CL=300MM	61.95	701799	4549734499750			YR	A	TWN	8544.4290.90
19936-427D	HOUSING CABLEHOUSIN=1.DF63-2S-3.96C.2P, SVL2-3.7*2,RED- BLACK,16AWG*2CL=270MM	52.50	687585	4549734499767			YR	A	TWN	8544.4290.90
19936-427D	HOUSING CABLEHOUSIN=1.DF63-2S-3.96C.2P, SVL2-3.7*2,RED- BLACK,16AWG*2CL=270MM	52.50	701798	4549734499767			YR	A	TWN	8544.4290.90
19936-428D	HOUSING CABLETMAA,CONTROL BOX COM PLEX,TE H6B-AG-4R45X530MM+ TBMINTALX440MMX4+ PEX100MM+USBX260MM	191.10	687584	4549734499774			YR	A	TWN	8544.4290.90
19936-428D	HOUSING CABLETMAA,CONTROL BOX COM PLEX,TE H6B-AG-4R45X530MM+ TBMINTALX440MMX4+ PEX100MM+USBX260MM	191.10	701797	4549734499774			YR	A	TWN	8544.4290.90
19936-429D	HOUSING CABLEHOUSIN=2.11P-11P.26AWGL=180MM	52.50	687583	4549734499804			YR	A	TWN	8544.4290.90
19936-429D	HOUSING CABLEHOUSIN=2.11P-11P.26AWGL=180MM	52.50	701794	4549734499804			YR	A	TWN	8544.4290.90
19936-430D	HOUSING CABLEHOUSIN=2.9P24AWG*9CL=300MM	52.50	687582	4549734499811			YR	A	TWN	8544.4290.90
19936-430D	HOUSING CABLEHOUSIN=2.9P24AWG*9CL=300MM	52.50	701793	4549734499811			YR	A	TWN	8544.4290.90
19936-431D	HOUSING CABLEHOUSIN=1.CR-H423M-2X03.6P.18AWG*4CL=280MM,RED/BLACK	53.55	687581	4549734499828			YR	A	TWN	8544.4290.90
19936-431D	HOUSING CABLEHOUSIN=1.CR-H423M-2X03.6P.18AWG*4CL=280MM,RED/BLACK	53.55	701792	4549734499828			YR	A	TWN	8544.4290.90
19936-432D	HOUSING CABLEHOUSIN=1.DF22-2S-7.92C.2P,RED- BLACK,12AWG*2CL=350MM	54.60	687580	4549734499835			YR	A	TWN	8544.4290.90
19936-432D	HOUSING CABLEHOUSIN=1.DF22-2S-7.92C.2P,RED- BLACK,12AWG*2CL=350MM	54.60	701791	4549734499835			YR	A	TWN	8544.4290.90
19936-433D	HOUSING CABLEHOUSIN=2.DF22-3EP-7.92C.DF22-1S-7.92C.FD.V2-250,RED- BLACK,14AWG*2CL=350MM,270MM	53.55	687579	4549734499859			YR	A	TWN	8544.4290.90
19936-433D	HOUSING CABLEHOUSIN=2.DF22-3EP-7.92C.DF22-1S-7.92C.FD.V2-250,RED- BLACK,14AWG*2CL=350MM,270MM	53.55	701789	4549734499859			YR	A	TWN	8544.4290.90
19936-434D	HOUSING CABLEHOUSING=1.DF22-1S-7.92C.14AWG.250MM,RED	50.40	687578	4549734499866			YR	A	TWN	8544.4290.90
19936-434D	HOUSING CABLEHOUSING=1.DF22-1S-7.92C.14AWG.250MM,RED	50.40	701788	4549734499866			YR	A	TWN	8544.4290.90
19936-435D	HOUSING CABLEHOUSING=2.DF22L-1S-7.92C.10AWG.150MM,RED	51.45	687577	4549734499873			YR	A	TWN	8544.4290.90
19936-435D	HOUSING CABLEHOUSING=2.DF22L-1S-7.92C.10AWG.150MM,RED	51.45	701787	4549734499873			YR	A	TWN	8544.4290.90

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Daheet)	GTIN	Stock Qty.	Lot Qty.	Gr.	Fam	COO	Tariff Code
19936-436D	HOUSING CABLE/HOUSIN=2.H110-02.2510-02.2P.26AWG*2CL=390MM,YELLOW-BLACK	48.30	687576	4549734499880			YR	A	TWN	8544.4290.90
19936-436D	HOUSING CABLE/HOUSIN=2.H110-02.2510-02.2P.26AWG*2CL=390MM,YELLOW-BLACK	48.30	701786	4549734499880			YR	A	TWN	8544.4290.90
19936-437D	WIRE CABLE:14AWG*2C-460MM-RED-BLACK:18AWG*1C-220MM-GREEN/YELLOW	55.65	687575	4549734499887			YR	A	TWN	8544.4290.90
19936-437D	WIRE CABLE:14AWG*2C-460MM-RED-BLACK:18AWG*1C-220MM-GREEN/YELLOW	55.65	701786	4549734499887			YR	A	TWN	8544.4290.90
19936-438D	WIRE CABLE:14AWG*2C-200MM-RED-BLACK	53.55	687574	4549734499903			YR	A	TWN	8544.4290.90
19936-438D	WIRE CABLE:14AWG*2C-200MM-RED-BLACK	53.55	701784	4549734499903			YR	A	TWN	8544.4290.90
19936-439D	WIRE CABLE:14AWG.80MM.GREEN/YELLOW	49.35	687573	4549734499910			YR	A	TWN	8544.4290.90
19936-439D	WIRE CABLE:14AWG.80MM.GREEN/YELLOW	49.35	701783	4549734499910			YR	A	TWN	8544.4290.90
19936-440D	HOUSING CABLE/HOUSIN=1.DF63-3S-3.96C.3P.BROWN-GREEN/YELLOW-BLUE.16AWG*3CL=420MM	55.65	687571	4549734499934			YR	A	TWN	8544.4290.90
19936-440D	HOUSING CABLE/HOUSIN=1.DF63-3S-3.96C.3P.BROWN-GREEN/YELLOW-BLUE.16AWG*3CL=420MM	55.65	701781	4549734499934			YR	A	TWN	8544.4290.90
19936-441D	HOUSING CABLE/HOUSIN=1.CR-H423M-2X03.6P.18AWG*6CL=280MM,RED/BLACK	53.55	687569	4549734499958			YR	A	TWN	8544.4290.90
19936-441D	HOUSING CABLE/HOUSIN=1.CR-H423M-2X03.6P.18AWG*6CL=280MM,RED/BLACK	53.55	701779	4549734499958			YR	A	TWN	8544.4290.90
19936-442D	WIRE CABLE:14AWG.200MM.GREEN/YELLOW	49.35	687567	4549734499989			YR	A	TWN	8544.4290.90
19936-442D	WIRE CABLE:14AWG.200MM.GREEN/YELLOW	49.35	701776	4549734499989			YR	A	TWN	8544.4290.90
19936-443F	FINAL ACCESSORY, AIR FILTER (ROHS)	45.15	687563	4549734500029	#		YR	A	TWN	4812.0000.00
19936-443F	FINAL ACCESSORY, AIR FILTER (ROHS)	45.15	701772	4549734500029			YR	A	TWN	4812.0000.00
19936-444F	FINAL ACCESSORY, END MODULE IO CABLE M8 5PIN (ROHS)	82.95	686988	4549734500036			YR	A	TWN	8544.4210.00
19936-444F	FINAL ACCESSORY, END MODULE IO CABLE M8 5PIN (ROHS)	82.95	701771	4549734500036			YR	A	TWN	8544.4210.00
19936-445F	FINAL ACCESSORY, END MODULE IO CABLE M8 5PIN (ROHS)	82.95	701770	4549734500043			YR	A	TWN	8544.4210.00
19936-446F	TM Calibration Plate (ROHS)	163.80	697562	4549734500050			YR	A	TWN	8479.9070.99
19936-446F	TM Calibration Plate (ROHS)	163.80	701769	4549734500050			YR	A	TWN	8479.9070.99
19936-447D	FINAL ACCESSORY, TECHMAN SSD 128GB (ROHS)	277.20	687313	4549734499057			YR	A	CHN	8523.8090.00
19936-447D	FINAL ACCESSORY, TECHMAN SSD 128GB (ROHS)	277.20	701869	4549734499057			YR	A	CHN	8523.8090.00
19936-449F	Control Box, HW3.0, Mobile	10,680.00	701722	4549734616690			YR	A	TWN	8471.4100.00
19936-450F	CONTROL BOX, HW3.1, MOBILE	10,750.00	701724	4549734616713			YR	A	TWN	8471.4100.00
19936-451F	Pow er Cord, ControlBox, 250V/16A, US	63.00	701745	4549734616928			YR	A	TWN	8544.4290.90
19936-452F	Pow er Cord, ControlBox, 250V/13A, UK	63.00	695443	4549734616935			YR	A	TWN	8544.4290.90
19936-452F	Pow er Cord, ControlBox, 250V/13A, UK	63.00	701746	4549734616935			YR	A	TWN	8544.4290.90
19936-453F	Pow er Cord, Control Box, 250V/16A, CN	62.00	701747	4549734616942			YR	A	TWN	8544.4290.90
19936-454F	Pow er Cord, ControlBox, 250V/16A, EU	62.00	695444	4549734616959			YR	A	TWN	8544.4290.90
19936-454F	Pow er Cord, ControlBox, 250V/16A, EU	62.00	701748	4549734616959			YR	A	TWN	8544.4290.90
19936-455F	Cover, Joint 400, TM5	89.00	695445	4549734616560			YR	A	TWN	8479.9070.99
19936-455F	Cover, Joint 400, TM5	89.00	701709	4549734616560			YR	A	TWN	8479.9070.99
19936-456F	Cover, Joint 100, TM5/12/14	84.00	695446	4549734616584			YR	A	TWN	8479.9070.99
19936-456F	Cover, Joint 100, TM5/12/14	84.00	701711	4549734616584			YR	A	TWN	8479.9070.99
19936-457F	Cover, Joint 100, SLVR, TM5/12/14	84.00	695447	4549734616591			YR	A	TWN	8479.9070.99
19936-457F	Cover, Joint 100, SLVR, TM5/12/14	84.00	701712	4549734616591			YR	A	TWN	8479.9070.99
19936-458F	Cover, Joint 400, SLVR, TM5/12/14	89.00	695448	4549734616607			YR	A	TWN	8479.9070.99
19936-458F	Cover, Joint 400, SLVR, TM5/12/14	89.00	701713	4549734616607			YR	A	TWN	8479.9070.99
19936-459F	Ring, Rubber, Anti-Dust 400	49.00	695449	4549734616782			YR	A	TWN	4016.9300.90
19936-459F	Ring, Rubber, Anti-Dust 400	49.00	701731	4549734616782			YR	A	TWN	4016.9300.90
19936-460F	RUBBER ANTI-DUST RING 100	49.00	695450	4549734616775			YR	A	TWN	4016.9300.90
19936-460F	RUBBER ANTI-DUST RING 100	49.00	701730	4549734616775			YR	A	TWN	4016.9300.90
19936-461F	O-RING,O/RB8.62X1.7	45.00	695451	4549734616744			YR	A	TWN	4016.9300.90
19936-461F	O-RING,O/RB8.62X1.7	45.00	701727	4549734616744			YR	A	TWN	4016.9300.90
19936-462F	O-RING/O/R 119.5X2	50.00	695452	4549734616836			YR	A	TWN	4016.9300.90
19936-462F	O-RING/O/R 119.5X2	50.00	701736	4549734616836			YR	A	TWN	4016.9300.90
19936-463F	O-RING,O/R62X1	47.00	695453	4549734616843			YR	A	TWN	4016.9300.90
19936-463F	O-RING,O/R62X1	47.00	701737	4549734616843			YR	A	TWN	4016.9300.90
19936-464F	CBL,USB MINI TO TYP A,100MM	58.80	701763	4549734592086			YR	A	TWN	8544.4290.90
19936-465F	CBL,USB TYP A TO TYP A,260MM	58.80	701762	4549734592093			YR	A	TWN	8544.4290.90
19936-466F	PCB,USB EXTENDER,HOST BOARD	224.70	701761	4549734592109			YR	A	TWN	8517.6990.00
19936-468F	CASE, EXTERNAL SSD, HW3.1	74.55	701760	4549734592116			YR	A	TWN	8471.7098.00
19936-469F	COVER,CONTROL BOX, FRONT	145.00	695454	4549734616225			YR	A	TWN	8479.9070.99
19936-469F	COVER,CONTROL BOX, FRONT	145.00	701675	4549734616225			YR	A	TWN	8479.9070.99
19936-470F	Cover, Control Box, Back	145.00	695455	4549734616218			YR	A	TWN	8479.9070.99
19936-470F	Cover, Control Box, Back	145.00	701674	4549734616218			YR	A	TWN	8479.9070.99
19936-471F	Light Module, HW3.2	245.00	695321	4549734616201			YR	A	TWN	8479.9070.99
19936-471F	Light Module, HW3.2	245.00	701673	4549734616201			YR	A	TWN	8479.9070.99
19936-472F	Control Box, HW3.2, Mobile	13,630.00	701717	4549734616645			YR	A	TWN	8471.4100.00
19936-473F	Cable, Housing, Complex Extender, USB TO GPin, 300mm, HW3.2	305.00	695457	4549734616614			YR	A	TWN	8544.4290.90
19936-473F	Cable, Housing, Complex Extender, USB TO GPin, 300mm, HW3.2	305.00	701714	4549734616614			YR	A	TWN	8544.4290.90
19936-474F	Cable, LAN, J3 to J4, J2 to J3, 740mm, HW3.2	69.00	695458	4549734616348	#		YR	A	TWN	8544.4290.90
19936-474F	Cable, LAN, J3 to J4, J2 to J3, 740mm, HW3.2	69.00	701687	4549734616348			YR	A	TWN	8544.4290.90
19936-475F	PCBA, EX IO Board, In, HW3.2	138.00	695459	4549734616508			YR	A	TWN	8534.0011.00
19936-475F	PCBA, EX IO Board, In, HW3.2	138.00	701703	4549734616508			YR	A	TWN	8534.0011.00
19936-476F	PCBA, EX IO Board, Out, HW3.2	334.00	695460	4549734616515			YR	A	TWN	8534.0011.00
19936-476F	PCBA, EX IO Board, Out, HW3.2	334.00	701704	4549734616515			YR	A	TWN	8534.0011.00
19936-477F	Pow er Eater, w/Fan, HW3.2	369.00	695461	4549734616553			YR	A	TWN	8479.9070.99
19936-477F	Pow er Eater, w/Fan, HW3.2	369.00	701708	4549734616553			YR	A	TWN	8479.9070.99
19936-478F	Stick Module, HW3.2	452.00	695462	4549734616546	#		YR	A	TWN	8537.1091.99
19936-478F	Stick Module, HW3.2	452.00	701707	4549734616546			YR	A	TWN	8537.1091.99
19936-479F	Terminal Block, 2*2P, HW3.2	47.00	695463	4549734616263	#		YR	A	CHN	8536.9010.00
19936-479F	Terminal Block, 2*2P, HW3.2	47.00	701679	4549734616263			YR	A	CHN	8536.9010.00
19936-480F	Terminal Block, 2*3P, HW3.2	48.00	695464	4549734616270	#		YR	A	CHN	8536.9010.00
19936-480F	Terminal Block, 2*3P, HW3.2	48.00	701680	4549734616270			YR	A	CHN	8536.9010.00
19936-481F	Terminal Block, 2*6P, HW3.2	50.00	695465	4549734616287	#		YR	A	CHN	8536.9010.00
19936-481F	Terminal Block, 2*6P, HW3.2	50.00	701681	4549734616287			YR	A	CHN	8536.9010.00

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Daheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
1936-481F	Terminal Block, 2" 6P, HW3.2	50.00	701681	4549734616287			YR	A	CHN	8536.9010.00
1936-482F	Terminal Block, 2" 9P, HW3.2	52.00	695466	4549734616294	#		YR	A	CHN	8536.9010.00
1936-483F	Terminal Block, 2" 10P, HW3.2	52.00	701682	4549734616294			YR	A	CHN	8536.9010.00
1936-483F	Terminal Block, 2" 10P, HW3.2	52.00	695467	4549734616300	#		YR	A	CHN	8536.9010.00
1936-483F	Terminal Block, 2" 10P, HW3.2	52.00	701683	4549734616300			YR	A	CHN	8536.9010.00
1936-484F	Cable, Housing, IPC, VGA, 170mm, HW3.2	52.00	695468	4549734616317			YR	A	TWN	8544.4290.90
1936-484F	Cable, Housing, IPC, VGA, 170mm, HW3.2	52.00	701684	4549734616317			YR	A	TWN	8544.4290.90
1936-485F	Cable, LAN, Power Board to Box, 300mm, HW3.2	54.00	695469	4549734616379	#		YR	A	TWN	8544.4290.90
1936-485F	Cable, LAN, Power Board to Box, 300mm, HW3.2	54.00	701690	4549734616379			YR	A	TWN	8544.4290.90
1936-486F	Cable, Housing, EX IO to Power Board, 260mm, HW3.2	50.00	695470	4549734616386			YR	A	TWN	8544.4290.90
1936-486F	Cable, Housing, EX IO to Power Board, 260mm, HW3.2	50.00	701691	4549734616386			YR	A	TWN	8544.4290.90
1936-487F	Cable, Housing, Power Board, Relay Board, 400mm, HW3.2, Mobile	47.00	695471	4549734616393			YR	A	TWN	8544.4290.90
1936-487F	Cable, Housing, Power Board, Relay Board, 400mm, HW3.2, Mobile	47.00	701692	4549734616393			YR	A	TWN	8544.4290.90
1936-488F	Cable, Housing, Complex, 600mm, HW3.2	240.00	695472	4549734616409			YR	A	TWN	8544.4290.90
1936-488F	Cable, Housing, Complex, 600mm, HW3.2	240.00	701693	4549734616409			YR	A	TWN	8544.4290.90
1936-489F	Cable, Ribbon, IO, HW3.2	50.00	695473	4549734616430			YR	A	TWN	8544.4290.90
1936-489F	Cable, Ribbon, IO, HW3.2	50.00	701696	4549734616430			YR	A	TWN	8544.4290.90
1936-490F	Screw, #6-32 L5, UNC FLT PAN HD, MAT: AISI1018	47.00	701676	4549734616232			YR	A	TWN	7318.1582.98
1936-491F	Screw, #6-32 L5, UNC FLT HD, MAT: AISI1018	47.00	701677	4549734616249			YR	A	TWN	7318.1582.98
1936-492F	Screw, M4L8 TORX SCKT HD CAP, MAT: SCM435	52.00	701678	4549734616256			YR	A	TWN	7318.1582.98
1936-493F	Screw, M3L14, HEX HD CP, MAT: SCM435	83.00	701744	4549734616811			YR	A	TWN	7318.1582.98
1936-494F	Terminal Block, 2P, HW3.0/3.1	47.00	695478	4549734616966			YR	A	CHN	8536.9010.00
1936-494F	Terminal Block, 2P, HW3.0/3.1	47.00	701749	4549734616966			YR	A	CHN	8536.9010.00
1936-495F	Terminal Block, 4P, HW3.0/3.1	47.00	695479	4549734616973			YR	A	CHN	8536.9010.00
1936-495F	Terminal Block, 4P, HW3.0/3.1	47.00	701750	4549734616973			YR	A	CHN	8536.9010.00
1936-496F	Terminal Block, 6P, HW3.0/3.1	48.00	695480	4549734616980			YR	A	CHN	8536.9010.00
1936-496F	Terminal Block, 6P, HW3.0/3.1	48.00	701751	4549734616980			YR	A	CHN	8536.9010.00
1936-497F	Terminal Block, 7P, HW3.0/3.1	48.00	695481	4549734616997			YR	A	CHN	8536.9010.00
1936-497F	Terminal Block, 7P, HW3.0/3.1	48.00	701752	4549734616997			YR	A	CHN	8536.9010.00
1936-498F	Terminal Block, 17P, HW3.0/3.1	51.00	695482	4549734617000			YR	A	CHN	8536.9010.00
1936-498F	Terminal Block, 17P, HW3.0/3.1	51.00	701753	4549734617000			YR	A	CHN	8536.9010.00
1936-500D	HOUSING CABLEHOUSING=2M12A-08PFFS-SH8001.8PH20J2-06.6P26AWG*6CL=300MM	96.60	687614	4549734499781			YR	A	TWN	8544.4290.90
1936-500D	HOUSING CABLEHOUSING=2M12A-08PFFS-SH8001.8PH20J2-06.6P26AWG*6CL=300MM	96.60	701796	4549734499781			YR	A	TWN	8544.4290.90
1936-501D	HOUSING CABLEHOUSING=1.4P24AWG*4CL=450MM	60.90	687615	4549734499798			YR	A	TWN	8544.4290.90
1936-501D	HOUSING CABLEHOUSING=1.4P24AWG*4CL=450MM	60.90	701795	4549734499798			YR	A	TWN	8544.4290.90
1936-502D	HOUSING CABLEHOUSING=1.DF22L-1S-7.92C.10AWG270MM.FED	65.10	687616	4549734499842			YR	A	TWN	8544.4290.90
1936-502D	HOUSING CABLEHOUSING=1.DF22L-1S-7.92C.10AWG270MM.FED	65.10	701790	4549734499842			YR	A	TWN	8544.4290.90
1936-503D	WIRE CABLE 12AWG150MM.FED	68.25	687617	4549734499872			YR	A	TWN	8544.4290.90
1936-503D	WIRE CABLE 12AWG150MM.FED	68.25	701777	4549734499872			YR	A	TWN	8544.4290.90
1936-504F	MODULE ASSY, EMO SWITCH MODULE, TMAA (RDHS)	295.10	687618	4549734500067			YR	A	TWN	8536.5019.90
1936-504F	MODULE ASSY, EMO SWITCH MODULE, TMAA (RDHS)	295.10	701768	4549734500067			YR	A	TWN	8536.5019.90
1936-505F	Control Box, HW3.2, SEMI	14,800.00	701718	4549734616852			YR	A	TWN	8471.4100.00
1936-701F	I/O MODULE, HW3.2, TM5X	1,136.00	695484	4549734616171			YR	A	TWN	8471.6070.00
1936-701F	I/O MODULE, HW3.2, TM5X	1,136.00	701670	4549734616171			YR	A	TWN	8471.6070.00
1936-702F	I/O Module, HW3.2, TM12X/14X	1,136.00	695261	4549734616188			YR	A	TWN	8479.9070.99
1936-702F	I/O Module, HW3.2, TM12X/14X	1,136.00	701671	4549734616188			YR	A	TWN	8479.9070.99
1936-710F	I/O MODULE TM5X	1,178.00	701767	4549734592048			YR	A	TWN	8479.9070.99
1936-720F	I/O MODULE TM12X/14X	1,178.00	701766	4549734592055			YR	A	TWN	8479.9070.99
1936-730F	Vision Calibration Kit, TMX	1,110.00	690718	4549734592123			YR	A	TWN	8479.9070.99
1936-730F	Vision Calibration Kit, TMX	1,110.00	701759	4549734592123			YR	A	TWN	8479.9070.99
1936-800F	Handle, Mobile Work Station	74.00	695485	4549734616720			YR	A	TWN	8479.9070.99
1936-800F	Handle, Mobile Work Station	74.00	701725	4549734616720			YR	A	TWN	8479.9070.99
1936-801F	HW3.0 TO HW3.2 KIT, TM5	9,745.00	701649	4549734597647			YR	A	TWN	8479.9070.99
1936-802F	HW3.0 TO HW3.2 KIT, TM5M	9,975.00	701650	4549734597654			YR	A	TWN	8479.9070.99
1936-803F	HW3.0 TO HW3.2 KIT, TM5M SEMI	10,600.00	701651	4549734597661			YR	A	TWN	8479.9070.99
1936-804F	HW3.0 TO HW3.2 KIT, TM12/14	10,320.00	701652	4549734597678			YR	A	TWN	8479.9070.99
1936-805F	HW3.0 TO HW3.2 KIT, TM12/14M	9,980.00	701653	4549734597685			YR	A	TWN	8479.9070.99
1936-806F	HW3.0 TO HW3.2 KIT, TM12/14M SEMI	10,600.00	701654	4549734597692			YR	A	TWN	8479.9070.99
1936-807F	HW3.1 TO HW3.2 KIT, TM5	8,135.00	701655	4549734597708			YR	A	TWN	8479.9070.99
1936-808F	HW3.1 TO HW3.2 KIT, TM5M	8,365.00	701656	4549734597715			YR	A	TWN	8479.9070.99
1936-809F	HW3.1 TO HW3.2 KIT, TM5M SEMI	8,985.00	701657	4549734597722			YR	A	TWN	8479.9070.99
1936-810F	HW3.1 TO HW3.2 KIT, TM12/14	8,700.00	701658	4549734597739			YR	A	TWN	8479.9070.99
1936-811F	HW3.1 TO HW3.2 KIT, TM12/14M	8,365.00	701659	4549734597746			YR	A	TWN	8479.9070.99
1936-812F	HW3.1 TO HW3.2 KIT, TM12/14M SEMI	8,985.00	701660	4549734597753			YR	A	TWN	8479.9070.99
1936-813F	Leveling Mount, Mobile Work Station	70.00	695486	4549734616737			YR	A	TWN	8479.9070.99
1936-813F	Leveling Mount, Mobile Work Station	70.00	701726	4549734616737			YR	A	TWN	8479.9070.99
1936-814F	CARTON, TM12	97.00	701754	4549734617017			YR	A	TWN	4819.1000.00
1936-815F	CARTON, TM14	95.00	701755	4549734617024			YR	A	TWN	4819.1000.00
1936-816F	CARTON, TMSA-900	88.00	701756	4549734617031			YR	A	TWN	4819.1000.00
1936-817F	CARTON, TMSA-700	88.00	701757	4549734617048			YR	A	TWN	4819.1000.00
1936-818F	CARTON, CE CONTROLLER BOX	86.00	701758	4549734617055			YR	A	TWN	4819.1000.00
1936-819F	LICENSE, WIN10 FOR CPU17	475.00	695777	4549734998307			YR	A	USA	8523.8090.00
1936-820F	PROFINET IO Device Kit	1,555.00	696315	4549734673037			YR	A	DEU	8536.9095.00
1936-820F	PROFINET IO Device Kit	1,555.00	701453	4549734673037			YR	A	DEU	8536.9095.00
AGC-TIP-204-085	Flat Silicone Finerapio for 2F-85	164.00	699467	4549734892421			YR	A	USA	8479.9070.99
HND-TIP-HLD-KIT	Finerapio Holder Kit	75.00	694049	4549734994064			YR	A	CAN	8479.9070.99

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Daheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
TEMP ROB 701	ORSE Temporary Robot 701 -- TM5-700	18,900.00	689528	4549734978026			YR	A	TWN	8479.5000.00
TEMP ROB 721	ORSE Temporary Robot 721 -- TM5-900	18,900.00	689529	4549734978033			YR	A	TWN	8479.5000.00
TEMP ROB 722	ORSE Temporary Robot 722 -- TM5-900	18,000.00	695685	4549734997836			YR	A	TWN	8479.5000.00
TEMP ROB 723	ORSE Temporary Robot 723 -- TM5-900	18,000.00	699037	4549734891486			YR	A	TWN	8479.5000.00
TEMP ROB 741	ORSE Temporary Robot 741 -- TM12	25,990.00	689530	4549734978040			YR	A	TWN	8479.5000.00
TEMP ROB 742	ORSE Temporary Robot 742 -- TM12	24,750.00	695686	4549734997843			YR	A	TWN	8479.5000.00
TEMP ROB 743	ORSE Temporary Robot 743 -- TM12	24,750.00	700919	4549734896221			YR	A	TWN	8479.5000.00
TEMP ROB 744	ORSE Temporary Robot 743 -- TM12X	24,240.00	702466	4549734793087			YR	A	TWN	8479.5000.00
TEMP ROB 761	ORSE Temporary Robot 761 -- TM14	27,570.00	689531	4549734978057			YR	A	TWN	8479.5000.00
ROBOT RE-PAINT	After Sales Robotic Services - Robot re-paint	600.00	683372				YR	A	NLD	
Rental AIB Quattro	After Sales Robotic Services - AIB Quattro Rental (1 week fee, Delivery cost not included)	507.50	681924				YR	A	NLD	
Rental AIB Quattro USDA	After Sales Robotic Services - AIB Quattro USDA Rental (1 week fee, Delivery cost not included)	609.00	681918				YR	A	NLD	
Rental AIB sCobra	After Sales Robotic Services - AIB sCobra Rental (1 week fee, Delivery cost not included)	507.50	681919				YR	A	NLD	
Rental Controller CX	After Sales Robotic Services - Controller CX Rental (1 week fee, Delivery cost not included)	579.00	681917				YR	A	NLD	
Rental Controller EX	After Sales Robotic Services - Controller EX Rental (1 week fee, Delivery cost not included)	579.00	681922				YR	A	NLD	
Rental eAIB Quattro	After Sales Robotic Services - eAIB Quattro Rental (1 week fee, Delivery cost not included)	518.00	681908				YR	A	NLD	
Rental eAIB sCobra	After Sales Robotic Services - eAIB sCobra Rental (1 week fee, Delivery cost not included)	518.00	681921				YR	A	NLD	
Rental eMB40R	After Sales Robotic Services - eMB40R Rental (1 week fee, Delivery cost not included)	690.00	691912				YR	A	NLD	
Rental eMB60R	After Sales Robotic Services - eMB60R Rental (1 week fee, Delivery cost not included)	776.50	681910				YR	A	NLD	
Rental Hornet Platform	After Sales Robotic Services - Hornet Platform Rental (1 week fee, Delivery cost not included)	543.50	681920				YR	A	NLD	
Rental MB40R	After Sales Robotic Services - MB40R Rental (1 week fee, Delivery cost not included)	639.50	681923				YR	A	NLD	
Rental MB60R	After Sales Robotic Services - MB60R Rental (1 week fee, Delivery cost not included)	766.50	681916				YR	A	NLD	
Rental Quattro Plat. P31 USDA	After Sales Robotic Services - Quattro Platform P31 USDA Rental (1 week fee, Delivery cost not included)	609.00	681911				YR	A	NLD	
Rental Quattro Plat. P32 USDA	After Sales Robotic Services - Quattro Platform P32 USDA Rental (1 week fee, Delivery cost not included)	609.00	681925				YR	A	NLD	
Rental Quattro Plat. P34 USDA	After Sales Robotic Services - Quattro Platform P34 USDA Rental (1 week fee, Delivery cost not included)	609.00	681909				YR	A	NLD	
Rental Quattro Platform P31	After Sales Robotic Services - Quattro Platform P31 Rental (1 week fee, Delivery cost not included)	543.50	681907				YR	A	NLD	
Rental Quattro Platform P32	After Sales Robotic Services - Quattro Platform P32 Rental (1 week fee, Delivery cost not included)	543.50	681915				YR	A	NLD	
Rental Quattro Platform P34	After Sales Robotic Services - Quattro Platform P34 Rental (1 week fee, Delivery cost not included)	543.50	681913				YR	A	NLD	
ROBOT RENTAL ROBOT COBOT	After Sales Robotic Services - Cobot Robot Rental (1 week fee, Delivery cost not included)	1,000.00	693088	4549734988742			YR	A	NLD	
<b>Other Robote spare parts</b>										
92990-08200	WASHER PLAIN	0.65	699102	4549734891752			YR	B	JPN	7318.2200.95
CR_ART.1006	Delta robot spare part - secondary arm for 1100mm robot	1,923.00	672041	4548583979062			YR	B	NLD	8479.9070.99
CR_ART.1012	Prim ary arm set D4 1300	2,202.00	37781	4547648963893			YR	B	NLD	8479.9070.99
CR_ART.1019	TCP D4	1,292.00	360390	4547648930758			YR	B	NLD	8479.9070.99
CR_ART.1020	Plain bearing rotation axis D4	40.76	360391	4547648930765		4	YR	B	NLD	8479.9070.99
CR_ART.1026	Secondary round arm D4 1100	1,071.00	360392	4547648930772			YR	B	NLD	8479.9070.99
CR_ART.1028-1	Spare Part 12 x spring D4 -2 series	223.50	680454	4549734939157			YR	B	NLD	7320.2085.90
CR_ART.1058	Calibration set D4-500-2	1,822.00	361752	4547648931762			YR	B	NLD	8479.9070.99
CR_ART.1084	Rotation axis D4 1100 titanium	5,530.00	674718	4548583994683			YR	B	NLD	8479.9070.99
CR_ART.1085	Lower side rotation axis D4 1100 titanium	1,821.00	674719	4548583994690			YR	B	NLD	8479.9070.99
CR_ART.1086	Upper side rotation axis D4 1100 titanium	1,716.00	674720	4548583994706			YR	B	NLD	8479.9070.99
CR_ART.1087	Spline part rotation axis D4 1100 Titanium	1,243.00	377821	4547648963978			YR	B	NLD	8479.9070.99
CR_ART.1103	TCP with gripper for D4	1,563.00	374128	4547648952392			YR	B	NLD	8479.9070.99
CR_ART.1152	Wittenstein TP 010X-MF2-31	3,736.00	377830	4547648964067			YR	B	NLD	8483.4051.90
CR_ART.1180	Spring package for CR UGD4 XL series	1,071.00	659363	4548583952270			YR	B	NLD	8479.9070.99
CR_ART.1240	Secondary arm set D4 1300-HP	2,151.00	417394	4547648998130			YR	B	NLD	8479.5000.00
CR_ART.1355	Calibration tool CR UGD4 XS HD	610.00	679626	4549734933629			YR	B	NLD	8479.9070.99
CR_ART.1407	Secondary arm D5-1100	647.00	682659	4549734949491			YR	B	NLD	8479.9070.99
CR_ART.1577	Complete head CR UGD5 XS/ CR UGD5 S/ CR UGD5/ CR UGD5 XL	10,110.00	679862	4549734934985			YR	B	NLD	8479.9070.99
CR_AS-00312-1	Secondary arm spring D4-S020	58.80	683838	4549734953627		6	YR	B	NLD	8479.9070.99
CR_AS-0312	1 x Secondary arm spring	58.80	684936	4549734961189			YR	B	NLD	8479.9070.99
CR_AS-2026	1 x D4-1600 flat TCP	1,235.00	684186	4549734956093			YR	B	NLD	8479.9070.99
CR_AS-2033	1 x Primary arm D4-1600	2,776.00	684181	4549734956048			YR	B	NLD	8479.9070.99
CR_AS-2034	1 x Secondary arm D4-1600	800.50	690754	4549734983686			YR	B	NLD	8479.9070.99
CR_AS-2036	Secondary arm spring D4-S040	45.00	701255	4549734789271			YR	B	NLD	7320.2085.90
CR_AS-2072	1 x Secondary arm spring	58.80	684412	4549734957168			YR	B	NLD	8479.9070.99
CR_AS-2094	1 x TCP D4-S040	1,235.00	690751	4549734983655			YR	B	NLD	8479.9070.99
CR_AS-2105	Secondary arm D4-1300	694.50	689906	4549734978972			YR	B	NLD	8479.9070.99
CR_AS-2122	Secondary arm D5-1100	647.00	684209	4549734956321			YR	B	NLD	8479.9070.99
CR_AS-2127	1 x Secondary arm D5-1300	694.50	684192	4549734956154			YR	B	NLD	8479.9070.99
CR_AS-2142	Secondary arm set D2-800 with spoke	1,835.00	683837	4549734953610			YR	B	NLD	8479.9070.99
CR_AS-2161	1 x Primary arm D4-1300-S040	2,611.00	690746	4549734983600			YR	B	NLD	8479.9070.99
CR_AS-2162	1 x Secondary arm D4-1300-S040	800.50	690747	4549734983617			YR	B	NLD	8479.9070.99
CR_AS-2168	Secondary arm D4-1100-HD021	787.50	687734	4549734969529			YR	B	NLD	8479.9070.99
CR_AS-2169	1 x TCP HD021	1,271.00	690752	4549734983662			YR	B	NLD	8479.9070.99
CR_AS-2181	1x Flat TCP HD021	1,210.00	698814	4549734890779			YR	B	NLD	8479.9070.99
CR_AS-2189	1 x Secondary arm D4-1300-HD021	795.00	695299	4549734996198			YR	B	NLD	8479.9070.99
CR_AS-2201	1 x Wishbone D2-1500	1,376.00	683943	4549734954464			YR	B	NLD	8479.9070.99
CR_AS-2210	1 x Wishbone D2-1000	1,376.00	683926	4549734954297			YR	B	NLD	8479.9070.99
CR_AS-2221	1 x Calibration tool	604.00	690689	4549734983181			YR	B	NLD	8479.9070.99
CR_AS-2266	x Cable clamp 50mm	158.60	683942	4549734954457			YR	B	NLD	8479.9070.99
CR_AS-2290	Cardan joint C/7	1,389.00	683832	4549734953566			YR	B	NLD	8479.9070.99



Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Daheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
CR_AS-2291	1 x Secondary arm spring	73.50	685043	4549734961752			YR	B	NLD	7320 2085.90
CR_AS-2411	1 x Cardan joint C24	1,529.00	690750	4549734963648			YR	B	NLD	8479.9070.99
CR_AS-2435	Calibration tool D4-500-S010	604.00	689657	4549734976994			YR	B	NLD	8479.9070.99
CR_AS-2436	Calibration tool D4-1300-S020	600.50	682566	4549734949869			YR	B	NLD	9031 8080.00
CR_AS-2447	Calibration tool D4-650-S020	604.00	689656	4549734973687			YR	B	NLD	8479.9070.99
CR_AS-2482	1 x Secondary arm D5-650	576.50	684202	4549734956253			YR	B	NLD	8479.9070.99
CR_AS-2530	1 x Clamp R201/R300	294.00	684184	4549734956079			YR	B	NLD	8479.9070.99
CR_AS-2611	Secondary arm D2-800	1,518.00	683827	4549734953511			YR	B	NLD	8479.9070.99
CR_AS-2612	TCP D2-500 & D2-800	764.50	683831	4549734953559			YR	B	NLD	8479.9070.99
CR_AS-2642	1 x Secondary arm spreader	529.50	684182	4549734956055			YR	B	NLD	8479.9070.99
CR_AS-2833	Secondary arm spring D4-1300-HD041	795.00	700949	4549734896344			YR	B	NLD	8479.9070.99
CR_AS-2843	TCP D4-S010 incl. 2-way rotary union	3,259.00	684565	4549734958349			YR	B	NLD	8479.9070.99
CR_AS-2869	1x Ball joint	111.30	684183	4549734956062			YR	B	NLD	8479.9070.99
CR_AS-2878	1 x Calibration tool D4-HD041	604.00	687545	4549734968744			YR	B	NLD	8479.9070.99
CR_AS-2905	1 x Primary arm D4-HD	1,815.00	696324	4549734889445			YR	B	NLD	8479.9070.99
CR_AS-2907	1 x Ball joint HD	111.30	685046	4549734961783			YR	B	NLD	8479.9070.99
CR_AS-2910	Primary arm D4-1300	1,905.00	689905	4549734978965			YR	B	NLD	8479.9070.99
CR_AS-2911	1 x Primary arm D4-650	1,905.00	684201	4549734956246			YR	B	NLD	8479.9070.99
CR_AS-2912	Primary arm D4-S020	1,905.00	684207	4549734956307			YR	B	NLD	8479.9070.99
CR_AS-2920	1x Ball joint	111.30	683555	4549734952248			YR	B	NLD	8479.9070.99
CR_AS-2934	Gripper flange rotation	188.00	683557	4549734952262			YR	B	NLD	8479.9070.99
CR_AS-2936	Cardan joint CJPHD	1,389.00	689134	4549734975827			YR	B	NLD	8479.9070.99
CR_AS-2938	Mounting clamp with cardan joint R10X	1,506.00	686216	4549734966870			YR	B	NLD	8479.9070.99
CR_AS-2944	1 x Upper side R10X D4-650	929.50	684204	4549734956277			YR	B	NLD	8479.9070.99
CR_AS-2953	Upper side R10X D4-1100	1,000.00	684208	4549734956314			YR	B	NLD	8479.9070.99
CR_AS-2954	1 x Lower tube R10X with cardan joint and TCP	1,821.00	685982	4549734956682			YR	B	NLD	8479.9070.99
CR_AS-2955	Rotation axis D4-1300-R100	5,275.00	689907	4549734978989			YR	B	NLD	8479.9070.99
CR_AS-2956	1 x Upper side R10X D4-1300	1,047.00	684189	4549734956123			YR	B	NLD	8479.9070.99
CR_AS-2957	R100 D4-1300-S020 lower tube with cardan joint CJ7 and TCP axis	1,647.00	689908	4549734978996			YR	B	NLD	8479.9070.99
CR_AS-2959	1 x R20X Spline part D4-1300-S040	2,070.00	690748	4549734963624			YR	B	NLD	8479.9070.99
CR_AS-2960	1 x R20X Spline part D4-1600	2,165.00	684185	4549734956086			YR	B	NLD	8479.9070.99
CR_AS-2968	R10X lower tube with cardan joint CJ7 and TCP	1,529.00	683835	4549734953597			YR	B	NLD	8479.9070.99
CR_AS-2969	Rotation axis D4-500-S010-R100	4,657.00	683558	4549734952279			YR	B	NLD	8479.9070.99
CR_AS-2970	Upper side R10X D4-500	929.50	683559	4549734952286			YR	B	NLD	8479.9070.99
CR_AS-2971	R10X lower tube with cardan joint CJ7 and TCP axis D4-500	1,529.00	683560	4549734952293			YR	B	NLD	8479.9070.99
CR_AS-2976	1 x Gripper flange HD	179.00	698815	4549734890786			YR	B	NLD	8479.9070.99
CR_AS-2987	Upper side rotation axis R100 D2-800	1,000.00	683834	4549734953580			YR	B	NLD	8479.9070.99
CR_AS-2990	1 x Rotation axis D5-650-S020-R100	4,022.00	684205	4549734952266			YR	B	NLD	8479.9070.99
CR_AS-2992	Rotation axis D5-1100-S020-R100	4,116.00	684180	4549734956031			YR	B	NLD	8479.9070.99
CR_AS-2993	1 x Rotation axis D5-1300-S020-R100	4,164.00	684193	4549734956161			YR	B	NLD	8479.9070.99
CR_AS-2994	1 x R10X lower tube and cardan joint D5-650	1,447.00	684205	4549734956284			YR	B	NLD	8479.9070.99
CR_AS-2996	R100 lower tube with cardan joint G7 D5-1100	1,541.00	684210	4549734956338			YR	B	NLD	8479.9070.99
CR_AS-2997	1 x R10X lower tube and cardan joint D5-1300	1,588.00	684194	4549734956178			YR	B	NLD	8479.9070.99
CR_AS-2998	1 x Primary arm left	2,223.00	683917	4549734954204			YR	B	NLD	8479.9020.90
CR_AS-2999	1 x Primary arm right	2,223.00	683918	4549734954211			YR	B	NLD	8479.9070.99
CR_AS-3000	Cable clamp 60 mm	45.15	688916	4549734975308			YR	B	NLD	8479.9070.99
CR_AS-3002	1 x Rod end bearing M12 L	179.60	683927	4549734954303			YR	B	NLD	8479.9070.99
CR_AS-3003	1 x Rod end bearing M12 R	179.60	683928	4549734954310			YR	B	NLD	8479.9070.99
CR_AS-3005	1 x Secondary arm D2-1000 carbon	1,635.00	683922	4549734954259			YR	B	NLD	8479.9070.99
CR_AS-3006	1 x Secondary arm D2-1000 stainless	1,635.00	683935	4549734954389			YR	B	NLD	8479.9070.99
CR_AS-3007	1 x TCP shaft D2-1000	482.00	683930	4549734954334			YR	B	NLD	8479.9070.99
CR_AS-3010	Spline part D4-1100-RH090	1,200.00	687108	4549734967938			YR	B	NLD	8479.9070.99
CR_AS-3014	Rotation axis D4-1100-RH090	4,140.00	689133	4549734975810			YR	B	NLD	8479.9070.99
CR_AS-3016	1 x Primary arm left mirror	2,223.00	683933	4549734954365			YR	B	NLD	8479.9070.99
CR_AS-3017	1 x Primary arm right mirror	2,223.00	683934	4549734954372			YR	B	NLD	8479.9070.99
CR_AS-3021	1 x Primary arm left	2,223.00	683938	4549734954419			YR	B	NLD	8479.9070.99
CR_AS-3022	1 x Primary arm right	2,223.00	683939	4549734954426			YR	B	NLD	8479.9070.99
CR_AS-3023	1 x Secondary arm D2-1500	2,035.00	683940	4549734954433			YR	B	NLD	8479.9070.99
CR_AS-3027	1 x TCP shaft D2-1500	482.00	683915	4549734954181			YR	B	NLD	8479.9070.99
CR_AS-3058	1 x Gripper flange rotation	282.50	690749	4549734963631			YR	B	NLD	8479.9070.99
CR_AS-3062	1 x Calibration tool D4-650-HD021	604.00	690753	4549734963679			YR	B	NLD	8479.9070.99
CR_AS-3073	1 x Tilt part D5-S020	113.40	684196	4549734956192			YR	B	NLD	8479.9070.99
CR_AS-3074	1 x Tilt stool	113.40	684197	4549734956208			YR	B	NLD	8479.9070.99
CR_AS-3075	1 x Connection head D5-S020	153.30	684198	4549734956215			YR	B	NLD	8479.9070.99
CR_AS-3079	D5-S020 Head	6,440.00	694869	4549734994934			YR	B	NLD	8479.9070.99
CR_AS-3080	1 x D5-650-S020 assembly incl head	14,700.00	684206	4549734956291			YR	B	NLD	8479.9070.99
CR_AS-3082	D5-1100-S020 assembly incl head	14,890.00	684211	4549734956345			YR	B	NLD	8479.9070.99
CR_AS-3083	1 x D5-1300-S020 assembly incl head	14,990.00	684195	4549734956185			YR	B	NLD	8479.9070.99
CR_AS-3100	SP060 with spacer rotation axis S020	388.50	686083	4549734966382			YR	B	NLD	8479.9070.99
CR_AS-3130	Cable entry plug D4-HD	117.60	687105	4549734967907			YR	B	NLD	8479.9070.99
CR_AS-3150	Cardan joint C24 15 mm	1,529.00	683364	4549734977272			YR	B	NLD	8479.9070.99
CR_AS-3179	Spoke secondary arm D2-800	458.90	683828	4549734953528			YR	B	NLD	8479.9070.99
CR_AS-3219	1 x Secondary arm D2-1000 stainless incl bearing	1,988.00	683923	4549734954266			YR	B	NLD	8479.9070.99
CR_AS-3335	TCP plate D2-1000-S030	600.00	686279	4549734967150			YR	B	NLD	8479.9070.99
CR_AS-3467	Spline part + C24HD + Clamp 060 D4-1100-S020	5,085.00	695363	4549734996464			YR	B	NLD	8479.9070.99
CR_AS-3529	TCP plate D2-1500-S030	624.00	686280	4549734967167			YR	B	NLD	8479.9070.99
CR_AS-3777	Rotation axis R200 D4-1300-S040 including clamping bush and TCP	6,485.00	694932	4549734995252			YR	B	NLD	8479.9070.99

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	SLN. (Daheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
CR_CP-1000	1 x plain bearing	44.10	683554	4549734952231			YR	B	NLD	8483.2080.90
CR_CP-1013	1 x Plain bearing HD	36.75	685047	4549734961790			YR	B	NLD	8482.5000.90
CR_CP-1015	1 x Bearing 3	99.30	683925	4549734954280			YR	B	NLD	8482.5000.90
CR_CP-1017	1 x Bearing 4	317.10	683936	4549734954306			YR	B	NLD	8482.5000.90
CR_CP-1022	Bearing 6 for wishbone	42.00	683830	4549734953542			YR	B	NLD	8482.5000.90
CR_CP-1023	Bearing 6	70.35	683556	4549734952255			YR	B	NLD	8482.5000.90
CR_CP-1025	Bearing 2	90.30	683833	4549734953573			YR	B	NLD	8482.5000.90
CR_CP-1039	Bearing 1	125.00	683829	4549734953535			YR	B	NLD	8482.5000.90
CR_CP-1043	1 x Clamp coupling TW	1,905.00	683937	4549734954402			YR	B	NLD	8479.9070.99
CR_CP-1044	1 x Clamping hub 1	153.30	683919	4549734954228			YR	B	NLD	8479.9070.99
CR_CP-1047	1 x Clamping hub 2	174.30	683920	4549734954235			YR	B	NLD	8479.9070.99
CR_CP-1068	1 x Primary arm seal	280.00	698821	4549734890847			YR	B	NLD	4016.9300.90
CR_CP-1129	Hose clamp FVS	45.15	687106	4549734967914			YR	B	NLD	8479.9070.99
CR_CP-1130 5M	Hose 330 60x4 (per meter).	335.00	687107	4549734967921			YR	B	NLD	8479.9070.99
CR_CP-1130-03M	Hose 330 60x4 (per meter).	192.00	698818	4549734890816			YR	B	NLD	3926.9097.90
CR_CP-1130-10M	Hose 330 60x4 (per meter).	638.00	698817	4549734890809			YR	B	NLD	3926.9097.90
CR_GEAPP-01	140.35.S (SP140F-MF2-35-OED)	4,359.00	698709	4549734890670			YR	B	NLD	8479.9070.99
CR_GEAPP-09	004.25.S	3,561.00	686281	4549734967174			YR	B	NLD	8479.9070.99
CR_GEAPP-14	060.10.S	1,671.00	686217	4549734966887			YR	B	NLD	8479.9070.99
CR_GEAPP-159	025.38.5.W.	6,120.00	687104	4549734967891			YR	B	NLD	8483.0051.90
CR_GEAPP-16	010.31.S	3,234.00	686215	4549734966863			YR	B	NLD	8479.9020.90
CR_GEAPP-39	010.31.W	4,081.00	686300	4549734967242			YR	B	NLD	8479.9070.99
CR_GEAPP-41	060.10.S (E)	1,838.00	687603	4549734968843			YR	B	NLD	8479.9070.99
CR_GEAPP-44	060.10.S (C) . - Including adapter plate 20033979	1,838.00	686082	4549734966375			YR	B	NLD	8479.9070.99
CR_LS-1005	1 x Reaction rod short	388.50	683944	4549734954471			YR	B	NLD	8479.9070.99
CR_LS-1006	1 x Reaction rod long	434.70	683941	4549734954440			YR	B	NLD	8479.9070.99
CR_LS-1008	1 x Reaction rod short	216.30	683929	4549734954327			YR	B	NLD	8479.9070.99
CR_LS-1009	1 x Reaction rod long	246.80	683924	4549734954273			YR	B	NLD	8479.9070.99
CR_MOBIL-SHC	Grease Polyrex 222 380g	53.00	702512	4549734793414			YR	B	NLD	3403.1980.00
CR_PR-05246	1 x D5 Dome	153.30	684200	4549734956239			YR	B	NLD	8479.9070.99
CR_PT-02143-1	Fill ring rotation axis 15mm	231.00	687267	4549734968140			YR	B	NLD	8479.9070.99
CR_PT-02129	1 x Shaft axis for gripper flange	188.00	684190	4549734956130			YR	B	NLD	8479.9070.99
CR_PT-02130	1 x Gripper flange fixed	188.00	684191	4549734956147			YR	B	NLD	8479.9070.99
CR_PT-02435-2	Filling bush S010 & S020	55.65	687268	4549734968157			YR	B	NLD	8479.9070.99
CR_PT-03278	1 x Gripper mounting plate	529.50	683932	4549734954358			YR	B	NLD	8479.9070.99
CR_PT-03966	1 x Swivel block	859.00	683916	4549734954198			YR	B	NLD	8479.9070.99
CR_PT-05031	1 x Motor cover	352.80	684187	4549734956109			YR	B	NLD	8479.9070.99
CR_PT-05031-2	1 x Motor cover	352.80	684212	4549734956352			YR	B	NLD	8479.9070.99
CR_PT-05104	1 x Motor cover	352.80	684188	4549734956116			YR	B	NLD	8479.9070.99
CR_PT-05158	1 x Spring roll HD	36.75	685045	4549734961776			YR	B	NLD	8479.9070.99
CR_PT-05197	Ball joint cup D4-S040	44.00	700948	4549734963337			YR	B	NLD	8479.9070.99
CR_PT-05203	1 x Arm hole cover 1	77.70	683921	4549734954242			YR	B	NLD	8479.9070.99
CR_PT-05215	1 x Swivel block	859.00	683931	4549734954341			YR	B	NLD	8479.9070.99
CR_PT-05244	1 x D5 Head cover	153.30	684199	4549734956222			YR	B	NLD	8479.9070.99
CR_PT-05291	1 x Ball joint cup HD	47.25	685044	4549734961769			YR	B	NLD	8482.5000.90
CR_PT-05372-2	Seal cover D4-1100-HD	302.00	693837	4549734992626			YR	B	NLD	8479.9070.99
CR_PT-05393	1 x Seal ring HD	34.00	698820	4549734890830			YR	B	NLD	7318.1300.90
CR_PT-05418-2	Gripper flange	188.00	683836	4549734953603			YR	B	NLD	8479.9070.99
CR_PT-05532	Cover HD021/041 body	1,125.00	701994	4549734791274			YR	B	NLD	8479.9070.99
CR_PT-06324	TCP axis with flange	168.00	695362	4549734996457			YR	B	NLD	8479.9070.99
CR_PT-06774	1 x Primary arm cap HD	65.00	698819	4549734890823			YR	B	NLD	3926.9097.90
CR_SP-1071	1 x Seal rotation FH090	235.00	698816	4549734890793			YR	B	NLD	4016.9300.90
90112-10J030	BOLT HEX SH.M10x30	1.31	685552	4549734964043			YR	B	JPN	7318.1582.98
90172-00J040	WASHER EXT.L TOOTHED	0.37	685551	4549734964006			YR	B	JPN	7318.2200.95
91312-04006	BOLT HEX SOCKET HEAD	0.37	685549	4549734964012			YR	B	JPN	7318.1595.89
91312-08020	BOLT HEX SOCKET HEAD	0.57	685550	4549734964029			YR	B	JPN	7318.1595.89
91312-08025	BOLT HEX SOCKET HEAD	0.57	685548	4549734964005			YR	B	JPN	7318.1595.89
91380-03006	BOLT HEX SOCKET HEAD	0.65	689953	4549734979108			YR	B	JPN	7318.1595.89
91380-03008	BOLT HEX SOCKET HEAD	0.65	689954	4549734979115			YR	B	JPN	7318.1595.89
91380-04008	BOLT HEX SOCKET HEAD	0.65	689955	4549734979122			YR	B	JPN	7318.1595.89
91380-04014	BOLT HEX SOCKET HEAD	0.65	689956	4549734979139			YR	B	JPN	7318.1595.89
91380-04020	BOLT HEX SOCKET HEAD	1.13	689957	4549734979146			YR	B	JPN	7318.1595.89
91380-05014	BOLT HEX SOCKET HEAD	0.74	685547	4549734963992			YR	B	JPN	7318.1595.89
91380-06030	BOLT HEX SOCKET HEAD	1.50	699103	4549734891769			YR	B	JPN	7318.1582.98
97080-05008	BOLT HEXAGON	0.57	685546	4549734963985			YR	B	JPN	7318.1595.89
97080-06008	BOLT HEXAGON	0.37	685545	4549734963978			YR	B	JPN	7318.1595.89
97602-04308	SCREW PAN HEAD W/W	0.37	685544	4549734963961			YR	B	JPN	7318.1595.89
97980-04308	SCREW P/H W/W (+)	15.65	689958	4549734979153			YR	B	JPN	7318.1595.89
KDL-M1101-01	BASE 1	4,855.00	685543	4549734963954			YR	B	JPN	8479.9070.99
KDL-M1116-01	HOLDER	227.00	699107	4549734891806			YR	B	JPN	8479.9070.99
KDL-M1117-00	HOLDER2	157.00	699106	4549734891790			YR	B	JPN	8479.9070.99
KDL-M111A-00	EYE BOLT	14.70	685542	4549734963947			YR	B	JPN	7318.1582.98
KDL-M1171-00	BRACKET.1	330.80	685541	4549734963930			YR	B	JPN	7616.9990.99
KDL-M1173-00	BRACKET.3	100.80	685535	4549734963879			YR	B	JPN	7616.9990.99
KDL-M1174-10	BRACKET 4	207.00	699105	4549734891783			YR	B	JPN	8479.9070.99
KDL-M1175-10	BRACKET 5	244.00	699104	4549734891776			YR	B	JPN	8479.9070.99

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Daheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
KDL-M150E-001	Delta robot spare parts - ARM2 CARBON, with detachable	1.873.00	659261	4548583951808			YR	B	JPN	8479.9070.99
KDL-M150F-000	Delta robot spare parts - ARM2 CARBON, without detachable	1.893.00	659260	4548583951792			YR	B	JPN	8479.9070.99
KDL-M1521-01	Cap. 1	1.154.00	685540	4549734963923			YR	B	JPN	8479.9070.99
KDL-M1561-01	Cap. 1	26.96	682426	4549734948029		2	YR	B	JPN	3926.9097.90
KDL-M1576-00	KNOB	22.00	699101	4549734891746			YR	B	JPN	8479.9070.99
KDL-M1816-00	COVER 1	107.70	675061	4548583996335			YR	B	JPN	8479.9070.99
KDL-M181A-01	BRACKET 1	377.40	682469	4549734948241			YR	B	JPN	7616.9990.99
KDL-M1822-00	Reduction gear	3.948.00	675229	4549734900737			YR	B	JPN	8479.9070.99
KDL-M182E-00	COVER R.AXIS	593.50	682669	4549734948876			YR	B	JPN	8479.9070.99
KDL-M1843-00	HOLDER SHAFT 1	227.60	675079	4548583996311			YR	B	JPN	8479.9070.99
KDL-M1844-00	HOLDER SHAFT 2	161.00	675080	4548583996328			YR	B	JPN	8479.9070.99
KDL-M1846-00	PLATE 1	36.75	682468	4549734948234		2	YR	B	JPN	7326.9098.90
KDL-M1861-00	WASHER	138.60	689951	4549734979085			YR	B	JPN	7318.2200.95
KDL-M212A-00	Cover Cable 1	53.95	682424	4549734948012		3	YR	B	JPN	3926.9097.90
KDL-M212E-00	COVER CABLE 2	158.60	689952	4549734979092			YR	B	JPN	8479.9070.99
KDL-M212F-00	COVERCABLE3	134.40	685539	4549734963916			YR	B	JPN	3926.9097.90
KDL-M212F-10	COVERCABLE3	167.00	685538	4549734963909			YR	B	JPN	3926.9097.90
KDL-M2138-00	Motor Cover Seal	799.50	682422	4549734948005		2	YR	B	JPN	8479.9070.99
KDL-M2163-00	COVER ASSY	294.00	685537	4549734963933			YR	B	JPN	8479.9070.99
KDL-M2163-10	Motor Cover, Assy	308.70	682294	4549734947725			YR	B	JPN	8479.9070.99
KDL-M2185-00	Cover 2	169.10	682423	4549734948289		2	YR	B	JPN	8479.9070.99
KK1-M5184-10	SEAL NAME	8.82	685536	4549734963886			YR	B	JPN	4016.9300.90
KN5-M2199-00	RING O 2	9.00	699197	4549734892056			YR	B	JPN	4016.9300.90
S02D-MR108-001	BASE2	1.204.00	699694	4549734893589			YR	B	JPN	8479.9070.99
S02D-MR109-000	CABLE,TERMINAL9	840.00	700258	4549734894289			YR	B	JPN	8544.4210.00
S02D-MR111-002	CABLE,TERMINAL6	2.513.00	700259	4549734894296			YR	B	JPN	8544.4210.00
S02D-MR116-201	Arm 4 CARBON	2.184.00	700257	4549734894272			YR	B	JPN	8479.9070.99
S02D-MR158-000	BOLT ASSY	28.00	700256	4549734894265			YR	B	JPN	7318.1699.90
S02F-MRE03-000	AC SERVO MOTOR	3.353.00	699693	4549734893572			YR	B	JPN	8501.5100.90
S02F-MRE10-003	CABLE, TERMINAL 1	1.245.00	699692	4549734893565			YR	B	JPN	8544.4210.00
S02F-MRE11-001	CABLE, TERMINAL 3	315.00	699697	4549734893619			YR	B	JPN	8544.4290.90
S02F-MRE11-3101	Cable , Terminal 5	1.983.00	698823	4549734890861			YR	B	JPN	8544.4290.90
S02F-MRE16-001	CABLE, TERMINAL 2	558.00	699691	4549734893558			YR	B	JPN	8544.4290.90
SPL6-01	JOINT	15.00	699696	4549734893602			YR	B	JPN	8479.9070.99
90185-04J00	Nut U: FU04SSM20)	26.87	679333	4549734931466			YR	B	JPN	8479.9070.99
90933-01J022	BEARING	42.00	374985	4547648957465			YR	B	JPN	8479.9070.99
90933-01J07	BEARING :680ZZ	64.00	357919	4547648927734			YR	B	JPN	8479.9070.99
90933-02J89	Bearing	17.00	675133	4549734900072			YR	B	JPN	8479.9070.99
90990-17J016	O-RING	4.91	353816	4547648901796			YR	B	JPN	8479.9070.99
90990-17J024	O-RING	50.00	378746	4547648967648			YR	B	JPN	8479.9070.99
90990-17J030	Yamaha SCARA Robot: Spare Part O-RING	6.64	353817	4547648901802			YR	B	JPN	8479.9070.99
90990-41J114	Collar	53.00	678337	4549734924351			YR	B	JPN	8479.9070.99
90K55-52323Z	AC SERVO MOTOR	1.683.00	375959	4547648960137			YR	B	JPN	8479.9070.99
90K90-51011R	AC SERVO MOTOR	2.344.00	351828	4547648894463			YR	B	JPN	8479.9070.99
90K90-51013R	MOTOR ASSY. 4	2.344.00	351829	4547648894470			YR	B	JPN	8479.9070.99
90K90-84113X	Yamaha SCARA Robot: Spare Part 90K90-84113X	1.686.00	353831	4547648901949			YR	B	JPN	8479.9070.99
90K90-88115Y	AC SERVO MOTOR	2.229.00	365060	4547648935289			YR	B	JPN	8479.9070.99
90K90-99113X	AC SERVO MOTOR	3.556.00	365061	4547648935296			YR	B	JPN	8479.9070.99
90K93-41211Y	AC SERVO MOTOR	1.537.00	377844	4547648964180			YR	B	JPN	8479.9070.99
90K93-6231EX	AC SERVO MOTOR	1.652.00	377845	4547648964197			YR	B	JPN	8479.9070.99
90K93-6231FZ	MOTOR ASSY. 3	1.652.00	366515	4547648938471			YR	B	JPN	8479.9070.99
90K94-6217FY	MOTOR ASSY. 2	1.536.00	353834	4547648901970			YR	B	JPN	8479.9070.99
90K94-8417FX	Yamaha SCARA Robot: Spare Part MOTOR ASSY. 1	1.789.00	353835	4547648901987			YR	B	JPN	8479.9070.99
90K94-8E173X	MOTOR ASSY. 1	2.435.00	353837	4547648902007			YR	B	JPN	8479.9070.99
95612-101000	NUT U	5.00	393612	4547648985789			YR	B	JPN	8479.9070.99
98902-03008	SCREW BINDING HEAD	0.65	692899	4549734987462			YR	B	JPN	7318.1595.89
K11-M1561-00	CAP 1 RCAS-EZ0040A0	48.00	354167	4547648903813			YR	B	JPN	8479.9070.99
KA2-M2656-00	BELT :100S4.5M252	62.00	354656	4547648906975			YR	B	JPN	8479.9070.99
KAS-M538F-10	Spare Part Cable D-Sub type 9pin-9pin (5m)	147.00	679814	4549734934749			YR	B	JPN	8544.4290.90
KAS-M53G0-01	System Battery RCX240 (4MB)	33.00	392477	4547648980401		5	YR	B	JPN	8506.5090.90
KAT-M1750-00	SCREW BALL	1.350.00	380423	4547648970297			YR	B	JPN	8479.9070.99
KAT-M1798-00	Brq.,linear	92.00	659146	4548583951402			YR	B	JPN	8479.9070.99
KAT-M1821-00	HARMONIC DRIVE ASSY	4.424.00	379352	4547648969345			YR	B	JPN	8479.9070.99
KAT-M1840-00	SPLINE BALL	2.766.00	380424	4547648970303			YR	B	JPN	8479.9070.99
KAT-M2110-00	HARMONIC DRIVE ASSY	4.593.00	379353	4547648969352			YR	B	JPN	8479.9070.99
KAT-M2510-00	HARMONIC DRIVE ASSY	4.424.00	379354	4547648969369			YR	B	JPN	8479.9070.99
KAT-M4842-00	HARNNESS MACHINE 1	218.00	701163	4549734897006			YR	B	JPN	8544.4290.90
KAT-M4842-10	HARNNESS MACHINE 1	227.00	701164	4549734897013			YR	B	JPN	8544.4290.90
KAT-M4843-00	HARNNESS MACHINE 2	918.00	701165	4549734897020			YR	B	JPN	8544.4290.90
KAT-M4880-00	MOTOR ASSY. 1	2.680.00	379355	4547648969376			YR	B	JPN	8479.9070.99
KAT-M4881-00	MOTOR ASSY. 2 (1)	2.484.00	379378	4547648969468			YR	B	JPN	8479.9070.99
KAT-M4882-00	MOTOR ASSY. 2	1.845.00	379356	4547648969383			YR	B	JPN	8479.9070.99
KAT-M4883-00	MOTOR ASSY. 4 (R)	2.912.00	379812	4547648969885			YR	B	JPN	8479.9070.99
KAT-M4891-00	BRAKE MAGNETIC ASSY	619.00	379357	4547648969390			YR	B	JPN	8479.9070.99
KB9-M5163-70	CABLE EXTERNAL 5M	439.00	378994	4547648968362			YR	B	JPN	8479.9070.99
KBE-M1314-00	COVER 4	1.000.00	687784	4549734969772			YR	B	JPN	8479.9070.99

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	SLN. (Daheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
KBE-M137A-00	Seal Line, 1	34.00	675134	4549734900089			YR	B	JPN	8479.9070.99
KBE-M1390-00	Tap	496.00	675135	4549734900096			YR	B	JPN	8479.9070.99
KBE-M2585-00	Doc., 1	42.00	392972	4547648968044			YR	B	JPN	8479.9070.99
KBE-M4842-00	HARNESS MACHINE	90.30	687783	4549734895765			YR	B	JPN	8544.4290.90
KBE-M4850-10	PROXIMITY SW. ASSY	263.00	378740	4547648967587			YR	B	JPN	8479.9070.99
KBE-M4850-30	PROXIMITY SW. ASSY	263.00	378736	4547648967549			YR	B	JPN	8479.9070.99
KBE-M4850-50	PROXIMITY SW. ASSY	263.00	378748	4547648967662			YR	B	JPN	8479.9070.99
KBE-M4880-00	MOTOR ASSY.1	1,495.00	378737	4547648967556			YR	B	JPN	8479.9070.99
KBE-M4881-00	MOTOR ASSY.2	1,447.00	378739	4547648967570			YR	B	JPN	8479.9070.99
KBE-M4883-00	MOTOR ASSY.4	2,399.00	378747	4547648967655			YR	B	JPN	8479.9070.99
KBF-M1313-00	Y-Axis Arm. Rear Cover (Z=200mm)	51.45	682697	4549734949750			YR	B	JPN	8479.9070.99
KBF-M1316-00	COVER 6	65.00	692900	4549734967479			YR	B	JPN	8479.9070.99
KBF-M135E-00	EMBLEM 2	8.00	374839	4547648956512			YR	B	JPN	8479.9070.99
KBF-M1521-00	ARM X	1,019.00	391886	4547648978040			YR	B	JPN	8479.9070.99
KBF-M1532-00	ARM Y	1,400.00	692898	4549734987455			YR	B	JPN	8479.9070.99
KBF-M1534-00	Plate, 1	47.86	393048	4547648983389			YR	B	JPN	8479.9070.99
KBF-M1535-00	Scara robot: plate for upper (Y) arm	42.45	659531	4548583953611			YR	B	JPN	8479.9070.99
KBF-M1700-00	Z AXIS ASSY. (Z = 200mm)	2,696.00	682286	4549734947695			YR	B	JPN	8479.9020.90
KBF-M1845-00	HOLDER BALL SPLINE	308.00	356934	4547648925907			YR	B	JPN	8479.9070.99
KBF-M1847-00	Plate, 2	19.00	678830	4549734928663			YR	B	JPN	8479.9070.99
KBF-M4882-00	MOTOR ASSY.3	2,588.00	353846	45476489902113			YR	B	JPN	8479.9070.99
KBF-M4883-00	MOTOR ASSY. 4	1,942.00	353849	45476489902120			YR	B	JPN	8479.9070.99
KBF-M6211-00S	CABLE ROBOT	731.00	393562	4547648985574			YR	B	JPN	8479.9070.99
KBF-M6211-10S	CABLE ROBOT	974.00	393563	4547648985581			YR	B	JPN	8479.9070.99
KBF-M6211-20S	CABLE ROBOT	1,462.00	393564	4547648985598			YR	B	JPN	8479.9070.99
KBG-M538F-00	Spare Part Cable USB type (5M)	276.90	679779	4549734934732			YR	B	JPN	8544.4290.90
KBG-M539S-00	BAT CASE	7.81	373064	4547648949934		10	YR	B	JPN	8479.9070.99
KBK-M531F-20	FPB-E (12 m) cable	1,322.00	696307	4549734889315			YR	B	JPN	8544.4290.90
KBK-M531F-30	FPB (12 m) cable	1,179.00	696306	4549734889308			YR	B	JPN	8544.4290.90
KBP-M1313-01	Cover 3	142.00	699030	4549734891448			YR	B	JPN	8479.9070.99
KBP-M1315-00	Scara robot: cover for Z-axis motor	63.75	683591	4549734952545			YR	B	JPN	8479.9070.99
KBP-M1535-00	Scara robot: plate for lower (X) arm	35.37	659259	4548583953598		2	YR	B	JPN	8479.9070.99
KBP-M1562-00	SLEEVE	543.00	392159	4547648979047			YR	B	JPN	8479.9070.99
KBP-M1577-00	PIN	78.00	392160	4547648979054			YR	B	JPN	8479.9070.99
KBP-M1700-10	Z AXIS ASSY. (Z = 300mm)	2,867.00	682287	4549734947701			YR	B	JPN	8479.9020.90
KBP-M1750-00	Yamaha SCARA Robot: Spare Part SCREW BALL	2,839.00	353851	4547648902144			YR	B	JPN	8479.9070.99
KBP-M1750-10	Yamaha SCARA Robot: Spare Part SCREW BALL	3,203.00	353852	4547648902151			YR	B	JPN	8479.9070.99
KBP-M1750-20	SCREW BALL	3,562.00	353853	4547648902168			YR	B	JPN	8479.9070.99
KBP-M1790-00	Tool Handle	51.50	393985	4547648987592			YR	B	JPN	8479.9070.99
KBP-M1840-10	SPLINE BALL (Z = 400mm)	2,454.00	353856	45476489902199			YR	B	JPN	8479.9070.99
KBP-M1862-00	NUT U	34.00	374988	4547648957496			YR	B	JPN	8479.9070.99
KBP-M2510-00	Yamaha SCARA Robot: Spare Part HARMONIC DRIVE ASSY.	4,161.00	353858	45476489902212			YR	B	JPN	8479.9070.99
KBP-M4882-00	MOTOR ASSY. 3	2,675.00	353861	45476489902243			YR	B	JPN	8479.9070.99
KCO-M261K-00	WASHER 2	4.44	375735	4547648959124			YR	B	JPN	8479.9070.99
KCB-M1314-00	COVER 4	608.00	687782	4549734969758			YR	B	JPN	8479.9070.99
KCB-M1750-00	Screw, Ball	1,045.00	674162	4548583993228			YR	B	JPN	8479.9070.99
KCB-M1778-00	SLEEVE LOCK	154.40	687779	4549734969727			YR	B	JPN	8479.9070.99
KCB-M4842-00	HARNESS MACHINE 1	181.70	687781	4549734969741			YR	B	JPN	8544.4290.90
KCF-M4751-31	CABLE ROBOT 1	221.00	701301	4549734789653			YR	B	JPN	8544.4290.90
KCX-M4175-00	FILTER FAN	63.00	690330	4549734981163			YR	B	JPN	4812.0000.00
KCX-M427G-00	Fan Filters (5 pieces / Bao)	17.85	688831	4549734974882			YR	B	JPN	4812.0000.00
KCX-M4990-10	Software Licence for SCARA-YRCX Studio	3,360.00	675218	4549734900669			YR	B	JPN	8479.9070.99
KCX-M5370-00	Safety Connector	56.70	688830	4549734974875			YR	B	JPN	8536.9010.00
KCX-M5893-00	RESISTOR ABSORBER	174.30	690095	4549734979689			YR	B	JPN	8479.9070.99
KCX-M6185-00	FAN MOTOR ASSY	196.40	690329	4549734981156			YR	B	JPN	8414.5925.90
KCY-M1102-01	BASE 2	462.00	698969	4549734891103			YR	B	JPN	8479.9070.99
KCY-M1521-20	Spare part for Scara robot: ARM.X (YK400XG)	678.00	659695	4548583954571			YR	B	JPN	8479.9070.99
KCY-M1778-01	SLEEVE LOCK	158.60	690863	4549734984423			YR	B	JPN	8479.9070.99
KCY-M1872-00	XGL SCAPA series - open shaft mounting option	854.00	379037	4547648968614			YR	B	JPN	8479.9070.99
KCY-M2110-10	HARMONIC DRIVE ASSY.	3,052.00	378823	4547648968232			YR	B	JPN	8479.9070.99
KCY-M4843-00	HARNESS MACHINE 2	1,461.00	695980	4549734999052			YR	B	JPN	8544.4290.90
KCY-M4850-20	PROXIMITY SW. ASSY	176.00	374877	4547648956727			YR	B	JPN	8479.9070.99
KCY-M4850-90	PROXIMITY SW. ASSY.	176.00	374879	4547648956741			YR	B	JPN	8479.9070.99
KDO-M1821-H0	HARMONIC DRIVE ASSY	2,769.00	354244	45476489904278			YR	B	JPN	8479.9070.99
KDL-M150G-21	Arm, 2 carbon assy.	2,124.00	669351	4548583966314			YR	B	JPN	8479.9070.99
KDL-M152A-00	Joint 1	29.82	409649	4547648994354			YR	B	JPN	8479.9070.99
KDL-M152M-00	Spring	12.75	674759	4548583994959		12	YR	B	JPN	8479.9070.99
KDL-M1573-00	Clamp, 1	101.00	418925	4547648999434			YR	B	JPN	8479.9070.99
KDL-M1574-000	Clamp, 2	101.00	418926	4547648999441			YR	B	JPN	8479.9070.99
KDU-M1141-00	Scara robot part: Base cover 1	745.00	667662	4548583955363			YR	B	JPN	8479.9070.99
KDU-M1541-00	Scara robot part: Y-axis cover 1	792.00	667661	4548583955366			YR	B	JPN	8479.9070.99
KFM-M1533-00	CABLE EXTERNAL	84.00	696154	4549734999403			YR	B	JPN	8544.4290.90
KK0-M6563-20	Ferrite Core	36.75	682550	4549734848784		2	YR	B	JPN	8505.9090.90
KN1-M1751-00	PULLY 1	501.00	355966	4547648918299			YR	B	JPN	8479.9070.99
KN1-M1752-00	PULLY 2	406.00	355967	4547648918305			YR	B	JPN	8479.9070.99
KN1-M2578-00	DAMPER	13.00	354168	45476489903820			YR	B	JPN	8479.9070.99
KN2-M1750-00	SCREW BALL	6,890.00	354245	45476489904285			YR	B	JPN	8479.9070.99

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Data sheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
KN2-M1752-00	Pully 2	748.00	396338	4547648989497			YR	B	JPN	8479.9070.99
KN2-M1856-00	Belt; 15-ATS-0190EF	487.00	396339	4547648989503			YR	B	JPN	8479.9070.99
KN3-M137A-00	SEAL LINE 1	17.00	375737	4547648959148			YR	B	JPN	8479.9070.99
KN3-M1521-12	ARM X	1,619.00	392157	4547648979023			YR	B	JPN	8479.9070.99
KN3-M1532-12	ARM Y	2,142.00	375738	4547648959155			YR	B	JPN	8479.9070.99
KN3-M1788-100	DAMPER 1	45.00	393545	4547648985406		2	YR	B	JPN	8479.9070.99
KN3-M1847-00	PLATE 2	15.75	690688	4549734983174			YR	B	JPN	8479.9070.99
KN3-M1886-00	SEAL	24.00	393611	4547648985772			YR	B	JPN	8479.9070.99
KN3-M2500-00	ARM DRIVE ASSY	2912.00	392158	4547648979030			YR	B	JPN	8479.9070.99
KN4-M135E-00	EMBLEM 2 : YAM AHA	15.00	360615	4547648930994			YR	B	JPN	8479.9070.99
KN4-M1754-00	BELT 1	102.00	352798	4547648897303			YR	B	JPN	8479.9070.99
KN4-M1895-00	Yamaha SCARA Robot; Spare Part O RING 1	33.62	353883	4547648902465			YR	B	JPN	8479.9070.99
KN4-M2143-00	O RING 1 : S90	9.58	353886	4547648902496			YR	B	JPN	8479.9070.99
KN5-M1754-00	BELT	120.00	355971	4547648918343			YR	B	JPN	8479.9070.99
KN5-M1754-10	BELT	140.00	375697	4547648959001			YR	B	JPN	8479.9070.99
KN5-M1851-00	PULLY 1	207.00	355972	4547648918350			YR	B	JPN	8479.9070.99
KN5-M1856-00	BELT 1	76.00	355973	4547648918367			YR	B	JPN	8479.9070.99
KN6-M1715-00	Shaft, spare part	300.50	675129	4549734900034			YR	B	JPN	8479.9070.99
KN6-M1743-00	Stav	369.50	679296	4549734931137			YR	B	JPN	8479.9070.99
KN6-M1750-01	SCREW BALL	1,649.00	683590	4549734825338			YR	B	JPN	8483.4030.99
KN6-M1751-00	Pully, 1	395.00	377757	4547648963510			YR	B	JPN	8479.9070.99
KN6-M1752-00	Pully, 2	395.00	377758	4547648963527			YR	B	JPN	8479.9070.99
KN6-M1754-00	Belt, 1	140.00	377251	4547648961868			YR	B	JPN	8479.9070.99
KN6-M181G-00	Yamaha SCARA Robot; Spare Part O RING 3	16.05	353901	4547648902649			YR	B	JPN	8479.9070.99
KN6-M1840-00	SPLINE BALL	4,987.00	353903	4547648902663			YR	B	JPN	8479.9070.99
KN6-M1845-00	Holder, ball spline	518.50	679297	4549734931144			YR	B	JPN	8479.9070.99
KN6-M1856-00	Belt, 2	106.00	377252	4547648961875			YR	B	JPN	8479.9070.99
KN6-M1890-00	BEARING : 6304ZZ	25.31	393730	4547648986700			YR	B	JPN	8479.9070.99
KN6-M1892-00	Bearing, 2.6905	49.06	679295	4549734931120			YR	B	JPN	8479.9070.99
KN7-M1840-00	SPLINE BALL	1,588.00	374555	4547648955416			YR	B	JPN	8479.9070.99
KN8-M1316-00	COVER 6	126.00	372200	4547648947527			YR	B	JPN	8479.9070.99
KN8-M1889-00	DOG R	120.00	355595	4547648910736			YR	B	JPN	8479.9070.99
KN8-M1899-10	BELLOWS	1,980.00	354787	4547648907583			YR	B	JPN	8479.9070.99
KN9-M1840-00	SPLINE BALL	2,968.00	355841	4547648917674			YR	B	JPN	8479.9070.99
KX0-M4107-20	RGJ2	551.50	682559	4549734948838			YR	B	JPN	8479.9070.99
KX0-M4107-30	RGJ3	919.00	682558	4549734948821			YR	B	JPN	8479.9070.99
KX0-M410A-10	RCX240 Side Cover	166.70	682564	4549734948852			YR	B	JPN	7616.9990.99
KX0-M410E-10	Back Cover of RCX240 (Fan isn't included)	89.20	682563	4549734949814			YR	B	JPN	7616.9990.99
KX0-M410F-70	RCX240 Front Panel	110.30	682563	4549734948845			YR	B	JPN	7616.9990.99
KX0-M4210-20	SCARA series CPU board, spare	2,443.00	381586	4547648970761			YR	B	JPN	8479.9070.99
KX0-M4650-01	D.power board, assy	935.00	407374	4547648993401			YR	B	JPN	8479.9070.99
KX0-M4650-11	D.POWER BOARD ASSY	586.00	355203	4547648909624		2	YR	B	JPN	8479.9070.99
KX0-M66F4-00	CABLE CAMERA: 3.5M (Relay cable)	735.00	688446	4549734971898			YR	B	JPN	8544.4290.90
KX0-M66F4-10	CABLE CAMERA:1M (Relay cable)	367.50	688447	4549734971904			YR	B	JPN	8544.4290.90
REYSPCC005	Spare part Communication cable (DB9)	218.90	353322	4548583038219			YR	B	JPN	8479.9070.99
REYSPCC010	Spare part CC-Link interface(-CC)	1,337.00	353298	4548583037977			YR	B	JPN	8479.9070.99
REYSPCCR005X	Optional Board - CC-Link Board	1,103.00	688821	4549734974783			YR	B	JPN	8479.9070.99
REYSPCR005	Spare part Encoder cable for tracking 5m	397.80	353318	4548583038172			YR	B	JPN	8479.9070.99
REYSPCV003	Spare part Camera cable 3.5m	745.00	353306	4548583038059			YR	B	JPN	8479.9070.99
REYSPCV009	Spare part Camera cable 9.5m (3.5m+6m)	1,732.00	353308	4548583038073			YR	B	JPN	8479.9070.99
REYSPCX002T1	Spare part Robot cable 2m for 120XG, 150XG, 180XG	487.00	353400	4548583038257			YR	B	JPN	8479.9070.99
REYSPCX003T1	Spare part Robot cable 3.5m for 120XG, 150XG, 180XG	731.00	353401	4548583038264			YR	B	JPN	8479.9070.99
REYSPCX003T2	Spare part Robot cable 3.5m for 220XG, 180XC, 220XC	731.00	353404	4548583038295			YR	B	JPN	8479.9070.99
REYSPCX003XGS	Spare part Robot cable 3.5m for customized XG-S series	731.00	353413	4548583038387			YR	B	JPN	8479.9070.99
REYSPCX003XGX	Spare part Robot DETACHABLE cable 3.5 m for 250XH, 350XH, 400XH, XG series, 1200X	1,901.00	353407	4548583038325			YR	B	JPN	8479.9070.99
REYSPCX003XP	Spare part Robot cable 3.5m for customized XP series	1,115.00	353416	4548583038417			YR	B	JPN	8479.9070.99
REYSPCX003XSXC	Spare part Robot cable 3.5m for XS, XSH, XC, XCH series	668.00	353410	4548583038356			YR	B	JPN	8479.9070.99
REYSPCX005T1	Spare part Robot cable 5m for 120XG, 150XG, 180XG	890.50	353402	4548583038271			YR	B	JPN	8479.9070.99
REYSPCX005T2	Spare part Robot cable 5m for 220XG, 180XC, 220XC	890.50	353405	4548583038301			YR	B	JPN	8479.9070.99
REYSPCX005XGS	Spare part Robot cable 5m for customized XG-S series	988.00	353414	4548583038394			YR	B	JPN	8479.9070.99
REYSPCX005XGX	Spare part Robot DETACHABLE cable 5 m for 250XH, 350XH, 400XH, XG series, 1200X	1,904.00	353408	4548583038332			YR	B	JPN	8479.9070.99
REYSPCX005XP	Spare part Robot cable 5m for customized XP series	1,337.00	353417	4548583038424			YR	B	JPN	8479.9070.99
REYSPCX005XSXC	Spare part Robot cable 5m for XS, XSH, XC, XCH series	890.50	353411	4548583038363			YR	B	JPN	8479.9070.99
REYSPCX010T1	Spare part Robot cable 10m for 120XG, 150XG, 180XG	1,337.00	353403	4548583038288			YR	B	JPN	8479.9070.99
REYSPCX010T2	Spare part Robot cable 10m for 220XG, 180XC, 220XC	1,337.00	353406	4548583038318			YR	B	JPN	8479.9070.99
REYSPCX010XGX	Spare part Robot DETACHABLE cable 10m for 250XH, 350XH, 400XH, XG series, 1200X	2,652.00	353409	4548583038349			YR	B	JPN	8479.9070.99
REYSPDBX05X	DRIVER 2 BOARD (X, Z 05A)	389.60	688738	4549734974288			YR	B	JPN	8538.9091.89
REYSPDBX10X	DRIVER 2 BOARD (X, Z 10A)	389.60	688740	4549734974301			YR	B	JPN	8538.9091.89
REYSPDBX20X	DRIVER 2 BOARD (X, Z 20A)	389.60	688742	4549734974325			YR	B	JPN	8538.9091.89
REYSPDBY05X	DRIVER 2 BOARD (Y, R 05A)	389.60	688739	4549734974295			YR	B	JPN	8538.9091.89
REYSPDBY10X	Driver 2 Board (Y/R 10A)	389.60	688741	4549734974318			YR	B	JPN	8538.9091.89
REYSPDBY20X	Driver 2 Board (Y/R 20A)	389.60	688743	4549734974332			YR	B	JPN	8538.9091.89
REYSPDRB00X	Driver Power Board Assy.	625.00	688819	4549734974769			YR	B	JPN	8479.9070.99
REYSPDRB03X	Driver 1 Board (for 4 axis)	1,623.00	688818	4549734974752			YR	B	JPN	8479.9070.99
REYSPDRF01	Spare part DeviceNet interface (-DN)	1,627.00	353299	4548583037984			YR	B	JPN	8479.9070.99
REYSPDRF01X	Optional Board - DeviceNet Board	1,103.00	688822	4549734974790			YR	B	JPN	8479.9070.99
REYSPFEP01X	Optional Board - Ethernet-IP Board	1,103.00	688823	4549734974806			YR	B	JPN	8479.9070.99

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Data sheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
R6YSPETN01	Spare part Ethernet interface (-EN)	1.569.00	353301	4548583038004		2	YR	B	JPN	8479.9070.99
R6YSPMD241X	Optional Board - Expanded I/O NPN Board	367.50	688925	4549734975353			YR	B	JPN	8479.9070.99
R6YSPMD242	Spare part PNP interface expansion 24/16 I/O	686.50	353297	4548583037960			YR	B	JPN	8479.9070.99
R6YSPMD242X	Optional Board - Expanded I/O PNP Board	564.00	688926	4549734975360			YR	B	JPN	8479.9070.99
R6YSPPB005E	Spare part PB (5m cable)	2.736.00	353319	4548583038189			YR	B	JPN	8479.9070.99
R6YSPPB005EX	Programming box - PBX-E ( Cable :5m)	1.838.00	688820	4549734974776			YR	B	JPN	8544.4290.90
R6YSPPB012E	Spare part PB (12m cable)	2.960.00	353320	4548583038196			YR	B	JPN	8479.9070.99
R6YSPPB012EX	Programming box - PBX-E ( Cable : 12m)	2.115.00	688827	4549734974844			YR	B	JPN	8544.4290.90
R6YSPPT01X	Optional Board - PROFIBET Board	1.470.00	688833	4549734974905			YR	B	JPN	8479.9070.99
R6YSPPT01	Spare part PROFIBUS DP Interface (-PB)	1.560.00	353300	4548583037991		2	YR	B	JPN	8479.9070.99
R6YSPPT01X	Optional Board - PROFIBUS Board	1.470.00	688833	4549734974905			YR	B	JPN	8479.9070.99
R6YSPSD241X	Optional Board - Standard I/O NPN Board	367.50	688928	4549734975384			YR	B	JPN	8479.9070.99
R6YSPSD242X	Optional Board - Standard I/O PNP Board	564.00	688929	4549734975391			YR	B	JPN	8479.9070.99
R6YSPSSC1	Spare part Scara Studio	1.059.00	353321	4548583038202			YR	B	JPN	8479.9070.99
R6YSPTR01	Spare part Tracking and Lighting control board	4.153.00	353304	4548583038035			YR	B	JPN	8479.9070.99
R6YSPTR01X	Optional Board - Tracking board	3.675.00	688829	4549734974868			YR	B	JPN	8479.9070.99
R6YSPV01	Spare part Vision board (bundled, Scara Vision Studio)	10.120.00	353302	4548583038011			YR	B	JPN	8479.9070.99
R6YSPYOM01X	Optional Board - YC-Link/Em aster	277.20	688825	4549734974820			YR	B	JPN	8479.9070.99
R6YSPYCS01X	Optional Board - YC-Link/Slave	1.103.00	688826	4549734974837			YR	B	JPN	8479.9070.99
R6YSPYRC01	Spare part YRC ver.1 controller without RGU	11.790.00	353323	4548583038226			YR	B	JPN	8479.9070.99
R6YSPYRC02	Spare part YRC ver.1 controller with RGU2	10.250.00	353324	4548583038233			YR	B	JPN	8479.9070.99
R6YSPYRC03	Spare part YRC ver.1 controller with RGU3	13.110.00	353325	4548583038240			YR	B	JPN	8479.9070.99
R6YSPYRCX	RCX340-4-E-PS-4	8.040.00	695728	4549734998048			YR	B	JPN	8479.9070.99
R6YXG220100WOCNTROL	YK220X without controller	11.530.00	701356	4549734790093			YR	B	JPN	8479.9070.99
YK400XG-150WOCNTROL	YK400XG-150 without controller	11.740.00	700419	4549734894609			YR	B	JPN	8479.9070.99
YKBATTERYSPX	Absolute Battery	56.70	688832	4549734974899			YR	B	JPN	8506.5010.90
YKFCX240FD_SP		11.520.00	353247	4547648899932			YR	B	JPN	8479.9070.99
KCB-M2510-00	HARMONIC DRIVE ASSY	1.528.00	681105	4549734943956			YR	B	JPN	8483.4090.99
KCB-M4843-01	HARNESS MACHINE 2	447.70	681103	4549734943932			YR	B	JPN	8544.4290.90
KCB-M4880-00	MOTOR ASSY_1	909.50	681102	4549734943925			YR	B	JPN	8501.5100.90
KCB-M4881-00	MOTOR ASSY_2	917.00	681107	4549734943970			YR	B	JPN	8501.5100.90
KCB-M4883-00	MOTOR ASSY_4	1.524.00	681104	4549734943949			YR	B	JPN	8501.5100.90
KDL-M150H-31	ARM CARBON ASSY	659.00	680909	4549734942300			YR	B	JPN	8479.9070.99
KDL-M150H-41	ARM CARBON ASSY	1.400.00	680911	4549734942324			YR	B	JPN	8479.9070.99
KDL-M150H-51	ARM CARBON ASSY	1.500.00	680908	4549734942294			YR	B	JPN	8479.9070.99
KDL-M152F-00	JOINT3	144.80	680910	4549734942317			YR	B	JPN	8479.9070.99
KDL-M153J010	BEARING	37.89	680942	4549734941655			YR	B	JPN	8482.5000.90
KDL-M4811-00	CABLE TERMINAL 1	222.70	681075	4549734943673			YR	B	JPN	8544.2000.90
KDL-M4812-00	CABLE TERMINAL 2	239.30	681078	4549734943703			YR	B	JPN	8544.2000.90
KDL-M4813-00	CABLE TERMINAL 3	92.40	681076	4549734943680		4	YR	B	JPN	8544.2000.90
KDL-M4814-00	CABLE TERMINAL 4	87.65	681077	4549734943697		4	YR	B	JPN	8544.2000.90
KX0-M427G-00	Spare part - Fan Filter (5 pcs/bag) for RCX240	21.32	681047	4549734943499			YR	B	JPN	4812.0000.00
KX0-M4400-81	PROFIBUS Board ASSY UNIT	1.066.00	680974	4549734942843			YR	B	JPN	8538.9091.89
KX0-M5304-00	POWER CPU unit 1 (24V power)	120.80	680969	4549734942799			YR	B	JPN	8538.9091.89
KX0-M5840-30	Driver 2 Board for RCX240/RCX240S	1.590.00	680973	4549734942836			YR	B	JPN	8538.9091.89
<b>Loan Robots</b>										
LOAN-TM12-BA1926039	LOAN-TM12-BA1926039	90.900.00	690169	4549734980104			YX	A	TWN	8479.5000.00
LOAN-TM12-BA1926040	LOAN-TM12-BA1926040	90.900.00	689305	4549734977081			YX	A	TWN	8479.5000.00
LOAN-TM12-BA1926053	LOAN-TM12-BA1926053	90.900.00	690170	4549734980111			YX	A	TWN	8479.5000.00
LOAN-TM12-BA1929012	LOAN-TM12-BA1929012	90.900.00	690171	4549734980128			YX	A	TWN	8479.5000.00
LOAN-TM14-BA1920090	LOAN-TM14-BA1920090	90.900.00	690172	4549734980135			YX	A	TWN	8479.5000.00
LOAN-TM14-BA1920094	LOAN-TM14-BA1920094	90.900.00	689297	4549734977029			YX	A	TWN	8479.5000.00
LOAN-TM5-700-BA1921031	LOAN-TM5-700-BA1921031 Jan Zuse	90.900.00	689293	4549734976886			YX	A	TWN	8479.5000.00
LOAN-TM5-700-BA1921032	LOAN-TM5-700-BA1921032 Massimo Proverbio	90.900.00	689292	4549734976879			YX	A	TWN	8479.5000.00
LOAN-TM5-700-BA1921033	LOAN-TM5-700-BA1921033 Kenneth	90.900.00	689291	4549734976961			YX	A	TWN	8479.5000.00
LOAN-TM5-700-BA1921038	LOAN-TM5-700-BA1921038 Francois Domerg	90.900.00	689287	4549734976923			YX	A	TWN	8479.5000.00
LOAN-TM5-700-BA1921040	LOAN-TM5-700-BA1921040	90.900.00	689292	4549734976978			YX	A	TWN	8479.5000.00
LOAN-TM5-700-BA1921063	LOAN-TM5-700-BA1921063 Sven Kaluza	90.900.00	689284	4549734976893			YX	A	TWN	8479.5000.00
LOAN-TM5-700-BA1921069	LOAN-TM5-700-BA1921069	90.900.00	689293	4549734976985			YX	A	TWN	8479.5000.00
LOAN-TM5-700-BA1922059	LOAN-TM5-700-BA1922059 Oscar Ruiz	90.900.00	689285	4549734976909			YX	A	TWN	8479.5000.00
LOAN-TM5-700-BA1923012	LOAN-TM5-700-BA1923012 Barry Graham	90.900.00	689288	4549734976930			YX	A	TWN	8479.5000.00
LOAN-TM5-700-BA1923013	LOAN-TM5-700-BA1923013 Marco Mallozi	90.900.00	689281	4549734976862			YX	A	TWN	8479.5000.00
LOAN-TM5-700-BA1923019	LOAN-TM5-700-BA1923019 Paul Nicolás	90.900.00	689286	4549734976916			YX	A	TWN	8479.5000.00
LOAN-TM5-700-BA1927010	LOAN-TM5-700-BA1927010	90.900.00	690168	4549734980098			YX	A	TWN	8479.5000.00
LOAN-TM5-700-BA1928031	LOAN-TM5-700-BA1928031	90.900.00	690167	4549734980081			YX	A	TWN	8479.5000.00
LOAN-TM5-900-BA1921010	LOAN-TM5-900-BA1921010	90.900.00	689296	4549734977012			YX	A	TWN	8479.5000.00
LOAN-TM5-900-BA1923024	LOAN-TM5-900-BA1923024	90.900.00	689295	4549734977005			YX	A	TWN	8479.5000.00
LOAN-TM5-900-BA1923030	LOAN-TM5-900-BA1923030	90.900.00	689294	4549734976992			YX	A	TWN	8479.5000.00
LOAN-TM5M-700-BA184056	LOAN-TM5M-700-BA184056	100.000.00	696289	4549734869209			YX	A	TWN	8479.5000.00
<b>Others</b>										
3-3437A-00-A000-B100	UMAC ACC 5E Black	548.50	694377	4549734981293			Z3	0	USA	8537.1091.99
3-3494A-00-0000-B200	UMAC ACC 59E Black	818.00	694386	4549734981286			Z3	0	USA	8537.1091.99

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Daheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
3-3576A-00-0000-B200	UMAC ACC 66E Black	527.50	694390	4549734981279			Z3	0	USA	8537.1091.99
3-3577A-00-0000-B200	UMAC ACC 67E Black	527.50	694392	4549734981262			Z3	0	USA	8537.1091.99
3-3625C0-2015-A00000	UMAC TURBO CPU Opt15C0 Opt12	2,680.00	694562	4549734917919			Z3	0	USA	8537.1098.99
3-3625E0-2015-A00000	Compact - UMAC Turbo CPU Board 160 MHz	3,451.00	694563	4549734925334			Z3	0	USA	8537.1098.99
3-3625E0-2215-A00000	UMAC TURBO Opt15E0 Opt12 Opt116A	3,758.00	694564	4549734917933			Z3	0	USA	8537.1098.99
3-3625F0-2015-A00000	UMAC TURBO Opt15F0 Opt12	4,036.00	694565	4549734917452			Z3	0	USA	8537.1098.99
3-3719C0-0A03-B00000	Macro CPU for 16 Axes, Black	1,619.00	694569	4549734980906			Z3	0	USA	8537.1091.99
3-3766C0-2014-B00000	UMAC Turbo CPU 80 MHz	2,162.00	694394	4549734925044			Z3	0	USA	8537.1098.99
3-3766C0-2015-B00000	UMAC TURBO CPU Opt15C0 Opt12B, 80 MHz-128Kx24 SRAM, DPRAM 32Kx 16K Black	2,518.00	694395	4549734930017			Z3	0	USA	8537.1091.99
3-3766C0-2214-B00000	UMAC TURBO CPU Black Opt15C0 Opt116A, 80 MHz-32Kx24 SRAM battery-backed parameter memory	2,049.00	694396	4549734979221			Z3	0	USA	8537.1091.99
3-3766C0-2215-B00000	UMAC TURBO CPU Opt15C0 Opt116A Opt12B 80 MHz, 32Kx24 SRAM battery-backed mem., DPRAM	2,296.00	694397	4549734972741			Z3	0	USA	8537.1091.99
3-3766C0-2216-B00000	UMAC_TURBO_CPU_Opt15C0_Opt116A_Opt115 Black	2,448.00	694398	4549734917117			Z3	0	USA	8537.1098.99
3-3766C3-2014-B00000	UMAC TURBO CPU Opt15C3	3,070.00	694399	4549734979863			Z3	0	USA	8537.1091.99
3-3766C3-2017-B00000	UMAC Turbo CPU 80 MHz - Black Plates	3,524.00	700375	4549734638944			Z3	0	USA	8537.1098.99
3-3766C3-2214-B00000	UMAC TURBO CPU Opt15C3 Opt. 16A, 80MHz-512Kx24 SRAM, battery-backed, black	2,849.00	694744	4549734977432			Z3	0	USA	8537.1091.99
3-3766C3-2216-B00000	UMAC Turbo CPU Opt-C3 Opt-16A Opt-15F	2,952.00	694745	4549734982955			Z3	0	USA	8537.1091.99
3-3766E0-2017-B00000	UMAC Turbo CPU 160 MHz	3,578.00	695263	4549734638777			Z3	0	USA	8537.1098.99
3-3766E3-2015-B00000	UMAC Turbo CPU 160 MHz Dual Port RAM	4,395.00	695357	4549734617741			Z3	0	USA	8537.1098.99
3-3766F0-2015-B00000	UMAC TURBO CPU Opt15C0 Opt12B, 240 MHz-128Kx24 SRAM, DPRAM 32Kx 16K Black	3,627.00	694144	4549734617789			Z3	0	USA	8537.1091.99
3-3766F3-2014-B00000	UMAC Turbo CPU 240 MHz	4,426.00	694400	4549734925498			Z3	0	USA	8537.1098.99
3-3766F3-2015-B00000	UMAC TURBO CPU Opt15F3 Opt12B Opt1F0	4,706.00	694401	4549734979887			Z3	0	USA	8537.1091.99
3-3766F3-2019-B10000	UMAC TURBO CPU Opt15F3 Opt12B Opt1A Opt1B1	4,187.00	694570	4549734983907			Z3	0	USA	8537.1091.99
3-3766F3-2215-B10000	UMAC Turbo CPU 240 MHz	5,035.00	695268	4549734617857			Z3	0	USA	8537.1098.99
3-3766F3-2217-B00000	UMAC TURBO CPU Opt15F3 Opt12B Opt116A Opt115F BLACK 240MHz-512Kx24SRAM, DPRAM, 32Kx24SRAM BackBat, ModBus	4,992.00	694722	4549734977166			Z3	0	USA	8537.1091.99
3-3766F3-2415-P00000	UMAC TURBO CPU Opt15F3 Opt12B Opt116A Opt18A 240 MHz, 512Kx24SRAM, DPRAM, 32Kx24SRAM BckBat, ChkCry	5,150.00	680845	4549734941686			Z3	0	USA	8537.1091.99
3-4020HD-2200-B00000	UMAC PWR PMAC CPU	3,829.00	677183	4549734917667			Z3	0	USA	8537.1098.99
3-4045-JD0-000-B00000	Power-PMAC 465CPU	2,551.00	694545	4549734913379			Z3	0	USA	8537.1098.99
3-4045-JD0-100-B10000	Power-PMAC 465 CPU, 1 GHz, 2 GB RAM, 1 add. Eth Port	2,570.00	694551	4549734954846			Z3	0	USA	8537.1091.99
3-4045-JD0-310-B10000	Power-PMAC 465CPU Dual Core, 2 GB RAM	2,669.00	694544	4549734955133			Z3	0	USA	8537.1091.99
3-4045-JD0-320-B10000	Power-PMAC 465 CPU Dual Core, 1 GHz, 2 GB RAM	2,950.00	694552	4549734955126			Z3	0	USA	8537.1091.99
3-4045-JD0-390-B10000	POWERUMAC 465 CPU ONLY CONFIGURATION WITH 1 GHZ CPU, 2 GB RAM, 1 GB FLASH, ECAT W/ 32 SERVO AXES & I/O, ALL PLATES	4,202.00	694730	4549734969482			Z3	0	USA	8537.1091.99
3-4045-JED-100-B10000	Power-PMAC 465CPU Dual Core, 1 GHz, 2 GB RAM, 4 GB Flash, Add.1 Ethernet port	2,560.00	694721	4549734974035			Z3	0	USA	8537.1091.99
3-4045-JED-390-B10000	Power-PMAC 465CPU Dual Core, 1 GHz, 2 GB RAM	5,030.00	694579	4549734912969			Z3	0	USA	8537.1098.99
3-4045-JED-310-B60000	Power-PMAC 465CPU Dual Core, 1 GHz, 2 GB RAM	3,235.00	694580	4549734917087			Z3	0	USA	8537.1098.99
3-4045-MD0-000-B00000		3,340.00	694581	4549734955102			Z3	0	USA	8537.1091.99
3-4045-MD0-100-B10000	Power-PMAC 465CPU	3,517.00	694541	4549734912976			Z3	0	USA	8537.1098.99
3-4045-MD0-330-B10000	Power-PMAC 465 CPU Dual Core, 1.2 GHz, 2 GB RAM	3,602.00	694582	4549734955122			Z3	0	USA	8537.1091.99
3-4045-MED-000-B00000	Power-PMAC 465 CPU 1.2 GHz Dual Core, 2 GB RAM, 4 GB Flash	3,215.00	694481	4549734951470			Z3	0	USA	8537.1091.99
3-4045-MED-350-B00000	Power-PMAC 465CPU Dual Core 1.2 GHz, 2 GB RAM, 4 GB flash, SD-Card reader, add.1 Ethernet or EtherCAT port, 16 Servo Ax. & I/O	4,556.00	694727	4549734954808			Z3	0	USA	8537.1091.99
3-4050000-000-010000	ACC-24S3 Power Clipper 4 Axes	778.00	694463	4549734913409			Z3	0	USA	8537.1098.99
3-4055-JD0-000-A00000	Power-PMAC 465 CPU Dual Core, 1 GHz, 2 GB RAM, 1 GB Flash	2,219.00	694693	4549734951913			Z3	0	USA	8537.1091.99
3-4055-JD0-100-A10000	COMPACT POWERUMAC CPU CONFIGURATION WITH 1 GHz 465 CPU, 2 GB RAM, 1 GB FLASH, 2 ETHERNET PORTS, FACE PLATE	2,466.00	694728	4549734963565			Z3	0	USA	8471.6070.00
3-4112AAU-200-B00000	POWERUMAC ARM 2 CORE CPU CONFIGURATION WITH 2 ETHERNET PORTS, 1 GB FLASH, 1 GB RAM, ALL BLACK PLATES	1,994.00	694694	4549734958110			Z3	0	USA	8537.1091.99
3-4112AAU-210-B00000	POWERUMAC ARM 2 CORE CPU CONFIGURATION WITH 1 ETHERNET & 1 ECAT I/O PORTS, 1 GB FLASH, 1 GB RAM, ALL BLACK PLATES	2,079.00	694695	4549734958998			Z3	0	USA	8537.1091.99
3-4112AAU-220-B00000	POWERUMAC ARM 2 CORE CPU CONFIGURATION WITH 1 ETHERNET & 1 ECAT 4 SERVO & I/O PORTS, 1 GB FLASH, 1 GB RAM, ALL BLACK PLATES	2,317.00	694696	4549734959209			Z3	0	USA	8537.1091.99
3-4112AAU-230-B00000	POWERUMAC ARM 2 CORE CPU CONFIGURATION WITH 1 ETHERNET & 1 ECAT 8 SERVO & I/O PORTS, 1 GB FLASH, 1 GB RAM, ALL BLACK PLATES	2,559.00	694697	4549734959193			Z3	0	USA	8537.1091.99
3-4112AAU-250-B00000	POWERUMAC ARM 2 CORE CPU CONFIGURATION WITH 1 ETHERNET & 1 ECAT 16 SERVO & I/O PORTS, 1 GB FLASH, 1 GB RAM, ALL BLACK PLATES	3,038.00	694698	4549734959186			Z3	0	USA	8537.1091.99
3-4112AAU-290-B00000	POWERUMAC ARM 2 CORE CPU CONFIGURATION WITH 1 ETHERNET & 1 ECAT 32 SERVO & I/O PORTS, 1 GB FLASH, 1 GB RAM, ALL BLACK PLATES	3,858.00	694699	4549734959179			Z3	0	USA	8537.1091.99
3-4112AAU-400-B00000	POWERUMAC ARM 2 CORE CPU CONFIGURATION WITH 2 ETHERNET & PCIE PORTS, 1 GB RAM, ALL BLACK PLATES	2,083.00	694700	4549734959117			Z3	0	USA	8537.1091.99
3-4112AAU-410-B00000	POWERUMAC ARM 2 CORE CPU CONFIGURATION WITH 1 ETHERNET & 1 ECAT I/O PORTS, PCIE PORT, 1 GB FLASH, 1 GB RAM, ALL BLACK PLATES	2,166.00	694701	4549734959100			Z3	0	USA	8537.1091.99
3-4112AAU-420-B00000	POWERUMAC ARM 2 CORE CPU CONFIGURATION WITH 1 ETHERNET & 1 ECAT 4 SERVO & I/O PORTS, PCIE PORT, 1 GB FLASH, 1 GB RAM, ALL BLACK PLATES	2,406.00	694702	4549734959094			Z3	0	USA	8537.1091.99
3-4112AAU-430-B00000	POWERUMAC ARM 2 CORE CPU CONFIGURATION WITH 1 ETHERNET & 1 ECAT 8 SERVO & I/O PORTS, PCIE PORT, 1 GB FLASH, 1 GB RAM, ALL BLACK PLATES	2,647.00	694703	4549734959087			Z3	0	USA	8537.1091.99
3-4112AAU-450-B00000	POWERUMAC ARM 2 CORE CPU CONFIGURATION WITH 1 ETHERNET & 1 ECAT 16 SERVO & I/O PORTS, PCIE PORT, 1 GB FLASH, 1 GB RAM, ALL BLACK PLATES	3,125.00	694704	4549734959070			Z3	0	USA	8537.1091.99
3-4112AAU-490-B00000	POWERUMAC ARM 2 CORE CPU CONFIGURATION WITH 1 ETHERNET & 1 ECAT 32 SERVO & I/O PORTS, PCIE PORT, 1 GB FLASH, 1 GB RAM, ALL BLACK PLATES	3,946.00	694705	4549734959063			Z3	0	USA	8537.1091.99
3-4112ABU-200-B00000	POWERUMAC ARM 2 CORE CPU CONFIGURATION WITH 2 ETHERNET PORTS, 4 GB FLASH, 2 GB RAM, ALL BLACK PLATES	2,363.00	694706	4549734959103			Z3	0	USA	8537.1091.99
3-4112ABU-210-B00000	POWERUMAC ARM 2 CORE CPU CONFIGURATION WITH 1 ETHERNET & 1 ECAT I/O PORTS, 4 GB FLASH, 2 GB RAM, ALL BLACK PLATES	2,447.00	694707	4549734959162			Z3	0	USA	8537.1091.99
3-4112ABU-220-B00000	POWERUMAC ARM 2 CORE CPU CONFIGURATION WITH 1 ETHERNET & 1 ECAT 4 SERVO & I/O PORTS, 4 GB FLASH, 2 GB RAM, ALL BLACK PLATES	2,687.00	694711	4549734959155			Z3	0	USA	8537.1091.99
3-4112ABU-230-B00000	POWERUMAC ARM 2 CORE CPU CONFIGURATION WITH 1 ETHERNET & 1 ECAT 8 SERVO & I/O PORTS, 4 GB FLASH, 2 GB RAM, ALL BLACK PLATES	2,926.00	694712	4549734959148			Z3	0	USA	8537.1091.99
3-4112ABU-250-B00000	POWERUMAC ARM 2 CORE CPU CONFIGURATION WITH 1 ETHERNET & 1 ECAT 16 SERVO & I/O PORTS, 4 GB FLASH, 2 GB RAM, ALL BLACK PLATES	3,406.00	694713	4549734959131			Z3	0	USA	8537.1091.99
3-4112ABU-290-B00000	POWERUMAC ARM 2 CORE CPU CONFIGURATION WITH 1 ETHERNET & 1 ECAT 32 SERVO & I/O PORTS, 4 GB FLASH, 2 GB RAM, ALL BLACK PLATES	4,225.00	694714	4549734959124			Z3	0	USA	8537.1091.99
3-4112ABU-400-B00000	POWERUMAC ARM 2 CORE CPU CONFIGURATION WITH 2 ETHERNET & PCIE PORTS, 4 GB FLASH, 2 GB RAM, ALL BLACK PLATES	2,451.00	694715	4549734959056			Z3	0	USA	8537.1091.99
3-4112ABU-410-B00000	POWERUMAC ARM 2 CORE CPU CONFIGURATION WITH 1 ETHERNET & 1 ECAT I/O PORTS, PCIE PORT, 4 GB FLASH, 2 GB RAM, ALL BLACK PLATES	2,536.00	694716	4549734959049			Z3	0	USA	8537.1091.99
3-4112ABU-420-B00000	POWERUMAC ARM 2 CORE CPU CONFIGURATION WITH 1 ETHERNET & 1 ECAT 4 SERVO & I/O PORTS, PCIE PORT, 4 GB FLASH, 2 GB RAM, ALL BLACK PLATES	2,775.00	694717	4549734959032			Z3	0	USA	8537.1091.99
3-4112ABU-430-B00000	POWERUMAC ARM 2 CORE CPU CONFIGURATION WITH 1 ETHERNET & 1 ECAT 8 SERVO & I/O PORTS, PCIE PORT, 4 GB FLASH, 2 GB RAM, ALL BLACK PLATES	3,015.00	694718	4549734959025			Z3	0	USA	8537.1091.99
3-4112ABU-450-B00000	POWERUMAC ARM 2 CORE CPU CONFIGURATION WITH 1 ETHERNET & 1 ECAT 16 SERVO & I/O PORTS, PCIE PORT, 4 GB FLASH, 2 GB RAM, ALL BLACK PLATES	3,494.00	694719	4549734959018			Z3	0	USA	8537.1091.99
3-4112ABU-490-B00000	POWERUMAC ARM 2 CORE CPU CONFIGURATION WITH 1 ETHERNET & 1 ECAT 32 SERVO & I/O PORTS, PCIE PORT, 4 GB FLASH, 2 GB RAM, ALL BLACK PLATES	4,314.00	694720	4549734959001			Z3	0	USA	8537.1091.99
3-4241BEU-200-B00000	POWER PMAC 1040 CPU CONFIGURATION WITH 2 ETHERNET PORTS, 4GB FLASH, 2GB RAM, ALL BLACK PLATES	3,028.00	700969	4549734694605			Z3	0	USA	8537.1091.99
3-4241BEU-210-B00000	POWER PMAC 1040 CPU CONFIGURATION WITH 1 ETHERNET & 1 ECAT I/O PORTS, 4GB FLASH, 2GB RAM, ALL BLACK PLATES	3,119.00	700968	4549734694612			Z3	0	USA	8537.1091.99
3-4241BEU-250-B00000	POWER PMAC 1040 CPU CONFIGURATION WITH 1 ETHERNET & 1 ECAT 16 SERVO & I/O PORTS, 4GB FLASH, 2GB RAM, ALL BLACK PLATES	4,159.00	700967	4549734694629			Z3	0	USA	8537.1091.99
3-4241BEU-290-B00000	POWER PMAC 1040 CPU CONFIGURATION WITH 1 ETHERNET & 1 ECAT 32 SERVO & I/O PORTS, 4GB FLASH, 2GB RAM, ALL BLACK PLATES	5,050.00	700966	4549734694636			Z3	0	USA	8537.1091.99
3-4241BEU-400-B00000	POWER PMAC 1040 CPU CONFIGURATION WITH 1 ETHERNET & 1 ECAT 64 SERVO & I/O PORTS, 4GB FLASH, 2GB RAM, ALL BLACK PLATES	6,665.00	700965	4549734694643			Z3	0	USA	8537.1091.99
3-4241BEU-400-B00000	POWER PMAC 1040 CPU CONFIGURATION WITH 2 ETHERNET & PCIE PORTS, 4GB FLASH, 2GB RAM, ALL BLACK PLATES	3,215.00	700964	4549734694650			Z3	0	USA	8537.1091.99
3-4241BEU-410-B00000	POWER PMAC 1040 CPU CONFIGURATION WITH 1 ETHERNET & 1 ECAT I/O PORTS, PCIE PORT, 4GB FLASH, 2GB RAM, ALL BLACK PLATES	3,306.00	700963	4549734694657			Z3	0	USA	8537.1091.99
3-4241BEU-450-B00000	POWER PMAC 1040 CPU CONFIGURATION WITH 1 ETHERNET & 1 ECAT 16 SERVO & I/O PORTS, PCIE PORT, 4GB FLASH, 2GB RAM, ALL BLACK PLATES	4,346.00	700962	4549734694674			Z3	0	USA	8537.1091.99

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Data sheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
4-3670EF-2000-000000	PMAC2A STD PC104 Opt15EF 160 MHz	2,149.00	683980	4549734954600			Z3	0	USA	8537.1091.99
4-3871CO-2004-000000	PMAC2 TURBO CLIPPER Opt15C0	1,066.00	694444	4549734915908			Z3	0	USA	8537.1098.99
4-3871CO-2004-010000	PMAC2 TURBO CLIPPER Opt15C0 Opt112	1,151.00	694445	4549734913119			Z3	0	USA	8537.1098.99
4-3871CO-2004-500000	PMAC2 TURBO CLIPPER Opt15C0 Opt1C3 80 MHz	1,260.00	695400	4549734618700			Z3	0	USA	8537.1098.99
4-3871CO-2004-510000	PMAC2 TURBO CLIPPER Opt15C0 Opt1C4 Opt12	1,348.00	694446	4549734944977			Z3	0	USA	8537.1091.99
4-3871CO-2005-000000	PMAC2 TURBO CLIPPER Opt15C0 Opt12	1,281.00	694447	4549734915748			Z3	0	USA	8537.1098.99
4-3871CO-2005-010000	PMAC2 TURBO CLIPPER Opt15C0 Opt12 Opt12	1,367.00	694448				Z3	0	USA	8537.1098.99
4-3871CO-2005-500000	PMAC2 TURBO CLIPPER Opt15C0 Opt1C4 Opt12 80 MHz BREAKOUT BOARD OPT.DPRAM	1,440.00	694449	4549734922043			Z3	0	USA	8537.1098.99
4-3871CO-2005-510000	PMAC2 TURBO CLIPPER.5C0 Opt12 Opt1C4 Opt112	1,523.00	694450	4549734915892			Z3	0	USA	8537.1098.99
4-3871CO-2006-000000	PMAC2 TURBO CLIPPER Opt15C0 Opt15F	1,183.00	694451	4549734913267			Z3	0	USA	8537.1098.99
4-3871CO-2006-010000	PMAC2 TURBO CLIPPER Opt15C0 Opt15F Opt12	1,268.00	694452	4549734913225			Z3	0	USA	8537.1098.99
4-3871CO-2007-000000	PMAC2 TURBO CLIPPER Opt15C0 Opt12 Opt15F	1,398.00	694453	4549734917094			Z3	0	USA	8537.1098.99
4-3871CO-2007-010000	Clipper Controller (Turbo PMAC2-Eth-Lite) Base Opt1-C0 (80 MHz DSP56303 CPU)	1,484.00	694454	4549734921398			Z3	0	USA	8537.1098.99
4-3871C3-2004-510000	PMAC2 TURBO CLIPPER Opt15C3 Opt1EX Opt1C3 Opt112 80 MHz 512Kx24 SRAM, Stack intfl., long pins, A/D	1,948.00	694455	4549734951579			Z3	0	USA	8537.1091.99
4-3871C3-2005-510000	PMAC2 TURBO CLIPPER Opt15C3 Opt12 Opt1EX Opt1C3 Opt112 80 MHz 512Kx24SRAM, DPRAM, Stack intfl., long pins, A/D	2,507.00	694456	4549734941587			Z3	0	USA	8537.1091.99
4-3871F3-2005-010000	PMAC2 TURBO CLIPPER Opt15F3 Opt12 Opt1C4 240MHz 512Kx24SRAM, Breakout Board Opt. DPRAM	2,724.00	694457	4549734918251			Z3	0	USA	8537.1098.99
4-3871F3-2005-500000	PMAC2 TURBO CLIPPER Opt15F3 Opt12 Opt1EX Opt1C3 Opt112 240 MHz 512Kx24SRAM, DPRAM, Stack intfl., long pins, A/D	2,794.00	694458	4549734922050			Z3	0	USA	8537.1098.99
4-3871F3-2005-510000	PMAC2 TURBO CLIPPER Opt15F3 Opt12 Opt1EX Opt1C3 Opt112 240 MHz 512Kx24SRAM, DPRAM, Stack intfl., long pins, A/D	2,971.00	694459	4549734942751			Z3	0	USA	8537.1091.99
4-4050JD-000-000000	Power PMAC Clipper Single-Core, 2 GB RAM	1,789.00	694460				Z3	0	USA	8537.1098.99
4-4050JD-000-010000	Power PMAC Clipper Dual-Core Power465, 1 GHz, 2 GB RAM, 1 GB Flash, 4 Analog In, 1 Filtered PWM Out, PWM laser control	1,836.00	694461	4549734955096			Z3	0	USA	8537.1091.99
4-4050JD-000-011000	Power PMAC Clipper Dual-Core Power465, 1 GHz, 2 GB RAM, 1 GB Flash, 4 Analog In, 1 Filtered PWM Out, PWM laser control	1,853.00	694731	4549734955218			Z3	0	USA	8537.1091.99
4-4050JD-000-300000	Power PMAC Clipper Dual-Core Power465, 1 GHz, 2 GB RAM, 1 GB Flash, 4 Analog In, 1 Filtered PWM Out, PWM laser control	1,744.00	694553	4549734955089			Z3	0	USA	8537.1091.99
4-4050JD-000-500000	Power PMAC Clipper Dual-Core Power465, 1 GHz, 2 GB RAM, 1 GB Flash, 4 Analog In, 1 Filtered PWM Out, PWM laser control	1,823.00	694583	4549734955072			Z3	0	USA	8537.1091.99
4-4050JD-000-510000	Power PMAC Clipper Dual-Core Power465, 1 GHz, 2 GB RAM, 1 GB Flash, 4 Analog In, 1 Filtered PWM Out, PWM laser control	2,162.00	694461	4549734942102			Z3	0	USA	8537.1091.99
4-4050JD-0310-000000	Power PMAC Clipper Dual-Core Power465, 1 GHz, 2 GB RAM, 1 GB Flash, 4 Analog In, 1 Filtered PWM Out, PWM laser control	1,754.00	694555	4549734951326			Z3	0	USA	8537.1091.99
4-4050JD-0310-010000	Power PMAC Clipper Dual-Core Power465, 1 GHz, 2 GB RAM, 1 GB Flash, 4 Analog In, 1 Filtered PWM Out, PWM laser control	2,047.00	694584	4549734955065			Z3	0	USA	8537.1091.99
4-4050JD-0310-310000	Power PMAC Clipper Dual-Core Power465, 1 GHz, 2 GB RAM, 1 GB Flash, 4 Analog In, 1 Filtered PWM Out, PWM laser control	2,123.00	684028	4549734955058			Z3	0	USA	8537.1091.99
4-4050JD-0320-000000	Power PMAC Clipper Dual-Core Power465, 1 GHz, 2 GB RAM, 1 GB Flash, 4 Analog In, 1 Filtered PWM Out, PWM laser control	2,164.00	694585	4549734955041			Z3	0	USA	8537.1091.99
4-4050JD-0320-010000	Power PMAC Clipper Dual-Core Power465, 1 GHz, 2 GB RAM, 1 GB Flash, 4 Analog In, 1 Filtered PWM Out, PWM laser control	2,329.00	694556	4549734955034			Z3	0	USA	8537.1091.99
4-4050JD-0320-011000	Power PMAC Clipper Dual-Core Power465, 1 GHz, 2 GB RAM, 1 GB Flash, 4 Analog In, 1 Filtered PWM Out, PWM laser control	2,432.00	684025	4549734955027			Z3	0	USA	8537.1091.99
4-4050JD-0330-000000	Power PMAC Clipper Dual-Core Power465, 1 GHz, 2 GB RAM, 1 GB Flash, 4 Analog In, 1 Filtered PWM Out, PWM laser control	2,446.00	694586	4549734955010			Z3	0	USA	8537.1091.99
4-4050JD-390-510000	Power PMAC Clipper Dual-Core Power465, 1 GHz, 2 GB RAM, 1 GB Flash, 4 Analog In, 1 Filtered PWM Out, PWM laser control	4,573.00	694587	4549734916691			Z3	0	USA	8537.1098.99
4-4050ME0-390-510000	Power PMAC Clipper Dual-Core Power465, 1 GHz, 2 GB RAM, 1 GB Flash, 4 Analog In, 1 Filtered PWM Out, PWM laser control	5,430.00	694462	4549734918022			Z3	0	USA	8537.1098.99
9B08-F3-447-0008G060	Geo Brick LV 8 Axes PMAC, 240 MHz, 4 MB flash UK special no housing	5,245.00	694588	4549734915595			Z3	0	USA	8537.1098.99
AF4-1-C0-1000-001000	ADV500U 4 axes, 80 MHz, 256Kx24 SRAM, 1M flash,	3,662.00	677191	4549734917742			Z3	0	USA	8537.1098.99
AF4-1-C0-1000-0100P0	ADV500U 4 Axes, PC-104, 80 MHz, 256Kx24 SRAM, 1 MB flash, 12 bit PWM, TTL fdb., 12 bit A/D+D/A converter	3,263.00	677801	4549734920933			Z3	0	USA	8537.1098.99
AF4-1-C0-1000-011000	ADV500U 4 axes, 80 MHz, 256Kx24 SRAM, 1M flash,	4,291.00	676975	4549734915588			Z3	0	USA	8537.1098.99
AF4-1-C0-3000-500000	ADV500U 4 axes, 80 MHz, 256Kx24 SRAM, 1M flash,	4,511.00	677418	4549734918444			Z3	0	USA	8537.1098.99
AF4-C0-5000-610000	ADV500U 4 axes, 80 MHz, 256Kx24 SRAM, 1M flash,	3,999.00	677416	4549734918429			Z3	0	USA	8537.1098.99
AF8-0-C0-1100-010000	ADV500U 8 Axes, 80 MHz, 256Kx24SRAM, 1 MB Flash	4,153.00	677039	4549734916226			Z3	0	USA	8537.1098.99
AF8-0-C3-1100-010000	ADV500U 8 Axes, 80 MHz, 1Mx24SRAM, 4 MB Flash	5,110.00	677049	4549734916325			Z3	0	USA	8537.1098.99
AF8-0-F3-2200-431000	ADV500U 8-Axis 240 MHz	8,600.00	677108	4549734916912			Z3	0	USA	8537.1098.99
BC4-C0-A00-000-000000	BrickController, 4 Axes, 80 MHz, 256Kx24 SRAM, 1 MB Flash	2,979.00	694490	4549734924900			Z3	0	USA	8537.1098.99
BC4-C0-A00-130-000000	BrickController, 4 Axes, 80 MHz, 256Kx24 SRAM, 1 MB flash, 12-24V flaqs input, 16I/8O	3,053.00	694546	4549734965378			Z3	0	USA	8537.1091.99
BC4-C0-A00-13D-000000	BrickController, 4 Axes, 80 MHz 256Kx24SRMA, 1 MB flash, 12-24V flaqs input, 16I/8O, DPRAM	3,205.00	694749	4549734977685			Z3	0	USA	8537.1091.99
BC4-C0-A00-205-000000	BrickController, 4 Axes, 80 MHz, 256 SRAM, 1 MB Flash, DAC	3,700.00	694589	4549734925808			Z3	0	USA	8537.1098.99
BC4-C0-A00-230-000000	BrickController, 4 Axes, 80 MHz, 256Kx24 SRAM, 1 MB Flash	3,634.00	694590	4549734924906			Z3	0	USA	8537.1098.99
BC4-C0-A02-00M-000000	BrickController, 4 Axes, 80 MHz, 256Kx24 SRAM, 1 MB Flash	3,483.00	694591	4549734925105			Z3	0	USA	8537.1098.99
BC4-C0-A02-230-000000	BrickController, 4 Axes, 80 MHz, 256Kx24 SRAM, 1 MB Flash, Exp. digital I/O	3,740.00	694760	4549734991698			Z3	0	USA	8537.1091.99
BC4-C0-F00-000-000000	BrickController, 4 Axes, 80 MHz, 256 SRAM, 1 MB Flash, PWM	2,779.00	694491	4549734925457			Z3	0	USA	8537.1098.99
BC4-C0-F00-100-000000	BrickController, 4 Axes, 80 MHz 256SRAM 1MB Flash, PWM, 12-24V flaqs 4 enc. in, digital 16in/8out	2,678.00	694592	4549734978163			Z3	0	USA	8537.1091.99
BC4-C0-F02-030-000000	BrickController, 4 Axes, 80 MHz, 256 SRAM, 1 MB Flash, PWM	3,386.00	694593	4549734925242			Z3	0	USA	8537.1098.99
BC4-C0-F02-100-000000	BrickController, 4 Axes, 80 MHz, 256SRAM, 1 MB Flash, PWM, 12-24V flaqs, 8 encoder in, 16I/8O, 12bit	3,016.00	694492	4549734965361			Z3	0	USA	8537.1091.99
BC4-C0-F02-130-000000	BrickController, 4 Axes, 80 MHz, 256 SRAM, 1 MB Flash, PWM	3,655.00	694594	4549734925303			Z3	0	USA	8537.1098.99
BC8-C0-AA2-205-000000	BrickController, 8 Axes, 80 MHz 256SRAM 1 MB Flash, DAC, 12-24V flaqs DAC5-8, +32V 16O, 2Ana, DPRAM, ModBus	4,816.00	694595	4549734929578			Z3	0	USA	8537.1091.99
BC8-C0-AA2-230-000000	BrickController, 8 Axes, 80 MHz, 256Kx24 SRAM, 1 MB Flash, Exp. digital I/O	4,426.00	694761	4549734991681			Z3	0	USA	8537.1091.99
BC8-C0-FF2-00M-000000	BrickController, 8 Axes, 80 MHz, 256 SRAM, 1 MB Flash, PWM	3,432.00	694540	4549734917834			Z3	0	USA	8537.1098.99
BC8-C0-FF2-100-000000	BrickController, 8 Axes, 80 MHz 256SRAM 1 MB Flash, PWM	3,580.00	694596	4549734915120			Z3	0	USA	8537.1098.99
BC8-C0-FF2-10M-000000	BrickController, 8 Axes, 80 MHz 256 SRAM 1 MB Flash, PWM, 12-24V flaqs PWM5-8, digital 16in/8out, ModBus	3,700.00	694493	4549734922821			Z3	0	USA	8537.1098.99
BC8-C0-FF2-130-000000	BrickController, 8 Axes, 80 MHz, 256 SRAM, 1 MB Flash, PWM	3,802.00	694597	4549734916479			Z3	0	USA	8537.1098.99
BC8-C3-AA2-240-4C320	BrickController, 8 Axes, 80 MHz, 1Mx24SRAM 4 MB Fl, TrDAC, 8 Enc, 12-24 V flq, 48I/24O, 4 EndDat Enc.Fb, F/O	6,015.00	694598	4549734951074			Z3	0	USA	8537.1091.99
BC8-F3-AA2-040-8A000	8 Axes Brick Controller, 240 Mhz, 1M RAM, 4MB Flash, DAC outputs 16-bit resolution, 8 Encoder and 12-24 V Flaq inputs , Digital I/O, 16 IN / 8 OUT, Four Hi-Pes (16-bit) analog inputs & 4 GPIO Relays, 8 Sinooidal Encoder Feedback Channels 1-8	7,390.00	701638	4549734629300			Z3	0	USA	8537.1091.99
GBD4-C0-100-10000000	Geo Brick LV 4 Axes PMAC, 80 MHz, 256Kx24SR, 1 MB Flash	3,476.00	694601	4549734925792			Z3	0	USA	8537.1098.99
GBD4-C0-400-00000000	Geo Brick LV 4-axis PMAC, 80 MHz, 256K, 1M Flash, 5/15 A, 12-24V flaqs 4 Enc	3,064.00	695399	4549734619813			Z3	0	USA	8537.1091.99
GBD4-C0-400-0004A000	Geo Brick LV 4-axis PMAC, 80 MHz 256K, 1M Flash, 5/15 A,	3,999.00	694505	4549734915373			Z3	0	USA	8537.1098.99
GBD4-C0-400-000D0000	Geo Brick LV 4-axis PMAC, 80 MHz 256K, 1M Flash, 5/15 A,	3,960.00	694602	4549734917063			Z3	0	USA	8537.1098.99
GBD4-C0-400-000D4A030	Geo Brick LV 4-axis PMAC, 80 MHz 256K, 1M Flash, 5/15 A,	4,389.00	694603	4549734918312			Z3	0	USA	8537.1098.99
GBD4-C0-400-000D4C630	Geo Brick LV 4 axis PMAC, 80MHz 256K, 1M Fla, 5/15A, 12-24V flaqs 4Enc, 16in /8out, DPRAM,RS232, 4BISS &C Ser.Enc.Feedb., 12bit 10-uV Muxed ADC	3,764.00	694747	4549734974615			Z3	0	USA	8537.1091.99
GBD4-C0-400-000R0000	Geo Brick LV 4-axis PMAC, 80 MHz, 256K, 1M Flash, 5/15 A, 12-24V flaqs 4 Enc, RS232	3,192.00	694604	4549734958356			Z3	0	USA	8537.1091.99
GBD4-C0-400-10000000	Geo Brick LV 4 axis PMAC, 80 MHz, 256K, 1M Flash, 5/15 A,	3,476.00	694605	4549734918046			Z3	0	USA	8537.1098.99
GBD4-C0-400-10D00000	Geo Brick LV 4-axis PMAC, 80 MHz 256K, 1M Flash, 5/15 A, 12-24 V flaqs 4 Enc, DPRAM, Muxed ADC, Total 32 in / 16 out	4,360.00	694606	4549734941839			Z3	0	USA	8537.1091.99
GBD4-C0-405-00000000	Geo BRICK LV 4 AXES, 80 MHz, DSP56303 CPU, 8Kx 24 INT, 1 MB FLASH, 5A/15A 4 PHASE SERV/ STEPPER OUTPUTS, 5V FLAQS	2,823.00	694506	4549734962476			Z3	0	USA	8537.1091.99
GBD4-C0-405-0004C600	Geo Brick LV 4-axis PMAC, 800 MHz 256K 1M Flash, 5/15 A, 5 V flaqs inputs, 16 I/O, 4 BISS & C Serial Enc.	4,016.0								



Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Daheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
GBD8-C0-227-00M0000	Geo BRICK LV, 80 MHz, 8 AXES 8KX 24 INT, AXES 1-8 1A/3A 4 PHASE SERVO/ STEPPEROUTPUTS, 5V FLAGS, MODBUS	3,397.00	694738	4549734967747			Z3	0	USA	8537.1091.99
GBD8-C0-227-00M4C200	Geo BRICK LV, 80 MHz, 8 AXES 8KX 24 INT, AXES 1-8 1A/3A 4 PHASE SERVO/ STEPPEROUTPUTS, 5V FLAGS, MODBUS, AXES 1-4 Yaskawa Sarm II & III & V FEEDBACK	3,997.00	694739	4549734967754			Z3	0	USA	8537.1091.99
GBD8-C0-227-00S0000	Geo BRICK LV 8-axis PMAC, 80 MHz 256 K, 1 M Flash, 1/3 A, 5 V f laas, DPRAM + ModBus	4,163.00	694613	4549734932524			Z3	0	USA	8537.1091.99
GBD8-C0-412-00M0000	Geo BRICK LV 8 ax, 80 MHz 256K, 1M Flash, 5/15 A, Ax 5-8 0.25/0.75 A, 5V f laas, exp 16l 80, ModBus	3,985.00	694614	4549734937108			Z3	0	USA	8537.1091.99
GBD8-C0-417-00M0000	Geo BRICK LV 8-axis PMAC, 80 MHz 256K, 1M Flash, 5/15 A, Ax 5-8 0.25/0.75 A, 5V f laas, exp 16l 80, ModBus	3,296.00	694615	4549734948036			Z3	0	USA	8537.1091.99
GBD8-C0-427-00M0000	Geo BRICK LV, 80 MHz, 8 AXES 8KX 24 INT, AXES 1-4 5A/ 15A & 5-8 1A/3A 4 PHASE SERVO/ STEPPEROUTPUTS, 5V FLAGS, MODBUS	3,397.00	694740	4549734967761			Z3	0	USA	8537.1091.99
GBD8-C0-442-00M0000	Geo BRICK LV 8-axis PMAC, 80 MHz 256K, 1M Flash, 5/15 A, 12-24V f laas	3,294.00	694507	4549734954594			Z3	0	USA	8537.1091.99
GBD8-C0-442-00M04A000	Geo BRICK LV 8-axis PMAC, 80 MHz 256K, 1M Flash, 5/15 A, 12-24V f laas, 4 Sinusoidal Encoder Feedback Channels	4,762.00	698951	4549734630320			Z3	0	USA	8537.1091.99
GBD8-C0-442-00M0C600	GBD8-C0-442-00M0C600	4,619.00	694616	4549734915151			Z3	0	USA	8537.1098.99
GBD8-C0-442-00M0A000	Geo BRICK LV 8 axis PMAC, 80 MHz 256K, 1M Flash, 5/15 A,	4,959.00	694508	4549734916394			Z3	0	USA	8537.1098.99
GBD8-C0-442-00M0C600	Geo BRICK LV DRIVE, 80MHz, 8 AXES, 8KX 24 INT, 5A/15A-4 PHASE SERVO/ STEPPER OUTPUT W/ ENCODERS & FLAGS, 8 BISS-B&C ENCODER FEEDBACKS, RS232	4,176.00	694617	4549734970259			Z3	0	USA	8537.1091.99
GBD8-C0-442-00D0000	Geo BRICK LV 8-axis PMAC, 80 MHz, 256K, 1M Flash, 5/15 A	3,919.00	694618	4549734925228			Z3	0	USA	8537.1098.99
GBD8-C0-442-00D8A030	Geo BRICK LV 8 axis PMAC, 80 MHz 256K, 1M Flash, 5/15 A,	5,355.00	694619				Z3	0	USA	8537.1098.99
GBD8-C0-442-00E0000	Geo BRICK LV 8-axis PMAC, 80 MHz 256K, 1M Flash, 5/15 A,	4,054.00	694620	4549734917698			Z3	0	USA	8537.1098.99
GBD8-C0-442-00M0000	8 Axes Geo BRICK LV, 80 MHz, 8Kx24 Internal, 256Kx24SRAM, 1 MB Flash, Axes 1-4 5/15 A - 4 Phase Servo/Stepper out, Axes 5-8 5/15 A - 4 Phase Servo/Stepper out, 8 Encoder and 12-24V Flag inputs, 16 IN/8 OUT, ModBus Ethernet Communication Protocol	3,985.00	694621	4549734947442			Z3	0	USA	8537.1091.99
GBD8-C0-442-00P0000	Geo BRICK LV 8-axis PMAC, 80 MHz, 256K, 1M Flash, 5/15 A, 12-24V f laas, RS232	3,411.00	694622	4549734954570			Z3	0	USA	8537.1091.99
GBD8-C0-442-00T0000	Geo BRICK LV 8-axis PMAC, 80 MHz, 256K, 1M Flash, 5/15 A, 12-24V f laas, ModBus, DPRAM, RS232	3,667.00	694623	4549734954587			Z3	0	USA	8537.1091.99
GBD8-C0-442-10M0000	Geo BRICK LV 8 Axes PMAC, 80 MHz, 256 kB, 1 MB Flash, 5/15 A	4,010.00	694509	4549734913065			Z3	0	USA	8537.1098.99
GBD8-C0-442-10M0000	Geo BRICK LV 8-axis PMAC, 80 MHz, 256K, 1M Flash, 5/15 A,	4,129.00	694624	4549734918329			Z3	0	USA	8537.1098.99
GBD8-C0-442-10M0020	Geo BRICK LV 8 Axes PMAC, 80 MHz, 256 kB, 1 MB Flash, 5/15 A, 12-24 V f laas, exp 16l 80, 4GPIO, ModBus&F/O Interface	4,758.00	694625	4549734929264			Z3	0	USA	8537.1098.99
GBD8-C0-442-10S0000	Geo BRICK LV 8 Axes PMAC, 80 MHz, 256 kB, 1 MB Flash, 5/15 A, DPRAM	4,006.00	694510	4549734993708			Z3	0	USA	8537.1091.99
GBD8-C0-447-00M0000	Geo BRICK LV 8 Axes PMAC, 80 MHz, 256 kB, 1 MB Flash, 5/15 A	3,743.00	694511	4549734912990			Z3	0	USA	8537.1098.99
GBD8-C0-447-00M0C300	Geo BRICK LV 8 axis PMAC, 80 MHz, 256K, 1M Flash, 5/15 A	4,747.00	694626	4549734918282			Z3	0	USA	8537.1098.99
GBD8-C0-447-00M0C330	Geo BRICK LV 8-axis PMAC, 80 MHz, 256K, 1M Flash, 5/15 A	4,959.00	694627	4549734925273			Z3	0	USA	8537.1098.99
GBD8-C0-447-00M0C600	Geo BRICK LV 8-axis PMAC, 80 MHz, 256K, 1M Flash, 5/15 A	4,747.00	694628	4549734917292			Z3	0	USA	8537.1098.99
GBD8-C0-447-00M0C630	Geo BRICK LV 8 Axes PMAC, 80 MHz, 256 kB, 1 MB Flash, 5/15 A	4,959.00	694629	4549734912907			Z3	0	USA	8537.1098.99
GBD8-C0-447-00D0000	Geo BRICK LV 8-axis PMAC, 80 MHz, 256K, 1M Flash, 5/15 A	3,919.00	694630	4549734925594			Z3	0	USA	8537.1098.99
GBD8-C0-447-00D8A000	Geo BRICK LV 8 axis PMAC, 80 MHz, 256K, 1M Flash, 5/15 A	5,150.00	694631	4549734916875			Z3	0	USA	8537.1098.99
GBD8-C0-447-00D8C300	Geo BRICK LV 8 axis PMAC, 80 MHz, 256K, 1M Flash, 5/15 A	4,920.00	694632	4549734916073			Z3	0	USA	8537.1098.99
GBD8-C0-447-00D8C600	Geo BRICK LV 8 Axes PMAC, 80 MHz, 256 kB, 1 MB Flash, 5/15 A	4,920.00	694633	4549734912891			Z3	0	USA	8537.1098.99
GBD8-C0-447-00D8D030	Geo BRICK LV 8 axis PMAC, 80 MHz, 256K, 1M Flash, 5/15 A	5,785.00	694634	4549734916639			Z3	0	USA	8537.1098.99
GBD8-C0-447-00M0000	Geo BRICK LV 8 ax, 80 MHz 256K, 1M Flash, 5/15 A, Ax 5-8 5/15 A, 5V f laas, exp 16l 80, ModBus	3,396.00	694692	4549734948043			Z3	0	USA	8537.1091.99
GBD8-C0-447-00S0000	Geo BRICK LV 8-axis PMAC, 80 MHz 256K, 1M Flash, 5/15 A, 5 V f laas, DPRAM + ModBus	4,163.00	694635	4549734935241			Z3	0	USA	8537.1091.99
GBD8-C0-447-0208A000	Geo BRICK LV, 80 MHz, 8 AXES 8KX 24 INT, 5A/ 15A-4 PHASE SERVO/ STEPPER OUTPUTS, QH 1-8 ENCODER AND 5V FLAG INPUTS, FOUR GPIO RELAYS, RS232, 8 SIN FEEDBACK	4,459.00	694726	4549734962469			Z3	0	USA	8537.1091.99
GBD8-C0-447-0908A000	Geo BRICK LV DRIVE, 80 MHz, 8 AXES, 8KX 24 INT, 5/15 A 4 PHASE SERVO/ STEPPER OUTPUT W/ ENCODERS & 5V FLAGS, 4 AENA RELAYS, 8 SIN ENCODER FEEDBACK	4,459.00	694729	4549734963558			Z3	0	USA	8537.1091.99
GBD8-C0-447-1008C300	Geo BRICK LV 8 axis PMAC, 80 MHz, 256K, 1M Flash, 5/15 A	5,015.00	694636	4549734916110			Z3	0	USA	8537.1098.99
GBD8-C0-447-1008C600	Geo BRICK LV 8-axis PMAC, 80 MHz, 256K, 1M Flash, 5/15 A	5,020.00	694637	4549734916458			Z3	0	USA	8537.1098.99
GBD8-F3-442-00E0000	Geo BRICK LV 8-axis PMAC, 240 MHz, 1M, 4M Flash, 5/15 A,	5,415.00	694638	4549734913478			Z3	0	USA	8537.1098.99
GBD8-F3-442-00S8A030	Geo BRICK LV 8 Axes PMAC, 240 MHz, 1 MB, 4M Flash, 5/15 A	6,820.00	694639	4549734913560			Z3	0	USA	8537.1098.99
GBD8-F3-442-10E0000	Geo BRICK LV 8-axis PMAC, 240 MHz, 1M, 4M Flash, 5/15 A,	5,685.00	694640	4549734913034			Z3	0	USA	8537.1098.99
GBD8-F3-442-10S8A050	Geo BRICK LV 8-axis PMAC, 240 MHz, 1M, 4M Flash, 5/15 A,	7,360.00	694641	4549734915632			Z3	0	USA	8537.1098.99
GBD8-F3-442-10S8D350	Geo BRICK LV 8 axis PMAC, 240 MHz, 1M, 4M Flash, 5/15 A, F/O	8,000.00	694529	4549734913195			Z3	0	USA	8537.1098.99
GBD8-F3-447-00D8C300	Geo BRICK LV 8 Axes PMAC, 240 MHz, 4 MB Flash	6,285.00	694642	4549734925631			Z3	0	USA	8537.1098.99
GBL4-C0-500-00M00000	Geo BRICK 4 Axes PMAC, 80 MHz, 8 kB int, 256 kB SRAM, 1 MB Flash	3,474.00	694512	4549734917353			Z3	0	USA	8537.1098.99
GBL4-C0-500-00D00000	Geo BRICK 4 Axes PMAC, 80 MHz 8Kint 256K SRAM 1M Flash, 5 A/10 A peak, DPRAM	3,648.00	694513	4549734929738			Z3	0	USA	8537.1091.99
GBL4-C0-500-00E00000	Geo BRICK DRIVE, 80 MHz, 4 Axes 8KX24 INT, 256X24 SRAM, 1 MB FLASH, 5 A CONT/ 10 A PEAK, DPRAM, RS232	3,520.00	694514	4549734925588			Z3	0	USA	8537.1091.99
GBL4-C0-500-00M00000	Geo BRICK 4-Axis PMAC, 80 MHz, 8Kint, 256K SRAM, 1M Flash	3,591.00	694557	4549734925082			Z3	0	USA	8537.1098.99
GBL4-C0-500-03000000	Geo BRICK 4 Axes PMAC, 80 MHz, 8 kB int, 256 kB SRAM, 1 MB Flash	3,700.00	694735	4549734913591			Z3	0	USA	8537.1098.99
GBL4-C0-500-06S00000	Geo BRICK DRIVE, 80 MHz, 4 Axes 8KX24 INT, 256X24 SRAM, 1 MB FLASH, 5 A CONT/ 10 A PEAK, DPRAM, FOUR ANALOG IN	4,020.00	694143	4549734994514			Z3	0	USA	8537.1091.99
GBL4-C0-500-10M00000	Geo BRICK 4 Axes PMAC, 80 MHz, 8 kB int, 256 kB SRAM, 1 MB Flash	3,339.00	694732	4549734917704			Z3	0	USA	8537.1098.99
GBL4-C0-500-10N00000	Geo BRICK 4-Axis PMAC, 80 MHz, 8Kint, 256K SRAM, 1M Flash	3,989.00	694643	4549734925402			Z3	0	USA	8537.1098.99
GBL4-C0-500-13M00000	Geo BRICK 4-Axis PMAC, 80 MHz, 8Kint, 256K SRAM, 1M Flash	4,081.00	694644	4549734915984			Z3	0	USA	8537.1098.99
GBL4-C0-502-00M00000	Geo BRICK 4-Axis PMAC, 80 MHz, 8Kint, 256K SRAM, 1M Flash	3,860.00	699173	4549734631358			Z3	0	USA	8537.1098.99
GBL4-C0-502-00D0420	Geo BRICK 4-Axis PMAC, 80 MHz, 8Kint, 256K SRAM, 1M Flash	6,350.00	695876	4549734620840			Z3	0	USA	8537.1098.99
GBL4-C0-502-00M4C100	Geo BRICK 4-Axis PMAC, 80 MHz, 8Kint, 256K SRAM, 1M Flash - SSI Encoder	4,337.00	694762	4549734988919			Z3	0	USA	8537.1091.99
GBL4-C0-502-00M00000	Geo BRICK 4 Axes PMAC, 80 MHz 8Kint 256K SRAM, 1M Flash, 5 A/10 A peak, +4 enc, analog 4I/4O	4,444.00	694724	4549734938914			Z3	0	USA	8537.1091.99
GBL4-C0-502-10M00000	Geo BRICK 4-Axis PMAC, 80 MHz, 8Kint, 256K SRAM, 1M Flash	4,241.00	694515	4549734925693			Z3	0	USA	8537.1098.99
GBL4-C0-502-13000000	Geo BRICK 4 Axes PMAC, 80 MHz, 8 kB int, 256 kB SRAM, 1 MB Flash 5 A/10 A peak, +4 enc, add 16l/80, analog 2I/2O	4,350.00	694528	4549734926010			Z3	0	USA	8537.1098.99
GBL4-C0-502-13M00000	Geo BRICK DRIVE, 80 MHz, 4 AXIS 5A CONT/10A PK 8 ENCODER INPUTS, EXP DIGI I/O, (216-BIT HI RESOL, ANALOG I/O, MODBUS	3,927.00	694645	4549734969567			Z3	0	USA	8537.1091.99
GBL4-C0-502-14D00000	Geo BRICK 4-Axis PMAC, 80 MHz, 8Kint, 256K SRAM, 1M Flash	4,747.00	694646	4549734925129			Z3	0	USA	8537.1098.99
GBL4-C0-502-14M00000	Geo BRICK 4-Axis PMAC, 80 MHz, 8Kint, 256K SRAM, 1M Flash	4,689.00	694763	4549734925150			Z3	0	USA	8537.1098.99
GBL4-C0-800-03000000	Geo BRICK 4 Axes PMAC, 80 MHz, 8 kB int, 256 kB SRAM, 1 MB Flash	4,209.00	694647	4549734913263			Z3	0	USA	8537.1098.99
GBL4-C0-800-03D00000	Geo BRICK 4-Axis PMAC, 80 MHz, 8Kint, 256K SRAM, 1M Flash, 8 A/16 A peak, analog 2I/2O, DPRAM	3,857.00	694648	4549734964494			Z3	0	USA	8537.1091.99
GBL4-C0-800-03M00000	Geo BRICK 4-Axis PMAC, 80 MHz, 8Kint, 256K SRAM, 1M Flash	4,327.00	694649	4549734915755			Z3	0	USA	8537.1098.99
GBL4-C0-800-10N00000	Geo BRICK 4-Axis PMAC, 80 MHz, 8Kint, 256K SRAM, 1M Flash	4,501.00	694650	4549734924931			Z3	0	USA	8537.1098.99
GBL4-C0-802-10D00000	Geo BRICK DRIVE, 80 MHz, 4 AXES 8KX24 INT, 256X24 SRAM, 8 A CONT/16 A PEAK, 4 SEC ENCODER INP, EXP DIGI I/O, DPR	4,231.00	694607	4549734963169			Z3	0	USA	8537.1091.99
GBL4-C0-807-00D4A000	Geo BRICK 4 Axes PMAC, 80 MHz, 1 MB Flash, Dig I/O 16 i/o	5,340.00	694651	4549734925587			Z3	0	USA	8537.1098.99
GBL4-C0-500-00M00000	Geo BRICK 4 Axes PMAC, 80 MHz, 1Mx24SRAM 4 MB Flash, 8Kx24 Internal, 5 A/10 A peak, ModBus	4,640.00	694652	4549734941044			Z3	0	USA	8537.1091.99
GBL4-F3-505-13D00000	Geo BRICK 4-Axis PMAC, 240 MHz 194Kint 1MSRAM 4M Flash	5,195.00	694653	4549734915922			Z3	0	USA	8537.1098.99
GBL8-C0-552-00D8C600	Geo BRICK 8 Axes PMAC, 80 MHz, 8 kB int, 256 kB SRAM, 1 MB Flash	6,705.00	694654	4549734923125			Z3	0	USA	8537.1098.99
GBL8-C0-552-00D8D0400	Geo BRICK 8 AXES PMAC, 80 MHz, 8 kB INT, 256 kB SRAM, 1 MB FLASH, AXES 1-4, 5/10 A, AXES 5-8, 5/10 A, 8 ENCODER, 16									

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Dahaet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
GBL8-CO-552-10D8C630	Geo Brick 8-Axis PMAC, 80 MHz, 8Kint, 256K SRAM, 1M Flash	7.190,00	694658	4549734925136			Z3	0	USA	8537.1098.99
GBL8-CO-552-10N00000	Geo Brick 8-Axis PMAC, 80 MHz, 8Kint, 256K SRAM, 1M Flash	6.045,00	694659	4549734925266			Z3	0	USA	8537.1098.99
GBL8-CO-882-00D8C230	Geo Brick 8-Axis PMAC, 80 MHz, 8Kint, 256K SRAM, 1M Flash	7.955,00	694660	4549734925327			Z3	0	USA	8537.1098.99
GBL8-CO-882-10D8D450	Geo Brick 8-Axis PMAC, 80 MHz, 8Kint, 256K SRAM, 1M Flash	9.625,00	695876	4549734620604			Z3	0	USA	8537.1098.99
GBL8-CO-882-19D00050	Geo Brick 8-Axis PMAC, 80 MHz, 8Kint, 256K SRAM, 1M Flash, 8 A/16 A peak, 12-24 V Ilaas, DPPAM, F/O Macro Interface, Muxed ADC, 32/16 In/Out, Four AENA Relays	6.990,00	694516	4549734964159			Z3	0	USA	8537.1091.99
GBL8-CO-887-00D8C230	Geo Brick 8-Axis PMAC, 80 MHz, 8Kint, 256K SRAM, 1M Flash	7.955,00	694661	4549734925372			Z3	0	USA	8537.1098.99
GBL8-F3-552-00000000	Geo Brick 8-Axis PMAC, 240 MHz, 194Kint, 1M SRAM, 4M Flash	6.890,00	694662	4549734925075			Z3	0	USA	8537.1098.99
GBL8-F3-552-00M00020	Geo Brick 8 Axes, 240 MHz 194Kint 1M SRAM 4 MB Flash, 5 A/10 A peak, 8 Enc., 12-24 V Flaq In., ModBusEh., F/O	7.880,00	694663	4549734930925			Z3	0	USA	8537.1091.99
GBL8-F3-552-10D8C600	Geo Brick 8-Axis PMAC, 240 MHz, 194Kint, 1M SRAM, 4M Flash	8.335,00	694664	4549734925167			Z3	0	USA	8537.1098.99
GBL8-F3-552-10D8C630	Geo Brick 8-Axis PMAC, 240 MHz, 194Kint, 1M SRAM, 4M Flash	8.550,00	694665	4549734925211			Z3	0	USA	8537.1098.99
GBL8-F3-882-10D8A000	Geo Brick 8-Axis PMAC, 240 MHz 194 Kint, 1 M SRAM, 4 M Flash	9.875,00	694666	4549734945202			Z3	0	USA	8537.1091.99
GBL8-F3-887-10D8D400	Geo Brick 8-Axis PMAC, 240 MHz, 192Kx24, 1M SRAM, 4M Flash	10.230,00	694667	4549734925006			Z3	0	USA	8537.1098.99
GMH032F11000	Geo Macro Drive, 480 V, 2Axes, 3/9 A, SingleWidth, Optic	2.567,00	694670	4549734981255			Z3	0	USA	8537.1091.99
PBA4-AA005A-01000010	POWER BRICK AC DRIVE, POWER PMAC 1020 CPU, 4 AXES, 1GB RAM, 1GB FLASH, AXES (1-4) 5A & 8 ENCODERS/ FLAGS, 32/16 DIGITAL I/O, 4 ADC, 4 FLTRD PWM, 4 RELAYS	7.280,00	702165	4549734722902			Z3	0	USA	8537.1098.99
PBA4-AA005A-01000E00	POWER BRICK AC DRIVE, 1020 ARM CPU, 4 AXES, 1GB RAM, 1GB FLASH, AXES (1-4) 5A & 8 ENCODERS/ FLAGS, 32/16 DIGITAL I/O, 1S AXES(1-4) & XY2-100 AXES(5-8)	7.770,00	700417	4549734710879			Z3	0	USA	8537.1098.99
PBA4-AE0080-00008B00	POWER BRICK AC DRIVE, POWER PMAC 1020 CPU, 4 AXES, 2GB RAM, 4GB FLASH, AXES (1-4) 8A & 4 ENCODERS/ FLAGS, 16/8 DIGITAL I/O, 4 BISS B/C FEEDBACK	7.555,00	701311	4549734717953			Z3	0	USA	8537.1098.99
PBA4-G21-000-520K3000	PowerBrickAC, 4 Axes, 800 MHz, 2 GB RAM, 1 GB Flash	6.935,00	694764	4549734917739			Z3	0	USA	8537.1098.99
PBA4-G21-310-50000000	PowerBrickAC, 4 Axes, 800 MHz, 2 GB RAM, 1 GB Flash 5 A / 10 A 4 Enc./ Flaq In., 16/8 dig.I/O, Ethernet/CAT	5.730,00	694765	4549734927451			Z3	0	USA	8537.1098.99
PBA4-H21-000-8200V000	POWER BRICK AC DRIVE, 4 AXIS, 1GHZ, 2GB DDR2, 1GB FLASH, 8A/16A OUT, WITH 8 ENCODERS & FLAGS, 32/16 DIGIT I/O, BISS B/C FEEDBACK AXES (1-8)	8.425,00	701394	4549734719667			Z3	0	USA	8537.1098.99
PBA8-AA0088-10FFR0020	POWER BRICK AC DRIVE, POWER PMAC 1020 CPU, 8 AXES, 1GB RAM, 1GB FLASH, AXES (1-8) 8A & 8 ENCODERS/ FLAGS, MACRO, 16/8 DIGITAL I/O, 8 RESOLVER FEEDBACK, 8 ADC, 8 FLTRD PWM, 8 RELAYS	12.930,00	701229	4549734715072			Z3	0	USA	8537.1098.99
PBA8-AA0088-11FFR0020	POWER BRICK AC DRIVE, POWER PMAC 1020 CPU, 8 AXES, 1GB RAM, 1GB FLASH, AXES (1-4) 8A / AXES (5-8) 5A & 8 ENCODERS/ FLAGS, 32/16 DIGITAL I/O, MACRO, ECAT 8 SERVO 8 I/O, 8 RESOLVER FEEDBACK, 8 ADC, 8 FLTRD PWM, 8 RELAYS	13.860,00	701230	4549734715096			Z3	0	USA	8537.1098.99
PBA8-AE0088-00008B00	POWER BRICK AC DRIVE, POWER PMAC 1020 CPU, 8 AXES, 2GB RAM, 4GB FLASH, AXES (1-8) 8A & 8 ENCODERS/ FLAGS, 16/8 DIGITAL I/O, 8 BISS B/C FEEDBACK	11.420,00	701309	4549734717977			Z3	0	USA	8537.1098.99
PBA8-H21-310-58000000	PowerBrickAC, 8 Axes, 1 Ghz, 2 GB RAM, 1 GB Flash	9.645,00	694766	4549734915397			Z3	0	USA	8537.1098.99
PBA8-H23-000-88050000	PowerBrickAC, 8 Axes, 1 Ghz, 2 GB RAM, 4 GB Flash/SD-Card	11.360,00	694767	4549734916554			Z3	0	USA	8537.1098.99
PBA8-H23-000-8805L000	PowerBrickAC, 8 Axes, 1 Ghz, 2 GB RAM, 4 GB Flash/SD-Card	12.100,00	694768	4549734916561			Z3	0	USA	8537.1098.99
PBL4-AA0050-00000000	POWER BRICK LV DRIVE, 4 AXIS AMP, 1020 ARM CPU, 1GB RAM, 1GB FLASH, AXES (1-4) 5A, W/ 4 ENCODERS AND FLAGS, 16/8 DIG I/O	4.593,00	700972	4549734638357			Z3	0	USA	8537.1098.99
PBL4-AA0050-00000000	POWER BRICK LV DRIVE, 4 AXIS AMP, 1020 ARM CPU, 1GB RAM, 1GB FLASH, AXES (1-4) 5A, W/ 4 ENCODERS AND FLAGS, 16/8 DIG I/O, BISS B/C on AXES (1-4)	5.100,00	701168	4549734712996			Z3	0	USA	8537.1098.99
PBL4-AA005A-00A80000	POWER BRICK LV DRIVE, 4 AXIS AMP, 2 CORE ARM CPU, 1GB RAM, 1GB FLASH, AXES (1-4) 5A, W/ 8 ENCODERS AND FLAGS, 16/8 DIGITAL I/O, AXES (1-4) ACI AND AXES (5-8) SIN FEEDBACK	7.160,00	695985	4549734673952			Z3	0	USA	8537.1091.99
PBL4-AA005A-00SS0010	POWER BRICK LV DRIVE, 4 AXIS AMP, POWER PMAC 1020 CPU, 1GB RAM, 1GB FLASH, AXES (1-4) 5A, W/ 8 ENCODERS AND FLAGS, 16/8 DIG I/O, SIN AXES(1-4) FEEDBACK, 4ADC, 4 FLTPWM, 4 RELAYS	6.965,00	702461	4549734724814			Z3	0	USA	8537.1098.99
PBL4-AA005A-11000050	POWER BRICK LV DRIVE, 4 AXIS AMP, POWER PMAC 1020 CPU, 1GB RAM, 1GB FLASH, AXES (1-4) 5A, W/ 8 ENCODERS AND FLAGS, 32/16 DIG I/O, MACRO, 4 ADC & 4 FLTRD PWM ON CH (1-4), 4 ADC & 4 TRUE DAC ON CH (5-8), 8 RELAYS	6.965,00	701228	4549734715058			Z3	0	USA	8537.1098.99
PBL4-AA0070-00002040	POWER BRICK LV DRIVE, 4 AXIS AMP, 1020 ARM CPU, 1GB RAM, 1GB FLASH, AXES (1-4) 1A, W/ 8 ENCODERS AND FLAGS, 16/8 DIG I/O, SSI SERIAL FEEDBACK AXES (1-4), 4 ADC, 4 TRUE DAC, 4 RELAYS ON CH (5-8)	6.345,00	701047	4549734713955			Z3	0	USA	8537.1098.99
PBL4-AA1050-00000000	POWER BRICK LV DRIVE, 4 AXIS AMP, 2 CORE ARM CPU, 1GB RAM, 1GB FLASH, AXES (1-4) 5A, W/ 8 ENCODERS AND FLAGS, 16/8 DIGITAL I/O	4.499,00	696037	4549734640034			Z3	0	USA	8537.1091.99
PBL4-AA105A-00A80000	POWER BRICK LV DRIVE, 4 AXIS AMP, 2 CORE ARM CPU, 1GB RAM, 1GB FLASH, ECAT I/O, AXES (1-4) 5A, W/ 8 ENCODERS AND FLAGS, 16/8 DIGITAL I/O, AXES (1-4) ACI AND AXES (5-8) SIN FEEDBACK	7.260,00	695984	4549734673969			Z3	0	USA	8537.1091.99
PBL4-AA105A-01A00020	POWER BRICK LV DRIVE, 4 AXIS AMP, POWER PMAC 1020 CPU, 1GB RAM, 1GB FLASH, ECAT I/O, AXES (1-4) 5A, W/ 8 ENCODERS AND FLAGS, 32/16 DIGITAL I/O, AXES (1-4) ACI FEEDBACK & ADC, 8 FLTRD PWM, 8 RELAYS	8.190,00	702166	4549734722926			Z3	0	USA	8537.1098.99
PBL4-AE005A-01S00020	POWER BRICK LV DRIVE, 4 AXIS AMP, POWER PMAC 1020 CPU, 2GB RAM, 4GB FLASH, AXES (1-4) 5A, W/ 8 ENCODERS AND FLAGS, 32/16 DIG I/O, SIN AXES(1-4) FEEDBACK, 8ADC, 8 FLTRD PWM, 8 RELAYS	7.520,00	702405	4549734724546			Z3	0	USA	8537.1098.99
PBL4-G21-000-51010000	POWER BRICK LV DRIVE, 4 Axes, 800 MHz, 2 GB DDR2, 1 GB FLASH, 5A/10A OUT, W/4 ENCODERS AND FLAGS, 4 ADC, 4 FILTERED PWM, 16/8 DIGITAL I/O, 16/12 MACRO, AXES1-4 SIN FEEDBACK	5.275,00	694769	4549734941792			Z3	0	USA	8537.1091.99
PBL4-G21-000-53010C90	PowerBrickLV, 4 Axes, 800 MHz, 2 GB RAM, 1 GB Flash, SD	6.620,00	694770	4549734941792			Z3	0	USA	8537.1098.99
PBL4-JD0-100-50008000	POWER BRICK LV DRIVE, 4 Axes 465CPU 1 Ghz, 2 GB RAM, 1 GB FLASH, 5A/10A, 4 ENCODER & FLAGS, 16/8 DIG I/O, 2 ETHERNET, BISS B/C FEEDBACK	4.308,00	694725	4549734963305			Z3	0	USA	8537.1091.99
PBL4-JD0-100-53000000	POWER BRICK LV DRIVE, 4 AXIS 465CPU 1GHZ, 2GB RAM, 1GB FLASH, 5A/10A, 8 ENCODER & FLAGS, 32/16 DIG I/O, MACRO 32/24, 8 FILTERED PWM, 8 ADC, 8 GPIO RELAYS, 2 ETHERNET	4.708,00	694741	4549734967952			Z3	0	USA	8537.1091.99
PBL4-JD0-100-53010000	POWER BRICK LV DRIVE, 4 AXIS 465CPU 1GHZ, 2GB RAM, 1GB FLASH, 5A/10A, 8 ENCODER & FLAGS, 32/16 DIG I/O, MACRO 32/24, 8 FILTERED PWM, 8 ADC, 8 GPIO RELAYS, 2 ETHERNET, AXES 1-4 SIN FEEDBACK	5.255,00	694742	4549734967945			Z3	0	USA	8537.1091.99
PBL4-JD0-200-50018000	PowerBrickLV, 4 Axes, 1 Ghz, 2 GB RAM, 1 GB Flash, Dual-Core 5A/15A, 4Enc+ Flaq Inp, 16/8 dig.I/O, SIN&Analog, BISS	5.620,00	694771	4549734921671			Z3	0	USA	8537.1098.99
PBL4-JD0-310-50010000	PowerBrickLV, 4 Axes, 1 Ghz, 2 GB RAM, 1 GB Flash, Dual-Core, 5A/15A, 4Enc+ Flaq Inp, 16/8 dig.I/O, SIN&Analog, 1Ethernet, 1EtherCAT port	4.551,00	694748	4549734974028			Z3	0	USA	8537.1091.99
PBL8-AA0055-00000000	POWER BRICK LV DRIVE, 8 AXIS AMP, 1020 ARM CPU, 1GB RAM, 1GB FLASH, AXES (1-8) 5A, W/ 8 ENCODERS AND FLAGS, 16/8 DIG I/O	4.520,00	700971	4549734638425			Z3	0	USA	8537.1091.99
PBL8-AA0055-00008B00	POWER BRICK LV DRIVE, 8 AXIS AMP, 1020 ARM CPU, 1GB RAM, 1GB FLASH, AXES (1-8) 5A, W/ 8 ENCODERS AND FLAGS, 16/8 DIG I/O, 8 BISS B/C SERIAL FEEDBACK	6.635,00	700920	4549734713306			Z3	0	USA	8537.1091.99
PBL8-AA0055-000FB000	POWER BRICK LV DRIVE, 8 AXIS AMP, 1020 ARM CPU, 1GB RAM, 1GB FLASH, AXES (1-8) 1A, W/ 8 ENCODERS AND FLAGS, 16/8 DIG I/O, AXES (5-8) RESOLVER & AXES (1-4) BISS B/C SERIAL FEEDBACK	6.940,00	701169	4549734713979			Z3	0	USA	8537.1091.99
PBL8-AA0055-00SS0000	POWER BRICK LV DRIVE, 8 AXIS AMP, POWER PMAC 1020 CPU, 1GB RAM, 1GB FLASH, AXES (1-8) 5A, W/ 8 ENCODERS AND FLAGS, 16/8 DIGITAL I/O, 8 SIN ENCODER FEEDBACK	7.060,00	702404	4549734724517			Z3	0	USA	8537.1091.99
PBL8-AA0055-00SS0010	POWER BRICK LV DRIVE, 8 AXIS AMP, 2 CORE ARM CPU, 1GB RAM, 1GB FLASH, AXES (1-8) 5A, W/ 8 ENCODERS AND FLAGS, 16/8 DIGITAL I/O, 8 SIN ENCODER FEEDBACK, 4 ADC, 4 FILTERED PWM & 4 RELAYS	7.580,00	702462	4549734724791			Z3	0	USA	8537.1091.99
PBL8-AA0055-01008B00	POWER BRICK LV DRIVE, 8 AXIS AMP, 2 CORE ARM CPU, 1GB RAM, 1GB FLASH, AXES (1-8) 5A, W/ 8 ENCODERS AND FLAGS, 32/16 DIG I/O, BISS B/C SERIAL FEEDBACK AXES(1-8)	6.755,00	699140	4549734691673			Z3	0	USA	8537.1091.99
PBL8-AA0055-08008B00	POWER BRICK LV DRIVE, 8 AXIS AMP, 2 CORE ARM CPU, 1GB RAM, 1GB FLASH, AXES (1-8) 5A, W/ 8 ENCODERS AND FLAGS, 16/8 DIG I/O, BISS B/C SERIAL FEEDBACK AXES(1-8), PROFIBUS-DP SLAVE	7.845,00	699021	4549734685078			Z3	0	USA	8537.1091.99
PBL8-AA0077-11008B00	POWER BRICK LV DRIVE, 8 AXIS AMP, 1020 ARM CPU, 1GB RAM, 1GB FLASH, AXES (1-8) 1A, W/ 8 ENCODERS AND FLAGS, MACRO, 32/16 DIG I/O, 8 BISS B/C SERIAL FEEDBACK	7.240,00	700921	4549734713290			Z3	0	USA	8537.1091.99
PBL8-AA0077-11008B20	POWER BRICK LV DRIVE, 8 AXIS AMP, 1020 ARM CPU, 1GB RAM, 1GB FLASH, AXES (1-8) 1A, W/ 8 ENCODERS AND FLAGS, MACRO, 32/16 DIG I/O, 8 BISS B/C SERIAL FEEDBACK, 8 ADC, 8 FLTRD PWM, 8 RELAYS	8.280,00	700922	4549734713269			Z3	0	USA	8537.1091.99
PBL8-AA1055-00S00000	POWER BRICK LV DRIVE, 8 AXIS AMP, POWER PMAC 1020 CPU, 1GB RAM, 1GB FLASH, AXES (1-8) 5A, W/ 8 ENCODERS AND FLAGS, 16/8 DIG I/O, ECAT I/O, SIN FEEDBACK AXES (1-4)	6.445,00	702161	4549734715812			Z3	0	USA	8537.1091.99
PBL8-AA2055-11008B10	POWER BRICK LV DRIVE, 8 AXIS AMP, 2 CORE ARM CPU, 1GB RAM, 1GB FLASH, AXES (1-8) 5A, W/ 8 ENCODERS AND FLAGS, 32/16 DIGITAL I/O, ECAT 4 AXES, MACRO FIBER, BISS B/C (1-8), 4 ADC	8.165,00	701167	4549734674614			Z3	0	USA	8537.1091.99
PBL8-AA2055-11008B20	POWER BRICK LV DRIVE, 8 AXIS AMP, 1020 ARM CPU, 1GB RAM, 1GB FLASH, ECAT W/ 4 SERVO AXES & I/O, AXES 1-8 5A, W/ 8 ENCODERS AND FLAGS, FIBER/MACRO, 16/8 DIG I/O, 8 ADC, 8 FILTERED PWM, 8 RELAYS, 8 BISS B/C SERIAL FEEDBACK	8.685,00	700698	4549734685382			Z3	0	USA	8537.1091.99
PBL8-AE0077-11008B00	POWER BRICK LV DRIVE, 8 AXIS AMP, 1020 ARM CPU, 2GB RAM, 4GB FLASH, AXES (1-8) 1A, W/ 8 ENCODERS AND FLAGS, MACRO, 32/16 DIG I/O, 8 BISS B/C SERIAL FEEDBACK	7.700,00	700922	4549734713283			Z3	0	USA	8537.1091.99
PBL8-AE0077-11008B20	POWER BRICK LV DRIVE, 8 AXIS AMP, 1020 ARM CPU, 2GB RAM, 4GB FLASH, AXES (1-8) 1A, W/ 8 ENCODERS AND FLAGS, MACRO, 32/16 DIG I/O, 8 BISS B/C SERIAL FEEDBACK, 8 ADC, 8 FLTRD PWM, 8 RELAYS	8.740,00	700923	4549734713276			Z3	0	USA	8537.1091.99
PBL8-AE2057-00000000	POWER BRICK LV DRIVE, 8 AXIS AMP, POWER PMAC 1020 CPU, 2GB RAM, 4GB FLASH, AXES (1-4) 5A / AXES (5-8) 1A, W/ 8 ENCODERS AND FLAGS, 16/8 DIG I/O, 4 ADC, 4 FLTRD PWM & 4 RELAYS ON CH (1-4)	7.265,00	701432	4549734719414			Z3	0	USA	8537.1091.99
PBL8-AE2057-00S00010	POWER BRICK LV DRIVE, 8 AXIS AMP, POWER PMAC 1020 CPU, 2GB RAM, 4GB FLASH, AXES (1-4) 5A / AXES (5-8) 1A, W/ 8 ENCODERS AND FLAGS, 16/8 DIG I/O, 4 ADC, 4 FLTRD PWM & 4 RELAYS ON CH (1-4), SIN FEEDBACK AXES (1-4)	7.985,00	701431	4549734719438			Z3	0	USA	8537.1091.99
PBL8-G21-000-55000000	PowerBrickLV, 8 Axes, 800 MHz, 2 GB RAM, 1 GB Flash, 5A/15A, 8Enc+ Flaq Inp, 32/16 digital I/Os	4.505,00	694772	4549734964623			Z3	0	USA	8537.1091.99
PBL8-G21-000-5500K000	8 Axes Power Brick LV	5.895,00	678464	4549734925440			Z3	0	USA	8537.1098.99
PBL8-G21-000-5500V000	8 Axes Power Brick LV	5.895,00	694773	4549734925556			Z3	0	USA	8537.1098.99
PBL8-G21-000-50000000	PowerBrickLV, 8 Axes, 800 MHz, 2 GB RAM, 1 GB Flash, 5A/15A, 1A/3A, 32/16 Dig I/O, Macro 32/24 Servo I/O	5.645,00	694774	4549734929400			Z3	0	USA	8537.1098.99
PBL8-G21-000-51A00B00	PowerBrickLV, 8 Axes, 800 MHz, 2 GB RAM, 1 GB Flash 5/15A, 0.25/0.75A, 32/16 Dig I/O, BISS B/C	6.070,00	694775	4549734926034	</					

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Daheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
PEL3-JD-431-0000000	Power PMAC EtherLite 1 GHz, 2 GB RAM, 1 GB Flash	4,547.00	694606	4549734915885			Z3	0	USA	8537.1098.99
TCD4-C0-400-001-0100	TurboClipperDrive Turbo PMAC2-Eth-Lite, 80 MHz CPU, OPT-11A	2,893.00	695925	4549734636209			Z3	0	USA	8537.1098.99
TCD4-C0-400-001-0400	TurboClipperDrive Turbo PMAC2-Eth-Lite, 80 MHz CPU	2,807.00	694691	4549734913386			Z3	0	USA	8537.1098.99
20-056-039	Kabel VFT-Orbit 17W4.1 (ACC-59E --cat1/- 17U1)	38.47	676868	4549734914536			Z3	0	USA	8537.1098.99
200-602739-024X	CABPWM-1, Amplifier PWM Cable, 600 mm (24 inches long), mini-D, 36 conductor, 1 axis	126.20	694750	4549734915991			Z3	0	USA	8538.9099.99
200-602739-036X	CABPWM-2, Amplifier PWM Cable, 900 mm (36 inches long), mini-D, 36 conductor, 1 axis	123.40	676663	4549734913027			Z3	0	USA	8544.4290.90
200-602739-036X	CABPWM-2, Amplifier PWM Cable, 900 mm (36 inches long), mini-D, 36 conductor, 1 axis	123.40	694751	4549734913027			Z3	0	USA	8544.4290.90
200-602739-060X	CABPWM-3, Amplifier PWM Cable, 1.5 m (60 inches long), mini-D, 36 conductor, 1 axis	127.30	676705	4549734913249			Z3	0	USA	8538.9099.99
200-602739-060X	CABPWM-3, Amplifier PWM Cable, 1.5 m (60 inches long), mini-D, 36 conductor, 1 axis	127.30	694752	4549734913249			Z3	0	USA	8538.9099.99
200-602739-072X	CABPWM-4, Amplifier PWM Cable, 1.8 m (72 inches long), mini-D, 36 conductor, 1 axis	144.40	694753				Z3	0	USA	8538.9099.99
200-602739-084X	CABPWM-5, Amplifier PWM Cable, 2.1 m (84 inches long), mini-D, 36 conductor, 1 axis	151.20	694754				Z3	0	USA	8538.9099.99
200-602739-144X	CABPWM-6, PWM Cable, 3.6 m (144 inches long), mini-D, 36 wire	202.00	694755	4549734937580			Z3	0	USA	8544.4290.90
20C-602967-1000	Fiber Optic Cable Assy, Single, 100 ft (30 m)	211.20	685153	4549734962230			Z3	0	USA	8544.7000.00
300-603403-10X	UMAC BACKPLANE 6SL0T	193.90	676712	4549734913317			Z3	0	USA	8537.1098.99
300-603403-10X	UMAC BACKPLANE 6SL0T	193.90	694359				Z3	0	USA	8537.1098.99
300-603463-10X	UMAC BACKPLANE 6SL0T	236.90	694360	4549734913522			Z3	0	USA	8537.1098.99
300-603465-10X	UMAC BACKPLANE 12SL0T	310.10	694361	4549734913584			Z3	0	USA	8537.1098.99
300-603491-10X	UMAC BACKPLANE 12SL0T	450.10	694362	4549734913485			Z3	0	USA	8537.1098.99
300-603617-10X	CUMAC ACC C8	802.50	694558	4549734915113			Z3	0	USA	8537.1098.99
31E-603269-DTE	UMAC POWER SUPPLY DTE	467.80	676864	4549734914499			Z3	0	USA	8504.4030.00
3-2375A-00000-00	Optically isolated I/O board, 64-bits total, designed for easy connection to Opto-22 and compatible boards (See ACC-21 cables) (Same as 3A0-602375-10X)	379.30	694559	4549734941860			Z3	0	USA	8537.1091.99
3-2375A-00001-00	ACC-34B 64 BIT STD OPTO I/O IN	342.40	694531	4549734993388			Z3	0	USA	8537.1091.99
3-2817A-10000-00	PMAC ACC-34AA, 32 I/O OPTO ISOLATOR W/ PARTY & LOW PASS INPUT FILTER, OPT-1 SINKING	666.00	694536	4549734942430			Z3	0	USA	8537.1098.99
3-2817A-20000-00	PMAC ACC-34AA, 32 In/Out Opto isolated I/O w/ parity & Low Pass Input Filters Opt.2 Sourcing	656.00	694539	4549734942348			Z3	0	USA	8537.1098.99
3-2817A-20003-00	PMAC ACC-34AA, 32 I/O OPTO ISOLATOR W/ PARTY & LOW PASS INPUT FILTER, OPT-2 SOURCING & OPT-3 RAILMOUNT	711.00	694537	4549734943918			Z3	0	USA	8537.1098.99
3-2932A-00-2100-B000	UMAC ACC P3 BLACK	1,168.00	701021	4549734617130			Z3	0	USA	8537.1098.99
3-3269A-00-0000-B000	UMAC ACC E1A Black covers	469.50	694470	4549734918183			Z3	0	USA	8537.1098.99
3-3269A-00-0000-F000	UMAC ACC E1A Black covers, no fan, (Spare part)	462.80	699926	4549734619226			Z3	0	USA	8537.1098.99
3-3269A-00-C000-B100	ACC E1, AC INPUT POWER SUPPLY, 100 to 240 VAC IN, OUT 14 A @ +5 V, 1.5 A @ +/-15V, 3 SLOTS, PLATES AND FAN BLACK	484.40	695253	4549734639910			Z3	0	USA	8537.1098.99
3-3307A-00-0000-B100	UMAC ACC 11E Black 24I/24O, RTB, Sourcing Output	440.20	694363	4549734920896			Z3	0	USA	8537.1098.99
3-3307A-00-0000-B200	UMAC ACC 11E, 24IN/24OUT, 3U SOURCING OUTPUT DRIVERS, W/ DB15 CONN. WITH FACE, TOP & BOTTOM PLATES, BLACK	387.00	694364	4549734969505			Z3	0	USA	8471.6070.00
3-3397A-00-0000-B200	UMAC ACC 24E2 Black 2-Axis Digital PWM DB15	716.50	677770	4549734920803			Z3	0	USA	8537.1098.99
3-3397A-00-0000-B200	UMAC ACC 24E2 Black 2-Axis Digital PWM DB15	716.50	694365				Z3	0	USA	8537.1098.99
3-3397A-00-0007-B100	UMAC ACC 24E2	1,192.00	694366	4549734979870			Z3	0	USA	8537.1098.99
3-3397A-00-0007-B200	UMAC ACC 24E2 Black	1,192.00	694367	4549734913096			Z3	0	USA	8537.1098.99
3-3398A-00-1000-B100	UMAC ACC 24E2A Black; 2 Axis Dual 16-Bit Analog RTB	802.50	694368	4549734921725			Z3	0	USA	8537.1098.99
3-3398A-00-1000-B200	UMAC ACC 24E2A Black	780.00	694369	4549734913429			Z3	0	USA	8537.1098.99
3-3398A-00-1008-B100	UMAC ACC 24E2A Black; 4 Axis Dual 16-Bit Analog RTB	1,294.00	694370	4549734921718			Z3	0	USA	8537.1098.99
3-3398A-00-1008-B200	UMAC ACC 24E2A Black	1,253.00	694371	4549734915267			Z3	0	USA	8537.1098.99
3-3404A-00-0000-B100	UMAC ACC 28E Black 2-Channel 16bit A/D Converter, RTB	705.50	694372	4549734951142			Z3	0	USA	8537.1091.99
3-3404A-00-0000-B200	UMAC ACC 28E Black	802.50	694373	4549734916806			Z3	0	USA	8537.1098.99
3-3404A-00-0001-B100	UMAC ACC 28E Black 4-Channel 16bit A/D Converter, RTB	1,203.00	694374	4549734979214			Z3	0	USA	8537.1098.99
3-3404A-00-0001-B200	UMAC ACC 28E 4-Channel 16bit A/D Converter, DB9, Black	1,203.00	694375	4549734957915			Z3	0	USA	8537.1098.99
3-3437A-00-0000-B100	UMAC ACC 5E	322.20	694376	4549734915229			Z3	0	USA	8537.1098.99
3-3437A-00-8001-B100	UMAC ACC 5E (16 Axis & 12 I/O) Fiber-Optic MACRO Transc & RM5 Black	727.50	694378	4549734949095			Z3	0	USA	8537.1091.99
3-3438A-00-0000-B100	UMAC ACC 51E, 2-Axis 4096x High-Resolution Analog Encoder Interpolator Board with RTB Connections, Black plates	937.50	696305	4549734617369			Z3	0	USA	8537.1098.99
3-3438A-00-0000-B200	UMAC ACC 51E Black	908.00	676701	4549734913201			Z3	0	USA	8537.1098.99
3-3438A-00-0000-B200	UMAC_ACC_51E, 2-Axis 4096x High-Resolution Analog Encoder Interpolator Board with DB15 Connections, Black plates	908.00	694379				Z3	0	USA	8537.1098.99
3-3438A-00-0001-B200	UMAC ACC 51E Black	1,349.00	694380	4549734912983			Z3	0	USA	8537.1098.99
3-3441A-00-0000-B100	UMAC ACC 24E2S BLACK 4 Chan Enc - In/Stepper Out Interface RTB	574.50	694381	4549734977111			Z3	0	USA	8537.1098.99
3-3441A-00-0000-B200	4-Channel Encoder-Input/Stepper-Output Interface/Breakout Board DB15, Black	653.00	694382	4549734925259			Z3	0	USA	8537.1098.99
3-3447A-00-0000-B300	ACC-14E, 48 bits of High-Speed Inputs/Outputs, TTL discrete digital I/O points at 5V level. Two 50-pin IDC headers.	430.30	694383	4549734924955			Z3	0	USA	8537.1098.99
3-3483A-00-0000-B100	UMAC ACC 36E Black	844.50	694384	4549734916257			Z3	0	USA	8537.1098.99
3-3494A-00-0000-B100	UMAC ACC 59E Black	930.00	694385	4549734913126			Z3	0	USA	8537.1098.99
3-3575A-00-0000-B100	UMAC ACC 65E Black	599.50	694387	4549734913447			Z3	0	USA	8537.1098.99
3-3575A-00-0000-B200	UMAC ACC 65E Black Sourcing 24IN / Sourcing 24OUT I/O Board DB15	619.00	694388	4549734943390			Z3	0	USA	8537.1091.99
3-3576A-00-0000-B100	UMAC ACC 66E	599.50	694389	4549734913508			Z3	0	USA	8537.1098.99
3-3577A-00-0000-B100	UMAC ACC 67E	599.50	694391	4549734916042			Z3	0	USA	8537.1098.99
3-3595A-00-0000-B200	UMAC ACC 68E Isolated, Self-Protected, Sinking 24In-24Out, DB15, Black	527.50	694393	4549734964326			Z3	0	USA	8537.1098.99
3-3603A-00-0000-A000	CUMAC ACC 11C	737.50	694560	4549734916448			Z3	0	USA	8537.1098.99
3-3603A-00-0001-A000	CUMAC ACC 11C Opt1	1,221.00	694548	4549734916417			Z3	0	USA	8537.1098.99
3-3611A-00-0000-A000	4-Axis Analog Servo Interface Board	1,006.00	694549	4549734925747			Z3	0	USA	8537.1098.99
3-3611A-00-1000-A000	CUMAC ACC 24C2A Opt1	1,167.00	694561	4549734917438			Z3	0	USA	8537.1098.99
3-3611A-00-1001-A000	CUMAC ACC 24C2A Opt1 Opt2	1,297.00	694550	4549734917179			Z3	0	USA	8537.1098.99
3-3625F3-2014-A00000	3-3625F3-2014-A00000	4,664.00	694566	4549734917711			Z3	0	USA	8537.1098.99
3-3671-0-0000-100000	ACC_AxisExp_1P	609.50	694357	4549734913461			Z3	0	USA	8537.1098.99
3-3671-0-0000-102000	ACC_AxisExp_1P Opt1	849.00	694471	4549734916028			Z3	0	USA	8537.1098.99
3-3671-0-0000-130000	PMAC2 ACC-1P, PMAC2A PC/104 AXIS 5-8 CONFIGURATION WITH 12BIT 2 CHANNEL, A/D CONVERTER, +/- 10V INPUT	617.50	694472	4549734967266			Z3	0	USA	8471.6070.00
3-3672-0-0000-100000	ACC_HSCom 2P Opt1A	324.80	694473	4549734917056			Z3	0	USA	8537.1098.99
3-3672-0-0000-103000	ACC_HSCom 2P Opt1A Opt3, USB Interface, Multiplex Port-I/O-Handweld	489.10	694474	4549734951432			Z3	0	USA	8537.1098.99
3-3672-0-0000-200000	ACC_HSCom 2P Opt1B	405.70	694475	4549734913348			Z3	0	USA	8537.1098.99
3-3672-0-0000-203000	ACC_HSCom 2P Opt1B Opt3	637.50	694476	4549734916714			Z3	0	USA	8537.1098.99
3-3672-0-0000-300000	ACC-2P, PMAC2A PC/104 HIGH SPEED COMMUNICATIONS CONFIGURATION WITH USB, ETHERNET, MODBUS	539.00	694567	4549734945004			Z3	0	USA	8537.1091.99
3-3672-0-0001-100000	ACC_HSCom 2P Opt2 Opt1A	557.00	694477	4549734913577			Z3	0	USA	8537.1098.99
3-3672-0-0001-203000	ACC_HSCom 2P Opt2 Opt3 Opt1B	869.00	694478	4549734916080			Z3	0	USA	8537.1098.99
3-3672-0-0001-303000	ACC_HSCom 2P Opt2 Opt3 Opt1B, Opt1.15F	964.50	694568	4549734916301			Z3	0	USA	8537.1098.99

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Data sheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code	
3-3674-0-0002-000000	ACC-51S2 channel 4096x interpolator stack board	636.50	694479	4549734918190			Z3	0	USA	8537.1098.99	
3-3674-0-0012-000000	ACC-51S4 channels 4096x interpolator stack board for sinusoidal encoders	999.00	694480	4549734933926			Z3	0	USA	8537.1091.99	
3-3959A-00-0000-B000	ACC-F1, POWER SUPPLY, 24VDC INPUT W/FACEPLATE, TOP PLATE, BLACK AND FAN ASSY.	441.40	694402	4549734969041			Z3	0	USA	8504.4099.99	
3-3921A-00-0000-B200	ACC-51EP 2-Axis sin/cosin input, digital U/W out	857.00	694571	4549734915250			Z3	0	USA	8537.1098.99	
3-3921A-00-0001-B200	ACC-51EP 4-Axis sin/cosin input, digital U/W out	1,273.00	694572	4549734918305			Z3	0	USA	8537.1098.99	
3-3927A-00-0002-B200	UMAC ACC 84E4-Axis Serial Enc.Interface	747.50	694403	4549734917551			Z3	0	USA	8537.1098.99	
3-3927A-00-0003-B200	UMAC ACC 84E4-Axis Serial Enc.Interface	747.50	694404	4549734918015			Z3	0	USA	8537.1098.99	
3-3927A-00-000B-B200	ACC-84E, 4-Axis Serial Encoder Interface, with BISS-B & C Protocol/BLACKFront, Top, Bottom plates, Screws and 2 Card Guides	747.50	694405	4549734916516			Z3	0	USA	8537.1098.99	
3-3927A-00-0XY2-B200	UMAC ACC 84E XY2-100 Serial Link Black FTB Covers	772.00	694406	4549734941723			Z3	0	USA	8537.1098.99	
3-3936-0-0003-000000	ACC-84S PC/104 Stack Serial encoder Interface	439.10	694573	4549734916189			Z3	0	USA	8537.1098.99	
3-3936-0-0XY2-000000	XY2-100 Serial Link for 2-axis and 3-axis Laser Scan-heads and Galvanometers	439.20	694535	4549734923347			Z3	0	USA	8537.1098.99	
3-3958A-00-111M-B000	UMAC Fieldbus Gateway / PROFIBUS-DP Slave, Black	1,164.00	694530	4549734925426			Z3	0	USA	8537.1098.99	
3-3958A-00-210M-B000	ACC-72EX, UMAC FIELDBUS GATEWAY WITH DEVICENET MASTER/COM MODULE W/ALL PLATES, BLACK	1,542.00	694574	4549734969512			Z3	0	USA	8471.6070.00	
3-3958A-00-310M-B000	UMAC ACC 72EX Fieldbus Gateway CAN OPEN MASTER Module Black Covers	1,541.00	694532	4549734959889			Z3	0	USA	8537.1098.99	
3-3958A-00-5110-B000	UMAC ACC 72EX Fieldbus Gateway	552.00	677194	4549734917773			Z3	0	USA	8537.1098.99	
3-3958A-00-711M-B000	Acc-72EX UMAC Fieldbus Gateway / EtherNet/IP Adapter (Slave)	1,162.00	694576	4549734921831			Z3	0	USA	8537.1098.99	
3-3958A-00-911M-B000	UMAC Fieldbus Gateway / PROFINET IO RT-Device (Slave)	1,181.00	695267	4549734618021			Z3	0	USA	8537.1098.99	
3-4002A0010-0000-B00	Axis 3-4 Base Board No Mezzanine Boards	217.80	694407	4549734925600			Z3	0	USA	8537.1098.99	
3-4002A1000-0000-B00	UMAC ACC 24E3 1st 2-Axis Board No Mezzanine Boards	433.20	694408	4549734918176			Z3	0	USA	8537.1098.99	
3-4002A5000-3100-B00	UMAC ACC 24E3 2Ax Dia Amp/PWM	817.50	694409	4549734915915			Z3	0	USA	8537.1098.99	
3-4002A5000-3200-B00	UMAC ACC 24E3 2Ax Dia Amp/PWM	782.00	694410	4549734915816			Z3	0	USA	8537.1098.99	
3-4002A5000-4100-B00	UMAC ACC 24E3 2Ax Dia Amp/PWM	956.00	694411	4549734915731			Z3	0	USA	8537.1098.99	
3-4002A5000-4600-B00	UMAC ACC 24E3 2Ax Dia Amp/PWM Auto-Corr.Interpol.Serial Enc.Feedb., DB15, FTB Black	1,496.00	694412	4549734943369			Z3	0	USA	8537.1091.99	
3-4002A5050-3232-B00	UMAC ACC 24E3 4Ax Dia Amp/PWM	1,349.00	694413	4549734918220			Z3	0	USA	8537.1098.99	
3-4002A5050-4141-B00	UMAC ACC 24E3 4Ax Dia Amp/PWM	1,696.00	677155	4549734917384			Z3	0	USA	8537.1098.99	
3-4002A5050-4141-B00	UMAC ACC 24E3 4Ax Dia Amp/PWM	1,696.00	694414			2	Z3	0	USA	8537.1098.99	
3-4002A5050-4646-B00	UMAC ACC 24E3 4Ax Dia Amp/PWM Auto-Corr.Interpol.Serial Enc.Feedb., DB15, FTB Black	2,769.00	694577	4549734943437			Z3	0	USA	8537.1091.99	
3-4002A5062-4141-B00	UMAC ACC 24E3 4Ax Dia Amp/PWM+AnaAmp 2Phase 16Bit Sine Enc 16-Bit ADC DB15, FTB Black	1,949.00	694415	4549734920872			Z3	0	USA	8537.1098.99	
3-4002A6161-3131-B00	UMAC ACC 24E3 4Ax Analog 2Phase 16-Bit Quadrature, Serial Enc., TB, BTB, FTB Black	1,804.00	694416	4549734952941			Z3	0	USA	8537.1098.99	
3-4002A6200-3200-B00	ACC-24E3, 2 AXIS ANALOG TWO PHASE 16-BIT DACs, QUADRATURE AND SERIAL ENCODER FEEDBACK with DB-15 connectors, front, top and bottom plates (Black)	1,034.00	694417	4549734917841			Z3	0	USA	8537.1098.99	
3-4002A6200-4100-B00	UMAC ACC 24E3 2Ax Analog 2Phase 16-Bit DAC	1,207.00	694418	4549734913102			Z3	0	USA	8537.1098.99	
3-4002A6200-4600-B00	UMAC ACC 24E3 2Ax Analog 2Phase, 16-Bit DAC	1,701.00	694419	4549734913553			Z3	0	USA	8537.1098.99	
3-4002A6262-3232-B00	ACC-24E3, 4 AXIS ANALOG TWO PHASE 16-BIT DACs, QUADRATURE AND SERIAL ENCODER FEEDBACK with DB-15 connectors, front, top and bottom plates (Black)	1,852.00	694420	4549734916011			Z3	0	USA	8537.1098.99	
3-4002A6262-4141-B00	UMAC ACC 24E3 4Ax Analog 2Phase 16-Bit DAC	2,197.00	694421	4549734916059			Z3	0	USA	8537.1098.99	
3-4002A6262-4646-B00	UMAC ACC 24E3 4Ax Analog 2Phase, 16-Bit DAC	3,186.00	694422	4549734913140			Z3	0	USA	8537.1098.99	
3-4002A6600-4100-B00	UMAC ACC 24E3 2Ax Analog 2Phase, 16-Bit DAC, Sine 16-Bit ADC, DB15, FTB Black	1,505.00	694423	4549734921657			Z3	0	USA	8537.1098.99	
3-4002A6600-4600-B00	UMAC ACC 24E3 2Ax Analog 2Phase, 16-Bit DAC Auto-Corr.Interp.16-Bit, Serial Enc., DB15, FTB Black	1,916.00	694533	4549734923011			Z3	0	USA	8537.1091.99	
3-4002A6666-4646-B00	UMAC ACC 24E3 4Ax Analog 2Phase, 16-Bit DAC	3,778.00	694424	4549734916653			Z3	0	USA	8537.1098.99	
3-4002A6700-3200-B00	UMAC ACC 24E3 2Ax Analog 1Phase, 16-Bit DAC	916.00	694425	4549734916455			Z3	0	USA	8537.1098.99	
3-4002A6700-4100-B00	ACC-24E3, 2 AXES ANALOG ONE PHASE 16-BIT DAC, NO ISOLATION, SINE ENCODER 16-BIT ADCs AND SERIAL ENCODER FEEDBACK WITH 16-BIT ADCs with DB-15 connectors, front, top and bottom plates (Black)	1,123.00	694426	4549734943376			Z3	0	USA	8537.1091.99	
3-4002A6700-4600-B00	UMAC ACC 24E3 2Ax Analog 1Phase, 16-Bit DAC Auto-correcting 16-Bit, Serial Enc.16-Bit ADC, DB15	1,631.00	694427	4549734943420			Z3	0	USA	8537.1091.99	
3-4002A6767-3232-B00	UMAC ACC 24E3 4Ax Analog 1Phase, 16-Bit DAC	1,610.00	694428	4549734915328			Z3	0	USA	8537.1098.99	
3-4002A6767-4141-B00	ACC-24E3, 4 AXES ANALOG ONE PHASE 16-BIT DAC, NO ISOLATION, SINE ENCODER 16-BIT ADCs AND SERIAL ENCODER FEEDBACK WITH 16-BIT ADCs with DB-15 connectors, front, top and bottom plates (Black)	2,020.00	694429	4549734943406			Z3	0	USA	8537.1091.99	
3-4002A6767-4646-B00	ACC-24E3, 4 AXES ANALOG ONE PHASE 16-BIT DAC, NO ISOLATION, AUTO-CORRECTING INTERPOLATOR 16-BIT AND SERIAL ENCODER FEEDBACK WITH 16-BIT ADCs with DB-15 connectors, front, top and bottom plates (Black)	3,039.00	694578	4549734943413			Z3	0	USA	8537.1091.99	
3-4003A0000-3200-B00	Quadrature and Serial Encoder Feedback Mezzanine Board	178.20	694430	4549734925341			Z3	0	USA	8537.1098.99	
3-4004A0000-4200-B00	UMAC ACC 24E3 Analog Feedback Mezzanine Board Resolver, 16-Bit ADC, DB15, Black Plates Ax 1-2	423.20	694431	4549734926207			Z3	0	USA	8537.1098.99	
3-4017A-00-A001-B100	UMAC_PWR_PMAC ACC 5E3 32-node MACRO interface 16 Axis 12 I/O	607.00	694432	4549734943765			Z3	0	USA	8537.1091.99	
3-4017A-00-A001-F100	UMAC_PWR_PMAC_ACC_5E3	568.50	676952	4549734915359			Z3	0	USA	8537.1098.99	
3-4017A-00-A001-F100	UMAC_PWR_PMAC_ACC_5E3	568.50	694433				Z3	0	USA	8537.1098.99	
3-4017A-00-A002-B100	ACC-5E3 32-node MACRO interface (16 Axis and 12 I/O) with Fiber-Optic Transceiver and GPIO port	547.50	694434	4549734993715			Z3	0	USA	8537.1091.99	
3-4024A0000-0046-B00	Auto-Correcting Interpolator 16-Bit and Serial Encoder Feedback	846.00	694435	4549734924887			Z3	0	USA	8537.1098.99	
3-4024A0000-4600-B00	UMAC ACC 24E3 Analog Feedback Mezzanine Board	845.00	694436	4549734916462			Z3	0	USA	8537.1098.99	
3-4027A-00-0200-B200	UMAC ACC 59E3	1,309.00	694437	4549734913089			Z3	0	USA	8537.1098.99	
3-4027A-00-0211-B200	ACC-59E3, 16 Channel +/- 10V or 4-20mA 16-Bit A/D Converter and 8-Channel 16-Bit DAC +/- 10V Output, BLACKFront, Top, Bottom plates, Screws and 2 Card Guides	2,317.00	694438	4549734912938			Z3	0	USA	8537.1098.99	
3-4045_ID0-350-B1000	Power UMAC 465 CPU Card, Single Core, 1 GHz, 2 GB DDR2 RAM, 1 GB built-in Flash storage, 2 Ethernet Ports (1 Ethernet and 1 EtherCAT), EtherCAT (16 Axes & I/O)	3,793.00	694723	4549734855119			Z3	0	USA	8537.1091.99	
3-4048-08000-XY200	ACC-84B for PowerBrick XY200 Protocol	785.50	680892	4549734942133			Z3	0	USA	8537.1091.99	
3-4048-08000-XY200	ACC-84B for PowerBrick XY200 Protocol	785.50	694756				Z3	0	USA	8537.1091.99	
3-4050000-000-0000000	ACC-24S3 Power Clipover 4 Axes Expansion Interf. Board	618.50	694482	4549734920919			Z3	0	USA	8537.1098.99	
3-4092-C0000-1200000	FOUR CHANNEL ANALOG RESOLVER OPTION INPUT FEEDBACK, 12BIT A/D CONVERTER BRICK DAUGHTER BOARD	1,131.00	700709	4549734895033			Z3	0	USA	8537.1098.99	
3-4269A-00-0000-0000	FILLER PANELS, 3U RACK KIT FRONT, TOP & BOTTOM FILLERS 1/2, 3/4, 1 & 2-SLOT (3 EA) AND SCREWS	402.00	694358	4549734968560			Z3	0	USA	7326.9098.90	
3A0-602378-DTE	ACC-39 DTE	329.30	677151	4549734917346			Z3	0	USA	8537.1098.99	
3A0-603673-10X	ACC-8AS 16-bit	610.00	694484	4549734915205			Z3	0	USA	8537.1098.99	
3A0-9PLP2-35X	PMAC LabView Interface Library	1,071.00	677156	4549734917391			Z3	0	USA	8537.1098.99	
3A0-9PPRO2-35X	ACC-9NPRO2 Pcomm Server Pro2	535.00	694485	4549734918213			Z3	0	USA	8523.4920.00	
3A0-9WPRO2-35X	ACC-9WPRO2 PMAC Executive Pro2 Suite	855.50	694486	4549734917285			Z3	0	USA	8523.4920.00	
3A0-PM5RA-35X	PMAC SERVO ANALYZER SOFTWARE	1,690.00	694534	4549734966979			Z3	0	USA	8523.4920.00	
3A0-PPCOMM-35X	Power PMAC development Kit/ Component Library, single user, requires a software key per computer	1,413.00	694439	4549734923118			Z3	0	USA	8523.4920.00	
3A0-PPSRVA-35X	Power PMAC Servo Analyzer Software, single-user license, one software key per computer	1,815.00	694440	4549734929554			Z3	0	USA	8523.4920.00	
3A1-9WPRO2-35X	ACC-9WPRO2 OPT-1 Additional single-user license	213.60	694467	4549734916486			Z3	0	USA	8537.1098.99	
3A3-0042P2-OPT	CABPR-2	78.10	677137	4549734917209			3	Z3	0	USA	8537.1098.99
3A3-0042P2-OPT	CABPR-2	78.10	694757				Z3	0	USA	8537.1098.99	
3E3-0042P2-OPT	5 m terminated glass optical fiber cable	90.45	694758	4549734925365			Z3	0	USA	8537.1098.99	
3E3-0042P2-OPT	ACC-7E 0.20 m GLASS OPTICAL FIBER CABLE	69.75	680851	4549734941747			Z3	0	USA	8544.7000.00	
3E3-0042P2-OPT	ACC-7E 0.20 m GLASS OPTICAL FIBER CABLE	69.75	694759				Z3	0	USA	8544.7000.00	
3F0-603673-10X	ACC-8FS4 channel PWM stack breakout board PC104	369.50	680850	4549734941730			Z3	0	USA	8537.1098.99	
3F0-603673-10X	ACC-8FS4 channel PWM stack breakout board PC104	369.50	694487				Z3	0	USA	8537.1098.99	

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Daheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
4-3740-00-A000-00000	MACRO ACC 65M MACRO I/O Periph Fibre-Optic	1,171.00	680885	4549734942065			Z3	0	USA	8537.1098.99
4-3740-00-A000-00000	MACRO ACC 65M MACRO I/O Periph Fibre-Optic	1,171.00	694488				Z3	0	USA	8537.1098.99
4-3741-00-A002-00000	MACRO ACC 65M	1,269.00	694489	4549734913539			Z3	0	USA	8537.1098.99
4-3741-00-A002-00000	ACC 14M GENERAL PURPOSE I/O MACRO PERIPHERAL WITH FIBER-OPTIC CONN., 12BIT DAC, 16BIT ADC W/ ENCLOSURE	966.50	694441	4549734968270			Z3	0	USA	8471.6070.00
4-3744-00-A000-00000	MACRO ACC 24M2A	1,071.00	694442	4549734915830			Z3	0	USA	8537.1098.99
4-3744-00-A003-00000	MACRO ACC 24M2A 2-axis MACRO Ana Ser Periph-Fib Opt., +2 chan Sn, Res	1,224.00	694443	4549734951708			Z3	0	USA	8537.1098.99
5-4269-00-0610-B01CH	UMAC ACC R1 Black, UMAC Rack with 6 slot backplane, 10 1/2 slot rack	1,144.00	695401	4549734996761			Z3	0	USA	8537.1098.99
5-4269-00-1215-B01CH	UMAC ACC R2 Black UMAC Rack with 12 slot backplane, 15 3/4 slot rack	1,482.00	695271	4549734996037			Z3	0	USA	8537.1091.99
5-4269-00-1215-B01US	UMAC ACC R2 Silver UMAC Rack with 12 slot backplane, 15 3/4 slot rack US PS	1,587.00	690134	4549734979856			Z3	0	USA	8537.1098.99
5-4269-00-1215-BNOPS	UMAC ACC R2 Black, Fan, BP, w/out PS	912.50	689273	4549734976787			Z3	0	USA	8537.1098.99
5-4269-00-1821-B0100	UMAC ACC R3 Black, This item is NOT replacing the old 54269001821B0100	2,063.00	694918				Z3	0	USA	8537.1098.99
5-4269-00-1821-B01CH	UMAC_ACC_R3 Black, This item is replacing the old 54269001821B0100	2,094.00	694917	4549734995122			Z3	0	USA	8537.1098.99
700-100223-ED1	PCI04 VSX-6158-V2 w/ heatsink 27*27*8	596.50	677119	4549734917025			Z3	0	USA	8537.1098.99
700-200203-AS01	Copley Bantam Interface Board Satisloh ACC24E3A to Bantam Amplifier	179.00	677773	4549734920834			Z3	0	USA	8537.1098.99
700-200211-EDX	ACC-24E3 Encoder Splitter Pliz	196.80	676867	4549734914529		12	Z3	0	USA	8537.1098.99
800-UMAC-FAN-KIT	2nd fan on UMAC Rack	57.65	676886	4549734914710			Z3	0	USA	8537.1098.99
900-200211-X4-1.5	X4 Encoder Splitter Cable 1.5 m	155.10	686049	4549734966092			Z3	0	POL	8544.4290.90
900-ADV500D-XPL	Cable HD DB26, 1.5 m male/female, ADV500D	131.20	677095	4549734916783			Z3	0	USA	8537.1098.99
900-COP-ACC145	Regenerative Energy Dissipator Module 145	720.00	676936	4549734915199			Z3	0	USA	8537.1098.99
900-COP-ACJ-090-03	ACJ Micro Panel Digital Drive for Brushless/Brush Motors	399.90	679691	4549734934022			Z3	0	USA	8537.1091.99
900-COP-ACJ-CK	ACJ Micro Panel Connector Kit	32.81	679680	4549734934015			Z3	0	USA	8537.1091.99
900-COP-ACK-055-06	ACK Micro Module	503.00	677158	4549734917414			Z3	0	USA	8537.1098.99
900-COP-ADP-090-09	Accolnet (ADP) 90 VDC 3/9 A peak (The "S" is no longer available as an option. Copley made a revision which makes the "S" included as standard)	457.30	679652	4549734933797			Z3	0	USA	8537.1091.99
900-COP-BEL-090-06	Accolnet Plus Panel (BEL) 14-90 VDC 3/6 A Encoder	946.50	690002	4549734979412			Z3	0	USA	8537.1098.99
900-COP-BEL-CK	Accolnet Plus Panel (BEL) Connector Kit	82.05	690004	4549734979436			Z3	0	USA	8537.1098.99
900-COP-BEL-HK	Accolnet Plus Panel (BEL) Heat Sink Kit	111.90	690003	4549734979429			Z3	0	USA	8537.1098.99
900-COP-BTM-090-10	Bantam Module 90VDC 5/10A peak Analog Drive for Brush/Brushless Motors	198.90	677775	4549734920858			Z3	0	USA	8537.1098.99
900-COP-XEC-230-09	Xenus (XEC) 100-240 VAC 3A/9A peak	1,190.00	684169	4549734955942			Z3	0	USA	8537.1091.99
900-COP-XEC-230-09-R	Xenus (XEC) 100-240 VAC 3A/9A peak Resolver	1,297.00	684168	4549734955935			Z3	0	USA	8537.1091.99
900-COP-XEC-230-12	Xenus (XEC) 100-240 VAC 6A/12A peak	1,221.00	684171	4549734955966			Z3	0	USA	8537.1091.99
900-COP-XEC-230-12-R	Xenus (XEC) 100-240 VAC 6A/12A peak Resolver	1,333.00	684170	4549734955959			Z3	0	USA	8537.1091.99
900-COP-XEC-CK	Connector Kit	112.90	684172	4549734955973			Z3	0	USA	8536.6990.99
900-COP-XEL-230-36-R	Xenus Plus (XEL-R) 230VAC 12/36A peak Resolver	1,864.00	677202	4549734917858			Z3	0	USA	8537.1098.99
900-COP-XEL-CK	Xenus Plus (XEL) Connector Kit	109.50	677180	4549734917636			Z3	0	USA	8536.6990.99
900-COP-XEL-HS	Xenus Plus (XEL) Heatsink Standard	133.30	677246	4549734918299			Z3	0	USA	8537.1098.99
900-COP-XPL-230-18	Xenus Plus (XPL) 230VAC 6/18A peak	1,505.00	677224	4549734918077			Z3	0	USA	8537.1098.99
900-COP-XPL-230-18-R	Xenus Plus (XPL) 230 VAC 6/18 A peak Resolver	1,588.00	690001	4549734979405			Z3	0	USA	8537.1098.99
900-COP-XPL-230-36	Xenus Plus (XPL) 230 VAC 12/36 A peak Sin/Cos	1,582.00	677013	4549734916960			Z3	0	USA	8537.1098.99
900-COP-XPL-230-36-R	Xenus Plus (XPL-R) 230 VAC 12/36 A peak Resolver	1,690.00	677195	4549734917780			Z3	0	USA	8537.1098.99
900-COP-XPL-CK	Xenus Plus (XPL) Connector Kit	137.30	677101	4549734916844			Z3	0	USA	8536.6990.99
900-COP-XPL-HL	Xenus Plus (XPL) Heatsink low	151.20	676999	4549734915823			Z3	0	USA	8537.1098.99
900-COP-XPL-HS	Xenus Plus (XPL) Heatsink Standard	174.10	677077	4549734916608			Z3	0	USA	8537.1098.99
900-COP-XSJ-230-06-R	Xenus Micro (XSJ) 230VAC 3/6 A peak	1,070.00	676934	4549734915175			Z3	0	USA	8537.1098.99
900-COP-XSJ-230-10-R	Xenus Micro (XSJ) 230VAC 5/10 A peak	1,324.00	677131	4549734917148			Z3	0	USA	8537.1098.99
900-COP-XSJ-CK	Xenus Micro (XSJ) Connector Kit	116.40	677176	4549734917599			Z3	0	USA	8536.6990.99
900-COP-XSHK	Xenus Micro (XSJ) Heatsink Kit	179.90	677029	4549734916127			Z3	0	USA	8536.6990.99
900-COP-XTL-230-18-R	Xenus (XTL) 100-240 VAC 6A/18A peak	1,321.00	684167	4549734955928			Z3	0	USA	8537.1091.99
900-COP-XTL-230-36-R	Xenus (XTL-R) 230VAC 12/36A peak	1,125.00	677066	4549734916493			Z3	0	USA	8537.1098.99
900-COP-XTL-CK	Xenus (XTL) Connector Kit	68.60	676985	4549734915687			Z3	0	USA	8536.6990.99
900-COP-XTL-FA-01	Xenus (XTL) Edge Filter Accessory	735.50	677055	4549734916387			Z3	0	USA	8537.1098.99
900-COP-XTL-FK	Xenus (XTL) Edge Filter Connector Kit	32.81	677175	4549734917582			Z3	0	USA	8536.6990.99
900-COP-XTL-HS	Xenus (XTL) Heatsink Standard	91.50	677031	4549734916141			Z3	0	USA	8537.1098.99
900-COP-XTL-RA-03	Xenus (XTL) Regen Resistor 30 Ohm	218.90	676963	4549734915465			Z3	0	USA	8537.1098.99
900-COP-XTL-RA-04	Xenus (XTL) Regen Resistor 15 Ohm	228.70	676966	4549734915496			Z3	0	USA	8537.1098.99
900-STX-CDHD-0032APB0-ST	CDHD-003 2A PB0 ST	712.00	688287	4549734971164			Z3	0	CHN	8537.1098.99
900-STX-CDHD0062AAE1	CDHD-006 2A AF1	715.50	677052	4549734916356			Z3	0	CHN	8537.1098.99
900-STX-CDHD0062AE1C1	CDHD-006 2A EC1 3x 240VAC, 6/18Arms, EtherCat	420.40	680899	4549734942201			Z3	0	ISR	8537.1091.99
900-STX-CDHD-0062APB0-ST	CDHD-006 2A PB0 ST	715.50	688286	4549734971157			Z3	0	CHN	8537.1098.99
900-STX-CDHD0064DEC2	CDHD-006 4D EC2	1,165.00	677422	4549734918480			Z3	0	CHN	8537.1098.99
900-STX-CDHD0082APB0ST	CDHD-008 2A PB0 ST 3x 240VAC, 8/28Arms, PWM	410.10	680897	4549734942188			Z3	0	ISR	8537.1091.99
900-STX-CDHD-0102APB0-ST	CDHD-010 2A PB0 ST	839.00	688285	4549734971140			Z3	0	CHN	8537.1098.99
900-STX-CDHD0124DPB0	CDHD-012 4D PB0	1,290.00	677033	4549734916165			Z3	0	CHN	8537.1098.99
900-STX-CDHD-0124DPB0-ST	Servotronics CDHD servo drive 12 A, 600 V Power Block, STO	1,844.00	687601	4549734968829			Z3	0	CHN	8537.1098.99
900-STX-CDHD-0132APB0-ST	CDHD-013 2A PB0 ST CDHD13A 120/240 VAC Power Block STO	1,427.00	677701	4549734920148			Z3	0	CHN	8537.1098.99
900-STX-CDHD-0202APB0-ST	Servotronics servo drive 20A, 120/240 VAC Power Block, STO	1,831.00	682442	4549734948074			Z3	0	CHN	8537.1098.99
900-STX-CDHD-1D52APB0-ST	CDHD 1.5A 120/240 VAC Power Block STO	790.00	687595	4549734968782			Z3	0	CHN	8537.1098.99
900-STX-CDHD-4D52AEC2	CDHD-4D5 2A EC2ST	970.00	677423	4549734918497			Z3	0	CHN	8537.1098.99
900-STX-CDHD-4D52APB0-ST	CDHD-4D5 2A PB0 ST	904.50	688284	4549734971133			Z3	0	CHN	8537.1098.99
AF4-1-Co-5000-011000	ADV500D Turbo 4-Axis	3,850.00	676930	4549734915137			Z3	0	USA	8537.1098.99
CABKIT4B	Cable Kit (1-Axis Cable Kit)	182.00	694599	4549734929479			Z3	0	USA	8537.1098.99
CONKIT1A	Geo drive mating connector kit	55.30	677196	4549734917797			Z3	0	USA	8536.6990.99
CONKIT1A	Geo drive mating connector kit	55.30	694494				Z3	0	USA	8536.6990.99
CONKIT1C	GEO DRIVE Mating Connector Kit	43.80	694600	4549734917964			Z3	0	USA	8536.6990.99
CONKIT2A	Connector Kit (2-Axis Connector Kit)	77.55	694469	4549734925099			Z3	0	USA	8537.1098.99
CONKIT2C	GEO DRIVE Mating Connector Kit	55.30	694495	4549734917759			Z3	0	USA	8536.6990.99
CONKIT4A	GEO DRIVE Mating Connector Kit	55.30	694496	4549734916974			Z3	0	USA	8536.6990.99
CONKIT5A	MATING CONN KIT, 4 AXIS DRIVES TO 10 A CONT RATING FOR 4 MOTORS, AC INPUT REGEN RES CONN, 24V POWER CONN, REQ5 TOOLS	78.80	694468	4549734969499			Z3	0	USA	8536.6990.99

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	S.L.N. (Daheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
CONN75C	Mating connector kit for Amplifiers for 10A, no cable, eight axis	129.00	694497	4549734948388			Z3	0	USA	8536.9010.00
CONN76A	Geo brick LV mating connector kit	27.83	679672	4549734912914			Z3	0	USA	8536.6990.99
CONN76A	Geo brick LV mating connector kit	27.83	694356				Z3	0	USA	8536.6990.99
CONNKT-P-1C-A	Extra Connector Kit Power Brick Controller	28.85	694463	4549734929486			Z3	0	USA	8538.6530.00
CONNKT-P-1L-4	Connector Kit Power Brick LV 4 Ax	117.00	680847	4549734941709			Z3	0	USA	8538.1000.90
CONNKT-P-1L-4	Connector Kit Power Brick LV 4 Ax	117.00	694464				Z3	0	USA	8538.1000.90
CONNKT-P-1L-8	Connector Kit Power Brick LV 8 Ax	195.60	694465	4549734941716			Z3	0	USA	8538.1000.90
GAR10-2	GEO DRIVE, 300 W, 10 Ohm, Regen, Resistor w/Thermostat Protection, w/18" Wire Cable, SGL/Dual Axis, 2 Pin Conn.	165.20	694498	4549734957571			Z3	0	USA	8533.2900.00
GAR15-2	300 W 15 Ohm regenerative resistor for 20/30 A	188.10	694499	4549734913218			Z3	0	USA	8533.2900.00
GAR15-3	300 W 15 Ohm regenerative resistor for 20/30 A	187.70	694500	4549734917186			Z3	0	USA	8533.2900.00
GAR22	300 W 22 Ohm regenerative resistor for 5/10 A	187.70	694501	4549734915861			Z3	0	USA	8533.2900.00
GAR48	150 W 48 Ohm regenerative resistor for 10/20 A	136.40	694502	4549734916585			Z3	0	USA	8533.2900.00
GAR48-3	GEO DRIVE, 300W 48 OHM REGEN RESISTOR W/THERMOSTAT PROTECTION, W 18" WIRE CABLE, SGL/DUAL AXIS, 3 PIN CONN	135.00	694503	4549734967273			Z3	0	USA	8533.2900.00
GAR78	150 W 78 Ohm regenerative resistor for 5/10 A	136.40	694504	4549734915700			Z3	0	USA	8533.2900.00
GMH012F01000	Geo MACRO Drive 480 VAC Input, Dual Axis	2,352.00	694668	4549734925518			Z3	0	USA	8537.1098.99
GMH032F01000	Geo MACRO Drive 480 VAC Input, Dual Axis	2,707.00	694669	4549734925204			Z3	0	USA	8537.1098.99
GMH052F11000	Geo Macro Drive, 480 V, 1 Axis, 5/10 A, Single Width, Optic	2,643.00	694671	4549734917216			Z3	0	USA	8537.1098.99
GMH052F01000	Geo MACRO Drive 480 VAC Input, Dual Axis	3,023.00	694672	4549734925754			Z3	0	USA	8537.1098.99
GMH052F11000	Geo Macro Drive, 480 V, 2Axes, 5/10 A, Single Width, Optic	3,237.00	694673	4549734918244			Z3	0	USA	8537.1098.99
GMH052F20000	GEO MACRO DRIVE480 VAC, DUAL AXIS,10A CONT/PEAK,SGL WIDTH (84MM),W/ABSOLUTE FEEDBACK/FIBER CONN	3,453.00	700894	4549734934090			Z3	0	USA	8537.1098.99
GMH101F11000	Geo Macro Drive, 480 V, 1Axis, 10/20 A, Single Width, Optic	2,701.00	694674	4549734918206			Z3	0	USA	8537.1098.99
GMH102F20000	Geo MACRO Drive 480 VAC Input, Dual Axis,10/20 A, EnDat Encoder	4,253.00	699174	4549734969459			Z3	0	USA	8537.1098.99
GMH152F410000	Geo MACRO Drive 480 VAC Input, Dual Axis	5,215.00	694675	4549734924863			Z3	0	USA	8537.1098.99
GMH152F510000	Geo MACRO Drive 480 VAC Input, Dual Axis	5,215.00	694676	4549734925396			Z3	0	USA	8537.1098.99
GMH201F00000	Geo MACRO Drive 480 VAC Input, Single Axis	3,948.00	694517	4549734925020			Z3	0	USA	8537.1098.99
GMH201F01000	Geo Macro Drive, 480 V, 1 Axis, 20/40 A, Double Width, Optic	4,034.00	694677	4549734917315			Z3	0	USA	8537.1098.99
GMH201F10000	Geo Macro Drive, 480 V, 1 Axis, 20/40A, Double Width, Fiber Optic, Analogue Encoder	3,660.00	694678	4549734960168			Z3	0	USA	8537.1098.99
GMH201F11000	Geo Macro Drive, 480 V, 1 Axis, 20/40 A, Double Width, Optic	4,246.00	694679	4549734916349			Z3	0	USA	8537.1098.99
GMH301F10000	Geo Macro Drive, 480 V, 1 Axis, 30/60A, F/O, Analogue Encoder	3,933.00	694680	4549734957533			Z3	0	USA	8537.1098.99
GMH301F11000	Geo Macro Drive, 480 V, 1 Axis, 20/40 A, Double Width	4,555.00	694681				Z3	0	USA	8537.1098.99
GMLO12F11000	Geo Macro Drive, 240 V, 2 Axes, 1.5/4.5 A, Single Width, Optic	2,220.00	694682	4549734913546			Z3	0	USA	8537.1098.99
GMLO32F10000	GEO MACRO DRIVE240 VAC,3/9A	2,188.00	694106	4549734620253			Z3	0	USA	8537.1098.99
GMLO52F10000	Geo Macro Drive, 240 V, 2 Axes, 5/10 A, Single Width, Optic	2,671.00	694683	4549734912945			Z3	0	USA	8537.1098.99
GMLO101F10000	Geo Macro Drive, 240 V, 1 Axis, 10/20 A, Single Width, Analogue Encoder	2,047.00	694684	4549734966023			Z3	0	USA	8537.1098.99
GMLO102F10000	Geo Macro Drive, 240 V, 2 Axes, 10/20 A, Single Width, F/O, Analogue Feedback	3,229.00	694518	4549734930000			Z3	0	USA	8537.1091.99
GMLO102F31000	Geo Macro Drive, 240 V, 2 Axes, 10/20 A, Single Width, Quadrature/SSI Encoder, Safety Relay, 16-bit A/D converter	4,324.00	694685	4549734930932			Z3	0	USA	8537.1091.99
GMLO152F10000	Geo Macro Drive, 240 V, 2 Axes, 15/30A, F/O, Analogue Encoder	3,519.00	694527	4549734957540			Z3	0	USA	8537.1098.99
GMDBAR1P-5A-8	EMI Shield Glands for PowerBrick AC	150.00	694466	4549734915946			Z3	0	USA	8537.1091.99
GFH0520000	Geo PWM Direct Digital Drive, 480 V, 2Axes, 5/10 A, Single Width	2,479.00	694686	4549734932714			Z3	0	USA	8537.1091.99
GFH0521000	Geo PWM Direct Digital Drive, 480 V, 2Axes, 5/10 A	2,487.00	694519	4549734917506			Z3	0	USA	8537.1098.99
GFH1010000	Geo PWM Direct Digital Drive, 1 axis, 480 V, 10 A	1,643.00	694520	4549734982658			Z3	0	USA	8537.1091.99
GFH1511000	Geo PWM Direct Digital Drive, 480 V, 1Axes, 15/30 A	2,411.00	677220	4549734918039			Z3	0	USA	8537.1098.99
GFH1511000	Geo PWM Direct Digital Drive, 480 V, 1Axes, 15/30 A	2,411.00	694538				Z3	0	USA	8537.1098.99
GFH2011000	GEO PWM DIRECT DIGITAL DRIVE SINGLE AXIS, 480 VAC, 20/40 A CONT/PEAK, DBL WIDTH (164 mm), SAFETY RELAY	2,909.00	694687	4549734962483			Z3	0	USA	8504.4090.90
GFH3011000	Geo PWM Direct Digital Drive, 480 V, 1 Axis, 30/60 A, Double Width, Safety Relay	3,256.00	694688	4549734957922			Z3	0	USA	8537.1098.99
GPL0510000	GEO PWM DIRECT DIGITAL DRIVE, SINGLE AXIS, 240 VAC, 5/10 A CONT/PEAK, SINGLE WIDTH (84 mm)	1,356.00	694542	4549734970075			Z3	0	USA	8504.4090.90
GPL0511000	Geo PWM Direct Digital Drive, 240 V, 1 Axis, 5/10A Single Width, Safety Relay	1,678.00	680844	4549734941679			Z3	0	USA	8537.1091.99
GPL0511000	Geo PWM Direct Digital Drive, 240 V, 1 Axis, 5/10A Single Width, Safety Relay	1,678.00	694689				Z3	0	USA	8537.1091.99
GPL0521000	Geo PWM Direct Digital Drive, 240 V, 2Axes, 5/10 A	2,007.00	676722	4549734913416			Z3	0	USA	8537.1098.99
GPL0521000	Geo PWM Direct Digital Drive, 240 V, 2Axes, 5/10 A	2,007.00	694521				Z3	0	USA	8537.1098.99
GPL1010000	Geo PWM Direct Digital Drive, 240V, 1Axes, 10/20A Single Width	1,390.00	694543	4549734949064			Z3	0	USA	8537.1091.99
GPL1011000	Geo PWM Direct Digital Drive, 240 V, 1Axes, 10/20 A	1,666.00	676720	4549734913393			Z3	0	USA	8537.1098.99
GPL1011000	Geo PWM Direct Digital Drive, 240 V, 1Axes, 10/20 A	1,666.00	694522				Z3	0	USA	8537.1098.99
GPL1020000	Geo PWM Direct Digital Drive, 240 V, 2Axes, 10/20 A Single Width	2,466.00	700945	4549734620475			Z3	0	USA	8537.1098.99
GPL1021000	Geo PWM Direct Digital Drive, 240 V, 2Axes, 10/20 A Single Width, Safety Relay	2,469.00	677772	4549734920827			Z3	0	USA	8537.1098.99
GPL1021000	Geo PWM Direct Digital Drive, 240 V, 2Axes, 10/20 A Single Width, Safety Relay	2,469.00	694523				Z3	0	USA	8537.1098.99
GPL1510000	Geo PWM Direct Digital Drive, 240V, 1Axes, 15/30A Single Width	1,586.00	694524	4549734949071			Z3	0	USA	8537.1091.99
PPNC-0000000-001-000	Power PMAC NC software license - unlimited number of Axes	1,863.00	694525	4548583994317			Z3	0	USA	8523.8090.00
PPNC-0000000-001-0EV	Power PMAC NC software Evaluation License	1,186.00	694690	4548583994300			Z3	0	USA	8523.8090.00
PPNC-0000000-002-000	Power PMAC NC Software Development Kit (1 Single Runtime License Included, Unrestricted number of Axes)	5,245.00	694526	4549734917377			Z3	0	USA	8523.8090.00
PPNC-0000000-003-000	Power PMAC NC software license - restricted to 4 axes (Export Control)	1,863.00	694547	4548583994324			Z3	0	USA	8523.8090.00
T4-0750-30-560/T0BS1PVX-SFM50	Servomotor T4-0750-30-560/T0BS1PVX-SFM50	1,841.00	680711	4549734941112			Z3	0	CZE	8501.5100.90
T5-1350-30-560/T0BS1	Servomotor T5-1350-30-560 with brake and shaft seal,connector position to shaft side	1,149.00	690319	4549734981101			Z3	0	CZE	8537.1098.99
T5-1350-30-560/X	SEL5-1350-30-560/x	999.00	676957	4549734915403			Z3	0	CZE	8537.1098.99
TX-OPT-FEEDB-17PIN	CONNECTOR-FEEDBACK-17PIN	72.45	676878	4549734914635			2	Z3	USA	8536.6990.99
<b>Documentation</b>										
CD_ENGINT_01_PGB_PROX		0.01	392213	4547648979115			##	ZB	A	NLD 4911.1010.00
CD_FR_01_E2B_SELECTIONTOOL		0.01	377851	4547648964258			ZB	A	NLD 4911.1010.00	
CD_TR_07A-Symac-Brochure	Marcom produced documentation	0.01	345183	4547648889131			50	ZB	A	NLD 4911.1010.00
CompanyProfile_TR_02	Marcom produced documentation	0.01	656467	4548583949225			##	ZB	A	NLD 4911.1010.00
KPP_RX_RJ_02A_2016	Brochure RX	0.01	659108	4548583951051			ZB	A	NLD 4911.1010.00	
KPP_RX_RJ_02A_2016	Brochure RX	0.01	669151	4548583965539			ZB	A	PLS 4911.1010.00	
KPP SAFETY LIGHT CURTAIN NS FR		0.02	345164	4547648889148			##	ZB	A	NLD 4911.1010.00
UK-01_FH_BR	Brochure, Product: FH , English UK, Ver:01	0.03	673333	4548583987951			ZB	A	NLD 4911.1010.00	

Catalog Description (Image)	Item Long Description (Web page)	2021 List Price	SLN. (Data sheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code	
<b>Promotional Item.</b>											
NB7W-ETN-CP1-KIT	Other, others, Promotional Item, NB7W-ETN-CP1 KIT	1,008.00	374130	4547648952415				ZZ	A	CHN 8531.2040.90	
CP2E-N30+NB7 STARTER KIT	CP2E-N30 + NB7 Starter kit. Includes: CP2E-N30DR-D (18x 24VDC inputs, 12x relay outputs 2A), NB7W-TW01B (7 inches HMI with ethernet connectivity), S8VKC-12024 PSU, 2 Ethernet cables, CP1W-MAB221 analog I/O option board.	1,100.00	692755	4549734986342				ZZ	A	CHN 8471.4100.00	
NX102 ANNIVERSARY KIT	NX102 Anniversary kit incl: NX102-1120; NX-PF0630; NX-ID3417; NX-OD3256; S8VK-S06024, cables, Sysmac Studio Lite License and Sysmac Team Edition Licence	4,306.00	685755	4549734964913	#			ZZ	A	NLD 8471.4100.00	
NX1-Motion-Startkit	Motion kit incl: NX1P2-1040DT1; NX-PF0630; NX-ID3417; NX-OD3256; S8VK-S06024, cables and Sysmac Studio Lite License	2,900.00	674179	4548583993389				ZZ	A	NLD 8471.4100.00	
NX1-Position-Startkit	Position kit incl: NX1P2-9024DT1; NX-PF0630; NX-ID3417; NX-OD3256; S8VK-S06024, cables and Sysmac Studio Lite License	1,980.00	674177	4548583993365				ZZ	A	NLD 8471.4100.00	
NX1P-SEALING-STARTKIT	Sealing kit incl: NX1P2-9024DT1; NX-PF0630; NX-TC2405; S8VK-S06024, cables and Sysmac Studio Lite License	2,900.00	683461	4549734951661				ZZ	A	CHN 8471.4100.00	
NX1P-SEALING-UPGRKIT	Sealing UPGR kit incl: NX1P2-9024DT1; NX-PF0630; NX-TC2405; S8VK-S06024, cables and Sysmac Studio UPGRADE License	2,900.00	683457	4549734951623				ZZ	A	CHN 8471.4100.00	
NX1P-SMARTDATA-STARTKIT	Smart Data kit incl: NX1P2-9024DT1; NX-PF0630; NX-ILM400; E3Z-L81-M1TJ-IL3; E2E-X7B4-M1TJ-IL3; S8VK-S06024, cables and Sysmac Studio Lite License	2,900.00	683463	4549734951685				ZZ	A	CHN 8471.4100.00	
NX1P-SMARTDATA-UPGRKIT	Smart Data UPGR kit incl: NX1P2-9024DT1; NX-PF0630; NX-ILM400; E3Z-L81-M1TJ-IL3-1; E2E-X7B4-M1TJ-IL3; S8VK-S06024, cables and Sysmac Studio UPGRADE License	2,900.00	683459	4549734951647				ZZ	A	CHN 8471.4100.00	
Q2V-ECAT-KIT	Q2V EtherCAT option board with attachment accessory. They are not assembled together and not containing the inverter.	343.90	694848	4549734994880				ZZ	A	NLD 9032.8900.90	
Q2V-EB2-KIT	Q2V Ethernet IP Dual channel option board with attachment accessory. They are not assembled together and not containing the inverter.	533.50	694846	4549734994873				ZZ	A	NLD 9032.8900.90	
CX-ONELT SP00	CX-One LITE SP00, 1-user License	13.64	378802	4547648968072	#			ZZ	A	NLD 8523.8090.00	
88050-0090 STI-GOTCH-UNIVERSAL	Gauge Ruler Gotcha Slick Universal	7.19	679802	4548583412651				ZZ	A	CHN 9023.0080.00	
F430-F DEMOKIT	F430 Demo kit incl: F430-F000M12M-SWV Liquid lens autofocus smart camera, F420-F000M50C-SWV autofocus smart camera, V430-AF11 Diffuser, V430-AF12 Polarizer, V430-AF3 right angle down mirror, V430-W8-3M flying leads cable, V430-AM0, V430-AM1, 98-9000039-03	3,990.00	694109	4549734994316				ZZ	A	JPN 9031.9000.00	
V430-F DEMOKIT	V430 Demo kit incl: V430-F000M12M-SRX Liquid lens autofocus reader, V420-F000M03M-SRX autofocus reader, V430-AF11 Diffuser, V430-AF12 Polarizer, V430-AF3 right angle down mirror, V430-W8-3M flying leads cable, V430-AM0, V430-AM1, 98-9000039-03	3,838.00	694107	4549734994309				ZZ	A	JPN 9031.9000.00	
A22NE-G9SR-J7KC-KT1	Kit safety solution basic option 1 including: 3 A22NE-M-P202-N, 1 G9SR-AD201-PC and 2 J7KC-12-01 24VDC	313.10	692887	4549734987370				ZZ	A	NLD 8536.4900.99	
A22NE-G9SR-J7KC-KT2	Kit safety solution basic option 2 including: 3 A22NE-M-P202-C, 1 G9SR-AD201-PC and 2 J7KC-12-01 24VDC	333.30	692893	4549734987417				ZZ	A	NLD 8536.4900.99	
PACK SAFETY INPUTS	Kit safety inputs including: E-stop, Interlock switches, Enabling grip switch, Safety Light Curtain and Safety Laser Scanner	3,800.00	700863	4549734895873				ZZ	A	NLD 8471.4100.00	
SAFETY-SYSMAC-EXP-KT1	Safety Solution standalone NX-BC and NX-SL3300 with safety and standard I/O's kit (limited functions with standard PLC)	1,416.00	693037	4549734988711				ZZ	A	NLD 8471.4100.00	
SAFETY-SYSMAC-EXP-KT2	Safety Solution NX102 and NX-SL3300 with safety and standard I/O's Kit, full standard PLC functionality	2,859.00	693039	4549734988728				ZZ	A	NLD 8471.4100.00	
STARTERKIT ES_C	Kit for ES_C temperature controller including EST2-2C-MV4 software and ES8-CIFQ2 cable	143.50	694012	4549734993852				ZZ	A	JPN 9032.1080.90	
CORE SENSOR DEMOCASE	Core sensor democase (3 x E3AS, 3 x E3Z, 4 x E3T, 1 x E3FA, 1 x E3S-DC, 1 x E3S-DB, 1 x E3JK, 1 x E3FA, 2 x E3N-FA, 1 x E2B, 1 x E2E, 1 x E2EW, accessories)	8,000.00	701316	4549734789745				ZZ	A	ESP 8541.4090.00	
<b>Other.</b>											
Safety edges Scissors	Safety edges Scissors	110.30	672710	4548583982499				ZZ	X	DEJ 8536.5080.90	
D2SW-3L3HS		4.03	372699	4536853193225				##	ZZ	X	JPN 8536.5007.00
Q2R-1-E 48VDC	Relay, PCB terminal, high capacity, 8-pin, SPDT, 16 A, 48VDC	3.09	373763	4548583375635				##	ZZ	X	IDN 8536.4900.99
Q2R-1-E 5VDC		2.84	373764	4548583375642				##	ZZ	X	IDN 8536.4900.99
Q2RL-1A-E-HA 12VDC		1.92	373725	4548583363243				20	ZZ	X	MYS 8536.4900.99
G5NB-1A4-E DC24 (N) (A)		8.08	371966	4548583119314				##	ZZ	X	CHN 8536.4900.99
D6F-01A1-110	Airflow sensor	236.40	100271	4547648001496				ZZ	X	JPN 9026.8020.00	
D6F-50A6-000	MEMS Flow Sensor, Gas/Air, Flow Range 0 to 50L/min, P: 1/4 Thread	895.00	225009	4547648196017				ZZ	X	JPN 9026.8020.00	
D6F-PH025AD1	MEMS Differential Pressure Sensor, Gas/Air, Measurement Range 0 to 250 Pa (0 to 1 in. H2O)	27.52	375461	4548583415065				##	ZZ	X	JPN 9026.8020.00
D6F-PH050AD3	MEMS Differential Pressure Sensor, Gas/Air, Measurement Range -50 to +50 Pa (±0.2 in. H2O)	27.30	375463	4548583415089				##	ZZ	X	JPN 9026.8020.00
D6F-PH505AD3	MEMS Differential Pressure Sensor, Gas/Air, Measurement Range -500 to +500 Pa (±2 in. H2O)	21.24	375462	4548583415072				##	ZZ	X	JPN 9026.8020.00
D6F-V03A1	MEMS Air Velocity Sensor, Gas/Air, 0 to 3 m/sec	16.33	225012	4547648248112				##	ZZ	X	JPN 9026.8020.00
D6F-W CABLE	Airflow sensor	4.78	180933	4547648133999				10	ZZ	X	JPN 9026.8020.00
D6F-W01A1	Airflow sensor	121.60	180836	4547648133395				##	ZZ	X	JPN 9026.8020.00
2SMPP-03		4.86	372345	4548583362369				##	ZZ	X	JPN 9031.8080.00
D6T-44L-06	MEMS Thermal Sensor, Number of Elements 4x4, View Angle X= 44.2° Y= 45.7°	83.45	371935	4548583356863				50	ZZ	X	JPN 9026.9000.00
D6T-8L-06		61.25	371450	4548583351851				50	ZZ	X	THA 9026.9000.00
B5T-007001-010	Human vision sensor, res. 1600x1200 pixels, angle of view 50°	642.50	422515	4548583947528				ZZ	X	CHN 9031.9000.00	
XG4M-4030-T	Pressure-welded Flat Cable Connector for DRT2-*D32 m(L)-1, for AWG28 wires	7.28	427633	4549734274869				ZZ	X	CHN 8536.9010.00	
XG5S-2012	Hood cover	1.26	107990	4536854204692				50	ZZ	X	JPN 8536.9010.00
XM3A-0921		3.92	355055	4548583010093				90	ZZ	X	CHN 8536.9010.00
XM3A-2521		8.42	355057	4548583010116				ZZ	X	CHN 8536.9010.00	
XM3D-0921		4.57	355095	4548583010451				90	ZZ	X	CHN 8536.9010.00
P9EA-D	DIN Track adapter for DC power relay	12.68	172025	4536854917141				ZZ	X	JPN 8536.4900.99	

Fiyatlarımızda herhangi bir ihbara gerek duymaksızın deęişiklik yapma hakkımız mahfuzdur.

İçeride görölen resim ve teknik deęerler genel bilgi amaçlıdır. Cihaz ölçüleri, montaj ve işletme verileri için, cihazla birlikte verilen işletme talimatını esas alınız.

Ürünlerimiz, prospektüslerinde belirtilen şartlar altında kullanıldığında, imalat hatalarına karşı bir yıl garantilidir. Aksi halde garanti kapsamı dışındadır.

Fiyat listemizde yer alan fiyat, ürün gibi bilgilerde yazım hataları söz konusu olduğunda, Omron Electronics Ltd.Şti.'deki bilgi ve fiyatlar geçerli olacaktır.

Fiyat listemizde bulunmayan ürünlerimiz için lütfen yetkili bayilerimiz ya da genel merkezimiz ile iletişime geçiniz.



# Satış & Destek Ofisleri

Daha fazlasını öğrenmek ister misiniz?

OMRON TÜRKİYE

+90 (216) 556 51 30

industrial.omron.com.tr

## Almanya

Tel: +49 (0) 2173 680 00  
industrial.omron.de

## Finlandiya

Tel: +358 (0) 207 464 200  
industrial.omron.fi

## İspanya

Tel: +34 913 777 902  
industrial.omron.es

## Norveç

Tel: +47 22 65 75 00  
industrial.omron.no

## Avusturya

Tel: +43 (0) 2236 377 800  
industrial.omron.at

## Fransa

Tel: +33 (0) 1 56 63 70 00  
industrial.omron.fr

## İsveç

Tel: +46 (0) 8 632 35 00  
industrial.omron.se

## Polonya

Tel: +48 22 458 66 66  
industrial.omron.pl

## Belçika

Tel: +32 (0) 2 466 24 80  
industrial.omron.be

## Güney Afrika

Tel: +27 (0)11 579 2600  
industrial.omron.co.za

## İsviçre

Tel: +41 (0) 41 748 13 13  
industrial.omron.ch

## Portekiz

Tel: +351 21 942 94 00  
industrial.omron.pt

## Çek Cumhuriyeti

Tel: +420 234 602 602  
industrial.omron.cz

## Hollanda

Tel: +31 (0) 23 568 11 00  
industrial.omron.nl

## İtalya

Tel: +39 02 326 81  
industrial.omron.it

## Rusya

Tel: +7 495 648 94 50  
industrial.omron.ru

## Danimarka

Tel: +45 43 44 00 11  
industrial.omron.dk

## İngiltere

Tel: +44 (0) 1908 258 258  
industrial.omron.co.uk

## Macaristan

Tel: +36 1 399 30 50  
industrial.omron.hu

## Diğer Omron

Temsilcileri  
industrial.omron.eu