

Bibliography from Web of Sciences 17.4. 2006, Keyword Amaranthus in Title

(1983)

Exotic Plants and Animals in Art. Oeil-Magazine International D Art, 338, pp 87-87
<Go to ISI>://A1983RH03200019

(2001)

Invasive plants of California's wildlands. Landscape Architecture, 91, 5, pp 89-89
<Go to ISI>://000168272900026

Abadia, A., Belkhdja, R., Morales, F., & Abadia, J. (1999)

Effects of salinity on the photosynthetic pigment composition of barley (*Hordeum vulgare* L.) grown under a triple-line-source sprinkler system in the field. Journal of Plant Physiology, 154, 3, pp 392-400
<Go to ISI>://000079491300019

Abdel-Latif, S., Kawachi, T., Fujikake, H., Ohtake, N., Ohyama, T., & Sueyoshi, K. (2004)

Contribution of shoots and roots to in vivo nitrate reduction in NADII-Specific nitrate reductase-deficient mutant seedlings of barley (*Hordeum vulgare* L.). Soil Science and Plant Nutrition, 50, 4, pp 527-535
<Go to ISI>://000223625200008

Abebe, W., Mekonnen, H.M., Moges, W.M., & Getachew, T. (2001)

Effect of concentrate supplementation and deworming on beef performance of indigenous Ethiopian zebu cattle fed on teff straw (*Eragrostis tef*). Revue De Medecine Veterinaire, 152, 4, pp 307-310
<Go to ISI>://000169225600004

Abiko, M., Sakata, T., Takahashi, H., Asamizu, E., Sato, S., Tabata, S., Kihara, M., Ito, K., & Higashitani, A. (2003)

High-temperature injury to early development of tapetum cells in barley *Hordeum vulgare* L. Plant and Cell Physiology, 44, pp S135-S135
<Go to ISI>://000181914300535

Abong, J.M., Helm, R.M., Ramirez, B.D., Cockrell, G., Caviles, A.P., Cavinta, L.L., Santos, C.J., Cabaluna, M.M., & Agbayani, B.F. (1998)

Characterization and identification of the allergenic protein components of two airborne pollen extracts, *Amaranthus spinosus* and *Mimosa pudica*. Journal of Allergy and Clinical Immunology, 101, 1, pp 829
<Go to ISI>://000071924800828

Abu-Alrub, I., Joma, A., & Christianse, J.L. (2004)

Production methods and farming systems in major barley (*Hordeum vulgare*) growing regions of the West Bank, Palestine. Experimental Agriculture, 40, 2, pp 179-188
<Go to ISI>://000221166100002

Abugoch, L.E., Martinez, E.N., & Anon, M.C. (2003)

Influence of the extracting solvent upon the structural properties of amaranth (*Amaranthus hypochondriacus*) glutelin. Journal of Agricultural and Food Chemistry, 51, 14, pp 4060-4065
<Go to ISI>://000183824200026

Abule, E., Umunna, N.N., Nsahlai, I.V., Osuji, P.O., & Alemu, Y. (1995)

The effect of supplementing teff (*Eragrostis tef*) straw with graded levels of cowpea (*Vigna unguiculata*) and lablab (*Lablab purpureus*) hays on degradation, rumen particulate passage and intake by crossbred (Friesian X Boran (zebu)) calves. Livestock Production Science, 44, 3, pp 221-228
<Go to ISI>://A1995TL46100004

Acar, O., Turkan, I., & Ozdemir, F. (2001)

Superoxide dismutase and peroxidase activities in drought sensitive and resistant barley (*Hordeum vulgare* L.) varieties. Acta Physiologica Plantarum, 23, 3, pp 351-356
<Go to ISI>://000171444800011

Adebanjo, A. (1994)

Environmental Influence on the Incidence of Shoot Diseases and Health of *Amaranthus* Seeds in Humid Tropics - Nigeria. Ambio, 23, 3, pp 206-209
<Go to ISI>://A1994NR47000008

Adebanjo, A. & Ikotun, T. (1994)

Effect of Harvest Seasons on the Incidence of Seed-Borne Mycoflora of 3 *Amaranthus* Cultivars. Mycopathologia, 128, 1, pp 25-32
<Go to ISI>://A1994QJ03300006

Adediran, J.A., Taiwo, L.B., & Sobulo, R.A. (2003)

Effect of organic wastes and method of composting on compost maturity, nutrient composition of compost and yields of two vegetable crops. *Journal of Sustainable Agriculture*, 22, 4, pp 95-109
<Go to ISI>://000185362800006

Adeoye, G.O., Sridhar, M.K.C., & Ipinmoroti, R.R. (2001)

Potassium recovery from farm wastes for crop growth. *Communications in Soil Science and Plant Analysis*, 32, 15-16, pp 2347-2358
<Go to ISI>://000171803900002

Aggarwal, R.K., Brar, D.S., & Khush, G.S. (1997)

Two new genomes in the *Oryza* complex identified on the basis of molecular divergence analysis using total genomic DNA hybridization. *Molecular and General Genetics*, 254, pp 1-12

Agong, S.G. & Ayiecho, P.O. (1992)

Regression and Correlation-Analysis in Grain Amaranth (*Amaranthus-Hypochondriacus* and *a-Cruentus*). *Indian Journal of Agricultural Sciences*, 62, 12, pp 822-826
<Go to ISI>://A1992KH66500008

Agrawal, A.A. & Kotanen, P.M. (2003)

Herbivores and the success of exotic plants: a phylogenetically controlled experiment. *Ecology Letters*, 6, 8, pp 712-715
<Go to ISI>://000184689900007

Aguyoh, J.N. & Masiunas, J.B. (2003)

Interference of redroot pigweed (*Amaranthus retroflexus*) with snap beans. *Weed Science*, 51, 2, pp 202-207
<Go to ISI>://000181737400011

Aguyoh, J.N., Masiunas, J.B., & Eastman, C. (2004)

Interaction of insects and weeds in a snap bean agroecosystem. *Hortscience*, 39, 2, pp 287-290
<Go to ISI>://000220973800016

Ahamed, N.T., Singhal, R.S., Kulkarni, P.R., Kale, D.D., & Pal, M. (1996)

Studies on *Chenopodium quinoa* and *Amaranthus paniculatas* starch as biodegradable fillers in LDPE films. *Carbohydrate Polymers*, 31, 3, pp 157-160
<Go to ISI>://A1996WE59000006

Ahokas, H. & Manninen, M.L. (2001)

Polymorphisms of phosphate acquisition parameters in barley (*Hordeum vulgare*) landraces: Secreted acid phosphatase and milieu acidification of roots after germination in vitro. *Biological Agriculture & Horticulture*, 18, 4, pp 385-399
<Go to ISI>://000168895700006

Aiyelaagbe, I.O.O. (2001)

Productivity of an intercropped sweet orange orchard in southwestern Nigeria. *Biological Agriculture & Horticulture*, 18, 4, pp 317-325
<Go to ISI>://000168895700002

Akanbi, W.B. & Togun, A.O. (2002)

The influence of maize-stover compost and nitrogen fertilizer on growth, yield and nutrient uptake of amaranth. *Scientia Horticulturae*, 93, 1, pp 1-8
<Go to ISI>://000173795200001

Aladesanwa, R.D. (2002)

The influence of selected sulfonylurea herbicides including chlorsulfuron mixtures and seed treatment with Baytan Universal on the incidence of net blotch (*Drechslera teres*) of barley (*Hordeum sativum*). *Journal of Agricultural Science*, 138, pp 177-183
<Go to ISI>://000174906000005

Al-Ahmad, H.I., Galili, S., & Gressel, J. (2004)

Tandem constructs mitigate risks of transgene flow from crops: tobacco as a model. *Molecular Ecology*, 13, pp 687-710

Aletor, O., Oshodi, A.A., & Ipinmoroti, K. (2002)

Chemical composition of common leafy vegetables and functional properties of their leaf protein concentrates. *Food Chemistry*, 78, 1, pp 63-68
<Go to ISI>://000177481100010

Aletor, V.A., El-Moneim, A.A., & Goodchild, A.V. (1994)

Evaluation of the seeds of selected lines of three *Lathyrus* spp for beta-N-oxalylamino-L-alanine (BOAA), tannins, trypsin-inhibitor activity and certain in-vitro characteristics. *Journal of the Science of Food and Agriculture*, 65, 2, pp 143-151
<Go to ISI>://A1994NR90900003

Alfonso-Rubi, J., Ortego, F., Castanera, P., Carbonero, P., & Diaz, I. (2003)

Transgenic expression of trypsin inhibitor CMe from barley in indica and japonica rice, confers resistance to the rice weevil *Sitophilus oryzae*. *Transgenic Res.*, 12(pp 23-31

Ali, N.A., Ater, M., Sunahara, G.I., & Robidoux, P.Y. (2004)

Phytotoxicity and bioaccumulation of copper and chromium using barley (*Hordeum vulgare* L.) in spiked artificial and natural forest soils. *Ecotoxicology and Environmental Safety*, 57, 3, pp 363-374
<Go to ISI>://000220530500013

Al-Khatib, K., Baumgartner, J.R., Peterson, D.E., & Currie, R.S. (1998)

Imazethapyr resistance in common sunflower (*Helianthus annuus*). *Weed Science*, 46, 4, pp 403-407

Allen, J.R., Johnson, W.G., Smeda, R.J., Wiebold, W.J., & Massey, R.E. (2001)

Management of acetolactate synthase (ALS)-resistant common sunflower (*Helianthus annuus* L.) in soybean (*Glycine max*). *Weed Technology*, 15, 3, pp 571-575
<Go to ISI>://000175240900028

Allen, K. & Hansen, K. (1999)

Geography of exotic plants adjacent to campgrounds, Yellowstone National Park, USA. *Great Basin Naturalist*, 59, 4, pp 315-322
<Go to ISI>://000083323800002

Allison, S.D. & Vitousek, P.M. (2004)

Rapid nutrient cycling in leaf litter from invasive plants in Hawai'i. *Oecologia*, 141, 4, pp 612-619
<Go to ISI>://000224999800007

Allsopp, N. & Holmes, P.M. (2001)

The impact of alien plant invasion on mycorrhizas in mountain fynbos vegetation. *South African Journal of Botany*, 67, 2, pp 150-156
<Go to ISI>://000172726500003

Al-Masri, M.R. (1998)

Yield and nutritive value of vetch (*Vicia sativa*) barley (*Hordeum vulgare*) forage under different harvesting regimens. *Tropical Grasslands*, 32, 3, pp 201-206
<Go to ISI>://000077711600008

Alonso-Prados, J.L., Hernandez-Sevillano, E., Llanos, S., Villarroya, M., & Garcia-Baudin, J.M. (2002)

Effects of sulfosulfuron soil residues on barley (*Hordeum vulgare*), sunflower (*Helianthus annuus*) and common vetch (*vicia sativa*). *Crop Protection*, 21, 10, pp 1061-1066
<Go to ISI>://000179777300021

Altinkut, A., Kazan, K., & Gozukirmizi, N. (2003)

AFLP marker linked to water-stress-tolerant bulks in barley (*Hordeum vulgare* L.). *Genetics and Molecular Biology*, 26, 1, pp 77-82
<Go to ISI>://000182389800013

Alvarez, J.B., Martin, A., & Martin, L.M. (2001)

Variation in the high-molecular-weight glutenin subunits coded at the Glu-H-ch 1 locus in *Hordeum chilense*. *Theoretical and Applied Genetics*, 102, 1, pp 134-137
<Go to ISI>://000166829100017

Alvarez, J.B., Martin, L.M., & Martin, A. (1999)

Genetic variation for carotenoid pigment content in the amphiploid *Hordeum chilense* x *Triticum turgidum* conv. *durum*. *Plant Breeding*, 118, 2, pp 187-189
<Go to ISI>://000080523900014

Alvarez, J.B., Moral, A., Martin, L.M., & Martin, A. (2004)

Linkage relationships between prolamin genes located on chromosome 1H(ch) in *Hordeum chilense*. *Theoretical and Applied Genetics*, 108, 5, pp 891-895
<Go to ISI>://000220424400015

Alvarez, M.E. & Cushman, J.H. (2002)

Community-level consequences of a plant invasion: Effects on three habitats in coastal California. *Ecological Applications*, 12, 5, pp 1434-1444
<Go to ISI>://000179198600015

Amador-Ramirez, M.D., Wilson, R.G., & Martin, A.R. (2002)

Effect of in-row cultivation, herbicides, and dry bean canopy on weed seedling emergence. *Weed Science*, 50, 3, pp 370-377
<Go to ISI>://000176184300015

Ambus, P., Jensen, J.M., Prieme, A., Pilegaard, K., & Kjoller, A. (2001)

Assessment of CH₄ and N₂O fluxes in a Danish beech (*Fagus sylvatica*) forest and an adjacent N-fertilised barley (*Hordeum vulgare*) field: effects of sewage sludge amendments. *Nutrient Cycling in Agroecosystems*, 60, 1-3, pp 15-21
<Go to ISI>://000172073600003

American Amaranth Institute (2004),

Electronic Source: Website on *Amaranthus* (ed M. Laux), American Amaranth Institute, published by: Box 216, Bricelyn, MN 56014, is a non-profit organization, www.agmrc.org/speccrops/amaranthmain.html

Amirouche, R. & Misset, M.T. (2003)

Hordein polymorphism in diploid and tetraploid Mediterranean populations of the *Hordeum murinum* L. complex. *Plant Systematics and Evolution*, 242, 1-4, pp 83-99
<Go to ISI>://000186956700005

Amiruzzaman, M., Bhuiyan, M.S.A., & Uddin, M.S. (2003)

Heterosis and genetic variability in relation to genetic divergence in barley (*Hordeum vulgare* L.). *Bangladesh Journal of Botany*, 32, 1, pp 33-37
<Go to ISI>://000184020800006

Ammann, K. (2004),

Electronic Source: Bibliography on *Amarantus*, published by: K.Ammann,

Ammann, K., Jacot, Y., & Rufener Al Mazyad, P. (2005)

The ecology and detection of plant ferality in the historic records. *In Crop Ferality and Volunteerism* (ed J. Gressel). CRC Press, Boca Raton,

Anderson, D.D., Higley, L.G., Martin, A.R., & Roeth, F.W. (1996)

Competition between triazine-resistant and -susceptible common waterhemp (*Amaranthus rudis*). *Weed Science*, 44, 4, pp 853-859
<Go to ISI>://A1996WA91300015

Anderson, D.D., Roeth, F.W., & Martin, A.R. (1996)

Occurrence and control of triazine-resistant common waterhemp (*Amaranthus rudis*) in field corn (*Zea mays*). *Weed Technology*, 10, 3, pp 570-575
<Go to ISI>://A1996VB91300018

Anderson, R.L. (2000)

A cultural system approach can eliminate herbicide need in semiarid proso millet (*Panicum miliaceum*). *Weed Technology*, 14, 3, pp 602-607
<Go to ISI>://000166693600023

Andrews, S., Leslie, A., & Alexander, C. (1998),

Taxonomy of Cultivated Plants, Edinburgh, Scotland Whitstable Litho Printers Ltd., Third International Symposium (ed E. Dickerson) pp

Anonymous (1994)

Assessment criteria for determining environmental safety of plants with novel traits. Directive Dir. 94-08, Plant Products Division, Agriculture and Agri-Food Canada, Nepean, Ontario, (<http://www.cfia-acia.agr.ca/English/food/pbo/dir9408.html>), pp

Anonymous (1994)

The biology of *Brassica napus* L. (canola/rapessed). Directive Dir. 94-09, Plant Products Division, Agriculture and Agri-Food Canada, Nepean Ontario (<http://www.cfiaacia.agr.ca/English/food/pbo/dir9409.html>). pp

Anonymous (1995)

Determination of environmental safety of Monsanto Canada Inc's Roundup herbicide tolerant *Brassica napus* Canola line GT73. Decision Document 95-02. Plant Products Division, Agriculture and Agri-Food Canada, Nepean Ontario (<http://www.cfia-acia.agr.ca/English/food/pbo/dd9502.html>). pp

Anonymous (1995)

Determination of environmental safety of Pioneer Hi-Bred International Inc's imidazolinone-tolerant Canola line. Decision Document DD95-03. Plant Products Division, Agriculture and Agri-Food Canada, Nepean Ontario (<http://www.cfia-acia.agr.ca/English/food/pbo/dd9503.html>). pp

Anonymous (1996)

Determination of environmental safety of AgrEvo Canada Inc's glufosinate-ammonium herbicide tolerant *Brassica napus* Canola line, Decision Document 96-11, 7pp, Plant Products Division, Agriculture and Agri-Food Canada, Nepean Ontario (<http://www.cfiaacia.agr.ca/English.food/pbo/dd9503e.html>). pp

Anonymous (1996)

Tef. In *Lost Crops of Africa: Volume I: Grains* (ed Anonymous), pp. 215-236. National Academy Press, Washington DC,

Anonymous (1997)

Consensus document on the biology of *Brassica napus* L (oilseed rape) series on the harmonization of regulatory oversight in biotechnology No. 7. Environmental Directorate, Organization for Economic Co-operation and Development, Paris, pp

Anonymous (2004)

Fats and Cholesterol - The Good, The Bad, and The Healthy Diet. Harvard School of Public Health, <http://www.hsph.harvard.edu/nutritionsource/fats.html>, pp

Anten, N.P.R. & Werger, M.J.A. (1996)

Canopy structure and nitrogen distribution in dominant and subordinate plants in a dense stand of *Amaranthus dubius* L with a size hierarchy of individuals. *Oecologia*, 105, 1, pp 30-37
<Go to ISI>://A1996TR65400004

Anterola, A.M. & Lewis, N.G. (2002)

Trends in lignin modification: a comprehensive analysis of the effects of genetic manipulations/mutations on lignification and vascular integrity. *Phytochemistry*, 61, 3, pp 221-294

Arabi, M.I.E. & Jawhar, M. (2002)

Virulence spectrum to barley (*Hordeum vulgare* L.) in some isolates of *Cochliobolus sativus* from Syria. *Journal of Plant Pathology*, 84, 1, pp 35-39
<Go to ISI>://000176101600005

Arellano, L., Carranco, M., Perezgil, F., & Alonso, M. (1993)

Effect of Urea Treatment on the Digestibility and Nitrogen- Content of *Amaranthus-Hypochondriacus* Straw. *Small Ruminant Research*, 11, 3, pp 239-245
<Go to ISI>://A1993LY44000004

Armengol, J., Vicent, A., Martinez-Culebras, P., Bruton, B.D., & Garcia-Jimenez, J. (2003)

Identification, occurrence and pathogenicity of *Rhizopycnis vagum* on muskmelon in Spain. *Plant Pathology*, 52, 1, pp 68-73
<Go to ISI>://000180528300009

Armillas, P. (1971)

Garden of Swamps. *Science*, 174, pp 651-661
<http://www.botanischergarten.ch/Feral-New/Armillas-Swamps-Science-1971.pdf>

Armstrong, J.S. & Camelo, L.D. (2003)

Lygus species associated with Texas High Plains cotton, alfalfa and weeds. *Southwestern Entomologist*, 28, 3, pp 197-204
<Go to ISI>://000186245200005

Arntz, A.M., DeLucia, E.H., & Jordan, N. (1998)

Contribution of photosynthetic rate to growth and reproduction in *Amaranthus hybridus*. *Oecologia*, 117, 3, pp 323-330
<Go to ISI>://000077666300003

Arntz, A.M., Delucia, E.H., & Jordan, N. (2000)

Fitness effects of a photosynthetic mutation across contrasting environments. *Journal of Evolutionary Biology*, 13, 5, pp 792-803
<Go to ISI>://000089397700008

Arntz, A.M., DeLucia, E.H., & Jordan, N. (2000)

From fluorescence to fitness: Variation in photosynthetic rate affects fecundity and survivorship. *Ecology*, 81, 9, pp 2567-2576
<Go to ISI>://000089093500017

Arntz, A.M., Vozar, E.M., & Delph, L.F. (2002)

Serial adjustments in allocation to reproduction: Effects of photosynthetic genotype. *International Journal of Plant Sciences*, 163, 4, pp 591-597
<Go to ISI>://000176098700011

Arriola, P.E. & Ellstrand, N.C. (1996)

Crop-to-weed gene flow in the genus *Sorghum* (Poaceae): Spontaneous interspecific hybridization between johnsongrass, *Sorghum halepense*, and crop sorghum, *S. bicolor*. *Amer. J. Bot.*, 83, pp 1153-1160

- Arya, I.D., Chakravarty, T.N., & Sopory, S.K. (1993)**
Development of Secondary Inflorescences and Invitro Plantlets from Inflorescence Cultures of Amaranthus-Paniculatus. Plant Cell Reports, 12, 5, pp 286-288
<Go to ISI>://A1993KV32900011
- Arya, M.P.S. & Singh, R. (1997)**
Growth and yield analysis under amaranth (Amaranthus)-based intercropping system. Indian Journal of Agronomy, 42, 3, pp 432-435
<Go to ISI>://000072855500011
- Arya, M.P.S. & Singh, R.V. (2001)**
Response of amaranth (Amaranthus hypochondriacus) to levels and time of nitrogen application. Indian Journal of Agronomy, 46, 1, pp 186-189
<Go to ISI>://000171931900035
- Ashenafi, M. (1994)**
Microbial-Flora and Some Chemical-Properties of Ersho, a Starter for Teff (Eragrostis Tef) Fermentation. World Journal of Microbiology & Biotechnology, 10, 1, pp 69-73
<Go to ISI>://A1994MW25900018
- Askew, S.D., Shaw, D.R., & Street, J.E. (1998)**
Red rice (*Oryza sativa*) control and seedhead reduction with glyphosate. Weed Technology, 12, pp 504-506
- Aslan, I., Ozbek, H., & Konstantinov, A. (2003)**
Flea beetles (Coleoptera : Chrysomelidae) occurring on Amaranthus retroflexus L. in Erzurum Province, Turkey, and their potential as biological control agents. Proceedings of the Entomological Society of Washington, 105, 2, pp 441-446
<Go to ISI>://000182061400019
- Assefa, A. & Labuschagne, M.T. (2004)**
Phenotypic variation in barley (Hordeum vulgare L.) landraces from north Shewa in Ethiopia. Biodiversity and Conservation, 13, 8, pp 1441-1451
<Go to ISI>://000220411800002
- Assefa, K., Ketema, S., Tefera, H., Kefyalew, T., & Hundera, F. (2000)**
Trait diversity, heritability and genetic advance in selected germplasm Lines of tef Eragrostis tef (Zucc.) Trotter. Hereditas, 133, 1, pp 29-37
<Go to ISI>://000166672500005
- Assefa, K., Ketema, S., Tefera, H., Nguyen, H.T., Blum, A., Ayele, M., Bai, G., Simane, B., & Kefyalew, T. (1999)**
Diversity among germplasm lines of the Ethiopian cereal tef Eragrostis tef (Zucc.) Trotter. Euphytica, 106, 1, pp 87-97
<Go to ISI>://000079570600012
- Assefa, K., Merker, A., & Tefera, H. (2002)**
Qualitative trait variation in Tef Eragrostis tef (Zucc.) Trotter germplasm from Western and Southern Ethiopia. Euphytica, 127, 3, pp 399-410
<Go to ISI>://000178239200011
- Assefa, K., Merker, A., & Tefera, H. (2003)**
Inter simple sequence repeat (ISSR) analysis of genetic diversity in tef Eragrostis tef (Zucc.) Trotter. Hereditas, 139, 3, pp 174-183
<Go to ISI>://000189122200003
- Assefa, K., Merker, A., & Tefera, H. (2003)**
Multivariate analysis of diversity of tef (Eragrostis tef (Zucc.) Trotter) germplasm from western and southern Ethiopia. Hereditas, 138, 3, pp 228-236
<Go to ISI>://000187074000011
- Assefa, K., Tefera, H., & Merker, A. (2002)**
Variation and inter-relationships of quantitative traits in tef (Eragrostis tef (Zucc.) Trotter) germplasm from western and southern Ethiopia. Hereditas, 136, 2, pp 116-125
<Go to ISI>://000178131100005
- Assefa, K., Tefera, H., Merker, A., Kefyalew, T., & Hundera, F. (2001)**
Quantitative trait diversity in tef Eragrostis tef (Zucc.) Trotter germplasm from Central and Northern Ethiopia. Genetic Resources and Crop Evolution, 48, 1, pp 53-61
<Go to ISI>://000168335200008
- Assefa, K., Tefera, H., Merker, A., Kefyalew, T., & Hundera, F. (2001)**

Variability, heritability and genetic advance in pheno-morphic and agronomic traits of tef *Eragrostis tef* (Zucc.) Trotter germplasm from eight regions of Ethiopia. *Hereditas*, 134, 2, pp 103-113
<Go to ISI>://000172203900002

Aswidinnoor, H., Nelson, R.J., & Gustafson, J.P. (1995)

Genome-specific repetitive DNA probes detect introgression of *Oryza minuta* genome into cultivated rice, *Oryza sativa*. *Asia Pacific Journal of Molecular Biology*, 3, pp 215-223

Atienza, S.G., Alvarez, J.B., Villegas, A.M., Gimenez, M.J., Ramirez, M.C., Martin, A., & Martin, L.M. (2002)

Variation for the low-molecular-weight glutenin subunits in a collection of *Hordeum chilense*. *Euphytica*, 128, 2, pp 269-277
<Go to ISI>://000178930200014

Atienza, S.G., Gimenez, M.J., Martin, A., & Martin, L.M. (2000)

Variability in monomeric prolamins in *Hordeum chilense*. *Theoretical and Applied Genetics*, 101, 5-6, pp 970-976
<Go to ISI>://000090008400040

Atienza, S.G., Ramirez, C.M., Hernandez, P., & Martin, A. (2004)

Chromosomal location of genes for carotenoid pigments in *Hordeum chilense*. *Plant Breeding*, 123, 3, pp 303-304
<Go to ISI>://000221792900020

Aufhammer, W., Czuczorova, D., Kaul, H.P., & Kruse, M. (1998)

Germination of grain amaranth (*Amaranthus hypochondriacus* x *A. hybridus*): effects of seed quality, temperature, light, and pesticides. *European Journal of Agronomy*, 8, 1-2, pp 127-135
<Go to ISI>://000072136000011

Aufhammer, W. & Kubler, E. (1998)

Investigations of the agronomical value of the cereals millet (*Panicum miliaceum*) canary grass (*Phalaris canariensis*) and the pseudocereals buckwheat (*Fagopyrum esculentum*), quinoa (*Chenopodium quinoa*) and amaranth (*Amaranthus* spp.). *Bodenkultur*, 49, 3, pp 159-169
<Go to ISI>://000078012600002

Aufhammer, W., Kubler, E., & Lee, J.H. (1999)

Grain quality of the pseudocereals buckwheat (*Fagopyrum esculentum* Moench), quinoa (*Chenopodium quinoa* Willd.) and amaranth (*Amaranthus hypochondriacus* L. x *A. hybridus* L.) in relation to growing conditions. *Bodenkultur*, 50, 1, pp 11-24
<Go to ISI>://000081595400002

Aufhammer, W., Lee, J.H., Kubler, E., Kuhn, M., & Wagner, S. (1995)

Production and Utilization of the Pseudocereals Buckwheat (*Fagopyrum-Esculentum* Moench), Quinoa (*Chenopodium-Quinoa* Willd) and Amaranth (*Amaranthus* Ssp L) as Grain Crops. *Bodenkultur*, 46, 2, pp 125-140
<Go to ISI>://A1995RB74800004

Austin, D.F. (1978)

Exotic Plants and Their Effects in Southeastern Florida. *Environmental Conservation*, 5, 1, pp 25-34
<Go to ISI>://A1978ES71200008

Aviv, D., Amsellem, Z., & Gressel, J. (2002)

Transformation of carrots with mutant acetolactate synthase for *Orobanche* (broomrape) control. *Pest Management Science*, 58, pp 1187-1193

Avni, A. & Edelman, M. (1991)

Direct selection for paternal inheritance of chloroplasts in sexual progeny of *Nicotiana*. *Molecular & General Genetics*, 225, 2, pp 273-277

Axman, P. & Kren, J. (2001)

Identification of weed species using dimensionless analysis of leaves. *Rostlinna Vyroba*, 47, 5, pp 233-239
<Go to ISI>://000169182600008

Ayal, S. & Levy, A.A. (2005)

Wheat domestication and de-domestication—What are the odds? *In Crop Fertility and Volunteerism* (ed J. Gressel). CRC Press, Boca Raton,

Ayele, M., Blum, A., & Nguyen, H. (2001)

Diversity for osmotic adjustment and root depth in tef [*Eragrostis tef* (Zucc) Trotter]. *Euphytica*, 121, pp 237-249

Ayele, M., Blum, A., & Nguyen, H.T. (2001)

Diversity for osmotic adjustment and root depth in TEF *Eragrostis tef* (Zucc) Trotter. *Euphytica*, 121, 3, pp 237-249
<Go to ISI>://000171802500005

- Ayele, M., Dolezel, J., VanDuren, M., Brunner, H., & ZapataArias, F.J. (1996)**
Flow cytometric analysis of nuclear genome of the Ethiopian cereal Tef *Eragrostis tef*(Zucc) Trotter. *Genetica*, 98, 2, pp 211-215
<Go to ISI>://A1996VY8000010
- Ayele, M. & Nguyen, H.T. (2000)**
Evaluation of amplified fragment length polymorphism markers in tef, *Eragrostis tef*(Zucc.) Trotter, and related species. *Plant Breeding*, 119, 5, pp 403-409
<Go to ISI>://000090118700005
- Azam-Ali, S.N. & Massawe, F.J. (2003)**
Re-evaluating underutilized crops and the Green Revolution failure. *Ponte*, 59, 6, pp 53-71
- Azam-Ali, S.N., Sesay, A., Karikari, S.K., Massawe, F.J., Aguilar-Manjarrez, J., Bannayan, M., & Hampson, K.J. (2001)**
Assessing the potential of an underutilized crop - A case study using bambara groundnut. *Experimental Agriculture*, 37, 4, pp 433-472
- Azpiroz, R., Wu, Y., LoCascio, J.C., & Feldmann, K.A. (1998)**
An *Arabidopsis* brassinosteroid-dependent mutant is blocked in cell elongation. *Plant Cell*, 10, pp 219-230
- Babor, K., Halasova, G., Dodok, L., Geciova, R., & Lokaj, J. (1994)**
Characterization of Starch from *Amaranthus-Cruentus* L. *Chemical Papers-Chemicke Zvesti*, 48, 1, pp 58-63
<Go to ISI>://A1994NV64000015
- Backes, G., Madsen, L.H., Jaiser, H., Stougaard, J., Herz, M., Mohler, V., & Jahoor, A. (2003)**
Localisation of genes for resistance against *Blumeria graminis* f.sp *hordei* and *Puccinia graminis* in a cross between a barley cultivar and a wild barley (*Hordeum vulgare* ssp *spontaneum*) line. *Theoretical and Applied Genetics*, 106, 2, pp 353-362
<Go to ISI>://000180846000023
- Badr, A., Muller, K., Schafer-Pregl, R., El Rabey, H., Effgen, S., Ibrahim, H.H., Pozzi, C., Rohde, W., & Salamini, F. (2000)**
On the origin and domestication history of barley (*Hordeum vulgare*). *Molecular Biology and Evolution*, 17, 4, pp 499-510
<Go to ISI>://000086337700004
- Baek, H.J., Beharav, A., & Nevo, E. (2003)**
Ecological-genomic diversity of microsatellites in wild barley, *Hordeum spontaneum*, populations in Jordan. *Theoretical and Applied Genetics*, 106, 3, pp 397-410
<Go to ISI>://000181521500003
- Bahn, S.C., Bae, M.S., Park, Y.B., Oh, S.I., Jeung, J.U., Bae, J.M., Chung, Y.S., & Shin, J.S. (2001)**
Molecular cloning and characterization of a novel low temperature-induced gene, *bti2*, from barley (*Hordeum vulgare* L.). *Biochimica Et Biophysica Acta-Genes Structure and Expression*, 1522, 2, pp 134-137
<Go to ISI>://000174691900011
- Bai, G., Tefera, H., Ayele, M., & Nguyen, H.T. (1999)**
A genetic linkage map of tef *Eragrostis tef* (Zucc.) Trotter based on amplified fragment length polymorphism. *Theoretical and Applied Genetics*, 99, 3-4, pp 599-604
<Go to ISI>://000082570500027
- Bai, G.H., Ayele, M., Tefera, H., & Nguyen, H.T. (1999)**
Amplified fragment length polymorphism analysis of tef *Eragrostis tef* (Zucc.) trotter. *Crop Science*, 39, 3, pp 819-824
<Go to ISI>://000080943700034
- Bai, G.H., Ayele, M., Tefera, H., & Nguyen, H.T. (2000)**
Genetic diversity in tef *Eragrostis tef* (Zucc) Trotter and its relatives as revealed by Random Amplified Polymorphic DNAs. *Euphytica*, 112, 1, pp 15-22
<Go to ISI>://000085800000003
- Bailey, K.J., Battistelli, A., Dever, L.V., Lea, P.J., & Leegood, R.C. (2000)**
Control of C-4 photosynthesis: effects of reduced activities of phosphoenolpyruvate carboxylase on CO2 assimilation in *Amaranthus edulis* L. *Journal of Experimental Botany*, 51, pp 339-346
<Go to ISI>://000085386600004
- Bailey, K.J., Dever, L.V., Lea, P.J., & Leegood, R.C. (1997)**
Control of photosynthesis by PEP carboxylase in leaves of *Amaranthus edulis*. *Plant Physiology*, 114, 3, pp 1071-1071
<Go to ISI>://A1997XL11901103
- Bailey, W.A., Wilcut, J.W., & Hayes, R.M. (2003)**
Weed management, fiber quality, and net returns in no-tillage transgenic and nontransgenic cotton (*Gossypium hirsutum*). *Weed Technology*, 17, 1, pp 117-126

<Go to ISI>://000181848500018

Bais, H.P., Vepachedu, R., Gilroy, S., Callaway, R.M., & Vivanco, J.M. (2003)

Allelopathy and exotic plant invasion: From molecules and genes to species interactions. *Science*, 301, 5638, pp 1377-1380
<Go to ISI>://000185116400041

Baker, H. (1967)

Characteristics and modes of origin of weeds. *In The genetics of colonizing species* (ed B.H.a.S.G. (eds.)), pp. 147-172. Academic Press, New York and London,

Baker, H. (1974)

The evolution of weeds. *Ann. Rev. of Ecology and Systematics*, 5, pp 1-24

Baker, H.G. (1974)

The evolution of weeds. *Annual Reviews of Ecological Systems*, 5, pp 1-24

Baker, H.G. (1991)

The continuing evolution of weeds. *Economic Botany*, 45, pp 445-449

Ball, T.B., Gardner, J.S., & Anderson, N. (1999)

Identifying inflorescence phytoliths from selected species of wheat (*Triticum monococcum*, *T. dicoccon*, *T. dicoccoides*, and *T. aestivum*) and barley (*Hordeum vulgare* and *H. spontaneum*) (Gramineae). *American Journal of Botany*, 86, 11, pp 1615-1623
<Go to ISI>://000083770800011

Balogun, A.M. & Fetuga, B.L. (1988)

Tannin, Phytin and Oxalate Contents of Some Wild Underutilized Crop-Seeds in Nigeria. *Food Chemistry*, 30, 1, pp 37-43

Baltazar, A.M. & Janiya, J.D. (1999)

Weedy rice in the Philippines. *In Wild and Weedy Rices*. International Rice Research Institute, Manila,

Bandurska, H. & Stroinski, A. (2003)

ABA and proline accumulation in leaves and roots of wild (*Hordeum spontaneum*) and cultivated (*Hordeum vulgare* 'Maresi') barley genotypes under water deficit conditions. *Acta Physiologiae Plantarum*, 25, 1, pp 55-61
<Go to ISI>://000182015400008

Bansal, G.L., Rana, M.C., & Upadhyay, R.G. (1995)

Response of Grain Amaranth (*Amaranthus-Hypochondriacus*) to Plant-Density. *Indian Journal of Agricultural Sciences*, 65, 11, pp 818-820
<Go to ISI>://A1995TG04800012

Barberi, P. & Lo Cascio, B. (2001)

Long-term tillage and crop rotation effects on weed seedbank size and composition. *Weed Research*, 41, 4, pp 325-340
<Go to ISI>://000170566800004

Barberi, P. & Mazzoncini, M. (2001)

Changes in weed community composition as influenced by cover crop and management system in continuous corn. *Weed Science*, 49, 4, pp 491-499
<Go to ISI>://000175241900009

Barreiro, J.A., Fernandez, S., & Sandoval, A.J. (2003)

Water sorption characteristics of six row barley malt (*Hordeum vulgare*). *Lebensmittel-Wissenschaft Und-Technologie-Food Science and Technology*, 36, 1, pp 37-42
<Go to ISI>://000181616400005

Barrett, S.S.H. (1983)

Crop mimicry in weeds. *Economic Botany*, 37, pp 255-282

Barriere, Y., Guillet, C., & Goffner, D. (2003)

Genetic variation and breeding strategies for improved cell wall digestibility in annual forage crops. *Anim. Res.*, 52, pp 193-228

Barrows, E.M. (1980)

Robbing of Exotic Plants by Introduced Carpenter and Honey Bees in Hawaii, with Comparative Notes. *Biotropica*, 12, 1, pp 23-29

<Go to ISI>://A1980JT05900003

Bartell, B. (2002)

Invasive plants. *Landscape Architecture*, 92, 6, pp 11-11
<Go to ISI>://000175743400006

Bartha, S., Meiners, S.J., Pickett, S.T.A., & Cadenasso, M.L. (2003)

Plant colonization windows in a mesic old field succession. *Applied Vegetation Science*, 6, 2, pp 205-212
<Go to ISI>://000220133300013

Barton, A.M., Brewster, L.B., Cox, A.N., & Prentiss, N.K. (2004)

Non-indigenous woody invasive plants in a rural New England town. *Biological Invasions*, 6, 2, pp 205-211
<Go to ISI>://000221255100008

Baum, B.R. & Johnson, D.A. (1998)

The 5S rRNA gene in sea barley (*Hordeum marinum* Hudson sensu lato): sequence variation among repeat units and relationship to the X haplome in barley (*Hordeum*). *Genome*, 41, 5, pp 652-661
<Go to ISI>://000076773400004

Baum, B.R. & Johnson, D.A. (1999)

The 5S rRNA gene in wall barley (*Hordeum murinum* L. sensu lato): Sequence variation among repeat units and relationship to the Y haplome in the genus *Hordeum* (Poaceae : Triticeae). *Genome*, 42, 5, pp 854-866
<Go to ISI>://000083580400008

Baum, B.R. & Johnson, D.A. (2000)

The 5S rRNA gene units in the native New World annual *Hordeum* species (Triticeae : Poaceae). *Canadian Journal of Botany-Revue Canadienne De Botanique*, 78, 12, pp 1590-1602
<Go to ISI>://000166188800012

Baum, B.R. & Johnson, D.A. (2002)

A comparison of the 5S rDNA diversity in the *Hordeum brachyantherum-californicum* complex with those of the eastern Asiatic *Hordeum roshevitzii* and the South American *Hordeum cordobense* (Triticeae : Poaceae). *Canadian Journal of Botany-Revue Canadienne De Botanique*, 80, 7, pp 752-762
<Go to ISI>://000177145600005

Baum, B.R. & Johnson, D.A. (2003)

The South African *Hordeum capense* is more closely related to some American *Hordeum* species than to the European *Hordeum secalinum*: a perspective based on the 5S DNA units (Triticeae : Poaceae). *Canadian Journal of Botany-Revue Canadienne De Botanique*, 81, 1, pp 1-11
<Go to ISI>://000181611400001

Baum, B.R., Mechanda, S., Penner, G.A., & Ednie, A.B. (1998)

Establishment of a scheme for the identification of Canadian barley (*Hordeum vulgare* L.) six row cultivars using RAPD diagnostic bands. *Seed Science and Technology*, 26, 2, pp 449-462
<Go to ISI>://000077681800018

Baum, B.R., Mechanda, S., & Soleimani, V. (2000)

Identification of Canadian six row barley (*Hordeum vulgare* L.) cultivars with primers derived from STSs obtained from RAPD diagnostic bands. *Seed Science and Technology*, 28, 2, pp 445-466
<Go to ISI>://000089380000022

Bavec, F. & Mlakar, S.G. (2002)

Effects of soil and climatic conditions on emergence of grain amaranths. *European Journal of Agronomy*, 17, 2, pp 93-103
<Go to ISI>://000177798800002

Becker, R., Wheeler, E., Lorenz, K., Stafford, A., Grosjean, O., Betschart, A., & Saunders, R. (1981)

A composition study of amaranth grain. *J. Food Sci.*, 46, pp 1175-1180

Bedigian, D. & Harlan, J.R. (1986)

Evidence for Cultivation of Sesame in the Ancient-World. *Economic Botany*, 40, 2, pp 137-154

Bedigian, D., Seigler, D.S., & Harlan, J.R. (1985)

Sesamin, Sesamol and the Origin of Sesame. *Biochemical Systematics and Ecology*, 13, 2, pp 133-139

Beebe, S., Toro, C.O., González, A.V., Chacón, M.I., & Debouck, D.G. (1997)

Wild-weed-crop complexes of common bean (*Phaseolus vulgaris* L., Fabaceae) in the Andes of Peru and Colombia, and their implications for conservation and breeding. *Genetic Resources Crop Evol.*, 44, pp 73-91

- Beecher, B., Bowman, J., Martin, J.M., Bettge, A.D., Morris, C.F., Blake, T.K., & Giroux, M.J. (2002)**
Hordoinolines are associated with a major endosperm-texture QTL in Barley (*Hordeum vulgare*). *Genome*, 45, 3, pp 584-591
<Go to ISI>://000175373300017
- Begaz, B., Haimanot, R.T., Palmer, V.S., & Spencer, P.S., eds. (1994)**
Nutrition, Neurotoxins and Lathyrism: The ODAP Challenge. (Ed.), Third World Medical Research Foundation, New York,
- Begna, S.H., Dwyer, L.M., Cloutier, D., Assemat, L., DiTommaso, A., Zhou, X.M., Prithiviraj, B., & Smith, D.L. (2002)**
Decoupling of light intensity effects on the growth and development of C-3 and C-4 weed species through sucrose supplementation. *Journal of Experimental Botany*, 53, 376, pp 1935-1940
<Go to ISI>://000177505100013
- Bei-Paraskevopoulou, T. & Kloppstech, K. (1999)**
The expression of early light-inducible proteins (ELIPs) under high-light stress as defense marker in Northern- and Southern European cultivars of barley (*Hordeum vulgare*). *Physiologia Plantarum*, 106, 1, pp 105-111
<Go to ISI>://000081077000015
- Bejosano, F.P. & Corke, H. (1998)**
Amaranthus and buckwheat protein concentrate effects on an emulsion-type meat product. *Meat Science*, 50, 3, pp 343-353
<Go to ISI>://000077201600008
- Bejosano, F.P. & Corke, H. (1998)**
Effect of Amaranthus and buckwheat proteins on wheat dough properties and noodle quality. *Cereal Chemistry*, 75, 2, pp 171-176
<Go to ISI>://000072607300001
- Bejosano, F.P. & Corke, H. (1998)**
Protein quality evaluation of Amaranthus wholemeal flours and protein concentrates. *Journal of the Science of Food and Agriculture*, 76, 1, pp 100-106
<Go to ISI>://000072029600014
- Bejosano, F.P. & Corke, H. (1999)**
Effect of Amaranthus and buckwheat proteins on the rheological properties of maize starch. *Food Chemistry*, 65, 4, pp 493-501
<Go to ISI>://000079598200012
- Bejosano, F.P. & Corke, H. (1999)**
Properties of protein concentrates and hydrolysates from Amaranthus and Buckwheat. *Industrial Crops and Products*, 10, 3, pp 175-183
<Go to ISI>://000083516300003
- Bekele, E. (1995)**
Electric field mediated fusion of *Eragrostis tef* and *Sorghum bicolor* protoplasts and their electroporation conditions. *Hereditas*, 123, 3, pp 199-203
<Go to ISI>://A1995UQ11900001
- Bekele, E., Fido, R.J., Tatham, A.S., & Shewry, P.R. (1995)**
Heterogeneity and Polymorphism of Seed Proteins in *Tef* (*Eragrostis Tef*). *Hereditas*, 122, 1, pp 67-72
- Bekele, E., Klock, G., & Zimmermann, U. (1995)**
Somatic embryogenesis and plant regeneration from leaf and root explants and from seeds of *Eragrostis tef* (Gramineae). *Hereditas*, 123, 2, pp 183-189
<Go to ISI>://A1995UH54800011
- Bekele, E. & Lester, R.N. (1981)**
Biochemical Assessment of the Relationships of *Eragrostis-Tef* (Zucc) Trotter with Some Wild *Eragrostis* Species (Gramineae). *Annals of Botany*, 48, 5, pp 717-725
<Go to ISI>://A1981MP27200014
- Belkhdja, R., Morales, F., Abadia, A., Medrano, H., & Abadia, J. (1999)**
Effects of salinity on chlorophyll fluorescence and photosynthesis of barley (*Hordeum vulgare* L.) grown under a triple-line-source sprinkler system in the field. *Photosynthetica*, 36, 3, pp 375-387
<Go to ISI>://000081979400006
- Bell, C.E., Wilen, C.A., & Stanton, A.E. (2003)**
Invasive plants of horticultural origin. *Hortscience*, 38, 1, pp 14-16
<Go to ISI>://000181417500002
- Belles, D.S., Thill, D.C., & Shafii, B. (2000)**
PP-604 rate and *Avena fatua* density effects on seed production and viability in *Hordeum vulgare*. *Weed Science*, 48, 3, pp 378-384
<Go to ISI>://000087829200016

- Bennett, L.E., Burkhead, J.L., Hale, K.L., Terry, N., Pilon, M., & Pilon-Smits, E.A.H. (2003)**
Analysis of transgenic Indian mustard plants for phytoremediation of metal-contaminated mine tailings. *Journal of Environmental Quality*, 32, pp 432-440
- Bennetzen, J., Sorrells, M., & Tefera, H. (2004)**
Allelic diversity for plant height in *Eragrostis tef*. <http://www.cerealsgenomics.org/proposalparagraphs/allelic.htm>, pp
- Bennici, A., Grifoni, T., Schiff, S., & Bovelli, R. (1997)**
Studies on callus growth and morphogenesis in several species and lines of *Amaranthus*. *Plant Cell Tissue and Organ Culture*, 49, 1, pp 29-33
<Go to ISI>://A1997XR95800004
- Bennici, A., Schiff, S., & Bovelli, R. (1992)**
Invitro Culture of Species and Varieties of 4 *Amaranthus* L Species. *Euphytica*, 62, 3, pp 181-186
<Go to ISI>://A1992KB42000003
- Bensch, C.N., Horak, M.J., & Peterson, D. (2003)**
Interference of redroot pigweed (*Amaranthus retroflexus*), Palmer amaranth (*A-palmeri*), and common waterhemp (*A-rudis*) in soybean. *Weed Science*, 51, 1, pp 37-43
<Go to ISI>://000180489500007
- Berdan, F. & Anawalt Rieff, P. (1997)**
The Essential Codex Mendoza, University of California Press, Berkeley, pp 436
http://www.geocities.com/a1ma_mia/codex/
- Beres, I., Kazinczi, G., & Narwal, S.S. (2002)**
Allelopathic plants. 4. Common ragweed (*Ambrosia elatior* L. Syn *A. artemisiifolia*). *Allelopathy Journal*, 9, 1, pp 27-34
<Go to ISI>://000173517800004
- Berger, A., Gremaud, R., Baumgartner, M., Rein, D., Monnard, I., Kratky, E., Geiger, W., Burri, J., Dionisi, F., Allan, M., & Lambelet, P. (2003)**
Cholesterol-lowering properties of amaranth grain and oil in hamsters. *International Journal for Vitamin and Nutrition Research*, 73, 1, pp 39-47
<Go to ISI>://000185155700007
- Bergmann, H., Rost, S., & Machelett, B. (2002)**
Improvement of drought tolerance and changes of glycine betaine or proline accumulation in *Hordeum vulgare* L. by choline and 2- aminoethanol treatments. *Journal of Applied Botany-Angewandte Botanik*, 76, 3-4, pp 87-95
<Go to ISI>://000178004800003
- Berhe, T. & Miller, D.G. (1976)**
Sensitivity of Tef *Eragrostis-Tef* (Zucc) Trotter to Removal of Floral Parts. *Crop Science*, 16, 2, pp 307-308
<Go to ISI>://A1976BP29200042
- Bernacchi, C.J., Coleman, J.S., Bazzaz, F.A., & McConaughay, K.D.M. (2000)**
Biomass allocation in old-field annual species grown in elevated CO2 environments: no evidence for optimal partitioning. *Global Change Biology*, 6, 7, pp 855-863
<Go to ISI>://000089931300012
- Bernhard Teicher, H., Moller, B.L., & Scheller, H.V. (2000)**
Photoinhibition of Photosystem I in field-grown barley (*Hordeum vulgare* L.): Induction, recovery and acclimation. *Photosynthesis Research*, 64, 1, pp 53-61
<Go to ISI>://000165634000005
- Bervillé, A., Breton, C., Cunliffe, K., Darmency, H., Good, A., Gressel, J., Hall, L.M., McPherson, M.A., Médail, F., Pinatel, C., Vaughan, D.A., & Warwick, S.I. (2005)**
Issues of ferality or potential for ferality in oats, olives, the pigeon-pea group, ryegrass species, safflower, and sugarcane. *In Crop Ferality and Volunteerism* (ed J. Gressel). CRC Press, Boca Raton,
- Bervillé, A., Muller, M.H., Poinso, B., & Serieys, H. (2005)**
Ferality: Risks of gene flow between sunflower and other *Helianthus* species. *In Crop Ferality and Volunteerism* (ed J. Gressel). CRC Press, Boca Raton,
- Beta, T. & Corke, H. (2001)**
Noodle quality as related to sorghum starch properties. *Cereal Chemistry*, 78, 4, pp 417-420
<Go to ISI>://000169870100009

- Beta, T., Corke, H., Rooney, L.W., & Taylor, J.R.N. (2001)**
Starch properties as affected by sorghum grain chemistry. *Journal of the Science of Food and Agriculture*, 81, 2, pp 245-251
<Go to ISI>://000166578000011
- Beta, T., Obilana, A.B., & Corke, H. (2001)**
Genetic diversity in properties of starch from Zimbabwean sorghum landraces. *Cereal Chemistry*, 78, 5, pp 583-589
<Go to ISI>://000170887300014
- Bhaskar, J., Bharad, G.M., & Patil, S.N. (1996)**
Effect of plant population, nitrogen and phosphorus on grain amaranth (*Amaranthus* species). *Indian Journal of Agronomy*, 41, 1, pp 181-182
<Go to ISI>://A1996VB58800051
- Bhatia, A.L. & Jain, M. (2003)**
Amaranthus paniculatus (Linn.) improves learning after radiation stress. *Journal of Ethnopharmacology*, 85, 1, pp 73-79
<Go to ISI>://000181227100011
- Bhattacharjee, S. (1998)**
Membrane lipid peroxidation, free radical scavengers and ethylene evolution in *Amaranthus* as affected by lead and cadmium. *Biologia Plantarum*, 40, 1, pp 131-135
<Go to ISI>://000071943600015
- Bhattacharjee, S. & Mukherjee, A.K. (1998)**
The deleterious effects of high temperature during early germination on membrane integrity and subsequent germination of *Amaranthus lividus*. *Seed Science and Technology*, 26, 1, pp 1-8
<Go to ISI>://000074120600001
- Bhattacharjee, S. & Mukherjee, A.K. (2003)**
Heavy metals alter photosynthetic pigment profiles as well as activities of chlorophyllase and 5-aminolevulinic acid dehydratase (ALAD) in *Amaranthus lividus* seedlings. *Journal of Environmental Biology*, 24, 4, pp 395-399
<Go to ISI>://000185653000007
- Bhattacharjee, S. & Mukherjee, A.K. (2003)**
Implications of reactive oxygen species in heat shock induced germination and early growth impairment in *Amaranthus lividus* L. *Biologia Plantarum*, 47, 4, pp 517-522
<Go to ISI>://000221567100007
- Bhuiyan, M.N.H., Ishikawa, H., Tanaka, Y., Ito, M., Hattori, T., Hamada, A., Suzuki, S., & Takabe, T. (2004)**
Salt induced accumulation of glycinebetaine in *Amaranthus tricolor*. *Plant and Cell Physiology*, 45, pp S122-S122
<Go to ISI>://000220592700481
- Bialecka, B. & Kepczynski, J. (2003)**
Endogenous ethylene and reversing methyl jasmonate inhibition of *Amaranthus caudatus* seed germination by benzyladenine or gibberellin. *Plant Growth Regulation*, 41, 1, pp 7-12
<Go to ISI>://000186380200002
- Bialecka, B. & Kepczynski, J. (2003)**
Regulation of alpha-amylase activity in *Amaranthus caudatus* seeds by methyl jasmonate, gibberellin A(3), benzyladenine and ethylene. *Plant Growth Regulation*, 39, 1, pp 51-56
<Go to ISI>://000180184000007
- Bianchi, D.S., Senften, J.K., & Felber, F. (2002)**
Isozyme variation of *Hordeum murinum* in Switzerland and test of hybridization with cultivated barley. *Weed Research*, 42, 4, pp 325-333
<Go to ISI>://000177381100008
- Bianco-Trinchant, J., Barthe, P., & Le Page-Degivry, M.T. (1999)**
ABA dynamics during the growth cycle of *Amaranthus tricolor*: Release of low and high molecular weight ABA conjugates in the culture medium. *Journal of Plant Physiology*, 154, 3, pp 401-403
<Go to ISI>://000079491300020
- Bildanova, L.L., Salina, E.A., & Pershina, L.A. (2003)**
Specific features of the nuclear genome recombination in backcross progenies of barley-wheat hybrids *Hordeum vulgare* L. (2n=14) x *Triticum aestivum* L. (2n=42). *Russian Journal of Genetics*, 39, 12, pp 1420-1425
<Go to ISI>://000187357700012
- Billaud, C., Louarme, L., & Nicolas, J. (1999)**
Comparison of peroxidases from barley kernel (*Hordeum vulgare* L.) and wheat germ (*Triticum aestivum* L.): Isolation and preliminary characterization. *Journal of Food Biochemistry*, 23, 2, pp 145-172
<Go to ISI>://000081084200002
- Bilyeu, K.D., Cole, J.L., Laskey, J.G., Riekhof, W.R., Esparza, T.J., Kramer, M.D., & Morris, R.O. (2001)**

Molecular and biochemical characterization of a cytokinin oxidase from maize. *Plant Physiology*, 125, pp 378-386

- Binding, H., Jain.S.M., Finger, J., Mordhorst, G., Nehls, R., & Gressel, J. (1982)**
Somatic hybridization of an atrazine-resistant biotype of *Solanum nigrum* with *S. tuberosum*: I. Clonal variation in morphology and in atrazine sensitivity. *Theor. Appl. Genet.*, 63, pp 273-277
- Birschbach, E.D., Myers, M.G., & Harvey, R.G. (1993)**
Triazine-Resistant Smooth Pigweed (*Amaranthus-Hybridus*) Control in Field Corn (*Zea-Mays* L). *Weed Technology*, 7, 2, pp 431-436
<Go to ISI>://A1993LN57100024
- Bjornstad, A., Patil, V., Tekauz, A., Maroy, A.G., Skinnnes, H., Jensen, A., Magnus, H., & MacKey, J. (2002)**
Resistance to scald (*Rhynchosporium secalis*) in barley (*Hordeum vulgare*) studied by near-isogenic lines: I. Markers and differential isolates. *Phytopathology*, 92, 7, pp 710-720
<Go to ISI>://000176399400004
- Blackshaw, R.E., Larney, F.J., Lindwall, C.W., Watson, P.R., & Derksen, D.A. (2001)**
Tillage intensity and crop rotation affect weed community dynamics in a winter wheat cropping system. *Canadian Journal of Plant Science*, 81, 4, pp 805-813
<Go to ISI>://000172470000035
- Blackshaw, R.E., Semach, G., Li, X., O'Donovan, J.T., & Harker, K.N. (2000)**
Tillage, fertiliser and glyphosate timing effects on foxtail barley (*Hordeum jubatum*) management in wheat. *Canadian Journal of Plant Science*, 80, 3, pp 655-660
<Go to ISI>://000088983200033
- Blackshaw, R.E., Semach, G., Li, X.J., O'Donovan, J.T., & Harker, K.N. (1999)**
An integrated weed management approach to managing foxtail barley (*Hordeum jubatum*) in conservation tillage systems. *Weed Technology*, 13, 2, pp 347-353
<Go to ISI>://000082029100024
- Blaney, C.S. & Kotanen, P.M. (2001)**
Effects of fungal pathogens on seeds of native and exotic plants: a test using congeneric pairs. *Journal of Applied Ecology*, 38, 5, pp 1104-1113
<Go to ISI>://000171692900018
- Blaney, C.S. & Kotanen, P.M. (2002)**
Persistence in the seed bank: The effects of fungi and invertebrates on seeds of native and exotic plants. *Ecoscience*, 9, 4, pp 509-517
<Go to ISI>://000180032200011
- Blin, S. (1999)**
Saving Lawrence Johnston's exotic plants. *Connaissance Des Arts*, 563, pp 18-18
<Go to ISI>://000081545800055
- Blodgett, J.T. & Louw, S.V. (2004)**
Identification of fungi and fungal pathogens associated with *Hypoxilus haerens* and decayed and cankered stems of *Amaranthus hybridus*. *Plant Disease*, 88, 4, pp 333-337
<Go to ISI>://000220423500003
- Blodgett, J.T. & Swart, W.J. (2002)**
Infection, colonization, and disease of *Amaranthus hybridus* leaves by the *Alternaria tenuissima* group. *Plant Disease*, 86, 11, pp 1199-1205
<Go to ISI>://000178739800003
- Blodgett, J.T., Swart, W.J., Louw, S.V., & Weeks, W.J. (2000)**
Species composition of endophytic fungi in *Amaranthus hybridus* leaves, petioles, stems, and roots. *Mycologia*, 92, 5, pp 853-859
<Go to ISI>://000089511200006
- Blum, U., King, L.D., & Brownie, C. (2002)**
Effects of wheat residues on dicotyledonous weed emergence in a simulated no-till system. *Allelopathy Journal*, 9, 2, pp 159-176
<Go to ISI>://000175114400002
- Bock, R. (2001)**
Transgenic plastids in basic research and plant biotechnology. *Journal of Molecular Biology*, 312, 3, pp 425-438
- Bohn, M., Groh, S., Khairallah, M.M., Hoisington, D.A., Utz, H.F., & Melchinger, A.E. (2001)**

Reevaluation of the prospects of marker-assisted selection for improving insect resistance against *Diatraea* spp. in tropical maize by cross validation and independent validation. *Theoretical and Applied Genetics*, 103, pp 1059–1067

Boinski, J.J., Wang, J.L., Xu, P., Hotchkiss, T., & Berry, J.O. (1993)

Posttranscriptional Control of Cell-Type-Specific Gene- Expression in Bundle-Sheath and Mesophyll Chloroplasts of *Amaranthus-Hypochondriacus*. *Plant Molecular Biology*, 22, 3, pp 397-410
<Go to ISI>://A1993LL03800002

Bond, W.J. & Midgley, G.F. (2000)

A proposed CO₂-controlled mechanism of woody plant invasion in grasslands and savannas. *Global Change Biology*, 6, 8, pp 865-869
<Go to ISI>://000166524000001

Bonoli, M., Verardo, V., Marconi, E., & Caboni, M.F. (2004)

Phenols in barley (*Hordeum vulgare* L.) flour: Comparative spectrophotometric study among extraction methods of free and bound phenolic compounds. *Journal of Agricultural and Food Chemistry*, 52, 16, pp 5195-5200
<Go to ISI>://000223137000042

Bonsi, M.L.K., Osuji, P.O., Tuah, A.K., & Umanna, N.N. (1995)

Vernonia-Amygdalina as a Supplement to Teff Straw (*Eragrostis Tef*) Fed to Ethiopian Menz Sheep. *Agroforestry Systems*, 31, 3, pp 229-241
<Go to ISI>://A1995TJ68000004

Borevitz, J.O., Xia, Y.J., Blount, J., Dixon, R.A., & Lamb, C. (2000)

Activation tagging identifies a conserved MYB regulator of phenylpropanoid biosynthesis. *Plant Cell*, 12, 12, pp 2383-2393

Bosak, P. & Mod, S. (2000)

Influence of different weed species on sugar beet yield. *Novenytermeles*, 49, 5, pp 571-580
<Go to ISI>://000168030200010

Bossmann, B., Grimme, L.H., & Knoetzel, J. (1999)

Protease-stable integration of Lhcb1 into thylakoid membranes is dependent on chlorophyll b in allelic chlorina-f2 mutants of barley (*Hordeum vulgare* L.). *Planta*, 207, 4, pp 551-558
<Go to ISI>://000078886400010

Boudry, P., Mirchen, M., Saumitou-Laprade, P., Vernet, H., & Van Dijk, H. (1993)

The origin and evolution of weed beets: consequences for the breeding and release of herbicide-resistant transgenic sugar beets. *Theoretical and Applied Genetics*, 87, pp 471-478

Boulat, A. (1979)

Greenhouses Offer Modern Shelter for Worlds Threatened Plants + Cultivating Exotic Plants. *Smithsonian*, 10, 7, pp 110-&
<Go to ISI>://A1979HM93800022

Boyd, W.J.R., Li, C.D., Grime, C.R., Cakir, M., Potipibool, S., Kaveeta, L., Men, S., Kamali, M.R.J., Barr, A.R., Moody, D.B., Lance, R.C.M., Logue, S.J., Raman, H., & Readj, B.J. (2003)

Conventional and molecular genetic analysis of factors contributing to variation in the timing of heading among spring barley (*Hordeum vulgare* L.) genotypes grown over a mild winter growing season. *Australian Journal of Agricultural Research*, 54, 11-12, pp 1277-1301
<Go to ISI>://000187197500021

Boydston, R.A. & Alkhatib, K. (1992)

Terbacil and Bromacil Cross-Resistance in Powell Amaranth (*Amaranthus-Powellii*). *Weed Science*, 40, 4, pp 513-516
<Go to ISI>://A1992KK93300003

Boydston, R.A., Mojtahedi, H., Crosslin, J.M., Thomas, P.E., Anderson, T., & Riga, E. (2004)

Evidence for the influence of weeds on corky ringspot persistence in alfalfa and Scotch spearmint rotations. *American Journal of Potato Research*, 81, 3, pp 215-225
<Go to ISI>://000222283000007

Bradley, C.A., Wax, L.M., Ebelhar, S.A., Bollero, G.A., & Pedersen, W.L. (2001)

The effect of fungicide seed protectants, seeding rates, and reduced rates of herbicides on no-till soybean. *Crop Protection*, 20, 7, pp 615-622
<Go to ISI>://000171411600009

Bradshaw, A.D. (1982)

Evolution of heavy metal resistance - an analogy for herbicide resistance? Wiley, pp. 293-307, New York, pp

Bragg, T.B. & Hulbert, L.C. (1976)

Woody Plant Invasion of Unburned Kansas Bluestem Prairie. *Journal of Range Management*, 29, 1, pp 19-24
<Go to ISI>://A1976BE04700004

Brainard, D.C. & Bellinder, R.R. (2004)

Assessing variability in fecundity of *Amaranthus powellii* using a simulation model. *Weed Research*, 44, 3, pp 203-217
<Go to ISI>://000221355400007

Brainard, D.C. & Bellinder, R.R. (2004)

Weed suppression in a broccoli-winter rye intercropping system. *Weed Science*, 52, 2, pp 281-290
<Go to ISI>://000220323300016

Bram, M.R. (2002)

Effects of inbreeding in three populations of the dioecious annual *Amaranthus cannabinus* (Amaranthaceae). *Journal of the Torrey Botanical Society*, 129, 4, pp 298-310
<Go to ISI>://000180841600003

Bram, M.R. & Quinn, J.A. (2000)

Sex expression, sex-specific traits, and the effects of salinity on growth and reproduction of *Amaranthus cannabinus* (Amaranthaceae), a dioecious annual. *American Journal of Botany*, 87, 11, pp 1609-1618
<Go to ISI>://000165385900008

Brar, D.S. & Khush, G.S. (1997)

Alien introgression in rice. *Plant Molecular Biology*, 35, pp 35-47

Bratoeff, E., PerezAmador, M.C., & Ramirez, E. (1996)

Ecdysteroids and other secondary metabolites from *Amaranthus indica* Mill (Amaranthaceae). *Phyton-International Journal of Experimental Botany*, 58, 1-2, pp 119-123
<Go to ISI>://A1996UY58300016

Brenner, D. (2002)

Non-Shattering Grain Amaranth Populations. In *Trends in new crops and new uses* (eds J. Janick & A. Whipkey), pp. 104–106. ASHS Press, Alexandria VA, <http://www.hort.purdue.edu/newcrop/ncnu02/v5-104.html> and <http://www.botanischergarten.ch/Feral-New/Brenner-Shattering-2002.pdf>

Brenner, D. (2003)

The identity of a cultivated *Amaranthus* from Asia and a new nomenclatural combination. *Economic Botany*, 57, 4, pp 646-649

Bres-Patry, C., Lorieux, M., Clement, G., Bangratz, M., & Ghesquiere, A. (2001)

Heredity and genetic mapping of domestication-related traits in a temperate japonica weedy rice. *Theoretical and Applied Genetics*, 102, pp 118-126

Breznik, B.C. & Tajnsek, A. (2001)

Yield and malting characteristics of winter barley (*Hordeum vulgare* L.) depending on agrotechnical arrangements and mineral nitrogen rates. *Rostlinna Vyroba*, 47, 7, pp 314-318
<Go to ISI>://000170461700005

Brinch-Pedersen, H., Olsen, O., Knudsen, S., & Holm, P.B. (1999)

An evaluation of feed-back insensitive aspartate kinase as a selectable marker for barley (*Hordeum vulgare* L.) transformation. *Hereditas*, 131, 3, pp 239-245
<Go to ISI>://000086431100009

Bronckart, Y., Nagy, N., Decaestecker, C., Bouckaert, Y., Rimmelink, M., Gielen, I., Hittélet, A., Darro, F., Pector, J.C., Yeaton, P., Danguy, A., Kiss, R., & Salmon, I. (1999)

Grading dysplasia in colorectal adenomas by means of the quantitative binding pattern determination of *Arachis hypogaea*, *Dolichos biflorus*, *Amaranthus caudatus*, *Maackia amurensis*, and *Sambucus nigra* agglutinins. *Human Pathology*, 30, 10, pp 1178-1191
<Go to ISI>://000083063500010

Brothers, T.S. & Spingarn, A. (1992)

Forest Fragmentation and Alien Plant Invasion of Central Indiana Old-Growth Forests. *Conservation Biology*, 6, 1, pp 91-100
<Go to ISI>://A1992HM02900016

Broun, P., Gettner, S., & Somerville, C. (1999)

Genetic engineering of plant lipids. *Annu Rev Nutr.*, 19, pp 197-216

Brown, A.P.C., Dunn, M.A., Goddard, N.J., & Hughes, M.A. (2001)

Identification of a novel low-temperature-response element in the promoter of the barley (*Hordeum vulgare* L.) gene blt101.1. *Planta*, 213, 5, pp 770-780
<Go to ISI>://000171254700013

Brown, D.G. (1994)

Beetle Folivory Increases Resource Availability and Alters Plant Invasion in Monocultures of Goldenrod. *Ecology*, 75, 6, pp 1673-1683
<Go to ISI>://A1994PE26700015

Brown, J.R. & Archer, S. (1989)

Woody Plant Invasion of Grasslands - Establishment of Honey Mesquite (*Prosopis-Glandulosa* Var *Glandulosa*) on Sites Differing in Herbaceous Biomass and Grazing History. *Oecologia*, 80, 1, pp 19-26
<Go to ISI>://A1989AF28800003

Brown, S.E., Stephens, J.L., Lapitan, N.L.V., & Knudson, D.L. (1999)

FISH landmarks for barley chromosomes (*Hordeum vulgare* L.). *Genome*, 42, 2, pp 274-281
<Go to ISI>://000080109800014

Brown, S.E., Stephens, J.L., Lapitan, N.L.V., & Knudson, D.L. (1999)

FISH landmarks for barley chromosomes (*Hordeum vulgare* L.) (vol 42, pg 274, 1999). *Genome*, 42, 3, pp 550-550
<Go to ISI>://000080857700024

Brownlee, E.F., Sellner, S.G., & Sellner, K.G. (2003)

Effects of barley straw (*Hordeum vulgare*) on freshwater and brackish phytoplankton and cyanobacteria. *Journal of Applied Phycology*, 15, 6, pp 525-531
<Go to ISI>://000186637300009

Bruckner, D.J., Lepossa, A., & Herpai, Z. (2003)

Inhibitory effect of ragweed (*Ambrosia artemisiifolia* L.)- inflorescence extract on the germination of *Amaranthus hypochondriacus* L. and growth of two soil algae. *Chemosphere*, 51, 6, pp 515-519
<Go to ISI>://000181508800009

Bruni, R., Guerrini, A., Scalia, S., Romagnoli, C., & Sacchetti, G. (2002)

Rapid techniques for the extraction of vitamin E isomers from *Amaranthus caudatus* seeds: Ultrasonic and supercritical fluid extraction. *Phytochemical Analysis*, 13, 5, pp 257-261
<Go to ISI>://000178418000004

Bruni, R., Medici, A., Guerrini, A., Scalia, S., Poli, F., Muzzoli, M., & Sacchetti, G. (2001)

Wild *Amaranthus caudatus* seed oil, a nutraceutical resource from Ecuadorian flora. *Journal of Agricultural and Food Chemistry*, 49, 11, pp 5455-5460
<Go to ISI>://000172467200058

Brunner, S., Keller, B., & Feuillet, C. (2000)

Molecular mapping of the Rph7.g leaf rust resistance gene in barley (*Hordeum vulgare* L.). *Theoretical and Applied Genetics*, 101, 5-6, pp 783-788
<Go to ISI>://000090008400015

Buck-Sorlin, G.H. (2002)

The search for QTL in barley (*Hordeum vulgare* L.) using a new mapping population. *Cellular & Molecular Biology Letters*, 7, 2A, pp 523-535
<Go to ISI>://000179272100016

Budin, J.T., Breene, W.M., & Putnam, D.H. (1996)

Some compositional properties of seeds and oils of eight *Amaranthus* species. *Journal of the American Oil Chemists Society*, 73, 4, pp 475-481
<Go to ISI>://A1996UF80700013

Buenz, E.J., Schnepfle, D.J., Bauer, B.A., Elkin, P.L., Riddle, J.M., & Motley, T.J. (2004)

Techniques: Bioprospecting historical herbal texts by hunting for new leads in old tomes. *Trends in Pharmacological Sciences*, 25, 9, pp 494- 498

Buhler, D.D. & Hartzler, R.G. (2001)

Emergence and persistence of seed of velvetleaf, common waterhemp, woolly cupgrass, and giant foxtail. *Weed Science*, 49, 2, pp 230-235
<Go to ISI>://000175241500014

Buhler, D.D., Mester, T.C., & Kohler, K.A. (1996)

The effect of maize residues and tillage on emergence of *Setaria faberi*, *Abutilon theophrasti*, *Amaranthus retroflexus* and *Chenopodium album*. *Weed Research*, 36, 2, pp 153-165
<Go to ISI>://A1996UH10900006

- Bukun, B. (2004)**
Critical periods for weed control in cotton in Turkey. *Weed Research*, 44, 5, pp 404-412
<Go to ISI>://000223816200007
- Bullied, W.J., Marginet, A.M., & Van Acker, R.C. (2003)**
Conventional- and conservation-tillage systems influence emergence periodicity of annual weed species in canola. *Weed Science*, 51, 6, pp 886-897
<Go to ISI>://000186783600008
- Bultosa, G., Hall, A.N., & Taylor, J.R.N. (2002)**
Physico-chemical characterization of grain tef *Eragrostis tef* (Zucc.) Trotter starch. *Starch-Starke*, 54, 10, pp 461-468
<Go to ISI>://000178727700003
- Bultosa, G. & Taylor, J.R.N. (2003)**
Chemical and physical characterisation of grain Tef *Eragrostis tef* (Zucc.) Trotter starch granule composition. *Starch-Starke*, 55, 7, pp 304-312
<Go to ISI>://000184260100003
- Bultosa, G. & Taylor, J.R.N. (2004)**
Paste and gel properties and in vitro digestibility of Tef *Eragrostis tef* (Zucc.) trotter starch. *Starch-Starke*, 56, 1, pp 20-28
<Go to ISI>://000188700400004
- Bunce, J.A. (2001)**
Effects of prolonged darkness on the sensitivity of leaf respiration to carbon dioxide concentration in C-3 and C-4 species. *Annals of Botany*, 87, 4, pp 463-468
<Go to ISI>://000167775600006
- Bunce, J.A. (2003)**
Responses of seedling growth to daytime or continuous elevation of carbon dioxide. *International Journal of Plant Sciences*, 164, 3, pp 377-382
<Go to ISI>://000184018200005
- Burger, J.C. & Ellstrand, N.C. (2005)**
Feral rye: Evolutionary origins of a weed - Jutta C. *In Crop Fertility and Volunteerism* (ed J. Gressel). CRC Press, Boca Raton,
- Burgos, N.R., Kuk, Y.I., & Talbert, R.E. (2001)**
Amaranthus palmeri resistance and differential tolerance of Amaranthus palmeri and Amaranthus hybridus to ALS-inhibitor herbicides. *Pest Management Science*, 57, 5, pp 449-457
<Go to ISI>://000168451200009
- Burke, I.C. & Wilcut, J.W. (2004)**
Weed management in cotton with CGA-362622, fluometuron, and pyriithiobac. *Weed Technology*, 18, 2, pp 268-276
<Go to ISI>://000222194700012
- Burki, H.M., Lawrie, J., Greaves, M.P., Down, V.M., Juttersonke, B., Cagan, L., Vrablova, M., Ghorbani, R., Hassan, E.A., & Schroeder, D. (2001)**
Biocontrol of Amaranthus spp. in Europe: state of the art. *Biocontrol*, 46, 2, pp 197-210
<Go to ISI>://000169125100006
- Burrell, C.C. (2002)**
Controlling invasive exotic plants. *Landscape Architecture*, 92, 4, pp 28-+
<Go to ISI>://000174570000028
- Caballero, L., Alvarez, J.B., & Martin, L.M. (2001)**
Analysis of D-prolamins synthesized by the Hordeum chilense genome and their effects on gluten strength in hexaploid tritordeum. *Plant Breeding*, 120, 2, pp 185-187
<Go to ISI>://000168961500017
- Cabrera, A., Martin, A., & Barro, F. (2002)**
In-situ comparative mapping (ISCM) of Glu-1 loci in Triticum and Hordeum. *Chromosome Research*, 10, 1, pp 49-54
<Go to ISI>://000173846800006
- Cabrera, A., Ramirez, M.C., & Martin, A. (1999)**
Application of C-banding and fluorescence in situ hybridization for the identification of the trisomics of Hordeum chilense. *Euphytica*, 109, 2, pp 123-129
<Go to ISI>://000082467800007
- Cahill, J.F. (2002)**
Interactions between root and shoot competition vary among species. *Oikos*, 99, 1, pp 101-112
<Go to ISI>://000178883100011

- Cahill, J.F. & Casper, B.B. (2000)**
Investigating the relationship between neighbor root biomass and belowground competition: field evidence for symmetric competition belowground. *Oikos*, 90, 2, pp 311-320
<Go to ISI>://000089031600011
- Cahill, J.P. (2003)**
Ethnobotany of Chia, *Salvia hispanica* L. (Lamiaceae). *Economic Botany*, 57, 4, pp 604-618
<Go to ISI>://000188815800016
- Cai, L.B., Zhang, T.L., & Hsiao, A.I. (2003)**
The circumscription and concept of *Hordeum* (Poaceae) based on some leaf epidermal characteristics. *Israel Journal of Plant Sciences*, 51, 4, pp 315-320
<Go to ISI>://000189195200010
- Cai, Y. & Corke, H. (1999)**
Amaranthus betacyanin pigments applied in model food systems. *Journal of Food Science*, 64, 5, pp 869-873
<Go to ISI>://000083640700026
- Cai, Y.Z. & Corke, H. (2000)**
Production and properties of spray-dried *Amaranthus betacyanin* pigments. *Journal of Food Science*, 65, 7, pp 1248-1252
<Go to ISI>://000165881000028
- Cai, Y.Z. & Corke, H. (2001)**
Effect of postharvest treatments on *Amaranthus betacyanin* degradation evaluated by visible/near-infrared spectroscopy. *Journal of Food Science*, 66, 8, pp 1112-1118
<Go to ISI>://000172022000011
- Cai, Y.Z., Sun, M., & Corke, H. (1998)**
Colorant properties and stability of *Amaranthus betacyanin* pigments. *Journal of Agricultural and Food Chemistry*, 46, 11, pp 4491-4495
<Go to ISI>://000077068800006
- Cai, Y.Z., Sun, M., Schliemann, W., & Corke, H. (2001)**
Chemical stability and colorant properties of betaxanthin pigments from *Celosia argentea*. *Journal of Agricultural and Food Chemistry*, 49, 9, pp 4429-4435
<Go to ISI>://000171214900049
- Cai, Y.Z., Sun, M., Wu, H.X., Huang, R.H., & Corke, H. (1998)**
Characterization and quantification of betacyanin pigments from diverse *Amaranthus* species. *Journal of Agricultural and Food Chemistry*, 46, 6, pp 2063-2070
<Go to ISI>://000074277800001
- Cajane, M., Navratil, M., Kurasova, I., Kalina, J., & Spunda, V. (2002)**
The development of antenna complexes of barley (*Hordeum vulgare* cv. Akcent) under different light conditions as judged from the analysis of 77 K chlorophyll a fluorescence spectra. *Photosynthesis Research*, 74, 2, pp 121-133
<Go to ISI>://000179003200003
- Cakir, M., Gupta, S., Platz, G.J., Ablett, G.A., Loughman, R., Emebiri, L.C., Poulsen, D., Li, C.D., Lance, R.C.M., Galwey, N.W., Jones, M.G.K., & Appelsb, R. (2003)**
Mapping and validation of the genes for resistance to *Pyrenophora teres* f. *teres* in barley (*Hordeum vulgare* L.). *Australian Journal of Agricultural Research*, 54, 11-12, pp 1369-1377
<Go to ISI>://000187197500029
- Caldwell, D.G., McCallum, N., Shaw, P., Muehlbauer, G.J., Marshall, D.F., & Waugh, R. (2004)**
A structured mutant population for forward and reverse genetics in Barley (*Hordeum vulgare* L.). *Plant Journal*, 40, 1, pp 143-150
<Go to ISI>://000223816300013
- Callaway, R.M. & Aschehoug, E.T. (2000)**
Invasive plants versus their new and old neighbors: a mechanism for exotic invasion (vol 290, pp 521, 2000). *Science*, 290, 5499, pp 2075-2075
<Go to ISI>://000165870600030
- Callaway, R.M., Thelen, G.C., Rodriguez, A., & Holben, W.E. (2004)**
Soil biota and exotic plant invasion. *Nature*, 427, 6976, pp 731-733
<Go to ISI>://000189026000042 and <http://www.botanischergarten.ch/Weeds/Callaway-nature02322.pdf>
- Campbell, C.G. (1997)**
Grass pea. *Lathyrus sativus* L. *International Plant Genetic*, Rome, pp 91

- Campbell, C.G., Mehra, R.B., Agrawal, S.K., Chen, Y.Z., Elmoneim, A.M.A., Khawaja, H.I.T., Yadov, C.R., Tay, J.U., & Araya, W.A. (1994)**
Current status and future strategy in breeding grasspea (*Lathyrus sativus*). *Euphytica*, 73, 1-2, pp 167-175
<Go to ISI>://A1994NG43900016
- Cane, J.H., Buchmann, S.L., & Laberge, W.E. (1992)**
The Solitary Bee *Melissodes-Thelypodii-Thelypodii* Cockerell (Hymenoptera, Anthophoridae) Collects Pollen from Wind-Pollinated *Amaranthus-Palmeri* Watson. *Pan-Pacific Entomologist*, 68, 2, pp 97-99
<Go to ISI>://A1992HV74300002
- Cantero-Martinez, C., Angas, P., & Lampurlanes, J. (2003)**
Growth, yield and water productivity of barley (*Hordeum vulgare* L.) affected by tillage and N fertilization in Mediterranean semiarid, rainfed conditions of Spain. *Field Crops Research*, 84, 3, pp 341-357
<Go to ISI>://000187406400010
- Cárdaba, B., Cortegano, I., Florido, F., Arrieta, I., Aceituno, E., Del Pozo, V., Gallardo, S., Rojo, M., Palomino, P., & Lahoz, C. (2000)**
Genetic restrictions in olive pollen allergy. *Journal of Allergy and Clinical Immunology*, 105, pp 292-298
- Caredda, S., Devaux, P., Sangwan, R.S., Proult, I., & Clement, C. (2004)**
Plastid ultrastructure and DNA related to albinism in androgenetic embryos of various barley (*Hordeum vulgare*) cultivars. *Plant Cell Tissue and Organ Culture*, 76, 1, pp 35-43
<Go to ISI>://000185569800005
- Caredda, S., Doncoeur, C., Devaux, P., Sangwan, R.S., & Clement, C. (2000)**
Plastid differentiation during androgenesis in albino and non- albino producing cultivars of barley (*Hordeum vulgare* L.). *Sexual Plant Reproduction*, 13, 2, pp 95-104
<Go to ISI>://000089297300004
- Carey, V.F.I., Hoagland, R.E., & Talbert, R.E. (1997)**
Resistance mechanisms in propanil-resistant barnyardgrass. II. In vivo metabolism of the propanil molecule. *Pesticide Science*, 49, pp 333-338
- Carlquist, S. (2003)**
Wood and stem anatomy of woody *Amaranthaceae* s.s.: ecology, systematics and the problems of defining rays in dicotyledons. *Botanical Journal of the Linnean Society*, 143, 1, pp 1-19
<Go to ISI>://000187573700001
- Carlson, A.R., Letarte, J., Chen, J., & Kasha, K.J. (2001)**
Visual screening of microspore-derived transgenic barley (*Hordeum vulgare* L.) with green-fluorescent protein. *Plant Cell Reports*, 20, 4, pp 331-337
<Go to ISI>://000170121700010
- Carlson, P.S., Fahey, J.W., & Flynn, J.L. (1992)**
Modified plant containing a bacterial inoculant. U.S. Patent, pp 5,157,207
- Carpenter, A.T., Murray, T.A., & Buxbaum, J. (2002)**
Inventorying and mapping invasive plants. *Natural Areas Journal*, 22, 2, pp 163-165
<Go to ISI>://000174929000011
- Casteel, S.W., Johnson, G.C., Miller, M.A., Chudomelka, H.J., Cupps, D.E., Haskins, H.E., & Gosser, H.S. (1994)**
Amaranthus Retroflexus (Redroot Pigweed) Poisoning in Cattle. *Journal of the American Veterinary Medical Association*, 204, 7, pp 1068-1070
<Go to ISI>://A1994NC35900018
- Castle, L.A., Siehl, D.L., Gorton, R., Patten, P.A., Chen, Y.H., Bertain, S., Cho, H.J., Duck, N., Wong, J., Liu, D., & Lassner, M.W. (2004)**
Discovery and directed evolution of a glyphosate tolerance gene. *Science*, 304, pp 1151-1154
- Cemazar, M., Zahariev, S., Lopez, J.J., Carugo, O., Jones, J.A., Hore, P.J., & Pongor, S. (2003)**
Oxidative folding intermediates with nonnative disulfide bridges between adjacent cysteine residues. *Proceedings of the National Academy of Sciences of the United States of America*, 100, 10, pp 5754-5759
<Go to ISI>://000182939400036
- Cemazar, M., Zahariev, S., Pongor, S., & Hore, P.J. (2004)**
Oxidative folding of *Amaranthus* alpha-amylase inhibitor - Disulfide bond formation and conformational folding. *Journal of Biological Chemistry*, 279, 16, pp 16697-16705
<Go to ISI>://000220747900122

- Chagollalopez, A., Biancolabra, A., Patthy, A., Sanchez, R., & Pongor, S. (1994)**
A Novel Alpha-Amylase Inhibitor from Amaranth (*Amaranthus-Hypocondriacus*) Seeds. *Journal of Biological Chemistry*, 269, 38, pp 23675-23680
<Go to ISI>://A1994PQ34500045
- Chakhatrakan, S., Chakhatrakan, V., Motoda, Y., & Ota, Y. (1994)**
Effect of Mechanical Stimulation on the Growth of *Amaranthus* Spp. *Japanese Journal of Crop Science*, 63, 3, pp 546-548
<Go to ISI>://A1994PG06600020
- Chakraborty, S., Chakraborty, N., & Datta, A. (2000)**
Increased nutritive value of transgenic potato by expressing a nonallergenic seed albumin gene from *Amaranthus hypochondriacus*. *Proceedings of the National Academy of Sciences of the United States of America*, 97, 7, pp 3724-3729
<Go to ISI>://000086195200136
- Chakraborty, S., Sarmah, B., Chakraborty, N., & Datta, A. (2002)**
Premature termination of RNA polymerase II mediated transcription of a seed protein gene in *Schizosaccharomyces pombe*. *Nucleic Acids Research*, 30, 13, pp 2940-2949
<Go to ISI>://000176607000028
- Chakravarty, T.N. & Sopory, S.K. (1998)**
Blue light stimulation of cell proliferation and glyoxalase I activity in callus cultures of *Amaranthus paniculatus*. *Plant Science*, 132, 1, pp 63-69
<Go to ISI>://000072739600007
- Chan, K.F. & Sun, M. (1997)**
Genetic diversity and relationships detected by isozyme and RAPD analysis of crop and wild species *Amaranthus*. *Theoretical and Applied Genetics*, 95, 5-6, pp 865-873
<Go to ISI>://A1997YF71500020
- Chand, S. & Sahrawat, A.K. (2000)**
Efficient plant regeneration from root callus tissues of barley (*Hordeum vulgare* L.). *Journal of Plant Physiology*, 156, 3, pp 401-407
<Go to ISI>://000086275100018
- Chandwade, P.M., Desai, U.T., & Chaudhari, S.M. (1993)**
Effect of Photoperiod on Seed Yield of Lal Rajgira Amaranth (*Amaranthus-Caudatus*). *Indian Journal of Agricultural Sciences*, 63, 6, pp 375-376
<Go to ISI>://A1993LJ10600013
- Chang, T.T. (1995)**
Rice. *In Evolution of crop plants* (eds J. Smartt & N.W. Simmonds), pp. 147-155. Longman Group, Harlow,
- Chang, Y., von Zitzewitz, J., Hayes, P.M., & Chen, T.H.H. (2003)**
High frequency plant regeneration from immature embryos of an elite barley cultivar (*Hordeum vulgare* L. cv. Morex). *Plant Cell Reports*, 21, 8, pp 733-738
<Go to ISI>://000183122400005
- Charbaji, T., Arabi, M.I., & Jawhar, M. (2001)**
Effect of gamma irradiation and NaCl on cation concentrations in hydroponically cultured barley (*Hordeum vulgare* L.). *Agrochimica*, 45, 5-6, pp 171-177
<Go to ISI>://000173345800002
- Charlesworth, B. (1992)**
Evolutionary rates in practically self-fertilizing species. *American Naturalist*, 140, pp 126-148
- Charlesworth, D. (1988)**
Evidence for pollen competition in plants and its relationship to progeny fitness: A comment. *Amer. Naturalist*, 132, pp 298-302
- Chase, M. (2004),**
Electronic Source: List of Genera in AMARANTHACEAE, Vascular Plant Families and Genera, published by: Royal Botanic Gardens Kew,
www.mobot.org/MOBOT/Research/APweb/genera/amaranthaceaeen.html
- Chase, M. (2004a),**
Electronic Source: List of Genera in AMARANTHACEAE, VASCULAR PLANT FAMILIES and GENERA, published by: Kew Gardens Database,
<http://www.rbgekew.org.uk/cgi-bin/web.dbs/genlist.pl?AMARANTHACEAE>

- Chaturvedi, A., Sarojini, G., & Devi, N.L. (1993)**
Hypocholesterolemic Effect of Amaranth Seeds (*Amaranthus- Esculentus*). *Plant Foods for Human Nutrition*, 44, 1, pp 63-70
<Go to ISI>://A1993LE74300007
- Chaturvedi, P.A. & Chaturvedi, A. (2000)**
Effect of feeding crude red palm oil (*Elaeis guineensis*) and grain amaranth (*Amaranthus paniculatus*) to hens on total lipids, cholesterol, PUFA levels and acceptability of eggs. *Plant Foods for Human Nutrition*, 55, 2, pp 147-157
<Go to ISI>://000087602100007
- Chavez-Jauregui, R.N., Silva, M., & Areas, J.A.G. (2000)**
Extrusion cooking process for amaranth (*Amaranthus caudatus* L.). *Journal of Food Science*, 65, 6, pp 1009-1015
<Go to ISI>://000165129600016
- Checkett, J.H., Drobney, R.D., Petrie, M.J., & Graber, D.A. (2002)**
True metabolizable energy of moist-soil seeds. *Wildlife Society Bulletin*, 30, 4, pp 1113-1119
<Go to ISI>://000180540900017
- Chen, F. & Foolad, M.R. (1999)**
Nucellar-cell-specific expression of a lipid transfer protein gene in barley (*Hordeum vulgare* L.). *Plant Cell Reports*, 18, 6, pp 445-450
<Go to ISI>://000078850400001
- Chen, G.X., Suprunova, T., Krugman, T., Fahima, T., & Nevo, E. (2004)**
Ecogeographic and genetic determinants of kernel weight and colour of wild barley (*Hordeum spontaneum*) populations in Israel. *Seed Science Research*, 14, 2, pp 137-146
<Go to ISI>://000223041600005
- Chen, G.X., Tamar, K., Fahima, T., Zhang, F.C., Korol, A.B., & Nevo, E. (2004)**
Differential patterns of germination and desiccation tolerance of mesic and xeric wild barley (*Hordeum spontaneum*) in Israel. *Journal of Arid Environments*, 56, 1, pp 95-105
<Go to ISI>://000187882400007
- Chen, W.Q. & Swart, W.J. (2001)**
Genetic variation among *Fusarium oxysporum* isolates associated with root rot of *Amaranthus hybridus* in South Africa. *Plant Disease*, 85, 10, pp 1076-1080
<Go to ISI>://000171124000006
- Chen, W.Q. & Swart, W.J. (2002)**
The in vitro phytotoxicity of culture filtrates of *Fusarium oxysporum* to five genotypes of *Amaranthus hybridus*. *Euphytica*, 127, 1, pp 61-67
<Go to ISI>://000177720700006
- Chen, Y., Guo, H.M., Jiang, Y., Li, C.Q., Zhao, W.M., & Tian, Y.C. (2003)**
Disease-tolerance of transgenic tobacco plants expressing Ah- AMP gene of *Amaranthus hypochondriacus*. *Progress in Natural Science*, 13, 5, pp 362-366
<Go to ISI>://000182724600008
- Chen, Y.K., Derks, A., Langeveld, S., Goldbach, R., & Prins, M. (2001)**
High sequence conservation among cucumber mosaic virus isolates from Lily. *Archives of Virology*, 146, 8, pp 1631-1636
<Go to ISI>://000170885000016
- Cheplick, G.P. (2001)**
Quantitative genetics of mass allocation and the allometry of reproduction in *Amaranthus albus*: Relation to soil nutrients. *International Journal of Plant Sciences*, 162, 4, pp 807-816
<Go to ISI>://000169094400012
- Chernenko, T.V., Glushenkova, A.I., & Guskova, S.D. (1998)**
Nonsaponifiable substances of lipids of vegetative and generative organs of *Amaranthus caudatus*. *Khimiya Prirodnykh Soedinenii*, 5, pp 626-628
<Go to ISI>://000079030000004
- Chernenko, T.V., Glushenkova, A.I., & Khodzhaeva, M.A. (1998)**
Lipids of vegetative and generative organs of *Amaranthus caudatus*. *Khimiya Prirodnykh Soedinenii*, 5, pp 623-625
<Go to ISI>://000079030000003
- Chernenko, T.V., Glushenkova, A.I., & Nigmatullaev, A.M. (1999)**
Lipids from seeds of *Amaranthus* sp. *Chemistry of Natural Compounds*, 35, 5, pp 515-517
<Go to ISI>://000087493000007
- Chernenko, T.V. & Glushenkova, A.N. (1998)**
Composition of triacylglycerins of *Amaranthus caudatus* seeds. *Khimiya Prirodnykh Soedinenii*, 1, pp 127-128
<Go to ISI>://000074035900021

- Chernenko, T.V., Khodzhaeva, M.A., Glushenkova, A.I., & Turakhozaev, M.T. (1997)**
Composition of lipids and carbohydrates of *Amaranthus caudatus* seeds. *Khimiya Prirodnykh Soedinenii*, 6, pp 797-799
<Go to ISI>://000072640900004
- Chernobrovkina, M.A., Karavaev, C.A., Kharchenko, P.N., & Melik-Sarkisov, O.S. (2004)**
Somatic embryogenesis and morphogenetic potential of spring barley (*Hordeum vulgare* L.) in the system of technological genetic transformation. *Biology Bulletin*, 31, 4, pp 332-336
<Go to ISI>://000223578400003
- Chèvre, A.M., F. Eber, H. Darmency, A. Fleury, H. Picault, J. C. Letanneur, & Renard, M. (2000)**
Assessment of interspecific hybridization between transgenic oilseed rape and wild radish under normal agronomic conditions. *Theoretical Applied Genetics*, 100, pp 1233-1239
- Chinthapalli, B., Murmu, J., & Raghavendra, A.S. (2003)**
Dramatic difference in the responses of phosphoenolpyruvate carboxylase to temperature in leaves of C-3 and C-4 plants. *Journal of Experimental Botany*, 54, 383, pp 707-714
<Go to ISI>://000180964000012
- Chinthapalli, B., Raghavan, C., Blasing, O., Westhoff, P., & Raghavendra, A.S. (2000)**
Phosphoenolpyruvate carboxylase purified from leaves of C-3, C-4, and C-3-C-4 intermediate species of *Alternanthera*: Properties at limiting and saturating bicarbonate. *Photosynthetica*, 38, 3, pp 415-419
<Go to ISI>://000167710400015
- Cho, M.J., Choi, H.W., Jiang, W., Ha, C.D., & Lemaux, P.G. (2002)**
Endosperm-specific expression of green fluorescent protein driven by the hordein promoter is stably inherited in transgenic barley (*Hordeum vulgare*) plants. *Physiologia Plantarum*, 115, 1, pp 144-154
<Go to ISI>://000175895400017
- Cho, Y.-C., Cung, T.-Y., & Suh, H.-S. (1995)**
Genetic characteristics of Korean weedy rice (*Oryza sativa* L.) by RFLP analysis. *Euphytica*, 86, pp 103-110
- Choe, S.B.P., Dilkes, S., Fugioka, S., Takatsuto, S., Sukarai, A., & Felmann, K.A. (1998)**
The DWF4 gene of *Arabidopsis* encodes a cytochrome P450 that mediates multiple 22 α -hydroxylation steps in brassinosteroid biosynthesis. *Plant Cell*, 10, pp 231-243
- Choi, D.W., Zhu, B., & Close, T.J. (1999)**
The barley (*Hordeum vulgare* L.) dehydrin multigene family: sequences, allele types, chromosome assignments, and expression characteristics of 11 Dhn genes of cv Dicktoo. *Theoretical and Applied Genetics*, 98, 8, pp 1234-1247
<Go to ISI>://000081124700007
- Choi, H.W., Lemaux, P.G., & Cho, M.J. (2000)**
Increased chromosomal variation in transgenic versus nontransgenic barley (*Hordeum vulgare* L.) plants. *Crop Science*, 40, 2, pp 524-533
<Go to ISI>://000089410300035
- Choi, H.W., Lemaux, P.G., & Cho, M.J. (2001)**
Selection and osmotic treatment exacerbate cytological aberrations in transformed barley (*Hordeum vulgare*). *Journal of Plant Physiology*, 158, 7, pp 935-943
<Go to ISI>://000169963000016
- Choi, H.W., Lemaux, P.G., & Cho, M.J. (2002)**
Use of fluorescence in situ hybridization for gross mapping of transgenes and screening for homozygous plants in transgenic barley (*Hordeum vulgare* L.). *Theoretical and Applied Genetics*, 106, 1, pp 92-100
<Go to ISI>://000180630000011
- Choi, I.-R., Stander, D.C., Morris, T.J., & French, R. (2000)**
A plant virus vector for systemic expression of foreign genes in cereals. *The Plant Journal*, 23, pp 547-555
- Chourey, P.S., Taliercio, E.W., Carlson, S.J., & Ruan, Y.-L. (1998)**
Genetic evidence that the two isozymes of sucrose synthase present in developing maize endosperm are critical, one for cell wall integrity and the other for starch biosynthesis. *Mol. Gen. Genet.*, 259, pp 88-96
- Christou, P., Ford, T.L., & Kofron, M. (1992)**
The development of a variety-independent gene-transferase method for rice. *Trends in Biotechnology*, 10, pp 239-246

- Chrost, B., Daniel, A., & Krupinska, K. (2004)**
Regulation of alpha-galactosidase gene expression in primary foliage leaves of barley (*Hordeum vulgare* L.) during dark-induced senescence. *Planta*, 218, 5, pp 886-889
<Go to ISI>://000220087700023
- Churin, Y., Hess, W.R., & Borner, T. (1999)**
Cloning and characterization of three cDNAs encoding chloroplast RNA-binding proteins from barley (*Hordeum vulgare* L.): differential regulation of expression by light and plastid development. *Current Genetics*, 36, 3, pp 173-181
<Go to ISI>://000082855800009
- Churin, Y., Schilling, S., & Borner, T. (1999)**
A gene family encoding glutathione peroxidase homologues in *Hordeum vulgare* (barley). *Febs Letters*, 459, 1, pp 33-38
<Go to ISI>://000083012800007
- Ciesielski, W. & Tomasik, P. (2003)**
Thermal properties of complexes of amaranthus starch with selected metal salts. *Thermochimica Acta*, 403, 2, pp 161-171
<Go to ISI>://000184536200002
- Ciopraga, J., Angstrom, J., Bergstrom, J., Larsson, T., Karlsson, N., Motas, C., Gozia, O., & Teneberg, S. (2000)**
Isolectins from *Solanum tuberosum* with different detailed carbohydrate binding specificities: Unexpected recognition of lactosylceramide by N-acetyllactosamine-binding lectins. *Journal of Biochemistry*, 128, 5, pp 855-867
<Go to ISI>://000165201800019
- Clarke-Harris, D. & Fleischer, S.J. (2003)**
Sequential sampling and biorational chemistries for management of lepidopteran pests of vegetable amaranth in the Caribbean. *Journal of Economic Entomology*, 96, 3, pp 798-804
<Go to ISI>://000183648000040
- Clua, A.A. & Gimenez, D.O. (2003)**
Environmental factors during seed development of narrow-leaved bird's-foot-trefoil (*Lotus tenuis*) influences subsequent dormancy and germination. *Grass and Forage Science*, 58, 4, pp 333-338
<Go to ISI>://000189025400001
- Coetzer, E. & Al-Khatib, K. (2001)**
Photosynthetic inhibition and ammonium accumulation in Palmer amaranth after glufosinate application. *Weed Science*, 49, 4, pp 454-459
<Go to ISI>://000175241900004
- Coetzer, E., Al-Khatib, K., & Loughin, T.M. (2001)**
Glufosinate efficacy, absorption, and translocation in amaranth as affected by relative humidity and temperature. *Weed Science*, 49, 1, pp 8-13
<Go to ISI>://000175241300003
- Coetzer, E., Al-Khatib, K., & Peterson, D.E. (2002)**
Glufosinate efficacy on *Amaranthus* species in glufosinate-resistant soybean (*Glycine max*). *Weed Technology*, 16, 2, pp 326-331
<Go to ISI>://000176264700010
- Cofrancesco, A.F. (2000)**
Factors to consider when using native biological control organisms to manage exotic plants. *Journal of Aquatic Plant Management*, 38, pp 117-120
<Go to ISI>://000169415800008
- Cohen, M.B., Jackson, M.T., Lu, B.R., Morin, S.R., Mortimer, A.M., Pham, J.L., & Wade, I.J. (1999)**
Predicting the environmental impact of transgene outcrossing in wild and weedy rices in Asia. *In Gene Flow in Agriculture: Relevance For Transgenic Crops*. British Crop Protection Council, pp.151-157, Farnham UK,
- Coimbra, S. & Duarte, C. (2003)**
Arabinogalactan proteins may facilitate the movement of pollen tubes from the stigma to the ovules in *Actinidia deliciosa* and *Amaranthus hypochondriacus*. *Euphytica*, 133, 2, pp 171-178
<Go to ISI>://000185071600003
- Coimbra, S. & Salema, R. (1994)**
Amaranthus-Hypochondriacus - Seed Structure and Localization of Seed Reserves. *Annals of Botany*, 74, 4, pp 373-379
<Go to ISI>://A1994PN88800008
- Coimbra, S. & Salema, R. (1997)**
Immunolocalization of arabinogalactan proteins in *Amaranthus hypochondriacus* L. ovules. *Protoplasma*, 199, 1-2, pp 75-82
<Go to ISI>://A1997YC78000009
- Coimbra, S. & Salema, R. (1999)**

Ultrastructure of the developing and fertilized embryo sac of *Amaranthus hypochondriacus* L. *Annals of Botany*, 84, 6, pp 781-789
<Go to ISI>://000084278800012

Collins, H.M., Panozzo, J.F., Logue, S.J., Jefferies, S.P., & Barr, A.R. (2003)

Mapping and validation of chromosome regions associated with high malt extract in barley (*Hordeum vulgare* L.). *Australian Journal of Agricultural Research*, 54, 11-12, pp 1223-1240
<Go to ISI>://000187197500017

Colombo, S.L., Andreo, C.S., & Chollet, R. (1998)

The interaction of shikimic acid and protein phosphorylation with PEP carboxylase from the C-4 dicot *Amaranthus viridis*. *Phytochemistry*, 48, 1, pp 55-59
<Go to ISI>://000073854200006

Conley, S.P., Binning, L.K., Boerboom, C.M., & Stoltenberg, D.E. (2003)

Parameters for predicting giant foxtail effect on soybean yield loss. *Agronomy Journal*, 95, 5, pp 1226-1232
<Go to ISI>://000185585500018

Conley, S.P., Stoltenberg, D.E., Boerboom, C.M., & Binning, L.K. (2003)

Predicting soybean yield loss in giant foxtail (*Setaria faberi*) and common lambsquarters (*Chenopodium album*) communities. *Weed Science*, 51, 3, pp 402-407
<Go to ISI>://000183094600018

Conner, A.J. & Dale, P.J. (1996)

Reconsideration of pollen dispersal data from field trials of transgenic potatoes. *Theor. Appl. Genet*, 92, pp 505-508

Conservatoire et jardin botaniques (2004),

Electronic Source: Herbar; Conservatoire et Jardin botaniques de la Ville de Genève, published by: Herbar; Conservatoire et Jardin botaniques de la Ville de Genève,
<http://www.cjb.unige.ch/>

Cooper, H., Spillane, C., & Hodgkin, T. (2001)

Broadening the Genetic Base of Crop Production Source / contributor: CABI (Cab International), FAO(Food and Agricultural Organization of the United Nations), GRST(Genetic Resources Science and Technology Group), IPGRI(International Plant Genetic Resources Institute),, IS: 92-9043-458-9, pp 480
<http://www.ipgri.cgiar.org/system/page.asp?frame=catalogue/select.asp>

Corbett, J.L., Askew, S.D., Porterfield, D., & Wilcut, J.W. (2002)

Bromoxynil, prometryn, pyriithobac, and MSMA weed management systems for bromoxynil-resistant cotton (*Gossypium hirsutum*). *Weed Technology*, 16, 4, pp 712-718
<Go to ISI>://000179784600003

Correa, J.F., Souza, I.F., Ladeira, A.M., Young, M.C.M., & Aragushi, M. (2000)

Allelopathic potential of *Eupatorium maximiliani* Schrad. leaves. *Allelopathy Journal*, 7, 2, pp 225-233
<Go to ISI>://000089001700003

Costa, J.M. & Boller, G.A. (2001)

Stability analysis of grain yield in barley (*Hordeum vulgare*) in the US mid-Atlantic region. *Annals of Applied Biology*, 139, 1, pp 137-143
<Go to ISI>://000171396800015

Costanza, S.H., Dewet, J.M.J., & Harlan, J.R. (1979)

Literature-Review and Numerical Taxonomy of *Eragrostis-Tef* (Tef). *Economic Botany*, 33, 4, pp 413-424
<Go to ISI>://A1979JK24300006

Costea, M. & DeMason, D.A. (2001)

Stem morphology and anatomy in *Amaranthus* L. (Amaranthaceae) - Taxonomic significance. *Journal of the Torrey Botanical Society*, 128, 3, pp 254-281
<Go to ISI>://000171136800007

Costea, M. & Tardif, F.J. (2003)

The biology of Canadian weeds. 126. *Amaranthus albus* L., *A. blitoides* S. Watson and *A-blitum* L. *Canadian Journal of Plant Science*, 83, 4, pp 1039-1066
<Go to ISI>://000188252400049

Costea, M. & Tardif, F.J. (2003)

Conspectus and notes on the genus *Amaranthus* in Canada. *Rhodora*, 105, 923, pp 260-281
<Go to ISI>://000186880300005

Costea, M., Tardif, F.J., & Brenner, D.M. (2003)

The identity of a cultivated *Amaranthus* from Asia and a new nomenclatural combination. *Economic Botany*, 57, 4, pp 646-649

<Go to ISI>://000188815800019 and <http://www.botanischergarten.ch/Feral-New/Costea-Amaranth-Ec-Bot-2003.pdf>

Costea, M., Weaver, S.E., & Tardif, F.J. (2004)

The biology of Canadian weeds. 130. *Amaranthus retroflexus* L., *A-powellii* S. Watson and *A-hybridus* L. Canadian Journal of Plant Science, 84, 2, pp 631-668
<Go to ISI>://000222139300026

Coventry, S.J., Barr, A.R., Eglinton, J.K., & McDonald, G.K. (2003)

The determinants and genome locations influencing grain weight and size in barley (*Hordeum vulgare* L.). Australian Journal of Agricultural Research, 54, 11-12, pp 1103-1115
<Go to ISI>://000187197500004

Coventry, S.J., Collins, H.M., Barr, A.R., Jefferies, S.P., Chalmers, K.J., Logue, S.J., & Langridge, P. (2003)

Use of putative QTLs and structural genes in marker assisted selection for diastatic power in malting barley (*Hordeum vulgare* L.). Australian Journal of Agricultural Research, 54, 11-12, pp 1241-1250
<Go to ISI>://000187197500018

Cowan, P., Weaver, S.E., & Swanton, C.J. (1998)

Interference between pigweed (*Amaranthus* spp.), barnyardgrass (*Echinochloa crus-galli*), and soybean (*Glycine max*). Weed Science, 46, 5, pp 533-539
<Go to ISI>://000076436200007

Cowbrough, M.J., Brown, R.B., & Tardif, F.J. (2003)

Impact of common ragweed (*Ambrosia artemisiifolia*) aggregation on economic thresholds in soybean. Weed Science, 51, 6, pp 947-954
<Go to ISI>://000186783600015

Crossley, P. (1995),

Electronic Source: Xochimilco: Don't Float by the Gardens (ed P.C. GUIDES), Eco Travels in Mexico, Global Journal of practical ecotourism, <http://www.planeta.com/planeta/95/0895chinampa.html>

Crossley, P. (2004)

Sub-irrigation in wetland agriculture. AGRICULTURE AND HUMAN VALUES, 21, 2-3, pp 191-205

Crouch, M.L. (1998)

How the terminator terminates: An explanation for the non-scientist of a remarkable patent for killing second generation seeds of crop plants <http://www.bio.indiana.edu/people/terminator/html> The Edmonds Institute, Edmond WA, USA, pp

Crowley, D.E., Wu, C.L., Gries, D., Brunn, S., & Parker, D.R. (2002)

Quantitative traits associated with adaptation of three barley (*Hordeum vulgare* L) cultivars to suboptimal iron supply. Plant and Soil, 241, 1, pp 57-65
<Go to ISI>://000176415100008

Curtis, I.S., Nam, H.G., Yun, J.Y., & Seo, K.-H. (2002)

Expression of an antisense GIGANTEA (GI) gene fragment in transgenic radish causes delayed bolting and flowering. Transgenic Research, 11, pp 249-256

Cushman, J.H., Tierney, T.A., & Hinds, J.M. (2004)

Variable effects of feral pig disturbances on native and exotic plants in a California grassland. Ecological Applications, 14, 6, pp 1746-1756
<Go to ISI>://000225858000011

Daehler, C.C. (2003)

Performance comparisons of co-occurring native and alien invasive plants: Implications for conservation and restoration. Annual Review of Ecology Evolution and Systematics, 34, pp 183-211
<Go to ISI>://000220102000008

Dahiya, B.S. & Jeswani, L.M. (1975)

Genotype and environment interactions for neurotoxic principle (BOAA) in grass-pea. Ind. J. Agric. Sci., 45, 9, pp 437-439

Daijue, L. & Münel, H., pp

Dailey, O.D., Severson, R.F., & Arrendale, R.F. (1997)

Nonpolar lipids of *Amaranthus palmeri* S. Wats .2. Unsaturated esters and free fatty acids, sterols, and triterpenols. Journal of Agricultural and Food Chemistry, 45, 10, pp 3914-3920
<Go to ISI>://A1997YB39700036

- Dakir, E.H., Ruiz, M.L., Garcia, P., & de la Vega, M.P. (2002)**
Genetic variability evaluation in a Moroccan collection of barley, *Hordeum vulgare* L., by means of storage proteins and RAPDs. *Genetic Resources and Crop Evolution*, 49, 6, pp 619-631
<Go to ISI>://00017952000010
- Damania, A., Valkoun, J., Willcox, G., & Qualset, C., eds. (1998)**
The Origins of Agriculture and Crop Domestication, Vol. Proceedings of the Harlan Symposium 10-14 May 1997 Aleppo, Syria, pp 345. (Ed.), ICARDA, IPGRI, FAO and GRCP © 1998 International Center for Agricultural Research in the Dry Areas (ICARDA), ICARDA, Aleppo, Syria, IS: 92-9127-084-9
Electronic source: <http://www.ipgri.cgiar.org/publications/HTMLPublications/47/index.htm>
- Danadova, A. (2000)**
Rational regulation of weed infestation rate. *Listy Cukrovarnické a Reparské*, 116, 9-10, pp 231-233
<Go to ISI>://000167888000003
- Daniell, H. (2002)**
Molecular strategies for gene containment in transgenic crops. *Nature Biotechnology*, 20, pp 581-586
- Daniell, H., Datta, R., Varma, S., Gray, S., & Lee, S.B. (1998)**
Containment of herbicide resistance through genetic engineering of the chloroplast genome. *Nature Biotechnology*, 16, 4, pp 345-348
- D'Antonio, C.M., Jackson, N.E., Horvitz, C.C., & Hedberg, R. (2004)**
Invasive plants in wildland ecosystems: merging the study of invasion processes with management needs. *Frontiers in Ecology and the Environment*, 2, 10, pp 513-521
<Go to ISI>://000225650800011
- Danz, R.A. & Lupton, J.R. (1992)**
Physiological-Effects of Dietary Amaranth (*Amaranthus-Cruentus*) on Rats. *Cereal Foods World*, 37, 7, pp 489-&
<Go to ISI>://A1992JF74900001
- Darmency, H. (1994)**
Genetics of herbicide resistance in weeds and crops. *In Herbicide Resistance in Plants: Biology and Biochemistry* (eds S.B. Powles & J.A.M. Holtum), pp. 263-298. Lewis, Boca-Raton,
- Darmency, H. (2005)**
Incestuous relations of foxtail millet (*Setaria italica*) with its parents and cousins. *In Crop Fertility and Volunteerism* (ed J. Gressel). CRC Press, Boca Raton,
- Darwent, M.J., Paterson, E., McDonald, A.J.S., & Tomos, A.D. (2003)**
Biosensor reporting of root exudation from *Hordeum vulgare* in relation to shoot nitrate concentration. *Journal of Experimental Botany*, 54, 381, pp 325-334
<Go to ISI>://000180470500016
- Das, A., Gnanamurthy, P., & Kumar, N. (2002)**
Effect of vegetable intercropping and source of nutrient on yield-attributing characters and yield of pigeonpea (*Cajanus cajan*). *Indian Journal of Agronomy*, 47, 3, pp 340-344
<Go to ISI>://000183932700006
- Datta, S.K. (1999)**
Transgenic cereals: *Oryza sativa* (rice). *In Molecular Improvement of Cereal Crops* (ed I.K. Vasil). Kluwer Academic Publishers, pp.149-187, United Kingdom,
- Davie, J.H., Akeroyd, J.R., & Thompson, D.H. (1998)**
Progressive plant invasion and colonization of an area adjacent to ancient woodland at Edford Wood, Somerset, England. *Botanical Journal of the Linnean Society*, 128, 1, pp 87-98
<Go to ISI>://000076110600005
- Davis, H.G., Taylor, C.M., Cville, J.C., & Strong, D.R. (2004)**
An Allee effect at the front of a plant invasion: *Spartina* in a Pacific estuary. *Journal of Ecology*, 92, 2, pp 321-327
<Go to ISI>://000220382500012
- Dawson, F.H. & Holland, D. (1999)**
The distribution in bankside habitats of three alien invasive plants in the UK in relation to the development of control strategies. *Hydrobiologia*, 415, pp 193-201
<Go to ISI>://000085019200027

- De Albuquerque, U.P. & Andrade, L.D.C. (2002)**
The use of plant resources of Caatinga: The case of farmers in the state of Pernambuco (Brazilian Northeast). *Interciencia*, 27, 7, pp 336-+
<Go to ISI>://000177000500002
- de Arellano, M.L. (2000)**
Amaranthus dubius: Yields in different phenophases. *Phyton-International Journal of Experimental Botany*, 69, pp 147-150
<Go to ISI>://000174140400020
- de Arellano, M.L., Albarracin, G., Arce, S.L., & Mucciarelli, S.L. (2001)**
Value of an unconventional food source. *Phyton-International Journal of Experimental Botany*, pp 245-249
<Go to ISI>://000174249900030
- de Arellano, M.L., Albarracin, G., Luco, J., & de Mucciarelli, S.L. (2001)**
Agronomic and bromatological study of the roots of *Amaranthus dubius* Mart. ex Thell. *Phyton-International Journal of Experimental Botany*, pp 225-228
<Go to ISI>://000174249900027
- De Bustos, A., Casanova, C., Jouve, N., & Soler, C. (1999)**
Analysis of the genetic diversity of wild Spanish populations of the genus *Hordeum* through the study of their endosperm proteins. *Plant Systematics and Evolution*, 214, 1-4, pp 235-249
<Go to ISI>://000077987800015
- De Bustos, A., Loarce, Y., & Jouve, N. (2002)**
Species relationships between antifungal chitinase and nuclear rDNA (internal transcribed spacer) sequences in the genus *Hordeum*. *Genome*, 45, 2, pp 339-347
<Go to ISI>://000174333500015
- De Bustos, A., Soler, C., & Jouve, N. (1999)**
Analysis by PCR-based markers using designed primers to study relationships between species of *Hordeum* (Poaceae). *Genome*, 42, 1, pp 129-138
<Go to ISI>://000078567700017
- de Leon-Gonzalez, F., Hernandez-Serrano, M.M., Etchevers, J.D., Payan-Zelaya, F., & Ordaz-Chaparro, V. (2000)**
Short-term compost effect on macroaggregation in a sandy soil under low rainfall in the valley of Mexico. *Soil & Tillage Research*, 56, 3-4, pp 213-217
<Go to ISI>://000089274700010
- de Luquez, N., Fernandez, S., de Arellano, M.L., & de Mucciarelli, S.I. (1997)**
Protein concentrate from *Amaranthus mantegazzianus*. Physicochemical-biological characterization. *Archivos Latinoamericanos De Nutricion*, 47, 4, pp 359-361
<Go to ISI>://000073953800010
- De Ruiter, J.M. (1999)**
Yield and quality of malting barley (*Hordeum vulgare* L- 'Valetta') in response to irrigation and nitrogen fertilisation. *New Zealand Journal of Crop and Horticultural Science*, 27, 4, pp 307-317
<Go to ISI>://000084773900005
- De Wet, J.M.J. (1995)**
Finger millet. In *Evolution of crop plants* (eds J. Smartt & N.W. Simmonds), pp. 137-140. Longman, Harlow,
- De Wet, J.M.J. (1995)**
Pearl millet. In *Evolution of crop plants* (eds J. Smartt & N.W. Simmonds), pp. 156-159. Longman, Harlow,
- deArellano, M.L., Fernandez, S., Luco, J., deSanchez, N.E., Petenatti, E., & deMucciarelli, S.I.L. (1996)**
Composition and biological evaluation of *Amaranthus standleyanus* L seed flour. *Sciences Des Aliments*, 16, 3, pp 289-296
<Go to ISI>://A1996VA07800005
- Dearellano, M.L., Scognamillo, G.B., Deluquez, N.A.G., & Demucciarelli, S.I.L. (1992)**
Amaranthus-Mantegazzianus, Chemical-Composition and Protein Biological Value. *Archivos Latinoamericanos De Nutricion*, 42, 1, pp 41-45
<Go to ISI>://A1992LF29600006
- Debolle, M.F.C., David, K.M.M., Rees, S.B., Vanderleyden, J., Cammue, B.P.A., & Broekaert, W.F. (1993)**
Cloning and Characterization of a Cdna-Encoding an Antimicrobial Chitin-Binding Protein from *Amaranthus-Caudatus*. *Plant Molecular Biology*, 22, 6, pp 1187-1190
<Go to ISI>://A1993LZ08700025
- DeBolle, M.F.C., Osborn, R.W., Goderis, I.J., Noe, L., Acland, D., Hart, C.A., Torrekens, S., VanLeuven, F., & Broekaert, W.F. (1996)**

Antimicrobial peptides from *Mirabilis jalapa* and *Amaranthus caudatus*: Expression, processing, localization and biological activity in transgenic tobacco. *Plant Molecular Biology*, 31, 5, pp 993-1008
<Go to ISI>://A1996VK93200005

Decousset, L., Griffiths, S., Dunford, R.P., Pratchett, N., & Laurie, D.A. (2000)

Development of STS markers closely linked to the Ppd-H1 photoperiod response gene of barley (*Hordeum vulgare* L.). *Theoretical and Applied Genetics*, 101, 8, pp 1202-1206
<Go to ISI>://000166060400005

Deen, W., Swanton, C.J., & Hunt, L.A. (2001)

A mechanistic growth and development model of common ragweed. *Weed Science*, 49, 6, pp 723-731
<Go to ISI>://000175242300005

Deferrari, C.M. & Naiman, R.J. (1994)

A Multiscale Assessment of the Occurrence of Exotic Plants on the Olympic Peninsula, Washington. *Journal of Vegetation Science*, 5, 2, pp 247-258
<Go to ISI>://A1994NN71400012

Del Rio, M., Font, R., Almela, C., Velez, D., Montoro, R., & Bailon, A.D. (2002)

Heavy metals and arsenic uptake by wild vegetation in the Guadiamar river area after the toxic spill of the Aznalcollar mine. *Journal of Biotechnology*, 98, 1, pp 125-137
<Go to ISI>://000177538000012

del Rio, M., Font, R., Velez, D., Almela, C., Montoro, R., & De Haro, A. (2002)

Uptake and distribution of arsenic in *Amaranthus blitoides* growing on contaminated soils. *Fresenius Environmental Bulletin*, 11, 9A, pp 589-593
<Go to ISI>://000179431600011

Delano-Frier, J.P., Martinez-Gallardo, N.A., Martinez-de la Verga, O., Salas-Araiza, M.D., Barbosa-Jaramillo, E.R., Torres, A., Vargas, P., & Borodanenko, A. (2004)

The effect of exogenous jasmonic acid on induced resistance and productivity in amaranth (*Amaranthus hypochondriacus*) is influenced by environmental conditions. *Journal of Chemical Ecology*, 30, 5, pp 1001-1034
<Go to ISI>://000221531000008

Delisle, F., Lavoie, C., Jean, M., & Lachance, D. (2003)

Reconstructing the spread of invasive plants: taking into account biases associated with herbarium specimens. *Journal of Biogeography*, 30, 7, pp 1033-1042
<Go to ISI>://000183759100006

deLuquez, N.G., Fernandez, S., & deMucciarelli, S.L. (1996)

Amaranthus cruentus, protein concentrate, extraction methods, functional properties. *Archivos Latinoamericanos De Nutricion*, 46, 2, pp 143-145
<Go to ISI>://A1996WD96400010

Delvalle, F.R., Escobedo, M., Sanchezmarroquin, A., Bourges, H., Bock, M.A., & Biemer, P. (1993)

Chemical and Nutritional-Evaluation of 2 *Amaranthus* (*Amaranthus*-*Cruentus*)-Based Infant Formulas. *Plant Foods for Human Nutrition*, 43, 2, pp 145-156
<Go to ISI>://A1993KP55600005

Demko, J. (1997)

Analysis of energy of *Amaranthus retroflexus* L. *Rostlinna Vyroba*, 43, 2, pp 65-68
<Go to ISI>://A1997WK20600004

Deprado, R., Dominguez, C., & Tena, M. (1993)

Triazine Resistance in Biotypes of *Solanum-Nigrum* and 4 *Amaranthus*-Species Found in Spain. *Weed Research*, 33, 1, pp 17-24
<Go to ISI>://A1993KK39200003

Deprado, R., Romera, E., & Jorin, J. (1993)

Effects of Chloroacetamides and Phytosynthesis-Inhibiting Herbicides on Growth and Photosynthesis in Sunflower (*Helianthus-Annus* L) and *Amaranthus-Hybridus* L. *Weed Research*, 33, 5, pp 369-374
<Go to ISI>://A1993LZ90500002

Deprado, R., Sanchez, M., Jorin, J., & Dominguez, C. (1992)

Negative Cross-Resistance to Bentazone and Pyridate in Atrazine-Resistant *Amaranthus-Cruentus* and *Amaranthus-Hybridus* Biotypes. *Pesticide Science*, 35, 2, pp 131-136
<Go to ISI>://A1992JF28400005

Desalen, T.L., Tsepaeva, O.V., Sosnina, N.A., Elkina, G.I., Levandovskii, I.V., Bravova, G.B., Ofitserov, E.N., & Lapin, A.A. (1997)

Effects of pectin from *Amaranthus cruentus* on isolated rat heart. *Bulletin of Experimental Biology and Medicine*, 123, 1, pp 79-81

<Go to ISI>://A1997XY24200025

Deshpande, S.S. & Campbell, C.G. (1992)

Genotype variation in BOAA, condensed tannins, phenolics and enzyme inhibitors in grass pea (*Lathyrus sativus*). Canadian Journal of Plant Science, 72, 4, pp 1037-1047

<Go to ISI>://A1992KL96500007

DeSousa, N., Griffiths, J.T., & Swanton, C.J. (2003)

Predispersal seed predation of redroot pigweed (*Amaranthus retroflexus*). Weed Science, 51, 1, pp 60-68

<Go to ISI>://000180489500010

Destoumieux, D., Munoz, M., Bulet, P., & Bachere, E. (2000)

Penaeidins, a family of antimicrobial peptides from penaeid shrimp (Crustacea, Decapoda). Cellular and Molecular Life Sciences, 57, 8-9, pp 1260-1271

<Go to ISI>://000089074300011

Dev, U., Singh, B., Agarwal, P.C., Singh, S., Maurya, A.K., Chand, D., Joshi, K.D., & Khetarpal, R.K. (2003)

Quarantine processing of chemically treated wheat (*Triticum* species), barley (*Hordeum vulgare*) and triticale germplasm imported during 1992-2001. Indian Journal of Agricultural Sciences, 73, 8, pp 462-465

<Go to ISI>://000188432900013

Dever, L.V., Bailey, K.J., Lacuesta, M., Leegood, R.C., & Lea, P.J. (1996)

The isolation and characterization of mutants of the C-4 plant *Amaranthus edulis*. Comptes Rendus De L Academie Des Sciences Serie Iii-Sciences De La Vie-Life Sciences, 319, 10, pp 951-959

<Go to ISI>://A1996VT22600013

Dever, L.V., Bailey, K.J., Leegood, R.C., & Lea, P.J. (1997)

Control of photosynthesis in *Amaranthus edulis* mutants with reduced amounts of PEP carboxylase. Australian Journal of Plant Physiology, 24, 4, pp 469-476

<Go to ISI>://A1997YH94100010

Dever, L.V., Ireland, R.J., Leegood, R.C., & Lea, P.J. (1997)

The role of malate in C-4 metabolism: a mutant of *Amaranthus edulis* lacking NAD malic enzyme. Plant Physiology, 114, 3, pp 1072-1072

<Go to ISI>://A1997XL11901104

Dever, L.V., Pearson, M., Ireland, R.J., Leegood, R.C., & Lea, P.J. (1998)

The isolation and characterisation of a mutant of the C-4 plant *Amaranthus edulis* deficient in NAD-malic enzyme activity. Planta, 206, 4, pp 649-656

<Go to ISI>://000076746100019

Devlin, P.F., Patel, S.R., & Whitelam, G.C. (1998)

Phytochrome E influences internode elongation and flowering time in *Arabidopsis*. Plant Cell, 10, 9, pp 1479-1487

Diaz, J., Schmiediche, & Austin, D.F. (1996)

Polygon of crossability between eleven species of *Ipomoea*: Section Batatas (Convolvulaceae). Euphytica, 88, pp 189-200

Diaz, M.F. & Gonzalez, A. (1996)

The obtainment of leaf protein concentrates (LPC) from *Amaranthus cruentus* cv Morelus. Cuban Journal of Agricultural Science, 30, 3, pp 315-319

<Go to ISI>://A1996VP58200017

Didabe, A., Wolde, W.A., Hundie, B., Ensemu, R., Haile, W., Ashagrie, Y., Yalew, A., & Seyuom, W. (1994)

The status of grass pea (*Lathyrus sativus*)

research and production in Ethiopia. In *Nutrition, Neurotoxins and Lathyrism: The ODAP Challenge* (eds B. Begaz, R.T. Haimanot, P. V.S. & P.S. Spencer), pp. 44-60. Third World Medical Research Foundation, New York,

Didon, U.M.E. & Bostrom, U. (2003)

Growth and development of six barley (*Hordeum vulgare* ssp *vulgare* L.) cultivars in response to a model weed (*Sinapis alba* L.). Journal of Agronomy and Crop Science, 189, 6, pp 409-417

<Go to ISI>://000186433300006

Didon, U.M.E. & Hansson, M.L. (2002)

Competition between six spring barley (*Hordeum vulgare* ssp *vulgare* L.) cultivars and two weed flora in relation to interception of photosynthetic active radiation. Biological Agriculture & Horticulture, 20, 3, pp 257-274

<Go to ISI>://000179846300006

Diebold, R.S., McNaughton, K.E., Lee, E.A., & Tardif, F.J. (2003)

Multiple resistance to imazethapyr and atrazine in Powell amaranth (*Amaranthus powellii*). Weed Science, 51, 3, pp 312-318

<Go to ISI>://000183094600006

Dieleman, A., Hamill, A.S., Fox, G.C., & Swanton, C.J. (1996)

Decision rules for postemergence control of pigweed (*Amaranthus* spp) in soybean (*Glycine max*). *Weed Science*, 44, 1, pp 126-132

<Go to ISI>://A1996UA33100020

Dieleman, A., Hamill, A.S., Weise, S.F., & Swanton, C.J. (1995)

Empirical-Models of Pigweed (*Amaranthus* Spp) Interference in Soybean (*Glycine-Max*). *Weed Science*, 43, 4, pp 612-618

<Go to ISI>://A1995TH55500014

Dieleman, J.A., Mortensen, D.A., Buhler, D.D., Cambardella, C.A., & Moorman, T.B. (2000)

Identifying associations among site properties and weed species abundance. I. Multivariate analysis. *Weed Science*, 48, 5, pp 567-575

<Go to ISI>://000089783100007

Dieleman, J.A., Mortensen, D.A., Buhler, D.D., & Ferguson, R.B. (2000)

Identifying associations among site properties and weed species abundance. II. Hypothesis generation. *Weed Science*, 48, 5, pp 576-587

<Go to ISI>://000089783100008

Dirks, J.T., Johnson, W.G., Smeda, R.J., Wiebold, W.J., & Massey, R.E. (2000)

Reduced rates of sulfentrazone plus chlorimuron and glyphosate in no-till, narrow-row, glyphosate-resistant *Glycine max*. *Weed Science*, 48, 5, pp 618-627

<Go to ISI>://000089783100013

Dirks, J.T., Johnson, W.G., Smeda, R.J., Wiebold, W.J., & Massey, R.E. (2000)

Use of preplant sulfentrazone in no-till, narrow-row, glyphosate-resistant *Glycine max*. *Weed Science*, 48, 5, pp 628-639

<Go to ISI>://000089783100014

Dittapongpitch, V. & Surat, S. (2003)

Detection of *Ralstonia solanacearum* in soil and weeds from commercial tomato fields using immunocapture and the polymerase chain reaction. *Journal of Phytopathology-Phytopathologische Zeitschrift*, 151, 4, pp 239-246

<Go to ISI>://000182190800010

Dixit, A. (1998)

A simple and rapid procedure for isolation of total DNA suitable for fingerprint analysis from *Amaranthus*. *Plant Molecular Biology Reporter*, 16, 1, pp 91-91

<Go to ISI>://000078890300013

Dolezal, K., Astot, C., Hanus, J., Holub, J., Peters, W., Beck, E., Strnad, M., & Sandberg, G. (2002)

Identification of aromatic cytokinins in suspension cultured photoautotrophic cells of *Chenopodium rubrum* by capillary liquid chromatography/frit - fast atom bombardment mass spectrometry. *Plant Growth Regulation*, 36, 2, pp 181-189

<Go to ISI>://000174841200012

Dominguez, C., Tena, M., & Deprado, R. (1994)

Physiological and Biochemical Characteristics in Triazine- Resistant Biotypes of 4 *Amaranthus* Species. *Journal of Plant Physiology*, 143, 6, pp 632-636

<Go to ISI>://A1994NQ72800009

Dominguez, C., Tena, M., Rodriguez, I., & Deprado, R. (1994)

Lipid-Composition and Chloroplast Ultrastructure in Triazine- Resistant Biotypes of *Amaranthus* Species. *Journal of Plant Physiology*, 143, 6, pp 637-642

<Go to ISI>://A1994NQ72800010

Donald, W.W. (2000)

Timing and frequency of between-row mowing and band-applied herbicide for annual weed control in soybean. *Agronomy Journal*, 92, 5, pp 1013-1019

<Go to ISI>://000165307500031

Donald, W.W. & Johnson, W.G. (2003)

Interference effects of weed-infested bands in or between crop rows on field corn (*Zea mays*) yield. *Weed Technology*, 17, 4, pp 755-763

<Go to ISI>://000187430000016

Donlan, C.J., Croll, D.A., & Tershy, B.R. (2003)

Islands, exotic herbivores, and invasive plants: Their roles in coastal California restoration. *Restoration Ecology*, 11, 4, pp 524-530

<Go to ISI>://000186531800014

Doring, H.P., Lin, J.X., Uhrig, H., & Salamini, F. (1999)

Clonal analysis of the development of the barley (*Hordeum vulgare* L.) leaf using periclinal chlorophyll chimeras. *Planta*, 207, 3, pp 335-342
<Go to ISI>://000078274900002

Dosumu, O.O., Salami, N., & Adekola, F.A. (2003)

Comparative study of trace element levels in some local vegetable varieties and irrigation waters from different locations in Ilorin, Nigeria. *Bulletin of the Chemical Society of Ethiopia*, 17, 1, pp 107-112
<Go to ISI>://000184977400013

Dotray, P.A., Keeling, J.W., Henniger, C.G., & Abernathy, J.R. (1996)

Palmer amaranth (*Amaranthus palmeri*) and devil's-claw (*Proboscidea louisianica*) control in cotton (*Gossypium hirsutum*) with pyriithiobac. *Weed Technology*, 10, 1, pp 7-12
<Go to ISI>://A1996UF10300001

Druka, A., Kudrna, D., Kannangara, C.G., von Wettstein, D., & Kleinhofs, A. (2002)

Physical and genetic mapping of barley (*Hordeum vulgare*) germin-like cDNAs. *Proceedings of the National Academy of Sciences of the United States of America*, 99, 2, pp 850-855
<Go to ISI>://000173450100057

Druka, A., Kudrna, D., Rostoks, N., Brueggeman, R., von Wettstein, D., & Kleinhofs, A. (2003)

Chalcone isomerase gene from rice (*Oryza sativa*) and barley (*Hordeum vulgare*): physical, genetic and mutation mapping. *Gene*, 302, 1-2, pp 171-+
<Go to ISI>://000180682700018

Drzewiecki, J. (2001)

Similarities and differences between *Amaranthus* species and cultivars and estimation of outcrossing rate on the basis of electrophoretic separations of urea-soluble seed proteins. *Euphytica*, 119, 3, pp 279-287
<Go to ISI>://000169329500005

Drzewiecki, J., Delgado-Licon, E., Haruenkit, R., Pawelzik, E., Martin-Belloso, O., Park, Y.S., Jung, S.T., Trakhtenberg, S., & Gorinstein, S. (2003)

Identification and differences of total proteins and their soluble fractions in some pseudocereals based on electrophoretic patterns. *Journal of Agricultural and Food Chemistry*, 51, 26, pp 7798-7804
<Go to ISI>://000187278500048

Duarte-Escalante, E., Zenteno, E., & Taylor, M.L. (2003)

Interaction of *Histoplasma capsulatum* yeasts with galactosylated surface molecules of murine macrophages. *Archives of Medical Research*, 34, 3, pp 176-183
<Go to ISI>://000184301700004

Dugan, F.M., Sitton, J.W., Sullivan, R.F., & White, J.F. (2002)

The *Neotyphodium* endophyte of wild barley (*Hordeum brevisubulatum* subsp *violaceum*) grows and sporulates on leaf surfaces of the host. *Symbiosis*, 32, 2, pp 147-159
<Go to ISI>://000175593100005

Duh, P.D., Yen, G.C., Yen, W.J., & Chang, L.W. (2001)

Antioxidant effects of water extracts from barley (*Hordeum vulgare* L.) prepared under different roasting temperatures. *Journal of Agricultural and Food Chemistry*, 49, 3, pp 1455-1463
<Go to ISI>://000168967400066

Duke, S.O., ed. (1996)

Herbicide Resistant Crops: Agricultural, Environmental, Economic, Regulatory, and Technical Aspects, pp 420, S.O. Duke (Ed.), CRC Press, Boca Raton,

Durgesha, M. (1994)

Absorption, Translocation and Metabolism of Fluchloralin in Groundnut (*Arachis-Hypogaea*) and Pigweed (*Amaranthus-Viridis*). *Crop Protection*, 13, 4, pp 286-290
<Go to ISI>://A1994NN47700006

Durham, J.J., Ogata, J., Nakajima, S., Hagiwara, Y., & Shibamoto, T. (1999)

Degradation of organophosphorus pesticides in aqueous extracts of young green barley leaves (*Hordeum vulgare* L.). *Journal of the Science of Food and Agriculture*, 79, 10, pp 1311-1314
<Go to ISI>://000081668200014

Durieu, P. & Ochatt, S.J. (2000)

Efficient intergeneric fusion of pea (*Pisum sativum* L.) and grass pea (*Lathyrus sativus* L.) protoplasts. *J Exp Bot*, 51, pp 1237-1242

Dushenkov, S., Skarzhinskaya, M., Glimelius, K., Gleba, D., & Raskin, I. (2002)

Bioengineering of a phytoremediation plant by means of somatic hybridization. *International Journal of Phytoremediation*, 4, pp 117-126

- Dwivedi, U.N., Campbell, W.H., Yu, J., Datla, R.S.S., Bugos, R.C., Chiang, V.L., & Podila, G.K. (1994)**
Modification of lignin biosynthesis in transgenic *Nicotiana* through expression of an antisense *O*-methyltransferase gene from *Populus*. *Plant Molecular Biology*, 26, pp 61-71
- Early, D. (1990)**
Amaranth production in Mexico and Peru. In *Advances in new crops* (eds J. Janick & J. Simon), pp. 140-142. Timber Press, Portland OR,
<http://www.hort.purdue.edu/newcrop/proceedings1990/v1-140.html> and <http://www.botanischergarten.ch/Feral-New/Early-Amaranth-1990.pdf>
- Early, D. & Capistran, J. (1987)**
Transference of autochthonous technology for the preparation of kiwicha (*Amaranthus*). Part I. *Amaranth Newsletter*, 4, pp 8-12
- Ebbs, S. & Weinstein, L. (2001)**
Alteration of selenium transport and volatilization in barley (*Hordeum vulgare*) by arsenic. *Journal of Plant Physiology*, 158, 9, pp 1231-1233
<Go to ISI>://000171231300017
- Eberlein, C.V., Alkhatib, K., Guttieri, M.J., & Fuerst, E.P. (1992)**
Distribution and Characteristics of Triazine-Resistant Powell Amaranth (*Amaranthus-Powellii*) in Idaho. *Weed Science*, 40, 4, pp 507-512
<Go to ISI>://A1992KK93300002
- Ebong, C. (1995)**
Acacia-Nilotica, Acacia Seyal and Sesbania Sesban as Supplements to Tef (*Eragrostis Tef*) Straw Fed to Sheep and Goats. *Small Ruminant Research*, 18, 3, pp 233-238
<Go to ISI>://A1995TK13100007
- Ebrahimzadeh, H., Motamed, N., Rastgar-Jazii, F., Montasser-Kouhsari, S., & Shokraii, E.H. (2003)**
Oxidative enzyme activities and soluble protein content in leaves and fruits of olives during ripening. *Journal of Food Biochemistry*, 27, 3, pp 181-196
<Go to ISI>://000184353100001
- Echart-Almeida, C. & Cavalli-Molina, S. (2000)**
Hordein variation in Brazilian barley varieties (*Hordeum vulgare* L.) and wild barley (*H-euclaston* Steud. and *H-stenostachys* Godr.). *Genetics and Molecular Biology*, 23, 2, pp 425-433
<Go to ISI>://000088685700030
- Edem, D.O. (2002)**
Palm oil: biochemical, physiological, nutritional, hematological, and toxicological aspects: a review. *Plant Foods and Human Nutrition*, 57, pp 319-341
- Edwards, H.H. (2002)**
Development of primary germ tubes by conidia of *Blumeria graminis* f.sp *hordei* on leaf epidermal cells of *Hordeum vulgare*. *Canadian Journal of Botany-Revue Canadienne De Botanique*, 80, 10, pp 1121-1125
<Go to ISI>://000179039600011
- Eijlander, R. & Stiekema, W.J. (1994)**
Biological containment of potato (*Solanum tuberosum*): outcrossing to the related wild species black nightshade (*Solanum nigrum*) and bitter-sweet (*Solanum dulcamara*). *Sex Plant Reprod.*, 7, pp 29-40
- Einhellig, F.A. & Souza, I.F. (1992)**
Phytotoxicity of Sorgoleone Found in Grain-Sorghum Root Exudates. *Journal of Chemical Ecology*, 18, 1, pp 1-11
- Ejeta, G. & Grenier, C. (2005)**
Sorghum and its weedy hybrids. In *Crop Fertility and Volunteerism* (ed J. Gressel). CRC Press, Boca Raton,
- Elberse, I.A.M., Van Damme, J.M.M., & Van Tienderen, P.H. (2003)**
Plasticity of growth characteristics in wild barley (*Hordeum spontaneum*) in response to nutrient limitation. *Journal of Ecology*, 91, 3, pp 371-382
<Go to ISI>://000183144700004
- Elberse, I.A.M., Vanhala, T.K., Turin, J.H.B., Stam, P., van Damme, J.M.M., & van Tienderen, P.H. (2004)**

Quantitative trait loci affecting growth-related traits in wild barley (*Hordeum spontaneum*) grown under different levels of nutrient supply. *Heredity*, 93, 1, pp 22-33
<Go to ISI>://000222257700007

ElBouyousfi, M., Laus, G., Verheyden, P., Wyns, L., Tourwe, D., & VanBinst, G. (1997)

Location of the three disulfide bonds in an antimicrobial peptide from *Amaranthus caudatus* using mass spectrometry. *Journal of Peptide Research*, 49, 4, pp 336-340
<Go to ISI>://A1997WZ68500007

Eleftherohorinos, I.G., Dhima, K.V., & Vasilakoglou, I.B. (2002)

Interference of red rice in rice grown in Greece. *Weed Science*, 50, 2, pp 167-172

Eleftherohorinos, I.G., Vasilakoglou, I.B., & Dhima, K.V. (2000)

Metribuzin resistance in *Amaranthus retroflexus* and *Chenopodium album* in Greece. *Weed Science*, 48, 1, pp 69-74
<Go to ISI>://000085941600011

Ellis, R.H., Hong, T.D., & Roberts, E.H. (1986)

Quantal Response of Seed-Germination in *Brachiaria-Humidicola*, *Echinochloa-Turnerana*, *Eragrostis-Tef* and *Panicum-Maximum* to Photon Dose for the Low-Energy Reaction and the High Irradiance Reaction. *Journal of Experimental Botany*, 37, 179, pp 742-753
<Go to ISI>://A1986C894100002

Ellstrand, N.C. (2003)

Dangerous liaisons – when cultivated plants mate with their wild relatives Johns Hopkins University Press, Baltimore MD, pp 244

El-Rabey, H.A., Badr, A., Schafer-Pregl, R., Martin, W., & Salamini, F. (2002)

Speciation and species separation in *Hordeum* L. (Poaceae) resolved by discontinuous molecular markers. *Plant Biology*, 4, 5, pp 567-575
<Go to ISI>://000179531600004

El-Shatnawi, M.K.J., Al-Qurran, L.Z., Ereifej, K.I., & Saoub, H.M. (2004)

Management optimization of dual-purpose barley (*Hordeum spontaneum* C. Koch) for forage and seed yield. *Journal of Range Management*, 57, 2, pp 197-202
<Go to ISI>://000220363900010

El-Shatnawi, M.K.J. & Haddad, N.I. (2004)

Assessing barley (*Hordeum vulgare*) response to clipping in the semi-arid Mediterranean climate. *Australian Journal of Experimental Agriculture*, 44, 1, pp 37-42
<Go to ISI>://000189234600005

Emoghene, A.O. & Okigbo, R.N. (2001)

Phylloplane microbiota of *Amaranthus hybridus* and their effect on shoot disease caused by *Choanephora cucurbitarum*. *Tropical Agriculture*, 78, 2, pp 90-94
<Go to ISI>://000174890700004

Engel, S. & Pawlik, J.R. (2000)

Allelopathic activities of sponge extracts. *Marine Ecology-Progress Series*, 207, pp 273-281
<Go to ISI>://000166168900024

Epstein, E. (1994)

The anomaly of silicon in plant biology. *Proc Natl Acad Sci USA*, 91, pp 11-17

Epstein, E. (1999)

Silicon. *Annu Rev Plant Physiol Plant Mol Biol.*, 50, pp 641-664

Esbenshade, W.R., Curran, W.S., Roth, G.W., Hartwig, N.L., & Orzolek, M.D. (2001)

Effect of establishment date and crop competition on burcucumber fecundity. *Weed Science*, 49, 4, pp 524-527
<Go to ISI>://000175241900013

Esch, E. & Weber, W.E. (2002)

Investigation of crossover interference in barley (*Hordeum vulgare* L.) using the coefficient of coincidence. *Theoretical and Applied Genetics*, 104, 5, pp 786-796
<Go to ISI>://000175473200006

Escobar, B., Estevez, A.M., Vasquez, M., Castillo, E., & Yanez, E. (1994)

Cereal Bars with Peanut and Puffed *Amaranthus* - Chemical- Composition and Stability in Accelerated Storage. *Archivos Latinoamericanos De Nutricion*, 44, 1, pp 36-40

<Go to ISI>://A1994PA68300009

Escudero, N.L., Albarracin, G., Fernandez, S., de Arellano, L.M., & Mucciarelli, S. (1999)

Nutrient and antinutrient composition of *Amaranthus muricatus*. *Plant Foods for Human Nutrition*, 54, 4, pp 327-336
<Go to ISI>://000086018400005

Espelund, M., Bekele, E., Holst-Jensen, A., Jakobsen, K.S., & Nordal, I. (2000)

A molecular genetic analysis of *Eragrostis tef* (Zucc.) Trotter: non-coding regions of chloroplast DNA, 18S rDNA and the transcription factor VP1. *Hereditas*, 132, 3, pp 193-202
<Go to ISI>://000089938200003

Espinosa, B., Guevara, J., Hernandez, P., Slomianny, M.C., Guzman, A., Martinez-Cairo, S., & Zenteno, E. (2003)

Characterization of an O-glycosylated plaque-associated protein from Alzheimer disease brain. *Journal of Neuropathology and Experimental Neurology*, 62, 1, pp 34-41
<Go to ISI>://000180274800004

Espinosa, B., Zenteno, R., Mena, R., Robitaille, Y., Zenteno, E., & Guevara, J. (2001)

O-glycosylation in sprouting neurons in Alzheimer disease, indicating reactive plasticity. *Journal of Neuropathology and Experimental Neurology*, 60, 5, pp 441-448
<Go to ISI>://000168786800005

Estorninos, L.E., Gealy, D.R., & Talbert, R.E. (2002)

Growth response of rice (*Oryza sativa*) and red rice (*O. sativa*) in a replacement series study. *Weed Technology*, 16, 2, pp 401-406

Evans, R.D., Rimer, R., Sperry, L., & Belnap, J. (2001)

Exotic plant invasion alters nitrogen dynamics in an arid grassland. *Ecological Applications*, 11, 5, pp 1301-1310
<Go to ISI>://000171417700005

Faccini, D.E. & Nisenshon, L. (1994)

Populational Dynamics of Pigweed (*Amaranthus-Quitensis* Hbk) Effects of the Chemical and Mechanical Treatments in a Soybean Plantation. *Pesquisa Agropecuaria Brasileira*, 29, 1, pp 33-42
<Go to ISI>://A1994MZ41100005

Faccini, D.E. & Nisensohn, L.A. (1994)

Amaranthus-Quitensis Population-Dynamics - Influence of Chemical and Mechanical Treatments in a Soybean Crop. *Pesquisa Agropecuaria Brasileira*, 29, 7, pp 1041-1050
<Go to ISI>://A1994PH39700006

Fahey, J.W. (1998)

Underexploited African grain crops: A nutritional resource. *Nutrition Reviews*, 56, 9, pp 282-285
<Go to ISI>://000075791100006

Fahey, J.W. & Anders, J. (1995)

Delivery of beneficial clavibacter microorganisms to seeds and plants. *In U.S. Patent 5,415,672*,

Fang, Y.D., Akula, C., & Altpeter, F. (2002)

Agrobacterium-mediated barley (*Hordeum vulgare* L.) transformation using green fluorescent protein as a visual marker and sequence analysis of the T-DNA :: barley genomic DNA junctions. *Journal of Plant Physiology*, 159, 10, pp 1131-1138
<Go to ISI>://000178814500011

Farrell, G., Simons, S.A., & Hillocks, R.J. (2002)

Pests, diseases and weeds of Napier grass, *Pennisetum purpureum*: a review. *International Journal of Pest Management*, 48, 1, pp 39-48

Fasheun, T.A. & Balogun, E.E. (1992)

Some Spectral Signatures of Grain *Amaranthus* (*Amaranthus- Cruentus*, L). *International Journal of Remote Sensing*, 13, 11, pp 2009-2015
<Go to ISI>://A1992JJ14700004

Fausey, J.C., Penner, D., & Renner, K.A. (2000)

Physiological basis for CGA-248757 and flumiclorac selectivity in five plant species. *Weed Science*, 48, 4, pp 405-411
<Go to ISI>://000088629700002

Fausey, J.C. & Renner, K.A. (2001)

Environmental effects on CGA-248757 and flumiclorac efficacy/soybean tolerance. *Weed Science*, 49, 5, pp 668-674
<Go to ISI>://000175242100015

Fedorova, T. (2002),

Evolution of synflorescences of genus *Amaranthus* L, Patras, Sixth International Congress of Systematic and Evolutionary Biology Biodiversity in the Information Age" ember 9-16, 2002. pp 248
http://herba.msu.ru/russian/departments/higher_plants/staff/fedorova.html

Felix, J. & Owen, M.D.K. (2001)

Weed seedbank dynamics in post conservation reserve program land. *Weed Science*, 49, 6, pp 780-787
<Go to ISI>://000175242300013

Feray, A., Hourmant, A., Penot, M., Moisancann, C., & Caroff, J. (1992)

Effects of Interaction between Polyamines and Benzyladenine on Betacyanin Synthesis in *Amaranthus* Seedlings. *Journal of Plant Physiology*, 139, 6, pp 680-684
<Go to ISI>://A1992HR88100007

Ferguson, G.M., Hamill, A.S., & Tardif, F.J. (2001)

ALS inhibitor resistance in populations of Powell amaranth and redroot pigweed. *Weed Science*, 49, 4, pp 448-453
<Go to ISI>://000175241900003

Fernandez-Quintanilla, C., Fereres, A., Godfrey, L., & Norris, R.F. (2002)

Development and reproduction of *Myzus persicae* and *Aphis fabae* (Hom., Aphididae) on selected weed species surrounding sugar beet fields. *Journal of Applied Entomology-Zeitschrift Fur Angewandte Entomologie*, 126, 4, pp 198-202
<Go to ISI>://000176175100010

Fetch, T.G., Steffenson, B.J., & Nevok, E. (2003)

Diversity and sources of multiple disease resistance in *Hordeum spontaneum*. *Plant Disease*, 87, 12, pp 1439-1448
<Go to ISI>://000186712600007

Fiedorowicz, M. & Chacatzrian, G. (2003)

Effect of illumination with the visible polarized and nonpolarized light on alpha-amylolysis of starches of different botanical origin. *Journal of Agricultural and Food Chemistry*, 51, 26, pp 7815-7819
<Go to ISI>://000187278500051

Fine, P.V.A. (2002)

The invasibility of tropical forests by exotic plants. *Journal of Tropical Ecology*, 18, pp 687-705
<Go to ISI>://000178060700004

Finkemeier, I., Kluge, C., Metwally, A., Georgi, M., Grotjohann, N., & Dietz, K.J. (2003)

Alterations in Cd-induced gene expression under nitrogen deficiency in *Hordeum vulgare*. *Plant Cell and Environment*, 26, 6, pp 821-833
<Go to ISI>://000183363000004

Fischer, A.J., Bayer, D.E., Carriere, M.D., Ateh, C., & Yim, K.-O. (2001)

Mechanisms of resistance to bispyribac-sodium in an *Echinochloa phyllopogon* accession. *Pesticide Biochemistry and Physiology*, 68, pp 156-165

Fischer, A.J., Comfort, M.A., Bayer, D.E., & Hill, J.E. (2000)

Herbicide-resistant *Echinochloa oryzoides* and *E. phyllopogon* in California *Oryza sativa* fields. *Weed Science*, 48, pp 225-230

Fischer, A.J. & Ramirez, A. (1993)

Red rice (*Oryza sativa*) - Competition studies for management decisions. *International Journal of Pest Management*, 39, 2, pp 133-138

Fischer, D.W. & Harvey, R.G. (2002)

Yellow nutsedge (*Cyperus esculentus*) and annual weed control in glyphosate-resistant field corn (*Zea mays*). *Weed Technology*, 16, 3, pp 482-487
<Go to ISI>://000178084300002

Fitterer, S., Johnson, B.a., & Schneider, A. (1996),

Grain amaranth harvest timeliness in eastern North Dakota, Alexandria VA ASHS Press, Progress in new crops (ed J. Janick) pp 220-223
<http://www.hort.purdue.edu/newcrop/proceedings1996/v3-220.html>

Flores, H., Thier, A., & Galston, A. (1982)

In Vitro Culture of Grain and Vegetable Amaranths (*Amaranthus* spp.). *American Journal of Botany*, 69, 7, pp 1049-1054

Flowers, T.J. & Hajibagheri, M.A. (2001)

Salinity tolerance in *Hordeum vulgare*: ion concentrations in root cells of cultivars differing in salt tolerance. *Plant and Soil*, 231, 1, pp 1-9
<Go to ISI>://000168196000001

- Foes, M.J., Liu, L.X., Tranel, P.J., Wax, L.M., & Stoller, E.W. (1998)**
A biotype of common waterhemp (*Amaranthus rudis*) resistant to triazine and ALS herbicides. *Weed Science*, 46, 5, pp 514-520
<Go to ISI>://000076436200003
- Folly, P. & Engel, N. (1999)**
Chlorophyll b to chlorophyll a conversion precedes chlorophyll degradation in *Hordeum vulgare* L. *Journal of Biological Chemistry*, 274, 31, pp 21811-21816
<Go to ISI>://000081721100050
- Font, R., Del Rio, M., Velez, D., Montoro, R., & De Haro, A. (2004)**
Use of near-infrared spectroscopy for determining the total arsenic content in prostrate amaranth. *Science of the Total Environment*, 327, 1-3, pp 93-104
<Go to ISI>://000222155200008
- Fontanini, D. & Jones, B.L. (2001)**
Study of metalloproteinase isozymes from malted barley (*Hordeum vulgare* cv. Morex). *Journal of Agricultural and Food Chemistry*, 49, 10, pp 4903-4911
<Go to ISI>://000171615100061
- Fontanini, D. & Jones, B.L. (2002)**
SEP-1 - a subtilisin-like serine endopeptidase from germinated seeds of *Hordeum vulgare* L. cv. Morex. *Planta*, 215, 6, pp 885-893
<Go to ISI>://000178995100001
- Forcella, F. (2000)**
Rotary hoeing substitutes for two-thirds rate of soil-applied herbicide. *Weed Technology*, 14, 2, pp 298-303
<Go to ISI>://000166693500010
- Forcella, F. & Amundson, G.B. (2004)**
Methods in weed ecology: Glue retains seeds in shatter-prone seedheads. *Weed Technology*, 18, 1, pp 183-185
<Go to ISI>://000220684800028
- Forner, M.d.-M.C. (1995)**
Chemical and cultural-practices for red rice control in rice fields in Ebro Delta (Spain). *Crop Protection*, 14, pp 405-408
- Foy, C.L. & Witt, H.L. (1997)**
SAN 582, alachlor, and metolachlor control triazine-resistant (TR) smooth pigweed (*Amaranthus hybridus*) in no-till corn (*Zea mays*). *Weed Technology*, 11, 3, pp 623-625
<Go to ISI>://A1997XY34100036
- Fraga, L.M., Ramos, N., Martinez, R.O., & Febles, M. (1994)**
The Inclusion of 10-Percent of *Amaranthus* or Ch-Quinoa Forage Meals in Diets for Layers. *Cuban Journal of Agricultural Science*, 28, 2, pp 199-202
<Go to ISI>://A1994QU12400012
- Fraga, L.M., Ramos, N., Venereo, M., Valdivie, M., Martinez, R.O., & Sistachs, M. (1993)**
Amaranthus (*Amaranthus-Cruentus*) Forage Meal in Diets for Broilers. *Cuban Journal of Agricultural Science*, 27, 2, pp 193-198
<Go to ISI>://A1993PU57400013
- Franco, O.L., dos Santos, R.C., Batista, J.A., Mendes, A.C., de Araujo, M.A., Monnerat, R.G., Grossi-de-Sa, M.F., & de Freitas, S.M. (2003)**
Effects of black-eyed pea trypsin/chymotrypsin inhibitor on proteolytic activity and on development of *Anthonomus grandis*. *Phytochemistry*, 63, pp 343-349
- Franklin, O. & Agren, G.I. (2002)**
Leaf senescence and resorption as mechanisms of maximizing photosynthetic production during canopy development at N limitation. *Functional Ecology*, 16, 6, pp 727-733
<Go to ISI>://000179803400003
- Franklin, T., Asher, J., & Barclay, E. (1999)**
Invasion of the aliens: Exotic plants impact wildlife. *Wildlife Society Bulletin*, 27, 3, pp 873-875
<Go to ISI>://000084173500043
- Franssen, A.S., Skinner, D.Z., Al-Khatib, K., & Horak, M.J. (2001)**
Pollen morphological differences in *Amaranthus* species and interspecific hybrids. *Weed Science*, 49, 6, pp 732-737
<Go to ISI>://000175242300006
- Franssen, A.S., Skinner, D.Z., Al-Khatib, K., Horak, M.J., & Kulakow, P.A. (2001)**
Interspecific hybridization and gene flow of ALS resistance in *Amaranthus* species. *Weed Science*, 49, 5, pp 598-606

<Go to ISI>://000175242100004 and <http://www.botanischergarten.ch/Feral-New/Franssen-Interspecific-2001.pdf>

Frantik, T. (1994)

Interference of *Chenopodium-Suecicum* J Murr and *Amaranthus-Retroflexus* L in Maize. *Weed Research*, 34, 1, pp 45-53
<Go to ISI>://A1994MT54300006

Franzenburg, D.D. & Owen, M.D.K. (2002)

Effect of location and burial depth on woolly cupgrass (*Eriochloa villosa*) seed germination. *Weed Technology*, 16, 4, pp 719-723
<Go to ISI>://000179784600004

Fraser, M.W. & Crowe, T.M. (1990)

Effects of Alien Woody Plant Invasion on the Birds of Mountain Fynbos in the Cape-of-Good-Hope-Nature-Reserve. *South African Journal of Zoology*, 25, 2, pp 97-108
<Go to ISI>://A1990DJ98400002

Frello, S., Hansen, K.R., Jensen, J., & Jørgensen, R.B. (1995)

Inheritance of rapeseed (*Brassica napus*)-specific RAPD markers and a transgene in the cross *B. juncea* x (*B. juncea* x *B. napus*). *Theor. Appl. Genet.*, 91, pp 236-241

Friedrich, W. & Galensa, R. (2002)

Identification of a new flavanol glucoside from barley (*Hordeum vulgare* L.) and malt. *European Food Research and Technology*, 214, 5, pp 388-393
<Go to ISI>://000176077100004

Friedt, W., Scheurer, K.S., Huth, W., Habekuss, A., & Ordon, F. (2003)

Genetic analyses of BYDV-tolerance in barley (*Hordeum vulgare* L.). *Zeitschrift Fur Pflanzenkrankheiten Und Pflanzenschutz-Journal of Plant Diseases and Protection*, 110, 3, pp 278-286
<Go to ISI>://000184592100007

Friesl, W., Lombi, E., Horak, O., & Wenzel, W.W. (2003)

Immobilization of heavy metals in soils using inorganic amendments in a greenhouse study. *Journal of Plant Nutrition and Soil Science-Zeitschrift Fur Pflanzenernahrung Und Bodenkunde*, 166, 2, pp 191-196
<Go to ISI>://000182541200006

Frugoli, J. & Harris, J. (2001)

Medicago truncatula on the move! *Plant Cell*, 13, pp 458-463

Fu, S.L. & Cheng, W.X. (2002)

Rhizosphere priming effects on the decomposition of soil organic matter in C-4 and C-3 grassland soils. *Plant and Soil*, 238, 2, pp 289-294
<Go to ISI>://000174573500012

Fu, S.L., Cheng, W.X., & Susfalk, R. (2002)

Rhizosphere respiration varies with plant species and phenology: A greenhouse pot experiment. *Plant and Soil*, 239, 1, pp 133-140
<Go to ISI>://000175627700012

Fuhrmann, M., Lasat, M., Ebbs, S., Cornish, J., & Kochian, L. (2003)

Uptake and release of cesium-137 by five plant species as influenced by soil amendments in field experiments. *Journal of Environmental Quality*, 32, 6, pp 2272-2279
<Go to ISI>://000186574700036

Fuhrmann, M., Lasat, M.M., Ebbs, S.D., Kochian, L.V., & Cornish, J. (2002)

Uptake of cesium-137 and strontium-90 from contaminated soil by three plant species; application to phytoremediation. *Journal of Environmental Quality*, 31, 3, pp 904-909
<Go to ISI>://000175519300023

Fujiyoshi, P.T., Gliessman, S.R., & Langenheim, J.H. (2002)

Inhibitory potential of compounds released from squash (*Cucurbita* spp.) under natural conditions. *Allelopathy Journal*, 9, 1, pp 1-8
<Go to ISI>://000173517800001

Furness, N.H. & Upadhyaya, M.K. (2002)

Differential susceptibility of agricultural weeds to ultraviolet-B radiation. *Canadian Journal of Plant Science*, 82, 4, pp 789-796
<Go to ISI>://000179839400024

Gaeddert, J.W., Peterson, D.E., & Horak, M.J. (1997)

Control and cross-resistance of an acetolactate synthase inhibitor-resistant palmer amaranth (*Amaranthus palmeri*) biotype. *Weed Technology*, 11, 1, pp 132-137

<Go to ISI>://A1997WX37900023

Gallagher, R.S. & Cardina, J. (1998)

Phytochrome-mediated Amaranthus germination I: Effect of seed burial and germination temperature. *Weed Science*, 46, 1, pp 48-52

<Go to ISI>://000072323200008

Gallagher, R.S. & Cardina, J. (1998)

Phytochrome-mediated Amaranthus germination II: development of very low fluence sensitivity. *Weed Science*, 46, 1, pp 53-58

<Go to ISI>://000072323200009

Gamel, T.H., Linssen, J.P., Alink, G.M., Mosallem, A.S., & Shekib, L.A. (2004)

Nutritional study of raw and popped seed proteins of *Amaranthus caudatus* L and *Amaranthus cruentus* L. *Journal of the Science of Food and Agriculture*, 84, 10, pp 1153-1158

<Go to ISI>://000222925400012

Ganeshan, S., Baga, M., Harvey, B.L., Rossnagel, B.G., Scoles, G.J., & Chibbar, R.N. (2003)

Production of multiple shoots from thidiazuron-treated mature embryos and leaf-base/apical meristems of barley (*Hordeum vulgare*). *Plant Cell Tissue and Organ Culture*, 73, 1, pp 57-64

<Go to ISI>://000181395600007

Gao, G.H., Liu, W., Dai, J.X., Wang, J.F., Hu, Z., Zhang, Y., & Wang, D.C. (2001)

Solution structure of PAFP-S: A new knottin-type antifungal peptide from the seeds of *Phytolacca americana*. *Biochemistry*, 40, 37, pp 10973-10978

<Go to ISI>://000171032400007

Gao, Y.S., Zeng, F.L., Yi, A., Ping, S., & Jing, L.H. (2003)

Research of the entry of rare earth elements Eu³⁺ and La³⁺ into plant cell. *Biological Trace Element Research*, 91, 3, pp 253-265

<Go to ISI>://000181948000006

Garthwaite, A.J., von Bothmer, R., & Colmer, T.D. (2003)

Diversity in root aeration traits associated with waterlogging tolerance in the genus *Hordeum*. *Functional Plant Biology*, 30, 8, pp 875-889

<Go to ISI>://000184873500005

Gashe, B.A. (1985)

Involvement of Lactic-Acid Bacteria in the Fermentation of Tef (*Eragrostis-Tef*), an Ethiopian Fermented Food. *Journal of Food Science*, 50, 3, pp 800-801

<Go to ISI>://A1985AGJ3200056

Gaskin, J.F. (2003)

Molecular systematics and the control of invasive plants: A case study of *Tamarix* (Tamaricaceae). *Annals of the Missouri Botanical Garden*, 90, 1, pp 109-118

<Go to ISI>://000181101300009

Gaspar, G.M., Szocs, Z., & Mathe, P. (2001)

Phenological studies on cultivated amaranthus species. *Novenytermeles*, 50, 2-3, pp 261-268

<Go to ISI>://000172001500011

Gassmann, A.J. (2004)

Effect of photosynthetic efficiency and water availability on tolerance of leaf removal in *Amaranthus hybridus*. *Journal of Ecology*, 92, 5, pp 882-892

<Go to ISI>://000223906500015

Gates, J. (1992).

Electronic Source: Amaranths For Food or Feed January 1979 - February 1992, Quick Bibliography Series: QB 92-40 Updates QB 90-29, published by: USDA, Alternative Farming Systems Information Center, http://www.nal.usda.gov/afsic/AFSIC_pubs/qb92-40.htm and <http://www.botanischergarten.ch/Feral-New/USDA-Amarant-Food-Feed.pdf>

Gayathri, J., Parvathi, K., & Raghavendra, A.S. (2000)

Purification and stability during storage of phosphoenolpyruvate carboxylase from leaves of *Amaranthus hypochondriacus*, a NAD-ME type C-4 plant. *Photosynthetica*, 38, 1, pp 45-52

<Go to ISI>://000088968300007

Gayathri, J. & Raghavendra, A.S. (1994)

Ammonium-Ions Stimulate in-Vitro the Activity of Phosphoenolpyruvate Carboxylase from Leaves of *Amaranthus-Hypochondriacus*, a C-4 Plant - Evidence for Allosteric Activation. *Biochemistry and Molecular Biology International*, 33, 2, pp 337-343

<Go to ISI>://A1994NT60200014

Gealy, D.R. (2005)

Gene movement between rice (*Oryza sativa*) and weedy rice (*Oryza sativa*): a U.S. temperate rice perspective. *In Crop Fertility and Volunteerism* (ed J. Gressel). CRC Press, Boca Raton,

Geleta, M., Asfaw, Z., Bekele, E., & Teshome, A. (2002)

Edible oil crops and their integration with the major cereals in North Shewa and South Welo, Central Highlands of Ethiopia: an ethnobotanical perspective. *Hereditas*, 137, 1, pp 29-40

Geller-Bernstein, C., Arad, G., Keynan, N., Lahoz, C., Cardaba, B., & Y., W. (1996)

Hypersensitivity to pollen of *Olea europaea* in Israel. *Allergy*, 51, pp 356-359

Genc, Y., McDonald, G.K., & Graham, R.D. (1999)

Effect of seed zinc content on early growth of barley (*Hordeum vulgare* L.) under low and adequate soil zinc supply. *Australian Journal of Agricultural Research*, 51, 1, pp 37-45

<Go to ISI>://000083938400005

Genger, R.K., Williams, K.J., Raman, H., Read, B.J., Wallwork, H., Burdon, J.J., & Brown, A.H.D. (2003)

Leaf scald resistance genes in *Hordeum vulgare* and *Hordeum vulgare* ssp *spontaneum*: parallels between cultivated and wild barley. *Australian Journal of Agricultural Research*, 54, 11-12, pp 1335-1342

<Go to ISI>://000187197500025

Georgiev, S., Papazova, N., & Gecheff, K. (2001)

Transcriptional activity of an inversion split NOR in barley (*Hordeum vulgare* L.). *Chromosome Research*, 9, 6, pp 507-514

<Go to ISI>://000170725700009

Getahun, H., Lambein, F., & Vanhoorne, M. (2002)

Neurolethyrism in Ethiopia: assessment and comparison of knowledge and attitude of health workers and rural inhabitants. *Soc Sci Med*, 54, pp 1513-1524

Ghorbani, R., Scheepens, P.C., Zweerde, W.V.D., Leifert, C., McDonald, A.J.S., & Seel, W. (2002)

Effects of nitrogen availability and spore concentration on the biocontrol activity of *Ascochyta caulina* in common lambsquarters (*Chenopodium album*). *Weed Science*, 50, 5, pp 628-633

<Go to ISI>://000178083600013

Ghorbani, R., Seel, W., & Leifert, C. (1999)

Effects of environmental factors on germination and emergence of *Amaranthus retroflexus*. *Weed Science*, 47, 5, pp 505-510

<Go to ISI>://000084124600006

Ghorbani, R., Seel, W., Litterick, A., & Leifert, C. (2000)

Evaluation of *Alternaria alternata* for biological control of *Amaranthus retroflexus*. *Weed Science*, 48, 4, pp 474-480

<Go to ISI>://000088629700012

Gibson, K.D., Fischer, A.J., Foin, T.C., & Hill, J.E. (2002)

Implications of delayed *Echinochloa* spp. germination and duration of competition for integrated weed management in water-seeded rice. *Weed Research*, 42, 5, pp 351-358

<Go to ISI>://000178604700003

Gil, J., Martín, L.M., & Cubero, J.I. (1987)

Plant Breeding, 99, pp 134-143

Gilreath, J.P., Noling, J.W., & Santos, B.M. (2004)

Methyl bromide alternatives for bell pepper (*Capsicum annuum*) and cucumber (*Cucumis sativus*) rotations. *Crop Protection*, 23, 4, pp 347-351

<Go to ISI>://000220036000009

Gins, M.S., Gins, V.K., & Kononkov, P.F. (2002)

Change in the biochemical composition of amaranth leaves during selection for increased amaranthine content. *Applied Biochemistry and Microbiology*, 38, 5, pp 474-479

<Go to ISI>://000178229500016

Girma, M., Gashe, B.A., & Lakew, B. (1989)

The Effect of Fermentation on the Growth and Survival of *Salmonella-Typhimurium*, *Staphylococcus-Aureus*, *Bacillus-Cereus* and *Pseudomonas-Aeruginosa* in Fermenting Tef (*Eragrostis-Tef*). *Mircen-Journal of Applied Microbiology and Biotechnology*, 5, 1, pp 61-66

<Go to ISI>://A1989U345100008

Gladis, T. (1966)

- Glathe, S., Kervinen, J., Nimtz, M., Li, G.H., Tobin, G.J., Copeland, T.D., Ashford, D.A., Wlodawer, A., & Costa, J. (1998)**
Transport and activation of the vacuolar aspartic proteinase phytepsin in barley (*Hordeum vulgare* L.). *Journal of Biological Chemistry*, 273, 47, pp 31230-31236
<Go to ISI>://000077136900058
- Godfree, R., Lepschi, B., & Mallinson, D. (2004)**
Ecological filtering of exotic plants in an Australian sub-alpine environment. *Journal of Vegetation Science*, 15, 2, pp 227-236
<Go to ISI>://000221252900010
- Gomez-Cadenas, A., Zentella, R., Sutliff, T.D., & Ho, T.H.D. (2001)**
Involvement of multiple cis-elements in the regulation of GA responsive promoters: Definition of a new cis-element in the *Amy32b* gene promoter of barley (*Hordeum vulgare*). *Physiologia Plantarum*, 112, 2, pp 211-216
<Go to ISI>://000169080900009
- Gomez-Rodriguez, O., Zavaleta-Mejia, E., Gonzalez-Hernandez, V.A., Livera-Munoz, M., & Cardenas-Soriano, E. (2003)**
Allelopathy and microclimatic modification of intercropping with marigold on tomato early blight disease development. *Field Crops Research*, 83, 1, pp 27-34
<Go to ISI>://000183970800003
- Gonzalez, M.J. & Cabrera, A. (1999)**
Identification of wheat and tritordeum chromosomes by genomic in situ hybridization using total *Hordeum chilense* DNA as probe. *Genome*, 42, 6, pp 1194-1200
<Go to ISI>://000084297500021
- Goo, H.J. & Kim, N.S. (2003)**
Physical mapping of the rDNA loci in *Hordeum* species. *Korean Journal of Genetics*, 25, 3, pp 189-197
<Go to ISI>://000185811500002
- Goo, H.J. & Kim, N.S. (2003)**
Physical mapping of the rDNA loci in *Hordeum* species (vol 25, pg 189, 2003). *Korean Journal of Genetics*, 25, 4, pp U7-U7
<Go to ISI>://000187754100016
- Gorham, J. & Hardy, C.A. (1990)**
Response of *Eragrostis-Tef* to Salinity and Acute Water Shortage. *Journal of Plant Physiology*, 135, 6, pp 641-645
<Go to ISI>://A1990CU49400001
- Gorinstein, S., Delgado-Licon, E., Pawelzik, E., Permady, H.H., Wiesz, M., & Trakhtenberg, S. (2001)**
Characterization of soluble amaranth and soybean proteins based on fluorescence, hydrophobicity, electrophoresis, amino acid analysis, circular dichroism, and differential scanning calorimetry measurements. *Journal of Agricultural and Food Chemistry*, 49, 11, pp 5595-5601
<Go to ISI>://000172467200080
- Gorinstein, S., Pawelzik, E., Delgado-Licon, E., Haruenkit, R., Weisz, M., & Trakhtenberg, S. (2002)**
Characterisation of pseudocereal and cereal proteins by protein and amino acid analyses. *Journal of the Science of Food and Agriculture*, 82, 8, pp 886-891
<Go to ISI>://000175980700017
- Gorocica, P., Hernandez, P., Perez, A., Chavez, R., Baez, R., Zenteno, E., & Lascurain, R. (2000)**
Impairment of *Leishmania mexicana* phagocytosis in peritoneal macrophages induced by *Amaranthus leucocarpus* lectin. *Immunological Investigations*, 29, 4, pp 373-382
<Go to ISI>://000165726000003
- Gorocica, P., Lascurain, R., Hernandez, P., Porras, F., Bouquelet, S., Vazquez, L., & Zenteno, E. (1998)**
Isolation of the receptor for *Amaranthus leucocarpus* lectin from murine peritoneal macrophages. *Glycoconjugate Journal*, 15, 8, pp 809-814
<Go to ISI>://000077486800010
- Gossett, B.J., Murdock, E.C., & Toler, J.E. (1992)**
Resistance of Palmer Amaranth (*Amaranthus-Palmeri*) to the Dinitroaniline Herbicides. *Weed Technology*, 6, 3, pp 587-591
<Go to ISI>://A1992JT44700012
- Gossett, B.J. & Toler, J.E. (1999)**
Differential control of Palmer amaranth (*Amaranthus palmeri*) and smooth pigweed (*Amaranthus hybridus*) by postemergence herbicides in soybean (*Glycine max*). *Weed Technology*, 13, 1, pp 165-168
<Go to ISI>://000080216900028
- Gould, F. (1991)**
The evolutionary potential of crop pests. *American Scientist*, 79, pp 496-507

- Goupy, P., Hugues, M., Boivin, P., & Amiot, M.J. (1999)**
Antioxidant composition and activity of barley (*Hordeum vulgare*) and malt extracts and of isolated phenolic compounds. *Journal of the Science of Food and Agriculture*, 79, 12, pp 1625-1634
<Go to ISI>://000082597300014
- Gower, S.A., Loux, M.M., Cardina, J., Harrison, S.K., Sprankle, P.L., Probst, N.J., Bauman, T.T., Bugg, W., Curran, W.S., Currie, R.S., Harvey, R.G., Johnson, W.G., Kells, J.J., Owen, M.D.K., Regehr, D.L., Slack, C.H., Spaur, M., Sprague, C.L., Vangessel, M., & Young, B.G. (2003)**
Effect of postemergence glyphosate application timing on weed control and grain yield in glyphosate-resistant corn: Results of a 2-yr multistate study. *Weed Technology*, 17, 4, pp 821-828
<Go to ISI>://000187430000026
- Goyal, L., Singh, S., & Pundir, C.S. (2000)**
Immobilization of *Amaranthus* leaf oxalate oxidase on arylamine glass. *Indian Journal of Chemical Technology*, 7, 3, pp 142-145
<Go to ISI>://000087320400011
- Goyal, L., Thakur, M., & Pundir, C.S. (1999)**
Purification and properties of a membrane bound oxalate oxidase from *Amaranthus* leaves. *Plant Science*, 142, 1, pp 21-28
<Go to ISI>://000080013700003
- Goyal, L., Thakur, M., & Pundir, C.S. (1999)**
Quantification of urinary oxalate with alkylamine glass bound *Amaranthus* leaf oxalate oxidase. *Analytical Letters*, 32, 4, pp 633-647
<Go to ISI>://000079268300002
- Gozlan, S. & Gutterman, Y. (1999)**
Dry storage temperatures, duration, and salt concentrations affect germination of local and edaphic ecotypes of *Hordeum spontaneum* (Poaceae) from Israel. *Biological Journal of the Linnean Society*, 67, 2, pp 163-180
<Go to ISI>://000080912500002
- Grabber, J.H., Panciera, M.T., & Hatfield, R.D. (2002)**
Chemical composition and enzymatic degradability of xylem and nonxylem walls isolated from alfalfa internodes. *Journal of Agricultural and Food Chemistry*, 50, 9, pp 2595-2600
- Graebner, I.T., Siqueira, E.M.A., Arruda, S.F., & de Souza, E.M.T. (2004)**
Carotenoids from native Brazilian dark-green vegetables are bioavailable: a study in rats. *Nutrition Research*, 24, 8, pp 671-679
<Go to ISI>://000223728900010
- Graham, L.E. (2004)**
Foreword to the Special issue on invasive plants. *Critical Reviews in Plant Sciences*, 23, 5, pp 365-365
<Go to ISI>://000224677800001
- Graham, S.A. (1989)**
Cuphea: a new plant source of medium-chain fatty acids. *Crit Rev Food Sci Nutr.*(2);, 28, pp 139-173
- Grau, A., Ortega Dueñas, R., Nieto Cabrera, C., & Hermann, M., eds. (2003)**
Mashua (*Tropaeolum tuberosum* Ruiz & Pav.), pp 65, (Ed.), Promoting the conservation and use of underutilized and neglected crops. 25 International Plant Genetic Resources Institute, Rome,
- Greenberg, S.M., Sappington, T.W., Legaspi, B.C., Liu, T.X., & Setamou, M. (2001)**
Feeding and life history of *Spodoptera exigua* (Lepidoptera : Noctuidae) on different host plants. *Annals of the Entomological Society of America*, 94, 4, pp 566-575
<Go to ISI>://000170052800010
- Greenberg, S.M., Sappington, T.W., Setamou, M., & Liu, T.X. (2002)**
Beet armyworm (Lepidoptera : Noctuidae) host plant preferences for oviposition. *Environmental Entomology*, 31, 1, pp 142-148
<Go to ISI>://000178325800019
- Gregorova, H. (1996)**
Formation of above-ground biomass of amaranth (*Amaranthus mantegazzianus*) after winter catch-crop triticale. *Rostlinna Vyroba*, 42, 3, pp 141-144
<Go to ISI>://A1996UA52300010
- Gregorova, H. (1999)**
Quality of above-ground biomass of amaranth (*Amaranthus mantegazzianus* L.) after winter intercrop triticale. *Rostlinna Vyroba*, 45, 3, pp 125-131
<Go to ISI>://000079488500005

- Greiner, R., Jany, K.D., & Alming, M.L. (2000)**
Identification and properties of myo-inositol hexakisphosphate phosphohydrolases (Phytases) from barley (*Hordeum vulgare*).
Journal of Cereal Science, 31, 2, pp 127-139
<Go to ISI>://000086173800003
- Greizerstein, E.J. & Poggio, L. (1995)**
Meiotic studies of spontaneous hybrids of *Amaranthus*: Genome analysis. *Plant Breeding*, 114, 5, pp 448-450
<Go to ISI>://A1995TY45300015 <http://www.botanischergarten.ch/Feral-New/Greizerstein-Amaranth-1995.pdf>
- Gressel, J. (1992)**
Indiscriminate use of selectable markers - sowing wild oats? *Trends in Biotechnology*, 10, pp 382.
- Gressel, J. (1999)**
Fulfilling needs for transgenic herbicide-resistant rice while preventing and mitigating introgression into weedy rice. *In 17th Asian Pacific Weed Science Society Conference*, pp. 21-38. Asian Pacific Weed Science Society, Bangkok, Thailand,
- Gressel, J. (1999)**
Tandem constructs: preventing the rise of superweeds. *Trends in Biotechnology*, 17, 9, pp 361-366
- Gressel, J. (2002)**
Molecular Biology of Weed Control Taylor & Francis, London, pp 520
- Gressel, J. (2005)**
The challenges of ferality. *In Crop Ferality and Volunteerism* (ed J. Gressel). CRC Press, Boca Raton,
- Gressel, J., ed. (2005)**
Crop Ferality and Volunteerism, (Ed.), CRC Press, Boca Raton,
- Gressel, J. & Al-Ahmad, H. (2005)**
Molecular containment and mitigation of genes within crops: prevention of gene establishment in volunteer offspring and feral strains. *In Crop Ferality and Volunteerism* (ed J. Gressel). CRC Press, Boca Raton,
- Gressel, J. & Baltazar, A. (1995)**
Herbicide resistance in rice: status, causes, and prevention. *In Weed Management in Rice* (eds B.A. Auld & K.U. Kim), pp. 195-238. FAO, Rome,
- Gressel, J., Cohen, N., & Binding, H. (1984)**
Somatic hybridization of an atrazine-resistant biotype of *Solanum nigrum* with *Solanum tuberosum*. II: Segregation of plastomes. *Theor. Appl. Genet.*, 67, pp 131-134
- Gressel, J., Hanafi, A., Head, G., Marasas, W., Obilana, A., B., Ochanda, J., Souissi, T., & Tzotzos, G. (2004)**
Major heretofore intractable biotic constraints to African food security that may be amenable to novel biotechnological solutions. *Crop Protection*, 23, pp 661-689
- Gressel, J. & Joel, D.M. (1997)**
Use of glyphosate salts in seed dressing herbicidal compositions. US Patent, pp 6,096,686
- Gressel, J. & Kleifeld, Y. (1994)**
Can wild species become problem weeds because of herbicide resistance? *Brachypodium distachyon*: a case study. *Crop Prot.*, 13, pp 563-566
- Gressel, J. & Rotteveel, T. (2000)**
Genetic and ecological risks from biotechnologically-derived herbicide resistant crops: decision trees for risk assessment. *Plant Breeding Reviews*, 18, pp 251-303
- Gressel, J., Vered, Y., Bar-Lev, S., Milstein, O., & Flowers, H.M. (1983)**
Partial suppression of cellulase action by artificial lignification of cellulose. *Plant Science Letters*, 32, pp 349-353
- Gressel, J., Zhang, Z., & Galun, E. (1997)**

DNA molecules conferring dalapon resistance to plants and plants transformed thereby. Israel Patent Application 122270, pp 122,270

Gressel, J. & Zilberstein, A. (2003)

Let them eat (GM) straw. Trends in Biotechnology, 21, pp 525-530

Grewal, T.S., Rossnagel, B.G., & Scoles, G.J. (2004)

Mapping of a covered smut resistance gene in barley (*Hordeum vulgare*). Canadian Journal of Plant Pathology-Revue Canadienne De Phytopathologie, 26, 2, pp 156-166
<Go to ISI>://000222370700005

Grey, T.L. & Raymer, P. (2002)

Sicklepod (*Senna obtusifolia*) and red morningglory (*Ipomoea coccinea*) control in glyphosate-resistant soybean with narrow rows and postemergence herbicide mixtures. Weed Technology, 16, 3, pp 669-674
<Go to ISI>://000178084300031

Grichar, W.J. (1994)

Spiny Amaranth (*Amaranthus-Spinosus* L) Control in Peanut (*Arachis-Hypogaea* L). Weed Technology, 8, 2, pp 199-202
<Go to ISI>://A1994NV58100003

Grichar, W.J. (1997)

Control of Palmer Amaranth (*Amaranthus palmeri*) in peanut (*Arachis hypogaea*) with postemergence herbicides. Weed Technology, 11, 4, pp 739-743
<Go to ISI>://A1997YL20200020

Grichar, W.J., Besler, B.A., & Brewer, K.D. (2004)

Effect of row spacing and herbicide dose on weed control and grain sorghum yield. Crop Protection, 23, 3, pp 263-267
<Go to ISI>://000188715200012

Grichar, W.J., Besler, B.A., Brewer, K.D., & Lemon, R.G. (2003)

Interaction of pyriithobac and graminicides for weed control in cotton (*Gossypium hirsutum*). Weed Technology, 17, 3, pp 461-466
<Go to ISI>://000185449900005

Grichar, W.J., Besler, B.A., Brewer, K.D., & Minton, B.W. (2004)

Using soil-applied herbicides in combination with glyphosate in a glyphosate-resistant cotton herbicide program. Crop Protection, 23, 10, pp 1007-1010
<Go to ISI>://000223392700017

Grichar, W.J., Sestak, D.C., Brewer, K.D., Besler, B.A., Stichler, C.R., & Smith, D.T. (2001)

Sesame (*Sesamum indicum* L.) tolerance and weed control with soil-applied herbicides. Crop Protection, 20, 5, pp 389-394
<Go to ISI>://000169310200004

Griffin, M.L. & Yeargan, K.V. (2002)

Factors potentially affecting oviposition site selection by the lady beetle *Coleomegilla maculata* (Coleoptera : Coccinellidae). Environmental Entomology, 31, 1, pp 112-119
<Go to ISI>://000178325800015

Griffiths, D. & Johnson, T. (1956)

Origin of the Common Wild Oat. Nature, 178, 4524, pp 99-100

Grisvard, J., Keryer, E., Takvorian, A., Dever, L.V., Lea, P.J., & Vidal, J. (1998)

A splice site mutation gives rise to a mutant of the C-4 plant *Amaranthus edulis* deficient in phosphoenolpyruvate carboxylase activity. Gene, 213, 1-2, pp 31-35
<Go to ISI>://000074481000005

Grossmann, K., Caspar, G., Kwiatkowski, J., & Bowe, S.J. (2002)

On the mechanism of selectivity of the corn herbicide BAS 662H: a combination of the novel auxin transport inhibitor diflufenzopyr and the auxin herbicide dicamba. Pest Management Science, 58, 10, pp 1002-1014
<Go to ISI>://000178362800002

Grubben, G. & van Sloten, D. (1981).

Genetic resources of amaranths, IPGRI, International Board for Plant Genetic Resources pp Pp. 57. International Board for Plant Genetic Resources Rome.

Gu, X.-Y., , Kianian, S.F., & Foley, M.E. (2004)

Multiple loci and epistases control genetic variation for seed dormancy in weedy rice (*Oryza sativa*). Genetics, 166, pp 1503-1516

- Guadagnuolo, R., Savova-Bianchi, D., Keller-Senften, J., & Felber, F. (2001)**
Search for evidence of introgression of wheat (*Triticum aestivum* L.) traits into sea barley (*Hordeum marinum* s.str. Huds.) and bearded wheatgrass (*Elymus caninus* L.) in central and northern Europe, using isozymes, RAPD and microsatellite markers. *Theoretical and Applied Genetics*, 103, 2-3, pp 191-196
<Go to ISI>://000170534600002
- Gudu, S., Laurie, D.A., Kasha, K.J., Xia, J.J., & Snape, J.W. (2002)**
RFLP mapping of a *Hordeum bulbosum* gene highly expressed in pistils and its relationship to homoeologous loci in other Gramineae species. *Theoretical and Applied Genetics*, 105, 2-3, pp 271-276
<Go to ISI>://000177739800014
- Guillen-Portal, F., Baltensperger, D., Nelson, L., & D'Croz-Mason, N. (1999)**
Variability in 'Plainsman' Grain Amaranth. In *Perspectives on new crops and new uses* (ed J. Janick), pp. 184–189. ASHS Press, Alexandria VA.,
<http://www.hort.purdue.edu/newcrop/proceedings1999/v4-184.html>
- Gul, B., Khan, M.A., & Weber, D.J. (2000)**
Alleviation of salinity and dark-enforced dormancy in *Allenrolfea occidentalis* seeds under various thermoperiods. *Australian Journal of Botany*, 48, 6, pp 745-752
<Go to ISI>://000165716600009
- Guliev, N.M., Babaev, G.G., Bairamov, S.M., & Aliev, D.A. (2003)**
Purification, properties, and localization of two carbonic anhydrases from *Amaranthus cruentus* leaves. *Russian Journal of Plant Physiology*, 50, 2, pp 213-219
<Go to ISI>://000181904000012
- Gunkel, J., Voetz, M., & Rath, F. (2002)**
Effect of the malting barley variety (*Hordeum vulgare* L.) on fermentability. *Journal of the Institute of Brewing*, 108, 3, pp 355-361
<Go to ISI>://000179387200010
- Guo, H., Wei, Y.M., Chen, F., & Zheng, Y.L. (2002)**
Genetic diversity of *Hordeum bogdanii* Wilensky native to Xinjiang, China, based on STS-PCR markers. *Acta Botanica Sinica*, 44, 11, pp 1327-1332
<Go to ISI>://000179410400011
- Guo, P.G. & Al-Khatib, K. (2003)**
Temperature effects on germination and growth of redroot pigweed (*Amaranthus retroflexus*), Palmer amaranth (*A. palmeri*), and common waterhemp (*A. rudis*). *Weed Science*, 51, 6, pp 869-875
<Go to ISI>://000186783600006
- Gurel, F. & Gozukirmizi, N. (2000)**
Optimization of gene transfer into barley (*Hordeum vulgare* L.) mature embryos by tissue electroporation. *Plant Cell Reports*, 19, 8, pp 787-791
<Go to ISI>://000088351400008
- Gurevitch, J. & Padilla, D.K. (2004)**
Are invasive species a major cause of extinctions? *Trends in Ecology & Evolution*, 19, 9, pp 470- 474
- Gutterman, Y. & Gozlan, S. (1998)**
Amounts of winter or summer rain triggering germination and 'the point of no return' of seedling desiccation tolerance, of some *Hordeum spontaneum* local ecotypes in Israel. *Plant and Soil*, 204, 2, pp 223-234
<Go to ISI>://000078803700007
- Hager, A.G., Wax, L.M., Bollero, G.A., & Simmons, F.W. (2002)**
Common waterhemp (*Amaranthus rudis* Sauer) management with soil- applied herbicides in soybean (*Glycine max* (L.) Merr.). *Crop Protection*, 21, 4, pp 277-283
<Go to ISI>://000175713300002
- Hager, A.G., Wax, L.M., Bollero, G.A., & Stoller, E.W. (2003)**
Influence of diphenylether herbicide application rate and timing on common waterhemp (*Amaranthus rudis*) control in soybean (*Glycine max*). *Weed Technology*, 17, 1, pp 14-20
<Go to ISI>://000181848500002
- Hager, A.G., Wax, L.M., Stoller, E.W., & Bollero, G.A. (2002)**
Common waterhemp (*Amaranthus rudis*) interference in soybean. *Weed Science*, 50, 5, pp 607-610
<Go to ISI>://000178083600009
- Haimanot, R.T., Kidane, Y., Wuhib, E., Kassina, A., Endeshaw, Y., Alemu, T., & Spencer, P.S. (1993)**

The epidemiology of lathyrism in north and central Ethiopia. *Ethiop Med J.*, 31, pp 15-24

Hall, L.M., Habibur Rahman, M., Gulden, R.H., & Thomas, A.G. (2005)

Volunteer oilseed rape: will herbicide-resistance traits assist fertility? *In Crop Fertility and Volunteerism* (ed J. Gressel). CRC Press, Boca Raton,

Hall, L.M., Topinka, K., Huffman, J., L. Davis, & Good, A. (2000)

Pollen flow between herbicide-resistant *Brassica napus* is the cause of multiple resistant *B. napus* volunteers. *Weed Science*, 48, pp 688-694

Halpin, C., Holt, K., Chojecki J., Oliver, D., Chabbert, B., Monties, B., Edwards, K., Barakate, A., & Foxon, G.A. (1998)

Brown-midrib maize (bmr1– a mutation affecting the cinnamyl alcohol dehydrogenase gene. *Plant Journal*, 14, pp 545-553

Hamada, A., Tanaka, Y., Hibino, T., Ono, K., Ishikawa, H., & Takabe, T. (2002)

Isolation and characterization of coline monooxygenase gene from *Amaranthus tricolor*. *Plant and Cell Physiology*, 43, pp S57-S57

<Go to ISI>://000174726400203

Hamill, A.S., Knezevic, S.Z., Chandler, K., Sikkema, P.H., Tardif, F.J., Shrestha, A., & Swanton, C.J. (2000)

Weed control in glufosinate-resistant corn (*Zea mays*). *Weed Technology*, 14, 3, pp 578-585

<Go to ISI>://000166693600019

Hammer, K. (2003)

A paradigm shift in the discipline of plant genetic resources. *Genetic Resources and Crop Evolution*, 50, 1, pp 3-10

Hammer, K., Arrowsmith, N., & Gladis, T. (2003)

Agrobiodiversity with emphasis on plant genetic resources. *Naturwissenschaften*, 90, 6, pp 241-250

<Go to ISI>://000183825100001 or <http://www.botanischergarten.ch/Feral/Hammer-P0DTA6LLA1PE9QET.pdf>

Hammer, K., Heller, J., & Engels, J. (2001)

Monographs on underutilized and neglected crops. *Genetic Resources and Crop Evolution*, 48, 1, pp 3-5

Hand, D.W., Wilson, J.W., & Acock, B. (1993)

Effects of Light and Co2 on Net Photosynthetic Rates of Stands of Aubergine and *Amaranthus*. *Annals of Botany*, 71, 3, pp 209-216

<Go to ISI>://A1993KT07800003

Hansen, L.M. (1999)

Effect of weather during spring on the time of arrival of bird cherry-oat aphid (*Rhopalosiphum padi* L.) in spring barley (*Hordeum vulgare* L.) fields. *Acta Agriculturae Scandinavica Section B-Soil and Plant Science*, 49, 2, pp 117-121

<Go to ISI>://000083579500008

Hansen, L.M. (2000)

Establishing control threshold for bird cherry-oat aphid (*Rhopalosiphum padi* L.) in spring barley (*Hordeum vulgare* L.) by aphid-days. *Crop Protection*, 19, 3, pp 191-194

<Go to ISI>://000086416800006

Hanson, B.D., Mallory-Smith, C.A., Brewster, B.D., Wendling, L.A., & Thill, D.C. (2003)

Growth regulator effects of propiconazole on redroot pigweed (*Amaranthus retroflexus*). *Weed Technology*, 17, 4, pp 777-781

<Go to ISI>://000187430000019

Haque, A., Hossain, M., Lambein, F., & Bell, E.A. (1997)

Evidence of osteolathyrism among patients suffering from neurolathyrism in Bangladesh. *Nat Toxins*, 5, pp 43-46

Haque, A., Hossain, M., Wouters, G., & Lambein, F. (1996)

Epidemiological study of lathyrism in northwestern districts of Bangladesh. *Neuroepidemiology*, 15, pp 83-91

Hardon, J.J. (1998)

Lost crops of Africa, vol 1, Grains. *Development and Change*, 29, 3, pp 581-582

<Go to ISI>://000074530600012

Harker, K.N., Kirkland, K.J., Baron, V.S., & Clayton, G.W. (2003)

Early-harvest barley (*Hordeum vulgare*) silage reduces wild oat (*Avena fatua*) densities under zero tillage. *Weed Technology*, 17, 1, pp 102-110

<Go to ISI>://000181848500016

Harlan, J.R. (1991)

Disseminating Agriculture. *Sciences-New York*, 31, 5, pp 4-4

Harlan, J.R. (1992)

Origin and processes of domestication. *In Grass evolution and domestication* (ed G.P. Chapman), pp. 159-175. Cambridge University Press, Cambridge,

Harlan, J.R. (1994)

The Origins of Agriculture and Settled Life - Macneish, R.S. *Journal of Interdisciplinary History*, 24, 3, pp 517-518

Harlan, J.R. (1995)

Barley. *In Evolution of Crop Plants* (eds J. Smartt & N.W. Simmonds), pp. 140-147. Longman, Harlow,

Harries, H.C. (1995)

Coconut. *In Evolution of Crop Plants* (eds J. Smartt & N.W. Simmonds), pp. 389-398. Longman, Harlow,

Hartzler, R.G., Bruce, B., & Nordby, D. (2004)

Effect of common waterhemp (*Amaranthus rudis*) emergence date on growth and fecundity in soybean. *Weed Science*, 52, 2, pp 242-245

<Go to ISI>://000220323300010

Harvey, A.J., Hrmova, M., & Fincher, G.B. (2001)

Regulation of genes encoding beta-D-glucan glucohydrolases in barley (*Hordeum vulgare*). *Physiologia Plantarum*, 113, 1, pp 108-120

<Go to ISI>://000170721000015

Harwood, W.A., Ross, S.M., Bulley, S.M., Travella, S., Busch, B., Harden, J., & Snape, J.W. (2002)

Use of the firefly luciferase gene in a barley (*Hordeum vulgare*) transformation system. *Plant Cell Reports*, 21, 4, pp 320-326

<Go to ISI>://000179923200005

Harwood, W.A., Ross, S.M., Cilento, P., & Snape, J.W. (2000)

The effect of DNA/gold particle preparation technique, and particle bombardment device, on the transformation of barley (*Hordeum vulgare*). *Euphytica*, 111, 1, pp 67-76

<Go to ISI>://000084818800010

Hash, C.T., Schaffert, R.E., & Peacock, J.M. (2002)

Prospects for using conventional techniques and molecular biological tools to enhance performance of 'orphan' crop plants on soils low in available phosphorus. *Plant and Soil*, 245, 1, pp 135-146

Hatcher, P.E. & Melander, B. (2003)

Combining physical, cultural and biological methods: prospects for integrated non-chemical weed management strategies.

Weed Research, 43, 5, pp 303-322

<Go to ISI>://000185474400001

Hatzack, F., Johansen, K.S., & Rasmussen, S.K. (2000)

Nutritionally relevant parameters in low-phytate barley (*Hordeum vulgare* L.) grain mutants. *Journal of Agricultural and Food Chemistry*, 48, 12, pp 6074-6080

<Go to ISI>://000166066900044

Haubruege, E., Chasseur, C., Suetens, C., Mathieu, F., Begaux, F., & Malaisse, F. (2003)

Mycotoxins in stored barley (*Hordeum vulgare*) in Tibet autonomous region (People's Republic of China). *Mountain Research and Development*, 23, 3, pp 284-287

<Go to ISI>://000184787800016

Hauptli, H. & Jain, S. (1984)

Genetic structure of landrace populations of the New World grain amaranths. *Euphytica*, 33, 3, pp 875-884

Hause, B., Hertel, S.C., Klaus, D., & Wasternack, C. (1999)

Cultivar-specific expression of the jasmonate-induced protein of 23 kDa (JIP-23) occurs in *Hordeum vulgare* L. by jasmonates but not during seed germination. *Plant Biology*, 1, 1, pp 83-89

<Go to ISI>://000080116500012

Hayashida, M., Fujii, T., Hamasu, M., Ishiguro, M., & Hata, Y. (2003)

Similarity between protein-protein and protein-carbohydrate interactions, revealed by two crystal structures of lectins from the roots of pokeweed. *Journal of Molecular Biology*, 334, 3, pp 551-565
<Go to ISI>://000186710600016

Haygood, R., Ives, A.R., & Andow, D.A. (2003)

Consequences of recurrent gene flow from crops to wild relatives. *Proceedings of the Royal Society of London Series B*, 270, pp 1879-1886

Haygood, R., Ives, A.R., & Andow, D.A. (2004)

Population genetics of transgene containment. *Ecology Letters*, 7, pp 213-220

Hayman, M.W., Fawcett, T., Schierer, T.F., Simon, J.W., Kroon, J.T.M., Gilroy, J.S., Rice, D.W., Rafferty, J., Turnbull, A.P., Sedelnikova, S.E., & Slabas, A.R. (2000)

Mutagenesis of squash (*Cucurbita moschata*) glycerol-3-phosphate acyltransferase (GPAT) to produce an enzyme with altered substrate selectivity. *Biochemical Society Transactions*, 28, pp 680-681
<Go to ISI>://000166941300040

He, H.P., Cai, Y.Z., Sun, M., & Corke, H. (2002)

Extraction and purification of squalene from *Amaranthus* grain. *Journal of Agricultural and Food Chemistry*, 50, 2, pp 368-372
<Go to ISI>://000173214500021

He, H.P. & Corke, H. (2003)

Oil and squalene in *Amaranthus* grain and leaf. *Journal of Agricultural and Food Chemistry*, 51, 27, pp 7913-7920
<Go to ISI>://000187565600013

He, H.P., Corke, H., & Cai, J.G. (2003)

Supercritical carbon dioxide extraction of oil and squalene from *Amaranthus* grain. *Journal of Agricultural and Food Chemistry*, 51, 27, pp 7921-7925
<Go to ISI>://000187565600014

Heap, I.M. (2005)

International survey of herbicide-resistant weeds. <http://www.weedscience.org>, pp

Hedden, P. & Kamiya, Y. (1997)

Gibberellin biosynthesis: Enzymes, genes and their regulation. *Annual Review of Plant Physiology and Plant Molecular Biology*, 48, pp 431-460

Hejgaard, J., Dam, J., Petersen, L.C., & Bjorn, S.E. (1994)

Primary Structure and Specificity of the Major Serine Proteinase-Inhibitor of Amaranth (*Amaranthus-Caudatus* L) Seeds. *Biochimica Et Biophysica Acta-Protein Structure and Molecular Enzymology*, 1204, 1, pp 68-74
<Go to ISI>://A1994MX90100010

Heller, J., Begemann, F., & Mushonga, J., eds. (1997)

Bambara groundnut *Vigna subterranea* (L.) Verdc., pp 173, (Ed.), Promoting the conservation and use of underutilized and neglected crops. 9. International Plant Genetic Resources Institute, Rome,

Helliwell, C.A., Sheldon, C.C., Olive, A.M., Walker, R.R., Zeevaart, J.A.D., Peacock, W.J., & Dennis, E.S. (1998)

Cloning of the *Arabidopsis ent*-kaurene oxidase gene *GA3*. *Proceedings of the National Academy of Science, USA*, 95, pp 9019-9024

Hellmers, H. & Ashby, W.C. (1958)

Growth of Native and Exotic Plants under Controlled Temperatures and in the San-Gabriel Mountains California. *Ecology*, 39, 3, pp 416-428
<Go to ISI>://A1958WR63000003

Hemmi, H., Ishibashi, J., Tomie, T., & Yamakawa, M. (2003)

Structural basis for new pattern of conserved amino acid residues related to chitin-binding in the antifungal peptide from the coconut rhinoceros beetle *Oryctes rhinoceros*. *Journal of Biological Chemistry*, 278, 25, pp 22820-22827
<Go to ISI>://000183503900086

Henderson, T., Schreiner, A., & Riveland, N. (1993)

Row Spacing and Population Effects on Yield of Grain Amaranth in North Dakota. *In New crops* (eds J. Janick & J. Simon), pp. 219-221. Wiley, New York,
<http://www.botanischergarten.ch/Feral-New/Henderson-Spacing-Amaranth-1993.pdf>

Henderson, T.L., Johnson, B.L., & Schreiner, A.A. (2000)

Row spacing, plant population, and cultivar effects on grain amaranth in the northern Great Plains. *Agronomy Journal*, 92, 2, pp 329-336
<Go to ISI>://000089407900022

Hendrix, B.J., Young, B.G., & Chong, S.K. (2004)

Weed management in strip tillage corn. *Agronomy Journal*, 96, 1, pp 229-235
<Go to ISI>://000188437400026

Herms, D.A. & Mattson, W.J. (1992)

The dilemma of plants to grow or to defend. *Quarterly Reviews of Biology*, 67, pp 283-335

Hernandez, J., Garfias, Y., Reyes-Leyva, J., Chavez, R., Lascurain, R., Vargas, J., & Zenteno, E. (2002)

Peanut and *Amaranthus leucocarpus* lectins discriminate between memory and naive/quiescent porcine lymphocytes. *Veterinary Immunology and Immunopathology*, 84, 1-2, pp 71-82
<Go to ISI>://000173283200006

Hernandez, P., Bacilio, M., Porras, F., Juarez, S., Debray, H., Zenteno, E., & Ortiz, B. (1999)

A comparative study on the purification of the *Amaranthus leucocarpus* syn. *Hypochoeriacus* lectin. *Preparative Biochemistry & Biotechnology*, 29, 3, pp 219-234
<Go to ISI>://000081707200001

Hernandez, P., Barcelo, P., Martin, A., & Cabrera, A. (2001)

The effect of *Hordeum chilense* and *Triticum* cytoplasm on anther culture response of tritordeum. *Plant Cell Reports*, 20, 6, pp 542-546
<Go to ISI>://000171479000011

Hernandez, P., Debray, H., Jaekel, H., Garfias, Y., Jimenez, M.D., Martinez-Cairo, S., & Zenteno, E. (2001)

Chemical characterization of the lectin from *Amaranthus leucocarpus* syn. *hypochoeriacus* by 2-D proteome analysis. *Glycoconjugate Journal*, 18, 4, pp 321-329
<Go to ISI>://000173113900007

Hernandez, P., Dorado, G., Cabrera, A., Laurie, D.A., Snape, J.W., & Martin, A. (2002)

Rapid verification of wheat-*Hordeum* introgressions by direct staining of SCAR, STS, and SSR amplicons. *Genome*, 45, 1, pp 198-203
<Go to ISI>://000173553000024

Hernandez, P., Dorado, G., & Martin, A. (2001)

Cross-species amplification of the *Hordeum chilense* genome using barley sequence-tagged-sites (STSs). *Hereditas*, 135, 2-3, pp 243-246
<Go to ISI>://000176985900024

Hernandez, P., Dorado, G., Prieto, P., Gimenez, M.J., Ramirez, M.C., Laurie, D.A., Snape, J.W., & Martin, A. (2001)

A core genetic map of *Hordeum chilense* and comparisons with maps of barley (*Hordeum vulgare*) and wheat (*Triticum aestivum*). *Theoretical and Applied Genetics*, 102, 8, pp 1259-1264
<Go to ISI>://000169541400019

Hernandez, P., Dorado, G., Ramirez, M.C., Laurie, D.A., Snape, J.W., & Martin, A. (2003)

Development of cost-effective *Hordeum chilense* DNA markers: molecular aids for marker-assisted cereal breeding. *Hereditas*, 138, 1, pp 54-58
<Go to ISI>://000183607500008

Hernandez, P., Hemmat, M., Weeden, N.F., Dorado, G., & Martin, A. (1999)

Development and characterization of *Hordeum chilense* chromosome-specific STS markers suitable for wheat introgression and marker-assisted selection. *Theoretical and Applied Genetics*, 98, 5, pp 721-727
<Go to ISI>://000080185100008

Hernandez, P., Laurie, D.A., Martin, A., & Snape, J.W. (2002)

Utility of barley and wheat simple sequence repeat (SSR) markers for genetic analysis of *Hordeum chilense* and tritordeum. *Theoretical and Applied Genetics*, 104, 4, pp 735-739
<Go to ISI>://000174791900031

Hibi, M., Hachimura, S., Hashizume, S., Obata, T., & Kaminogawa, S. (2003)

Amaranth grain inhibits antigen-specific IgE production through augmentation of the IFN-gamma response in vivo and in vitro. *Cytotechnology*, 43, 1-3, pp 33-40
<Go to ISI>://000223623400006

Hidaka, T., Nugaliyadde, L., & Samanmalie, L.g.I. (2000)

Integrated rice pest management in Sri Lanka. *Agrochemicals Japan*, 77, pp 21-29

Hierro, J.L. & Callaway, R.M. (2003)

Allelopathy and exotic plant invasion. *Plant and Soil*, 256, 1, pp 29-39
<Go to ISI>://000186045900003

Hildebrand, M., Higgins, D.R., Busser, K., & Volcani, B.E. (1993)

Silicon-responsive cDNA clones isolated from the marine diatom *Cylindrotheca fusiformis*. *Gene*, 132, pp 213-218

Hildebrand, M., Volcani, B.E., Gassmann, W., & Schoroeder, J.I. (1997)

A gene family of silicon transporters. *Nature*, 385, pp 688-689

Hinz, J.R.R. & Owen, M.D.K. (1997)

Acetolactate synthase resistance in a common waterhemp (*Amaranthus rudis*) population. *Weed Technology*, 11, 1, pp 13-18
<Go to ISI>://A1997WX37900003

Hoffman, D. & Dahleen, L. (2002)

Markers polymorphic among malting barley (*Hordeum vulgare* L.) cultivars of a narrow gene pool associated with key QTLs. *Theoretical and Applied Genetics*, 105, 4, pp 544-554
<Go to ISI>://000178256200008

Holm, L., Doll, J., Holm, E., Pancho, J., & Herberger, J. (1997)

World Weeds : Natural Histories and Distribution John Wiley & Sons, IS: 0471047015, pp 1152 pages

Holm, L., Doll, J., Holm, J., Pancho, E., & Herberger, J., eds. (1997)

Worlds Weeds: Natural Histories and distribution, pp 1129, (Ed.), Wiley, New York,

Holm, L., Pancho, J.V., Herberger, J.P., & Plucknett, D.L. (1979)

A geographical atlas of world weeds Wiley, New York, pp 391

Holm, L.G., Plucknett, J.D., Pancho, L.V., & Herberger, J.P. (1977)

The World's Worst Weeds, Distribution and Biology. *In University Press of Hawaii*, Vol. pp. 609, Honolulu,

Holm LG. et al. (1977)

The world's worst weeds. Distribution and biology University Press of Hawaii, Honolulu, pp

Honda, I., Zeniya, H., Yoneyama, K., Chono, M., Kaneko, S., & Watanabe, Y. (2003)

Uzu mutation in barley (*Hordeum vulgare* L.) reduces the leaf unrolling response to brassinolide. *Bioscience Biotechnology and Biochemistry*, 67, 5, pp 1194-1197
<Go to ISI>://000183266100043

Hoover, R., Sinnott, A.W., & Perera, C. (1998)

Physicochemical characterization of starches from *Amaranthus cruentus* grains. *Starch-Starke*, 50, 11-12, pp 456-463
<Go to ISI>://000078565500002

Hoppo, S.D., Elliott, D.E., & Reuter, D.J. (1999)

Plant tests for diagnosing phosphorus deficiency in barley (*Hordeum vulgare* L.). *Australian Journal of Experimental Agriculture*, 39, 7, pp 857-872
<Go to ISI>://000085367200008

Horak, M.J. & Loughin, T.M. (2000)

Growth analysis of four *Amaranthus* species. *Weed Science*, 48, 3, pp 347-355
<Go to ISI>://000087829200013

Horak, M.J. & Peterson, D.E. (1995)

Biotypes of Palmer Amaranth (*Amaranthus-Palmeri*) and Common Waterhemp (*Amaranthus-Rudis*) Are Resistant to Imazethapyr and Thifensulfuron. *Weed Technology*, 9, 1, pp 192-195
<Go to ISI>://A1995QQ42600032

Horvath, J. (1991)

Amaranthus Species (Family, *Amaranthaceae*) as Hosts of Plant- Viruses - a Review. *Acta Phytopathologica Et Entomologica Hungarica*, 26, 3-4, pp 385-422
<Go to ISI>://A1991JD97700019

Horvath, J. (1991)

Amaranthus-Bouchonii Thell (Family, *Amaranthaceae*) a New Adventive Plant-Species in Hungary, and Its Reaction to Some Viruses. *Acta Phytopathologica Et Entomologica Hungarica*, 26, 3-4, pp 371-377
<Go to ISI>://A1991JD97700017

- Horvath, J. (1991)**
Amaranthus-Mangostanus L, a-Mitchelii Benth and a-Quitensis Hbk (Family, Amaranthaceae) as New Virus Hosts. Acta Phytopathologica Et Entomologica Hungarica, 26, 3-4, pp 379-393
<Go to ISI>://A1991JD97700018
- Hradecka, D. (1995)**
Potential and Actual Productivity of Common Buckwheat. Rostlinna Vyroba, 41, 8, pp 363-367
- Hradilik, J., Psota, V., Fiserova, H., Hudeova, M., Klems, M., & Reinohl, V. (2000)**
Dormancy and post-harvest maturation of malt barley (Hordeum vulgare L.) caryopses. Rostlinna Vyroba, 46, 6, pp 261-268
<Go to ISI>://000088377100004
- Hu, W.-J., Harding, S.A., Lung, J., Popko, Y.L., Ralph, J., Stokke, D.D., Tsai, C.-J., & Chiang, V.L. (1999)**
Repression of lignin biosynthesis promotes cellulose accumulation and growth in transgenic trees. Nature Biotechnology, 17, pp 808-812
- Hu, W.-J., Kawaoka, A., Tsai, C.-J., Lung, J., Osakabe, K., Ebinuma, H., & Chiang, V.L. (1998)**
Compartmentalized expression of two structurally and functionally distinct 4-coumarate: CoA ligase genes in aspen (*Populus tremuloides*). Proceedings of the National Academy of Sciences USA, 95, pp 5407-5412
- Huang, B.-Q. & Gressel, J. (1997)**
Barnyardgrass (*Echinochloa crus-galli*) resistance to both butachlor and thiobencarb in China. Resistant Pest Management, 9, pp 5-7
- Huang, J.Z., Shrestha, A., Tollenaar, M., Deen, W., Rahimian, H., & Swanton, C.J. (2000)**
Effects of photoperiod on the phenological development of redroot pigweed (*Amaranthus retroflexus* L.). Canadian Journal of Plant Science, 80, 4, pp 929-938
<Go to ISI>://000166123000041
- Huang, Q.Y., Beharav, A., Youchun, U.C., Kirzhner, V., & Nevo, E. (2002)**
Mosaic microecological differential stress causes adaptive microsatellite divergence in wild barley, *Hordeum spontaneum*, at Neve Yaar, Israel. Genome, 45, 6, pp 1216-1229
<Go to ISI>://000179862100026
- Huang, R.H., Xiang, Y., Tu, G.Z., Zhang, Y., & Wang, D.C. (2004)**
Solution structure of Eucommia antifungal peptide: A novel structural model distinct with a five-disulfide motif. Biochemistry, 43, 20, pp 6005-6012
<Go to ISI>://000221535400010
- Huenneke, L.F., Hamburg, S.P., Koide, R., Mooney, H.A., & Vitousek, P.M. (1990)**
Effects of Soil Resources on Plant Invasion and Community Structure in Californian Serpentine Grassland. Ecology, 71, 2, pp 478-491
<Go to ISI>://A1990CV62800008
- Humbeck, K. & Krupinska, K. (2003)**
The abundance of minor chlorophyll a/b-binding proteins CP29 and LHCl of barley (*Hordeum vulgare* L.) during leaf senescence is controlled by light. Journal of Experimental Botany, 54, 381, pp 375-383
<Go to ISI>://000180470500022
- Hundera, F., Nelson, L.A., Baenziger, P.S., Bechere, E., & Tefera, H. (2000)**
Association of lodging and some morpho-agronomic traits in tef *Eragrostis tef* (Zucc.) Trotter. Tropical Agriculture, 77, 3, pp 169-173
<Go to ISI>://000168102700006
- Hussain, A., Black, C.R., Taylor, I.B., Mulholland, B.J., & Roberts, J.A. (1999)**
Novel approaches for examining the effects of differential soil compaction on xylem sap abscisic acid concentration, stomatal conductance and growth in barley (*Hordeum vulgare* L.). Plant Cell and Environment, 22, 11, pp 1377-1388
<Go to ISI>://000083808500005
- Husted, S., Mikkelsen, B.F., Jensen, J., & Nielsen, N.E. (2004)**
Elemental fingerprint analysis of barley (*Hordeum vulgare*) using inductively coupled plasma mass spectrometry, isotope-ratio mass spectrometry, and multivariate statistics. Analytical and Bioanalytical Chemistry, 378, 1, pp 171-182
<Go to ISI>://000187132600035
- Hutvagner, G. & Zamore, P.D. (2002)**
RNAi: nature abhors a double-strand. Current Opinion In Genetics and Development, 12, pp 225-232

- Hwang, H.J., Kim, E.M., Rhew, T.H., & Lee, C.H. (2004)**
Reversible photoinactivation of photosystem II during desiccation of barley (*Hordeum vulgare* L. cv. Albori) leaves in the light. *Journal of Plant Biology*, 47, 2, pp 142-148
<Go to ISI>://000222697100012
- Ievleva, E.V., Rudenskaya, Y.A., Zimacheva, A.V., & Mosolov, V.V. (2000)**
A trypsin inhibitor from amaranth (*Amaranthus cruentus*) leaves. *Applied Biochemistry and Microbiology*, 36, 5, pp 466-468
<Go to ISI>://000089268100004
- Igamberdiev, A.U., Hurry, V., Kromer, S., & Gardstrom, P. (1998)**
The role of mitochondrial electron transport during photosynthetic induction. A study with barley (*Hordeum vulgare*) protoplasts incubated with rotenone and oligomycin. *Physiologia Plantarum*, 104, 3, pp 431-439
<Go to ISI>://000077894300019
- Ikediegwu, F.E.O., Emoghene, A.O., & Ajiodo, P.O. (1994)**
Biological-Control of the Shoot Disease of *Amaranthus-Hybridus* Caused by *Choanephora-Cucurbitarum* with *Bacillus-Subtilis*. *Journal of Horticultural Science*, 69, 2, pp 351-356
<Go to ISI>://A1994NF09900021
- Ikegami, F., Itagaki, S., Ishikawa, T., Ongena, G., Kuo, Y.H., Lambein, F., & Murakoshi, I. (1991)**
Biosynthesis of beta-(isoxazolin-5-on-2-yl)alanine, the precursor of the neurotoxic amino acid beta-N-oxalyl-L-alpha,beta-diaminopropionic acid. *Chem Pharm Bull (Tokyo)*, 39, pp 3376-3377
- Ikegami, F., Yamamoto, A., Kuo, Y.H., & Lambein, F. (1999)**
Enzymatic formation of 2,3-diaminopropionic acid, the direct precursor of the neurotoxin beta-ODAP, in *Lathyrus sativus*. *Biol Pharm Bull.*, 22, pp 770-771
- Ingram, A.L. & Doyle, J.J. (2003)**
The origin and evolution of *Eragrostis tef* (Poaceae) and related polyploids: Evidence from nuclear waxy and plastid rps16. *American Journal of Botany*, 90, 1, pp 116-122
<Go to ISI>://000183132800013
- Ishihara, A., Ogura, Y., Tebayashi, S., & Iwamura, H. (2002)**
Jasmonate-induced changes in flavonoid metabolism in barley (*Hordeum vulgare*) leaves. *Bioscience Biotechnology and Biochemistry*, 66, 10, pp 2176-2182
<Go to ISI>://000179001800021
- Islam, A.K.M.R. & Powles, S.B. (1991)**
Attempts to transfer paraquat resistance from barley grass (*Hordeum glaucum* Steud.) to barley and wheat. *Weed Res.*, 31, pp 395-399
- Islam, M. & Hasin, F. (2000)**
Studies on the phylloplane mycoflora of *Amaranthus viridis*. L. *National Academy Science Letters-India*, 23, 9-10, pp 121-123
<Go to ISI>://000175318900001
- Islam, T., Hashidoko, Y., Ito, T., & Tahara, S. (2004)**
Interruption of the homing events of phytopathogenic *Aphanomyces cochlioides* zoospores by secondary metabolites from nonhost *Amaranthus gangeticus*. *Journal of Pesticide Science*, 29, 1, pp 6-14
<Go to ISI>://000220788800002
- Iturbide, G. & Gispert, M. (1994),**
Electronic Source: Grain amaranths (*Amaranthus* spp.): *Amaranthus cruentus*, *Amaranthus hypochondriacus* J. Hernándo Bermejo & J. León), *Plant Production and Protection Series No. 26*. FAO, published by: FAO,
<http://www.hort.purdue.edu/newcrop/1492/amaranths.html> and <http://www.hort.purdue.edu/newcrop/default.html> and <http://www.botanischergarten.ch/Feral-New/Iturbide-Amaranth-1994.pdf>
- Ivadic, V., Thomas, W.T.B., Nevo, E., Zhang, Z., & Forster, B.P. (2003)**
Associations of simple sequence repeats with quantitative trait variation including biotic and abiotic stress tolerance in *Hordeum spontaneum*. *Plant Breeding*, 122, 4, pp 300-304
<Go to ISI>://000185485400002
- Iwamoto, K., Fukuda, H., & Sugiyama, M. (2001)**
Elimination of POR expression correlates with red leaf formation in *Amaranthus tricolor*. *Plant Journal*, 27, 4, pp 275-284
<Go to ISI>://000170799100001
- Iwamoto, K., Sugiyama, M., & Fukuda, H. (2002)**
Regulation of POR gene expression associated with red leaf formation in *Amaranthus tricolor*. *Plant and Cell Physiology*, 43, pp S47-S47
<Go to ISI>://000174726400166

- Jackson, R.B., Banner, J.L., Jobbagy, E.G., Pockman, W.T., & Wall, D.H. (2002)**
Ecosystem carbon loss with woody plant invasion of grasslands. *Nature*, 418, 6898, pp 623-626
<Go to ISI>://000177305600038
- Jaffe, B., Caligari, P.D.S., & Snape, J.W. (2000)**
A skeletal linkage map of *Hordeum bulbosum* L. and comparative mapping with barley (*H-vulgare* L.). *Euphytica*, 115, 2, pp 115-120
<Go to ISI>://000089118800004
- Jahan, K. & Ahmad, K. (1993)**
Studies on neurolathyrism. *Environ Res*, 60, pp 259-266
- Jahaniaval, F., Kakuda, Y., & Marccone, M.F. (2000)**
Fatty acid and triacylglycerol compositions of seed oils of five *Amaranthus* accessions and their comparison to other oils. *Journal of the American Oil Chemists Society*, 77, 8, pp 847-852
<Go to ISI>://000088813000008
- Jakob, S.S., Meister, A., & Blattner, F.R. (2004)**
Considerable genome size variation of *Hordeum* species (Poaceae) is linked to phylogeny, life form, ecology, and speciation rates. *Molecular Biology and Evolution*, 21, 5, pp 860-869
<Go to ISI>://000221050400008
- Jalc, D., Baran, M., & Siroka, P. (1999)**
Use of grain amaranth (*Amaranthus hypochondriacus*) for feed and its effect on rumen fermentation in vitro. *Czech Journal of Animal Science*, 44, 4, pp 163-167
<Go to ISI>://000080255500004
- Jamriska, P. (1993)**
The Effect of Mulching with Paper on Seed Yield of Amaranth (*Amaranthus-Hypochondriacus* L.). *Rostlinna Vyroba*, 39, 8, pp 761-768
<Go to ISI>://A1993LZ93200010
- Jamriska, P. (1996)**
The influence of the variety on seed yield of Amaranth (*Amaranthus* sp.). *Rostlinna Vyroba*, 42, 3, pp 109-114
<Go to ISI>://A1996UA52300004
- Jamriska, P. (1998)**
The effect of variety and row spacing on seed yield of amaranth (*Amaranthus* ssp.). *Rostlinna Vyroba*, 44, 2, pp 71-76
<Go to ISI>://000072185800006
- Jang, C.S., Lee, M.S., Kim, J.Y., Kim, D.S., & Seo, Y.W. (2003)**
Molecular characterization of a cDNA encoding putative calcium binding protein, HvCaBP1, induced during kernel development in barley (*Hordeum vulgare* L.). *Plant Cell Reports*, 22, 1, pp 64-70
<Go to ISI>://000184778000009
- Jarl, C.I. (1999)**
Plant regeneration and transient expression after particle bombardment of different barley (*Hordeum vulgare* L.) genotypes. *Hereditas*, 130, 1, pp 83-87
<Go to ISI>://000080520300011
- Jarvis, D.I. & Hodgins, T. (1999)**
Wild relatives and crop cultivars: detecting natural introgression and farmer selection of new genetic combinations in agroecosystems. *Mol. Ecol.*, 8:S, pp 159-173
- Jasieniuk, M., Maxwell, B.D., Anderson, R.L., Evans, J.O., Lyon, D.J., Miller, S.D., Morishita, D.W., Ogg, A.G., Seefeldt, S.S., Stahlman, P.W., Northam, F.E., Westra, P., Kebede, Z., & Wicks, G.A. (2001)**
Evaluation of models predicting winter wheat yield as a function of winter wheat and jointed goatgrass densities. *Weed Science*, 49, 1, pp 48-60
<Go to ISI>://000175241300008
- Jaworski, J. & Cahoon, E.B. (2003)**
Industrial oils from transgenic plants. *Curr Opin Plant Biol.*, 6, pp 178-184
- Jefferies, S.P., Barr, A.R., Hunt, C., & Wheeler, R.D. (2000)**
Agronomic and breeding value of genes for resistance to leaf scald (*Rhynchosporium secalis*) in barley (*Hordeum vulgare*). *Australian Journal of Agricultural Research*, 51, 8, pp 955-960
<Go to ISI>://000090052700002

- Jefferies, S.P., Barr, A.R., Karakousis, A., Kretschmer, J.M., Manning, S., Chalmers, K.J., Nelson, J.C., Islam, A., & Langridge, P. (1999)**
Mapping of chromosome regions conferring boron toxicity tolerance in barley (*Hordeum vulgare* L.). *Theoretical and Applied Genetics*, 98, 8, pp 1293-1303
<Go to ISI>://000081124700013
- Jennings, D.L. (1995)**
Casava. In *Evolution of Crop Plants* (eds J. Smartt & N.W. Simmonds). Longman, Harlow,
- Jenszewski, E., Ronfort, J., & Chevre, A.M. (2003)**
Crop-to-wild gene flow, introgression, and possible fitness effects of transgenes. *Environmental Biosafety Research*, 2, pp 9-24
- Jepson, I. (1997)**
Inducible herbicide resistance. In EU Patent Application WO 97/06269 (EP0843730) (ed^, pp., Place Published.WO 97/06269 (EP0843730)
- Jepson, I., Martinez, A., & Sweetman, J.P. (1998)**
Chemical-inducible gene expression systems for plants - a review. *Pesticide Science*, 54, pp 360-367
- Jeschke, M.R., Tranel, P.J., & Rayburn, A.L. (2003)**
DNA content analysis of smooth pigweed (*Amaranthus hybridus*) and tall waterhemp (*A-tuberculatus*): implications for hybrid detection. *Weed Science*, 51, 1, pp 1-3
<Go to ISI>://000180489500001
- Jiang, F., Jeschke, W.D., & Hartung, W. (2003)**
Water flows in the parasitic association *Rhinanthus minor* *Hordeum vulgare*. *Journal of Experimental Botany*, 54, 389, pp 1985-1993
<Go to ISI>://000184715000020
- Jiang, F., Jeschke, W.D., & Hartung, W. (2004)**
Solute flows from *Hordeum vulgare* to the hemiparasite *Rhinanthus minor* and the influence of infection on host and parasite nutrient relations. *Functional Plant Biology*, 31, 6, pp 633-643
<Go to ISI>://000222237100008
- Jiang, X.Y., Omarov, R.T., Yesbergenova, S.Z., & Sagi, M. (2004)**
The effect of molybdate and tungstate in the growth medium on abscisic acid content and the Mo-hydroxylases activities in barley (*Hordeum vulgare* L.). *Plant Science*, 167, 2, pp 297-304
<Go to ISI>://000222280600014
- Joel, D.M., Kleifeld, Y., Losner-Goshen, D., Herzlinger, G., & Gressel, J. (1995)**
Transgenic crops against parasites. *Nature*, 374, pp 220-221
- JofreGarfias, A.E., VillegasSepulveda, N., CabreraPonce, J.L., AdameAlvarez, R.M., HerreraEstrella, L., & Simpson, J. (1997)**
Agrobacterium-mediated transformation of *Amaranthus hypochondriacus*: light- and tissue-specific expression of a pea chlorophyll a/b-binding protein promoter. *Plant Cell Reports*, 16, 12, pp 847-852
<Go to ISI>://A1997YA98700008
- Johansen, J.E. & Binnerup, S.J. (2002)**
Contribution of Cytophaga-like bacteria to the potential of turnover of carbon, nitrogen, and phosphorus by bacteria in the rhizosphere of barley (*Hordeum vulgare* L.). *Microbial Ecology*, 43, 3, pp 298-306
<Go to ISI>://000175841300002
- Johansen, J.E., Binnerup, S.J., Lejbolle, K.B., Mascher, F., Sorensen, J., & Keel, C. (2002)**
Impact of biocontrol strain *Pseudomonas fluorescens* CHA0 on rhizosphere bacteria isolated from barley (*Hordeum vulgare* L.) with special reference to Cytophaga-like bacteria. *Journal of Applied Microbiology*, 93, 6, pp 1065-1074
<Go to ISI>://000179410500018
- Johnson, B.C. & Young, B.G. (2002)**
Influence of temperature and relative humidity on the foliar activity of mesotrione. *Weed Science*, 50, 2, pp 157-161
<Go to ISI>://000174924500004
- Johnson, B.L. & Henderson, T.L. (2002)**
Water use patterns of grain amaranth in the northern Great Plains. *Agronomy Journal*, 94, 6, pp 1437-1443
<Go to ISI>://000182260900028
- Johnson, D. (1990)**

New grains and pseudograins. *In Advances in new crops* (eds J. Janick & J.e. Simon), pp. 122-127. Timber Press, Portland OR,
<http://www.hort.purdue.edu/newcrop/proceedings1990/v1-122.html> and <http://www.botanischergarten.ch/Feral-New/Johnson-Amaranthus-1990.pdf>

Johnston, P.A. & Pickering, R.A. (2002)

PCR detection of *Hordeum bulbosum* introgressions in an *H. vulgare* background using a retrotransposon-like sequence. *Theoretical and Applied Genetics*, 104, 4, pp 720-726
<Go to ISI>://000174791900029

Johnstone, I.M. (1986)

Plant Invasion Windows - a Time-Based Classification of Invasion Potential. *Biological Reviews of the Cambridge Philosophical Society*, 61, 4, pp 369-394
<Go to ISI>://A1986F167900004

Jones, B.L. (2001)

Interactions of malt and barley (*Hordeum vulgare* L.) endoproteinasases with their endogenous inhibitors. *Journal of Agricultural and Food Chemistry*, 49, 12, pp 5975-5981
<Go to ISI>://000172889600047

Jones, B.L. & Marinac, L.A. (2000)

Purification and partial characterization of a second cysteine proteinase inhibitor from ungerminated barley (*Hordeum vulgare* L.). *Journal of Agricultural and Food Chemistry*, 48, 2, pp 257-264
<Go to ISI>://000085510000023

Jones, B.M.G., Ponti, J., Tavassoli, A., & Dixon, P.A. (1978)

Relationships of Ethiopian Cereal Tef (*Eragrostis-Tef* (Zucc) Trotter) - Evidence from Morphology and Chromosome-Number. *Annals of Botany*, 42, 182, pp 1369-&
<Go to ISI>://A1978FY04700013

Jordan, N. (1996)

Effects of the triazine-resistance mutation on fitness in *Amaranthus hybridus* (smooth pigweed). *Journal of Applied Ecology*, 33, 1, pp 141-150
<Go to ISI>://A1996UE98400016

Jordan, N. (1999)

Fitness effects of the triazine resistance mutation in *Amaranthus hybridus*: relative fitness in maize and soyabean crops. *Weed Research*, 39, 6, pp 493-505
<Go to ISI>://000085367600006

Jordan, N., Kelrick, M., Brooks, J., & Kinerk, W. (1999)

Biorational management tactics to select against triazine- resistant *Amaranthus hybridus*: a field trial. *Journal of Applied Ecology*, 36, 1, pp 123-132
<Go to ISI>://000080173800012

Jørgensen, R.B. & Andersen, B. (1994)

Spontaneous hybridization between oilseed rape (*Brassica napus*) and weedy *B. campestris* (Brassicaceae): a risk of growing genetically modified oilseed rape. *Amer. J. Bot.*, 81, pp 1620-1626

Joshi, B.D. & Rana, J.C. (1995)

Genetic-Divergence in Grain Amaranth (*Amaranthus-Hypochondriacus*). *Indian Journal of Agricultural Sciences*, 65, 8, pp 605-607
<Go to ISI>://A1995RQ30200014

Junior, W.S.E., Junior, M., Torres, J.B., & Marques, E.J. (2004)

Phytophagy by *Podisus nigrispinus* on cotton plants and weeds. *Pesquisa Agropecuaria Brasileira*, 39, 5, pp 413-420
<Go to ISI>://000223274500002

Junkuszew, M., Oleszek, W., Jurzysta, M., Piacente, S., & Pizza, C. (1998)

Triterpenoid saponins from the seeds of *Amaranthus cruentus*. *Phytochemistry*, 49, 1, pp 195-198
<Go to ISI>://000075832400033

Jursik, M., Soukup, J., & Holec, J. (2004)

Biology and control of sugar beet significant weeds redroot pigweed (*Amaranthus retroflexus* L.). *Listy Cukrovarnicke a Reparske*, 120, 3, pp 87-91
<Go to ISI>://000220750900001

Jursik, M., Soukup, J., Venclova, V., & Zahradnicek, J. (2003)

Competition ability of weeds in sugar beet. *Listy Cukrovarnicke a Reparske*, 119, 9-10, pp 230-233
<Go to ISI>://000186177100005

- Kabuage, L.W., Mbugua, P.N., Mitaru, B.N., Ngatia, T.A., & Schafer, K. (2002)**
Effect of fortifying amaranth diets with amino acids, casein and ethylene diamine tetra acetate on broiler performance, amino acid availability and mineral utilisation. South African Journal of Animal Science, 32, 2, pp 144-153
<Go to ISI>://000178477700011
- Kadar, I. (2000)**
Mineral fertilisation of winter barley (*Hordeum vulgare* L.) on calcareous loamy chernozem soil. Novenytermeles, 49, 6, pp 661-675
<Go to ISI>://000168799100007
- Kadar, I. (2000)**
Nutrient uptake of winter barley (*Hordeum vulgare* L.) on calcareous chernozem soil. Novenytermeles, 49, 5, pp 547-559
<Go to ISI>://000168030200008
- Kadar, I., Bendek, G., & Radics, L. (2003)**
Effect of mineral fertilisation on the yield and quality of malting barley (*Hordeum distichon*). Novenytermeles, 52, 3-4, pp 409-421
<Go to ISI>://000185738100012
- Kadar, J.I., Keck, T., Harrach, L., Radics, L., & Pechy, K. (2003)**
Mineral fertilisation of soya (*Glycine max* L. Merr.) on calcareous chernozem soil. Novenytermeles, 52, 1, pp 61-74
<Go to ISI>://000183638200006
- Kaddu, J.B., Mutinga, M.J., Nokoe, S., & Musyoki, R.M. (1992)**
Phytophagy of *Sergentomyia-Ingrami* .2. Feeding Performance on Selected Indigenous and Exotic Plants. Insect Science and Its Application, 13, 6, pp 807-811
<Go to ISI>://A1992LU48000010
- Kalendar, R., Tanskanen, J., Immonen, S., Nevo, E., & Schulman, A.H. (2000)**
Genome evolution of wild barley (*Hordeum spontaneum*) by BARE-1 retrotransposon dynamics in response to sharp microclimatic divergence. Proceedings of the National Academy of Sciences of the United States of America, 97, 12, pp 6603-6607
<Go to ISI>://000087526300067
- Kana, R., Spundova, M., Ilik, P., Lazar, D., Klem, K., Tomek, P., Naus, J., & Prasil, O. (2004)**
Effect of herbicide clomazone on photosynthetic processes in primary barley (*Hordeum vulgare* L.) leaves. Pesticide Biochemistry and Physiology, 78, 3, pp 161-170
<Go to ISI>://000220286200004
- Kanampiu, F.K., Ransom, J.K., & Gressel, J. (2001)**
Imazapyr seed dressings for *Striga* control on acetolactate synthase target-site resistant maize. Crop Protection, 20, pp 885-895
- Kanazin, V., Talbert, H., See, D., DeCamp, P., Nevo, E., & Blake, T. (2002)**
Discovery and assay of single-nucleotide polymorphisms in barley (*Hordeum vulgare*). Plant Molecular Biology, 48, 5, pp 529-537
<Go to ISI>://000174606400008
- Kandemir, N., Jones, B.L., Wesenberg, D.M., Ullrich, S.E., & Kleinhofs, A. (2000)**
Marker-assisted analysis of three grain yield QTL in barley (*Hordeum vulgare* L.) using near isogenic lines. Molecular Breeding, 6, 2, pp 157-167
<Go to ISI>://000086760900004
- Kaneko, T., Hirota, N., Yokoi, S., Kanatani, R., & Ito, K. (1999)**
Molecular marker for protein Z content in barley (*Hordeum vulgare* L.). Breeding Science, 49, 2, pp 69-74
<Go to ISI>://000082559700003
- Kaneko, T., Kihara, M., & Ito, K. (2000)**
Genetic analysis of beta-amylase thermostability to develop a DNA marker for malt fermentability improvement in barley, *Hordeum vulgare*. Plant Breeding, 119, 3, pp 197-201
<Go to ISI>://000087743100002
- Kaneko, T., Zhang, W.S., Takahashi, H., Ito, K., & Takeda, K. (2001)**
QTL mapping for enzyme activity and thermostability of beta- amylase in barley (*Hordeum vulgare* L.). Breeding Science, 51, 2, pp 99-105
<Go to ISI>://000170277000006
- Kapotis, G., Zervoudakis, G., Veltsistas, T., & Salahas, G. (2003)**
Comparison of chlorophyll meter readings with leaf chlorophyll concentration in *Amaranthus vlitus*: Correlation with physiological processes. Russian Journal of Plant Physiology, 50, 3, pp 395-397
<Go to ISI>://000183505100019

Karamanos, R.E., Harapiak, J.T., & Flore, N.A. (2003)

Application of seed-row potash to barley (*Hordeum vulgare* L.) grown on soils with high "available" potassium levels. *Canadian Journal of Plant Science*, 83, 2, pp 291-303
<Go to ISI>://000183038500007

Karaseva, A.N., Karlin, V.V., Konovalov, A.I., Mironov, V.F., Efremov, Y.Y., Sharafutdinova, D.R., Tsepaveva, O.V., & Yunusov, E.R. (2000)

Acids and their functionally substituted esters from *Amaranthus cruentus* seed oil. *Chemistry of Natural Compounds*, 36, 3, pp 269-271
<Go to ISI>://000166098000006

Karaseva, A.N., Karlin, V.V., Mironov, V.F., & Konovalov, A.I. (2001)

Phenolic compounds of *Amaranthus cruentus*. *Chemistry of Natural Compounds*, 37, 1, pp 88-88
<Go to ISI>://000171385000019

Kareiva, P., Parker, I.M., & Pascual, M. (1996)

Can we use experiments and models in predicting the invasiveness of genetically engineered organisms? *Ecology*, 77, pp 1670

Karisola, P., Alenius, H., Mikkola, J., Kalkkinen, N., Helin, J., Pentikainen, O.T., Repo, S., Reunala, T., Turjanmaa, K., Johnson, M.S., Palosuo, T., & Kulomaa, M.S. (2002)

The major conformational IgE-binding epitopes of hevein (Hev b6.02) are identified by a novel chimera-based allergen epitope mapping strategy. *Journal of Biological Chemistry*, 277, 25, pp 22656-22661
<Go to ISI>://000176313600072

Karisola, P., Mikkola, J., Alenius, H., Reunala, T.L., Turjanmaa, K., Kalkkinen, N., Palosuo, T., & Kulomaa, M. (2001)

Specific IgE-binding epitopes of hevein can be reconstructed to an immunologically nonreactive antimicrobial protein (AMP) from *Amaranthus caudatus*. *Journal of Allergy and Clinical Immunology*, 107, 2, pp 380
<Go to ISI>://000167172300379

Karsai, I., Hayes, P.M., Kling, J., Matus, I.A., Meszaros, K., Lang, L., Bedo, Z., & Sato, K. (2004)

Genetic variation in component traits of heading date in *Hordeum vulgare* subsp *spontaneum* accessions characterized in controlled environments. *Crop Science*, 44, 5, pp 1622-1632
<Go to ISI>://000223586200016

Kasha, K.J., Hu, T.C., Oro, R., Simion, E., & Shim, Y.S. (2001)

Nuclear fusion leads to chromosome doubling during mannitol pretreatment of barley (*Hordeum vulgare* L.) microspores. *Journal of Experimental Botany*, 52, 359, pp 1227-1238
<Go to ISI>://000169877400009

Kataoka, T., Stekelenburg, A., Nakanishi, T.M., Delhaize, E., & Ryan, P.R. (2002)

Several lanthanides activate malate efflux from roots of aluminium-tolerant wheat. *Plant Cell and Environment*, 25, 3, pp 453-460
<Go to ISI>://000174700600010

Kato-Noguchi, H. (2001)

Assessment of the allelopathic potential of *Ageratum conyzoides*. *Biologia Plantarum*, 44, 2, pp 309-311
<Go to ISI>://000168871800026

Kato-Noguchi, H. (2001)

Effects of lemon balm (*Melissa officinalis* L.) extract on germination and seedling growth of six plants. *Acta Physiologiae Plantarum*, 23, 1, pp 49-53
<Go to ISI>://000167990300007

Kato-Noguchi, H. (2003)

Assessment of allelopathic potential of shoot powder of lemon balm. *Scientia Horticulturae*, 97, 3-4, pp 419-423
<Go to ISI>://000181210000022

Kato-Noguchi, H., Yamada, K., & Hasegawa, K. (2001)

Lepidimic acid increases fructose 2,6-bisphosphate in *Amaranthus* seedlings. *Phytochemistry*, 56, 5, pp 499-503
<Go to ISI>://000167404700013

Kauffman, C. & Weber, L. (1990)

Grain Amaranth. *In Advances in new crops* (eds J. Janick & J.e. Simon), pp. 127-139. Timber Press, Portland, OR, <http://www.hort.purdue.edu/newcrop/proceedings1990/v1-127.html> and <http://www.botanischergarten.ch/Feral-New/Kauffman-Amaranth-1990.pdf>

Kaushal, P. & Ravi (1998)

Crossability of wild species of *Oryza* with *O. sativa* cvs PR 106 and Pusa Basmati 1 for transfer of bacterial leaf blight resistance through interspecific hybridization. *Journal of Agricultural Science*, 130, pp 423

Kavak, H. (2003)

First record of leaf scald caused by *Rhynchosporium secalis* in a natural population of *Hordeum vulgare* ssp *spontaneum* in Turkey. *Plant Pathology*, 52, 6, pp 805-805
<Go to ISI>://000187256900039

Kavak, H. (2003)

First record of scald disease caused by *Rhynchosporium secalis* in a population of *Hordeum murinum* in Turkey. *Australasian Plant Pathology*, 32, 4, pp 567-567
<Go to ISI>://000186802100021

Kavak, H. (2004)

First record of leaf rust caused by *Puccinia hordei* on *Hordeum vulgare* ssp *spontaneum* in Turkey. *Plant Pathology*, 53, 2, pp 258-258
<Go to ISI>://000221095300040

Kavak, H. (2004)

First record of spot blotch caused by *Bipolaris sorokiniana* on *Hordeum murinum* in Turkey. *Canadian Journal of Plant Pathology-Revue Canadienne De Phytopathologie*, 26, 2, pp 205-206
<Go to ISI>://000222370700011

Kawachi, T., Shoji, Y., Sugimoto, T., Oji, Y.L., Kleinhofs, A., Warner, R.L., Ohtake, N., Ohyama, T., & Sueyoshi, K. (2002)

Role of xylem sap nitrate in the regulation of nitrate reductase gene expression in leaves of barley (*Hordeum vulgare* L.) seedlings. *Soil Science and Plant Nutrition*, 48, 1, pp 79-85
<Go to ISI>://000173585300011

Kawaoka, A. & Ebinuma, H. (2001)

Transcriptional control of lignin biosynthesis by tobacco LIM protein. *Phytochemistry*, 57, pp 1149-1157

Kebebew, A., Gaj, M.D., & Maluszynski, M. (1998)

Somatic embryogenesis and plant regeneration in callus culture of tef, *Eragrostis tef* (Zucc.) Trotter. *Plant Cell Reports*, 18, 1-2, pp 154-158
<Go to ISI>://000077189900028

Kebebew, F. & McNeilly, T. (1995)

Variation in response of accessions of minor millets, *Pennisetum americanum* (L) Leeke (pearl-millet) and *Eleusine coracana* (L) Gaertn (finger-millet), and *Eragrostis tef* (Zucc) Trotter (tef) to salinity in early seedling growth. *Plant and Soil*, 175, 2, pp 311-321

Kebebew, F. & McNeilly, T. (1995)

Variation in Response of Accessions of Minor Millets, *Pennisetum-Americanum* (L) Leeke (Pearl-Millet) and *Eleusine- Coracana* (L) Gaertn (Finger-Millet), and *Eragrostis-Tef* (Zucc) Trotter (Tef) to Salinity in Early Seedling Growth. *Plant and Soil*, 175, 2, pp 311-321
<Go to ISI>://A1995RU93700017

Kebebew, F., Tsehaye, Y., & McNeilly, T. (2001)

Morphological and farmers cognitive diversity of barley (*Hordeum vulgare* L. Poaceae) at Bale and North Shewa of Ethiopia. *Genetic Resources and Crop Evolution*, 48, 5, pp 467-481
<Go to ISI>://000172403700006

Kebede, H., Johnson, R.C., & Ferris, D.M. (1989)

Photosynthetic Response of *Eragrostis-Tef* to Temperature. *Physiologia Plantarum*, 77, 2, pp 262-266
<Go to ISI>://A1989AX90100014

Keefe, A.M. (1964)

Common + Exotic Plants for Workable Window Garden. *American Journal of Botany*, 51, 6P2, pp 689-&
<Go to ISI>://A19642672A00077

Kefyalew, T., Tefera, H., Assefa, K., & Ayele, M. (2000)

Phenotypic diversity for qualitative and phenologic characters in germplasm collections of tef (*Eragrostis tef*). *Genetic Resources and Crop Evolution*, 47, 1, pp 73-80
<Go to ISI>://000085462700008

Keith, D.A., McCarthy, M.A., Regan, H., Regan, T., Bowles, C., Drill, C., Craig, C., Pellow, B., Burgman, M.A., Master, L.L., Ruckelshaus, M., Mackenzie, B., Andelman, S.J., & Wade, P.R. (2004)

Protocols for listing threatened species can forecast extinction. *Ecol Letters*, 7, 11, pp 1101-1108
<http://www.blackwell-synergy.com/links/doi/10.1111/j.1461-0248.2004.00663.x/abs>

Kepczynski, J. & Bialecka, B. (1994)

Stimulatory Effect of Ethephon, Acc, Gibberellin-a(3) and Gibberellin-a(4+7) on Germination of Methyljasmonate Inhibited Amaranthus-Caudatus L Seeds. *Plant Growth Regulation*, 14, 3, pp 211-216
<Go to ISI>://A1994NT12600004

Kepeczynski, J., Bialecka, B., & Kepeczynska, E. (1999)

Ethylene biosynthesis in Amaranthus caudatus seeds in response to methyl jasmonate. *Plant Growth Regulation*, 28, 1, pp 59-65
<Go to ISI>://000081018300010

Kepeczynski, J. & Bihun, M. (2002)

Induction of secondary dormancy in Amaranthus caudatus seeds. *Plant Growth Regulation*, 38, 2, pp 135-140
<Go to ISI>://000179513700005

Kepeczynski, J., Bihun, M., & Kepeczynska, E. (2003)

The release of secondary dormancy by ethylene in Amaranthus caudatus L. seeds. *Seed Science Research*, 13, 1, pp 69-74
<Go to ISI>://000180939500007

Kepeczynski, J., Corbineau, F., & Come, D. (1996)

Responsiveness of Amaranthus retroflexus seeds to ethephon, 1- aminocyclopropane 1-carboxylic acid and gibberellic acid in relation to temperature and dormancy. *Plant Growth Regulation*, 20, 3, pp 259-265
<Go to ISI>://A1996WB08900012

Kepeczynski, J., Kepeczynska, E., & Bihun, M. (2003)

The involvement of ethylene in the release of primary dormancy in Amaranthus retroflexus seeds. *Plant Growth Regulation*, 39, 1, pp 57-62
<Go to ISI>://000180184000008

Kermicle, J. (1997)

Cross compatibility within the genus *Zea*. In *Gene flow among maize landraces, improved maize varieties, and teosinte: Implications for transgenic maize* (eds J.A. Serratos, M.C. Willcox & F. Castillo-González), pp. 40-43. CIMMYT, Mexico,

Kerr, L.A. & Kelch, W.J. (1998)

Pigweed (*Amaranthus retroflexus*) toxicosis in cattle. *Veterinary and Human Toxicology*, 40, 4, pp 216-218
<Go to ISI>://000074935300007

Ketema, S. (1993)

Tef (Eragrostis tef): breeding, genetic resources, agronomy, utilization and role in Ethiopian agriculture. Institute of Agricultural Research, Addis Ababa, pp

Ketema, S. (1997)

Tef. Eragrostis tef (Zucc.) Trotter International Plant Genetic Resources Institute, Rome, pp 52

Khader, V. & Rama, S. (2003)

Effect of maturity on macromineral content of selected leafy vegetables. *Asia Pacific Journal of Clinical Nutrition*, 12, 1, pp 45-49
<Go to ISI>://000182536800006

Khadr, F. (1999)

Light absorption and competition in mixed communities of *Hordeum leporinum*-*Euphorbia scordifolia*. *Photosynthetica*, 36, 4, pp 525-531
<Go to ISI>://000084921800005

Khan, M.A., Gul, B., & Weber, D.J. (2004)

Action of plant growth regulators and salinity on seed germination of *Ceratoides lanata*. *Canadian Journal of Botany-Revue Canadienne De Botanique*, 82, 1, pp 37-42
<Go to ISI>://000189234800006

Khan, M.A. & Ungar, I.A. (2001)

Effect of germination promoting compounds on the release of primary and salt-enforced seed dormancy in the halophyte *Sporobolus arabicus* Boiss. *Seed Science and Technology*, 29, 2, pp 299-306
<Go to ISI>://000170090800002

Khan, M.S. & Maliga, P. (1999)

Fluorescent antibiotic resistance marker for tracking plastid transformation in higher plants. *Nature Biotechnology*, 17, 9, pp 910-915

Khanda, C.M. & Mohapatra, B.K. (2003)

Effect of farmyard manure and inorganic fertilizers on yield and nutrient uptake of grain amaranth (*Amaranthus hypochondriacus*). *Indian Journal of Agronomy*, 48, 2, pp 142-144
<Go to ISI>://000220510000022

Khush, G.S. (1997)

Origin, dispersal, cultivation and variation of rice,. *Plant Molecular Biology*, 35, pp 25-34

Kiang, A.-S., Connolly, V., McConnell, D.J., & Kavavagh, T.A. (1994)

Paternal inheritance of mitochondria and chloroplasts in *Festuca pratensis-Lolium perenne* intergeneric hybrids. *Theoretical and Applied Genetics*, 87, pp 681-688

Kiba, A., Saitoh, H., Nishihara, M., Omiya, K., & Yamamura, S. (2003)

C-terminal domain of a hevein-like protein from *Wasabia japonica* has potent antimicrobial activity. *Plant and Cell Physiology*, 44, 3, pp 296-303
<Go to ISI>://000181930000009

Kicherer, S., Backes, G., Walther, U., & Jahoor, A. (2000)

Localising QTLs for leaf rust resistance and agronomic traits in barley (*Hordeum vulgare* L.). *Theoretical and Applied Genetics*, 100, 6, pp 881-888
<Go to ISI>://000087061100008

Kihara, M., Kaneko, T., & Ito, K. (1998)

Genetic variation of beta-amylase thermostability among varieties of barley, *Hordeum vulgare* L., and relation to malting quality. *Plant Breeding*, 117, 5, pp 425-428
<Go to ISI>://000077103900005

Kihara, M., Kaneko, T., Ito, K., Aida, Y., & Takeda, K. (1999)

Geographical variation of beta-amylase thermostability among varieties of barley (*Hordeum vulgare*) and beta-amylase deficiency. *Plant Breeding*, 118, 5, pp 453-455
<Go to ISI>://000084233000014

Kiirats, O., Lea, P.J., Franceschi, V.R., & Edwards, G.E. (2002)

Bundle sheath diffusive resistance to CO₂ and effectiveness of C-4 photosynthesis and refixation of photorespired CO₂ in a C-4 cycle mutant and wild-type *Amaranthus edulis*. *Plant Physiology*, 130, 2, pp 964-976
<Go to ISI>://000178654700040

Kiirats, O., Lea, P.J., Franceschi, V.R., & Edwards, G.E. (2003)

Bundle sheath diffusive resistance to CO₂ and effectiveness of C-4 photosyntheses and refixation of photrespired CO₂ 0 in a C- 4 0 cycle mutant and wild-type *Amaranthus edulis* (vol 130, pg 964, 2002). *Plant Physiology*, 132, 1, pp 400-400
<Go to ISI>://000185076500043

Kim, K.D. (2002)

Plant invasion and management in turf-dominated waste landfills in South Korea. *Land Degradation & Development*, 13, 3, pp 257-267
<Go to ISI>://000176183700006

Kim, N.S., Armstrong, K.C., Fedak, G., Ho, K., & Park, N.I. (2002)

A microsatellite sequence from the rice blast fungus (*Magnaporthe grisea*) distinguishes between the centromeres of *Hordeum vulgare* and *H-bulbosum* in hybrid plants. *Genome*, 45, 1, pp 165-174
<Go to ISI>://000173553000021

Kim, Y.S., Park, S.C., Oh, S.K., Cho, J.W., & Chung, C.H. (1997)

Amaranthin a ribosome inactivating protein from *Amaranthus viridis*. *Faseb Journal*, 11, 9, pp 1440
<Go to ISI>://000073305601928

King, S.A. & Buckney, R.T. (2001)

Exotic plants in the soil-stored seed bank of urban bushland. *Australian Journal of Botany*, 49, 6, pp 717-720
<Go to ISI>://000172314800005

King, S.A. & Buckney, R.T. (2002)

Invasion of exotic plants in nutrient-enriched urban bushland. *Austral Ecology*, 27, 5, pp 573-583
<Go to ISI>://000178005700009

King, S.A. & Buckney, R.T.G. (2000)

Urbanization and exotic plants in northern Sydney streams. *Austral Ecology*, 25, 5, pp 455-461
<Go to ISI>://000089914100004

King, S.R. & Hagood, E.S. (2003)

Effect of application rate and timing of AE F130060 03 plus AE F107892 for control of Italian Ryegrass (*Lolium multiflorum*) in barley (*Hordeum vulgare*). *Weed Technology*, 17, 4, pp 866-870

<Go to ISI>://000187430000031

Kirkpatr.Jb (1974)

Plant Invasion and Extinction in a Suburban Coastal Reserve. Australian Geographical Studies, 12, 1, pp 107-118
<Go to ISI>://A1974U238100007

Kislev, M.E. (1989)

Origins of the cultivation of *Lathyrus sativus* and *Lathyrus cicera* (Fabaceae). Economic Botany, 43, 2, pp 262-270
<Go to ISI>://A1989AA15400010

Klimczak, I., Malecka, M., & Pacholek, B. (2002)

Antioxidant activity of ethanolic extracts of amaranth seeds. Nahrung-Food, 46, 3, pp 184-186
<Go to ISI>://000176359200010

Klimovich, A.S., Chaika, M.T., Serdyuchenko, E.V., & Savchenko, G.E. (1999)

Organ-specific regulation of chlorophyll accumulation in coleoptiles of green barley (*Hordeum vulgare* L.) seedlings. Russian Journal of Plant Physiology, 46, 4, pp 482-489
<Go to ISI>://000081449100005

Kline, A.D. (1991)

We have not yet identified the heart of the moral issues in agricultural biotechnology. Journal of Agricultural and Environmental Ethics, 4, pp 217-222

Kling, J. (1996)

Agricultural ecology - Could transgenic supercrops one day breed superweeds? Science, 274, pp 180-181

Klingaman, T.E. & Oliver, L.R. (1994)

Palmer Amaranth (*Amaranthus-Palmeri*) Interference in Soybeans (*Glycine-Max*). Weed Science, 42, 4, pp 523-527
<Go to ISI>://A1994PY82000003

Kluge, M., Nguyen, B., Behzadipour, M., & Fischer-Schliebs, E. (1999)

Phenotypic adaptation of membrane fluidity in the tonoplast and plasmalemma of the C-3 plant *Hordeum vulgare* cv. Alexis. Journal of Plant Physiology, 154, 2, pp 185-191
<Go to ISI>://000078918500007

Knezevic, S.Z., Evans, S.P., Blankenship, E.E., Van Acker, R.C., & Lindquist, J.L. (2002)

Critical period for weed control: the concept and data analysis. Weed Science, 50, 6, pp 773-786
<Go to ISI>://000179416900011

Knezevic, S.Z., Evans, S.P., & Mainz, M. (2003)

Row spacing influences the critical timing for weed removal in soybean (*Glycine max*). Weed Technology, 17, 4, pp 666-673
<Go to ISI>://000187430000003

Knezevic, S.Z. & Horak, M.J. (1998)

Influence of emergence time and density on redroot pigweed (*Amaranthus retroflexus*). Weed Science, 46, 6, pp 665-672
<Go to ISI>://000078171700010

Knezevic, S.Z., Horak, M.J., & Vanderlip, R.L. (1997)

Relative time of redroot pigweed (*Amaranthus retroflexus* L) emergence is critical in pigweed-sorghum *Sorghum bicolor* (L) Moench competition. Weed Science, 45, 4, pp 502-508
<Go to ISI>://A1997XM80400008

Knezevic, S.Z., Horak, M.J., & Vanderlip, R.L. (1999)

Estimates of physiological determinants for *Amaranthus retroflexus*. Weed Science, 47, 3, pp 291-296
<Go to ISI>://000082104600008

Knezevic, S.Z., Vanderlip, R.L., & Horak, M.J. (2001)

Relative time of redroot pigweed emergence affects dry matter partitioning. Weed Science, 49, 5, pp 617-621
<Go to ISI>://000175242100007

Knezevic, S.Z., Weise, S.F., & Swanton, C.J. (1994)

Interference of Redroot Pigweed (*Amaranthus-Retroflexus*) in Corn (*Zea-Mays*). Weed Science, 42, 4, pp 568-573
<Go to ISI>://A1994PY82000011

Knezevic, S.Z., Weise, S.F., & Swanton, C.J. (1995)

Comparison of Empirical-Models Depicting Density of *Amaranthus-Retroflexus* L and Relative Leaf-Area as Predictors of Yield Loss in Maize (*Zea-Mays* L). Weed Research, 35, 4, pp 207-214
<Go to ISI>://A1995RW46600001

Knoetzel, J., Bossmann, B., & Grimme, L.H. (1998)

Chlorina and viridis mutants of barley (*Hordeum vulgare* L.) allow assignment of long-wavelength chlorophyll forms to individual Lhca proteins of photosystem I in vivo. *Febs Letters*, 436, 3, pp 339-342
<Go to ISI>://000076540400009

Kobayashi, T., Nakanishi, H., Takahashi, M., Kawasaki, S., Nishizawa, N.K., & Mori, S. (2001)

In vivo evidence that *Ids3* from *Hordeum vulgare* encodes a dioxygenase that converts 2'-deoxymugineic acid to mugineic acid in transgenic rice. *Planta*, 212, 5-6, pp 864-871
<Go to ISI>://000168399700027

Kocacinar, F. & Sage, R.F. (2003)

Photosynthetic pathway alters xylem structure and hydraulic function in herbaceous plants. *Plant Cell and Environment*, 26, 12, pp 2015-2026
<Go to ISI>://000186973900009

Kochieva, E.Z., Goryunova, S.V., & Pomortsev, A.A. (2001)

RAPD analysis of the genome in species of the genus *Hordeum*. *Russian Journal of Genetics*, 37, 8, pp 905-910
<Go to ISI>://000172213400008

Koelewijn, H.P. (2004)

Sibling competition, size variation and frequency-dependent outcrossing advantage in *Plantago coronopus*. *Evolutionary Ecology*, 18, 1, pp 51-74

Kohli, A., Twyman, R.M., Abranches, R., Wegel, E., Stoger, E., & Christou, P. (2003)

Transgene integration, organization and interaction in plants. *Plant Mol. Biol.*, 52, pp 247-258

Koike, S., Yamaguchi, T., Nakayama, K., & Hayashi, T. (2003)

Cool tolerance of barley (*Hordeum vulgare* L.) at the young microspore stage. *Plant Production Science*, 6, 2, pp 132-133
<Go to ISI>://000183688600005

Kolano, B., Pando, L.G., & Maluszynska, J. (2001)

Molecular cytogenetic studies in *Chenopodium quinoa* and *Amaranthus caudatus*. *Acta Societatis Botanicorum Poloniae*, 70, 2, pp 85-90
<Go to ISI>://000169780000001

Kolb, K.J. & Evans, R.D. (2003)

Influence of nitrogen source and concentration on nitrogen isotopic discrimination in two barley genotypes (*Hordeum vulgare* L.). *Plant Cell and Environment*, 26, 9, pp 1431-1440
<Go to ISI>://000185085100002

Komatsuda, T., Li, W.B., Takaiwa, F., & Oka, S. (1999)

High resolution map around the *vrs1* locus controlling two- and six-rowed spike in barley, *Hordeum vulgare*. *Genome*, 42, 2, pp 248-253
<Go to ISI>://000080109800010

Komatsuda, T. & Mano, Y. (2002)

Molecular mapping of the intermedium spike-c (*int-c*) and non- brittle rachis 1 (*btr1*) loci in barley (*Hordeum vulgare* L.). *Theoretical and Applied Genetics*, 105, 1, pp 85-90
<Go to ISI>://000177178800011

Komatsuda, T., Nakamura, I., Takaiwa, F., & Oka, S. (1998)

Development of STS markers closely linked to the *vrs1* locus in barley, *Hordeum vulgare*. *Genome*, 41, 5, pp 680-685
<Go to ISI>://000076773400007

Komatsuda, T., Salomon, B., Bryngelsson, T., & von Bothmer, R. (2001)

Phylogenetic analysis of *Hordeum marinum* Huds. based on nucleotide sequences linked to the *vrs1* locus. *Plant Systematics and Evolution*, 227, 3-4, pp 137-144
<Go to ISI>://000169460700002

Komatsuda, T., Tanno, K., Salomon, B., Bryngelsson, T., & von Bothmer, R. (1999)

Phylogeny in the genus *Hordeum* based on nucleotide sequences closely linked to the *vrs1* locus (row number of spikelets). *Genome*, 42, 5, pp 973-981
<Go to ISI>://000083580400021

Kommers, G.D. (1997)

Poisoning by *Amaranthus*, ssp. (*Amaranthaceae*) in pigs in Rio Grande do Sul, Brazil (vol 16, pg 121, 1996). *Pesquisa Veterinaria Brasileira*, 17, 1, pp R2-R2
<Go to ISI>://A1997XJ27300001

Kommers, G.D., Torres, M.B., Dantas, A.F., & Barros, C.S.L. (1996)

Poisoning by *Amaranthus* spp. (Amaranthaceae) in pigs in Rio Grande do Sul, Brazil. *Pesquisa Veterinaria Brasileira*, 16, 4, pp 121-125
<Go to ISI>://A1996WP51700006

Kong, C.H., Hu, F., & Xu, X.H. (2002)
Allelopathic potential and chemical constituents of volatiles from *Ageratum conyzoides* under stress. *Journal of Chemical Ecology*, 28, 6, pp 1173-1182
<Go to ISI>://000176803200006

Konishi, T. (2001)
Genetic diversity in *Hordeum agriocrithon* E.Aberg, six-rowed barley with brittle rachis, from Tibet. *Genetic Resources and Crop Evolution*, 48, 1, pp 27-34
<Go to ISI>://000168335200006

Konstantinova, P., Van der Schoor, R., Van den Bulk, R., & Jalink, H. (2002)
Chlorophyll fluorescence sorting as a method for improvement of barley (*Hordeum vulgare* L.) seed health and germination. *Seed Science and Technology*, 30, 2, pp 411-421
<Go to ISI>://000177125600017

Koo, B., Pardey, P., & Wright, B. (2002).
2002. Endowing Future Harvests: The Long-Term Costs of Conserving Genetic Resources at the CGIAR Centres, IFPRI pp 32 Rome, Italy.
<http://www.botanischergarten.ch/Feral-New/Koo-Endowing-IPGRI.pdf>

Koo, M., Bendahmane, M., Lettieri, G.A., Paoletti, A.D., Lane, T.E., Fitch, J.H., Buchmeier, M.J., & Beachy, R.H. (1999)
Protective immunity against murine hepatitis virus (MHV) induced by intranasal or subcutaneous administration of hybrids of tobacco mosaic virus that carries an MHV epitope. *Proceedings of the National Academy of Science, USA*, 96, pp 7774-7779

Koprek, T., McElroy, D., Louwse, J., Williams-Carrier, R., & Lemaux, P.G. (1999)
Negative selection systems for transgenic barley (*Hordeum vulgare* L.): comparison of bacterial *codA*- and cytochrome P450 gene-mediated selection. *Plant Journal*, 19, 6, pp 719-726
<Go to ISI>://000083210800010

Korzun, V., Malyshev, S., Pickering, R.A., & Borner, A. (1999)
RFLP mapping of a gene for hairy leaf sheath using a recombinant line from *Hordeum vulgare* L. x *Hordeum bulbosum* L. cross. *Genome*, 42, 5, pp 960-963
<Go to ISI>://000083580400019

Kos, B., Grcman, H., & Lestan, D. (2003)
Phytoextraction of lead, zinc and cadmium from soil by selected plants. *Plant Soil and Environment*, 49, 12, pp 548-553
<Go to ISI>://000187555200004

Kota, R., Rudd, S., Facius, A., Kolesov, G., Thiel, T., Zhang, H., Stein, N., Mayer, K., & Graner, A. (2003)
Snipping polymorphisms from large EST collections in barley (*Hordeum vulgare* L.). *Molecular Genetics and Genomics*, 270, 1, pp 24-33
<Go to ISI>://000185791600003

Kota, R., Varshney, R.K., Thiel, T., Dehmer, K.J., & Graner, A. (2001)
Generation and comparison of EST-derived SSRs and SNPs in barley (*Hordeum vulgare* L.). *Hereditas*, 135, 2-3, pp 145-151
<Go to ISI>://000176985900009

Kota, R., Wolf, M., Michalek, W., & Graner, A. (2001)
Application of denaturing high-performance liquid chromatography for mapping of single nucleotide polymorphisms in barley (*Hordeum vulgare* L.). *Genome*, 44, 4, pp 523-528
<Go to ISI>://000170177800004

Kotanen, P.M., Bergelson, J., & Hazlett, D.L. (1998)
Habitats of native and exotic plants in Colorado shortgrass steppe: a comparative approach. *Canadian Journal of Botany-Revue Canadienne De Botanique*, 76, 4, pp 664-672
<Go to ISI>://000075420600013

Koutinas, C.K., Papazoglou, L.G., Saridomichelakis, M.N., Koutinas, A.F., & Patsikas, M.N. (2003)
Caudal mediastinal abscess due to a grass awn (*Hordeum* spp) in a cat. *Journal of Feline Medicine and Surgery*, 5, 1, pp 43-46
<Go to ISI>://000180759400007

Kovacs, E.T., Maraz-Szabo, L., & Varga, J. (2001)
Examination of the protein-emulsifier-carbohydrate interactions in amaranth based pasta products. *Acta Alimentaria*, 30, 2, pp 173-187
<Go to ISI>://000168935500005

Kowarik, I. (2005)

Urban ornamentals escaped from cultivation. *In Crop Fertility and Volunteerism* (ed J. Gressel). CRC Press, Boca Raton,

Kraic, J., Zakova, M., & Gregova, E. (1998)

Comparison of differentiation capability of RAPD and SSR markers in commercial barley (*Hordeum vulgare* L.) cultivars. *Cereal Research Communications*, 26, 4, pp 375-382
<Go to ISI>://000078982200003

Kramer, U., Smith, R.D., Wenzel, W.W., Raskin, I., & Sal, t.D.E. (1997)

The role of metal transport and tolerance in nickel hyperaccumulation by *Thlaspi goesingense* Halacsy. *Plant Physiology*, 115, pp 1641-1650

Krishnan, K., Aoki, T., Ruffin, M.T., Normolle, D.P., Boland, C.R., & Brenner, D.E. (2004)

Effects of low dose aspirin (81 mg) on proliferating cell nuclear antigen and *Amaranthus caudatus* labeling in normal-risk and high-risk human subjects for colorectal cancer. *Cancer Detection and Prevention*, 28, 2, pp 107-113
<Go to ISI>://000221032200005

Krishnan, P., Evans, T.A., & Pill, W.G. (1994)

Threshing Cylinder Speed Affects Germination of *Amaranthus- Cruentus* L Seeds. *Hortscience*, 29, 6, pp 652-654
<Go to ISI>://A1994NR07100022

Kristensen, L. (2003)

Maternal effects due to organic and conventional growing conditions in spring barley (*Hordeum vulgare*). *Biological Agriculture & Horticulture*, 21, 2, pp 195-208
<Go to ISI>://000185140400005

Kronzucker, H.J., Szczerba, M.W., & Britto, D.T. (2003)

Cytosolic potassium homeostasis revisited: K-42-tracer analysis in *Hordeum vulgare* L. reveals set-point variations in K+. *Planta*, 217, 4, pp 540-546
<Go to ISI>://000185256300002

Kruzmane, D. & Ievinsh, G. (1999)

Characterization of 1-aminocyclopropane-1-carboxylic acid oxidase from barley (*Hordeum vulgare* L.) seedlings and pine (*Pinus sylvestris* L.) needles. *Plant Science*, 142, 1, pp 13-19
<Go to ISI>://000080013700002

Kubler, E., Kaul, H.P., & Aufhammer, W. (2002)

Comparative study of crop stand establishment and dry matter production of the pseudocereals buckwheat (*Fagopyrum esculentum*), quinoa (*Chenopodium quinoa*), amaranth (*Amaranthus* sp.) and the cereals millet (*Panicum miliaceum*) and tef (*Eragrostis tef*) in a marginal environment. *Bodenkultur*, 53, 1, pp 29-38
<Go to ISI>://000177837700005

Kubota, S., Imamura, H., Hisamatsu, T., & Koshioka, M. (1999)

An enhanced *Amaranthus* betacyanin bioassay for detection of cytokinins. *Journal of Plant Physiology*, 155, 1, pp 133-135
<Go to ISI>://000082013400022

Kugler, F., Stintzing, F.C., & Carle, R. (2004)

Identification of betalains from petioles of differently colored Swiss chard (*Beta vulgaris* L. ssp *cicla* L. Alef. Cv. Bright lights) by high-performance liquid chromatography- electrospray ionization mass spectrometry. *Journal of Agricultural and Food Chemistry*, 52, 10, pp 2975-2981
<Go to ISI>://000221419500035

Kuhn, I., Durka, W., & Klotz, S. (2004)

BiolFlor - a new plant-trait database as a tool for plant invasion ecology. *Diversity and Distributions*, 10, 5-6, pp 363-365
<Go to ISI>://000223744500005

Kuhn, N.L. & Zedler, J.B. (1997)

Differential effects of salinity and soil saturation on native and exotic plants of a coastal salt marsh. *Estuaries*, 20, 2, pp 391-403
<Go to ISI>://A1997XF14100012

Kuk, Y.I., Burgos, N.R., & Talbert, R.E. (2001)

Evaluation of rice by-products for weed control. *Weed Science*, 49, 1, pp 141-147
<Go to ISI>://000175241300018

Kulakaw, P. & Jain, S. (1987)

Genetics of grain amaranths: 4. Variation and early generation response to selection in *Amaranthus cruentus* L. *Theoretical And Applied Genetics*, 74, 1, pp 113-120
<http://www.botanischergarten.ch/Feral-New/Kulakov-Amaranth-Heredity-1987.pdf>

Kulakow, P. (1987)

Genetics of Grain Amaranths. 2. THE INHERITANCE OF DETERMINANCE, PANICLE ORIENTATION, DWARFISM, AND EMBRYO COLOR IN AMARANTHUS-CAUDATUS. JOURNAL OF HEREDITY, 78, 5, pp 293-297
<http://www.botanischergarten.ch/Feral-New/Kulakov-Amaranth-Heredity-1987.pdf>

Kulakow, P. & Jain, S. (1990),

Grain amaranth crop species, evolution and genetics, St. Paul University of Minnesota, Minnesota Agricultur, Proc. Fourth Amaranth Conf. Minnesota Ext. Serv. pp

Kumar, B.S.T. & Ramesh, B. (2001)

Correlation between spike development and internode elongation in barley (*Hordeum vulgare*). Indian Journal of Agricultural Sciences, 71, 11, pp 717-718
<Go to ISI>://000174493700012

Kumar, P.K. & Subrahmanyam, N.C. (1999)

Molecular changes at Rrn loci in barley (*Hordeum vulgare* L.) hybrids with *H-bulbosum* (L.). Genome, 42, 6, pp 1127-1133
<Go to ISI>://000084297500014

Kuo, Y.H., Khan, J.K., & Lambein, F. (1994)

Biosynthesis of the neurotoxin beta-ODAP in developing pods of *Lathyrus sativus*. Phytochemistry, 35, 4, pp 911-913
<Go to ISI>://A1994ND08200016

Kurasova, I., Cajanek, M., Kalina, J., Urban, O., & Spunda, V. (2002)

Characterization of acclimation of *Hordeum vulgare* to high irradiation based on different responses of photosynthetic activity and pigment composition. Photosynthesis Research, 72, 1, pp 71-83
<Go to ISI>://000176462500007

Kurasova, I., Kalina, J., Stroch, M., Urban, O., & Spunda, V. (2003)

Response of photosynthetic apparatus of spring barley (*Hordeum vulgare* L.) to combined effect of elevated CO₂ concentration and different growth irradiance. Photosynthetica, 41, 2, pp 209-219
<Go to ISI>://000186620700007

Kusaba, S., Kano-Murakami, Y., Matsuoka, M., Tamaoki, M., Sakamoto, T., Yamaguchi, I., & Fukumoto, M. (1998)

Alteration of hormone levels in transgenic tobacco plants overexpressing the rice homeobox gene OSH1. Plant Physiology, 116, 2, pp 471-476
<http://www.ncbi.nlm.nih.gov/htbin-post/Entrez/query?db=m&form=6&dopt=r&uid=9489007>

Kuvshinov, V., Koivu, K., Kanerva, A., & Pehu, E. (2001)

Molecular control of transgene escape from genetically modified plants. Plant Science, 160, 3, pp 517-522

Kwon, S.J., Goo, H.J., & Kim, N.S. (2003)

Sequence variation of ITS1, 5.8S rDNA, and ITS2 regions in 45S rRNA genes and species relationship among the *Hordeum* species. Korean Journal of Genetics, 25, 2, pp 83-93
<Go to ISI>://000183994800001

Kwon, S.L., Smith, R.J., & Talbert, R.E. (1991)

Interference durations of red rice (*Oryza sativa*) in rice (*Oryza sativa*). Weed Science, 39, 3, pp 363-368

Kwon, S.L., Smith, R.J., & Talbert, R.E. (1992)

Comparative growth and development of red rice (*Oryza sativa*) and rice (*O. sativa*). Weed Science, 40, pp 57-62

Kwon, S.Y., An, C.S., Liu, J.R., Kwak, S.S., Lee, H.S., Kim, J.K., & Paek, K.H. (2000)

Molecular cloning of a cDNA encoding ribosome inactivating protein from *Amaranthus viridis* and its expression in E-coli. Molecules and Cells, 10, 1, pp 8-12
<Go to ISI>://000085719200002

Kwon, S.Y., An, C.S., Liu, J.R., & Paek, K.H. (1997)

A ribosome-inactivating protein from *Amaranthus viridis*. Bioscience Biotechnology and Biochemistry, 61, 9, pp 1613-1614
<Go to ISI>://A1997XZ13600044

Lacko-Bartosova, M., Minar, M., Vranovska, Z., & Strasser, D. (2000)

Weed seed bank in ecological and integrated farming system. Rostlinna Vyroba, 46, 7, pp 319-324
<Go to ISI>://000088856600005

Lacuesta, M., Dever, L.V., MunozRueda, A., & Lea, P.J. (1997)

A study of photorespiratory ammonia production in the C-4 plant *Amaranthus edulis*, using mutants with altered photosynthetic capacities. Physiologia Plantarum, 99, 3, pp 447-455
<Go to ISI>://A1997WN07700013

Ladyzhenskaya, E.P., Korableva, N.P., Lyapkova, N.S., & Mazin, V.V. (2001)

Protontranslocating activity of plasma membrane vesicles from the tubers of initial and transgenic potato *Solanum tuberosum* L. plants. *Biologicheskie Membrany*, 18, 4, pp 267-270
<Go to ISI>://000172516700002

Lakshmi, B. & Vimala, V. (2000)

Nutritive value of dehydrated green leafy vegetable powders. *Journal of Food Science and Technology-Mysore*, 37, 5, pp 465-471
<Go to ISI>://000166185900004

Lal, A. & Edwards, G.E. (1996)

Analysis of inhibition of photosynthesis under water stress in the C-4 species *Amaranthus cruentus* and *Zea mays*: Electron transport, CO₂ fixation and carboxylation capacity. *Australian Journal of Plant Physiology*, 23, 4, pp 403-412
<Go to ISI>://A1996VC29800001

Lam, T.B.T., Iiyama, K., & Stone, B.A. (1996)

Lignin and hydroxycinnamic acids in walls of brown midrib mutants of sorghum, pearl millet and maize stems. *Journal of the Science of Food and Agriculture*, 71, pp 174-178

Lambein, F., Haque, R., Khan, J.K., Kebede, N., & Kuo, Y.H. (1994)

From soil to brain: zinc deficiency increases the neurotoxicity of *Lathyrus sativus* and may affect the susceptibility for the motorneuron disease neurolathyrism. *Toxicon*, 32, pp 461-466

Lambein, F., Ongena, G., & Kuo, Y.H. (1990)

Beta-isoxazolinone-alanine is involved in the biosynthesis of the neurotoxin beta-N-oxalyl-L-alpha, beta-diaminopropionic acid. *Phytochemistry*, 29, 12, pp 3793-3796
<Go to ISI>://A1990EG19900019

Lamont, E.E. & Fitzgerald, J.M. (2001)

Noteworthy plants reported from the Torrey Range-2000. *Journal of the Torrey Botanical Society*, 128, 4, pp 409-414
<Go to ISI>://000173284100010

Lange, T. (1998)

Molecular biology of gibberellin synthesis. *Planta*, 204, pp 409-419

Langevin, S.A., Clay, K., & Grace, J.B. (1990)

The incidence and effects of hybridization between cultivated rice and its related weed red rice (*Oryza sativa* L.). *Evolution*, 44, pp 1000-1008

Lanoue, K.Z., Wolf, P.G., Browning, S., & Hood, E.E. (1996)

Phylogenetic analysis of restriction-site variation in wild and cultivated *Amaranthus* species (Amaranthaceae). *Theoretical and Applied Genetics*, 93, 5-6, pp 722-732
<Go to ISI>://A1996VR47300011

Lanta, V., Havranek, P., & Ondrej, V. (2003)

Morphometry analysis and seed germination of *Amaranthus cruentus*, *A. retroflexus* and their hybrid (*A. x turicensis*). *Plant Soil and Environment*, 49, 8, pp 364-369
<Go to ISI>://000185183600005

Lara, N. & Ruales, J. (2002)

Popping of amaranth grain (*Amaranthus caudatus*) and its effect on the functional, nutritional and sensory properties. *Journal of the Science of Food and Agriculture*, 82, 8, pp 797-805
<Go to ISI>://000175980700003

Larsen, K. (2004)

Molecular cloning and characterization of cDNAs encoding cinnamoyl CoA reductase (CCR) from barley (*Hordeum vulgare*)(a) and potato (*Solanum tuberosum*)(a). *Journal of Plant Physiology*, 161, 1, pp 105-112
<Go to ISI>://000189264200012

Larsen, T., Thilsted, S.H., Biswas, S.K., & Tetens, I. (2003)

The leafy vegetable amaranth (*Amaranthus gangeticus*) is a potent inhibitor of calcium availability and retention in rice-based diets. *British Journal of Nutrition*, 90, 3, pp 521-527
<Go to ISI>://000185370500006

Larson, B., Stimac, J.L., McSorley, R., & MacVean, C. (2000)

Effects of cropping system on nematode population densities in small scale highland Guatemalan agriculture. *Nematropica*, 30, 2, pp 177-191
<Go to ISI>://000167287700007

- Larson, D.L. (2003)**
Native weeds and exotic plants: relationships to disturbance in mixed-grass prairie. *Plant Ecology*, 169, 2, pp 317-333
<Go to ISI>://000185827600013
- Larson, D.L., Anderson, P.J., & Newton, W. (2001)**
Alien plant invasion in mixed-grass prairie: Effects of vegetation type and anthropogenic disturbance. *Ecological Applications*, 11, 1, pp 128-141
<Go to ISI>://000166749100011
- Lascurain, R., Chavez, R., Gorocica, P., Perez, A., Montano, L.F., & Zenteno, E. (1994)**
Recognition of a Cd4(+) Mouse Medullary Thymocyte Subpopulation by Amaranthus-Leucocarpus Lectin. *Immunology*, 83, 3, pp 410-413
<Go to ISI>://A1994PP77900013
- Lascurain, R., Chavez, R., Masso, F., Montano, L.F., & Zenteno, E. (1993)**
Characterization of an Amaranthus-Leucocarpus T-Cell Subpopulation. *Journal of Immunology*, 150, 8, pp A25-A25
<Go to ISI>://A1993KX95600132
- Lascurain, R., Porras, F., Baez, R., Chavez, R., MartinezCairo, S., Alvarez, G., & Zenteno, E. (1997)**
Amaranthus leucocarpus lectin recognizes human naive T cell subpopulations. *Immunological Investigations*, 26, 5-7, pp 579-587
<Go to ISI>://A1997YG95600006
- Lawrie, J., Agallou, E., Greaves, M.P., & Down, V.M. (2001)**
Efficacy of *Trematophoma lignicola* petrak as a biological control agent for *Amaranthus retroflexus* L. *Biocontrol Science and Technology*, 11, 5, pp 583-595
<Go to ISI>://000171038500003
- Lawrie, J., Down, V.M., & Greaves, M.P. (2000)**
Factors influencing the efficacy of the potential microbial herbicide *Alternaria alternata* (Fr.) Keissler on *Amaranthus retroflexus* (L.). *Biocontrol Science and Technology*, 10, 1, pp 81-87
<Go to ISI>://000086761000009
- Lawrie, J., Down, V.M., & Greaves, M.P. (2001)**
Effects of storage on viability and efficacy of granular formulations of the microbial herbicides *Alternaria alternata* and *Trematophoma lignicola*. *Biocontrol Science and Technology*, 11, 2, pp 283-295
<Go to ISI>://000168609100008
- Lawrie, J., Greaves, M.P., & Down, V.M. (1999)**
Trematophoma lignicola (Petrak): A potential microbial herbicide for control of *Amaranthus retroflexus* (L.). *Biocontrol Science and Technology*, 9, 3, pp 391-394
<Go to ISI>://000083033400010
- Lawrie, J., Greaves, M.P., Down, V.M., Morales-Aza, B., & Lewis, J.M. (2002)**
Outdoor studies of the efficacy of *Alternaria alternata* in controlling *Amaranthus retroflexus*. *Biocontrol Science and Technology*, 12, 1, pp 83-94
<Go to ISI>://000174126400008
- Lawrie, J., Greaves, M.P., Down, V.M., & Western, N.M. (2002)**
Studies of spray application of microbial herbicides in relation to conidial propagule content of spray droplets and retention on target. *Biocontrol Science and Technology*, 12, 1, pp 107-119
<Go to ISI>://000174126400010
- Lawrie, J., Greaves, M.P., Down, V.M., Western, N.M., & Jaques, S.J. (2002)**
Investigation of spray application of microbial herbicides using *Alternaria alternata* on *Amaranthus retroflexus*. *Biocontrol Science and Technology*, 12, 4, pp 469-479
<Go to ISI>://000176899500005
- Lawson, T., Oxborough, K., Morison, J.I.L., & Baker, N.R. (2003)**
The responses of guard and mesophyll cell photosynthesis to CO₂, O₂, light, and water stress in a range of species are similar. *Journal of Experimental Botany*, 54, 388, pp 1743-1752
<Go to ISI>://000183665500012
- Leah, J.M., Caseley, J.C., Riches, C.R., & Valverde, B. (1994)**
Association between elevated activity of aryl-acylamidase and propanil resistance in jungle rice *Echinochloa colona*. *Pesticide Science*, 42, pp 281-289
- Lealem, F. & Gashe, B.A. (1994)**
Amylase Production by a Gram-Positive Bacterium Isolated from Fermenting Tef (*Eragrostis Tef*). *Journal of Applied Bacteriology*, 77, 3, pp 348-352
<Go to ISI>://A1994PJ12700017

- Leblanc, M.L., Cloutier, D.C., Legere, A., Lemieux, C., Assemet, L., Benoit, D.L., & Hamel, C. (2002)**
Effect of the presence or absence of corn on common Lambsquarters (*Chenopodium album* L.) and barnyardgrass *Echinochloa crus-galli* (L.) Beauv. emergence. *Weed Technology*, 16, 3, pp 638-644
<Go to ISI>://000178084300026
- Leccese, M. (1996)**
Return of the Natives + Martino, Steve, Shuler, Carol and Teneyck, Christine, E. Stand at the Center of a Revolution in Landscape Design in Phoenix, Arizona, Where Exotic Plants Are Being Eschewed in Favor of Desert Natives. *Landscape Architecture*, 86, 2, pp 80-86
<Go to ISI>://A1996TR46500012
- Lee, J.H., Arumuganathan, K., Chung, Y.S., Kim, K.Y., Chung, W.B., Bae, K.S., Kim, D.H., Chung, D.S., & Kwon, O.C. (2000)**
Flow cytometric analysis and chromosome sorting of barley (*Hordeum vulgare* L.). *Molecules and Cells*, 10, 6, pp 619-625
<Go to ISI>://000170492100003
- Lee, J.H., Aufhammer, W., & Kubler, E. (1996)**
Produced, harvested and utilizable grain yields of the pseudocereals buckwheat (*Fagopyrum esculentum* Moench), quinoa (*Chenopodium quinoa* Willd) and amaranth (*Amaranthus hypochondriacus* L x *A-hybridus* L) as affected by production techniques. *Bodenkultur*, 47, 1, pp 5-14
<Go to ISI>://A1996UR33500002
- Lee, O.S., Lee, B., Park, N., Koo, J.C., Kim, Y.H., Prasad, T., Karigar, C., Chun, H.J., Jeong, B.R., Kim, D.H., Nam, J., Yun, J.G., Kwak, S.S., Cho, M.J., & Yun, D.J. (2003)**
Pn-AMPs, the hevein-like proteins from *Pharbitis nil* confers disease resistance against phytopathogenic fungi in tomato, *Lycopersicon esculentum*. *Phytochemistry*, 62, 7, pp 1073-1079
<Go to ISI>://000181794400005
- Lefol, E., Danielou, V., & Darmency, H. (1996)**
Predicting hybridization between transgenic oilseed rape and wild mustard. *Field Crops Research*, 45, pp 153-161
- Lefol, E., Fleury, A., & Darmency, H. (1996)**
Gene dispersal from transgenic crops .2. Hybridization between oilseed rape and the wild heavy mustard. *Sexual Plant Reproduction*, 9, 4, pp 189-196
- Legaria, J., Simpson, J., & Iturriaga, G. (1996)**
Molecular analysis of the betaine aldehyde dehydrogenase gene from *Amaranthus hypochondriacus* L. *Plant Physiology*, 111, 2, pp 510-510
<Go to ISI>://A1996UR53400550
- Lehmann, J.W., Clark, R.L., & Frey, K.J. (1991)**
Biomass heterosis and combining ability in interspecific and intraspecific matings of grain amaranths. *Sep. Crop science*, 31, 5, pp 1111-1116
- Lehmann, J.W., Putnam, D.H., & Qureshi, A.A. (1994)**
Vitamin-E Isomers in Grain Amaranths (*Amaranthus* Spp). *Lipids*, 29, 3, pp 177-181
<Go to ISI>://A1994NA38700005
- Leishman, M.R., Hughes, M.T., & Gore, D.B. (2004)**
Soil phosphorus enhancement below stormwater outlets in urban bushland: spatial and temporal changes and the relationship with invasive plants. *Australian Journal of Soil Research*, 42, 2, pp 197-202
<Go to ISI>://000220831500007
- LeMaitre, D.C., VanWilgen, B.W., Chapman, R.A., & McKelly, D.H. (1996)**
Invasive plants and water resources in the Western Cape Province, South Africa: Modelling the consequences of a lack of management. *Journal of Applied Ecology*, 33, 1, pp 161-172
<Go to ISI>://A1996UE98400018
- Lentini, Z. & Mercedes Espinoza, A. (2005)**
Coexistence of weedy rice and rice in tropical America: gene flow and genetic diversity. *In Crop Fertility and Volunteerism* (ed J. Gressel). CRC Press, Boca Raton,
- Leon, R.G., Knapp, A.D., & Owen, M.D.K. (2004)**
Effect of temperature on the germination of common waterhemp (*Amaranthus tuberculatus*), giant foxtail (*Setaria faberi*), and velvetleaf (*Abutilon theophrasti*). *Weed Science*, 52, 1, pp 67-73
<Go to ISI>://000188218200009
- Leon-Camacho, M., Garcia-Gonzalez, D.L., & Aparicio, R. (2001)**

A detailed and comprehensive study of amaranth (*Amaranthus cruentus* L.) oil fatty profile. *European Food Research and Technology*, 213, 4-5, pp 349-355
<Go to ISI>://000171835500019

Lepiniec, L., Thomas, M., & Vidal, J. (2003)

From enzyme activity to plant biotechnology: 30 years of research on phosphoenolpyruvate carboxylase. *Plant Physiology and Biochemistry*, 41, 6-7, pp 533-539
<Go to ISI>://000184113700005

Lester, D., Lazarovici, P., Pelhate, M., & Zlotkin, E. (1982)

Purification, characterization and action of two insect toxins from the venom of the scorpion *Buthotus judaicus*. *Biochimica Biophys. Acta*, 701, pp 370-381

Levine, S., Saltzman, A., & Branch, C. (2003)

A model for perinephric fluid accumulation in uremic rats with toxic nephrosis. *Toxicology Letters*, 146, 1, pp 9-15
<Go to ISI>://000187012500002

Levy, I., Shani, Z., & O., S. (2002)

Modification of polysaccharides and plant cell wall by endo-1,4-b-glucanase and cellulose-binding domains. *Biomol Eng*, 19, pp 17-30

Lewis, M.W. (1992)

Green delusions: An environmentalist critique of radical environmentalism, Duke Univ. Press, Durham NC, pp 288

Li, C.D., Eckstein, P.E., Lu, M.Y., Rossnagel, B.G., & Scoles, G.J. (2001)

Targeted development of a microsatellite marker associated with a true loose smut resistance gene in barley (*Hordeum vulgare* L.). *Molecular Breeding*, 8, 3, pp 235-242
<Go to ISI>://000173210200005

Li, C.D., Lance, R.C.M., Collins, H.M., Tarr, A., Roumeliotis, S., Harasymow, S., Cakir, M., Fox, G.P., Grime, C.R., Broughton, S., Young, K.J., Raman, H., Barr, A.R., Moody, D.B., & Readf, B.J. (2003)

Quantitative trait loci controlling kernel discoloration in barley (*Hordeum vulgare* L.). *Australian Journal of Agricultural Research*, 54, 11-12, pp 1251-1259
<Go to ISI>://000187197500019

Li, C.D., Langridge, P., Zhang, X.Q., Eckstein, P.E., Rossnagel, B.G., Lance, R.C.M., Lefol, E.B., Lu, M.Y., Harvey, B.L., & Scoles, G.J. (2002)

Mapping of barley (*Hordeum vulgare* L.) beta-amylase alleles in which an amino acid substitution determines beta-amylase isoenzyme type and the level of free beta-amylase. *Journal of Cereal Science*, 35, 1, pp 39-50
<Go to ISI>://000174025800005

Li, C.D., Tarr, A., Lance, R.C.M., Harasymow, S., Uhlmann, J., Westcot, S., Young, K.J., Grime, C.R., Cakir, M., Broughton, S., & Appelsa, R. (2003)

A major QTL controlling seed dormancy and pre-harvest sprouting/grain alpha-amylase in two-rowed barley (*Hordeum vulgare* L.). *Australian Journal of Agricultural Research*, 54, 11-12, pp 1303-1313
<Go to ISI>://000187197500022

Li, C.D., Zhang, X.Q., Eckstein, P., Rossnagel, B.G., & Scoles, G.J. (1999)

A polymorphic microsatellite in the limit dextrinase gene of barley (*Hordeum vulgare* L.). *Molecular Breeding*, 5, 6, pp 569-577
<Go to ISI>://000084983100009

Li, J.M., Johnson, W.G., & Smeda, R.J. (2002)

Interactions between glyphosate and imazethapyr on four annual weeds. *Crop Protection*, 21, 10, pp 1087-1092
<Go to ISI>://000179777300025

Li, J.M. & Kremer, R.J. (2000)

Rhizobacteria associated with weed seedlings in different cropping systems. *Weed Science*, 48, 6, pp 734-741
<Go to ISI>://000166182800015

Li, J.M., Smeda, R.J., Nelson, K.A., & Dayan, F.E. (2004)

Physiological basis for resistance to diphenyl ether herbicides in common waterhemp (*Amaranthus rudis*). *Weed Science*, 52, 3, pp 333-338
<Go to ISI>://000221464600003

Li, L., Zhou, V., Cheng, X.F., Sun, J., Marita, J.M., Ralph, J., & Chiang, V.L. (2003)

Combinatorial modification of multiple lignin traits in trees through multigene cotransformation. *Proceedings of the National Academy of Science, USA*, 100, pp 4939-4944

- Li, W.Z., Song, Z.H., Guo, B.T., & Xu, L.J. (2001)**
The effects of DNA hypomethylating drugs on androgenesis in barley (*Hordeum vulgare* L.). *In Vitro Cellular & Developmental Biology-Plant*, 37, 5, pp 605-608
<Go to ISI>://000172369800018
- Liang, Y.C., Chen, Q., Liu, Q., Zhang, W.H., & Ding, R.X. (2003)**
Exogenous silicon (Si) increases antioxidant enzyme activity and reduces lipid peroxidation in roots of salt-stressed barley (*Hordeum vulgare* L.). *Journal of Plant Physiology*, 160, 10, pp 1157-1164
<Go to ISI>://000186276000004
- Light, G.G., Dotray, P.A., & Mahan, J.R. (1999)**
Thermal dependence of pyriithobac efficacy in *Amaranthus palmeri*. *Weed Science*, 47, 6, pp 644-650
<Go to ISI>://000085139000004
- Light, G.G., Dotray, P.A., & Mahan, M.R. (2001)**
A thermal application range for postemergence pyriithobac applications. *Weed Science*, 49, 4, pp 543-548
<Go to ISI>://000175241900016
- Ligoxigakis, E.K., Vakalounakis, D.J., & Thanassouloupoulos, C.C. (2002)**
Weed hosts of *Verticillium dahliae* in Crete: Susceptibility, symptomatology and significance. *Phytoparasitica*, 30, 5, pp 511-518
<Go to ISI>://000178564100010
- Lilegren, S.J., Ditta, G.S., Eshed, Y., Savidge, B., Bowman, J.L., & Yanofsky, M.F. (2000)**
SHATTERPROOF MADS-box genes control seed dispersal in *Arabidopsis*. *Nature*, 404, pp 766-770
- Lin, H.T., Wong, S.S., & Li, G.C. (2001)**
Dissipation of epoxiconazole in the paddy field under subtropical conditions of Taiwan. *Journal of Environmental Science and Health Part B-Pesticides Food Contaminants and Agricultural Wastes*, 36, 4, pp 409-420
<Go to ISI>://000170170900004
- Lin, J.Z., Brown, A.H.D., & Clegg, M.T. (2001)**
Heterogeneous geographic patterns of nucleotide sequence diversity between two alcohol dehydrogenase genes in wild barley (*Hordeum vulgare* subspecies *spontaneum*). *Proceedings of the National Academy of Sciences of the United States of America*, 98, 2, pp 531-536
<Go to ISI>://000166485300033
- Lin, J.Z., Morrell, P.L., & Clegg, M.T. (2002)**
The influence of linkage and inbreeding on patterns of nucleotide sequence diversity at duplicate alcohol dehydrogenase loci in wild barley (*Hordeum vulgare* ssp *spontaneum*). *Genetics*, 162, 4, pp 2007-2015
<Go to ISI>://000180502300041
- Linde-Laursen, I. & von Bothmer, R. (1999)**
Orderly arrangement of the chromosomes within barley genomes of chromosome-eliminating *Hordeum lechleri* x barley hybrids. *Genome*, 42, 2, pp 225-236
<Go to ISI>://000080109800008
- Linder, C.R., Taha, I., Seiler, G.J., Snow, A.A., & Rieseberg, L.H. (1998.)**
Long-term introgression of crop genes into wild sunflower populations. *Theor. Appl. Genet.*, 96, pp 339-347
- Lindquist, J.L. (2001)**
Performance of INTERCOM for predicting corn-velvetleaf interference across north-central United States. *Weed Science*, 49, 2, pp 195-201
<Go to ISI>://000175241500009
- Lindsay, M.M. & Bratton, S.P. (1980)**
The Rate of Woody Plant Invasion on 2 Grassy Balds. *Castanea*, 45, 2, pp 75-87
<Go to ISI>://A1980JQ68600001
- Lindsey, K.L., Motsei, M.L., & Jager, A.K. (2002)**
Screening of South African food plants for antioxidant activity. *Journal of Food Science*, 67, 6, pp 2129-2131
<Go to ISI>://000177658700025
- Ling-Hwa, T. & Morishima, H. (1997)**
Genetic characterization of weedy rices and the inference on their origins. *Breeding Science*, 47, pp 153-160
- Linke, K.H., Abd El-Monein, A.M., & Saxena, M.C. (1993)**
Variation in resistance of some forage legumes species to *Orobanche crenata* Forsk. *Field Crops Research*, 32, pp 277-285

- Lisanework, N. & Michelsen, A. (1993)**
Allelopathy in Agroforestry Systems - the Effects of Leaf Extracts of Cupressus-Lusitanica and 3 Eucalyptus Spp on 4 Ethiopian Crops. *Agroforestry Systems*, 21, 1, pp 63-74
- Liu, F. & Stutzel, H. (2002)**
Leaf expansion, stomatal conductance, and transpiration of vegetable amaranth (*Amaranthus* sp.) in response to soil drying. *Journal of the American Society for Horticultural Science*, 127, 5, pp 878-883
<Go to ISI>://000177609600026
- Liu, F. & Stutzel, H. (2002)**
Leaf water relations of vegetable amaranth (*Amaranthus* spp.) in response to soil drying. *European Journal of Agronomy*, 16, 2, pp 137-150
<Go to ISI>://000174834500005
- Liu, F., Sun, G.L., Salomon, B., & Von Bothmer, R. (2002)**
Characterization of genetic diversity in core collection accessions of wild barley, *Hordeum vulgare* ssp *spontaneum*. *Hereditas*, 136, 1, pp 67-73
<Go to ISI>://000177054100010
- Liu, L.X., Howe, P., Zhou, Y.F., Hocart, C., & Zhang, R. (2002)**
Fatty acid profiles of leaves of nine edible wild plants: An Australian study. *Journal of Food Lipids*, 9, 1, pp 65-71
<Go to ISI>://000174906700005
- Ljokjel, K., Harstad, O.M., Prestlokken, E., & Skrede, A. (2003)**
In situ digestibility of protein in barley grain (*Hordeum vulgare*) and peas (*Pisum sativum* L.) in dairy cows: influence of heat treatment and glucose addition. *Animal Feed Science and Technology*, 107, 1-4, pp 87-104
<Go to ISI>://000183873200007
- Ljokjel, K., Harstad, O.M., Prestlokken, E., & Skrede, A. (2003)**
In situ digestibility of starch in barley grain (*Hordeum vulgare*) and peas (*Pisum sativum* L.) in dairy cows: influence of heat treatment and glucose addition. *Animal Feed Science and Technology*, 107, 1-4, pp 105-116
<Go to ISI>://000183873200008
- Llewellyn, D.J. (2000)**
Herbicide tolerant forest trees. In *Molecular Biology of Woody Plants* (eds S.M. Jain & S.C. Minocha), Vol. 2, pp. 439-466. Kluwer, Dordrecht,
- Locke, J.M., Bryce, J.H., & Morris, P.C. (2000)**
Contrasting effects of ethylene perception and biosynthesis inhibitors on germination and seedling growth of barley (*Hordeum vulgare* L.). *Journal of Experimental Botany*, 51, 352, pp 1843-1849
<Go to ISI>://000165981900007
- Lodge, D.M. (2004)**
Alien species and evolution: The evolutionary ecology of exotic plants, animals, microbes, and interacting native species. *Nature*, 432, 7015, pp 276-277
<Go to ISI>://000225161400021
- Lombardi, T., Fochetti, T., & Onnis, A. (2000)**
Comparative salt tolerance of two wild *Hordeum* species (*H. maritimum* With. and *H. murinum* L.) from the coast of Tuscany (Italy). *Plant Biosystems*, 134, 3, pp 333-339
<Go to ISI>://000167096200006
- Lookhart, G.L., Bean, S.R., & Jones, B.L. (1999)**
Separation and characterization of barley (*Hordeum vulgare* L.) hordeins by free zone capillary electrophoresis. *Electrophoresis*, 20, 7, pp 1605-1612
<Go to ISI>://000081112900036
- Lorenzin, D., Webb, C., Summers, P.S., & Weretilnyk, E.A. (2001)**
Enzymes of choline synthesis in diverse plants: variation in phosphobase N-methyltransferase activities. *Canadian Journal of Botany-Revue Canadienne De Botanique*, 79, 8, pp 897-904
<Go to ISI>://000170705600005
- Loret, E. & Hammock, B.D. (2001)**
Structure and neurotoxicity of venoms. In *Scorpion Biology and Research* (eds P. Brownell & G. Polis), pp. 204-233. Oxford University Press, New York,
- Losey, F.G. & Engel, N. (2001)**
Isolation and characterization of a urobilinogenoid chlorophyll catabolite from *Hordeum vulgare* L. *Journal of Biological Chemistry*, 276, 12, pp 8643-8647

<Go to ISI>://000167607700006

Louw, S.V., Swart, W.J., Honiball, S.J., & Chen, W. (2002)

Weevil-fungus interaction on *Amaranthus hybridus* (Amaranthaceae) in South Africa. *African Entomology*, 10, 2, pp 361-364
<Go to ISI>://000185153200018

Lovell, S.T., Wax, L.M., Horak, M.J., & Peterson, D.E. (1996)

Imidazolinone and sulfonylurea resistance in a biotype of common waterhemp (*Amaranthus rudis*). *Weed Science*, 44, 4, pp 789-794
<Go to ISI>://A1996WA91300005

Lu, B.R. (2005)

Multi-directional gene flow among wild, weedy and cultivated soybeans. *In Crop Fertility and Volunteerism* (ed J. Gressel). CRC Press, Boca Raton,

Lugo, M.D., Gonzalez, A., & Talbert, R.E. (1995)

Smooth pigweed (*Amaranthus hybrids* L) interference with snap bean (*Phaseolus vulgaris* L) quality. *Journal of Agriculture of the University of Puerto Rico*, 79, 3-4, pp 173-179
<Go to ISI>://A1995TX47000009

Luscher, M., Hochstrasser, U., Boller, T., & Wiemken, A. (2000)

Isolation of sucrose: sucrose 1-fructosyltransferase (1-SST) from barley (*Hordeum vulgare*). *New Phytologist*, 145, 2, pp 225-232
<Go to ISI>://000085597200006

Lutz, W., Sanderson, W., & Scherbov, S. (2001)

The end of world population growth. *Nature*, 412, pp 543-545

Lyapkova, N.S., Loskutova, N.A., Maisuryan, A.N., Mazin, V.V., Korableva, N.P., Platonova, T.A., Ladyzhenskaya, E.P., & Evsyunina, A.S. (2001)

Transformed potato plants carrying the gene of the antifungal peptide of *Amaranthus caudatus*. *Applied Biochemistry and Microbiology*, 37, 3, pp 301-305
<Go to ISI>://000169312100015

Lym, B. (2004)

Understanding orchids: An uncomplicated guide to growing the world's most exotic plants. *Library Journal*, 129, 19, pp 79-79
<Go to ISI>://000225090500195

Lyons, D. & D'Andrea, A.C. (2003)

Griddles, ovens, and agricultural origins: An ethnoarchaeological study of bread baking in highland Ethiopia. *American Anthropologist*, 105, 3, pp 515-530

Lysak, M.A., Cihalikova, J., Kubalakov, M., Simkova, H., Kunzel, G., & Dolezel, J. (1999)

Flow karyotyping and sorting of mitotic chromosomes of barley (*Hordeum vulgare* L.). *Chromosome Research*, 7, 6, pp 431-444
<Go to ISI>://000082776600002

Lysak, M.A., Simkova, H., Kubalakov, M., Lysakov, G., Cihalikova, J., Kunzel, G., & Dolezel, J. (1999)

Flow cytometric analysis and sorting of mitotic chromosomes in barley (*Hordeum vulgare* L.). *Cytogenetics and Cell Genetics*, 85, 1-2, pp P558
<Go to ISI>://000081334900558

Ma, J.F., Taketa, S., Chang, Y.C., Iwashita, T., Matsumoto, H., Takeda, K., & Nomoto, K. (1999)

Genes controlling hydroxylations of phytosiderophores are located on different chromosomes in barley (*Hordeum vulgare* L.). *Planta*, 207, 4, pp 590-596
<Go to ISI>://000078886400015

Ma, J.F., Tamai, K., Ichii, M., & Wu, G.F. (2002)

A rice mutant defective in Si uptake. *Plant Physiology*, 130, pp 2111-2117

Ma, L.G., Zhou, J.L., An, Y., Cui, G.J., Sun, D.Y., & Hiroyoshi, H. (1995)

Effect of Calcium on Phytochrome-Mediated Synthesis of Amaranthin in *Amaranthus-Caudatus* Seedlings. *Chinese Science Bulletin*, 40, 17, pp 1469-1473
<Go to ISI>://A1995RY09800015

Ma, Y., Stewart, D.C., Eglinton, J.K., Logue, S.J., Langridge, P., & Evans, D.E. (2000)

Comparative enzyme kinetics of two allelic forms of barley (*Hordeum vulgare* L.) beta-amylase. *Journal of Cereal Science*, 31, 3, pp 335-344
<Go to ISI>://000087465500012

Mac Nally, R., Fleishman, E., & Murphy, D.D. (2004)

Influence of temporal scale of sampling on detection of relationships between invasive plants and the diversity patterns of plants and butterflies. *Conservation Biology*, 18, 6, pp 1525-1532
<Go to ISI>://000225737300015

Macharia, C. & Peffley, E.B. (1995)

Suppression of *Amaranthus-Spinosus* and *Kochia-Scoparia* - Evidence of Competition or Allelopathy in *Allium-Fistulosum*. *Crop Protection*, 14, 2, pp 155-158
<Go to ISI>://A1995QL54100009

Macias, M., Gamboa, A., Ulloa, M., Toscano, R.A., & Mata, R. (2001)

Phytotoxic naphthopyranone derivatives from the coprophilous fungus *Guanomyces polythrix*. *Phytochemistry*, 58, 5, pp 751-758
<Go to ISI>://000172275400013

Mack, M.C., D'Antonio, C.M., & Ley, R.E. (2001)

Alteration of ecosystem nitrogen dynamics by exotic plants: A case study of C-4 grasses in Hawaii. *Ecological Applications*, 11, 5, pp 1323-1335
<Go to ISI>://000171417700007

MacKay, J.J., O'Malley, D.M., Presnell, T., Booker, F.L., Campbell, M.M., Whetten, R.W., & Sederoff, R.R. (1998)

Inheritance, gene expression, and lignin characterization in a mutant pine deficient in cinnamyl alcohol dehydrogenase. *Proceedings of the National Academy of Science, USA*, 94, pp 8255-8260

MacQuarrie, K. & Lacroix, C. (2003)

The upland hardwood component of Prince Edward Island's remnant Acadian forest: determination of depth of edge and patterns of exotic plant invasion. *Canadian Journal of Botany-Revue Canadienne De Botanique*, 81, 11, pp 1113-1128
<Go to ISI>://000187035700008

Madsen, K.H., Valverde, B.E., & Jensen, J.E. (2002)

Risk assessment of herbicide-resistant crops: A Latin American perspective using rice (*Oryza sativa*) as a model. *Weed Technology*, 16, pp 215-223

Maertens, K.D., Sprague, C.L., Tranel, P.J., & Hines, R.A. (2004)

Amaranthus hybridus populations resistant to triazine and acetolactate synthase-inhibiting herbicides. *Weed Research*, 44, 1, pp 21-26
<Go to ISI>://000188456800003

Maestri, E., Malcevski, A., Massari, A., & Marmioli, N. (2002)

Genomic analysis of cultivated barley (*Hordeum vulgare*) using sequence-tagged molecular markers. Estimates of divergence based on RFLP and PCR markers derived from stress-responsive genes, and simple-sequence repeats (SSRs). *Molecular Genetics and Genomics*, 267, 2, pp 186-201
<Go to ISI>://000175885800007

Mahajan, A. & Dua, S. (2002)

Salts and pH induced changes in functional properties of amaranth (*Amaranthus tricolor* L.) seed meal. *Cereal Chemistry*, 79, 6, pp 834-837
<Go to ISI>://000179093500017

Maharwal, J., Samarth, R.M., & Saini, M.R. (2003)

Radiomodulatory influence of Rajgira (*Amaranthus paniculatus*) leaf extract in Swiss albino mice. *Phytotherapy Research*, 17, 10, pp 1150-1154
<Go to ISI>://000187666100005

Maikhuri, R.K., Semwal, R.L., Rao, K.S., Nautiyal, S., & Saxena, K.G. (2000)

Cleome viscosa, Capparidaceae: A weed or a cash crop? *Economic Botany*, 54, 2, pp 150-154

Majumder, N.D., Ram, T., & Sharma, A.C. (1997)

Cytological and morphological variation in hybrid swarms and introgressed population of interspecific hybrids (*Oryza rufipogon* Griff. x *Oryza sativa* L.) and its impact on evolution of intermediate types. *Euphytica*, 94, pp 295-302

Makino, A., Sakuma, H., Sudo, E., & Mae, T. (2003)

Differences between maize and rice in N-use efficiency for photosynthesis and protein allocation. *Plant and Cell Physiology*, 44, 9, pp 952-956
<Go to ISI>://000185598900010

Malathi, K., Padmanaban, G., Rao, S.L.N., & Saram, P.S. (1967)

Studies on the biosynthesis of beta-N-oxalyl-L-alpha, beta-diaminopropionic acid, the *L. sativus* neurotoxin. *Biochim. Biophys. Acta*, 141, pp 71-78

Maldonado, G., Gorocica, P., Agundis, C., Perez, A., Molina, J., & Zenteno, E. (1998)

Inhibition of phagocytic activity by the N-acetyl-D- galactosamine-specific lectin from *Amaranthus leucocarpus*. *Glycoconjugate Journal*, 15, 6, pp 615-622
<Go to ISI>://000075370900011

Maldonado, G. (1998)

Inhibition of phagocytic activity by the N-acetyl-D- galactosamine-specific lectin from *Amaranthus leucocarpus* (vol 15, pg 615, 1998). *Glycoconjugate Journal*, 15, 9, pp 941-941
<Go to ISI>://000078632400014

Maliga, P. (2004)

Plastid transformation in higher plants. *Annual Review of Plant Biology*, 55, pp 289-313

Maluf, A.M. (1999)

Interspecific interference between *Amaranthus hybridus* L-and *Amaranthus viridis* L. *Pesquisa Agropecuaria Brasileira*, 34, 5, pp 723-732
<Go to ISI>://000080989700001

Maluf, A.M. (1999)

Intraspecific competition between *Amaranthus hybridus* L. and *A- viridis* L. *Pesquisa Agropecuaria Brasileira*, 34, 8, pp 1319-1325
<Go to ISI>://000082981100001

Malysheva, L., Ganal, M.W., & Roder, M.S. (2004)

Evaluation of cultivated barley (*Hordeum vulgare*) germplasm for the presence of thermostable alleles of beta-amylase. *Plant Breeding*, 123, 2, pp 128-131
<Go to ISI>://000220707800005

Mamo, T. & Parsons, J.W. (1987)

Iron Nutrition of *Eragrostis-Tef* (Teff). *Tropical Agriculture*, 64, 4, pp 313-317
<Go to ISI>://A1987K272500010

Mamo, T. & Parsons, J.W. (1987)

Phosphorus Micronutrient Interactions in Teff (*Eragrostis-Tef*). *Tropical Agriculture*, 64, 4, pp 309-312
<Go to ISI>://A1987K272500009

Mamo, T., Richter, C., & Hoppenstedt, A. (1996)

Phosphorus response studies on some varieties of durum wheat (*Triticum durum* Desf) and tef (*Eragrostis tef* (Zucc) Trotter) grown in sand culture. *Journal of Agronomy and Crop Science-Zeitschrift Fur Acker Und Pflanzenbau*, 176, 3, pp 189-197
<Go to ISI>://A1996UV30400007

Manan, J.K., Kulkarni, S.G., Bisht, H.C., & Shukla, I.C. (1998)

Preparation, packaging and storage of amaranthus seed-based traditional sweetmeats. *Journal of Food Science and Technology-Mysore*, 35, 2, pp 160-163
<Go to ISI>://000074000300012

Mandal, M. & Mukherji, S. (2001)

A study on the activities of a few free radicals scavenging enzymes present in five roadside plants. *Journal of Environmental Biology*, 22, 4, pp 301-305
<Go to ISI>://000171256800014

Manley, B.S., Hatzios, K.K., & Wilson, H.P. (1999)

Absorption, translocation, and metabolism of chlorimuron and nicosulfuron in imidazolinone-resistant and -susceptible smooth pigweed (*Amaranthus hybridus*). *Weed Technology*, 13, 4, pp 759-764
<Go to ISI>://000084922800014

Manley, B.S., Singh, B.K., Shaner, D.L., & Wilson, H.P. (1999)

Imidazolinone resistance in smooth pigweed (*Amaranthus hybridus*) is due to an altered acetolactate synthase. *Weed Technology*, 13, 4, pp 697-705
<Go to ISI>://000084922800005

Manley, B.S., Wilson, H.P., & Hines, T.E. (1996)

Smooth pigweed (*Amaranthus hybridus*) and livid amaranth (*A- lividus*) response to several imidazolinone and sulfonylurea herbicides. *Weed Technology*, 10, 4, pp 835-841
<Go to ISI>://A1996WD96900024

Manley, B.S., Wilson, H.P., & Hines, T.E. (2001)

Weed management and crop rotations influence populations of several broadleaf weeds. *Weed Science*, 49, 1, pp 106-122
<Go to ISI>://000175241300015

Manninen, O.M. (2000)

Associations between anther-culture response and molecular markers on chromosomes 2H, 3H and 4H of barley (*Hordeum vulgare* L.). *Theoretical and Applied Genetics*, 100, 1, pp 57-62
<Go to ISI>://000084693200008

Manning, P., Putwain, P.D., & Webb, N.R. (2004)

Identifying and modelling the determinants of woody plant invasion of lowland heath. *Journal of Ecology*, 92, 5, pp 868-881
<Go to ISI>://000223906500014

Mano, Y., Kawasaki, S., Takaiwa, F., & Komatsuda, T. (2001)

Construction of a genetic map of barley (*Hordeum vulgare* L.) cross 'Azumamugi' x 'Kanto Nakate Gold' using a simple and efficient amplified fragment-length polymorphism system. *Genome*, 44, 2, pp 284-292
<Go to ISI>://000167907800017

Mano, Y. & Komatsuda, T. (2002)

Identification of QTLs controlling tissue-culture traits in barley (*Hordeum vulgare* L.). *Theoretical and Applied Genetics*, 105, 5, pp 708-715
<Go to ISI>://000178992700009

Mano, Y., Sayed-Tabatabaei, B.E., Graner, A., Blake, T., Takaiwa, F., Oka, S., & Komatsuda, T. (1999)

Map construction of sequence-tagged sites (STSs) in barley (*Hordeum vulgare* L.). *Theoretical and Applied Genetics*, 98, 6-7, pp 937-946
<Go to ISI>://000080534000011

Manoharan, M. & Dahleen, L.S. (2002)

Genetic transformation of the commercial barley (*Hordeum vulgare* L.) cultivar Conlon by particle bombardment of callus. *Plant Cell Reports*, 21, 1, pp 76-80
<Go to ISI>://000177451100013

Mao, L.X., Henderson, G., & Laine, R.A. (2004)

Germination of various weed species in response to vetiver oil and nootkatone. *Weed Technology*, 18, 2, pp 263-267
<Go to ISI>://000222194700011

Mapes, C., Basurto, F., & Bye, R. (1997)

Ethnobotany of quintonil: Knowledge, use and management of edible greens *Amaranthus* spp. (*Amaranthaceae*) in the Sierra Norte de Puebla, Mexico. *Economic Botany*, 51, 3, pp 293-306
<Go to ISI>://A1997XX87000007

Mapes, C., Caballero, J., Espitia, E., & Bye, R.A. (1996)

Morphophysiological variation in some Mexican species of vegetable *Amaranthus*: Evolutionary tendencies under domestication. *Genetic Resources and Crop Evolution*, 43, 3, pp 283-290
<Go to ISI>://A1996UT84600010

Marambe, B. (2005)

Properties of rice growing in abandoned paddies in Sri Lanka. *In Crop Fertility and Volunteerism* (ed J. Gressel). CRC Press, Boca Raton,

Marchais, L. (1994)

Wild pearl millet population (*Pennisetum glaucum*, Poaceae) integrity in agricultural Sahelian areas. An example from Keita (Niger). *Plant Syst. Evol.*, 189, pp 233-245

Marchetti, S., Zaina, G., Chiaba, C., Pappalardo, C., & Pitotti, A. (2001)

Isolation and characterization of an endonuclease synthesized by barley (*Hordeum vulgare* L.) uninucleate microspores. *Planta*, 213, 2, pp 199-206
<Go to ISI>://000170120900005

Marcone, M.F. (1999)

Evidence confirming the existence of a 7S globulin-like storage protein in *Amaranthus hypochondriacus* seed. *Food Chemistry*, 65, 4, pp 533-542
<Go to ISI>://000079598200018

Marcone, M.F. (2000)

First report of the characterization of the threatened plant species *Amaranthus pumilus* (seabeach amaranth). *Journal of Agricultural and Food Chemistry*, 48, 2, pp 378-382
<Go to ISI>://000085510000041

Marcone, M.F. (2001)

Starch properties of *Amaranthus pumilus* (seabeach amaranth): a threatened plant species with potential benefits for the breeding/amelioration of present *Amaranthus* cultivars. *Food Chemistry*, 73, 1, pp 61-66
<Go to ISI>://000167397600009 and <http://www.botanischergarten.ch/Feral-New/Marccone-Amaranth-Food-Chem-2001.pdf>

Marccone, M.F. (2002)

A Non-DNA-Based marker technique to differentiate between *Amaranthus pumilus* (a federally protected, threatened plant species) from among more common amaranth cultivars. *Journal of Food Composition and Analysis*, 15, 1, pp 115-119
<Go to ISI>://000174807500011

Marccone, M.F., Beniac, D.R., Harauz, G., & Yada, R.Y. (1994)

Quaternary Structure and Model for the Oligomeric Seed Globulin from *Amaranthus-Hypochondriacus* K343. *Journal of Agricultural and Food Chemistry*, 42, 12, pp 2675-2678
<Go to ISI>://A1994PY23100005

Marccone, M.F., Jahaniaval, F., Aliee, H., & Kakuda, Y. (2003)

Chemical characterization of *Achyranthes bidentata* seed. *Food Chemistry*, 81, 1, pp 7-12
<Go to ISI>://000181479600002

Marccone, M.F., Kakuda, Y., & Yada, R.Y. (2003)

Amaranth as a rich dietary source of beta-sitosterol and other phytosterols. *Plant Foods for Human Nutrition*, 58, 3, pp 207-211
<Go to ISI>://000223473500002

Marccone, M.F., Niekamp, F.K., Lemaguer, M., & Yada, R.Y. (1994)

Purification and Characterization of the Physicochemical Properties of the Albumin Fraction from the Seeds of *Amaranthus-Hypochondriacus*. *Food Chemistry*, 51, 3, pp 287-294
<Go to ISI>://A1994PH49900007

Marccone, M.F. & Yada, R.Y. (1997)

Sulfhydryl and disulfide groups of the oligomeric seed globulin from *Amaranthus hypochondriacus* K343. *Journal of Food Biochemistry*, 21, 4, pp 255-272
<Go to ISI>://A1997YH17600001

Marccone, M.F. & Yada, R.Y. (1998)

Structural analysis of globulins isolated from genetically different *Amaranthus* hybrid lines. *Food Chemistry*, 61, 3, pp 319-326
<Go to ISI>://000072885400008

Mariam, A.L., Zakri, A.H., Mahani, M.C., & Normah, M.N. (1996)

Interspecific hybridization of cultivated rice, *Oryza sativa* L. with the wild rice, *O. minuta* Presl. *Theoretical and Applied Genetics*, 93, pp 664-671

Mariani, C., Debeuckeleer, M., Truettner, J., Leemans, J., & Goldberg, R.B. (1990)

Induction of male sterility in plants by a chimeric ribonuclease gene. *Nature*, 347, 6295, pp 737-741

Marin, C., Fernandez-Ramos, C., Entrala, E., Quesada, J.M., & Sanchez-Moreno, M. (2000)

Biochemical characterization of a trypanosomatid isolated from the plant *Amaranthus retroflexus*. *Memorias Do Instituto Oswaldo Cruz*, 95, 5, pp 641-647
<Go to ISI>://000089234600010

Markham, K.R. & Mitchell, K.A. (2003)

The mis-identification of the major antioxidant flavonoids in young barley (*Hordeum vulgare*) leaves. *Zeitschrift Fur Naturforschung C-a Journal of Biosciences*, 58, 1-2, pp 53-56
<Go to ISI>://000181785600009

Maron, J.L. & Vila, M. (2001)

When do herbivores affect plant invasion? Evidence for the natural enemies and biotic resistance hypotheses. *Oikos*, 95, 3, pp 361-373
<Go to ISI>://000173729000001

Marshall, F. (2001)

Agriculture and use of wild and weedy greens by the Piik ap Oom Okiek of Kenya. *Economic Botany*, 55, 1, pp 32-46
<Go to ISI>://000168300000006

Martin, A., Rubiales, D., & Cabrera, A. (1998)

Meiotic pairing in a trigeneric hybrid *Triticum tauschii* *Agropyron cristatum* *Hordeum chilense*. *Hereditas*, 129, 2, pp 113-118
<Go to ISI>://000078545500003

Martin, A., Rubiales, D., & Cabrera, A. (1999)

A fertile amphiploid between a wild barley (*Hordeum chilense*) and crested wheatgrass (*Agropyron cristatum*). *International Journal of Plant Sciences*, 160, 4, pp 783-786
<Go to ISI>://000081638200017

- Martin, A.C., Zim, H.S., & Nelson, A.L. (1961)**
American Wildlife Plants Dover Publications, New York, USA, pp
- Martin, S.G., Van Acker, R.C., & Friesen, L.F. (2001)**
Critical period of weed control in spring canola. *Weed Science*, 49, 3, pp 326-333
<Go to ISI>://000175241600004
- Martineau, B. (2001)**
First fruit: The creation of the Flavr Savr (TM) tomato McGraw-Hill, New-York, pp
- Martinez, E., Carbonell, M.V., & Amaya, J.M. (2000)**
A static magnetic field of 125 mT stimulates the initial growth stages of barley (*Hordeum vulgare* L.). *Electro- and Magnetobiology*, 19, 3, pp 271-277
<Go to ISI>://000165724100002
- Martinez, M., Rubio-Somoza, I., Carbonero, P., & Diaz, I. (2003)**
A cathepsin B-like cysteine protease gene from *Hordeum vulgare* (gene CatB) induced by GA in aleurone cells is under circadian control in leaves. *Journal of Experimental Botany*, 54, 384, pp 951-959
<Go to ISI>://000181514700009
- Martins, J.C., Enassar, M., Willem, R., Wieruzeski, J.M., Lippens, G., & Wodak, S.J. (2001)**
Solution structure of the main alpha-amylase inhibitor from amaranth seeds. *European Journal of Biochemistry*, 268, 8, pp 2379-2389
<Go to ISI>://000168255900023
- Martins, J.C., Maes, D., Loris, R., Pepermans, H.A.M., Wyns, L., Willem, R., & Verheyden, P. (1996)**
H-1 NMR study of the solution structure of Ac-AMP2, a sugar binding antimicrobial protein isolated from *Amaranthus caudatus*. *Journal of Molecular Biology*, 258, 2, pp 322-333
<Go to ISI>://A1996UH33000010
- Mas, M.T. & Verdu, A.M.C. (2002)**
Effects of thermal shocks on the germination of *Amaranthus retroflexus*. Use of the EXCEL Solver tool to model cumulative germination. *Seed Science and Technology*, 30, 2, pp 299-310
<Go to ISI>://000177125600006
- Masabni, J.G. & Zandstra, B.H. (2000)**
Physiological characteristics of linuron-resistant *Portulaca oleracea*. *Weed Science*, 48, 4, pp 420-425
<Go to ISI>://000088629700004
- Massinga, R.A. & Currie, R.S. (2002)**
Impact of palmer amaranth (*Amaranthus palmeri*) on corn (*Zea mays*) grain yield and yield and quality of forage. *Weed Technology*, 16, 3, pp 532-536
<Go to ISI>://000178084300009
- Massinga, R.A., Currie, R.S., Horak, M.J., & Boyer, J. (2001)**
Interference of Palmer amaranth in corn. *Weed Science*, 49, 2, pp 202-208
<Go to ISI>://000175241500010
- Massinga, R.A., Currie, R.S., & Trooien, T.P. (2003)**
Water use and light interception under Palmer amaranth (*Amaranthus palmeri*) and corn competition. *Weed Science*, 51, 4, pp 523-531
<Go to ISI>://000184390400007
- Masters, R.A. & Sheley, R.L. (2001)**
Principles and practices for managing rangeland invasive plants. *Journal of Range Management*, 54, 5, pp 502-517
<Go to ISI>://000170823700001
- Masuno, M.N., Pawlik, J.R., & Molinski, T.F. (2004)**
Phorbasterones A-D, cytotoxic Nor-ring a steroids from the sponge *Phorbos amaranthus*. *Journal of Natural Products*, 67, 4, pp 731-733
<Go to ISI>://000221001000041
- Mata, R., Bye, R., Linares, E., Macias, M., Rivero-Cruz, I., Perez, O., & Timmermann, B.N. (2003)**
Phytotoxic compounds from *Flourensia cernua*. *Phytochemistry*, 64, 1, pp 285-291
<Go to ISI>://000185373000027
- Mata, R., Rivero-Cruz, I., Rivero-Cruz, B., Bye, R., & Timmermann, B.N. (2002)**
Sesquiterpene lactones and phenylpropanoids from *Cosmos pringlei*. *Journal of Natural Products*, 65, 7, pp 1030-1032
<Go to ISI>://000177226800017

- Mathegaspar, G. (1993)**
Examinations on the Germination of Amaranthus Species. *Novenytermeles*, 42, 3, pp 265-273
<Go to ISI>://A1993MF32200007
- Mathe-Gaspar, G. (2001)**
Green yield and drought tolerance of amaranthus lines. *Novenytermeles*, 50, 4, pp 431-439
<Go to ISI>://000173396300006
- Matsiliza, B. & Botha, C.E.J. (2002)**
Aphid (Sitobion yakini) investigation suggests thin-walled sieve tubes in barley (*Hordeum vulgare*) to be more functional than thick-walled sieve tubes. *Physiologia Plantarum*, 115, 1, pp 137-143
<Go to ISI>://000175895400016
- Matsui, K., Mano, Y., Taketa, S., Kawada, N., & Komatsuda, T. (2001)**
Molecular mapping of a fertility restoration locus (Rfm1) for cytoplasmic male sterility in barley (*Hordeum vulgare* L.). *Theoretical and Applied Genetics*, 102, 4, pp 477-482
<Go to ISI>://000167665500003
- Matsui, T., Omasa, K., & Horie, T. (2000)**
Anther dehiscence in two-rowed barley (*Hordeum distichum*) triggered by mechanical stimulation. *Journal of Experimental Botany*, 51, 348, pp 1319-1321
<Go to ISI>://000088519300017
- Matsui, T., Omasa, K., & Horie, T. (2000)**
Mechanism of septum opening in anthers of two-rowed barley (*Hordeum vulgare* L.). *Annals of Botany*, 86, 1, pp 47-51
<Go to ISI>://000088050300005
- Matsui, T., Omasa, K., & Horie, T. (2000)**
Rapid swelling of pollen grains in the dehiscing anther of two-rowed barley (*Hordeum distichum* L. emend. LAM.). *Annals of Botany*, 85, 3, pp 345-350
<Go to ISI>://000085629700006
- Mathews, N., Powles, S.B., & Preston, C. (2000)**
Mechanisms of resistance to acetyl-coenzyme A carboxylase-inhibiting herbicides in a *Hordeum leporinum* population. *Pest Management Science*, 56, 5, pp 441-447
<Go to ISI>://000086553000009
- Matus, I., Corey, A., Filichkin, T., Hayes, P.M., Vales, M.I., Kling, J., Riera-Lizarazu, O., Sato, K., Powell, W., & Waugh, R. (2003)**
Development and characterization of recombinant chromosome substitution lines (RCSLs) using *Hordeum vulgare* subsp. *spontaneum* as a source of donor alleles in a *Hordeum vulgare* subsp. *vulgare* background. *Genome*, 46, 6, pp 1010-1023
<Go to ISI>://000187876500016
- Matuz, J., Bartok, T., Morocz-Salamon, K., & Bona, L. (2000)**
Structure and potential allergenic character of cereal proteins - I. Protein content and amino acid composition. *Cereal Research Communications*, 28, 3, pp 263-270
<Go to ISI>://000165107900007
- Maucher, H., Hause, B., Feussner, I., Ziegler, J., & Wasternack, C. (2000)**
Allene oxide synthases of barley (*Hordeum vulgare* cv. Salome): tissue specific regulation in seedling development. *Plant Journal*, 21, 2, pp 199-213
<Go to ISI>://000085607300008
- Maucher, H., Stenzel, I., Miersch, O., Stein, N., Prasad, M., Zierold, U., Schweizer, P., Dorer, C., Hause, B., & Wasternack, C. (2004)**
The allene oxide cyclase of barley (*Hordeum vulgare* L.) - cloning and organ-specific expression. *Phytochemistry*, 65, 7, pp 801-811
<Go to ISI>://000221135300004
- May, R.M. (1977)**
Exploiting Exotic Plants. *Nature*, 265, 5591, pp 209-210
<Go to ISI>://A1977CS63400015
- Mayo, C.M., Horak, M.J., Peterson, D.E., & Boyer, J.E. (1995)**
Differential Control of 4 Amaranthus Species by 6 Postemergence Herbicides in Soybean (*Glycine-Max*). *Weed Technology*, 9, 1, pp 141-147
<Go to ISI>://A1995QQ42600023
- Mbiapo, F. & Moundipa, P.F. (1993)**
Hepatic-Microsomal Drug-Metabolizing Enzyme in Aflatoxin B1-Treated Rats after Feeding Vegetable Diet *Amaranthus-Hybridus*. *Nutrition Research*, 13, 8, pp 941-951

<Go to ISI>://A1993LQ41800010

McCormac, D., Boinski, J.J., Ramsperger, V.C., & Berry, J.O. (1997)

C-4 gene expression in photosynthetic and nonphotosynthetic leaf regions of *Amaranthus tricolor*. *Plant Physiology*, 114, 3, pp 801-815

<Go to ISI>://A1997XK77400006

McCormac, D.J., Litz, H., Wang, J.X., Gollnick, P.D., & Berry, J.O. (2001)

Light-associated and processing-dependent protein binding to 5' regions of *rbcl* mRNA in the chloroplasts of a C-4 plant. *Journal of Biological Chemistry*, 276, 5, pp 3476-3483

<Go to ISI>://000166784900064

McDaniel, B. & Boe, A. (1990)

A New Host Record for *Eurytomocharis-Eragrostidis* Howard (Chalcidoidea, Eurytomidae) Infesting *Eragrostis Tef* in South-Dakota. *Proceedings of the Entomological Society of Washington*, 92, 3, pp 465-470

<Go to ISI>://A1990DU78900012

McIntyre, B.D., Bouldin, D.R., Urey, G.H., & Kizito, F. (2001)

Modeling cropping strategies to improve human nutrition in Uganda. *Agricultural Systems*, 67, 2, pp 105-120

<Go to ISI>://000166946000003

McIntyre, S. & Lavorel, S. (1994)

Predicting Richness of Native, Rare, and Exotic Plants in Response to Habitat and Disturbance Variables across a Variegated Landscape. *Conservation Biology*, 8, 2, pp 521-531

<Go to ISI>://A1994NN16500026

McKell, C. (1983)

Genetic resources of unexploited native plants. *Plant Molecular Biology Reporter*, 1, pp 89

McKenzie, M.J., Jameson, P.E., & Poulter, R.T.M. (1994)

Cloning an *ipt* gene from *Agrobacterium tumefaciens*: characterization of cytokinins in derivative transgenic plant tissue. *Plant Growth Regulation*, 14, pp 217-228

McLachlan, S.M., Murphy, S.D., Tollenaar, M., Weise, S.F., & Swanton, C.J. (1995)

Light Limitation of Reproduction and Variation in the Allometric Relationship between Reproductive and Vegetative Biomass in *Amaranthus-Retroflexus* (Redroot Pigweed). *Journal of Applied Ecology*, 32, 1, pp 157-165

<Go to ISI>://A1995QL81700016

McLachlan, S.M., Swanton, C.J., Weise, S.F., & Tollenaar, M. (1993)

Effect of Corn-Induced Shading and Temperature on Rate of Leaf Appearance in Redroot Pigweed (*Amaranthus-Retroflexus* L.). *Weed Science*, 41, 4, pp 590-593

<Go to ISI>://A1993MV70800012

McLachlan, S.M., Tollenaar, M., Swanton, C.J., & Weise, S.F. (1993)

Effect of Corn-Induced Shading on Dry-Matter Accumulation, Distribution, and Architecture of Redroot Pigweed (*Amaranthus-Retroflexus*). *Weed Science*, 41, 4, pp 568-573

<Go to ISI>://A1993MV70800009

McPartlan, H.C. & Dale, P.J. (1994)

An assessment of gene transfer by pollen from field-grown transgenic potatoes to non-transgenic potatoes and related species. *Transgenic Res*, 3, pp 216-225

Mehta, S.L., Santha, I.M., Yadav, V.K., Roy, P.K., & Barat, G.K. (1991)

Plant biotechnological approaches for elimination of oxalyl diaminopropionic acid neurotoxin from *Lathyrus sativus*. In *Proceedings golden jubilee celebrations symposium on grain legumes* (ed B. Sharma), pp. 325-332. Indian Society of Genetics and Plant Breeding, New Delhi,

Meiners, S.J., Pickett, S.T.A., & Cadenasso, M.L. (2001)

Effects of plant invasions on the species richness of abandoned agricultural land. *Ecography*, 24, 6, pp 633-644

<Go to ISI>://000173491900002

Meiners, S.J., Pickett, S.T.A., & Cadenasso, M.L. (2002)

Exotic plant invasions over 40 years of old field successions: community patterns and associations. *Ecography*, 25, 2, pp 215-223

<Go to ISI>://000174928500009

Mekbib, F., Mantell, S.H., & BuchananWollaston, V. (1997)

Callus induction and in vitro regeneration of Tef *Eragrostis tef* (Zucc.) Trotter from leaf. *Journal of Plant Physiology*, 151, 3, pp 368-372
<Go to ISI>://A1997XY68500018

Melaku, S., Peters, K.J., & Tegegne, A. (2003)

In vitro and in situ evaluation of selected multipurpose trees, wheat bran and *Lablab purpureus* as potential feed supplements to tef (*Eragrostis tef*) straw. *Animal Feed Science and Technology*, 108, 1-4, pp 159-179
<Go to ISI>://000184320100012

Menalled, F.D., Liebman, M., & Buhler, D.D. (2004)

Impact of composted swine manure and tillage on common waterhemp (*Amaranthus rudis*) competition with soybean. *Weed Science*, 52, 4, pp 605-613
<Go to ISI>://000222859200018

Mencuccini, M., Micheli, M., Angiolillo, A., & Baldoni, L. (1999)

Genetic transformation of olive (*Olea europaea* L.) using *Agrobacterium tumefaciens*. *Acta Horticulturae*, 474, pp 515-520

Meng, Y.L., Wang, Y.M., Zhang, D.B., & Nii, N. (2001)

Isolation of a choline monoxygenase cDNA clone from *Amaranthus tricolor* and its expressions under stress conditions. *Cell Research*, 11, 3, pp 187-193
<Go to ISI>://000172530900003

Mengesha, M.H. (1966)

Chemical Composition of Teff(*Eragrostis Tef*) Compared with That of Wheat Barley and Grain Sorghum. *Economic Botany*, 20, 3, pp 268-&
<Go to ISI>://A19668446800007

Mengesha, M.H. & Guard, A.T. (1966)

Development of Embryo Sac and Embryo of Teff *Eragrostis Tef*. *Canadian Journal of Botany*, 44, 8, pp 1071-&
<Go to ISI>://A19668172800006

Mennan, H. & Isik, D. (2003)

Invasive weed species in onion production systems during the last 25 years in Amasya, Turkey. *Pakistan Journal of Botany*, 35, 2, pp 155-160
<Go to ISI>://000186104200005

Mer, R.K., Prajith, P.K., Pandya, D.H., & Pandey, A.N. (2000)

Effect of salts on germination of seeds and growth of young plants of *Hordeum vulgare*, *Triticum aestivum*, *Cicer arietinum* and *Brassica juncea*. *Journal of Agronomy and Crop Science-Zeitschrift Fur Acker Und Pflanzenbau*, 185, 4, pp 209-217
<Go to ISI>://000165669300001

Mersie, W. (1995)

Absorption, Translocation, and Fate of Propyzamide in Witloof Chicory (*Cichorium-Intybus* L) and Common Amaranth (*Amaranthus- Retroflexus* L). *Weed Research*, 35, 1, pp 15-18
<Go to ISI>://A1995RA78900003

Mersie, W. & Parker, C. (1983)

Response of Teff (*Eragrostis-Tef* (Zucc) Trotter) to 2,4-D and Mcpa at Various Growth-Stages. *Weed Research*, 23, 1, pp 53-59
<Go to ISI>://A1983PZ98900007

Miah, M.Y. & Chino, M. (1999)

Observation of element distribution in potassium deficient barley (*Hordeum vulgare* L.) leaf by energy dispersive X-ray fluorescence analysis. *Botanical Bulletin of Academia Sinica*, 40, 2, pp 135-140
<Go to ISI>://000080165900005

Michalek, W., Kunzel, G., & Graner, A. (1999)

Sequence analysis and gene identification in a set of mapped RFLP markers in barley (*Hordeum vulgare*). *Genome*, 42, 5, pp 849-853
<Go to ISI>://000083580400007

Mickelson, S., See, D., Meyer, F.D., Garner, J.P., Foster, C.R., Blake, T.K., & Fischer, A.M. (2003)

Mapping of QTL associated with nitrogen storage and remobilization in barley (*Hordeum vulgare* L.) leaves. *Journal of Experimental Botany*, 54, 383, pp 801-812
<Go to ISI>://000180964000021

Miersch, I., Heise, J., Zelmer, I., & Humbeck, K. (2000)

Differential degradation of the photosynthetic apparatus during leaf senescence in barley (*Hordeum vulgare* L.). *Plant Biology*, 2, 6, pp 618-623
<Go to ISI>://000166199900007

Migliore, L., Civitareale, C., Brambilla, G., Cozzolino, S., Casoria, P., & Gaudio, L. (1997)

Effects of sulphadimethoxine on cosmopolitan weeds (*Amaranthus retroflexus* L., *Plantago major* L. and *Rumex acetosella* L.). *Agriculture Ecosystems & Environment*, 65, 2, pp 163-168
<Go to ISI>://A1997YH88000007

Mihail, J.D. & Champaco, E.R. (1993)

Diseases of *Amaranthus*-Spp Caused by *Pythium-Aphanidermatum* and *Macrophomina-Phaseolina*. *Canadian Journal of Botany-Revue Canadienne De Botanique*, 71, 9, pp 1219-1223
<Go to ISI>://A1993ME71000011

Milstein, O., Bechar, A., Shragina, L., & Gressel, J. (1987)

Solar pasteurization of straw for nutritional upgrading and as a substrate for ligninolytic organisms. *Biotech Letters*, 9, pp 269-274

Milstein, O., Vered, Y., Sharma, A., Gressel, J., & Flowers, H.M. (1986)

Heat and microbial treatments for nutritional upgrading of wheat straw. *Biotech. Bioeng.*, 28, pp 381-386

Mishra, K. & Singh, R.R. (1999)

Nickel genotoxicity assessment in *Hordeum vulgare*. *Journal of Environmental Biology*, 20, 1, pp 71-72
<Go to ISI>://000079334700013

Mitchell, C.E. & Power, A.G. (2003)

Release of invasive plants from fungal and viral pathogens. *Nature*, 421, 6923, pp 625-627
<Go to ISI>://000180803200040

Mitich, L.W. (1997)

Redroot pigweed (*Amaranthus retroflexus*). *Weed Technology*, 11, 1, pp 199-202
<Go to ISI>://A1997WX37900034

Mnzava, N., Dearing, J., Guarino, L., & Chweya, J. (1999).

Bibliography of the genetic resources of traditional African vegetables. Neglected leafy green vegetable crops in Africa Vol. 2, International Plant Genetic Resources Institute, pp 117 Neglected leafy green vegetable crops in Africa Vol. 2 Rome.
<http://www.botanischergarten.ch/Feral-New/Mnzava-Trad-Afr-Veg-IPGRI-FAO-1999.pdf>

Moechnig, M.J., Boerboom, C.M., Stoltenberg, D.E., & Binning, L.K. (2003)

Growth interactions in communities of common lambsquarters (*Chenopodium album*), giant foxtail (*Setaria faberi*), and corn. *Weed Science*, 51, 3, pp 363-370
<Go to ISI>://000183094600013

Moechnig, M.J., Stoltenberg, D.E., Boerboom, C.M., & Binning, L.K. (2003)

Empirical corn yield loss estimation from common lambsquarters (*Chenopodium album*) and giant foxtail (*Setaria faberi*) in mixed communities. *Weed Science*, 51, 3, pp 386-393
<Go to ISI>://000183094600016

Moller, M. & Smith, M.L. (1999)

The effects of priming treatments using seaweed suspensions on the water sensitivity of barley (*Hordeum vulgare* L.) caryopses. *Annals of Applied Biology*, 135, 2, pp 515-521
<Go to ISI>://000084370500009

Moller, M.G., Taylor, C., Rasmussen, S.K., & Holm, P.B. (2003)

Molecular cloning and characterisation of two genes encoding asparagine synthetase in barley (*Hordeum vulgare* L.). *Biochimica Et Biophysica Acta-Genes Structure and Expression*, 1628, 2, pp 123-132
<Go to ISI>://000184560600006

Molnar-Lang, M., Linc, G., Logojan, A., & Sutka, J. (2000)

Production and meiotic pairing behaviour of new hybrids of winter wheat (*Triticum aestivum*) x winter barley (*Hordeum vulgare*). *Genome*, 43, 6, pp 1045-1054
<Go to ISI>://000165677600017

Monostori, T., Schulze, J., Sharma, V.K., Maucher, H., Wasternack, C., & Hause, B. (2003)

Novel plasmid vectors for homologous transformation of barley (*Hordeum vulgare* L.) with JIP23 cDNA in sense and antisense orientation. *Cereal Research Communications*, 31, 1-2, pp 17-24
<Go to ISI>://000183156300002

Montane, M.H., Petzold, B., & Kloppstech, K. (1999)

Formation of early-light-inducible-protein complexes and status of xanthophyll levels under high light and cold stress in barley (*Hordeum vulgare* L.). *Planta*, 208, 4, pp 519-527
<Go to ISI>://000081090100008

Moody, M.E. & Mack, R.N. (1988)

Controlling the spread of plant invasions: the importance of nascent foci. *Journal of Applied Ecology*, 25, pp 1009 -1021

- Moore, J.W., Murray, D.S., & Westerman, R.B. (2004)**
Palmer amaranth (*Amaranthus palmeri*) effects on the harvest and yield of grain sorghum (*Sorghum bicolor*). *Weed Technology*, 18, 1, pp 23-29
<Go to ISI>://000220684800004
- Moorthy, S.N. (2002)**
Physicochemical and functional properties of tropical tuber starches: A review. *Starch-Starke*, 54, 12, pp 559-592
- Moreno, D.M., Nunez-Farfan, J., Terrazas, T., Muiz, L.D., Trinidad-Santos, A., Trejo, C., & Larque-Saavedra, A. (1999)**
Plastic responses to clipping in two species of *Amaranthus* from the Sierra Norte de Puebla, Mexico. *Genetic Resources and Crop Evolution*, 46, 3, pp 225-234
<Go to ISI>://000081066600004
- Morgan, G.D., Baumann, P.A., & Chandler, J.M. (2001)**
Competitive impact of Palmer amaranth (*Amaranthus palmeri*) on cotton (*Gossypium hirsutum*) development and yield. *Weed Technology*, 15, 3, pp 408-412
<Go to ISI>://000175240900003
- Morikawa, C.K. & Saigusa, M. (2002)**
Soil amelioration of Al toxicity in barley (*Hordeum vulgare* L.) growing in two Andosols. *Plant and Soil*, 240, 1, pp 161-168
<Go to ISI>://000176099300015
- Morin, L.A., Temelli, F., & McMullen, L. (2004)**
Interactions between meat proteins and barley (*Hordeum* spp.) beta-glucan within a reduced-fat breakfast sausage system. *Meat Science*, 68, 3, pp 419-430
<Go to ISI>://000223677400010
- Morohoshi, N. & Kajita, S. (2001)**
Formation of a tree having a low lignin content. *Journal of Plant Research*, 114, 1116, pp 517-523
- Morrell, P.L., Lundy, K.E., & Clegg, M.T. (2003)**
Distinct geographic patterns of genetic diversity are maintained in wild barley (*Hordeum vulgare* ssp *spontaneum*) despite migration. *Proceedings of the National Academy of Sciences of the United States of America*, 100, 19, pp 10812-10817
<Go to ISI>://000185415300044
- Morris, E.J. (1980)**
The Cell-Walls of *Eragrostis-Tef* - Variations in Chemical Composition and Digestibility. *Journal of Agricultural Science*, 95, OCT, pp 305-311
<Go to ISI>://A1980KS04800007
- Morris, E.J. & Vangylswyk, N.O. (1980)**
Comparison of the Action of Rumen Bacteria on Cell-Walls from *Eragrostis-Tef*. *Journal of Agricultural Science*, 95, OCT, pp 313-&
<Go to ISI>://A1980KS04800008
- Mosyakin, S. & Robertson, K. (2004)**
Electronic Source: 3. *Amaranthus* Linnaeus, Sp. Pl. 2: 989. 1753; Gen. Pl., ed. 5, 427. 1754., *Flora of North America*, http://www.efloras.org/florataxon.aspx?flora_id=1&taxon_id=101257
- Mosyakin, S.L. & Robertson, K.R. (1996)**
New infrageneric taxa and combinations in *Amaranthus* (*Amaranthaceae*). *Annales Botanici Fennici*, 33, 4, pp 275-281
<Go to ISI>://A1996WF49000004
- Moyer, J.R., Clapperton, M.J., & Boswall, A.L. (2003)**
Method and time of alfalfa termination affects cereal growth and weed populations. *Canadian Journal of Plant Science*, 83, 4, pp 969-976
<Go to ISI>://000188252400044
- Moyes, C.L., Lille, y.J.M., Casais, C.A., Cole, S.G., Haeger, P.D., & Dale, P.J. (2002)**
Barriers to gene flow from oilseed rape (*Brassica napus*) into populations of *Sinapis arvensis*. *Mol. Ecol.*, 11, pp 103-112
- Muchova, Z., Cukova, L., & Mucha, R. (2000)**
Seed protein fractions of amaranth (*Amaranthus* sp.). *Rostlinna Vyroba*, 46, 7, pp 331-336
<Go to ISI>://000088856600007
- Mulcahy, D.L. & Mulcahy, G.B. (1987)**
The effects of pollen competition. *Am. Sci.*, 75, pp 44-50

- Mulholland, B.J., Black, C.R., Taylor, I.B., & Roberts, J.A. (1999)**
Influence of soil compaction on xylem sap composition in barley (*Hordeum vulgare* L.). *Journal of Plant Physiology*, 155, 4-5, pp 503-508
<Go to ISI>://000083762000009
- Muller-Scharer, H., Schaffner, U., & Steinger, T. (2004)**
Evolution in invasive plants: implications for biological control. *Trends in Ecology & Evolution*, 19, 8, pp 417-422
<Go to ISI>://000223298000008
- Mulugeta, D., Stoltenberg, D.E., & Boerboom, C.M. (2001)**
Weed species-area relationships as influenced by tillage. *Weed Science*, 49, 2, pp 217-223
<Go to ISI>://000175241500012
- Mundigler, N. (1998)**
Isolation and determination of starch from amaranth (*Amaranthus cruentus*) and quinoa (*Chenopodium quinoa*). *Starch-Starke*, 50, 2-3, pp 67-69
<Go to ISI>://000073350700003
- Munir, A.T. (2002)**
Influence of varying seeding rates and nitrogen levels on yield and yield components of barley (*Hordeum vulgare* L. cv. Rum) in the semi-arid region of Jordan. *Bodenkultur*, 53, 1, pp 13-18
<Go to ISI>://000177837700003
- Munoz, O., Argandona, V.H., & Corcuera, L.J. (1998)**
Chemical constituents from shoots of *Hordeum vulgare* infested by the aphid *Schizaphis graminum*. *Zeitschrift Fur Naturforschung C-a Journal of Biosciences*, 53, 9-10, pp 811-817
<Go to ISI>://000076790000006
- Munoz-Clares, R.A., Gonzalez-Segura, L., Mujica-Jimenez, C., & Contreras-Diaz, L. (2003)**
Ligand-induced conformational changes of betaine aldehyde dehydrogenase from *Pseudomonas aeruginosa* and *Amaranthus hypochondriacus* L. leaves affecting the reactivity of the catalytic thiol. *Chemico-Biological Interactions*, 143, pp 129-137
<Go to ISI>://000181551300016
- Munoz-Clares, R.A. & Mujica-Jimenez, C. (2001)**
Complexes of NADH with betaine aldehyde dehydrogenase from leaves of the plant *Amaranthus hypochondriacus* L. *Chemico-Biological Interactions*, 130, 1-3, pp 71-80
<Go to ISI>://000167710700008
- Muraki, M. (2002)**
The importance of CH/pi interactions to the function of carbohydrate binding proteins. *Protein and Peptide Letters*, 9, 3, pp 195-209
<Go to ISI>://000175843000002
- Murata, S., Kobayashi, M., Matoh, T., & Sekiya, J. (1992)**
Sodium Stimulates Regeneration of Phosphoenolpyruvate in Mesophyll Chloroplasts of *Amaranthus-Tricolor*. *Plant and Cell Physiology*, 33, 8, pp 1247-1250
<Go to ISI>://A1992KD02000028
- Muraveva, A.S., Mikheev, P.V., Ilyasov, A.V., Enikeev, K.M., & Sitnikov, A.P. (1996)**
Water distribution in stems of *Amaranthus cruentus* L examined by NMR-microtomography. *Russian Journal of Plant Physiology*, 43, 4, pp 538-540
<Go to ISI>://A1996VA56500016
- Murmu, J., Chinthapalli, B., & Raghavendra, A.S. (2003)**
Marked modulation by phosphate of phosphoenolpyruvate carboxylase in leaves of *Amaranthus hypochondriacus*, a NAD-ME type C-4 plant: decrease in malate sensitivity but no change in the phosphorylation status. *Journal of Experimental Botany*, 54, 393, pp 2661-2668
<Go to ISI>://000187146900008
- Murray, M.G., Sonaglioni, M.I., & Villamil, C.B. (2002)**
Annual variation of airborne pollen in the city of Bahia Blanca, Argentina. *Grana*, 41, 3, pp 183-189
<Go to ISI>://000179967200005
- Mutisya, J., Sathish, P., Sun, C.X., Andersson, L., Ahlandsberg, S., Baguma, Y., Palmqvist, S., Odhiambo, B., Aman, P., & Jansson, C. (2003)**
Starch branching enzymes in sorghum (*Sorghum bicolor*) and barley (*Hordeum vulgare*): Comparative analyses of enzyme structure and gene expression. *Journal of Plant Physiology*, 160, 8, pp 921-930
<Go to ISI>://000184874200010
- Myers, M.G. (1993)**

Determining Amaranth and Canola Suitability in Missouri Through Geographic Information Systems Analysis. *In New Crops* (eds J. Janick & J. Simon), pp. 102-105. Wiley, New York, <http://www.hort.purdue.edu/newcrop/proceedings1993/V2-102.html#METHODS> and <http://www.botanischergarten.ch/Feral-New/Myers-Systems-1993.pdf>

Myers, R. (1996)

Amaranth: New Crop Opportunity. *In Progress in new crops* (ed J. Janick), pp. 207-220. ASHS Press, Alexandria VA, <http://www.hort.purdue.edu/newcrop/proceedings1996/V3-207.html>

Myers, R. (2002),

Electronic Source: Grain Amaranth, a lost crop of the Americas, Alternative Crop Guide, Jefferson Institute., published by: Thomas Jefferson Institute, https://vpn01.unibe.ch/http/0/www.jeffersoninstitute.org/pubs/amaranth_guide.pdf and www.jeffersoninstitute.org and http://www.botanischergarten.ch/Feral-New/Myers-Amaranth_guide.pdf

Mziray, R.S., Imungi, J.K., & Karuri, E.G. (2000)

Changes in ascorbic acid, beta-carotene and sensory properties in sundried and stored *Amaranthus hybridus* vegetables. *Ecology of Food and Nutrition*, 39, 6, pp 459-469
<Go to ISI>://000165888200004

Mziray, R.S., Imungi, J.K., & Karuri, E.G. (2001)

Nutrient and antinutrient in contents of raw and cooked *Amaranthus hybridus*. *Ecology of Food and Nutrition*, 40, 1, pp 53-65
<Go to ISI>://000168002100004

Nagabhusana, G.G., Worsham, A.D., & Yenish, J.P. (2001)

Allelopathic cover crops to reduce herbicide use in sustainable agricultural systems. *Allelopathy Journal*, 8, 2, pp 133-146
<Go to ISI>://000170052300001

Nagamatsu-Lopez, Y., Blanco-Labra, A., Delano-Frier, J., & Pimienta-Barrios, E. (2003)

Effects of irradiance on photosynthesis and activity of protease inhibitors in *Amaranthus hypochondriacus*. *Biologia Plantarum*, 47, 4, pp 633-634
<Go to ISI>://000221567100031

Nakagahra, M., Okuno, K., & Vaughan, D. (1997)

Rice genetic resources: history, conservation, investigative characterization and use in Japan. *Plant Molecular Biology*, 35, pp 69-77

Nakagawa, Y., Lee, Y., Lehmborg, E., Herrmann, R., Herrmann, R., Moskowitz, H., Lehmborg, E., Jones, A.D., & Hammock, B.D. (1997)

New anti-insect toxin (AaIT5) from *Androctonus australis*. *Eur. J. Biochem.*, 246, pp 496-501

Nakagawa, Y., Sadilek, M., Lehmborg, E., Herrmann, R., Herrmann, R., Moskowitz, H., Lee, Y.M., Thomas, B.A., Shimizu, R., Kuroda, M., Jones A.D., & Hammock, B.D. (1998)

Rapid purification and molecular modeling of AaIT peptides from venom of *Androctonus australis*. *Arch. Insect Biochem. Physiol.*, 38, pp 53-65

Nakai, M., Shiotsuki, T., & Kunimi, Y. (2004)

An entomopoxvirus and a granulovirus use different mechanisms to prevent pupation of *Adoxophyes honmai*. *Virus Research*, 101, pp 185-191

Nakamura, R., Konishi, Y., Kojima, A., & Nakatani, N. (1998)

Globulin and albumin-2 associated with protein bodies in *Amaranthus cruentus* seeds. *Bioscience Biotechnology and Biochemistry*, 62, 6, pp 1231-1233
<Go to ISI>://000074695000033

Nakanishi, H., Yamaguchi, H., Sasakuma, T., Nishizawa, N.K., & Mori, S. (2000)

Two dioxygenase genes, *Ids3* and *Ids2*, from *Hordeum vulgare* are involved in the biosynthesis of mugineic acid family phytosiderophores. *Plant Molecular Biology*, 44, 2, pp 199-207
<Go to ISI>://000165088600008

Narayan, D., Prakash, O.M., & Bhushan, L.S. (1999)

Intercropping of Indian mustard (*Brassica juncea*) with barley (*Hordeum vulgare*), rocket salad (*Eruca sativa*) and linseed (*Linum usitatissimum*) under limited irrigation conditions in reclaimed ravine land of river Yamuna. *Indian Journal of Agricultural Sciences*, 69, 5, pp 321-324
<Go to ISI>://000082225700004

Nassar, N.M.A. (1980)

Attempts to hybridize wild *Manihot* species with cassava. *Econ. Bot.*, 34, pp 13-15

- Nassar, N.M.A. (1984)**
Natural hybridization between *Manihot reptans* Pax and *M. alutacea* Rogers & Appan. *Canad. J. Plant Sci.*, 64:, pp 423-425
- National Academy of Sciences (1989)**
Kiwicha. *In Lost Crops of the Incas* (ed NAS), pp. 138-147, Washington,
<http://books.nap.edu/books/030904264X/html/138.html#pagetop>
- Naylor, R.L., Falcon, W.P., Goodman, R.M., Jahn, M.M., Sengooba, T., Tefera, H., & Nelson, R.J. (2004)**
Biotechnology in the developing world: a case for increased investments in orphan crops. *Food Policy*, 29, 1, pp 15-44
- Neeser, C., Dille, J.A., Krishnan, G., Mortensen, D.A., Rawlinson, J.T., Martin, A.R., & Bills, L.B. (2004)**
WeedSOFT((R)): a weed management decision support system. *Weed Science*, 52, 1, pp 115-122
<Go to ISI>://000188218200016
- Negash, L. (1987)**
Wavelength-Dependence of Stomatal Closure by Ultraviolet- Radiation in Attached Leaves of *Eragrostis-Tef* - Action Spectra under Backgrounds of Red and Blue Lights. *Plant Physiology and Biochemistry*, 25, 6, pp 753-760
<Go to ISI>://A1987L518800010
- Nelson, R.J., Naylor, R.L., & Jahn, M.M. (2004)**
The role of genomics research in improvement of "orphan" crops. *Crop Science*, 44, 6, pp 1901-1904
<Go to ISI>://000225153000006 <http://www.botanischergarten.ch/Feral-New/Thro-Genomics-CropScience2004.pdf>
- Neu, C., Keller, B., & Feuillet, C. (2003)**
Cytological and molecular analysis of the *Hordeum vulgare*- *Puccinia triticina* nonhost interaction. *Molecular Plant-Microbe Interactions*, 16, 7, pp 626-633
<Go to ISI>://000183668600007
- NewCrop Database (2004),**
Electronic Source: Amaranth Information (ed P. University), NewCrop Database, published by: Center for New Crops & Plant Products, at Purdue University. NewCROP,
http://www.hort.purdue.edu/newcrop/nexus/Amaranthus_spp_nex.html
- Ni, W., Paiva, N.L., & Dixon, R.A. (1994)**
Reduced lignin in transgenic plants containing a caffeic acid O-methyltransferase antisense gene. *Trangenic Research*, 3, pp 120-126
- Niekamp, J.W. & Johnson, W.G. (2001)**
Weed management with sulfentrazone and flumioxazin in no- tillage soyabean (*Glycine max*). *Crop Protection*, 20, 3, pp 215-220
<Go to ISI>://000167146400004
- Nielsen, D.C. & Anderson, R.L. (1994)**
Photosynthesis and Transpiration Response of Redroot Pigweed (*Amaranthus-Retroflexus*). *Weed Technology*, 8, 2, pp 265-269
<Go to ISI>://A1994NV58100014
- Nigatu, A. & Gashe, B.A. (1994)**
Inhibition of spoilage and food-borne pathogens by lactic-acid bacteria isolated from fermenting tef (*Eragrostis tef*) dough. *Ethiopian Medical Journal*, 32, 4, pp 223-229
- Nigatu, A. & Gashe, B.A. (1994)**
Inhibition of Spoilage and Food-Borne Pathogens by Lactic-Acid Bacteria Isolated from Fermenting Tef (*Eragrostis-Tef*) Dough. *Ethiopian Medical Journal*, 32, 4, pp 223-229
<Go to ISI>://A1994PV87500001
- Nigatu, A. & Gashe, B.A. (1998)**
Effect of heat treatment on the antimicrobial properties of tef dough, injera, kocho and aradisame and the fate of selected pathogens. *World Journal of Microbiology and Biotechnology*, 14, pp 63-69
- Nisensohn, L., Faccini, D., Montero, G., & Lietti, M. (1999)**
Predation of *Amaranthus quitensis* HBK seeds in soybean crops: Influence of the tillage system. *Pesquisa Agropecuaria Brasileira*, 34, 3, pp 377-384
<Go to ISI>://000079517700008

- Nishijima, T., Katsura, N., Koshioka, M., Yamazaki, H., Nakayama, M., Yamane, H., Yamaguchi, I., Yokota, T., Murofushi, N., Takahashi, N., & Nonaka, M. (1998)**
Effects of gibberellins and gibberellin-biosynthesis inhibitors on stem elongation and flowering of *Raphanus sativus* L. Journal of the Japanese Society for Horticultural Science, 67, pp 325-330
- Nishikawa, T., Salomon, B., Komatsuda, T., von Bothmer, R., & Kadowaki, K. (2002)**
Molecular phylogeny of the genus *Hordeum* using three chloroplast DNA sequences. Genome, 45, 6, pp 1157-1166
<Go to ISI>://000179862100020
- Noguchi, T., Fujioka, S., Choe, S., Takatsuto, S., Yoshida, S., Yuan, H., Feldmann, K.A., & Tax, F.E. (1999)**
Brassinosteroid-insensitive dwarf mutants of *Arabidopsis* accumulate brassinosteroids. Plant Physiology, 121, pp 743-752
- Noldin, J.A., Chandler, J.M., Ketchersid, M.L., & McCauley, G.N. (1999)**
Red rice (*Oryza sativa*) biology. II. Ecotype sensitivity to herbicides. Weed Technology, 13, pp 19-24
- Noldin, J.A., Chandler, J.M., & McCauley, G.N. (1999)**
Red rice (*Oryza sativa*) biology. I. Characterization of red rice ecotypes. Weed Technology, 13, pp 12-18
- Nonohay, J.S., Mariath, J.E.A., & Winge, H. (1999)**
Histological analysis of somatic embryogenesis in Brazilian cultivars of barley, *Hordeum vulgare* L., Poaceae. Plant Cell Reports, 18, 11, pp 929-934
<Go to ISI>://000082300400007
- Norbaek, R., Brandt, K., & Kondo, T. (2000)**
Identification of flavone C-glycosides including a new flavonoid chromophore from barley leaves (*Hordeum vulgare* L.) by improved NMR techniques. Journal of Agricultural and Food Chemistry, 48, 5, pp 1703-1707
<Go to ISI>://000087116000046
- Nordby, D.E. & Hartzler, R.G. (2004)**
Influence of corn on common waterhemp (*Amaranthus rudis*) growth and fecundity. Weed Science, 52, 2, pp 255-259
<Go to ISI>://000220323300012
- Norsworthy, J.K. & Oliver, L.R. (2001)**
Competitive potential and economic analysis of a glyphosate-tolerant/conventional soybean (*Glycine max*) mix. Weed Technology, 15, 1, pp 177-183
<Go to ISI>://000175240600028
- Nsahlai, I.V., Osuji, P.O., & Umunna, N.N. (1995)**
The Degradability by Sheep of Fruits of Acacias and Leaves of Sesbania Sesban and the Effects of Supplementation with Mixtures of Browsers and Oilseed Cake on the Utilization of Teff (*Eragrostis Tef*) Straw. Animal Science, 61, pp 539-544
<Go to ISI>://A1995TK39400010
- Numerova, O.M., Pershina, L.A., Salina, E.A., & Shumny, V.K. (2004)**
Barley chromosome identification using genomic in situ hybridization in the genome of backcrossed progeny of barley-wheat amphiploids *Hordeum geniculatum* All. (2n=28) x *Triticum aestivum* L. (2n=42) (2n=70). Russian Journal of Genetics, 40, 9, pp 1007-1010
<Go to ISI>://000223860400009
- Nurse, R.E., Booth, B.D., & Swanton, C.J. (2003)**
Predispersal seed predation of *Amaranthus retroflexus* and *Chenopodium album* growing in soybean fields. Weed Research, 43, 4, pp 260-268
<Go to ISI>://000184316000005
- Nuutila, A.M., Hamalainen, J., & Mannonen, L. (2000)**
Optimization of media nitrogen and copper concentrations for regeneration of green plants from polyembryogenic cultures of barley (*Hordeum vulgare* L.). Plant Science, 151, 1, pp 85-92
<Go to ISI>://000085284300010
- Oard, J., Cohn, M.A., Linscombe, S., Gealy, D., & Gravois, K. (2000)**
Field evaluation of seed production, shattering, and dormancy in hybrid populations of transgenic rice (*Oryza sativa*) and the weed, red rice (*Oryza sativa*). Plant Science, 157, pp 13-22
- Oard, J.H., Linscombe, S.D., Braverman, M.P., Jodari, F., Blouin, D.C., Leech, M., Kohli, A., Vain, P., Cooley, J.C., & Christou, P. (1996)**
Development, field evaluation and agronomic performance of transgenic herbicide resistant rice. Molecular Breeding, 2, pp 359-368

- Ockenden, I., Dorsch, J.A., Reid, M.M., Lin, L., Grant, L.K., Raboy, V., & Lott, J.N.A. (2004)**
Characterization of the storage of phosphorus, inositol phosphate and cations in grain tissues of four barley (*Hordeum vulgare* L.) low phytic acid genotypes. *Plant Science*, 167, 5, pp 1131-1142
<Go to ISI>://000223758500018
- O'Donovan, J.T., Harker, K.N., Clayton, G.W., & Hall, L.M. (2000)**
Wild oat (*Avena fatua*) interference in barley (*Hordeum vulgare*) is influenced by barley variety and seeding rate. *Weed Technology*, 14, 3, pp 624-629
<Go to ISI>://000166693600026
- O'Donovan, J.T. & McAndrew, D.W. (2000)**
Effect of tillage on weed populations in continuous barley (*Hordeum vulgare*). *Weed Technology*, 14, 4, pp 726-733
<Go to ISI>://000166188100009
- Ohmiya, Y., Tomonori, N., Park, Y.W., Aoyama, T., Oka, A., Sakai, F., & Hayashi, T. (2003)**
The role of PopCel1 and PopCel2 in poplar leaf growth and cellulose biosynthesis. *Plant J.*, 33, pp 1087-1097
- Ojo, D.O. (1997)**
Effect of weeding frequencies on grain amaranth (*Amaranthus cruentus* L) growth and yield. *Crop Protection*, 16, 5, pp 463-466
<Go to ISI>://A1997XT70000009
- Okafo, C.N., Umoh, V.J., & Galadima, M. (2003)**
Occurrence of pathogens on vegetables harvested from soils irrigated with contaminated streams. *Science of the Total Environment*, 311, 1-3, pp 49-56
<Go to ISI>://000184091300004
- Oke, O. (1983)**
Amaranth. In *Handbook of Tropical Foods* (ed H. Chan), pp. 1. Marcel-Dekker, New York,
- O'Keefe, D.P., Tepperman, J.M., Dean, C., Leto, K.J., Erbes, D.L., & Odell, J.T. (1994)**
Plant expression of a bacterial cytochrome-P450 that catalyzes activation of a sulfonylurea pro-herbicide. *Plant Physiology*, 105, 2, pp 473-482
- Okeno, J.A. & Ayiecho, P.O. (1996)**
Isozyme variation among *Amaranthus* cultivars. *Discovery and Innovation*, 8, 2, pp 151-158
<Go to ISI>://A1996VN43000010
- Oleszek, W., Junkuszew, M., & Stochmal, A. (1999)**
Determination and toxicity of saponins from *Amaranthus cruentus* seeds. *Journal of Agricultural and Food Chemistry*, 47, 9, pp 3685-3687
<Go to ISI>://000082702600035
- Oliver, M.J., Luo, H., Kausch, A., & Collins, H. (2004)**
Seed-based strategies for transgene containment. In *8th International Symposium on the Biosafety of Genetically Modified Organisms*, pp. 154-161. INRA, Montpellier,
- Oliver, M.J., Quisenberry, J.E., Trolinder, N.L.G., & Keim, D.L. (1998)**
Control of plant gene expression. US Patent 5,723,765, pp
- Olmo, H.P. (1995)**
Grapes. In *Evolution of Crop Plants* (eds J. Smartt & N.W. Simmonds), pp. 485-490. Longman, Harlow,
- Omami, E.N., Haigh, A.M., Medd, R.W., & Nicol, H.I. (1999)**
Changes in germinability, dormancy and viability of *Amaranthus retroflexus* as affected by depth and duration of burial. *Weed Research*, 39, 5, pp 345-354
<Go to ISI>://000083687200001
- Omarov, R.T., Akaba, S., Koshiba, T., & Lips, S.H. (1999)**
Aldehyde oxidase in roots, leaves and seeds of barley (*Hordeum vulgare* L.). *Journal of Experimental Botany*, 50, 330, pp 63-69
<Go to ISI>://000078128600008
- O'Meara, G.F., Cutwa, M.M., & Evans, L.F. (2003)**
Bromeliad-inhabiting mosquitoes in south Florida: native and exotic plants differ in species composition. *Journal of Vector Ecology*, 28, 1, pp 37-46
<Go to ISI>://000183721800005

- Omer, Z.S., Bjorkman, P.O., Nicander, B., Tillberg, E., & Gerhardson, B. (2004)**
5'-Deoxyisopentenyladenosine and other cytokinins in culture filtrates of the bacterium *Pantoea agglomerans*. *Physiologia Plantarum*, 121, 3, pp 439-447
<Go to ISI>://000222288200011
- Ominski, P.D. & Entz, M.H. (2001)**
Eliminating soil disturbance reduces post-alfalfa summer annual weed populations. *Canadian Journal of Plant Science*, 81, 4, pp 881-884
<Go to ISI>://000172470000042
- Ordon, F., Werner, K., Pellio, B., Schiemann, A., Friedt, W., & Graner, A. (2003)**
Molecular breeding for resistance to soil-borne viruses (BaMMV, BaYMV, BaYMV-2) of barley (*Hordeum vulgare* L.). *Zeitschrift Fur Pflanzenkrankheiten Und Pflanzenschutz-Journal of Plant Diseases and Protection*, 110, 3, pp 287-295
<Go to ISI>://000184592100008
- Ortega, Y.K., Pearson, D.E., & McKelvey, K.S. (2004)**
Effects of biological control agents and exotic plant invasion on deer mouse populations. *Ecological Applications*, 14, 1, pp 241-253
<Go to ISI>://000189130000021
- Ortel, B., Atzorn, R., Hause, B., Feussner, I., Miersch, O., & Wasternack, C. (1999)**
Jasmonate-induced gene expression of barley (*Hordeum vulgare*) leaves - the link between jasmonate and abscisic acid. *Plant Growth Regulation*, 29, 1-2, pp 113-122
<Go to ISI>://000083327700008
- Ortiz, B., Porras, F., Jimenez-Martinez, M.C., Montano, L.F., Martinez-Cairo, S., Lascrain, R., & Zenteno, E. (2002)**
Differential expression of a 70 kDa O-glycoprotein on T cells: a possible marker for naive and early activated murine T cells. *Cellular Immunology*, 218, 1-2, pp 34-45
<Go to ISI>://000179962300005
- Oryokot, J.O.E., Hunt, L.A., Murphy, S., & Swanton, C.J. (1997)**
Simulation of pigweed (*Amaranthus* spp.) seedling emergence in different tillage systems. *Weed Science*, 45, 5, pp 684-690
<Go to ISI>://A1997XY84400016
- Oryokot, J.O.E., Murphy, S.D., & Swanton, C.J. (1997)**
Effect of tillage and corn on pigweed (*Amaranthus* spp.) seedling emergence and density. *Weed Science*, 45, 1, pp 120-126
<Go to ISI>://A1997WT49100017
- Oryokot, J.O.E., Murphy, S.D., Thomas, A.G., & Swanton, C.J. (1997)**
Temperature- and moisture-dependent models of seed germination and shoot elongation in green and redroot pigweed (*Amaranthus powellii*, A-retroflexus). *Weed Science*, 45, 4, pp 488-496
<Go to ISI>://A1997XM80400006
- Ostoja, H., Cierach, M., Konopko, H., & Majewska, K. (2002)**
Effect of addition of grit made of crude and expanded amaranth seeds on the quality of canned meat. *Nahrung-Food*, 46, 4, pp 270-275
<Go to ISI>://000177788400011
- Ottosson, F., von Bothmer, R., & Diaz, O. (2002)**
Genetic variation in three species of *Hordeum*, and the selection of accessions for the Barley Core Collection. *Hereditas*, 137, 1, pp 7-15
<Go to ISI>://000180573100002
- Owen, M.D.K. (2005)**
Maize and soybeans – controllable volunteerism without fertility. In *Crop Fertility and Volunteerism* (ed J. Gressel). CRC Press, Boca Raton,
- Owen, M.D.K. & Gressel, J. (2001)**
Non-traditional concepts of synergy for evaluating integrated weed management. In *Pesticide Biotransformations in Plants and Microorganisms: Similarities and Divergences* (eds J.C. Hall, R. Hoagland & R. Zablotowicz), pp. 376-396. American Chemical Society, Washington DC,
- Ozeki, M., Furuichi, Y., Umekawa, H., & Takahashi, T. (1998)**
A surface plasmon resonance assay for the binding of *Amaranthus hypochondriacus* var. Mexico lectin to glycoprotein. *Biochemistry and Molecular Biology International*, 44, 1, pp 211-216
<Go to ISI>://000072000800024
- Ozeki, M., Kamemura, K., Moriyama, K., Itoh, Y., Furuichi, Y., Umekawa, H., & Takahashi, T. (1996)**

Purification and characterization of a lectin from *Amaranthus hypochondriacus* var Mexico seeds. *Bioscience Biotechnology and Biochemistry*, 60, 12, pp 2048-2051
<Go to ISI>://A1996VZ85800025

Pagano, A.M. & Mascheroni, R.H. (2003)

Water sorption of *Amaranthus cruentus* L. seeds modelled by GAB equation. *International Journal of Food Properties*, 6, 3, pp 369-391
<Go to ISI>://000186159100002

Pajuelo, P., Pajuelo, E., & Marquez, A.J. (2000)

Proteolysis of barley (*Hordeum vulgare* L.) ferredoxin-glutamate synthase affects ferredoxin- and methyl viologen-dependent enzyme activities differently. *Journal of Plant Physiology*, 157, 5, pp 575-579
<Go to ISI>://000165920500015

Pal, J., Singhal, R.S., & Kulkarni, P.R. (2002)

Physicochemical properties of hydroxypropyl derivative from corn and amaranth starch. *Carbohydrate Polymers*, 48, 1, pp 49-53
<Go to ISI>://000173328000007

Palatnik, J.F., Valle, E.M., Federico, M.L., Gomez, L.D., Melchiorre, M.N., Paleo, A.D., Carrillo, N., & Acevedo, A. (2002)

Status of antioxidant metabolites and enzymes in a catalase- deficient mutant of barley (*Hordeum vulgare* L.). *Plant Science*, 162, 3, pp 363-371
<Go to ISI>://000174592100005

Palma, K. & Kermode, A.R. (2003)

Metabolism of hydrogen peroxide during reserve mobilization and programmed cell death of barley (*Hordeum vulgare* L.) aleurone layer cells. *Free Radical Biology and Medicine*, 35, 10, pp 1261-1270
<Go to ISI>://000186592300010

Pankaja, N. & Prakash, J. (1994)

Availability of Calcium from Kilkeerai (*Amaranthus-Tricolor*) and Drumstick (*Moringa-Oleifera*) Greens in Weanling Rats. *Nahrung-Food*, 38, 2, pp 199-203
<Go to ISI>://A1994NJ48700011

Papa, R., Attene, G., Barcaccia, G., Ohgata, A., & Konishi, T. (1998)

Genetic diversity in landrace populations of *Hordeum vulgare* L. from Sardinia, Italy, as revealed by RAPDs, isozymes and morphological traits. *Plant Breeding*, 117, 6, pp 523-530
<Go to ISI>://000078095300003

Papamichail, D., Eleftherohorinos, I., Froud-Williams, R., & Gravanis, F. (2002)

Critical periods of weed competition in cotton in Greece. *Phytoparasitica*, 30, 1, pp 105-111
<Go to ISI>://000173080800013

Parendes, L.A. & Jones, J.A. (2000)

Role of light availability and dispersal in exotic plant invasion along roads and streams in the H. J. Andrews Experimental Forest, Oregon. *Conservation Biology*, 14, 1, pp 64-75
<Go to ISI>://000085366700011

Park, C.J., Park, C.B., Hong, S.S., Lee, H.S., Lee, S.Y., & Kim, S.C. (2000)

Characterization and cDNA cloning of two glycine- and histidine-rich antimicrobial peptides from the roots of shepherd's purse, *Capsella bursa-pastoris*. *Plant Molecular Biology*, 44, 2, pp 187-197
<Go to ISI>://000165088600007

Parker, I.M., Mertens, S.K., & Schemske, D.W. (1993)

Distribution of 7 Native and 2 Exotic Plants in a Tallgrass Prairie in Southeastern Wisconsin - the Importance of Human Disturbance. *American Midland Naturalist*, 130, 1, pp 43-55
<Go to ISI>://A1993LQ36000004

Parker, M.L., Umeta, M., & Faulks, R.M. (1989)

The Contribution of Flour Components to the Structure of Injera, an Ethiopian Fermented Bread Made from Tef (*Eragrostis-Tef*). *Journal of Cereal Science*, 10, 2, pp 93-104
<Go to ISI>://A1989AW22100002

Parvathi, K., Bhagwat, A.S., & Raghavendra, A.S. (1998)

Modulation by bicarbonate of catalytic and regulatory properties of C-4 phosphoenolpyruvate carboxylase from *Amaranthus hypochondriacus*: Desensitization to malate and glucose 6-phosphate and sensitization to Mg²⁺. *Plant and Cell Physiology*, 39, 12, pp 1294-1298
<Go to ISI>://000077761600006

Parvathi, K., Bhagwat, A.S., Ueno, Y., Izui, K., & Raghavendra, A.S. (2000)

Illumination increases the affinity of phosphoenolpyruvate carboxylase to bicarbonate in leaves of a C-4 plant, *Amaranthus hypochondriacus*. *Plant and Cell Physiology*, 41, 8, pp 905-910

<Go to ISI>://000088986900001

Parvathi, K., Gayathri, J., Maralihalli, G.B., Bhagwat, A.S., & Raghavendra, A.S. (2000)

Modulation of phosphoenolpyruvate carboxylase phosphorylation in leaves of *Amaranthus hypochondriacus*, a NAD-ME type of C-4 plant. *Photosynthetica*, 38, 1, pp 23-28

<Go to ISI>://000088968300004

Parveez, G.K., Masri, M.M., Zainal, A., Majid, N.A., Yunus, A.M., Fadilah, H.H., Rasid, O., & Cheah, S.C. (2000)

Transgenic oil palm: production and projection. *Biochem Soc Trans.*, 28, pp 969-972

Parzies, H.K., Spoor, W., & Ennos, R.A. (2000)

Genetic diversity of barley landrace accessions (*Hordeum vulgare* ssp *vulgare*) conserved for different lengths of time in ex situ gene banks. *Heredity*, 84, 4, pp 476-486

<Go to ISI>://000087499900011

Pasternak, T.P., Rudas, V.A., Lorz, H., & Kumlehn, J. (1999)

Embryogenic callus formation and plant regeneration from leaf base segments of barley (*Hordeum vulgare* L.). *Journal of Plant Physiology*, 155, 3, pp 371-375

<Go to ISI>://000082992400012

Pastor, M.D., Lorda, G.S., & Balatti, A. (2001)

Protease obtention using *Bacillus subtilis* 3411 and amaranth seed meal medium at different aeration rates. *Brazilian Journal of Microbiology*, 32, 1, pp 6-9

<Go to ISI>://000170966700002

Patil, V., Bjornstad, A., Magnus, H., & Mac Key, J. (2002)

Resistance to scald (*Rhynchosporium secalis*) in barley (*Hordeum vulgare* L.). II. Diallel analysis of near-isogenic lines.

Hereditas, 137, 3, pp 186-197

<Go to ISI>://000182769600004

Pattacini, S.H., Scoles, G.E., & Covas, G.F. (1999)

Chemical study of an amaranth (*Amaranthus greggii* S. Wats.) foliage with agricultural application as leaf vegetable. *Anales De La Asociacion Quimica Argentina*, 87, 5-6, pp 241-245

<Go to ISI>://000087717700008

Pattacini, S.H., Scoles, G.E., & Covas, G.F. (2000)

Integral chemical analysis of the amaranth (*Amaranthus greggii* S-Wats). *Molecules*, 5, 3, pp 557-559

<Go to ISI>://000086309200132

Patto, M.C.V., Aardse, A., Buntjer, J., Rubiales, D., Martfn, A., & Niks, R.E. (2001)

Morphology and AFLP markers suggest three *Hordeum chilense* ecotypes that differ in avoidance to rust fungi. *Canadian Journal of Botany-Revue Canadienne De Botanique*, 79, 2, pp 204-213

<Go to ISI>://000167582200008

Patto, M.C.V. & Niks, R.E. (2001)

Leaf wax layer may prevent appressorium differentiation but does not influence orientation of the leaf rust fungus *Puccinia hordei* on *Hordeum chilense* leaves. *European Journal of Plant Pathology*, 107, 8, pp 795-803

<Go to ISI>://000171802700004

Patto, M.C.V., Rubiales, D., Martin, A., Hernandez, P., Lindhout, P., Niks, R.E., & Stam, P. (2003)

QTL mapping provides evidence for lack of association of the avoidance of leaf rust in *Hordeum chilense* with stomata density. *Theoretical and Applied Genetics*, 106, 7, pp 1283-1292

<Go to ISI>://000183398100018

Patzoldt, W.L., Dixon, B.S., & Tranel, P.J. (2003)

Triazine resistance in *Amaranthus tuberculatus* (Moq) Sauer that is not site-of-action mediated. *Pest Management Science*, 59, 10, pp 1134-1142

<Go to ISI>://000185509500009

Patzoldt, W.L., Tranel, P.J., & Hager, A.G. (2002)

Variable herbicide responses among Illinois waterhemp (*Amaranthus rudis* and *A-tuberculatus*) populations. *Crop Protection*, 21, 9, pp 707-712

<Go to ISI>://000179061000002

Pedersen, B., Bach Knudsen, K., & Eggum, B. (1990)

The nutritive value of amaranth grain (*Amaranthus caudatus*). 3. Energy and fiber of raw and processed grain. *Plant Foods Hum. Nutr.*, 40, pp 61-71

Pedersen, B., Hallgren, L., Hansen, I., & Eggum, B. (1987)

The nutritive value of amaranth grain (*Amaranthus caudatus*). 2. As a supplement to cereals. *Plant Foods Hum. Nutr.*, 36, pp 325-334

Peixoto, P.V., Brust, L.A.C., Brito, M.D., Franca, T.D., da Cunha, B.R.M., & de Andrade, G.B. (2003)

Amaranthus spinosus (Amaranthaceae) poisoning in sheep in southern Brazil. *Pesquisa Veterinaria Brasileira*, 23, 4, pp 179-184

<Go to ISI>://000188118200007

Pekarovicova, A., Pekarovic, J., & Joyce, T.W. (1999)

Comparison of Amaranthus and wheat straw organocell pulping. *Cellulose Chemistry and Technology*, 33, 1-2, pp 125-133

<Go to ISI>://000083439600013

Pekkarinen, A.I. & Jones, B.L. (2003)

Purification and identification of barley (*Hordeum vulgare* L.) proteins that inhibit the alkaline serine proteinases of *Fusarium culmorum*. *Journal of Agricultural and Food Chemistry*, 51, 6, pp 1710-1717

<Go to ISI>://000181401400036

Peng, C.L., Duan, J., Lin, G.Z., & Gilmore, A.M. (2002)

Correlation between photoinhibition sensitivity and the rates and relative extents of xanthophyll cycle de-epoxidation in chlorina mutants of barley (*Hordeum vulgare* L.). *Photosynthetica*, 40, 4, pp 503-508

<Go to ISI>://000183006200003

Peng, J., Richards, D.E., Hartley, N.M., Murphy, G.P., Devos, K.M., Flintham, J.J., Beales, E., Fish, L.J., Worland, A.J., Pelica, F., Sudhakar, D., Christou, P., Snape, J.W., Gale, M.D., & Harberd, N. P. (1999)

'Green revolution' genes encode mutant gibberellin response modulators. *Nature*, 400, pp 256

Pental, D. (2003)

Transgenics for productive and sustainable agriculture: Some considerations for the development of a policy framework.

Current Science, 84, 3, pp 413-424

<Go to ISI>://000181950800029

Perez, E., Bahnassey, Y.A., & Breene, W.M. (1993)

Some Chemical, Physical, and Functional-Properties of Native and Modified Starches of *Amaranthus-Hypochondriacus* and *Amaranthus-Cruentus*. *Starch-Starke*, 45, 6, pp 215-220

<Go to ISI>://A1993LL61400005

Pershina, L.A., Belova, L.I., Numerova, O.M., & Shumny, V.K. (2000)

Effect of genetic diversity in *Hordeum vulgare* L. and *Secale cereale* L. on their crossability and the development and viability of hybrid embryos and plants. *Russian Journal of Genetics*, 36, 4, pp 418-424

<Go to ISI>://000086934500011

Pershina, L.A., Numerova, O.M., Belova, L.I., Devyatkina, E.P., Rakovtseva, T.S., & Shumny, V.K. (2004)

Expression of fertility during morphogenesis in self-pollinated backcrossed progenies of barley-wheat amphiploids *Hordeum geniculatum* All. ($2n=28$) x *Triticum aestivum* L. ($2n=42$) ($2n=70$). *Russian Journal of Genetics*, 40, 5, pp 510-514

<Go to ISI>://000222310600008

Pershina, L.A., Numerova, O.M., Belova, L.I., Devyatkina, E.P., & Shumny, V.K. (1999)

Restoration of fertility in backcross progeny of barley-wheat hybrids *Hordeum vulgare* L. ($2n=14$) x *Triticum aestivum* L. ($2n=42$) in relation to wheat genotypes involved in backcrosses. *Russian Journal of Genetics*, 35, 2, pp 176-183

<Go to ISI>://000084972900012

Pershina, L.A., Numerova, O.M., Belova, L.I., Devyatkina, E.P., & Shumny, V.K. (1998)

The effect of the genotypic diversity of *Hordeum vulgare* L. and *Triticum aestivum* L. on the crossability and production of partially fertile barley-wheat hybrids. *Genetika*, 34, 10, pp 1368-1375

<Go to ISI>://000078158800006

Perveen, A. & Qaiser, M. (2002)

Pollen flora of Pakistan - XVIII. Amaranthaceae. *Pakistan Journal of Botany*, 34, 4, pp 375-383

<Go to ISI>://000180535500008

Pester, T.A., Westra, P., Anderson, R.L., Lyon, D.J., Miller, S.D., Stahlman, P.W., Northam, F.E., & Wicks, G.A. (2000)

Secale cereale interference and economic thresholds in winter *Triticum aestivum*. *Weed Science*, 48, 6, pp 720-727

<Go to ISI>://000166182800013

Peters, H.A. (2001)

Clidemia hirta invasion at the Pasoh Forest Reserve: An unexpected plant invasion in an undisturbed tropical forest. *Biotropica*, 33, 1, pp 60-68

<Go to ISI>://000168959800006

Peters, I. & Jain, S. (1987)

Genetics of grain amaranths. III. Gene-cytoplasmic male sterility. *The Journal of heredity*, 78, 4, pp 251-256

Petersen, B.L., Moller, M.G., Jensen, P.E., & Henningsen, K.W. (1999)

Identification of the Xan-g gene and expression of the Mg-chelatase encoding genes Xan-f, -g and -h in mutant and wild type barley (*Hordeum vulgare* L.). *Hereditas*, 131, 2, pp 165-170
<Go to ISI>://000085074100011

Petersen, G. & Seberg, O. (2003)

Phylogenetic analyses of the diploid species of *Hordeum* (Poaceae) and a revised classification of the genus. *Systematic Botany*, 28, 2, pp 293-306
<Go to ISI>://000183038300006

Peuke, A.D. & Jeschke, W.D. (1999)

The characterization of inhibition of net nitrate uptake by salt in salt-tolerant barley (*Hordeum vulgare* L. cv. California Mariout). *Journal of Experimental Botany*, 50, 337, pp 1365-1372
<Go to ISI>://000081942600012

Pfeiffer, T.L., Cho, Y., Gibson, D.J., Young, B.G., & Wood, A.J. (2001)

Utility of trigonelline as a biochemical marker for interspecific competition between soybean and the weed common waterhemp. *Biologia Plantarum*, 44, 4, pp 619-622
<Go to ISI>://000171371000024

Phillip, D., Molnar, P., Toth, G., & Young, A.J. (1999)

Light-induced formation of 13-cis violaxanthin in leaves of *Hordeum vulgare*. *Journal of Photochemistry and Photobiology B-Biology*, 49, 2-3, pp 89-95
<Go to ISI>://000080968800002

Phogat, B.S., Bhalla, S., & Mal, B. (1994)

Seasonal Incidence of Stem Weevil (*Hypolyxus-Truncatulus*) and Its Effect on Growth and Grain-Yield of Amaranth (*Amaranthus-Hypochondriacus*). *Indian Journal of Agricultural Sciences*, 64, 4, pp 261-262
<Go to ISI>://A1994NG85000015

Piatti, E., Albertini, M.C., Baffone, W., Fraternali, D., Citterio, B., Piacentini, M.P., Dacha, M., Vetrano, F., & Accorsi, A. (2002)

Antibacterial effect of a magnetic field on *Serratia marcescens* and related virulence to *Hordeum vulgare* and *Rubus fruticosus* callus cells. *Comparative Biochemistry and Physiology B-Biochemistry & Molecular Biology*, 132, 2, pp 359-365
<Go to ISI>://000176788200007

Pichon, F.J., Uquillas, J.E., & Frechione, J. (1999)

Traditional and Modern Natural Resource Management in Latin America University of Pittsburgh Press, Pittsburgh, USA, pp

Pickard, J. (1984)

Exotic Plants on Lord-Howe Island - Distribution in Space and Time, 1853-1981. *Journal of Biogeography*, 11, 3, pp 181-208
<Go to ISI>://A1984SX50900002

Pickering, R.A., Malyshev, S., Kunzel, G., Johnston, P.A., Korzun, V., Menke, M., & Schubert, I. (2000)

Locating introgressions of *Hordeum bulbosum* chromatin within the H-vulgare genome. *Theoretical and Applied Genetics*, 100, 1, pp 27-31
<Go to ISI>://000084693200004

Pickersgill, B. (1981)

Biosystematics of crop-weed complexes. *Kulturpflanze*, 29, pp 377-388

Pill, W.G., Evans, T.A., & Krishnan, P. (1994)

Priming Improves Germination and Emergence of Combine-Harvested *Amaranthus-Cruentus* L Seeds. *Hortscience*, 29, 6, pp 655-658
<Go to ISI>://A1994NR07100023

Pillay, M. (1997)

Variation of nuclear ribosomal RNA genes in *Eragrostis tef* (Zucc.) Trotter. *Genome*, 40, 6, pp 815-821
<Go to ISI>://000071560100004

Pillen, K., Zacharias, A., & Leon, J. (2003)

Advanced backcross QTL analysis in barley (*Hordeum vulgare* L.). *Theoretical and Applied Genetics*, 107, 2, pp 340-352
<Go to ISI>://000184029100018

Pillen, K., Zacharias, A., & Leon, J. (2004)

Comparative AB-QTL analysis in barley using a single exotic donor of *Hordeum vulgare* ssp *spontaneum*. *Theoretical and Applied Genetics*, 108, 8, pp 1591-1601
<Go to ISI>://000221447600018

Pilon-Smits, E. & Pilon, M. (2002)

Phytoremediation of metals using transgenic plants. *Critical Reviews in Plant Sciences*, 21, pp 439-456

Pimenta, A.M.C., Martin-Eauclaire, M.-F., Rochat, H., Figueiredo, S.D., Kalapothakis, E., Afonso, L.C.C., & De Lima, M.E. (2001)

Purification, amino-acid sequence and partial characterization of two toxins with anti-insect activity from the venom of the South American scorpion *Tityus bahiensis* (Buthidae). *Toxicon*, 39, pp 1009-1019

Pino, J., Font, X., Carbo, J., Jove, M., & Pallares, L. (2005)

Large-scale correlates of alien plant invasion in Catalonia (NE of Spain). *Biological Conservation*, 122, 2, pp 339-350
<Go to ISI>://000225818100016

Piston, F., Dorado, G., Martin, A., & Barro, F. (2004)

Cloning and characterization of a gamma-3 hordein mRNA (cDNA) from *Hordeum chilense* (Roem. et Schult.). *Theoretical and Applied Genetics*, 108, 7, pp 1359-1365
<Go to ISI>://000220988400020

Pistrick, K. (2002)

Notes on neglected and underutilized crops - Current taxonomical overview of cultivated plants in the families Umbelliferae and Labiatae. *Genetic Resources and Crop Evolution*, 49, 2, pp 211-225

Plate, A.Y.A. & Areas, J.A.G. (2002)

Cholesterol-lowering effect of extruded amaranth (*Amaranthus caudatus* L.) in hypercholesterolemic rabbits. *Food Chemistry*, 76, 1, pp 1-6
<Go to ISI>://000172743400001

Plazek, A. & Niemczyk, E. (2000)

Changes in soluble carbohydrate level in *Hordeum vulgare* (L.) and *Festuca pratensis* (Huds.) calli treated with metabolites of *Bipolaris sorokiniana* (Sacc.) Shoem. *Acta Physiologiae Plantarum*, 22, 4, pp 471-476
<Go to ISI>://000165796600014

Plazek, A. & Rapacz, M. (2000)

The intensity of respiration and heat emission from seedlings of *Festuca pratensis* (Hud.) and *Hordeum vulgare* L. during pathogenesis caused by *Bipolaris sorokiniana* (Sacc.) Shoem. *Acta Physiologiae Plantarum*, 22, 1, pp 25-30
<Go to ISI>://000086644900004

Plazek, A., Skrzypek, E., & Zur, I. (2000)

The change of heat emission and phenolic compound level in *Hordeum vulgare* (L.) and *Festuca pratensis* (Huds.) calli treated with *Bipolaris sorokiniana* (Sacc.) shoem. phytotoxins. *Journal of Agronomy and Crop Science-Zeitschrift Fur Acker Und Pflanzenbau*, 184, 1, pp 17-21
<Go to ISI>://000085928400003

Pline, W.A., Hatzios, K.K., & Hagood, E.S. (2000)

Weed and herbicide-resistant soybean (*Glycine max*) response to glufosinate and glyphosate plus ammonium sulfate and pelargonic acid. *Weed Technology*, 14, 4, pp 667-674
<Go to ISI>://000166188100001

Ploetz, R.C. (2001)

Black Sigatoka of Banana. The Plant Health Instructor, <http://www.apsnet.org/education/feature/banana/>, pp

Podesta, F.E., Colombo, S.L., & Andreo, C.S. (1995)

Purification and characterisation of the light and dark forms of phosphoenolpyruvate carboxylase from the dicot plant *Amaranthus viridis* L. An examination of its kinetic and regulatory properties in the presence of water-alcohol binary solvents. *Plant and Cell Physiology*, 36, 8, pp 1471-1476
<Go to ISI>://A1995TK82300009

Pohlan, J. (1982)

1st Results of Weed-Control in Teff, *Eragrostis-Tef* (Zucc) Trott. *Beitrag Zur Tropischen Landwirtschaft Und Veterinarmedizin*, 20, 2, pp 125-129
<Go to ISI>://A1982NX54400002

Ponder, K.L., Pritchard, J., Harrington, R., & Bale, J.S. (2000)

Difficulties in location and acceptance of phloem sap combined with reduced concentration of phloem amino acids explain lowered performance of the aphid *Rhopalosiphum padi* on nitrogen deficient barley (*Hordeum vulgare*) seedlings. *Entomologia Experimentalis Et Applicata*, 97, 2, pp 203-210
<Go to ISI>://000089501600009

- Ponder, K.L., Pritchard, J., Harrington, R., & Bale, J.S. (2001)**
Feeding behaviour of the aphid *Rhopalosiphum padi* (Hemiptera : Aphididae) on nitrogen and water-stressed barley (*Hordeum vulgare*) seedlings. *Bulletin of Entomological Research*, 91, 2, pp 125-130
<Go to ISI>://000167725100007
- Porras, F., Lascourain, R., Chavez, R., Ortiz, B., Hernandez, P., Debray, H., & Zenteno, E. (2000)**
Isolation of the receptor for *Amaranthus leucocarpus* lectin from murine naive thymocytes. *Glycobiology*, 10, 5, pp 459-465
<Go to ISI>://000086491400003
- Poston, D.H., Hirata, C.M., & Wilson, H.P. (2002)**
Response of acetolactate synthase from imidazolinone-susceptible and -resistant smooth pigweed to ALS inhibitors. *Weed Science*, 50, 3, pp 306-311
<Go to ISI>://000176184300005
- Poston, D.H., Wilson, H.P., & Hines, T.E. (2000)**
Imidazolinone resistance in several *Amaranthus hybridus* populations. *Weed Science*, 48, 4, pp 508-513
<Go to ISI>://000088629700016
- Poston, D.H., Wilson, H.P., & Hines, T.E. (2002)**
Growth and development of imidazolinone-resistant and -susceptible smooth pigweed biotypes. *Weed Science*, 50, 4, pp 485-493
<Go to ISI>://000177077100010
- Poston, D.H., Wu, J.R., Hatzios, K.K., & Wilson, H.P. (2001)**
Enhanced sensitivity to cloransulam-methyl in imidazolinone-resistant smooth pigweed. *Weed Science*, 49, 6, pp 711-716
<Go to ISI>://000175242300003
- Potokina, E., Caspers, M., Prasad, M., Kota, R., Zhang, H., Sreenivasulu, N., Wang, M., & Graner, A. (2004)**
Functional association between malting quality trait components and cDNA array based expression patterns in barley (*Hordeum vulgare* L.). *Molecular Breeding*, 14, 2, pp 153-170
<Go to ISI>://000223332100006
- Powell, M. (1997)**
Science in sanitary and phytosanitary dispute resolution. *Discussion Paper Resources for the Future*, Washington, D.C, pp 97
- Pozzi, C., di Pietro, D., Halas, G., Roig, C., & Salamini, F. (2003)**
Integration of a barley (*Hordeum vulgare*) molecular linkage, map with the position of genetic loci hosting 29 developmental mutants. *Heredity*, 90, 5, pp 390-396
<Go to ISI>://000182910800008
- Pradhan, S., Sharma, A.K., & Sopory, S.K. (1993)**
Cloning of the BamHI Repeat from *Amaranthus* and Study of Its Methylation in Genomic DNA During Dedifferentiation. *Biochemistry and Molecular Biology International*, 30, 3, pp 571-578
<Go to ISI>://A1993LN52900020
- Prakash, D., Joshi, B.D., & Pal, M. (1995)**
Vitamin-C in Leaves and Seed Oil Composition of the *Amaranthus* Species. *International Journal of Food Sciences and Nutrition*, 46, 1, pp 47-51
<Go to ISI>://A1995RZ59400007
- Prakash, D., Raj, S.K., & Singh, B.P. (1995)**
Biochemical-Changes in Cucumber Mosaic-Virus (Cmv)-Infected *Amaranthus* and *Chenopodium*. *Journal of the Science of Food and Agriculture*, 68, 3, pp 299-303
<Go to ISI>://A1995RJ08500006
- Prakesh, S., Misra, B.K., Adsule, R.N., & Barat, G.K. (1977)**
Distribution of b-N-oxalyl-L-ab diaminopropionic acid in different tissues of aging *Lathyrus sativus* plant. *Biochem. Physiol. Pflanzen*, 171, pp 369-374
- Pratt, D.B. & Clark, L.G. (2001)**
Amaranthus rudis and *A-tuberculatus* - one species or two? *Journal of the Torrey Botanical Society*, 128, 3, pp 282-296
<Go to ISI>://000171136800008
- Prieto, P., Ramirez, M.C., Ballesteros, J., & Cabrera, A. (2001)**
Identification of intergenomic translocations involving wheat, *Hordeum vulgare* and *Hordeum chilense* chromosomes by FISH. *Hereditas*, 135, 2-3, pp 171-174
<Go to ISI>://000176985900012
- Prokopowicz, D. (2001)**
Health promoting attributes of amaranthus (*Amaranthus cruentus*). *Medycyna Weterynaryjna*, 57, 8, pp 559-561

<Go to ISI>://000170238600005

Provan, J., Russell, J.R., Booth, A., & Powell, W. (1999)

Polymorphic chloroplast simple sequence repeat primers for systematic and population studies in the genus *Hordeum*.

Molecular Ecology, 8, 3, pp 505-511

<Go to ISI>://000079637800016

Pshibytko, N.L., Kalitukho, L.N., & Kabashnikova, L.F. (2003)

Effects of high temperature and water deficit on photosystem II in *Hordeum vulgare* leaves of various ages. *Russian Journal of Plant Physiology*, 50, 1, pp 44-51

<Go to ISI>://000180693700007

Pshybytko, N.L., Kalituhu, L.N., Zhavoronkova, N.B., & Kabashnikova, L.F. (2003)

Effect of heat shock and water deficit on the state of chloroplast photosynthetic membranes in the *Hordeum vulgare* leaves of different ages. *Biologicheskie Membrany*, 20, 2, pp 121-127

<Go to ISI>://000182364400002

Ptushenko, V.V., Gins, M.S., Gins, V.K., & Tikhonov, A.N. (2002)

Interaction of amaranthin with the electron transport chain of chloroplasts. *Russian Journal of Plant Physiology*, 49, 5, pp 585-591

<Go to ISI>://000178621800002

Pundir, C.S., Goyal, L., Thakur, M., & Bhargava, A.K. (1999)

Immobilization of *Amaranthus* leaf oxalate oxidase on alkylamine glass. *Indian Journal of Biochemistry & Biophysics*, 36, 6, pp 449-452

<Go to ISI>://000084950400009

Puricelli, E., Orioli, G., & Sabbatini, M.R. (2002)

Demography of *Anoda cristata* in wide- and narrow-row soyabean. *Weed Research*, 42, 6, pp 456-463

<Go to ISI>://000179642500004

Puschenreiter, M., Stoger, G., Lombi, E., Horak, O., & Wenzel, W.W. (2001)

Phytoextraction of heavy metal contaminated soils with *Thlaspi goesingense* and *Amaranthus hybridus*: Rhizosphere manipulation using EDTA and ammonium sulfate. *Journal of Plant Nutrition and Soil Science-Zeitschrift Fur Pflanzenernahrung Und Bodenkunde*, 164, 6, pp 615-621

<Go to ISI>://000173188400004

Qasem, J.R. (1992)

Pigweed (*Amaranthus*-Spp) Interference in Transplanted Tomato (*Lycopersicon-Esculentum*). *Journal of Horticultural Science*, 67, 3, pp 421-427

<Go to ISI>://A1992HY12000017

Qasem, J.R. (1995)

The Allelopathic Effect of 3 *Amaranthus* Spp (Pigweeds) on Wheat (*Triticum-Durum*). *Weed Research*, 35, 1, pp 41-49

<Go to ISI>://A1995RA78900007

Qasem, J.R. (2002)

Allelopathic effects of selected medicinal plants on *Amaranthus retroflexus* and *Chenopodium murale*. *Allelopathy Journal*, 10, 2, pp 105-122

<Go to ISI>://000178956700002

Qian, J.Y. & Kuhn, M. (1999)

Characterization of *Amaranthus cruentus* and *Chenopodium quinoa* starch. *Starch-Starke*, 51, 4, pp 116-120

<Go to ISI>://000080574700002

Quinn, J.A., Bram, M.R., & Taylor, T.E. (2000)

Female resource allocation in response to pollen availability in plants from freshwater cared salt marsh populations of *Amaranthus cannabinus*. *Journal of the Torrey Botanical Society*, 127, 1, pp 83-86

<Go to ISI>://000085628500008

Raghavendra, A.S., Gerst, U., & Heber, U. (1995)

Oscillations in Photosynthetic Carbon Assimilation and Chlorophyll Fluorescence Are Different in *Amaranthus-Caudatus*, a C-4 Plant, and *Spinacia-Oleracea*, a C-3 Plant. *Planta*, 195, 4, pp 471-477

<Go to ISI>://A1995QK11300001

Raina, A. & Datta, A. (1992)

Molecular-Cloning of a Gene Encoding a Seed-Specific Protein with Nutritionally Balanced Amino-Acid-Composition from *Amaranthus*. *Proceedings of the National Academy of Sciences of the United States of America*, 89, 24, pp 11774-11778

<Go to ISI>://A1992KC84400028

Raj, S.K., Aminuddin, Singh, B.P., & Pal, M. (1997)

Characterization of a cucumber mosaic virus isolate causing leaf crinkle and severe mosaic of Amaranthus in India. Canadian Journal of Plant Pathology-Revue Canadienne De Phytopathologie, 19, 1, pp 97-100
<Go to ISI>://A1997XA81700018

Rajcan, I., AghaAlikhani, M., Swanton, C.J., & Tollenaar, M. (2002)

Development of redroot pigweed is influenced by light spectral quality and quantity. Crop Science, 42, 6, pp 1930-1936
<Go to ISI>://000181430200022

Rajcan, I. & Swanton, C.J. (2001)

Understanding maize-weed competition: resource competition, light quality and the whole plant. Field Crops Research, 71, 2, pp 139-150
<Go to ISI>://000169672300006

Rajput, K.S. (2002)

Stem anatomy of Amaranthaceae: Rayless nature of xylem. Flora, 197, 3, pp 224-232
<Go to ISI>://000176300900006

Rakhmankulova, Z.F., Fedyaev, V.V., Podashevka, O.A., & Usmanov, I.Y. (2003)

Alternative respiration pathways and secondary metabolism in plants with different adaptive strategies under mineral deficiency. Russian Journal of Plant Physiology, 50, 2, pp 206-212
<Go to ISI>://000181904000011

Rakhmankulova, Z.F., Ramazanova, G.A., Mustafina, A.R., & Usmanov, I.Y. (2001)

Assessment of the respiratory costs of adaptation in plant species that differ in their responses to insufficient and excessive mineral nutrition. Russian Journal of Plant Physiology, 48, 5, pp 651-656
<Go to ISI>://000171190700015

Rakhmankulova, Z.F., Ramazanova, G.A., & Usmanov, I.Y. (2001)

Growth and respiration in plants from various adaptation groups as affected by mineral nutrient deficiency. Russian Journal of Plant Physiology, 48, 1, pp 62-66
<Go to ISI>://000166724200012

Ramachandran, K. & Bolodia, G. (1984)

The Effect of Fermentation on the Iron, Phosphorus and Zinc Content of Tef (Eragrostis-Tef). Ethiopian Medical Journal, 22, 1, pp 45-48
<Go to ISI>://A1984RW79900008

Raman, H., Moroni, J.S., Sato, K., Read, B.J., & Scott, B.J. (2002)

Identification of AFLP and microsatellite markers linked with an aluminium tolerance gene in barley (Hordeum vulgare L.). Theoretical and Applied Genetics, 105, 2-3, pp 458-464
<Go to ISI>://000177739800036

Ramesh, A. & Maheswari, S.T. (2003)

Dissipation of sulfosulfuron in soil and wheat plant under predominant cropping conditions and in a simulated model ecosystem. Journal of Agricultural and Food Chemistry, 51, 11, pp 3396-3400
<Go to ISI>://000182932700031

Ramesh, A. & Maheswari, S.T. (2004)

Dissipation of alachlor in cotton plant, soil and water and its bioaccumulation in fish. Chemosphere, 54, 5, pp 647-652
<Go to ISI>://000187744800006

Ramesh, S.A., Choimes, S., & Schachtman, D.P. (2004)

Over-expression of an Arabidopsis zinc transporter in Hordeum vulgare increases short-term zinc uptake after zinc deprivation and seed zinc content. Plant Molecular Biology, 54, 3, pp 373-385
<Go to ISI>://000222985700005

Ramirez-Medeles, M.D., Aguilar, M.B., Miguel, R.N., Bolanos-Garcia, V.M., Garcia-Hernandez, E., & Soriano-Garcia, M. (2003)

Amino acid sequence, biochemical characterization, and comparative modeling of a nonspecific lipid transfer protein from Amaranthus hypochondriacus. Archives of Biochemistry and Biophysics, 415, 1, pp 24-33
<Go to ISI>://000183784800004

Ramos, N. & Cruz, A.M. (2002)

Evaluation of seven seasonal crops for forage production during the dry season in Cuba. Cuban Journal of Agricultural Science, 36, 3, pp 271-276
<Go to ISI>://000182545600013

Ramos, N. & Curbelo, F. (1997)

Effect of harvest ages on Amaranthus (Amaranthus cruentus) cv Morelos forage production and quality. Cuban Journal of Agricultural Science, 31, 2, pp 189-194
<Go to ISI>://A1997XK62000014

Ranford, J.C., Bryce, J.H., & Morris, P.C. (2002)

PM19, a barley (*Hordeum vulgare* L.) gene encoding a putative plasma membrane protein, is expressed during embryo development and dormancy. *Journal of Experimental Botany*, 53, 366, pp 147-148
<Go to ISI>://000172864100017

Rangarajan, A., Chenoweth, W.A., Kelly, J.F., & Agee, K.M. (1998)

Iron bioavailability from Amaranthus species: 2 - Evaluation using haemoglobin repletion in anaemic rats. *Journal of the Science of Food and Agriculture*, 78, 2, pp 274-280
<Go to ISI>://000076355600019

Rangarajan, A. & Kelly, J.F. (1998)

Iron bioavailability from Amaranthus species: 1 - In vitro dialysable iron for estimation of genetic variation. *Journal of the Science of Food and Agriculture*, 78, 2, pp 267-273
<Go to ISI>://000076355600018

Rao, S.S., Kochhar, S., & Kochhar, V.K. (1999)

Analysis of photocontrol of aspartate kinase in barley (*Hordeum vulgare* L.) seedlings. *Biochemistry and Molecular Biology International*, 47, 3, pp 347-360
<Go to ISI>://000079512300001

Rao, T. & Vijay, T. (2002)

Iron, calcium, beta-carotene, ascorbic acid and oxalic acid content of some less common leafy vegetables consumed by the tribals of Purnia district of Bihar. *Journal of Food Science and Technology-Mysore*, 39, 5, pp 560-562
<Go to ISI>://000181168600025

Rapacz, M., Plazek, A., & Niemczyk, E. (2000)

Frost de-acclimation of barley (*Hordeum vulgare* L.) and meadow fescue (*Festuca pratensis* Huds.). Relationship between soluble carbohydrate content and resistance to frost and the fungal pathogen *Bipolaris sorokiniana* (Sacc.) Shoem. *Annals of Botany*, 86, 3, pp 539-545
<Go to ISI>://000089309600010

Rascon-Cruz, Q., Sinagawa-Garcia, S., Osuna-Castro, J.A., Bohorova, N., & Paredes-Lopez, O. (2004)

Accumulation, assembly, and digestibility of amarantin expressed in transgenic tropical maize. *Theoretical and Applied Genetics*, 108, 2, pp 335-342
<Go to ISI>://000188079400020

Rasmussen, S.K. & Hatzack, F. (1998)

Identification of two low-phytate barley (*Hordeum vulgare* L.) grain mutants by TLC and genetic analysis. *Hereditas*, 129, 2, pp 107-112
<Go to ISI>://000078545500002

Rastrelli, L., Aquino, R., Abdo, S., Proto, M., De Simone, F., & De Tommasi, N. (1998)

Studies on the constituents of Amaranthus caudatus leaves: Isolation and structure elucidation of new triterpenoid saponins and ionol-derived glycosides. *Journal of Agricultural and Food Chemistry*, 46, 5, pp 1797-1804
<Go to ISI>://000073757800016

Rastrelli, L., Pizza, C., Saturnino, P., Schettino, O., & Dini, A. (1995)

Studies on the Constituents of Amaranthus-Caudatus (Kiwicha) Seeds - Isolation and Characterization of 7 New Triterpene Saponins. *Journal of Agricultural and Food Chemistry*, 43, 4, pp 904-909
<Go to ISI>://A1995QU38100011

Rau, D., Brown, A.H.D., Brubaker, C.L., Attene, G., Balmas, V., Saba, E., & Papa, R. (2003)

Population genetic structure of *Pyrenophora teres* Drechs. the causal agent of net blotch in Sardinian landraces of barley (*Hordeum vulgare* L.). *Theoretical and Applied Genetics*, 106, 5, pp 947-959
<Go to ISI>://000182200900022

Ravindran, V., Hood, R.L., Gill, R.J., Kneale, C.R., & Bryden, W.L. (1996)

Nutritional evaluation of grain amaranth (*Amaranthus hypochondriacus*) in broiler diets. *Animal Feed Science and Technology*, 63, 1-4, pp 323-331
<Go to ISI>://A1996WD93900025

Rawal, K.M. (1975)

Natural hybridization among wild, weedy and cultivated *Vigna unguiculata* (L.) Walp. *Euphytica*, 24, pp 699-707

Raybould, A. (2005)

Assessing the environmental risks of transgenic volunteer weeds. *In Crop Fertility and Volunteerism* (ed J. Gressel). CRC Press, Boca Raton,

Rayburn, A.L., Biradar, D.P., Nelson, R.L., McCloskey, R., & Yeater, K.M. (2004)

Documenting intraspecific genome size variation in soybean. *Crop Science*, 44, 1, pp 261-264
<Go to ISI>://000187633900036

Rayner, C.J. & Langridge, D.F. (1985)

Amino-Acids in Bee-Collected Pollens from Australian Indigenous and Exotic Plants. *Australian Journal of Experimental Agriculture*, 25, 3, pp 722-726
<Go to ISI>://A1985AWE5600036

Reddy, V.V.P. & Varalakshmi, B. (1998)

Heterosis and combining ability for leaf yield and its components in vegetable amaranth (*Amaranthus tricolor*). *Indian Journal of Agricultural Sciences*, 68, 12, pp 773-775
<Go to ISI>://000078875300005

Rehman, S., Rha, E.S., Ashraf, M., Lee, K.J., Yun, S.J., Kwak, Y.G., Yoo, N.H., & Kim, J.K. (2004)

Does barley (*Hordeum vulgare* L.) pollen swell in fractions of a second? *Plant Science*, 167, 1, pp 137-142
<Go to ISI>://000221677300017

Reiss, E. & Horstmann, C. (2001)

Drechslera teres-infected barley (*Hordeum vulgare* L.) leaves accumulate eight isoforms of thaumatin-like proteins. *Physiological and Molecular Plant Pathology*, 58, 4, pp 183-188
<Go to ISI>://000169344400005

Reitan, L., Gronnerod, S., Ristad, T.P., Salamati, S., Skinnes, H., Waugh, R., & Bjornstad, A. (2002)

Characterization of resistance genes against scald (*Rhynchosporium secalis* (Oudem.) J.J. Davis) in barley (*Hordeum vulgare* L.) lines from central Norway, by means of genetic markers and pathotype tests. *Euphytica*, 123, 1, pp 31-39
<Go to ISI>://000174573800004

Rejmanek, M. (2000)

Invasive plants: approaches and predictions. *Austral Ecology*, 25, 5, pp 497-506
<Go to ISI>://000089914100008

Rene, M. (1972)

Research on New Medicines in Plant Kingdom, Especially Exotic Plants. *Semaine Des Hopitaux*, 48, 41, pp 2695-&
<Go to ISI>://A1972N701100020

Rengel, Z. (1994)

Effects of Al, Rare-Earth Elements, and Other Metals on Net Ca- 45(2+) Uptake by *Amaranthus* Protoplasts. *Journal of Plant Physiology*, 143, 1, pp 47-51
<Go to ISI>://A1994MW26100008

Rengel, Z. & Elliott, D.C. (1992)

Aluminum Inhibits Net Ca-45(2+) Uptake by *Amaranthus* Protoplasts. *Biochemie Und Physiologie Der Pflanzen*, 188, 3, pp 177-186
<Go to ISI>://A1992JH28800005

Requena, L. & Bornemann, S. (1999)

Barley (*Hordeum vulgare*) oxalate oxidase is a manganese- containing enzyme. *Biochemical Journal*, 343, pp 185-190
<Go to ISI>://000083255300024

Resio, A.N.C., Tolaba, M.P., & Suarez, C. (2000)

Some physical and thermal characteristics of amaranth starch. *Food Science and Technology International*, 6, 5, pp 371-378
<Go to ISI>://000167328000002

Reuss, S.A., Buhler, D.D., & Gunsolus, J.L. (2001)

Effects of soil depth and aggregate size on weed seed distribution and viability in a silt loam soil. *Applied Soil Ecology*, 16, 3, pp 209-217
<Go to ISI>://000167480300002

Richardson, D.M. (2004)

Plant invasion ecology - dispatches from the front line. *Diversity and Distributions*, 10, 5-6, pp 315-319
<Go to ISI>://000223744500001

Richardson, R.J., Hatzios, K.K., & Wilson, H.P. (2003)

Absorption, translocation, and metabolism of CGA 362622 in cotton and two weeds. *Weed Science*, 51, 2, pp 157-162
<Go to ISI>://000181737400004

Rieger, M.A., Lamond, M., Preston, C., Powles, S.B., & Roush, R.T. (2002)

Pollen-mediated movement of herbicide resistance between commercial canola fields. *Science*, 296, 5577, pp 2386-2388

Riepe, M., Spencer, P.S., Lambein, F., Ludolph, A.C., & Allen, C.N. (1995)

In vitro toxicological investigations of isoxazolinone amino acids of *Lathyrus sativus*. *Nat Toxins*, 3, pp 58-64

- Rieseberg, L.H., Kim, M.J., & Seiler, G.J. (1999)**
Introgression between the cultivated sunflower and a sympatric wild relative, *Helianthus petiolaris* (Asteraceae). *Intl. J. Plant Sci.*, 160, pp 102-108
- Rieseberg, L.H., Whitton, J., & Gardner, K. (1999)**
Hybrid zones and the genetic architecture of a barrier to gene flow between two wild sunflower species. *Genetics*, 152, pp 713-727
- Rissler, J. & Mellon, M. (1993)**
Perils Amidst the Promise-Ecological Risks of BD-HRCs in a Global Market Union of Concerned Scientists, Cambridge MA, pp
- Ritala, A., Mannonen, L., & Oksman-Caldentey, K.M. (2001)**
Factors affecting the regeneration capacity of isolated barley microspores (*Hordeum vulgare* L.). *Plant Cell Reports*, 20, 5, pp 403-407
<Go to ISI>://000170337100006
- Ritter, R.L. & Menbere, H. (2001)**
Preemergence and postemergence control of triazine-resistant common lambsquarters (*Chenopodium album*) in no-till corn (*Zea mays*). *Weed Technology*, 15, 4, pp 879-884
<Go to ISI>://000175241100034
- Rivero-Cruz, I., Trejo, J.L., Aguilar, M.I., Bye, R., & Mata, R. (2000)**
Phytotoxic compounds from *Xanthocephalum gymnospermoides* var. *eradiatum*. *Planta Medica*, 66, 8, pp 734-739
<Go to ISI>://000166200300010
- Rizzardi, M.A., Fleck, N.G., Riboldi, J., & Agostinetto, D. (2003)**
Adjustment of model to quantify the effect of weeds and sowing time on soybean yield. *Pesquisa Agropecuaria Brasileira*, 38, 1, pp 35-43
<Go to ISI>://000180898500005
- Roach, B.T. (1995)**
Sugar canes. In *Evolution of Crop Plants* (eds J. Smartt & N.W. Simmonds), pp. 160-166. Longman, Harlow,
- Roberts, E.A., Sheley, R.L., & Lawrence, R.L. (2004)**
Using sampling and inverse distance weighted modeling for mapping invasive plants. *Western North American Naturalist*, 64, 3, pp 312-323
<Go to ISI>://000223796400004
- Robertson, D.J., Robertson, M.C., & Tague, T. (1994)**
Colonization Dynamics of 4 Exotic Plants in a Northern Piedmont Natural Area. *Bulletin of the Torrey Botanical Club*, 121, 2, pp 107-118
<Go to ISI>://A1994NY13800001
- Robertson, K. & Clemants, S. (2004)**
Electronic Source: 39. *Amaranthaceae* Jussieu, *Flora of North America*,
https://vpn01.unibe.ch/http/0/www.efloras.org/florataxon.aspx?flora_id=1&taxon_id=10031 and www.efloras.org
- Robinson, D., Handley, L.L., Scrimgeour, C.M., Gordon, D.C., Forster, B.P., & Ellis, R.P. (2000)**
Using stable isotope natural abundances (δ N-15 and δ C-13) to integrate the stress responses of wild barley (*Hordeum spontaneum* C. Koch.) genotypes. *Journal of Experimental Botany*, 51, 342, pp 41-50
<Go to ISI>://000084994300006
- Robson, P.R.H., McCormac, A.C., Irvine, A.S., & Smith, H. (1996)**
Genetic engineering of harvest index in tobacco through overexpression of a phytochrome gene. *Nature Biotechnology*, 14, pp 995-998
- Rodriguez-Lopez, M., Baroja-Fernandez, E., Zanduetta-Criado, A., Moreno-Bruna, B., Munoz, F.J., Akazawa, T., & Pozueta-Romero, J. (2001)**
Two isoforms of a nucleotide-sugar pyrophosphatase/phosphodiesterase from barley leaves (*Hordeum vulgare* L.) are distinct oligomers of HvGLP1, a germin-like protein. *Febs Letters*, 490, 1-2, pp 44-48
<Go to ISI>://000167007900009
- Rojas, I.S., Lotina-Hennsen, B., & Mata, R. (2000)**
Effect of lichen metabolites on thylakoid electron transport and photophosphorylation in isolated spinach chloroplasts. *Journal of Natural Products*, 63, 10, pp 1396-1399
<Go to ISI>://000165093900017

- Romanov, G.A., Getman, I.A., & Schmulling, T. (1999)**
Rapid transcription activation of nuclear genes is necessary for the cytokinin-induced betacyanin synthesis in *Amaranthus* seedlings. *Doklady Akademii Nauk*, 365, 6, pp 832-835
<Go to ISI>://000085708500030
- Romanov, G.A., Getman, I.A., & Schmulling, T. (2000)**
Investigation of early cytokinin effects in a rapid *Amaranthus* seedling test. *Plant Growth Regulation*, 32, 2-3, pp 337-344
<Go to ISI>://000167858500028
- Root, R., Kokaly, R., Brown, K., & Anderson, G.L. (2001)**
Future directions in remote sensing for detection of invasive plants. *Abstracts of Papers of the American Chemical Society*, 221, pp U51-U51
<Go to ISI>://000168824700174
- Rose, M. & Hermanutz, L. (2004)**
Are boreal ecosystems susceptible to alien plant invasion? Evidence from protected areas. *Oecologia*, 139, 3, pp 467-477
<Go to ISI>://000221056400018
- Roskopf, E.N., Charudattan, R., DeValerio, J.T., & Stall, W.M. (2000)**
Field evaluation of *Phomopsis amaranthicola*, a biological control agent of *Amaranthus* spp. *Plant Disease*, 84, 11, pp 1225-1230
<Go to ISI>://000089996500012
- Roskopf, E.N., Charudattan, R., Shabana, Y.M., & Benny, G.L. (2000)**
Phomopsis amaranthicola, a new species from *Amaranthus* sp. *Mycologia*, 92, 1, pp 114-122
<Go to ISI>://000085130200013
- Rossmann, A.Y. (2001)**
A special issue on global movement of invasive plants and fungi. *Bioscience*, 51, 2, pp 93-94
<Go to ISI>://000167711500004
- Rotteveel, T.J.W., De Goeij, J.W.F.M., & Can Geerden, A.F. (1997)**
Towards the construction of a resistance risk evaluation scheme. *Pesticide Science*, 51, pp 407-411
- Roush, R. (2005)**
Regulation should be based on data, not just models. *In Crop Fertility and Volunteerism* (ed J. Gressel). CRC Press, Boca Raton,
- Rowland, M.W., Murray, D.S., & Verhalen, L.M. (1999)**
Full-season Palmer amaranth (*Amaranthus palmeri*) interference with cotton (*Gossypium hirsutum*). *Weed Science*, 47, 3, pp 305-309
<Go to ISI>://000082104600010
- Roy, D.N. (1980)**
Trypsin inhibitor from *Lathyrus sativus* seeds: final purification, separation of protein components, properties, and characterization. *J Agric Food Chem.*, 28, pp 48-54
- Roy, D.N. & Rao, K.V. (1978)**
Physicochemical values in different varieties of *Lathyrus sativus* and their interrelationships. *J. Agric. Food Chem.*, 26, (3), pp 687-689
- Roy, D.N. & Rao, S.P. (1971)**
Evidence, isolation, purification and some properties of a trypsin inhibitor in *Lathyrus sativus*. *J. Agric. Food Chem*, 19, pp 257-259
- Roy, P.K., Ali, K., Gupta, A., Barat, G.K., & Mehta, S.L. (1993)**
Beta-N-Oxalyl-L-alpha, beta-diaminopropionic acid in somaclones derived from internode explants of *Lathyrus sativus*. *Journal of Plant Biochemistry and Biotechnology*, 2, 1, pp 9-13
<Go to ISI>://A1993KU76200002
- Rubiales, D. & Carver, T.L.W. (2000)**
Defence reactions of *Hordeum chilense* accessions to three formae speciales of cereal powdery mildew fungi. *Canadian Journal of Botany-Revue Canadienne De Botanique*, 78, 12, pp 1561-1570
<Go to ISI>://000166188800009
- Rubiales, D., Carver, T.W.L., & Martin, A. (2001)**

Expression of resistance to *Blumeria graminis* f.sp *tritici* in 'Chinese Spring' wheat addition lines containing chromosomes from *Hordeum vulgare* and H-chilense. *Hereditas*, 134, 1, pp 53-57
<Go to ISI>://000170535700006

Rubiales, D., Niks, R.E., Carver, T.L.W., Ballesteros, J., & Martin, A. (2001)

Prospects for exploitation of disease resistance from *Hordeum chilense* in cultivated cereals. *Hereditas*, 135, 2-3, pp 161-169
<Go to ISI>://000176985900011

Rubiales, D., Reader, S.M., & Martin, A. (2000)

Chromosomal location of resistance to *Septoria tritici* in *Hordeum chilense* determined by the study of chromosomal addition and substitution lines in 'Chinese Spring' wheat. *Euphytica*, 115, 3, pp 221-224
<Go to ISI>://000089143300009

Rudra, M.R., Junaid, M.A., Jyothi, P., & Rao, S.L. (2004)

Metabolism of dietary ODAP in humans may be responsible for the low incidence of neurolathyrism. *Clin Biochem*, 37, pp 318-322

Ruel, K., Montiel, M.D., Goujon, T., Jouanin, L., Burlat, V., & Joseleau, J.-P. (2002)

Interrelation between lignin deposition and polysaccharide matrices during the assembly of plant cell walls. *Plant Biology*, 4, 1, pp 2-8

Ruge, B., Linz, A., Pickering, R., Proeseler, G., Greif, P., & Wehling, P. (2003)

Mapping of *Rym14(Hb)*, a gene introgressed from *Hordeum bulbosum* and conferring resistance to BaMMV and BaYMV in barley. *Theoretical and Applied Genetics*, 107, 6, pp 965-971
<Go to ISI>://000185811300001

Sabanero, M.L., Cueva-Torres, B.G., Casaletti-Rosa, L., Cameron, L.C., & Segura-Nieto, M. (1999)

Myosins II and v in the protein bodies of *Amaranthus hypochoeriacus*. *Molecular Biology of the Cell*, 10, pp 940
<Go to ISI>://000083673500939

Saeki, K., Miyazaki, C., Hirota, N., Saito, A., Ito, K., & Konishi, T. (1999)

RFLP mapping of BaYMV resistance gene *rym3* in barley (*Hordeum vulgare*). *Theoretical and Applied Genetics*, 99, 3-4, pp 727-732
<Go to ISI>://000082570500043

Sage, R.F. (2002)

Variation in the *k*(cat) of Rubisco in C-3 and C-4 plants and some implications for photosynthetic performance at high and low temperature. *Journal of Experimental Botany*, 53, 369, pp 609-620
<Go to ISI>://000174400400004

Sahebi, J., Ghahreman, A., & Rahiminejad, M.R. (2001)

A morphologic and taxonomic study of *Hordeum murinum sensu lato* (Poaceae : Triticeae) in Iran. *Pakistan Journal of Botany*, 33, 2, pp 133-141
<Go to ISI>://000175872100003

Sahrawat, A.K. & Chand, S. (2004)

High frequency plant regeneration from coleoptile tissue of barley (*Hordeum vulgare* L.). *Plant Science*, 167, 1, pp 27-34
<Go to ISI>://000221677300004

Sailaja, M.V. & Das, V.S.R. (1995)

Photosystem II acclimation to limiting growth light in fully developed leaves of *Amaranthus hypochondriacus* L, an NAD-ME C-4 plant. *Photosynthesis Research*, 46, 1-2, pp 227-233
<Go to ISI>://A1995TQ94600028

Sailaja, M.V. & Das, V.S.R. (1996)

Modulation of the cytochrome b(6)/f complex and photosystem I under growth-limiting light in *Amaranthus hypochondriacus*, an NAD-ME C-4 plant. *Australian Journal of Plant Physiology*, 23, 3, pp 305-309
<Go to ISI>://A1996UL21600007

Sailaja, M.V. & Das, V.S.R. (2000)

Differential photosynthetic acclimation pattern to limiting growth-irradiance in two types of C-4 plants. *Photosynthetica*, 38, 2, pp 267-273
<Go to ISI>://000165708900015

Saini, J.P. & Shekhar, J. (1998)

Effect of nitrogen fertilizer on growth and yield of grain amaranth (*Amaranthus hypochondriacus*) cultivars under dry- temperate condition. *Indian Journal of Agronomy*, 43, 4, pp 743-746
<Go to ISI>://000082044800039

Saini, J.P. & Thakur, S.R. (1999)

Response of barley (*Hordeum vulgare*) varieties to nitrogen under dry temperate conditions. *Indian Journal of Agronomy*, 44, 1, pp 123-125
<Go to ISI>://000084407100028

Sakata, T., Takahashi, H., Nishiyama, I., & Higashitani, A. (2000)

Effects of high temperature on the development of pollen mother cells and microspores in barley *Hordeum vulgare* L. *Journal of Plant Research*, 113, 1112, pp 395-402
<Go to ISI>://000166327500005

Salcedo-Chavez, B., Osuna-Castro, J.A., Guevara-Lara, F., Dominguez-Dominguez, J., & Paredes-Lopez, O. (2002)

Optimization of the isoelectric precipitation method to obtain protein isolates from amaranth (*Amaranthus cruentus*) seeds. *Journal of Agricultural and Food Chemistry*, 50, 22, pp 6515-6520
<Go to ISI>://000178668600044

Salvo-Garrido, H., Laurie, D.A., Jaffe, B., & Snape, J.W. (2001)

An RFLP map of diploid *Hordeum bulbosum* L. and comparison with maps of barley (*H. vulgare* L.) and wheat (*Triticum aestivum* L.). *Theoretical and Applied Genetics*, 103, 6-7, pp 869-880
<Go to ISI>://000172530400008

Salyi, G., Molnar, T., & Ratz, F. (1996)

Renal injury caused by feeding redroot pigweed (*Amaranthus retroflexus* L.) in swine. Case report. *Magyar Allatorvosok Lapja*, 51, 10, pp 603-606
<Go to ISI>://A1996VQ96500007

Sambrook, J., Fritsch, E.F., & Maniatis, T. (1989)

Molecular Cloning: a laboratory manual. In. Cold Spring Harbor, New York,

Sammour, R.H., Hammoud, M.A., & Alla, S.A.A. (1993)

Electrophoretic Variations in *Amaranthus*. *Botanical Bulletin of Academia Sinica*, 34, 1, pp 37-42
<Go to ISI>://A1993KH71200004

Sankula, S., Braverman, M.P., Jodari, F., Linscombe, S.D., & Oard, J.H. (1997)

Evaluation of glufosinate on rice (*Oryza sativa*) transformed with the *bar*- gene and red rice (*Oryza sativa*). *Weed Technology*, 11, pp 70-75

Sankula, S., Braverman, M.P., & Oard, J.H. (1998)

Genetic analysis of glufosinate resistance in crosses between transformed rice (*Oryza sativa*), and red rice (*Oryza sativa*). *Weed Technology*, 12, pp 209-214

Santos, B.M., Dusky, J.A., Stall, W.M., Bewick, T.A., & Shilling, D.G. (2004)

Mechanisms of interference of smooth pigweed (*Amaranthus hybridus*) and common purslane (*Portulaca oleracea*) on lettuce as influenced by phosphorus fertility. *Weed Science*, 52, 1, pp 78-82
<Go to ISI>://000188218200011

Santos, B.M., Dusky, J.A., Stall, W.M., Bewick, T.A., Shilling, D.G., & Gilreath, J.P. (2004)

Phosphorus absorption in lettuce, smooth pigweed (*Amaranthus hybridus*), and common purslane (*Portulaca oleracea*) mixtures. *Weed Science*, 52, 3, pp 389-394
<Go to ISI>://000221464600011

Santos, B.M., Dusky, J.A., Stall, W.M., & Gilreath, J.P. (2004)

Influence of common lambsquarters (*Chenopodium album*) densities and phosphorus fertilization on lettuce. *Crop Protection*, 23, 2, pp 173-176
<Go to ISI>://000188399500014

Santos, B.M., Dusky, J.A., Stall, W.M., Shilling, D.G., & Bewick, T.A. (1998)

Phosphorus effects on competitive interactions of smooth pigweed (*Amaranthus hybridus*) and common purslane (*Portulaca oleracea*) with lettuce (*Lactuca sativa*). *Weed Science*, 46, 3, pp 307-312
<Go to ISI>://000074501300006

Santos, J.C.F., de Souza, I.F., Mendes, A.N.G., de Moraes, A.R., da Conceicao, H.E.O., & Marinho, J.T.S. (2002)

Effect of extracts of coffee and rice husks upon emergence and growth of the slender amaranth. *Pesquisa Agropecuaria Brasileira*, 37, 6, pp 783-790
<Go to ISI>://000176343000007

Sarkar, S., Perras, M.R., Falk, D.E., Zhang, R.C., Pharis, R.P., & Fletcher, R.A. (2004)

Relationship between gibberellins, height, and stress tolerance in barley (*Hordeum vulgare* L.) seedlings. *Plant Growth Regulation*, 42, 2, pp 125-135
<Go to ISI>://000189235600004

- Sarmah, B., Chakraborty, N., Chakraborty, S., & Datta, A. (2002)**
Plant pre-mRNA splicing in fission yeast, *Schizosaccharomyces pombe*. *Biochemical and Biophysical Research Communications*, 293, 4, pp 1209-1216
<Go to ISI>://000175911900010
- Sarojini, G., Nirmalamma, N., & Chaturvedi, A. (1996)**
Product development and evaluation of whole grain and flour blends of *Amaranthus paniculatus*. *Journal of Food Science and Technology-Mysore*, 33, 4, pp 345-347
<Go to ISI>://A1996VQ06900016
- Sato, K., Inukai, T., & Hayes, P.M. (2001)**
QTL analysis of resistance to the rice blast pathogen in barley (*Hordeum vulgare*). *Theoretical and Applied Genetics*, 102, 6-7, pp 916-920
<Go to ISI>://000169278600017
- Satoh, H., Uchida, A., Nakayama, K., & Okada, M. (2001)**
Water-soluble chlorophyll protein in Brassicaceae plants is a stress-induced chlorophyll-binding protein. *Plant and Cell Physiology*, 42, 9, pp 906-911
<Go to ISI>://000171129000004
- Sauer, J. (1950)**
The grain amaranths. A survey of their history and classification. *Ann. Missouri Bot. Garden*, 37, 4, pp 561-632
<http://www.botanischergarten.ch/Feral-New/Sauer-Amaranths-AnnMOBOT-1950.pdf>
- Sauer, J. (1967)**
The grain amaranths and their relatives: A revised taxonomic and geographic survey. *Ann. Missouri Bot. Gard.*, 54, 2, pp 103-137
<http://www.botanischergarten.ch/Feral-New/Sauer-Amaranths-rev-AnnMOBOT-1967.pdf>
- Sauer, J. (1995)**
Grain Amaranths *Amaranthus* ssp. (Amaranthaceae). In *Evolution of Crop Plants, Second Edition* (eds J. Smartt & N. Simmonds), pp. 8-10. Blackwell Publishing, LTD, Oxford,
- Saunders, R. & Becker, R. (1984),**
The history of grain amaranths and their use and cultivation around the world, St. Paul, MN Am. Assn. Cereal Chemists, Adv. Cereal Sci. Technol (ed y. Pomeranz) pp 357
- Savant, N.K., Snyder, G.H., & Datnoff, L.E. (1997)**
Silicon management and sustainable rice production. *Advances in Agronomy*, 58, pp 151-199
- Sawada, S., Arakawa, O., Muraki, I., Echigo, H., Miyashita, M., Iwafune, M., Kasai, M., & Usuda, H. (1999)**
Photosynthesis with single-rooted *Amaranthus* leaves. I. Changes in the activities of RuBP-1,5-bisphosphate carboxylase and phosphoenolpyruvate carboxylase and the amounts of intermediates in photosynthetic metabolism in response to changes in the source-sink balance. *Plant and Cell Physiology*, 40, 11, pp 1143-1151
<Go to ISI>://000083780000006
- Sawada, S., Sakamoto, T., Sato, M., Kasai, M., & Usuda, H. (2002)**
Photosynthesis with single-rooted *Amaranthus* leaves. II. Regulation of ribulose-1,5-bisphosphate carboxylase, phosphoenolpyruvate carboxylase, NAD-malic enzyme and NAD- malate dehydrogenase and coordination between PEPcase and C4 photosynthetic metabolism in response to changes in the source- sink balance. *Plant and Cell Physiology*, 43, 11, pp 1293-1301
<Go to ISI>://000179337800005 and <http://www.botanischergarten.ch/Feral-New/Sawada-Photosynth-2002.pdf>
- Sawhney, S. & Bhide, S. (1992)**
Isolation of a Lectin from *Amaranthus-Paniculatus* Seeds. *Journal of Food Science and Technology-Mysore*, 29, 6, pp 354-356
<Go to ISI>://A1992KK67500005
- Saxena, M.C., Linke, K.H., & J., S. (1994)**
Biology and Management of Orobanche (eds A.H. Pieterse, J.A.C. Verkleij & S.J. ter Borg), pp. 419-431. Royal Tropical Inst, Amsterdam,
- Sayed, H., Kayyal, H., Ramsey, L., Ceccarelli, S., & Baum, M. (2002)**
Segregation distortion in doubled haploid lines of barley (*Hordeum vulgare* L.) detected by simple sequence repeat (SSR) markers. *Euphytica*, 125, 2, pp 265-272
<Go to ISI>://000176184000014
- Scalla, R. & Roulet, A. (2002)**

Cloning and characterization of a glutathione S-transferase induced by a herbicide safener in barley (*Hordeum vulgare*). *Physiologia Plantarum*, 116, 3, pp 336-344
<Go to ISI>://000178644900008

Schaller, H., Bouvier-Navé, P., & Benveniste, P. (1998)

Overexpression of an Arabidopsis cDNA encoding a sterol-C24-methyltransferase in tobacco modifies the ratio of 24-methyl cholesterol to sitosterol and is associated with growth reduction. *Plant Physiology*, 18, pp 461-469

Schelling, K., Born, K., Weissteiner, C., & Kuhbauch, W. (2003)

Relationships between yield and quality parameters of malting barley (*Hordeum vulgare* L.) and phenological and meteorological data. *Journal of Agronomy and Crop Science*, 189, 2, pp 113-122
<Go to ISI>://000182259500007

Scherer, G.F.E. & Holk, A. (2000)

NO donors mimic and NO inhibitors inhibit cytokinin action in betalain accumulation in *Amaranthus caudatus*. *Plant Growth Regulation*, 32, 2-3, pp 345-350
<Go to ISI>://000167858500029

Schernthaner, J.P., Fabijanski, S.F., Arnison, P.G., Racicot, M., & Robert, L.S. (2003)

Control of seed germination in transgenic plants based on the segregation of a two-component genetic system. *Proceedings of the National Academy of Sciences of the United States of America*, 100, 11, pp 6855-6859

Scheurer, K.S., Friedt, W., Huth, W., Waugh, R., & Ordon, F. (2001)

QTL analysis of tolerance to a German strain of BYDV-PAV in barley (*Hordeum vulgare* L.). *Theoretical and Applied Genetics*, 103, 6-7, pp 1074-1083
<Go to ISI>://000172530400030

Schmidtke, K., Neumann, A., Hof, C., & Rauber, R. (2004)

Soil and atmospheric nitrogen uptake by lentil (*Lens culinaris* Medik.) and barley (*Hordeum vulgare* ssp *nudum* L.) as monocrops and intercrops. *Field Crops Research*, 87, 2-3, pp 245-256
<Go to ISI>://000220837900011

Schnitzler, A. & Muller, S. (1998)

Ecology and biogeography of highly invasive plants in Europe: giant knotweeds from Japan (*Fallopia japonica* and *F. sachalinensis*). *Revue D Ecologie-La Terre Et La Vie*, 53, 1, pp 3-38
<Go to ISI>://000072690600001

Scholz, S., Lorz, H., & Lutticke, S. (2001)

Transposition of the maize transposable element Ac in barley (*Hordeum vulgare* L.). *Molecular and General Genetics*, 264, 5, pp 653-661
<Go to ISI>://000166821600014

Schroder, J., Stenger, H., & Wernicke, W. (2001)

alpha-Tubulin genes are differentially expressed during leaf cell development in barley (*Hordeum vulgare* L.). *Plant Molecular Biology*, 45, 6, pp 723-730
<Go to ISI>://000169130600010

Schroeder-Reiter, E., Houben, A., & Wanner, G. (2003)

Immunogold labeling of chromosomes for scanning electron microscopy: A closer look at phosphorylated histone H3 in mitotic metaphase chromosomes of *Hordeum vulgare*. *Chromosome Research*, 11, 6, pp 585-596
<Go to ISI>://000184417500005

Schulman, R.N., Salt, D.E., & Raskin, I. (1999)

Isolation and partial characterization of a lead-accumulating *Brassica juncea* mutant. *Theoretical and Applied Genetics*, 99, pp 398-404

Schunmann, P.H.D., Richardson, A.E., Smith, F.W., & Delhaize, E. (2004)

Characterization of promoter expression patterns derived from the Pht1 phosphate transporter genes of barley (*Hordeum vulgare* L.). *Journal of Experimental Botany*, 55, 398, pp 855-865
<Go to ISI>://000220486400007

Schwarz, G., Michalek, W., Jahoor, A., & Mohler, V. (2002)

Direct selection of expressed sequences on a YAC clone revealed proline-rich-like genes and BARE-1 sequences physically linked to the complex Mla powdery mildew resistance locus of barley (*Hordeum vulgare* L.). *Plant Science*, 163, 2, pp 307-311
<Go to ISI>://000177774700013

Schwarz, G., Michalek, W., Mohler, V., Wenzel, G., & Jahoor, A. (1999)

Chromosome landing at the Mla locus in barley (*Hordeum vulgare* L.) by means of high-resolution mapping with AFLP markers. *Theoretical and Applied Genetics*, 98, 3-4, pp 521-530

<Go to ISI>://000079534900022

Scott, G.H., Askew, S.D., Bennett, A.C., & Wilcut, J.W. (2001)

Economic evaluation of HADSS (TM) computer program for weed management in nontransgenic and transgenic cotton. *Weed Science*, 49, 4, pp 549-557

<Go to ISI>://000175241900017

Scursoni, J.A. & Arnold, R.B. (2002)

Effect of nitrogen fertilization timing on the demographic processes of wild oat (*Avena fatua*) in barley (*Hordeum vulgare*). *Weed Science*, 50, 5, pp 616-621

<Go to ISI>://000178083600011

Seaman, R.E. & Marino, P.C. (2003)

Influence of mound building and selective seed predation by the red imported fire ant (*Solenopsis invicta*) on an old-field plant assemblage. *Journal of the Torrey Botanical Society*, 130, 3, pp 193-201

<Go to ISI>://000185777900004

Seefeldt, S.S., Zemetra, R., Young, F.L., & Jones, S.S. (1998)

Production of herbicide-resistant jointed goatgrass (*Aegilops cylindrica*) x wheat (*Triticum aestivum*) hybrids in the field by natural hybridization. *Weed Sci.*, 46, pp 632-634

Seel, W.E. & Jeschke, W.D. (1999)

Simultaneous collection of xylem sap from *Rhinanthus minor* and the hosts *Hordeum* and *Trifolium*: hydraulic properties, xylem sap composition and effects of attachment. *New Phytologist*, 143, 2, pp 281-298

<Go to ISI>://000082206200006

Seguranieto, M., Vazquezsanchez, N., Rubioelazquez, H., Olguinmartinez, L.E., Rodrigueznester, C.E., & Herreraestrella, L. (1992)

Characterization of Amaranth (*Amaranthus-Hypochondriacus* L) Seed Proteins. *Journal of Agricultural and Food Chemistry*, 40, 9, pp 1553-1558

<Go to ISI>://A1992JP43200016

Selbach, A. & Cavalli-Molina, S. (2000)

RAPD characterization of Brazilian barley (*Hordeum vulgare* ssp *vulgare*) varieties. *Euphytica*, 111, 2, pp 127-135

<Go to ISI>://000084819400006

Sellers, B.A., Smeda, R.J., Johnson, W.G., Kendig, J.A., & Ellersieck, M.R. (2003)

Comparative growth of six *Amaranthus* species in Missouri. *Weed Science*, 51, 3, pp 329-333

<Go to ISI>://000183094600008

Senft, J., Kauffman, C., & Bailey, N. (1981).

The genus *Amaranthus* a comprehensive bibliography., Nancy Nickum Rodale Press, Organic Gardening and Farming Research Center pp vi, 217 p.

Senns, B., Fuchs, P., & Schneider, G. (1999)

Distribution of GA(20)-13-O-glucoside and reconversion of 17- D-2 GA(20)-13-O-glucoside in caryopses of *Hordeum vulgare* L-cv. Himalaya. *Plant Growth Regulation*, 27, 3, pp 199-204

<Go to ISI>://000080566700011

Sereda, B., Erasmus, D.J., & Coetzer, R.L.J. (1996)

Resistance of *Amaranthus hybridus* to atrazine. *Weed Research*, 36, 1, pp 21-30

<Go to ISI>://A1996UC93700003

Shackleton, C.M. (2003)

The prevalence of use and value of wild edible herbs in South Africa. *South African Journal of Science*, 99, 1-2, pp 23-25

<Go to ISI>://000182861800010

Shani, Z., Dekel, M., Tzbary, G., Jensen, C.S., Tzfira, T., Goren, R., Altman, A., & Shoseyov, O. (1999)

Expression of *Arabidopsis thaliana* endo-1,4-beta-glucanase (*cel1*) in transgenic plants. In *Plant Biotechnology and In Vitro Biology in the 21st Century* (eds A. Altman, M. Ziv & S. Izhar), pp. 209-212. Kluwer Academic Publishers, Dordrecht,

Shani, Z., Dekel, M., Tzbary, T., Goren, R., & Shoseyov, O. (2004)

Growth enhancement of transgenic poplar plants by overexpression of *Arabidopsis thaliana* endo-1,4-beta-glucanase (*cel1*). Submitted, pp

Shani, Z., Shpigel, E., Roiz, L., Goren, R., Vinocur, B., Tzfira, T., Altman, A., & O., S. (1999)

Cellulose binding domain, increases cellulose synthase activity in *Acetobacter xylinum*, and biomass of transgenic plants. In *Plant Biotechnology and In Vitro Biology in the 21st Century* (eds A. Altman, M. Ziv & S. Izhar), pp. 213-218. Kluwer Academic Publishers, Dordrecht,

Shan'ko, A.V. & Babakov, A.V. (2002)

Regulation of plasma membrane H⁺-pump activity by 14-3-3 proteins in barley (*Hordeum disticum*) roots under salt stress. *Russian Journal of Plant Physiology*, 49, 6, pp 754-760
<Go to ISI>://000179518700006

Sharma, J.K., Lata, S., & Sharma, R.P. (2001)

Stability for grain yield in amaranth (*Amaranthus hypochondriacus*). *Indian Journal of Agricultural Sciences*, 71, 6, pp 392-394
<Go to ISI>://000175551500010

Sharma, R.P., Suri, V.K., & Datt, N. (2001)

Integrated nutrient management in summer barley (*Hordeum vulgare*) in a cold desert of Himachal Pradesh. *Indian Journal of Agricultural Sciences*, 71, 12, pp 752-755
<Go to ISI>://000185996000002

Sharma, S.S., Kaul, S., Metwally, A., Goyal, K.C., Finkemeier, I., & Dietz, K.J. (2004)

Cadmium toxicity to barley (*Hordeum vulgare*) as affected by varying Fe nutritional status. *Plant Science*, 166, 5, pp 1287-1295
<Go to ISI>://000220838600020

Sharma, T.R., Bansal, G.L., & Chaudhary, H.K. (1998)

Seed yield stability of indigenous and exotic genotypes of amaranth (*Amaranthus*) in the northwestern Himalaya. *Indian Journal of Agricultural Sciences*, 68, 6, pp 328-329
<Go to ISI>://000075094600015

Sharma, V.K., Hansch, R., Mendel, R.R., & Schulze, J. (2004)

A highly efficient plant regeneration system through multiple shoot differentiation from commercial cultivars of barley (*Hordeum vulgare* L.) using meristematic shoot segments excised from germinated mature embryos. *Plant Cell Reports*, 23, 1-2, pp 9-16
<Go to ISI>://000223012700002

Sharp, W.C., Ross, R.S., Testerman, M.W., & Williamson, R. (1980)

Ability of Crownvetch to Suppress Woody Plant Invasion. *Journal of Soil and Water Conservation*, 35, 3, pp 142-144
<Go to ISI>://A1980JY27700010

Shaukat, S.S. & Siddiqui, I.A. (2004)

Spatial pattern analysis of seeds of an arable soil seed bank and its relationship with above-ground vegetation in an arid region. *Journal of Arid Environments*, 57, 3, pp 311-327
<Go to ISI>://000220418100004

Shen, Q.X.J., Casaretto, J.A., Zhang, P., & Ho, T.H.D. (2004)

Functional definition of ABA-response complexes: the promoter units necessary and sufficient for ABA induction of gene expression in barley (*Hordeum vulgare* L.). *Plant Molecular Biology*, 54, 1, pp 111-124
<Go to ISI>://000221591000009

Shiboleth, Y.M., Arazi, T., Wang, Y., & Gal-On, A. (2001)

A new approach for weed control in a cucurbit field employing an attenuated potyvirus-vector for herbicide resistance. *Journal of Biotechnology*, 92, pp 37-46

Shigematsu, Y., Chaicharoen, S., Sato, F., & Yamada, Y. (1993)

Tolerance of Cultured *Amaranthus-Retroflexus* Cells to Atrazine. *Zeitschrift Fur Naturforschung C-a Journal of Biosciences*, 48, 3-4, pp 275-277
<Go to ISI>://A1993LB47900025

Shim, Y.S. & Kasha, K.J. (2003)

The influence of pretreatment on cell stage progression and the time of DNA synthesis in barley (*Hordeum vulgare* L.) uninucleate microspores. *Plant Cell Reports*, 21, 11, pp 1065-1071
<Go to ISI>://000183852900006

Shimai, T., Islam, M.T., Fukushi, Y., Hashidoko, Y., Yokosawa, R., & Tahara, S. (2002)

Nicotinamide and structurally related compounds show halting activity against zoospores of the phytopathogenic fungus *Aphanomyces cochlioides*. *Zeitschrift Fur Naturforschung C-a Journal of Biosciences*, 57, 3-4, pp 323-331
<Go to ISI>://000175998100021

Shinn, S.L., Thill, D.C., & Price, W.J. (1999)

Volunteer barley (*Hordeum vulgare*) control in winter wheat (*Triticum aestivum*) with MON 37500. *Weed Technology*, 13, 1, pp 88-93
<Go to ISI>://000080216900016

- Shoup, D.E. & Al-Khatib, K. (2004)**
Control of protoporphyrinogen oxidase inhibitor-resistant common waterhemp (*Amaranthus rudis*) in corn and soybean. *Weed Technology*, 18, 2, pp 332-340
<Go to ISI>://000222194700021
- Shoup, D.E., Al-Khatib, K., & Peterson, D.E. (2003)**
Common waterhemp (*Amaranthus rudis*) resistance to protoporphyrinogen oxidase-inhibiting herbicides. *Weed Science*, 51, 2, pp 145-150
<Go to ISI>://000181737400002
- Showler, A.T. (2001)**
Spodoptera exigua oviposition and larval feeding preferences for pigweed, *Amaranthus hybridus*, over squaring cotton, *Gossypium hirsutum*, and a comparison of free amino acids in each host plant. *Journal of Chemical Ecology*, 27, 10, pp 2013-2028
<Go to ISI>://000171975400008
- Shrefler, J.W., Dusky, J.A., Shilling, D.G., Brecke, B.J., & Sanchez, C.A. (1994)**
Effects of Phosphorus Fertility on Competition between Lettuce (*Lactuca-Sativa*) and Spiny Amaranth (*Amaranthus-Spinosus*). *Weed Science*, 42, 4, pp 556-560
<Go to ISI>://A1994PY82000009
- Shrefler, J.W., Shilling, D.G., Dusky, J.A., & Brecke, B.J. (1994)**
Influence of Phosphorus Fertility on Intraspecific and Interspecific Interference between Lettuce (*Lactuca-Sativa*) and Spiny Amaranth (*Amaranthus-Spinosus*). *Weed Science*, 42, 4, pp 574-578
<Go to ISI>://A1994PY82000012
- Shrefler, J.W., Stall, W.M., & Dusky, J.A. (1996)**
Spiny amaranth (*Amaranthus spinosus* L), a serious competitor to crisphead lettuce (*Lactuca sativa* L). *Hortscience*, 31, 3, pp 347-348
<Go to ISI>://A1996UQ16300012
- Shu, X. (2003)**
4. AMARANTHUS Linnaeus, Sp. Pl. 2: 989. 1753. *In Flora of China* (ed P. Raven), Vol. 5, pp. 417-421,
<http://www.botanischergarten.ch/Feral-New/Shu-Amaranthus-China.pdf>
- Sibony, M., Michel, A., Haas, H.U., Rubin, B., & Hurle, K. (2001)**
Sulfometuron-resistant *Amaranthus retroflexus*: cross-resistance and molecular basis for resistance to acetolactate synthase-inhibiting herbicides. *Weed Research*, 41, 6, pp 509-522
<Go to ISI>://000173134500003
- Sibony, M. & Rubin, B. (2003)**
The ecological fitness of ALS-resistant *Amaranthus retroflexus* and multiple-resistant *Amaranthus blitoides*. *Weed Research*, 43, 1, pp 40-47
<Go to ISI>://000180740000005
- Sibony, M. & Rubin, B. (2003)**
Molecular basis for multiple resistance to acetolactate synthase-inhibiting herbicides and atrazine in *Amaranthus blitoides* (prostrate pigweed). *Planta*, 216, 6, pp 1022-1027
<Go to ISI>://000182701900014
- Sidiras, N., Bilalis, D., & Vavoulidou, E. (2001)**
Effects of tillage and fertilization on some selected physical properties of soil (0-30 cm depth) and on the root growth dynamic of winter barley (*Hordeum vulgare* cv. Niki). *Journal of Agronomy and Crop Science-Zeitschrift Fur Acker Und Pflanzenbau*, 187, 3, pp 167-176
<Go to ISI>://000172938100004
- Sidiras, N., Efthimiadis, P., Bilalis, D., & Takopoulos, N. (2000)**
Effect of tillage system and fertilization on physical properties of soil in the seedbed and on seedling emergence of winter barley (*Hordeum vulgare* cv. Niki). *Journal of Agronomy and Crop Science-Zeitschrift Fur Acker Und Pflanzenbau*, 184, 4, pp 287-296
<Go to ISI>://000087680200011
- Sillero, J.C., Moreno, M.T., & Rubiales, D. (1996)**
Striga hermonthica control with acetolactate synthase inhibiting herbicides seed-dressed to corn with target site resistance. *In Advances in Parasitic Weed Research* (eds M.T. Moreno, J.I. Cubero, D.K. Berner, D.M. Joel, L.J. Musselman & C. Parker), pp. 659-664. Junta de Andalucia, Cordoba, Spain,
- Sillero, J.C., Moreno, M.T., & Rubiales, D. (2003)**
Resistance to *Orobanche crenata* in the genus *Lathyrus*. pp

- Sinagawa-Garcia, S.R., Rascon-Cruz, Q., Valdez-Ortiz, A., Medina-Godoy, S., Escobar-Gutierrez, A., & Paredes-Lopez, O. (2004)**
Safety assessment by in vitro digestibility and allergenicity of genetically modified maize with an amaranth 11S globulin. *Journal of Agricultural and Food Chemistry*, 52, 9, pp 2709-2714
<Go to ISI>://000221135100045
- Sindel, B.M. (1997)**
Outcrossing of transgenes to weedy relatives. *In Risk, benefit and trade considerations commercialisation of BD-HRCs* (eds G.D. McLean, P.M. Waterhouse, G. Evans & M.J. Gibbs), pp. 43-81. Research Center Plant Science and Bureau of Resource Science, Canberra,
- Singh, A.B. & Dahiya, P. (2002)**
Antigenic and allergenic properties of *Amaranthus spinosus* pollen - A commonly growing weed in India. *Annals of Agricultural and Environmental Medicine*, 9, 2, pp 147-151
<Go to ISI>://000179959900004
- Singh, A.B. & Kumar, P. (2003)**
Aeroallergens in clinical practice of allergy in India. An overview. *Annals of Agricultural and Environmental Medicine*, 10, 2, pp 131-136
<Go to ISI>://000187536600001
- Singh, A.K., Rossnagel, B.G., Scoles, G.J., & Pickering, R.A. (2004)**
Identification of a quantitatively inherited source of *Hordeum bulbosum* derived scald resistance from barley line 926K2/11/1/5/1. *Canadian Journal of Plant Science*, 84, 3, pp 935-938
<Go to ISI>://000223882000036
- Singh, J., Kamboj, K.K., Kamboj, S.S., Sandhu, R.S., & Shangary, S. (1993)**
Affinity Purification and Characterization of Lectins from 2 *Amaranthus* Species. *Plant Science*, 94, 1-2, pp 47-53
<Go to ISI>://A1993MZ39900004
- Singh, J., Kamboj, K.K., Kamboj, S.S., Shangary, S., & Sandhu, R.S. (1994)**
Amaranthus-Hypochondriacus and *a-Tricolor* Lectins - Isolation and Characterization. *Italian Journal of Biochemistry*, 43, 5, pp 207-218
<Go to ISI>://A1994PP18100001
- Singh, M., Tan, S.Y., & Sharma, S.D. (2002)**
Adjuvants enhance weed control efficacy of foliar-applied diuron. *Weed Technology*, 16, 1, pp 74-78
<Go to ISI>://000176901100012
- Singh, R.J. & Hymowitz, T. (1989)**
The genomic relationships among *Glycine soja* Sieb. and Zucc., *G. max* (L.) Merr. and '*G. gracilis*' Skvortz. *Plant Breed.*, 103, pp 171-173
- Sistachs, M. & Curbelo, F. (1992)**
Soybean, *Dolichos* and *Amaranthus* Intercropping as Forages in Star Grass Establishment (*Cynodon-Nlemfuensis*). *Cuban Journal of Agricultural Science*, 26, 1, pp 85-89
<Go to ISI>://A1992KQ14100015
- Skinner, J.S., Meilan, R., Ma, C.P., & Strauss, S.H. (2003)**
The *Populus* PTD promoter imparts floral-predominant expression and enables high levels of floral-organ ablation in *Populus*, *Nicotiana* and *Arabidopsis*. *Molecular Breeding*, 12, pp 119-132
- Skogsmyr, I. (1994)**
Gene dispersal from transgenic potatoes to con-specifics: a field trial. *Theor. Appl. Genet.*, 88, pp 770-774
- Slabas, A.R., Kroon, J.T.M., Scheirer, T.P., Gilroy, J.S., Hayman, M., Rice, D.W., Turnbull, A.P., Rafferty, J.B., Fawcett, T., & Simon, W.J. (2002)**
Squash glycerol-3-phosphate (1)-acyltransferase - Alteration of substrate selectivity and identification of arginine and lysine residues important in catalytic activity. *Journal of Biological Chemistry*, 277, 46, pp 43918-43923
<Go to ISI>://000179272000051
- Slabas, A.R., Simon, W.R., Schierer, T., Kroon, J., Fawcett, T., Hayman, M., Gilroy, J., Nishida, I., Murata, N., Rafferty, J., Turnbull, A., & Rice, D. (2000)**
Plant glycerol-3-phosphate-1-acyltransferase (GPAT): structure selectivity studies. *Biochemical Society Transactions*, 28, pp 677-679
<Go to ISI>://000166941300039
- Slabbert, R., Spreeth, M., & Kruger, G. (2004)**

Drought tolerance, traditional crops and biotechnology: breeding towards sustainable development. *South African Journal of Botany*, 70, 1, pp 116-123
<Go to ISI>://000222269400018

Slough, B.B., Moore, K.J., Brummer, E.C., Knapp, A.D., Russell, J., & Gibson, L. (2001)

Forage nutritive value of various amaranth species at different harvest dates. *Crop Science*, 41, 2, pp 466-472
<Go to ISI>://000169469800027

Smartt, J. & Simmonds, N. (1988, 1995)

Evolution of Crop Plants, Second Edition, Second Edition edn. Blackwell Publishing, LTD, Oxford, IS: 0582086434, pp
<http://store.blackwell-professional.com/0582086434.html>

Smith, A.M. & Blackshaw, R.E. (2003)

Weed-crop discrimination using remote sensing: A detached leaf experiment. *Weed Technology*, 17, 4, pp 811-820
<Go to ISI>://000187430000025

Smith, D.T., Baker, R.V., & Steele, G.L. (2000)

Palmer amaranth (*Amaranthus palmeri*) impacts on yield, harvesting, and ginning in dryland cotton (*Gossypium hirsutum*).
Weed Technology, 14, 1, pp 122-126
<Go to ISI>://000086220300018

Smith, H. & Whitelam, G.C. (1997)

The shade avoidance syndrome: Multiple responses mediated by multiple phytochromes. *Plant Cell and Environment*, 20, pp 840-844

Smith, J.M.B. (1989)

An Example of Ant-Assisted Plant Invasion. *Australian Journal of Ecology*, 14, 2, pp 247-250
<Go to ISI>://A1989AC15300011

Smith, M.W., Wolf, M.E., Cheary, B.S., & Carroll, B.L. (2001)

Allelopathy of bermudagrass, tall fescue, redroot pigweed, and cutleaf evening primrose on pecan. *Hortscience*, 36, 6, pp 1047-1048
<Go to ISI>://000172001400007

Smith, R.A.H. & Bradshaw, A.D. (1979)

Use of metal tolerant plant populations for the reclamation of metalliferous wastes. *J Appl Ecol*, 16, pp 595-603

Smutny, V. & Kren, J. (2002)

Improvement of an elutriation method for estimation of weed seedbank in the soil. *Rostlinna Vyroba*, 48, 6, pp 271-278
<Go to ISI>://000176171300008

Snow, A.A. & Campbell, L.G. (2005)

Can feral radishes become weeds? - Allison A. In *Crop Fertility and Volunteerism* (ed J. Gressel). CRC Press, Boca Raton,

Sodmergen, Zhang, Q.A., Zhang, Y.T., Sakamoto, W., & Kuroiwa, T. (2002)

Reduction in amounts of mitochondrial DNA in the sperm cells as a mechanism for maternal inheritance in *Hordeum vulgare*.
Planta, 216, 2, pp 235-244
<Go to ISI>://000180037300006

Sokol, J.L., Bobel, B.K., Fabijanska, M., & Bekta, M. (2001)

Preliminary results on the influence of amaranthus seeds on carcass and meat quality of fatteners. *Journal of Animal and Feed Sciences*, 10, pp 203-208
<Go to ISI>://000169730300031

Solntseva, M.P. & Pendinen, G.I. (1999)

Postgamous incompatibility in *Hordeum marinum* Huds.(4x) x *H. vulgare*(2x) crosses. *Doklady Akademii Nauk*, 368, 6, pp 839-842
<Go to ISI>://000086316600033

Solymosi, P. & Kostyal, S. (1985)

Mapping of Atrazine resistance for *Amaranthus retroflexus* L. in Hungary. *Weed Research*, 25, 6, pp 411-414

Somers, D.A., Rines, H.W., Gu, W., Kaepler, H.F., & Bushnell, W.R. (1992)

Fertile transgenic oat plants. *Bio/Technology*, 10, pp 1589-1594

Song, B.H., Chen, Z.D., Wang, X.Q., & Li, F.Z. (2000)

Sequence analysis of the ITS region of nuclear ribosomal DNA (nrDNA) in Chinese Amaranthus and its systematic utility. *Acta Botanica Sinica*, 42, 11, pp 1184-1189
<Go to ISI>://000165668700015

Sosnina, N.A., Khaziev, R.S., Vandyukova, I.I., Garusov, A.V., Tsepaveva, O.V., Ofitserov, E.N., & Kononov, A.I. (1996)
Pectin substances of *Amaranthus cruentus*. *Khimiya Prirodnykh Soedinenii*, 1, pp 7-9
<Go to ISI>://A1996VB92900002

Soto, A.T., Vera, I.C.D., Nicol, J.M., Evans, K., Islas, J.S.S., & Garza, A.M. (2003)
Cactodera galinsogae n. sp (Tylenchida : Heteroderinae) on barley (*Hordeum vulgare* L.) of the High Valleys of Mexico. *Nematropica*, 33, 1, pp 41-54
<Go to ISI>://000188000100004

Space, J.C. (2002)
PIER: Information for management of invasive plants on Pacific islands. *International Forestry Review*, 4, 4, pp 290-291
<Go to ISI>://000181115500007

Spaner, D. & Todd, A.G. (2003)
The impact of underseeding barley (*Hordeum vulgare* L.) on timothy (*Phleum pratense* L.)-clover (*Trifolium pratense* L.; *Trifolium hybridum* L.) forage production in a cool maritime climate. *Journal of Agronomy and Crop Science*, 189, 5, pp 273-279
<Go to ISI>://000185195600001

Spehar, C.R., Teixeira, D.L., Cabezas, W., & Erasmo, E.A.L. (2003)
Amaranth BRS Alegria: alternative for diversification of cropping systems. *Pesquisa Agropecuaria Brasileira*, 38, 5, pp 659-663
<Go to ISI>://000183715700015

Spennemann, D.H.R. & Allen, L.R. (2000)
Feral olives (*Olea europaea*) as future woody weeds in Australia: a review. *Australian Journal of Experimental Agriculture*, 40, 889-901, pp

Speranza, M. & Bignami, D. (1997)
Morphology and life-strategies in two generations of *Amaranthus retroflexus* L (Amaranthaceae). *Flora*, 192, 1, pp 21-29
<Go to ISI>://A1997WJ23300003

Sprague, C.L., Stoller, E.W., & Wax, L.M. (1997)
Response of an acetolactate synthase (ALS)-resistant biotype of *Amaranthus rudis* to selected ALS-inhibiting and alternative herbicides. *Weed Research*, 37, 2, pp 93-101
<Go to ISI>://A1997XA57400005

Sprague, C.L., Stoller, E.W., Wax, L.M., & Horak, M.J. (1997)
Palmer amaranth (*Amaranthus palmeri*) and common waterhemp (*Amaranthus rudis*) resistance to selected ALS-inhibiting herbicides. *Weed Science*, 45, 2, pp 192-197
<Go to ISI>://A1997WZ22200002

Sridharan, G., Daneau, E., & Fragata, M. (2002)
Relationship between chlorophyll a fluorescence induction and oxygen evolution in barley (*Hordeum vulgare*) thylakoids treated with alpha-, beta-, and gamma-cyclodextrins. *Canadian Journal of Botany-Revue Canadienne De Botanique*, 80, 7, pp 741-751
<Go to ISI>://000177145600004

Stakhova, L.N., Stakhov, L.F., & Ladygin, V.G. (2000)
Effects of exogenous folic acid on the yield and amino acid content of the seed of *Pisum sativum* L-and *Hordeum vulgare* L. *Applied Biochemistry and Microbiology*, 36, 1, pp 85-89
<Go to ISI>://000084967400019

Stallknecht, G. & Schulz-Schaeffer, J. (1993)
Amaranth rediscovered. In *New Crops, Proceedings of the Second National Symposium NEW CROPS: Exploration, Research, Commercialization* (eds J. Janick & S. JE.), pp. 211-218. Wiley and Sons, New York,
http://www.hort.purdue.edu/newcrop/CropInfoSources/NewCropsBook1993_info.html and
<http://www.hort.purdue.edu/newcrop/proceedings1993/v2-211.html> and <http://www.botanischergarten.ch/Feral-New/Stallknecht-Amaranth-1993.pdf>

Staman, K., Blum, U., Louws, F., & Robertson, D. (2001)
Can simultaneous inhibition of seedling growth and stimulation of rhizosphere bacterial populations provide evidence for phytotoxin transfer from plant residues in the bulk soil to the rhizosphere of sensitive species? *Journal of Chemical Ecology*, 27, 4, pp 807-829
<Go to ISI>://000169602800013

Staniforth, A.R. (1982)
Straw for fuel, feed and fertilizer Farming Press, Ipswich, UK, pp 153

- Stanley, V.A., Shaleesha, A., Murthy, P.B.K., & Pillai, K.S. (2002)**
Retarding fluoride accumulation in *Amaranthes viridis* through liming and implications of phosphorous treatment. *Journal of Environmental Biology*, 23, 3, pp 265-269
<Go to ISI>://000177407700008
- Stapleton, J.J., Prather, T.S., Mallek, S.B., Ruiz, T.S., & Elmore, C.L. (2002)**
High temperature solarization for production of weed-free container soils and potting mixes. *Horttechnology*, 12, 4, pp 697-700
<Go to ISI>://000177935600034
- Steber, C.M., Cooney, S.E., & McCourt, P. (1998)**
Isolation of the GA-response mutant *sly1* as a suppressor of *ABI1-1* in *Arabidopsis thaliana*. *Genetics*, 149, pp 509-521
- Steckel, L.E. & Sprague, C.L. (2004)**
Common waterhemp (*Amaranthus rudis*) interference in corn. *Weed Science*, 52, 3, pp 359-364
<Go to ISI>://000221464600007
- Steckel, L.E., Sprague, C.L., & Hager, A.G. (2002)**
Common waterhemp (*Amaranthus rudis*) control in corn (*Zea mays*) with single preemergence and sequential applications of residual herbicides. *Weed Technology*, 16, 4, pp 755-761
<Go to ISI>://000179784600010
- Steckel, L.E., Sprague, C.L., Hager, A.G., Simmons, F.W., & Bollero, G.A. (2003)**
Effects of shading on common waterhemp (*Amaranthus rudis*) growth and development. *Weed Science*, 51, 6, pp 898-903
<Go to ISI>://000186783600009
- Steckel, L.E., Sprague, C.L., Stoller, E.W., & Wax, L.M. (2004)**
Temperature effects on germination of nine *Amaranthus* species. *Weed Science*, 52, 2, pp 217-221
<Go to ISI>://000220323300006
- Stefunova, V. & Bezo, M. (2003)**
Genetic diversity analysis of amaranth (*Amaranthus cruentus*) germplasm collection by RAPD. *Biologia*, 58, pp 53-57
<Go to ISI>://000187043400009
- Steinau, A.N., Skinner, D.Z., & Steinau, M. (2003)**
Mechanism of extreme genetic recombination in weedy *Amaranthus* hybrids. *Weed Science*, 51, 5, pp 696-701
<Go to ISI>://000185292000008
- Stephenson, A.G., Winsor, J.A., Schlichting, C.D., & Davis, L.E. (1988)**
Pollen competition: nonrandom fertilization and progeny fitness: a reply to Charnseworth. *Am. Nat.*, 132, pp 303-308
- Stewart, C.N., Halfhill, M.D., & Warwick, S.I. (2003)**
Transgene introgression from genetically modified crops to their wild relatives. *Nature Reviews Genetics*, 4, pp 806-817
- Stewart-Wade, S.M. & Boland, G.J. (2004)**
Selected cultural and environmental parameters influence disease severity of dandelion caused by the potential bioherbicidal fungi, *Phoma herbarum* and *Phoma exigua*. *Biocontrol Science and Technology*, 14, 6, pp 561-569
<Go to ISI>://000222179200003
- Stintzing, F.C., Kammerer, D., Schieber, A., Adama, H., Nacoulma, O.G., & Carle, R. (2004)**
Betacyanins and phenolic compounds from *Amaranthus spinosus* L. and *Boerhavia erecta* L. *Zeitschrift Fur Naturforschung C-a Journal of Biosciences*, 59, 1-2, pp 1-8
<Go to ISI>://000220790400001
- Stintzing, F.C., Schieber, A., & Carle, R. (2001)**
Phytochemical and nutritional significance of cactus pear. *European Food Research and Technology*, 212, 4, pp 396-407
<Go to ISI>://000167532200001
- Stoilov, L.M., Mirkova, V.N., & Gecheff, K.I. (2000)**
HaeIII induces position-dependent chromosomal breakage in barley (*Hordeum vulgare* L.). *Mutagenesis*, 15, 3, pp 277-279
<Go to ISI>://000087142200015
- Stoyanova, D. & Uzunova, A. (2001)**
Effects of salicylic acid on the structure of second leaves of *Hordeum vulgare* L. *Biologia Plantarum*, 44, 2, pp 219-224
<Go to ISI>://000168871800011
- Strack, D., Vogt, T., & Schliemann, W. (2003)**
Recent advances in betalain research. *Phytochemistry*, 62, 3, pp 247-269
<Go to ISI>://000180841800001

- Strauss, S.H. (2003)**
Genetic technologies - Genomics, genetic engineering, and domestication of crops. *Science*, 300, 5616, pp 61-62
<Go to ISI>://000181988900023 or <http://www.botanischergarten.ch/Feral-New/Strauss-Genomics-Science-2003.pdf>
- Sturaro, M., Linnestad, G., Kleinhofs, A., Olsen, O.A., & Doan, D.N.P. (1998)**
Characterization of a cDNA encoding a putative extensin from developing barley grains (*Hordeum vulgare* L.). *Journal of Experimental Botany*, 49, 329, pp 1935-1944
<Go to ISI>://000077418600005
- Subbarao, G.V., Ito, O., Berry, W.L., & Wheeler, R.M. (2003)**
Sodium - A functional plant nutrient. *Critical Reviews in Plant Sciences*, 22, 5, pp 391-416
<Go to ISI>://000185964200001
- Suh, H.S., Sato, Y.I., & Morishima, H. (1997)**
Genetic characterization of weedy rice (*Oryza sativa*) based on morpho-physiology, isozymes, and RAPD markers. *Theoretical and Applied Genetics*, 94, pp 316-321
- Sukopp, U., Pohl, M., Driessen, S., & Bartsch, D. (2005)**
Feral beets – with help from the maritime wild? *In Crop Fertility and Volunteerism* (ed J. Gressel). CRC Press, Boca Raton,
- Suma, S., Ambika, S.R., Kazinczi, G., & Narwal, S.S. (2002)**
Allelopathic plants. 6. *Amaranthus* spp. *Allelopathy Journal*, 10, 1, pp 1-11
<Go to ISI>://000177425400001
- Sun, L., Ghosh, I., Paulus, H., & Xu, M.Q. (2001)**
Protein trans-splicing to produce herbicide-resistant acetolactate synthase. *Applied and Environmental Microbiology*, 67, pp 1025-1029
- Sun, M., Chen, H., & Leung, F.C. (1999)**
Low-Cot DNA sequences for fingerprinting analysis of germplasm diversity and relationships in *Amaranthus*. *Theoretical and Applied Genetics*, 99, 3-4, pp 464-472
<Go to ISI>://000082570500011
- Sun, M. & Corke, H. (1992)**
Population genetics of colonizing success of weedy rye in northern California. *Theor. Appl. Genet.*, 83, pp 321-329
- Sundram, K., French, M.A., & Clandinin, M.T. (2003)**
Exchanging partially hydrogenated fat for palmitic acid in the diet increases LDL-cholesterol and endogenous cholesterol synthesis in normocholesterolemic women. *Eur J Nutr.*, 42, pp 188-1
- Surov, T., Aviv, D., Aly, R., Joel, D.M., Goldman-Guez, T., & Gressel, J. (1998)**
Generation of transgenic asulam-resistant potatoes to facilitate eradication of parasitic broomrapes (*Orobancha* spp.) with the *sul* gene as the selectable marker. *Theoretical and Applied Genetics*, 96, pp 132-137
- Sutherland, S. (2004)**
What makes a weed a weed: life history traits of native and exotic plants in the USA. *Oecologia*, 141, 1, pp 24-39
<Go to ISI>://000223560000004
- Sutton, P., Richards, C., Buren, L., & Glasgow, L. (2002)**
Activity of mesotrione on resistant weeds in maize. *Pest Management Science*, 58, 9, pp 981-984
<Go to ISI>://000177828300020
- Sweat, J.K., Horak, M.J., Peterson, D.E., Lloyd, R.W., & Boyer, J.E. (1998)**
Herbicide efficacy on four *Amaranthus* species in soybean (*Glycine max*). *Weed Technology*, 12, 2, pp 315-321
<Go to ISI>://000075005700019
- Syankwilimba, I.S.K., Cochrane, M.P., & Duffus, C.M. (1999)**
Precocious germination of barley (*Hordeum vulgare* L.) as affected by elevated temperature during grain development. *Seed Science and Technology*, 27, 1, pp 427-432
<Go to ISI>://000081977800036
- Szente, K., Tuba, Z., Nagy, Z., & Csintalan, Z. (1993)**
Ecophysiological Approach to Competition between *Amaranthus-Chlorostachys* and Sunflower (*Helianthus-Annuus*) under Drought Stress. *Weed Research*, 33, 2, pp 121-129
<Go to ISI>://A1993KU68000004

- Tacconi, G., Cattivelli, L., Faccini, N., Pecchioni, N., Stanca, A.M., & Vale, G. (2001)**
Identification and mapping of a new leaf stripe resistance gene in barley (*Hordeum vulgare* L.). *Theoretical and Applied Genetics*, 102, 8, pp 1286-1291
<Go to ISI>://000169541400023
- Tadesse, A. & Basedow, T. (2004)**
A survey of insect pest problems and stored product protection in stored maize in Ethiopia in the year 2000. *Zeitschrift Fur Pflanzenkrankheiten Und Pflanzenschutz-Journal of Plant Diseases and Protection*, 111, 3, pp 257-265
- Takahashi, E., Ma, J.F., & Miyake, Y. (1990)**
The possibility of silicon as an essential element for higher plants. *Comments Agricultural and Food Chemistry*, 2, pp 99-122
- Taketa, S., Ando, H., Takeda, K., Harrison, G.E., & Heslop-Harrison, J.S. (2000)**
The distribution, organization and evolution of two abundant and widespread repetitive DNA sequences in the genus *Hordeum*. *Theoretical and Applied Genetics*, 100, 2, pp 169-176
<Go to ISI>://000085197500002
- Taketa, S., Ando, H., Takeda, K., & von Bothmer, R. (1999)**
Detection of *Hordeum marinum* genome in three polyploid *Hordeum* species and cytotypes by genomic in situ hybridization. *Hereditas*, 130, 2, pp 185-188
<Go to ISI>://000082091900010
- Taketa, S., Ando, H., Takeda, K., & Von Bothmer, R. (2001)**
Physical locations of 5S and 18S-25S rDNA in Asian and American diploid *Hordeum* species with the I genome. *Heredity*, 86, pp 522-530
<Go to ISI>://000170667700002
- Taketa, S., Harrison, G.E., & Heslop-Harrison, J.S. (1999)**
Comparative physical mapping of the 5S and 18S-25S rDNA in nine wild *Hordeum* species and cytotypes. *Theoretical and Applied Genetics*, 98, 1, pp 1-9
<Go to ISI>://000078353200001
- Taketa, S. & Takeda, K. (2001)**
Production and characterization of a complete set of wheat-wild barley (*Hordeum vulgare* ssp *spontaneum*) chromosome addition lines. *Breeding Science*, 51, 3, pp 199-206
<Go to ISI>://000171759200007
- Tal, B., Gressel, J., & Goldberg, I. (1982)**
The effect of medium constituents on growth by *Dioscorea deltoidea* cells grown in batch cultures. *Planta Medica*, 44, pp 111-115
- Tal, B., J.S., R., Gressel, J., & Goldberg, I. (1984)**
The effect of chlorophyll-bleaching herbicides on growth, carotenoid and diosgenin levels in cell suspension cultures of *Dioscorea deltoidea*. *Phytochemistry*, 23, pp 1333-1335.
- Talame, V., Sanguineti, M.C., Chiapparino, E., Bahri, H., Ben Salem, M., Forster, B.P., Ellis, R.P., Rhouma, S., Zoumarou, W., Waugh, R., & Tuberosa, R. (2004)**
Identification of *Hordeum spontaneum* QTL alleles improving field performance of barley grown under rainfed conditions. *Annals of Applied Biology*, 144, 3, pp 309-319
<Go to ISI>://000222254100007
- Tamado, T., Ohlander, L., & Milberg, P. (2002)**
Interference by the weed *Parthenium hysterophorus* L. with grain sorghum: influence of weed density and duration of competition. *International Journal of Pest Management*, 48, 3, pp 183-188
<Go to ISI>://000176559700002
- Tamai, K. & Ma, J.F. (2003)**
Characterization of silicon uptake by rice roots. *New Phytologist*, 158, pp 431-436
- Tang, S.R., Chen, Z.Y., Li, H.Y., & Zheng, J.M. (2003)**
Uptake of Cs-134 in the shoots of *Amaranthus tricolor* and *Amaranthus cruentus*. *Environmental Pollution*, 125, 3, pp 305-312
<Go to ISI>://000184347400002
- Tanno, K., Taketa, S., Takeda, K., & Komatsuda, T. (2002)**
A DNA marker closely linked to the *vrs1* locus (row-type gene) indicates multiple origins of six-rowed cultivated barley (*Hordeum vulgare* L.). *Theoretical and Applied Genetics*, 104, 1, pp 54-60
<Go to ISI>://000173851500007

Tanno, K.I., Takaiwa, F., Oka, S., & Komatsuda, T. (1999)

A nucleotide sequence linked to the vrs1 locus for studies of differentiation in cultivated barley (*Hordeum vulgare* L.). *Hereditas*, 130, 1, pp 77-82
<Go to ISI>://000080520300010

Tanyolac, B. (2003)

Inter-simple sequence repeat (ISSR) and RAPD variation among wild barley (*Hordeum vulgare* subsp *spontaneum*) populations from west Turkey. *Genetic Resources and Crop Evolution*, 50, 6, pp 611-614
<Go to ISI>://000183833700006

Tari, T.A., Annapure, U.S., Singhal, R.S., & Kulkarni, P.R. (2003)

Starch-based spherical aggregates: screening of small granule sized starches for entrapment of a model flavouring compound, vanillin. *Carbohydrate Polymers*, 53, 1, pp 45-51
<Go to ISI>://000182123200004

Tari, T.A. & Singhal, R.S. (2002)

Starch-based spherical aggregates: stability of a model flavouring compound, vanillin entrapped therein. *Carbohydrate Polymers*, 50, 4, pp 417-421
<Go to ISI>://000178012500012

Tarkowska, D., Dolezal, K., Tarkowski, P., Astot, C., Holub, J., Fuksova, K., Schmulling, T., Sandberg, G., & Strnad, M. (2003)

Identification of new aromatic cytokinins in *Arabidopsis thaliana* and *Populus x canadensis* leaves by LC-(+)ESI-MS and capillary liquid chromatography frit-fast atom bombardment mass spectrometry. *Physiologia Plantarum*, 117, 4, pp 579-590
<Go to ISI>://000182042000016

Tarwadi, K. & Agte, V. (2003)

Potential of commonly consumed green leafy vegetables for their antioxidant capacity and its linkage with the micronutrient profile. *International Journal of Food Sciences and Nutrition*, 54, 6, pp 417-425
<Go to ISI>://000185688500002

Tassin, J. & Riviere, J.N. (2003)

Species richness altitudinal gradient of invasive plants on Reunion Island (Mascareigne archipelago, Indian Ocean). *Revue D Ecologie-La Terre Et La Vie*, 58, 3, pp 257-270
<Go to ISI>://000185533800001

Tatham, A.S., Fido, R.J., Moore, C.M., Kasarda, D.D., Kuzmicky, D.D., Keen, J.N., & Shewry, P.R. (1996)

Characterisation of the major prolamins of tef (*Eragrostis tef*) and finger millet (*Eleusine coracana*). *Journal of Cereal Science*, 24, 1, pp 65-71
<Go to ISI>://A1996UW92700007

Tavakoli, N., Eckerskorn, C., Goldack, D., & Dietz, K.J. (1999)

Subunit C of the vacuolar H⁺-ATPase of *Hordeum vulgare*. *Febs Letters*, 456, 1, pp 68-72
<Go to ISI>://000081910100015

Tavassoli, A. (1986)

The cytology of *Eragrostis tef* with special reference to *E. tef* and its relatives PhD Thesis, University of London, London, pp

Tawaha, A.M. & Turk, M.A. (2003)

Allelopathic effects of black mustard (*Brassica nigra*) on germination and growth of wild barley (*Hordeum spontaneum*). *Journal of Agronomy and Crop Science*, 189, 5, pp 298-303
<Go to ISI>://000185195600005

Taylor, B.W. & Irwin, R.E. (2004)

Linking economic activities to the distribution of exotic plants. *Proceedings of the National Academy of Sciences of the United States of America*, 101, 51, pp 17725-17730
<Go to ISI>://000225951500030

Taylor, J.B., Loux, M.M., Harrison, S.K., & Regnier, E. (2002)

Response of ALS-resistant common ragweed (*Ambrosia artemisiifolia*) and giant ragweed (*Ambrosia trifida*) to ALS- inhibiting and alternative herbicides. *Weed Technology*, 16, 4, pp 815-825
<Go to ISI>://000179784600019

Tazoe, Y., Noguchi, K., & Terashima, I. (2004)

Effects of light conditions on organization of the photosynthetic apparatus in C-4 plant leaves (*Amaranthus cruentus* L.). *Plant and Cell Physiology*, 45, pp S192-S192
<Go to ISI>://000220592700759

Tefera, H., Assefa, K., Hundera, F., Kefyalew, T., & Teferra, T. (2003)

Heritability and genetic advance in recombinant inbred lines of tef (*Eragrostis tef*). *Euphytica*, 131, 1, pp 91-96
<Go to ISI>://000182004500010

- Tefera, H. & Chapman, G.P. (1992)**
Invitro Normal and Variant Development of Tef (Eragrostis-Tef) Spikelets. *Plant Cell Tissue and Organ Culture*, 31, 3, pp 233-237
<Go to ISI>://A1992JX66400009
- Tefera, H., Ketema, S., & Tesemma, T. (1990)**
Variability, Heritability and Genetic Advance in Tef (Eragrostis-Tef (Zucc) Trotter) Cultivars. *Tropical Agriculture*, 67, 4, pp 317-320
<Go to ISI>://A1990EB93400006
- Tefera, H. & Peat, W.E. (1997)**
Genetics of grain yield and other agronomic characters in t'ef (Eragrostis tef Zucc Trotter) .2. The triple test cross. *Euphytica*, 96, 2, pp 193-202
<Go to ISI>://A1997XV42000002
- Tefera, H. & Peat, W.E. (1997)**
Genetics of grain yield and other agronomic characters in t'ef (Eragrostis tef Zucc. Trotter) .1. Generation means and variances analysis. *Euphytica*, 96, 2, pp 185-191
<Go to ISI>://A1997XV42000001
- Tefera, T. (2002)**
Allelopathic effects of Parthenium hysterophorus extracts on seed germination and seedling growth of Eragrostis tef. *Journal of Agronomy and Crop Science*, 188, 5, pp 306-310
<Go to ISI>://000178484100002
- Teixeira, D.L., Spehar, C.R., & Souza, L.A.C. (2003)**
Agronomic characterization of amaranth for cultivation in the Brazilian Savannah. *Pesquisa Agropecuaria Brasileira*, 38, 1, pp 45-51
<Go to ISI>://000180898500006
- Teli, M.D., Shanbag, V., Kulkarni, P.R., & Singhal, R.S. (1996)**
Amaranthus paniculatus (Rajgeera) starch as a thickener in the printing of textiles. *Carbohydrate Polymers*, 31, 3, pp 119-122
<Go to ISI>://A1996WE59000001
- Teo, D.H.L., Tan, H.T.W., Corlett, R.T., Wong, C.M., & Lum, S.K.Y. (2003)**
Continental rain forest fragments in Singapore resist invasion by exotic plants. *Journal of Biogeography*, 30, 2, pp 305-310
<Go to ISI>://000180970300011
- Terlizzi, D.E., Ferrier, M.D., Armbruster, E.A., & Anlauf, K.A. (2002)**
Inhibition of dinoflagellate growth by extracts of barley straw (Hordeum vulgare). *Journal of Applied Phycology*, 14, 4, pp 275-280
<Go to ISI>://000179310700005
- Terry, B.R., Findlay, G.P., & Tyerman, S.D. (1992)**
Direct Effects of Ca²⁺-Channel Blockers on Plasma-Membrane Cation Channels of Amaranthus-Tricolor Protoplasts. *Journal of Experimental Botany*, 43, 256, pp 1457-1473
<Go to ISI>://A1992JZ53100009
- Terzi, V., Pecchioni, N., Faccioli, P., Kucera, L., & Stanca, A.M. (2001)**
Phyletic relationships within the genus Hordeum using PCR-based markers. *Genetic Resources and Crop Evolution*, 48, 5, pp 447-458
<Go to ISI>://000172403700004
- Teutonico, R. & Knorr, D. (1984),**
Electronic Source: Amaranth, Composition, Properties, and Applications of a Rediscovered Food Crop,
http://www.eap.mcgill.ca/CPAT_1.htm and <http://www.botanischergarten.ch/Feral-New/Teutonico-Knorr-1985.pdf>
- Teutonico, R. & Knorr, D. (1984)**
Plant tissue culture: Food applications and the potential reduction of nutritional stress factors. *Food Technology*, 38, 2, pp 120
- Thelen, J.J. & Ohlogge, J.B. (2002)**
Metabolic engineering of fatty acid biosynthesis in plants. *Metab Eng.*, 4, pp 12-21
- Thiel, T., Michalek, W., Varshney, R.K., & Graner, A. (2003)**
Exploiting EST databases for the development and characterization of gene-derived SSR-markers in barley (Hordeum vulgare L.). *Theoretical and Applied Genetics*, 106, 3, pp 411-422
<Go to ISI>://000181521500004
- Thill, D.C. & Mallory-Smith, C.A. (1997)**

The nature and consequence of weed spread in cropping systems. *Weed Science*, 45, pp 337-342

Thomas, H. (1995)

Oats. In *Evolution of Crop Plants* (eds J. Smartt & N.W. Simmonds), pp. 132-137. Longman, Harlow,

Thompson, K., Hodgson, J.G., & Rich, T.C.G. (1995)

Native and alien invasive plants: More of the same? *Ecography*, 18, 4, pp 390-402

<Go to ISI>://A1995TZ41900008

Thro, A., Parrott, W., Udall, J., & Beavis, W. (2004),

Genomics and Plant Breeding: the Experience of the Initiative for Future Agricultural and Food Systems, *Crop Science, Genomics and Plant Breeding: the Experience of the Initiative for Future Agricultural and Food Systems* pp 1893–1919

<http://www.botanischergarten.ch/Feral-New/Thro-Genomics-CropScience2004.pdf>

Tilley, A.M. & Walker, H.L. (2002)

Evaluation of *Curvularia intermedia* (*Cochliobolus intermedius*) as a potential microbial herbicide for large crabgrass (*Digitaria sanguinalis*). *Biological Control*, 25, 1, pp 12-21

<Go to ISI>://000177642200002

Timmons, A.M., Charters, Y.M., Crawford, J.W., Burn, D., Scott, S.E., Dubbels, S.J., Wilson, N.J., Robertson, A., O'Brien, E.T., Squire, G.R., & Wilkinson, M.J. (1996)

Risks from transgenic crops. *Nature*, 380, pp 487-487

Tiwari, K.R. & Campbell, C.G. (1996)

Inheritance of neurotoxin (ODAP) content, flower and seed coat colour in grass pea (*Lathyrus sativus* L). *Euphytica*, 91, 2, pp 195-203

<Go to ISI>://A1996VP16000009

Tiwari, V.K., Zhang, J., Golds, T.J., Cocking, E.C., Davey, M.R., & Power, J.B. (2001)

Effect of heat shock treatment on *Hordeum vulgare* protoplast transformation mediated by polyethylene glycol. *Biologia Plantarum*, 44, 1, pp 25-31

<Go to ISI>://000167732300006

Toker, C., Gorham, J., & Cagiran, M.I. (1999)

Assessment of response to drought and salinity stresses of barley (*Hordeum vulgare* L.) mutants. *Cereal Research Communications*, 27, 4, pp 411-418

<Go to ISI>://000085127100009

Toler, J.E., Guice, J.B., & Murdock, E.C. (1996)

Interference between johnsongrass (*Sorghum halepense*), smooth pigweed (*Amaranthus hybridus*), and soybean (*Glycine max*). *Weed Science*, 44, 2, pp 331-338

<Go to ISI>://A1996UL53900018

Toma, V., Zuber, C., Winter, H.C., Goldstein, I.J., & Roth, J. (2001)

Application of a lectin from the mushroom *Polysporus squamosus* for the histochemical detection of the NeuAc alpha 2,6Gal beta 1,4Glc/GlcNAc sequence of N-linked oligosaccharides: a comparison with the *Sambucus nigra* lectin. *Histochemistry and Cell Biology*, 116, 2, pp 183-193

<Go to ISI>://000171152700009

Tomasino, S.F., Leister, R.T., Dimock, M.B., Beach, R.M., & Kelly, J.L. (1995)

Field performance of *Clavibacter xyli* subsp. *cynodontis* expressing the insecticidal protein gene *cryIA(c)* of *Bacillus thuringiensis* against European corn borer in field corn. *Biological Control*, 5, pp 442-448

Tonks, D.J., Eberlein, C.V., & Guttieri, M.J. (2000)

Preemergence weed control in potato (*Solanum tuberosum*) with ethalfluralin. *Weed Technology*, 14, 2, pp 287-292

<Go to ISI>://000166693500008

Toojinda, T., Broers, L.H., Chen, X.M., Hayes, P.M., Kleinhofs, A., Korte, J., Kudrna, D., Leung, H., Line, R.F., Powell, W., Ramsay, L., Vivar, H., & Waugh, R. (2000)

Mapping quantitative and qualitative disease resistance genes in a doubled haploid population of barley (*Hordeum vulgare*). *Theoretical and Applied Genetics*, 101, 4, pp 580-589

<Go to ISI>://000089517200011

Torgersen, H. (1996)

Risk assessment in transgenic plants: what can we learn from the ecological impacts of traditional crops? *BINAS News* 2: (3&4), pp (<http://www.binas.unido.org/binas/News/96issue34/risk.html>)

- Torii, K.U., McNellis, T.W., & Deng, X.-W. (1998)**
Functional dissection of Arabidopsis COP1 reveals specific roles of its three structural modules in light control of seedling development. *EMBO Journal*, 17, pp 5577-5587
- Torres, M.B., Kommers, G.D., Dantas, A.F.M., & deBarros, C.S.L. (1997)**
Redroot pigweed (*Amaranthus retroflexus*) poisoning of cattle in southern Brazil. *Veterinary and Human Toxicology*, 39, 2, pp 94-96
<Go to ISI>://A1997WN38300009
- Tosi, E.A., Re, E., Lucero, H., & Masciarelli, R. (2000)**
Amaranth (*Amaranthus* spp.) grain conditioning to obtain hyperproteic flour by differential milling. *Food Science and Technology International*, 6, 6, pp 433-438
<Go to ISI>://000167328100001
- Tosi, E.A., Re, E., Lucero, H., & Masciarelli, R. (2001)**
Dietary fiber obtained from amaranth (*Amaranthus cruentus*) grain by differential milling. *Food Chemistry*, 73, 4, pp 441-443
<Go to ISI>://000169152500008
- Tothova, M., Toth, P., & Cagan, L. (2003)**
Pigweeds (*Amaranthus*- spp.) are suitable host plants for sugar beet pests. *Listy Cukrovarnicke a Reparske*, 119, 4, pp 112-+
<Go to ISI>://000182774800007
- Toubia-Rahme, H., Johnston, P.A., Pickering, R.A., & Steffenson, B.J. (2003)**
Inheritance and chromosomal location of *Septoria passerinii* resistance introgressed from *Hordeum bulbosum* into *Hordeum vulgare*. *Plant Breeding*, 122, 5, pp 405-409
<Go to ISI>://000185634900006
- Trammell, M.A. & Butler, J.L. (1995)**
Effects of Exotic Plants on Native Ungulate Use of Habitat. *Journal of Wildlife Management*, 59, 4, pp 808-816
<Go to ISI>://A1995RY58900024
- Tranel, P.J., Jiang, W.L., Patzoldt, W.L., & Wright, T.R. (2004)**
Intraspecific variability of the acetolactate synthase gene. *Weed Science*, 52, 2, pp 236-241
<Go to ISI>://000220323300009
- Tranel, P.J., Wassom, J.J., Jeschke, M.R., & Rayburn, A.L. (2002)**
Transmission of herbicide resistance from a monoecious to a dioecious weedy *Amaranthus* species. *Theoretical and Applied Genetics*, 105, 5, pp 674-679
<Go to ISI>://000178992700005
- Transue, T.R., Smith, A.K., Mo, H.Q., Goldstein, I.J., & Saper, M.A. (1997)**
Structure of benzyl T-antigen disaccharide bound to *Amaranthus caudatus* agglutinin. *Nature Structural Biology*, 4, 10, pp 779-783
<Go to ISI>://A1997YA20300006
- Travis, A.J., Murison, S.D., Hirst, D.J., Walker, K.C., & Chesson, A.C. (1996)**
Comparison of the anatomy and degradability of straw from varieties of wheat and barley that differ in susceptibility to lodging. *Journal of Agricultural Science*, 127, pp 1-10
- Trethewey, J.A.K. & Harris, P.J. (2002)**
Location of (1 → 3)- and (1 → 3),(1 → 4)-beta-D-glucans in vegetative cell walls of barley (*Hordeum vulgare*) using immunogold labelling. *New Phytologist*, 154, 2, pp 347-358
<Go to ISI>://000175244900006
- Troubacheeva, N.V., Salina, E.A., Numerova, O.M., & Pershina, L.A. (2003)**
RAPD-based analysis of introgression of barley genetic material into the genome of alloplasmic wheat lines (*Hordeum geniculatum* All./*Triticum aestivum* L.). *Russian Journal of Genetics*, 39, 6, pp 656-660
<Go to ISI>://000183647100010
- Troxler, S.C., Askew, S.D., Wilcut, J.W., Smith, W.D., & Paulsgrove, M.D. (2002)**
Clomazone, fomesafen, and bromoxynil systems for bromoxynil-resistant cotton (*Gossypium hirsutum*). *Weed Technology*, 16, 4, pp 838-844
<Go to ISI>://000179784600022
- Tsai, C.-J., Popko, J.L., Mielke, M.R., Hu, W.-J., Podila, G.K., & Chiang, V.L. (1998)**
Suppression of *O*-methyltransferase gene by homologous sense transgene in quaking aspen causes red-brown wood phenotypes. *Plant Physiology*, 117, pp 101-112

Tuesca, D. & Nisensohn, L. (2001)

Resistance of *Amaranthus quitensis* to imazethapyr and chlormuron-ethyl. *Pesquisa Agropecuaria Brasileira*, 36, 4, pp 601-606
<Go to ISI>://000169985200002

Turpeinen, T., Kulmala, J., & Nevo, E. (1999)

Genome size variation in *Hordeum spontaneum* populations. *Genome*, 42, 6, pp 1094-1099
<Go to ISI>://000084297500009

Turpeinen, T., Tenhola, T., Manninen, O., Nevo, E., & Nissila, E. (2001)

Microsatellite diversity associated with ecological factors in *Hordeum spontaneum* populations in Israel. *Molecular Ecology*, 10, 6, pp 1577-1591
<Go to ISI>://000169228200019

Turpeinen, T., Vanhala, T., Nevo, E., & Nissila, E. (2003)

AFLP genetic polymorphism in wild barley (*Hordeum spontaneum*) populations in Israel. *Theoretical and Applied Genetics*, 106, 7, pp 1333-1339
<Go to ISI>://000183398100024

Turpeinen, T., Vanhala, T., Nevo, E., & Nissila, E. (2003)

AFLP genetic polymorphism in wild barley (*Hordeum spontaneum*) populations in Israel (vol 105, pg , 2002). *Theoretical and Applied Genetics*, 106, 7, pp 1340-1340
<Go to ISI>://000183398100025

Tutin, T., Heywood, V., Burges, N., Valentine, D., Walters, S., & Webb, D. (2001)

Flora Europaea, CD-Rom Edition edn. Cambridge University Press; Bk&CD-Rom edition, IS: 0521805708, pp 2392

Ueno, O. (2001)

Ultrastructural localization of photosynthetic and photorespiratory enzymes in epidermal, mesophyll, bundle sheath, and vascular bundle cells of the C-4 dicot *Amaranthus viridis*. *Journal of Experimental Botany*, 52, 358, pp 1003-1013
<Go to ISI>://000169703400013

Umeta, M. & Faulks, R.M. (1988)

The Effect of Fermentation on the Carbohydrates in Tef (*Eragrostis-Tef*). *Food Chemistry*, 27, 3, pp 181-189
<Go to ISI>://A1988M193400003

Umeta, M. & Faulks, R.M. (1989)

Lactic-Acid and Volatile (C2-C6) Fatty-Acid Production in the Fermentation and Baking of Tef (*Eragrostis-Tef*). *Journal of Cereal Science*, 9, 1, pp 91-95
<Go to ISI>://A1989T646600009

UNIDO (2005), pp

Urga, K., Keshava, N., & Narasimha, H.V. (1997)

Effects of natural and mixed culture of lactobacilli fermentation on in vitro iron and zinc bioavailability in tef (*Eragrostis tef*) atmit. *Bulletin of the Chemical Society of Ethiopia*, 11, 2, pp 101-109
<Go to ISI>://000072350800002

Urga, K. & Narashima, H.V. (1997)

Effect of natural fermentation on the HCl-extractability of minerals from tef (*Eragrostis tef*). *Bulletin of the Chemical Society of Ethiopia*, 11, pp 3-10

Urga, K. & Narasimha, H.V. (1997)

Effect of natural fermentation on the HCl-extractability of minerals from tef (*Eragrostis tef*). *Bulletin of the Chemical Society of Ethiopia*, 11, 1, pp 3-10
<Go to ISI>://A1997XR49600001

Urga, K., Narasimha, H.V., Sasikala, B.V., & Vishwanatha, S. (1998)

Bioavailability of iron and zinc from tef in rats. *Bulletin of the Chemical Society of Ethiopia*, 12, 2, pp 95-103

Ursin, V.M. (2003)

Modification of plant lipids for human health: development of functional land-based omega-3 fatty acids. *Journal of Nutrition*, 133, pp 4271-4274

Vagera, J., Novotny, J., & Ohnoutkova, L. (2004)

Induced androgenesis in vitro in mutated populations of barley, *Hordeum vulgare*. *Plant Cell Tissue and Organ Culture*, 77, 1, pp 55-61
<Go to ISI>://000189011900008

- Valdes-Rodriguez, S., Blanco-Labra, A., Gutierrez-Benicio, G., Boradenenko, A., Herrera-Estrella, A., & Simpson, J. (1999)**
Cloning and characterization of a trypsin inhibitor cDNA from amaranth (*Amaranthus hypochondriacus*) seeds. *Plant Molecular Biology*, 41, 1, pp 15-23
<Go to ISI>://000083178900002
- Valdesrodriguez, S., Seguranieto, M., Chagollalopez, A., Vargascortina, A.V.Y., Martinezgallardo, N., & Blancolabra, A. (1993)**
Purification, Characterization, and Complete Amino-Acid- Sequence of a Trypsin-Inhibitor from Amaranth (*Amaranthus-Hypochondriacus*) Seeds. *Plant Physiology*, 103, 4, pp 1407-1412
<Go to ISI>://A1993ML41200048
- Valencia-Islas, N., Abbas, H., Bye, R., Toscano, R., & Mata, R. (2002)**
Phytotoxic compounds from *Prionosciadium watsoni*. *Journal of Natural Products*, 65, 6, pp 828-834
<Go to ISI>://000176688300005
- Valencia-Islas, N.A., Paul, R.N., Shier, W.T., Mata, R., & Abbas, H.K. (2002)**
Phytotoxicity and ultrastructural effects of gymnopusin from the orchid *Maxillaria densa* on duckweed (*Lemna paucicostata*) frond and root tissues. *Phytochemistry*, 61, 2, pp 141-148
<Go to ISI>://000178189900006
- Valenzuelasoto, E.M. & Munozclares, R.A. (1993)**
Betaine-Aldehyde Dehydrogenase from Leaves of *Amaranthus-Hypochondriacus L* Exhibits an Iso Ordered Bi Bi Steady-State Mechanism. *Journal of Biological Chemistry*, 268, 32, pp 23818-23824
<Go to ISI>://A1993MF29400020
- Valenzuelasoto, E.M. & Munozclares, R.A. (1994)**
Betain-Aldehyde Dehydrogenase from Leaves of *Amaranthus-Hypochondriacus L* Exhibits an Iso Ordered Bi Bi Steady-State Mechanism (Vol 268, Pg 23821, 1993). *Journal of Biological Chemistry*, 269, 6, pp 4692-4692
<Go to ISI>://A1994MW98900117
- Valenzuelasoto, E.M. & Munozclares, R.A. (1994)**
Purification and Properties of Betaine Aldehyde Dehydrogenase Extracted from Detached Leaves of *Amaranthus-Hypochondriacus L* Subjected to Water-Deficit. *Journal of Plant Physiology*, 143, 2, pp 145-152
<Go to ISI>://A1994NA53400003
- Valenzuela-Soto, E.M., Velasco-Garcia, R., Mujica-Jimenez, C., Gaviria-Gonzalez, L., & Munoz-Clares, R.A. (2003)**
Monovalent cations requirements for the stability of betaine aldehyde dehydrogenase from *Pseudomonas aeruginosa*, porcine kidney and amaranth leaves. *Chemico-Biological Interactions*, 143, pp 139-148
<Go to ISI>://000181551300017
- Valkama, E., Kivimaenpaa, M., Hartikainen, H., & Wulff, A. (2003)**
The combined effects of enhanced UV-B radiation and selenium on growth, chlorophyll fluorescence and ultrastructure in strawberry (*Fragaria x ananassa*) and barley (*Hordeum vulgare*) treated in the field. *Agricultural and Forest Meteorology*, 120, 1-4, pp 267-278
<Go to ISI>://000187403400022
- Valverde, B. & Itoh, K. (2001)**
World rice and herbicide resistance. In *Herbicide Resistance in World Grains* (eds S.B. Powles & D. Shaner), pp. 195-250. CRC Press, Boca-Raton,
- Valverde, B.E. (2005)**
The damage by weedy rice – can feral rice remain undetected? In *Crop Fertility and Volunteerism* (ed J. Gressel). CRC Press, Boca Raton,
- Valverde, B.E., Riches, C.R., & Caseley, J.C. (2000)**
Prevention and management of herbicide resistant weeds in rice: Experiences from Central America with *Echinochloa colona* Cámara de Insumos Agropecuarios, Costa Rica, pp 123
- Van Acker, R.C., Thomas, A.G., Leeson, J.Y., Knezevic, S.Z., & Frick, B.L. (2000)**
Comparison of weed communities in Manitoba ecoregions and crops. *Canadian Journal of Plant Science*, 80, 4, pp 963-972
<Go to ISI>://000166123000043
- van Bergen, S., Kottenhagen, M.J., van der Meulen, R.M., & Wang, M. (1999)**
The role of abscisic acid in induction of androgenesis: A comparative study between *Hordeum vulgare L*-cvs. Igri and Digger. *Journal of Plant Growth Regulation*, 18, 3, pp 135-143
<Go to ISI>://000084123100006
- van de Wouw, M., Maxted, N., & Ford-Lloyd, B.V. (2003)**
Agro-morphological characterisation of common vetch and its close relatives. *Euphytica*, 130, 2, pp 281-292

<Go to ISI>://000181688500017

- Van den Bergh, K.P.B., Proost, P., Van Damme, J., Coosemans, J., Van Damme, E.J.M., & Peumans, W.J. (2002)**
Five disulfide bridges stabilize a hevein-type antimicrobial peptide from the bark of spindle tree (*Euonymus europaeus* L.). *Febs Letters*, 530, 1-3, pp 181-185
<Go to ISI>://000178856900034
- Van der Schaar, W., Blanco, C.L.A., Kloosterziel, K.M., Jansen, R.C., Van Ooijen, J.W., & Koornneef, M. (1997)**
QTL analysis of seed dormancy in *Arabidopsis* using recombinant inbred lines and MQM mapping. *Heredity*, 79, pp 190-200
- van Le, B., Do My, N.T., Jeanneau, M., Sadik, S., Tu, S., Vidal, J., & Van, K.T.T. (1998)**
Rapid plant regeneration of a C-4 dicot species: *Amaranthus edulis*. *Plant Science*, 132, 1, pp 45-54
<Go to ISI>://000072739600005
- Van Rijn, C.P.E., Heersche, I., Van Berkel, Y.E.M., Nevo, E., Lambers, H., & Poorter, H. (2000)**
Growth characteristics in *Hordeum spontaneum* populations from different habitats. *New Phytologist*, 146, 3, pp 471-481
<Go to ISI>://000088299900012
- Van Slageren, M.W. (1994)**
Wild wheats: A monograph of *Aegilops* L. and *Amblyopyrum* (Jaub. & Spach) Eig (Poaceae) Wageningen Agricultural University, Wageningen, pp 513
- VandenBosch, K.A. & Stacey, G. (2003)**
Summaries of legume genomics projects from around the globe. Community resources for crops and models. *Plant Physiology*, 131, 3, pp 840-865
<Go to ISI>://000185076100002 or <http://www.botanischergarten.ch/Feral-New/VandenBosch-LegumeGenomics-2003.pdf>
- Vangessel, M.J., Ayeni, A.O., & Majek, B.A. (2001)**
Glyphosate in double-crop no-till glyphosate-resistant soybean: Role of preplant applications and residual herbicides. *Weed Technology*, 15, 4, pp 703-713
<Go to ISI>://000175241100014
- Vangylsw.No & Hoffman, J.P.L. (1970)**
Characteristics of Cellulolytic Cillobacteria from Rumens of Sheep Fed Teff (*Eragrostis-Tef*) Hay Diets. *Journal of General Microbiology*, 60, pp 381-&
<Go to ISI>://A1970G310300011
- Vangylsw.No & Roche, C.E.G. (1970)**
Characteristics of Ruminococcus and Cellulolytic Butyrivibrio Species from Rumens of Sheep Fed Differently Supplemented Teff (*Eragrostis-Tef*) Hay Diets. *Journal of General Microbiology*, 64, NOV, pp 11-&
<Go to ISI>://A1970I727300002
- Vanhala, T.K., van Rijn, C.P.E., Buntjer, J., Stam, P., Nevo, E., Poorter, H., & van Eeuwijk, F.A. (2004)**
Environmental, phenotypic and genetic variation of wild barley (*Hordeum spontaneum*) from Israel. *Euphytica*, 137, 3, pp 297-309
<Go to ISI>://000223738800003
- Vani, B., Saradhi, P.P., & Mohanty, P. (2001)**
Characterization of high temperature induced stress impairments in thylakoids of rice seedlings. *Indian Journal of Biochemistry & Biophysics*, 38, 4, pp 220-229
<Go to ISI>://000170769400002
- Varadi, G., Polyanka, H., Darko, E., & Lehoczki, E. (2003)**
Atrazine resistance entails a limited xanthophyll cycle activity, a lower PSII efficiency and an altered pattern of excess excitation dissipation. *Physiologia Plantarum*, 118, 1, pp 47-56
<Go to ISI>://000182307300007
- Varalakshmi, B. (2003)**
Phenotypic stability for economic traits in vegetable amaranth (*Amaranthus tricolor*). *Indian Journal of Agricultural Sciences*, 73, 2, pp 114-115
<Go to ISI>://000187131300015
- Varga, E., Schmidt, A.S., Reczey, K., & Thomsen, A.B. (2003)**
Pretreatment of corn stover using wet oxidation to enhance enzymatic digestibility. *Applied Biochemistry and Biotechnology*, 104, 1, pp 37-50
- Varshney, R.K., Zhang, H.N., Potokina, E., Stein, N., Langridge, P., & Graner, A. (2004)**
A simple hybridization-based strategy for the generation of non-redundant EST collections - a case study in barley (*Hordeum vulgare* L.). *Plant Science*, 167, 3, pp 629-634

<Go to ISI>://000222955700026

Vassilev, A., Tsonev, T., & Yordanov, I. (1998)

Physiological response of barley plants (*Hordeum vulgare*) to cadmium contamination in soil during ontogenesis. *Environmental Pollution*, 103, 2-3, pp 287-293

<Go to ISI>://000077417000016

Vassilev, G.N. & Vassilev, N.G. (2002)

Synthesis, chemical structure and cytokinin activity of some N- alkyl and phenyl-N '-hydroxy-, methoxy- and ethoxyphenylthioureas. *Oxidation Communications*, 25, 4, pp 608-612

<Go to ISI>://000180238900020

Vassilev, G.N., Vassilev, N.G., & Boehland, H. (2003)

Synthesis, chemical structure and growth-regulating activity of some new N-4-bromophenyl-N '-pyridylthioureas. *Oxidation Communications*, 26, 1, pp 144-148

<Go to ISI>://000182288000018

Vaughan, D.A. (1994)

The Wild Relatives of Rice 137 International Rice Research Institute, Manila, pp

Vaughan, D.A., Sanchez, P.L., Ushiki, J., Kaga, A., & Tomooka, N. (2005)

Asian rice and weedy rice – evolutionary perspectives. *In Crop Fertility and Volunteerism* (ed J. Gressel). CRC Press, Boca Raton,

Vaughan, L.K., Ottis, B.V., Prazak-Havey, A.M., Bormans, C.A., Sneller, C., Chandler, J.M., & Park, W.D. (2001)

Is all red rice found in commercial rice really *Oryza sativa*? *Weed Science*, 49, 4, pp 468-476

Velasco-Garcia, R., Chacon-Aguilar, V.M., Hervert-Hernandez, D., & Munoz-Clares, R.A. (2003)

Inactivation of betaine aldehyde dehydrogenase from *Pseudomonas aeruginosa* and *Amaranthus hypochondriacus* L. leaves by disulfiram. *Chemico-Biological Interactions*, 143, pp 149-158

<Go to ISI>://000181551300018

Velasco-Garcia, R., Gonzalez-Segura, L., & Munoz-Clares, R.A. (2000)

Steady-state kinetic mechanism of the NADP(+)- and NAD(+)- dependent reactions catalysed by betaine aldehyde dehydrogenase from *Pseudomonas aeruginosa*. *Biochemical Journal*, 352, pp 675-683

<Go to ISI>://000166177700011

Verheyden, P., Jaspers, H., Martins, J., Maes, D., Pletinckx, J., Vanbinst, G., Wyns, L., & Willem, R. (1994)

H-1-Nmr Study of the Structure of Ac-Amp2, a Peptide Isolated from *Amaranthus-Caudatus*. *Archives Internationales De Physiologie De Biochimie Et De Biophysique*, 102, 2, pp B43-B43

<Go to ISI>://A1994NW17000037

Verheyden, P., Pletinckx, J., Maes, D., Pepermans, H.A.M., Wyns, L., Willem, R., & Martins, J.C. (1995)

H-1-Nmr Study of the Interaction of N,N',N''-Triacetyl Chitotriose with Ac-Amp2, a Sugar Binding Antimicrobial Protein Isolated from *Amaranthus-Caudatus*. *Febs Letters*, 370, 3, pp 245-249

<Go to ISI>://A1995RR66800019

Verhoeven, K.J.F., Biere, A., Nevo, E., & van Damme, J.M.M. (2004)

Differential selection of growth rate-related traits in wild barley, *Hordeum spontaneum*, in contrasting greenhouse nutrient environments. *Journal of Evolutionary Biology*, 17, 1, pp 184-196

<Go to ISI>://000187891700020

Vershinin, A.V., Druka, A., Alkhimova, A.G., Kleinhofs, A., & Heslop-Harrison, J.S. (2002)

LINEs and gypsy-like retrotransposons in *Hordeum* species. *Plant Molecular Biology*, 49, 1, pp 1-14

<Go to ISI>://000175272700001

Vestergard, M. (2004)

Nematode assemblages in the rhizosphere of spring barley (*Hordeum vulgare* L.) depended on fertilisation and plant growth phase. *Pedobiologia*, 48, 3, pp 257-265

<Go to ISI>://000222383000007

Vetter, J. (1994)

Minerals and Amino-Acids in the Seeds of the New, Cultivated Cereal-Like Species, *Amaranthus-Hypochondriacus*. *Zeitschrift Fur Lebensmittel-Untersuchung Und-Forschung*, 198, 4, pp 284-286

<Go to ISI>://A1994NG11400003

Vicient, C.M., Suoniemi, A., Anamthamat-Jonsson, K., Tanskanen, J., Beharav, A., Nevo, E., & Schulman, A.H. (1999)

Retrotransposon BARE-1 and its role in genome evolution in the genus *Hordeum*. *Plant Cell*, 11, 9, pp 1769-1784

<Go to ISI>://000082937900014

- Videira, L.B., Pastor, M.D., Lorda, G., Iriarte, L., & Balatti, P.A. (2002)**
Sinorhizobium fredii cultured in media supplemented with Amaranthus cruentus L. seed meal and bacterial cell survival in liquid and peat based inoculum. *World Journal of Microbiology & Biotechnology*, 18, 3, pp 193-199
<Go to ISI>://000175407500004
- Vidmar, J.J., Schjoerring, J.K., Touraine, B., & Glass, A.D.M. (1999)**
Regulation of the hvst1 gene encoding a high-affinity sulfate transporter from Hordeum vulgare. *Plant Molecular Biology*, 40, 5, pp 883-892
<Go to ISI>://000081951200012
- Vidotto, F. & Ferrero, A. (2005)**
Modeling population dynamics to overcome feral rice in rice. In *Crop Fertility and Volunteerism* (ed J. Gressel). CRC Press, Boca Raton,
- Vila, M., Williamson, M., & Lonsdale, M. (2004)**
Competition experiments on alien weeds with crops: lessons for measuring plant invasion impact? *Biological Invasions*, 6, 1, pp 59-69
<Go to ISI>://000220965900005
- Villegassepulveda, N., Jimenezmoraila, B., Herreraestrella, L., & Simpson, J. (1994)**
Characterization of Amaranthus-Hypochondriacus Light-Harvesting Chlorophyll a/B-Binding Polypeptide Cdnas. *Plant Physiology*, 105, 1, pp 459-460
<Go to ISI>://A1994NL64100061
- Virk, P. & Saxena, P.K. (2003)**
Potential of Amaranthus seeds in supplementary feed and its impact on growth in some carps. *Bioresource Technology*, 86, 1, pp 25-27
<Go to ISI>://000178622800005
- Viswanathan, P. & Surlikar, N.R. (2001)**
Production of alpha-amylase with Aspergillus flavus on Amaranthus grains by solid-state fermentation. *Journal of Basic Microbiology*, 41, 1, pp 57-64
<Go to ISI>://000167808100008
- Vitta, J.I., Faccini, D.E., & Nisensohn, L.A. (2000)**
Control of Amaranthus quitensis in soybean crops in Argentina: an alternative to reduce herbicide use. *Crop Protection*, 19, 7, pp 511-513
<Go to ISI>://000089144200009
- Vizantinopoulos, S. & Katranis, N. (1998)**
Weed management of Amaranthus spp. in corn (Zea mays). *Weed Technology*, 12, 1, pp 145-150
<Go to ISI>://000073151300025
- Vojtechova, M., RodriguezSotres, R., ValenzuelaSoto, E.M., & MunozClares, R.A. (1997)**
Substrate inhibition by betaine aldehyde of betaine aldehyde dehydrogenase from leaves of Amaranthus hypochondriacus L. *Biochimica Et Biophysica Acta-Protein Structure and Molecular Enzymology*, 1341, 1, pp 49-57
<Go to ISI>://A1997XT43000005
- Volaire, F. (2003)**
Seedling survival under drought differs between an annual (Hordeum vulgare) and a perennial grass (Dactylis glomerata). *New Phytologist*, 160, 3, pp 501-510
<Go to ISI>://000186561900008
- Volenberg, D.S., Stoltenberg, D.E., & Boerboom, C.M. (2001)**
Biochemical mechanism and inheritance of cross-resistance to acetolactate synthase inhibitors in giant foxtail. *Weed Science*, 49, 5, pp 635-641
<Go to ISI>://000175242100010
- Volis, S., Mendlinger, S., Olsvig-Whittaker, L., Safriel, U.N., & Orlovsky, N. (1998)**
Phenotypic variation and stress resistance in core and peripheral populations of Hordeum spontaneum. *Biodiversity and Conservation*, 7, 6, pp 799-813
<Go to ISI>://000077307100006
- Volis, S., Mendlinger, S., & Orlovsky, N. (2000)**
Variability in phenotypic traits in core and peripheral populations of wild barley Hordeum spontaneum Koch. *Hereditas*, 133, 3, pp 235-247
<Go to ISI>://000169385600008
- Volis, S., Mendlinger, S., Turuspekov, Y., & Esnazarov, U. (2002)**

Phenotypic and allozyme variation in Mediterranean and desert populations of wild barley, *Hordeum spontaneum* Koch. *Evolution*, 56, 7, pp 1403-1415
<Go to ISI>://000177434400009

Volis, S., Mendlinger, S., Turuspekov, Y., Esnazarov, U., Abugalieva, S., & Orlovsky, N. (2001)
Allozyme variation in Turkmenian populations of wild barley, *Hordeum spontaneum* Koch. *Annals of Botany*, 87, 4, pp 435-446
<Go to ISI>://000167775600003

Volis, S., Mendlinger, S., & Ward, D. (2002)
Differentiation along a gradient of environmental productivity and predictability in populations of *Hordeum spontaneum* Koch: multilevel selection analysis. *Biological Journal of the Linnean Society*, 75, 3, pp 313-318
<Go to ISI>://000174695400004

Volis, S., Mendlinger, S., & Ward, D. (2002)
Differentiation in populations of *Hordeum spontaneum* along a gradient of environmental productivity and predictability: life history and local adaptation. *Biological Journal of the Linnean Society*, 77, 4, pp 479-490
<Go to ISI>://000180082100005

Volis, S., Mendlinger, S., & Ward, D. (2002)
Differentiation in populations of *Hordeum spontaneum* Koch along a gradient of environmental productivity and predictability: plasticity in response to water and nutrient stress. *Biological Journal of the Linnean Society*, 75, 3, pp 301-312
<Go to ISI>://000174695400003

Volis, S., Yakubov, B., Shulgina, I., Ward, D., Zur, V., & Mendlinger, S. (2001)
Tests for adaptive RAPD variation in population genetic structure of wild barley, *Hordeum spontaneum* Koch. *Biological Journal of the Linnean Society*, 74, 3, pp 289-303
<Go to ISI>://000172620300002

Von Bothmer, R., Salomon, B., & Linde-Laursen, I. (1999)
Chromosome pairing patterns in interspecific *Hordeum lechleri* x *H-vulgare* (cultivated barley) hybrids with 2n=21-29. *Hereditas*, 131, 2, pp 109-120
<Go to ISI>://000085074100004

Von Holle, B. & Simberloff, D. (2004)
Testing Fox's assembly rule: does plant invasion depend on recipient community structure? *Oikos*, 105, 3, pp 551-563
<Go to ISI>://000221438100010

Vrinten, P.L., Nakamura, T., & Kasha, K.J. (1999)
Characterization of cDNAs expressed in the early stages of microspore embryogenesis in barley (*Hordeum vulgare* L). *Plant Molecular Biology*, 41, 4, pp 455-463
<Go to ISI>://000083831700003

Wagner, H., Gilbert, M., & Wilhelm, C. (2003)
Longitudinal leaf gradients of UV-absorbing screening pigments in barley (*Hordeum vulgare*). *Physiologia Plantarum*, 117, 3, pp 383-391
<Go to ISI>://000181284200011

Wagner, J., Haas, H.U., & Hurlle, K. (2002)
Identification of ALS inhibitor-resistant *Amaranthus* biotypes using polymerase chain reaction amplification of specific alleles. *Weed Research*, 42, 4, pp 280-286
<Go to ISI>://000177381100003

Wall, D.A. (1995)
Bentazon Tank-Mixtures for Improved Redroot Pigweed (*Amaranthus-Retroflexus*) and Common Lambsquarters (*Chenopodium- Album*) Control in Navy Bean (*Phaseolus-Vulgaris*). *Weed Technology*, 9, 3, pp 610-616
<Go to ISI>://A1995RY86400031

Wall, D.A. & Friesen, G.H. (1991)
Effectiveness of selective herbicides for the control of annual weed species in *Lathyrus* (*Lathyrus sativus* L). *Crop Protection*, 10, 6, pp 496-500
<Go to ISI>://A1991GU34300012

Walsh, G.C. (2003)
Host range and reproductive traits of *Diabrotica speciosa* (Germar) and *Diabrotica viridula* (F.) (Coleoptera : Chrysomelidae), two species of South American pest rootworms, with notes on other species of *Diabroticina*. *Environmental Entomology*, 32, 2, pp 276-285
<Go to ISI>://000182354100006

Walther, U., Rapke, H., Proeseler, G., & Szigat, G. (2000)
Hordeum bulbosum - a new source of disease resistance - transfer of resistance to leaf rust and mosaic viruses from *H-bulbosum* into winter barley. *Plant Breeding*, 119, 3, pp 215-218
<Go to ISI>://000087743100005

- Walton, P.D. (1968)**
Use of *Amaranthus Caudatus* in Simulating Breeding Behavior of Commercial *Gossypium* Species. *Journal of Heredity*, 59, 1, pp 17-18
<Go to ISI>://A1968A882400004
- Wang, H.Y., Huang, Y.C., Chen, S.F., & Yeh, K.W. (2003)**
Molecular cloning, characterization and gene expression of a water deficiency and chilling induced proteinase inhibitor I gene family from sweet potato (*Ipomoea batatas* Lam.) leaves. *Plant Science*, 165, 1, pp 191-203
<Go to ISI>://000183926000022
- Wang, M., Hoekstra, S., van Bergen, S., Lamers, G.E.M., Oppedijk, B.J., van der Heijden, M.W., de Priester, W., & Schilperoort, R.A. (1999)**
Apoptosis in developing anthers and the role of ABA in this process during androgenesis in *Hordeum vulgare* L. *Plant Molecular Biology*, 39, 3, pp 489-501
<Go to ISI>://000079292100009
- Wang, T., Li, Y., Shi, Y., Reboud, X., Darmency, H., & Gressel, J. (2004)**
Low frequency transmission of a plastid encoded trait in *Setaria italica*. *Theoretical and Applied Genetics*, 108, pp 315-320
- Wang, W., Cole, A.M., Hong, T., Waring, A.J., & Lehrer, R.I. (2003)**
Retrocyclin, an antiretroviral theta-defensin, is a lectin. *Journal of Immunology*, 170, 9, pp 4708-4716
<Go to ISI>://000182528100037
- Wang, Y. & Nii, N. (2000)**
Changes in chlorophyll, ribulose biphosphate carboxylase- oxygenase, glycine betaine content, photosynthesis and transpiration in *Amaranthus tricolor* leaves during salt stress. *Journal of Horticultural Science & Biotechnology*, 75, 6, pp 623-627
<Go to ISI>://000165668800001
- Wang, Y.M., Meng, Y.L., Ishikawa, H., Hibino, T., Tanaka, Y., Nii, N., & Takabe, T. (1999)**
Photosynthetic adaptation to salt stress in three-color leaves of a C-4 plant *Amaranthus tricolor*. *Plant and Cell Physiology*, 40, 7, pp 668-674
<Go to ISI>://000081468200002
- Wang, Y.M. & Nii, N. (2001)**
Anatomical development and biochemical alterations in ribulose biphosphate carboxylase-oxygenase accumulation during leaf enlargement in *Amaranthus tricolor*. *Journal of the Japanese Society for Horticultural Science*, 70, 6, pp 675-681
<Go to ISI>://000172224300003
- Warwick, S. & Weaver, S. (1980)**
Atrazine Resistance In *Amaranthus* *Amaranthus-Retroflexus* (Redroot Pigweed) And *Amaranthus-Powellii* (Green Pigweed) From Southern Ontario. *CANADIAN JOURNAL OF PLANT SCIENCE*, 60, 4, pp 1485-1488
- Warwick, S.I., Simard, M.J., Légère, A., Beckie, H.J., Braun, L., Zhu, B., Mason, P., Séguin-Swartz, G., & Stewart, C.N. (2003)**
Hybridization between transgenic *Brassica napus* L. and its wild relatives: *B. rapa* L., *Raphanus raphanistrum* L., *Sinapis arvensis* L., and *Erucastrum gallicum* (Willd.) O.E. Schulz. *Theor. Appl. Genet.*, 107, pp 528-539
- Warwick, S.I. & Stewart Jr., C.N. (2005)**
Crops come from wild plants: How domestication, transgenes, and linkage together shape fertility. *In Crop Fertility and Volunteerism* (ed J. Gressel). CRC Press, Boca Raton,
- Weaver, S.E. (2001)**
Impact of lamb's-quarters, common ragweed and green foxtail on yield of corn and soybean in Ontario. *Canadian Journal of Plant Science*, 81, 4, pp 821-828
<Go to ISI>://000172470000037
- Weaver, S.E. (2003)**
Correlations among relative crop and weed growth stages. *Weed Science*, 51, 2, pp 163-170
<Go to ISI>://000181737400005
- Weaver, T., Gustafson, D., & Lichthardt, J. (2001)**
Exotic plants in early and late seral vegetation of fifteen northern Rocky Mountain environments (HTs). *Western North American Naturalist*, 61, 4, pp 417-427
<Go to ISI>://000172436700005
- Webb, J.W., Dodd, J.D., & Koerth, B.H. (1981)**
Plant Invasion on Upland Dredged Material. *Texas Journal of Science*, 33, 2-4, pp 168-183

<Go to ISI>://A1981NP25200010

Webb, S.E., Appleford, N.E.J., Gaskin, P., & Lenton, J.R. (1998)

Gibberellins in internodes and ears of wheat containing different dwarfing alleles. *Phytochemistry*, 47, pp 671-677

Weber, E. & D'Antonio, C.M. (1999)

Phenotypic plasticity in hybridizing *Carpobrotus* spp. (Aizoaceae) from coastal California and its role in plant invasion. *Canadian Journal of Botany-Revue Canadienne De Botanique*, 77, 10, pp 1411-1418

<Go to ISI>://000084866900002

Wegerle, N. & Zeller, F.J. (1995)

Grain Amaranth (*Amaranthus* Ssp) - Cultivation, Breeding and Properties of an Old Indian Plant. *Journal of Agronomy and Crop Science-Zeitschrift Fur Acker Und Pflanzenbau*, 174, 1, pp 63-72

<Go to ISI>://A1995QM29800008 and <http://www.botanischergarten.ch/Feral-New/Wegerle-Amaranth-Agronomy-1995.pdf>

Weggler-Beaton, K., Graham, R.D., & McLaughlin, M.J. (2003)

The influence of low rates of air-dried biosolids on yield and phosphorus and zinc nutrition of wheat (*Triticum durum*) and barley (*Hordeum vulgare*). *Australian Journal of Soil Research*, 41, 2, pp 293-308

<Go to ISI>://000182064800010

Wei, J.Z., Chatterton, N.J., & Larson, S.R. (2001)

Expression of sucrose : fructan 6-fructosyltransferase (6-SFT) and myo-inositol 1-phosphate synthase (MIPS) genes in barley (*Hordeum vulgare*) leaves. *Journal of Plant Physiology*, 158, 5, pp 635-643

<Go to ISI>://000168896800013

Wei, W.X., Bilsborrow, P., Hooley, P., Fincham, D., & Forster, B. (2001)

Variation between two near isogenic barley (*Hordeum vulgare*) cultivars in expression of the B subunit of the vacuolar ATPase in response to salinity. *Hereditas*, 135, 2-3, pp 227-231

<Go to ISI>://000176985900021

Weiland, J. & Koch, G. (2004)

Sugarbeet leaf spot disease (*Cercospora beticola* Sacc.). *Molecular Plant Pathology*, 5, 3, pp 157-166

<Go to ISI>://000221836500001

Weissmann, S., Feldman, M., & Gressel, J. (2003)

Evidence for sporadic introgression of a DNA sequence from polyploid wheat into *Aegilops peregrina* (*Ae. variabilis*). *Proceedings - Tenth International Wheat Genetics Symposium, Paestum (Italy)*, pp 539-542

Wellings, C.R., Burdon, J.J., McIntosh, R.A., Wallwork, H., Raman, H., & Murray, G.M. (2000)

A new variant of *Puccinia striiformis* causing stripe rust on barley and wild *Hordeum* species in Australia. *Plant Pathology*, 49, 6, pp 803-803

<Go to ISI>://000165932300022

Wendorf, F., Close, A.E., Schild, R., Wasylikowa, K., Housley, R.A., Harlan, J.R., & Krolik, H. (1992)

Saharan Exploitation of Plants 8,000 Years Bp. *Nature*, 359, 6397, pp 721-724

Werner, T., Motyka, V., Laucou, V., Smets, R., Van Onckelen, H., & Schmulling, T. (2003)

Cytokinin-deficient transgenic *Arabidopsis* plants show multiple developmental alterations indicating opposite functions of cytokinins in the regulation of shoot and root meristem activity. *Plant Cell*, 15, pp 2532-2550

Wescheebeling, P., Maiti, R., Garciadiaz, G., Gonzalez, D.I., & Sosaalvarado, F. (1995)

Contributions to the Botany and Nutritional-Value of Some Wild *Amaranthus* Species (Amaranthaceae) of Nuevo-Leon, Mexico. *Economic Botany*, 49, 4, pp 423-430

<Go to ISI>://A1995TH83800008

Wetzel, D.K., Horak, M.J., & Skinner, D.Z. (1999)

Use of PCR-based molecular markers to identify weedy *Amaranthus* species. *Weed Science*, 47, 5, pp 518-523

<Go to ISI>://000084124600008

Wetzel, D.K., Horak, M.J., Skinner, D.Z., & Kulakow, P.A. (1999)

Transfer of herbicide resistance traits from *Amaranthus palmeri* to *Amaranthus rudis*. *Weed Science*, 47, 5, pp 538-543

<Go to ISI>://000084124600011

Wheeler, A.G. (2002)

New distributional and host-plant records for the Heteropterans *Aufeius impressicollis* Stal (Rhopalidae) and *Prionosoma podopioides* Uhler (Pentatomidae) in the southeastern United States, with notes on their western United States hosts.

Proceedings of the Entomological Society of Washington, 104, 1, pp 138-141

<Go to ISI>://000173678700016

- Whitehead, W.F., Carter, J., & Singh, B.P. (2002)**
Effect of planting date on vegetable amaranth leaf yield, plant height, and gas exchange. *Hortscience*, 37, 5, pp 773-777
<Go to ISI>://000177993500006
- Whitham, S.A., Yamamoto, M.L., & Carrington, J.C. (1999)**
Selectable viruses and altered susceptibility mutants in *Arabidopsis thaliana*. *Proceedings of the National Academy of Science, USA*, 96, 2, pp 772-777
- Wiles, L. & Schweizer, E. (2002)**
Spatial dependence of weed seed banks and strategies for sampling. *Weed Science*, 50, 5, pp 595-606
<Go to ISI>://000178083600008
- Willcox, G.H. (1977)**
Exotic Plants from Roman Waterlogged Sites in London. *Journal of Archaeological Science*, 4, 3, pp 269-282
<Go to ISI>://A1977DX57200007
- Williams, J. & Haq, N. (2002).**
Global research on underutilized crops. An assessment of current activities and proposals for enhanced cooperation, DFID(Department for International Development), ICUC(International Centre for Underutilized Crops), IPGRI(International Plant Genetic Resources Institute), pp 54 Southampton.
<http://www.botanischergarten.ch/Feral-New/Williams-underutilized-IPGRI.pdf>
- Williams, M.E. (1995)**
Genetic engineering for pollination control. *Trends in Biotechnology*, 13, pp 344-349
- Williamson, M. (1993)**
Invaders, weeds and the risk from genetically manipulated organisms. *Experientia*, 49, pp 219-224
- Williamson, M. (1993)**
Invaders, weeds, and risks from genetically manipulated organisms. *Experientia*, 49, pp 219-224
- Williamson, M. (1994)**
Community Response to Transgenic Plant Release - Predictions from British-Experience of Invasive Plants and Feral Crop Plants. *Molecular Ecology*, 3, 1, pp 75-79
<Go to ISI>://A1994MX35900014
- Wilson, R.L. & Olson, D.L. (1992)**
Tarnished Plant Bug, *Lygus-Lineolaris* (Palisot-De-Beauvois) (Hemiptera, Miridae) - Effect on Yield of Grain Amaranth, *Amaranthus-Cruentus* L, in Field Cages. *Journal of the Kansas Entomological Society*, 65, 4, pp 450-452
<Go to ISI>://A1992KQ28600013
- Windham, L. & Ehrenfeld, J.G. (2003)**
Net impact of a plant invasion on nitrogen-cycling processes within a brackish tidal marsh. *Ecological Applications*, 13, 4, pp 883-896
<Go to ISI>://000185073300001
- Wingler, A., Lea, P.J., & Leegood, R.C. (1999)**
Photorespiratory metabolism of glyoxylate and formate in glycine-accumulating mutants of barley and *Amaranthus edulis*. *Planta*, 207, 4, pp 518-526
<Go to ISI>://000078886400005
- Winston, J. (2004)**
Some history of the treatment of epidemics with homeopathy by homeopathy. <http://www.homeopathic.org/crhistJW2.htm>, pp
- Woitke, M. & Dietz, H. (2002)**
Shifts in dominance of native and invasive plants in experimental patches of vegetation. *Perspectives in Plant Ecology Evolution and Systematics*, 5, 3, pp 165-184
<Go to ISI>://000183330400002
- Wojciechowski, W. & Zawieja, J. (2001)**
The influence of varying soil tillage on the number and vertical distribution of weed seeds in soil of the rye (*Secale cereale*) monoculture. *Rostlinna Vyroba*, 47, 9, pp 389-392
<Go to ISI>://000171844100003
- Wojnarowicz, G., Jacquard, C., Devaux, P., Sangwan, R.S., & Clement, C. (2002)**
Influence of copper sulfate on anther culture in barley (*Hordeum vulgare* L.). *Plant Science*, 162, 5, pp 843-847

<Go to ISI>://000176008700023

Woldeamlak, A., Bastiaans, L., & Struik, P.C. (2001)

Competition and niche differentiation in barley (*Hordeum vulgare*) and wheat (*Triticum aestivum*) mixtures under rainfed conditions in the Central Highlands of Eritrea. *Netherlands Journal of Agricultural Science*, 49, 1, pp 95-112
<Go to ISI>://000172238400008

Wolf, T.M., Harrison, S.K., Hall, F.R., & Cooper, J. (2000)

Optimizing postemergence herbicide deposition and efficacy through application variables in no-till systems. *Weed Science*, 48, 6, pp 761-768
<Go to ISI>://000166182800019

Wolfe, M.S., Brandle, U., Koller, B., Limpert, E., McDermott, J.M., Muller, K., & Schaffner, D. (1992)

Barley mildew in Europe - population biology and host-resistance. *Euphytica*, 63, pp 125-139

Wright, K.H., Huber, K.C., Fairbanks, D.J., & Huber, C.S. (2002)

Isolation and characterization of *Atriplex hortensis* and sweet *Chenopodium quinoa* starches. *Cereal Chemistry*, 79, 5, pp 715-719
<Go to ISI>://000178065500021

Wright, S.R., Coble, H.D., Raper, C.D., & Ruffy, T.W. (1999)

Comparative responses of soybean (*Glycine max*), sicklepod (*Senna obtusifolia*), and Palmer amaranth (*Amaranthus palmeri*) to root zone and aerial temperatures. *Weed Science*, 47, 2, pp 167-174
<Go to ISI>://000081025000008

Wright, S.R., Jennette, M.W., Coble, H.D., & Ruffy, T.W. (1999)

Root morphology of young *Glycine max*, *Senna obtusifolia*, and *Amaranthus palmeri*. *Weed Science*, 47, 6, pp 706-711
<Go to ISI>://000085139000014

Wu, F.B., Zhang, G.P., & Yu, J.S. (2003)

Genotypic differences in effect of Cd on photosynthesis and chlorophyll fluorescence of barley (*Hordeum vulgare* L). *Bulletin of Environmental Contamination and Toxicology*, 71, 6, pp 1272-1281
<Go to ISI>://000186699500025

Wu, H.X. & Corke, H. (1999)

Genetic diversity in physical properties of starch from a world collection of *Amaranthus*. *Cereal Chemistry*, 76, 6, pp 877-883
<Go to ISI>://000083799300010

Wu, H.X., McCormac, A.C., Elliott, M.C., & Chen, D.F. (1998)

Agrobacterium-mediated stable transformation of cell suspension cultures of barley (*Hordeum vulgare*). *Plant Cell Tissue and Organ Culture*, 54, 3, pp 161-171
<Go to ISI>://000079183500005

Wu, H.X., Sun, M., Yue, S.X., Sun, H.L., Cai, Y., Huang, R.H., Brenner, D., & Corke, H. (2000)

Field evaluation of an *Amaranthus* genetic resource collection in China. *Genetic Resources and Crop Evolution*, 47, 1, pp 43-53
<Go to ISI>://000085462700005

Wu, H.X., Yue, S.X., Sun, H.L., & Corke, H. (1995)

Physical-Properties of Starch from 2 Genotypes of *Amaranthus- Cruentus* of Agricultural Significance in China. *Starch-Starke*, 47, 8, pp 295-297
<Go to ISI>://A1995RR23000002

Wu, Y.X. & von Tiedemann, A. (2002)

Impact of fungicides on active oxygen species and antioxidant enzymes in spring barley (*Hordeum vulgare* L.) exposed to ozone. *Environmental Pollution*, 116, 1, pp 37-47
<Go to ISI>://000172760700004

Wurtzen, P.A., Nelson, H.S., Lowenstein, H., & Ipsen, H. (1995)

Characterization of *Chenopodiales* (*Amaranthus-Retroflexus*, *Chenopodium-Album*, *Kochia-Scoparia*, *Salsola-Pestifer*) Pollen Allergens. *Allergy*, 50, 6, pp 489-497
<Go to ISI>://A1995RJ96800005

Xu, F.X. & Sun, M. (2001)

Comparative analysis of phylogenetic relationships of grain amaranths and their wild relatives (*Amaranthus*; *amaranthaceae*) using internal transcribed spacer, amplified fragment length polymorphism, and double-primer fluorescent intersimple sequence repeat markers. *Molecular Phylogenetics and Evolution*, 21, 3, pp 372-387
<Go to ISI>://000173251300004

Yadav, R. & Jagshoran (1999)

Genetic diversity analysis for malting grain traits in barley (*Hordeum vulgare*). *Indian Journal of Agricultural Sciences*, 69, 5, pp 359-361

<Go to ISI>://000082225700013

Yadav, R.K., Kumar, A., & Lal, D. (2003)

Effect of cutting management and nitrogen levels on biomass production and proximate quality of barley (*Hordeum vulgare*) in saline soil. *Indian Journal of Agronomy*, 48, 3, pp 199-202

<Go to ISI>://000221924400014

Yadav, S.K. & Sehgal, S. (1995)

Effect of Home Processing on Ascorbic-Acid and Beta-Carotene Content of Spinach (*Spinacia-Oleracea*) and Amaranth (*Amaranthus-Tricolor*) Leaves. *Plant Foods for Human Nutrition*, 47, 2, pp 125-131

<Go to ISI>://A1995QU42100005

Yadav, S.K. & Sehgal, S. (1995)

Effect of home processing on total and extractable calcium and zinc content of spinach (*Spinacia oleracea*) and amaranth (*Amaranthus tricolor*) leaves. *Plant Foods for Human Nutrition*, 48, 1, pp 65-72

<Go to ISI>://A1995TL29700007

Yakir, D. & Yechieli, Y. (1995)

Plant Invasion of Newly Exposed Hypersaline Dead-Sea Shores. *Nature*, 374, 6525, pp 803-805

<Go to ISI>://A1995QV31500044

Yamaguchi, S., Sun, T.P., Kawaide, H., & Kamiya, Y. (1998)

The GA2 locus of *Arabidopsis thaliana* encodes ent-kaurene synthase of gibberellin. *Plant Physiology*, 116, pp 1271-1278

Yamauchi, D., Zentella, R., & Ho, T.H.D. (2002)

Molecular analysis of the barley (*Hordeum vulgare* L.) gene encoding the protein kinase PKABA1 capable of suppressing gibberellin action in aleurone layers. *Planta*, 215, 2, pp 319-326

<Go to ISI>://000176778800019

Yan, Y., Popp, F.A., & Rothe, G.M. (2003)

Correlation between germination capacity and biophoton emission of barley seeds (*Hordeum vulgare* L.). *Seed Science and Technology*, 31, 2, pp 249-258

<Go to ISI>://000184288300003

Yanez, E., Zacarias, I., Granger, D., Vasquez, M., & Esteve, A.M. (1994)

Chemical and Nutritional Characterization of Amaranthus (*Amaranthus-Cruentus*). *Archivos Latinoamericanos De Nutricion*, 44, 1, pp 57-62

<Go to ISI>://A1994PA68300012

Yang, L. (1990)

A Reunion of Trees, the Discovery of Exotic Plants and Their Introduction into North-American and European Landscapes - Spongberg, Sa. *New York Times Book Review*, pp 21-21

<Go to ISI>://A1990EK05000036

Yasui, T., Seguchi, M., Ishikawa, N., & Fujita, M. (2002)

Starch properties of a waxy mutant line of hull-less barley (*Hordeum vulgare* L.). *Starch-Starke*, 54, 5, pp 179-184

<Go to ISI>://000175698800002

Yates, E.D., Levia, D.F., & Williams, C.L. (2004)

Recruitment of three non-native invasive plants into a fragmented forest in southern Illinois. *Forest Ecology and Management*, 190, 2-3, pp 119-130

<Go to ISI>://000220456200001

Yizengaw, T. & Verheye, W. (1994)

Modeling production potentials of tef (*Eragrostis tef*) in the Central Highlands of Ethiopia. *Soil Technology*, 7, 3, pp 269-277

Yizengaw, T. & Verheye, W. (1994)

Modeling Production Potentials of Tef (*Eragrostis-Tef*) in the Central Highlands of Ethiopia. *Soil Technology*, 7, 3, pp 269-277

<Go to ISI>://A1994PQ43900008

Yoshida, L.C. & Allen, E.B. (2004)

N-15 uptake by mycorrhizal native and invasive plants from a N-eutrophied shrubland: a greenhouse experiment. *Biology and Fertility of Soils*, 39, 4, pp 243-248

<Go to ISI>://000220086800004

Yoshimura, Y., Kubota, F., & Hirao, K. (2001)

Estimation of photo respiration rate by simultaneous measurements of CO₂, gas exchange rate, and chlorophyll fluorescence quenching in the C-3 plant *Vigna radiata* (L.) Wilczek and the C-4 plant *Amaranthus mongostanus* L. *Photosynthetica*, 39, 3, pp 377-382

<Go to ISI>://000173545700006

- Yu, L.G., Milton, J.D., Fernig, D.G., & Rhodes, J.M. (2001)**
Opposite effects on human colon cancer cell proliferation of two dietary Thomsen-Friedenreich antigen-binding lectins. *Journal of Cellular Physiology*, 186, 2, pp 282-287
<Go to ISI>://000166154500013
- Yu, Y., Tomkins, J.P., Waugh, R., Frisch, D.A., Kudrna, D., Kleinhofs, A., Brueggeman, R.S., Muehlbauer, G.J., Wise, R.P., & Wing, R.A. (2000)**
A bacterial artificial chromosome library for barley (*Hordeum vulgare* L.) and the identification of clones containing putative resistance genes. *Theoretical and Applied Genetics*, 101, 7, pp 1093-1099
<Go to ISI>://000165482700012
- Yu, Z., Ying, X., Lin, T., Xiao-Lin, Q., & Fang, C. (2003)**
Cloning and expression of a new Tibetan hulless barley (*Hordeum vulgare*) beta-1,3-glucanase gene. *Biotechnology Letters*, 25, 8, pp 617-622
<Go to ISI>://000181943700006
- Yurkonis, K.A. & Meiners, S.J. (2004)**
Invasion impacts local species turnover in a successional system. *Ecology Letters*, 7, 9, pp 764-769
<Go to ISI>://000223282400002
- Zakharova, N.S., Petrova, T.A., Shcherbukhin, V.D., & Gins, V.K. (1995)**
Betacyanin and Betalain Oxidase in Different *Amaranthus* Species. *Applied Biochemistry and Microbiology*, 31, 2, pp 202-205
<Go to ISI>://A1995QY75300017
- Zaman, M.S., Moyer, J.R., Boswall, A.L., & Mir, Z. (2003)**
Nutritional quality and yield of seedling alfalfa established with a barley companion crop and weeds. *Animal Feed Science and Technology*, 103, 1-4, pp 163-169
<Go to ISI>://000180462300013
- Zareie, R., Melanson, D.L., & Murphy, P.J. (2002)**
Isolation of fungal cell wall degrading proteins from barley (*Hordeum vulgare* L.) leaves infected with *Rhynchosporium secalis*. *Molecular Plant-Microbe Interactions*, 15, 10, pp 1031-1039
<Go to ISI>://000178436000007
- Zarnowski, R. & Suzuki, Y. (2004)**
5-n-alkylresorcinols from grains of winter barley (*Hordeum vulgare* L.). *Zeitschrift Fur Naturforschung C-a Journal of Biosciences*, 59, 5-6, pp 315-317
<Go to ISI>://000222866600003
- Zarnowski, R., Suzuki, Y., Yamaguchi, I., & Pietr, S.J. (2002)**
Alkylresorcinols in barley (*Hordeum vulgare* L. distichon) grains. *Zeitschrift Fur Naturforschung C-a Journal of Biosciences*, 57, 1-2, pp 57-62
<Go to ISI>://000174738700010
- Zedler, J.B. & Kercher, S. (2004)**
Causes and consequences of invasive plants in wetlands: Opportunities, opportunists, and outcomes. *Critical Reviews in Plant Sciences*, 23, 5, pp 431-452
<Go to ISI>://000224677800007
- Zegeye, A. (1997)**
Acceptability of injera with stewed chicken. *Food Quality and Preference*, 8, pp 293-295
- Zeller, F.J. (1998)**
Improving cultivated barley (*Hordeum vulgare* L.) by making use of the genetic potential of wild *Hordeum* species. *Journal of Applied Botany-Angewandte Botanik*, 72, 5-6, pp 162-167
<Go to ISI>://000078088900003
- Zeller, F.J. (2000)**
Utilization, genetics and breeding of small-seeded millets: 4. Finger millet [*Eleusine coracana* (L.) Gaertn.]. *Journal of Applied Botany-Angewandte Botanik*, 74, 5-6, pp 187-190
- Zeller, F.J. (2000)**
Utilization, genetics, and breeding of small-seeded millets: 2. Foxtail millet [*Setaria italica* (L.) P. Beauv.]. *Journal of Applied Botany-Angewandte Botanik*, 74, 1-2, pp 50-54
- Zeller, F.J. (2003)**
Utilization, genetics and breeding of small-seeded millets: 5. Tef *Eragrostis tef* (Zucc.) trotter. *Journal of Applied Botany-Angewandte Botanik*, 77, 1-2, pp 47-52

<Go to ISI>://000183127900009

Zemetra, R.S., Hansen, J., & Mallory-Smith, C.A. (1998)

Potential for gene transfer between wheat (*Triticum aestivum*) and jointed goatgrass (*Aegilops cylindrica*). *Weed Science*, 46, 3, pp 313-317

Zenteno, E., Lascurain, R., Montano, L.F., Vazquez, L., Debray, H., & Montreuil, J. (1992)

Specificity of Amaranthus-Leucocarpus Lectin. *Glycoconjugate Journal*, 9, 4, pp 204-208

<Go to ISI>://A1992JG78000009

Zervoudakis, G., Georgiou, C.D., & Angelopoulos, K. (2001)

Pyruvate kinase activity in crude extracts of leaves of *Cynodon dactylon* and other C-4 plants. *Russian Journal of Plant Physiology*, 48, 2, pp 171-175

<Go to ISI>://000168617000007

Zeybek, A. & Yigit, F. (2002)

Assessment of powdery mildew resistance in wild barley (*Hordeum spontaneum* L.) populations in the aegean region of Turkey. *Phytoprotection*, 83, 3, pp 125-130

<Go to ISI>://000182863700001

Zhang, D., Ayele, M., Tefera, H., & Nguyen, H. (2001)

RFLP linkage map of the Ethiopian cereal tef [*Eragrostis tef* (Zucc) Trotter]. *Theoretical and Applied Genetics*, 102, pp 957-964

Zhang, D., Ayele, M., Tefera, H., & Nguyen, H.T. (2001)

RFLP linkage map of the Ethiopian cereal tef *Eragrostis tef* (Zucc) Trotter. *Theoretical and Applied Genetics*, 102, 6-7, pp 957-964

<Go to ISI>://000169278600023

Zhang, F.C. & Gutterman, Y. (2003)

The trade-off between breaking of dormancy of caryopses and revival ability of young seedlings of wild barley (*Hordeum spontaneum*). *Canadian Journal of Botany-Revue Canadienne De Botanique*, 81, 4, pp 375-382

<Go to ISI>://000183042100010

Zhang, F.C., Gutterman, Y., Krugman, T., Fahima, T., & Nevo, E. (2002)

Differences in primary dormancy and seedling revival ability for some *Hordeum spontaneum* genotypes of Israel. *Israel Journal of Plant Sciences*, 50, 4, pp 271-276

<Go to ISI>://000180277000005

Zhang, L.T., Murray, B.G., & Pickering, R.A. (2002)

Variable patterns of chromosome synapsis at pachytene in *Hordeum vulgare* x *H-bulbosum* hybrids and their parents.

Hereditas, 137, 2, pp 90-95

<Go to ISI>://000181416900002

Zhang, L.T., Pickering, R., & Murray, B. (1999)

Direct measurement of recombination frequency in interspecific hybrids between *Hordeum vulgare* and *H. bulbosum* using genomic in situ hybridization. *Heredity*, 83, pp 304-309

<Go to ISI>://000083395400011

Zhang, L.T., Pickering, R.A., & Murray, B.G. (2001)

Hordeum vulgare x *H-bulbosum* tetraploid hybrid provides useful agronomic introgression lines for breeders. *New Zealand Journal of Crop and Horticultural Science*, 29, 4, pp 239-246

<Go to ISI>://000173384900002

Zhang, S., Cho, M.J., Koprek, T., Yun, R., Bregitzer, P., & Lemaux, P.G. (1999)

Genetic transformation of commercial cultivars of oat (*Avena sativa* L.) and barley (*Hordeum vulgare* L.) using in vitro shoot meristematic cultures derived from germinated seedlings. *Plant Cell Reports*, 18, 12, pp 959-966

<Go to ISI>://000082847500001

Zhang, Y.X. & Xiao, H. (1998)

Antagonistic effect of calcium, zinc and selenium against cadmium induced chromosomal aberrations and micronuclei in root cells of *Hordeum vulgare*. *Mutation Research-Genetic Toxicology and Environmental Mutagenesis*, 420, 1-3, pp 1-6

<Go to ISI>://000077922000001

Zhao, Z.Q., Ma, J.F., Sato, K., & Takeda, K. (2003)

Differential Al resistance and citrate secretion in barley (*Hordeum vulgare* L.). *Planta*, 217, 5, pp 794-800

<Go to ISI>://000185674000013

Zheleznov, A.V., Solonenko, L.P., & Zheleznova, N.B. (1997)

Seed proteins of the wild and the cultivated *Amaranthus* species. *Euphytica*, 97, 2, pp 177-182

<Go to ISI>://A1997XZ63600007

- Zhong, R.W., Morrison H. III, Negrel, J., & Ye, Z.H. (1998)**
Dual methylation pathways in lignin biosynthesis. *Plant Cell*, 10, pp 2033-2046
- Zhou, H., Arrowsmith, J.W., Fromm, M.E., Hironaka, C.M., Taylor, M.L., Rodriguez, D., Pajean, M.E., Brown, S.M., Santino, C.G., & Fry, J.E. (1995)**
Glyphosate-tolerant CP4 and GOX genes as a selectable marker in wheat transformation. *Plant Cell Reports*, 15, pp 159-163
- Zhou, J.L., Ma, L.G., & Sun, D.Y. (1998)**
Effects of G protein and cGMP on phytochrome-mediated amarantin synthesis in *Amaranthus caudatus* seedlings. *Science in China Series C-Life Sciences*, 41, 3, pp 232-237
<Go to ISI>://000074448600002
- Zhu, T., Mettenburg, K., Peterson, D.J., Tagliani, L., & Baszczynski, C.L. (2000)**
Engineering herbicide-resistant maize using chimeric RNA/DNA oligonucleotides. *Nature Biotechnology*, 18, pp 555-558
- Zhu, X.G., Portis, A.R., & Long, S.P. (2004)**
Would transformation of C-3 crop plants with foreign Rubisco increase productivity? A computational analysis extrapolating from kinetic properties to canopy photosynthesis. *Plant Cell and Environment*, 27, 2, pp 155-165
<Go to ISI>://000188720700002
- Zhu, Y., Wang, Y., Chen, H., & Lu, B.R. (2003)**
Conserving traditional rice varieties through management for crop diversity. *BioScience*, 52, 2, pp 158-162
- Zhu, Y.G., Smith, F.A., & Smith, S.E. (2002)**
Phosphorus efficiencies and their effects on Zn, Cu, and Mn nutrition of different barley (*Hordeum vulgare*) cultivars grown in sand culture. *Australian Journal of Agricultural Research*, 53, 2, pp 211-216
<Go to ISI>://000173712600011
- Zhu, Y.G., Smith, F.A., & Smith, S.E. (2002)**
Phosphorus efficiencies and their effects on Zn, Cu, and Mn nutrition of different barley (*Hordeum vulgare*) cultivars grown in sand culture. (vol 53, pg 211, 2002). *Australian Journal of Agricultural Research*, 53, 4, pp 503-U21
<Go to ISI>://000174604100014
- Zhu, Y.G., Smith, F.A., & Smith, S.E. (2003)**
Phosphorus efficiencies and responses of barley (*Hordeum vulgare* L.) to arbuscular mycorrhizal fungi grown in highly calcareous soil. *Mycorrhiza*, 13, 2, pp 93-100
<Go to ISI>://000182727900005
- Zhu, Y.L., Pilon-Smits, E.A.H., Tarun, A.S., Weber, S.U., Jouanin, L., & Terry, N. (1999)**
Cadmium tolerance and accumulation in Indian mustard is enhanced by overexpressing gamma-glutamylcysteine synthetase. *Plant Physiology*, 121, pp 1169-1177
- Ziska, L.H. (2000)**
The impact of elevated CO on yield loss from a C-3 and C-4 weed in field-grown soybean. *Global Change Biology*, 6, 8, pp 899-905
<Go to ISI>://000166524000005
- Zohary, D. (2000)**
Domestication of plants in the old world: the origin and spread of cultivated plants in West Asia, Europe, and the Nile Valley, 3rd edn. Oxford University Press, Oxford, pp 316