
Vehicle Walkaround: Key Features and Options Overview

XTRIM RE 3500 850-E-TEC

REV Gen4 Platform: Extremely **Responsive** to ride with **Precise** handling. Lots of room to move **Rotax 850 E-TEC:** +10 HP over 800R E-TEC. Extremely **Powerful** with very dynamic response (+30%) **PPS²-3300 Suspension:** Race-inspired rear suspension for demanding bumpy trails





XTRIM RE 3500 850 E-TEC

	XTRIM RE 3500 850 E-TEC	SKI-DOO RENEGADE BACKCOUNTRY X 850 E-TEC	
Chassis	RADIEN	REV G4	
Engine	Rotax 850 E-TEC	Rotax 850 E-TEC	
Horsepower	165 hp	165 hp	
Front Suspension / Shocks	LFS / KYB 40 HLCR	RAS3 / HPG Plus	
Front Travel	255 mm	220 mm	
Rear Suspension / Shocks	PPS²-3300™ / KYB 46 HLCR	cMotion / HPG Plus / KYB 36 EA	
Rear Travel	390 mm	239 mm	
Track Dimensions	3487 mm Length / 406 mm Width	3705 mm Length / 406 mm Width	
Track Profile	59 mm Powdermax	51 mm	
Ski Stance	996 mm	975 mm or 1020 mm	
Gauge	Multifunction Analog / Digital	Analog with display	
Electric Start	Optional	Standard	
Extras	Race suspension components,		

* Ski-Doo measures true vertical travel at the bump stop. The rMotion delivers the most travel no matter how it's measured.

© 2017 Bombardier Recreational Products Inc. (BRP). All rights reserved. ®, TM and the BRP logo are trademarks of BRP or its subsidiaries. All other trademarks are the property of their respective owners.



XTRIM RE 3500 850 E-TEC

	XTRIM RE 3500 850 E-TEC	2018 Polaris
Chassis	RADIEN	
Engine	Rotax 850 E-TEC	
Horsepower	165 hp	
Front Suspension / Shocks	LFS / KYB 40 HLCR	
Front Travel	255 mm	
Rear Suspension / Shocks	PPS²-3300™ / KYB 46 HLCR	TO BE UPDATED
Rear Travel	390 mm	I O DE OI DITTED
Track Dimensions	3487 mm Length / 406 mm Width	
Track Profile	59 mm Powdermax	
Ski Stance	996 mm	
Gauge	Multifunction Analog / Digital	
Electric Start	Optional	
Extras	Race suspension components,	

* Ski-Doo measures true vertical travel at the bump stop. The rMotion delivers the most travel no matter how it's measured.

© 2017 Bombardier Recreational Products Inc. (BRP). All rights reserved. ®, TM and the BRP logo are trademarks of BRP or its subsidiaries. All other trademarks are the property of their respective owners.



XTRIM RE 3300 850 E-TEC

	XTRIM RE 3500 850 E-TEC	2018 Arctic Cat
Chassis	RADIEN	
Engine	Rotax 850 E-TEC	
Horsepower	165 hp	
Front Suspension / Shocks	LFS / KYB 40 HLCR	
Front Travel	255 mm	
Rear Suspension / Shocks	PPS²-3300™ / KYB 46 HLCR	TO BE UPDATED
Rear Travel	390 mm	
Track Dimensions	3487 mm Length / 406 mm Width	
Track Profile	59 mm Powdermax	
Ski Stance	996 mm	
Gauge	Multifunction Analog / Digital	
Electric Start	Optional	
Extras	Race suspension components,	

* Ski-Doo measures true vertical travel at the bump stop. The rMotion delivers the most travel no matter how it's measured.

© 2017 Bombardier Recreational Products Inc. (BRP). All rights reserved. ®, TM and the BRP logo are trademarks of BRP or its subsidiaries. All other trademarks are the property of their respective owners.

