

Type specimens of fungi preserved in the Herbarium of the Moravian Museum in Brno, Czech Republic (BRNM)

VLADIMÍR ANTONÍN and ALOIS VÁGNER

Moravian Museum, Dept. of Botany,
Zelný trh 6, CZ-659 37 Brno, Czech Republic

Antonín V. and Vágner A. (1999): Type specimens of fungi preserved in the Herbarium of the Moravian Museum in Brno, Czech Republic (BRNM) – Czech Mycol. 52: 51–68

A list of type specimens of fungi preserved in the herbarium of the Moravian Museum in Brno, Czech Republic containing 351 items is published.

Key words: type specimens, herbarium, Moravian museum, Brno

Antonín V. a Vágner A. (1999): Typový materiál hub v herbáři Moravského zemského muzea v Brně (BRNM) – Czech Mycol. 52: 51–68

V článku je publikován seznam typového materiálu hub v herbáři Moravského zemského muzea v Brně obsahující 351 položek.

The Herbarium of the Department of Botany of the Moravian Museum in Brno, Czech Republic (BRNM) contains about 830 000 specimens; about 80 000 of them are fungi. Concerning micromycetes, the most important collectors were Eduard Baudyš (1886–1968) and Richard Picbauer (1886–1955). Except of own type specimens, a large collection of R. Picbauer contains a number of type specimens by Franz Petrak (not only from his important collection "Flora Bohemiae et Moraviae Exsiccata"). The most important macromycetes collectors were Johann Hruby (1882–1964), Karel Kříž (1907–1980) and František Šmarda (1902–1976). A list of type specimens contains 351 items now.

The lists of type specimens of species described by the most important donators (E. Baudyš, J. Hruby, Jiří Moravec, F. Petrak and R. Picbauer) are also available on an internet web page of the Moravian Museum (www.mzm.cz) in a part with information about Department of Botany.

Acanthostigma moravicum Petrak, Ann. Mycol. 22: 30, 1924. BRNM 03898/39
(syntype, in: Petrak, Fl. Bohem. et Morav. Exs., II. ser., Lfg. 37, no. 1801)

Acervus lusakianus J. Moravec, Čes. Mykol. 37(4): 240, 1983. BRNM 333696
(isotype)

Aecidium viborgiae P. Henn., Hedwigia 37: 295, 1898. BRNM 115726 (syntype,
in: Pl. Schlechter. Austro-Africanae)

- Aleuria dalhousiensis* Thind et Waraitch, Proc. Ind. Acad. Sci. 74: 269, 1971.
BRNM 612408 (isotype)
- Aleuria latispora* J. Moravec, Čes. Mykol. 47(4): 247, 1994. BRNM sine num.
(isotype)
- Amanita rubens* var. *areolata* Šmarda, Čes. Mykol. 2: 46, 1948. BRNM 245958
(holotype)
- Amerosporium violae* Baudyš et Picbauer, Pr. Morav. Přír. Společ. Brno, Sv.
3, Spis 2, F22, p. 34, 1926. BRNM 335382 (holotype)
- Ascobolus densireticulatus* J. Moravec, Čes. Mykol. 24: 137, 1970. BRNM
612390 (isotype)
- Ascochyta bubakiana* Picbauer, Ann. Mycol. 35: 142, 1937. BRNM 127426
(holotype)
- Ascochyta bulgarica* Bubák et Picbauer, Ann. Mycol. 35: 142, 1937. BRNM
127425 (holotype)
- Ascochyta celosiae* (Thüm.) Petrak, Ann. Mycol. 25: 371, 1927. BRNM 127438
[noted by Melnikov (1971) as isotype on label]
- Ascochyta circaeae* Bubák et Picbauer, Ann. Mycol. 35: 142, 1937. BRNM
127430 (holotype)
- Ascochyta galeopsidis* Eliasson, Svensk Bot. Tidskr. 9: 408, 1915. BRNM
127472 (isotype)
- Ascochyta graminicola* var. *diedickeana* Baudyš et Picbauer, Pr. Morav. Přír.
Společ. Brno, Sv. 3, Spis 2, F22, p. 29, 1926. BRNM 340480 (holotype)
- Ascochyta graminicola* var. *setariae* Baudyš, Lotos 64: 53, 1916. BRNM 340481
(holotype)
- Ascochyta heraclei* var. *heraclei-ternati* Bubák et Picbauer, Ann. Mycol. 35:
143, 1937. BRNM 127474. (holotype)
- Ascochyta menthicola* Bubák et Picbauer, Ann. Mycol. 35: 143, 1937. BRNM
127506 (holotype)
- Ascochyta poae-badensis* Picbauer, Sborn. Vys. Šk. Zeměd. Brno D18: 22, 1931.
BRNM 127519 (holotype)
- Ascochyta rumicis-patientiae* Picbauer, Ann. Mycol. 35: 142, 1937. BRNM
127533 (holotype)
- Ascochyta sesleriae* Baudyš et Picbauer, Pr. Morav. Přír. Společ., Sv. 1, Sp. 5,
F5, p. 295, 1924. BRNM 340467 (holotype)
- Ascochyta vodakii* Bubák, Növén. Közlem. 1907: 32 (sep.), 1907. BRNM 340463
- Ascochyta zavřelii-ignatii* Picbauer, Verh. Naturforsch. Ver. Brünn (1937): 41,
1937. BRNM 127567 (holotype)
- Ascochytella avenae* Petrak, Ann. Mycol. 23: 107, 1925. BRNM 127568
- Boletus satanas* var. *roseodermata* F. Šmarda, Biológia 9(4): 451, 1954. BRNM
265622 (holotype)

- Bovista fusca* R. Dvořák, Zimní houby hadcové stepi u Mohelna, p. 6, 1930.
BRNM 266925 (lectotype)
- Calolepis congesta* Syd., Ann. Mycol. 23: 399, 1925. BRNM 130754 (isotype)
- Calopactis singularis* Syd., Ann. mycol. 10: 83, 1912. BRNM 130753 (syntype, in: Fungi exotici exs., no. 88)
- Camarosporium bulgaricum* Petrak, Ann. Mycol. 29: 381, 1931. BRNM 05288/39
- Camarosporium carpini* Baudyš et Picbauer, Pr. Morav. Přír. Společ., Sv. 1, Sp. 5, F5, p. 303, 1924. BRNM 341371 (holotype)
- Camarosporium kirchneri* Staritz, in Diederke, Krypt. Fl. Brandenb. 9: 680, 1914. BRNM 129467
- Catacauma contractum* Syd., Ann. Mycol. 23: 365, 1925. BRNM 130782 (syntype, in: Fungi in itinere costar. coll., no. 273)
- Ceratosphaeria moravica* Petrak, Ann. Mycol. 21: 249, 1923. BRNM 03992/39 (syntype, in: Petrak, Fl. Bohem. et Morav. Exs., II. ser., Lfg. 34, no. 1669)
- Cercospora exitiosa* Syd., Ann. Mycol. 4: 485, 1906. BRNM 124301 and 124297 (topotypes)
- Cercospora exosporoides* Bubák, Ann. Mycol. 13: 33, 1915. BRNM 124298 and 124296 (syntypes)
- Cercospora imperatoriae* Baudyš et Picbauer, Pr. Morav. Přír. Společ., Sv. 1, Sp. 5, F5, p. 305, 1924. BRNM 341625 (holotype)
- Cercospora poae* Baudyš et Picbauer, Pr. Morav. Přír. Společ., Sv. 1, Sp. 5, F5, p. 304, 1924. BRNM 341626 (holotype)
- Cercospora radiata* var. *dalmatica* Baudyš, Öster. Botan. Zeitsch. (1914): 484, 1914. BRNM 341636 (holotype)
- Cercospora raphanistri* Baudyš et Picbauer, Pr. Morav. Přír. Společ., Sv. 1, Sp. 5, F5, p. 305, 1924. BRNM 341639 (holotype)
- Cercosporella anemonis* Baudyš, Lotos 64: 60, 1916. BRNM 336096 (holotype)
- Cercosporella anethi* Sacc. in Brenckle, Mycologia 10: 216, 1918. BRNM 130635 (syntype, in: Brenckle, Fungi dakotenses, no. 353)
- Cercosporella linariae* Baudyš et Picbauer, Pr. Morav. Přír. Společ., Sv. 1, Sp. 5, F5, p. 306, 1924. BRNM 336318 (holotype)
- Cercosporella nesleana* Baudyš et Picbauer, Pr. Morav. Přír. Společ., Sv. 1, Sp. 5, F5, p. 306, 1924. BRNM 336093 (holotype)
- Cercosporella trolliicola* Bond., in Smarods, Fungi Latvici Exs., fasc. 9, no. 444, p. 154, 1934. BRNM 130646
- Cercosporina bubakii* Picbauer, Ann. Mycol. 35: 147, 1937. BRNM 130803 (holotype)
- Ceuthospora legumininum* Syd., Ann. Mycol. 21: 176, 1923. BRNM 130796 and 130794 (topotypes)
- Chaetomium fiscicolum* Petrak, Ann. Mycol. 12: 45, 1915. BRNM 04695/39 (syntype, in: Petrak, Fl. Bohem. et Morav. Exs., II. ser., Lfg. 23, no. 1101)

- Cheilymenia aurantiacorubra* Thind et Kaushal, Ind. Phytopath. 33: 428, 1980.
BRNM 612409 (isotype)
- Cheilymenia magnipila* J. Moravec, Čes. Mykol. 22: 35, 1968. BRNM 612401
(isotype)
- Cheilymenia micropila* Svrček et J. Moravec, Čes. Mykol. 22(1): 37, 1968.
BRNM 333697 (isotype)
- Cheilymenia notabilispora* J. Moravec, Čes. Mykol. 22: 36, 1968. BRNM 612404
(isotype)
- Cheilymenia pseudohumariooides* Dissing, J. Moravec et Sivertsen, Mycotaxon
36: 173, 1989. BRNM 612407 (isotype)
- Cheilymenia theleboloides* f. *magnifica* J. Moravec, Čes. Mykol. 22: 38, 1968.
BRNM 612378 (isotype)
- Clitocybe vernalis* Hruby, Verh. Naturforsch. Ver. Brünn 66: 89, 1935. BRNM
06138/39 (holotype)
- Coleosporium clerodendri* Diet., Engl. Jahrb. 28: 566, 1899. BRNM 52154
- Collybia petrakii* Hruby, Hedwigia 70: 252, 1930. BRNM 06300/39 (holotype)
- Collybia pseudolacerata* Hruby, Hedwigia 70: 253, 1930. BRNM 06301/39
(holotype)
- Collybia similis* Hruby, Hedwigia 70: 253, 1930. BRNM 06311/39 (holotype)
a 06311/39 (topotype)
- Coprinus stipetorum* Hruby, Verh. Naturforsch. Ver. Brünn 66: 90, 1935.
BRNM 06390/39 (holotype)
- Coprobria hyphopila* J. Moravec, Čes. Mykol. 38: 150, 1984. BRNM 612387
(isotype)
- Coprobria sordida* J. Moravec, Čes. Mykol. 38: 154, 1984. BRNM 612395
(isotype)
- Coprotus subcylidrosporus* J. Moravec, Čes. Mykol. 25: 155, 1971. BRNM
612399 (isotype)
- Coronophora moravica* Petrak, Ann. Mycol. 12: 476, 1914. BRNM 04037/39
(syntype, in: Petrak, Fl. Bohem. et Morav. Exs., II. ser., Lfg. 14, no. 677)
- Corticium baudysii* Pilát, Mykologia 4: 70, 1927. BRNM 484726 (isotype)
- Cryptosphaeria moravica* Petrak et Sacc., Ann. Mycol. 11: 558, 1913. BRNM
04056/39 (syntype, in: Petrak, Fl. Bohem. et Morav. Exs., II. ser., Lfg. 2, no. 100)
- Cucurbitaria pruni-spinosae* Rehm, Ascom. exsic., fasc. 52, no. 2045. BRNM
04100/39 (syntype, in: Petrak, Fl. Bohem. et Morav. Exs., II. ser., Lfg. 3, no. 148)
and BRNM 117411 (syntype)
- Cucurbitaria rubefaciens* Petrak, Ann. Mycol. 21: 242, 1923. BRNM 04096/39
(syntype, in: Petrak, Fl. Bohem. et Morav. Exs., II. ser., Lfg. 34, no. 1672)
- Cylindrosporium baudysianum* Sacc., Ann. Mycol. 12: 296, 1914. BRNM 335461
(authentic specimen?)
- Cytospora ostryae* Syd., Ann. Mycol. 8: 492, 1910. BRNM 127672 (type?)

- Diaporthe cydoniicola* Petrak, Ann. Mycol. 13: 49, 1915. BRNM 04157/39 (syntypus, in: Petrak, Fl. Bohem. et Morav. Exs., II. ser., Lfg. 23, no. 1116)
- Diaporthe densa* Sacc., Ann. Mycol. 12: 289, 1914. BRNM 04158/39 (syntypus, in: Petrak, Fl. Bohem. et Morav. Exs., II. ser., Lfg. 23, no. 1117)
- Diaporthe fuchsiae* Petrak, Ann. Mycol. 19: 198, 1921. BRNM 04172/39 (syntypus, in: Petrak, Fl. Bohem. et Morav. Exs., II. ser., Lfg. 30, no. 1484)
- Diaporthe genistae* Rehm, Ann. Mycol. 11: 152, 1913. BRNM 04175/39 (syntype, in: Petrak, Fl. Bohem. et Morav. Exs., II. ser., Lfg. 1, no. 24)
- Diaporthe hranicensis* Petrak, Ann. Mycol. 12: 477, 1914. BRNM 04173/39 (syntypus, in: Petrak, Fl. Bohem. et Morav. Exs., II. ser., Lfg. 21, no. 1045) – in Saccardo's Sylloge fungorum, it was published as *D. rhanicensis* by an error.
- Diaporthe ligustri* Petrak, Ann. Mycol. 13: 49, 1915. BRNM 04186/39 (syntypus, in: Petrak, Fl. Bohem. et Morav. Exs., II. ser., Lfg. 23, no. 1115; as *D. ligustri-vulgaris* on label)
- Diaporthe pusilla* Sacc., Ann. Mycol. 12: 289, 1914. BRNM 04213/39 (in: Petrak, Fl. Bohem. et Morav. Exs., II. ser., Lfg. 20, no. 978)
- Diaporthe recedens* Sacc., Ann. Mycol. 12: 290, 1914. BRNM 04218/39 (in: Petrak, Fl. Bohem. et Morav. Exs., II. ser., Lfg. 20, no. 979)
- Diaporthe rhamnigena* Petrak, Ann. Mycol. 13: 48, 1915. BRNM 04220/39 (syntypus, in: Petrak, Fl. Bohem. et Morav. Exs., II. ser., Lfg. 23, no. 1122)
- Diaporthe transiens* Sacc., Ann. Mycol. 11: 558, 1913. BRNM 04244/39 (in: Petrak, Fl. Bohem. et Morav. Exs., II. ser., Lfg. 20, no. 980)
- Dicoccum cupaniae* Syd., Ann. Mycol. 23: 421, 1925. BRNM 130926 (isotype)
- Didymella autumnalis* Petrak, Ann. Mycol. 23: 111, 1925. BRNM 04305/39 (syntype, in: Petrak, Fl. Bohem. et Morav. Exs., II. ser., Lfg. 39., no. 1918) and BRNM 117309 (syntype)
- Didymosphaeria moravica* Rehm, Ann. Mycol. 11: 151, 1913. BRNM 04322/39 (syntype, in: Petrak, Fl. Bohem. et Morav. Exs., II. ser., Lfg. 1., no. 11)
- Didymosphaeria petrakiana* Sacc., Ann. Mycol. 12: 286, 1914. BRNM 04323/39 (in: Petrak, Fl. Bohem. et Morav. Exs., II. ser., Lfg. 21, no. ??)
- Dimerosporium pellicula* Syd., Ann. Mycol. 5: 339, 1907. BRNM 130960 (syntype)
- Diplodia croatica* Baudyš et Picbauer, Bull. Inst. Jard. Bot. Univ. Belgrad 1: 71, 1928. BRNM 335647 (holotype)
- Diplodia rhizophila* Syd., Ann. Mycol. 14: 247, 1916. BRNM 127334 (topotype)
- Diplodia sarajevensis* Picbauer, Glasnik Zemal. Muz. Bosni i Herceg. 45: 68, 1933. BRNM 127351 (holotype)
- Diplodina anthriscina* Baudyš, Lotos 64: 54, 1916. BRNM 340433 (holotype)
- Diplodina celastri* Syd., Ann. Mycol. 14: 246, 1916. BRNM 127279 (type?), BRNM 127232 and BRNM 127228 (topotypes)

- Diplodina galeopsidis* Picbauer, Pr. Morav. Přír. Společ., Sv. 7, Sp. 4, F56: 13, 1932. BRNM 127243 (holotype)
- Diplodina lappae* Picbauer, Pr. Morav. Přír. Společ., Sv. 1, Sp. 5, F5: 296, 1924. BRNM 127256 (holotype)
- Diplodina menthae* Picbauer, Pr. Morav. Přír. Společ., Sv. 2, Sp. 5, F15: 158, 1925. BRNM 127258 (holotype)
- Diplodina nicandrae* Picbauer, Pr. Morav. Přír. Společ., Sv. 1, Sp. 5, F5: 297, 1924. BRNM 127262 (holotype)
- Diplodina ocimi* Picbauer, Pr. Morav. Přír. Společ., Sv. 7, Sp. 4, F56: 14, 1932. BRNM 127266 (holotype)
- Diplodina origani* Picbauer, Pr. Morav. Přír. Společ., Sv. 2, Sp. 5, F15: 157, 1925. BRNM 127263 (as *Phoma origani* 1922 on label)
- Diplodina physocaulis* Picbauer, Ann. Mycol. 35: 145, 1937. BRNM 127268 (holotype)
- Diplodina richteriana* Staritz, Hedwigia 53: 191, 1913. BRNM 127272
- Diplodia platanicola* Sacc., Ann. Mycol. 6: 562, 1908. BRNM 127322, 127325 and 127323
- Dothichiza exigua* Sacc., Ann. Mycol. 6: 562, 1908. BRNM 121867
- Dothichiza pini* Sacc., Ann. Mycol. 3: 168, 1905. BRNM 121871 (topotype)
- Dothichiza sanguisorbae* Baudyš et Picbauer, Pr. Morav. Přír. Společ., Sv. 1, Sp. 5, F5, p. 302, 1924. BRNM 335374 (authentic specimen?)
- Dothidella diplothemii* Syd., Ann. Mycol. 5: 360, 1907. BRNM 130071
- Dothiorella apocyni* Petrak, Ann. Mycol. 29: 374, 1931. BRNM 05025/39 (holotype)
- Endodothella istrica* Petrak, Ann. Mycol. 19: 115, 1921. BRNM 05460/39
- Entylomella smarodssii* Moesz, Ungar. Bot. Blätter 33: 49, 1934. BRNM 131000
- Eriosphaeria albido-mucosa* Rehm, Ann. Mycol. 11: 150, 1913. BRNM 04357/39 (syntype, in: Petrak, Fl. Bohem. et Morav. Exs., II. ser., Lfg. 1, no. 1)
- Eutypa moravica* Petrak, Ann. Mycol. 25: 224, 1927. BRNM 04478/39 and 130583 (isotypes, in: Petrak, Fl. Bohem. et Morav. Exs., II. ser., Lfg. 46, no. 2257)
- Fimaria virginea* Svrček et J. Moravec, Čes. Mykol. 23: 158, 1969. BRNM 612392 (isotype)
- Flammula paludosa* Hruby, Hedwigia 70: 263, 1930. BRNM 06655/39 (syntype, in: Petrak, Fl. Bohem. et Morav. Exs., II. Ser., Lfg. 47, no. 2345)
- Fusicoccum corylinum* Sacc., Ann. Mycol. 12: 293, 1914. BRNM 126576 (isotype)
- Fusicoccum petiolicolum* Bubák, Ann. Mycol. 13: 28, 1915. BRNM 126579 (isotype)
- Fusicoccum petrakeanum* Sacc., Ann. Mycol. 11: 322, 1913. BRNM 126580
- Galactinia moraveccii* Svrček, Čes. Mykol. 22(2): 90, 1968. BRNM 333850 (lectotype) and 333698 (isotype)

Galera subterranea Hruby, Verh. Naturforsch. Ver. Brünn 66: 90, 1935. BRNM 06673/39 (holotype)

Galeropsis desertorum Velen. et R. Dvořák, Mykologia 7(9–10): 106, 1931. BRNM sine num.

Geaster atratus F. Šmarda, Čes. Mykol. 1: 74, 1947. BRNM 266926 and 266927 (isotypes)

Geaster sibiricus Pilát, Bull. Soc. Mycol. Fr. 51: 423, 1935. BRNM 266928 (isotype, ex PRM)

Geopyxis grandis Thind et Kaushal, Acta Bot. Ind. 9:119, 1979. BRNM 612416 (isotype)

Gloeosporium vagans Syd., Ann. Mycol. 10: 448, 1912. BRNM 122098

Gloeosporium vogelianum Sacc., Ann. Mycol. 6: 562, 1908. BRNM 122101

Gnomonia robertiani Petrak, Ann. Mycol. 23: 122, 1925. BRNM 04542/39 (syntype, in: Petrak, Fl. Bohem. et Morav. Exs., II. ser., Lfg. 42, no. 2095)

Godroniopsis nemopanthis Groves, Mycologia 29: 71, 1937. BRNM sine num. (syntype)

Gorgoniceps kuitopnsis P. Henn., Ergebn. Kunene-Sambesi Exped., p. 167, 1902. BRNM 119420 (syntype)

Greletia marchica D. Benkert et J. Moravec, Mycol. Helvet. 2: 88, 1986. BRNM 612383 (paratype)

Greletia reticulosperma Donadini et Riousset, in Donadini, Doc. Mycol. 16: 53, 1986. BRNM 612398 (isotype)

Guignardia steppani Petrak, Ann. Mycol. 18: 111, 1920. BRNM 04554/39 (isotype, in: Petrak, Fl. Bohem. et Morav. Exs., II. ser., Lfg. 25, no. 1232, as *Laestadia steppani* on label)

Guignardia sudetica Petrak, Ann. Mycol. 19: 104, 1921. BRNM 04552/39 (syntype, in: Petrak, Fl. Bohem. et Morav. Exs., II. ser., Lfg. 30, No. 1497) and BRNM 117169 (syntype)

Gymnopus brassicolens var. *pallidus* Antonín et Noordel., A monograph of Marasmius, Collybia and related genera in Europe 2: 77, 1997. BRNM 603934 (isotype)

Gymnosporangium aurantiacum Syd., Ann. Mycol. (1904): 28, 1904. BRNM 114381 (syntype, in: Pacific slope fungi, no. 3716)

Gymnosporangium malyi Picbauer, Glasnik Zemal. Muz. Bosni i Herceg. 41: 32, 1929. BRNM 114348 (holotype) and 121864 (topotype)

Hainesia viburni Petrak, Ann. Mycol. 23: 116, 1925. BRNM 121863

Hainesia zavřelii-ignatii Picbauer, Verh. Naturforsch. Ver. Brünn (1937): 42, 1937. BRNM 121862 (holotype)

Hebeloma fallax Hruby, Verh. Naturforsch. Ver. 66: 91, 1935. BRNM 06758/39 (holotype)

- Hebeloma punctatiforme* Hruby, Hedwigia 70: 268, 1930. BRNM 06764/39 (holotype)
- Helminthosporium anthyllidis* Baudyš, Lotos 64: 81, 1916. BRNM 341654 (holotype)
- Helminthosporium bornmülleri* P. Magn., Hedwigia 38: 73, 1899. BRNM 76926 (topotype)
- Helminthosporium poae* Baudyš, Lotos 64: 81, 1916. BRNM 341648 (holotype)
- Helminthosporium setariae* Lind, Dan. Fungi, p. 527, 1913. BRNM 124472 and 124471 (duplicates of type?)
- Helotium limogenum* Petrak, Ann. Mycol. 25: 277, 1927. BRNM 04564/39 (syntypus, in: Petrak, Fl. Bohem. et Morav. Exs., II. ser., Lfg. 46, no. 2262)
- Helvella branzeziana* Svrček et J. Moravec, Čes. Mykol. 22: 87, 1968. BRNM 612385 (isotype)
- Hendersonia andropogonis* Baudyš et Picbauer, Pr. Morav. Přír. Společ., Sv. 2, Sp. 5, F15, p. 159, 1925. BRNM 341355 (holotype)
- Hendersonia bulgarica* Bubák et Picbauer, Ann. Mycol. 35: 146, 1937. BRNM 129504 (holotype)
- Hendersonia convolvuli* Baudyš et Picbauer, Bull. Inst. Jard. Bot. Univ. Belgrad 1: 72, 1928. BRNM 341359 (holotype)
- Hendersonia crataegi* Brenckle, Mycologia 10: 217, 1918. BRNM 129509 (syntype, in: Brenckle, Fungi dakotenses, no. 436)
- Hendersonia fiedleri* var. *maior* Baudyš et Picbauer, Pr. Morav. Přír. Společ., Sv. 2, Sp. 5, F15, p. 161, 1925. BRNM 341363 (holotype)
- Hendersonia sarmetorum* var. *salicis-capraeae* Baudyš et Picbauer, Pr. Morav. Přír. Společ., Sv. 1, Sp. 5, F5, p. 303, 1924. BRNM 341352 (holotype)
- Hendersonia ucrainica* Petrak, Ann. Mycol., 19: 71, 1921. BRNM 129542
- Herpotrichia moravica* Petrak, Ann. Mycol. 13: 45, 1915. BRNM 04598/39 (syntype, in: Petrak, Fl. Bohem. et Morav. Exs., II. ser., Lfg. 20, no. 969)
- Humaria coprogena* Sacc., Ann. Mycol. 12: 291, 1914. BRNM 04621/39 (in: Petrak, Fl. Bohem. et Morav. Exs., II. ser., Lfg. 24, no. 1177)
- Humaria petrakii* Sacc., Ann. Mycol. 12: 291, 1914. BRNM 04634/39 (in: Petrak, Fl. Bohem. et Morav. Exs., II. ser., Lfg. 21, no. 1050)
- Hydrocybe nucicolor* Hruby, Hedwigia 70: 270, 1930. BRNM 06857/39 (holotype) a 06858/39 (topotype) – obě jen výtrusný prach
- Hysteropeltella moravica* Petrak, Ann. Mycol. 21: 10, 1923. BRNM 128676
- Inocybe cinnabarinina* Hruby, Hedwigia 70: 276, 1930. BRNM 06980/39 (holotype)
- Inocybe geophylla* f. *alba* Hruby, Hedwigia 70: 277, 1930. BRNM 06998/39 (holotype), 06999/39 and 07000/39 (paratypes)
- Inocybe laevigata* f. *depallens* Hruby, Folia Crypt. 1: 1091, 1932. BRNM 07005/39 (holotype)

- Inocybe laevispora* Hruby, Hedwigia 70: 278, 1930. BRNM 07004/39 (holotype)
- Inocybe moravica* Hruby, Hedwigia 70: 279, 1930. BRNM 07012/39 (holotype)
- Inocybe similis* Hruby, Hedwigia 70: 280, 1930. BRNM 07029/39 (holotype), 07028/39 and 07030/39 (paratypes)
- Inocybe tristis* Hruby, Hedwigia 70: 280, 1930. BRNM 07032/39 (holotype)
- Inocybe velenovskyi* Hruby, Hedwigia 70: 281, 1930. BRNM 07033/39 (holotype)
- Inocybe velenovskyi* f. *incrassata* Hruby, Hedwigia 70: 281, 1930. BRNM 07035/39 (holotype)
- Jafneadelphus olivaceofuscus* Svrček et J. Moravec, Čes. Mykol. 27: 131, 1973. BRNM 612388
- Kalmusia epimelaena* Sacc., Ann. Mycol. 12: 290, 1914. BRNM 04707/39
- Keisslerina moravica* Petrak, Ann. Mycol. 17: 74, 1919. BRNM 04708/39 (syntype, in: Petrak, Fl. Bohem. et Morav. Exs., II. ser., Lfg. 27, no. 1350)
- Lactarius albocreatus* Z. Schaefer, Čes. Mykol. 12: 211, 1958. BRNM 242123
- Lactarius cookei* Z. Schaefer, Čes. Mykol. 14: 236, 1960. BRNM 242330 (authentic specimen?)
- Lactarius tatarorum* Z. Schaefer, Čes. Mykol. 12: 211, 1958. BRNM 243369 (holotype), 243368 (authentic specimen)
- Lasiobotrys implexa* Picbauer, Glasnik Zemal. Muz. Bosni i Herceg. 39: 164, 1929. BRNM 130470 (holotype)
- Lepiota cristata* f. *pseudoexcoriata* Hruby, Verh. Naturforsch. Ver. Brünn 66: 94, 1935. BRNM 07206/39 (holotype)
- Leptonia calcarea* Hruby, Verh. Naturforsch. Ver. Brünn 66: 93, 1935. BRNM 07248/39 (holotype)
- Leptosphaeria atropurpurea* Petrak, Ann. Mycol. 25: 286, 1927. BRNM 04778/39 (syntype, in: Petrak, Fl. Bohem. et Morav. Exs., II. ser., Lfg. 46, no. 2265)
- Leptosphaeria bulgarica* Petrak, Ann. Mycol. 29: 368, 1931. BRNM 04782/39. (holotype)
- Leptosphaeria carncomaculans* Petrak, Ann. Mycol. 25: 287, 1927. BRNM 04786/39 (syntype, in: Petrak, Fl. Bohem. et Morav. Exs., II. ser., Lfg. 46, no. 2266)
- Leptosphaeria galeopsidicola* Petrak, Ann. Mycol. 25: 289, 1927. BRNM 04812/39 (syntype, in: Petrak, Fl. Bohem. et Morav. Exs., II. ser., Lfg. 46, no. 2267)
- Leptosphaeria huthiana* Staritz, Verhandl. Bot. Ver. Brandenb. 60: 79, 1913. BRNM 117618
- Leptosphaeria malyi* Picbauer, Glasnik Zemal. Muz. Bosni i Herceg. 45: 66, 1933. BRNM 117629 (holotype)
- Leptosphaeria onagrae* Rehm, Ann. Mycol. 11: 398, 1913. BRNM 117662

Leptosphaeria petrakii Sacc., Ann. Mycol. 12: 287, 1914. BRNM 04844/39 (syntype, in: Petrak, Fl. Bohem. et Morav. Exs., II. ser., Lfg. 24, no. 1182) and 117668 (syntype)

Leptosphaeria priuscheggiana Petrak, Ann. Mycol. 16: 225, 1918. BRNM 117671

Leucoscypha subimmersa Thind et Kaushal, Bot. Notiser 132: 461, 1979. BRNM 612413 (isotype)

Locellina californica Earle, Bull. N. Y. Bot. Gard. (1904): 299, 1904. BRNM 131186 (syntype)

Macrosporium malvae-vulgaris Eliasson, Fungi Upsal., in Bidrag Kungl. Svenska Vet.-Akad. 22(3), 12: 18, 1897. BRNM 131194

Marasmius anisocystidiatus Antonín, Desjardin et Gsell, Mycol. Helvetica 5: 33, 1992. BRNM 553313 (isotype)

Marasmius favrei var. *sorbi* Antonín, A monograph of Marasmius, Collybia and related genera in Europe 1: 61, 1993. BRNM 553320

Marasmius heinemannianus Antonín, Belg. Journ. Bot. 131(2): 127, 1998. BRNM 612544 (isotype)

Marasmius ingratus f. *polytrichorum* Hruby, Hedwigia 70: 295, 1930. BRNM 07318/39 (holotype)

Marasmius skalae Antonín, Mycol. Helvetica 3: 38, 1988. BRNM 359162

Marasmius teplicensis Antonín, Čes. Mykol. 46: 209, 1992. BRNM 553318 (holotype), 553319 (topotype)

Marceleina donadinii Astier et J. Moravec, Mycotaxon 30: 490, 1987. BRNM 612389

Marceleina benkertii J. Moravec, Mycotaxon 30: 487, 1987. BRNM 612400 (isotype)

Marceleina brevicostatispora J. Moravec, Čes. Mykol. 25: 198, 1971. BRNM 612403 (isotype)

Marsonina moravica Picbauer, Verh. Naturforsch. Ver. Brünn (1937): 43, 1937. BRNM 122167 (holotype)

Melanconium gelatosporum H. Zimm., Verhandl. Naturf. Vereines Brünn 52: 111, 1913. BRNM 04941/39 (syntype, in: Petrak, Fl. Bohem. et Morav. Exs., II. ser., no. 669)

Melanops cruenta Petrak, Ann. Mycol. 25: 226, 1927. BRNM 04954/39 (syntype, in: Petrak, Fl. Bohem. et Morav. Exs., II. ser., Lfg. 45, no. 2211)

Melastiza carbonicola J. Moravec, Čes. Mykol. 26: 78, 1972. BRNM 612380 (isotype)

Melastiza flava Thind et Kaushal, Bot. Notiser 132: 459, 1979. BRNM 612414 (isotype)

Meliola linocierae Syd., Ann. Mycol. 12: 550, 1914. BRNM 130461 (syntype, in: Sydow, Fungi exotici exs., no. 375)

- Metaspahaeria caricis-muricatae* Petrak, Ann. Mycol. 22: 79, 1924. BRNM 04965/39 (syntype, in: Petrak, Fl. Bohem. et Morav. Exs., II. ser., Lfg. 35, no. 1731)
- Metaspahaeria clypeotecta* Petrak, Ann. Mycol. 23: 129, 1925. BRNM 05008/39 (syntype, in: Petrak, Fl. Bohem. et Morav. Exs., II. ser., Lfg. 42, no. 2094)
- Metaspahaeria ebulina* Petrak, Ann. Mycol. 25: 235, 1927. BRNM 04974/39 (syntype, in: Petrak, Fl. Bohem. et Morav. Exs., II. ser., Lfg. 46, no. 2278)
- Metaspahaeria silvularum* Petrak, Ann. Mycol. 21: 244, 1923. BRNM 04978/39 (syntype, in: Petrak, Fl. Bohem. et Morav. Exs., II. ser., Lfg. 34, no. 1678)
- Metaspahaeria typhoidis* Petrak, Ann. Mycol. 21: 245, 1923. BRNM 04979/39 (syntype, in: Petrak, Fl. Bohem. et Morav. Exs., II. ser., Lfg. 34, no. 1679)
- Microcera curta* Sacc., Ann. Mycol. 7: 437, 1909. BRNM 124119 and 124120 (topotypes)
- Microdiploidia cornicola* Petrak, Ann. Mycol. 19: 286, 1921. BRNM 127381
- Microdiploidia ruthenica* Petrak, Hedwigia 65: 281, 1925. BRNM 127385 and 127384
- Microthyriella rubi* Petrak, Ann. Mycol. 21: 15, 1923. BRNM 04986/39 (syntype, in: Petrak, Fl. Bohem. et Morav. Exs., II. ser., Lfg. 34, no. 1681)
- Microthyrium moravicum* Petrak, Ann. Mycol. 23: 88, 1925. BRNM 04990/39 (syntype, in: Petrak, Fl. Bohem. et Morav. Exs., II. ser., Lfg. 39, no. 1933) and BRNM 122593 (syntype)
- Mycena cupressina* Antonín et Maas G., Persoonia 16(4): 545, 1998. BRNM 612470 (isotype)
- Mycosphaerella apocynica* Petrak, Ann. Mycol. 29: 366, 1931. BRNM 05025/39 (holotype)
- Mycosphaerella baudysiana* Piebauer, Pr. Morav. Přír. Společ., Sv. 2, Sp. 5, F15, p. 155, 1925. BRNM 335521 (holotype)
- Mycosphaerella hranicensis* Petrak, Ann. Mycol. 19: 75, 1921. BRNM 05053/39 (syntype, in: Petrak, Fl. Bohem. et Morav. Exs., II. ser., Lfg. 25, no. 1240)
- Mycosphaerella omphalosporoides* Petrak, Ann. Mycol. 23: 71, 1925. BRNM 05070/39 (syntype, in: Petrak, Fl. Bohem. et Morav. Exs., II. ser., Lfg. 41, no. 2007)
- Mycosphaerella sarothamni* Petrak, Ann. Mycol. 22: 57, 1924. BRNM 05083/39 (syntype, in: Petrak, Fl. Bohem. et Morav. Exs., II. ser., Lfg. 38, no. 1860)
- Mycosphaerellopsis moravica* Petrak, Ann. Mycol. 19: 112, 1921. BRNM 05101/39 (syntype, in: Petrak, Fl. Bohem. et Morav. Exs., II. ser., Lfg. 30, no. 1475)
- Naemopora castaneae* Bres., Ann. Mycol. 6: 47, 1908. BRNM 121774 and 121775
- Naucoria setipes* Hruby, Hedwigia 70: 307, 1930. BRNM 07545/39 (holotype)

Nitschkia moravica Niessl, in Paul, Verhandl. Naturf. Vereines Brünn 47: 139, 1908. BRNM sine num.

Octospora gigantea Thind et Waraitch, Proc. Ind. Acad. Sci. 74: 271, 1971. BRNM 612405 (isotype) a 612406 (paratype)

Octospora kilimanjarensis J. Moravec, Czech Mycol. 49: 150, 1997. BRNM 612379

Omphalina serotina Hruby, Hedwigia 70: 312, 1930. BRNM 07612/39 (holotype)

Ophiobolus dracocephali-altaiensis Murashkinskij, Trudy Sibir. Sel. Choz. Akad. Omsk 5: 33, 1925. BRNM 117727 (syntype)

Ophiobolus ponticus Petrak, Ann. Mycol. 29: 371, 1931. BRNM 05156/39

Orphanomyces hungaricus Vánky et Gönczöl, Bot. Notiser 131: 247, 1978. BRNM 347559 (isotype)

Ovularia cortusae Picbauer, Sborn. Vys. Šk. Zeměd. D18: 27, 1931. BRNM 118779

Ovularia vogeliana Sacc. et Syd., Ann. Mycol. 2: 194, 1904. BRNM 118851, 118853 and 118852 (syntypes?)

Patinella moravica Petrak, Ann. Mycol. 21: 297, 1923. BRNM 05339/39 (syntype, in: Petrak, Fl. Bohem. et Morav. Exs., II. ser., Lfg. 34, no. 1685)

Peziza apiculata var. *flavobrunnea* Donadini, Bull. Soc. Mycol. Fr. 93: 177, 1977. BRNM 612394 (isotype)

Peziza crassipes var. *kilimanjarensis* J. Moravec, Čes. Mykol. 32: 70, 1978. BRNM 612391 (isotype)

Peziza pseudosterigmatizans J. Moravec, Čes. Mykol. 37: 248, 1983. BRNM 612402 (isotype)

Peziza vagneri J. Moravec, Čes. Mykol. 28: 223, 1974. BRNM 612393 (isotype)

Pezizella culmigena Sacc., Ann. Mycol. 12: 292, 1914. BRNM 05189/39 (in: Petrak, Fl. Bohem. et Morav. Exs., II. ser., Lfg. 24, no. 1191)

Phaeosphaerella scirpicola Earle, Bull. N. Y. Bot. Gard. (1904): 293, 1904. BRNM 131319 (syntype, in: Pacific slope fungi, no. 212)

Phaneroascus quercinus Baudyš, Glasnik Zemal. Muz. Bosni i Herceg. 30(1918): 320, 1919. BRNM 340251 (holotype)

Phillipsia ranomafanensis J. Moravec, Czech Mycol. 50: 23, 1997. BRNM 612538

Phoma djakovensis Bubák et Picbauer, Ann. Mycol. 35: 141, 1937. BRNM 126634

Phoma lupinella Sacc., Ann. Mycol. 12: 296, 1914. BRNM 341385 (authentic specimen?)

Phoma oleracea f. *arabidis* Baudyš et Picbauer, Bull. Inst. Jard. Botan. Univ. Belgrad 1: 70, 1928. BRNM 341416 (holotype)

- Phoma physocaulis* Bubák et Picbauer, Ann. Mycol. 35: 141, 1937. BRNM 126707
- Phoma roripae* Baudyš et Picbauer, Pr. Morav. Přír. Společ., Sv. 2, Sp. 5, F15, p. 156, 1925. BRNM 341424 (holotype)
- Phoma sherardiae* Died., Krypt. Fl. Brandenb. 9: 897, 1915. BRNM 126748 (a type duplicate?)
- Phoma subcurvata* Bubák et Picbauer, Ann. Mycol. 35: 141, 1937. BRNM 126733
- Phomopsis thuyae* Died., Krypt. Fl. Brandenb. 9: 275, 1912. BRNM 126837 (a type duplicate?)
- Phomatospora insignis* Petrak, Ann. Mycol. 23: 136, 1925. BRNM 05194/39 (syntype, in: Petrak, Fl. Bohem. et Morav. Exs., II. ser., Lfg. 42, no. 2069)
- Phyllachora atro-maculans* Syd., Ann. Mycol. 11: 264, 1913. BRNM 130324 (syntype, in: Sydow, Fungi exotici exs., no. 132)
- Phyllosticta allii* Baudyš, Glasnik Zemal. Muz. Bosni i Herceg. 30(1918): 327, 1919. BRNM 341463 (holotype)
- Phyllosticta anthyllidis* Baudyš, Lotos 64: 51, 1916. BRNM 341654 (holotype)
- Physalospora euganeoides* Petrak, Ann. Mycol. 22: 59, 1924. BRNM 05236/39 (syntype, in: Petrak, Fl. Bohem. et Morav. Exs., II. ser., Lfg. 38, no. 1873)
- Physoderma bohemicum* Sacc., Ann. Mycol. 12: 295, 1914. BRNM 334635 (autentic specimen?)
- Phyllachora baphispora* Syd., Ann. Mycol. 24: 386, 1926. BRNM 130323 (syntype, in: Fungi in itinere costar. coll., no. 227)
- Phyllosticta balcanica* Bubák et Picbauer, Ann. Mycol. 35: 139, 1937. BRNM 126875 (holotype)
- Phyllosticta bubakiana* Picbauer, Ann. Mycol. 35: 140, 1937. BRNM 126884 (holotype)
- Phyllosticta hranicensis* Petrak, Ann. Mycol. 12: 471, 1914. BRNM 126960
- Phyllosticta jahniana* Petrak et Sacc., Ann. Mycol. 13: 131, 1915. BRNM 126969 (syntype, in: Jahn, Plantae Bohem.)
- Phyllosticta ranunculicola* Bubák et Picbauer, Ann. Mycol. 35: 140, 1937. BRNM 127049 (holotype)
- Phyllosticta senecionis-nemorensis* Bubák et Picbauer, Ann. Mycol. 35: 140, 1937. BRNM 127061 (holotype)
- Plasmopara isopyri* Skalický, Preslia 26: 132, 1954. BRNM 334801 (paratype)
- Pleospora bulgarica* Petrak, Ann. Mycol. 29: 370, 1931. BRNM 05257/39
- Pleospora hrubyana* Petrak, Ann. Mycol. 29: 369, 1931. BRNM 05288/39
- Pleospora kurdistanica* var. *stachydina* Picbauer, Pr. Morav. Přír. Společ., Sv. 7, Sp. 11, F63: 2, 1932. BRNM 117856 (holotype)
- Pleospora nabeleki* Picbauer, Pr. Morav. Přír. Společ., Sv. 7, Sp. 11, F63: 2, 1932. BRNM 117855 and 117857 (isotypes)

Plcospora xerophylli Petrak, in Syd. et Petrak, Ann. Mycol. 20: 180, 1922. BRNM 117768 (syntype, ex herb. Weir, no. 6894)

Pleurocolla tiliae Petrak, Ann. Mycol. 22: 15, 1924. BRNM 10133/39 (syntype, in: Petrak, Fl. Bohem. et Morav. Exs., II. ser., Lfg. 38, no. 1877)

Pleurophoma salicina Bubák et Picbauer, Ann. Mycol. 35: 143, 1937. BRNM 131353

Pleurostromella ligustrina Petrak, Ann. Mycol. 21: 219, 1923. BRNM 131354

Puccinia actaeae-elymi E. Mayor, Ann. Mycol. 9: 361, 1911. BRNM 110945 (syntype, in: Sydow, Uredineen, no. 2458)

Puccinia adenostegiae Arthur, Bull. Torrey Bot. Club 1902: 231. BRNM 111348 (syntype, in: Pacific slope fungi, no. 223)

Puccinia baudysii Picbauer, Bull. Inst. Jard. Botan. Univ. Belgrad 1: 63, 1928. BRNM 339465 and 339466

Puccinia bornmulleri P. Magn., Verhandl. Zool. Bot. Gesell. Wien 49: 94, 1899. BRNM 111455

Puccinia confinis Syd., Ann. Mycol. 18: 154, 1920. BRNM 111915, 111916 and 111914 (topotypes, collected one month earlier than mentioned by the original diagnosis)

Puccinia cryptandri Ell. et Barth., Erythea (1897): 47, 1897. BRNM 112030 (syntype)

Puccinia graminis var. *macrospora* Baudyš, Lotos 64: 29, 1916. BRNM 339648 (holotype)

Puccinia kusanoi Dietel, Engler Jahrber. 27: 568, 1900. BRNM 52294

Puccinia nitidula Transchel in Transchel and Serebrian, Mycoth. Ross., fasc. 3-4, no. 158-159, 1911. BRNM 114171 (syntype)

Puccinia panciciae Picbauer, Sydovia 3: 149, 1949. BRNM 128131 (holotype)

Puccinia pumilae-coronatae H. Paul., in Poeverlein et Schoenau, Krypt. Forsch. Bayer. Bot. Gesell. Erforsch. Heim. Flor 2(1): 65, 1929. BRNM 339536

Puccinia taraxaci-serotini Picbauer, Pr. Morav. Přír. Společ., Sv. 4, Sp. 9, F41: 493, 1927. BRNM 09630/39 (syntype, in: Petrak, Fl. Bohem. et Morav. Exs., II. ser., Lfg. 45, no. 2222)

Pulparia verrucispora Donadini et Mornier, in Donadini, Rev. Mycol. 40: 260, 1976. BRNM 612384 (isotype)

Pulvinula niveoalba J. Moravec, Čes. Mykol. 23(4): 231, 1969. BRNM 333700 (isotype)

Pyrenophaete convolvuli Bubák et Picbauer, Ann. Mycol. 35: 143, 1937. BRNM 131381 (holotype)

Pyrenophora moravica Petrak, Ann. Mycol. 21: 243, 1923. BRNM 05389/39 (syntype, in: Petrak, Fl. Bohem. et Morav. Exs., II. ser., Lfg. 34, no. 1696)

Pyrenostigme siparunae Syd., Ann. Mycol. 24: 370, 1926. BRNM 131404 (syntype, in: Fungi itinere costar. coll., no. 211)

Quaternaria moravica Sacc. et Petrak, Ann. Mycol. 12: 288, 1914. BRNM 05402/39 (syntype, in: Petrak, Fl. Bohem. et Morav. Exs., II. ser., Lfg. 20, no. 988) and BRNM 120039 (syntype)

Ramularia achyrophori-uniflori Baudyš et Picbauer, Pr. Morav. Přír. Společ., Sv. 3, Sp. 2, F22, p. 35, 1925. BRNM 336299 (holotype)

Ramularia bubakiana Picbauer, Ann. Mycol. 35: 147, 1937. BRNM 123653 (holotype)

Ramularia bulgarica Bubák et Picbauer, Ann. Mycol. 35: 147, 1937. BRNM 120643

Ramularia lappulae Picbauer, Sborn. Vys. Šk. Zeměd. D13: 25, 1929. BRNM 123858 (holotype)

Ramularia linariae Baudyš et Picbauer, Pr. Morav. Přír. Společ., Sv. 1, Sp. 5, F5, p. 304, 1924. BRNM 336318 (holotype)

Ramularia rhei Allesch., Hedwigia 35: 34, 1896. BRNM 123984

Ravenelia baumiana P. Henn., Bot. Ergebnisse Kunene Sambesi Exped., p. 157, 1902. BRNM 115641

Rhabdospora astragalicola Baudyš et Picbauer, Pr. Morav. Přír. Společ., Sv. 1, Sp. 5, F5, p. 302, 1924. BRNM 335178 (holotype)

Rhabdospora euphrasiae Picbauer, Sborn. Vys. Šk. Zeměd. D7: 21, 1927. BRNM 129563 (holotype)

Rhabdospora hranicensis Petrak, Ann. Mycol. 19: 291, 1921. BRNM 129599 (syntype)

Rhabdospora melampyricola Petrak, Hedwigia 65: 306, 1925. BRNM 129567 (holotype)

Rhabdospora pulsatillae Syd., Hedwigia (1900): 129, 1900. BRNM 52325 (syntype)

Rhabdospora securinegae Syd., Hedwigia (1899): 139, 1899. BRNM 129585 (syntype, in: Sydow, Mycotheca marchica, no. 4877)

Rhynchosphaeria zimmermannii Petrak, Ann. Mycol. 12: 476, 1914. BRNM sine num. (syntype, in: Petrak, Fl. Bohem. et Morav. Exs., II. ser., Lfg. 14, no. 693)

Rhodocollybia giselae Neville et Antonín, Czech Mykol. 50: 182, 1998. BRNM 612543 (isotype)

Saccobolus subcaesariatus J. Moravec, Čes. Mykol. 24: 141, 1970. BRNM 612386 (isotype)

Scolecotrichum compressum Allesch., Hedwigia 35: (34), 1896. BRNM 131423 (topotype)

Scutellinia fimicola J. Moravec, Čes. Mykol. 22(1): 39, 1968. BRNM 333699 (isotype)

Scutellinia insignispora Svrček et J. Moravec, Čes. Mykol. 22: 156, 1968. BRNM 612382 (isotype)

Scutellinia minutella Svrček et J. Moravec, Čes. Mykol. 22: 156, 1968. BRNM 612381 (isotype, dupl. ex PRM)

Scutellinia phymatodeus Kaushal et Kaushal, Biblioth. Mycol. 91: 594, 1983. BRNM 612411 (isotype)

Scutellinia totaranuiensis J. Moravec, Mycotaxon 58: 233, 1996. BRNM 599298 (holotype)

Septomyxa tulasnei ssp. *vogeli* Sacc., Ann. Mycol. 7: 436, 1909. BRNM 131569 and 131571 (topotypes)

Septoria altajensis Murashkinskij, Trudy Sibir. Sel. Choz. Akad. Omsk 5: 35, 1925. BRNM 117948 and 117947 (syntypes)

Septoria anthyllidis Baudyš, Österr. Botan. Zeitschr. (1914): 484, 1914. BRNM 335190 (holotype)

Septoria baudysiana Sacc., Ann. Mycol. 12: 296, 1914. BRNM 335217

Septoria bosniaca Picbauer, Glasnik Zemal. Muz. Bosni i Herceg. 45: 68, 1933. BRNM 118014 (holotype)

Septoria carthami Murashkinskij, Mitteil. Westsibir. Abt. Russ. Geogr. Ges. 5: 3, 1926. BRNM 118045 (syntype)

Septoria diedeckeana Baudyš et Picbauer, Pr. Morav. Přír. Společ., Sv. 1, Sp. 5, F5, p. 299, 1924. BRNM 335230 (holotype)

Septoria gentianicola Baudyš et Picbauer, Pr. Morav. Přír. Společ., Sv. 1, Sp. 5, F5, p. 300, 1924. BRNM 118210 (holotype)

Septoria flava Baudyš, Lotos 64: 55, 1916. BRNM 335241 and 335247

Septoria ligustrina Sacc., Ann. Mycol. 12: 294, 1914. BRNM 118284

Septoria moeszii Smarods, Schedae Fungi Latvici Exs., fasc. 5, no. 236, p. 76, 1932. BRNM 118340 (syntype)

Septoria oenanthis Picbauer, Verhandl. Naturf. Vereines (1937): 41, 1937. BRNM 118355 (holotype)

Septoria phleina Baudyš et Picbauer, Pr. Morav. Přír. Společ., Sv. 3, Sp. 2, F22, p. 30, 1926. BRNM 335298 (holotype)

Septoria picbaueri Baudyš, Pr. Morav. Přír. Společ., Sv. 1, Sp. 5, F5, p. 298, 1924. BRNM 118401 (holotype)

Septoria schlechteriana P. Henn., Hedwigia 37: 295, 1898. BRNM 118519

Septoria strambergensis Picbauer, Pr. Morav. Přír. Společ., Sv. 3, Sp. 2, F22, p. 31, 1926. BRNM 335314 (holotype)

Septoria thermopsisidis Murashkinskij, Trudy Sibir. Sel. Choz. Akad. Omsk 5: 35, 1925. BRNM 118589 and 118590 (syntypes)

Septoria vaccinii-uliginosi Bubák et Picbauer, Ann. Mycol. 35: 144, 1937. BRNM 118629

Sowerbyella crassisculpturata J. Moravec, Mycotaxon 23: 492, 1985. BRNM 312328

- Sowerbyella fagicola* J. Moravec, Čes. Mykol. 27: 66, 1973. BRNM 612397 (isotype)
- Sowerbyella polaripustulata* J. Moravec, Mycotaxon 23: 493, 1985. BRNM 312327
- Sphaerella cinnamomicola* Frag. et Cif., Estac. Moca Ser. Bot. 11: 18, 1928. (Hongos Paras. y sapr. Rep. Domin., Ser. 11–15) BRNM 117192
- Sphaerella rhoina* Sacc., Ann. Mycol. 6: 561, 1908. BRNM 117266 and 117268 (topotypes)
- Sphaerella vogeli* Syd., Ann. Mycol. 6: 480, 1908. BRNM 117290 (topotype)
- Spooneromyces helveticus* Breitenbach et Kränzlin, in Schumacher et J. Moravec, Nord. J. Bot. 9: 428, 1989. BRNM 612396 (isotype)
- Sporisorium chrysopogonis* Vánky, Mycotaxon 18(2): 327, 1983. BRNM 347596 (isotype)
- Stagonospora bubakii* Picbauer, Ann. Mycol. 35: 145, 1937. BRNM 129605 (holotype)
- Staganospora caricicola* Baudyš, Lotos 64: 57, 1916. BRNM 335348 (holotype)
- Staganospora chenopodii* Baudyš et Picbauer, Pr. Morav. Přír. Společ., Sv. 3, Sp. 2, F22, p. 32, 1926. BRNM 335347 (holotype)
- Strickeria dorycnii* Baudyš et Picbauer, Bull. Inst. Jard. Bot. Univ. Belgrad 1: 66, 1928. BRNM 335647 (holotype)
- Stropharia coronilla* f. *subcoronilla* Hruby, Hedwigia 70: 335, 1930. BRNM 10062/39 (holotype)
- Tetraploa divergens* Tracy et Earle, Bull. Torr. Bot. Club (1895): 198, 1895. BRNM 335483 (isotype, ex herb. U. S. Dept. of Agriculture)
- Trematosphaeria piskorpii* Petrak, Ann. Mycol. 25: 366, 1927. BRNM 05600/39 (syntype, in: Petrak, Fl. Bohem. et Morav. Exs., II. ser., Lfg. 46, no. 2298)
- Tricharina bisetosa* Thind et Kaushal, Ind. J. Mycol. Pl. Path. 9: 229, 1979. BRNM 612412 (isotype)
- Tricharina narkandensis* Thind et Kaushal, Kavaka 7: 49, 1979. BRNM 612415 (isotype)
- Tricholoma ionides* f. *grisea* Hruby, Hedwigia 70: 341, 1930. BRNM 09884/39 (holotype)
- Tricholoma terreum* var. *album* Antonín et Vágner, Acta Mus. Moraviae, Sci. biol. 82(1997): 36, 1998. BRNM 612376 (holotype), 612377 (isotype)
- Trichophaca tumidosa* Thind et Kaushal, Kavaka 7: 47, 1974. BRNM 612410 (isotype)
- Uromyces scleropoae* Baudyš et Picbauer, Bull. Inst. Jard. Bot. Univ. Belgrad 1: 63, 1928. BRNM 336830 (holotype) a 336831 (isotype?)
- Ustilago aegilopsidis* Picbauer, Pr. Morav. Přír. Společ., Sv. 7, Sp. 11, F63: 3, 1932. BRNM 122742 (holotype)

Ustilago heleochnloae Vánky et Gönczöl, Bot. Notiser 131: 274, 1978. BRNM 347738 (isotype)

Valsa venustula Sacc., Ann. Mycol. 12: 288, 1914. BRNM 05728/39 (in: Petrak, Fl. Bohem. et Morav. Exs., II. ser., Lfg. 20, no. 987)

Xerocomus armeniacus var. *luteolus* Engel et Antonín, Schmier- und Filzröhrlinge s.l. in Europa, p. 221, 1996. BRNM 603886 (isotype)

Xylogramma bulgaricum Petrak, Ann. Mycol. 27: 407, 1929. BRNM 05759/39

Zygospermella setosa Cain, Mycologia 27: 227, 1935. BRNM sine num. (syn-type)

Zythia quercicola Baudyš, Pr. Morav. Přír. Společ., Sv. 5, Sp. 5, F15, p. 161, 1925. BRNM 335353 and 121887 (syntypes)

ACKNOWLEDGEMENTS

I wish to thank to Dr. Zdeněk Pouzar (National Museum, Prague) for reviewing the manuscript and valuable notes, and the Ministry of Culture of the Czech Republic for supporting this project (KZ 97 P01 OMG 071).