

Girraween National Park

List of Plant Species

Edited by Vanessa Ryan (2011, 2015) and Craig Robbins (2011)
Date this list was published: 7 July, 2016

This list is not necessarily complete, although it has been prepared with care and attention to detail; the list, like all plant species lists, is an ongoing work in progress and will change as new knowledge becomes available. We welcome and encourage any feedback, comments, amendments, corrections and additional species sightings or records.

This list has been compiled from:

- Queensland Herbarium specimen records. [Data extracted June 2015]
- Wildlife Online Records with either more than 1 sighting OR 1 or more Specimens Recorded. [Data extracted July 2015]
- "Species List - Plant Life of Girraween National Park"; Booklet; State of Queensland, Queensland Parks and Wildlife Service; November 1999
- Observations by National Park and Queensland Herbarium staff and park visitors
- Census of the Queensland Flora 2015

Flowering Plants Groups:

- D = Dicotyledon
- M = Monocotyledon

All the plants listed here are common and of least concern, except those given a conservation status code.

Conservation status codes:

- * = Introduced species
- NT = Near Threatened
- V = Vulnerable
- E = Endangered

Flags:

- QH = The presence of this species has been confirmed to be within Girraween National Park boundaries* by the Queensland Herbarium.
- QH (-) = The presence of this species has been confirmed to be within the search buffer area outside of the park boundaries* by the Queensland Herbarium.

* Park Boundaries used were as they were defined in March 2011 (Qld Government).

Acknowledgements:

Many groups and organisations have contributed to the collective knowledge of known plant species within Girraween NP and this publication would not have been possible without their contributions, input and passion towards the Park and the flora of Australia. We would like to thank, in particular, the following people and organisations for their valuable contributions towards increasing the knowledge of the Park's flora, reviewing draft revisions of this list, or contributing by providing expert knowledge and guidance.

Queensland Herbarium staff:

- Ailsa Holland for her support and advice on a variety of botanical matters
- Bill McDonald for reviewing a draft of the current list and providing names or clarification for some of the more obscure taxa present within the list
- Megan Prance for providing lists of species for the Girraween area
- Megan Thomas for advice, clarification of unknown plant names and support on the 2011 list
- Mike Mathieson for his expert input regarding Orchidaceae, providing constructive feedback and a number of corrections
- Nigel Fechner for clarification of some species presence within the park and surrounding area
- Peter Bostock for providing a list of changes between Censuses of the Queensland Flora and clarification of species
- Tony Bean for reviewing a draft of the 2011 list and providing names or clarification for some of the more obscure taxa present within the list

Queensland Parks and Wildlife staff:

- Jolene McLellan (Girraween Ranger) for her support, guidance and sharing her expert local knowledge
- Sue Smith (Girraween Ranger, Queensland Parks and Wildlife), for sharing her expert local knowledge

Other contributors:

- David James (ANOS Kabi Group) for sharing his knowledge of orchids and helping to identify park species, as well as providing photographs of those species
- Glenn and Jenny Holmes for providing a list of their specimens from the park and confirming the presence of some species
- Glenn Leiper for his assistance with identifying some of Girraween's species from photographs, as well as providing a great many of those photographs
- Ian Milinovich for sharing his deep local knowledge of the area's flora, as well as providing a great many photographs
- Michael Jefferies and Nanette Jurd for their support and donation of photographs to the Girraween website which have helped confirm the existence of certain species within the park
- Paul Grimshaw for reviewing the list and providing clarification of species' presence within the park and surrounding area

Although not necessarily participating directly towards this current list, there are a number of important contributors who have all added significantly towards the understanding and knowledge of Girraween National Park's flora. Compiling this list of known species has only been possible because of the effort of these contributors and collectors. We gratefully acknowledge each of them below.


Stanley Blake, Frederick Bailey, Cyril White, Lindsay Smith, Mary Clemens, Ellen Goebel, Bill Goebel, Hock Goebel, Max Gray, Les Pedley, John Williams, David Hockings, Jean Harslett, G. Ward, Ken Shea, C. W. Frazier, Ernest Constable, Ian Telford, Tom Ryan, Greg Roberts, Philip Sharpe, David Jones, Peter Young, Ralph Crane, David Halford, Paul Forster, George Batianoff, Colleen Gravatt, John Hunter, Peter Clarke and Kym Sparshott.

If anyone has been omitted from this list, it was unintentional and we sincerely apologise.

Contents

| | | | |
|---|-----------|---|-----------|
| Flowering Plants. | <u>2</u> | Proteas, Banksias and Grevilleas. | <u>25</u> |
| Acanthus. | <u>2</u> | Purslanes. | <u>25</u> |
| Amaranth. | <u>2</u> | Restiads. | <u>26</u> |
| Aralia or Ivy. | <u>2</u> | Roses. | <u>26</u> |
| Arrowgrasses. | <u>13</u> | Rushes. | <u>13</u> |
| Asparagus. | <u>2</u> | Sedges. | <u>7</u> |
| Asters, Daisies and Sunflowers | <u>3</u> | She-oaks. | <u>6</u> |
| Bellflowers. | <u>5</u> | Soapberries. | <u>28</u> |
| Bindweeds or Morning Glory. | <u>7</u> | Spurges. | <u>10</u> |
| Bittersweet. | <u>6</u> | Star Grasses. | <u>12</u> |
| Bladderworts. | <u>14</u> | Sundews. | <u>9</u> |
| Bloodworts. | <u>12</u> | The “True Grasses”. | <u>21</u> |
| Borage or Forget-me-nots. | <u>5</u> | Triggerplants. | <u>29</u> |
| Broomrapes. | <u>20</u> | Umbellifers. | <u>2</u> |
| Buckthorns. | <u>26</u> | Verbenas or Vervain. | <u>29</u> |
| Buttercups or Crowfoots. | <u>25</u> | Violets. | <u>29</u> |
| Cabbages and Mustards. | <u>5</u> | Water Milfoils. | <u>12</u> |
| Citrus. | <u>27</u> | Wattles. | <u>15</u> |
| Daphne. | <u>29</u> | Willows. | <u>27</u> |
| Dayflowers or Spiderworts. | <u>7</u> | Wood Sorrels. | <u>20</u> |
| Dogbane. | <u>2</u> | | |
| Elms. | <u>29</u> | Non-flowering Plants. | <u>31</u> |
| Evening Primroses or Willowherbs. | <u>18</u> | Conifers. | <u>31</u> |
| Figs and Mulberries. | <u>16</u> | Cypress. | <u>31</u> |
| Figworts. | <u>28</u> | Cycads. | <u>31</u> |
| Gentians. | <u>11</u> | Ferns. | <u>31</u> |
| Geraniums and Pelargoniums. | <u>11</u> | Fern Allies. | <u>33</u> |
| Grass Trees. | <u>30</u> | Mosses. | <u>33</u> |
| Greenbriers. | <u>28</u> | | |
| Guinea Flowers. | <u>8</u> | Index. | <u>36</u> |
| Heaths or Heathers. | <u>9</u> | | |
| Honeysuckles. | <u>6</u> | | |
| Iris. | <u>13</u> | | |
| Jacarandas and Bignonias. | <u>5</u> | | |
| Knotweeds or Smartweeds. | <u>24</u> | | |
| Laurels. | <u>14</u> | | |
| Madder, Bedstraw or Coffee. | <u>26</u> | | |
| Mallows. | <u>15</u> | | |
| Milkworts. | <u>24</u> | | |
| Mint. | <u>13</u> | | |
| Myrsines. | <u>16</u> | | |
| Myrtles. | <u>16</u> | | |
| Nettles. | <u>29</u> | | |
| Nightshades or Potatoes. | <u>28</u> | | |
| Olives. | <u>18</u> | | |
| Orchids. | <u>18</u> | | |
| Orpines. | <u>7</u> | | |
| Peas. | <u>10</u> | | |
| Pinks or Carnations. | <u>6</u> | | |
| Pipeworts. | <u>9</u> | | |
| Plantains. | <u>21</u> | | |
| Pokeweeds. | <u>21</u> | | |
| Pondweeds. | <u>25</u> | | |
| Poppies. | <u>20</u> | | |

Flowering Plants

| Group | Scientific Name | Common Names | Status | Flag |  |
|-----------------------------------|---|---|--------|--------|---|
| Acanthaceae - Acanthus | | | | | |
| D | <i>Brunoniella australis</i> | Blue Trumpet, Blue Yam | | | <input type="checkbox"/> |
| D | <i>Rostellularia adscendens</i> | Pink Tongues | | | <input type="checkbox"/> |
| Amaranthaceae - Amaranth | | | | | |
| D | <i>Guilleminea densa</i> | Small Matweed | * | QH | <input type="checkbox"/> |
| D | <i>Ptilotus macrocephalus</i> | Featherheads, Green Pussytails, Tall Mulla Mulla | | QH (-) | <input type="checkbox"/> |
| Apiaceae - Umbellifers | | | | | |
| D | <i>Actinotus gibbonsii</i> | Creeping Flannel Flower, Dwarf Flannel Flower, Gibbon's Flannel Flower | | QH | <input type="checkbox"/> |
| D | <i>Actinotus helianthi</i> | Flannel Flower | | QH | <input type="checkbox"/> |
| D | <i>Centella asiatica</i> | Gotu Cola, Indian Pennywort | | | <input type="checkbox"/> |
| D | <i>Conium maculatum</i> | Carrot Fern, Poison Hemlock | * | QH (-) | <input type="checkbox"/> |
| D | <i>Cycospermum leptophyllum</i> | Slender Celery | * | QH | <input type="checkbox"/> |
| D | <i>Daucus glochidiatus</i> | Australian Carrot, Native Carrot | | QH | <input type="checkbox"/> |
| D | <i>Eryngium plantagineum</i> | Eryngo, Long Eryngium | | QH (-) | <input type="checkbox"/> |
| D | <i>Eryngium vesiculosum</i> | Prostrate Blue Devil, Prickfoot | | QH (-) | <input type="checkbox"/> |
| D | <i>Platysace ericoides</i> | Heath Platysace | | QH | <input type="checkbox"/> |
| D | <i>Xanthosia pilosa</i> | Woolly Xanthosia | | QH | <input type="checkbox"/> |
| Apocynaceae - Dogbane | | | | | |
| D | <i>Gomphocarpus fruticosus</i> | Arghel, Balloon Cottons, Cape Cotton, Cotton Bush, Duck Bush, Milk Weed, Narrow-leaved Cotton-bush, Swan Plant, Wild Cotton, Wild Cotton-bush | * | QH(-) | <input type="checkbox"/> |
| D | <i>Marsdenia rostrata</i> | Milk Vine | | | <input type="checkbox"/> |
| D | <i>Oxypetalum coeruleum</i> | Tweedia, Southern Blue Star, Little Blue Star | * | QH (-) | <input type="checkbox"/> |
| D | <i>Parsonsia straminea</i> | Common Silkpod, Monkey Rope | | QH | <input type="checkbox"/> |
| D | <i>Tylophora paniculata</i> | Thin-leaved Tylophora | | | <input type="checkbox"/> |
| D | <i>Tylophora woollsii</i> | Cryptic Forest Twiner | E | QH | <input type="checkbox"/> |
| Araliaceae - Aralia or Ivy | | | | | |
| D | <i>Astrotricha longifolia</i> | Long-leaved Sneeze Bush | | QH | <input type="checkbox"/> |
| D | <i>Hydrocotyle laxiflora</i> | Shitweed, Stinking Pennywort | | QH(-) | <input type="checkbox"/> |
| D | <i>Hydrocotyle peduncularis</i> | Small Pennywort | | QH(-) | <input type="checkbox"/> |
| D | <i>Hydrocotyle tripartita</i> | Slender Pennywort | | | <input type="checkbox"/> |
| D | <i>Polyscias sambucifolia</i> | Elderberry Ash, Elderberry Panax, Ornamental Ash | | QH | <input type="checkbox"/> |
| D | <i>Trachymene incisa</i> subsp. <i>incisa</i> | Native Candytuft, Native Parsnip, Wild Parsnip, Wild Turnip | | QH | <input type="checkbox"/> |
| Asparagaceae - Asparagus | | | | | |
| M | <i>Asparagus officinalis</i> | Asparagus Fern | * | QH(-) | <input type="checkbox"/> |

Asphodelaceae

| | | | | |
|---|----------------------------|--|----|--------------------------|
| M | <i>Bulbine bulbosa</i> | Bulbine Lily, Golden Lily, Native Leek, Native Onion | QH | <input type="checkbox"/> |
| M | <i>Bulbine semibarbata</i> | Leek Lily, Native Leek, Wild Onion | QH | <input type="checkbox"/> |

Asteraceae - Asters, Daisies and Sunflowers

| | | | | |
|---|---|---|---------|--------------------------|
| D | <i>Ammobium alatum</i> | Winged Everlasting, Winged Paper-daisy | QH(-) | <input type="checkbox"/> |
| D | <i>Bidens bipinnata</i> | Beggar's Ticks, Bipinnate Beggar's Ticks, Cuckolds, Spanish Needles | * QH(-) | <input type="checkbox"/> |
| D | <i>Bidens pilosa</i> | Cobbler's Pegs, Pitch-forks, Teasers | * QH | <input type="checkbox"/> |
| D | <i>Brachyscome chrysoglossa</i> | Yellow-tongue Daisy | QH(-) | <input type="checkbox"/> |
| D | <i>Brachyscome microcarpa</i> | Brisbane Daisy, Forest Daisy | QH | <input type="checkbox"/> |
| D | <i>Brachyscome nova-anglica</i> | New England Daisy | QH | <input type="checkbox"/> |
| D | <i>Brachyscome scapigera</i> | Tufted Daisy | QH | <input type="checkbox"/> |
| D | <i>Brachyscome staceae</i> | Mountain Daisy | QH | <input type="checkbox"/> |
| D | <i>Brachyscome stuartii</i> | Stuart's Daisy | QH | <input type="checkbox"/> |
| D | <i>Calocephalus citreus</i> | Lemon Beauty-heads | QH(-) | <input type="checkbox"/> |
| D | <i>Calotis cuneifolia</i> | Bindi-eye, blue Burr-daisy, Purple Burr-daisy | QH(-) | <input type="checkbox"/> |
| D | <i>Calotis dentex</i> | White Burr-daisy | | <input type="checkbox"/> |
| D | <i>Cassinia compacta</i> | - | QH(-) | <input type="checkbox"/> |
| D | <i>Cassinia copensis</i> | - | QH | <input type="checkbox"/> |
| D | <i>Cassinia longifolia</i> | Cauliflower Bush, Long-leaf Cassinia, Shiny Cassinia | QH(-) | <input type="checkbox"/> |
| D | <i>Cassinia quinquefaria</i> | Cough Bush, Dead Finish, Rosemary Shrub, Sticky Coughbush, Wild Rosemary | QH | <input type="checkbox"/> |
| D | <i>Cassinia uncata</i> | Sticky Cassinia | QH(-) | <input type="checkbox"/> |
| D | <i>Cassinia wyberbensis</i> | - | QH | <input type="checkbox"/> |
| D | <i>Centaurea calcitrapa</i> | Augusta Thistle, Purple Star-thistle, Red Star-thistle, Star Thistle | * QH(-) | <input type="checkbox"/> |
| D | <i>Centipeda minima subsp. minima</i> | Spreading Sneezeweed | QH | <input type="checkbox"/> |
| D | <i>Chondrilla juncea</i> | Devil's Grass, Gum Succory, Nakedweed, Rush Skeletonweed, Skeleton Weed | * QH(-) | <input type="checkbox"/> |
| D | <i>Chrysocephalum apiculatum</i> | Common Everlasting, Yellow Buttons | QH | <input type="checkbox"/> |
| D | <i>Cichorium intybus</i> | Chicory, Succory | * QH(-) | <input type="checkbox"/> |
| D | <i>Cirsium vulgare</i> | Black Thistle, Bull Thistle, Scotch Thistle, Spear Thistle | * QH | <input type="checkbox"/> |
| D | <i>Conyza bonariensis</i> | Flaxleaf Fleabane | * QH | <input type="checkbox"/> |
| D | <i>Conyza parva</i> | Canadian Fleabane | * | <input type="checkbox"/> |
| D | <i>Conyza primulifolia</i> | Chilean Fleabane | * QH | <input type="checkbox"/> |
| D | <i>Conyza sumatrensis</i> | Tall Fleabane | * QH | <input type="checkbox"/> |
| D | <i>Coreopsis lanceolata</i> | Coreopsis | * QH(-) | <input type="checkbox"/> |
| D | <i>Coronidium boormanii</i> | - | QH(-) | <input type="checkbox"/> |
| D | <i>Coronidium oxylepis subsp. lanatum</i> | Yellow Buttons | QH | <input type="checkbox"/> |
| D | <i>Coronidium scorpioides</i> | Button Everlasting | QH | <input type="checkbox"/> |
| D | <i>Cosmos bipinnatus</i> | Cosmos | * QH(-) | <input type="checkbox"/> |
| D | <i>Craspedia canens</i> | Grey Billy-buttons | QH | <input type="checkbox"/> |
| D | <i>Craspedia paludicola</i> | Swamp Billy-buttons | QH | <input type="checkbox"/> |
| D | <i>Cyanthillium cinereum</i> | Ironweed, Vernonia | QH | <input type="checkbox"/> |
| D | <i>Cymbonotus lawsonianus</i> | Austral Bears-ear | QH(-) | <input type="checkbox"/> |
| D | <i>Dittrichia graveolens</i> | Stinkwort | * QH(-) | <input type="checkbox"/> |

| | | | | | |
|---|--|---|---|-------|--------------------------|
| D | <i>Emilia sonchifolia</i> var. <i>sonchifolia</i> | Emilia | * | QH | <input type="checkbox"/> |
| D | <i>Erechtites valerianifolius</i> forma <i>valerianifolius</i> | Brazilian Fireweed, Tropical Burnweed | * | QH(-) | <input type="checkbox"/> |
| D | <i>Euchiton involucratus</i> | Common Cudweed | | QH(-) | <input type="checkbox"/> |
| D | <i>Euchiton japonicus</i> | Creeping Cudweed | | QH(-) | <input type="checkbox"/> |
| D | <i>Euchiton sphaericus</i> | Star Cudweed | | QH | <input type="checkbox"/> |
| D | <i>Gamochaeta calviceps</i> | Cudweed | * | QH(-) | <input type="checkbox"/> |
| D | <i>Gamochaeta pensylvanica</i> | Cudweed | * | QH | <input type="checkbox"/> |
| D | <i>Guizotia abyssinica</i> | Niger Plant, Niger Seed, Rantil | * | QH(-) | <input type="checkbox"/> |
| D | <i>Hypochaeris glabra</i> | Smooth Catsear | * | QH(-) | <input type="checkbox"/> |
| D | <i>Hypochaeris radicata</i> | Catsear, Flatweed | * | QH | <input type="checkbox"/> |
| D | <i>Lactuca serriola</i> forma <i>serriola</i> | Prickly Lettuce | * | QH | <input type="checkbox"/> |
| D | <i>Lagenophora gracilis</i> | Slender Bottle-daisy, Slender Lagenophora | | QH | <input type="checkbox"/> |
| D | <i>Lagenophora stipitata</i> | Blue Bottle-daisy, Common Lagenophora, Island Daisy | | | <input type="checkbox"/> |
| D | <i>Leptorhynchus squamatus</i> subsp. <i>squamatus</i> | Scaly Buttons | | QH | <input type="checkbox"/> |
| D | <i>Leucochrysum albicans</i> var. <i>albicans</i> | Hoary Sunray | | QH(-) | <input type="checkbox"/> |
| D | <i>Olearia canescens</i> | Grey Daisy Bush | | QH | <input type="checkbox"/> |
| D | <i>Olearia elliptica</i> subsp. <i>elliptica</i> | Peach Bush, Sticky Daisy Bush | | QH(-) | <input type="checkbox"/> |
| D | <i>Olearia glandulosa</i> | Swamp Daisy Bush | | QH | <input type="checkbox"/> |
| D | <i>Olearia gravis</i> | Large Daisy Bush | | QH | <input type="checkbox"/> |
| D | <i>Olearia microphylla</i> | Bridal Daisy Bush, Small-leaved Olearia, Starflower | | QH | <input type="checkbox"/> |
| D | <i>Olearia nernstii</i> | - | | QH | <input type="checkbox"/> |
| D | <i>Olearia oppositifolia</i> | - | | | <input type="checkbox"/> |
| D | <i>Olearia ramosissima</i> | Blue Mountain-daisy, Much-branched Daisy Bush | | QH | <input type="checkbox"/> |
| D | <i>Ozothamnus diosmifolius</i> | Pill Bush, Pill Flower, Rice Flower, Sago Bush, Sago Flower, White Dogwood, White Everlasting | | QH | <input type="checkbox"/> |
| D | <i>Ozothamnus obcordatus</i> | Grey Everlasting | | QH | <input type="checkbox"/> |
| D | <i>Picris angustifolia</i> subsp. <i>carolorum-henricorum</i> | - | | QH(-) | <input type="checkbox"/> |
| D | <i>Podolepis arachnoidea</i> | Clustered Copper-wire Daisy, Cottony Podolepis | | QH | <input type="checkbox"/> |
| D | <i>Podolepis jaceoides</i> | Showy Copper-wire Daisy, Showy Podolepis | | QH(-) | <input type="checkbox"/> |
| D | <i>Podolepis neglecta</i> | - | | QH | <input type="checkbox"/> |
| D | <i>Schkuhria pinnata</i> | Dwarf Marigold | * | QH | <input type="checkbox"/> |
| D | <i>Senecio amygdalifolius</i> | Almond-leaved Senecio | | QH | <input type="checkbox"/> |
| D | <i>Senecio bathurstianus</i> | Rough Fireweed | | QH(-) | <input type="checkbox"/> |
| D | <i>Senecio bipinnatisectus</i> | Commonwealth Weed | | QH | <input type="checkbox"/> |
| D | <i>Senecio diaschides</i> | Erect Groundsel | | QH | <input type="checkbox"/> |
| D | <i>Senecio interpositus</i> | Tableland Fireweed | | QH | <input type="checkbox"/> |
| D | <i>Senecio madagascariensis</i> | Fireweed, Madagascar Groundsel, Madagascar Ragwort | * | QH(-) | <input type="checkbox"/> |
| D | <i>Senecio minimus</i> | Toothed Fireweed | | | <input type="checkbox"/> |
| D | <i>Senecio pinnatifolius</i> var. <i>pinnatifolius</i> | Coast Groundsel, Variable Groundsel | | QH(-) | <input type="checkbox"/> |
| D | <i>Senecio prenanthoides</i> | Beaked Fireweed, Common Fireweed | | QH | <input type="checkbox"/> |
| D | <i>Senecio quadridentatus</i> | Auricled Groundsel, Cotton Fireweed | | | <input type="checkbox"/> |
| D | <i>Senecio tenuiflorus</i> | Slender Fireweed | | QH(-) | <input type="checkbox"/> |
| D | <i>Sigesbeckia australiensis</i> | Cobber Weed | | QH(-) | <input type="checkbox"/> |

| | | | | | |
|---|----------------------------------|---|---|-------|--------------------------|
| D | <i>Sigesbeckia orientalis</i> | Indian Weed | | | <input type="checkbox"/> |
| D | <i>Solenogyne bellioides</i> | - | | QH(-) | <input type="checkbox"/> |
| D | <i>Soliva anthemifolia</i> | Button Burweed, Dwarf Jo-jo | * | QH | <input type="checkbox"/> |
| D | <i>Solvia sessilis</i> | Bindyi, Jo-jo, Lawn Burweed | * | QH(-) | <input type="checkbox"/> |
| D | <i>Sonchus asper</i> | Prickly Sowthistle, Rough Sowthistle | * | QH | <input type="checkbox"/> |
| D | <i>Sonchus oleraceus</i> | Annual Sowthistle, Colewort, Common Milk Sowthistle | * | QH(-) | <input type="checkbox"/> |
| D | <i>Sphaeromorphaea australis</i> | Epaltes, Spreading Nut-heads | | QH | <input type="checkbox"/> |
| D | <i>Tagetes minuta</i> | Stinking Roger | * | QH | <input type="checkbox"/> |
| D | <i>Tolpis barbata</i> | Yellow Hawkweed | * | QH | <input type="checkbox"/> |
| D | <i>Triptilodiscus pygmaeus</i> | Austral Sunray, Common Sunray | | QH(-) | <input type="checkbox"/> |
| D | <i>Vittadinia muelleri</i> | Narrow-leaf New Holland Daisy | | QH(-) | <input type="checkbox"/> |
| D | <i>Vittadinia pustulata</i> | - | | QH | <input type="checkbox"/> |
| D | <i>Xerochrysum bracteatum</i> | Golden Everlasting | | QH | <input type="checkbox"/> |
| D | <i>Xerochrysum subundulatum</i> | Alpine Everlasting | | QH | <input type="checkbox"/> |
| D | <i>Xerochrysum viscosum</i> | Sticky Everlasting | | QH(-) | <input type="checkbox"/> |

Bignoniaceae - Jacarandas and Bignonias

| | | | | | |
|---|---------------------------|------------------|--|-------|--------------------------|
| D | <i>Pandorea pandorana</i> | Wonga Wonga Vine | | QH(-) | <input type="checkbox"/> |
|---|---------------------------|------------------|--|-------|--------------------------|

Boraginaceae - Borage or Forget-me-nots

| | | | | | |
|---|----------------------------------|----------------------------------|---|----|--------------------------|
| D | <i>Echium plantagineum</i> | Salvation Jane, Paterson's Curse | * | QH | <input type="checkbox"/> |
| D | <i>Heliotropium amplexicaule</i> | Blue Heliotrope | * | QH | <input type="checkbox"/> |

Brassicaceae - Cabbages and Mustards

| | | | | | |
|---|----------------------------|--|---|-------|--------------------------|
| D | <i>Lepidium africanum</i> | Common Peppergrass, Rubble Peppergrass | * | QH(-) | <input type="checkbox"/> |
| D | <i>Lepidium bonariense</i> | Argentine Peppergrass | * | QH | <input type="checkbox"/> |

Burmanniaceae

| | | | | | |
|---|---------------------------|--------------|--|----|--------------------------|
| D | <i>Burmannia disticha</i> | Paintbrushes | | QH | <input type="checkbox"/> |
|---|---------------------------|--------------|--|----|--------------------------|

Byttneriaceae

| | | | | | |
|---|-------------------------------|-------------------------------------|--|----|--------------------------|
| D | <i>Commersonia amystia</i> | Dwarf Kerrawang, Wrinkled Kerrawang | | QH | <input type="checkbox"/> |
| D | <i>Commersonia breviseta</i> | - | | QH | <input type="checkbox"/> |
| D | <i>Commersonia dasyphylla</i> | Kerrawang | | QH | <input type="checkbox"/> |
| D | <i>Seringia hillii</i> | Keraudrenia | | QH | <input type="checkbox"/> |

Caesalpiniaceae

| | | | | | |
|---|----------------------------|--|--|----|--------------------------|
| D | <i>Senna barronfieldii</i> | Australian Senna, Cassia, Fragrant Senna | | QH | <input type="checkbox"/> |
|---|----------------------------|--|--|----|--------------------------|

Campanulaceae - Bellflowers

| | | | | | |
|---|---|-----------------------|--|----|--------------------------|
| D | <i>Isotoma anethifolia</i> | Narrow-leaved Isotoma | | QH | <input type="checkbox"/> |
| D | <i>Isotoma fluviatilis</i> subsp. <i>borealis</i> | Swamp Isotoma | | QH | <input type="checkbox"/> |
| D | <i>Lobelia andrewsii</i> | Trailing Lobelia | | QH | <input type="checkbox"/> |
| D | <i>Lobelia gibbosa</i> var. <i>gibbosa</i> | Tall Lobelia | | QH | <input type="checkbox"/> |
| D | <i>Lobelia purpurascens</i> | White Root | | QH | <input type="checkbox"/> |

| | | | | |
|---|---|--|-------|--------------------------|
| D | <i>Wahlenbergia ceracea</i> | Waxy Bluebell | | <input type="checkbox"/> |
| D | <i>Wahlenbergia fluminalis</i> | River Bluebell | QH(-) | <input type="checkbox"/> |
| D | <i>Wahlenbergia gracilis</i> | Australian Bluebell, Sprawling Bluebell | QH | <input type="checkbox"/> |
| D | <i>Wahlenbergia graniticola</i> | Granite Bluebell | QH(-) | <input type="checkbox"/> |
| D | <i>Wahlenbergia planiflora</i> subsp. <i>longipila</i> | Bluebell | QH(-) | <input type="checkbox"/> |
| D | <i>Wahlenbergia stricta</i> subsp. <i>stricta</i> | Austral Bluebell, Australian Bluebell, Tall Bluebell | QH(-) | <input type="checkbox"/> |

Caprifoliaceae - Honeysuckles

| | | | | |
|---|--------------------------|----------------------|---------|--------------------------|
| D | <i>Lonicera japonica</i> | Japanese Honeysuckle | * QH(-) | <input type="checkbox"/> |
|---|--------------------------|----------------------|---------|--------------------------|

Caryophyllaceae - Pinks or Carnations

| | | | | |
|---|---|--|---------|--------------------------|
| D | <i>Gypsophila australis</i> | Annual Chalkwort | QH(-) | <input type="checkbox"/> |
| D | <i>Paronychia brasiliensis</i> | Brazilian Whitlow, Chilean Whitlow Wort | * QH | <input type="checkbox"/> |
| D | <i>Petrorhagia nanteuilii</i> | Childing Pink, Proliferous Pink | * QH(-) | <input type="checkbox"/> |
| D | <i>Sagina apetala</i> | Annual Pearlwort, Dwarf Pearlwort, New Zealand Moss | * QH(-) | <input type="checkbox"/> |
| D | <i>Scleranthus biflorus</i> | Cushion-bush, Cushion Plant, Twin-flowered Knawel, Two-flowered Knawel | QH(-) | <input type="checkbox"/> |
| D | <i>Silene gallica</i> | French Catchfly | * QH(-) | <input type="checkbox"/> |
| D | <i>Spergularia rubra</i> | Sandspurry, Red Sand-spurrey | * QH(-) | <input type="checkbox"/> |
| D | <i>Stellaria angustifolia</i> subsp. <i>angustifolia</i> | Swamp Starwort | QH(-) | <input type="checkbox"/> |
| D | <i>Stellaria media</i> | Chickweed, Common Chickweed | * QH | <input type="checkbox"/> |

Casuarinaceae - She-oaks

| | | | | |
|---|---|--|-------|--------------------------|
| D | <i>Allocasuarina inophloia</i> | Stringybark She-oak | QH(-) | <input type="checkbox"/> |
| D | <i>Allocasuarina littoralis</i> | Black She-oak | QH | <input type="checkbox"/> |
| D | <i>Allocasuarina luehmannii</i> | Bull Oak, Bull She-oak, Bulloak, Buloke | QH(-) | <input type="checkbox"/> |
| D | <i>Allocasuarina rupicola</i> | Rock She-oak, Shrubby She-oak | NT QH | <input type="checkbox"/> |
| D | <i>Allocasuarina torulosa</i> | Bakers Oak, Forest Oak, Forest She-oak, Rose She-oak | | <input type="checkbox"/> |
| D | <i>Casuarina cunninghamiana</i> subsp. <i>cunninghamiana</i> | Creek Oak, Fire Oak, River Oak, River She-oak | QH(-) | <input type="checkbox"/> |

Celastraceae - Bittersweet

| | | | | |
|---|----------------------------|--|----|--------------------------|
| D | <i>Denhamia silvestris</i> | Narrow-leaved Orangebark, Orange Bark, Orange Bush | QH | <input type="checkbox"/> |
|---|----------------------------|--|----|--------------------------|

Centrolepidaceae

| | | | | |
|---|---------------------------------|--------------------|-------|--------------------------|
| M | <i>Centrolepis fascicularis</i> | Tufted Centrolepis | QH(-) | <input type="checkbox"/> |
| M | <i>Centrolepis strigosa</i> | Hairy Centrolepis | QH(-) | <input type="checkbox"/> |

Chenopodiaceae

| | | | | |
|---|---------------------------|---|---------|--------------------------|
| D | <i>Chenopodium album</i> | Fat Hen, Lamb's Quarters, White Goosefoot | * QH(-) | <input type="checkbox"/> |
| D | <i>Dysphania carinata</i> | Green Crumbweed, Keeled Goosefoot | QH | <input type="checkbox"/> |
| D | <i>Dysphania pumilio</i> | Rough-leaved Goosefoot, Small Crumbweed | QH | <input type="checkbox"/> |
| D | <i>Einadia hastata</i> | Berry Saltbush, Saloop | | <input type="checkbox"/> |

Clusiaceae

| | | | | |
|---|--|---|-------|--------------------------|
| D | <i>Hypericum gramineum</i> | Small St. John's Wort | QH | <input type="checkbox"/> |
| D | <i>Hypericum involutum</i> | Small St. John's Wort | QH(-) | <input type="checkbox"/> |
| D | <i>Hypericum perforatum</i> subsp. <i>veronense</i> | Common St. John's Wort, Goat Weed, Klamath Weed | * | <input type="checkbox"/> |

Colchicaceae

| | | | | |
|---|---|------------------------------------|----|--------------------------|
| M | <i>Wurmbea biglandulosa</i> subsp. <i>biglandulosa</i> | Early Nancy, Glandular Early Nancy | QH | <input type="checkbox"/> |
|---|---|------------------------------------|----|--------------------------|

Commelinaceae - Dayflowers or Spiderworts

| | | | | |
|---|---------------------------|--|-------|--------------------------|
| M | <i>Commelina diffusa</i> | Climbing Dayflower, Forget-me Not, Native Wandering Jew, Scurvy Weed, Spreading Dayflower, Wandering Jew | QH(-) | <input type="checkbox"/> |
| M | <i>Murdannia graminea</i> | Grass Lily, Murdannia, Slug Herb | QH | <input type="checkbox"/> |

Convolvulaceae - Bindweeds or Morning Glory

| | | | | |
|---|--|-----------------------------------|---------|--------------------------|
| D | <i>Dichondra repens</i> | Kidney Weed, Yilibili (D'harawal) | | <input type="checkbox"/> |
| D | <i>Dichondra</i> sp. (Inglewood J.M.Dalby 86/93) | - | QH | <input type="checkbox"/> |
| D | <i>Impomoea purpurea</i> | Morning Glory | * QH(-) | <input type="checkbox"/> |

Crassulaceae - Orpines

| | | | | |
|---|----------------------------|--|----|--------------------------|
| D | <i>Crassula sieberiana</i> | Austral Crassula, Australian Stonecrop | QH | <input type="checkbox"/> |
| D | <i>Crassula tetramera</i> | Australian Stonecrop | QH | <input type="checkbox"/> |

Cyperaceae - Sedges

| | | | | |
|---|--|---|---------|--------------------------|
| M | <i>Baumea articulata</i> | Jointed Twig-rush | QH(-) | <input type="checkbox"/> |
| M | <i>Baumea planifolia</i> | Square Twig-rush | QH | <input type="checkbox"/> |
| M | <i>Baumea rubiginosa</i> | Soft Twig-rush | QH | <input type="checkbox"/> |
| M | <i>Bulbostylis barbata</i> | Water Grass | QH(-) | <input type="checkbox"/> |
| M | <i>Bulbostylis densa</i> | - | QH(-) | <input type="checkbox"/> |
| M | <i>Carex appressa</i> | Tall Sedge | QH(-) | <input type="checkbox"/> |
| M | <i>Carex gaudichaudiana</i> | Tufted Sedge | QH | <input type="checkbox"/> |
| M | <i>Carex inversa</i> | Knob Sedge | QH(-) | <input type="checkbox"/> |
| M | <i>Carex lobolepis</i> | - | QH(-) | <input type="checkbox"/> |
| M | <i>Chorizandra cymbaria</i> | Heron Bristle-rush | QH | <input type="checkbox"/> |
| M | <i>Cladium procerum</i> | Leafy Twig-rush | QH(-) | <input type="checkbox"/> |
| M | <i>Cyperus difformis</i> | Dirty Dora, Rice Sedge, Smallflower Umbrella-sedge, Variable Flat-sedge | QH(-) | <input type="checkbox"/> |
| M | <i>Cyperus eragrostis</i> | Drain Sedge, Umbrella Sedge | * QH(-) | <input type="checkbox"/> |
| M | <i>Cyperus flaccidus</i> | Lax Flat-sedge | QH(-) | <input type="checkbox"/> |
| M | <i>Cyperus flavescens</i> | Yellow Flat-sedge | * QH(-) | <input type="checkbox"/> |
| M | <i>Cyperus fulvus</i> | Sticky Sedge | QH(-) | <input type="checkbox"/> |
| M | <i>Cyperus gracilis</i> | Slender Flat-sedge, Slender Sedge, Whisker Grass, Whisker Sedge | QH(-) | <input type="checkbox"/> |
| M | <i>Cyperus gunnii</i> subsp. <i>gunnii</i> | Flecked Flat-sedge, Flecked Sedge | QH(-) | <input type="checkbox"/> |
| M | <i>Cyperus lucidus</i> | Common Leaf-rush, Giant Sedge, Leafy Flat-sedge | QH(-) | <input type="checkbox"/> |
| M | <i>Cyperus sanguinolentus</i> | Bloody Sedge, Louisiana Flat-sedge | QH(-) | <input type="checkbox"/> |

| | | | | | |
|---|---|---|---|-------|--------------------------|
| M | <i>Cyperus sesquiflorus</i> | Kyllinga Weed | * | QH | <input type="checkbox"/> |
| M | <i>Cyperus sphaeroideus</i> | Globe Kyllinga | | QH(-) | <input type="checkbox"/> |
| M | <i>Cyperus squarrosus</i> | Bearded Flat-sedge | | QH | <input type="checkbox"/> |
| M | <i>Eleocharis acuta</i> | Common Spike-rush | | QH(-) | <input type="checkbox"/> |
| M | <i>Eleocharis atricha</i> | Tuber Spike-rush | | QH(-) | <input type="checkbox"/> |
| M | <i>Eleocharis cylindrostachys</i> | Drooping Spike-rush | | QH(-) | <input type="checkbox"/> |
| M | <i>Eleocharis dietrichiana</i> | - | | QH | <input type="checkbox"/> |
| M | <i>Eleocharis gracilis</i> | Slender Spike-sedge | | QH(-) | <input type="checkbox"/> |
| M | <i>Eleocharis sphacelata</i> | Kaya, Tall Spike-rush | | QH(-) | <input type="checkbox"/> |
| M | <i>Fimbristylis dichotoma</i> | Common Fringe-rush, Common Fringe-sedge | | QH | <input type="checkbox"/> |
| M | <i>Fimbristylis ferruginea</i> | Common Finger-rush, Rusty Fringe-rush, Rusty Sedge | | QH(-) | <input type="checkbox"/> |
| M | <i>Gahnia aspera</i> | Red-berried Saw-sedge, Rough Saw-sedge, Saw Grass, Saw Sedge, Short Saw-sedge | | QH | <input type="checkbox"/> |
| M | <i>Gahnia sieberiana</i> | Red-fruited Saw-sedge, Sword Grass | | QH | <input type="checkbox"/> |
| M | <i>Isolepis cernua</i> | Nodding Club-rush, Bristle Club-sedge | | QH(-) | <input type="checkbox"/> |
| M | <i>Isolepis crassiuscula</i> | Alpine Club-rush, Alpine Club-sedge | | QH(-) | <input type="checkbox"/> |
| M | <i>Isolepis fluitans</i> | Floating Club Rush | | | <input type="checkbox"/> |
| M | <i>Isolepis hookeriana</i> | Grassy Club-sedge, Tiny Club-rush | | QH(-) | <input type="checkbox"/> |
| M | <i>Isolepis inundata</i> | Swamp Club-rush | | QH | <input type="checkbox"/> |
| M | <i>Lepidosperma gunnii</i> | Little Sword-sedge, Slender Sword-sedge | | QH | <input type="checkbox"/> |
| M | <i>Lepidosperma laterale</i> | Narrow Sword-sedge, Variable Sword-sedge | | QH | <input type="checkbox"/> |
| M | <i>Lepidosperma limicola</i> | Razor Sedge | | QH | <input type="checkbox"/> |
| M | <i>Lepidosperma tuberculatum</i> var. <i>grande</i> | Sticky Sword-sedge | | QH | <input type="checkbox"/> |
| M | <i>Lipocarpa microcephala</i> | Button Rush | | QH(-) | <input type="checkbox"/> |
| M | <i>Ptilothrix deusta</i> | Horned Sedge | | QH | <input type="checkbox"/> |
| M | <i>Rhynchospora brownii</i> | Grassy Beak-rush, Grassy Beak-sedge | | QH(-) | <input type="checkbox"/> |
| M | <i>Schoenoplectus tabernaemontani</i> | Grey Club-rush, River Club-rush | | QH(-) | <input type="checkbox"/> |
| M | <i>Schoenus apogon</i> var. <i>apogon</i> | Common Bog-rush, Fluke Bogrush | | QH | <input type="checkbox"/> |
| M | <i>Schoenus maschalinus</i> | Leafy Bog-rush | | QH(-) | <input type="checkbox"/> |
| M | <i>Schoenus melanostachys</i> | Black Bog-rush | | QH | <input type="checkbox"/> |
| M | <i>Scirpus polystachyus</i> | Large-headed Club-rush | | QH(-) | <input type="checkbox"/> |
| M | <i>Scleria mackaviensis</i> | - | | QH(-) | <input type="checkbox"/> |

Dilleniaceae - Guinea Flowers

| | | | | | |
|---|--|---|----|-------|--------------------------|
| D | <i>Hibbertia acicularis</i> | Prickly Guinea Flower, Rough Guinea Flower | | QH(-) | <input type="checkbox"/> |
| D | <i>Hibbertia aspera</i> | Rough Guinea Flower | | QH | <input type="checkbox"/> |
| D | <i>Hibbertia cistoidea</i> | - | | QH | <input type="checkbox"/> |
| D | <i>Hibbertia elata</i> | Tall Guinea Flower | NT | QH | <input type="checkbox"/> |
| D | <i>Hibbertia linearis</i> var. <i>obtusifolia</i> | Grey Guinea Flower, Hoary Guinea Flower | | QH | <input type="checkbox"/> |
| D | <i>Hibbertia riparia</i> | Erect Guinea Flower, Upright Guinea Flower | | QH(-) | <input type="checkbox"/> |
| D | <i>Hibbertia scandens</i> | Climbing Guinea Flower, Snake Vine, Twining Guinea Flower | | | <input type="checkbox"/> |
| D | <i>Hibbertia</i> sp. (Carnarvon Range C.T.White 11332) | - | | QH(-) | <input type="checkbox"/> |
| D | <i>Hibbertia</i> sp. (Girraween NP D.Halford+ Q1611) | - | | QH | <input type="checkbox"/> |
| D | <i>Hibbertia stricta</i> var. <i>stricta</i> | Brown Guinea Flower | | QH | <input type="checkbox"/> |

| | | | | |
|---------------------------------------|---|--|-------|--------------------------|
| D | <i>Hibbertia tenuifolia</i> | Narrow-leaved Guinea Flower | QH | <input type="checkbox"/> |
| Droseraceae - Sundews | | | | |
| D | <i>Drosera binata</i> | Forked Sundew | QH | <input type="checkbox"/> |
| D | <i>Drosera burmanni</i> | Tropical Sundew, White-flowering Sundew | QH | <input type="checkbox"/> |
| D | <i>Drosera hookeri</i> | - | QH | <input type="checkbox"/> |
| D | <i>Drosera lunata</i> | Pale Sundew, Tall Sundew | | <input type="checkbox"/> |
| D | <i>Drosera spatulata</i> | Common Sundew, Rosy Sundew, Spoon-leaved Sundew | | <input type="checkbox"/> |
| Elaeocarpaceae | | | | |
| D | <i>Elaeocarpus reticulatus</i> | Ash Quandong, Blue Olive Berry, Blueberry Ash, Fairy Petticoats, Fringe Tree, Lily of the Valley Tree, Scrub Ash | QH | <input type="checkbox"/> |
| D | <i>Tetradlea thymifolia</i> | Black-eyed Susan, Thyme Pink-bells | | <input type="checkbox"/> |
| Elatinaceae | | | | |
| D | <i>Elatine gratioloides</i> | Water Wort | QH(-) | <input type="checkbox"/> |
| Ericaceae - Heaths or Heathers | | | | |
| D | <i>Acrotriche aggregata</i> | Red Cluster Heath, Tall Acrotriche, Tall Groundberry | QH | <input type="checkbox"/> |
| D | <i>Agiortia cicatricata</i> | - | NT QH | <input type="checkbox"/> |
| D | <i>Brachyloma daphnoides</i> subsp. <i>daphnoides</i> | Daphne Heath | QH | <input type="checkbox"/> |
| D | <i>Brachyloma daphnoides</i> subsp. <i>glabrum</i> | Daphne Heath | QH | <input type="checkbox"/> |
| D | <i>Epacris breviflora</i> | Drumstick Heath | QH | <input type="checkbox"/> |
| D | <i>Epacris microphylla</i> var. <i>microphylla</i> | Coral Heath | QH | <input type="checkbox"/> |
| D | <i>Epacris obtusifolia</i> | Blunt-leaf Heath, Common Heath | QH | <input type="checkbox"/> |
| D | <i>Leucopogon affinis</i> | Lance Beard Heath | QH | <input type="checkbox"/> |
| D | <i>Leucopogon biflorus</i> | Twin-flowered Beard-heath | QH | <input type="checkbox"/> |
| D | <i>Leucopogon melaleucoides</i> | Snowbush | QH | <input type="checkbox"/> |
| D | <i>Leucopogon microphyllus</i> var. <i>microphyllus</i> | Hairy Beard-heath, Small-leaved White Beard-heath | QH | <input type="checkbox"/> |
| D | <i>Leucopogon muticus</i> | Blunt Beard-heath | QH | <input type="checkbox"/> |
| D | <i>Leucopogon neoanglicus</i> | New England Beard-heath | QH | <input type="checkbox"/> |
| D | <i>Lissanthe strigosa</i> subsp. <i>subulata</i> | Peach Heath | QH | <input type="checkbox"/> |
| D | <i>Melichrus procumbens</i> | Honey-gland Heath, Jam Tarts | QH | <input type="checkbox"/> |
| D | <i>Melichrus urceolatus</i> | Honey Gorse, Ten Corners, Urn Heath | QH | <input type="checkbox"/> |
| D | <i>Monotoca scoparia</i> | Prickly Broom Heath | QH | <input type="checkbox"/> |
| D | <i>Styphelia triflora</i> | Pink Five-corners, Three-flowered Stypellia | QH | <input type="checkbox"/> |
| D | <i>Styphelia viridis</i> subsp. <i>breviflora</i> | Green Five-corners, Green-flowered Stypellia | QH | <input type="checkbox"/> |
| D | <i>Trochocarpa laurina</i> | Axebreaker, Loral Heath, Sandberry, Tree Heath, Turkey bush, Waddy Wood, Wheel-fruit | | <input type="checkbox"/> |
| Eriocaulaceae - Pipeworts | | | | |
| M | <i>Eriocaulon scariosum</i> | Common Pipewort, Pale Pipewort | QH(-) | <input type="checkbox"/> |

Euphorbiaceae - Spurges

| | | | | | |
|---|--|---|---|----|--------------------------|
| D | <i>Amperea xiphoclada</i> var. <i>xiphoclada</i> | Broom Spurge | | QH | <input type="checkbox"/> |
| D | <i>Bertya glandulosa</i> | - | V | QH | <input type="checkbox"/> |
| D | <i>Bertya recurvata</i> | - | E | QH | <input type="checkbox"/> |
| D | <i>Homalanthus populifolius</i> | Native Bleeding Heart, Native Poplar, Queensland Poplar | | QH | <input type="checkbox"/> |

Fabaceae - Peas, Beans and other Legumes

| | | | | | |
|---|---|--|--|-------|--------------------------|
| D | <i>Aotus lanigera</i> | Golden Candlesticks, Hairy Aotus | | QH(-) | <input type="checkbox"/> |
| D | <i>Aotus mollis</i> | - | | QH(-) | <input type="checkbox"/> |
| D | <i>Aotus subglaucosa</i> var. <i>subglaucosa</i> | - | | QH | <input type="checkbox"/> |
| D | <i>Bossiaea neoanglica</i> | - | | QH | <input type="checkbox"/> |
| D | <i>Bossiaea obcordata</i> | Spiny Bossiaea | | QH | <input type="checkbox"/> |
| D | <i>Bossiaea obovata</i> | - | | QH | <input type="checkbox"/> |
| D | <i>Bossiaea prostrata</i> | Creeping Bossiaea | | QH | <input type="checkbox"/> |
| D | <i>Bossiaea rhombifolia</i> | - | | QH | <input type="checkbox"/> |
| D | <i>Bossiaea scortechinii</i> | - | | QH | <input type="checkbox"/> |
| D | <i>Crotalaria mitchellii</i> subsp. <i>laevis</i> | Sand Rattlepod, Yellow Rattlepod | | QH | <input type="checkbox"/> |
| D | <i>Daviesia acicularis</i> | Bitter Pea | | QH | <input type="checkbox"/> |
| D | <i>Daviesia elliptica</i> | Bitter Pea | | QH(-) | <input type="checkbox"/> |
| D | <i>Daviesia elliptica</i> x <i>D. mimosoides</i> subsp. <i>mimosoides</i> | - | | QH(-) | <input type="checkbox"/> |
| D | <i>Daviesia latifolia</i> | Bitter-leaf, Broad-leaved Bitter Pea, Hop Bitter Pea | | QH | <input type="checkbox"/> |
| D | <i>Daviesia mimosoides</i> subsp. <i>mimosoides</i> | Golden Pea, Narrow-leaf Bitter Pea | | QH(-) | <input type="checkbox"/> |
| D | <i>Daviesia wyattiana</i> | Long-leaved Bitter-pea | | | <input type="checkbox"/> |
| D | <i>Desmodium brachypodium</i> | Large Tick-trefoil | | | <input type="checkbox"/> |
| D | <i>Desmodium gunnii</i> | Slender Tick-trefoil | | QH | <input type="checkbox"/> |
| D | <i>Dillwynia phyllicoides</i> | Showy Parrot-pea | | QH | <input type="checkbox"/> |
| D | <i>Dillwynia retorta</i> | Eggs and Bacon | | | <input type="checkbox"/> |
| D | <i>Dillwynia sericea</i> | Hairy Parrot-pea, Showy Parrot-pea, Silky Parrot-pea | | QH | <input type="checkbox"/> |
| D | <i>Dillwynia sieberi</i> | Heathy Parrot-pea, Prickly Parrot-pea, Sieber's Parrot-pea | | QH | <input type="checkbox"/> |
| D | <i>Glycine clandestina</i> var. <i>sericea</i> | Twining Glycine | | QH(-) | <input type="checkbox"/> |
| D | <i>Glycine tabacina</i> | Glycine Pea, Vanilla Glycine, Variable Glycine | | QH | <input type="checkbox"/> |
| D | <i>Gompholobium aspalathoides</i> | - | | QH | <input type="checkbox"/> |
| D | <i>Gompholobium latifolium</i> | Broad Wedge-pea, Golden Glory-pea | | QH | <input type="checkbox"/> |
| D | <i>Gompholobium uncinatum</i> | Red Wedge-pea | | | <input type="checkbox"/> |
| D | <i>Hardenbergia violacea</i> | False Sarsaparilla Vine, Happy Wanderer, Native Lilac, Native Sarsaparilla Vine, Purple Coral Pea, Waraburra (Kattang) | | QH | <input type="checkbox"/> |
| D | <i>Hovea graniticola</i> | Granite Hovea | | QH | <input type="checkbox"/> |
| D | <i>Hovea heterophylla</i> | Common Hovea, Narrow-leaved Hovea, Narrow-leaved Pea-bush, Trailing Hovea | | QH | <input type="checkbox"/> |
| D | <i>Hovea linearis</i> | Common Hovea, Creeping Hovea, Linear-leaved Hovea | | | <input type="checkbox"/> |
| D | <i>Hovea pedunculata</i> | - | | QH | <input type="checkbox"/> |
| D | <i>Hovea similis</i> | - | | QH(-) | <input type="checkbox"/> |
| D | <i>Indigofera adesmiifolia</i> | Leafless Indigo, Tick Indigo, | | QH | <input type="checkbox"/> |

| | | | | |
|---|---|--|---------|--------------------------|
| D | <i>Indigofera australis</i> subsp. <i>australis</i> | Australian Indigo, Duwabili (D'harawal), Native Indigo, New Holland Indigo | QH | <input type="checkbox"/> |
| D | <i>Jacksonia scoparia</i> | Broom-like Jacksonia,, Dogwood, Native Broom, Winged Broom-pea | | <input type="checkbox"/> |
| D | <i>Kennedia rubicunda</i> | Dusky Coral-pea, Red Kennedy Pea | QH | <input type="checkbox"/> |
| D | <i>Lathyrus tingitanus</i> | Tangier pea | * QH(-) | <input type="checkbox"/> |
| D | <i>Lotus australis</i> | Austral Indigo, Australian Lotus, Australian Trefoil | QH | <input type="checkbox"/> |
| D | <i>Lotus corniculatus</i> | Bird's-foot Trefoil | * | <input type="checkbox"/> |
| D | <i>Lotus subbiflorus</i> | Hairy Bird's-foot Trefoil | * QH(-) | <input type="checkbox"/> |
| D | <i>Lotus uliginosus</i> | Greater Bird's-foot Trefoil, Greater Lotus, Greater Trefoil | * QH(-) | <input type="checkbox"/> |
| D | <i>Mirbelia confertiflora</i> | - | NT QH | <input type="checkbox"/> |
| D | <i>Mirbelia pungens</i> | Prickly Mirbelia | QH(-) | <input type="checkbox"/> |
| D | <i>Mirbelia rubiifolia</i> | Heathy Mirbelia | QH | <input type="checkbox"/> |
| D | <i>Mirbelia speciosa</i> subsp. <i>speciosa</i> | Purple Mirbelia, Showy Mirbelia | QH | <input type="checkbox"/> |
| D | <i>Ornithopus pinnatus</i> | Orange Bird's-foot, Slender Serradella | * QH(-) | <input type="checkbox"/> |
| D | <i>Oxylobium arborescens</i> | Tall Shaggy Pea | QH | <input type="checkbox"/> |
| D | <i>Phyllota phyllicoides</i> | Heath Phyllota, Yellow Pea-bush | QH | <input type="checkbox"/> |
| D | <i>Pultenaea cuneata</i> | - | QH(-) | <input type="checkbox"/> |
| D | <i>Pultenaea daphnoides</i> | Large-leaf Bush-pea | QH | <input type="checkbox"/> |
| D | <i>Pultenaea dentata</i> | Button Pea, Clustered Bush-pea | QH | <input type="checkbox"/> |
| D | <i>Pultenaea flexilis</i> | Graceful Bush-pea, Willow Bush-pea | QH | <input type="checkbox"/> |
| D | <i>Pultenaea foliolosa</i> | Small-leaf Bush-pea | QH | <input type="checkbox"/> |
| D | <i>Pultenaea hartmannii</i> | Stanthorpe Pea | QH | <input type="checkbox"/> |
| D | <i>Pultenaea paleacea</i> | Chaffy Bush-pea | QH | <input type="checkbox"/> |
| D | <i>Pultenaea polifolia</i> | Dusky Bush-pea | | <input type="checkbox"/> |
| D | <i>Pultenaea pycnocephala</i> | Dense-head Bush-pea, Shiny-leaved Pea-bush | QH(-) | <input type="checkbox"/> |
| D | <i>Pultenaea retusa</i> | Blunt Bush-pea, Blunt-leaved Pea, Notched Bush-pea | QH | <input type="checkbox"/> |
| D | <i>Sphaerolobium</i> sp. | Globe Pea | QH | <input type="checkbox"/> |
| D | <i>Swainsona galegifolia</i> | Indigo Plant, Cranky Pea, Smooth Darling Pea | QH | <input type="checkbox"/> |
| D | <i>Swainsona oroboides</i> | Kneed Darling Pea, Variable Swainsona | QH(-) | <input type="checkbox"/> |
| D | <i>Trifolium arvense</i> var. <i>arvense</i> | Hare's-foot Clover | * QH(-) | <input type="checkbox"/> |
| D | <i>Trifolium campestre</i> var. <i>campestre</i> | Hop Clover | * QH(-) | <input type="checkbox"/> |
| D | <i>Trifolium dubium</i> | Yellow Suckling Clover | * QH(-) | <input type="checkbox"/> |
| D | <i>Trifolium glomeratum</i> | Ball Clover, Clustered Clover | * QH(-) | <input type="checkbox"/> |
| D | <i>Trifolium pratense</i> | Red Clover | * QH(-) | <input type="checkbox"/> |
| D | <i>Trifolium repens</i> var. <i>repens</i> | White Clover | * QH | <input type="checkbox"/> |
| D | <i>Vicia villosa</i> subsp. <i>eriocarpa</i> | Hairy Vetch | * QH(-) | <input type="checkbox"/> |
| D | <i>Zornia dyctiocarpa</i> var. <i>dyctiocarpa</i> | Narrow-leaved Zornia | | <input type="checkbox"/> |

Gentianaceae - Gentians

| | | | | |
|---|-----------------------------|--------------------------------------|------|--------------------------|
| D | <i>Centaurium erythraea</i> | Australian Centaury, Common Centaury | * QH | <input type="checkbox"/> |
|---|-----------------------------|--------------------------------------|------|--------------------------|

Geraniaceae - Geraniums and Pelargoniums

| | | | | |
|---|---------------------------|--|---------|--------------------------|
| D | <i>Erodium cicutarium</i> | Common Crowfoot, Common Storksbill | * QH(-) | <input type="checkbox"/> |
| D | <i>Geranium molle</i> | Cranesbill Geranium, Dove's-foot Crane's-bill | * QH(-) | <input type="checkbox"/> |
| D | <i>Geranium neglectum</i> | Red-stemmed Crane's-bill, Swamp Crane's-bill, White Geranium | QH | <input type="checkbox"/> |

| | | | | |
|--------------------------------------|---|--|-------|--------------------------|
| D | <i>Geranium solanderi</i> var. <i>solanderi</i> | Austral Crane's-bill, Native Geranium | QH(-) | <input type="checkbox"/> |
| D | <i>Pelargonium australe</i> | Austral Stork's-bill, Native Storksbill, Wild Geranium | QH | <input type="checkbox"/> |
| D | <i>Pelargonium inodorum</i> | Kopata | QH(-) | <input type="checkbox"/> |
| Goodeniaceae | | | | |
| D | <i>Dampiera ferruginea</i> | Velvet Beauty-bush | QH | <input type="checkbox"/> |
| D | <i>Dampiera purpurea</i> | Mountain Dampiera | QH | <input type="checkbox"/> |
| D | <i>Dampiera stricta</i> | Blue Dampiera | QH | <input type="checkbox"/> |
| D | <i>Goodenia bellidifolia</i> subsp. <i>argentea</i> | Daisy Goodenia | QH | <input type="checkbox"/> |
| D | <i>Goodenia glabra</i> | Smooth Goodenia | QH(-) | <input type="checkbox"/> |
| D | <i>Goodenia hederacea</i> subsp. <i>hederacea</i> | Forest Goodenia, Ivy Goodenia, Ivy-leaved Goodenia | QH | <input type="checkbox"/> |
| D | <i>Goodenia macbarronii</i> | Narrow Goodenia, Swamp Goodenia | QH | <input type="checkbox"/> |
| D | <i>Scaevola ramosissima</i> | Hairy Fan-flower, Purple Fan-flower, Snake Flower | QH | <input type="checkbox"/> |
| D | <i>Velleia paradoxa</i> | Grassland Velleia, Spur Velleia | QH | <input type="checkbox"/> |
| Haemodoraceae - Bloodworts | | | | |
| M | <i>Haemodorum planifolium</i> | Blood-root Lily | QH | <input type="checkbox"/> |
| Haloragaceae - Water Milfoils | | | | |
| D | <i>Gonocarpus elatus</i> | Hill Raspwort | QH(-) | <input type="checkbox"/> |
| D | <i>Gonocarpus micranthus</i> subsp. <i>ramosissimus</i> | Branching Raspwort, Creeping Raspwort, Red Raspwort | QH | <input type="checkbox"/> |
| D | <i>Gonocarpus oreophilus</i> | Mountain Raspwort | | <input type="checkbox"/> |
| D | <i>Gonocarpus tetragynus</i> | Common Raspwort, Poverty Raspwort | QH | <input type="checkbox"/> |
| D | <i>Gonocarpus teucrioides</i> | Germander Raspwort | QH | <input type="checkbox"/> |
| D | <i>Haloragis heterophylla</i> | Rough Raspwort, Variable Raspwort | QH | <input type="checkbox"/> |
| D | <i>Myriophyllum crispatum</i> | Upright Water-milfoil | QH | <input type="checkbox"/> |
| Hemerocallidaceae | | | | |
| M | <i>Dianella caerulea</i> var. <i>assera</i> | Blue Flax-lily, Blueberry Lily, Paroo Lily | QH | <input type="checkbox"/> |
| M | <i>Dianella caerulea</i> var. <i>caerulea</i> | Blue Flax-lily, Blueberry Lily, Grassland Flax-lily, Paroo Lily | QH(-) | <input type="checkbox"/> |
| M | <i>Dianella caerulea</i> var. <i>producta</i> | Blue Flax-lily, Blueberry Lily, Paroo Lily | QH(-) | <input type="checkbox"/> |
| M | <i>Dianella longifolia</i> var. <i>longifolia</i> | Blue Flax-lily, Blueberry Lily, Smooth Flax-lily | QH(-) | <input type="checkbox"/> |
| M | <i>Dianella longifolia</i> var. <i>stenophylla</i> | Blue Flax-lily, Blueberry Lily | QH(-) | <input type="checkbox"/> |
| M | <i>Dianella revoluta</i> var. <i>revoluta</i> | Black-anther Flax-lily, Blueberry Lily, Spreading Flax-Lily | QH | <input type="checkbox"/> |
| M | <i>Stypandra glauca</i> | Blind Grass, Candyup Poison, Graceful Blue-lily, Grass Lily, Nodding Blue-lily | QH | <input type="checkbox"/> |
| M | <i>Thelionema caespitosum</i> | Tufted Blue-lily | | <input type="checkbox"/> |
| M | <i>Thelionema grande</i> | Blue Star Lily, Greater Rock Lily | QH | <input type="checkbox"/> |
| Hypoxidaceae - Star Grasses | | | | |
| M | <i>Hypoxis hygrometrica</i> var. <i>villosisepala</i> | Golden Star, Golden Weather-grass | | <input type="checkbox"/> |

Iridaceae - Iris

| | | | | |
|---|---|--|---------|--------------------------|
| M | <i>Patersonia fragilis</i> | Short Purple-flag, Swamp Iris | | <input type="checkbox"/> |
| M | <i>Patersonia glabrata</i> | Bugulbi (Cadigal), Leafy Purple-flag, Purple Flag, Wild Iris | QH | <input type="checkbox"/> |
| M | <i>Patersonia sericea</i> var. <i>sericea</i> | Silky Purple Flag | QH | <input type="checkbox"/> |
| M | <i>Romulea rosea</i> var. <i>australis</i> | Onion Grass | * QH(-) | <input type="checkbox"/> |

Johnsoniaceae

| | | | | |
|---|--------------------------|--------------------------------------|-------|--------------------------|
| M | <i>Tricoryne elatior</i> | Yellow Autumn-lily, Yellow Rush-lily | QH(-) | <input type="checkbox"/> |
|---|--------------------------|--------------------------------------|-------|--------------------------|

Juncaceae - Rushes

| | | | | |
|---|---|--------------------------------|---------|--------------------------|
| M | <i>Juncus acutus</i> subsp. <i>acutus</i> | Sharp Rush | * QH(-) | <input type="checkbox"/> |
| M | <i>Juncus articulatus</i> | Jointed Rush | * QH(-) | <input type="checkbox"/> |
| M | <i>Juncus bufonius</i> | Toad Rush | * QH(-) | <input type="checkbox"/> |
| M | <i>Juncus cognatus</i> | - | * QH | <input type="checkbox"/> |
| M | <i>Juncus continuus</i> | Sea Rush | QH(-) | <input type="checkbox"/> |
| M | <i>Juncus homalocaulis</i> | Wiry Rush | QH(-) | <input type="checkbox"/> |
| M | <i>Juncus ochrocoleus</i> | - | QH(-) | <input type="checkbox"/> |
| M | <i>Juncus planifolius</i> | Broad-leaved Rush | QH | <input type="checkbox"/> |
| M | <i>Juncus prismatocarpus</i> | Branching Rush, Finger Rush | QH(-) | <input type="checkbox"/> |
| M | <i>Juncus sandwithii</i> | Alpine Joint-leaf Rush | QH(-) | <input type="checkbox"/> |
| M | <i>Juncus subsecundus</i> | Finger Rush | QH(-) | <input type="checkbox"/> |
| M | <i>Juncus usitatus</i> | Common Rush, Tussock Rush | QH(-) | <input type="checkbox"/> |
| M | <i>Juncus vaginatus</i> | Clustered Rush | QH(-) | <input type="checkbox"/> |
| M | <i>Luzula flaccida</i> | Flaccid Luzula, Pale Wood-rush | QH | <input type="checkbox"/> |

Juncaginaceae - Arrowgrasses

| | | | | |
|---|--------------------------------|------------------------|----|--------------------------|
| M | <i>Cycnogeton multifructus</i> | Arrowgrass | QH | <input type="checkbox"/> |
| M | <i>Cycnogeton procerus</i> | Alcock's Water-ribbons | QH | <input type="checkbox"/> |

Lamiaceae - Mint

| | | | | |
|---|--|--|---------|--------------------------|
| D | <i>Ajuga australis</i> | Austral Bugle | QH(-) | <input type="checkbox"/> |
| D | <i>Chloanthes parviflora</i> | Small-flowered Ice Plant | QH | <input type="checkbox"/> |
| D | <i>Hemigenia cuneifolia</i> | - | QH | <input type="checkbox"/> |
| D | <i>Mentha diemenica</i> | Native Mint, Slender Mint, Wild Mint | | <input type="checkbox"/> |
| D | <i>Plectranthus suaveolens</i> | Cockspur Flower | QH | <input type="checkbox"/> |
| D | <i>Prostanthera lasianthos</i> | Victorian Christmas Bush | QH | <input type="checkbox"/> |
| D | <i>Prostanthera nivea</i> | Snowy Mint-bush | QH | <input type="checkbox"/> |
| D | <i>Prostanthera petraea</i> | Mintbush | NT QH | <input type="checkbox"/> |
| D | <i>Prostanthera phyllicifolia</i> | Spiked Mint-bush | QH | <input type="checkbox"/> |
| D | <i>Prostanthera saxicola</i> var. <i>bracteolata</i> | Slender Mint-bush | QH(-) | <input type="checkbox"/> |
| D | <i>Prostanthera saxicola</i> var. <i>major</i> | Spotted Mint-bush | QH | <input type="checkbox"/> |
| D | <i>Prunella vulgaris</i> | Heal All, Self-heal | * QH(-) | <input type="checkbox"/> |
| D | <i>Salvia verbenaca</i> | Vervain, Wild Clary, Wild Sage | * QH(-) | <input type="checkbox"/> |
| D | <i>Scutellaria humilis</i> | Australian Skullcap, Dwarf Skullcap, Skull Cap | QH(-) | <input type="checkbox"/> |
| D | <i>Teucrium corymbosum</i> | Forest Germander | QH | <input type="checkbox"/> |
| D | <i>Westringia amabilis</i> | Westringia | QH | <input type="checkbox"/> |

Lauraceae - Laurels

| | | | | |
|---|---------------------------|--|----|--------------------------|
| D | <i>Cassytha pubescens</i> | Dodder Laurel, Downy Devil's Twine, Downy Dodder-laurel, Hairy Dodder, Spilled Devil's Twine | QH | <input type="checkbox"/> |
|---|---------------------------|--|----|--------------------------|

Laxmanniaceae

| | | | | |
|---|---|---|-------|--------------------------|
| M | <i>Arthropodium fimbriatum</i> | Nodding Chocolate-lily | QH(-) | <input type="checkbox"/> |
| M | <i>Arthropodium milleflorum</i> | Pale Vanilla-lily, Vanilla Lily | | <input type="checkbox"/> |
| M | <i>Arthropodium minus</i> | Small Vanilla-lily | | <input type="checkbox"/> |
| M | <i>Arthropodium paniculatum</i> | Pale Vanilla-lily, Vanilla Lily | QH(-) | <input type="checkbox"/> |
| M | <i>Eustrephus latifolius</i> | Orange-vine, Wombat Berry | QH(-) | <input type="checkbox"/> |
| M | <i>Laxmannia compacta</i> | Compact Wire-lily | QH | <input type="checkbox"/> |
| M | <i>Laxmannia gracilis</i> | Slender Wire-lily, Silverweed | QH(-) | <input type="checkbox"/> |
| M | <i>Lomandra confertifolia</i> subsp. <i>pallida</i> | Mat-rush | QH(-) | <input type="checkbox"/> |
| M | <i>Lomandra filiformis</i> subsp. <i>filiformis</i> | Wattle Matrush | QH | <input type="checkbox"/> |
| M | <i>Lomandra leucocephala</i> subsp. <i>leucocephala</i> | Irongrass, White Mat-rush, Woolly Mat-rush, Woolly-head Mat-rush | QH(-) | <input type="checkbox"/> |
| M | <i>Lomandra longifolia</i> | Honey Reed, Long-leaved Mat-rush, Spiny-headed Mat-rush | QH | <input type="checkbox"/> |
| M | <i>Lomandra multiflora</i> subsp. <i>multiflora</i> | Many-flowered Mat-rush | | <input type="checkbox"/> |
| M | <i>Thysanotus tuberosus</i> subsp. <i>parviflorus</i> | Common Fringe-lily, Tuber Fringe-lily | QH(-) | <input type="checkbox"/> |
| M | <i>Thysanotus tuberosus</i> subsp. <i>tuberosus</i> | Common Fringe-lily, Fringed Lily, Fringed Violet, Tuber Fringe-lily | QH | <input type="checkbox"/> |

Lentibulariaceae - Bladderworts

| | | | | |
|---|------------------------------|----------------------------------|----|--------------------------|
| D | <i>Utricularia dichotoma</i> | Fairy Aprons, Purple Bladderwort | QH | <input type="checkbox"/> |
| D | <i>Utricularia gibba</i> | Floating Bladderwort | QH | <input type="checkbox"/> |
| D | <i>Utricularia uliginosa</i> | Asian Bladderwort | QH | <input type="checkbox"/> |

Linaceae

| | | | | |
|---|------------------------|------------------------|----|--------------------------|
| D | <i>Linum marginale</i> | Native Flax, Wild Flax | QH | <input type="checkbox"/> |
|---|------------------------|------------------------|----|--------------------------|

Loganiaceae

| | | | | |
|---|----------------------------|---------------------|----|--------------------------|
| D | <i>Logania albiflora</i> | Narrow-leaf Logania | QH | <input type="checkbox"/> |
| D | <i>Mitrasacme paludosa</i> | Mitre Weed | QH | <input type="checkbox"/> |

Loranthaceae

| | | | | |
|---|---|--|-------|--------------------------|
| D | <i>Amyema cambagei</i> | Needle Mistletoe, Needle-leaf Mistletoe, Swamp Oak Mistletoe | | <input type="checkbox"/> |
| D | <i>Amyema linophylla</i> subsp. <i>orientalis</i> | Buloke Mistletoe, Slender Mistletoe | QH(-) | <input type="checkbox"/> |
| D | <i>Amyema miquelii</i> | Box Mistletoe, Bronze Mistletoe | QH(-) | <input type="checkbox"/> |
| D | <i>Amyema pendula</i> subsp. <i>longifolia</i> | Drooping Mistletoe | QH(-) | <input type="checkbox"/> |
| D | <i>Amyema quandang</i> subsp. <i>quandang</i> | Grey Mistletoe | QH(-) | <input type="checkbox"/> |
| D | <i>Dendrophthoe glabrescens</i> | Orange Mistletoe, Smooth Mistletoe | QH(-) | <input type="checkbox"/> |
| D | <i>Muellerina bidwillii</i> | Callitris Mistletoe, Cyprus Mistletoe | QH | <input type="checkbox"/> |
| D | <i>Muellerina eucalyptoides</i> | Creeping Mistletoe | QH(-) | <input type="checkbox"/> |

Lythraceae

| | | | | |
|---|-----------------------------|---|----|--------------------------|
| D | <i>Lythrum hyssopifolia</i> | Hyssop Loosestrife, Lesser Loosestrife, Small Loosestrife | QH | <input type="checkbox"/> |
| D | <i>Lythrum salicaria</i> | Purple Loosestrife | QH | <input type="checkbox"/> |

Malvaceae - Mallows

| | | | | |
|---|---|-------------------------------------|---------|--------------------------|
| D | <i>Abutilon oxycarpum</i> var. <i>subsagittatum</i> | Flannel Weed | QH(-) | <input type="checkbox"/> |
| D | <i>Modiola caroliniana</i> | Bristly Mallow, Red-flowered Mallow | * QH(-) | <input type="checkbox"/> |
| D | <i>Pavonia hastata</i> | Pink Pavonia | * QH(-) | <input type="checkbox"/> |

Menyanthaceae

| | | | | |
|---|----------------------------|-----------------------------------|----|--------------------------|
| D | <i>Nymphoides geminata</i> | Entire Marshwort, Water Snowflake | QH | <input type="checkbox"/> |
|---|----------------------------|-----------------------------------|----|--------------------------|

Mimosaceae - Wattles

| | | | | |
|---|---|--|---------|--------------------------|
| D | <i>Acacia adunca</i> | Cascade Wattle, Wallangarra Wattle | QH | <input type="checkbox"/> |
| D | <i>Acacia adunca</i> x <i>A. nerifolia</i> | - | QH | <input type="checkbox"/> |
| D | <i>Acacia baileyana</i> | Cootamundra Wattle | * QH(-) | <input type="checkbox"/> |
| D | <i>Acacia betchei</i> | Red-tip Wattle | QH | <input type="checkbox"/> |
| D | <i>Acacia binervata</i> | Two-veined Hickory | QH(-) | <input type="checkbox"/> |
| D | <i>Acacia brownei</i> | Brown's Acacia, Brown's Wattle, Golden Prickly Moses, Heath Wattle | QH(-) | <input type="checkbox"/> |
| D | <i>Acacia brunioides</i> subsp. <i>granitica</i> | Brown Wattle | QH | <input type="checkbox"/> |
| D | <i>Acacia buxifolia</i> subsp. <i>buxifolia</i> | Box-leaf Wattle | QH(-) | <input type="checkbox"/> |
| D | <i>Acacia buxifolia</i> subsp. <i>pubiflora</i> | Box-leaf Wattle | QH(-) | <input type="checkbox"/> |
| D | <i>Acacia cultriformis</i> | Dogtooth Wattle, Golden-glow Wattle, Half-moon Wattle, Knife-leaf Wattle | QH(-) | <input type="checkbox"/> |
| D | <i>Acacia debilis</i> | Spindly Wattle | QH(-) | <input type="checkbox"/> |
| D | <i>Acacia falciformis</i> | Black Wattle, Broad-leaved Hickory, Hickory Wattle, Large-leaf Hickory Wattle, Mountain Hickory, Pale Hickory Wattle, Tanning Wattle | QH | <input type="checkbox"/> |
| D | <i>Acacia filicifolia</i> | Fern-leaved Wattle | QH | <input type="checkbox"/> |
| D | <i>Acacia fimbriata</i> | Brisbane Golden Wattle, Brisbane Wattle, Fringed Wattle | QH(-) | <input type="checkbox"/> |
| D | <i>Acacia floribunda</i> | Catkin Wattle, Gossamer Wattle, White Sally Wattle | QH | <input type="checkbox"/> |
| D | <i>Acacia gladiiformis</i> | Sword Wattle, Sword-leaf Wattle | QH(-) | <input type="checkbox"/> |
| D | <i>Acacia granitica</i> | Granite Wattle | QH | <input type="checkbox"/> |
| D | <i>Acacia hispidula</i> | Hairy Wattle, Little Harsh Acacia | QH | <input type="checkbox"/> |
| D | <i>Acacia implexa</i> | Bastard Myall, Hickory Wattle, Lightwood, Weetjellan (D'harawal) | QH(-) | <input type="checkbox"/> |
| D | <i>Acacia irrorata</i> subsp. <i>irrorata</i> | Blueskin, Green Wattle, Sydney Green Wattle | QH(-) | <input type="checkbox"/> |
| D | <i>Acacia juncifolia</i> | Rush-leaved Wattle | QH(-) | <input type="checkbox"/> |
| D | <i>Acacia latisejala</i> | - | QH | <input type="checkbox"/> |
| D | <i>Acacia montana</i> | Mallee Wattle | QH(-) | <input type="checkbox"/> |
| D | <i>Acacia myrtifolia</i> | Myrtle Wattle, Red-stemmed Wattle | QH | <input type="checkbox"/> |
| D | <i>Acacia nerifolia</i> | Granite Silver Wattle, Bastard Yarran, Black Wattle, Oleander Wattle, Silver Wattle | QH | <input type="checkbox"/> |
| D | <i>Acacia penninervis</i> var. <i>penninervis</i> | Mountain Hickory | QH | <input type="checkbox"/> |
| D | <i>Acacia pruinosa</i> | Frosty Wattle | QH | <input type="checkbox"/> |

| | | | | | |
|---|----------------------------|---|---|-------|--------------------------|
| D | <i>Acacia pubifolia</i> | Velvet Wattle, Wyberba Wattle | V | QH | <input type="checkbox"/> |
| D | <i>Acacia rubida</i> | Red-leaved Wattle, Red-stemmed Wattle | | QH | <input type="checkbox"/> |
| D | <i>Acacia ruppia</i> | Rupp's Wattle | V | QH | <input type="checkbox"/> |
| D | <i>Acacia striatifolia</i> | - | | QH | <input type="checkbox"/> |
| D | <i>Acacia stricta</i> | Hop Wattle, Straight Wattle | | QH | <input type="checkbox"/> |
| D | <i>Acacia ulicifolia</i> | Juniper Wattle, Prickly Moses | | QH | <input type="checkbox"/> |
| D | <i>Acacia venulosa</i> | Fine Veined Wattle, Veiny Wattle, Woolly Wattle | | QH | <input type="checkbox"/> |
| D | <i>Acacia verniciflua</i> | Stinkwood Bush, Varnish Wattle | | QH(-) | <input type="checkbox"/> |
| D | <i>Acacia viscidula</i> | Sticky Wattle | | QH | <input type="checkbox"/> |
| D | <i>Acacia williamsiana</i> | - | | QH(-) | <input type="checkbox"/> |

Moraceae - Figs and Mulberries

| | | | | | |
|---|---|---|--|-------|--------------------------|
| D | <i>Ficus rubiginosa</i> forma <i>rubiginosa</i> | Port Jackson Fig, Rock Fig, Rusty Fig, Small-leaved Fig | | QH(-) | <input type="checkbox"/> |
|---|---|---|--|-------|--------------------------|

Myrsinaceae - Myrsines

| | | | | | |
|---|----------------------------|-------------------|---|-------|--------------------------|
| D | <i>Lysimachia arvensis</i> | Scarlet Pimpernel | * | QH | <input type="checkbox"/> |
| D | <i>Myrsine angusta</i> | - | | QH | <input type="checkbox"/> |
| D | <i>Myrsine howittiana</i> | Brush Muttonwood | | | <input type="checkbox"/> |
| D | <i>Myrsine variabilis</i> | Muttonwood | | QH(-) | <input type="checkbox"/> |

Myrtaceae - Myrtles - Bottlebrush, Eucalyptus and Tea-trees

| | | | | | |
|---|--|--|----|-------|--------------------------|
| D | <i>Acmena ingens</i> | Red Apple, Satinash | | QH(-) | <input type="checkbox"/> |
| D | <i>Angophora floribunda</i> | Apple Box, Boondah, Rough-barked Apple, Rusty Gum | | QH(-) | <input type="checkbox"/> |
| D | <i>Angophora subvelutina</i> | Broad-leaved Apple | | QH(-) | <input type="checkbox"/> |
| D | <i>Baeckea omissa</i> | - | | QH | <input type="checkbox"/> |
| D | <i>Calytrix tetragona</i> | Common Fringe-myrtle, Fringe Myrtle, Heath Myrtle, White Fringe-myrtle | | QH | <input type="checkbox"/> |
| D | <i>Eucalyptus andrewsii</i> | Gum-topped Peppermint, New England Blackbutt | | QH | <input type="checkbox"/> |
| D | <i>Eucalyptus banksii</i> | Tenterfield Woollybutt | | QH(-) | <input type="checkbox"/> |
| D | <i>Eucalyptus biturbinata</i> | Grey Gum, Grey Irongum, Long-capped Grey Gum | | QH | <input type="checkbox"/> |
| D | <i>Eucalyptus blakelyi</i> | Blakely's Red Gum | | QH | <input type="checkbox"/> |
| D | <i>Eucalyptus bridgesiana</i> | Apple Box, Apple Gum, But But, Swamp Apple | | QH | <input type="checkbox"/> |
| D | <i>Eucalyptus caleyi</i> subsp. <i>caleyi</i> | Caley's Ironbark | | QH | <input type="checkbox"/> |
| D | <i>Eucalyptus caliginosa</i> | Broad-leaved Stringybark, New England Stringybark | | QH | <input type="checkbox"/> |
| D | <i>Eucalyptus campanulata</i> | New England Blackbutt | | QH(-) | <input type="checkbox"/> |
| D | <i>Eucalyptus camphora</i> subsp. <i>camphora</i> | Broad-leaved Sally, Mountain Swamp Gum, Northern Swamp Gum | | QH | <input type="checkbox"/> |
| D | <i>Eucalyptus codonocarpa</i> | Bell-fruited Mallee, Border Mallee, Mallee Ash | NT | QH | <input type="checkbox"/> |
| D | <i>Eucalyptus conica</i> | Apple Box, Fuzzy Box | | QH(-) | <input type="checkbox"/> |
| D | <i>Eucalyptus dalrympleana</i> subsp. <i>heptantha</i> | Broad-leaved White Gum, Mountain White Gum | | QH | <input type="checkbox"/> |
| D | <i>Eucalyptus dealbata</i> | Baradine Gum, Hill Red Gum, Tumble-down Gum, Tumble-down Red Gum | | QH(-) | <input type="checkbox"/> |
| D | <i>Eucalyptus deanei</i> | Brown Gum, Mountain Blue Gum, Round-leaved Gum | | QH | <input type="checkbox"/> |
| D | <i>Eucalyptus elliptica</i> | Bendemeer White Gum, Brittle Gum | | QH(-) | <input type="checkbox"/> |

| | | | | | |
|---|---|--|----|-------|--------------------------|
| D | <i>Eucalyptus eugenioides</i> | Pink Blackbutt, Thin-leaved Stringybark | | QH(-) | <input type="checkbox"/> |
| D | <i>Eucalyptus interstans</i> | Narrow-leaved Cabbage Gum, Narrow-leaved Red Gum | | QH | <input type="checkbox"/> |
| D | <i>Eucalyptus laevopinea</i> | Silvertop Stringybark | | QH(-) | <input type="checkbox"/> |
| D | <i>Eucalyptus mckieana</i> | Mckie's Stringybark | | QH(-) | <input type="checkbox"/> |
| D | <i>Eucalyptus melliodora</i> | Yellow Box | | QH(-) | <input type="checkbox"/> |
| D | <i>Eucalyptus moluccana</i> | Grey Box, Gum-topped Box | | QH(-) | <input type="checkbox"/> |
| D | <i>Eucalyptus nova-anglica</i> | New England Peppermint | | QH | <input type="checkbox"/> |
| D | <i>Eucalyptus obliqua</i> | Australian Oak, Messmate, Messmate Stringybark | | | <input type="checkbox"/> |
| D | <i>Eucalyptus prava</i> | Moonbi Red Gum, Mountain Orange Gum, Orange Gum | | QH | <input type="checkbox"/> |
| D | <i>Eucalyptus radiata</i> subsp. <i>sejuncta</i> | New England Narrow-leaved Peppermint | | QH | <input type="checkbox"/> |
| D | <i>Eucalyptus saligna</i> subsp. <i>saligna</i> | Sydney Blue Gum | | QH | <input type="checkbox"/> |
| D | <i>Eucalyptus scoparia</i> | Wallangarra White Gum, Willow Gum | V | QH | <input type="checkbox"/> |
| D | <i>Eucalyptus sideroxylon</i> subsp. <i>sideroxylon</i> | Red Ironbark, Mugga | | QH(-) | <input type="checkbox"/> |
| D | <i>Eucalyptus williamsiana</i> | Large-fruited Stringybark, Large-leaved Stringybark, Williams's Stringybark | | QH | <input type="checkbox"/> |
| D | <i>Eucalyptus youmanii</i> | Large-fruited Stringybark, Red Stringybark, Youman's Stringybark | | QH | <input type="checkbox"/> |
| D | <i>Harmogia densifolia</i> | - | | QH | <input type="checkbox"/> |
| D | <i>Homoranthus inopinatus</i> | - | | QH(-) | <input type="checkbox"/> |
| D | <i>Homoranthus papillatus</i> | Mouse Bush | V | QH | <input type="checkbox"/> |
| D | <i>Kardomia granitica</i> | Granite Babingtonia | E | QH | <input type="checkbox"/> |
| D | <i>Kardomia silvestris</i> | Woodland Babingtonia | E | QH | <input type="checkbox"/> |
| D | <i>Kunzea bracteolata</i> | Granite Kunzea, White Kunzea | | QH | <input type="checkbox"/> |
| D | <i>Kunzea capitata</i> | Pink Kunzea | | QH | <input type="checkbox"/> |
| D | <i>Kunzea ericoides</i> | Burgan | | QH | <input type="checkbox"/> |
| D | <i>Kunzea obovata</i> | Pink Kunzea | | QH | <input type="checkbox"/> |
| D | <i>Leptospermum arachnoides</i> | Prickly Tea-tree | | QH | <input type="checkbox"/> |
| D | <i>Leptospermum brachyandrum</i> | Weeping Tea-tree | | QH | <input type="checkbox"/> |
| D | <i>Leptospermum brevipes</i> | Grey Tea-tree, Slender Tea-tree | | QH(-) | <input type="checkbox"/> |
| D | <i>Leptospermum brevipes</i> x <i>L. microcarpum</i> | - | | QH(-) | <input type="checkbox"/> |
| D | <i>Leptospermum gregarium</i> | - | | QH | <input type="checkbox"/> |
| D | <i>Leptospermum microcarpum</i> | Small-fruited May, Small-fruited Tea-tree | | QH | <input type="checkbox"/> |
| D | <i>Leptospermum minutifolium</i> | Small-leaved Tea-tree | | QH | <input type="checkbox"/> |
| D | <i>Leptospermum novae-angliae</i> | New England Tea-tree | | QH | <input type="checkbox"/> |
| D | <i>Leptospermum polygalifolium</i> | Common Tea-tree, Tantoon, Yellow Tea-tree, Wild May | | QH | <input type="checkbox"/> |
| D | <i>Leptospermum trinervium</i> | Flaky-barked Tea-tree, Paperbark Tea-tree, Slender Tea-tree, Woolly Tea-tree | | QH | <input type="checkbox"/> |
| D | <i>Melaleuca alternifolia</i> | Narrow-leaved Tea-tree, Narrow-leaved Paperbark, Paper Bark, Snow in Summer | | QH(-) | <input type="checkbox"/> |
| D | <i>Melaleuca flavovirens</i> | Green Bottlebrush | NT | QH | <input type="checkbox"/> |
| D | <i>Melaleuca linearis</i> var. <i>linearis</i> | Narrow-leaved Bottlebrush | | QH | <input type="checkbox"/> |
| D | <i>Melaleuca pallida</i> | Lemon Bottlebrush, Yellow Bottlebrush | | QH | <input type="checkbox"/> |
| D | <i>Melaleuca paludicola</i> | River Bottlebrush | | QH(-) | <input type="checkbox"/> |
| D | <i>Melaleuca pityoides</i> | Alpine Bottlebrush | | QH | <input type="checkbox"/> |

| | | | | |
|--|--|---|---------|--------------------------|
| D | <i>Melaleuca sabrina</i> | - | | <input type="checkbox"/> |
| D | <i>Melaleuca thymifolia</i> | Thyme Honey-myrtle | QH(-) | <input type="checkbox"/> |
| D | <i>Melaleuca viminalis</i> | Drooping Bottlebrush, Red Bottlebrush, River Bottlebrush, Weeping Bottlebrush | QH(-) | <input type="checkbox"/> |
| D | <i>Melaleuca williamsii</i> subsp. <i>fletcheri</i> | Prickly Bottlebrush | V QH | <input type="checkbox"/> |
| D | <i>Micromyrtus ciliata</i> | Fringed Heath-myrtle | QH(-) | <input type="checkbox"/> |
| D | <i>Micromyrtus sessilis</i> | Granite Heath | QH | <input type="checkbox"/> |
| D | <i>Sannantha angusta</i> | Clarence River Baeckea | QH | <input type="checkbox"/> |
| Olacaceae | | | | <input type="checkbox"/> |
| D | <i>Olex stricta</i> | Narrow-leaf Olax | QH | <input type="checkbox"/> |
| Oleaceae - Olives | | | | <input type="checkbox"/> |
| D | <i>Notelaea linearis</i> | Narrow-leaved Mock-olive, Native Olive | QH | <input type="checkbox"/> |
| D | <i>Notelaea longifolia</i> forma <i>longifolia</i> | Large Mock-olive, Long-leaved Mock-olive | QH | <input type="checkbox"/> |
| D | <i>Notelaea microcarpa</i> var. <i>velutina</i> | Gorge Mock-olive | QH(-) | <input type="checkbox"/> |
| D | <i>Notelaea venosa</i> | Large Mock-olive, Large-leaved Mock-olive, Smooth Mock-olive, Veined Mock-olive, Veiny Mock-olive | QH | <input type="checkbox"/> |
| Onagraceae - Evening Primroses or Willowherbs | | | | |
| D | <i>Epilobium billardierianum</i> subsp. <i>cinereum</i> | Grey Willow-herb, Hairy Willow-herb, Smooth Willow-herb, Variable Willow-herb | QH(-) | <input type="checkbox"/> |
| D | <i>Epilobium billardierianum</i> subsp. <i>hydrophilum</i> | Robust Willow-herb, Water Willow-herb | QH(-) | <input type="checkbox"/> |
| D | <i>Epilobium hirtigerum</i> | Hairy Willow-herb, Hoary Willow-herb, Narrow-leaf Willow-herb, Variable Willow-herb | QH | <input type="checkbox"/> |
| D | <i>Oenothera glazioviana</i> | Large-flowered Evening Primrose, Redsepal Evening Primrose | * QH(-) | <input type="checkbox"/> |
| D | <i>Oenothera mollissima</i> | - | * QH | <input type="checkbox"/> |
| D | <i>Oenothera stricta</i> subsp. <i>stricta</i> | Common Evening Primrose | * QH(-) | <input type="checkbox"/> |
| Orchidaceae - Orchids | | | | |
| M | <i>Acianthus exsertus</i> | Dark Mosquito Orchid, Gnat Orchid | QH | <input type="checkbox"/> |
| M | <i>Bulbophyllum elisae</i> | Pineapple Orchid | QH | <input type="checkbox"/> |
| M | <i>Caladenia atroclavia</i> | Black-clubbed Spider Orchid | E QH | <input type="checkbox"/> |
| M | <i>Caladenia carnea</i> var. <i>carnea</i> | Pink Fairy, Pink Fingers, Pinkies | QH(-) | <input type="checkbox"/> |
| M | <i>Caladenia flaccida</i> | Daddy Long Legs, Flaccid Spider Orchid | | <input type="checkbox"/> |
| M | <i>Caladenia fuscata</i> | Dusky Fingers | QH | <input type="checkbox"/> |
| M | <i>Caladenia</i> sp. (Stanthorpe R.Crane 1448) | - | QH(-) | <input type="checkbox"/> |
| M | <i>Caleana major</i> | Bee Orchid, Duck Orchid, Flying Duck Orchid, Flying Ducks, Large Duck Orchid | QH(-) | <input type="checkbox"/> |
| M | <i>Calochilus campestris</i> | Copper Beard Orchid | | <input type="checkbox"/> |
| M | <i>Calochilus gracillimus</i> | Late Beard Orchid, Slender Beard Orchid | QH | <input type="checkbox"/> |
| M | <i>Calochilus robertsonii</i> | Purple Beard Orchid, Brown Beards Orchid, Father Christmas Orchid, Swamp Beard Orchid | QH | <input type="checkbox"/> |
| M | <i>Chiloglottis diphylla</i> | Beetle Orchid, Common Wasp Orchid | QH | <input type="checkbox"/> |
| M | <i>Chiloglottis truncata</i> | Common Ant Orchid, Small Ant Orchid | QH | <input type="checkbox"/> |
| M | <i>Corybas hispidus</i> | Bristly Helmet Orchid | | <input type="checkbox"/> |

| | | | | |
|---|---|--|-------|--------------------------|
| M | <i>Cryptostylis erecta</i> | Bonnet Orchid, Tartan Tongue Orchid | QH | <input type="checkbox"/> |
| M | <i>Cryptostylis leptochila</i> | Small Tongue Orchid | QH | <input type="checkbox"/> |
| M | <i>Cryptostylis subulata</i> | Cow Orchid, Duckbill Orchid, Large Tongue Orchid | QH | <input type="checkbox"/> |
| M | <i>Cyanicula caerulea</i> | Blue Caladenia, Blue Fairy, Eastern Tiny Blue China Orchid, Parson-in-the-Pulpit | QH | <input type="checkbox"/> |
| M | <i>Cymbidium canaliculatum</i> | Arrowroot Orchid, Black Orchid, Channelled Boat-lip Orchid, Dampy-ampy, Tiger Boat-lip Orchid, Tiger Orchid, White-tongued Cymbidium | QH | <input type="checkbox"/> |
| M | <i>Cyrtostylis reniformis</i> | Common Gnat Orchid, Gnat Orchid, Mosquito Orchid | QH | <input type="checkbox"/> |
| M | <i>Dendrobium kingianum</i> subsp. <i>kingianum</i> | Lily-of-the-Valley Orchid, Pink Rock Orchid | QH | <input type="checkbox"/> |
| M | <i>Dendrobium speciosum</i> subsp. <i>hillii</i> | King Orchid, Pale King Orchid, Rock Lily, Rock Orchid | | <input type="checkbox"/> |
| M | <i>Dipodium hamiltonianum</i> | Green Hyacinth Orchid, Yellow Hyacinth Orchid | | <input type="checkbox"/> |
| M | <i>Dipodium punctatum</i> | Blotched Hyacinth Orchid | QH | <input type="checkbox"/> |
| M | <i>Dipodium roseum</i> | Pink Hyacinth Orchid, Rosy Hyacinth Orchid | | <input type="checkbox"/> |
| M | <i>Dipodium variegatum</i> | Slender Hyacinth Orchid | QH | <input type="checkbox"/> |
| M | <i>Diuris abbreviata</i> | Lemon Doubletail, Nodding Doubletail | QH | <input type="checkbox"/> |
| M | <i>Diuris chrysantha</i> | Double Tails, Granite Donkey Orchid | QH | <input type="checkbox"/> |
| M | <i>Diuris punctata</i> var. <i>punctata</i> | Purple Donkey Orchid | QH | <input type="checkbox"/> |
| M | <i>Diuris sulphurea</i> | Hornet Orchid, Tiger Orchid | | <input type="checkbox"/> |
| M | <i>Dockrillia linguiformis</i> | Button Orchid, Thumb-nail Orchid, Tick Orchid, Tongue Orchid | QH | <input type="checkbox"/> |
| M | <i>Dockrillia pugioniformis</i> | Dagger Orchid | QH | <input type="checkbox"/> |
| M | <i>Eriochilus cucullatus</i> | Leafless Parson's Bands, Pink Autumn Orchid | QH | <input type="checkbox"/> |
| M | <i>Erythrorchis cassythoides</i> | Black Boot-lace Orchid, Climbing Orchid, Leafless Climbing Orchid, Small Climbing Orchid | QH | <input type="checkbox"/> |
| M | <i>Gastrodia sesamoides</i> | Bell Orchid, Cinnamon Bells, Common Potato Orchid | QH | <input type="checkbox"/> |
| M | <i>Genoplesium archeri</i> | Elfin Midge Orchid, Variable Midge Orchid | QH | <input type="checkbox"/> |
| M | <i>Genoplesium fimbriatum</i> | Fringed Midge Orchid | QH | <input type="checkbox"/> |
| M | <i>Genoplesium rufum</i> | Red Midge Orchid, Rufous Midge Orchid | | <input type="checkbox"/> |
| M | <i>Genoplesium sagittiferum</i> | Horned Midge Orchid | QH | <input type="checkbox"/> |
| M | <i>Genoplesium sigmoideum</i> | Dave's Creek Midge Orchid | NT QH | <input type="checkbox"/> |
| M | <i>Glossodia major</i> | Parson-in-the-Pulpit, Wax Lip Orchid | QH | <input type="checkbox"/> |
| M | <i>Glossodia minor</i> | Small Wax Lip Orchid | QH | <input type="checkbox"/> |
| M | <i>Lyperanthus suaveolens</i> | Brown Beaks | QH | <input type="checkbox"/> |
| M | <i>Microtis parviflora</i> | Slender Mignonette Orchid, Slender Onion Orchid | QH | <input type="checkbox"/> |
| M | <i>Orthoceras strictum</i> | Bird's-mouth Orchid, Horned Orchid | QH | <input type="checkbox"/> |
| M | <i>Paracaleana minor</i> | Small Duck Orchid | QH | <input type="checkbox"/> |
| M | <i>Prasophyllum flavum</i> | Yellow Leek Orchid | QH | <input type="checkbox"/> |
| M | <i>Prasophyllum odoratum</i> | Fragrant Leek Orchid, Pretty Leek Orchid, Scented Leek Orchid | | <input type="checkbox"/> |
| M | <i>Pterostylis bicolor</i> | Black-tip Greenhood | QH | <input type="checkbox"/> |
| M | <i>Pterostylis curta</i> | Blunt Greenhood | QH | <input type="checkbox"/> |
| M | <i>Pterostylis daintreana</i> | Daintree's Greenhood | QH | <input type="checkbox"/> |
| M | <i>Pterostylis fischii</i> | Fisch's Greenhood | QH | <input type="checkbox"/> |
| M | <i>Pterostylis hamata</i> | Hooked Greenhood, Scaly Greenhood, Southern Hooked Rustyhood | QH | <input type="checkbox"/> |
| M | <i>Pterostylis longicurva</i> | Long-tongued Greenhood | QH | <input type="checkbox"/> |

| | | | | |
|---|---|--|-------|--------------------------|
| M | <i>Pterostylis longifolia</i> | Tall Greenhood, Narrow-lip Leafy Greenhood | QH | <input type="checkbox"/> |
| M | <i>Pterostylis mitchellii</i> | Mitchell's Rustyhood | | <input type="checkbox"/> |
| M | <i>Pterostylis mutica</i> | Blunt Greenhood, Midget Greenhood | QH(-) | <input type="checkbox"/> |
| M | <i>Pterostylis nutans</i> | Nodding Greenhood, Parrot's Beak Orchid | QH | <input type="checkbox"/> |
| M | <i>Pterostylis obtusa</i> | Blunt-tongue Greenhood, Hindmarsh Greenhood | | <input type="checkbox"/> |
| M | <i>Pterostylis parviflora</i> | Baby Greenhood, Red-tip Greenhood, Tiny Greenhood | | <input type="checkbox"/> |
| M | <i>Pterostylis pedunculata</i> | Maroonhood, Red Riding Hood | QH | <input type="checkbox"/> |
| M | <i>Pterostylis praetermissa</i> | Mount Kaputar Rustyhood | | <input type="checkbox"/> |
| M | <i>Pterostylis revoluta</i> | Autumn Greenhood | QH | <input type="checkbox"/> |
| M | <i>Pterostylis rufa</i> | Red Rustyhood, Ruddy Greenhood, Rufous Greenhood, Ruddy Hood, Rusty Hood | QH | <input type="checkbox"/> |
| M | <i>Pterostylis vitrea</i> | Glassy Leaf Greenhood | | <input type="checkbox"/> |
| M | <i>Pterostylis woollsii</i> | Long-tailed Greenhood | QH | <input type="checkbox"/> |
| M | <i>Spiranthes sinensis</i> | Austral Ladies' Tresses, Chinese Spiranthes, Ladies' Tresses, Pink Spiral Orchid | QH | <input type="checkbox"/> |
| M | <i>Thelymitra carnea</i> | Pink Sun Orchid, Small Pink Sun Orchid, Tiny Sun Orchid | QH | <input type="checkbox"/> |
| M | <i>Thelymitra ixiooides</i> var. <i>ixiooides</i> | Dotted Sun Orchid, Spotted Sun Orchid | QH | <input type="checkbox"/> |
| M | <i>Thelymitra nuda</i> | Plain Sun Orchid, Scented Sun Orchid | QH | <input type="checkbox"/> |
| M | <i>Thelymitra pauciflora</i> | Blue Sun Orchid, Slender Sun Orchid | QH | <input type="checkbox"/> |

Orobanchaceae - Broomrapes

| | | | | |
|---|--|---|-------|--------------------------|
| D | <i>Euphrasia collina</i> subsp. <i>paludosa</i> | Purple Eyebright, Swamp Eyebright | QH | <input type="checkbox"/> |
| D | <i>Euphrasia orthocheila</i> subsp. <i>peraspera</i> | Tenterfield Eyebright, Yellow Eyebright | NT QH | <input type="checkbox"/> |
| D | <i>Euphrasia ramulosa</i> | Eyebright | QH(-) | <input type="checkbox"/> |

Oxalidaceae - Wood Sorrels

| | | | | |
|---|-------------------|---------------------|------|--------------------------|
| D | <i>Oxalis</i> sp. | Oxalis, Wood Sorrel | * QH | <input type="checkbox"/> |
|---|-------------------|---------------------|------|--------------------------|

Papaveraceae - Poppies

| | | | | |
|---|--|-------------------------|---------|--------------------------|
| D | <i>Fumaria muralis</i> subsp. <i>muralis</i> | Wall Fumitory | * QH | <input type="checkbox"/> |
| D | <i>Fumaria officinalis</i> subsp. <i>officinalis</i> | Common Fumitory | * QH(-) | <input type="checkbox"/> |
| D | <i>Papaver hybridum</i> | Rough Poppy, Wild Poppy | * QH(-) | <input type="checkbox"/> |

Philydraceae

| | | | | |
|---|------------------------------|--|----|--------------------------|
| M | <i>Philydrum lanuginosum</i> | Frogsmouth, Woolly Frogmouth, Woolly Waterlily | QH | <input type="checkbox"/> |
|---|------------------------------|--|----|--------------------------|

Phyllanthaceae

| | | | | |
|---|---------------------------------|--------------------------------|-------|--------------------------|
| D | <i>Phyllanthus gunnii</i> | Scrubby Spurge, Shrubby Spurge | QH(-) | <input type="checkbox"/> |
| D | <i>Phyllanthus mitchellii</i> | Leafflower | QH | <input type="checkbox"/> |
| D | <i>Phyllanthus occidentalis</i> | - | QH | <input type="checkbox"/> |
| D | <i>Phyllanthus virgatus</i> | Twiggy Phyllanthus | QH(-) | <input type="checkbox"/> |
| D | <i>Poranthera corymbosa</i> | Clustered Poranthera | QH | <input type="checkbox"/> |
| D | <i>Poranthera microphylla</i> | Small Poranthera | QH | <input type="checkbox"/> |
| D | <i>Sauropus hirtellus</i> | Thyme Spurge | | <input type="checkbox"/> |

Phytolaccaceae - Pokeweeds

| | | | | | |
|---|----------------------------|-----------------------------------|---|----|--------------------------|
| D | <i>Phytolacca octandra</i> | Dye Berry, Inkweed, Red Ink Plant | * | QH | <input type="checkbox"/> |
|---|----------------------------|-----------------------------------|---|----|--------------------------|

Picrodendraceae

| | | | | | |
|---|------------------------------|----------------------------|--|-------|--------------------------|
| D | <i>Micrantheum ericoides</i> | - | | QH(-) | <input type="checkbox"/> |
| D | <i>Micrantheum hexandrum</i> | Box Micrantheum, River Box | | QH | <input type="checkbox"/> |

Pittosporaceae

| | | | | | |
|---|---|---|--|----|--------------------------|
| D | <i>Billardiera scandens</i> | Common Apple-berry, Dumplings, Hairy Apple-berry | | QH | <input type="checkbox"/> |
| D | <i>Bursaria spinosa</i> subsp. <i>spinosa</i> | Australian Blackthorn, Blackthorn, Prickly Pine, Sweet Bursaria, Kurwan (D'harawal) | | QH | <input type="checkbox"/> |
| D | <i>Cheiranthra borealis</i> | Finger Flower | | QH | <input type="checkbox"/> |
| D | <i>Pittosporum undulatum</i> | Engraver Wood, Mock Orange, Native Daphne, Native Laurel, Snowdrop Tree, Sweet Pittosporum, Wave Leaved Pittosporum | | | <input type="checkbox"/> |
| D | <i>Rhytidosporum diosmoides</i> | White Marianth | | | <input type="checkbox"/> |

Plantaginaceae - Plantains

| | | | | | |
|---|---|--|---|-------|--------------------------|
| D | <i>Gratiola peruviana</i> | Austral Brooklime | | QH(-) | <input type="checkbox"/> |
| D | <i>Nuttallanthus canadensis</i> | Blue Toadflax, Canada Toadflax, Old-field Toadflax | * | QH | <input type="checkbox"/> |
| D | <i>Plantago coronopus</i> subsp. <i>coronopus</i> | Buck's Horn Plantain | * | QH(-) | <input type="checkbox"/> |
| D | <i>Plantago debilis</i> | Native Plantain, Shade Plantain | | | <input type="checkbox"/> |
| D | <i>Plantago gaudichaudii</i> | Narrow Plantain, Narrow-leaf Plantain | | QH(-) | <input type="checkbox"/> |
| D | <i>Plantago hispida</i> | Hairy Plantain | | QH(-) | <input type="checkbox"/> |
| D | <i>Plantago lanceolata</i> | Lamb's Tongue, Common Plantain, Ribgrass, Ribwort Plantain | * | QH(-) | <input type="checkbox"/> |
| D | <i>Veronica arenaria</i> | Granite Speedwell | | QH | <input type="checkbox"/> |
| D | <i>Veronica arvensis</i> | Corn Speedwell, Wall Speedwell, Wandering Speedwell | * | QH(-) | <input type="checkbox"/> |
| D | <i>Veronica plebia</i> | Common Speedwell, Creeping Speedwell, Trailing Speedwell | | QH | <input type="checkbox"/> |

Poaceae - The "True Grasses"

| | | | | | |
|---|---|---|---|-------|--------------------------|
| M | <i>Agrostis bettyae</i> | Alpine Winter Bent-grass, Forest Bent-grass | | QH | <input type="checkbox"/> |
| M | <i>Agrostis gigantea</i> | Red-top Bent-grass | * | QH(-) | <input type="checkbox"/> |
| M | <i>Aira caryophyllea</i> subsp. <i>caryophyllea</i> | Silvery Hairgrass | * | QH(-) | <input type="checkbox"/> |
| M | <i>Aira cupaniana</i> | Silvery Hairgrass | * | QH(-) | <input type="checkbox"/> |
| M | <i>Alloteropsis semialata</i> | Cockatoo Grass | | QH(-) | <input type="checkbox"/> |
| M | <i>Amphipogon caricinus</i> var. <i>scaber</i> | Long Greybeard Grass | | QH(-) | <input type="checkbox"/> |
| M | <i>Amphipogon strictus</i> | Greybeard Grass | | QH(-) | <input type="checkbox"/> |
| M | <i>Andropogon virginicus</i> | Broomsedge, Whiskey Grass | * | | <input type="checkbox"/> |
| M | <i>Anthosachne plurinervis</i> | - | | QH(-) | <input type="checkbox"/> |
| M | <i>Anthosachne scabra</i> | Common Wheatgrass | | QH(-) | <input type="checkbox"/> |
| M | <i>Anthoxanthum odoratum</i> | Scented Vernal Grass, Sweet Vernal Grass | * | QH | <input type="checkbox"/> |
| M | <i>Aristida benthamii</i> var. <i>spinulifera</i> | Three-awned Speargrass | | QH | <input type="checkbox"/> |
| M | <i>Aristida caput-medusae</i> | Many-headed Wiregrass | | QH(-) | <input type="checkbox"/> |
| M | <i>Aristida contorta</i> | Bunched Kerosene Grass | | QH(-) | <input type="checkbox"/> |
| M | <i>Aristida jerichoensis</i> var. <i>jerichoensis</i> | Jericho Wiregrass | | QH(-) | <input type="checkbox"/> |

| | | | | |
|---|---|--|---------|--------------------------|
| M | <i>Aristida jerichoensis</i> var. <i>subspinulifera</i> | Blue Speargrass, Jericho Wiregrass | QH | <input type="checkbox"/> |
| M | <i>Aristida muricata</i> | - | QH(-) | <input type="checkbox"/> |
| M | <i>Aristida personata</i> | Purple Wiregrass | QH(-) | <input type="checkbox"/> |
| M | <i>Aristida ramosa</i> | Cane Wiregrass, Purple Wiregrass | QH | <input type="checkbox"/> |
| M | <i>Aristida vagans</i> | Three-awned Speargrass | QH(-) | <input type="checkbox"/> |
| M | <i>Aristida warburgii</i> | Twisted Wiregrass | QH(-) | <input type="checkbox"/> |
| M | <i>Arundinella nepalensis</i> | Dardy's Oats, Reedgrass | QH(-) | <input type="checkbox"/> |
| M | <i>Arundo donax</i> | Arundo, Bamboo, Elephant Grass, Giant Reed | * QH(-) | <input type="checkbox"/> |
| M | <i>Austrostipa densiflora</i> | Brush-tail Speargrass, Foxtail Speargrass | QH(-) | <input type="checkbox"/> |
| M | <i>Austrostipa pubescens</i> | - | QH(-) | <input type="checkbox"/> |
| M | <i>Austrostipa rudis</i> subsp. <i>nervosa</i> | Tall Speargrass | QH | <input type="checkbox"/> |
| M | <i>Austrostipa rudis</i> subsp. <i>rudis</i> | Tall Speargrass | QH | <input type="checkbox"/> |
| M | <i>Austrostipa scabra</i> subsp. <i>scabra</i> | Rough Speargrass | QH(-) | <input type="checkbox"/> |
| M | <i>Austrostipa setacea</i> | Corkscrew Grass | QH(-) | <input type="checkbox"/> |
| M | <i>Austrostipa verticillata</i> | Bamboo Speargrass | QH(-) | <input type="checkbox"/> |
| M | <i>Avena ludoviciana</i> | Ludo Wild Oats, Wild Oat | * QH(-) | <input type="checkbox"/> |
| M | <i>Bothriochloa decipiens</i> var. <i>decipiens</i> | Pitted Blue-grass | QH(-) | <input type="checkbox"/> |
| M | <i>Briza maxima</i> | Blowfly Grass, Giant Shivery Grass, Large Quaking Grass, Quaking Grass, Shell Grass, Shivery Grass | * QH(-) | <input type="checkbox"/> |
| M | <i>Briza minor</i> | Lesser Quaking Grass, Little Quaking Grass, Quaking Grass, Shivery Grass, Small Shivery Grass, Small Quaking Grass | * QH | <input type="checkbox"/> |
| M | <i>Bromus arenarius</i> | Australian Chess, Barley Grass, Native Brome, Sand Brome, Wild Oats | QH(-) | <input type="checkbox"/> |
| M | <i>Bromus catharticus</i> | Prairie Grass | * QH(-) | <input type="checkbox"/> |
| M | <i>Bromus diandrus</i> | Brome Grass, Great Brome, Jabbers, Ripgut Brome | * QH(-) | <input type="checkbox"/> |
| M | <i>Bromus hordeaceus</i> | Bull Grass, Soft Brome, Soft Cheat, Soft Chess | * QH(-) | <input type="checkbox"/> |
| M | <i>Capillipedium parviflorum</i> | Scented Top, Scented-top Grass | QH(-) | <input type="checkbox"/> |
| M | <i>Cenchrus purpurascens</i> | Swamp Foxtail | QH(-) | <input type="checkbox"/> |
| M | <i>Cenchrus spinifex</i> | Spiny Burr Grass | * QH(-) | <input type="checkbox"/> |
| M | <i>Chloris truncata</i> | Blow-away Grass, Windmill Grass | QH(-) | <input type="checkbox"/> |
| M | <i>Chloris ventricosa</i> | Blue Star Grass, Durawigura (D'harawal), Plump Windmill Grass, Tall Chloris, Tall Windmill Grass, Umbrella Grass | QH(-) | <input type="checkbox"/> |
| M | <i>Chrysopogon fallax</i> | Golden Beardgrass | | <input type="checkbox"/> |
| M | <i>Cymbopogon obtectus</i> | Silkyheads | QH | <input type="checkbox"/> |
| M | <i>Cymbopogon refractus</i> | Barbed-wire Grass, Kangaroo Grass, Turpentine Grass | QH | <input type="checkbox"/> |
| M | <i>Deyeuxia decipiens</i> | Devious Bent-grass | QH | <input type="checkbox"/> |
| M | <i>Deyeuxia gunniana</i> | Slender Alpine Bent-grass | QH | <input type="checkbox"/> |
| M | <i>Deyeuxia imbricata</i> | Bent-grass | QH(-) | <input type="checkbox"/> |
| M | <i>Deyeuxia parviseta</i> | Fine Bent-grass | QH | <input type="checkbox"/> |
| M | <i>Dichelachne crinita</i> | Longhair Plumegrass | QH | <input type="checkbox"/> |
| M | <i>Dichelachne inaequiglumis</i> | Loose Plumegrass | QH(-) | <input type="checkbox"/> |
| M | <i>Dichelachne micrantha</i> | Shorthair Plume Grass | QH | <input type="checkbox"/> |
| M | <i>Dichelachne parva</i> | - | QH(-) | <input type="checkbox"/> |
| M | <i>Dichelachne rara</i> | Plume Grass | QH(-) | <input type="checkbox"/> |
| M | <i>Digitaria breviglumis</i> | Cotton Panic | | <input type="checkbox"/> |

| | | | | | |
|---|--|--|---|-------|--------------------------|
| M | <i>Digitaria brownii</i> | Cotton Grass | | QH(-) | <input type="checkbox"/> |
| M | <i>Digitaria diffusa</i> | Fingergrass, Open Summer-grass | | QH(-) | <input type="checkbox"/> |
| M | <i>Digitaria diminuta</i> | - | | QH(-) | <input type="checkbox"/> |
| M | <i>Digitaria divaricatissima</i> | Spider Grass, Spider Panic, Spreading Umbrella Grass, Star Grass, Umbrella Grass | | QH(-) | <input type="checkbox"/> |
| M | <i>Digitaria imbricata</i> | - | | QH(-) | <input type="checkbox"/> |
| M | <i>Digitaria ramularis</i> | Crabgrass, Finger Panic Grass | | QH | <input type="checkbox"/> |
| M | <i>Digitaria sanguinalis</i> | Hairy Crabgrass, Large Crabgrass | * | QH(-) | <input type="checkbox"/> |
| M | <i>Echinochloa crus-galli</i> | Barnyard Grass | * | QH(-) | <input type="checkbox"/> |
| M | <i>Echinopogon caespitosus</i> var. <i>caespitosus</i> | Tufted Hedgehog Grass | | QH | <input type="checkbox"/> |
| M | <i>Echinopogon intermedius</i> | Erect Hedgehog Grass | | QH(-) | <input type="checkbox"/> |
| M | <i>Echinopogon ovatus</i> | Forest Hedgehog Grass | | QH(-) | <input type="checkbox"/> |
| M | <i>Eleusine indica</i> | Crabgrass, Crows-foot Grass | * | QH(-) | <input type="checkbox"/> |
| M | <i>Eleusine tristachya</i> | American Crows-foot Grass, Crabgrass, Goose Grass | * | QH(-) | <input type="checkbox"/> |
| M | <i>Enneapogon intermedius</i> | Tall Bottl washers | | QH(-) | <input type="checkbox"/> |
| M | <i>Entolasia marginata</i> | Bordered Panic | | QH | <input type="checkbox"/> |
| M | <i>Entolasia stricta</i> | Wiry Panic | | QH | <input type="checkbox"/> |
| M | <i>Entolasia whiteana</i> | - | | QH(-) | <input type="checkbox"/> |
| M | <i>Eragrostis brownii</i> | Brown's Lovegrass | | QH | <input type="checkbox"/> |
| M | <i>Eragrostis cilianensis</i> | Black Grass, Stinkgrass | * | QH(-) | <input type="checkbox"/> |
| M | <i>Eragrostis curvula</i> | African Lovegrass, Weeping Lovegrass | * | QH | <input type="checkbox"/> |
| M | <i>Eragrostis leptostachya</i> | Paddock Lovegrass | | QH(-) | <input type="checkbox"/> |
| M | <i>Eragrostis parviflora</i> | Weeping Lovegrass | | QH(-) | <input type="checkbox"/> |
| M | <i>Eragrostis sororia</i> | Lovegrass | | QH(-) | <input type="checkbox"/> |
| M | <i>Eragrostis spartinoides</i> | - | | QH | <input type="checkbox"/> |
| M | <i>Eremochloa bimaculata</i> | Poverty Grass | | QH(-) | <input type="checkbox"/> |
| M | <i>Eulalia aurea</i> | Silky Browntop | | QH(-) | <input type="checkbox"/> |
| M | <i>Glyceria maxima</i> | Reed Sweetgrass, Water Meadow-grass | * | QH | <input type="checkbox"/> |
| M | <i>Hemarthria uncinata</i> var. <i>uncinata</i> | Matgrass | | QH(-) | <input type="checkbox"/> |
| M | <i>Holcus lanatus</i> | Meadow Soft-grass, Yorkshire Fog | * | QH | <input type="checkbox"/> |
| M | <i>Hordeum glaucum</i> | Barley Grass, Northern Barley Grass | * | QH(-) | <input type="checkbox"/> |
| M | <i>Hyparrhenia hirta</i> | Common Thatching Grass, Coolatai Grass | * | QH | <input type="checkbox"/> |
| M | <i>Imperata cylindrica</i> | Blady Grass | | QH | <input type="checkbox"/> |
| M | <i>Isachne globosa</i> | Swamp Millet | | QH | <input type="checkbox"/> |
| M | <i>Lachnagrostis filiformis</i> | Blown Grass | | QH(-) | <input type="checkbox"/> |
| M | <i>Lolium perenne</i> | Perennial Ryegrass | * | QH(-) | <input type="checkbox"/> |
| M | <i>Lolium perenne</i> x <i>L. rigidum</i> | Ryegrass | * | QH(-) | <input type="checkbox"/> |
| M | <i>Lolium</i> x <i>hubbardii</i> | Ryegrass | * | QH(-) | <input type="checkbox"/> |
| M | <i>Microlaena stipoides</i> var. <i>stipoides</i> | Meadow Rice-grass, Weeping Grass | | QH | <input type="checkbox"/> |
| M | <i>Oplismenus imbecillis</i> | Creeping Beardgrass, Pademelon Grass | | QH(-) | <input type="checkbox"/> |
| M | <i>Panicum effusum</i> | Branched Panic, Hairy Panic | | QH(-) | <input type="checkbox"/> |
| M | <i>Panicum obseptum</i> | Dwarf Panic, White Water Panic | | QH(-) | <input type="checkbox"/> |
| M | <i>Paspalidium gracile</i> | Graceful Panic Grass, Slender Panic | | QH(-) | <input type="checkbox"/> |
| M | <i>Paspalum dilatatum</i> | Caterpillar Grass, Dallis Grass, Golden Crown Grass, Paspalum, Water Couch | * | QH(-) | <input type="checkbox"/> |
| M | <i>Paspalum distichum</i> | Water Couch | | QH(-) | <input type="checkbox"/> |

| | | | | | |
|---|--|--|---|-------|--------------------------|
| M | <i>Paspalum urvillei</i> | Vasey Grass | * | QH(-) | <input type="checkbox"/> |
| M | <i>Phalaris paradoxa</i> | Bristle-spiked Canary Grass | * | QH(-) | <input type="checkbox"/> |
| M | <i>Phragmites australis</i> | Common Reed | | QH(-) | <input type="checkbox"/> |
| M | <i>Phyllostachys aurea</i> | Fishpole Bamboo, Golden Bamboo | * | QH(-) | <input type="checkbox"/> |
| M | <i>Poa labillardierei</i> var. <i>labillardierei</i> | Silver Tussock, Tussock Grass | | QH(-) | <input type="checkbox"/> |
| M | <i>Poa sieberiana</i> var. <i>hirtella</i> | Grey Tussock-grass | | QH | <input type="checkbox"/> |
| M | <i>Poa sieberiana</i> var. <i>sieberiana</i> | Fine-leaf Tussock-grass, Grey Tussock-grass, Snowgrass | | QH | <input type="checkbox"/> |
| M | <i>Rostraria cristata</i> | Annual Cat's Tail | * | QH(-) | <input type="checkbox"/> |
| M | <i>Rytidosperma longifolium</i> | Long-leaved Wallaby-grass | | QH | <input type="checkbox"/> |
| M | <i>Rytidosperma racemosum</i> var. <i>obtusatum</i> | Slender Wallaby-grass, Striped Wallaby-grass | | QH(-) | <input type="checkbox"/> |
| M | <i>Rytidosperma racemosum</i> var. <i>racemosum</i> | Slender Wallaby-grass, Striped Wallaby-grass | | QH | <input type="checkbox"/> |
| M | <i>Rytidosperma tenuius</i> | Short-awn Wallaby-grass | | QH(-) | <input type="checkbox"/> |
| M | <i>Sarga leiocladum</i> | Wild Sorghum | | QH | <input type="checkbox"/> |
| M | <i>Setaria parviflora</i> | Small-flowered Pigeon Grass | * | QH(-) | <input type="checkbox"/> |
| M | <i>Setaria pumila</i> subsp. <i>pumila</i> | Pale Pigeon Grass, Pigeon Grass | * | QH(-) | <input type="checkbox"/> |
| M | <i>Sorghum halepense</i> | Aleppo Grass, Evergreen Millet, Johnson Grass | * | QH(-) | <input type="checkbox"/> |
| M | <i>Sorghum x drummondii</i> | Sudan Grass | * | QH(-) | <input type="checkbox"/> |
| M | <i>Sporobolus creber</i> | Slender Rat's Tail Grass, Western Rat-tail Grass | | QH(-) | <input type="checkbox"/> |
| M | <i>Sporobolus elongatus</i> | Hairy Grass, Rat's Tail Grass, Slender Rat's Tail Grass, Yakka Grass | | | <input type="checkbox"/> |
| M | <i>Sporobolus natalensis</i> | Giant Rat's Tail Grass | * | QH(-) | <input type="checkbox"/> |
| M | <i>Sylvipoa queenslandica</i> | Queensland Grass, Queensland Poa | | QH(-) | <input type="checkbox"/> |
| M | <i>Themeda triandra</i> | Kangaroo Grass | | QH(-) | <input type="checkbox"/> |
| M | <i>Tragus australianus</i> | Small Burrgrass | | QH(-) | <input type="checkbox"/> |
| M | <i>Triodia mitchellii</i> | Buck Spinifex, Porcupine Grass, Warrego Spinifex | | QH | <input type="checkbox"/> |
| M | <i>Triodia scariosa</i> | Porcupine Grass | | QH(-) | <input type="checkbox"/> |
| M | <i>Tripogon loliiformis</i> | Fiveminute Grass | | QH(-) | <input type="checkbox"/> |
| M | <i>Vulpia bromoides</i> | Silver Grass, Squirrel Tail Fescue | * | QH(-) | <input type="checkbox"/> |
| M | <i>Vulpia muralis</i> | Wall Fescue | * | QH(-) | <input type="checkbox"/> |
| M | <i>Vulpia myuros</i> forma <i>myuros</i> | Fox Tail Fescue, Rat's Tail Fescue | * | QH(-) | <input type="checkbox"/> |

Polygalaceae - includes the Milkworts

| | | | | | |
|---|---------------------------------|--------------------------------|--|-------|--------------------------|
| D | <i>Comesperma defoliatum</i> | Leafless Milkwort | | QH | <input type="checkbox"/> |
| D | <i>Comesperma retusum</i> | Match Heads, Mountain Milkwort | | QH | <input type="checkbox"/> |
| D | <i>Comesperma sphaerocarpum</i> | Broom Milkwort | | QH(-) | <input type="checkbox"/> |
| D | <i>Comesperma sylvestre</i> | - | | | <input type="checkbox"/> |
| D | <i>Polygala japonica</i> | Dwarf Milkwort | | QH(-) | <input type="checkbox"/> |

Polygonaceae - Knotweeds or Smartweeds

| | | | | | |
|---|--|---|---|-------|--------------------------|
| D | <i>Acetosella vulgaris</i> | Dock, Field Sorrel, Horse Sorrel, Red Sorrel, Sorrel, Sheep Sorrel, Sour Dock | * | QH | <input type="checkbox"/> |
| D | <i>Muehlenbeckia rhyticarya</i> | Wrinkle-nut Lignum | | QH | <input type="checkbox"/> |
| D | <i>Muehlenbeckia</i> sp. (Stanthorpe A.R.Bean 12466) | - | | QH | <input type="checkbox"/> |
| D | <i>Persicaria lapathifolia</i> | Pale Knotweed | | QH(-) | <input type="checkbox"/> |

| | | | | | |
|---|------------------------------|--|---|-------|--------------------------|
| D | <i>Persicaria orientalis</i> | Lady's Thumb, Prince's Feathers | | QH(-) | <input type="checkbox"/> |
| D | <i>Polygonum aviculare</i> | Hog Weed, Knot-grass, Knotweed, Prostrate Knotweed, Wire-grass, Wireweed | * | QH(-) | <input type="checkbox"/> |
| D | <i>Rumex brownii</i> | Swamp Dock | | QH | <input type="checkbox"/> |
| D | <i>Rumex conglomeratus</i> | Clustered Dock | * | QH(-) | <input type="checkbox"/> |
| D | <i>Rumex crispus</i> | Curled Dock | * | QH(-) | <input type="checkbox"/> |

Portulacaceae - Purslanes

| | | | | | |
|---|--------------------------------|----------------------------------|--|-------|--------------------------|
| D | <i>Calandrinia eremaea</i> | Small Purslane, Twining Purslane | | QH | <input type="checkbox"/> |
| D | <i>Calandrinia pickeringii</i> | Pink Purslane | | QH | <input type="checkbox"/> |
| D | <i>Portulaca bicolor</i> | Heart-plant, Pigweed | | QH(-) | <input type="checkbox"/> |

Potamogetonaceae - Pondweeds

| | | | | | |
|---|---------------------------------|--------------------------------------|--|-------|--------------------------|
| M | <i>Potamogeton tricarinatus</i> | Floating Pondweed, Furrowed Pondweed | | QH(-) | <input type="checkbox"/> |
|---|---------------------------------|--------------------------------------|--|-------|--------------------------|

Proteaceae - Proteas, Banksias and Grevilleas

| | | | | | |
|---|---|---|----|-------|--------------------------|
| D | <i>Banksia integrifolia</i> subsp. <i>compar</i> | Honeysuckle Oak, White Banksia | | QH | <input type="checkbox"/> |
| D | <i>Banksia neoanglica</i> | New England Banksia | | QH | <input type="checkbox"/> |
| D | <i>Conospermum burgessiorum</i> | Smokebush | NT | QH | <input type="checkbox"/> |
| D | <i>Conospermum taxifolium</i> | Devil's Rice, Paint Brush, Variable Smoke-bush, Yew-leaf Smoke-bush | | QH | <input type="checkbox"/> |
| D | <i>Grevillea juniperina</i> subsp. <i>allojohnsonii</i> | Prickly Grevillea | | QH | <input type="checkbox"/> |
| D | <i>Grevillea viridiflava</i> | Linear-leaf Grevillea, Narrow-leaved Grevillea, Narrow-leaved Spider Flower | | QH | <input type="checkbox"/> |
| D | <i>Hakea eriantha</i> | Tree Hakea | | QH | <input type="checkbox"/> |
| D | <i>Hakea florulenta</i> | - | | QH | <input type="checkbox"/> |
| D | <i>Hakea laevipes</i> subsp. <i>graniticola</i> | Finger Hakea, Three-nerved Willow Hakea | | QH | <input type="checkbox"/> |
| D | <i>Hakea macrorrhyncha</i> | Needlebush | V | QH | <input type="checkbox"/> |
| D | <i>Hakea microcarpa</i> | Small-fruited Hakea | | QH | <input type="checkbox"/> |
| D | <i>Isopogon petiolaris</i> | Pointed Drumsticks | | QH | <input type="checkbox"/> |
| D | <i>Lomatia silaifolia</i> | Crinkle Bush, Fern-leaved Lomatia, Parsley Bush | | QH | <input type="checkbox"/> |
| D | <i>Persoonia cornifolia</i> | Broad-leaved Geebung | | QH | <input type="checkbox"/> |
| D | <i>Persoonia cornifolia</i> x <i>P. tenuifolia</i> | - | | QH | <input type="checkbox"/> |
| D | <i>Persoonia daphnoides</i> | Creeping Geebung | NT | QH(-) | <input type="checkbox"/> |
| D | <i>Persoonia sericea</i> | Silky Geebung | | QH | <input type="checkbox"/> |
| D | <i>Persoonia tenuifolia</i> | Fine-leaved Geebung | | QH | <input type="checkbox"/> |
| D | <i>Persoonia tenuifolia</i> x <i>P. unknown</i> | - | | QH(-) | <input type="checkbox"/> |
| D | <i>Petrophile canescens</i> | Conesticks | | QH | <input type="checkbox"/> |

Quintiniaceae

| | | | | | |
|---|--------------------------|--|--|----|--------------------------|
| D | <i>Quintinia sieberi</i> | Brown Possumwood, Pink Alder, Pink Corkwood, Pink Wood, Possumwood, Red Possumwood, Rough Possumwood | | QH | <input type="checkbox"/> |
|---|--------------------------|--|--|----|--------------------------|

Ranunculaceae - Buttercups or Crowfoots

| | | | | | |
|---|-----------------------------|---|--|-------|--------------------------|
| D | <i>Clematis decipiens</i> | Old Man's Beard, Woodland Clematis | | QH(-) | <input type="checkbox"/> |
| D | <i>Clematis glycinoides</i> | Guwalyari (D'harawal), Headache Vine, Traveller's | | QH | <input type="checkbox"/> |

| | | | | |
|---|-----------------------------|--|-------|--------------------------|
| | | Joy | | |
| D | <i>Ranunculus inundatus</i> | River Buttercup | QH(-) | <input type="checkbox"/> |
| D | <i>Ranunculus lappaceus</i> | Australian Buttercup, Common Buttercup, Yarrakalgamba (D'harawal) | QH | <input type="checkbox"/> |

Restionaceae - Restiads

| | | | | |
|---|------------------------------|-------------------|----|--------------------------|
| M | <i>Baloskion fimbriatum</i> | Fringed Cord-rush | QH | <input type="checkbox"/> |
| M | <i>Baloskion stenocoleum</i> | Narrow Cord-rush | QH | <input type="checkbox"/> |
| M | <i>Lepyrodia anarthria</i> | Scale Rush | QH | <input type="checkbox"/> |
| M | <i>Lepyrodia leptocaulis</i> | - | QH | <input type="checkbox"/> |

Rhamnaceae - Buckthorns

| | | | | |
|---|--|--|-------|--------------------------|
| D | <i>Alphitonia excelsa</i> | Coopers Wood, Red Almond, Red Ash, Soap Tree | QH | <input type="checkbox"/> |
| D | <i>Cryptandra amara</i> var. <i>amara</i> | Bitter Cryptandra | QH | <input type="checkbox"/> |
| D | <i>Cryptandra amara</i> var. <i>floribunda</i> | Prickly Cryptandra | QH | <input type="checkbox"/> |
| D | <i>Cryptandra lanosiflora</i> | Woolly Cryptandra | QH | <input type="checkbox"/> |
| D | <i>Pomaderris andromedifolia</i> subsp. <i>andromedifolia</i> | Andromeda Pomaderris, Yellow Pomaderris | QH(-) | <input type="checkbox"/> |
| D | <i>Pomaderris argyrophylla</i> | Silver Pomaderris, White Pomaderris | QH | <input type="checkbox"/> |
| D | <i>Pomaderris canescens</i> | - | QH | <input type="checkbox"/> |
| D | <i>Pomaderris graniticola</i> | - | QH | <input type="checkbox"/> |
| D | <i>Pomaderris lanigera</i> | Hairy Pomaderris, Woolly Pomaderris | QH | <input type="checkbox"/> |
| D | <i>Pomaderris lanigera</i> var. (Mt Maroon - L.S.Smith 12161) | - | QH | <input type="checkbox"/> |
| D | <i>Pomaderris ligustrina</i> subsp. <i>latifolia</i> | Privet Pomaderris | QH(-) | <input type="checkbox"/> |
| D | <i>Pomaderris prunifolia</i> | Plum-leaf Pomaderris | QH | <input type="checkbox"/> |
| D | <i>Pomaderris queenslandica</i> | Scant Pomaderris | QH(-) | <input type="checkbox"/> |
| D | <i>Pomaderris</i> sp. (Messines L.Pedley 1521) | - | QH | <input type="checkbox"/> |
| D | <i>Pomaderris</i> sp. (Wondul Range P.Grimshaw+ G675) | - | QH(-) | <input type="checkbox"/> |
| D | <i>Pomaderris vellea</i> | Woolly Pomaderris | QH | <input type="checkbox"/> |
| D | <i>Spyridium scortechinii</i> | Pepper and Salt, Snowballs | QH | <input type="checkbox"/> |

Rosaceae - Roses

| | | | | |
|---|---|---|---------|--------------------------|
| D | <i>Acaena ovina</i> | Sheep's Burr | QH(-) | <input type="checkbox"/> |
| D | <i>Cotoneaster coriaceus</i> | Cotoneaster | * QH(-) | <input type="checkbox"/> |
| D | <i>Crataegus monogyna</i> | Hawthorn, May | * QH(-) | <input type="checkbox"/> |
| D | <i>Malus pumila</i> | Apple | * QH(-) | <input type="checkbox"/> |
| D | <i>Prunus persica</i> var. <i>persica</i> | Peach | * QH(-) | <input type="checkbox"/> |
| D | <i>Pyracantha angustifolia</i> | Narrowleaf Firethorn, Orange Firethorn | * QH(-) | <input type="checkbox"/> |
| D | <i>Rosa rubiginosa</i> | Eglantine, Sweet Briar | * QH | <input type="checkbox"/> |
| D | <i>Rubus anglocandicans</i> | Blackberry | * QH | <input type="checkbox"/> |
| D | <i>Rubus parvifolius</i> | Native Raspberry, Pink-flowered Native Raspberry, Small-leaf Bramble, Small Leaf Raspberry | | <input type="checkbox"/> |

Rubiaceae - Madder, Bedstraw or Coffee

| | | | | |
|---|-------------------------|----------------|-------|--------------------------|
| D | <i>Asperula ambleia</i> | Stiff Woodruff | QH(-) | <input type="checkbox"/> |
|---|-------------------------|----------------|-------|--------------------------|

| | | | | | |
|---|---|--------------------------------|--|---------|--------------------------|
| D | <i>Asperula conferta</i> | Common Woodruff | | | <input type="checkbox"/> |
| D | <i>Galium gaudichaudii</i> subsp. <i>parviflorum</i> | Rough Bedstraw | | QH(-) | <input type="checkbox"/> |
| D | <i>Galium leptogonium</i> | - | | | <input type="checkbox"/> |
| D | <i>Gynochthodes jasminoides</i> | Jasmine Morinda, Sweet Morinda | | QH | <input type="checkbox"/> |
| D | <i>Opercularia hispida</i> | Hairy Stinkweed | | QH(-) | <input type="checkbox"/> |
| D | <i>Pomax umbellata</i> | Pomax | | | <input type="checkbox"/> |
| D | <i>Richardia brasiliensis</i> | Mexican Clover, White Eye | | * | <input type="checkbox"/> |
| D | <i>Richardia stellaris</i> | Field Madder | | * QH(-) | <input type="checkbox"/> |

Rutaceae - Citrus

| | | | | | |
|---|--|--|----|-------|--------------------------|
| D | <i>Acronychia oblongifolia</i> | White Aspen, Yellow Wood | | | <input type="checkbox"/> |
| D | <i>Boronia amabilis</i> | Lovely Boronia, | NT | QH | <input type="checkbox"/> |
| D | <i>Boronia anethifolia</i> | Narrow-leaved Boronia | | QH | <input type="checkbox"/> |
| D | <i>Boronia bipinnata</i> | Rock Boronia | | | <input type="checkbox"/> |
| D | <i>Boronia granitica</i> | Granite Boronia | E | QH | <input type="checkbox"/> |
| D | <i>Boronia inflexa</i> subsp. <i>grandiflora</i> | Showy Rock Boronia | | QH | <input type="checkbox"/> |
| D | <i>Boronia inflexa</i> subsp. <i>inflexa</i> | Rock Boronia | | QH | <input type="checkbox"/> |
| D | <i>Boronia microphylla</i> | Small-leaved Boronia | | QH | <input type="checkbox"/> |
| D | <i>Boronia polygalifolia</i> | Dwarf Boronia, Forest Boronia | | QH | <input type="checkbox"/> |
| D | <i>Correa reflexa</i> var. <i>reflexa</i> | Common Correa, Native Fuchsia | | QH | <input type="checkbox"/> |
| D | <i>Eriostemon australasius</i> | Pink Waxflower | | QH | <input type="checkbox"/> |
| D | <i>Leionema ambiens</i> | Forest Phebalium, Fruit Salad Plant | NT | QH | <input type="checkbox"/> |
| D | <i>Leionema ambiens</i> x <i>L.rotundifolium</i> | - | | QH | <input type="checkbox"/> |
| D | <i>Leionema rotundifolium</i> | Round-leaved Phebalium | | QH | <input type="checkbox"/> |
| D | <i>Phebalium glandulosum</i> subsp. <i>eglandulosum</i> | Rusty Desert Phebalium | V | QH | <input type="checkbox"/> |
| D | <i>Phebalium squamulosum</i> subsp. <i>squamulosum</i> | Forest Phebalium, Scaly Phebalium | | QH | <input type="checkbox"/> |
| D | <i>Phebalium whitei</i> | White's Phebalium | V | QH | <input type="checkbox"/> |
| D | <i>Philotheca conduplicata</i> | Long-leaf Waxflower | | QH | <input type="checkbox"/> |
| D | <i>Philotheca epilosa</i> | Long-leaf Waxflower | | QH | <input type="checkbox"/> |
| D | <i>Philotheca myoporoides</i> subsp. <i>myoporoides</i> | Long-leaf Waxflower | | QH(-) | <input type="checkbox"/> |
| D | <i>Zieria arborescens</i> subsp. <i>arborescens</i> | Forest Zieria, Stinkwood, Tall Zieria | | QH | <input type="checkbox"/> |
| D | <i>Zieria arborescens</i> subsp. <i>glabrifolia</i> | Forest Zieria, Stinkwood, Tall Zieria | | QH | <input type="checkbox"/> |
| D | <i>Zieria aspalathoides</i> subsp. <i>aspalathoides</i> | Hairy Zieria, Heath Zieria, Heathy Zieria, Sandfly Bush, Whorled Zieria | | QH | <input type="checkbox"/> |
| D | <i>Zieria compacta</i> | - | | QH | <input type="checkbox"/> |
| D | <i>Zieria laevigata</i> | Smooth Zieria, Smooth-leaved Zieria, Twiggy Midge Bush | | QH | <input type="checkbox"/> |
| D | <i>Zieria smithii</i> | Dr Smith's Zieria, Lanceolate Zieria, Lanoline Bush, Sandfly Zieria, Smithian Zieria | | QH(-) | <input type="checkbox"/> |

Salicaceae - Willows

| | | | | | |
|---|-------------------------|-------------------------------|--|---------|--------------------------|
| D | <i>Salix babylonica</i> | Peking Willow, Weeping Willow | | * QH(-) | <input type="checkbox"/> |
|---|-------------------------|-------------------------------|--|---------|--------------------------|

Santalaceae

| | | | | | |
|---|---------------------------------|---|--|-------|--------------------------|
| D | <i>Choretrum candollei</i> | White Sour Bush | | QH | <input type="checkbox"/> |
| D | <i>Exocarpos cupressiformis</i> | Cherry Ballart, Native Cherry | | QH(-) | <input type="checkbox"/> |
| D | <i>Exocarpos strictus</i> | Dwarf Cherry, Pale Ballart, Pale-fruit Ballart, Pale-fruited Cherry | | QH | <input type="checkbox"/> |
| D | <i>Santalum lanceolatum</i> | Blue Bush, Bush Plum, Cherry Bush, Desert Quandong, Native Plum, Northern Sandalwood, Plumwood, Tropical Sandalwood, True Sandalwood, Wild Plum | | QH(-) | <input type="checkbox"/> |
| D | <i>Santalum obtusifolium</i> | Blunt Sandalwood, False Sandalwood, Sandalwood | | QH | <input type="checkbox"/> |

Sapindaceae - Soapberries

| | | | | | |
|---|--|----------------------|---|----|--------------------------|
| D | <i>Dodonaea falcata</i> | Thread-leaf Hop Bush | | QH | <input type="checkbox"/> |
| D | <i>Dodonaea hirsuta</i> | Hairy Hop Bush | V | QH | <input type="checkbox"/> |
| D | <i>Dodonaea triquetra</i> | Large-leaf Hop Bush | | QH | <input type="checkbox"/> |
| D | <i>Dodonaea viscosa</i> subsp. <i>angustissima</i> | Narrow-leaf Hop Busy | | QH | <input type="checkbox"/> |
| D | <i>Dodonaea viscosa</i> subsp. <i>spatulata</i> | Sticky Hop Busy | | QH | <input type="checkbox"/> |

Scrophulariaceae - Figworts

| | | | | | |
|---|--|---|---|-------|--------------------------|
| D | <i>Eremophila debilis</i> | Amulla, Winter Apple | | QH(-) | <input type="checkbox"/> |
| D | <i>Limosella australis</i> | Austral Mudwort | | QH(-) | <input type="checkbox"/> |
| D | <i>Verbascum thapsus</i> subsp. <i>thapsus</i> | Aarons Rod, Blanket Weed, Great Mullein, Shepherd's Blanket, Velvet Plant | * | QH(-) | <input type="checkbox"/> |
| D | <i>Verbascum virgatum</i> | Green Mullein, Twiggy Mullein | * | QH | <input type="checkbox"/> |
| D | <i>Buddleja davidii</i> | Butterfly Bush | * | QH(-) | <input type="checkbox"/> |

Smilacaceae - Greenbriers

| | | | | | |
|---|-------------------------|--|--|--|--------------------------|
| M | <i>Smilax australis</i> | Austral Sarsaparilla, Barbwire Vine, Lawyer Vine, Wait-a-while | | | <input type="checkbox"/> |
|---|-------------------------|--|--|--|--------------------------|

Solanaceae - Nightshades or Potatoes

| | | | | | |
|---|---|---|---|-------|--------------------------|
| D | <i>Cyphanthera albicans</i> subsp. <i>albicans</i> | Grey Ray Flower, Hoary Ray Flower | | QH | <input type="checkbox"/> |
| D | <i>Datura stramonium</i> | Cemetery Flower, Common Thornapple, Cranky Flower, False Castor Oil, Mad Apple, Stramonium, Thorn Apple | * | QH(-) | <input type="checkbox"/> |
| D | <i>Solanum amblymerum</i> | Spiny Kangaroo Apple | | QH | <input type="checkbox"/> |
| D | <i>Solanum chenopodioides</i> | Whitetip Nightshade | * | QH | <input type="checkbox"/> |
| D | <i>Solanum cinereum</i> | Narrawa Burr | | QH(-) | <input type="checkbox"/> |
| D | <i>Solanum ditrichum</i> | Mt Maroon Solanum | | QH(-) | <input type="checkbox"/> |
| D | <i>Solanum physalifolium</i> var. <i>nitidibaccatum</i> | Cherry Nightshade | * | QH(-) | <input type="checkbox"/> |
| D | <i>Solanum triflorum</i> | Cutleaf Nightshade, Small Nightshade | * | QH(-) | <input type="checkbox"/> |

Stackhousiaceae

| | | | | | |
|---|-----------------------------|---|--|-------|--------------------------|
| D | <i>Stackhousia monogyna</i> | Candles, Creamy Candles, Creamy Stackhousia | | QH | <input type="checkbox"/> |
| D | <i>Stackhousia muricata</i> | Western Stackhousia | | QH(-) | <input type="checkbox"/> |
| D | <i>Stackhousia viminea</i> | Candlesticks, Slender Stackhousia | | QH | <input type="checkbox"/> |

Sterculiaceae

| | | | | |
|---|---|-----------|--|--------------------------|
| D | <i>Brachychiton populneus</i> subsp. <i>populneus</i> | Kurrajong | | <input type="checkbox"/> |
|---|---|-----------|--|--------------------------|

Stylidiaceae - Triggerplants

| | | | | |
|---|--------------------------------|---|-------|--------------------------|
| D | <i>Stylidium debile</i> | Frail Trigger-plant | | <input type="checkbox"/> |
| D | <i>Stylidium graminifolium</i> | Grass Trigger-plant, Grass-leaved Stylidium | QH(-) | <input type="checkbox"/> |
| D | <i>Stylidium laricifolium</i> | Giant Trigger-plant, Tall Trigger-plant, Tree Trigger-plant | QH | <input type="checkbox"/> |
| D | <i>Stylidium paniculatum</i> | Frail Trigger-plant | QH | <input type="checkbox"/> |

Thymelaeaceae - Daphne

| | | | | |
|---|--|--|-------|--------------------------|
| D | <i>Pimelea glauca</i> | Smooth Rice-flower | QH(-) | <input type="checkbox"/> |
| D | <i>Pimelea linifolia</i> subsp. <i>collina</i> | Swamp Rice-flower | QH(-) | <input type="checkbox"/> |
| D | <i>Pimelea linifolia</i> subsp. <i>linifolia</i> | Granny's Bonnet, Queen of the Bush, Slender Rice-flower | QH | <input type="checkbox"/> |
| D | <i>Pimelea neoanglica</i> | Few-flowered Pimelea, Poison Pimelea, Scanty Rice-flower | QH | <input type="checkbox"/> |

Ulmaceae - includes the Elms

| | | | | |
|---|---|---|-------|--------------------------|
| D | <i>Trema tomentosa</i> var. <i>aspera</i> | Native Peach, Nettle Tree, Peach-leaf Poison-bush, Poison Peach | QH(-) | <input type="checkbox"/> |
|---|---|---|-------|--------------------------|

Urticaceae - Nettles

| | | | | |
|---|---------------------|---|---------|--------------------------|
| D | <i>Urtica urens</i> | Annual Nettle, Common English Nettle, Dwarf Nettle, Small Nettle, Stinging Nettle | * QH(-) | <input type="checkbox"/> |
|---|---------------------|---|---------|--------------------------|

Verbenaceae - Verbenas or Vervain

| | | | | |
|---|--|--|---------|--------------------------|
| D | <i>Glandularia aristigera</i> | Mayne's Pest | * QH(-) | <input type="checkbox"/> |
| D | <i>Verbena bonariensis</i> | Blue-top, Cluster-flower Verbena, Clustered-flowered Vervein, Purpletop, Purple-top Verbena, Wild Stattice | * | <input type="checkbox"/> |
| D | <i>Verbena gaudichaudii</i> | Native Verbena | QH | <input type="checkbox"/> |
| D | <i>Verbena incompta</i> | Purpletop | * QH(-) | <input type="checkbox"/> |
| D | <i>Verbena litoralis</i> var. <i>litoralis</i> | - | * QH(-) | <input type="checkbox"/> |

Violaceae - Violets

| | | | | |
|---|--|--|-------|--------------------------|
| D | <i>Hybanthus monopetalus</i> | Blue Spade Flower, Lady's Slipper, Slender Violet-bush | QH | <input type="checkbox"/> |
| D | <i>Melicytus dentatus</i> | Tree Violet | QH(-) | <input type="checkbox"/> |
| D | <i>Viola betonicifolia</i> subsp. <i>betonicifolia</i> | Arrowhead Violet, Mountain Violet, Showy Violet | QH | <input type="checkbox"/> |
| D | <i>Viola hederacea</i> | Ivy-leaved Violet | | <input type="checkbox"/> |

Viscaceae

| | | | | |
|---|-----------------------------|------------------|-------|--------------------------|
| D | <i>Notothixos subaureus</i> | Golden Mistletoe | QH(-) | <input type="checkbox"/> |
|---|-----------------------------|------------------|-------|--------------------------|

Vitaceae

| | | | | |
|---|------------------------------------|-----------------------------------|---------|--------------------------|
| D | <i>Cayratia clematidea</i> | Native Grape, Slender Grape | QH | <input type="checkbox"/> |
| D | <i>Parthenocissus quinquefolia</i> | Five-leaved Ivy, Virginia Creeper | * QH(-) | <input type="checkbox"/> |

Winteraceae

| | | | | |
|---|----------------------------|--|----|--------------------------|
| D | <i>Tasmannia stipitata</i> | Dorrigo Pepper, Mountain Pepperbush, Northern Pepperbush | QH | <input type="checkbox"/> |
|---|----------------------------|--|----|--------------------------|

Xanthorrhoeaceae - Grass Trees

| | | | | |
|---|-------------------------------|---|--|--------------------------|
| M | <i>Xanthorrhoea johnsonii</i> | Forest Grass Tree, Johnson's Grass Tree | | <input type="checkbox"/> |
| M | <i>Xanthorrhoea latifolia</i> | Grass Tree | | <input type="checkbox"/> |

Xyridaceae - Yellow-eyed Grasses

| | | | | |
|---|-------------------------|------------------------------------|-------|--------------------------|
| D | <i>Xyris complanata</i> | Grassleaf Hatpins, Yellow-eye | QH(-) | <input type="checkbox"/> |
| D | <i>Xyris operculata</i> | Rush-leaved Xyris, Tall Yellow-eye | QH(-) | <input type="checkbox"/> |

Non-flowering Plants

| Scientific Name | Common Names | Flag | Status | |
|--|--|------|--------|--------------------------|
| Conifers | | | | |
| Cupressaceae - Cypress | | | | |
| <i>Callitris endlicheri</i> | Black Cypress Pine | | QH | <input type="checkbox"/> |
| <i>Callitris monticola</i> | Dwarf Cypress Pine, Steelhead | | QH | <input type="checkbox"/> |
| <i>Callitris rhomboidea</i> | Dune Cypress Pine, Port Jackson Pine | | QH | <input type="checkbox"/> |
| Cycads | | | | |
| Zamiaceae | | | | |
| <i>Macrozamia viridis</i> | Burrawang, Zamia | E | QH | <input type="checkbox"/> |
| Ferns | | | | |
| Adiantaceae | | | | |
| <i>Adiantum aethiopicum</i> | Common Maidenhair | | QH | <input type="checkbox"/> |
| <i>Adiantum hispidulum</i> var. <i>hispidulum</i> | Five Fingers, Rough Maidenhair, Shaggy Rock Fern | | QH | <input type="checkbox"/> |
| <i>Cheilanthes distans</i> | Bristly Cloak Fern, Shaggy Rock Fern | | | <input type="checkbox"/> |
| <i>Cheilanthes sieberi</i> subsp. <i>sieberi</i> | Mulga Fern, Poison Rock Fern, Rock Fern | | QH(-) | <input type="checkbox"/> |
| <i>Pellaea calidrupium</i> | Hot Rock Fern, Inland Sickle Fern | | QH | <input type="checkbox"/> |
| <i>Pellaea paradoxa</i> | Heart Fern, Sickle Fern | | QH(-) | <input type="checkbox"/> |
| Aspleniaceae | | | | |
| <i>Asplenium australasicum</i> | Bird's Nest Fern | | | <input type="checkbox"/> |
| <i>Asplenium flabellifolium</i> | Necklace Fern | | QH | <input type="checkbox"/> |
| <i>Asplenium flaccidum</i> subsp. <i>flaccidum</i> | Weeping Spleenwort | | QH | <input type="checkbox"/> |
| <i>Asplenium polyodon</i> | Mare's Tail Fern, Sickle Spleenwort | | QH | <input type="checkbox"/> |
| <i>Asplenium subglandulosum</i> subsp. <i>subglandulosum</i> | Blanket Fern, Bristly Cloak Fern | | QH | <input type="checkbox"/> |
| Blechnaceae | | | | |
| <i>Blechnum cartilagineum</i> | Gristle Fern, Soft Water Fern | | QH | <input type="checkbox"/> |
| <i>Blechnum minus</i> | Soft Water Fern | | | <input type="checkbox"/> |
| <i>Blechnum nudum</i> | Fishbone Water Fern | | QH | <input type="checkbox"/> |
| <i>Blechnum patersonii</i> subsp. <i>patersonii</i> | Strap Water Fern | | QH | <input type="checkbox"/> |
| <i>Blechnum watsii</i> | Hard Water Fern | | QH(-) | <input type="checkbox"/> |
| <i>Doodia aspera</i> | Fire Fern, Prickly Rasp Fern | | QH | <input type="checkbox"/> |
| <i>Doodia caudata</i> | Small Rasp Fern, Small Water Fern | | | <input type="checkbox"/> |
| <i>Doodia media</i> | Common Rasp Fern | | QH | <input type="checkbox"/> |
| Cyatheaceae | | | | |
| <i>Cyathea australis</i> | Black Tree-fern, Rough Tree-fern | | QH | <input type="checkbox"/> |

Davalliaceae

| | | | |
|--------------------------|------------------|----|--------------------------|
| <i>Davallia pyxidata</i> | Hare's Foot Fern | QH | <input type="checkbox"/> |
|--------------------------|------------------|----|--------------------------|

Dennstaedtiaceae

| | | | |
|---|---|----|--------------------------|
| <i>Histiopteris incisa</i> | Bat's Wing Fern, Batswing Fern, Oak Fern | QH | <input type="checkbox"/> |
| <i>Hypolepis glandulifera</i> | Downy Ground Fern, Ground Fern, Sticky Ground Fern | QH | <input type="checkbox"/> |
| <i>Hypolepis muelleri</i> | Harsh Ground Fern | QH | <input type="checkbox"/> |
| <i>Hypolepis muelleri</i> x <i>H.rugosula</i> | - | QH | <input type="checkbox"/> |
| <i>Hypolepis rugosula</i> | Ruddy Ground Fern | QH | <input type="checkbox"/> |
| <i>Pteridium esculentum</i> | Austral Bracken, Bracken, Common Bracken, Gurgi (Cadigal) | | <input type="checkbox"/> |

Dicksoniaceae

| | | | |
|-----------------------------|--|----|--------------------------|
| <i>Calochlaena dubia</i> | Common Ground Fern, Mountain Bracken, Rainbow Fern | | <input type="checkbox"/> |
| <i>Dicksonia antarctica</i> | Brown Tree-fern, Soft Tree-fern | QH | <input type="checkbox"/> |

Dryopteridaceae

| | | | |
|--------------------------------|------------------------------------|-------|--------------------------|
| <i>Lastreopsis decomposita</i> | Trim Shield Fern, Trim Shield-fern | QH | <input type="checkbox"/> |
| <i>Polystichum fallax</i> | - | QH(-) | <input type="checkbox"/> |

Gleicheniaceae

| | | | |
|--|--|----|--------------------------|
| <i>Gleichenia dicarpa</i> | Pouched Coral Fern, Tangle Fern | QH | <input type="checkbox"/> |
| <i>Gleichenia microphylla</i> | Parasol Fern, Scrambling Coral Fern, Umbrella Fern | QH | <input type="checkbox"/> |
| <i>Sticherus flabellatus</i> var. <i>flabellatus</i> | Fan Fern, Shiny Fan Fern, Umbrella Fern | QH | <input type="checkbox"/> |

Grammitidaceae

| | | | |
|-----------------------------------|-------------------------|----|--------------------------|
| <i>Grammitis stenophylla</i> | Narrow-leaf Finger Fern | QH | <input type="checkbox"/> |
| <i>Notogrammitis billardierei</i> | Finger Fern | QH | <input type="checkbox"/> |

Hymenophyllaceae

| | | | |
|------------------------------------|-------------------|----|--------------------------|
| <i>Hymenophyllum cupressiforme</i> | Common Filmy Fern | QH | <input type="checkbox"/> |
|------------------------------------|-------------------|----|--------------------------|

Lindsaeaceae

| | | | |
|-----------------------------|-----------------|--|--------------------------|
| <i>Lindsaea linearis</i> | Screw Fern | | <input type="checkbox"/> |
| <i>Lindsaea microphylla</i> | Lacy Wedge Fern | | <input type="checkbox"/> |

Ophioglossaceae

| | | | |
|---------------------------------|--|----|--------------------------|
| <i>Botrychium australe</i> | Austral Moonwort, Austral Moorwort, Parsley Fern | | <input type="checkbox"/> |
| <i>Ophioglossum lusitanicum</i> | Adder's Tongue | QH | <input type="checkbox"/> |

Osmundaceae

| | | | |
|----------------------|-----------|--|--------------------------|
| <i>Todea barbara</i> | King Fern | | <input type="checkbox"/> |
|----------------------|-----------|--|--------------------------|

Polypodiaceae

| | | | |
|-----------------------------|---------------------------------------|----|--------------------------|
| <i>Dictymia brownii</i> | Creeping Fern, Strap Fern | QH | <input type="checkbox"/> |
| <i>Microsorium scandens</i> | Fragrant Fern, Fragrant Climbing Fern | QH | <input type="checkbox"/> |

| | | | | |
|--|-----------------------------------|---|-------|--------------------------|
| <i>Platynerium bifurcatum</i> | Elkhorn | | QH(-) | <input type="checkbox"/> |
| <i>Pyrrosia rupestris</i> | Rock Felt Fern | | QH | <input type="checkbox"/> |
| Fern Allies | | | | |
| Lycopodiaceae | | | | |
| <i>Lycopodiella lateralis</i> | Slender Clubmoss | | QH | <input type="checkbox"/> |
| <i>Phlegmariurus varius</i> | Long Clubmoss, Tassel Fern | V | QH | <input type="checkbox"/> |
| Psilotaceae | | | | |
| <i>Psilotum nudum</i> | Skeleton Fork Fern | | QH | <input type="checkbox"/> |
| Schizaeaceae | | | | |
| <i>Schizaea bifida</i> | Forked Comb Fern | | QH | <input type="checkbox"/> |
| Selaginellaceae | | | | |
| <i>Selaginella gracillima</i> | Tiny Clubmoss | | QH(-) | <input type="checkbox"/> |
| <i>Selaginella uliginosa</i> | Swamp Clubmoss, Swamp Selaginella | | QH | <input type="checkbox"/> |
| Mosses | | | | |
| Andreaeaceae | | | | |
| <i>Andreaea mutabilis</i> | Andreaea Moss | | QH | <input type="checkbox"/> |
| Bartramiaceae | | | | |
| <i>Bartramia robusta</i> | - | | QH | <input type="checkbox"/> |
| <i>Breutelia affinis</i> | - | | QH | <input type="checkbox"/> |
| <i>Philonotis tenuis</i> | - | | QH | <input type="checkbox"/> |
| Bryaceae | | | | |
| <i>Gemmabryum subapiculatum</i> | - | | QH | <input type="checkbox"/> |
| <i>Rosulabryum subfasciculatum</i> | - | | QH | <input type="checkbox"/> |
| Dicranaceae | | | | |
| <i>Dicranoloma dicarpum</i> | - | | QH | <input type="checkbox"/> |
| <i>Dicranoloma menziesii</i> | - | | QH | <input type="checkbox"/> |
| <i>Eucamptodon muelleri</i> | Sheath Moss | | QH | <input type="checkbox"/> |
| <i>Holomitrium perichaetiale</i> var. <i>perichaetiale</i> | - | | QH | <input type="checkbox"/> |
| <i>Sclerodontium pallidum</i> subsp. <i>pallidum</i> | - | | QH | <input type="checkbox"/> |
| Ditrichaceae | | | | |
| <i>Ceratodon purpureus</i> | Fire Moss | | QH | <input type="checkbox"/> |
| <i>Ditrichum difficile</i> | - | | QH | <input type="checkbox"/> |
| <i>Eccremidium minutum</i> | - | | QH | <input type="checkbox"/> |
| Fabroniaceae | | | | |
| <i>Fabronia australis</i> | - | | QH | <input type="checkbox"/> |

Fissidentaceae

| | | | |
|--|---|----|--------------------------|
| <i>Fissidens asplenioides</i> | - | QH | <input type="checkbox"/> |
| <i>Fissidens curvatus</i> var. <i>curvatus</i> | - | QH | <input type="checkbox"/> |
| <i>Fissidens leptocladus</i> | - | QH | <input type="checkbox"/> |
| <i>Fissidens linearis</i> var. <i>linearis</i> | - | QH | <input type="checkbox"/> |

Grimmiaceae

| | | | |
|-----------------------------|---------------|----|--------------------------|
| <i>Bucklandiella emersa</i> | - | QH | <input type="checkbox"/> |
| <i>Grimmia laevigata</i> | Hoary Grimmia | QH | <input type="checkbox"/> |

Hedwigiaceae

| | | | |
|----------------------------------|---|----|--------------------------|
| <i>Hedwigidium integrifolium</i> | - | QH | <input type="checkbox"/> |
|----------------------------------|---|----|--------------------------|

Hypnaceae

| | | | |
|-----------------------------|---|----|--------------------------|
| <i>Hypnum cupressiforme</i> | - | QH | <input type="checkbox"/> |
|-----------------------------|---|----|--------------------------|

Hypnodendraceae

| | | | |
|---|---|----|--------------------------|
| <i>Hypnodendron vitiense</i> subsp. <i>australe</i> | - | QH | <input type="checkbox"/> |
|---|---|----|--------------------------|

Hypopterygiaceae

| | | | |
|--------------------------------|---|----|--------------------------|
| <i>Hypopterygium tamarisci</i> | - | QH | <input type="checkbox"/> |
|--------------------------------|---|----|--------------------------|

Lembophyllaceae

| | | | |
|------------------------------|--------------------|-------|--------------------------|
| <i>Camptochaete excavata</i> | Feather Mound-moss | QH(-) | <input type="checkbox"/> |
|------------------------------|--------------------|-------|--------------------------|

Leptostomataceae

| | | | |
|----------------------------|-----------------|----|--------------------------|
| <i>Leptostomum erectum</i> | Pincushion Moss | QH | <input type="checkbox"/> |
|----------------------------|-----------------|----|--------------------------|

Leucobryaceae

| | | | |
|---|----------------|-------|--------------------------|
| <i>Campylopus bicolor</i> var. <i>ericeticola</i> | Swan-neck Moss | QH(-) | <input type="checkbox"/> |
| <i>Campylopus introflexus</i> | - | QH(-) | <input type="checkbox"/> |
| <i>Campylopus pyriformis</i> | - | QH(-) | <input type="checkbox"/> |
| <i>Leucobryum candidum</i> | - | QH | <input type="checkbox"/> |

Meteoriaceae

| | | | |
|--------------------------------|---|----|--------------------------|
| <i>Papillaria flavolimbata</i> | - | QH | <input type="checkbox"/> |
| <i>Papillaria leuconeura</i> | - | QH | <input type="checkbox"/> |

Mitteniaceae

| | | | |
|-------------------------|---|----|--------------------------|
| <i>Mittenia plumula</i> | - | QH | <input type="checkbox"/> |
|-------------------------|---|----|--------------------------|

Orthodontiaceae

| | | | |
|---|---|----|--------------------------|
| <i>Leptotheca gaudichaudii</i> var. <i>gaudichaudii</i> | - | QH | <input type="checkbox"/> |
|---|---|----|--------------------------|

Orthotrichaceae

| | | | |
|------------------------------|---|----|--------------------------|
| <i>Macromitrium exsertum</i> | - | QH | <input type="checkbox"/> |
|------------------------------|---|----|--------------------------|

| | | | |
|------------------------------------|---|----|--------------------------|
| <i>Macromitrium hemitrichodes</i> | - | QH | <input type="checkbox"/> |
| Plagiotheciaceae | | | |
| <i>Plagiothecium lamprostachys</i> | - | QH | <input type="checkbox"/> |
| Polytrichaceae | | | |
| <i>Pogonatum subulatum</i> | - | QH | <input type="checkbox"/> |
| <i>Polytrichum commune</i> | - | QH | <input type="checkbox"/> |
| Pottiaceae | | | |
| <i>Barbula calycina</i> | - | QH | <input type="checkbox"/> |
| Pylaisiadelphaceae | | | |
| <i>Isopterygium albescens</i> | - | QH | <input type="checkbox"/> |
| <i>Wijkia extenuata</i> | - | QH | <input type="checkbox"/> |
| Rhacocarpaceae | | | |
| <i>Rhacocarpus purpurascens</i> | - | QH | <input type="checkbox"/> |
| Rhizogoniaceae | | | |
| <i>Pyrrhobryum paramattense</i> | - | QH | <input type="checkbox"/> |
| Sphagnaceae | | | |
| <i>Sphagnum falcatulum</i> | - | QH | <input type="checkbox"/> |
| Thuidiaceae | | | |
| <i>Thuidiopsis sparsa</i> | - | QH | <input type="checkbox"/> |
| Trachylomataceae | | | |
| <i>Trachyloma planifolium</i> | - | QH | <input type="checkbox"/> |

Index

| | | | | | |
|------------------------------|--------------------|--|--------------------|---------------------------------|--------------------|
| Acanthaceae..... | 2 | Cyperaceae..... | 7 | Hypopterygiaceae..... | 34 |
| Acanthus..... | 2 | Cypress..... | 31 | Hypoxidaceae..... | 12 |
| Adiantaceae..... | 31 | Daisies..... | 3 | Iridaceae..... | 13 |
| Amaranth..... | 2 | Dampiera..... | 12 | Iris..... | 13 |
| Amaranthaceae..... | 2 | Daphne..... | 29 | Ivy..... | 2 |
| Andreaeaceae..... | 33 | Davalliaceae..... | 32 | Jacarandas and Bignonias..... | 5 |
| Apiaceae..... | 2 | Dennstaedtiaceae..... | 32 | Johnsoniaceae..... | 13 |
| Apocynaceae..... | 2 | Dicksoniaceae..... | 32 | Juncaceae..... | 13 |
| Araliaceae..... | 2 | Dicranaceae..... | 33 | Juncaginaceae..... | 13 |
| Arrowgrasses..... | 13 | Dilleniaceae..... | 8 | Kangaroo Apple..... | 28 |
| Asparagaceae..... | 2 | Ditrichaceae..... | 33 | Knotweeds or Smartweeds..... | 24 |
| Asparagus..... | 2 | Dogbane..... | 2 | Lamiaceae..... | 13 |
| Asphodelaceae..... | 3 | Droseraceae..... | 9 | Lauraceae..... | 14 |
| Aspleniaceae..... | 31 | Dryopteridaceae..... | 32 | Laurels..... | 14 |
| Asteraceae..... | 3 | Elaeocarpaceae..... | 9 | Laxmanniaceae..... | 14 |
| Asters..... | 3 | Elatinaceae..... | 9 | Lembophyllaceae..... | 34 |
| Banksias..... | 25 | Elkhorn..... | 33 | Lentibulariaceae..... | 14 |
| Bartramiaceae..... | 33 | Elms..... | 29 | Leptostomataceae..... | 34 |
| Bellflowers..... | 5 | Ericaceae..... | 9 | Leucobryaceae..... | 34 |
| Bignoniaceae..... | 5 | Eriocaulaceae..... | 9 | Linaceae..... | 14 |
| Bindweeds..... | 7 | Eucalyptus..... | 16 | Lindsaeaceae..... | 32 |
| Bird's Nest Fern..... | 31 | Euphorbiaceae..... | 10 | Loganiaceae..... | 14 |
| Bittersweet..... | 6 | Evening Primroses or Willowherbs..... | 18 | Lomandra..... | 14 |
| Bladderworts..... | 14 | Fabaceae..... | 10 | Loranthaceae..... | 14 |
| Blechnaceae..... | 31 | Fabroniaceae..... | 33 | Lycopodiaceae..... | 33 |
| Bloodworts..... | 12 | Fern Allies..... | 33 | Lythraceae..... | 15 |
| Boraginaceae..... | 5 | Ferns..... | 31 | Madder, Bedstraw or Coffee..... | 26 |
| Boronia..... | 27 | Figs..... | 16 | Maidenhair..... | 31 |
| Bottlebrush..... | 16 | Figworts..... | 28 | Mallows..... | 15 |
| Brassicaceae..... | 5 | Fissidentaceae..... | 34 | Malvaceae..... | 15 |
| Broomrapes..... | 20 | Flax..... | 14 | Matrush..... | 14 |
| Bryaceae..... | 33 | Forget-me-nots..... | 5 | Menyanthaceae..... | 15 |
| Buckthorns..... | 26 | Gentianaceae..... | 11 | Meteoriaceae..... | 34 |
| Burmanniaceae..... | 5 | Gentians..... | 11 | Milkworts..... | 24 |
| Burrawang..... | 31 | Geraniaceae..... | 11 | Mimosaceae..... | 15 |
| Buttercups or Crowfoots..... | 25 | Geraniums..... | 11 | Mint..... | 13 |
| Byttneriaceae..... | 5 | Gleicheniaceae..... | 32 | Mitteniaceae..... | 34 |
| Cabbages and Mustards..... | 5 | Goodenia..... | 12 | Moraceae..... | 16 |
| Caesalpiniaceae..... | 5 | Goodeniaceae..... | 12 | Mosses..... | 33 |
| Campanulaceae..... | 5 | Grammitidaceae..... | 32 | Myrsinaceae..... | 16 |
| Caprifoliaceae..... | 6 | Grass..... | 21 | Myrsines..... | 16 |
| Caryophyllaceae..... | 6 | Grass Trees..... | 30 | Myrtaceae..... | 16 |
| Casuarinaceae..... | 6 | Greenbriers..... | 28 | Myrtles..... | 16 |
| Celastraceae..... | 6 | Grevilleas..... | 25 | Nettles..... | 29 |
| Centrolepidaceae..... | 6 | Grimmiaceae..... | 34 | Nightshades or Potatoes..... | 28 |
| Chenopodiaceae..... | 6 | Guinea Flowers..... | 8 | Olaceaceae..... | 18 |
| Citrus..... | 27 | Haemodoraceae..... | 12 | Oleaceae..... | 18 |
| Clusiaceae..... | 7 | Haloragaceae..... | 12 | Olives..... | 18 |
| Colchicaceae..... | 7 | Hare's Foot Fern..... | 32 | Onagraceae..... | 18 |
| Commelinaceae..... | 7 | Heaths or Heathers..... | 9 | Ophioglossaceae..... | 32 |
| Conifers..... | 31 | Hedwigiaceae..... | 34 | Orchidaceae..... | 18 |
| Convolvulaceae..... | 7 | Hemerocallidaceae..... | 12 | Orchids..... | 18 |
| Crassulaceae..... | 7 | Honeysuckles..... | 6 | Orobanchaeae..... | 20 |
| Cupressaceae..... | 31 | Hop Bush..... | 28 | Orpines..... | 7 |
| Cyatheaceae..... | 31 | Hymenophyllaceae..... | 32 | Orthodontiaceae..... | 34 |
| Cycads..... | 31 | Hypnaceae..... | 34 | Orthotrichaceae..... | 34 |
| | | Hypnodendraceae..... | 34 | Osmundaceae..... | 32 |
| | | | | Oxalidaceae..... | 20 |

| | | | |
|-----------------------------|--------------------|-----------------------------------|--------------------|
| Papaveraceae. | 20 | Stackhousiaceae. | 28 |
| Peas. | 10 | Star Grasses. | 12 |
| Pelargoniums. | 11 | Sterculiaceae. | 29 |
| Phebalium. | 27 | Stylidiaceae | 29 |
| Philydraceae. | 20 | Sundews. | 9 |
| Phyllanthaceae. | 20 | Tea-trees. | 16 |
| Phytolaccaceae | 21 | Thuidiaceae. | 35 |
| Picrodendraceae. | 21 | Thymelaeaceae | 29 |
| Pinks. | 6 | Trachylomataceae. | 35 |
| Pipeworts. | 9 | Tree Fern. | 31 |
| Pittosporaceae. | 21 | Triggerplants. | 29 |
| Plagiotheciaceae. | 35 | Ulmaceae | 29 |
| Plantaginaceae | 21 | Umbellifers. | 2 |
| Plantains. | 21 | Urticaceae. | 29 |
| Poaceae | 21 | Verbenaceae | 29 |
| Pokeweeds. | 21 | Verbenas. | 29 |
| Polygalaceae | 24 | Vervain. | 29 |
| Polygonaceae | 24 | Victorian Christmas Bush. | 13 |
| Polypodiaceae. | 32 | Violaceae | 29 |
| Polytrichaceae. | 35 | Violets. | 29 |
| Pomaderris. | 26 | Viscaceae. | 29 |
| Pondweeds. | 25 | Vitaceae. | 29 |
| Poppies. | 20 | Water Milfoils. | 12 |
| Portulacaceae | 25 | Wattles. | 15 |
| Potamogetonaceae. | 25 | Waxflower. | 27 |
| Pottiaceae. | 35 | Willows. | 27 |
| Proteaceae | 25 | Winteraceae. | 30 |
| Proteas. | 25 | Wood Sorrels. | 20 |
| Psilotaceae | 33 | Xanthorrhoeaceae. | 30 |
| Purslanes. | 25 | Xyridaceae. | 30 |
| Pylaisiadelphaceae. | 35 | Yellow-eyed Grasses. | 30 |
| Quintiniaceae. | 25 | Zamia. | 31 |
| Ranunculaceae. | 25 | Zamiaceae. | 31 |
| Raspwort. | 12 | | |
| Restiads. | 26 | | |
| Restionaceae. | 26 | | |
| Rhacocarpaceae. | 35 | | |
| Rhamnaceae. | 26 | | |
| Rhizogoniaceae. | 35 | | |
| Rosaceae. | 26 | | |
| Roses. | 26 | | |
| Rubiaceae. | 26 | | |
| Rushes. | 13 | | |
| Rutaceae. | 27 | | |
| Salicaceae. | 27 | | |
| Santalaceae. | 28 | | |
| Sapindaceae. | 28 | | |
| Schizaeaceae. | 33 | | |
| Scrophulariaceae. | 28 | | |
| Sedges. | 7 | | |
| Selaginellaceae | 33 | | |
| She-oaks. | 6 | | |
| Smilacaceae | 28 | | |
| Soapberries. | 28 | | |
| Solanaceae. | 28 | | |
| Sphagnaceae. | 35 | | |
| Spiderworts. | 7 | | |
| Spurges. | 10 | | |