

*Complete list of publications (in international peer-reviewed journals)*

2020

Mishra B, Ploch S, Runge F, Schmuker A, Xia X, Gupta DK, Sharma R, Thines M (2020). The genome of *Microthlaspi erraticum* (Brassicaceae) provides insights into the adaptation to highly calcareous soils. **Frontiers in Plant Science** 11:943.

Wijayawardene N, et al., [(100+ co-authors), Thines M (last author)] (2020) Outline of Fungi and fungus-like taxa. **Mycosphere** 11:1060-1456

Thines M, Sharma R, Rodenburg SY, Gogleva A, Judelson HS, Xia X, et al. (2020) The Genome of *Peronospora belbahrii* reveals high heterozygosity, a low number of canonical effectors, and TC-rich promoters. **Molecular Plant-Microbe Interactions** MPMI-07-19-0211-R.

Loizides M, Alvarado P, Polemis E, Dimou DM, Zervakis GI, Thines M, et al. (2020) Multiple evolutionary origins of sequestrate species in the agaricoid genus *Chlorophyllum*. **Mycologia** 112(2):400-22.

Hoffmeister M, Maier W, Thines M, Becker Y (2020) Tracking host infection and reproduction of *Peronospora salviae-officinalis* using an improved method for confocal laser scanning microscopy. **Plant Pathology**. 2020.

Hoffmeister M, Gabriel D, Thines M, Maier W (2020) Epidemiology of sage downy mildew, *Peronospora salviae-officinalis*. **European Journal of Plant Pathology**. 156:1147-62.

Hoffmeister M, Ashrafi S, Thines M, Maier W (2020) Two new species of the *Peronospora belbahrii* species complex, *Pe. choii* sp. nov. and *Pe. salviae-pratensis* sp. nov., and a new host for *Pe. salviae-officinalis*. **Fungal Systematics and Evolution**, in press.

Buaya AT, Ploch S, Kraberg A, Thines M (2020) Phylogeny and cultivation of the holocarpic oomycete *Diatomophthora perforans* comb. nov., an endoparasitoid of marine diatoms. **Mycological Progress** 19:441-454.

Buaya A, Thines M (2020) *Bolbea parasitica* gen. et sp. nov., a cultivable holocarpic parasitoid of the early-diverging Saprolegniomycetes. **Fungal Systematics and Evolution**, in press.

2019

Wittwer C, Stoll S, Thines M, Nowak C (2019) eDNA-based crayfish plague detection as practical tool for biomonitoring and risk assessment of *A. astaci*-positive crayfish populations. **Biological Invasions** 21(4):1075-88.

Vallet M, Baumeister TU, Kaftan F, Grabe V, Buaya A, Thines M, et al. (2019) The oomycete *Lagenisma coscinodisci* hijacks host alkaloid synthesis during infection of a marine diatom. **Nature Communications**. 10(1):1-8.

Thines M, Denton GJ, Beal EJ, Kilty A, Denton JO, Shin H-D, et al. (2019) *Peronospora aquilegiicola* sp. nov., the downy mildew affecting columbines in the UK is an invasive species from East Asia. **European Journal of Plant Pathology**. 155(2):515-25.

Thines M (2019) Fixing loose ends in downy mildew research—the Peronosporaceae of Kazakhstan by Nina Ivanovna Gaponenko. **Schlechtendalia**. 36:133-9.

Thines M (2019) An evolutionary framework for host shifts—jumping ships for survival. **New Phytologist**. 224(2):605-617.

Tanaka S, Schweizer G, Rössel N, Fukada F, Thines M, Kahmann R (2019) Neofunctionalization of the secreted Tin2 effector in the fungal pathogen *Ustilago maydis*. **Nature Microbiology** 4(2):251-7.

Sharma R, Ökmen B, Doehlemann G, Thines M (2019) Saprotrophic yeasts formerly classified as *Pseudozyma* have retained a large effector arsenal, including functional Pep1 orthologs. **Mycological Progress** 18(5):763-8.

Kruse J, Thines M (2019) *Entyloma lagoeciae*: a new smut fungus occurring on the annual Apiaceae *Lagoecia cuminoides*. **Nova Hedwigia** 108(1-2):173-84.

Hassett BT, Thines M, Buaya A, Ploch S, Gradinger R (2019) A glimpse into the biogeography, seasonality, and ecological functions of arctic marine Oomycota **IMA Fungus** 1(1):6.

Buaya AT, Ploch S, Thines M (2019) Rediscovery and phylogenetic placement of *Olpidiopsis gillii* (de Wildeman) Friedmann, a holocarpic oomycete parasitoid of freshwater diatoms. **Mycoscience** 60(3):141-6.

Buaya A, Thines M (2019) Diatomophthoraceae—a new family of olpidiopsis-like diatom parasitoids largely unrelated to *Ectrogella*. **Fungal Systematics and Evolution**. 2019.

Buaya A, Thines M (2019) *Miracula moenusica*, a new member of the holocarpic parasitoid genus from the invasive freshwater diatom *Pleurosira laevis*. **Fungal Systematics and Evolution** 3(1):35-40.

Buaya A, Ploch S, Inaba S, Thines M (2019) Holocarpic oomycete parasitoids of red algae are not *Olpidiopsis*. **Fungal Systematics and Evolution** 4(1):21-31.

Buaya A, Kraberg A, Thines M (2019) Dual culture of the oomycete *Lagenisma coscinodisci* Drebes and *Coscinodiscus* diatoms as a model for plankton/parasite interactions. **Helgoland Marine Research** 73(1):2.

Bode E, Heinrich AK, Hirschmann M, Abebew D, Shi YN, Vo TD, et al. [incl. Thines M] (2019) Promoter activation in  $\Delta$ hfq mutants as an efficient tool for specialized metabolite production enabling direct bioactivity testing. **Angewandte Chemie.** 131(52):19133-9.

Bennett R, Thines M (2019) Revisiting Salisapiliaceae. **Fungal Systematics and Evolution.** 3(1):353-66.

Bandini D, Oertel B, Ploch S, Ali T, Vauras J, Schneider A, et al. [Thines M (senior author)] (2019) Revision of some central European species of *Inocybe* (Fr.: Fr.) Fr. subgenus *Inocybe*, with the description of five new species. **Mycological progress.** 18(1-2):247-94.

Bandini D, Oertel B, Moreau P-A, Thines M, Ploch S (2019) Three new hygrophilous species of *Inocybe*, subgenus *Inocybe*. **Mycological Progress** 18(9):1101-19.

Ali T, Muñoz-Fuentes V, Buch A-K, Çelik A, Dutbayev A, Gabrielyan I, et al. [Thines M (senior author)] (2019) Out of Transcaucasia: Origin of Western and Central Palearctic populations of *Microthlaspi perfoliatum*. **Flora** 253:127-41.

Zamora JC, Svensson M, Kirschner R, Olariaga I, Ryman S, Parra LA, et al. [incl. Thines M] (2019) Considerations and consequences of allowing DNA sequence data as types of fungal taxa. **IMA Fungus.** 9(1):167.

Wittwer C, Stoll S, Strand D, Vrålstad T, Nowak C, Thines M (2019) eDNA-based crayfish plague monitoring is superior to conventional trap-based assessments in year-round detection probability. **Hydrobiologia** 807(1):87-97.

Wittwer C, Nowak C, Strand DA, Vrålstad T, Thines M, Stoll S (2019) Comparison of two water sampling approaches for eDNA-based crayfish plague detection. **Limnologica** 70:1-9.

Thines M, Crous PW, Aime MC, Aoki T, Cai L, Hyde KD, et al. (2019) Ten reasons why a sequence-based nomenclature is not useful for fungi anytime soon. **IMA Fungus** 9(1):177-83.

Thines M (2019) Oomycetes. **Current Biology** 28(15):R812-R3.

Spring O, Gomez-Zeledon J, Hadziabdic D, Trigiano RN, Thines M, Lebeda A (2019) Biological characteristics and assessment of virulence diversity in pathosystems of economically important biotrophic oomycetes. **Critical Reviews in Plant Sciences** 37(6):439-95.

Sharma R, Oekmen B, Doeblemann G, Thines M (2019) *Pseudozyma* saprotrophic yeasts have retained a large effector arsenal, including functional Pep1 orthologs. **Mycological Progress** 18:763-768.

2018

Ploch S, Choi Y-J, Thines M (2018) The only known white blister rust on a basal angiosperm is a member of the genus *Albugo*. **Organisms Diversity & Evolution** 18(1):63-9.

Park JH, Thines M, Lee HB, Shin H-D, Choi Y-J (2018) *Bremia polycephala* and *Bremia sawadae* spp. nov.(Peronosporaceae; Oomycota), parasitic to Northeast Asian Asteraceae. **Nova Hedwigia** 107(3-4):303-14.

Mishra B, Gupta DK, Pfenninger M, Hickler T, Langer E, Nam B, et al. [Thines M (senior author)] (2018) A reference genome of the European beech (*Fagus sylvatica* L.). **GigaScience** 7(6):giy063.

Mishra B, Choi Y-J, Thines M (2018) Phylogenomics of *Bartheletia paradoxa* reveals its basal position in Agaricomycotina and that the early evolutionary history of basidiomycetes was rapid and probably not strictly bifurcating. **Mycological Progress** 17(3):333-41.

Kruse J, Piatek M Lutz M, Thines M (2018) Broad host range species in specialised pathogen groups should be treated with suspicion—a case study on *Entyloma* infecting *Ranunculus*. **Persoonia** 41:175.

Kruse J, Kummer V, Shivas RG, Thines M (2018) The first smut fungus, *Thecaphoraanthemidis* sp. nov.(Glomosporiaceae), described from *Anthemis* (Asteraceae). **MycoKeys** 2018(41):39.

Kruse J, Dietrich W, Zimmermann H, Klenke F, Richter U, Richter H, et al. [Thines M (senior author)] (2018) *Ustilago* species causing leaf-stripe smut revisited. **IMA Fungus** 9(1):49-73.

Gupta DK, Rühl M, Mishra B, Kleofas V, Hofrichter M, Herzog R, et al. [Thines M (senior author)] (2018) The genome sequence of the commercially cultivated mushroom *Agrocybe aegerita* reveals a conserved repertoire of fruiting-related genes and a versatile suite of biopolymer-degrading enzymes. **BMC Genomics**. 19(1):48.

Glynou K, Thines M, Maciá-Vicente JG (2018) Host species identity in annual Brassicaceae has a limited effect on the assembly of root-endophytic fungal communities. **Plant Ecology & Diversity** 11(5-6):569-80.

Glynou K, Nam B, Thines M, Maciá-Vicente JG (2018) Facultative root-colonizing fungi dominate endophytic assemblages in roots of nonmycorrhizal *Microthlaspi* species. **New Phytologist** 217(3):1190-202.

Choi Y-J, Kruse J, Thines M (2018) *Hyaloperonospora erucae* sp. nov. (Peronosporaceae; Oomycota), the downy mildew pathogen of arugula (*Eruca sativa*). **European Journal of Plant Pathology** 151(2):549-55.

Brandrud TE, Schmidt-Stohn G, Liimatainen K, Niskanen T, Frøslev TG, Soop K, et al. [incl. Thines M] (2018) *Cortinarius* sect. *Riederi*: taxonomy and phylogeny of the new section with European and North American distribution. **Mycological Progress** 17(12):1323-54.

Bennett RM, Devanadera MK, Dedeles GR, Thines M (2018) A revision of *Salispina*, its placement in a new family, Salispinaceae (Rhipidiales), and description of a fourth species, *S. hoi* sp. nov. **IMA Fungus** 9:259-69.

Aime MC, Castlebury LA, Abbasi M, Begerow D, Berndt R, Kirschner R, et al. [incl. Thines M] (2018) Competing sexual and asexual generic names in Pucciniomycotina and Ustilaginomycotina (Basidiomycota) and recommendations for use. **IMA Fungus** 9(1):75.

2017

Glynou K, Ali T, Haghi Kia S, Thines M, Maciá-Vicente JG (2017) Genotypic diversity in root-endophytic fungi reflects efficient dispersal and environmental adaptation. **Molecular Ecology** 26:4618-4630.

Kruse J, Doeblemann G, Kemen E, Thines M (2017) Asexual and sexual morphs of *Moesziomyces* revisited. **IMA Fungus** 8:117-129.

Kia SH, Glynou K, Nau T, Thines M, Piepenbring M, Maciá-Vicente JG (2017) Influence of phylogenetic conservatism and trait convergence on the interactions between fungal root endophytes and plants. **The ISME Journal** 11:777-790.

Ali T, Muñoz-Fuentes V, Buch A-K, Çelik A, Dutbayev A, Gabrielyan I, Glynou K, Khalil I, Kitner M, Nigrelli L, Ploch S, Runge F, Schmuker A, Solovyeva I, Xia X, Vakhrusheva L, Maciá-Vicente JG, Nowak C, Thines M (2017) Genetic patterns reflecting Pleistocene range dynamics in the annual calcicole plant *Microthlaspi erraticum* across its Eurasian range. **Flora** 236-237:132-142.

Buaya AT, Ploch S, Hanic L, Nam B, Nigrelli L, Kraberg A, Thines M (2017) Phylogeny of *Miracula helgolandica* gen. et sp. nov. and *Olpidiopsis dresbessii* sp. nov., two basal oomycete parasitoids of marine diatoms, with notes on the taxonomy of *Ectrogella*-like species. **Mycological Progress** 16:1041–1050.

Dal Grande F, Sharma R, Meiser A, Rolshausen G, Büdel B, Mishra B, Thines M, Otte J, Pfenniger M, Schmitt I (2017) Adaptive differentiation coincides with local bioclimatic conditions along an elevational cline in populations of a lichen-forming fungus. **BMC Evolutionary Biology** 17:93.

Kruse J, Dietrich W, Zimmermann H, Klenke F, Richter U, Richer H, Thines M (2017) *Ustilago* species causing leaf-stripe smut revisited. **IMA Fungus** 9:49–73.

Kruse J, Mishra B, Choi YJ, Sharma R, Thines M (2017) New smut-specific primers for multilocus genotyping and phylogenetics of Ustilaginaceae. **Mycological Progress** 16:917-925.

Bennett RM, de Cock AWAM, Lévesque CA, Thines M (2017) *Calycofera* gen. nov., an estuarine sister taxon to *Phytophytium*, Peronosporaceae. **Mycological Progress** 16:947-954.

Choi Y-J, Thines M, Choi I-Y, Shin H-D (2017) *Perofascia* is not monotypic: the description of the second taxon affecting the South American crop maca (*Lepidium meyenii*). **Mycological Progress** 16:857-864.

Kruse J, Choi Y-J, Thines M (2017) New smut-specific primers for the ITS barcoding of Ustilaginomycotina. **Mycological Progress** 16:213-221.

Görg M, Ploch S, Kruse J, Kummer V, Runge F, Choi Y-J, Thines M (2017) Revision of *Plasmopara* (Oomycota, Peronosporales) parasitic to *Impatiens*. **Mycological Progress** 16:791-799.

Kruse J, Thines M (2017) Proposal 2507 to reject the name *Ramularia gibba* (Ustilaginomycotina: Entylomatales). **Taxon** 66:515-516.

Langer JA, Sharma R, Schmidt SI, Bahrdt S, Horn HG, Algueró-Muñiz M, Nam B, Achterberg EP, Riebesell U, Boersma M, Thines M, Schwenk K (2017). Community barcoding reveals little effect of ocean acidification on the composition of coastal plankton communities: Evidence from a long-term mesocosm study in the Gullmar Fjord, Skagerrak. **PLoS ONE**, 12:e0175808.

Choi Y-J, Wong J, Runge F, Mishra B, Michelmore RW, Thines M (2017) *BrRxLR11*—a new phylogenetic marker with high resolution in the downy mildew genus *Bremia* and related genera. **Mycological Progress** 16:185-190.

Bennett RM, Nam B, Dedeles GR, Thines M (2017) *Phytophytium leanoi* sp. nov. and *Phytophytium dogmae* sp. nov., *Phytophytium* species associated with mangrove leaf litter from the Philippines. **Acta Mycologica** 52:1-13.

Bennett RM, Dedeles GR, Thines M (2017) *Phytophthora elongata* (Peronosporaceae) is present as an estuarine species in Philippine mangroves. **Mycosphere** 8:959-67.

Petrželová I, Choi Y-J, Jemelková M, Doležalová I, Kruse J, Thines M, Kitner M (2016) Confirmation of *Peronospora agrimoniae* as a distinct species. **European Journal of Plant Pathology** 147:887-896.

2016

Glynou K, Ali T, Buch AK, Haghi Kia S, Ploch S, Xia X, Çelik A, Thines M, Maciá-Vicente JG (2016) The local environment determines the assembly of root endophytic fungi at a continental scale. **Environmental Microbiology** 18:2418-2434.

Tobias NJ, Mishra B, Gupta DK, Sharma R, Thines M, Stinear TP, Bode HB (2016) Genome comparisons provide insights into the role of secondary metabolites in the pathogenic phase of the *Photorhabdus* life cycle. **BMC Genomics** 17:537.

Kunjeti SG, Anchieta A, Martin FN, Choi Y-J, Thines M, Michelmore RW, Koike ST, Tsuchida C, Mahaffee W, Subbarao KV, Klosterman SJ (2016) Detection and quantification of *Bremia lactucae* by spore trapping and quantitative PCR. **Phytopathology** 106:1426-1437.

Kruse J, Thines M, Choi Y-J (2016) The presumably North American species *Plasmopara wilsonii* is present in Germany on the ornamental plant *Geranium phaeum*. **European Journal of Plant Pathology** 145:999-1005.

Herzog R, Solovyeva I, Rühl M, Thines M, Hennicke F (2016) Dikaryotic fruiting body development in a single dikaryon of *Agrocybe aegerita* and the spectrum of monokaryotic fruiting types in its monokaryotic progeny. **Mycological Progress** 15:947-957.

Ali T, Runge F, Dutbayev A, Schmuker A, Solovyeva I, Nigrelli L, Buck A-K, Xia X, Ploch S, Orren O, Kummer V, Paule J, Çelik A, Vakhrusheva L, Gabrielyan I, Thines M (2016) *Microthlaspi erraticum* (Jord.) T. Ali et Thines has a wide distribution, ranging from the Alps to the Tien Shan. **Flora** 225:76-81.

Thines M, Choi Y-J (2016) Evolution, diversity, and taxonomy of the Peronosporaceae, with focus on the genus *Peronospora*. **Phytopathology** 106:6-18.

Bogner CW, Kariuki GM, Elashry A, Sichtermann G, Buch A-K, Mishra B, Thines M, Grundler FMW, Schouten A (2016). Fungal root endophytes of tomato from Kenya and their nematode biocontrol potential. **Mycological Progress** 15:30, pp. 1-17

Ali T, Schmuker A, Runge F, Solovyeva I, Nigrelli L, Paule J, Buch A-K, Xia X, Ploch S, Orren O, Kummer V, Linde-Laursen I, Ørgaard M, Hauser TP, Çelik A, Thines M (2016) Morphology, phylogeny, and taxonomy of *Microthlaspi* (Brassicaceae: Coluteocarpeae) and related genera. **Taxon** 65:79-98.

2015

Sharma R, Xia X, Riess K, Bauer R, Thines M (2015) Comparative genomics including the early-diverging smut fungus *Ceraceosorus bombacis* reveals signatures of parallel evolution within plant and animal pathogens of fungi and oomycetes. **Genome Biology and Evolution** 7:2781-2798.

Sharma R, Gassel S, Steiger S, Xia X, Bauer R, Sandmann G, Thines M (2015) The genome of the basal agaricomycete *Xanthophyllomyces dendrorhous* provides insights into the organization of its acetyl-CoA derived pathways and the evolution of Agaricomycotina. **BMC Genomics** 16:233.

Solovyeva I, Schmuker A, Cano LM, van Damme M, Ploch S, Kamoun S, Thines M (2015) Evolution of *Hyaloperonospora* effectors: ATR1 effector homologs from sister species of the downy mildew pathogen *H. arabidopsis* are not recognised by RPP1WsB. **Mycological Progress** 14:53, pp.1-9.

Oliva RF, Cano LM, Raffaele S, Win J, Bozkurt TO, Belhaj K, Oh SK, Thines M, Kamoun S (2015) A recent expansion of the RXLR effector gene Avrblb2 is maintained in global populations of *Phytophthora infestans* indicating different contributions to virulence. **Molecular Plant-Microbe Interactions** 28:901-912.

Sharma R, Xia X, Cano LM, Evangelisti E, Kemen E, Judelson H, Oome S, Sambles C, Van den Hoogen DJ, Kitner M, Klein J, Meijer HJG, Spring O, Win J, Zipper R, Bode HB, Govers F, Kamoun S, Schornack S, Studholme DJ, Van den Ackerveken G, Thines M (2015) Genome analyses of the sunflower pathogen *Plasmopara halstedii* provide insights into effector evolution in downy mildews and *Phytophthora*. **BMC Genomics** 16:741.

Cheikh-Ali Z, Glynou K, Tahir A, Ploch S, Thines M, Bode HB, Maciá-Vicente JG (2015) Diversity of exophillic acid derivatives in strains of an endophytic *Exophiala* sp. **Phytochemistry** 118:83-93.

Thines M, Telle S, Choi Y-J, Tan YP, Shivas RG (2015) *Baobabopsis*, a new genus of graminicolous downy mildews from tropical Australia, with an updated key to the genera of downy mildews. **IMA Fungus** 6:483-491.

Sharma R, Thines M (2015) FastQFS—A tool for evaluating and filtering paired-end sequencing data generated from high throughput sequencing. **Mycological Progress** 14:60, pp. 1-7.

Choi Y-J, Klosterman SJ, Kummer V, Voglmayr H, Shin HD, Thines M (2015) Multi-locus tree and species tree approaches toward resolving a complex clade of downy mildews (Straminipila, Oomycota), including pathogens of beet and spinach. **Molecular Phylogenetics and Evolution** 86:24-34.

Kitner M, Lebeda A, Sharma R, Runge F, Dvořák P, Ali T, Choi Y-J, Sedláková B, Thines M (2015) Coincidence of virulence shifts and population genetic changes of *Pseudoperonospora cubensis* in the Czech Republic. **Plant Pathology** 64:1461-1470.

Denton GJ, Beal EJ, Kilty A, Denton JO, Choi Y-J, Thines M (2015) Characterisation and risk assessment of the emerging *Peronospora* disease on *Aquilegia*. **Mycological Progress** 14:69, pp. 1-10

Choi YJ, Thines M (2015) Host Jumps and Radiation, Not Co-Divergence Drives Diversification of Obligate Pathogens. A Case Study in Downy Mildews and Asteraceae. **PLoS ONE** 10:e0133655.

Hemetsberger C, Mueller AN, Matei A, Herrberger C, Hensel G, Kumlehn J, Mishra B, Sharma R, Thines M, Hückelhoven R, Doehlemann G (2015) The fungal core effector Pep1 is conserved across smuts of dicots and monocots. **New Phytologist** 206:1116-1126.

Thines M, Nam B, Nigrelli L, Beakes G, Kraberg A (2015) The diatom parasite *Lagenisma coscinodisci* (Lagenismatales, Oomycota) is an early diverging lineage of the Saprolegniomycetes. **Mycological Progress** 14:75, pp. 1-7.

Mishra B, Solovyeva I, Schmuker A, Thines M (2015) Modelling of structures of ATR1-homologs from sister species of *Hyaloperonospora arabidopsis* suggests different patterns for target-mediated and R-protein-mediated selection. **Mycological Progress** 14:71, pp. 1-8.

Tobias NJ, Mishra B, Gupta DK, Ke LP, Thines M, Bode HB (2015) Draft genome sequence of *Ochrobactrum anthropi* Strain ML7 isolated from soil samples in Vinhpuc Province, Vietnam. **Genome Announcements** 3. pii:e00218-15.

Choi Y-J, Beakes G, Glockling S, Kruse J, Nam B, Nigrelli L, Ploch S, Shin H-D, Shivas G, Telle S, Voglmayr H, Thines M (2015) Towards a universal barcode of oomycetes – a comparison of the cox1 and cox2 loci. **Molecular Ecology Resources** 15:1275-88.

Choi Y-J, Klosterman SJ, Kummer V, Voglmayr H, Shin H-D, Thines M (2015) Multi-locus tree and species tree approaches toward resolving a complex clade of downy mildews (Straminipila, Oomycota), including pathogens of beet and spinach. **Molecular Phylogenetics and Evolution** 86: 24-34.

2014

Klosterman SJ, Ancheta A, McRoberts N, Koike ST, Subbarao KV, Voglmayr H, Choi Y-J, Thines M, Martin FN (2014) Coupling spore traps and quantitative PCR assays for detection of the downy mildew pathogens of spinach (*Peronospora effusa*) and beet (*P. schachtii*). **Phytopathology** 104:1349-59.

Cohen Y, Rubin AE, Galperin M, Ploch S, Runge F, Thines M (2014) Seed transmission of *Pseudoperonospora cubensis*. **PLoS ONE** 9:e109766.

Mishra B, Thines M (2014) siMBA – a simple graphical user interface for the Bayesian phylogenetic inference program MrBayes. **Mycological Progress** 13:1255-1258.

Sharma R, Mishra B, Runge F, Thines M (2014) Gene Loss Rather Than Gene Gain Is Associated with a Host Jump from Monocots to Dicots in the Smut Fungus *Melanopsichium pennsylvanicum*. **Genome Biology and Evolution** 6:2034-2049.

Choi Y-J, Thines M (2014) Proposal to reject the name *Botrytis farinosa* (*Peronospora farinosa*) (Peronosporaceae: Oomycetes). **Taxon** 63:675-676.

Keim J, Mishra B, Sharma R, Ploch S, Thines M (2013) Root-associated fungi of *Arabidopsis thaliana* and *Microthlaspi perfoliatum*. **Fungal Diversity** 66:99-111.

Schneider JV, Bissiengou P, do Carmo Amaral M, Tahir A, Fay MF, Thines M, Sosef M, Zizka G, Chatrou LW (2014) Phylogenetics and infrafamilial classification of the pantropical Ochnaceae s.l. (Medusagynaceae, Ochnaceae s.str., Quiinaceae) based on five gene regions. **Molecular Phylogenetics and Evolution** 78:199-214.

Yoshida K, Burbano HA, Krause J, Thines M, Weigel D, Kamoun S (2014) Mining Herbaria for Plant Pathogen Genomes: Back to the Future. **PLoS Pathogens** 10:e1004028.

Bálint M, Schmidt P-A, Sharma R, Thines M, Schmitt I (2014) An Illumina metabarcoding pipeline for fungi. **Ecology and Evolution** 4:2642-2653.

Thines M (2014) Phylogeny and evolution of plant pathogenic oomycetes – a global overview. **European Journal of Plant Pathology** 138:431-447.

## 2013

Yoshida K, Schuenemann VJ, Cano LM, Pais M, Mishra B, Sharma R, Lanz C, Martin FN, Kamoun S, Krause J, Thines M, Weigel D, Burbano HA (2013) The rise and fall of the *Phytophthora infestans* lineage that triggered the Irish potato famine. **eLife** 2:e00731.

Nigrelli L, Thines M (2013) Tropical oomycetes in the German Bight – Climate warming or overlooked diversity? **Fungal Ecology** 6:152-160.

Thines M, Kummer V (2013) Diversity and species boundaries in floricolous downy mildews. **Mycological Progress** 12:321-329.

Mirzaee MR, Ploch S, Runge F, Telle S, Nigrelli L, Thines M (2013) A new presumably widespread species of *Albugo* parasitic to *Strigosella* spp. (Brassicaceae). **Mycological Progress** 12:45-52.

## 2012

Runge F, Ndambi B, Thines M (2012) Which morphological characteristics are most influenced by the host matrix in downy mildews? A Case Study in *Pseudoperonospora cubensis*. **PLoS ONE** 7:e44863.

Quesada-Ocampo LM, Granke LL, Olsen J, Gutting HC, Runge F, Thines M, Lebeda A, Hausbeck MK (2012) The genetic structure of *Pseudoperonospora cubensis* populations. **Plant Disease** 96:1459-1470.

Lamour KH, Mudge J, Gobena D, Hurtado-Gonzales OP, Schmutz J, Kuo A, Miller NA, Rice BJ, Raffaele S, Cano LM, Bharti AK, Donahoo RS, Finley S, Huitema E, Hulvey J, Platt D, Salamov A, Savidor A, Sharma R, Stam R, Storey D, Thines M, Win J, Haas BJ, Dinwiddie DL, Jenkins J, Knight JR, Affourtit JP, Han CS, Chertkov O, Lindquist EA, Detter C, Grigoriev IV, Kamoun S, Kingsmore SF (2012) Genome Sequencing and Mapping Reveal Loss of Heterozygosity as a Mechanism for Rapid Adaptation in the Vegetable Pathogen *Phytophthora capsici*. **Molecular Plant-Microbe Interactions** 25:1350-1360.

Trigiano RN, Wadl PA, Dean D, Hadziabdic D, Scheffler BE, Runge F, Telle S, Thines M, Ristiano J, Spring O (2012) Ten polymorphic microsatellite loci from *Peronospora tabacina*, the cause of blue mold of tobacco. **Mycologia** 104:633-640.

Rost C, Thines M (2012) A new species of *Pustula* (Oomycetes, Albuginales) is the causal agent of sunflower white rust. **Mycological Progress** 11:351-359.

Shivas RG, Ryley MJ, Telle S, Liberato JR, Thines M (2012) *Perenosclerospora australiensis* sp. nov. and *Perenosclerospora sargae* sp. nov., two newly recognised downy mildews in northern Australia, and their biosecurity implications. **Australasian Plant Pathology** 41:125-130.

Telle S, Thines M (2012) Reclassification of an enigmatic downy mildew species on lovegrass (*Eragrostis*) to the new genus *Eraphthora* with a key to the genera of the Peronosporaceae. **Mycological Progress** 11:121-129.

Runge F, Thines M (2012) Re-Evaluation of host specificity of the closely related species *Pseudoperonospora humuli* and *P. cubensis*. **Plant Disease** 96:55-61.

Choi Y-J; Thines M; Tek MP; Shin H-D (2012) Morphological evidence supports the existence of multiple species in *Pustula* (Albuginaceae, Oomycota). **Nova Hedwigia** 94:181-192.

2011

Ploch S, Thines M (2011) Obligate biotrophic pathogens of the genus *Albugo* are widespread as asymptomatic endophytes in natural populations of Brassicaceae. **Molecular Ecology** 20:3692-3699.

Thines M (2011) Recent outbreaks of downy mildew on grape ivy (*Parthenocissus tricuspidata* Vitaceae) in Germany are caused by a new species of *Plasmopara*. **Mycological Progress** 10:415-422.

Reimer D, Pos KM, Thines M, Grün P, Bode HBA (2011) natural prodrug activation mechanism in nonribosomal peptide synthesis. **Nature Chemical Biology** 7:888-890.

Spring O, Thines M, Wolf S, Zipper R (2011) PCR-based detection of sunflower white blister rust (*Pustula helianthicola* C. Rost & Thines) in soil samples and asymptomatic host tissue. **European Journal of Plant Pathology** 131:519-527.

Choi Y-J, Thines M, Han J-G, Shin H-D (2011) Mitochondrial phylogeny reveals intraspecific variation in *Peronospora effusa*, the spinach downy mildew pathogen. **The Journal of Microbiology** 49:1039-1043.

Choi Y-J, Shin H-D, Ploch S, Thines M (2011) Three new phylogenetic lineages are the closest relatives of the widespread species *Albugo candida*. **Fungal Biology** 115:598-607.

Ploch S, Telle S, Choi Y-J, Cunnington J, Priest M, Rost C, Shin H-D, Thines M (2011) The molecular phylogeny of the white blister rust genus *Pustula* reveals a case of underestimated biodiversity with several undescribed species on ornamentals and crop plants. **Fungal Biology** 115:214-219.

Telle S, Shivas RG, Ryley MJ, Thines M (2011) Molecular phylogenetic analysis of *Perenosclerospora* (Oomycetes) reveals cryptic species and genetically distinct species parasitic to maize. **European Journal of Plant Pathology** 130:521-528.

Choi Y-J, Thines M (2011) Morphological and molecular confirmation of *Albugo resedae* (Albuginales; Oomycota) as a distinct species from *A. candida*. **Mycological Progress** 10:143-148.

Runge F, Telle S, Ploch S, Savory E, Day B, Sharma R, Thines M (2011) The inclusion of downy mildews in a multi-locus-dataset and its reanalysis reveals high degree of paraphyly in *Phytophthora*. **IMA Fungus** 2:163-171.

Choi Y-J, Thines M, Runge F, Hong S-B, Telle S, Shin H-D (2011) Evidence for high degrees of specialisation evolutionary diversity and morphological distinctiveness in the genus *Bremia*. **Fungal Biology** 115:102-111.

Hawksworth DL, Crous PW, Redhead SA, Reynolds DR, Samson RA, Seifert KA, Taylor JW, Wingfield MJ, Abaci Ö, Aime C, Asan A, Bai F-Y, de Beer ZW, Begerow D, Berikten D, Boekhout T, Buchanan PK, Burgess TI, Buzina W, Cai L, Cannon PF, Crane JL, Damm U, Daniel H-M, van Diepeningen AD, Druzhinina IS, Dyer PS, Eberhardt U, Fell JW, Frisvad JC, Geiser DM, Geml J, Glienke C, Gräfenhan T, Groenewald JZ, Groenewald M, de Gruyter JZ, Guého-Kellermann E, Hibbett DS, Hong S-B, de Hoog GS, Houbraken JAMP, Huhndorf SM, Hyde KD, Ismail A, Johnston PR, Kadaifciler DG, Kirk PM, Köljalg U, Kurtzman CP, Lagneau P-E, Lévesque CA, Liu X, Lombard L, Meyer W, Miller A,

Minter DW, Najafzadeh JM, Norvell L, Ozerskaya SM, Özç R, Pennycook SR, Peterson SW, Pettersson OV, Quaedvlieg W, Robert VA, Ruibal C, Schnürer J, Schroers H-J, Shivas R, Slippers B, Spierenburg H, Takashima M, Taþkýn E, Thines M, Thrane U, Uztan HA, van Raak M, Varga J, Vasco A, Verkley G, Videira SIR, de Vries RP, Weir BS, Yilmaz N, Yurkov A, Zhang N. (2011) The Amsterdam Declaration on Fungal Nomenclature. **IMA Fungus** 2:105-112.

Schröder S, Telle S, Nick P, Thines M (2011) Cryptic diversity of *Plasmopara viticola* in North America. **Organisms Diversity and Evolution** 11:3-7.

Runge F, Thines M (2011) Host matrix has major impact on the morphology of *Pseudoperonospora cubensis*. **European Journal of Plant Pathology** 129:147-156.

Guerrero Y, Hofmann TA, Williams C, Thines M, Piepenbring M (2011) *Asterotexis cucurbitacearum*, a poorly known pathogen on Cucurbitaceae new for Panama and Costa Rica. **Mycology** 2:87-90.

Choi Y-J, Thines M, Shin H-D (2011) A new perspective on the evolution of white blister rusts: *Albugo* s.str. (Albuginales; Oomycota) is not restricted to Brassicales but also present on Fabales. **Organisms, Diversity and Evolution** 11:193-199.

Runge F, Choi Y-J, Thines M (2011) Phylogenetic investigations in the genus *Pseudoperonospora* reveal overlooked species and cryptic diversity in the *P. cubensis* species cluster. **European Journal of Plant Pathology** 129:135-146.

Thines M, Runge F, Telle S, Voglmayr H (2011) Phylogenetic investigations in the downy mildew genus *Bremia* reveal several distinct lineages and a species with a presumably exceptional wide host range. **European Journal of Plant Pathology** 129:81-89.

2010

Hulvey J, Telle S, Nigrelli L, Lamour K, Thines M (2010) Salisapiliaceae – A new family of oomycetes from marsh grass litter of southeastern North America. **Persoonia** 25:109-116.

Baxter L, Tripathy S, Ishaque N, Boot N, Cabral A, Kemen E, Thines M, Ah-Fong A, Anderson R, Badejoko W, Bittner-Eddy P, Boore JL, Chibucus MC, Coates M, Dehal P, Delehaunty K, Dong S, Downton P, Dumas B, Fabro G, Fronick C, Fuerstenberg SI, Fulton L, Gaulin E, Govers F, Hughes L, Humphray S, Jiang RHY, Judelson H, Kamoun S, Kyung K, Meijer H, Minx P, Morris P, Nelson J, Phuntumart V, Qutob D, Rehmany A, Rougon A, Ryden P, Torto-Alalibo T, Studholme D, Wang Y, Win J, Wood J, Clifton SW, Rogers J, Van den Ackerveken G, Jones JDG, McDowell JM, Beynon J, Tyler BM, (2010) Signatures of adaptation to obligate biotrophy in the *Hyaloperonospora arabidopsis* genome. **Science** 330:1149-1151.

Raffaele S, Farrer RA, Cano LM, Studholme DJ, Maclean D, Thines M, Jiang RHY, Zody MC, Kunjeti SG, Donofrio NM, Meyers BC, Nusbaum C, Kamoun S (2010) Genome evolution following host jumps in the Irish potato famine pathogen lineage. **Science** 330:1540-1543.

Thines M, Kamoun S (2010) Oomycete-plant coevolution: Recent advances and future prospects. **Current Opinion in Plant Biology** 13: 427-433.

Ploch S, Choi Y-J, Rost C, Shin H-D, Schilling E, Thines M (2010) Evolution of diversity in *Albugo* is driven by high host specificity and multiple speciation events on closely related Brassicaceae. **Molecular Phylogenetics and Evolution** 57:812-820.

Constantinescu O, Thines M (2010) *Plasmopara halstedii* is absent from Australia and New Zealand. **Polish Botanical Journal** 55:293-298. (invited manuscript)

Thines M (2010) Evolutionary history and diversity of white blister rusts. **Polish Botanical Journal** 55:259-264. (invited manuscript)

Schornack S, van Damme M, Bozkurt TO, Cano LM, Smoker M, Thines M, Gaulin E, Kamoun S, Huitema E (2010) Ancient class of translocated oomycete effectors targets the host nucleus. **PNAS** 107:17421-17426.

Levesque CA, Brouwer H, Cano L, Hamilton JP, Holt C, Huitema E, Raffaele S, Robideau GP, Thines M, Win J, Zerillo MM, Beakes GW, Boore JL, Busam D, Dumas B, Ferriera S, Fuerstenberg SI, Gachon CM, Gaulin E, Govers F, Grenville-Briggs L, Horner N, Hostetler J, Jiang RH, Johnson J, Krajaejun T, Lin H, Meijer HJ, Moore B, Morris P, Phuntmart V, Puiu D, Shetty J, Stajich JE, Tripathy S, Wawra S, van West P, Whitty BR, Coutinho PM, Henrissat B, Martin F, Thomas PD, Tyler BM, De Vries RP, Kamoun S, Yandell M, Tisserat N, Buell CR (2010) Genome sequence of the necrotrophic plant pathogen *Pythium ultimum* reveals original pathogenicity mechanisms and effector repertoire. **Genome Biology** 11:R73.

Oliva R, Win J, Raffaele S, Boutemy L, Bozkurt TO, Chaparro-Garcia A, Segretin ME, Stam R, Schornack S, Cano LM, van Damme M, Huitema E, Thines M, Banfield MJ, Kamoun S (2010) Recent Developments in effector biology of filamentous plant pathogens. **Cellular Microbiology** 12:705-715.

2009

Schornack S, Huitema E, Cano LM, Bozkurt TO, Oliva R, Van Damme M, Schwizer S, Raffaele S, Chaparro-Garcia A, Farrer R, Segretin ME, Bos J, Haas BJ, Zody MC, Nusbaum C, Win J, Thines M, Kamoun S (2009) Ten things to know about oomycete effectors. **Molecular Plant Pathology** 10:795-803.

Haas BJ, Kamoun S, Zody MC, Jiang RH, Handsaker RE, Cano LM, Grabherr M, Kodira CD, Raffaele S, Torto-Alalibo T, Bozkurt TO, Ah-Fong AM, Alvarado L, Anderson VL, Armstrong MR, Avrova A, Baxter L, Beynon J, Boevink PC, Bollmann SR, Bos JI, Bulone

V, Cai G, Cakir C, Carrington JC, Chawner M, Conti L, Costanzo S, Ewan R, Fahlgren N, Fischbach MA, Fugelstad J, Gilroy EM, Gnerre S, Green PJ, Grenville-Briggs LJ, Griffith J, Grünwald NJ, Horn K, Horner NR, Hu CH, Huitema E, Jeong DH, Jones AM, Jones JD, Jones RW, Karlsson EK, Kunjeti SG, Lamour K, Liu Z, Ma L, Maclean D, Chibucos MC, McDonald H, McWalters J, Meijer HJ, Morgan W, Morris PF, Munro CA, O'Neill K, Ospina-Giraldo M, Pinzón A, Pritchard L, Ramsahoye B, Ren Q, Restrepo S, Roy S, Sadanandom A, Savidor A, Schornack S, Schwartz DC, Schumann UD, Schwessinger B, Seyer L, Sharpe T, Silvar C, Song J, Studholme DJ, Sykes S, Thines M, van de Vondervoort PJ, Phuntumart V, Wawra S, Weide R, Win J, Young C, Zhou S, Fry W, Meyers BC, van West P, Ristaino J, Govers F, Birch PR, Whisson SC, Judelson HS, Nusbaum C (2009) Genome sequence and comparative analysis of the Irish potato famine pathogen *Phytophthora infestans*. **Nature** 461:393-398.

Thines M, Choi Y-J, Kemen E, Ploch S, Holub EB, Shin H-D, Jones JDG (2009) A new species of *Albugo* parasitic to *Arabidopsis thaliana* reveals new evolutionary patterns in white blister rusts (Albuginaceae). **Persoonia** 22:123-128.

Choi Y-J, Shin H-D, Thines M (2009) The host range of *Albugo candida* extends from Brassicaceae through Cleomaceae to Capparaceae. **Mycological Progress** 8:329-335.

Choi Y-J, Shin H-D, Thines M (2009) Two novel *Peronospora* species are associated with recent reports of downy mildew on sages. **Mycological Research** 113:1340-1350.

Heller A, Thines M (2009) Evidence for the importance of enzymatic digestion of epidermal walls during subepidermal sporulation and pustule opening in white blister rusts (Albuginaceae). **Mycological Research** 113:657-667.

Thines M, Telle S, Ploch S, Runge F (2009) Identity of the downy mildew pathogens of basil, coleus, and sage with implications for quarantine measures. **Mycological Research** 113:532-540.

Thines M (2009) Bridging the gulf: *Phytophthora* and downy mildews are connected by rare grass parasites. **PLoS ONE** 4:e4790.

Runge F, Thines M (2009) A potential perennial host for *Pseudoperonospora cubensis* in temperate regions. **European Journal of Plant Pathology** 123:483-486.

2008

Telle S, Thines M (2008) Amplification of *cox2* (~620 bp) from 2 mg of up to 129 years old herbarium specimens, comparing 19 extraction methods and 15 polymerases. **PLoS ONE** 3:e3584.

Choi Y-J, Shin H-D, Ploch S, Thines M (2008) Evidence for uncharted biodiversity in the *Albugo candida* complex, with the description of a new species. **Mycological Research** 112:1327-1334.

Thines M, Göker M, Telle S, Ryley M, Mathur K, Narayana YD, Spring O, Thakur RP (2008) Phylogenetic relationships of graminicolous downy mildews based on *cox2* sequence data. **Mycological Research** 112:345-351.

2007

Choi Y-J, Shin H-D, Hong S-B, Thines M (2007) Morphological and molecular discrimination among *Albugo candida* materials infecting *Capsella bursa-pastoris* world-wide. **Fungal Diversity** 27:11-34.

Thines M (2007) Characterisation and phylogeny of repeated elements giving rise to exceptional length of ITS2 in several downy mildew genera (Peronosporaceae). **Fungal Genetics and Biology** 44:199-207.

Thines M, Göker M, Oberwinkler F, Spring O (2007) A revision of *Plasmopara penniseti*, with implications for the host range of the downy mildews with pyriform haustoria (DMPH). **Mycological Research** 111:1377-1385.

Hammer T, Thines M, Spring O (2007) Transient expression of *gfp* in the obligate biotrophic oomycete *Plasmopara halstedii* using electroporation and a mechanoperforation method. **Plant Pathology** 56:177-182.

Komjáti H, Walcz I, Virányi F, Zipper R, Thines M, Spring O. (2007) Characteristics of a *Plasmopara angustiterminalis* isolate from *Xanthium strumarium*. **European Journal of Plant Pathology** 119: 421-428.

Voglmayr H, Thines M (2007) Phylogenetic relationships and nomenclature of *Bremia sphaerosperma* (Chromista, Peronosporales). **Mycotaxon** 100:11-20.

2006

Thines M, Göker M, Spring O, Oberwinkler F (2006) A revision of *Bremia graminicola*. **Mycological Research** 110:646-656.

Spring O, Bachofer M, Thines M, Göker M, Oberwinkler F (2006) Intraspecific relationship of *Plasmopara halstedii* isolates differing in pathogenicity and geographic origin based on ITS sequence data. **European Journal of Plant Pathology** 114:309-315.

Thines M (2006) Evaluation of characters available from herbarium vouchers for the phylogeny of the downy mildew genera (Chromista, Peronosporales), with focus on scanning electron microscopy. **Mycotaxon** 97:195-218.

Constantinescu O, Thines M (2006) Dimorphism of sporangia in Albuginales (Chromista, Peronosporomycetes). **Sydowia** 58:178-190.

Thines M, Zipper R, Schäuffele D, Spring O (2006) Characteristics of *Pustula tragopogonis* (syn. *Albugo tragopogonis*) newly occurring on cultivated sunflower in Germany. **Journal of Phytopathology** 154:88-92.

2005

Thines M, Spring O (2005) A revision of *Albugo* (Chromista, Peronosporomycetes). **Mycotaxon** 92:443-458.

Constantinescu O, Voglmayr H, Fatehi J, Thines M (2005) *Plasmoverna* gen. nov., and the nomenclature and taxonomy of *Plasmopara* (Chromista, Peronosporales). **TAXON** 54:813-821.

Thines M, Komjáti H, Spring O (2005) Exceptional length of ITS in *Plasmopara halstedii* is due to multiple repetitions in the ITS 2. **European Journal of Plant Pathology** 112:395-398.

2004

Spring O, Thines M (2004) On the necessity of new characters for classification and systematics of obligate biotrophic Peronosporomycetes. **Planta** 219:910-914.

### *Selected book chapters*

Beakes GW, Thines M (2017) Hypochytriomycota and Oomycota. In: Archibald J, Simpson A, Slamovits C (eds) **Handbook of the Protists**. Springer International Publishing, Cham, pp. 435-505.

Beakes GW, Honda D, Thines M (2014) Systematics of the Labyrinthulomycota, Hypochytriomycota and Oomycota. In: McLaughlin DJE, Spatafora JW (eds.) **The Mycota**, Volume 7A, Springer, pp. 39-97.

Spring S, Thines M (2010) Molecular Techniques for Classification and Diagnosis of Plant Pathogenic Oomycota. In: Youssuf Gherbawy Y, Voigt K (eds) **Molecular Identification of Fungi**, Springer, pp. 35-50.

Thines M, Voglmayr H, Göker M (2009) Taxonomy and phylogeny of the downy mildews (Peronosporaceae). In: Lamour K, Kamoun S (eds) **Oomycete Genetics and Genomics: Biology, Interactions with Plants and Animals, and Toolbox**. Wiley-Blackwell, pp. 47-75.

Thines M, Voglmayr H (2009) Evolution, phylogeny and diversity of the white blister rusts (Albuginales) In: Lamour K, Kamoun S (eds) **Oomycete Genetics and Genomics: Biology, Interactions with Plants and Animals, and Toolbox**. Wiley-Blackwell, pp. 77-92.