


No.

200900209



THE UNITED STATES OF AMERICA

TO ALL TO WHOM THESE PRESENTS SHALL COME;
Pioneer Hi-Bred International, Inc.


Whereas, THERE HAS BEEN PRESENTED TO THE
Secretary of Agriculture

An application requesting a certificate of protection for an alleged distinct variety of sexually reproduced, or tuber propagated plant, the name and description of which are contained in the application and exhibits, a copy of which is hereunto annexed and made a part hereof, and the various requirements of LAW in such cases made and provided have been complied with, and the title thereto is, from the records of the PLANT VARIETY PROTECTION OFFICE, in the applicant(s) indicated in the said copy, and Whereas, upon due examination made, the said applicant(s) is (are) adjudged to be entitled to a certificate of plant variety protection under the LAW.

Now, therefore, this certificate of plant variety protection is to grant unto the said applicant(s) and the successors, heirs or assigns of the said applicant(s) for the term of TWENTY years from the date of this grant, subject to the payment of the required fees and periodic replenishment of viable basic seed of the variety in a public repository as provided by LAW, the right to exclude others from selling the variety, or offering it for sale, or reproducing it, or importing it, or exporting it, or conditioning it for propagation, or stocking it for any of the above purposes, or using it in producing a hybrid or different variety therefrom, to the extent provided by the PLANT VARIETY PROTECTION ACT. (84 STAT. 1542, AS AMENDED, 7 U.S.C. 2321 ET SEQ.)

CORN, FIELD

'PHHJN'



In Testimony Whereof, *I have hereunto set my hand and caused the seal of the Plant Variety Protection Office to be affixed at the City of Washington, D.C. this sixth day of February, in the year two thousand and thirteen.*

Attest:

Commissioner
Plant Variety Protection Office
Agricultural Marketing Service

Secretary of Agriculture

U.S. DEPARTMENT OF AGRICULTURE
 AGRICULTURAL MARKETING SERVICE
 SCIENCE AND TECHNOLOGY - PLANT VARIETY PROTECTION OFFICE

APPLICATION FOR PLANT VARIETY PROTECTION CERTIFICATE
 (Instructions and Information collection burden statement on reverse)


The following statements are made in accordance with the Privacy Act of 1974 (5 U.S.C. 552a) and the Paperwork Reduction Act (PRA) of 1995.

Application is required in order to determine if a plant variety protection certificate is to be issued (7 U.S.C. 2421). Information is held confidential until certificate is issued (7 U.S.C. 2426).

1. NAME OF OWNER Pioneer Hi-Bred International, Inc.		2. TEMPORARY DESIGNATION OR EXPERIMENTAL NAME	3. VARIETY NAME PHHJN
4. ADDRESS (Street and No., or R.F.D. No., City, State, and ZIP Code, and Country) 7100 NW 62nd Avenue P.O. Box 1014 Johnston, Iowa 50131-1014 USA		5. TELEPHONE (include area code) (515) 535-6975	FOR OFFICIAL USE ONLY PVPO NUMBER 200900209
		6. FAX (include area code) (515) 535-2125	
7. IF THE OWNER NAMED IS NOT A "PERSON", GIVE FORM OF ORGANIZATION (corporation, partnership, association, etc.) Corporation	B. IF INCORPORATED, GIVE STATE OF INCORPORATION Iowa	9. DATE OF INCORPORATION March 5, 1999	
10. NAME AND ADDRESS OF OWNER REPRESENTATIVE(S) TO SERVE IN THIS APPLICATION. (First person listed will receive all papers) Bradford D. Hall Pioneer Hi-Bred International, Inc. Crop Genetics Research and Development PO Box 85 Johnston, Iowa 50131-0085 USA			FILING AND EXAMINATION FEES: \$ 4382.00 DATE 02/25/2009 CERTIFICATION FEE: \$ DATE

11. TELEPHONE (Include area code) (515) 535-6975	12. FAX (Include area code) (515) 535-2125	13. E-MAIL brad.hall@pioneer.com
14. CROP KIND (Common Name) Corn	16. FAMILY NAME (Botanical) Gramineae	18. DOES THE VARIETY CONTAIN ANY TRANSGENES? (OPTIONAL) <input type="checkbox"/> YES <input type="checkbox"/> NO
15. GENUS AND SPECIES NAME OF CROP Zea mays	17. IS THE VARIETY A FIRST GENERATION HYBRID? <input type="checkbox"/> YES <input checked="" type="checkbox"/> NO	IF SO, PLEASE GIVE THE ASSIGNED USDA-APHIS REFERENCE NUMBER FOR THE APPROVED PETITION TO DEREGULATE THE GENETICALLY MODIFIED PLANT FOR COMMERCIALIZATION.

19. CHECK APPROPRIATE BOX FOR EACH ATTACHMENT SUBMITTED (Follow instructions on reverse)	20. DOES THE OWNER SPECIFY THAT SEED OF THIS VARIETY BE SOLD ONLY AS A CLASS OF CERTIFIED SEED? (See Section 83(a) of the Plant Variety Protection Act)
a. <input checked="" type="checkbox"/> Exhibit A. Origin and Breeding History of the Variety	<input type="checkbox"/> YES (if "yes", answer items 21 and 22 below)
b. <input checked="" type="checkbox"/> Exhibit B. Statement of Distinctness	<input checked="" type="checkbox"/> NO (if "no", go to item 23)
c. <input checked="" type="checkbox"/> Exhibit C. Objective Description of Variety	<input type="checkbox"/> UNDECIDED
d. <input type="checkbox"/> Exhibit D. Additional Description of the Variety (Optional)	21. DOES THE OWNER SPECIFY THAT SEED OF THIS VARIETY BE LIMITED AS TO NUMBER OF CLASSES?
e. <input checked="" type="checkbox"/> Exhibit E. Statement of the Basis of the Owner's Ownership	<input type="checkbox"/> YES <input type="checkbox"/> NO
f. <input checked="" type="checkbox"/> Exhibit F. Declaration Regarding Deposit	IF YES, WHICH CLASSES? <input type="checkbox"/> FOUNDATION <input type="checkbox"/> REGISTERED <input type="checkbox"/> CERTIFIED
g. <input checked="" type="checkbox"/> Voucher Sample (3,000 viable untreated seeds or, for tuber propagated varieties, verification that tissue culture will be deposited and maintained in an approved public repository)	22. DOES THE OWNER SPECIFY THAT SEED OF THIS VARIETY BE LIMITED AS TO NUMBER OF GENERATIONS?
h. <input checked="" type="checkbox"/> Filing and Examination Fee (\$4,382), made payable to "Treasurer of the United States" (Mail to the Plant Variety Protection Office)	<input type="checkbox"/> YES <input type="checkbox"/> NO
23. HAS THE VARIETY (INCLUDING ANY HARVESTED MATERIAL) OR A HYBRID PRODUCED FROM THIS VARIETY BEEN SOLD, DISPOSED OF, TRANSFERRED, OR USED IN THE U. S. OR OTHER COUNTRIES? <input checked="" type="checkbox"/> YES <input type="checkbox"/> NO	IF YES, SPECIFY THE NUMBER 1,2,3, etc. FOR EACH CLASS. <input type="checkbox"/> FOUNDATION <input type="checkbox"/> REGISTERED <input type="checkbox"/> CERTIFIED
IF YES, YOU MUST PROVIDE THE DATE OF FIRST SALE, DISPOSITION, TRANSFER, OR USE FOR EACH COUNTRY AND THE CIRCUMSTANCES. (Please use space indicated on reverse.)	(If additional explanation is necessary, please use the space indicated on the reverse.)
25. The owners declare that a viable sample of basic seed of the variety has been furnished with application and will be replenished upon request in accordance with such regulations as may be applicable, or for a tuber propagated variety a tissue culture will be deposited in a public repository and maintained for the duration of the certificate.	24. IS THE VARIETY OR ANY COMPONENT OF THE VARIETY PROTECTED BY INTELLECTUAL PROPERTY RIGHT (PLANT BREEDER'S RIGHT OR PATENT)? <input checked="" type="checkbox"/> YES <input type="checkbox"/> NO
The undersigned owner(s) is (are) the owner of this sexually reproduced or tuber propagated plant variety, and believe(s) that the variety is new, distinct, uniform, and stable as required in Section 42, and is entitled to protection under the provisions of Section 42 of the Plant Variety Protection Act.	IF YES, PLEASE GIVE COUNTRY, DATE OF FILING OR ISSUANCE AND ASSIGNED REFERENCE NUMBER. (Please use space indicated on reverse.)
Owner(s) is (are) informed that false representation herein can jeopardize protection and result in penalties.	

SIGNATURE OF OWNER 	
NAME (Please print or type) Bradford D. Hall	
CAPACITY OR TITLE Sr. Research Associate	DATE 10/31/2012

GENERAL INSTRUCTIONS: To be effectively filed with the Plant Variety Protection Office (PVPO), ALL of the following items must be received in the Original application was signed on 2-23-2009

PVPO: (1) Completed application form signed by the owner; (2) completed exhibits A, B, C, E, F; (3) for a tuber reproduced variety, verification that a viable (in the sense that it will reproduce an entire plant) tissue culture will be deposited and maintained in an approved public repository; and (4) payment by credit card or check drawn on a U.S. bank for \$4,382 (\$518 filing fee and \$3,864 examination fee), payable to "Treasurer of the United States" (See Section 97.6 of the Regulations and Rules of Practice). **NEW:** With the application for a seed reproduced variety or by direct deposit soon after filing, the applicant must provide at least 3,000 viable untreated seeds of the variety *per se*, and for a hybrid variety at least 3,000 untreated seeds of each line necessary to reproduce the variety. Partial applications will be held in the PVPO for not more than 90 days; then returned to the applicant as un-filed. Mail application and other requirements to Plant Variety Protection Office, AMS, USDA, Room 401, NAL Building, 10301 Baltimore Avenue, Beltsville, MD 20705-2351. **Retain one copy for your files.** All items on the face of the application are self explanatory unless noted below. Corrections on the application form and exhibits must be initialed and dated. **DO NOT** use masking materials to make corrections. If a certificate is allowed, you will be requested to send a payment by credit card or check payable to "Treasurer of the United States" in the amount of \$768 for issuance of the certificate. Certificates will be issued to owner, not licensee or agent.

NOTES: It is the responsibility of the applicant/owner to keep the PVPO informed of any changes of address or change of ownership or assignment or owner's representative during the life of the application/certificate. The fees for filing a change of address; owner's representative; ownership or assignment; or any modification of owner's name is specified in Section 97.175 of the regulations. (See Section 101 of the Act, and Sections 97.130, 97.131, 97.175(h) of the Regulations and Rules of Practice.)

Plant Variety Protection Office
Telephone: (301) 504-5518 FAX: (301) 504-5291
General E-mail: PVPOmail@usda.gov
Homepage: <http://www.ams.usda.gov/science/pvpo/PVPindex.htm>

SPECIFIC INSTRUCTIONS:

To avoid conflict with other variety names in use, the applicant must check the appropriate recognized authority and provide evidence that the permanent name of the application variety (even if it is a parental, inbred line) has been cleared by the appropriate recognized authority before the Certificate of Protection is issued. For example, for agricultural and vegetable crops, contact: U.S. Department of Agriculture, Agricultural Marketing Service, Livestock and Seed Programs, Seed Regulatory and Testing Branch, 801 Summit Crossing Place, Suite C, Gastonia, North Carolina 28054-2193 Telephone: (704) 810-8870. <http://www.ams.usda.gov/lsg/seed.htm>.

ITEM

- 19a. Give: (1) the genealogy, including public and commercial varieties, lines, or clones used, and the breeding method; (2) the details of subsequent stages of selection and multiplication; (3) evidence of uniformity and stability; and (4) the type and frequency of variants during reproduction and multiplication and state how these variants may be identified
- 19b. Give a summary of the variety's distinctness. Clearly state how this application variety may be distinguished from all other varieties in the same crop. If the new variety is most similar to one variety or a group of related varieties:
- (1) identify these varieties and state all differences objectively;
 - (2) attach replicated statistical data for characters expressed numerically and demonstrate that these are clear differences; and
 - (3) submit, if helpful, seed and plant specimens or photographs (prints) of seed and plant comparisons which clearly indicate distinctness.
- 19c. Exhibit C forms are available from the PVPO Office for most crops; specify crop kind. Fill in Exhibit C (Objective Description of Variety) form as completely as possible to describe your variety.
- 19d. Optional additional characteristics and/or photographs. Describe any additional characteristics that cannot be accurately conveyed in Exhibit C. Use comparative varieties as is necessary to reveal more accurately the characteristics that are difficult to describe, such as plant habit, plant color, disease resistance, etc.
- 19e. Section 52(5) of the Act requires applicants to furnish a statement of the basis of the applicant's ownership. An Exhibit E form is available from the PVPO.
20. If "Yes" is specified (*seed of this variety be sold by variety name only, as a class of certified seed*), the applicant **MAY NOT** reverse this affirmative decision after the variety has been sold and so labeled, the decision published, or the certificate issued. However, if "No" has been specified, the applicant may change the choice. (See Regulations and Rules of Practice, Section 97.103).
23. See Sections 41, 42, and 43 of the Act and Section 97.5 of the regulations for eligibility requirements.
24. See Section 55 of the Act for instructions on claiming the benefit of an earlier filing date.

22. CONTINUED FROM FRONT (Please provide a statement as to the limitation and sequence of generations that may be certified.)

23. CONTINUED FROM FRONT (Please provide the date of first sale, disposition, transfer, or use for each country and the circumstances, if the variety (including any harvested material) or a hybrid produced from this variety has been sold, disposed of, transferred, or used in the U.S. or other countries.)

Hybrid with PHHJN was provided to a potential licensee for experimental testing in 2006. Hybrid with PHHJN was first listed in a licensee product guide in Dec. 2007/Jan. 2008. Inbred PHHJN was first listed in a licensee product guide in Dec. 2008/Jan. 2009.

24. CONTINUED FROM FRONT (Please give the country, date of filing or issuance, and assigned reference number, if the variety or any component of the variety is protected by intellectual property right (Plant Breeder's Right or Patent).)

USPTO 10/26/2007 Application No. 60/982,743.

According to the Paperwork Reduction Act of 1995, an agency may not conduct or sponsor, and a person is not required to respond to a collection of information unless it displays a valid OMB control number. The valid OMB control number for this information collection is 0581-0055. The time required to complete this information collection is estimated to average 1.4 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information.

The U.S. Department of Agriculture (USDA) prohibits discrimination in all its programs and activities on the basis of race, color, national origin, age, disability, and where applicable, sex, marital status, familial status, parental status, religion, sexual orientation, genetic information, political beliefs, reprisal, or because all or part of an individual's income is derived from any public assistance program (Not all prohibited bases apply to all programs.) Persons with disabilities who require alternative means for communication of program information (Braille, large print, audiotape, etc.) should contact USDA's TARGET Center at (202) 720-2600 (voice and TDD). To file a complaint of discrimination, write to USDA, Director, Office of Civil Rights, 1400 Independence Avenue, S.W., Washington, D.C. 20250-9410, or call (800) 795-3272 (voice) or (202) 720-6382 (TDD). USDA is an equal opportunity provider and employer.

Exhibit A: Origin and Breeding History for PHHJN

Pioneer line PHHJN, *Zea mays* L., a yellow corn inbred, was developed by Pioneer Hi-Bred International, Inc. from the single cross hybrid PH5B8 X PH6WA (PVP Certificate No. 200200179) using the pedigree selection method of plant breeding. Varieties PH5B8 and PH6WA are proprietary inbred lines of Pioneer Hi-Bred International, Inc. Variety PH5B8 was developed from PH44A (PVP Certificate No. 9600171) X PH05W (PVP Certificate No. 9700212). Selfing was practiced from above hybrid for 9 generations using pedigree selection. During line development, crosses were made to inbred testers for the purpose of estimating the line's combining ability. Yield trials were grown at Algona, IA, USA as well as other Pioneer research locations. After initial testing, additional hybrid combinations have been evaluated and subsequent generations of the line have been grown and hand-pollinated with observations again made for uniformity.

Variety PHHJN has shown uniformity and stability for all traits as described in Exhibit C – “Objective Description of Variety.” It has been self-pollinated and ear rowed for 8 generations with careful attention paid to selection criteria and uniformity of plant type to assure genetically homozygous and phenotypic stability. The line has been increased both by hand and in isolated fields with continued observations for uniformity and stability, and for 6 generations during the final stages of inbred development and seed multiplication. Very high standards for genetic purity have been established morphologically using field observations and using sound lab molecular methodology.

No variant traits have been observed or are expected in PHHJN.

The criteria used in the selection of PHHJN were yield, both per se and in hybrid combinations. Late season plant health, grain quality, and stalk lodging resistance, were important criteria considered during selection. Other selection criteria include: ability to germinate in adverse conditions, disease and insect resistance, and tassel size.

Exhibit A: Developmental History for PHHJN

<i>Pedigree</i>	<i>Grown Year</i>	<i>Inbreeding Level of Pedigree Grown</i>
PH5B8/PH6WA	1999	F1
PH5B8/PH6WA)X	2000	F2
PH5B8/PH6WA)X7	2001	F3
PH5B8/PH6WA)X71	2002	F4
PH5B8/PH6WA)X713	2002	F5
PH5B8/PH6WA)X7134	2003	F6
PH5B8/PH6WA)X71341	2003	F7
PH5B8/PH6WA)X713412	2004	F8
PH5B8/PH6WA)X7134121	2005	F9
PH5B8/PH6WA)X7134121X		F10

PHHJN was selfed and ear-rowed from F2 through F9 generation. Uniformity and stability were established from F4 through F9 generation and beyond when seed supplies were increased.

Exhibit B: Novelty Statement

Variety PHHJN mostly resembles Pioneer Hi-Bred International, Inc. proprietary inbred line PH7CH (PVP Certificate No. 200100231). Table 1 shows two sample t-tests on data collected primarily in Johnston and Dallas Center, Iowa in 2007. The traits collectively show measurable differences between the two varieties.

Variety PHHJN has a longer husk extension length (8.6 cm vs. 6.1 cm) than variety PH7CH (Table 1).

Variety PHHJN has a longer husk length (27.3 cm vs. 23.7 cm) than variety PH7CH (Table 1).

Variety PHHJN has a taller plant height (242.4 cm vs. 201.8 cm) than variety PH7CH (Table 1).

Exhibit B: Novelty Statement Table

Table 1: Data from Johnston and Dallas Center, Iowa in 2007 presented by trait, across environments, and broken out by environment. Data are supporting evidence for differences between PHHJN and PH7CH. Varieties were grown in two locations that had different environmental conditions. Environments had different planting dates and were in different fields. A two-sample t-test was used to compare differences between means.

PHHJN_PH7CH

Husk extension length (cm)

Level	Location	Variety-1	Variety-2	Cnt-1	Cnt-2	Mean-1	Mean-2	Mean_Diff	StDev-1	StDev-2	StErr-1	StErr-2	DF	t-Value	Prob_Pool
1. Over All		PHHJN	PH7CH	30	30	8.6	6.1	2.5	0.765	0.845	0.140	0.154	58	12.2	0.000
2. Year		PHHJN	PH7CH	30	30	8.6	6.1	2.5	0.765	0.845	0.140	0.154	58	12.2	0.000
3. Environ.	DSBNLFRM_2007	PHHJN	PH7CH	15	15	8.3	5.9	2.4	0.617	0.704	0.159	0.182	28	9.9	0.000
3. Environ.	JHBNDK16_2007	PHHJN	PH7CH	15	15	8.9	6.3	2.7	0.799	0.961	0.206	0.248	28	8.3	0.000

Husk length (cm)

Level	Location	Variety-1	Variety-2	Cnt-1	Cnt-2	Mean-1	Mean-2	Mean_Diff	StDev-1	StDev-2	StErr-1	StErr-2	DF	t-Value	Prob_Pool
1. Over All		PHHJN	PH7CH	30	30	27.3	23.7	3.6	1.143	1.093	0.209	0.200	58	12.5	0.000
2. Year		PHHJN	PH7CH	30	30	27.3	23.7	3.6	1.143	1.093	0.209	0.200	58	12.5	0.000
3. Environ.	DSBNLFRM_2007	PHHJN	PH7CH	15	15	26.7	23.3	3.4	0.961	0.900	0.248	0.232	28	10.0	0.000
3. Environ.	JHBNDK16_2007	PHHJN	PH7CH	15	15	27.8	24.0	3.8	1.082	1.195	0.279	0.309	28	9.1	0.000

Plant height (cm)

Level	Location	Variety-1	Variety-2	Cnt-1	Cnt-2	Mean-1	Mean-2	Mean_Diff	StDev-1	StDev-2	StErr-1	StErr-2	DF	t-Value	Prob_Pool
1. Over All		PHHJN	PH7CH	30	30	242.4	201.8	40.6	6.217	7.793	1.135	1.423	58	22.3	0.000
2. Year		PHHJN	PH7CH	30	30	242.4	201.8	40.6	6.217	7.793	1.135	1.423	58	22.3	0.000
3. Environ.	DSBNLFRM_2007	PHHJN	PH7CH	15	15	239.3	201.4	37.9	5.960	7.944	1.539	2.051	28	14.8	0.000
3. Environ.	JHBNDK16_2007	PHHJN	PH7CH	15	15	245.4	202.1	43.3	4.983	7.900	1.287	2.040	28	17.9	0.000

United States Department of Agriculture, Agricultural Marketing Service
Science and Technology, Plant Variety Protection Office
National Agricultural Library Building, Room 400
Beltsville, MD 20705-2351

OBJECTIVE DESCRIPTION OF VARIETY
CORN (*Zea mays* L.)

Name of Applicant(s) | Variety Seed Source | Variety Name or Temporary Designation
Pioneer Hi-Bred International, Inc | | **PHHJN**

Address (Street & No., or R.F.D. No., City, State, Zip Code and Country) | **FOR OFFICIAL USE** | PVPO Number
7301 NW 62nd Avenue, P.O. Box 85, Johnston, Iowa 50131-0085 | | **#200900209**

Place the appropriate number that describes the varietal characters typical of this inbred variety in the spaces below. Right justify whole numbers by adding leading zeroes if necessary. Completeness should be striven for to establish an adequate variety description. Traits designated by a "*" are considered necessary for an adequate variety description and must be completed.

- COLOR CHOICES (Use in conjunction with Munsell color code to describe all color choices; describe #25 and #26 in Comments section):
- | | | | | | |
|---------------------|-------------------|-----------------|------------------|---------------------------|----------------------|
| 01. Light Green | 06. Pale Yellow | 11. Pink | 16. Pale Purple | 21. Buff | 26. Other (Describe) |
| 02. Medium Green | 07. Yellow | 12. Light Red | 17. Purple | 22. Tan | |
| 03. Dark Green | 08. Yellow-Orange | 13. Cherry Red | 18. Colorless | 23. Brown | |
| 04. Very Dark Green | 09. Salmon | 14. Red | 19. White | 24. Bronze | |
| 05. Green-Yellow | 10. Pink-Orange | 15. Red & White | 20. White Capped | 25. Variegated (Describe) | |

STANDARD INBRED CHOICES [Use the most similar (in background and maturity) of these to make comparisons based on grow-out trial data]:

Yellow Dent Families:		Yellow Dent (Unrelated):	Sweet Corn:
Family	Members	Co109, ND246	C13, Iowa5125, P39, 2132
B14	CM105, A632, B64, B68	Oh7, T232	
B37	B37, B76, H84	W117, W153R	Popcorn:
B73	N192, A679, B73, Nc268	W182BN	SG1533, 4722, HP301, HP7211
C103	Mo17, Va102, Va35, A682		
Oh43	A619, MS71, H99, Va26	White Dent:	Pipecorn:
WF9	W64A, A554, A654, Pa91	Cl66, H105, Ky228	Mo15W, Mo16W, Mo24W

1. TYPE: (describe intermediate types in "Comments" section) | Standard Inbred Name | VA26
2 (1=Sweet, 2=Dent, 3=Flint, 4=Flour, 5=Pop, 6=Ornamental, 7=Pipecorn) | 2 Type |

2. REGION WHERE DEVELOPED IN THE U.S.A.: | Standard Seed Source | AMES 19329
2 (1=N.West, 2=N.Central, 3=N.East, 4=S.East, 5=S.Central, 6=S.West, 7=Other) | 2 Region |

3. MATURITY (In Region Best Adaptability; show Heat Unit formula in "Comments" section):

DAYS	HEAT UNITS		DAYS	HEAT UNITS
<u>59</u>	<u>1,291.0</u>	From emergence to 50% of plants in silk	<u>58</u>	<u>1,278.0</u>
<u>59</u>	<u>1,291.0</u>	From emergence to 50% of plants in pollen	<u>58</u>	<u>1,278.0</u>
<u>2</u>	<u>51</u>	From 10% to 90% pollen shed	<u>2</u>	<u>51</u>
---	---	From 50% silk to optimum edible quality	---	---
---	---	From 50% silk to harvest at 25% moisture	---	---

4. PLANT:

	St.Dev.	Sample Size	Mean	St.Dev.	Sample Size
<u>245.4</u> cm Plant Height (to tassel tip)	<u>4.98</u>	<u>15</u>	<u>226.1</u>	<u>9.47</u>	<u>15</u>
<u>78.1</u> cm Ear Height (to base of top ear node)	<u>4.96</u>	<u>15</u>	<u>75.7</u>	<u>7.70</u>	<u>15</u>
<u>17.4</u> cm Length of Top Ear Internode	<u>1.35</u>	<u>15</u>	<u>15.6</u>	<u>1.59</u>	<u>15</u>
<u>0.0</u> Average Number of Tillers		<u>1*</u>	<u>0.0</u>		<u>1</u>
<u>1.1</u> Average Number of Ears per Stalk		<u>1*</u>	<u>1.1</u>		<u>1</u>
<u>2</u> Anthocyanin of Brace Roots: 1=Absent, 2=Faint, 3=Moderate, 4=Dark			<u>2</u>		

5. LEAF	St.Dev.	Sample Size	Mean	St.Dev.	Sample Size
8.3 cm Width of Ear Node Leaf	0.62	15	10.9	0.92	15
92.1 cm Length of Ear Node Leaf	2.25	15	82.9	3.89	15
7.2 Number of leaves above top ear	0.68	15	7.4	0.63	15
28.0 Degrees Leaf Angle	5.15	15	26.1	3.23	15
(Measure from 2nd leaf above ear at anthesis to stalk above leaf)					
4 Leaf Color (Munsell Code) 5GY34			4 (Munsell Code) 5GY34		
3 Leaf Sheath Pubescence (Rate on scale from 1=none to 9=like peach fuzz)			2		
— Marginal Waves (Rate on scale from 1=none to 9=many)			—		
— Longitudinal Creases (Rate on scale from 1=none to 9=many)			—		

6. TASSEL:	St.Dev.	Sample Size	Mean	St.Dev.	Sample Size
3.0 Number of Primary Lateral Branches	0.53	15	19.7	2.66	15
24.7 Degrees Branch Angle from Central Spike	6.11	15	34.3	3.20	15
58.7 cm tassel Length	3.97	15	65.0	3.27	15
(from top leaf collar to tassel tip)					
3 Pollen Shed (Rate on scale from 0=male sterile to 9=heavy shed)			9		
14 Anther Color (Munsell Code) 10RP38			1 (Munsell Code) 10Y88		
2 Glume Color (Munsell Code) 5GY66			2 (Munsell Code) 5GY58		
1 Bar Glumes (Glume Bands): 1=Absent, 2=Present			1		

7a. EAR (Unhusked Data):	St.Dev.	Sample Size	Mean	St.Dev.	Sample Size
1 Silk Color (3 days after emergence) (Munsell Code) 2.5GY96			1 Munsell Code 2.5GY86		
2 Fresh Husk Color (25 days after 50% silking) (Munsell Code) 5GY78			2 Munsell Code 5GY56		
14 Dry Husk Color (65 days after 50% silking) (Munsell Code) 2.5R36			19 Munsell Code 2.5Y8.52		
1 Position of Ear at Dry Husk Stage: 1=Upright, 2=Horizontal, 3=Pendent			3		
7 Husk Tightness (Rate on scale from 1=very loose to 9=very tight)			6		
3 Husk Extension (at harvest): 1=Short(ears exposed), 2=Medium (<8cm), 3=Long (8-10cm beyond ear tip), 4=Very Long (>10cm)			2		

7b. EAR (Husked Ear Data)	St. Dev.	Sample Size	Mean	St.Dev.	Sample Size
18.3 cm Ear Length	1.29	15	14.0	1.41	15
42.0 mm Ear Diameter at mid-point	1.41	15	45.4	2.32	15
122.7 gm Ear Weight	18.20	15	124.3	19.40	15
15.1 Number of Kernel Rows	1.28	15	16.3	2.25	15
2 Kernel Rows: 1=Indistinct, 2=Distinct			2		
2 Row Alignment: 1=Straight, 2=Slightly Curved, 3=Spiral			2		
13.8 cm Shank Length	1.70	15	8.5	1.30	15
2 Ear Taper: 1=Slight cyl., 2=Average slightly con., 3=Extreme conical			2		

8. KERNEL (Dried):	St.Dev.	Sample Size	Mean	St.Dev.	Sample Size
10.6 mm Kernel Length	0.74	15	12.1	0.83	15
8.2 mm Kernel Width	0.56	15	8.6	0.91	15
5.6 mm Kernel Thickness	0.83	15	4.1	0.35	15
75.1 % Round Kernels (Shape Grade)		1	23.8		1
1 Aleurone Color Pattern: 1=Homozygous, 2=Segregating (describe)			1 (describe)		
19 Aleurone Color (Munsell Code) 5Y91			7 Munsell Code 2.5Y814		
21 Hard Endosperm Color (Munsell Code) 10YR84			7 Munsell Code 2.5Y814		
3 Endosperm Type: 1=Sweet(su1), 2=Extra Sweet(sh2), 3=Normal Starch, 4=High Amylose Starch, 5=Waxy Starch, 6=High Protein, 7=High Lysine, 8=Super Sweet (se), 9=High Oil, 10=Other			3 (describe)		
35.3 gm Weight per 100 kernels (unsized sample)		1	27.4		1

9. COB:	St.Dev.	Sample Size	Mean	St.Dev	Sample Size
23.6 mm Cob Diameter at mid-point	0.63	15	25.4	1.80	15
10 Cob Color (Munsell Code) 2.5YR48			19 Munsell Code 2.5Y92		

Note: Use chart on first page to choose color codes for color traits.

10. DISEASE RESISTANCE (Rate from 1 (most susceptible) to 9 (most resistant); leave blank if not tested; leave Race or Strain Options blank if polygenic):

A. Leaf Blights, Wilts, and Local Infection Diseases

- Anthracnose Leaf Blight (*Colletotrichum graminicola*)
- 5 Common Rust (*Puccinia sorghi*)
- Common Smut (*Ustilago maydis*)
- Eyespot (*Kabatiella zeae*)
- 8 Goss's Wilt (*Clavibacter michiganense* spp. *nebraskensis*)
- 4 Gray Leaf Spot (*Cercospora zeae-maydis*)
- Helminthosporium Leaf Spot (*Bipolaris zeicola*) Race _____
- 6 Northern Leaf Blight (*Exserohilum turcicum*) Race _____
- Southern Leaf Blight (*Bipolaris maydis*) Race _____
- Southern Rust (*Puccinia Polysora*)
- 4 Stewart's Wilt (*Erwinia stewartii*)
- Other (Specify) _____

- Anthracnose Leaf Blight
- 7 Common Rust
- Common Smut
- Eyespot
- 8 Goss's Wilt
- 4 Gray Leaf Spot
- Helminthosporium Leaf Spot Race _____
- 4 Northern Leaf Blight Race _____
- Southern Leaf Blight Race _____
- Southern Rust
- 6 Stewart's Wilt
- Other (Specify) _____

B. Systemic Diseases

- Corn Lethal Necrosis (MCMV and MDMV)
- 8 Head Smut (*Sphacelotheca reiliana*)
- Maize Chlorotic Dwarf Virus (MCDV)
- Maize Chlorotic Mottle Virus (MCMV)
- Maize Dwarf Mosaic Virus (MDMV) Strain _____
- Sorghum Downy Mildew of Corn (*Peronosclerospora sorghi*)
- Other (Specify) _____

- Corn Lethal Necrosis
- 1 Head Smut
- Maize Chlorotic Dwarf Virus
- Maize Chlorotic Mottle Virus
- Maize Dwarf Mosaic Virus Strain _____
- Sorghum Downy Mildew of Corn
- Other (Specify) _____

C. Stalk Rots

- Anthracnose Stalk Rot (*Colletotrichum graminicola*)
- Diplodia Stalk Rot (*Stenocarpella maydis*)
- Fusarium Stalk Rot (*Fusarium moniliforme*)
- Gibberella Stalk Rot (*Gibberella zeae*)
- Other (Specify) _____

- Anthracnose Stalk Rot
- Diplodia Stalk Rot
- Fusarium Stalk Rot
- Gibberella Stalk Rot
- Other (Specify) _____

D. Ear and Kernel Rots

- Aspergillus Ear and Kernel Rot (*Aspergillus flavus*)
- 5 Diplodia Ear Rot (*Stenocarpella maydis*)
- 4 Fusarium Ear and Kernel Rot (*Fusarium moniliforme*)
- 6 Gibberella Ear Rot (*Gibberella zeae*)
- Other (Specify) _____

- Aspergillus Ear & Kernel Rot
- 4 Diplodia Ear Rot
- 4 Fusarium Ear & Kernel Rot
- 7 Gibberella Ear Rot
- Other (Specify) _____

Note: Use chart on first page to choose color codes for color traits.

11. INSECT RESISTANCE (Rate from 1(most susceptible) to 9 (most resistant); Leave blank if not tested	St. Dev.	Sample Size	St. Dev.	Sample Size
_ Banks Grass Mite (<i>Oligonychus pratensis</i>)				
Corn Earworm (<i>Helicoverpa zea</i>)				
_ Leaf Feeding				
Silk Feeding _____ mg larval wt.				
_ Ear Damage				
_ Corn Leaf Aphid (<i>Rhopalosiphum maidis</i>)				
_ Corn Sap Beetle (<i>Carpophilus dimidiatus</i>)				
European Corn Borer (<i>Ostrinia nubilalis</i>)				
1 st Generation (Typically Whorl Leaf Feeding)				
_ 2 nd Generarion (Typically Leaf Sheath-Collar Feeding)				
Stalk Tunneling: _____ cm tunneled/plant				
Fall Armyworm (<i>Spodoptera frugiperda</i>)				
_ Leaf-Feeding				
Silk-Feeding _____ mg larval wt.				
_ Maize Weevil (<i>Sitophilus zeamais</i>)				
_ Northern Rootworm (<i>Diabrotica barberi</i>)				
_ Southern Rootworm (<i>Diabrotica undecimpunctata</i>)				
Southwestern Corn Borer (<i>Diatraea grandiosella</i>)				
_ Leaf Feeding				
Stalk Tunneling: _____ cm tunneled/plant				
_ Two-spotted Spider Mite (<i>Tetranychus urticae</i>)				
_ Western Rootworm (<i>Diabrotica virgifera virgifera</i>)				
_ Other (Specify) _____				

12. AGRONOMIC TRAITS:

<u>6</u> Stay Green (at 65 days after anthesis) (Rate on scale from 1=worst to 9=excellent)	<u>4</u> Stay Green
% Dropped Ears (at 65 days after anthesis)	% Dropped ears
_ % Pre-anthesis Brittle Snapping	_ % Pre-anthesis Brittle Snapping
% Pre-anthesis Root Lodging	% Pre-anthesis Root Lodging
% Post-anthesis Root Lodging (at 65 days after anthesis)	Post-anthesis Root Lodging
<u>6,385.0</u> Kg/ha Yield of Inbred Per Se (at 12-13% grain moisture)	<u>4,298.0</u> Yield

13. MOLECULAR MARKERS: (0=data unavailable; 1=data available but not supplied; 2=data supplied.)

_ Isozymes _ RFLP's _ RAPD's 1 ~~X~~ Other (Specify) SNPs

REFERENCES:

- Butler, D.R. 1954. A System for the Classification of Corn Inbred Lines. PhD Thesis, Ohio University.
 Emerson, R.A., G.W. Beadle, and A.C. Fraser, 1935. A summary of Linkage Studies in Maize. Cornell A.E.S., Mem. 180.
 Farr, D.F., G.F. Bills, G.P. Chamuris, A.Y. Rossman. 1989. Fungi on Plant Products in the United States. The American Phytopathological Society, St. Paul, MN.
 Inglett, G.E. (Ed) 1970. Corn: Culture, Processing, Products. Avi Publishing Company, Westpoint, CT.
 Jugenheimer, R.W. 1976. Corn: Improvement, Seed Production, and Uses. John Wiley & Sons, New York.
 McGee, D.C. 1988. Maize Diseases. APS Press, St. Paul, MN. 150 pp.
 Munsell Color Chart for Plant Tissues. Macbeth. P.O. Box 230. Newburgh, N.Y. 12551-0230
 The Mutants of Maize. 1968. Crop Science Society of America. Madison, WI.
 Shurtleff, M.C. 1980. Compendium of Corn Diseases. APS Press, St. Paul, MN. 105 pp.
 Sprague, G.F., and J.W. Dudley (Editors). 1988. Corn and Corn Improvement, Third Edition. Agronomy Monograph 18. ASA, CSSA, SSSA, Madison, WI.
 Stringfield, G.H. Maize Inbred Lines of Ohio A.E.S., Bul. 831. 1959.
 U.S. Department of Agriculture 1936, 1937. Yearbook.

COMMENTS (e. g. state how heat units were calculated, standard inbred seed source, and/or where data was collected. Continue in Exhibit D.)

* Sample number reflects the number of plots where the trait(s) was observed and not the number of individual plants scored. Please see 'CLARIFICATION OF DATA IN EXHIBITS B AND C' for details of how plots were set up.

Insect, disease, brittle snapping, yield and root lodging data are collected mainly from environment where variability for the trait can be obtained within the experiment.

CLARIFICATION OF DATA IN EXHIBITS B AND C

Please note the data presented in Exhibit B and C, "Objective Description of Variety," are collected primarily at Johnston and/or Dallas Center, Iowa. The data in Table 1 are from two sample t-tests using data collected in Johnston and Dallas Center, IA. These traits in Exhibit B collectively show distinct differences between the two varieties.

For any given year of data collection, our experimental design was set up in a typical complete block design commonly used in agricultural corn research experiments with one replication grown at each location. The experiment procedures generally involve two or three locations/environments with different planting dates, planted in 17.42 ft. rows with 2 rows for each variety. Approximately 24-30 plants emerged in each of 2 rows for a total of around 48 to 60 plants being evaluated at each location and 96 to 180 plants across locations. For plant level traits, we sampled up to 15 representative plants from the 2 rows of the 2 row plot (group) of plants at each location. For plot level traits we evaluated the 2 row plot (group) and gave a representative score or average on the 48-60 plants in the group within an experiment.

Month	GROWING DEGREE UNITS (GDUs)		PRECIPITATION (Inches)	
	2007		2007	
	Dallas Center	Johnston	Dallas Center	Johnston
May	420	530	5.17	6.20
June	634	663	3.94	3.61
July	718	777	1.82	2.44
August	747	807	7.41	6.61
September	477	526	2.83	3.68
TOTAL	2996	3303	21.17	22.54

Growing Degree Units use following formula: $GDU = ((T1+T2)/2)-50$

Where T1 = minimum temperature for a given day with 50 degrees Fahrenheit as the minimum temperature used and 86 degrees Fahrenheit is the maximum temperature used.

Where T2 = maximum temperature for a given day with 86 degrees Fahrenheit as the maximum temperature used and 50 degrees Fahrenheit is the minimum temperature used.

GDUs are calculated each day and accumulated (summed) over certain number of days.

U.S. DEPARTMENT OF AGRICULTURE
 AGRICULTURAL MARKETING SERVICE

Application is required in order to determine if a plant variety protection certificate is to be issued (7 U.S.C. 2421). The information is held confidential until the certificate is issued (7 U.S.C. 2426).

**EXHIBIT E
 STATEMENT OF THE BASIS OF OWNERSHIP**

1. NAME OF APPLICANT(S) Pioneer Hi-Bred International, Inc.	2. TEMPORARY DESIGNATION OR EXPERIMENTAL NUMBER	3. VARIETY NAME PHHJN
4. ADDRESS (Street and No., or R.F.D. No., City, State, and ZIP, and Country) 7301 NW 62nd Avenue P.O. Box 85 Johnston, IA 50131-0085	5. TELEPHONE (Include area code) (515) 270-4051	6. FAX (Include area code) (515) 253-2125
7. PVPO NUMBER		#200900209

8. Does the applicant own all rights to the variety? Mark an "X" in the appropriate block. **If no, please explain.** YES NO

9. Is the applicant (individual or company) a U.S. national or a U.S. based company? **If no, give name of country.** YES NO

10. Is the applicant the original owner? YES NO **If no, please answer one of the following:**

a. If the original rights to variety were owned by individual(s), is (are) the original owner(s) a U.S. National(s)?
 YES NO **If no, give name of country**

b. If the original rights to variety were owned by a company(ies), is (are) the original owner(s) a U.S. based company?
 YES NO **If no, give name of country**

11. Additional explanation on ownership (*Trace ownership from original breeder to current owner. Use the reverse for extra space if needed*):

Pioneer Hi-Bred International, Inc. (PHI), Des Moines, Iowa, and/or its wholly owned subsidiary Pioneer Overseas Corporation (POC), Des Moines, Iowa, is the employer of the plant breeders involved in the selection and development of PHHJN. Pioneer Hi-Bred International and/or Pioneer Overseas Corporation has the sole rights and ownership of PHHJN pursuant to written contracts that assign all rights in the variety to PHI and/or POC at the time such variety was created. No rights to this variety are retained by any individuals.

PLEASE NOTE:

Plant variety protection can only be afforded to the owners (not licensees) who meet the following criteria:

1. If the rights to the variety are owned by the original breeder, that person must be a U.S. national, national of a UPOV member country, or national of a country which affords similar protection to nationals of the U.S. for the same genus and species.
2. If the rights to the variety are owned by the company which employed the original breeder(s), the company must be U.S. based, owned by nationals of a UPOV member country, or owned by nationals of a country which affords similar protection to nationals of the U.S. for the same genus and species.
3. If the applicant is an owner who is not the original owner, both the original owner and the applicant must meet one of the above criteria.

The original breeder/owner may be the individual or company who directed the final breeding. See Section 41(a)(2) of the Plant Variety Protection Act for definitions.

According to the Paperwork Reduction Act of 1995, an agency may not conduct or sponsor, and a person is not required to respond to a collection of information unless it displays a valid OMB control number. The valid OMB control number for this information collection is 0581-0055. The time required to complete this information collection is estimated to average 0.1 hour per response, including the time for reviewing the instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information.

The U.S. Department of Agriculture (USDA) prohibits discrimination in all its programs and activities on the basis of race, color, national origin, age, disability, and where applicable, sex, marital status, familial status, parental status, religion, sexual orientation, genetic information, political beliefs, reprisal, or because all or part of an individual's income is derived from any public assistance program (Not all prohibited bases apply to all programs.) Persons with disabilities who require alternative means for communication of program information (Braille, large print, audiotape, etc.) should contact USDA's TARGET Center at (202) 720-2600 (voice and TDD).

To file a complaint of discrimination, write to USDA, Director, Office of Civil Rights, 1400 Independence Avenue, S.W., Washington, D.C. 20250-9410, or call (800) 795-3272 (voice) or (202) 720-6382 (TDD). USDA is an equal opportunity provider and employer.

According to the Paperwork Reduction Act of 1995, an agency may not conduct or sponsor, and a person is not required to respond to a collection of information unless it displays a valid OMB control number. The valid OMB control number for this information collection is 0581-0055. The time required to complete this information collection is estimated to average 5 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information.

The U.S. Department of Agriculture (USDA) prohibits discrimination in all its programs and activities on the basis of race, color, national origin, age, disability, and where applicable, sex, marital status, familial status, parental status, religion, sexual orientation, genetic information, political beliefs, reprisal, or because all or part of an individual's income is derived from any public assistance program (Not all prohibited bases apply to all programs.) Persons with disabilities who require alternative means for communication of program information (Braille, large print, audiotape, etc.) should contact USDA's TARGET Center at (202) 720-2600 (voice and TDD).


To file a complaint of discrimination, write to USDA, Director, Office of Civil Rights, 1400 Independence Avenue, S.W., Washington, D.C. 20250-9410, or call (800) 795-3272 (voice) or (202) 720-6382 (TDD). USDA is an equal opportunity provider and employer.

**U.S. DEPARTMENT OF AGRICULTURE
AGRICULTURAL MARKETING SERVICE
SCIENCE AND TECHNOLOGY
PLANT VARIETY PROTECTION OFFICE
BELTSVILLE, MD 20705**

**EXHIBIT F
DECLARATION REGARDING DEPOSIT**

NAME OF OWNER (S) Pioneer Hi-Bred International, Inc.	ADDRESS (Street and No. or RD No., City, State, and Zip Code and Country) 7301 NW 62nd Avenue Johnston, IA 50131-0085	TEMPORARY OR EXPERIMENTAL DESIGNATION
		VARIETY NAME PHHJN
NAME OF OWNER REPRESENTATIVE (S) Steven R. Anderson	ADDRESS (Street and No. or RD No., City, State, and Zip Code and Country) 7301 NW 62nd Avenue Johnston, IA 50131-0085	FOR OFFICIAL USE ONLY
		PVPO NUMBER #200900209

I do hereby declare that during the life of the certificate a viable sample of propagating material of the subject variety will be deposited, and replenished as needed periodically, in a public repository in the United States in accordance with the regulations established by the Plant Variety Protection Office.


Signature

2-23-2009
Date