Balanites orbicularis (B. rotundifolia)

Indigenous

Common names: Ecology:	A thorny bush of arid areas where it may be very common. It is evergreen, drought resistant and grows on a variety of soils, often found in sandy dry river beds. In Uganda it grows in very dry savannah, e. g. in North Eastern Region.
Uses:	Firewood, charcoal, poles, tool handles, food (fruit and seed), fodder (leaves, young shoots), shade, soil conservation, fencing, perfume.
Description:	A spiny multi-stemmed evergreen shrub or tree 2-5 m. BARK: grey, later rough and furrowed. THORNS: unusually dark green , stout, to 3 cm and straight. LEAVES: small, in pairs with no stalks, round to heart-shaped, grey-green hairy. FLOWERS: small green-yellow in small bunches along the thorns. FRUIT: oval, hairy to 2 cm (fruit and seed more rounded and smaller than <i>B. aegyptiaca</i>).
Propagation: Seed:	Seedlings (sow seed in pots).
treatment: storage:	not necessary. seed, removed from fruit, can be stored for up to one year.
Management: Remarks:	Slow-growing, coppicing. Very ripe fruit is edible raw, but unripe fruit and seeds need boiling for many hours. The leaves and shoots provide fodder for animals in very arid areas.

Balanitaceae

Balanites orbicularis (B. rotundifolia)

