




YD  
A66











No. 115.  
1899—1900.



No. 115.  
1899—1900.

By appointment to his Majesty the King of Italy.

# DAMMANN & C<sup>o</sup>

Seeds and Bulb Growers and Merchants

## SAN GIOVANNI A TEDUCCIO

near Naples, Italy.

Established 1877.

Awards obtained:

First Diploma of Honour at the Italian Exhibition, London, 1888.

Large Gold Medal of the Royal Academy of Naples for Improvements in Horticulture. 1890.

Three Medals at the Great Berlin International Horticultural Exhibition, 1890.



*Zinnia elegans laciniata fl. albo pl.*

Awards obtained:

Diploma of Honour from the Botanic Society, Geneva, 1891.

Horticultural Exhibition, Naples 1892.

11 first Prizes, both the 2 Medals of the Government. Florence 1893. 1895.

Leipzig, large and small silver Medals 1893.

Chicago 1893.

Naples 1895.

## General Price List

of

Vegetable, Farm, Tree, Conifer, Palm, Flower and other Seeds, Canna Roots, Italian Fruit Trees, Plants, Novelties of Seeds &c. &c.

## Conditions of sale and important remarks.

All prices are quoted in Shillings and Pence (English currency) and to be understood for goods delivered and payable in San Giovanni a Teduccio net without discount at 3 months from date of invoice. Agricultural seeds at 30 days. This condition will not in the least be altered and remains valid even if we draw upon our customers.

We allow  $2\frac{0}{10}$  discount on all amounts exceeding £ 10.—, if cash is remitted on receipt of goods. Smaller amounts are absolutely to be paid in cash.

Our prices being very low (which you will easily find out by comparing them with those of other reliable houses) we cannot deviate from the above condition.

Orders from unknown correspondents must invariably be accompanied by references to continental firms, or the approximate amount be remitted, otherwise orders will not be executed.

Prices are subject to variations and as many quotations are made before the final result of the crop is known we shall not hold ourselves liable for quantities.

We shall thank our Patrons if they will send in their orders on receipt of this list and more especially orders for seeds which have to be collected, such as seeds of Trees, Shrubs, Conifers &c. &c.

Almost all the seeds are grown under our special superintendence, but although we use the utmost care to have all seeds &c. pure and true to name yet we give no warranty expressed or implied as to description, quality, or any other matter connected with the goods we send out and we will not be in any way responsible for the crop. Moreover all our transactions are to be ruled by Italian law. Any claims if in spite of the great care we take there should be any, will, however, be taken into most liberal consideration, but we wish it to be understood, that in no case and under no circumstances we will be responsible beyond the price invoiced for each article. It is on these strict terms only that we offer any goods or execute orders, and in accepting the goods our clients implicitly acknowledge all these terms as binding.

This List cancels all previous quotations.

For quantities from 28 lb. upwards of one sort we quote the price for 1 cwt.; quantities of at least  $\frac{1}{4}$  lb. of one sort will be charged at the rate of 1 lb., quantities under  $\frac{1}{4}$  lb. will be charged at the price per oz., orders for smaller quantities than offered in this list will be charged at comparatively higher prices.

Any claims resulting from the invoice itself or from the merchandise, are to be made immediately on receipt thereof, else they can in no way be acknowledged.

### Shipping.

In order that our customers may have an idea of what they will have to pay for freight and charges on our goods, we give the following approximate rates of freight and all charges (not including insurance) from Naples — our establishment can be reached by horse car in about half an hour from the centre of Naples — calculated on 500 Kilos or 10 cwt, which are, however, subject to variations:

To London and Liverpool board: about  $\frac{2}{3}$  d. per cwt. Freight for Beans to London, Liverpool, Hull &c. about 15 Shillings per ton. Fast Steamers by British India Line and others.

To New-York board: about  $\frac{2}{6}$  d. per cwt. (not including insurance and consular charges). (Fast steamers by North German Lloyd, Hamburg-American, Anchor and Fabre Lines.)

To Australia, New-Zealand, India, China, Japan, South Africa, South America etc. etc., similar cheap rates by direct Steamers.

### Parcels

can be forwarded by post at the following rates: parcels up to 11 lb, (5 kilos) to:

Australia:	Egypt . . . . .	1/6
New South Wales . . . . .	Great Britain . . . . .	2/3
Victoria . . . . .	Hongkong . . . . .	6/8
Tasmania . . . . .	Malta . . . . .	1/6
Queensland, 8 $\frac{3}{4}$ lb. . . . .	Natal 2 $\frac{1}{6}$ to 6 $\frac{1}{2}$ lb. . . . .	5/6
" 11 lb. . . . .	6 $\frac{1}{2}$ to 11 lb. . . . .	7/10
Canada 6 $\frac{1}{2}$ to 11 lb. . . . .	Mexico via France . . . . .	3/2
Cape Colony . . . . .	" " Germany . . . . .	3/8
Ceylon . . . . .	New Zealand 6 $\frac{1}{2}$ lb. . . . .	7/10
Dutch Colonies:	11 $\frac{1}{2}$ lb. . . . .	11/6
Batavia, Padang, Sama-	South African Republic.	
rang, Soerabaia . . . . .	6 $\frac{1}{2}$ lb. . . . .	6/7
East India 8 $\frac{3}{4}$ lb. . . . .	11 lb. . . . .	8/8
" 11 lb. . . . .		

U. S. of America (any State) via Germany (Hamburg or Breme) at a through rate of 5/— (subject to eventual changes).

### Samples

to Great Britain and U. S. A., of 12 oz weight —/4, registered —/7  
to all other countries " 9 " " —/3, " —/6

### Postage

on letters . . . . . 2 $\frac{1}{2}$  d.  
" post cards . . . . . 1 d.

Packing at first cost.

Goods travel entirely and exclusively at purchasers risk and we are therefore not responsible for any fault or deficiency arising during the voyage or from an eventual long duration of the same.

We shall however thank our correspondents to give us instructions as to the mode of forwarding, otherwise we shall send the goods by the way we think most convenient, without, however, taking any responsibility.

Insurance, if no other instructions are given, will be covered by us for amount of invoice, freight and charges added.

Our Patrons, by ordering, acknowledge the above conditions of sale.

### Electros.

On application we will forward a list of all electros published. These electros can be had from us at the prices indicated, but it is to be distinctly understood, that our customers use them exclusively for themselves and that they do not sell, lend or copy them. They will be forwarded through Messrs. Dammann & Co., Leipzig (Germany). Any breach of this agreement is liable to a fine of £ 5/—.

Our establishment being the largest and oldest of its kind in Italy we can show our customers at any time a great many most interesting things and solicit the favor of a visit, when we shall be happy to show them our large crops of every description.

NB. We shall be glad to procure from reliable sources at reasonable prices any kinds of seeds which our friends may not find in our catalogue.

## Dammann & Co.


Cable address: DAMMANN, San Giovanni Teduccio.

A. B. C. CODE, IV<sup>th</sup> edition used.



# I. Vegetable Seeds.

	per lb. s. d.	per cwt. s. d.
<b>Alkekengi.</b>		
Eatable Winter-Cherry ( <i>Physalis edulis</i> )	3 9	— —
Purple, new	4 —	— —
<b>Artichoke.</b>		
Large early purple Campania	— —	— —
„ „ green of Naples	6 —	— —
„ green of Laon or Paris	7 5	— —
Purple of Venice	3 3	— —



Artichoke Remontant.  
Electro 3/3.

Purple of Rome	3 3	— —
„ Provence or purple French	3 3	— —
Green „ „ green „	3 3	— —
Remontant (Electro), one of the finest; large, dark green without any spines; bears twice with us, i. e. in spring and autumn	6 —	— —
Horatius (Electro)	3 9	— —
Of Modica (Electro), very large, glaucous, without spines	3 9	— —
Of Terranova (Electro), very early and fine	4 6	— —

We warmly recommend these last 4 varieties.

	per lb. s. d.	per cwt. s. d.
<b>Asparagus.</b>		
Giant	— 6	— —
Purple Argenteuil	— 6	44 —
Conovers Colossal	— 6	46 —
Palmetto	2 3	— —
Columbian White	3 9	— —
Ivory, new; very tender, remaining white even if shot up very high above the ground	1 6	— —

<b>Basella.</b>		
White of Malabar ( <i>Basella alba</i> )	1 9	— —
Red „ „ ( <i>„ rubra</i> )	1 9	— —

<b>Beans.</b>		
<b>Broad Varieties.</b>		
Sevilla long pod	— —	16 —
Aguadulce, the finest and largest	— —	— —



Artichoke Horatius.  
Electro 3/—.

Aguadulce, improved	— —	— —
Valencia, large black	— —	16 —
„ small	— —	15 —
Sicilian, white, very tender	— —	12 —
Neapolitan, „ „ „	— —	11 —
Windsor, green	— —	17 —

<b>Beans.</b>		
<b>French or dwarf varieties.</b>		
Algiers black wax	— —	33 —
„ „ „ long pod	— —	23 —
Best of All	— —	19 —
Black Belgian, excellent for forcing	— —	21 —
Canada yellow	— —	16 —

	per lb. s. d.	per cwt. s. d.
Canadian Wonder . . . . .	— —	16 —
Canterbury yellow . . . . .	— —	14 —
China . . . . .	— —	16 —
Crimson flageolet . . . . .	— —	16 —
Dark Dun or Liver colour . . . . .	— —	16 —
Emperor William, very long podded, white seeded, early, for forcing . . . . .	— —	24 —
Fulmers early forcing . . . . .	— —	16 —
Golden Butter Wax, black seeded . . . . .	— —	— —
Hinrich's speckled giant . . . . .	— —	18 —
Hundred for one, small yellow, extremely prolific . . . . .	— —	— —
Ilsenburg purpled speckled, very long pods, extremely early . . . . .	— —	16 —

	per lb. s. d.	per cwt. s. d.
Green Samarow, extremely early and prolific . . . . .	— 5	35 —
Giant yellow Santa Margherita; of enormous growth; Beans very large; extremely prolific . . . . .	— 6	— —

**Beans-Lima.**

(Phaseolus lunatus var.)

**Dwarf.**

Toledo, white, very prolific . . . . .	— 4	— —
Linderaya, very dwarf white, very large pods . . . . .	— 4	— —
Giuditta, very prolific, pods broad . . . . .	— 4	— —



Artichoke of Modica.  
Electro 3/3.



Artichoke of Terranova.  
Electro 3/—.

Ilsenburg white, splendid, very early . . . . .	— —	16 —
Negro Monster . . . . .	— —	24 —
„ long pod . . . . .	— —	28 —
„ extra early . . . . .	— —	28 —
Newington Wonder . . . . .	— —	15 —
Ne plus ultra, fine for forcing . . . . .	— —	18 —
Osborne's forcing . . . . .	— —	16 —
Pale Dun . . . . .	— —	16 —
Perkin's red speckled . . . . .	— —	16 —
Sion House . . . . .	— —	16 —
Sir Joseph Paxton . . . . .	— —	14 —
The Shah, black . . . . .	— —	18 —

**Beans-Soja (Soja hispida).**

Yellow . . . . .	— 5	— —
Brown . . . . .	— 4	28 —
Black . . . . .	— 4	28 —

Wonder of San Giovanni, most prolific and early, dark red speckled . . . . .	— 4	— —
---	-----	-----

**Runners.**

San Giovanni white; runs high, abundant bearer . . . . .	— 6	— —
Sant Antonio, yellowish white; highly prolific . . . . .	— 6	— —
San Giuseppe (Electro), white of medium size . . . . .	— 6	— —
San Carlo, black speckled; runs high; abundant bearer, one of the finest . . . . .	— 6	— —
Lagune, red speckled, splendid . . . . .	— 6	— —

**Beans.**

**Runner Varieties.**

Scarlet (prices variable) . . . . .	— —	24 —
White ( „ „ ) . . . . .	— —	24 —

	per lb. s. d.	per cwt. s. d.
Painted Lady (prices variable) . . . . .	— —	28 —
Coco, white . . . . .	— 4	32 —
Intestin . . . . .	— 6	44 —
Mont d'or, wax-podded . . . . .	— 6	40 —
Soissons, very large white . . . . .	— 6	40 —
Battle-sword white, enormous . . . . .	— 6	42 —
Cranberry (Prague) . . . . .	— 4	32 —
Algerian wax, black seeded . . . . .	— 6	44 —
Princess or Sugar Pearl . . . . .	— 5	36 —
Dolichos unguiculatus, white, black-eyed . . . . .	— —	16 —
„ Asparagus (D. sesquipedalis) red . . . . .	— 8	— —
Cuban Asparagus Bean, brown, white-eyed . . . . .	— 8	— —



Lima Bean San Giuseppe.  
Electro 3/6.

### Beet.

Crapaudine, rough-skinned, half long . . . . .	— 6	40 —
Castelnaudary, blood-red . . . . .	— 6	46 —
Long, deep red . . . . .	— 6	40 —
Covent Garden, long, red . . . . .	— 6	45 —
Dells crimson, long, red . . . . .	— 6	45 —
Whyte's black, long and fine, dark blood-red . . . . .	— 6	44 —
Large, blood-red . . . . .	— 6	40 —
Strasbourg or pear-shaped . . . . .	— 6	44 —
Bastian's blood Turnip . . . . .	— 6	38 —
Egyptian Turnip red . . . . .	— 6	38 —
Bassano, flat, red, early . . . . .	— 6	37 —

### Sugar Beet.

(German grown, from selected stock) . . . . .	— —	— —
Imperial white . . . . .	— 6	44 —
Klein Wanzleben . . . . .	— 6	44 —

	per lb. s. d.	per cwt. s. d.
Vilmorin's improved . . . . .	— 6	44 —
Dippe's best stock . . . . .	— 6	48 —
<b>Silver-Beet</b> , see Swiss Chard.		
<b>Benincasa-Cerifera</b> . . . . . oz —/4	3 3	— —

### Borecole or Kale.

Curled dwarf green (German Greens) . . . . .	1 —	105 —
„ „ Erfurt . . . . .	1 —	105 —
„ „ purple . . . . .	1 —	105 —
Variegated . . . . .	1 3	— —
Palm Tree, high . . . . .	1 1	— —
„ „ King, dwarf . . . . .	1 3	— —



Capsicum Columbus.  
Electro 3/3.

### Broccoli.

Purple Navidad, early, dark purple . . . . .	1 10	— —
Dark red Santa Teresa, early, purple, changing into green, when boiled . . . . .	1 10	— —
Walcheren . . . . .	3 3	340 —
Adams early white . . . . .	3	— —
Backhouse's white winter . . . . .	4 3	— —
Cattell's Eclipse, late . . . . .	3 3	— —
Chappell's Cream, late . . . . .	2	— —
Ellettson's Mammoth, late . . . . .	2 9	— —
Knights protecting, late . . . . .	2 9	— —
Penzance (from Cornish stock) . . . . .	3 3	— —
Snow's white winter . . . . .	5 3	— —
Suttons late Queen . . . . .	— —	— —
Valencia, early, beautiful white heads . . . . .	3	— —
Como, early, white, splendid . . . . .	3 6	— —
Veitch's self protecting, late . . . . .	2 9	290
Giant Malta, late . . . . .	2 9	290

	per lb. s. d.	per cwt. s. d.
Late Asiatic . . . . .	2 9	290 —
Sprouting San Martinari, very early . . . . .	1 6	— —
„ Nataleschi . . . . .	1 6	— —
„ Gennarese . . . . .	1 6	— —
„ Febbrajoli, late . . . . .	1 6	— —
„ Marzajuoli, very late . . . . .	1 6	— —

**Brussels Sprouts.**

Tall, best stock . . . . .	1 —	— —
Dwarf, improved . . . . .	1 1	— —
Aigburth . . . . .	1 5	— —



Capsicum, Elephant's Trump.  
Electro 3/6.

	per lb. s. d.	per cwt. s. d.
Schweinfurt Drumhead . . . . .	1 1	100 —
Strassburg Quintal or Cwt. Drumhead . . . . .	1 1	110 —
Sugar loaf . . . . .	1 —	105 —
Wheeler's Imperial . . . . .	1 4	140 —
Winnigstadt, best stock . . . . .	1 1	110 —
York early . . . . .	— 11	95 —
„ large . . . . .	— 11	95 —
Late Calabria . . . . .	1 8	— —
Early Mongibello . . . . .	1 9	— —

We recommend these last two sorts quite especially for warmer countries; they are splendid.

Large blood-red Drumhead . . . . .	1 6	155 —
Small „ early Dutch . . . . .	1 6	155 —

**Savoy.**

Drumhead, large late . . . . .	1 2	125 —
Early dwarf Ulm . . . . .	1 —	105 —
Favourite . . . . .	1 2	125 —
Marcelin . . . . .	1 1	110 —



Capsicum, Japanese Cluster.  
Electro 3/—.

**Cabbage.**

Bacalan, early . . . . .	1 1	110 —
Brunswick, large Drumhead, best stock . . . . .	1 —	105 —
Cocoa Nut . . . . .	1 3	130 —
Drumhead Dutch late . . . . .	1 —	105 —
„ „ early dwarf . . . . .	1 —	105 —
Early Etampes . . . . .	1 2	115 —
Enfield Market . . . . .	1 —	105 —
Myatt's early Offenham . . . . .	1 —	105 —
Mein's No. 1 . . . . .	1 3	130 —
Oxheart large . . . . .	1 2	115 —
„ early . . . . .	1 2	115 —
St. John's Day, early . . . . .	1 2	115 —
„ „ late . . . . .	1 —	105 —

Small early Vienna . . . . .	1 2	120 —
Sutton's Tom Thumb . . . . .	1 3	130 —
Victoria (Waterloo) . . . . .	1 4	140 —

**Caper Tree, see Trees.**

**Capsicum.**

Sweet varieties.

Cardinal, scarlet, fruits long per oz —/3 . . . . .	1 10	— —
Columbus (Dam.) (Electro), red of enormous size . . . . .	3 9	— —
Columbus (Dam.), yellow . . . . .	1 9	— —
Elephant's Trump (Electro), red, splendid . . . . .	1 10	— —
Golden Dawn . . . . .	1 10	— —

	per lb. s. d.	per cwt. s. d.
Golden King (Nocera) most beautiful, very large fruit . per oz —/3	1 9	— —
Maddaloni, of conical shape, very early . . . . . " " —/3	1 10	— —
Papacello, red, round, medium sized, slightly ribbed; a fine Neapolitan variety, very good for pickling . . . . . " " —/3	1 6	— —
Procop's Giant . . . . . " " —/4	2 —	— —
Ruby King, red, splendid very large . . . . . " " —/3	1 7	— —
Sweet Mountain or Bull nose " " —/3	1 7	— —
" Spanish . . . . . " " —/3	1 6	— —
Tomato-shaped, red . . . . . " " —/3	1 10	— —
" " yellow . . . . . " " —/3	1 10	— —

Under different climatic and cultural conditions it happens that certain kinds of mild Capsicum turn hot.



Cauliflower, Veitch's Autumn Giant. Electro 3/—.

	per lb. s. d.	per cwt. s. d.
<b>Cardoon.</b>		
Large Sicilian . . . . .	3 3	— —
Puvis, very fine and large . . . . .	1 3	— —
Bolognese, excellent . . . . .	1 8	— —
Alexander, (prickly) of enormous size . . . . .	1 8	— —
<b>Carrot.</b>		
Please state if you desire „Rubbed“or„Bearded“Seed.		
	per lb. s. d.	per cwt. s. d.
Altringham, long scarlet	— 10	85 —
Chantenay, half long . . . . .	— 10	85 —
Carentan, early half, long, scarlet . . . . .	— 10	85 —
Early Gem (Oxheart-Guerande) . . . . .	— 11	90 —
Early scarlet Horn . . . . .	— 11	90 —
French early forc. Horn	1 —	105 —
Half long Luc, stump-rooted . . . . .	— 10	85 —



Cauliflower, Imperial early. Electro 3/—.

<b>Capsicum.</b>		
Hot varieties for pickling.		
Cayenne, red, long fruited, . per oz —/3	1 5	— —
Celestial . . . . . " " —/3	1 5	— —
Cherry, red . . . . . " " —/3	1 6	— —
" yellow . . . . . " " —/3	1 6	— —
Chile red, orange, sulphur yellow, purple, each . . . . . " " —/3	1 7	— —
Japanese Cluster (Electro) scarlet, fruits long . . . . . " " —/4	2 6	— —
Prince of Wales, yellow . . . . . " " —/3	1 8	— —
Spanish or Guinea . . . . . " " —/2	1 —	— —
Szegedin (Hungarian) Rose Paprika . . . . . " " —/3	1 9	— —
Tom Thumb (producing fruits in clusters), red, orange, yellow, each . . . . . " " —/4	2 —	— —
Tomato red . . . . . " " —/4	2 —	— —

James Intermediate, half long scarlet, pointed . . . . .	— 10	85 —	— 9	75 —
Nantes, early half long scarlet, stump-rooted . . . . .	— 10	85 —	— 9	70 —
St. Valery . . . . .	— 10	85 —	— 9	75 —
Stump-rooted, half long scarlet . . . . .	— 10	85 —	— 9	75 —
Surrey long, red . . . . .	— 10	85 —	— 9	75 —
White Belgian, green top . . . . .	— 10	85 —	— 9	75 —
" Vosges, thick, short . . . . .	— 8	70 —	— 7	58 —
Indian dark red . . . . .	— —	— —	— —	— —

	per lb. s. d.	per cwt. s. d.
<b>Caterpillar. Scorpiurus.</b>		
Large (Sc. vermiculatus) per oz —/4	3 9	— —
Small (Sc. muricatus) . . . . . " " —/4	3 9	— —
Hairy (Sc. subvillosus) . . . . . " " —/4	3 9	— —
Striped (Sc. sulcatus) . . . . . " " —/4	3 9	— —
Mixed, . . . . . " " —/4	3 9	— —

**Cauliflower.**

Italian varieties.

**Earliest short-stemmed Italian Giant**

(Dam.), very early, most beautiful large, white, solid heads . . . . .

Eclipse . . . . .

Earliest Italian Giant „Non plus ultra“

Veitch's Autumn Giant (Electro) . . . . .

Algiers Giant, late . . . . .

Late Asiatic . . . . .

„ Italian Giant (Veitch's self protecting Broccoli) . . . . .

Giant Malta . . . . .

per lb. s. d.	per cwt. s. d.
3 6	370 —
2 11	300 —
2 11	300 —
2 10	290 —
2 9	290 —
2 9	290 —
2 9	290 —
2 9	290 —

Cauliflower, early London.  
Electro 3/—**Cauliflower.**

Imported seed, from our special growers.

Erfurt earliest dwarf, for

forcing, finest quality . . per oz 6/—

Snowball, large, very firm white

heads, superior stock . . „ „ 3/—

per lb. s. d.	per cwt. s. d.
90 —	— —
40 —	— —
1 2	— —
1 6	— —
1 4	— —
— —	— —
— —	— —

**Celery.**

Arezzo

De Candolle } these Italian varieties are quite extra

Folgore

Fern-leaved . . . . .

Golden yellow large solid or Golden yellow self blanching . . . . .

Cauliflower, Lenormand short-stemmed.  
Electro 3/3.**Cauliflower.**

English, French and German varieties grown in Italy. Finest seeds.

Erfurt earliest Dwarf . . . . .

Snowball, very fine . . . . .

Montblanc, of the Snowball type; quite dwarf, pure white and solid heads (Electro)

Imperial early (Electro) . . . . .

Early Paris or small Salomon . . . . .

Large white Erfurt . . . . .

Early Dutch . . . . .

„ London (Electro) . . . . .

Lenormand large . . . . .

„ short-stemmed (Electro) . . . . .

Large Salomon . . . . .

Stadtholder . . . . .

Walcheren . . . . .

11 —	— —
— —	— —
7 6	— —
5 6	600 —
5 6	600 —
3 3	340 —
4 3	440 —
4 —	420 —
4 3	440 —
5 6	600 —
4 3	440 —
3 9	400 —
3 3	340 —

Henderson's White Plume . . . . .

Ivery's Nonsuch Pink . . . . .

Large dwarf white solid . . . . .

Leicester Red . . . . .

Perfection Heartwell . . . . .

Pink Plume . . . . .

Sandringham white . . . . .

Wright's Grove Red . . . . .

„ Giant White . . . . .

**Soup Celery** . . . . .**Celeriac or Turnip-rooted Celery.**

Common large . . . . .

Erfurt . . . . .

Giant of Prague . . . . .

Ne plus ultra, Paris white . . . . .

Apple-shaped . . . . .


1 —	— —
1 —	— —
— 9	— —
1 —	— —
1 2	— —
1 —	— —
— 9	— —
1 —	— —
1 2	— —
— 7	48 —
— 11	95 —
— 11	95 —
1 —	105 —
1 —	105 —
— 11	88 —

**Chervil.**

	per lb. s. d.	per cwt. s. d.
Common or plain . . . . .	8	60 —
Curled . . . . .	8	60 —
Turnip-rooted . . . . .	2 3	— —

**Chicory.**

	per lb. s. d.	per cwt. s. d.
Common (Barbe de Capucin) } excellent	7	55 —
Improved very large-leaved } for	9	80 —
Red-leaved Milan (Lombardy) } salad	9	80 —
Brussels or Witloof	7	58 —
Large-rooted Brunswick	7	58 —
Asparagus (Electro); an excellent Italian variety quite different from any other; leaves and stalks give a most wholesome and refreshing salad when cooked and served cold	1 6	— —



Asparagus Chicory.  
Electro 2/—.

**Corn, Sweet or Sugar.**

Adam's, extra early . . . . .	5	30 —
Crosby's early . . . . .	4	26 —
Cory early (red Cob) . . . . .	5	30 —
Early Minnesota . . . . .	5	30 —
Egyptian Sugar . . . . .	5	30 —
Mammoth . . . . .	3	21 —
Manhattan early . . . . .	4	27 —
Moore's early concord . . . . .	3	21 —
Narraganset . . . . .	4	27 —
Non plus ultra . . . . .	3	21 —
Perry's Hybrid . . . . .	3	21 —
Stabler's early . . . . .	4	25 —
Stowell's evergreen . . . . .	5	30 —
The Country Gentleman . . . . .	5	30 —

**Cornsalad.**

	per lb. s. d.	per cwt. s. d.
Large round-leaved . . . . .	8	70 —
Large-seeded round-leaved Dutch . . . . .	8	70 —
Italian (Valleriana coronata) . . . . .	8	70 —
„ Lettuce-leaved . . . . .	9	78 —

**Cress (1 bushel = abt 1/2 cwt.).**

Common or plain . . . . .	5	35 —
Curled . . . . .	5	37 —
American Winter . . . . .	8	66 —
Australian or Golden . . . . .	5	37 —
Broad-leaved . . . . .	5	37 —
<b>Water Cress</b> . . . . .	1 10	180



Cucumber, white Japanese Climbing.  
Electro 3/3.

**Cucumber.**

(Open ground varieties.)

Long green . . . . .	1 3	— —
„ „ Italian, very fine and productive . . . . .	1 4	— —
„ „ of Athens, or Greek . . . . .	1 4	— —
„ „ English prickly . . . . .	1 3	— —
„ „ of Erfurt . . . . .	1 4	— —
„ „ Bismarck, white-spined . . . . .	1 10	— —
„ „ Goliath . . . . .	1 6	— —
„ „ prolific . . . . .	1 3	— —
Very long green Erfurt . . . . .	1 5	— —
„ „ Yellow Dutch . . . . .	1 4	— —
Paris pickling . . . . .	1 —	— —
Small pickling Bourbonne . . . . .	1 3	— —

	per lb. s. d.	per cwt. s. d.
Japanese green Climbing . . . . .	1 8	— —
„ white Climbing (Electro) . . . . .	2 3	— —
Formosa climbing (Dam.), very early and enormously prolific, of splendid flavour. Fruit smooth, dark green, slightly black spotted; flesh white, very solid . . . . .	2 6	— —
Yokohama climbing (Dam.) (Electro). A most beautiful late sort; the foliage never suffers from disease. The fruits are cylindrical, bright green and very slightly spined or prickly. Later, if ripe, they turn brighter, almost into wax colour. Flesh white solid. A most abundant bearer . . . . .	3 —	— —

	per lb. s. d.	per cwt. s. d.
Bonneuil, white very large . . . . .	1 6	— —
Russian small (Murum) . . . . .	1 —	— —
Chiwa netted (Emperor Alexander) . . . . .	1 4	— —
Russian „ . . . . .	1 3	— —
Hairy cucumber of Egypt . . . . .	1 5	— —
„ „ Palestine . . . . .	1 5	— —
„ „ Brindisi . . . . .	1 5	— —
„ „ Taranto . . . . .	1 5	— —
Cucumis flexuosus (Snake) . . . . .	1 8	— —
Cucumber Melon . . . . .	1 6	— —
Persian Cluster (Dam.) (Electro), very early, ripening in about 5 weeks, about 8 inches long, dark green, very slightly prickly; very fine . . . . .	1 9	— —



Cucumber, Yokohama climbing. Electro 3/3.



Cucumber, climbing Corosan. Electro 3/3.

Corosan climbing (Dam.) (Electro). This is the ne plus ultra of productiveness as it bears most abundantly and never suffers from moisture or diseases. Fruit dark green, bright green striped and very slightly prickly, with a curious knot at the extremity. Flesh white, of finest flavour and never bitter . . . . .	3 —	— —
Giant of Quedlinburg . . . . .	1 3	— —
Pera gigantic green . . . . .	1 3	— —
The Prince's Cucumber (Electro), fruits short, about 6—8 in. cylindrical smooth, light green, very fleshy and solid, extremely prolific and highly to be recommended . . . . .	1 6	— —
Santa Rosalia, very prolific, climbing very little . . . . .	1 8	— —

**Cucumber.**  
(Frame Varieties.)

Gladiator long green . . . . .	per oz —/4	3 6	— —
Man of Kent . . . . .	„ „ —/4	3 6	— —
Rollisson's Telegraph . . . . .	„ „ —/7	7 3	— —
Glory of Erfurt . . . . .	„ „ —/5	4 6	— —
Marquis of Lorne . . . . .	„ „ —/6	6 —	— —
Arnstadt white Giant, } very	„ „ —/5	4 6	— —
„ green „ } fine	„ „ —/7	6 9	— —
Tender and True . . . . .	„ „ —/5	4 6	— —
Hampel's Forcing . . . . .	„ „ —/5	— —	— —
Model . . . . .	„ „ —/6	— —	— —
Prescot Wonder . . . . .	„ „ —/8	— —	— —
Noa's Forcing . . . . .	„ „ —/8	— —	— —
Swan's Neck . . . . .	„ „ —/8	— —	— —
Ideal . . . . .	„ „ —/8	— —	— —





Endive, Batavian, of Naples.  
Electro 2/5.



Endive, Batavian Sant Angelo.  
Electro 2/6.



Cucumber, The Prince's  
Electro 2/6.



Egg Plant, dwarf black Nagasaki.  
Electro 3/3.



Egg Plant, Dammann's „Délicatesse“.  
Electro 3/—.



Cucumber Persian Cluster.  
Electro 33.



Cabbage Lettuce, Besson or Marvel.  
Electro 3.—.



Cauliflower Montblanc  
Electro 12/—.

	per lb. s. d.	per cwt. s. d.
Berlin Eel, very long, thick, green . . . . . per oz—/7	—	—
Indefatigable . . . . . „ „ —/7	—	—
Long green Cardiff . . . . . „ „ —/5	—	—
Jewel of Koppitz . . . . . „ „ —/7	—	—
<b>Cyperus esculentus</b> . . . . .	— 10	—

**Dandelion.**

Common . . . . .	1 4	—
Improved thick-leaved or cabbaging . . . . .	5 6	—
Improved Moss . . . . .	5 6	—

**Egg Plant.**

Barbentan long early . . . . .	1 8	—
Purple dwarf . . . . .	1 8	—
Black Nagasaki (Dam.) (Electro), dwarf very early and prolific . . . . .	1 8	—



Endive, moos curled Monreale.  
Electro 3/—.

Black Prince (Dam.); pear-shaped, very early . . . . .	1 8	—
Dammann's „Délicatesse“ (Electro) the earliest, pear-shaped; quite an enormous bearer . . . . .	1 10	—
Purple large . . . . .	1 4	—
„ round . . . . .	2 6	—
„ long of Palermo . . . . .	1 10	—
„ giant . . . . .	1 9	—
Black China (Peking) . . . . .	2 6	—
New York Giant . . . . .	3 9	—
Giant green Thibet . . . . .	2 3	—
Calcutta . . . . .	1 6	—
Long white China . . . . .	1 9	—
Guadeloupe white, purple striped . . . . .	1 9	—
Asia, new, (Dam.) of really yellow colour, very fleshy and sweet . . . . .	1 6	—

	per lb. s. d.	per cwt. s. d.
Persia, new, (Dam.) yellow, of more cylin- drical shape . . . . .	1 6	—
Round white . . . . .	1 6	—
Green Campania (Dam.), large, round, green and white, very fleshy . . . . .	1 10	—
Giant Pear of Guadeloupe (Dam.), pure white with purple stripes, of enormous size . . . . .	2 3	—
Long Horn (Dam.), pure white with green stripes, very early . . . . .	2 3	—
Tricolor (Dam.), fruits very large, long, thick, fleshy; the upper part is bright green and the lower one white with purple stripes; quite peculiar . . . . .	2 5	—



Kohl-Rabi, curled of Naples.  
Electro 3/3.

**Endive.**

Small green curled summer . . . . .	1 —	105
Large green curled . . . . .	1 2	120 —
Moss curled . . . . .	1 1	115 —
Rouen or Staghorn . . . . .	1 —	105 —
Ruffec curled . . . . .	1 3	—
White curled . . . . .	1 3	135 —
Pancalier curled . . . . .	1 2	125
Ever white curled . . . . .	1 2	125
Imperial curled . . . . .	1 4	145 —
Green fine curled winter . . . . .	—	—
Carters Model . . . . .	1 —	105 —
Moss curled Monreale (Dam.) (Electro)	— 10	85
Batavian (Scarole) green . . . . .	10	85
„ white . . . . .	— 11	96
„ Sant Angelo (Electro) } both . . . . .	9	80
„ of Naples (Electro) } very fine . . . . .	9	80

**Garlic.**

	per lb. s. d.	per cwt. s. d.
Large Naples . . . . .	— 2	16 —
Very large Calabria . . . . .	— 3	18 —

**Gourd.**

Eatable sorts see *Vegetable Marrow*.  
Ornamental sorts see *Cucumis*, *Cucurbita*, *Lagenaria*.

**Ice Plant**, see *Sweet Herbs*.



Leek, Giant Italian Winter.  
Electro 2/4.



Lettuce Genezzano.  
Electro 2/3.

**Kohl-Rabi.**

Grown exclusively from selected stock.

White ordinary . . . . .	— 10	83 —
„ very early Vienna . . . . .	1 2	— —
„ very early Vienna, short-leaved . . . . .	1 2	— —
„ of Prague, the finest of all . . . . .	1 2	— —
Purple ordinary . . . . .	— 10	83 —
„ very early Vienna . . . . .	1 2	— —
„ very early Vienna, short-leaved . . . . .	1 2	— —
White Giant . . . . .	1 —	— —

	per lb. s. d.	per cwt. s. d.
Purple Giant . . . . .	1 —	— —
White Goliath, extremely large . . . . .	1 —	80 —
Purple „ „ „ . . . . .	1 —	80 —
Erfurt Dreienbrunnen, white, small, beautiful . . . . .	1 2	— —
Curled of Naples (Electro) . . . . .	— 7	60 —

**Leek**

(Grown from selected stocks).

Bangholm Prizetaker . . . . .	1 1	110 —
Musselburgh (Scotch stock seeds) . . . . .	1 1	115 —



Lettuce Chou de Naples.  
Electro 2/3.



Dammann's Ice Lettuce.  
Electro 3/—.

Large Rouen winter . . . . .	1 —	100 —
Monstrous Carentan . . . . .	1 —	100 —
Poitou large yellow . . . . .	1 —	100 —
Large Brabant . . . . .	1 —	100 —
The Lyon . . . . .	1 1	110 —
Henry's Prize or Ayton Castle . . . . .	1 1	110 —
Broad London flag . . . . .	— 11	96 —
Renton's Monarch . . . . .	— —	— —
Giant Italian Winter (Electro) . . . . .	1 —	100 —
„ Ostia, dark green . . . . .	1 —	100 —

Giant of Palermo, glaucous, the largest .

per lb.	per cwt.
s. d.	s. d.
1 1	105 —

These last 3 Italian sorts are most beautiful, producing enormous plants; they will give satisfaction everywhere and more especially in warmer countries.

### Lettuce.

w. s. = white seed; bl. s. = black seed;  
y. s. = yellow seed.

#### Cabbage varieties.

##### a) Spring varieties.

Early green stone head, bl. s. . . . .	1 6	— —
Boston Market or white Tennisball, w. s. . . . .	1 7	— —
Wheeler's Tom Thumb; bl. s. . . . .	1 4	140 —
Egg, small early, w. s. . . . .	1 4	140 —
Dippe's Emperor, w. s. . . . .	1 2	125 —
Early Paris market, w. s. . . . .	1 2	125 —
Sutton's forcing, w. s. . . . .	1 4	— —



Lettuce Albano.  
Electro 2/3.

##### b) Summer varieties.

All the year round, w. s. . . . .	1 3	130 —
" " " " bl. s. . . . .	1 3	130 —
Large Mogul, w. s. . . . .	1 3	130 —
Nonpareil, w. s. . . . .	1 5	— —
Imperial (Green Lettuce) w. s. . . . .	1 3	130 —
Turkey Cabbage (Mammoth Butter Head) bl. s. . . . .	1 2	122 —
Lee's Immense Hardy Green, w. s. . . . .	1 4	130 —
Perpignan improved, w. s. . . . .	1 4	130 —
Blonde de Versailles, w. s. . . . .	1 2	152 —
Mogul, bl. s. . . . .	1 2	— —
Blonde de Dresde, w. s. . . . .	1 —	— —
Stubborn-headed large yellow (Trotzkopf) w. s. . . . .	1 3	130 —
Stubborn-headed new brown (brown Trotskopf) w. s. . . . .	1 5	150 —
Small dark red, bl. s. . . . .	1 8	— —
Spotted (Trout) w. s. . . . .	1 8	— —
Golden spotted, w. s. . . . .	1 8	— —
Passepartout or Fearnought, bl. s. . . . .	1 —	— —

Dippe's yellow solid (yellow-seeded

per lb.	per cwt.
s. d.	s. d.
1 5	— —
1 5	— —
1 4	— —
5 6	— —
1 5	— —
1 3	— —

Butter) y. s. . . . .	1 5	— —
Rudolph's Favourite, w. s. . . . .	1 5	— —
Albano, seed light brown (Electro) . . . . .	1 4	— —
Genezzano, (Continuity) bl. s. (Electro) of a bronzy colour outside and creamy white inside; stands the greatest heat, is very solid and at the same time very tender, scarcely produces any seed; the finest sort that exists . . . . . per oz —/6	5 6	— —
Sémoroz, y. s. splendid large heads, very solid, when fully developed; leaves green, with a bronze margin; golden yellow inside	1 5	— —
Canada, bl. s. very tender with bronze leaves when exposed to the sun; stands the heat very well; produces very few seeds	1 3	— —



Italian Ice Lettuce.  
Electro 3/—.

Erfurt, yellow, fine, w. s. . . . .	1 4	— —
Green Unctuous, bl. s. . . . .	1 4	— —
Simpson, w. s. . . . .	1 —	— —
Malta Drumhead, w. s. . . . .	— 10	88 —
Batavia white, w. s. . . . .	1 6	155 —
" green, w. s. . . . .	1 3	135 —
Bossin's Giant, bl. s. . . . .	1 3	135 —
Chou de Naples, w. s. (Electro) . . . . .	1 2	125 —
" " " improved, w. s. . . . .	1 2	125 —
Ohio, w. s. . . . .	1 —	— —
Ice Lettuce of Laibach (Iceberg) (Electro) w. s. . . . .	1 8	— —
Dammann's Ice Lettuce, w. s. (Electro) larger than the former and of the finest flavour, quite excellent; requires a good loamy soil	1 8	— —
Italian Ice Lettuce, w. s. (Electro), also very large, and solid, yellow; remarkably fine	1 8	— —
Grand Rapids, bl. s. . . . .	1 2	— —

##### c) Winter varieties.

Hammersmith Hardy Green, w. s. . . . .	1 1	— —
Brown German Winter, w. s. . . . .	1 2	— —

	per lb. s. d.	per cwt. s. d.
Green German Winter, w. s. . . . .	1 2	125 —
Silverball, w. s. . . . .	1 3	130 —
Besson or Marvel, bl. s. (Electro) . . . .	1 3	135 —
Nansen, w. s., green, very hardy . . . . .	1 2	— —

**Varieties for picking and cutting.**

American brown curled, w. s. . . . .	1 4	— —
Californian curled, w. s. . . . .	1 4	— —
Australian yellow curled, w. s. . . . .	1 4	— —
Asparagus Lettuce bl. s. (Lactuca angustana) . . . . .	— —	— —

**Cos varieties.**

Alexandra white, w. s. . . . .	1 4	— —
Balloon, bl. s. . . . .	1 6	— —
Brown Bath, bl. s. . . . .	1 3	140 —
Brown Bath, w. s. . . . .	1 3	140 —

	per lb. s. d.	per cwt. s. d.
Neapolitan Winter, } keep white flesh } very } per oz—/2	1 7	— —
„ green „ } well	— —	— —
Netted of Naples . . . . .	1 7	— —
Malta red flesh . . . . .	1 —	— —
„ green „ . . . . .	1 7	— —
Honfleur netted . . . . .	2 9	— —
Tours netted . . . . .	3 —	— —
Pine Apple, white flesh . . . . .	2 3	— —
„ „ red „ . . . . .	2 3	— —
Hackensack . . . . .	2 —	— —
Emerald Gem . . . . .	1 9	— —
Skillman's netted . . . . .	2 —	— —
Delmonico . . . . .	2 —	— —
Nutmeg . . . . .	1 6	— —
Hero of Lockinge . . . . .	3 9	— —



Melon Bujukdere.  
Electro 3/3.



Melon Galata.  
Electro 3/2.

Crystal, w. s. . . . .	1 6	160 —
Cooling's Leviathan, bl. s. . . . .	1 3	— —
Frascati, w. s. White self-folding, most excellent	1 5	150 —
Hardy Winter white, w. s. . . . .	1 4	140 —
Ivery's Non Such, bl. s. . . . .	1 5	— —
Kingsholm, w. s. . . . .	1 6	— —
Magnum Bonum or Florence, w. s. . . . .	1 6	— —
Paris white, w. s. . . . .	1 6	— —
„ Green, w. s. . . . .	1 6	— —
Potenza, w. s. of enormous size and most excellent; leaves very numerous, white, bronze, self-folding, very solid; does not easily run to seed	1 2	120 —
Prince of Wales, w. s. . . . .	— —	— —
Spotted, w. s. . . . .	1 6	— —
Tankred, w. s. splendid, new; white, self-folding, beautiful . . . . .	1 3	— —
Trianon, w. s. . . . .	1 6	— —

**Melon.**

American Peach-Melon } for	pr oz—/3	3 —	— —
„ Mango } pre-	„ „—/2	1 9	— —
„ oval Mango } serves	„ „—/2	1 9	— —

Knowley's Favourite . . . . .	per oz—/4	3 9	— —
Bishop's . . . . .	„ „—/4	3 9	— —
Blenheim Orange . . . . .	„ „—/4	3 9	— —
Best of all (Marcellus) . . . . .	„ „—/4	3 9	— —
Munroe's Little Heath . . . . .	„ „—/4	3 9	— —
The Czar . . . . .	„ „—/4	3 9	— —
The Earl's Favourite . . . . .	„ „—/4	3 9	— —

The following sorts have been introduced by us last season and we can quite especially recommend them.

Asiatic long white, flesh glaucous, like frozen water . . . . .	per oz—/3	2 4	— —
Bujukdere (Electro) round, smooth, light yellow with green spots or stripes; flesh snow white, thick and juicy; of finest flavour . . . . .	per oz—/4	3 5	— —
Portoghese, oval, yellow dark green spotted; flesh white, tender of best flavour; contains but few seeds . . . . .	per oz—/3	2 4	— —
Cercola, oval, dark green, strongly netted; flesh white, sweet and of fine flavour;	— —	— —	— —

	per lb. s. d.	per cwt. s. d.
the fruits grow up to 8 to 10 lb. weight per oz —/3	2 4	— —
<b>Galata (Electro).</b> Fruit large, oval, about 16 inch. long; yellow, dark green marbled; flesh greenish white, very juicy and sweet per oz —/3	3 —	— —
<b>Therapia (Electro)</b> large, yellow-netted; flesh thick, dark green, changing into a yellowish red towards the interior; very juicy and of excellent flavour per oz —/4	3 9	— —
<b>Turkish Giant (Electro)</b> fruits large, orange yellow, smooth, weighing up to 11 lb.; flesh glaucous, very sweet and juicy per oz —/4	3 5	— —
<b>Iberia</b> , of medium size, green-fleshed, of best flavour . . . . . per oz —/3	3 —	— —
<b>Tajo</b> , netted, green-fleshed, very juicy and aromatic . . . . . per oz —/3	3 —	— —



Melon Turkish Giant.  
Electro 3/3.

<b>San Martino</b> , of medium size, and roundish shape, bright yellow, orange-marbled; flesh white, excellent . . . . . per oz —/3	3 —	— —
<b>Large Spanish</b> , very large, yellow, much netted; flesh yellowish, red, juicy and of an exquisite flavour. . . . . per oz —/3	3 —	— —
<b>Spanish Pearl</b> , very juicy and aromatic per oz —/3	3 —	— —
<b>Giant of Porto</b> , very large, attaining a weight of about 15 lb.; slightly netted, juicy and of fine flavour . per oz —/3	3 —	— —
<b>Abundantia (Dam.)</b> . Certainly the most prolific. The oval shaped medium sized slightly ribbed fruits of a bright green colour are green fleshed and of a most delicious flavour. One of the earliest sorts and for this reason well suited for northern countries. The plant produces such a		

	per lb. s. d.	per cwt. s. d.
number of fruits that all the ground is covered with them . . . . . per oz —/3	2 4	— —
<b>Cilento (Dam.)</b> . Of oval shape, smooth dark green skin and medium size. The flesh is greenish, almost white of quite an excellent flavour and very sweet. It keeps very well and may be kept in a dry and airy place (without frost) for many months; its seeds are unlike any of other melons. Highly to be recommended all the more as it is very productive . per oz —/3	2 4	— —
All sorts mixed . . . . .	1 2	80 —
Frame varieties mixed . . . . .	7 6	— —
Old Melon seed . . . . .	— 3	16 —

**Water-Melon.**

Red-fleshed of Castellamare, black-seed per oz —/2	1 9	— —
---	-----	-----



Melon Therapia.  
Electro 3/3.

<b>Small early Neapolitan</b> , with light green skin . . . . . per oz —/3	2 —	— —
<b>Very large black seeded</b> . . . . . —/2	1 3	— —
„ „ white seeded . . . . . —/3	2 —	— —
<b>Homerus (Dam.)</b> of enormous size; flesh bright red of finest flavour; <i>the seeds are quite soft and can be eaten</i> . per oz —/4	3 —	— —
<b>Brindisi Giant (Dam.)</b> . Round, rind smooth and thin, flesh carmine, seeds black of excellent flavour . . . . . per oz —/4	3 —	— —
<b>Julius Caesar (Dam.)</b> . Fruit long of very large size; flesh dark red, seeds black; a splendid sort of exquisite musk flavour per oz —/5	4 6	— —
<b>Ice Cream</b> . . . . . „ „ —/2	1 8	— —
<b>Cuban Queen</b> , flesh red . . . . . —/2	1 8	— —
<b>Mammoth Ironclad</b> , flesh red „ „ —/2	1 8	— —
<b>Mountain Sprout</b> , flesh red „ „ —/2	1 8	— —

	per lb. s. d.	per cwt. s. d.
Mixed varieties . . . . .	8	52
<b>Okra</b> , see Sweet Herbs.		
<b>Onion.</b>		
(The crop of the Italian varieties has been again almost a failure this season.)		
(The growing of Onion seed is one of our specialities; stock seeds of the foreign sorts have been obtained from the most reliable sources.)		
Wonder, small white, the earliest of all . . . . .		
White Queen (white Barletta, Neapolitan Marzajola) very early, for pickling	2	8



Tomato King Humbert.  
Electro 4/—.

	per lb. s. d.	per cwt. s. d.
Giant Rocca brown . . . . .	1	8
„ „ blood-red . . . . .	—	—
„ „ white (white globe) . . . . .	—	—
„ „ yellow . . . . .	1	6
Blood-red Vesuvius . . . . .	—	—
Bassano or Genoa, dark red . . . . .	1	6
Madeira round . . . . .	—	—
„ flat . . . . .	—	—
Giant white Victoria, very large . . . . .	—	—
„ red „ „ „ . . . . .	—	—
Coimbra, roundish or flattened, of rosy-colour . . . . .	—	—
Bermuda red . . . . .	—	—
„ white . . . . .	—	—
Prizetaker . . . . .	1	6
Red Wethersfield . . . . .	1	9
Southport large red globe . . . . .	—	—
„ white globe . . . . .	—	—
James long keeping . . . . .	1	7
Magnum Bonum . . . . .	1	9
Trebons . . . . .	1	6
White Spanish . . . . .	1	5
Brown „ . . . . .	1	3
White Lisbon . . . . .	—	10
Danvers yellow . . . . .	1	5



Tomato semperfructifera.  
Electro 3/—.

White Nocera, early . . . . .	2	3
„ Etna, silverskinned . . . . .	—	—
„ Pearl „ . . . . .	—	—
Early white Paris . . . . .	—	—
White Valence . . . . .	—	—
Maggiajola, flat white (May-Onion) . . . . .	1	9
Flat white Italian Tripoli . . . . .	—	—
„ red „ „ . . . . .	—	—
Giant white Mammoth (Silverking) . . . . .	1	9
„ red Mammoth (giant red Garganus or Pompei) . . . . .	1	6

Zittau giant, yellow or pale red . . . . .	1	7
„ „ red . . . . .	1	7

**Orach**, see Spinach.

**Parsley.**

Common or plain . . . . .	—	3	33
Curled . . . . .	—	5	38
Myatt's dwarf . . . . .	—	6	40
Moss-curved . . . . .	—	5	38
Fern-leaved . . . . .	—	5	38
Italian large-leaved . . . . .	—	11	—



	per lb. s. d.	per cwt. s. d.
Giant of Eboli (Dam.) . . . . .	1 2	— —
Both very large, especially the last one, resembling almost the Celery; we recommend these 2 sorts quite particularly.		
Turnip-rooted long . . . . .	— 5	32 —
"    "    short . . . . .	— 5	32 —

**Parsnip.**

Long smooth . . . . .	— 5	40 —
Round . . . . .	— 5	40 —
Hollow crown . . . . .	— 6	50 —
Elcombe's improved . . . . .	— 6	50 —
Sutton's Student . . . . .	— 6	48 —
Dobbie's selected . . . . .	— 6	48 —



Coccozelle snowwhite-Belmonte.  
Electro 33.

**Peas.**

Prince Albert (of Paris) . . . . .	— 5	26 —
Caractacus . . . . .	— 5	36 —
Express, green . . . . .	— 5	30 —
Alaska " . . . . .	— 5	32 —
Fillbasket (Laxton) . . . . .	— 5	26 —
White Victoria . . . . .	— 5	30 —
New Emperor, green . . . . .	— 5	33 —
Clamart . . . . .	— 5	33 —
Serpette . . . . .	— 5	33 —
Ring leader . . . . .	— 5	32 —
Extra early dwarf . . . . .	— 5	36 —
De Grace . . . . .	— 6	38 —
Beck's Gem . . . . .	— 7	45 —

**Peas (Wrinkled Varieties).**

Queen of England . . . . .	— 6	38 —
Telephone . . . . .	— 6	38 —
Knight's . . . . .	— 6	38 —
Laxton's Alpha . . . . .	— 6	38 —

	per lb. s. d.	per cwt. s. d.
Stratagem . . . . .	— 6	38 —
American Wonder . . . . .	— 6	40 —
(Any other English, French or German &c. Peas can be supplied in best quality at same or lower prices than those of other respectable firms).		

**Radish**

(saved from transplanted roots).

Turnip scarlet . . . . .	— 7	53 —
"    early scarlet . . . . .	— 7	53 —
"    extra early scarlet . . . . .	— 7	53 —
"    early scarlet white tipped . . . . .	— 7	58 —



Coccozelle of Tripoli.  
Electro 3/—.

Turnip early white . . . . .	— 7	53 —
"    very early yellow . . . . .	— 8	57 —
Olive shaped scarlet . . . . .	— 7	56 —
"    "    "    white tipped (French breakfast) . . . . .	— 7	56 —
"    "    early deep scarlet . . . . .	— 7	58 —
"    "    "    "    "    white-tipped (new) . . . . .	—	—
Long scarlet or short top . . . . .	— 8	60 —
"    Wood's early frame . . . . .	— 8	60 —
"    White Naples . . . . .	— 8	60 —
"    scarlet " . . . . .	— 8	60 —
Summer White Strasburgh or Hospital . . . . .	— 7	58 —
"    "    Giant Stuttgart . . . . .	— 7	58 —
"    Yellow Turnip . . . . .	— 7	58 —
"    Black " . . . . .	— 7	50 —
"    Black Long . . . . .	— 7	50 —
Winter Spanish Black Round . . . . .	— 6	42 —
"    "    "    Long . . . . .	— 6	42 —
"    Scarlet China . . . . .	— 8	56 —

**Rhubarb.**

	per lb. s. d.	per cwt. s. d.
Myatt's Victoria . . . . .	1 —	— —
Prince Albert . . . . .	1 1	— —
Salsify, Mammoth Sandwich Island . . . . .	1 3	— —
<b>Scolymus hispanicus</b> (sort of Salsify)	1 3	— —

**Scorzonera.**

Common . . . . .	3 9	— —
Large Russian . . . . .	4 6	— —
<b>Sea-Kale</b> ( <i>Crambe maritima</i> ) . . . . .	2 6	— —
<b>Shallot</b> (bulbs) (price variable) . . . . .	— 5	— —

**Spinach**

(Crop very small).

Prickly or Winter (prickly seed) . . . . .	— 5	36 —
Monstrous Viroflay (round seed) . . . . .	— 5	32 —
Round-leaved large Dutch (round seed)	— 5	36 —
Victoria, dark green . . . . .	— 5	36 —



Vegetable Marrow Charles Naudin.  
Electro 2/6.

Catillon, very large, dark green long standing		
Lettuce leaved (round seed) . . . . .	— 5	36 —
Long-standing, round seed . . . . .	— 5	36 —
New Zealand ( <i>Tetragonia expansa</i> ) . . . . .	— 10	85 —
„ „ red ( <i>Tetragonia echinata</i> , better and finer than the former) . . . . .	1 1	— —
Mountain Spinach or Orach, white . . . . .	— 6	— —
„ „ „ „ red . . . . .	— 7	— —

**Swiss Chard.**

Silver-ribbed (yellowish white) . . . . .	— 6	40 —
„ „ curled . . . . .	— 6	40 —
Chilian scarlet-ribbed . . . . .	— 8	— —
„ yellow-ribbed . . . . .	— 8	— —

**Stachys tuberifera**, or Chinese Artichoke . . . . . — 7 — —

**Strawberry**, see Fruit Trees.

**Tomato.**

Acme . . . . .	2 3	— —
Apricot (Dam.) new; orange-coloured, most-		

	per lb. s. d.	per cwt. s. d.
ly round, sometimes slightly ribbed and rough-skinned; when cooked the fruits have the flavour of the Apricot . per oz	—/6	5 6 — —
Aurora (Dam. 97) apple-shaped, orange-yellow; flesh solid . . . per oz	—/4	2 10 — —
Cardinal . . . . . „ „ —/4	3 —	— —
Challenger, very large, scarlet; very productive . . . . . per oz	—/4	3 3 — —
Chemin, one of the finest sorts „ „ —/4	2 9	— —
Cherry-shaped, red . . . „ „ —/3	2 —	— —
Conference . . . . . „ „ —/4	3 3	— —
Conqueror . . . . . „ „ —/4	2 10	— —



Vegetable Marrow, Neapolitan longest green running.  
Electro 4/—.

Coriolan (Dam.) upright; fruits round, smooth and of a brilliant purple . per oz	—/6	4 3 — —
Ficarazzi (Dam.) the earliest of all per oz	—/3	1 6 — —
Goldball (Dam. 97) golden yellow; fleshy; velvety skinned . . . per oz	—/4	3 — — —
Helios (Dam. 97) fruits velvet skinned, coral red, very fleshy and solid, containing but few seeds; early and therefore suitable also for northern countries . per oz	—/5	4 3 — —
King Humbert (Dam.) (Electro) red; well-known fine sort . . . . .		1 — 98 —
King Humbert (Dam.) golden-yellow; the finest of all yellow sorts . per oz	—/4	2 6 — —
King Humbert (Dam.) white (wax); very prolific and of fine flavour . per oz	—/4	3 — — —
Large red . . . . .	— 6	42 —
„ „ early dwarf . . . . .	1 3	— —
„ yellow . . . . . per oz	—/4	2 9 — —
„ Laxton's open air „ „ —/4	3 —	— —
Lemon Blush . . . . . „ „ —/3	2 3	— —
Matchless . . . . . „ „ —/5	3 6	— —

	per lb. s. d.	per cwt. s. d.		per lb. s. d.	per cwt. s. d.
Mayflower . . . . . per oz —/3	2	2			
Meteor (Dam.) very dwarf; needs no sticks; fruits large, smooth, scarlet, solid per oz —/5	4	3			
Mikado, purple . . . . . " " —/4	3	—			
" scarlet . . . . . " " —/4	3	—			
Non plus ultra (Dam.) large red " " —/3	1	10			
Nordlight (Dam.) upright; fruit not very large, round carmine-red; flesh solid per oz —/5	4	3			
Northern Beauty . . . . . " " —/4	3	8			
Paragon . . . . . " " —/3	2	6			
Peach (Dam.) . . . . . " " —/3	2	—			
Pear-shaped red . . . . . " " —/3	2	—			
Perfection . . . . . " " —/4	2	6			
Pine Apple (Dam.) round, golden-yellow; enormous bearer . . . . . per oz —/5	4	3			
Ponderosa . . . . . " " —/5	3	7			
President Garfield . . . . . " " —/4	3	1			
Prince of Naples (Dam.) fruits scarlet, of enormous size, flat-round, slightly ribbed per oz —/6	5	—			
Red Apple . . . . . " " —/3	2	—			
Ruby, large red early . . . . . " " —/3	2	3			
Semperfructifera (Dam.) (Electro) enorm- ously prolific, bearing large clusters of plum-shaped scarlet fruits (often 50 to one cluster). With us the first fruits are ready in May and the plants continually produce them almost until Xmas; they are not very large, but solid and of fine flavour, per oz —/5	4	6			
Skamander (Dam.) upright, large purple fruits like those of Woodgate Hero, from which it descends, . . . . . per oz —/6	4	3			
Tom Thumb (Dam.) . . . . . " " —/4	3	3			
Tokio (Dam. 97) fruits dark red, large, fleshy, often of a very curious form per oz —/4	3	—			
Trophy, red . . . . . " " —/3	2	5			
" yellow . . . . . " " —/4	2	9			
All sorts mixed . . . . .	—	6	40	—	—
<b>Turnip (Garden).</b>					
Very early flat white Dutch . . . . .	—	7	60	—	—
Golden Ball . . . . .	—	7	58	—	—
Munich early purple top . . . . .	—	10	85	—	—
Early red top strap-leaved American stone . . . . .	—	7	55	—	—
Early white top strap-leaved American stone . . . . .	—	7	55	—	—
Milan purple top strap-leaved very early . . . . .	1	—	102	—	—
Early flat red top . . . . .	—	7	55	—	—
Early Snowball . . . . .	—	8	60	—	—
Jersey white . . . . .	—	7	55	—	—
Jersey Lily Turnip . . . . .	—	7	55	—	—
Chirk Castle black stone . . . . .	—	9	78	—	—
Finland yellow . . . . .	—	10	85	—	—
<b>Vegetable Marrow.</b>					
Vegetable Marrow long green Bush or Neapolitan Cocozzella, Italian (Mar- row) . . . . .	1	3	—	—	—
Neapolitan Portmanteau green . . . . .	1	3	—	—	—
Italian white Mushroom (Champignon) Dam. . . . .	1	3	—	—	—
Marrow early golden Bush . . . . .	1	8	—	—	—
Marrow Squash Hubbard . . . . .	1	5	—	—	—
Red Cardinal . . . . .	1	5	—	—	—
Long white Marrow . . . . .	1	10	—	—	—
Boston Marrow . . . . .	1	8	—	—	—
Winter Crookneck . . . . .	1	8	—	—	—
Summer " . . . . .	1	8	—	—	—
Early white Bush . . . . .	1	8	—	—	—
Large orange gourd or orange Mammoth (Dam.) . . . . .	1	10	—	—	—
" yellow " " yellow " . . . . .	2	3	—	—	—
" white " " white " . . . . .	4	—	—	—	—
" red " " red " . . . . .	4	—	—	—	—
" green gourd or green Mammoth . . . . .	1	9	—	—	—
" bronze " " bronze " . . . . .	1	9	—	—	—
" silver " " silver " . . . . .	1	9	—	—	—
Ohio large yellow . . . . .	2	—	—	—	—
Cocozzella of Tripoli (new) (Electro) . . . . .	2	3	—	—	—
" " " white . . . . .	2	—	—	—	—
" " Molfetta, dwarf, with long yel- lowish-white fruits; very fine . . . . .	1	7	—	—	—
" " snow - white Belmonte (Dam.) (Electro). Dwarf with long white fruits; partic- ularly fine . . . . .	2	6	—	—	—
Charles Naudin (Cucurbita moschata) (Dam.) (Electro) a beautiful sort, slightly climbing, with round white-striped white- fleshed fruits and large silvery seeds . . . . .	2	9	—	—	—
Scarlet Chinese Sugar, fruits round with scarlet rind; flesh very solid and sweet . . . . .	2	4	—	—	—
Wonder, new; very early and prolific; round, of medium size; the seeds have no shell as those of other kinds but only a very soft skin . . . . . per oz —/4	3	9	—	—	—
King's Acre Cream . . . . .	2	6	—	—	—
Pen-y-byd . . . . .	2	6	—	—	—
Chusan Green or long green Bush . . . . .	2	4	—	—	—
Neapolitan longest green running (La- genaria leucantha longissima (Cocoz- zella da pergola) (Electro) when young, this sort furnishes quite an excellent dish; cut into pieces of abt 3 in, long, take out the seeds, fill it up again with a stuffing of meat &c. boil, and serve with Tomato sauce . . . . .	2	—	—	—	—
Moore's Vegetable Cream . . . . .	1	10	—	—	—
Custard Marrow . . . . .	2	—	—	—	—
English Vegetable Marrow (à la moelle anglais) . . . . .	1	3	—	—	—
Himalayan; round dark green, spotted white; flesh delicious; called in India 'Mock apple Tart' . . . . .	3	—	—	—	—

## II. Swede, Turnip and Mangel Wurzel.

Prices variable.

	per lb. s. d.	per cwt. s. d.		per lb. s. d.	per cwt. s. d.
<b>Swede.</b>			<b>Mangel Wurzel.</b>		
White-fleshed . . . . .	5	40	Long red . . . . .	6	44
White fleshed purple top . . . . .	6	40	„ yellow . . . . .	7	52
Yellow green top . . . . .	5	38	„ Mammoth . . . . .	6	50
„ purple top . . . . .	5	35	Champion Yellow Globe . . . . .	6	44
Laings yellow purple top . . . . .	5	38	Golden Tankard . . . . .	7	56
Skirvings „ „ „ . . . . .	5	38	Oberndorf Yellow Globe . . . . .	6	42
Bangholm „ „ „ . . . . .	5	38	„ Red Globe . . . . .	6	42
<b>Turnip.</b>			Olive-shaped Yellow or Intermediate . . . . .	6	42
White Tankard, green top . . . . .	7	48	„ „ Red . . . . .	6	42
Red „ „ . . . . .	6	45	The seeds of <b>Swede, Turnip and Mangel Wurzel</b> as offered above have been grown from best stocks; any other sorts not enumerated will be supplied also in reliable quality at cheapest prices.		
Pomeranian White Globe . . . . .	7	55			
Red Top Norfolk . . . . .	7	52			
Green Top Norfolk . . . . .	7	50			
Skirving's Purple Top Yellow . . . . .	7	48			

## III. Sweet Herbs &c.

	per lb. s. d.	per cwt. s. d.		per lb. s. d.	per cwt. s. d.
Arachis hypogaea (Pea-nut; ground-nut) . . . . .	4	25	Dill (Anethum graveolens) . . . . .	5	38
Angelica (Angelica Archangelica) . . . . .	1	8	Elecampane (Inula Helenium) . . . . .	4	3
„ ( „ anomala) with much more fleshy leaf-stalks . . . . .	2	6	Fennel, Carosella of Naples (Foeniculum piperatum) . . . . .	1	5
Anise (Pimpinella Anisum) best of Apulia (South Italian) . . . . .	6	45	„ sweet Bolognese (Foeniculum dulce) (Electro) . . . . .	10	
Balm (Melissa officinalis) . . . . .	1	9	„ largest sweet of Sicily, new . . . . .	10	
Basil sweet, large green . . . . .	1				
„ lettuce-leaved . . . . .	1				
„ large purple . . . . .	1				
„ bush purple . . . . .	1	2			
„ „ green . . . . .	1				
„ of Abyssinia (O. suave) excellent both for the kitchen and as a decorative plant . . . . . oz —/4	3	6			
„ tree . . . . . oz —/4	2				
„ purple dwarf curled . . . . .	1	9			
Bene (Sesamum orientale) see Agricultural seeds.					
Blessed Thistle (Centaurea benedicta) . . . . .	5				
Borage (Borago officinalis) . . . . .	1				
„ white-flowering dwarf . . . . .	1	6			
Burnet, Garden (Poterium hortense sanguisorba) . . . . .	6				
Caper Tree, see Tree Seeds (Capparis).					
Caraway (Carum Carvi) . . . . .	4	28			
Chives (seed) . . . . . oz 2/9					
Cardoon, see Vegetable seeds.					
Clary (Salvia sclarea) . . . . .	1	10			
Coriander (Coriandrum sativum) . . . . .	2	13	6		
Cumin (Cuminum Cyminum) . . . . .	5	31			
			Fennel, sweet Bolognese. Electro 1/6.		
			Fennel Prince Bismarck, very large . . . . .	1	
			„ Morosini (Dam.) new; the largest, finest and sweetest; a first rate sort . . . . .	1	3
			These sweet Fennels are quite excellent and whoever tried them with us here, were very satisfied.		
			Horehound (Marrubium vulgare) . . . . .	1	9
			Hyssop (Hyssopus officinalis) . . . . .	2	7



Fennel, sweet Bolognese.  
Electro 1/6.

	per lb. s. d.	per cwt. s. d.		per lb. s. d.	per cwt. s. d.
Ice plant ( <i>Mesembrianthemum cristallinum</i> ) . . . . .	3 —	— —	Purslain green ( <i>Portulacca oleracea</i> ) . . . . .	— 10	— —
Lavender ( <i>Lavendula spica</i> ) . . . . .	1 —	— —	„ golden . . . . .	— 11	— —
„ true ( <i>Lavendula vera</i> ) . . . . .	1 6	— —	<i>Pyrethrum cinerariaefolium</i> per oz —	9 —	— —
Mallow, curled-leaved . . . . .	— 5	— —	Rampion ( <i>Raiponce</i> ) <i>Campanula</i> ( <i>Rapunculus</i> ) . . . . .	4 9	— —
Marigold, Pot ( <i>Calendula officinalis</i> ) . . . . .	1 3	— —	Rocket ( <i>Brassica Eruca</i> , <i>Eruca sativa</i> ) . . . . .	5 —	— —
Marjoram, sweet ( <i>Majorana hortensis</i> ) . . . . .	1 —	— —	Rosemary ( <i>Rosmarinus officinalis</i> ) . . . . .	3 8	— —
„ pot ( <i>Origanum vulgare</i> ) per oz —	5 9	— —	Rue ( <i>Ruta graveolens</i> ) . . . . .	— 9	— —
Mignonette, see Flower Seeds.			Sage ( <i>Salvia officinalis</i> ) . . . . .	1 3	— —
Mint, <i>Mentha piperita</i> , Peppermint			„ large-leaved . . . . .	1 5	— —
1000 seeds —	— 8	— —	„ ( <i>Salv. off. nana fl. albo</i> ) dwarf, white stalks . . . . .	1 6	— —
„ „ <i>crispa</i> 1000 „ —	— 6	— —	Savory, Summer or annual ( <i>Satureja hortensis</i> ) . . . . .	— 7	44 —
„ „ <i>Pulegium</i> , (Penny-Royal) per oz	1 3	— —	„ Winter or perennial ( <i>Satureja montana</i> ) . . . . .	— 9	— —
„ „ <i>viridis</i> , the best for sauces . . . . .	1 3	— —	Skirret . . . . .	— —	— —
„ „ <i>aquatica</i> . . . . .	— 7	— —	Sorrel, common . . . . .	1 —	— —
„ „ <i>austriaca</i> . . . . .	— 7	— —	„ broad-leaved French . . . . .	— 9	— —
Okra, dwarf early . . . . .	1 6	— —	Tarragon, Russian ( <i>Artemisia Dracunculus</i> ) . . . . . per oz	1 1	15 —
„ „ improved . . . . .	1 9	— —	Thyme, Summer . . . . .	2 2	— —
„ „ white Louisiana . . . . .	1 9	— —	„ German Winter . . . . .	1 5	— —
„ „ Sultana of Smyrna . . . . .	1 9	— —	Wormwood ( <i>Artemisia Absinthium</i> ) . . . . .	2 —	— —
„ „ Egyptian ( <i>Hibiscus lutescens</i> ) . . . . .	1 6	— —	Veronica <i>beccabunga</i> . . . . .	2 2	— —
Patience ( <i>Rumex patientia</i> ) . . . . .	— 7	— —			

## IV. Clovers, Lucerne &c. &c.

Prices variable; terms 30 days.

	per lb. s. d.	per cwt. s. d.		per lb. s. d.	per cwt. s. d.
Bird's foot Trefoil ( <i>Lotus corniculatus</i> ) . . . . .	1 —	100 —	Lucerne tree ( <i>Med. arborea</i> ) . . . . .	— 9	— —
Broom, common ( <i>Spartium scoparium</i> ) . . . . .	— 5	30 —	Melilotus <i>coerulea</i> . . . . .	— 9	— —
„ yellow or Spanish ( <i>Spartium junceum</i> ) . . . . .	— 5	36 —	Pea, Wood-(Vetchling) improved ( <i>Lathyrus sylvestris Wagneri</i> ) . . . . .	1 5	— —
Clover, Alsike ( <i>Trifolium hybridum</i> ) . . . . .	— 9	76 —	Sainfoin, common ( <i>Hedysarum Onobrychis</i> ) in husk . . . . .	— —	16 —
„ Bokhara ( <i>Melilotus alba</i> ) . . . . .	— 7	57 —	Sainfoin, common ( <i>Hedysarum Onobrychis</i> ) husked or milled (to be preferred, as the seeds grow more easily) . . . . .	— 5	37 —
„ Crimson, scarlet or Italian ( <i>Trifolium incarnatum</i> ) . . . . .	— —	42 —	Serradella ( <i>Ornithopus sativus</i> ) . . . . .	— 4	19 —
„ Japan ( <i>Lespedeza striata</i> ) . . . . .	2 2	— —	Sulla (Spanish Sainfoin, <i>Hedysarum coronarium</i> ) in husk . . . . .	— —	18 —
„ red ( <i>Trifolium pratense</i> ) . . . . .	— 7	52 —	Sulla (Spanish Sainfoin, <i>Hedysarum coronarium</i> ) husked or milled (to be preferred, as the seeds grow more easily) . . . . .	1 —	92 —
„ white ( „ <i>repens</i> ) . . . . .	— 10	68 —	Sulla is one of the very best fodder plants for warmer countries. Ask for special circular on Sulla which will be sent free on application.		
Fenugreek ( <i>Trigonella foenum graecum</i> ) . . . . .	— —	12 —	Spurrey, common ( <i>Spergula arvensis</i> ) . . . . .	— —	21 —
Furze, Gorse or Whin ( <i>Ulex europaeus</i> ) . . . . .	— 10	— —	„ giant ( „ <i>maxima</i> ) . . . . .	— —	21 —
Goat's Rue ( <i>Galega officinalis</i> ) . . . . .	— —	17 —	Tares, common or Spring Vetches ( <i>Vicia sativa</i> ) . . . . .	— —	12 —
Greater Bird's foot Trefoil ( <i>Lotus villosus</i> ) . . . . .	— 11	— —	„ <i>Vicia narbonensis</i> . . . . .	— 3	17 —
Lathyrus <i>Clymenum</i> . . . . .	— —	11 6			
„ <i>Ochrus</i> . . . . .	— 4	30 —			
Lentil, Spanish ( <i>Lathyrus sativus</i> ) . . . . .	— —	14 —			
Lupins, white ( <i>Lupinus albus</i> ) . . . . .	— —	11 —			
„ yellow ( <i>Lupinus luteus</i> ) . . . . .	— —	12 —			
„ blue ( „ <i>angustifolius</i> ) . . . . .	— —	16 —			
Lucerne ( <i>Medicago sativa</i> ) best Italian, carefully sifted, fine quality . . . . .	— 9	54 —			
„ hardy ( <i>Med. media</i> ) . . . . .	— 11	88 —			



	per lb. s. d.	per cwt. s. d.		per lb. s. d.	per cwt. s. d.
Flax, giant of Naples ( <i>Linum usitatissimum</i> ) . . . . .	—	16	Moha green Californian . . . . .	— 3	16
„ white-flowering . . . . .	— 5	27	Nettle common ( <i>Urtica dioica</i> ) . . . . .	1 8	—
„ Royal . . . . .	— 4	20	„ China-Grass, Silvery Ramieh ( <i>Urtica nivea</i> ) . per oz 1/—	13	—
„ Riga, grown from Riga stock seeds	— 4	22	„ ( <i>Urtica pilulifera</i> ) . . . . .	1 5	—
Hemp, giant of Naples, large-seeded	— 5	28	Nightshade, black annual ( <i>Solanum nigrum</i> ) . . . . .	3	—
„ „ „ „ small- „	— 5	28	Oats best Naples . . . . .	—	12
„ „ of Piedmont, a choice variety, growing very high	— 8	46	„ „ of the Abbruzzes . . . . .	—	12
Indian Corn or Maize, Nanerottolo, very dwarf; the earliest of all . . . . .	— 3	15	„ giant cluster . . . . .	—	13
Indian Corn or Maize, Ambra			„ black Hungarian . . . . .	—	13
10 spikes —/9	— 2	13	„ Potato . . . . .	—	13
„ „ „ „ Harlequin			„ Lincoln . . . . .	—	14
10 spikes —/9	— 2	13	„ Triumph . . . . .	—	14
„ „ „ „ Caragua, giant white(Horse tooth)	— 2	13	„ Ligowo, white, early, prolific . . . . .	—	—
„ „ „ „ six weeks or Quarantine of Naples . . . . .	— 2	10	„ Welcome . . . . .	— 5	—
„ „ „ „ seven-weeks or Cinquantine, yellow . . . . .	— 2	12	<i>Panicum frumentaceum</i> . . . . .	— 5	—
„ „ „ „ yellow large of Naples . . . . .	— 2	11	„ „ „ giganteum, an annual gigantic grass, growing about 6 feet high. Grows very quickly and gives an enormous amount of green fodder . . . . .	— 7	—
„ „ „ „ brown King			Plantain (Ribb-grass) ( <i>Plantago lanceo- lata</i> ) . . . . .	— 3	—
„ „ „ „ Philip . . . . .	— 2	16	Rice, Piedmontese (Novara) . . . . .	— 4	24
„ „ „ „ white King			„ of Castellamare (Naples) . . . . .	— 4	17
„ „ „ „ Philip . . . . .	— 2	14	Rye, winter of Naples . . . . .	—	10
„ „ „ „ Pignoletto, yellow . . . . .	— 2	11	„ of the Abbruzzes . . . . .	—	10
„ „ „ „ Pearl, white . . . . .	— 2	16	„ „ Probstei, famous German sort . . . . .	—	12
„ „ „ „ „ black . . . . .	—	—	„ „ Saxon Mountain, equally famous	—	12
„ „ „ „ Kansas King, giant white . . . . .	— 2	13	Rush, soft. Gardiners' Rush ( <i>Juncus effusus</i> ) . . . . .	— 5	—
„ „ „ „ in the husk, an interesting sort, the grains of which are wrapped up in a reddish hull			„ ( <i>Juncus multiflorus</i> ) . . . . .	— 7	—
10 spikes —/10	— 6	—	Sacaline ( <i>Polygonum sacchalinese</i> ) (Plants with the soil) 10 pieces 1/9	9	—
Jute ( <i>Corcherus textilis</i> ) . . . . .	2 10	—	Sorghum, ( <i>Holcus Sorghum</i> ) Broom- corn . . . . .	—	9
Knapweed ( <i>Centaurea jacea</i> ) . . . . .	— 10	—	„ cernuum (Douro, Durra) . . . . .	—	19
Lentil, small red ( <i>Ervum lens minor hyemalis</i> ) . . . . .	— 4	21	„ saccharatum (Sugar-Millet) black-seeded . . . . .	—	16
„ large yellow . . . . .	— 4	20	„ „ Minnesota (Amber cane) . . . . .	—	16
Mallow, black ( <i>Althaea rosea var. nigra</i> )	— 5	—	„ „ Orange-Sugar the Shaw, dwarf, ab <sup>t</sup> 4 to 5 feet high, very early, compact, with large panicles, very rich in sugar . . . . .	—	22
Millet, yellow Neapolitan . . . . .	—	12	<i>Sorghum halepense</i> , perennial, attains in a very short time a height of ab <sup>t</sup> 6 feet	— 6	38
„ silver-white round Italian . . . . .	—	14	<i>Sorghum halepense</i> , giganteum; a gigantic grass, growing in one summer ab <sup>t</sup> 12 to 15 feet high . . . . .	— 6	40
„ Italian ( <i>Panicum Italicum</i> ) ex- cellent, especially for warmer countries; sown in April, it can be cut already in July	— 2	12	Sunflower, common . . . . .	—	14
Millet white Japanese ( <i>Panicum Italicum var. Japonicum</i> ) only ab <sup>t</sup> 1 foot and <sup>1</sup> / <sub>2</sub> high, but very recommendable	—	—	„ Hungarian . . . . .	—	14
10 spikes —/—	—	—	„ Russian giant . . . . .	—	15
Millet of Yokohama ( <i>Eleusine caracana var.</i> ) . . . . .	— 4	—	Tobacco ( <i>Nicotiana Tabacum var.</i> )	—	—
Moha, Hungarian or German Millet ( <i>Panicum Germanicum</i> ) . . . . .	— 3	15	„ Hungarian Szegedin. per oz —/8	7 6	—
			„ „ Debroy „ „ —/8	7 6	—
			„ Hungarian Czetneck pr. oz.—/10	10	—
			„ Turkish Bafra . . . . . 1/—	12	—

		per lb. s. d.	per cwt. s. d.			per lb. s. d.	per cwt. s. d.
Tobacco Turkish Samsum	pr. oz 1/—	12	—	Wheat Bianchetto		—	13
" American Kentucky	" " 1/—	12	—	" Carosella		—	13
" " Burley	" " 1/—	12	—	" Majorica white		—	13
" " Pennsylvania	" " 1/—	12	—	" " red		—	13
" " Seed Leaf	" " 1/—	12	—	" Rieti		—	16
" " Virginia	" " 1/—	12	—	" Noè		—	15
" " Seed Leaf	" " 1/—	12	—	" Bordeaux		—	16
" Havana	" " 2/6	30	—	" Tuzelle, French sort.		—	15
" Brazilian	" " 1/9	22	—	" Val d'Olon		—	15
" Sumatra (Deli)	" " 5/—	65	—	" Cologne		—	15
Seeds obtained exclusively from the respective native countries.				With the exception of Noè, Bordeaux and Tuzelle all others are native of Italy and of great repute in this country; in fact they are excellent and will certainly give satisfaction.			
Tobacco Sumatra, grown in Europe		4	6				
Trevir (for insect powder) (Pyrethrum cinerariaefolium)	per oz —/5	4	6				
Yarrow (Achillea millefolium) clean seed		3	10				
Yute-seed (Corcherus textilis)		2	9				

## VII. Fruit Trees.

(See our remarks on Seeds of Trees, Shrubs &c. page 25, to which we refer.)

		per lb. s. d.			per lb. s. d.
Amygdalus communis (Almond bitter)	cwt. 35/—	—	5	Corylus Avellana fol. atropurpureis	2 2
" " dulcis " sweet)	" 27/—	—	5	Crataegus Azarolus (Neapolitan Medlar)	1 7
" fragilis (Almond Princess)		—	9	Cydonia japonica (Pirus)	oz 1/—
" tenerrima, with very thin shell		—	10	" vulgaris (Common Quince)	2 —
" Persica (Peach, common)	cwt. 8/—	—	—	" lusitanica	3 2
Anacardium occidentale, fruits (Caskew Nut)		4	—	Diospyros Lotus (Date Plum)	1 —
Anona muricata (Sour Sop Custard-Apple)	oz —/6	6	6	" sinensis (Kaki) (Japanese Date Plum)	oz —/4
" squamosa (Sweet Sop Sugar Apple)	" —/5	4	6	" virginica (Virginian Date Plum)	1 6
" triloba (Papaw Custard-Apple)	" —/4	3	9	Eriobotrya japonica (Loquat tree. Japan Medlar)	— 5
Arbutus canariensis	" 5/—	—	—	Eugenia Pitanga	oz 1/6
" Unedo (Strawberry Tree)		2	3	Ficus carica mixed (Fig tree cultivated)	" —/8
Artocarpus integrifolius (Jack-tree)	10 fruits 1/3	—	—	" " var. Brogiotto, white	" —/6
Carica Papaya (Papaw common, Melontree)	1000 seeds 2/9	—	—	" " " Dattero	" —/8
Castanea Japonica		2	9	" " " Trojano	" —/8
" vesca (Chestnut sw. Spanish)	cwt. 14/—	—	3	" " " Gentile	" —/8
" macrocarpa, large-fruited	" 16/—	—	4	Fragaria vesca (Strawberry)	" —/3
Ceratonia Siliqua (Carob Tree)		—	4	" " Alpine (des 4 saisons)	" —/3
Citrus Aurantium (Orange Tree)		2	9	" " very large fruits	" —/3
" Bigaradia		3	3	Hovenia dulcis	" 1/2
" Limonum (Lemon Tree)		3	6	Inga dulcis (Sapan fruits)	" 2/6
" medica (Citron Tree)	oz —/7	6	6	Jambosa malaccensis (Malay Rose Apple)	100 seeds 2/6
" myrtifolia	" 1/3	—	—	Juglans americana nigra (Black Walnut)	cwt. 20/—
" nobilis (Mandarine Tree)	" 1/—	—	—	" regia var. Sorrento (Sorrento Walnut)	cwt. 41/—
Cissus mexicana	100 seeds 1/—	—	—	" " Nocera	" 41/—
Coffea arabica (Arabian Coffee Tree)	100 fruits 1/10	—	—	" " macrocarpa	" 48/—
" liberica	100 fruits 3/6	—	—	" " graeca (Giant Walnut)	" 52/—
Corylus Avellana (Hazel Nut) best South Italian, from Avellino	cwt. 40/—	—	6	" cordiformis	" 3 3
" " var. Barcelona	" 60/—	—	9		
" " Sicilian	" 43/—	—	6		



	per lb. s. d.		per lb. s. d.
Juglans Sieboldiana . . . . .	3 —	Ribes Grossularia (Gooseberry) . . . oz —/4	3 9
Mangifera indica (Mangotree) . 100 seeds 5/9	— —	„ rubrum (Red Currant) . . . „ —/3	3 —
Morus alba of Milan (Mulberry Tree white)	1 9	Rubus fruticosus (Blackberry) . . . . .	1 10
„ nigra vera . . . . . oz —/2	2 3	„ Idaea (Raspberry) . . . . . oz —/3	2 6
Olea europaea (Olive Tree) . . . . .	— 7	Sorbus Aria (White Beam) . . . . .	8
„ „ fr. nigro (Olive Tree black)	— 9	„ domestica (Service Tree) . . . oz — 7	7 3
„ „ fr. maxima . . . . .	— 9	Tamarindus indica (Tamarind Tree) „ —/6	4 5
Opuntia Ficus indica (Indian Fig) . oz —/5	— —	Thea Bohea (Chinese Tea Tree) 100 seeds 3/3	— —
Persea gratissima (Alligator Pear) 100 seeds	13/—	Vitis vinifera, Capri white . . . . . oz —/3	2 3
Pirus communis (Pear pips) . . . . .	2 6	„ „ fragola (strawberry) . . . —/2	1 10
„ japonica (Pear Tree of Japan) oz —/5	4 6	„ „ Monte Procida (Falerne) „ —/2	1 10
„ Malus (Apple-Pips) . . . . .	— 8	„ „ Malvasia, white . . . . .	3 9
Pistacia vera (Pistachia Tree of Sicily) . . . . .	1 8	„ „ Marocco bianco . . . . .	1 10
Prunus Armeniaca (Apricot Tree) . . . . .	— 3	„ „ Moscatella, white . . . . .	3 9
„ Avium dulcis (Cultivated Cherry) . . . . .	— 4	„ „ „ of Syracuse „ —/2	1 10
„ damascena St. Julien . . . . .	— 5	„ „ „ black „ —/4	3 9
„ Myrobolana 1 <sup>st</sup> . Qual. . . . . cwt. 37/—	— 6	„ „ Vesuvius (Lacrymae Christi), „ —/3	2 3
Psidium Cattleyanum . . . . . oz 2/—	— —	„ „ of Naples, mixed . . . . .	1 3
„ Guavirola . . . . . 100 seeds 1/3	— —	„ Californica . . . . . oz —/8	9 —
Punica Granatum (Pomegranate) . . . oz —/3	3 —	„ Coignetiae . . . . . „ 1/2	— —
		„ riparia . . . . . „ —/5	5 3

## VIII. Seeds of Trees, Shrubs &c.

We shall be glad to receive orders for these seeds as early in the season as possible as we have them collected only in such quantities as to meet our regular demand; orders for larger quantities should at any rate be sent in September at latest, but possibly earlier; even having accepted an order we wish it however to be clearly understood that we shall not be bound to supply the seeds, should they fail to come in or be of an unsatisfactory quality. We supply only fresh seeds, but will not under any circumstances accept any responsibility as to growth and denomination, but will submit samples on application.

The prices of many kinds are subject to variations. § = Climbers.

	per oz s. d.	per lb. s. d.		per oz s. d.	per lb. s. d.
Acer campestre . . . . .	— —	3	Alnus maritima . . . . .	— 9	— —
„ carpinifolium . . . . .	— 5	5 6	Amorpha fragrans nana . . . . .	— —	— 6
„ circinatum . . . . .	— 7	— —	„ fruticosa . . . . .	— —	— 8
„ monspessulanum . . . . .	— —	1 5	„ glabra . . . . .	— —	— 7
„ neapolitanum . . . . .	— —	— 3	§ Ampelopsis Veitchii, berries . . . . .	— 3	2 9
„ Negundo . . . . . cwt. 17/—	— —	— 3	§ „ quinquefolia (Hedera quinquefolia) . . . . .	— 2	1 3
„ palmatum . . . . .	— 6	6 —	Aralia spinosa . . . . .	— 6	6 6
„ „ atropurpureum . . . . .	— —	— —	Ash, see Fraxinus.		
„ „ 1000 seeds 8/—	— —	— —	Aucuba japonica . . . . .	— 3	1 8
„ platanoides (Maple) . . . . .	— —	— 3	„ „ viridis . . . . .	— 3	1 10
„ „ Schwedleri . . . . .	— —	— 8	Audibertia polystachya . . . . .	2 —	— —
„ „ Reitenbachii . . . . .	— —	1 —	Azalea americana . . . . .	5 —	— —
„ polymorphum . . . . . 1000 seeds 4/6	— —	— —	„ mollis . . . . .	5 9	— —
„ Pseudo-Platanus (Sycamore) . . . . .	— —	— 3	„ pontica fine mixed . . . . .	4 6	— —
„ „ fol. atropurpureis . . . . .	— —	1 3	Beech, see Fagus sylvatica.		
„ saccharinum . . . . .	— 4	3 —	Benthamia fragifera . . . . .	— 3	1 9
Aesculus Pavia . . . . .	— —	— 10	Berberis dealbata . . . . .	— 4	3 9
„ rubicunda . . . . .	— —	— 6	„ elegans . . . . .	4	3 4
Ailanthus glandulosa . . . . . cwt. 12/6	— —	— 2	„ Jamesoni . . . . .	4	3 9
Alnus cordifolia (Alder) . . . . .	— —	1 —	„ latifolia . . . . .	4	3 9
„ glutinosa . . . . .	— —	— 6	„ nitens . . . . .	— 3	— —
„ incana, white Mountain Alder . . . . .	— —	— 10	„ spicata . . . . .	— 4	3 9





	per oz s. d.	per lb. s. d.		per oz s. d.	per lb. s. d.
Photinia japonica	— 5	5 3	Rosa hybrida Remontants, berries	— 3	2 2
"    villosa	— 6	5 10	"    laxa	— 4	3 —
Pistacia Lentiscus	— —	1 —	"    multiflora	— 4	3 —
"    Terebinthus	— —	1 —	"    rugosa, berries . . . 100 fruits 1/3	— —	— —
"    vera	— —	1 8	"    clean seed	9	8 6
Pithecolobium Saman	1 —	— —	"    sempervirens, berries . . .	2	2 6
Plane, see Platanus.			"    Thea, finest mixed, clean seed . . .	8	9 —
Platanus occidentalis . . . cwt. 9/	— —	— 2	Ruscus aculeatus . . .	— —	— 7
"    orientalis . . . " 9/	— —	— 2	"    racemosus	— —	1 7
Polycarpa Maximowiczii (Idesia)	— 8	8 9	Sambucus Ebulus	— —	— 8
Privet common, see Ligustrum.			"    glauca (California)	— 3	2 3
Prunus Avium, wild sweet Cherry	— —	— 4	"    nigra	— —	— 7
"    caroliniana	— 6	5 6	"    racemosa	— —	— 11
"    Lauro-Cerasus(Common Laurel)	— —	— 7	Schinus molle . . . cwt. 29/	— —	— 6
"    "    Colchica	— —	— 9	Sea Buckthorn, see Hippophaea.		
"    lusitanica (Portugal Laurel)	— —	— 9	Sloe, see Prunus spinosa.		
"    Mahaleb	— —	1 —	Snowball, see Viburnum.		
"    Padus (Bird Cherry)	— —	1 5	Snowberry, see Symphoricarpus.		
"    spinosa (Sloe, Black Thorn)	— —	— 3	Sophora angustifolia	— 7	— —
Ptelea trifoliata	— 3	2 —	"    grandiflora	— 9	— —
Pterocarya caucasica	— 5	5 —	"    japonica	— —	— 8
"    rhoifolia	— 7	— —	"    "    pendula	— —	— 10
Quercus Cerris	— —	— 3	"    secundiflora	1 3	— —
"    Ilex	— —	— 2	Sorbus Aucuparia (Mountain Ash)	— —	— 5
"    pedunculata	— —	— 2	Spartium junceum		
"    pyramidalis	— —	— 4	(Span. Broom)		see page 21.
"    Robur, common Oak	— —	— 2	Spartium scoparium		(Clovers &c.)
"    Suber, Cork Oak	— 3	— —	(common Broom)		
Rhamnus Alaternus	— —	— 10	Spindle Tree, see Evonymus europaeus.		
"    alpina	— 2	1 6	Spiraea callosa	— 8	7 —
"    cathartica	— —	1 —	"    "    alba	— 8	7 —
"    Frangula	— —	— 8	"    Lindleyana	— 4	3 9
"    infectoria (tinctoria)	— 2	1 6	"    opulifolia	— 8	6 9
Rhododendron arboreum, mixed, clean			Spurge Laurel, see Daphne Laureola.		
seed	2 3	— —	Staphylaea Bumalda	— 7	8 3
"    californicum	4 8	— —	"    colchica	— 4	3 —
"    Sikkim (Himalaya) mixed	3 2	— —	"    pinnata	— 3	1 6
"    ponticum, mixed	1 10	— —	Sterculia platanifolia	— 3	1 5
"    hirsutum	1 4	— —	Styrax japonica	— 4	3 2
Rhodotyus kerrioides	— 5	5 1	"    officinale	— 3	1 11
Rhus coriaria, true	— 2	1 6	"    Obassia	— 5	5 3
"    Cotinus	— 2	2 5	Sumach, see Rhus.		
"    ruffa	— 10	— —	Sweet Bay, see Laurus nobilis.		
"    semialata (Osbecki)	— 7	5 10	Sycamore, see Acer pseudo-platanus.		
"    succedanea	— 5	4 9	Symphoricarpus racemosus	— 4	2 7
"    typhina	— —	— 11	"    vulgaris, clean seed . . .	1 —	15 3
"    vernifera	— 4	3 11	Syringa japonica, clean seed . . .	2 6	— —
Ripogonum album, roots eatable	1 —	— —	"    vulgaris, pods . . . cwt. 37/	— —	— 6
Robinia Pseudo Acacia (Thorn Acacia-			"    "    alba	— —	— 11
Locust Tree) . . . cwt. 23/	— —	— 3	Tamarix gallica	— 3	2 2
"    Pseudo Acacia Bessoniana	— 2	2 5	"    germanica	— 4	2 5
"    "    pyramidalis	— 3	2 10	"    tetrandra	— 3	1 7
"    viscosa	— 4	3 6	Thorn Acacia, see Robinia.		
Rock Rose, see Cistus.			Tilia argentea	— —	1 —
Rosa Banksiana, berries	— 2	1 9	"    "    pendula	— —	1 6
"    bengalensis fl. pl. mixed, berries	— 2	1 9	"    europaea latifolia	— —	— 6
"    canina (Common Dog Rose), clean			"    Miqueliana (Japan)	— 4	— —
seed	— —	— 4	Traveller's Joy, see Clematis Vitalba.		

	per oz s. d.	per lb. s. d.		per oz s. d.	per lb. s. d.
Tree of Heaven, see Ailanthus.			Vitex Agnus castus fl. albo . . . . .	— —	1 —
Tulip Tree, see Liriodendron.			Weigelia amabilis . . . . .	1 8	— —
Ulex europaeus . . . . .	— —	— 10	"    rosea . . . . .	1 8	— —
Ulmus campestris (Elm) . . . . .	— —	— 4	"    mixed . . . . .	1 6	— —
Viburnum dilatatum . . . . .	— 4	3 10	Wistaria, see Glycine.		
"    japonicum . . . . .	— 5	5 6	Woodbine, see Ampelopsis quinquefolia.		
"    Lantana . . . . .	— —	— 6	Yucca aloefolia . . . . .	— —	1 6
"    Opulus (Snowball) . . . . .	— —	— 6	"    "    fol. var. . . . .	— —	1 11
"    Sandankiva . . . . .	— 6	7 4	"    angustifolia . . . . .	— 8	9 3
"    Tinus . . . . .	— —	— 6	"    canaliculata . . . . .	1 —	— —
Virginian Creeper, see Ampelopsis.			"    filamentosa, true . . . . .	1 3	— —
Virgin's Bower, see Clematis.			"    Whipplei . . . . .	2 2	— —
Viscum album . . . . .	— 4	3 4	Zelkova crenata . . . . .	— 5	4 9
Vitex Agnus castus . . . . .	— —	— 5			

## IX. Seeds of Conifers.

We offer these under the same conditions as for the Tree and Shrub Seeds (see page 24) to which we refer.

Denominations after the "Handbook on Conifers" by L. Beissner (Handbuch der Nadelholzkunde). The prices of many kinds are subject to variations.

	per oz s. d.	per lb. s. d.		per oz s. d.	per lb. s. d.
Abies amabilis . . . . .	1 —	14 —	Biota orientalis pyramidalis . . . . .	— —	1 9
"    balsamea, . . . . .	— 4	4 9	"    "    semperaurea . . . . .	— 3	2 11
"    brachyphylla . . . . .	1 2	— —	Callitris australis . . . . .	2 10	— —
"    bracteata . . . . .	3 —	— —	"    quadrivalvis (Thuja articulata)	— 9	— —
"    cephalonica . . . . .	— 4	4 5	Casuarina equisetifolia . . . . .	1 —	— —
"    "    Apollinis . . . . .	— 4	4 —	"    quadrivalvis . . . . .	1 2	— —
"    cilicica . . . . .	— 4	4 —	"    stricta . . . . .	1 3	— —
"    concolor . . . . .	— 9	— —	"    tenuissima . . . . .	— 6	5 10
"    firma . . . . .	— 7	— —	Cedrus atlantica (argentea) clean seed .	— 4	4 —
"    Fraseri . . . . .	— 7	5 6	"    Deodara . . . . .	— 4	3 4
"    lasiocarpa . . . . .	1 3	— —	"    Libani, clean seed (Cedar of Libanon)	— 4	3 6
"    magnifica . . . . .	1 5	— —	Chamaecyparis Lawsoniana (Cupressus)	— —	1 10
"    nobilis . . . . .	1 3	— —	"    "    argentea . . . . .	— 4	3 5
"    Nordmanniana, true . . . . .	— 3	2 6	"    "    aurea . . . . .	— 5	— —
"    numidica . . . . .	— 6	6 —	"    "    glauca . . . . .	— 6	— —
"    pectinata (Pinus Abies.), common			"    nutkaensis (Thujopsis		
Silver Fir . . . . . cwt. 24/—	— —	— 4	borealis) . . . . .	2 10	— —
"    Pinsapo . . . . .	— 3	2 3	"    obtusa (Retinospora) . . . . .	— 9	10 11
"    sibirica (Pichta) . . . . .	— 6	7 3	"    pisifera (    "    ) . . . . .	— 6	6 6
"    Veitchii . . . . .	1 —	14 —	"    "    plumosa (Reti-		
"    "    sachalinensis . . . . .	1 —	14 —	nospora) . . . . .	1 3	14 —
Araucaria Bidwillii . . . . . 100 seed 5/9	— —	— —	"    "    plumosa aurea		
"    brasiliensis 100 " 5/—	— —	— —	(Retinospora) . . . . .	1 —	— —
"    Cunninghami 100 " 4/—	— —	— —	"    "    squarrosa (Re-		
"    excelsa . . . . . 100 " 5/—	— —	— —	tinospora) . . . . .	1 3	— —
"    imbricata . . . . . 100 " 3/—	— —	— —	Cryptomeria japonica . . . . .	— 3	2 —
the seeds of Araucaria are not always sure			"    "    elegans . . . . .	— 4	3 4
to come in and often they arrive in bad			"    "    Lobbii (viridis) . . . . .	— 4	3 —
condition.			Cunninghamia sinensis . . . . .	1 8	— —
Arbor Vitae, see Biota and Thuja.			"    "    glauca . . . . .	3 —	— —
Biota orientalis (Thuja) . . . . .	— —	— 8	Cupressus australis . . . . .	— 4	3 9
"    "    aurea . . . . .	— —	1 3	"    Bedfordiana . . . . .	— 4	3 4
"    "    compacta . . . . .	— —	1 4	"    Benthamiana . . . . .	— 4	3 4
"    "    elegantissima . . . . .	— 4	3 2	"    elegans . . . . .	— 4	3 4

	per oz s. d.	per lb. s. d.		per oz s. d.	per lb. s. d.
Cupressus excelsa . . . . .	— 9	— —	Pinus halepensis . . . . .	— —	1 3
„ funebris . . . . .	— 3	2 9	„ insignis . . . . .	— 7	8 4
„ glauca (lusitanica) . . . . .	— 4	3 2	„ Lambertiana . . . . .	— 8	9 5
„ „ pendula vera . . . . .	— 4	3 3	„ Laricio, Corsican Pine . . . . .	— 3	2 —
„ Goveniana . . . . .	— 4	3 3	„ „ austriaca, black Austrian Fir . . . . .	— 2	1 9
„ gracilis . . . . .	— 5	5 3	„ longifolia . . . . .	1 5	— —
„ Lambertiana (macrocarpa) . . . . .	— 3	2 8	„ Massoniana . . . . .	— 6	6 —
„ Lawsoniana, see Chamaecyparis.			„ montana, (variable) . . . . .	— 3	2 6
„ sempervirens (horizontalis) . . . . .	— —	— 7	„ monticola . . . . .	1 4	— —
„ „ pyramidalis (fastigiata) . . . . .	— —	— 7	„ Montezumae . . . . .	5 9	— —
„ Tourneforti . . . . .	— —	1 9	„ muricata . . . . .	1 6	— —
„ torulosa . . . . .	— 3	2 —	„ Nordmanniana, see Abies.		
Ginkgo biloba (Salisburia adianthifolia) . . . . .	— —	— 8	„ Parryana (Llaveana) . . . . .	1 —	14 9
Juniperus Bermudiana . . . . .	— 5	4 3	„ Picea, Norway Spruce, see Picea excelsa.		
„ chinensis (dioica) . . . . .	— —	1 6	„ Pinaster (maritima). cwt. 30/— . . . . .	— —	— 5
„ communis . . . . .	— —	— 3	„ „ Hamiltoni . . . . .	— —	— 10
„ excelsa . . . . .	— —	1 4	„ Pinea, Italian Stone Pine (variable) . . . . .		
„ japonica . . . . .	— —	1 4	„ „ cwt. 25/— . . . . .	— —	— 5
„ macrocarpa . . . . .	— —	— 5	„ „ fragilis (variable) . . . . .	— —	— 8
„ Oxycedrus (drupacea) . . . . .	— —	— 9	„ pyrenaica (Paroliniana) . . . . .	— 5	5 2
„ Sabina . . . . .	— —	— 6	„ rigida . . . . .	— 11	11 3
„ virginiana (Red Cedar) . . . . .	— —	— 7	„ Sabiniana . . . . .	— 4	3 8
„ „ pyramidalis . . . . .	— —	1 —	„ silvestris, Scotch Fir (variable) . . . . .	— 3	2 8
Larix europaea (Larch) (variable) . . . . .	— —	1 5	„ sitchensis, see Picea . . . . .		
„ dahurica pendula . . . . .	— 4	3 —	„ Strobis, Weymouth Pine (variable) . . . . .	— 6	4 —
Libocedrus chilensis . . . . .	14 7	— —	„ Torreyana . . . . .	— 9	— —
„ decurrens (Thuja gigantea Craigiana) . . . . .	— 3	2 3	Podocarpus macrophylla . . . . .	— 6	— —
Picea Engelmanni . . . . .	2 3	— —	Pseudotsuga Douglasii . . . . .	— 10	10 9
„ excelsa (Pinus Picea) Norway Spruce . . . . .	— —	1 2	Salisburia, see Ginkgo.		
„ Morinda (Khutrow, Smithiana) . . . . .	— 5	5 6	Sciadopitys verticillata . . . . .	1 3	17 10
„ nigra . . . . .	— 11	— —	Sequoia sempervirens (Taxodium) . . . . .	— 3	1 9
„ orientalis, (Oriental Spruce) . . . . .	— 8	8 9	Taxodium distichum, clean seed . . . . .	— —	1 —
„ pungens . . . . .	1 6	— —	„ „ mucronatum . . . . .	— 3	2 2
„ sitchensis (Menziessi) . . . . .	1 4	19 3	Taxus baccata (Yew) clean seed . . . . .	— —	1 6
Pinus australis (palustris) . . . . .	1 2	17 4	„ „ pyramidalis . . . . .	— 3	1 10
„ austriaca, see P. Laricio austriaca.			„ „ fastigiata (hibernica) . . . . .	— 3	2 10
„ Benthamiana (ponderosa) . . . . .	— 9	10 2	Thuja gigantea (Lobbii) . . . . .	— 6	6 6
„ canariensis . . . . .	— 4	3 —	„ „ occidentalis . . . . .	— 4	3 9
„ Cembra, Swiss Stone Pine, variable . . . . .	— —	— 4	„ „ Vervaeneana . . . . .	— 10	— —
„ contorta . . . . .	1 10	— —	„ „ Warreana . . . . .	— 7	8 —
„ Coulteri . . . . .	— 11	11 3	Thujopsis dolobrata . . . . .	3 9	— —
„ densiflora . . . . .	— 6	6 3	Torreya californica . . . . .	— 7	7 3
„ excelsa, Nepaul Weymouth Pine . . . . .	— 4	3 8	„ „ nucifera . . . . .	— 5	5 10
			Tsuga canadensis, Hemlock Spruce . . . . .	— 11	12 9
			Wellingtonia gigantea . . . . .	1 3	18 —

## X. Palm Seeds.

We receive these seeds from all parts of the world and of course at very different times of the year; we shall therefore thank our correspondents if they will give us their orders as soon as they receive this list. The seeds will then be shipped as soon as they arrive in good condition and our patrons are sure to receive only fresh seeds. We send out but such and decline any other guarantee and responsibility.

	100 seeds s. d.	1000 seeds s. d.		100 seeds s. d.	1000 seeds s. d.
Areca alba (Dictyosperma) . . . . .	1 9	14 6	Areca lutescens (Hyophorbe indica) . . . . .	1 6	11 3
„ aurea . . . . .	1 9	14 6	„ madagascariensis . . . . .	1 9	14 6
„ Baueri . . . . .	1 9	12 —	„ nobilis . . . . .	1 9	14 6

	100 seeds s. d.	1000 seeds s. d.		100 seeds s. d.	1000 seeds s. d.
Areca rubra . . . . .	1 9	14 6	Kentia Canterburyana (Hedyscepe) . .	3 6	31 3
" sapida . . . . .	1 9	14 6	" Forsteriana (Griesebachia) . .	1 9	14 6
" Verschaffeltii (Hyophorbe) . . . .	2 6	20 —	" Mac Arthuri, splendid . . . . .	4 —	— —
Brahea dulcis (Corypha frigida) . . . .	3 3	28 —	" Mooreana . . . . .	3 3	28 —
" edulis (Erythea edulis) . . . . .	6 —	56 —	" Wendlandiana . . . . .	4 —	— —
" Roezlii (Erythea armata), „Blue- palm“ . . . . .	6 —	56 —	Latania aurea (Verschaffeltii) . . . .	4 3	36 —
Carludovica palmata . . . . .	2 6	19 3	" borbonica (Livistona sinensis) lb. —/7; cwt. 53/—	— —	— —
Caryota urens . . . . .	1 9	15 —	" " Seeds raised in Africa lb. —/9; cwt. 61/—	— —	— —
Chamaerops excelsa . . . . . lb. —/6	— —	— —	" Commersonii (rubra) . . . . .	3 9	32 —
" excelsa Fortuneii " —/8	— —	— —	" Loddigesii (glaucophylla) . . . . .	4 —	32 —
" Histrix . . . . .	2 10	24 —	Licala amplifrons . . . . .	2 —	17 9
" humilis mixed . . . . . lb. —/4	— —	— —	" Rumphii . . . . .	2 —	17 9
" " canariensis " —/8	— —	— —	Livistona altissima . . . . .	1 9	14 6
" " argentea " —/10	— —	— —	" olivaeformis . . . . .	1 9	14 6
" " " tomentosa " 1/—	— —	— —	" rotundifolia . . . . .	4 9	40 —
" " elegans " —/10	— —	— —	Nipa fruticans . . . . .	5 —	44 —
" " gracilis . . . . . " 1/2	— —	— —	Oncosperma filamentosa . . . . .	1 9	13 3
" " macrocarpa " 1/—	— —	— —	Oreodoxa oleracea . . . . .	1 3	10 6
Chamaedorea corallina, . . . . .	2 5	— —	" regia, a splendid kind . . . . .	1 6	11 3
" elegans . . . . .	2 6	21 —	Pandanus odoratissimus 100 fruits 7/6	— —	— —
" Ernesti Augusti . . . . .	2 10	25 9	" utilis . . . . . 1000 " 16/—	— —	— —
" gracilis . . . . .	2 5	— —	Phoenicophorium sechellarum . . . . .	2 6	22 6
Cocos australis . . . . .	1 3	9 9	Phoenix acaulis . . . . .	2 9	— —
" Bonettii (Diplothemium cam- pestre) . . . . .	1 9	12 3	" canariensis . . . . .	— 6	2 10
" campestris . . . . .	1 9	13 —	" cycadifolia . . . . .	1 3	9 9
" coronata . . . . .	1 6	10 —	" dactylifera . . . . . lb. 1/3	— —	— —
" eryspatha (C. Blumenavia) splendid . . . . .	2 —	16 —	" farinifera . . . . .	1 3	9 9
" flexuosa . . . . .	1 4	10 —	" leonensis . . . . .	— 9	5 9
" glauca, magnificent. . . . .	1 9	14 6	" natalensis . . . . .	1 3	9 9
" plumosa . . . . .	1 4	10 —	" paludosa . . . . .	1 9	14 9
" Romanzoffiana, splendid for green- house and rooms . . . . .	1 3	10 —	" pumila . . . . .	1 3	9 9
" Weddeliana (Glaziova Martiana) Yatay, the true kind for the green- house . . . . .	2 3	18 9	" reclinata . . . . .	— 9	5 9
	2 10	25 9	" rupicola . . . . .	1 9	12 9
Corypha australis (Livistona) " umbraculifera . . . . .	1 —	8 —	" spinosa . . . . .	— 9	5 9
Cycas circinalis . . . . .	1 3	11 3	" silvestris . . . . .	1 —	7 6
" revoluta . . . . .	6 6	60 —	" tenuis . . . . .	— 9	4 —
Daemonorops grandis . . . . .	7 6	— —	Pritschardia pacifica . . . . .	6 —	— —
" longipes . . . . .	2 6	20 —	Ptychosperma Alexandrae . . . . .	2 —	17 9
" melanochaetes . . . . .	3 3	28 —	" elegans (see Seaforthia) Sabal Adansonii . . . . . lb. 2/2	— —	— —
" periacanthus . . . . .	3 3	28 —	" Blackburniana (umbraculifera) . .	1 —	8 —
Diplothemium littorale . . . . .	3 3	28 —	" Ghiesbrectii . . . . .	— 9	5 9
Elaeis guineensis . . . . .	3 —	28 —	" Palmetto . . . . .	— 9	4 6
Euterpe edulis . . . . .	3 —	28 —	" princeps . . . . .	1 2	7 9
Geonome elegans . . . . .	2 10	25 9	Seaforthia (Ptychosperma) elegans . .	1 3	9 9
" gracilis . . . . .	2 9	24 —	Thrinax argentea . . . . .	1 3	9 9
Glaziova insignis . . . . .	3 9	32 —	" elegantissima . . . . .	1 4	11 3
Jubaea spectabilis . . . . .	3 —	24 —	Trithrinax brasiliensis . . . . .	3 9	32 —
Kentia Belmoreana (Griesebachia) . .	1 9	14 6	Verschaffeltia splendida . . . . .	5 —	44 —
			Washingtonia filifera (Pritchardia) . .	— 6	2 5
			" robusta H. W. . . . .	— 9	4 9
			Zamia integrifolia . . . . . 10 seeds 1 3	11 3	—





		per oz s. d.	per lb. s. d.
4	<i>Althaea ficifolia</i> , yellow . . . . .	— 8	7 6
	„ <i>Heldreichii</i> . . . . .	— 3	2 —
	„ <i>Hohenackeri</i> . . . . .	— 3	2 —
	„ <i>Sibthorpii</i> . . . . .	— 3	2 —
	„ <i>rosea</i> fl. pl. (Hollyhocks)		
	English var. best mixed.	— 9	11 —
4	„ <i>rosea</i> fl. pl. Chaters strain,		
	choice mixed . . . . .	1 3	17 6
	„ <i>nigra</i> fl. pl. . . . .	— 6	5 6
⊙	<i>Alyssum Benthami</i> . . . . .	— 4	3 —
	„ „ <i>grandiflorum compactum</i>	— 4	3 9
4	„ „ <i>saxatile</i> . . . . .	— —	1 10



*Abutilon* „Snowball, Boule de neige“.  
Electro 3/3.

		per oz s. d.	per lb. s. d.
⊙	<i>Amaranthus melancholicus</i> . . . . .	— —	1 8
	„ <i>nobilis pyramidalis</i> . . . . .	— —	1 3
	„ <i>quadricolor</i> , Dam. 1898 new; (Electro) the leaves at the end of the stalks are bright and dark green, dark crimson and yellow producing a most wonder- ful effect . . . . .	— 6	5 —
	„ <i>salicifolius</i> . . . . .	— 6	5 —
	„ <i>sanguineus</i> . . . . .	— —	— 5
	„ „ <i>giganteus</i> . . . . .	— —	— 5
	„ „ <i>nanus</i> . . . . .	— —	— 6
	„ <i>speciosus</i> . . . . .	— —	— 6
	„ <i>spinosus</i> . . . . .	— —	— 6
	„ <i>superbus (coleifolius)</i> Dam. . . . .	— 4	2 3
	„ <i>tricolor</i> . . . . .	— 3	2 3
	„ „ <i>giganteus</i> . . . . .	— 3	2 6
	„ „ <i>magnificus</i> . . . . .	— 4	3 6



*Abutilon indicum*.  
Electro 3/6.

⊙	<i>Amaranthus abyssinicus</i> . . . . .	— —	1 3
	„ <i>amabilis</i> . . . . .	— 4	2 9
	„ <i>atropurpureus</i> . . . . .	— —	— 6
	„ <i>bicolor</i> . . . . .	— —	1 6
	„ „ <i>ruber</i> . . . . .	— —	1 6
	„ <i>Caracu</i> . . . . .	— —	1 4
	„ <i>caudatus</i> . . . . .	— —	— 6
	„ „ <i>albiflorus (vividiflorus)</i>	— —	— 6
	„ <i>Dussii</i> Dam. 1890 . . . . .	— —	1 3
	„ <i>Henderi</i> . . . . .	— 4	4 9
	„ <i>hybridus Princess of Wales</i> . . . . .	— 5	5 9
	„ „ <i>Queen Victoria</i> . . . . .	— 6	5 9
	„ <i>hypochondriacus</i> . . . . .	— —	— 6
	„ <i>Margaritae</i> , splendid (Electro)	— —	— 6
	„ <i>monstrosus (Giant Prince's</i> <i>feather)</i> . . . . .	— —	— 6

⊙	<i>Amouria rotundifolia</i> . . . . .	— 8	9 3
⊙	<i>Ammobium alatum</i> . . . . .	— 2	1 6
	„ „ <i>grandiflorum</i> . . . . .	— 2	1 8
⊙	<i>Anacyclus radiatus</i> . . . . .	— 3	2 3
⊙	<i>Anagallis grandiflora</i> <i>Breweri</i>	— 8	— —
	„ „ <i>carnea</i> . . . . .	— 8	— —
	„ „ <i>coccinea</i> . . . . .	— 8	— —
	„ „ <i>coerulea</i> . . . . .	— 8	9 5
	„ „ <i>lilacea</i> . . . . .	— 8	9 5
	„ „ <i>Napoleon III.</i>	— 8	9 5
	„ „ <i>mixed</i> . . . . .	— 6	6 —
4	<i>Anchusa affinis</i> . . . . .	1 11	— —
	„ <i>capensis</i> . . . . .	— 2	1 11
4	<i>Angelonia grandiflora</i> . . . . .	10 10	— —
	<i>Angel's Trumpet</i> , see <i>Datura</i> .		
⊙	<i>Anthemis arabica</i> . . . . .	— 3	2 3

	per oz s. d.	per lb. s. d.		per oz s. d.	per lb. s. d.
⊙ Anthemis chrysoleuca . . . . .	— 3	2 3	⊙ Antirrhinum majus Tom Thumb mixed	— 6	5 10
"   Cupaniana . . . . .	— 9	— —	4 Aquilegia (Columbine) alpina . . . . .	— 5	— —
"   Kelwayi . . . . .	— 5	4 9	"   atrata . . . . .	— 5	— —
"   palaestina . . . . .	— 7	— —	"   Bürgeriana . . . . .	— 4	— —
"   purpurea . . . . .	— —	1 2	"   californica . . . . .	— 5	— —
"   tinctoria . . . . .	— 3	2 3	"   chrysantha . . . . .	1 5	— —
4 Anthericum algeriense . . . . .	— 5	4 5	"   coerulea . . . . . 1/8 oz —/5	2 3	— —
4 "   graminifolium . . . . .	— 7	— —	"   flabellata nana alba . . . . .	— 4	— —
"   Liliago . . . . .	— 5	— —	"   flavescens . . . . .	— 4	— —
4 Anthurium Scherzerianum					
100 seeds 2/—	— —	— —			
§g Antigonon leptopus . . . . .	— 7	6 9			
⊙ Antirrhinum majus (Snapdragon) finest					
mixed . . . . .	— 3	2 10			
"   majus nanum album . . . . .	— 5	4 5			
"   "   "   "   Brillant . . . . .	— 7	6 9			



Amaranthus Margaritae Dam.  
Electro 2/9.



Amaranthus quadricolor.  
Electro 3/3.

⊙ Antirrhinum majus nanum Crescia . . . . .	— 5	4 5	4 Aquilegia haylodgensis (coerulea hybr.)		
"   majus nanum Firefly . . . . .	— 5	4 5	1/8 oz —/5	2 3	— —
"   "   nanum nigricans . . . . .	— 5	4 9	"   olympica . . . . .	— 6	— —
"   "   Queen of the North, pure			"   Skinneri hybr. fl. pl. . . . .	1 5	— —
white narrow leaved . . . . .	— 7	7 3	"   spectabilis . . . . .	— 4	— —
"   "   roseum . . . . .	— 7	6 9	"   stellata coerulea plena . . . . .	— 6	— —
"   "   mixed . . . . .	— 4	4 6	"   "   rosea plena . . . . .	— 6	— —
"   "   Tom Thumb album . . . . .	— 8	7 4	"   "   rubra plena . . . . .	— 6	— —
"   "   "   "   striatum. . . . .	— 8	7 4	"   Vervaeana . . . . .	— 8	— —
"   "   "   "   Brillant . . . . .	— 8	7 4	"   vulgaris fl. albo . . . . .	— 3	2 3
"   "   "   "   carneum . . . . .	— 8	7 4	"   "   fl. albo pleno . . . . .	— 3	2 5
"   "   "   "   cinnabarinum . . . . .	— 8	8 —	"   "   fl. rubro pleno . . . . .	— 4	2 8
"   "   "   "   Delila . . . . .	— 8	7 4	"   "   fl. pl. double mixed . . . . .	— 3	2 5
"   "   "   "   Crescia . . . . .	— 8	7 4	g Aralia Lyalli . . . . . 100 seeds 3/3	— —	— —
"   "   "   "   cupreatum . . . . .	— 8	8 —	"   papyrifera . . . . .	1 —	12 4
"   "   "   "   Firefly . . . . .	— 8	8 —	"   Sieboldi, clean seeds ready in		
"   "   "   "   luteo rubro striat. . . . .	— 8	7 4	April; orders booked now . . . . .	1 9	27 1
"   "   "   "   orange . . . . .	— 8	7 4	§ Ampelopsis quinquefolia, berries . . . . .	— —	1 3
"   "   "   "   roseum striatum. . . . .	— 8	7 7	g Arctostaphylos glauca . . . . .	— 8	9 1

	per oz s. d.	per lb. s. d.
⊙ <i>Arctotis breviscapa</i> . . . . .	1 4	— —
g <i>Ardisia crenulata</i> . . . . .	6 9	— —
⊙ <i>Argemone grandiflora</i> . . . . .	— 3	2 2
" <i>Hunnemanni</i> . . . . .	— 3	1 9
" <i>mexicana</i> . . . . .	— 3	1 9
" <i>platyceras</i> . . . . .	— 3	1 5
<i>Argyranthemum</i> , see <i>Chrysanthemum</i> .	— —	— —
§ <i>Aristolochia ciliosa</i> . . . . .	— 9	— —
" <i>elegans</i> . . . . .	3 3	— —
4 <i>Armeria cephalotes</i> . . . . .	— 4	3 9
" <i>formosa</i> . . . . .	— 5	3 9
" <i>Lauchiana</i> . . . . .	— 4	2 4
⊙ <i>Arnebia cornuta</i> . . . . . 1/8 oz —/7	3 10	— —
4 <i>Arnica montana</i> . . . . .	— 5	4 6
⊙ <i>Artemisia annua</i> . . . . .	— —	— 8



*Amaranthus superbus* Dam.  
Electro 3/1.

4 <i>Artemisia argentea</i> . . . . .	— 3	2 3
⊙ " <i>gracilis</i> . . . . .	— —	1 —
" <i>Mosca</i> . . . . .	— 5	3 9
4 " <i>Stelleriana</i> . . . . .	— 3	1 7
4 <i>Asclepias cornuti</i> ( <i>syriaca</i> ) . . . . .	— 4	3 3
" <i>curassavica atrosanguinea</i> . . . . .	— 4	3 3
" <i>incarnata</i> . . . . .	— 6	6 9
" <i>tuberosa</i> . . . . .	1 5	— —
4 <i>Asparagus acutifolius</i> . . . . .	— 4	3 4
" <i>dahuricus</i> . . . . .	— 5	— —
g " <i>plumosus</i> 1000 seeds 18/—	— —	— —
" " <i>nanus</i> 1000 " 42/—	— —	— —
g " <i>Sprengeri</i> (Electro)	— —	— —
1000 seeds 10/—	— —	— —
10000 " 95/—	— —	— —
" <i>trichophyllus</i> . . . . .	— 8	— —

	per oz s. d.	per lb. s. d.
⊙ <i>Asperula azurea setosa</i> . . . . .	— 2	— 8
4 <i>Asphodelus fistulosus</i> . . . . .	— 4	3 4
" <i>liburnicus</i> . . . . .	— 5	— —
" <i>luteus</i> . . . . .	— 4	3 4
4 <i>Aster alpinus</i> . . . . .	— 8	— —
" <i>azureus</i> . . . . .	— 6	— —
" <i>Novae Angliae, rubra</i> . . . . .	— 7	5 9
" " " <i>mixed</i> . . . . .	— 6	5 —
" <i>scaberrimus</i> . . . . .	— 6	— —



*Asparagus Sprengeri* Rgl. (Dammann).  
Electro 4/—.

4 <i>Aster tanacetifolia</i> . . . . .	— 5	— —
" <i>tartaricus</i> . . . . .	— 6	— —
⊙ " <i>tenellus</i> . . . . .	— 4	3 4
" <i>perennial sorts mixed</i> . . . . .	— 3	2 4
⊙ <b>Aster sinensis fl. pl. Asters.</b>		
<b>1. Tall Section.</b>		
Tall <i>Chrysanthemum Asters mixed</i> . . . . .	— 8	8 9
Goliath Asters, <i>carmine, rose, purple,</i> <i>white, each separate</i> . . . . .	— 5	5 9
" " <i>mixed</i> . . . . .	— 5	5 7
Harlequin Asters, <i>mixed</i> . . . . .	— 5	5 7
Jewel-or Ball Asters, <i>mixed</i> . . . . .	1 3	— —
Globe-flowered pyramidal Asters, <i>mixed</i> . . . . .	— 8	7 6
Paeony Perfection Asters, <i>mixed</i> . . . . .	— 9	9 3
Washington Asters, <i>mixed</i> . . . . .	— 9	9 3



	per 1/16 oz s. d.	per 1/8 oz s. d.	per oz s. d.	per oz s. d.	per lb. s. d.
1/2 Begonia hybrida gigantea, dark red . . . . .	5 6	10 9	84 —		
" hybrida gigantea, orange . . . . .	4 5	8 7	67 3		
" hybrida gigantea, rose . . . . .	4 5	8 7	67 3		
" hybrida gigantea, scarlet . . . . .	4 5	8 7	67 3		
" hybrid gigantea, white . . . . .	6 8	12 10	100 —		
" hybrida gigantea, finest mixed . . . . .	4 5	8 7	67 3		
1/2 Begonia hybr. double-flowered, splendid varieties mixed . . . . .	per 1/32 oz s. d. 14 8	28 8	56 4	448 —	
1/2 Begonia metallica . . . . .	6 —	11 3	21 6	168 —	
1/2 Begonia Rex, mixed varieties 100 seeds —/6 1000 " 2/10					
1/2 Begonia semperflorens, white . . . . .		— 5	1 9		
" " atropurpurea (Vernon) . . . . .		1 —	6 10		
" " rosea . . . . .		— 5	3 —		
" " Lambertus, white . . . . .		— 6	3 6		
Bellflower, see Campanula.					
2 Bellis perennis fl. pl. (Daisies) double fine mixed . . . . .		per oz s. d. 1 8	per lb. s. d. 24 —		
" " " double white . . . . .		2 6	— —		
" " " Longfellow, rose, large-flowered . . . . .		2 10	— —		
" " " Snowball . . . . .		3 3	— —		
Belvidere (Summer Cypress), see Kochia scoparia.					
⊙§ Benincasa cerifera . . . . .		— 3	3 —		
" sinensis . . . . .		— 5	4 5		
⊙ Bidens ferulaefolia . . . . .		— 4	3 —		
" leucantha . . . . .		— 4	3 —		
" pilosa . . . . .		— 6	5 8		
" tripartita . . . . .		— 4	— —		
§ Bignonia Tweediana . . . . .		— —	1 3		
1/2 Bixa Orellana . . . . .		— 10	— —		
Blanket flower, see Gaillardia.					
Blue Bottle, see Centaurea Cyanus.					
2 Bocconia flavescens . . . . .		— 4	— —		
g Boehmeria biloba . . . . .		3 5	— —		
g Boronia megastigma 100 seeds —/7		— —	— —		
g§ Bougainvillea spectabilis 100 seeds 6/—		— —	— —		
2§ Boussingaultia baselloides . . . . .		— 4	— —		
1/2 Bouvardia angustifolia 1000 seeds 2/—		— —	— —		
" flava . . . . . 1000 " 2/6		— —	— —		
" Houtteana 1000 " 2/6		— —	— —		
" Jacquini . . . . . 1000 " 3/9		— —	— —		
" longiflora . . . . . 1000 " 2/3		— —	— —		
" mollis . . . . . 1000 " 2/6		— —	— —		
" splendens . . . . . 1000 " 3/—		— —	— —		
" versicolor . . . . . 1000 " 2/6		— —	— —		
g Brachychiton populneum . . . . .		— 4	3 9		
⊙ Brachycome iberidifolia (Swan River Daisy) . . . . .		— 9	10 3		
⊙ Browallia Czerwiakowsky . . . . .		— 8	9 3		
" elata fl. albo . . . . .		— 8	8 —		
" " " coerulea . . . . .		— 8	8 —		
" " " purpureo . . . . .		— 10	11 9		
" " grandiflora . . . . .		— 8	8 —		
" " " alba . . . . .		— 8	8 —		
" " nana alba . . . . .		— 7	7 4		
" Linneana . . . . .		— 7	7 4		
" Roezli . . . . .		2 —	— —		
" speciosa major, new, darkblue 100 seeds —/4 1000 seeds 3/3					
" viscosa . . . . .		— 5	5 3		
4§ Bryonia acuta . . . . .		— 4	4 —		
" alba . . . . .		— 3	2 3		
" elongata . . . . .		— 4	3 4		
" sicala . . . . .		— 4	4 —		
⊙§ Bryonopsis laciniosa elliptica . . . . .		— 4	3 4		
" " erythrocarpa . . . . .		— 4	3 —		
⊙ Cacalia coccinea (Tassel Flower) . . . . .		— 4	2 9		
" " lutea . . . . .		— 4	2 9		
2 Caccinia strigosa . . . . .		— 4	— —		
<b>g Cactuses.</b>					
Cereus alacriportanus . . . . .		100 seeds s. d. — 3	1000 seeds s. d. 1 8		
" Bonplandi . . . . .		— 4	2 6		
" Jamacaru . . . . .		— 3	1 8		
" tortuosus . . . . .		— 3	1 8		
" validus . . . . .		— 3	1 8		
Echinocactus setispinus . . . . .		— 3	1 8		
" Grusoni, splendid . . . . .		1 —	8 —		
Echinocereus Berlandieri . . . . .		— 4	— —		
" caespitosus . . . . .		— 3	1 8		
" cinerascens . . . . .		— 3	2 —		
" Ehrenbergii . . . . .		— 3	— —		
" pentalophus . . . . .		— 3	— —		
" stramineus . . . . .		— 3	— —		
" strigosus . . . . .		— 3	— —		
" mixed . . . . .		— 3	1 3		
Echinopsis Eyriesii . . . . .		— 3	— —		
" oxygona . . . . .		— 3	— —		
" mixed . . . . .		— 2	1 3		
Mammillaria Nuttallii . . . . .		— 2	1 3		
" mixed . . . . .		— 2	1 3		
Melocactus spec. from, Porto Rico . . . . .		1 —	8 —		
" " St. Thomas . . . . .		1 —	8 —		
Opuntia Ficus indica . . . . .		— 2	1 6		
Peireskia aculeata . . . . .		— 8	6 —		
" Bleo . . . . .		— 10	8 —		
		per oz s. d.	per lb. s. d.		
1/2 Caesalpinia minax var. burmaniaca . . . . .		— 5	4 5		
" pulcherrima . . . . .		— 5	4 5		
" sepiaria . . . . .		— 5	4 5		
1/2§ Cajanus indicus . . . . .		— 4	4 —		
⊙§ Cajophora lateritia (Loasa) . . . . .		— 6	5 6		

	per oz s. d.	per lb. s. d.
h Caladium bulbosum, newest variegated-leaved mixed. 100 seeds 1/3	— —	— —
4 Calamintha grandiflora . . . . .	2 1	— —
Calampelis, see Eccremocarpus.		
⊙ Calandrinia amoena . . . . .	— —	— 10
"   Burrigii . . . . .	— —	— 10
"   discolor . . . . .	— 6	6 —
"   grandiflora . . . . .	— 6	— —
"   speciosa . . . . .	— —	— 10
"   "   alba . . . . .	— —	1 —
"   umbellata (setosa) . . . . .	— 8	8 3
	100 seeds s. d.	1000 seeds s. d.
g Calanhoe Cassiopega . . . . .	— 3	1 8
"   glaucescens . . . . .	— 1	— 8
"   marmorata . . . . .	— 3	1 8
"   teretifolia . . . . .	— 4	2 3



Campanula fragilis.  
Electro 2/4.

	per 1/32 oz s. d.	per 1/16 oz s. d.	per 1/8 oz s. d.	per oz s. d.
g Calceolaria hybrida self coloured, large flowered mixed . . . . .	2 8	4 8	8 8	62 9
Calceolaria hybrida self coloured dwarf . . . . .	2 10	5 2	9 6	67 3
Calceolaria hybrida spotted or tигred mixed . . . . .	3 9	6 3	11 6	85 —
Calceolaria hybrida spotted or tигred large flowered dwarf . . . . .	3 9	6 3	11 6	85 —
Calceolaria hybrida painted or margined mixed . . . . .	3 2	5 9	10 3	71 9
Calceolaria hybrida painted or margined dwarf mixed . . . . .	3 2	5 9	10 3	71 9
Calceolaria hybrida dwarf finest mixed . . . . .	3 —	5 3	10 —	69 6

	per oz s. d.	per lb. s. d.
⊙ Calendula algarbensis . . . . .	— 4	2 4
"   hybrida . . . . .	— —	1 2
"   maritima fl. pl. . . . .	— —	— 10
"   officinalis fl. pl. . . . .	— —	— 10
"   "   grandiflora fl. pl. . . . .	— —	1 2
"   "   fl. pl. Meteor, striped . . . . .	— —	1 1
"   "   "   Isabellina (LeProust) . . . . .	— —	— 10
"   "   "   Prince of Orange . . . . .	— —	1 —
"   "   "   ranunculoides . . . . .	— —	— 10
"   "   "   regalis . . . . .	— —	— 10
"   "   "   sulphurea . . . . .	— —	— 10
"   pluvialis . . . . .	— —	1 —
"   Pongei fl. pl. . . . .	— 3	2 —
"   sricula fl. pl. . . . .	— —	— 10
Californian Poppy, see Eschscholtzia.		
g Calla aethiopica . . . . .	— 7	7 4
"   "   candidissima . . . . .	— 10	11 —
"   "   compacta . . . . .	— 10	— —
"   "   gigantea . . . . .	1 3	— —
⊙ Calliopsis bicolor (tinctoria) . . . . .	— —	1 3
"   "   atrosanguinea . . . . .	— —	1 3
"   "   lutea . . . . .	— —	1 3
"   "   semiplena . . . . .	— —	1 9
"   "   nana . . . . .	— —	1 9
"   "   "   semiplena . . . . .	— 3	2 —
"   coronata . . . . .	— 3	2 3
"   "   maxima . . . . .	— 4	2 5
"   Drummondii (basalis) . . . . .	— —	1 3
⊙ Callirrhoe lineariloba . . . . .	— 5	4 6
"   pedata . . . . .	— 4	3 5
"   "   nana compacta . . . . .	— 4	3 9
"   verticillata . . . . .	— 5	4 3
Callistemon, see Metrosideros.		
⊙§ Calonyction speciosum (Ipomea speciosa) . . . . .	— 4	4 —
2§ Calystegia rosea . . . . .	4 6	— —
g Camellia japonica mixed . . . . .		
"   "   1000 seeds 5/—	— —	— —
"   "   double mixed . . . . .	— —	— —
"   "   1000 seeds 5/1	— —	1 7
"   "   theifera 100 " 1/3	— —	— —
4 Campanula alliariaefolia . . . . .	— —	1 8
4 "   carpatica . . . . .	— 5	3 10
⊙ "   dichotoma, blue . . . . .	— 4	3 7
"   "   white . . . . .	— 6	5 7
4 "   divergens . . . . . 1/8 oz 1/—	6 —	— —
4 "   fragilis (Electro) . . . . .	1 6	22 —
4 "   glomerata speciosa . . . . .	— 4	4 —
4 "   Grossekii . . . . .	— 4	4 —
⊙ "   Loreyi . . . . .	— 5	4 5
"   "   fl. albo . . . . .	— 5	4 5
4 "   macrantha . . . . .	— 4	— —
⊙ "   macrostyla . . . . .	1 1	16 5
"   "   rosaeiflora . . . . .	1 3	18 3
4 "   Medium fl. albo (Canterbury Bells) . . . . .	— 4	2 9
"   Medium fl. albo pleno . . . . .	— 10	— —

	per oz s. d.	per lb. s. d.
Campanula Medium calycanthera . . .	1 —	— —
" Medium calycanthera fl. albo . . .	— 10	11 —
" " fl. coeruleo . . .	— 3	2 3
" " fl. " pleno . . .	— 7	7 5
" " fl. lilacino . . .	— 4	— —
" " fl. roseo . . .	— 3	2 8
" " fl. " pleno . . .	1 6	— —
" " single mixed . . .	— 2	1 3
" " fl. pleno mixed . . .	— 8	7 5
4 " pyramidalis . . .	— 5	— —
⊙ " retrorsa . . .	— 4	3 —
4 " sarmatica . . .	— 7	7 5
⊙ " Speculum, blue . . .	— 3	1 10
" " double lilac . . .	— 10	— —
" " white . . .	— 3	2 —
" " double white . . .	1 6	— —
Canary Creeper, see Tropaeolum canariense.		

	per oz s. d.	per lb. s. d.
Carduus Marianus (Silybum) . . .	— —	— 3
⊙ Carthamus lanatus . . .	— 3	— —
Carnation, see Dianthus Caryo- phyllus.		
g Carpodetus serratus . . .	2 1	— —
4 Caryopteris mastacanthus, new blue, (Electro) . . .	2 6	— —
" " candidus, white . . .	3 3	— —
h Cassia Barrenfieldii . . .	— 5	5 2
" Candolleana . . .	— 5	5 2
" floribunda . . .	— 6	5 6
" fulgens . . .	— 7	9 3
" marylandica . . .	— 7	— —
" mexicana . . .	— 10	11 —
" mimosoides . . .	— 3	3 9
" Reinwardti . . .	— 3	3 9



Cardiospermum hirsutum.  
Electro 3/3.



Caryopteris mastacanthus.  
Electro 3/3.

Candytuft, see Iberis.		
Canna-Seeds, see page 79.		
Canna-Roots, see page 82.		
⊙ Cannabis gigantea, Giant Hemp . . .	— —	— 10
Canterbury-Bell, see Campanula.		
Cape Forget-me-not, see Anchusa.		
Cape Hyacinth, see Hyacinthus candicans.		
Capsicum, see Vegetable seeds.		
h Caraguata cardinalis (Bromeliaceae) . . .	1 2	— —
⊙ § Cardiospermum Coindum, new . . .	— 3	2 9
" colutoides . . .	— 3	2 9
" halicacabum (Balloon Vine) . . .	— 3	1 6
" hirsutum (Electro) . . .	— 9	5 9
" macrocarpum . . .	— 4	2 10
" microcarpum . . .	— 4	2 10
" velutinum . . .	1 3	— —
⊙ Carduus algeriense . . .	— 3	1 5
" giganteus . . .	— 3	2 —

g Cassinia fulvida . . .	2 9	— —
Castor Oil Plant, see Ricinus.		
Casuarina, see Conifers.		
4 Catananche coerulea . . .	— 3	— —
" " bicolor . . .	— 3	— —
h Cedrela australis . . .	9 —	— —
" brasiliensis . . .	4 6	— —
" chinensis . . .	— 7	7 4
" odorata . . .	2 1	— —
⊙ Celosia cristata (Cocks comb) 12 tall		
var. each separate . . .	— 6	5 3
" cristata finest mixed . . .	— 4	3 8
" " nana alba . . .	— 7	7 9
" " atropurpurea . . .	— 8	8 2
" " aurea . . .	— 7	7 5
" " Empress . . .	— 9	8 10
" " fire red . . .	— 8	8 7
" " coppery chamois . . .	— 7	7 9
" " lutea . . .	— 7	7 5

⊙ *Celosia cristata nana kermesina*  
 (Glasgow Prize, President Thiers)  
*Celosia cristata nana* Dam. 1898  
 Ruby. An absolutely new, distinct  
 and most beautiful color which has  
 struck all of our friends who had an  
 opportunity of seeing it in our grounds.  
 The plant grows about 12 inches high  
 producing flowers of a perfect shape  
 and of quite a peculiar most lovely  
 crimson color displaying still more its  
 charm under the sunlight. The stalks

per oz	per lb.
s. d.	s. d.

1 2 15 3



*Celosia pyramidalis monstrosa.*  
 Electro 4/—.

⊙ *Celosia pyr. monstrosa* (Electro)  
 Dam. 1898. This new and remarkable  
 kind stands between the *C. cristata* and  
 the *C. pyramidalis*; its bushy habit is  
 like that of the *C. pyramidalis* while  
 the flowers and specially those of  
 the main stems are more like those  
 of the *C. cristata*. They are dark  
 red, the leaves dark green spotted  
 more or less with dark red. The  
 plant grows most vigorously to about  
 4 feet in height which makes it  
 invaluable for large groups. Our cut  
 dispenses us from a more detailed  
 description . . . . . — 4 3 9

per oz	per lb.
s. d.	s. d.



*Centaurea Margaritae* Dam.  
 Electro 3/2.

also are almost of the same color and the leaves are of a brownish red, giving the plant a most lovely ap- pearance . . . . .	— 9	9 3
<i>Celosia cristata nana</i> Vesuvius . . . . .	— 10	11 —
" " " violacea . . . . .	— 7	6 8
" " " finest mixed . . . . .	— 7	6 8
" Huttoni . . . . .	1 8	— —
" japonica . . . . .	— 3	2 3
" pyramidalis alba . . . . .	— 2	1 5
" " atrocarminca . . . . .	— 2	1 7
" " aurantiaca . . . . .	— 2	1 7
" " aurea . . . . .	— 2	1 6
" " cardinalis . . . . .	— 3	3 —
" " coccinea . . . . .	— 2	1 7
" " kermesina . . . . .	— 2	1 5
" " lutea . . . . .	— 2	1 5
" " mixed . . . . .	— 3	2 —

⊙ <i>Celosia pyr. nana aurantiaca</i> . . . . .	— 2	1 5
" " " aurea . . . . .	— 2	1 5
" " " carminca . . . . .	— 2	1 6
" " " coccinea . . . . .	— 2	1 5
" " " kermesina . . . . .	— 2	1 5
" " Thompsoni (Triomphe de l'exposition) . . . . .	— 4	3 4
" " plumosa aurea . . . . .	— 3	2 6
" " " coccinea . . . . .	— 3	2 6
" " " finest mixed . . . . .	— 3	1 10
⊙ <i>Centaurea americana</i> . . . . .	— 6	6 —
" " alba . . . . .	2 10	— —
4 " " babylonica . . . . .	— 4	3 —
4 " " Behen . . . . .	— 4	3 —
4 " " candidissima (ragusina) . . . . .	2 8	— —
" " " compacta . . . . .	2 10	— —
4 " " Clementei . . . . .	— 10	9 7
⊙ " " cyanoides . . . . .	— 2	1 6



	per oz s. d.	per lb. s. d.			per oz s. d.	per lb. s. d.
○ Centaurea Cyanus (Blue Bottle, Bachelor's Button) . . . . .	— 2	1 6	3. Brick-red,	13. Fire-red,		
„ Cyanus alba . . . . .	— 3	1 9	4. Canary-yellow- wall-flower- leaved,	14. Lazur-blue, 15. Light-blue, 16. Lilac,		
„ „ albo-rosea . . . . .	— 2	1 6	5. Copper-red,	17. Pale Rose,		
„ „ coelestina (Emperor William) . . . . .	— 2	1 8	6. Chamois,	18. Rose,		
„ „ fl. pl. mixed, new double flowered . . . . .	— 3	2 —	7. Crimson,	19. Rosy-carmine,		
„ „ purpurea . . . . .	— 2	1 4	8. Dark Blue,	20. White,		
„ „ rosea . . . . .	— 2	1 4	9. Dark Brown,	21. White and rose,		
„ „ single flowered, mixed . . . . .	— —	1 4	10. Dark Crimson,	22. Yellow and rose,		
„ „ Victoriae, dwarf blue . . . . .	— 5	3 10	11. Dark Purple,	23. Yellow,		
„ depressa . . . . .	— —	— 9	12. Deep blood-red, each separate . . . . .		2 —	30 9
„ „ rosea . . . . .	— —	— 9	all colours mixed . . . . .		1 9	25 3
4 „ glastifolia . . . . .	— 4	3 9	Creamy yellow Dam. 1898. A new strain of great beauty and a worthy addition to the collection; it is also especially valuable for its rich and continuous flowering . . . . .		3 —	— —
4 „ gymnocarpa . . . . .	— 5	4 2	Large-flowered dwarf ten week Stocks,			
„ „ fl. albo . . . . .	— 5	4 6	1. Brick-red,	10. Dark blood-red,		
○ „ Margaritae, Dam. 1891 (Electro) new, pure white, very large scented flowers; quite excellent for cutting and most beautiful in every respect; one of our best introductions . . . . .	1 2	14 —	2. Brilliant-rose,	11. Dark blue,		
○ „ moschata . . . . .	— 3	2 5	3. Brown,	12. Dark brown,		
„ „ alba . . . . .	— 3	2 6	4. Brownish purple,	13. Dark Crimson,		
○ „ odorata Dam. 1891, new; with large purple scented flowers; splendid for cutting . . . . .	1 3	16 5	5. Canary-yellow,	14. Fire red,		
„ odorata Chamaeleon Dam., new; with very large flowers of a pale sulphur-yellow, later whitish yellow changing into lilac and fading in a rosy colour. Something quite special . . . . .	1 9	23 9	6. Carmine,	15. Light blue,		
4 „ Parlatoris . . . . .	— 4	3 9	7. Chamois,	16. Lilac,		
4 „ plumosa . . . . .	— 4	3 9	8. Coppery red,	17. Purple,		
4 „ Sadleriana . . . . .	— 7	6 7	9. Crimson,	18. Sulphur-yellow,		
4 „ salmantica . . . . .	— 7	6 7	each separate . . . . .	19. White,	2 9	39 8
○ „ suaveolens, Yellow Sweet Sultan . . . . .	— 4	3 9	all colours mixed . . . . .		2 3	34 —
○ Centranthus macrosiphon nanus . . . . .	— —	1 4	Wallflower-leaved large flowered ten week Stocks,			
„ „ albus . . . . .	— 3	1 6	1. Blood red,	5. Light blue,		
„ „ carneus . . . . .	— 3	1 6	2. Crimson rose,	6. Rose,		
○§ Cephalandra palmata, Dam. 1889 . . . . .	2 6	— —	3. Dark blood-red,	7. White,		
4 Cephalaria radiata . . . . .	— 4	3 —	4. Dark blue, each separate . . . . .		2 6	— —
4 Cerastium Biebersteinii . . . . .	— 8	8 3	all colours mixed . . . . .		2 2	— —
„ „ tomentosum . . . . .	1 3	— —	Victoria Bouquet ten week Stocks,			
○ Cerinthe major . . . . .	— 4	4 3	1. Carmine,	4. Light blue,		
g Cestrum aurantiacum . . . . .	— 6	— —	2. Dark bloodred,	5. White,		
„ Parqui . . . . .	— 7	— —	3. Dark blue, each separate . . . . .		5 4	— —
4 Chamaepeuce Casabonae, Fishbone Thistle . . . . .	— 10	— —	all colours mixed . . . . .		4 8	— —
„ diacantha, Ivory Thistle . . . . .	— 4	3 —	Dresden Perpetual-flowered ten week Stocks,			
○ Cheiranthus annuus. Stocks.			1. Apple-blossom,	6. Flesh-colour,		
Dwarf early-flowered ten week Stocks,			2. Ash-grey,	7. Light blue,		
1. Apple-blossom, 2. Ash-grey,			3. Brownish red,	8. Rosa,		
			4. Dark blue,	9. Sulphur-yellow,		
			5. Deep crimson,	10. White, each separate . . . . .	2 9	— —
			all colours mixed . . . . .		2 7	— —
			Large-flowered pyramidal ten week Stocks mixed . . . . .		4 2	— —
					6	

**Stocks (continued).**

	per oz. s. d.	per lb. s. d.
Dwarf large-flowered pyramidal ten-week Stocks, mixed . . . . .	4 2	— —
Giant or Tree ten-week Stocks, mixed . . . . .	4 2	— —
Giant Perfection ten-week Stocks, mixed . . . . .	5 —	— —
Perpetual-flowering or Emperor Stocks,		
1. Brilliant rose, 5. Flesh colour,		
2. Crimson, 6. Light blue,		
3. Dark blue, 7. White,		
4. Dark purple,		
each separate . . . . . 1/8 oz 1/9	12 6	— —
all colours mixed . . . . .	11 3	— —



Victoria White Winter Stock.  
Electro 4/—.

Winter or Brompton Stocks, mixed	6 4	— —
Dwarf Winter or Brompton Stocks		
1. Brick red, 4. Rose,		
2. Crimson, 5. White,		
3. Deep rose,		
each separate . . . . . 1/8 oz 1/2	7 8	— —
all colours mixed . . . . .	7 —	— —
Brompton Stocks, white Nice, magnificent, continuously flowering; splendid for cutting . . . . .	2 10	— —
Victoria white Winter Stock; (Dam.) since we introduced this beautiful kind it has met every where with an unlimited and unrestricted approbation; we recommend it most warmly to all who wish to have a fine cut flower. (Electro) . . . . .	2 10	— —

	per oz. s. d.	per lb. s. d.
Canary-yellow, Winter Stock Dam. 1898. This new and very valuable addition is a worthy pendant to the Victoria Stock introduced by us several years ago and which obtained such a grand and general success. We can recommend this new kind most especially for cutting purposes. It can also easily be forced . . . . .	6 9	— —
Italian red Winter Stock; a most recommendable sort producing an abundance of fine red flowers during the winter . . . . .	1 10	10 10
Cheiranthus Cheiri, German Wall-flower.		
Double Tree, mixed of many fine colours . . . . .	2 10	— —
Double Branching, golden-yellow . . . . .	3 —	— —
"    "    sulphur-yellow . . . . .	3 —	— —
"    "    bronze-yellow . . . . .	3 —	— —
"    "    mixed of many splendid colours . . . . .	2 10	— —
Single Branching, mixed . . . . .	— —	— 10
⊙ Cheiranthus maritimus (Malcolmia) Virginian Stocks . . . . .	— —	1 —
⊙ "    "    maritimus albus . . . . .	— —	1 —
"    "    carminensplendens . . . . .	— —	1 —
"    "    Fairy Queen . . . . .	— —	1 2
"    "    kermesinus (Crimson King) . . . . .	— —	1 2
"    "    luteus . . . . .	— —	1 —
4 Chelone barbata . . . . .	— 3	2 6
Chinese Bellflower, see Abutilon.		
"    Primrose, see Primula chinensis.		
Christmas Rose, see Helleborus.		
Chrysanthemum carinatum, see trilobor.		
g Chrysanthemum chinense, double fine mixed . . . . .	6 8	— —
g Chrysanthemum Japanese double large-flowered, mixed . . . . .	5 4	— —
g Chrysanthemum Japanese, a special selection of the former with very large and well-shaped flowers . . . . .	8 9	— —
g Chrysanthemum Japanese Imperial double Ostrich-feathered imported seed from one of the best collections . . . . .	4 3	— —
⊙ Chrysanthemum coronarium album plenum . . . . .	— —	— 10
"    "    coronarium luteum plenum . . . . .	— —	— 10
"    "    nanum sulphureum plenum . . . . .	— —	1 3
"    "    sulphureum plenum . . . . .	— —	1 6
"    "    double mixed . . . . .	— —	1 —
g "    "    frutescens (Argyranthemum) . . . . .	— 9	10 8
"    "    Comtesse de Chambord . . . . .	1 —	14 6

	per oz s. d.	per lb. s. d.
⊙ Chrysanthemum inodorum plenis- simum . . . . .	— 10	— —
⊙ Chrysanthemum millefoliatum, a yellow rich-flowering annual . . . . .	— 5	4 6
⊙ Chrysanthemum Roxburghii . . . . .	— —	— 10
⊙ " Sibthorpii . . . . .	— —	— 10
⊙ " tricolor (carinatum) album . . . . .	— 2	2 —
" " atrococcineum . . . . .	— 2	2 —
" " Chamaeleon, new . . . . .	— 8	— —
" " Dunnetti albo pl. . . . .	— 5	5 6
" " " aurea pl. . . . .	— 5	5 6
" " " versicolor pl. . . . .	— 5	5 6
" " Eclipse . . . . .	— 4	3 4
" " Golden Feather . . . . .	— 3	2 3
" " nanum coccineum plenum . . . . .	1 —	— —
" " finest mixed . . . . .	— 2	1 8
Cigar-Flower, see Cuphea platy- centra.		
g Cineraria hybrida, finest mixed . . . . .	6 4	— —
" " large flowered, finest mixed . . . . .	7 11	— —
" " dwarf, many varieties of the finest colours, mixed . . . . .	9 —	— —
" " dwarf large flowered, extra selected . . . . .	9 6	— —
" " plenissima, double splendid mixed 1/8 oz 11/— 1/16 " 6/— 1/32 " 3/6	85 —	— —
⊙ " geifolia . . . . .	— 4	3 9
⊙ " lobata . . . . .	— 5	4 5
4 " maritima . . . . .	— 3	2 2
4 " " candidissima . . . . .	— 4	3 4
g " platanifolia . . . . .	— 4	3 4
g§ Cissus antarctica . . . . .	2 3	— —
" heterophylla fol. var. . . . .	1 3	— —
" tetragona . . . . .	— 8	— —
h Citharexylum cyanocarpum . . . . .	1 6	— —
⊙§ Citrullus amarus . . . . .	— 6	— —
" Colocynthis aurantiiformis . . . . .	— 4	3 —
" " oviformis . . . . .	— 4	3 —
g Citrus trifoliata . . . . .	— 6	5 6
⊙ Clarkia elegans double mixed . . . . .	— —	1 2
" " pulchella fl. albo. . . . .	— 2	1 2
" " " fl. carneo . . . . .	— 3	1 9
" " " albo pl. . . . .	— 3	1 3
" " " carmineo pl. . . . .	— 3	1 3
" " " double mixed. . . . .	— 2	1 2
Clary, see Salvia Horminum.		
4§ Clematis yemenica . . . . .	— 8	6 9
⊙ Cleome elegantissima . . . . .	— 3	2 6
" grandis Dam. new . . . . .	— 5	5 7
" heterophylla . . . . .	— 3	2 6
" pentaphylla . . . . .	— 3	2 8
" sesquiorgialis . . . . .	— 3	2 6
" speciosissima . . . . .	— 3	2 6

	per oz s. d.	per lb. s. d.
⊙ Cleome viscosa . . . . .	— 3	2 8
h Clerodendron divaricatum . . . . .	2 1	— —
" fragrans . . . . .	1 5	— —
" splendens . . . . .	1 —	— —
" trichotomum . . . . .	— 10	— —
h Clianthus Dampieri . . . . .	3 2	— —
" puniceus . . . . .	2 3	— —
⊙ Clinopodium argenteum (Electro) Dam. 1898. This very valuable plant deserves a prominent place in every flower garden. It grows about 12 inches high; its opposite oval and slightly hairy leaves are of a vivid green, and in their		



Clinopodium argenteum.  
Electro 3/8.

axils are produced numberless pure white flowers during the whole summer . . . . .	— 10	12 9
⊙§ Clitoria coelestis . . . . .	— 8	— —
" ternatea . . . . .	— 7	6 3
" " alba . . . . .	— 6	5 6
" " atrocoerulea . . . . .	— 4	3 4
" " mixed . . . . .	— 3	3 —
⊙§ Cobaea macrostemma (Electro) most elegant climber 100 seeds —/8; 1000 seeds 5/9	— —	— —
⊙§ Cobaea scandens, beautiful climber . . . . .	— 9	9 6
" " fl. albo. . . . .	1 5	21 —
⊙§ Coccinea indica . . . . .	— 7	7 4
" glauca . . . . .	— 8	7 9
" Moghad . . . . .	— 10	— —
Cockscomb, see Celosia.		
h Coleus hybridus, choicest hybridized, best selected varieties . . . . .	6 9	— —

	per oz s. d.	per lb. s. d.
h Coleus hybridus regalis (imperialis) (Electro) newest large-leaved varieties, splendid mixed . . . 1/8 oz 1/5	10 3	— —
o Collinsia bicolor	— —	1 2
"    "    candidissima . . .	— —	1 —
o    "    "    rosea Dam. 1898. To the different kinds of the pretty Collinsias, we have the pleasure to add a new and quite distinct rose colored form which distinguishes itself from the others also by its considerably larger flowers. An extremely beautiful kind . . . . .	— 10	12 9
Collinsia mixed . . . . .	— —	1 2
o Collomia coccinea . . . . .	— —	1 2
"    grandiflora . . . . .	— —	1 2



Cobaea macrostemma.  
Electro 3/3.

Columbine, see Aquilegia.		
4	Commelina bengalis cyanea Dam. 1/8 oz —/10	5 9 — —
	"    coelestis . . . . .	— 2 2 3
	"    "    alba . . . . .	— 3 2 9
	"    Sellowiana new . . . . .	— 4 3 —
	"    tuberosa . . . . .	— 4 — —
4§	Convolvulus altissimus . . . . .	— 10 — —
	"    aureus superbus . . . . .	— 8 — —
	"    major, see Ipomoea pur- purea.	— — — —
g	"    mauritanicus . . . . .	— 7 7 3
4§	"    tenuissimus . . . . .	— 4 3 6
o	"    minor (tricolor) . . . . .	— — 6 —
	"    "    albus, single white	— — — 7
	"    "    "    oculatus . . . . .	— — — 7
	"    "    azureus . . . . .	— — — 7
	"    "    grandiflorus . . . . .	— — — 10

	per oz s. d.	per lb. s. d.
o Convolvulus minor kermesinus . . . . .	— —	— 7
"    "    minor kermesinus violaceus . . . . .	— —	— 7
"    "    monstrosus . . . . .	— —	— 7
"    "    quadricolor . . . . .	— —	— 7
"    "    roseus (Rosy Queen) . . . . .	— —	— 7
"    "    speciosus atropurpureus . . . . .	— —	— 7
"    "    splendens . . . . .	— —	— 7
"    "    striatus . . . . .	— —	— 7
"    "    subcoeruleus . . . . .	— —	— 7
"    "    variegatis . . . . .	— —	— 9
"    "    violaceus . . . . .	— —	— 7
"    "    mixed . . . . .	— —	— 6
g Coprosma lucida . . . . .	2 3	— —
Coral Tree, see Erythrina.		
h Cordia Francisii . . . . .	— 3	— —
h Cordyline angustifolia (Dracaena)	— 4	4 —
"    australis, berries . . . . .	— 4	4 5



Coleus hybridus regalis.  
Electro 2/10.

h	Cordyline cannaefolia 100 seeds 2/6	— — —
	"    "    1000 " 22/6	— — —
	"    indivisa (C. colocoma super- biens) berries . . . . .	— 5 4 8
	"    "    lineata . . . . .	— 6 6 —
	"    "    latifolia . . . . .	— 6 6 —
	"    "    rosea . . . . .	— 6 6 —
	"    "    Veitchi . . . . .	— 6 6 —
	"    "    "    rubra Dracaena	— 6 6 —
	"    nutans 1000 seeds 4/—	2 9 — —
	"    rubra 1000 " 16/—	— — —
	"    spectabilis (Dracaena con- gesta) 1000 seeds 7/6	— — —
	"    terminalis 1000 " 8/—	— — —
o	Coreopsis abyssinica . . . . .	1 10 — —
4	"    auriculata . . . . .	— 5 — —
4	"    grandiflora . . . . .	— 5 — —
o	"    japonica . . . . .	— 9 9 3



	per oz s. d.	per lb. s. d.
<i>Datura fastuosa lutea plena</i> . . .	— 3	2 —
” ” fl. pl. mixed . . .	— 3	1 9
” ” <i>Huberiana alba plena</i> . . .	— 3	3 2
” ” <i>Huberiana atrovio-</i> <i>lacea punctata plena</i> . . .	— 3	3 2
” ” <i>Huberiana violacea</i> <i>intus alba plena</i> . . .	— 3	3 2
” ” <i>humilis flava plena</i> . . .	— 3	3 —
” <i>ferox</i> . . . . .	— 2	1 5
” <i>Humata</i> , dwarf blue . . .	— 2	1 8
” <i>humilis Golden Queen</i> . . .	— 8	7 5
” <i>laevis (inermis) dwarf white</i> . . .	— —	1 —
” <i>Metel</i> . . . . .	— —	— 10
” <i>quercifolia</i> . . . . .	— 2	1 8
” <i>Stramonium giganteum vio-</i> <i>laceum</i> . . . . .	— —	— 10
” <i>Wrightii (meteloides)</i> . . .	— —	1 —



Margaret Carnation semi-high double.  
Electro 3/3.

⊙	<i>Delphinium Ajacis</i> , see Larkspur.		
4	” <i>Cardinale</i> . . . . .	11 —	— —
⊙	” <i>cardiopetalum</i> . . . . .	— 2	1 3
4	” <i>caucasicum</i> . . . . .	— 7	— —
”	” <i>chinense mixed</i> . . . . .	— 4	3 9
”	” ” <i>album</i> . . . . .	— 5	— —
”	” ” <i>azureum</i> . . . . .	— 4	— —
”	” ” <i>violaceum</i> . . . . .	— 5	— —
”	” ” <i>pumilum album</i> . . . . .	— 4	— —
”	” ” <i>coeruleum</i> . . . . .	— 4	— —
”	” <i>elatum</i> . . . . .	— 4	3 9
”	” <i>emarginatum</i> . . . . .	— 5	4 5
”	” <i>formosum</i> . . . . .	— 1	14 6
”	” <i>hybridum mixed</i> . . . . .	— 4	3 9
”	” ” fl. pl. double mixed . . .	— 4	— —
”	” <i>luzulinum</i> . . . . .	— 1	— —
”	” <i>sulphureum (Zalil)</i> . . . . .	— 3	9 —

	per oz s. d.	per lb. s. d.
<i>Delphinium triste</i> . . . . .	— 5	4 5
Devil in a bush, see <i>Nigella</i> .		
Dew Plant, see <i>Mesembrianthemum</i> <i>tricolor</i> .		
4 <i>Dianthus barbatus</i> , Sweet William. fine single mixed . . . . .	— —	1 —
” ” 12 finest colours, each separate . . .	— —	1 2
fl. pl. best double-flowered mixed . . .	— 4	4 3
” ” ” ” 8 splendid ” colours each separate . . .	— 5	5 3
<i>nanus compactus</i> , single-flowered mixed . . . . .	— 3	1 9
<i>nanus compactus</i> , double mixed . . .	— 10	— —
<i>Dianthus Caryophyllus</i> fl. pl. seeds raised from finest stage flowers only.		
Bizarre . . . . .	— —	— —
Doublettes . . . . .	— —	— —
Fancy . . . . .	— —	— —
Self . . . . .	— —	— —
Picotees (Avranches) yellow ground 100 seeds 1/—; 1000 seeds 8/—	— —	— —
Picotees white ground 100 seeds —/10; 1000 seeds 6/6	— —	— —
Picotees (Saxons, with red border) 100 seeds 1/3; 1000 seeds 12/—	— —	— —
Spotted (Grenoble and Salamander) 100 seeds —/10; 1000 seeds 6/6	— —	— —
Extra fine mixture of the above stage flowers 100 seeds —/9; 1000 seeds 6/3	— —	— —
Splendid mixture of stage flowers 1/8 oz 5/10	43 —	— —
<b>Perpetual-flowering,</b> raised from finest stage plants only.		
Extra double . . . . .	2 10	— —
” ” dwarf (tige de fer) 1/16 oz 5/4; 1/8 oz 9/6	74 —	— —
Riviera Market 1/16 oz 3/4; 1/8 oz 6/—	43 —	— —
Alégatière 1/16 ” 5/9; 1/8 ” 10/3	76 6	— —
<b>Border- (Ground) Carnations.</b>		
Extra double self coloured . . . . .	2 —	27 —
” ” striped in beautiful colours . . .	2 2	31 9
Early flowering dwarf Vienna, finest strain . . . . .	1 4	20 —
Grenadin, brilliant red, choice quality	2 —	27 —
<b>Margaret Carnations Dam.</b>		
Malmaison, very large-flowering (require a heavy good soil) . . . . .	2 10	43 3
Semi-high very double, saved from the finest collection (Electro) . . . . .	1 —	12 9
Semi-high very double white . . . . .	3 2	— —
” ” ” rose . . . . .	2 6	— —
” ” ” scarlet . . . . .	2 6	— —

	per oz s. d.	per lb. s. d.		per oz s. d.	per lb. s. d.
<b>Margaret Carnation:</b>	2 6	— —	Dianthus plumarius fl. pl. finest double		
Semi-high very double dark red . . .	2 6	— —	Garden Pink . . . . .	2 5	— —
" " " purple (violet) . . .	2 6	— —	⊙ Didiscus (Huegelia) coeruleus . . .	— 9	— —
" " " striped . . .	3 2	— —	Didymocarpus, see Streptocarpus.		
The separate colours are still very variable			4 Digitalis (Foxglove) canariensis		
Dwarf, very double, finest mixed . . .	2 4	30 —	1/8 oz —/9	5 3	— —
Dwarf Margaret Carnation, newest dwarf double-Chabaud (tige de fer) . . .	5 —	— —	" gloxiniaeflora mixed . . .	— 3	2 —
⊙ Dianthus chinensis fl. pl. double			" maculata superba . . .	— 4	3 9
Chinese Pinks finest mixed . . .	— 4	3 5	" purpurea . . .	— 2	1 5
" chinensis albus plenissimus . . .	— 5	4 6	" " alba . . . . .	— 3	2 3
" " nanus atrosanguineus . . .	— 5	4 6	g§ Dioclea glycinoides . . . . .	— 5	5 1
" " pumilus striatus plenus . . .	— 5	4 6	4 Diotis candidissima (Santolina mari- tima) . . . . .	1 —	13 10
⊙ " dentosus hybridus dwarf mixed . . .	— 5	4 6	4 Diplostephium salicifolium (Aster)	— 9	9 3
" " hybridus fl. pl. double mixed . . .	— 6	6 7	⊙§ Dolichos atropurpureus . . . . .	— 2	1 —
⊙ " imperialis fl. pl. double Imperial			" bahiensis . . . . .	— 2	1 —
Pink finest mixed . . . . .	— 5	4 6	" bicontortus . . . . .	— 2	1 —
" " albus plenus . . . . .	— 5	5 2	" Catjari . . . . .	— 2	1 —
" " atrosanguineus plenus . . . . .	— 5	5 2	" cultratus . . . . .	— 2	1 —
" " pictus plenus . . . . .	— 5	4 6	" helveticus missouriensis . . .	— 3	2 —
" " rubro-albo striatus plenus . . .	— 5	4 6	" Lablab albus, Hyacinth Bean white	— —	— 10
" " striatus plenus . . . . .	— 5	5 1	" " " leucospermus	— —	1 —
⊙ " Heddewigi (giganteus) single			" " atrosanguineus . . . . .	— —	1 —
flowered mixed . . . . .	— 4	3 9	" " elegans . . . . .	— —	1 —
" " albus, Queen of Holland	1 9	— —	" " giganteus . . . . .	— —	1 —
" " (giganteus) double finest			" " nankinensis . . . . .	— —	1 —
mixed . . . . .	— 5	4 6	" " perennans . . . . .	— —	1 —
" " albus plenus . . . . .	— 5	4 6	" " Princess Helene Dam. 1896 new	— 3	1 3
" " Brillant . . . . .	— 5	5 2	" " purpureus . . . . .	— —	— 10
" " diadematus plenus . . . . .	— 5	5 2	" " roseus . . . . .	— —	— 10
" " hybr. atropurpureus plenus . . .	— 5	5 2	" " mixed . . . . .	— —	— 8
" " Crimson Belle . . . . .	— 5	4 6	" Lubia . . . . .	— 3	1 3
" " Eastern Queen . . . . .	— 5	4 6	g§ " lignosus . . . . .	— 4	1 10
" " striatus . . . . .	— 8	— —	⊙§ " monacalis . . . . .	— 3	1 5
" " Mourning Cloak . . . . .	— 5	4 6	" myodes . . . . .	— 3	1 3
" " the Bride . . . . .	— 5	4 3	" niger . . . . .	— 3	1 3
⊙ " hybridus (latifolius) atrococ- cineus plenus . . . . .	— 5	4 5	" ornatus . . . . .	— 4	1 9
" " atropurpureus plenus . . . . .	— 5	4 5	" radiatus . . . . .	— 3	1 3
" " atroseus plenus . . . . .	— 5	5 6	" sempervirens . . . . .	— 2	1 —
" " atroviolaceus plenus . . . . .	— 5	5 6	" sphorospermus . . . . .	— 2	1 —
⊙ " laciniatus single-flowered mixed	— 5	4 6	4 " tuberosus . . . . .	— 6	— —
" " double mixed . . . . .	— 8	9 3	1/2 Doryanthes Palmeri 100 seeds 1/7	— —	— —
" " albus . . . . .	— 4	4 —	1/2 Dracaena arborea . 100 seeds 1/3	— —	— —
" " " plenus . . . . .	— 8	9 2	" Draco . . . . .	— 5	4 5
" " atrosanguineus . . . . .	— 5	5 2	4 Dracocephalum moldavicum . . .	— —	— 6
" " atropurpureus plenus . . . . .	— 8	— —	" " fl. albo	— —	— 6
" " atroviolaceus plenus . . . . .	— 8	— —	g Duranta Plumieri . . . . .	— 3	2 —
⊙ " rubro striatus Dam. 1898.			Dusty Miller, see Centaurea candi- dissima.		
An extremely pretty kind blooming most profusely and growing about 8 to 10 inches high. The flowers are white, richly striped with lilac-red. A very valuable addition to the collection.	1 2	— —	⊙4§ Eccremocarpus scaber (Calampelis)	— 10	— —
Dianthus laciniatus Salmon Queen, new, large-flowering, salmon-red	— 10	— —	" " roseus . . . . .	1 —	— —
4 " plumarius, the common Phea- sant eye Pink . . . . .	— 3	1 8	4 Echinacea purpurea 100 seeds — 3 1000 seeds 1/9	— —	— —
			4 Echinops azureus (Globe Thistle).	— 3	1 8
			" banaticus . . . . .	— 3	1 9
			" bithynicus . . . . .	— 2	1 —

		per oz s. d.	per lb. s. d.
4	<i>Echinops commutatus</i> . . . . .	— 2	1 —
	„ <i>dahuricus</i> . . . . .	— 2	1 —
	„ <i>humilis</i> Cyane . . . . .	— 3	1 8
	„ <i>macrocephalus</i> . . . . .	— 3	2 4
	„ <i>Ritro</i> . . . . .	— 3	1 9
	„ <i>ruthenicus</i> . . . . .	— 3	2 —
	„ <i>sphaerocephalus</i> . . . . .	— 2	1 —
	„ <i>Tournefortii</i> . . . . .	— 3	1 10
	Edelweiss, see <i>Gnaphalium Leontopodium</i> .		
g	<i>Edwardsia Mac Nabiana</i> . . . . .	— 7	— —
g	<i>Elaeococa cordata</i> . . . . .	— 5	5 3



*Epilobium hirsutum* var. *adenocaulum*.  
Electro 3/11.

⊙	<i>Elsholtzia cristata</i> . . . . .	— 3	2 —
h	<i>Embothrium coccineum</i> . . . . .	1 9	— —
	English Clover, see <i>Gomphrena</i> .		
g	<i>Enkianthus japonicus</i> . . . . .	— 8	9 2
4	<i>Epilobium hirsutum</i> var. <i>adenocaulum</i> Hskn. Dam. 1898 (Electro). A magnificent variety from Asia Minor. The plant 28 inches in height, produces in great number panicles of a bright rose lilac color. A most recommendable perennial . . . . .	8 —	— —
	<i>Eranthemum longifolium</i> , scarlet, rich-flowering . 1000 seeds —/10	— —	— —
4	<i>Eremurus bucharicus</i> . . . . .	1 9	— —
	„ <i>Kaufmanni</i> . . . . .	2 3	— —
	„ <i>turkestanicus</i> . . . . .	1 2	16 4
4	<i>Erigeron caucasicum</i> . . . . .	— 4	3 —

		per oz s. d.	per lb. s. d.
4	<i>Erigeron divergens</i> . . . . .	— 4	3 —
	„ <i>glaucum</i> . . . . .	— 3	2 8
	„ <i>macranthum</i> . . . . .	— 6	— —
4	<i>Erpetion reniforme</i> , Australian Violet	5 8	— —
4	<i>Eryngium asperifolium</i> . . . . .	— 5	4 9
	„ <i>dichotomum</i> . . . . .	— 4	3 9
	„ <i>falcatum</i> . . . . .	— 4	3 9
	„ <i>glomeratum</i> . . . . .	— 5	— —
	„ <i>Kotschianum</i> . . . . .	— 5	4 9
	„ <i>pandanifolium</i> . . . . .	— 4	— —
	„ <i>planum</i> . . . . .	— 4	— —
	„ <i>Serra Dam. 1893</i> . . . . .	1 2	— —
⊙	<i>Erysimum arkanianum</i> . . . . .	— 3	2 3
	„ <i>Perowskianum</i> . . . . .	— —	— 10
h	<i>Erythrina caffra vera</i> 1000 seeds 16/—	— —	— —
	„ <i>coraliodendron</i> 1000 „ 12/—	— —	— —
	„ <i>coralloides</i> 100 „ 2/—	— —	— —
	„ <i>crista galli</i> . . . . .	— 7	8 —
	„ <i>indica</i> . . . . . 100 „ 1/3	— —	— —
	„ <i>insignis</i> . . . . . 1000 „ 2/6	— —	— —
	„ <i>lithosperma</i> . . . . . 100 „ 2/—	— —	— —
	„ <i>speciosa</i> . . . . . 100 „ 1/3	— —	— —
h	<i>Erythroxyton Coca</i> 100 „ 1/8	— —	— —



*Eschscholtzia maritima* Cross of Malta.  
Electro 3/3.

g	<i>Escallonia floribunda</i> . . . . .	6 —	— —
⊙	<i>Eschscholtzia californica</i> (Californian Poppy) . . . . .	— 2	1 8
	„ „ fl. albo . . . . .	— 3	1 10
	„ „ fl. albo pleno . . . . .	— 5	5 2
	„ „ fl. roseo . . . . .	— 3	2 —
	„ „ grandiflora carmine . . . . .	— 5	3 9
	„ „ The Golden West . . . . .	— 5	— —
	„ „ crocea . . . . .	— 2	1 8
	„ „ fl. pl. double . . . . .	— 5	4 6
	„ „ hybrida Mandarin . . . . .	— 4	3 9
	„ „ maritima, Cross of Malta (Electro) . . . . .	— 5	4 6
	„ „ tenuifolia . . . . .	— 3	2 3
⊙	<i>Ethulia conyzoides</i> Dam. 1898. . . . .	— 7	6 3
g	<i>Eucalyptus acmenoides</i> . . . . .	1 6	— —
	„ <i>amygdalina</i> . . . . .	— 11	12 9



	per oz s. d.	per lb. s. d.		per oz s. d.	per lb. s. d.
<i>g</i> Eucalyptus botryoides . . . . .	1 5	— —	<i>h</i> Euryale ferox, hot-house aquatic, similar to Victoria regia 100 seeds —/10; 1000 seeds 6/6	— —	— —
" citriodora . . . . .	5 8	— —	⊙ Eutoca viscida . . . . .	— 3	2 —
" colossea . . . . .	2 2	— —	⊙ " Wrangeliana . . . . .	— 2	1 2
" cornuta . . . . .	1 9	— —	Evening Primrose, see Oenothera.		
" corynocalyx . . . . .	1 9	— —	Everlasting Flower, see Helichrysum.		
" decipiens . . . . .	1 8	— —	Everlasting Pea, see Lathyrus lati- folius.		
" gigantea . . . . .	1 5	— —	4 Exacum affine, lilac-coloured, slightly scented . . . . . 1000 seeds —/5	— —	— —
" globulus, Blue Gum . . . . .	— 9	9 9	<i>g</i> Fabricia laevigata . . . . .	2 —	— —
" goniocalyx . . . . .	1 —	13 10	⊙ Fedia Cornucopiae . . . . .	— 3	2 —
" Gunnii . . . . .	1 8	— —	4 Felicia abyssinica Dam. 1897 new	1 7	— —
" haemastoma . . . . .	2 9	— —	Ferdinanda eminens, see Cosmo- phyllum.		
" Lehmanni . . . . .	2 2	— —	4 Ferula abyssinica . . . . .	— 9	— —
" macrorhyncha . . . . .	1 8	— —	" neapolitana . . . . .	— 4	3 —
" marginata . . . . .	2 —	— —	" tingitana . . . . .	— 6	4 9
" obliqua . . . . .	1 2	— —	Feverfew, see Matricaria.		
" piperita . . . . .	1 3	— —	<i>h</i> Ficus altissima . . . . .	5 9	— —
" resinifera, Red Gum . . . . .	1 2	17 5	" Cooperi . . . . . 1000 seeds 2/9	— —	— —
" robusta . . . . .	1 4	18 10	" elastica . . . . . 1000 " 2/—	— —	— —
" rostrata . . . . .	1 —	13 10	" imperialis . . . . . 1000 " 2/9	— —	— —
" rudis . . . . .	1 10	— —	" macrophylla 1000 " 2/6	— —	— —
" saligna . . . . .	1 7	23 6	Fishbone Thistle, see Chamaepeuce.		
" Stuartiana . . . . .	1 8	— —	Flora's Paint Brush, see Calacia.		
" viminalis . . . . .	1 —	13 —	Flos Adonis, see Adonis aestivalis.		
⊙ Eucharidium Breweri, rosy purple . . . . .	1 7	— —	Flowering Flax, see Linum.		
" grandiflorum . . . . .	— 3	2 2	Flowering Maple, see Abutilon.		
4 Eupatorium altissimum, Dam. 1898. This very hardy perennial attains a height of about 6 feet. Its charming narrow leaves about 3 inches long confer to the plant a magnificent aspect. The flowers are pure white and are reproduced continually throughout the summer . . . . .	1 3	— —	Forget me not, see Myosotis.		
Eupatorium aromaticum . . . . .	— 5	— —	Fountain Plant, see Amaranthus salicifolius.		
" carolinianum . . . . .	— 5	— —	Four o'clock, see Mirabilis.		
" cannabinum . . . . .	— 6	6 —	Fox glove, see Digitalis.	— 10	11 —
" riparium . . . . .	— 9	9 3	4 Fragaria indica . . . . .	— —	— —
" glechomaefolium . . . . .	— —	— —	<i>g</i> Franseria artemisioides . . . . .	— —	— —
1000 seeds 2/10 . . . . .	— —	— —	100 seeds —/10 . . . . .	— —	— —
4 Eupatorium serotinum, Dam. 1898. This plant shares for its remarkable properties all the qualities of the above, only its leaves are shorter and similar to those of Eupatorium riparium, although much longer and more narrow. For cutting purposes both kinds are of the greatest value . . . . .	1 3	— —	<i>g</i> Fuchsia corymbiflora 1000 seeds —/7	— —	— —
Eupatorium serrulatum, new . . . . .	2 4	— —	<i>g</i> " " alba 1000 " —/7	— —	— —
4 " verticillatum . . . . .	— 5	4 8	<i>g</i> " " procumbens 1000 " 2/4	— —	— —
<i>g</i> " Weinmannianum . . . . .	— 9	— —	⊙ Gaillardia Amblyodon . . . . .	— 3	2 —
" " tricolor . . . . .	3 —	— —	" Amblyodon atrosanguinea . . . . .	— 6	5 6
<i>g</i> Euphorbia dendroides . . . . .	— 2	— —	4 " grandiflora Loiselei . . . . .	— 5	5 2
⊙ " heterophylla . . . . .	— 10	11 —	⊙ " picta (pulchella) . . . . .	— 3	1 7
⊙ " Lathyris . . . . .	— 3	2 3	" " Lorenziana alba . . . . .	— 4	3 —
⊙ " variegata (marginata) Varie- gated Spurge . . . . .	— 2	1 10	" " " aurantiaca . . . . .	— 4	3 —
<i>g</i> Eurya japonica . . . . .	— 7	8 6	" " " aurea . . . . .	— 4	3 —
			" " " bicolor . . . . .	— 4	3 —
			" " " coccinea . . . . .	— 4	3 —
			" " " " marginata . . . . .	— 4	3 —
			" " " sanguinea . . . . .	— 4	3 —
			" " " " marginata . . . . .	— 4	3 —
			" " " " best double mixed . . . . .	— 3	2 —
			⊙ Gamolepis Tagetes . . . . .	— 4	— —
			<i>h</i> Gardenia florida . . . . . 100 fruits 4/—	— —	— —
			" radicans . . . . . 100 fruits 1/3	— 4	3 4
			" Rothmannii 100 seeds 1/—	— —	— —

	per oz s. d.	per lb. s. d.
Gardenia Thunbergia 100 seeds 1/9	—	—
⊙ Gaura Lindheimeri . . . . .	— 3	1 10
2 Gazania bracteata . . . 1/8 oz 3/—	20 3	—
2 " hybrida Nora, Dam. 1897 (Electro) flowers milk white, with lilac tips, sulphur-yellow at the base with a large black spot, 100 seeds 1/6; 1000 seeds 11/4	—	—
2 Gazania hybrida Diana, Dam. 1897 (Electro). Upper part of the petals yellowish white, the lower part changing into chrome-yellow, 100 seeds 1/2; 1000 seeds 8/3	—	—



Gazania hybr. Blondine.  
Electro 3/3.

2 Gazania hybrida Blondine, Dam. 1897 (Electro). Bright chamois, dark orange on the base with white or pale yellow spots; the opposite part of the petals is dark lilac striped, 100 seeds 1/6; 1000 seeds 12/3	—	—
2 Gazania hybrida Bianca, Dam. 1897. Flowers at first sulphur-yellow, changing afterwards into white; slight purple spots at the base of the petals; the opposite part of the petals bears a broad blue stripe in the centre. Flowers measuring about 3 in. across, 100 seeds 1/9; 1000 seeds 14/6	—	—
2 Gazania splendens . . . . .	— 8	9 1
" stenophylla (Gazaniopsis) . . . . .	— 10	—
2 Genipa americana (Gardenia Genipa) 10 seeds 1/—	—	—
g Genista aetnensis . . . . .	2 3	—
" canariensis . . . . .	2 10	—

	per oz s. d.	per lb. s. d.
g Genista candicans . . . . .	— 8	—
" thyrsiflora . . . . .	— 3	—
2 Gentiana acaulis . . . . .	— 8	7 3
Genanium, see Pelargonium.		
2 Gerbera Jamesoni . . . . .	—	—
2 Geum coccineum . . . . .	— 8	—
" " atrosanguineum . . . . .	— 7	6 8
⊙ Gilia californica . . . . .	—	— 10
" " capitata blue . . . . .	—	— 10
" " " alba . . . . .	—	— 10
" liniflora . . . . .	— 4	3 9
" multicaule . . . . .	—	1 —
" nivalis . . . . .	—	7 —
" " nana compacta . . . . .	— 2	1 5
" tricolor . . . . .	—	— 6
2 Glaucium Fischeri . . . . .	— 3	2 6
" luteum . . . . .	—	1 —
" rubrum . . . . .	— 2	1 7
Globe amarant, see Gomphrena.		
" Thistle, see Echinops.		
2 Globularia salicina . . . . .	3 5	—
Glory Pea, see Clianthus.		
2 Gloxinia hybrida with erect flowers mixed, 1/32 oz 3/—; 1/16 oz 5/6; 1/8 oz 9/9	73	—
Gloxinia hybrida elegantissima punctata, 1/32 oz 4/3; 1/16 oz 7/9; 1/8 oz 14/9	112	—
Gloxinia hybrida grandiflora (Em- peror Frederic) bright scarlet with broad white borders, 1/32 oz 7/—; 1/16 oz 13/—; 1/8 oz 25/—	190	—
Gloxinia hybrida grandiflora (Em- peror William) dark-purple, bordered white, 1/32 oz 8/—; 1/16 oz 15/—; 1/8 oz 29/—	224	—
Gloxinia hybrida grandiflora Défiance, scarlet 1/32 oz 8/—; 1/16 oz 15/—; 1/8 oz 29/—	224	—
Gloxinia hybrida splendida mixed 1/32 oz 2/9; 1/16 oz 5/—; 1/8 oz 9/—	67	—
2 Gnaphalium Leontopodium (Edel- weiss) . . . . .	4 3	—
⊙ " orientale fl. pleno 1/32 oz 1/6; 1/16 oz 2/6; 1/8 oz 4/6	34	—
⊙ Godetia Bijou, dwarf, with rose- coloured spot . . . . .	— 4	3 9
" Bridesmaid . . . . .	— 4	3 —
" carminea aurea . . . . .	— 8	—
" Duchess of Albany, satin white	— 4	3 9
" " of Fife, dark-red with white	— 6	—
" Duke of Fife, crimson . . . . .	— 5	—
" " " York, scarlet carmine	— 9	—
" Fairy Queen . . . . .	— 6	4 6
" General Gordon, deep crimson	— 5	3 10
" Gloriosa, deep bloodred . . . . .	— 10	—
" grandiflora rosea plena . . . . .	2 3	—
" La Belle, brilliant rose . . . . .	1 —	—

	per oz s. d.	per lb. s. d.
⊙ Godetia Lady Albemarle . . . . .	— 5	3 9
"    "    " compacta . . . . .	— 5	3 9
"    "    " Satin Rose . . . . .	— 5	3 9
" Lindleyana fl. pl. . . . .	— 2	1 10
" Mandarin, pale yellow . . . . .	— 6	6 8
" Princess Henry . . . . .	— 4	3 2
"    " of Wales . . . . .	— 4	3 4
" the Bride . . . . .	— 2	2 —
" Whitney Brilliant . . . . .	— 4	3 2
"    "    " compacta . . . . .	— 5	3 10
" White Pearl . . . . .	— 2	2 —
" mixed . . . . .	— 2	2 —
Gold Dust, see Alyssum saxatile.		
Golden Feather, see Pyrethrum parthenifolium aureum.		
g Gomphocarpus arborescens . . . . .	— 5	— —
" fruticosus . . . . .	— 5	— —
⊙ Gomphrena decumbens, dwarf rosy- lilac . . . . .	— 2	2 —
" globosa (Globe Amaranth) . . . . .	— 2	1 6
"    " alba . . . . .	— 2	1 8
"    " carnea . . . . .	— 2	1 3
"    " rosea . . . . .	— 2	1 10
"    " nana compacta . . . . .	— 2	2 2
"    "    " alba . . . . .	— 2	2 —
"    "    " carnea . . . . .	— 2	2 —
"    " variegata . . . . .	— 2	1 3
"    " mixed . . . . .	— 2	1 5
" Haageana, orange . . . . .	— 2	2 —
Gourds, ornamental, see Cucurbita and Lagenaria.		
g Grevillea robusta . . . . .	— 10	12 —
4 Grindelia robusta . . . . .	— 9	9 3
⊙§ Gronovia scandens . . . . .	— 9	— —
Groundsel, see Senecio.		
h Guevina Avellana . . . . .	— 5	4 5
4 Gunnera scabra . . . . .	11 3	— —
4 Gypsophila acutifolia . . . . .	— —	— 10
⊙    " elegans . . . . .	— —	— 10
4    " paniculata . . . . .	— 4	3 —
4    " repens . . . . .	— 7	7 —
g Habrothamnus elegans . . . . .	— 10	— —
h Haematoxylon Campechianum . . . . .	— —	— —
100 seeds —/10 . . . . .	— —	— —
g Hakea saligna . . . . .	— 3	2 —
Hardenbergia, see Kennedy.		
Hawkweed, see Crepis.		
Heartsease, see Viola tricolor maxima.		
⊙ Hebenstreitia comosa serratifolia . . . . .	1 3	— —
h Hedychium coronarium . . . . .	2 3	— —
" Gardnerianum . . . . .	1 9	— —
4 Hedysarum coronarium (French Honeysuckle), clean seed . . . . .	— —	1 —
4 Heimia salicifolia . . . . .	1 —	— —
⊙ Helianthus (Sunflower).		
" annuus Bismarckianus, with enormous flowers . . . . .	— 3	1 3

	per oz s. d.	per lb. s. d.
⊙ Helianthus annuus globosus fistu- losus . . . . .	— —	1 —
" annuus flore pleno . . . . .	— —	1 —
"    " nanus fol. var. (Golden Leaf) . . . . .	— 2	1 10
"    " californicus plenissimus . . . . .	— —	1 —
"    " macrophyllus giganteus . . . . .	— —	8 —
"    " Primrose coloured . . . . .	— —	1 —
" argyrophyllus . . . . .	— —	1 —
" cucumerifolius, small-flowered . . . . .	— 2	2 —
"    " Orion, new . . . . .	— 7	7 5
"    " Stella, new, pure golden yellow . . . . .	— 5	4 —
" Dammannii . . . . .	— 3	2 —
"    " sulphureus . . . . .	— 3	2 —
" giganteus serratifolius . . . . .	— 4	3 2
" lenticularis . . . . .	— —	1 —
4    " mollis . . . . .	— 4	3 9



Helichrysum angustifolium.  
Electro 2/—.

Helianthus orgyalis . . . . .	— 3	3 —
4 Helichrysum angustifolium (Electro)	— 7	6 3
⊙ Helichrysum compositum monstro- sum, double large-flowered mixed . . . . .	— 8	7 —
⊙ Helichrysum compositum nanum plenissimum, dwarf double mixed . . . . .	— 8	7 9
4 Heliophylla patula . . . . .	— 4	3 —
h Heliotropium peruvianum.		
" Anna Turell . . . . .	1 9	— —
" Boule de neige . . . . .	1 8	— —
" Bouquet parfait . . . . .	1 9	— —
" giganteum, large-flowered, dark violet (purple) . . . . .	6 10	— —
" grandiflorum . . . . .	2 —	— —
" Gloire des massifs . . . . .	1 8	— —
" Regina Margarita (Marguerite)	6 10	— —
" Reine des Violettes . . . . .	1 7	— —
" Roi des noirs . . . . .	2 5	— —
" Triomphe de Liège . . . . .	1 8	25 3
" Umberto . . . . .	6 3	— —
" Voltaireanum . . . . .	1 8	— —
" White Lady . . . . .	2 10	— —

	per oz s. d.	per lb. s. d.
Heliotropium peruvianum, newest large-flowering varieties mixed	1 7	20 —
⊙ " indicum . . . . .	— 5	5 7
" suaveolens . . . . .	— 10	11 —
4 Helleborus niger, (Christmas Rose)	— 5	4 6
⊙ Hemilepsis Ehrenbergi . . . . .	— 6	6 5
⊙ Heracleum Panaces . . . . .	— —	1 2
½ Herminiera Elaphroxylon, pods . .	3 9	— —
4 Hesperis matronalis (Sweet Rocket) mixed . . . . .	— —	— 10
" matronalis fl. alba . . . . .	— —	1 2
" tristis . . . . .	— —	1 4
⊙ Heterospermum Xanthii A. Gray (Electro), Dam. 1898. Quite particularly recommended. It grows only about 8 to 10 inches high and is therefore most adapted for borders or carpet bedding. Its small flowers are chrome-yellow with a shade of canary-		



Heterospermum Xanthii.  
Electro 3/6.

	yellow at the end of the petals. They bloom continually from beginning of June to the end of autumn and the flowers appear already 4 weeks after the sowing . . . . .	— 10	— —
4	Heuchera americana . . . . .	— 5	— —
"	" cylindrica . . . . .	1 —	— —
"	" hispida . . . . .	— 5	— —
"	" ribifolia . . . . .	— 7	— —
"	" sanguinea, crimson. . . . .	2 5	— —
h	Hevea brasiliensis . . . . .	1 2	— —
h§	Hexacentris coccinea 100 seeds 1/5	— —	— —
"	" mysorensis	— —	— —
	100 seeds 4/—	— —	— —
⊙	Hibiscus africanus . . . . .	— —	— 11
h	" albus grandiflorus . . . . .	— 3	2 10
h	" coccineus . . . . .	— 7	7 4
h	" grandiflorus mixed . . . . .	— 3	2 —
h	" Hamabo . . . . .	— 9	10 3
g	" liliiflorus . . . . .	2 2	— —

	per oz s. d.	per lb. s. d.
g Hibiscus moschatus albus . . . . .	— 4	3 —
" " roseus . . . . .	— 4	3 —
g " mutabilis . . . . .	1 —	— —
g " palustris . . . . .	— 2	2 3
" " roseus . . . . .	— 2	2 3
g " Patersoni (Lagunaria) . . . . .	— 7	— —
h " rosa sinensis . . . . .	1 10	— —
h " roseus grandiflorus . . . . .	— 2	1 10
g " speciosus . . . . .	— 2	2 3
⊙ " Trionum . . . . .	— 2	2 3
g " virginicus . . . . .	— 2	2 3
Hollyhocks, see Althaea rosea fl. pl.		
Honesty, see Lunaria biennis.		
Honeysuckle French, see Hedysarum coronarium.		
Horn Poppy, see Glaucium.		
⊙§	Humulus japonicus, Japanese Hop	— 5 4 3
⊙§	" japonicus variegatis, with white variegated leaves . . . . .	— 6 6 3
⊙§	" " lutescens . . . . .	— 6 6 —
4§	" Lupulus . . . . .	— 2 1 5
⊙	Hunnemannia fumariaefolia . . . . .	— 7 8 —
h	Hura crepitans . 100 seeds 3/9	— — — —
Hyacinth Beans, see Dolichos.		
h	Hymenaea Courbaril 10 seeds —/5; 100 seeds 2/10.	— — — —
⊙	Iberis (Candytuft) affinis . . . . .	— 2 1 —
"	" amara . . . . .	— — — 10
"	" coronaria Empress . . . . .	— 3 3 —
"	" " pumila . . . . .	— 2 1 3
"	" " regia (hesperidifolia) . . . . .	— — — 10
"	" coronopifolia compacta . . . . .	— 2 1 3
"	" Forestieri . . . . .	— — — 10
4	" Garrexiana . . . . .	— 3 2 9
4	" gibraltarica . . . . .	2 10 — —
⊙	" integerrima . . . . .	— — — 10
⊙	" Lagascae . . . . .	— 2 1 8
⊙	" nigricans . . . . .	— 2 1 6
⊙	" odorata (pectinata). . . . .	— — — 10
4	" sempervirens . . . . .	— 7 7 6
4	" Tenoriana . . . . .	— 3 1 10
⊙	" Timory fol. aureis var. . . . .	— 10 10 10
⊙	" umbellata, lilac . . . . .	— 3 2 —
"	" " white . . . . .	— 2 1 8
"	" " carminea . . . . .	— 5 4 6
"	" " carnea . . . . .	— 5 4 6
"	" " purpurea . . . . .	— 2 1 8
"	" " Queen of Italy . . . . .	— 7 7 6
"	" " nana alba . . . . .	— 3 2 3
Ice Plant, see Mesembrianthemum crystallinum.		
g	Illicium religiosum . . . . .	— 4 3 9
⊙	Impatiens Balsamina flore pleno. Balsams.	
	Double tall Balsams mixed . . . . .	— 2 2 3

Double Rose Balsams.

- |                         |                      |
|-------------------------|----------------------|
| 1. Apple-blossom,       | 9. Pale yellow,      |
| 2. Brilliant brick-red, | 10. Peach-blossom,   |
| 3. Chamois,             | 11. Pomegranate red, |
| 4. Chamois rose,        | 12. Purple,          |
| 5. Dark blue,           | 13. Rose,            |
| 6. Deep blood-red,      | 14. White,           |
| 7. Light blue,          | 15. White with rose, |
| 8. Lilac,               |                      |

each separate . . . . . — 4 4 2  
 All colours mixed . . . . . — 4 3 5

Double Camellia Balsams.

- |                       |                  |
|-----------------------|------------------|
| 1. Brilliant rose,    | 6. Purple,       |
| 2. Brilliant scarlet, | 7. Rose,         |
| 3. Crimson,           | 8. Rosy carmine, |
| 4. Light blue,        | 9. Rosy lilac,   |
| 5. Lilac,             | 10. Scarlet,     |

each separate . . . . . — 4 4 2  
 All colours mixed . . . . . — 4 3 5

Improved Camellia Balsamina

„Prince Bismarck“ . . . . . 1 10 — —

Double dwarf Balsams, splendid mixed — 4 3 10

Solferino Balsams, streaked and spotted, mixed . . . . . — 4 3 5

Regalis, The King . . . . . — 4 4 —

„ The Queen . . . . . — 4 4 —

⊙ *Impatiens biflora* . . . . . 1 — — —

ℓ „ *Rodigasi*, new

100 seeds 1/—; 1000 seeds 8/ — — —

ℓ „ *Sultani* 1/16 oz 2/6; 1/8 oz 4/3 30 3 — —

„ „ *hybrida rosea*

1/16 oz 3/3; 1/8 oz 5/6 40 6 — —

„ „ *hybrida salmonea*

1/16 oz 3/3; 1/8 oz 5/6 40 6 — —

„ „ *hybrida violacea*

1/16 oz 3/3; 1/8 oz 5/6 40 6 — —

4 *Incarvillea variabilis*, new

1/16 oz 2/3; 1/8 oz 4/— 29 — — —

Indian Shoot, see *Canna*.

ℓ *Inga pulcherrima* . 100 seeds 3/8 — — —

⊙ *Ipomoea bona nox* . . . . . — 2 1 8

„ *campanulata* . . . . . — 4 1 10

ℓ „ *chrysantha*, large-flowering, golden

yellow . . 100 seeds 1/2 — 4 3 —

⊙ „ *coccinea* . . . . . — 2 1 2

„ „ *luteola* . . . . . — 2 1 2

⊙ „ *dissecta* . . . . . — 4 3 9

„ *grandiflora Hesperus*, new; a

grand new variety of the "Moonflower";

flowers pure white of enormous size;

most magnificent . . . . . 1 4 — —

⊙ *Ipomoea grandiflora mexicana alba*

4 „ *Hardingi* . 100 seeds 1/— — — —

⊙ „ *hederacea grandiflora alba* . . . . . — 2 1 2

„ *Huberi variegata Carmen Sylva*

— 3 1 10

„ *Huberi variegata atrovioleacea*

*marginata azurea* . . . . . — 2 1 3

*Ipomoea Huberi variegata carminea*

*alba marginata* . . . . . — 2 1 3

„ *Huberi variegata carminea*

*intus alba* . . . . . — 2 1 3

„ *Huberi variegata violacea alba*

*marginata* . . . . . — 2 1 6

„ *Huberi variegata violacea intus*

*alba* . . . . . — 2 1 6

„ *Huberi variegata finest mixed* . . . . . — — — 10

⊙ *Ipomoea imperialis* Dam, 1893; a most beautiful class of *Ipomoea* with so very large flowers, that their borders



*Ipomoea imperialis aurata*.  
 Electro 3.3.

are often fringed; the colours are for the most part new not only with this class but they are also seldom found amongst any other kind of plants.

Splendid mixed . . . . . — 4 3 4

⊙ *Ipomoea imperialis Adonis*; bright

purple with pure white throat . . . . . — 4 4 —

⊙ *Ipomoea imperialis Aglaia*; leaves

silvery, flowers very large crimson with

a white throat . . . . . 4 3 8

⊙ *Ipomoea imperialis Antigone*; leaves

silvery, flowers very large, blue with

a rosy throat . . . . . 5 4 9

⊙ *Ipomoea imperialis Aphrodite*, Dam,

1898. We are happy to offer a

white flowering kind of the most

beautiful class of *Ipomoea Imperialis*

introduced by us some years ago . . . . . 6 5 6

⊙ *Ipomoea imperialis Asteria*; enormous

flowers, copper-red with a white

throat . . . . . — 5 4 9

	per oz s. d.	per lb. s. d.
⊙ <i>Ipomoea imperialis aurata</i> (fol. aureis var.); quite a new and magnificent class for itself; leaves of many shapes with a golden hue and mostly blue, lilac or rose-coloured gigantic flowers, forming a most effective contrast with the golden foliage (Electro) . . . . .	— 6	5 3
⊙ <i>Ipomoea imperialis aurata Cleopatra</i> , Dam. 1898. Foliage of a gold yellow hue. Flowers of a brilliant carmine whit white throat and border. A remarkable addition to the superb <i>Aurata</i> class . . . . .	— 6	5 10
⊙ <i>Ipomoea imperialis aurata Juno</i> ; Dam. 1896; leaves golden and silvery, highly		



*Ipomoea imperialis Princess.*  
Electro 3/5.

decorative; the lovely flowers are sky-blue . . . . .	— 4	3 9
⊙ <i>Ipomoea imperialis aurata Luna</i> . Dam. 1896; leaves almost golden yellow marbled with pale yellow and silver-white; the very large flowers are dark and light blue and of a delicate carnation . . . . .	— 4	3 9
⊙ <i>Ipomoea imperialis Ceres</i> ; leaves silvery; flowers crimson with a broad white border and a red flamed throat; most effective . . . . .	— 5	4 6
⊙ <i>Ipomoea imperialis micans</i> , Dam. 1896; another wonderful class of <i>Ipomoea imperialis</i> with perfectly smooth stems and leaves; leaves either green or silvery and the variety of colors is most beautiful and striking; finest mixture	— 4	4 —

	per oz s. d.	per lb. s. d.
⊙ <i>Ipomoea imperialis Princess</i> , Dam. 1897 (Electro); leaves marbled white; flowers white very much crimson striped turning altogether into crimson towards the border; the throat is slightly red spotted . . . . .	— 8	8 —
⊙ <i>Ipomoea imperialis Thalia</i> ; flowers gigantic; snow white; beautiful . . . . .	— 4	4 —
⊙ <i>Ipomoea imperialis collata</i> , Dam. (Electro), a most remarkable and beautiful class of the greatest variety of shape and colour, the gigantic flowers are partly curled or frizzled looking thus, as if they were double. . . . .	— 10	10 9



*Ipomoea imperialis collata.*  
Electro 3/3.

⊙ <i>Ipomoea imperialis collata alba</i> , Dam. 1896; flowers snow white . . . . .	1 —	11 6
⊙ <i>Ipomoea imperialis collata carminea</i> , Dam. 1896; flowers of a beautiful crimson very much frizzled . . . . .	1 —	11 6
<i>Ipomoea imperialis collata carm. albo marginata</i> , Dam. 1898. We offer this year some new and valuable additions to the gorgeous and much appreciated class of <i>Ipomoea collata</i> . The splendid flowers of the above new kind are of a deep carmine with white border and a delicate rose throat. Very deep blue with delicate pink throat and white border. The marvellous beauty of all these colors is really striking . . . . .	1 3	14 9

	per oz s. d.	per lb. s. d.
⊙ Ipomoea imperialis Euphrosyne; leaves silvery; flowers very large, snow white with a rosy throat . . . . .	— 4	3 9
⊙ Ipomoea insuavis . . . . .	— 4	4 3
⊙ " lachnosperma . . . . .	— 2	— 9
⊙ " laciniosa . . . . .	— 2	— 9
h " Learii, blue . . . . .	1 —	14 9
⊙ " limbata (Pharbitis) . . . . .	— 2	1 2
⊙ " " hybrida . . . . .	— 2	2 —
⊙ " Nil . . . . .	— —	1 —
" " grandiflora . . . . .	— 2	1 5
" " oculata . . . . .	— 3	2 3
⊙ " purpurea (Morning Glory) Con- volvulus major, esplndid mixed	— —	— 7



Ipomoea purpurea violacea fl. pl.  
Electro 3/6.

	per oz s. d.	per lb. s. d.
h Ipomoea setifera Dam. 1893 . . . . .	— 3	1 9
⊙ " setosa . . . . .	— 8	— —
h " tuberculata Dam. 1895 . . . . .	— 8	— —
h " umbellata . . . . .	1 —	— —
4 " gossypoides . . . . .	— 8	— —
⊙ Ipomopsis Beyrichii . . . . .	— 4	3 10
" " elegans, mixed . . . . .	— 3	2 8
" " atrorubens . . . . .	— 4	3 4
" " aurantiaca . . . . .	— 4	3 4
" " " tigrina . . . . .	— 4	3 4
" " aurea . . . . .	— 4	3 4
" " cupreata . . . . .	— 4	3 4
" " longiflora . . . . .	— 5	5 2
" " lutea . . . . .	— 4	3 4



Ipomoea sanguinea (Mina.)  
Electro 2/10.

⊙ Ipomoea purpurea, 6 distinct colours each separate . . . . .	— —	— 8
" " purpurea fl. albo pleno, double white . . . . .	— 5	4 3
" " fl. carminea plena . . . . .	— 8	7 9
" " fl. carneo plena . . . . .	— 7	6 9
" " fl. violaceo plena . . . . .	— 5	4 5
" " flore pleno, double flower- ing mixed . . . . .	— 6	5 6
⊙ " Quamoclit, Cypress Vine . . . . .	— 3	2 6
" " fl. alba . . . . .	— 4	2 10
" " fl. rosea . . . . .	— 3	2 8
⊙ " " hederacea, scarlet . . . . .	— 3	2 3
4 " quinquefolia . . . . .	— 3	2 3
⊙ " Roxburghii . . . . .	— 3	1 6
⊙ " rubro-coerulea (violacea vera) fl. albo . . . . .	— 9	9 6
⊙ " " fl. albo . . . . .	— 11	12 9
⊙ " sanguinea (Mina) (Electro) . . . . .	— 4	3 —
h " scarlatina . . . . .	— 6	6 7

Ipomopsis elegans rosea . . . . .	— 4	3 4
" " elegans superba . . . . .	— 4	3 4
⊙ Ismelia coronopifolia . . . . .	— 4	3 10
Italian Bugloss, see Anchusa.		
h Ixora coccinea . . . . .	3 —	— —
h Jacaranda Chelonia 100 seeds 1/3	— —	— —
" " mimosaefolia . . . . .	— 10	11 3
" " alba 100 seeds 1/8	— —	— —
Jacobaea, see Senecio elegans.		
h Jatropha Curcas . . . . .	— 4	3 4
" " Manihot . . . . .	— 4	3 4
" " multifida . . . . .	— 5	— —
Jerusalem Star, see Cerastium.		
h Jochroma coccinea . . . . .	3 —	— —
⊙ Jonopsidium acaule . . . . .	2 2	— —
Joseph's Coat, see Amaranthus tricolor.		
Jove's Flower, see Agrostemma coronaria.		

	per oz s. d.	per lb. s. d.		per oz s. d.	per lb. s. d.
4 Jurinaea Eversmannii . . . . .	— 3	2 3	⊙§ Lathyrus odoratus, Adonis . . . . .	—	— 10
⊙ Kaulfussia amelloides . . . . .	— 6	6 5	.. .. Apple blossom . . . . .	—	— 10
4 Kitaibelia vitifolia . . . . .	— 7	7 5	.. .. Bronze King . . . . .	—	1 —
g§ Kennedyia coerulea . . . . .	1 —	—	.. .. Butterfly . . . . .	—	— 10
.. Comptoniana . . . . .	1 9	—	.. .. Captain of the blues . . . . .	—	1 3
.. Maryattae . . . . .	1 5	—	.. .. coccineus . . . . .	—	1 4
.. nigricans . . . . .	2 10	—	.. .. Crownprincess of Prussia . . . . .	—	— 9
.. monophylla (Hardenbergia) . . . . .	2 2	—	.. .. Countess of Radnor . . . . .	—	1 5
.. ovata alba . . . . .	— 10	12 9	.. .. Dorothy Tennant . . . . .	—	1 6
.. rosea . . . . .	1 —	14 6	.. .. Duchess of Edinburgh . . . . .	—	— 10
.. pentaphylla . . . . .	1 —	—	.. .. Emily Henderson . . . . .	— 2	1 6
.. prostrata . . . . .	1 4	—	.. .. Her Majesty . . . . .	—	1 —
.. rubicunda . . . . .	1 4	—	.. .. Imperial blue . . . . .	—	— 10
⊙ Kochia scoparia . . . . .	— —	6	.. .. Indigo King . . . . .	—	— 10
4 Kuhnia eupatorioides, Dam. 1898. A small shrub with lovely flowers of a creamy white which reproduce themselves until the autumn. Its fine narrow leaves are only about 1 inch. long. The plant is of a vigorous growth, about 4 feet high, and requires no particular care . . . . .	1 3	— —	.. .. Invincible carmine (Cardinal) . . . . .	—	— 10
⊙§ Lagenaria leucantha clavata . . . . .	— 2	2 —	.. .. Isa Eckford . . . . .	—	1 —
.. .. corsica . . . . .	— 2	2 —	.. .. Lottie Eckford . . . . .	—	— 9
.. .. enormis . . . . .	— 2	2 —	.. .. Orange Prince . . . . .	—	1 —
.. .. maxima . . . . .	— 2	2 —	.. .. Primrose . . . . .	—	1 —
.. .. verrucosa . . . . .	— 2	2 —	.. .. Princess of Wales . . . . .	—	— 9
.. .. var. Gourds of different curious shapes, such as for instance Water-bottle, Tobacco box etc. etc. . . . .	— 2	2 —	.. .. Queen of England . . . . .	—	— 10
.. .. sphaerica . . . . .	— 4	3 —	.. .. " of the Isles . . . . .	—	— 9
.. .. vulgaris sylvestris (abyssinica) . . . . .	— 4	2 9	.. .. Vesuvius . . . . .	—	— 8
g Lagerstroemia indica, clean seed . . . . .	1 5	— —	.. .. White, pure white . . . . .	—	— 8
.. .. Reginae . . . . .	— 7	—	g Lavatera arborea . . . . .	— 2	2 —
Lagunaria, see Hibiscus.			.. .. fol. var. . . . .	— 7	6 —
g Lantana hybrida grandiflora, fine mixed . . . . .	— 3	2 —	g .. assurgentiflora . . . . .	— 9	— —
g§ Lapageria rosea . . 1000 seeds 5/3	—	—	⊙ .. maritima . . . . .	— 7	— —
.. rosea fl. albo . 100 " 1/4	—	—	⊙ .. trimestris fl. albo . . . . .	— 2	1 8
⊙ Larkspurs.			.. .. fl. rubro . . . . .	— 2	1 8
Double Imperial branching (Delphinium Consolida imperiale) finest mixed . . . . .	— 2	2 —	⊙ .. tripartita . . . . .	— 2	1 10
Double dwarf branching or Candelabrum mixed . . . . .	— 8	9 2	4 Leonurus sibiricus . . . . .	—	— 9
Double Hyacinth-flowered giant, finest mixed . . . . .	— 3	1 9	⊙ Leptosiphon aureus . . . . .	— 6	5 3
4§ Lathyrus angustifolius fl. albo . . . . .	— 4	3 9	.. .. densiflorus fl. albo . . . . .	— 4	3 5
⊙§ .. azureus . . . . .	—	7	.. .. hybridus mixed . . . . .	— 6	5 3
4§ .. latifolius albus . . . . .	— 6	6 7	⊙ Leptosyne Douglasii . . . . .	— 5	4 6
4§ .. splendens (California) . . . . .	4 6	—	4 .. gigantea, a charming decorative plant with graceful primate foliage and golden-yellow flowers . . . . .	—	—
⊙§ .. odoratus, Sweet Peas mixed . . . . .	—	6	100 seeds —/4	—	—
.. .. Eckfords new hybrids mixed . . . . .	—	7	1000 " 2/6	—	—
			g Leucaena glauca . . . . .	— 3	2 10
			4 Leucanthemum creticum . . . . .	— 5	— —
			.. .. grandiflorum, large-owered Ox-eye Daisy . . . . .	— 3	2 3
			.. .. lacustre . . . . .	— 3	— —
			.. .. maximum (Chrysanthemum) . . . . .	— 7	7 5
			.. .. montanum heterophyllum . . . . .	— 4	—
			.. .. nipponicum large-flowered white (Electro) . . . . .	2 —	— —
			.. .. uliginosum . . . . .	1 3	— —
			⊙ Limnanthes Douglasii . . . . .	— 2	1 10
			.. .. ciliatus . . . . .	— 4	— —



	per oz s. d.	per lb. s. d.
⊙ Linaria aparinoides splendens Dam.	— 4	3 —
"   concolor	— 5	4 6
4 " Cymbalaria (Kentucky Ivy)	3 10	— —
"   dalmatica (macedonica)	— 5	4 6
"   delphinoides	— 2	1 7
"   Elatine	— 7	6 6
⊙ " Hendersoni ericoides	1 —	— —
"   maroccana	— 4	3 —
"   "   coccinea	— 4	3 4
"   "   hybrida	— 3	2 4
"   multipunctata	— 5	— —
"   reticulata aureo-purpurea	— 6	4 10
4 Linum austriacum	— 4	3 —
4 "   arboreum	1 4	— —
4 "   corymbiferum	— 5	— —



Leucanthemum nipponicum.  
Electro 3/3.

⊙ Linum grandiflorum roseum	— 2	1 6
"   "   rubrum (Scarlet Flax)	— 2	1 6
⊙ "   humile	— 5	4 6
4 "   perenne	— 2	1 7
g Lippia citriodora (Aloysia, Ver- bena)	1 5	— —
⊙§ Loasa lateritia (Cajophora)	— 6	5 6
⊙ Lobelia Erinus, blue	— 7	7 5
"   Erinus white	— 10	10 7
"   "   Barnards Perpetual, dark blue with a white eye	2 3	— —
"   "   compacta Goldelse	6 6	— —
"   "   Emperor William	2 3	— —
"   "   Pearl	— 9	8 6
"   "   Primadonna	2 8	— —
"   "   speciosa (Crystal Palace)	1 3	12 6
"   "   "   superba	1 3	— —
"   "   "   pumila, Star of Ischl	— 10	— —
4 "   "   cardinalis	7 8	— —

	per oz s. d.	per lb. s. d.
4 Lobelia fulgens, best hybrids mixed 1/16 oz 2/6; 1/8 oz 4/7	34 —	— —
"   fulgens Queen Victoria 1/16 oz 2/6; 1/8 oz 4/8	34 —	— —
"   "   Queen Victoria violacea 1/16 oz 3/3; 1/8 oz 6/—	45 —	— —
"   "   syphilitica	1 3	— —
⊙§ Lophospermum scandens	2 3	32 —
g Lotus canariensis floribundus 1000 seeds 3/—	— —	— —
⊙ "   Jacobaeus	— 4	3 9
"   "   luteus	— 4	3 9
"   "   Love Grove, see Nemophila.		



Luffa acontangula.  
Electro 3/3.

Love in a Mist, see Nigella.		
"   in a Puff, see Cardiospermum.		
"   lies bleeding, see Amaranthus caudatus.		
⊙§ Luffa acutangula, (Electro) Rag or Dish-cloth Gourd	— 3	2 3
"   cylindrica	— 3	2 3
"   Forskalli Dam.	— 4	3 6
"   fricatoria	— 3	2 3
"   gigantea	— 3	2 3
"   Jacquini	— 4	3 —
"   maxima	— 4	3 —
"   petola	— 3	2 3
"   "   white seeded	— 3	2 3
"   prophetarum	— 3	2 3
"   Soly Qua	— 4	3 —
"   spectabilis, Dam. 1892	— 4	3 —
"   striata	— 3	2 3
"   "   white seeded	— 3	2 3

	per oz s. d.	per lb. s. d.		per oz s. d.	per lb. s. d.
⊙§ Luffa subacutangula . . . . .	— 3	2 3	⊙§ Maurandia Barkleyana . . . . .	2 —	— —
4 Lunaria biennis (Moon Wort) . . . . .	— 3	2 8	"          "          fl. albo . . . . .	3 8	— —
⊙ Lupinus affinis . . . . .	— 2	1 5	"          Emeriana rosea . . . . .	2 —	— —
4     "          arboreus . . . . .	1 2	— —	"          purpurea grandiflora . . . . .	2 —	— —
⊙     "          atroviolaceus . . . . .	— —	1 2	"          semperflorens . . . . .	2 3	— —
"          Cosentini . . . . .	— —	1 —	"          mixed . . . . .	1 6	20 —
"          Cruikshanksii . . . . .	— —	— 7	Medeola, see Myrsiphyllum.		
"          densiflorus . . . . .	— 4	3 —	g Melaleuca armillaris . . . . .	— 8	— —
"          guatemalensis . . . . .	— —	— 10	g Melianthus major . . . . .	2 6	— —
"          hybridus fl. pl. President			"          minor . . . . .	3 3	— —
Cleveland . . . . .	— 2	2 —	g Melicope ternata . . . . .	2 2	— —
"          hybridus nigrescens . . . . .	— —	1 —	⊙§ Melothria abyssinica, Naud. . . . .	2 —	— —
"          "          atrococcineus . . . . .	— —	— 10	"          Cucumis . . . . .	— 4	3 —
"          hirsutus pantelariicus . . . . .	— —	— 8	"          cucumerina . . . . .	— 4	3 5
"          luteus Romulus Dam. . . . .	— 3	2 2	"          indica . . . . .	— 4	3 4
"          nanus albus . . . . .	— 2	1 7	"          pendula . . . . .	— 4	3 4
"          "          coeruleus . . . . .	— 2	1 7	"          Regeli . . . . .	— 9	— —
"          pubescens . . . . .	— —	— 10	"          scabra . . . . .	— 5	4 3
"          "          elegans . . . . .	— —	1 —	"          punctata . 100 seeds 1/3	— —	— —
"          sulphureus . . . . .	— 2	2 2	4 Mentha mollissima banatica . . . . .	— 8	— —
"          "          superbus . . . . .	— 4	3 —	"          rotundifolia . . . . .	— 8	— —
"          texanus (subcarnosus) . . . . .	— 4	3 9	"          Pulegium, Pennyroyal . . . . .	2 —	— —
"          tricolor elegans . . . . .	— —	1 —	"          tomentosa . . . . .	— 8	— —
"          tall annual varieties mixed	— —	— 10	"          Wierzebeckiana . . . . .	— 8	— —
"          dwarf " " " . . . . .	— 2	1 5	⊙ Mentzelia Lindleyana . . . . .	— 5	5 6
g§ Luzuriaga radicans . . . . .	4 6	— —	g Mesembrianthemum crystallinum,		
4 Lychnis chalcedonica, scarlet . . . . .	— 5	4 6	(Ice Plant) . . . . .	— 4	2 10
"          "          white . . . . .	— 5	— —	"          tricolor . . . . .	— 5	4 5
"          fulgens . . . . .	1 4	— —	"          "          fl. albo . . . . .	— 5	5 2
"          Haageana . . . . .	1 —	— —	g Metrosideros grandiflora (Callis-		
"          "          hybrida . . . . .	1 2	— —	temon) . . . . .	2 —	— —
"          tristis . . . . .	— 10	— —	4 Michauxia campanuloides . . . . .	1 10	— —
Madagascar Periwinkle, see Vinca.			Mignonette, see Reseda.		
⊙ Malope grandiflora, red . . . . .	— —	1 —	g§ Mikania scandens (Senecio) . . . . .	10 —	— —
"          "          alba . . . . .	— —	1 —	h⊙ Mimosa gracilis . . . . .	— 10	— —
"          "          rosea . . . . .	— —	1 —	"          pudica (Sensitive Plant) . . . . .	— 6	5 6
⊙ Malva crispa . . . . .	— —	— 6	"          sensitiva . . . . .	1 1	— —
"          zebrina . . . . .	— 5	4 8	⊙ Mimulus cardinalis . . . . .	3 1	— —
⊙ Malvastrum angustum . . . . .	— 5	5 6	"          cupreus . . . . .	3 8	— —
g Manihot carthaginensis . . . . .	— 3	2 8	"          "          Prince Bismarck	4 6	— —
Marigold, African and French, see			"          duplex (hose in hose) mixed . . . . .	3 5	— —
Tagetes.			"          luteus . . . . .	— 8	— —
Marigold Cape, see Calendula			"          moschatus (Musk) . . . . .	3 10	— —
pluvialis.			"          "          compactus 1/8 oz 1 9	11 6	— —
Marigold Pot, see Sweet Herbs.			"          "          tigrinus (pardinus) . . . . .	1 10	— —
⊙ Martynia Craniolaria (formosa, fra-			"          "          grandiflorus (Queen's		
grans) . . . . .	— 3	2 3	"          Prize) . . . . .	3 5	— —
"          lutea . . . . .	— 3	2 3	⊙§ Mina lobata, beautiful climber . . . . .	1 9	24 —
"          proboscidea . . . . .	— 3	2 8	"          sanguinea, see Ipomoea san-		
"          "          rosea . . . . .	— 4	3 —	"          guinea.		
Marvel of Peru, see Mirabilis.			⊙ Mirabilis Jalapa (Marvel of Peru)		
Mask Flower, see Alonsoa.			mixed . . . . .	— —	— 9
⊙4 Matricaria eximea flore pleno . . . . .	— 5	4 2	"          Jalapa fol. variegatis mixed	— —	— 10
"          "          Golden Ball . . . . .	5 6	— —	"          "          Tom Thumb, white	— 2	1 2
"          "          grandiflora compacta			"          "          "          tricolor	— 2	1 2
fol. aureis . . . . .	— 8	— —	"          "          "          longiflora . . . . .	— 2	1 4
"          "          flore pleno . . . . .	— 6	5 6	g Mitraria coccinea 1000 seeds 2/—	— —	— —
⊙§ Maurandia antirrhiniflora . . . . .	1 3	— —	⊙ Molucella laevis . . . . .	— 6	— —

	per oz s. d.	per lb. s. d.
⊙§ Momordica Balsamina, Balsam Apple	— 3	2 8
" Charantia . . . . .	— 3	2 6
" " chinensis Dam. 1891	— 4	3 —
" " Luna Dam. 1892 . . . . .	— 4	2 9
" echinata . . . . .	— 3	2 6
" Elaterium, squirting Cucumber . . . . .	— 3	2 —
" Huberi leucantha . . . . .	— 3	2 —
" involucrata (Electro) . . . . .	— 10	11 —
" martinicensis . . . . .	— 4	2 9
" mixta . . . . .	— 8	— —
" muricata . . . . .	— 4	2 9



Momordica involucrata.  
Electro 3/3.

Momordica spec. Mexico . . . . .	— 3	2 3
Monkey Flower, see Mimulus.		
Moon Wort, see Lunaria.		
4 Moraea tristis . . . . .	1 —	— —
h Moringa pterigosperma 100 seeds 2/6	— —	— —
Morning Glory, see Ipom. purpurea.		
" Glory Brasilian, see Ipom. setosa.		
Mourning Bride, see Scabiosa.		
h Musa Ensete . 1000 seeds 16/—	— —	4 6
" " Italian saved seeds		
100 seeds 4/—	— —	— —
" " from Magdala, the largest		
kind . 100 seeds 4/10	— —	— —
h " " in fruits (they keep very		
well and are very suitable for collec-		
tions) . . . . .	— —	3 10

	per oz s. d.	per lb. s. d.
Musa Livingstoniana 100 seeds 3/9	— —	— —
" Martini . . 100 " 4/—	— —	— —
" rosacea . . 100 " 2/6	— —	— —
" textilis . . 100 " 1/6	— —	— —
Musk Plant, see Mimulus moschatus.		
g Myoporium debile . . . . .	— 2	2 —
" pictum . . . . .	— 3	2 —
4 Myosotis alpestris, Alpine Forget-		
me-not . . . . .	— 6	5 10
" " alba . . . . .	— 7	6 8
" " rosea . . . . .	— 7	6 8
" " compacta, blue . . . . .	1 —	12 9
" " elegantissima . . . . .	— 9	9 3
" " " alba . . . . .	— 9	9 3
" " robusta grandiflora		
(Elisa Fonrobert)	— 9	9 3
" " robusta grandiflora		
alba . . . . .	— 9	9 3
" " Victoria, dwarf com-		
pact variety . . . . .	1 5	18 3
⊙ " azorica		
1/16 oz 2/3; 1/8 oz 3/10	27 6	— —
4 " dissitiflora . . . . .	2 4	— —
" " alba . . . . .	3 10	— —
" " Blue Perfection	7 5	— —



Myosotis Welwitschii.  
Electro 2/4.

Myosotis oblongata (latifolia) . . . . .	— 8	9 —
" palustris, true . . . . .	1 6	21 9
" palustris semperflorens . . . . .	1 8	25 4
" " " alba . . . . .	7 —	— —
" " " Fairy-Eye		
(Water-Fairy) . . . . .	6 3	— —
" Welwitschii, dwarf, splen-		
did (Electro) . . . . .	1 6	23 8
g Myrsine variabilis . . . . .	3 8	— —
" floribunda . . . . .	2 3	— —
g§ Myrsiphyllum asparagoides (Medeola,		
Smilax) . . . . .	— 10	10 7
Nasturtium (Indian Cress), see		
Tropaeolum		
h Nelumbium speciosum 10 seeds —/5	— —	— —
" luteum 100 " 1/8	— —	— —

	per oz s. d.	per lb. s. d.
⊙ <i>Nemophila atomaria</i> . . . . .	—	1 —
" <i>Holborn Blue Bell</i>	— 3	2 3
" <i>crambeoides</i> . . . . .	—	1 —
" <i>discoidalis</i> . . . . .	—	1 —
" <i>insignis, blue</i> . . . . .	—	— 10
"   " <i>alba</i> . . . . .	—	— 10
"   " <i>lilacina</i> . . . . .	—	1 —
"   " <i>marginata</i> . . . . .	—	— 10



*Nicotiana sylvestris.*  
Electro 4/—.

<i>Nemophila insignis, purpurea</i> . . . . .	—	1 —
"   " <i>striata</i> . . . . .	—	1 —
"   " <i>maculata</i> . . . . .	—	— 8
"   " <i>purpurea</i> . . . . .	—	— 10
g <i>Nerium Oleander album</i> . . . . .	— 5	4 5
"   " <i>purpureum</i> . . . . .	— 5	5 2
"   " <i>roseum</i> . . . . .	— 4	2 10
"   " <i>splendens</i> . . . . .	— 4	3 7
⊙ <i>Nicotiana acutifolia</i> . . . . .	— 5	4 5
"   " <i>affinis</i> . . . . .	— 5	4 5
"   " <i>colossea, one of the finest</i> "   " <i>ornamental foliage plants.</i>	9 3	— —
"   " <i>decurrens</i> . . . . .	— 4	3 —
"   " <i>fragrans, white, very brittle</i>	— 5	5 6

	per oz s. d.	per lb. s. d.
g <i>Nicotiana glauca</i> . . . . .	— 3	2 8
⊙ " <i>macrophylla gigantea</i> . . . . .	— 3	2 9
"   " <i>noctiflora var. albiflora</i>		
<i>Comes Dam. 1898 new</i>	— 9	8 9
"   " <i>purpurea grandiflora</i> . . . . .	— 3	2 3
"   " <i>suaveolens</i> . . . . .	2 4	— —
"   " <i>sylvestris, Spegaz. Dam.</i> "   " <i>(Electro) new; one of our most splendid</i> "   " <i>introductions of 1898. Flowers pure</i> "   " <i>white. Discovered in Argentine at</i> "   " <i>abt. 5000 feet above the level of</i> "   " <i>the sea, it will be hardy even in cold</i> "   " <i>climates</i> . . . . .	— 11	12 9
⊙ <i>Nierembergia frutescens</i> . . . . .	— 6	5 6
"   " <i>gracilis</i> . . . . .	— 6	6 —
⊙ <i>Nigella communis</i> . . . . .	—	— 6
"   " <i>damascena nana alba plena</i>	—	— 10



*Oeum comosum.*  
Electro 3/3.

<i>Nigella damascena nana coerulea</i>	—	— 10
"   " <i>plena (Love-in-a-mist)</i> . . . . .	—	— 10
"   " <i>Fontanesiana</i> . . . . .	—	— 10
"   " <i>hispanica</i> . . . . .	—	— 10
"   "   " <i>alba</i> . . . . .	—	1 —
"   "   " <i>purpurea</i> . . . . .	—	1 —
"   "   " <i>orientalis</i> . . . . .	—	— 6
"   "   " <i>sativa</i> . . . . .	—	— 6
⊙ <i>Nolana lanceolata</i> . . . . .	—	1 2
⊙ <i>Nycterinia capensis</i> . . . . .	— 7	6 8
"   "   " <i>selaginoides</i> . . . . .	— 6	6 3
"   "   "   " <i>roseo-violacea</i>	— 6	5 6
4 <i>Nymphaea alba</i> . . . . .	1 3	— —
"   "   " <i>lutea</i> . . . . .	— 5	5 3

	per oz s. d.	per lb. s. d.
½ <i>Nymphaea zanzibariensis</i> . . . . .	8 —	— —
⊙ <i>Obeliscaria pulcherrima</i> . . . . .	— 5	4 10
⊙ <i>Ocimum Basilicum bullatum</i> . . . . .	— 2	1 5
" <i>comosum</i> Dam. (Electro)	— 2	1 5
" <i>graveolens</i> . . . . .	— 3	1 7
" <i>pumilum</i> Dam. . . . .	— —	1 2
" <i>sanctum</i> . . . . .	— —	1 2
" <i>suave</i> . . . . .	— 4	3 9
⊙ <i>Oenothera acaulis vera</i> (Evening- Primrose) . . . . .	— 10	— —
" <i>bistorta</i> Veitchii . . . . .	— 3	2 3
4 " <i>Drummondii</i> . . . . .	— 3	2 5
⊙ " <i>Johnsoni</i> Parry (Electro), Dam. 1898. This very vigorous		



*Oenothera Johnsoni* Parry.  
Electro 3/9.

	per oz s. d.	per lb. s. d.
⊙ <i>Oenothera suaveolens</i> . . . . .	— 3	2 —
Orach, see <i>At iplex</i> .		
4 <i>Origanum gracile</i> . . . . .	— 4	— —
" <i>roseum</i> . . . . .	— 4	— —
" <i>heracleaticum</i> . . . . .	— 4	— —
" <i>majolicum</i> . . . . .	— 4	— —
⊙ <i>Oxalis rosea</i> . . . . .	4 —	— —
½ " <i>sensitiva</i> ( <i>Biophytum</i> ) $\frac{1}{16}$ oz 2/5; $\frac{1}{8}$ oz 4/3	31 —	— —
⊙ " <i>tropaeoloides</i> . . . . .	— 10	— —
" <i>Vaidiviana</i> . . . . .	— 8	8 2
Oxlip, see <i>Primula elatior</i> .		
4 <i>Paeonia arborea</i> ( <i>Moutan</i> ) fl. pl. . . . .	— 9	— —
⊙ <i>Palafoxia Hookeriana</i> . . . . .	— 3	— —
" <i>texana</i> ( <i>Polyteris</i> ) . . . . .	— 2	1 8



*Oenothera odorata*.  
Electro 4/—.

annual grows about 4 feet high producing long panicles of lemon-yellow flowers more than 1/2 inch in diameter. Owing to its rapid growth, the plant will prove very useful to replace other plants. Our cut represents a single plant flowering already two months after sowing. This kind prefers a rich soil and a sunny place as much as possible. It can be sown in the open ground in March and it will flower the whole summer . . . . .

⊙ <i>Oenothera Lamarckiana</i> . . . . .	— 4	3 —
" <i>Nuttallii</i> . . . . .	— —	1 —
⊙ " <i>odorata</i> (Electro) . . . . .	— 3	2 3
" <i>rhizocarpa</i> , yellow ( <i>taraxacifolia lutea</i> ) clean seed	— 2	1 3
" <i>rosea mexicana</i> . . . . .	— 5	4 6
" <i>rosea mexicana</i> . . . . .	— 7	— —

*Palma Christi*, see *Ricinus*.  
*Pansies*, see *Viola tricolor maxima*.

⊙ <i>Papaver armeniacum</i> . . . . .	— —	1 2
4 " <i>bracteatum</i> . . . . .	— 4	3 5
4 " <i>caucasicum</i> . . . . .	— 4	— —
" <i>coccineum aureum</i> . . . . .	— 3	1 7
⊙ " <i>Danebrog</i> , brilliant scarlet with large white spots . . . . .	— —	1 —
" <i>Danebrog flore pleno</i> . . . . .	— 2	1 3
⊙ " <i>glaucum</i> ( <i>Tulip Poppy</i> ) . . . . .	— 9	— —
(⊙) " <i>Hookeri</i> . . . . .	— 3	2 8
" <i>flore pleno</i> , extra double . . . . .	— 5	4 5
" <i>laevigatum</i> . . . . .	— 10	— —
" <i>lateritium</i> . . . . .	— 6	5 7
" <i>Lecoqui</i> . . . . .	— 2	2 —
" <i>Mephisto</i> , deep scarlet with blackish purple spots . . . . .	— —	1 3

	per oz s. d.	per lb. s. d.
Papaver Murselli fl. pl. white, striped dark	— —	1 2
" Murselli Mikado . . . . .	— 2	1 7
4 " nudicaule . . . . .	1 —	— —
4 " orientale . . . . .	1 5	— —
⊙ " paeoniflorum fl. pl. mixed.	— —	1 —
⊙ " pavoninum (Peacock Poppy)	— 5	4 6
" Rhoëas Shirley, single flower- ing . . . . .	— —	1 3
⊙ " Rhoëas fl. pl. French ranun- culus-flowering double mixed	— —	1 5
⊙ " somniferum fl. pl., double Carnation Poppy, mixed . . . . .	— —	— 9
" somniferum nanum fl. pl. White Swan . . . . .	— 2	1 10
" somniferum nanum fl. pl. cardinale, bright rose . . . . .	1 7	— —



Petunia hybrida grandiflora flabriata vittata.  
Electro 2/10.

Papaver somniferum nanum fl. pl. cardinale, brick-red . . . . .	1 7	— —
" somniferum nanum fl. pl. brilliant-rose . . . . .	— 2	1 6
" umbrosum (commutatum)	— 2	1 10
4 Pardonthus chinensis . . . . .	— 5	4 5
" japonicus . . . . .	— 3	2 3
" " maximus . . . . .	— 4	3 4
g Parkinsonia aculeata . . . . .	— 4	3 6
4§ Passiflora (Passion flower) alba	— 9	— —
" alata . . . 100 seeds 1/8	— —	— —
" coerulea . . . . .	— 5	5 2
" edulis . . . . .	1 10	— —
" foetida . . . . .	— 7	— —
" gracilis . . . . .	— 7	7 4
" rosacea (incarnata) . . . . .	1 5	— —
" suberosa . . . . .	— 9	— —
g Pavonia spinifex . . . 1/8 oz —/9	4 —	— —
Pea, Sweet, see Lathyrus odoratus.		
g Pelargonium hybridum grandi-		

	per oz s. d.	per lb. s. d.
florum, finest large-flowered, Odier and Fancy mixed, 100 seeds 1/3; 1000 seeds 11/3	— —	— —
g Pelargonium hederæfolium mixed, 100 seeds —/6; 1000 seeds 4/—	— —	— —
g Pelargonium hederæfolium double mixed, 100 seeds 2/6; 1000 seeds 20/—	— —	— —
g Pelargonium Scarlet, choice mixed .	— 6	6 —
" Scarlet, double-flowered mixed, 100 seeds 1/10; 1000 seeds 13/—	— —	— —
g Pelargonium Scarlet, white varie- gated-leaved, hybridized, 100 seeds 1/3; 1000 seeds 11/3	— —	— —
g Pelargonium Scarlet, golden tricolor variegated, hybridized, 100 seeds 1/3; 1000 seeds 11/3	— —	— —
h Peltandra virginica (Aroideae) . . . . .	— 5	— —
h Pentas carnea (Sipanea), 1/16 oz 2/6; 1/8 oz 4/6	34 —	— —
Penny Royal, see Mentha Pulegium.		
4 Penstemon campanulatus . . . . .	— 3	2 3
" " elegans . . . . .	— 5	3 9
" Cobaea . . . . .	1 3	18 2
" glaucus . . . . .	— 8	— —
" Hartwegi (gentianoides) mixed varieties . . . . .	1 3	— —
" heterophyllus . . . . .	3 3	— —
" Murreyanus . . . . .	4 4	— —
" pulchellus (roseus) . . . . .	— 5	— —
" " violaceus . . . . .	— 5	— —
" Torreyi . . . . .	— 6	— —
⊙ Perilla nankinensis . . . . .	— 2	1 2
" " fol. atropurpureis laciniatis . . . . .	— 2	1 4
" " macrophylla crispa compacta . . . . .	— 3	1 8
" " macrophylla crispa elatior . . . . .	— 3	1 9
" ocyroides (Ocimum frutescens)	— 5	— —

⊙ Petunia hybrida.

Alba . . . . .	— 7	8 —
Atropurpurea . . . . .	— 7	7 4
Belle Etoile . . . . .	— 8	9 3
Carmen Sylva . . . . .	— 7	8 —
Carminea intus alba . . . . .	— 7	7 4
Compacta nana multiflora . . . . .	1 —	14 6
Countess of Ellesmere . . . . .	— 5	5 2
Illustris, brilliant rose-carmine . . . . .	— 7	8 —
Inimitable . . . . .	— 7	8 —
Kermesina splendens . . . . .	— 6	6 7
Nyctaginiflora, pure white . . . . .	— 5	— —
Purpurea . . . . .	— 6	6 7
Reticulata . . . . .	1 —	— —
Venosa . . . . .	— 8	8 5
Violacea . . . . .	— 8	8 5
Fine mixed, good quality . . . . .	— 5	5 3

	per oz s. d.	per lb. s. d.		per oz s. d.	per lb. s. d.
<b>○ Petunia hybrida grandiflora.</b>			Alba oculata superba . . . . .	1 —	— —
Alba . . . . .	1/16 oz 2/—; 1/8 oz 3/9	27 —	” semiplena . . . . .	1 7	— —
Alba intus aurea	1/16 ” 2/—; 1/8 ” 3/9	27 —	Atrococcinea . . . . .	1 —	— —
Atropurpurea . . . . .	1/16 ” 2/—; 1/8 ” 3/9	27 —	Atropurpurea . . . . .	1 3	— —
Brilliant rose . . . . .	1/16 ” 2/—; 1/8 ” 3/9	27 —	” striata . . . . .	1 3	— —
Delicata . . . . .	1/16 ” 2/—; 1/8 ” 3/9	27 —	” semiplena . . . . .	3 8	— —
Deep blood-red with white throat	1/16 oz 1/6; 1/8 oz 2/6	18 —	Brilliant . . . . .	1 2	— —
Kermesina . . . . .	1/16 ” 1/10; 1/8 ” 3/—	22 6	Chamois rose . . . . .	1 4	— —
Maculata . . . . .	1/16 ” 2/—; 1/8 ” 3/9	27 —	Coccinea . . . . .	1 —	— —
Purpurea . . . . .	1/16 ” 1/6; 1/8 ” 2/6	18 3	” semiplena . . . . .	4 2	— —
Venosa . . . . .	1/16 ” 2/—; 1/8 ” 3/9	27 —	” striata . . . . .	1 2	— —
Violacea . . . . .	1/16 ” 1/7; 1/8 ” 2/10	20 6	Heynholdi, mixed . . . . .	3 5	— —
Superbissima Prince of Wurtemberg	1/16 oz 1/5; 1/8 oz 2, 6	18 3	Hortensiaeflora, rose . . . . .	1 2	— —
Largest-flowered varieties mixed	1/16 oz 1/3; 1/8 oz 2/—	13 6	” alba . . . . .	1 2	— —
<b>○ Petunia hybrida grandiflora fimbriata.</b>			” atropurpurea . . . . .	1 2	— —
Alba . . . . .	1/16 oz 3/3; 1/8 oz 6/—	45 —	” cinnabarina . . . . .	1 2	— —
Atropurpurea . . . . .	1/16 ” 3/3; 1/8 ” 6/—	45 —	” coccinea . . . . .	1 2	— —
Maculata . . . . .	1/16 ” 3/2; 1/8 ” 5/9	42 9	” rosea . . . . .	1 2	— —
Purpurea . . . . .	1/16 ” 1/6; 1/8 ” 2/6	18 3	” violacea . . . . .	1 2	— —
Venosa . . . . .	1/16 ” 1/3; 1/8 ” 2/—	13 6	Leopoldi . . . . .	1 —	— —
Vittata (Electro)	1/32 oz 2/3; 1/16 oz 4/—; 1/8 ” 7/6	56 —	Lutea . . . . .	1 2	— —
Single-flowered mixed	1/16 oz 2/10; 1/8 ” 5/3	39 6	Meteor . . . . .	1 2	— —
<b>○ Petunia hybrida grandiflora fl. pl.</b>			Prince Bismarck . . . . .	1 2	— —
Double large-flowered mixed	1/64 oz 4/—; 1/32 oz 7/3	— —	Radowitzii . . . . .	1 —	— —
Double fringed in great variety mixed (fimbriata) . . . . .	1000 seeds 1/10	— —	Rosea . . . . .	1 2	— —
<b>○ Phacelia campanularia</b>			Variabilis . . . . .	1 2	14 7
” congesta . . . . .	— 4	3 10	Violacea . . . . .	1 2	— —
” hispida . . . . .	— 3	2 6	Washington . . . . .	1 2	— —
” Emperor William . . . . .	— 3	2 6	William I. . . . .	1 2	— —
” Parryi . . . . .	— 4	3 7	Extra fine mixed . . . . .	— 8	8 6
” ” alba . . . . .	— 4	3 7	<b>Phlox Drummondii grandiflora.</b>		
” tanacetifolia . . . . .	— —	1 —	Alba pura . . . . .	1 3	— —
℥ Phalangium lineare fol. var. . . . .	4 7	— —	Atropurpurea . . . . .	1 3	— —
℥§ Phaseolus Caracalla . . . . .	— 6	5 6	” albo-oculata . . . . .	1 3	— —
○§ ” ensiformis gigas . . . . .	— 1	1 —	Carminea . . . . .	1 3	— —
” lunatus . . . . .	1 2	— —	Carnea . . . . .	1 3	— —
” minima . . . . .	— 2	1 5	Chamois rose with white eye . . . . .	1 4	— —
” radiatus . . . . .	— 2	1 5	Coccinea . . . . .	1 3	— —
” Ricciardianus . . . . .	— 2	1 5	Kermesina alba oculata . . . . .	1 3	— —
Pheasant-eye Pink, see Dianthus plumarius.			Lutea . . . . .	1 3	— —
4 Phlox decussata hybrida, fine mixed	1 —	12 9	Orbicularis atrorosea . . . . .	1 4	— —
” ” nana, dwarf mixed	4 —	— —	” violacea . . . . .	1 3	— —
<b>○ Phlox Drummondii.</b>			Picta atrorosea . . . . .	1 3	— —
Alba pura . . . . .	1 —	12 —	” quadricolor . . . . .	1 3	— —
” oculata . . . . .	1 —	— —	Rosea alba oculata . . . . .	1 3	— —
			Splendens . . . . .	1 3	— —
			Striata coccinea . . . . .	1 3	— —
			” purpurea . . . . .	1 3	— —
			” rosea . . . . .	1 3	— —
			” violacea . . . . .	1 3	— —
			Variabilis alba oculata . . . . .	1 3	— —
			Violacea alba oculata . . . . .	1 3	16 4
			All the above mixed . . . . .	— 9	9 6
<b>○ Phlox Drummondii.</b>			<b>Phlox Drummondii nana compacta.</b>		
Alba pura . . . . .	1 —	12 —	Alba grandiflora . . . . .	4 1	— —
” oculata . . . . .	1 —	— —	Atrocarminea . . . . .	4 6	— —

	per oz s. d.	per lb. s. d.
Atropurpurea . . . . .	4 1	— —
Carminea . . . . .	4 1	— —
Chamois rose . . . . .	4 1	— —
Coccinea . . . . .	4 6	— —
"    floribunda Fireball . . . . .	4 4	— —
Coerulea stellata . . . . .	5 8	— —
Hortensiaeflora . . . . .	4 6	— —
Leopoldi . . . . .	4 6	— —
Nivea (Snowball) . . . . .	4 6	— —
"    oculata . . . . .	4 6	— —
Punicea (cinnabarina) . . . . .	4 4	— —
Variabilis . . . . .	4 1	— —
Victoria . . . . .	4 1	— —
Violacea stellata . . . . .	4 1	— —
All the above mixed . . . . .	2 6	36 3
⊙ Phlox Drummondii cuspidata mixed . . . . .	1 3	— —
"    fimbriata mixed . . . . .	1 6	— —

	per oz s. d.	per lb. s. d.
Physalis philadelphica . . . . .	— 4	3 9
g§ Physianthus albens . . . . .	— 7	6 —
4 Physostegia virginica (speciosa) . . . . .	— 5	4 5
"    "    alba . . . . .	1 3	— —
4 Phytolacca decandra . . . . .	— 2	1 5
Picotees, see Dianthus Caryophyllus.		
4 Picridium tingitanum . . . . .	— 8	— —
Pimpernelle, see Anagallis.		
g Pincenectitia glauca (Beaucarnea) . . . . .		
100 seeds 3/3 . . . . .	— —	— —
"    tuberculata 1000 seeds 6/10 . . . . .	— —	— —



Physalis Francheti.  
Electro 3/3.



Polygonum lanigerum.  
Electro 3/8.

g Phormium Hursthonsi, flowering even when quite young, with long dark red panicles . . . . . 1000 seeds 3/10	— —	— —
g Phormium Colensoi . . . . .	1 —	— —
"    tenax, New Zealand Flax . . . . .	— 8	9 2
"    "    fol. var. . . . .	— —	— —
1000 seeds 2/10 . . . . .	— —	— —
"    "    atropurpureum, . . . . .	— —	— —
100 seeds —/5; 1000 seeds 4/— . . . . .	— —	— —
Phormium Veitchii fol. var. . . . .	— —	— —
1000 seeds 3/10 . . . . .	— —	— —
⊙ Physalis Alkekengii . . . . .	— 4	3 9
"    curassavica . . . . .	— 4	4 2
"    Francheti, (Electro) with white flowers producing a very large scarlet balloon; highly effective . . . . .	1 —	13 —

Pink, see Dianthus.		
"    japanese, see Dianthus Heddeewigi.		
g Piscidia Erythrina 100 seeds 1/10 . . . . .	— —	— —
g Pittosporum Buchanani . . . . .	1 4	16 4
"    crassifolium 100 seeds —/5 . . . . .	— —	— —
"    eugenioides . . . . .	— 7	6 7
"    nigrescens . . . . .	— 7	7 4
"    Tobirae . . . . .	— 8	7 —
"    undulatum . . . . .	— 7	5 2
4 Platycodon grandiflorum . . . . .	— 7	6 7
"    Mariesi . . . . .	1 2	— —
h Poinciana Gilliesi . . . . .	— 6	6 8
"    pulcherrima . . . . .	— 5	5 3
"    regia . . . . .	— 5	4 6
h Poinsettia (Euphorbia) pulcherrima . . . . .	2 6	— —
Polyanthus, see Primula elatior.		



	per oz s. d.	per lb. s. d.		per oz s. d.	per lb. s. d.
⊙ Polygonum capitatum . . . . .	1 7	— —	Carnea . . . . .	— 6	5 7
4 " lanigerum, (Electro) perennial species with silvery leaves . . . . .	— 11	11 9	Caryophylloides . . . . .	— 6	5 7
⊙ " lapathifolium . . . . .	— 3	1 9	Coccinea . . . . .	— 6	5 7
4§ " multiflorum (Electro) . . . . .	— 10	9 3	Isabellina . . . . .	— 6	5 7
⊙ " orientale (Persicaria) . . . . .	— 2	1 5	Kermesina . . . . .	6	5 7
" orientale fol. variegatis (Electro) . . . . .	— 4	3 5	Purpurea . . . . .	— 6	5 7
⊙ " pilosum, new, rapid growing annual . . . . .	— 5	4 6	Rosea . . . . .	— 6	5 7
4 " sachalinense, very decorative most recommendable as green fodder . . . . .	— 10	9 3	Rubro purpurea . . . . .	— 6	5 7
⊙ " tinctorium . . . . .	— 4	3 9	Splendens (Gilliesi) . . . . .	— 6	5 7
⊙ Polypteris callosa, Dam. 1898. Height			Sulphurea (Thorburnii) . . . . .	— 6	5 7
			Thellusonii (orange) . . . . .	— 6	6 —
			Fine single mixed . . . . .	4	3 3



Polygonum multiflorum.  
Electro 3/3.



Polygonum orientale fol. var.  
Electro 3/8.

about 1 foot 1/2 with a very graceful and showy foliage. Throughout the summer the plant is completely covered with charming rose-lilac flowers. It is one of the most richly flowering plants we have offered until now, and it is also greatly suited for bouquets

— 10	9 3	
4 Pontederia cordata . . . . .	5 —	— —
⊙§ Poppia Fabiana . . . . .	— 4	2 8
" " white seeded . . . . .	— 4	2 8
Poppy, see Papaver.		
⊙ Portulacca grandiflora, single.		
Alba . . . . .	— 6	5 7
Alba rubro-striata . . . . .	— 6	5 7
Aurea . . . . .	— 6	5 7
Bedmannii . . . . .	— 6	5 7
Bronze . . . . .	— 6	5 7

**Double flowering.**

Alba . . . . .	3 6	— —
Aurea . . . . .	3 6	— —
Carnea . . . . .	3 6	— —
Caryophylloides . . . . .	3 6	— —
Coccinea . . . . .	3 6	— —
Isabellina . . . . .	3 6	— —
Kermesina . . . . .	3 6	— —
Purpurea . . . . .	3 6	— —
Rosea . . . . .	3 6	— —
Rubro purpurea . . . . .	3 6	— —
Splendens . . . . .	3 6	— —
Sulphurea . . . . .	3 6	— —
Thellusonii . . . . .	3 6	— —
Finest mixed, superior quality . . . . .	2 3	27 —
4 Potentilla argentea . . . . .	— 6	— —
" hybrida aurea . . . . .	— 7	— —

	per oz s. d.	per lb. s. d.
2 Potentilla hybrida flore pleno, double mixed	2 6	— —
" " formosa . . .	— 4	— —
" " maculata . . .	— 3	— —
" laciniosa . . .	— 4	3 9
" Leschenaultiana . . .	— 8	9 —
" multiflora semiplena . . .	— 3	— —
" Schrenkiana . . .	— 6	7 3
" mixed . . .	— 4	3 9
Prickly Poppy, see Argemone.		
4 Primula Auricula (Auricula) fine mixed . . . . .	4 2	— —
" Auricula extra fine quality from first class flowers . . .	9 6	— —



Pyrethrum parthenifolium glaucum.  
Electro 3/—.

Primula cortusoides . . . . .	1 5	— —
" elatior, sweet scented Oxlip in beautiful variety . . . . .	1 —	— —
" " (Polyanthus) finest named sorts	1 10	— —
" " " gold laced varieties . . . . .	2 3	— —
" " duplex (hose in hose) 1/16 oz 1/—; 1/8 oz 1/7	10 —	— —

**g Primula chinensis fimbriata, Chinese Primrose.**

Alba pura . . . . .	1/8 oz 2/7	18 —
" incarnata . . . . .	1/8 " 2/—	14 8
" magnifica . . . . .	1/8 " 2/9	20 3
" oculata aurea . . . . .	1/8 " 2/10	23 5
" punctata rosea . . . . .	1/8 " 2/8	19 3
Coerulea . 1/32 oz 3/3; 1/16 oz 6/—; 1/8 oz 11/6	— —	— —
Coccinea . . . . .	1/8 " 3/6	24 9
" violacea . . . . .	1/8 " 2/—	14 8
Filicifolia alba pura . . . . .	1/16 " 1/6; 1/8 " 2/8	19 9
" alba oculata lutea 1/16 " 1/9; 1/8 " 3/3	23 6	— —

	per oz s. d.	per lb. s. d.
Filicifolia coerulea . . . . .	1/32 oz 5/—;	— —
" " 1/16 oz 9/6; 1/8 " 18/—	— —	— —
" Gipsy . 1/16 " 1/9; 1/8 " 3/—	21 6	— —
" kermesina splendens 1/16 " 1/9; 1/8 " 3/—	22 6	— —
" marmorata lilacea . 1/16 " 2/—; 1/8 " 3/6	27 —	— —
" mutabilis 1/16 oz 1/9; 1/8 " 3/3	24 9	— —
" punctata elegantissima 1/16 oz 1/9; 1/8 oz 3/—	21 4	— —
" rosea . 1/16 " 1/3; 1/8 " 2/7	18 —	— —
" striatiflora 1/16 " 1/2; 1/8 " 2/7	18 —	— —
Gigantea alba pura, largest-flowered 100 seeds 1/—	— —	— —
" cupreata . 100 " —/9	— —	— —
" deep rose . 100 " —/9	— —	— —
Kermesina splendens . 1/16 oz 1/3; 1/8 " 2/2	15 3	— —
Montblanc . 1/16 oz 1/9. 1/8 " 3/—	21 6	— —
Marmorata kermesina . 1/16 oz 1/6 1/8 " 2/6	18 —	— —
Mutabilis . 1/16 oz 1/9; 1/8 " 3/—	22 6	— —
Punctata elegantissima . 1/16 " 1/9; 1/8 " 3/—	21 4	— —
Rosea . . . . .	1/16 oz —/11; 1/8 " 1/5	10 10
" splendida 1/16 " 1/—; 1/8 " 1/10	13 —	— —
Striatiflora . 1/16 oz 1/2; 1/8 " 2/—	14 6	— —
Urania; stems and flower stalks of a dark blood-red; flowers fringed, dark copper- red; a very fine and most remarkable kind 1/16 oz 1/9; 1/8 oz 3/5	27 —	— —
Fringed mixed . . . . .	1/8 " —/10	10 10

**Primula chinensis fimbriata flore pleno double fringed.**

Alba, double white fringed 100 seeds —/6; 1000 seeds 4/—	— —	— —
" oculata lutea . 100 " —/9; 1000 " 6/3	— —	— —
Carminea . . . . .	100 " —/7; 1000 " 5/3	— —
Carnea . . . . .	100 " —/6; 1000 " 4/6	— —
Coccinea . . . . .	100 " —/7; 1000 " 4/10	— —
Filicifolia alba (macrophylla) 100 seeds —/10; 1000 seeds 7/8	— —	— —
Filicifolia coccinea . 100 " —/7; 1000 " 4/10	— —	— —
" kermesina splendens 100 seeds —/7; 1000 seeds 5/3	— —	— —
Filicifolia marmorata lilacea 100 seeds —/7; 1000 seeds 5/3	— —	— —
Kermesina splendens 100 " —/7; 1000 " 4/10	— —	— —
Marmorata kermesina 100 " —/7; 1000 " 5/3	— —	— —



	per oz s. d.	per lb. s. d.		per oz s. d.	per lb. s. d.
g§ Rhynchospermum jasminoides 1000 seeds 5/9	—	—	℥ Ruellia tuberosa, Dam. 1895 (Electro); very bushy, dwarf and rich flowering; the numerous Bignonia- like flowers are of blue colour, standing above the foliage. To be sown early in the stove, transplanting several times; the plant will then flower in July, lasting until Christmas, if kept in the Conservatory . . . . .	1 8	—
⊙ Ricinus (Castor Oil Bean, Palma Christi)	—	—	⊙ Sabbatia campestris . . . . . 1/32 oz 3/3 1/16 " 5/6	78 5	—
africanus . . . . .	— 2	1 4	Sage, see Salvia.	—	—
Belot Defougères . . . . .	— 3	2 —	4 Sagittaria montevidensis . . . . .	9 —	—
borboniensis arboreus . . . . .	—	— 9	" sagittifolia . . . . .	4 2	—
Cambodgensis, new, very dark leaved	— 2	1 —	⊙ Salpiglossis variabilis fine mixed . .	— 6	5 6
communis major . . . . .	—	— 8	" variabilis grandiflora, large flowered mixed . . . . .	— 8	—
Duchess of Edinburgh . . . . .	— 2	1 3	" " nana, dwarf mixed . . . . .	— 8	6 —
elegantissimus . . . . .	—	— 8	4 Salvia argentea, true . . . . .	— 3	1 6
Gibsoni . . . . .	— 2	— 10	⊙ " carduacea . . . . .	— 3	2 3
" mirabilis . . . . .	— 2	1 —	4 " chionantha . . . . .	— 4	2 9
sanguineus . . . . .	—	— 6	⊙ " coccinea . . . . .	— 4	2 9
" minor . . . . .	—	— 7	" " grandiflora . . . . .	— 4	3 —
spectabilis . . . . .	—	— 10	⊙ " " " rosea . . . . .	— 4	3 —
Zanzibariensis . . . . .	—	— 7	" " lactea . . . . .	— 6	5 7
			" " rosea . . . . .	— 4	2 9
			⊙ " farinacea . . . . .	— 6	5 7
			" " alba . . . . .	— 7	7 4
			4 " gigantea . . . . .	— 7	7 4
			" Horminum atrocoerulea . . . . .	—	— 10
			4 " interrupta . . . . .	— 7	—
			" involucrata . . . . .	— 7	—
			" officinalis, see Sweet Herbs &c.	—	—
			" pratensis atrocoerulea . . . . .	— 5	4 6
			⊙ " prunelloides . . . . .	— 10	—
			" Regeliana . . . . .	— 5	—
			" " albiflora . . . . .	— 5	—
			⊙ " Roemeriana . . . . .	1 —	—
			" rubescens . . . . . 1/8 oz 1/3	8 —	—
			" Sclarea, see Sweet Herbs &c.	—	—
			4 " silvestris . . . . .	— 2	1 5
			℥ " splendens . . . . .	2 6	36 6
			" " compacta nana 1/8 oz 2/7	3 9	55 —
			" " Ingenieur Clavenad 1/8 oz —/8	4 —	—
			" " Ingenieur Clavenad violacea 1/32 oz 1/3; 1/16 oz 2/3; 1/8 oz 3/6	—	—
			Salvia splendens Prince of Naples	4 2	—
			4 Sanguisorba officinalis . . . . .	— 4	—
			4 Santolina Chamaecyparissus . . . . .	— 5	5 3
			⊙ Sanvitalia procumbens . . . . .	— 4	3 9
			" " fl. pleno, double . . . . .	— 7	6 —
			" " plenissima compacta	1 3	—
			℥ Sapindus Saponaria . . . . .	—	— 9
			⊙ Saponaria calabrica (multiflora) . . .	— 3	1 8
⊙ Ricinus zanzibariensis cinerascens .	—	— 8			
" " enormis . . . . .	—	— 10			
" " maculatus . . . . .	—	— 9			
" " niger . . . . .	—	— 8			
" " mixed . . . . .	—	— 7			
" all sorts mixed . . . . .	—	— 6			
℥ Rivina aurantiaca . . . . .	1 6	—			
" brasiliensis . . . . .	2 2	—			
" humilis . . . . .	1 6	—			
Rock Lychnis, see Viscaria.					
Rocket, see Hesperis matronalis.					
⊙ Romneya Coulteri . . . . .	2 10	—			
Rose Campion, see Agrostemma.					
⊙ Rudbeckia bicolor superba, new . . .	1 8	—			
⊙ " moschata . . . . .	— 5	—			
4 " Neumannii . . . . .	2 2	—			
4 " radula . . . . .	1 8	—			
4 " triloba . . . . .	— 3	—			



Ruellia tuberosa.  
Electro 3/8.

	per oz s. d.	per lb. s. d.		per oz s. d.	per lb. s. d.
⊙ Saponaria calabrica alba . . . . .	— 3	2 3	Senecio elegans pomponicus ple-		
4 " officinalis . . . . .	— 3	2 —	nissimus purpureus . . . . .	1 5	— —
Satin Flower, see Lunaria biennis.			" elegans pomponicus plenissimus		
⊙ Scabiosa (Scabious) atropurpurea fl.		1 2	ruber (atroroseus) . . . . .	1 5	— —
pl. mixed . . . . .	— —	1 2	4 " multiflorus, blue very riche flowering	1 7	— —
" atropurpurea aurantiaca fl. pl.	— 3	1 9	Sensitive Plant, see Mimosa pudica.		
" " candidissima plena . . . . .	— —	1 5	h Sesbania grandiflora alba . . . . .	2 2	— —
" " carnea plena . . . . .	— 3	2 —	" " rosea . . . . .	2 6	— —
" " grandiflora com-			" " marginata . . . . .	1 8	— —
pacta fl. pl. mixed . . . . .	— 3	2 —	⊙§ Sicydium Lindheimeri . . . . .	— 7	7 4
" " major fl. pl. large		1 5	⊙§ Sicyos angulata . . . . .	— 3	2 —
flowered, mixed . . . . .	— —	1 5	" Baderva . . . . .	— 4	2 —
" " major fl. pl. Giant			" bryonifolia . . . . .	— 4	2 —
King of the Blacks . . . . .	— 3	2 4	⊙§ Sicyosperma gracile . . . . .	1 2	— —
" " major rosea plena . . . . .	— 3	2 —	4 Silene Fabaria . . . . .	— 6	— —
" " " rubra plena . . . . .	— 3	2 —	⊙ " gallica quinquevulnera . . . . .	— 3	2 —
" " maxima fl. pl. fiery			⊙ " pendula (rosea graeca) . . . . .	— —	— 8
scarlet . . . . .	— 6	— —	" " alba . . . . .	— —	— 8
" " maxima fl. pl. Pom-			" " Bonnetti . . . . .	— —	1 —
padour . . . . .	— 10	— —	" " carnea plena . . . . .	— —	1 —
" " nana, double dwarf			" " delicata fl. pl., light rose,		
mixed . . . . .	— 3	1 7	double . . . . .	— 4	2 9
" " nana compacta pl.			" " Thusnelda Dam. 1896;		
fol. aureis, golden leaved			one of the finest; with long branches		
Scabious . . . . .	— 3	1 7	of golden yellow foliage and thousands		
4 " fumariaefolia . . . . .	— 6	— —	of lovely rose-coloured flowers. No		
" hybrida Victoria (Sc. atropur-			better plant for bedding . . . . .	— 3	2 —
purea, Columbaria finest			Silene pendula compacta rosea . . . . .	— 3	1 4
mixed . . . . .	— 3	1 7	" " " alba . . . . .	— 3	1 7
" hybrida Victoria alba . . . . .	— 3	1 9	" " " " plena Dam.	— 3	1 7
" " " atropurpurea . . . . .	— 3	1 9	" " " " fol. aureis,		
" " " carnea . . . . .	— 3	1 9	golden leaved . . . . .	— 4	2 4
" " " kermesina . . . . .	— 3	1 9	" " " " Empress of India,		
" " " marginata . . . . .	— 3	1 9	large, dark rose flowering . . . . .	— 5	4 6
" " " marmorata . . . . .	— 3	1 9	Silene pendula compacta fol. aur.		
" " " rosea . . . . .	— 3	1 9	Venus, Dam. 1898. Descendig from		
" " " versicolor . . . . .	— 3	1 9	the lovely S. pendula compacta fol. aur.		
" " " violacea . . . . .	— 3	1 9	Luna, this very graceful new kind has		
4 " caucasica . . . . .	3 5	— —	pure white flowers. The contrast		
" suaveolens . . . . .	— 6	— —	between the yellow foliage, the white		
⊙ Schizanthus grandiflorus mixed . . . . .	— 3	1 7	of the flowers and the green of the		
" papilionaceus . . . . .	— 2	1 2	lawn, renders this very nice plant very		
" pinnatus, mixed . . . . .	— 3	1 8	much adapted for carpet bedding . . . . .	— 5	4 6
" roseus . . . . .	— 3	1 7	Silene pendula compacta Luna		
h Schizolobium excelsum 100 seeds 6/6	— —	— —	Dam. 1896; very compact and most		
⊙§ Scotanthus tubiflorus . . . . .	1 —	— —	elegant; flowers of a delicate carnation		
Sea Lavender, see Statice.			colour; foliage golden yellow; very		
⊙ Sedum coeruleum (azureum) . . . . .	4 9	— —	recommendable for bedding . . . . .	— 4	2 4
⊙ Senecio elegans plenissimus (Jaco-			Silene pendula compacta rosea plena	— 3	1 7
baea double) splendid mixed	1 3	— —	" " " ruberrima . . . . .	— 3	1 7
" elegans nanus plenissimus,			" " " " fl. pleno . . . . .	— 3	2 —
dwarf mixed . . . . .	1 5	— —	" " " " Snow King,		
" " pomponicus ple-			large pure white flowers . . . . .	5	4 6
nissimus, creamy			" " rosea plena (Carter's		
white . . . . .	1 3	— —	Zulu King) . . . . .	— 2	1 3
" " pomponicus ple-			" " ruberrima . . . . .	— —	— 8
nissimus cupreus . . . . .	1 5	— —	" " " " flore pleno	3	1 5
			g Skimmia japonica . . . . .	7	6 7

	per oz s. d.	per lb. s. d.		per oz s. d.	per lb. s. d.
Smilax, see Myrsiphyllum.			⊙ Solanum Gilo . . . . .	— 4	3 2
Snapdragon, see Antirrhinum.			⊙ " guineense . . . . .	— 3	2 —
⊙ Solanum abyssinicum . . . . .	— 6	5 6	g " haematocarpum . . . . .	— 4	3 9
" acanthifolium . . . . .	— 5	— —	g " Hendersonii . . . . .	— 4	3 5
" aculeatissimum . . . . .	4	3 —	⊙ " Humboldtii . . . . .	— 4	3 9
" aethiopicum . . . . .	— 4	3 —	g " laciniatum . . . . .	— 4	3 7
g " arboreum . . . . .	— 10	— —	⊙ " Lobelii . . . . .	— —	1 2
g " auriculatum . . . . .	— 4	2 4	⊙ " Lycopersicum cerasiforme . . . . .	— —	1 2
⊙ " atropurpureum . . . . .	— 4	3 8	g " melanochitum . . . . .	— 4	3 9
4 " Balbisii . . . . .	4	2 10	⊙ " Melongena Grossulariae . . . . .	— 3	2 8
⊙ " biflorum . . . . .	2 5	— —	" mors elephantum (Electro) . . . . .	— 6	5 7
2 " cabiliense argenteum (marginatum) . . . . .	— 4	3 9	" ovigerum . . . . .	— 3	1 7
			" pomiferum . . . . .	— 3	1 7
			g " pseudo-Capsicum . . . . .	— 4	3 5
			g " pyracanthum . . . . .	2 3	— —
			" racemiflorum . . . . .	— 3	1 7
			g " robustum . . . . .	1 6	— —
			⊙ " rostratum . . . . .	— 3	2 4
			g " sanctum . . . . .	— 10	— —
			g§ " Seaforthianum 1/8 oz 1/4 . . . . .	9 —	— —
			⊙ " sisymbriifolium . . . . .	— —	1 2
			⊙ " texanum . . . . .	— —	1 2
			" " nigrum . . . . .	— —	1 2
			4 " Topiro . . . . .	— —	1 2
			g " verbascifolium . . . . .	— 3	1 3
			g " virgineum . . . . .	— 3	2 4
			g " Warscewiczii . . . . .	— 10	— —
			" Zuccagnianum . . . . .	— 4	3 —
			4 Solidago canadensis . . . . .	— 3	2 —
			" rigida . . . . .	— 4	— —
			" serotina . . . . .	— 4	3 —
			g Sophora secundiflora . . . . .	— 8	— —
			Spartium (Genista) see Tree seeds.		
			⊙ Sphenogyne speciosa . . . . .	4	3 9
			Spiderwort, see Cleome,		
			Spurge, variegated, see Euphorbia variegata.		
			4 Stachys lanata . . . . .	— —	1 3
			g Stapelia albicans 100 seeds —/3 . . . . .	— —	— —
			" " " 1000 " 2/— . . . . .	— —	— —
			" " " 100 " —/3 . . . . .	— —	— —
			" " " 1000 " 2/— . . . . .	— —	— —
			" " " 100 " —/3 . . . . .	— —	— —
			" " " 1000 " 1/8 . . . . .	— —	— —
			" " " Charypdis . . . . .		
			" " " 100 seeds —/3; 1000 seeds 1/6 . . . . .	— —	— —
			g Stapelia angulosa Kreusa . . . . .	— —	— —
			" " " 100 seeds —/3; 1000 seeds 1/6 . . . . .	— —	— —
			g Stapelia atrata . . . . .	— —	— —
			" " " 100 " —/3 . . . . .	— —	— —
			" " " 1000 " 2/— . . . . .	— —	— —
			" " " rufescens . . . . .		
			" " " 100 seeds —/3; 1000 " 2/— . . . . .	— —	— —
			g Stapelia atrata tigrina . . . . .	— —	— —
			" " " 100 seeds —/3; 1000 " 2/— . . . . .	— —	— —
			g Stapelia atropurpurea . . . . .	— —	— —
			" " " 100 seeds —/3; 1000 " 2/— . . . . .	— —	— —
			g Stapelia bisulca . . . . .	— —	— —
			" " " 100 " —/3 . . . . .	— —	— —
			" " " 1000 " 2/— . . . . .	— —	— —
g Solanum Capsicastrum . . . . .	— 4	2 10			
" " " nanum . . . . .	— 6	— —			
" " " Little Gem . . . . .	— 6	— —			
" " " Weatherillei . . . . .	— 6	— —			
⊙ " ciliatum . . . . .	— 4	— —			
" citrullifolium . . . . .	— 3	2 2			
4 " coagulans, foliage whitish-grey, flowers pure white, fruits red . . . . .	1 6	— —			
4 " cyananthum . . . . .	— 7	7 4			
4 " Dammannianum . . . . .	— —	— —			
" " " 100 seeds 1/— . . . . .	— —	— —			
⊙ " De Noteri, new . . . . .	— 6	— —			
4 " dublosinuatatum . . . . .	1 —	— —			
4 " Douglasii . . . . .	5	— —			
g " erythrocarpum . . . . .	— 3	2 4			
g " Farini . . . . .	— 6	— —			
4 " ferox, beautiful . . . . .	4 10	— —			



Solanum mors elephantum.  
Electro 33.

			per oz s. d.	per lb. s. d.
g	<i>Stapelia ciliolata</i>	100 seeds —/3		
		1000 " 2/—	— — —	— — —
	" <i>conspucata</i>	100 seeds —/3; 1000 " 2/—	— — —	— — —
g	<i>Stapelia discolor</i> Medusa	100 seeds —/3; 1000 seeds 2/—	— — —	— — —
g	<i>Stapelia fuscata</i>	100 " —/3		
		1000 " 2/—	— — —	— — —
	" <i>lentiginosa</i>	100 " —/3		
		1000 " 2/—	— — —	— — —
	" <i>marmorata</i>	100 " —/3		
		1000 " 2/—	— — —	— — —
	" <i>mixta</i>	100 " —/2		
		1000 " 1/6	— — —	— — —



*Sutherlandia spectabilis floribunda.*  
Electro 33.

	<i>Stapelia parvipunctata</i>	100 seeds —/2; 1000 seeds 1/6	— — —	— — —
g	<i>Stapelia planiflora</i>	100 " —/2	— — —	— — —
		1000 " 1/3	— — —	— — —
	" <i>revoluta</i>	100 " —/3	— — —	— — —
		1000 " 2/—	— — —	— — —
	" <i>stricta</i>	100 " —/3	— — —	— — —
		1000 " 2/—	— — —	— — —
	" <i>scutellata</i>	100 " —/3	— — —	— — —
		1000 " 2/—	— — —	— — —
	" <i>Scylla</i>	100 " —/3	— — —	— — —
		1000 " 2/—	— — —	— — —
	" <i>Sisyphus</i>	100 " —/3	— — —	— — —
	" <i>trisolca</i>	100 " —/4	— — —	— — —
		1000 " 2/10	— — —	— — —
	" <i>variegata</i>	100 " —/3	— — —	— — —
		1000 " 2/—	— — —	— — —

			per oz s. d.	per lb. s. d.
	<i>Stapelia</i>	25 other sorts each separate		
		100 seeds —/2; 1000 seeds 1/3	— — —	— — —
	<i>Stapelia</i>	finest mixed		
		1000 seeds —/10	— — —	— — —
	Standing Cypress,	see <i>Ipomopsis</i> .		
⊙	<i>Statice</i>	<i>Bonduelli</i> , yellow . . . . .	— — —	1
4	"	<i>caspia</i> ; of one of the finest		
		with purple flowers . . . . .	2 —	—
4	"	<i>cosyriensis</i> . . . . .	— 8	—
4	"	<i>Gmelini</i> . . . . .	— 3	2
4	"	<i>incana hybrida</i> ( <i>Sea Lavender</i> ) . . . . .	— 3	2
4	"	<i>latifolia</i> . . . . .	— 5	—
⊙	"	<i>leptostachya</i> . . . . .	— 3	2 4
4	"	<i>serbica</i> . . . . .	— 5	—
⊙	"	<i>sinuata</i> , blue . . . . .	— — —	1
	"	" <i>candidissima</i> . . . . .	— — —	1
	"	" <i>rosea</i> . . . . .	— — —	1
⊙	"	<i>spicata</i> . . . . .	— 4	3 5
⊙	"	<i>superba</i> . . . . .	— 4	3 9
⊙	"	<i>Suworowii</i> . . . . .	— 4	3 9
⊙	<i>Stephanotis floribunda</i>	100 seeds 3 4	— — —	— — —
⊙	<i>Stevia amabilis</i> . . . . .		— 7	—
⊙	" <i>Eupatoria</i> . . . . .		— 6	4 6
⊙	" <i>Lindleyana</i> . . . . .		— 6	6
4	" <i>odorata</i> ( <i>salicifolia</i> ) . . . . .		2 2	—
4	" <i>purpurea</i> . . . . .		— 6	6 4
	"	" <i>fl. albo</i> . . . . .	— 6	6 8
4	" <i>serrata</i> , white . . . . .		— 7	7 4
4	<i>Stobaea membranifolia</i> . . . . .		— 9	—
	" <i>radula</i> . . . . .		— 9	—
	Stocks,	see page 41.		
	Stonecrop blue,	see <i>Sedum coeruleum</i> .		
h	<i>Strelitzia Augusta</i>	100 seeds 9/8	— — —	— — —
	" <i>Reginae</i>	100 " 12/—	— — —	— — —
h	<i>Streptocarpus Rexii</i>	$\frac{1}{32}$ oz 2/6		
		$\frac{1}{16}$ oz 4/6; $\frac{1}{8}$ " 8/6	66 —	—
	" <i>Wendlandi</i> , light blue, large leaves	$\frac{1}{32}$ oz 2/6; $\frac{1}{16}$ oz 4/6; $\frac{1}{8}$ oz 8/6	66 —	—
h	<i>Streptocarpus</i> , newest hybrids mixed	$\frac{1}{32}$ oz 2/6; $\frac{1}{16}$ oz 4/3; $\frac{1}{8}$ oz 8/—	61 8	—
h	<i>Stuartia pseudo-camellia</i> . . . . .		— 9	9 3
	Summer Cypress, see <i>Kochiascoparia</i> .			
	Sun Drops, see <i>Oenothera</i> .			
	Sunflower, see <i>Helianthus annuus</i> .			
	Sun Rose, see <i>Helianthemum</i> .			
g	<i>Sutherlandia spectabilis floribunda</i>	(Electro)	2 4	—
g	<i>Swainsonia alba</i> . . . . .		5 8	—
	" <i>Andersoni</i> . . . . .		2 6	—
	" <i>carminea</i> . . . . .		5 10	—
	" <i>purpurea</i> . . . . .		5 10	—
	" best varieties mixed . . . . .		2 9	—
	Swallow wort, see <i>Asclepias</i> .			
	Swan River Daisy, see <i>Brachycome</i> .			

	per oz s. d.	per lb. s. d.		per oz s. d.	per lb. s. d.
Sweet Alyssum, see Alyssum Benthami.			⊙§ Thunbergia alata aurantiaca, golden yellow with blackish eye	— 10	11 —
" Pea, see Lathyrus odoratus.			" alata aurantiaca, golden yellow with white eye . . . . .	— 10	11 —
" Scabious, see Scabiosa.			" " Bakeri, pure white . . . . .	— 10	11 —
" Sultan, see Centaurea moschata.			" " mixed . . . . .	— 7	7 4
" William, see Dianthus barbatus.			½§ " grandiflora. . 1000 seeds	6/9	— —
¼ Swietenia Mahagoni 10 fruits	—/10	— —	4 Thymbra spicata . . . . .	— 6	6 5
½§ Tacsonia exoniensis 100 seeds	—/10	— —	⊙ Tolpis barbata (Crepis) Hawkweed	— 3	1 7
⊙ <b>Tagetes erecta fl. pl. Double African Marigold.</b>			⊙½ Torenia Bailloni . . . . . 1/8 oz	1/6	10 2
Aurantiaca . . . . .	— 3	2 3	" Fournieri (edentula) . . . . .	4 3	— —
Eldorado . . . . .	— 3	2 6	" " alba (White Wings)	4 5	— —
Fistulosa aurantiaca . . . . .	— 3	2 8	" " coelestina 1/8 oz	1/3	8 —
" sulphurea . . . . .	— 4	2 10	" " compacta 1/8 " "	1/—	7 —
Nana aurantiaca . . . . .	— 4	2 10	" " alba 1/16 " "	2/6	32 —
" sulphurea . . . . .	— 4	2 10	" " " coelestina 1/8 " "	4 3	32 —
Sulphurea . . . . .	— 3	2 3	" " " coelestina 1/16 oz	2/6; 1/8 oz	4/3
Best mixed . . . . .	— 3	2 —	" " grandiflora 1/8 oz	—/10	4 10
Tagetes lucida . . . . .	— 5	4 5	Touch me-not, see Balsams.		
⊙ <b>Tagetes patula fl. pl. Double French Marigold.</b>			⊙ Trachelium coeruleum . . . . .	— 8	9 —
Fistulosa . . . . .	— 4	3 —	" " album . . . . .	— 8	9 —
Nana aurea globosa, dwarf . . . . .	— 3	2 3	" " lilacinum . . . . .	— 8	— —
" Electric light . . . . .	— 5	4 5	♂ Trapa verbanensis 100 fruits	3/3	— —
" Reginae . . . . .	— 4	3 —	Tree Cypress, see Ipomopsis.		
" striata . . . . .	— 3	2 8	⊙§ Trichosanthes Anguinea vera . . . . .	— 3	2 4
" superba . . . . .	— 3	2 8	" coccinea . . . . .	— 4	2 6
" dwarf double mixed . . . . .	— 3	1 7	" colubrina . . . . .	— 4	2 6
Double tall mixed . . . . .	— 3	1 7	" cucumerina . . . . .	— 4	2 6
Tagetes patula nana Legion of honour, yellow, brown spotted	— 4	3 8	" palmata . . . . .	— 4	2 6
" signata pumila . . . . .	— 4	3 6	" " coccinea . . . . .	— 4	2 6
" " " Golden Ring, pure golden yellow	— 4	3 9	4 Trifolium repens fol. atropurpureis (nigrescens) . . . . .	— 6	6 5
" " maculata . . . . .	— 5	— —	Tritoma, see Kniphofia.		
4 Tanacetum corymbosum . . . . .	— 6	— —	⊙§ Tropaeolum canariense (peregrinum) Canary Creeper . . . . .	— 7	6 3
" vulgare . . . . .	— 5	4 6	" Lobbianum Brilliant . . . . .	— 3	2 —
Tassel Flower, see Cacalia.			" cardinale . . . . .	— 3	2 3
g§ Tecoma capensis (Bignonia) . . . . .	3 5	— —	" Crown Prince . . . . .	— 3	2 3
" jasminoides " . . . . .	8 2	— —	" Duc de Vicence . . . . .	— 3	2 3
" radicans " . . . . .	— 9	9 6	" fulgens . . . . .	— 3	2 3
" Stans " . . . . .	— 10	— —	" Géant des batailles . . . . .	— 3	2 3
" velutina " . . . . .	1 —	— —	" Hookeri . . . . .	— 3	2 3
♂ " Smithi . . . . .	2 —	— —	" Kotschianum . . . . .	— 3	2 3
" grandiflora . . . . .	— 10	— —	" Lilli Smith . . . . .	— 3	2 3
¼ Tetranema mexicanum 100 seeds	—/9	— —	" Lucifer . . . . .	— 3	2 3
¼ Thalia dealbata . . . . .	— 8	— —	" luteum . . . . .	— 3	2 3
Thrift, see Armeria.			" multiflorum . . . . .	— 3	2 3
⊙§ Thunbergia alata nanking with black eye . . . . .	— 10	11 —	" Queen Victoria . . . . .	— 4	2 8
" alata nanking with white eye . . . . .	— 10	11 —	" Roi des noirs . . . . .	— 4	2 8
" alba, pure white with black eye . . . . .	— 10	11 —	" Spitfire . . . . .	— 3	2 3
			" Triomphe de Gand . . . . .	— 3	2 3
			" " du Prado . . . . .	— 3	2 3
			" variegatum . . . . .	— 3	2 3
			" Zanderi nigrum . . . . .	— 3	2 3
			" mixed in splendid varieties . . . . .	— —	1 3



	per oz s. d.	per lb. s. d.		per oz s. d.	per lb. s. d.
⊙§ Tropaeolum majus (Nasturtium)	— 3	1 3	4 Verbascum pannosum . . . . .	2	1 8
atrobruneum . . . . .	— 3	1 3	"    phoeniceum . . . . .	—	1 —
majus atropurpureum fol. aureis	— 3	1 3	"    speciosum . . . . .	—	1 2
"    bruneum . . . . .	— 3	1 3	⊙ Verbena Aubletia grandiflora . . . . .	4	3 —
"    coccineum fol. aureis . . . . .	— 3	1 9	"    Drummondii (montana)	5	3 9
"    grandiflorum . . . . .	— 3	2 —	"    erinoides (Electro) . . . . .	10	10 6
"    "    aurantiacum . . . . .	— 3	2 —	"    pulchella . . . . .	3	2 —
"    "    roseum . . . . .	— 3	2 —	"    pulcherrima . . . . .	3	1 10
"    hemisphaericum . . . . .	— 2	1 3	"    teucroides (Niveni)	3	1 10
"    hybridum Mad. Gunther . . . . .	— 3	1 7	"    urticaefolia . . . . .	3	2 —
"    Pearl . . . . .	— 3	1 3	"    venosa . . . . .	4	2 6
"    roseum . . . . .	— 3	1 9			
"    Scheuerianum . . . . .	— 3	1 3	<b>Verbena hybrida.</b>		
"    fine mixed . . . . .	—	10	Finest mixed . . . . .	7	7 —
"    nanum (Tom Thumb)	—		Extra selected quality . . . . .	1	11 —
Aurora . . . . .	—	1 2	Auriculæ flowered sorts with large		
"    atrococcineum . . . . .	—	1 2	white eye, first class flowers . . . . .	1	11 —
"    Beauty . . . . .	—	1 2			
"    bronze . . . . .	—	1 3			
"    coccineum . . . . .	—	1 2			
"    "    fol. aureis . . . . .	—	1 4			
"    "    coeruleo-roseum . . . . .	—	1 4			
"    "    crimson . . . . .	—	1 2			
"    "    Crystal Palace . . . . .	—	1 2			
"    "    Empress of India . . . . .	4	3 5			
"    "    Golden King . . . . .	2	1 8			
"    "    King of Tom Thumbs . . . . .	3	2 —			
"    "    King Theodore . . . . .	3	2 3			
"    "    Lady Bird . . . . .	3	2 —			
"    "    luteum . . . . .	—	1 —			
"    "    Pearl . . . . .	—	1 4			
"    "    Prince Henry . . . . .	—	1 4			
"    "    purpureum . . . . .	—	1 4			
"    "    roseum . . . . .	2	1 8			
"    "    Ruby King . . . . .	3	2 3			
"    "    Scheuermanni coc-					
cineum . . . . .	2	1 5	Alba . . . . .	9	9 2
"    "    mixed . . . . .	—	1 —	Atroviolacea . . . . .	9	8 2
⊙ minus (trimaculatum) . . . . .	—	10	Candidissima . . . . .	9	8 5
§ "    coccineum . . . . .	3	2 3	Coccinea . . . . .	1	11 9
§§ "    pentaphyllum . . . . .	1 10	—	"    oculata . . . . .	1	12 10
Trumpet Flower, see Datura.			Coerulea . . . . .	9	9 2
g Tweedia coerulea . . . . .	11	—	Défiance, fiery scarlet . . . . .	1	11 —
4 Umbilicus deflexus . . . . .	11 6	—	Lutea . . . . .	1	11 —
"    gladiatus giganteus			Mammoth (grandiflora) mixed . . . . .	1	11 —
$\frac{1}{16}$ oz 1/—; $\frac{1}{8}$ oz 1/9	11 6	—	Purple Cloak . . . . .	1 2	—
"    patens			Rosea . . . . .	1	11 —
$\frac{1}{16}$ oz 1/—; $\frac{1}{8}$ oz 1/9	11 6	—	Striata, Italian striped . . . . .	1	11 —
4 Valeriana rubra (Valerian) . . . . .	3	2 3	Compacta (erecta) Défiance . . . . .	3 6	—
§§ Vallaris dichotoma, a beautiful climber			"    candidissima . . . . .	2 10	—
for the conservatory, with large snow			"    coccinea . . . . .	2 10	—
white flowers . . . . . 100 seeds 1/8	—	—	"    "    oculata $\frac{1}{8}$ oz —/10	4 3	—
Venus Looking Glass, see Cam-			"    splendid mixed . . . . .	2 3	—
panula Speculum.			4 Verbesina alternifolia . . . . .	10	—
Venus Navel wort, see Cynoglossum			"    phaetusa . . . . .	4	2 8
linifolium.			"    virginica Dam. 1897 . . . . .	1 5	—
4 Verbascum floccosum . . . . .	3	2 3	4 Vernonia arkansana, Dam. 1898.		
"    "    album . . . . .	3	2 3	A very nice hardy perennial of bushy		
			habit, growing about 3 feet high, which		
			ought to be grown in every garden.		



Verbena erinoides.  
Electro 2 5.

	per oz s. d.	per lb. s. d.		per oz s. d.	per lb. s. d.
It does not require any particular care as it grows in any soil and with little watering in spite of the great heat, flowering at the same time most profusely from June to November. The flowers are purple and the long narrow leaves render the plant, even without flowers, every decorative. It is also very useful for cutting purposes . . .			— 10	— —	
g Veronica hybrida grandiflora. Green-house hybrids mixed . . .	1 3	15 3			
4 " spicata . . . . .	— 5	4 6			
" " australis . . . . .	— 4	3 9			
h Victoria regia . . . 100 seeds 13/9	— —	— —			
h⊙ Vinca rosea. Madagascar Periwinkle	— 9	8 4			
" " alba oculata . . . . .	— 10	10 3			
" " alba pura . . . . .	— 10	10 3			
" " mixed . . . . .	— 9	9 3			
4 Viola cornuta . . . . .	1 2	— —			
" " alba . . . . .	1 2	— —			
" " Admiration . . . . .	1 2	— —			
" " Blue Perfection . . . . .	1 7	— —			
" " Purple Queen . . . . .	1 3	— —			
" " Sensation . . . . .	1 3	— —			
" odorata, common wild Sweet Violet . . . . .	1 2	— —			
" odorata, semperflorens . . . . .	— 7	6 8			
" " semperflorens fl. albo . . . . .	— 10	11 —			
" " " the Czar . . . . .	1 4	18 3			
" " " " fl. albo . . . . .	— 10	11 9			
" " Wilsonii . . . . .	— 10	— —			
" pedata . . . . .	— 8	— —			
" primulaefolia . . . . .	— 5	— —			
<b>⊙ Viola tricolor maxima. Pansies.</b>					
All colours, fine mixed . . . . .	— 10	9 3			
English show (faced) varieties mixed . . . . .	1 —	11 —			
Large-flowered French varieties mixed . . . . .	1 —	13 —			
Cassier, three and five blotched giant Bugnots largest flowered . . . . .	2 6	32 —			
Alba pura (Schneewittchen) . . . . .	1 —	13 —			
Atropurpurea . . . . .	1 —	13 —			
" " alba marginata . . . . .	1 3	13 6			
Auriculaeflora, bronze . . . . .	1 —	13 —			
Azure blue . . . . .	1 —	13 —			
Black tinted golden bronze . . . . .	1 2	16 —			
Bronze coloured . . . . .	1 —	13 —			
Cardinal . . . . .	2 2	— —			
Dark blue . . . . .	1 —	13 —			
Emperor William . . . . .	1 —	14 —			
Dr. Faust, pure black . . . . .	— 10	11 —			
Gold laced . . . . .	1 —	13 —			
King of the Blacks . . . . .	1 —	13 —			
Light blue . . . . .	1 —	13 —			
Lord Beaconsfield . . . . .	1 3	14 10			
Marmorata . . . . .	1 —	13 —			
Meteor, reddish brown . . . . .	1 3	— —			
			Odier Prize Pansies . . . . .	1 2	16 —
			Pelargoniiflora . . . . .	1 —	13 —
			Prince Bismarck . . . . .	1 —	13 —
			Pure yellow . . . . .	1 —	13 3
			Purpurea marginata . . . . .	1 —	13 —
			Quadricolor . . . . .	1 —	13 —
			Silver edged . . . . .	1 —	13 —
			Victoria, red . . . . .	1 2	— —
			White, dark centre . . . . .	1 —	13 —
			Yellow, dark centre . . . . .	1 —	13 —
			⊙ Viola tricolor maxima Trimardeau, Giant Pansies . . . . .	1 10	26 —
			Auriculaeflora . . . . .	2 2	— —
			Emperor William . . . . .	2 —	— —
			Count Moltke . . . . .	2 5	— —
			King of the Blacks . . . . .	2 —	— —
			Lord Beaconsfield . . . . .	2 —	— —
			Pure yellow . . . . .	2 2	— —
			White with dark centre . . . . .	2 —	— —
			Yellow with dark centre . . . . .	2 2	— —
			Virginian Stocks, see Cheiranthus maritimus.		
			Wahlenbergia grandiflora duplex		
			1/8 oz —/10	4 3	— —
			" grandiflora alba duplex . . . . .	2 3	— —
			Wallflower, see page 41.		
			Water Lily, see Nymphaea.		
			Whitania solanacea . . . . .	— 4	— —
			⊙ Whitlavia grandiflora . . . . .	— —	1 3
			" " alba . . . . .	— 3	1 7
			h Wigandia caracasana . . . . .	— 10	— —
			" hybrida . . . . .	— 10	— —
			" imperialis . . . . .	— 7	— —
			" Vigierii . . . . .	— 8	— —
			Woodroof, see Asperula.		
			⊙ Xanthium Strumarium . . . . .	— —	1 3
			⊙ Xeranthemum annuum superbissimum album fl. pl. . . . .	— 6	5 —
			Xeranthemum annuum superbissimum roseum fl. pl. . . . .	— 5	4 2
			Xeranthemum annuum superbissimum rubrum fl. pl. . . . .	— 5	4 2
			Xeranthemum annuum superbissimum violaceum fl. pl. . . . .	— 5	4 —
			Youth and Old age, see Zinnia.		
			Yucca, see page 29.		
			⊙ Zinnia Darwini fl. pl. finest mixed . . . . .	— 4	3 9
			<b>⊙ Zinnia elegans.</b>		
			Single flowered mixed . . . . .	— 3	1 7
			Alba . . . . .	— 3	2 —
			Atroviolacea . . . . .	— 3	2 —
			Aurea . . . . .	— 3	2 —
			Coccinea . . . . .	— 3	2 —
			Purpurea . . . . .	— 3	2 —
			Rosea . . . . .	— 3	2 —

	per oz s. d.	per lb. s. d.
<b>⊙ Zinnia elegans plenissima.</b>		
Plenissima, finest double mixed . . .	— 3	2 8
Alba . . . . .	— 3	2 10
Atrococcinea . . . . .	— 3	2 10
Atropurpurea . . . . .	— 3	2 10
Aurea . . . . .	— 3	2 10
Carminea . . . . .	— 3	2 10
Carnea . . . . .	— 3	2 10
Coccinea . . . . .	— 3	2 10
Lilacina . . . . .	— 3	2 10
Lutea . . . . .	— 3	2 10
Rosea . . . . .	— 3	2 10
Reginae new; the petals are of a peculiar shape . . . . .	— 4	3 10
Spectabilis miniata, Dam. 1898 (Electro), flowers of minium colour; petals of a peculiar form, being slightly folded up, forming a kind of canal . . . . .	— 5	4 6
<b>Zinnia elegans pumila (nana) plenissima.</b>		
Finest mixed . . . . .	— 4	3 2
Alba . . . . .	— 4	3 7
Atrococcinea . . . . .	— 4	3 7
Aurantiaca . . . . .	— 4	3 7
Aurea . . . . .	— 4	3 7
Carminea . . . . .	— 4	3 7
Coccinea . . . . .	— 4	3 7
Purpurea . . . . .	— 4	3 7
Rosea . . . . .	— 4	3 7
Salmonea . . . . .	— 4	3 7
Sulphurea . . . . .	— 4	3 7
Violacea . . . . .	— 4	3 7
<b>Zinnia elegans robusta grandiflora plenissima.</b>		
Double large flowered in splendid mixture . . . . .	— 3	2 10
Aurea . . . . .	— 4	3 —
Atrococcinea . . . . .	— 4	3 —
Carminea . . . . .	— 4	3 —

	per oz s. d.	per lb. s. d.
Carnea . . . . .	— 4	3 —
Coccinea . . . . .	— 4	3 —
Lilacina . . . . .	— 4	3 —
Lutea . . . . .	— 4	3 —
Rosea . . . . .	— 4	3 —
Salmonea . . . . .	— 4	3 —
Violacea . . . . .	— 4	3 —
Zinnia elegans striata plenissima mixed	— 4	3 8



Zinnia spectabilis miniata.  
Electro 3/3.

Zinnia elegans fl. pl. „ <b>Miniatur</b> “, a dwarf small-flowered, very double, rich flowering kind, finest colours mixed . . . . .	1 6	— —
Zinnia Haageana (mexicana) single- flowered . . . . .	— 4	3 9
„ „ fl. pleno double . . . . .	— 6	5 6
„ „ imbricata plenissima . . . . .	— 7	7 4
Mixed Flower Seeds, annuals . . . . .	— —	— 8
„ „ „ „ „ suitable for bee feeding . . . . .	— 2	1 5

## XII. Seeds of Ornamental Grasses.

4 = perennial; all others are annual.

	per oz s. d.	per lb. s. d.		per oz s. d.	per lb. s. d.
Agrostis Fontanesi . . . . .	— 4	3 —	4 Arundo Donax . . . . .	— 5	4 5
„ laxiflora . . . . .	— —	— —	4 „ „ fol. var. . . . .	1 8	— —
„ nebulosa . . . . .	— 5	4 9	4 „ festucoides . . . . .	— 4	3 —
„ minutiflora . . . . .	2 10	— —	4 Briza lutescens . . . . .	— 9	— —
„ pulchella . . . . .	— 5	4 9	„ maxima (Quaking Grass) . . . . .	— —	1 —
4 Andropogon hirtum . . . . .	— 6	— —	4 Bromus ciliatus . . . . .	— 4	3 —
4 Arundo conspicua . . . . .	2 2	— —	4 Carex pendula . . . . .	— 3	2 3

	per oz s. d.	per lb. s. d.		per oz s. d.	per lb. s. d.
4 Coix Lacrymae . . . . .	—	7	4 Gynerium argenteum roseum . . . . .	5	4 6
” ” aurea zebrina . . . . .	—	3	4 Hordeum jubatum (Squirrel Tail Grass)	3	2 8
4 Cyperus alternifolius . . . . .	1 9	—	Job's Tears, see Coix Lacrymae.	—	—
” amurensis . . . . .	11	—	Lagurus ovatus (Hare's Tail Grass)	—	1 3
” ferox . . . . .	7	—	4 Melica altissima . . . . .	3	1 7
” flabelliformis . . . . .	2 7	—	” Balansae . . . . .	3	1 7
” foliosissimus . . . . .	11	—	Pampas Grass, see Gynerium.	—	—
” Papyrus . . . . .	2 5	—	4 Panicum altissimum . . . . .	4	3 9
” reflexus . . . . .	8	—	4 ” bulbosum . . . . .	3	2 6
4 Eleusine Tocussa . . . . .	3	1 8	” capillare . . . . .	—	1 3
Eragrostis abyssinica . . . . .	4	3			
” amabilis . . . . .	3	2			
” megastachya . . . . .	3	1 7			
” mexicana . . . . .	3	—			



Panicum excurrens Sand.  
Electro 28.

Eragrostis pilosa . . . . .	3	2	—
” pulchra . . . . .	3	2	4
” purpurascens . . . . .	3	2	8
4 Erianthus Ravennae . . . . .	4	3	9
” ” violascens . . . . .	5	4	5
4 Euchlaena (Reana) luxurians (Teosinte) . . . . .	3	1	9
4 Eulalia japonica (Miscanthus japonicus) . . . . .	6	6	—
” ” fol. argent. vittatis . . . . .	1	4	—
” ” zebrina . . . . .	9	—	—
4 Festuca decolorans . . . . .	3	2	3
” glauca . . . . .	10	—	—
4 Fimbristylis laxa (Cyperus) . . . . .	7	—	—
4 Gymnothrix caudata . . . . .	4	3	9
” japonica . . . . .	5	5	2
” latifolia . . . . .	5	4	6
4 Gynerium argenteum (Pampas Grass) . . . . .	5	5	2
” ” Bertini . . . . .	7	6	8
” ” jubatum . . . . .	6	—	—



Pennisetum Ruppellianum.  
Electro 33.

Panicum capillare violaceum Dam. . . . .	3	2	4
” crus-galli . . . . .	3	1	7
4 ” excurrens (Electro) . . . . .	3	2	—
” oryzinum . . . . .	4	3	—
4 ” plicatum . . . . .	11	—	—
4 ” proliferum . . . . .	6	—	—
” sanguinale . . . . .	—	1	2
4 ” sulcatum . . . . .	1	2	—
4 ” tonsum; dwarf, lawn-forming with numerous loose spikes, at first dark red, then rose and finally of a silvery colour . . . . .	9	10	2
4 Panicum virgatum . . . . .	5	3	9
Paspalum pulchrum . . . . .	7	5	7
” quadrifarium . . . . .	5	3	9
Pennisetum longistylum . . . . .	3	2	—
” violaceum . . . . .	4	2	8
” macrurum; a gigantic grass, resembling the Gynerium argenteum . . . . .	9	—	—

	per oz s. d.	per lb. s. d.		per oz s. d.	per lb. s. d.
PennisetumRueppellianum, Dam.1893 (Electro) one of the finest and most graceful grasses, producing a great number of the most lovely spikes . . . . .	— 5	4 6	Zea atropurpurea, brown-seeded; leaves green; decorative . . . . .	— —	— 6
Pleuroplitis Langsdorffi . . . . .	— 5	— —	„ gracillima (minima) . . . . .	— —	— 6
Poa arachnifera . . . . .	— 6	— —	„ „ fol. var. . . . .	— —	— 7
Quaking Grass, see Briza maxima.			„ japonica fol. var., striped japanese Maize . . . . .	— —	— 4
4 Scirpus natalensis . . . . .	— 4	2 10	„ „ gigantea quadricolor new. Dam. 1896; a gigantic varie- gated-leaved, highly decorative kind and much superior to the old Z. jap. vol. var.; leaves bright green, silver-white, sulphur-yellow and rose striped; most effective . . . . .	— —	1 —
Setaria alopecuroides . . . . .	— —	1 —	Zea oryzaeformis nigra . . . . .	— 3	1 7
„ persica . . . . .	— —	1 6	„ tunicata fol. var. . . . .	— —	— 8
4 Stipa elegantissima . . . . .	— 10	11 —			
„ pennata (Feather Grass) . . . . .	— 5	4 10			
Tricholaena atropurpurea . . . . .	— 5	— —			
„ rosea . . . . .	— 5	— —			
4 Uniola latifolia . . . . .	— 5	4 10			

### XIII. Seeds of Bulbs and Roots.

	per oz s. d.	per lb. s. d.		per oz s. d.	per lb. s. d.
Agapanthus umbellatus . . . . .	— 8	— —	Calochortus splendens . . . . .	1 —	— —
Albica minor . . . . .	1 2	— —	Chionodoxa Luciliae . . . . .	— 11	— —
Allium album . . . . .	1 —	— —	Colchicum bulbocodioides . . . . .	— 9	— —
„ fragrans . . . . .	— 3	1 7	Convallaria japonica . . . . .	— 3	2 4
„ giganteum . . . . .	5 —	— —	Cooperia Drummondii . . . . .	— 5	— —
„ hierosolymae . . . . .	— 8	— —	„ Oberwetteri . . . . .	— 6	— —
„ pendulum . . . . .	1 3	— —	„ pedunculata . . . . .	— 7	— —
„ Rosenbachianum . . . . .	— 8	— —	Crinum abyssinicum . . . . .	— 4	3 —
„ spec. Amasia . . . . .	— 7	— —	„ capense . . . . .	— 4	3 —
„ stipitatum . . . . .	1 —	— —	„ „ flore albo . . . . .	— 4	3 5
„ vernale . . . . .	— 9	— —	„ Yemense . . . . .	— 4	3 5
Amaryllis Belladonna . . . . .	4	3 9	Crocus, mixed . . . . .	5	5 2
„ formosissima (Sprekelia) 1000 seeds 2/—	— —	— —	Cyclamen neapolitanum . . . . .	1 3	— —
„ Graveana . . . . .	13 6	— —	„ persicum fine mixed . . . . .	2 3	— —
„ vittata, white grounded varieties	13 6	— —	Cyclamen persicum giganteum sanguineum 1000 seeds 14/6	— —	— —
„ vittata, newest English varieties mixed 1000 seeds 12/—	— —	— —	roseum 1000 „ 9/9	— —	— —
Anemone hortensis . . . . .	— 9	— —	Emperor William 1000 seeds 9/9	— —	— —
„ japonica Honorine Jobert . . . . .	4 6	— —	Montblanc, pure white 1000 seeds 11/6	— —	— —
Anomatheca cruenta . . . . .	1 5	— —	splendid mixed . . . . .	11 3	— —
Aristea Ecklonii . . . . .	— 4	— —	Dipcadi serotinum . . . . .	— 6	— —
Arum Dracunculus . . . . .	— 4	2 4	Eucomis punctata . . . . .	2 2	— —
„ italicum, Italian varieties mixed . . . . .	— —	1 3	Freesia Leichtlini . . . . .	— 3	2 4
„ orientale . . . . .	— 3	1 7	„ refracta alba . . . . .	— 4	3 9
Babiana, mixed. . . . .	— 8	— —	„ splendid mixed . . . . .	— 3	1 7
Bellevallia ciliata . . . . .	— 4	3 —	Gelasine azurea . . . . .	6 9	— —
„ dubia . . . . .	— 4	3 —	Gladiolus Alexandrinus . . . . .	— 4	3 5
„ mauritanica . . . . .	— 4	— —	„ amatypinus . . . . .	7	— —
„ romana . . . . .	— 4	3 —	„ angustus . . . . .	— 6	— —
„ trifoliata . . . . .	— 4	— —	„ atrorubens . . . . .	— 5	4 6
„ Webbiana . . . . .	— 4	2 4			
Brodiaea grandiflora . . . . .	1 5	— —			
„ lactea . . . . .	1 5	— —			
„ mixed . . . . .	1 2	— —			

	per oz s. d.	per lb. s. d.		per oz s. d.	per lb. s. d.
Gladiolus Blandus . . . . .	— 8	— —	Lilium lancifolium punctatum . . . . .	11 3	— —
„ byzantinus . . . . .	— 4	3 5	„ „ roseum . . . . .	11 3	— —
„ cardinalis mixed . . . . .	1 —	14 7	„ „ rubrum . . . . .	13 6	— —
„ Colvillei . . . . .	— 3	2 4	„ „ finest mixed . . . . .	10 10	— —
„ communis . . . . .	— 3	2 4	„ longiflorum . . . . .	3 6	— —
„ cruentus . . . . .	— 6	5 7	„ speciosum, (see lancifolium)	— —	— —
„ cuspidatus . . . . .	— 10	11 —	Moraea tristis . . . . .	1 —	— —
„ gandavensis, French in splendid variety mixed . . . . .	— 8	7 5	Muscari atlanticum . . . . .	— 5	— —
„ grandis . . . . .	1 8	— —	„ Argaei . . . . .	— 7	— —
„ illyricus . . . . .	— 11	— —	„ comosum mixed . . . . .	— 3	2 4
„ imbricatus . . . . .	— 4	3 9	„ commutatum . . . . .	— 4	— —
„ Lemoinei hybridus best mixed	— 10	9 3	„ compactum . . . . .	— 4	— —
„ Nanceianus fine mixed	— —	— —	„ Heldreichi . . . . .	— 6	— —
1000 seeds 4/5	— —	— —	„ neglectum . . . . .	— 3	1 9
„ punctatus . . . . .	2 3	— —	„ pulchellum . . . . .	— 7	— —
„ pyramidalis . . . . .	— 8	7 5	„ racemosum . . . . .	— 4	3 5
„ ramosus . . . . .	— 9	— —	„ ruthenicum . . . . .	— 11	— —
„ segetum . . . . .	— 5	3 9	„ Sartori . . . . .	— 6	— —
„ triphyllus . . . . .	— 4	3 —	„ Strangwaisi . . . . .	1 3	— —
„ vittatus . . . . .	— 6	5 7	„ all varieties mixed . . . . .	— 4	2 10
„ European and Asiatic varieties mixed . . . . .	— 3	2 4	Narcissus Bulbocodium . . . . .	4 6	— —
Homeria collina . . . . .	— 5	— —	„ Tazetta mixed . . . . .	— 6	— —
Hyacinthus candicans (Galtonia)	— 3	2 4	Ornithogalum, finest mixed . . . . .	— 4	3 —
„ orientalis . . . . .	2 —	— —	Paeonia sinensis fl. pl., double mixed	1 5	— —
Iris atrofusca . . . . .	— 7	7 5	Pancreatium caucasicum . . . . .	1 5	— —
„ aurea . . . . .	— 3	1 7	„ maritimum . . . . .	— —	— —
„ crocea . . . . .	— 6	— —	Peltandra virginica (Aroideae)	— 5	— —
„ dichotoma . . . . .	— 6	— —	Ranunculus asiaticus superbissimus fl. pl. mixed . . . . .	— 4	3 10
„ ensata biglumis . . . . .	— 6	5 6	Richardia albo-maculata . . . . .	— 7	— —
„ „ Doniana . . . . .	— 6	5 6	Rohdea japonica (Orontium).	— 10	— —
„ „ Pallasii . . . . .	— 6	— —	Romulea Columnae . . . . .	1 2	— —
„ foetidissima . . . . .	— 3	2 —	„ cruciata . . . . .	— 11	— —
„ germanica mixed . . . . .	— 3	2 —	„ longiscapa . . . . .	1 2	— —
„ Guldenstaedti . . . . .	— 4	3 —	Scilla algeriensis . . . . .	— 5	— —
„ „ alpina . . . . .	— 6	— —	„ campanulata alba grandiflora	— 4	— —
„ Histrio . . . . .	2 2	— —	„ „ carnea . . . . .	1 —	— —
„ juncea . . . . .	3 5	— —	„ „ maxima . . . . .	— 4	— —
„ lusitanica . . . . .	1 5	— —	„ „ minor . . . . .	— 4	— —
„ orientalis . . . . .	— 6	— —	„ „ mixed . . . . .	— 3	2 —
„ pabularia (Kashmir)	— 9	— —	„ Clusii (peruviana) . . . . .	— 3	2 4
„ Pseudacorus . . . . .	— 7	— —	„ „ alba . . . . .	— 4	3 —
„ reticulata . . . . .	4 6	— —	„ elongata . . . . .	— 4	3 9
„ sibirica . . . . .	— 4	3 —	„ „ lilacina . . . . .	— 4	3 9
„ spuria mixed . . . . .	— 4	3 9	„ Filangieri . . . . .	— 5	4 5
Ixia hybrida mixed . . . . .	1 4	20 —	„ „ alba . . . . .	— 6	— —
Kniphofia (Tritoma) Red-hot-poker-plant	— 7	7 4	„ Hughi . . . . .	— 6	— —
„ corallina . . . . .	— 7	7 4	„ intermedia . . . . .	— 4	— —
„ Mac Owani hybrida . . . . .	— 7	7 4	„ lusitanica . . . . .	— 4	— —
„ Saundersi . . . . .	— 11	— —	„ maritima . . . . .	— 11	— —
„ Uvaria (aloides) nobilis . . . . .	— 8	— —	„ nutans mixed . . . . .	— —	1 3
„ above mixed . . . . .	— 8	— —	„ patula coerulea . . . . .	— 4	— —
Lachenalia isopetala . . . . .	6 9	— —	„ „ grandiflora . . . . .	— 4	— —
„ mediana . . . . .	4 6	— —	„ „ pallidiflora . . . . .	— 4	— —
„ mixed . . . . .	— —	— —	„ „ mixed . . . . .	— 3	2 —
Lilium auratum . . . . .	1 7	— —	Sparaxis tricolor mixed . . . . .	— 11	— —
„ lancifolium album . . . . .	11 3	— —	Trichonema speciosum . . . . .	— 7	— —
			Triteleia uniflora (Milla) . . . . .	— 7	6 7

	per oz s. d.	per lb. s. d.		per oz s. d.	per lb. s. d.
Tritonia hybrida mixed . . . . .	— 8	— —	Zephyranthes Atamasco . . . . .	— 6	— —
Tulipa concinna . . . . .	— 4	— —	"    candida . . . . .	— 5	4 5
"    Darwini . . . . .	— 8	— —	"    citrina . . . . .	— 9	— —
"    Didierii . . . . .	1 5	— —	"    grandiflora . . . . .	— 7	— —
"    fragrans . . . . .	— 10	— —	"    Lindleyana . . . . .	— 6	5 7
"    Fransoniana . . . . .	— 7	— —	"    longifolia . . . . .	1 —	— —
"    Gesneriana typica . . . . .	1 —	11 —	"    ochroleuca . . . . .	— 7	— —
"    Greigii . . . . .	2 —	— —	"    rosea . . . . .	1 2	— —
"    "    hybrida mixed . . . . .	1 8	— —	"    texana . . . . .	— 7	— —
"    platystigma . . . . .	— 11	— —	"    Treatiae . . . . .	— 8	— —
"    undulatifolia . . . . .	— 5	4 5	"    tubispatha . . . . .	— 6	— —
"    splendid mixed . . . . .	— 7	6 9	"    verecunda . . . . .	— 9	— —
Zephyranthes Andersoni . . . . .	— 7	— —	"    mixed . . . . .	— 3	— —

## XIV. Seeds of Cannas.

	per oz s. d.	per lb. s. d.		per oz s. d.	per lb. s. d.
<b>a. Gladioli-flowered.</b>			Daedalus . . . . .	— 7	— —
Abricote . . . . .	— 4	3 9	De Candolle Cr. . . . .	— 7	— —
Admiral Avellan, leaves red . . . . .	— 6	— —	Diana Dam. . . . .	— 7	— —
Admiral Gervais Cr. . . . .	— 3	2 4	Directeur Leclerc Cr. . . . .	— 7	— —
Alcimene . . . . .	— 4	3 9	Docteur Vergely Cr. . . . .	— 5	— —
Alfonse Bouvier Cr. . . . .	— 7	5 9	Doyen de Jean Sisley Cr., leaves red . . . . .	— 5	3 5
Ami Pichon . . . . .	— 3	2 4	Duc de Mortemart, yellow . . . . .	5	3 3
Andromache Dam. . . . .	— 6	— —	E. Joly Cr. . . . .	— 4	2 9
Aurore Cr. . . . .	— 3	2 4	E. von Regel Dam., leaves red . . . . .	— 4	2 4
Bacchus Dam. . . . .	— 7	— —	Ed. Mieg Cr. . . . .	— 7	— —
B. Monnier, leaves red . . . . .	— 7	— —	Edouard Michel Cr. . . . .	— 3	1 10
B. de Jussieu Cr., leaves red . . . . .	— 3	2 4	Emile Barré Cr. . . . .	— 4	— —
Baronne de Sandrans Cr. . . . .	— 6	— —	Explorateur Crampel Cr. . . . .	— 4	2 4
"    "    Cendrons Cr. . . . .	— 3	2 4	Félix Crousse Cr. . . . .	— 4	2 6
Beauté Poitevine Br. . . . .	— 7	— —	F. Neuwesel . . . . .	— 5	2 10
Bonne Etoile Vilm. . . . .	— 6	— —	Fr. Wood Cr. . . . .	— 5	— —
Boucharlat ainé Cr. . . . .	— 4	3 —	François Morel Cr. . . . .	— 3	2 4
Captain P. de Suzzone Cr. . . . .	— 3	2 6	Galathea . . . . .	— 7	— —
Camille Bernardin Cr. . . . .	— 3	2 6	G. Sennholz Cr. . . . .	— 7	— —
Ceres Dam. . . . .	— 10	— —	Gartendirektor Siebert Pfitz . . . . .	— 8	— —
César Bertholon . . . . .	— 4	3 —	Général Baron Berge . . . . .	— 4	2 4
Ch. Henderson . . . . .	— 6	— —	George d'Harcourt Cr. . . . .	— 4	2 4
Ch. Souchet Cr., leaves red . . . . .	— 3	2 4	Germania Pfitz . . . . .	— 9	— —
Ch. Buisson Cr. . . . .	— 4	3 —	Gladiateur Cr. . . . .	— 4	— —
Ch. van Geert Cr. . . . .	— 4	2 9	Gloire des marchés Cr. . . . .	— 8	— —
Ch. Benoit Cr. . . . .	— 3	2 6	"    d'Empel Vilm., leaves red . . . . .	— 8	— —
Ch. Pollice Cr. . . . .	— 3	2 6	Graf von Turin . . . . .	1 2	— —
Circe Dam. . . . .	— 3	2 6	Guillaume Couston Cr. . . . .	— 4	2 4
Colonel Dodds Cr., leaves red . . . . .	— 6	4 6	H. Foulquier, leaves red . . . . .	— 8	— —
"    Denfert Cr., leaves red . . . . .	— 4	2 6	Helios . . . . .	— 8	— —
"    Vaillard Cr. . . . .	— 4	2 6	Hugo Fuchs Pfitz . . . . .	— 7	— —
Comte de Bouchaud, yellow . . . . .	— 4	3 —	Janus . . . . .	— 7	— —
"    H. de Choiseul . . . . .	— 4	3 —	Ingénieur Pérache . . . . .	— 7	— —
Comtesse de Curzieux Cr. . . . .	— 3	2 6	Jean Bichon . . . . .	— 7	3 3
Commandant Faurax Cr., leaves red . . . . .	— 7	— —	J. Bonnefay . . . . .	— 8	— —
Crozy ainé Dam. . . . .	— 5	— —	J. Cordieux Cr., leaves red . . . . .	— 7	— —
Crozy père . . . . .	— 7	— —	J. Farquhar Cr. . . . .	— 7	— —
Cousin Jacob. Cr. . . . .	— 4	2 6	J. Klinke . . . . .	— 7	— —

	per oz s. d.	per lb. s. d.		per oz s. d.	per lb. s. d.
J. Soulayr	7	—	Professor Foster Dam.	3	—
Jean Bart Cr.	7	—	"   David Cr.	5	—
John Laing	7	—	"   Dini Dam.	4	2 4
Jules Favre Cr.	4	2 3	"   Charguérand. Cr.	4	2 4
Kaiser Wilhelm Pfitz	4	2 3	Princesse de Brancovan Cr.	4	2 4
Kalliope	7	—	"   Laetitia	9	—
Königin Charlotte Pfitz (Queen Charlotte)	1	9 9	Progression Cr.	4	2 —
Laertes Dam.	9	—	R. Brandt Cr.	5	—
L. E. Bally Cr.	3	2 3	Reval Massot Cr.	4	2 4
Laforcade Cr., leaves red	7	3 2	Rose unique Cr.	8	—
Lapeyrouse	8	—	"   T. May	1 3	—
Légionnaire Cr.	5	3 —	Saturnia	7	—
Lieutenant Amelet Cr.	4	2 4	Secrétaire Nicolas	6	—
Linné Cr.	7	—	Simon Maupin Cr.	5	—
Loevin Roseels Cr., leaves red	7	—	Sophie Buchner Cr.	5	—
Lohengrin Vilm.	7	—	Souvenir de François Gaulin Cr.	4	2 —
Louis de Mérode Cr.	3	2 4	Statuaire Fulconis Cr.	4	2 4
Luna Dam.	10	—	"   Lemot Cr.	4	2 4
M. Astesiano Cr.	4	2 4	Sénateur Montefiore Cr.	4	2 4
M. Forgeot Cr.	4	—	Telemachus Dam.	3	2 4
M. Tripet Cr.	4	—	The Garden Cr.	4	2 4
Madame Baur	7	—	Théophile Viard Cr.	4	2 4
"   A. Blanc Cr.	7	—	Theseus	4	2 4
"   Montefiore Cr.	7	—	Thomas S. Ware	5	—
"   Meriem Lombard, flowers whitish	1 9	—	Trocadero Cr.	4	2 —
"   Camille Dugas Cr.	7	—	Turenne	8	—
"   Crozy Cr.	5	3 2	Unicolor	5	—
"   Oscar Meuricoffre Dam.	5	—	Urania	5	—
"   Oriol Cr.	4	2 —	Vesuvius Dam.	5	2 9
Marquise A. de l'Aigle Cr.	5	—	Vicomtesse de Kerouartz Cr.	4	2 4
Martin Cahuzac	5	—	Victor Gaulin Cr.	4	2 4
Maurice Musy Cr.	5	—	Virginia Dam.	4	—
"   Rivoire Cr. leaves red	4	2 4	Viticulteur Gaillard Cr.	4	—
M. Despont	8	—	New large flowered early Hybrids (Crozy)		
M. J. Goss Pfitz.	4	2 4	dwarf with green leaves, mixed.	—	1 3
M. Ritton	5	—	New large flowered early Hybrids (Crozy)		
Météore Vilm.	4	2 4	semi-high and high with green leaves,		
Michelet Cr.	5	—	mixed.	—	1 3
Miss Sarah Hill Cr.	5	—	New large flowered early Hybrids (Crozy)		
Mr. Cleveland Cr.	4	2 4	with red leaves, mixed.	—	1 3
Mrs. Ramsden Cr.	4	2 4	New large flowered early Hybrids (Crozy)		
Nardy père Cr., leaves red	7	—	all sorts mixed	—	1 3
N. Belisse Cr.	4	2 4			
Niobe Dam.	4	2 4			
Otto Froebel Cr.	5	—			
P. Bouquet Cr., leaves red	8	—			
Paolo Radaelli Cr.	7	—			
Paul Bernaut Cr.	5	—			
Paul Marquant Cr.	5	3 2			
Perle des Massifs	5	—			
Pierrette Biorlet Cr.	5	—			
Podere Restelli	5	—			
Pregmy	5	—			
Président Carnot Cr.	6	3 2			
"   Chaudon Cr., yellow	7	—			
"   Hardy	4	2 4			
"   Thiers	4	2 4			
Professor J. G. Baker Dam.	5	2 9			
			<b>b. Hybrids and Garden Forms</b>		
			including the newest sorts.		
			Alegatière, leaves dark red	6	3 10
			Coquette	4	2 4
			Discolor	4	2 4
			Flaccida le Roi, Dam. 1890.	3	1 8
			Floribunda grandiflora	4	2 4
			Lutea picta	3	1 8
			Mathilde Huber	—	1 6
			Metallica	8	—
			Mr. Lefebvre	4	2 —
			Nigricans, leaves red	3	—
			"   marginata, leaves red	6	—
			Président Faivre	8	—
			Rubra superbissima	4	2 —



	per oz s. d.	per lb. s. d.		per oz s. d.	per lb. s. d.
Sanguinea Chatei . . . . .	— 9	— —	With red leaves mixed . . . . .	— —	1 3
Sénateur Millaud Crozy, the highest sort with very large dark red leaves . . . . .	— 6	3 6	All sorts mixed . . . . .	— —	1 —
Souvenir de Thiers . . . . .	— 4	2 —	<b>c. Typical Sorts.</b>		
„ de Van Houtte . . . . .	— 4	2 —	Canna chinensis . . . . .	— 3	— —
Violacea macrophylla . . . . .	— 4	1 10	„ gigantea . . . . .	— —	1 3
Zebrina elegantissima . . . . .	— 4	2 2	„ indica . . . . .	— 3	1 6
„ excelsa . . . . .	— 4	2 2	„ sanguinea . . . . .	— 3	2 —
With green leaves mixed . . . . .	— —	1 —	„ Warscewiczii . . . . .	— 3	1 6

## XV. Stapelia, Huernia and Echidnopsis.

The Stapelias can be shipped the whole year, even in the winter, if well protected against the cold, and they are offered in good and sound specimens. As to their scent, they are generally better than their reputation, and the most striking kinds are almost scentless.

	1 piece s. d.	10 pieces s. d.		1 piece s. d.	10 pieces s. d.
Duvalia radiata, Haw. . . . .	1 3	— —	Stapelia mixta, Mass. . . . .	— 3	1 10
Echidnopsis Dammanniana Schwfth. . . . .	1 3	— —	„ „ pentagona . . . . .	— 6	3 4
Huernia macrocarpa, Schwfth. . . . .	— 10	— —	„ multiflora . . . . .	— 4	1 11
Stapelia albicans hort. Dam. wax-white and interesting . . . . .	— 6	— —	„ multilineaata, hort. Lyon . . . . .	— 4	1 11
„ anguinea, Jacq. . . . .	— 3	— —	„ Munbyana, hort. Lyon . . . . .	— 6	3 4
„ angulosa, Tod. . . . .	— 3	— —	„ muricata, hort. . . . .	— 5	2 7
„ „ Charypdis, hort. Dam. . . . .	— 6	3 4	„ mutabilis, Jacq. (Orbea) . . . . .	— 4	2 2
„ „ Kreusa, hort. Dam. . . . .	— 6	3 4	„ „ bicolor, Tod. . . . .	— 6	3 4
„ „ Nemesis, „ „ . . . . .	— 6	3 4	„ „ Chimaera, hort. Dam. . . . .	— 9	5 2
„ „ Thi, „ „ . . . . .	— 6	— —	„ „ Circea, hort. Dam. . . . .	— 9	5 2
„ „ Uranos „ „ . . . . .	— 6	— —	„ „ Megara, hort. Dam. . . . .	— 10	— —
„ atrata, Tod. . . . .	— 6	3 4	„ „ Thetis, hort. Dam. . . . .	— 10	— —
„ „ rufescens, hort. Dam. . . . .	— 6	3 4	„ natalensis, hort. Lyon . . . . .	— 6	4 —
„ „ tigrina, „ „ . . . . .	— 6	3 4	„ normalis, Jacq. . . . .	— 6	4 —
„ atropurpurea, Dyck. . . . .	— 7	4 2	„ Nufa, hort. . . . .	— 6	4 —
„ bisulca, Don. . . . .	— 3	1 10	„ panifolia, hort. Lyon . . . . .	— 4	2 2
„ Burtini, Tod. . . . .	— 3	1 10	„ parvipunctata, Tod. . . . .	— 3	1 10
„ ciliolata, hort. Pan. . . . .	— 3	1 10	„ patula, Willd. . . . .	— 10	— —
„ clypeolata hort. Lyon . . . . .	— 4	2 6	„ picta, Don . . . . .	— 3	1 10
„ conspurcata, Willd. . . . .	— 3	1 10	„ planiflora, Jacq. . . . .	— 3	1 10
„ Curtisii, Schult. . . . .	— 3	1 10	„ purpurea, hort. Dam. . . . .	— 3	1 10
„ decora . . . . .	— 6	3 4	„ quinquenervia . . . . .	— 6	3 4
„ deflexa, Jacq. (Stapletonia) . . . . .	— 6	3 4	„ radiata, Sims. . . . .	— 6	3 9
„ discolor, Tod. . . . .	— 6	3 4	„ reclinata . . . . .	— 6	3 4
„ „ Bellona, hort. Dam. new . . . . .	— 10	— —	„ „ major . . . . .	— 6	3 4
„ „ Electra, „ „ „ . . . . .	— 10	— —	„ revoluta . . . . .	— 5	3 6
„ „ Medusa, „ „ „ . . . . .	— 10	— —	„ rugosa (cricota), hort. Lyon . . . . .	— 6	3 4
„ „ Muley Hassan, hort. Dam. . . . .	— 10	— —	„ Salmiana . . . . .	— 6	3 4
„ geminata . . . . .	— 6	3 4	„ scutellata, Tod. . . . .	— 5	— —
„ gigantea, N. E. Br. (Stapletonia) . . . . .	1 3	10 —	„ Scylla, hort. Dam. . . . .	— 6	3 9
„ grandiflora, Mass. (Stapletonia) . . . . .	1 3	— —	„ Sisyphus, hort. Dam. . . . .	— 6	3 9
„ hirtella hort. Lyon (not Duvalia) . . . . .	— 6	3 4	„ Stella, Jacq. . . . .	— 3	1 10
„ hispida, Horn. . . . .	— 3	1 10	„ Uspensky . . . . .	— 6	3 4
„ lentiginosa . . . . .	— 3	2 3	„ variegata, L. . . . .	— 3	1 10
„ luxurians D. . . . .	— 6	— —	„ „ pallida . . . . .	— 10	8 —
„ marmorata, Jacq. . . . .	— 3	1 10	„ „ Prometheus, hort. Dam. . . . .	— 10	— —
„ „ Urania, hort. Dam. . . . .	— 6	— —	„ Woodfordiana, Haw., different from St. picta und St. sanguinea. . . . .	— 6	3 9
„ „ black and yellow . . . . .	— 6	3 4	25 very fine sorts of our selection . . . . .	6 2	— —
			10 very fine sorts of our selection . . . . .	2 6	— —

## XVI. Canna Roots.

In order to offer something special to our friends with whom we are in regular business connection, we have had a colored plate made (29 x 18 inch.) of 25 of our most beautiful Orchid-flowering Cannas representing the flowers in their natural size or rather below it. These varieties are marked \* in our list. This beautiful plate will be sent free of charge to all our customers, and to others on receipt of 6d.

*We only send out strong and sound roots grown in the open ground, and not delicate and poor specimens obtained by unnatural forcing in the hot-house, a good number of which is invariably destined to perish. They are packed very carefully and travel quite safely even to very distant countries; we wish it, however, to be understood that they travel on buyer's risk. Also this year we have obtained a number of new kinds which we offer as below. Canna Roots can be forwarded from October to May, so far as the temperature permits it.*

	1 piece s. d.	10 pieces s. d.	100 pieces s. d.		1 piece s. d.	10 pieces s. d.	100 pieces s. d.
<b>1. Orchid-flowering Cannas</b>				(about 7 inches in diameter), salmon-red, the inner petals are darker.			
<b>Dam.</b>				Hellas . . . . .	8	5 8	48 —
<b>New introductions for the season 1899 to 1900.</b>				About 3 feet. — Lively green, of strong growth and bearing abundant flowers of a canary-yellow color spotted brown-red.			
Emilia . . . . .	6 —	48 —	— — —	Phoebe . . . . .	8	6 2	52 —
About 4 feet high. Leaves purple; of strong growth; flowers of a splendid and peculiar scarlet marbled with chamois.				About 6 feet high. — Glauous leaves, luxuriant growth, flowers similar to a Cattleya, very large, sulphur-yellow, turning later on into a whitish yellow; petals spotted carmine, the inner ones more markedly than the outer ones.			
Romagna . . . . .	6 —	48 —	— — —	Professor Treub . . . . .	1 2	10 2	88 —
About 4 feet high. Dark brown leaves, flowers of a minium scarlet with some large yellowish stripes; a most free flowering kind.				About 4 feet. Broad lanceolate leaves, brown-red, with a dark green hue. Flowers large, minium scarlet striped with salmon-red. Among the red-leaved Cannas this is one of the most striking and beautiful.			
Sicilia . . . . .	5 —	40 —	— — —	Roma . . . . .	8	5 8	48 —
About 2½—3 feet high. Leaves bright green; of robust growth; flowers very large of a dark chrome yellow the lower petal of which is spotted salmon red.				About 3 to 4 feet and a half. Growth extremely luxuriant, leaves glaucous. Very numerous and large panicles; flowers large with yellow ground flamed salmon-red.			
Umbria . . . . .	5 —	40 —	— — —	Rhea . . . . .	8	5 8	48 —
About 4 feet high. Leaves brown with a metallic hue, flowers of a brilliant vermilion with distinct chamois stripes.				About 4 feet. Leaves brown with a metallic hue, flowers of medium size and a brilliant crimson.			
<b>Introductions of former years.</b>				Trinacria . . . . .	8	5 3	46 5
<b>1. Season 1898 to 1899.</b>				About 4 feet. Bright green, of luxuriant growth. Flowers very numerous and large, sulphur-yellow, fading later on into a paler yellow. A very pure color.			
Australia . . . . .	3 4	28 —	— — —	<b>3. Season 1896 to 1897.</b>			
About 4 feet high, leaves dark green with a brown border; flowers very large, salmon-red striped with deep sulphur-yellow; extremely fine.				Africa . . . . .	9	6 —	48 —
<b>2. Season 1897 to 1898.</b>				Height about 3 feet, leaves lanceolate, purple, bronzy, striped green with dark green shades. Very large flowers similar to a Cattleya of a rich purple-scarlet, golden yellow and orange inside. A splendid variety.			
Atalanta . . . . .	— 10	7 3	68 —	Alemannia . . . . .	7	4 2	36 —
Height about 3 feet. Large greyish-green foliage with a dark border; flowers deep orange carmine and very large; of very rich growth.				This kind produces the largest flowers which have been obtained as yet in the way of Cannas. The plant grows about 4½ to 6 feet high. Numerous Musa-like glaucous leaves and wonderful spikes of flowers. The latter are enormous and surpass in size even those of the Canna			
Britannia . . . . .	1 3	10 —	88 —				
About 4 feet. Foliage lively green, Musa like, very large flowers with a yellow ground flamed with carmine. Larger than „Italia“.							
Campania . . . . .	— 8	5 8	48 —				
About 6 feet. — Glauous large leaves; growth extremely rich; flowers large, inner petals chrome-yellow with carmine spots, outer petals sulphur-yellow.							
Ch. Naudin . . . . .	— 8	6 —	52 —				
About 4 feet. — Dark green, brown bordered foliage. Very large flowers							

	1 piece s. d.	10 pieces s. d.	100 pieces s. d.		1 piece s. d.	10 pieces s. d.	100 pieces s. d.
„Italia“. The outer petals are scarlet with a very broad gold-yellow border. The inside of the blooms is scarlet and dark red. Exceedingly beautiful.				Heinrich Seidel . . . . .	6	3 3	28 —
America . . . . .	9	6 —	48 —	Height about 3 feet. Green Musalike leaves with a light glaucous hue. Very large panicles. Very large and numerous flowers of a vivid fiery red with a yellow border spotted with purple. A great beauty.			
Red leaves. Height about 4 to 5 feet. The beautiful foliage is of a bronze color with dark red hues and shining as if the leaves were varnished. The spikes are very large and the flowers enormous, of a very beautiful glowing red-purple flamed and striped.				Iberia . . . . .	6	3 4	28 —
Aphrodite . . . . .	7	4 2	32 —	Height about 3 feet. Glaucous leaves, very large panicles. The large flowers are Cattleya-like. Outer petals golden yellow with a red border. Inner petals crimson, very beautiful.			
Height about 6 feet. Very rich flowering, broad green leaves, immense trusses of large golden yellow flowers with large spots salmon colour; inner petals entirely salmon colour. Splendid.				Kronos . . . . .	6	3 4	28 —
Asia . . . . .	7	4 2	32 —	Height about 3 feet. Broad sea-green leaves, slender stalk, very large panicles. Very large flowers of a rich sulphur-yellow all spotted in red. An extremely fine form.			
Height about 3 feet. Numerous stalks, dark green foliage, very effective. Very large regular flowers of a rich golden yellow. Inner petals dotted scarlet. Splendid.				La France . . . . .	9	6 —	48 —
Bavaria . . . . .	7	4 2	32 —	About 4 feet high. Numerous stalks. Broad lanceolate leaves, very large, of a splendid purple and shining as if varnished. Very large and regular flowers similar to the „Austria“, of a brilliant yellowish scarlet. Unique for its beauty.			
Height about 3 feet. Leaves large, green, with a blueish hue. Very large spikes and flowers of a brilliant golden yellow covered all over with scarlet spots. Quite unique and extremely handsome.				Oceanus . . . . .	6	3 4	28 —
Borussia . . . . .	6	3 4	28 —	Height about 3 feet, lanceolate leaves bright green. Very large panicles. Flowers yellow red spotted. Inferior petals almost quite red. Remarkably beautiful.			
Height 3 to 4 feet. Broad bright green leaves. Enormous spikes, very large flowers, not so large however as those of the „Italia“, of a shining canary-yellow with a golden yellow hue and small fiery red spots. Extremely handsome.				Pandora . . . . .	7	4 2	32 —
Burgundia . . . . .	7	4 2	32 —	Height about 3 feet and more. Lanceolate purple leaves with a metallic hue and dark green stripes. Very large spike; enormous flowers of a glowing fiery red, dark red outside. The borders and the inside are gold flamed. An extraordinarily beautiful variety.			
Height 3 feet. Large glaucous leaves, very large spikes, enormous flowers resembling an expanded Cattleya, of a brilliant golden yellow with rich scarlet spots, golden yellow in the centre and fiery red flamed. A marvel of beauty.				Parthenope . . . . .	7	4 2	32
Edouard André . . . . .	9	6 —	48 —	Height about 3 feet, broad pointed sea-green leaves. Ramified stalk, enormous spikes of flowers of a vivid dark orange-yellow difficult to define, and not observed in Cannas as yet.			
Bushy plant, about 3 feet high. Stalks dark red, broad leaves, short, and dark spotted on the back. Well ramified stalk, spikes bearing 9 to 12 very large flowers of a bright fiery red with orange yellow spots like sparks, long dark red buds of a greenish hue. A kind of sterling merit.				Perseus . . . . .	6	3 4	28
H. Wendland . . . . .	7	4 2	36 —	Height about 3 feet. Broad glaucous green, foliage numerous stalks. Trusses of immense flowers of a pure canary-yellow with scarlet pencillings in the inside. A magnificent variety, very rich flowering and lasting.			
Height about 4 feet. Very broad beautiful green leaves. Very large trusses of large flowers, outer petals scarlet with a golden yellow border, quite fiery red inside and yellow in the centre. It is one of the best of this class.				Pluto . . . . .	9	6 —	48
				Height about 3 feet. Numerous stalks with a splendid purple-red foliage. Large and beautiful scarlet-purple flowers flamed with red inside.			
				Suevia . . . . .	6	3 4	28
				Height about 3 feet. Leaves Musalike, slender stalks. Very large flowers of a pure canary-yellow, satiny, and bronzed inside. Bractees bronzed. Splendid.			

	1 piece s. d.	10 pieces s. d.	100 pieces s. d.
Wilhelm Beck . . . . .	— 6	3 3	28 —
Height about 6 feet. Broad green leaves, immense trusses of sulphur yellow flowers with scarlet red pencillings. Inner perigon scarlet red. A very remarkable variety.			
4. Season 1895 to 1896.			
Austria . . . 1000 pieces	104/—	— —	12 —
Flowers very large, canary yellow; centre spotted red.			
Italia . . . 1000 pieces	120/—	— —	14 —
Enormous panicles of scarlet flowers with a yellow border. Magnificent.			
The whole assortment, introductions of 1895 to 1898			
1 root of each. . . . 15/5			
12 kinds of our selection 5/—			
Orchid-flowering Cannas mixed .	— 5	3 —	24 —

**2. Gladioli flowered Cannas. (Dammann.)**

	1 piece s. d.	10 pieces s. d.
Novelties for the season 1899 to 1900.		
Baja . . . . .	3 6	28 —
About 25 to 30 inches high, bright green foliage flowers deep crimson bordered with a faint yellow edge; extremely rich flowering.		
Cavour . . . . .	3 6	28 —
Of dwarf habit, not exceeding about 2 feet in height, lively green foliage, large spikes of vermilion purple flowers with undulated border.		
Meta . . . . .	3 6	28 —
About 2 feet and 1/2 high, large greyish green foliage, flowers chrome yellow, striped and spotted with brown.		
Nero . . . . .	4 —	36 —
About 3 feet high, the beautiful foliage is of a dark brown red, stems of a whitish hue flowers of a rich cherry red.		
Paestum . . . . .	3 6	28 —
About 3 feet high, large green leaves, flowers light chrome yellow with regular vermilion spots. Very large spikes.		
Solfatara . . . . .	3 6	28 —
About 3 feet high; light green foliage large flowers of a beautiful orange color with carmine reflex.		
Toledo . . . . .	3 6	28 —
About 3 feet and 1/2; leaves green; enormous minium red flowers, often with a light golden edge.		
The whole collection of the above Cannas . . . . . 20/—		

Introductions of 1898.

Capri . . . . .	— 10	7 6
Height about 1 foot. Glauous leaves, very large salmon-scarlet flowers slightly spotted with yellow.		
Ischia . . . . .	— 10	7 6
Height about 1 1/2 feet. Leaves vivid green, flowers sulphur-yellow upon which appear when they begin to fade, large vermilion spots.		

	1 piece s. d.	10 pieces s. d.
Lutetia . . . . .	1 3	10 —
Height about 2 feet, glauous leaves with a greyish tinge. Flowers deep yellow, ground slightly spotted with red. Very rich flowered and in consequence of its habit much adapted for groups.		
Minerva . . . . .	1 3	10 —
Height 3 feet. Dark green foliage; large trusses of very large cinnabar red flowers. a new and grand rich flowering variety.		
Professor Rossi . . . . .	— 10	7 6
About 2 feet high, dark green foliage turning to brown. Very large trusses of salmon-red flowers. Of great value for cutting purposes.		
Sultana . . . . .	— 10	7 6
Height about 3 feet. Glauous foliage with a greyish tinge. Flowers canary-yellow with numberless vermilion spots. A very remarkable colour.		

Introductions of 1896.

Adonis . . . . .	— 6	— —
About 2 feet high, leaves green with a brown border; flowers blood-red.		
Aetna . . . . .	— 6	— —
About 3 feet; leaves very dark red, flowers Crimson and purple.		
Ajax . . . . .	— 7	— —
About 2 feet; leaves green; flowers wax-yellow with rosy spots.		
Alkmene . . . . .	— 7	— —
About 3 feet. Leaves green; flowers orange with a golden yellow border.		
Arethusa . . . . .	— 7	— —
About 1 foot 1/2. Leaves green; flowers very large, sulphur-yellow, changing afterwards into a bright salmon colour; inside dark red; new colour.		
Attika . . . . .	— 7	— —
About 2 feet. Leaves brown-red; flowers very large, bright salmon and darker towards the centre.		
Count of Turin . . . . .	— 7	— —
About 2 feet. Leaves glauous, flowers very large, fire-red, dark red striped with a yellow border, centre blood-red.		
Queen of Italy . . . . .	— 8	— —
About 2 feet. Leaves large, green. Panicle enormous; flowers very large, dark scarlet with a broad golden border; finer than Queen Charlotte.		
Crown-Prince of Italy . . . . .	— 8	— —
About 3 feet. Leaves glauous; flowers very large, dark scarlet; most beautiful.		
Princess Helena of Montenegro . . . . .	— 8	— —
About 3 feet. Leaves green, flowers very large, salmon-red, striped and bordered with golden yellow; petals round; magnificent.		
Princess Laetitia . . . . .	— 7	— —
About 3 feet. Leaves Musa-like. Panicle enormous, flowers large, bright fire-red, dark red flamed and yellow bordered. Splendid.		

	1 piece s. d.	10 pieces s. d.		1 piece s. d.	10 pieces s. d.
Stromboli . . . . .	— 6	— —	Comtesse de Bouchaud, salmon, crimson spotted, yellow border . . . . .	4 —	— —
About 2 feet. Leaves glaucous; flowers very large, red and bright scarlet, fire-red in the centre. Very fine.			Coronet, chrome-yellow . . . . .	— 8	5 —
<b>Introduction of 1835.</b>			Czar Alexander III, bright scarlet . . . . .	— 10	6 6
Aegeus, blood-red, yellow bordered . . . . .	— 6	4 —	Daniel Gerard, crimson, dark crimson flamed, golden-bordered . . . . .	2 —	— —
Bellona, dark scarlet . . . . .	— 4	2 10	François Vuilhermet, brilliant granate-red, very large flowers . . . . .	3 3	— —
Circe, salmon-red, golden bordered . . . . .	— 4	2 10	Fürst Bismarck, splendid scarlet with a dark red hue and undulated petals . . . . .	— 5	3 3
Daedalus, rose and canary-yellow . . . . .	— 4	2 10	Généreux, vermilion, very large flowers . . . . .	3 3	— —
Electra, canary-yellow . . . . .	— 5	3 8	Goliath, very large flowers, bright amaranth-coloured . . . . .	1 —	8 —
Galatea, dark salmon, purple striped . . . . .	— 4	2 10	G. O Quintus, bright yellowish red, crimson edged . . . . .	4	— —
Helios, wax-yellow . . . . .	— 4	2 10	Jeanne Schmidt, bright rose, slightly, crimson spotted, with a pale yellow border . . . . .	3 3	— —
Janus, golden yellow, red spotted . . . . .	— 4	2 10	Léon Pepin Lehalleur, crimson . . . . .	8	5 —
Kalliope, bright salmon and canary-yellow red spotted . . . . .	— 6	4 —	Madame Chabarne, rose . . . . .	— 10	— —
Mars, blood-red . . . . .	— 4	2 10	„ Léon Leclerq, salmon, golden border . . . . .	— 10	— —
Niobe, orange, golden yellow border . . . . .	— 4	2 10	„ Legris, chrome-yellow, brown, spotted . . . . .	— 10	6 6
Priamus, dark salmon-red . . . . .	— 4	2 10	„ Pichon, lemon-yellow, scarlet spotted . . . . .	— 10	— —
Saturnia, crimson . . . . .	— 5	3 8	„ Victor Lemoine, pure yellow with brown striped; a very rare colour . . . . .	4 —	— —
Theseus, sulphur-yellow, scarlet spotted . . . . .	— 4	2 10	Madagascar, salmon-orange and rose-lilac . . . . .	— 10	— —
Tros, crimson . . . . .	— 5	3 8	Madame Meriam Lombard, whitish . . . . .	— 10	6 6
Vesta, canary-yellow, striped blood red . . . . .	— 6	4 —	Marigold, orange . . . . .	— 10	— —
Zeus „ „ red-spotted . . . . .	— 6	4 —	Michel Favrichon, very rich flowering, dark salmon, spotted red with a yellow border . . . . .	3 3	— —
<b>Introductions of 1834.</b>			Mrs. F. Dreer, canary-yellow, salmon spotted . . . . .	1 —	— —
Aegla, blood-red . . . . .	— 7	— —	Mr. Colbombet, canary-yellow and red . . . . .	— 10	6 6
Amathusia, minium-red . . . . .	— 4	2 10	Mr. Farry-Desloges, very large flowers, dark red with a brighter hue and crimson stripes . . . . .	4 —	— —
Andromache, crimson . . . . .	— 5	3 3	Modèle, crimson and carmine . . . . .	— 10	— —
Antigone, scarlet and golden yellow . . . . .	— 4	2 10	Panache, crimson . . . . .	— 8	— —
Bacchus, scarlet, golden and white bordered . . . . .	— 4	2 10	Papa Canna, salmon-red . . . . .	1 —	— —
Ceres, golden yellow, brown flamed . . . . .	— 4	2 10	„ Treyve, orange . . . . .	— 8	4 10
Helgoland, crimson . . . . .	— 3	2 —	Petite Mocotte, crimson-rose, chamois flamed with a yellow border . . . . .	3 3	— —
Ithaka, scarlet yellow bordered . . . . .	— 4	2 10	Philippe Rivoire, very large flowers, crimson-rose marbled carmine with a yellow border . . . . .	3 3	— —
Laertes, bright scarlet, yellow bordered . . . . .	— 4	2 10	Reichskanzler Fürst Hohenlohe, very large flowers, bright lemon yellow, large undulated petals . . . . .	— 10	— —
Luna, brown, yellow bordered . . . . .	— 5	3 8	Roi des Rouges, bright crimson . . . . .	— 10	— —
Odysseus, crimson . . . . .	— 4	2 10	Rose T. May, bright crimson . . . . .	— 7	4 6
Penelope, rose-red with yellow centre . . . . .	— 6	4 —	Secrétaire Chabanne, salmon-crimson . . . . .	— 10	— —
Professor J. G. Baker, dark scarlet . . . . .	— 3	2 —	Souvenir du Capitaine Drujon, canary-yellow, orange spotted . . . . .	— 8	5 —
„ Foster, yellow . . . . .	— 4	2 10	Souvenir de A. Chargueraud, of a splendid granate-red, striped red . . . . .	3 3	— —
Telemachus, scarlet and yellow . . . . .	— 3	2 —	Souvenir de Madm. Crozy, bright red . . . . .	1 3	— —
Vesuvius, crimson . . . . .	— 3	2 —	„ „ Nardy, very large flowers, chrome-yellow spotted carmine, very fine . . . . .	3 3	— —
Virginia, deep canary-yellow, scarlet spotted . . . . .	— 4	2 10	Vice President Luizet, cherry-red . . . . .	10	6 6
			Ville de Poitiers, chrome-yellow, very large flowers, splendid . . . . .	— 10	— —
<b>3. Gladioli-flowered Cannas of different raisers.</b>					
<b>Best introductions of the last years.</b>					
<b>a. Green-leaved.</b>					
Alsace, pale sulphur-yellow . . . . .	— 8	— —			
Ami Jules Chrétien, salmon-scarlet and yellow . . . . .	— 8	— —			
Architecte Mouren, salmon, golden border . . . . .	— 11	— —			
Auguste Chantin, copper-red, bright flamed . . . . .	1 3	— —			
Baronne de Poilly, salmon . . . . .	— 8	5 —			
„ Clara de Hirsch, yellow, red bordered . . . . .	— 6	4 —			
Burbank, lemon-yellow . . . . .	— 5	3 8			
Citoyen de Cronstadt, chrome-yellow, crimson spotted . . . . .	1 3	— —			

	1 piece s. d.	10 pieces s. d.		1 piece s. d.	10 pieces s. d.	100 pieces s. d.
L. Patry, of middle height; green leaves, very large flowers of a beautiful vermilion with darker spots and a yellow edge . . . . .	3	3	—	—	—	—
<b>b. Red-leaved.</b>						
Attika, bright crimson . . . . .	—	6	4	—	—	—
Ch. Paul, salmon . . . . .	—	8	—	—	—	—
Gouverneur von Zimmerer, bright orange and dark-red . . . . .	—	8	—	—	—	—
Léon Vassillière, bright granate-red, very fine	1	3	—	—	—	—
<b>4. Gladioli-flowered early</b>						
<b>a. Some older fine sorts for forcing.</b>						
Colonel Denfert, red-leaved . . . . .	—	1	—	7	4	—
Duc de Mortemart . . . . .	—	2	—	10	7	3
Guillaume Couston . . . . .	—	1	—	7	4	—
J. Cordieux, red-leaved, dwarf . . . . .	—	2	—	10	6	—
Revol Massot, dwarf . . . . .	—	1	—	7	—	—
<b>b. Green-leaved, red-flowered.</b>						
Semi-high; splendid for pot culture.						
Admiral Gervais, . . . . .	—	2	1	6	—	—
Alphonse Bouvier, . . . . .	—	2	1	6	—	—
Boucharlat aîné . . . . .	—	3	2	—	—	—
Camille Bernardin . . . . .	—	5	3	—	—	—
César Bertholon . . . . .	—	2	—	10	7	3
Cousin Jacob . . . . .	—	2	—	10	7	3
Ch. Benoit . . . . .	—	3	2	—	—	—
Ch. Pallice . . . . .	—	3	2	—	—	—
Ch. Henderson . . . . .	—	2	1	6	—	—
Ch. van Geert . . . . .	—	2	—	10	7	3
Colonel Vaillard . . . . .	—	3	2	—	—	—
Comte H. de Choiseul . . . . .	—	3	2	—	—	—
Comtesse de Curzieux . . . . .	—	3	2	—	—	—
De Candolle . . . . .	—	2	1	3	—	—
E. Joly . . . . .	—	2	1	3	9	8
Edouard Michel . . . . .	—	2	—	7	4	—
Emile Barré . . . . .	—	3	2	—	—	—
Explorateur Crampel . . . . .	—	2	—	7	4	—
Frau Oberbürgermeister Rümelin . . . . .	—	8	—	—	—	—
Fr. Wood . . . . .	—	3	2	—	—	—
Felix Crousse . . . . .	—	2	—	7	4	—
Ferdinand Lombard Dam. . . . .	—	2	—	7	4	—
Francisque Morel . . . . .	—	2	—	7	4	—
Françoise Crozy . . . . .	—	2	—	7	4	—
Gartendirector Siebert . . . . .	—	2	—	10	5	8
G. Sennholz . . . . .	—	2	1	3	8	—
Gladiateur . . . . .	—	3	2	—	—	—
Gloire des Marchés . . . . .	—	3	2	—	—	—
H. Guichard . . . . .	—	3	2	—	—	—
J. Bonnefay . . . . .	—	3	2	—	—	—
J. Farquhar . . . . .	—	3	2	—	—	—
Jean Bart . . . . .	—	2	1	3	8	—
Jules Favre . . . . .	—	2	—	10	7	3
Kaiser Wilhelm . . . . .	—	2	—	10	4	10
Karl Neubronner . . . . .	—	4	3	—	—	—
Lafayette . . . . .	—	2	—	7	4	—
Lieutenant Amelet . . . . .	—	2	—	10	4	10
Linné . . . . .	—	3	2	—	—	—
M. Astesiano . . . . .	—	2	1	3	8	—
M. Ritton . . . . .	—	3	2	—	—	—
Madame Ginot Cr. . . . .	—	2	—	10	4	10
Martin Cahuzac Cr. . . . .	—	2	—	10	4	10
Miss Sarah Hill Cr. . . . .	—	2	—	10	4	10
Mr. Cleveland Cr. . . . .	—	1	—	7	4	—
Paul Bruant . . . . .	—	7	4	6	—	—
Paul Marquant Cr. . . . .	—	1	—	7	4	—
Paolo Radaelli Cr. . . . .	—	3	2	—	—	—
Perle des Massifs Cr. . . . .	—	3	2	—	—	—
Podere Restelli . . . . .	—	3	2	—	—	—
Prof. Comes Dam. . . . .	—	2	1	3	—	—
„ David Cr. . . . .	—	2	—	10	4	10
R. Brand Cr., rose . . . . .	—	2	—	10	4	10
Rose Unique Cr. . . . .	—	2	1	3	—	—
Sophie Buchner Cr. . . . .	—	2	1	3	8	—
Statuaire Fulconis Cr. . . . .	—	2	—	10	4	10
Statuaire Lemot Cr. . . . .	—	2	1	3	—	—
Théoph. Vicard Cr. . . . .	—	2	—	10	4	10
Trevese Marie Cr. . . . .	—	2	1	3	—	—
Trocadero Cr. . . . .	—	2	—	8	4	—
<b>c. Green-leaved, semi-high with yellow, red striped and spotted flowers.</b>						
Splendid for pot-culture and for cutting.						
Ami Pichon . . . . .	—	2	1	3	—	—
Aurore Cr. . . . .	—	2	—	8	4	—
Baronne de Sandrans Cr. . . . .	—	2	—	8	4	—
Capitaine P. de Suzzoni Cr. . . . .	—	2	—	10	—	—
Comte de Bouchaud . . . . .	—	7	4	6	—	—
Crozy père . . . . .	—	3	2	—	—	—
Director Leclerq . . . . .	—	3	1	8	—	—
Docteur Vergely . . . . .	—	2	—	10	6	—
George d'Harcourt . . . . .	—	2	—	8	4	—
Hofgartendirector Pfister . . . . .	—	5	3	—	—	—
J. D. Cabos . . . . .	—	2	1	3	—	—
J. Souлары . . . . .	—	2	1	3	—	—
Lapeyrouse . . . . .	—	2	1	3	—	—
L. E. Bally . . . . .	—	2	—	8	4	10
Mad. Baur . . . . .	—	3	1	8	—	—
Mad. Oriol . . . . .	—	2	—	8	4	—
Mad. Montefiore . . . . .	—	2	1	3	—	—
Mad. Montel . . . . .	—	3	2	—	—	—
M. Tripet . . . . .	—	3	2	—	—	—
N. Bellisso . . . . .	—	2	—	8	—	—
Petite Jeanne . . . . .	—	3	1	8	—	—
Pierret Biorlet . . . . .	—	3	2	—	—	—
Pregmy, golden-yellow . . . . .	—	2	—	8	4	—
Président Chaudon . . . . .	—	2	1	3	—	—
Progression . . . . .	—	2	—	8	4	10
Sénateur Montefiore . . . . .	—	2	—	8	4	10
Souv. de Mr. Gaulin . . . . .	—	2	—	8	4	—
Urania Dam. . . . .	—	2	—	8	—	—
Vercelona . . . . .	—	3	1	8	—	—

	1 piece s. d.	10 pieces s. d.	100 pieces s. d.		1 piece s. d.	10 pieces s. d.	100 pieces s. d.
<b>d. Green-leaved, all colours of red, very dwarf, all very rich-flowering.</b>				J. Bichon . . . . .	— 3	2 —	— —
Abricoté . . . . .	— 3	1 8	— —	Karl Kölle . . . . .	— 7	4 6	— —
Baronne de Cendrons . . . . .	— 2	— 8	4 —	Laforcade . . . . .	— 1	— 6	4 —
Beauté Poitevine . . . . .	— 3	2 —	— —	Légionnaire . . . . .	— 2	— 8	4 10
Bonne Etoile . . . . .	— 2	— 10	7 3	Loevin Roesel . . . . .	— 4	2 10	— —
C. Buisson . . . . .	— 2	— 8	4 10	Louis de Mérode . . . . .	— 2	— 8	4 —
Ch. Molin . . . . .	— 3	2 —	— —	M. Despont . . . . .	— 3	1 8	— —
Colonel Dodds . . . . .	— 2	1 3	— —	M. J. Goss . . . . .	— 2	— 8	4 —
Crozy ainé Dam. . . . .	— 2	— 8	4 10	Maurice Rivoire . . . . .	— 2	— 8	4 —
Ed. Mieg . . . . .	— 2	— 10	6 5	Nardy père . . . . .	— 2	— 8	4 —
Gaillard . . . . .	— 3	1 8	— —	P. Bouquet . . . . .	— 2	— 10	6 —
Général Baron Berge . . . . .	— 1	— 8	4 10	Paul Lorenz . . . . .	— 2	— 10	— —
Germania . . . . .	— 7	4 6	— —	Président Carnot . . . . .	— 2	— 8	4 10
Ingénieur Pérache . . . . .	— 2	— 10	6 5	Prof. Gérard . . . . .	— 4	2 10	— —
J. Klinke . . . . .	— 4	2 10	— —	Simon Maupin . . . . .	— 4	2 10	— —
Joh. Prince . . . . .	— 6	3 8	— —	Th. S. Ware . . . . .	— 4	2 10	— —
John Laing . . . . .	— 5	3 8	— —	Turenne . . . . .	— 4	2 10	— —
Königin Charlotte . . . . .	— 6	4 —	32 —	Victor Gaulin . . . . .	— 1	— 8	4 —
Lohengrin . . . . .	— 2	1 3	— —				
Louis van Houtte . . . . .	— 5	3 8	— —	<b>f. Yellow-flowered dwarf.</b>			
Madame Crozy . . . . .	— 2	1 3	8 —	Diomède . . . . .	— 5	3 8	— —
„ Oscar Meuricoffre Dam. . . . .	— 2	— 8	4 —	Hugo Fuchs . . . . .	— 2	1 3	8 —
Major Martin . . . . .	— 3	2 —	— —	Mad. A. Blanc . . . . .	— 4	2 10	— —
Marquise Arthur de l'Aigle . . . . .	— 2	— 8	4 —				
Maurice Grand . . . . .	— 5	3 8	— —	<b>g. The above Gladioli-flowered Cannas mixed.</b>			
Maurice Musy . . . . .	— 2	— 10	7 3	Crozy's mixed . . . . .	— —	— 4	2 —
Météor . . . . .	— 2	— 10	7 3	„ yellow-flowered, mixed . . . . .	— —	— 4	2 —
Michelet . . . . .	— 2	— 10	7 3	„ red-flowered, mixed . . . . .	— —	— 4	2 —
Millet fils . . . . .	— 4	2 10	— —	„ red-leaved mixed . . . . .	— 1	— 5	3 3
Mireille . . . . .	— 4	2 10	— —				
Otto Froebel . . . . .	— 2	1 3	— —	<b>5. Iridiflora Hybrids</b>			
Papillon . . . . .	— 4	2 10	— —	a splendid class for groups.			
Paul Siegrist . . . . .	— 4	2 10	— —	Alba rosea grandiflora . . . . .	— 1	— 9	4 10
Princesse de Brancovan . . . . .	— 2	— 6	— —	Albert Schenkel . . . . .	— 2	1 3	— —
Professeur Changuerand . . . . .	— 1	— 9	4 —	Bruanti, leaves red . . . . .	— 3	1 3	— —
Quasimodo . . . . .	— 5	3 3	— —	Chamaeléon . . . . .	— 2	— 10	— —
Secrétaire Nicolas . . . . .	— 3	2 —	— —	Charles Dippe, leaves red . . . . .	— 2	— 10	— —
Souvenir d'Antonin Crozy . . . . .	— 8	5 3	— —	Derwiche . . . . .	— 2	— 10	4 10
The Garden . . . . .	— 2	1 3	4 —	Doctor Trabut . . . . .	— 2	1 3	— —
Unicolor . . . . .	— 3	2 —	— —	E. Forgeot, leaves red . . . . .	— 2	1 3	— —
				François Thibaut . . . . .	— 2	— 10	5 8
<b>e. Red-leaved and red-flowered.</b>				Gloire de Hussein Dey . . . . .	— 3	1 3	— —
Admiral Avellan . . . . .	— 3	2 —	— —	Gladiolaeflora . . . . .	— 2	1 3	— —
B. Mounier . . . . .	— 3	2 —	— —	Iridiflora Ehmannii . . . . .	— 2	— 10	4 10
B. de Jussieu . . . . .	— 2	— 10	6 —	„ hybrida . . . . .	— 3	1 8	— —
Ch. Souchet . . . . .	— 2	— 10	6 —	„ Guttermannii . . . . .	— 2	1 3	— —
Comandant Faurax . . . . .	— 2	1 3	— —	„ Nouttoni . . . . .	— 2	1 3	— —
Doyen Jean Sisley . . . . .	— 1	— 8	4 —	Lutea grandiflora . . . . .	— 2	— 10	4 10
Emile Thomas . . . . .	— 3	2 —	— —	Macrophylla marmorata, the red-flowered Iridiflora . . . . .	— 2	— 10	— —
E. Renan . . . . .	— 3	2 —	— —	Mad. Cath. Lombard . . . . .	— 2	— 10	4 10
Eduard von Regel Dam. . . . .	— 1	— 8	4 —	„ Marg. Bruant . . . . .	— 2	— 10	4 10
F. Neuwesel . . . . .	— 2	— 10	6 —	Mlle. Rose Lombard . . . . .	— 2	— 10	4 10
Gloire d'Emple . . . . .	— 4	2 10	— —	Nadir, splendid . . . . .	— 2	— 10	4 10
Godefroy-Lebœuf . . . . .	— 4	2 10	— —	Président Favre . . . . .	— 2	1 3	— —
H. Foulquier . . . . .	— 4	2 10	— —	Président Zeys . . . . .	— 2	— 10	4 10
Henry A. Dreer . . . . .	— 3	2 —	— —				

	1 piece s. d.	10 pieces s. d.	100 pieces s. d.		1 piece s. d.	10 pieces s. d.	100 pieces s. d.
Souv. d'Auguste Ferrier . . . . .	— 2	— 10	4 10	Zebrina excelsa . . . . .	— —	— 2	1 3
Tartarin . . . . .	— 1	— 9	4 10	Warscewiczii . . . . .	— —	— 2	1 3
Lombard's mixed . . . . .	— —	— 4	2 5	Mixed, red-leaved . . . . .	— —	— 2	1 3
<b>6. Older sorts, red-leaved</b>				<b>7. Oldersorts green-leaved.</b>			
Alégatière . . . . .	— —	— 3	1 8	Aschiras fol. var. . . . .	— 1	— 9	— —
Coquette, splendid, rich-flowering . . . . .	— —	— 5	3 3	Brenningsii fol. var. . . . .	— —	— 2	1 3
Discolor . . . . .	— —	— 4	1 8	Brillant . . . . .	— —	— 2	1 3
Joseph Lombard . . . . .	— —	— 3	1 8	Chinensis . . . . .	— —	— 2	1 3
Liervallii . . . . .	— —	— 3	1 8	Flaccida le Roi . . . . .	— —	— 2	1 3
Metallica . . . . .	— —	— 3	1 8	floribunda grandiflora . . . . .	— —	— 2	1 3
Nigricans . . . . .	— —	— 3	1 8	Josephine Huber . . . . .	— —	— 2	1 3
„ marginata . . . . .	— —	— 3	1 8	Lutea picta . . . . .	— —	— 2	1 3
Rubra superbissima . . . . .	— —	— 3	1 8	Mathilde Huber . . . . .	— —	— 2	1 3
Sanguinea . . . . .	— —	— 3	1 8	Mülleri . . . . .	— —	— 2	1 3
Sénateur Millaud, splendid . . . . .	— —	— 3	2 —	Mixed, green-leaved . . . . .	— —	— 2	1 3
Souv. de Louis van Houtte . . . . .	— —	— 3	2 —				
Violacea macrophylla . . . . .	— —	— 3	2 —	All sorts mixed . . . . .	— —	— 2	1 —

## XVII. Bulbs and Roots.

Almost all of them can be joined in dry state to orders for seeds.

	10 pieces s. d.	100 pieces s. d.		10 pieces s. d.	100 pieces s. d.
Achimenes, small bulbs best mixed . . . . .			Crinum lineare . . . . . per 1000	72/—	1 — 8 —
per 1000	14/6	— 3 1 8	„ Mac Owani, very fine . . . . .	11 3	— —
Agapanthus umbellatus . . . . .	1 3	10 —	„ Moorei . . . . .	3 —	22 5
Alstroemeria psittacina . . . . .	1 3	10 —	„ pedunculatum . . . . .	1 8	12 10
Amaryllis formosissima (Sprekelia) . . . . .			„ pratense per 1000	72/—	1 — 8 —
per 1000	88/—	— — 10 —	„ Yemense 1 <sup>st</sup> size . . . . .	2 —	18 —
„ Graveana (Hypeastrum) . . . . .	6 6	52 —	„ „ 2 <sup>nd</sup> . . . . .	1 10	16 —
„ Veitch's Hybrids . . . . .	9 —	80 —	Cyclamen neapolitanum per 1000	28/—	— 5 3 3
Amorphophallus Rivieri . . . . .	6 6	— —	„ repandum per 1000	24/—	— 5 3 —
Anemone japonica Honorine Joubert . . . . .	1 6	12 —	Cyrtanthus Mc. Kenny . . . . .	5 8	48 —
Anthericum Bernayi . . . . .	— 10	6 6	Eucomis punctata . . . . .	3 3	24 —
„ ramosum . . . . .	— 4	2 6	Galtonia (Hyacinthus) candicans . . . . .	— 5	3 8
Asclepias tuberosa . . . . .	2 6	20 —	Gladiolus brenchleyensis . . . . .		
Begonia hybrida gigantea, single, all . . . . .			per 1000	36/—	— — 3 11
colours mixed . . . . .	1 3	10 —	„ gandavensis per 1000	60/—	— — 6 6
„ „ double . . . . .	2 3	20 —	„ Lemoinei, splendid mixed . . . . .		
Calla aethiopica . . . . .	1 6	12 10	p. 1000	80/—	— — 10 —
„ „ compacta . . . . .	1 6	12 10	Gloxinia, mixed . . . . . per 1000	160/—	— — 17 8
„ „ gigantea . . . . .	3 —	24 —	Habranthus roseus . . . . .	4 —	32 —
„ „ Little Gem . . . . .	1 3	10 —	Haemanthus coccineus . . . . .	5 8	52 —
Chlidanthus Ehrenbergii . . . . .	— 8	5 8	„ natalensis . . . . .	15 —	— —
Colocasia antiquorum . . . . .	4 —	— —	Hedychium coronarium . . . . .	3 3	28 —
„ „ Dussii . . . . .	5 —	— —	Hemerocallis fulva . . . . . per 1000	52/—	— 10 6 6
Cooperia Drummondii . . . . .	— 10	6 6	„ „ fl. pl. . . . .	1 8	14 6
„ pedunculata per 1000	40/—	— 8 5 —	Hymenocallis Harrisiana . . . . .	2 6	20 —
Crinum abyssinicum, 1 <sup>st</sup> size . . . . .	3 3	28 —	„ undulata per 1000	64/—	— 10 7 3
„ „ 2 <sup>nd</sup> . . . . .	3 —	22 5	Iris ensata hybr. . . . .	— 3	3 —
„ capense (Amaryllis longifolia) . . . . .			„ germanica, in sorts per 1000	10/—	— 2 1 3
per 1000	56/—	1 — 8 —	„ „ mixed per 1000	8/—	— 2 1 —
„ „ fl. albo . . . . .	1 8	12 10	„ Gùldenstädti . . . . .	— 4	3 —
„ erubescens . . . . .	5 —	44 —	„ olbiensis mixed . . . . . per 1000	16/—	— 4 2 —
„ hybr. Todorae . . . . .	5 —	44 —	„ spuria . . . . .	— 8	6 6



	10 pieces s. d.	100 pieces s. d.		10 pieces s. d.	100 pieces s. d.	
Iris stylosa (unguicularis) per 1000	16/—	— 3	2 —	Pancreatum maritimum . . . . .	— 5	3 3
„ „ alba . . . . .	— 8	5 —	—	Pardanthus japonicus . . . . .	— 8	4 10
Kniphofia (Tritoma) best sorts mixed . . . . .	— 10	6 6	—	Phaedranassa chloracea . . . . .	1 —	8 —
Lilium auratum . . . . .	6 6	— —	—	Ranunculus asiaticus superbissimus fl. pleno . . . . . per 1000	7,3	— 10
„ speciosum album . . . . .	5 —	— —	—	Rhodea japonica . . . . .	1 —	8 —
„ „ roseum . . . . .	2 6	20 —	—	„ „ fol. var. . . . .	3 3	28 —
„ „ rubrum . . . . .	2 6	20 —	—	Ruscus Hippoglossum . . . . .	— 4	2 10
„ tigrinum . . . . .	— 10	7 3	—	Richardia albo-maculata . . . . .	— 8	5 —
„ „ fl. pl. . . . .	1 6	12 —	—	Veltheimia (Alettris) capensis . . . . .	7 8	— —
Lycoris aurea . . . . .	5 —	40 —	—	Zephyranthes Atamasco per 1000	8/—	— 3
„ radiata . . . . .	4 6	36 —	—	„ candida . . . . .	— 3	2 —
„ Terracciani . . . . .	5 —	40 —	—	„ carinata . . . . .	— 10	7 3
Moraea (Iris) Robinsoniana . . . . .	11 3	— —	—	„ tubispatha . . . . .	— 4	2 6
Nerine undulata . . . . .	4 —	— —	—	„ verecunda . . . . .	— 4	2 6
Ophiopogon Jaburan . . . . .	3 8	— —	—			

### XVIII. Asparagus-Plants.

	10 pieces s. d.	100 pieces s. d.	1000 pieces s. d.		10 pieces s. d.	100 pieces s. d.	1000 pieces s. d.
Acutifolius, evergreen, slightly climbing very suitable for decorative purposes	— 9	4 10	40 —	Plumosus superbus, a new kind of quick growth . . . 1 piece	— 9	5 3	48 —
Albanensis . . . . .	3 4	— —	— —	Sprengeri Rgl. (Electro) plants from the open ground of 1 year . . . . .	— 9	5 3	40 —
Lucidus, a fine kind, standing the winter well with us; resembles somewhat the A. Spr. . . . .	2 6	20 —	— —	„ „ „ „ 2 years . . . . .	3 3	24 —	— —
Plumosus . . . . .	2 6	20 —	— —	Verticillatus . . . . .	3 9	— —	— —

### XIX. Aspidistra.

We can furnish sound and well-rooted plants from October to April; they are grown in the open ground and will be furnished without soil; they must, however, be sent by the quickest way possible. The plants will be packed very carefully in moss and cases, in order to prevent the leaves from getting damaged; they will, however, not all be ready for sale and part of them must be grown again in pots. The plants are undivided. Of course the plants with striped or spotted leaves produce sometimes also some leaves that are only slightly variegated or even green, which, as they belong to the plant, cannot be taken off and must consequently be charged as variegated ones. The plants are sent of course at buyer's risk, they are, however, packed so carefully that in our opinion they will stand well even a prolonged journey. By parcel post we can forward baskets of 11 Lb. weight containing about 80 to 100 leaves for trial, but they will not give an exact idea of the quality, as large plants cannot for their size be sent as parcels.



Aspidistra.  
Electro 3/3.

	100 leaves s. d.	1000 leaves s. d.
Aspidistra elatior, green . . . . .	8 6	76 —
„ „ fol. var. . . . .	19 3	180 —
„ „ fol. punct. . . . .	16 —	— —

## XX. Fruits of *Lagenaria vulgaris*.

These highly interesting fruits of many interesting shapes are not yet sufficiently known, although they are a most attractive object for show-windows, and at the same time a very salable article. The very often really gigantic fruits, for instance those of the Hercules club, are so decorative that they sell very readily, and there is no kind that is not highly decorative.

Assortment of 12 sorts . . . . . 6/6.



Fruits of *Lagenaria*.  
Electro 3/6.



Small trunk (Bulb) of *Cycas revoluta*.  
Electro 3/3.

## XXI. *Cycas revoluta*.

Small sound and good trunks (bulbs detached from the mother plant) grown here and therefore much better adapted to grow freely than those imported from warmer countries.

12 to 14 in. circumference . . . . .	10 <sup>d</sup> each
8 " 10 " " . . . . .	8 <sup>d</sup> "
6 " 8 " " . . . . .	6 <sup>d</sup> "

## XXII. Novelties for the season 1899 to 1900.

### 1. Vegetable Seeds.

The price per lb. will be applied for orders of at least 1/4 lb.

#### Asparagus Lettuce (Electro).

The Asparagus Lettuce was until now represented only by the narrow leaved form, *Lactuca angustana*. We now offer for the first time to the trade quite a new form with broad green deeply cut leaves, which is far superior to the former one for its exquisite flavor. The plant attains a height and diameter of about 10 inches, stands long before running to seed, and can be highly recommended, quite specially for southern countries.  
per oz 1/6d; per lb. 18/—.

#### Capsicum mild red Harald (Electro).

The fruits of this new and valuable sort resemble much the Ruby King as to size shape and color, but contrary to this latter kind the fruits stand perfectly upright above the leaves, a decided advantage over the other kinds as the fruits are more exposed to the sun, thus ripening better and more quickly.  
per oz 2/6d; per lb. 32/—.



Asparagus Lettuce.  
Electro 4/—.



Capsicum mild red Harald.  
Electro 4/6.



Capsicum red pointed Calabrese.  
Electro 3/3.



Egg plant black Snake.  
Electro 4/6.

**Capsicum red pointed Calabrese (Electro).**

An extraordinary prolific kind with large fleshy dark purple fruits reaching a length of about 7 inches ending in a point. a form not yet met with in any mild Peppers.

per oz 2/3d; per lb. 30/—.

**Egg plant black Snake (Electro).**

Quite a new and very interesting form; the plant grows about 2 feet high and bears an abundant number of cylindrical dark purple almost black fruits about 12 inches long of the very best flavour.

per oz 2/3d; per lb. 30/—.

**2. Newly Introduced or New Flower Seeds.**

⊙ = Annuals. — 4 = Perennials.

The price for 100 packets will be applied for orders of at least 25 packets.

We beg to inform our patrons that, in order to spare unnecessary labour, orders for seeds in packets will not be filled in as many single packets, but the corresponding weight or number will be sent in one lot.

**Aster Mignon lilac violet. ⊙**

A new splendid color of this class.

1 packet 10d; 100 packets 64/—.



*Centaurea Cyanus Victoriae fl. pl.*  
Electro 4/5.

**Aster Ostrich-feathered, rose. ⊙**

A very fine new color.

1 packet 8d; 100 packets 48/—.

**Centaurea Cyanus Victoriae fl. pl. ⊙**

(Electro.)

It is with much satisfaction that we offer for the first time a double flowering form of the so popular and appreciated *C. Cyanus Victoriae*, which will be found one of the best additions to the collection. The very pretty flowers are dark red

and of the same size as those of the single variety. A charming novelty which will soon be a great favorite.

1 packet 10d; 100 packets 64/—.

**Centaurea diluta. 4**

A very profuse flowering bushy plant growing 30 to 35 inches high and covered almost literally with charming lilac-rose flowers with a white centre, about 2 inches across, on long stalks. They are highly adapted for table and other floral decorations.

1 packet 8d; 100 packets 44/—.



*Centaurea eriophora.*  
Electro 3/9.

**Centaurea eriophora. ⊙ (Electro.)**

This variety as will be seen from the cut, is extremely interesting. Although its blooms cannot be compared with those of the large flowered kinds of *Centaurea*, they are however equally adapted for everlasting bouquets as the rather woolly and spiny buttons keep a very long time. From these buttons emerges the yellow flower like a brush. The plant grows only about 12 inches high.

1 packet 8d; 100 packets 48/—.

**Chrysanthemum viscosum** Desf. ⊙ (Electro.)

Although there is no lack of annual Chrysanthemums yet we do not hesitate to recommend most warmly this native of Africa for its profuse flowering. The plant grows about 2 feet high and bears hundreds of single flowers measuring about  $1\frac{1}{9}$  inches across, the short petals of which are sulphur-yellow while the centre is orange-yellow. The yellow flowers form a very effective contrast to the dark green foliage and they appear early in June lasting until September. Highly adapted for groups. The flowers keep very well in water even for 8 or 10 days.

1 packet 5d; 100 packets 32/-.

**Cirsium polycephalum**. 4

A plant very highly adapted for groups, about 6 feet high. Its slightly spiny leaves are much like those of the thistle and



☐ ☐ ☐ *Chrysanthemum viscosum* Desf.  
Electro 4/5.

form a splendid contrast with the globe shaped blooms of a lively bright purple color.

1 packet 7d; 100 packets 40/-.

**Cryptostemma lusitanicum**. ⊙

This compositae can justly be considered as a rival of the Gazanias all the more as it is an annual of rapid growth. The plant attains a height of about 8 inches. Its narrow pinnate or deeply cut leaves are of a greyish green and silvery grey on the back. The plant produces a large number of flowers measuring about 2 inches in diameter, the petals of which are sulphur yellow and chrome-yellow at the base with a dark brown spot.

1 packet 10d; 100 packets 64/-

**Dianthus Heddwigi atrococcineus plenus**. ⊙

A new dark scarlet and very fine color. The plant produces a large number of very double flowers.

1 packet 8d; 100 packets 48/-.

**Gazania hybrida** Venus. 4

Satiny white flowers with a light yellow hue at the base. The back side of the petals is crossed by a broad greyish green line. This plant differs from *G. nivea* by its shorter and broader petals and also by the greater profusion of flowers, which makes it a worthy addition to the fine varieties introduced by us 2 years ago.

1 packet 10d; 100 packets 64/-

**Gymnopsis uniserialis** Hook. 4 (Electro.)

This compositae is a native of Texas resembling as to its habit the *Helianthus cucumerifolius*. It grows about 30 inches high. Above the dark green foliage rise most abundantly on



*Gymnopsis uniserialis* Hook.  
Electro 4/-.

rather long stems very pretty chrome-yellow flowers of 2 to 3 inches across. They are very valuable for cutting as they keep very well in water for a long time. The plant produces flowers without interruption from June to September.

1 packet 7d; 100 packets 40/-.

**Perilla nankinensis laciniatus picta**. ⊙

Under normal conditions the plant grows about 2 feet high; the leaves are deeply cut, of a dark brown almost black color with very distinct large rose and white stripes. Having grown this pretty kind for several years we have found it almost perfectly constant, producing about 75% of true plants with fine leaves as above.

1 packet 8d; 100 packets 48/-.

**Phlox Drummondii variabilis fl. pleno**. ⊙

With very fine partly and also very double flowers of the same slate-blue shades as the single *Ph. variabilis*.

1 packet 10d; 100 packets 64/-.

**Salvia coccinea lactea nana.** ☉

A dwarf form of the lovely *S. coccinea lactea* growing only about 16 to 20 inches high and bearing in great number pure white flowers already in June which last until frost sets in; most valuable for groups.

1 packet 10d; 100 packets 64/—.

**Salvia taraxacifolia.** 2

Resembling in habit the *S. paniculata* but growing rather bushy and only about 10 inches high; it is therefore very valuable for dwarf groups. One single plant will produce about 15 to 20 panicles of bright lilac flowers with a whitish lip, and



*Zinnia elegans laciniata fl. albo pl.*  
Electro 4/5.

although they are not very large yet they appear in such a large number from June to September that this very pretty kind may be considered one of the most floriferous of its class.

1 packet 8d; 100 packets 48/—.

**Scabiosa brachiata.** ☉

A most valuable plant for cutting purposes, which as far as form and color are concerned resembles the *S. caucasica*. Its flowers of a pale blue are about the same size as those of this latter kind, and they grow at the extremity of the stalks which are about 12 to 15 inches high. While the perennial *S. caucasica* flowers generally late in the season and even only the second year, this new kind begins to bloom already in the month of May and its charming flowers last a long time.

1 packet 7d; 100 packets 40/—.

**Verbena ciliata.** ☉

Resembling for its habit and shape of flowers the *Verbena erinoides* and it is an equally free bloomer, only its

leaves are less deeply cut and its flowers are of a very bright lilac.

1 packet 10d; 100 packets 64/—.

**Zinnia elegans laciniata fl. albo pl.** ☉ (Electro.)

We are this year offering the first color of a new class of this very useful annual, the petals of the perfect shaped flowers are as is shown in our cut more or less deeply cut, a fact never met before with any *Zinnia*. The habit of the plant and shape of the pure white flowers is exactly that of the *Z. elegans fl. pl.* Next year we hope to be able to offer some more colors of this fine class.

1 packet 10d; 100 packets 64/—.

**Zinnia elegans pygmaea flore pleno.** ☉ (Electro.)

An absolutely new dwarf kind of only about 8 inches in height but in spite of this very dwarf habit, of most extraordinary



*Zinnia elegans pygmaea flore pleno.*  
Electro 4/—.

rich flowering. We have had as many as 25 to 30 flowers of about 3 inches in diameter on a single plant, which is certainly remarkable considering its small proportions. The flowers are quite as large and double as those of the old *Z. elegans*. — This new kind can therefore be quite specially recommended as a border plant. Last summer we grew it side by side with the ordinary *Zinnia* in order to ascertain that the soil did not exert an influence upon the dwarf habit. The plant remained what we expected it to be. — We offer this year 3 distinct colors, hoping to add some more next season.

Brilliant scarlet	} each colour separate:
Crimson	
White	
} 1 packet 10d; 100 packets 64/—.	

Mixed: 1 packet 8d; 100 packets 56/—.

**Zinnia spectabilis cupreata.** ☉

We are offering this year the second color, a fine copper-red, of the new *Z. spectabilis* class introduced by us 2 years ago.

1 packet 8d; 100 packets 48/—.

## XXIII. Fruit Trees and Cuttings.

	per 10 s. d.	per 100 s. d.		per 10 s. d.	per 100 s. d.
Oranges (Citrus Aurantium) grafted, from the open ground, about 4 to 6 years old	8 —	70 —	Olives, best varieties both for oil and eating, grafted, from the open ground, 1 year old	8 —	65 —
Oranges (Citrus Aurantium) grafted, grown in pots, best varieties, about 4 to 4½ feet high.	25 —	220 —	Olives, best varieties, grafted, grown in pots about 3 to 4 years old	14 —	120 —
Lemons (Citrus Limonum) About 4½ to 6 feet high from 5 s. to 8 s. each			Chestnut (Castanea vesca) about 3 years old	10 —	80 —
Mandarines (Citrus nobilis)			Medlar of Japan (Mespilus japonica) about 3 to 4 feet and ½ high, grown in pots.	15 —	140 —
Cedro (Citrus medica)			Walnuts (Juglans regia), best sorts, grafted, 1 to 2 years old, about 6 feet high	14 —	125 —
Bergamot (Citrus Bergamium)			Hazel-Nuts (Corylus Avellana), best sorts about 3 to 4 feet and ½ high	6 —	48 —
Shaddock (Citrus Decumana) grafted, grown in pots.	30 —	— —	Figs (Ficus Carica) about 15 of the best sorts; about 2 to 3 feet high	7 —	55 —
Mellarosa (Citrus Limonum Mellarosa)			Carobs (Ceratonnia Siliqua) grown in pots, about 3 to 5 feet high	28 —	— —
Lemon sweet (Citrus Limetta)					

We can also supply **Cuttings** of

**Figs**, about 14 in. long, both table varieties and for drying, about 12 sorts of each at from **30 to 40 Shillings per 1000 Cuttings**, according to the sort.

**Olives**, about 12 in. long, 12 sorts at from **16 to 24 Shillings per 1000 Cuttings**, according to the variety.

These Cuttings will be packed in bundles of 100 each and not less than 500 of one kind will be supplied. They are packed in moist musk and shipped in strong cases, without tin. Orders for Cuttings cannot be accepted later than the end of December or the beginning of January. All Fruit-Trees will be sound, strong and of good general condition. Considering the duration of the voyage, which is often very long the packing of the Trees etc. is done most carefully in order to secure their arrival in the best possible condition. It must, however, be understood, that our responsibility ceases as soon as the goods have left our warehouses; they travel entirely at the cost and risk of the purchaser. Shipments can be effected from the end of October to the end of April. Prices are to be understood for cash payment without any reduction or discount. All orders must be accompanied by the respective amount or the greater part of the same and in the latter case the remainder will be charged forward on the B/L. As we cannot in any case deviate from these rules, we shall thank our patrons for complying with them, else to our regret their orders cannot be executed. Packing is charged at first cost. Although we do our best to get all Trees and Cuttings under their right names, yet we cannot assume any responsibility to that effect. Most satisfactory reports have been received even from the most distant localities, that our shipments of Trees and Cuttings have arrived in first rate condition.

## XXIV. Pictorial Seed Pockets.

All drawn from nature and artistically executed.—Empty.

### A. Vegetable Seeds, abt 4 × 2½ in.

Orders for at least 1000 per sort will be forwarded direct by our German Printer at 7/6 per 1000. Smaller quantities per sort will be sent by ourselves at 1/2 per 100. Less than 10 per sort will not be sold.

1	Basil, sweet green.	68	Lettuce, Cabbage, Nonpareil.
79	Beans, dwarf wax flageolet.	65	" " Rudolp's Favourite.
46	Beet, Egyptian turnip, red.	69	" " spotted (Trout).
22	Cabbage, Brunswick, large Drumhead.	15	" " Stubborn-headed, large yellow.
30	Carrot, french early forcing.	71	" " " " new brown.
3	" Nantes, early half-long scarlet.	70	" " Winter, Silverball.
6	Cauliflower, Erfurt earliest dwarf.	72	" " for picking, American brown curled.
7	Celeriac, apple-shaped.	25	Onion, Zittau, giant yellow.
40	Cucumber, long green of Erfurt.	23	Parsley, moss curled.
41	" very " " " "	29	" turnip rooted, short.
17	Endive, moss curled.	57	Radish, early scarlet white tipped.
44	Kohl-Rabi, purple very early Vienna.	33	" Winter, black round.
49	" " white " " "	56	Scorzonera, common.
67	Lettuce, Cabbage, All the year round.	11	Swede, white fleshed.
12	" " early green stone-head.	10	Swede, yellow green top.
66	" " Emperor forcing.	90	" " purple top.
13	" " large Mogul.	19	Tomato, large red.

### B. Flower Seeds, abt 3 × 2 in.

Orders for at least 1000 per sort will be forwarded direct by our German Printer at 6/— per 1000. Smaller quantities per sort will be sent by ourselves at 1/— per 100.

Less than 10 per sort will not be sold.

1	Acroclinium roseum.	30	Aster, Liliput, mixed.
6	Ageratum mexicanum, blue.	24	" Paeony Perfection, mixed.
7	" " album, white.	26	" Quilled, mixed.
9	Agrostemma, coeli-rosa.	33	" Victoria, mixed.
11	Alyssum, sweet.	133	Balsam, double mixed.
12	" saxatile.	134	" rose-flowered double, mixed.
13	Amaranthus caudatus, fox-tail.	39	Begonia, tuberous-rooted single, mixed.
6a	" ruber, red.	56	Blue-Bottle, mixed.
14	" tricolor.	184a	Calampelis scabra.
17	Antirrhinum majus, Snapdragon, mixed.	45	Calendula Meteor.
18	" " nanum, " dwarf mixed.	50	Campanula Medium, single mixed (Canterbury Bell).
20	Aquilegia vulgaris fl. pl., mixed (Columbine).	130	Candytuft, white rocket.
29	Aster, Anmuth, mixed.	131	" large-flowering (Iberis coronaria).
32	" Comet, mixed.	132	" (Iberis umbellata purpurea).
23	" Crown, mixed.	52	Canna, mixed.
34	" Dwarf, mixed.	94	Carnation, extra double Border.
35	" " Bouquet (Boltze), mixed.	95	" double dwarf Vienna.



93	Carnation, Margaret, mixed.	229	Nasturtium, climbing mixed.
119a	Centaurea moschata.	228	" dwarf mixed.
67	Chrysanthemum tricolor, mixed.	226	" King of Tom Thumb.
68	" " atrococcineum.	165	Nemophila insignis.
72	Cineraria hybrida, large-flowering, mixed.	168	Nicotiana affinis.
73	Clarkia elegans, double mixed.	171	Oenothera Lamarckiana.
76	Cobaea scandens.	238	Pansies, best mixed.
53	Cocks-comb, dwarf, mixed.	239	" best English, mixed.
54	" feathered, mixed.	240	" large-flowering French, mixed.
77	Coleus, best mixed.	246	" Emperor William.
186a	" Verschaffeltii var.	247	" Lord Beaconsfield.
78	Collinsia bicolor.	249	" Odier.
79	" mixed.	242	" Schneewittchen (snow-white).
136	Convolvulus major, mixed.	241	" Trimardeau.
80	" minor, mixed.	174	Perilla nankinensis.
47	Coreopsis Drummondii.	175	Petunia hybrida, mixed.
46	" tinctoria.	176	" " grandiflora, best mixed.
82	Cyclamen persicum giganteum, mixed.	181	Phlox Drummondii, mixed.
85	Dahlia variabilis, single mixed.	183	" " grandiflora, best mixed.
40	Daisy, double mixed.	172	Poppy (Papaver Rhoeas), ranunculus, double, mixed.
97	Dianthus chinensis fl. pl., Indian Pink.	173	" " somniferum fl. pl., double mixed.
101	" Heddeewigi, mixed.	188	Portulaca grandiflora, mixed.
104	" plumarius, common Pink.	189	" " fl. pl., double mixed.
106	Eschscholtzia californica, yellow.	191	Primula auricula, mixed.
107	" " alba, white.	193	" veris (elatior).
161	Forget me-not, blue (Myosotis alpestris).	194	" chinensis fimbriata, fringed mixed.
110	Gaillardia picta Lorenziana, double.	195	Pyrethrum parthenifolium aureum, Golden Feather.
112	Godetia, Duchess of Albany.	202	Ricinus sanguineus.
114	" Lady Albemarle.	203	Salpiglossis variabilis, mixed.
49a	" The Bride.	205	Sanvitalia procumbeus, double.
113	" Whitneyi.	209	Scabious atropurpurea, double dwarf mixed.
115	Gomphrena globosa, Globe Amaranth mixed.	212	Silene pendula, rose.
121	Helichrysum monstrosum, double mixed.	214	" " ruberrima, red.
125	Heliotropium, mixed.	215	" " mixed.
10	Hollyhocks, double mixed.	143a	" " compacta.
128	Humulus japonicus, Japanese Hop.	58	Stocks, ten week, mixed.
211	Jacobaea, double mixed.	59	" ten week, largeflowering, mixed.
86	Larkspur, dwarf rocket.	60	" Winter or Bompton, mixed.
141	Linum grandiflorum rubrum, scarlet flax.	63	" Virginian, mixed.
143	Lobelia cardinalis.	137	Sweet Peas, mixed.
145	" Erinus speciosa Crystal Palace.	88	" William, single mixed.
146	" " Emperor William.	89	" " double mixed.
151	Lupinus, annual mixed.	75a	Tagetes patula fl. pl., double French, Marigold, mixed.
152	Lychnis chalcedonica, scarlet.	220	" patula nana fl. pl., double dwarf French Marigold mixed.
153	Malope grandiflora alba.	221	" " striata fl. pl. double striped French Marigold.
154	" " purpurea.	222	" signata pumila.
160	Marvel of Peru, mixed.	231	Verbena hybrida, mixed.
176a	Maurandia, mixed.	256	Zinnia elegans fl. pl., mixed.
196	Mignonette, common.		
197	" large-flow ring, Golden Queen.		
159	Mimulus moschatus (Musk).		

## XXV. Pure South-Italian wines.

We have supplied for many years to our Continental friends different qualities of our fine Italian wines which have been very much appreciated owing to their excellent qualities and cheap prices. In order to meet the increasing demands we have made arrangements with several important wine growers, and are therefore in a position to offer the following qualities at moderate prices viz.

	<b>Shillings</b>	<b>Per 22 Gallons</b>	
<b>Red wines:</b>			All pure and natural wines ready to be bottled. The prices are for 100 Litres or Kilosnet, equal to about 22 English Gallons f. o. b. Naples — Casks extra. We do not accept orders for less than 50 Litres or about 11 English Gallons per sort.
Vesuvio, a mild Claret . . . . .	44		
Syracusa, fiery, for medical purposes . . . . .	50		
Calabria, dry and strong . . . . .	44		
Capri, dry . . . . .	56		
<b>White wines:</b>			
Ischia, much like moselle . . . . .	40		
Stromboli, very fiery . . . . .	44		
Vesuvio, a favorite but strong wine . . . . .	44		
Capri, dry, very fine, like Chablis . . . . .	56		
<b>Lunch- and Dinner-wines:</b>			Per 100 Litres or Kilosnet, equal to about 22 English Gallons f. o. b. Naples, casks included. We do not supply any quantity under 25 Litres or about 5 English Gallons and a half of each kind.
Malvasia, white, strong and sweet, greatly appreciated . . . . .	124		
Marsala, white, brand „England“, dry and much like Sherry . . . . .	104		
Marsala, white, „Italy“, strong very fine . . . . .	88		
Porto, red, much like Portwine . . . . .	116		

Price are understood for Cash with order, without any discount. The wines travel at buyer's risk and we do not answer for leakage, evaporation &c. Our responsibility ceases once the goods are on board.

### Casks:

are charged at first cost as follows:

of about 400 Litres (about 88 English Gallons)	21/6
.. .. 300 .. .. 66 .. ..	18/6
.. .. 200 .. .. 44 .. ..	13/6
.. .. 100 .. .. 22 .. ..	9/6
.. .. 50 .. .. 11 .. ..	5/3

### Double-casks:

These are added only when expressly ordered at following prices:

for 400 Litres (about 88 English Gallons)	12/9
.. 300 .. .. 66 .. ..	9/6
.. 200 .. .. 44 .. ..	7/3
.. 100 .. .. 22 .. ..	5/6
.. 50 .. .. 11 .. ..	3/3

Steamers to all parts of the world.

Samples of the different qualities are at the disposal of correspondents at a trifling cost. We respectfully invite our Patrons to give us a trial order with which they will be fully satisfied.

## Dammann & Co.

San Giovanni a Teduccio (Prov. of Naples).

*A List of all Electros published will be forwarded to our customers on application. It contains about 500 cuts. We shall charge for it 6d which will however be deducted from the first invoice of electros.*

### Our **Bulb Catalogue**


is published in May every year and will be sent free of charge to all our correspondents.

## Contents.

	<i>page</i>		<i>page</i>
I. Vegetable Seeds . . . . .	1	XIII. Seeds of Bulbs and Roots . . . . .	77
II. Swede, Turnip and Mangel Wurzel . . . . .	20	XIV. Seeds of Cannas . . . . .	79
III. Sweet Herbs &c. . . . .	20	XV. Stapelia, Huernia and Echidnopsis . . . . .	81
IV. Clovers, Lucerne &c. . . . .	21	XVI. Canna Roots . . . . .	82
V. Grasses . . . . .	22	XVII. Bulbs and Roots . . . . .	88
VI. Sundry Agricultural Seeds, and Seeds of Economical, Officinal Plants &c. . . . .	22	XVIII. Asparagus-Plants . . . . .	89
VII. Fruit Trees . . . . .	24	XIX. Aspidistra . . . . .	89
VIII. Seeds of Trees, Shrubs &c. . . . .	25	XX. Fruits of Lagenaria vulgaris . . . . .	90
IX. Conifer Seeds . . . . .	29	XXI. Cycas revoluta . . . . .	90
X. Palm Seeds . . . . .	30	XXII. Novelties of Vegetable and Flower Seeds . . . . .	90
XI. Seeds of Annual, Perennial, Climbing, Hot-and-Green-House Plant . . . . .	32	XXIII. Fruit Trees and Cuttings . . . . .	95
XII. Seeds of Ornamental Grasses . . . . .	75	XXIV. Pictorial Seed Pockets . . . . .	96
		XXV. Pure Italian Wines . . . . .	98



# DAMMANN & Co.



*Offices.*



*Entrance to the Trial Grounds. (15 acres).*

No. 121.  
1900—1901.



No. 121.  
1900—1901.

By appointment to his Majesty the King of Italy.

# DAMMANN & C<sup>o</sup>

Seed and Bulb Growers and Merchants

## SAN GIOVANNI A TEDUCCIO

near Naples, Italy.


Established 1877.

Awards obtained:

First Diploma of Honour at the Italian Exhibition, London, 1888.

Large Gold Medal of the Royal Academy of Naples for Improvements in Horticulture. 1890.

Three Medals at the Great Berlin International Horticultural Exhibition, 1890.



Lettuce, improved Tyrol Cabbage.

Awards obtained:

Diploma of Honour from the Botanic Society, Geneva, 1891.

Horticultural Exhibition, Naples 1892.

11 first Prizes, both the 2 Medals of the Government. Florence 1893. 1895.

Leipzig, large and small silver Medals 1893.

Chicago 1893. Naples 1895.

## General Price List

of

Vegetable, Farm, Tree, Conifer, Palm, Flower and other Seeds, Canna Roots, Italian Fruit Trees, Plants, Novelties of Seeds &c. &c.

## Conditions of sale and important remarks.

All prices are quoted in Shillings and Pence (English currency) and to be understood for goods delivered and payable in San Giovanni a Teduccio net without discount at 3 months from date of invoice. Agricultural seeds at 30 days. This condition will not in the least be altered and remains valid even if we draw upon our customers.

We allow 2<sup>9</sup>/<sub>10</sub> discount on all amounts exceeding £ 10.—/—, if cash is remitted on receipt of goods. Smaller amounts are absolutely to be paid in cash.

Our prices being very low (which you will easily find out by comparing them with those of other reliable houses) we cannot deviate from the above condition.

Orders from unknown correspondents must invariably be accompanied by references to continental firms, or the approximate amount be remitted, otherwise orders will not be executed.

Prices are subject to variations and as many quotations are made before the final result of the crop is known we shall not hold ourselves liable for quantities.

We shall thank our Patrons if they will send in their orders on receipt of this list and more especially orders for seeds which have to be collected, such as seeds of Trees, Shrubs, Conifers &c. &c.

Almost all the seeds are grown under our special superintendence, but although we use the utmost care to have all seeds &c. pure and true to name yet we give no warranty expressed or implied as to description, quality, or any other matter connected with the goods we send out and we will not be in any way responsible for the crop. Moreover all our transactions are to be ruled by Italian law. Any claims if in spite of the great care we take there should be any, will, however, be taken into most liberal consideration, but we wish it to be understood, that in no case and under no circumstances we will be responsible beyond the price invoiced for each article. It is on these strict terms only that we offer any goods or execute orders, and in accepting the goods our clients implicitly acknowledge all these terms as binding.

This List cancels all previous quotations.

For quantities from 28 lb. upwards of one sort we quote the price for 1 cwt.; quantities of at least 1/4 lb. of one sort will be charged at the rate of 1 lb., quantities under 1/4 lb. will be charged at the price per oz, orders for smaller quantities than offered in this list will be charged at comparatively higher prices.

Any claims resulting from the invoice itself or from the merchandise, are to be made immediately on receipt thereof, else they can in no way be acknowledged.

### Shipping.

In order that our customers may have an idea of what they will have to pay for freight and shipping charges on our goods, we give the following approximate rates of freight and all charges (not including packing and insurance) from Naples — our establishment can be reached by horse car in about half an hour from the centre of Naples — calculated on 500 Kilos or 10 cwt, which are, however, subject to variations:

To London and Liverpool board: about 2/3 d. per cwt. Freight for Beans to London, Liverpool, Hull &c. about 15 Shillings per ton. Fast Steamers by British India Line and others.

To New-York board: about 2/6 d. per cwt. (not including insurance and consular charges). (Fast steamers by North German Lloyd, Hamburg-American, Anchor and Fabre Lines.)

To Australia, New-Zealand, India, China, Japan, South Africa, South America etc. etc., similar cheap rates by direct Steamers.

### Parcels

can be forwarded by post at the following rates: parcels up to 11 lb, (5 kilos) to:

Australia:		Egypt	1/6
New South Wales	7/10	Great Britain	2/3
Victoria	8/3	Hongkong	6/8
Tasmania	9/3	Japan	4/5
Queensland, 11 lb.	7/5	Malta	1/6
Canada 6 1/2 to 11 lb.	6/2	Natal 2 1/2 to 6 1/2 lb.	5/6
Cape Colony	8/9	6 1/2 to 11 lb.	7/10
Ceylon	6/—	Mexico via France	3/2
Dutch Colonies:		" " Germany	3/8
Batavia, Padang, Samarang, Soerabaia	4/7	New Zealand 11 1/2 lb.	8/—
East India 8 3/4 lb.	7/7	South African Republic.	
" 11 lb.	9/3	6 1/2 lb.	6/7
		11 lb.	8/8

U. S. of America (any State) via Germany (Hamburg or Breme) at a through rate of 5/— (subject to eventual changes).

### Samples

to Great Britain and U. S. A., of 12 oz weight —/4, registered —/7  
to all other countries " 9 " " —/3, " —/6

### Postage

on letters . . . . . 2 1/2 d.  
" post cards . . . . . 1 d.

Packing at first cost.

Goods travel entirely and exclusively at purchasers risk and we are therefore not responsible for any fault or deficiency arising during the voyage or from an eventual long duration of the same.

We shall however thank our correspondents to give us instructions as to the mode of forwarding, otherwise we shall send the goods by the way we think most convenient, without, however, taking any responsibility.

Insurance, if no other instructions are given, will be covered by us for amount of invoice, freight and charges added.

Our Patrons, by ordering, acknowledge the above conditions of sale.

### Electros.

On application we shall forward a list of all electros published at the charge of 6<sup>d</sup> which will be credited again on an eventual invoice of electros. These electros can be had from us at the prices indicated, but it is to be distinctly understood, that our customers use them exclusively for themselves and that they do not sell, lend or copy them. They will be forwarded through Messrs. Dammann & Co., Leipzig (Germany). Any breach of this agreement is liable to a fine of £ 5—/—.

Our establishment being the largest and oldest of its kind in Italy we can show our customers at any time a great many most interesting things and solicit the favor of a visit, when we shall be happy to show them our large crops of every description.

NB. We shall be glad to procure from reliable sources at reasonable prices any kinds of seeds which our friends may not find in our catalogue.

## Dammann & Co.

Cable address: DAMMANN, San Giovanni Teduccio.



Zinnia elegans fl. pl. „Iris“.



Celosia pyramidalis plumosa nana „Preziosa“.



Gazania pygmaea lutea.



Kopfsalat brauner Eis.  
Laitue glaciale rouge.  
Brown Ice Lettuce.

**DAMMANN & C<sup>o</sup>.**

**San Giovanni a Teduccio (Italie).**





# I. Vegetable Seeds.

	per lb. s. d.	per cwt. s. d.		per lb. s. d.	per cwt. s. d.
<b>Alkekengi.</b>					
Eatable Winter-Cherry ( <i>Physalis edulis</i> )	2 3	—			
Purple, new	3	—			
<b>Artichoke.</b>					
Large early purple Campania	—	—			
„ „ green of Naples	6	—			
„ green of Laon or Paris	6 8	—			
Purple of Venice	2 10	—			
„ Provence or purple French	3 3	—			
Green „ „ green „	3 10	—			
Remontant, one of the finest; large, dark green without any spines; bears twice with us, i. e. in spring and autumn	6	—			
Horatius	3 10	—			
Of Modica, very large, glaucous, without spines	3 10	—			
Of Terranova, very early and fine	3 5	—			
We warmly recommend these last 4 varieties.					
<b>Asparagus.</b>					
Giant	6	—			
Purple Argenteuil	—	6 44			
Conovers Colossal	—	6 46			
Palmetto	1 6	—			
Columbian White	1 10	—			
Ivory, new; very tender, remaining white even if shot up very high above the ground.	1 6	—			
<b>Basella.</b>					
White of Malabar ( <i>Basella alba</i> )	1 10	—			
<b>Beans.</b>					
<b>Broad Varieties.</b>					
Sevilla long pod	—	4 21			
Aguadulce, the finest and largest	—	5 25			
Valencia, large black	—	3 16			
„ small „	—	3 15			
Windsor, green	—	3 17			
<b>Beans.</b>					
<b>French or dwarf varieties.</b>					
Algiers black	—	—	23	—	
Best of All	—	—	19	—	
Black Belgian, excellent for forcing	—	—	21	—	
Canada yellow	—	—	21	—	
Canadian Wonder	—	—	19	—	
Canterbury yellow	—	—	14	—	
China	—	—	17	—	
Crimson flageolet	—	—	19	—	
Dark Dun or Liver colour	—	—	19	—	
Fulmers early forcing	—	—	16	—	
Golden Butter Wax, black seeded	—	—	24	—	
Hinrich's speckled giant					19
Hundred for one, small yellow, extremely prolific					26
Ilsenburg purpled speckled, very long pods, extremely early					21
„ white, splendid, very early					16
Negro Monster					20
„ long pod					20
„ extra early					20
Ne plus ultra, fine for forcing					19
Osborne's forcing					19
Pale Dun					16
Perkin's red speckled					16
Sion House					16
Sir Joseph Paxton					14
<b>Beans-Soja (<i>Soja hispida</i>).</b>					
Yellow				5	—
Brown				4	28
Black				4	28
Green Samarow, extremely early and prolific				5	30
Giant yellow Santa Margherita; of enormous growth; Beans very large; extremely prolific				6	—
<b>Beans-Lima.</b>					
(Phaseolus lunatus var.)					
<b>Dwarf.</b>					
Toledo, white, very prolific				4	—
Linderaya, very dwarf white, very large pods				—	—
Giuditta, very prolific, pods broad				—	—
Wonder of San Giovanni, most prolific and early, dark red speckled				4	—
<b>Runners.</b>					
San Giovanni white; runs high, abundant bearer				6	—
Sant Antonio, yellowish white; highly prolific				6	—
San Giuseppe, white of medium size				6	—
San Carlo, black speckled; runs high; abundant bearer, one of the finest				6	—
Lagune, red speckled, splendid				6	—
<b>Beet.</b>					
Crapaudine, rough-skinned, half long				7	52
Castelnaudary, blood-red				8	60
Long, deep red				8	60
Covent Garden, long, red				8	60
Dells crimson, long, red				7	60
Whyte's black, long and fine, dark blood-red				7	15
Large blood-red				7	48

	per lb. s. d.	per cwt. s. d.		per lb. s. d.	per cwt. s. d.
Strasbourg or pear-shaped	— 7	45	Myatt's early Offenham	1 7	160
Bastian's blood-red Turnip	— 7	50	Mein's No. 1	1 7	160
Egyptian Turnip, red	— 7	50	Oxheart large	1 6	150
Bassano, flat, red, early	— 6	44	„ early	1 7	160
<b>Sugar Beet.</b>			St. John's Day, early	1 7	160
(German grown, from selected stock).			„ late	1 6	150
Imperial white	— 7	45	Schweinfurt Drumhead	1 7	160
Klein Wanzleben	— 7	45	Strassburg Quintal or Cwt. Drumhead	1 6	145
Vilmorin's improved	— 7	45	Sugar loaf	1 9	180
Dippe's best stock	— 7	50	Wheeler's Imperial	1 9	180
<b>Silver-Beet</b> , see Swiss Chard.			Winnigstadt, best stock	1 6	150
§ <b>Benincasa-Cerifera</b>	oz —/5	4 5	York early	1 9	180
<b>Borecole or Kale.</b>			„ large	1 9	180
Curled dwarf green (German Greens)	1 5	—	Late Calabria	1 6	150
„ „ purple	1 4	—	Early Mongibello	1 6	150
Palm Tree, high	1 9	—	We recommend these last two sorts quite especially for warmer countries; they are splendid.		
„ „ King, dwarf	1 9	—	Large blood-red Drumhead	1 7	160
<b>Broccoli.</b>			Small „ early Dutch	1 9	180
Purple Navidad, early, dark purple	1 10	—	Pisa, a very early, splendid variety with large solid heads; very much adapted for warmer countries	2 3	—
Dark red Santa Teresa, early, purple, changing into green, when boiled	1 10	—	<b>Savoy.</b>		
Walcheren	3 3	340	Drumhead, large late	1 5	140
Adams early white	3 —	—	Early dwarf Ulm	1 4	120
Backhouse's white winter	3 3	—	Favourite	1 3	135
Cattell's Eclipse, late	3 3	—	Marcelin	1 2	110
Chappell's Cream, late	3 6	—	Small early Vienna	1 2	120
Ellettson's Mammoth, late	2 10	—	Victoria (Waterloo)	1 5	140
Knights protecting, late	2 8	—	<b>Caper Tree</b> , see Trees.		
Penzance (from Cornish stock)	2 3	—	<b>Capsicum.</b>		
Snow's white winter	3 3	—	Sweet varieties.		
Valencia, early, beautiful white heads	3 —	—	Black Nubian	per oz —/3	2 3
Como, early, white, splendid	3 6	—	Cardinal, scarlet, fruits long	„ „ — 3	1 10
Veitch's self protecting, late	2 9	280	Columbus (Dam.) (Electro), red of enormous size	„ „ —/4	3 9
Giant Malta, late	2 9	280	Columbus (Dam.), yellow	„ „ —/3	1 10
Late Asiatic	2 9	280	Elephant's Trump		
Sprouting Nataleschi	1 6	—	red, splendid	„ „ —/3	1 10
„ Gennarese	1 6	—	Golden Dawn	„ „ —/3	1 7
„ Febbrajoli, late	1 6	—	Golden King (Nocera) most beautiful, very large fruit	per oz —/3	1 7
„ Marzajuoli, very late	1 6	—	Maddaloni, of conical shape, very early	„ „ —/3	1 10
<b>Brussels Sprouts.</b>			Mild red Harald (Electro). The fruits resemble much the Ruby King as to size, shape and color, but contrary to this latter kind the fruits stand perfectly upright above the leaves, a decided advantage over the other kinds as the fruits are more exposed to the sun, thus ripening better and more quickly		
Tall, best stock	1 5	—	per oz —/5	3 —	—
Dwarf, improved	1 6	—	Papacello, red, round, medium sized, slightly ribbed; a fine Neapolitan variety, very good for pickling	per oz —/3	1 7
Aigburth	1 9	—			
<b>Cabbage.</b>					
Bacalan, early	1 9	180			
Brunswick, large Drumhead, best stock	1 7	160			
Cocoa Nut	1 7	160			
Drumhead Dutch late	1 —	105			
„ „ early dwarf	1 —	105			
Early Etampes	1 9	175			
Enfield Market	1 9	180			

	per lb. s. d.	per cwt. s. d.
Procop's Giant . . . . . per oz —/4	2 —	— —
Red Etna, fruits upright . . . . . —/4	2 8	— —
Red pointed Calabrese (Electro). Ex- tremely rich bearing, with large fleshy dark purple fruits reaching a length of about 7 inches ending in a point; quite a new form . . . . . per oz —/4	2 10	— —
Ruby King, red, splendid very large . . . . . „ „ —/3	1 9	— —
Sweet Mountain or Bull nose „ „ —/3	1 9	— —
„ Spanish . . . . . „ „ —/3	1 8	— —
Tomato-shaped, red . . . . . „ „ —/3	1 10	— —
„ „ yellow . . . . . „ „ —/3	1 10	— —

Under different climatic and cultural conditions it happens that certain kinds of mild Capsicum turn hot.



Capsicum Columbus.  
Electro 3/3.

	per lb. s. d.	per cwt. s. d.
Tom Thumb (producing fruits in clusters), red, orange, yellow, each . . . . . per oz —/3	1 5	— —
Tomato red . . . . . „ „ —/3	1 6	— —

**Cardoon.**

Puvis, very fine and large . . . . .	1 3	—
Bolognese, excellent . . . . .	1 9	— —
Alexander, (prickly) of enormous size . .	1 10	— —

**Carrot.**

Please state if you desire „Rubbed“or„Bearded“Seed.	Rubbed or clean Seed		Bearded Seed	
	per lb. s. d.	per cwt. s. d.	per lb. s. d.	per cwt. s. d.
Altringham, long scarlet	1 5	145 —	1 3	125 —
Chantenay, half long .	1 9	165 —	1 7	145 —



Capsicum mild red Harald.  
Electro 4/6.

**Capsicum.**

**Hot varieties for pickling.**

Cayenne, red, long fruited, . per oz —/3	1 6	— —
Celestial . . . . . „ „ —/3	1 —	— —
Cherry, red . . . . . „ „ —/3	1 4	— —
Chile red, orange, sulphur yellow, purple, each . . . . . „ „ —/3	1 5	— —
Japanese Cluster (Electro) scarlet, fruits long . . . . . „ „ —/4	2 8	— —
Kaleidoscope . . . . .	1 10	— —
Prince of Wales, yellow . per oz —/3	1 5	— —
Spanish or Guinea . . . . . „ „ —/2	1 —	— —
Szegedin (Hungarian) Rose Paprika . . . . . „ „ —/3	1 5	— —

Carentan, early, half long, scarlet . . . . .	1 10	180 —	1 8	160 —
Early Gem (Oxheart- Guerrande) . . . . .	1 10	180 —	1 8	160
Early scarlet Horn . .	1 11	185 —	1 9	165
French early forc. Horn	1 10	180 —	1 8	160
Half long Luc, stump- rooted . . . . .	1 9	165 —	1 7	145
James Intermediate, half long scarlet, pointed .	1 4	135 —	1 2	120
Nantes, early half long scarlet, stump-rooted .	1 9	165 —	1 7	145 —
St. Valery . . . . .	1 10	180 —	1 8	160 —

	Rubbed or clean Seed		Bearded Seed	
	per lb. s. d.	per cwt. s. d.	per lb. s. d.	per cwt. s. d.
Stump-rooted, half long scarlet	—	—	—	—
Surrey long, red	1 9	165	1 7	145
White Belgian, green top	1 —	100	1 —	90
„ Vosges, thick, short	1 —	96	— 11	84
Indian dark red	— 8	70	— —	— —
<b>Caterpillar.</b> Scorpiurus.			per lb. s. d.	per cwt. s. d.
Mixed	per oz	—/4	3 9	— —

### Cauliflower.

Italian varieties.

#### Earliest short-stemmed Italian Giant

(Dam.), very early, most beautiful large, white, solid heads

3 8 370 —



Capsicum red pointed Calabrese.  
Electro 3/3.

Eclipse, true, short-stemmed	2 6	225	—
Earliest Italian Giant „Non plus ultra“	2 6	215	—
Veitch's Autumn Giant	2 3	280	—
Algiers Giant, late	2 9	285	—
Late Asiatic	2 9	275	—
„ Italian Giant (Veitch's self protecting Broccoli)	2 9	275	—
Giant Malta	2 9	275	—

### Cauliflower.

English, French and German varieties grown in Italy. Finest seeds.

Erfurt earliest Dwarf	per oz 1/2	16 6	— —
Snowball, very fine	„ „ —/11	13 —	— —

	per lb. s. d.	per cwt. s. d.
Montblanc, of the Snowball type; quite dwarf, pure white and solid heads (crop failed)	13 3	— —
Imperial early	5 6	— —
Early Paris or small Salomon	5 6	— —
Large white Erfurt	3 5	340 —
Early Dutch	5 2	— —
„ London	4 6	— —
Lenormand large	4 6	— —
„ short-stemmed, true	10 3	— —
Large Salomon	4 6	— —
Stadtholder	3 9	— —
Walcheren, true	4 —	— —

### Cauliflower.

Imported seed, from our special growers.

Erfurt earliest dwarf, for forcing, finest quality	per oz 4/—	60	— —
Snowball, large, very firm white heads, superior stock	„ „ 3/—	40	— —



Capsicum, Japanese Cluster.  
Electro 3/—.

### Celery.

Arezzo	} these Italian varieties are quite extra	1 2	— —
De Candolle		1 2	— —
Folgore		1 2	— —
Henderson's White Plume	—	8	— —
Ivery's Nonsuch Pink	1	—	— —
Large dwarf white solid	—	8	— —
Leicester Red	—	8	— —
Pink Plume	—	9	— —
Sandringham white	—	8	— —
Scrymgers Giant	1 2	—	— —
Wright's Grove Red	—	8	— —
„ Giant White	—	8	— —
<b>Soup Celery</b>	—	7	45 —

**Celeriac or Turnip-rooted Celery.**

	per lb. s. d.	per cwt. s. d.
Erfurt . . . . .	— 9	70
Giant of Prague . . . . .	1 2	105 —
Ne plus ultra, Paris white . . . . .	1 —	100
Apple-shaped . . . . .	1 —	100

**Chervil.**

	per lb. s. d.	per cwt. s. d.
Common or plain . . . . .	— 10	— —
Curled . . . . .	— 9	— —
Turnip-rooted . . . . .	2 3	— —

**Chicory.**

Common (Barbe de Capucin)	} excellent for salad	— 7	57 —
Improved very large-leaved		— 10	90
Red-leaved Milan (Lombardy)		— 9	80 —
Brussels or Witloof		— 10	82 —



Cucumber, Yokohama climbing.  
Electro 3/3.



Cucumber, Corosan climbing.  
Electro 3/3.

Large-rooted Brunswick . . . . .	— 9	80 —
Asparagus, an excellent Italian variety quite different from any other; leaves and stalks give a most wholesome and refreshing salad when cooked and served cold . . . . .	1 6	—

**Corn, Sweet or Sugar.**

Adam's, extra early . . . . .	— 5	30 —
Crosby's early . . . . .	— 5	30 —
Cory early (red Cob) . . . . .	— 5	30 —
Early Minnesota . . . . .	— 5	30 —
Egyptian Sugar . . . . .	— 5	30 —
Mammoth . . . . .	— 5	30 —

Manhattan early . . . . .	— 5	30 —
Moore's early concord . . . . .	— 5	30 —
Narraganset . . . . .	— 5	30 —
Non plus ultra . . . . .	— 5	30 —
Perry's Hybrid . . . . .	— 5	30 —
Stabler's early . . . . .	— 5	30 —
Stowell's evergreen . . . . .	— 5	30 —
The Country Gentleman . . . . .	— 5	30 —

**Cornsalad.**

Large round-leaved . . . . .	— 8	70 —
Large-seeded round-leaved Dutch . . . . .	— 8	70 —
Italian (Valleriana coronata) . . . . .	— 8	70 —
„ Lettuce-leaved . . . . .	— 9	78 —

**Cress (1 bushel = abt 1/2 cwt.).**

Common or plain . . . . .	— 5	35
Curled . . . . .	— 5	35 —

American Winter . . . . .	1 —	— —
Australian or Golden . . . . .	— 5	37 —
Broad-leaved . . . . .	— 5	37 —
<b>Water Cress</b> . . . . .	2 3	— —

**Cucumber.**

(Open ground varieties.)

Long green . . . . .	1 8	— —
„ „ Italian, very fine and productive . . . . .	1 6	— —
„ „ of Athens, or Greek . . . . .	1 4	— —
„ „ English prickly . . . . .	1 5	— —
„ „ Bismarck, white-spined . . . . .	1 5	— —

	per lb. s. d.	per cwt. s. d.
Long green Goliath . . . . .	1 6	—
„ „ prolific . . . . .	1 6	—
Very long Yellow Dutch . . . . .	1 4	—
Paris pickling . . . . .	1 1	—
Small pickling Bourbonne . . . . .	1 3	—
Japanese green Climbing . . . . .	1 9	—
„ white Climbing . . . . .	2 3	—
Formosa climbing (Dam.), very early and enormously prolific, of splendid flavour. Fruit smooth, dark green, slightly black spotted; flesh white, very solid . . . . .	2 8	—
Yokohama climbing (Dam.) (Electro). A most beautiful late sort; the foliage never suffers from disease. The fruits are cylindrical, bright green and very slightly spined or prickly. Later, if ripe, they turn brighter, almost into wax colour. Flesh white solid. A most abundant bearer . . . . .	3 2	—



Cucumber Persian Cluster. Electro 3/3.

Corosan climbing (Dam.) (Electro). This is the ne plus ultra of productiveness as it bears most abundantly and never suffers from moisture or diseases. Fruit dark green, bright green striped and very slightly prickly, with a curious knot at the extremity. Flesh white, of finest flavour and never bitter . . . . .	3 2	—
Giant of Quedlinburg . . . . .	1 3	—
Pera gigantic green . . . . .	1 3	—
The Prince's Cucumber (Electro), fruits short, about 6—8 in. cylindrical smooth, light green, very fleshy and solid, extremely prolific and highly to be recommended . . . . .	1 6	—
Santa Rosalia, very prolific, climbing very little . . . . .	1 8	—
Bonneuil, white very large . . . . .	1 6	—
Russian small (Marum) . . . . .	1	—

	per lb. s. d.	per cwt. s. d.
Chiwa netted (Emperor Alexander) . . . . .	1 5	—
Russian „ . . . . .	1 3	—
Hairy cucumber of Egypt . . . . .	1 7	—
„ „ Palestine . . . . .	1 7	—
„ „ Taranto . . . . .	2 2	—
Cucumis flexuosus (Snake) . . . . .	2 2	—
Cucumber Melon . . . . .	1 6	—
Persian Cluster (Dam.) (Electro), very early, ripening in about 5 weeks, about 8 inches long, dark green, very slightly prickly; very fine . . . . .	1 10	—
Bedfordshire Price Ridge . . . . .	2 10	—
Stockwood extra . . . . .	2 10	—

**Cucumber.**  
(Frame Varieties.)

Gladiator long green . . . per oz —/4	3 6	—
Man of Kent . . . . . „ „ —/4	3 6	—
Rollisson's Telegraph . . . „ „ —/4	3 9	—



Cucumber, The Prince's Electro 2/6.

Glory of Erfurt . . . . . per oz —/5	4 6	—
Marquis of Lorne . . . . . „ „ —/6	6 —	—
Arnstadt white Giant, } very „ „ —/5	4 6	—
„ green „ } fine „ „ —/7	6 7	—
Hampel's Forcing . . . . . „ „ —/6	—	—
Model . . . . . „ „ —/7	—	—
Prescot Wonder . . . . . „ „ —/8	—	—
Noa's Forcing . . . . . „ „ —/8	—	—
Swan's Neck . . . . . „ „ —/7	—	—
Ideal . . . . . „ „ —/8	—	—
Berlin Eel, very long, thick, green . . . . . „ „ —/7	—	—
Indefatigable . . . . . „ „ —/7	—	—
Long green Cardiff . . . . . „ „ —/6	4 10	—
Jewel of Koppitz . . . . . „ „ —/8	—	—
Old cucumber seed . . . . .	3 16	—
<b>Cyperus esculentus</b> . . . . .	10	—

**Dandelion.**

	per lb. s. d.	per cwt. s. d.
Common . . . . .	3 —	— —
Improved thick-leaved or cabbaging . . . . .	9 3	— —
Improved Moss . . . . .	7 4	— —

**Egg Plant.**

Barbentan long early . . . . .	1 9	— —
Purple dwarf . . . . .	2 2	— —
Black Nagasaki (Dam.), dwarf very early and prolific . . . . .	1 5	— —
Black Prince (Dam.); pear-shaped, very early . . . . .	1 9	— —
Black Snake (Electro). Quite a new and very interesting form; the plant grows about 2 feet high and bears an abundant number of cylindrical dark purple almost black fruits about 12 inches long of the very best flavour . . . . .	3 4	— —



Egg plant black Snake.  
Electro 4/6.

Dammann's „Délicatesse“ (Electro) the earliest, pear-shaped; quite an enormous bearer . . . . .	1 10	— —
Purple large . . . . .	1 7	— —
„ round . . . . .	2 2	— —
„ long of Palermo . . . . .	1 10	— —
„ giant . . . . .	2 8	— —
Black China (Peking) . . . . .	3 —	— —
New York Giant . . . . .	3 9	— —
Giant green Thibet . . . . .	2 3	— —
Calcutta . . . . .	1 5	— —
Long white China . . . . .	1 3	— —
Guadeloupe white, purple striped . . . . .	1 10	— —
Asia, new, (Dam.) of really yellow colour, very fleshy and sweet . . . . .	1 3	— —

	per lb. s. d.	per cwt. s. d.
Persia, new, (Dam.) yellow, of more cylindrical shape . . . . .	1 3	— —
Round white . . . . .	1 3	— —
Green Campania (Dam.), large, round, green and white, very fleshy . . . . .	1 7	— —
Giant Pear of Guadeloupe (Dam.), pure white with purple stripes, of enormous size . . . . .	2 9	— —
Long Horn (Dam.), pure white with green stripes, very early . . . . .	2 9	— —
Tricolor (Dam.), fruits very large, long, thick, fleshy; the upper part is bright green and the lower one white with purple stripes; quite peculiar . . . . .	2 7	— —

**Endive.**

Small green curled summer . . . . .	— 9	76 —
Large green curled . . . . .	1 2	120 —



Egg Plant, Dammann's „Délicatesse“.  
Electro 3/—.

Moss curled . . . . .	1 3	— —
Rouen or Staghorn . . . . .	1 3	125 —
Ruffec curled . . . . .	1 2	— —
White curled (Picpus) . . . . .	1 5	— —
Pancalier curled . . . . .	1 2	125 —
Ever white curled . . . . .	1 8	175 —
Imperial curled . . . . .	1 5	145 —
Green fine curled winter Meaux . . . . .	1 2	— —
Carters Model . . . . .	1 2	110 —
Moss curled Monreale (Dam.) . . . . .	— 10	— —
Batavian (Scarole) green . . . . .	1 —	105 —
„ white . . . . .	1 —	100 —
„ Sant Angelo } both . . . . .	— 9	80 —
„ of Naples } very fine . . . . .	— 9	80 —

**Garlic.**

	per lb. s. d.	per cwt. s. d.
Large Naples . . . . .	— 2	17 —
Very large Calabria . . . . .	— 3	20 —
Mammoth, 3 bulbs weighing abt 2 . . . . .	— —	— —

**Gourd.**

Eatable sorts see *Vegetable Marrow*.  
Ornamental sorts see *Cucumis*, *Cucurbita*, *Lagenaria*.

Ice Plant, see *Sweet Herbs*.

**Kohl-Rabi.**

Grown exclusively from selected stock.

White ordinary . . . . .	1 —	100 —
„ very early Vienna . . . . .	1 2	— —
„ very early Vienna, short-leaved . . . . .	1 2	— —
„ of Prague, the finest of all . . . . .	1 5	— —



Leek, Giant Italian Winter.  
Electro 2/4.

Purple ordinary . . . . .	1 —	100 —
„ very early Vienna . . . . .	1 7	— —
„ very early Vienna, short-leaved . . . . .	1 7	— —
White Giant . . . . .	1 —	— —
Purple Giant . . . . .	1 —	— —
White Goliath, extremely large . . . . .	1 —	100 —
Purple „ „ „ . . . . .	1 —	100 —
Erfurt Dreienbrunnen, white, small, beautiful . . . . .	1 2	— —
Curled of Naples . . . . .	— 8	70 —

**Leek**

(Grown from selected stocks).

Bangholm Prizetaker . . . . .	— 10	90 —
Musselburgh (Scotch stock seeds) . . . . .	— 11	100 —
Large Rouen winter . . . . .	— 10	85 —
Monstrous Carentan . . . . .	10	85 —
Poitou large yellow . . . . .	10	90 —
Large Brabant . . . . .	— 11	100 —
The Lyon . . . . .	— 9	78 —
Henry's Prize or Ayton Castle . . . . .	1 1	110 —

	per lb. s. d.	per cwt. s. d.
Broad London flag . . . . .	— 9	78 —
Renton's Monarch . . . . .	— —	— —
Giant Italian Winter (Electro) . . . . .	10	90 —
„ Ostia, dark green . . . . .	— 11	95 —
„ of Palermo, glaucous, the largest . . . . .	1 —	95 —

These last 3 Italian sorts are most beautiful, producing enormous plants; they will give satisfaction everywhere and more especially in warmer countries.

**Lettuce.**

w. s. = white seed; bl. s. = black seed;  
y. s. = yellow seed.

**Cabbage varieties.****a) Spring varieties.**

Boston Market or white Tennisball, w. s. . . . .	1 8	— —
Golden Yellow Stonehead or Golden Ball w. s. . . . .	1 9	— —



Dammann's Ice Lettuce.  
Electro 3/—.

Wheeler's Tom Thumb; bl. s. . . . .	1 4	130 —
Egg, small early, w. s. . . . .	— —	— —
Dippe's Emperor, w. s. . . . .	1 5	145 —
Sutton's forcing, w. s. . . . .	1 2	— —

**b) Summer varieties.**

All the year round, w. s. . . . .	1 2	120 —
„ „ „ „ bl. s. . . . .	1 2	105 —
Nonpareil, w. s. . . . .	1 —	100 —
Imperial (Green Lettuce) w. s. . . . .	1 3	130 —
Turkey Cabbage (Mammoth Butter Head) bl. s. . . . .	1 —	100 —
Lee's Immense Hardy Green, w. s. . . . .	1 —	100 —
Perpignan improved, w. s. . . . .	— —	— —
Blonde de Versailles, w. s. . . . .	1 4	130 —
Mogul, bl. s. . . . .	1 2	115 —
Blonde de Dresde, w. s. . . . .	1 —	— —
Stubborn-headed large yellow (Trotzkopf) w. s. . . . .	1 2	110 —



	per lb. s. d.	per cwt. s. d.
Stubborn-headed new brown (brown Trotzkopf) w. s. . . . .	1 4	125
Small dark red, bl. s. . . . .	1 9	—
Golden spotted, w. s. . . . .	1 9	—
Passepartout or Fearnought, bl. s. . . . .	1 4	—
Dippe's yellow solid (yellow-seeded Butter) y. s. . . . .	1 2	—
Rudolph's Favourite, w. s. . . . .	1 4	—
Large yellow market, w. s. . . . .	1 2	—
Albano, seed light brown . . . . .	1 4	—
Genezzano, (Continuity) bl. s. of a bronzy colour outside and creamy white inside; stands the greatest heat, is very solid and at the same time very tender, scarcely produces any seed; the finest sort that exists	5 6	—
per oz — 6		
Sémoroz, y. s. splendid large heads, very solid, when fully developed; leaves green, with a bronze margin; golden yellow inside	1 5	—

	per lb. s. d.	per cwt. s. d.
Green German Winter, w. s. . . . .	1 —	100
Besson or Marvel, bl. s. (Electro) . . . . .	1 4	135
Nansen, w. s., green, very hardy . . . . .	1 2	—
<b>Varieties for picking and cutting.</b>		
American brown curled, w. s. . . . .	1 5	143
Australian yellow curled, w. s. . . . .	1 2	—
<b>Cos varieties.</b>		
Alexandra white, w. s. . . . .	1 4	—
Balloon, bl. s. . . . .	1 6	—
Brown Bath, bl. s. . . . .	1 3	130
Brown Bath, w. s. . . . .	1 3	130
Crystal, w. s. . . . .	1 7	160
Cooling's Leviathan, br. s. . . . .	—	—
Frascati, w. s. White self-folding, most excellent	1 5	150
Ivery's Non Such, bl. s. . . . .	1 3	—



Cabbage Lettuce, Besson or Marvel.  
Electro 3/—.



Melon Bujukdere.  
Electro 3/3.

Canada, bl. s. very tender with bronze leaves when exposed to the sun; stands the heat very well; produces very few seeds	1 2	—
Erfurt, yellow, fine, w. s. . . . .	1 4	—
Green Unctuous, bl. s. . . . .	1 7	—
Malta Drumhead, w. s. . . . .	1 —	95 —
Batavia white, w. s. . . . .	1 4	130 —
„ green, w. s. . . . .	1 3	120 —
Bossin's Giant, bl. s. . . . .	1 2	115 —
Chou de Naples, w. s. . . . .	1 6	155 —
Ice Lettuce of Laibach (Iceberg), w. s.	2 —	—
Dammann's Ice Lettuce, w. s. (Electro) larger than the former and of the finest flavour, quite excellent; requires a good loamy soil	1 10	—
Italian Ice Lettuce, w. s., also very large, and solid, yellow; remarkably fine . . . . .	1 9	—
<b>c) Winter varieties.</b>		
Hammersmith Hardy Green, w. s. . . . .	1 2	—
Brown German Winter, w. s. . . . .	1 —	100 —

Kingsholm, w. s. . . . .	1 6	—
Magnum Bonum or Florence, w. s. . . . .	1 6	—
Paris white, w. s. . . . .	1 6	—
„ Green, w. s. . . . .	1 6	—
Potenza, w. s. of enormous size and most excellent; leaves very numerous, white, bronze, self-folding, very solid; does not easily run to seed	1 2	120
Prince of Wales, w. s. . . . .	1 6	—
Spotted, w. s. . . . .	1 4	—
Tankred, w. s. splendid, new; white, self-folding, beautiful . . . . .	1 4	—
Trianon, w. s. . . . .	1 6	—
Lettuce seed for bird's food, w. s. . . . .	— 8	65
„ „ „ „ „ bl. s. . . . .	— 5	35
<b>Asparagus Lettuce.</b>		
Lactuca angustana, bl. s. . . . .	— 10	—
„ „ bl. s. A new form with broad green deeply cut leaves, which is far superior to the former one for its		

exquisite flavor. The plant attains a height and diameter of about 10 inches. stands long before running to seed, and can be highly recommended, quite specially for southern countries

**Melon.**

		per lb. s. d.	per cwt. s. d.
American Peach-Melon	for	pr oz —/3	3 —
„ Mango	pre-	„ „ —/2	1 9
„ oval Mango	serves	„ „ —/2	1 9
Neapolitan Winter,	keep	per oz —/2	1 7
white flesh	very		
„ green „	well		
Netted of Naples	„ „	—/2	1 7
Malta, red flesh	„ „	—/2	1 5
„ green „	„ „	—/3	2 3
Honfleur netted	„ „	—/4	2 9
Tours netted	„ „	—/4	3 2
Pine Apple, white flesh	„ „	—/3	2 3

Bujkdere (Electro) round, smooth, light yellow with green spots or stripes; flesh snow white, thick and juicy; of finest flavour . . . . .	per oz —/4	2 8
Portoghese, oval, yellow dark green spotted; flesh white, tender of best flavour; contains but few seeds . . . . .	per oz —/3	2 —
Cercola, oval, dark green, strongly netted; flesh white, sweet and of fine flavour; the fruits grow up to 8 to 10 lb. weight . . . . .	per oz —/3	2 —
Galata (Electro). Fruit large, oval, about 16 inch. long, yellow, dark green marbled; flesh greenish white, very juicy and sweet . . . . .	per oz —/3	3
Therapia (Electro) large, yellow-netted; flesh thick, dark green, changing into a		



Melon Galata.  
Electro 3/2.



Melon Therapia.  
Electro 3/3.

Pine Apple, red flesh . . . . .	per oz —/3	2 8
Hackensack . . . . .	„ „ —/3	2 —
Emerald Gem . . . . .	„ „ —/3	1 9
Skillman's netted . . . . .	„ „ —/3	2 —
Delmonico . . . . .	„ „ —/3	2 —
Nutmeg . . . . .	„ „ —/2	1 6
Hero of Lockinge . . . . .	„ „ —/4	3 9
Knowley's Favourite . . . . .	„ „ —/4	3 9
Bishop's . . . . .	„ „ —/4	3 9
Blenheim Orange . . . . .	„ „ —/4	3 9
Best of all (Marcellus) . . . . .	„ „ —/4	3 9
Munroe's Little Heath . . . . .	„ „ —/4	3 9
The Czar . . . . .	„ „ —/3	2 —
The Earl's Favourite . . . . .	„ „ —/4	3 9
The following sorts have been introduced by us two years ago and we can quite especially recommend them.		
Asiatic long white, flesh glaucous, like frozen water . . . . .	per oz —/3	2 —

yellowish red towards the interior; very juicy and of excellent flavour . . . . .	per oz —/4	3 9
Turkish Giant (Electro) fruits large, orange yellow, smooth, oval, weighing up to 11 lb.; flesh glaucous, very sweet and juicy . . . . .	per oz —/4	3 5
Iberia, of medium size, green-fleshed, of best flavour . . . . .	per oz —/2	1 7
Tajo, netted, green-fleshed, very juicy and aromatic . . . . .	per oz —/2	1 7
San Martino, of medium size, and roundish shape, bright yellow, orange-marbled; flesh white, excellent . . . . .	per oz —/2	1 7
Large Spanish, very large, yellow, much netted; flesh yellowish, red, juicy and of an exquisite flavour . . . . .	per oz —/3	3 —
Spanish Pearl, very juicy and aromatic . . . . .	per oz —/2	1 7

**Giant of Porto**, very large, attaining a weight of about 15 lb.; slightly netted, juicy and of fine flavour . per oz —/3

**Abundantia (Dam.)**. Certainly the most prolific. The oval shaped medium sized slightly ribbed fruits of a bright green colour are green fleshed and of a most delicious flavour. One of the earliest sorts and for this reason well suited for northern countries. The plant produces such a number of fruits that all the ground is covered with them . . . per oz —/3

**Cilento (Dam.)**. Of oval shape, smooth dark green skin and medium size. The flesh is greenish, almost white of quite an excellent flavour and very sweet. It keeps very well and may be kept in a dry and airy place (without frost) for many months; its seeds are unlike any of other melons. Highly to be recommended all the more as it is very productive . per oz —/2

All sorts mixed . . . . . 1 2 80 —

Frame varieties mixed . . . . . 7 6 — —

Old Melon seed . . . . . 3 16 — —

**Water-Melon.**

**Red-fleshed of Castellamare**, black-seed per oz —/2 1 9 — —

**Very large black seeded** . . . . . 1 3 — —

**„ „ white seeded** . . . . . 2 — — —

**Homerus (Dam.)** of enormous size; flesh bright red of finest flavour; *the seeds are quite soft and can be eaten* . per oz —/4 3 — — —

**Brindisi Giant (Dam.)**. Round, rind smooth and thin, flesh carmine, seeds black, of excellent flavour . . . . . per oz —/4 3 — — —

**Julius Caesar (Dam.)**. Fruit long of very large size; flesh dark red, seeds black; a splendid sort of exquisite musk flavour per oz —/5 4 6 — — —

**Ice Cream** . . . . . „ „ —/2 1 8 — — —

**Mammoth Ironclad**, flesh red „ „ —/2 1 9 — — —

**Mountain Sprout**, flesh red . „ „ —/2 1 9 — — —

**Oh! My!** . . . . . 3 4 — — —

An American sort, which is said to grow to an enormous size.

**Wisconsin**, grows also very large . . . 3 — — — —

**Mixed varieties** . . . . . — 8 55 — — —

**Okra**, see Sweet Herbs.

**Onion.**

The crop of the Italian varieties has been again almost an entire failure this season. (The growing of Onion seed is one of our specialities; stock seeds of the foreign sorts have been obtained from the most reliable sources.)

**Wonder**, small white, the earliest of all . . . — — — — —

per lb. s. d.	per cwt. s. d.
3 —	— —
2 4	— —
1 7	— —
1 2	80 —
7 6	— —
3	16 —
1 9	— —
1 3	— —
2 —	— —
3 —	— —
3 —	— —
4 6	— —
1 8	— —
1 9	— —
1 9	— —
3 4	— —
3 —	— —
— 8	55 —
— —	— —

**White Queen (white Barletta, Neapolitan Marzajola)** very early, for pickling — — — —

**White Nocera**, early . . . . . — — — —

„ **Etna**, silverskinned . . . . . 2 3 — —

„ **Pearl** „ . . . . . 2 3 — —

**Early white Paris** . . . . . 2 3 — —

**White Valence** . . . . . 2 3 — —

**Maggiajola**, flat white (May-Onion) . . . . . 2 3 — —

**Flat white Italian Tripoli** . . . . . 2 3 — —

„ **red** „ „ . . . . . — — — —

**Giant white Mammoth (Silverking)** . . . . . 2 5 — —

„ **red Mammoth (giant red Garganus or Pompei)** . . . . . — — — —

**Giant Rocca brown** . . . . . 2 3 — —

„ „ **blood-red** . . . . . 2 3 — —

„ „ **white (white globe)** . . . . . 2 3 — —

„ „ **yellow** . . . . . 2 3 — —

**Blood-red Vesuvius** . . . . . — — — —

**Bassano or Genoa**, dark red . . . . . — — — —

per lb. s. d.	per cwt. s. d.
— —	— —
2 3	— —
2 3	— —
2 3	— —
2 3	— —
2 3	— —
— —	— —
2 5	— —
— —	— —
2 3	— —
2 3	— —
2 3	— —
2 3	— —
— —	— —
— —	— —



Melon Turkish Giant.  
Electro 3/3.

**Madeira round** . . . . . 2 3 — —

„ **flat** . . . . . — — — —

**Giant white Victoria**, very large . . . . . — — — —

„ **red** „ „ „ . . . . . — — — —

**Coimbra**, roundish or flattened, of rosy colour . . . . . 2 3 — —

**Bermuda red** . . . . . — — — —

„ **white** . . . . . — — — —

**Prizetaker** . . . . . — — — —

**Red Wethersfield** . . . . . 1 10 — —

**Southport large red globe** . . . . . — — — —

„ **white globe** . . . . . — — — —

**James long keeping** . . . . . 2 2 — —

**Magnum Bonum** . . . . . 2 2 — —

**Trebons** . . . . . 2 2 — —

**White Spanish** . . . . . 1 10 — —

**Brown** „ . . . . . 1 3 125 —

**White Lisbon** . . . . . 1 — 95 —

	per lb. s. d.	per cwt. s. d.
Danvers yellow . . . . .	1 10	— —
Zittau giant, yellow or pale red . . . . .	1 9	— —
„ „ red . . . . .	2 2	— —

**Orach**, see Spinach.

**Parsley.**

Common or plain . . . . .	— 6	36 —
Curled . . . . .	— 6	40 —
Myatt's dwarf . . . . .	— 7	44 —
Moss-curled . . . . .	— 6	40 —
Fern-leaved . . . . .	— 7	— —
Italian large-leaved (Celery-leaved) . . . . .	1 —	— —
Giant of Eboli (Dam.) . . . . .	1 2	— —

Both very large, especially the last one, resembling almost the Celery; we recommend these 2 sorts quite particularly.



Tomato *semperfructifera*.  
Electro 3/—.

Turnip-rooted long . . . . .	8	52
„ „ short . . . . .	— 8	54 —

**Parsnip.**

Long smooth . . . . .	— 5	40 —
Round . . . . .	— 5	40 —
Hollow crown . . . . .	— 6	50 —
Elcombe's improved . . . . .	— 6	50 —
Sutton's Student . . . . .	— 6	50 —
Dobbie's selected . . . . .	— 6	50 —

**Peas.**

Prince Albert (of Paris) . . . . .	— 5	26
Caractacus . . . . .	— 5	30 —
Express, green . . . . .	— 5	30 —
Alaska „ . . . . .	— 5	32 —
Fillbasket (Laxton) . . . . .	— 5	26 —
White Victoria . . . . .	— 5	30 —
New Emperor, green . . . . .	— 5	33 —

	per lb. s. d.	per cwt. s. d.
Clamart . . . . .	— 5	33 —
Serpette . . . . .	— 5	33 —
Ring leader . . . . .	— 5	32 —
Extra early dwarf . . . . .	— 5	36 —
De Grace . . . . .	— 6	38 —
Beck's Gem . . . . .	— 7	45 —

**Peas (Wrinkled Varieties).**

Queen of England . . . . .	— 6	38 —
Telephone . . . . .	— 8	50 —
Knight's . . . . .	— 6	38 —
Laxton's Alpha . . . . .	— 8	50 —
Stratagem . . . . .	— 8	50 —
American Wonder . . . . .	— 8	48 —

(Any other English, French or German &c.

Peas can be supplied in best quality at same or lower prices than those of other respectable firms).

Gioachino, early, very productive . . . . .	— 3	20 —
Marcantonio, white, dwarf . . . . .	— 3	20 —

(Two very fine Italian sorts.)

**Radish**

(saved from transplanted roots).

Turnip scarlet . . . . .	1 —	96 —
„ early scarlet . . . . .	1 2	105 —
„ extra early scarlet . . . . .	— 11	80 —
„ early scarlet white tipped . . . . .	— 11	80 —
„ early white . . . . .	— 10	— —
„ very early yellow . . . . .	1 —	96 —
Olive shaped scarlet . . . . .	1 —	90 —
„ „ „ white tipped . . . . .	1 —	90 —
„ „ „ (French breakfast) . . . . .	1 —	90 —
„ „ „ early deep scarlet . . . . .	1 —	90 —
„ „ „ „ white-tipped (new) . . . . .	1 —	90 —
Long scarlet or short top . . . . .	— 11	88 —
„ Wood's early frame . . . . .	— 9	75 —
„ White Naples . . . . .	— 11	88 —
„ scarlet „ . . . . .	1 —	96 —
Summer Black Turnip . . . . .	— 8	65 —
„ Black Long . . . . .	— 8	65 —
Winter Spanish Black Round . . . . .	7	58 —
„ „ „ Long . . . . .	— 7	58 —
„ Scarlet China . . . . .	— 8	60 —

**Rhubarb.**

Myatt's Victoria . . . . .	1 —	— —
Prince Albert . . . . .	1 2	— —

Salsify, Mammoth Sandwich Island . . . . .	1 —	— —
<b>Scolymus hispanicus</b> (sort of Salsify) . . . . .	1 3	— —

**Scorzonera.**

Common . . . . .	3 9	— —
Large Russian . . . . .	4 6	— —
<b>Sea-Kale</b> ( <i>Crambe maritima</i> ) . . . . .	2 3	— —
<b>Shallot</b> (bulbs) (price variable) . . . . .	— 5	— —

**Spinach.**

Prickly or Winter (prickly seed) . . . . .	5	26
Monstrous Viroflay (round seed) . . . . .	5	26
Round-leaved large Dutch (round seed) . . . . .	5	30
Victoria, dark green . . . . .	5	30
Catillon, very large, dark green long standing . . . . .	6	33
Lettuce leaved (round seed) . . . . .	5	30
Long-standing, round seed . . . . .	6	33
New Zealand ( <i>Tetragonia expansa</i> ) . . . . .	10	85
Mountain Spinach or Orach, white . . . . .	6	—

**Swiss Chard.**

Silver-ribbed (yellowish white) . . . . .	6	40
"    "    curled . . . . .	6	40
Chilian scarlet-ribbed . . . . .	8	—
"    yellow-ribbed . . . . .	8	—

**Tomato.**


Acme . . . . .	1	10
Apricot (Dam.) new; orange-coloured, most-	—	—



Vegetable Marrow, Neapolitan Cocozzella.  
Electro 3/3.

ly round, sometimes slightly ribbed and rough-skinned; when cooked the fruits have the flavour of the Apricot . per oz —/6	5	6
Aurora (Dam. 97) apple-shaped, orange-yellow; flesh solid . . . per oz —/4	3	—
Cardinal . . . . . " " —/4	3	2
Carter's Duke of York . . . " " —/4	3	9
Challenger, very large, scarlet; very productive . . . . . per oz —/4	3	3
Chemin, one of the finest sorts " " —/4	2	9
Cherry-shaped, red . . . " " —/3	1	7
Conference . . . . . " " —/3	2	3
Conqueror . . . . . " " —/4	2	3
Coriolan (Dam.) upright; fruits round, smooth and of brilliant purple . per oz —/4	3	3
Enormous, an American sort, fruits of an enormous size . . . . . per oz —/8	6	6

	per lb. s. d.	per cwt. s. d.	per lb. s. d.	per cwt. s. d.
Ficarazzi (Dam.) the earliest of all per oz	3	1	7	
Frogmore selected . . . . . per oz —/8	8	6	6	
Goldball (Dam. 97) golden yellow; fleshy; velvety skinned . . . . . per oz —/4	4	3	—	
Ham Green Favorite . . . . . " " —/8	8	6	6	
Helios (Dam. 97) fruits velvet skinned, coral red, very fleshy and solid, containing but few seeds; early and therefore suitable also for northern countries . per oz —/4	4	3	3	
King Humbert (Dam.) red; well-known fine sort . . . . .	—	10	60	
King Humbert (Dam.) golden-yellow; the finest of all yellow sorts . per oz —/4	4	2	—	
King Humbert (Dam.) white (wax); very prolific and of fine flavour . per oz —/4	4	3	—	
Large red . . . . .	—	6	45	
"    "    early dwarf . . . . .	—	1	5	
"    "    yellow . . . . . per oz —/3	3	2	—	
"    "    Laxton's open air . . . " " —/4	4	3	—	
Lemon Blush . . . . . " " —/3	3	1	10	



Cocozzelle of Tripoli.  
Electro 3/—.

Matchless . . . . . per oz —/4	4	3	—
Mayflower . . . . . " " —/3	3	2	—
Meteor (Dam.) very dwarf; needs no sticks; fruits large, smooth, scarlet, solid per oz —/5	5	4	3
Mikado, purple . . . . . " " —/4	4	3	—
"    scarlet . . . . . " " —/4	4	3	—
Non plus ultra (Dam.) large red . . . " " —/3	3	1	10
Nordlight (Dam.) upright; fruit not very large, round carmine-red; flesh solid . . . . . per oz —/5	5	4	3
Northern Beauty . . . . . " " —/4	4	2	8
Paragon . . . . . " " —/3	3	1	10
Peach (Dam.) . . . . . " " —/3	3	2	—
Pear-shaped red . . . . . " " —/3	3	1	7
Perfection . . . . . " " —/4	4	2	7
Pine Apple (Dam.) round, golden-yellow; enormous bearer . . . . . per oz —/4	4	3	—

	per lb. s. d.	per cwt. s. d.
Ponderosa . . . . . per oz —/5	3 8	
President Garfield . . . . . „ „ —/4	3 2	
Prince of Naples (Dam.) fruits scarlet, of enormous size, flat-round, slightly ribbed per oz —/6	5 —	—
Red Apple . . . . . „ „ —/3	2 —	—
Ruby, large red early . . . . . „ „ —/3	1 9	—
Semperfructifera (Dam.) (Electro) enormously prolific, bearing large clusters of plum-shaped scarlet fruits (often 50 to one cluster). With us the first fruits are ready in May and the plants continually produce them almost until Xmas; they are not very large, but solid and of fine flavour, per oz —/5	4 5	—
Skamander (Dam.) upright, large purple fruits like those of Woodgate Hero, from which it descends, . . . per oz —/4	3 3	—
Tom Thumb (Dam.) . . . „ „ —/3	2 8	—



Coccozella snow-white Belmonte. Electro 33.

	per lb. s. d.	per cwt. s. d.
Milan white top extra early, new . . . . .	1 10	—
Early flat red top . . . . .	10	70
Early Snowball . . . . .	10	70
Jersey white . . . . .	— 10	70
Jersey Lily Turnip . . . . .	10	—
Chirk Castle black stone . . . . .	9	68

**Vegetable Marrow.**

Vegetable Marrow long green Bush or Neapolitan Cocozzella, green and yellow striped (Electro)	1 1	92
Neapolitan Portmanteau green . . . . .	1 2	90
Italian white Mushroom (Champignon) Dam. . . . .	1 3	—
Marrow early golden Bush . . . . .	1 8	—
Marrow Squash Hubbard . . . . .	1 5	—
Red Cardinal . . . . .	1 5	—



Vegetable Marrow, Neapolitan longest green running. Electro 4—.

Tokio (Dam. 97) fruits dark red, large, fleshy, often of a very curious form per oz —/4	3 —	—
Trophy, red . . . . . „ „ —/3	2 6	—
All sorts mixed . . . . .	— 6	40

**Turnip (Garden).**

Very early flat white Dutch . . . . .	— 11	160
Golden Ball . . . . .	— 8	70
Munich early purple top . . . . .	1 —	105
Early red top strap-leaved American stone . . . . .	— 10	70
Early white top strap-leaved American stone . . . . .	10	70
Milan purple top strap-leaved very early . . . . .	1 6	150

Long white Marrow . . . . .	1 10	—
Boston Marrow . . . . .	1 8	—
Winter Crookneck . . . . .	1 8	—
Early white Bush . . . . .	1 8	—
Large yellow gourd or yellow Mammoth	2 3	—
„ white „ „ white „	4 —	—
„ red „ „ red „	4 —	—
„ green „ „ green „	4 —	—
Ohio large yellow . . . . .	2 —	—
Cocozella of Tripoli (new) (Electro)	2 3	—
„ „ „ white . . . . .	2 —	—
„ „ Molfetta, dwarf, with long yellowish-white fruits; very fine	1 7	—
„ „ snow - white Belmonte (Dam.) (Electro). Dwarf with long white fruits; particularly fine	2 6	—

	per lb. s. d.	per cwt. s. d.		per lb. s. d.	per cwt. s. d.
Charles Naudin ( <i>Cucurbita moschata</i> ) (Dam.) a beautiful sort, slightly climbing, with round white-striped white-fleshed fruits and large silvery seeds . . . . .	2	9	zella da pergola (Electro) when young, this sort furnishes quite an excellent dish; cut into pieces of ab <sup>t</sup> 3 in. long, take out the seeds, fill it up again with a stuffing of meat &c. boil, and serve with Tomato sauce	2	—
Scarlet Chinese Sugar, fruits round with scarlet rind; flesh very solid and sweet . . . . .	2	4	Moore's Vegetable Cream . . . . .	1	10
Wonder, new; very early and prolific; round, of medium size; the seeds have no shell as those of other kinds but only a very soft skin . . . . . per oz —/4	3	9	English Vegetable Marrow (à la moelle anglais) . . . . .	1	3
King's Acre Cream . . . . .	2	6	Hymalayan; round dark green, spotted white; flesh delicious; called in India 'Mock apple Tart'	3	—
Pen-y-byd . . . . .	2	6	Long green trailing . . . . .	2	—
Neapolitan longest green running ( <i>La- genaria leucantha longissima</i> (Cocoz-			" white " . . . . .	2	—
			Whale, greyish green . . . . .	2	4

## II. Swede, Turnip and Mangel Wurzel.

Prices variable.

	per lb. s. d.	per cwt. s. d.		per lb. s. d.	per cwt. s. d.
<b>Swede.</b>			<b>Mangel Wurzel.</b>		
White-fleshed . . . . .	1	2	Long red . . . . .	—	6
White fleshed purple top . . . . .	1	3	" yellow . . . . .	—	7
Yellow green top . . . . .	1	—	" Mammoth . . . . .	—	7
" purple top . . . . .	1	2	Champion Yellow Globe . . . . .	—	6
Laings yellow purple top . . . . .	—	11	Golden Tankard . . . . .	—	6
Skirvings " " . . . . .	—	10	Oberndorf Yellow Globe . . . . .	—	6
Bangholm, " " . . . . .	1	2	" Red Globe . . . . .	—	6
<b>Turnip.</b>			Olive-shaped Yellow or Intermediate . . . . .	—	7
White Tankard, green top . . . . .	—	7	" " Red . . . . .	—	7
Red " " . . . . .	—	6	The seeds of Swede, Turnip and Mangel Wurzel as offered above have been grown from best stocks; any other sorts not enumerated will be sup- plied also in reliable quality at cheapest prices.		
Pomeranian White Globe . . . . .	—	7			
Red Top Norfolk . . . . .	—	7			
Green Top Norfolk . . . . .	—	7			
Skirving's Purple Top Yellow . . . . .	—	7			
Carters Purple top Mammoth . . . . .	—	—			
Aberdeen purple top . . . . .	—	—			

## III. Sweet Herbs &c.

	per lb. s. d.	per cwt. s. d.		per lb. s. d.	per cwt. s. d.
Arachis hypogaea (Pea-nut; ground- nut) . . . . .	—	4	both for the kitchen and as a decorative plant . . . . . oz —/3	2	—
Angelica ( <i>Angelica Archangelica</i> ) . . . . .	1	8	Basil purple dwarf curled . . . . .	1	9
Anise ( <i>Pimpinella Anisum</i> ) best of Apulia (South Italian) . . . . .	—	8	Blessed Thistle ( <i>Centaurea benedicta</i> ) . . . . .		5
Balm ( <i>Melissa officinalis</i> ) . . . . .	1	10	Borage ( <i>Borago officinalis</i> ) . . . . .	1	—
Basil sweet, large green . . . . .	1	—	Burnet, Garden ( <i>Poterium hortense</i> <i>sanguisorba</i> ) . . . . .	—	6
" lettuce-leaved . . . . .	—	11	Caper Tree, see Tree Seeds ( <i>Capparis</i> ). . . . .		
" large purple . . . . .	1	—	Caraway ( <i>Carum Carvi</i> ) . . . . .	—	5
" bush purple . . . . .	1	—	Chives (seed) . . . . . oz 2/9		
" " green . . . . .	—	10	Cardoon, see Vegetable seeds.		
" of Abyssinia ( <i>O. suave</i> ) excellent			Clary ( <i>Salvia sclarea</i> ) . . . . .	1	10

	per lb. s. d.	per cwt. s. d.
Coriander ( <i>Coriandrum sativum</i> ) . . .	— 3	13 10
Cumin ( <i>Cuminum Cyminum</i> ) . . .	— 5	31
Dill ( <i>Anethum graveolens</i> ) . . .	— 6	
Fennel, Carosella of Naples ( <i>Foeniculum piperatum</i> ) . . . . .	1 10	— —
„ sweet Bolognese ( <i>Foeniculum dulce</i> ) (Electro) . . . . .	— 10	— — —
„ largest sweet of Sicily, new . . .	— 11	
Fennel Prince Bismarck, very large . .	— 11	— — —



Fennel, sweet Bolognese.  
Electro 1/6.

Fennel Morosini (Dam.) new; the largest, finest and sweetest; a first rate sort . . . — 11 —

These sweet Fennels are quite excellent and whoever tried them with us here, were very satisfied.

Horehound ( <i>Marrubium vulgare</i> ) . . .	1 9	—
Hyssop ( <i>Hyssopus officinalis</i> ) . . .	2 3	
Ice plant ( <i>Mesembrianthemum cristallinum</i> ) . . . . .	2 8	—
Lavender ( <i>Lavendula spica</i> ) . . . . .	1 —	
„ true ( <i>Lavendula vera</i> ) . . . . .	1 8	
Marigold, Pot ( <i>Calendula officinalis</i> ) . .	1 3	
Marjoram, sweet ( <i>Majorana hortensis</i> )	1 —	— — —
„ pot ( <i>Origanum vulgare</i> ) per oz —/6	5 10	—

Mignonette, see Flower Seeds.

Mint, *Mentha piperita*, Peppermint  
1000 seeds —/10

„ „ *crispa* 1000 „ —/8

„ „ Pulegium, (Penny-Royal)  
per oz 2/3

„ „ *viridis*, (Spear-Mint) the best for sauces per oz 2/3

Okra, dwarf early . . . . .	1 6	— —
„ „ improved . . . . .	1 9	— —
„ „ white Louisiana . . . . .	1 9	— —
„ „ Egyptian ( <i>Hibiscus lutescens</i> ) . . . . .	1 6	— —
Purslain green ( <i>Portulacca oleracea</i> ) .	— 11	— —
„ golden . . . . .	1 2	— —
Pyrethrum <i>cinerariaefolium</i> per oz —/6	4 6	— —
Rampion (Raiponce) <i>Campanula</i> ( <i>Rapunculus</i> ) . . . . .	3 3	— —
Rocket ( <i>Brassica Eruca</i> , <i>Eruca sativa</i> )	— 5	— —
Rosemary ( <i>Rosmarinus officinalis</i> ) . . .	4 5	— —
Rue ( <i>Ruta graveolens</i> ) . . . . .	— 11	— —
Sage ( <i>Salvia officinalis</i> ) . . . . .	1 —	— —
„ large-leaved . . . . .	1 5	— —
Savory, Summer or annual ( <i>Satureja hortensis</i> ) . . . . .	— 5	40 —
„ Winter or perennial ( <i>Satureja montana</i> ) . . . . .	1 3	— —
Skirret . . . . .	— —	— —
Sorrel, common . . . . .	1 4	— —
„ broad-leaved French . . . . .	1 5	— —
Tarragon, Russian ( <i>Artemisia Dracunculus</i> ) . . . . . per oz 2/3	— —	— —
Thyme, Summer . . . . .	2 2	— —
„ German Winter . . . . .	1 5	— —
Wormwood ( <i>Artemisia Absinthium</i> ) . . .	2 —	— —
Veronica beccabunga . . . . .	2 2	— —

### IV. Clovers, Lucerne &c. &c.

Prices variable; terms 30 days.

	per lb. s. d.	per cwt. s. d.
Bird's foot Trefoil ( <i>Lotus corniculatus</i> )	1 —	85 —
Broom, common ( <i>Spartium scoparium</i> )	— 5	25
„ yellow or Spanish ( <i>Spartium junceum</i> ) . . . . .	— 5	29
Clover, Alsike ( <i>Trifolium hybridum</i> ) . .	— 9	75
„ Bokhara ( <i>Melilotus alba</i> ) . . . . .	— 7	57
„ Crimson, scarlet or Italian ( <i>Trif. incarnatum</i> ) . . . . .	— —	42
„ Japan ( <i>Lespedeza striata</i> ) . . . . .	1 7	
„ red ( <i>Trifolium pratense</i> ) . . . . .	— 8	68
„ white ( „ <i>repens</i> ) . . . . .	— 9	68
Fenugreek ( <i>Trigonella foenum graecum</i> )	— —	13
Furze, Gorse or Whin ( <i>Ulex europaeus</i> )	1 —	— —

	per lb. s. d.	per cwt. s. d.
Goat's Rue ( <i>Galega officinalis</i> ) . . . . .	— —	19 —
Lathyrus Clymenum . . . . .	— —	14 —
Lentil, Spanish ( <i>Lathyrus sativus</i> ) . . .	— —	14 —
Lupins, white ( <i>Lupinus albus</i> ) . . . . .	— —	11 —
„ yellow ( <i>Lupinus luteus</i> ) . . . . .	— —	11 —
„ blue ( „ <i>angustifolius</i> ) . . . . .	— —	15 —
Lucerne ( <i>Medicago sativa</i> ) best Italian, carefully sifted, fine quality . . . . .	— 9	57 —
„ hardy ( <i>Med. media</i> ) . . . . .	— 11	90 —
Lucerne tree ( <i>Med. arborea</i> ) . . . . .	— 10	— —
Melilotus <i>coerulea</i> . . . . .	— 10	— —
Pea, Wood-(Vetchling) improved ( <i>Lathyrus sylvestris Wagneri</i> ) . . . . .	1 6	— —



	per lb. s. d.	per cwt. s. d.		per lb. s. d.	per cwt. s. d.
Sainfoin, common ( <i>Hedysarum Onobrychis</i> ) in husk . . . . .		14	Spurrey, common ( <i>Spergula arvensis</i> ) .	— —	21
Sainfoin, common ( <i>Hedysarum Onobrychis</i> ) husked or milled (to be preferred, as the seeds grow more easily) . . . . .	5	39	Tares, common or Spring Vetches ( <i>Vicia sativa</i> ) . . . . .	— —	13
Sulla (Spanish Sainfoin, <i>Hedysarum coronarium</i> ) in husk . . . . .	— —	18	" <i>Vicia narbonensis</i> . . . . .	— 4	20
Sulla (Spanish Sainfoin, <i>Hedysarum coronarium</i> ) husked or milled (to be preferred, as the seeds grow more easily) . . . . .	1	92	Tares, <i>Vicia villosa</i> . . . . .	— —	28
Sulla is one of the very best fodder plants for warmer countries. Ask for special circular on Sulla which will be sent free on application.			"    " <i>angustifolia</i> , narrow-leaved .	— 4	—
			"    " <i>atropurpurea</i> . . . . .	— 4	—
			"    " <i>Faba arvensis</i> . . . . .	— —	12 6
			"    "    " <i>equina</i> (Horse Bean)	— —	13
			Trefoil yellow, ( <i>Medicago lupulina</i> ) .	— 3	27
			Trigonella corniculata . . . . .	— 9	—
			Vetchling ( <i>Lathyrus sylvestris</i> ) . . . .	2 8	—
			Yellow Sand Clover ( <i>Anthyllis vulneraria</i> )	1 —	—

## V. Grasses.

Prices variable.

	per lb. s. d.	per cwt. s. d.		per lb. s. d.	per cwt. s. d.
Bent-Grass common ( <i>Agrostis vulgaris</i> ) . . . . .	— 8	61	Marram-, Reed-Grass ( <i>Arundo arenaria</i> , <i>Ammophila arundinacea</i> ) . . . . .	1 —	92
"    creeping ( " <i>stolonifera</i> ) . . . . .	— 8	55	Millet, wood ( <i>Milium effusum</i> ) . . . . .	— 3	27
Blue Melic Grass ( <i>Molinia coerulea</i> ) . . . . .	— 3	26	"    Pearl or cat-tail, ( <i>Penicillaria</i> <i>spicata</i> ) . . . . .	— 6	—
Brome, Hungarian or awnless ( <i>Bromus inermis</i> ) . . . . .	— 7	55	Oats, tall ( <i>Avena elatior</i> ) . . . . .	— 8	52
"    soft or Bull Grass ( <i>Bromus mollis</i> ) . . . . .	— —	15	Rye-Grass, Italian ( <i>Lolium Italicum</i> ) .	— —	28
"    meadow ( <i>Bromus pratensis</i> ) . . . .	4	27	"    "    English ( " <i>perenne</i> ) 28 lb.	— —	26
Canary-Grass ( <i>Phalaris arundinacea</i> ) . . . .	2 9	—	"    "    "    ( " " ) 26 lb.	— —	25
Cocksfoot, common ( <i>Dactylis glomerata</i> ) . .	— 8	51	"    "    "    ( " " ) Pacey's	— —	30
Crested Dogtail ( <i>Cynosurus cristatus</i> ) . . . . .	— 8	58	Soft Grass, meadow, Honey gr. ( <i>Holcus lanatus</i> ) . . . . .	— 3	18
Eleusine coracana . . . . .	— 10	—	Sweet Vernal Grass ( <i>Anthoxanthum odoratum</i> ) true . . . . .	1 6	—
Fescue, hard ( <i>Festuca duriuscula</i> ) . . . . .	— 5	40	Sweet Vernal Grass common ( <i>Anthoxanthum odoratum</i> Puellii) . . . . .	— 5	27
"    tall ( " <i>elatior</i> ) . . . . .	— 6	44	Teosinte, ( <i>Reana luxurians</i> ) . . . . .	1 10	—
"    various-leaved ( <i>Festuca heterophylla</i> ) . . . . .	9	64	Timothy ( <i>Phleum pratense</i> ) . . . . .	— 5	38
"    sheep's ( <i>Festuca ovina</i> ) . . . . .	5	39	Lawn Grass . . . . .		
"    meadow ( " <i>pratensis</i> ) . . . . .	— 7	58	Mixture for meadows, pastures &c.		32
"    red or creeping ( <i>Festuca rubra</i> ) . . . . .	— 5	39	"    "    "    "    "    in-		
Hair-Grass tufted ( <i>Aira caespitosa</i> ) . . . . .	— 5	33	cluding clovers &c. . . . .		34
"    waved ( " <i>flexuosa</i> ) . . . . .	— 5	31	"    "    lawns on dry land . . . . .		34
Meadow, Foxtail ( <i>Alopecurus pratensis</i> ) . .	— 9	65	"    "    "    "    wet . . . . .		38
"    wood ( <i>Poa nemoralis</i> ) . . . . .	— 10	72	Please indicate nature of soil, exposure &c. &c.		
"    smooth-stalked ( <i>Poa pratensis</i> ) . . .	7	54			
"    rough-stalked ( " <i>trivialis</i> ) . . . . .	8	64			

# VI. Seeds of sundry Agricultural, Economical, Officinal &c. Plants.

Prices variable.

	per lb.		per cwt.			per lb.		per cwt.	
	s.	d.	s.	d.		s.	d.	s.	d.
Barley, best Italian } very fine Italian	—		12	—	Millet of Yokohama (Eleusine caracana	—	4	20	—
„ Altamura } varieties	—		12	—	var.)	—	4	20	—
Canary-seed (Phalaris canariensis)	—		13	—	Moha, Hungarian or German Millet	—	3	15	—
Chamomile (Matricaria Chamomilla)	2	7	—	—	(Panicum Germanicum)	—	3	15	—
Cotton (Gossypium herbaceum), Neapolitan	—		12	—	„ green Californian	—	3	16	—
„ Gordon Pasha, very fine	1	3	—	—	Nettle China-Grass, Silvery Ramieh	13	—	—	—
Cumin (Cuminum Cuminum)	—		5	31	(Urtica nivea) . . . per oz 1/—	—	—	—	—
Flax, giant of Naples (Linum usitatissimum)	—		—	20	Oats best Naples	—	—	12	—
„ Riga, grown from Riga stock seeds	—		4	22	„ „ of the Abbruzzes	—	—	12	—
„ Campania, dwarf, furnishes the best fibre suitable for the finest texture	—		4	24	Panicum frumentaceum giganteum, an annual gigantic grass, growing about 6 feet high. Grows very quickly and gives an enormous amount of green fodder.	—	7	—	—
Hemp, giant of Naples, large-seeded	—		4	22	Rice, Piedmontese (Novara)	—	4	25	—
„ „ „ „ small- „	—		4	22	„ of Castellamare (Naples)	—	4	17	—
„ „ of Piedmont, a choice variety, growing very high	—		6	35	Rye, winter of Naples	—	—	10	—
Indian Corn or Maize, Nanerottolo, very dwarf; the earliest of all	—		3	17	„ of the Abbruzzes	—	—	10	—
Indian Corn or Maize, Ambra	—		—	—	Rush (Juncus multiflorus)	—	7	—	—
10 spikes —/9	—		2	13	Sacaline (Polygonum sacchalinese)	—	9	—	—
„ „ „ „ Harlequin	—		2	13	Sorghum, (Holcus Sorghum) Broomcorn	—	—	9	—
10 spikes —/9	—		2	13	„ cernuum (Douro, Durra)	—	—	19	—
„ „ „ „ Caragua, giant white (Horse tooth)	—		2	13	„ saccharatum (Sugar-Millet)	—	—	16	—
„ „ „ „ six weeks or Quarantine of Naples	—		2	10	„ „ Minnesota (Amber cane)	—	—	16	—
„ „ „ „ seven-weeks or Cinquantine, yellow	—		2	12	„ „ Orange-Sugar	—	—	19	—
„ „ „ „ yellow large of Naples	—		2	10	„ „ the Shaw, dwarf, ab <sup>t</sup> 4 to 5 feet high, very early, compact, with large panicles, very rich in sugar	—	—	22	—
„ „ „ „ brown King Philip	—		3	20	Sorghum halepense, perennial, attains in a very short time a height of ab <sup>t</sup> 6 feet	—	6	35	—
„ „ „ „ white King Philip	—		3	18	Sorghum halepense, giganteum; a gigantic grass, growing in one summer ab <sup>t</sup> 12 to 15 feet high.	—	7	40	—
„ „ „ „ Pignoletto, yellow	—		2	10	Sunflower, common	—	—	14	—
„ „ „ „ Pearl, white	—		2	16	„ Hungarian	—	—	14	—
„ „ „ „ Kansas King, giant white	—		2	13	„ Russian giant	—	—	15	—
„ „ „ „ in the husk, an interesting sort, the grains of which are wrapped up in a reddish hull	—		6	—	Tobacco (Nicotiana Tabacum var.)	—	—	—	—
10 spikes —/10	—		6	—	„ Hungarian Szegedin. per oz —/8	—	8	6	9
Lentil, small red (Ervum lens minor hyemalis)	—		4	25	„ „ Debroë „ „ —/8	—	8	7	6
„ large yellow	—		4	20	„ „ Hungarian Czetneck „ „ —/10	—	10	9	6
Millet, yellow Neapolitan	—		12	—	„ „ Turkish Bafra „ „ 1/—	—	1	12	—
„ silver-white round Italian	—		13	—	„ „ Turkish Samsun „ „ 1/—	—	1	12	—
„ Italian (Panicum Italicum) excellent, especially for warmer countries; sown in April, it can be cut already in July	—		2	12	„ „ American Kentucky „ „ 1/—	—	1	12	—
	—		2	12	„ „ „ Burley „ „ 1/—	—	1	12	—
	—		2	12	„ „ „ Pennsylvania Seed Leaf „ „ 1/—	—	1	12	—
	—		2	12	„ „ „ Virginia Seed Leaf „ „ 1/—	—	1	12	—
	—		2	12	„ „ „ Havana „ „ 2/6	—	6	25	—
	—		2	12	„ „ „ Brazilian „ „ 1/9	—	9	19	—
	—		2	12	„ „ „ Sumatra (Deli) „ „ 5/—	—	5	62	—

Seeds obtained exclusively from the respective native countries.

	per lb. s. d.	per cwt. s. d.		per lb. s. d.	per cwt. s. d.
Tobacco Sumatra, grown in Europe . .	4 6	— —	Wheat Noè . . . . .	— —	16 —
Trevir (for insect powder) (Pyrethrum cinerariaefolium) . . per oz —/5	4 6	— —	" Saragolla . . . . .	— —	15
Yarrow (Achillea millefolium) clean seed	3 —	— —	" Selina . . . . .	— —	13
Wheat Bianchetta . . . . .	— —	13 —	" Fucense . . . . .	— —	19
" Carosella . . . . .	— —	13 —	With the exception of Noè all others are native of Italy and of great repute in this country; in fact they are excellent and will certainly give satisfaction.		
" Majorica white . . . . .	— —	13 —			
" " red . . . . .	— —	13 —			
" Rieti . . . . .	— —	19 —			

## VII. Fruit Trees.

(See our remarks on Seeds of Trees, Shrubs &c. page 20, to which we refer.)

	per lb. s. d.		per lb. s. d.
Amygdalus communis (Almond bitter) cwt. 52 . . . . .	— 8	Fragaria vesca Alpine (des 4 saisons) oz — 3	3 —
" " dulcis " sweet " 48/—	— 7	" " very large fruits . . " —/3	3 4
" fragilis (Almond Princess) " 56/—	— 9	Hovenia dulcis . . . . . " 1/2	—
" tenerrima, with very thin shell . . . . .	1 —	Inga dulcis (Sapan fruits) . . . . . " 2/3	—
" Persica (Peach, common) cwt. 18	— —	Juglans americana nigra (Black Walnut) cwt. 19/—	— 4
Anacardium occidentale, fruits (Caskew Nut)	4 —	" regia var. Sorrento (Sorrento Walnut) cwt. 41/—	— 6
Anona squamosa (Sweet Sop Sugar Apple) oz —/5	4 6	" " Nocera . . . . . 41/—	— 6
" triloba (Papaw Custard-Apple) .. — 4	4 —	" " macrocarpa . . . . . 48/—	— 6
Arbutus canariensis . . . . . " 7/—	— —	" " graeca (Giant Walnut) " 52/—	— 7
" Unedo (Strawberry Tree) . . . . .	2 3	" cordiformis . . . . .	3 3
Carica Papaya (Papaw common, Melontree) 1000 seeds 2/9	— —	" Sieboldiana . . . . .	3 —
Castanea vesca (Chestnut sw. Spanish) cwt. 14/—	— 3	Mangifera indica (Mangotree) . . 10 seeds 1/8	— —
" macrocarpa, large-fruited " 16/—	— 4	Morus alba of Milan (Mulberry Tree white)	1 9
Ceratonia Siliqua (Carob Tree) . . . . .	— 4	" nigra vera . . . . . oz —/2	2 3
Citrus Aurantium (Orange Tree) . . . . .	2 9	Olea europaea (Olive Tree) . . . cwt. 55/—	— 7
" Bigaradia . . . . .	3 3	" " fr. nigro (Olive Tree black)	9
" Limonum (Lemon Tree) . . . . .	3 6	" " fr. maxima . . . . .	— 9
" medica (Citron Tree) . . . . . oz —/7	6 6	Opuntia Ficus indica (Indian Fig) . oz —/5	—
" myrtifolia . . . . . " 1/3	— —	Persea gratissima (Alligator Pear) 100 seeds 13/—	—
" nobilis (Mandarine Tree) . . . . . —/10	— —	Pirus communis (Pear pips) . . . . .	2 —
Coffea arabica (Arabian Coffee Tree) 100 fruits 1/10	— —	" japonica (Pear Tree of Japan) oz —/5	4 6
" liberica . . . . . 100 fruits 3/6	— —	" Malus (Apple-Pips) . . . . .	— 8
Corylus Avellana (Hazel Nut) best South Italian, from Avellino cwt. 48/—	— 7	Pistacia vera (Pistachia Tree of Sicily) . . . . .	1 8
" " var. Sicilian . . . . . 43/—	— 6	Prunus Armeniaca (Apricot Tree) . . . . .	— 4
" " fol. atropurpureis . . . . .	2 8	" Avium dulcis (Cultivated Cherry) . . . . .	— 3
Crataegus Azarolus (Neapolitan Medlar) clean seed . . . . .	2 8	" damascena St. Julien . . . . .	— 5
Cydonia japonica (Pirus) . . . . . oz —/10	— —	" Myrobolana 1 <sup>st</sup> Qual. . . . .	— —
" vulgaris (Common Quince) . . . . .	2	Psidium Cattleyanum . . . . . oz 1/7	—
Diospyros Lotus (Date Plum) . . . . .	1 —	Punica Granatum (Pomegranate) . . . . . " — 3	3 —
" sinensis (Kaki) (Japanese Date Plum) oz —/4	3 4	Ribes Grossularia (Gooseberry) . . . . . " —/4	3 9
" virginica (Virginian Date Plum) . . . . .	1 6	" rubrum (Red Currant) . . . . . — 3	3 —
Eriobotrya japonica (Loquat tree, Japan Medlar) . . . . .	— 6	Rubus fruticosus (Blackberry) . . . . .	1 10
Ficus carica mixed (Fig tree cultivated) oz — 9	9 2	" Idaea (Raspberry) . . . . . oz —/3	2 6
		Sorbus Aria (White Beam) . . . . .	— 8
		" domestica (Service Tree) . . . . . oz 1	—
		Tamarindus indica (Tamarind Tree) .. — 6	4 5

		per lb. s. d.			per lb. s. d.
Thea Bohea (Chinese Tea Tree)	100 seeds 4/6	—	—	Vitis vinifera of Naples, mixed . . . . .	1 3
Vitis vinifera, Capri, white . . . . .	oz —/3	2	3	" Californica . . . . .	oz —/8 — —
" " Moscatella, white . . . . .	" —/4	3	9	" Coignetiae . . . . .	" —/9 — —
" " " black . . . . .	" —/4	3	9	" riparia . . . . .	" —/6 5 3
" " Vesuvius (LacrymaeChristi),, —/3	—/3	2	3		

## VIII. Seeds of Trees, Shrubs &c.

We shall be glad to receive orders for these seeds as early in the season as possible as we have them collected only in such quantities as to meet our regular demand; orders for larger quantities should at any rate be sent in September at latest, but possibly earlier; even having accepted an order we wish it however to be clearly understood that we shall not be bound to supply the seeds, should they fail to come in or be of an unsatisfactory quality. We supply only fresh seeds, but will not under any circumstances accept any responsibility as to growth and denomination, but will submit samples on application.

The prices of many kinds are subject to variations. § = Climbers.

	per oz s. d.	per lb. s. d.		per oz s. d.	per lb. s. d.
Acer campestre . . . . .	cwt. 17/—	—	3	Bupleurum fruticosum . . . . .	— 3 2 —
" monspessulanum . . . . .	— — —	—	1 3	Buxus balearica . . . . .	— 6 6 —
" neapolitanum . . . . .	cwt. 20/—	—	3	" sempervirens . . . . .	— 3 1 6
" Negundo . . . . .	" 20/—	—	3	Callicarpa japonica . . . . .	— 8 9 3
" platanoides (Maple) . . . . .	" 20/—	—	3	Calycanthus floridus . . . . .	— 4 3 —
" polymorphum . . . . .	— 7	7	3	" occidentalis (macrophyllus)	— 10 — —
" " atropurpureum 100 seeds 1/2	— — —	—	—	" praecox (fragrans) . . . . .	— 3 2 2
" " 1000 " 10/—	— — —	—	—	" " grandiflorus . . . . .	— 3 2 9
" Pseudo-Platanus (Sycamore)	cwt. 20/—	—	3	Capparis inermis . . . . .	— 7 7 3
Ailanthus glandulosa . . . . .	" 17/—	—	3	" spinosa . . . . .	— 8 9 2
Alnus cordifolia (Alder) . . . . .	— — —	1	—	Caragana arborescens . . . . .	— 3 1 8
" glutinosa . . . . .	— — —	—	6	Carpinus Betulus (Hornbeam) cwt. 40/—	— — — 6
" incana, white Mountain Alder .	— — —	1	—	Carya alba (White Hickory) . . . . .	— — — 6
Amorpha fruticosa . . . . .	— — —	—	8	" olivaeformis (Decan Nut) . . . . .	— — — 1 3
§ Ampelopsis Veitchii, berries . . . . .	— 3	2	3	" porcina (Pig Nut Hickory) . . . . .	— — — 6
§ " quinquefolia (Hedera quinquefolia) . . . . .	— 2	1	3	" tomentosa (Mocker Nut) . . . . .	— — — 6
Aralia spinosa . . . . .	— 6	7	3	Castilleja elastica . . . . .	100 seeds 6/9
Ash, see Fraxinus.				" 1000 " 54/—	— — —
Aucuba japonica . . . . .	— 3	1	8	Catalpa, see Bignonia.	
" " viridis . . . . .	— 3	1	8	Ceanothus americanus . . . . .	— 6 7 3
Azalea americana . . . . .	5 —	—	—	" azureus . . . . .	— 8 — —
" indica the best varieties mixed .	6 —	—	—	" Gloire de Versailles . . . . .	— 8 — —
" mollis . . . . .	5 6	—	—	Celtis australis . . . . .	cwt. 100/— — — 1 —
" pontica fine mixed . . . . .	4 6	—	—	Cercis Siliquastrum . . . . .	cwt. 45/— — — 6
Beech, see Fagus sylvatica.				Chionanthus virginica . . . . .	— 7 6 8
Benthamia fragifera . . . . .	— 3	1	9	Cistus albidus . . . . .	1 — — —
Berberis spicata . . . . .	— 4	3	9	" cirrhosus . . . . .	— 9 — —
" vulgaris . . . . .	— — —	—	9	§ Clematis coccinea . . . . .	1 6 — —
" " fol. atropurpureis . . . . .	— 4	2	6	" fragrans (flamula) . . . . .	— — — 1 2
Betula alba (Birch) . . . . .	— — —	—	7	" integrifolia . . . . .	— 7 — —
Bignonia Catalpa . . . . .	— — —	—	7	" Pitcheri crispa . . . . .	1 3 — —
" " Kaempferi . . . . .	— — —	1	6	" vitalba . . . . .	— — — 6
Birch, see Betula.				" Viticella . . . . .	— — — 10
Bird Cherry, see Prunus Padus.				" Wilfordii, yellow . . . . .	— 3 2 8
Broom, see Spartium scoparium, page 22.				" yemenica . . . . .	— 7 6 9
Broussonetia papyrifera . . . . .	— — —	1	—	Cockspur, see Crataegus Oxyacantha.	
Buddleia Lindleyana . . . . .	— 3	2	10	Colutea arborescens . . . . .	— — — 1 —
Bumelia lycioides . . . . .	— 3	2	10	" cruenta . . . . .	— — — 6
				Common Privet, see Ligustrum.	
				Cornus sanguinea . . . . .	— — — 5

	per oz s. d.	per lb. s. d.		per oz s. d.	per lb. s. d.
Coronilla Emerus . . . . .	— 3	2 4	Hibiscus syriacus mixed . . . . .	—	6
Cotoneaster lanata . . . . .	— 3	2 8	" " double mixed . . . . .	3	1 2
Crataegus crus-galli . . . . .	— —	— 9	Hickory, see Carya alba.		
" oxyacantha, clean seed			Hippophaea rhamnoides . . . . .	—	1 5
cwt. 37/—		6	Holly, see Ilex.		
" pyracantha, clean seed . . . . .	— —	1 10	Honey Locust, see Gleditschia tria-		
Cytisus alpinus . . . . .	— 3	1 10	canthos.		
" Laburnum . . . . .	— —	— 8	Honey Suckle, see Lonicera.		
" nigricans . . . . .	— 3	2 4	Hornbeam, see Carpinus Betulus.		
" proliferus albus . . . . .	— 3	2 —	Horse Chestnut, see Aesculus.		
" purpureus . . . . .	1 9	— —	Hymenaea Courbaril. 100 seeds 2/1		
Daphne Gnidium . . . . .	— 3	2 8	Idesia, see Polycarpa.		
" Laureola . . . . .	1 —	12 9	Ilex aquifolium, berries . . . . .		7
" Mezereum . . . . .	— 4	3 9	" " fol. var. berries . . . . .	3	1 9
Desmodium gyrans (Hedysarum)	6 —	— —	" " crenulata . . . . .	3	1 10
" japonicum . . . . .	2 2	— —	" " orientale . . . . .	3	1 7
Deutzia crenata . . . . .	— 4	3 5	Incarvillea Olgac . . . . .	1 —	—
" " fl. pleno . . . . .	— 5	4 5	Indigofera Anil . . . . .	1 —	11 —
" gracilis . . . . .	— 3	2 3	" " Dosua, in pods . . . . .	3	1 11
Dimorphanthus mandshuricus	— 11	— —	" " tinctoria . . . . .	3	2 3
Dog Rose, see Rosa canina.			Ivy, see Hedera.		
Dogwood, see Cornus.			Judas tree, see Cercis Siliquastrum.		
Drymis chilensis . . . . .	4 6	— —	Kadsura japonica . . . . .	4	3 10
Edgeworthia papyrifera . . . . .	— 5	4 8	Kalmia latifolia, clean seed . . . . .	1 2	16
Elaeagnus angustifolia (Olea bohemica)	— 3	1 9	Koelreuteria paniculata . . . . .	—	8
" longipes . . . . .	— 5	6 4	Laburnum, see Cytisus Laburnum.		
" reflexa fol. var., berries . . . . .	— 4	3 —	Laurel common, see Prunus Lauro-		
Elder, see Sambucus racemosa.			Cerasus.		
Elm, see Ulmus.			" Portugal, see Prunus lusitana.		
Evonymus europaeus . . . . .	— —	1 —	Laurus Tinus, see Viburnum Tinus.		
" fimbriatus . . . . .	— 3	1 11	" Camphora . . . . .	3	2 10
" japonicus . . . . .	— —	1 —	" indica . . . . .	—	6
" latifolius . . . . .	— —	1 3	" nobilis . . . . .	—	5
" Sieboldianus . . . . .	— 7	— —	Lespedeza bicolor . . . . .	11	—
Exochorda Alberti . . . . .	3 3	— —	Ligustrum japonicum . . . . .	— —	6
Fagus sylvatica (Beech) . cwt. 35/—	— —	— 5	" lucidum . . . . .	— —	1 3
" " atropurpurea . . . . .	— —	2 6	" sinense . . . . .	— —	1 3
Fraxinus excelsior (Ash) . cwt. 13/—	— —	— 3	" vulgare italicum . . . . .	— —	5
" Ornus . . . . . " 16/6	— —	— 4	Lilac, see Syringa.		
Furze, see Ulex europaeus, page 23.			Lime, see Tilia.		
Genista juncea (Spartium junceum see			Liquidambar orientalis . . . . .	1 10	
under Clover page 16 (Broom).			" styraciflua, clean seed . . . . .	1 —	13
Gleditschia ferox . . . . .	— —	1 —	Liriodendron tulipifera (Tulip Tree)		
" inermis . . . . .	— —	1 3	cwt. 48/—	—	8
" japonica . . . . .	— 4	3 7	Luhea divaricata . . . . .	7	
" triacanthos . . . cwt. 30/—	— —	— 5	Locust Tree, see Robinia Pseudo-		
§ Glycine floribunda . . . . .	— 3	3 3	Acacia.		
" frutescens . . . . .	— —	1 9	§ Lonicera caprifolium . . . . .	4	
" sinensis (Wistaria) . . . . .	— 6	6 3	§ " etrusca . . . . .	— 4	—
" " fl. albo . . . . .	1 2	— —	" tartarica . . . . .	— 5	3 10
Gorse, see Ulex, page 23.			Maclura aurantiaca (Osage Orange) . . . . .	— 3	2 2
Guettarda uruguayensis 100 seeds 1/3	— —	— —	Magnolia Alexandrina . . . . .	5	5 3
Guelder Rose, see Viburnum Opulus.			" grandiflora . . . . .	— 3	1 6
Halesia tetraptera, pods . . . . .	— 6	6 —	" Lenné . . . . . 100 seeds 1/9		
Hamamelis virginiana . . . . .	— 8	7 6	" macrophylla . 100 "—/11		
Hawthorn, see Crataegus oxyacantha.			" purpurea (discolor) . . . . .	4	3 3
Hedera arborea (Ivy) . . . . .	— —	— 6	" Soulangeana, fruits . . . . .	— 4	3 5
Heteromelis arbutifolia 100 seeds 2/1	— —	— —	" Yulan . . . . .	5	4 5

	per oz. s. d.	per lb. s. d.		per oz. s. d.	per lb. s. d.
Mahonia Aquifolium, clean seed . . . . .	3	2	Rhus typhina . . . . .		1
„ gracilis, fruits . . . . .	2	1 8	„ vernicifera . . . . .	4	3 11
„ japonica „ . . . . .	4	3 7	Ripogonum album, roots eatable . . . . .	1 2	
Mallotus (Rottlera) japonicus . . . . .	3	2	Robinia Pseudo Acacia (Thorn Acacia- Locust Tree) . cwt. 36/6		7
§ Mandevillea suaveolens . . . . .	7	7	„ Pseudo Acacia Bessoniana . . . . .	3	2 6
Melia Azedarach . . . . . cwt. 37/—		6	„ „ „ pyramidalis . . . . .	3	2 10
„ japonica (floribunda) . . . . .	3	2 3	„ „ „ viscosa . . . . .	4	3 7
„ sempervirens . . . . .	4	3 2	Rock Rose, see Cistus.		
Mock Orange, see Philadelphus.			Rosa Banksiana, berries . . . . .	2	1 9
Mountain Ash, see Sorbus Aucubaria.			„ bengalensis fl. pl. mixed, berries . . . . .	2	1 9
Myrtus communis, berries . . . . .		10	„ canina (Common Dog Rose), clean seed . . . . . cwt. 23/—		4
„ „ romana, berries . . . . .		10	„ hybrida Remontant, berries . . . . .	3	2 2
Nandina domestica . . . . .	5	5 3	„ multiflora, clean seed . . . . .	7	8
Oak, see Quercus.			„ „ semperflorens nana 100 berries 1/8		
Oreodaphne californica . . . . .	3	2 7	1000 „ 15/—		
Osage Orange, see Maclura.			This remarkable new kind produces its flowers already about 4 months after the sowing; they measure abt 1 in. and over in diameter and are of all shades of white, rose and rose-purple. The plant grows about 3 feet high, flowering most abundantly the whole summer.		
Osyris alba . . . . .	3	2 3	Rosa rugosa, berries . . . 100 fruits 1/3		
Paeonia arborea . . . . .	9		„ „ clean seed . . . . .	9	
Paliurus aculeatus, clean seeds . . . . .		1 6	„ Thea, finest mixed, clean seed . . . . .	8	9
Paulownia imperialis . . . . .		8	Ruscus aculeatus . . . . .		8
§ Periploca graeca . . . . .	1 2		„ racemosus . . . . .		1 9
Philadelphus coronarius, clean seed . . . . .	9	10 3	Sambucus Ebulus . . . . .		10
Phillyraea angustifolia . . . . .		10	„ glauca (California) . . . . .	3	2 3
Phlomis fruticosa . . . . .	5	3 10	„ nigra . . . . .		7
Photinia glabra . . . . .	8		„ racemosa . . . . .		1
„ villosa . . . . .	6	6	Schinus molle . . . . . cwt. 29/—		6
Pistacia Lentiscus . . . . .		1	Sea Buckthorn, see Hippophaea.		
„ Terebinthus . . . . .		1	Sloe, see Prunus spinosa.		
„ vera . . . . .		1 9	Snowball, see Viburnum.		
Plane, see Platanus.			Snowberry, see Symphoricarpus.		
Platanus occidentalis . . . cwt. 9/—		2	Sophora japonica . . . . .		7
„ orientalis . . . . . „ 9/—		2	„ „ pendula . . . . .		1
Polycarpa Maximowiczi (Idesia) . . . . .	8	8 10	Sorbus Aucuparia (Mountain Ash) . . . . .		4
Privet common, see Ligustrum.			Spartium junceum . . . . .		
Prunus Avium, wild sweet Cherry . . . . .		4	(Span. Broom) } see page 16.		
„ Lauro-Cerasus (Common Laurel) . . . . .		8	Spartium scoparium } (Clovers &c.)		
„ lusitanica (Portugal Laurel) . . . . .		10	(common Broom) }		
„ Mahaleb . . . . .		1	Spindle Tree, see Evonymus europaeus.		
„ Padus (Bird Cherry) . . . . .		1 6	Spurge Laurel, see Daphne Laureola.		
„ spinosa (Sloe, Black Thorn) . . . . .		6	Staphylaea Bumalda . . . . .	7	8 2
Ptelea trifoliata . . . . .	3	2	„ colchica . . . . .	4	3
Pterocarya caucasica . . . . .	5	5	„ pinnata . . . . .	3	1 7
Quercus Cerris . . . . . cwt. 16		3	Sterculia platanifolia . . . . .	3	1 5
„ Ilex . . . . . „ 12		2	Styrax japonica . . . . .	4	3
„ pedunculata . . . . . „ 7		2	„ officinale . . . . .	3	1 11
„ pyramidalis . . . . . „ 22		4	Sumach, see Rhus.		
„ Robur, common Oak . . . . .			Sweet Bay, see Laurus nobilis.		
„ „ cwt. 7/—		2	Sycamore, see Acer pseudo-platanus.		
„ Suber, Cork Oak „ 30/—		7	Symphoricarpus racemosus . . . . .	4	2 7
Rhamnus Alaternus . . . . .		10			
„ cathartica . . . . .		1			
Rhododendron arboreum, mixed, clean seed . . . . .	2 3				
„ „ ponticum, mixed . . . . .	1 4				
Rhodotypos kerrioides . . . . .	5	5 2			
Rhus coriaria, true . . . . .	2	1 7			
„ Cotinus . . . . .	3	2 8			
„ semialata (Osbecki) . . . . .	7	4 10			

	per oz. s. d.	per lb. s. d.		per oz. s. d.	per lb. s. d.
<i>Symphoricarpus vulgaris</i> , clean seed.	1 2	—	<i>Viburnum Opulus</i> (Snowball)	—	6
<i>Syringa japonica</i> , clean seed	2 7	—	<i>Sandankiva</i>	— 6	7 4
<i>vulgaris</i> , pods . . . cwt. 48/	—	7	<i>Tinus</i>	—	6
" <i>alba</i>	—	1 5	Virginian Creeper, see <i>Ampelopsis</i> .		
<i>Tamarix gallica</i>	— 4	3	Virgin's Bower, see <i>Clematis</i> .		
<i>germanica</i>	— 4	3	<i>Vitex Agnus castus</i>	—	8
<i>tetrandra</i>	— 3	1 7	"   " <i>fl. albo</i>	—	1
Thorn Acacia, see <i>Robinia</i> .			<i>Weigelia mixed</i>	1 6	—
<i>Tilia argentea</i>	—	1	<i>Wistaria</i> , see <i>Glycine</i> .		
<i>europaea latifolia</i>	—	6	Woodbine, see <i>Ampelopsis quinquefolia</i> .		
Traveller's Joy, see <i>Clematis Vitalba</i> .			<i>Yucca albasica</i>	1 2	—
Tree of Heaven, see <i>Ailanthus</i> .			<i>aloefolia</i>	—	1 5
Tulip Tree, see <i>Liriodendron</i> .			"   " <i>fol. var.</i>	—	1 11
<i>Ulex europaeus</i>	—	1	<i>angustifolia</i>	— 8	9 3
<i>Ulmus campestris</i> (Elm)	—	4	<i>canaliculata</i> , <i>Treculiana</i>	1	—
<i>Viburnum dilatatum</i>	4	3 10	<i>filamentosa</i> , true	1 3	—
<i>japonicum</i>	— 5	5 6	<i>Whipplei</i>	2 2	—
<i>Lantana</i>	—	6			

## IX. Seeds of Conifers.

We offer these under the same conditions as for the Tree and Shrub Seeds (see page 20) to which we refer.

Denominations after the "Handbook on Conifers" by L. Beissner (*Handbuch der Nadelholzkunde*). The prices of many kinds are subject to variations.

	per oz. s. d.	per lb. s. d.		per oz. s. d.	per lb. s. d.
<i>Abies amabilis</i>	1	14	Arbor Vitae, see <i>Biota</i> and <i>Thuja</i> .		
<i>balsamea</i>	— 5	4 9	<i>Biota orientalis</i> ( <i>Thuja</i> )	—	9
<i>brachyphylla</i>	1 2	—	" <i>aurea</i>	—	1 4
<i>bracteata</i>	3	—	" <i>compacta</i>	—	1 5
<i>cephalonica</i>	— 4	4 5	" <i>elegantissima</i>	— 4	3 2
" <i>Apollinis</i>	— 4	4 4	" <i>pyramidalis</i>	—	1 7
<i>cilicica</i>	4	4 2	" <i>semperaurea</i>	— 3	3
<i>concolor</i>	— 10	—	<i>Callitris quadrivalvis</i> ( <i>Thuja articulata</i> )	— 11	—
<i>firma</i>	— 7	—	<i>Casuarina equisetifolia</i>	1	—
<i>Fraseri</i>	— 7	5 6	" <i>quadrivalvis</i>	— 10	—
<i>lasiocarpa</i>	— 10	—	" <i>stricta</i>	1	—
<i>magnifica</i>	1 5	—	" <i>tenuissima</i>	— 6	5 3
<i>nobilis</i>	1 2	—	<i>Cedrus atlantica</i> ( <i>argentea</i> ) clean seed	— 4	4
<i>Nordmanniana</i> , true	— 3	2 8	" <i>Deodara</i>	— 4	3 4
<i>numidica</i>	— 7	—	" <i>Libani</i> , clean seed ( <i>Cedar of Libanon</i> )	— 4	3 6
<i>pectinata</i> ( <i>Pinus Abies</i> ), common	—	—	<i>Chamaecyparis Lawsoniana</i> ( <i>Cupressus</i> )	—	1 10
Silver Fir . . . cwt. 31/—	—	4	"   " <i>argentea</i>	— 5	3 9
<i>Pinsapo</i>	— 3	2 2	"   " <i>aurea</i>	— 6	—
<i>sibirica</i> ( <i>Pichta</i> )	— 6	7 3	"   " <i>glauca</i>	— 7	—
<i>Veitchii</i>	1	14	" <i>nutkaensis</i> ( <i>Thujaopsis borealis</i> )	2 5	—
<i>Araucaria Bidwillii</i>	—	—	" <i>obtusa</i> ( <i>Retinospora</i> )	— 11	10 11
<i>brasiliensis</i>	—	—	" <i>pisifera</i> (   "   )	— 7	6 6
<i>Cunninghami</i>	—	—	"   " <i>plumosa</i> ( <i>Retinospora</i> )	1	—
<i>excelsa</i>	—	—	"   " <i>plumosa aurea</i> ( <i>Retinospora</i> )	1	—
<i>imbricata</i> . . . 100 seed 3/6	—	—	"   " <i>squarrosa</i> ( <i>Retinospora</i> )	1 3	—
the seeds of <i>Araucaria</i> are not always sure to come in and often they arrive in bad condition; we therefore do not quote any prices, but shall make special offers in every single case.			<i>Cryptomeria japonica</i>	— 3	2

	per oz s. d.	per lb. s. d.		per oz s. d.	per lb. s. d.
Cryptomeria japonica elegans . . . . .	— 4	3 4	Pinus densiflora . . . . .	— 6	6 —
” ” Lobbii (viridis) . . . . .	— 4	3 —	” excelsa, Nepaul Weymouth Pine . . . . .	— 4	3 9
Cunninghamia sinensis . . . . .	1 9	— —	” halepensis . . . . . cwt. 105/—	— —	1 3
” ” glauca . . . . .	3 —	— —	” insignis . . . . .	— 7	8 5
Cupressus australis . . . . .	— 4	3 9	” Lambertiana . . . . .	— 8	9 5
.. Bedfordiana . . . . .	— 4	3 4	” Laricio, Corsican Pine . . . . .	— 3	1 9
.. Benthamiana . . . . .	— 4	3 4	” ” austriaca, black Austrian Fir . . . . .	— 2	1 7
.. elegans . . . . .	— 4	3 4	” longifolia . . . . .	1 5	— —
.. excelsa . . . . .	— 9	— —	” Massoniana . . . . .	— 6	5 3
.. funebris . . . . .	— 4	2 9	” montana, (variable) . . . . .	— 4	2 9
.. glauca (lusitanica) . . . . .	— 4	3 2	” monticola . . . . .	1 3	— —
.. ” pendula vera . . . . .	— 4	3 3	” muricata . . . . .	1 5	— —
.. Goveniana . . . . .	— 4	2 9	” Nordmanniana, see Abies.		
.. gracilis . . . . .	— 5	5 3	” Parryana (Llaveana) . . . . .	1 5	— —
.. Lambertiana (macrocarpa) . . . . .	3	2 8	.. Picea, Norway Spruce, see Picea excelsa.		
.. Lawsoniana, see Chamaecyparis.			” Pinaster (maritima) . cwt. 35/—	— —	— 5
.. sempervirens (horizontalis) . . . . .	— —	— 7	” ” Hamiltoni . . . . .	— —	— 10
.. ” pyramidalis (fastigiata) . . . . .	— —	— 7	” Pinea, Italian Stone Pine (variable) . . . . .		
.. Tourneforti . . . . .	— —	1 9	.. cwt. 25/—	— —	— 5
.. torulosa . . . . .	— 3	2 —	” ” fragilis (variable) ” 42/—	— —	— 8
Dammara australis . . . . .	6 —	— —	” ponderosa (P. Benthamiana), . . . . .		
Ginkgo biloba (Salisburia adianthifolia) . . . . .	— —	— 8	.. yellow . . . . .	— 8	8 2
Juniperus Bermudiana . . . . .	— 5	4 2	” pyrenaica (Paroliniana) . . . . .	— 5	5 2
.. chinensis (dioica) . . . . .	— —	1 6	” rigida . . . . .	— 8	8 3
.. communis . . . . .	— —	— 3	” Sabiniana . . . . .	— 4	3 —
.. excelsa . . . . .	— —	1 5	” silvestris, Scotch Fir (variable) . . . . .	— 3	2 3
.. japonica . . . . .	— —	1 5	” sitchensis, see Picea . . . . .		
.. macrocarpa . . . . .	— —	— 6	” Strobis, Weymouth Pine (variable) . . . . .	— 5	3 8
.. Sabina . . . . .	— —	— 7	” Torreyana . . . . .	— 9	— —
.. virginiana (Red Cedar) . . . . .	— —	— 7	Podocarpus macrophylla . . . . .	— 5	— —
.. ” ” pyramidalis . . . . .	— —	1 —	Pseudotsuga Douglasii . . . . .	— 9	9 10
Larix europaea (Larch) (variable) . . . . .	— —	1 5	Salisburia, see Ginkgo.		
.. dahurica pendula . . . . .	— 3	2 4	Sciadopitys verticillata . . . . .	1 —	— —
Libocedrus chilensis . . . . . 1 8 oz 3 6	22	— —	Sequoia sempervirens (Taxodium) . . . . .	3	2 3
.. decurrens (Thuja gigantea . . . . .			Taxodium distichum, clean seed . . . . .	— —	1 —
.. Craigiana) . . . . .	— 3	2 —	” mucronatum . . . . .	— 3	2 6
Picea excelsa (Pinus Picea) Norway . . . . .	— —	1 2	Taxus baccata (Yew) clean seed . . . . .	— —	1 7
.. Spruce . . . . .	— —	1 2	” ” pyramidalis . . . . .	— 3	1 10
.. Morinda (Khutrow, Smithiana) . . . . .	9	8 2	” ” fastigiata (hibernica) . . . . .	4	3 2
.. orientalis, (Oriental Spruce) . . . . .	1 2	— —	Thuja gigantea (Lobbii) . . . . .	— 7	6 6
.. pungens . . . . .	1 2	— —	” occidentalis . . . . .	— 4	3 9
.. sitchensis (Menziessi) . . . . .	1 4	— —	” ” Warreana . . . . .	— 8	8 —
Pinus australis (palustris) . . . . .	1 2	— —	Thujopsis dolobrata . . . . .	1 6	— —
.. austriaca, see P. Laricio austriaca.			Torreya californica . . . . .	— 6	5 6
.. canariensis . . . . .	— 4	3 —	” nucifera . . . . .	— 6	5 6
.. Cembra, Swiss Stone Pine, variable . . . . .	— —	6	Tsuga canadensis, Hemlock Spruce . . . . .	10	9 10
.. Coulteri . . . . .	— 11	11 —	Wellingtonia gigantea . . . . .	1 3	18 —



## X. Palm Seeds.

We receive these seeds from all parts of the world and of course at very different times of the year; we shall therefore thank our correspondents if they will give us their orders as soon as they receive this list. The seeds will then be shipped as soon as they arrive in good condition and our patrons are sure to receive only fresh seeds. We send out but such and decline any other guarantee and responsibility.

	100 seeds s. d.	1000 seeds s. d.		100 seeds s. d.	1000 seeds s. d.
Areca Baueri, fresh seeds in April . . .	1 9	12 —	Kentia Belmoreana (Griesebachia) . . .	1 9	14 6
„ lutescens (Hyophorbe indica) . . .	2 5	20 —	„ Canterburyana (Hedyscepe) . . .	3 5	31 3
„ madagascariensis . . . . .	2 —	16 6	„ Forsteriana (Griesebachia) . . .	1 9	14 6
„ rubra . . . . .	2 1	16 6	„ Mac Arthuri, splendid . . . . .	4 —	— —
„ sapida . . . . .	1 9	15 —	„ Mooreana . . . . .	3 3	28 —
„ Verschaffeltii (Hyophorbe) . . . . .	2 8	20 —	„ Wendlandiana . . . . .	4 —	— —
Brahea dulcis (Corypha frigida) . . . . .	3 3	28 —	Latania aurea (Verschaffeltii) . . . . .	4 3	36 —
„ edulis (Erythea edulis) . . . . .	6 —	56 —	„ borbonica (Livistona sinensis) lb. —/7; cwt. 46/—	— —	— —
„ Roezlii (Erythea armata), „Blue- palm“ . . . . .	6 —	56 —	„ „ Seeds raised in Africa lb. —/9; cwt. 61/—	— —	— —
Caryota urens . . . . .	1 9	15 —	„ Commersonii (rubra) . . . . .	4 —	32 —
Chamaerops excelsa . . . . . lb. —/6	— —	— —	„ Loddigesii (glaucophylla) . . . . .	4 —	32 —
„ „ Fortuneii „ „ —/8	— —	— —	Licuala amplifrons . . . . .	2 —	17 9
„ Histrix . . . . .	2 10	4 —	Livistona altissima . . . . .	1 9	14 6
„ humilis mixed . . . . . lb. —/4	— —	— —	„ olivaeformis . . . . .	1 9	14 6
„ „ argentea „ „ —/10	— —	— —	„ rotundifolia . . . . .	3 4	29 —
„ „ „ tomentosa „ „ 1/—	— —	— —	Oreodoxa oleracea . . . . .	1 3	10 6
„ „ elegans „ „ —/10	— —	— —	„ regia, a splendid kind . . . . .	1 5	11 3
„ „ gracilis . . . . . „ 1/2	— —	— —	Pandanus odoratissimus . . . . .	7 3	— —
„ „ macrocarpa „ „ 1/—	— —	— —	„ utilis . . . . .	1 10	16 —
Chamaedorea elegans . . . . .	1 9	15 —	Phoenicophorium sechellarum . . . . .	2 6	22 6
„ „ Ernesti Augusti . . . . .	1 9	15 —	Phoenix acaulis . . . . .	2 10	— —
Cocos australis . . . . .	1 3	9 9	„ canariensis . . . . .	— 6	2 10
„ Bonettii (Diplothemium cam- pestre) . . . . .	1 5	12 3	„ cycadifolia . . . . .	1 3	9 9
„ campestris . . . . .	1 5	12 3	„ dactylifera . . . . . lb. 1/3	— —	— —
„ coronata . . . . .	1 3	10 —	„ farinifera . . . . .	1 3	9 9
„ eryspatha (C. Blumenavia) splendid . . . . .	1 9	16 —	„ leonensis . . . . .	— 9	5 9
„ flexuosa . . . . .	1 4	10 —	„ pumila . . . . .	1 3	9 9
„ plumosa . . . . .	1 4	10 —	„ reclinata . . . . .	— 9	5 9
„ Romanzoffiana, splendid for green- house and rooms . . . . .	1 4	10 —	„ rupicola . . . . .	1 8	12 9
„ Weddeliana (Glaziova Martiana)	3 3	26 —	„ silvestris . . . . .	1 —	7 6
„ Yatay, the true kind for the green- house . . . . .	2 10	25 9	„ tenuis . . . . .	— 9	4 —
Corypha australis (Livistona)	1 1	8 —	Pritschardia pacifica . . . . .	6 —	— —
Cycas circinalis . . . . .	6 6	60 —	Ptychosperma Alexandrae . . . . .	2 —	17 9
„ revoluta . . . . .	8 6	— —	„ „ elegans (see Seaforthia)	— —	— —
Daemonorops grandis . . . . .	2 6	20 —	Sabal Adansonii . . . . . lb. 2/3	— —	— —
„ longipes . . . . .	3 3	28 —	„ Blackburniana (umbraculifera) . . . . .	1 —	8 —
„ pericanthus . . . . .	3 3	28 —	„ Ghiesbrechtii . . . . .	— 9	5 9
Elaeis guineensis . . . . .	3 —	— —	„ Palmetto . . . . .	— 8	4 —
Euterpe edulis . . . . .	3 —	24 —	„ princeps . . . . .	1 —	7 9
Geonome elegans . . . . .	3 —	25 6	Seaforthia (Ptychosperma) elegans . . . . .	1 3	9 9
„ gracilis . . . . .	2 9	24 —	Thrinax argentea . . . . .	1 3	9 9
Glaziova insignis . . . . .	3 9	32 —	„ elegantissima . . . . .	1 4	11 3
Jubaea spectabilis . . . . .	3 3	28 —	Verschaffeltia splendida . . . . .	5 —	14 —
			Washingtonia filifera (Pritchardia) . . . . .	— 6	2 5
			„ „ robusta H. W. . . . .	— 9	4 10
			Zamia integrifolia . . . . . 10 seeds 1/3	11 3	— —

# XI. Annual, Perennial, Climbing, Hot- and Green-House Plants.

Explanations of the signs used:

⊙ = annual || 4 = perennial || § = climber || g = greenhouse || 4 = hothouse (stove).

	per oz s. d.	per lb. s. d.		per oz s. d.	per lb. s. d.
⊙ <i>Abronia arenaria</i> . . . . .	6	6	<i>Agave jacquiniana</i> 1000seeds	1/8	—
“ <i>umbellata</i> . . . . .	5	5	“ <i>lephantha</i> . . . . .	1000 “ 1/3	—
§ <i>Abrus praecatorius</i> . . . . .	5	4 5	“ <i>maculata</i> . . . . .	100 “ —/6	—
g <i>Abutilon</i> <i>Boule de neige</i> (Snowball)	—	—	“ <i>pulcherrima</i> . . . . .	1000 “ 1/3	—
“ 100 seeds —/8	—	—	“ <i>Salmiana</i> . . . . .	1000 “ 1/3	—
“ 1000 “ 5/—	—	—	“ <i>Victoriae Reginae</i> 100	—/10	—
“ <i>sulphureum</i> . . . . . 1/8 oz	1/3	9	“ <i>Witakeri</i> . . . . .	1000 “ 1/3	—
“ <i>new hybrids</i> mixed 1/8 oz	—/11	6 10	⊙ <i>Ageratum</i> <i>Lasseauxi</i> , rose . . . . .	—	6 5 6
g <i>Acacia</i> <i>arabica</i> . . . . .	6	4 10	“ <i>mexicanum coeruleum</i> . . . . .	—	3 2 8
“ <i>armata</i> . . . . .	6	4 10	“ “ <i>album</i> . . . . .	—	3 2 8
“ <i>cyanophylla</i> . . . . .	3	2	“ “ <i>Imperial dwarf</i> , dark blue	4	4 2
“ <i>cyclops</i> . . . . .	4	3 9	“ “ “ “ white . . . . .	4	4 2
“ <i>dealbata</i> . . . . .	4	3	“ “ <i>nanum album</i> . . . . .	3	3 4
“ <i>decurrens</i> . . . . .	6	4 10	“ “ “ <i>coeruleum</i> . . . . .	3	3 4
“ <i>Farnesiana</i> . . . . .	—	1 3	“ “ “ <i>Swanley blue</i> . . . . .	5	4 5
“ <i>floribunda</i> . . . . .	4	2 10	“ “ “ <i>Little Dorrit</i> , blue	5	5 3
“ <i>Julibrissin</i> . . . . .	—	7	“ “ “ “ “ white . . . . .	6	5 6
“ <i>Lebbek</i> . . . . .	4	3 4	“ “ “ <i>Forget me not</i> . . . . .	5	5 3
“ <i>leiophylla</i> . . . . .	5	4	“ <i>Wendlandii</i> , blue . . . . .	4	3 9
“ <i>longifolia</i> . . . . .	—	8	“ “ <i>white</i> . . . . .	4	3 9
“ <i>lophantha</i> . . . . .	—	1	“ “ <i>nana compacta</i> , blue	6	5 6
“ “ <i>speciosa</i> . . . . .	—	1	“ “ “ “ white . . . . .	6	5 6
“ <i>Nemu</i> . . . . .	3	2 8	⊙ <i>Agrostemma</i> <i>coeli rosa</i> . . . . .	—	1 5
“ <i>penninervis</i> . . . . .	3	2 3	“ <i>coronaria</i> , red . . . . .	—	1 9
“ <i>pycnantha</i> . . . . .	3	2 3	“ “ “ white . . . . .	—	1 9
“ <i>saligna</i> . . . . .	5	4 5	<i>Alkekengi</i> , see <i>Physalis</i> .	—	—
“ <i>semperflorens</i> . . . . .	3	2	§ <i>Allamanda</i> <i>Schotti</i> . . . . .	100seeds	3/3
“ <i>suaveolens</i> . . . . .	3	1 7	g <i>Aloe</i> <i>africana</i> . . . . .	100 “ —/4	—
“ <i>in great variety</i> mixed . . . . .	—	2	“ 1000 “ 2/6	—	—
4 <i>Acanthus</i> <i>latifolius</i> . . . . .	—	10	⊙ <i>Alonsoa</i> <i>albiflora</i> . . . . .	—	3
“ <i>mollis</i> . . . . .	—	1 3	“ <i>linifolia</i> . . . . .	—	4 3 5
“ <i>spinosissimus</i> . . . . .	—	1 3	“ <i>myrtifolia</i> . . . . .	—	3 1 9
4 <i>Achillea</i> <i>aegyptiaca</i> . . . . .	6	—	“ <i>Warszewiczii</i> . . . . .	—	5 4
“ <i>clypeolata</i> . . . . .	3	2 3	4 <i>Aloysia</i> <i>citriodora</i> . . . . .	—	10
“ <i>Parmica</i> fl. pl. . . . .	2 9	—	g <i>Alsophila</i> <i>australis</i> , tree-fern 1/8 oz	—/9	5
4 <i>Achimenes</i> , finest mixed 1000 seeds	5/—	—	4 <i>Althaea</i> <i>ficifolia</i> , yellow . . . . .	—	8 7 4
⊙ <i>Acroclinium</i> <i>roseum grandiflorum</i> . . . . .	3	2	“ <i>Heldreichii</i> . . . . .	—	3 2
⊙ “ “ <i>grandiflor. album</i> . . . . .	3	2	“ <i>rosea</i> fl. pl. (Hollyhocks)	—	9 8 10
“ “ fl. pl., double pink . . . . .	3	2 6	“ <i>English var. best mixed</i> . . . . .	—	9 8 10
“ “ fl. albo pl. “ white . . . . .	3	2 6	4 “ <i>rosea</i> fl. pl. <i>Chaters strain</i> ,	—	1 3 17 5
⊙ <i>Adonis</i> <i>aestivalis</i> . . . . .	—	1	“ <i>choice mixed</i> . . . . .	—	4 3 4
“ <i>autumnalis</i> . . . . .	—	1	⊙ <i>Alyssum</i> <i>Benthami</i> . . . . .	—	4 4 5
“ <i>baetica</i> . . . . .	—	1 3	“ “ <i>grandiflorum compactum</i>	—	4 4 5
4 <i>Agathaea</i> <i>coelestris</i> ( <i>amelloides</i> ) . . . . .	1 7	—	4 “ “ <i>saxatile</i> . . . . .	—	3 4
g <i>Agave</i> <i>americana</i> . . . . .	10	—	⊙ <i>Amaranthus</i> <i>abyssinicus</i>	—	1
“ “ <i>fol. var.</i> 1000seeds	1/8	—	“ <i>amabilis</i> . . . . .	—	3 2 3
“ <i>applanata</i> . . . . .	1000 “ 2/4	—	“ <i>atropurpureus</i> . . . . .	—	6
“ <i>Ellemeetiana</i> . . . . .	1000 “ 2/4	—	“ <i>bicolor</i> . . . . .	—	1 2
“ <i>ferox</i> . . . . .	1000 “ 2/—	—	“ <i>ruber</i> . . . . .	—	1 5
“ <i>filifera</i> . . . . .	1000 “ 2/4	—	“ <i>caudatus</i> . . . . .	—	6
“ <i>grandidentata</i> . . . . .	1000 “ 2/—	—	“ “ <i>albiflorus</i> ( <i>vividiflorus</i> )	—	6
“ <i>heteracantha</i> . . . . .	1000 “ 1/3	—	“ <i>Dussii</i> Dam. 1890 . . . . .	—	1
“ <i>horrida</i> . . . . .	1000 “ 1/3	—	“ <i>Ilenderi</i> . . . . .	—	4 4 5

	per oz s. d.	per lb. s. d.		per oz s. d.	per lb. s. d.
⊙ <i>Amaranthus hybridus</i> Princess of Wales	— 5	5 3	4 <i>Aquilegia haylodgensis</i> (coerulea hybr.)	1 10	—
"   "   Queen Victoria	— 4	3 9	" <i>olympica</i> . . . . . 1/8 oz —/4	6	—
" <i>hypochondriacus</i> . . . . .	— —	— 6	" <i>Skinneri</i> hybr. fl. pl. . . . .	— 11	—
" <i>Margaritae</i> , splendid (Electro) . . . . .	— —	— 6	" <i>stellata rosea plena</i> . . . . .	— 5	—
" <i>monstrosus</i> (Giant Prince's feather) . . . . .	— —	— 6	"   " <i>rubra plena</i> . . . . .	— 5	—
" <i>melancholicus</i> . . . . .	— —	1 8	" <i>vulgaris</i> fl. albo . . . . .	— 3	2 6
" <i>nobilis pyramidalis</i> . . . . .	— —	1 3	"   " <i>mixed</i> . . . . .	— 3	2 6
" <i>quadricolor</i> , Dam. 1898 new; the leaves at the end of the stalks are bright and dark green, dark crimson and yellow producing a most wonderful effect	— 5	4 5	"   "   fl. pl. double mixed . . . . .	— 3	2 6
" <i>salicifolius</i> . . . . .	— 6	5 —	g <i>Aralia</i> <i>Lyalli</i> . . . . . 100 seeds 3/3	— —	—
" <i>sanguineus</i> . . . . .	— —	— 5	" <i>papyrifera</i> . . . . .	1 4	—
"   " <i>giganteus</i> . . . . .	— —	— 5	" <i>Sieboldi</i> , clean seeds ready in April; orders booked now . . . . .	1 10	24 6
"   " <i>nanus</i> . . . . .	— —	— 5	§ <i>Ampelopsis quinquefolia</i> , berries . . . . .	— —	1 3
" <i>speciosus</i> . . . . .	— —	— 5	g <i>Arctostaphylos glauca</i> . . . . .	— 8	9 1
" <i>spinosus</i> . . . . .	— —	— 6	⊙ <i>Arctotis breviscapa</i> . . . . .	1 3	—
" <i>superbus</i> (coleifolius) Dam. . . . .	— 2	1 5			
" <i>tricolor</i> . . . . .	— 3	2 —			
"   " <i>giganteus</i> . . . . .	— 3	2 3			
"   " <i>magnificus</i> . . . . .	— 4	2 9			
⊙ <i>Ammobium alatum</i> . . . . .	— 2	1 3			
"   " <i>grandiflorum</i> . . . . .	— 2	1 8			
⊙ <i>Anacyclus radiatus</i> . . . . .	— 3	2 3			
⊙ <i>Anagallis grandiflora</i> <i>Breweri</i> . . . . .	— 8	— —			
"   " <i>carnea</i> . . . . .	— 8	— —			
"   " <i>coccinea</i> . . . . .	— 8	— —			
"   " <i>coerulea</i> . . . . .	— 8	9 5			
"   " <i>lilacea</i> . . . . .	— 8	9 5			
"   " <i>Napoleon III.</i> . . . . .	— 8	9 5			
"   " <i>mixed</i> . . . . .	— 8	7 5			
4 <i>Anchusa affinis</i> . . . . .	1 10	— —			
" <i>capensis</i> . . . . .	— 3	2 8			
Angel's Trumpet, see <i>Datura</i> .					
⊙ <i>Anthemis arabica</i> . . . . .	— 3	2 3			
" <i>chrysoleuca</i> . . . . .	— 3	2 3			
" <i>Cupaniana</i> . . . . .	— 9	— —			
" <i>Kelwayi</i> . . . . .	— 11	— —			
" <i>tinctoria</i> . . . . .	— 3	2 3			
4 <i>Anthericum algeriense</i> . . . . .	— 5	4 5			
4 " <i>graminifolium</i> . . . . .	— 7	— —			
" <i>Liliago</i> . . . . .	— 5	— —			
½ <i>Anthurium Scherzerianum</i> . . . . .	100 seeds 2/—	— —			
§g <i>Antigonum leptopus</i> . . . . .	— 7	6 8			
⊙ <i>Antirrhinum majus</i> (Snapdragon) finest mixed . . . . .	— 4	3 9			
"   " <i>nanum</i> mixed . . . . .	— 5	4 6			
"   " <i>grandiflorum</i> mixed . . . . .	— 5	4 6			
"   " <i>Tom Thumb</i> mixed . . . . .	— 8	7 3			
4 <i>Aquilegia</i> (Columbine) <i>alpina</i> . . . . .	— 5	— —			
" <i>Bürgeriana</i> . . . . .	— 5	— —			
" <i>californica</i> . . . . .	— 6	— —			
" <i>chrysantha</i> . . . . .	— 11	— —			
" <i>coerulea</i> . . . . . 1/8 oz —/5	2 —	— —			
			g <i>Ardisia crenulata</i> . . . . .	6 9	—
			⊙ <i>Argemone grandiflora</i> . . . . .	— 3	2 3
			" <i>Hunnemanni</i> . . . . .	— 3	1 9
			" <i>mexicana</i> ( <i>speciosa</i> ) . . . . .	— 3	2 3
			" <i>platyceras</i> . . . . .	— 3	2 3
			<i>Argyranthemum</i> , see <i>Chrysanthemum</i> .	—	—
			§ <i>Aristolochia ciliosa</i> . . . . .	— 9	—
			" <i>elegans</i> . . . . .	— 3	2
			" <i>fimbriata</i> . . . . . 1000 seeds 2/5	—	—
			4 <i>Armeria cephalotes</i> . . . . .	— 4	3 —
			" <i>formosa</i> . . . . .	— 4	2 9
			" <i>Laucheana</i> . . . . .	— 3	2 3
			⊙ <i>Arnebia cornuta</i> . . . . . 1/8 oz —/7	3 8	—
			4 <i>Arnica montana</i> . . . . .	— 5	4 6
			⊙ <i>Artemisia annua</i> . . . . .	—	— 8
			4 " <i>argentea</i> . . . . .	— 3	2 3
			⊙ " <i>gracilis</i> . . . . .	—	1
			⊙ <i>Asclepias cornuti</i> ( <i>syriaca</i> ) . . . . .	— 4	—



*Amaranthus Margaritae* Dam.  
Electro 2/9.

	per oz s. d.	per lb. s. d.
Asclepias curassavica atrosanguinea	4	3 9
.. incarnata	8	7 4
.. tuberosa	1 7	
4 Asparagus acutifolius	3	2 9
.. decumbens, a splendid kind for suspending baskets, highly decorative 100 seeds 3/-		
1000 .. 25/-		
g .. plumosus 1000 .. 24/-		
.. .. nanus 1000 .. 42/-		
10000 .. 380/-		



Asparagus Sprengeri Rgl. (Dammann).  
Electro 4/—.

2 Asparagus plumosus superbus, a highly decorative climber, the branches of which furnish a most splendid material for bou- quets and any kind of decorations. 100 seeds 6/—; 1000 seeds 48/—	—	—
g Asparagus Sprengeri Dam. (Electro) 1000 seeds 6/6; 10000 seeds 56/ 50000 .. 250/—; 100000 .. 450/	—	—
Special prices for larger quantities on application.		
Asparagus trichophyllus	8	
⊙ Asperula azurea setosa	2	8
4 Aster alpinus	8	
4 .. the best perennial sorts mixed	8	6 6

### ⊙ Aster sinensis fl. pl. Asters.

We warrant our Asters not to be in any way inferior to the finest German strains and our patrons may fully rely upon receiving only choicest qualities. The growing of the best Asters is one of our most important specialities.

#### 1. Tall Section.

	per oz s. d.	per lb. s. d.
Tall Chrysanthemum Asters mixed	— 11	10 10
Goliath Asters, mixed	— 10	9 2
Harlequin Asters, mixed	— 10	9 2
Hohenzollern Asters, new; very rich- flowering, pure white, bright rose, each separate	1 9	—
Jewel-or Ball Asters, mixed	1 5	14 6
Globe-flowered pyramidal Asters, mixed	— 11	10 3
Ladies Asters, with narrow leaves and well-shaped flowers, resembling those of the Comet Asters; a very distinct class; mixed	1 9	18 2
Paeony Perfection Asters,		
1. crimson, 7. bright scarlet.		
2. light blue. 8. dark blue,		
3. rose, 9. purple and white,		
4. purple, 10. rose and white,		
5. pure white. 11. Victoria red.		
6. white and crim- 12. bright rose, son.		
each separate	1 9	25
mixed	1 6	19 9
Washington Asters, mixed	1 2	12 9
Imbriquée Pompon Asters, mixed	— 11	10 10
.. Pyramidal Asters, mixed.	— 9	9 6
Cocardeau or Crown Asters, mixed	1 2	12 9
.. imbriquée Pompon (Pom- pon Crown) Asters mixed	— 11	10 10
New Giant Globe Asters, dark crimson	1 2	12 9
Large flowered Perfection Needle Asters, mixed	1 2	12 9
Giant Comet Asters, crimson, rose, in- carnate, Peachblossom, snow white, each separate	1 10	18 2
Giant Comet Asters, mixed	1 5	14 6
Surprise Asters, rose chamois	2 3	—
White of Boston, splendid for cutting	1 6	—
Asters tall varieties, mixed	— 8	7 4

#### 2. Semi-tall Section.

Anmuth Asters mixed	— 8	7 4
Comet Asters, carmine, lilac, rose, bright rose, rosy carmine, snow white, white with lilac, white with rose, each separate	1 6	19 9
Comet Asters, mixed.	1 5	16 9
Christmas-Tree Asters, a curious very rich flowering kind of pyramidal habit, with almost horizontal branches	2 4	—
Quilled Asters, mixed	— 5	4 6
Queen of the Halls Asters, mixed	— 7	6 3

	per oz s. d.	per lb. s. d.		per oz s. d.	per lb. s. d.	
Queen of the white . . . . .	2 3	— —	Dwarf Crown or Cocardeau Asters, mixed . . . . .	1 6	19 9	
Globe-flowered Asters mixed . . . . .	— 6	5 6	Triumph Asters, Dark blue, Dark scarlet, Dark scarlet with white, Dark-lilac, Rose with white, White, each separate . . . . .	1 9	— —	
Paeony-flowered Asters, mixed . . . . .	1 2	12 9	" " mixed . . . . .	1 6	19 9	
" Globe Asters, mixed . . . . .	— 11	10 10	Dwarf varieties mixed . . . . .	— 7	6 3	
Rose Asters, mixed . . . . .	— 9	9 3	4 Asteriscus sericeus . . . . .	— 6	5 6	
Liliput Asters, mixed . . . . .	— 11	10 10	4 Astragalus Cicer . . . . .	— 5	— —	
Meteor Asters, mixed . . . . .	1 —	14 7	Auriculas, see Primula Auricula.			
Mignon Asters, carmine, darkblue, light blue, lilac, pure white, lilac-rose, scarlet, pure white early flowering, each separate . . . . .	1 3	— —	g Azalea indica fine mixed . . . . .	6 4	— —	
lilac-purple, new . . . . .	1 5	— —	" " new best varieties mixed . . . . .	7 11	— —	
mixed . . . . .	1 2	13 10	Bachelor's Button, see Centaurea Cyanus.			
Ostrich-Feather Asters, light blue, rose, pure white, white changing into rose, each separate . . . . .	1 3	— —	Balm, see Dracocephalum.			
Schiller Asters, mixed . . . . .	— 8	7 4	Balsam Apple, see Momordica.			
St. John's Day Asters, pure white, very early flowering . . . . .	2 4	— —	Balsams double, see Impatiens Bal- samina.			
Victoria Asters,			Balloon-vine, see Cardiospermum.			
1. Crimson, 7. Crimson-rose,			⊙ Bartonia aurea . . . . .	— 3	2 2	
2. Dark blue, 8. Light blue,						
3. Bright scarlet, 9. Hortensia-red,			Bear Grass, see Yucca.	per <sup>1</sup> / <sub>16</sub> oz s. d.	per <sup>1</sup> / <sub>2</sub> oz s. d.	per oz s. d.
4. Indigo and white, 10. Peach blossom,			h Begonia corallina . . . . .	5 3	10 —	78 5
5. Rose white tip- 11. Lilac-red,			" discolor . . . . .	1 9	3 —	22 5
ped, 12. White changing in-			" Dregei . . . . .	1 5	2 5	13 6
6. White, to red,			" hybrida gigantea,			
each separate . . . . .	1 8	20 10	carmine	4 6	8 7	67 —
mixed . . . . .	1 5	17 6	" " " rose	4 6	8 7	67 —
Victoria Needle Asters, mixed . . . . .	1 —	14 7	" " " scarlet	4 6	8 7	67
Asters semi-tall varieties mixed . . . . .	— 8	7 4	" " " white	6 8	12 10	100
			" " " yellow	5 3	10 —	78
3. Dwarf Section.			" " " finest			
Dwarf Asters, mixed . . . . .	— 11	11 9	mixed	4 5	8 7	67 —
" pyramidal Asters, mixed . . . . .	1 2	12 9	" " mixed . . . . .	2 6	4 6	35 10
" Bouquet pyramidal (Boltze's) Asters mixed . . . . .	1 3	16 4	h Begonia hybr. double- flowered, splendid	per <sup>1</sup> / <sub>32</sub> oz s. d.		
" Comet Perfection, pure white <sup>1</sup> / <sub>8</sub> oz —/4	2 —	— —	varieties mixed . . . . .	18 —	35 —	66 —
" " " rose, new <sup>1</sup> / <sub>8</sub> oz —/5	2 10	— —	h Begonia Rex, mixed varieties 100 seeds —/6 1000 seeds 2/10			— —
Shakespeare Asters, mixed . . . . .	1 2	14 10	h Begonia semperflorens, white . . . . .	— 4		1 9
Improved dwarf Bouquet pyramidal Asters, mixed . . . . .	1 5	17 5	" " atropurpurea (Vernon)	1 —		6 10
Dwarf Chrysanthemum Asters,			" " rosea . . . . .	— 5		2 9
1. Brownish purple, 7. Incarnate,			Bellflower, see Campanula.			
2. Carmine, 8. Bright scarlet,			4 Bellis perennis fl. pl. (Daisies) double	per oz s. d.	per lb. s. d.	
3. Dark blue, 9. Light blue and			fine mixed . . . . .	2 —	26 10	
4. Indigo and white, white,			" " " double white . . . . .	2 10		
5. Reddish purple, 10. Purple,			" " " Longfellow, rose, large-flowered . . . . .	2 10	— —	
6. White changing into rose, 11. Snow-white, 12. Brick red,			" " " Snowball . . . . .	2 10		
each separate . . . . .	2 —	20 10	Belvidere (Summer Cypress), see Kochia scoparia.			
mixed . . . . .	1 6	16 5	⊙§ Benincasa cerifera . . . . .	— 5	4 5	
German Emperor Asters, mixed . . . . .	1 2	13 2	" sinensis . . . . .	— 5	4 5	
Dwarf Bouquet Victoria pyramidal Asters, mixed . . . . .	1 3	14 6				
Dwarf New Paeony mixed . . . . .	1 3	12 9				
" Victoria Asters mixed . . . . .	1 5	17 6				

	per oz s. d.	per lb. s. d.		per oz s. d.	per lb. s. d.		
⊙ Bidens ferulaefolia . . . . .	— 4	3 —	½ Caesalpinia Bonidicella . . . . .	— 8	— —		
"    leucantha . . . . .	— 4	3 —	½§ Cajanus indicus . . . . .	— 4	3 9		
§ Bignonia Tweediana . . . . .	— —	1 3	⊙§ Cajophora lateritia (Loasa) . . . . .	— 6	5 6		
½ Bixa Orellana . . . . .	— 7	6 —	½ Caladium bulbosum, newest variegated-leaved mixed. 100 seeds 1/3	— —	— —		
Blanket flower, see Gaillardia.			4 Calamintha grandiflora . . . . .	1 7	— —		
Blue Bottle, see Centaurea Cyanus.			Calampelis, see Eccremocarpus.				
¼ Bocconia flavescens . . . . .	— 4	— —	⊙ Calandrinia grandiflora . . . . .	— 6	— —		
g Boehmeria biloba . . . . .	3 5	— —	"    speciosa . . . . .	— —	— 10		
g§ Bougainvillea spectabilis			"    umbellata (setosa) . . . . .	— 11	9 2		
100 seeds 5/8	— —	— —	g Calanhoe marmorata 1000 seeds 1/8	— —	— —		
¼§ Boussingaultia baselloides			"    teretifolia . . . . .	— —	— —		
1/8 oz —/11	5 10	— —					
½ Bouvardia Jacquini 1000 seeds 3/9	— —	— —	<b>g Calceolaria hybrida</b>	per 1/20 oz s. d.	per 1/16 oz s. d.	per 1/6 oz s. d.	per oz s. d.
"    longiflora . 1000 " 2/3	— —	— —	self coloured, large				
"    longispica . . 1/4 oz —/9	2 9	— —	flowered mixed . . . . .	2 8	4 8	8 8	62 9
"    splendens . 1000 seeds 3/-	— —	— —	self coloured dwarf . . . . .	2 10	5 2	9 6	67 3
Brachycthon populneum . . . . .	— 4	3 —	spotted or tigred mixed . . . . .	3 9	6 3	11 6	85 —
• Brachycome iberidifolia (Swan River Daisy) . . . . .	— 9	10 3	spotted or tigred large . . . . .	4 6	7 6	13 6	100 —
• Browallia Czerwiakowsky . . . . .	— 8	— —	flowered dwarf . . . . .	4 6	7 6	13 6	100 —
"    "    elata fl. albo . . . . .	— 8	— —	painted or margined . . . . .	3 2	5 9	10 3	71 9
"    "    "    coerulea . . . . .	— 8	— —	mixed . . . . .	3 2	5 9	10 3	71 9
"    "    "    purpureo . . . . .	— 10	— —	painted or margined . . . . .	3 2	5 9	10 3	71 9
"    "    "    grandiflora . . . . .	— 9	— —	dwarf mixed . . . . .	3 2	5 9	10 3	71 9
"    "    "    "    alba . . . . .	— 8	— —					
"    "    "    "    Roezli . . . . .	— 2	— —					
"    "    "    "    speciosa major, new, darkblue			⊙ Calendula hybrida . . . . .	— —	— —	per oz s. d.	per lb. s. d.
1/8 oz 7/6; 1/16 oz 4/-; 1/32 oz 2/3	56	— —	"    maritima fl. pl. . . . .	— —	— —	— 10	— 10
¼§ Bryonia alba . . . . .	— 3	2 3	"    officinalis (Souci), single . . . . .	— —	— —	— 10	— 11
½§ Bryonopsis laciniosa erythrocarpa . . . . .	— 3	2 3	"    officinalis fl. pl. . . . .	— —	— —	— 11	— 11
• Calacia coccinea (Tassel Flower) . . . . .	— 4	3 —	"    "    fl. pl. Meteor, striped . . . . .	— —	— —	— 1	— 1
"    "    "    lutea . . . . .	— 4	3 2	"    "    "    Isabellina (LeProust) . . . . .	— —	— —	— 9	— 9
			"    "    "    "    Orange King . . . . .	— —	— —	— 1	— 3
<b>g Cactuses.</b>			"    "    "    "    Prince of Orange . . . . .	— —	— —	— 1	— —
100 seeds	1000 seeds		"    "    "    "    ranunculoides . . . . .	— —	— —	— 10	— 10
s. d.	s. d.		"    "    "    "    regalis . . . . .	— —	— —	— 10	— 10
			"    "    "    "    sulphurea . . . . .	— —	— —	— 10	— 10
Cereus alacriportanus . . . . .	— 3	1 8	"    "    "    "    Trianon (Royal-Marigold) . . . . .	— —	— —	— 1	— 3
"    Bonplandi . . . . .	— 4	2 6	"    "    "    "    pluvialis . . . . .	— —	— —	— 1	— —
"    Jamacaru . . . . .	— 3	1 8	"    "    "    "    Pongei fl. pl. . . . .	— —	— —	— 1	— 7
"    tortuosus . . . . .	— 3	1 8	"    "    "    "    sicula fl. pl. . . . .	— —	— —	— 10	— 10
"    validus . . . . .	— 3	1 8	California Poppy, see Eschscholtzia.				
Echinocactus setispinus . . . . .	— 3	1 8	g Calla aethiopica . . . . .	— 7	7 4		
"    Grusoni, splendid . . . . .	1 —	8 —	"    "    candidissima . . . . .	— 10	11 —		
Echinocereus cinerascens . . . . .	— 3	2 —	"    "    compacta . . . . .	— 10	— —		
"    Ehrenbergii . . . . .	— 3	— —	"    "    gigantea . . . . .	1 3	— —		
"    Engelmanni . . . . .	— 4	— —	⊙ Calliopsis bicolor (tinctoria) . . . . .	— —	— —	1 3	1 3
"    pentalophus . . . . .	— 3	— —	"    "    atrosanguinea . . . . .	— —	— —	1 3	1 3
"    stramineus . . . . .	— 3	— —	"    "    lutea . . . . .	— —	— —	1 3	1 3
"    mixed . . . . .	— 4	1 8	"    "    semiplena . . . . .	— —	— —	1 7	1 7
Echinopsis Eyriesii . . . . .	— 3	— —	"    "    "    nana . . . . .	— —	— —	1 7	1 7
"    multiplex . . . . .	— —	1 8	"    "    "    semiplena . . . . .	— 3	— —	1 9	1 9
"    oxygona . . . . .	— 3	— —	"    "    "    coronata . . . . .	— 3	— —	2 2	2 2
"    mixed . . . . .	— 2	1 3	"    "    "    maxima . . . . .	— 3	— —	2 2	2 2
Mammillaria Nuttallii . . . . .	— 2	1 3	"    "    "    Drummondii (Golden Wave) . . . . .	— —	— —	1 6	1 6
"    mixed . . . . .	— 2	1 3	⊙ Callirhoe lineariloba . . . . .	— 5	— —	4 5	4 5
Melocactus spec. from, Porto Rico . . . . .	1 —	8 —					
"    "    "    St. Thomas . . . . .	1 —	8 —					
Opuntia Ficus indica . . . . .	— 2	1 6					
Peireskia aculeata . . . . .	— 8	6 —					

	per oz s. d.	per lb. s. d.
Callirhoe pedata . . . . .	— 4	3 9
"    "    compacta . . . . .	— 4	3 9
"    "    verticillata . . . . .	— 6	5 3
Callistemon, see Metrosideros.		
⊙§ Calonyction speciosum (Ipomoea speciosa) . . . . .	— 3	2 9
g Camellia japonica, mixed		
1000 seeds 4/—	— —	— —
"    "    double, mixed		
1000 seeds 4/6	— —	— —
4 Campanula alliariaefolia . . . . .	— —	1 7
⊙ "    "    dichotoma, blue . . . . .	— 4	3 7
"    "    white . . . . .	— 6	— —
4 "    "    divergens . . . . . 1/8 oz —/10	5 8	— —
4 "    "    fragilis (Electro) . . . . .	1 8	18 3
4 "    "    glomerata speciosa . . . . .	— 4	3 9
⊙ "    "    Loreyi . . . . .	— 5	4 5
"    "    fl. albo . . . . .	— 5	4 5
4 "    "    macrantha . . . . .	— 4	3 9
⊙ "    "    macrostyla . . . . .	1 3	16 5
"    "    rosaeiflora . . . . .	1 4	18 2
4 "    "    Medium fl. albo (Canterbury Bells) . . . . .	— 4	2 8
"    "    Medium fl. albo pleno . . . . .	— 10	— —
"    "    "    calycanthema . . . . .	— 11	— —
"    "    "    fl. albo . . . . .	1 3	— —
"    "    "    fl. coeruleo . . . . .	— 3	2 3
"    "    "    fl.    "    pleno . . . . .	— 7	7 5
"    "    "    fl. lilacino . . . . .	— 4	— —
"    "    "    single, mixed . . . . .	— —	1 5
"    "    "    fl. pleno, mixed . . . . .	— 7	7 5
4 "    "    pyramidalis . . . . .	— 6	— —
⊙ "    "    Speculum, blue . . . . .	— 3	1 10
"    "    "    white . . . . .	— 3	2 —
"    "    "    double, white . . . . .	1 5	— —
Canary Creeper, see Tropaeolum canariense.		
Candytuft, see Iberis.		
Canna-Seeds, see page 63.		
Canna-Roots, see page 65.		
⊙ Cannabis gigantea, Giant Hemp . . . . .	— —	— 10
Canterbury-Bell, see Campanula.		
Cape Forget-me-not, see Anchusa.		
Cape Hyacinth, see Hyacinthus candicans.		
Capsicum, see Vegetable seeds.		
h Caraguata cardinalis (Bromeliaceae) . . . . .	1 2	— —
⊙§ Cardiospermum Coindum, new . . . . .	— 3	2 6
"    "    colutoides . . . . .	— 3	2 6
"    "    halicacabum (Balloon Vine) . . . . .	— 3	— —
"    "    hirsutum . . . . .	— 7	6 8
"    "    macrocarpum . . . . .	— 4	2 10
"    "    microcarpum . . . . .	— 4	2 10
"    "    velutinum . . . . .	1 —	— —
⊙ Carduus giganteus . . . . .	— 3	2 —
"    "    Marianus (Silybum) . . . . .	— —	— 4
Carnation, see Dianthus Caryophyllus.		

	per oz s. d.	per lb. s. d.
g Carpodetus serratus . . . . .	2 1	— —
4 Caryopteris mastacanthus, new, blue . . . . .	1 10	— —
"    "    "    candidus, white . . . . .	2 3	— —
h Cassia Candolleana . . . . .	5	5 2
"    "    "    floribunda . . . . .	6	5 6
"    "    "    fulgens . . . . .	8	9 —
Castor Oil Plant, see Ricinus.		
Casuarina, see Conifers.		
4 Catananche coerulea bicolor . . . . .	3	— —
h Cedrela chinensis . . . . .	7	7 4
"    "    "    odorata . . . . .	2 1	— —
<b>Cocks comb (Celosia cristata).</b>		
⊙ Celosia cristata, 12 tall varieties, each separate . . . . .	6	5 3
"    "    "    cristata, finest mixed . . . . .	4	3 7
"    "    "    "    nana alba . . . . .	7	7 9
"    "    "    "    "    atropurpurea . . . . .	8	8 2



Campanula fragilis.  
Electro 2/4.

⊙ Celosia cristata nana aurea . . . . .	7	7 5
"    "    "    Empress . . . . .	9	8 10
"    "    "    "    fire red . . . . .	8	8 5
"    "    "    "    coppery chamois . . . . .	7	7 9
"    "    "    "    "    lutea . . . . .	7	7 5
"    "    "    "    "    "    kermesina (Glasgow Prize, President Thiers) . . . . .	1 2	12 9
Celosia cristata nana Queen of Dwarfs, crimson . . . . .	9	— —
Celosia cristata nana Dam. 1898 "Ruby". The plant grows about 12 inches high producing flowers of a perfect shape and of quite a peculiar most lovely crimson color displaying still more its charm under the sunlight. The stalks also are almost of the same color and the leaves are of a brownish red, giving the plant a most lovely appearance; quite a wonderful kind . . . . .	9	9 3

	per oz s. d.	per lb. s. d.
Celosia cristata nana Vesuvius . . .	— 9	9 3
.. .. violacea . . .	— 7	6 8
.. .. " finest mixed . . .	— 7	6 8
.. Huttoni . . .	1 9	— —
.. japonica . . .	— —	1 5
.. pyramidalis alba . . .	— —	1 1
.. .. atrocarminea . . .	— —	1 2
.. .. aurantiaca . . .	— —	1 2
.. .. aurea . . .	— —	1 —
.. .. cardinalis . . .	— 3	2 —
.. .. coccinea . . .	— —	1 5
.. .. kermesina . . .	— —	1 —
.. .. lutea . . .	— —	1 —
.. .. mixed . . .	— —	1 —



Celosia pyramidalis monstrosa.  
Electro 4/—.

	per oz s. d.	per lb. s. d.
⊙ Celosia pyr. nana Thompsoni (Triomphe de l'exposition)	— 4	3 4
.. .. violacea . . .	— 3	2 3
.. .. mixed . . .	— —	1 2
.. .. plumosa aurea . . .	— 3	2 6
.. .. coccinea . . .	— 3	2 6
.. .. ostrich-feathered, orange-crimson; an absolutely distinct and fine sort . . .	1 3	— —
.. .. finest mixed . . .	— 3	1 10
⊙ Centaurea americana . . .	— 9	8 2
.. .. alba . . .	1 6	— —
4 .. Behen . . .	— 3	2 —
4 .. candidissima (ragusina) . . .	3 3	— —
.. .. compacta . . .	3 3	— —
4 .. Clementei . . .	— 10	— —
⊙ .. cyanoides . . .	— 2	1 5
.. Cyanus (Blue Bottle, Bachelor's Button) . . .	— 2	1 6



Centaurea eriophora.  
Electro 3/9.

• Celosia pyr. monstrosa (Electro) Dam. 1898. Its bushy habit is like that of the C. pyramidalis while the flowers those of the main stems are more like those of the C. cristata. They are dark red, the leaves dark green spotted more or less with dark red. The plant grows most vigorously to about 4 feet in height which makes it invaluable for large groups . . .	— 4	3 —
• Celosia pyr. nana aurantiaca . . .	— 2	1 5
.. .. aurea . . .	— 2	1 5
.. .. carminea . . .	— 2	1 6
.. .. coccinea . . .	— 2	1 5
.. .. kermesina . . .	— 2	1 5

⊙ Centaurea Cyanus alba . . .	— 3	1 7
.. .. albo-rosea . . .	— 2	1 5
.. .. coelestina (Emperor William) . . .	— 2	1 6
.. .. fl. pl. mixed, new double flowered . . .	— 3	1 7
.. .. nana compacta Victoria . . .	— 4	3 —
.. .. Victoria purpurea . . .	— 6	— —
.. .. nana compacta Victoria fl. pl. Dam. 1899, double, dark red . . .	2 3	— —
.. Cyanus purpurea . . .	— 2	1 —
.. .. rosea . . .	— 2	1 —
.. .. single flowered, mixed . . .	— 2	1 4



	per oz s. d.	per lb. s. d.		per oz s. d.	per lb. s. d.
⊙ Centaurea depressa . . . . .	—	—	9		
4 " " rosea . . . . .	—	—	9		
4 " diluta, Dam. 1899. A very profuse flowering bushy plant growing 30 to 35 inches high and covered almost literally with charming lilac-rose flowers with a white centre, about 2 inches across, on lang stalks. They are highly adapted for table and other floral decorations . . . . .	—	6	—	—	—
⊙ " eriophora, Dam. 1899 (Electro). This variety is extremely interesting. Although its blooms cannot be compared with those of the large flowered kinds of Centaurea, they are however equally adapted for everlasting bouquets as the rather woolly and spiny buttons keep a very long time. From these buttons emerges the yellow flower like a brush. The plant grows only about 12 inches high . . . . .	—	6	—	—	—
4 " glastifolia . . . . .	—	4	3	—	—
4 " gymnocarpa . . . . .	—	5	5	2	—
" " fl. albo . . . . .	—	5	4	5	—
⊙ " Margaritae, Dam. 1891 (White Mammoth Sultan), pure white, very large scented flowers . . . . .	1	3	14	—	—
⊙ " moschata (Sweet Sultan) . . . . .	—	3	2	8	—
" " alba . . . . .	—	3	2	10	—
⊙ " odorata Dam. 1891 (Red Mammoth Sultan), with large purple scented flowers . . . . .	1	3	16	5	—
" odorata Chamaeleon Dam. (Yellow Mammoth Sultan), with very large flowers of a pale sulphur-yellow, later whitish yellow changing into lilac and fading in a rosy colour . . . . .	1	9	23	6	—
4 " Parlatoris . . . . .	—	4	3	9	—
4 " plumosa . . . . .	—	4	3	9	—
⊙ " suaveolens, Yellow Sweet Sultan . . . . .	—	4	3	9	—
⊙ Centranthus macrosiphon nanus . . . . .	—	—	1	4	—
" " albus . . . . .	—	3	1	6	—
" " carneus . . . . .	—	3	1	6	—
⊙§ Cephalandra palmata, Dam. 1889 . . . . .	2	4	—	—	—
4 Cerastium Biebersteinii . . . . .	—	7	—	—	—
" tomentosum . . . . .	1	10	—	—	—
⊙ Cerinthe major . . . . .	—	3	1	9	—
g Cestrum aurantiacum . . . . .	—	7	—	—	—
" Parqui . . . . .	—	7	—	—	—
4 Chamaepeuce Casabonae, Fishbone Thistle . . . . .	—	9	—	—	—
" diacantha, Ivory Thistle . . . . .	—	4	3	—	—
⊙ Cheiranthus annuus. Stocks.					
One of our most important specialities!					
All our stocks are grown with so much skill and care that there is no better quality in the market; they give the highest percentage of double flowers as all our many thousands of patrons who received them, will testify.					
Dwarf early-flowered ten week Stocks,					
1. Apple-blossom, 11. Lazur-blue,					
2. Ash-grey, 12. Light-blue,					
3. Brick-red, 13. Lilac,					
4. Copper-red, 14. Pale Rose,					
5. Chamois, 15. Rose,					
6. Crimson, 16. Rosy-carmine,					
7. Dark Blue, 17. White,					
8. Dark Crimson, 18. White and rose,					
9. Dark Purple, 19. Yellow and rose,					
10. Deep blood-red, 20. Yellow,					
each separate . . . . .	2	3	28	10	—
all colours mixed . . . . .	1	8	23	9	—
Creamy yellow Dam. 1898. A new strain of great beauty and a worthy addition to the collection; it is also especially valuable for its rich and continuous flowering . . . . .	3	—	—	—	—
Large-flowered dwarf ten week Stocks,					
1. Brown, 8. Dark blue,					
2. Brownish purple, 9. Dark Crimson,					
10. Fire red,					
3. Canary-yellow, 11. Light blue,					
4. Chamois, 12. Lilac,					
5. Coppery red, 13. Purple,					
6. Crimson, 14. White,					
7. Dark blood-red,					
each separate . . . . .	2	9	39	9	—
all colours mixed . . . . .	2	3	32	—	—
Wallflower-leaved large flowered ten week Stocks,					
all colours mixed . . . . .	3	9	—	—	—
Victoria Bouquet ten week Stocks,					
1. Carmine, 4. Light blue,					
2. Dark bloodred, 5. White,					
3. Dark blue,					
each separate . . . . .	3	10	—	—	—
all colours mixed . . . . .	3	3	—	—	—
Dresden Perpetual-flowered ten week Stocks,					
1. Apple-blossom, 6. Flesh-colour,					
2. Ash-grey, 7. Light blue,					
3. Brownish red, 8. Rosa,					
4. Dark blue, 9. Sulphur-yellow,					
5. Deep crimson, 10. White,					
each separate . . . . .	2	9	—	—	—
all colours mixed . . . . .	2	7	—	—	—
Large-flowered pyramidal ten week Stocks mixed . . . . .	4	10	—	—	—

**Stocks (continued).**

	per oz. s. d.	per lb. s. d.
Dwarf large-flowered pyramidal ten-week Stocks, mixed . . .	4 4	
Giant or Tree ten-week Stocks, mixed . . . . .	3 6	
Giant Perfection ten-week Stocks, mixed . . . . .	5 —	
Perpetual-flowering or Emperor Stocks,		
1. Brilliant rose, 5. Flesh colour,		
2. Crimson, 6. Light blue,		
3. Dark blue, 7. White,		
4. Dark purple,		
each separate . . . 1/8 oz 1/9	12 6	
all colours mixed . . . . .	9 3	



Victoria White Winter Stock.  
Electro 4—.

Winter or Brompton Stocks, mixed	6 10	— —
Dwarf Winter or Brompton Stocks		
1. Brick red, 4. Rose,		
2. Crimson, 5. White,		
3. Deep rose,		
each separate . . . 1/8 oz 1/3	7 10	— —
all colours mixed . . . . .	7 —	— —
Brompton Stocks, white Nice, magnificent, continuously flowering; splendid for cutting . . . . .	3 2	43 6
Victoria white Winter Stock; (Dam.) since we introduced this beautiful kind it has met every where with an unlimited and unrestricted approbation; we recommend it most warmly to all who wish to have a fine cut flower. (Electro) . . .	3 5	— —

	per oz. s. d.	per lb. s. d.
Canary - yellow Winter Stock Dam. 1898. This new and very valuable addition is a worthy pendant to the Victoria Stock introduced by us several years ago and which obtained such a grand and general success. We can recommend this new kind most especially for cutting purposes. It can also easily be forced . . . . . 1/8 oz 1/—	6 10	— —
Light rose Winter Stock 1/8 oz 1/—	6 10	— —
Lilac wallflower-leaved, Winter Stock . . . . . 1/8 oz 1/—	6 10	— —
Italian red Winter Stock; a most recommendable sort producing an abundance of fine red flowers during the winter . . . . .	1 —	10 10
Cheiranthus Cheiri, German Wallflower.		
Double Tree, mixed of many fine colours . . . . .	4 2	— —
Double Branching, mixed of many splendid colours . . . . .	4 2	— —
Single Branching, mixed . . . . .	— —	1 10
⊙ Cheiranthus maritimus (Malcolmia) Virginian Stocks — — — 1 1		
⊙ " maritimus albus . . . . .	— —	1 —
" " carminessplendens — — — 1 —		
" " Fairy Queen . . . . .	— —	1 2
" " kermesinus (Crimson King) . . . . .	— —	1 2
" " luteus . . . . .	— —	1 —
" " mixed . . . . .	— —	— 10
4 Chelone barbata . . . . .	— 3	2 8
Chinese Bellflower, see Abutilon.		
" Primrose, see Primula chinensis.		
Christmas Rose, see Helleborus.		
Chrysanthemum Burridgeanum . . . . .	— —	— 10
" carinatum, see tricolor.		
g Chrysanthemum chinense, double fine mixed . . . . .	6 4	— —
g Chrysanthemum Japanese double large-flowered, mixed . . . . .	6 8	— —
g Chrysanthemum Japanese, a special selection of the former with very large and well-shaped flowers . . . . .	10 8	— —
g Chrysanthemum Japanese Imperial double Ostrich-feathered, imported seed from one of the best collections . . . . .	5 2	— —
⊙ Chrysanthemum coronarium album plenum . . . . .	— —	1 3
" coronarium luteum plenum — — — 1 3		
" " sulphureum plenum — — — 1 7		
" " double, mixed . . . . .	— —	1 3
g " frutescens (Argyranthemum) — 9 10 8		
⊙ " inodorum plenissimum . . . . .	— 10	— —

	per oz s. d.	per lb. s. d.
⊙ Chrysanthemum tricolor (carinatum)		
album . . . . .	— 2	2 —
"    "    atrococcineum . . . . .	— 2	2 —
"    "    Chamaeleon, new . . . . .	— 8	6 7
"    "    Dunnetti albo pl. . . . .	— 5	5 6
"    "    "    aurea pl. . . . .	— 5	5 6
"    "    "    versicolor pl. . . . .	— 5	5 6
"    "    Eclipse . . . . .	— 3	2 3
"    "    Golden Feather . . . . .	— 3	2 3
"    "    Lord Beaconsfield . . . . .	— 3	2 —
"    "    nanum coccineum plenum . . . . .	1 —	— —
"    "    finest mixed . . . . .	— 2	1 8
"    "    viscosum Dam. 1899, yellow, rich flowering . . . . .	— 3	2 3
Cigar-Flower, see Cuphea platycentra.		
4 Cirsium polycephalum, Dam. 1899.		
A plant very highly adapted for groups, about 6 feet high. Its slightly spiny leaves are much like those of the thistle and form a splendid contrast with the globe shaped blooms of a lively bright purple color . . . . .	1/8 oz 1/—	6 10 — —
g Cineraria hybrida, finest mixed . . . . .		7 3 — —
"    "    large flowered, finest mixed 1/16 oz 1/—		14 8 — —
"    "    dwarf, many varieties of the finest colours, mixed 1/16 oz 1/5		20 6 — —
"    "    dwarf large flowered, extra selected 1/16 oz 1/7		22 6 — —
"    "    plenissima, double splendid mixed 1/8 oz 10/10		— — — —
"    "    "    "    1/16 " 5/10		— — — —
"    "    "    "    1/32 " 3/3		85 — — — —
⊙ "    geifolia . . . . .	— 4	3 9
4 "    maritima . . . . .	— 3	2 —
4 "    "    candidissima . . . . .	— 4	3 4
g§ Cissus antarctica . . . . .	1 10	— —
"    heterophylla fol. var. . . . .	1 2	— —
"    tetragona . . . . .	— 8	— —
h Citharexylum cyanocarpum . . . . .	1 6	— —
⊙§ Citrullus amarus . . . . .	— 6	— —
"    Colocynthis aurantiiformis . . . . .	— 3	2 3
"    "    oviformis . . . . .	— 3	2 3
g Citrus trifoliata . . . . .	— 6	5 6
⊙ Clarkia elegans Double, mixed . . . . .	— —	1 5
"    "    pulchella fl. albo. . . . .	— 2	1 2
"    "    "    fl. albo pl. . . . .	— 3	1 8
"    "    "    "    carmineo pl. . . . .	— 3	1 8
"    "    "    "    Double, mixed . . . . .	— 2	1 2
Clary, see Salvia Horminum.		
2§ Clematis yemenica . . . . .	— 8	6 7

	per oz s. d.	per lb. s. d.
⊙ Cleome elegantissima . . . . .	— 3	2 6
"    grandis Dam. new wonderful, with large flowers . . . . .	— 5	3 10
"    heterophylla . . . . .	— 3	2 4
"    pentaphylla . . . . .	— 3	2 8
"    sesquiorgialis . . . . .	— 3	2 4
"    speciosissima . . . . .	— 3	2 4
"    viscosa . . . . .	— 3	2 8
h Clerodendron divaricatum . . . . .	2 1	— —
"    fragrans 100 seeds 1/—	— —	— —
"    trichotomum . . . . .	— 8	— —
h Clianthus Dampieri . . . . .	3 4	— —
"    puniceus . . . . .	2 4	— —
⊙ Clinopodium argenteum Dam. 1898.		
It grows about 12 inches high; its opposite oval and slightly hairy leaves are		



Cobaea macrostemma.  
Electro 3/3.

of a vivid green, and in their axils are produced numberless pure white flowers during the whole summer . . . . .	— 11	12 9
⊙§ Clitoria ternatea (coelestis) . . . . .	— 7	6 1
"    "    mixed . . . . .	— 6	5 3
⊙§ Cobaea macrostemma (Electro) most elegant climber 100 seeds —/6	— —	—
"    "    "    "    1000 " 3/9	— —	—
⊙§ Cobaea scandens, beautiful climber	— 9	10 3
"    "    fl. albo. . . . .	1 6	20 10
⊙§ Coccinea indica . . . . .	— 7	6 8
"    glauca . . . . .	— 7	— —
"    Moghad . . . . .	— 10	— —
Cockscomb, see Celosia.		
h Coleus hybridus, choicest hybrids best selected varieties . . . . .	6 9	— —

	per oz s. d.	per lb. s. d.		per oz s. d.	per lb. s. d.
h Coleus hybridus regalis (imperialis) newest large-leaved varieties, splendid mixed . . . . . 1/8 oz 1/4	9 3	—	⊙ Cosmea pinnatifida nana Dawn, pure white, rich flowering	— 10	— —
Coleus hybr. fol. laciniatis, with fine light brownish lacinated leaves; a most lovely and remarkable kind . . . . .	7 10	—	"    "    sulphurea . . . . .	— 4	4 8
Coleus Verschaffelti, with very fine dark brown leaves . . . . . 1/8 oz —/10	5 8	—	"    "    mixed . . . . .	— 4	4 8
⊙ Collinsia bicolor . . . . .	— —	1 —	⊙ Cosmidium Burridgeanum . . . . .	— 3	1 7
"    "    candidissima . . . . .	— —	1 —	h Cosmophyllum cacaliaefolium (Fer- dinanda eminens) . . . . .	3 5	— —
⊙    "    "    rosea Dam. 1898. A new and quite distinct rose colored form which distinguishes itself from the others also by its considerably larger flowers. An extremely beautiful kind	— 11	12 9	h Coulteria pectinata . . . . .	— 3	2 3
Collinsia bicolor, mixed . . . . .	— —	1 2	Crowslip yellow, see Primula veris.	—	—
Collomia coccinea . . . . .	— —	1 —	⊙ Crepis japonica . . . . .	— 5	4 3
Columbine, see Aquilegia.			g Crinodendron Hookerianum 100 seeds 1/3; 1000 seeds 11/6	— —	— —
4 Commelina bengalis cyanea Dam. 1/8 oz —/7	3 5	— —	h Croton sebiferum (Stillingia) Crown of the Field, see Agrostemma.	— —	— —
"    coelestis . . . . .	— 2	2 3	⊙ Cryptostemma lusitanicum, Dam. 1899. A rival of the Gazanias, all the more as it is an annual of rapid growth. The plant attains a height of about 8 inches. Its narrow pinnate or deeply cut leaves are of a greyish green and silvery grey on the back. The plant produces a large number of flowers measuring about 2 inches in diameter, the petals of which are sulphur-yellow and chrome-yellow at the base with a dark brown spot	— 7	— —
"    "    alba . . . . .	— 3	2 9	⊙§ Cucumis anguineus, see Tricho- santes.		
"    "    Sellowiana, new . . . . .	3 4	45 —	Cucumis Anguria (Aradae) . . . . .	— 4	2 10
4§ Convolvulus altissimus . . . . .	— 9	— —	"    Cossonianus . . . . .	— 2	1 5
"    althaeoides . . . . .	— 11	— —	"    dipsaceus, Teasel Gourd . . . . .	— 4	2 10
"    major, see Ipomoea pur- purea.	—	—	"    echiniformis . . . . .	— 4	3 1
g    "    mauritanicus . . . . .	— 7	7 4	"    erinaceus, Hedgehog Gourd . . . . .	— 3	2 8
⊙    "    minor (tricolor), mixed . . . . .	— 6	— —	"    Grossularia, Gooseberry Gourd . . . . .	— 3	2 8
Coral Tree, see Erythrina.			"    Hookeri . . . . .	— 3	2 3
h Cordyline angustifolia (Dracaena)	— 4	4 —	"    metuliformis . . . . .	— 3	2 3
"    australis, berries . . . . .	— 4	4 5	"    "    oblongus . . . . .	— 3	2 3
"    "    clean seed . . . . .	1 8	— —	"    minutissimus . . . . .	— 3	2 3
"    Banksii . . . . .	— 10	— —	"    myriocarpus . . . . .	— 5	4 5
"    congesta spectabilis 1000 seeds 6/—	— —	— —	"    odoratissimus (Dudaim)	— 4	3 1
"    indivisa (C. colocoma super- biens) berries . . . . .	— 4	3 9	4    "    perennis . . . . .	— 8	— —
"    "    lineata . . . . .	— 5	4 —	"    prophetarum . . . . .	— 4	3 1
"    "    latifolia . . . . .	— 6	5 9	"    pustulatus . . . . .	— 3	2 3
"    "    "    rosea . . . . .	— 6	5 6	"    Vilmorini . . . . .	— 5	— —
"    "    "    Veitchi . . . . .	— 6	— —	⊙§ Cucurbita argyrosperma . . . . .	— 4	2 10
"    "    "    rubra (Dracaena)	— 6	— —	"    aurantiaca, Orange Gourd . . . . .	— 3	2 6
"    "    nutans 1000 seeds 4/—	2 9	— —	"    depressa alba . . . . .	— 3	2 —
"    "    rubra 1000 . . . . . 10/—	— —	— —	"    "    aurea . . . . .	— 3	2 —
⊙ Coreopsis abyssinica . . . . .	1 10	— —	"    maliformis, Apple Gourd, yellow, white, striped, each . . . . .	— 4	3 3
4    "    auriculata . . . . .	— 5	— —	"    maxima sylvestris, Naudin 1889	— 3	2 3
4    "    grandiflora . . . . .	— 5	— —	"    melanosperma, . . . . . variegated fruited Malabar (Angora), black seed . . . . .	— 3	2 3
⊙    "    japonica . . . . .	— 10	— —	"    oviformis, Ostrich Egg . . . . .	— 4	3 9
Corn Flower, see Centaurea Cyanus.			"    Pepo turbinata, Turban Gourd, scarlet. . . . .	— 3	2 8
⊙ Cosmea hybrida Klondyke, orange- red, large flowering	2 4	— —			
"    pinnatifida (Cosmos bipin- natus) . . . . .	— 5	5 6			
"    "    albiflora . . . . .	— 6	6 7			
"    "    purpurea . . . . .	— 5	5 6			
"    "    Mammoth, white . . . . .	— 7	— —			
"    "    "    mixed . . . . .	— 7	7 3			

	per oz s. d.	per lb. s. d.		per oz s. d.	per lb. s. d.
⊙§ Cucurbita piriformis (pear-shaped)			Datura fastuosa coerulea plena	— 4	3 5
green, green with white, each	— 3	1 10	.. .. . lutea plena	— 3	2 —
.. radicans	— 3	2 3	.. .. . fl. pl. mixed	— 3	1 9
.. verrucosa (warted) apple- and pear-shaped	— 3	1 9	.. .. . Huberiana alba plena	— 4	3 9
.. viridis annulata vera	— 3	1 9	.. .. . Huberiana atrovio- lacea punctata plena	— 3	3 2
⊙ Cuphea Balsamora	1 —	— —	.. .. . Huberiana violacea intus alba plena	— 3	3 2
.. cinnabarina	— 5	— —	.. .. . humilis flava plena	— 4	3 9
.. miniata	— 6	5 6	.. .. . ferox	— 2	1 —
.. platycentra 1/8 oz 1/—	7 —	— —	.. Humata, dwarf blue	— 2	1 2
.. purpurea	— 4	3 9	.. humilis Golden Queen	— 8	8 2
.. Roezli 1/8 oz 1/—	6 10	— —	.. laevis (inermis) dwarf white	— —	1 —
.. silenoides	— 4	3 9	.. Metel	— —	— 10
.. " marginata Dam. 1892	— 6	5 6	.. quercifolia	— 2	1 7
.. Zimapani	— 3	3 —	.. Stramonium giganteum vio- laceum	— —	— 10
Cyanus, see Centaurea.			.. Wrightii (meteloides)	— —	1 2
Cyclamen, see Seeds of Bulbs and Roots.			⊙ Delphinium Ajacis, see Larkspur.		
⊙§ Cyclanthera edulis	— 4	3 —	4 .. Cardinale	10 —	— —
.. elastica	— 4	3 —	⊙ .. cardiopetalum	— 3	1 10
.. explodens	— 5	4 5	.. chinense mixed	— 4	3 5
.. pedata	— 3	3 —	.. emarginatum	— 5	4 5
4 Cynanchum acutum	— 5	— —	.. formosum	1 2	— —
⊙ Cynoglossum coelestinum	— —	1 —	.. hybridum, mixed	— 4	3 9
.. linifolium (Venus Navelwort)	— —	— 9	.. " fl. pl. double mixed	4 —	— —
Cyperus, see Ornamental Grasses.			.. luzulinum	1 2	— —
Cypress Vine, see Ipomoea Qua- moclit.			.. sulphureum (Zalil)	3 8	— —
4 Dahlia imperialis grandis	4 6	— —	.. triste	— 7	— —
.. Zimapanii (Bidens atosan- guinea)	1 2	— —	Devil in a bush, see Nigella.		
⊙4 Dahlia hybrida, splendid mixture of single Dahlias	— 5	4 3	Dew Plant, see Mesembrianthemum tricolor.		
.. hybrida striata, striped	— 6	5 10	4 Dianthus barbatus, Sweet William.		
.. " grandiflora striata, dwarf	— 9	8 4	fine single mixed	— —	1 2
.. " " marginata, margined, single Dahlias, mixed	— 8	7 4	fl. pl. best double-flowered mixed	— 5	4 5
.. " " nana, dwarf, finest mixed	— 5	4 6	nanus compactus, double mixed	— 10	— —
.. " fl. pl. double, from first class flowers, mixed	1 3	13 10	<b>Dianthus Caryophyllus fl. pl.</b>	<b>100 seeds</b>	<b>1000 seeds</b>
.. " fl. pl. double, Cactus (Juarezi) mixed	1 8	29 6	seeds raised from finest stage flowers only.	<b>s. d.</b>	<b>s. d.</b>
.. " fl. pl. double, Liliput, extra	1 10	— —	Bizarre	— 10	6 6
.. " fl. pl. double, dwarf mixed (Tom Thumb)	1 10	— —	Doublettes	— 10	6 6
Daisies, see Bellis perennis.			Fancy	— 10	6 6
Dames Violet, see Hesperis.			Self	— 10	6 6
g Dasyliion acrotiche (serratifolium)	— 10	10 —	Picotees (Avranches), yellow ground	1 —	8 —
.. glaucophyllum	— 7	7 6	.. white ground	— 10	6 6
.. gracile	— 7	7 6	.. (Saxons, with red border)	1 3	12 —
.. longifolium verum	— —	— —	Spotted (Grenoble and Salamander)	— 10	6 6
1000 seeds —/11	— —	— —	Extra fine mixture of the above stage flowers	— 9	6 3
h Datura arborea	3 6	— —	Splendid mixture of stage flowers 1/8 oz 5/7	— —	— —
.. " fl. pl. (Knighti)	7 —	— —	<b>Perpetual-flowering,</b>	<b>per oz</b>	<b>per lb.</b>
⊙ .. atrovioleacea plenissima	— 5	5 2	raised from finest stage plants only.	<b>s. d.</b>	<b>s. d.</b>
⊙ .. ceratocaulis	— 5	4 6	Extra double	5 3	— —
.. cornucopiae	— 8	9 2	.. " dwarf (tige de fer)		
.. fastuosa alba plena	— 4	3 5	1/16 oz 5/6; 1/8 oz 10/3	7 8	— —

## Riviera Market

	per oz s. d.	per lb. s. d.
Alégatière $\frac{1}{16}$ oz $\frac{3}{4}$ ; $\frac{1}{8}$ oz 6/—	45 —	— —
$\frac{1}{16}$ " 5/6; $\frac{1}{8}$ " 10/3	78 —	— —

## Border- (Ground) Carnations.

Extra double self coloured . . . . .	2 8	32 6
" " striped in beautiful colours . . . . .	2 10	36 —
Early flowering dwarf Vienna, finest strain . . . . .	1 9	20 —
Grenadin, brilliant red, choice quality . . . . .	2 6	31 —

## Margaret Carnations Dam.

Malmaison, very large-flowering (require a heavy good soil) . . . . .	3 —	40 —
Semi-high, very double, saved from the finest collection (Electro) . . . . .	1 —	12 9
Semi-high, very double white . . . . .	3 3	— —
" " " rose . . . . .	2 6	— —
" " " scarlet . . . . .	2 6	— —



Margaret Carnation semi-high double.  
Electro 3/3.

## Margaret Carnation:

Semi-high, very double dark red . . . . .	2 6	— —
" " " purple (violet) . . . . .	2 6	— —
" " " yellow and yellow-ground $\frac{1}{8}$ oz —/8 . . . . .	4 2	— —
" " " striped . . . . .	3 3	— —
The separate colours are still very variable		
Dwarf, very double, finest mixed . . . . .	2 7	32 —
Dwarf Margaret Carnation, newest dwarf double-Chabaud (tige de fer) . . . . .	5 6	— —
⊙ Dianthus chinensis fl. pl. double Chinese Pinks, finest mixed . . . . .	— 4	3 9
" " chinensis albus plenissimus . . . . .	— 5	4 6
" " nanus atrosanguineus . . . . .	— 5	4 6
" " pumilus striatus plenus . . . . .	— 5	4 6
⊙ " " dentosus hybridus, dwarf mixed . . . . .	— 4	3 9

## Dianthus dentosus hybridus fl. pl.

	per oz s. d.	per lb. s. d.
double mixed . . . . .	— 5	4 6
⊙ " " imperialis fl. pl. double Imperial Pink, finest mixed . . . . .	— 4	3 9
⊙ " " Heddewigi (giganteus) single flowered mixed . . . . .	— 4	3 9
" " (giganteus) double, finest mixed . . . . .	— 4	3 9
" " albus plenus . . . . .	— 6	5 6
" " atrococcineus plenus, Dam. 1899. A new dark scarlet and very fine color. The plant produces a large number of very double flowers . . . . .	— 8	7 5
" " diadematus plenus . . . . .	— 5	5 2
" " hybr. atropurpureus plenus . . . . .	— 5	5 2
⊙ " " hybridus (latifolius) atrococcineus plenus . . . . .	— 4	3 9
" " atropurpureus plenus . . . . .	— 4	3 9
" " atrosanguineus plenus . . . . .	— 4	3 9
" " atroviolaceus plenus . . . . .	— 4	3 9
⊙ " " laciniatus, single-flowered mixed . . . . .	— 4	3 9
" " double mixed . . . . .	— 8	7 5
" " albus . . . . .	— 4	3 9
" " " plenus . . . . .	— 8	7 5
" " atrosanguineus . . . . .	— 5	5 2
" " atropurpureus plenus . . . . .	— 7	6 7
" " atroviolaceus plenus . . . . .	— 7	6 7
" " Oriental Beauty . . . . .	1 7	— —
⊙ " " rubro striatus Dam. 1898. An extremely pretty kind blooming most profusely and growing about 8 to 10 inches high. The flowers are white, richly striped with lilac-red. A very valuable addition to the collection . . . . .	— 10	— —
Dianthus laciniatus Salmon Queen, new, large-flowering, salmon-red . . . . .	— 8	8 2
" " laciniatus Salmon Queen fl. pl. double flowered . . . . .	1 7	— —
4 " " plumarius, the common Pheasant eye Pink . . . . .	— 3	1 7
" " " fl. pl. finest double Garden Pink . . . . .	2 4	— —
4⊙ Didiscus (Huegelia) coeruleus . . . . .	— 9	— —
Didymocarpus, see Streptocarpus.		
4 Digitalis (Foxglove) canariensis $\frac{1}{8}$ oz —/9 . . . . .	5 3	— —
" " gloxiniaeflora mixed . . . . .	— 3	2 3
" " maculata superba . . . . .	— 4	3 —
" " purpurea . . . . .	— 2	1 5
" " " alba . . . . .	— 3	2 3
g§ Dioclea glycinoides . . . . .	— 5	5 3
4 Diotis candidissima (Santolina maritima) . . . . .	— 10	10 3
⊙§ Dolichos atropurpureus . . . . .	— 2	— 11
" " bahiensis . . . . .	— 2	— 11
" " bicontortus . . . . .	— 2	— 11

		per oz	per lb.			per oz	per lb.
		s. d.	s. d.			s. d.	s. d.
Dolichos	Catjari . . . . .	— 2	— 11	Erythrina	indica . 100 seeds	1/3	— —
"	cultratus . . . . .	— 2	— 11	"	insignis . 1000 "	2/6	— —
"	helveticus missouriensis .	— 3	2 —	"	lithosperma 100 "	2/	— —
"	Lablab albus, Hyacinth	— —	— 10	"	speciosa . 100 "	1/3	— —
"	Bean, white	— —	— 10	½	Erythroxyton Coca	100 "	1 8
"	giganteus . . . . .	— 2	— 11	g	Escallonia floribunda . . . . .	3 —	— —
"	Princess Helene	— 3	1 3	⊙	Eschscholtzia californica (Californian		
"	Dam. 1896 new	— 3	1 3		Poppy) . . . . .	— 3	1 9
"	mixed . . . . .	— 2	— 9	"	" fl. albo . . . . .	— 3	1 10
"	Lubia . . . . .	— 3	1 3	"	" fl. albo pleno . . . . .	— 4	3 —
§§	lignosus . . . . .	— 3	1 10	"	" fl. roseo . . . . .	— 3	2 —
⊙§	myodes . . . . .	— 3	1 3	"	" grandiflora carmine	— 5	3 9
"	ornatus . . . . .	— 3	1 7	"	" The Golden West	— 5	— —
"	sempervirens . . . . .	— 2	— 11	"	crocea . . . . .	— 3	2 —
"	spherospermus . . . . .	— 2	— 11	"	" fl. pl. double . . . . .	— 5	4 6
"	mixed . . . . .	— —	— 7	"	hybrida Mandarin . . . . .	— 4	3 9
½	Dracaena arborea 1000 seeds	1/9	— —	"	maritima, Cross of Malta		
"	Draco . . . . .	— 5	4 5	(Electro) . . . . .	— 4	3 9	
¼	Dracocephalum moldavicum fl. albo	— —	— 6	⊙	Ethulia conyzoides Dam. 1898 . . . . .	— 5	4 6
g	Duranta Plumieri . . . . .	— 3	2 —	g	Eucalyptus amygdalina . . . . .	1 2	12 9
	Dusty Miller, see Centaurea candi-						
	dissima.						
⊙4§	Eccremocarpus scaber (Calampelis)	— 10	— —				
4	Echinacea purpurea 100 seeds —/3	— —	— —				
	1000 " 1/9	— —	— —				
4	Echinops (Globe Thistle) macrocephalus . . . . .	— 3	2 3				
"	sphaerocephalus . . . . .	— 2	1 —				
"	Tournefortii . . . . .	— 3	1 10				
	Edelweiss, see Gnaphalium Leontopodium.						
g	Edwardsia Mac Nabiana . . . . .	— 7	— —				
g	Elaeococa cordata . . . . .	— 5	5 3				
⊙	Elsholtzia cristata . . . . .	— 3	2 —				
½	Embothrium coccineum . . . . .	2 3	— —				
	English Clover, see Gomphrena.						
4	Epilobium hirsutum var. adeno-						
	caulum Hskn. Dam. 1898. A						
	magnificent variety from Asia Minor.						
	The plant, 28 inches in height, produces						
	in great number of panicles of a bright						
	rose lilac color. A most recommendable						
	perennial . . . . .	6 9	— —				
	Eranthemum longifolium, scarlet,						
	rich-flowering. 1000 seeds —/10	— —	— —				
4	Erpetion reniforme, Australian Violet	7 10	— —				
4	Eryngium asperifolium . . . . .	— 5	4 9	g	Eucalyptus botryoides . . . . .	1 2	— —
"	dichotomum . . . . .	— 3	2 3	"	citriodora . . . . .	4 3	— —
"	falcatum . . . . .	— 3	2 3	"	colossea . . . . .	2 3	— —
"	Kotschianum . . . . .	— 5	4 9	"	cornuta . . . . .	1 10	— —
"	pandanifolium . . . . .	— 7	— —	"	decipiens . . . . .	1 8	— —
"	planum . . . . .	— 4	— —	"	gigantea . . . . .	1 —	12 9
⊙	Erysimum arkansanum . . . . .	— 3	1 5	"	globulus, Blue Gum	— 9	9 10
"	Perowskianum . . . . .	— —	— 10	"	Gunnii . . . . .	1 8	— —
½	Erythrina caffra vera 1000 seeds	16/—	— —	"	obliqua . . . . .	1 2	— —
"	coraliodendron 1000 " 12/—	— —	— —	"	piperita . . . . .	1 4	— —
"	coralloides 100 " 2/—	— —	— —	"	resinifera, Red Gum	1 4	17 6
"	crista galli . . . . .	— 7	5 10	"	robusta . . . . .	1 4	17 6
				"	rostrata . . . . .	1	12 9
				"	Stuartiana . . . . .	1 2	— —
				⊙	Eucharidium Breweri, rosy purple . . . . .	1 3	— —
				"	grandiflorum . . . . .	3	2 2
				4	Eupatorium altissimum, Dam. 1898.		
					This very hardy perennial attains a		
					height of about 6 feet. Its charming		
					narrow leaves about 3 inches long		
					confer to the plant a magnificent aspect.		



Eschscholtzia maritima, Cross of Malta.  
Electro 3/3.

The flowers are pure white and are reproduced continually throughout the summer . . . . .

per oz s. d.	per lb. s. d.
1 3	— —
— 5	— —
— 5	— —
— 5	4 3
— 6	5 3
— —	— —

- Eupatorium aromaticum . . . . .
- „ carolinianum . . . . .
- „ cannabinum . . . . .
- „ riparium . . . . .
- „ glechomaefolium . . . . .

1000 seeds 2/6

4 Eupatorium serotinum, Dam. 1898.

This plant shares for its remarkable properties all the qualities of the above, only its leaves are shorter and similar to those of Eupatorium riparium, although much longer and more narrow. For



Gazania hybr. Blondine.  
Electro 3/3.

cutting purposes both kinds are of the greatest value . . . . .


1 3	— —
2 4	— —
— 5	4 3
— 9	— —
2 10	— —
— 10	11 —
— 3	2 2
— —	— —
— 3	2 —
— 2	1 2

- Eupatorium serrulatum, new . . . . .
- 4 „ verticillatum . . . . .
- g „ Weinmannianum . . . . .
- „ „ tricolor . . . . .
- g⊙ Euphorbia heterophylla . . . . .
- ⊙ „ variegata (marginata) Variegated Spurge . . . . .
- h Euryale ferox, hot-house aquatic, similar to Victoria regia . . . . .
- 10 seeds —/10; 100 seeds 6/6
- ⊙ Eutoca viscida . . . . .
- ⊙ „ Wrangeliana . . . . .
- Evening Primrose, see Oenothera.
- Everlasting Flower, see Helichrysum.
- Everlasting Pea, see Lathyrus latifolius.

- |   | per oz<br>s. d. | per lb.<br>s. d. |
|---|-----------------|------------------|
| ⊙ Fedia Cornucopiae . . . . .   | — 3             | 2 3              |
| 4 Felicia abyssinica Dam. 1897 new  | 1 6             | — —              |
| Ferdinanda eminens, see Cosmophyllum.   |                 |                  |
| 4 Ferula neapolitana . . . . .  | — 4             | 3 —              |
| „ tingitana . . . . .   | — 5             | 4 3              |
| Feverfew, see Matricaria.   |                 |                  |
| h Ficus Cooperi . . . . . 1000 seeds 2/9  | — —             | — —              |
| „ elastica . . . . . 1000 „ 2/—   | — —             | — —              |
| „ imperialis . . . . . 1000 „ 2/9   | — —             | — —              |
| „ macrophylla 1000 „ 2/6  | — —             | — —              |
| „ Wrightii 1000 „ 2/6   | — —             | — —              |
| Fishbone Thistle, see Chamaepeuce.  |                 |                  |
| Flora's Paint Brush, see Calalia.   |                 |                  |
| Flos Adonis, see Adonis aestivalis.   |                 |                  |
| Flowering Flax, see Linum.  |                 |                  |
| „ Maple, see Abutilon.  |                 |                  |
| Forget me not, see Myosotis.  |                 |                  |
| Fountain Plant, see Amaranthus salicifolius.  |                 |                  |
| Four o'clock, see Mirabilis.  |                 |                  |
| Fox glove, see Digitalis.   |                 |                  |
| 4 Fragaria indica . . . . .   | — 10            | 11 —             |
| g Franseria artemisioides . . . . .   | — —             | — —              |
| 100 seeds —/7   |                 |                  |
| g Fuchsia corymbiflora 1000 seeds —/7   | — —             | — —              |
| g „ „ alba 1000 „ —/7   | — —             | — —              |
| „ procumbens 1000 „ 2/4   | — —             | — —              |
| ⊙ Gaillardia Amblyodon . . . . .  | — 3             | 2 —              |
| „ Amblyodon atrosanguinea . . . . .   | — 4             | 3 9              |
| 4 „ grandiflora Loiseli . . . . .   | — 4             | 3 9              |
| ⊙ „ picta (pulchella) . . . . .   | — 3             | 1 7              |
| „ „ Lorenziana, best double mixed . . . . .   | — 3             | 2 3              |
| ⊙ Gamolepis Tagetes . . . . .   | — 4             | — —              |
| h Gardenia florida, clean seed . . . . .  | — 8             | 7 4              |
| „ radicans . . . . . 100 fruits 1/3   | — 4             | 3 4              |
| „ Rothmannii . . . . . 100 seeds 1/3  | — —             | — —              |
| „ Thunbergia . . . . . 100 fruits 5/—   | — —             | — —              |
| ⊙ Gaura Lindheimeri . . . . .   | — 3             | 2 2              |
| 4 Gazania bracteata pure white, rich-flowering . . . . . 1/8 oz 3/—   | 20 6            | — —              |
| 4 „ hybrida Nora, Dam. 1897 (Electro No. 1). Flowers milk white, with lilac tips, sulphur-yellow at the base with a large black spot, 100 seeds 1/2; 1000 seeds 8/3   | — —             | — —              |
| 4 Gazania hybrida Diana, Dam. 1897 (Electro No. 2). Upper part of the petals yellowish white, the lower part changing into chrome-yellow, 100 seeds 1/2; 1000 seeds 8 3   | — —             | — —              |
| 4 Gazania hybrida Blondine, Dam. 1897 (Electro No. 3). Bright chamois, dark orange on the base with white or pale yellow spots; the opposite part of the petals is dark lilac striped, 100 seeds 1/4; 1000 seeds 10/— | — —             | — —              |



	per oz s. d.	per lb. s. d.		per oz s. d.	per lb. s. d.
4 <i>Gazania hybrida</i> Bianca, Dam. 1897. Flowers at first sulphur-yellow, changing afterwards into white; slight purple spots at the base of the petals; the opposite part of the petals bears a broad blue stripe in the centre. Flowers measuring about 3 in. across. 100 seeds 1/5; 1000 seeds 12/6	—	—	splendid mixed 1/32 oz 2/9; 1/16 oz 4/9; 1/8 oz 8/9	67	—
4 <i>Gazania hybrida</i> Venus, Dam. 1899. Satin white flowers with a light yellow hue at the base. The back side of the petals is crossed by a broad greyish green line. This plant differs from <i>G. nivea</i> by its shorter and broader petals and also by the greater profusion of flowers, which makes it a worthy addition to the fine varieties introduced by us 2 years ago. 100 seeds 1/5; 1000 seeds 12/6	—	—	4 <i>Gnaphalium</i> <i>Leontopodium</i> (Edelweiss)	4	6
4 <i>Gazania splendens</i> , a fine, well known plant for carpet-bedding	8	9 1	⊙ " <i>orientale</i> fl. pleno 1/32 oz 1/6; 1/16 oz 2/6; 1/8 oz 4/6	34	—
" <i>stenophylla</i> ( <i>Gazaniopsis</i> )	1 3	—	⊙ <i>Godetia</i> <i>amoena</i>	—	3
4 <i>Genipa americana</i> ( <i>Gardenia</i> <i>Genipa</i> ) 10 seeds 1/—	—	—	" <i>Bijou</i> , dwarf, with rose-coloured spot	4	3 9
g <i>Genista canariensis</i>	10	9 3	" <i>Bridesmaid</i>	4	3 —
g " <i>candicans</i>	8	—	" <i>carminea aurea</i>	6	—
" <i>thyrsiflora</i>	3	—	" <i>Duchess of Albany</i> , satin white	4	3 9
4 <i>Gentiana acaulis</i>	8	7 3	" " <i>of Fife</i> , dark-red with white	6	—
<i>Geranium</i> , see <i>Pelargonium</i> .	—	—	" <i>Duke of Fife</i> , crimson	5	—
4 <i>Gerbera Jamesoni</i> 100 seeds 5/—	—	—	" " <i>York</i> , scarlet carmine	6	5 6
4 <i>Geum coccineum</i>	7	—	" <i>Fairy Queen</i>	5	4 6
" " <i>atrosanguineum</i>	8	7 8	" <i>General Gordon</i> , deep crimson	4	3 9
⊙ <i>Gilia californica</i>	—	10	" <i>Gloriosa</i> , deep bloodred	8	—
" " <i>capitata</i> blue	—	10	" <i>grandiflora rosea plena</i>	1	—
" " " <i>alba</i>	—	10	" <i>La Belle</i> , brilliant rose	9	—
" <i>liniflora</i>	4	3 9	" <i>Lady Albemarle</i>	5	3 9
" <i>multicaule</i>	—	1	" " " <i>compacta</i>	5	3 7
" <i>nivalis</i>	—	6	" " <i>Satin Rose</i>	5	3 9
" " <i>nana compacta</i>	2	1 5	" <i>Lindleyana</i> fl. pl.	2	1 9
" <i>tricolor</i>	—	10	" <i>Mandarin</i> , pale yellow	6	6 8
" " <i>nana compacta</i>	2	1 5	" <i>Marchioness of Salisbury</i> , pale rose carmine spotted	5	4 5
4 <i>Glaucium</i> <i>Fischeri</i>	3	2 6	" <i>Princess Henry</i>	4	3 —
" <i>luteum</i>	3	2 —	" " <i>of Wales</i>	4	3 7
" <i>rubrum</i>	2	1 7	" <i>the Bride</i>	3	2 —
Globe amarant, see <i>Gomphrena</i> .	—	—	" <i>Whitneyi</i> Brilliant	4	2 9
" Thistle, see <i>Echinops</i> .	—	—	" " " <i>compacta</i>	5	3 9
Glory Pea, see <i>Clianthus</i> .	—	—	" <i>White Pearl</i>	3	2 —
4 <i>Gloxinia hybrida</i> with erect flowers mixed, 1/32 oz 3/—; 1/16 oz 5/—; 1/8 oz 9/4	72	—	" mixed	3	2 —
<i>grandiflora</i> ( <i>Emperor Frederic</i> ), bright scarlet with broad white borders, 1/32 oz 7/—; 1/16 oz 13/—; 1/8 oz 25/—	190	—	Gold Dust, see <i>Alyssum saxatile</i> .	—	—
<i>grandiflora</i> <i>Défiance</i> , scarlet 1/32 oz 8/9; 1/16 oz 16/—; 1/8 oz 30/—	—	—	Golden Feather, see <i>Pyrethrum parthenifolium aureum</i> .	—	—
	—	—	⊙ <i>Gomphrena</i> <i>globosa</i> ( <i>Globe Amarant</i> )	2	1 3
	—	—	" " <i>alba</i>	2	1 3
	—	—	" " <i>carnea</i>	2	1 3
	—	—	" " <i>nana compacta</i>	3	2 2
	—	—	" " " <i>alba</i>	2	1 3
	—	—	" " " <i>carnea</i>	3	2 —
	—	—	" " <i>variegata</i>	2	1 3
	—	—	" " <i>mixed</i>	2	1 5
	—	—	" <i>Haageana</i> , orange	3	2 —
	—	—	Gourds, ornamental, see <i>Cucurbita</i> and <i>Lagenaria</i> .	—	—
	—	—	g <i>Grevillea</i> <i>robusta</i>	9	8 10
	—	—	⊙§ <i>Gronovia</i> <i>scandens</i>	9	—
	—	—	Groundsel, see <i>Senecio</i> .	—	—
	—	—	4 <i>Guevina</i> <i>Avellana</i>	5	4 5
	—	—	4 <i>Gunnera</i> <i>scabra</i> . . . 1/8 oz 1/9	11	3
	—	—	4 <i>Gymnopsis</i> <i>uniserialis</i> Hook. This compositae is a native of Texas resembling as to its habit the <i>Heli-</i> <i>anthus cucumerifolius</i> . It grows about 30 inches high. Above the dark	—	—

	per oz s. d.	per lb. s. d.		per oz s. d.	per lb. s. d.
green foliage rise most abundantly on rather long stems very pretty chrome-yellow flowers of 2 to 3 inches in diameter. They are very valuable for cutting as they keep very well in water for a long time. The plant produces flowers without interruption from June to September	— 6	6 —			
4 <i>Gypsophila acutifolia</i>		10			
⊙ " <i>elegans</i>		10			
4 " <i>paniculata</i>	4	3			
g <i>Habrothamnus elegans</i>	10				
g <i>Hakea saligna</i> , nuts	3	1 6			
<i>Hardenbergia</i> , see <i>Kennedyia</i> .					
<i>Harpalum rigidum</i> ( <i>Helianthus</i> ), rich-flowering, beautiful	4 6				
Hawkweed, see <i>Crepis</i> .					
Heartsease, see <i>Viola tricolor maxima</i> .					
⊙ <i>Hebenstreitia comosa serratifolia</i>	1 2	— —			
					
<i>Heterospermum Xanthii</i> .					
Electro 3/6.					
⊙ <i>Helianthus</i> ( <i>Sunflower</i> ).					
.. <i>annuus Bismarckianus</i> , with enormous flowers	— 3	1 5			
.. .. <i>globosus fistulosus</i>	—	1 —			
.. .. <i>flore pleno</i>	—	1 —			
.. .. <i>nanus fol. var. (Golden Leaf)</i>	— 2	1 7			
.. .. <i>californicus plenissimus</i>	—	1 —			
.. .. <i>macrophyllus giganteus</i>	—	8			
.. .. Primrose coloured	—	1 —			
.. <i>argyrophyllus</i>	—	1 —			
.. <i>cucumerifolius</i> , small-flowered	3	2			
.. .. <i>Excelsior</i> , flowers cactus-like, with long curled petals	7	6 5			
.. .. <i>Orion</i> , new	7	7 5			
.. .. <i>Giant Star</i> , same as <i>Excelsior</i> , but with much larger flowers	8	—			
.. .. <i>Stella</i> , new, pure golden yellow	4	3 4			
⊙ <i>Helianthus cucumerifolius Stella grandiflorus</i> , with very large flowers	— 7	6 5			
.. <i>Dammannii</i>	3	2			
.. .. <i>sulphureus</i>	3	2			
.. <i>giganteus serratifolius</i>	— 4	3 2			
.. <i>lenticularis</i>	—	1 —			
4 .. <i>mollis</i>	4	3 9			
4 <i>Helichrysum angustifolium</i>	7	6 3			
⊙ <i>Helichrysum compositum monstrosum</i> , double large-flowered mixed	— 6	5 6			
⊙ <i>Helichrysum compositum nanum plenissimum</i> , dwarf double mixed	7	— —			
4 <i>Heliophylla patula</i>	4	3			
z <i>Heliotropium peruvianum</i> .					
.. <i>Anna Turell</i>	1 9	— —			
.. <i>Boule de neige</i>	1 8	—			
.. <i>Bouquet parfait</i>	1 9	— —			
.. <i>giganteum</i> , large-flowered, dark violet (purple) $\frac{1}{8}$ oz —/10	5 9	— —			
.. <i>grandiflorum</i>	1 10	— —			
.. <i>Gloire des massifs</i>	1 8	— —			
.. <i>Regina Margarita (Marguerite)</i> $\frac{1}{8}$ oz 1/—	6 10	— —			
.. <i>Reine des Violettes</i>	1 7	— —			
.. <i>Roi des noirs</i> $\frac{1}{8}$ oz —/6	2 9	—			
.. <i>Umberto</i> , very large-flowering $\frac{1}{8}$ oz —/11	6 —	— —			
.. <i>Voltaireanum</i>	1 8	—			
.. <i>White Lady</i> $\frac{1}{8}$ oz —/6	2 9	— —			
.. <i>peruvianum</i> , newest large-flowering varieties mixed	1 7	20 —			
⊙ .. <i>indicum</i>	— 5	5 6			
.. <i>suaveolens</i>	— 10	11 —			
4 <i>Helleborus niger</i> , ( <i>Christmas Rose</i> )	— 5	4 6			
4 <i>Heracleum Panaces</i>	—	1 2			
4 <i>Hesperis matronalis</i> ( <i>Sweet Rocket</i> ) mixed	—	1 2			
.. <i>matronalis fl. alba</i>	—	1 2			
.. <i>tristis</i>	—	1 4			
⊙ <i>Heterospermum Xanthii</i> A. Gray ( <i>Electro</i> ), Dam. 1898. Grows only about 8 to 10 inches high and is therefore most adapted for borders or carpet bedding. Its small flowers are chrome-yellow with a shade of canary-yellow at the end of the petals. They bloom continually from beginning of June to the end of autumn and the flowers appear already 4 weeks after the sowing	— 9	— —			
4 <i>Heuchera americana</i>	— 4	—			
.. <i>cylindrica</i>	— 9	—			
.. <i>hispida</i>	— 4	—			
.. <i>ribifolia</i>	— 6	—			
.. <i>sanguinea</i> , crimson	2	—			
z <i>Hevea brasiliensis</i>	1 3	— —			

	per oz s. d.	per lb. s. d.		per oz s. d.	per lb. s. d.
h§ Hexacentris coccinea 100 seeds 1/6	—	—	⊙ Impatiens Balsamina flore pleno. Balsams.	—	—
" mysoensis 100 seeds 4/—	—	—			
⊙ Hibiscus africanus	—	1 3	We offer and warrant first quality only, inspite of our low prices; our patrons my fully rely upon it.		
h " coccineus	— 7	7 4	Double tall Balsams mixed	— 3	2 9
h " grandiflorus, mixed	— 3	2 —	Double Rose Balsams.		
h " Hamabo	— 9	10 3	1. Apple-blossom,		
g " liliiflorus	2 2	—	2. Brilliant brick-		
g " moschatus roseus	— 4	3 —	red,		
g " mutabilis	— 11	14 —	3. Chamois,		
g " palustris	— 5	3 9	4. Chamois rose,		
" " roseus	— 4	3 —	5. Dark blue,		
g " Patersoni (Lagunaria)	— 7	—	6. Deep blood-red,		
h " rosa sinensis	1 10	—	7. Light blue,		
h " roseus grandiflorus	— 3	2 3	8. Lilac,		
Hollyhocks, see Althaea rosea fl. pl.			each separate	— 6	5 2
Honesty, see Lunaria biennis.			All colours mixed	— 4	3 9
Honeysuckle, French, see Hedy- sarum coronarium.			Double Camellia Balsams.		
Horn Poppy, see Glaucium.			1. Brilliant rose,		
⊙§ Humulus japonicus, Japanese Hop	— 5	4 3	2. Brilliant scarlet,		
⊙§ " japonicus variegatis, with white variegated leaves	— 5	5 3	3. Crimson,		
⊙§ " " lutescens	— 6	5 7	4. Light blue,		
4§ " Lupulus, seeds as collected	— 2	1 4	5. Lilac,		
⊙ Hunnemannia fumariaefolia	— 8	8 —	each separate	— 6	5 2
h Hura crepitans 100 seeds 2/2	—	—	All colours mixed	— 4	3 9
Hyacinth Beans, see Dolichos.			Improved Camellia Balsamina "Prince Bismarck"	1 2	—
h Hymenaea Courbaril 10 seeds —/5 100 " 2/10	—	—	Double dwarf Balsams, splendid mixed	— 4	3 9
⊙ Iberis (Candytuft) affinis	— 2	1 3	" Solferino Balsams, streaked and spotted, mixed	— 4	3 6
" amara	—	10	" dwarf Solferino Balsams, streaked and spotted	— 4	3 9
" coronaria Empress	— 3	3 —	" Emperor Balsams	— 5	4 2
" " pumila	— 2	1 3	" Victoria Balsams, white with rose salmon, spotted with scarlet, splendid	5	4 2
" " regia (hesperidifolia)	—	10	Regalis, The King	— 4	4 2
" coronopifolia compacta	— 2	1 3	" The Queen	— 4	4 2
" Forestieri	—	10	⊙ Impatiens biflora	1 —	—
4 " Garrexiana	— 3	2 9	h " Rodigasi,		
4 " gibraltarica	2 2	—	100 seeds —/10; 1000 seeds 7/6		
⊙ " integerrima	—	10	h " Sultani 1/16 oz 2/6; 1/8 oz 4/—	30 3	—
⊙ " Lagascae	— 2	1 8	" " hybrida rosea		
⊙ " nigricans	— 2	1 6	1/16 oz 3/3; 1/8 oz 5/6	40 6	—
⊙ " odorata (pectinata)	—	10	" " hybrida salmonea		
4 " sempervirens	— 10	10 3	1/16 oz 3/3; 1/8 oz 5/6	40 6	—
4 " Tenoriana	— 3	1 10	" " hybrida violacea		
⊙ " umbellata, lilac	— 3	2 —	1/16 oz 3/3; 1/8 oz 5/6	40 6	—
" " white	— 2	1 8	4 Incarvillea variabilis 1/8 oz 1/4	9 3	—
" " carminea	— 5	3 9	Indian Shoot, see Canna.		
" " carnea	— 5	3 9	h Inga pulcherrima 100 seeds 3/9	—	—
" " purpurea	— 3	2 —	⊙ Ipomoea bona nox	— 2	1 8
" " Queen of Italy	— 10	11 —	" campanulata	— 3	1 10
" " Rose Cardinal,			h " chrysantha, large-flowering, golden yellow 100 seeds 1/2	—	—
" " bright rose-carmine	— 10	—	⊙ " coccinea	— 2	1 2
" " nana alba	— 3	2 3	" " luteola	— 2	1 2
Ice Plant, see Mesembrianthemum crystallinum.					
g Illicium religiosum	— 4	3 9			

	per oz. s. d.	per lb. s. d.
⊙ <i>Ipomoea dissecta</i> . . . . .	— 4	3 9
„ <i>grandiflora</i> Hesperus, new; a grand new variety of the "Moonflower"; flowers pure white of enormous size; most magnificent . . . . .	1 2	— —
⊙ <i>Ipomoea grandiflora mexicana alba</i> . . . . .	— 6	6 7
4 „ <i>Hardingi</i> . 100 seeds —/8	— —	— —
„ 1000 „ 5/—	— —	— —
⊙ „ <i>hederacea grandiflora alba</i> . . . . .	— 2	1 2
„ <i>Huberi variegata</i> Carmen Sylva . . . . .	— 3	1 7
„ <i>Huberi variegata atroviolacea marginata azurea</i> . . . . .	— 2	1 3
„ <i>Huberi variegata carminea intus alba</i> . . . . .	— 2	1 3



*Ipomoea imperialis collata.*  
Electro 3/3.

<i>Ipomoea Huberi variegata violacea intus alba</i> . . . . .	— 2	1 6
„ <i>Huberi variegata</i> , finest mixed . . . . .	— —	1 3

### ⊙ *Ipomoea imperialis* Dam. 1893.

A most beautiful class of *Ipomoea* with so very large flowers, that their borders are often fringed; the colours are for the most part absolutely new and they are also seldom found amongst any other kind of plants.

#### a) With green leaves.

<i>Adonis</i> , bright purple with pure white throat . . . . .	— 4	3 9
<i>Aphrodite</i> , pure white, giant flowers . . . . .	— 5	4 6
<i>Asteria</i> , enormous flowers, copper-red with a white throat . . . . .	— 4	3 9
<i>Thalia</i> , pure white . . . . .	— 4	4 —

#### b) With silvery leaves.

	per oz. s. d.	per lb. s. d.
<i>Aglaja</i> , crimson with a white throat . . . . .	— 3	3 3
<i>Antigone</i> , very large blue flowers with a rosy throat . . . . .	— 5	4 6
<i>Ceres</i> , crimson with a white border . . . . .	— 4	4 —
<i>Euphrosyne</i> , pure white with a rosy throat . . . . .	— 4	3 9
<i>Princess</i> , ( <i>Electro</i> ) white, crimson speckled . . . . .	— 6	5 9

#### c) *Aurata* (fol. aur. — leaves with a golden hue).

<i>Cleopatra</i> , brilliant carmine with a white throat and border . . . . .	— 6	5 5
<i>Juno</i> , sky-blue . . . . .	— 4	3 9
<i>Luna</i> , very large flowers, dark and light blue and delicate carnation . . . . .	— 4	3 9
The above sorts mixed . . . . .	— 4	4 3

#### d) *Collata* (*Electro*).

A most remarkable and beautiful class of the greatest variety of shape and colour, the gigantic flowers are partly curled or frizzled, looking thus, as if they were double.

<i>Alba</i> , pure white . . . . .	— 7	7 3
<i>Carminea</i> , carmine-red . . . . .	— 7	7 3
„ <i>albo marginata</i> , with a white border . . . . .	— 9	9 —
<i>Diana</i> , dark blue with a white border . . . . .	— 9	9 —
The above sorts mixed . . . . .	— 6	6 6

#### e) *Micans*.

Another wonderful class of *Ipomoea* *imperialis* with perfectly smooth stems and leaves; leaves either green or silvery and the variety of colors is most beautiful and striking; finest colours mixed . . . . .

<i>Ipomoea imperialis</i> , all classes and colours mixed . . . . .	— 4	4 —
<i>Ipomoea imperialis</i> , all classes and colours mixed . . . . .	— 3	2 9

h <i>Ipomoea Learii</i> , blue . . . . .	— 1	14 7
⊙ „ <i>limbata</i> ( <i>Pharbitis</i> ) . . . . .	— 2	1 3
⊙ „ „ <i>hybrida</i> . . . . .	— 2	1 6
⊙ „ <i>Nil</i> . . . . .	— 1	— —
„ <i>grandiflora</i> . . . . .	— 2	1 5
⊙ „ <i>oculata</i> . . . . .	— 3	2 3
⊙ „ <i>purpurea</i> ( <i>Morning Glory</i> ) <i>Convolvulus major</i> , splendid mixed . . . . .	— —	7 —
⊙ „ <i>purpurea</i> , 6 distinct colours, each separate . . . . .	— —	8 —
„ „ fl. <i>albo pleno</i> , double white . . . . .	— 4	3 —
„ „ fl. <i>carminea plena</i> . . . . .	— 8	— —
„ „ fl. <i>carneo plena</i> . . . . .	— 6	— —
„ „ fl. <i>violaceo plena</i> . . . . .	— 6	— —
„ „ fl. <i>flore pleno</i> , double flowering mixed . . . . .	— 5	3 10
⊙ „ <i>Quamoclit</i> , <i>Cypress Vine</i> . . . . .	— 3	2 3
„ „ fl. <i>alba</i> . . . . .	— 3	2 3
„ „ fl. <i>rosea</i> . . . . .	— 3	2 6

	per oz s. d.	per lb. s. d.
⊙ Ipomoea Quamoclit hederacea, scarlet	— 3	2 3
⊙ " Roxburghii Dam.	— 2	— 11
⊙ " rubro-coerulea (violacea vera)	— 9	9 6
" " fl. albo	— 11	12 9
⊙ " sanguinea (Mina)	— 3	2 3
h " scarlatina	— 6	6 7
h " setifera Dam. 1893	— 2	1 —
⊙ " setosa	— 7	— —
h " tuberculata Dam. 1895	— 7	— —
⊙ " gossypioides	— 8	— —
⊙ Ipomopsis Beyrichii	— 4	3 9
" elegans, mixed	— 3	2 8
" cupreata	— 4	3 4
" rosea	— 4	3 4
Italian Bugloss, see Anchusa.		
h Ixora coccinea	2 10	— —
h Jacaranda mimosaeifolia	1 —	11 —
Jacobaea, see Senecio elegans.		
h Jatropha Curcas	4	3 4
" Manihot	4	3 4
" multifida	— 5	— —
Jerusalem Star, see Cerastium.		
⊙ Jonopsidium acaule	1 8	— —
Joseph's Coat, see Amaranthus tricolor.		
Jove's Flower, see Agrostemma coronaria.		
h Jurinaea Eversmannii	— 3	2 —
⊙ Kaulfussia amelloides	— 6	— —
h Kitaibelia vitifolia	— 7	— —
g§ Kennedyya coerulea	1 —	— —
" nigricans	2 10	— —
" ovata rosea	1 —	14 6
" prostrata	1 3	— —
" rubicunda	1 3	— —
⊙ Kochia scoparia	— —	— 7
h Kuhnia eupatorioides, Dam. 1898.		
A small shrub with lovely flowers of a creamy white which reproduce themselves until the autumn	1 2	— —
⊙§ Lagenaria leucantha clavata	— 3	2 —
" " corsica	— 3	2 —
" " enormis	— 3	2 —
" " maxima	— 3	2 —
" " verrucosa	— 3	2 —
" " var. Gourds of different curious shapes, such as for instance Water-bottle, Tobacco box etc. etc.	— 2	1 6
" sphaerica	— 4	3 —
" vulgaris sylvestris (abyssinica)	— 4	2 9
g Lagerstroemia indica, clean seed	1 6	— —
" " Reginae	— 7	— —
Lagunaria, see Hibiscus.		
g Lantana hybrida grandiflora, fine mixed	— 3	2 2
g§ Lapageria rosea . 1000 seeds 6/5	— —	— —

### ⊙ Larkspurs.

	per oz s. d.	per lb. s. d.
Double Imperial branching (Delphinium Consolida imperiale) finest mixed	— 3	2 3
Double dwarf branching or Candelabrum mixed	— 8	6 8
Double Hyacinth-flowered giant, finest mixed	— 3	2 —
Double Stock-flowered, mixed	— 3	2 3
⊙§ Lathyrus azureus	— —	— 7
4§ " latifolius albus	— 6	6 7
⊙§ " odoratus, Sweet Peas mixed	— —	— 6
" " Eckfords new hybrids mixed	— —	— 7



Ipomoea imperialis Princes.  
Electro 3/5.

⊙§ Lathyrus odoratus, Bronze King	— —	1 —
" " Carmen Sylva	— 1	1 —
" " Crownprincess of Prussia	— —	— 9
" " Emily Henderson	— 2	1 6
" " Her Majesty	— —	1 —
" " Invincible carmine (Cardinal)	— —	— 10
" " Orange Prince	— —	1 —
" " White, pure white	— —	— 8
" " 12 other Eckford's sorts, each separate	— —	1 —
g Lavatera arborea	— 3	2 —
" " fol. var.	— 10	10 4
g " assurgentiflora	— 5	— —
⊙ " maritima	— 7	— —
⊙ " trimestris fl. albo	— 3	2 —
" " fl. rubro	— 3	2 —

	per oz s. d.	per lb. s. d.		per oz s. d.	per lb. s. d.
1 Lavatera tripartita	3	1 10	Linaria maroccana hybrida	3	2 4
2 Leonurus sibiricus	—	9	" multipunctata	8	—
1 Leptosiphon aureus	4	3 9	" reticulata aureo-purpurea	5	4 10
" densiflorus fl. albo	4	3 9	4 Linum austriacum	4	3 —
" hybridus, mixed	6	5 3	4 " arboreum	1 4	—
1 Leptosyne Douglasii	5	4 3	4 " corymbiferum	6	—
4 " gigantea, a charming deco-			⊙ " grandiflorum roseum	2	1 6
rative plant with graceful pinnate foliage			" " rubrum (Scarlet Flax)	2	1 6
and golden-yellow flowers			⊙ " humile	5	4 4
100 seeds —/4; 1000 seeds 2/6			4 " perenne	3	2 —
Leptosyne maritima, large flowered,			" " fl. albo	4	3 4
golden-yellow	7	6 7	g Lippia citriodora (Aloysia, Ver-		
4 Leucanthemum creticum	5	3 9	bena)	1 5	—
" grandiflorum, large-			⊙§ Loasa hispida	4 6	—
flowered Ox-eye Daisy	3	2 3	" lateritia (Cajophora)	6	5 6
" lacustre	3	—	⊙ Lobelia Erinus, blue	7	7 4
			" Erinus, white	10	10 7
			" " Barnards Perpetual, dark		
			blue with a white eye	1 8	—
			" " compacta Goldelse		
			1/8 oz —/7	3 10	—
			" " Emperor William	2 2	—
			" " Pearl	7	7 6
			" " Primadonna	1 9	—
			" " speciosa (Crystal Palace)	1 3	12 5
			" " " superba	2 —	—
			" " pumila, Star of Ischl	10	—
			" " " alba (White Gem)		
			1/8 oz —/5	2 9	—
			4 " cardinalis	7 6	—
			4 " fulgens, best hybrids mixed		
			1/16 oz 2/6; 1/8 oz 4/5	34 —	—
			" " Queen Victoria		
			1/16 oz 2/6; 1/8 oz 4/5	34 —	—
			" " Queen Victoria violacea		
			1/16 oz 3/3; 1/8 oz 6/—	45 —	—
			" " syphilitica	1 2	—
			⊙§ Lophospermum scandens	2 2	29 —
			g Lotus canariensis floribundus		
			100 seeds —/5; 1000 seeds 3/—	—	—
			⊙ " Jacobaeus	5	5 2
			" " luteus	5	5 2
			Love Grove, see Nemophila.		
			⊙ Love in a Mist, see Nigella.		
			" " in a Puff, see Cardiospermum.		
			" " lies bleeding, see Amaranthus		
			caudatus.		
			⊙§ Luffa acutangula, Rag or Dish-cloth		
			Gourd	3	2 5
			" " cylindrica	3	2 3
			" " gigantea	3	2 3
			" " Jacquini	4	3 —
			" " maxima	4	3 —
			" " petola	3	2 3
			" " prophetarum	3	2 3
			" " Soly Qua	4	3 —
			" " spectabilis, Dam. 1892	4	3 —
			" " striata	3	2 3



Leucanthemum nipponicum.  
Electro 3/3.

Leucanthemum maximum (Chrysanthemum)	6	—
" montanum heterophyllum	4	—
" nipponicum, large-flowered white (Electro)	1 10	—
" uliginosum	1 3	—
Ligularia Kaempferi 100 seeds —/5	—	—
Limnanthes Douglasii	2	1 9
Linaria aparinoides splendens Dam.	4	3 —
" concolor	5	4 5
4 Cymbalaria (Kentucky Ivy)		
1/8 oz —/8	4 6	—
" dalmatica (macedonica)	5	4 5
" delphinoides	2	1 6
4 Hendersoni ericoides	8	—
" maroccana	4	3 —
" " coccinea	4	3 4

	per oz s. d.	per lb. s. d.		per oz s. d.	per lb. s. d.
⊙§ <i>Luffa subacutangula</i>	3	2 3	⊙§ <i>Maurandia Barkleyana</i>	1 10	— —
4 <i>Lunaria biennis</i> (Moon Wort)	3	2 8	" " fl. albo	3 8	— —
⊙ <i>Lupinus affinis</i>	— 2	1 5	" " <i>purpurea grandiflora</i>	1 10	— —
" <i>albo-coccineus nanus roseus</i>	1 2	— —	" " <i>semperflorens</i>	1 6	— —
4 " <i>arboreus</i>	1 4	— —	" " <i>mixed</i>	1 6	20
⊙ " <i>atroviolaceus</i>	— —	1 2	<i>Medeola</i> , see <i>Myrsiphyllum</i> .		
" <i>Cosentini</i>	— —	1 —	g <i>Melianthus major</i>	2 6	— —
" <i>Cruikshanksii</i>	— —	7 —	g <i>Melicope ternata</i>	2 2	— —
" <i>densiflorus</i>	— 4	3 —	⊙§ <i>Melothria abyssinica</i> , Naud.	1 10	— —
" <i>guatemalensis</i>	— —	10 —	" <i>Cucumis</i>	— 4	2 8
" <i>hybridus fl. pl. President</i>			" <i>cucumerina</i>	— 4	2 8
<i>Cleveland</i>	— 2	2 —	" <i>indica</i>	— 4	3 4
" <i>hybridus nigrescens</i>	— —	1 —	" <i>pendula</i>	— 4	3 4
" " <i>atrococcineus</i>	— —	10 —	" <i>Regeli</i>	— 9	— —
" <i>hirsutus pantelariicus</i>	— —	8 —	" <i>scabra</i>	— 5	4 2
" <i>luteus Romulus Dam.</i>	— 3	2 2	" <i>punctata</i> 100 seeds	— 10	— —
" <i>nanus albus</i>	— 2	1 7	4 <i>Mentha Pulegium</i> , Pennyroyal	2 3	— —
" " <i>coeruleus</i>	— 2	1 2	" <i>Wierzbeckiana</i>	— 8	— —
" <i>pubescens</i>	— —	10 —	⊙ <i>Mentzelia Lindleyana</i>	— 5	— —
" " <i>elegans</i>	— —	1 —	g <i>Mesembrianthemum cordifolium</i> ,		
" <i>sulphureus</i>	— 3	2 2	<i>green</i>	2 2	— —
" " <i>superbus</i>	— 4	3 —	" " <i>crystallinum</i> ,		
" <i>texanus (subcarnosus)</i>	— 4	3 9	<i>(Ice Plant)</i>	— 4	2 8
" <i>tricolor elegans</i>	— —	1 —	" " <i>tricolor</i>	— 5	4 5
" <i>tall annual varieties mixed</i>	— —	10 —	g <i>Metrosideros grandiflora</i> ( <i>Callis-</i>		
" <i>dwarf</i> " " " " " " " "	— 2	1 5	<i>temon</i> )	1 10	— —
g§ <i>Luzuriaga radicans</i> 1/8 oz —/9	4 6	— —	4 <i>Michauxia campanuloides</i>	1 10	— —
4 <i>Lychnis chalcedonica</i> , scarlet	— 5	4 6	<i>Mignonette</i> , see <i>Reseda</i> .		
" " white	— 5	— —	g§ <i>Mikania scandens</i> ( <i>Senecio</i> )		
" <i>fulgens</i>	1 4	— —	1/8 oz 1/6	— —	
" <i>Haageana</i>	1 —	— —	h⊙ <i>Mimosa pudica</i> ( <i>Sensitive Plant</i> )	— 6	5 6
" <i>tristis</i>	— 10	— —	⊙ <i>Mimulus cardinalis</i>	3 1	— —
Madagascar Periwinkle, see <i>Vinca</i> .			" <i>cupreus</i>	3 8	— —
<i>Malcolmia littorea</i> , large-flowering,			" " <i>Prince Bismarck</i>	5 —	— —
<i>rose-lilac</i>	1 5	— —	" <i>duplex</i> (hose in hose) <i>mixed</i>	4 2	— —
⊙ <i>Malope grandiflora</i> , red	— —	1 3	" <i>luteus</i>	— 8	— —
" " <i>alba</i>	— —	1 3	" <i>moschatus</i> ( <i>Musk</i> )	3 8	— —
" " <i>rosea</i>	— —	1 3	" " <i>compactus</i> 1/8 oz 1/7	11 6	— —
⊙ <i>Malva crispa</i>	— —	6 —	" <i>tigrinus</i> ( <i>pardinus</i> )	1 10	— —
g <i>Manihot carthaginensis</i>	— 3	2 8	" " <i>grandiflorus</i> ( <i>Queen's</i>		
<i>Marigold</i> , African and French, see			<i>Prize</i> )	3 —	— —
<i>Tagetes</i> .			⊙§ <i>Mina lobata</i> , beautiful climber	1 7	23 5
<i>Marigold Cape</i> , see <i>Calendula</i>			" <i>sanguinea</i> , see <i>Ipomoea san-</i>		
<i>pluvialis</i> .			<i>guinea</i> .		
<i>Marigold Pot</i> , see <i>Sweet Herbs</i> .			⊙ <i>Mirabilis Jalapa</i> ( <i>Marvel of Peru</i> )		
⊙ <i>Martynia Craniolaria</i> ( <i>formosa</i> , fra-			<i>mixed</i>	— —	— 9
<i>grans</i> )	— 4	3 2	" <i>Jalapa fol. variegatis</i> , <i>mixed</i>	— —	— 10
" <i>lutea</i>	— 3	2 8	" " <i>Tom Thumb</i> , white	— 2	1 2
" <i>proboscidea</i>	— 3	2 8	" " " " <i>tricolor</i>	— 2	1 2
" " <i>rosea</i>	— 3	2 8	" " <i>longiflora</i>	— 2	1 4
<i>Marvel of Peru</i> , see <i>Mirabilis</i> .			g <i>Mitraria coccinea</i> 1000 seeds 2/2		
<i>Mask Flower</i> , see <i>Alonsoa</i> .			⊙ <i>Molucella laevis</i> 1/8 oz —/11	— 6	— —
⊙4 <i>Matricaria eximea flore pleno</i>	— 5	4 2	⊙§ <i>Momordica Balsamina</i> , <i>Balsam Apple</i>	— 4	2 10
" " <i>Golden Ball</i>	4 8	— —	<i>Charantia</i>	— 4	2 10
" " <i>grandiflora compacta</i>			" " <i>chinensis</i> <i>Dam. 1891</i>	— 4	3 —
<i>fol. aureis</i>	— 8	— —	" " <i>Luna</i> <i>Dam. 1892</i>	— 4	2 10
" " <i>flore pleno</i>	— 6	5 6	" <i>echinata</i>	— 3	2 6
⊙§ <i>Maurandia antirrhiniflora</i>	1 2	— —			

	per oz s. d.	per lb. s. d.		per oz s. d.	per lb. s. d.
Momordica Elaterium, squirting Cucumber	3	2 6	⊙ Nemophila atomaria Holborn Blue	— 3	2 3
.. Huberi leucantha	3	2	.. Bell	—	1 —
.. involucrata Dam.	10	11 —	.. crambeoides	—	1 —
.. martinicensis	4	2 10	.. discoidalis	—	1 —
.. muricata	4	2 9	.. insignis, blue	—	— 10
.. spec. Mexico	3	2 3	.. " alba	—	— 10
Monkey Flower, see Mimulus.			.. " lilacina	—	1 —
Moon Wort, see Lunaria.			.. " marginata	—	— 10
4 Moraea tristis	1	— —	.. " purpurea	—	1 —
Morning Glory, see Ipom. purpurea.			.. " striata	—	1 —
.. Glory Brazilian, see Ipom. setosa.			.. " maculata	—	— 8
Mourning Bride, see Scabiosa.			.. " purpurea	—	— 8
h Musa Ensete 1000 seeds 16/—		4 6	g Nerium Oleander album clean seed	5	4 5
.. " Italian saved seeds			.. " purpureum "	5	5 2
.. " " 100 seeds 4/—			.. " roseum "	— 4	2 10
h .. " in fruits (they keep very well and are very suitable for collections)		3 10	.. " splendens "	4	3 7
Musa Livingstoniana 100 seeds 3/9			⊙ Nicotiana affinis	5	4 5
.. Martini 100 " 4/—			.. colossea, one of the finest ornamental foliage plants		
.. rosacea 100 " 2/6			1/8 oz 2/—	12	— —
.. textilis 100 " 1/6			g .. glauca	— 3	2 8
Musk Plant, see Mimulus moschatus.			⊙ .. macrophylla gigantea	— 3	2 2
g Myoporum pictum	3	2	.. noctiflora var. albiflora Dam. 1898 new.	— 9	8 9
4 Myosotis alpestris, Alpine Forget-me-not	6	5 10	.. purpurea grandiflora	3	2 3
.. " alba	8	7 2	.. sylvestris, Spigaz. Dam.		
.. " rosea	8	— —	Flowers pure white. Discovered in Argentine at abt. 5000 feet above the level of the sea, it will be hardy even in cold climates	— 10	10 —
.. " compacta, blue	1	— 12 9	⊙ Nierembergia frutescens	— 6	5 6
.. " elegantissima	— 9	9 3	.. " gracilis	— 6	6 7
.. " " alba	1	— —	.. " rivularis (calycina)	— 6	— —
.. " robusta grandiflora (Elisa Fonrobot)	— 9	9 3	⊙ Nigella communis	— —	— 6
.. " Victoria, dwarf compact variety	1 5	18 3	.. " damascena nana alba plena	— —	— 10
⊙ .. " azorica			.. " damascena nana coerulea plena (Love-in-a-mist)	— —	— 10
1/16 oz 2/—: 1/8 oz 3/—	20	6	.. " Fontanesiana	— —	— 1
4 .. " dissitiflora	2	9	.. " hispanica	— 3	1 7
.. " alba	4	3	.. " alba	— 3	1 7
.. " Blue Perfection	7	6	.. " purpurea	— 3	1 7
.. oblongata (latifolia)	— 8	8 6	.. " orientalis	— —	— 6
.. palustris, true.	1 9	21 8	⊙ Nycteria capensis	— 8	7 4
.. " semperflorens	1 7	20 —	.. " selaginoides	— 6	6 3
.. " " alba	3 6	— —	.. " roseo-violacea	— 6	5 6
.. " " Fairy-Eye (Water-Fairy)	6 3	— —	4 Nymphaea alba	1 3	— —
.. " Welwitschii, dwarf, splendid	2 3	— —	.. " coerulea	4 3	— —
Myosotidium nobile, magnificent			.. " lutea	— 5	5 3
1/16 oz 1 2; 1/8 oz 1 9	12	6	h .. " zanzibariensis	7 6	— —
g§ Myrsiphyllum asparagoides (Medeola, Smilax)	— 10	9 10	⊙ Oyeliscaria pulcherrima	— 5	4 10
Nasturtium (Indian Cress), see Tropaeolum.			⊙ Oeylum Basilicum bullatum	— 2	1 5
h Nelumbium speciosum 10 seeds —/5			.. " comosum Dam.	— 2	1 5
.. " luteum 100 " 1/8			.. " graveolens	— 3	1 7
⊙ Nemophila atomaria		1	.. " pumilum Dam.	— —	1 2
			.. " sanctum	— —	1 2
			.. " suave	3	2 3
			⊙ Oenothera acaulis vera (Evening-Primrose)	10	— —



	per oz s. d.	per lb. s. d.		per oz s. d.	per lb. s. d.
⊙ <i>Oenothera bistorta Veitchii</i> . . . . .	— 3	2 —	<i>Papaver somniferum</i> „The Bride“ ,		
„ <i>Drummondii</i> . . . . .	— 3	2 5	single flowered white . . . . .	—	1 2
„ <i>Johnsoni Parry (Electro)</i> , Dam. 1898. This very vigorous annual grows rapidly about 4 feet high producing long panicles of lemon- yellow flowers more than 1/2 inch in diameter. Our cut represents a single plant flowering already two months after sowing . . . . .	— 4	3 —	⊙ „ <i>somniferum fl. pl.</i> , double Carnation Poppy, mixed . . . . .	—	10
⊙ <i>Oenothera Lamarckiana</i> . . . . .	—	1 4	„ <i>somniferum nanum fl. pl.</i> White Swan . . . . .	— 2	1 8
„ <i>Nuttallii</i> . . . . .	— 3	1 7	„ <i>somniferum nanum fl. pl.</i> <i>cardinale</i> , bright rose . . . . .	—	1 6
⊙ „ <i>odorata</i> . . . . .	— 2	1 3	„ <i>somniferum nanum fl. pl.</i> <i>cardinale</i> , brick-red . . . . .	1 7	—
„ <i>rhizocarpa</i> , yellow ( <i>taraxa-</i> <i>cfolia lutea</i> ) clean seed . . . . .	— 4	3 —	„ <i>somniferum nanum fl. pl.</i> brilliant-rose . . . . .	— 2	1 6
„ <i>rosea mexicana</i> . . . . .	— 6	—	„ <i>umbrosum (commutatum)</i> . . . . .	— 3	1 10
⊙ „ <i>suaveolens</i> . . . . .	— 3	2 —	4 <i>Pardanthus chinensis</i> . . . . .	5	4 5
Orach, see <i>Atriplex</i> .					
4 <i>Origanum gracile</i> . . . . .	— 4	—			
„ „ <i>roseum</i> . . . . .	— 4	—			
„ <i>heracleaticum</i> . . . . .	— 4	—			
„ <i>majolicum</i> . . . . .	— 4	—			
⊙ <i>Oxalis rosea</i> . . . . . 1/8 oz —/8	4 8	—			
h „ <i>sensitiva (Biophytum)</i> 1/16 oz 2/5; 1/8 oz 4/2	31 —	—			
⊙ „ <i>tropaeoloides</i> . . . . .	— 1	2 —			
„ <i>Valdiviana</i> . . . . .	— 7	6 7			
<i>Oxyura chrysanthemoides</i> Oxlip, see <i>Primula elatior</i> .	— 4	3 9			
4 <i>Paeonia arborea (Moutan) fl. pl.</i> . . . . .	— 9	—			
⊙ <i>Palafoxia Hookeriana</i> . . . . .	— 3	—			
„ <i>texana (Polypertis)</i> . . . . .	— 3	1 8			
Palma Christi, see <i>Ricinus</i> .					
Pansies, see <i>Viola tricolor maxima</i> .					
4 <i>Papaver bracteatum</i> . . . . .	— 4	3 5			
4 „ <i>caucasicum</i> . . . . .	— 4	—			
„ <i>coccineum aureum</i> . . . . .	— 3	1 7			
⊙ „ <i>Danebrog</i> , brilliant scarlet with large white spots . . . . .	—	1 —			
„ <i>Danebrog flore pleno</i> . . . . .	— 2	1 3	<i>Pardanthus japonicus</i> . . . . .	3	2 3
⊙ „ <i>glaucum (Tulip Poppy)</i> . . . . .	— 1	2 —	„ „ <i>maximus</i> . . . . .	4	3 4
„ <i>Hookeri</i> . . . . .	— 3	2 8	g <i>Parkinsonia aculeata</i> . . . . .	— 4	3
„ „ <i>fl. pl.</i> , extra double . . . . .	— 5	4 5	h§ <i>Passiflora (Passion flower) alba</i> . . . . .	— 9	—
„ <i>laevigatum</i> . . . . .	— 1	2 —	„ <i>coerulea</i> . . . . .	— 6	5 2
„ <i>Lecoqui</i> . . . . .	— 3	2 —	„ <i>edulis</i> . . . . .	— 1	6
„ <i>Mephisto</i> , deep scarlet with blackish purple spots . . . . .	—	1 2	„ <i>rosacea (incarnata)</i> . . . . .	— 1	4
„ <i>Murselli fl. pl.</i> white, striped dark . . . . .	—	1 —	„ <i>suberosa</i> . . . . .	—	9
„ „ <i>Mikado</i> . . . . .	— 2	1 7	g <i>Pavonia spinifex</i> . . . . . 1/8 oz —/8	4	
4 „ <i>nudicaule</i> . . . . .	— 1	2 —	Pea, Sweet, see <i>Lathyrus odoratus</i> .		
⊙ „ <i>paeoniflorum fl. pl.</i> mixed . . . . .	—	1 —	z <i>Pelargonium hybridum grandiflorum</i> , finest large-flowered, <i>Odier</i> and <i>Fancy</i> mixed, 100 seeds 1/3; 1000 seeds 11 5		
„ „ <i>Fairy Blush</i> . . . . .	—	1 3	g <i>Pelargonium hederacifolium</i> mixed, 100 seeds —/7; 1000 seeds 4/2		
⊙ „ <i>pavoninum (Peacock Poppy)</i> <i>Rhoeas Shirley</i> , single flower- ing . . . . .	— 5	4 6	g <i>Pelargonium hederacifolium</i> , double, mixed, 100 seeds 2/6; 1000 seeds 20/3		
⊙ „ <i>Rhoeas fl. pl.</i> French ranu- culus-flowering double mixed . . . . .	—	2 9			
⊙ „ <i>Rhoeas fl. pl.</i> French ranu- culus-flowering double mixed . . . . .	—	1 4			



*Oenothera Johnsoni Parry.*  
Electro 3/9.

	per oz s. d.	per lb. s. d.
g Pelargonium Scarlet, choice mixed . . . . .	— 6	6 —
„ Scarlet, double-flowered, mixed, 100 seeds 1/—; 1000 seeds 7/—	—	—
g Pelargonium Scarlet, white varie- gated-leaved, hybridized, 100 seeds 1/3; 1000 seeds 11/5	—	—
g Pelargonium Scarlet, golden, tri- color, variegated, hybridized, 100 seeds 1/3; 1000 seeds 11/5	—	—
h Peltandra virginica (Aroideae) . . . . .	— 5	—
h Pentas carnea (Sipanea), 1/16 oz 2/—; 1/8 oz 3/—	22 9	—
Penny Royal, see Mentha Pulegium.		
4 Penstemon campanulatus . . . . .	— 3	2 3
„ Cobaea . . . . .	1 3	18 2
„ Hartwegi (gentianoides) mixed varieties . . . . .	1 3	—



Petunia hybrida grandiflora fimbriata vittata.  
Electro 2/10.

Penstemon heterophyllus . . . . .	2 5	—
„ pulchellus (roseus) . . . . .	— 3	2 6
„ „ violaceus . . . . .	— 5	4 6
„ Torreyi . . . . .	— 6	6 —
⊙ Perilla nankinensis . . . . .	— 2	1 2
„ „ fol. atropurpureis laciniatis . . . . .	— 2	1 4
„ „ macrophylla crispa compacta . . . . .	— 3	1 8
„ „ macrophylla crispa elatior . . . . .	— 3	1 10
„ „ laciniatus picta, Dam. 1899. Under normal conditions the plant grows about 2 feet high; the leaves are deeply cut, of a dark brown almost black color with very distinct large rose and white stripes. Having grown this pretty kind for several years we		

have found it almost perfectly con-  
stant, producing about 75<sup>0</sup>/<sub>10</sub> of true  
plants with fine leaves as above . . .

⊙ Petunia hybrida.

	per oz s. d.	per lb. s. d.
Alba . . . . .	— 7	8 —
Atropurpurea . . . . .	— 7	7 4
Belle Etoile . . . . .	— 8	9 3
Carmen Sylva . . . . .	— 8	9 3
Carminea intus alba (Adonis) . . . . .	— 8	9 3
Compacta nana multiflora . . . . .	1 7	21 —
Countess of Ellesmere . . . . .	— 5	5 2
Illustris, brilliant rose-carmine . . . . .	— 7	7 4
Inimitable . . . . .	— 7	8 —
„ nana compacta multiflora . . . . .	1 2	—
Kermesina splendens . . . . .	— 6	6 7
Nyctaginiflora, pure white . . . . .	— 5	—
Purpurea . . . . .	— 6	—
Reticulata . . . . .	— 10	—
Snowball, white, rich flowering . . . . .	1 5	—
Venosa . . . . .	— 8	8 5
Violacea . . . . .	— 8	8 5
Vittata, purple lilac, white striped . . . . .	2 4	—
Finest mixed, first quality . . . . .	— 5	5 6

⊙ Petunia hybrida grandiflora.

Choicest quality.

Alba . . . . .	1/16 oz 1 10; 1/8 oz 3/—	22 6	—
Alba intus aurea	1/16 „ 1/10; 1/8 „ 3/—	22 6	—
Atropurpurea	1/16 „ 2 —; 1/8 „ 3/9	27 —	—
Brilliant rose	1/16 „ 1/10; 1/8 „ 3/—	22 6	—
Delicata . . . . .	1/16 „ 1/10; 1/8 „ 3/—	22 6	—
Deep blood-red with white throat	1/16 oz 1/6; 1/8 oz 2/6	18 3	—
Kermesina . . . . .	1/16 „ 1/10; 1/8 „ 3/—	22 6	—
Maculata . . . . .	1/16 „ 1/10; 1/8 „ 3/—	22 6	—
Purpurea . . . . .	1/16 „ 1/6; 1/8 „ 2/6	18 3	—
„ albo maculata, new	1/32 oz 2/6; 1/16 oz 4/—; 1/8 oz 7 4	56 —	—
„ Purple King	1/32 oz 2/6; 1/16 oz 4/—; 1/8 oz 7 4	56 —	—
„ quadricolor (intus aurea)	1/32 oz 2/9; 1/16 oz 4/9; 1/8 oz 8/9	67 —	—
Venosa . . . . .	1/16 oz 1/10; 1/8 oz 3/—	22 6	—
Violacea . . . . .	1/16 „ 1/9; 1/8 „ 2/10	20 6	—
Superbissima Prince of Wurtemberg	1/16 oz 1/10; 1/8 oz 3/—	22 6	—
Largest-flowered varieties mixed	1/16 oz 1/3; 1/8 oz 2/—	13 6	—

⊙ Petunia hybrida grandiflora  
fimbriata.

Alba . . . . .	1/16 oz 3/3; 1/8 oz 6/—	45 —	—
Atropurpurea . . . . .	1/16 „ 1/9; 1/8 „ 2/10	20 6	—
Maculata . . . . .	1/16 „ 2/3; 1/8 „ 4/3	31 6	—
Purpurea . . . . .	1/16 „ 1/6; 1/8 „ 2/6	18 3	—
Venosa . . . . .	1/16 „ 1/—; 1/8 „ 1/8	11 6	—

	per oz s. d.	per lb. s. d.		per oz s. d.	per lb. s. d.
<b>Petunia:</b>			very fine partly and also very double		
Vittata (Electro)			flowers of the same slate-blue shades as		
$\frac{1}{32}$ oz 2/6; $\frac{1}{16}$ oz 4/—; $\frac{1}{8}$ oz 7/6	56	— —	the single Ph. variabilis . . . $\frac{1}{8}$ oz —/9	4	6
Single-flowered first quality mixed			Violaea . . . . .	1	2
$\frac{1}{16}$ oz 2/6; $\frac{1}{8}$ oz 4/6	34	— —	Washington . . . . .	1	2
⊙ <b>Petunia hybrida grandiflora fl. pl.</b>			William I. . . . .	1	2
Most carefully fecondated.			Extra fine mixed . . . . .	—	8 8 9
Double large-flowered mixed			<b>Phlox Drummondii grandiflora.</b>		
$\frac{1}{64}$ oz 4/6; $\frac{1}{32}$ oz 8/6	— —	— —	Collected from largest flowers.		
Double fringed in great variety mixed			Alba pura . . . . .	1	3
(fimbriata) . . . . . 1000 seeds 1/10	— —	— —	Atropurpurea . . . . .	1	4
⊙ Phacelia campanularia . . . . .	—	5 4 6	"    albo-oculata . . . . .	1	4
"    congesta . . . . .	—	1 3	Carminea . . . . .	1	4
"    Emperor William . . . . .	—	3 2 6	Carnea . . . . .	1	4
"    Parryi . . . . .	—	4 3 7	Chamois rose with white eye . . . . .	1	4
"    "    alba . . . . .	—	4 3 7	Coccinea . . . . .	1	4
"    tanacetifolia . . . . .	—	1 —	Kermesina alba oculata . . . . .	1	4
h Phalangium lineare fol. var. . . . .	4	6 — —	Lutea . . . . .	1	4
h§ Phaseolus Caracalla . . . . .	—	5 4 6	Orbicularis atrosea . . . . .	1	4
⊙§ "    ensiformis gigas . . . . .	—	1 —	"    violacea . . . . .	1	4
"    radiatus . . . . .	—	2 1 5	Picta atrosea . . . . .	1	4
Pheasant-eye Pink, see Dianthus plumarius.			Rosea alba oculata . . . . .	1	4
2 Phlox decussata (perennis) hybrida,			Splendens . . . . .	1	4
fine mixed . . . . .	1	3 — —	Striata coccinea . . . . .	1	4
"    "    (perennis) hybrida nana,			"    purpurea . . . . .	1	4
dwarf mixed . . . . .	4	— —	"    rosea . . . . .	1	4
⊙ <b>Phlox Drummondii.</b>			"    violacea . . . . .	1	4
Alba pura . . . . .	—	10 12 —	Variabilis alba oculata . . . . .	1	4
"    oculata . . . . .	1	— —	Violaea alba oculata . . . . .	1	3 16 4
"    oculata superba . . . . .	1	— —	All the above mixed . . . . .	—	10 9 6
"    semplena . . . . .	1	7 — —	<b>Phlox Drummondii nana compacta.</b>		
Atrococcinea . . . . .	1	— —	Saved exclusively from dwarf plants.		
Atropurpurea . . . . .	1	2 — —	Alba grandiflora . . . . .	4	3
"    striata . . . . .	1	2 — —	Atropurpurea . . . . .	4	3
"    semplena . . . . .	3	10 — —	Carminea . . . . .	4	3
Brilliant . . . . .	1	3 — —	Chamois rose . . . . .	4	3
Chamois rose . . . . .	1	4 — —	Coccinea . . . . .	4	6
Coccinea . . . . .	1	— —	"    floribunda, Fireball . . . . .	4	4
"    semplena . . . . . $\frac{1}{8}$ oz — 9	4	4 — —	Coerulea stellata . . . . .	4	6
"    striata . . . . .	1	2 — —	Hortensiaeflora . . . . .	3	10
Heynholdi, mixed . . . . .	3	5 — —	Leopoldi . . . . .	3	10
Hortensiaeflora, alba . . . . .	1	2 — —	Nivea (Snowball) . . . . .	3	6
"    atropurpurea . . . . .	1	2 — —	"    oculata . . . . .	3	6
"    cinnabarina . . . . .	1	2 — —	Punicea (cinnabarina) . . . . .	3	6
"    coccinea . . . . .	1	2 — —	Variabilis . . . . .	3	6
"    rosea . . . . .	1	2 — —	Victoria . . . . .	3	6
"    violacea . . . . .	1	2 — —	Violaea stellata . . . . .	3	6
Leopoldi . . . . .	1	— —	All the above mixed . . . . .	2	6 36
Lutea . . . . .	1	2 — —	⊙ Phlox Drummondii cuspidata, mixed	1	2
Meteor . . . . .	1	2 — —	"    fimbriata, mixed . . . . .	1	4
Prince Bismarck . . . . .	1	2 — —	g Phormium Hursthonsi, flowering even		
Radowitzii . . . . .	1	— —	when quite young, with long dark red		
Rosea . . . . .	1	2 — —	panicles . . . . . 1000 seeds 3 10		
Variabilis . . . . .	1	2 14 6	g Phormium Colensoi . . . . .	—	10
"    fl. pleno, Dam. 1899. With			"    tenax, New Zealand Flax . . . . .	—	8 9 2

	per oz s. d.	per lb. s. d.		per oz s. d.	per lb. s. d.
Phormium tenax fol. var.			Bronze . . . . .	— 6	5 7
1000 seeds 2 10	—	—	Carnea . . . . .	— 6	5 7
"    "    atropurpureum,			Caryophylloides . . . . .	— 6	5 7
100 seeds —/5; 1000 seeds 4/—	—	—	Coccinea . . . . .	— 6	5 7
Phormium Veitchii fol. var.			Isabellina . . . . .	— 6	5 7
1000 seeds 3/10	—	—	Kermesina . . . . .	— 6	5 7
⊙ Physalis Alkekengii . . . . .	— 4	3 5	Purpurea . . . . .	— 6	5 7
"    Francheti, with white flowers			Rosea . . . . .	— 6	5 7
producing a very large scarlet balloon;			Rubro purpurea . . . . .	— 6	5 7
highly effective . . . . .	1 —	13 —	Splendens (Gilliesi) . . . . .	— 6	5 7
g§ Physianthus albens . . . . .	7	5 10	Sulphurea (Thorburnii) . . . . .	— 6	5 7
4 Physostegia virginica (speciosa) . . . . .	— 5	4 5	Thellusonii (orange) . . . . .	— 6	6 —
"    "    alba . . . . .	1 —	—	Fine single mixed . . . . .	— 4	4 2
4 Phytolacca decandra . . . . .	— 2	1 5			
Picotees, see Dianthus Caryo-			<b>Double flowering.</b>		
phyllus.			Saved from very double flowers.		
4 Picridium tingitanum . . . . .	8	—	Alba . . . . .	3 6	— —
Pimpernelle, see Anagallis.			Aurea . . . . .	3 6	— —
Pink, see Dianthus.			Carnea . . . . .	3 6	— —
"    japanese, see Dianthus Heddeewigi.			Caryophylloides . . . . .	3 6	— —
g Piscidia Erythrina 100 seeds 1/10	—	—	Coccinea . . . . .	3 6	— —
g Pittosporum Buchananii . . . . .	1 4	—	Isabellina . . . . .	3 6	— —
"    eugenioides . . . . .	— 8	6 8	Kermesina . . . . .	3 6	— —
"    Tobirae . . . . .	— 8	7 —	Purpurea . . . . .	3 6	— —
"    undulatum . . . . .	— 7	5 3	Rosea . . . . .	3 6	— —
4 Platycodon Mariesii . . . . .	— 10	—	Rubro purpurea . . . . .	3 6	— —
"    "    fl. albo . . . . .	1 —	—	Splendens . . . . .	3 6	— —
h Poinciana Gilliesii . . . . .	— 6	6 8	Sulphurea . . . . .	3 6	— —
"    pulcherrima . . . . .	— 5	5 3	Thellusonii . . . . .	3 6	— —
"    regia . . . . .	— 5	4 6	Finest mixed, superior quality . . . . .	2 2	27 —
h Poinsettia (Euphorbia) pulcherrima	2 7	—	4 Potentilla argentea . . . . .	— 6	— —
Polyanthus, see Primula elatior.			"    hybrida aurea . . . . .	— 7	— —
4 Polygonum lanigerum, perennial			"    "    flore pleno,		
species with silvery leaves . . . . .	— 10	11 —	double mixed . . . . .	2 6	— —
⊙ "    lapathifolium . . . . .	— 3	—	"    Leschenaultiana . . . . .	— 8	— —
4§ "    multiflorum . . . . .	— 9	9 2	"    multiflora semiplena . . . . .	— 4	— —
⊙ "    orientale (Persicaria) . . . . .	— 2	1 5	Prickly Poppy, see Argemone.		
"    "    fol. variegatis . . . . .	— 4	3 5	4 Primula Auricula (Auriculas) fine		
"    "    pumilum fl. albo . . . . .	— 3	2 8	mixed . 1/8 oz —/10	5 4	— —
"    pensylvanicum . . . . .	— 6	5 6	"    Auricula, extra fine quality from		
⊙ "    pilosum, new, rapid growing annual	— 5	4 6	first class flowers 1/8 oz 1/5	9 6	— —
4 "    sachalinense, very decorative most			"    cortusoides . . . . .	1 9	— —
recommendable as green fodder . . . . .	— 10	9 3	"    elatior, sweet scented Oxlip in		
⊙ "    tinctorium . . . . .	— 4	3 9	beautiful varieties . . . . .	1 —	— —
⊙ Polypteris callosa, Dam. 1898. Height			"    "    (Polyanthus) finest named sorts	1 6	— —
about 1 foot 1/2 with a very graceful			"    "    "    gold laced varieties . . . . .	2 —	— —
and showy foliage. Throughout the			"    "    "    duplex (hose in hose)		
summer the plant is completely covered			1/16 oz 1/3; 1/8 oz 1/8	11 —	— —
with charming rose-lilac flowers. One					
of the most richly flowering plants . . . . .	10	—	§ Primula chinensis fimbriata, Chinese		
⊙§ Poppia Fabiana . . . . .	4	2 8	Primrose.		
Poppy, see Papaver.			Choice quality.		
<b>Portulacca grandiflora, single.</b>			Alba pura . . . . . 1/8 oz 2 4	17 —	— —
Alba . . . . .	6	5 7	"    magnifica . . . . . 1/8 " 3/—	22 6	— —
Alba rubro-striata . . . . .	— 6	5 7	Coerulea . 1/32 oz 4/—; 1/16 oz 7/8;		
Aurea . . . . .	— 6	5 7	1/8 oz 15/2		
Bedmannii . . . . .	6	5 7	Coccinea . . . . . 1/8 " 3 10	28 —	— —

	per oz s. d.	per lb. s. d.
<b>Primula:</b>		
Gigantea alba pura, largest-flowered		
100 seeds 1/—		
Kermesina splendens . . . 1/16 oz 1 4	16 8	— —
1/8 " 2 3	22 6	— —
Montblanc . . . 1/16 oz 1 9; 1/8 " 3/—		
Punctata elegantissima . . . 1/16 " 1 9	22 6	— —
1/8 " 3/—	15 4	— —
Rosea . . . . . 1/16 oz 1 3; 1/8 " 2 —	14 6	— —
Striatiflora . . . 1/16 " 1 3; 1/8 " 2 —		
Urania; stems and flower stalks of a dark blood-red; flowers fringed, dark copper- red; a very fine and most remarkable kind	31 —	— —
1/16 oz 2 3; 1/8 oz 4/—		
Fringed mixed, seeds collected exclusively from selected large flowers;	18 6	— —
first quality 1/8 oz 2 8		
.. mixed, very good quality 1/8 oz 1 6	10 10	— —



Pyrethrum parthenifolium glaucum.  
Electro 3/—.

<b>Primula chinensis fimbriata filicifolia.</b>		
a) Single.		
Alba pura . . . . . 1/8 oz 3/—	22 6	— —
Gigantea Perfection white 1/32 " 2 6		
1/16 " 4 9	75 —	— —
Kermesina splendens . . . 1/8 " 3/—	21 —	— —
Rosea . . . . . 1/8 " 2 9	20 —	— —
Striatiflora . . . . . 1/8 " 2 9	20 —	— —
b) Double.		
Alba 100 seeds —/10; 1000 seeds 7/3	— —	— —
Kermesina splendens 100 " —/7	— —	— —
1000 " 5 3	— —	— —

<b>Primula chinensis fimbriata flore pleno, double fringed.</b>		
	100 seeds s. d.	1000 seeds s. d.
Alba, double white fringed . . . . .	6	4
Carminea . . . . .	7	5 3
Coccinea . . . . .	7	4 10

	100 seeds s. d.	1000 seeds s. d.
Kermesina splendens . . . . .	— 7	4 10
Rosea . . . . .	— 6	4 —
Striatiflora . . . . .	— 7	4 10
Double fringed mixed . . . . .	— 7	4 10
Prince's Feather, see Amaranthus hypochondriacus.		
per oz	per lb.	
s. d.	s. d.	s. d.
g§ Pueraria Thunbergiana; most splendid, high-ranking, of Japan, with fine clusters of blue flowers 1/4 oz — 6	1 5	18 3
4 Pulmonaria angustifolia . . . . .	— 5	4 5
4 Pycnanthemum pilosum . . . . .	1 7	— —
4 Pyrethrum cinerariaefolium . . . . .	— 6	4 6



Reseda odorata Fiammetta.  
Electro 3/10.

4 Pyrethrum parthenifolium aureum (Golden Feather) . . . . .	— 5	4 10
.. parthenifolium Golden Gem. . . . .	— 10	9 3
.. " laciniatum . . . . .	— 5	4 6
.. " selaginoides . . . . .	1 —	12 10
.. " glaucum (Electro) . . . . .	— 7	6 —
.. roseum hybr. mixed . . . . .	1 3	— —
.. " double mixed 1/16 oz 2 9; 1/8 oz 4 9	34 —	— —
.. Triumphetti . . . . .	— 7	— —
.. Tschihatschewi . . . . .	1 —	5 7
⊙§ Quamoclit Kerberi, (Ipomoea) . . . . .	— 5	4 5
4 Ranunculus asiaticus superbissimus . . . . .	— 4	3 9
g Raphiolepis japonica (ovata) . . . . .	— 3	2 3
Red-hot-Poker Plant, see Tritoma.		
⊙ Reseda abyssinica . . . . .	— 8	— —
⊙ Reseda alba . . . . .	— 4	3 —
.. (Mignonette) odorata cwt. 78/—	— —	— 10

	per oz s. d.	per lb. s. d.		per oz s. d.	per lb. s. d.
⊙ Reseda odorata grandiflora			⊙ Rudbeckia bicolor superba . . .	1 —	— —
cwt. 85/—	— —	1 —	⊙ " moschata . . . . .	— 4	— —
" odorata grandiflora arborea . . .	— 3	2 —	4 " Neumannii . . . . .	2 2	— —
" " " aurea (Golden Queen) . . . .	— 3	1 8	4 " radula, golden yellow with a black centre . . . .	1 8	— —
" " " compacta nana multiflora . . . .	— 3	1 8	4 " triloba . . . . .	— 4	3 —
" " " Crimson Queen . . . . .	— 3	2 8	½ Ruellia tuberosa, Dam. 1895; very bushy, dwarf and rich flowering; the numerous Bignonia-like flowers are of blue colour, standing above the foliage. To be sown early in the stove; the plant will then flower in July, lasting until Christmas . . . . .	2 2	— —
" " " Diamond . . . . .	— 3	1 8	Sage, see Salvia.		
" " " eximea (Parson's white) . . . . .	— 3	1 8	⊙ Salpiglossis variabilis fine mixed . .	— 6	5 6
" " " Fiammetta, dwarf (Electro) . . . . .	— 4	3 9	" variabilis grandiflora, large flowered mixed . . . . .	— 8	7 6
" " " Gabriele(imperialis) . . . . .	— 4	2 10	" " nana, dwarf mixed . . . . .	— 8	6 8
" " " gigantea pyramidalis . . . . .	— 3	1 8	4 Salvia argentea, true . . . . .	— 3	1 5
" " " Machet, dwarf compact variety . . . . .	— 3	2 9	⊙ " carduacea . . . . .	— 3	2 3
" " " Machet, golden yellow . . . . .	— 7	5 6	⊙ " coccinea . . . . .	— 4	2 8
" " " maxima Goliath . . . . .	1 10	— —	" " grandiflora . . . . .	— 4	3 —
" " " meliorata (Crimson Giant) . . . . .	— —	1 —	" " lactea, pure white . . . . .	— 6	5 6
" " " Mile's Spiral . . . . .	— 3	1 10	⊙ " " " nana, Dam. 1899. A dwarf form of the lovely S. coccinea lactea growing only about 16 to 20 inches high and bearing in great number pure white flowers already in June which last until frost sets in; most valuable for groups . . . . .	— 7	7 5
" " " Urania, large-flowered . . . . .	— 3	2 3	" " " alba . . . . .	— 4	2 9
" " " Victoria . . . . .	— 3	2 —	" " " albiflora . . . . .	— 5	4 5
" " " Rubin, large-flowered, copper-red . . . . .	1 10	— —	" " " Roemeriana . . . . .	1 —	— —
4 Rhaponticum pulchellum . . . . .	— 4	3 9	" " " rubescens . . . . . 1/8 oz —/5	2 —	— —
⊙ Rhodanthe maculata . . . . .	1 2	— —	" " " Sclarea, see Sweet Herbs &c.		
" maculata alba . . . . .	1 2	— —	4 " silvestris . . . . .	— 3	1 10
" " " plena 1/8 oz —/8	3 6	— —	½ " splendens . . . . .	2 5	— —
" Manglesii . . . . .	1 —	— —	" " compacta nana 1/8 oz —/7	3 6	— —
" " " fl. pl. 1/8 oz —/8	3 6	— —	" " Ingenieur Clavenad 1/8 oz —/8	4 —	— —
½ Rhynchosia pubescens . . . . .	— 8	— —	" " Prince of Naples 3 10	— —	— —
g§ Rhynchospermum jasminoides 1000 seeds 4/—	— —	— —	" " Silverspot, new, leaves yellow spotted 1/30 oz 1/3; 1/16 oz 2/—; 1/8 oz 3/6	26 —	— —
⊙ Ricinus (Castor Oil Bean, Palma Christi)			4 Salvia taraxacifolia, Dam. 1899. Resembling in habit the S. paniculata but growing rather bushy and only about 10 inches high; it is therefore very valuable for dwarf groups. One		
africanus . . . . .	— —	— 10			
borboniensis arboreus . . . . .	— —	— 9			
cambodgensis, very dark leaved . . . . .	— 2	1 5			
communis major . . . . .	— —	— 8			
Duchess of Edinburgh . . . . .	— —	— 9			
elegantissimus . . . . .	— —	— 7			
Gibsoni . . . . .	— 2	— 10			
" mirabilis . . . . .	— 2	1 —			
sanguineus . . . . .	— —	— 6			
" minor . . . . .	— —	— 7			
Zanzibariensis, red seeds . . . . .	— —	— 7			
Ricinus zanzibariensis cinerascens . . . . .	— —	— 8			
" " " enormis . . . . .	— —	— 9			
" " " maculatus . . . . .	— —	— 9			
" " " niger . . . . .	— —	— 9			
" " " mixed . . . . .	— —	— 7			
" all sorts mixed cwt. 25/—	— —	— 6			
Rock Lychnis, see Viscaria.					
Rocket, see Hesperis matronalis.					
⊙ Romneya Coulteri . . . . .	4 3	— —			
Rose Campion, see Agrostemma.					



	per oz s. d.	per lb. s. d.		per oz s. d.	per lb. s. d.
Silene pendula compacta ruberrima fl. pleno . . . . .	— 3	2 —	Solidago serotina . . . . .	— 4	3 —
Silene pendula compacta Snow King, large pure white flowers	— 4	3 9	Spartium (Genista) see Tree seeds.		
" " rosea plena (Carter's Zulu King)	— 2	1 3	⊙ Sphenogyne speciosa . . . . .	— 3	— —
" " ruberrima . . . . .	— —	8 —	Spiderwort, see Cleome,		
" " " flore pleno . . . . .	— 3	1 5	Spurge, variegated, see Euphorbia variegata.		
g Skinmia japonica . . . . .	— 7	6 7	4 Stachys lanata . . . . .	— —	1 3
Smilax, see Myrsiphyllum.				100 seeds s. d.	1000 seeds s. d.
Snapdragon, see Antirrhinum.			g Stapelia atrata . . . . .	— 3	2 —
⊙ Solanum abyssinicum . . . . .	— 4	3 —	" " rufescens . . . . .	— 3	2 —
" aculeatissimum . . . . .	— 5	3 9	g " " tigrina . . . . .	— 3	2 —
" aethiopicum . . . . .	— 4	3 —	g " atropurpurea . . . . .	— 3	2 —
g " arboreum . . . . .	— 7	— —	g " bisulca . . . . .	— 3	2 —
g " auriculatum . . . . .	— 4	2 4	g " conspurcata . . . . .	— 3	2 —
⊙ " atropurpureum . . . . .	— 4	3 —	g " discolor . . . . .	— 3	2 —
4 " Balbisii . . . . .	— 4	2 10	" lentiginosa . . . . .	— 3	2 —
4 " cabiliense argenteum(mar- ginatum) . . . . .	— 5	3 9	" marmorata . . . . .	— 3	2 —
g " Capsicastrum . . . . .	— 4	2 10	" mixta . . . . .	— 2	1 6
" " nanum . . . . .	— 6	— —	" parvipunctata . . . . .	— 2	1 6
" citrullifolium . . . . .	— 3	2 2	g " planiflora . . . . .	— 2	1 3
2 " coagulans, foliage whitish- grey, flowers pure white, fruits red . . . . .	1 3	— —	" revoluta . . . . .	— 3	2 —
4 " Dammannianum . . . . .	— —	— —	" Sisyphus . . . . .	— 3	2 —
" 100 seeds —/10	— —	— —	" variegata . . . . .	— 3	2 —
4 " dublosinuatatum . . . . .	1 —	— —	" 25 other sorts each separate	— 2	1 3
g " erythrocarpum . . . . .	— 3	2 4	" finest mixed . . . . .	— —	10 —
g " Farini . . . . .	— 6	— —	Standing Cypress, see Ipomopsis.	per oz s. d.	per lb. s. d.
4 " ferox, beautiful . . . . .	— 9	— —	⊙ Statice Bonduelli, yellow . . . . .	— —	1 —
⊙ " Gilo . . . . .	— 4	3 2	4 " caspia; of one of the finest with purple flowers . . . . .	2 2	— —
⊙ " guineense . . . . .	— 3	2 —	4 " cosyriensis . . . . .	— 7	— —
g " haematocarpum . . . . .	— 5	3 9	4 " incana hybrida (Sea La- vender) . . . . .	— 3	2 —
g " Hendersonii . . . . .	— 4	3 5	4 " latifolia . . . . .	— 5	— —
g " laciniatum . . . . .	— 5	3 7	4 " serbica . . . . .	— 5	— —
⊙ " Lobelii . . . . .	— —	1 2	⊙ " sinuata, blue . . . . .	— —	1 —
g " melanochitum . . . . .	— 5	3 9	" " candidissima . . . . .	— —	1 —
" mors elephantum . . . . .	— 6	5 —	" " rosea . . . . .	— —	10 —
" ovigerum . . . . .	— 3	1 7	⊙ " spicata . . . . .	— 4	3 5
" pomiferum . . . . .	— 3	1 3	⊙ " superba . . . . .	— 5	3 9
g " pseudo-Capsicum . . . . .	— 4	3 5	⊙ Suworowii . . . . .	— 5	3 9
g " pyracanthum . . . . .	1 10	— —	⊗ Stephanotis floribunda . . . . .		
" racemiflorum . . . . .	— 3	1 7	100 seeds 2/9		
g " robustum . . . . .	1 8	— —	1000 " 20/—		
⊙ " rostratum . . . . .	— 3	2 4	⊙ Stevia amabilis . . . . .	— 7	— —
g " Seafortianum 1/8 oz — 8	4 6	— —	⊙ " Eupatoria . . . . .	— 6	4 5
⊙ " sisymbriifolium . . . . .	— —	1 2	⊙ " Lindleyana . . . . .	— 6	6 —
⊙ " texanum . . . . .	— —	1 2	4 " odorata (salicifolia) . . . . .	1 9	— —
" " nigrum . . . . .	— —	1 2	4 " purpurea . . . . .	— 6	6 4
4 " Topiro . . . . .	— —	1 2	" " fl. albo . . . . .	— 6	6 8
" verbascifolium . . . . .	— 3	1 3	4 " serrata, white . . . . .	— 7	7 4
g " virgineum . . . . .	— 3	2 4	4 Stobaea membranifolia . . . . .	— 9	— —
g " Warscewiczii . . . . .	10	— —	" radula . . . . .	— 9	— —
" Zuccagnianum . . . . .	— 4	3 —	Stocks, see page 33.		
4 Solidago canadensis . . . . .	— 3	2 —	Stonecrop blue, see Sedum coeru- leum.		
" rigida . . . . .	— 4	— —	h Strelitzia Augusta 100 seeds 9/8	— —	— —



	per oz s. d.	per lb. s. d.
Strelitzia Reginae 100 seeds 12/—	—	—
h Streptocarpus Rexii 1/32 oz 2/9	66	—
1/16 oz 4/6; 1/8 " 8 6	—	—
" Wendlandi, light blue, large leaves	66	—
1/32 oz 2/9; 1/16 oz 4/6; 1/8 oz 8/6	—	—
h Streptocarpus, newest hybrids mixed	80	—
1/32 oz 3/3; 1/16 oz 5/6; 1/8 oz 10/6	—	—
h Stuartia pseudo-camellia . . . . .	— 9	9 3
Summer Cypress, see Kochia scoparia.		
Sun Drops, see Oenothera.		
Sunflower, see Helianthus annuus.		
Sun Rose, see Helianthemum.		
g Sutherlandia spectabilis floribunda (Electro) . . . . .	2 3	— —
g Swainsonia alba . . . . . 1/8 oz —/11	5 10	— —
" Andersoni . . . . .	2 5	— —
" carminea 1/8 oz — 11	5 10	— —
" purpurea 1/8 oz —/11	5 10	— —
" best varieties mixed . . . . .	2 9	— —
Swallow wort, see Asclepias.		
Swan River Daisy, see Brachycome.		
Sweet Alyssum, see Alyssum Bent-		
hami.		
" Pea, see Lathyrus odoratus.		
" Scabious, see Scabiosa.		
" Sultan, see Centaurea mo-		
schata.		
" William, see Dianthus bar-		
batus.		
z Swietenia Mahagoni 10 fruits —/10	—	—

⊙ **Tagetes erecta fl. pl.**  
**Double African Marigold.**

Aurantiaca . . . . .	— 3	2 8
Eldorado . . . . .	— 4	3 —
Nana sulphurea . . . . .	— 4	2 10
Best mixed . . . . .	— 3	2 —

**Tagetes patula, single.**

Cross of honour . . . . .	— 3	3 6
Border of Gold . . . . .	— 6	— —
Silver King . . . . .	— 6	— —
Nana striata, golden yellow, brown striped	— 8	— —

⊙ **Tagetes patula fl. pl.**  
**Double French Marigold.**

Fistulosa . . . . .	— 4	3 —
Nana aurea globosa, dwarf . . . . .	— 3	2 3
" Electric light . . . . .	— 6	5 6
" Reginae . . . . .	— 4	3 —
" Liliput, brown . . . . .	— 4	3 9
" " golden yellow . . . . .	— 4	3 9
" Cloth of Gold, pure yellow . . . . .	— 4	3 4
" dwarf double mixed . . . . .	— 3	1 10
Double tall mixed . . . . .	— 3	1 10
Tagetes signata pumila . . . . .	— 4	3 6
" " " Golden Ring, pure golden yellow . . . . .	— 4	3 9

	per oz s. d.	per lb. s. d.
Tagetes signata pumila sulphurea, pure sulphur yellow . . . . .	— 5	—
" lucida . . . . .	— 5	4 5
4 Tanacetum corymbosum . . . . .	— 4	—
" vulgare . . . . .	5	—
Tassel Flower, see Cacalia.		
g§ Tecoma jasminoides (Bignonia) 1/8 oz 1/4 . . . . .	8	—
" radicans (Bignonia) . . . . .	— 10	9 6
" Stans " . . . . .	— 10	— —
" velutina " . . . . .	1	—
" Smithi . . . . .	1 10	—
g h Thalia dealbata . . . . .	— 8	—
Thrift, see Armeria.		



Sutherlandia spectabilis floribunda  
Electro 3/3.

⊙§ Thunbergia alata nanking, with black eye . . . . .	10	11
" alba, pure white with black eye . . . . .	10	11
⊙§ " " alata aurantiaca, golden yellow with black eye . . . . .	10	11
" " Bakeri, pure white . . . . .	10	11
" " mixed . . . . .	9	9 2
h§ " grandiflora . . . . . 1000 seeds 4/9		
⊙ Tolpis barbata (Crepis) Hawkweed . . . . .	3	1 7
⊙ h Torenia Bailloni . . . . . 1/8 oz 1 4	9	
" Fournieri (edentula) . . . . .	4 6	
" " alba (White Wings) . . . . .	4 6	
" " coelestina 1/8 oz — 10	5 6	
" " compacta 1/8 " 1 2	7 3	
" " alba 1/16 " 2 6	31	
" " " coelestina 1/16 oz 2 ; 1/8 oz 3 8	27	

	per oz s. d.	per lb. s. d.
⊙ <i>Torenia Fournieri grandiflora</i> <sup>1/8 oz</sup> - 9	5	-
Touch me-not, see Balsams.		
⊙ <i>Trachelium coeruleum</i> . . . . .	8	-
"    " <i>album</i> . . . . .	8	-
"    " <i>lilacinum</i> . . . . .	8	-
Tree Cypress, see <i>Ipomopsis</i> .		
⊙§ <i>Trichosanthes Anguinea vera</i> . . . . .	3	2 7
" <i>coccinea</i> . . . . .	4	2 10
" <i>colubrina</i> . . . . .	3	2 6
" <i>cucumerina</i> . . . . .	3	2 6
" <i>palmata</i> . . . . .	4	3 -
"    " <i>coccinea</i> . . . . .	3	2 6
4 <i>Trifolium repens fol. atropurpureis</i> ( <i>nigrescens</i> ) . . . . .	6	-
Tritoma, see <i>Kniphofia</i> .		
⊙§ <i>Tropaeolum canariense</i> ( <i>peregrinum</i> )		
Canary Creeper . . . . .	5	4 8
<i>Lobbianum cardinale</i> . . . . .	3	2 3



*Verbena erinoides.*  
Electro 25.

	per oz s. d.	per lb. s. d.
<i>Tropaeolum majus nanum</i> Empress of India . . . . .	3	2 6
"    "    "    King of Tom Thumbs . . . . .	2	1 10
"    "    "    King Theodore . . . . .	3	2 -
"    "    "    Ruby King . . . . .	2	1 10
"    "    "    mixed . . . . .	-	10
⊙ " <i>minus</i> ( <i>trimaculatum</i> ) . . . . .	3	2 -
§ "    " <i>coccineum</i> . . . . .	3	2 8
§ "    " <i>pentaphyllum</i> . . . . .	1 10	-
Trumpet Flower, see <i>Datura</i> .		
g <i>Tweedia coerulea</i> . . . . .	10	-
4 <i>Umbilicus deflexus</i> . <sup>1/16 oz</sup> 1/-	11	-
" <i>gladiatus giganteus</i> <sup>1/16 oz</sup> 1/-; <sup>1/8 oz</sup> 1/9	11	-
" <i>patens</i> <sup>1/16 oz</sup> 1/-; <sup>1/8 oz</sup> 1/9	11	-
4 <i>Valeriana rubra</i> ( <i>Valerian</i> ) . . . . .	3	2 3
g§ <i>Vallis dichotoma</i> , a beautiful climber for the conservatory, with large snow white flowers . . . . . 100 seeds	1 8	-
Venus Looking Glass, see <i>Campanula Speculum</i> .		
Venus Navel wort, see <i>Cynoglossum linifolium</i> .		
4 <i>Verbascum floccosum</i> . . . . .	3	2 3
"    " <i>album</i> . . . . .	3	2 3
4 "    " <i>pannosum</i> . . . . .	2	1 2
"    " <i>phoeniceum</i> . . . . .	-	10
"    " <i>speciosum</i> . . . . .	-	1 -
⊙ <i>Verbena Aubletia candidissima</i> , new, pure white . . . . .	1 2	-
"    " <i>grandiflora</i> . . . . .	4	3 -
" <i>ciliata</i> Dam. 1899. Resembling for its habit and shape of flowers the <i>Verbena erinoides</i> and it is an equally free bloomer, only its leaves are less deeply cut and its flowers are of a very bright lilac . . . . .	1 2	-
" <i>Drummondii</i> ( <i>montana</i> ) . . . . .	5	3 4
" <i>erinoides</i> ( <i>Electro</i> ) . . . . .	8	8 -
" <i>pulchella</i> . . . . .	3	1 10
" <i>teucrioides</i> ( <i>Niveni</i> ) . . . . .	3	2 3
" <i>venosa</i> . . . . .	3	1 10
<b>Verbena hybrida.</b>		
Finest mixed . . . . .	7	8 -
Extra selected quality . . . . .	10	11 -
Auriculæ flowered sorts with large white eye, first class flowers . . . . .	10	11 -
Alba . . . . .	8	9 2
Atroviolacea . . . . .	7	8 -
Candidissima . . . . .	9	-
Coccinea . . . . .	10	11 9
" <i>oculata</i> . . . . .	1 -	12 9
Coerulea . . . . .	8	9 2
Défiance, fiery scarlet . . . . .	10	-

<i>Tropaeolum Lobbianum</i> Crown Prince . . . . .	3	1 10
" <i>Lobbianum Duc de Vicence</i> . . . . .	3	1 10
"    " <i>fulgens</i> . . . . .	3	2 3
"    " <i>Géant des batailles</i> . . . . .	3	1 10
"    " <i>Hookeri</i> . . . . .	3	1 10
"    " <i>Kotschianum</i> . . . . .	3	1 10
"    " <i>Lilli Smith</i> . . . . .	3	1 10
"    " <i>Lucifer</i> . . . . .	3	1 10
"    " <i>luteum</i> . . . . .	3	1 10
"    " <i>multiflorum</i> . . . . .	3	1 10
"    " <i>Queen Victoria</i> . . . . .	3	1 10
"    " <i>Roi des noirs</i> . . . . .	3	2 3
"    " <i>Spitfire</i> . . . . .	3	1 10
"    " <i>Triomphe de Gand</i> . . . . .	3	1 10
"    " <i>variegatum</i> . . . . .	3	1 10
"    " <i>Zanderi nigrum</i> . . . . .	3	2 3
"    "    mixed in splendid varieties . . . . .	1	3
" <i>majus</i> , fine mixed of the best sorts . . . . .	10	-

	per oz s. d.	per lb. s. d.		per oz s. d.	per lb. s. d.
<b>Verbena:</b>	1 —	11 —	Alba pura (Schneewittchen) . . . . .	1 —	12 10
Lutea . . . . .	1 2	—	Atropurpurea alba marginata . . . . .	1 2	13 6
Purple Cloak . . . . .	— 10	11 —	Auriculaeflora, bronze . . . . .	— 10	11 9
Rosea . . . . .	— 10	11 —	Azure blue . . . . .	1 —	12 10
Striata, Italian striped . . . . .			Black tinted golden bronze . . . . .	— 10	10 3
			Bronze coloured . . . . .	1 —	13 —
<b>Verbena hybrida grandiflora.</b>			Cardinal . . . . .	2 4	— —
Mammoth „Cyclope“ bright carmine with white centre . . . . .	1 5	— —	Dark blue . . . . .	— 10	11 9
„ Firefly, bright red with white centre . . . . .	1 2	— —	Emperor William . . . . .	1 3	— —
„ rose and carmine . . . . .	1 —	12 9	Dr. Faust, pure black . . . . .	1 —	12 10
„ mixed . . . . .			Gold laced . . . . .	1 —	13 —
			King of the Blacks . . . . .	1 —	13 —
			Lord Beaconsfield . . . . .	1 3	14 10
			Meteor, reddish brown . . . . .	1 4	— —
			Odier Prize Pansies . . . . .	1 5	— —
<b>Verbena hybrida compacta (erecta).</b>	2 10	— —	Prince Bismarck . . . . .	— 10	11 10
Défiance . . . . .	2 2	— —	Pure yellow . . . . .	1 2	14 7
Candidissima . . . . .	2 2	— —	Purpurea marginata . . . . .	1 —	13 —
Coccinea . . . . .	3 10	— —	Quadricolor . . . . .	— 10	10 3
„ oculata . . . . . 1/8 oz — 7	2 6	— —	Silver edged . . . . .	— 10	11 —
Dark blue . . . . .	2 3	— —	Victoria, red . . . . .	1 2	— —
Splendid mixed . . . . .	— 8	— —	White, dark centre . . . . .	1 —	12 3
4 Verbesina alternifolia . . . . .			Yellow, dark centre . . . . .	1 —	13 —
„ virginica Dam. 1897 with numerous white flowers . . . . .	1 5	— —	⊙ Viola tricolor maxima Trimardeau, Giant Pansies . . . . .	2 —	25 6
4 Vernonia arkansana, Dam. 1898. With very nice purple flowers; splen- did for cutting . . . . .	— 10	— —	Auriculaeflora . . . . .	2 8	— —
g Veronica hybrida, a great many sorts mixed . . . . .	— 10	— —	Emperor William . . . . .	1 10	— —
4 „ spicata . . . . .	— 4	3 9	Count Moltke . . . . .	2 2	— —
„ „ australis . . . . .	— —	— —	King of the Blacks . . . . .	2 2	— —
4 Victoria regia . . . . . 100 seeds 13/9	— 9	8 4	Lord Beaconsfield . . . . .	2 2	— —
4/⊙ Vinca rosea, Madagascar Periwinkle	— 9	8 4	Pure yellow . . . . .	2 5	— —
„ „ alba oculata . . . . .	— 9	8 4	White with dark centre . . . . .	2 2	— —
„ „ alba pura . . . . .	— 9	8 4	Yellow with dark centre . . . . .	2 2	— —
„ „ mixed . . . . .	— 7	7 5	Virginian Stocks, see Cheiranthus maritimus.		
4 Viola cornuta . . . . .	1 3	— —	Wahlenbergia grandiflora duplex 1/8 oz — 8	4 6	— —
„ „ alba . . . . .	1 2	— —	Wallflower, see page 34.		
„ „ Admiration . . . . .	1 10	— —	Water Lily, see Nymphaea.		
„ „ Blue Perfection . . . . .	2 3	— —	(*) Whitlavia grandiflora . . . . .	—	1 7
„ „ Sensation . . . . .	1 3	— —	„ „ alba . . . . .	— 3	1 5
„ odorata, common wild Sweet Violet . . . . .	1 2	— —	4/ Wigandia caracasana . . . . .	— 10	— —
„ odorata, semperflorens . . . . .	— 7	6 7	„ hybrida . . . . .	10	— —
„ „ semperflorens fl. albo . . . . .	— 10	11 —	„ imperialis . . . . .	— 7	— —
„ „ „ the Czar . . . . .	1 6	— —	„ Vigierii . . . . .	8	— —
„ „ „ fl. albo . . . . .	1 4	— —	Woodroof, see Asperula.		
„ „ „ Wilsonii . . . . .	— 10	— —	(*) Xeranthemum annuum superbissi- mum album fl. pl . . . . .	7	7 4
⊙ Viola tricolor maxima. Pansies.			Xeranthemum annuum superbissi- mum roseum fl. pl. . . . .	— 7	7 4
Seeds saved from the largest flowers only.			Xeranthemum annuum superbissi- mum rubrum fl. pl. . . . .	7	7 4
All colours mixed . . . . .	— 9	9 3	(*) Ximenesia encelioides . . . . .	3	3
English show (faced) varieties mixed . . . . .	— 10	11 —	Youth and Old age, see Zinnia.		
Large-flowered French varieties mixed . . . . .	1 1	15 3	Yucca, see page 23.		
Cassier, three and five blotched giant Bugnots largest flowered . . . . .	2 6	32 6	⊙ Zinnia Darwini fl. pl. finest mixed . . . . .	3	2 3

⊙ *Zinnia elegans*.

	per oz s. d.	per lb. s. d.
Single flowered mixed . . . . .	— 2	1 3
Alba, Atrovioleacea, Aurea, Coccinea, Purpurea, Rosea, each separate . . . . .	— 2	1 6

⊙ *Zinnia elegans grandiflora plenissima*.

The flowers of our Zinnias are quite enormous, for which they have gained a world wide reputation.

Plenissima, finest double mixed . . . . .	3	2 3
Alba . . . . .	3	2 6
Atrococcinea . . . . .	3	2 6
Atropurpurea . . . . .	3	2 6



*Zinnia spectabilis miniata*.  
Electro 3/3.

Aurea . . . . .	3	2 6
Carminea . . . . .	3	2 6
Carnea . . . . .	3	2 6
Coccinea . . . . .	— 3	2 6
Lilacina . . . . .	3	2 6
Lutea . . . . .	3	2 6
Rosea . . . . .	3	2 6
Reginae new; the petals are of a peculiar shape . . . . .	4	3 —
Spectabilis miniata, Dam. 1898 (Electro), flowers of minium colour; petals of a peculiar form, being slightly folded up, forming a kind of canal . . . . .	4	3 5
Spectabilis cupreata, Dam. 1899. We are offering the second color, a fine copper red, of the new <i>Z. spectabilis</i> class introduced by us 2 years ago . . . . .	— 4	3 5

*Zinnia elegans pumila (nana Tom Thumb) plenissima*.

	per oz s. d.	per lb. s. d.
Finest mixed . . . . .	— 4	3 —
Alba . . . . .	4	3 5
Atrococcinea . . . . .	— 4	3 5
Aurantiaca . . . . .	4	3 5
Aurea . . . . .	4	3 5
Carminea . . . . .	4	3 5
Coccinea . . . . .	4	3 5
Purpurea . . . . .	4	3 5
Rosea . . . . .	4	3 5
Salmonea . . . . .	4	3 5
Sulphurea . . . . .	4	3 5
Violeacea . . . . .	4	3 5



*Zinnia elegans grandiflora laciniata fl. albo pl.*  
Electro 45

*Zinnia elegans robusta grandiflora plenissima*.

Double large flowered in splendid mixture . . . . .	— 3	2 10
Aurea . . . . .	— 4	3 —
Atrococcinea . . . . .	— 4	3 —
Carminea . . . . .	— 4	3 —
Carnea . . . . .	— 4	3 —
Coccinea . . . . .	— 4	3 —
Lilacina . . . . .	— 4	3 —
Lutea . . . . .	— 4	3 —
Rosea . . . . .	— 4	3 —
Salmonea . . . . .	— 4	3 —
Violeacea . . . . .	— 4	3 —
⊙ <i>Zinnia elegans grandiflora laciniata fl. albo pl.</i> , Dam. 1899. (Electro),		

a splendid new class! The petals of the perfect shaped flowers are as is shown in our cut more or less deeply cut, a fact never met before with any Zinnia. The habit of the plant and shape of the pure white flowers is exactly that of the *Z. elegans* fl. pl. . . . . — 6 6 —

⊙ *Zinnia elegans pygmaea flore pleno* (Electro). An absolutely new dwarf kind of only about 8 inches in height but in spite of this very dwarf habit, of most extraordinary rich flowering. We have had as many as 25 to 30 flowers of about 3 inches in diameter on a single plant, which is certainly remarkable considering its small proportions. The flowers are quite as large and double as those of the old *Z. elegans*. — This new kind can therefore be quite specially recommended as a border plant.

Brilliant scarlet, Crimson, White, each separate . . . . . 1 2 — —  
Mixed . . . . . — 11 — —

*Zinnia elegans striata plenissima* mixed . . . . . 4 3 — —

*Zinnia elegans* fl. pl. „*Miniatur*“, a dwarf small-flowered, very double, rich flowering kind, finest colours mixed . . . . . 1 — 12 9

*Zinnia Haageana* (*mexicana*) single-flowered . . . . . — 4 3 5  
„ „ fl. pleno double . . . . . — 7 7 4



*Zinnia elegans pygmaea flore pleno.*  
Electro 4/—.

*Zinnia Haageana imbricata plenissima* . . . . . 7 7 4  
Mixed Flower Seeds, annuals cwt. 50/— — — 8  
„ „ „ „ suitable . . . . . — — — 1 5  
for bee feeding . . . . cwt. 82/— — — —

## XII. Seeds of Ornamental Grasses.

4 = perennial; all others are annual.

	per oz s. d.	per lb. s. d.		per oz s. d.	per lb. s. d.
<i>Agrostis Fontanesi</i> . . . . .	— 4	3 —	<i>Eragrostis megastachya</i> . . . . .	— 3	1 7
„ <i>nebulosa</i> . . . . .	— 6	6 7	„ <i>mexicana</i> . . . . .	— 3	— —
„ <i>pulchella</i> . . . . .	— 5	4 —	„ <i>pulchra</i> . . . . .	— 3	2 4
4 <i>Arundo conspicua</i> . . . . .	2 10	— —	4 <i>Erianthus Ravennae</i> . . . . .	— 4	3 9
4 „ <i>Donax</i> . . . . .	— 4	3 9	„ „ <i>violascens</i> . . . . .	— 5	4 5
4 „ „ <i>fol. var.</i> . . . . .	1 —	— —	4 <i>Euchlaena luxurians</i> ( <i>Reana Teosinthe</i> ). . . . .	— 3	2 —
4 „ <i>festucoides</i> . . . . .	— 4	3 —	4 <i>Eulalia japonica</i> ( <i>Miscanthus japonicus</i> ) . . . . .	— 6	6 —
4 <i>Briza lutescens</i> . . . . .	— 8	— —	„ „ <i>fol. argent. vittatis</i> . . . . .	1 3	— —
„ <i>maxima</i> ( <i>Quaking Grass</i> ) . . . . .	— —	1 —	„ „ <i>zebrina</i> . . . . .	— 8	— —
4 <i>Carex pendula</i> . . . . .	— 3	2 3	4 <i>Festuca glauca</i> . . . . .	— 10	— —
4 <i>Coix Lacrymae</i> . . . . .	— —	— 7	4 <i>Gymnothrix caudata</i> . . . . .	— 4	3 5
4 <i>Cyperus alternifolius</i> . . . . .	2 2	— —	„ „ <i>japonica</i> . . . . .	— 5	5 2
„ <i>amurensis</i> . . . . .	— 10	— —	„ „ <i>latifolia</i> . . . . .	— 5	4 3
„ <i>ferox</i> . . . . .	— 6	— —	4 <i>Gynerium argenteum</i> ( <i>Pampas Grass</i> ) . . . . .	— 5	5 2
„ <i>flabelliformis</i> . . . . .	2 9	— —	„ „ <i>Bertini</i> . . . . .	— 7	6 8
„ <i>foliosissimus</i> . . . . .	— 8	— —	„ „ <i>jubatatum</i> . . . . .	— 6	— —
„ <i>Papyrus</i> . . . . .	2 5	— —	4 „ „ <i>roseum</i> . . . . .	— 5	4 6
„ <i>reflexus</i> . . . . .	— 8	— —	4 <i>Hordeum jubatum</i> ( <i>Squirrel Tail Grass</i> ) . . . . .	— 3	2 8
4 <i>Eleusine Tocussa</i> . . . . .	— 2	1 2	Job's Tears, see <i>Coix Lacrymae</i> .		
<i>Eragrostis abyssinica</i> . . . . .	— 4	3 —			
„ <i>amabilis</i> . . . . .	— 3	2 —			

	per oz s. d.	per lb. s. d.
Lagurus ovatus (Hare's Tail Grass)	— —	1 3
Pampas Grass, see Gynierium.		
4 Panicum capillare . . . . .	— —	1 3



Pennisetum RUEPELLIANUM.  
Electro 3/3.

Panicum capillare violaceum Dam. . . . .	— 3	2 3
" crus-galli . . . . .	— 3	1 7
4 " excurrens . . . . .	— 3	2 —
4 " plicatum . . . . .	1 —	— —
4 " sulcatum . . . . .	1 2	— —

	per oz s. d.	per lb. s. d.
4 Panicum tonsum; dwarf, lawn-forming with numerous loose spikes, at first dark red, then rose and finally of a silvery colour . . . . .	— 9	10 —
4 Panicum virgatum . . . . .	— 4	3 —
Paspalum pulchrum . . . . .	— 6	5 7
Pennisetum longistylum . . . . .	— 3	2 —
" violaceum . . . . .	— 3	2 8
" macrurum; a gigantic grass, resembling the Gynierium argenteum . . . . .	— 10	— —
Pennisetum RUEPELLIANUM, Dam. 1893 (Electro), one of the finest and most graceful grasses, producing a great number of the most lovely spikes . . . . .	— 5	4 6
Pleuroplitis Langsdorffi . . . . .	— 4	— —
Poa arachnifera . . . . .	— 6	— —
Quaking Grass, see Briza maxima.		
4 Scirpus natalensis . . . . .	— 6	— —
Setaria alopecuroides . . . . .	— —	1 —
" persica . . . . .	— —	1 6
4 Stipa elegantissima . . . . .	— 11	12 9
" pennata (Feather Grass) . . . . .	— 5	4 10
Tricholaena atropurpurea . . . . .	— 5	— —
" rosea . . . . .	— 5	— —
4 Uniola latifolia . . . . .	— 5	4 10
Zea gracillima (minima) . . . . .	— —	— 6
" fol. var. . . . .	— —	— 7
" japonica fol. var., striped japonese Maize . . . . .	— —	— 4
" " gigantea quadricolor new. Dam. 1896; a gigantic variegated-leaved, highly decorative kind and much superior to the old Z. jap. fol. var.; leaves bright green, silver-white, sulphur-yellow and rose striped; most effective	— —	— 10
Zea tunicata fol. var. . . . .	— —	— 10

### XIII. Seeds of Bulbs and Roots.

	per oz s. d.	per lb. s. d.
Agapanthus umbellatus . . . . .	— 8	— —
Allium fragrans . . . . .	— 3	1 7
" giganteum . . . . .	4 3	— —
" pendulinum . . . . .	1 —	— —
Amaryllis formosissima (Sprekelia)		
1000 seeds 1/8	— —	— —
" vittata, newest English varieties mixed 1000 seeds 10/—	— —	— —
Anemone japonica Honorine Jobert . . . . .	4 3	— —
Brodiaea mixed . . . . .	1 2	— —
Convallaria japonica . . . . .	— 4	1 9
Cooperia Drummondii . . . . .	— 5	— —
" pedunculata . . . . .	— 7	— —

	per oz s. d.	per lb. s. d.
Cyclamen neapolitanum . . . . .	1 3	— —
" persicum, fine mixed . . . . .	2 4	— —
<b>Cyclamen persicum giganteum</b>		
sanguineum . . . . . 1000 seeds 10/6	— —	— —
roseum . . . . . 1000 " 9/9	— —	— —
Emperor William 1000 " 9/9	— —	— —
Montblanc, pure white		
1000 seeds 9/9	— —	— —
universum, white with a red eye		
1/16 oz 1/3; 1/8 oz 2/3	17 —	— —
splendid mixed		
1/16 oz 1/— 1/8 oz 1/8	11 —	— —

	per oz s. d.	per lb. s. d.		per oz s. d.	per lb. s. d.
Freesia Leichtlini . . . . .	— 3	2 4	Kniphofia (Tritoma) Red-hot-poker-plant		
„ refracta alba . . . . .	4	3 9	corallina . . . . .	8	— —
„ splendid mixed . . . . .	— 3	2 —	Mc Owani hybrida . . . . .	8	— —
Gladiolus cardinalis, mixed . . . . .	1 —	14 6	Saundersi . . . . .	— 9	— —
Colvillei . . . . .	3	2 4	Uvaria (aloides) nobilis . . . . .	7	— —
gandavensis, French in splendid			The above and many other sorts mixed	— 8	— —
varieties mixed . . . . .	— 8	7 9	Lilium auratum . . . . .	1 7	—
Lemoinei hybridus, best mixed . . . . .	— 8	8 3	„ speciosum, mixed		
Nanceianus, fine mixed			$\frac{1}{16}$ oz 3/—; $\frac{1}{8}$ oz 5 6	40 —	— —
1000 seeds 4/5 . . . . .	— —	— —	Paeonia sinensis fl. pl., double mixed . . . . .	1 2	12 9
European and Asiatic varieties			Ranunculus asiaticus superbissimus fl.		
mixed . . . . .	— 3	2 4	pl. mixed . . . . .	— 6	5 7
Hyacinthus candicans (Galtonia) . . . . .	— 3	2 —	Richardia albo-maculata . . . . .	10	— —
Iris germanica, mixed . . . . .	— 3	3 —	Scilla Clusii (peruviana) . . . . .	— 3	2 4
„ Histrio . . . . .	2 2	— —	Sparaxis grandiflora, mixed . . . . .	— 11	— —
„ reticulata . . . . .	4 3	— —	Tulipa Greigii . . . . .	2 —	— —
Ixia hybrida, a fine collection mixed . . . . .	1 —	— —	„ „ hybrida, mixed . . . . .	1 8	— —
			„ best sorts mixed . . . . .	— 7	6 7

## XIV. Seeds of Cannas.

	per oz s. d.	per lb. s. d.		per oz s. d.	per lb. s. d.
<b>a. Gladioli-flowered.</b>			Helios . . . . .	— 7	— —
Admiral Avellan, leaves red . . . . .	— 6	— —	Hugo Fuchs . . . . .	6	— —
Alcimene . . . . .	— 4	3 9	Ingénieur Pérache . . . . .	5	— —
Alfonse Bouvier . . . . .	— 7	5 7	J. Soulayr . . . . .	— 5	— —
Ami Pichon . . . . .	— 3	2 4	Jules Favre . . . . .	4	2 4
Aurore . . . . .	3	2 4	Kaiser Wilhelm . . . . .	— 4	2 4
B. de Jussieu Cr., leaves red . . . . .	— 3	2 4	Kalliope . . . . .	— 5	— —
Baronne de Sandrans . . . . .	— 3	— —	Königin Charlotte (Queen Charlotte)	8	6 7
Beauté Poitevine Br. . . . .	— 7	— —	L. E. Bally . . . . .	3	2 4
Boucharlat aîné . . . . .	— 4	3 —	Légionnaire, leaves red . . . . .	— 5	3 —
Camille Bernardin . . . . .	3	2 4	Lohengrin . . . . .	5	— —
Ch. Buisson . . . . .	— 4	3 —	Louis de Mérode Cr. . . . .	— 4	2 4
Ch. van Geert . . . . .	— 4	2 8	M. Forgeot . . . . .	4	— —
Colonel Denfert, leaves red . . . . .	— 4	2 4	Madame A. Blanc . . . . .	5	— —
Comte de Bouchaud, yellow . . . . .	— 4	3 —	„ Mericm Lombard, flowers whitish	1 9	— —
Docteur Vergely . . . . .	— 5	— —	„ Crozy . . . . .	5	3 2
Doyen de Jean Sisley, leaves red . . . . .	— 5	3 5	„ Oscar Meuricoffre Dam. . . . .	5	— —
Duc de Mortemart, yellow . . . . .	4	3	Marquise A. de l'Aigle . . . . .	— 5	— —
Ed. Mieg . . . . .	— 6	— —	Maurice Musy . . . . .	5	— —
Emile Barré . . . . .	4	— —	„ Rivoire, leaves red . . . . .	4	2 4
Explorateur Crampel . . . . .	4	2 4	M. Ritton . . . . .	5	— —
F. Neuwesel . . . . .	5	2 9	Météore . . . . .	4	2 4
François Morel . . . . .	3	2 4	Mr. Cleveland . . . . .	— 4	2 1
G. Sennholz . . . . .	— 5	— —	Otto Froebel . . . . .	5	— —
Gartendirektor Siebert . . . . .	7	— —	Pregmy . . . . .	— 5	— —
General Baron Berge . . . . .	— 4	2 4	Président Carnot . . . . .	5	3
George d'Harcourt . . . . .	— 4	2 4	„ Chaudon Cr., yellow . . . . .	6	— —
Germania . . . . .	9	— —	Professor J. G. Baker Dam. . . . .	5	2 9
Gloire des marchés . . . . .	— 7	— —	„ Foster Dam. . . . .	4	— —
„ d'Empel, leaves red . . . . .	7	— —	„ David . . . . .	5	— —
Graf von Turin . . . . .	1 2	— —	„ Charguérand . . . . .	4	2 4
Guillaume Couston . . . . .	4	2 4	Princesse Laetitia Dam. . . . .	9	— —

	per oz s. d.	per lb. s. d.		per oz s. d.	per lb. s. d.
Progression . . . . .	4	2	Discolor . . . . .	4	2 4
R. Brandt . . . . .	5	—	Flaccida le Roi, Dam. 1890.	3	1 8
Reval Massot . . . . .	4	2 4	Floribunda grandiflora . . . . .	4	2 4
Rose T. May . . . . .	1 2	—	Lutea picta . . . . .	3	1 8
Sophie Buchner . . . . .	5	—	Mathilde Huber . . . . .	—	1 6
Souvenir de François Gaulin . . . . .	4	2	Metallica . . . . .	4	—
Sénateur Montefiore . . . . .	4	2 4	Nigricans, leaves red . . . . .	3	—
Thomas S. Ware . . . . .	5	—	Rubra superbissima . . . . .	4	2
Trocadero . . . . .	4	2	Sanguinea . . . . .	9	—
Vesuvius Dam. . . . .	5	2 9	Sénateur Millaud Crozy, the highest sort with very large dark red leaves . . . . .	5	3 5
Victor Gaulin . . . . .	4	2 4	Souvenir de Van Houtte . . . . .	4	2
New large flowered early Hybrids (Crozy) dwarf with green leaves, mixed . . . . .	—	1 8	Violacea macrophylla . . . . .	4	1 10
New large flowered early Hybrids (Crozy) semi-high and high with green leaves, mixed . . . . .	—	1 8	Zebrina elegantissima . . . . .	4	2 2
New large flowered early Hybrids (Crozy) with red leaves, mixed . . . . .	—	1 10	"    excelsa . . . . .	4	2 2
New large flowered early Hybrids (Crozy) all sorts mixed . . . . .	—	1 10	With green leaves mixed . cwt. 92	—	1
			With red leaves mixed . " 100	—	1 3
			All sorts mixed . . . . . " 92	—	1
			<b>c. Typical Sorts.</b>		
			Canna chinensis . . . . .	3	1 8
			"    gigantea . . . . .	—	1 3
			"    indica . . . . .	3	1 6
			"    sanguinea . . . . .	3	2
			"    Warscewiczii . . . . .	3	1 6
<b>b. Hybrids and Garden Forms</b> including the newest sorts.					
Alegatière, leaves dark red . . . . .	6	3 10			
Coquette . . . . .	4	2 4			

## XV. Stapelia and Huernia.

The Stapelias can be shipped the whole year, even in the winter, if well protected against the cold, and they are offered in good and sound specimens. As to their scent, they are generally better than their reputation, and the most striking kinds are almost scentless.

	1 piece s. d.	10 pieces s. d.		1 piece s. d.	10 pieces s. d.
Huernia macrocarpa, Schwfth. . . . .	10	—	Stapelia hirtella hort. Lyon (not Duvalia)	6	3 4
Stapelia albicans hort. Dam. wax-white and interesting . . . . .	6	—	"    hispidia, Horn. . . . .	3	1 10
"    anguinea, Jacq. . . . .	3	—	"    lentiginosa . . . . .	3	2 3
"    angulosa, Tod. . . . .	3	—	"    luxurians D. . . . .	6	—
"    "    Charypdis, hort. Dam. . . . .	6	3 4	"    marmorata, Jacq. . . . .	3	1 10
"    "    Nemesis, " . . . . .	6	3 4	"    "    Urania, hort. Dam. black and yellow . . . . .	6	3 4
"    "    Uranos " . . . . .	6	—	"    mixta, Mass . . . . .	3	1 10
"    atrata, Tod. . . . .	6	3 4	"    "    pentagona . . . . .	6	3 4
"    "    rufescens, hort. Dam. . . . .	6	3 4	"    multiflora . . . . .	4	1 11
"    "    tigrina, " . . . . .	6	3 4	"    multilineata, hort. Lyon . . . . .	4	1 11
"    atropurpurea, Dyck. . . . .	7	4 2	"    Munbyana, hort. Lyon . . . . .	6	3 4
"    bisulca, Don. . . . .	3	1 10	"    muricata, hort. . . . .	5	2 7
"    Burtini, Tod. . . . .	3	1 10	"    mutabilis, Jacq. (Orbea) . . . . .	4	2 2
"    ciliolata, hort. Pan. . . . .	3	1 10	"    "    Chimaera, hort. Dam. . . . .	9	5 2
"    clypeolata hort. Lyon . . . . .	4	2 6	"    "    Circe, hort. Dam. . . . .	9	5 2
"    conspurcata, Willd. . . . .	3	1 10	"    "    Megara, hort. Dam. . . . .	10	—
"    decora . . . . .	6	3 4	"    normalis, Jacq. . . . .	6	4
"    deflexa, Jacq. (Stapletonia) . . . . .	6	3 4	"    parvipunctata, Tod. . . . .	3	1 10
"    discolor, Tod. . . . .	6	3 4	"    patula, Willd. . . . .	10	—
"    geminata . . . . .	6	3 4	"    planiflora, Jacq. . . . .	3	1 10
"    gigantea, N. E. Br. (Stapletonia) . . . . .	1 3	10	"    purpurea, hort. Dam. . . . .	3	1 10
"    grandiflora, Mass. (Stapletonia) . . . . .	1 3	—	"    quinquenervia . . . . .	6	3 4



	1 piece s. d.	10 pieces s. d.		1 piece s. d.	10 pieces s. d.
Stapelia radiata, Sims . . . . .	6	3 9	Stapelia Uspensky . . . . .	6	3 4
„ reclinata . . . . .	6	3 4	„ variegata, L. . . . .	3	1 10
„ revoluta . . . . .	5	3 6	„ „ pallida . . . . .	10	8
„ rugosa (cricota), hort. Lyon . . . . .	6	3 4	„ „ Prometheus, hort. Dam. . . . .	10	
„ Salmiana . . . . .	6	3 4	25 very fine sorts of our selection . . . . .	6 2	
„ Sisyphus, hort. Dam. . . . .	6	3 9	10 very fine sorts of our selection . . . . .	2 6	
„ Stella, Jacq. . . . .	3	1 10			

## XVI. Canna Roots.

In order to offer something special to our friends with whom we are in regular business connection, we have had a colored plate made (29 × 18 inch.) of 20 of our most beautiful Orchid-flowering Cannas representing the flowers in their natural size or rather below it. These varieties are marked " in our list. This beautiful plate will be sent free of charge to all our customers, and to others on receipt of 6d.

*We only send out strong, sound and undivided roots grown in the open ground, and not delicate and poor specimens obtained by unnatural forcing in the hot-house, a good number of which is invariably destined to perish. Our Cannas will therefore be always preferable even at higher prices to any others. They are packed very carefully and travel quite safely even to very distant countries; we wish it, however, to be understood that they travel on buyer's risk. Canna Roots can be forwarded from October to May, as far as the temperature permits it.*

	1 piece s. d.	10 pieces s. d.	100 pieces s. d.		1 piece s. d.	10 pieces s. d.	100 pieces s. d.
<b>1. Dammann's wonderful Orchid-flowering Cannas.</b>							
1. Season 1899 to 1900.							
Emilia . . . . .	2	16	—	Musa like, very large flowers with a yellow ground flamed with carmine. Larger than „Italia“.			
About 4 feet high. Leaves purple; of strong growth; flowers of a splendid and peculiar scarlet marbled with chamois.				Campania . . . . .	5	3 3	26
Romagna . . . . .	2	16	—	About 6 feet. — Glauous large leaves; growth extremely rich; flowers large, inner petals chrome-yellow with carmine spots, outer petals sulphur-yellow.			
About 4 feet high. Dark brown leaves, flowers of a minium scarlet with some large yellowish stripes; a most free flowering kind.				Ch. Naudin . . . . .	5	3 8	30
Sicilia . . . . .	2	16	—	About 4 feet. — Dark green, brown bordered foliage. Very large flowers (about 7 inches in diameter), salmon-red, the inner petals are darker.			
About 2½—3 feet high. Leaves bright green; of robust growth; flowers very large of a dark chrome yellow the lower petal of which is spotted salmon red.				Hellas . . . . .	5	3 3	26
Umbria . . . . .	2	16	—	About 3 feet. — Lively green, of strong growth and bearing abundant flowers of a canary - yellow color spotted brown-red.			
About 4 feet high. Leaves brown with a metallic hue, flowers of a brilliant vermilion with distinct chamois stripes.				Phoebe . . . . .	5	3 6	29
2. Season 1898 to 1899.				About 6 feet high. — Glauous leaves, luxuriant growth, flowers similar to a Cattleya, very large, sulphur-yellow, turning later on into a whitish yellow; petals spotted carmine, the inner ones more markedly than the outer ones.			
Australia . . . . .	1 3	10	—	Professor Treub . . . . .	8	5 8	52
About 4 feet high, leaves dark green with a brown border; flowers very large, salmon-red striped with deep sulphur-yellow; extremely fine.				About 4 feet. Broad lanceolate leaves, brown-red, with a dark green hue. Flowers large, minium scarlet striped with salmon-red. Among the red-leaved Cannas this is one of the most striking and beautiful.			
3. Season 1897 to 1898.				Roma . . . . .	5	3 3	28
Atalanta . . . . .	6	4 5	36	About 3 to 4 feet and a half. Growth extremely luxuriant, leaves glauous. Very numerous and large panicles; flowers large with yellow ground flamed salmon-red.			
Height about 3 feet. Large greyish-green foliage with a dark border; flowers deep orange carmine and very large; of very rich growth.							
Britannia . . . . .	8	5	40				
About 4 feet. Foliage lively green,							

	1 piece s. d.	10 pieces s. d.	100 pieces s. d.		1 piece s. d.	10 pieces s. d.	100 pieces s. d.
Rhea . . . . .	4	2 8	22	hue and small fiery red spots. Extremely handsome.			
About 4 feet. Leaves brown with a metallic hue, flowers of medium size and a brilliant crimson.							
Trinacria . . . . .	5	3 3	25	Burgundia . . . . .	5	3 3	27
About 4 feet. Bright green, of luxuriant growth. Flowers very numerous and large, sulphur-yellow, fading later on into a paler yellow. A very pure color.				Height 3 feet. Large glaucous leaves, very large spikes, enormous flowers resembling an expanded Cattleya, of a brilliant golden yellow with rich scarlet spots, golden yellow in the centre and fiery red flamed. A marvel of beauty.			
4. Season 1896 to 1897.				Edouard André . . . . .	5	3 8	32
Africa . . . . .	5	3 7	30 —	Bushy plant, about 3 feet high. Stalks dark red, broad leaves, short, and dark spotted on the back. Well ramified stalk, spikes bearing 9 to 12 very large flowers of a bright fiery red with orange yellow spots like sparks, long dark red buds of a greenish hue. A kind of sterling merit.			
Height about 3 feet, leaves lanceolate, purple, bronzy, striped green with dark green shades. Very large flowers similar to a Cattleya of a rich purple-scarlet, golden yellow and orange inside. A splendid variety.				H. Wendland . . . . .	5	3 3	27
Alemannia . . . . .	5	3 6	29 —	Height about 4 feet. Very broad beautiful green leaves. Very large trusses of large flowers, outer petals scarlet with a golden yellow border, quite fiery red inside and yellow in the centre. It is one of the best of this class.			
This kind produces the largest flowers which have been obtained as yet in the way of Cannas. The plant grows about 4½ to 6 feet high. Numerous Musa-like glaucous leaves and wonderful spikes of flowers. The latter are enormous and surpass in size even those of the Canna „Italia“. The outer petals are scarlet with a very broad gold-yellow border. The inside of the blooms is scarlet and dark red. Exceedingly beautiful.				Heinrich Seidel . . . . .	4	2 9	24 —
America . . . . .	5	3 6	29 —	Height about 3 feet. Green Musa-like leaves with a light glaucous hue. Very large panicles. Very large and numerous flowers of a vivid fiery red with a yellow border spotted with purple. A great beauty.			
Red leaves. Height about 4 to 5 feet. The beautiful foliage is of a bronze color with dark red hues and shining as if the leaves were varnished. The spikes are very large and the flowers enormous, of a very beautiful glowing red-purple flamed and striped.				Iberia . . . . .	4	2 8	22
Aphrodite . . . . .	5	3 3	25 —	Height about 3 feet. Glaucous leaves, very large panicles. The large flowers are Cattleya-like. Outer petals golden yellow with a red border. Inner petals crimson, very beautiful.			
Height about 6 feet. Very rich flowering, broad green leaves, immense trusses of large golden yellow flowers with large spots salmon colour; inner petals entirely salmon colour. Splendid.				Kronos . . . . .	4	2 8	22
Asia . . . . .	4	2 9	24	Height about 3 feet. Broad sea-green leaves, slender stalk, very large panicles. Very large flowers of a rich sulphur-yellow all spotted in red. An extremely fine form.			
Height about 3 feet. Numerous stalks, dark green foliage, very effective. Very large regular flowers of a rich golden yellow. Inner petals dotted scarlet. Splendid.				La France . . . . .	5	3 3	29
Bavaria . . . . .	5	3 3	27	About 4 feet high. Numerous stalks. Broad lanceolate leaves, very large, of a splendid purple and shining as if varnished. Very large and regular flowers similar to „Austria“, of a brilliant yellowish scarlet. Unique for its beauty.			
Height about 3 feet. Leaves large, green, with a blueish hue. Very large spikes and flowers of a brilliant golden yellow covered all over with scarlet spots. Quite unique and extremely handsome.				Oceanus . . . . .	4	2 8	22
Borussia . . . . .	4	2 8	22 —	Height about 3 feet, lanceolate leaves bright green. Very large panicles. Flowers yellow red spotted. Inferior petals almost quite red. Remarkably beautiful.			
Height 3 to 4 feet. Broad bright green leaves. Enormous spikes, very large flowers, not so large however as those of „Italia“, of a shining canary-yellow with a golden yellow				Pandora . . . . .	4	2 9	24 —
				Height about 3 feet and more. Lanceolate purple leaves with a metallic hue and dark green stripes. Very large spike; enormous flowers			

	1 piece s. d.	10 pieces s. d.	100 pieces s. d.		1 piece s. d.	10 pieces s. d.
of a glowing fiery red, dark red outside. The borders and the inside are gold flamed. An extraordinarily beautiful variety.				Nero	1 3	10 —
<b>Parthenope</b>	4	2 9	24 —	About 3 feet high, the beautiful foliage is of a dark brown red, stems of a whitish hue flowers of a rich cherry red.		
Height about 3 feet, broad pointed sea-green leaves. Ramified stalk, enormous spikes of flowers of a vivid dark orange-yellow difficult to define, and not observed in Cannas as yet.				<b>Paestum</b>	— 10	6 6
<b>Perseus</b>	— 4	2 8	22	About 3 feet high, large green leaves, flowers light chrome yellow with regular vermilion spots. Very large spikes.		
Height about 3 feet. Broad glaucous green, foliage numerous stalks. Trusses of immense flowers of a pure canary-yellow with scarlet pencillings in the inside. A magnificent variety, very rich flowering and lasting.				<b>Solfatara</b>	1 —	8 —
<b>Pluto</b>	— 5	3 3	27	About 3 feet high; light green foliage large flowers of a beautiful orange color with carmine reflex.		
Height about 3 feet. Numerous stalks with a splendid purple-red foliage. Large and beautiful scarlet-purple flowers flamed with red inside.				<b>Toledo</b>	1 —	8 —
<b>Suevia</b>	4	2 5	20	About 3 feet and 1/2; leaves green; enormous minium red flowers, often with a light golden edge.		
Height about 3 feet. Leaves Musalike, slender stalks. Very large flowers of a pure canary-yellow, satiny, and bronzed inside. Bractees bronzed. Splendid.				The whole collection of the above Cannas		5/9
<b>Wilhelm Beck</b>	4	2 5	21	<b>Introductions of 1898.</b>		
Height about 6 feet. Broad green leaves, immense trusses of sulphur yellow flowers with scarlet red pencillings. Inner perigon scarlet red. A very remarkable variety.				<b>Capri</b>	— 6	4 —
5. Season 1895 to 1896.				Height about 1 foot. Glaucous leaves, very large salmon-scarlet flowers slightly spotted with yellow.		
<b>Austria</b> . . . 1000 pieces 104/—		1	8	<b>Ischia</b>	— 6	4 —
Flowers very large, canary yellow; centre spotted red.				Height about 1 1/2 feet. Leaves vivid green, flowers sulphur-yellow upon which appear when they begin to fade, large vermilion spots.		
<b>Italia</b> . . . 1000 pieces 120/—		1 3	10 —	<b>Lutetia</b>	— 8	5 4
Enormous panicles of scarlet flowers with a yellow border. Magnificent.				Height about 2 feet, glaucous leaves with a greyish tinge. Flowers deep yellow, ground slightly spotted with red. Very rich flowered and in consequence of its habit much adapted for groups.		
The whole assortment, introductions of 1895 to 1898				<b>Minerva</b>	— 8	5 4
1 root of each. . . 15/—				Height 3 feet. Dark green foliage; large trusses of very large cinnabar red flowers. a new and grand rich flowering variety.		
12 kinds of our selection 4/—				<b>Professor Rossi</b>	— 5	3 3
<b>Orchid-flowering Cannas mixed</b>	3	1 9	15 —	About 2 feet high, dark green foliage turning to brown. Very large trusses of salmon-red flowers. Of great value for cutting purposes.		
				<b>Sultana</b>	— 5	3 3
				Height about 3 feet. Glaucous foliage with a greyish tinge. Flowers canary-yellow with numberless vermilion spots. A very remarkable colour.		
				<b>Introductions of 1896.</b>		
<b>2. Gladioli-flowered Cannas.</b>		1		<b>Adonis</b>	— 4	2 9
(Dammann.)				About 2 feet high, leaves green with a brown border; flowers blood-red.		
Introductions of 1899 to 1900.				<b>Aetna</b>	4	2 9
<b>Baja</b>		10	6 6	About 3 feet; leaves very dark red, flowers Crimson and purple.		
About 25 to 30 inches high, bright green foliage flowers deep crimson bordered with a faint yellow edge; extremely rich flowering.				<b>Ajax</b>	4	2 9
<b>Cavour</b>	1		8	About 2 feet; leaves green; flowers wax-yellow with rosy spots.		
Of dwarf habit, not exceeding about 2 feet in height, lively green foliage, large spikes of vermilion purple flowers with undulated border.				<b>Alkmene</b>	— 4	2 9
<b>Meta</b>		10	6 6	About 3 feet. Leaves green; flowers orange with a golden yellow border.		
About 2 feet and 1/2 high, large greyish green foliage, flowers chrome yellow, striped and spotted with brown.				<b>Arethusa</b>	6	
				About 1 foot 1/2. Leaves green; flowers very large, sulphur-yellow, changing afterwards into a bright salmon colour; inside dark red; new colour.		

	1 piece s. d.	10 pieces s. d.
Count of Turin . . . . .	4	2 9
About 2 feet. Leaves glaucous, flowers very large, fire-red, dark red striped with a yellow border, centre blood-red.		
Queen of Italy . . . . .	8	—
About 2 feet. Leaves large, green. Panicle enormous; flowers very large, dark scarlet with a broad golden border; finer than Queen Charlotte.		
Crown-Prince of Italy . . . . .	6	4 —
About 3 feet. Leaves glaucous; flowers very large, dark scarlet; most beautiful.		
Princess Helena of Montenegro . . . . .	8	—
About 3 feet. Leaves green, flowers very large, salmon-red, striped and bordered with golden yellow; petals round; magnificent.		
Princess Laetitia . . . . .	4	2 9
About 3 feet. Leaves Musa-like. Panicle enormous, flowers large, bright fire-red, dark red flamed and yellow bordered. Splendid.		
Stromboli . . . . .	6	—
About 2 feet. Leaves glaucous; flowers very large, red and bright scarlet, fire-red in the centre. Very fine.		

### 3. Gladioli-flowered Cannas of different raisers.

Best introductions of the last years.

#### a. Green-leaved.

Alsace, pale sulphur-yellow . . . . .	8	—
Ami Jules Chrétien, salmon-scarlet and yellow . . . . .	6	4 —
Architecte Mouren, salmon, golden border . . . . .	10	—
Auguste Chantin, copper-red, bright flamed . . . . .	10	—
Baronne de Poilly, salmon . . . . .	5	3 9
Burbank, lemon-yellow . . . . .	4	2 9
Citoyen de Cronstadt, chrome-yellow, crimson spotted . . . . .	10	—
Comtesse de Bouchaud, salmon, crimson spotted, yellow border . . . . .	1	9 6
Coronet, chrome-yellow . . . . .	5	4 —
Czar Alexander III, bright scarlet . . . . .	4	3 9
Daniel Gerard, crimson, dark crimson flamed, golden-bordered . . . . .	8	—
François Vuillermet, brilliant granate-red, very large flowers . . . . .	1	3 —
Fürst Bismarck, splendid scarlet with a dark red hue and undulated petals . . . . .	4	2 9
100 pieces 24.—		
Généreux, vermilion, very large flowers . . . . .	1	3 —
Goliath, very large flowers, bright amaranth-coloured . . . . .	8	5 3
G. O. Quintus, bright yellowish red, crimson edged . . . . .	2	4 —
Jeanne Schmidt, bright rose, slightly, crimson spotted, with a pale yellow border . . . . .	1	8 —
Léon Pepin Lehalleur, crimson . . . . .	4	3 —
Madame Chabanne, rose . . . . .	8	5 —
„ Léon Leclercq, salmon, golden border . . . . .	6	4 —
„ Legris, chrome-yellow, brown, spotted . . . . .	5	3 3

	1 piece s. d.	10 pieces s. d.
Madame Pichon, lemon-yellow, scarlet spotted . . . . .	—	8 5 3
„ Victor Lemoine, pure yellow with brown stripes; a very rare colour . . . . .	1	8 —
Madagascar, salmon-orange and rose-lilac . . . . .	8	—
Madame Meriam Lombard, whitish . . . . .	—	6 4 6
Marigold, orange . . . . .	5	3 3
Michel Favrichon, very rich flowering, dark salmon, spotted red with a yellow border . . . . .	1	8 —
Mrs. F. Dreer, canary-yellow, salmon spotted . . . . .	—	8 —
Mr. Colbombet, canary-yellow and red . . . . .	—	8 5 —
Mr. Jarry-Desloges, very large flowers, dark red with a brighter hue and crimson stripes . . . . .	2	—
Modèle, crimson and carmine . . . . .	10	—
Panache, crimson . . . . .	6	4 —
Papa Canna, salmon-red . . . . .	8	5 —
„ Treyve, orange . . . . .	—	6 4 —
Petite Mocotte, crimson-rose, chamois flamed with a yellow border . . . . .	1	3 10
Philippe Rivoire, very large flowers, crimson-rose marbled carmine with a yellow border . . . . .	3	3 —
Reichskanzler Fürst Hohenlohe, very large flowers, bright lemon yellow, large undulated petals . . . . .	8	—
Roi des Rouges, bright crimson . . . . .	8	5 —
Rose T. May, bright crimson . . . . .	—	5 3 3

100 pieces 26 —

Secrétaire Chabanne, salmon-crimson . . . . .	8	5 3
Souvenir du Capitaine Drujon, canary-yellow, orange spotted . . . . .	7	5 —
Souvenir de A. Chargueraud, of a splendid granate-red, striped red . . . . .	1	8 —
Souvenir de Madm. Crozy, bright red . . . . .	—	10 —
„ „ „ Nardy, very large flowers, chrome-yellow spotted carmine, very fine . . . . .	1	8 —
Vice President Luizet, cherry-red . . . . .	8	5 3
Ville de Poitiers, chrome-yellow, very large flowers, splendid . . . . .	6	4 —
L. Patry, of middle height; green leaves, very large flowers of a beautiful vermilion with darker spots and a yellow edge . . . . .	1	3 10 —

#### b. Red-leaved.

Attika, bright crimson . . . . .	—	6 4 —
Ch. Paul, salmon . . . . .	—	8 —
Gouverneur von Zimmerer, bright orange and dark-red . . . . .	—	8 —
Léon Vassilliére, bright granate-red, very fine . . . . .	1	3 —

### 4. Gladioli-flowered early

#### a. Some older fine sorts for forcing.

	1 piece s. d.	10 pieces s. d.	100 pieces s. d.
Colonel Denfert, red-leaved . . . . .	1	7	4 —
Duc de Mortemart . . . . .	2	10	7 3
Guillaume Couston . . . . .	—	1 7	4 —
J. Cordieux, red-leaved, dwarf . . . . .	—	2 10	6 —
Revol Massot, dwarf . . . . .	1	—	7 —

	1 piece s. d.	10 pieces s. d.	100 pieces s. d.		1 piece s. d.	10 pieces s. d.	100 pieces s. d.
<b>b. Green-leaved, red-flowered.</b>							
Semi-high; splendid for pot culture.							
Admiral Gervais,	2	1 6		L. E. Bally	2	8	4 10
Alphonse Bouvier,	2	1 6		Mad. Oriol	2	8	1
Boucharlat aîné	3	2		N. Bellisso	2	8	
Camille Bernardin,	5	3		Pierret Biorlet	3	2	
Cousin Jacob	2	10	7 3	Pregmy, golden-yellow	2	8	1
Ch. Pallice	3	2		Président Chaudon	2	1 3	
Ch. Henderson	2	1 6		Prof. Foster Dam.	2	1 3	
Ch. van Geert	2	10	7 3	Progression	2	8	4 10
Colonel Vaillard	3	2		Sénateur Montefiore	2	8	4 10
Comte H. de Choiseul	3	2		Souv. de Mr. Gaulin	2	8	4
Emile Barré	3	2		<b>d. Green-leaved, all colours of red, very dwarf, all very rich-flowering.</b>			
Explorateur Crampbel	2	7	4	Beauté Poitevine	3	2	
Frau Oberbürgermeister Rümelin	5	3 3		Bonne Etoile	2	10	7 3
Ferdinand Lombard Dam.	2	7	4	C. Buisson	2	8	4 10
Francisque Morel	2	7	4	Ch. Molin	3	2	
Françoise Crozy	2	7	4	Ed. Mieg	2	10	6 5
Gartendirector Siebert	2	10	5 8	Général Baron Berge	1	8	4 10
G. Sennholz	2	1 3	8	Ingénieur Pérache	2	10	6 5
Gloire des Marchés	3	2		Königin Charlotte	4	2 9	24
H. Guichard	3	2		Lohengrin	2	1 3	
Jules Favre	2	10	7 3	Louis van Houtte	5	3 8	
Kaiser Wilhelm	2	10	4 10	Madame Crozy	2	1 3	8
Karl Neubronner	4	3		„ Oscar Meuricoffre Dam.	2	8	4
M. Ritton	3	2		Marquise Arthur de l'Aigle	2	8	4
Madame Ginot	2	10	4 10	Maurice Grand	2	1 3	
Mr. Cleveland	1	7	4	Maurice Musy	2	10	7 3
Paul Bruant	3	1 8		Otto Froebel	2	1 3	
Paul Marquant	1	7	4	Papillon	4	2 10	
Paolo Radaelli	3	2		Princesse de Brancovan	2	6	
Penelope Dam.	3	2		Professeur Changuerand	1	9	4
Perle des Massifs	3	2		Souvenir d'Antonin Crozy	8	5 3	
Podere Restelli	3	2		The Garden	2	1 3	4
Prof. David	2	10	4 10	<b>e. Red-leaved and red-flowered.</b>			
J. G. Baker Dam.	3	1 8		Admiral Avellan	3	2	
R. Brand, rose	2	10	4 10	B. de Jussieu	2	10	6
Rose Unique	2	1 3		Ch. Souchet	2	10	6
Sophie Buchner	2	1 3	8	Doyen Jean Sisley	1	8	4
Trocadero	2	8	4	Emile Thomas	3	2	
Vesuvius Dam.	2	1 5	12	E. Renan	3	2	
<b>c. Green-leaved, semi-high with yellow, red striped and spotted flowers.</b>				F. Neuwessel	2	10	6
Splendid for pot-culture and for cutting.				Gloire d'Emple	4	2 10	
Aegla Dam.	3	2		Godefroy-Lebœuf	1	2 10	
Ami Pichon	2	1 3		Henry A. Dreer	3	2	
Aurore	2	8	4	Karl Kölle	7	4 6	
Baronne de Sandrans	2	8	4	Laforcade	1	6	4
Comte de Bouchaud	7	4 6		Légionnaire	2	8	4 10
Crozy père	3	2		Louis de Mérode	2	8	4
Docteur Vergely	2	10	6	M. J. Goss	2	8	4
George d'Harcourt	2	8	4	Maurice Rivoire	2	8	4
Hofgartendirector Pfister	5	3		Nardy père	2	8	4
J. D. Cabos	2	1 3		Paul Lorenz	2	10	
J. Soulyary	2	1 3		Président Carnot	2	8	1 10
				Simon Maupin	4	2 10	
				Th. S. Ware	4	2 10	
				Victor Gaulin	1	8	4

	1 piece s. d.	10 pieces s. d.	100 pieces s. d.		1 piece s. d.	10 pieces s. d.	100 pieces s. d.
<b>f. Yellow-flowered dwarf.</b>							
Hugo Fuchs . . . . .	— 2	1 3	8 —	Président Zeys . . . . .	— 2	— 10	4 10
Mad. A. Blanc . . . . .	— 4	2 10	— —	Souv. d'Auguste Ferrier . . . . .	— 2	— 10	4 10
<b>g. The above Gladioli-flowered Cannas mixed.</b>							
	10 pieces s. d.	100 pieces s. d.	1000 pieces s. d.		1 piece s. d.	10 pieces s. d.	100 pieces s. d.
Crozy's mixed . . . . .	— —	— 4	2 —	<b>6. Older sorts, red-leaved</b>			
„ yellow-flowered, mixed . . . . .	— 4	2 4	20 —	Aléatière . . . . .	— —	— 3	1 8
„ red-flowered, mixed . . . . .	— 6	4 —	32 —	Coquette, splendid, rich-flowering . . . . .	— —	— 5	3 3
„ red-leaved mixed . . . . .	— 6	4 —	32 —	Discolor . . . . .	— —	— 4	1 8
„ all sorts mixed . . . . .	— 5	2 9	24 —	Joseph Lombard . . . . .	— —	— 3	1 8
<b>5. Iridiflora Hybrids</b>							
a splendid class for groups.							
	1 piece s. d.	10 pieces s. d.	100 pieces s. d.	Liervallii . . . . .	— —	— 3	1 8
Alba rosea grandiflora . . . . .	— 1	— 9	4 10	Metallica . . . . .	— —	— 3	1 8
Albert Schenkel . . . . .	2	1 3	— —	Nigricans . . . . .	— —	— 3	1 8
Bruanti, leaves red . . . . .	— 3	1 3	— —	Rubra superbissima . . . . .	— —	— 3	1 8
Chamaeleon . . . . .	— 2	— 10	— —	Sanguinea . . . . .	— —	— 3	1 8
Charles Dippe, leaves red . . . . .	— 2	— 10	— —	Sénameur Millaud, splendid . . . . .	— —	— 3	2 —
Derwiche . . . . .	— 2	— 10	4 10	Souv. de Louis van Houtte . . . . .	— —	— 3	2 —
Doctor Trabut . . . . .	— 2	1 3	— —	Violacea macrophylla . . . . .	— —	— 3	2 —
E. Forgeot, leaves red . . . . .	— 2	1 3	— —	Zebrina excelsa . . . . .	— —	— 2	1 3
François Thibaut . . . . .	2	— 10	5 8	Warscewiczii . . . . .	— —	— 2	1 3
Gloire de Hussein Dey . . . . .	— 3	1 3	— —	Mixed, red-leaved . . . . .	— —	— 2	1 3
Gladiolaeflora . . . . .	— 2	1 3	— —				
Iridiflora Ehmannii . . . . .	— 2	— 10	4 10	<b>7. Older sorts, green-leaved.</b>			
„ hybrida . . . . .	— 3	1 8	— —	Brenningsii fol. var., splendid kind with green, white striped leaves, in no way inferior to the C. indica var. so much spoken of . . . . .	— —	— 2	1 3
„ Guttermannii . . . . .	— 2	1 3	— —	Brillant . . . . .	— —	— 2	1 3
„ Nouttoni . . . . .	— 2	1 3	— —	Chinensis . . . . .	— —	— 2	1 3
Lutea grandiflora . . . . .	— 2	— 10	4 10	Flaccida le Roi . . . . .	— —	— 2	1 3
Macrophylla marmorata, the red- flowered Iridiflora . . . . .	— 2	— 10	— —	floribunda grandiflora . . . . .	— —	— 2	1 3
Mad. Cath. Lombard . . . . .	— 2	— 10	4 10	Josephine Huber . . . . .	— —	— 2	1 3
„ Marg. Bruant . . . . .	— 2	— 10	4 10	Lutea picta . . . . .	— —	— 2	1 3
Mlle. Rose Lombard . . . . .	— 2	— 10	4 10	Mathilde Huber . . . . .	— —	— 2	1 3
Nadir, splendid . . . . .	— 2	— 10	4 10	Mülleri . . . . .	— —	— 2	1 3
Président Favre . . . . .	— 2	1 3	— —	Mixed, green-leaved . . . . .	— —	— 2	1 3

## XVII. Bulbs and Roots.

Almost all of them can be joined in dry state to any other orders for seeds.

	10 pieces s. d.	100 pieces s. d.		10 pieces s. d.	100 pieces s. d.
Achimenes, small bulbs best mixed per 1000 14 6	— 3	1 8	Begonia hybrida gigantea, single, all colours mixed . . . . .	1 3	10 —
Agapanthus umbellatus . . . . .	1 4	12 9	„ „ double . . . . .	2 3	20 —
Amaryllis formosissima (Sprekelia) per 1000 88 —	1 3	10 —	Calla aethiopica . . . . .	1 6	12 10
„ Graveana (Hypeastrum) . . . . .	6 6	52 —	„ „ compacta . . . . .	1 6	12 10
„ Veitch's Hybrids . . . . .	20 —	— —	„ „ gigantea . . . . .	3 —	24 —
Amorphophallus Rivieri . . . . .	6 6	— —	„ „ Little Gem . . . . .	1 —	8 —
Anemone japonica Honorine Joubert . . . . .	— 6	3 7	Chlidanthus Ehrenbergii . . . . .	— 8	4 —
Anthericum Bernayi . . . . .	1 —	8 —	Colocasia antiquorum . . . . .	5 7	48 —
Asclepias tuberosa . . . . .	1 7	— —	„ „ Dussii . . . . .	5 7	48 —
			Cooperia Drummondii . . . . .	1 2	11 —

	10 pieces s. d.	100 pieces s. d.		10 pieces s. d.	100 pieces s. d.
Cooperia pedunculata per 1000	80/—	1 — 9 —	Iris germanica, mixed per 1000	10 —	— 2 1 3
Crinum abyssanicum, 1 <sup>st</sup> size . . . . .	3 3	28 —	„ olbiensis mixed . . . . .	— 6	3 8
„ „ 1 <sup>nd</sup> „ . . . . .	3 —	22 5	„ spuria . . . . .	— 8	6 6
„ capense (Amaryllis longifolia) per 1000	56 —	1 — 8 —	„ stylosa (unguicularis) per 1000	16/—	— 3 2 —
„ „ fl. albo . . . . .	1 8	12 10	„ „ alba . . . . .	— 8	5 —
„ erubescens . . . . .	5 —	44 —	Kniphofia (Tritoma) best sorts mixed .	— 10	6 6
„ hybr. Todorae . . . . .	5 —	44 —	Lilium auratum . . . . .	6 6	— —
„ lineare . . . per 1000	72 —	1 — 8 —	„ speciosum album . . . . .	3 3	28 —
„ Mac Owani, very fine . . . . .	10 —	— —	„ „ roseum . . . . .	3 3	28 —
„ Moorei . . . . .	3 —	22 5	„ „ rubrum . . . . .	3 3	28 —
„ pedunculatum . . . . .	1 8	12 10	„ tigrinum . . . . .	1 5	11 6
„ pratense . per 1000	72 —	1 — 8 —	„ „ fl. pl. . . . .	1 5	12 —
„ Yemense, 1 <sup>st</sup> size . . . . .	2 —	18 —	Lycoris aurea . . . . .	5 —	40 —
„ „ 1 <sup>nd</sup> „ . . . . .	1 10	16 —	„ radiata . . . . .	4 6	36 —
Cyclamen neapolitanum per 1000	28 —	5 3 3	„ Terracciani . . . . .	5 —	40 —
„ repandum per 1000	24 —	— 5 3 —	Moraea (Iris) Robinsoniana . . . . .	11 3	— —
Cyrtanthus Mc. Kenny . . . . .	5 —	40 —	Nerine undulata . . . . .	4 —	— —
Eucomis punctata . . . . .	1 8	15 —	Ophiopogon Jaburan . . . . .	2 6	— —
Galtonia (Hyacinthus) candicans . . . . .	— 5	3 8	Pancratium maritimum . . . . .	— 5	3 3
Gladiolus brenehleyensis . . . . .	— —	3 11	Pardanthus chinensis . . . . .	— 8	5 7
„ „ per 1000	36 —	— — 6 6	Phaedranassa chloracea . . . . .	1 2	10 —
„ gandavensis per 1000	60 —	— — 10 —	Ranunculus asiaticus superbissimus fl. pleno . . . . . per 1000	7 3	— — 10
„ Lemoinei, splendid mixed p. 1000	80 —	— — 17 8	Rhodea japonica . . . . .	1 2	10 —
Gloxinia, mixed . . . per 1000	160 —	2 — 16 —	„ „ fol. var. . . . .	3 3	28 —
Habranthus roseus . . . . .	2 —	16 —	Ruscus Hippoglossum . . . . .	— 3	1 3
Haemanthus coccineus . . . . .	5 8	— —	Richardia albo-maculata . . . . .	— 6	5 —
„ natalensis . . . . .	12 —	— —	Veltheimia (Alettris) capensis . . . . .	7 8	— —
Hedychium coronarium . . . . .	3 3	24 —	Zephyranthes Atamasco per 1000	8/—	— 3 2 —
Hemerocallis fulva . . . per 1000	56 —	— 8 6 6	„ candida . . . . .	— 3	2 —
„ „ fl. pl. . . . .	1 —	8 —	„ carinata . . . . .	— 10	7 3
Hymenocallis Harrisiana . . . . .	2 —	16 —	„ tubispatha . . . . .	— 4	2 6
„ undulata per 1000	64/—	— 10 6 6	„ verecunda . . . . .	— 4	2 6

## XVIII. Asparagus-Plants.

	10 pieces s. d.	100 pieces s. d.	1000 pieces s. d.		10 pieces s. d.	100 pieces s. d.	1000 pieces s. d.
Acutifolius, evergreen, slightly climbing very suitable for decorative purposes	— 7	4 —	32 —	Plumosus superbus, a new kind of quick growth . . . 1 piece	— 8	4 9	45
Albanensis . . . . .	2 5	— —	— —	Sprengeri Rgl. Dam (Electro) plants from the open ground of 1 year . . .	— 5	2 9	24
Lucidus, a fine kind, standing the winter well with us; resembles somewhat the A. Sprengeri . . . . .	1 3	— —	— —	„ „ „ „ 2 years . . . . .	3 3	24	
Plumosus . . . . .	2 6	20 —	— —	Verticillatus . . . . .	3 8	— —	

## XIX. Aspidistra.



Aspidistra.  
Electro 3/3.

We can furnish sound and well-rooted plants from October to April; they are grown in the open ground and will be furnished without soil; they must, however, be sent by the quickest way possible. The plants will be packed very carefully in moss and cases, in order to prevent the leaves from getting damaged; they will, however, not all be ready for sale and part of them must be grown again in pots. The plants are undivided. Of course the plants with striped or spotted leaves produce sometimes also some leaves that are only slightly variegated or even green, which, as they belong to the plant, cannot be taken off and must consequently be charged as variegated ones. The plants are sent of course at buyer's risk, they are, however, packed so carefully that in our opinion they will stand well, even a prolonged journey. By parcel post we can forward baskets of 11 Lb. weight containing about 80 to 100 leaves for trial, but they will not give an exact idea of the quality, as large plants cannot for their size be sent as parcels.

	100 leaves s. d.	1000 leaves s. d.
Aspidistra elatior, green . . . . .	8 6	76 —
.. .. fol. var. . . . .	19 3	180 —
.. .. fol. punct. . . . .	16 —	— —

## XX. Fruits of Lagenaria vulgaris.

These highly interesting fruits of many interesting shapes are not yet sufficiently known, although they are a most attractive object for show-windows, and at the same time a very salable article. The very often really gigantic fruits, for instance those of the Hercules club, are so decorative that they sell very readily, and there is no kind that is not highly decorative.

Assortment of 12 sorts . . . . . 6 6.



Fruits of Lagenaria.  
Electro 3/6.



Small trunk (Bulb) of Cycas revoluta.  
Electro 3/3.



## XXI. *Cycas revoluta*.

Small sound and good trunks (bulbs detached from the mother plant) grown here and therefore much better adapted to grow freely than those imported from warmer countries.

12 to 14 in. circumference . . . . .	10 <sup>d</sup> each
8 , 10 , . . . . .	8 <sup>d</sup> „
6 , 8 „ . . . . .	6 <sup>d</sup> „

## XXII. *Raphia*.

Best quality, very long, in original bales of about 2 cwt., per cwt. 54/—; smaller quantities —/7 per lb. Prices variable.

For larger quantities special prices will be quoted on application.

## XXIII. Novelties for the season 1900 to 1901.

### 1. Vegetable Seeds.

The price per lb. will be applied for orders of at least  $\frac{1}{4}$  lb.

#### Dwarf Lima Bean "Nero".

We have succeeded in raising a new sort of these greatly appreciated Beans producing reddish brown, almost black beans and not inferior in any way to the other varieties already known.

per lb. 1/—.

#### Brown Laibach Ice Lettuce (see colored plate).

We have succeeded in the course of many years to obtain from the well known Laibach Ice Lettuce a new variety with bronzed leaves which is in every way up to the old yellow kind, and will hold a prominent place among the best Cabbage Lettuces. The heads are of enormous size, very firm, standing

the heat extremely well, a feature which makes this Lettuce particularly adapted to warmer countries.

per oz 2/—.

#### Improved Tyrolese Cabbage Lettuce (Electro).

This Lettuce resembles somewhat in form the Ice Lettuce of Laibach; the heads are of enormous size and firm as a stone, leaves same as the ribs very tender. A special characteristic of this beautiful new sort are its leaves, the borders of which are fringed or serrated quite peculiarly. Our cut gives a pretty accurate idea of it.

per oz 2/—.

### 2. Newly Introduced or New Flower Seeds.

⊙ = Annuals. — 4 = Perennials.

The price for 100 packets will be applied for orders of at least 25 packets.

We beg to inform our patrons that, in order to spare unnecessary labour, orders for seeds in packets will not be filled in as many single packets, but the corresponding weight or number will be sent in one lot.

#### Dwarf Giant Comet Aster Snowwhite. ⊙

While all the Giant Comet Asters hitherto offered are of tall habit, we herewith introduce an absolutely dwarf form hardly 16 inches high, the flowers of which are quite as large again as those of the original kind. They are of a dazzling white, very double and of a perfect shape. The effect produced by such a dwarf plant with so large flowers is a striking one.

1 packet 8d; 10 packets 5/7; 100 packets 48/—.

#### Giant Comet Aster Lilac rose. ⊙

A lovely new color not yet offered.

1 packet 8d; 10 packets 5/9; 100 packets 48/—.

#### Comet Aster dark rose. ⊙

With beautiful bright rose flowers.

1 packet 8d; 10 packets 5/9; 100 packets 48/—.

#### Celosia pyramidalis plumosa "Preziosa" ⊙

(see colored plate).

This striking new kind grows only about 20 inches high and its flower spikes are of a brilliant carmine red while its leaves, contrary to the original sort are dark red. It is extremely floriferous and for all these qualities highly adapted for groups.

1 packet 8d; 10 packets 5/3; 100 packets 44/—.

**Erysimum cheiranthoides.** ○


Highly adapted for groups; the plant grows about 24 inches high, producing a large number of dark orange flowers on long panicles, continuously from May to July.

1 packet 5d; 10 packets 3/3; 100 packets 28/—.

**Gazania pygmaea lutea.** 4 (See colored plate.)

A new form with very large chrome yellow flowers, the petals of which bear on their basis a light yellow spot forming together a circle which produces a striking effect. The petals are at their lower part crossed by a broad grey-line. The yellow color of the flowers is not only quite new among Gazanias but also extremely handsome. It is a charming novelty which will soon become very popular.

1 packet 10d; 10 packets 7/3; 100 packets 64/—.



Improved Tyrolese Cabbage Lettuce.  
Electro 3/—.

**Godetia Triumph.** ○

Of absolutely dwarf habit, this new sort grows only about 8 inches high resembling in this way the G. Gloriosa. The flowers are of a bright dark crimson with a broad satin white edge. Unequalled for dwarf groups and borders.

1 packet 10d; 10 packets 7/3; 100 packets 64/—.

**Ipomœa imperialis satin-rose.** ○§

We are offering this year another new and quite distinct color; the flowers are of a lovely satiny rose with a bright throat which will soon become quite popular. The foliage is of a bright green splashed with silvery white.

1 packet 8d; 10 packets 5/3; 100 packets 44/—.

**Linaria concolor.** ○

Very ramified bushy plant with a graceful foliage entirely covered with bright purple flowers.

1 packet 8d; 10 packets 5/3; 100 packets 44/—.

**Matricaria glauca** ○ (Electro).

Highly suited to borders and dwarf groups; the plant grows hardly 6 inches high, covering in a very short time the

ground with handsome creeping branches. The flowers are not very showy; they are white with a yellow centre and emerge over a very fine pinnate silver-grey foliage. In order to render the fine foliage more effective for groups it will be advisable to take off the flowers.

1 packet 6d; 10 packets 4/—; 100 packets 32/—.

**Oenothera Berteriana.** ○

The plant grows from about 20 to 24 inches high bearing a very great number of lovely long-tubed chrome yellow flowers. The downy leaves are very narrow. Highly adapted for groups.

1 packet 6d; 10 packets 4/—; 100 packets 32/—.



Matricaria glauca.  
Electro 3/3.

**Oenothera Lamarckiana sulphurea.** ○

The plant grows about 3 feet high and produces very large sulphur yellow flowers in great abundance.

1 packet 6d; 10 packets 4/—; 100 packets 32/—.

**Victoria Winter Stock pale rose.**

This is a new color of the Victoria Winter Stocks which became so quickly general favorites. It is equally a very profuse flowering sort and on account of its large spikes of flowers on long stems it is extremely adapted for cutting purposes.

1 packet 10d; 10 packets 7/3; 100 packets 64/—.

**Zinnia elegans fl. pl. "Iris".** ○ (See colored plate.)

Contrary to the well known striata form from which our splendid new introduction is absolutely different, the ground color of the flowers is of a pale yellow, while the petals are striped, spotted and speckled in various shades of carmine, crimson, pink and minium red, which gives them a most graceful appearance, a feature of which in general the Zinnias do not abound. The plants grow to a medium height and the flowers measure about 2½ inches across.

1 packet 10d; 10 packets 7/3; 100 packets 64/—.

## XXIV. Fruit Trees and Cuttings.

	per 10 s. d.	per 100 s. d.		per 10 s. d.	per 100 s. d.
Oranges (Citrus Aurantium) grafted, from the open ground, about 4 to 6 years old . . . . .	8 —	70 —	Olives, best varieties both for oil and eating, grafted, from the open ground, 1 year old . . . . .	8 —	65 —
Oranges (Citrus Aurantium) . . . . .	25 —	220 —	Olives, best varieties, grafted, grown in pots about 3 to 4 years old . . . . .	14 —	120 —
Lemons (Citrus Limonum) . . . . .			Chestnut (Castanea vesca) about 3 years old . . . . .	10 —	80 —
Mandarines (Citrus nobilis) . . . . .			Medlar of Japan (Eriobotrya japonica) about 3 to 4 feet and 1/2 high, grown in pots. . . . .	15 —	140 —
Cedro (Citrus medica)			Walnuts (Juglans regia), best sorts, grafted, 1 to 2 years old, about 6 feet high . . . . .	14 —	125 —
Bergamot (Citrus Bergamium) . . . . .	30 —	— —	Hazel-Nuts (Corylus Avellana), best sorts about 3 to 4 feet and 1/2 high . . . . .	6 —	48 —
Shaddock (Citrus Decumana) . . . . .			Figs (Ficus Carica) about 15 of the best sorts; about 2 to 3 feet high . . . . .	7 —	55 —
Mellarosa (Citrus Limonum Mellarosa) . . . . .			Carobs (Ceratonia Siliqua) grown in pots, about 3 to 5 feet high . . . . .	28 —	— —
Lemon sweet (Citrus Limetta) . . . . .					

We can also supply **Cuttings** of

**Figs**, about 14 in. long, both table varieties and for drying, about 12 sorts of each at from **30 to 40 Shillings per 1000 Cuttings**, according to the sort.

**Olives**, about 12 in. long, 12 sorts at from **16 to 24 Shillings per 1000 Cuttings**, according to the variety.

These Cuttings will be packed in bundles of 100 each and not less than 500 of one kind will be supplied. They are packed in moist musk and shipped in strong cases, without tin. Orders for Cuttings cannot be accepted later than the end of December or the beginning of January. All Fruit-Trees will be sound, strong and of good general condition. Considering the duration of the voyage, which is often very long the packing of the Trees etc. is done most carefully in order to secure their arrival in the best possible condition. It must, however, be understood, that our responsibility ceases as soon as the goods have left our warehouses; they travel entirely at the cost and risk of the purchaser. Shipments can be effected from the end of October to the end of April. Prices are to be understood for cash payment without any reduction or discount. All orders must be accompanied by the respective amount or the greater part of the same and in the latter case the remainder will be charged forward on the B/L. As we cannot in any case deviate from these rules, we shall thank our patrons for complying with them, else to our regret their orders cannot be executed. Packing is charged at first cost. Although we do our best to get all Trees and Cuttings under their right names, yet we cannot assume any responsibility to that effect. Most satisfactory reports have been received even from the most distant localities, that our shipments of Trees and Cuttings have arrived in first rate condition.

## XXV. Pictorial Seed Pockets.

All drawn from nature and artistically executed.—Empty.

### A. Vegetable Seeds, ab<sup>t</sup> 4 × 2½ in.

Orders for at least 1000 per sort will be forwarded direct by our German Printer at 7/6 per 1000. Smaller quantities per sort will be sent by ourselves at 1/2 per 100. Less than 10 per sort will not be sold.

1	Basil, sweet green.	68	Lettuce, Cabbage, Nonpareil.
79	Beans, dwarf wax flageolet.	65	" " Rudolp <sup>l</sup> 's Favourite.
46	Beet, Egyptian turnip, red.	69	" " spotted (Trout).
22	Cabbage, Brunswick, large Drumhead.	15	" " Stubborn-headed, large yellow.
30	Carrot, french early forcing.	71	" " " " new brown.
3	" Nantes, early half-long scarlet.	70	" " Winter, Silverball.
6	Cauliflower, Erfurt earliest dwarf.	72	" for picking, American brown curled.
7	Celeriac, apple-shaped.	25	Onion, Zittau, giant yellow.
40	Cucumber, long green of Erfurt.	23	Parsley, moss curled.
41	" very " " "	29	" turnip rooted, short.
17	Endive, moss curled.	57	Radish, early scarlet white tipped.
44	Kohl-Rabi, purple very early Vienna.	33	" Winter, black round.
49	" " white " " "	56	Scorzonera, common.
67	Lettuce, Cabbage, All the year round.	11	Swede, white fleshed.
12	" " early green stone-head.	10	" yellow green top.
66	" " Emperor forcing.	90	" " purple top.
13	" " large Mogul.	19	Tomato, large red.
301	" " brown Laibach Ice		

### B. Flower Seeds, ab<sup>t</sup> 3 × 2 in.

Orders for at least 1000 per sort will be forwarded direct by our German Printer at 6/— per 1000. Smaller quantities per sort will be sent by ourselves at 1/— per 100.

Less than 10 per sort will not be sold.

1	Acroclinium roseum.	30	Aster, Liliput, mixed.
6	Ageratum mexicanum, blue.	24	" Paeony Perfection, mixed.
7	" " album, white.	26	" Quilled, mixed.
9	Agrostemma, coeli-rosa.	33	" Victoria, mixed.
11	Alyssum, sweet.	133	Balsam, double mixed.
12	" saxatile.	134	" rose-flowered double, mixed.
13	Amaranthus caudatus, fox-tail.	39	Begonia, tuberous-rooted single, mixed.
6a	" ruber, red.	56	Blue-Bottle, mixed.
14	" tricolor.	184a	Calampelis scabra.
17	Antirrhinum majus, Snapdragon, mixed.	45	Calendula Meteor.
18	" " nanum, " dwarf mixed.	50	Campanula Medium, single mixed (Canterbury Bell).
20	Aquilegia vulgaris fl. pl., mixed (Columbine).	130	Candytuft, white rocket.
29	Aster, Anmuth, mixed.	131	" large-flowering (Iberis coronaria).
32	" Comet, mixed.	132	" (Iberis umbellata purpurea).
23	" Crown, mixed.	52	Canna, mixed.
34	" Dwarf, mixed.	94	Carnation, extra double Border.
35	" " Bouquet (Boltze), mixed.	95	" double dwarf Vienna.

93	Carnation, Margaret, mixed.	229	Nasturtium, climbing mixed.
119a	Centaurea moschata.	228	" dwarf mixed.
67	Chrysanthemum tricolor, mixed.	226	" King of Tom Thumb.
68	" " atrococtineum.	165	Nemophila insignis.
72	Cineraria hybrida, large-flowering, mixed.	168	Nicotiana affinis.
73	Clarkia elegans, double mixed.	171	Oenothera Lamarckiana.
76	Cobaea scandens.	238	Pansies, best mixed.
53	Cocks-comb, dwarf, mixed.	239	" best English, mixed.
54	" feathered, mixed.	240	" large-flowering French, mixed.
302	" " " " "Preziosa".	246	" Emperor William.
77	Coleus, best mixed.	247	" Lord Beaconsfield.
186a	" Verschaffeltii var.	249	" Odier.
78	Collinsia bicolor.	242	" Schneewittchen (snow-white).
79	" mixed.	241	" Trimardeau.
136	Convolvulus major, mixed.	174	Perilla nankinensis.
80	" minor, mixed.	175	Petunia hybrida, mixed.
47	Coreopsis Drummondii.	176	" " grandiflora, best mixed.
46	" tinctoria.	181	Phlox Drummondii, mixed.
82	Cyclamen persicum giganteum, mixed.	183	" " grandiflora, best mixed.
85	Dahlia variabilis, single mixed.	172	Poppy (Papaver Rhoeas), ranunculus, double, mixed.
40	Daisy, double mixed.	173	" " somniferum fl. pl., double mixed.
97	Dianthus chinensis fl. pl., Indian Pink.	188	Portulaca grandiflora, mixed.
101	" Heddewigi, mixed.	189	" " fl. pl., double mixed.
104	" plumarius, common Pink.	191	Primula auricula, mixed.
106	Eschscholtzia californica, yellow.	193	" veris (elatior).
107	" " alba, white.	194	" chinensis fimbriata, fringed mixed.
161	Forget me-not, blue (Myosotis alpestris).	195	Pyrethrum parthenifolium aureum, Golden Feather.
110	Gaillardia picta Lorenziana, double.	202	Ricinus sanguineus.
303	Gazania pygmaea lutea.	203	Salpiglossis variabilis, mixed.
112	Godetia, Duchess of Albany.	205	Sanvitalia procumbens, double.
114	" Lady Albemarle.	209	Scabious atropurpurea, double dwarf mixed.
49a	" The Bride.	212	Silene pendula, rose.
113	" Whitneyi.	214	" " ruberrima, red.
115	Gomphrena globosa, Globe Amaranth mixed.	215	" " mixed.
121	Helichrysum monstrosum, double mixed.	143a	" " compacta.
125	Heliotropium, mixed.	58	Stocks, ten week, mixed.
10	Hollyhocks, double mixed.	59	" ten week, large-flowering, mixed.
128	Humulus japonicus, Japanese Hop.	60	" Winter or Bompton, mixed.
211	Jacobaea, double mixed.	63	" Virginian, mixed.
86	Larkspur, dwarf rocket.	137	Sweet Peas, mixed.
141	Linum grandiflorum rubrum, scarlet flax.	88	" William, single mixed.
143	Lobelia cardinalis.	89	" " double mixed.
145	" Erinus speciosa Crystal Palace.	75a	Tagetes patula fl. pl., double French, Marigold, mixed.
146	" " Emperor William.	220	" " nana fl. pl., double dwarf French Marigold mixed.
151	Lupinus, annual mixed.	221	" " striata fl. pl. double striped French Marigold.
152	Lychnis chalcidonica, scarlet.	222	" signata pumila.
153	Malope grandiflora alba.	231	Verbena hybrida, mixed.
154	" " purpurea.	256	Zinnia elegans fl. pl., mixed.
160	Marvel of Peru, mixed.	304	" " " " "Iris".
176a	Maurandia, mixed.		
196	Mignonette, common.		
197	" large-flow ring, Golden Queen.		
159	Mimulus moschatus (Musk).		

## XXVI. Pure South-Italian wines.

We have supplied for many years to our Continental friends different qualities of our fine Italian wines which have been very much appreciated owing to their excellent qualities and cheap prices. In order to meet the increasing demands we have made arrangements with several important wine growers, and are therefore in a position to offer the following qualities at moderate prices viz.

Red wines:	Shillings Per 22 Gallons	All pure and natural wines ready to be bottled. The prices are for 100 Litres or Kilosnet, equal to about 22 English Gallons f. o. b. Naples — Casks extra. We do not accept orders for less than 50 Litres or about 11 English Gallons per sort.
Vesuvio, a mild Claret . . . . .	44	
Syracusa, fiery, for medical purposes . . . . .	50	
Calabria, dry and strong . . . . .	44	
Capri, dry . . . . .	56	
White wines:		
Ischia, much like moselle . . . . .	40	
Stromboli, very fiery . . . . .	44	
Vesuvio, a favorite but strong wine . . . . .	44	
Capri, dry, very fine, like Chablis . . . . .	56	
Lunch- and Dinner-wines:		Per 100 Litres or Kilosnet, equal to about 22 English Gallons f. o. b. Naples, casks included. We do not supply any quantity under 25 Litres or about 5 English Gallons and a half of each kind.
Malvasia, white, strong and sweet, greatly appreciated . . . . .	124	
Marsala, white, brand „England“, dry and much like Sherry . . . . .	104	
Marsala, white, „Italy“, strong very fine . . . . .	88	
Porto, red, much like Portwine . . . . .	116	

Price are understood for Cash with order, without any discount. The wines travel at buyer's risk and we do not answer for leakage, evaporation &c. Our responsibility ceases once the goods are on board.

### Casks:

are charged at first cost as follows:

of about 400 Litres (about 88 English Gallons)	21/6
„ „ 300 „ „ 66 „ „	18/6
„ „ 200 „ „ 44 „ „	13/6
„ „ 100 „ „ 22 „ „	9/6
„ „ 50 „ „ 11 „ „	5/3

### Double-casks:

These are added only when expressly ordered at following prices:

for 400 Litres (about 88 English Gallons)	12/9
„ 300 „ „ 66 „ „	9/6
„ 200 „ „ 44 „ „	7/3
„ 100 „ „ 22 „ „	5/6
„ 50 „ „ 11 „ „	3/3

Steamers to all parts of the world.

Samples of the different qualities are at the disposal of correspondents at a trifling cost. We respectfully invite our Patrons to give us a trial order with which they will be fully satisfied.

## Dammann & Co.

San Giovanni a Teduccio (Prov. of Naples).

*A List of all Electros published will be forwarded to our customers on application. It contains about 500 cuts. We shall charge for it 6d which will however be deducted from the first invoice of electros.*

### Our Bulb Catalogue

is published in May every year and will be sent free of charge to all our correspondents.

### Contents.

	page		page
I. Vegetable Seeds . . . . .	1	XIII. Seeds of Bulbs and Roots . . . . .	62
II. Swede, Turnip and Mangel Wurzel . . . . .	15	XIV. Seeds of Cannas . . . . .	63
III. Sweet Herbs &c. . . . .	15	XV. Stapelia and Huernia . . . . .	64
IV. Clovers, Lucerne &c. . . . .	16	XVI. Canna Roots . . . . .	65
V. Grasses . . . . .	17	XVII. Bulbs and Roots . . . . .	70
VI. Sundry Agricultural Seeds, and Seeds of Economical, Official Plants &c. . . . .	18	XVIII. Asparagus-Plants . . . . .	71
VII. Fruit Trees . . . . .	19	XIX. Aspidistra . . . . .	72
VIII. Seeds of Trees, Shrubs &c. . . . .	20	XX. Fruits of Lagenaria vulgaris . . . . .	72
IX. Conifer Seeds . . . . .	23	XXI. Cycas revoluta . . . . .	73
X. Palm Seeds . . . . .	25	XXII. Raphia . . . . .	73
XI. Seeds of Annual, Perennial, Climbing, Hot- and Green-House Plant . . . . .	26	XXIII. Novelties of Vegetable and Flower Seeds . . . . .	73
XII. Seeds of Ornamental Grasses . . . . .	61	XXIV. Fruit Trees and Cuttings . . . . .	75
		XXV. Pictorial Seed Pockets . . . . .	76
		XXVI. Pure Italian Wines . . . . .	78



# DAMMANN & Co.



*Offices.*



*Entrance to the Trial Grounds (15 acres.)*



No. 128.  
1901—1902.



No. 128  
1901—1902.



By appointment to his Majesty the King of Italy.

# DAMMANN & C<sup>o</sup>

Seed and Bulb Growers and Merchants

## SAN GIOVANNI A TEDUCCIO

near Naples, Italy.

Established 1877.

Awards obtained:

First Diploma of Honour at the Italian Exhibition, London, 1888.

Large Gold Medal of the Royal Academy of Naples for Improvements in Horticulture. 1890.

Three Medals at the Great Berlin International Horticultural Exhibition, 1890.



Cabbage Lettuce white Giant.

Awards obtained:

Diploma of Honour from the Botanic Society, Geneva, 1891.

Horticultural Exhibition, Naples 1892.

11 first Prizes, both the 2 Medals of the Government. Florence 1893. 1895.

Leipzig, large and small silver Medals 1893.

Chicago 1893.

Naples 1895.

## General Price List

of

Vegetable, Farm, Tree, Conifer, Palm, Flower and other Seeds, Canna Roots, Italian Fruit Trees, Plants, Novelties of Seeds &c. &c.

## Conditions of sale and important remarks.

All prices are quoted in Shillings and Pence (English currency) and to be understood for goods delivered and payable in San Giovanni a Teduccio net without discount at 3 months from date of invoice. Agricultural seeds at 30 days. This condition will not in the least be altered and remains valid even if we draw upon our customers.

We allow 2% discount on all amounts exceeding £ 10.—/—, if cash is remitted on receipt of goods. Smaller amounts are absolutely to be paid in cash.

Our prices being very low (which you will easily find out by comparing them with those of other reliable houses) we cannot deviate from the above condition.

Orders from unknown correspondents must invariably be accompanied by references to continental firms, or the approximate amount be remitted, otherwise orders will not be executed.

Prices are subject to variations and as many quotations are made before the final result of the crop is known we shall not hold ourselves liable for quantities.

We shall thank our Patrons if they will send in their orders on receipt of this list and more especially orders for seeds which have to be collected, such as seeds of Trees, Shrubs, Conifers &c. &c.

Almost all the seeds are grown under our special superintendence, but although we use the utmost care to have all seeds &c. pure and true to name yet we give no warranty expressed or implied as to description, quality, or any other matter connected with the goods we send out and we will not be in any way responsible for the crop. Moreover all our transactions are to be ruled by Italian law. Any claims if in spite of the great care we take there should be any, will, however, be taken into most liberal consideration, but we wish it to be understood, that in no case and under no circumstances we will be responsible beyond the price invoiced for each article. It is on these strict terms only that we offer any goods or execute orders, and in accepting the goods our clients implicitly acknowledge all these terms as binding.

This List cancels all previous quotations.

For quantities from 28 lb. upwards of one sort we quote the price for 1 cwt.; quantities of at least 1/4 lb. of one sort will be charged at the rate of 1 lb., quantities under 1/4 lb. will be charged at the price per oz, orders for smaller quantities than offered in this list will be charged at comparatively higher prices.

Any claims resulting from the invoice itself or from the merchandise, are to be made immediately on receipt thereof, else they can in no way be acknowledged.

### Shipping.

In order that our customers may have an idea of what they will have to pay for freight and shipping charges on our goods, we give the following approximate rates of freight and all charges (not including packing and insurance) from Naples — our establishment can be reached by horse car in about half an hour from the centre of Naples — calculated on 500 Kilos or 10 cwt, which are, however, subject to variations:

To London and Liverpool board: about 2/3 d. per cwt. Freight for Beans to London, Liverpool, Hull &c. about 15 Shillings per ton. Fast Steamers by British India Line and others.

To New-York board: about 26 d. per cwt. (not including insurance and consular charges). (Fast steamers by North German Lloyd, Hamburg-American, Anchor and Fabre Lines.)

To Australia, New-Zealand, India, China, Japan, South Africa, South America etc. etc., similar cheap rates by direct Steamers.

### Parcels

can be forwarded by post at the following rates: parcels up to 11 lb, (5 kilos) to:

Australia:	Great Britain . . . . . 2 3
New South Wales . . . 7/10	Hongkong . . . . . 6 8
Victoria . . . . . 8/3	Japan . . . . . 4 5
Tasmania . . . . . 9/3	Malta . . . . . 1 6
Queensland, 11 lb. . . 7/5	Natal 2 1/8 to 6 1/2 lb. . 6 5
Canada 6 1/2 to 11 lb. . 6/2	6 1/2 to 11 lb. . . . . 9 5
Cape Colony . . . . . 9/5	Mexico via France . . . 3, 2
Ceylon . . . . . 6/—	"    "    Germany . . . 3 8
Dutch Colonies:	Orange 6 1/2 lb. . . . . 7/6
Batavia, Padang, Samarang, Soerabaia . . . . 4 7	New Zealand 11 1/2 lb. 8,—
East India 8 3/4 lb. . . . 7/7	South African Republic.
"    11 lb. . . . . 9/3	6 1/2 lb. 6/7
Egypt . . . . . 1/6	11 lb. 8/8

U. S. of America (any State) via Germany (Hamburg or Breme) at a through rate of 5/— (subject to eventual changes).

### Samples

to Great Britain and U.S.A., of 12 oz weight —/4, registered —/7 to all other countries " 9, " —/3, " —/6

### Postage

on letters . . . . . 2 1/2 d.  
" post cards . . . . . 1 d.

Packing at first cost.

Goods travel entirely and exclusively at purchasers risk and we are therefore not responsible for any fault or deficiency arising during the voyage or from an eventual long duration of the same.

We shall however thank our correspondents to give us instructions as to the mode of forwarding, otherwise we shall send the goods by the way we think most convenient, without, however, taking any responsibility.

Insurance, if no other instructions are given, will be covered by us for amount of invoice, freight and charges added.

Our Patrons, by ordering, acknowledge the above conditions of sale.

### Electros.

On application we shall forward a list of all electros published at the charge of 6d which will be credited again on an eventual invoice of electros. These electros can be had from us at the prices indicated, but it is to be distinctly understood, that our customers use them exclusively for themselves and that they do not sell, lend or copy them. They will be forwarded through Messrs. Dammann & Co., Leipzig (Germany). Any breach of this agreement is liable to a fine of £ 5—/—.

Our establishment being the largest and oldest of its kind in Italy we can show our customer at any time a great many most interesting things and solicit the favor of a visit, when we shall be happy to show them our large crops of every description.


NB. We shall be glad to procure from reliable sources at reasonable prices any kinds of seeds which our friends may not find in our catalogue.

## Dammann & Co.

Cable address: DAMMANN, San Giovanni Teduccio.

# I. Vegetable Seeds.

	per lb. s. d.	per cwt. s. d.
<b>Alkekengi.</b>		
Edible Winter-Cherry ( <i>Physalis edulis</i> )	2 3	— —
Purple, new . . . . .	3 —	— —
<b>Artichoke.</b>		
Large early purple Campania . . . . .	— —	— —
„ „ green of Naples . . . . .	6 —	— —
„ green of Laon or Paris . . . . .	6 8	— —
Purple of Venice . . . . .	2 10	— —
„ Provence or purple French . . . . .	3 3	— —
Green „ „ green „ . . . . .	3 10	— —
Remontant, one of the finest; large, dark green without any spines; bears twice with us, i. e. in spring and autumn . . . . .	6 —	— —
Horatius . . . . .	3 10	— —
Of Modica, very large, glaucous, without spines . . . . .	3 10	— —
Of Terranova, very early and fine . . . . .	3 5	— —
We warmly recommend these last 4 varieties.		
<b>Asparagus.</b>		
Giant . . . . .	— 6	— —
Purple Argenteuil . . . . .	— 6	44 —
Conovers Colossal . . . . .	— 6	46 —
Palmetto . . . . .	1 6	— —
Columbian White . . . . .	1 10	— —
Ivory, new; very tender, remaining white even if shot up very high above the ground . . . . .	2 3	— —
<b>Basella.</b>		
White of Malabar ( <i>Basella alba</i> ) . . . . .	2 6	— —
<b>Beans.</b>		
<b>Broad Varieties.</b>		
Sevilla long pod . . . . .	— 4	21 —
Aguadulce, (Electro) the finest and largest; best stock; we have grown pods abt 12 in. long . . . . .	— 5	25 —
Valencia, large black . . . . .	— 3	16 —
„ small „ . . . . .	— 3	15 —
<b>Beans.</b>		
<b>French or dwarf varieties.</b>		
Algiers black wax . . . . .	— —	28 —
Best of All . . . . .	— —	18 —
Black Belgian, excellent for forcing . . . . .	— —	— —
Canada yellow . . . . .	— —	18 —
Canadian Wonder, excellent stock . . . . .	— —	18 —
Canterbury yellow . . . . .	— —	14 —
China . . . . .	— —	17 —
Crimson flageolet . . . . .	— —	17 —
Dark Dun or Liver colour . . . . .	— —	18 —
Fulmers early forcing . . . . .	— —	17 —



Broad Bean Aguadulce.  
Electro 4/—.

	per lb. s. d.	per cwt. s. d.		per lb. s. d.	per cwt. s. d.
Golden Butter Wax, black seeded . . .	—	—	Large blood-red . . . . .	— 7	48 —
Hinrich's speckled giant . . . . .	—	18 —	Strasbourg or pear-shaped . . . . .	— 7	45 —
Hundred for one, small yellow, extremely prolific . . . . .	—	19 —	Bastian's blood-red Turnip . . . . .	— 7	50 —
Ilsenburg purpled speckled, very long pods, extremely early . . . . .	—	20 —	Egyptian Turnip, red . . . . .	— 7	50 —
Negro Monster . . . . .	—	16 —	Bassano, flat, red, early . . . . .	— 6	44 —
„ long pod . . . . .	—	16 —			
„ extra early . . . . .	—	16 —	<b>Sugar Beet.</b>		
Ne plus ultra, fine for forcing . . . . .	—	16 —	(German grown, from selected stock).		
Osborne's forcing . . . . .	—	16 —	Imperial white . . . . .	— 7	45 —
Pale Dun . . . . .	—	17 —	Klein Wanzleben . . . . .	— 7	45 —
Perkin's red speckled . . . . .	—	16 —	Vilmorin's improved . . . . .	— 7	45 —
Sion House . . . . .	—	16 —	Dippe's best stock . . . . .	— 7	50 —
Sir Joseph Paxton . . . . .	—	14 —	<b>Silver-Beet, see Swiss Chard.</b>		
			§ Benincasa-Cerifera . . . oz —/5	4 5	— —
<b>Beans-Soja (Soja hispida).</b>					
Yellow . . . . .	— 5	—	<b>Borecole or Kale.</b>		
Brown . . . . .	— 4	28 —	Curled dwarf green (German Greens)	1 5	— —
Black . . . . .	— 4	28 —	„ „ purple . . . . .	1 4	— —
Green Samarow, extremely early and prolific . . . . .	— 5	30 —	Palm Tree, high . . . . .	1 9	— —
Giant yellow Santa Margherita; of enormous growth; beans very large; extremely prolific . . . . .	— 6	—	„ „ King, dwarf . . . . .	1 9	— —
<b>Beans-Lima.</b>			<b>Broccoli.</b>		
(Phaseolus lunatus var.)			Purple Navidad, early, dark purple . . .	2 6	— —
<b>Dwarf.</b>			Dark red Santa Teresa, early, purple, changing into green, when boiled . . .	2 6	— —
Toledo, white, very prolific . . . . .	— 4	—	Walcheren . . . . .	4 3	— —
Linderaya, very dwarf white, very large pods . . . . .	—	—	Adams early white . . . . .	3 —	— —
Giuditta, very prolific, pods broad . . .	—	—	Backhouse's white winter . . . . .	2 9	— —
Wonder of San Giovanni, most prolific and early, dark red speckled . . . . .	— 4	—	Cattell's Eclipse, late . . . . .	3 3	— —
Nero, new (Dam. 1900), with almost black beans and not inferior in any way to the other varieties already known . . . . .	— 9	—	Knights protecting, late . . . . .	1 6	— —
<b>Runners.</b>			Penzance (from Cornish stock) . . . . .	1 6	— —
San Giovanni white; runs high, abundant bearer . . . . .	— 6	—	Snow's white winter . . . . .	1 9	— —
Sant Antonio, yellowish white; highly prolific . . . . .	— 6	—	Veitch's self protecting, late . . . . .	2 3	240 —
San Giuseppe, white of medium size . . .	— 6	—	Giant Malta, late . . . . .	2 3	240 —
San Carlo, black speckled; runs high; abundant bearer, one of the finest . . .	— 6	—	Late Asiatic . . . . .	2 3	240 —
Lagune, red speckled, splendid . . . . .	— 6	—	Sprouting Nataleschi . . . . .	1 10	— —
			„ Febbrajoli, late . . . . .	1 10	— —
<b>Beet.</b>			„ Marzajuoli, very late . . . . .	1 10	— —
Crapaudine, rough-skinned, half long . .	— 7	52 —	<b>Brussels Sprouts.</b>		
Castelnaudary, blood-red . . . . .	— 8	60 —	Tall, best stock . . . . .	1 5	— —
Long, deep red . . . . .	— 8	60 —	Dwarf, improved . . . . .	1 6	— —
Covent Garden, long, red . . . . .	— 8	60 —	Aigburth . . . . .	1 9	— —
Dells crimson, long, red . . . . .	— 9	68 —			
Whyte's black, long and fine, dark blood- red . . . . .	— 7	45 —	<b>Cabbage.</b>		
			Bacalan, early . . . . .	1 9	180 —
			Brunswick, large Drumhead, best stock .	1 8	170 —
			Cocoa Nut . . . . .	1 7	160 —
			Drumhead Dutch late . . . . .	1 8	170 —
			„ „ early dwarf . . . . .	1 9	180 —
			Early Etampes . . . . .	2 5	260 —
			Enfield Market . . . . .	1 9	180 —
			Myatt's early Offenham . . . . .	2 2	235 —
			Mein's No. 1 . . . . .	1 8	170 —
			Oxheart large . . . . .	1 6	150 —
			„ early . . . . .	1 7	160 —

	per lb. s. d.	per cwt. s. d.
St. John's Day, early . . . . .	1 8	170 —
„ „ late . . . . .	1 6	150 —
Schweinfurt Drumhead . . . . .	1 8	170 —
Strassburg Quintal or Cwt. Drumhead	1 9	180 —
Sugar loaf . . . . .	1 9	180 —
Wheeler's Imperial . . . . .	1 10	200 —
Winnigstadt, best stock . . . . .	1 8	170 —
York early . . . . .	1 9	180 —
„ large . . . . .	1 9	180 —
Late Calabria . . . . .	2 —	220 —
Early Mongibello . . . . .	2 —	220 —

We recommend these last two sorts quite especially for warmer countries; they are splendid.

Large blood-red Drumhead . . . . .	2 1	225 —
Small „ early Dutch . . . . .	2 2	235 —
Pisa, a very early, splendid variety with large solid heads; very much adapted for warmer countries . . . . .	2 3	— —

### Savoy.

Drumhead, large late . . . . .	1 4	145 —
Early dwarf Ulm . . . . .	1 5	155 —
Favourite . . . . .	1 3	135 —
Marcelin . . . . .	1 2	110 —
Small early Vienna . . . . .	1 4	145 —
Victoria (Waterloo) . . . . .	1 6	150 —

### Caper Tree, see Trees.

### Capsicum.

#### Sweet varieties.

Black Nubian . . . . .	1 8	— —
Cardinal, scarlet, fruits long . . . . .	1 10	— —
Columbus (Dam.) (Electro), red of enormous size . . . . .	2 10	— —
Columbus (Dam.), yellow . . . . .	1 10	— —
Elephant's Trump, red, splendid . . . . .	1 10	— —
Golden Dawn . . . . .	1 7	— —
Golden King (Nocera), most beautiful, very large fruit . . . . .	1 5	— —
Maddaloni, of conical shape, very early . . . . .	1 10	— —

Mild red Harald (Electro). The fruits resemble much the Ruby King as to size, shape and color, but contrary to this latter kind the fruits stand perfectly upright above the leaves, a decided advantage over the other kinds as the fruits are more exposed to the sun, thus ripening better and more quickly . . . . .

Papacello, red, round, medium sized, slightly ribbed; a fine Neapolitan variety, very good for pickling . . . . .

Procop's Giant . . . . .

Red Etna, fruits upright . . . . .

Red pointed Calabrese (Electro). Extremely rich bearing, with large fleshy dark purple fruits reaching a length of about 7 inches ending in a point; quite a new form . . . . .

1 10 — —


	per lb. s. d.	per cwt. s. d.
Ruby King, red, splendid very large . . . . .	1 6	— —
Sweet Mountain or Bull nose . . . . .	1 9	— —
„ Spanish . . . . .	1 4	— —
Tomato-shaped, red . . . . .	1 10	— —
„ „ yellow . . . . .	1 10	— —

Under different climatic and cultural conditions it happens that certain kinds of mild Capsicum turn hot.

### Capsicum.

#### Hot varieties for pickling.

Cayenne, red, long fruited . . . . .	1 2	— —
Celestial . . . . .	1 —	— —
Cherry, red . . . . .	1 —	— —



Capsicum Columbus.  
Electro 3/3.

Chile red, orange, sulphur yellow, purple, each . . . . .	1 5	— —
Japanese Cluster, scarlet and orange, fruits long . . . . .	1 9	— —
Kaleidoscope . . . . .	1 5	— —
Prince of Wales, yellow . . . . .	1 2	— —
Red conical of Naples . . . . .	1 —	— —
Spanish or Guinea . . . . .	1 —	— —
Szegedin (Hungarian) Rose Paprika . . . . .	1 5	— —
Tom Thumb (producing fruits in clusters), red, orange, yellow, each . . . . .	1 —	— —
Tomato red . . . . .	1 4	— —

### Cardoon.

Puvis, very fine and large . . . . .	1 3	— —
Bolognese, excellent . . . . .	1 9	— —
Alexander, (prickly) of enormous size . . . . .	1 10	— —

**Carrot.**

Please state if you desire „Rubbed“ or „Bearded“ Seed.

	Rubbed or clean Seed		Bearded Seed	
	per lb. s. d.	per cwt. s. d.	per lb. s. d.	per cwt. s. d.
Altringham, long scarlet	1 5	145 —	1 3	125 —
Chantenay, half long	1 9	165 —	1 7	145 —
Carentan, early, half long, scarlet	1 10	180 —	1 8	160 —
Early Gem (Oxheart-Guerande)	1 10	180 —	1 8	160 —
Early scarlet Horn	1 11	185 —	1 9	165 —
French early forc. Horn	1 10	180 —	1 8	160 —
Half long Luc, stump-rooted	1 9	165 —	1 7	145 —

**Cauliflower.**

Italian varieties.

**Primus**, (earliest short-stemmed Italian Giant, Dam.), very early, most beautiful large, white, solid heads . . . . .

	per lb. s. d.	per cwt. s. d.
Eclipse, true, short-stemmed (stock very limited)	7 3	— — —
Earliest Italian Giant „Non plus ultra“	2 6	225 —
Veitch's Autumn Giant	2 3	215 —
Algiers Giant, late	2 3	240 —
Late Asiatic	2 3	240 —
„ Italian Giant (Veitch's self protecting Broccoli)	2 3	240 —
Giant Malta	2 3	240 —



Capsicum mild red Harald.  
Electro 4/6.



Capsicum red pointed Calabrese.  
Electro 3/3.

James Intermediate, half long scarlet, pointed	2 —	215 —	1 10	195 —
Nantes, early half long scarlet, stump-rooted	1 9	165 —	1 7	145 —
St. Valery, long red	1 8	170 —	1 6	150 —
Stump-rooted, half long scarlet	— —	— —	— —	— —
Surrey long, red	1 9	165 —	1 7	145 —
White Belgian, green top	1 —	100 —	1 —	90 —
„ Vosges, thick, short	1 —	96 —	— 11	84 —

per lb. s. d. per cwt. s. d.

**Caterpillar. Scorpiurus.**

Mixed	per oz	—/4	3 9	— —
-------	--------	-----	-----	-----

**Cauliflower.**

English, French and German varieties grown in Italy. Finest seeds.

Erfurt earliest Dwarf	per oz 1/2	16 6	— — —
Snowball, very fine	„ „ 1/2	16 6	— — —
Montblanc, of the Snowball type; quite dwarf, pure white and solid heads (crop failed)		— — —	— — —
Imperial early		5 6	— — —
Early Paris or small Salomon		5 6	— — —
Large white Erfurt		3 5	340 —
Early Dutch		5 6	— — —
„ London		5 —	— — —
Lenormand large		4 6	— — —
„ short-stemmed, true		9 —	— — —

	per lb. s. d.	per cwt. s. d.
Large Salomon . . . . .	4 6	— —
Stadtholder . . . . .	4 3	— —
Walcheren, true . . . . .	4 3	— —

### Cauliflower.

Imported seed, from our special growers.

Erfurt earliest dwarf, for forcing, finest quality . . . per oz 4/—	60	— —
Snowball, large, very firm white heads, superior stock . . . „ „ 3/—	40	— —

### Celery.

Arezzo	1 2	— —
De Candolle	1 2	— —
Folgore	1 2	— —
Henderson's White Plume . . . . .	— 8	— —
Large dwarf white solid . . . . .	— 8	— —
Leicester Red . . . . .	— 4	— —
Pascal, very large . . . . .	— 10	— —
Pink Plume . . . . .	— 9	— —
Sandringham white . . . . .	— 8	— —
Scrymgers Giant . . . . .	1 2	— —
Wright's Grove Red . . . . .	— 4	— —
„ Giant White . . . . .	— 5	— —
<b>Soup Celery</b> . . . . .	— 7	45 —

### Celeriac or Turnip-rooted Celery.

Erfurt . . . . .	— 11	95 —
Giant of Prague . . . . .	— 11	95 —
Ne plus ultra, Paris white . . . . .	— 11	95 —
Apple-shaped . . . . .	1 —	100 —

### Chervil.

Common or plain . . . . .	— 6	— —
Curled . . . . .	— 7	— —
Turnip-rooted . . . . .	2 3	— —

### Chicory.

Common (Barbe de Capucin) } excellent . . . . .	— 7	57 —
Improved very large-leaved } for . . . . .	— 10	90 —
Brussels or Witloof } salad . . . . .	— 10	90 —
Large-rooted Brunswick . . . . .	— 9	80 —
Asparagus, an excellent Italian variety quite different from any other; leaves and stalks give a most wholesome and refreshing salad when cooked and served cold . . . . .	1 6	— —

### Corn, Sweet or Sugar.

Adam's, extra early . . . . .	— 5	30 —
Crosby's early . . . . .	— 5	30 —
Cory early (red Cob) . . . . .	— 5	30 —
Early Minnesota . . . . .	— 5	30 —
Egyptian . . . . .	— 5	30 —
Mammoth . . . . .	— 5	30 —

Moore's early Concord . . . . .	— 5	30 —
Perry's Hybrid . . . . .	— 5	30 —

### Cornsalad.

Small-seeded green . . . . .	— 8	70 —
Large-seeded round-leaved Dutch . . . . .	— 8	70 —
Italian (Valleriana coronata, Régence) . . . . .	— 8	70 —
„ Lettuce-leaved . . . . .	— 9	78 —

### Cress (1 bushel = abt 1/2 cwt.).

Common or plain . . . . .	— 5	35 —
Curled . . . . .	— 5	35 —
American Winter . . . . .	1 —	— —



Cucumber, Yokohama climbing.  
Electro 3/3.

Australian or Golden . . . . .	— 7	57 —
Broad-leaved . . . . .	— 5	37 —
<b>Water Cress</b> . . . . .	2 3	— —

### Cucumber.

(Open ground varieties.)

Long green . . . . .	1 8	— —
„ „ Italian, very fine and productive . . . . .	1 6	— —
„ „ of Athens, or Greek . . . . .	1 4	— —
„ „ English prickly . . . . .	1 5	— —
„ „ Bismarck, white-spined . . . . .	1 5	— —
„ „ Goliath . . . . .	1 6	— —
„ „ prolific . . . . .	1 6	— —
Very long Yellow Dutch . . . . .	1 4	— —
Paris pickling . . . . .	1 1	— —
Small pickling Bourbonne . . . . .	1 3	— —

	per lb. s. d.	per cwt. s. d.
Japanese green Climbing . . . . .	1 9	— —
„ white Climbing . . . . .	2 3	— —
Formosa climbing (Dam.), very early and enormously prolific, of splendid flavour. Fruit smooth, dark green, slightly black spotted; flesh white, very solid . . . . .	2 8	— —
Yokohama climbing (Dam.) (Electro). A most beautiful late sort; the foliage never suffers from disease. The fruits are cylindrical, bright green and very slightly spined or prickly. Later, if ripe, they turn brighter, almost into wax colour. Flesh white solid. A most abundant bearer . . . . .	2 9	— —



Cucumber, Corosan climbing. Electro 3/3.

	per lb. s. d.	per cwt. s. d.
Persian Cluster (Dam.) (Electro), very early, ripening in about 5 weeks, about 8 inches long, dark green, very slightly prickly; very fine . . . . .	1 10	— —
Bedfordshire Price Ridge . . . . .	2 10	— —
Stockwood extra . . . . .	2 10	— —
Unicum, new; of medium size, thick, green, stands all atmospheric influences extremely well . . . . .	4 —	— —

**Cucumber.**  
(Frame Varieties.)

Gladiator long green . . . . .	per oz —/5	4 6	— —
Man of Kent . . . . .	„ „ —/6	4 6	— —
Rollisson's Telegraph . . . . .	„ „ —/9	9 —	— —
Glory of Erfurt . . . . .	„ „ —/9	8 —	— —
Marquis of Lorne . . . . .	„ „ —/9	9 —	— —
Arnstadt white Giant, } very	„ „ —/7	6 6	— —
„ green „ } fine	„ „ —/9	8 —	— —
Hampel's Forcing . . . . .	„ „ —/8	— —	— —



Cucumber, The Prince's Electro 2/6.

Corosan climbing (Dam.) (Electro). This is the ne plus ultra of productiveness as it bears most abundantly and never suffers from moisture or diseases. Fruit dark green, bright green striped and very slightly prickly, with a curious knot at the extremity. Flesh white, of finest flavour and never bitter . . . . .	2 9	— —
Giant of Quedlinburg . . . . .	1 3	— —
The Prince's Cucumber (Electro), fruits short, about 6—8 in. cylindrical smooth, light green, very fleshy and solid, extremely prolific and highly to be recommended . . . . .	1 6	— —
Bonneuil, white very large . . . . .	1 6	— —
Russian small (Murum) . . . . .	1 —	— —
„ netted . . . . .	1 3	— —
Cucumis flexuosus (Snake) . . . . .	2 2	— —

Prescot Wonder . . . . .	per oz —/8	— —	— —
Noa's Forcing . . . . .	„ „ —/8	— —	— —
Swan's Neck . . . . .	„ „ —/7	— —	— —
Ideal . . . . .	„ „ —/8	— —	— —
Berlin Eel, very long, thick, green . . . . .	„ „ —/7	— —	— —
Indefatigable . . . . .	„ „ —/7	— —	— —
Long green Cardiff . . . . .	„ „ —/6	4 10	— —
Jewel of Koppitz . . . . .	„ „ —/8	— —	— —
Old cucumber seed . . . . .	— 3	16	— —
<b>Cyperus esculentus</b> . . . . .	— 10	— —	— —

**Dandelion.**

Common . . . . .	4 —	— —
Improved thick-leaved or cabbaging . . . . .	10 9	— —
Improved Moss . . . . .	10 9	— —



**Egg Plant.**

	per lb. s. d.	per cwt. s. d.
Barbentan long early . . . . .	1 9	— —
Purple dwarf . . . . .	2 2	— —
Black Nagasaki (Dam.), dwarf very early and prolific . . . . .	1 5	— —
Black Prince (Dam.); pear-shaped, very early . . . . .	1 9	— —
Black Snake (Electro). New and very interesting. Producing an abundant number of cylindrical dark purple almost black fruits about 12 inches long of the very best flavour. . . . .	3 4	— —
Dammann's „Délicatesse“ (Electro) the earliest, pear-shaped; quite an enormous bearer . . . . .	1 10	— —



Cucumber Persian Cluster.  
Electro 3/3.

Purple large . . . . .	1 7	— —
„ round . . . . .	2 2	— —
„ long of Palermo . . . . .	1 10	— —
„ giant . . . . .	2 8	— —
Black China (Peking) . . . . .	3 —	— —
New York Giant . . . . .	3 9	— —
Giant green Thibet . . . . .	2 3	— —
Calcutta . . . . .	1 5	— —
Long white China . . . . .	1 3	— —
Guadeloupe white, purple striped . . . . .	1 10	— —
Asia, new, (Dam.) of really yellow colour, very fleshy and sweet . . . . .	1 3	— —
Persia, new, (Dam.) yellow, of more cylindrical shape . . . . .	1 3	— —
Round white . . . . .	1 3	— —
Green Campania (Dam.), large, round, green and white, very fleshy . . . . .	1 7	— —

	per lb. s. d.	per cwt. s. d.
Giant Pear of Guadeloupe (Dam.), pure white with purple stripes, of enormous size . . . . .	2 9	— —
Long Horn (Dam.), pure white with green stripes, very early . . . . .	2 9	— —
Tricolor (Dam.), fruits very large, long, thick, fleshy; the upper part is bright green and the lower one white with purple stripes; quite peculiar . . . . .	2 7	— —

**Endive.**

Small green curled summer . . . . .	1 2	100
Large green curled . . . . .	1 2	120
Moss curled . . . . .	1 3	— —



Egg plant black Snake.  
Electro 4/6.

Rouen or Staghorn . . . . .	1 2	115
Ruffec curled . . . . .	1 2	— —
White curled (Picpus) . . . . .	1 5	— —
Pancalier curled . . . . .	1 2	125
Ever white curled . . . . .	1 8	— —
Imperial curled . . . . .	1 3	— —
Green fine curled winter Meaux . . . . .	1 2	— —
Carter's Model . . . . .	1 2	110
Batavian (Scarole) green . . . . .	1 2	110
„ white . . . . .	1 2	110
„ of Naples, excellent . . . . .	— 10	80

**Garlic.**

Large Naples . . . . .	2	10
Very large Calabria . . . . .	—	—
Mammoth, 3 bulbs weighing abt 2 lb. . . . .	—	—

**Gourd.**

Eatable sorts see *Vegetable Marrow*.  
Ornamental sorts see *Cucumis*, *Cucurbita*, *Lagenaria*.

**Ice Plant**, see *Sweet Herbs*.

**Kohl-Rabi.**

Grown exclusively from selected stock.

	per lb. s. d.	per cwt. s. d.
White ordinary . . . . .	1 —	100 —
„ very early Vienna, short-leaved . . . . .	1 6	— —
„ of Prague, the finest of all . . . . .	1 2	— —
Purple ordinary . . . . .	1 —	100 —
„ very early Vienna, short-leaved . . . . .	1 6	— —
White Goliath, extremely large . . . . .	11	100 —
Purple „ „ „ . . . . .	1 —	100 —
Curled of Naples . . . . .	— 8	70



Egg Plant, Dammann's „Délicatesse“.  
Electro 3½—.

**Leek**

(Grown from selected stocks).

Bangholm Prizetaker . . . . .	— 11	100 —
Musselburgh (Scotch stock seeds) . . . . .	— 11	100 —
Large Rouen winter . . . . .	— 11	100 —
Monstrous Carentan . . . . .	— 11	100 —
Poitou large yellow . . . . .	— 11	100 —
Large Brabant . . . . .	— 11	100 —
The Lyon . . . . .	— 10	90 —
Henry's Prize or Ayton Castle . . . . .	1 1	110 —
Broad London flag . . . . .	— 9	78 —
Renton's Monarch . . . . .	— —	— —
Giant Italian Winter (Electro) . . . . .	— 11	100 —

Giant Ostia, dark green . . . . .  
„ of Palermo, glaucous, the largest . . . . .  
These last 3 Italian sorts are most beautiful, producing enormous plants; they will give satisfaction everywhere and more especially in warmer countries.

**Lettuce.**

w. s. = white seed; bl. s. = black seed;  
y. s. = yellow seed.

**Cabbage varieties.**

**a) Spring varieties.**

Boston Market or white Tennisball, w. s. . . . .	1 3	— —
Golden Yellow Stonehead or Golden Ball w. s. . . . .	1 3	— —
Wheeler's Tom Thumb; bl. s. . . . .	1 2	115 —
Egg, small early, w. s. . . . .	1 3	— —
Dippe's Emperor, w. s. . . . .	1 2	— —
Sutton's forcing, w. s. . . . .	1 —	— —



Leek, Giant Italian Winter.  
Electro 2¼.

**b) Summer varieties.**

All the year round, w. s. . . . .	1 2	115 —
„ „ „ „ bl. s. . . . .	1 1	105 —
Nonpareil, w. s. . . . .	1 —	— —
Lee's Immense Hardy Green, w. s. . . . .	1 —	100 —
Blonde de Versailles, w. s. . . . .	1 —	— —
Stubborn-headed large yellow (Trotzkopf) w. s. . . . .	1 —	100 —
Stubborn-headed new brown (brown Trozkopf) w. s. . . . .	1 2	115 —
Small dark red, bl. s. . . . .	— —	— —
Golden spotted, w. s. . . . .	1 5	— —

	per lb. s. d.	per cwt. s. d.
Dippe's yellow solid (yellow-seeded Butter) y. s. . . . .	1 2	— —
Rudolph's Favourite, w. s. . . . .	1 5	— —
Large yellow market, w. s. . . . .	1 2	— —
Albano, seed light brown . . . . .	1 2	— —
Genezzano, (Continuity, Jewel) bl. s. of a bronzy colour outside and creamy white inside; stands the greatest heat, is very solid and at the same time very tender, scarcely produces any seed; the finest sort that exists per oz —/3	4 4	— —
Sémoroz, y. s. splendid large heads, very solid, when fully developed; leaves green, with a bronze margin; golden yellow inside	1 2	— —
Canada, bl. s. very tender with bronze leaves when exposed to the sun; stands the heat very well; produces very few seeds	1 —	— —

	per lb. s. d.	per cwt. s. d.
Italian Ice Lettuce, w. s., also very large, and solid, yellow; remarkably fine . . .	1 4	— —
Improved Tyrolese, new (Dam. 1890) (Electro). The heads are of enormous size and firm as a stone, leaves same as the ribs very tender. A special characteristic of this beautiful new sort are its leaves, the borders of which are fringed or serrated quite peculiarly. Our cut gives a pretty accurate idea of it . . .	1 5	— —
<b>c) Winter varieties.</b>		
Hammersmith Hardy Green, w. s. . . . .	1 2	— —
Brown German Winter, w. s. . . . .	1 —	100 —
Green German Winter, w. s. . . . .	1 —	100 —
Besson or Marvel, bl. s. (Electro) . . . .	1 3	128 —
Nansen, w. s., green, very hardy . . . .	1 2	— —



Dammann's Ice Lettuce.  
Electro 3/—.




Improved Tyrolese Cabbage Lettuce.  
Electro 3/—.

Green Unctuous, bl. s. . . . .	1 2	— —
Malta Drumhead, w. s. . . . .	1 —	95 —
Batavia white, w. s. . . . .	1 1	110 —
„ green, w. s. . . . .	1 1	110 —
Chou de Naples, w. s. . . . .	1 3	128 —
Ice Lettuce of Laibach (Iceberg), w. s.	2 —	— —
Brown Laibach Ice Lettuce, new (Dam. 1890). A new variety with bronzed leaves which is in every way up to the old yellow kind, and will hold a prominent place among the best Cabbage Lettuces. The heads are of enormous size, very firm, standing the heat extremely well, a feature which makes this Lettuce particularly adapted to warmer countries . . . . .	1 5	— —
Dammann's Ice Lettuce, w. s. (Electro) larger than the former and of the finest flavour, quite excellent; requires a good loamy soil	1 3	— —

Varieties for picking and cutting.		
American brown curled, w. s. . . . .	1 2	115 —
Australian yellow curled, w. s. . . . .	1 2	— —

Cos varieties.		
Balloon, bl. s. . . . .	1 2	— —
Brown Bath, bl. s. . . . .	1 1	110 —
„ w. s. . . . .	1 1	110 —
Cooling's Leviathan, br. s. . . . .	1 3	— —
Frascati, w. s. White self-folding, most excellent	1 2	— —
Paris white, w. s. . . . .	1 3	— —
„ Green, w. s. . . . .	1 2	— —
Potenza, w. s. of enormous size and most excellent; leaves very numerous, white, bronze, self-folding, very solid; does not easily run to seed	1 2	— —
Tankred, w. s. splendid, new; white, self-folding, beautiful . . . . .	1 2	— —
Trianon, w. s. . . . .	1 3	— —

	per lb. s. d.	per cwt. s. d.		per lb. s. d.	per cwt. s. d.
Lettuce seed for bird's food, w. s. . . . .	— 8	65 —	Bujukdere, round, smooth, light yellow with green spots or stripes; flesh snow white, thick and juicy; of finest flavour . . . . .	— —	— —
„ „ „ „ „ bl. s. . . . .	— 5	35 —	per oz —/4	2 8	— —
<b>Asparagus Lettuce.</b>			Portoghese, oval, yellow dark green spotted; flesh white, tender of best flavour; contains but few seeds . . . . .	per oz —/3	2 —
Lactuca angustana, bl. s. . . . .	— 10	— —	Cercola, oval, dark green, strongly netted; flesh white, sweet and of fine flavour; the fruits grow up to 8 to 10 lb. weight	per oz —/3	2 —
„ „ bl. s. A new form with broad green deeply cut leaves, which is far superior to the former one for its exquisite flavor; quite specially recommended for southern countries . . . . .	1 —	— —	Galata. Fruit large, oval, about 16 inch. long, yellow, dark green marbled; flesh greenish white, very juicy and sweet . . . . .	per oz —/3	3 —
<b>Melon.</b>			Therapia, large, yellow-netted; flesh thick, dark green, changing into a yellowish red towards the interior; very juicy and of excellent flavour . . . . .	per oz —/4	3 9
American Peach-Melon } for { pr oz —/3	3 —	— —	Turkish Giant, fruits large, orange yellow, smooth, oval, weighing up to 11 lb.; flesh glaucous, very sweet and juicy	per oz —/5	4 3
„ Mango } pre- { „ „ —/2	1 9	— —	Iberia, of medium size, green-fleshed, of best flavour . . . . .	per oz —/5	— —
„ oval Mango } serves { „ „ —/2	1 9	— —	Tajo, netted, green-fleshed, very juicy and aromatic . . . . .	per oz —/5	— —
Neapolitan Winter, } keep { per oz —/2	1 7	— —	San Martino, of medium size, and roundish shape, bright yellow, orange-marbled; flesh white, excellent . . . . .	per oz —/5	— —
white flesh } very {			Large Spanish, very large, yellow, much netted; flesh yellowish, red, juicy and of an exquisite flavour . . . . .	per oz —/6	— —
green „ } well {			Spanish Pearl, very juicy and aromatic	per oz —/5	— —
 <p>Cabbage Lettuce, Besson or Marvel. Ejectro 3/—.</p>			Giant of Porto, very large, attaining a weight of about 15 lb.; slightly netted, juicy and of fine flavour . . . . .	per oz —/6	— —
			Abundantia (Dam.). Certainly the most prolific. The oval shaped medium sized slightly ribbed fruits of a bright green colour are green fleshed and of a most delicious flavour. One of the earliest sorts and for this reason well suited for northern countries. The plant produces such a number of fruits that all the ground is covered with them . . . . .	per oz —/3	2 4
			Cilento (Dam.). Of oval shape, smooth dark green skin and medium size. The flesh is greenish, almost white of quite an excellent flavour and very sweet. It keeps very well and may be kept in a dry and airy place (without frost) for many months; its seeds are unlike any of other melons. Highly to be recommended all the more as it is very productive . . . . .	per oz —/2	1 7
			All sorts mixed . . . . .	1 2	80 —
			Frame varieties mixed . . . . .	7 6	— —
			Old Melon seed . . . . .	— 3	16 —
			Netted of Naples . . . . .	per oz —/2	1 7
			Malta, red flesh . . . . .	—/3	2 3
			„ green „ . . . . .	—/3	2 3
			Honfleur netted . . . . .	—/4	2 9
			Tours netted . . . . .	—/4	3 2
			Pine Apple, white flesh . . . . .	—/3	2 3
			„ „ red flesh . . . . .	—/3	2 8
			Hackensack . . . . .	—/3	2 —
			Skillman's netted . . . . .	—/3	2 —
Delmonico . . . . .	—/3	2 —			
Blenheim Orange . . . . .	—/4	3 9			
Best of all (Marcellus) . . . . .	—/4	3 9			
Munroe's Little Heath . . . . .	—/4	3 9			
The Czar . . . . .	—/3	2 —			

The following sorts have been introduced by us two years ago and we can quite especially recommend them.

Asiatic long white, flesh glaucous, like frozen water . . . . . per oz —/3

**Water-Melon.**

	per lb. s. d.	per cwt. s. d.
Red-fleshed of Castellamare, black-seed per oz —/2	1 9	— —
Very large black seeded. „ „ —/2	1 3	— —
Homerus (Dam.) of enormous size; flesh bright red of finest flavour; <i>the seeds are quite soft and can be eaten.</i> per oz —/4	3 —	— —
Brindisi Giant (Dam.). Round, rind smooth and thin, flesh carmine, seeds black, of excellent flavour. . . . per oz —/4	3 —	— —
Julius Caesar (Dam.). Fruit long of very large size; flesh dark red, seeds black; a splendid sort of exquisite musk flavour per oz —/5	4 6	— —
Ice Cream . . . . . „ „ —/2	1 8	— —
Mammoth Ironclad, flesh red „ „ —/2	1 9	— —
Mountain Sprout, flesh red . „ „ —/2	1 9	— —
Oh! My! . . . . .	3 4	— —

An American sort, which is said to grow to a very large size.

Colossus (Electro), also an American sort, producing fruits of more than 150 lb. weight; at the same time the flavour is most delicious; it requires a good sandy loam and convenient manure per oz 1/—	10 —	— —
Wisconsin, grows also very large . . .	3 —	— —
Mixed varieties . . . . .	— 8	55 —

**Okra**, see Sweet Herbs.


**Onion.**

The crop of the Italian varieties has been again almost an entire failure this season. (The growing of Onion seed is one of our specialties; stock seeds of the foreign sorts have been obtained from the most reliable sources.)

Wonder, small white, the earliest of all .	2 9	— —
White Queen (white Barletta, Neapolitan Marzajola) very early, for pickling	2 8	— —
White Nocera, early . . . . .	2 6	— —
„ Etna, silverskinned . . . . .	2 3	— —
„ Pearl „ . . . . .	2 3	— —
Early white Paris . . . . .	2 3	— —
White Valence . . . . .	2 3	— —
Maggiajola, flat white (May-Onion) . . .	2 3	— —
Flat white Italian Tripoli . . . . .	2 3	— —
„ red „ „ . . . . .	— —	— —
Giant white Mammoth (Silverking) . . .	2 5	— —
„ red Mammoth (giant red Garganus or Pompei) . . . . .	2 8	— —
„ Rocca brown . . . . .	2 —	— —
„ „ blood-red . . . . .	2 3	— —
„ „ white (white globe) . . . . .	— —	— —
„ „ yellow . . . . .	2 3	— —
Bassano or Genoa, dark red . . . . .	2 —	— —
Madeira round . . . . .	2 3	— —
„ flat . . . . .	— —	— —
Giant white Victoria, very large . . . .	— —	— —
„ red „ „ „ . . . . .	— —	— —
Coimbra, roundish or flattened, of rosy colour	2 3	— —

	per lb. s. d.	per cwt. s. d.
Prizetaker . . . . .	2 3	— —
Red Wethersfield . . . . .	1 10	— —
James long keeping . . . . .	2 2	— —
Magnum Bonum . . . . .	2 2	— —
Trebons . . . . .	2 2	— —
White Spanish . . . . .	1 10	185 —
Brown „ . . . . .	1 3	125 —
White Lisbon . . . . .	1 —	95 —
„ Portugal . . . . .	1 6	160 —
„ round Dutch . . . . .	1 6	160 —
Danvers yellow . . . . .	1 10	— —
Zittau giant, yellow or pale red . . . .	1 9	— —
„ „ red . . . . .	1 9	— —

**Orach**, see Spinach.



Water-Melon Colossus.  
Electro 4/—.

**Parsley.**

Common or plain . . . . .	6	36
Curled . . . . .	6	40
Myatt's dwarf . . . . .	7	44
Moss-curved . . . . .	6	40
Fern-leaved . . . . .	7	—
Italian large-leaved (Celery-leaved) . .	1	—
Giant of Eboli (Dam.) . . . . .	1 2	—

Both very large, especially the last one, resembling almost the Celery; we recommend these 2 sorts quite particularly.

Turnip-rooted long . . . . .	8	52
„ „ short . . . . .	8	54

**Parsnip.**

Long smooth . . . . .	5	40
Round . . . . .	5	40

	per lb. s. d.	per cwt. s. d.
Hollow crown . . . . .	— 6	50 —
Elcombe's improved . . . . .	— 6	50 —
Sutton's Student . . . . .	— 6	50 —
Dobbie's selected . . . . .	— 6	50 —

**Peas.**

Prince Albert (of Paris) . . . . .	— 5	26 —
Caractacus . . . . .	— 5	30 —
Express, green . . . . .	— 5	30 —
Alaska " . . . . .	— 5	32 —
Fillbasket (Laxton) . . . . .	— 5	26 —
White Victoria . . . . .	— 5	30 —
New Emperor, green . . . . .	— 5	33 —
Clamart . . . . .	— 5	33 —
Serpette . . . . .	— 5	33 —
Ring leader . . . . .	— 5	32 —
Extra early dwarf . . . . .	— 5	36 —



Tomato *semperfructifera*.  
Electro 3/—.

De Grace . . . . .	— 6	38 —
Beck's Gem . . . . .	— 7	45 —

**Peas (Wrinkled Varieties).**

Queen of England . . . . .	— 6	38 —
Telephone . . . . .	— 8	50 —
Knight's . . . . .	— 6	38 —
Laxton's Alpha . . . . .	— 8	50 —
Stratagem . . . . .	— 8	50 —
American Wonder . . . . .	— 8	48 —

(Any other English, French or German &c.

Peas can be supplied in best quality at same or lower prices than those of other respectable firms.)

Gioachino, early, very productive . . . . .	— 3	20 —
Marcantonio, white, dwarf . . . . .	— 3	20 —

(Two very fine Italian sorts.)

**Radish**

(saved from transplanted roots).

	per lb. s. d.	per cwt. s. d.
Turnip scarlet . . . . .	1 —	96 —
" early scarlet . . . . .	1 2	105 —
" extra early scarlet . . . . .	— 11	80 —
" early scarlet white tipped . . . . .	— 11	80 —
" early white . . . . .	— 10	— —
" very early yellow . . . . .	1 —	96 —
Olive shaped scarlet . . . . .	1 —	90 —
" " " white tipped (French breakfast) . . . . .	1 —	90 —
" " early deep scarlet . . . . .	1 —	90 —
" " " " white-tipped (new) . . . . .	1 —	90 —
Long scarlet or short top . . . . .	— 11	88 —
" Wood's early frame . . . . .	— 9	75 —
" White Naples . . . . .	— 11	88 —
" scarlet " . . . . .	1 —	96 —
Summer Black Turnip . . . . .	— 9	78 —
" Black Long . . . . .	— 9	78 —
Winter Spanish Black Round . . . . .	— 9	78 —
" " " Long . . . . .	— 9	78 —
" Scarlet China . . . . .	— 9	75 —

**Rhubarb.**

Myatt's Victoria . . . . .	1 —	— —
Prince Albert . . . . .	1 2	— —

Salsify, Mammoth Sandwich Island . . . . . — 10 — —

*Scolymus hispanicus* (sort of Salsify) . . . . . 1 3 — —

**Scorzonera.**

Common . . . . .	2 —	— —
Large Russian . . . . .	3 —	— —

Sea-Kale (*Crambe maritima*) . . . . . 2 3 — —

Shallot (bulbs) (price variable) . . . . . — 5 — —

**Spinach.**

Prickly or Winter (prickly seed) . . . . .	— 5	30 —
Monstrous Viroflay (round seed) . . . . .	— 5	30 —
Round-leaved large Dutch (round seed) . . . . .	— 5	30 —
Victoria, dark green . . . . .	— 5	30 —
Catillon, very large, dark green long standing . . . . .	— 6	33 —
Lettuce leaved (round seed) . . . . .	— 5	30 —
Long-standing, round seed . . . . .	— 6	33 —
New Zealand ( <i>Tetragonia expansa</i> ) . . . . .	— 10	85 —
Mountain Spinach or Orach, white . . . . .	— 6	— —

**Swiss Chard.**

Silver-ribbed (yellowish white) . . . . .	— 6	40 —
" " curled . . . . .	— 6	40 —
Chilian scarlet-ribbed . . . . .	— 8	— —
" yellow-ribbed . . . . .	— 8	— —

**Tomato.**

Acme . . . . .	— —	— —
Apricot (Dam.) new; orange-coloured, mostly round, sometimes slightly ribbed and	— —	— —

	per lb. s. d.	per cwt. s. d.
rough-skinned; when cooked the fruits have the flavour of the Apricot . per oz —/6	5 6	— —
Aurora (Dam. 97) apple-shaped, orange-yellow; flesh solid . . . per oz —/4	3 —	— —
Cardinal . . . . . „ „ —/4	3 2	— —
Carter's Duke of York . . . „ „ —/4	3 9	— —
Challenger, very large, scarlet; very productive . . . . . per oz —/4	3 3	— —
Chemin, one of the finest sorts „ „ —/4	2 9	— —
Cherry-shaped, red . . . „ „ —/3	1 7	— —
Conference . . . . . „ „ —/3	2 3	— —
Conqueror . . . . . „ „ —/4	2 6	— —
Coriolan (Dam.) upright; fruits round, smooth and of abriiliant purple . per oz —/4	3 3	— —
Enormous, an American sort, fruits of an enormous size . . . . . per oz —/5	4 3	— —
Ficarazzi (Dam.) the earliest of all per oz —/3	1 7	— —

	per lb. s. d.	per cwt. s. d.
Mayflower . . . . . per oz —/3	2 —	— —
Meteor (Dam.) very dwarf; needs no sticks; fruits large, smooth, scarlet, solid per oz —/5	4 3	— —
Mikado, purple . . . . . „ „ —/4	3 —	— —
„ scarlet . . . . . „ „ —/4	3 —	— —
Non plus ultra (Dam.) large red „ „ —/3	1 10	— —
Northlight (Dam.) upright; fruit not very large, round carmine-red; flesh solid . . . . . per oz —/5	4 3	— —
Northern Beauty . . . . . „ „ —/3	2 3	— —
Paragon . . . . . „ „ —/3	1 10	— —
Peach (Dam.) . . . . . „ „ —/3	2 —	— —
Pear-shaped red . . . . . „ „ —/3	1 7	— —
Perfection . . . . . „ „ —/4	2 7	— —
Pine Apple (Dam.) round, golden-yellow; enormous bearer . . . . . per oz —/4	3 —	— —
Ponderosa . . . . . „ „ —/5	3 8	— —



Vegetable Marrow, Neapolitan Cocozzella. Electro 3/3.



Cocozzella of Tripoli. Electro 3/—.

Frogmore selected . . . per oz —/6	5 —	— —
Goldball (Dam. 97) golden yellow; fleshy; velvety skinned . . . per oz —/4	3 —	— —
Ham Green Favorite . . . „ „ —/5	4 6	— —
Helios (Dam. 97) fruits velvet skinned, coral red, very fleshy and solid, containing but few seeds; early and therefore suitable also for northern countries . per oz —/4	3 3	— —
King Humbert (Dam.) red; well-known fine sort . . . . .	— 10	60 —
King Humbert (Dam.) golden-yellow; the finest of all yellow sorts . per oz —/4	2 —	— —
King Humbert (Dam.) white (wax); very prolific and of fine flavour . per oz —/4	3 —	— —
Large red . . . . .	— 6	45 —
„ „ early dwarf . . . . .	1 5	— —
„ „ yellow . . . . .	2 9	— —
„ „ Laxton's open air . per oz —/4	3 —	— —
Lemon Blush . . . . . „ „ —/3	1 5	— —
Matchless . . . . . „ „ —/4	3 —	— —

President Garfield . . . per oz —/4	3 2	— —
Prince of Naples (Dam.) fruits scarlet, of enormous size, flat-round, slightly ribbed . . . . . per oz —/6	5 —	— —
Red Apple . . . . . „ „ —/3	2 —	— —
Ruby, large red early . . . „ „ —/3	1 9	— —
Semperfructifera (Dam.) (Electro) enormously prolific, bearing large clusters of plum-shaped scarlet fruits (often 50 to one cluster). With us the first fruits are ready in May and the plants continually produce them almost until Xmas; they are not very large, but solid and of fine flavour . . . . . per oz —/4	3 6	— —
Skamander (Dam.) upright, large purple fruits like those of Woodgate Hero, from which it descends . . . per oz —/4	3 3	— —
Tokio (Dam. 97) fruits dark red, large, fleshy, often of a very curious form . . . . . per oz —/4	3 —	— —

	per lb. s. d.	per cwt. s. d.
Trophy, red . . . . . per oz —/3	2 6	— —
All sorts mixed . . . . .	— 6	40 —
<b>Turnip (Garden).</b>		
Very early flat white Dutch . . . . .	— 11	100 —
Golden Ball . . . . .	— 8	70 —
Munich early purple top . . . . .	— 11	100 —
Early red top strap-leaved American stone . . . . .	— 10	70 —
Early white top strap-leaved American stone . . . . .	— 10	70 —
Milan purple top strap-leaved very early . . . . .	1 4	145 —
Milan white top extra early, new . . . . .	1 8	— —
Early flat red top . . . . .	— 10	70 —
Early Snowball . . . . .	— 10	70 —
Jersey white . . . . .	— 9	68 —
Jersey Lily Turnip . . . . .	— 10	— —
Chirk Castle black stone . . . . .	— 9	68 —



Cocozzella snow-white Belmonte. Electro 3/3.

	per lb. s. d.	per cwt. s. d.
Cocozzella of Tripoli (new) (Electro) . . . . .	2 3	— —
"    "    "    white . . . . .	2 —	— —
"    "    Molfetta, dwarf, with long yellowish-white fruits; very fine . . . . .	1 7	— —
"    "    snow - white Belmonte (Dam.) (Electro). Dwarf with long white fruits; particularly fine . . . . .	2 6	— —
Charles Naudin (Cucurbita moschata) (Dam.) a beautiful sort, slightly climbing, with round white-striped white-fleshed fruits and large silvery seeds . . . . .	2 9	— —
Scarlet Chinese Sugar, fruits round with scarlet rind; flesh very solid and sweet . . . . .	2 4	— —
Wonder, new; very early and prolific; round, of medium size; the seeds have no shell as those of other kinds but only a very soft skin . . . . . per oz —/4	3 —	— —



Vegetable Marrow, Neapolitan longest green running. Electro 4/—.

**Vegetable Marrow.**

Vegetable Marrow long green Bush or Neapolitan Cocozzella, green and yellow striped (Electro) . . . . .	1 1	92 —
Neapolitan Portmanteau green . . . . .	1 2	90 —
Italian white Mushroom (Champignon) Dam. . . . .	1 3	— —
Marrow early golden Bush . . . . .	1 8	— —
"    Squash Hubbard . . . . .	1 5	— —
Long white Marrow . . . . .	1 10	— —
Early white Bush . . . . .	1 8	— —
Large yellow gourd or yellow Mammoth " white " " white " . . . . .	3 6	— —
"    "    "    red " . . . . .	3 6	— —
"    "    "    green " . . . . .	3 6	— —
Ohio large yellow . . . . .	2 —	— —

King's Acre Cream . . . . .	2 6	— —
Pen-y-byd . . . . .	2 6	— —
Neapolitan longest green running (Lagenaria leucantha longissima (Cocozzella da pergola) (Electro) when young, this sort furnishes quite an excellent dish; cut into pieces of ab <sup>t</sup> 3 in. long, take out the seeds, fill it up again with a stuffing of meat &c. boil, and serve with Tomato sauce . . . . .	2 —	— —
Moore's Vegetable Cream . . . . .	1 10	— —
English Vegetable Marrow (à la moelle anglais) . . . . .	1 3	— —
Long green trailing . . . . .	1 8	— —
"    white " . . . . .	1 8	— —
Whale, greyish green . . . . .	2 4	— —



## II. Swede, Turnip and Mangel Wurzel.

Prices variable.

	per lb. s. d.	per cwt. s. d.		per lb. s. d.	per cwt. s. d.
<b>Swede.</b>			<b>Mangel Wurzel.</b>		
White-fleshed . . . . .	1 2	— —	Long red . . . . .	— 6	44 —
Yellow green top . . . . .	1 —	95 —	„ yellow . . . . .	— 7	52 —
„ purple top . . . . .	1 2	— —	„ Mammoth . . . . .	— 6	44 —
Laings yellow purple top . . . . .	— 11	— —	Champion Yellow Globe . . . . .	— 6	44 —
Skirvings „ „ . . . . .	— 10	— —	Golden Tankard . . . . .	— 6	45 —
Bangholm „ „ . . . . .	1 2	— —	Oberndorf Yellow Globe . . . . .	— 6	38 —
Norfolk „ „ . . . . .	1 2	— —	„ Red Globe . . . . .	— 6	44 —
<b>Turnip.</b>			Olive-shaped Yellow or Intermediate . . . . .	— 6	44 —
White Tankard, green top . . . . .	— 7	48 —	„ „ Red . . . . .	— 6	44 —
Red „ . . . . .	— 6	45 —	The seeds of <b>Swede, Turnip</b> and <b>Mangel Wurzel</b> as offered above have been grown from best stocks; any other sorts not enumerated will be supplied also in reliable quality at cheapest prices.		
Pomeranian White Globe . . . . .	— 7	55 —			
Red Top Norfolk . . . . .	— 7	52 —			
Green Top Norfolk . . . . .	— 7	50 —			
Skirving's Purple Top Yellow . . . . .	— 7	48 —			
Carters Purple top Mammoth . . . . .	— —	— —			
Aberdeen purple top . . . . .	— —	— —			

## III. Sweet Herbs &c.

	per lb. s. d.	per cwt. s. d.		per lb. s. d.	per cwt. s. d.
Arachis hypogaea (Pea-nut; ground-nut) . . . . .	— 4	25 —	Fennel largest sweet of Sicily, new . . . . .	— 11	— —
Angelica (Angelica Archangelica) . . . . .	1 8	— —	„ Prince Bismarck, very large . . . . .	— 11	— —
Anise (Pimpinella Anisum) best of Apulia (South Italian) . . . . .	— 8	50 —	„ Morosini (Dam.) new; the largest, finest and sweetest; a first rate sort . . . . .	— 11	— —
Balm (Melissa officinalis) . . . . .	1 10	— —	These sweet Fennels are quite excellent and whoever tried them with us here, were very satisfied.		
Basil sweet, large green . . . . .	1 —	— —	Horehound (Marrubium vulgare) . . . . .	1 9	— —
„ large purple . . . . .	1 —	— —	Hyssop Hyssopus officinalis . . . . .	1 6	— —
„ bush purple . . . . .	1 —	— —	Ice plant (Mesembrianthemum cristallinum) . . . . .	2 3	— —
„ „ green . . . . .	— —	— —	Lavender (Lavendula spica) . . . . .	1 —	— —
„ of Abyssinia (O. suave) excellent both for the kitchen and as a decorative plant (failed) . . . . .	— —	— —	„ true (Lavendula vera) . . . . .	1 8	— —
Basil purple dwarf curled . . . . .	1 9	— —	Marigold, Pot (Calendula officinalis) . . . . .	1 3	— —
Blessed Thistle (Centaurea benedicta) . . . . .	— 5	— —	Marjoram, sweet (Majorana hortensis) . . . . .	1 —	— —
Borage (Borago officinalis) . . . . .	1 —	— —	„ pot (Origanum vulgare) per oz —/6 . . . . .	5 10	— —
Burnet, Garden (Poterium hortense sanguisorba) . . . . .	— 6	— —	Mignonette, see Flower Seeds.		
Caper Tree, see Tree Seeds (Capparis). . . . .	— —	— —	Mint, Mentha piperita, Peppermint . . . . .		
Caraway (Carum Carvi) . . . . .	— 5	32 —	„ „ „ . . . . . oz 2/6 . . . . .		
Chives (seed) . . . . . oz 1/3 . . . . .	15 —	— —	„ „ „ . . . . . oz 2/6 . . . . .		
Cardoon, see Vegetable seeds.			„ „ Pulegium, (Penny-Royal) . . . . .		
Clary (Salvia sclarea) . . . . .	1 10	— —	„ „ „ . . . . . per oz 1/3 . . . . .		
Coriander (Coriandrum sativum) . . . . .	— 3	13 10	„ „ viridis, (Spear-Mint) the best for sauces . . . . . per oz 2/3 . . . . .		
Cumin (Cuminum Cyminum) . . . . .	— 5	31 —	Okra, dwarf early . . . . .	1 6	— —
Dill (Anethum graveolens) . . . . .	— 6	— —	„ „ improved . . . . .	1 9	— —
Fennel, Carosella of Naples (Foeniculum piperatum) . . . . .	1 10	— —	„ „ white Louisiana . . . . .	1 9	— —
„ sweet Bolognese (Foeniculum dulce) . . . . .	— 11	— —	„ „ Egyptian (Hibiscus lutescens) . . . . .	1 6	— —

	per lb. s. d.	per cwt. s. d.		per lb. s. d.	per cwt. s. d.
Purslain green ( <i>Portulacca oleracea</i> ) . . . . .	— 11	— —	Savory, Winter or perennial ( <i>Satureja montana</i> ) . . . . .	1 3	— —
„ golden . . . . .	1 2	— —	Skirret . . . . .	— —	— —
Pyrethrum <i>cinerariaefolium</i> per oz —/6	4 6	— —	Sorrel, common . . . . .	1 4	— —
Rampion (Raiponce) <i>Campanula</i> ( <i>Rapun- culus</i> ) . . . . .	3 3	— —	„ broad-leaved French . . . . .	1 5	— —
Rocket ( <i>Brassica Eruca</i> , <i>Eruca sativa</i> )	— 5	— —	Tarragon, Russian ( <i>Artemisia Dracunc- ulus</i> ) . . . . . per oz 2/3	— —	— —
Rosemary ( <i>Rosmarinus officinalis</i> ) . . . . .	4 5	— —	Thyme, Summer . . . . .	2 2	— —
Rue ( <i>Ruta graveolens</i> ) . . . . .	— 11	— —	„ German Winter . . . . .	2 —	— —
Sage ( <i>Salvia officinalis</i> ) . . . . .	1 —	— —	Wormwood ( <i>Artemisia Absinthium</i> ) . . . . .	2 —	— —
„ large-leaved . . . . .	1 5	— —	Veronica <i>beccabunga</i> . . . . .	2 2	— —
Savory, Summer or annual ( <i>Satureja hortensis</i> ) . . . . .	— 5	40 —			

## IV. Clovers, Lucerne &c. &c.

Prices variable; terms 30 days.

	per lb. s. d.	per cwt. s. d.		per lb. s. d.	per cwt. s. d.
Bird's foot Trefoil ( <i>Lotus corniculatus</i> )	1 —	85 —	Sainfoin, common ( <i>Hedysarum Onobry- chis</i> ) in husk . . . . .	— —	14 —
Broom, common ( <i>Spartium scoparium</i> )	— 5	25 —	Sainfoin, common ( <i>Hedysarum Onobry- chis</i> ) husked or milled (to be preferred, as the seeds grow more easily) . . . . .	— 5	42 —
„ yellow or Spanish ( <i>Spartium junceum</i> ) . . . . .	— 5	29 —	Sulla (Spanish Sainfoin, <i>Hedysarum coronarium</i> ) in husk . . . . .	— —	18 —
Clover, Alsike ( <i>Trifolium hybridum</i> ) . . . . .	— 9	75 —	Sulla (Spanish Sainfoin, <i>Hedysarum coronarium</i> ) husked or milled (to be preferred, as the seeds grow more easily)	1 —	92 —
„ Bokhara ( <i>Melilotus alba</i> ) . . . . .	— 7	57 —	Sulla is one of the very best fodder plants for warmer countries. Ask for special circular on Sulla which will be sent free on application.		
„ Crimson, scarlet or Italian ( <i>Trif. incarnatum</i> ) . . . . .	— —	35 —	Spurrey, common ( <i>Spergula arvensis</i> ) . . . . .	— —	21 —
„ red ( <i>Trifolium pratense</i> ) . . . . .	— 8	68 —	Tares, common or Spring Vetches ( <i>Vicia sativa</i> ) . . . . .	— —	13 —
„ white ( „ <i>repens</i> ) . . . . .	— 9	68 —	„ <i>Vicia narbonensis</i> . . . . .	— 4	20 —
Fenugreek ( <i>Trigonella foenum graecum</i> )	— —	13 —	„ „ <i>villosa</i> , crop very scarce . . . . .	— 6	45 —
Furze, Gorse or Whin ( <i>Ulex europaeus</i> )	1 —	— —	„ <i>Faba arvensis</i> . . . . .	— —	12 6
Goat's Rue ( <i>Galega officinalis</i> ) . . . . .	— —	19 —	„ „ <i>equina</i> (Horse Bean) . . . . .	— —	13 —
Lathyrus <i>Clymenum</i> . . . . .	— —	14 —	Trefoil yellow, ( <i>Medicago lupulina</i> ) . . . . .	— 3	27 —
Lentil, Spanish ( <i>Lathyrus sativus</i> ) . . . . .	— —	14 —	Vetchling ( <i>Lathyrus sylvestris</i> ) . . . . .	2 8	— —
Lupins, white ( <i>Lupinus albus</i> ) . . . . .	— —	11 —	Yellow Sand Clover ( <i>Anthyllis vulneraria</i> )	1 —	— —
„ yellow ( „ <i>luteus</i> ) . . . . .	— —	11 —			
„ blue ( „ <i>angustifolius</i> ) . . . . .	— —	15 —			
Lucerne ( <i>Medicago sativa</i> ) best Italian, carefully sifted, fine quality . . . . .	— 9	52 —			
„ hardy ( <i>Med. media</i> ) . . . . .	— 11	90 —			
„ tree ( <i>Med. arborea</i> ) . . . . .	— 10	— —			
Melilotus <i>coerulea</i> . . . . .	— 10	— —			
Pea, Wood-(Vetchling) improved ( <i>Lathyrus sylvestris Wagneri</i> ) . . . . .	1 6	— —			

## V. Grasses.

Prices variable.

	per lb. s. d.	per cwt. s. d.		per lb. s. d.	per cwt. s. d.
Bent-Grass creeping ( <i>Agrostis stolonifera</i> ) . . . . .	— 8	55 —	Brome meadow ( <i>Bromus pratensis</i> ) . . . . .	— 8	51 —
Brome, Hungarian or awnless ( <i>Bromus inermis</i> ) . . . . .	— 7	55 —	Canary-Grass ( <i>Phalaris arundinacea</i> ) . . . . .	2 9	— —
„ soft or Bull Grass ( <i>Bromus mollis</i> ) . . . . .	— —	15 —	Cocksfoot, common ( <i>Dactylis glomerata</i> ) . . . . .	— 8	51 —
			Crested Dogstail ( <i>Cynosurus cristatus</i> ) . . . . .	— 8	58 —
			Eleusine <i>coracana</i> . . . . .	— 10	— —

	per lb. s. d.	per cwt. s. d.		per lb. s. d.	per cwt. s. d.
Fescue, hard ( <i>Festuca duriuscula</i> ) . . .	— 5	40 —	Rye-Grass, English ( <i>Lol. perenne</i> ) 28 lb.	— —	23 —
„ tall ( „ <i>elatior</i> ) . . .	— 6	44 —	„ „ „ ( „ „ „ ) 26 lb.	— —	22 —
„ various-leaved ( <i>Festuca hetero-</i> <i>phylla</i> ) . . . . .	— 9	64 —	„ „ „ ( „ „ „ ) Pacey's	— —	28 —
„ sheep's ( <i>Festuca ovina</i> ) . . .	— 5	39 —	Soft Grass, meadow, Honey gr. ( <i>Holcus</i> <i>lanatus</i> ) . . . . .	— 3	18 —
„ meadow ( „ <i>pratensis</i> ) . . .	— 7	58 —	Sweet Vernal Grass ( <i>Anthoxanthum</i> <i>odoratum</i> ) true . . . . .	1 6	— —
„ red or creeping ( <i>Festuca</i> <i>rubra</i> ) . . . . .	— 5	39 —	Sweet Vernal Grass common ( <i>Antho-</i> <i>xanthum odoratum</i> Puellii) . . . . .	— 6	44 —
Hair-Grass waved ( <i>flexuosa</i> ) . . . .	— 6	44 —	Teosinte, ( <i>Reana luxurians</i> ) . . . . .	1 5	125 —
Meadow, Foxtail ( <i>Alopecurus pratensis</i> )	9 —	65 —	Timothy ( <i>Phleum pratense</i> ) . . . . .	— 5	38 —
„ wood ( <i>Poa nemoralis</i> ) . . . . .	— 9	64 —	Lawn Grass . . . . .	— —	34 —
„ smooth-stalked ( <i>Poa pratensis</i> )	— 7	54 —	Mixture for meadows, pastures &c.	— —	34 —
„ rough-stalked ( „ <i>trivialis</i> ) . . .	— 8	64 —	„ „ „ „ in-	— —	36 —
Marram-, Reed-Grass ( <i>Arundo arenaria</i> , <i>Ammophila arundinacea</i> ) . . . . .	1 —	92 —	„ „ „ „ „ „ including clovers &c. .	— —	38 —
Millet, Pearl or cat-tail, ( <i>Penicillaria</i> <i>spicata</i> ) . . . . .	— 6	— —	„ „ „ „ „ „ „ „ „ „ wet . . . . .	— —	38 —
Oats, tall ( <i>Avena elatior</i> ) . . . . .	— 8	52 —	Please indicate nature of soil, expo-		
Rye-Grass, Italian ( <i>Lolium Italicum</i> ) .	— —	25 —	sure &c. &c.		

## VI. Seeds of sundry Agricultural, Economical, Official &c. Plants.

Prices variable.

	per lb. s. d.	per cwt. s. d.		per lb. s. d.	per cwt. s. d.
Barley, best Italian } very fine Italian	— —	12 —	grains of which are wrapped up in a		
„ Altamura } varieties . . . . .	— —	12 —	reddish hull . . . 10 spikes —/10	— 6	— —
Canary-seed ( <i>Phalaris canariensis</i> ) . . .	— —	13 —	The following are the best American		
Chamomile ( <i>Matricaria Chamomilla</i> ) . .	2 7	— —	varieties, which we can warmly recommend		
Cotton ( <i>Gossypium herbaceum</i> ), Nea- politan . . . . .	— —	14 —	for their great productiveness.		
„ Gordon Pasha, very fine . . . . .	1 3	— —	Jowa Gold Mine, yellow . . . . .	— 3	18 —
Cumin ( <i>Cuminum Cyminum</i> ) . . . . .	— 5	31 —	„ Silver „ white . . . . .	— 3	18 —
Flax, giant of Naples ( <i>Linum usitatissi-</i> <i>mum</i> ) . . . . .	— —	23 —	Giant of Mexico, „ . . . . .	— 3	18 —
„ Riga, grown from Riga stock seeds	— 5	26 —	Mastodon improved, yellow . . . . .	3	18 —
„ Campania, dwarf, furnishes the best	— 5	26 —	Longfellow, yellow . . . . .	— 3	18 —
fibre suitable for the finest texture . .	— 5	26 —	Leaming, yellow, one of the best . . . .	— 3	20 —
Hemp, giant of Naples, large-seeded	— 5	26 —	Lentil, small red ( <i>Ervum lens minor</i> )	— 4	26 —
„ „ „ „ small- „ . . . . .	— 4	22 —	„ large yellow . . . . .	— 4	22 —
„ „ „ Piedmont, a choice	— 6	35 —	Millet, yellow Neapolitan . . . . .	— —	12 —
variety, growing very high			„ silver-white round Italian . . . . .	— —	13 —
<b>Indian Corn or Maize.</b>			„ Italian ( <i>Panicum Italicum</i> ) ex-		
Nanerottolo, very dwarf; the earliest of all	3	17 —	cellent, especially for warmer countries;		
Ambra . . . . . 10 spikes —/9	— 2	13 —	sown in April, it can be cut already in July	— 2	12 —
Harlequin . . . . . 10 „ —/9	— 2	13 —	Millet of Yokohama ( <i>Eleusine caracana</i> var.) . . . . .	— 4	20 —
Caragua, giant white (Horse tooth)	— 2	13 —	Moha, Hungarian or German Millet		
Six weeks or Quarantine of Naples	— 2	10 —	( <i>Panicum Germanicum</i> ) . . . . .	— 4	24 —
Seven-weeks or Cinquantine, yellow .	— 2	12 —	„ green Californian . . . . .	3	16 —
Yellow large of Naples . . . . .	— 2	10 —	Nettle China-Grass, Silvery Ramieh		
Pearl, white . . . . .	— 2	16 —	( <i>Urtica nivea</i> ) . . . . . per oz 1/6	20	
Kansas King, giant white . . . . .	— 2	13 —	Oats best Naples . . . . .	— —	12 —
In the husk, an interesting sort, the			„ „ of the Abbruzzes . . . . .	— —	12 —
			<i>Panicum frumentaceum giganteum</i> , an		
			annual grass, growing very quickly, about		

	per lb. s. d.	per cwt. s. d.		per lb. s. d.	per cwt. s. d.
6 feet high and producing an enormous amount of green fodder; crop small . . .	— 10	— —	Tobacco Turkish Bafra per oz	1/—	12 —
Rice, Piedmontese (Novara) . . . . .	— 4	25 —	” Turkish Samsum ” ”	1/—	12 —
” of Castellamare (Naples) . . . . .	— 4	17 —	” American Kentucky ” ”	1/—	12 —
Rye, winter of Naples . . . . .	— 10	— —	” ” Burley ” ”	1/—	12 —
” of the Abbruzzes . . . . .	— 10	— —	” Pennsylvania ” ”	1/—	12 —
Rush ( <i>Juncus multiflorus</i> ) . . . . .	— 7	— —	” Seed Leaf ” ”	1/—	12 —
Sacaline ( <i>Polygonum sacchalinese</i> ) . . . . .	9 —	— —	” Virginia ” ”	1/—	12 —
Sorghum, ( <i>Holcus Sorghum</i> ) Broomcorn	— —	9 —	” Seed Leaf ” ”	1/—	12 —
” <i>cernuum</i> (Douro, Durra) . . . . .	— —	19 —	” Havana . . . . .	2/6	25 —
” <i>saccharatum</i> (Sugar-Millet)	— —	16 —	” Brazilian . . . . .	1/9	19 —
” black-seeded	— —	16 —	” Sumatra (Deli) . . . . .	5/—	62 —
” Minnesota	— —	16 —	Seeds obtained exclusively from the		
” (Amber cane)	— —	16 —	respective native countries.		
” Orange-Sugar	— —	19 —	Tobacco Sumatra, grown in Europe . . .	4 6	— —
” the Shaw, dwarf,	— —	22 —	Trevir (for insect powder) ( <i>Pyrethrum</i>		
ab <sup>t</sup> 4 to 5 feet high, very early, compact,	— —	22 —	<i>cinerariaefolium</i> ) . . . per oz	—/5	4 6
with large panicles, very rich in sugar . . .	— —	22 —	Wheat Bianchetta . . . . .	— —	13 —
Sorghum <i>halepense</i> , perennial, attains in	— 6	35 —	” Carosella . . . . .	— —	13 —
a very short time a height of ab <sup>t</sup> 6 feet	— 6	35 —	” Majorica white . . . . .	— —	13 —
Sorghum <i>halepense</i> , <i>giganteum</i> ; a	— 7	40 —	” red . . . . .	— —	13 —
gigantic grass, growing in one summer	— 7	40 —	” Rieti . . . . .	— —	19 —
ab <sup>t</sup> 12 to 15 feet high . . . . .	— 7	40 —	” Noè . . . . .	— —	16 —
Sunflower, common . . . . .	— —	14 —	” Saragolla . . . . .	— —	15 —
” Hungarian . . . . .	— —	14 —	” Selina . . . . .	— —	13 —
” Russian giant . . . . .	— —	15 —	” Fucense . . . . .	— —	19 —
Tobacco ( <i>Nicotiana Tabacum</i> var.)	— —	— —	With the exception of Noè all others		
” Hungarian Szegedin. per oz	—/8	6 9	are native of Italy and of great repute		
” ” Debroë ” ”	—/8	7 6	in this country; in fact they are excellent		
” Hungarian Czetneck ” ”	—/10	9 6	and will certainly give satisfaction.		
			Yarrow ( <i>Achillea millefolium</i> ) clean seed	5 —	— —

## VII. Fruit Trees.

(See our remarks on Seeds of Trees, Shrubs &c. page 20, to which we refer.)

	per lb. s. d.		per lb. s. d.
<i>Amygdalus communis</i> (Almond bitter) cwt.	31/—	— 6	<i>Coffea arabica</i> (Arabian Coffee Tree) 100 fruits
” ” <i>dulcis</i> ” sweet ”	33/—	— 6	1/10
” <i>fragilis</i> (Almond Princess) ”	41/—	— 8	” <i>liberica</i> . . . . . 100 fruits
” <i>tenerrima</i> , with very thin shell . . . . .	— —	— 10	3/6
” <i>Persica</i> (Peach, common) cwt.	6/—	— —	<i>Corylus Avellana</i> (Hazel Nut) best South Italian,
<i>Anona squamosa</i> (Sweet Sop Sugar Apple)	oz —/5	4 6	from Avellino cwt.
” <i>triloba</i> (Papaw Custard-Apple) ”	—/4	4 —	27/—
<i>Arbutus Unedo</i> (Strawberry Tree) . . . . .	2 3	— —	” ” var. Sicilian . . . . .
<i>Carica Papaya</i> (Papaw common, Melontree)	1000 seeds	3/6	” ” fol. <i>atropurpureis</i> . . . . .
” <i>macrocarpa</i> , large-fruited ”	16/—	— 4	2 8
<i>Ceratonia Siliqua</i> (Carob Tree) . . . . .	— 4	— —	<i>Crataegus Azarolus</i> (Neapolitan Medlar) clean
<i>Citrus Aurantium</i> (Orange Tree) . . . . .	3 6	— —	seed . . . . .
” <i>Bigaradia</i> . . . . .	3 3	— —	2 8
” <i>Limonum</i> (Lemon Tree) . . . . .	3 6	— —	<i>Cydonia japonica</i> ( <i>Pirus</i> ) . . . . . oz
” <i>medica</i> (Citron Tree) . . . . . oz	—/7	6 6	—/9
” <i>myrtifolia</i> . . . . . ”	1/3	— —	” <i>vulgaris</i> (Common Quince) . . . . .
” <i>nobilis</i> (Mandarine Tree) . . . . . ”	—/10	— —	2 —
			<i>Diospyros Lotus</i> (Date Plum) . . . . .
			1 2
			” <i>sinensis</i> (Kaki) (Japanese Date Plum)
			oz —/4
			” <i>virginica</i> (Virginian Date Plum) . . . . .
			1 8
			<i>Eriobotrya japonica</i> (Loquat tree. Japan
			Medlar) . . . . .
			— 6
			<i>Ficus carica</i> mixed (Fig tree cultivated) oz
			—/9
			<i>Fragaria vesca</i> Alpine (des 4 saisons) ”
			—/3
			” ” very large fruits . . . . . ”
			—/3
			3 4

	per lb. s. d.		per lb. s. d.
Juglans americana nigra (Black Walnut) . . . . . cwt. 19/—	— 4	Prunus Avium dulcis (Cultivated Cherry) . . . . .	— 4
„ regia var. Sorrento (Sorrento Walnut) . . . . . cwt. 41/—	— 6	„ acida . . . . .	— 4
„ „ „ Nocera . . . . . „ 41/—	— 6	„ damascena St. Julien . . . . .	— 4
„ „ „ graeca (Giant Walnut) „ 52/—	— 7	„ Myrobolana 1 <sup>st</sup> . Qual. . . . . cwt. 35/6	— 5
Mangifera indica (Mangotree) . . . . . 10 seeds 1 2	— —	Psidium Cattleyanum . . . . . oz 1/7	— —
Morus alba of Milan (Mulberry Tree white) . . . . .	1 9	Punica Granatum (Pomegranate) . . . . . „ —/3	3 —
„ nigra vera . . . . . oz —/2	1 10	Ribes Grossularia (Gooseberry) . . . . . „ —/4	3 9
Olea europaea (Olive Tree) . . . . . cwt. 55/—	— 7	„ rubrum (Red Currant) . . . . . „ —/3	2 6
„ „ fr. nigro (Olive Tree black) . . . . .	— 9	Rubus fruticosus (Blackberry) . . . . .	1 6
„ „ fr. maxima . . . . .	— 9	„ Idaea (Rapsberry) . . . . . oz —/2	2 —
Opuntia Ficus indica (Indian Fig) . . . . . oz —/5	— —	Sorbus Aria (White Beam) . . . . .	— 8
Persea gratissima (Alligator Pear) 100 seeds 13/—	— —	„ domestica (Service Tree) . . . . . oz 1/—	— —
Pirus communis (Pear pips) . . . . .	2 —	Thea Bohea (Chinese Tea Tree) 100 seeds 4/6	— —
„ japonica (Pear Tree of Japan) oz —/5	4 6	Vitis vinifera, Capri, white . . . . . oz —/3	2 3
„ Malus (Apple-Pips) . . . . .	— 8	„ „ Moscatella, white . . . . . „ —/4	3 9
Pistacia vera (Pistachia Tree of Sicily) . . . . .	1 10	„ „ black . . . . . „ —/4	3 9
Prunus Armeniaca (Apricot Tree) . . . . .	— 4	„ „ Vesuvius (Lacrymae Christi) „ —/3	2 3
		„ „ of Naples, mixed . . . . .	1 3
		„ Coignetiae . . . . . oz —/9	— —
		„ riparia . . . . . „ —/6	5 3

## VIII. Seeds of Trees, Shrubs &c.

We shall be glad to receive orders for these seeds as early in the season as possible as we have them collected only in such quantities as to meet our regular demand; orders for larger quantities should at any rate be sent in September at latest, but possibly earlier; even having accepted an order we wish it however to be clearly understood that we shall not be bound to supply the seeds, should they fail to come in or be of an unsatisfactory quality. We supply only fresh seeds, but will not under any circumstances accept any responsibility as to growth and denomination, but will submit samples on application.

The prices of many kinds are subject to variations. § = Climbers.

	per oz s. d.	per lb. s. d.		per oz s. d.	per lb. s. d.
Acer campestre . . . . . cwt. 17/—	— —	— 3	Azalea pontica fine mixed . . . . .	2 6	— —
„ monspessulanum . . . . .	— —	1 3	Beech, see Fagus sylvatica.		
„ neapolitanum . . . . . cwt. 20/—	— —	— 3	Berberis vulgaris . . . . .	— —	— 11
„ Negundo . . . . . „ 20/—	— —	— 3	„ „ fol. atropurpureis . . . . .	— 2	2 2
„ platanoides (Maple) . . . . . „ 20/—	— —	— 3	Betula alba (Birch) . . . . .	— —	— 7
„ polymorphum . . . . .	— 7	7 3	Bignonia Catalpa . . . . .	— —	— 7
„ „ atropurpureum 100 seeds 1/2	— —	— —	„ „ Kaempferi . . . . .	— —	1 6
„ „ 1000 „ 10/—	— —	— —	Birch, see Betula.		
„ Pseudo-Platanus (Sycamore) . . . . . cwt. 20/—	— —	— 3	Bird Cherry, see Prunus Padus.		
Ailanthus glandulosa . . . . . „ 17/—	— —	— 3	Broom, see Spartium scoparium, page 22.		
Alnus cordifolia (Alder) . . . . .	— —	1 —	Broussonetia papyrifera . . . . .	— —	1 —
„ glutinosa . . . . .	— —	— 6	Bupleurum fruticosum . . . . .	— 3	2 —
„ incana, white Mountain Alder . . . . .	— —	1 —	Buxus balearica . . . . .	— 6	6 —
Amorpha fruticosa . . . . .	— —	— 8	„ sempervirens . . . . .	— 3	1 6
§ Ampelopsis Veitchii, berries . . . . .	— 3	2 3	Callicarpa japonica . . . . .	— 8	9 3
§ „ quinquefolia (Hedera quinquefolia) . . . . .	— 2	1 3	Calycanthus floridus . . . . .	— 4	3 —
Aralia spinosa . . . . .	— 6	7 3	„ „ praecox (fragrans) . . . . .	— 3	2 2
Ash, see Fraxinus.			„ „ grandiflorus . . . . .	— 3	2 9
Aucuba japonica . . . . .	— —	— 11	Capparis inermis . . . . .	— 7	7 3
„ „ viridis . . . . .	— 3	2 8	„ spinosa . . . . .	— 8	9 2
Azalea indica the best varieties mixed . . . . .	6 6	— —	Caragana arborescens . . . . .	— 3	1 8
„ mollis . . . . .	6 3	— —	Carpinus Betulus (Hornbeam) cwt. 40/—	— —	— 6
			Carya alba (White Hickory) . . . . .	— —	— 6
			„ olivaeformis (Decan Nut) . . . . .	— —	1 3



	per oz s. d.	per lb. s. d.		per oz s. d.	per lb. s. d.
Luhea divaricata . . . . .	— 7	— —	Rhododendron arboreum, mixed, clean	— —	— —
Locust Tree, see Robinia Pseudo-			seed . . . . .	1 8	— —
Acacia.			"    ponticum, mixed . . . . .	1 4	— —
Maclura aurantiaca (Osage Orange) . . . . .	— 3	2 2	Rhodotypus kerrioides . . . . .	5	5 2
Magnolia grandiflora . . . . .	3	1 6	Rhus coriaria, true . . . . .	— 2	1 7
"    Lenné . . . . . 100 seeds 19	— —	— —	"    Cotinus . . . . .	— 3	2 8
"    macrophylla . 100 "—11	— —	— —	"    typhina . . . . .	— —	1 —
"    purpurea (discolor) . . . . .	— 4	3 3	"    vernificera . . . . .	— 4	3 11
"    Soulangeana, fruits . . . . .	— 4	4 —	Ripogonum album, roots eatable . . . . .	1 2	— —
"    Yulan . . . . .	— 5	4 5	Robinia Pseudo Acacia (Thorn Acacia-		
Mahonia Aquifolium, clean seed . . . . .	— 3	2 —	Locust Tree) . cwt. 27/—	— —	— 5
"    japonica, fruits . . . . .	— 4	3 7	"    Pseudo Acacia Bessoniana . . . . .	— 3	2 6
Mallotus (Rottlera) japonicus . . . . .	— 3	2 —	"    "    pyramidalis . . . . .	3	2 10
§ Mandevillea suaveolens . . . . .	— 7	7 —	"    "    viscosa . . . . .	— 4	3 7
Melia Azedarach . . . . . cwt. 37/—	— —	— 6	Rock Rose, see Cistus.		
"    japonica (floribunda) . . . . .	— 3	2 3	Rosa Banksiana, berries . . . . .	— 2	1 9
"    sempervirens . . . . .	4	3 2	"    bengalensis fl. pl. mixed, berries . . . . .	— 2	1 9
Mock Orange, see Philadelphus.			"    canina (Common Dog Rose), clean		
Mountain Ash, see Sorbus Aucubaria.			seed . . . . . cwt. 23/—	— —	— 4
Myrtus communis, berries . . . . .	— —	— 10	"    hybrida Remontant, berries . . . . .	— 3	2 2
"    "    romana, berries . . . . .	— —	— 10	"    multiflora, clean seed . . . . .	— 7	8 —
Nandina domestica . . . . .	— 5	5 3	"    "    sempreflorens nana		
Oak, see Quercus.			100 berries 1/8	— —	— —
Oreodaphne californica . . . . .	— 3	2 7	1000 "    15/—	— —	— —
Osage Orange, see Maclura.			This remarkable new kind produces		
Osyris alba . . . . .	— 3	2 3	its flowers already about 4 months after		
Paeonia arborea . . . . .	— 9	— —	the sowing; they measure ab <sup>t</sup> 1 in. and		
Paliurus aculeatus, clean seeds . . . . .	— —	1 6	over in diameter and are of all shades		
Paulownia imperialis . . . . .	— —	— 8	of white, rose and rose-purple. The		
§ Periploca graeca . . . . .	1 2	— —	plant grows about 3 feet high, flowering		
Philadelphus coronarius, clean seed . . . . .	9	10 3	most abundantly the whole summer.		
Phlomis fruticosa . . . . .	— 5	3 10	Rosa rugosa, berries . . . 100 fruits 1/3	— —	— —
Photinia glabra . . . . .	— 8	— —	"    "    clean seed . . . . .	— 9	— —
"    villosa . . . . .	— 6	6 —	"    Thea, finest mixed, clean seed . . . . .	— 8	9 —
Pistacia Lentiscus . . . . .	— —	1 —	Ruscus aculeatus . . . . .	— —	— 8
"    Terebinthus . . . . .	— —	1 —	"    racemosus . . . . .	— —	2 2
"    vera . . . . .	— —	1 9	Sambucus Ebulus . . . . .	— —	— 10
Plane, see Platanus.			"    glauca (California) . . . . .	— 3	2 3
Platanus occidentalis . . . . . cwt. 9/—	— —	— 2	"    nigra . . . . .	— —	— 7
"    orientalis . . . . . "    9/—	— —	— 2	"    racemosa . . . . .	— —	1 —
Privet common, see Ligustrum.			Schinus molle . . . . . cwt. 29/—	— —	— 6
Prunus Avium, wild sweet Cherry . . . . .	— —	— 4	Sea Buckthorn, see Hippophaea.		
"    Lauro-Cerasus (Common Laurel) . . . . .	— —	— 8	Sloe, see Prunus spinosa.		
"    lusitanica (Portugal Laurel) . . . . .	— —	— 10	Snowball, see Viburnum.		
"    Mahaleb . . . . .	— —	1 —	Snowberry, see Symphoricarpus.		
"    Padus (Bird Cherry) . . . . .	— —	1 6	Sophora japonica . . . . .	— —	— 7
"    spinosa (Sloe, Black Thorn) . . . . .	— —	— 6	"    "    pendula . . . . .	— —	1 —
Ptelea trifoliata . . . . .	— 3	2 —	Sorbus Aucuparia (Mountain Ash) . . . . .	— —	— 4
Pterocarya caucasica . . . . .	— 5	5 —	Spartium junceum		
Quercus Cerris . . . . . cwt. 16/—	— —	— 3	(Span. Broom) } see page 16.		
"    Ilex . . . . . "    12/—	— —	— 2	Spartium scoparium } (Clovers &c.)		
"    pedunculata . . . . . "    7/—	— —	— 2	"    (common Broom) }		
"    pyramidalis . . . . . "    22/—	— —	— 4	Spindle Tree, see Evonymus europaeus.		
"    Robur, common Oak . . . . .	— —	— 2	Spurge Laurel, see Daphne Laureola.		
cwt. 7/—	— —	— 2	Staphylaea colchica . . . . .	— 4	3 —
"    Suber, Cork Oak "    30/—	— —	— 7	"    pinnata . . . . .	— 3	1 7
Rhamnus Alaternus . . . . .	— —	— 10	Sterculia platanifolia . . . . .	— 3	1 5
"    cathartica . . . . .	— —	— 1	Styrax japonica . . . . .	— 4	3 —

	per oz s. d.	per lb. s. d.		per oz s. d.	per lb. s. d.
Styrax officinale . . . . .	— 3	1 11	Ulex europaeus . . . . .	— —	1 —
Sumach, see Rhus.			Ulmus campestris (Elm) . . . . .	— —	— 4
Sweet Bay, see Laurus nobilis.			Viburnum Lantana . . . . .	— —	— 6
Sycamore, see Acer pseudo-platanus.			Opulus (Snowball) . . . . .	— —	— 6
Symphoricarpus racemosus . . . . .	— 4	2 7	Sandankiva . . . . .	— 6	7 4
"    vulgaris, clean seed . . . . .	1 2	— —	Tinus . . . . .	— —	— 6
Syringa japonica, clean seed . . . . .	2 7	— —	Virginian Creeper, see Ampelopsis.		
"    vulgaris, pods . . . cwt. 48/—	— —	— 7	Virgin's Bower, see Clematis.		
"    "    alba . . . . .	— —	1 5	Vitex Agnus castus . . . . .	— —	— 8
Tamarix gallica . . . . .	— 4	3 —	"    "    "    fl. albo . . . . .	— —	1 —
"    germanica . . . . .	— 4	4 —	Weigelia mixed . . . . .	1 6	— —
"    tetrandra . . . . .	— 3	1 7	Wistaria, see Glycine.		
Thorn Acacia, see Robinia.			Woodbine, see Ampelopsis quinquefolia.		
Tilia argentea . . . . .	— —	1 —	Yucca aloefolia . . . . .	— —	1 5
"    europaea latifolia . . . . .	— —	— 6	"    "    fol. var. . . . .	— —	1 11
Traveller's Joy, see Clematis Vitalba.			"    canaliculata, Treculiana . . . . .	1 —	— —
Tree of Heaven, see Ailanthus.			"    filamentosa, true . . . . .	1 3	— —
Tulip Tree, see Liriodendron.			"    Whipplei . . . . .	2 2	— —

## IX. Seeds of Conifers.

We offer these under the same conditions as for the Tree and Shrub Seeds (see page 19) to which we refer.

Denominations after the „Handbook on Conifers“ by L. Beissner (Handbuch der Nadelholzkunde). The prices of many kinds are subject to variations.

	per oz s. d.	per lb. s. d.		per oz. s. d.	per lb. s. d.
Abies amabilis . . . . .	1 —	14 —	not always sure to come in and often they		
"    balsamea, . . . . .	— 5	4 9	arrive in bad condition; we therefore do		
"    brachyphylla . . . . .	1 2	— —	not quote prices, but shall make special		
"    bracteata . . . . .	3 —	— —	offers in every single case.		
"    cephalonica . . . . .	— 4	4 5	Arbor Vitae, see Biota and Thuja.		
"    "    Apollinis . . . . .	— 4	4 4	Biota orientalis (Thuja) . . . . .	— —	— 9
"    cilicica . . . . .	— 4	4 2	"    "    aurea . . . . .	— —	1 4
"    concolor . . . . .	— 9	— —	"    "    compacta . . . . .	— —	1 5
"    firma . . . . .	— 7	— —	"    "    elegantissima . . . . .	— 4	3 2
"    Fraseri . . . . .	— 7	— —	"    "    pyramidalis . . . . .	— —	1 7
"    lasiocarpa . . . . .	— 10	— —	"    "    semperaurea . . . . .	— 3	3 —
"    magnifica . . . . .	1 5	— —	Callitris quadrivalvis (Thuja articulata)	— 11	— —
"    nobilis . . . . .	1 2	— —	Casuarina equisetifolia . . . . .	1 —	— —
"    Nordmanniana, true . . . . .	— 3	2 8	"    quadrivalvis . . . . .	— 10	— —
"    pectinata (Pinus Abies.), common			"    stricta . . . . .	1 —	— —
Silver Fir . . . . . cwt. 31/—	— —	— 4	"    tenuissima . . . . .	— 6	5 3
"    Pinsapo . . . . .	— 3	2 2	Cedrus atlantica (argentea) clean seed .	— 4	4 —
"    sibirica (Pichta) . . . . .	— 6	7 3	"    Deodara . . . . .	— 4	3 6
"    Veitchii . . . . .	1 —	14 —	"    Libani, clean seed (Cedar of Libanon)	— 4	3 6
Araucaria Bidwillii . . . . .	— —	— —	Chamaecyparis Lawsoniana (Cupressus)	— —	1 10
"    brasiliensis, fresh seeds of this			"    "    argentea . . . . .	— 5	3 8
kind are expected in Juli or			"    "    aurea . . . . .	— 6	— —
August every year and orders			"    "    glauca . . . . .	— 7	— —
accepted for delivery at the			"    nutkaensis (Thujaopsis		
above time 100 seeds 5/9			borealis) . . . . .	2 5	— —
1000 " 47/—	— —	— —	"    obtusata (Retinospora) . . . . .	— 11	10 11
"    Cunninghami . . . . .	— —	— —	"    pisifera (    "    ) . . . . .	— 7	6 6
"    excelsa . . . . .	— —	— —	"    "    plumosa (Reti-		
"    imbricata . . . . . 100 seed 3/9			nospora) . . . . .	1 —	— —
1000 " 29/—	— —	— —	"    "    plumosa aurea		
the seeds of several kinds of Araucaria are			(Retinospora) . . . . .	1 2	— —



	per oz s. d.	per lb. s. d.		per oz s. d.	per lb. s. d.
<i>Chamaecyparis pisifera squarrosa</i> (Retinospora) . . .	1 3	— —	Pinus <i>Cembra</i> , Swiss Stone Pine, variable	— —	— 6
<i>Cryptomeria japonica</i> . . .	— 3	2 —	„ <i>Coulteri</i> . . . . .	— 11	11 —
<i>Cryptomeria japonica elegans</i> . . .	— 4	3 4	„ <i>densiflora</i> . . . . .	— 6	6 —
„ „ <i>Lobbii</i> ( <i>viridis</i> ) . . .	— 4	3 —	„ <i>excelsa</i> , Nepaul Weymouth Pine	— 4	3 9
<i>Cunninghamia sinensis</i> . . . . .	4 2	— —	„ <i>halepensis</i> . . . . cwt. 105/—	— —	1 3
„ „ <i>glauca</i> . . . . .	3 4	— —	„ <i>insignis</i> . . . . .	— 7	8 5
<i>Cupressus australis</i> . . . . .	— 4	3 9	„ <i>Lambertiana</i> . . . . .	— 7	— —
„ <i>Benthamiana</i> . . . . .	— 4	3 4	„ <i>Laricio</i> , Corsican Pine . . . .	— 3	1 9
„ <i>elegans</i> . . . . .	— 4	3 4	„ „ <i>austriaca</i> , black Austrian Fir	— 2	1 7
„ <i>excelsa</i> . . . . .	— 7	— —	„ <i>longifolia</i> . . . . .	1 5	— —
„ <i>funerbris</i> . . . . .	— 4	2 9	„ <i>montana</i> , (variable) . . . . .	— 4	2 9
„ <i>glauca</i> ( <i>lusitanica</i> ) . . . . .	— 4	3 2	„ <i>muricata</i> . . . . .	1 5	— —
„ „ <i>pendula vera</i> . . . . .	— 4	3 3	„ <i>Nordmanniana</i> , see <i>Abies</i> .		
„ <i>Goveniana</i> . . . . .	— 4	2 9	„ <i>Picea</i> , Norway Spruce, see <i>Picea</i>		
„ <i>Lambertiana</i> ( <i>macrocarpa</i> ) . . .	— 3	2 8	„ <i>excelsa</i> .		
„ <i>Lawsoniana</i> , see <i>Chamaecyparis</i> .			„ <i>Pinaster</i> ( <i>maritima</i> ) . cwt. 47/—	— —	— 6
„ <i>sempervirens</i> ( <i>horizontalis</i> ) . . .	— —	— 7	„ „ <i>Hamiltoni</i> . . . . .	— —	— 10
„ „ <i>pyramidalis</i> ( <i>fastigiata</i> ) . . .	— —	— 7	„ <i>Pinea</i> , Italian Stone Pine (variable)		
„ <i>Tourneforti</i> . . . . .	— —	1 9	„ „ cwt. 29/—	— —	— 5
„ <i>torulosa</i> . . . . .	— 3	2 —	„ „ <i>fragilis</i> (variable) „ 36/—	— —	— 6
<i>Dammara australis</i> . . . . .	6 —	— —	„ <i>ponderosa</i> ( <i>P. Benthamiana</i> ),		
<i>Ginkgo biloba</i> ( <i>Salisburia adianthifolia</i> ) . . .	— —	— 8	„ <i>yellow</i> . . . . .	— 8	8 2
<i>Juniperus Bermudiana</i> . . . . .	— 5	4 2	„ <i>pyrenaica</i> ( <i>Paroliniana</i> ) . . . .	— 5	5 2
„ <i>chinensis</i> ( <i>dioica</i> ) . . . . .	— —	1 6	„ <i>rigida</i> . . . . .	— 8	11 9
„ <i>communis</i> . . . . .	— —	— 3	„ <i>Sabiniana</i> . . . . .	— 4	3 —
„ <i>excelsa</i> . . . . .	— —	1 5	„ <i>silvestris</i> , Scotch Fir (variable) . .	— 3	2 3
„ <i>japonica</i> . . . . .	— —	1 5	„ <i>sitchensis</i> , see <i>Picea</i> . . . . .		
„ <i>macrocarpa</i> . . . . .	— —	— 6	„ <i>Strobus</i> , Weymouth Pine (variable)	— 5	3 8
„ <i>Sabina</i> . . . . .	— —	— 7	„ <i>Torreyana</i> . . . . .	— 9	— —
„ <i>virginiana</i> (Red Cedar) . . . . .	— —	— 7	<i>Podocarpus macrophylla</i> . . . . .	— 5	— —
„ „ <i>pyramidalis</i> . . . . .	— —	1 4	<i>Pseudotsuga Douglasii</i> . . . . .	— 9	9 10
<i>Larix europaea</i> ( <i>Larch</i> ) (variable) . . . .	— —	1 5	<i>Salisburia</i> , see <i>Ginkgo</i> .		
„ <i>dahurica pendula</i> . . . . .	— 3	2 4	<i>Sciadopitys verticillata</i> . . . . .	1 —	— —
<i>Libocedrus chilensis</i> . . . . 1/8 oz 3/6	22 —	— —	<i>Sequoia sempervirens</i> ( <i>Taxodium</i> ) . .	— 3	2 3
„ <i>decurrens</i> ( <i>Thuja gigantea</i>			<i>Taxodium distichum</i> , clean seed . . .	— —	1 —
„ <i>Craigiana</i> ) . . . . .	— 3	2 —	„ <i>mucronatum</i> . . . . .	— 3	2 6
<i>Picea excelsa</i> ( <i>Pinus Picea</i> ) Norway			<i>Taxus baccata</i> ( <i>Yew</i> ) clean seed . . .	— —	1 7
„ <i>Spruce</i> . . . . .	— —	1 2	„ „ <i>pyramidalis</i> . . . . .	— 3	1 10
„ <i>Morinda</i> ( <i>Khutrow</i> , <i>Smithiana</i> ) . . .	— 8	1 10	„ „ <i>fastigiata</i> ( <i>hibernica</i> ) . . . .	— 4	3 2
„ <i>orientalis</i> , ( <i>Oriental Spruce</i> ) . . .	1 2	— —	<i>Thuja gigantea</i> ( <i>Lobbii</i> ) . . . . .	— 7	6 6
„ <i>pungens</i> . . . . .	1 2	— —	„ <i>occidentalis</i> . . . . .	— 4	3 9
„ <i>sitchensis</i> ( <i>Menziesi</i> ) . . . . .	1 4	— —	„ „ <i>Warreana</i> . . . . .	— 8	8 —
<i>Pinus australis</i> ( <i>palustris</i> -Pitch Pine) . .	1 2	— —	<i>Thujopsis dolobrata</i> . . . . .	2 9	— —
„ <i>austriaca</i> , see <i>P. Laricio austriaca</i> .			<i>Torreya californica</i> . . . . .	— 6	5 6
„ <i>canariensis</i> . . . . .	— 4	3 —	„ <i>nucifera</i> . . . . .	— 6	5 6
			<i>Tsuga canadensis</i> , Hemlock Spruce . .	— 10	9 10
			<i>Wellingtonia gigantea</i> . . . . .	1 3	18 —

## X. Palm Seeds.

We receive these seeds from all parts of the world and of course at very different times of the year; we shall therefore thank our correspondents if they will give us their orders as soon as they receive this list. The seeds will then be shipped as soon as they arrive in good condition and our patrons are sure to receive only fresh seeds. We send out but such and decline any other guarantee and responsibility.

	100 seeds s. d.	1000 seeds s. d.		100 seeds s. d.	1000 seeds s. d.
Areca Baueri, fresh seeds in April . . . . .	1 9	12 —	Kentia Belmoreana (Griesebachia) . . . . .	1 9	12 6
„ lutescens (Hyophorbe indica) . . . . .	2 5	20 —	„ Canterburyana (Hedyscepe) . . . . .	3 5	31 3
„ madagascariensis . . . . .	2 —	16 6	„ Forsteriana (Griesebachia) . . . . .	1 9	12 6
„ rubra . . . . .	2 1	16 6	„ Mac Arthuri, splendid . . . . .	4 —	— —
„ sapida . . . . .	1 9	15 —	„ Mooreana . . . . .	3 3	28 —
„ Verschaffeltii (Hyophorbe) . . . . .	2 8	20 —	„ Wendlandiana . . . . .	4 —	33 —
Brahea dulcis (Corypha frigida) . . . . .	3 3	28 —	Latania aurea (Verschaffeltii) . . . . .	4 3	36 —
„ edulis (Erythea edulis) . . . . .	6 —	56 —	„ borbonica (Livistona sinensis) lb. —/7; cwt. 42/—	— —	— —
„ Roezlii (Erythea armata), „Blue- palm“ . . . . .	6 —	56 —	„ „ Seeds raised in Africa lb. —/9; cwt. 61/—	— —	— —
Caryota urens . . . . .	1 9	15 —	„ Commersonii (rubra) . . . . .	4 —	32 —
Chamaerops excelsa . . . . . lb. —/5	— —	— —	„ Loddigesii (glaucophylla) . . . . .	4 —	32 —
„ „ Fortuneii „ —/8	— —	— —	Licuala amplifrons . . . . .	2 —	17 9
„ „ Histrix . . . . .	2 10	4 —	Livistona altissima . . . . .	1 9	14 6
„ „ humilis mixed . . . . . lb. —/4	— —	— —	„ Mariae, splendid, leaves red, quite hardy . . . . .	10 —	82 —
„ „ argentea „ —/7	— —	— —	„ olivaeformis . . . . .	1 9	14 6
„ „ „ tomentosa „ 1/—	— —	— —	„ rotundifolia . . . . .	3 4	25 —
„ „ elegans „ —/10	— —	— —	Oreodoxa oleracea . . . . .	1 3	10 6
„ „ gracilis „ —/10	— —	— —	„ regia, a splendid kind . . . . .	1 5	11 3
„ „ macrocarpa „ —/10	— —	— —	Pandanus odoratissimus . . . . .	7 3	— —
Chamaedorea elegans . . . . .	1 9	15 —	„ utilis . . . . .	1 10	16 —
„ „ Ernesti Augusti . . . . .	1 9	15 —	Phoenix sechellarum . . . . .	2 6	22 6
Cocos australis . . . . .	1 3	9 9	Phoenix acaulis . . . . .	2 10	— —
„ Bonettii (Diplothemium cam- pestre) . . . . .	1 5	12 3	„ canariensis . 10 000seeds22/—	— 6	2 10
„ campestris . . . . .	1 5	12 3	„ cycadifolia . . . . .	1 3	9 9
„ coronata . . . . .	1 3	10 —	„ dactylifera . . . . . lb. 1/3	— —	— —
„ eryospatha (C. Blumenavia) splendid . . . . .	1 9	16 —	„ farinifera . . . . .	1 3	9 9
„ flexuosa . . . . .	1 4	10 —	„ leonensis . . . . .	— 9	5 —
„ plumosa . . . . .	1 4	10 —	„ pumila . . . . .	1 —	7 —
„ Romanzoffiana, splendid for green- house and rooms . . . . .	1 4	10 —	„ reclinata . . . . .	— 8	5 —
„ Weddeliana (Glaziova Martiana) „ Yatay, the true kind for the green- house . . . . .	3 3	26 —	„ rupicola . . . . .	1 2	9 —
	2 10	25 9	„ silvestris . . . . .	— 11	7 —
			„ tenuis . . . . .	— 7	3 4
Corypha australis (Livistona) . . . . .	— 11	6 6	Pritchardia pacifica . . . . .	5 —	— —
Cycas circinalis . . . . .	6 6	60 —	Ptychosperma Alexandrae . . . . .	1 11	15 —
„ revoluta . . . . .	8 6	— —	„ „ elegans (see Seaforthia) Sabal Adansonii . . . . .	— —	— —
Daemonorops grandis . . . . .	2 6	20 —	„ Blackburniana (umbraculifera) . . . . .	1 —	8 —
„ longipes . . . . .	3 3	28 —	„ Ghiesbrectii . . . . .	— 9	5 9
„ pericanthus . . . . .	3 3	28 —	„ Palmetto . . . . .	— 8	4 —
Elaeis guineensis . . . . .	3 —	— —	„ princeps . . . . .	1 —	7 9
Euterpe edulis . . . . .	3 —	24 —	Seaforthia (Ptychosperma) elegans . . . . .	1 3	9 9
Geonome elegans . . . . .	3 —	25 6	Thrinax argentea . . . . .	1 3	9 9
„ gracilis . . . . .	2 9	24 —	„ „ elegantissima . . . . .	1 4	11 3
Glaziova insignis . . . . .	3 9	32 —	Verschaffeltia splendida . . . . .	5 —	44 —
Jubaea spectabilis . . . . .	3 3	28 —	Washingtonia filifera (Pritchardia) . . . . .	— 5	2 2
			„ „ robusta H. W., true . . . . .	— 9	4 10

# XI. Annual, Perennial, Climbing, Hot- and Green-House Plants.

Explanations of the signs used:

⊙ = annual || 4 = perennial || § = climber || g = greenhouse || h = hothouse (stove).

	per oz s. d.	per lb. s. d.		per oz s. d.	per lb. s. d.
⊙ <i>Abronia arenaria</i> . . . . .	— 6	6 —	<i>Agave Witakeri</i> . . . . .	— —	— —
" <i>umbellata</i> . . . . .	— 5	5 —	⊙ <i>Ageratum Lasseauxii</i> , rose . . . . .	— 6	5 6
§ <i>Abrus praeatorius</i> . . . . .	— 5	4 5	" <i>mexicanum coeruleum</i> . . . . .	— 3	2 8
g <i>Abutilon Boule de neige</i> (Snowball)			" <i>album</i> . . . . .	— 3	2 8
100 seeds —/8	— —	— —	" <i>grandiflorum album</i> . . . . .	— 10	— —
1000 " 5/9	— —	— —	" <i>Imperial dwarf, dark blue</i>	— 4	4 2
" <i>sulphureum</i> 1/8 oz 1/3	9 —	— —	" <i>" " white</i> . . . . .	— 4	4 2
" <i>new hybrids mixed</i> 1/8 oz —/11	6 —	— —	" <i>nanum album</i> . . . . .	— 3	3 —
g <i>Acacia arabica</i> . . . . .	— 6	4 10	" <i>" " coeruleum</i> . . . . .	— 3	3 —
" <i>armata</i> . . . . .	— 6	4 10	" <i>" " Swanley blue</i> . . . . .	— 4	3 10
" <i>cyanophylla</i> . . . . .	— 3	2 —	" <i>" " Little Dorrit, blue</i>	— 4	4 6
" <i>cyclopis</i> . . . . .	— 4	3 9	" <i>" " " " white</i> . . . . .	— 6	5 6
" <i>dealbata</i> . . . . .	— 4	3 —	" <i>" " Princ. Vict. Louise</i>	1 4	— —
" <i>decurrens</i> . . . . .	— 6	4 10	" <i>" " Forget me not</i> . . . . .	— 5	5 3
" <i>Farnesiana</i> . . . . .	— —	1 3	" <i>Wendlandii, white</i> . . . . .	— 4	3 9
" <i>floribunda</i> . . . . .	— 4	2 10	" <i>" " nanum compactum, blue</i>	— 5	5 —
" <i>Julibrissin</i> . . . . .	— —	— 7	" <i>" " " " white</i> . . . . .	— 5	5 —
" <i>leiophylla</i> . . . . .	— 5	4 —	⊙ <i>Agrostemma coeli rosa</i> . . . . .	— —	1 5
" <i>longifolia</i> . . . . .	— —	— 8	" <i>coronaria, red</i> . . . . .	— —	1 9
" <i>lophantha</i> . . . . .	— —	1 —	" <i>" " white</i> . . . . .	— —	1 9
" <i>" speciosa</i> . . . . .	— —	1 —	<i>Alkekengi, see Physalis.</i>		
" <i>Nemu</i> . . . . .	— 3	2 8	g <i>Aloe africana</i> . . . . .	— —	— —
" <i>pycnantha</i> . . . . .	— 3	2 3	100 seeds —/4	— —	— —
" <i>semperflorens</i> . . . . .	— 3	2 —	1000 " 2/6	— —	— —
" <i>suaveolens</i> . . . . .	— 3	1 7	⊙ <i>Alonsoa linifolia</i> . . . . .	— 4	3 5
" <i>in great variety mixed</i> . . . . .	— —	2 —	" <i>myrtifolia</i> . . . . .	— 3	1 9
4 <i>Acanthus latifolius</i> . . . . .	— —	— 10	" <i>Warscewiczii</i> . . . . .	— 5	4 —
" <i>mollis</i> . . . . .	— —	1 3	4 <i>Aloysia citriodora</i> . . . . .	— 10	— —
" <i>spinosissimus</i> . . . . .	— —	1 3	g <i>Alsophila australis, tree-fern</i> 1/8 oz —/9	5 —	— —
4 <i>Achillea Ptarmica fl. pl.</i> . . . . .	2 9	— —	4 <i>Althaea ficifolia, yellow</i>	— 8	7 4
⊙ <i>Achimenes, finest mixed</i> 1000 seeds 5/—	— —	— —	" <i>rosea fl. pl. (Hollyhocks)</i>		
⊙ <i>Acroclinium roseum grandiflorum</i> . . . . .	— 3	2 —	" <i>English var. best mixed.</i>	— 9	8 10
" <i>" grandiflor. album</i> . . . . .	— 3	2 —	4 " <i>rosea fl. pl. Chaters strain,</i>		
" <i>" fl. pl., double pink</i> . . . . .	— 3	2 6	" <i>choice mixed</i> . . . . .	1 3	17 5
" <i>" fl. albo pl. " white</i> . . . . .	— 3	2 6	⊙ <i>Alyssum Benthami</i> . . . . .	— 4	3 —
⊙ <i>Adonis aestivalis</i> . . . . .	— —	1 —	" <i>" grandiflorum compactum</i>	— 4	4 5
" <i>autumnalis</i> . . . . .	— —	1 —	4 " <i>" saxatile</i> . . . . .	— 4	3 10
" <i>baetica</i> . . . . .	— —	1 3	⊙ <i>Amaranthus atropurpureus</i> . . . . .	— —	— 6
4 <i>Agathaea coelestris (amelloides)</i>	1 7	— —	" <i>bicolor</i> . . . . .	— —	1 2
g <i>Agave americana</i> . . . . .	— 10	— —	" <i>ruber</i> . . . . .	— —	1 5
" <i>fol. var. 1000 seeds</i> 1/8	— —	— —	" <i>caudatus</i> . . . . .	— —	— 6
" <i>applanata</i> . . . . .	1000 " 2/4	— —	" <i>Dussii Dam. 1890</i> . . . . .	— —	— —
" <i>Ellemeetiana</i> . . . . .	1000 " 2/4	— —	" <i>Henderi</i> . . . . .	— 4	4 5
" <i>ferox</i> . . . . .	1000 " 2/—	— —	" <i>hybridus Princess of Wales</i>	— 4	3 10
" <i>filifera</i> . . . . .	1000 " 2/4	— —	" <i>" Queen Victoria</i> . . . . .	— 3	3 —
" <i>grandidentata</i> . . . . .	1000 " 2/—	— —	" <i>Margaritae, splendid</i> . . . . .	— —	— 6
" <i>hetheracantha</i> . . . . .	1000 " 1/3	— —	" <i>monstrosus (Giant Prince's</i>		
" <i>horrida</i> . . . . .	1000 " 1/3	— —	" <i>feather)</i> . . . . .	— —	— 6
" <i>lephantha</i> . . . . .	1000 " 1/3	— —	" <i>melancholicus</i> . . . . .	— —	1 6
" <i>maculata</i> . . . . .	100 " —/6	— —	" <i>nobilis pyramidalis</i> . . . . .	— —	1 3
" <i>pulcherrima</i> . . . . .	1000 " 1/3	— —	" <i>quadricolor, Dam. 1898 new;</i>		
" <i>Salmiana</i> . . . . .	1000 " 1/3	— —	" <i>the leaves at the end of the</i>		
" <i>Victoriae Reginae</i> 100 " —/10	— —	— —	" <i>stalks are bright and dark</i>		

	per oz s. d.	per lb. s. d.		per oz s. d.	per lb. s. d.
green, dark crimson and yellow producing a most wonderful effect	— 4	3 10	4 <i>Armeria cephalotes</i> . . . . .	— 4	3 —
⊙ <i>Amaranthus salicifolius</i> . . . . .	— 6	5 —	<i>formosa</i> . . . . .	— 4	2 9
<i>sanguineus</i> . . . . .	— —	5 —	<i>Lauchiana</i> . . . . .	— 3	2 3
<i>superbus (coleifolius) Dam.</i> . . . . .	— 2	1 5	⊙ <i>Arnebia cornuta</i> . . . 1/8 oz —/7	3 8	— —
<i>tricolor</i> . . . . .	— 3	2 —	4 <i>Arnica montana</i> . . . . .	— 5	4 6
" <i>giganteus</i> . . . . .	— 3	2 3	4 <i>Artemisia argentea</i> . . . . .	— 3	3 4
" <i>magnificus</i> . . . . .	— 4	2 9	⊙ " <i>gracilis</i> . . . . .	— —	1 —
⊙ <i>Ammobium alatum</i> . . . . .	— 2	1 3	⊙ <i>Asclepias curassavica atrosanguinea</i>	— 3	3 —
"    " <i>grandiflorum</i> . . . . .	— 2	1 8	" <i>incarnata</i> . . . . .	— 8	7 4
⊙ <i>Anagallis grandiflora carnea</i> . . . . .	— 8	— —	" <i>tuberosa</i> . . . . .	1 7	— —
"    " <i>coccinea</i> . . . . .	— 8	— —	4 <i>Asparagus acutifolius</i> . . . . .	— 3	2 9
"    " <i>coerulea</i> . . . . .	— 8	9 5	" <i>decumbens</i> , a splendid kind for suspending baskets, highly decorative 100 seeds 1/8	— —	— —
"    " <i>lilacea</i> . . . . .	— 8	9 5	1000 " 12/—	— —	— —
"    " <i>Napoleon III.</i> . . . . .	— 8	9 5	g " <i>plumosus</i> 1000 " 22/6	— —	— —
"    " <i>mixed</i> . . . . .	— 8	7 5	"    " <i>nanus</i> 1000 " 36/—	— —	— —
4 <i>Anchusa affinis</i> . . . . .	1 10	— —	4 "    " <i>superbus</i> , a highly deco- rative climber, the branches of which furnish a most splendid material for bou- quets and any kind of decorations. 100 seeds 6/—; 1000 seeds 48/—	— —	— —
"    " <i>capensis</i> . . . . .	— 3	2 8	g <i>Asparagus Sprengeri Dam. (Electro)</i>	— —	— —
Angel's Trumpet, see <i>Datura</i> .			1000 seeds 5/—; 10000 seeds 45/—	— —	— —
⊙ <i>Anthemis Cupaniana</i> . . . . .	— 9	— —	50000 " 200/—; 100000 " 360/—	— —	— —
" <i>Kelwayi</i> . . . . .	— 11	— —	Special prices for larger quantities on application.		
4 <i>Anthericum algeriense</i> . . . . .	— 5	4 5	<i>Asparagus trichophyllus</i> . . . . .	— 8	— —
4 "    " <i>graminifolium</i> . . . . .	— 7	— —	⊙ <i>Asperula azurea setosa</i> . . . . .	— 2	— 8
"    " <i>Liliago</i> . . . . .	— 5	— —	4 <i>Aster alpinus</i> . . . . .	— 8	— —
4 <i>Anthurium Scherzerianum</i>			4 "    "    the best perennial sorts mixed	— 8	6 6
100 seeds 2/—	— —	— —			
§g <i>Antigonum leptopus</i> . . . . .	— 7	6 8	⊙ <i>Aster sinensis fl. pl. Asters.</i>		
⊙ <i>Antirrhinum majus (Snapdragon) finest</i>			We warrant our Asters not to be in any way inferior to the finest German strains and our patrons may fully rely upon receiving only choicest qualities. The growing of the best Asters is one of our most important specialities.		
<i>mixed</i> . . . . .	— 4	3 9	i. Tall Section.		
"    " <i>nanum mixed</i> . . . . .	— 5	4 6	Tall Chrysanthemum Asters mixed . . . . .	— 11	10 10
"    " <i>grandiflorum mixed</i> . . . . .	— 5	4 6	Goliath Asters, mixed . . . . .	— 10	9 2
⊙ "    "    " <i>Tom Thumb mixed</i> . . . . .	— 8	7 3	Harlequin Asters, mixed . . . . .	— 10	9 2
4 <i>Aquilegia (Columbine) alpina</i> . . . . .	— 5	— —	Hohenzollern Asters, new; very rich- flowering, pure white, bright rose, each separate . . . . .	1 2	— —
"    " <i>californica</i> . . . . .	— 6	— —	Jewel-or Ball Asters, mixed . . . . .	1 5	14 6
"    " <i>chrysantha</i> . . . . .	— 11	— —	Globe-flowered pyramidal Asters, mixed	— 11	10 3
"    " <i>coerulea</i> . . . . .	1 6	— —	Ladies Asters, with narrow leaves and well-shaped flowers, resembling those of the Comet Asters; a very distinct class; mixed . . . . .	1 —	12 —
"    " <i>haylodgensis (coerulea hybr.)</i> . . . . .	1 4	— —	<i>Paeony Perfection Asters,</i>		
"    " <i>olympica</i> . . . . .	— 6	— —	1. crimson,           4. bright scarlet,		
"    " <i>Skinneri hybr. fl. pl.</i> . . . . .	— 11	— —	2. light blue,       5. dark blue,		
"    " <i>stellata rosea plena</i> . . . . .	— 5	— —	3. pure white,      6. bright rose,		
"    "    " <i>rubra plena</i> . . . . .	— 5	— —	each separate . . . . .	1 6	17 —
"    "    " <i>vulgaris mixed</i> . . . . .	— 3	2 6	mixed . . . . .	1 3	15 —
"    "    "    " <i>fl. pl. double mixed</i> . . . . .	— 3	2 6			
g <i>Aralia Lyalli</i> . . . . 100 seeds 3/3	— —	— —			
"    " <i>papyrifera</i> . . . . .	1 4	— —			
"    " <i>Sieboldi</i> , clean seeds ready in April; orders booked now . . . . .	1 8	23 —			
§ <i>Ampelopsis quinquefolia</i> , berries . . . . .	— —	1 3			
g <i>Arctostaphylos glauca</i> . . . . .	— 8	9 1			
⊙ <i>Arctotis breviscapa</i> . . . . .	1 3	— —			
g <i>Ardisia crenulata</i> . . . . .	6 9	— —			
⊙ <i>Argemone grandiflora</i> . . . . .	— 3	2 3			
"    " <i>Hunnemanni</i> . . . . .	— 3	1 9			
"    " <i>mexicana (speciosa)</i> . . . . .	— 3	2 3			
"    " <i>platyceras</i> . . . . .	— 3	2 3			
<i>Argyranthemum</i> , see <i>Chrysanthemum</i> .	— —	— —			
§ <i>Aristolochia ciliosa</i> . . . . .	— 9	— —			
"    " <i>elegans</i> . . . . .	3 2	— —			

	per oz s. d.	per lb. s. d.
Washington Asters, mixed . . . . .	1 2	12 9
Imbriquée Pompon Asters, mixed . . . . .	— 11	10 10
Cocardeau or Crown Asters, mixed . . . . .	1 2	12 9
"    imbriquée Pompon (Pompon Crown) Asters mixed . . . . .	— 11	10 10
Giant Comet Asters, crimson, lilac, rose, rose, incarnate, Peachblossom, snow white, each separate . . . . .	1 10	18 2
Giant Comet Asters, mixed . . . . .	1 5	14 6
Surprise Asters, rose chamois . . . . .	2 3	— —
White of Boston, splendid for cutting . . . . .	1 2	15 6
Asters tall varieties, mixed . . . . .	— 8	7 4

2. Semi-tall Section.

Comet Asters, carmine, dark rose, lilac, rose, bright rose, rosy carmine, snow white, white with lilac, white with rose, each separate . . . . .	1 6	19 9
Comet Asters, mixed . . . . .	1 5	16 9
Christmas-Tree Asters, a curious very rich flowering kind of pyramidal habit, with almost horizontal branches . . . . .	2 4	— —
Quilled Asters, mixed . . . . .	— 5	4 6
Queen of the Halls Asters, mixed . . . . .	— 7	6 3
"    "    white . . . . .	2 3	— —
Globe-flowered Asters mixed . . . . .	— 6	5 6
Paeony-flowered Asters, mixed . . . . .	1 2	12 9
"    Globe Asters, mixed . . . . .	— 11	10 10
Rose Asters, mixed . . . . .	— 9	9 3
Liliput Asters, mixed . . . . .	— 11	10 10
Meteor Asters, mixed . . . . .	1 —	14 7
Mignon Asters, carmine, darkblue, light blue, lilac-purple, lilac, pure white, lilac-rose, scarlet, pure white early flowering, each separate . . . . .	1 3	15 —
mixed . . . . .	— 11	13 —
Ostrich-Feather Asters, carmine, light blue, lilla, rose, pure white, white changing into rose, each separate . . . . .	1 3	— —
Schiller Asters, mixed . . . . .	— 8	7 4
St. John's Day Asters, pure white, very early flowering . . . . .	2 4	— —
Victoria Asters,		
1. Crimson,           5. Crimson-rose,		
2. Dark blue,       6. Light blue,		
3. Bright scarlet, 7. Peach blossom,		
4. White,		
each separate . . . . .	1 6	20 4
mixed . . . . .	1 2	16 6
Asters semi-tall varieties mixed . . . . .	— 8	7 4

3. Dwarf Section.

Dwarf Asters, mixed . . . . .	— 11	11 9
"    pyramidal Asters, mixed . . . . .	1 2	12 9
"    Bouquet pyramidal (Boltze's) Asters mixed . . . . .	1 3	16 4
"    Comet Perfection, pure white $\frac{1}{8}$ oz —/4	2 —	— —

⊙ Dwarf Giant Comet Aster Snow-white. While all the Giant Comet Asters hitherto offered are of tall habit, we herewith introduce an absolutely dwarf form hardly 16 inches high, the flowers of which are quite as large again as those of the original kind. They are of a dazzling white, very double and of a perfect shape. The effect produced by such a dwarf plant with so large flowers is a striking one . . . . .

per oz s. d.	per lb. s. d.
1 10	— —



Asparagus Sprengeri Rgl. (Dammann).  
Electro 4/—.

Shakespeare Asters, mixed . . . . .	1 2	14 10
Improved dwarf Bouquet pyramidal Asters, mixed . . . . .	1 5	17 5
Dwarf Chrysanthemum Asters,		
1. Carmine,           4. Purple,		
2. Dark blue,       5. Snow-white,		
3. Bright scarlet, 6. Brick red,		
each separate . . . . .	2 —	20 10
mixed . . . . .	1 6	16 5
Dwarf New Paeony mixed . . . . .	1 3	12 9
"    Victoria Asters mixed . . . . .	1 5	17 6
"    Crown or Cocardeau Asters, mixed . . . . .	1 6	19 9

	per oz s. d.	per lb. s. d.		per oz s. d.	per lb. s. d.
Triumph Asters, carmin, Dark blue, Dark scarlet, Dark scarlet with white, Dark-lilac, Rose with white, White, each separate . . . . .	1 9	— —			
" " mixed . . . . .	1 6	19 9			
Dwarf varieties mixed . . . . .	— 7	6 3			
Auriculas, see Primula Auricula.					
g Azalea indica fine mixed . . . . .	6 4	— —			
" " new best varieties mixed . . . . .	7 11	— —			
Bachelor's Button, see Centaurea Cyanus.					
Balm, see Dracocephalum.					
Balsam Apple, see Momordica.					
Balsams double, see Impatiens Balsamina.					
Balloon-vine, see Cardiospermum.					
⊙ Bartonia aurea . . . . .	— 3	2 2			
h Bear Grass, see Yucca.					
Begonia corallina . . . . .	5 3	10 —	per 1/16 oz s. d.	per 1/8 oz s. d.	per oz s. d.
" discolor . . . . .	1 9	3 —			78 5
" Dregei . . . . .	1 5	2 5			22 5
" hybrida gigantea,					13 6
carmine . . . . .	4 6	8 7			67 —
" " " rose . . . . .	4 6	8 7			67 —
" " " scarlet . . . . .	4 6	8 7			67 —
" " " white . . . . .	6 8	12 10			100 —
" " " yellow . . . . .	5 3	10 —			78 —
" " " finest mixed . . . . .	4 5	8 7			67 —
" " " mixed . . . . .	2 6	4 6			35 10
h " " double-flowered, splendid varieties mixed . . . . .	per 1/16 oz s. d.				
	18 —	35 —			66 —
h Begonia Rex, mixed varieties					
100 seeds —/6					
1000 seeds	2/10				
h Begonia semperflorens, white . . . . .	— 4	1 9			
" " atropurpurea (Vernon) . . . . .	1 —	6 10			
" " rosea . . . . .	— 5	2 9			
Bellflower, see Campanula.					
4 Bellis perennis fl. pl. (Daisies) double fine mixed . . . . .	per oz s. d.	per lb. s. d.			
	1 9	24 —			
" " " double white . . . . .	2 10	— —			
" " " Longfellow, rose, large-flowered . . . . .	2 10	— —			
" " " Snowball . . . . .	2 10	— —			
Belvidere (Summer Cypress), see Kochia scoparia.					
⊙§ Benincasa cerifera . . . . .	— 5	4 5			
§ Bignonia Tweediana . . . . .	— —	1 3			
h Bixa Orellana . . . . .	2 9	— —			
Blanket flower, see Gaillardia.					
Blue Bottle, see Centaurea Cyanus.					
g§ Bougainvillea spectabilis					
100 seeds	5/8	— —			
4§ Boussingaultia baselloides					
1/8 oz — 11	5 10	— —			
h Bouvardia Jacquinii 1000 seeds	3/9	— —			
" longiflora . . . . .	1000	2 3			
" longispica . . . . .	1/4 oz — 9	2 9			
" splendens . . . . .	1000 seeds	3 —			
Brachychiton populneum . . . . .	— 4	3 —			
" acerifolius . . . . .	— 5	— —			
⊙ Brachycome iberidifolia (Swan River Daisy) . . . . .	— 9	10 3			
⊙ Browallia Czerwiakowsky . . . . .	— 7	— —			
" elata fl. albo . . . . .	— 9	— —			
" " " coerulea . . . . .	— 8	— —			
" " " purpureo . . . . .	— 10	— —			
" " " grandiflora . . . . .	— 9	— —			
" " " alba . . . . .	— 8	— —			
" Roezli . . . . .	6 10	— —			
" speciosa major, new, darkblue					
1/8 oz 1/10; 1/16 oz 1/—; 1/32 oz —/8	12 —	— —			
4§ Bryonia alba . . . . .	— 3	2 3			
⊙§ Bryonopsis laciniosa erythrocarpa . . . . .	— 3	2 3			
⊙ Calalia coccinea (Tassel Flower)	— 4	3 —			
" " lutea . . . . .	— 4	3 2			
<b>g Cactuses.</b>					
			100 seeds s. d.	1000 seeds s. d.	
Cereus alacriportanus . . . . .	— 3	1 8			
" Bonplandi . . . . .	— 4	2 6			
" Jamacaru . . . . .	— 3	1 8			
" tortuosus . . . . .	— 3	1 8			
" validus . . . . .	— 3	1 8			
Echinocactus setispinus . . . . .	— 3	1 8			
" Grusoni, splendid . . . . .	1 —	8 —			
Echinocereus cinerascens . . . . .	— 3	2 —			
" Ehrenbergii . . . . .	— 3	— —			
" Engelmanni . . . . .	— 4	— —			
" pentalophus . . . . .	— 3	— —			
" stramineus . . . . .	— 3	— —			
" mixed . . . . .	— 4	1 8			
Echinopsis Eyriesii . . . . .	— 3	— —			
" multiplex . . . . .	— —	1 8			
" oxygona . . . . .	— 3	— —			
" mixed . . . . .	— 2	1 3			
Mammillaria mixed . . . . .	— 2	1 3			
Melocactus spec. from, Porto Rico	1 —	8 —			
" " St. Thomas . . . . .	1 —	8 —			
Opuntia Ficus indica . . . . .	— 2	1 6			
Peireskia aculeata . . . . .	— 8	6 —			
	per oz s. d.	per lb. s. d.			
h Caesalpinia Bondicella . . . . .	— 8	— —			
⊙§ Cajophora lateritia (Loasa) . . . . .	— 6	5 6			
h Caladium bulbosum, newest variegated-leaved mixed . . . . .	100 seeds	1/8			
Calampelis, see Eccremocarpus.					
⊙ Calandrinia speciosa . . . . .	— —	— 10			
" umbellata (setosa) . . . . .	— 11	9 2			
g Calanchoe marmorata 1000 seeds	1/8	— —			
" teretifolia " " 2/—	— —	— —			

	per 1/32 oz s. d.	per 1/16 oz s. d.	per 1/8 oz s. d.	per oz s. d.	per oz s. d.	per lb. s. d.
<b>g Calceolaria hybrida</b>						
self coloured, large flowered mixed . . .	2 8	4 8	8 8	62 9		
self coloured dwarf . . .	2 10	5 2	9 6	67 3		
spotted or tigred mixed . . .	3 9	6 3	11 6	85 —		
spotted or tigred large flowered dwarf . . .	5 6	9 —	18 —	120 —		
painted or margined mixed . . . . .	3 2	5 9	10 3	71 9		
painted or margined dwarf mixed . . . . .	3 2	5 9	10 3	71 9		
			<b>per oz s. d.</b>	<b>per lb. s. d.</b>		
⊙ <i>Calendula hybrida</i> . . . . .			— —	1 2		
" <i>officinalis</i> , single Pot Marigold . . . . .			— —	— 10		
" " fl. pl. single double Pot Marigold . . . . .			— —	— 11		
" " " " Meteor, striped . . . . .			— —	1 1		
" " " " Orange King . . . . .			— —	1 3		
" " " " Prince of Orange . . . . .			— —	1 —		
" " " " sulphurea . . . . .			— —	— 10		
" " " " Trianon (Royal-Marigold) . . . . .			— —	1 3		
" <i>pluvialis</i> . . . . .			— —	1 —		
" <i>sicula</i> fl. pl. . . . .			— —	— 10		
Californian Poppy, see <i>Eschscholtzia</i> .						
<b>g Calla aethiopica</b> . . . . .			— 7	7 4		
" " <i>candidissima</i> . . . . .			— 10	11 —		
" " <i>compacta</i> . . . . .			— 10	— —		
" " <i>gigantea</i> . . . . .			1 3	— —		
⊙ <i>Calliopsis bicolor</i> ( <i>tinctoria</i> ) . . . . .			— —	1 3		
" " <i>atrosanguinea</i> . . . . .			— —	1 3		
" " <i>semitplena</i> . . . . .			— —	1 7		
" <i>cardaminifolia atrosanguinea</i> . . . . .			— —	1 8		
" " <i>bicolor</i> . . . . .			— —	1 8		
" <i>coronata</i> . . . . .			— 3	2 2		
" " <i>maxima</i> . . . . .			— 3	2 2		
" <i>Drummondii</i> (Golden Wave) . . . . .			— —	1 5		
⊙ <i>Callirrhoe lineariloba</i> . . . . .			— 5	4 5		
" <i>pedata</i> . . . . .			— 3	3 5		
" " <i>compacta</i> . . . . .			— 5	5 6		
" <i>verticillata</i> . . . . .			— 6	5 3		
Callistemon, see <i>Metrosideros</i> .						
⊙§ <i>Calonyction speciosum</i> ( <i>Ipomoea speciosa</i> ) yellow flowering . . . . .			— 3	2 9		
<b>g Camellia japonica</b> , mixed . . . . .						
" " 1000 seeds 4/— . . . . .			— —	— —		
" " double, mixed . . . . .						
" " 1000 seeds 4/6 . . . . .			— —	— —		
4 <i>Campanula dichotoma</i> , blue . . . . .			— 4	3 7		
" " white . . . . .			— 6	— —		
4 " <i>fragilis</i> (Electro) . . . . .			1 8	— —		
⊙ " <i>Loreyi</i> . . . . .			— 5	4 5		
" " fl. albo . . . . .			— 5	4 5		
⊙ " <i>macrostyla</i> . . . . .			1 4	— —		
" " <i>rosaeflora</i> . . . . .			1 4	— —		
4 " <i>Medium fl. albo</i> (Canterbury Bells) . . . . .			— 4	2 8		
<i>Campanula Medium fl. albo pleno calycanthema</i> . . . . .					1 4	— —
" " " fl. albo . . . . .					— 11	— —
" " " fl. coeruleo . . . . .					1 3	— —
" " " fl. " pleno . . . . .					— 3	2 3
" " " fl. lilacino . . . . .					— 9	— —
" " " single, mixed . . . . .					— 4	— —
" " " fl. pleno, mixed . . . . .					— 8	2 6
4 " <i>pyramidalis</i> . . . . .					— 6	— —
⊙ " <i>Speculum</i> , blue . . . . .					— 3	1 10
" " white . . . . .					— 3	2 —
" " double, white . . . . .					1 5	— —
Canary Creeper, see <i>Tropaeolum canariense</i> .						
Candytuft, see <i>Iberis</i> .						
Canna-Seeds, see page 57.						
Canna-Roots, see page 58.						



Campanula fragilis.  
Electro 2/4.

⊙ <i>Cannabis gigantea</i> , Giant Hemp . . . . .	— —	— 10
Canterbury-Bell, see <i>Campanula</i> .		
Cape Forget-me-not, see <i>Anchusa</i> .		
" Hyacinth, see <i>Hyacinthus candicans</i> .		
Capsicum, see Vegetable seeds.		
⊙§ <i>Cardiospermum halicacabum</i> (Balloon Vine) . . . . .	— 3	— —
" <i>hirsutum</i> . . . . .	— 7	6 8
" <i>velutinum</i> . . . . .	— 10	— —
⊙ <i>Carduus Marianus</i> ( <i>Silybum</i> ) . . . . .	— —	— 4
Carnation, see <i>Dianthus Caryophyllus</i> .		
<b>g</b> <i>Carpodetus serratus</i> . . . . .	2 1	— —
4 <i>Caryopteris mastacanthus</i> , new, blue . . . . .	1 8	— —
" " <i>candidus</i> , white . . . . .	2 2	— —
4 <i>Cassia floribunda</i> . . . . .	— 6	5 6
" <i>fulgens</i> . . . . .	— 8	9 —
Castor Oil Plant, see <i>Ricinus</i> .		
Casuarina, see Conifers.		

	per oz s. d.	per lb. s. d.		per oz s. d.	per lb. s. d.
2 Catananche coerulea bicolor . . .	— 3	— —			
½ Cedrela chinensis . . . . .	— 7	7 4			
" odorata . . . . .	4 —	— —			
<b>Cocks comb (Celosia cristata).</b>					
⊙ Celosia cristata, 12 tall varieties, each separate . . . . .	— 3	3 4			
" cristata, finest mixed . . . . .	— —	2 10			
" " nana alba . . . . .	— 7	7 9			
" " " atropurpurea . . . . .	— 8	8 2			
⊙ " cristata nana aurea . . . . .	— 7	7 5			
" " " Empress . . . . .	— 9	8 10			
" " " fire red . . . . .	— 8	8 5			
" " " coppery chamois . . . . .	— 7	7 9			
" " " lutea . . . . .	— 7	7 5			
" " " kermesina (Glas- gow Prize, President Thiers)	1 2	12 9			
Celosia cristata nana Queen of Dwarfs, crimson . . . . .	— 9	— —			
Celosia cristata nana, Dam. 1898 "Ruby". The plant grows about 12 inches high producing flowers of a perfect shape and of quite a peculiar most lovely crimson color displaying still more its charm under the sunlight. The stalks also are almost of the same color and the leaves are of a brownish red, giving the plant a most lovely appearance; quite a wonderful kind . . . . .	— 7	7 6			
Celosia cristata nana Vesuvius . . .	— 9	9 3			
" " " violacea . . . . .	— 7	6 8			
" " " finest mixed . . . . .	— 7	6 8			
" Huttoni . . . . .	1 9	— —			
" japonica . . . . .	— —	1 5			
" pyramidalis alba . . . . .	— —	1 1			
" " aurca . . . . .	— —	1 —			
" " coccinea . . . . .	— —	1 5			
" " kermesina . . . . .	— —	1 —			
" " mixed . . . . .	— —	1 —			
⊙ " monstrosa, Dam. 1898. Its bushy habit is like that of the C. pyramidalis while the flowers and specially those of the main stems are more like those of the C. cristata. They are dark red, the leaves dark green spotted more or less with dark red. The plant grows most vigorously to about 4 feet in height which makes it invaluable for large groups	— —	1 11			
⊙ Celosia pyr. nana Thompsoni (Triom- phe de l'exposition) . . . . .	— 4	3 4			
" " " mixed . . . . .	— —	1 2			
" " plumosa aurea . . . . .	— 3	2 6			
" " " coccinea . . . . .	— 3	2 6			
⊙ " " " Preziosa . . . . .	— 3	3 —			
" " " ostrich-feathered, orange-crimson; an					
			absolutely distinct and fine sort . . . . .	— 5	6 —
			Celosia pyr. nana finest mixed . . . . .	— 3	1 10
			⊙ Centaurea americana . . . . .	— 6	8 2
			" " alba . . . . .	— 10	— —
			4 " " candidissima (ragusina) . . . . .	3 —	— —
			" " compacta . . . . .	3 3	— —
			4 " " Clementei . . . . .	— 10	— —
			4 " " Cristata . . . . .	— —	2 3
			⊙ " " cyanoides . . . . .	— 2	1 5
			" " Cyanus (Blue Bottle, Bachelor's Button) . . . . .	— 2	1 4
			" " coelestina (Emperor William) . . . . .	— 2	1 6
			" " fl.pl.mixed, new double flowered . . . . .	— 3	1 7
			" " nana compacta Victoria " " " " fl.pl. " " " " Dam. 1899, double, dark red . . . . .	— 4	3 —
			" " " " single flowered, mixed . . . . .	— 6	— —
			⊙ " " depressa . . . . .	— 2	1 4
			4 " " diluta, Dam. 1899. A very profuse flowering bushy plant growing 30 to 35 inches high and covered almost literally with charming lilac-rose flowers with a white centre, about 2 inches across, on long stalks. They are highly adapted for table and other floral decorations . . . . .	— 5	— —
			⊙ " " eriophora, Dam. 899 This variety is extremely interesting. Although its blooms cannot be compared with those of the large flowered kinds of Centaurea, they are however equally adapted for everlasting bouquets as the rather woolly and spiny buttons keep a very long time. From these buttons emerges the yellow flower like a brush. The plant grows only about 12 inches high . . . . .	— 6	— —
			4 " " eryngioides . . . . .	— —	2 4
			4 " " gymnocarpa . . . . .	— 5	5 2
			⊙ " " Margaritae, Dam. 1891 (White Sultan Mammoth), pure white, very large scented flowers . . . . .	1 3	14 —
			⊙ " " moschata (Sweet Sultan) . . . . .	— —	2 4
			" " alba . . . . .	— 3	2 10
			⊙ " " odorata Dam. 89 (Red Mam- moth Sultan), with large purple scented flowers . . . . .	1 3	14 —
			" " odorata Chamaeleon Dam. (Yellow Sultan Mammoth), with very large flowers of a pale sulphur-yellow, later		



	per oz. s. d.	per lb. s. d.
whitish yellow changing into lilac and fading in a rosy colour	1 9	23 6
⊙ Centaurea suaveolens, Yellow Sweet Sultan . . . . .	— 3	3 4
⊙ Centranthus macrosiphon nanus . . . . .	— —	1 4
"          "          albus . . . . .	— 3	1 6
"          "          carneus . . . . .	— 3	1 6
⊙§ Cephalandra palmata, Dam. 889 . . . . .	2 4	— —
4 Cerastium Biebersteinii . . . . .	— 7	— —
"          tomentosum . . . . .	1 10	— —
g Cestrum aurantiacum . . . . .	— 7	— —
4 Chamaepeuce Casabonae, Fishbone Thistle . . . . .	— 9	— —
"          diacantha, Ivory Thistle . . . . .	— 4	3 —

⊙ Cheiranthus annuus. Stocks.

One of our most important specialities! All our Stocks are grown with so much skill and care that there is no better quality in the market; they give the highest percentage of double flowers as all our many thousands of patrons who received them, will testify.

Dwarf early-flowered ten week Stocks,

1. Apple-blossom,	11. Lazur-blue,	
2. Ash-grey,	12. Light-blue,	
3. Brick-red,	13. Lilac,	
4. Copper-red,	14. Pale Rose,	
5. Chamois,	15. Rose,	
6. Crimson,	16. Rosy-carmine,	
7. Dark Blue,	17. White,	
8. Dark Crimson,	18. White and rose,	
9. Dark Purple,	19. Yellow and rose,	
10. Deep blood-red,	20. Yellow,	
each separate . . . . .		2 3 28 10
all colours mixed . . . . .		1 8 23 9

Creamy yellow Dam. 1898. A new strain of great beauty and a worthy addition to the collection; it is also especially valuable for its rich and continuous flowering . . . . . 3 — — —

Large-flowered dwarf ten week Stocks,

1. Brown,	8. Dark blue,	
2. Brownish purple,	9. Dark Crimson,	
3. Canary-yellow,	10. Fire red,	
4. Chamois,	11. Light blue,	
5. Coppery red,	12. Lilac,	
6. Crimson,	13. Purple,	
7. Dark blood-red,	14. White,	
each separate . . . . .		2 9 39 9
all colours mixed . . . . .		2 3 32 —

Wallflower-leaved large flowered ten week Stocks, all colours mixed . . . . . 3 9 — —

Victoria Bouquet ten week Stocks,

1. Carmine,	4. Light blue,	
2. Dark bloodred,	5. White,	
3. Dark blue,		
each separate . . . . .		3 10 — —
all colours mixed . . . . .		3 3 — —

Dresden Perpetual-flowered ten week Stocks,

1. Apple-blossom,	6. Flesh-colour,	
2. Ash-grey,	7. Light blue,	
3. Brownish red,	8. Rosa,	
4. Dark blue,	9. Sulphur-yellow,	
5. Deep crimson,	10. White,	
each separate . . . . .		2 9 — —
all colours mixed . . . . .		2 7 — —

Large-flowered pyramidal ten week Stocks mixed . . . . . 4 10 — —

Stocks (continued).

Dwarf large flowered pyramidal ten-week Stocks, mixed . . . . . 4 4 — —

Giant or Tree ten-week Stocks, mixed . . . . . 3 6 — —

Giant Perfection ten-week Stocks, mixed . . . . . 5 — — —

Perpetual-flowering or Emperor Stocks, all colours mixed . . . . . 9 3 — —

Winter or Brompton Stocks, mixed 6 10 — —

Dwarf Winter or Brompton Stocks all colours mixed . . . . . 7 4 — —

Brompton Stocks, white Nice, magnificent, continuously flowering; splendid for cutting . . . . . 3 2 43 6

Victoria white Winter Stock; (Dam.) since we introduced this beautiful kind it has met every where with an unlimited and unrestricted approbation; we recommend it most warmly to all who wish to have a fine cut flower. (Electro) . . . . . 3 5 — —

Victoria Winter Stock pale rose 8 4 — —

Canary-yellow Winter Stock Dam. 1898. This new and very valuable addition is a worthy pendant to the Victoria Stock introduced by us several years ago and which obtained such a grand and general success. We can recommend this new kind most especially for cutting purposes. It can also easily be forced . . . . . 1/8 oz 1/— 6 10

Light rose Winter Stock 1/8 oz 1/— 6 10

Lilac wallflower-leaved, Winter Stock . . . . . 1/8 oz 1 6 10

Italian red Winter Stock; a most recommendable sort producing an

	per oz s. d.	per lb. s. d.
abundance of fine red flowers during the winter	1 —	10 10
Cheiranthus Cheiri, German Wall-flower.		
Double Tree, mixed of many fine colours . . . . .	2 10	— —
Double Branching, mixed of many splendid colours . . . . .	2 10	— —
Single Branching, mixed . . . . .	— —	1 10
⊙ Cheiranthus maritimus (Malcolmia) Virginian Stocks	— —	1 1
⊙ " maritimus albus . . . . .	— —	1 —
" " carmineus splendens	— —	1 —
" " Fairy Queen . . . . .	— —	1 4
" " kermesinus (Crimson King) . . . . .	— —	1 2



Victoria White Winter Stock.  
Electro 4/—.

Cheiranthus maritimus luteus . . . . .	— —	1 —
" " mixed . . . . .	— —	1 —
4 Chelone barbata . . . . .	— 3	2 6
Chinese Bellflower, see Abutilon.		
" Primrose, see Primula chinensis.		
Christmas Rose, see Helleborus.		
Chrysantherum Burridgeanum . . . . .	— —	— 10
" carinatum, see tricolor.		
g Chrysanthemum chinense, double fine mixed . . . . .	6 4	— —
g Chrysanthemum Japanese double large-flowered, mixed . . . . .	7 6	— —
g Chrysanthemum Japanese, a special selection of the former with very large and well-shaped flowers . . . . .	10 8	— —

	per oz s. d.	per lb. s. d.
g Chrysanthemum Japanese Imperial double Ostrich-feathered, imported seed from one of the best collections . . . . .	5 2	— —
⊙ Chrysanthemum coronarium album plenum . . . . .	— —	1 3
" coronarium luteum plenum . . . . .	— —	1 3
" " sulphureum plenum . . . . .	— —	1 7
" " double, mixed . . . . .	— —	1 3
g " frutescens (Argyranthemum) inodorum plenissimum . . . . .	— 9	10 8
⊙ " Segetum Gloria . . . . .	— 10	— —
⊙ " tricolor (carinatum) album . . . . .	— 11	12 10
" " atrocooccineum . . . . .	— 2	1 7
" " Chamaeleon, new . . . . .	— 2	1 7
" " Dunnetti albo pl. . . . .	— 4	3 10
" " " aurea pl. . . . .	— 4	4 6
" " " versicolor pl. . . . .	— 4	4 6
" " Eclipse . . . . .	— 5	5 6
" " Golden Feather nanum coccineum plenum . . . . .	— 3	2 3
" " " finest mixed . . . . .	— 3	2 3
" " viscosum Dam. 1899, yellow, rich flowering . . . . .	1 —	— —
" " " . . . . .	— 2	1 8
" " " . . . . .	— 3	2 3
Cigar-Flower, see Cuphea platycentra.		
4 Cirsium polycephalum, Dam. 1899. A plant very highly adapted for groups, about 6 feet high. Its slightly spiny leaves are much like those of the thistle and form a splendid contrast with the globe shaped blooms of a lively bright purple color . . . . .	1/8 oz 1/—	6 10
g Cineraria hybrida, finest mixed . . . . .	7 3	— —
" " large flowered, finest mixed 1/16 oz 1/—	14 8	— —
" " dwarf, many varieties of the finest colours, mixed 1/16 oz 1/5	20 6	— —
" " dwarf large flowered, extra selected 1/16 oz 1/7	22 6	— —
" " plenissima, double splendid mixed 1/8 oz 10/10		
" " " 1/16 " 5/10		
" " " 1/32 " 3/3	85 —	— —
4 " maritima . . . . .	— 2	1 9
4 " " candidissima . . . . .	— 4	3 4
g§ Cissus antarctica . . . . .	1 10	— —
" heterophylla fol. var. . . . .	1 2	— —
" tetragona . . . . .	— 8	— —
h Citharexylum cyanocarpum . . . . .	1 6	— —
g Citrus trifoliata . . . . .	— 4	3 8
⊙ Clarkia elegans Double, mixed . . . . .	— —	1 5
" " pulchella fl. albo. . . . .	— 2	1 2
" " " fl. albo pl. . . . .	— 3	1 8

	per oz s. d.	per lb. s. d.		per oz s. d.	per lb. s. d.
Clarkia eleg. pulchella fl. carmineo pl.	— 3	1 8	4 Coreopsis grandiflora . . . . .	— 5	— —
" " " Double, mixed	— 2	1 2	⊙ " japonica . . . . .	— 10	— —
Clary, see Salvia Horminum.			Corn Flower, see Centaurea Cyanus.		
⊙ Cleome elegantissima . . . . .	— 3	2 6	⊙ Cosmanthus fimbriatus . . . . .	— 3	2 10
" grandis Dam. new wonderful, with large flowers . . . . .	— 5	— —	⊙ Cosmea hybrida Klondyke, orange- red, large flowering . . . . .	1 10	— —
" speciosissima . . . . .	— 3	2 4	" pinnatifida (Cosmos bipin- natus) . . . . .	— 5	4 6
" viscosa . . . . .	— 3	2 8	" " albiflora . . . . .	— 5	6 —
h Clerodendron fragrans 100 seeds 1/—	— —	— —	" " purpurea . . . . .	— 5	5 6
h Clianthus Dampieri . . . . .	3 6	— —	" " Mammoth, white . . . . .	— 6	— —
" puniceus . . . . .	2 4	— —	" " " mixed . . . . .	— 5	6 —
⊙§ Clitoria ternatea (coelestis) . . . . .	— 5	6 —	⊙ " " nana Dawn, pure white, rich flowering . . . . .	— 7	— —
⊙§ Cobaea macrostemma most elegant climber . . . . .	1 5	20 6	" " sulphurea . . . . .	— 4	4 8
⊙§ " scandens, beautiful climber . . . . .	— 9	10 —	" " mixed . . . . .	— 4	4 8
" " fl. albo . . . . .	1 3	16 6	⊙ Cosmidium Burridgeanum . . . . .	— 3	1 7
⊙§ Coccinea indica . . . . .	— 7	6 8	" " filiforme . . . . .	— 3	3 —
" Moghad . . . . .	— 10	— —	h Cosmophyllum calaciaefolium (Fer- dinanda eminens) . . . . .	3 5	— —
Cockscomb, see Celosia.			h Coulteria pectinata . . . . .	— 3	2 3
h Coleus hybridus, choicest hybrids best selected varieties . . . . .	6 9	— —	Cowslip yellow, see Primula veris.		
h Coleus hybridus regalis (imperialis) newest large-leaved varieties, splendid mixed . . . . . 1/8 oz 1/4	9 3	— —	g Crinodendron Hookerianum 100 seeds 1/3; 1000 seeds 11/6	— —	— —
Coleus hybr. fol. laciniatis, with fine light brownish lacinated leaves; a most lovely and remarkable kind . . . . .	7 10	— —	h Croton sebiferum (Stillingia) . . . . .	— 11	— —
Coleus Verschaffelti, with very fine dark brown leaves . . . . . 1/8 oz —/10	5 8	— —	Crown of the Field, see Agrostemma.		
⊙ Collinsia bicolor . . . . .	— —	1 —	⊙ Cryptostemma lusitanicum, Dam. 1899. A rival of the Gazanias, all the more as it is an annual of rapid growth. The plant attains a height of about 8 inches. Its narrow pinnate or deeply cut leaves are of a greyish green and silvery grey on the back. The plant produces a large number of flowers measuring about 2 inches in diameter, the petals of which are sulphur-yellow and chrome-yellow at the base with a dark brown spot . . . . .	— 6	— —
" " candidissima . . . . .	— —	1 —	⊙§ Cucumis anguineus, see Tricho- santes.		
" " mixed . . . . .	— —	1 2	Cucumis Anguria (Aradae) . . . . .	— 4	2 10
Collomia coccinea . . . . .	— —	1 —	" Grossularia, Gooseberry Gourd . . . . .	— 3	2 8
Columbine, see Aquilegia.			" odoratissimus (Dudaim) . . . . .	— 4	3 1
4 Commelina coelestis . . . . .	— 3	3 —	" perennis . . . . .	— 8	— —
" " alba . . . . .	— 3	3 5	⊙§ Cucurbita argyrosperma . . . . .	— 3	2 4
" Sellowiana, new . . . . .	2 8	— —	" aurantiaca, Orange Gourd . . . . .	— 3	2 6
4§ Convolvulus major, see Ipomoea purpurea.			" maliformis, Apple Gourd, yellow, white, striped, each . . . . .	— 4	3 3
g " mauritanicus . . . . .	— 7	7 4	" maxima sylvestris, Naudin 1889 . . . . .	3	2 3
⊙ " minor (tricolor), mixed . . . . .	— —	— 6	" melanosperma, variegated fruited Malabar (Angora), black seed . . . . .	3	2 3
Coral Tree, see Erythrina.			" oviformis, Ostrich Egg . . . . .	— 4	3 9
h Cordyline australis, berries . . . . .	— 4	4 5	" Pepo turbinata, Turban Gourd, scarlet, . . . . .	3	2 8
" " clean seed . . . . .	1 8	— —	⊙§ " piriformis (pear-shaped) green, green with white, each . . . . .	3	1 10
" Banksii . . . . .	— 10	— —			
" congesta spectabilis 1000 seeds 6 —	— —	— —			
" indivisa (C. colocoma super- biens) berries . . . . .	— 4	3 9			
" " lineata . . . . .	— 5	4 —			
" " latifolia . . . . .	— 6	5 9			
" " rosea . . . . .	— 6	5 6			
" " Veitchii . . . . .	— 6	— —			
" " " rubra (Dracaena) . . . . .	— 6	— —			
" nutans 1000 seeds 4/—	— —	— —			
" rubra 1000 " 10/—	— —	— —			
⊙ Coreopsis abyssinica . . . . .	1 10	— —			

	per oz s. d.	per lb. s. d.		per oz s. d.	per lb. s. d.
Cucurbita verrucosa (warted) apple- and pear-shaped . . . . .	— 3	1 9	⊙ Delphinium Ajacis, see Larkspur.	10 —	— —
⊙ Cuphea miniata . . . . .	— 6	5 6	24 " Cardinale . . . . .	— 3	1 10
" platycentra 1/8 oz 1/—	7 —	— —	⊙ " cardiopetalum . . . . .	— 4	3 5
" purpurea . . . . .	— 4	3 9	" chinense mixed . . . . .	1 2	— —
" Roezli . . . . . 1/8 oz —/7	4 3	— —	" formosum . . . . .	— 4	3 9
" Strigulosa . . . . .	— 4	— —	" hybridum, mixed . . . . .	4 —	— —
Cyanus, see Centaurea.			" " fl. pl. double mixed	1 2	— —
Cyclamen, see Seeds of Bulbs and Roots.			" luzulinum . . . . .	3 8	— —
⊙§ Cyclanthera explodens . . . . .	— 5	4 5	" sulphureum (Zalil) . . . . .	— 7	— —
" pedata . . . . .	— 3	3 —	" triste . . . . .		
4 Cynanchum acutum . . . . .	— 5	— —	Devil in a bush, see Nigella.		
⊙ Cynoglossum coelestinum . . . . .	— —	1 —	Dew Plant, see Mesembrianthemum tricolor.		
" linifolium (Venus Navelwort)	— —	— 9	4 Dianthus barbatus, Sweet William, fine single mixed . . . . .	— —	1 2
Cyperus, see Ornamental Grasses.			fl. pl. best double-flowered mixed . .	— 5	4 5
Cypress Vine, see Ipomoea Qua- moclit.			nanus compactus, double mixed . . .	— 10	— —
4 Dahlia imperialis grandis . . . . .	4 6	— —	<b>Dianthus Caryophyllus fl. pl.</b>	<b>100 seeds</b>	<b>1000 seeds</b>
" Zimapanii (Bidens atrosan- guinea) . . . . .	1 2	— —	seeds raised from finest stage flowers only.	s. d.	s. d.
⊙4 " hybrida, splendid mixture of single Dahlias . . . . .	— 4	3 6	Bizarre . . . . .	— 10	6 6
" hybrida striata, striped . . . . .	— 5	5 4	Doublettes . . . . .	— 10	6 6
" " grandiflora striata, dwarf . . . . .	— 5	5 11	Fancy . . . . .	— 10	6 6
" " marginata, margined, single Dahlias, mixed . . . . .	— 6	6 8	Self . . . . .	— 10	6 6
" " nana, dwarf, finest mixed	— 4	3 10	Picotees (Avranches), yellow ground	1 —	8 —
" " fl. pl. double, from first class flowers, mixed . . . . .	1 3	13 10	" white ground . . . . .	— 10	6 6
" " fl. pl. double, Cactus (Juarezi) mixed . . . . .	1 8	29 6	" (Saxons, with red border) . . . . .	1 3	12 —
" " fl. pl. double, Liliput, extra	1 10	— —	Spotted (Grenoble and Salamander)	— 10	6 6
" " fl. pl. double, dwarf mixed (Tom Thumb) . . . . .	1 10	— —	Extra fine mixture of the above stage flowers . . . . .	— 9	6 3
Daisies, see Bellis perennis.			Splendid mixture of stage flowers 1/8 oz 5/7	— —	— —
Dames Violet, see Hesperis.			<b>Perpetual-flowering,</b>	<b>per oz</b>	<b>per lb.</b>
g Dasylyrion acrotiche (serratifolium)	— 10	10 —	raised from finest stage plants only.	s. d.	s. d.
" glaucophyllum . . . . .	— 7	7 6	Extra double . . . . .	5 3	— —
" gracile . . . . .	— 7	7 6	" " dwarf (tige de fer)		
" longifolium verum			1/16 oz 5/6; 1/8 oz 10/3	78 —	— —
1000 seeds —/11	— —	— —	Riviera Market		
h Datura arborea . . . . .	4 —	— —	1/16 oz 3/4; 1/8 oz 6/—	45 —	— —
" " fl. pl. (Knighti) . . . . .	7 —	— —	Alégatière 1/16 " 5/6; 1/8 " 10/3	78 —	— —
⊙ " atrovioleacea plenissima . . . . .	— 5	5 2	<b>Border- (Ground) Carnations.</b>		
⊙ " ceratocaula . . . . .	— 5	4 6	Extra double self coloured . . . . .	3 4	44 6
" cornucopiae . . . . .	— 8	9 2	" " striped in beautiful colours	3 6	52 —
" fastuosa alba plena . . . . .	— 4	3 5	Early flowering dwarf Vienna, finest strain . . . . .	1 10	25 —
" " coerulea plena . . . . .	— 4	3 5	Grenadin, brilliant red, choice quality	2 6	31 —
" " lutea plena . . . . .	— 3	2 —	<b>Margaret Carnations Dam.</b>		
" " fl. pl. mixed . . . . .	— 3	1 9	Malmaison, very large-flowering (require a heavy good soil) . . . . .	3 —	40 —
" " Huberiana alba plena	— 4	3 9	Semi-high, very double, saved from the finest collection (Electro) . . . . .	1 —	12 9
" " Huberiana atrovio- lacea punctata plena	— 3	3 2	Semi-high, very double white . . . . .	3 3	— —
" " humilis flava plena . . . . .	— 4	3 9	" " " rose . . . . .	2 6	— —
" humilis Golden Queen . . . . .	— 8	8 2	" " " scarlet . . . . .	2 6	— —
" Metel . . . . .	— —	— 10			
" Wrightii (meteloides) . . . . .	— —	1 2			

	per oz s. d.	per lb. s. d.
<b>Margaret Carnation:</b>		
Semi-high, very double dark red . . .	2 6	— —
" " " purple (violet) . . .	2 6	— —
" " " yellow and yellow-ground 1/8 oz—/8	4 2	— —
" " " striped . . .	3 3	— —
The separate colours are still very variable		
Dwarf, very double, finest mixed . . .	2 7	32 —
" Margaret Carnation, newest dwarf double-Chabaud (tige de fer) .	5 6	— —
⊙ Dianthus chinensis fl. pl. double Chinese Pinks, finest mixed .	— 4	3 9
⊙ " imperialis fl. pl. double Imperial Pink, finest mixed . . .	— 4	3 9
⊙ " Heddeewigi (giganteus) single flowered mixed . . .	— 4	3 9
" " (giganteus) double, finest mixed . . .	— 4	3 9
" " albus plenus . . .	— 6	5 6
" " atrococcineus plenus, Dam. 1899. A new dark scarlet and very fine color. The plant produces a large number of very double flowers . . .	— 8	7 5
" " diadematus plenus . . .	— 5	5 2
" hybridus mixed . . .	— 4	3 10
⊙ " laciniatus, single-flowered mixed . . .	— 4	3 9
" " double mixed . . .	— 8	7 5
" " Oriental Beauty . . .	1 7	— —
⊙ " rubro striatus Dam. 1898. An extremely pretty kind blooming most profusely and growing about 8 to 10 inches high. The flowers are white, richly striped with lilac-red. A very valuable addition to the collection . . .	— 10	— —
Dianthus laciniatus Salmon Queen, new, large-flowering, salmon-red . . .	— 8	8 2
" laciniatus Salmon Queen fl. pl. double flowered . . .	1 7	— —
4 " plumarius, the common Pheasant eye Pink . . .	— 3	1 7
" " fl. pl. finest double Garden Pink . . .	2 4	— —
4⊙ Didiscus (Huegelia) coeruleus . . .	— 9	— —
Didymocarpus, see Streptocarpus.		
4 Digitalis (Foxglove)		
" glouxiniaeflora mixed . . .	— 3	2 3
" maculata superba . . .	— 4	3 —
" purpurea . . .	— 2	1 5
" " alba . . .	— 3	2 3
g§ Dioclea glycinoides . . .	— 5	5 3
4 Diotis candidissima (Santolina maritima) . . .	— 5	14 6
⊙§ Dolichos atropurpureus . . .	— 2	— 11
" bahiensis . . .	— 2	— 11
" bicontortus . . .	— 2	— 11

	per oz s. d.	per lb. s. d.
Dolichos Catjari . . . . .	— 2	— 11
" cultratus . . . . .	— 2	— 11
" helveticus missouriensis . . .	— 3	2 —
" Lablab albus, Hyacinth Bean, white . . . . .	— —	— 10
" " giganteus . . . . .	— 2	— 11
" " Princess Helene Dam. 1896 new . . . . .	2	1 9
" " mixed . . . . .	— 2	— 9
g§ " lignosus . . . . .	— 3	1 10
" mixed . . . . .	— —	7
4 Dracaena arborea 1000 seeds 1/9	— —	— —
" Draco . . . . .	— 5	4 5
4 Dracocephalum moldavicum fl. albo Dusty Miller, see Centaurea candidissima.	— —	— 6



Margaret Carnation semi-high double. Electro 3/3.

⊙4§ Ecremocarpus scaber (Calampelis)	— 12	— —
4 Echinacea purpurea 100 seeds —/3	— —	— —
1000 " 1/9	— —	— —
4 Echinops (Globe Thistle) macrocephalus . . . . .	3	2 3
" sphaerocephalus . . . . .	— 2	1 —
" Tournefortii . . . . .	— 3	1 10
Edelweiss, see Gnaphalium Leontopodium.		
g Edwardsia Mac Nabiana . . . . .	7	— —
g Elaeococa cordata . . . . .	— 5	5 3
⊙ Elsholtzia cristata . . . . .	3	2 —
4 Embotrium coccineum . . . . .	2	— —
English Clover, see Gomphrena.		
4 Epilobium hirsutum var. adenocaluum Hskn. Dam. 1898. A magnificent variety from Asia Minor. The plant, 28 inches in height, produces	— —	— —

	per oz s. d.	per lb. s. d.		per oz s. d.	per lb. s. d.
in great number panicles of a bright rose lilac color. A most recommendable perennial . . . . .	5	—		—	—
<i>Eranthemum longifolium</i> , scarlet, rich-flowering. 1000 seeds —/10	—	—		—	—
4 <i>Erpetion reniforme</i> , Australian Violet	7	10		—	—
4 <i>Eryngium asperifolium</i> . . . . .	—	5 4 9		—	—
" <i>Kotschianum</i> . . . . .	—	5 4 9		—	—
" <i>pandanifolium</i> . . . . .	—	7 — —		—	—
" <i>planum</i> . . . . .	—	4 — —		—	—
⊙ <i>Erysimum arkansanum</i> . . . . .	—	3 1 5		—	—
⊙ " <i>cheiranthoides</i> new. (Dam. 1900). Dark orange flowers on long panicles, blooming for several months	—	3 3 5		—	—
" <i>Perowskianum</i> . . . . .	—	— 10		—	—
4 <i>Erythrina caffra vera</i> 100 seeds 2/4	—	— — —		—	—
" <i>coraliodendron</i> 1000 " 12/—	—	— — —		—	—
" <i>coralloides</i> 100 " 2/—	—	— — —		—	—
" <i>crista galli</i> . . . . .	—	8 9 2		—	—
" <i>indica</i> . . . . . 100 seeds 1/3	—	— — —		—	—
" <i>insignis</i> . . . . . 1000 " 2/6	—	— — —		—	—
4 <i>Erythroxylon Coca</i> 100 " 1/8	—	— — —		—	—
g <i>Escallonia floribunda</i> . . . . .	5	6 — —		—	—
⊙ <i>Eschscholtzia californica</i> (Californian Poppy) . . . . .	—	3 1 6		—	—
" " fl. albo . . . . .	—	3 1 6		—	—
" " fl. roseo . . . . .	—	3 1 9		—	—
" " <i>grandiflora</i> carmine . . . . .	—	5 3 9		—	—
" " <i>The Golden West</i> . . . . .	—	3 — —		—	—
" <i>crocea</i> . . . . .	—	3 2 —		—	—
" " fl. pl. double . . . . .	—	5 4 6		—	—
" <i>hybrida</i> Mandarin . . . . .	—	4 3 9		—	—
" <i>maritima</i> , Cross of Malta . . . . .	—	4 3 9		—	—
⊙ <i>Ethulia conyzoides</i> Dam. 1898 . . . . .	—	5 4 6		—	—
r <i>Eucalyptus amygdalina</i> . . . . .	1	2 12 9		—	—
g " <i>botryoides</i> . . . . .	—	1 4 — —		—	—
" <i>citriodora</i> . . . . .	—	4 3 — —		—	—
" <i>colossea</i> . . . . .	—	2 3 — —		—	—
" <i>gigantea</i> . . . . .	—	1 — 12 9		—	—
" <i>globulus</i> , Bule Gum . . . . .	—	9 9 10		—	—
" <i>Gunnii</i> . . . . .	—	1 8 — —		—	—
" <i>obliqua</i> . . . . .	—	1 2 — —		—	—
" <i>piperita</i> . . . . .	—	1 4 — —		—	—
" <i>resinifera</i> , Red Gum . . . . .	—	1 4 17 6		—	—
" <i>robusta</i> . . . . .	—	1 4 17 6		—	—
" <i>rostrata</i> . . . . .	—	1 — 12 9		—	—
" <i>Stuartiana</i> . . . . .	—	1 2 — —		—	—
⊙ <i>Eucharidium Breweri</i> , rosy purple . . . . .	—	1 3 — —		—	—
" <i>grandiflorum</i> . . . . .	—	3 2 2		—	—
4 <i>Eupatorium altissimum</i> , Dam. 1898. This very hardy perennial attains a height of about 6 feet. Its charming narrow leaves about 3 inches long confer to the plant a magnificent aspect. The flowers are pure white and are reproduced continually throughout the summer . . . . .	1	3 — —		—	—
<i>Eupatorium aromaticum</i> . . . . .	—	5 — —		—	—
<i>Eupatorium glechomaefolium</i> 1000 seeds 2/6	—	— — —		—	—
4 " <i>serotinum</i> , Dam. 1898. This plant shares for its remarkable properties all the qualities of the above, only its leaves are shorter and similar to those of <i>Eupatorium riparium</i> , although much longer and more narrow. For cutting purposes both kinds are of the greatest value . . . . .	—	— — —		—	—
<i>Eupatorium serrulatum</i> , new . . . . .	—	11 — —		—	—
g " <i>Weinmannianum</i> . . . . .	2	4 — —		—	—
" " <i>tricolor</i> . . . . .	—	9 — —		—	—
g⊙ <i>Euphorbia heterophylla</i> . . . . .	2	10 — —		—	—
⊙ " <i>variegata</i> ( <i>marginata</i> ) Varie- gated Spurge . . . . .	—	10 11 —		—	—
4 <i>Euryale ferox</i> , hot-house aquatic, similar to <i>Victoria regia</i> 10 seeds —/10; 100 seeds 6/6	—	3 2 2		—	—
⊙ <i>Eutoca viscida</i> . . . . .	—	3 2 —		—	—
Evening Primrose, see <i>Oenothera</i> . Everlasting Flower, see <i>Helichrysum</i> . " Pea, see <i>Lathyrus lati-</i> <i>folius</i> .					
⊙ <i>Fedia Cornucopiae</i> . . . . .	—	2 2 —		—	—
4 <i>Felicia abyssinica</i> Dam. 1897, new	1	6 — —		—	—
<i>Ferdinanda eminens</i> , see <i>Cosmo-</i> <i>phyllum</i> .					
4 <i>Ferula neapolitana</i> . . . . .	—	4 3 —		—	—
Feverfew, see <i>Matricaria</i> .					
4 <i>Ficus Cooperi</i> . 1000 seeds 2/9	—	— — —		—	—
" <i>elastica</i> . . 1000 " 2/—	—	— — —		—	—
" <i>imperialis</i> . 1000 " 2/9	—	— — —		—	—
" <i>Wrightii</i> 1000 " 2/9	—	— — —		—	—
Fishbone Thistle, see <i>Chamaepeuce</i> . Flora's Paint Brush, see <i>Cecalia</i> . Flos Adonis, see <i>Adonis aestivalis</i> . Flowering Flax, see <i>Linum</i> . " Maple, see <i>Abutilon</i> . Forget me not, see <i>Myosotis</i> . Fountain Plant; see <i>Amaranthus</i> <i>salicifolius</i> . Four o'clock, see <i>Mirabilis</i> . Fox glove, see <i>Digitalis</i> .					
4 <i>Fragaria indica</i> . . . . .	—	10 11 —		—	—
g <i>Franseria artemisioides</i> 100 seeds —/7	—	— — —		—	—
g <i>Fuchsia corymbiflora</i> 1000 " —/7	—	— — —		—	—
g " " <i>alba</i> 1000 " —/7	—	— — —		—	—
" <i>procumbens</i> 1000 " 2/4	—	— — —		—	—
⊙ <i>Gaillardia Amblyodon</i> . . . . .	—	3 2 —		—	—
" <i>Amblyodon atrosanguinea</i> . . . . .	—	3 3 —		—	—
4 " <i>grandiflora</i> <i>Loiseli</i> . . . . .	—	4 3 9		—	—
⊙ " <i>picta</i> ( <i>pulchella</i> ) . . . . .	—	3 1 7		—	—
" " <i>Lorenziana</i> , best double mixed . . . . .	—	3 2 3		—	—
4 <i>Gardenia florida</i> , clean seed . . . . .	—	8 7 4		—	—
" <i>radicans</i> . . 100 fruits 1/3	—	4 3 4		—	—

	per oz s. d.	per lb. s. d.
Gardenia Rothmannii 100 seeds 1/3	—	—
„ Thunbergia. 100 fruits 5/—	—	—
⊙ Gaura Lindheimeri . . . . .	3	2 2
4 Gazania bracteata pure white, rich-flowering . . . 1/8 oz 3/—	20 6	—
4 „ hybrida Nora, Dam. 1897 (Electro No. 1). Flowers milk white, with lilac tips, sulphur-yellow at the base with a large black spot, 100 seeds 1/2; 1000 seeds 8/3	—	—
4 Gazania hybrida Diana, Dam. 1897 (Electro No. 2). Upper part of the petals yellowish white, the lower part changing into chrome-yellow, 100 seeds 1/2; 1000 seeds 8,3	—	—
4 Gazania hybrida Blondine, Dam. 1897 (Electro No. 3). Bright chamois, dark orange on the base with white or pale yellow spots; the opposite part of the petals is dark lilac striped, 100 seeds 1/4; 1000 seeds 10/—	—	—
4 Gazania hybrida Bianca, Dam. 1897. Flowers at first sulphur-yellow, changing afterwards into white; slight purple spots at the base of the petals; the opposite part of the petals bears a broad blue stripe in the centre. Flowers measuring about 3 in. across 100 seeds 1/5; 1000 seeds 12/6	—	—
4 Gazania hybrida Venus, Dam. 1899. Satiny white flowers with a light yellow hue at the base. The back side of the petals is crossed by a broad greyish green line. This plant differs from G. nivea by its shorter and broader petals and also by the greater profusion of flowers, which makes it a worthy addition to the fine varieties introduced by us 2 years ago. 100 seeds 1/5; 1000 seeds 12/6	—	—
4 Gazania pygmaea lutea. (See colored plate.) A new form with very large chrome yellow flowers, the petals of which bear on their basis a light yellow spot forming together a circle which produces a striking effect. The petals are at their lower part crossed by a broad grey-line. The yellow color of the flowers is not only quite new among Gaxanias but also extremely handsome. It is a charming novelty which will soon become very popular. 100 seeds 1/6; 1000 seeds 12/6	—	—
4 Gazania splendens, a fine, well known plant for carpet-bedding . . . . .	2 6	34 —
„ stenophylla (Gazaniopsis) . . . . .	1 3	— —

	per oz s. d.	per lb. s. d.
h Genipa americana (Gardenia Genipa) 10 seeds 1/—	—	—
g Genista canariensis . . . . .	10	9 3
g „ candicans . . . . .	7	—
4 Gentiana acaulis . . . . .	8	7 3
Geranium, see Pelargonium.	—	—
4 Gerbera Jamesoni 100 seeds 5/—	—	—
4 Geum coccineum . . . . .	6	—
„ „ atrosanguineum . . . . .	8	7 8
⊙ Gilia multicaule . . . . .	—	1 —
„ tricolor . . . . .	—	10 —
„ „ nana compacta . . . . .	2	1 5
4 Glaucium luteum . . . . .	3	2 —
Globe amarant, see Gomphrena.	—	—
„ Thistle, see Echinops.	—	—
Gloxy Pea, see Clianthus.	—	—



Gazania hybr. Blondine.  
Electro 3/3.

	per oz s. d.	per lb. s. d.
h Gloxinia hybrida		
with erect flowers mixed, 1/32 oz 3/—;		
1/16 oz 5/—; 1/8 oz 9/4	65	— —
grandiflora (Emperor Frederic),		
bright scarlet with broad white borders, 1/32 oz 7/—; 1/16 oz 13/—;		
1/8 oz 25/—	190	— —
grandiflora Défiance, scarlet		
1/32 oz 8/9; 1/16 oz 16/—; 1/8 oz 30/—	—	—
splendid mixed 1/32 oz 2/9; 1/16 oz 4/9;		
1/8 oz 8/9	67	— —
4 Gnaphalium Leontopodium (Edelweiss)	4 6	—
⊙ „ orientale fl. pleno 1/32 oz 1/6;		
1/16 oz 2/6; 1/8 oz 4/6	34	— —
⊙ Godetia amoena . . . . .	3	1 9

	per oz s. d.	per lb. s. d.		per oz s. d.	per lb. s. d.
Godetia Bijou, dwarf, with rose-coloured spot . . . . .	— 4	3 9		— 5	— —
„ Bridesmaid . . . . .	— 4	3 —	4	— —	— 10
„ carminea aurea . . . . .	— 6	— —	⊙	— —	— 10
„ Duchess of Albany, satin white . . . . .	— 4	3 9	4	— 4	3 —
„ „ of Fife, dark-red with white . . . . .	— 6	— —	g	— 10	— —
„ Duke of York, scarlet carmine . . . . .	— 6	5 6	g	— 3	1 6
„ Fairy Queen . . . . .	— 5	4 6			
„ Gloriosa, deep bloodred . . . . .	— 8	— —			
„ grandiflora rosea plena . . . . .	1 —	— —		4 6	— —
„ Lady Albemarle . . . . .	— 5	3 9			
„ „ Satin Rose . . . . .	— 5	3 9			
„ Lindleyana fl. pl. . . . .	— 2	1 9			
„ Mandarin, pale yellow . . . . .	— 6	6 8	⊙	1 2	— —
„ Marchioness of Salisbury, pale rose carmine spotted . . . . .	5	4 5	⊙		
„ Princess Henry . . . . .	4	3 —			
„ „ of Wales . . . . .	4	3 7			
„ the Bride . . . . .	— 3	2 —			
⊙ „ Triumph. Of absolutely dwarf habit, this new sort grows only about 8 inches high resembling in this way the G. Gloriosa. The flowers are of a bright dark crimson with a broad satin white edge. Unequaled for dwarf groups and borders . . . . .	— 9	— —			
Godetia Whitneyi Brilliant . . . . .	— 4	2 9			
„ „ „ compacta . . . . .	— 5	3 9			
„ White Pearl . . . . .	— 3	2 —			
„ mixed . . . . .	— 3	2 —			
Gold Dust, see Alyssum saxatile.					
Golden Feather, see Pyrethrum parthenifolium aureum.					
⊙ Gomphrena globosa (Globe Amaranth)	2	1 3			
„ „ alba . . . . .	— 2	1 3			
„ „ carnea . . . . .	— 2	1 3			
„ „ nana compacta . . . . .	— 2	1 8			
„ „ „ alba . . . . .	— 2	1 8			
„ „ „ carnea . . . . .	2	1 8	⊙		
„ „ variegata . . . . .	— 2	1 3			
„ „ mixed . . . . .	— 2	1 5			
„ Haageana, orange . . . . .	— 2	1 8			
Gourds, ornamental, see Cucurbita and Lagenaria.					
g Grevillea robusta . . . . .	— 9	9 6			
Groundsel, see Senecio.					
h Guevina Avellana . . . . .	— 5	— —			
4 Gunnera scabra . . . . 1/8 oz 1/9	11 3	— —			
4 Gymnopsis uniserialis Hook. Resembling as to its habit the Helianthus cucumerifolius. It grows about 30 inches high. Above the dark green foliage rise most abundantly on rather long stems very pretty chrome-yellow flowers of 2. to 3 inches in diameter. They are very valuable for cutting as they keep very well in water for a long time. The plant					
			produces flowers without interruption from June to September . . . . .	— 5	— —
			4 Gypsophila acutifolia . . . . .	— —	— 10
			⊙ „ „ elegans . . . . .	— —	— 10
			4 „ „ paniculata . . . . .	— 4	3 —
			g Habrothamnus elegans . . . . .	— 10	— —
			g Hakea saligna, nuts . . . . .	— 3	1 6
			Hardenbergia, see Kennedyya.		
			Harpalium rigidum (Helianthus), rich-flowering, beautiful . . . . .	4 6	— —
			Hawkweed, see Crepis.		
			Heartsease, see Viola tricolor maxima.		
			⊙ Hebenstreitia comosa serratifolia . . . . .	1 2	— —
			⊙ Helianthus (Sunflower).		
			„ annuus Bismarckianus, with enormous flowers . . . . .	— 3	1 5
			„ „ globosus fistulosus . . . . .	— —	1 —
			„ „ flore pleno . . . . .	— —	1 —
			„ „ nanus fol. var. (Golden Leaf) . . . . .	— 2	1 7
			„ „ californicus plenissimus . . . . .	— —	1 —
			„ „ macrophyllus giganteus . . . . .	— —	— 8
			„ „ Primrose coloured . . . . .	— —	1 —
			„ argyrophyllus . . . . .	— —	1 —
			„ cucumerifolius, small-flowered . . . . .	— 3	2 —
			„ „ Excelsior, flowers cactus-like, with long curled petals . . . . .	— 4	— —
			„ „ nanus compactus (Perkeo) . . . . .	1 2	— —
			„ „ Orion, new . . . . .	— 4	3 9
			„ „ Giant Star, same as Excelsior, but with much larger flowers . . . . .	— 5	— —
			„ „ Stella, new, pure golden yellow . . . . .	— 4	3 4
			⊙ „ „ Stella grandiflorus, with very large flowers . . . . .	— 7	6 5
			„ Dammannii . . . . .	— 3	2 —
			„ giganteus serratifolius . . . . .	— 4	3 2
			4 „ „ mollis . . . . .	— 4	3 9
			4 Helichrysum angustifolium . . . . .	— 7	6 3
			⊙ „ „ compositum monstrosum, double large-flowered mixed . . . . .	— 6	5 6
			⊙ Helichrysum compositum nanum plenissimum, dwarf double mixed . . . . .	— 7	— —
			h Heliotropium peruvianum.		
			„ Anna Turell . . . . .	1 9	— —
			„ Boule de neige . . . . .	1 8	— —
			„ Bouquet parfait . . . . .	1 9	— —
			„ giganteum, large-flowered, dark violet (purple) 1/8 oz — 10	5 9	— —
			„ grandiflorum . . . . .	1	— —
			„ Gloire des massifs . . . . .	1 8	— —
			„ Regina Margarita (Marguerite) 1/8 oz 1/—	6 10	— —
			„ Reine des Violettes . . . . .	1 7	— —



	per oz s. d.	per lb. s. d.
Heliotropium Roi des noirs 1/8 oz—/6	2 9	— —
" Umberto, very large-flowering		
1/8 oz —/11	6 —	— —
" Voltaireanum . . . . .	1 8	— —
" White Lady . 1/8 oz —/6	2 9	— —
" peruvianum, newest large-flowering varieties mixed . .	1 7	20 —
⊙ " indicum . . . . .	— 5	5 6
" suaveolens . . . . .	— 10	11 —
4 Helleborus niger, (Christmas Rose)	— 5	4 6
4 Hesperis matronalis (Sweet Rocket)		
mixed . . . . .	— —	1 2
" matronalis fl. alba . . . .	— —	1 2
" tristis . . . . .	— —	1 4
⊙ Heterospermum Xanthii A. Gray (Electro), Dam. 1898. Grows only about 8 to 10 inches high and is therefore most adapted for borders or carpet bedding. Its small flowers are chrome-yellow with a shade of canary-yellow at the end of the petals. They bloom continually from beginning of June to the end of autumn and the flowers appear already 4 weeks after the sowing . . . . .	— 9	— —
4 Heuchera sanguinea, crimson . . .	2 —	— —
h Hevea brasiliensis . . . . .	1 3	— —
⊙ Hibiscus africanus . . . . .	— —	1 3
h " coccineus . . . . .	— 7	7 4
h " grandiflorus, mixed . . . . .	— 3	2 —
h " Hamabo . . . . .	— 9	10 3
g " moschatus roseus . . . . .	— 4	3 —
g " palustris . . . . .	— 5	3 9
" " roseus . . . . .	— 4	3 —
g " Patersoni (Lagunaria) . . . .	— 7	— —
h " rosa sinensis . . . . .	1 10	— —
h " roseus grandiflorus . . . . .	— 3	2 3
Hollyhocks, see Althaea rosea fl. pl.		
Honesty, see Lunaria biennis.		
Honeysuckle, French, see Hedy-sarum coronarium.		
Horn Poppy, see Glaucium.		
⊙§ Humulus japonicus, Japanese Hop	— 5	4 3
⊙§ " japonicus variegatis, with white variegated leaves . . . . .	— 4	4 6
⊙§ " " lutescens . . . . .	— 6	5 7
4§ " Lupulus, seeds as collected . .	— 2	1 4
⊙ Hunnemannia fumariaefolia . . . .	— 8	8 —
h Hura crepitans . . 100 seeds 2/2	— —	— —
Hyacinth Beans, see Dolichos.		
h Hymenaea Courbaril 10 seeds —/5	— —	— —
100 " 2/10	— —	— —
⊙ Iberis (Candytuft) affinis . . . . .	— 2	1 3
" amara . . . . .	— —	10 —
" coronaria Empress . . . . .	— 3	3 —
" " pumila . . . . .	— 2	1 3
" " regia (hesperidifolia)	— —	10 —
4 " gibraltarica . . . . .	2 2	— —

	per oz s. d.	per lb. s. d.
⊙ Iberis Lagascae . . . . .	— 2	1 8
⊙ " nigricans . . . . .	— 2	1 6
⊙ " odorata (pectinata) . . . . .	— —	10 —
4 " sempervirens . . . . .	— 10	10 3
⊙ " umbellata, lilac . . . . .	— 3	2 —
" " white . . . . .	— 2	1 8
" " carminea . . . . .	— 5	3 9
" " carnea . . . . .	— 5	3 9
" " purpurea . . . . .	— 3	2 —
" " Queen of Italy . . . . .	— 10	11 —
" " Rose Cardinal, bright rose-carmine	— 10	— —
" " nana alba . . . . .	— 3	2 3
Ice Plant, see Mesembrianthemum crystallinum.		



Heterospermum Xanthii.  
Electro 3/6.

⊙ **Impatiens Balsamina flore pleno. Balsams.**

We offer and warrant first quality only, in spite of our low prices; our patrons may fully rely upon it.

Double tall Balsams mixed . . . . .	— 3	2 9
Double Rose Balsams.		
1. Apple-blossom,		
2. Brilliant brick-red,		
3. Chamois,		
4. Chamois rose,		
5. Dark blue,		
6. Deep blood-red,		
7. Light blue,		
8. Lilac,		
9. Pale yellow,		
10. Peach-blossom,		
11. Pomegranate red,		
12. Purple,		
13. Rose,		
14. White,		
15. White with rose,		
each separate . . . . .	— 6	5 2
All colors mixed . . . . .	— 4	3 9
Double Camellia Balsams.		
1. Brilliant rose,		
2. Brilliant scarlet,		
3. Crimson,		
4. Light blue,		
5. Lilac,		
6. Purple,		
7. Rose,		
8. Rosy carmine.		
9. Rosy lilac,		
10. Scarlet.		
each separate . . . . .	— 6	5 2
All colours mixed . . . . .	— 4	3 9

	per oz s. d.	per lb. s. d.
Improved Camellia Balsamina		
„Prince Bismarck“ . . . . .	1 2	—
Double dwarf Balsams, splendid mixed	— 4	3 9
„ Solferino Balsams, streaked and spotted, mixed . . . . .	— 4	3 6
„ Emperor Balsams . . . . .	— 5	4 2
⊙ Impatiens biflora . . . . .	1 —	—
h „ Rodigasi, 100 seeds —/8; 1000 seeds 4/2	— —	— —
h „ Sultani 1/16 oz 2/—; 1/8 oz 3/9	28 —	— —
„ „ hybrida rosea 1/16 oz 3/3; 1/8 oz 5/6	40 6	— —
„ „ hybrida splendens 1/16 oz 3/3; 1/8 oz 5/6	— —	— —
„ „ hybrida violacea 1/16 oz 3/3; 1/8 oz 5/6	40 6	— —



*Ipomoea imperialis collata.*  
Electro 3/3.

24 Incarvillea variabilis . . . 1/8 oz 1/4	9 3	— —
Indian Shoot, see Canna.		
h Inga pulcherrima . . . 100 seeds 3,9	— —	— —
⊙ Ipomoea bona nox . . . . .	— 2	1 8
„ campanulata . . . . .	— 3	1 10
⊙ „ coccinea . . . . .	— 2	1 2
„ „ luteola . . . . .	— 2	1 2
⊙ „ grandiflora Hesperus, new; a grand new variety of the "Moonflower"; flowers pure white of enormous size; most magnificent . . . . .	2 2	— —
⊙ Ipomoea grandiflora mexicana alba	— 5	5 7
⊙ „ hederacea grandiflora alba . . .	— 2	1 2
„ Huberi variegata Carmen Sylva	— 3	1 7
„ „ „ atroviolacea	— 2	1 3
„ marginata azurea . . . . .	— 2	1 3

	per oz s. d.	per lb. s. d.
Ipomoea Huberi variegata carminea		
„ intus alba . . . . .	— 2	1 3
„ Huberi variegata violacea		
„ intus alba . . . . .	— 2	1 6
„ Huberi variegata, finest mixed	— —	1 3

### ⊙ Ipomoea imperialis Dam. 1893.

A most beautiful class of Ipomoea with so very large flowers, that their borders are often fringed; the colours are for the most part absolutely new and they are also seldom found amongst any other kind of plants.

#### a) With green leaves.

Adonis, bright purple with pure white throat . . . . .	— 3	3 6
Aphrodite, pure white, giant flowers . . . . .	— 4	3 9
Asteria, enormous flowers, copper-red with a white throat . . . . .	— 4	3 9
Thalia, pure white . . . . .	— 3	3 6

#### b) With silvery leaves.

Aglaja, crimson with a white throat . . . . .	— 3	3 3
Antigone, very large blue flowers with a rosy throat . . . . .	— 3	3 —

⊙§ Ipomoea imperialis satin-rose. The foliage is of a bright green splashed with silvery white. . . . .

Ceres, crimson with a white border . . . . .	— 3	3 6
Euphrosyne, pure white with a rosy throat . . . . .	— 3	3 —
Princess, white, crimson speckled . . . . .	— 3	3 6

#### c) Aurata (fol. aur. — leaves with a golden hue).

Cleopatra, brilliant carmine with a white throat and border . . . . .	— 4	3 9
Juno, sky-blue . . . . .	— 3	3 —
Luna, very large flowers, dark and light blue and delicate carnation . . . . .	— 3	3 —
The above sorts mixed . . . . .	— 3	3 —

#### d) Collata (Electro).

A most remarkable and beautiful class of the greatest variety of shape and colour, the gigantic flowers are partly curled or frizzled, looking thus, as if they were double.

Alba, pure white . . . . .	— 6	6 9
Carminea, carmine-red . . . . .	— 6	6 9
„ albo marginata, with a white border . . . . .	— 7	7 4
Diana, dark blue with a white border	— 6	6 9
The above sorts mixed . . . . .	— 5	6 —

#### e) Micans.

Another wonderful class of Ipomoea imperialis with perfectly smooth stems and leaves; leaves either green or silvery and the variety of colors is most beautiful and striking; finest colours mixed . . . . .	— 4	3 9
---	-----	-----

	per oz s. d.	per lb. s. d.		per oz s. d.	per lb. s. d.
Ipomoea imperialis, all classes and colours mixed . . . . .	— 3	2 9	g Lantana hybrida grandiflora, fine mixed . . . . .	— 3	2 2
h " Learii, blue . . . . .	1 —	14 7	g§ Lapageria rosea, crop failed . . . . .	— —	— —
⊙ " limbata (Pharbitis) . . . . .	— 2	1 3			
⊙ " " hybrida . . . . .	— 2	1 6	⊙ Larkspurs.		
⊙ " Nil . . . . .	— —	1 —	Double Imperial branching (Delphinium Consolida imperiale) finest mixed . . . . .	— 3	2 3
⊙ " grandiflora . . . . .	— 2	1 5	Double dwarf branching or Candelabrum mixed . . . . .	— 8	6 8
⊙ " purpurea (Morning Glory) Convolvulus major, splendid mixed	— —	— 7	Double Hyacinth-flowered giant, finest mixed . . . . .	— 3	2 —
⊙ " purpurea, 6 distinct colours, each separate . . . . .	— —	— 8	Double Stock-flowered, mixed . . . . .	— 3	2 3
" " fl. albo pleno, double white	— 3	2 6	4§ Lathyrus latifolius albus . . . . .	— 6	6 7
" " fl. carminea plena . . . . .	— 5	4 8	⊙§ " odoratus, Sweet Peas mixed . . . . .	— —	— 6
" " fl. carneo plena . . . . .	— 4	— —	" " Eckfords new hybrids mixed . . . . .	— —	— 7
" " fl. violaceo plena . . . . .	— 4	3 10	" " Bronze King . . . . .	— —	1 —
" " flore pleno, double flowering mixed . . . . .	— 5	3 10	" " Carmen Sylva . . . . .	— 1	1 —
⊙ " Quamoclit, Cypress Vine . . . . .	— 3	2 3	" " Crown Princess of Prussia . . . . .	— —	— 9
" " fl. alba . . . . .	— 3	2 3	" " Emily Henderson . . . . .	— 2	1 6
" " fl. rosea . . . . .	— 3	2 6	" " Her Majesty . . . . .	— —	1 —
⊙ " " hederacea, scarlet	— 3	2 3	" " Invincible carmine (Cardinal) . . . . .	— —	— 10
⊙ " Roxburghii Dam. . . . .	— 2	— 11	" " Orange Prince . . . . .	— —	1 —
⊙ " rubro-coerulea (violacea vera)	— 9	9 6	" " White, pure white . . . . .	— —	— 8
" " " fl. albo . . . . .	— 11	12 9	" " 12 other Eckford's sorts, each separate . . . . .	— —	1 —
⊙ " sanguinea (Mina) . . . . .	— 3	2 3	g Lavatera arborea . . . . .	— 3	2 —
4 " gossypoides . . . . .	— 8	— —	" " fol. var. . . . .	— 8	8 10
⊙ Ipomopsis elegans, mixed . . . . .	— 3	2 8	⊙ " trimestris fl. albo . . . . .	— 3	1 9
" " cupreata . . . . .	— 4	3 4	" " fl. rubro . . . . .	— 3	1 9
" " rosea . . . . .	— 4	3 4	(*) Leptosiphon hybridus, mixed . . . . .	6	5 3
Italian Bugloss, see Anchusa.			⊙ Leptosyne gigantea, a charming decorative plant with graceful pinnate foliage and golden-yellow flowers		
h Jacaranda mimosaeifolia . . . . .	1 —	11 —	100 seeds —/4; 1000 seeds 2/6	— —	— —
Jacobaea, see Senecio elegans.			Leptosyne maritima, large flowered, golden-yellow . . . . .	— 7	6 7
h Jatropha Curcas . . . . .	— 4	3 4	4 Leucanthemum lacustre . . . . .	— 3	— —
Jerusalem Star, see Cerastium.			" maximum (Chrysanthemum) . . . . .	— 6	— —
⊙ Jonopsidium acaule . . . . .	1 8	— —	" nipponicum, large-flowered white (Electro)	1 10	— —
Joseph's Coat, see Amaranthus tricolor.			" uliginosum . . . . .	1 6	— —
Jove's Flower, see Agrostemma coronaria.			Ligularia Kaempferi 100 seeds —/5		
⊙ Kaulfussia amelloides . . . . .	— 6	— —	⊙ Linaria aparinoides splendens Dam. concolor . . . . .	— 4	3 —
g§ Kennedyya nigricans . . . . .	2 4	— —	" Cymbalaria (Kentucky Ivy) 1/8 oz —/6	3 8	— —
" rubicunda . . . . .	1 3	— —	" maroccana . . . . .	— 4	3 —
4 Kuhnia eupatorioides, Dam. 1898.			" reticulata aureo-purpurea . . . . .	— 5	4 10
A small shrub with lovely flowers of a creamy white which reproduce themselves until the autumn . . . . .	1 2	— —	4 Linum grandiflorum roseum . . . . .	— 2	1 6
⊙§ Lagenaria leucantha clavata . . . . .	— 3	2 —	" " rubrum (Scarlet Flax) . . . . .	— 2	1 6
" " corsica . . . . .	— 3	2 —	4 " perenne . . . . .	— 3	2 —
" " enormis . . . . .	— 3	2 —			
" " maxima . . . . .	— 3	2 —			
" " verrucosa . . . . .	— 3	2 —			
" " var. Gourds of different curious shapes, such as for instance Water-bottle, Tobacco box etc. etc. . . . .	— 2	1 6			
" vulgaris sylvestris (abyssinica)	4	2 9			
g Lagerstroemia indica, clean seed . . . . .	1 6	— —			
Lagunaria, see Hibiscus.					

	per oz s. d.	per lb. s. d.
g Lippia citriodora (Aloysia, Verbena)	1 5	— —
⊙§ Loasa lateritia (Cajophora)	— 6	5 6
⊙ Lobelia Erinus, blue	— 7	7 4
" Erinus, white	— 10	10 7
" " Barnards Perpetual, dark blue with a white eye	1 8	— —
" " compacta Goldelse	1/8 oz —/7	3 6
" " Emperor William	1 10	— —
" " Primadonna	1 9	— —
" " speciosa (Crystal Palace)	1 3	12 5
" " pumila, Star of Ischl	— 10	— —
" " " alba (White Gem)	1/8 oz —/4	2 5
4 " " cardinalis	1/8 oz 1/3	7 6



Leucanthemum nipponicum.  
Electro 3/3.

4 Lobelia fulgens, best hybrids mixed	1/16 oz 3/3; 1/8 oz 6/—	45 —	— —
" " Queen Victoria	1/16 oz 3/3; 1/8 oz 6/—	45 —	— —
" " Queen Victoria violacea	1/16 oz 3/3; 1/8 oz 6/—	45 —	— —
" Gerardi, violet, very floriferous	1/16 oz 5/—; 1/8 oz 9/6	70 —	— —
" Rivoirei, very large-flowering hybrids	1000 seeds 4/2	— —	— —
⊙§ Lophospermum scandens	2 2	29 —	— —
⊙ Lotus Jacobaeus	— 5	5 2	— —
" " luteus	— 5	5 2	— —
Love Grove, see Nemophila.			
⊙ " in a Mist, see Nigella.			
" in a Puff, see Cardiospermum.			
" lies bleeding, see Amaranthus caudatus.			

	per oz s. d.	per lb. s. d.
⊙§ Luffa acutangula, Rag or Dish-cloth Gourd	— 3	2 5
" cylindrica	— 3	2 3
" Jacquini	— 4	3 —
" Soly Qua	— —	2 3
4 Lunaria biennis (Moon Wort)	— 3	2 8
⊙ Lupinus fol. var.	1 —	— —
" albo-coccineus nanus roseus	1 2	— —
4 " " arboreus	1 4	— —
" luteus Romulus Dam.	— 3	2 2
" sulphureus superbus	— 4	3 —
" tricolor elegans	— —	1 —
" tall annual varieties mixed dwarf	— 2	1 5
g§ Luzuriaga radicans	1/8 oz —/9	4 6
4 Lychnis chalcidonica, scarlet	— 4	— —
" " white	— 5	— —
" fulgens	1 4	— —
Madagascar Periwinkle, see Vinca.		
Malcolmia littorea, large-flowering, rose-lilac	1 5	— —
⊙ Malope grandiflora, red	— —	1 3
" " alba	— —	1 3
" " rosea	— —	1 3
g Manihot Glaziovi	1 2	— —
Marigold, African and French, see Tagetes.		
Marigold Cape, see Calendula pluvialis.		
Marigold Pot, see Sweet Herbs.		
⊙ Martynia Craniolaria (formosa, fragrans)	— 4	3 2
" lutea	— 3	2 8
" proboscidea	— 3	2 6
" " rosea	— 3	2 8
Marvel of Peru, see Mirabilis.		
Mask Flower, see Alonsoa.		
⊙4 Matricaria eximea flore pleno	— 5	4 2
" Golden Ball	3 6	— —
" grandiflora compacta fol. aureis	— 8	— —
" " flore pleno	— 6	5 6
⊙ " " glauca (Electro). Highly suited to borders and dwarf groups; the plant grows hardly 6 inches high, covering in a very short time the ground with handsome creeping branches. The flowers are not very showy; they are white with a yellow centre and emerge over a very fine pinnate silver-grey foliage. In order to render the fine foliage more effective for groups it will be advisable to take off the flowers.	— 10	— —
⊙§ Maurandia Barkleyana	1 10	— —
" " fl. albo	3 8	— —
" purpurea grandiflora	1 10	— —
" semperflorens	1 5	— —
" mixed	1 6	20 —

	per oz s. d.	per lb. s. d.
Medeola, see Myrsiphyllum.		
g Melianthus major . . . . .	2 6	— —
g Melicope ternata . . . . .	2 2	— —
⊙§ Melothria abyssinica, Naud. . . . .	1 10	— —
"    scabra . . . . .	— 5	4 2
"    punctata 100 seeds —/10	— —	— —
4 Mentha Pulegium, Pennyroyal . . . . .	2 3	— —
g Mesembrianthemum cordifolium, green . . . . .	2 2	— —
"    crystallinum, (Ice Plant) . . . . .	— 3	2 4
"    tricolor . . . . .	— 5	4 10
g Metrosideros grandiflora (Callis- temon) . . . . .	1 10	— —
4 Michauxia campanuloides . . . . .	1 10	— —
Mignonette, see Reseda.		
g§ Mikania scandens (Senecio) 1/8 oz 1/6	— —	— —
h⊙ Mimosa pudica (Sensitive Plant) . . . . .	— 6	5 6
⊙ Mimulus cardinalis . . . . .	3 1	— —
"    cupreus . . . . .	3 8	— —
"    "    Prince Bismarck . . . . .	5 —	— —
"    duplex (hose in hose) mixed . . . . .	4 2	— —
"    moschatus (Musk) . . . . .	2 8	— —
"    "    compactus 1/8 oz 1/7	11 6	— —
"    "    tigrinus (pardinus) . . . . .	2 2	— —
"    "    grandiflorus (Queen's Prize) . . . . .	3 —	— —
⊙§ Mina lobata, beautiful climber . . . . .	1 5	18 —
"    sanguinea, see Ipomoea san- guinea.		
⊙ Mirabilis Jalapa (Marvel of Peru) mixed . . . . .	— —	— 9
"    Jalapa fol. variegatis, mixed . . . . .	— —	— 10
"    "    Tom Thumb, white . . . . .	— 2	1 2
"    "    "    tricolor . . . . .	— 2	1 2
g Mitraria coccinea 1000 seeds 2/2	— —	— —
⊙§ Momordica Balsamina, Balsam Apple . . . . .	— 4	2 10
"    Charantia . . . . .	— 3	2 7
"    "    Luna Dam. 1892 . . . . .	— 3	3 4
"    Elatarium, squirting Cu- cumber . . . . .	— 3	2 6
"    involucrata Dam. . . . .	— 10	11 —
"    muricata . . . . .	— 4	2 9
Monkey Flower, see Mimulus.		
Moon Wort, see Lunaria.		
4 Moraea tristis . . . . .	1 —	— —
Morning Glory, see Ipom. purpurea.		
"    Glory Brazilian, see Ipom. setosa.		
Mourning Bride, see Scabiosa.		
h Musa Ensete . 1000 seeds 16/—	— —	4 6
"    "    Italian saved seeds 100 seeds 4/—	— —	— —
h "    "    in fruits (they keep very well and are very suitable for collec- tions) . . . . .	— —	3 10
Musa Livingstoniana 100 seeds 3/9	— —	— —
"    Martini . . 100 " 4/—	— —	— —

	per oz s. d.	per lb. s. d.
Musa rosacea . . . 100 seeds 2/6	— —	— —
"    textilis . . . 100 " 1/6	— —	— —
Musk Plant, see Mimulus moschatus.		
4 Myosotis alpestris, Alpine Forget- me-not . . . . .	— 9	10 6
"    "    alba . . . . .	— 9	10 6
"    "    rosea . . . . .	— 10	— —
"    "    compacta, blue . . . . .	1 —	12 9
"    "    elegantissima . . . . .	1 —	12 10
"    "    "    alba . . . . .	1 —	— —
"    "    robusta grandiflora (Elisa Fonrobert) . . . . .	— 9	9 3
"    "    Victoria, dwarf com- pact variety . . . . .	1 8	22 3
⊙ "    azorica 1/16 oz 2/—; 1/8 oz 3/—	20 6	— —
4 "    dissitiflora . . . . .	2 9	— —



Matricaria glauca.  
Electro 3/3.

Myosotis dissitiflora alba . . . . .	4 3	— —
"    "    Bleu Perfection . . . . .	7 6	— —
"    oblongata (latifolia) . . . . .	— 8	8 6
"    palustris, true . . . . .	1 9	21 8
"    "    semperflorens . . . . .	1 7	20 —
"    "    "    alba . . . . .	3 6	— —
"    "    "    Fairy-Eye (Water-Fairy) . . . . .	6 3	— —
"    Welwitschii, dwarf, splen- did . . . . .	2 3	— —
Myosotidium nobile, magnificent 1/8 oz —/6	4 —	— —
g§ Myrsiphyllum asparagoides (Medeola, Smilax) . . . . .	— 10	9 10
Nasturtium (Indian Cress), see Tropaeolum.		
h Nelumbium speciosum 10 seeds —/5	— —	— —
"    luteum 100 " 1/8	— —	— —
⊙ Nemesia strumosa Suttoni, very flori- ferous, highly adapted for borders . . . . .	— 3	3 4

		per oz. s. d.	per lb. s. d.			per oz. s. d.	per lb. s. d.
⊙	Nemophila			⊙	Oenothera Lamarckiana sulphurea.		
	"		1 —		Dam. 1900. The plant		
	"		1 —		grows about 3 feet high		
	"		— 10		and produces very large		
	"		— 10		sulphur yellow flowers in		
	"		1 —		great abundance . . .	— 4	3 10
	"		1 8		" rhizocarpa, yellow (tarax-		
	"		8		cifolia lutea) clean seed	— 4	3 —
	"		8		Orach, see Arripex.		
g	Nerium Oleander album	— 5	4 5	⊙	Oxalis rosea . . . . . 1/8 oz —/8	4 8	— —
	"	— 5	5 2	h	" sensitiva (Biophytum)		
	"	— 4	2 10		1/16 oz 2/5; 1/8 oz 4/2	31 —	— —
	"	— 4	3 7	⊙	" tropaeoloides . . . . .	1 2	— —
⊙	Nicotiana affinis . . . . .	— 5	4 2		" Valdiana . . . . .	— 7	6 7
	"				Oxyura chrysanthemoides . . . . .	— 4	3 9
	"				Oxlip, see Primula elatior.		
	"			4	Paeonia arborea (Moutan) fl. pl. . . . .	— 9	— —
	"			⊙	Palafoxia texana (Polypteris) . . . . .	— 3	1 8
	"				Palma Christi, see Ricinus.		
	"				Pansies, see Viola tricolor maxima.		
	"			4	Papaver bracteatum . . . . .	— 4	3 5
	"			4	" caucasicum . . . . .	— 4	— —
	"			⊙	" Danebrog, brilliant scarlet		
	"				with large white spots . . . . .	— —	1 —
	"				" Danebrog flore pleno . . . . .	— 2	1 3
	"			⊙	" glaucum (Tulip Poppy) . . . . .	1 2	— —
	"			⊙	" Hookeri . . . . .	— 3	— —
	"				" fl. pl., extra double	— 6	— —
	"				laevigatum . . . . .	1 2	— —
	"				" Mephisto, deep scarlet with		
	"				blackish purple spots . . . . .	— —	1 2
	"				" Murselli fl. pl. white, striped		
	"				dark . . . . .	— —	1 —
	"				" Mikado . . . . .	— 2	1 7
	"			4	" nudicaule . . . . .	1 2	— —
	"			⊙	" paeoniflorum fl. pl. mixed.	— —	1 —
	"				" Fairy Blush . . . . .	— —	1 3
	"			⊙	" pavoninum (Peacock Poppy)	— 5	4 6
	"				" Rhoëas Shirley, single flower-		
	"				ing . . . . .	— —	2 9
	"			⊙	" Rhoëas fl. pl. French ranun-		
	"				culus-flowering double mixed	— —	1 4
	"				somniferum "The Bride",		
	"				single flowered white . . . . .	— —	1 2
	"			⊙	" somniferum fl. pl., double		
	"				Carnation Poppy, mixed . . . . .	— —	1 —
	"				" somniferum nanum fl. pl.		
	"				White Swan . . . . .	— 2	1 8
	"				" somniferum nanum fl. pl.		
	"				brilliant-rose . . . . .	— 2	1 6
	"				" umbrosium (commutatum)	— 3	1 10
	"			4	Pardanthus chinensis . . . . .	— 5	4 5
	"				" japonicus . . . . .	— 3	2 3
	"				" maximus . . . . .	— 4	3 4
g	Parkinsonia aculeata . . . . .	— 4	3 —	h§	Passiflora (Passion flower) alba . . . . .	— 7	— —
	"				" coerulea . . . . .	— 6	5 2
	"				" edulis . . . . .	1 6	— —

	per oz s. d.	per lb. s. d.
Passiflora rosacea (incarnata) . . .	1 4	— —
Pea, Sweet, see Lathyrus odoratus.		
<i>g</i> Pelargonium hybridum grandiflorum, finest large-flowered, Odier and Fancy mixed, 100 seeds 1/3; 1000 seeds 11/5	— —	— —
<i>g</i> Pelargonium hederacifolium mixed, 100 seeds —/7; 1000 seeds 4/2	— —	— —
<i>g</i> Pelargonium hederacifolium, double, mixed, 100 seeds 2/6; 1000 seeds 20/3	— —	— —
<i>g</i> Pelargonium Scarlet, choice mixed .	— 6	6 —
„ Scarlet, double-flowered, mixed, 100 seeds 1/—; 1000 seeds 7/—	— —	— —
<i>g</i> Pelargonium Scarlet, white variegated-leaved, hybridized, 100 seeds 1/3; 1000 seeds 11/5	— —	— —
<i>g</i> Pelargonium Scarlet, golden, tricolor, variegated, hybridized, 100 seeds 1/3; 1000 seeds 11/5	— —	— —
<i>h</i> Peltandra virginica (Aroideae) . . .	— 5	— —
<i>h</i> Pentas carnea (Sipanea), 1/16 oz 2/—; 1/8 oz 3/—	22 9	— —
Penny Royal, see Mentha Pulegium.		
<i>4</i> Penstemon campanulatus . . . . .	— 3	2 3
„ Cobaea . . . . .	1 3	18 2
„ Hartwegi (gentianoides) mixed varieties . . . . .	1 3	— —
„ pulchellus (roseus) . . . . .	— 3	2 6
„ Torreyi . . . . .	— 6	6 —
⊙ Perilla nankinensis . . . . .	— —	— 8
„ „ fol. atropurpureis laciniatis . . . . .	— 2	1 4
„ „ macrophylla crispa compacta . . . . .	— 3	1 5
„ „ macrophylla crispa elatior . . . . .	— 3	1 5
„ „ laciniatus picta, Dam. 1899. Under normal conditions the plant grows about 2 feet high; the leaves are deeply cut, of a dark brown almost black color with very distinct large rose and white stripes. Having grown this pretty kind for several years we have found it almost perfectly constant, producing about 75% of true plants with fine leaves as above . . . . .	— 3	3 —

⊙ **Petunia hybrida.**

Alba . . . . .	— 6	6 10
Belle Etoile . . . . .	— 8	9 3
Carmen Sylva . . . . .	— 7	8 2
Carminea intus alba (Adonis) . . . . .	— 7	8 2
Compacta nana multiflora . . . . .	1 7	21 —
Countess of Ellesmere . . . . .	— 5	5 2
Illustris, brilliant rose-carmine . . . . .	— 7	7 4
Inimitable . . . . .	— 7	8 —

	per oz s. d.	per lb. s. d.
Inimitable nana compacta multiflora . . . . .	1 2	— —
Kermesina splendens . . . . .	— 6	6 7
Snowball, white, rich flowering . . . . .	1 5	— —
Venosa . . . . .	— 8	8 5
Violacea . . . . .	— 8	8 5
Vittata, purple lilac, white striped . . . . .	2 4	— —
Finest mixed, first quality . . . . .	— 5	6 —

⊙ **Petunia hybrida grandiflora.**

Choicest quality.

Alba . . . . . 1/16 oz 1/6; 1/8 oz 2/6	18 6	— —
Atropurpurea . . . . . 1/16 „ 1/9; 1/8 „ 3/2	24 —	— —
Brilliant rose . . . . . 1/16 „ 1/6; 1/8 „ 2/6	18 6	— —
Kermesina . . . . . 1/16 „ 1/6; 1/8 „ 2/6	18 6	— —
Maculata . . . . . 1/16 „ 1/10; 1/8 „ 3/—	22 6	— —
Purpurea . . . . . 1/16 „ 1/6; 1/8 „ 2/6	18 3	— —



Petunia hybrida grandiflora fimbriata vittata  
Electro 20,1.

Purpurea albo maculata, new 1/32 oz 1/4; 1/16 oz 2/5; 1/8 oz 4 6	34 6	— —
„ Purple King 1/32 oz 1/4; 1/16 oz 2/5; 1/8 oz 4/6	34 6	— —
„ quadricolor (intus aurea) 1/32 oz 1/10; 1/16 oz 3/—; 1/8 oz 5/6	42 —	— —
Violacea . . . . . 1/16 „ 1/6; 1/8 „ 2/6	18 6	— —
Superbissima Prince of Wurtemberg 1/16 oz 1/10; 1/8 oz 3/—	22 6	— —
Largest-flowered varieties mixed 1/16 oz 1/3; 1/8 oz 2/—	13 6	— —

⊙ **Petunia hybrida grandiflora fimbriata.**

Alba . . . . . 1/16 oz 2/5; 1/8 oz 4/6	34 6	— —
Atropurpurea . . . . . 1/16 „ 1/9; 1/8 „ 2 10	20 6	— —
Maculata . . . . . 1/16 „ 2/3; 1/8 „ 4 3	31 6	— —
Purpurea . . . . . 1/16 „ 1 6; 1/8 „ 2 6	18 3	— —
Venosa . . . . . 1/16 „ 1 —; 1/8 „ 1 8	11 6	— —

	per oz s. d.	per lb. s. d.		per oz s. d.	per lb. s. d.
<b>Petunia :</b>					
Vittata (Electro)			Striata coccinea . . . . .	1 4	— —
1/32 oz 2/6; 1/16 oz 4/—; 1/8 oz 7/6	56	— —	"    purpurea . . . . .	1 4	— —
Single-flowered first quality mixed			"    rosea . . . . .	1 4	— —
1/16 oz 2/—; 1/8 oz 3/9	29	— —	Variabilis alba oculata . . . . .	1 4	— —
			Violacea alba oculata . . . . .	1 3	— —
			All the above mixed . . . . .	— 10	9 10
⊙ <b>Petunia hybrida grandiflora fl. pl.</b>			<b>Phlox Drummondii nana compacta.</b>		
Most carefully fecondated.			Saved exclusively from dwarf plants.		
Double large-flowered mixed			Alba grandiflora . . . . .	4 3	— —
1/64 oz 4/6; 1/32 oz 8/6	— —	— —	Atropurpurea . . . . .	4 3	— —
"    fringed in great variety mixed			Carminaea . . . . .	4 3	— —
(fimbriata) . . . . . 1000 seeds 1/10	— —	— —	Chamois rose . . . . .	4 3	— —
⊙ Phacelia campanularia . . . . .	— 5	4 6	Coccinea . . . . .	4 6	— —
"    congesta . . . . .	— —	1 3	"    floribunda, Fireball . . . . .	4 4	— —
"    Emperor William . . . . .	— 3	2 6	Coerulea stellata . . . . .	4 6	— —
"    Parryi . . . . .	— 4	3 7	Hortensiaeflora . . . . .	3 10	— —
"    tanacetifolia . . . . .	— —	1 —	Leopoldi . . . . .	3 10	— —
⊕§ Phaseolus Caracalla . . . . .	— 5	4 6	Nivea (Snowball) . . . . .	3 6	— —
⊕§ "    ensiformis gigas . . . . .	— —	1 —	Victoria . . . . .	3 6	— —
Pheasant-eye Pink, see Dianthus plumarius.			Violacea stellata . . . . .	3 6	— —
4 Phlox decussata (perennis) hybrida, fine mixed . . . . .	1 3	— —	All the above mixed . . . . .	2 4	32 —
"    "    (perennis) hybrida nana, dwarf mixed . . . . .	— —	— —	⊙ Phlox Drummondii cuspidata, mixed	1 2	— —
			"    fimbriata, mixed . . . . .	1 4	— —
			g Phormium Hursthonsi, flowering even when quite young, with long dark red panicles . . . . . 1000 seeds 3/10	— —	— —
			g Phormium Colensoi . . . . .	— 10	— —
			"    tenax, New Zealand Flax . . . . .	— 8	9 2
			"    "    fol. var. . . . .	— —	— —
			"    "    1000 seeds 2/10 . . . . .	— —	— —
			"    "    atropurpureum, 100 seeds —/5; 1000 seeds 4/— . . . . .	— —	— —
			Phormium Veitchii fol. var. . . . .	— —	— —
			"    "    1000 seeds 3/10 . . . . .	— —	— —
			⊙ Physalis Alkekengii . . . . .	— 3	2 9
			"    Francheti, with white flowers producing a very large scarlet balloon; highly effective . . . . .	1 —	11 —
			g§ Physianthus albens . . . . .	— 7	5 10
			4 Physostegia virginica (speciosa) . . . . .	— 5	4 5
			"    "    alba . . . . .	1 —	— —
			Picotees, see Dianthus Caryophyllus.		
			Pimpernelle, see Anagallis.		
			Pink, see Dianthus.		
			"    japanese, see Dianthus Heddeewigi.		
			g Pittosporum Buchanani . . . . .	1 4	— —
			"    eugenioides . . . . .	— 8	6 8
			"    Tobirae . . . . .	— 8	7 —
			"    undulatum . . . . .	— 7	5 3
			4 Platycodon Mariesi . . . . .	— 10	— —
			"    "    fl. albo . . . . .	1 —	— —
			h Poinciana Gilliesi Bird of Paradise . . . . .	— 7	8 —
			"    pulcherrima . . . . .	— 7	7 6
			"    regia . . . . .	— 5	4 6
			h Poinsettia (Euphorbia) pulcherrima . . . . .	2 7	— —
			Polyanthus, see Primula elatior.		
<b>Phlox Drummondii grandiflora.</b>					
Collected from largest flowers.					
Alba pura . . . . .	1 3	— —			
Atropurpurea . . . . .	1 4	— —			
"    albo-oculata . . . . .	1 4	— —			
Carminaea . . . . .	1 4	— —			
Carnea . . . . .	1 4	— —			
Coccinea . . . . .	1 4	— —			
Kermesina alba oculata . . . . .	1 4	— —			
Lutea . . . . .	1 4	— —			
Orbicularis atrosea . . . . .	1 4	— —			
Picta atrosea . . . . .	1 4	— —			
Rosea alba oculata . . . . .	1 4	— —			
Splendens . . . . .	1 4	— —			



	per oz s. d.	per lb. s. d.
4 Polygonum lanigerum, perennial species with silvery leaves . . .	— 10	11 —
4§ " multiflorum . . . . .	— 11	12 10
⊙ " orientale (Persicaria) . . . . .	— 2	1 5
" " fol. variegatis . . . . .	— 4	3 5
" " pumilum fl. albo . . . . .	— 3	2 8
" pensylvanicum . . . . .	— 4	3 10
⊙ pilosum, new, rapid growing annual . . . . .	— 5	4 6
4 " sachalinense, very decorative most recommendable as green fodder . . . . .	— 10	9 3
⊙ Polyptris callosa, Dam. 1898. Height about 1 foot 1/2 with a very graceful and showy foliage. Throughout the summer the plant is completely covered with charming rose-lilac flowers. One of the most richly flowering plants . . . . .	— 10	— —
Poppy, see Papaver.		

**Portulacca grandiflora, single.**

Alba . . . . .	— 6	5 7
Alba rubro-striata . . . . .	— 6	5 7
Aurea . . . . .	— 6	5 7
Bronze . . . . .	— 6	5 7
Carnea . . . . .	— 6	5 7
Caryophylloides . . . . .	— 6	5 7
Coccinea . . . . .	— 6	5 7
Isabellina . . . . .	— 6	5 7
Kermesina . . . . .	— 6	5 7
Purpurea . . . . .	— 6	5 7
Rosea . . . . .	— 6	5 7
Rubro purpurea . . . . .	— 6	5 7
Splendens (Gilliesi) . . . . .	— 6	5 7
Sulphurea (Thorburnii) . . . . .	— 6	5 7
Thellusonii (orange) . . . . .	— 6	6 —
Fine single mixed . . . . .	— 4	4 2

**Double flowering.**

Saved from very double flowers.

Alba . . . . .	3 6	— —
Aurea . . . . .	3 6	— —
Carnea . . . . .	3 6	— —
Caryophylloides . . . . .	3 6	— —
Coccinea . . . . .	3 6	— —
Isabellina . . . . .	3 6	— —
Kermesina . . . . .	3 6	— —
Purpurea . . . . .	3 6	— —
Rosea . . . . .	3 6	— —
Rubro purpurea . . . . .	3 6	— —
Splendens . . . . .	3 6	— —
Sulphurea . . . . .	3 6	— —
Thellusonii . . . . .	3 6	— —
Finest mixed, superior quality . . . . .	2 2	27

4 Potentilla hybrida flore pleno, double mixed . . . . .	2 6	
Prickly Poppy, see Argemone.		
4 Primula Auricula (Auriculas) fine mixed . 1/8 oz —/10	5 4	— —

	per oz s. d.	per lb. s. d.
4 Primula Auricula, extra fine quality from first class flowers 1/8 oz 1/5	9 6	— —
" cortusoides . . . . .	1 9	— —
" elatior, sweet scented Oxlip in beautiful varieties . . . . .	1 —	— —
" " (Polyanthus) finest named sorts . . . . .	1 6	— —
" " gold laced varieties . . . . .	2 —	— —
" " duplex (hose in hose) 1/16 oz 1/3; 1/8 oz 1/8	11 —	— —
" obconica (alba) . 1/8 " 1/9	12 —	— —
" " rosea . . 1/8 " 2/9	18 6	— —
" " grandiflora 1/8 " 2/6	17 —	— —

**g Primula chinensis fimbriata, Chinese Primrose.**

Choice quality.

Alba pura . . . . . 1/8 oz 3/—	22 —	— —
" magnifica . . . . . 1/8 " 3/—	22 6	— —
Coerulea . 1/32 oz 4/—; 1/16 " 7/8; 1/8 " 15/2	— —	— —
Coccinea . . . . . 1/8 " 3/10	28 —	— —
Gigantea alba pura, largest-flowered 100 seeds 1/—	— —	— —
Kermesina splendens . 1/16 oz 1/4	16 8	— —
" " 1/8 " 2/3	22 6	— —
Montblanc . 1/16 oz 1/9; 1/8 " 3/—	— —	— —
Punctata elegantissima . 1/16 " 1/9	22 6	— —
" " 1/8 " 3/—	15 4	— —
Rosea . . . . 1/16 oz 1/3; 1/8 " 2/—	14 6	— —
Striatiflora . . 1/16 " 1/3; 1/8 " 2/—	— —	— —
Urania; stems and flower stalks of a dark blood-red; flowers fringed, dark copper-red; a very fine and most remarkable kind 1/16 oz 2/3; 1/8 oz 4/—	31 —	— —
Fringed mixed, seeds collected exclusively from selected large flowers; first quality 1/8 oz 2/8	18 6	— —
" mixed, very good quality 1/8 oz 1/6	10 10	— —

**Primula chinensis fimbriata filicifolia.**

a) Single.

Alba pura . . . . . 1/8 oz 3/—	22 6	— —
Gigantea Perfection white 1/32 " 2/6	75 —	— —
" " 1/16 " 4/9	27 6	— —
Kermesina splendens . 1/8 " 3/8	20 —	— —
Rosea . . . . . 1/8 " 2/9	22 —	— —
Striatiflora . . . . . 1/8 " 3/—	— —	— —

b) Double.

Alba 100 seeds—/10; 1000 seeds 7/3	— —	— —
Kermesina splendens 100 " —/7	— —	— —
1000 " 5/3	— —	— —

**Primula chinensis fimbriata flore pleno, double fringed.**

	100 seeds s. d.	1000 seeds s. d.
Alba, double white fringed . . . . .	— 7	4 8
Carminaea . . . . .	— 7	5 3
Coccinea . . . . .	— 7	4 10

	100 seeds s. d.	1000 seeds s. d.
Kermesina splendens . . . . .	— 7	4 10
Rosea . . . . .	— 7	4 8
Striatiflora . . . . .	— 8	5 4
Double fringed mixed . . . . .	— 7	4 10
Prince's Feather, see <i>Amaranthus hypochondriacus</i> .		
g§ <i>Pueraria Thunbergiana</i> ; most splendid, high-ranking, of Japan, with fine clusters of blue flowers $\frac{1}{4}$ oz —/6	1 5	18 3
2 <i>Pulmonaria angustifolia</i> . . . . .	— 5	4 5
2 <i>Pycnanthemum pilosum</i> . . . . .	1 3	— —
2 <i>Pyrethrum cinerariaefolium</i> . . . . .	— 6	4 6
2 " <i>parthenifolium aureum</i> (Golden Feather) . . . . .	— 5	4 10
" " <i>Golden Gem</i> . . . . .	— 10	9 3
" " <i>laciniatum</i> . . . . .	— 5	4 6



*Pyrethrum parthenifolium glaucum*.  
Electro 3/—.

	per oz s. d.	per lb. s. d.
○ <i>Reseda odorata grandiflora</i> Crimson Queen . . . . .	— 3	2 8
" <i>odorata grandiflora</i> Diamond . . . . .	— 3	2 3
" " " <i>Fiammetta</i> , dwarf (Electro) . . . . .	— 4	3 9
" " " <i>Gabriele</i> ( <i>imperialis</i> ) . . . . .	— 4	2 10
" " " <i>gigantea pyramidalis</i> . . . . .	— 2	1 8
" " " <i>Machet</i> , dwarf compact variety . . . . .	— 3	2 9
" " " " <i>golden yellow</i> . . . . .	— 7	5 6
" " " " <i>Ruby</i> . . . . .	2 5	— —
" " " <i>maxima Goliath</i> . . . . .	1 10	— —
" " " <i>meliorata</i> (Crimson Giant) . . . . .	— —	1 —



*Reseda odorata Fiammetta*.  
Electro 3/10.

<i>Pyrethrum parthenifol. selaginoides</i> . . . . .	1 —	12 10
" " <i>glaucum</i> (Electro) . . . . .	— 7	6 —
" <i>roseum hybr. mixed</i> . . . . .	1 3	— —
" " " <i>double mixed</i> . . . . .	25 —	— —
" " " $\frac{1}{16}$ oz $\frac{1}{8}$ ; $\frac{1}{8}$ oz $\frac{3}{2}$	1 —	5 7
" <i>Tschihatschewi</i> . . . . .	— 4	4 —
○§ <i>Quamoclit Kerberi</i> , ( <i>Ipomoea</i> ) . . . . .	— 4	3 9
2 <i>Ranunculus asiaticus superbissimus</i> . . . . .	— 4	3 9
Red-hot-Poker Plant, see <i>Tritoma</i> .		
<i>Reseda</i> ( <i>Mignonette</i> ) <i>odorata</i> . . . . .		
cwt. 78/—	— —	— 10
○ " <i>odorata grandiflora</i> cwt. 85/—	— —	1 —
" " " <i>arborea</i> . . . . .	— 3	2 —
" " " <i>aurea</i> ( <i>Golden Queen</i> ) . . . . .	— 3	1 8
" " " <i>compacta nana multiflora</i> . . . . .	— 3	1 8
" " " <i>Jewel</i> . . . . .	2 5	— —

○ <i>Reseda odorata grandiflora</i> Mile's Spiral . . . . .	— 3	1 10
" <i>odorata grandiflora</i> <i>Urania</i> , large-flowered . . . . .	— 3	2 3
" " " <i>Victoria</i> . . . . .	— 3	2 —
2 <i>Rhaponticum pulchellum</i> . . . . .	— 4	3 9
○ <i>Rhodanthe maculata</i> . . . . .	1 2	— —
" <i>maculata alba</i> . . . . .	1 2	— —
" " " <i>plena</i> $\frac{1}{8}$ oz —/8	3 6	— —
" <i>Manglesii</i> . . . . .	1 —	— —
" " <i>fl. pl.</i> $\frac{1}{8}$ oz —/9	5 3	— —
g§ <i>Rhynchospermum jasminoides</i> . . . . .		
1000 seeds 4/—	— —	— —
○ <i>Ricinus</i> ( <i>Castor Oil Bean, Palma Christi</i> ) . . . . .		
<i>africanus</i> . . . . .	— —	— 10
<i>borboniensis arboreus</i> . . . . .	— —	— 9

	per oz s. d.	per lb. s. d.		per oz s. d.	per lb. s. d.
cambodgensis, very dark leaved . . .	— 2	1 5	Salvia splendens Prince of Naples	5 10	— —
communis major . . . . .	— —	— 8	"    "    Silerspot, new;		
Duchess of Edinburgh . . . . .	— —	— 9	leaves yellow spotted $\frac{1}{32}$ oz $\frac{1}{3}$ ;		
Gibsoni . . . . .	— 2	— 10	$\frac{1}{16}$ oz 2/—; $\frac{1}{8}$ oz $\frac{3}{6}$	26 —	— —
"    mirabilis . . . . .	— —	— 11	4 Salvia taraxacifolia, Dam. 1899.		
sanguineus . . . . .	— —	— 6	Resembling in habit the S. paniculata		
"    minor . . . . .	— —	— 7	but growing rather bushy and only		
Zanzibariensis, red seeds . . . . .	— —	— 7	about 10 inches high; it is therefore		
"    cinerascens . . . . .	— —	— 8	very valuable for dwarf groups. * One		
"    enormis . . . . .	— —	— 7	single plant will produce about 15 to		
"    maculatus . . . . .	— —	— 8	20 panicles of bright lilac flowers		
"    niger . . . . .	— —	— 9	with a whitish lip, and although they		
"    mixed . . . . .	— —	— 7	are not very large yet they appear		
all sorts mixed . . . cwt. 25/—	— —	— 6	in such a large number from June		
Rock Lychnis, see Viscaria.			to September that this very pretty		
Rocket, see Hesperis matronalis.			kind may be considered one of the		
⊙ Romneya Coulteri . . . . .	4 3	— —	most floriferous of its class . . . . .	1 4	— —
Rose Campion, see Agrostemma.			4 Santolina Chamaecyparissus . . . . .	— 5	4 6
⊙ Rudbeckia bicolor superba . . . . .	— 6	— —	⊙ Sanvitalia procumbens . . . . .	— 4	3 9
⊙ "    moschata . . . . .	— 4	— —	"    "    fl. pleno, double . . . . .	— 7	6 —
4 "    Neumannii . . . . .	2 2	— —	"    "    plenissima compacta . . . . .	— 9	— —
4 "    radula, golden yellow with a black centre . . . . .	1 8	— —	h Sapindus Saponaria . . . . .	— —	— 8
h Ruellia tuberosa, Dam. 1895; very bushy, dwarf and rich flowering; the numerous Bignonia-like flowers are of blue colour, standing above the foliage. To be sown early in the stove; the plant will then flower in July, lasting until Christmas . . . . .	1 10	— —	⊙ Saponaria multiflora (calabrica) . . . . .	— 3	2 —
Sage, see Salvia.			⊙ "    calabrica alba . . . . .	— 3	2 3
⊙ Salpiglossis variabilis fine mixed . . . . .	— 6	5 6	"    "    Scarlet Queen	— 3	— —
"    variabilis grandiflora, large flowered mixed . . . . .	— 8	7 6	Satin Flower, see Lunaria biennis.		
"    "    nana, dwarf mixed . . . . .	— 8	6 8	⊙ Scabiosa (Scabious) atropurpurea fl. pl. mixed . . . . .	— —	1 2
4 Salvia argentea, true . . . . .	— 3	1 5	"    atropurpurea candidissima plena . . . . .	— —	1 —
⊙ "    coccinea . . . . .	— 4	2 8	"    "    carnea plena . . . . .	— 3	2 —
"    "    grandiflora . . . . .	— 4	3 —	"    "    grandiflora com- pacta fl. pl. mixed . . . . .	— 3	2 —
"    "    lactea, pure white . . . . .	— 6	5 6	"    "    major fl. pl. large flowered, mixed . . . . .	— —	1 2
⊙ "    "    nana, Dam. 1899. A dwarf form of the lovely S. coccinea lactea growing only about 16 to 20 inches high and bearing in great number pure white flowers al- ready in June which last until frost sets in; most valuable for groups . . . . .	— 7	7 5	"    "    major fl. pl. Giant King of the Blacks . . . . .	— 3	2 —
Salvia coccinea rosea . . . . .	— 4	2 9	"    "    maxima fl. pl. fiery scarlet . . . . .	— 3	2 —
⊙ "    "    farinacea . . . . .	— 5	4 5	"    "    maxima fl. pl. The Fairy, with large azur-blue flowers . . . . .	— 5	— —
"    "    alba . . . . .	— 7	7 —	"    "    nana, double dwarf mixed . . . . .	— 3	1 6
"    "    officinalis, see Sweet Herbs &c.			"    baehiata, Dam. 1899. A most valuable plant for cutting pur- poses, commencing to bloom already in the month of May; its charming pale blue flowers last a long time . . . . .	— 4	— —
⊙ "    "    Roemeriana . . . . .	1 —	— —	4 "    "    fumariaefolia . . . . .	2 10	— —
"    "    Sclarea, see Sweet Herbs &c.			"    "    hybrida Victoria (Sc. atro- purpurea, Columbaria), finest mixed . . . . .	— 3	1 5
4 "    "    silvestris . . . . .	— 3	1 10	4 "    "    caucasica . . . . .	3 3	— —
h "    "    splendens . . . . .	1 10	— —	⊙ Schizanthus Grahmi carmineus . . . . .	— 6	— —
"    "    compacta nana $\frac{1}{8}$ oz —/7	3 6	— —	"    "    grandiflorus ventatus . . . . .	— 3	—
"    "    Ingenieur Clavenad $\frac{1}{8}$ oz —/8	4 —	— —	"    "    mixed . . . . .	— 3	2 6

	per oz s. d.	per lb. s. d.		per oz s. d.	per lb. s. d.
Schizanthus papilionaceus . . . . .	— 2	1 2	g	Solanum Capsicastrum . . . . .	— 4 2 10
" pinnatus compactus . . . . .	— 6	— —	"	" " nanum . . . . .	— 6 — —
" " albus . . . . .	— 6	— —	"	" citrullifolium . . . . .	— 3 2 2
" " mixed . . . . .	— 3	2 3	4	" Dammannianum . . . . .	— — — —
§ Schubertia grandiflora, a splendid climber with white scented flowers 100 seeds 2/9; 1000 seeds 20/—	— —	— —	4	" 100 seeds —/8	— — — —
Sea Lavender, see Statice.			g	" dublosinnuatum . . . . .	1 — — —
⊙ Senecio elegans plenissimus (Jacobaea double) splendid mixed	1 3	— —	⊙	" Farini . . . . .	— 7 — —
" elegans nanus plenissimus, dwarf mixed . . . . .	1 3	— —	⊙	" Gilo . . . . .	— 4 3 2
4 " multiflorus, blue, very rich-flowering . . . . .	1 8	— —	g	" guineense . . . . .	— 3 2 —
Sensitive Plant, see Mimosa pudica.			g	" Hendersonii . . . . .	— 4 3 5
⊙§ Sicyos angulata . . . . .	— 3	1 7	g	" laciniatum . . . . .	— 3 2 7
4 Silene Fabaria . . . . .	— 5	— —	g	" mors elephantum . . . . .	— 6 5 —
⊙ " pendula (rosea graeca) . . . . .	— —	— 7	g	" pseudo-Capsicum . . . . .	— 3 2 3
" " alba . . . . .	— —	— 7	g	" pyracanthum . . . . .	1 10 — —
" " Bonnetti . . . . .	— —	— 9	g	" robustum . . . . .	1 4 — —
" " carnea plena . . . . .	— —	— 10	g§	" Seafortianum 1/8 oz —/6	3 6 — —
" " Thusnelda Dam. 1896; with long branches of golden yellow foliage and thousands of lovely rose-coloured flowers. . . . .	— 3	2 —	g	" Warscewiczii . . . . .	— 10 — —
Silene pendula compacta rosea . . . . .	— 3	1 4		Spartium (Genista) see Tree seeds.	— — — —
" " " alba plena Dam. . . . .	— 3	1 2	⊙	Sphenogyne speciosa . . . . .	— 3 2 4
" " " fol. aureis, golden leaved . . . . .	— 4	2 4		Spiderwort, see Cleome,	
" " " Empress of India, large, dark rose flowering . . . . .	— 3	3 —		Spurge, variegated, see Euphorbia variegata.	
" pendula compacta fol. aur. Venus, Dam. 1898. The contrast between the yellow foliage, the pure white flowers and the green of the lawn, renders this very nice plant extremely adapted for carpet bedding . . . . .	— 3	3 —	4	Stachys lanata . . . . .	— — 1 3
Silene pendula compacta Luna Dam. 1896; very compact; flowers of a delicate carnation colour; foliage golden yellow . . . . .	— 4	2 4	g	Stapelia variegata finest mixed 1000 seeds 1/4	— — — —
Silene pendula compacta ruberrima . . . . .	— —	— 10		Standing Cypress, see Ipomopsis.	
" " compacta ruberrima fl. pleno . . . . .	— —	1 6	⊙	Statice Bonduelli, yellow . . . . .	— — 1 —
" " compacta Snow King, large pure white flowers . . . . .	— 3	— —	4	" caspia; one of the finest with purple flowers . . . . .	2 2 — —
" " rosea plena (Carter's Zulu King) . . . . .	— 2	1 3	4	" incana hybrida (See Lavender) . . . . .	— 3 2 —
" " ruberrima . . . . .	— —	— 8	4	" latifolia . . . . .	— 5 — —
g Skimmia japonica . . . . .	— 7	6 7	⊙	" sinuata, blue . . . . .	— — 1 —
Smilax, see Myrsiphyllum.			"	" " candidissima . . . . .	— — 1 —
Snapdragon, see Antirrhinum.			"	" " rosea . . . . .	— — — 10
⊙ Solanum aculeatissimum . . . . .	— 5	3 9	⊙	" spicata . . . . .	— 3 3 —
⊙ " atropurpureum . . . . .	— 4	3 —	⊙	" superba . . . . .	— 5 3 9
4 " Balbisii . . . . .	— 4	2 10	⊙	" Suworowii . . . . .	— 5 3 9
4 " cabiliense argenteum (marginatum) . . . . .	— 5	3 9	⊙§	Stephanotis floribunda . . . . .	— — — —
				100 seeds 2/2	
				1000 " 16/6	
			⊙	Stevia amabilis . . . . .	— — — —
			⊙	" Eupatoria . . . . .	— 6 4 5
			⊙	" Lindleyana . . . . .	— 6 6 —
			4	" odorata (salicifolia) . . . . .	1 9 — —
			4	" purpurea . . . . .	— 6 6 4
			4	" serrata, white . . . . .	— 7 7 4
				Stocks, see page 31.	
				Stoncrop blue, see Sedum coeruleum.	
			h	Strelitzia Augusta 100 seeds 9/8	— — — —
			"	" Reginae 100 " 9/8	— — — —
			h	Streptocarpus Rexii 1/32 oz 2/9	— — — —
				1/16 oz 4/6; 1/8 " 8/6	66 — —
				" Wendlandi, light blue, large leaves 1/32 oz 2/9; 1/16 oz 4/6; 1/8 oz 8/6	66 — —
			h	Streptocarpus, newest hybrids mixed 1/32 oz 4/—; 1/16 oz 7/6; 1/8 oz 14/—	108 — —

	per oz s. d.	per lb. s. d.
h Stuartia pseudo-camellia . . . . .	— 9	9 3
Summer Cypress, see Kochia scoparia.		
Sun Drops, see Oenothera.		
Sunflower, see Helianthus annuus.		
Sun Rose, see Helianthemum.		
g Sutherlandia spectabilis floribunda (Electro) . . . . .	1 9	— —
g Swainsonia alba . . . 1/8 oz —/11	5 10	— —
" Andersoni . . . . .	2 5	— —
" carminea 1/8 oz —/11	5 10	— —
" purpurea 1/8 oz —/11	5 10	— —
" best varieties mixed .	2 9	— —
Swallow wort, see Asclepias.		
Swan River Daisy, see Brachycome.		
Sweet Alyssum, see Alyssum Bent- hami.		
" Pea, see Lathyrus odoratus.		
" Scabious, see Scabiosa.		
" Sultan, see Centaurea mo- schata.		
" William, see Dianthus bar- batus.		
h Swietenia Mahagoni 10 fruits —/10	— —	— —
<b>⊙ Tagetes erecta fl. pl. Double African Marigold.</b>		
Aurantiaca . . . . .	— 3	2 8
Eldorado . . . . .	— 4	3 —
Nana sulphurea . . . . .	— 4	2 10
Best mixed . . . . .	— 3	2 —
<b>Tagetes patula, single.</b>		
Cross of honour . . . . .	— 3	2 4
Border of Gold . . . . .	— 3	— —
Silver King . . . . .	— 3	— —
Nana striata, golden yellow, brown striped	— 4	— —
<b>⊙ Tagetes patula fl. pl. Double French Marigold.</b>		
Fistulosa . . . . .	— 4	3 —
Nana aurea globosa, dwarf . . . . .	— 3	2 2
" Electric light . . . . .	— 4	— —
" Reginae . . . . .	— 3	2 11
" Liliput, brown . . . . .	— 3	2 8
" " golden yellow . . . . .	— 3	3 3
" Cloth of Gold, pure yellow . . . . .	— 3	2 11
" dwarf double mixed . . . . .	— 3	2 11
Double tall mixed . . . . .	— 3	1 10
Tagetes signata pumila . . . . .	— 4	3 6
" " Golden Ring, pure golden yellow . . . . .	— 4	3 3
" signata pumila sulphurea, pure sulphur yellow . . . . .	— 5	— —
Tassel Flower, see Cacalia.		
g§ Tecoma jasminoides (Bignonia) 1/8 oz 1/4	8 —	— —
" radicans (Bignonia) . . . . .	— 10	9 6

	per oz s. d.	per lb. s. d.
g§ Tecoma Stans (Bignonia) . . . . .	— 10	— —
g " Smithi . . . . .	1 6	— —
h Thalia dealbata . . . . .	— 8	— —
Thrift, see Armeria.		
⊙§ Thunbergia alata nanking, with black eye . . . . .	— 10	11 —
" alba, pure white with black eye	— 10	11 —
⊙§ " alata aurantiaca, golden yellow with black eye . . . . .	— 10	11 —
" " Bakeri, pure white . . . . .	— 10	11 —
" " mixed . . . . .	— 9	9 2
h§ " grandiflora . . 1000 seeds 4/9	— —	— —
⊙ Tolpis barbata (Crepis) Hawkweed	— 3	1 7
⊙h Torenia Bailloni . . . 1/8 oz 1/4	9 —	— —



Sutherlandia spectabilis floribunda.  
Electro 3/3.

⊙h Torenia Fournieri (edentula) . . . . .	3 4	— —
" alba (White Wings) . . . . .	3 6	— —
" coelestina 1/8 oz —/10	5 6	— —
" compacta 1/8 " 1/2	7 3	— —
" " alba 1/16 " 1/8	— —	— —
" " " 1/8 " 3/2	24 —	— —
" " coelestina 1/16 oz 1/8; 1/8 oz 3/2	24 —	— —
" " grandiflora 1/8 oz —/9	5 —	— —
Touch me-not, see Balsams.		
⊙ Trachelium coeruleum . . . . .	— 8	— —
" " album . . . . .	— 8	— —
Tree Cypress, see Ipomopsis.		
⊙§ Trichosanthes Anguinea vera . . . . .	— 3	2 7
" coccinea . . . . .	— 4	2 10
" colubrina . . . . .	— 3	2 6
" cucumerina . . . . .	— 3	2 6
" palmata . . . . .	— 4	3 —

	per oz s. d.	per lb. s. d.
Tritoma, see Kniphofia.		
⊙§ Tropaeolum canariense (peregrinum)		
Canary Creeper . . . . .	— 5	4 8
Lobbianum cardinale . . . . .	— 3	2 3
" " Crown Prince . . . . .	— 3	1 10
" " Duc de Vicence . . . . .	— 3	1 10
" " fulgens . . . . .	— 3	2 3
" " Géant des batailles . . . . .	— 3	1 10
" " Hookeri . . . . .	— 3	1 10
" " Lilli Smith . . . . .	— 3	1 10
" " Lucifer . . . . .	— 3	1 10
" " luteum . . . . .	— 3	1 10
" " multiflorum . . . . .	— 3	1 10
" " Queen Victoria . . . . .	— 3	1 10
" " Roi des noirs . . . . .	— 3	2 3
" " Spitfire . . . . .	— 3	1 10
" " Triomphe de Gand . . . . .	— 3	1 10
" " variegatum . . . . .	— 3	1 10
" " Zanderi nigrum . . . . .	— 3	2 3



Verbena erinoides.  
Electro 2/5.

Tropaeolum Lobbianum mixed in splendid varieties . . . . .	— —	1 3
" majus, fine mixed of the best sorts . . . . .	— —	— 10
" " nanum Empress of India . . . . .	— 3	2 6
" " " King of Tom Thumbs . . . . .	— 2	1 10
" " " King Theodore . . . . .	— 3	2 —
" " " Ruby King . . . . .	— 2	1 10
" " " mixed . . . . .	— —	— 10
⊙ " minus (trimaculatum) . . . . .	— 3	2 —
§ " pentaphyllum . . . . .	1 10	— —
Trumpet Flower, see Datura.		
g Tweedia coerulea . . . . .	— 10	— —
4 Umbilicus deflexus . . . . . 1/16 oz 1/—	11 —	— —
" gladiatus giganteus . . . . .		
1/16 oz 1/—; 1/8 oz 1/9	11 —	— —
" patens . . . . .		
1/16 oz 1/—; 1/8 oz 1/9	11 —	— —

	per oz s. d.	per lb. s. d.
4 Valeriana rubra (Valerian) . . . . .	— 2	1 5
g§ Vallaris dichotoma, a beautiful climber for the conservatory, with large snow white flowers . . . 100 seeds 1/8	— —	— —
Venus Looking Glass, see Campanula Speculum.		
Venus Navel wort, see Cynoglossum linifolium.		
⊙ Verbena Aubletia candidissima, new, pure white	1 2	— —
" " grandiflora . . . . .	— 3	2 8
" ciliata Dam. 1899. Resembling for its habit and shape of flowers the Verbena erinoides and it is an equally free bloomer, only its leaves are less deeply cut and its flowers are of a very bright lilac . . . . .	— 10	— —
" Drummondii (montana) . . . . .	— 3	3 —
" erinoides (Electro) . . . . .	— 7	8 —
" " alba, white, . . . . .	1 5	— —
" pulchella . . . . .	— 3	1 10
" teucrioides (Niveni) . . . . .	— 3	2 3
" venosa . . . . .	— 3	1 10

**Verbena hybrida.**

Finest mixed . . . . .	— 7	8 —
Extra selected quality . . . . .	— 11	12 8
Auriculae flowered sorts with large white eye, first class flowers . . . . .	— 11	12 8
Alba . . . . .	— 8	9 2
Atroviolacea . . . . .	— 7	8 —
Candidissima . . . . .	— 10	11 —
Coccinea . . . . .	— 10	11 9
Coerulea . . . . .	— 8	9 2
Défiance, fiery scarlet . . . . .	1 2	14 6
Lutea . . . . .	1 —	11 —
Purple Cloak . . . . .	1 5	— —
Striata, Italian striped . . . . .	1 —	11 —

**Verbena hybrida grandiflora.**

Mammoth "Cyclope" bright carmine with white centre . . . . .	1 5	— —
" Firefly, bright red with white centre . . . . .	1 2	— —
" rose and carmine . . . . .	1 —	12 9
" mixed . . . . .	1 —	11 —

**Verbena hybrida compacta (erecta).**

Défiance . . . . .	2 10	— —
Candidissima . . . . .	2 2	— —
Coccinea . . . . .	2 2	— —
" oculata . . . . . 1/8 oz —/7	3 10	— —
Dark blue . . . . .	2 6	— —
Miniatur, blood red with white eye, of very dwarf habit . . . . .	2 2	— —

	per oz s. d.	per lb. s. d.
<b>Verbena:</b>		
Splendid mixed . . . . .	2 3	—
4 Verbesina alternifolia . . . . .	— 8	—
"    virginica Dam. 1897 with numerous white flowers . . . . .	1 5	—
4 Vernonia arkansana, Dam. 1898. With very nice purple flowers; splen- did for cutting . . . . .	— 10	—
g Veronica hybrida, a great many sorts mixed . . . . .	— 9	—
4 "    spicata . . . . .	— 5	4 5
"    "    australis . . . . .	— 4	3 9
h Victoria regia . . . 100 seeds 13/9	—	—
h⊙ Vinca rosea, Madagascar Periwinkle	— 7	7 —
"    "    alba oculata . . . . .	— 7	7 —
"    "    alba pura . . . . .	— 7	7 —
"    "    mixed . . . . .	— 6	6 —
4 Viola cornuta . . . . .	1 3	—
"    "    alba . . . . .	1 2	—
"    "    Admiration . . . . .	1 10	—
"    "    Blue Perfection . . . . .	2 3	—
"    "    Sensation . . . . .	1 3	—
"    odorata, common wild Sweet Violet . . . . .	1 2	—
"    odorata, semperflorens . . . . .	— 7	6 7
"    "    semperflorens fl. albo . . . . .	— 10	11 —
"    "    "    the Czar . . . . .	1 6	—
"    "    "    "    fl. albo . . . . .	1 4	—
"    "    "    "    Wilsonii . . . . .	— 10	—

⊙ **Viola tricolor maxima. Pansies.**

Seeds saved from the largest flowers only.

All colours mixed . . . . .	— 9	9 3
English show (faced) varieties mixed . . . . .	— 10	11 —
Large-flowered French varieties mixed . . . . .	1 —	13 10
Cassier, three and five blotched giant . . . . .	2 —	28 —
Bugnots largest flowered . . . . .	2 —	28 —
Alba pura (Schneewittchen) . . . . .	1 —	12 10
Auriculaeflora, bronze . . . . .	— 10	11 9
Azure blue . . . . .	1 —	12 10
Black tinted golden bronze . . . . .	— 10	10 3
Bronze coloured . . . . .	1 —	13 —
Cardinal . . . . .	1 5	—
Dark blue . . . . .	— 10	11 9
Emperor William . . . . .	1 3	—
Dr. Faust, pure black . . . . .	1 —	12 10
Gold laced . . . . .	1 —	13 —
King of the Blacks . . . . .	1 —	13 —
Lord Beaconsfield . . . . .	1 3	14 10
Meteor, reddish brown . . . . .	1 4	—
Odier Prize Pansies . . . . .	1 5	—
Prince Bismarck . . . . .	— 10	11 10
Pure yellow . . . . .	1 2	14 7
Victoria, red . . . . .	1 2	—
White, dark centre . . . . .	1 —	12 3
Yellow, dark centre . . . . .	1 —	13 —

	per oz s. d.	per lb. s. d.
⊙ Viola tricolor maxima Trimardeau, Giant Pansies . . . . .	1 9	23 6
Auriculaeflora . . . . .	2 2	—
Emperor William . . . . .	1 10	—
Count Moltke . . . . .	2 2	—
King of the Blacks . . . . .	2 2	—
Lord Beaconsfield . . . . .	2 2	—
Pure yellow . . . . .	2 5	—
White with dark centre . . . . .	2 2	—
Yellow with dark centre . . . . .	2 2	—
Virginian Stocks, see Cheiranthus maritimus.	—	—
Wahlenbergia grandiflora . . . . .	— 5	—
Wallflower, see page 31.		



Zinnia spectabilis miniata.  
Electro 3/3.

Water Lily, see Nymphaea.		
⊙ Whitlavia grandiflora . . . . .	—	1 7
"    "    alba . . . . .	— 3	1 5
h Wigandia caracasana . . . . .	10	—
"    imperialis . . . . .	— 7	—
"    Vigierii . . . . .	— 8	—
Woodroof, see Asperula.		
⊙ Xeranthemum annuum superbissim- um album fl. pl. . . . .	7	7 4
Xeranthemum annuum superbissim- um roseum fl. pl. . . . .	— 7	6 6
Xeranthemum annuum superbissim- um rubrum fl. pl. . . . .	— 7	6 6
⊙ Ximenesia encelioides . . . . .	3	3 —
Youth and Old age, see Zinnia.		
Yucca, see page 22.		
⊙ Zinnia Darwini fl. pl. finest mixed . . . . .	— 3	2 3

⊙ **Zinnia elegans.**

Single flowered mixed . . . . . — 2 1 3

⊙ **Zinnia elegans grandiflora plenissima.**

The flowers of our Zinnias are quite enormous, for which they have gained a world wide reputation.

	per oz s. d.	per lb. s. d.
Plenissima, finest double mixed . . . . .	— 3	2 3
Alba . . . . .	— 3	2 6
Atrococcinea . . . . .	— 3	2 6
Atropurpurea . . . . .	— 3	2 6
Aurea . . . . .	— 3	2 6
Carminea . . . . .	— 3	2 6



Zinnia elegans grandiflora laciniata fl. albo pl.  
Electro 4/5.

Carnea . . . . .	— 3	2 6
Coccinea . . . . .	— 3	2 6
Lilacina . . . . .	— 3	2 6
Lutea . . . . .	— 3	2 6
Rosea . . . . .	— 3	2 6
Reginae new; the petals are of a peculiar shape . . . . .	— 4	3 —

⊙ **Zinnia elegans fl. pl. "Iris".** Contrary to the well known striata form from which our splendid new introduction is absolutely different, the ground color of the flowers is of a pale yellow, while the petals are striped, spotted and speckled in various shades of carmine, crimson, pink and minium red. The plants grow to a medium height and the flowers measure about 2 1/2 inches across. — 4 3 9

Spectabilis miniata, Dam. 1898 (Electro), flowers of minium colour; petals of a peculiar form, being slightly folded up, forming a kind of canal . . . . . — 4 3 5

Spectabilis cupreata, Dam. 1899. We are offering the second color, a fine copper red, of the new Z. spectabilis class introduced by us 2 years ago . . . . . — 4 3 5

**Zinnia elegans pumila (nana Tom Thumb) plenissima.**

Finest mixed . . . . .	— 3	2 8
Alba . . . . .	— 3	3 —
Atrococcinea . . . . .	— 3	3 —
Aurantia . . . . .	— 3	3 —
Aurea . . . . .	— 3	3 —
Carminea . . . . .	— 3	3 —
Coccinea . . . . .	— 3	3 —
Purpurea . . . . .	— 3	3 —



Zinnia elegans pygmaea flore pleno.  
Electro 4/—.

Rosea . . . . .	— 3	3 —
Salmon . . . . .	— 3	3 —
Sulphurea . . . . .	— 3	3 —
Viola . . . . .	— 3	3 —

**Zinnia elegans robusta grandiflora plenissima.**

Double large flowered in splendid mixture . . . . .	— 3	2 10
Aurea . . . . .	— 4	3 —
Atrococcinea . . . . .	— 4	3 —
Carminea . . . . .	— 4	3 —
Carnea . . . . .	— 4	3 —
Coccinea . . . . .	— 4	3 —
Lilacina . . . . .	— 4	3 —
Lutea . . . . .	— 4	3 —
Rosea . . . . .	— 4	3 —




	per oz s. d.	per lb. s. d.		per oz s. d.	per lb. s. d.
Salmonea . . . . .	— 4	3 —	new kind can therefore be quite specially recommended as a border plant.		
Violacea . . . . .	— 4	3 —		Brilliant scarlet, Crimson, White, each separate . . . . .	— 10
⊙ Zinnia elegans grandiflora laciniata fl. albo pl., Dam. 1899 (Electro), a splendid new class! The petals of the perfect shaped flowers are as is shown in our cut more or less deeply cut, a fact never met before with any Zinnia. The habit of the plant and shape of the pure white flowers is exactly that of the Z. elegans fl. pl. . . . .	— 6	6 —	Mixed . . . . .	— 9	— —
⊙ Zinnia elegans pygmaea flore pleno (Electro). An absolutely new dwarf kind of only about 8 inches in height but in spite of this very dwarf habit, of most extraordinary rich flowering. We have had as many as 25 to 30 flowers of about 3 inches in diameter on a single plant, which is certainly remarkable considering its small proportions. The flowers are quite as large and double as those of the old Z. elegans. — This			Zinnia elegans spectabilis fl. pl. (Dam. 1898), different from any other class, the petals of the very large flowers being almost quilled at their extremity		
			brick-red . . . . .	— 4	3 6
			copper-red . . . . .	— —	— —
			Zinnia elegans striata plenissima mixed	— 4	3 —
			„ „ fl. pl. „ <b>Miniatur</b> “, a dwarf small-flowered, very double, rich flowering kind, finest colours mixed . .	1 —	12 9
			Zinnia Haageana (mexicana) single-flowered . . . . .	— 5	5 6
			„ „ fl. pleno double . . . . .	— 7	7 4
			„ „ imbricata plenissima . . . . .	— 7	7 4
			Mixed Flower Seeds, annuals cwt. 50/—	— —	— 8
			„ „ „ „ suitable for bee feeding . . . cwt. 82/—	— —	1 5

## XII. Seeds of Ornamental Grasses.

4 = perennial; all others are annual.

	per oz s. d.	per lb. s. d.		per oz s. d.	per lb. s. d.
Agrostis nebulosa . . . . .	— 6	6 7	4 Eulalia japonica zebrina . . . . .	— 8	— —
„ pulchella . . . . .	— 5	4 —	4 Festuca glauca . . . . .	— 10	— —
4 Arundo conspicua . . . . .	3 8	— —	4 Gymnotherix caudata . . . . .	— 4	3 5
4 „ Donax . . . . .	— 4	1 10	„ japonica . . . . .	— 5	5 2
4 „ „ fol. var. . . . .	1 —	— —	„ latifolia . . . . .	— 5	4 3
4 „ festucoides . . . . .	— 4	3 —	4 Gynerium argenteum (Pampas Grass)	— 4	4 6
4 Briza lutescens . . . . .	— 6	— —	„ „ Bertini . . . . .	— 5	5 6
„ maxima (Quaking Grass) . . . . .	— —	1 —	„ „ jubatum . . . . .	— 6	— —
4 Carex pendula . . . . .	— 3	2 3	4 „ „ roseum . . . . .	— 5	4 6
4 Coix Lacrymae . . . . .	— —	— 7	4 Hordeum jubatum (Squirrel Tail Grass) . . . . .	— 3	2 8
4 Cyperus alternifolius . . . . .	2 2	— —	Job's Tears, see Coix Lacrymae.		
„ ferox . . . . .	— 6	— —	Lagurus ovatus (Hare's Tail Grass)	— —	1 3
„ flabelliformis . . . . .	2 9	— —	Pampas Grass, see Gynerium.		
„ Papyrus . . . . .	2 5	— —	4 Panicum capillare . . . . .	— —	1 3
4 Eleusine Tocussa . . . . .	— 2	1 2	„ „ violaceum Dam. . . . .	— 2	1 9
Eragrostis abyssinica . . . . .	— 4	3 —	4 „ excurrens . . . . .	— 3	2 —
4 Erianthus Ravennae . . . . .	— 4	3 —	4 „ plicatum . . . . .	1 —	— —
„ „ violascens . . . . .	— 5	4 5	4 „ sulcatum . . . . .	1 2	— —
4 Euchlaena luxurians (Reana Teosinthe). . . . .	— 3	1 8	4 „ tonsum; dwarf, lawn-forming with numerous loose spikes, at first dark red, then rose and finally of a silvery colour . . . . .	— 9	10 —
4 Eulalia japonica (Miscanthus japonicus) . . . . .	— 6	6 —			
„ „ fol. argent. vittatis . . . . .	1 3	— —			

	per oz s. d.	per lb. s. d.
4 Panicum virgatum . . . . .	— 4	3 —
Pennisetum longistylum . . . . .	— 3	2 —
"    violaceum . . . . .	— 3	2 8
"    macrurum; a gigantic grass, resembling the Glycerium argenteum . . . . .	— 5	5 6
PennisetumRueppellianum, Dam.1893 (Electro), one of the finest and most graceful grasses, producing a great number of the most lovely spikes . . . . .	— 4	3 9
Quaking Grass, see Briza maxima.		
4 Scirpus natalensis . . . . .	— 6	— —
4 Stipa elegantissima . . . . .	— 11	12 9
"    pennata (Feather Grass) . . . . .	— 5	4 10
4 Uniola latifolia . . . . .	— 5	4 10
Zea gracillima (minima) . . . . .	— —	— 6
"    "    fol. var. . . . .	— —	— 7
"    japonica fol. var., striped japanese Maize . . . . .	— —	— 4
"    "    gigantea quadricolor new. Dam. 1896; a gigantic varie- gated-leaved, highly decorative kind and much superior to the old Z. jap. vol. var.; leaves bright green, silver-white, sulphur- yellow and rose striped; most effective	— —	— 10
Zea tunicata fol. var. . . . .	— —	— 10



Pennisetum Rueppellianum.  
Electro 3/3.

### XIII. Seeds of Bulbs and Roots.

	per oz s. d.	per lb. s. d.		per oz s. d.	per lb. s. d.
Agapanthus umbellatus . . . . .	— 8	— —	universum, white with a red eye		
Allium fragrans . . . . .	— 3	1 7	100 seeds —/10	— —	— —
"    giganteum . . . . .	4 3	— —	1000 "    7/4	— —	— —
"    pendulinum . . . . .	1 —	— —	splendid mixed		
Amaryllis formosissima (Sprekelia)			1/16 oz 1/— 1/8 oz 1/8	11 —	— —
1000 seeds 1/8	— —	— —	Freesia Leichtlini . . . . .	— 3	2 4
"    vittata, newest English varieties			"    refracta alba . . . . .	— 4	3 9
mixed 1000 seeds 10/—	— —	— —	"    splendid mixed . . . . .	— 3	2 —
Anemone japonica Honorine Jobert . . . . .	4 3	— —	Gladiolus cardinalis, mixed . . . . .	1 —	14 6
Brodiaea mixed . . . . .	1 2	— —	"    Colvillei . . . . .	— 3	2 4
Convallaria japonica . . . . .	— 4	1 9	"    gandavensis, French in splendid		
Cooperia Drummondii . . . . .	— 5	— —	varieties mixed . . . . .	— 8	7 9
"    pedunculata . . . . .	— 7	— —	"    Lemoinei hybridus, best mixed	— 8	8 3
Cyclamen neapolitanum . . . . .	1 3	— —	"    Nanceianus, fine mixed		
"    persicum, fine mixed . . . . .	2 4	— —	1000 seeds 4/5	— —	— —
<b>Cyclamen persicum giganteum.</b>			"    European and Asiatic varieties		
(seeds collected from giant flowers only)			mixed . . . . .	— 3	2 4
sanguineum . . . . . 1000 seeds 10/6	— —	— —	Hyacinthus candicans (Galtonia) . . . . .	— 3	2 —
roseum . . . . . 1000 "    8/—	— —	— —	Iris germanica, mixed . . . . .	— 3	3 —
Emperor William 1000 "    7/4	— —	— —	"    Histrio . . . . .	2 2	— —
Montblanc, pure white			"    reticulata . . . . .	4 3	— —
1000 seeds 8/—	— —	— —	Ixia hybrida, a fine collection mixed . . . . .	1 —	— —
			Kniphofia (Tritoma) Red-hot-poker-plant		
			corallina . . . . .	— 8	— —

	per s. d.	oz d.	per lb. s. d.		per oz s. d.	per lb. s. d.
Mc Owani hybrida . . . . .	—	8	—	Ranunculus asiaticus superbissimus fl.	—	6
Saundersi . . . . .	—	9	—	pl. mixed . . . . .	—	5 7
Uvaria (aloides) nobilis . . . . .	—	7	—	Richardia albo-maculata . . . . .	—	10
The above and many other sorts mixed	—	8	—	Scilla Clusii (peruviana) . . . . .	—	3 2 4
Lilium auratum . . . . .	1	7	—	Sparaxis grandiflora, mixed . . . . .	—	11
„ speciosum, mixed				Tulipa Greigii . . . . .	2	—
1/16 oz 3/—; 1/8 oz 5/6	40	—	—	„ „ hybrida, mixed . . . . .	1	8
Paonia sinensis fl. pl., double mixed . . . . .	1	2	12 9	„ best sorts mixed . . . . .	—	7 6 7

## XIV. Seeds of Cannas.

	per oz s. d.	per lb. s. d.		per oz s. d.	per lb. s. d.
<b>a. Gladioli-flowered.</b>			Marquise A. de l'Aigle . . . . .	—	5
Admiral Avellan, leaves red . . . . .	—	6	Maurice Musy . . . . .	—	5
Alcimene . . . . .	—	4 3 9	„ Rivoire, leaves red . . . . .	—	4 2 4
Alfonse Bouvier . . . . .	—	7 5 7	M. Ritton . . . . .	—	5
Ami Pichon . . . . .	—	3 2 4	Otto Froebel . . . . .	—	5
Aurore . . . . .	—	3 2 4	Pregmy . . . . .	—	5
B. de Jussieu Cr., leaves red . . . . .	—	3 2 4	Président Carnot . . . . .	—	5 3
Baronne de Sandrans . . . . .	—	3	„ Chaudon Cr., yellow . . . . .	—	6
Beauté Poitevine Br. . . . .	—	7	Professor J. G. Baker Dam. . . . .	—	5 2 9
Boucharlat aîné . . . . .	—	4 3	„ Foster Dam. . . . .	—	4
Camille Bernardin . . . . .	—	3 2 4	„ David . . . . .	—	5
Ch. Buisson . . . . .	—	4 3	„ Charguérand . . . . .	—	4 2 4
Ch. van Geert . . . . .	—	4 2 8	Princesse Laetitia Dam. . . . .	—	9
Colonel Denfert, leaves red . . . . .	—	4 2 4	Progression . . . . .	—	4 2
„ Dodds . . . . .	—	3	R. Brandt . . . . .	—	5
Comte de Bouchaud, yellow . . . . .	—	4 3	Reval Massot . . . . .	—	4 2 4
Crozy père . . . . .	—	3	Rose T. May . . . . .	1	2
Docteur Vergely . . . . .	—	5	Sophie Buchner . . . . .	—	5
Doyen de Jean Sisley, leaves red . . . . .	—	5 3 5	Souvenir de François Gaulin . . . . .	—	4 2
Ed. Mieg . . . . .	—	6	Sénateur Montefiore . . . . .	—	4 2 4
Emile Barré . . . . .	—	4	Thomas S. Ware . . . . .	—	5
Explorateur Crampel . . . . .	—	4 2 4	Trocadero . . . . .	—	4 2
F. Neuwesel . . . . .	—	5 2 9	Vesuvius Dam. . . . .	—	5 2 9
François Morel . . . . .	—	3 2 4	Victor Gaulin, leaves red . . . . .	—	4 2 4
Fürst Bismarck . . . . .	—	5	New large flowered early Hybrids (Crozy)		
G. Sennholz . . . . .	—	5	dwarf with green leaves, mixed . . . . .	—	1 8
Gartendirektor Siebert . . . . .	—	7	New large fl. early Hybrids (Crozy) semi-		
General Baron Berge . . . . .	—	4 2 4	high and high with green leaves, mixed . . . . .	—	1 8
George d'Harcourt . . . . .	—	4 2 4	New large flowered early Hybrids (Crozy)		
Gloire des marchés . . . . .	—	7	with red leaves, mixed . . . . .	—	1 10
Graf von Turin . . . . .	1	2	New large flowered early Hybrids (Crozy)		
Guillaume Couston . . . . .	—	4 2 4	all sorts mixed . . . . .	—	1 10
Hugo Fuchs . . . . .	—	6			
Ingénieur Pérache . . . . .	—	5	<b>b. Hybrids and Garden Forms</b>		
J. Soulayr . . . . .	—	5	including the newest sorts.		
Kaiser Wilhelm . . . . .	—	4 2 4	Alegatière, leaves dark red . . . . .	—	6 3 10
Königin Charlotte (Queen Charlotte) . . . . .	—	8 6 7	Coquette . . . . .	—	4 2 4
L. E. Bally . . . . .	—	3 2 4	Discolor . . . . .	—	4 2 4
Légionnaire, leaves red . . . . .	—	5 3	Flaccida le Roi, Dam. 1890. . . . .	—	3 1 8
Lohengrin . . . . .	—	5	Sanguinea . . . . .	—	9
Louis de Mérode Cr. . . . .	—	4 2 4	Sénateur Millaud Crozy, the highest sort		
Madame A. Blanc . . . . .	—	5	with very large dark red leaves . . . . .	—	5 3 5
„ Meriem Lombard, flowers whitish . . . . .	1	9	With green leaves mixed . cwt. 92/—	—	1
„ Crozy . . . . .	—	5 3 2	With red leaves mixed . „ 100/—	—	1 3
„ Oscar Meuricoffre Dam. . . . .	—	5	All sorts mixed . . . . . „ 92/—	—	1



	1 piece s. d.	10 pieces s. d.	100 pieces s. d.		1 piece s. d.	10 pieces s. d.	100 pieces s. d.
brilliant vermilion with distinct chamois stripes.				merous and large, sulphur-yellow, fading later on into a paler yellow. A very pure color.			
<b>2. Season 1898 to 1899.</b>				<b>4. Season 1896 to 1897.</b>			
Australia . . . . .	— 10	6 6	— —	* Africa . . . . .	— 5	3 7	30 —
About 4 feet high, leaves dark green with a brown border; flowers very large, salmon-red striped with deep sulphur-yellow; extremely fine.				Height about 3 feet, leaves lanceo- late, purple, bronzy, striped green with dark green shades. Very large flowers similar to a Cattleya of a rich purple- scarlet, golden yellow and orange inside. A splendid variety.			
<b>3. Season 1897 to 1898.</b>				* Alemannia . . . . .	— 5	3 6	29 —
* Atlanta . . . . .	— 6	4 5	36 —	This kind produces the largest flowers which have been obtained as yet in the way of Cannas. The plant grows about 4½ to 6 feet high. Numerous Musa-like glaucous leaves and wonderful spikes of flowers. The latter are enormous and surpass in size even those of the Canna „Italia“. The outer petals are scarlet with a very broad gold-yellow border. The inside of the blooms is scarlet and dark red. Exceedingly beautiful.			
Height about 3 feet. Large greyish- green foliage with a dark border; flowers deep orange carmine and very large; of very rich growth.				* America . . . . .	— 5	3 6	29 —
* Britannia . . . . .	— 8	5 —	40 —	Red leaves. Height about 4 to 5 feet. The beautiful foliage is of a bronze color with dark red hues and shining as if the leaves were varnish- ed. The spikes are very large and the flowers enormous, of a very beautiful glowing red-purple flamed and striped.			
About 4 feet. Foliage lively green, Musa like, very large flowers with a yellow ground flamed with carmine. Larger than „Italia“.				* Aphrodite . . . . .	— 5	3 3	25 —
Campania . . . . .	— 5	3 3	26 —	Height about 6 feet. Very rich flowering, broad green leaves, immense trusses of large golden yellow flowers with large spots salmon colour; inner petals entirely salmon colour. Splendid.			
About 6 feet. — Glauous large leaves; growth extremely rich; flowers large, inner petals chrome-yellow with carmine spots, outer petals sulphur- yellow.				Asia . . . . .	— 4	2 9	24 —
* Ch. Naudin . . . . .	— 5	3 8	30 —	Height about 3 feet. Numerous stalks, dark green foliage, very effec- tive. Very large regular flowers of a rich golden yellow. Inner petals dotted scarlet. Splendid.			
About 4 feet. — Dark green, brown bordered foliage. Very large flowers (about 7 inches in diameter), salmon- red, the inner petals are darker.				* Bavaria . . . . .	— 5	3 3	27 —
Hellas . . . . .	— 5	3 3	26 —	Height about 3 feet. Leaves large, green, with a blueish hue. Very large spikes and flowers of a brilliant golden yellow covered all over with scarlet spots. Quite unique and ex- tremely handsome.			
About 3 feet. — Lively green, of strong growth and bearing abundant flowers of a canary-yellow color spotted brown-red.				Borussia . . . . .	— 4	2 8	22 —
* Phoebe . . . . .	— 5	3 6	29 —	Height 3 to 4 feet. Broad bright green leaves. Enormous spikes, very large flowers, not so large however as those of „Italia“, of a shining canary-yellow with a golden yellow hue and small fiery red spots. Ex- tremely handsome.			
About 6 feet high. — Glauous leaves, luxuriant growth, flowers similar to a Cattleya, very large, sulphur- yellow, turning later on into a whitish yellow; petals spotted carmine, the inner ones more markedly than the outer ones.				Burgundia . . . . .	— 5	3 3	27 —
Professor Treub . . . . .	— 8	5 8	52 —	Height 3 feet. Large glaucous leaves, very large spikes, enormous flowers resembling an expanded Catta- leya, of a brilliant golden yellow			
About 4 feet. Broad lanceolate leaves, brown-red, with a dark green hue. Flowers large, minium scarlet striped with salmon-red. Among the red-leaved Cannas this is one of the most striking and beautiful.							
* Roma . . . . .	— 5	3 3	28 —				
About 3 to 4 feet and a half. Growth extremely luxuriant, leaves glaucous. Very numerous and large panicles; flowers large with yellow ground flamed salmon-red.							
Rhea . . . . .	— 4	2 8	22 —				
About 4 feet. Leaves brown with a metallic hue, flowers of medium size and a brilliant crimson.							
Trinacria . . . . .	— 5	3 3	25 —				
About 4 feet. Bright green, of luxuriant growth. Flowers very nu-							

	1 piece s. d.	10 pieces s. d.	100 pieces s. d.		1 piece s. d.	10 pieces s. d.	100 pieces s. d.
with rich scarlet spots, golden yellow in the centre and fiery red flamed. A marvel of beauty.							
* Edouard André . . . . .	5	3 8	32 —	enormous spikes of flowers of a vivid dark orange-yellow difficult to define, and not observed in Cannas as yet.	4	2 8	22 —
Bushy plant, about 3 feet high. Stalks dark red, broad leaves, short, and dark spotted on the back. Well ramified stalk, spikes bearing 9 to 12 very large flowers of a bright fiery red with orange yellow spots like sparks, long dark red buds of a greenish hue. A kind of sterling merit.				Perseus . . . . .			
* H. Wendland . . . . .	5	3 3	27 —	Height about 3 feet. Broad glaucous green foliage, numerous stalks. Trusses of immense flowers of a pure canary-yellow with scarlet pencillings in the inside. A magnificent variety, very rich flowering and lasting.			
Height about 4 feet. Very broad beautiful green leaves. Very large trusses of large flowers, outer petals scarlet with a golden yellow border, quite fiery red inside and yellow in the centre. It is one of the best of this class.				* Pluto . . . . .	5	3 3	27 —
Heinrich Seidel . . . . .	4	2 9	24 —	Height about 3 feet. Numerous stalks with a splendid purple-red foliage. Large and beautiful scarlet-purple flowers flamed with red inside.			
Height about 3 feet. Green Musa-like leaves with a light glaucous hue. Very large panicles. Very large and numerous flowers of a vivid fiery red with a yellow border spotted with purple. A great beauty.				* Suevia . . . . .	4	2 5	20 —
Iberia . . . . .	4	2 8	22 —	Height about 3 feet. Leaves Musa-like, slender stalks. Very large flowers of a pure canary-yellow, satiny, and bronzed inside. Bracteas bronzed. Splendid.			
Height about 3 feet. Glaucous leaves, very large panicles. The large flowers are Cattleya-like. Outer petals golden yellow with a red border. Inner petals crimson, very beautiful.				Wilhelm Beck . . . . .	4	2 5	21 —
* Kronos . . . . .	4	2 8	22 —	Height about 6 feet. Broad green leaves, immense trusses of sulphur yellow flowers with scarlet red pencillings. Inner perigon scarlet red. A very remarkable variety.			
Height about 3 feet. Broad sea-green leaves, slender stalk, very large panicles. Very large flowers of a rich sulphur-yellow all spotted in red. An extremely fine form.				5. Season 1895 to 1896.			
* La France . . . . .	5	3 3	29 —	Austria . . . . . 1000 pieces 70/—		1 —	8 —
About 4 feet high. Numerous stalks. Broad lanceolate leaves, very large, of a splendid purple and shining as if varnished. Very large and regular flowers similar to „Austria“, of a brilliant yellowish scarlet. Unique for its beauty.				Flowers very large, canary yellow; centre spotted red.			
* Oceanus . . . . .	4	2 8	22 —	Italia . . . . . 1000 pieces 90/—		1 3	10 —
Height about 3 feet, lanceolate leaves bright green. Very large panicles. Flowers yellow red spotted. Inferior petals almost quite red. Remarkably beautiful.				Enormous panicles of scarlet flowers with a yellow border. Magnificent.			
* Pandora . . . . .	4	2 9	24 —	The whole assortment, introductions of 1895 to 1898			
Height about 3 feet and more. Lanceolate purple leaves with a metallic hue and dark green stripes. Very large spike; enormous flowers of a glowing fiery red, dark red outside. The borders and the inside are gold flamed. An extraordinarily beautiful variety.				1 root of each . . . . . 15/—			
* Parthenope . . . . .	4	2 9	24 —	12 kinds of our selection 4/—			
Height about 3 feet, broad pointed sea-green leaves. Ramified stalk,				Orchid-flowering Cannas mixed . . . . .	3	1 9	15 —
				<b>2. Gladioli-flowered Cannas.</b>			
				(Dammann.)			
				Introductions of 1899 to 1900.			
				Baja . . . . .	8	5 8	
				About 25 to 30 inches high, bright green foliage, flowers deep crimson bordered with a faint yellow edge; extremely rich flowering.			
				Cavour . . . . .	9	6 6	
				Of dwarf habit, not exceeding about 2 feet in height, lively green foliage, large spikes of vermilion purple flowers with undulated border.			
				Meta . . . . .	10	6 6	
				About 2 feet and 1/2 high, large greyish green foliage, flowers chrome yellow, striped and spotted with brown.			
				Nero . . . . .	1 3	10 —	
				About 3 feet high, the beautiful foliage is of a dark brown red, stems of a whitish hue flowers of a rich cherry red.			
				Paestum . . . . .	10	6 6	
				About 3 feet high, large green leaves, flowers light chrome yellow with regular vermilion spots. Very large spikes.			

	1 piece s. d.	10 pieces s. d.		1 piece s. d.	10 pieces s. d.
Solfatarà . . . . .	— 8	5 8	with a broad golden border; finer than Queen Charlotte.		
About 3 feet high; light green foliage large flowers of a beautiful orange color with carmine reflex.			Crown-Prince of Italy . . . . .	— 6	4 —
Toledo . . . . .	— 10	7 6	About 3 feet. Leaves glaucous; flowers very large, dark scarlet; most beautiful.		
About 3 feet and 1/2; leaves green; enormous minium red flowers, often with a light golden edge.			Princess Helena of Montenegro . . . . .	— 8	— —
The whole collection of the above			About 3 feet. Leaves green, flowers very large, salmon-red, striped and bordered with golden yellow; petals round; magnificent.		
Cannas . . . . .	5/9	— —	Princess Laetitia . . . . .	— 4	2 9
<b>Introductions of 1898.</b>			About 3 feet. Leaves Musa-like. Panicle enormous, flowers large, bright fire-red, dark red flamed and yellow bordered. Splendid.		
Capri . . . . .	— 6	4 —	Stromboli . . . . .	— 6	— —
Height about 1 foot. Glaucous leaves, very large salmon-scarlet flowers slightly spotted with yellow.			About 2 feet. Leaves glaucous; flowers very large, red and bright scarlet, fire-red in the centre. Very fine.		
Ischia . . . . .	— 6	4 —	<b>3. Gladioli-flowered Cannas of different raisers.</b>		
Height about 1 1/2 feet. Leaves vivid green, flowers sulphur-yellow upon which appear when they begin to fade, large vermilion spots.			Best introductions of the last years.		
Lotetia . . . . .	— 8	5 4	<b>a. Green-leaved.</b>		
Height about 2 feet, glaucous leaves with a greyish tinge. Flowers deep yellow, ground slightly spotted with red. Very rich flowered and in consequence of its habit much adapted for groups.			Alsace, pale sulphur-yellow . . . . .	— 6	4 —
Minerva . . . . .	— 8	5 4	Ami Jules Chrétien, salmon-scarlet and yellow	— 5	3 3
Height 3 feet. Dark green foliage; large trusses of very large cinnabar red flowers. a new and grand rich flowering variety.			Anna Ernst (1899), canary-yellow, crimson spotted . . . . .	— 10	— —
Professor Rossi . . . . .	— 5	3 3	Architecte Mouren, salmon, golden border . . . . .	— 8	5 3
About 2 feet high, dark green foliage turning to brown. Very large trusses of salmon-red flowers. Of great value for cutting purposes.			Auguste Chantin, copper-red, bright flamed	— 8	5 3
Sultana . . . . .	— 5	3 3	Baronne de Poilly, salmon . . . . .	— 5	3 9
Height about 3 feet. Glaucous foliage with a greyish tinge. Flowers canary-yellow with numberless vermilion spots. A very remarkable colour.			Burbank, lemon-yellow . 100 pieces 24/—	— 4	2 9
<b>Introductions of 1896.</b>			Ch. Molin (1900), salmon-orange, crimson spotted . . . . .	1 8	— —
Adonis . . . . .	— 4	2 9	Citoyen de Cronstadt, chrome-yellow, crimson spotted . . . . .	— 5	3 8
About 2 feet high, leaves green with a brown border; flowers blood-red.			Comtesse de Bouchaud, salmon, crimson spotted, yellow border . . . . .	— 5	3 8
Aetna . . . . .	— 4	2 9	Coronet, chrome-yellow . . . . .	— 6	4 —
About 3 feet; leaves very dark red, flowers crimson and purple.			Cyclope, fiery blood red, very large flowered	— 5	3 8
Ajax . . . . .	— 4	2 9	Czar Alexander III, bright scarlet . . . . .	— 4	3 9
About 2 feet; leaves green; flowers wax-yellow with rosy spots.			Daniel Gerard, crimson, dark crimson flamed, golden-bordered . . . . .	— 8	— —
Alkmene . . . . .	— 4	2 9	Ernst Rauth (1900), vermilion orange with yellow border . . . . .	1 3	— —
About 3 feet. Leaves green; flowers orange with a golden yellow border.			François Vuillermet, brilliant granate-red, very large flowers . . . . .	— 6	4 —
Arethusa . . . . .	— 6	— —	Franz Buchner, orange with mauve-hue and yellow border . . . . .	— 5	— —
About 1 foot 1/2. Leaves green; flowers very large, sulphur-yellow, changing afterwards into a bright salmon colour; inside dark red; new colour.			Fürst Bismarck, splendid scarlet with a dark red hue and undulated petals		
Count of Turin . . . . .	— 4	2 9	100 pieces 24/—	— 4	2 9
About 2 feet. Leaves glaucous, flowers very large, fire-red, dark red striped with a yellow border, centre blood-red.			Généreux, vermilion, very large flowers . . . . .	1 3	— —
Queen of Italy . . . . .	— 8	— —	Goliath, very large flowers, bright amaranth-coloured . . . . .	— 8	5 3
About 2 feet. Leaves large, green. Panicle enormous; flowers very large, dark scarlet			G. O. Quintus, bright yellowish red, crimson edged . . . . .	1 3	11 3
			Herzogin Vera (1900), pale sulphur yellow, very large flowered . . . . .	1 8	— —
			Hofgarten-Director Wendland . . . . .	— 5	3 8

	1 piece s. d.	10 pieces s. d.		1 piece s. d.	10 pieces s. d.
J. Colette-Ronchaine (1900), lively pomegranate colour, very large flowers . . . . .	1 8				
Jeanne Schmidt, bright rose, slightly, crimson spotted, with a pale yellow border . . . . .	10	7 3			
Léon Pépin Lehalleur, crimson . . . . .	4	3 —			
Madame Chabanne, rose . . . . .	— 8	5 —			
„ Léon Leclerq, salmon, golden border . . . . .	6	4 —			
„ Legris, chrome-yellow, brown, spotted . . . . .	5	3 3			
„ Louis Druz, brilliant purple . . . . .	1 3	—			
Madame Pichon, lemon-yellow, scarlet spotted . . . . .	8	5 3			
„ Victor Lemoine, pure yellow with brown stripes; a very rare colour . . . . .	10	7 3			
Madagascar, salmon-orange and rose-lilac . . . . .	6	4 —			
Madame Meriam Lombard, whitish . . . . .	— 6	4 6			
Marigold, orange . . . . .	5	3 3			
Michel Favrichon, very rich flowering, dark salmon, spotted red with a yellow border . . . . .	— 10	—			
Miss Amy Ker (1900), creamy white turning white . . . . .	1 3	— —			
Mrs. F. Dreer, canary-yellow, salmon spotted . . . . .	8	5 3			
Mr. Colbombet, canary-yellow and red . . . . .	6	4 —			
Mr. Jarry-Desloges, very large flowers, dark red with a brighter hue and crimson stripes . . . . .	— 10	7 3			
Modèle, crimson and carmine . . . . .	10	—			
Panache, crimson . . . . .	— 6	4 —			
Papa Canna, salmon-red . . . . .	8	5 —			
„ Treyve, orange . . . . .	6	4 —			
Petite Mocotte, crimson-rose, chamois flamed with a yellow border . . . . .	— 6	4 —			
Philippe Rivoire, very large flowers, crimson-rose marbled carmine with a yellow border . . . . .	1 8	— —			
Reichskanzler Fürst Hohenlohe, very large flowers, bright lemon yellow, large undulated petals . . . . .	— 8	— —			
Roi des Rouges, bright crimson . . . . .	— 6	4 —			
Rose T. May, bright crimson . . . . .	— 4	2 10			
100 pieces 14/6					
Secrétaire Chabanne, salmon-crimson . . . . .	— 8	5 3			
Souvenir du Capitaine Drujon, canary-yellow, orange spotted . . . . .	— 6	4 —			
Souvenir de A. Chargueraud, of a splendid granate-red, striped red . . . . .	1 8	— —			
Souvenir de Madame Crozy, bright red . . . . .	— 10	— —			
„ „ „ Nardy, very large flowers, chrome-yellow spotted carmine, very fine . . . . .	— 6	4 —			
Venus (1900), yellowish white . . . . .	1 8	— —			
Vice President Luizet, cherry-red . . . . .	— 8	5 3			
Victory (Century) 1900, orange scarlet with yellow border . . . . .	2 5	— —			
Ville de Poitiers, chrome-yellow, very large flowers, splendid . . . . .	— 5	3 4			
William Bull (1900), lively cerise . . . . .	2	—			
L. Patry, of middle height; green leaves, very large flowers of a beautiful vermilion with darker spots and a yellow edge . . . . .	— 5	3 8			
			<b>b. Red-leaved.</b>		
			Arthur William Paul (1900), dark orange spotted carmine . . . . .	1 8	— —
			Attika, bright crimson . . . . .	— 6	4 —
			Attlee Burpee (1900), magenta red . . . . .	2 —	— —
			Ch. Paul, salmon . . . . .	— 8	— —
			David Harum, vermilion scarlet spotted carmine . . . . .	2 5	— —
			Gouverneur von Zimmerer, bright orange and dark-red . . . . .	— 8	— —
			Grossherzog Ernst Ludwig (1900), scarlet orange . . . . .	2 5	— —
			Hofgärtner Stiegler, carmine purple, large flowered . . . . .	— 10	— —
			Hofgarten Director Walter, brilliant purple red . . . . .	— 8	5 4
			Le Deuil (1900), velvety dark purple . . . . .	2 —	— —
			Léon Vassilière, bright granate-red, very fine . . . . .	1 3	— —
			Max Kolb (1899), salmon orange . . . . .	1 3	11 4
			Oscar Dannecker (1899), dark canary yellow . . . . .	1 3	— —
			Praesident Meyer, cerise carmine, very large flowered . . . . .	— 8	5 4
			Red Indian (1900), pure cerise carmine . . . . .	2 —	— —
			Sémaphore, brilliant orange yellow . . . . .	— 10	— —
			Stadtrath Heidenreich, vermilion . . . . .	— 8	5 4
			<b>4. Gladioli-flowered early</b>		
			<b>a. Some older fine sorts for forcing.</b>		
			Colonel Denfert, red-leaved . . . . .	— 1	— 7 4 —
			Duc de Mortemart . . . . .	— 2	— 10 7 3
			Guillaume Couston . . . . .	— 1	— 7 4 —
			J. Cordieux, red-leaved, dwarf . . . . .	— 2	— 10 6 —
			Revol Massot, dwarf . . . . .	— 1	— 7 — —
			<b>b. Green-leaved, red-flowered.</b>		
			Semi-high; splendid for pot culture.		
			Admiral Gervais, . . . . .	— 2	1 6 — —
			Alphonse Bouvier, . . . . .	— 2	1 6 — —
			Boucharlat aîné . . . . .	— 3	2 — — —
			Camille Bernardin . . . . .	— 5	3 — — —
			Cousin Jacob . . . . .	— 2	— 10 7 3
			Ch. Pallice . . . . .	— 3	2 — — —
			Ch. Henderson . . . . .	— 2	1 6 — —
			Ch. van Geert . . . . .	— 2	— 10 7 3
			Colonel Vaillard . . . . .	— 3	2 — — —
			Comte H. de Choiseul . . . . .	— 3	2 — — —
			Emie Barré . . . . .	— 3	2 — — —
			Explorateur Crampbel . . . . .	— 2	— 7 4 —
			Frau Oberbürgermeister Rümelin . . . . .	— 5	3 3 — —
			Ferdinand Lombard Dam. . . . .	— 2	— 7 4 —
			Francisque Morel . . . . .	— 2	— 7 4 —
			Françoise Crozy . . . . .	— 2	— 7 4 —
			Gartendirector Siebert . . . . .	— 2	— 10 5 8
			G. Sennholz . . . . .	— 2	1 3 8 —
			Gloire des Marchés . . . . .	— 3	2 — — —



	1 piece s. d.	10 pieces s. d.	100 pieces s. d.		1 piece s. d.	10 pieces s. d.	100 pieces s. d.
H. Guichard . . . . .	— 3	— 2	— —	Königin Charlotte . . . . .	— 4	2 9	24 —
Jules Favre . . . . .	— 2	— 10	7 3	Lohengrin . . . . .	— 2	1 3	— —
Kaiser Wilhelm . . . . .	— 2	— 10	4 10	Louis van Houtte . . . . .	— 5	3 8	— —
Karl Neubronner . . . . .	— 4	3 —	— —	Madame Crozy . . . . .	— 2	1 3	8 —
M. Ritton . . . . .	— 3	2 —	— —	„ Oscar Meuricoffre Dam.	— 2	— 8	4 —
Madame Ginot . . . . .	— 2	— 10	4 10	Marquise Arthur de l'Aigle .	— 2	— 8	4 —
Mr. Cleveland . . . . .	— 1	— 7	4 —	Maurice Grand . . . . .	— 2	1 3	— —
Paul Bruant . . . . .	— 3	1 8	— —	„ Musy . . . . .	— 2	— 10	7 3
Paul Marquant . . . . .	— 1	— 7	4 —	Otto Froebel . . . . .	— 2	1 3	— —
Paolo Radaelli . . . . .	— 3	2 —	— —	Papillon . . . . .	— 4	2 10	— —
Penelope Dam. . . . .	— 3	2 —	— —	Princesse de Brancovan . . .	— 2	— 6	— —
Perle des Massifs . . . . .	— 3	2 —	— —	Professeur Changuerand . . .	— 1	— 9	4 —
Podere Restelli . . . . .	— 3	2 —	— —	Souvenir d'Antonin Crozy . . .	— 8	5 3	— —
Prof. David . . . . .	— 2	— 10	4 10				
J. G. Baker Dam. . . . .	— 3	1 8	— —	<b>e. Red-leaved and red-flowered.</b>			
R. Brand, rose . . . . .	— 2	— 10	4 10	Admiral Avellan . . . . .	— 3	2 —	— —
Rose Unique . . . . .	— 2	1 3	— —	B. de Jussieu . . . . .	— 2	— 10	6 —
Sophie Buchner . . . . .	— 2	1 3	8 —	Ch. Souchet . . . . .	— 2	— 10	6 —
Trocadero . . . . .	— 2	— 8	4 —	Doyen Jean Sisley . . . . .	— 1	— 8	4 —
Vesuvius Dam. . . . .	— 2	1 5	12 —	Emile Thomas . . . . .	— 3	2 —	— —
				E. Renan . . . . .	— 3	2 —	— —
<b>c. Green-leaved, semi-high with yellow, red striped and spotted flowers.</b>				F. Neuwesel . . . . .	— 2	— 10	6 —
Splendid for pot-culture and for cutting.				Gloire d'Emple . . . . .	— 4	2 10	— —
Aegla Dam. . . . .	— 3	2 —	— —	Godefroy-Lebœuf . . . . .	— 4	2 10	— —
Ami Pichon . . . . .	— 2	1 3	— —	Henry A. Dreer . . . . .	— 3	2 —	— —
Aurore . . . . .	— 2	— 8	4 —	Karl Kölle . . . . .	— 7	4 6	— —
Baronne de Sandrans . . . . .	— 2	— 8	4 —	Laforcade . . . . .	— 1	— 6	4 —
Comte de Bouchaud . . . . .	— 7	4 6	— —	Légionnaire . . . . .	— 2	— 8	4 10
Crozy père . . . . .	— 3	2 —	— —	Louis de Mérode . . . . .	— 2	— 8	4 —
Docteur Vergely . . . . .	— 2	— 10	6 —	M. J. Goss . . . . .	— 2	— 8	4 —
George d'Harcourt . . . . .	— 2	— 8	4 —	Maurice Rivoire . . . . .	— 2	— 8	4 —
Hofgartendirector Pfister . . .	— 5	3 —	— —	Nardy père . . . . .	— 2	— 8	4 —
J. D. Cabos . . . . .	— 2	1 3	— —	Paul Lorenz . . . . .	— 2	— 10	— —
J. Soulayr . . . . .	— 2	1 3	— —	Président Carnot . . . . .	— 2	— 8	4 10
L. E. Bally . . . . .	— 2	— 8	4 10	Th. S. Ware . . . . .	— 4	2 10	— —
Mad. Oriol . . . . .	— 2	— 8	4 —	Victor Gaulin . . . . .	— 1	— 8	4 —
N. Bellisso . . . . .	— 2	— 8	— —				
Pierret Biorlet . . . . .	— 3	2 —	— —	<b>f. Yellow-flowered dwarf.</b>			
Pregmy, golden-yellow . . . . .	— 2	— 8	4 —	Hugo Fuchs . . . . .	— 2	1 3	8 —
Président Chaudon . . . . .	— 2	1 3	— —	Mad. A. Blanc . . . . .	— 4	2 10	— —
Prof. Foster Dam. . . . .	— 2	1 3	— —				
Progression . . . . .	— 2	— 8	4 10	<b>g. The above Gladioli-flowered Cannas mixed.</b>			
Sénateur Montefiore . . . . .	— 2	— 8	4 10	Crozy's yellow-flowered, mixed .	— 5	3 3	24 —
Souv. de Mr. Gaulin . . . . .	— 2	— 8	4 —	„ red-flowered, mixed . . . . .	— 7	4 10	40 —
				„ red-leaved mixed . . . . .	— 8	5 8	48 —
<b>d. Green-leaved, all colours of red, very dwarf, all very rich- flowering.</b>				„ all sorts mixed . . . . .	— 5	2 9	24 —
Beauté Poitevine . . . . .	— 3	2 —	— —				
Bonne Etoile . . . . .	— 2	— 10	7 3	<b>5. Iridiflora Hybrids</b>			
C. Buisson . . . . .	— 2	— 8	4 10	a splendid class for groups.			
Ch. Molin . . . . .	— 3	2 —	— —	Iridiflora Ehmannii . . . . .	— 2	— 10	4 10
Ed. Migé . . . . .	— 2	— 10	6 5	„ Guttermannii . . . . .	— 2	1 3	— —
Général Baron Berge . . . . .	— 1	— 8	4 10	„ Nouttoni . . . . .	— 2	1 3	— —
Ingénieur Pérache . . . . .	— 2	— 10	6 5				

	1 piece s. d.	10 pieces s. d.	100 pieces s. d.		1 piece s. d.	10 pieces s. d.	100 pieces s. d.
<b>6. Older sorts, red-leaved.</b>				<b>7. Older sorts, green-leaved.</b>			
Alégatière . . . . .	—	3	1 8	Brenningsii fol. var., splendid kind			
Coquette, splendid, rich-flowering . . . . .	—	5	3 3	with green, white striped leaves, in			
Discolor . . . . .	—	4	1 8	no way inferior to the <i>C. indica</i>			
Sanguinea . . . . .	—	3	1 8	var. so much spoken of . . . . .	—	2	1 3
Sénateur Millaud, splendid . . . . .	—	3	2 —	Flaccida le Roi . . . . .	—	2	1 3
Mixed, red-leaved . . . . .	—	2	1 3	Mixed, green-leaved . . . . .	—	2	1 3

## XVII. Bulbs and Roots.

Almost all of them can be joined in dry state to any other orders for seeds.

	10 pieces s. d.	100 pieces s. d.		10 pieces s. d.	100 pieces s. d.
Agapanthus umbellatus . . . . .	1 4	12 9	Gladiolus Lemoinei, splendid mixed		
Amaryllis formosissima (Sprekelia)	2 8	22 6	p. 1000 80/—	1 3	10 —
"    Graveana (Hyppeastrum)	6 6	56 —	Gloxinia, mixed . . . per 1000 160/—	2 —	17 8
"    Veitch's Hybrids	20 —	— —	Habranthus roseus . . . . .	2 —	16 —
Amorphophallus Rivieri . . . . .	6 6	— —	Haemanthus coccineus . . . . .	10 —	— —
Anemone japonica Honorine Joubert .	— 6	3 7	"    natalensis . . . . .	12 —	— —
Asclepias tuberosa . . . . .	1 7	— —	Hedychium coronarium . . . . .	3 3	24 —
Begonia hybrida gigantea, single, all			Hemerocallis fulva . . . . .	— 10	— —
colours mixed . . . . .	1 3	10 —	"    "    fl. pl. . . . .	1 —	8 —
"    "    double . . . . .	2 3	20 —	Hymenocallis Harrisiana . . . . .	1 3	10 —
Calla aethiopica . . . . .	1 6	12 10	"    undulata . . . . .	— 10	6 6
"    "    compacta . . . . .	1 6	12 10	Iris germanica, mixed per 1000 10/—	— 2	1 3
"    "    gigantea . . . . .	3 —	24 —	"    olbiensis mixed . . . . .	— 6	3 8
"    "    Little Gem . . . . .	— 10	6 6	"    stylosa (unguicularis) per 1000 32/—	— 6	3 8
Chlidanthus Ehrenbergii . . . . .	— 8	4 —	"    "    alba . . . . .	— 8	5 —
Colocasia antiquorum . . . . .	5 —	42 —	Kniphofia (Tritoma) best sorts mixed	1 8	14 6
"    "    Dussii . . . . .	5 7	48 —	Lilium auratum . . . . .	6 6	— —
Cooperia Drummondii . . . . .	1 —	8 —	"    speciosum album . . . . .	4 —	36 6
"    pedunculata per 1000 60/—	— 10	6 8	"    "    roseum . . . . .	2 10	24 —
Crinum abyssinicum, 1 <sup>st</sup> size . . . . .	3 3	28 —	"    "    rubrum . . . . .	2 10	24 —
"    "    II <sup>nd</sup> " . . . . .	3 —	22 5	"    "    tigrinum . . . . .	1 3	9 6
"    capense (Amaryllis longifolia)			"    "    fl. pl. . . . .	1 5	12 —
per 1000 56/—	1 —	8 —	Lycoris aurea . . . . .	8 —	— —
"    "    fl. albo . . . . .	1 8	12 10	"    radiata . . . . .	3 3	24 —
"    erubescens . . . . .	4 —	32 —	"    Terracciani . . . . .	5 —	40 —
"    hybr. Todorae . . . . .	4 —	32 —	Moraea (Iris) Robinsoniana . . . . .	11 3	— —
"    lineare . . . . .	1 —	8 —	Nerine undulata . . . . .	4 —	— —
"    Mac Owani, very fine . . . . .	7 6	76 —	Ophiopogon Jaburan . . . . .	2 6	20 —
"    Moorei . . . . .	3 —	22 5	Pancratium maritimum . . . . .	— 5	3 3
"    pedunculatum . . . . .	1 8	12 10	Pardanthus chinensis . . . . .	— 8	5 7
"    pratense . . . . .	1 —	8 —	Phaedranassa chloracea . . . . .	1 2	10 —
"    Yemense, 1 <sup>st</sup> size . . . . .	2 —	18 —	Ranunculus asiaticus superbissimus fl.		
"    "    II <sup>nd</sup> " . . . . .	1 10	16 —	pleno . . . . . per 1000 7/3	— —	— 10
Cyclamen neapolitanum per 1000 28/—	— 5	3 3	Rhodea japonica . . . . .	1 2	10 —
"    repandum per 1000 24/—	— 5	3 —	"    "    fol. var. . . . .	3 3	28 —
Cyrtanthus Mc. Kenny . . . . .	3 3	24 —	Ruscus Hippoglossum . . . . .	— 3	1 3
Eucomis punctata . . . . .	1 8	15 —	Richardia albo-maculata . . . . .	— 6	5 —
Galtonia (Hyacinthus) candicans . . .	— 5	3 8	Veltheimia (Alettris) capensis . . . . .	7 4	— —
Gladiolus brenchleyensis . . . . .			Zephyranthes Atamasco per 1000 8/—	— 3	2 —
per 1000 36/—	— —	3 11	"    candida . . . . .	— 3	2 —
"    gandavensis per 1000 60/—	— 10	6 6	"    carinata . . . . .	— 8	4 10
			"    verecunda . . . . .	— 4	2 6

## XVIII. Asparagus-Plants.

	10 pieces s. d.	100 pieces s. d.	1000 pieces s. d.		10 pieces s. d.	100 pieces s. d.	1000 pieces s. d.
<i>Acutifolius</i> , evergreen, slightly climbing very suitable for decorative purposes	— 7	4 —	32 —	<i>Plumosus superbus</i> , a new kind of quick growth . . . 1 piece 1/—	8 —	72 —	—
<i>Lucidus</i> , a fine kind, standing the winter well with us; resembles somewhat the <i>A. Sprengeri</i> . . .	1 3	— — —	— — —	<i>Sprengeri</i> Rgl. Dam. (Electro) plants from the open ground of 1 year .	— 4	2 —	14 6
<i>Plumosus</i> . . . . .	— —	— —	— —	" " " " 2 years .	— 10	7 —	60 —
				<i>Verticillatus</i> . . . . .	3 8	— —	— —

## XIX. Aspidistra.

We can furnish sound and well-rooted plants from October to April; they are grown in the open ground and will be furnished without soil; they must, however, be sent by the quickest way possible. The plants will be packed very carefully in moss and cases, in order to prevent the leaves from getting damaged; they will, however, not all be ready for sale and part of them must be grown again in pots. The plants are undivided. Of course the plants with striped or spotted leaves produce sometimes also some leaves that are only slightly variegated or even green, which, as they belong to the plant, cannot be taken off and must consequently be charged as variegated ones. The plants are sent of course at buyer's risk, they are, however, packed so carefully that in our opinion they will stand well, even a prolonged journey. By parcel post we can forward baskets of 11 Lb. weight containing about 80 to 100 leaves for trial, but they will not give an exact idea of the quality, as large plants cannot for their size be sent as parcels.



Aspidistra.  
Electro 3/3.

	100 leaves s. d.	1000 leaves s. d.
<i>Aspidistra elatior</i> , green . . . . .	8 6	76 —
" " fol. var. . . . .	19 3	180 —
" " fol. punct. . . . .	16 —	— —



Fruits of *Lagenaria*.  
Electro 3/6.



Small trunk (Bulb) of *Cycas revoluta*.  
Electro 3/3.

## XX. Fruits of *Lagenaria vulgaris*.

These highly interesting fruits of many interesting shapes are not yet sufficiently known, although they are a most attractive object for show-windows, and at the same time a very salable article. The very often really gigantic fruits, for instance those of the Hercules club, are so decorative that they sell very readily, and there is no kind that is not highly decorative.

Assortment of 12 sorts . . . . . 6/6.

## XXI. *Cycas revoluta*.

Small sound and good trunks (bulbs detached from the mother plant) grown here and therefore much better adapted to grow freely than those imported from warmer countries.

12 to 14 in. circumference . . . . .	10 <sup>d</sup> each
8 " 10 " " . . . . .	8 <sup>d</sup> "
6 " 8 " " . . . . .	7 <sup>d</sup> ..

## XXII. *Raphia*.

Best quality, very long, in original bales of about 2 cwt., per cwt. 54/—; smaller quantities —/7 per lb. Prices variable.

For larger quantities special prices will be quoted on application.

## XXIII. Novelties for the season 1901 to 1902.

### I. Vegetable Seeds.

The price per lb. will be applied for orders of at least 1/4 lb.

#### Cabbage Lettuce White Giant, bl. s. (Electro.)

This is no doubt a most remarkable addition to the assortment of the best sorts of Cabbage Lettuces. The whole plant is of quite an unusually large size while at the same time the heads are extremely tender and of the finest flavor. We have obtained plants measuring about 3 feet in circumference, the head of which properly occupied almost 2/3. The color of the leaves is of a tender green changing into yellow toward the centre. It is wonderfully well closed and even in great heat the plant runs only slowly into seed.

per oz 1/— . lb. 10/—.



Cabbage Lettuce White Giant, bl. s.  
(Electro 3/3.)

#### Cabbage Lettuce Green Giant, w. s.

Resembles the former as to size, dimensions, and for all its fine qualities, differing only in the color of the leaves which are dark green changing into pale green toward the heart, and for a slight reddish shade on the back of the outside leaves.

These two varieties have been pronounced by the Geneva Horticultural Society the finest of a great number of other Lettuces tried, and they really deserve such a distinction, as we have but very seldom grown in our crops better varieties. Both require a good heavy soil.

per oz 1/— . lb 10/—.

#### Pepper Dwarf Red Tomato.

This new pepper is of a very dwarf habit so that the fruits in some plants appear to grow from the soil. They are of a very lively scarlet color, round in shape, slightly ribbed, and so plentiful as to cover the foliage. Very showy and effective for dwarf groups, borders, and other decorative purposes.

per oz 2/6.

#### Vegetable Marrow Turkish Honey. (Electro.)

The fruits which are orange-red veined with white grow to about 1/2 cwt. weight. Flesh chamois-yellow, very tender and sweet, and of delicious flavor, extremely fine for cooking. In Turkey this Pumpkin is greatly appreciated.

per oz 10 d. per lb. 11/—.

## 2. Newly Introduced or New Flower Seeds.

⊙ = Annuals. — 4 = Perennials.

The price for 100 packets will be applied for orders of at least 25 packets.

We beg to inform our patrons that, in order to spare unnecessary labour, orders for seeds in packets will not be filled in as many single packets, but the corresponding weight or number will be sent in one lot.

### *Ageratum mexic. nanum* Forget-me-not fl. albo.

To the blue flowered variety introduced by us some years ago and which has become so great a favorite, we now join another with white flowers, which we are sure will be welcome.

1 packet 10 d; 10 packets 7/6; 100 packets 60/—.

### *Aphanostephus arkansanus*. ⊙

Very rich flowering Composite with milky-white flowers of about the form and size of those of *Acroclinium*, with a rosy reverse and yellow centre. Leaves narrow and lanceolate. It is remarkably free blooming from June to end of September. Very valuable for cut flowers which keep a long time.

1 packet 10 d; 10 packets 7/6; 100 packets 65/—.



Vegetable Marrow Turkish Honey.  
(Electro 3/6.)

### *Capsicum nigrum*. ⊙

A charming decorative Pepper literally covered by deep black brilliant fruits resembling those of the sloe, and with very dark almost black foliage and stems, contrary to any other sort. The plant grows about 12 to 16 inches high, and may be very well recommended for forming groups.

1 packet 8 d; 10 packs 4/—; 100 packets 32/—.

### *Chrysanthemum Balsamita*. ⊙

An exceedingly rich-flowering kind, about 8 inches high, and very much adapted for groups. The flowers are of about the same size as those of *Pyrethrum Tschihatschewi*, and they last from June to September; if the young plants are placed at 8 inches distance each way, they will form a charming white carpet, the flowers renewing themselves continually.

1 packet 10 d; 10 packets 7/—; 100 packets 55/—.

### *Linaria Pancici*. ⊙

A native of the Orient this very pretty kind, of dwarf habit, produces large canary-yellow flowers and narrow lanceolate leaves. It is very valuable for its long blooming period which commences about middle of July.

1 packet 10 d; 10 packets 7/—; 100 packets 60/—.

### *Statice sinensis*. ⊙ and 4 (Electro.)

An exceedingly graceful plant the flowers of which will be found most valuable for all floral decorations. The flower stalks are about 16 to 20 inches high, and the panicles which are produced in great profusion bear flowers somewhat resembling those of *Statice sinuata*, but they are far more graceful and charming. Their color is pure white alternated with canary-yellow, of a very pretty effect. The flowers are equally useful



*Statice sinensis*.  
(Electro 3/6.)

both fresh and dry. If sown in March the plant begins flowering already in June.

1 packet 10 d; 10 packets 7/6; 100 packets 65/—.

### *Tridax gaillardoides*.

This is a charming Composite from California, producing a profuse number of single flowers measuring about one inch and 1/2 in diameter, of a chrome-yellow color with white border. Its narrow lanceolate leaves and the stems are slightly hairy. This new form is specially remarkable for its very large number of flowers at an unusually early time which makes it most valuable as an early bedding plant.

1 packet 10 d; 10 packets 7/—; 100 packets 55/—.

### *Xanthocephalum gymnospermoides*. ⊙

This Composite produces double chrome-yellow flowers measuring about 1 inch in diameter. The plant is of a bushy habit and grows about 3 feet high. Its flowering period is an unusually long one, and it is specially adapted for large groups and for table and house decoration.

1 packet 9 d; 10 packets 6/—; 100 packets 40/—.

### *Zinnia elegans grandiflora laciniata fl. carneo pl.* ⊙

An exceedingly valuable addition to our new race of Zinnias with lacinate petals, the white sort of which introduced by us two years ago has already gained general favor.

1 packet 10 d; 10 packets 7/6; 100 packets 65/—.

## XXIV. Fruit Trees and Cuttings.

	per 10 s. d.	per 100 s. d.		per 10 s. d.	per 100 s. d.
Oranges (Citrus Aurantium) grafted, from the open ground, about 4 to 6 years old . . . . .	8 —	70 —	Olives, best varieties both for oil and eating, grafted, from the open ground, 1 year old . . . . .	8 —	65 —
Oranges (Citrus Aurantium) . . . . .	25 —	220 —	Olives, best varieties, grafted, grown in pots about 3 to 4 years old . . . . .	14 —	120 —
Lemons (Citrus Limonum) . . . . .			10 —	80 —	
Mandarines (Citrus nobilis) . . . . .	30 —	— —	Chestnut (Castanea vesca) about 3 years old . . . . .	10 —	80 —
Cedro (Citrus medica) . . . . .			Medlar of Japan (Eriobotrya japonica) about 3 to 4 feet and $\frac{1}{2}$ high, grown in pots. . . . .	15 —	140 —
Bergamot (Citrus Bergamium) . . . . .			Walnuts (Juglans regia), best sorts, grafted, 1 to 2 years old, about 6 feet high . . . . .	14 —	125 —
Shaddock (Citrus Decumana) . . . . .			Hazel-Nuts (Corylus Avellana), best sorts about 3 to 4 feet and $\frac{1}{2}$ high . . . . .	6 —	48 —
Mellarosa (Citrus Limonum Mellarosa) . . . . .			Figs (Ficus Carica) about 15 of the best sorts; about 2 to 3 feet high . . . . .	7 —	55 —
Lémon sweet (Citrus Limetta) . . . . .			Carobs (Ceratonia Siliqua) grown in pots, about 3 to 5 feet high . . . . .	28 —	— —

We can also supply **Cuttings** of

**Figs**, about 14 in. long, both table varieties and for drying, about 12 sorts of each at from **30 to 40 Shillings per 1000 Cuttings**, according to the sort.

**Olives**, about 12 in. long, 12 sorts at from **16 to 24 Shillings per 1000 Cuttings**, according to the variety.

These Cuttings will be packed in bundles of 100 each and not less than 500 of one kind will be supplied. They are packed in moist musk and shipped in strong cases, without tin. Orders for Cuttings cannot be accepted later than the end of December or the beginning of January. All Fruit-Trees will be sound, strong and of good general condition. Considering the duration of the voyage, which is often very long the packing of the Trees etc. is done most carefully in order to secure their arrival in the best possible condition. It must, however, be understood, that our responsibility ceases as soon as the goods have left our warehouses; they travel entirely at the cost and risk of the purchaser. Shipments can be effected from the end of October to the end of April. Prices are to be understood for cash payment without any reduction or discount. All orders must be accompanied by the respective amount or the greater part of the same and in the latter case the remainder will be charged forward on the B/L. As we cannot in any case deviate from these rules, we shall thank our patrons for complying with them, else to our regret their orders cannot be executed. Packing is charged at first cost. Although we do our best to get all Trees and Cuttings under their right names, yet we cannot assume any responsibility to that effect. Most satisfactory reports have been received even from the most distant localities, that our shipments of Trees and Cuttings have arrived in first rate condition.

## XXV. Pictorial Seed Pockets.

All drawn from nature and artistically executed.—Empty.

### A. Vegetable Seeds, abt $4 \times 2\frac{1}{2}$ in.

Orders for at least 1000 per sort will be forwarded direct by our German Printer at 7/6 per 1000. Smaller quantities per sort will be sent by ourselves at 1/2 per 100. Less than 10 per sort will not be sold.

1	Basil, sweet green.	68	Lettuce, Cabbage, Nonpareil.
79	Beans, dwarf wax flageolet.	65	" " Rudolph's Favourite.
77	" Crimson flageolet.	69	" " spotted (Trout).
78	" Hinrichs speckled giant.	15	" " Stubborn-headed, large yellow.
79	" Golden Butter Wax.	71	" " " " new brown.
46	Beet, Egyptian turnip, red.	70	" " Winter, Silverball.
80	Borecole curled dwarf green.	72	" " for picking, American brown curled.
81	" " " purple.	25	Onion, Zittau, giant yellow.
22	Cabbage, Brunswick, large Drumhead.	23	Parsley, moss curled.
52	" Winnigstadt.	29	" turnip rooted, short.
30	Carrot, French early forcing.	24	" " long.
83	" Early stump rooted Dutch.	57	Radish, early scarlet white tipped.
3	" Nantes' early half-long scarlet.	98	" half long scarlet.
6	Cauliflower, Erfurt earliest dwarf.	33	" Winter, black round.
91	" Veitch autumn Giant.	56	Scorzonera, common.
7	Celeriac, apple-shaped.	11	Swede, white fleshed.
40	Cucumber, long green of Erfurt.	10	" yellow green top.
41	" very " " " "	90	" " purple top.
17	Endive, moss curled.	19	Tomato, large red.
44	Kohl-Rabi, purple very early Vienna.	39	Leek, Summer.
49	" white " " "	38a	" Carantan.
67	Lettuce, Cabbage, All the year round.	93	Turnip very early flat white Dutch.
12	" " early green stone-head.	36	Spinach long standing dark green.
66	" " Emperor forcing.	88	Savoy Drumhead, large late.
13	" " large Mogul.		" Early dwarf Ulm.
301	" " brown Laibach Ice		

### B. Flower Seeds, abt $3 \times 2$ in.

Orders for at least 1000 per sort will be forwarded direct by our German Printer at 6/— per 1000. Smaller quantities per sort will be sent by ourselves at 1/— per 100.

Less than 10 per sort will not be sold.

1	Acroclinium roseum.	30	Aster, Liliput, mixed.
6	Ageratum mexicanum, blue.	24	" Paeony Perfection, mixed.
7	" " album, white.	26	" Quilled, mixed.
9	Agrostemma, cocli-rosa.	33	" Victoria, mixed.
11	Alyssum, sweet.	133	Balsam, double mixed.
12	" saxatile.	134	" rose-flowered double, mixed.
13	Amaranthus caudatus, fox-tail.	39	Begonia, tuberous-rooted single, mixed.
6a	" ruber, red.	56	Blue-Bottle, mixed.
14	" tricolor.	184a	Calampelis scabra.
17	Antirrhinum majus, Snapdragon, mixed.	45	Calendula Meteor.
18	" " nanum, " dwarf mixed.	50	Campanula Medium, single mixed (Canterbury Bell).
20	Aquilegia vulgaris fl. pl., mixed (Columbine).	130	Candytuft, white rocket.
29	Aster, Anmuth, mixed.	131	" large-flowering (Iberis coronaria).
32	" Comet, mixed.	132	" (Iberis umbellata purpurea).
23	" Crown, mixed.	52	Canna, mixed.
34	" Dwarf, mixed.	94	Carnation, extra double Border.
35	" " Bouquet (Boltze), mixed.	95	" double dwarf Vienna.

93	Carnation, Margaret, mixed.	229	Nasturtium, climbing mixed.
119a	Centaurea moschata.	228	" dwarf mixed.
67	Chrysanthemum tricolor, mixed.	226	" King of Tom Thumb.
68	" " atrococcineum.	165	Nemophila insignis.
72	Cineraria hybrida, large-flowering, mixed.	168	Nicotiana affinis.
73	Clarkia elegans, double mixed.	171	Oenothera Lamarckiana.
76	Cobaea scandens.	238	Pansies, best mixed.
53	Cocks-comb, dwarf, mixed.	239	" best English, mixed.
54	" feathered, mixed.	240	" large-flowering French, mixed.
302	" " "Preziosa".	246	" Emperor William.
77	Coleus, best mixed.	247	" Lord Beaconsfield.
186a	" Verschaffeltii var.	249	" Odier.
78	Collinsia bicolor.	242	" Schneewittchen (snow-white).
79	" mixed.	241	" Trimardeau.
136	Convolvulus major, mixed.	174	Perilla nankinensis.
80	" minor, mixed.	175	Petunia hybrida, mixed.
47	Coreopsis Drummondii.	176	" " grandiflora, best mixed.
46	" tinctoria.	181	Phlox Drummondii, mixed.
82	Cyclamen persicum giganteum, mixed.	183	" " grandiflora, best mixed.
85	Dahlia variabilis, single mixed.	172	Poppy (Papaver Rhoeas), ranunculus, double, mixed
40	Daisy, double mixed.	173	" " somniferum fl. pl., double mixed
97	Dianthus chinensis fl. pl., Indian Pink.	188	Portulaca grandiflora, mixed.
101	" Heddwigi, mixed.	189	" " fl. pl., double mixed.
104	" plumarius, common Pink.	191	Primula auricula, mixed.
106	Eschscholtzia californica, yellow.	193	" veris (elatior).
107	" " alba, white.	194	" chinensis fimbriata, fringed mixed.
161	Forget me-not, blue (Myosotis alpestris).	195	Pyrethrum parthenifolium aureum, Golden Feather.
110	Gaillardia picta Lorenziana, double.	202	Ricinus sanguineus.
303	Gazania pygmaea letea.	203	Salpiglossis variabilis, mixed.
112	Godetia, Duchess of Albany.	205	Sanvitalia procumbens, double.
114	" Lady Albemarle.	209	Scabious atropurpurea, double dwarf mixed.
49a	" The Bride.	212	Silene pendula, rose.
113	" Whitneyi.	214	" " ruberrima, red.
115	Gomphrena globosa, Globe Amaranth mixed.	215	" " mixed.
121	Helichrysum monstrosum, double mixed.	143a	" " compacta.
125	Heliotropium, mixed.	58	Stocks, ten week, mixed.
10	Hollyhocks, double mixed.	59	" ten week, largeflowering, mixed.
128	Humulus japonicus, Japanese Hop.	60	" Winter or Brompton, mixed.
211	Jacobaea, double mixed.	63	" Virginian, mixed.
86	Larkspur, dwarf rocket.	137	Sweet Peas, mixed.
141	Linum grandiflorum rubrum, scarlet flax.	88	" William, single mixed.
143	Lobelia cardinalis.	89	" " double mixed.
145	" Erinus speciosa Crystal Palace.	75a	Tagetes patula fl. pl., double French, Marigold,
146	" " Emperor William.		mixed.
151	Lupinus, annual mixed.	220	" " nana fl. pl., double dwarf French
152	Lychnis chalcedonica, scarlet.		Marigold mixed.
153	Malope grandiflora alba.	221	" " striata fl. pl. double striped French
154	" " purpurea.		Marigold.
160	Marvel of Peru, mixed.	222	" signata pumila.
176a	Maurandia, mixed.	231	Verbena hybrida, mixed.
196	Mignonette, common.	256	Zinnia elegans fl. pl., mixed.
197	" large-flow ring, Golden Queen.	304	" " " " "Iris".
159	Mimulus moschatus (Musk.).		



## XXVI. Pure South-Italian wines.

We have supplied for many years to our Continental friends different qualities of our fine Italian wines which have been very much appreciated owing to their excellent qualities and cheap prices. In order to meet the increasing demands we have made arrangements with several important wine growers, and are therefore in a position to offer the following qualities at moderate prices viz.

Red wines:	Shillings Per 22 Gallons	All pure and natural wines ready to be bottled. The prices are for 100 Litres or Kilos net, equal to about 22 English Gallons f. o. b. Naples — Casks extra. We do not accept orders for less than 50 Litres or about 11 English Gallons per sort.
Vesuvio, a mild Claret . . . . .	44	
Syracusa, fiery, for medical purposes . . . . .	50	
Calabria, dry and strong . . . . .	44	
Capri, dry . . . . .	56	
White wines:		Per 100 Litres or Kilos net, equal to about 22 English Gallons f. o. b. Naples, casks included. We do not supply any quantity under 25 Litres or about 5 English Gallons and a half of each kind.
Ischia, much like Moselle . . . . .	40	
Stromboli, very fiery . . . . .	44	
Vesuvio, a favorite but strong wine . . . . .	44	
Capri, dry, very fine, like Chablis . . . . .	56	
Lunch- and Dinner-wines:		
Malvasia, white, strong and sweet, greatly appreciated . . . . .	124	
Marsala, white, brand „England“, dry and much like Sherry . . . . .	104	
Marsala, white, „Italy“, strong very fine . . . . .	88	
Porto, red, much like Portwine . . . . .	116	

Price are understood for Cash with order, without any discount. The wines travel at buyer's risk and we do not answer for leakage, evaporation &c. Our responsibility ceases once the goods are on board.

### Casks:

are charged at first cost as follows:

of about 400 Litres (about 88 English Gallons)	21/6
„ „ 300 „ „ 66 „ „	18/6
„ „ 200 „ „ 44 „ „	13/6
„ „ 100 „ „ 22 „ „	9/6
„ „ 50 „ „ 11 „ „	5/3

### Double-casks:

These are added only when expressly ordered at following prices:

for 400 Litres (about 88 English Gallons)	12/9
„ 300 „ „ 66 „ „	9/6
„ 200 „ „ 44 „ „	7/3
„ 100 „ „ 22 „ „	5/6
„ 50 „ „ 11 „ „	3/3

Steamers to all parts of the world.

Samples of the different qualities are at the disposal of correspondents at a trifling cost. We respectfully invite our Patrons to give us a trial order with which they will be fully satisfied.

## Dammann & Co.

San Giovanni a Teduccio (Prov. of Naples).

*A List of all Electros published will be forwarded to our customers on application. It contains about 500 cuts. We shall charge for it 6d which will however be deducted from the first invoice of electros.*

### Our **Bulb Catalogue**

is published in May every year and will be sent free of charge to all our correspondents.

## Contents.

	page		page
I. Vegetable Seeds . . . . .	1	XIII. Seeds of Bulbs and Roots . . . . .	56
II. Swede, Turnip and Mangel Wurzel . . . . .	15	XIV. Seeds of Cannas . . . . .	57
III. Sweet Herbs &c. . . . .	15	XV. Stapelia and Huernia . . . . .	58
IV. Clovers, Lucerne &c. . . . .	16	XVI. Canna Roots . . . . .	58
V. Grasses . . . . .	16	XVII. Bulbs and Roots . . . . .	64
VI. Sundry Agricultural Seeds, and Seeds of Economical, Official Plants &c. . . . .	17	XVIII. Asparagus-Plants . . . . .	65
VII. Fruit Trees . . . . .	18	XIX. Aspidistra . . . . .	65
VIII. Seeds of Trees, Shrubs &c. . . . .	19	XX. Fruits of Lagenaria vulgaris . . . . .	66
IX. Conifer Seeds . . . . .	22	XXI. Cycas revoluta . . . . .	66
X. Palm Seeds . . . . .	24	XXII. Raphia . . . . .	66
XI. Seeds of Annual, Perennial, Climbing, Hot-and-Green-House Plants . . . . .	25	XXIII. Novelties of Vegetable and Flower Seeds . . . . .	66
XII. Seeds of Ornamental Grasses . . . . .	55	XXIV. Fruit Trees and Cuttings . . . . .	68
		XXV. Pictorial Seed Pockets . . . . .	69
		XXVI. Pure Italian Wines . . . . .	71



### **Cauliflower "Primus"**

(Earliest short-stemmed Italian Giant).

In order to give a shorter name to our "Earliest short-stemmed Italian Giant Cauliflower" (Dam. 1892), we shall now call this magnificent sort which holds the first place among all other Italian cauliflowers, "**Primus**", as in fact it is the earliest and finest.

The culture of the best Italian and foreign Cauliflowers is one of our chief specialities.

### **Tomato *semperfructifera*.**

A few years ago a certain Firm made a great deal of fuss about a Tomato "Wonder of Italy" proclaiming it a great novelty, while we soon found out that this would-be "new" Tomato was nothing else but "**Semperfructifera**" introduced by us since 1892. This fact has been equally recognised and made public by the Journal of the Royal Horticultural Society in its issue of November 1900 page 176.



# DAMMANN & Co.



*Offices.*



*Entrance to the Trial Grounds (15 acres.)*

No. 132.  
1902 — 1903.



No. 132.  
1902 — 1903.

By appointment to his Majesty the King of Italy.

# DAMMANN & C<sup>o</sup>

Seed and Bulb Growers and Merchants

## SAN GIOVANNI A TEDUCCIO

near Naples, Italy.

Established 1877.

Awards obtained:

First Diploma of Honour at the Italian Exhibition, London, 1888.

Large Gold Medal of the Royal Academy of Naples for Improvements in Horticulture. 1890.

Three Medals at the Great Berlin International Horticultural Exhibition, 1890.



Polygonum Posumbu.

Awards obtained:

Diploma of Honour from the Botanic Society, Geneva, 1891.

Horticultural Exhibition, Naples 1892.

11 first Prizes, both the 2 Medals of the Government. Florence 1893. 1895.

Leipzig, large and small silver Medals 1893.

Chicago 1893.

Naples 1895.

## General Price List

of

Vegetable, Farm, Tree, Conifer, Palm, Flower and other Seeds, Canna Roots, Italian Fruit Trees, Plants, Novelties of Seeds &c. &c.

## Conditions of sale and important remarks.

All prices are quoted in Shillings and Pence (English currency) and to be understood for goods delivered and payable in San Giovanni a Teduccio net without discount at 3 months from date of invoice. Agricultural seeds at 30 days. This condition will not in the least be

altered and remains valid even if we draw upon our customers. We allow  $2\frac{1}{2}\%$  discount on all amounts exceeding £ 10.—, if cash is remitted on receipt of goods. Smaller amounts are absolutely to be paid in cash.

Our prices being very low (which you will easily find out by comparing them with those of other reliable houses) we cannot deviate from the above condition.

Orders from unknown correspondents must invariably be accompanied by references to continental firms, or the approximate amount be remitted, otherwise orders will not be executed.

Prices are subject to variations and as many quotations are made before the final result of the crop is known we shall not hold ourselves liable for quantities.

We shall thank our Patrons if they will send in their orders on receipt of this list and more especially orders for seeds which have to be collected, such as seeds of Trees, Shrubs, Conifers &c. &c.

Almost all the seeds are grown under our special superintendence, but although we use the utmost care to have all seeds &c. pure and true to name yet we give no warranty expressed or implied as to description, quality, or any other matter connected with the goods we send out and we will not be in any way responsible for the crop. Moreover all our transactions are to be ruled by Italian law. Any claims if in spite of the great care we take there should be any, will, however, be taken into most liberal consideration, but we wish it to be understood, that in no case and under no circumstances we will be responsible beyond the price invoiced for each article. It is on these strict terms only that we offer any goods or execute orders, and in accepting the goods our clients implicitly acknowledge all these terms as binding.

This List cancels all previous quotations.

For quantities from 28 lb. upwards of one sort we quote the price for 1 cwt.; quantities of at least  $\frac{1}{4}$  lb. of one sort will be charged at the rate of 1 lb., quantities under  $\frac{1}{4}$  lb. will be charged at the price per oz, orders for smaller quantities than offered in this list will be charged at comparatively higher prices.

Any claims resulting from the invoice itself or from the merchandise, are to be made immediately on receipt thereof, else they can in no way be acknowledged.

### Shipping.

In order that our customers may have an idea of what they will have to pay for freight and shipping charges on our goods, we give the following approximate rates of freight and all charges (not including packing and insurance) from Naples — our establishment can be reached by horse car in about half an hour from the centre of Naples — calculated on 500 Kilos or 10 cwt, which are, however, subject to variations:

To London and Liverpool board: about  $\frac{2}{3}$  d. per cwt. Freight for Beans to London, Liverpool, Hull &c. about 15 Shillings per ton. Fast Steamers by British India Line and others.

To New-York board: about  $\frac{2}{6}$  d. per cwt. (not including insurance and consular charges). (Fast steamers by North German Lloyd, Hamburg-American, Anchor and Fabre Lines.)

To Australia, New-Zealand, India, China, Japan, South Africa, South America etc. etc., similar cheap rates by direct Steamers.

### Parcels

can be forwarded by post at the following rates: parcels up to 11 lb, (5 kilos) to:

Australia:	Great Britain . . . . .	2/3
New South Wales . . . . .	Hongkong . . . . .	6/—
Victoria . . . . .	Japan . . . . .	4/5
Tasmania . . . . .	Malta . . . . .	1/6
Queensland, 11 lb. . . . .	Natal $2\frac{1}{5}$ to $6\frac{1}{2}$ lb. . . . .	6/5
Canada $6\frac{1}{2}$ to 11 lb. . . . .	$6\frac{1}{2}$ to 11 lb. . . . .	9/7
Cape Colony . . . . .	Mexico via France . . . . .	3/2
Ceylon . . . . .	"          Germany . . . . .	3/8
Dutch Colonies:	Orange $6\frac{1}{2}$ lb. . . . .	7/6
Batavia, Padang, Samarang, Soerabaia . . . . .	New Zealand $11\frac{1}{2}$ lb. . . . .	9/—
East India 11 lb. . . . .	South African Republic. . . . .	
Egypt . . . . .	$6\frac{1}{2}$ lb. . . . .	7/—
	11 lb. . . . .	9/—

U. S. of America (any State) via Germany (Hamburg or Breme) at a through rate of 5/— (subject to eventual changes).

### Samples

to Great Britain and U. S. A., of 12 oz weight —/4, registered —/7 to all other countries " 9, " —/3, " —/6

### Postage

on letters . . . . .  $2\frac{1}{2}$  d.  
" post cards . . . . . 1 d.

Packing at first cost.

Goods travel entirely and exclusively at purchasers risk and we are therefore not responsible for any fault or deficiency arising during the voyage or from an eventual long duration of the same.

We shall however thank our correspondents to give us instructions as to the mode of forwarding, otherwise we shall send the goods by the way we think most convenient, without, however, taking any responsibility.

Insurance, if no other instructions are given, will be covered by us for amount of invoice, freight and charges added.

Our Patrons, by ordering, acknowledge the above conditions of sale.

### Electros.

On application we shall forward a list of all electros published at the charge of 6<sup>d</sup> which will be credited again on an eventual invoice of electros. These electros can be had from us at the prices indicated, but it is to be distinctly understood, that our customers use them exclusively for themselves and that they do not sell, lend or copy them. They will be forwarded through Messrs. Dammann & Co., Leipzig (Germany). Any breach of this agreement is liable to a fine of £ 5.—.

Our establishment being the largest and oldest of its kind in Italy we can show our customers at any time a great many most interesting things and solicit the favor of a visit, when we shall be happy to show them our large crops of every description.

NB. We shall be glad to procure from reliable sources at reasonable prices any kinds of seeds which our friends may not find in our catalogue.

## Dammann & Co.

Cable address: DAMMANN, San Giovanni Teduccio.

# I. Vegetable Seeds.

## Alkekengi.

	per lb.	per cwt.
	s. d.	s. d.
Eatable Winter-Cherry ( <i>Physalis edulis</i> )	3 —	— —
Purple, new . . . . .	3 —	— —

## Artichoke.

Large early purple Campania . . . . .	6 6	— —
„ „ green of Naples . . . . .	6 —	— —
„ green of Laon or Paris . . . . .	6 8	— —
Purple of Venice . . . . .	2 10	— —
„ Provence or purple French . . . . .	3 3	— —
Green „ „ green „ . . . . .	4 3	— —
Remontant, one of the finest; large, dark green without any spines; bears twice with us, i. e. in spring and autumn . . . . .	6 —	— —
Horatius . . . . .	3 10	— —
Of Modica, very large, glaucous, without spines . . . . .	3 10	— —
Of Terranova, very early and fine . . . . .	3 5	— —

We warmly recommend these last 4 varieties.

## Asparagus.

Giant . . . . .	— 6	— —
Purple Argenteuil . . . . .	— 6	44
Conovers Colossal . . . . .	— 6	46 —
Palmetto . . . . .	1 6	— —
Columbian White . . . . .	1 10	— —
Ivory, (Snow-head) new; very tender, remaining white even if shot up very high above the ground . . . . .	1 10	— —

## Basella.

White of Malabar ( <i>Basella alba</i> ) . . . . .	2 3	— —
--	-----	-----

## Beans.


### Broad Varieties.

Sevilla long pod . . . . .	— 4	15 6
Aguadulce, (Electro) the finest and largest; best stock; we have grown pods abt 12 in. long . . . . .	— 5	16 —

## Beans.

### French or dwarf varieties.

Algiers black wax . . . . .	— —	— —
Best of All . . . . .	— —	16 —
Black Belgian, excellent for forcing . . . . .	— —	15 —
Canada yellow . . . . .	— —	18 —
Canadian Wonder, excellent stock . . . . .	— —	16 —
Canterbury yellow . . . . .	— —	14 —
China . . . . .	— —	— —
Crimson flageolet . . . . .	— —	17 —
Fulmers early forcing . . . . .	— —	17 —
Golden Butter Wax, black seeded . . . . .	— —	30 —
Hinrich's speckled giant . . . . .	— —	— —



Broad Bean Aguadulce.  
Electro 4/—.

	per lb. s. d.	per cwt. s. d.		per lb. s. d.	per cwt. s. d.
Hundred for one, small yellow, extremely prolific . . . . .		19			
Negro Monster . . . . .		—			
„ long pod . . . . .		—			
„ extra early . . . . .		—			
Ne plus ultra, fine for forcing . . . . .		15			
Osborne's forcing . . . . .		—			
Pale Dun . . . . .		15			
Sion House . . . . .		16			
Sir Joseph Paxton . . . . .		12	6		
<b>Beans-Soja (Soja hispida).</b>					
Yellow . . . . .	5	32			
Brown . . . . .	4	28			
Black . . . . .	4	28			
Green Samarow, extremely early and prolific . . . . .	5	30			
Giant yellow Santa Margherita; of enormous growth; beans very large; extremely prolific . . . . .	6	—			
<b>Beans-Lima.</b>					
(Phaseolus lunatus var.)					
<b>Dwarf.</b>					
Toledo, white, very prolific . . . . .	4	—			
Linderaya, very dwarf white, very large pods . . . . .	5	—			
Giuditta, very prolific, pods broad . . . . .	5	—			
Wonder of San Giovanni, most prolific and early, dark red speckled . . . . .	4	—			
Nero, new (Dam. 1900), with almost black beans and not inferior in any way to the other varieties already known . . . . .	5	—			
<b>Runners.</b>					
San Giovanni white; runs high, abundant bearer . . . . .	4	—			
Sant Antonio, yellowish white; highly prolific . . . . .	4	—			
San Giuseppe, white of medium size . . . . .	5	—			
San Carlo, black speckled; runs high; abundant bearer, one of the finest . . . . .	5	—			
Lagune, red speckled, splendid . . . . .	7	—			
<b>Beet.</b>					
Crapaudine, rough-skinned, half long . . . . .	7	52			
Castelnaudary, blood-red . . . . .	8	60			
Long, deep red . . . . .	8	60			
Covent Garden, long, red . . . . .	8	60			
Dells crimson, long, red . . . . .	9	72			
Whyte's black, long and fine, dark blood-red . . . . .	7	48			
Large blood-red . . . . .	7	48			
Strasbourg or pear-shaped . . . . .	8	56			
Bastian's blood-red Turnip . . . . .	7	50			
Egyptian Turnip, red . . . . .	8	56			
Bassano, flat, red, early . . . . .	6	45			
<b>Sugar Beet.</b>					
(German grown, from selected stock.)					
Imperial white . . . . .	7	45			
Klein Wanzleben . . . . .	7	45			
Vilmorin's improved . . . . .	7	45			
Dippe's best stock . . . . .	7	50			
<b>Silver-Beet, see Swiss Chard.</b>					
§ Benincasa-Cerifera . . . . . oz —/5	4	5			
<b>Borecole or Kale.</b>					
Curled dwarf green (German Greens) . . . . .	1	8			
„ „ purple . . . . .	1	10			
Palm Tree, high . . . . .	1	9			
„ „ King, dwarf . . . . .	1	9			
<b>Broccoli.</b>					
Purple Navidad, early, dark purple . . . . .	2	6			
Dark red Santa Teresa, early, purple, changing into green, when boiled . . . . .	2	6			
Walcheren . . . . .	4	3			
Adams early white . . . . .	3	—			
Cattell's Eclipse, late . . . . .	3	6			
Knights protecting, late . . . . .	3	1			
Penzance (from Cornish stock) . . . . .	3	6			
Snow's white winter . . . . .	4	3			
Veitch's self protecting, late . . . . .	2	3	240		
Giant Malta, late . . . . .	2	3	240		
Late Asiatic . . . . .	2	3	240		
Sprouting Nataleschi . . . . .	1	10			
„ Febbrajoli, late . . . . .	1	10			
„ Marzajuoli, very late . . . . .	1	10			
<b>Brussels Sprouts.</b>					
Tall, best stock . . . . .	1	5			
Dwarf, improved . . . . .	1	6			
Aigburth . . . . .	1	9			
<b>Cabbage.</b>					
Bacalan, early . . . . .	1	9	180		
Brunswick, large Drumhead, best stock . . . . .	2	—	205		
Cocoa Nut . . . . .	1	7	160		
Drumhead Dutch late . . . . .	1	9	185		
„ „ early dwarf . . . . .	2	—	205		
Early Etampes . . . . .	1	9	185		
Enfield Market . . . . .	1	9	180		
Myatt's early Offenham . . . . .	1	9	185		
Mein's No. 1 . . . . .	1	8	170		
Oxheart large . . . . .	1	9	185		
„ early . . . . .	1	9	185		
St. John's Day, early . . . . .	1	8	170		
„ „ late . . . . .	1	8	175		
Schweinfurt Drumhead . . . . .	2	—	205		
Strassburg Quintal or Cwt. Drumhead . . . . .	1	9	185		
Sugar loaf . . . . .	1	9	180		
Whealers Imperial . . . . .	1	10	200		
Winnigstadt, best stock . . . . .	2	—	205		



	per lb. s. d.	per cwt. s. d.
York early . . . . .	1 9	180 —
„ large . . . . .	1 9	180 —
Large blood-red Drumhead . . . . .	2 1	225 —
Small „ early Dutch . . . . .	2 2	235 —
Pisa, a very early, splendid variety with large solid heads; very much adapted for warmer countries . . . . .	2 3	— —
Early Mongibello . . . . .	2 3	— —

We recommend these last two sorts quite especially for warmer countries; they are splendid.

### Savoy.

Drumhead, large late . . . . .	1 4	145 —
Early dwarf Ulm . . . . .	1 5	155 —
Favourite de Groot . . . . .	1 5	145 —
Marcelin . . . . .	1 3	132 —
Small early Vienna . . . . .	1 5	145 —
Victoria (Waterloo) . . . . .	1 3	132 —

**Caper Tree**, see Trees.

### Capsicum.

#### Sweet varieties.

Black Nubian . . . . .	1 6	— —
Cardinal, scarlet, fruits long . . . . .	1 10	— —
Columbus (Dam.) (Electro), red of enormous size . . . . .	2 10	— —
Columbus (Dam.), yellow . . . . .	1 10	— —
Elephant's Trump, red, splendid . . . . .	1 6	— —
Golden Dawn . . . . .	1 7	— —
Golden King (Nocera), most beautiful, very large fruit . . . . .	1 2	— —
Maddaloni, of conical shape, very early . . . . .	1 9	— —
Mild red Harald (Electro). The fruits resemble much the Ruby King as to size, shape and color, but contrary to this latter kind the fruits stand perfectly upright above the leaves, a decided advantage over the other kinds as the fruits are more exposed to the sun, thus ripening better and more quickly . . . . .	2 3	— —
Papacello, red, round, medium sized, slightly ribbed; a fine Neapolitan variety, very good for pickling . . . . .	1 4	— —
Procop's Giant . . . . .	1 9	— —
Red Etna, fruits upright . . . . .	1 6	— —
Red pointed Calabrese (Electro). Extremely rich bearing, with large fleshy dark purple fruits reaching a length of about 7 inches ending in a point; quite a new form . . . . .	1 4	— —
Ruby King, red, splendid very large . . . . .	1 —	92
Sweet Mountain or Bull nose . . . . .	1 4	130 —
„ Spanish . . . . .	1 4	— —
Tomato-shaped, red . . . . .	1 10	— —
„ „ yellow . . . . .	1 10	— —

Under different climatic and cultural conditions it happens that certain kinds of mild Capsicum turn hot.

### Capsicum.

#### Hot varieties for pickling.

	per lb. s. d.	per cwt. s. d.
Cayenne, red, long fruited . . . . .	1 —	— —
Celestial . . . . .	1 —	— —
Cherry, red . . . . .	1 —	— —
Chile red, orange, sulphur yellow, purple, each . . . . .	1 4	— —
Japanese Cluster, scarlet and orange, fruits long . . . . .	1 4	— —
Kaleidoscope . . . . .	1 5	— —
Red conical of Naples . . . . .	1 —	— —
Spanish or Guinea . . . . .	— 10	— —
Szegedin (Hungarian) Rose Paprika . . . . .	1 —	— —



Capsicum Columbus.  
Electro 3/3.

Tom Thumb (producing fruits in clusters), red, orange, yellow, each . . . . .	1 —	— —
Tomato red . . . . .	1 4	— —
Dwarf red Tomato, new. Dam. 1901. This new pepper is of a very dwarf habit so that the fruits in some plants appear to grow from the soil. They are of a very lively scarlet color, round in shape, slightly ribbed, and so plentiful as to cover the foliage. Very showy and effective for dwarf groups, borders, and other decorative purposes . . . . .	2 6	— —

### Cardoon.

Puvis, very fine and large . . . . .	1 3	— —
Bolognese, excellent . . . . .	1 9	— —
Alexander, (prickly) of enormous size . . . . .	1 10	— —
Prickley solid . . . . .	— —	— —

	Rubbed or clean Seed		Bearded Seed	
	per lb. s. d.	per cwt. s. d.	per lb. s. d.	per cwt. s. d.
<b>Carrot.</b>				
Please state if you desire „Rubbed“ or „Bearded“ Seed.				
Altringham, long scarlet	1 3	125 —	1 1	110 —
Chantenay, half long	1 3	125 —	1 1	110 —
Carentan, early, half long, scarlet.	1 3	125	1 1	110 —
Early Gem (Oxheart-Guerande)	1 3	125 —	1 1	110 —
Early scarlet Horn	1 6	155 —	1 3	130 —
French early forc. Horn	1 6	155 —	1 3	130 —
Half long Luc, stump-rooted.	1 3	125 —	1 1	110 —



Capsicum mild red Harald.  
Electro 4/6.

	per lb.		per cwt.	
	s. d.	s. d.	s. d.	s. d.
<b>Cauliflower.</b>				
Italian varieties.				
<b>Primus</b> , (earliest short-stemmed Italian Giant, Dam.), very early, most beautiful large, white, solid heads	3	3	350	
Eclipse, true, short-stemmed (stock very limited)	9	—	—	—
Earliest Italian Giant „Non plus ultra“	2	9	280	—
Veitch's Autumn Giant	2	—	200	—
Algiers Giant, late	2	3	240	—
Late Asiatic	2	3	240	—
„ Italian Giant (Veitch's self protecting Broccoli)	2	3	240	—
Giant Malta	2	3	240	—



Capsicum red pointed Calabrese.  
Electro 3/3.

James Intermediate, half long scarlet, pointed	— 11	95 —	— 9	80 —
Nantes, early half long scarlet, stump-rooted	1 —	105 —	— 11	98 —
St. Valery, long red	1 3	125 —	1 1	110 —
Stump-rooted, half long scarlet	1 3	—	—	—
Surrey long, red	1 9	165 —	1 7	145 —
White Belgian, green top	1 —	100 —	1 —	90 —
„ Vosges, thick, short	— 9	80 —	— 8	75 —

	per lb. s. d.	per cwt. s. d.
<b>Caterpillar.</b> Scorpiurus.		
Mixed . . . . . per oz	—/4	3 9 —

	per oz	per lb.	per cwt.
		s. d.	s. d.
<b>Cauliflower.</b>			
English, French and German varieties grown in Italy. Finest seeds.			
Erfurt earliest Dwarf	per oz 1/3	18 —	—
Snowball, very fine	„ „ 1/3	18 —	—
Montblanc, of the Snowball type; quite dwarf, pure white and solid heads (crop failed)		9 —	—
Imperial early		5 6	—
Early Paris or small Salomon		4 6	—
Large white Erfurt		3 3	340 —
Early Dutch		4 3	—
„ London		4 3	—
Lenormand large		4 6	—
„ short-stemmed, true		8 —	—

	per lb. s. d.	per cwt. s. d.
Large Salomon . . . . .	4 6	— —
Stadtholder . . . . .	3 9	— —
Walcheren, true . . . . .	3 9	— —

**Cauliflower.**

Imported seed, from our special growers.

Erfurt earliest dwarf, for forcing, finest quality . . . per oz 4/—	60	— —
Snowball, large, very firm white heads, superior stock . . . „ „ 3/—	40	— —

**Celery.**

Arezzo	} these Italian varieties are quite extra	1 2	— —
De Candolle		1 2	— —
Folgore		1 2	— —
Henderson's White Plume . . . . .		1 2	— —
Large dwarf white solid . . . . .		— 8	— —
Leicester Red . . . . .		— 9	— —
Pascal, very large . . . . .		— 10	— —
Pink Plume . . . . .		1 —	— —
Sandringham white . . . . .		— 8	— —
Scrymgers Giant . . . . .		1 2	— —
<b>Soup Celery</b> . . . . .		— 7	45 —

**Celeriac or Turnip-rooted Celery.**

Erfurt . . . . .	1 2	— —
Giant of Prague . . . . .	1 2	— —
Ne plus ultra, Paris white . . . . .	1 2	— —
Apple-shaped . . . . .	1 2	— —

**Chervil.**

Common or plain . . . . .	— 6	— —
Curled . . . . .	— 7	— —
Turnip-rooted . . . . .	2 3	— —

**Chicory.**

Common (Barbe de Capucin) } excellent	— 7	52 —
Improved very large-leaved } for	— 10	90 —
Brussels or Witloof } salad	— 10	90 —
Large-rooted Brunswick . . . . .	1 2	116 —
Asparagus, an excellent Italian variety quite different from any other; leaves and stalks give a most wholesome and refreshing salad when cooked and served cold . . .	1 3	— —

**Corn, Sweet or Sugar.**

Adam's, extra early . . . . .	— 5	30 —
Crosby's early . . . . .	— 5	30 —
Cory early (red Cob) . . . . .	— 5	30 —
Early Minnesota . . . . .	— 5	30 —
Egyptian . . . . .	— 5	30 —
Mammoth . . . . .	— 5	30 —

Moore's early Concord . . . . .	— 5	30 —
Perry's Hybrid . . . . .	— 5	30 —

**Cornsalad.**

Small-seeded green . . . . .	— 10	78 —
Large-seeded round-leaved Dutch . . . . .	— 8	58 —
Italian (Valleriana coronata, Régence)	— 8	58 —

**Cress** (1 bushel = abt 1/2 cwt.).

Common or plain . . . . .	— 5	35 —
Curled . . . . .	— 5	35 —
American Winter . . . . .	1 —	— —



Cucumber, Yokohama climbing.  
Electro 3/3.

Australian or Golden . . . . .	— 7	57 —
Broad-leaved . . . . .	— 5	37 —
<b>Water Cress</b> . . . . .	1 9	— —

**Cucumber.**

(Open ground varieties.)

Long green . . . . .	1 8	— —
„ „ Italian, very fine and productive . . . . .	1 6	— —
„ „ of Athens, or Greek . . . . .	1 5	— —
„ „ English prickly . . . . .	1 5	— —
„ „ Bismarck, white-spined . . . . .	1 5	— —
„ „ Goliath . . . . .	1 6	— —
„ „ prolific . . . . .	1 6	— —
Very long Yellow Dutch . . . . .	1 5	— —
Paris pickling . . . . .	1 2	— —
Small pickling Bourbonne . . . . .	1 3	— —

	per lb. s. d.	per cwt. s. d.
Japanese green Climbing . . . . .	1 9	— —
„ white Climbing . . . . .	2 —	— —
Formosa climbing (Dam.), very early and enormously prolific, of splendid flavour. Fruit smooth, dark green, slightly black spotted; flesh white, very solid . . . . .	1 10	— —
Yokohama climbing (Dam.) (Electro). A most beautiful late sort; the foliage never suffers from disease. The fruits are cylindrical, bright green and very slightly spined or prickly. Later, if ripe, they turn brighter, almost into wax colour. Flesh white solid. A most abundant bearer . . . . .	2 9	— —

	per lb. s. d.	per cwt. s. d.
Cucumis flexuosus (Snake) . . . . .	2 2	— —
Persian Cluster (Dam.) (Electro), very early, ripening in about 5 weeks, about 8 inches long, dark green, very slightly prickly; very fine . . . . .	1 10	— —
Bedfordshire Price Ridge . . . . .	1 8	— —
Stockwood extra . . . . .	1 8	— —
Unicum, new; of medium size, thick, green, stands all atmospheric influences extremely well . . . . .	3 6	— —

**Cucumber.**  
(Frame Varieties.)

	per oz	per lb.	per cwt.
Gladiator long green . . . . .	—/5	4 6	— —
Rollisson's Telegraph . . . . .	—/9	9 —	— —
Glory of Erfurt . . . . .	—/9	8 —	— —
Marquis of Lorne . . . . .	—/9	9 —	— —
Arnstadt white Giant, } very	—/7	6 6	— —
„ green „ } fine	—/9	8 —	— —



Cucumber, Corosan climbing.  
Electro 3/3.



Cucumber, The Prince's  
Electro 2/6.

Corosan climbing (Dam.) (Electro). This is the ne plus ultra of productiveness as it bears most abundantly and never suffers from moisture or diseases. Fruit dark green, bright green striped and very slightly prickly, with a curious knot at the extremity. Flesh white, of finest flavour and never bitter . . . . .	1 10	— —
Giant of Quedlinburg . . . . .	1 3	— —
The Prince's Cucumber (Electro), fruits short, about 6—8 in. cylindrical smooth, light green, very fleshy and solid, extremely prolific and highly to be recommended . . . . .	1 4	— —
Bonneuil, white very large . . . . .	1 6	— —
Russian small (Murum) . . . . .	1 —	— —
„ netted . . . . .	1 1	— —

Hampel's Forcing . . . . .	—/8	— —	— —
Prescot Wonder . . . . .	per oz —/8	— —	— —
Noa's Forcing . . . . .	—/8	— —	— —
Swan's Neck . . . . .	—/7	— —	— —
Indefatigable . . . . .	—/7	— —	— —
Long green Cardiff . . . . .	—/6	4 10	— —
Jewel of Koppitz . . . . .	—/8	— —	— —
Old cucumber seed . . . . .	—	3	16 —
<b>Cyperus esculentus</b> . . . . .	—	10	— —

**Dandelion.**

Common . . . . .	2 9	— —
Improved thick-leaved or cabbaging . . . . .	10 —	— —
Improved Moss . . . . .	10 9	— —

**Egg Plant.**

	per lb. s. d.	per cwt. s. d.
Barbentan long early . . . . .	2 —	— —
Purple dwarf . . . . .	2 2	— —
Black Nagasaki (Dam.), dwarf very early and prolific . . . . .	1 7	— —
Black Prince (Dam.); pear-shaped, very early . . . . .	1 9	— —
Black Snake (Electro). New and very interesting. Producing an abundant number of cylindrical dark purple almost black fruits about 12 inches long of the very best flavour . . . . .	2 6	— —
Dammann's „Délicatesse“ (Electro) the earliest, pear-shaped; quite an enormous bearer . . . . .	2 —	— —

	per lb. s. d.	per cwt. s. d.
Giant Pear of Guadeloupe (Dam.), pure white with purple stripes, of enormous size . . . . .	2 9	— —
Long Horn (Dam.), pure white with green stripes, very early . . . . .	2 9	— —
Tricolor (Dam.), fruits very large, long, thick, fleshy; the upper part is bright green and the lower one white with purple stripes; quite peculiar . . . . .	2 7	— —

**Endive.**

Small green curled summer . . . . .	1 1	— —
Large green curled . . . . .	1 2	— —



Cucumber Persian Cluster.  
Electro 3/3.



Egg plant black Snake.  
Electro 4/6.

Purple large . . . . .	1 7	— —
„ round . . . . .	2 2	— —
„ long of Palermo . . . . .	1 10	— —
„ giant . . . . .	2 2	— —
Black China (Peking) . . . . .	3 —	— —
New York Giant . . . . .	3 9	— —
Giant green Thibet . . . . .	2 3	— —
Calcutta . . . . .	1 5	— —
Long white China . . . . .	1 3	— —
Guadeloupe white, purple striped . . . . .	1 10	— —
Asia, new, (Dam.) of really yellow colour, very fleshy and sweet . . . . .	1 3	— —
Persia, new, (Dam.) yellow, of more cylindrical shape . . . . .	1 3	— —
Round white . . . . .	1 3	— —
Green Campania (Dam.), large, round, green and white, very fleshy . . . . .	1 7	— —

Moss curled . . . . .	1 2	— —
Rouen or Staghorn . . . . .	1 —	— —
Ruffec curled . . . . .	1 1	— —
Pancalier curled . . . . .	1 1	— —
Ever white curled . . . . .	1 8	— —
Imperial curled . . . . .	1 —	— —
Green fine curled winter Meaux . . . . .	1 1	— —
Carter's Model . . . . .	— 11	— —
Batavian (Scarole) green . . . . .	1 1	— —
„ white . . . . .	1 —	— —
„ of Naples, excellent . . . . .	— 8	62

**Garlic.**

Large Naples . . . . .	3	12
Very large Calabria . . . . .	—	—
Mammoth, 3 bulbs weighing abt 2 lb. . . . .	—	—

## Gourd.

Eatable sorts see *Vegetable Marrow*.

Ornamental sorts see *Cucumis*, *Cucurbita*, *Lagenaria*.

**Ice Plant**, see *Sweet Herbs*.

## Kohl-Rabi.

Grown exclusively from selected stock.

	per lb. s. d.	per cwt. s. d.
White ordinary . . . . .	1 —	100 —
„ very early Vienna, short-leaved . . . . .	1 —	—
„ of Prague, the finest of all . . . . .	1 —	—
Purple ordinary . . . . .	1 —	100 —
„ very early Vienna, short-leaved . . . . .	1 —	—
White Goliath, extremely large . . . . .	— 10	—
Purple „ „ „ . . . . .	— 10	—
Curled of Naples . . . . .	— 8	70 —



Egg Plant, Damman's „Délicatesse“.  
Electro 3/—.

## Leek

(Grown from selected stocks).

	per lb. s. d.	per cwt. s. d.
Musselburgh (Scotch stock seeds) . . . . .	— 10	85 —
Large Rouen winter . . . . .	11	85 —
Monstrous Carentan . . . . .	11	80 —
Poitou large yellow . . . . .	11	—
Large Brabant . . . . .	— 11	85 —
The Lyon . . . . .	— 10	80 —
Broad London flag . . . . .	— 9	78 —
Giant Italian Winter (Electro) . . . . .	1	100 —
„ Ostia, dark green . . . . .	1	—

Giant of Palermo, glaucous, the largest .

These last 3 Italian sorts are most beautiful, producing enormous plants; they will give satisfaction everywhere and more especially in warmer countries.

## Lettuce.

w. s. — white seed; bl. s. = black seed;  
y. s. = yellow seed.

### Cabbage varieties.

#### a) Spring varieties.

	per lb. s. d.	per cwt. s. d.
Boston Market or white Tennisball, w. s. . . . .	1 3	—
Golden Yellow Stonehead or Golden Ball w. s. . . . .	1 3	—
Wheeler's Tom Thumb; bl. s. . . . .	1 2	115 —
Egg, small early, w. s. . . . .	1 1	—
Dippe's Emperor, w. s. . . . .	1 2	—

#### b) Summer varieties.

	per lb. s. d.	per cwt. s. d.
All the year round, w. s. . . . .	1 2	115 —
„ „ „ „ bl. s. . . . .	1 1	105 —
Nonpareil, w. s. . . . .	1 —	—
Lee's Immense Hardy Green, w. s. . . . .	1 —	—



Leek, Giant Italian Winter.  
Electro 2/4.


	per lb. s. d.	per cwt. s. d.
Stubborn-headed large yellow (Trotzkopf) w. s. . . . .	1 3	125 —
Stubborn-headed new brown (brown Trotzkopf) w. s. . . . .	1 2	110 —
Small dark red, bl. s. . . . .	1 3	—
Golden spotted, w. s. . . . .	1 3	—
Dippe's yellow solid (yellow-seeded Butter) y. s. . . . .	—	—
Rudolph's Favourite, w. s. . . . .	1 3	—
Large yellow market, w. s. . . . .	1 —	—
Albano, seed light brown . . . . .	1 2	—

	per lb. s. d.	per cwt. s. d.
<b>Genezzano, (Continuity, Jewel) bl. s.</b> of a bronzy colour outside and creamy white inside; stands the greatest heat, is very solid and at the same time very tender, scarcely produces any seed; the finest sort that exists per oz —/3	4 4	— —
<b>Sémoroz, y. s.</b> splendid large heads, very solid, when fully developed; leaves green, with a bronze margin; golden yellow inside	1 —	— —
<b>Canada, bl. s.</b> very tender with bronze leaves when exposed to the sun; stands the heat very well; produces very few seeds	1 —	— —
<b>Green Unctuous, bl. s.</b> . . . . .	— 11	— —

	per lb. s. d.	per cwt. s. d.
Society the finest of a great number of other Lettuces tried, and they really deserve such a distinction, as we have but very seldom grown in our crops better varieties. Both require a good heavy soil . . . . .	1 6	— —
<b>Malta Drumhead, w. s.</b> . . . . .	— 9	65 —
<b>Batavia white, w. s.</b> . . . . .	1 —	— —
„ <b>green, w. s.</b> . . . . .	1 —	— —
<b>Chou de Naples, w. s.</b> . . . . .	1 1	— —
<b>Ice Lettuce of Laibach (Iceberg), w. s.</b>	1 3	— —



Dammann's Ice Lettuce.  
Electro 3/—.



Improved Tyrolese Cabbage Lettuce.  
Electro 3/—.

**White Giant, bl. s. new, Dam. 1901.**  
Of quite an unusually large size while at the same time the heads are extremely tender and of the finest flavor. We have obtained plants measuring about 3 feet in circumference, the head of which properly occupied almost 2/3. The color of the leaves is of a tender green changing into yellow toward the centre. It is wonderfully well closed and even in great heat the plant runs only slowly into seed . . . . .

1 6 — —

**Green Giant, w. s. new, Dam. 1901.**  
Resembles the former as to size, dimensions, and for all its fine qualities, differing only in the color of the leaves which are dark green changing into pale green toward the heart, and for a slight reddish shade on the back of the outside leaves.

These two varieties have been pronounced by the Geneva Horticultural

**Brown Laibach Ice Lettuce, new (Dam. 1890).** A new variety with bronzed leaves which is in every way up to the old yellow kind, and will hold a prominent place among the best Cabbage Lettuces. The heads are of enormous size, very firm, standing the heat extremely well, a feature which makes this Lettuce particularly adapted to warmer countries . . . . .

1 3 — —

**Dammann's Ice Lettuce, w. s. (Electro)** larger than the former and of the finest flavour, quite excellent; requires a good loamy soil  
**Italian Ice Lettuce, w. s.,** also very large, and solid, yellow; remarkably fine . . . . .

1 — — —

1 3 — —

**Improved Tyrolese, new (Dam. 1890) (Electro).** The heads are of enormous size and firm as a stone, leaves same as the ribs very tender. A special characteristic of this beautiful new sort are its leaves, the borders of which are fringed or serrated quite peculiarly. Our cut gives a pretty accurate idea of it . . . . .

1 1 — —

c) Winter varieties.

	per lb. s. d.	per cwt. s. d.
Brown German Winter, w. s. . . . .	1 —	100
Green German Winter, w. s. . . . .	1 —	100
Besson or Marvel, bl. s. (Electro) . . . .	1 1	115
Nansen, w. s., green, very hardy . . . .	1 2	—

Varieties for picking and cutting.

American brown curled, w. s. . . . .	— 11	90
Australian yellow curled, w. s. . . . .	1 2	—

Cos varieties.

Balloon, bl. s. . . . .	1 2	—
Brown Bath, bl. s. . . . .	1 3	—
Cooling's Leviathan, br. s. . . . .	1 3	—
Frascati, w. s. White self-folding, most excellent	1 2	—



Cabbage Lettuce, Besson or Marvel.  
Electro 3/—.

Paris white, w. s. . . . .	1 3	—
„ Green, w. s. . . . .	1 2	—
Potenza, w. s. of enormous size and most excellent; leaves very numerous, white, bronze, self-folding, very solid; does not easily run to seed	1 —	—
Tankred, w. s. splendid, new; white, self-folding, beautiful . . . . .	1 —	—
Trianon, w. s. . . . .	1 3	—
Lettuce seed for bird's food, w. s. . . . .	— 8	60
„ „ „ „ „ bl. s. . . . .	— 4	30

Asparagus Lettuce.

Lactuca angustana, bl. s. . . . .	— 10	—
„ „ bl. s. A new form with broad green deeply cut leaves, which is far superior to the former one for its exquisite flavor; quite specially recommended for southern countries . . . . .	1 —	—

Melon.

	per lb. s. d.	per cwt. s. d.
Neapolitan Winter, white flesh keeps very well . . . . . per oz —/2	1 7	—
Netted of Naples . . . . . „ „ —/2	1 7	—
Malta, red flesh . . . . . „ „ —/3	2 3	—
„ green „ . . . . . „ „ —/3	2 3	—
Honfleur netted . . . . . „ „ —/4	2 9	—
Tours netted . . . . . „ „ —/4	3 2	—
Pine Apple, white flesh . . . . . „ „ —/3	2 3	—
„ „ red flesh . . . . . „ „ —/3	2 8	—
Hackensack . . . . . „ „ —/3	2 —	—
Skillman's netted . . . . . „ „ —/3	2 —	—
Blenheim Orange . . . . . „ „ —/4	3 9	—
Best of all (Marcellus) . . . . . „ „ —/4	3 9	—

The following sorts have been introduced by us two years ago and we can quite especially recommend them.

Asiatic long white, flesh glaucous, like frozen water . . . . . per oz —/3	2 —	—
Bujukdere, round, smooth, light yellow with green spots or stripes; flesh snow white, thick and juicy; of finest flavour . . . . . per oz —/3	2 3	—
Portoghese, oval, yellow dark green spotted; flesh white, tender of best flavour; contains but few seeds . . . . . per oz —/3	2 —	—
Cercola, oval, dark green, strongly netted; flesh white, sweet and of fine flavour; the fruits grow up to 8 to 10 lb. weight . . . . . per oz —/3	2 —	—
Galata. Fruit large, oval, about 16 inch long, yellow, dark green marbled; flesh greenish white, very juicy and sweet . . . . . per oz —/3	2 3	—
Therapia, large, yellow-netted; flesh thick, dark green, changing into a yellowish red towards the interior; very juicy and of excellent flavour . . . . . per oz —/4	2 8	—
Turkish Giant, fruits large, orange yellow, smooth, oval, weighing up to 11 lb.; flesh glaucous, very sweet and juicy per oz —/5	3 3	—
Iberia, of medium size, green-fleshed, of best flavour . . . . . per oz —/5	—	—
Tajo, netted, green-fleshed, very juicy and aromatic . . . . . per oz —/5	—	—
San Martino, of medium size, and roundish shape, bright yellow, orange-marbled; flesh white, excellent . . . . . per oz —/5	—	—
Large Spanish, very large, yellow, much netted; flesh yellowish, red, juicy and of an exquisite flavour . . . . . per oz —/6	—	—
Spanish Pearl, very juicy and aromatic . . . . . per oz —/5	—	—
Giant of Porto, very large, attaining a weight of about 15 lb.; slightly netted, juicy and of fine flavour . . . . . per oz —/6	—	—



	per lb. s. d.	per cwt. s. d.		per lb. s. d.	per cwt. s. d.
Abundantia (Dam). Certainly the most prolific. The oval shaped medium sized slightly ribbed fruits of a bright yellow colour are white fleshed and of a most delicious flavour. One of the earliest sorts and for this reason well suited for northern countries. The plant produces such a number of fruits that all the ground is covered with them . . . per oz —/2	1	10	White Nocera, early . . . . .	2	6
Cilento (Dam). Of oval shape, smooth dark green skin and medium size. The flesh is greenish, almost white of quite an excellent flavour and very sweet. It keeps very well and may be kept in a dry and airy place (without frost) for many months; its seeds are unlike any of other melons. Highly to be recommended all the more as it is very productive . . . per oz —/2	1	7	"    Etna, silverskinned . . . . .	2	3
All sorts mixed . . . . .	1	2	"    Pearl . . . . .	2	3
Frame varieties mixed . . . . .	7	6	Early white Paris . . . . .	2	3
Old Melon seed . . . . .	—	3	White Valence . . . . .	2	3
<b>Water-Melon.</b>			Maggiajola, flat white (May-Onion)	2	3
Red-fleshed of Castellamare, black-seed per oz —/2	1	9	Flat white Italian Tripoli . . . . .		
Very large black seeded . . . . .	1	3	"    red . . . . .		
Homerus (Dam.) of enormous size; flesh bright red of finest flavour; <i>the seeds are quite soft and can be eaten.</i> per oz —/4	3	—	Giant white Mammoth (Silverking)	1	9
Brindisi Giant (Dam). Round, rind smooth and thin, flesh carmine, seeds black, of excellent flavour . . . . . per oz —/4	3	—	"    red Mammoth (giant red Garganus or Pompei) . . . . .		
Julius Caesar (Dam). Fruit long of very large size; flesh dark red, seeds black; a splendid sort of exquisite musk flavour per oz —/5	4	6	"    Rocca brown . . . . .	1	—
Ice Cream . . . . . " " —/2	1	8	"    "    blood-red . . . . .		
Mammoth Ironclad, flesh red " " —/2	1	9	"    "    white (white globe) . . . . .		
Mountain Sprout, flesh red " " —/2	1	9	"    "    yellow . . . . .	1	6
Oh! My! . . . . .	3	4	Bassano or Genoa, dark red . . . . .		
An American sort, which is said to grow to a very large size.			Madeira round . . . . .	1	—
Colossus, also an American sort, producing fruits of more than 150 lb. weight; at the same time the flavour is most delicious; it requires a good sandy loam and convenient manure . . . . . per oz —/5	3	9	"    flat . . . . .		
Mixed varieties . . . . .	8	55	Giant white Victoria, very large . . . . .		
<b>Okra, see Sweet Herbs.</b>			"    red . . . . .		
<b>Onion.</b>			Coimbra, roundish or flattened, of rosy colour	1	8
The crop of the Italian varieties has been again almost an entire failure this season.			Prizetaker . . . . .	2	3
Wonder, small white, the earliest of all . . . . .	2	9	Red Wethersfield . . . . .	1	3
White Queen (white Barletta, Neapolitan Marzajola) very early, for pickling . . . . .	2	8	James long keeping . . . . .	1	5
			Magnum Bonum . . . . .	2	2
			Trebons . . . . .	1	3
			White Spanish . . . . .	1	5
			Brown . . . . .	1	—
			White Lisbon . . . . .	1	—
			"    round Dutch . . . . .	1	6
			Danvers yellow . . . . .	1	3
			Zittau giant, yellow or pale red . . . . .	1	3
			"    "    red . . . . .	1	6
			<b>Orach, see Spinach.</b>		
			<b>Parsley.</b>		
			Common or plain . . . . .	6	36
			Curled . . . . .	—	6
			Myatt's dwarf . . . . .	7	53
			Moss-curved . . . . .	—	7
			Fern-leaved . . . . .	—	7
			Italian large-leaved (Celery-leaved) . . . . .	1	4
			Giant of Eboli (Dam.) . . . . .	1	5
			Both very large, especially the last one, resembling almost the Celery; we recommend these 2 sorts quite particularly.		
			Turnip-rooted long . . . . .	8	52
			"    "    short . . . . .	8	54
			<b>Parsnip.</b>		
			Long smooth . . . . .	5	40
			Round . . . . .	5	40
			Hollow crown . . . . .	6	50
			Elcombe's improved . . . . .	6	50
			Sutton's Student . . . . .	6	50
			Dobbie's selected . . . . .	6	50

	per lb.		per cwt.	
	s.	d.	s.	d.
<b>Peas.</b>				
Prince Albert (of Paris)	—	5	34	—
Caractacus	—	5	34	—
Express, green	—	5	34	—
Alaska	—	5	32	—
Fillbasket (Laxton)	—	6	40	—
White Victoria	—	6	40	—
New Emperor, green	—	5	33	—
Clamart	—	5	33	—
Serpette	—	5	40	—
Ring leader	—	5	32	—
Extra early dwarf	—	5	36	—
De Grace	—	6	38	—
Beck's Gem	—	7	45	—

	per lb.		per cwt.	
	s.	d.	s.	d.
Olive shaped scarlet	1	—	80	—
” ” ” white tipped (French breakfast)	1	—	95	—
” ” early deep scarlet	1	—	95	—
” ” ” ” white-tipped (new)	1	—	95	—
Long scarlet or short top	—	11	88	—
” Wood's early frame	1	—	95	—
” White Naples	1	—	95	—
” scarlet ”	1	—	96	—
Summer Black Turnip	—	9	78	—
” Black Long	—	9	78	—
Winter Spanish Black Round	—	9	78	—
” ” ” Long	—	9	78	—
” Scarlet China	—	9	75	—



Tomato *semperfructifera*.  
Electro 3/—.

**Rhubarb.**

Myatt's Victoria	1	—	—	—
Prince Albert	1	5	—	—
<b>Salsify</b> , Mammoth Sandwich Island	1	3	120	—
<b>Scolymus hispanicus</b> (sort of Salsify)	1	3	—	—

**Scorzonera.**

Common	1	4	—	—
Large Russian	1	10	—	—
<b>Sea-Kale</b> ( <i>Crambe maritima</i> )	2	3	—	—
<b>Shallot</b> (bulbs) (price variable)	—	5	—	—

**Spinach.**

Prickly or Winter (prickly seed)	—	5	28	—
Monstrous Viroflay (round seed)	—	5	23	—
Round-leaved large Dutch (round seed)	—	5	22	—
Victoria, dark green	—	5	28	—
Lettuce leaved (round seed)	—	5	24	—
Long-standing, round seed	—	6	27	—
New Zealand ( <i>Tetragonia expansa</i> )	—	10	85	—
Mountain Spinach or Orach, white	—	6	—	—

**Swiss Chard.**

Silver-ribbed (yellowish white)	—	7	48	—
” ” curled	—	7	48	—
Chilian scarlet-ribbed	—	10	—	—
” yellow-ribbed	—	9	70	—

**Tomato.**

Acme	2	6	—	—
Aurora (Dam. 97) apple-shaped, orange-yellow; flesh solid	per oz	—/4	3	—
Cardinal	” ”	—/3	2	3
Carter's Duke of York	” ”	—/4	3	9
Challenger, very large, scarlet; very productive	per oz	—/3	2	9
Chemin, one of the finest sorts	” ”	—/4	2	9
Cherry-shaped, red	” ”	—/3	1	7
Conference	” ”	—/3	1	7
Conqueror	” ”	—/3	2	3

**Peas (Wrinkled Varieties).**

Telephone	—	8	48	—
Knight's	—	6	40	—
Laxton's Alpha	—	8	48	—
Stratagem	—	8	50	—
American Wonder	—	8	48	—

(Any other English, French or German &c. Peas can be supplied in best quality at same or lower prices than those of other respectable firms.)

**Radish**

(saved from transplanted roots).

Turnip scarlet	1	—	90	—
” early scarlet	1	2	105	—
” extra early scarlet	—	10	74	—
” early scarlet white tipped	—	10	74	—
” early white	—	10	74	—
” very early yellow	1	—	96	—

	per lb. s. d.	per cwt. s. d.
Enormous, an American sort, fruits of an enormous size, containing very few seeds per oz —/5	5 —	— —
Excelsior . . . . . „ „ —/4	3 —	— —
Ficarazzi (Dam.) the earliest of all per oz —/2	1 5	— —
Frogmore selected . . . per oz —/4	3 —	— —
Goldball (Dam. 97) golden yellow; fleshy; velvety skinned . . . . . per oz —/4	3 —	— —
Ham Green Favorite . . . „ „ —/4	3 —	— —
Helios (Dam. 97) fruits velvet skinned, coral red, very fleshy and solid, containing but few seeds; early and therefore suitable also for northern countries . per oz —/3	1 10	— —

	per lb. s. d.	per cwt. s. d.
Paragon . . . . . per oz —/3	1 10	— —
Peach (Dam.) . . . . . „ „ —/3	2 —	— —
Pear-shaped red . . . . . „ „ —/3	1 7	— —
Perfection . . . . . „ „ —/4	2 7	— —
Pine Apple (Dam.) round, golden-yellow; enormous bearer . . . . . per oz —/4	3 —	— —
Ponderosa . . . . . „ „ —/5	3 8	— —
President Garfield . . . . . „ „ —/3	2 8	— —
Prince of Naples (Dam.) fruits scarlet, of enormous size, flat-round, slightly ribbed per oz —/5	4 3	— —
Red Apple . . . . . „ „ —/3	2 —	— —
Ruby, large red early . . . „ „ —/3	1 9	— —



Vegetable Marrow, Neapolitan Cocozzella.  
Electro 3/3.



Cocozzella of Tripoli.  
Electro 3/—.

King Humbert (Dam.) red; well-known fine sort . . . . .	— 10	60 —
King Humbert (Dam.) golden-yellow; the finest of all yellow sorts . per oz —/4	2 —	— —
King Humbert (Dam.) white (wax); very prolific and of fine flavour . per oz —/5	3 9	— —
Large red . . . . .	— 6	45 —
„ „ early dwarf . . . . .	1 5	— —
„ „ yellow . . . . .	2 9	— —
Laxton's open air . . . . . per oz —/4	2 6	— —
Lemon Blush . . . . . „ „ —/3	1 5	— —
Matchless . . . . . „ „ —/4	3 —	— —
Mayflower . . . . . „ „ —/3	1 9	— —
Meteor (Dam.) very dwarf; needs no sticks; fruits large, smooth, scarlet, solid per oz —/5	4 3	— —
Mikado, purple . . . . . „ „ —/3	2 —	— —
„ „ scarlet . . . . . „ „ —/3	2 8	— —
Non plus ultra (Dam.) large red „ „ 2	1 8	— —
Northlight (Dam.) upright; fruit not very large, round carmine-red; flesh solid per oz —/5	4 3	— —
Northern Beauty . . . . . „ „ —/3	1 7	— —

Semperfructifera (Dam.) (Electro) enormously prolific, bearing large clusters of plum-shaped scarlet fruits (often 50 to one cluster). With us the first fruits are ready in May and the plants continually produce them almost until Xmas; they are not very large, but solid and of fine flavour per oz —/5	4 3	— —
Skamander (Dam.) upright, large purple fruits like those of Woodgate Hero, from which it descends . . . . . per oz —/4	3 3	— —
Tokio (Dam. 97) fruits dark red, large, fleshy, often of a very curious form per oz —/3	1 7	— —
Trophy, red . . . . . „ „ —/3	2 3	— —
All sorts mixed . . . . .	— 6	40 —

**Turnip (Garden).**

Very early flat white Dutch . . . . .	10	80 —
Golden Ball . . . . .	— 8	70 —
Munich early purple top . . . . .	— 11	90 —
Early red top strap-leaved American stone . . . . .	— 10	70 —

	per lb. s. d.	per cwt. s. d.
Early white top strap-leaved American stone . . . . .	1 10	80 —
Milan purple top strap-leaved very early . . . . .	1 —	95 —
Milan white top extra early, new . . . . .	1 8	— —
Early flat red top . . . . .	— 9	55 —
„ Snowball . . . . .	— 9	58 —
Jersey white . . . . .	— 9	55 —
„ Lily Turnip . . . . .	— 10	— —
Chirk Castle black stone . . . . .	— 9	68 —

**Vegetable Marrow.**

Vegetable Marrow long green Bush or Neapolitan Cocozzella, green and yellow striped (Electro) . . . . .	11	83 —
---	----	------



Cocozzella snow-white Belmonte. Electro 33.

	per lb. s. d.	per cwt. s. d.
Charles Naudin ( <i>Cucurbita moschata</i> ) (Dam.) a beautiful sort, slightly climbing, with round white-striped white-fleshed fruits and large silvery seeds . . . . .	2 9	— —
Scarlet Chinese Sugar, fruits round with scarlet rind; flesh very solid and sweet . . . . .	2 4	— —
Wonder, new; very early and prolific; round, of medium size; the seeds have no shell as those of other kinds but only a very soft skin . . . . . per oz —/3	1 6	— —
King's Acree Cream . . . . .	1 9	— —
Pen-y-byd . . . . .	1 6	— —



Vegetable Marrow, Neapolitan longest green running. Electro 4—.

Vegetable Marrow, English (à la moelle anglais) . . . . .	— 11	— —
Neapolitan Portmanteau green . . . . .	1 2	90 —
Italian white Mushroom (Champignon) Dam. . . . .	1 3	— —
Marrow early golden Bush . . . . .	1 8	— —
„ Squash Hubbard . . . . .	1 5	— —
Long white Bush Marrow . . . . .	1 7	— —
Large yellow gourd or yellow Mammoth	1 6	— —
„ white „ „ white „	3 6	— —
„ red „ „ red „	2 3	— —
„ green „ „ green „	2 3	— —
Cocozzella of Tripoli (new) (Electro) .	2 3	— —
„ „ „ white	2 —	— —
„ „ Molfetta, dwarf, with long yellowish-white fruits; very fine	1 7	— —
„ „ snow-white Belmonte (Dam.) (Electro). Dwarf with long white fruits; particularly fine . . . . .	2 6	— —

Neapolitan longest green running ( <i>La-genaria leucantha longissima</i> (Cocozzella da pergola) (Electro) when young. this sort furnishes quite an excellent dish; cut into pieces of abt 3 in. long, take out the seeds, fill it up again with a stuffing of meat &c. boil, and serve with Tomato sauce . . . . .	2 —	— —
Moore's Vegetable Cream . . . . .	1 3	— —
Long green trailing . . . . .	1 3	— —
„ white „ . . . . .	1 3	— —
Whale, greyish green . . . . .	2 —	— —
Turkish Honey, new, Dam. 1901. The fruits which are orange-red veined with white grow to about 1/2 cwt. weight. Flesh chamois-yellow, very tender and sweet, and of delicious flavor, extremely fine for cooking. In Turkey this Pumpkin is greatly appreciated . . . . .	3 9	— —

## II. Swede, Turnip and Mangel Wurzel.

Prices variable.

	per lb. s. d.	per cwt. s. d.		per lb. s. d.	per cwt. s. d.
<b>Swede.</b>			<b>Mangel Wurzel.</b>		
White-fleshed . . . . .	— 10	82 —	Long red . . . . .	— 6	38 —
Yellow green top . . . . .	— 9	56 —	„ yellow . . . . .	— 6	38 —
„ purple top . . . . .	— 9	56 —	„ Mammoth . . . . .	— 5	34 —
Laings yellow purple top . . . . .	— 9	56 —	Champion Yellow Globe . . . . .	— 6	42 —
Skirvings „ „ . . . . .	— 9	56 —	Golden Tankard . . . . .	— 6	45 —
Bangholm „ „ . . . . .	— 10	62 —	Oberndorf Yellow Globe . . . . .	— 6	44 —
Norfolk „ „ . . . . .	— 9	56 —	„ Red Globe . . . . .	— 6	44 —
<b>Turnip.</b>			Olive-shaped Yellow or Intermediate . . . . .	— 6	44 —
White Tankard, green top . . . . .	— 7	48 —	„ „ Red . . . . .	— 6	44 —
Red „ . . . . .	— 6	45 —	The seeds of <b>Swede, Turnip and Mangel Wurzel</b> as offered above have been grown from best stocks; any other sorts not enumerated will be supplied also in reliable quality at cheapest prices.		
Pomeranian White Globe . . . . .	— 7	55 —			
Red Top Norfolk . . . . .	— 7	52 —			
Green Top Norfolk . . . . .	— 7	50 —			
Carters Purple top Mammoth . . . . .	— —	— —			
Aberdeen purple top . . . . .	— —	— —			

## III. Sweet Herbs &c.

	per lb. s. d.	per cwt. s. d.		per lb. s. d.	per cwt. s. d.
Arachis hypogaea (Pea-nut; ground-nut) . . . . .	— 3	21 —	Fennel largest sweet of Sicily, new . . . . .	— 11	— —
Angelica (Angelica Archangelica) . . . . .	1 8	— —	„ Prince Bismarck, very large . . . . .	— 11	— —
Anise (Pimpinella Anisum) best of Apulia (South Italian) . . . . .	— 8	50 —	„ Morosini (Dam.) new; the largest, finest and sweetest; a first rate sort . . . . .	— 11	— —
Balm (Melissa officinalis) . . . . .	2 6	— —	These sweet Fennels are quite excellent and whoever tried them with us here, were very satisfied.		
Basil sweet, large green . . . . .	1 —	— —	Horehound (Marrubium vulgare) . . . . .	1 9	— —
„ large purple . . . . .	1 —	— —	Hyssop Hyssopus officinalis . . . . .	2 3	— —
„ bush purple . . . . .	1 —	— —	Ice plant (Mesembrianthemum cristallinum) . . . . .	2 3	— —
„ „ green . . . . .	1 —	— —	Lavender (Lavendula spica) . . . . .	1 —	— —
„ of Abyssinia (O. suave) excellent both for the kitchen and as a decorative plant (failed) . . . . .	— —	— —	„ true (Lavendula vera) . . . . .	1 8	— —
Basil purple dwarf curled . . . . .	1 9	— —	Marigold, Pot (Calendula officinalis) . . . . .	1 3	— —
Blessed Thistle (Centaurea benedicta) . . . . .	— 5	— —	Marjoram, sweet (Majorana hortensis) . . . . .	1 3	— —
Borage (Borago officinalis) . . . . .	1 —	— —	„ pot (Origanum vulgare) per oz —/6 . . . . .	5 10	— —
Burnet, Garden (Poterium hortense sanguisorba) . . . . .	— 6	— —	Mignonette, see Flower Seeds.		
Caper Tree, see Tree Seeds (Capparis). . . . .			Mint, Mentha piperita, Peppermint . . . . .		
Caraway (Carum Carvi) . . . . .	— 5	36 —	„ „ crispa . . . . . oz 5/6 . . . . .	— —	— —
Chives (seed) . . . . . oz —/10 . . . . .	11 6	— —	„ „ Pulegium, (Penny-Royal) . . . . .	— —	— —
Cardoon, see Vegetable seeds.			„ „ viridis, (Spear-Mint) the best for sauces per oz 2/2 . . . . .	— —	— —
Clary (Salvia sclarea) . . . . .	— —	— —	Okra, dwarf early . . . . .	1 6	— —
Coriander (Coriandrum sativum) . . . . .	— 3	13 10	„ „ improved . . . . .	1 9	— —
Cumin (Cuminum Cyminum) . . . . .	— 5	31 —	„ „ white Louisiana . . . . .	1 9	— —
Dill (Anethum graveolens) . . . . .	— 6	— —	„ „ Egyptian (Hibiscus lutescens) . . . . .	1 6	— —
Fennel, Carosella of Naples (Foeniculum piperatum) . . . . .	1 10	— —			
„ sweet Bolognese (Foeniculum dulce) . . . . .	— 11	— —			

	per lb. s. d.	per cwt. s. d.		per lb. s. d.	per cwt. s. d.
Purslain green ( <i>Portulacca oleracea</i> ) . . . . .	1 5	— —	Savory, Winter or perennial ( <i>Satureja</i>		
„ golden . . . . .	1 5	— —	<i>montana</i> ) . . . . .	1 9	— —
Pyrethrum <i>cinerariaefolium</i> per oz —/6	4 6	— —	Skirret . . . . .	— —	— —
Rampion ( <i>Raiponce</i> ) <i>Campanula</i> ( <i>Rapun-</i>			Sorrel, common . . . . .	1 4	— —
<i>culus</i> ) . . . . .	2 6	— —	„ broad-leaved French . . . . .	1 5	— —
Rocket ( <i>Brassica Eruca</i> , <i>Eruca sativa</i> )	— 6	— —	Tarragon, Russian ( <i>Artemisia Dracun-</i>		
Rosemary ( <i>Rosmarinus officinalis</i> ) . . . . .	4 5	— —	<i>culus</i> ) . . . . . per oz 1/7	— —	— —
Rue ( <i>Ruta graveolens</i> ) . . . . .	1 6	— —	Thyme, Summer . . . . .	2 6	— —
Sage ( <i>Salvia officinalis</i> ) . . . . .	1 3	— —	„ German Winter . . . . .	2 10	— —
„ large-leaved . . . . .	1 5	— —	Wormwood ( <i>Artemisia Absinthium</i> ) . . . . .	2 9	— —
Savory, Summer or annual ( <i>Satureja</i>			Veronica <i>beccabunga</i> . . . . .	2 2	— —
<i>hortensis</i> ) . . . . .	— 9	— —			

## IV. Clovers, Lucerne &c. &c.

Prices variable; terms 30 days.

	per lb. s. d.	per cwt. s. d.		per lb. s. d.	per cwt. s. d.
Bird's foot Trefoil ( <i>Lotus corniculatus</i> )	1 —	85 —	Sainfoin, common ( <i>Hedysarum Onobry-</i>		
Broom, common ( <i>Spartium scoparium</i> )	— 5	25 —	<i>chis</i> ) in husk . . . . .	— —	16 —
„ yellow or Spanish ( <i>Spartium</i>			Sainfoin, common ( <i>Hedysarum Onobry-</i>		
<i>junceum</i> ) . . . . .	— 5	29 —	<i>chis</i> ) husked or milled (to be preferred,	5	42 —
Clover, Alsike ( <i>Trifolium hybridum</i> ) . . . . .	1 —	100 —	as the seeds grow more easily) . . . . .		
„ Bokhara ( <i>Melilotus alba</i> ) . . . . .	— 9	72 —	Sulla (Spanish Sainfoin, <i>Hedysarum</i>		
„ Crimson, scarlet or Italian ( <i>Trif.</i>			<i>coronarium</i> ) in husk . . . . .	— —	16 —
<i>incarnatum</i> ) . . . . .	— —	26 —	Sulla (Spanish Sainfoin, <i>Hedysarum</i>		
„ red ( <i>Trifolium pratense</i> ) . . . . .	— 8	56 —	<i>coronarium</i> ) husked or milled (to be		
„ white ( „ <i>repens</i> ) . . . . .	1 —	100 —	preferred, as the seeds grow more easily)	— 9	68 —
Fenugreek ( <i>Trigonella foenum graecum</i> )	— —	13 —	Sulla is one of the very best fodder		
Furze, Gorse or Whin ( <i>Ulex europaeus</i> )	1 —	— —	plants for warmer countries. Ask for spe-		
Goat's Rue ( <i>Galega officinalis</i> ) . . . . .	— —	18 —	cial circular on Sulla which will be sent		
Lathyrus <i>Clymenum</i> . . . . .	— —	14 —	free on application.		
Lentil, Spanish ( <i>Lathyrus sativus</i> ) . . . . .	— —	14 —	Spurrey, common ( <i>Spergula arvensis</i> ) . . . . .	— —	26 —
Lupins, white ( <i>Lupinus albus</i> ) . . . . .	— —	11 —	Tares, common or Spring Vetches ( <i>Vicia</i>		
„ yellow ( „ <i>luteus</i> ) . . . . .	— —	11 —	<i>sativa</i> ) . . . . .	— —	13 —
„ blue ( „ <i>angustifolius</i> ) . . . . .	— —	15 —	„ <i>Vicia narbonensis</i> . . . . .	— 4	— —
Lucerne ( <i>Medicago sativa</i> ) best Italian,			„ „ <i>villosa</i> , crop very scarce . . . . .	— 4	30 —
carefully sifted, fine quality . . . . .	— 9	52 —	„ <i>Faba arvensis</i> . . . . .	— —	12 6
„ hardy ( <i>Med. media</i> ) . . . . .	— 11	90 —	„ „ <i>equina</i> (Horse Bean) . . . . .	— —	13 —
„ tree ( <i>Med. arborea</i> ) . . . . .	— 10	— —	Trefoil yellow, ( <i>Medicago lupulina</i> ) . . . . .	— 5	36 —
Melilotus <i>coerulea</i> . . . . .	— 10	— —	Vetchling ( <i>Lathyrus sylvestris</i> ) . . . . .	2 8	— —
Pea, Wood-(Vetchling) improved ( <i>Lathy-</i>			Yellow Sand Clover ( <i>Anthyllis vulneraria</i> )	1 —	— —
<i>rus sylvestris Wagneri</i> ) . . . . .	1 6	— —			

## V. Grasses.

Prices variable.

	per lb. s. d.	per cwt. s. d.		per lb. s. d.	per cwt. s. d.
Bent-Grass creeping ( <i>Agrostis stolo-</i>			Brome meadow ( <i>Bromus pratensis</i> ) . . . . .	— 8	54 —
<i>nifera</i> ) . . . . .	— 8	55 —	Canary-Grass ( <i>Phalaris arundinacea</i> ) . . . . .	2 9	— —
Bermuda-Grass . . . . .	2 —	— —	Cocksfoot, common ( <i>Dactylis glomerata</i> )	— 8	51 —
Brome, Hungarian or awnless ( <i>Bromus</i>			<i>inermis</i> ) . . . . .	— 7	55 —
<i>inermis</i> ) . . . . .	— 7	55 —	Crested Dogstail ( <i>Cynosurus cris-</i>		
„ soft or Bull Grass ( <i>Bromus mollis</i> )	— —	15 6	<i>tatus</i> ) . . . . .	— 11	92 —
			Eleusine <i>coracana</i> . . . . .	— 10	— —

	per lb. s. d.	per cwt. s. d.		per lb. s. d.	per cwt. s. d.
Fescue, hard ( <i>Festuca duriuscula</i> ) . . .	— 5	40 —	Rye-Grass, English ( <i>Lol. perenne</i> ) 28 lb.	— —	23 —
„ tall ( „ <i>elator</i> ) . . .	— 7	48	„ „ „ ( „ „ ) 26 lb.	— —	22 —
„ various-leaved ( <i>Festuca hetero-</i> <i>phylla</i> ) . . . . .	— 9	64 —	„ „ „ ( „ „ ) Pacey's	— —	28 —
„ sheep's ( <i>Festuca ovina</i> ) . . .	— 5	39	Soft Grass, meadow, Honey gr. ( <i>Holcus</i> <i>lanatus</i> ) . . . . .	— 3	18 —
„ meadow ( „ <i>pratensis</i> ) . . .	— 5	36 —	Sweet Vernal Grass ( <i>Anthoxanthum</i> <i>odoratum</i> ) true . . . . .	2 3	
„ red or creeping ( <i>Festuca</i> <i>rubra</i> ) . . . . .	— 5	39 —	Sweet Vernal Grass common ( <i>Antho-</i> <i>xanthum odoratum Puellii</i> ) . . . . .	— 6	44 —
Hair-Grass waved ( <i>Aira flexuosa</i> ) . . .	— 5	38 —	Teosinte, ( <i>Reana luxurians</i> ) . . . . .	1 5	125 —
Meadow, Foxtail ( <i>Alopecurus pratensis</i> )	— 9	66 —	Timothy ( <i>Phleum pratense</i> ) . . . . .	— 5	38 —
„ wood ( <i>Poa nemoralis</i> ) . . .	— 9	70 —	Lawn Grass . . . . .		
„ smooth-stalked ( <i>Poa pratensis</i> )	— 7	54 —	Mixture for meadows, pastures &c.		34
„ rough-stalked ( „ <i>trivialis</i> ) . . .	— 8	68 —	„ „ „ „ in-		
Marram-, Reed-Grass ( <i>Arundo arenaria</i> , <i>Ammophila arundinacea</i> ) . . . . .	1 —	92 —	„ „ „ „ cluding clovers &c. . . . .		36
Millet, Pearl or cat-tail, ( <i>Pencillaria</i> <i>spicata</i> ) . . . . .	— 6	— —	„ „ lawns on dry land . . . . .		38
Oats, tall ( <i>Avena elatior</i> ) . . . . .	— 8	60 —	„ „ „ „ wet . . . . .		38 —
Rye-Grass, Italian ( <i>Lolium Italicum</i> ) . . .	— —	25 —	Please indicate nature of soil, expo- sure &c. &c.		

## VI. Seeds of sundry Agricultural, Economical, Officinal &c. Plants.

Prices variable.

	per lb. s. d.	per cwt. s. d.		per lb. s. d.	per cwt. s. d.
Barley, best Italian } very fine Italian	—	12	In the husk, an interesting sort, the grains of which are wrapped up in a reddish hull . . . 10 spikes —/10	— 6	
„ Altamura } varieties . . . . .	—	12 —		The following are the best American varieties, which we can warmly recommend for their great productiveness.	
Canary-seed ( <i>Phalaris canariensis</i> ) . . .	— —	13 —	Jowa Gold Mine, yellow . . . . .	— 3	18 —
Chamomile ( <i>Matricaria Chamomilla</i> ) . . .	2 7	— —	„ Silver „ white . . . . .	— 3	18 —
Cotton ( <i>Gossypium herbaceum</i> ), Nea- politian . . . . .		14 —	Giant of Mexico, „ . . . . .	— 3	18 —
„ Gordon Pasha, very fine . . . . .	1 3	— —	Mastodon improved, yellow . . . . .	— 3	18 —
Cumin ( <i>Cuminum Cyminum</i> ) . . . . .	— 5	36 —	Longfellow, yellow . . . . .	— 3	18 —
Flax, giant of Naples ( <i>Linum usitatissi-</i> <i>imum</i> ) . . . . .	— —	23	Leaming, yellow, one of the best . . . . .	— 3	20 —
„ Riga, grown from Riga stock seeds	— 5	26 —	Lentil, small red ( <i>Ervum lens minor</i> )	— 4	24 —
„ Campania, dwarf, furnishes the best fibre suitable for the finest texture . . .	— 5	26 —	„ large yellow . . . . .	— 4	19 —
Hemp, giant of Naples, large-seeded	— 5	26 —	Millet, yellow Neapolitan . . . . .	— —	12 —
„ „ „ „ small- „ . . . . .	— 4	22 —	„ silver-white round Italian . . . . .	— —	13 —
„ „ „ Piedmont, a choice variety, growing very high . . . . .	— 6	35 —	„ Italian ( <i>Panicum Italicum</i> ) ex- cellent, especially for warmer countries; sown in April, it can be cut already in July	— 2	12 —
<b>Indian Corn or Maize.</b>			Millet of Yokohama ( <i>Eleusine caracana</i> var.) . . . . .	— 4	20
Nanerottolo, very dwarf; the earliest of all	3	17	Moha, Hungarian or German Millet ( <i>Panicum Germanicum</i> ) . . . . .	— 4	24 —
Ambra . . . . . 10 spikes —/9	2	13 —	„ green Californian . . . . .	— 3	16 —
Harlequin . . . . . 10 „ —/9	— 2	13	Nettle China-Grass, Silvery Ramieh ( <i>Urtica nivea</i> ) . . . . . per oz 1/6	20	
Caragua, giant white (Horse tooth)	2	13	Oats best Naples . . . . .		13
Six weeks or Quarantine of Naples	2	10	„ „ of the Abbruzzes . . . . .		13
Seven-weeks or Cinquantine, yellow . . .	— 2	12 —			
Yellow large of Naples . . . . .	— 2	10 —			
Pearl, white . . . . .	— 2	16 —			
Kansas King, giant white . . . . .	— 2	13			

	per lb. s. d.	per cwt. s. d.		per lb. s. d.	per cwt. s. d.
Panicum frumentaceum giganteum, an annual grass, growing very quickly, about 6 feet high and producing an enormous amount of green fodder; crop small . . .	— 10	— —	Tobacco Turkish Bafra	per oz 1/—	12 —
Rice of Castellamare (Naples) . . .	— 4	17 —	" Turkish Samsun	" " 1/—	12 —
Rye, winter of Naples . . .	— —	13 —	" American Kentucky	" " 1/—	12 —
" of the Abbruzzes . . .	— —	13 —	" " Burley	" " 1/—	12 —
Rush (Juncus multiflorus) . . .	— 7	— —	" " Pennsylvania	" " 1/—	12 —
Sacaline (Polygonum sacchalinese) . . .	9 —	— —	" Seed Leaf	" " 1/—	12 —
Sorghum, (Holcus Sorghum) Broomcorn	— —	9 —	" Virginia	" " 1 —	12 —
" cernuum (Douro, Durra) . . .	— —	19 —	" Seed Leaf	" " 1 —	12 —
" saccharatum (Sugar-Millet) black-seeded	— —	16 —	" Havana . . . . .	" " 2/6	25 —
" " Minnesota (Amber cane)	— —	16 —	" Brazilian . . . . .	" " 1/9	19 —
" " Orange-Sugar	— —	19 —	" Sumatra (Deli) . . . . .	" " 5/—	62 —
" " the Shaw, dwarf, ab <sup>t</sup> 4 to 5 feet high, very early, compact, with large panicles, very rich in sugar . . . . .	— —	22 —	Seeds obtained exclusively from the respective native countries.		
Sunflower, common . . . . .	— —	14 6	Trevir (for insect powder) (Pyrethrum cinerariaefolium) . . . . .	per oz —/5	4 6
" Hungarian . . . . .	— —	14 6	Wheat Bianchetta . . . . .	— —	14 —
" Russian giant . . . . .	— —	17 —	" Carosella . . . . .	— —	14 —
Tobacco (Nicotiana Tabacum var.)	— —	— —	" Majorica . . . . .	— —	14 —
" Hungarian Szegedin. per oz —/8	6 9	— —	" Rieti . . . . .	— —	17 6
" " Debroë " " —/8	7 6	— —	" Noè . . . . .	— —	16 —
" Hungarian Czetneck " " —/10	9 6	— —	" Saragolla . . . . .	— —	15 —
			" Selina . . . . .	— —	14 —
			" Fucense . . . . .	— —	17 —
			With the exception of Noè all others are native of Italy and of great repute in this country; in fact they are excellent and will certainly give satisfaction.		
			Yarrow (Achillea millefolium) clean seed		3 9

## VII. Fruit Trees.

(See our remarks on Seeds of Trees, Shrubs &c. page 19, to which we refer.)

	per lb. s. d.		per lb. s. d.
Amygdalus communis (Almond bitter) cwt. 31	— 6	Coffea arabica (Arabian Coffee Tree) 100 fruits	— —
" " dulcis " sweet " 33/—	— 6		1/10
" fragilis (Almond Princess) " 41	— 8	Corylus Avellana (Hazel Nut) best South Italian,	— 5
" tenerrima, with very thin shell . . .	— 10	from Avellino cwt. 36/—	— 5
" Persica (Peach, common) cwt. 6/—	— —	" " var. Sicilian . . . " 36/—	— 5
Anona Cherimolia . . . . . oz —/9	9 —	" " fol. atropurpureis . . . . .	2 8
" squamosa (Sweet Sop Sugar Apple)	— —	Crataegus Azarolus (Neapolitan Medlar) clean	— —
" triloba (Papaw Custard-Apple) " —/4	4 —	seed. . . . .	2 8
Arbutus Unedo (Strawberry Tree) . . . . .	2 3	Cydonia japonica (Pirus) . . . . . oz —/9	— —
Carica Papaya (Papaw common, Melontree)	— —	" vulgaris (Common Quince) . . . . .	2 —
1000 seeds 3/6	— —	Diospyros Lotus (Date Plum) . . . . .	1 2
Castanea vesca (Chestnut sw. Spanish) cwt. 14/—	— 3	" sinensis (Kaki) (Japanese Date Plum)	— —
" macrocarpa, large-fruited " 16/—	— 4	oz —/4	3 4
Ceratonia Siliqua (Carob Tree) . . . . .	— 4	" virginica (Virginian Date Plum) . . . . .	1 8
Citrus Aurantium (Orange Tree) . . . . .	3 6	Eriobotrya japonica (Loquat tree. Japan	— 6
" Bigaradia . . . . .	3 3	Medlar) . . . . .	— 6
" Limonum (Lemon Tree) . . . . .	3 6	Ficus carica mixed (Fig tree cultivated) oz —/9	9 2
" medica (Citron Tree) . . . . . oz —/7	6 6	Fragaria vesca Alpine (des 4 saisons) " —/3	3 —
" nobilis (Mandarine Tree) . . . " —/10	— —	" " very large fruits . . . " —/3	3 4



	per lb. s. d.		per lb. s. d.
Juglans americana nigra (Black Walnut)		Prunus damascena St. Julien . . . . .	1
cwt. 22/—	— 4	" Myrobolana 1 <sup>st</sup> . Qual. . . . .	5
" regia var. Sorrento (Sorrento Walnut)		Psidium Cattleianum . . . . .	oz 1/7
cwt. 41/—	6	Punica Granatum (Pomegranate) . . . . .	" —/3 3
" " " Nocera . . . . .	— 6	Ribes Grossularia (Gooseberry) . . . . .	" —/4 3 9
Mangifera indica (Mangotree) . . . . .	10 seeds 1/2	" rubrum (Red Currant) . . . . .	" —/3 2 6
Morus alba of Milan (Mulberry Tree white)	2 3	Rubus fruticosus (Blackberry) . . . . .	1 6
" nigra vera . . . . .	oz —/3 2 9	" Idaea (Rapsberry) . . . . .	oz —/2 2 —
Olea europaea (Olive Tree) . . . . .	cwt. 55/—	Sorbus Aria (White Beam) . . . . .	— 8
Opuntia Ficus indica (Indian Fig) . . . . .	oz —/5	" domestica (Service Tree) . . . . .	— —
Pirus communis (Pear pips) . . . . .	2 —	Thea Bohea (Chinese Tea Tree) 100 seeds	4/6 — —
" japonica (Pear Tree of Japan) oz —/5	4 6	Vitis vinifera, Capri, white . . . . .	oz —/3 2 3
" Malus (Apple-Pips) . . . . .	— 9	" Moscatella, white . . . . .	" —/4 3 9
Pistacia vera (Pistachia Tree of Sicily) . . . . .	2 3	" " " black . . . . .	" —/4 3 9
Prunus Armeniaca (Apricot Tree) cwt. 25/—	— 4	" Vesuvius (LacrymaeChristi), —/3	2 3
" Avium dulcis (Cultivated Cherry)		" of Naples, mixed . . . . .	1 3
cwt. 19/—	— 4	" Coignetiae . . . . .	oz —/9 — —
" acida . . . . .	— 4	" riparia . . . . .	" —/6 5 3

### VIII. Seeds of Trees, Shrubs &c.

We shall be glad to receive orders for these seeds as early in the season as possible as we have them collected only in such quantities as to meet our regular demand; orders for larger quantities should at any rate be sent in September at latest, but possibly earlier; even having accepted an order we wish it however to be clearly understood that we shall not be bound to supply the seeds, should they fail to come in or be of an unsatisfactory quality. We supply only fresh seeds, but will not under any circumstances accept any responsibility as to growth and denomination, but will submit samples on application.

The prices of many kinds are subject to variations. § = Climbers.

	per oz s. d.	per lb. s. d.		per oz s. d.	per lb. s. d.
Acer campestre . . . . .	cwt. 17/—	— —	3	Birch, see Betula.	
" neapolitanum . . . . .	cwt. 20/—	— —	3	Bird Cherry, see Prunus Padus.	
" Negundo . . . . .	" 20/—	— —	3	Broom, see Spartium scoparium, page 21.	
" platanoides (Maple) . . . . .	" 20/—	— —	3	Broussonetia papyrifera . . . . .	— — 1 —
" Pseudo-Platanus (Sycamore)				Buxus balearica . . . . .	— 6 6 —
cwt. 20/—	— —	— 3		" sempervirens . . . . .	— 3 1 6
Ailanthus glandulosa . . . . .	" 15/—	— —	3	Calycanthus floridus . . . . .	— 4 3 —
Alnus cordifolia (Alder) . . . . .	— —	1 —		" praecox (fragrans) . . . . .	— 3 2 2
" incana, white Mountain Alder . . . . .	— —	1 —		" " grandiflorus . . . . .	— 3 2 9
Amorpha fruticosa . . . . .	— —	— 8		Capparis inermis . . . . .	— 8 — —
§ Ampelopsis Veitchii, berries . . . . .	— 3	2 3		" spinosa . . . . .	— 9 — —
§ " quinquefolia (Hedera quinquefolia) . . . . .	— 2	1 3		Caragana arborescens . . . . .	— 3 1 8
Aralia spinosa . . . . .	— 6	7 3		Carpinus Betulus (Hornbeam) cwt. 40/—	— — 6
Ash, see Fraxinus.				Carya alba (White Hickory) . . . . .	— — 6
Aucuba japonica . . . . .	— —	1 2		" olivaeformis (Decan Nut) . . . . .	— — 1 3
" " viridis . . . . .	— 3	2 8		Castilleja elastica . . . . .	100 seeds 5/6
Azalea indica the best varieties mixed . . . . .	6 6	— —		" 1000 " 45/—	— — —
" mollis . . . . .	6 3	— —		Catalpa, see Bignonia.	
" pontica fine mixed . . . . .	2 6	— —		Ceanothus americanus . . . . .	— 5 5 3
Beech, see Fagus sylvatica.				" azureus . . . . .	— 6 — —
Berberis vulgaris . . . . .	— —	— 11		" Gloire de Versailles . . . . .	— 8 — —
" " fol. atropurpureis . . . . .	— 2	2 2		Celtis australis . . . . .	cwt. 100/—
Betula alba (Birch) . . . . .	— —	— 7		Cercis Siliquastrum . . . . .	cwt. 45/—
Bignonia Catalpa . . . . .	— —	— 7		Chionanthus virginica . . . . .	— 7 6 8
" Kaempferi . . . . .	— —	1 6		§ Clematis coccinea . . . . .	1 6 — —
				" fragrans (flammula) . . . . .	— — 1 —

	per oz s. d.	per lb. s. d.		per oz s. d.	per lb. s. d.
§ Clematis integrifolia . . . . .	—	—	Hickory, see Carya alba.		
„ Pitcheri crispa . . . . .	1 3	—	Hippophaea rhamnoides . . . . .	—	1 8
„ vitalba . . . . .	—	6	Holly, see Ilex.		
„ Viticella . . . . .	—	1 —	Honey Locust, see Gleditschia tria-		
„ Wilfordii, yellow . . . . .	3	2 8	canthos.		
„ yemenica . . . . .	7	6 9	Honey Suckle, see Lonicera.		
Cockspur, see Crataegus Oxyacantha.			Hornbeam, see Carpinus Betulus.		
Colutea arborescens . . . . .	—	9	Horse Chestnut, see Aesculus.		
„ cruenta . . . . .	—	6	Hymenaea Courbaril. 100 seeds 2/1	—	—
Common Privet, see Ligustrum.			Idesia, see Polycarpa.		
Cornus sanguinea . . . . .	—	4	Ilex aquifolium, berries . . . . .	—	7
Coronilla Emerus . . . . .	3	2 4	„ „ fol. var. berries . . . . .	3	1 9
Crataegus crus-galli . . . . .	—	9	Indigofera tinctoria . . . . .	3	2 3
„ oxyacantha, clean seed			Judas tree, see Cercis Siliquastrum.		
„ „ cwt. 37/—	—	6	Kadsura japonica . . . . .	4	3 10
„ pyracantha, clean seed			Kalmia latifolia, clean seed . . . . .	1 2	16 —
„ „	—	1 10	Koelreuteria paniculata . . . . .	—	8
Cytisus alpinus . . . . .	3	1 10	Laburnum, see Cytisus Laburnum.		
„ Laburnum . . . . .	—	8	Laurel common, see Prunus Lauro		
„ nigricans . . . . .	3	2 4	„ Cerasus.		
„ purpureus . . . . .	2 3	—	„ Portugal, see Prunus lusitanica.		
Daphne Gnidium . . . . .	3	2 8	Laurus Tinus, see Viburnum Tinus.		
„ Laureola . . . . .	1 —	12 9	„ Camphora . . . . .	3	2 10
„ Mezereum . . . . .	2	1 6	„ indica . . . . .	—	6
Deutzia crenata . . . . .	5	4 5	„ nobilis . . . . .	—	5
„ „ fl. pleno . . . . .	4	4 —	Lespedeza bicolor . . . . .	11	—
„ „ gracilis, berries . . . . .	3	2 9	Ligustrum japonicum . . . . .	—	6
Dimorphanthus mandshuricus . . . . .	11	—	„ „ vulgare italicum . . . . .	—	5
Dog Rose, see Rosa canina.			Lilac, see Syringa.		
Dogwood, see Cornus.			Lime, see Tilia.		
Drymis chilensis . . . . .	4 6	—	Liquidambar styraciflua, clean seed . . . . .	1 —	13 —
Elaeagnus angustifolia (Olea bohemica)	3	1 9	Liriodendron tulipifera (Tulip Tree)		
„ longipes . . . . .	5	6 4	„ „ cwt. 48/—	—	8
Edler, see Sambucus racemosa.			Luhea divaricata . . . . .	7	—
Elm, see Ulmus.			Locust Tree, see Robinia Pseudo-Acacia.		
Evonymus europaeus . . . . .	—	1 —	Maclura aurantiaca (Osage Orange) . . . . .	3	2 2
„ japonicus . . . . .	—	1 —	Magnolia grandiflora . . . . .	3	1 6
„ latifolius . . . . .	—	1 3	„ „ Lenné . . . 100 seeds 19	—	—
Fagus sylvatica (Beech) . cwt. 35/—	—	5	„ „ macrophylla . 100 „—11	—	—
„ „ atropurpurea . . . . .	—	2 6	„ „ purpurea (discolor) . . . . .	4	3 3
Fraxinus excelsior (Ash) . cwt. 13/	—	3	„ „ Soulangeana, fruits . . . . .	4	4 —
„ „ Ornus . . . . . cwt. 16/6	—	4	„ „ Yulan . . . . .	5	4 5
Furze, see Ulex europaeus, page 21.			Mahonia Aquifolium, clean seed . . . . .	3	2 —
Genista juncea (Spartium junceum) see			„ „ japonica, fruits . . . . .	4	3 7
under Clover page 16 (Broom).			Mallotus (Rottlera) japonicus . . . . .	3	2 —
Gleditschia inermis . . . . .	—	1 3	§ Mandevillea suaveolens . . . . .	7	—
„ „ triacanthos . . cwt. 28/	—	4	Melia Azedarach . . . . . cwt. 37/—	—	6
§ Glycine floribunda . . . . .	3	3 3	„ „ japonica (floribunda) . . . . .	3	2 3
„ „ frutescens . . . . .	—	1 9	„ „ sempervirens . . . . .	4	3 2
„ „ sinensis (Wistaria) . . . . .	6	6 3	Mock Orange, see Philadelphus.		
„ „ fl. albo . . . . .	1 2	—	Mountain Ash, see Sorbus Aucubaria.		
Gorse, see Ulex, page 21.			Myrtus communis, berries . . . . .	—	10
Guelder Rose, see Viburnum Opulus.			Nandina domestica . . . . .	5	5 3
Halesia tetraptera, pods . . . . .	6	6	Oak, see Quercus.		
Hamamelis virginiana . . . . .	8	7 6	Oreodaphne californica . . . . .	3	2 7
Hawthorn, see Crataegus oxyacantha.			Osage Orange, see Maclura.		
Heteromelis arbutifolia 100 seeds 1/3	—	—	Osyris alba . . . . .	3	2 3
Hibiscus syriacus mixed . . . . .	—	6	Paeonia arborea . . . . .	9	—
„ „ double mixed . . . . .	3	1 2			

	per oz s. d.	per lb. s. d.		per oz s. d.	per lb. s. d.
<i>Paliurus aculeatus</i> , clean seeds . . . . .	—	1 6	<i>Rosa rugosa</i> , berries . . . 100 fruits 1/3	—	—
<i>Paulownia imperialis</i> . . . . .	—	8	" " clean seed . . . . .	9	—
§ <i>Periploca graeca</i> . . . . .	—	—	" <i>Thea</i> , finest mixed, clean seed . . . . .	8	9
<i>Philadelphus coronarius</i> , clean seed . . . . .	1	—	<i>Ruscus aculeatus</i> . . . . .	—	8
<i>Photinia glabra</i> . . . . .	8	—	" <i>racemosus</i> . . . . .	—	2 2
<i>Pistacia Lentiscus</i> . . . . .	—	1	<i>Sambucus Ebulus</i> . . . . .	—	10
" <i>Terebinthus</i> . . . . .	—	1	" <i>glauca</i> (California) . . . . .	1	—
" <i>vera</i> . . . . .	—	1 9	" <i>nigra</i> . . . . .	—	7
Plane, see <i>Platanus</i> .	—	—	<i>Schinus molle</i> . . . . . cwt. 29/	—	6
<i>Platanus occidentalis</i> . . . cwt. 9/—	—	2	Sea Buckthorn, see <i>Hippophaea</i> .	—	—
" <i>orientalis</i> . . . " 9/—	—	2	Sloe, see <i>Prunus spinosa</i> .	—	—
Privet common, see <i>Ligustrum</i> .	—	—	Snowball, see <i>Viburnum</i> .	—	—
<i>Prunus Avium</i> , wild sweet Cherry . . . . .	—	4	Snowberry, see <i>Symphoricarpus</i> .	—	—
" <i>Lauro-Cerasus</i> (Common Laurel) . . . . .	—	8	<i>Sophora japonica</i> . . . . .	—	6
" <i>lusitanica</i> (Portugal Laurel) . . . . .	—	10	<i>Sorbus Aucuparia</i> (Mountain Ash) . . . . .	—	4
" <i>Mahaleb</i> . . . . .	—	1	<i>Spartium junceum</i> . . . . .	—	—
" <i>Padus</i> (Bird Cherry) . . . . .	—	1 6	(Span. Broom) } see page 16.	—	—
" <i>spinosa</i> (Sloe, Black Thorn) . . . . .	—	6	<i>Spartium scoparium</i> } (Clovers &c.)	—	—
<i>Ptelea trifoliata</i> . . . . .	3	2	(common Broom)	—	—
<i>Pterocarya caucasica</i> . . . . .	5	5	<i>Spindle Tree</i> , see <i>Evonymus europaeus</i> .	—	—
<i>Quercus Cerris</i> . . . . . cwt. 16/—	—	3	Spurge Laurel, see <i>Daphne Laureola</i> .	—	—
" <i>Ilex</i> . . . . . " 12/—	—	2	<i>Staphylea colchica</i> . . . . .	4	3
" <i>pedunculata</i> . . . . . " 7/—	—	2	" <i>pinnata</i> . . . . .	3	1 7
" <i>pyramidalis</i> . . . . . " 22/—	—	4	<i>Sterculia platanifolia</i> . . . . .	3	1 5
" <i>Robur</i> , common Oak . . . . .	—	—	<i>Styrax japonica</i> . . . . .	4	3
" . . . . . cwt. 7/—	—	2	" <i>officinale</i> . . . . .	3	1 11
" <i>Suber</i> , Cork Oak " 30/—	—	7	<i>Sumach</i> , see <i>Rhus</i> .	—	—
<i>Rhamnus Alaternus</i> . . . . .	—	10	Sweet Bay, see <i>Laurus nobilis</i> .	—	—
" <i>cathartica</i> . . . . .	—	1	Sycamore, see <i>Acer pseudo-platanus</i> .	—	—
<i>Rhododendron arboreum hybridum</i> , splendid hybrids mixed, clean seed . . . . .	2	—	<i>Syringa japonica</i> , clean seed . . . . .	2 7	—
" <i>ponticum</i> , mixed . . . . .	1 4	—	" <i>vulgaris</i> , pods . . . cwt. 44/—	—	6
<i>Rhus coriaria</i> , true . . . . .	2	1 7	" <i>alba</i> . . . . .	—	1 5
" <i>Cotinus</i> . . . . .	3	2 8	<i>Tamarix gallica</i> . . . . .	4	3
" <i>typhina</i> . . . . .	—	1	" <i>germanica</i> . . . . .	4	4
<i>Robinia Pseudo Acacia</i> (Thorn Acacia- Locust Tree) . . . cwt. 32/—	—	5	Thorn Acacia, see <i>Robinia</i> .	—	—
" <i>Pseudo Acacia Bessoniana</i> . . . . .	3	2 6	<i>Tilia argentea</i> . . . . .	—	1
" <i>viscosa</i> . . . . .	4	3 7	" <i>europaea latifolia</i> . . . . .	—	6
Rock Rose, see <i>Cistus</i> .	—	—	Traveller's Joy, see <i>Clematis Vitalba</i> .	—	—
<i>Rosa Banksiana</i> , berries . . . . .	—	1 9	Tree of Heaven, see <i>Ailanthus</i> .	—	—
" <i>bengalensis</i> fl. pl. mixed, berries . . . . .	2	1 9	Tulip Tree, see <i>Liriodendron</i> .	—	—
" <i>canina</i> (Common Dog Rose), clean seed . . . . . cwt. 23/—	—	4	<i>Ulex europaeus</i> . . . . .	—	1
" <i>hybrida Remontant</i> , berries . . . . .	3	2 2	<i>Ulmus campestris</i> (Elm) . . . . .	—	4
" <i>multiflora</i> , clean seed . . . . .	7	8	<i>Viburnum Lantana</i> . . . . .	—	6
" " <i>semperflorens nana</i> 100 berries —/9	—	—	" <i>Opulus</i> (Snowball) . . . . .	—	7
1000 " 6/—	—	—	" <i>Tinus</i> . . . . .	—	6
This remarkable new kind produces its flowers already about 4 months after the sowing; they measure ab <sup>t</sup> 1 in. and over in diameter and are of all shades of white, rose and rose-purple. The plant grows about 3 feet high, flowering most abundantly the whole summer.	—	—	Virginian Creeper, see <i>Ampelopsis</i> .	—	—
	—	—	Virgin's Bower, see <i>Clematis</i> .	—	—
	—	—	<i>Vitex Agnus castus</i> . . . . .	—	8
	—	—	<i>Weigelia mixed</i> . . . . .	1 6	—
	—	—	<i>Wistaria</i> , see <i>Glycine</i> .	—	—
	—	—	Woodbine, see <i>Ampelopsis quinquefolia</i> .	—	—
	—	—	<i>Yucca aloefolia</i> . . . . .	—	1 8
	—	—	" " fol. var. . . . .	—	2 3
	—	—	" <i>canaliculata</i> , Treculiana . . . . .	1	—
	—	—	" <i>filamentosa</i> , true . . . . .	1 3	—
	—	—	" <i>Whipplei</i> . . . . .	2 2	—

## IX. Seeds of Conifers.

We offer these under the same conditions as for the Tree and Shrub Seeds (see page 19) to which we refer.

Denominations after the „Handbook on Conifers“ by L. Beissner (Handbuch der Nadelholzkunde). The prices of many kinds are subject to variations.

	per oz. s. d.	per lb. s. d.		per oz. s. d.	per lb. s. d.
<i>Abies amabilis</i> . . . . .	1	14	<i>Chamaecyparis obtusa</i> (Retinospora) . . . . .	— 11	10 11
„ <i>balsamea</i> , . . . . .	— 5	4 9	„ <i>pisifera</i> ( „ ) . . . . .	— 7	6 6
„ <i>brachyphylla</i> . . . . .	1 2	—	„ „ <i>plumosa</i> (Retinospora) . . . . .	1 —	— —
„ <i>cephalonica</i> . . . . .	— 4	4 5	„ „ <i>plumosa aurea</i> (Retinospora). . . . .	1 2	— —
„ <i>cilicica</i> . . . . .	— 4	4 2	„ „ <i>squarrosa</i> (Retinospora) . . . . .	1 3	— —
„ <i>concolor</i> . . . . .	— 9	—	<i>Cryptomeria japonica</i> . . . . .	— 3	2 —
„ <i>firma</i> . . . . .	— 7	—	„ „ <i>elegans</i> . . . . .	— 4	3 4
„ <i>Fraseri</i> . . . . .	— 7	—	„ „ <i>Lobbii</i> (viridis). . . . .	— 4	3 —
„ <i>lasiocarpa</i> . . . . .	— 10	—	<i>Cunninghamia sinensis</i> . . . . .	— 5	4 9
„ <i>magnifica</i> . . . . .	1 5	—	„ „ <i>glauca</i> . . . . .	3 4	— —
„ <i>nobilis</i> . . . . .	1 2	—	<i>Cupressus australis</i> . . . . .	— 4	3 9
„ <i>Nordmanniana</i> , true . . . . .	— 3	2 2	„ <i>Benthamiana</i> . . . . .	— 4	3 4
„ <i>pectinata</i> (Pinus <i>Abies</i> .), common Silver Fir. . . . . cwt. 31/—	— —	— 4	„ <i>elegans</i> . . . . .	— 4	3 4
„ <i>Pinsapo</i> . . . . .	— 3	2 2	„ <i>excelsa</i> . . . . .	— 7	— —
„ <i>sibirica</i> ( <i>Pichta</i> ) . . . . .	— 6	7 3	„ <i>funebri</i> . . . . .	— 4	2 9
„ <i>Veitchii</i> . . . . .	1 —	14 —	„ <i>glauca</i> ( <i>Iusitanica</i> ) . . . . .	4	3 2
<i>Araucaria Bidwillii</i> . . . . .	— —	— —	„ „ <i>pendula vera</i> . . . . .	— 4	3 3
„ <i>brasiliensis</i> , fresh seeds of this kind are expected in July or August every year and orders accepted for delivery at the above time 100 seeds 9/— 1000 „ 80/—	— —	— —	„ <i>Goveniana</i> . . . . .	— 4	2 9
„ <i>Cunninghami</i> . . . . .	— —	— —	„ <i>Lambertiana</i> ( <i>macrocarpa</i> ) . . . . .	— 3	2 3
„ <i>excelsa</i> . . . 100 seed 3/6 1000 „ 28/—	— —	— —	„ <i>Lawsoniana</i> , see <i>Chamaecyparis</i> . . . . .	— —	— 7
„ <i>imbricata</i> . . . 100 seed 3/9 1000 „ 29/—	— —	— —	„ <i>sempervirens</i> ( <i>horizontalis</i> ) . . . . .	— —	— 7
the seeds of several kinds of <i>Araucaria</i> are not always sure to come in and often they arrive in bad condition; we therefore do not quote prices, but shall make special offers in every single case.			„ „ <i>pyramidalis</i> ( <i>fastigiata</i> ) . . . . .	— —	— 7
<i>Arbor Vitae</i> , see <i>Biota</i> and <i>Thuja</i> .			„ <i>torulosa</i> . . . . .	— 3	2 5
<i>Biota orientalis</i> ( <i>Thuja</i> ) . . . . .	— —	— 9	<i>Ginkgo biloba</i> ( <i>Salisburia adianthifolia</i> ) . . . . .	— —	— 8
„ „ <i>aurea</i> . . . . .	— —	1 4	<i>Juniperus Bermudiana</i> . . . . .	— 5	4 2
„ „ <i>compacta</i> . . . . .	— —	1 5	„ <i>chinensis</i> ( <i>dioica</i> ) . . . . .	— —	1 6
„ „ <i>elegantissima</i> . . . . .	— 4	3 2	„ <i>communis</i> . . . . .	— —	— 3
„ „ <i>pyramidalis</i> . . . . .	— —	1 7	„ <i>excelsa</i> . . . . .	— —	1 8
<i>Callitris quadrivalvis</i> ( <i>Thuja articulata</i> ) . . . . .	— 11	— —	„ <i>japonica</i> . . . . .	— —	1 5
<i>Casuarina equisetifolia</i> . . . . .	1 —	— —	„ <i>macrocarpa</i> . . . . .	— —	— 6
„ <i>quadrivalvis</i> . . . . .	— 10	— —	„ <i>Sabina</i> . . . . .	— —	1 —
„ <i>tenuissima</i> . . . . .	— 6	5 3	„ <i>virginiana</i> (Red Cedar) . . . . .	— —	— 7
<i>Cedrus atlantica</i> ( <i>argentea</i> ) clean seed . . . . .	— 4	4 —	„ „ <i>pyramidalis</i> . . . . .	— —	1 4
„ <i>Deodara</i> . . . . .	— 4	3 6	<i>Larix europaea</i> ( <i>Larch</i> ) (variable) . . . . .	— —	1 5
„ <i>Libani</i> , clean seed ( <i>Cedar of Libanon</i> ) . . . . .	— 4	3 6	<i>Libocedrus chilensis</i> . . . 1/8 oz 3/6	22 —	— —
<i>Chamaecyparis Lawsoniana</i> ( <i>Cupressus</i> ) . . . . .	— —	1 3	„ <i>decurrens</i> ( <i>Thuja gigantea Craigiana</i> ) . . . . .	— 3	2 —
„ „ <i>argentea</i> . . . . .	— 5	3 8	<i>Picea excelsa</i> ( <i>Pinus Picea</i> ) Norway Spruce . . . . .	— —	1 2
„ „ <i>aurea</i> . . . . .	— 6	— —	„ <i>Morinda</i> ( <i>Khutrow</i> , <i>Smithiana</i> ) . . . . .	— 8	1 10
„ „ <i>glauca</i> . . . . .	— 7	— —	„ <i>orientalis</i> , ( <i>Oriental Spruce</i> ) . . . . .	1 2	— —
„ <i>nutkaensis</i> ( <i>Thujopsis borealis</i> ) . . . . .	2 5	— —	„ <i>pungens</i> . . . . .	1 2	— —
			„ <i>sitchensis</i> ( <i>Menziesi</i> ) . . . . .	1 4	— —
			<i>Pinus australis</i> ( <i>palustris</i> -Pitch Pine) . . . . .	1 2	— —
			„ <i>austriaca</i> , see <i>P. Laricio austriaca</i> . . . . .	— 4	3 —
			„ <i>canariensis</i> . . . . .	— —	— 6
			„ <i>Cembra</i> , Swiss Stone Pine, variable . . . . .	— 11	11 —
			„ <i>Coulteri</i> . . . . .	— 11	11 —

	per oz s. d.	per lb. s. d.		per oz s. d.	per lb. s. d.
Pinus densiflora . . . . .	— 6	6 —	Pinus silvestris, Scotch Fir (variable) . . . . .	— 3	2 3
„ excelsa, Nepaul Weymouth Pine . . . . .	— 4	3 9	„ sitchensis, see Picea . . . . .	—	—
„ halepensis . . . . . cwt. 105/—	— —	1 3	„ Strobis, Weymouth Pine (variable) . . . . .	— 5	3 8
„ insignis . . . . .	— 7	8 5	„ Torreyana . . . . .	9	—
„ Lambertiana . . . . .	— 8	8 —	Pseudotsuga Douglasii . . . . .	— 9	9 10
„ Laricio, Corsican Pine . . . . .	— 3	1 9	Salisburia, see Gingko . . . . .	—	—
„ „ austriaca, black Austrian Fir . . . . .	— 2	1 9	Sciadopitys verticillata . . . . .	1 —	— —
„ longifolia . . . . .	— 10	11 6	Sequoia sempervirens (Taxodium) . . . . .	3	2 —
„ muricata . . . . .	1 5	— —	Taxodium distichum, clean seed . . . . .	—	1 —
„ Nordmanniana, see Abies . . . . .	—	—	„ mucronatum . . . . .	— 3	2 6
„ Picea, Norway Spruce, see Picea excelsa . . . . .	—	—	Taxus baccata (Yew) clean seed . . . . .	—	1 9
„ Pinaster (maritima) . cwt. 52/—	— —	— 7	„ „ fastigiata (hibernica) . . . . .	— 4	3 2
„ Pinea, Italian Stone Pine (variable) . . . . .	— —	— 5	Thuja gigantea (Lobbii) . . . . .	9	8 —
„ „ cwt. 34/6	— —	— 5	„ occidentalis . . . . .	— 4	3 9
„ „ fragilis (variable) „ 38/—	— —	— 6	„ „ Warreana . . . . .	8	8 —
„ ponderosa (P. Benthiana), . . . . .	—	—	Thujopsis dolabrata . . . . .	3 6	—
„ yellow . . . . .	— 8	8 2	Torreya californica . . . . .	— 6	5 6
„ rigida . . . . .	— 8	11 9	„ nucifera . . . . .	— 6	5 6
„ Sabiniana . . . . .	— 4	3 4	Tsuga canadensis, Hemlock Spruce . . . . .	— 10	9 10
			Wellingtonia gigantea . . . . .	1 3	18 —

## X. Palm Seeds.

We receive these seeds from all parts of the world and of course at very different times of the year; we shall therefore thank our correspondents if they will give us their orders as soon as they receive this list. The seeds will then be shipped as soon as they arrive in good condition and our patrons are sure to receive only fresh seeds. We send out but such and decline any other guarantee and responsibility.

	100 seeds s. d.	1000 seeds s. d.		100 seeds s. d.	1000 seeds s. d.
Areca Baueri, fresh seeds in April . . . . .	1 9	12 —	Cocos Romanzoffiana, splendid for greenhouse and rooms . . . . .	1 4	10 —
„ lutescens (Hyophorbe indica) . . . . .	2 5	20 —	„ Weddeliana (Glaziova Martiana) . . . . .	3 3	26 —
„ rubra . . . . .	2 1	16 6	„ Yatay, the true kind for the greenhouse . . . . .	2 10	25 9
„ sapida . . . . .	1 3	10 —	Corypha australis (Livistona) . . . . .	— 11	6 6
„ Verschaffeltii (Hyophorbe) . . . . .	2 8	20 —	Cycas revoluta . . . . .	8 6	— —
Brahea dulcis (Corypha frigida) . . . . .	3 3	28 —	Daemonorops grandis . . . . .	2 6	20 —
„ edulis (Erythea edulis) . . . . .	6 —	56 —	Elaeis guineensis . . . . .	3 —	— —
„ Roelzii (Erythea armata), „Blue-palm“ . . . . .	5 6	48 —	Euterpe edulis . . . . .	3 —	24 —
Caryota urens . . . . .	1 9	15 —	Geonome elegans . . . . .	3 —	25 6
Chamaerops excelsa . . . . . lb. —/5	— —	— —	„ gracilis . . . . .	2 9	24 —
„ „ Fortuneii „ . . . . . —/8	— —	— —	Glaziova insignis . . . . .	3 9	32 —
„ Histrix . . . . .	1 3	10 —	Jubaea spectabilis . . . . .	3 3	28 —
„ humilis mixed . . . . . lb. —/4	— —	— —	Kentia Belmoreana (Griesebachia) . . . . .	1 9	13 —
„ „ argentea „ . . . . . —/7	— —	— —	„ Canterburyana (Hedyscepe) . . . . .	3 9	34 —
„ „ „ tomentosa „ . . . . . 1/—	— —	— —	„ Forsteriana (Griesebachia) . . . . .	1 9	13 —
„ „ elegans „ . . . . . —/10	— —	— —	Latania aurea (Verschaffeltii) . . . . .	4 3	36 —
„ „ gracilis . . . . . —/10	— —	— —	„ „ borbonica (Livistona sinensis) . . . . .	—	—
„ „ macrocarpa „ . . . . . —/10	— —	— —	„ „ lb. —/7; cwt. 36/	—	—
Chamaedorea elegans . . . . .	1 9	15 —	„ „ Seeds raised in Africa . . . . .	—	—
„ Ernesti Augusti . . . . .	1 9	15 —	„ „ lb. —/9; cwt. 61/—	—	—
Cocos australis . . . . .	1 —	8 —	„ Commersonii (rubra) . . . . .	4 —	32 —
„ Bonettii (Diplothemium campestre) . . . . .	1 5	12 3	„ Loddigesii (glaucophylla) . . . . .	4 —	32 —
„ campestris . . . . .	1 5	12 3	Livistona altissima . . . . .	1 9	11 6
„ flexuosa . . . . .	1 4	10 —	„ „ Mariae, splendid, leaves red, quite hardy . . . . .	10	82 —
„ plumosa . . . . .	1 4	10 —			

	100 seeds s. d.	1000 seeds s. d.		100 seeds s. d.	1000 seeds s. d.
Livistona olivaeformis . . . . .	1 9	14 6	Phoenix rupicola . . . . .	1 2	9 —
„ rotundifolia . . . . .	3 4	25 —	„ silvestris . . . . .	— 11	7 —
Oreodoxa regia, a splendid kind . . . . .	1 5	12 —	„ tenuis . . . . .	— 8	3 9
Pandanus odoratissimus . . . . .	7 3	— —	Sabal Adansonii . . . . .	— —	2 2
„ utilis . . . . .	1 10	13 —	„ Blackburniana (umbraculifera) . . . . .	1 —	8 —
Phoenicophorium sechellarum . . . . .	2 6	22 6	„ Palmetto . . . . .	— 8	4 —
Phoenix acaulis . . . . .	2 10	— —	Seaforthia (Ptychosperma) elegans . . . . .	1 3	9 9
„ canariensis 10000seeds22/—	— 6	2 10	„ Alexandrae . . . . .	2 6	20 —
„ cycadifolia . . . . .	1 3	9 9	Thrinax argentea . . . . .	1 3	9 9
„ dactylifera . . . . . lb. 1/3	— —	— —	„ elegantissima . . . . .	1 4	11 3
„ farinifera . . . . .	1 3	9 9	Versaffeltia splendida . . . . .	5 —	44 —
„ leonensis . . . . .	— 9	5 —	Washingtonia filifera (Pritchardia) . . . . .	— 5	2 2
„ reclinata . . . . .	— 8	5 —	„ robusta H. W., true . . . . .	— 9	4 10

## XI. Annual, Perennial, Climbing, Hot- and Green-House Plants.

Explanations of the signs used:

⊙ = annual || 4 = perennial || § = climber || g = greenhouse || h = hothouse (stove).

	per oz s. d.	per lb. s. d.		per oz s. d.	per lb. s. d.
§ Abobra viridiflora . . . . .	— 8	9 3	4 Agathaea coelestris (amelloides) . . . . .	1 7	— —
⊙ Abronia arenaria . . . . .	— 6	6 —	g Agave americana . . . . .	— 10	— —
„ umbellata . . . . .	— 5	5 —	„ „ fol. var. 1000seeds 1/8	— —	— —
§ Abrus praeatorius . . . . .	— 5	4 5	„ Salmiana . . . . . 1000 „ 1/3	— —	— —
g Abutilon Boule de neige (Snowball)			„ Victoriae Reginae 100 „ —/10	— —	— —
100 seeds — 8	— —	— —	„ Witakeri . . . . . 1000 seeds 1/3	— —	— —
1000 „ 5/9	— —	— —	⊙ Ageratum Lasseauxi, rose . . . . .	— 6	5 6
„ new hybrids mixed 1/8 oz —/11	6 —	— —	„ mexicanum coeruleum . . . . .	— 2	1 9
g Acacia arabica . . . . .	— 6	4 10	„ „ album . . . . .	— 2	1 9
„ armata . . . . .	— 6	4 10	„ „ grandiflorum album . . . . .	— 7	7 3
„ cyanophylla . . . . .	— 3	2 —	„ „ Imperial dwarf, dark blue . . . . .	— 3	2 10
„ cyclopis . . . . .	— 4	3 9	„ „ „ „ white . . . . .	— 3	3 3
„ dealbata . . . . .	— 4	3 —	„ „ nanum album . . . . .	— 2	2 6
„ decurrens . . . . .	— 6	4 10	„ „ „ coeruleum . . . . .	— 2	2 5
„ Farnesiana . . . . .	— —	— 10	„ „ „ Swanley blue . . . . .	— 3	3 3
„ floribunda . . . . .	— 4	3 6	„ „ „ Little Dorrit, blue . . . . .	— 3	3 3
„ Julibrissin . . . . .	— —	— 7	„ „ „ „ white . . . . .	— 6	5 6
„ leiophylla . . . . .	— 5	4 —	„ „ „ Princ. Vict. Louise . . . . .	— 11	12 9
„ longifolia . . . . .	— —	1 —	„ „ „ Forget me not . . . . .	— 3	3 9
„ lophantha . . . . .	— —	1 —	„ „ „ „ „ fl. albo,		
„ „ speciosa . . . . .	— —	1 7	new, Dam. 1901, pure white . . . . .	— 7	— —
„ Nemu . . . . .	— 4	3 9	„ Wendlandii . . . . .		
„ pycnantha . . . . .	— 3	2 3	„ „ nanum compactum, blue . . . . .	— 5	5 —
„ semperflorens . . . . .	— 3	1 6	„ „ „ „ white . . . . .	— 5	5 —
„ suaveolens . . . . .	— 3	1 7	⊙ Agrostemma coeli rosa . . . . .	— —	1 5
„ in great variety mixed . . . . .	— —	2 —	„ coronaria, red . . . . .	— —	1 9
4 Acanthus latifolius . . . . .	— —	1 4	„ „ „ white . . . . .	— —	1 9
„ mollis . . . . .	— —	1 4	Alkekengi, see Physalis.		
4 Achillea Ptarmica fl. pl. . . . .	2 9	— —	⊙ Alonsoa linifolia . . . . .	— 4	3 5
h Achimenes, finest mixed 1000seeds 6/—	— —	— —	„ Warscewiczii . . . . .	— 5	4 —
⊙ Acroclinium roseum grandiflorum . . . . .	— 3	2 —	4 Aloysia citriodora . . . . .	— 10	— —
⊙ „ „ grandiflor. album . . . . .	— 3	2 —	g Alsophila australis, tree-fern 1/8 oz —/9	5 —	— —
„ „ fl. pl., double pink . . . . .	— 3	2 6	4 Althaea rosea fl. pl. (Hollyhocks)		
„ „ fl. albo pl. „ white . . . . .	— 3	2 6	English var. best mixed . . . . .	— 9	8 10
⊙ Adonis aestivalis . . . . .	— —	1 —	4 „ rosea fl. pl. Chaters strain,		
„ autumnalis . . . . .	— —	1 —	choice mixed . . . . .	1 3	17 5

	per oz. s. d.	per lb. s. d.		per oz. s. d.	per lb. s. d.
⊙ <i>Alyssum Benthami</i> . . . . .	— 2	2 6	4 <i>Aquilegia stellata rosea plena</i> . . . . .	— 5	— —
⊙ " " <i>grandiflorum compactum</i> . . . . .	— 4	4 5	" " <i>rubra plena</i> . . . . .	— 5	— —
4 " " <i>saxatile</i> . . . . .	— 4	3 10	" <i>vulgaris mixed</i> . . . . .	— 2	1 10
⊙ <i>Amaranthus atropurpureus</i> . . . . .	— —	— 4	" " <i>fl. pl. double mixed</i> . . . . .	— 2	2 —
" <i>bicolor</i> . . . . .	— —	1 2	g <i>Aralia Lyalli</i> . . . . . 100 seeds 3/3	— —	— —
" " <i>ruber</i> . . . . .	— —	1 5	" <i>papyrifera</i> . . . . .	1 4	— —
" <i>caudatus</i> . . . . .	— —	— 4	" <i>Sieboldi</i> , clean seeds ready in April; orders booked now . . . . .	1 8	23 —
" <i>Dussii</i> Dam. 1890 . . . . .	— —	— 7	§ <i>Ampelopsis quinquefolia</i> , berries . . . . .	— —	1 3
" <i>Henderi</i> . . . . .	— 3	3 —	g <i>Arctostaphylos glauca</i> . . . . .	— 8	9 1
" <i>hybridus Princess of Wales</i> . . . . .	— 3	3 —	⊙ <i>Arctotis breviscapa</i> . . . . .	1 3	— —
" " <i>Queen Victoria</i> . . . . .	— 3	2 7	" <i>grandis</i> , new . . . . .	— 8	8 —
" <i>Margaritae</i> , splendid . . . . .	— —	— 4	g <i>Ardisia crenulata</i> . . . . .	6 9	— —
" <i>monstrosus</i> (Giant Prince's feather) . . . . .	— —	— 6	⊙ <i>Argemone grandiflora</i> . . . . .	— 3	2 3
" <i>melancholicus</i> . . . . .	— —	1 2	" <i>Hunneimanni</i> . . . . .	— 3	1 9
" <i>nobilis pyramidalis</i> . . . . .	— —	1 3	" <i>mexicana (speciosa)</i> . . . . .	— 3	2 3
" <i>quadricolor</i> , Dam. 1898 new; the leaves at the end of the stalks are bright and dark green, dark crimson and yellow producing a most wonderful effect . . . . .	— 3	3 —	" <i>platyceras</i> . . . . .	— 2	1 10
⊙ <i>Amaranthus salicifolius</i> . . . . .	— 6	5 —	<i>Argyranthemum</i> , see <i>Chrysanthemum</i> .	— —	— —
" <i>sanguineus</i> . . . . .	— —	— 5	§ <i>Aristolochia elegans</i> . . . . .	1 3	— —
" <i>superbus (coleifolius)</i> Dam. . . . .	— 2	1 1	4 <i>Armeria cephalotes</i> . . . . .	— 4	3 —
" <i>tricolor</i> . . . . .	— 2	1 6	" <i>formosa</i> . . . . .	— 4	2 9
" " <i>giganteus</i> . . . . .	— 2	1 10	" <i>Laucheana</i> . . . . .	— 3	2 3
" " <i>magnificus</i> . . . . .	— 2	2 3	⊙ <i>Arnebia cornuta</i> . . . . . 1/8 oz —/7	3 8	— —
⊙ <i>Ammobium alatum</i> . . . . .	— 2	1 3	4 <i>Arnica montana</i> . . . . .	— 4	3 9
" " <i>grandiflorum</i> . . . . .	— 2	1 8	4 <i>Artemisia argentea</i> . . . . .	— 3	3 4
⊙ <i>Anagallis grandiflora carnea</i> . . . . .	— 8	— —	⊙ " <i>gracilis</i> . . . . .	— —	1 —
" " <i>coccinea</i> . . . . .	— 8	— —	g <i>Arum sanctum</i> . . . . .	— 9	7 3
" " <i>coerulea</i> . . . . .	— 8	9 5	⊙ <i>Asclepias curassavica atrosanguinea</i> . . . . .	— 3	3 —
" " <i>lilacea</i> . . . . .	— 8	9 5	" <i>incarnata</i> . . . . .	— 8	7 4
" " <i>Napoleon III.</i> . . . . .	— 8	9 5	" <i>tuberosa</i> . . . . .	1 7	— —
" " <i>mixed</i> . . . . .	— 8	7 5	4 <i>Asparagus acutifolius</i> . . . . .	— 2	1 6
4 <i>Anchusa affinis</i> . . . . .	1 10	— —	" <i>decumbens</i> , a splendid kind for suspending baskets, highly decorative 100 seeds 1/8	— —	— —
" <i>capensis</i> . . . . .	— 3	2 8	1000 " 12/—	— —	— —
Angel's Trumpet, see <i>Datura</i> .			g " <i>plumosus</i> 1000 " 22/6	— —	— —
⊙ <i>Anthemis Cupaniana</i> . . . . .	— 9	— —	" " <i>nanus</i> 1000 " 25/—	— —	— —
" <i>Kelwayi</i> . . . . .	— 11	— —	4 " " <i>superbus</i> , a highly decorative climber, the branches of which furnish a most splendid material for bouquets and any kind of decorations. 100 seeds 6/—; 1000 seeds 48/—	— —	— —
½ <i>Anthurium Scherzerianum</i> . . . . .	— —	— —	g <i>Asparagus Sprengeri</i> Dam. . . . .	— 10	10 —
100 seeds 2/—	— —	— —	1 <i>♂</i> contains about 8000 or more seeds. Special prices for larger quantities on application.		
§g <i>Antigonum leptopus</i> . . . . .	— 8	8 9	<i>Asparagus trichophyllus</i> . . . . .	— 8	— —
⊙ <i>Antirrhinum majus</i> (Snapdragon) finest mixed . . . . .	— 3	3 2	⊙ <i>Asperula azurea setosa</i> . . . . .	— —	7
" " <i>nanum mixed</i> . . . . .	— 4	4 —	4 <i>Aster alpinus</i> . . . . .	— —	— —
" " <i>grandiflorum mixed</i> . . . . .	— 5	4 6	4 " the best perennial sorts mixed	1 3	— —
⊙ " " <i>Tom Thumb mixed</i> . . . . .	— 6	6 6			
<i>Aphanostephus arkansanus</i> , new Dam. 1901 . . . . .	4 —	— —	⊙ <b>Aster sinensis fl. pl. Asters.</b>		
4 <i>Aquilegia</i> ( <i>Columbine</i> ) <i>alpina</i> . . . . .	— 5	— —	We warrant our Asters not to be in any way inferior to the finest German strains and our patrons may fully rely upon receiving only choicest qualities. The growing of the best Asters is one of our most important specialties.		
" <i>californica</i> . . . . .	— 6	— —			
" <i>chrysantha</i> . . . . .	— 11	— —			
" <i>coerulea</i> . . . . .	— 1 6	— —			
" <i>haylodgensis (coerulea hybr.)</i> . . . . .	— 1 4	— —			
" <i>olympica</i> . . . . .	— 6	— —			
" <i>Skinneri hybr. fl. pl.</i> . . . . .	— 9	— —			

	per oz s. d.	per lb. s. d.		per oz s. d.	per lb. s. d.
<b>1. Tall Section.</b>					
American Bush, late flowering, very large flowers, best mixed . . . . .	— 8	8 —	Ostrich-Feather, carmine, light blue, lilla, rose, pure white, white changing into rose each separate . . . . .	1 —	— —
Reid's improved globe (Betteridge's Prize)			mixed . . . . .	— 9	11 —
sulphur yellow . . . . .	— 9	10 3	Schiller, mixed . . . . .	— 6	6 6
mixed . . . . .	— 7	7 3	St. John's Day, pure white, very early flowering . . . . .	1 10	— —
Tall Chrysanthemum, mixed . . . . .	— 9	9 —	Surprise, Sunlight, new; flowers large, bright yellow, keeping very well . . . . .	1 4	— —
Goliath, mixed . . . . .	— 7	6 9	Victoria,		
Harlequin, mixed . . . . .	— 10	9 2	1. Crimson,           5. Crimson-rose,		
Hohenzollern, new; very richflowering, pure white, bright rose, each separate . . . . .	1 —	— —	2. Dark blue,       6. Light blue,		
Jewel-or Ball, mixed . . . . .	— 11	12 9	3. Bright scarlet,   7. Peach blossom,		
Globe-flowered pyramidal, mixed . . . . .	— 9	9 —	4. White,		
Ladies, with narrow leaves and well-shaped flowers, resembling those of the Comet Asters; a very distinct class: mixed . . . . .	1 —	12 —	each separate . . . . .	1 3	18 —
Paeony Perfection,			mixed . . . . .	1 —	14 6
1. crimson,           4. bright scarlet,			Semi-tall varieties mixed . . . . .	— 8	9 3
2. light blue,       5. dark blue,			<b>3. Dwarf Section.</b>		
3. pure white,       6. bright rose,			Dwarf, mixed . . . . .	— 8	9 3
each separate . . . . .	— 11	12 9	" pyramidal, mixed . . . . .	1 2	12 9
mixed . . . . .	— 9	9 —	" Bouquet pyramidal (Boltze's) mixed . . . . .	1 2	12 9
Washington, mixed . . . . .	— 10	9 —	Dwarf Comet Perfection		
Imbriquée Pompon, mixed . . . . .	— 11	10 10	pure white . . . . .	1 6	— —
Cocardeau or Crown, mixed . . . . .	— 8	8 —	rose . . . . .	1 6	— —
" imbriquée Pompon (Pompon Crown) mixed . . . . .	— 8	8 —	⊙ Dwarf Giant Comet Snow-white.		
Giant Comet, crimson, lilac rose, rose, incarnate, Peachblossom, snow white, sulphur yellow, blue, each separate . . . . .	1 2	15 3	While all the Giant Comet Asters hitherto offered are of tall habit, we herewith introduce an absolutely dwarf form hardly 16 inches high, the flowers of which are quite as large again as those of the original kind. They are of a dazzling white, very double and of a perfect shape. The effect produced by such a dwarf plant with so large flowers is a striking one . . . . .	1 6	— —
Giant Comet, mixed . . . . .	1 —	13 9	Shakespeare, mixed . . . . .	1 2	14 10
Surprise, rose chamois . . . . .	2 3	— —	Improved dwarf Bouquet pyramidal, mixed . . . . .	1 5	17 5
White of Boston, splendid for cutting . . . . .	— 11	12 9	Dwarf Chrysanthemum, large-flowered		
Asters tall varieties, mixed . . . . .	— 8	7 4	1. Carmine,           4. Purple,		
<b>2. Semi-tall Section.</b>					
Comet, carmine, lilac, light blue, dark blue, rose, bright rose, rosy carmine, snow white, white with lilac, white with rose, each separate . . . . .	1 1	14 9	2. Dark blue,       5. Snow-white,		
Comet, mixed . . . . .	— 11	12 9	3. Bright scarlet,   6. Brick red,		
Christmas-Tree, a curious very rich flowering kind of pyramidal habit, with almost horizontal branches . . . . .	1 3	— —	each separate . . . . .	1 7	21 6
Quilled, mixed . . . . .	— 4	3 9	mixed . . . . .	1 3	16 5
Queen of the Halls, mixed . . . . .	— 5	5 3	Dwarf New Paeony mixed . . . . .	— 11	12 9
" " " white . . . . .	2 3	— —	" Victoria, mixed . . . . .	1 2	12 9
Globe-flowered, mixed . . . . .	— 4	4 6	" Crown or Cocardeau, mixed . . . . .	1 6	19 9
Paeony-flowered Globe, mixed . . . . .	— 8	9 6	Triumph, carmin, Dark red, Dark scarlet, Dark scarlet with white, Dark-lilac, Rose with white, White		
Rose, large-flowered, mixed . . . . .	— 8	8 —	each separate . . . . .	1 9	— —
Liliput, mixed . . . . .	— 8	8 —	mixed . . . . .	1 6	19 9
Meteor, mixed . . . . .	— 10	11 —	Non plus ultra, with very large flowers, mixed Dwarf varieties, mixed . . . . .	1 2	18 —
Mignon, carmine, darkblue, light blue, lilac-purple, lilac, pure white, lilac-rose, scarlet, pure white early flowering			Aster, chinese, single, late-flowering varieties mixed . . . . .	— 6	6 3
each separate . . . . .	— 11	12 —			
mixed . . . . .	— 8	9 6			



	per oz s. d.	per lb. s. d.
Auriculas, see Primula Auricula.		
g Azalea indica fine mixed . . . . .	6 4	— —
"    "    new best varieties mixed	7 11	— —
Bachelor's Button, see Centaurea Cyanus.		
Balm, see Dracocephalum.		
Balsam Apple, see Momordica.		
Balsams double, see Impatiens Balsamina.		
Balloon-vine, see Cardiospermum.		
g Bambusa spinosa . . . . .	2 —	— —
⊙ Bartonia aurea . . . . .	— 3	2 5
h Bear Grass, see Yucca.		
h Begonia hybrida gigantea,		
carmine	7 —	13 —
"    "    "    rose	6 2	11 6
"    "    "    scarlet	6 2	11 8
"    "    "    white	7 —	13 —
"    "    "    yellow	6 2	11 6
"    "    "    finest		
"    "    "    mixed	4 5	8 7
"    "    "    mixed . . .	2 9	5 —
"    "    double-flowered, splendid	per 1/32 oz s. d.	
varieties mixed . . .	15 6	29 —
h Begonia Rex, mixed varieties		
100 seeds —/6 1000 seeds 2/10	— —	— —
h Begonia semperflorens, white . . . . .		1 6
"    "    atropurpurea (Vernon)	1 —	7 3
"    "    rosea . . . . .	— 5	2 9
Bellflower, see Campanula.		
2 Bellis perennis fl. pl. (Daisies) double		
fine mixed . . . . .	1 8	23 6
"    "    "    double white . . . . .	2 3	— —
"    "    "    Longfellow, rose,		
"    "    "    large-flowered . . . . .	2 3	— —
"    "    "    Snowball . . . . .	2 3	— —
Belvidere (Summer Cypress), see Kochia scoparia.		
§ Bignonia Tweediana . . . . .	— —	1 3
h Bixa Orellana . . . . .	2 9	— —
Blanket flower, see Gaillardia.		
Blue Bottle, see Centaurea Cyanus.		
2 Bocconia cordata (japonica) (Macleya cordata) . . . . .	— —	2 10
2§ Boussingaultia baselloides		
1/8 oz —/11	5 10	— —
h Bouvardia Jacquinii 1000 seeds 3/3	— —	— —
"    longiflora . 1000 " 2/3	— —	— —
"    splendens . 1000 " 3/—	— —	— —
Brachychiton populneum . . . . .	— 4	3 —
"    acerifolius . . . . .	— 5	— —
⊙ Brachycome iberidifolia (Swan River Daisy) . . . . .	— 9	10 3

	per oz s. d.	per lb. s. d.
⊙ Browallia Czerwiakowsky . . . . .	— 8	— —
"    "    elata fl. albo . . . . .	— 8	— —
"    "    "    coerulea . . . . .	— 7	— —
"    "    "    purpurea . . . . .	— 10	— —
"    "    "    grandiflora . . . . .	— 8	— —
"    "    "    alba . . . . .	— 7	— —
"    "    "    Roezli . . . . .	6 10	— —
"    "    "    speciosa major, new, darkblue		
1/8 oz 1/10; 1/16 oz 1/—; 1/32 oz —/8	12	— —
4§ Bryonia alba . . . . .	— 3	2 3
⊙§ Bryonopsis laciniosa erythrocarpa .	— 4	2 9
⊙ Cacalia coccinea (Tassel Flower)	— 4	3 —
"    "    "    lutea . . . . .	— 4	3 2
⊙§ Cajophora lateritia (Loasa) . . . . .	— 6	5 6
h Caladium bulbosum, newest variegated-leaved mixed. 100 seeds 1/8	— —	— —
Calampelis, see Eccremocarpus.		
⊙ Calandrinia speciosa . . . . .	— —	— 10
"    umbellata (setosa) . . . . .	— 8	— —
g Calceolaria hybrida		
self coloured, large		
flowered mixed . . . . .	2 8	4 10
self coloured dwarf . . . . .	2 8	4 10
spotted or tigred mixed . . . . .	3 6	6 —
spotted or tigred large		
flowered dwarf . . . . .	4 —	7 9
painted or margined		
mixed . . . . .	3 —	5 3
painted or margined		
dwarf mixed . . . . .	3 —	5 3
⊙ Calendula hybrida . . . . .	— —	— 11
"    "    "    officinalis, single Pot Marigold .	— —	— 10
"    "    "    "    fl. pl. single double Pot Marigold . . . . .	— —	— 11
"    "    "    "    Meteor, striped . . . . .	— —	— 11
"    "    "    "    Orange King . . . . .	— —	1 2
"    "    "    "    Prince of Orange . . . . .	— —	— 10
"    "    "    "    sulphurea . . . . .	— —	— 8
"    "    "    "    Trianon (Royal Marigold) . . . . .	— —	1 —
"    "    "    "    pluvialis . . . . .	— —	— 10
"    "    "    "    Pongei fl. pl. . . . .	— 2	— —
Californian Poppy, see Eschscholtzia.		
g Calla aethiopica . . . . .	— 7	7 4
"    "    "    candidissima . . . . .	— 10	11 —
"    "    "    compacta . . . . .	— 10	— —
"    "    "    gigantea . . . . .	1 3	— —
⊙ Calliopsis bicolor (tinctoria) . . . . .	— —	1 —
"    "    "    atrosanguinea . . . . .	— —	1 —
"    "    "    semiplena . . . . .	— —	1 6
"    "    "    cardaminifolia atrosanguinea . . . . .	— —	1 —
"    "    "    "    bicolor . . . . .	— —	1 —
"    "    "    "    coronata . . . . .	— 3	2 —

	per oz. s. d.	per lb. s. d.		per oz. s. d.	per lb. s. d.
Calliopsis coronata maxima . . .	3	2	4 Caryopteris mastacanthus, new, blue	1	—
" Drummondii (Golden Wave)	—	1 2	" " candidus, white . . .	1 5	—
⊙ Callirrhoe lineariloba . . . . .	5	4 5	h Cassia floribunda . . . . .	6	5 6
" pedata . . . . .	3	3 5	Castor Oil Plant, see Ricinus.		
" " compacta . . . . .	5	4 9	Casuarina, see Conifers.		
" verticillata . . . . .	6	—	4 Catananche coerulea bicolor . . .	3	—
⊙§ Calonyction speciosum (Ipomoea speciosa) yellow flowering . . . . .	3	2 9	h Cedrela chinensis . . . . .	7	7 4
g Camellia japonica, mixed			" odorata . . . . .	4	—
1000 seeds 3/3	—	—			
" " double, mixed			<b>Cocks comb (Celosia cristata).</b>		
1000 seeds 3/9			Celosia cristata, finest mixed . . . .	2	2 2
4 Campanula dichotoma, blue . . . . .	4	3 7	" " nana alba . . . . .	7	7 9
" " white . . . . .	6	—	" " " atropurpurea . . . . .	8	8 2
4 " fragilis . . . . .	2 2	—	⊙ " " " aurea . . . . .	7	7 5
⊙ " Loreyi . . . . .	5	4 5	" " " Empress . . . . .	9	8 10
" " fl. albo . . . . .	5	4 5	" " " fire red . . . . .	8	8 3
⊙ " macrostyla . . . . .	1 4	—	" " " coppery chamois . . . . .	7	7 9
" " rosaeflora . . . . .	1 4	—	" " " lutea . . . . .	7	7 5
4 " Medium fl. albo (Canterbury Bells) . . . . .	4	2 8	" " " kermesina (Glas- gow Prize, President Thiers)	1 2	12 9
Campanula Medium fl. albo pleno	1 4	—	Celosia cristata nana Queen of Dwarfs, crimson . . . . .	9	—
" " calycanthema . . . . .	11	—	Celosia cristata nana, Dam. 1898 "Ruby". The plant grows about 12 inches high producing flowers of a perfect shape and of quite a peculiar most lovely crimson color displaying still more its charm under the sunlight. The stalks also are almost of the same color and the leaves are of a brownish red, giving the plant a most lovely appearance; quite a wonderful kind . . . . .	7	7 6
" " " fl. albo . . . . .	1 3	—	Celosia cristata nana roseus . . . .	9	9 5
" " fl. coeruleo . . . . .	3	2 3	" " " Vesuvius . . . . .	7	7 3
" " fl. " pleno . . . . .	9	—	" " " violacea . . . . .	7	6 8
" " single, mixed . . . . .	—	2 6	" " " finest mixed . . . . .	7	6 8
" " fl. pleno, mixed . . . . .	9	—	" " " Huttoni . . . . .	1 9	—
4 " pyramidalis . . . . .	6	—	" japonica . . . . .	—	1 4
" " alba . . . . .	7	—	" pyramidalis aurea . . . . .	—	1 —
⊙ " Speculum, blue . . . . .	3	1 10	" " coccinea . . . . .	—	1 5
" " white . . . . .	3	2	" " mixed . . . . .	—	1 —
Canary Creeper, see Tropaeolum canariense.			⊙ " " monstrosa, Dam. 1898. Its bushy habit is like that of the C. pyramidalis while the flowers and specially those of the main stems are more like those of the C. cristata. They are dark red, the leaves dark green spotted more or less with dark red. The plant grows most vigorously to about 4 feet in height which makes it invaluable for large groups . . . . .	—	1 11
Candytuft, see Iberis.			⊙ Celosia pyr. nana Thompsoni (Triom- phe de l'exposition)	4	2 3
Canna-Seeds, see page 55.			" " " mixed . . . . .	—	1 2
Canna-Roots, see page 57.			" " plumosa aurea . . . . .	2	1 10
⊙ Cannabis gigantea, Giant Hemp . . . . .	—	8	" " " coccinea . . . . .	2	1 10
Canterbury-Bell, see Campanula.					
Cape Forget-me-not, see Anchusa.					
" Hyacinth, see Hyacinthus candicans.					
Capsicum, see Vegetable seeds.					
" annum nigrum, with black Stems and very dark, almost black foliage; the fruits also are black, a very fine deco- rative plant . . . . .	3	3			
⊙§ Cardiospermum halicacabum (Balloon Vine) . . . . .	3	—			
4 " hirsutum, large clusters of white pending sweet-scented flowers and triangular fruits . . . . .	5	4 3			
" velutinum, new, splendid . . . . .	5	—			
⊙ Carduus Marianus (Silybum) . . . . .	—	4			
Carnation, see Dianthus Caryo- phyllus.					
g Carpodetus serratus . . . . .	2 1	—			

	per oz s. d.	per lb. s. d.
⊙ Celosia pyr. plumosa Preziosa . . .	— 3	2 10
"   "   " ostrich-feathered, orange-crimson; an absolutely distinct and fine sort . . .	— 3	3 9
"   "   " nana finest mixed . . .	— 3	1 10
"   "   " Thompsoni magnifica, new.	1 3	— —
⊙ Centaurea americana . . . . .	— 9	10 3
"   "   " alba . . . . .	— —	— —
4 " candidissima (ragusina) . . . . .	3 —	— —
"   "   " compacta . . . . .	3 3	— —
4 " Clementei . . . . .	— 10	— —
4 " cristata . . . . .	— 2	1 6
⊙ " cyanoides . . . . .	— 2	1 3
" Cyanus (Blue Bottle, Bachelor's Button) . . . . .	— 2	1 3
"   " coelestina (Emperor William) . . . . .	— 2	1 6
"   " fl.pl.mixed, new double flowered . . . . .	— 3	1 7
"   " nana compacta Victoria "   "   " fl.pl. Dam. 1899, double, dark red . . . . .	— 3	3 —
"   " single flowered, mixed . . . . .	— 2	1 2
⊙ " depressa . . . . .	— —	8
4 " diluta, Dam. 1899. A very profuse flowering bushy plant growing 30 to 35 inches high and covered almost literally with charming lilac-rose flowers with a white centre, about 2 inches across, on long stalks. They are highly adapted for table and other floral decorations . . . . .	— 3	3 —
⊙ " eriophora, Dam. 899 This variety is extremely interesting. Although its blooms cannot be compared with those of the large flowered kinds of Centaurea, they are however equally adapted for everlasting bouquets as the rather woolly and spiny buttons keep a very long time. From these buttons emerges the yellow flower like a brush. The plant grows only about 12 inches high . . . . .	— 3	3 —
4 " eryngioides . . . . .	— 2	1 10
4 " gymnocarpa . . . . .	— 4	4 4
⊙ " Margaritae, Dam. 1891 (White Sultan Mammoth), pure white, very large scented flowers . . . . .	— 10	11 —
⊙ " moschata (Sweet Sultan) . . . . .	— 2	2 —
"   "   " alba . . . . .	— 2	2 3
⊙ " odorata Dam. 89 (Red Mam- moth Sultan), with large purple scented flowers . . . . .	— 10	10 3

	per oz s. d.	per lb. s. d.
Centaurea odorata Chamaeleon Dam. (Yellow Sultan Mam- moth), with very large flowers of a pale sulphur-yellow, later whitish yellow changing into lilac and fading in a rosy colour	1 9	23 6
⊙ " suaveolens, Yellow Sweet Sultan . . . . .	2	2 4
⊙§ Cephalandra palmata, Dam. 1889 . . . . .	2 4	— —
4 Cerastium Biebersteinii . . . . .	— 7	— —
"   "   " tomentosum . . . . .	1 3	— —
g Cereus tortuosus 100 seeds —/3	—	— —
"   "   " validus 100 " —/3	—	— —
g Cestrum aurantiacum . . . . .	— 7	— —
4 Chamaepeuce Casabonae, Fishbone Thistle . . . . .	— 9	— —
"   "   " diacantha, Ivory Thistle . . . . .	— 5	5 3

**Stocks.**

⊙ **Cheiranthus annuus.**

One of our most important specialities!  
All our Stocks are grown with so much skill and care that there is no better quality in the market; they give the highest percentage of double flowers as all our many thousands of patrons who received them, will testify.

Dwarf early-flowered ten week

Stocks,

1. Crimson,	5. Rose,		
2. Dark Blue,	6. Rosy-carmine,		
3. Deep blood-red,	7. White,		
4. Light-blue,	8. Yellow,		
each separate . . . . .		2 —	27 —
all colours mixed . . . . .		1 9	23 6

Large-flowered dwarf ten week

Stocks,

1. Canary-yellow,	5. Fire red,		
2. Crimson,	6. Light blue,		
3. Dark blood-red,	7. Lilac,		
4. Dark blue,	8. White,		
each separate . . . . .		2 3	
all colours mixed . . . . .		2 —	28

Wallflower-leaved large flowered ten week Stocks,

all colours mixed . . . . .	2 9	— —
-----------------------------	-----	-----

Victoria Bouquet ten week Stocks,

1. Carmine,	4. Light blue,		
2. Dark bloodred,	5. White,		
3. Dark blue,			
each separate . . . . .		2 4	
all colours mixed . . . . .		2 1	— —

	per oz. s. d.	per lb. s. d.
<u>Dresden Perpetual-flowered ten week Stocks,</u>		
1. Dark blue, 4. Rosa,		
2. Deep crimson, 5. Sulphur-yellow,		
3. Light blue, 6. White,		
each separate . . . . .	2 9	— —
all colours mixed . . . . .	2 4	— —
<u>Large-flowered pyramidal ten week Stocks mixed . . . . .</u>	2 9	— —
<u>Dwarf large-flowered pyramidal ten-week Stocks, mixed . . . . .</u>	2 9	— —



Victoria White Winter Stock,  
Electro 4/—.

<u>Giant or Tree ten-week Stocks,</u>		
mixed . . . . .	2 6	— —
<u>Giant Perfection ten-week Stocks,</u>		
mixed . . . . .	2 10	— —
<u>Perpetual-flowering or Emperor Stocks, all colours mixed . . . . .</u>	9 —	— —
<u>Winter or Brompton Stocks, mixed . . . . .</u>	4 9	— —
<u>Dwarf Winter or Brompton Stocks all colours mixed . . . . .</u>	5 9	— —
<u>Brompton Stocks, white Nice,</u>		
magnificent, continuously flowering; splendid for cutting . . . . .	2 10	— —

**Victoria Winter Stock, Dam.**

Since we introduced this beautiful class it has met every where with an unlimited and unrestricted approbation; we recommend it most warmly to all who wish to have fine cut flowers.

	per oz. s. d.	per lb. s. d.
White (Electro) . . . . .	3 —	40 —
Pale-rose (peach-blossom) . . . . .	5 —	— —
Canary-yellow Dam. 1898. This new and very valuable addition is a worthy pendant to the other colours introduced by us and which obtained such a grand and general success. We can recommend this new kind most especially for cutting purposes. It can also easily be forced . . . . .	4 3	— —
Salmon-rose . . . . .	4 6	— —
Lilac, wall-flower-leaved . . . . .	4 3	— —

**Italian Winter Stock.**

A most recommendable class, resembling as to their habit the tree ten week stock, producing from January to March a great abundance of fine flowers.

a) <u>high</u>		
fire-red . . . . .		
white . . . . .		
each separate . . . . .	— 8	8 9
b) <u>semi-high</u>		
white . . . . .	— 10	10 9
Cheiranthus Cheiri, German Wall-flower.		
Double Tree, mixed of many fine colours . . . . .	2 10	— —
Double Branching, mixed of many splendid colours . . . . .	2 10	— —
Single Branching, mixed . . . . .	— 2	2 —
⊙ Cheiranthus maritimus (Malcolmia) Virginian Stocks . . . . .	— —	— 11
⊙ „ maritimus albus . . . . .	— —	1 —
„ „ Fairy Queen . . . . .	— —	1 2
„ „ kermesinus (Crimson King) . . . . .	— —	1 2
„ „ mixed . . . . .	— —	1 —
4 Chelone barbata . . . . .	— 2	1 10
Chinese Bellflower, see Abutilon.		
„ Primrose, see Primula chinensis.		
Christmas Rose, see Helleborus.		
⊙ Chrysanthemum Balsamita, new, Dam. 1901 . . . . .	— 7	— —
Chrysanthemum Burridgeanum . . . . .	— —	1 6
„ carinatum, see tricolor.		
g „ chinense, double fine mixed . . . . .	5 9	— —

	per oz s. d.	per lb. s. d.		per oz s. d.	per lb. s. d.
g Chrysanthemum Japanese, double large-flowered, mixed . . . . .	4 8	— —	g Cineraria hybrida, striata, splendid colours mixed	1/32 oz 1/6 1/16 " 2/10	40 — —
g Chrysanthemum Japanese, with hairy flowers . . . . . 1/8 oz 2/—	14 9	— —	" " striata nana, seeds collected from a mag- nificent collection	1/32 oz 1/11 1/16 " 3/5	— — — —
g Chrysanthemum Japanese Imperial double Ostrich-feathered, imported seed from one of the best collections . .	4 6	— —	" " plenissima, double splendid mixed	1/8 oz 10/10 1/16 " 5/10 1/32 " 3/3	85 — —
⊙ Chrysanthemum coronarium album plenum . . . . .	— —	1 —	4 " maritima . . . . .	— 2	1 6
" coronarium luteum plenum	— —	1 —	4 " " candidissima . . . . .	— 4	3 4
" " sulphureum plenum	— —	1 2	g§ Cissus antarctica . . . . .	1 —	— —
" " double, mixed . . . . .	— —	1 —	" heterophylla fol. var. . . . .	1 2	— —
g " frutescens (Argyranthemum)	— 8	9 —	" tetragona . . . . .	— 8	— —
⊙ " inodorum plenissimum . . . . .	— 9	— —	h Citharexylum cyanocarpum . . . . .	1 6	— —
4 " leucanthemum hybridum (Shasta Daisies). A new class standing even the severest cold without suffering; the flowers are very large, often enormous, with brilliant pure white petals, on long stiff stems; the plant blooms continuously for months and the cut flowers keep fresh for two weeks or more. The plant produces very little seed but of very large size 100 seeds 1/— 1000 " 8/—	— —	— —	g Citrus trifoliata . . . . .	— 4	3 8
" segetum Gloria, new . . . . .	— 6	5 6	⊙ Clarkia elegans Double, mixed . . . . .	— —	1 —
⊙ " tricolor (carinatum) album	— 2	1 4	" " pulchella fl. albo. . . . .	— 2	1 2
" " atrococcineum	— 2	1 4	" " " fl. albo pl. . . . .	— 2	1 5
" " Chamaeleon, new	— 3	2 3	" " " " Double, mixed	— 2	1 —
" " Dunnetti albo pl.	— 3	3 3	⊙ Cleome elegantissima . . . . .	— 3	2 6
" " " aurea pl. . . . .	— 3	3 3	" grandis Dam. new wonderful, with large flowers . . . . .	— 3	— —
" " Eclipse . . . . .	— 2	1 8	" speciosissima . . . . .	— 3	2 3
" " Golden Feather	— 2	1 10	" viscosa . . . . .	— 2	1 10
" " finest mixed . . . . .	2	1 2	h Clerodendron fragrans 100 seeds 1/—	— —	— —
" viscosum Dam. 1899, yellow, rich flowering . . . . .	2	1 6	h Clianthus Dampieri . . . . .	3 6	— —
Cigar-Flower, see Cuphea platy- centra.			" puniceus . . . . .	2 4	— —
4 Cirsium polycephalum, Dam. 1899. A plant very highly adapted for groups, about 6 feet high. Its slightly spiny leaves are much like those of the thistle and form a splendid contrast with the globe shaped blooms of a lively bright purple color . . . . . 1/8 oz 1/—	6 10	— —	⊙§ Clitoria ternatea (coelestis) . . . . .	— 5	6 —
g Cineraria hybrida, finest mixed . .	7 3	— —	⊙§ Cobaea macrostemma most elegant climber	1 10	— —
" " large flowered, finest mixed 1/16 oz 1/—	12 —	— —	" scandens, beautiful climber	— 9	10 —
" " dwarf, many varieties of the finest colours, mixed 1/16 oz 1/5	20 6	— —	⊙§ " " fl. albo. . . . .	1 5	— —
" " dwarf large flowered, extra selected 1/16 oz 1/7	22 6	— —	⊙§ Coccinea indica . . . . .	— 7	6 8
			" Moghad . . . . .	— 10	— —
			Cockscomb, see Celosia.		
			h Coleus hybridus, choicest hybrids best selected varieties . 1/8 oz 2/—	13 6	— —
			Coleus hybridus, with very large leaves of fine colours . . . . . 1/8 oz 2/3	16 —	— —
			h Coleus hybridus regalis (imperialis) with large undulate and blistered leaves, splendid mixed . . . . . 1/8 oz 2/3	16 —	— —
			Coleus hybr. fol. laciniatis, with fine light brownish laciniated leaves; a most lovely and remarkable kind . . . . .	9 —	— —
			Coleus Verschaffelti, with very fine dark brown leaves . 1/8 oz —	— —	— —
			⊙ Collinsia bicolor . . . . .	— —	9 —
			" " candidissima . . . . .	— —	9 —
			" " mixed . . . . .	— —	9 —



	per oz s. d.	per lb. s. d.
b) double large-flowering. Finest mixture of a splendid collection . . . . .	— 10	10 6
Juarezi (Cactus), mixed . . . . .	1 3	— —
Liliput, mixed . . . . .	1 9	— —
Tom Thumb, dwarf mixed . . . . .	1 9	— —
Daisies, see <i>Bellis perennis</i> .		
Dames Violet, see <i>Hesperis</i> .		
g) <i>Dasylyrion acrotriche</i> ( <i>serratifolium</i> ) . . . . .	— 10	10 —
„ <i>gracile</i> . . . . .	— 7	7 6
„ <i>longifolium verum</i> 1000 seeds —/11	— —	— —
h) <i>Datura arborea</i> . . . . .	4 —	— —
„ <i>atroviolacea plenissima</i> . . . . .	— 4	— —
„ <i>ceratocaulis</i> . . . . .	— 5	4 6
„ <i>cornucopiae</i> . . . . .	— 7	7 3
„ <i>fastuosa alba plena</i> . . . . .	— 4	3 —
„ „ <i>coerulea plena</i> . . . . .	— 3	2 9
„ „ <i>fl. pl. mixed</i> . . . . .	— 3	1 9
„ „ <i>Huberiana alba plena</i> . . . . .	— 3	2 8
„ „ <i>humilis flava plena</i> . . . . .	— 3	2 8
„ <i>humilis Golden Queen</i> . . . . .	— 5	4 3
„ <i>Metel</i> . . . . .	— —	— 10
„ <i>Wrightii</i> ( <i>meteloides</i> ) . . . . .	— —	1 —
⊙ <i>Delphinium Ajacis</i> , see <i>Larkspur</i> .		
4 „ <i>Cardinale</i> . . . . .	10 —	— —
„ <i>formosum</i> . . . . .	— 10	— —
„ <i>hybridum</i> , mixed . . . . .	— 4	3 —
„ „ <i>fl. pl. double mixed</i> . . . . .	4 —	— —
„ <i>sulphureum</i> ( <i>Zalil</i> ) . . . . .	3 8	— —
Devil in a bush, see <i>Nigella</i> .		
Dew Plant, see <i>Mesembrianthemum tricolor</i> .		
4 <i>Dianthus barbatus</i> , Sweet William. fine single mixed . . . . .	— —	1 —
fl. pl. best double-flowered mixed . . . . .	— 6	5 6
<i>nanus compactus</i> , double mixed . . . . .	— 10	— —

<b>Dianthus Caryophyllus fl. pl.</b> seeds raised from finest stage flowers only.	100 seeds	1000 seeds
	s. d.	s. d.
Bizarre . . . . .	— 10	6 6
Doublettes . . . . .	— 10	6 6
Fancy . . . . .	— 10	7 3
Self . . . . .	— 10	6 6
Picotees ( <i>Avranches</i> ), yellow ground . . . . .	1 —	8 —
„ white ground . . . . .	— 10	7 3
„ ( <i>Saxons</i> , with red border) . . . . .	1 5	14 6
Spotted ( <i>Grenoble</i> and <i>Salamander</i> ) . . . . .	— 10	6 6
Extra fine mixture of the above stage flowers . . . . .	— 7	5 6
Splendid mixture of stage flowers $\frac{1}{16}$ oz 4/—; $\frac{1}{8}$ oz 7/3 ( $\frac{1}{8}$ oz contains about 1800 or more seeds.)	— —	— —

	per oz s. d.	per lb. s. d.
<b>Perpetual-flowering,</b> raised from finest stage plants only.		
Extra double . . . . .	4 9	— —
„ „ dwarf ( <i>tige de fer</i> ) $\frac{1}{16}$ oz 5/6; $\frac{1}{8}$ oz 10/3	78 —	— —
Riviera Market $\frac{1}{16}$ oz 3/3; $\frac{1}{8}$ oz 6/—	45 —	— —
Alégatière $\frac{1}{16}$ „ 5/6; $\frac{1}{8}$ „ 10/3	78 —	— —
<b>Border- (Ground) Carnations.</b>		
Extra double self coloured . . . . .	1 8	23 6
„ „ striped in beautiful colours . . . . .	2 6	35 —
Early flowering dwarf Vienna, finest strain . . . . .	1 7	21 —
Grenadin, brilliant red, choice quality . . . . .	2 3	31 —
„ white . . . . .	2 3	31 —



Margaret Carnation semi-high double.  
Electro 3/3.

<b>Margaret Carnations Dam.</b>		
Malmaison, very large-flowering (require a heavy good soil) . . . . .	3 —	40 —
Semi-high, very double, saved from the finest collection ( <i>Electro</i> ) . . . . .	1 —	12 9
Semi-high, very double white . . . . .	1 9	24 —
„ „ „ rose . . . . .	1 6	16 6
„ „ „ scarlet . . . . .	1 9	18 —
<b>Margaret Carnation:</b>		
Semi-high, very double dark red . . . . .	1 9	18 —
„ „ „ purple (violet) . . . . .	1 9	18 —
„ „ „ yellow and yellow-ground $\frac{1}{8}$ oz —/8	4 3	— —
„ „ „ striped . . . . .	2 —	— —
The separate colours are still very variable		

	per oz. s. d.	per lb. s. d.		per oz. s. d.	per lb. s. d.
Dwarf, very double, finest mixed . . .	2 6	32 —	⊙§ Dolichos atropurpureus . . . . .	— 2	— 11
„ Margaret Carnation, newest dwarf double-Chabaud (tige de fer) . .	5 —	— —	„ bahiensis . . . . .	— 2	— 11
⊙ Dianthus chinensis fl. pl. double Chinese Pinks, finest mixed . . . . .	— 4	3 9	„ bicontortus . . . . .	— 2	— 11
⊙ „ imperialis fl. pl. double Imperial Pink, finest mixed . . . . .	— 4	3 9	„ Catjari . . . . .	— 2	— 11
⊙ <b>Dianthus Heddewigi</b> (giganteus)			„ cultratus . . . . .	— 2	— 11
albus (Queen of Holland) with very large pure white flowers . . . . .	— 7	7 3	„ helveticus missouriensis . . . . .	— 3	2 —
„ plenus . . . . .	— 6	5 6	„ Lablab albus, Hyacinth Bean, white . . . . .	— —	— 10
atrococcineus plenus, Dam. 1899. A new dark scarlet extremely fine colour. The plant produces a large number of very double flowers . . . . .	— 6	5 6	„ „ giganteus . . . . .	— 2	— 11
Crimson Belle, dark red . . . . .	— 6	5 10	„ „ Princess Helene Dam. 1896 new, white, scented, pods wax-white . . . . .	— 2	1 6
diadematus plenus . . . . .	— 5	5 —	„ „ mixed . . . . .	— 2	— 9
Eastern Queen, rosa . . . . .	— 6	5 10	g§ „ lignosus . . . . .	— 3	2 3
Mourning Cloak . . . . .	— 6	5 10	„ „ mixed . . . . .	— —	— 7
nobilis (Royal Pink), new, one of the best single . . . . .	1 —	— —	h Dracaena arborea 1000 seeds 1/9	— —	— —
single-flowered, best mixed . . . . .	— 4	3 3	„ Draco . . . . .	— 5	4 5
double-flowered, „ „ . . . . .	— 5	4 6	4 Dracocephalum moldavicum fl. albo Dusty Miller, see Centaurea candi- dissima. . . . .	— —	— 6
Dianthus hybridus mixed . . . . .	— 4	3 9	⊙4§ Eccremocarpus scaber (Calampelis)	— 2	1 3
⊙ „ laciniatus, single-flowered mixed	— 4	3 9	g Echeveria glauca (capsules) . . . . .	1 —	— —
„ „ double mixed . . . . .	— 6	6 6	4 Echinacea purpurea 100 seeds —/3	— —	— —
„ „ Oriental Beauty . . . . .	— 11	— —	1000 „ 1/9 . . . . .	— —	— —
„ „ zonalis, new, salmon-red with dark-red . . . . .	1 6	— —	4 Echinops (Globe Thistle) macroce- phalus . . . . .	— 3	2 3
⊙ „ „ rubro striatus Dam. 1898. An extremely pretty kind blooming most profusely and growing about 8 to 10 inches high. The flowers are white, richly striped with lilac-red. A very valuable addition to the collection . . . . .	— 10	— —	„ sphaerocephalus . . . . .	— 2	1 —
Dianthus laciniatus Salmon Queen, new, large-flowering, salmon-red	— 6	6 6	Edelweiss, see Gnaphalium Leonto- podium. . . . .		
„ laciniatus Salmon Queen fl. pl. double flowered . . . . .	— 11	— —	⊙ Elsholtzia cristata . . . . .	— 3	2 —
4 „ plumarius, the common Phea- sant eye Pink . . . . .	— 3	1 7	h Embotrium coccineum . . . . .	2 —	— —
„ „ fl. pl. finest double Garden Pink . . . . .	2 —	— —	English Clover, see Gomphrena.		
4⊙ Didiscus (Huegelia) coeruleus . . . . .	— 6	5 6	4 Epilobium hirsutum var. adeno- calum Hskn. Dam. 1898. A magnificent variety from Asia Minor. The plant, 28 inches in height, produces in great number panicles of a bright rose lilac color. A most recommendable perennial . . . . .	5 —	— —
Didymocarpus, see Streptocarpus.			4 Erpeton reniforme, Australian Violet	7 10	— —
4 Digitalis (Foxglove)			⊙ Erysimum arkansanum . . . . .	— 3	1 5
„ gloxiniaeflora mixed . . . . .	— 3	2 3	⊙ „ cheiranthoides new. (Dam. 1900). Dark orange flowers on long panicles, blooming for several months	— 3	2 6
„ maculata superba . . . . .	— 4	3 —	Perowskianum . . . . .	— —	1 1
„ purpurea . . . . .	— 2	1 5	h Erythrina caffra vera 100 seeds 2/4	— —	— —
„ „ alba . . . . .	— 3	2 3	„ corallodendron 1000 „ 8/—	— —	— —
g§ Dioclea glycinoides . . . . .	— 5	5 3	„ crista galli . . . . .	— 9	9 6
4 Diotis candidissima (Santolina mari- tima) . . . . .	— 5	14 6	„ insignis . . . . . 1000 „ 2/6	— —	— —
			h Erythroxyton Coca 100 „ 1/8	— —	— —
			g Escallonia floribunda . . . . .	5 6	— —
			⊙ Eschscholtzia californica (Californian Poppy) . . . . .	— 3	1 6
			„ „ fl. albo . . . . .	— 3	1 6
			„ „ fl. roseo . . . . .	— 3	1 9
			„ „ grandiflora carmine	— 4	3 3
			„ „ The Golden West	— 3	— —



	per oz s. d.	per lb. s. d.		per oz s. d.	per lb. s. d.
Eschscholtzia crocea . . . . .	— 3	2 —	Ficus imperialis . 1000 seeds	2/9	— —
"    fl. pl. double . . . . .	— 4	3 9	"    Wrighti . 1000 "	2/9	— —
"    hybrida Mandarin . . . . .	— 4	3 9	Fishbone Thistle, see Chamaepeuce.		
"    maritima, Cross of Malta . . . . .	— 4	3 9	Flora's Paint Brush, see Cacalia.		
⊙ Ethulia conyzoides Dam. 1898 . . . . .	— 4	3 3	Flos Adonis, see Adonis aestivalis.		
g Eucalyptus amygdalina . . . . .	1 2	12 9	Flowering Flax, see Linum.		
g "    botryoides . . . . .	1 4	— —	"    Maple, see Abutilon.		
"    citriodora . . . . .	4 3	— —	Forget me not, see Myosotis.		
"    colossea . . . . .	2 3	— —	Fountain Plant, see Amaranthus salicifolius.		
"    gigantea . . . . .	1 —	12 9	Four o'clock, see Mirabilis.		
"    globulus, Blue Gum . . . . .	— 10	12 3	Fox glove, see Digitalis.		
"    Gunnii . . . . .	1 8	— —	4 Fragaria indica . . . . .	1 2	— —
"    obliqua . . . . .	1 2	— —	g Franseria artemisioides . . . . .		
"    piperita . . . . .	1 4	— —	"    "    100 seeds	—/7	— —
"    resinifera, Red Gum . . . . .	1 4	17 6	"    "    1000 "	4 —	— —
"    robusta . . . . .	1 4	17 6	g Fuchsia corymbiflora 1000 "	—/7	— —
"    rostrata . . . . .	1 —	12 9	g "    "    alba 1000 "	—/7	— —
"    Stuartiana . . . . .	1 2	— —	g "    "    procumbens 1000 "	2/4	— —
⊙ Eucharidium Breweri, rosy purple . . . . .	1 3	— —	⊙ Gaillardia Amblyodon . . . . .	— 3	2 —
"    grandiflorum . . . . .	— 3	2 2	"    Amblyodon atrosanguinea . . . . .	— 3	2 3
4 Eupatorium altissimum, Dam. 1898. This very hardy perennial attains a height of about 6 feet. Its charming narrow leaves about 3 inches long confer to the plant a magnificent aspect. The flowers are pure white and are reproduced continually throughout the summer . . . . .	— 10	— —	4 "    grandiflora Loiselei . . . . .	— 3	2 7
Eupatorium aromaticum . . . . .	— 5	— —	⊙ "    picta (pulchella) . . . . .	— 2	1 2
4 "    serotinum, Dam. 1898. This plant shares for its remarkable properties all the qualities of the above, only its leaves are shorter and similar to those of Eupatorium riparium, although much longer and more narrow. For cutting purposes both kinds are of the greatest value . . . . .	— 10	— —	"    "    Lorenziana, best double mixed . . . . .	— 3	2 2
Eupatorium serrulatum, new . . . . .	2 3	— —	h Gardenia florida, clean seed . . . . .	— 8	7 4
g "    Weinmannianum . . . . .	2 4	— —	"    Thunbergia 100 fruits	5/—	— —
"    "    tricolor . . . . .	— 9	— —	⊙ Gaura Lindheimeri . . . . .	— 2	1 6
g⊙ Euphorbia heterophylla . . . . .	— 10	— —	4 Gazania bracteata pure white, rich-flowering . . . 1/8 oz	3/—	20 6
⊙ "    variegata (marginata) Variegated Spurge . . . . .	— 10	11 —	4 "    "    hybrida Nora, Dam. 1897 (Electro No. 1). Flowers milk white, with lilac tips, sulphur-yellow at the base with a large black spot, 100 seeds 1/2; 1000 seeds 8/3 . . . . .	— —	— —
h Euryale ferox, hot-house aquatic, similar to Victoria regia . . . . .	— 3	2 2	4 Gazania hybrida Diana, Dam. 1897 (Electro No. 2). Upper part of the petals yellowish white, the lower part changing into chrome-yellow, 100 seeds 1/2; 1000 seeds 8/3 . . . . .	— —	— —
⊙ Eutoca viscida . . . . .	— 2	1 9	4 Gazania hybrida Blondine, Dam. 1897 (Electro No. 3). Bright chamois, dark orange on the base with white or pale yellow spots; the opposite part of the petals is dark lilac striped, 100 seeds 2/—; 1000 seeds 15/— . . . . .	— —	— —
Evening Primrose, see Oenothera.			4 Gazania hybrida Bianca, Dam. 1897. Flowers at first sulphur-yellow, changing afterwards into white; slight purple spots at the base of the petals; the opposite part of the petals bears a broad blue stripe in the centre. Flowers measuring about 3 in. across . . . . .	— —	— —
Everlasting Flower, see Helichrysum.			"    "    100 seeds 2/—; 1000 seeds 15/— . . . . .	— —	— —
"    Pea, see Lathyrus latifolius.			4 Gazania hybrida Venus, Dam. 1899. Satiny white flowers with a light yellow hue at the base. The back . . . . .	— —	— —
⊙ Fedia Cornucopiae . . . . .	— 2	2 —			
4 Felicia abyssinica Dam. 1897 new . . . . .	1 6	— —			
⊙ "    cotuloides, resembling the former, but it is annual . . . . .	1 —	— —			
Feverfew, see Matricaria.					
h Ficus Cooperi . 1000 seeds	2/9	— —			
"    elastica . . 1000 "	2/—	— —			

side of the petals is crossed by a broad greyish green line. This plant differs from *G. nivea* by its shorter and broader petals and also by the greater profusion of flowers, which makes it a worthy addition to the fine varieties introduced by us 2 years ago.

100 seeds 2/—; 1000 seeds 15/—

4 *Gazania pygmaea lutea*. (See colored plate.) A new form with very large chrome yellow flowers, the petals of which bear on their basis a light yellow spot forming together a circle which produces



*Gazania hybr. Blondine.*  
Electro 3/3.

a striking effect. The petals are at their lower part crossed by a broad grey-line. The yellow color of the flowers is not only quite new among *Gazanias* but also extremely handsome. It is a charming novelty which will soon become very popular.

100 seeds 1/3; 1000 seeds 9/6

- |   |  |      |     |
|---|--|------|-----|
| 4 | <i>Gazania splendens</i> , a fine, well known plant for carpet-bedding . . . . . | 2 —  | — — |
|   | " <i>stenophylla</i> ( <i>Gazaniopsis</i> ) . . . . .                            | 1 3  | — — |
| h | <i>Genipa americana</i> ( <i>Gardenia Genipa</i> ) . . . . .                     | — —  | — — |
|   | 10 seeds 1/—   | — —  | — — |
| g | <i>Genista canariensis</i> . . . . .   | — 10 | 9 3 |
| g | " <i>candicans</i> . . . . .   | — 7  | — — |
| 4 | <i>Gentiana acaulis</i> . . . . .  | — 8  | 7 3 |
|   | <i>Geranium</i> , see <i>Pelargonium</i> .                                       |      |     |
| 4 | <i>Gerbera Jamesoni</i> 100 seeds 5/—  | — —  | — — |

- |   |   |     |      |
|---|---|-----|------|
| 4 | <i>Geum coccineum</i> . . . . .               | — 6 | — —  |
|   | " " <i>atrosanguineum</i> . . . . .           | — 8 | 7 8  |
| ⊙ | <i>Gilia multicaule</i> . . . . .             | — — | — 9  |
|   | " <i>tricolor</i> . . . . .                   | — — | — 7  |
|   | " " <i>nana compacta</i> . . . . .            | — 1 | — 10 |
| 4 | <i>Glaucium luteum</i> . . . . .              | — 3 | 2 —  |
|   | <i>Globe amarant</i> , see <i>Gomphrena</i> . |     |      |
|   | " <i>Thistle</i> , see <i>Echinops</i> .      |     |      |
|   | <i>Glory Pea</i> , see <i>Clianthus</i> .     |     |      |

**h *Gloxinia hybrida***

- |  |  |     |     |
|--|--|-----|-----|
|  | with erect flowers mixed, 1/32 oz 2/9;                             |     |     |
|  | 1/16 oz 5/—; 1/8 oz 9/4  | 73  | — — |
|  | <i>grandiflora</i> ( <i>Emperor Frederic</i> ),                    |     |     |
|  | bright scarlet with broad white borders, 1/32 oz 3/6; 1/16 oz 6/9; |     |     |
|  | 1/8 oz 13/3  | 105 | — — |
|  | <i>grandiflora Défiance</i> , scarlet                              |     |     |
|  | 1/32 oz 6/—; 1/16 oz 11/8; 1/8 oz 22/6                             |     |     |
|  | splendid mixed 1/32 oz 2/9; 1/16 oz 5/3;                           |     |     |
|  | 1/8 oz 10/3  | 80  | — — |

- |   |   |     |      |
|---|---|-----|------|
| 4 | <i>Gnaphalium Leontopodium</i> ( <i>Edelweiss</i> ) . . . . .           | 4 6 | — —  |
| ⊙ | " <i>orientale fl. pleno</i> 1/32 oz 1/6;                               |     |      |
|   | 1/16 oz 2/6; 1/8 oz 4/6   | 34  | — —  |
| ⊙ | <i>Godetia amoena</i> . . . . .   | — 3 | 1 9  |
|   | " <i>Bijou</i> , dwarf, with rose-coloured spot . . . . .               | — 3 | 2 11 |
|   | " <i>carminea aurea</i> . . . . .                                       | — 2 | 2 6  |
|   | " <i>Duchess of Albany</i> , satin white . . . . .                      | — 3 | 2 9  |
|   | " " <i>of Fife</i> , dark-red with white . . . . .                      | — 3 | 2 7  |
|   | " <i>Duke of Fife</i> . . . . .   | 2 — | 2 3  |
|   | " " <i>of York</i> , scarlet carmine . . . . .                          | — 4 | 3 3  |
|   | " <i>Fairy Queen</i> . . . . .  | — 4 | 3 —  |
|   | " <i>Gloriosa</i> , deep bloodred . . . . .                             | — 5 | — —  |
|   | " <i>grandiflora rosea plena</i> . . . . .                              | — 6 | — —  |
|   | " <i>Lady Albemarle</i> . . . . .                                       | — 3 | 2 3  |
|   | " " <i>compacta</i> . . . . .   | — 2 | 2 —  |
|   | " " <i>Satin Rose</i> . . . . .   | — 4 | 3 —  |
|   | " <i>Lindleyana fl. pl.</i> . . . . .                                   | — 2 | 1 9  |
|   | " <i>Mandarin</i> , pale yellow . . . . .                               | — 4 | 2 11 |
|   | " <i>Marchioness of Salisbury</i> , pale rose carmine spotted . . . . . | — 4 | — —  |
|   | " <i>Princess Henry</i> . . . . .                                       | — 3 | 2 3  |
|   | " " <i>of Wales</i> . . . . .   | — 3 | 3 —  |
|   | " <i>the Bride</i> . . . . .  | — 2 | 1 9  |
|   | " <i>Whitney Brilliant</i> . . . . .                                    | — 3 | 2 —  |
|   | " " <i>compacta</i> . . . . .   | — 3 | 2 7  |
|   | " <i>White Pearl</i> . . . . .  | — 2 | 1 8  |
|   | " <i>mixed</i> . . . . .  | — 2 | 1 6  |
|   | <i>Gold Dust</i> , see <i>Alyssum saxatile</i> .                        |     |      |
|   | <i>Golden Feather</i> , see <i>Pyrethrum parthenifolium aureum</i> .    |     |      |
| ⊙ | <i>Gomphrena globosa</i> ( <i>Globe Amarant</i> ) . . . . .             | — 2 | — 11 |
|   | " " <i>alba</i> . . . . .   | — 2 | 1 3  |
|   | " " <i>carnea</i> . . . . .   | — 2 | 1 3  |
|   | " " <i>nana compacta alba</i> . . . . .                                 | — 2 | 1 1  |
|   | " " " <i>carnea</i> . . . . .   | — 2 | — 11 |

	per oz s. d.	per lb. s. d.
Gomphrena globosa variegata . . .	— 1	— 9
"    "    mixed . . .	— 2	1 —
"    Haageana, orange . . .	— 2	1 6
Gourds, ornamental, see Cucurbita and Lagenaria.		
g Grevillea robusta . . . . .	9	10 6
Groundsel, see Senecio.		
z Guevina Avellana . . . . .	5	
4 Gymnopsis uniserialis Hook. Re- sembling as to its habit the Heli- anthus cucumerifolius. It grows about 30 inches high. Above the dark green foliage rise most abundantly on rather long stems very pretty chrome-yellow flowers of 2 to 3 inches in diameter. They are very valuable for cutting as they keep very well in water for a long time. The plant produces flowers without interruption from June to September . . . . .	— 5	— —
4 Gypsophila acutifolia . . . . .	— —	— 10
⊙ "    "    elegans . . . . .	— —	— 6
4 "    "    paniculata . . . . .	— 4	3 —
Hardenbergia, see Kennedyia.		
Harpalium rigidum (Helianthus), rich-flowering, beautiful . . . . .	4 6	— —
Hawkweed, see Crepis.		
Heartsease, see Viola tricolor maxima.		
⊙ Hebenstreitia comosa serratifolia . . . . .	— 8	— —
⊙ Helianthus (Sunflower).		
"    annuus Bismarckianus, with enormous flowers . . . . .	— 2	1 —
"    "    globosus fistulosus . . . . .	— —	1 —
"    "    flore pleno . . . . .	— —	1 —
"    "    nanus fol. var. (Golden Leaf) . . . . .	— 2	1 7
"    "    californicus plenissimus . . . . .	— —	— 9
"    "    macrophyllus giganteus . . . . .	— —	— 8
"    "    Primrose coloured . . . . .	— —	— 8
"    argyrophyllus . . . . .	— —	1 —
"    cucumerifolius, small-flowered . . . . .	— 3	2 —
"    "    Excelsior, flowers cactus- like, with long curled petals . . . . .	— 3	2 3
"    "    nanus compactus (Per- keo) . . . . .	1 2	— —
"    "    Orion, new . . . . .	— 4	3 9
"    "    Giant Star, same as Ex- celsior, but with much larger flowers . . . . .	3	2 3
"    "    Stella, new, pure golden yellow . . . . .	— 3	2 3
⊙ "    "    Stella grandiflorus, with very large flowers . . . . .	— 4	3 9
"    "    white (albiflora) . . . . .	— 7	— —
"    Dammanni . . . . .	3	2 —
4 "    "    mollis . . . . .	— 2	— —
"    uniflorus . . . . .	— —	6 —

	per oz s. d.	per lb. s. d.
4 Helichrysum angustifolium . . . . .	— 6	5 6
⊙ "    "    compositum monstro- sum, double large-flowered mixed . . . . .	— 6	5 3
⊙ Helichrysum compositum nanum plenissimum, dwarf double mixed . . . . .	— 7	— —
z Heliotropium peruvianum.		
Anna Turell . . . . .	1 9	— —
Boule de neige . . . . .	1 8	— —
Bouquet parfait . . . . .	1 9	— —
giganteum, large-flowered, dark violet (purple) 1/8 oz — 6 . . . . .	3 6	— —
grandiflorum . . . . .	1 —	— —
Gloire des massifs . . . . .	1 6	— —
Regina Margarita (Marguerite) 1/8 oz — 10 . . . . .	5 9	— —
Reine des Violettes . . . . .	1 7	— —
Roi des noirs . . . . .	2 3	— —



Heterospermum Xanthii.  
Electro 3/6.

Umberto, very large-flowering 1/8 oz — 11 . . . . .	6 —	— —
Voltaireanum . . . . .	1 8	— —
White Lady . . . . .	2 5	— —
peruvianum, newest large-flowering varieties mixed . . . . .	1 7	20 —
⊙ indicum . . . . .	— 5	5 6
suaveolens . . . . .	— 10	11 —
4 Helleborus niger, (Christmas Rose)	— 5	4 10
4 Hesperis matronalis (Sweet Rocket)		
mixed . . . . .	— —	— 9
"    matronalis fl. alba . . . . .	— —	— 9
⊙ Heterospermum Xanthii A. Gray (Electro), Dam. 1898. Grows only about 8 to 10 inches high and is therefore most adapted for borders or carpet bedding. Its small flowers are chrome-yellow with a shade of canary- yellow at the end of the petals. They bloom continually from beginning of June to the end of autumn and the		

	per oz s. d.	per lb. s. d.		per oz s. d.	per lb. s. d.
flowers appear already 4 weeks after the sowing . . . . .	—	9			
4 Heuchera sanguinea, crimson . . . . .	2	5			
h Hevea brasiliensis . . . . .	1	3			
⊙ Hibiscus africanus . . . . .	—	1	3		
h " coccineus . . . . .	—	11			
h " grandiflorus, mixed . . . . .	—	3	2		
h " Hamabo . . . . .	—	9	10	3	
g " moschatus roseus . . . . .	—	5	4	4	
g " palustris . . . . .	—	6			
" " roseus . . . . .	—	6			
g " Patersoni (Lagunaria) . . . . .	—	7			
h " rosa sinensis . . . . .	1	10			
h " roseus grandiflorus . . . . .	—	7			
Hollyhocks, see Althaea rosea fl. pl.					
Honesty, see Lunaria biennis.					
Honeysuckle, French, see Hedy-sarum coronarium.					
Horn Poppy, see Glaucium.					
⊙§ Humulus japonicus, Japanese Hop . . . . .	—	5	4	3	
⊙§ " japonicus variegatis, with white variegated leaves . . . . .	—	4	4	6	
⊙§ " " lutescens . . . . .	—	6	5	7	
4§ " Lupulus, seeds as collected . . . . .	—	2	1	4	
⊙ Hunnemannia fumariaefolia . . . . .	—	8	8		
Hyacinth Beans, see Dolichos.					
⊙ Iberis (Candytuft) affinis . . . . .	—	2	—	11	
" amara . . . . .	—	—	—	8	
" coronaria Empress . . . . .	—	3	3		
" " pumila . . . . .	—	2	1	3	
" " regia (hesperidifolia) . . . . .	—	—	—	9	
4 " gibraltarica . . . . .	2	4			
⊙ " Lagascae . . . . .	—	2	1	3	
⊙ " nigricans . . . . .	—	2	1	2	
⊙ " odorata (pectinata) . . . . .	—	—	—	7	
4 " sempervirens . . . . .	—	10	10	3	
⊙ Iberis umbellata, lilac . . . . .	—	3	2		
" " white . . . . .	—	2	1	2	
" " carminea . . . . .	—	5	5		
" " carnea . . . . .	—	5	3	9	
" " purpurea . . . . .	—	3	2	3	
" " Queen of Italy . . . . .	—	6	6	6	
" " Rose Cardinal, bright rose-carmine . . . . .	1	2			
" " nana alba . . . . .	—	2	1	10	
Ice Plant, see Mesembrianthemum crystallinum.					
⊙ Impatiens Balsamina flore pleno. Balsams.					
We offer and warrant first quality only, the growing of these plants being one of our specialities.					
Double tall Balsams mixed . . . . .	—	3	2	9	
Double Rose Balsams.					
1. Brilliant brick-red,					
2. Chamois,					
3. Chamois rose,					
Double Rose Balsams (continued).					
4. Dark blue,					
5. Deep blood-red,					
6. Light blue,					
7. Lilac,					
8. Pale yellow,					
9. Pomegranate red,					
10. Purple,					
11. Rose,					
12. White,					
13. White with rose,					
each separate . . . . .	—	6	5	—	
All colors mixed . . . . .	—	4	3	9	
Double Camellia Balsams.					
1. Brilliant rose,					
2. Brilliant scarlet,					
3. Crimson,					
4. Light blue,					
5. Lilac,					
6. Purple,					
7. Rose,					
8. Rosy carmine,					
9. Rosy lilac,					
10. Scarlet,					
each separate . . . . .	—	6	5	—	
All colours mixed . . . . .	—	4	3	9	
Improved Camellia Balsams „Prince Bismarck“, brilliant salmon-rose . . . . .	—	7			
Improved Camellia Balsams pure white „alba perfecta“ . . . . .	—	11			
Double dwarf Balsams, splendid mixed . . . . .	—	4	3	3	
" Solferino Balsams, streaked and spotted, mixed . . . . .	—	4	3	3	
" Emperor Balsams . . . . .	—	5	4	—	
⊙ Impatiens biflora . . . . .	1	—			
h " Rodigasi, 100 seeds —/8; 1000 seeds 4/2 . . . . .	—	—	—	—	
h " Sultani 1/16 oz 2/—; 1/8 oz 3/9 . . . . .	28	—	—	—	
" " nacré rosé. 1/8 oz 4/— . . . . .	29	—	—	—	
" " splendens. 1/8 " 4/— . . . . .	29	—	—	—	
" " violacea. 1/8 " 4/— . . . . .	29	—	—	—	
" " hybrida, splendid hybrids mixed. 1/8 oz 3/9 . . . . .	27	—	—	—	
4 Incarvillea variabilis. 1/8 oz 1/4 . . . . .	9	3			
Indian Shoot, see Cannas.					
⊙ Ipomoea bona nox . . . . .	—	2	1	8	
" campanulata . . . . .	—	3	1	10	
⊙ " coccinea . . . . .	—	2	1	2	
" " luteola . . . . .	—	2	1	2	
⊙ " grandiflora Hesperus, new; a grand new variety of the "Moonflower"; flowers pure white of enormous size; most magnificent . . . . .	2	2			
⊙ Ipomoea grandiflora mexicana alba . . . . .	—	5	5	7	
⊙ " hederacea grandiflora alba . . . . .	—	2	1	2	
" Huberi variegata Carmen Sylva . . . . .	—	3	1	7	
" " " atrovioleacea . . . . .	—	2	1	3	
" " " marginata azurea . . . . .	—	2	1	3	
" Huberi variegata carminea . . . . .	—	2	1	3	
" " " intus alba . . . . .	—	2	1	3	
" Huberi variegata violacea . . . . .	—	2	1	6	
" " " intus alba . . . . .	—	2	1	6	
" Huberi variegata, finest mixed . . . . .	—	—	1	3	

⊙ **Ipomoea Mikado.**

A new class of marvelous beauty, producing splendid flowers in the greatest variety of colours, such as white, red, purple, brown pink, cobalt-blue, slate-blue and bordered, striped, &c. &c.; the flowers are of an extraordinary size, measuring often 4 to 5 in across. The foliage also is highly ornamental, varying in colour from light green to dark green, marbled, striped &c. The plant is of a remarkably vigorous and quick growth, growing in a very short time very high.

All colours mixed . . . . .	— 6	5	6
Separate colors: see Novelties.			

⊙ **Ipomoea imperialis Dam. 1893.**

A most beautiful class of Ipomoea with very large flowers, the colours for the most part absolutely new.

a) With green leaves.

Adonis, bright purple with pure white throat . . . . .	3	2	6
Aphrodite, pure white, giant flowers . . . . .	3	3	—
Asteria, enormous flowers, copper-red with a white throat . . . . .	— 3	3	—
Thalia, pure white . . . . .	— 3	3	3

b) With silvery leaves.

Aglaja, crimson with a white throat . . . . .	— 3	3	3
Antigone, very large blue flowers with a rosy throat . . . . .	— 3	3	—

⊙§ **Ipomoea imperialis satin-rose.** The foliage is of a bright green splashed with silvery white. . . . .

Ceres, crimson with a white border . . . . .	6	6	9
Euphrosyne, pure white with a rosy throat . . . . .	— 3	3	—
Princess, white, crimson speckled . . . . .	3	3	6

c) **Aurata (fol. aur. — leaves with a golden hue).**

Cleopatra, brilliant carmine with a white throat and border . . . . .	— 4	3	9
Juno, sky-blue . . . . .	— 3	3	—
Luna, very large flowers, dark and light blue and delicate carnation . . . . .	— 3	3	—
The above sorts mixed . . . . .	— 3	3	—

d) **Collata (Electro).**

A most remarkable and beautiful class of the greatest variety of shape and colour, the gigantic flowers are partly curled or frizzled, looking thus, as if they were double.

Alba, pure white . . . . .	5	4	5
Carminea, carmine-red . . . . .	4	3	9
„ albo marginata, with a white border . . . . .	— 4	3	9
Diana, dark blue with a white border . . . . .	— 4	3	9
The above sorts mixed . . . . .	— 4	3	4

e) **Micans.**

Another wonderful class of Ipomoea imperialis with perfectly smooth stems and leaves; leaves either green or silvery and the variety of colors is most beautiful and striking; finest colours mixed . . . . .

Ipomoea imperialis, all classes and colours mixed . . . . .	3	2	6
h „ Learii, blue . . . . .	— 11	13	—
⊙ „ limbata (Pharbitis) . . . . .	— 2	1	3
⊙ „ „ hybrida . . . . .	— 2	1	6
⊙ „ Nil . . . . .	— —	1	—



Ipomoea imperialis collata. Electro 33.

Ipomoea Nil grandiflora . . . . .	2	1	5
⊙ „ purpurea (Morning Glory) Convolvulus major, splendid mixed . . . . .			7
⊙ „ purpurea, 6 distinct colours, each separate . . . . .			8
„ „ fl. albo pleno, double white . . . . .	3	2	6
„ „ fl. carminea plena . . . . .	5	4	8
„ „ fl. carneo plena . . . . .	4		
„ „ fl. violaceo plena . . . . .	4	3	10
„ „ flore pleno, double flowering mixed . . . . .	5	3	10
⊙ „ Quamoclit, Cypress Vine . . . . .	3	2	—
„ „ fl. alba . . . . .	3	2	—
„ „ fl. rosea . . . . .	3	2	—
⊙ „ „ hederacea, scarlet . . . . .	3	2	3
⊙ „ rubro-coerulea (violacea vera) . . . . .	9	9	6
„ „ „ fl. albo . . . . .	11	12	9
⊙ „ sanguinea (Mina) . . . . .	— 3	2	—

	per oz. s. d.	per lb. s. d.		per oz. s. d.	per lb. s. d.
⊙ Ipomopsis elegans, mixed . . . . .	— 3	2 8	⊙ Lavatera trimestris fl. albo . . . . .	— 2	1 3
" " rosea . . . . .	— 4	3 4	" " fl. rubro . . . . .	— 2	1 3
Italian Bugloss, see Anchusa.			⊙ Leptosiphon hybridus, mixed . . . . .	— 4	—
h Jacaranda mimosaefolia . . . . .	1	11 —	⊙ Leptosyne gigantea, a charming decorative plant with graceful pinnate foliage and golden-yellow flowers		
Jacobaea, see Senecio elegans.			100 seeds —/4; 1000 seeds 2/6	— —	— —
h Jatropha Curcas . . . . .	— 4	3 4	Leptosyne maritima, large flowered, golden-yellow . . . . .	— 6	— —
Jerusalem Star, see Cerastium.			4 Leucanthemum lacustre . . . . .	— 3	— —
⊙ Jonopsidium acaule . . . . .	1 8	— —	" maximum (Chrysanthemum) . . . . .	— 4	— —
Joseph's Coat, see Amaranthus tricolor.			" nipponicum, large-flowered white (Electro)	1 10	— —
Jove's Flower, see Agrostemma coronaria.			" uliginosum . . . . .	3 6	— —
⊙ Kaulfussia amelloides . . . . .	6	— —	Ligularia Kaempferi 100 seeds —/5	— —	— —
g§ Kennedyya nigricans . . . . .	2 4	— —	⊙ Linaria aparinoides splendens Dam.	— 4	3 —
" rubicunda . . . . .	1 3	— —	" Hendersoni ericoides . . . . .	— 7	— —
4 Kuhnia eupatorioides, Dam. 1898.			" maroccana . . . . .	— 3	— —
A small shrub with lovely flowers of a creamy white which reproduce themselves until the autumn . . . . .	1 2	— —	" Pancici, new, Dam. 1901, very fine, dwarf with large canary-yellow flowers . . . . .	— 8	— —
⊙§ Lagenaria leucantha clavata . . . . .	— 3	2 —	" reticulata aureo-purpurea . . . . .	5	4 10
" " corsica . . . . .	— 3	2 —	4 Linum grandiflorum roseum . . . . .	— 2	1 6
" " enormis . . . . .	— 3	2 —	" " rubrum (Scarlet Flax)	— 2	1 6
" " maxima . . . . .	— 3	2 —	4 " perenne . . . . .	— 3	2 —
" " verrucosa . . . . .	— 3	2 —	g Lippia citriodora (Aloysia, Verbena)	1 5	— —
" " var. Gourds of different curious shapes, such as for instance Water-bottle, Tobacco box etc. etc.	— 2	1 6			
" vulgaris sylvestris (abyssinica)	— 4	2 9	⊙ Lobelia Erinus		
g Lagerstroemia indica, clean seed . . . . .	1 6	— —	blue . . . . .	— 7	7 4
Lagunaria, see Hibiscus.			white . . . . .	— 10	10 7
g Lantana hybrida grandiflora, fine mixed . . . . .	— 3	1 9	Barnards Perpetual, dark blue with a white eye . . . . .	1 3	— —
g§ Lapageria rosea . 1000 seeds 5/3	— —	— —	Emperor William . . . . .	1 6	— —
			Paxtoniana . . . . .	— 8	— —
			Primadonna . . . . .	1 9	— —
			speciosa (Crystal Palace) . . . . .	— 10	— —
⊙ Larkspurs.			pumila alba (white Gem) . . . . .	1 7	— —
Double Imperial branching (Delphinium Consolida imperiale) finest mixed . . . . .	— 2	1 6	" rosea . . . . .	1 1	— —
Double dwarf branching or Candelabrum mixed . . . . .	— 7	6 6	" Star of Ischl . . . . .	— 10	— —
Double Hyacinth-flowered giant, finest mixed . . . . .	— 3	2 —	compacta Goldelse . . . . .	2 10	— —
Double Stock-flowered, mixed . . . . .	— 2	1 9	" Crystal Palace . . . . .	1 5	— —
⊙§ Lathyrus odoratus, Sweet Peas mixed . . . . .	— —	— 6	4 Lobelia cardinalis . 1/8 oz —/10	5 10	— —
" " Eckfords new hybrids mixed . . . . .	— —	— 7	4 " fulgens, best hybrids mixed 1/16 oz 3/3; 1/8 oz 6/—	45 —	— —
" " Emily Henderson . . . . .	2	1 6	" " Queen Victoria 1/16 oz 3/3; 1/8 oz 6/—	45 —	— —
" " Her Majesty . . . . .	— —	1 —	" " Queen Victoria violacea 1/16 oz 3/3; 1/8 oz 6/—	45 —	— —
" " Invincible carmine (Cardinal) . . . . .	— —	— 10	" Gerardi, violet, very floriferous 1/16 oz 4/—; 1/8 oz 7/6	— —	— —
" " Orange Prince . . . . .	— —	1 —	" Rivoirei, very large-flowering hybrids . 1000 seeds 3/3	— —	— —
" " White, pure white . . . . .	— —	8 —	⊙§ Lophospermum scandens . . . . .	2 2	29 —
g Lavatera arborea . . . . .	3	2 —	⊙ Lotus Jacobaeus . . . . .	— 5	5 2
" " fol. var. . . . .	— 8	— —	" " luteus . . . . .	— 5	5 2

	per oz s. d.	per lb. s. d.
Love Grove, see <i>Nemophila</i> .		
⊙ " in a Mist, see <i>Nigella</i> .		
" in a Puff, see <i>Cardiospermum</i> .		
" lies bleeding, see <i>Amaranthus caudatus</i> .		
⊙§ <i>Luffa acutangula</i> , Rag or Dish-cloth Gourd . . . . .	— 3	2 5
" Jacquini . . . . .	— 4	3 —
" Soly Qua . . . . .	— —	2 3
4 <i>Lunaria biennis</i> (Moon Wort) . . . . .	— 3	2 3
⊙ <i>Lupinus fol. var.</i> . . . . .	1 —	— —
" <i>albo-coccineus nanus roseus</i> . . . . .	— 6	— —
4 " <i>arboreus</i> . . . . .	— 10	— —
" <i>luteus Romulus Dam.</i> . . . . .	— 3	2 2



*Leucanthemum nipponicum*.  
Electro 3/3.

<i>Lupinus sulphureus superbus</i> . . . . .	— 4	3 —
" <i>tricolor elegans</i> . . . . .	— —	1 —
" tall annual varieties mixed . . . . .	— —	— 10
" dwarf " " 1/8 oz " 9 . . . . .	— 2	1 5
g§ <i>Luzuriaga radicans</i> . . . . .	4 6	— —
4 <i>Lychnis chalcedonica</i> , scarlet . . . . .	— 4	— —
" <i>fulgens</i> . . . . .	1 4	— —
Madagascar Periwinkle, see <i>Vinca</i> .		
<i>Malcolmia littorea</i> , large-flowering, rose-lilac . . . . .	1 3	— —
⊙ <i>Malope grandiflora</i> , red . . . . .	— —	1 —
" " <i>alba</i> . . . . .	— —	1 —
" " <i>rosea</i> . . . . .	— 1	— —
g <i>Manihot Glaziovii</i> . . . . .	— 9	9 —
Marigold, African and French, see <i>Tagetes</i> .		
Marigold Cape, see <i>Calendula pluvialis</i> .		

	per oz s. d.	per lb. s. d.
Marigold Pot, see Sweet Herbs.		
⊙ <i>Martynia Craniolaria</i> (formosa, fra- grans) . . . . .	— 3	2 8
" <i>lutea</i> . . . . .	— 3	2 8
" <i>proboscidea</i> . . . . .	— 3	2 —
" " <i>rosea</i> . . . . .	— 3	2 3
Marvel of Peru, see <i>Mirabilis</i> .		
Mask Flower, see <i>Alonsoa</i> .		
⊙4 <i>Matricaria eximea flore pleno</i> . . . . .	— 5	4 —
" <i>grandiflora compacta fol.</i> <i>aureis</i> . . . . .	— 8	— —
" " <i>flore pleno</i> . . . . .	— 6	5 6
4 " <i>glauca</i> (Electro). Highly suited to borders and dwarf groups; the plant grows hardly 6 inches high, covering in a very short time the ground with handsome creeping branches. The		



*Matricaria glauca*.  
Electro 3/3.

flowers are not very showy; they are white with a yellow centre and emerge over a very fine pinnate silver-grey foliage. In order to render the fine foliage more effective for groups it will be advisable to take off the flowers . . . . .	— 8	— —
⊙§ <i>Maurandia Barkleyana</i> . . . . .	1 10	— —
" " <i>fl. albo</i> . . . . .	3 —	— —
" <i>purpurea grandiflora</i> . . . . .	1 10	— —
" <i>semperflorens</i> . . . . .	1 5	— —
" <i>mixed</i> . . . . .	1 6	20 —
Medeola, see <i>Myrsiphyllum</i> .		
g <i>Melanthus major</i> . . . . .	2 6	— —
⊙§ <i>Melothria abyssinica</i> , Naud. . . . .	— 10	— —
" <i>punctata</i> 100 seeds —/10 . . . . .	— —	— —
4 <i>Mentha Pulegium</i> , Pennyroyal . . . . .	2 3	— —
g <i>Mesembrianthemum crystallinum</i> , (Ice Plant) . . . . .	— 3	2 4

	per oz s. d.	per lb. s. d.		per oz s. d.	per lb. s. d.
Mesembrianthemum tricolor . . .	— 5	4 10	⊙ Myosotis azorica		
2 Michauxia campanuloides . . .	1 10	—	1/16 oz 2/—; 1/8 oz 3/—	20 6	— —
Mignonette, see Reseda.			4 " dissitiflora . . . . .	3 6	— —
g§ Mikania scandens (Senecio)			" dissitiflora alba . . . . .	3 6	— —
1/8 oz 1/6	—	—	" " Bleu Perfection	4 3	— —
h⊙ Mimosa pudica (Sensitive Plant) .	— 6	4 3	" oblongata (latifolia) . . .	— 8	— —
⊙ Mimulus cardinalis . . . . .	3 1	— —	" palustris, true. . . . .	1 9	21 8
" cupreus . . . . .	2 8	— —	" " semperflorens . . . . .	1 7	20 —
" " Prince Bismarck	2 10	— —	" " " alba . . . . .	2 5	— —
" duplex (hose in hose) mixed.	1 10	— —	" " " Fairy-Eye		
" moschatus (Musk) . . . . .	1 10	— —	(Water-Fairy) . . . . .	3 6	— —
" " compactus 1/8 oz —/9	5 —	— —	" Welwitschii, dwarf, splen-		
" tigrinus (pardinus) . . . . .	1 10	— —	did . . . . .	1 9	— —
" " grandiflorus (Queen's			Myosotidium nobile, magnificent		
Prize) . . . . .	1 10	— —	1/8 oz —/8	4 —	— —
⊙§ Mina lobata, beautiful climber. . .	2 —	27 —	g§ Myrsiphyllum asparagoides (Medeola,		
" sanguinea, see Ipomoea san-			Smilax) . . . . .	— 9	9 —
guinea.			Nasturtium (Indian Cress), see		
⊙ Mirabilis Jalapa (Marvel of Peru)			Tropaeolum.		
mixed . . . . .	— —	— 9	h Nelumbium luteum 100 seeds 1/8	— —	— —
" Jalapa fol. variegatis, mixed	— —	— 10	⊙ Nemesia strumosa Suttoni, very flori-		
" " Tom Thumb, white	— 2	1 2	ferous, highly adapted for borders .	8 —	— —
" " " " tricolor	— 2	1 2	1/8 oz 1/3	— —	— —
g Mitraria coccinea 1000 seeds 2/2	— —	— —	Nemesia strumosa nana compacta	22 6	— —
⊙§ Momordica Balsamina, Balsam Apple	— 4	2 10	1/8 oz 3/—	— —	— —
" Charantia . . . . .	— 4	3 2	⊙ Nemophila crambeoides . . . . .	— —	1 —
" Elaterium, squirting Cu-			" discoidalis . . . . .	— —	1 —
cumber . . . . .	— 3	2 6	" insignis, blue . . . . .	— —	— 10
" involucrata Dam. . . . .	— 10	11 —	" " alba . . . . .	— —	— 10
" muricata . . . . .	— 4	2 9	" " purpurea . . . . .	— —	1 —
Monkey Flower, see Mimulus.			" maculata . . . . .	— —	— 6
Moon Wort, see Lunaria.			" " purpurea . . . . .	— —	— 5
2 Moraea tristis . . . . .	1 —	— —	g Nerium Oleander album clean seed	— 5	4 5
Morning Glory, see Ipom. purpurea.			" " roseum . . . . .	— 4	2 10
" Glory Brazilian, see Ipom. setosa.			⊙ Nicotiana affinis . . . . .	— 4	3 3
Mourning Bride, see Scabiosa.			" colossea, one of the finest		
h Musa Ensete . 1000 seeds 14/—	— —	3 3	ornamental foliage plants		
" " Italian saved seeds			1/8 oz 2/—	12 —	— —
100 seeds 4/—	— —	— —	⊙ " macrophylla gigantea . . . . .	— 3	2 2
h " " in fruits (they keep very			" noctiflora var. albiflora		
well and are very suitable for collec-			Dam. 1898 new. . . . .	— 10	— —
tions) . . . . .	— —	3 10	" purpurea grandiflora . . . . .	— 3	3 —
Musa religiosa (Fétiche)			" sylvestris, Spegaz. Dam.		
100 seeds 1/9	— —	— —	Flowers pure white . . . . .	— 6	— —
" Martini . 100 " 4/—	— —	— —	⊙ Nierembergia frutescens . . . . .	— 6	5 6
" rosacea . . 100 seeds 2/6	— —	— —	" gracilis . . . . .	— 8	— —
Musk Plant, see Mimulus moschatus.			⊙ Nigella damascena nana alba plena	— —	— 8
2 Myosotis alpestris, Alpine Forget-			" damascena nana coerulea		
me-not . . . . .	— 9	10 6	plena (Love-in-a-mist) . . . . .	— —	— 8
" " alba . . . . .	— 9	10 6	" hispanica . . . . .	— 3	1 7
" " rosea . . . . .	— 10	— —	" " alba . . . . .	— 3	1 7
" " compacta, blue. . . . .	1 —	12 9	" " purpurea . . . . .	— 3	1 7
" " elegantissima . . . . .	1 —	12 10	⊙ Nycterinia capensis . . . . .	— 10	10 3
" " " alba . . . . .	1 —	— —	" selaginoides . . . . .	— 6	5 6
" " robusta grandiflora			2 Nymphaea alba . . . . .	1 3	— —
(Elisa Fonrobert)	1 3	13 9	" lutea . . . . .	— 6	— —
" " Victoria, dwarf comp-			h " zanzibariensis . . . . .	7 6	— —
act variety . . . . .	1 7	— —			



	per oz s. d.	per lb. s. d.		per oz s. d.	per lb. s. d.
⊙ Obeliscaria pulcherrima . . . . .	— 4	3 9	⊙ Papaver Rhoëas fl. pl. French ranunculus-flowering double mixed	— —	1 3
⊙ Ocyum Basilicum bullatum . . . . .	— 2	1 5	" somniferum "The Bride", single flowered white . . . . .	— —	— 10
" comosum Dam. . . . .	— 2	1 2	(⊙) " somniferum fl. pl., double Carnation Poppy, mixed . . . . .	— —	— 9
" suave . . . . .	— 3	2 3	" somniferum nanum fl. pl. White Swan . . . . .	— 2	1 1
⊙ Oenothera acaulis vera (Evening-Primrose) . . . . .	— 10	— —	" somniferum nanum fl. pl. brilliant-rose . . . . .	— 2	1 1
⊙ " Berteriana. Dam. 1900. The plant grows from about 20 to 24 inches high bearing a very great number of lovely long-tubed chrome yellow flowers. The downy leaves are very narrow. Highly adapted for groups . . . . .	— 3	2 3	" umbrosum (commutatum)	— 2	1 4
Oenothera Johnsoni Parry. Dam. 1898. This very vigorous annual grows rapidly about 4 feet high producing long panicles of lemon-yellow flowers more than 1/2 inch in diameter. Our cut represents a single plant flowering already two months after sowing . . . . .	— 3	2 —	4 Pardonthus chinensis . . . . .	5	4 5
⊙ Oenothera Lamarckiana . . . . .	— —	— 11	" japonicus . . . . .	— 3	2 3
⊙ " " sulphurea, Dam. 1900. The plant grows about 3 feet high and produces very large sulphur yellow flowers in great abundance . . . . .	— 3	2 —	" " maximus . . . . .	— 4	3 4
Orach, see Atriplex.			g Parkinsonia aculeata . . . . .	— 4	3 —
⊙ Oxalis rosea . . . . . 1/8 oz —/8	4 8	— —	h§ Passiflora (Passion flower)	— —	— —
h " sensitiva (Biophytum) 1/16 oz 2/5; 1/8 oz 4/2	31 —	— —	" coerulea . . . . .	— 5	4 6
⊙ " tropaeoloides . . . . .	1 2	— —	" edulis . . . . .	1 6	— —
" Valdiviana . . . . .	— 7	6 7	" rosacea (incarnata) . . . . .	1 4	— —
Oxyura chrysanthemoides . . . . .	— 4	3 9	Pea, Sweet, see Lathyrus odoratus.		
Oxlip, see Primula elatior.			g Pelargonium hybridum grandiflorum, finest large-flowered, Odier and Fancy mixed, 100 seeds 1/6; 1000 seeds 12/—	— —	— —
4 Paeonia arborea (Moutan) fl. pl. . . . .	— 9	— —	g Pelargonium hederacifolium mixed, 100 seeds —/7; 1000 seeds 4/2	— —	— —
⊙ Palafoxia texana (Polypteris) . . . . .	— 3	1 8	g Pelargonium hederacifolium, double, mixed, 100 seeds 2/—; 1000 seeds 17/6	— —	— —
Palma Christi, see Ricinus.			g Pelargonium Scarlet, choice mixed . . . . .	— 6	6 —
Pansies, see Viola tricolor maxima.			" Scarlet, double-flowered, mixed, 100 seeds —/8; 1000 seeds 5/9	— —	— —
4 Papaver bracteatum . . . . .	— 4	3 5	g Pelargonium Scarlet, white variegated-leaved, hybridized, 100 seeds 1/3; 1000 seeds 11/5	— —	— —
4 " caucasicum . . . . .	— 4	— —	g Pelargonium Scarlet, golden, tricolor, variegated, hybridized, 100 seeds 1/3; 1000 seeds 11/5	— —	— —
⊙ " Danebrog, brilliant scarlet with large white spots . . . . .	— —	— 9	h Peltandra virginica (Aroideae) . . . . .	5	— —
" Danebrog flore pleno . . . . .	— 2	1 —	Penny Royal, see Mentha Pulegium.		
" glaucum (Tulip Poppy) . . . . .	1 —	— —	4 Penstemon campanulatus . . . . .	— 3	2 6
" laevigatum . . . . .	1 2	— —	" Cobaea . . . . .	1 3	18 2
" Mephisto, deep scarlet with blackish purple spots . . . . .	— —	— 10	" Hartwegi (gentianoides) mixed varieties . . . . .	1 8	— —
" Murselli fl. pl. white, striped dark . . . . .	— —	— 9	(⊙) Perilla nankinensis . . . . .	— —	— 8
" Mikado . . . . .	— 2	1 3	" " fol. atropurpureis laciniatis . . . . .	2	1
4 " nudicaule . . . . .	1 2	— —	" " macrophylla crispa compacta . . . . .	— 2	1 3
⊙ " paeoniflorum fl. pl. mixed. Fairy Blush . . . . .	— —	— 10	" " macrophylla crispa elatior . . . . .	— 2	1 3
" " . . . . .	— —	1 3	" " laciniatus picta, Dam. 1899. Under normal conditions the plant grows about 2 feet high; the leaves are deeply cut, of a dark brown almost black color with very distinct large rose and white stripes. Having grown		
⊙ " pavoninum (Peacock Poppy) . . . . .	— 5	4 6			
" Rhoëas Shirley, single flowering . . . . .	— —	2 9			

this pretty kind for several years we have found it almost perfectly constant, producing about 75<sup>0</sup>/<sub>10</sub> of true plants with fine leaves as above . . .

⊙ **Petunia hybrida.**

	per oz s. d.	per lb. s. d.
Alba . . . . .	— 6	6 3
Belle Etoile . . . . .	— 7	7 3
Carmen Sylva . . . . .	— 7	7 3
Carminea intus alba (Adonis) . . . . .	— 7	7 3
Compacta nana multiflora . . . . .	1 8	21 —
Countess of Ellesmere . . . . .	— 5	4 3
Illustris, brilliant rose-carmine . . . . .	— 7	6 3
Inimitable . . . . .	— 7	7 3
"    nana compacta multiflora . . . . .	1 —	— —
Kermesina splendens . . . . .	— 6	6 6
Snowball, white, rich flowering . . . . .	1 4	— —
Venosa . . . . .	— 7	7 6
Violacea . . . . .	— 7	7 6
Vittata, purple lilac, white striped . . . . .	1 10	— —
Finest mixed, first quality . . . . .	— 5	5 3

⊙ **Petunia hybrida grandiflora.**

Choicest quality.

Alba . . . . . <sup>1</sup> / <sub>16</sub> oz 1/3; <sup>1</sup> / <sub>8</sub> oz 2/3	17 —	— —
Atropurpurea . . . . . <sup>1</sup> / <sub>16</sub> " 1/5; <sup>1</sup> / <sub>8</sub> " 2/6	18 —	— —
Maculata . . . . . <sup>1</sup> / <sub>16</sub> " 1/5; <sup>1</sup> / <sub>8</sub> " 2/6	18 —	— —
Purpurea albo maculata, new		
<sup>1</sup> / <sub>32</sub> oz 1/4; <sup>1</sup> / <sub>16</sub> oz 2/5; <sup>1</sup> / <sub>8</sub> oz 4/6	33 6	— —
"    Purple King		
<sup>1</sup> / <sub>16</sub> oz 1/3; <sup>1</sup> / <sub>8</sub> oz 2/3	17 —	— —
Superbissima Prince of Wurtemberg		
<sup>1</sup> / <sub>32</sub> oz 1/6; <sup>1</sup> / <sub>16</sub> oz 2/6; <sup>1</sup> / <sub>8</sub> oz 4/6	— —	— —
Largest-flowered varieties mixed		
<sup>1</sup> / <sub>16</sub> oz 1/—; <sup>1</sup> / <sub>8</sub> oz 1/9	11 6	— —

⊙ **Petunia hybrida grandiflora fimbriata.**

All colours mixed, choicest quality		
<sup>1</sup> / <sub>16</sub> oz 1/9; <sup>1</sup> / <sub>8</sub> oz 3/—	22 6	— —

⊙ **Petunia hybrida grandiflora fl. pl.**

Most carefully fecondated.

First quality.

Double large-flowered mixed		
<sup>1</sup> / <sub>64</sub> oz 3/9; <sup>1</sup> / <sub>32</sub> oz 7/—	— —	— —
"    fringed in great variety mixed (fimbriata) . . . . . 1000 seeds 1/—	— —	— —
10 000 "    9/—	— —	— —
⊙ Phacelia campanularia . . . . .	— 5	4 6
"    Emperor William . . . . .	— 3	2 6
"    Parryi . . . . .	— 4	3 —
"    tanacetifolia . . . . .	— —	1 —
℥§ Phaseolus Caracalla . . . . .	— 5	4 6
⊙§ "    ensifomis gigas . . . . .	— —	1 —
Pheasant-eye Pink, see Dianthus plumarius.		

4 Phlox decussata (perennis) hybrida, fine mixed . . . . .	1 3	— —
"    "    (perennis) hybrida nana, dwarf mixed . . . . .	4 —	— —

⊙ **Phlox Drummondii.**

Alba pura . . . . .	— 9	10 3
Coccinea . . . . .	— 10	— —
Variabilis . . . . .	— 10	— —
"    fl. pleno, Dam. 1899. With very fine partly and also very double flowers of the same slate-blue shades as the single Ph. variabilis . <sup>1</sup> / <sub>8</sub> oz —/4	1 10	— —
Extra fine mixed . . . . .	— 8	8 9

**Phlox Drummondii grandiflora.**

Collected from largest flowers.

Alba pura . . . . .	1 —	— —
Atropurpurea . . . . .	1 —	— —
Carminea . . . . .	1 —	— —
Coccinea . . . . .	1 —	— —
Splendens . . . . .	1 —	— —
All the above mixed . . . . .	— 10	9 9

**Phlox Drummondii nana compacta.**

Saved exclusively from dwarf plants.

Alba grandiflora . . . . .	4 —	— —
Atropurpurea . . . . .	4 —	— —
Carminea . . . . .	4 —	— —
Chamois rose . . . . .	4 —	— —
Coccinea . . . . .	4 3	— —
"    floribunda, Fireball . . . . .	4 3	— —
Coerulea stellata . . . . .	4 3	— —
Hortensiaeflora . . . . .	3 6	— —
Nivea (Snowball) . . . . .	3 3	— —
Victoria . . . . .	3 3	— —
All the above mixed . . . . .	2 4	31 —

⊙ Phlox Drummondii cuspidata, mixed	1 2	— —
"    fimbriata, mixed . . . . .	1 3	— —
"    perennis (decussata) hybrida, finest large flowering sorts mixed	— 10	11 —
"    perennis (decussata) hybrida, "Eclaireur" crimson colour, extremely large-flowering		
<sup>1</sup> / <sub>8</sub> oz 1/—	7 —	— —
"    perennis (decussata) hybrida nana, best new dwarf varieties		
<sup>1</sup> / <sub>8</sub> oz —/8	4 —	— —
g Phormium Hursthonsi, flowering even when quite young, with long dark red panicles . . . . . 1000 seeds 3/10	— —	— —
g Phormium tenax, New Zealand Flax	— 8	7 6
"    "    fol. var.		
1000 seeds 2/10	— —	— —
"    "    Veitchii fol. var.		
1000 seeds 3/10	— —	— —



**Primula chinensis fimbriata filicifolia.**

	per oz s. d.	per lb. s. d.
Alba pura . . . . .	1/8 oz 3/6	24 3
Gigantea Perfection white . . . . .	1/32 " 2/6	— —
	1/16 " 4/9	— —
Kermesina splendens . . . . .	1/8 " 3/8	26 9
Rosea . . . . .	1/8 " 2/9	20 6
Striatiflora . . . . .	1/8 " 3/3	23 9

**Primula chinensis fimbriata flore pleno, double fringed.**

	100 seeds s. d.	1000 seeds s. d.
Alba, double white fringed . . . . .	— 6	4 —
Carminea . . . . .	— 6	3 8
Coccinea . . . . .	— 7	4 10
Kermesina splendens . . . . .	— 7	4 10
Rosea . . . . .	— 6	3 6
Striatiflora . . . . .	— 8	5 4
Double fringed mixed . . . . .	— 6	4 —



Pyrethrum parthenifolium glaucum.  
Electro 3/—.

Prince's Feather, see *Amaranthus hypochondriacus*.

	per oz s. d.	per lb. s. d.
g§ Pueraria Thunbergiana; most splendid, high-ranking, of Japan, with fine clusters of blue flowers 1/4 oz —	6	1 1 15 3
4 Pulmonaria angustifolia . . . . .	— 5	4 3
4 Pycnanthemum pilosum . . . . .	1 5	— —
4 Pyrethrum cinerariaefolium . . . . .	— 6	4 6
4 " parthenifolium aureum (Golden Feather) . . . . .	— 5	4 10
" " Golden Gem . . . . .	— 8	8 —
" " laciniatum . . . . .	— 5	5 3
" " selaginoides . . . . .	— 10	11 —
" " glaucum (Electro) . . . . .	— 5	4 9
" roseum hybr. mixed . . . . .	1 2	— —
" " carmineum . . . . .	1 3	— —
" " carneum . . . . .	1 3	— —

**Pyrethrum roseum hybr. double mixed**

	per oz s. d.	per lb. s. d.
1/16 oz 1/8; 1/8 oz 3/2	25 —	— —
" Tschihatschewi, true . . . . .	1 —	13 9
⊙§ Quamoclit Kerberi, (Ipomoea) . . . . .	— 3	— —
4 Ranunculus asiaticus superbissimus Red-hot-Poker Plant, see Tritoma.	— 4	3 9

**⊙⊙ Reseda odorata grandiflora**

choicest qualities — speciality of our firm.

	per oz s. d.	per lb. s. d.
arborea . . . . .	— 3	2 —
aurea (Golden Queen) . . . . .	— 2	1 6
compacta nana multiflora . . . . .	— 2	1 6
Jewel . . . . .	— 8	5 6
Crimson Queen . . . . .	— 3	2 8
Diamond . . . . .	— 3	2 3
Fiammetta, Dam. (Electro) with enormous panicles of very scented, flowers of a dark-red hue; the finest . . . . .	— 4	3 9
Gabriele (imperialis, red, large panicles) . . . . .	— 3	2 6
gigantea pyramidalis . . . . .	— 2	1 6
Machet, dwarf compact variety . . . . .	— 3	2 6
" golden yellow . . . . .	— 4	3 9
Ruby . . . . .	2 5	— —
maxima Goliath . . . . .	1 10	— —
meliorata (Crimson Giant) . . . . .	— —	1 —
Miles Spiral . . . . .	— 2	1 6
odorata . . . . . cwt. 80/—	— —	— 10
" grandiflora . . . . . " 86/—	— —	1 —
Urania Dam. 1892, with enormous panicles . . . . .	— 3	1 10
Victoria, dark-red . . . . .	— 3	1 10
4 Rhaponticum pulchellum . . . . .	— 4	3 9
⊙ Rhodanthe maculata . . . . .	— 11	— —
" maculata alba . . . . .	1 2	— —
" Manglesii . . . . .	1 —	— —
" " fl. pl. . . . . 1/8 oz —/8	4 8	— —

**⊙ Ricinus (Castor Oil Bean, Palma Christi)**

	per oz s. d.	per lb. s. d.
africanus . . . . .	— —	— 8
borboniensis arboreus . . . . .	— —	— 7
cambodgensis, very dark leaved . . . . .	— —	1 —
communis major . . . . .	— —	— 8
Duchess of Edinburgh . . . . .	— —	— 9
Gibsoni . . . . .	— 2	— 10
" mirabilis . . . . .	— —	— 11
sanguineus . . . . . cwt. 25/—	— —	— 6
Zanzibariensis, red seeds . . . . .	— —	— 7
" cinerascens . . . . .	— —	— 8
" enormis . . . . .	— —	— 7
" mixed . . . . .	— —	— 7
all sorts mixed . . . . . cwt. 25/—	— —	— 6
Rock Lychnis, see Viscaria.		
Rocket, see Hesperis matronalis.		
⊙ Romneya Coulteri . . . . .	4 3	— —
Rose Campion, see Agrostemma.		

	per oz s. d.	per lb. s. d.
○ Rudbeckia bicolor superba . . . . .	— 5	3 9
"    "    "    semiplena . . . . .	— 10	— —
○ "    "    "    moschata . . . . .	— 4	— —
4 "    "    "    Neumannii . . . . .	1 9	— —
4 "    "    "    radula, golden yellow with a black centre . . . . .	1 9	— —
h Ruellia tuberosa, Dam. 1895; very bushy, dwarf and rich flowering; the numerous Bignonia-like flowers are of blue colour, standing above the foliage. To be sown early in the stove; the plant will then flower in July, lasting until Christmas . . . . .	1 3	—
Sage, see Salvia.		
○ Salpiglossis variabilis fine mixed . . . . .	— 6	5 6
"    "    "    variabilis grandiflora, large flowered mixed . . . . .	— 7	6 6
"    "    "    nana, dwarf mixed . . . . .	— 5	4 6
"    "    "    superbissima, mixed . . . . .	1 3	— —
4 Salvia argentea, true . . . . .	— 2	1 2
○ "    "    "    coccinea . . . . .	— 3	2 3
"    "    "    grandiflora . . . . .	— 4	3 —
"    "    "    lactea, pure white . . . . .	— 5	4 6
○ "    "    "    nana, Dam. 1899. A dwarf form of the lovely S. coccinea lactea growing only about 16 to 20 inches high and bearing in great number pure white flowers al- ready in June which last until frost sets in; most valuable for groups . . . . .	— 6	5 3
Salvia coccinea rosea . . . . .	4	2 9
○ "    "    "    farinacea . . . . .	— 5	4 5
"    "    "    alba . . . . .	— 10	— —
"    "    "    officinalis, see Sweet Herbs &c.		
○ "    "    "    Roemeriana . . . . .	1 —	— —
"    "    "    Sclarea, see Sweet Herbs &c.		
4 "    "    "    silvestris . . . . .	— 3	1 10
h "    "    "    splendens . . . . .	2 3	— —
"    "    "    Alfred Ragueneau compacta nana . . . . .	4 6	— —
"    "    "    1/8 oz —/7 . . . . .	3 6	— —
"    "    "    Glory of Stuttgart, very large-flowering . . . . .	4 6	— —
"    "    "    Ingenieur Clavenad 1/8 oz —/7 . . . . .	3 6	— —
"    "    "    Prince of Naples . . . . .	5 10	— —
"    "    "    Silerspot, new, leaves yellow spotted 1/32 oz 1/3; 1/16 oz 1/—; 1/8 oz 1/9 . . . . .	11 6	—
4 Salvia taraxacifolia, Dam. 1899. Resembling in habit the S. paniculata but growing rather bushy and only about 10 inches high; it is therefore very valuable for dwarf groups. One single plant will produce about 15 to 20 panicles of bright lilac flowers with a whitish lip, and although they are not very large yet they appear		

	per oz s. d.	per lb. s. d.
in such a large number from June to September that this very pretty kind may be considered one of the most floriferous of its class . . . . .	1 —	— —
4 Santolina Chamaecyparissus . . . . .	— 4	3 9
○ Sanvitalia procumbens . . . . .	— 4	3 9
"    "    "    fl. pleno, double . . . . .	— 5	4 6
"    "    "    plenissima compacta . . . . .	— 8	— —
h Sapindus Saponaria . . . . .	— —	— 8
○ Saponaria multiflora (calabrica) . . . . .	— 2	1 6
"    "    "    Scarlet Queen . . . . .	— 3	2 —
"    "    "    Satin Flower, see Lunaria biennis.		



Reseda odorata Fiammetta.  
Electro 3/10.

○ Scabiosa (Scabious) atropurpurea fl. pl. mixed . . . . .	— —	2 3
"    "    "    atropurpurea grandiflora com- pacta fl. pl. mixed . . . . .	— 3	2 —
"    "    "    major fl. pl. large flowered, mixed . . . . .	— —	1 2
"    "    "    major fl. pl. Giant King of the Blacks . . . . .	— 2	1 9
"    "    "    maxima fl. pl. The Fairy, with large azure-blue flowers . . . . .	— 4	3 9
"    "    "    nana, double dwarf mixed . . . . .	— 3	1 6
"    "    "    bachiate, Dam. 1899. A most valuable plant for cutting pur- poses, commencing to bloom already in the month of May; its charming pale blue flowers last a long time . . . . .	— 10	—

	per oz s. d.	per lb. s. d.		per oz s. d.	per lb. s. d.
Scabiosa hybrida Victoria (Sc. atropurpurea, Columbaria), finest mixed . . . . .	— 3	1 9	⊙ Solanum atropurpureum . . . . .	— 5	3 9
4 " caucasica . . . . .	3 —	— —	4 " Balbisii . . . . .	— 4	2 10
⊙ Schizanthus Grahami carmineus . . . . .	— 4	3 9	4 " cabiliense argenteum(marginatum) . . . . .	— 5	4 3
" grandiflorus oculatus . . . . .	— 2	1 4	g " Capsicastrum . . . . .	— 4	2 10
" " mixed . . . . .	— 2	1 6	" " nanum . . . . .	5 5	3 —
" papilionaceus . . . . .	— 2	1 6	4 " Dammannianum . . . . .	— —	— —
" pinnatus mixed . . . . .	— 2	1 10	100 seeds —/8	— —	— —
§ Schubertia grandiflora, a splendid climber with white scented flowers	— —	— —	4 " dublosinuatatum . . . . .	1 —	— —
100 seeds 2/—; 1000 seeds 16/—	— —	— —	g " Farini . . . . .	1 3	— —
Sea Lavender, see Statice.	— —	— —	⊙ " Gilo . . . . .	— 4	3 2
⊙ Senecio elegans plenissimus (Jacobaea double) splendid mixed	1 3	— —	⊙ " guineense . . . . .	— 2	1 10
" elegans nanus plenissimus, dwarf mixed . . . . .	1 3	— —	g " Hendersonii . . . . .	— 4	3 —
4 " multiflorus, blue, very rich-flowering . . . . .	1 8	— —	g " laciniatum . . . . .	— 3	2 7
Sensitive Plant, see Mimosa pudica.	— —	— —	g " mors elephantum . . . . .	— 6	5 —
⊙§ Sicyos angulata . . . . .	— 3	1 7	g " pseudo-Capsicum . . . . .	— 3	2 3
4 Silene Fabaria . . . . .	— 5	— —	g " pyracanthum . . . . .	1 10	— —
⊙ " pendula (rosea graeca) . . . . .	— —	7	g " robustum . . . . .	1 4	— —
" " alba . . . . .	— —	7	g§ " Seafortianum 1/8 oz —/6	3 6	— —
" " Bonnetti . . . . .	— —	7	g " Warscewiczii . . . . .	— 10	— —
" " " compacta fl. pl. . . . .	— 3	— —	Spartium (Genista) see Tree seeds.	— 3	2 —
" " carnea plena . . . . .	— —	10	⊙ Sphenogyne speciosa . . . . .	— —	— —
" " Thusnelda Dam. 1896; with long branches of golden yellow foliage and thousands of lovely rose-coloured flowers. . . . .	— 3	1 6	Spiderwort, see Cleome,	— —	— —
Silene pendula compacta rosea . . . . .	— 3	1 3	Spurge, variegated, see Euphorbia variegata.	— —	— —
" " " alba plena Dam. . . . .	— 3	1 3	4 Stachys lanata . . . . .	— —	1 3
" " " " fol. aureis, golden leaved . . . . .	— 4	2 3	g Stapelia variegata finest mixed	— —	— —
" " " Empress of India, large, dark rose flowering . . . . .	— 3	1 10	1000 seeds 1/4	— —	— —
" pendula compacta fol. aur. Venus, Dam. 1898. The contrast between the yellow foliage, the pure white flowers and the green of the lawn, renders this very nice plant extremely adapted for carpet bedding . . . . .	— 3	1 10	Standing Cypress, see Ipomopsis.	— —	— —
Silene pendula compacta Luna Dam. 1896; very compact; flowers of a delicate carnation colour; foliage golden yellow . . . . .	— 4	2 3	⊙ Statice Bonduelli, yellow . . . . .	— —	1 —
Silene pendula compacta ruberrima . . . . .	— —	— 10	4 " caspia; one of the finest with purple flowers . . . . .	2 5	— —
" " compacta ruberrima fl. pleno . . . . .	— —	1 6	4 " incana hybrida (See Lavender) . . . . .	— 3	2 —
" " compacta Snow King, large pure white flowers . . . . .	— 3	2 3	4 " latifolia . . . . .	— 4	3 —
" " ruberrima . . . . .	— —	7	⊙4 sinensis, Dam. 1901 (Electro)	— —	— —
" " " flore pleno . . . . .	— 2	1 —	An exceedingly graceful plant the flowers of which will be found most valuable for all floral decorations. The flower stalks are about 16 to 20 inches high, and the panicles which are produced in great profusion bear flowers somewhat resembling those of Statice sinuata, but they are far more graceful and charming. Their color is pure white alternated with canary-yellow, of a very pretty effect. The flowers are equally useful both fresh and dry. If sown in March the plant begins flowering already in June . . . . .	2 3	— —
g Skimmia japonica . . . . .	— 7	6 7	⊙ " sinuata, blue . . . . .	— —	— 11
Smilax, see Myrsiphyllum.	— —	— —	" " candidissima . . . . .	— —	— 11
Snapdragon, see Antirrhinum.	— —	— —	" " rosea . . . . .	— —	— 11
	— —	— —	⊙ " spicata . . . . .	— 3	3 —

	per oz s. d.	per lb. s. d.
⊙ Statice superba . . . . .	— 5	3 9
⊙ " Suworowii . . . . .	— 5	3 9
h§ Stephanotis floribunda		
100 seeds 2/2		
1000 " 16/6	— —	— —
⊙ Stevia Eupatoria . . . . .	— 6	4 5
⊙ " Lindleyana . . . . .	— 6	6 —
4 " odorata (salicifolia) . . . .	1 4	— —
4 " purpurea . . . . .	— 6	— —
4 " serrata, white . . . . .	— 8	— —
Stocks, see page 29.		
Stonecrop blue, see Sedum coeruleum.		
h Strelitzia Augusta 100 seeds 9/8	— —	— —
" Reginae 100 " 9/8	— —	— —
h Streptocarpus Rexii 1/32 oz 2/3		
1/16 oz 4/—; 1/8 " 7/6	— 58	— —
" Wendlandi, light blue, large leaves		
1/32 oz 2/3; 1/16 oz 4/—; 1/8 oz 7/6	— 58	— —
h Streptocarpus, newest hybrids mixed		
1/32 oz 4/3; 1/16 oz 8/3; 1/8 oz 16/—	125	— —
h Stuartia pseudo-camellia . . . . .	— 9	9 3
Summer Cypress, see Kochia scoparia.		
Sun Drops, see Oenothera.		
Sunflower, see Helianthus annuus.		
Sun Rose, see Helianthemum.		
g Sutherlandia frutescens, one of the most splendid and decorative small shrubs, with fine scarlet flowers, throughout the summer. . . . .	1 3	— —
g Swainsonia alba . 1000 seeds 1/9	— —	— —
" Andersoni . 1000 " —/9	— —	— —
" coronillaefolia 1000 " 1/—	— —	— —
" galegifolia . 1000 " 1/—	— —	— —
" Greyana . 1000 " —/9	— —	— —
" best sorts mixed 1000 " —/9	— —	— —
Swallow wort, see Asclepias.		
Swan River Daisy, see Brachycome.		
Sweet Alyssum, see Alyssum Benthami.		
" Pea, see Lathyrus odoratus.		
" Scabious, see Scabiosa.		
" Sultan, see Centaurea moschata.		
" William, see Dianthus barbatus.		
h Swietenia Mahagoni 10 fruits —/10	— —	— —
⊙ <b>Tagetes erecta fl. pl.</b> <b>Double African Marigold.</b>		
Finest best varieties mixed . . . . .	— 3	2 3
<b>Tagetes patula, single.</b>		
Best varieties mixed . . . . .	— 2	1 3
⊙ <b>Tagetes patula fl. pl.</b> <b>Double French Marigold.</b>		
Dwarf double mixed, best sorts . . . . .	— 3	3 —
Double tall mixed, " " . . . . .	— 2	1 6

	per oz s. d.	per lb. s. d.
Tagetes signata pumila . . . . .	— 4	3 —
" " " Golden Ring, pure golden yellow . . . . .	— 4	3 3
" sulphurea, pure sulphur yellow . . . .	— 5	4 3
Tassel Flower, see Cacalia.		
g§ Tecoma radicans (Bignonia) . . . . .	— 10	9 6
g§ " Stans (Bignonia) . . . . .	— 10	— —
g " Smithi . . . . .	2 —	— —
h Thalia dealbata . . . . .	— 8	— —
Thrift, see Armeria.		
⊙§ Thunbergia alata nanking, with black eye. . . . .	— 10	11 —
" alba, pure white with black eye . . . .	— 10	11 —



Statice sinensis.  
(Electro 3/6.)

⊙§ Thunbergia alata aurantiaca, golden yellow with black eye . . . . .	— 10	11 —
" alba mixed . . . . .	— 9	9 2
h§ " grandiflora . 1000 seeds 4/9	— —	— —
⊙ Tolpis barbata (Crepis) Hawkweed	— 3	1 7
⊙h Torenia Bailloni . . . . . 1/8 oz 2/3	17	— —
⊙h " Fournieri (edentula) . . . . .	3 4	— —
" " alba (White Wings)	3 6	— —
" " coelestina grandiflora		
1/8 oz —/8	4 8	— —
" " compacta 1/8 " 1/1	7	— —
" " " alba 1/16 "		
1/8 "		
" " " coelestina		
1/16 oz 1/8; 1/8 oz 3	22 6	— —
" " grandiflora 1/8 " —/9	4 10	— —
Touch me-not, see Balsams.		

	per oz s. d.	per lb. s. d.
Tournefortia heliotropioides. . . . .	— 7	— —
⊙ Trachelium coeruleum . . . . .	— 8	— —
"    "    album . . . . .	— 10	— —
Tree Cypress, see Ipomopsis.		
⊙§ Trichosanthes Anguinea vera . . . . .	— 3	2 3
"    coccinea . . . . .	— 3	2 10
"    colubrina . . . . .	— 3	2 —
"    cucumerina . . . . .	— 3	2 6
"    palmata . . . . .	— 4	3 —
Tridax gaillardoides, new, Dam. 1901; producing a profuse number of single flowers measuring about one inch and 1/2 in diameter, of a chrome- yellow color with white border. This new form is specially remarkable for its very large number of flowers at an unusually early time which makes it most valuable as an early bedding plant . . . . .	— 9	— —



Verbena erinoides.  
Electro 2/5.

Tritoma, see Kniphofia.		
⊙§ Tropaeolum canariense (peregrinum) Canary Creeper . . . . .	— 5	4 8

### Tropaeolum Lobbianum

cardinale . . . . .	— 3	2 3
Crown Prince . . . . .	— 3	1 10
Duc de Vicence . . . . .	— 3	1 10
fulgens . . . . .	— 3	2 3
Hookeri . . . . .	— 3	1 10
Lilli Smith . . . . .	— 3	1 10
Lucifer . . . . .	— 3	1 10
luteum . . . . .	— 3	1 10
multiflorum . . . . .	— 3	1 10
Queen Victoria . . . . .	— 3	1 10
Roi des noirs . . . . .	— 3	2 3
Spitfire . . . . .	— 3	1 10
Triomphe de Gand . . . . .	— 3	1 10
variegatum . . . . .	— 3	1 10
Zanderi nigrum . . . . .	— 3	2 3
mixed in splendid varieties . . . . .	— —	1 3

### Tropaeolum majus nanum (Tom Thumb)

	per oz s. d.	per lb. s. d.
Chamaeleon . . . . .	— 4	3 9
Empress of India, dark scarlet . . . . .	— 3	2 6
Golden Queen, yellow leaves and yellow flowers . . . . .	— 4	3 9
King of Tom Thumb, scarlet . . . . .	— 3	1 10
"    Theodore, dark red . . . . .	— 3	1 8
Ruby King . . . . .	— 3	1 9
Spotted King, dark-leaves . . . . .	— 2	1 4
Vesuvius, salmon-rose . . . . .	— 4	3 9
best sorts mixed . . . . .	— —	— 9
§ Tropaeolum pentaphyllum . . . . .	1 10	— —
Trumpet Flower, see Datura.		
g§ Vallaris dichotoma, a beautiful climber for the conservatory, with large snow white flowers . . . . . 100 seeds 1/8	— —	— —
Venus Looking Glass, see Cam- panula Speculum.		
Venus Navel wort, see Cynoglossum linifolium.		
⊙ Verbena Aubletia candidissima, new, pure white . . . . .	1 —	— —
"    "    grandiflora . . . . .	— 3	2 3
"    ciliata Dam. 1899. Resembling for its habit and shape of flowers the Verbena erinoides and it is an equally free bloomer, only its leaves are less deeply cut and its flowers are of a very bright lilac . . . . .	— 8	— —
"    Drummondii (montana) . . . . .	— 3	2 3
"    erinoides (Electro) . . . . .	— 7	6 6
"    "    alba, white, . . . . .	1 3	— —
"    pulchella . . . . .	— 3	1 10
"    teucrioides (Niveni) . . . . .	— 3	2 3
"    venosa . . . . .	— 3	2 3

### Verbena hybrida.

Finest mixed . . . . .	7 —	8 —
Extra selected quality . . . . .	— 11	12 8
Auriculae flowered sorts with large white eye, first class flowers . . . . .	— 11	12 8
Alba . . . . .	— 8	8 3
Atroviolacea . . . . .	— 7	8 —
Candidissima . . . . .	— 10	9 6
Coccinea . . . . .	— 10	11 9
Coerulea . . . . .	— 8	9 2
Défiance, fiery scarlet . . . . .	1 2	14 6
Purple Cloak . . . . .	1 2	— —
Striata, Italian striped . . . . .	— 10	10 3

### Verbena hybrida grandiflora (Mammoth)

dark scarlet . . . . .	1 6	— —
Firefly . . . . .	— —	— —



**Verbena hybr. Mammoth (continued)**

	per oz s. d.	per lb. s. d.
rose and carmine . . . . .	1 3	14 6
white . . . . .	1 3	— —
finest colours mixed . . . . .	— 10	9 6

**Verbena hybrida compacta (erecta).**

	per oz s. d.	per lb. s. d.
Candidissima . . . . .	1 6	— —
Dark blue . . . . .	1 6	— —
Défiance . . . . .	2 10	— —
Splendid mixed . . . . .	1 3	16 3
4 Verbesina virginica Dam. 1897 with numerous white flowers . . . . .	1 5	— —
4 Vernonia arkansana, Dam. 1898. With very nice purple flowers; splen- did for cutting . . . . .	— 10	— —
g Veronica hybrida, a great many sorts mixed . . . . .	— 9	— —
h Victoria regia . . . 100 seeds 13/9	— —	— —
h⊙ Vinca rosea. Madagascar Periwinkle	— 7	6 3
"    "    alba oculata . . . . .	— 7	6 3
"    "    alba pura . . . . .	— 7	6 3
"    "    mixed . . . . .	6	6 3
4 Viola cornuta . . . . .	1 3	— —
"    "    alba . . . . .	1 3	— —
"    "    Admiration . . . . .	1 10	— —
"    "    Blue Perfection . . . . .	2 3	— —
"    "    Papilio . . . . .	1 10	— —
"    odorata, semperflorens . . . . .	— 7	7 3
"    "    sempreflorens fl. albo . . . . .	— 10	11 —
"    "    "    the Czar . . . . .	1 7	— —
"    "    "    "    fl. albo . . . . .	1 6	— —

⊙ **Viola tricolor maxima. Pansies.**

Seeds saved from the largest flowers only.

All colours mixed . . . . .	— 9	9 3
English show (faced) varieties mixed . . . . .	— 10	11 —
Large-flowered French varieties mixed . . . . .	1 —	13 10
Cassier, three and five blotched giant . . . . .	2 —	27 —
Bugnots largest flowered . . . . .	1 10	23 6
Alba pura (Schneewittchen) . . . . .	— 10	— —
Azure blue . . . . .	— 10	— —
Cardinal . . . . .	1 —	— —
Dark blue . . . . .	— 10	— —
Emperor William . . . . .	— 10	— —
Dr. Faust, pure black . . . . .	— 10	— —
King of the Blacks . . . . .	— 10	— —
Lord Beaconsfield . . . . .	— 10	— —
Meteor, reddish brown . . . . .	— 10	— —
Odier Prize Pansies . . . . .	1 —	— —
Prince Bismarck . . . . .	— 10	— —
Pure yellow . . . . .	— 10	— —
Victoria, red . . . . .	— 10	— —
White, dark centre . . . . .	— 10	— —
Yellow, dark centre . . . . .	— 10	— —

⊙ **Viola tricolor maxima Trimardeau, Giant Pansies.**

	per oz s. d.	per lb. s. d.
Auriculæflora . . . . .	1 6	— —
Emperor William . . . . .	1 4	— —
King of the Blacks . . . . .	1 7	— —
Lord Beaconsfield . . . . .	1 4	— —
Pure yellow . . . . .	1 10	— —
White with dark centre . . . . .	1 4	— —
Yellow with dark centre . . . . .	1 10	— —
Splendid colours mixed . . . . .	1 6	16 3



Zinnia spectabilis miniata.  
Electro 3/3.

Virginian Stocks, see Cheiranthus maritimus.

Wahlenbergia grandiflora . . . . . — 5 — —

Wallflower, see page 30.

Water Lily, see Nymphaea.

⊙ Whitlavia grandiflora . . . . . — — 1 4

    "    "    alba . . . . . — 3 1 4

h Wigandia caracasana . . . . . — 7 — —

    "    "    imperialis . . . . . — 7 — —

Woodroof, see Asperula.

⊙ Xanthocephalum gymnospermoides,

new, Dam. 1901, with double chrome-

yellow flowers measuring about 1 inch

in diameter. The plant is of a bushy

habit and grows about 3 feet high.

Its flowering period is an unusually

long one, and it is specially adapted

for large groups and for table and

house decoration . . . . . — 6 — —

⊙ Xeranthemum annuum superbissim-

um album fl. pl. . . . . — 7 7 4

	per oz s. d.	per lb. s. d.
Xeranthemum annuum superbissimum roseum fl. pl. . . . .	— 7	6 6
Xeranthemum annuum superbissimum rubrum fl. pl. . . . .	— 7	6 6
Youth and Old age, see Zinnia.		
Yucca, see page 22.		
⊙ Zinnia Darwini fl. pl. finest mixed . . . . .	— 3	2 3
⊙ <b>Zinnia elegans.</b>		
Single flowered mixed . . . . .	— 2	1 3



Zinnia elegans grandiflora laciniata fl. albo pl.  
Electro 4/5.

	per oz s. d.	per lb. s. d.
Atrococcinea . . . . .	— 3	2 9
Aurantiaca . . . . .	— 3	2 9
Aurea . . . . .	— 3	2 9
Carminea . . . . .	— 3	2 9
Coccinea . . . . .	— 3	2 9
Purpurea . . . . .	— 3	2 9
Rosea . . . . .	— 3	2 9
Salmonea . . . . .	— 3	2 9
Sulphurea . . . . .	— 3	2 9
Violacea . . . . .	— 3	2 9

**Zinnia elegans robusta grandiflora plenissima.**

Double large flowered in splendid mixture . . . . .	— 3	2 9
---	-----	-----



Zinnia elegans pygmaea flore pleno.  
Electro 4/—.

⊙ **Zinnia elegans grandiflora plenissima.**

The flowers of our Zinnias are quite enormous, for which they have gained a world wide reputation.

Finest double mixed . . . . .	— 3	2 2
Alba . . . . .	— 3	2 6
Atrococcinea . . . . .	— 3	2 6
Atropurpurea . . . . .	— 3	2 6
Aurea . . . . .	— 3	2 6
Carminea . . . . .	— 3	2 6
Carnea . . . . .	— 3	2 6
Coccinea . . . . .	— 3	2 6
Lilacina . . . . .	— 3	2 6
Lutea . . . . .	— 3	2 6
Rosea . . . . .	— 3	2 6

**Zinnia elegans pumila (nana Tom Thumb) plenissima.**

Finest mixed . . . . .	— 3	2 5
Alba . . . . .	— 3	2 9

Aurea . . . . .	— 4	3 —
Atrococcinea . . . . .	— 4	3 —
Carminea . . . . .	— 4	3 —
Carnea . . . . .	— 4	3 —
Coccinea . . . . .	— 4	3 —
Lilacina . . . . .	— 4	3 —
Lutea . . . . .	— 4	3 —
Rosea . . . . .	— 4	3 —
Salmonea . . . . .	— 4	3 —
Violacea . . . . .	— 4	3 —

Zinnia elegans fl. pl. Reginae, new; the petals are of a peculiar shape. . . . .	— 3	2 10
--	-----	------

Zinnia elegans fl. pl. "Iris". Contrary to the well known striata form from which our splendid new introduction is absolutely different, the ground color of the flowers is of a pale yellow, while the petals are striped, spotted and speckled in various shades of carmine, crimson, pink and minium red.

	per oz s. d.	per lb. s. d.		per oz s. d.	per lb. s. d.
The plants grow to a medium height and the flowers measure about 2½ inches across.	— 4	3 9	kind of only about 8 inches in height but in spite of this very dwarf habit, of most extraordinary rich flowering. We have had as many as 25 to 30 flowers of about 3 inches in diameter on a single plant, which is certainly remarkable considering its small proportions. The flowers are quite as large and double as those of the old <i>Z. elegans</i> . — This new kind can therefore be quite specially recommended as a border plant.		
<i>Zinnia elegans spectabilis</i> fl. pl. <i>miniata</i> , Dam. 1898 (Electro), flowers of minium colour; petals of a peculiar form, being slightly folded up, forming a kind of canal	— 3	2 6	Brilliant scarlet, Crimson, White, each separate . . . . .	— 6	5 6
<i>Zinnia elegans spectabilis</i> fl. pl. <i>cupreata</i> , Dam. 1899. We are offering the second color, a fine copper red, of the new <i>Z. spectabilis</i> class introduced by us 2 years ago . . . . .	— 3	2 6	Mixed . . . . .	— 6	4 9
⊙ <i>Zinnia elegans grandiflora laciniata</i> fl. albo pl., Dam. 1899 (Electro), a splendid new class! The petals of the perfect shaped flowers are as is shown in our cut more or less deeply cut, a fact never met before with any <i>Zinnia</i> . The habit of the plant and shape of the pure white flowers is exactly that of the <i>Z. elegans</i> fl. pl. . . . .	— 5	4 6	<i>Zinnia elegans robusta striata plenissima</i> mixed . . . . .	— 4	3 —
<i>Zinnia elegans grandiflora laciniata</i> fl. carneo pl., Dam. 1901. Same as the former, but the fine large flowers are of a delicate rose-incarnate colour . . . . .	— 5	4 6	" " fl. pl. "Miniatur", a dwarf small-flowered, very double, rich flowering kind, finest colours mixed . . . . .	— 8	7 6
⊙ <i>Zinnia elegans pygmaea flore pleno</i> (Electro). An absolutely new dwarf			<i>Zinnia Haageana</i> (mexicana) single-flowered . . . . .	— 4	3 3
			" " fl. pleno double . . . . .	— 5	4 6
			" " imbricata plenissima . . . . .	— 6	5 6
			Mixed Flower Seeds, annuals cwt. 50/—	— —	— 8
			" " " " suitable for bee feeding . . . . cwt. 82/—	— —	1 5

## XII. Seeds of Ornamental Grasses.

‡ = perennial; all others are annual.

	per oz s. d.	per lb. s. d.		per oz s. d.	per lb. s. d.
<i>Agrostis nebulosa</i> . . . . .	— 8	— —	‡ <i>Gymnothrix caudata</i> . . . . .	— 4	3 3
" <i>pulchella</i> . . . . .	— 5	4 —	" <i>japonica</i> . . . . .	— 5	5 2
‡ <i>Arundo conspicua</i> . . . . .	3 9	— —	" <i>latifolia</i> . . . . .	— 5	4 3
‡ " <i>Donax</i> . . . . .	— 4	1 10	‡ <i>Gynerium argenteum</i> (Pampas Grass)	— 4	4 3
‡ " " fol. var. . . . .	1 —	— —	" " Bertini . . . . .	— 5	5 6
‡ <i>Briza lutescens</i> . . . . .	— 7	— —	" " jubatum . . . . .	— 7	— —
" <i>maxima</i> (Quaking Grass) . . . . .	— —	1 1	‡ " " roseum . . . . .	— 5	4 3
‡ <i>Carex pendula</i> . . . . .	— 3	2 3	‡ <i>Hordeum jubatum</i> (Squirrel Tail Grass) . . . . .	— 3	2 6
‡ <i>Coix Lacrymae</i> . . . . .	— —	— 6	Job's Tears, see <i>Coix Lacrymae</i> .		
‡ <i>Cyperus alternifolius</i> . . . . .	1 11	— —	<i>Lagurus ovatus</i> (Hare's Tail Grass)	— —	1 —
" <i>ferox</i> . . . . .	— 6	— —	Pampas Grass, see <i>Gynerium</i> .		
" <i>flabelliformis</i> . . . . .	2 7	— —	‡ <i>Panicum capillare violaceum</i> Dam. . . . .	— 2	1 9
" <i>Papyrus</i> . . . . .	2 5	— —	‡ " <i>excurrens</i> . . . . .	— 2	1 10
<i>Eragrostis abyssinica</i> . . . . .	— 3	2 8	‡ " <i>plicatum</i> . . . . .	1 —	— —
‡ <i>Eriantha Ravennae</i> . . . . .	— 3	2 5	‡ " <i>sulcatum</i> . . . . .	1	— —
‡ <i>Euchlaena luxurians</i> (Reana Teosinthe). . . . .	— 3	1 6	‡ " <i>tonsum</i> ; dwarf, lawn-forming with numerous loose spikes, at first dark red, then rose and finally of a silvery colour . . . . .	— 9	10 —
‡ <i>Eulalia japonica</i> ( <i>Miscanthus japonicus</i> ) . . . . .	— 6	5 10			
‡ " " <i>zebrina</i> . . . . .	— 8	— —			
‡ <i>Festuca glauca</i> . . . . .	— 10	— —			

	per oz s. d.	per lb. s. d.
2 Panicum virgatum . . . . .	— 4	3 —
Pennisetum longistylum . . . . .	— 3	2 —
"    violaceum . . . . .	— 3	2 8
"    macrurum; a gigantic grass, resembling the Gynierium argenteum . . . . .	5	4 3
Pennisetum Rueppellianum, Dam. 1893 (Electro), one of the finest and most graceful grasses, producing a great number of the most lovely spikes . . . . .	— 4	3 9
Quaking Grass, see Briza maxima.		
4 Scirpus natalensis . . . . .	6	—
4 Stipa elegantissima . . . . .	1	12 9
"    pennata (Feather Grass) . . . . .	5	4 10
4 Uniola latifolia . . . . .	5	4 10
Zea gracillima (minima) . . . . .	—	6
"    "    fol. var. . . . .	—	7
"    japonica fol. var., striped Japanese Maize . cwt. 20/—		4
"    "    gigantea quadricolor new. Dam. 1896; a gigantic varie- gated-leaved, highly decorative kind and much superior to the old Z. jap. fol. var.; leaves bright green, silver-white, sulphur- yellow and rose striped; most effective	—	— 10
Zea tunicata fol. var. . . . .	—	1 6



Pennisetum Rueppellianum.  
Electro 3/3.

### XIII. Seeds of Bulbs and Roots.

	per oz s. d.	per lb. s. d.
Agapanthus umbellatus . . . . .	— 8	— —
Brodiaea mixed . . . . .	1 2	— —
Convallaria japonica . . . . .	— 4	1 9
Cooperia pedunculata . . . . .	— 7	— —
Cyclamen neapolitanum . . . . .	1 3	— —
"    persicum, fine mixed . . . . .	2 4	— —
<b>Cyclamen persicum giganteum.</b> (seeds collected from giant flowers only)		
sanguineum . 1000 seeds 8/—	— —	— —
roseum . . . 1000 " 7/6	— —	— —
Emperor William 1000 " 7/6	— —	— —
Montblanc, pure white 1000 seeds 8/—	— —	— —
universum, white with a red eye 100 seeds —/10	— —	— —
1000 " 7/4	— —	— —
splendid mixed 1/16 oz —/10; 1/8 oz 1/6	10 6	— —
Freesia Leichtlini . . . . .	— 3	2 4
"    refracta alba . . . . .	— 4	3 —
"    splendid mixed . . . . .	— 3	2 —

	per oz s. d.	per lb. s. d.
Gladiolus gandavensis, French in splendid varieties mixed . . . . .	— 8	7 9
"    Lemoinei hybridus, best mixed	— 8	8 3
"    Nanceianus, fine mixed 1000 seeds 4/5	— —	— —
"    European and Asiatic varieties mixed . . . . .	— 3	2 4
Hyacinthus candicans (Galtonia) . . . . .	— 3	2 —
Iris Robinsonianae . 1000 seeds 12/—	— —	— —
Ixia hybrida, a fine collection mixed . . . . .	1 —	— —
Kniphofia (Tritoma) Red-hot-poker- plant Uvaria (aloides) nobilis . . . . .	1 —	— —
Lilium auratum, true . . . . .	1 —	14 6
"    speciosum, mixed 1/16 oz 3/—; 1/8 oz 5/6	40 —	— —
Paeonia sinensis fl. pl., double mixed . . . . .	1 2	12 9
Ranunculus asiaticus superbissimus fl. pl. mixed . . . . .	— 6	5 7
Richardia albo-maculata . . . . .	— 10	— —
Scilla Clusii (peruviana) . . . . .	— 3	2 4
Tulipa Greigii . . . . .	2 —	— —
"    "    hybrida, mixed . . . . .	1 8	— —

## XIV. Seeds of Cannas.

	per oz.		per lb.			per oz.		per lb.	
	s.	d.	s.	d.		s.	d.	s.	d.
<b>a. Gladioli-flowered.</b>									
Admiral Avellan, leaves red	—	4	—	—	Maurice Musy	—	5	—	—
Alfonse Bouvier	—	7	5	7	Rivoire, leaves red	—	4	2	4
Ami Pichon	—	3	2	4	M. Ritton	—	5	—	—
Aurore	—	3	2	4	Otto Froebel	—	5	—	—
B. de Jussieu Cr., leaves red	—	3	2	4	Pregmy	—	5	—	—
Baronne de Sandrans	—	3	—	—	Président Carnot	—	5	3	—
Beauté Poitevine Br.	—	7	—	—	Chaudon Cr., yellow	—	6	—	—
Boucharlat aîné	—	4	3	—	Professor J. G. Baker Dam.	—	5	2	9
Camille Bernardin	—	3	2	4	Foster Dam.	—	4	—	—
Ch. Buisson	—	4	3	—	David	—	5	—	—
Ch. van Geert	—	4	2	8	Charguérand	—	4	2	4
Colonel Denfert, leaves red	—	4	2	4	Princesse Laetitia Dam.	—	9	—	—
Comte de Bouchaud, yellow	—	4	3	—	Progression	—	4	2	—
Crozy père	—	3	—	—	R. Brandt	—	5	—	—
Docteur Vergely	—	5	—	—	Reval Massot	—	4	2	4
Doyen de Jean Sisley, leaves red	—	5	3	5	Rose T. May	1	2	—	—
Ed. Mieg	—	6	—	—	Sophie Buchner	—	5	—	—
Emile Barré	—	4	—	—	Souvenir de François Gaulin	—	4	2	—
Explorateur Crampel	—	4	2	4	Sénateur Montefiore	—	4	2	4
F. Neuwesel	—	5	2	9	Thomas S. Ware	—	5	—	—
François Morel	—	3	2	4	Trocadero	—	4	2	—
Fürst Bismarck	—	5	—	—	Vesuvius Dam.	—	5	2	9
G. Sennholz	—	5	—	—	Victor Gaulin, leaves red	—	4	2	4
Gartendirektor Siebert	—	7	—	—	New large flowered early Hybrids (Crozy) dwarf with green leaves, mixed	—	—	1	8
General Baron Berge	—	4	2	4	New large fl. early Hybrids (Crozy) semi- high and high with green leaves, mixed	—	—	1	8
George d'Harcourt	—	4	2	4	New large flowered early Hybrids (Crozy) with red leaves, mixed	—	—	1	10
Gloire des marchés	—	7	—	—	New large flowered early Hybrids (Crozy) all sorts mixed	—	—	1	10
Graf von Turin	1	2	—	—	<b>b. Hybrids and Garden Forms</b>				
Guillaume Couston	—	4	2	4	including the newest sorts.				
Hugo Fuchs	—	6	—	—	Alegatière, leaves dark red	—	6	3	10
Ingénieur Pérache	—	5	—	—	Coquette	—	4	2	4
J. Souly	—	5	—	—	Discolor	—	4	2	4
Kaiser Wilhelm	—	4	2	4	Flaccida le Roi, Dam. 1890.	—	3	1	8
Königin Charlotte (Queen Charlotte)	8	6	7	—	Sanguinea	—	9	—	—
L. E. Bally	—	3	2	4	Sénateur Millaud Crozy, the highest sort with very large dark red leaves	—	5	3	5
Lohengrin	—	5	—	—	With green leaves mixed . cwt. 92/—	—	—	1	—
Louis de Mérode Cr.	—	4	2	4	With red leaves mixed . „ 100/—	—	—	1	3
Madame A. Blanc	—	5	—	—	All sorts mixed . „ 92/—	—	—	1	—
„ Meriem Lombard, flowers whitish	1	9	—	—					
„ Crozy	—	5	3	2					
„ Oscar Meuricoffre Dam.	—	5	—	—					
Marquise A. de l'Aigle	—	5	—	—					

## XV. Palms.

(Fine and sound plants, grown in the open air.)

	10 pieces		100 pieces			10 pieces		100 pieces	
	s.	d.	s.	d.		s.	d.	s.	d.
Chamaerops excelsa, of 1 year	1	—	6	6	Chamaerops humilis, of 1 year	1	3	7	6
„     „     2 years	2	—	16	—	„     „     2 years	2	6	16	—
„     „     3 to 4 years	3	6	28	—	„     „     3     „	3	6	20	—
„     „     7 to 8     „	—	—	—	—	Cocos australis, of 1 year	1	3	10	—
about 2 to 3 feet high	—	—	—	—	„     „     2 years	3	3	20	—
4/— a piece	—	—	—	—	„     „     3     „	5	—	36	—

	10 pieces s. d.	100 pieces s. d.		10 pieces s. d.	100 pieces s. d.
Cocos Romanzoffiana, of 2 years . . .	6 6	55 —	Kentia Forsteriana, of 3 to 4 years 1/9 a piece	— —	— —
" " " 3 " " "	9 6	80 —	Latania borbonica, of 2 years . . .	2 —	16 —
Chamaedorea Ernesto Augusti, of 2 years	6 6	52 —	" " " 3 " " "	3 6	28 —
" " " 3 " " "	8 —	68 —	Phoenix canariensis, dactylifera, leo- nensis, reclinata, each		
Corypha australis, of 1 year . . .	1 3	8 —	of 2 years . . . . .	2 6	20 —
" " " 2 years . . . . .	2 6	20 —	" 3 " " " " " " " " " "	3 6	28 —
" " " 3 to 4 years . . . . .	5 —	40 —	" 4 " " " " " " " " " "	6 6	52 —
" " " 7 to 8 " " "	— —	— —	" 6 to 7 years 4/6 a piece	— —	— —
4/— a piece	— —	— —	Washingtonia filifera, of 2 years . . .	4 —	32 —
Kentia Belmoreana, of 2 years . . . . .	6 6	52 —	" " " 3 " " "	5 6	44 —
" " " 3 " " "	7 6	64 —	" " " 4 " " "	7 3	60 —
" " " 4 to 6 years	— —	— —	" " " 6 " " "	11 —	96 —
2/— a piece	— —	— —			
" " " 7 to 8 years	— —	— —			
6/— to 8/— a piece	— —	— —			

## XVI. Agave, Aloe, Yucca &c.

	1 piece s. d.	10 pieces s. d.	100 pieces s. d.		1 piece s. d.	10 pieces s. d.	100 pieces s. d.
Agave americana, strong plants, without soil . . . . .	— 2	— 9	5 —	Aloe humilis . . . . .	— 8	4 —	— —
" " fol. var., strong plants, without soil . . . . .	— 2	1 —	6 6	" prolifera (brevifolia) . . . . .	— 4	2 —	— —
" " lactevirens . . . . .	— 9	5 —	— —	" rubescens . . . . .	— 10	— —	— —
" " vittata . . . . .	— 6	3 6	— —	" Saponaria . . . . .	— 5	3 —	— —
" angustifolia, strong plants . . . . .	— 10	— —	— —	" Schimperii . . . . .	— 6	3 9	— —
" atrovirens . . . . .	— 9	5 —	— —	" Schmidtii . . . . .	— 4	2 —	— —
" filifera . . . . .	1 4	— —	— —	" xanthacantha . . . . .	— 9	— —	— —
" horrida . . . . .	— 10	7 6	— —	Beschorneria bracteata . . . . .	— 10	7 6	64 —
" laevis, strong plants . . . . .	1 4	— —	— —	" californica . . . . .	— 10	— —	— —
" lophantha . . . . .	— 6	3 9	— —	Dasyliion gracile . . . . .	— 2	1 6	— —
" " heterocantha . . . . .	1 4	— —	— —	" serratifolium, seedlings of 2 years . . . . .	— 3	1 9	15 —
" Margaritae . . . . .	1 4	— —	— —	" juncifolium . . . . .	— 2	1 6	— —
" Mexicana, strong plants . . . . .	2 —	— —	— —	Fourcroya elegans . . . . .	— 2	1 6	— —
" multiflora . . . . .	— 5	3 —	— —	" " Lindenii . . . . .	1 9	— —	— —
" rigida . . . . .	— 6	3 9	— —	Yucca aloefolia, strong seedlings	— 1	— 9	— —
" " var. Sisaliana (produ- cing the Sisal hemp)	— 9	5 —	— —	" " fol. var. . . . .	— 4	2 3	— —
" " " silacana, strong plants . . . . .	— 10	— —	— —	" " quadricolor . . . . .	1 9	— —	— —
" Rumphii . . . . .	— 3	2 —	— —	" Desmetiana . . . . .	2 —	— —	— —
" Salmiana fol. var., strong plants . . . . .	2 —	— —	— —	" filamentosa . . . . .	— 2	1 —	— —
" spectabilis . . . . .	1 4	— —	— —	" glauca (angustifolia)	— 9	6 —	— —
" yuccaefolia . . . . .	1 4	— —	— —	" gloriosa recurvata pendula, fine plants from the open ground . . . . .	— 8	5 —	— —
Aloe abyssinica . . . . .	— 6	3 9	— —	" gloriosa recurvata pendula fol. var. . . . .	— —	— —	— —
" arborescens . . . . .	— 10	— —	— —	" guatemalensis, strong plants	1 4	11 6	— —
" ciliaris . . . . .	— 6	3 9	— —	" Whipplei . . . . .	— 10	— —	— —

## XVII. Stapelia.

The Stapelias can be shipped the whole year, even in the winter, if well protected against the cold, and they are offered in good and sound specimens. As to their scent, they are generally better than their reputation, and the most striking kinds are almost scentless.

	1 piece s. d.	10 pieces s. d.		1 piece s. d.	10 pieces s. d.
Duvalia angustiloba . . . . .	2 —	— —	Stapelia luxurians D. . . . .	— 6	— —
Stapelia anguinea, Jacq. . . . .	— 3	— —	" marmorata, Jacq. . . . .	— 3	1 10
" angulosa, Tod. . . . .	— 3	— —	" mixta, Mass . . . . .	— 3	1 10
" " Charypdis, hort. Dam. . . . .	— 6	3 4	" " pentagona . . . . .	— 6	3 4
" " Nemesis, " " . . . . .	— 6	3 4	" multiflora . . . . .	— 4	1 11
" " Uranos " " . . . . .	— 6	— —	" multilineata, hort. Lyon . . . . .	— 4	1 11
" atrata, Tod. . . . .	— 6	3 4	" Munbyana, hort. Lyon . . . . .	— 6	3 4
" " rufescens, hort. Dam. . . . .	— 6	3 4	" muricata, hort. . . . .	— 5	2 7
" " tigrina, " " . . . . .	— 6	3 4	" mutabilis, Jacq. (Orbea) . . . . .	— 4	2 2
" atropurpurea, Dyck. . . . .	— 7	4 2	" " Chimaera, hort. Dam. . . . .	— 9	5 2
" bisulca, Don. . . . .	— 3	1 10	" parvipunctata, Tod. . . . .	— 3	1 10
" Burtini, Tod. . . . .	— 3	1 10	" patula, Willd. . . . .	— 10	— —
" ciliolata, hort. Pan. . . . .	— 3	1 10	" planiflora, Jacq. . . . .	— 3	1 10
" clypeolata hort. Lyon . . . . .	— 4	2 6	" purpurea, hort. Dam. . . . .	— 3	1 10
" conspurcata, Willd. . . . .	— 3	1 10	" quinquenervia . . . . .	— 6	3 4
" decora . . . . .	— 6	3 4	" radiata, Sims . . . . .	— 6	3 9
" deflexa, Jacq. (Stapletonia) . . . . .	— 6	3 4	" Salmiana . . . . .	— 6	3 4
" geminata . . . . .	— 6	3 4	" Sisyphus, hort. Dam. . . . .	— 6	3 9
" hirtella hort. Lyon (not Duvalia) . . . . .	— 6	3 4	" Stella, Jacq. . . . .	— 3	1 10
" hispida, Horn. . . . .	— 3	1 10	25 very fine sorts of our selection . . . . .	6 2	— —
" lunata, hort. Dam. . . . .	— 3	2 3	10 " " " " " " . . . . .	2 6	— —

## XVIII. Canna Roots.

In order to offer something special to our friends with whom we are in regular business connection, we have had a colored plate made (29 × 18 inch.) of 20 of our most beautiful Orchid-flowering Cannas representing the flowers in their natural size or rather below it. These varieties are marked \* in our list. This beautiful plate will be sent free of charge to all our customers, and to others on receipt of 6d.

*We only send out strong, sound and undivided roots grown in the open ground, and not delicate and poor specimens obtained by unnatural forcing in the hot-house, a good number of which is invariably destined to perish. Our Cannas will therefore be always preferable even at higher prices to any others. They are packed very carefully and travel quite safely even to very distant countries; we wish it, however, to be understood that they travel on buyer's risk. Canna Roots can be forwarded from October to May, as far as the temperature permits it.*

	1 piece s. d.	10 pieces s. d.	100 pieces s. d.		1 piece s. d.	10 pieces s. d.	100 pieces s. d.
<b>I. Dammann's wonderful Orchid-flowering Cannas.</b>				Umbria . . . . .	1 —	8 —	— —
<b>1. Season 1899 to 1900.</b>				About 4 feet high. Leaves brown with a metallic hue, flowers of a brilliant vermilion with distinct chamois stripes.			
Emilia . . . . .	— 9	5 6	44 —	<b>2. Season 1898 to 1899.</b>			
About 4 feet high. Leaves purple; of strong growth; flowers of a splendid and peculiar scarlet marbled with chamois.				Australia . . . . .	— 6	3 6	28 —
Romagna . . . . .	— 8	4 6	36 —	About 4 feet high, leaves dark green with a brown border; flowers very large, salmon-red striped with deep sulphur-yellow; extremely fine.			
About 4 feet high. Dark brown leaves, flowers of a minium scarlet with some large yellowish stripes; a most free flowering kind.				<b>3. Season 1897 to 1898.</b>			
Sicilia . . . . .	— 9	6 —	48 —	* Atalanta . . . . .	— 6	3 6	29
About 2½—3 feet high. Leaves bright green; of robust growth; flowers very large of a dark chrome yellow the lower petal of which is spotted salmon red.				Height about 3 feet. Large greyish-green foliage with a dark border; flowers deep orange carmine and very large; of very rich growth.			

	1 piece s. d.	10 pieces s. d.	100 pieces s. d.		1 piece s. d.	10 pieces s. d.	100 pieces s. d.
* Britannia . . . . .	— 6	4 —	32 —	grows about 4 <sup>1</sup> / <sub>2</sub> to 6 feet high. Numerous Musa-like glaucous leaves and wonderful spikes of flowers. The latter are enormous and surpass in size even those of the Canna „Italia“.			
About 4 feet. Foliage lively green, Musa like, very large flowers with a yellow ground flamed with carmine. Larger than „Italia“.							
Campania . . . . .	— 5	3 3	26 —	„Italia“. The outer petals are scarlet with a very broad gold-yellow border. The inside of the blooms is scarlet and dark red. Exceedingly beautiful.			
About 6 feet. — Glauous large leaves; growth extremely rich; flowers large, inner petals chrome-yellow with carmine spots, outer petals sulphur-yellow.							
* Ch. Naudin . . . . .	— 6	3 6	28 —	* America . . . . .	— 5	3 —	26 —
About 4 feet. — Dark green, brown bordered foliage. Very large flowers (about 7 inches in diameter), salmon-red, the inner petals are darker.				Red leaves. Height about 4 to 5 feet. The beautiful foliage is of a bronze color with dark red hues and shining as if the leaves were varnished. The spikes are very large and the flowers enormous, of a very beautiful glowing red-purple flamed and striped.			
Hellas . . . . .	— 5	3 —	23 —	* Aphrodite . . . . .	— 5	3 —	24 —
About 3 feet. — Lively green, of strong growth and bearing abundant flowers of a canary-yellow color spotted brown-red.				Height about 6 feet. Very rich flowering, broad green leaves, immense trusses of large golden yellow flowers with large spots salmon colour; inner petals entirely salmon colour. Splendid.			
* Phoebe . . . . .	— 5	3 —	26 —	Asia . . . . .	— 4	2 9	23 —
About 6 feet high. — Glauous leaves, luxuriant growth, flowers similar to a Cattleya, very large, sulphur-yellow, turning later on into a whitish yellow; petals spotted carmine, the inner ones more markedly than the outer ones.				Height about 3 feet. Numerous stalks, dark green foliage, very effective. Very large regular flowers of a rich golden yellow. Inner petals dotted scarlet. Splendid.			
Professor Treub . . . . .	— 8	5 9	52 —	* Bavaria . . . . .	— 5	3 —	24 —
About 4 feet. Broad lanceolate leaves, brown-red, with a dark green hue. Flowers large, minium scarlet striped with salmon-red. Among the red-leaved Cannas this is one of the most striking and beautiful.				Height about 3 feet. Leaves large, green, with a blueish hue. Very large spikes and flowers of a brilliant golden yellow covered all over with scarlet spots. Quite unique and extremely handsome.			
* Roma . . . . .	— 5	3 —	24 —	Borussia . . . . .	— 4	2 6	20 —
About 3 to 4 feet and a half. Growth extremely luxuriant, leaves glaucous. Very numerous and large panicles; flowers large with yellow ground flamed salmon-red.				Height 3 to 4 feet. Broad bright green leaves. Enormous spikes, very large flowers, not so large however as those of „Italia“, of a shining canary-yellow with a golden yellow hue and small fiery red spots. Extremely handsome.			
Rhea . . . . .	— 3	2 3	18 —	Burgundia . . . . .	— 5	3 —	23 —
About 4 feet. Leaves brown with a metallic hue, flowers of medium size and a brilliant crimson.				Height 3 feet. Large glaucous leaves, very large spikes, enormous flowers resembling an expanded Cattleya, of a brilliant golden yellow with rich scarlet spots, golden yellow in the centre and fiery red flamed. A marvel of beauty.			
Trinacria . . . . .	— 5	3 —	23 —	* Edouard André . . . . .	— 5	4 —	36 —
About 4 feet. Bright green, of luxuriant growth. Flowers very numerous and large, sulphur-yellow, fading later on into a paler yellow. A very pure color.				Bushy plant, about 3 feet high. Stalks dark red, broad leaves, short, and dark spotted on the back. Well ramified stalk, spikes bearing 9 to 12 very large flowers of a bright fiery red with orange yellow spots like sparks, long dark red buds of a greenish hue. A kind of sterling merit.			
4. Season 1896 to 1897.				* H. Wendland . . . . .	— 5	3 3	27 —
* Africa . . . . .	— 7	5 —	40 —	Height about 4 feet. Very broad beautiful green leaves. Very large			
Height about 3 feet, leaves lanceolate, purple, bronzy, striped green with dark green shades. Very large flowers similar to a Cattleya of a rich purple-scarlet, golden yellow and orange inside. A splendid variety.							
* Alemannia . . . . .	— 5	3 —	24 —				
This kind produces the largest flowers which have been obtained as yet in the way of Cannas. The plant							



	1 piece s. d.	10 pieces s. d.	100 pieces s. d.		1 piece s. d.	10 pieces s. d.	100 pieces s. d.
trusses of large flowers, outer petals scarlet with a golden yellow border, quite fiery red inside and yellow in the centre. It is one of the best of this class.							
Heinrich Seidel . . . . .	— 4	2 9	24 —	* Suevia . . . . .	— 4	2 6	20 —
Height about 3 feet. Green Musa-like leaves with a light glaucous hue. Very large panicles. Very large and numerous flowers of a vivid fiery red with a yellow border spotted with purple. A great beauty.				Height about 3 feet. Leaves Musa-like, slender stalks. Very large flowers of a pure canary-yellow, satiny, and bronzed inside. Bractees bronzed. Splendid.			
Iberia . . . . .	— 4	2 9	23 —	Wilhelm Beck . . . . .	— 4	2 6	19 —
Height about 3 feet. Glaucous leaves, very large panicles. The large flowers are Cattleya-like. Outer petals golden yellow with a red border. Inner petals crimson, very beautiful.				Height about 6 feet. Broad green leaves, immense trusses of sulphur yellow flowers with scarlet red pencillings. Inner perigon scarlet red. A very remarkable variety.			
* Kronos . . . . .	— 4	2 9	23 —	5. Season 1895 to 1896.			
Height about 3 feet. Broad sea-green leaves, slender stalk, very large panicles. Very large flowers of a rich sulphur-yellow all spotted in red. An extremely fine form.				Austria . . . 1000 pieces 70/—	— —	9 6 6	
* La France . . . . .	— 6	4 6	40 —	Flowers very large, canary yellow; centre spotted red.			
About 4 feet high. Numerous stalks. Broad lanceolate leaves, very large, of a splendid purple and shining as if varnished. Very large and regular flowers similar to „Austria“, of a brilliant yellowish scarlet. Unique for its beauty.				Italia . . . . 1000 pieces 90/—	— —	1 —	8 —
* Oceanus . . . . .	— 4	2 9	23 —	Enormous panicles of scarlet flowers with a yellow border. Magnificent. The whole assortment, introductions of 1895 to 1900			
Height about 3 feet, lanceolate leaves bright green. Very large panicles. Flowers yellow red spotted. Inferior petals almost quite red. Remarkably beautiful.				1 root of each . . . 15/—			
* Pandora . . . . .	— 7	5 —	40 —	12 kinds of our selection 4/—			
Height about 3 feet and more. Lanceolate purple leaves with a metallic hue and dark green stripes. Very large spike; enormous flowers of a glowing fiery red, dark red outside. The borders and the inside are gold flamed. An extraordinarily beautiful variety.				Orchid-flowering Cannas mixed . . . . .	— 3	1 9	15 —
* Parthenope . . . . .	— 4	2 6	20 —	American sorts.			
Height about 3 feet, broad pointed sea-green leaves. Ramified stalk, enormous spikes of flowers of a vivid dark orange-yellow difficult to define, and not observed in Cannas as yet.				Burbank, lemon-yellow changing into white . . . . .	— 5	3 —	24 —
Perseus . . . . .	— 4	2 9	23 —	Mrs. Kate Gray, orange-scarlet, flowers very large . . . . .	9	6 6	— —
Height about 3 feet. Broad glaucous green foliage, numerous stalks. Trusses of immense flowers of a pure canary-yellow with scarlet pencillings in the inside. A magnificent variety, very rich flowering and lasting.							
* Pluto . . . . .	5	3 6	31				
Height about 3 feet. Numerous stalks with a splendid purple-red foliage. Large and beautiful scarlet-purple flowers flamed with red inside.							
				<b>2. Gladioli-flowered Cannas.</b>			
				(Dammann.)			
				Introductions of 1899 to 1900.			
				Baja . . . . .	— 7	4 9	
				About 25 to 30 inches high, bright green foliage, flowers deep crimson bordered with a faint yellow edge; extremely rich flowering.			
				Cavour . . . . .	— 9	5 6	
				Of dwarf habit, not exceeding about 2 feet in height, lively green foliage, large spikes of vermilion purple flowers with undulated border.			
				Meta . . . . .	— 9	5 6	
				About 2 feet and 1/2 high, large greyish green foliage, flowers chrome yellow, striped and spotted with brown.			
				Nero . . . . .	1 —	8 —	
				About 3 feet high, the beautiful foliage is of a dark brown red, stems of a whitish hue flowers of a rich cherry red.			
				Paestum . . . . .	— 10	6 6	
				About 3 feet high, large green leaves, flowers light chrome yellow with regular vermilion spots. Very large spikes.			
				Solfatara . . . . .	— 8	5 8	
				About 3 feet high; light green foliage large flowers of a beautiful orange color with carmine reflex.			
				Toledo . . . . .	10	8	
				About 3 feet and 1/2; leaves green; enormous minium red flowers, often with a light golden edge.			

	1 piece s. d.	10 pieces s. d.		1 piece s. d.	10 pieces s. d.
The whole collection of the above Cannas . . . . .	5/9	---	Princess Helena of Montenegro . . . . . About 3 feet. Leaves green, flowers very large, salmon-red, striped and bordered with golden yellow; petals round; magnificent.	8	---
<b>Introductions of 1898.</b>			Princess Laetitia . . . . . About 3 feet. Leaves Musa-like. Panicle enormous, flowers large, bright fire-red, dark red flamed and yellow bordered. Splendid.	4	2 9
Capri . . . . . Height about 1 foot. Glauous leaves, very large salmon-scarlet flowers slightly spotted with yellow.	6	4	Stromboli . . . . . About 2 feet. Leaves glaucous; flowers very large, red and bright scarlet, fire-red in the centre. Very fine.	6	---
Ischia . . . . . Height about 1½ feet. Leaves vivid green, flowers sulphur-yellow upon which appear when they begin to fade, large vermilion spots.	6	4	<b>3. Gladioli-flowered Cannas of different raisers.</b>		
Lutetia . . . . . Height about 2 feet, glaucous leaves with a greyish tinge. Flowers deep yellow, ground slightly spotted with red. Very rich flowered and in consequence of its habit much adapted for groups.	8	5 4	Best introductions of the last years.		
Minerva . . . . . Height 3 feet. Dark green foliage; large trusses of very large cinnabar red flowers. a new and grand rich flowering variety.	8	5 4	<b>a. Green-leaved.</b>		
Professor Rossi . . . . . About 2 feet high, dark green foliage turning to brown. Very large trusses of salmon-red flowers. Of great value for cutting purposes.	5	3 3	Alsace, pale sulphur-yellow . . . . .	6	4
Sultana . . . . . Height about 3 feet. Glauous foliage with a greyish tinge. Flowers canary-yellow with numberless vermilion spots. A very remarkable colour.	5	3 3	Ami Jules Chrétien, salmon-scarlet and yellow	5	3 3
<b>Introductions of 1896.</b>			Anna Ernst (1899), canary-yellow, crimson spotted . . . . .	10	---
Adonis . . . . . About 2 feet high, leaves green with a brown border; flowers blood-red.	4	2 9	Architecte Mouren, salmon, golden border .	8	5 3
Aetna . . . . . About 3 feet; leaves very dark red, flowers crimson and purple.	4	2 9	Auguste Chantin, copper-red, bright flamed	8	5 3
Ajax . . . . . About 2 feet; leaves green; flowers wax- yellow with rosy spots.	4	2 9	Baronne de Poilly, salmon . . . . .	5	3 9
Alkmene . . . . . About 3 feet. Leaves green; flowers orange with a golden yellow border.	4	2 9	Candeur, cream-yellow changing into white .	9	6 9
Arethusa . . . . . About 1 foot ½. Leaves green; flowers very large, sulphur-yellow, changing after- wards into a bright salmon colour; inside dark red; new colour.	6	---	Ch. Molin (1900), salmon-orange, crimson spotted . . . . .	1 8	---
Count of Turin . . . . . About 2 feet. Leaves glaucous, flowers very large, fire-red, dark red striped with a yellow border, centre blood-red.	4	2 9	Citoyen de Cronstadt, chrome-yellow, crimson spotted . . . . .	5	3 8
Queen of Italy . . . . . About 2 feet. Leaves large, green. Panicle enormous; flowers very large, dark scarlet with a broad golden border; finer than Queen Charlotte.	8	---	Claude Fichet, brown-red with dark-red, large flowered . . . . .	10	7 3
Crown-Prince of Italy . . . . . About 3 feet. Leaves glaucous; flowers very large, dark scarlet; most beautiful.	6	4	Comtesse de Bouchaud, salmon, crimson spotted, yellow border . . . . .	5	3 8
			Coronet, chrome-yellow . . . . .	6	4
			Cyclope, fiery blood red, very large flowered	5	3 8
			Czar Alexander III, bright scarlet . . . .	4	3 9
			Daniel Gerard, crimson, dark crimson flamed, golden-bordered . . . . .	8	---
			Ernst Rauth (1900), vermilion orange with yellow border . . . . .	1 3	---
			François Vuillermet, brilliant granate-red, very large flowers . . . . .	6	4
			Franz Buchner, orange with mauve-hue and yellow border . . . . .	5	---
			Frau Bremermann, dwarf, compact, flowers large, scarlet with golden yellow border and spots . . . . .	1 3	11 6
			Fürst Bismarck, splendid scarlet with a dark red hue and undulated petals 100 pieces 24/—	4	2 9
			Généreux, vermilion, very large flowers . .	1 3	---
			Goliath, very large flowers, bright amaranth- coloured . . . . .	8	5 3
			G. O. Quintus, bright yellowish red, crimson edged . . . . .	1 3	11 3
			Hans Werdmüller, leaves dark green, changing into brown, flowers very large, orange-red with a carmine hue . . . . .	8	5 6

	1 piece s. d.	10 pieces s. d.		1 piece s. d.	10 pieces s. d.	
Henry Cannell, dwarf, numerous spikes, flowers large, vermilion dark red with a large golden yellow border . . . . .	— 9	6 6	Venus (1900), yellowish white . . . . .	1 8	— —	
Herzogin Vera (1900), pale sulphur yellow, very large flowered . . . . .	1 8	— —	V. Debons, flowers large and numerous, currant-red, striped . . . . .	— 10	— —	
Hofgarten-Director Wendland . . . . .	— 5	3 8	Vice President Luizet, cherry-red . . . . .	— 8	5 3	
J. Colette-Ronchaine (1900), lively pomegranate colour, very large flowers . . . . .	1 8	— —	Victory (Century) 1900, orange scarlet with yellow border . . . . .	2 5	— —	
Jeanne Schmidt, bright rose, slightly, crimson spotted, with a pale yellow border . . . . .	— 10	7 3	Ville de Poitiers, chrome-yellow, very large flowers, splendid . . . . .	— 4	2 4	
Léon Pépin Lehalleur, crimson . . . . .	— 4	3 —	Wilhelm Bofinger, flowers fiery dark red, velvety . . . . .	— 7	— —	
Madame Chabanne, rose . . . . .	— 8	5 —	William Bull (1900), lively cerise . . . . .	2 —	— —	
„ Léon Leclerq, salmon, golden border . . . . .	— 6	4 —	L. Patry, of middle height; green leaves, very large flowers of a beautiful vermilion with darker spots and a yellow edge . . . . .	— 5	3 8	
„ Legris, chrome-yellow, brown, spotted . . . . .	— 5	3 3				
„ Louis Druz, brilliant purple . . . . .	1 3	— —	<b>b. Red-leaved.</b>			
Madame Pichon, lemon-yellow, scarlet spotted . . . . .	— 8	5 3	Arthur William Paul (1900), dark orange spotted carmine . . . . .	1 8	— —	
„ Victor Lemoine, pure yellow with brown stripes; a very rare colour . . . . .	— 10	7 3	Attika, bright crimson . . . . .	— 6	4 —	
Madagascar, salmon-orange and rose-lilac . . . . .	— 6	4 —	Ch. Paul, salmon . . . . .	— 8	— —	
Madame Meriem Lombard, whitish . . . . .	— 6	4 6	Count Waldersee, minium orange-red, very large . . . . .	1 9	— —	
Marigold, orange . . . . .	— 5	3 3	David Harum, vermilion scarlet spotted carmine . . . . .	2 —	— —	
Michel Favrichon, very rich flowering, dark salmon, spotted red with a yellow border . . . . .	— 10	— —	German Crown-Prince (red-leaved Goliath), flowers of a fiery amaranth-red . . . . .	1 9	— —	
Miss Amy Ker (1900), creamy white turning white . . . . .	1 3	— —	Gouverneur von Zimmerer, bright orange and dark-red . . . . .	— 8	— —	
Mrs. F. Dreer, canary-yellow, salmon spotted . . . . .	— 8	5 3	Grossherzog Ernst Ludwig (1900), scarlet orange . . . . .	2 5	— —	
Mr. Colbombet, canary-yellow and red . . . . .	— 6	4 —	Hermann Fischer, leaves musa-like, flowers fiery minium orange and carmine . . . . .	1 10	— —	
Mr. Jarry-Desloges, very large flowers, dark red with a brighter hue and crimson stripes . . . . .	— 10	7 3	Hofgärtner Stiegler, carmine purple, large flowered . . . . .	— 10	— —	
Modèle, crimson and carmine . . . . .	— 10	— —	Hofgarten Director Walter, brilliant purple red . . . . .	— 8	5 4	
Panache, crimson . . . . .	— 6	4 —	Le Deuil (1900), velvety dark purple . . . . .	2 —	— —	
Papa Canna, salmon-red . . . . .	— 8	5 —	Léon Vassilière, bright granate-red, very fine . . . . .	1 3	— —	
„ Treyve, orange . . . . .	— 6	4 —	Max Kolb (1899), salmon orange . . . . .	1 3	11 4	
Petite Mocotte, crimson-rose, chamois flamed with a yellow border . . . . .	— 6	4 —	Memory to Prince Bismarck, brilliant carmine vermilion . . . . .	— 10	— —	
Philippe Rivoire, very large flowers, crimson-rose marbled carmine with a yellow border . . . . .	1 8	— —	Mrs. Geo A. Stöhlein, leaves light brown, flowers bright amaranth, very large . . . . .	1 9	— —	
Poète, flowers whitish . . . . .	1 3	10 6	Oscar Dannecker (1899), dark canary yellow . . . . .	1 3	— —	
Reichskanzler Fürst Hohenlohe, very large flowers, bright lemon yellow, large undulated petals . . . . .	— 8	— —	President Meyer, cerise carmine, very large flowered . . . . .	— 8	5 4	
Riese von Stuttgart (Giant of Stuttgart) flowers enormous of a brilliant vermilion with, a lilac hue and yellow border . . . . .	2 —	— —	President de Péronne, leaves brown-red, flowers vermilion-orange, darker marbled . . . . .	2 —	— —	
Roi des Rouges, bright crimson . . . . .	— 6	4 —	Red Indian (1900), pure cerise carmine . . . . .	2 —	— —	
Rose T. May, bright crimson . . . . .	— 6	4 —	Sémaphore, brilliant orange yellow . . . . .	— 10	— —	
	100 pieces 14/6	— 4	2 10	Stadrath Heidenreich, vermilion . . . . .	— 8	5 4
Secrétaire Chabanne, salmon-crimson . . . . .	8	5 3	W. Atlee Burpee, magenta-red . . . . .	1 9	— —	
Souvenir du Capitaine Drujon, canary-yellow, orange spotted . . . . .	— 6	4 —				
Souvenir de A. Chargueraud, of a splendid granate-red, striped red . . . . .	1 8	— —				
Souvenir de Madame Crozy, bright red . . . . .	— 10	— —				
„ „ „ Nardy, very large flowers, chrome-yellow spotted carmine, very fine . . . . .	— 6	4 —				

#### 4. Gladioli-flowered early

##### a. Some older fine sorts for forcing.

	1 piece s. d.	10 pieces s. d.	100 pieces s. d.
Colonel Denfert, red-leaved . . . . .	— 1	— 7	4 —
Duc de Mortemart . . . . .	— 2	— 10	7 3
Guillaume Couston . . . . .	— 1	— 7	4 —
J. Cordieux, red-leaved, dwarf . . . . .	— 2	— 10	6 —
Revol Massot, dwarf . . . . .	— 1	— 7	—

##### b. Green-leaved, red-flowered.

Semi-high; splendid for pot culture.

Admiral Gervais, . . . . .	— 3	2 6	—
Alphonse Bouvier, . . . . .	— 2	1 6	—
Boucharlat aîné . . . . .	— 3	2 —	—
Camille Bernardin . . . . .	— 5	3 —	—
Cousin Jacob . . . . .	— 2	— 10	7 3
Ch. Pallice . . . . .	— 3	2 —	—
Ch. Henderson . . . . .	— 2	1 6	—
Ch. van Geert . . . . .	— 2	— 10	7 3
Colonel Vaillard . . . . .	— 3	2 —	—
Comte H. de Choiseul . . . . .	— 3	2 —	—
Emile Barré . . . . .	— 3	2 —	—
Explorateur Crampbel . . . . .	2	— 7	4 —
Frau Oberbürgermeister Rümelin . . . . .	— 5	3 3	—
Ferdinand Lombard Dam. . . . .	— 2	— 7	4 —
Francisque Morel . . . . .	— 2	— 7	4 —
Françoise Crozy . . . . .	— 2	— 7	4 —
Gartendirector Siebert . . . . .	— 2	— 10	5 8
G. Sennholz . . . . .	— 2	1 3	8 —
Gloire des Marchés . . . . .	— 3	2 —	—
H. Guichard . . . . .	— 3	2 —	—
Jules Favre . . . . .	— 2	— 10	7 3
Kaiser Wilhelm . . . . .	— 2	— 10	4 10
Karl Neubronner . . . . .	— 4	3 —	—
M. Ritton . . . . .	— 3	2 —	—
Madame Ginet . . . . .	— 2	— 10	4 10
Mr. Cleveland . . . . .	— 1	— 7	4 —
Paul Bruant . . . . .	— 3	1 8	—
Paul Marquant . . . . .	— 1	— 7	4 —
Paolo Radaelli . . . . .	— 3	2 —	—
Penelope Dam. . . . .	— 3	2 —	—
Perle des Massifs . . . . .	— 3	2 —	—
Podere Restelli . . . . .	— 3	2 —	—
Prof. David . . . . .	— 2	— 10	4 10
J. G. Baker Dam. . . . .	— 3	1 8	—
R. Brand, rose . . . . .	— 2	— 10	4 10
Rose Unique . . . . .	— 2	1 3	—
Sophie Buchner . . . . .	— 2	1 3	8 —
Trocadero . . . . .	— 2	— 8	4 —
Vesuvius Dam. . . . .	— 2	1 5	12 —

##### c. Green-leaved, semi-high with yellow, red striped and spotted flowers.

Splendid for pot-culture and for cutting.

Aegla Dam. . . . .	— 3	2 —	—
Ami Pichon . . . . .	— 2	1 3	—

	1 piece s. d.	10 pieces s. d.	100 pieces s. d.
Aurore . . . . .	— 2	— 8	4 —
Baronne de Sandrans . . . . .	— 2	— 8	4 —
Comte de Bouchaud . . . . .	— 7	4 6	—
Crozy père . . . . .	— 3	2 —	—
Docteur Vergely . . . . .	— 2	— 10	6 —
George d'Harcourt . . . . .	— 2	— 8	4 —
Hofgartendirector Pfister . . . . .	— 5	3 —	—
J. D. Cabos . . . . .	— 2	1 3	—
J. Souлары . . . . .	— 2	1 3	—
L. E. Bally . . . . .	— 2	— 8	4 10
Mad. Oriol . . . . .	— 2	— 8	4 —
N. Bellisso . . . . .	— 2	— 8	—
Pierret Biorlet . . . . .	— 3	2 —	—
Pregmy, golden-yellow . . . . .	— 2	— 8	4 —
Président Chaudon . . . . .	— 2	1 3	—
Prof. Foster Dam. . . . .	— 2	1 3	—
Progression . . . . .	— 2	— 8	4 10
Sénateur Montefiore . . . . .	— 2	— 8	4 10
Souv. de Mr. Gaulin . . . . .	— 2	— 8	4 —

##### d. Green-leaved, all colours of red, very dwarf, all very rich-flowering.

Beauté Poitevine . . . . .	— 3	2 —	—
Bonne Etoile . . . . .	— 2	— 10	7 3
C. Buisson . . . . .	— 2	— 8	4 10
Ch. Molin . . . . .	— 3	2 —	—
Ed. Mieg . . . . .	— 2	— 10	6 5
Général Baron Berge . . . . .	— 1	— 8	4 10
Ingénieur Pérache . . . . .	— 2	— 10	6 5
Königin Charlotte . . . . .	— 4	3 3	30 —
Lohengrin . . . . .	— 2	1 3	—
Louis van Houtte . . . . .	— 5	3 8	—
Madame Crozy . . . . .	— 3	1 9	14 6
„ Oscar Meuricoffre Dam. . . . .	— 2	— 8	4 —
Marquise Arthur de l'Aigle . . . . .	— 2	— 8	4 —
Maurice Grand . . . . .	— 2	1 3	—
„ Musy . . . . .	— 2	— 10	7 3
Otto Froebel . . . . .	— 2	1 3	—
Papillon . . . . .	— 4	2 10	—
Princesse de Brancovan . . . . .	— 2	— 6	—
Professeur Changuerand . . . . .	— 1	— 9	4 —
Souvenir d'Antonin Crozy . . . . .	— 8	5 3	—

##### e. Red-leaved and red-flowered.

Admiral Avellan . . . . .	— 3	2 —	—
B. de Jussieu . . . . .	— 2	— 10	6 —
Ch. Souchet . . . . .	— 2	— 10	6 —
Doyen Jean Sisley . . . . .	— 1	— 8	4 —
Emile Thomas . . . . .	— 3	2 —	—
E. Renan . . . . .	— 3	2 —	—
F. Neuwesel . . . . .	— 2	— 10	6 —
Gloire d'Emple . . . . .	— 4	2 10	—
Godefroy-Lebœuf . . . . .	— 4	2 10	—
Henry A. Dreer . . . . .	— 3	2 —	—

	1 piece s. d.	10 pieces s. d.	100 pieces s. d.		1 piece s. d.	10 pieces s. d.	100 pieces s. d.
Karl Kölle . . . . .	— 7	4 6	— —	<b>5. Iridiflora Hybrids</b>			
Laforcade . . . . .	— 1	— 6	4 —	a splendid class for groups.			
Légionnaire . . . . .	— 2	— 8	4 10	Iridiflora Ehmannii . . . . .	— 2	— 10	4 10
Louis de Mérode . . . . .	— 2	— 8	4 —	" Guttermannii . . . . .	— 2	1 3	— —
M. J. Goss . . . . .	— 2	— 8	4 —	" Nouttoni . . . . .	— 2	1 3	— —
Maurice Rivoire . . . . .	— 2	— 8	4 —	<b>6. Older sorts, red-leaved.</b>			
Nardy père . . . . .	— 2	— 8	4 —	Alégatière . . . . .	— —	— 3	2 —
Paul Lorenz . . . . .	— 2	— 10	— —	Coquette, splendid, rich-flowering . . . . .	— —	— 5	3 3
Président Carnot . . . . .	— 2	— 8	4 10	Discolor . . . . .	— —	— 4	2 —
Th. S. Ware . . . . .	— 4	2 10	— —	Sanguinea . . . . .	— —	— 3	2 —
Victor Gaulin . . . . .	— 1	— 8	4 —	Sénateur Millaud, splendid . . . . .	— —	— 3	2 —
				Mixed, red-leaved . . . . .	— —	— 3	2 —
<b>f. Yellow-flowered dwarf.</b>				<b>7. Older sorts, green-leaved.</b>			
Hugo Fuchs . . . . .	— 2	1 3	8 —	Brenningsii fol. var., splendid kind			
Mad. A. Blanc . . . . .	— 4	2 10	— —	with green, white striped leaves, in			
				no way inferior to the C. indica			
<b>g. The above Gladioli-flowered</b>				var. so much spoken of . . . . .	— —	— 2	1 3
<b>Cannas mixed.</b>				Flaccida le Roi . . . . .	— —	— 2	1 3
Crozy's yellow-flowered, mixed . . . . .	— 5	3 3	24 —	Mixed, green-leaved . . . . .	— —	— 2	1 3
" red-flowered, mixed . . . . .	— 7	4 10	40 —				
" red-leaved mixed . . . . .	— 8	5 8	48 —				
" all sorts mixed . . . . .	— 5	2 9	24 —				

## XIX. Bulbs and Roots.

Almost all of them can be joined in dry state to any other orders for seeds.

	10 pieces s. d.	100 pieces s. d.		10 pieces s. d.	100 pieces s. d.
Agapanthus umbellatus . . . . .	1 —	8 —	Crinum capense (Amaryllis longifolia)		
Amaryllis formosissima (Sprekelia)	2 —	16 —	per 1000 56/—	1 —	8 —
" Graveana (Hypeastrum)	6 6	56 —	" " fl. albo . . . . .	1 8	12 10
" Veitch's Hybrids	20 —	— —	" erubescens . . . . .	4 —	32 —
Amorphophallus Rivieri . . . . .	6 6	— —	" hybr. Todorae . . . . .	4 —	32 —
Anemone japonica Honorine Joubert.	— 6	3 7	" lineare . . . . .	1 —	8 —
Asclepias tuberosa . . . . .	1 4	— —	" Mac Owani, very fine . . . . .	7 6	76 —
Begonia hybrida gigantea, single, all			" Moorei . . . . .	3 —	22 5
colours mixed			" pedunculatum . . . . .	1 8	12 10
per 1000 72/—	1 —	8 —	" pratense . . . . .	1 —	8 —
" " double			" Yemense, 1 <sup>st</sup> size . . . . .	2 6	21 —
per 1000 116/—	1 6	12 6	" " 2 <sup>nd</sup> " . . . . .	2 —	17 6
Calla aethiopica . . . . .	1 3	11 6	Cyclamen neapolitanum per 1000 24/—	— 4	2 9
" " compacta . . . . .	1 6	12 10	" repandum per 1000 24/—	— 4	2 9
" " gigantea . . . . .	3 —	24 —	Cyrtanthus Mc. Kenny . . . . .	3 3	24 —
" " Little Gem . . . . .			Eucomis punctata . . . . .	1 8	15 —
per 1000 52/—	— 9	6 —	Galtonia (Hyacinthus) candicans . . . . .	— 5	3 8
Chlidanthus Ehrenbergii . . . . .	— 8	4 —	Gladiolus Childsi, a new class, with very		
Colocasia antiquorum . . . . .	5 —	42 —	large flowers . . . . .	1 2	9 —
" " Dussii . . . . .	5 7	48 —	" Gandavensis, best sorts mixed		
Cooperia Drummondii . . . . .	— 9	6 6	per 1000 52/—	— 9	6 —
" pedunculata per 1000 60/—	— 8	5 9	" " Brenchleyensis		
Crinum abyssinicum, 1 <sup>st</sup> size . . . . .	3 3	28 —	per 1000 36/—	6	4
" " 2 <sup>nd</sup> " . . . . .	3 —	22 5	" Lemoinei, best hybrids		
			per 1000 40/—	8	5 —

	10 pieces s. d.	100 pieces s. d.		10 pieces s. d.	100 pieces s. d.
Gladiolus Nanceianus, best sorts mixed			Lilium tigrinum fl. pl. . . . .	1 6	13 —
per 1000 80/—	1 2	9 —	Lycoris aurea . . . . .	6 —	— —
Gloxinia, mixed . . . . .	1 6	14 —	„ radiata . . . . .	2 —	16 —
per 1000 128/—	2 —	16 —	„ Terracciani . . . . .	4 50	40 —
Habranthus roseus . . . . .	10 —	— —	Moraea (Iris) Robinsoniana . . . . .	5 —	40 —
Haemanthus coccineus . . . . .	12 —	— —	Nerine undulata . . . . .	4 —	— —
„ natalensis . . . . .	3 3	24 —	Ophiopogon Jaburan . . . . .	1 3	12 —
Hedychium coronarium . . . . .	9 —	80 —	Pancreatum maritimum . . . . .	— 5	3 3
Hemerocallis aurantiaca major . . . . .	— 10	5 9	Pardanthus chinensis . . . . .	— 8	5 7
„ fulva . . . . .	1 3	10 —	Phaedranassa chloracea . . . . .	1 2	10 —
Hymenocallis Harrisiana . . . . .	— 10	6 6	Ranunculus asiaticus superbissimus fl.		
„ undulata . . . . .	— 2	1 3	pleno . . . . . per 1000 7/3	— —	— 10
Iris germanica, mixed per 1000 10/—	— 6	3 8	Rhodea japonica . . . . .	1 2	10 —
„ olbiensis mixed . . . . .	— 6	3 8	„ „ fol. var. . . . .	3 3	28 —
„ stylosa (unguicularis) per 1000 32/—	— 8	5 —	Ruscus Hippoglossum . . . . .	— 3	1 3
„ „ alba . . . . .	1 4	10 —	Richardia albo-maculata . . . . .	— 6	5 —
Kniphofia (Tritoma) best sorts mixed	6 6	— —	Veltheimia (Alettris) capensis . . . . .	7 4	— —
Lilium auratum . . . . .	4 —	36 —	Zephyranthes Andersoni . . . . .	— 5	2 10
„ speciosum album . . . . .	2 10	24 —	„ Atamasco per 1000 14/6	— 3	2 —
„ „ roseum . . . . .	2 10	24 —	„ candida . . . . .	— 3	2 —
„ „ rubrum . . . . .	1 3	9 6	„ tubispatha p. 1000 16/—	— 5	2 6

## XX. Asparagus-Plants.

	10 pieces s. d.	100 pieces s. d.	1000 pieces s. d.		10 pieces s. d.	100 pieces s. d.	1000 pieces s. d.
Acutifolius, evergreen, slightly climbing very suitable for decorative purposes	— 7	4 —	32 —	Sprengeri Rgl. Dam.			
Lucidus, a fine kind, standing the winter well with us; resembles somewhat the A. Sprengeri . . . . .	2 —	— —	— —	plants of 1 year from the open ground	— 2	1 —	8 —
Plumosus . . . . .	— 10	— —	— —	„ „ 2 years „ „ „ „	— 5	2 6	20 —
„ superbus, a new kind of quick growth . . . 1 piece 1/—	8 —	72 —	— —	„ „ 2 „ grown in pots . . . . .	— 9	5 —	40 —
				„ „ 3 „ from the open ground	— 8	4 6	36 —
				„ „ 3 „ grown in pots . . . . .	2 —	18 6	— —
				„ „ 4 „ „ „ „ „	6 6	— —	— —
				stronger plants according to the size from 1/6 to 8/— each			



Fruits of Lagenaria.  
Electro 3/6.



Small trunk (Bulb) of Cycas revoluta.  
Electro 3/3.

## XXI. Aspidistra.

We can furnish sound and well-rooted plants from October to April; they are grown in the open ground and will be furnished without soil; they must, however, be sent by the quickest way possible. The plants will be packed very carefully in moss and cases, in order to prevent the leaves from getting damaged; they will, however, not all be ready for sale and part of them must be grown again in pots. The plants are undivided. Of course the plants with striped or spotted leaves produce sometimes also some leaves that are only slightly variegated or even green, which, as they belong to the plant, cannot be taken off and must consequently be charged as variegated ones. The plants are sent of course at buyer's risk, they are, however, packed so carefully that in our opinion they will stand well, even a prolonged journey. By parcel post we can forward baskets of 11 Lb. weight containing about 80 to 100 leaves for trial, but they will not give an exact idea of the quality, as large plants cannot for their size be sent as parcels.



Aspidistra.  
Electro 3/3.

	100 leaves s. d.	1000 leaves s. d.
Aspidistra elatior, green . . . . .	9 6	86 —
„ „ fol. var. . . . .	19 6	180 —
„ „ fol. punct. . . . .	16 —	— —

## XXII. Fruits of Lagenaria vulgaris.

These highly interesting fruits of many interesting shapes are not yet sufficiently known, although they are a most attractive object for show-windows, and at the same time a very salable article. The very often really gigantic fruits, for instance those of the Hercules club, are so decorative that they sell very readily, and there is no kind that is not highly decorative.

Assortment of 12 sorts . . . . . 8'—.

## XXIII. Cycas revoluta

(see Electro page 64).

Small sound and good trunks (bulbs detached from the mother plant) grown here and therefore much better adapted to grow freely than those imported from warmer countries.

12 to 14 in. circumference . . . . .	10 <sup>d</sup> each
8 „ 10 „ „ . . . . .	8 <sup>d</sup> „
6 „ 8 „ „ . . . . .	7 <sup>d</sup> „

## XXIV. Raphia.

Best quality, very long, in original bales of about 2 cwt., per cwt. 48—; smaller quantities —/7 per lb. Prices variable.

For larger quantities special prices will be quoted on application.

## XXV. Novelties for the season 1902 to 1903.

### 1. Vegetable Seeds.

The price per lb. will be applied for orders of at least  $\frac{1}{4}$  lb.

#### Lima-Bean Santa Rosa.

Producing long and broad pods containing about 4 to 5 broad and flat white beans; very productive, of vigorous growth and climbing very high in a comparatively short time. These beans are of the finest flavour, and this new variety is altogether highly recommendable.

per oz —/3 d; per lb. 3/—.

#### Lima-Bean Inca.

The pods of this variety resemble somewhat those of Peas, and its white grains are nearly round. Although the plant does not climb very high, yet it is very productive and also ornamental. The beans boiled and mashed give an excellent dish.

per oz —/3 d; per lb. 3/—.



Capsicum Taranto.  
(Electro 3/6.)

#### Capsicum Taranto. (Electro.)

The plant is of compact habit producing a great number of fine deep red middle-size fruits in an upright position, but its principal feature is their skin which is very thin, white their flesh is very thick, extremely sweet and of the finest flavour. In fact these qualities render this new and fine sort not only very valuable but even superior to most of the others.

per oz 1/3 d.

#### Capsicum, red and orange-coloured Lucullus.

(Electro.)

These are two highly decorative and interesting ornamental sorts growing about 10—12 inches high and producing on a vigorous stem a profusion of upright fruits forming a dense bouquet, out of which but a few leaves are seen emerging. The fruits are of a fine dark red color in one variety, and of orange yellow in the other. Each color separate.

The fruits of these two new kinds are very sweet flavoured, contrary to those of the other small decorative peppers, which are hot without any exception.

1 oz 1/6 d.



Capsicum, red and orange-coloured Lucullus.  
(Electro 3/6.)



## 2. Newly Introduced or New Flower Seeds.

⊙ = Annuals. — 4 = Perennials.

The price for 100 packets will be applied for orders of at least 25 packets.

We beg to inform our patrons that, in order to spare unnecessary labour, orders for seeds in packets will not be filled in as many single packets, but the corresponding weight or number will be sent in one lot.

### **Centaurea Cyanus Victoria bicolor.**

A new colour of the charming dwarf Corn-flower! The flowers are white with a blue center.

1 packet —/6 d; 100 packets 32/—.

### **Dianthus Heddewigi ornatus.**

This is a new and very charming form of compact habit and very large flowers, the petals of which are deep blood red towards the centre, striped and marbled in dark brown in a very original manner, while the border is white and forms a white distinct circle. The combination of these different colors is of a striking effect.

1 packet —/8 d; 100 packets 40/—.

### **Polygonum Posumbu. (Electro.)**

Although this charming variety is not new, yet as far as we know it has never been grown or offered. It is very dwarf, with dark green glossy leaves somewhat undulated, from which emerge the small rosy panicles. The plant grows only about 12 to 14 inches high, producing a mass of leaves, and is extremely adapted for groups, carpet beddings &c.

1 packet —/8 d; 100 packets 40/—.

### **Ipomoea Mikado.**

Of this excellent class, only recently introduced from Japan, with extraordinary large flowers, we offer seed in all colours mixed at page 39 of this catalogue; we have however selected a number of fine and remarkable colours, which we offer each separately below. The plants are of vigorous and rapid growth, producing in great profusion very large flowers often up to 4 in-across. The colors are mostly new and quite original. Stock very limited.

Blue	Purple
Carmine	Slate-colour
„ bordered white	White
each separate.	

1 packet —/10 d; 100 packets 65/—.

### **Zinnia elegans grandiflora laciniata carminea and rosea fl. pl.**

Two new and splendid colours of our new class with laciniate petals. The size and shape of the flowers are as perfect as possible.

1 packet —/8 d; 100 packets 40/—.



Polygonum Posumbu.  
(Electro 3,6.)

## XXVI. Fruit Trees and Cuttings.

	per 10 s. d.	per 100 s. d.		per 10 s. d.	per 100 s. d.				
Oranges (Citrus Aurantium) grafted, from the open ground, about 4 to 6 years old . . . . .	8 —	70 —	Olives, best varieties both for oil and eating, grafted, from the open ground, 1 year old . . . . .	8 —	65 —				
Oranges (Citrus Aurantium) } grafted, grown in pots, best varieties, about 4 to 4½ feet high.	25 —	220 —	Olives, best varieties, grafted, grown in pots about 3 to 4 years old . . . . .	14 —	120 —				
Lemons (Citrus Limonum) . . . . .			10 —	80 —	Chestnut (Castanea vesca) about 3 years old . . . . .	10 —	80 —		
Mandarines (Citrus nobilis) . . . . .					15 —	140 —	Medlar of Japan (Eriobotrya japonica) about 3 to 4 feet and ½ high, grown in pots. . . . .	15 —	140 —
Cedro (Citrus medica) } Bergamot (Citrus Bergamium) . . . . .							14 —	125 —	Walnuts (Juglans regia), best sorts, grafted, 1 to 2 years old, about 6 feet high . . . . .
Shaddock (Citrus Decumana) . . . . .	6 —	48 —	Hazel-Nuts (Corylus Avellana), best sorts about 3 to 4 feet and ½ high . . . . .	6 —	48 —				
Mellarosa (Citrus Limonum Mellarosa) . . . . .			7 —	55 —	Figs (Ficus Carica) about 15 of the best sorts; about 2 to 3 feet high . . . . .	7 —			55 —
Lemon sweet (Citrus Limetta) . . . . .	30 —	— —			Carobs (Ceratonia Siliqua) grown in pots, about 3 to 5 feet high . . . . .	28 —	— —		

We can also supply **Cuttings** of

**Figs**, about 14 in. long, both table varieties and for drying, about 12 sorts of each at from **30 to 40 Shillings per 1000 Cuttings**, according to the sort.

**Olives**, about 12 in. long, 12 sorts at from **16 to 24 Shillings per 1000 Cuttings**, according to the variety.

These Cuttings will be packed in bundles of 100 each and not less than 500 of one kind will be supplied. They are packed in moist musk and shipped in strong cases, without tin. Orders for Cuttings cannot be accepted later than the end of December or the beginning of January. All Fruit-Trees will be sound, strong and of good general condition. Considering the duration of the voyage, which is often very long the packing of the Trees etc. is done most carefully in order to secure their arrival in the best possible condition. It must, however, be understood, that our responsibility ceases as soon as the goods have left our warehouses; they travel entirely at the cost and risk of the purchaser. Shipments can be effected from the end of October to the end of April. Prices are to be understood for cash payment without any reduction or discount. All orders must be accompanied by the respective amount or the greater part of the same and in the latter case the remainder will be charged forward on the B/L. As we cannot in any case deviate from these rules, we shall thank our patrons for complying with them, else to our regret their orders cannot be executed. Packing is charged at first cost. Although we do our best to get all Trees and Cuttings under their right names, yet we cannot assume any responsibility to that effect. Most satisfactory reports have been received even from the most distant localities, that our shipments of Trees and Cuttings have arrived in first rate condition.

## XXVII. Pictorial Seed Pockets.

All drawn from nature and artistically executed.—Empty.

### A. Vegetable Seeds, ab<sup>t</sup> 4 × 2½ in.

Orders for at least 1000 per sort will be forwarded direct by our German Printer at 7/6 per 1000. Smaller quantities per sort will be sent by ourselves at 1/2 per 100. Less than 10 per sort will not be sold.

1	Basil, sweet green.	68	Lettuce, Cabbage, Nonpareil.
79	Beans, dwarf wax flageolet.	65	" " Rudolph's Favourite.
77	" " Crimson flageolet.	69	" " spotted (Trout).
78	" " Hinrichs speckled giant.	15	" " Stubborn-headed, large yellow.
79	" " Golden Butter Wax.	71	" " " " new brown.
46	Beet, Egyptian turnip, red.	70	" " Winter, Silverball.
80	Borecole curled dwarf green.	72	" " for picking, American brown curled.
81	" " " " purple.	25	Onion, Zittau, giant yellow.
22	Cabbage, Brunswick, large Drumhead.	23	Parsley, moss curled.
52	" " Winnigstadt.	29	" " turnip rooted, short.
30	Carrot, French early forcing.	24	" " long.
83	" " Early stump rooted Dutch.	57	Radish, early scarlet white tipped.
3	" " Nantes' early half-long scarlet.	98	" " half long scarlet.
6	Cauliflower, Erfurt earliest dwarf.	33	" " Winter, black round.
91	" " Veitch autumn Giant.	56	Scorzonera, common.
7	Celeriac, apple-shaped.	11	Swede, white fleshed.
40	Cucumber, long green of Erfurt.	10	" " yellow green top.
41	" " very " " " "	90	" " purple top.
17	Endive, moss curled.	19	Tomato, large red.
44	Kohl-Rabi, purple very early Vienna.	39	Leek, Summer.
49	" " white " " " "	38a	" " Carantan.
67	Lettuce, Cabbage, All the year round.	93	Turnip very early flat white Dutch.
12	" " " " early green stone-head.	36	Spinach long standing dark green.
66	" " " " Emperor forcing.	88	Savoy Drumhead, large late.
13	" " " " large Mogul.		" " Early dwarf Ulm.
301	" " " " brown Laibach Ice		

### B. Flower Seeds, ab<sup>t</sup> 3 × 2 in.

Orders for at least 1000 per sort will be forwarded direct by our German Printer at 6/— per 1000. Smaller quantities per sort will be sent by ourselves at 1/— per 100.

Less than 10 per sort will not be sold.

1	Acroclinium roseum.	30	Aster, Liliput, mixed.
6	Ageratum mexicanum, blue.	24	" " Paeony Perfection, mixed.
7	" " " " album, white.	26	" " Quilled, mixed.
9	Agrostemma, coeli-rosa.	33	" " Victoria, mixed.
11	Alyssum, sweet.	133	Balsam, double mixed.
12	" " saxatile.	134	" " rose-flowered double, mixed.
13	Amaranthus caudatus, fox-tail.	39	Begonia, tuberous-rooted single, mixed.
6a	" " ruber, red.	56	Blue-Bottle, mixed.
14	" " tricolor.	184a	Calampelis scabra.
17	Antirrhinum majus, Snapdragon, mixed.	45	Calendula Meteor.
18	" " " " nanum, " " dwarf mixed.	50	Campanula Medium, single mixed (Canterbury Bell).
20	Aquilegia vulgaris fl. pl., mixed (Columbine).	130	Candytuft, white rocket.
29	Aster, Anmuth, mixed.	131	" " large-flowering (Iberis coronaria).
32	" " Comet, mixed.	132	" " (Iberis umbellata purpurea).
23	" " Crown, mixed.	52	Canna, mixed.
34	" " Dwarf, mixed.	94	Carnation, extra double Border.
35	" " " " Bouquet (Boltze), mixed.	95	" " double dwarf Vienna.

93	Carnation, Margaret, mixed.	229	Nasturtium, climbing mixed.
119a	Centaurea moschata.	228	" dwarf mixed.
67	Chrysanthemum tricolor, mixed.	226	" King of Tom Thumb.
68	" " atrococcineum.	165	Nemophila insignis.
72	Cineraria hybrida, large-flowering, mixed.	168	Nicotiana affinis.
73	Clarkia elegans, double mixed.	171	Oenothera Lamareckiana.
76	Cobaea scandens.	238	Pansies, best mixed.
53	Cocks-comb, dwarf, mixed.	239	" best English, mixed.
54	" feathered, mixed.	240	" large-flowering French, mixed.
302	" " „Preziosa“.	246	" Emperor William.
77	Coleus, best mixed.	247	" Lord Beaconsfield.
186a	" Verschaffeltii var.	249	" Odier.
78	Collinsia bicolor.	242	" Schneewittchen (snow-white).
79	" mixed.	241	" Trimardeau.
136	Convolvulus major, mixed.	174	Perilla nankinensis.
80	" minor, mixed.	175	Petunia hybrida, mixed.
47	Coreopsis Drummondii.	176	" " grandiflora, best mixed.
46	" tinctoria.	181	Phlox Drummondii, mixed.
82	Cyclamen persicum giganteum, mixed.	183	" " grandiflora, best mixed.
85	Dahlia variabilis, single mixed.	172	Poppy (Papaver Rhoeas), ranunculus, double, mixed
40	Daisy, double mixed.	173	" " somniferum fl. pl., double mixed
97	Dianthus chinensis fl. pl., Indian Pink.	188	Portulaca grandiflora, mixed.
101	" Heddewigi, mixed.	189	" " fl. pl., double mixed.
104	" plumarius, common Pink.	191	Primula auricula, mixed.
106	Eschscholtzia californica, yellow.	193	" veris (elatior).
107	" " alba, white.	194	" chinensis fimbriata, fringed mixed.
161	Forget me-not, blue (Myosotis alpestris).	195	Pyrethrum parthenifolium aureum, Golden Feather.
110	Gaillardia picta Lorenziana, double.	202	Ricinus sanguineus.
303	Gazania pygmaea lutea.	203	Salpiglossis variabilis, mixed.
112	Godetia, Duchess of Albany.	205	Sanvitalia procumbens, double.
114	" Lady Albemarle.	209	Scabious atropurpurea, double dwarf mixed.
49a	" The Bride.	212	Silene pendula, rose.
113	" Whitneyi.	214	" " ruberrima, red.
115	Gomphrena globosa, Globe Amaranth mixed.	215	" " mixed.
121	Helichrysum monstrosum, double mixed.	143a	" " compacta.
125	Heliotropium, mixed.	58	Stocks, ten week, mixed.
10	Hollyhocks, double mixed.	59	" ten week, large-flowering, mixed.
128	Humulus japonicus, Japanese Hop.	60	" Winter or Bompton, mixed.
211	Jacobaea, double mixed.	63	" Virginian, mixed.
86	Larkspur, dwarf rocket.	137	Sweet Peas, mixed.
141	Linum grandiflorum rubrum, scarlet flax.	88	" William, single mixed.
143	Lobelia cardinalis.	89	" " double mixed.
145	" Erinus speciosa Crystal Palace.	75a	Tagetes patula fl. pl., double French, Marigold, mixed.
146	" " Emperor William.	220	" " nana fl. pl., double dwarf French Marigold mixed.
151	Lupinus, annual mixed.	221	" " striata fl. pl. double striped French Marigold.
152	Lychnis chalconica, scarlet.	222	" signata pumila.
153	Malope grandiflora alba.	231	Verbena hybrida, mixed.
154	" " purpurea.	256	Zinnia elegans fl. pl., mixed.
160	Marvel of Peru, mixed.	304	" " " " „Iris“.
176a	Maurandia, mixed.		
196	Mignonette, common.		
197	" large-flowering, Golden Queen.		
159	Mimulus moschatus (Musk).		

## XXVIII. Pure South-Italian wines.

We have supplied for many years to our Continental friends different qualities of our fine Italian wines which have been very much appreciated owing to their excellent qualities and cheap prices. In order to meet the increasing demands we have made arrangements with several important wine growers, and are therefore in a position to offer the following qualities at moderate prices viz.

Red wines:	Shillings Per 22 Gallons	All pure and natural wines ready to be bottled. The prices are for 100 Litres or Kilosnet, equal to about 22 English Gallons f. o. b. Naples — Casks extra. We do not accept orders for less than 50 Litres or about 11 English Gallons per sort.
Vesuvio, a mild Claret . . . . .	44	
Syracusa, fiery, for medical purposes . . . . .	50	
Calabria, dry and strong . . . . .	44	
Capri, dry . . . . .	56	
White wines:		Per 100 Litres or Kilosnet, equal to about 22 English Gallons f. o. b. Naples, casks included. We do not supply any quantity under 25 Litres or about 5 English Gallons and a half of each kind.
Ischia, much like Moselle . . . . .	40	
Stromboli, very fiery . . . . .	44	
Vesuvio, a favorite but strong wine . . . . .	44	
Capri, dry, very fine, like Chablis . . . . .	56	
Lunch- and Dinner-wines:		Per 100 Litres or Kilosnet, equal to about 22 English Gallons f. o. b. Naples, casks included. We do not supply any quantity under 25 Litres or about 5 English Gallons and a half of each kind.
Malvasia, white, strong and sweet, greatly appreciated . . . . .	124	
Marsala, white, brand „England“, dry and much like Sherry . . . . .	104	
Marsala, white, „Italy“, strong very fine . . . . .	88	
Porto, red, much like Portwine . . . . .	116	

Price are understood for Cash with order, without any discount. The wines travel at buyer's risk and we do not answer for leakage, evaporation &c. Our responsibility ceases once the goods are on board.

### Casks:

are charged at first cost as follows:

of about 400 Litres (about 88 English Gallons)	21/6
„ „ 300 „ „ 66 „ „	18/6
„ „ 200 „ „ 44 „ „	13/6
„ „ 100 „ „ 22 „ „	9/6
„ „ 50 „ „ 11 „ „	5/3

### Double-casks:

These are added only when expressly ordered at following prices:

for 400 Litres (about 88 English Gallons)	12/9
„ 300 „ „ 66 „ „	9/6
„ 200 „ „ 44 „ „	7/3
„ 100 „ „ 22 „ „	5/6
„ 50 „ „ 11 „ „	3/3

Steamers to all parts of the world.

Samples of the different qualities are at the disposal of correspondents at a trifling cost. We respectfully invite our Patrons to give us a trial order with which they will be fully satisfied.

## XXIX. Best Olive-Oil for table use.

We offer the above of the very best quality, packed in a tin and a light wooden box of ab<sup>t</sup> 11 lb. gross weight at 8/—, to be forwarded by parcel post; parcel-fee to all parts of England 2/3 d. per parcel of 11 lb.

## XXX. Tomato sauce

prepared from the best fresh fruits, keeping their natural flavour even for years.

tins of	200 Gr.	250 Gr.	400 Gr.	500 Gr.	1000 Gr.
= ab <sup>t</sup>	7 oz	8 <sup>3</sup> / <sub>4</sub> oz	14 oz	1 <sup>1</sup> / <sub>10</sub> lb.	2 <sup>2</sup> / <sub>10</sub> lb.
per tin	2 d.	3 d.	4 d.	5 d.	9 d.

### Dammann & Co.

San Giovanni a Teduccio (Prov. of Naples).

*A List of all Electros published will be forwarded to our customers on application. It contains about 500 cuts. We shall charge for it 6 d which will however be deducted from the first invoice of electros.*

### Our Bulb Catalogue

is published in May every year and will be sent free of charge to all our correspondents.

# Contents.

	<i>page</i>		<i>page</i>
I. Vegetable Seeds . . . . .	1	XV. Palms . . . . .	55
II. Swede, Turnip and Mangel Wurzel . . . . .	15	XVI. Agave, Aloe, Yucca &c. . . . .	56
III. Sweet Herbs &c. . . . .	15	XVII. Stapelia . . . . .	57
IV. Clovers, Lucerne &c. . . . .	16	XVIII. Canna Roots . . . . .	57
V. Grasses . . . . .	16	XIX. Bulbs and Roots . . . . .	63
VI. Sundry Agricultural Seeds, and Seeds of Economical, Officinal Plants &c. . . . .	17	XX. Asparagus-Plants . . . . .	64
VII. Fruit Trees . . . . .	18	XXI. Aspidistra . . . . .	65
VIII. Seeds of Trees, Shrubs &c. . . . .	19	XXII. Fruits of Lagenaria vulgaris . . . . .	65
IX. Conifer Seeds . . . . .	22	XXIII. Cycas revoluta . . . . .	65
X. Palm Seeds . . . . .	23	XXIV. Raphia . . . . .	65
XI. Seeds of Annual, Perennial, Climbing, Hot- and Green- House Plants . . . . .	24	XXV. Novelties of Vegetable and Flower Seeds . . . . .	66
XII. Seeds of Ornamental Grasses . . . . .	53	XXVI. Fruit Trees and Cuttings . . . . .	68
XIII. Seeds of Bulbs and Roots . . . . .	54	XXVII. Pictorial Seed Pockets . . . . .	69
XIV. Seeds of Cannas . . . . .	55	XXVIII. Pure Italian Wines . . . . .	71
		XXIX. Best Olive-Oil for table use . . . . .	71
		XXX. Tomato sauce . . . . .	71





# DAMMANN & Co.



*Offices.*



*Entrance to the Trial Grounds (15 acres.)*



No. 139.  
1903—1904.



No. 139.  
1903—1904.

By appointment to his Majesty the King of Italy.

# DAMMANN & C<sup>o</sup>

Seed and Bulb Growers and Merchants

## SAN GIOVANNI A TEDUCCIO

near Naples, Italy.

Established 1877.

Awards obtained:

First Diploma of Honour at the Italian Exhibition, London, 1888.

Large Gold Medal of the Royal Academy of Naples for Improvements in Horticulture, 1890.

Three Medals at the Great Berlin International Horticultural Exhibition, 1890.



Tagetes Lemmoni.

Awards obtained:

Diploma of Honour from the Botanic Society, Geneva, 1891.

Horticultural Exhibition, Naples 1892.

11 first Prizes, both the 2 Medals of the Government. Florence 1893. 1895.

Leipzig, large and small silver Medals 1893.

Chicago 1893.

Naples 1895.

## General Price List

of

Vegetable, Farm, Tree, Conifer, Palm, Flower and other Seeds, Canna Roots, Italian Fruit Trees, Plants, Novelties of Seeds &c. &c.

## Conditions of sale and important remarks.

All prices are quoted in Shillings and Pence (English currency) and to be understood for goods delivered and payable in San Giovanni a Teduccio net without discount at 3 months from date of invoice. Agricultural seeds at 30 days. This condition will not in the least be altered and remains valid even if we draw upon our customers.

We allow 2<sup>0</sup>/<sub>10</sub> discount on all amounts exceeding £ 10.—/—, if cash is remitted on receipt of goods. Smaller amounts are absolutely to be paid in cash.

Our prices being very low (which you will easily find out by comparing them with those of other reliable houses) we cannot deviate from the above condition.

Orders from unknown correspondents must invariably be accompanied by references to continental firms, or the approximate amount be remitted, otherwise orders will not be executed.

Prices are subject to variations and as many quotations are made before the final result of the crop is known we shall not hold ourselves liable for quantities.

We shall thank our Patrons if they will send in their orders on receipt of this list and more especially orders for seeds which have to be collected, such as seeds of Trees, Shrubs, Conifers etc. etc.

Almost all the seeds are grown under our special superintendence, but although we use the utmost care to have all seeds etc. pure and true to name yet we give no warranty expressed or implied as to description, quality, or any other matter connected with the goods we send out and we will not be in any way responsible for the crop. Moreover all our transactions are to be ruled by Italian law. Any claims if in spite of the great care we take there should be any, will, however, be taken into most liberal consideration, but we wish it to be understood, that in no case and under no circumstances we will be responsible beyond the price invoiced for each article. It is on these strict terms only that we offer any goods or execute orders, and in accepting the goods our clients implicitly acknowledge all these terms as binding.

This List cancels all previous quotations.

For quantities from 28 lb. upwards of one sort we quote the price for 1 cwt.; quantities of at least 1/4 lb. of one sort will be charged at the rate of 1 lb.; quantities under 1/4 lb. will be charged at the price per oz, orders for smaller quantities than offered in this list will be charged at comparatively higher prices.

Any claims resulting from the invoice itself or from the merchandise, are to be made immediately on receipt thereof, else they can in no way be acknowledged.

### Shipping.

In order that our customers may have an idea of what they will have to pay for freight and shipping charges on our goods, we give the following approximate rates of freight and all charges (not including packing and insurance) from Naples — our establishment can be reached by horse car in about half an hour from the centre of Naples — calculated on 500 Kilos or 10 cwt, which are, however, subject to variations:

To London and Liverpool board: about 2/3 d. per cwt. Freight for Beans to London, Liverpool, Hull etc. about 15 Shillings per ton. Fast Steamers by British India Line and others.

To New-York board: about 2/6 d. per cwt. (not in-

cluding insurance and consular charges). (Fast steamers by North German Lloyd, Hamburg-American, Anchor and Fabre Lines.)

To Australia, New-Zealand, India, China, Japan, South Africa, South America etc. etc., similar cheap rates by direct Steamers.

### Parcels

can be forwarded by post at the following rates:  
parcels up to 11 lb, (5 kilos) to:

<b>Australia:</b>	<b>East India 11 lb.</b> . . . . .	5/—
New South Wales	<b>Egypt</b> . . . . .	1/6
2 <sup>1</sup> / <sub>5</sub> to 6 <sup>1</sup> / <sub>2</sub> lb. . . . .	<b>Great Britain</b> . . . . .	2/3
6 <sup>1</sup> / <sub>2</sub> " 11 " . . . . .	<b>Hongkong</b> . . . . .	5/6
Queensland 11 lb. . . . .	<b>Japan</b> . . . . .	4/5
Tasmania 2 <sup>1</sup> / <sub>5</sub> to 6 <sup>1</sup> / <sub>2</sub> lb. . . . .	<b>Malta</b> . . . . .	1/6
6 <sup>1</sup> / <sub>2</sub> " 11 " . . . . .	<b>Natal 2<sup>1</sup>/<sub>5</sub> to 6<sup>1</sup>/<sub>2</sub> lb.</b> . . . . .	6/5
Victoria 3 <sup>1</sup> / <sub>2</sub> " 6 <sup>1</sup> / <sub>2</sub> " . . . . .	6 <sup>1</sup> / <sub>2</sub> to 11 lb. . . . .	9/7
6 <sup>1</sup> / <sub>2</sub> " 11 " . . . . .	<b>Mexico via France</b> . . . . .	3/2
Canada 6 <sup>1</sup> / <sub>2</sub> to 11 lb. . . . .	" " <b>Germany</b> . . . . .	3/8
<b>Cape Colony</b> . . . . .	<b>Orange 6<sup>1</sup>/<sub>2</sub> lb.</b> . . . . .	7/6
<b>Ceylon</b> . . . . .	<b>New Zealand 11 lb.</b> . . . . .	7/8
<b>Dutch Colonies:</b>	<b>Transvaal 6<sup>1</sup>/<sub>2</sub> lb.</b> . . . . .	7/6
Batavia, Padang, Samarang, Soerabaia . . . . .	11 " . . . . .	11/6

**U. S. of America** (any State) via Germany (Hamburg or Breme) at a through rate of 5/— (subject to eventual changes) for 2 kilos or about 4<sup>1</sup>/<sub>2</sub> lb.

### Samples

to Great Britain and U. S. A., of 12 oz weight —/4, registered —/7 to all other countries " 9 " " —/3, " —/6

### Postage

on letters . . . . . 2<sup>1</sup>/<sub>2</sub> d.  
" post cards . . . . . 1 d.

Packing at first cost.

Goods travel entirely and exclusively at purchasers risk and we are therefore not responsible for any fault or deficiency arising during the voyage or from an eventual long duration of the same.

We shall however thank our correspondents to give us instructions as to the mode of forwarding, otherwise we shall send the goods by the way we think most convenient, without, however, taking any responsibility.

Insurance, if no other instructions are given, will be covered by us for amount of invoice, freight and charges added.

Our Patrons, by ordering, acknowledge the above conditions of sale.

### Electros.

On application we shall forward a list of all electros published at the charge of 6<sup>d</sup> which will be credited again on an eventual invoice of electros. These electros can be had from us at the prices indicated, but it is to be distinctly understood, that our customers use them exclusively for themselves and that they do not sell, lend or copy them. They will be forwarded through Messrs. Dammann & Co., Leipzig (Germany). Any breach of this agreement is liable to a fine of £ 5—/—.

Our establishment being the largest and oldest of its kind in Italy we can show our customers at any time a great many most interesting things and solicit the favor of a visit, when we shall be happy to show them our large crops of every description.

**NB.** We shall be glad to procure from reliable sources at reasonable prices any kinds of seeds which our friends may not find in our catalogue.


## Dammann & Co.

Cable address: DAMMANN, San Giovanni Teduccio.

A. B. C. CODE, IV<sup>th</sup> edition used.

# I. Vegetable Seeds.

	per lb. s. d.	per cwt. s. d.
<b>Akekengi.</b>		
Eatable Winter-Cherry ( <i>Physalis edulis</i> )	3 —	— —
<b>Artichoke.</b>		
Large early purple Campania . . . . .	7 —	— —
„ „ green of Naples . . . . .	6 —	— —
„ green of Laon or Paris . . . . .	8 —	— —
Purple of Venice . . . . .	4 —	— —
„ Provence or purple French . . . . .	4 6	— —
Green „ „ green „ „ . . . . .	4 6	— —
Remontant, one of the finest; large, dark green without any spines; bears twice with us, i. e. in spring and autumn . . . . .	6 —	— —
Horatius . . . . .	4 6	— —
Of Modica, very large, glaucous, without spines . . . . .	4 6	— —
Of Terranova, very early and fine . . . . .	3 6	— —
We warmly recommend these last 4 varieties.		
<b>Asparagus.</b>		
Giant of Erfurt . . . . .	— 8	— —
Purple Argenteuil . . . . .	— 10	70 —
Conovers Colossal . . . . .	1 —	95 —
Palmetto . . . . .	1 8	— —
Columbian White . . . . .	2 6	— —
Ivory, (Snow-head) new; very tender, remaining white even if shot up very high above the ground . . . . .	2 6	— —
Common Italian ( <i>Asparagus acutifolius</i> ) the young shoots form an excellent dish . . . . .	1 9	— —
<b>Basella.</b>		
White of Malabar ( <i>Basella alba</i> ) . . . . .	2 6	— —
<b>Beans.</b>		
<b>Broad Varieties.</b>		
Sevilla long pod . . . . .	— 4	17 —
Aguadulce, (Electro) the finest and largest; best stock; we have grown pods abt 12 in. long . . . . .	— 5	18 —
<b>Beans.</b>		
<b>French or dwarf varieties.</b>		
Crop extremely bad.		
Algiers black wax . . . . .	— —	— —
Best of All . . . . .	— —	18 —
Black Belgian, excellent for forcing . . . . .	— —	— —
Canadian Wonder, excellent stock . . . . .	— —	— —
Canterbury yellow . . . . .	— —	14 —
China . . . . .	— —	— —
Crimson flageolet . . . . .	— —	— —
Fulmers early forcing . . . . .	— —	18 —
Golden Butter Wax, black seeded . . . . .	— —	— —
Hinrich's speckled giant . . . . .	— —	— —



Broad Bean Aguadulce.  
Electro 4/—.

	per lb. s. d.	per cwt. s. d.		per lb. s. d.	per cwt. s. d.
Hundred for one, small yellow, extremely prolific . . . . .	— —	17 —	Strasbourg or pear-shaped . . . . .	— 8	56 —
Negro Monster . . . . .	— —	18 —	Bastian's blood-red Turnip . . . . .	— 7	50 —
„ long pod . . . . .	— —	— —	Egyptian Turnip, red . . . . .	— 8	65 —
„ extra early . . . . .	— —	— —	Bassano, flat, red, early . . . . .	— 6	50 —
Ne plus ultra, fine for forcing . . . . .	— —	— —			
Osborne's forcing . . . . .	— —	— —	<b>Sugar Beet.</b>		
Pale Dun . . . . .	— —	— —	(German grown, from selected stock.)		
Sion House . . . . .	— —	— —	Imperial white . . . . .	— 7	45 —
Sir Joseph Paxton . . . . .	— —	14 6	Klein Wanzleben . . . . .	— 7	45 —
			Vilmorin's improved . . . . .	— 7	45 —
			Dippe's best stock . . . . .	— 7	50 —
<b>Soja-Beans</b> ( <i>Soja hispida</i> ).			<b>Silver-Beet</b> , see Swiss Chard.		
Yellow . . . . .	— 5	34 —	§ <b>Benincasa cerifera</b> . . . oz —/5	4 5	— —
Brown . . . . .	— 4	30 —			
Black . . . . .	— 4	30 —			
Green Samarow, extremely early and prolific . . . . .	— 5	33 —	<b>Borecole or Kale.</b>		
Giant yellow Santa Margherita; of enormous growth; beans very large; extremely prolific . . . . .	— 6	— —	Curled dwarf green (German Greens)	1 8	— —
			„ „ purple . . . . .	1 10	— —
			Palm Tree, high . . . . .	1 9	— —
			„ „ King, dwarf . . . . .	1 9	— —
<b>Lima Beans.</b>					
( <i>Phaseolus lunatus</i> var.)			<b>Broccoli.</b>		
<b>Dwarf.</b>			Purple Navidad, early, dark purple . . .	3 —	— —
Toledo, white, very prolific . . . . .	— 5	— —	Dark red Santa Teresa, early, purple, changing into green, when boiled . . .	3 —	— —
Linderaya, very dwarf white, very large pods . . . . .	— 7	— —	Walcheren . . . . .	4 6	— —
Giuditta, very prolific, pods broad . . .	— 7	— —	Adams early white . . . . .	5 6	— —
Wonder of San Giovanni, most prolific and early, dark red speckled . . . . .	— 4	— —	Cattell's Eclipse, late . . . . .	4 6	— —
Nero, new (Dam. 1900), with almost black beans and not inferior in any way to the other varieties already known . . . . .	— 5	— —	Knights protecting, late . . . . .	4 —	— —
			Penzance (from Cornish stock) . . . . .	4 6	— —
			Snow's white winter . . . . .	9 —	— —
<b>Runners.</b>			Veitch's self protecting, late . . . . .	2 3	240
San Giovanni white; runs high, abundant bearer . . . . .	— 5	— —	Giant Malta, late . . . . .	2 3	240
Sant Antonio, yellowish white; highly prolific . . . . .	— 5	— —	Late Asiatic . . . . .	2 3	240
San Giuseppe, white; of medium size . .	— 6	— —	Sprouting Nataleschi . . . . .	2 —	— —
San Carlo, black speckled; runs high; abundant bearer, one of the finest . . .	— 6	— —	„ Febbrajoli, late . . . . .	2 —	— —
Lagune, red speckled, splendid . . . . .	— 8	— —	„ Marzajuoli, very late . . . . .	2 —	— —
Inca, with pods like Peas, and white, almost round seeds . . . . .	— 6	— —			
Santa Rosa, pods long and broad, seeds large, flat; excellent flavour . . . . .	— 6	— —	<b>Brussels Sprouts.</b>		
			Tall, best stock . . . . .	1 8	— —
<b>Beet.</b>			Dwarf, improved . . . . .	1 6	— —
Crapaudine, rough-skinned, half long . .	— 7	52 —	Aigburth . . . . .	1 9	— —
Castelnaudary, blood-red . . . . .	— 8	60 —			
Long, deep red . . . . .	— 8	60 —	<b>Cabbage.</b>		
Covent Garden, long, red . . . . .	— 8	60 —	Bacalan, early . . . . .	1 9	180 —
Dells crimson, long, red . . . . .	— 9	72 —	Brunswick, large Drumhead, best stock . .	2 6	265 —
Whyte's black, long and fine, dark blood-red . . . . .	— 7	48 —	Cocoa Nut . . . . .	1 7	160 —
Large blood-red . . . . .	— 7	48 —	Drumhead Dutch late . . . . .	1 9	185 —
			„ „ early dwarf . . . . .	2 —	205 —
			Early Etampes . . . . .	2 —	200 —
			Enfield Market . . . . .	2 6	240 —
			Myatt's early Offenham . . . . .	2 —	200 —
			Mein's No. 1 . . . . .	2 —	200 —
			Oxheart large . . . . .	1 9	185 —
			„ early . . . . .	1 9	185 —
			St. John's Day, early . . . . .	1 9	185 —
			„ „ late . . . . .	1 9	180 —

	per lb. s. d.	per cwt. s. d.
Schweinfurt Drumhead . . . . .	2 —	205 —
Strassburg Quintal or Cwt. Drumhead	1 9	185 —
Sugar loaf . . . . .	1 9	180 —
Wheeler's Imperial . . . . .	2 6	240 —
Winnigstadt, best stock . . . . .	2 —	205 —
York early . . . . .	1 9	180 —
„ large . . . . .	1 9	180 —
Large blood-red Drumhead . . . . .	2 8	270 —
Small „ early Dutch . . . . .	2 9	270 —
Pisa, a very early, splendid variety with large solid heads; very much adapted for warmer countries . . . . .	4 6	— —
Early Mongibello . . . . .	2 3	— —

We recommend these last two sorts quite especially for warmer countries; they are splendid.



Capsicum Columbus  
Electro 3/3.

### Savoy.

Drumhead, large late . . . . .	1 7	165 —
Early dwarf Ulm . . . . .	1 5	155 —
Marcelin . . . . .	1 9	180 —
Small early Vienna . . . . .	1 9	180 —
Victoria (Waterloo) . . . . .	1 3	132 —

**Caper Tree**, see Trees.

### Capsicum.

#### Sweet varieties.

Black Nubian . . . . .	1 8	— —
Cardinal, scarlet, fruits long	1 10	— —
Columbus (Dam.) (Electro), red, of enor- mous size . . . . .	2 10	— —
Columbus (Dam.), yellow . . . . .	1 10	— —

	per lb. s. d.	per cwt. s. d.
Elephant's Trump, red, splendid . . . . .	2 —	— —
Golden Dawn . . . . .	1 9	— —
Golden King (Nocera), most beautiful, very large fruit . . . . .	1 5	— —
Lucullus, Dam. new, (Electro). Highly decorative and interesting, growing about 10—12 inches high and producing on a vigorous stem a profusion of upright fruits forming a dense bouquet, out of which but a few leaves are seen emerging. The sweet fruits are of a fine dark red color in one variety, and of orange yellow in the other.		
red } each colour separate. . . . .	4 3	— —
orange }		



Capsicum, red and orange-coloured Lucullus.  
Electro 3/6.

Maddaloni, of conical shape, very early . . . . .	1 9	— —
Mild red Harald (Electro). The fruits resemble much the Ruby King as to size, shape and color, but contrary to this latter kind the fruits stand perfectly upright above the leaves, a decided advantage over the other kinds, as the fruits are more exposed to the sun, thus ripening better and more quickly . . . . .	2 3	— —
Papacello, red, round, medium sized, slightly ribbed; a fine Neapolitan variety, very good for pickling . . . . .	1 6	— —
Procop's Giant . . . . .	2 —	— —
Red Etna, fruits upright. . . . .	1 8	— —

	per lb. s. d.	per cwt. s. d.
Red pointed Calabrese. Extremely rich bearing, with large fleshy dark purple fruits reaching a length of about 7 inches ending in a point; quite a new form. . . . .	1 6	— —
Ruby King, red, splendid very large . . .	1 3	125 —
Sweet Mountain or Bull nose . . . . .	1 9	180 —
„ Spanish . . . . .	1 4	— —
Taranto, Dam, new, (Electro). Dwarf, compact producing a great number of fine deep-red middle-size fruits in an upright position, but its principal feature is their skin which is very thin, while their flesh is very thick, extremely sweet and of the		

	per lb. s. d.	per cwt. s. d.
Chile red, orange, sulphur yellow, purple, each . . . . .	1 6	— —
Japanese Cluster, scarlet and orange, fruits long . . . . .	1 9	— —
Kaleidoscope . . . . .	1 6	— —
Spanish or Guinea . . . . .	1 2	— —
Tom Thumb (producing fruits in clusters), red, orange, yellow, each . . . . .	1 3	— —
Tomato red . . . . .	1 6	— —
Dwarf red Tomato, new. Dam. 1901. This new pepper is of a very dwarf habit so that the fruits in some plants appear		



Capsicum mild red Harald.  
Electro 4/6.



Capsicum Taranto.  
Electro 3/6.

finest flavour. In fact these qualities render this new and fine sort not only very valuable but even superior to most of the others. . . . .

4 — — —

Under different climatic and cultural conditions it happens that certain kinds of mild Capsicum turn hot.

**Capsicum.**

Hot varieties for pickling.

Cayenne, red, long fruited . . . . .	1 8	— —
Celestial . . . . .	1 6	— —
Cherry, red . . . . .	1 3	— —

to grow from the soil. They are of a very lively scarlet color, round in shape, slightly ribbed, and so plentiful as to cover the foliage. Very showy and effective for dwarf groups, borders, and other decorative purposes . . . . .

2 6 — —

**Cardoon.**

Puvis, very fine and large, spineless . . .	1 6	— —
Bolognese, excellent . . . . .	2 —	— —
Alexander, (prickly) of enormous size . .	2 —	— —
Prickly, solid . . . . .	— —	— —

	Rubbed or clean Seed		Bearded Seed	
	per lb. s. d.	per cwt. s. d.	per lb. s. d.	per cwt. s. d.
<b>Carrot.</b>				
Please state if you desire „Rubbed“ or „Bearded“ Seed.				
Altringham, long scarlet	1 3	125 —	1 1	110 —
Chantenay, half long	1 3	125 —	1 1	110 —
Carentan, early, half long, scarlet	1 3	125 —	1 1	110 —
Early Gem (Oxheart-Guerande)	1 4	135 —	1 3	115 —
Early scarlet Horn	1 6	155 —	1 3	130 —
French early forc. Horn	1 6	155 —	1 3	130 —
Half long Luc, stump-rooted	1 3	125 —	1 1	110 —
James Intermediate, half long scarlet, pointed	1 4	135 —	1 3	115 —
Nantes, early half long scarlet, stump-rooted	1 3	120 —	1 2	106 —
St. Valery, long red	1 3	125 —	1 1	110 —
Stump-rooted, half long scarlet	1 3	— —	— —	— —
Surrey long, red	1 9	165 —	1 7	145 —
White Belgian, green top	— 10	75 —	— 10	68 —
„ Vosges, thick, short	— 9	80 —	— 8	75 —

	per lb. s. d.	per cwt. s. d.
<b>Caterpillar. Scorpiurus.</b>		
Mixed . . . . . per oz —/4	3 —	— —

### Cauliflower.

We grow Cauliflower seed on a very large scale (about 70 acres).

#### Italian varieties.

<b>Dammann's Primus</b> , (earliest short-stemmed Italian Giant), very early, most beautiful large, white, solid heads	4 3	— —
<b>Eclipse, true</b> , short-stemmed	9 —	— —
Earliest Italian Giant „Non plus ultra“	2 9	280 —
Dammann's Secundus, the best intermediate sort, short-stemmed, with extremely firm white heads	3 3	— —
Veitch's Autumn Giant	2 3	230 —
„ „ „ improved, about 3 weeks earlier than the old sort	2 9	290 —
Algiers Giant, late	2 4	240 —
Late Asiatic	2 4	240 —
„ Italian Giant (Veitch's self protecting Broccoli)	2 4	240 —
Giant Malta	2 4	240 —

### Cauliflower.

English, French and German varieties grown in Italy. Finest seeds.

Erfurt earliest Dwarf . . . per oz 1/3	18 —	— —
Snowball, very fine . . . „ „ 1/3	18 —	— —

Montblanc, of the Snowball type; quite dwarf, pure white and solid heads (crop failed)	9 —	— —
Imperial early . . . . .	6 —	— —
Early Paris or small Salomon . . . . .	5 —	— —
Large white Erfurt . . . . .	3 3	340 —
Early Dutch . . . . .	4 6	— —
„ London . . . . .	4 6	— —
Lenormand large . . . . .	4 6	— —
„ short-stemmed, true . . . . .	8 —	— —
Large Salomon . . . . .	4 6	— —
Stadtholdter . . . . .	4 6	— —
Walcheren, true . . . . .	4 6	— —

### Cauliflower.

Imported seed, from our special growers.

Erfurt earliest dwarf, for forcing, finest quality . . . per oz 4/—	60 —	— —
Snowball, large, very firm white heads, superior stock . . . „ „ 3/—	40 —	— —

### Celery.

De Candolle } these Italian varieties are	1 2	—
Folgore } quite extra	1 2	—
Henderson's White Plume . . . . .	1 3	—
Large dwarf white solid . . . . .	1 —	—
Leicester Red . . . . .	1 6	—
Pascal, very large . . . . .	1 —	—
Sandringham white . . . . .	1 —	—
<b>Soup Celery</b> . . . . .	— 7	45 —

### Celeriac or Turnip-rooted Celery.

Erfurt . . . . .	1 4	—
Giant of Prague . . . . .	1 6	—
Ne plus ultra, Paris white . . . . .	1 6	—
Apple-shaped . . . . .	1 2	—

### Chervil.

Common or plain . . . . .	— 6	— —
Curled . . . . .	— 7	— —

### Chicory.

Common (Barbe de Capucin) } excellent	— 7	52 —
Improved very large-leaved } for	— 10	90 —
Brussels or Witloof } salad	1 2	98 —
Large-rooted Brunswick . . . . .	1 2	116 —
Asparagus, an excellent Italian variety quite different from any other; leaves and stalks give a most wholesome and refreshing salad when cooked and served cold . . .	1 3	— —

### Corn, Sweet or Sugar.

Adam's, extra early . . . . .	— 5	30 —
Crosby's early . . . . .	— 5	30 —
Cory early (red Cob) . . . . .	— 5	30 —

	per lb. s. d.	per cwt. s. d.
Early Minnesota . . . . .	— 5	30 —
Egyptian . . . . .	— 5	30 —
Mammoth . . . . .	— 5	30 —
Moore's early Concord . . . . .	— 5	30 —
Perry's Hybrid . . . . .	— 5	30 —

**Cornsalad.**

Small-seeded green . . . . .	1 2	110 —
Large-seeded round-leaved Dutch . . . . .	— 9	65 —
Italian (Valleriana coronata, Régence) . . . . .	— 9	65 —

**Cress** (1 bushel = abt 1/2 cwt.).

Common or plain . . . . .	— 5	35 —
Curled . . . . .	— 7	45 —

	per lb. s. d.	per cwt. s. d.
Long green prolific . . . . .	1 9	— —
„ „ white spine . . . . .	1 9	— —
Very long yellow Dutch . . . . .	1 9	— —
Paris pickling . . . . .	1 4	— —
Small pickling Bourbonne . . . . .	1 4	— —
Japanese green climbing . . . . .	2 —	— —
„ white climbing . . . . .	2 3	— —
Formosa climbing (Dam.), very early and enormously prolific, of splendid flavour. Fruit smooth, dark green, slightly black spotted; flesh white, very solid . . . . .	2 —	— —
Yokohama climbing (Dam.) (Electro). A most beautiful late sort; the foliage		



Cucumber, Yokohama climbing.  
Electro 3/3.



Cucumber, Corosan climbing.  
Electro 3/3.

American Winter . . . . .	1 —	— —
Australian or Golden . . . . .	— 7	57 —
Broad-leaved . . . . .	— 9	68 —
<b>Water Cress</b> . . . . .	2 —	— —

**Cucumber.**

(Open ground varieties.)

Long green . . . . .	1 9	— —
„ „ Italian, very fine and productive . . . . .	1 8	— —
„ „ of Athens, or Greek . . . . .	1 9	— —
„ „ English prickly . . . . .	1 8	— —
„ „ Bismarck, white-spined . . . . .	1 9	— —
„ „ Goliath . . . . .	1 9	— —

never suffers from disease. The fruits are cylindrical, bright green and very slightly spined or prickly. Later, if ripe, they turn brighter, almost into wax colour. Flesh white solid. Bears most abundantly . . . . . 2 9 — —

Corosan climbing (Dam.) (Electro). The "ne plus ultra" of productiveness as it bears most abundantly and never suffers from diseases. Fruit dark green, bright green striped and very slightly prickly, with a curious knot at the extremity. Flesh white, of finest flavour and never bitter . . . . . 2 — — —

Giant of Quedlinburg . . . . . 1 9 — —

Sikkim, long Turkish . . . . . 2 6 — —



	per lb. s. d.	per cwt. s. d.
The Prince's Cucumber (Electro), fruits short, about 6—8 in. cylindrical smooth, light green, very fleshy and solid, extremely prolific and highly to be recommended . . . . .	1 9	
Bonneuil, white very large . . . . .	1 7	
Russian small (Murum) . . . . .	1 4	—
„ netted . . . . .	1 7	—
Cucumis flexuosus (Snake) . . . . .	2 6	—
Persian Cluster (Dam.), very early, ripening in about 5 weeks, about 8 inches long, dark green, very slightly prickly; very fine . . . . .	2 —	—
Bedfordshire Price Ridge . . . . .	2 —	—
Stockwood extra . . . . .	2 —	—
Unicum, new; of medium size, thick, green, stands all atmospheric influences extremely well . . . . .	2 3	—

**Cucumber.**  
(Frame Varieties.)

Gladiator long green . . . per oz	—/9	—	—
Rollisson's Telegraph . . . „ „	1	—	—
Marquis of Lorne . . . „ „	1	—	—



Cucumber, The Prince's  
Electro 2/6.

Arnstadt white Giant, } very	per oz	1/—	—	—
„ green „ } fine	„ „	1	—	—
Hampel's Forcing . . . . .	„ „	1	—	—
Prescot Wonder . . . . .	„ „	1/ 3	—	—
Noa's Forcing . . . . .	„ „	—/8	—	—
Indefatigable . . . . .	„ „	1	—	—
Long green Cardiff . . . . .	„ „	—/9	—	—
Jewel of Koppitz . . . . .	„ „	1/—	—	—
Old cucumber seed . . . . .		3	16	—
<b>Cyperus esculentus</b> . . . . .		10	—	—

**Dandelion.**

Common . . . . .	2	—	—
Improved thick-leaved or cabbaging . . . . .	10	—	—
Improved Moss . . . . .	10	9	—

**Egg Plant.**

	per lb. s. d.	per cwt. s. d.
Barbentan long early . . . . .	2 —	—
Purple dwarf . . . . .	2 6	—
Black Nagasaki (Dam.), dwarf very early and prolific . . . . .	2 —	—
Black Prince (Dam.); pear-shaped, very early . . . . .	1 9	—
Black Snake. New and very interesting. Producing an abundant number of cylindrical dark purple almost black fruits about 12 inches long of the very best flavour . . . . .	2 6	—
Dammann's „Délicatesse“ (Electro) the earliest, pear-shaped; quite an enormous bearer . . . . .	2 6	—



Egg Plant, Dammann's „Délicatesse“  
Electro 3/—

Purple large . . . . .	1 10	—
„ round . . . . .	2 3	—
„ long of Palermo . . . . .	2 —	—
„ giant . . . . .	2 4	—
Black China (Peking) . . . . .	3	—
New York Giant . . . . .	5	—
Long white China . . . . .	1 9	—
Round white . . . . .	2 3	—
All sorts mixed . . . . .	1 9	—

**Endive.**

Small green curled summer . . . . .	1 3	—
Large green curled . . . . .	1 3	—
Moss curled . . . . .	1 4	—
Rouen or Staghorn . . . . .	1 3	—

	per lb. s. d.	per cwt. s. d.
Ruffec curled . . . . .	1 3	— —
Pancaliere curled . . . . .	1 4	— —
Ever white curled . . . . .	1 9	— —
Imperial curled . . . . .	1 3	— —
Green fine curled winter Meaux . . . . .	1 1	— —
Carter's Model . . . . .	1 4	— —
Batavian (Scarole) green . . . . .	1 2	— —
„ white . . . . .	1 2	— —
„ of Naples, excellent . . . . .	— 9	70 —

### Garlic.

Large Naples . . . . .	— 3	12 —
Very large Calabria . . . . .	— —	— —



Leek, Giant Italian Winter.  
Electro 2/4.

### Gourd.

Eatable sorts see *Vegetable Marrow*.  
Ornamental sorts see *Cucumis*, *Cucurbita*, *Lagenaria*.  
**Ice Plant**, see *Sweet Herbs*.

### Kohl-Rabi.

Grown exclusively from selected stock.

White ordinary . . . . .	1 2	— —
„ very early Vienna, short-leaved . . . . .	1 5	— —
„ of Prague, the finest of all . . . . .	2 3	— —
Purple ordinary . . . . .	1 3	— —
„ very early Vienna, short-leaved . . . . .	1 5	— —
White Goliath, extremely large . . . . .	— 11	— —
Purple „ „ „ . . . . .	11	— —
Curled of Naples . . . . .	9	70 —

### Leek

(Grown from selected stocks).

Musselburgh (Scotch stock seeds) . . . . .	1 1	100 —
Large Rouen winter . . . . .	1 —	98 —

	per lb. s. d.	per cwt. s. d.
Monstrous Carentan . . . . .	1 —	98 —
Poitou large yellow . . . . .	1 —	— —
Large Brabant . . . . .	1 —	98 —
The Lyon . . . . .	— 11	92 —
Broad London flag . . . . .	1 —	98 —
Giant Italian Winter (Electro) . . . . .	1 2	119 —
„ Ostia, dark green . . . . .	1 2	— —
Coldstream Giant . . . . .	1 1	— —
Bulgarian, very long . . . . .	1 1	— —
Giant of Palermo, glaucous, the largest . . . . .	1 3	— —

These last 3 Italian sorts are most beautiful, producing enormous plants; they will give satisfaction everywhere and more especially in warmer countries.

### Lettuce.

w. s. = white seed; bl. s. = black seed;  
y. s. = yellow seed.

#### Cabbage varieties.

##### a) Spring varieties.

Boston Market or white Tennisball, w. s. . . . .	1 6	— —
Golden Yellow Stonehead or Golden Ball w. s. . . . .	1 6	— —
Wheeler's Tom Thumb; bl. s. . . . .	1 4	135 —
Egg, small early, w. s. . . . .	1 3	— —
Dippe's Emperor, w. s. . . . .	1 4	— —

##### b) Summer varieties.

All the year round, w. s. . . . .	1 3	— —
„ „ „ „ bl. s. . . . .	1 3	118 —
Nonpareil, w. s. . . . .	1 3	— —
Stubborn-headed large yellow (Trotzkopf) w. s. . . . .	1 4	— —
Stubborn-headed new brown (brown Trotzkopf) w. s. . . . .	1 4	— —
Small dark red, bl. s. . . . .	1 4	— —
Golden spotted, w. s. . . . .	1 4	— —
Dippe's yellow solid (yellow-seeded Butter) y. s. . . . .	1 4	— —
Rudolph's Favourite, w. s. . . . .	1 4	— —
Large yellow market, w. s. . . . .	1 3	— —
Albano, seed light brown . . . . .	1 2	— —

Genezzano, (Continuity, Jewel) bl. s. of a bronzy colour outside and creamy white inside; stands the greatest heat, is very solid and at the same time very tender, scarcely produces any seed; the finest sort that exists

per oz —/3	4 6	— —
Green Unctuous, bl. s. . . . .	1 2	— —
White Giant, bl. s. new, Dam. 1901. Of quite an unusually large size while at the same time the heads are extremely tender and of the finest flavor. The color of the leaves is of a tender green changing into yellow toward the centre . . . . .	1 3	— —

	per lb. s. d.	per cwt. s. d.
Green Giant, w. s. new, Dam. 1901. Same as the former but the leaves are dark green changing into pale green toward the heart; the outside leaves have a slight reddish shade at the back . . . . .	1 3	— —
Malta Drumhead, w. s. . . . .	— 9	80 —
Batavia white, w. s. . . . .	1 3	— —
„ green, w. s. . . . .	1 3	— —
Chou de Naples, w. s. . . . .	1 6	— —
Ice Lettuce of Laibach (Iceberg), w. s.	1 6	— —
Brown Laibach Ice Lettuce, new (Dam. 1890). A new variety with bronzed leaves which is in every way up to the old yellow kind, and will hold a prominent place among the best Cabbage Lettuces. The heads are of enormous size, very firm, standing the heat extremely well, a feature which makes this Lettuce particularly adapted to warmer countries . . . . .	1 6	— —



Dammann's Ice Lettuce.  
Electro 3/—.

Dammann's Ice Lettuce, w. s. (Electro) larger than the former and of the finest flavour, quite excellent; requires a good loamy soil	1 6	— —
Italian Ice Lettuce, w. s., also very large, and solid, yellow; remarkably fine . . . . .	1 6	— —
Improved Tyrolese, new (Dam. 1890) (Electro). The heads are of enormous size and firm as a stone, leaves same as the ribs very tender. A special characteristic of this beautiful new sort are its leaves, the borders of which are fringed or serrated quite peculiarly. Our cut gives a pretty accurate idea of it . . . . .	1 6	— —

c) Winter varieties.

Brown German Winter, w. s. . . . .	1 1	— —
Green German Winter, w. s. . . . .	1 1	— —
Besson or Marvel, bl. s. . . . .	1 4	— —
Nansen, w. s., green, very hardy . . . . .	1 4	— —

	per lb. s. d.	per cwt. s. d.
<b>Varieties for picking and cutting.</b>		
American brown curled, w. s. . . . .	1 2	120 —
Australian yellow curled, w. s. . . . .	1 2	120 —
<b>Cos varieties.</b>		
Balloon, bl. s. . . . .	1 3	— —
Brown Bath, bl. s. . . . .	1 3	125 —
Frascati, w. s. White self-folding, most excellent	1 3	— —
Paris white, w. s. . . . .	1 3	— —
„ Green, w. s. . . . .	1 2	— —
Potenza, w. s. of enormous size and most excellent; leaves very numerous, white, bronze, self-folding, very solid; does not easily run to seed	1 1	— —
Tankred, w. s. splendid, new; white, self-folding, beautiful . . . . .	1 1	— —
Trianon, w. s. . . . .	1 3	— —
Lettuce seed for bird's food, w. s. . . . .	— 8	60 —
„ „ „ „ „ bl. s. . . . .	— 4	30 —



Improved Tyrolese Cabbage Lettuce.  
Electro 3/—.

**Melon.**

Neapolitan Winter, white flesh keeps very well . . . . . per oz —/2	1 7
Netted of Naples . . . . . „ —/2	1 7
Malta, red flesh . . . . . „ „ —/3	2 5
„ green „ . . . . . „ „ —/3	2 5
Honfleur netted . . . . . „ „ —/6	4 6
Tours netted . . . . . „ „ —/4	3 3
Pine Apple, white flesh . . . . . „ —/4	3 —
„ „ red flesh . . . . . „ —/4	3 —
Hackensack . . . . . „ „ —/5	3 9
Skillman's netted . . . . . „ „ —/4	3 3
Blenheim Orange . . . . . „ „	— —
Bujkdere, round, smooth, light yellow with green spots or stripes; flesh snow white, thick and juicy; of finest flavour . . . . . per oz —/3	2 3

	per lb. s. d.	per cwt. s. d.		per lb. s. d.	per cwt. s. d.
Galata. Fruit large, oval, about 16 inch long, yellow, dark green marbled; flesh greenish white, very juicy and sweet per oz —/4	3	—	Colossus, also an American sort, producing fruits of more than 150 lb. weight; at the same time the flavour is most delicious; it requires a good sandy loam and convenient manure . . . . . per oz —/5	3	9
Therapia, large, yellow-netted; flesh thick, dark green, changing into a yellowish red towards the interior; very juicy and of excellent flavour . . . per oz —/5	3	6	Mixed varieties . . . . .	—	8
Turkish Giant, fruits large, orange yellow, smooth, oval, weighing up to 11 lb.; flesh glaucous, very sweet and juicy per oz —/3	2	6	<b>Okra</b> , see Sweet Herbs.		
Spanish Pearl, very juicy and aromatic per oz —/4	3	3			
Abundantia (Dam.). Certainly the most prolific. The oval shaped medium sized slightly ribbed fruits of a bright yellow colour are white fleshed and of a most delicious flavour. One of the earliest sorts and for this reason well suited for northern countries. The plant produces such a number of fruits that all the ground is covered with them . . . per oz —/3	2	3			
Cilento (Dam.). Of oval shape, smooth dark green skin and medium size. The flesh is greenish, almost white of quite an excellent flavour and very sweet. It keeps very well and may be kept in a dry and airy place (without frost) for many months; its seeds are unlike any of other melons. Highly to be recommended all the more as it is very productive . per oz —/3	2	—			
All sorts mixed . . . . .	1	2			80
Frame varieties mixed . . . . .	5	6			—
Old Melon seed . . . . .	—	3			16
<b>Water-Melon.</b>					
Red-fleshed of Castellamare, black-seed per oz —/2	1	9			—
Very large black seeded. „ „ —/2	1	3			—
Homerus (Dam.) of enormous size; flesh bright red of finest flavour; the seeds are quite soft and can be eaten. per oz —/5	4	—			—
Brindisi Giant (Dam.). Round, rind smooth and thin, flesh carmine, seeds black, of excellent flavour . . . per oz —/5	4	—			—
Julius Caesar (Dam.). Fruit long of very large size; flesh dark red, seeds black; a splendid sort of exquisite musk flavour per oz —/5	4	6			—
Ice Cream . . . . . „ „ —/3	2	6			—
Mammoth Ironclad, flesh red „ „ —/3	2	6			—
Mountain Sprout, flesh red „ „ —/3	2	6			—
Oh! My! . . . . .	3	6			—
An American sort, which is said to grow to a very large size.					
			<b>Onion.</b>		
			Wonder, small white, the earliest of all . . . . .	2	6
			White Queen (white Barletta, Neapolitan Marzajola) very early, for pickling . . . . .	2	—
			„ Nocera, early . . . . .	1	6
			„ Etna, silverskinned . . . . .	1	3
			„ Pearl „ . . . . .	1	3
			Early white Paris . . . . .	1	3
			White Valence . . . . .	1	3
			Maggiajola, flat white (May-Onion) . . . . .	1	3
			Flat white Italian Tripoli . . . . .	1	3
			„ red „ „ . . . . .	—	—
			Giant white Mammoth (Silverking) . . . . .	1	6
			„ red Mammoth (giant red Garganus or Pompei) . . . . .	—	—
			„ Rocca brown . . . . .	1	3
			„ „ blood-red . . . . .	1	3
			„ „ white (white globe) . . . . .	1	3
			„ „ yellow . . . . .	1	6
			Bassano or Genoa, dark red . . . . .	1	3
			Madeira round . . . . .	1	3
			„ flat . . . . .	—	—
			Giant white Victoria, very large . . . . .	—	—
			„ red „ „ . . . . .	—	—
			Coimbra, roundish or flattened, of rosy colour . . . . .	1	8
			Prizetaker . . . . .	1	5
			Red Wethersfield . . . . .	1	6
			James long keeping . . . . .	1	6
			Magnum Bonum . . . . .	2	2
			Trebons . . . . .	1	6
			White Spanish . . . . .	1	8
			Brown „ . . . . .	1	3
			White Lisbon . . . . .	—	10
			„ round Dutch . . . . .	1	9
			Danvers yellow . . . . .	1	6
			Zittau giant, yellow or pale red . . . . .	1	8
			„ „ red . . . . .	1	9
			<b>Orach</b> , see Spinach.		
			<b>Parsley.</b>		
			Common or plain . . . . .	—	8
			Curled . . . . .	—	8
			Myatt's dwarf . . . . .	—	10
			Moss-curved . . . . .	—	10
			Italian large-leaved (Celery-leaved) . . . . .	1	6

	per lb. s. d.	per cwt. s. d.
Giant of Eboli (Dam.) . . . . .	1 8	—
Both very large, especially the last one, resembling almost the Celery; we recommend these 2 sorts quite particularly.		
Turnip-rooted long . . . . .	1 —	95 —
"    "    short . . . . .	1 —	95 —
<b>Parsnip.</b>		
Long smooth . . . . .	— 5	40 —
Round . . . . .	— 5	40 —
Hollow crown . . . . .	— 7	50 —
Elcombe's improved . . . . .	— 6	50 —
Sutton's Student . . . . .	— 7	50 —
Dobbie's selected . . . . .	— 6	50 —
<b>Peas.</b>		
Prince Albert (of Paris) . . . . .	— 5	28 —
Caractacus . . . . .	— 6	32 —
Express, green . . . . .	— 5	34 —
Fillbasket (Laxton) . . . . .	— 6	40 —
White Victoria . . . . .	— 5	28 —
Ring leader . . . . .	— 5	32 —
De Grace . . . . .	— 6	30 —
<b>Peas (Wrinkled Varieties).</b>		
Champion of England . . . . .	— 8	48 —
Telephone . . . . .	— 8	48 —
Knight's . . . . .	— 6	40 —
Laxton's Alpha . . . . .	— 8	48 —
Stratagem . . . . .	— 8	50 —
American Wonder . . . . .	— 8	48 —
William Hurst . . . . .	— 8	50 —
(Any other English, French or German &c. Peas can be supplied in best quality at same or lower prices than those of other respectable firms.)		
<b>Radish</b>		
(saved from transplanted roots).		
Turnip early scarlet . . . . .	— 10	65 —
"    extra early scarlet . . . . .	— 10	70 —
"    early scarlet white-tipped . . . . .	— 10	65 —
"    early white . . . . .	— 10	74 —
"    very early yellow . . . . .	1 —	—
"    early deep scarlet . . . . .	— 10	70 —
"    "    "    white-tipped . . . . .	— 10	70 —
Olive-shaped scarlet . . . . .	— 10	72 —
"    "    "    white-tipped . . . . .	— 10	75 —
"    "    "    (French breakfast) . . . . .	— 10	80 —
"    "    early deep scarlet . . . . .	— 10	80 —
"    "    "    "    "    white-tipped (new) . . . . .	— 10	80 —
Long scarlet or short top . . . . .	— 11	—
"    Wood's early frame . . . . .	1 —	90 —
"    white Naples . . . . .	1 —	90 —
"    scarlet . . . . .	1 —	90 —
Summer black turnip . . . . .	— 9	78 —
"    "    long . . . . .	— 9	78 —

	per lb. s. d.	per cwt. s. d.
Winter Spanish black round . . . . .	— 9	78 —
"    "    "    long . . . . .	— 9	78 —
"    scarlet China . . . . .	— 9	75 —

**Rhubarb.**

Myatt's Victoria . . . . .	1 3	—
Prince Albert . . . . .	1 5	—
Salsify, Mammoth Sandwich Island . . . . .	1 3	120 —

**Scorzonera.**

Common . . . . .	2 —	—
Large Russian . . . . .	2 9	—
Sea-Kale ( <i>Crambe maritima</i> ) . . . . .	3 —	—



Tomato *semperfructifera*.  
Electro 3/—.

**Spinach.**

Prickly or winter (prickly seed) . . . . .	— 5	28 —
Monstrous Viroflay (round seed) . . . . .	— 5	23 —
Round-leaved large Dutch (round seed) . . . . .	— 5	22 —
Victoria, dark green . . . . .	— 5	26 —
Lettuce leaved (round seed) . . . . .	— 5	22 —
Long-standing, round seed . . . . .	— 5	25 —
New Zealand ( <i>Tetragonia expansa</i> ) . . . . .	— 10	85 —
Mountain Spinach or Orach, white . . . . .	— 6	—

**Swiss Chard.**

Silver-ribbed (yellowish white) . . . . .	— 7	48 —
"    "    curled . . . . .	— 7	48 —
Chilian scarlet-ribbed . . . . .	— 10	—
"    yellow-ribbed . . . . .	— 9	70 —

**Tomato.**

(Speciality of our firm.)

Acme . . . . .	3 3	—
Aurora (Dam. 97) apple-shaped, orange-yellow; flesh solid . . . . . per oz	—/5	3 6
Cardinal . . . . .	—/4	2 9

	per lb. s. d.	per cwt. s. d.
Carter's Duke of York . . . per oz —/5	3	9
Challenger, very large, scarlet; very productive. . . . . per oz —/5	3	6
Chemin, one of the finest sorts „ „ —/5	3	6
Cherry-shaped, red . . . „ „ —/4	2	9
Conqueror . . . . . „ „ —/5	3	9
Enormous, an American sort, fruits of an enormous size, containing very few seeds per oz —/6	5	3
Excelsior . . . . . „ „ —/5	3	9
Ficarazzi (Dam.) the earliest of all per oz —/2	1	5
Frogmore selected . . . per oz —/5	3	9
Goldball (Dam. 97) golden yellow; fleshy; velvety skinned . . . per oz —/4	3	—
Ham Green Favorite . . . „ „ —/4	3	—
King Humbert (Dam.) red; well-known fine sort . . . . . —/10	70	—
King Humbert (Dam.) golden-yellow; the finest of all yellow sorts . per oz —/4	2	—



Vegetable Marrow, Neapolitan Cocozzella. Electro 3/3.

King Humbert (Dam.) white (wax); very prolific and of fine flavour. per oz —/5	3	9
Large red . . . . . —/9	65	—
„ „ early dwarf . . . . . 2	—	—
„ „ yellow . . . . . 3	6	—
Mayflower . . . . . per oz —/4	2	9
Meteor (Dam.) very dwarf; needs no sticks; fruits large, smooth, scarlet, solid per oz —/6	4	6
Mikado, purple . . . . . „ „ —/6	5	10
„ „ scarlet . . . . . „ „ —/6	5	10
Non plus ultra (Dam.) large red „ „ —/2	1	9
Northlight (Dam.) upright; fruit not very large, round carmine-red; flesh solid per oz —/5	4	—
Northern Beauty . . . . . „ „ —/3	1	9
Perfection . . . . . „ „ —/5	3	9

	per lb. s. d.	per cwt. s. d.
Pine Apple (Dam.) round, golden-yellow; enormous bearer . . . . . per oz —/4	3	—
Ponderosa, true . . . . . „ „ —/7	5	6
President Garfield . . . . . „ „ —/5	4	9
Prince of Naples (Dam.) fruits scarlet, of enormous size, flat-round, slightly ribbed per oz —/6	4	6
Red Apple . . . . . „ „ —/3	2	—
Ruby, large red early . . . . . „ „ —/4	2	9
Semperfructifera (Dam.) (Electro) enormously prolific, bearing large clusters of plum-shaped scarlet fruits (often 50 to one cluster). With us the first fruits are ready in May and the plants continually produce them almost until Xmas; they are not very large, but solid and of fine flavour per oz —/6	4	6
Skamander (Dam.) upright, large purple fruits like those of Woodgate Hero, from which it descends . . . . . per oz —/4	3	9



Cocozzella of Tripoli. Electro 3/—.

Stone, improved, enormous fruits, round, bright scarlet, smooth, fleshy, excellent flavour; the improved sort produces very few seeds . . . . . per oz —/6	4	6
Tokio (Dam. 1897) fruits dark red, large, fleshy, often of a very curious form per oz —/3	1	7
Trophy, red . . . . . „ „ —/4	3	3
All sorts mixed . . . . .	1	9

**Turnip (Garden).**

Very early flat white Dutch . . . . .	1	4	135
Golden Ball . . . . .	—	8	60
Munich early purple top . . . . .	—	11	90
Early red top strap-leaved American stone . . . . .	—	10	70

	per lb. s. d.	per cwt. s. d.
Early white top strap-leaved American stone . . . . .	1 10	80 —
Milan purple top strap-leaved very early . . . . .	1 4	140 —
Milan white top extra early, new . . . . .	1 8	— —
Early flat red top . . . . .	— 9	55 —
„ Snowball . . . . .	— 9	58 —
Jersey white . . . . .	— 9	55 —
„ Lily Turnip . . . . .	— 10	— —
Chirk Castle black stone . . . . .	— 9	68 —

**Vegetable Marrow.**

Vegetable Marrow long green Bush or Neapolitan Cocozzella, green and yellow striped (Electro) . . . . .	1 2	100 —
---	-----	-------



Cocozzella snow-white Belmonte. Electro 3/3.

Vegetable Marrow, English (à la moelle anglais) . . . . .	1 4	— —
Neapolitan Portmanteau green . . . . .	1 2	90 —
Italian white Mushroom (Champignon) Dam. . . . .	1 6	— —
Marrow early golden Bush . . . . .	1 10	— —
„ Squash Hubbard . . . . .	1 10	— —
Long white Bush Marrow . . . . .	1 10	— —
Large yellow gourd or yellow Mammoth . . . . .	1 9	— —
„ white „ „ white „ . . . . .	3 6	— —
„ red „ „ red „ . . . . .	2 3	— —
„ green „ „ green „ . . . . .	2 3	— —
Cocozzella of Tripoli (new) (Electro) . . . . .	2 3	— —
„ „ „ white „ . . . . .	2 3	— —
„ „ Molfetta, dwarf, with long yellowish-white fruits; very fine . . . . .	1 7	— —
„ „ snow - white Belmonte (Dam.) (Electro). Dwarf with long white fruits; particularly fine . . . . .	2 6	— —

	per lb. s. d.	per cwt. s. d.
Charles Naudin (Cucurbita moschata) (Dam.) a beautiful sort, slightly climbing, with round white-striped white-fleshed fruits and large silvery seeds . . . . .	2 9	— —
Scarlet Chinese Sugar, fruits round with scarlet rind; flesh very solid and sweet . . . . .	2 4	— —
Wonder, new; very early and prolific; round, of medium size; the seeds have no shell as those of other kinds but only a very soft skin . . . . .	2 —	— —
King's Acre Cream . . . . .	2 —	— —
Pen-y-byd . . . . .	2 —	— —



Vegetable Marrow, Neapolitan longest green running. Electro 4/—.

Neapolitan longest green running (Lagenaria leucantha longissima (Cocozzella da pergola) (Electro) when young, this sort furnishes quite an excellent dish; cut into pieces of ab <sup>t</sup> 3 in. long, take out the seeds, fill it up again with a stuffing of meat &c. boil, and serve with Tomato sauce . . . . .	2 4	— —
Moore's Vegetable Cream . . . . .	1 9	— —
Long green trailing . . . . .	1 9	— —
„ white „ . . . . .	1 9	— —
Whale, greyish green . . . . .	2 6	— —
Turkish Honey, new, Dam. 1901. The fruits which are orange-red veined with white grow to about 1/2 cwt. weight. Flesh chamois-yellow, very tender and sweet, and of delicious flavor, extremely fine for cooking. In Turkey this Pumpkin is greatly appreciated . . . . .	3 9	— —

## II. Swede, Turnip and Mangel Wurzel.

Prices variable.

	per lb. s. d.	per cwt. s. d.		per lb. s. d.	per cwt. s. d.
<b>Swede.</b>			<b>Mangel Wurzel.</b>		
White-fleshed . . . . .	— 10	82 —	Long red . . . . .	— 6	38 —
Yellow green top . . . . .	— 9	56 —	„ yellow . . . . .	— 6	38 —
„ purple top . . . . .	— 9	56 —	„ Mammoth . . . . .	— 5	36 —
Laings yellow purple top . . . . .	— 9	50 —	Champion Yellow Globe . . . . .	— 6	42 —
Skirvings „ „ . . . . .	— 9	50 —	Golden Tankard . . . . .	— 6	45 —
Bangholm „ „ . . . . .	— 10	50 —	Oberndorf Yellow Globe . . . . .	— 6	38 —
Norfolk „ „ . . . . .	— 9	50 —	„ Red Globe . . . . .	— 6	38 —
<b>Turnip.</b>			Olive-shaped Yellow or Intermediate . . . . .	— 6	44 —
White Tankard, green top . . . . .	7	48 —	„ „ Red . . . . .	— 6	44 —
Red „ „ . . . . .	— 6	45 —	The seeds of Swede, Turnip and Mangel Wurzel as offered above have been grown from best stocks; any other sorts not enumerated will be supplied also in reliable quality at cheapest prices.		
Pomeranian White Globe . . . . .	— 7	55 —			
Red Top Norfolk . . . . .	— 7	52 —			
Green Top Norfolk . . . . .	— 7	50 —			
Carters Purple top Mammoth . . . . .	— —	— —			
Aberdeen purple top . . . . .	— —	— —			

## III. Sweet Herbs &c.

	per lb. s. d.	per cwt. s. d.		per lb. s. d.	per cwt. s. d.
Arachis hypogaea (Peanut; ground-nut) . . . . .	— 3	21 —	Fennel largest sweet of Sicily, new . . . . .	1 —	— —
Angelica (Angelica Archangelica) . . . . .	1	9 —	„ Morosini (Dam.) new; the largest, finest and sweetest; a first rate sort . . . . .	1 —	— —
Anise (Pimpinella Anisum) best of Apulia (South Italian) . . . . .	— 8	50 —	These sweet Fennels are quite excellent and whoever tried them with us here, were very satisfied.		
Balm (Melissa officinalis) . . . . .	2	6 —	Horehound (Marrubium vulgare) . . . . .	1	10 —
Basil sweet, large green . . . . .	1	— —	Hyssop Hyssopus officinalis . . . . .	2	3 —
„ bush green . . . . .	1	— —	Ice plant (Mesembrianthemum cristallinum) . . . . .	2	3 —
„ lettuce-leaved . . . . .	1	— —	Lavender (Lavendula spica) . . . . .	1	— —
„ of Abyssinia (O. suave) excellent both for the kitchen and as a decorative plant (failed) . . . . .	— —	— —	„ true (Lavendula vera) . . . . .	1	9 —
Basil purple dwarf curled . . . . .	1	9 —	Marigold, Pot (Calendula officinalis) . . . . .	1	3 —
Blessed Thistle (Centaurea benedicta) . . . . .	— 5	— —	Marjoram, sweet (Majorana hortensis) . . . . .	1	5 —
Borage (Borago officinalis) . . . . .	1	— —	„ pot (Origanum vulgare) per oz —/6 . . . . .	5	10 —
Burnet, Garden (Poterium hortense sanguisorba) . . . . .	— 7	— —	Mignonette, see Flower Seeds.		
Caper Tree, see Trec Seeds (Capparis). . . . .	— 5	36 —	Mint, Mentha piperita, Peppermint . . . . .		
Caraway (Carum Carvi) . . . . .	— 5	36 —	„ „ crispa . . . . . oz 4/— . . . . .	— —	— —
Chives (seed) . . . . . oz —/10 . . . . .	11	6 —	„ „ Pulegium, (Penny-Royal) . . . . .	— —	— —
Cardoon, see Vegetable seeds.			„ „ . . . . . per oz 1/3 . . . . .	— —	— —
Clary (Salvia sclarea) . . . . .	5	6 —	„ „ viridis, (Spear-Mint) the best for sauces per oz 2/— . . . . .	— —	— —
Coriander (Coriandrum sativum) . . . . .	— 3	14 —	Okra, dwarf early . . . . .	1	7 —
Cumin (Cuminum Cyminum) . . . . .	— 6	38 —	„ „ improved . . . . .	1	9 —
Dill (Anethum graveolens) . . . . .	— 8	65 —	„ „ Egyptian (Hibiscus lutescens) . . . . .	1	6 —
Fennel, Carosella of Naples (Foeniculum piperatum) . . . . .	1	10 —			
„ sweet Bolognese (Foeniculum dulce) . . . . .	1	— —			



	per lb. s. d.	per cwt. s. d.		per lb. s. d.	per cwt. s. d.
Purslain green ( <i>Portulacca oleracea</i> ) . . . . .	1 6	— —	Savory, Winter or perennial ( <i>Satureja montana</i> ) . . . . .	2 —	— —
„ golden . . . . .	1 6	— —	Skirret . . . . .	— —	— —
Pyrethrum cinerariaefolium per oz —/6	4 6	— —	Sorrel, common . . . . .	1 4	— —
Rampion (Raiponce) <i>Campanula</i> ( <i>Rapunculus</i> ) . . . . .	2 8	— —	„ broad-leaved French . . . . .	1 5	— —
Rocket ( <i>Brassica Eruca</i> , <i>Eruca sativa</i> )	— 6	— —	Tarragon, Russian ( <i>Artemisia Dracunculus</i> ) . . . . . per oz 1/8	— —	— —
Rosemary ( <i>Rosmarinus officinalis</i> ) . . . . .	4 6	— —	Thyme, Summer . . . . .	2 6	— —
Rue ( <i>Ruta graveolens</i> ) . . . . .	1 6	— —	„ German Winter . . . . .	3 —	— —
Sage ( <i>Salvia officinalis</i> ) . . . . .	1 4	— —	Wormwood ( <i>Artemisia Absinthium</i> ) . . . . .	2 10	— —
„ large-leaved . . . . .	1 6	— —			
Savory, Summer or annual ( <i>Satureja hortensis</i> ) . . . . .	— 9	— —			

## IV. Clovers, Lucerne &c. &c.

Prices variable; terms 30 days.

	per lb. s. d.	per cwt. s. d.		per lb. s. d.	per cwt. s. d.
Bird's foot Trefoil ( <i>Lotus corniculatus</i> )	1 —	85 —	Sainfoin, common ( <i>Hedysarum Onobrychis</i> ) in husk . . . . .	— —	18 —
Broom, common ( <i>Spartium scoparium</i> )	— 5	25 —	Sainfoin, common ( <i>Hedysarum Onobrychis</i> ) husked or milled (to be preferred, as the seeds grow more easily) . . . . .	5	42 —
„ yellow or Spanish ( <i>Spartium junceum</i> ) . . . . .	— 5	29 —	Sulla (Spanish Sainfoin, <i>Hedysarum coronarium</i> ) in husk . . . . .	— —	18 —
Clover, Alsike ( <i>Trifolium hybridum</i> ) . . . . .	1 —	85 —	Sulla (Spanish Sainfoin, <i>Hedysarum coronarium</i> ) husked or milled (to be preferred, as the seeds grow more easily) . . . . .	— 10	74 —
„ Bokhara ( <i>Melilotus alba</i> ) . . . . .	— 9	72 —	Sulla is one of the very best fodder plants for warmer countries. Ask for special circular on Sulla which will be sent free on application.		
„ Crimson, scarlet or Italian ( <i>Trif. incarnatum</i> ) . . . . .	— —	28 —	Spargula <i>arvensis</i> . . . . .	— —	26 —
„ red ( <i>Trifolium pratense</i> ) . . . . .	— 8	60 —	Tares, common or Spring Vetches ( <i>Vicia sativa</i> ), white-seeded . . . . .	— —	14 —
„ white ( „ <i>repens</i> ) . . . . .	1 —	100 —	„ black-seeded . . . . .	— —	12 —
Fenugreek ( <i>Trigonella foenum graecum</i> )	— —	13 —	„ <i>Vicia villosa</i> . . . . .	— 4	30 —
Furze, Gorse or Whin ( <i>Ulex europaeus</i> )	1 3	— —	„ <i>Faba arvensis</i> . . . . .	— —	15 —
Goat's Rue ( <i>Galega officinalis</i> ) . . . . .	— —	20 —	„ „ <i>equina</i> (Horse Bean) . . . . .	— —	15 —
Lathyrus Clymenum . . . . .	— —	14 —	Trefoil yellow, ( <i>Medicago lupulina</i> ) . . . . .	— 5	36 —
Lentil, Spanish ( <i>Lathyrus sativus</i> ) . . . . .	— —	14 —	Vetchling ( <i>Lathyrus silvestris</i> ) . . . . .	2 9	— —
Lupins, white ( <i>Lupinus albus</i> ) . . . . .	— —	10 —	Yellow Sand Clover ( <i>Anthyllis vulneraria</i> ) . . . . .	1 —	— —
„ yellow ( „ <i>luteus</i> ) . . . . .	— —	11 —			
„ blue ( „ <i>angustifolius</i> ) . . . . .	— —	14 —			
Lucerne ( <i>Medicago sativa</i> ) best Italian, carefully sifted, fine quality . . . . .	— 9	60 —			
„ hardy ( <i>Med. media</i> ) . . . . .	— 11	90 —			
„ tree ( <i>Med. arborea</i> ), an excellent fodder plant for warmer countries	1 —	90 —			
Melilotus <i>coerulea</i> . . . . .	— 10	— —			

## V. Grasses.

Prices variable.

	per lb. s. d.	per cwt. s. d.		per lb. s. d.	per cwt. s. d.
Bent-Grass, creeping ( <i>Agrostis stolonifera</i> ) . . . . .	— 8	60 —	Brome, meadow ( <i>Bromus pratensis</i> ) . . . . .	— 8	48 —
Bermuda-Grass . . . . .	2 —	— —	Canary-Grass ( <i>Phalaris arundinacea</i> ) . . . . .	2 9	— —
Brome, Hungarian or awnless ( <i>Bromus inermis</i> ) . . . . .	— 7	55 —	Cocksfoot, common ( <i>Dactylis glomerata</i> ) . . . . .	8	54 —
„ soft or Bull Grass ( <i>Bromus mollis</i> ) . . . . .	— —	15 6	Crested Dogstail ( <i>Cynosurus cristatus</i> ) . . . . .	— 10	78 —

	per lb. s. d.	per cwt. s. d.		per lb. s. d.	per cwt. s. d.
Fescue, hard ( <i>Festuca duriuscula</i> ) . . .	— 5	33 —	Rye-Grass, English ( <i>Lol. perenne</i> ) 28 lb.	— —	23 —
„ tall ( „ <i>elatior</i> ) . . .	— 7	48 —	„ „ „ ( „ „ ) 26 lb.	— —	22 —
„ various-leaved ( <i>Festuca hetero-</i> <i>phylla</i> ) . . . . .	— 8	53 —	„ „ „ ( „ „ ) Pacey's	— —	28 —
„ sheep's ( <i>Festuca ovina</i> ) . . .	— 5	28 —	Soft Grass, meadow, Honey gr. ( <i>Holcus</i> <i>lanatus</i> ) . . . . .	— 3	18 —
„ meadow ( „ <i>pratensis</i> ) . . .	— 5	36 —	Sweet Vernal Grass ( <i>Anthoxanthum</i> <i>odoratum</i> ) true . . . . .	3 3	— —
„ red or creeping ( <i>Festuca</i> <i>rubra</i> ) . . . . .	— 5	33 —	Sweet Vernal Grass common ( <i>Antho-</i> <i>xanthum odoratum Puellii</i> ) . . . . .	— 6	44 —
Hair-Grass waved ( <i>Aira flexuosa</i> ) . . .	— 5	38 —	Teosinte, ( <i>Reana luxurians</i> ) . . . . .	1 9	140 —
Meadow, Foxtail ( <i>Alopecurus pratensis</i> )	— 9	66 —	Timothy ( <i>Phleum pratense</i> ) . . . . .	— 5	35 —
„ wood ( <i>Poa nemoralis</i> ) . . .	— 9	70 —	Lawn Grass . . . . .	— —	— —
„ smooth-stalked ( <i>Poa pratensis</i> )	— 7	54 —	Mixture for meadows, pastures &c.	— —	34 —
„ rough-stalked ( „ <i>trivialis</i> ) . . .	— 8	68 —	„ „ „ „ in-	— —	— —
Marram-, Reed-Grass ( <i>Arundo arenaria</i> , <i>Ammophila arundinacea</i> ) . . . . .	1 —	92 —	cluding clovers &c. . . . .	— —	36 —
Millet, Pearl or cat-tail, ( <i>Pennisetum</i> <i>spicatum</i> ) . . . . .	— 6	— —	„ „ lawns on dry land . . . . .	— —	38 —
Oats, tall ( <i>Avena elatior</i> ) . . . . .	— 8	60 —	„ „ „ „ wet . . . . .	— —	38 —
Rye-Grass, Italian ( <i>Lolium Italicum</i> ) . . .	— —	25 —	Please indicate nature of soil, expo-		
			sure &c. &c.		

## VI. Seeds of sundry Agricultural, Economical, Officinal &c. Plants.

Prices variable.

	per lb. s. d.	per cwt. s. d.		per lb. s. d.	per cwt. s. d.
Barley, best Italian } very fine Italian	— —	12 —	Yellow large of Naples . . . . .	— 2	10 —
„ Altamura } varieties . . . . .	— —	12 —	Pearl, white . . . . .	— 2	16 —
Canary-seed ( <i>Phalaris canariensis</i> ) . . .	— —	16 —	Kansas King, giant white . . . . .	— 2	13 —
Chamomile ( <i>Matricaria Chamomilla</i> ) . . .	2 7	— —	In the husk, an interesting sort, the grains of which are wrapped up in a reddish hull . . . 10 spikes —/10	— 6	— —
Cotton ( <i>Gossypium herbaceum</i> ), Nea- politan . . . . .	— —	14 —	The following are the best American varieties, which we can warmly recommend for their great productiveness.		
„ Gordon Pasha, very fine . . . . .	1 3	— —	Jowa Gold Mine, yellow . . . . .	— 3	18 —
Cumin ( <i>Cuminum Cyminum</i> ) . . . . .	— 5	36 —	„ Silver „ white . . . . .	— 3	18 —
Cytisus proliferus ( <i>Tagasaste</i> ), valuable fodder plant for warmer countries. Soak the seed in hot water and when cold again it will grow easily . . . . .	2 6	— —	Giant of Mexico, „ . . . . .	— 3	18 —
Flax, giant of Naples ( <i>Linum usitatissi-</i> <i>imum</i> ) . . . . .	— —	23 —	Mastodon improved, yellow . . . . .	— 3	18 —
„ Campania, dwarf, furnishes the best fibre suitable for the finest texture . . .	— 5	26 —	Longfellow, yellow . . . . .	— 3	18 —
Hemp, giant of Naples, large-seeded . . .	— 5	26 —	Leaming, yellow, one of the best . . . . .	— 3	20 —
„ „ „ „ small- „ . . . . .	— 4	22 —	Lentil, small red ( <i>Ervum lens minor</i> )	— 4	24 —
„ „ „ Piedmont, a choice variety, growing rapidly very high . . .	— 9	60 —	„ large yellow . . . . .	— 4	20 —
<b>Indian Corn or Maize.</b>			Millet, yellow Neapolitan . . . . .	— —	12 —
Nanerottolo, very dwarf; the earliest of all	— 3	19 —	„ silver-white round Italian . . . . .	— —	16 —
Ambra . . . . . 10 spikes —/9	— 2	13 —	„ Italian ( <i>Panicum Italicum</i> ) ex- cellent, especially for warmer countries; sown in April, it can be cut already in July	— 2	14 —
Harlequin . . . . . 10 „ —/9	— 2	13 —	Millet of Yokohama ( <i>Eleusine caracana</i> var.) . . . . .	— 6	28 —
Caragua, giant white (Horse tooth)	— 2	14 —	Moha, Hungarian or German Millet ( <i>Panicum Germanicum</i> ) . . . . .	— 4	24 —
Six weeks or Quarantine of Naples	— 2	10 —	„ green Californian . . . . .	— 3	16 —
Seven-weeks or Cinquantine, yellow . . .	— 2	12 —	Nettle China-Grass, Silvery Ramieh ( <i>Urtica nivea</i> ) . . . . . per oz 1/6	20 —	— —



	per lb. s. d.		per lb. s. d.
Juglans americana nigra (Black Walnut)		Prunus acida . . . . .	— 4
cwt. 22/—	— 4	"    damascena St. Julien . . . . .	— —
"    regia var. Sorrento (Sorrento Walnut)		"    Myrobolana 1 <sup>st</sup> . Qual. . . . . cwt. 38/—	— 5
cwt. 44/—	— 6	Psidium Cattleyanum . . . . . oz 1/6	— —
"    "    Nocera . . . . . " 44/—	— 6	Punica Granatum (Pomegranate) . . . . . " —/3	3 —
Morus alba of Milan (Mulberry Tree white)	3 —	Ribes Grossularia (Gooseberry) . . . . . " —/4	3 9
"    nigra vera . . . . . oz —/6	3 3	"    rubrum (Red Currant) . . . . . " —/3	2 6
Olea europaea (Olive Tree) . . . . . cwt. 55/—	— 7	Rubus fruticosus (Blackberry) . . . . .	1 9
Opuntia Ficus indica (Indian Fig) . . . . . oz —/5	— —	"    Idaea (Raspberry) . . . . . oz —/2	2 —
Pirus communis (Pear pips) . . . . .	3 —	Thea Bohea (Chinese Tea Tree) 100 seeds 4/6	— —
"    Malus (Apple-Pips) . . . . . cwt. —/—	2 —	Vitis vinifera, Capri, white . . . . . oz —/3	2 3
Pistacia vera (Pistachio Tree of Sicily) . . . . .	2 3	"    "    Moscatella, white . . . . . " —/4	3 9
Prunus Armeniaca (Apricot Tree) cwt. 25/—	— 4	"    "    "    black . . . . . " —/4	3 9
"    Avium dulcis (Cultivated Cherry)		"    "    Vesuvius (LacrymaeChristi) " —/3	2 3
cwt. 19/—	— 4	"    "    of Naples, mixed . . . . .	1 3
		"    Coignetiae . . . . . oz —/9	— —

## VIII. Seeds of Trees, Shrubs &c.

We shall be glad to receive orders for these seeds as early in the season as possible as we have them collected only in such quantities as to meet our regular demand; orders for larger quantities should at any rate be sent in September at latest, but possibly earlier; even having accepted an order we wish it however to be clearly understood that we shall not be bound to supply the seeds, should they fail to come in or be of an unsatisfactory quality. We supply only fresh seeds, but will not under any circumstances accept any responsibility as to growth and denomination, but will submit samples on application.

The prices of many kinds are subject to variations. § = Climbers.

	per oz s. d.	per lb. s. d.		per oz s. d.	per lb. s. d.
Acer campestre . . . . . cwt. 16/—	— —	— 3	Calycanthus floridus . . . . .	— 5	3 6
"    neapolitanum . . . . . " 16/—	— —	— 3	"    praecox (fragrans) . . . . .	— 3	2 2
"    Negundo . . . . . " 20/—	— —	— 3	"    "    grandiflorus . . . . .	— 3	2 9
"    platanoides (Maple) . . . . . " 20/—	— —	— 3	Capparis inermis . . . . .	— 8	6 —
"    Pseudo-Platanus (Sycamore)			"    spinosa . . . . .	— 10	9 3
cwt. 18/—	— —	— 3	Caragana arborescens . . . . .	— 4	2 3
Ailanthus glandulosa . . . . . " 15/—	— —	— 3	Carpinus Betulus (Hornbeam) cwt. 35/—	— —	— 6
Alnus cordifolia (Alder) . . . . .	— —	1 —	Carya alba (White Hickory) . . . . .	— —	— 6
Amorpha fruticosa . . . . .	— —	— 9	"    olivaeformis (Decan Nut) . . . . .	— —	1 3
§ Ampelopsis Veitchii, berries . . . . .	— 3	2 9	Castilleja elastica . . . . . 100 seeds 4/6	— —	— —
Aralia spinosa . . . . .	— 8	— —	"    "    "    1000 " 40/—	— —	— —
Ash, see Fraxinus.			Catalpa, see Bignonia.		
Aucuba japonica . . . . .	— —	1 3	Ceanothus americanus . . . . .	— 5	5 3
Azalea mollis . . . . . 6 6	— —	— —	"    azureus . . . . .	— 6	— —
"    pontica fine mixed . . . . . 2 6	— —	— —	"    "    Gloire de Versailles . . . . .	— 7	— —
Beech, see Fagus sylvatica.			Celtis australis . . . . . cwt. 100/—	— —	1 —
Berberis vulgaris . . . . .	— —	— 9	Cercis Siliquastrum . . . . . cwt. 45/—	— —	— 6
"    "    fol. atropurpureis . . . . .	— 2	2 3	Chionanthus virginica . . . . .	— 7	— —
Betula alba (Birch) . . . . .	— —	— 7	§ Clematis coccinea . . . . . 1 6	— —	— —
Bignonia Catalpa . . . . .	— —	— 7	"    fragrans (flammula) . . . . .	— —	1 —
"    Kaempferi . . . . .	— —	1 9	"    vitalba . . . . .	— —	— 7
Birch, see Betula.			"    Viticella . . . . .	— —	1 —
Bird Cherry, see Prunus Padus.			"    Wilfordii, yellow . . . . .	— 3	2 9
Broom, see Spartium scoparium, page 15.			Cockspur, see Crataegus Oxyacantha.		
Broussonetia papyrifera . . . . .	— —	1 3	Colutea arborescens . . . . .	— —	— 9
Buxus sempervirens . . . . .	— 3	1 6	"    cruenta . . . . .	— —	— 6
Callicarpa americana . . . . .	— 4	— —	Common Privet, see Ligustrum.		

	per oz s. d.	per lb. s. d.		per oz s. d.	per lb. s. d.
Cornus sanguinea . . . . .	—	5	Judas tree, see Cercis Siliquastrum.		
Coronilla Emerus . . . . .	3	2 4	Kadsura japonica . . . . .	4	3 10
Crataegus crus-galli . . . . .	—	9	Kalmia latifolia, clean seed . . . . .	1 3	17 6
"    oxyacantha, clean seed			Koelreuteria paniculata . . . . .	—	8
cwt. 28/—	—	5	Laburnum, see Cytisus Laburnum.		
"    pyracantha, clean seed . . . . .	—	1 9	Laurel common, see Prunus Lauro		
Cytisus alpinus . . . . .	3	1 10	Cerasus.		
"    Laburnum . . . . .	—	9	"    Portugal, see Prunus lusitanica.		
"    nigricans . . . . .	5	3 —	Laurus Tinus, see Viburnum Tinus.		
"    proliferus, see under Agri-			"    Camphora . . . . .	3	2 10
cultural &c. Seeds, Section VI.			"    indica . . . . .	—	6
Daphne Gnidium . . . . .	3	2 8	"    nobilis . . . . .	—	5
"    Mezereum . . . . .	5	5 3	Ligustrum japonicum . . . . .	—	6
Deutzia crenata . . . . .	5	4 5	"    vulgare italicum . . . . .	—	5
"    "    fl. pleno . . . . .	4	3 —	Lilac, see Syringa.		
"    "    gracilis, berries . . . . .	3	2 9	Lime, see Tilia.		
Desmodium penduliflorum . . . . .	4 3	—	Liquidambar styraciflua, clean seed . . . . .	1 —	13 6
Dimorphanthus mandschuricus . . . . .	11	—	Liriodendron tulipifera (Tulip Tree)	—	9
Dog Rose, see Rosa canina.			Locust Tree, see Robinia Pseudo-Acacia.		
Dogwood, see Cornus.			Maclura aurantiaca (Osage Orange) . . . . .	3	2 3
Drymis chilensis . . . . .	5 9	—	Magnolia grandiflora . . . . .	3	1 6
Elaeagnus angustifolia (Olea bohemica)	3	2 —	"    purpurea (discolor) . . . . .	4	3 6
"    longipes . . . . .	6	—	"    Soulangeana, fruits . . . . .	4	4 —
Edler, see Sambucus racemosa.			"    Youlan . . . . .	5	4 9
Elm, see Ulmus.			Mahonia Aquifolium, clean seed . . . . .	3	2 2
Evonymus europaeus . . . . .	—	1 —	"    japonica, fruits . . . . .	4	3 9
"    japonicus . . . . .	—	1 —	Mallotus (Rottlera) japonicus . . . . .	3	2 —
Fagus sylvatica (Beech) . cwt. 35/—	—	5	§ Mandevillea suaveolens . . . . .	8	—
"    "    atropurpurea . . . . .	—	2 9	Melia Azedarach . . . . . cwt. 37/—	—	6
Fraxinus excelsior (Ash) . cwt. 13/—	—	3	"    japonica (floribunda) . . . . .	3	2 6
"    Ornus . . . . . cwt. 17/6	—	4	"    sempervirens . . . . .	4	3 —
Furze, see Ulex europaeus, page 20.			Mock Orange, see Philadelphus.		
Genista juncea (Spartium junceum) see			Mountain Ash, see Sorbus Aucubaria.		
under Clover page 15 (Broom).			Myrtus communis, berries . . . . .	—	10
Gleditschia triacanthos . . cwt. 28/—	—	4	Oak, see Quercus.		
§ Glycine frutescens . . . . .	—	1 10	Oreodaphne californica . . . . .	5	4 —
"    sinensis (Wistaria) . . . . .	8	8 —	Osage Orange, see Maclura.		
"    "    fl. albo . . . . .	1 2	—	Osyris alba . . . . .	3	2 3
Gorse, see Ulex, page 20.			Paeonia arborea . . . . .	9	—
Guelder Rose, see Viburnum Opulus.			Paliurus aculeatus, clean seeds . . . . .	—	1 4
Halesia tetraptera, pods . . . . .	6	—	Paulownia imperialis . . . . .	—	9
Hawthorn, see Crataegus oxyacantha.			§ Periploca graeca . . . . .	—	—
Hevea brasiliensis (Para-Cautchouc) . . . . .	1 4	18 —	Philadelphus coronarius, clean seed . . . . .	1	—
Hibiscus syriacus mixed . . . . .	—	7	Pistacia Lentiscus . . . . .	—	1 —
"    "    double mixed . . . . .	3	1 5	"    Terebinthus . . . . .	—	1 —
Hickory, see Carya alba.			"    vera . . . . .	—	2 3
Hippophaea rhamnoides . . . . .	—	1 9	Plane, see Platanus.		
Holly, see Ilex.			Platanus occidentalis . . . cwt. 11/—	—	2
Honey Locust, see Gleditschia tria-			"    orientalis . . . . . " 11/—	—	2
canthos.			Privet common, see Ligustrum.		
Honey Suckle, see Lonicera.			Prunus Lauro-Cerasus (Common Laurel)		8
Hornbeam, see Carpinus Betulus.			"    lusitanica (Portugal Laurel) . . . . .	—	10
Horse Chestnut, see Aesculus.			"    Mahaleb . . . . .	—	1
Idesia, see Polycarpa.			"    Padus (Bird Cherry) . . . . .	—	1 6
Ilex aquifolium, berries . . . . .	—	7	"    spinosa (Sloe, Black Thorn) . . . . .	—	6
"    "    fol. var. berries . . . . .	3	1 9	Pterocarya caucasica . . . . .	5	5 3
			Quercus Cerris . . . . . cwt. 16	—	3
			"    Ilex . . . . . " 12/—	—	2

	per oz s. d.	per lb. s. d.		per oz s. d.	per lb. s. d.
Quercus pedunculata . . . cwt. 10/—	—	— 2	Sorbus Aucuparia (Mountain Ash)	—	— 4
„ pyramidalis . . . „ 22/—	—	— 4	Spartium junceum	} see page 15. (Clovers &c.)	
„ Robur, common Oak	—	— 2	(Span. Broom)		
„ Suber, Cork Oak „ 30/—	—	— 7	Spartium scoparium		
Rhamnus Alaternus . . . . .	—	1 —	(common Broom)		
„ cathartica . . . . .	—	1 1	Spindle Tree, see Evonymus europaeus.		
Rhododendron arboreum hybridum,			Spurge Laurel, see Daphne Laureola.		
splendid hybrids mixed,			Staphylaea colchica . . . . .	— 4	3 2
clean seed	1 6	— —	„ pinnata . . . . .	— 3	1 7
„ ponticum, mixed . . . . .	1 4	— —	Sterculia platanifolia . . . . .	— 3	1 5
Rhus coriaria, true . . . . .	— 2	1 7	Styrax japonica . . . . .	— 4	3 3
„ Cotinus . . . . .	— 3	2 9	„ officinale . . . . .	— 2	1 6
Robinia Pseudo Acacia (Thorn Acacia- Locust Tree) . cwt. 35/—	—	— 5	Sumach, see Rhus.		
„ Pseudo Acacia Bessoniana . . . . .	— 3	2 6	Sweet Bay, see Laurus nobilis.		
„ viscosa . . . . .	— 4	4 —	Sycamore, see Acer pseudo-platanus.		
Rock Rose, see Cistus.			Syringa japonica, clean seed . . . . .	2 7	— —
Rosa Banksiana, berries . . . . .	— 3	2 9	„ vulgaris, pods . . . . .	— —	— 6
„ bengalensis fl. pl. mixed, berries . . . . .	— 2	1 9	„ „ alba . . . . .	— —	1 6
„ canina (Common Dog Rose), clean seed . . . . . cwt. 24/—	—	— 4	Tamarix gallica . . . . .	— 4	3 2
„ hybrida Remontant, berries . . . . .	— 3	2 6	„ germanica . . . . .	— 4	4 3
„ multiflora, clean seed . . . . .	— 7	8 —	Thorn Acacia, see Robinia.		
„ „ semperflorens nana			Tilia argentea . . . . .	— —	1 —
100 berries —/5	— —	— —	„ europaea latifolia . . . . .	— —	— 7
1000 „ 2/6	— —	— —	Traveller's Joy, see Clematis Vitalba.		
10000 „ 17/—	— —	— —	Tree of Heaven, see Ailanthus.		
„ rugosa, berries . . 100 fruits 1/3	— —	— —	Tulip Tree, see Liriodendron.		
„ „ clean seed . . . . .	— 9	— —	Ulex europaeus, see Section IV page 15.		
„ Thea, finest mixed, clean seed . . . . .	— 9	9 6	Ulmus campestris (Elm) . . . . .	— —	— 4
Ruscus aculeatus . . . . .	— —	— 8	Viburnum Lantana . . . . .	— —	— 6
„ racemosus . . . . .	— —	2 6	„ Opulus (Snowball) . . . . .	— —	— 8
Sambucus Ebulus . . . . .	— —	— 10	„ Tinus . . . . .	— —	— 6
„ glauca (California) . . . . .	1 3	— —	Virginian Creeper, see Ampelopsis.		
„ nigra . . . . .	— —	— 7	Virgin's Bower, see Clematis.		
Schinus molle . . . . . cwt. 29/—	— —	— 6	Vitex Agnus castus . . . . .	— —	— 8
Sea Buckthorn, see Hippophaea.			Weigelia mixed . . . . .	1 6	— —
Sloe, see Prunus spinosa.			Wistaria, see Glycine.		
Snowball, see Viburnum.			Woodbine, see Ampelopsis quinquefolia.		
Snowberry, see Symphoricarpus.			Yucca aloefolia . . . . .	— —	1 8
Sophora japonica . . . . .	— —	— 6	„ „ fol. var. . . . .	— —	2 3
			„ canaliculata, Treculiana . . . . .	1 —	— —
			„ filamentosa, true . . . . .	1 3	— —
			„ Whipplei . . . . .	2 2	— —

## IX. Seeds of Conifers.

We offer these under the same conditions as for the Tree and Shrub Seeds (see page 18) to which we refer.

Denominations after the „Handbook on Conifers“ by L. Beissner (Handbuch der Nadelholzkunde). The prices of many kinds are subject to variations.

	per oz s. d.	per lb. s. d.		per oz s. d.	per lb. s. d.
Abies balsamea, . . . . .	— 5	5 —	Abies firma . . . . .	— 7	— —
„ brachyphylla . . . . .	1 2	— —	„ Fraseri . . . . .	— 11	— —
„ cephalonica . . . . .	— 4	4 8	„ lasiocarpa . . . . .	— 10	— —
„ cilicica . . . . .	— 4	4 4	„ magnifica . . . . .	1 5	— —
„ concolor . . . . .	— 10	— —	„ nobilis . . . . .	1 2	— —

	per oz s. d.	per lb. s. d.		per oz s. d.	per lb. s. d.
Abies Nordmanniana, true . . . . .	— 3	2 2	Cupressus Goveniana . . . . .	— 4	3 2
" pectinata (Pinus Abies.), common			" Lambertiana (macrocarpa) .	— 3	2 6
" Silver Fir . . . . cwt. 31/—	— —	— 4	" Lawsoniana, see Chamae-		
" Pinsapo . . . . .	— 3	2 2	" cyparis.		
" sibirica (Pichta) . . . . .	— 6	7 6	" sempervirens (horizontalis)	— —	— 8
" Veitchii . . . . .	1 1	14 6	" " pyramidalis (fastigiata)	— —	— 8
Araucaria Bidwillii . 100 seeds 10/—	— —	— —	" torulosa . . . . .	— 4	3 —
" brasiliensis, fresh seeds of this			Gingko biloba (Salisburia adianthifolia)	— —	— 9
kind are expected in July or			Juniperus Bermudiana . . . . .	— 5	4 —
August every year and orders			" chinensis (dioica) . . . . .	— —	1 7
accepted for delivery at the			" communis . . . . .	— —	— 3
above time 100 seeds 6/—			" excelsa . . . . .	— —	2 —
1000 " 50/—	— —	— —	" macrocarpa . . . . .	— —	— 10
" excelsa . . 100 " 3/6	— —	— —	" Sabina . . . . .	— —	1 3
1000 " 28/—	— —	— —	" virginiana (Red Cedar) . .	— —	— 7
" imbricata . 100 " 4/6	— —	— —	" " pyramidalis . . . . .	— —	1 5
1000 " 35/—	— —	— —	Larix europaea (Larch) (variable)		
the seeds of several other kinds of Araucaria			cwt. 260/—	— —	2 6
are not always sure to come in and often they			Libocedrus chilensis . . . 1/8 oz 3/6	— —	— —
arrive in bad condition; we therefore do			" decurrens (Thuja gigantea		
not quote prices, but shall make special			" Craigiana) . . . . .	— 3	2 —
offers in every single case.			Picea excelsa (Pinus Picea) Norway		
Arbor Vitae, see Biota and Thuja.			Spruce . . . . .	— —	1 5
Biota orientalis (Thuja) . . . . .	— —	1 —	" pungens . . . . .	1 3	— —
" aurea . . . . .	— —	1 5	Pinus australis (palustris-Pitch Pine) .	1 4	18 —
" compacta . . . . .	— —	1 5	" austriaca, see P. Laricio austriaca.		
" elegantissima . . . . .	— 4	3 6	" canariensis . . . . .	— 4	3 —
" pyramidalis . . . . .	— —	1 7	" Cembra, Swiss Stone Pine, variable	— —	— 6
Callitris quadrivalvis (Thuja articulata)	1 2	— —	" Coulteri . . . . .	1 —	12 —
Casuarina equisetifolia . . . . .	1 —	— —	" densiflora . . . . .	— 7	6 6
" quadrivalvis . . . . .	1 —	— —	" excelsa, Nepal Weymouth Pine	— 5	4 4
" tenuissima . . . . .	— 6	6 9	" halepensis . . . . cwt. 110/—	— —	1 3
Cedrus atlantica (argentea) clean seed .	— 4	4 3	" insignis . . . . .	— 10	9 —
" Deodara . . . . .	— 4	3 9	" Lambertiana . . . . .	— 9	8 8
" Libani, clean seed (Cedar of Libanon)	— 4	3 9	" Laricio, Corsican Pine . . . .		
Chamaecyparis Lawsoniana (Cupressus)	— —	2 —	cwt. 230/—	— 3	2 3
" " argentea . . . . .	— 5	4 —	" " austriaca, black Austrian Fir	— 3	3 3
" " aurea . . . . .	— 6	— —	" longifolia . . . . .	1 —	12 6
" " glauca . . . . .	— 9	— —	" muricata . . . . .	2 4	— —
" obtusa (Retinospora) . . . . .	1 —	11 10	" Nordmanniana, see Abies.		
" pisifera ( " ) . . . . .	— 8	7 3	" Picea, Norway Spruce, see Picea		
" " plumosa (Reti-			" excelsa.		
" nospora) . . . . .	1 —	— —	" Pinaster (maritima) . cwt. 48/—	— —	— 8
" " plumosa aurea			" Pinea, Italian Stone Pine (variable)		
" (Retinospora) . . . . .	1 3	— —	cwt. 30/—	— —	— 5
" " squarrosa (Reti-			" " fragilis (variable) " 38/—	— —	— 6
" nospora) . . . . .	1 3	— —	" ponderosa (P. Benthamiana),		
Cryptomeria japonica . . . . .	— 3	2 2	" yellow . . . . .	— 9	8 8
" " elegans . . . . .	— 5	3 6	" rigida . . . . .	1 —	12 6
" " Lobbii (viridis) . . . . .	— 5	3 6	" Sabiniana . . . . .	— 4	3 7
Cunninghamia sinensis . . . . .	— 3	— —	" silvestris, Scotch Fir (variable) .	— 3	2 6
Cupressus australis . . . . .	— 4	4 —	" sitchensis, see Picea . . . . .		
" Benthamiana . . . . .	— 4	3 7	" Strobis, Weymouth Pine (variable)	— 5	5 —
" elegans . . . . .	— 4	3 7	Pseudotsuga Douglasii . . . . .	10	11 6
" excelsa . . . . .	— 8	— —	Salisburia, see Gingko.		
" funebris . . . . .	— 4	2 10	Sciadopitys verticillata . . . . .	1 3	— —
" glauca (lusitanica) . . . . .	— 4	3 4			
" " pendula vera . . . . .	— 4	4 —			

	per oz s. d.	per lb. s. d.		per oz s. d.	per lb. s. d.
Sequoia sempervirens (Taxodium) . . .	— 3	2 —	Thuja occidentalis . . . . .	— 5	4 2
Taxodium distichum, clean seed . . .	— —	1 7	"    "    Warreana . . . . .	— 9	8 8
"    mucronatum . . . . .	— 3	2 10	Thujopsis dolabrata . . . . .	1 6	— —
Taxus baccata (Yew) clean seed . . .	— —	2 4	Torreya californica . . . . .	— 6	6 2
"    "    fastigiata (hibernica) . . .	— 4	3 3	"    nucifera . . . . .	— 6	6 2
Thuja gigantea (Lobbii) . . . . .	— 9	8 9	Wellingtonia gigantea . . . . .	1 6	20 —

## X. Palm Seeds.

We receive these seeds from all parts of the world and of course at very different times of the year; we shall therefore thank our correspondents if they will give us their orders as soon as they receive this list. The seeds will then be shipped as soon as they arrive in good condition and our patrons are sure to receive only fresh seeds. We send out but such and decline any other guarantee and responsibility.

	100 seeds s. d.	1000 seeds s. d.		100 seeds s. d.	1000 seeds s. d.
Areca Baueri, fresh seeds in April . . .	2 —	16 —	Jubaea spectabilis . . . . .	3 6	30 —
"    lutescens (Hyophorbe indica) . . .	2 6	22 —	Kentia Belmoreana (Griesebachia) . . .	1 9	13 6
"    rubra . . . . .	2 —	17 6	"    Canterburyana (Hedyscepe) . . .	4 —	36 —
"    sapida . . . . .	2 —	16 —	"    Forsteriana (Griesebachia) . . .	1 9	13 6
"    Verschaffeltii (Hyophorbe) . . .	2 6	22 —	Latania aurea (Verschaffeltii) . . .	4 6	40 —
Brahea dulcis (Corypha frigida) . . .	3 6	31 —	"    borbonica (Livistona sinensis)		
"    edulis (Erythea edulis) . . .	6 —	56 —	lb. —/8; cwt. 38/—	— —	— —
"    Roetzlii (Erythea armata), „Blue-			"    "    Seeds raised in Africa		
palm“ . . . . .	5 6	— —	lb. —/9; cwt. 65/—	— —	— —
Caryota urens . . . . .	2 —	17 6	"    Commersonii (rubra) . . .	4 —	35 —
Chamaerops excelsa . . . . . lb. —/5	— —	— —	Livistona altissima . . . . .	1 10	16 —
"    "    Fortuneei . . . . . —/8	— —	— —	"    Mariae, splendid, leaves red, quite		
"    Histrix . . . . .	1 3	10 —	hardy . . . . .	8 —	70 —
"    humilis mixed . . . . . lb. —/5	— —	— —	"    olivaeformis . . . . .	1 10	16 —
"    "    argentea . . . . . —/8	— —	— —	"    rotundifolia . . . . .	3 —	26 —
"    "    "    tomentosa . . . . . 1/—	— —	— —	Oreodoxa regia, a splendid kind . . .	1 6	13 —
"    "    "    elegans . . . . . —/10	— —	— —	Pandanus utilis . . . . .	1 8	13 6
"    "    "    gracilis . . . . . 1/—	— —	— —	Phoenix acaulis . . . . .	3 3	— —
"    "    "    macrocarpa . . . . . —/10	— —	— —	"    canariensis 10000seeds23/6	— 4	2 6
Chamaedorea elegans . . . . .	1 4	11 —	"    cycadifolia . . . . .	1 3	10 6
"    Ernesti Augusti . . . . .	1 5	12 —	"    dactylifera . . . . . lb. 1/3	— —	— —
Cocos australis . . . . .	1 —	8 9	"    farinifera . . . . .	1 3	10 6
"    Bonettii (Diplothemium cam-			"    leonensis . . . . .	— 8	5 —
"    pestre) . . . . .	1 5	12 6	"    reclinata . . . . .	— 8	5 —
"    campestris . . . . .	1 5	12 6	"    rupicola . . . . .	1 2	9 —
"    flexuosa . . . . .	1 4	10 6	"    silvestris . . . . .	— 11	7 6
"    plumosa . . . . .	1 4	10 6	"    tenuis . . . . .	— 8	4 6
"    Romanzoffiana, splendid for green-			Sabal Adansonii . . . . .	— —	2 2
"    "    house and rooms . . . . .	1 4	10 6	"    Blackburniana (umbraculifera) . . .	— 5	3 —
"    Weddeliana (Glaziova Martiana)	3 3	28 —	"    Palmetto . . . . .	— 8	4 6
"    Yatay, the true kind for the green-			Seaforthia (Ptychosperma) elegans . . .	1 3	10 6
"    "    house . . . . .	3 3	28 —	"    Alexandrae . . . . .	2 6	22 —
Corypha australis (Livistona) . . . . .	— 10	7 3	"    "    Thrinax argentea . . . . .	1 3	10 6
Cycas revoluta . . . . .	8 9	— —	Verschaffeltia splendida . . . . .	5 6	48 —
Geonome gracilis . . . . .	3 —	27 —	Washingtonia filifera (Pritchardia) . . .	— 5	2 2
			"    "    robusta H. W., true . . . . .	— 9	5 3



# XI. Annual, Perennial, Climbing, Hot- and Green-House Plants.

Explanations of the signs used:

⊙ = annual || 4 = perennial || § = climber || g = greenhouse || h = hothouse (stove).

	per oz s. d.	per lb. s. d.		per oz s. d.	per lb. s. d.
§ Abobra viridiflora . . . . .	— 9	9 9	⊙ Ageratum mexicanum nanum		
⊙ Abronia arenaria . . . . .	— 7	7 3	Forgetmenot fl. albo, new,		
” umbellata . . . . .	— 6	5 9	Dam. 1901, pure white . . . . .	— 7	— —
§ Abrus præcatorius . . . . .	— 5	4 9	” Wendlandii nanum compact., blue	— 5	5 3
g Abutilon Boule de neige (Snowball)			” ” ” white . . . . .	— 5	5 3
100 seeds 1/—	— —	— —	⊙ Agrostemma coeli rosa . . . . .	— —	1 6
1000 ” 8/—	— —	— —	” coronaria, red . . . . .	— —	1 9
” new hybrids mixed 1/8 oz —/9	4 —	— —	” ” white . . . . .	— —	1 9
g Acacia arabica . . . . .	— 6	4 10	Alkekengi, see Physalis.		
” armata . . . . .	— 6	5 3	g Alsophila australis, tree-fern 1/8 oz —/9	5 —	— —
” cyanophylla . . . . .	— 4	3 3	4 Althaea rosea fl. pl. (Hollyhocks)		
” dealbata . . . . .	— 4	3 3	English var. best mixed . . . . .	— 9	9 6
” decurrens . . . . .	— 6	4 10	4 ” rosea fl. pl. Chaters strain,		
” Farnesiana . . . . .	— —	1 —	choice mixed . . . . .	1 5	19 —
” floribunda . . . . .	— 4	3 6	⊙ Alyssum Benthami . . . . .	— 3	2 9
” Julibrissin . . . . .	— —	8 —	” ” grandiflorum compactum	— 5	4 9
” longifolia . . . . .	— —	1 —	4 ” ” saxatile . . . . .	— 5	5 3
” lophantha . . . . .	— —	1 —	⊙ Amaranthus atropurpureus . . . . .	— —	6 —
” ” speciosa . . . . .	— —	1 9	” bicolor . . . . .	— —	1 6
” Nemu . . . . .	— 6	4 6	” ” ruber . . . . .	— —	1 7
” pycnantha . . . . .	— 3	2 3	” Brilliant . . . . .	— 8	7 3
” semperflorens . . . . .	— 3	1 6	” caudatus . . . . .	— —	6 —
” suaveolens . . . . .	— 3	1 7	” Dussii Dam. 1890 . . . . .	— —	8 —
” in great variety mixed . . . . .	— —	2 —	” Henderi . . . . .	— 5	4 9
4 Acanthus latifolius . . . . .	— —	1 5	” hybridus Princess of Wales . . . . .	— 6	6 —
” mollis . . . . .	— —	1 5	” ” Queen Victoria . . . . .	— 5	4 9
4 Achillea Ptarmica fl. pl. . . . .	3 9	— —	” Margaritae, splendid . . . . .	— —	6 —
h Achimenes, finest mixed 10,000 seeds 6/—	— —	— —	” monstrosus (Giant Prince's		
⊙ Acroclinium roseum grandiflorum . . . . .	— 3	2 3	feather) . . . . .	— —	6 —
⊙ ” ” grandiflor. album . . . . .	— 3	2 3	” melancholicus . . . . .	— —	2 —
” ” fl. pl., double pink . . . . .	— 3	2 6	” nobilis pyramidalis . . . . .	— —	2 4
” ” fl. albo pl. ” white . . . . .	— 3	2 9	” quadricolor, Dam. 1898 new;		
⊙ Adonis aestivalis . . . . .	— —	1 —	the leaves at the end of the		
” autumnalis . . . . .	— —	1 —	stalks are bright and dark		
4 Agathaea coelestris (amelloides) . . . . .	1 9	— —	green, dark crimson and yellow		
g Agave americana . . . . .	— 10	— —	producing a most wonderful effect	— 5	4 10
” ” fol. var. 1000 seeds 3/6	— —	— —	” salicifolius . . . . .	— 6	6 —
” Salmiana . . . 1000 ” 3/2	— —	— —	” sanguineus . . . . .	— —	6 —
” Victoriae Reginae 100 ” —/11	— —	— —	” superbus (coleifolius) Dam. . . . .	2	1 7
⊙ Ageratum Lasseauxi, rose . . . . .	— 8	8	” tricolor . . . . .	— 2	2 2
” mexicanum coeruleum . . . . .	— 2	2	” ” giganteus . . . . .	— 3	3 2
” ” album . . . . .	— 2	2	⊙ Ammobium grandiflorum . . . . .	— 2	1 9
” ” grandiflorum album . . . . .	— 9	— —	⊙ Anagallis grandiflora carnea . . . . .	— 9	— —
” ” Imperial dwarf, dark blue . . . . .	— 3	3 3	” ” coccinea . . . . .	— 9	— —
” ” ” white . . . . .	— 3	3 7	” ” coerulea . . . . .	— 9	— —
” ” nanum album . . . . .	— 2	2 9	” ” lilacea . . . . .	— 9	— —
” ” ” coeruleum . . . . .	— 2	2 6	” ” Napoleon III. . . . .	— 9	— —
” ” ” Swanley blue . . . . .	— 3	3 7	” ” mixed . . . . .	— 9	8 —
” ” ” Little Dorrit, blue . . . . .	— 3	3 7	4 Anchusa affinis . . . . .	— 2	— —
” ” ” ” white . . . . .	— 6	6 —	” capensis . . . . .	— 3	2 10
” ” ” Princ. Vict. Louise . . . . .	— 13	— —	Angel's Trumpet, see Datura.		
” ” ” Forget me not . . . . .	— 4	4 —			

	per oz s. d.	per lb. s. d.		per oz s. d.	per lb. s. d.
⊙ Anthemis Cupaniana . . . . .	— 9	— —	⊙ Asperula azurea setosa . . . . .	— —	— 7
"    Kelwayi . . . . .	— 6	— —	4 Aster, the best perennial sorts mixed	1 3	— —
½ Anthurium Scherzerianum	— —	— —			
100 seeds 2/6	— —	— —			
§g Antigonum leptopus . . . . .	— 9	9 6	⊙ Aster sinensis fl. pl. Asters.		
⊙ Antirrhinum majus (Snapdragon) finest			We guarantee our Asters not to be in		
mixed . . . . .	— 4	3 9	any way inferior to the finest German		
"    "    nanum mixed . . . . .	— 5	4 10	strains and our patrons may fully rely upon		
"    "    grandiflorum mixed . . . . .	— 5	4 3	receiving only choicest qualities. The		
⊙ "    "    Tom Thumb mixed . . . . .	— 8	8 —	growing of the best Asters is one of		
Aphanostephus arkansanus, new			our most important specialities.		
Dam. 1901 . . . . . 1/8 oz —/9	4 6	— —			
4 Aquilegia (Columbine) chrysantha . . . . .	1 3	— —	<u>1. Tall Section.</u>		
"    coerulea . . . . .	1 9	— —	American Bush, late flowering, very large		
"    haylodgensis (coerulea hybr.) . . . . .	1 3	— —	flowers, best mixed . . . . .	— 8	8 9
"    Skinneri hybr. fl. pl. . . . .	1 6	— —	Reid's improved globe (Betteridge's		
"    stellata double mixed . . . . .	— 6	— —	Prize)		
"    vulgaris mixed . . . . .	— 3	2 7	sulphur yellow . . . . .	— 10	10 9
"    "    fl. pl. double mixed . . . . .	— 3	2 7	mixed . . . . .	— 8	8 —
g Aralia papyrifera . . . . .	1 5	— —	Tall Chrysanthemum, mixed . . . . .	— 10	9 9
"    Sieboldi, clean seeds ready in			Goliath, mixed . . . . .	— 7	7 3
April; orders booked now . . . . .	1 8	23 —	Harlequin, mixed . . . . .	— 10	9 10
⊙ Arctotis breviscapa . . . . .	1 9	— —	Hohenzollern, new; very rich flowering,		
"    grandis, new . . . . .	— 8	8 —	pure white, bright rose, each separate . . . . .	1 3	15 10
g Ardisia crenulata . . . . .	7 —	— —	Jewel-or Ball, mixed . . . . .	— —	— —
⊙ Argemone grandiflora . . . . .	— 3	2 9	Globe-flowered pyramidal, mixed . . . . .	— 10	9 10
"    Hunnemanni . . . . .	— 3	2 —	Ladies, with narrow leaves and well-shaped		
"    mexicana (speciosa) . . . . .	— 3	2 9	flowers, resembling those of the Comet		
Argyranthemum, see Chrysanthemum.			Asters; a very distinct class; mixed . . . . .	1 —	12 —
§ Aristolochia elegans . . . . .	1 3	— —	Paeony Perfection,		
4 Armeria cephalotes . . . . .	— 5	4 9	1. crimson,                      4. bright scarlet,		
"    formosa . . . . .	— 5	4 —	2. light blue,                    5. dark blue,		
⊙ Arnebia cornuta . . . . . 1/8 oz —/9	4 —	— —	3. pure white,                    6. bright rose,		
4 Arnica montana . . . . .	— 5	5 —	each separate . . . . .	1 3	17 9
4 Artemisia argentea . . . . .	— 3	3 3	mixed . . . . .	1 —	13 9
⊙ "    gracilis . . . . .	— —	1 —	Washington, mixed . . . . .	1 —	13 9
g Arum sanctum . . . . .	— 6	5 9	Imbriquée Pompon, mixed . . . . .	— 9	9 10
⊙ Asclepias curassavica atrosanguinea	— 6	6 3	Cocardeau or Crown, mixed . . . . .	1 —	11 9
"    Cornuti (syriaca) . . . . .	— 10	9 10	"    imbriquée Pompon (Pom-		
"    incarnata . . . . .	— 10	9 10	"    pon Crown) mixed . . . . .	— 9	9 10
"    tuberosa . . . . .	2 3	— —	Giant Comet, crimson, lilac rose, rose,		
4 Asparagus acutifolius . . . . .	— 2	2 —	incarnate, Peachblossom, snow white, sulphur		
"    decumbens, a splendid kind			yellow, blue, dark blue, the Bride, white		
for suspending baskets, highly			changing into rose, each separate . . . . .	1 3	16 6
decorative 100 seeds —/—	— —	— —	Giant Comet, mixed . . . . .	1 —	14 9
1000 " —/—	— —	— —	Surprise, rose chamois . . . . .	2 3	— —
g "    plumosus 1000 " 24/—	— —	— —	White of Boston, splendid for cutting . . . . .	1 2	15 9
"    "    nanus 1000 " 26/—	— —	— —	Asters tall varieties, mixed . . . . .	— 8	8 —
4 "    "    superbus, a highly de-					
corative climber, the branches of which			<u>2. Semi-tall Section.</u>		
furnish a most splendid material for bou-			Comet, Bride's maid, white, changing		
quets and any kind of decorations.			into rose-purple, carmine, lilac, light blue,		
100 seeds 5/6; 1000 seeds 44/—	— —	— —	dark blue, dark blue and white. King		
g Asparagus Sprengeri Dam. . . . .	— 10	8 —	Humbert (white, very large), rose, bright		
I // contains about 8000 or more			rose, rosy carmine, snow white, white with		
seeds. Special prices for larger quantities			lilac, white with rose, each separate . . . . .	1 3	18 6
on application.			Comet, mixed . . . . .	1 3	16 —

	per oz s. d.	per lb. s. d.		per oz s. d.	per lb. s. d.
Christmas-Tree, a curious very rich flowering kind of pyramidal habit, with almost horizontal branches . . . . .	2 —	— —	Dwarf Chrysanthemum, large-flowered		
Quilled, mixed . . . . .	— 5	4 9	1. Carmine, 4. Purple,		
Queen of the Halls, mixed . . . . .	— 5	5 6	2. Dark blue, 5. Snow-white,		
" " " " white . . . . .	— 10	9 10	3. Bright scarlet, 6. Brick red,		
Globe-flowered, mixed . . . . .	— 5	5 6	each separate . . . . .	1 9	23 —
Paeony-flowered Globe, mixed . . . . .	1 —	11 —	mixed . . . . .	1 6	19 9
Rose, large-flowered, mixed . . . . .	— 10	9 9	Dwarf New Paeony mixed . . . . .	1 6	— —
Liliput, mixed . . . . .	— 8	8 6	" Victoria, mixed . . . . .	1 6	— —
Meteor, mixed . . . . .	1 —	11 10	" Crown or Cocardeau, mixed . . . . .	1 9	— —
Mignon, carmine, darkblue, light blue, lilac- purple, lilac, pure white, lilac-rose, scarlet, pure white early flowering			Triumph, carmin, Dark red, Dark scarlet, Dark scarlet with white, Dark- lilac, White		
each separate . . . . .	1 3	15 9	each separate . . . . .	1 10	— —
mixed . . . . .	1 —	12 —	mixed . . . . .	1 6	21 —
Ostrich-Feather, carmine, light blue, lilla, rose, pure white, white changing into rose, each separate . . . . .	1 3	— —	Non plus ultra, with very large flowers, mixed	1 5	20 —
mixed . . . . .	1 —	13 9	Dwarf varieties, mixed . . . . .	1 2	15 —
Princess, mixed. . . . .	1 —	11 —	Auriculas, see Primula Auricula.		
Schiller, mixed . . . . .	— 7	7 3	g Azalea indica new best varieties mixed	6 6	— —
St. John's Day, pure white, very early flowering . . . . .	2 —	— —	Bachelor's Button, see Centaurea Cyanus.		
Surprise, Sunlight, new; flowers large, bright yellow, keeping very well . . . . .	2 6	— —	Balm, see Dracocephalum.		
Victoria,			Balsam Apple, see Momordica.		
1. Crimson, 5. Crimson-rose,			Balsams double, see Impatiens Bal- samina.		
2. Dark blue, 6. Light blue,			Balloon-vine, see Cardiospermum.		
3. Bright scarlet, 7. Peach blossom,			g Bambusa spinosa . . . . .	2 3	— —
4. White,			⊙ Bartonia aurea . . . . .	— 3	2 6
each separate . . . . .	1 6	21 —	h Bear Grass, see Yucca.		
mixed . . . . .	1 4	17 —	h Begonia hybrida gigantea,		
Semi-tall varieties mixed . . . . .	— 10	9 10	carmine	7 6	14 —
<b>3. Dwarf Section.</b>			" " " rose	7 6	14 —
Dwarf, mixed . . . . .	— 11	11 —	" " " scarlet	7 6	14 —
" pyramidal, mixed . . . . .	1 —	— —	" " " white	7 6	14 —
" Bouquet pyramidal (Boltze's) mixed . . . . .	1 —	13 9	" " " yellow	7 6	14 —
Dwarf Comet Perfection			" " " finest mixed	5 —	9 —
pure white . . . . .	1 6	— —	" " " mixed . . . . .	3 —	5 6
rose . . . . .	1 6	— —	" " " double- per 1/16 oz flowered, splendid   s. d.		
Dwarf Giant Comet Snow-white. While all the Giant Comet Asters hitherto offered are of tall habit, we herewith introduce an absolutely dwarf form hardly 16 inches high, the flowers of which are quite as large again as those of the original kind. They are of a dazzling white, very double and of a perfect shape. The effect produced by such a dwarf plant with so large flowers is a striking one . . . . .	1 6	— —	varieties mixed . . . . .	16 6	— —
Shakespeare, mixed . . . . .	1 2	15 10	h Begonia Rex, mixed varieties 100 seeds —/7 1000 seeds 3/3	— —	— —
Improved dwarf Bouquet pyramidal, mixed . . . . .	1 7	— —	h Begonia semperflorens, white . . . . .	— —	1 9
			" " atropurpurea (Vernon)	— 10	5 —
			" " rosea . . . . .	— 5	2 6
			Bellflower, see Campanula.		
			4 Bellis perennis maxima fl. pl. (Giant Daisies) double mixed	2 3	30 —
			" " " giant double white	2 6	33 —
			" " fl. pl. Longfellow, large- flowering rose . . . . .	2 6	33 —
			" " " Snowball . . . . .	2 6	33 —
			Belvidere (Summer Cypress), see Kochia scoparia.		
			§ Bignonia Tweediana . . . . .	— —	1 8

	per oz s. d.	per lb. s. d.
$\frac{1}{2}$ Bixa Orellana . . . . .	9	—
Blanket flower, see Gaillardia.		
Blue Bottle, see Centaurea Cyanus.		
$\frac{1}{4}$ Boussingaultia baselloides . . . . .	3 3	—
$\frac{1}{2}$ Bouvardia Jacquini 1000 seeds $\frac{3}{5}$	—	—
" longiflora, flowers pure white, very fragrant 1000 seeds $\frac{7}{16}$	—	—
" splendens . 1000 " $\frac{3}{16}$	—	—
⊙ Brachycome iberidifolia (Swan River Daisy) . . . . .	9	—
⊙ Browallia Czerwiakowsky . . . . .	8	—
" elata fl. albo . . . . .	8	—
" " " coerulea . . . . .	7	—
" " " purpureo . . . . .	11	—
" " grandiflora . . . . .	8	—
" " " alba . . . . .	7	—
" Roezli . . . . .	7 6	—
" speciosa major, new, darkblue $\frac{1}{8}$ oz 2/—; $\frac{1}{16}$ oz 1/3; $\frac{1}{32}$ oz —/9	15	—
$\frac{1}{4}$ Bryonia alba . . . . .	4	4
⊙§ Bryonopsis laciniata erythrocarpa . . . . .	—	—
⊙ Cacalia coccinea (Tassel Flower)	4	3 7
" " lutea . . . . .	4	3 3
$\frac{1}{2}$ Caladium bulbosum, newest varie- gated-leaved mixed . 100 seeds $\frac{1}{8}$	—	—
Calampelis, see Eccremocarpus.		
⊙ Calandrinia speciosa . . . . .	—	10

	per $\frac{1}{32}$ oz s. d.	per $\frac{1}{16}$ oz s. d.	per $\frac{1}{8}$ oz s. d.	per oz s. d.
<b>g Calceolaria hybrida</b>				
self coloured, large flowered mixed . . . . .	2 8	4 10	9 6	74 —
self coloured dwarf . . . . .	2 8	4 10	9 6	74 —
spotted or tigréd mixed . . . . .	3 6	6 —	11 —	85 —
spotted or tigréd large flowered dwarf . . . . .	4 —	7 9	15 —	117 —
painted or margined mixed . . . . .	3 —	5 3	10 —	76 3
painted or margined dwarf mixed . . . . .	3 —	5 3	10 —	76 3

	per oz s. d.	per lb. s. d.
⊙ Calendula hybrida . . . . .	—	1 —
" officinalis, single Pot Marigold . . . . .	—	10
" " fl. pl. single double Pot Mari- gold . . . . .	—	11
" " " " Meteor, striped . . . . .	—	11
" " " " Orange King . . . . .	—	1 3
" " " " Prince of Orange . . . . .	—	10
" " " " sulphurea . . . . .	—	9
" " " " Trianon (Royal- Marigold) . . . . .	—	1 —
" pluvialis . . . . .	—	10
Californian Poppy, see Eschscholtzia.		
<b>g Calla aethiopica</b> . . . . .	9	—
" " compacta . . . . .	10	—
" " gigantea . . . . .	1 4	—

	per oz s. d.	per lb. s. d.
⊙ Calliopsis bicolor (tinctoria) . . . . .	—	1 5
" " atrosanguinea . . . . .	—	1 7
" cardaminifolia atrosanguinea . . . . .	—	1 7
" " bicolor . . . . .	—	1 7
" Drummondii (Golden Wave)	—	1 3
" hybrida superba . . . . .	1 —	—
⊙ Callirrhoe pedata . . . . .	3	3 7
" " compacta . . . . .	5	5 —
<b>g Camellia japonica</b> , mixed		
1000 seeds 3,3	—	—
" " double, mixed 1000 seeds 4/6	—	—
$\frac{1}{4}$ Campanula dichotoma, blue . . . . .	4	—
$\frac{1}{4}$ " fragilis . . . . .	2 9	—
⊙ " macrostyia . . . . .	1 3	—
" " rosaeiflora . . . . .	1 6	—
$\frac{1}{4}$ " Medium fl. albo (Canterbury Bells) . . . . .	4	2 9
" " fl. albo pleno . . . . .	1 —	—
" " calycanthera . . . . .	1 —	—
" " " fl. albo . . . . .	1 3	—
" " fl. coeruleo . . . . .	3	2 6
" " fl. " pleno . . . . .	9	—
" " single, mixed . . . . .	—	2 6
" " fl. pleno, mixed . . . . .	9	—
$\frac{1}{4}$ " pyramidalis . . . . .	5	—
" " alba . . . . .	7	—
⊙ " Speculum, blue . . . . .	3	2 3
" " white . . . . .	3	2 6
Canary Creeper, see Tropaeolum canariense.		
Candytuft, see Iberis.		
Canna-Seeds, see page 52.		
Canna-Roots, see page 55.		
⊙ Cannabis gigantea, Giant Hemp . . . . .	—	8
Canterbury-Bell, see Campanula.		
Cape Forget-me-not, see Anchusa.		
" Hyacinth, see Hyacinthus candicans.		
Capsicum, see Vegetable seeds.		
" annum nigrum, with black stems and very dark, almost black foliage; the fruits also are black, a very fine deco- rative plant . . . . .	3	2 5
⊙§ Cardiospermum halicacabum (Balloon Vine) . . . . .	3	1 6
$\frac{1}{4}$ " hirsutum, large clusters of white pending sweet-scented flowers and triangular fruits . . . . .	5	4 —
" velutinum, new, splendid . . . . .	4	3 3
⊙ Carduus Marianus (Silybum) . . . . .	—	4
Carnation, see Dianthus Caryo- phyllus.		
$\frac{1}{4}$ Caryopteris mastacanthus, new, blue	9	—
" " candidus, white . . . . .	1 —	—
$\frac{1}{2}$ Cassia floribunda . . . . .	6	5 —
Castor Oil Plant, see Ricinus.		

	per oz s. d.	per lb. s. d.		per oz s. d.	per lb. s. d.
Casuarina, see Conifers.					
h Cedrela chinensis . . . . .	1 6	— —	⊙ Celosia Thompsoni magnifica, atro-		
"    odorata . . . . .	4 —	— —	coccinea, aurantiaca, aurea,		
			coccinea, kermesina, lutea,	7 —	— —
			each separate $\frac{1}{8}$ oz 1/—	4 —	— —
			"    " all colours mixed $\frac{1}{8}$ " —/9	— 11	11 —
<b>Cocks comb (Celosia cristata).</b>			⊙ Centaurea americana . . . . .	— 11	11 —
Celosia cristata, finest mixed . . . . .	— 8	8 —	4 "    "    alba . . . . .	— 3	— —
"    "    nana alba . . . . .	— 10	— —	4 "    "    candidissima (ragusina) . . . . .	3 4	— —
"    "    "    atropurpurea . . . . .	— 10	— —	4 "    "    "    compacta . . . . .	— 10	— —
⊙ "    "    "    aurea . . . . .	— 10	— —	Cyanus (Blue Bottle, Bachelor's		
"    "    "    Empress . . . . .	— 10	— —	Button) . . . . .	— 2	2 2
"    "    "    fire red . . . . .	1 —	— —	"    "    coelestina (Emperor		
"    "    "    kermesina (Glas-			William) . . . . .	— 2	1 8
gow Prize, President Thiers)	1 3	— —	"    "    fl.pl.mixed, new double		
Celosia cristata nana Queen of			flowered . . . . .	— 3	2 2
Dwarfs, crimson . . . . .	1 2	— —	"    "    nana compacta Victoria	— 4	4 —
Celosia cristata nana, Dam. 1898			"    "    "    "    fl.pl.		
"Ruby". About 12 inches high pro-			Dam. 1899, double,		
ducing flowers of a perfect shape and			dark red . . . . .	— 3	3 3
of quite a peculiar most lovely crimson			"    "    Victoria bicolor, Dam.		
color displaying still more its charm			1902, white with a		
under the sunlight. The stalks also			blue centre . . . . .	— 9	— —
are almost of the same color and the			"    "    "    single flowered, mixed .	— 2	1 —
leaves are of a brownish red, giving			⊙ "    depressa . . . . .	—	1 —
the plant a most lovely appearance;			4 "    diluta, Dam. 1899. A very		
quite a wonderful kind . . . . .	— 10	— —	profuse flowering bushy plant		
Celosia cristata nana roseus . . . . .	1 —	— —	growing 30 to 35 inches high		
"    "    "    Vesuvius . . . . .	— 9	— —	and covered almost literally with		
"    "    "    violacea . . . . .	1 —	— —	charming lilac-rose flowers with		
"    "    "    finest mixed . . . . .	— 9	8 9	a white centre, about 2 inches		
"    Huttoni . . . . .	1 10	— —	across, on long stalks. They		
"    pyramidalis aurea . . . . .	— 2	2 —	are highly adapted for table		
"    "    coccinea . . . . .	— 2	2 3	and other floral decorations . .	— 3	2 6
"    "    mixed . . . . .	— —	1 9	⊙ "    eriphora, Dam. 1899. . . . .	— 2	2 —
⊙ "    "    monstrosa, Dam. 1898.			4 "    eryngioides . . . . .	— 2	2 —
Its bushy habit is like that of the			4 "    gymnocarpa . . . . .	— 5	4 9
C. pyramidalis while the flowers and			⊙ "    Margaritae, Dam. 1891 (White		
specially those of the main stems			Sultan Mammoth), pure white,		
are more like those of the C. cristata.			very large scented flowers . .	1 —	13 9
They are dark red, the leaves dark			⊙ "    moschata (Sweet Sultan) . . . . .	— 3	2 6
green spotted more or less with dark			"    "    "    alba . . . . .	— 3	2 6
red. The plant grows most vigorously			⊙ "    odorata Dam. 89 (Red Mam-		
to about 4 feet in height which			moth Sultan), with large		
makes it invaluable for large groups	— —	2 —	purple scented flowers . . . . .	— 11	10 9
⊙ Celosia pyr. nana Thompsoni (Triom-			"    "    Chamaeleon Dam. (Yellow		
phe de l'exposition) . . . . .	— 5	4 9	Sultan Mammoth), with		
"    "    "    mixed . . . . .	— —	1 2	very large flowers of a pale		
"    "    "    plumosa aurea . . . . .	— 4	3 7	sulphur-yellow, later whitish		
"    "    "    coccinea . . . . .	— 2	2 —	yellow changing into lilac		
"    "    "    Preziosa . . . . .	— 2	2 —	and fading in a rosy colour	1 9	25 —
"    "    "    ostrich-feathered,			⊙ "    suaveolens, Yellow Sweet		
orange-crimson; an			Sultan . . . . .	— 4	3 7
absolutely distinct			⊙§ Cephalandra palmata, Dam. 1889 .	2 6	— —
and fine sort . . . . .	— 6	— —	4 Cerastium Biebersteinii . . . . .	— 7	— —
"    "    "    finest mixed . . . . .	— 3	2 —	"    tomentosum . . . . .	1 3	— —
			g Cestrum aurantiacum . . . . .	1 3	— —

4 Chamaepeuce Casabonae, Fishbone			
Thistle . . . . .	— 10	—	—
" diacantha, Ivory Thistle . . . . .	— 6	5	9

**Stocks.**

© **Cheiranthus annuus.**

One of our most important specialties! All our Stocks are grown with so much skill and care that there is no better quality in the market; they give the highest percentage of double flowers as all our many thousands of patrons who received them, will testify.

Dwarf early-flowered ten week

Stocks,

1. Crimson,	5. Rose,		
2. Dark Blue,	6. Rosy-carmine,		
3. Deep blood-red,	7. White,		
4. Light-blue,	8. Yellow,		
each separate . . . . .		2 3	30 —
all colours mixed . . . . .		1 10	24 —

Large-flowered dwarf ten week

Stocks,

1. Canary-yellow,	5. Fire red,		
2. Crimson,	6. Light blue,		
3. Dark blood-red,	7. Lilac,		
4. Dark blue,	8. White,		
each separate . . . . .		2 10	— —
all colours mixed . . . . .		2 6	36 —

Wallflower-leaved large flowered

ten week Stocks,

all colours mixed . . . . .	3 —	—	—
-----------------------------	-----	---	---

Victoria Bouquet ten week Stocks,

1. Carmine,	4. Light blue,		
2. Dark bloodred,	5. White,		
3. Dark blue,			
each separate . . . . .		2 6	— —
all colours mixed . . . . .		2 3	— —

Dresden Perpetual-flowered ten

week Stocks,

1. Dark blue,	4. Rosa,		
2. Deep crimson,	5. Sulphur-yellow,		
3. Light blue,	6. White,		
each separate . . . . .		3 6	— —
all colours mixed . . . . .		3 —	— —

Large-flowered pyramidal ten

week Stocks mixed . . . . .	3 —	—	—
-----------------------------	-----	---	---

Dwarf large-flowered pyramidal

ten-week Stocks, mixed . . . . .	2 6	—	—
----------------------------------	-----	---	---

Giant or Tree ten-week Stocks,

mixed . . . . .	2 6	—	—
-----------------	-----	---	---

Giant Perfection ten-week Stocks,

mixed . . . . .	3 —	—	—
-----------------	-----	---	---

Perpetual-flowering or Emperor

Stocks, all colours mixed . . . . .	9 —	—	—
-------------------------------------	-----	---	---

Winter or Brompton Stocks, mixed

	5 —	—	—
--	-----	---	---

Dwarf Winter or Brompton Stocks

all colours mixed . . . . .	6 6	—	—
-----------------------------	-----	---	---

Brompton Stocks, white Nice,

magnificent, continuously flowering; splendid for cutting . . . . .	3 —	42	—
--	-----	----	---

**Victoria Winter Stock, Dam.**

Since we introduced this beautiful class it has met every where with an unlimited and unrestricted approbation; we recommend it most warmly to all who wish to have fine cut flowers; it produces the highest percentage of double flowers.

White (Electro) . . . . .	3 6	46	—
---------------------------	-----	----	---

Pale-rose (peach-blossom) . . . . .	5 6	—	—
-------------------------------------	-----	---	---

Canary-yellow Dam. 1898. This new and very valuable addition is a worthy pendant to the other colours introduced by us and which obtained such a grand and general success.

We can recommend this new kind most especially for cutting purposes.

It can also easily be forced . . . . .	4 6	—	—
--	-----	---	---

Salmon-rose . . . . .	5 6	—	—
-----------------------	-----	---	---

Lilac, wall-flower-leaved . . . . .	4 6	—	—
-------------------------------------	-----	---	---

**Italian Winter Stock.**

A most recommendable class, resembling as to their habit the Tree ten week stock, producing from January to March a great abundance of fine flowers.

a) high

fire-red . . . . .			
white . . . . .			
each separate . . . . .	— 9	9	3

b) semi-high

white . . . . .	1 —	12	—
-----------------	-----	----	---

Cheiranthus Cheiri, German Wall-flower.

Double Tree, mixed of many fine colours . . . . .	3 —	—	—
---	-----	---	---

Double Branching, mixed of many splendid colours . . . . .	3 —	—	—
--	-----	---	---

Single Branching, mixed . . . . .	— 3	2	6
-----------------------------------	-----	---	---

	per oz s. d.	per lb. s. d.
⊙ Cheiranthus maritimus (Malcolmia) Virginian Stocks	— —	1 —
⊙ " maritimus albus . . . . .	— —	1 —
" " Fairy Queen . . . . .	— —	1 6
" " kermesinus (Crim- son King) . . . . .	— —	1 6
" " mixed . . . . .	— —	1 —
4 Chelone barbata . . . . .	— 3	2 6
Chinese Bellflower, see Abutilon.		
" Primrose, see Primula chinensis.		
Christmas Rose, see Helleborus.		
⊙ Chrysanthemum Balsamita, new, Dam. 1901 . . . . .	— 5	— —
Chrysanthemum Burridgeanum . . . . .	— —	2 —
" carinatum, see tricolor.		
g " indicum, double fine mixed	6 —	— —
g Chrysanthemum, Japanese, double large-flowered, mixed . . . . .	5 —	— —
g Chrysanthemum, Japanese, with hairy flowers . . . . . 1/8 oz 2/6	16 —	— —
g Chrysanthemum, Japanese Imperial double Ostrich-feathered, imported seed from one of the best collections . . . . .	5 —	— —
⊙ Chrysanthemum coronarium album plenum . . . . .	— —	1 6
" coronarium luteum plenum . . . . .	— —	1 6
" " sulphureum plenum . . . . .	— —	1 6
" " double, mixed . . . . .	— —	1 6
g " frutescens (Argyranthemum)	— 8	8 —
⊙ " inodorum plenissimum . . . . .	— 9	— —

4 **Chrysanthemum leucanthemum hybridum** (Shasta Daisies). A new class standing even the severest cold without suffering; the flowers are very large, 3 to 4 in. diameter, with brilliant pure white petals, on long stiff stems; the plant blooms continuously for months and the cut flowers keep fresh for two weeks or more. The plant produces very few seed which is however rather large

100 seeds —/10  
1000 " 6/—

Chrysanthemum segetum Gloria, new, with very large sulphur yellow flowers . . . . .	— 6	5 6
⊙ " tricolor (carinatum) album . . . . .	— 2	1 9
" " atrococcineum . . . . .	— 2	1 9
" " Chamaeleon, new . . . . .	— 3	3 2
" " Dunnetti albo pl. . . . .	— 5	4 9
" " aurea pl. . . . .	— 5	4 9
" " Eclipse . . . . .	— 3	2 7
" " Golden Feather . . . . .	— 2	2 —
" " finest mixed . . . . .	— 2	1 3

Cigar-Flower, see Cuphea platy-  
centra.

	per oz s. d.	per lb. s. d.
g Cineraria hybrida, finest mixed . . . . .	8 —	— —
" " large flowered, finest mixed 1/16 oz 1/—	12 4	— —
" " dwarf, many varieties of the finest colours, mixed 1/16 oz 2/—	— —	— —
" " dwarf large flowered, extra selected 1/16 oz 2/6	— —	— —
g " " striata, splendid colours mixed 1/32 oz 1/9 1/16 " 3 3	— —	— —



Victoria White Winter Stock.  
Electro 4/—.

g Cineraria hybrida, striata nana, seeds collected from a mag- nificent collection 1/32 oz 2/3 1/16 " 4/—	— —	— —
" " plenissima, double splendid mixed 1/8 oz 11/— 1/16 " 5/10 1/32 " 3/3	— —	— —
4 " maritima . . . . .	— 2	1 8
4 " " candidissima . . . . .	— 4	3 —
g§ Cissus antarctica . . . . .	— 1	— —
g Citrus trifoliata . . . . .	— 6	4 6
⊙ Clarkia elegans Double, mixed . . . . .	—	1 3
" " pulchella fl. albo pl. . . . .	— 2	1 6
" " " double, mixed . . . . .	— 2	1 3

	per oz s. d.	per lb. s. d.		per oz s. d.	per lb. s. d.
① Cleome grandis, Dam. new wonderful, with large flowers . . . . .	— 4	3 7	4 Coreopsis grandiflora . . . . .	— 3	3 —
" speciosissima . . . . .	— 4	3 7	① " japonica . . . . .	— 6	— —
½ Clianthus Dampieri . . . . .	3 9	— —	Corn Flower, see Centaurea Cyanus.		
" puniceus . . . . .	2 4	— —	① Cosmea hybrida Klondyke, orange- red, large flowering . . . . .	3 —	— —
①§ Clitoria ternatea (coelestis) . . . . .	— 5	6 —	" pinnatifida (Cosmos bipin- natus) . . . . .	— 5	4 9
①§ Cobaea macrostemma, most elegant climber . . . . .	2 —	— —	" " albiflora . . . . .	— 5	— —
" scandens, beautiful climber . . . . .	— 9	10 —	" " purpurea . . . . .	— 5	— —
①§ " " fl. albo . . . . .	1 6	— —	" " Mammoth, white . . . . .	— 4	— —
①§ Coccinea indica . . . . .	— 7	7 3	" " " mixed . . . . .	— 4	4 —
" Moghad . . . . .	— 10	— —	① " " nana Dawn, pure white, rich flowering . . . . .	— 7	— —
Cockscomb, see Celosia.			" " sulphurea . . . . .	— 7	— —
<b>½ Coleus hybridus,</b>			" " mixed . . . . .	— 5	4 3
choice quality from our own splendid collection . . . . . 1/8 oz 1/4	9 —	— —	Cowslip yellow, see Primula veris.		
very good quality . . . . . 1/8 " 1/—	5 —	— —	g Crinodendron Hookerianum 100 seeds 1/3; 1000 seeds 11/6	— —	— —
macrophyllus, with very large leaves of the best and remarkable colours 1/8 oz 1/6	10 —	— —	½ Croton sebiferum (Stillingia) . . . . .	— 11	— —
regalis (imperialis) with very undulate and blistered leaves, in the finest variety of colours . . . . . 1/8 oz 2/—	13 —	— —	Crown of the Field, see Agrostemma.		
laciniatus, with light brownish lacinated leaves; a most lovely and remarkable kind . . . . . 1/8 oz 1/6	10 —	— —	① Cryptostemma lusitanicum, Dam. 1899. About 8 inches high. Its narrow pinnate or deeply cut leaves are of a greyish green and silvery grey on the back. The plant produces a large number of flowers measuring about 2 inches in diameter, the petals of which are sulphur-yellow and chrome-yellow at the base with a dark brown spot. A rival of the Gazanias . . . . .	— 4	3 3
Verschaffelti, with very fine dark brown leaves . . . . . 1/8 oz —/—	— —	— —	①§ Cucumis anguineus, see Tricho- santhes.		
① Collinsia bicolor . . . . .	— —	9 —	Cucumis Anguria (Aradae) . . . . .	— 4	3 —
" " candidissima . . . . .	— —	9 —	" Grossularia, Gooseberry Gourd . . . . .	— 3	3 3
" " mixed . . . . .	— —	8 —	" odoratissimus (Dudaim) . . . . .	— 4	3 3
Columbine, see Aquilegia.			4 " perennis . . . . .	— 7	— —
4 Commelina coelestis . . . . .	— 3	— —	①§ Cucurbita argyrosperma . . . . .	— 3	2 5
" " alba . . . . .	— 3	— —	" maliformis, Apple Gourd, yellow, white, striped, each . . . . .	— 4	3 7
" Sellowiana, new . . . . .	3 —	— —	" maxima sylvestris, Naudin 1889 . . . . .	— 3	2 3
4§ Convolvulus major, see Ipomoea purpurea.			" melanosperma, variegated fruited Malabar (Angora), black seed . . . . .	— 3	2 5
g " mauritanicus . . . . .	— 8	8 —	" oviformis, Ostrich Egg . . . . .	— 4	4 —
① " minor (tricolor), mixed . . . . .	— —	6 —	" Pepo turbinata, Turban Gourd, scarlet . . . . .	— 3	2 9
Coral Tree, see Erythrina.			①§ " piriformis (pear-shaped) green, green with white, each . . . . .	— 3	1 9
½ Cordyline australis (C. Baueri), the true broad-leaved variety, berries . . . . .	— 10	12 —	① Cuphea eminens . . . . . 1/8 oz —/10	4 6	— —
" " clean seed . . . . .	3 9	— —	" platycentra 1/8 " 1/6	9 —	— —
" congesta spectabilis 1000 seeds 3/6 . . . . .	— —	— —	" Roezli . . . . . 1/8 oz —/7	4 6	— —
" indivisa (C. colocoma super- biens) berries . . . . .	— 5	4 —	" " grandiflora superba 1/8 oz —/10 . . . . .	5 9	— —
" " lineata . . . . .	— 6	5 9	Cyanus, see Centaurea.		
" " latifolia . . . . .	— 6	6 6	Cyclamen, see Seeds of Bulbs and Roots.		
" " Veitchi . . . . .	— 6	— —			
" " rubra (Dracaena) . . . . .	— 6	— —			
" nutans 1000 seeds 2/— . . . . .	— —	— —			
" rubra 1000 " 11/— . . . . .	— —	— —			



	per oz s. d.	per lb. s. d.		per oz s. d.	per lb. s. d.
⊙§ <i>Cyclanthera explodens</i> . . . . .	— 7	— —	Dew Plant, see <i>Mesembrianthemum</i>		
" <i>pedata</i> . . . . .	— 3	3 —	<i>tricolor</i> .		
⊙ <i>Cynoglossum coelestinum</i> . . . . .	— —	— 9	4 <i>Dianthus barbatus</i> , Sweet William		
" <i>linifolium</i> (Venus Navelwort)	— —	1 —	fine single mixed . . . . .	— —	1 2
Cyperus, see Ornamental Grasses.			fl. pl. best double-flowered mixed . . .	— 6	6 —
Cypress Vine, see <i>Ipomoea Quamoclit</i> .			<i>nanus compactus</i> , double mixed . . .	1 2	— —
4 <i>Dahlia imperialis grandis</i> . . . . .	4 6	— —	<b>Dianthus Caryophyllus fl. pl.</b>	100 seeds	1000 seeds
4 <i>Dahlia variabilis</i>			seeds raised from finest stage flowers	s. d.	s. d.
a) single large-flowering.			only.		
<i>Grandiflora</i> mixed . . . . .	— 4	3 3	<i>Bizarre</i> . . . . .	1 2	8 9
" <i>nana</i> , dwarf-mixed . . . . .	— 5	4 10	<i>Doublettes</i> . . . . .	1 2	8 9
" <i>striata</i> , " . . . . .	— 6	5 9	<i>Fancy</i> . . . . .	1 4	10 6
"    " <i>nana</i> , dwarf-mixed . . . . .	— 6	6 6	<i>Self</i> . . . . .	1 2	8 9
" <i>marginata</i> , bordered, mixed . . . . .	— 7	7 3	<i>Picotees</i> ( <i>Avranches</i> ), yellow ground	1 6	12 —
" <i>white Queen</i> , pure white . . . . .	1 6	— —	"    white ground . . . . .	1 2	9 6
"    " <i>Neck-ruffle</i> ("Collette"), new; a highly interesting novelty, with large flowers of various colours, the yellow centre of which is surrounded by a number of gracefully arranged white petals; of a most charming effect . . . . .	3 —	— —	"    ( <i>Saxons</i> , with red border) . . . . .	1 9	16 —
b) double large-flowering.			<i>Spotted</i> ( <i>Grenoble</i> and <i>Salamander</i> )	1 2	8 9
Finest mixture of a splendid collection . . . . .	1 3	16 —	<i>Extra fine mixture of the above stage flowers</i> . . . . .	— 7	6 6
<i>Juarezi</i> ( <i>Cactus</i> ), mixed . . . . .	1 10	— —	<i>Splendid mixture of stage flowers</i>	56	— —
<i>Liliput</i> , mixed . . . . .	2 3	— —	$\frac{1}{16}$ oz 4/3; $\frac{1}{8}$ oz 7/6		
<i>Tom Thumb</i> , dwarf mixed . . . . .	2 3	— —	( $\frac{1}{8}$ oz contains about 1800 or more seeds.)		
Daisies, see <i>Bellis perennis</i> .			<i>Perpetual-flowering</i> ,		
Dames Violet, see <i>Hesperis</i> .			raised from finest stage plants only.	per oz	per lb.
g <i>Dasylyrion acrotliche</i> ( <i>serratifolium</i> ) . . . . .	— 10	— —	<i>Extra double</i> . . . . .	s. d.	s. d.
" <i>longifolium verum</i>			"    "    dwarf ( <i>tige de fer</i> )	5 —	— —
1000 seeds 1/—	— —	— —	$\frac{1}{32}$ oz 3/6; $\frac{1}{16}$ oz 6/—; $\frac{1}{8}$ oz 11/—	85	— —
h <i>Datura arborea</i> . . . . .	4 3	— —	<i>Riviera Market</i>		
⊙ " <i>atroviolacea plenissima</i> . . . . .	— 5	— —	$\frac{1}{32}$ oz 2/—; $\frac{1}{16}$ oz 3/6; $\frac{1}{8}$ oz 6/6	50	— —
⊙ " <i>ceratocaula</i> . . . . .	— 5	4 9	<i>Alégatière</i>		
" <i>cornucopiae</i> . . . . .	— 6	5 9	$\frac{1}{32}$ oz 3/6; $\frac{1}{16}$ oz 6/—; $\frac{1}{8}$ oz 11/—	85	— —
" <i>fastuosa alba plena</i> . . . . .	— 4	3 3	<i>Border- (Ground) Carnations.</i>		
"    " <i>coerulea plena</i> . . . . .	— 3	3 —	<i>Extra double self coloured</i> . . . . .	2 3	31 —
"    "    fl. pl. mixed . . . . .	— 3	2 9	"    " <i>striped in beautiful colours</i>	2 9	38 —
"    " <i>Huberiana alba plena</i>	4	3 7	<i>Early flowering dwarf Vienna, finest strain</i> . . . . .	1 9	23 —
"    " <i>humilis flava plena</i> . . . . .	— 3	3 3	<i>Grenadin</i> , brilliant red, choice quality	2 6	37 6
"    " <i>humilis Golden Queen</i> . . . . .	— 6	6 —	"    white . . . . .	2 6	37 6
⊙ <i>Delphinium Ajacis</i> , see <i>Larkspur</i> .			<i>Margaret Carnations Dam.</i>		
4 " <i>Cardinale</i> . . . . . $\frac{1}{8}$ oz 1/6	10	— —	<i>Malmaison</i> , very large-flowering (require a heavy good soil) . . . . . $\frac{1}{8}$ oz —/9	4 —	56
" <i>chinense</i> . . . . .	— 4	3 7	<i>Semi-high</i> , very double, saved from the finest collection ( <i>Electro</i> ) . . . . .	1 —	14 —
" <i>formosum</i> . . . . .	1 —	— —	<i>Semi-high</i> , very double white . . . . .	2 —	25 6
" <i>hybridum</i> , mixed . . . . .	— 4	3 3	"    "    " <i>rose</i> . . . . .	1 6	19
"    "    fl. pl. double mixed	3 6	— —	"    "    " <i>scarlet</i> . . . . .	1 6	20 —
" <i>sulphureum</i> ( <i>Zalil</i> ) $\frac{1}{8}$ oz —/10	4 6	— —	"    "    " <i>dark red</i> . . . . .	1 6	20
Devil in a bush, see <i>Nigella</i> .			"    "    " <i>purple (violet)</i> .	1 6	20
			"    "    " <i>yellow and yellow-ground</i>		
			$\frac{1}{8}$ oz —/10	5 —	— —
			"    "    " <i>striped</i> . . . . .	2	— —
			The separate colours are still very variable		

	per oz s. d.	per lb. s. d.	
Dwarf, very double, finest mixed . . .	2 6	36 —	
„ Margaret Carnation, newest dwarf double-Chabaud (tige de fer) .	5 6	— —	
⊙ <i>Dianthus chinensis</i> fl. pl. double Chinese Pinks, finest mixed .	— 4	4 —	
⊙ „ <i>imperialis</i> fl. pl. double Imperial Pink, finest mixed . . .	— 4	4 4	

⊙ ***Dianthus Heddegi* (giganteus)**

albus (Queen of Holland) with very large pure white flowers . . .	— 8	8 —
„ <i>plenus</i> , extra . . . . .	— 8	8 —



Margaret Carnation semi-high double. Dam.  
Electro 3/3.

*atrococcineus plenus*, Dam. 1899.

A new dark scarlet extremely fine colour. The plant produces a large number of very double flowers . . .

atrococcineus plenus . . . . .	— 6	6 —
atropurpureus plenus . . . . .	— 8	7 3
Crimson Belle, dark red . . . . .	— 8	8 —
diadematus plenus . . . . .	— 8	8 —
Eastern Queen, rosa . . . . .	— 8	7 3
Mourning Cloak . . . . .	— 8	8 —
nobilis (Royal Pink), new, one of the best single . . . . .	— 8	— —
ornatus, Dam. 1902, new; the petals are deep blood red towards the centre, striped and marbled in dark brown, white the border is white forming a white distinct circle.	10	9 10
single-flowered, best mixed . . . . .	— 5	4 9
double-flowered, „ „ . . . . .	— 7	6 9

	per oz s. d.	per lb. s. d.
⊙ <i>Dianthus laciniatus</i> , single-flowered mixed . . . . .	— 5	4 9
„ „ double mixed . . . . .	— 8	8 —
„ „ Oriental Beauty . . . . .	— 11	— —
„ „ <i>zonalis</i> , new, salmon-red with dark-red . . . . .	1 6	— —
⊙ „ „ <i>rubro striatus</i> Dam. 1898. An extremely pretty kind blooming most profusely and growing about 8 to 10 inches high. The flowers are white, richly striped with lilac-red. A very valuable addition to the collection .	— 10	— —
<i>Dianthus laciniatus</i> Salmon Queen, new, large-flowering, salmon-red	— 9	8 8
„ <i>laciniatus</i> Salmon Queen fl. pl. double flowered . . . . .	— 11	— —
4 „ <i>plumarius</i> , the common Phea- sant eye Pink . . . . .	— 3	1 7
„ „ fl. pl. finest double Garden Pink . . . . .	2 3	— —
4⊙ <i>Didiscus</i> (Huegelia) <i>coeruleus</i> . . .	— 6	6 —
<i>Didymocarpus</i> , see <i>Streptocarpus</i> .		
4 <i>Digitalis</i> (Foxglove)		
„ <i>gloxiniaeflora</i> mixed . . . . .	— 3	2 9
„ <i>maculata</i> <i>superba</i> . . . . .	— 4	3 3
„ <i>purpurea</i> . . . . .	— 2	1 5
g§ <i>Dioclea glycinoides</i> . . . . .	— 5	5 7
4 <i>Diotis candidissima</i> ( <i>Santolina mari- tima</i> ) . . . . .	— 5	5 —
⊙§ <i>Dolichos atropurpureus</i> . . . . .	— 2	— 11
„ <i>bicontortus</i> . . . . .	— 2	— 11
„ <i>helveticus missouriensis</i> . . . . .	— 3	2 —
„ <i>Lablab albus</i> , Hyacinth Bean, white . . . . .	— —	— 10
„ „ <i>giganteus</i> . . . . .	— 2	— 11
„ „ Princess Helene Dam. 1896 new, white, scented, pods wax-white . . . . .	— 2	1 3
„ „ mixed . . . . .	— 2	— 9
g§ „ <i>lignosus</i> . . . . .	— 3	2 5
„ mixed . . . . .	— —	— 7
h <i>Dracaena arborea</i> 1000 seeds 2/—	— —	— —
„ <i>Draco</i> . . . . .	— 5	4 9
Dusty Miller, see <i>Centaurea candi- dissima</i> .		
⊙4§ <i>Ecchremocarpus scaber</i> ( <i>Calampelis</i> )	— 2	2 —
g <i>Echeveria glauca</i> (capsules) . . . . .	1 —	— —
4 <i>Echinacea purpurea</i> 100 seeds —/3	— —	— —
1000 „ 1/9	— —	— —
„ <i>hybrida</i> . . . . .	— —	— —
„ „ <i>superba</i> . . . . .	— —	— —
4 <i>Echinops</i> ( <i>Globe Thistle</i> ) <i>macroce- phalus</i> . . . . .	— 3	2 6
„ <i>sphaerocephalus</i> . . . . .	— 2	1 —
Edelweiss, see <i>Gnaphalium Leonto- podium</i> .		

	per oz s. d.	per lb. s. d.		per oz s. d.	per lb. s. d.
English Clover, see Gomphrena.			4 Felicia abyssinica Dam. 1897 new	1 6	— —
⊙ Erysimum arkansanum . . . . .	— 3	1 5	Feverfew, see Matricaria.		
⊙ " cheiranthoides new.			½ Ficus Cooperi . 1000 seeds 3/—	— —	— —
(Dam. 1900). Dark orange flowers on			" elastica . . 1000 " 2/3	— —	— —
long panicles, blooming for several months	— 3	2 10	" imperialis . 1000 " 3/—	— —	— —
½ Erythrina caffra vera 100 seeds 2/6	— —	— —	" Wrighti 1000 " 3/—	— —	— —
" corallodendron 1000 " 8/6	— —	— —	Fishbone Thistle, see Chamaepeuce.		
" crista galli . . . . .	— 9	10 3	Flora's Paint Brush, see Cacalia.		
" insignis . . . 1000 " 2/6	— —	— —	Flos Adonis, see Adonis aestivalis.		
½ Erythroxyton Coca 100 " 1/10	— —	— —	Flowering Flax, see Linum.		
⊙ Eschscholtzia californica (Californian			" Maple, see Abutilon.		
Poppy) . . . . .	— 3	1 7	Forget me not, see Myosotis.		
" " fl. albo . . . . .	— 3	1 9	Fountain Plant, see Amaranthus		
" " fl. roseo . . . . .	— 3	1 9	salicifolius.		
" " grandiflora carmine	— 4	3 7	Four o'clock, see Mirabilis.		
" " The Golden West	— 3	3 3	Fox glove, see Digitalis.		
" crocea . . . . .	— 3	2 —	4 Fragaria indica . . . . .	1 —	— —
" " fl. pl. double . . . . .	— 4	3 9	g Franseria artemisioides		
" hybrida Mandarin . . . . .	— 4	3 9	100 seeds—/8	— —	— —
" maritima, Cross of Malta	— 4	4 —	1000 " 4 6	— —	— —
⊙ Ethulia conyzoides Dam. 1898 . . . . .	— 4	3 7	g Fuchsia corymbiflora 1000 " —/8	— —	— —
g Eucalyptus amygdalina . . . . .	1 2	13 —	g " " alba 1000 " —/8	— —	— —
g " botryoides . . . . .	1 4	— —	" procumbens 1000 " 2/—	— —	— —
" citriodora . . . . .	4 3	— —	⊙ Gaillardia Amblyodon . . . . .	— 3	2 —
" colosseae . . . . .	3 —	— —	4 " grandiflora . . . . .	— 3	2 9
" gigantea . . . . .	1 6	18 —	" " compacta . . . . .	— 9	8 9
" globulus, Blue Gum . . . . .	1 —	13 —	" " maxitua . . . . .	— 9	8 9
" Gunnii . . . . .	1 2	— —	⊙ " picta (pulchella) . . . . .	— 2	1 5
" marginata (Jarrah) . . . . .	1 6	20 —	" " Lorenziana, best double		
" obliqua . . . . .	1 2	— —	mixed . . . . .	— 3	2 4
" piperita . . . . .	1 6	— —	½ Gardenia florida, clean seed . . . . .	— 8	— —
" resinifera, Red Gum . . . . .	1 4	17 6	⊙ Gaura Lindheimeri . . . . .	— 2	1 7
" robusta . . . . .	1 4	17 6	4 Gazania bracteata pure white, rich-		
" rostrata . . . . .	1 —	12 9	flowering . . 1/8 oz 3/—	20 —	— —
⊙ Eucharidium Breweri, rosy purple	1 2	— —	4 " hybrida Nora, Dam. 1897		
" grandiflorum . . . . .	— 3	2 —	(Electro No. 1). Flowers milk white,		
4 Eupatorium altissimum, Dam. 1898.			with lilac tips, sulphur-yellow at the		
Hardy perennial growing 6 feet high.			base with a large black spot,		
Flowers pure white throughout the			100 seeds 1/2; 1000 seeds 9/—	— —	— —
summer . . . . .	— 10	— —	4 Gazania hybrida Diana, Dam. 1897		
4 Eupatorium serotinum, Dam. 1898.			(Electro No. 2). Upper part of the		
For cutting purposes of the greatest			petals yellowish white, the lower part		
value . . . . .	— 10	— —	changing into chrome-yellow,		
Eupatorium serrulatum, new . . . . .	2 3	— —	100 seeds 1/2; 1000 seeds 9,	— —	— —
g " Weinmannianum . . . . .	2 —	— —	4 Gazania hybrida Blondine, Dam. 1897		
" " tricolor . . . . .	— —	— —	(Electro No. 3). Bright chamois, dark		
g⊙ Euphorbia heterophylla . . . . .	— 11	11 10	orange on the base with white or pale		
⊙ " variegata (marginata) Varie-			yellow spots; the opposite part of the		
gated Spurge . . . . .	— 3	2 6	petals is dark lilac striped,		
½ Euryale ferox, hot-house aquatic,			100 seeds 2/—; 1000 seeds 16/—	— —	— —
similar to Victoria regia			4 Gazania hybrida Bianca, Dam. 1897.		
10 seeds 1/—; 100 seeds 8/—	— —	— —	Flowers at first sulphur-yellow, changing		
⊙ Eutoca viscida . . . . .	— 2	2 —	afterwards into white; slight purple		
Evening Primrose, see Oenothera.			spots at the base of the petals; the		
Everlasting Flower, see Helichrysum.			opposite part of the petals bears a broad		
" Pea, see Lathyrus lati-			blue stripe in the centre. Flowers		
folius.			measuring about 3 in. across		
⊙ Fedia Cornucopiae . . . . .	— 2	2 —	100 seeds 2/—; 1000 seeds 16/—	— —	— —

- 4 *Gazania hybrida* Venus, Dam. 1899.  
 Satiny white flowers with a light yellow hue at the base. The back side of the petals is crossed by a broad greyish green line. This plant differs from *G. nivea* by its shorter and broader petals and also by the greater profusion of flowers, which makes it a worthy addition to the fine varieties introduced by us 3 years ago.  
 100 seeds 2/—; 1000 seeds 16/—



Nr. 1 *Gazania* hybr. Blondine.  
 Nr. 2 Nora.  
 Nr. 3 Diana.  
 Electro 3/3.

- 4 *Gazania pygmaea lutea*. A new form with very large chrome yellow flowers, the petals of which bear on their basis a light yellow spot forming together a circle which produces a striking effect. The petals are at their lower part crossed by a broad grey line. The yellow color of the flowers is not only quite new among *Gazanias* but also extremely handsome. It is a charming novelty which will soon become very popular.  
 100 seeds 1/—; 1000 seeds 7/6
- 4 *Gazania splendens*, a fine, well known plant for carpet-bedding . . . 2 — — —  
 „ *splendens* fol. var. . . . . — — — —  
 100 seeds —/9 1000 seeds 5/6 — — — —  
 „ *stenophylla* (*Gazaniopsis*) . . . 1 3 — —

per oz s. d. per lb. s. d.

- g *Genista canariensis* . . . . . — 10 9 3  
 „ *candicans* . . . . . — 7 — —  
 4 *Gentiana acaulis* . . . . . — 8 8 —  
*Geranium*, see *Pelargonium*.  
 4 *Gerbera Jamesoni* 100 seeds 7/6 — — — —  
 4 *Geum coccineum* . . . . . — 6 — — — —  
 „ „ *atrosanguineum* . . . . . — 10 — — — —  
 ⊙ *Gilia tricolor* . . . . . — — — — 8 — —  
 „ „ *nana compacta* . . . . . — — — — 1 3 — —  
 4 *Glaucium luteum* . . . . . — 3 2 — —  
*Globe amarant*, see *Gomphrena*.  
 „ *Thistle*, see *Echinops*.  
*Glory Pea*, see *Clianthus*.

*Gloxinia hybrida*

- with erect flowers mixed  
 $\frac{1}{32}$  oz 4/—;  $\frac{1}{16}$  oz 7/6;  $\frac{1}{8}$  oz 14/—  
*grandiflora* (*Emperor Frederic*),  
 bright scarlet with broad white borders,  $\frac{1}{32}$  oz 4/9;  $\frac{1}{16}$  oz 8/9;  
 $\frac{1}{8}$  oz 16/9  
*grandiflora Défiance*, scarlet  
 $\frac{1}{32}$  oz 7/—;  $\frac{1}{16}$  oz 13/—;  
 $\frac{1}{8}$  oz 25/—  
 splendid mixed  $\frac{1}{32}$  oz 3/6;  
 $\frac{1}{16}$  oz 6/6;  $\frac{1}{8}$  oz 12/6

- 4 *Gnaphalium Leontopodium* (*Edelweiss*) . . . . . 5 — — — —  
 ⊙ „ *orientale fl. pleno*  $\frac{1}{32}$  oz 1/9;  
 $\frac{1}{16}$  oz 2/9;  $\frac{1}{8}$  oz 4/9 36 — — — —  
 ⊙ *Godetia Bijou*, dwarf, with rose-coloured spot . . . . . — 3 2 9  
 „ *Duchess of Albany*, satin white . . . . . — 4 4 — —  
 „ „ of Fife, dark-red with white . . . . . — 3 2 9  
 „ *Duke of Fife* . . . . . — 3 2 5  
 „ „ of York, scarlet carmine . . . . . — 4 3 7  
 „ *Fairy Queen* . . . . . — 5 4 10  
 „ *Gloriosa*, deep bloodred . . . . . — 5 — — — —  
 „ *grandiflora rosea plena* . . . . . — 6 — — — —  
 „ *Lady Albemarle* . . . . . — 3 2 3  
 „ „ „ *compacta* . . . . . — — — — —  
 „ „ *Satin Rose* . . . . . — 4 3 3  
 „ *Lindleyana fl. pl.* . . . . . — 2 1 10  
 „ *Mandarin*, pale yellow . . . . . — 4 2 9  
 „ *Princess Henry* . . . . . — 3 2 5  
 „ „ of Wales . . . . . — 3 2 — —  
 „ *the Bride* . . . . . — 2 2 — —  
 „ *Whitney Brilliant* . . . . . — 3 2 2  
 „ „ „ *compacta* . . . . . — 3 2 9  
 „ *White Pearl* . . . . . — 2 1 10  
 „ *mixed* . . . . . — 2 1 8  
*Gold Dust*, see *Alyssum saxatile*.  
*Golden Feather*, see *Pyrethrum parthenifolium aureum*.  
 ⊙ *Gomphrena globosa* (*Globe Amarant*) . . . . . — 2 1 3  
 „ „ *alba* . . . . . — 2 1 3  
 „ „ *nana* . . . . . — 2 — 11

	per oz s. d.	per lb. s. d.
Gomphrena globosa mixed . . . . .	2	1 2
"    Haageana, orange . . . . .	2	2 2
Gourds, ornamental, see Cucurbita and Lagenaria.		
g Grevillea robusta . . . . .	10	11 6
Groundsel, see Senecio.		
4 Gymnopsis uniserialis Hook. Grows about 30 inches high. Flowers chrome- yellow, 2 to 3 in. across most abundant on rather long stems, keeping well for a long time. June to September . . . . .	4	3 9
⊙ Gypsophila elegans . . . . .		7
2 "    paniculata . . . . .	4	4
Hardenbergia, see Kennedyya.		
Harpalium rigidum (Helianthus), rich-flowering, beautiful 1/8 oz 1/—	6 9	—
Hawkweed, see Crepis.		
Heartsease, see Viola tricolor maxima.		
⊙ Hebenstreitia comosa serratifolia . . . . .	7	—
⊙ Helianthus (Sunflower).		
"    annuus Bismarckianus, with enormous flowers . . . . .	2	1
"    "    globosus fistulosus . . . . .		1 3
"    "    flore pleno . . . . .		11
"    "    nanus fol. var. (Golden Leaf) . . . . .	3	2 3
"    "    californicus plenissimus . . . . .		1 3
"    "    macrophyllus giganteus . . . . .		8
"    "    Primrose coloured . . . . .		10
"    "    mixed . . . . .	2	1 3
"    argyrophyllus . . . . .		1 3
"    cucumerifolius, small-flowered . . . . .	3	2 5
"    "    Excelsior, flowers cactus- like, with long curled petals . . . . .	3	2 5
"    "    nanus compactus (Per- keo) . . . . .	9	8
"    "    Orion, new . . . . .	6	6
"    "    Giant Star, same as Ex- celsior, but with much larger flowers . . . . .	3	2 6
"    "    Stella, new, pure golden yellow . . . . .	3	2 9
⊙ "    "    Stella grandiflorus, with very large flowers . . . . .	4	4
"    "    white (albiflora) . . . . .	5	
"    "    mixed . . . . .	3	3
"    "    double-flowering . . . . .	9	
"    uniflorus . . . . .		6
4 Helichrysum angustifolium . . . . .	7	7 3
⊙ "    compositum monstro- sum, double large-flowered mixed . . . . .	7	6 3
⊙ Helichrysum compositum nanum plenissimum, dwarf double mixed . . . . .	8	
h Heliotropium peruvianum.		
Anna Turell . . . . .	2 3	
Boule de neige . . . . .	2 3	

	per oz s. d.	per lb. s. d.
h Heliotropium peruvianum (continued).		
Bouquet parfait . . . . .	2 3	
giganteum, large-flowered, dark violet (purple) 1/8 oz —/8	4	
grandiflorum . . . . .	2 5	
Gloire des massifs . . . . .	1 9	
Regina Margarita (Marguerite) 1/8 oz —/10	5 9	
Reine des Violettes . . . . .	2 3	
Roi des noirs . . . . .	2 5	
Umberto, very large-flowering 1/8 oz —/10	5 9	
Voltaireanum . . . . .	2 3	
White Lady . . . . .	2 6	
peruvianum, newest large-flowering varieties mixed . . . . .	1 9	23
⊙ indicum . . . . .	5	



Heterospermum Xanthii.  
Electro 3/6.

4 Helleborus niger, (Christmas Rose)	5	5 3
4 Hesperis matronalis (Sweet Rocket)		
mixed . . . . .		10
"    matronalis fl. alba . . . . .		10
⊙ Heterospermum Xanthii A. Gray (Electro), Dam. 1898. Grows only about 8 to 10 inches high and is therefore most adapted for borders or carpet bedding. Its small flowers are chrome-yellow with a shade of canary- yellow at the end of the petals. They bloom continually from beginning of June to the end of autumn and the flowers appear already 4 weeks after the sowing . . . . .	1 3	
4 Heuchera sanguinea, crimson. . . . .	3 9	
h Hevea brasiliensis . . . . .	1 3	
⊙ Hibiscus africanus . . . . .		1 3
h "    coccineus . . . . .	1	
h "    grandiflorus, mixed . . . . .	4	3 6
g "    moschatus roseus . . . . .	5	4 10

		per oz s. d.	per lb. s. d.
g	Hibiscus mutabilis . . . . .	1 6	— —
g	" palustris . . . . .	— 4	— —
"	" roseus . . . . .	— 4	— —
h	" rosa sinensis . . . . .	1 10	— —
h	" roseus grandiflorus . . . . .	— 7	— —
	Hollyhocks, see Althaea rosca fl. pl.		
	Honesty, see Lunaria biennis.		
	Honeysuckle, French, see Hedy- sarum coronarium.		
	Horn Poppy, see Glaucium.		



Hunnemannia fumariaefolia.  
Electro 3/6.

⊙§	Humulus japonicus, Japanese Hop	— 5	4 6
⊙§	" japonicus variegatis, with white variegated leaves . . . . .	— 5	5 —
4§	" Lupulus, seeds as collected . . . . .	— 2	1 4
⊙4	Hunnemannia fumariaefolia (Electro). A magnificent Papaveracea with large sulphur-yellow flowers, resembling those of the Eschscholtzia and graceful pin- nate leaves, flowering without inter- ruption till late in the autumn; stands several degrees of frost; a really most remarkable plant which fills well its place wherever it is used . . . . .	— 9	8 9
	Hyacinth Beans, see Dolichos.		
⊙	Iberis (Candytuft) affinis . . . . .	— 2	1 7
	" amara . . . . .	— —	— 9

		per oz s. d.	per lb. s. d.
	Iberis coronaria Empress . . . . .	— 4	4 —
	" " regia (hesperidifolia)	— —	— 10
4	" gibraltarica . . . . .	2 6	— —
⊙	" Lagascae . . . . .	— 2	1 5
⊙	" nigricans . . . . .	— 2	1 3
⊙	" odorata (pectinata) . . . . .	— —	— 8
4	" sempervirens . . . . .	— 11	11 —
⊙	" umbellata, lilac . . . . .	— 4	3 3
"	" " white . . . . .	— 3	2 6
"	" " carminea . . . . .	— 8	8 —
"	" " carnea . . . . .	— 5	4 —
"	" " purpurea . . . . .	— 4	3 3
"	" " Queen of Italy . . . . .	— 7	7 3
"	" " Rose Cardinal, bright rose-carmine	1 6	— —
"	" " nana alba . . . . .	— 3	3 3
	Ice Plant, see Mesembrianthemum crystallinum.		

⊙ Impatiens Balsamina flore pleno.  
Balsams.

We offer and guarantee first quality only,  
the growing of these plants being one of  
our specialities.

Double tall Balsams mixed . . . . .	— 3	3 —
-------------------------------------	-----	-----

Double Rose Balsams.

- |                         |                      |
|-------------------------|----------------------|
| 1. Brilliant brick-red, | 8. Pale yellow,      |
| 2. Chamois,             | 9. Pomegranate       |
| 3. Chamois rose,        | 10. Purple;          |
| 4. Dark blue,           | 11. Rose,            |
| 5. Deep blood-red,      | 12. White,           |
| 6. Light blue,          | 13. White with rose, |
| 7. Lilac,               | 14. purple,          |
|                         | 15. scarlet,         |

each separate . . . . .	— 8	7 3
All colors mixed . . . . .	— 5	4 9

Double Camellia Balsams.

- |                       |                  |
|-----------------------|------------------|
| 1. Brilliant rose,    | 6. Purple,       |
| 2. Brilliant scarlet, | 7. Rose,         |
| 3. Crimson,           | 8. Rosy carmine, |
| 4. Light blue,        | 9. Rosy lilac,   |
| 5. Lilac,             | 10. Scarlet,     |

each separate . . . . .	— 8	7 3
All colours mixed . . . . .	— 5	4 9

Improved Camellia Balsams „Prince  
Bismarck“, brilliant salmon-rose . . . . .

Improved Camellia Balsams pure  
white „alba perfecta“ . . . . .

Double dwarf Balsams, splendid mixed

" Solferino Balsams, streaked and  
spotted, mixed . . . . .

" Emperor Balsams . . . . .

Victoria Balsams mixed . . . . .

1 —	14 —
1 —	14 —
— 5	4 6
— 5	4 6
— 5	4 6
— 9	— —

	per oz s. d.	per lb. s. d.
<i>Atrosanguinea plenissima</i> , dark blood-red . . . . .	— 9	— —
Pink-Balsams, striped, mixed . . . . .	— 6	6 —
$\frac{1}{2}$ <i>Impatiens Rodigasi</i> , 100 seeds —/9; 1000 seeds 4/6	— —	— —
$\frac{1}{2}$ " Sultani $\frac{1}{16}$ oz 2/3; $\frac{1}{8}$ oz 4/—	29 —	— —
" " nacré rosé. $\frac{1}{8}$ " 4/6	— —	— —
" " splendens. $\frac{1}{8}$ " 5/3	— —	— —
" " violacea. $\frac{1}{8}$ " 5/3	29 —	— —
" " hybrida, splendid hybrids mixed. $\frac{1}{8}$ oz 4/—	29 —	— —
4 <i>Incarvillea Delavagi</i> . $\frac{1}{8}$ oz —/—	— —	— —
Indian Shoot, see <i>Canna</i> .		
⊙ <i>Ipomoea bona nox</i> . . . . .	— 2	1 8
" <i>campanulata</i> . . . . .	— 3	2 —
⊙ " <i>coccinea</i> . . . . .	— 2	1 3
" " <i>luteola</i> . . . . .	— 2	1 3
⊙ " <i>grandiflora Hesperus</i> , new; a grand new variety of the "Moonflower"; flowers pure white of enormous size; most magnificent . . . . .	2 3	— —
⊙ <i>Ipomoea grandiflora mexicana alba</i>	— 6	6 —
⊙ " <i>hederacea grandiflora alba</i> . . . . .	— 2	1 3
" <i>Huberi variegata Carmen Sylva</i>	— 3	1 7
" " <i>atroviolacea</i>		
" <i>marginata azurea</i> . . . . .	— 2	1 3
" <i>Huberi variegata carminea</i>		
" <i>intus alba</i> . . . . .	— 2	1 3
" <i>Huberi variegata violacea</i>		
" <i>intus alba</i> . . . . .	— 2	1 6
" <i>Huberi variegata</i> , finest mixed	— —	1 3

⊙ ***Ipomoea Mikado***. Dam. 1902.

A new class of marvelous beauty, producing splendid flowers in the greatest variety of colours, measuring often 4 to 5 in. across. The foliage also is highly ornamental, varying in colour from light green to dark green, marbled, striped &c. The plant is of a remarkably vigorous and quick growth, growing in a very short time very high.

blue, carmine, carmine-white-edged, slate-blue, purple, white

each separate . . . . . — 7 6 6  
All colours mixed . . . . . — 6 5 6

⊙ ***Ipomoea imperialis*** Dam. 1893.

A most beautiful class of *Ipomoea* with very large flowers, the colours for the most part absolutely new.

a) With green leaves.

*Adonis*, bright purple with pure white throat . . . . . — 3 2 6  
*Aphrodite*, pure white, giant flowers . . . . . — 3 3 —  
*Asteria*, enormous flowers, copper-red with a white throat . . . . . — 3 3 —  
*Thalia*, pure white . . . . . — 3 3 3

b) With silvery leaves.

	per oz s. d.	per lb. s. d.
<i>Aglaja</i> , crimson with a white throat . . . . .	— 3	3 3
<i>Antigone</i> , very large blue flowers with a rosy throat . . . . .	— 3	3 —
⊙§ <i>Ipomoea imperialis satin-rose</i> . The foliage is of a bright green splashed with silvery white. . . . .	— 6	6 9
<i>Ceres</i> , crimson with a white border . . . . .	— 3	3 6
<i>Euphrosyne</i> , pure white with a rosy throat . . . . .	— 3	3 —
<i>Princess</i> , white, crimson speckled . . . . .	— 3	3 6



*Ipomoea imperialis collata*.  
Electro 3/3.

c) ***Aurata*** (fol. aur. — leaves with a golden hue).

	per oz s. d.	per lb. s. d.
<i>Cleopatra</i> , brilliant carmine with a white throat and border . . . . .	— 4	3 7
<i>Juno</i> , sky-blue . . . . .	— 3	3 —
<i>Luna</i> , very large flowers, dark and light blue and delicate carnation . . . . .	— 3	3 —
the above sorts 3 classes a. b. c mixed . . . . .	— 3	2 9

d) ***Collata*** (Electro).

A most remarkable and beautiful class of the greatest variety of shape and colour, the gigantic flowers are partly curled or frizzled, looking thus, as if they were double.

	per oz s. d.	per lb. s. d.
<i>Alba</i> , pure white . . . . .	— 5	4 5
<i>Carminea</i> , carmine-red . . . . .	— 4	3 9
" <i>albo marginata</i> , with a white border . . . . .	— 4	3 9

	per oz s. d.	per lb. s. d.		per oz s. d.	per lb. s. d.
Diana, dark blue with a white border	— 4	3 9	Lagenaria vulgaris sylvestris (abys- sinica) . . . . .	— 4	2 9
The above sorts mixed . . . . .	— 4	3 4	g Lagerstroemia indica, clean seed . . . . .	1 6	— —
<b>e) Micans.</b>			Lagunaria, see Hibiscus.		
Another wonderful class of Ipomoea imperialis with perfectly smooth stems and leaves; leaves either green or silvery and the variety of colors is most beautiful and striking; <b>finest colours</b> <b>mixed</b> . . . . .	— 4	3 3	g Lantana hybrida grandiflora, fine mixed . . . . .	— 3	2 3
½ Ipomoea Learii, blue . . . . .	— 11	12 —	g§ Lapageria rosea . 1000 seeds 8/9	— —	— —
⊙ " limbata (Pharbitis) . . . . .	— 2	1 3	<b>⊙ Larkspurs.</b>		
⊙ " " hybrida . . . . .	— 2	1 6	Double Imperial branching (Delphi- nium Consolida imperiale) finest mixed . . . . .	— 3	2 9
⊙ " Nil . . . . .	— —	1 —	Double dwarf branching or Cande- labrum mixed . . . . .	— 8	7 3
⊙ " " grandiflora . . . . .	— 2	1 5	Double Hyacinth-flowered giant, finest mixed . . . . .	— 3	2 3
⊙ " purpurea (Morning Glory) Convolvulus major, splendid mixed . . . . . cwt. 48/—	— —	— 7	Double Stock-flowered, mixed . . . . .	— 2	2 —
⊙ " purpurea, 6 distinct colours, each separate . . . . .	— —	— 8	⊙§ Lathyrus odoratus, Sweet Peas mixed . . . . .	— —	— 8
" " fl. albo pleno, double white	— 3	2 6	" " Eckfords new hy- brids mixed . . . . .	— —	— 10
" " fl. carminea plena . . . . .	— 4	3 3	" " Emily Henderson	— 2	1 7
" " fl. carneo plena . . . . .	— 4	3 3	" " Her Majesty . . . . .	— —	1 3
" " fl. violaceo plena . . . . .	— 4	3 3	" " Invincible carmine (Cardinal) . . . . .	— —	1 3
" " flore pleno, double flower- ing mixed . . . . .	— 4	2 9	" " Orange Prince . . . . .	— —	1 5
⊙ " Quamoclit, Cypress Vine . . . . .	— 3	2 —	" " White, pure white	— —	1 3
" " fl. alba . . . . .	— 3	2 —	g Lavatera arborea . . . . .	— 3	2 6
" " fl. rosea . . . . .	— 3	2 —	" " fol. var. . . . .	— 9	— —
⊙ " " hederacea, scarlet	— 3	2 —	⊙ " trimestris fl. albo . . . . .	— 2	1 7
⊙ " rubro-coerulea (violacea vera)	— 9	8 —	" " fl. rubro . . . . .	— 2	1 7
" " " fl. albo . . . . .	— 11	12 —	⊙ Leptosiphon hybridus, mixed . . . . .	— 4	— —
⊙ " sanguinea (Mina) . . . . .	— 3	2 —	⊙ Leptosyne gigantea, a charming deco- rative plant with graceful pinnate foliage and golden-yellow flowers 100 seeds —/4; 1000 seeds 3/—	— —	— —
⊙ Ipomopsis elegans, mixed . . . . .	— 3	3 3	Leptosyne maritima, large flowered, golden-yellow . . . . .	— 6	— —
Italian Bugloss, see Anchusa.			4 Leucanthemum lacustre . . . . .	— 3	2 6
½ Jacaranda mimosaeifolia . . . . .	1	11 6	" maximum (Chrysan- themum) . . . . .	— 4	— —
Jacobaea, see Senecio elegans.			" nipponicum, large-flow- ered white . . . . .	2 6	— —
Jerusalem Star, see Cerastium.			" uliginosum . . . . .	3 9	— —
⊙ Jonopsidium acaule . . . . .	1 9	— —	Ligularia Kaempferi 100 seeds —/6	— —	— —
Joseph's Coat, see Amaranthus tricolor.			⊙ Linaria aparinoides splendens Dam.	— 4	3 3
Jove's Flower, see Agrostemma coronaria.			" Hendersoni ericoides . . . . .	— 4	— —
⊙ Kaulfussia amelloides . . . . .	— 6	— —	" Pancici, new, Dam. 1901, very fine, dwarf with large canary-yellow flowers . . . . .	— 4	— —
g§ Kennedyya nigricans . . . . .	2 4	— —	" reticulata aureo-purpurea . . . . .	— 5	4 4
4 Kuhnia eupatorioides, Dam. 1898. A small shrub with lovely flowers of a creamy white which reproduce them- selves until the autumn . . . . .	1 2	— —	4 Linum grandiflorum roseum . . . . .	— 2	1 7
⊙§ Lagenaria leucantha clavata . . . . .	— 3	2 —	" " rubrum (Scarlet Flax)	— 2	1 7
" " corsica . . . . .	— 3	2 —	4 " perenne . . . . .	— 3	2 —
" " enormis . . . . .	— 3	2 —			
" " maxima . . . . .	— 3	2 —			
" " verrucosa . . . . .	— 3	2 —			
" " var. Gourds of different curious shapes, such as for instance Water- bottle, Tobacco box etc. etc.	— 2	1 6			



	per oz s. d.	per lb. s. d.		per oz s. d.	per lb. s. d.
☉ <b>Lobelia Erinus</b>					
blue . . . . .	— 8	8 —			
Barnards Perpetual, dark blue with a white eye . . . . .	1 3	— —			
Emperor William . . . . .	1 10	— —			
Primadonna . . . . .	2 —	— —			
speciosa (Crystal Palace) . . . . .	— 11	12 —			
compacta Goldelse . . . . .	3 2	— —			
" Crystal Palace . . . . .	1 10	— —			
4 Lobelia cardinalis . . . 1/8 oz 1/2	7 6	— —			
4 " fulgens, best hybrids mixed 1/32 oz 2/9; 1/16 oz 5/—; 1/8 oz 9/3	— —	— —			
" " Queen Victoria 1/32 oz 2/6; 1/16 oz 4/6; 1/8 oz 8/—	— —	— —			
" " Queen Victoria violacea 1/16 oz 3/3; 1/8 oz 6/—	— —	— —			
" Gerardi, violet, very floriferous 1/32 oz 2/6; 1/16 oz 4/6; 1/8 oz 8/—	— —	— —			
" Rivoirei, very large-flowering hybrids . . . . . 1000 seeds 4/3	— —	— —			
☉§ Lophospermum scandens . . . . .	2 3	— —			
☉ Lotus Jacobaeus . . . . .	— 6	5 7			
" " luteus . . . . .	— 6	5 7			
Love Grove, see Nemophila.					
☉ " in a Mist, see Nigella.					
" in a Puff, see Cardiospermum.					
" lies bleeding, see Amaranthus caudatus.					
☉§ Luffa acutangula, Rag or Dish-cloth Gourd . . . . .	— 3	2 7			
" Jacquini . . . . .	— 4	3 2			
" Soly Qua . . . . .	— —	2 4			
4 Lunaria biennis (Moon Wort) . . . . .	— 3	2 7			
☉ Lupinus albo-coccineus nanus roseus " luteus Romulus Däm. . . . .	— 5	— —			
" sulphureus superbus . . . . .	3	2 9			
" tall annual varieties mixed . . . . .	— 4	3 7			
" dwarf " " " . . . . .	— 2	1 7			
Madagascar Periwinkle, see Vinca.					
☉ Malope grandiflora, red . . . . .	— —	1 —			
" " alba . . . . .	— —	1 —			
" " rosea . . . . .	— —	1 —			
g Manihot Glaziovii . . . . .	— 9	7 6			
Marigold, African and French, see Tagetes.					
Marigold Cape, see Calendula pluvialis.					
Marigold Pot, see Sweet Herbs.					
☉ Martynia Craniolaria (formosa, fra- grans) . . . . .	— 3	2 9			
" lutea . . . . .	— 3	2 9			
" proboscidea . . . . .	— 3	2 9			
" " rosea . . . . .	— 3	2 9			
Marvel of Peru, see Mirabilis.					
Mask Flower, see Alonsoa.					
☉4 Matricaria eximea flore pleno . . . . .	— 5	4 —			
" " nana compacta fol. aureis . . . . .	— 8	— —			
" grandiflora flore pleno . . . . .	— 6	6 —			
4 " glauca (Electro). Highly suited to borders and dwarf groups; hardly 6 inches high. Flowers white with a yellow centre; leaves pinnate, silver-grey . . . . .	— 8	— —			
☉§ Maurandia Barkleyana . . . . .	2 —	— —			
" " fl. albo . . . . .	3 3	— —			
" purpurea grandiflora . . . . .	2 —	— —			
" semperflorens . . . . .	1 9	— —			
" mixed . . . . .	1 8	23 —			




Matricaria glauca.  
Electro 3/3.

Medeola, see Myrsiphyllum.					
g Melianthus major . . . . .	2 9	— —			
☉§ Melothria abyssinica, Naud. . . . .	— 10	— —			
" punctata 100 seeds 1/—	— —	— —			
4 Mentha Pulegium, Pennyroyal . . . . .	2 3	— —			
g Mesembrianthemum crystallinum, (Ice Plant) . . . . .	— 3	2 9			
Mesembrianthemum tricolor . . . . .	— 6	6 —			
4 Michauxia campanuloides . . . . .	2 6	— —			
Mignonette, see Reseda.					
h☉ Mimosa pudica (Sensitive Plant) . . . . .	— 6	5 —			
☉ Mimulus cardinalis . . . 1/8 oz —/8	3 6	— —			
" cupreus . . . . . 1/8 " —/8	3 6	— —			
" " Prince Bismarck . . . . .	3 9	— —			
" duplex (hose in hose) mixed . . . . .	2 —	— —			
" moschatus (Musk) . . . . .	2 —	— —			
" " compactus 1/8 oz —/9	5 —	— —			
" tigrinus (pardinus) . . . . .	1 9	— —			
" " grandiflorus (Queen's Prize) . . . . .	2 3	— —			

	per oz s. d.	per lb. s. d.		per oz s. d.	per lb. s. d.
⊙§ Mina lobata, beautiful climber . . .	2	29	h Nelumbium luteum 100 seeds 1/10	—	—
" sanguinea, see Ipomoea sanguinea.	—	—	⊙ Nemesia strumosa Suttoni, very floriferous, highly adapted for borders	—	—
⊙ Mirabilis Jalapa (Marvel of Peru) mixed . . . . .	—	9	1/8 oz 1/3	8	—
" Jalapa fol. variegatis, mixed	—	10	Nemesia strumosa nana compacta	—	—
" " Tom Thumb, white	2	1 3	1/8 oz 3/6	25	—
" " " " tricolor	2	1 3	⊙ Nemophila crambeoides . . . . .	—	1
g Mitraria coccinea 1000 seeds 2/2	—	—	" discoidalis . . . . .	—	1
⊙§ Momordica Balsamina, Balsam Apple	4	2 10	" insignis, blue . . . . .	—	10
" Charantia . . . . .	4	3 3	" " alba . . . . .	—	1
" Elaterium, squirting Cucumber . . . . .	3	2 6	" " purpurea . . . . .	—	1
" involucrata Dam. . . . .	1	12	" maculata . . . . .	—	8
" muricata . . . . .	4	2 9	g Nerium Oleander album clean seed	5	4 9
Monkey Flower, see Mimulus.	—	—	" " roseum " "	4	3
Moon Wort, see Lunaria.	—	—	⊙ Nicotiana affinis . . . . .	4	3 9
Morning Glory, see Ipom. purpurea.	—	—	" colossea, one of the finest ornamental foliage plants	—	—
" Glory Brasilian, see Ipom. setosa.	—	—	1/8 oz 1/6	10	—
Mourning Bride, see Scabiosa.	—	—	" noctiflora var. albiflora	—	—
h Musa Ensete . 1000 seeds 14/—	—	3 9	Dam. 1898 new. . . . .	8	—
" " Italian saved seeds	—	—	" purpurea grandiflora . . . . .	4	3 9
100 seeds 4/—	—	—	" sylvestris, Spegaz. Dam.	—	—
Musa religiosa (Fétiche)	—	—	Flowers pure white . . . . .	7	—
100 seeds 1/9	—	—	⊙ Nierembergia frutescens . . . . .	6	6
" Martini . 100 " 4/—	—	—	" gracilis . . . . .	8	—
" rosacea . . 100 seeds 2/6	—	—	⊙ Nigella damascena nana alba plena	—	10
Musk Plant, see Mimulus moschatus.	—	—	" damascena nana coerulea	—	—
2 Myosotis alpestris, Alpine Forget-me-not . . . . .	10	9 10	plena (Love-in-a-mist) . . . . .	—	11
" " alba . . . . .	10	9 10	" hispanica . . . . .	3	1 7
" " rosea . . . . .	11	—	" " alba . . . . .	3	1 7
" " compacta, blue. . . . .	1	—	" " purpurea . . . . .	3	1 7
" " elegantissima . . . . .	1	—	⊙ Nycteria capensis . . . . .	11	11 3
" " " alba . . . . .	1	—	" selaginoides . . . . .	6	6
" " robusta grandiflora (Elisa Fonrobert)	1	—	4 Nymphaea zanzibariensis . . . . .	8	9
" " Victoria, dwarf compact variety . . . . .	1	8	⊙ Oenothera acaulis vera (Evening-Prinrose) . . . . .	9	—
⊙ " azorica	—	—	" angulata . . . . .	3	2 6
1/16 oz 1/10; 1/8 oz 3/—	21	—	⊙ " Berteriana. Dam. 1900.	—	—
2 " dissitiflora . . . . .	3	9	The plant grows from about 20 to 24 inches high bearing a very great number of lovely long-tubed chrome yellow flowers. The downy leaves are very narrow. Highly adapted for groups . . . . .	3	2 6
" dissitiflora alba . . . . .	3	9	Oenothera Johnsoni Parry. Dam. 1898. This very vigorous annual grows rapidly about 4 feet high producing long panicles of lemon-yellow flowers more than 1/2 inch in diameter . . . . .	3	2
" " Bleu Perfection . . . . .	4	6	" " sulphurea, Dam. 1900. The plant grows about 3 feet high and produces very large sulphur yellow flowers in great abundance . . . . .	3	2
" oblongata (latifolia) . . . . .	9	—	⊙ Oenothera Lamarckiana . . . . .	2	1
" palustris, true. . . . .	1	9 23 9	" " sulphurea, Dam. 1900. The plant grows about 3 feet high and produces very large sulphur yellow flowers in great abundance . . . . .	3	2
" " semperflorens . . . . .	1	9 23 9	Orach, see Atriplex.	—	—
" " " alba . . . . .	2	6			
" " " Fairy-Eye (Water-Fairy) . . . . .	3	9			
" Welwitschii, dwarf, splendid . . . . .	1	9			
Myosotidium nobile, magnificent	—	—			
1/8 oz —/9	4	3			
g§ Myrsiphyllum asparagoides (Medeola, Smilax) . . . . .	9	9 10			
Nasturtium (Indian Cress), see Tropaeolum.	—	—			

	per oz s. d.	per lb. s. d.		per oz s. d.	per lb. s. d.
⊙ Oxalis rosea . . . . . 1/8 oz 1/2	7	6	g Pelargonium Scarlet, golden, tri-		
h " sensitiva (Biophytum)			color, variegated, hybridized,		
1/16 oz 2/9; 1/8 oz 5/—	36	—	100 seeds 1/6; 1000 seeds 13/6		
⊙ " tropaeoloides . . . . .	1	2	Penny Royal, see Mentha Pulegium.		
" Valdiviana . . . . .	—	8	4 Penstemon campanulatus . . . . .	3	2 9
Oxyura chrysanthemoides . . . . .	—	4	" Cobaea . . . . .	1	4
Oxlip, see Primula elatior.			" Hartwegi (gentianoides) mixed		
4 Paeonia arborea (Moutan) fl. pl. . . . .	—	9	varieties . . . . .	1	8
Palma Christi, see Ricinus.			⊙ Perilla nankinensis . . . . .		11
Pansies, see Viola tricolor maxima.			" " fol. atropurpureis		
4 Papaver bracteatum . . . . .	—	5	laciniatis . . . . .	—	2 1 3
⊙ " Danebrog, brilliant scarlet			" " macrophylla crispa		
with large white spots. . . . .	—	—	compacta . . . . .	—	2 1 4
" Danebrog flore pleno . . . . .	—	2	" " macrophylla crispa		
⊙ " glaucum (Tulip Poppy) . . . . .	—	10	elatior . . . . .	—	—
" Mephisto, deep scarlet with			" " laciniatus picta,		
blackish purple spots . . . . .	—	—	Dam. 1899. Under		
" Murselli fl. pl. white, striped			normal conditions the plant grows		
dark. . . . .	—	—	about 2 feet high; the leaves are		
" " Mikado . . . . .	—	2	deeply cut, of a dark brown almost		
4 " nudicaule . . . . .	1	3	black color with very distinct large		
⊙ " paeoniflorum fl. pl. mixed . . . . .	—	—	rose and white stripes . . . . .	—	3 3 3
⊙ " pavoninum (Peacock Poppy)	—	4			
Rhoeas Shirley, single flower-			⊙ <b>Petunia hybrida.</b>		
ing. . . . .	—	—	Alba . . . . .	7	6 10
⊙ " Rhoegas fl. pl. French ranun-			Belle Etoile . . . . .	8	8 6
culus-flowering double mixed			Carmen Sylva . . . . .	—	8 —
somniferum "The Bride",			Carminea intus alba (Adonis)	—	8 —
single flowered white . . . . .	—	—	Compacta nana multiflora . . . . .	1	9 23 —
⊙ " somniferum fl. pl., double			Countess of Ellesmere . . . . .	—	5 4 9
Carnation Poppy, mixed			Inimitable . . . . .	—	8 8 6
" somniferum nanum fl. pl.			" nana compacta multiflora . . . . .	1	—
White Swan . . . . .	—	2	Kermesina splendens . . . . .	—	7 7 3
" somniferum nanum fl. pl.			Venosa . . . . .	—	8 —
brilliant-rose. . . . .	—	2	Violaea . . . . .	—	8 —
" umbrosium (commutatum)	—	2	Vittata, purple lilac, white striped . . . . .	2	—
g Parkinsonia aculeata . . . . .	—	5	Finest mixed, first quality . . . . .	—	6 6
h§ Passiflora coerulea (Passion flower)			⊙ <b>Petunia hybrida grandiflora.</b>		
" " grandiflora . . . . .	—	6	Choicest quality.		
" edulis . . . . .	1	7	Alba . . . . . 1/16 oz 1 6; 1/8 oz 2 6	17	—
" rosacea (incarnata) . . . . .	1	4	Atropurpurea . . . . . 1/16 " 1/9; 1/8 " 2/9	20	—
Pea, Sweet, see Lathyrus odoratus.			Maculata . . . . . 1/16 " 1/9; 1/8 " 2/9	20	—
g Pelargonium hybridum grandi-			Purpurea albo maculata, new		
florum, finest large-flowered, Odier			1/32 oz 1/9; 1/16 oz 2/9; 1/8 oz 4/9	—	—
and Fancy mixed,			" Purple King		
100 seeds 2/3; 1000 seeds 18/—	—	—	1/16 oz 1/9; 1/8 oz 2 10	—	—
g Pelargonium hederacifolium mixed,			Superbissima Prince of Wurtemberg		
100 seeds —/7; 1000 seeds 5/3	—	—	1/32 oz 2/9; 1/16 oz 4/9; 1/8 oz 8/6	—	—
g Pelargonium hederacifolium, double,			Largest-flowered varieties mixed		
mixed,			1/16 oz 1/2; 1/8 oz 1/10	12	6
100 seeds 2/3; 1000 seeds 18/—	—	—			
g Pelargonium Scarlet, choice mixed . . . . .	—	7	⊙ <b>Petunia hybrida grandiflora</b>		
" Scarlet, double-flowered, mixed,			<b>fimbriata.</b>		
100 seeds 1/—; 1000 seeds 7/3	—	—	All colours mixed, choicest quality		
g Pelargonium Scarlet, white varie-			1/16 oz 2/9; 1/8 oz 4/9	—	—
gated-leaved, hybridized,					
100 seeds 2/3; 1000 seeds 18/—	—	—			

	per oz s. d.	per lb. s. d.		per oz s. d.	per lb. s. d.
⊙ <b>Petunia hybrida grandiflora fl. pl.</b> Most carefully fecondated. First quality.					
Double large-flowered mixed (producing about 25 to 30 % of double flowers $\frac{1}{64}$ oz $\frac{5}{3}$ ; $\frac{1}{32}$ oz $\frac{9}{6}$ )	---	---			
Double fringed in great variety mixed (fimbriata) . . . 1000 seeds $\frac{1}{9}$	---	---			
10 000 " $\frac{15}{--}$	---	---			
⊙ Phacelia campanularia . . . . .	5	4 9			
" Emperor William . . . . .	3	2 7			
" Parryi . . . . .	4	3 2			
" tanacetifolia . . . . .	---	1 --			
⊗ Phaseolus Caracalla . . . . .	5	4 9			
⊙ § " ensiformis gigas . . . . .	---	1 --			
Pheasant-eye Pink, see Dianthus plumarius.					
⊙ <b>Phlox Drummondii.</b>					
Alba pura . . . . .	1 --	---			
Coccinea . . . . .	1 --	---			
Extra fine mixed . . . . .	10	11 3			
<b>Phlox Drummondii grandiflora.</b> Collected from largest flowers.					
Alba pura . . . . .	1 3	---			
Atropurpurea . . . . .	1 3	---			
Carminia . . . . .	1 3	---			
Coccinea . . . . .	1 3	---			
Splendens . . . . .	1 3	---			
All the above mixed . . . . .	1 --	12 --			
<b>Phlox Drummondii nana compacta grandiflora.</b> Saved exclusively from dwarf plants.					
Alba . . . . .	4 6	---			
Atropurpurea . . . . .	4 6	---			
Carminia . . . . .	4 6	---			
Chamois rose . . . . .	4 6	---			
Coccinea . . . . .	4 6	---			
" floribunda, Fireball . . . . .	4 9	---			
Coerulea stellata . . . . .	4 6	---			
Hortensiaeflora . . . . .	4 6	---			
Nivea (Snowball) . . . . .	3 9	---			
Victoria . . . . .	3 9	---			
All the above mixed . . . . .	2 6	33 6			
⊙ Phlox Drummondii cuspidata, mixed	1 2	---			
" fimbriata, mixed . . . . .	1 3	---			
4 " perennis (decussata) hybrida, finest large flowering sorts mixed	1 3	16 --			
" perennis (decussata) hybrida, "Eclairer" crimson colour, extremely large-flowering $\frac{1}{8}$ oz $\frac{1}{--}$	6 --	---			
Phlox perennis (decussata) hybrida nana, best new dwarf varieties $\frac{1}{8}$ oz $\frac{--}{8}$	4 6	---			
g Phormium tenax, New Zealand Flax	8	8 --			
" " fol. var. 1000 seeds $\frac{2}{6}$	---	---			
" Veitchii fol. var. 1000 seeds $\frac{4}{--}$	---	---			
⊙ Physalis Alkekengii . . . . .	3	2 6			
" Francheti, with white flowers producing a very large scarlet balloon; highly effective . . . . .	10	10 --			
g§ Physianthus albens . . . . .	5	4 4			
4 Physostegia virginica (speciosa) .	4	4 --			
" " alba . . . . .	1 --	---			
Picotees, see Dianthus Caryo- phyllus.					
Pimpernelle, see Anagallis.					
Pink, see Dianthus.					
" japanese, see Dianthus Heddeewigi.					
g Pittosporum Tobirae . . . . .	8	8 --			
" undulatum . . . . .	5	4 9			
4 Platycodon Mariesi . . . . .	10	---			
" " fl. albo . . . . .	10	---			
h Poinciana Gilliesi Bird of Paradise	7	8 --			
" pulcherrima . . . . .	7	7 9			
" regia . . . . .	6	5 --			
h Poinsettia (Euphorbia) pulcherrima	2 9	---			
Polyanthus, see Primula elatior.					
4 Polygonum lanigerum, perennial species with silvery leaves . . . . .	1 2	---			
4§ " multiflorum . . . . .	9	8 --			
⊙ " orientale (Persicaria) . . . . .	2	1 8			
" " fol. variegatis . . . . .	3	3 3			
" " pumilum fl. albo . . . . .	2	2 --			
Polygonum Posumbu, Dam. 1902, new. (Electro). The plant grows only about 12 to 14 in. high, pro- ducing a mass of dark green glossy leaves somewhat undulated from which emerge the small rosy panicles. Mr. Max Leichtlin writes in the Vienna Illustrated Garden Journal: "The plant is very graceful and it will certainly become a most valuable market plant all the more as it is of the easiest culture . . . . . $\frac{1}{8}$ oz $\frac{--}{9}$	4 6	---			
4 Polygonum sachalinense, very decora- tive most recommendable as green fodder	8	8 3			
⊙ Polypteris callosa, Dam. 1898. Height about 1 foot $\frac{1}{2}$ with a very graceful and showy foliage. Throughout the summer the plant is completely covered with charming rose-lilac flowers. One of the most richly flowering plants .	5	4 9			
Poppy, see Papaver.					

	per oz s. d.	per lb. s. d.		per oz s. d.	per lb. s. d.
<b>Portulacca grandiflora, single.</b>					
Alba . . . . .	— 6	6 —	Coerulea . . . . .	$\frac{1}{32}$ oz 4/—; $\frac{1}{16}$ oz 7/8; $\frac{1}{8}$ " 15/—	— —
Alba rubro-striata . . . . .	— 6	6 —	Coccinea . . . . .	$\frac{1}{8}$ " 4/—	31 —
Aurea . . . . .	— 6	6 —	Gigantea alba pura, largest-flowered 100 seeds 1/—		— —
Bronze . . . . .	— 6	6 —	Kermesina splendens . . . . .	$\frac{1}{16}$ oz 1/6 $\frac{1}{8}$ " 2/6	18 —
Carnea . . . . .	— 6	6 —	Montblanc . . . . .	$\frac{1}{16}$ oz 2/3; $\frac{1}{8}$ " 4/—	27 —
Caryophylloides . . . . .	— 6	6 —	Punctata elegantissima . . . . .	$\frac{1}{16}$ " 1/9 $\frac{1}{8}$ " 3/3	24 —
Coccinea . . . . .	— 6	6 —	Rosea . . . . .	$\frac{1}{16}$ oz 1/6; $\frac{1}{8}$ " 2/5	17 —
Isabellina . . . . .	— 6	6 —	Striatiflora . . . . .	$\frac{1}{16}$ " 1/9; $\frac{1}{8}$ " 2/10	20 —
Rosea . . . . .	— 6	6 —			
Splendens (Gilliesi) . . . . .	— 6	6 —			
Thellusonii (orange) . . . . .	— 6	6 —			
Fine single mixed . . . . .	— 5	4 10			
<b>Double flowering.</b>					
Saved from very double flowers.					
Alba . . . . .	4 6	— —			
Aurea . . . . .	4 6	— —			
Carnea . . . . .	4 6	— —			
Caryophylloides . . . . .	4 6	— —			
Coccinea . . . . .	4 6	— —			
Isabellina . . . . .	4 6	— —			
Kermesina . . . . .	4 6	— —			
Purpurea . . . . .	4 6	— —			
Rosea . . . . .	4 6	— —			
Rubro purpurea . . . . .	4 6	— —			
Splendens . . . . .	4 6	— —			
Sulphurea . . . . .	4 6	— —			
Thellusonii . . . . .	4 6	— —			
Finest mixed, superior quality . . . . .	2 6	33 —			
4 Potentilla hybrida flore pleno, double mixed . . . . .	1 9	— —			
" multiflora semiplena . . . . .	— 7	7 3			
Prickly Poppy, see Argemone.					
4 Primula Auricula (Auriculas) fine mixed $\frac{1}{8}$ oz 1/—	6 —	— —	Polygoum Posumbu. Electro 3/6.		
4 " " extra fine quality from first class flowers $\frac{1}{8}$ oz 1/9	11 —	— —	Urania; stems and flower stalks of a dark blood-red; flowers fringed, dark copper- red; a very fine and most remarkable kind $\frac{1}{16}$ oz 2/6; $\frac{1}{8}$ oz 4/6		
" cortusoides . . . . .	2 —	— —	Fringed mixed, seeds collected exclusively from selected large flowers; first quality $\frac{1}{8}$ oz 2/10		
" elatior, sweet scented Oxlip in beautiful varieties . . . . .	1 4	— —	" mixed, very good quality $\frac{1}{8}$ oz 2/—		
" " (Polyanthus) finest named sorts	1 6	— —	<b>Primula chinensis fimbriata filicifolia.</b>		
" " " gold laced varieties . . . . .	3 3	— —	Alba pura . . . . . $\frac{1}{8}$ oz 4/— 26 —		
" " duplex (hose in hose) $\frac{1}{16}$ oz 1/3; $\frac{1}{8}$ oz 2/—	13 6	— —	Gigantea Perfection white $\frac{1}{32}$ " — — — —		
" obconica (alba) . . . . . $\frac{1}{8}$ " 1/4	9 —	— —	Kermesina splendens . . . . . $\frac{1}{8}$ " 4/— 26		
" " grandiflora $\frac{1}{8}$ " 1/5	9 6	— —	Rosea . . . . . $\frac{1}{8}$ " 3/— 22		
<b>g Primula chinensis fimbriata, Chinese Primrose.</b>					
Choice quality.					
Alba pura . . . . . $\frac{1}{8}$ oz 3/3	22 6	— —	Striatiflora . . . . . $\frac{1}{8}$ " 3/6 25		
" magnifica . . . . . $\frac{1}{8}$ " 4/9	34 —	— —			

Polygoum Posumbu.  
Electro 3/6.

Urania; stems and flower stalks of a dark blood-red; flowers fringed, dark copper-red; a very fine and most remarkable kind  $\frac{1}{16}$  oz 2/6;  $\frac{1}{8}$  oz 4/6

Fringed mixed, seeds collected exclusively from selected large flowers; first quality  $\frac{1}{8}$  oz 2/10  
" mixed, very good quality  $\frac{1}{8}$  oz 2/—

**Primula chinensis fimbriata filicifolia.**

Alba pura . . . . .  $\frac{1}{8}$  oz 4/— 26 —  
Gigantea Perfection white  $\frac{1}{32}$  " — — — —  
Kermesina splendens . . . . .  $\frac{1}{8}$  " 4/— 26  
Rosea . . . . .  $\frac{1}{8}$  " 3/— 22  
Striatiflora . . . . .  $\frac{1}{8}$  " 3/6 25

**Primula chinensis fimbriata flore pleno, double fringed.**

	100 seeds s. d.	1000 seeds s. d.
Alba, double white fringed . . . . .	— 6	4 3
Carminea . . . . .	— 6	4 —
Coccinea . . . . .	— 7	5 6
Kermesina splendens . . . . .	— 7	5 6
Rosea . . . . .	— 6	4 —
Striatiflora . . . . .	— 8	5 6
Double fringed mixed . . . . .	— 6	4 3

	per oz s. d.	per lb. s. d.
Prince's Feather, see <i>Amaranthus hypochondriacus</i> .		
g§ <i>Pueraria Thunbergiana</i> ; most splendid, high-ranking, of Japan, with fine clusters of blue flowers $\frac{1}{4}$ oz —/6	1 6	20 —



*Pyrethrum parthenifolium glaucum.*  
Electro 3/—.

2 <i>Pyrethrum cinerariaefolium</i> . . . . .	— 6	4 10
2 " <i>parthenifolium aureum</i> (Golden Feather) . . . . .	— 6	6 —
" " Golden Gem . . . . .	— 9	8 9
" " laciniatum . . . . .	— 6	6 —
" " selaginoides . . . . .	1 —	12 —
" " glaucum (Electro) . . . . .	— 5	4 —
" roseum hybr. mixed . . . . .	1 6	— —
" " " carmineum . . . . .	1 9	— —
" " " carneum . . . . .	1 9	— —
" " " double mixed . . . . .		
" " $\frac{1}{16}$ oz 2/6; $\frac{1}{8}$ oz 4/3	30 —	— —
" Tschihatschewi, true	1 3	— —

Red-hot-Poker Plant, see *Tritoma*.

• ◉ **Reseda odorata grandiflora**

choicest qualities, a speciality of our firm.		
arborea . . . . .	— 4	3 3
aurea (Golden Queen) . . . . .	— 4	3 —
compacta nana multiflora . . . . .	— 4	3 —

	per oz s. d.	per lb. s. d.
Jewel . . . . .	— 10	— —
Crimson Queen . . . . .	— 4	3 9
Diamond . . . . .	— 5	4 —
Fiammetta, Dam. (Electro) with enormous panicles of very scented flowers of a dark-red hue; the finest . . . . .	— 5	4 —
Gabriele (imperialis, red, large panicles) . . . . .	— 3	2 9
gigantea pyramidalis . . . . .	— 3	2 —
Machet, dwarf compact variety . . . . .	— 5	4 9



*Reseda odorata Fiammetta.*  
Electro 3/10.

Machet, golden yellow . . . . .	— 5	4 9
Ruby . . . . .	1 6	— —
maxima Goliath . . . . .	2 —	— —
meliorata (Crimson Giant) . . . . .	— —	1 —
Miles Spiral . . . . .	— 2	1 8
odorata . . . . . cwt. 85/—	— —	— 10
" grandiflora . . . . . 92/—	— —	1 —
Urania Dam. 1892, with enormous panicles . . . . .	— 3	2 —
Victoria, dark-red . . . . .	— 3	2 —
the above sorts mixed . . . . .	— —	1 9
◉ <i>Rhodanthe maculata</i> . . . . .	1 —	— —
" <i>maculata alba</i> . . . . .	1 3	— —
" <i>Manglesii</i> . . . . .	1 —	— —
" " fl. pl. $\frac{1}{8}$ oz —/10	5 —	— —

◉ **Ricinus (Castor Oil Bean, Palma Christi)**

africanus . . . . .	— —	— 9
borboniensis arboreus . . . . .	— —	— 7

	per oz s. d.	per lb. s. d.		per oz s. d.	per lb. s. d.
cambodgensis, very dark leaved	—	1 —	Salvia splendens Glory of Stuttgart,		
communis major	—	8 —	very large-flowering		
Duchess of Edinburgh	—	9 —	1/8 oz —/10	5 6	—
Gibsoni	—	10 —	" " Ingenieur Clavenad		
" mirabilis	—	1 —	1/8 oz —/8	3 9	—
sanguineus . . . . . cwt. 27/—	—	6 —	" " Prince of Naples .	6 3	—
Zanzibariensis, red seeds	—	9 —	" " Silverspot, new,		
" cinerascens	—	9 —	leaves yellow spotted		
" enormis	—	1 —	1/8 oz 1/6	8 —	—
" mixed	—	9 —	" " Surprise, with a very		
all sorts mixed . . . . . cwt. 27/—	—	6 —	large yellow spot at the base of the		
Rock Lychnis, see Viscaria.			leaves; of quite an extraordinary effect		
Rocket, see Hesperis matronalis.			100 seeds 1/—; 1000 seeds 9/—		
⊙ Romneya Coulteri	4 9	— —	4 Salvia taraxacifolia, Dam. 1899.		
Rose Campion, see Agrostemma.			About 10 inches high; one single plant		
⊙ Rudbeckia bicolor superba	— 5	4 —	will produce about 15 to 20 panicles of		
" " semiplena	— 9	— —	bright lilac flowers with a whitish lip,		
4 " laciniata fl. pl. Goldball			from June to September	1 —	—
splendid, with very large					
flowers 100 seeds 2/—	— —	— —	4 Santolina Chamaecyparissus . . . . .	— 5	4 10
4 " Neumannii.	3 —	— —	⊙ Sanvitalia procumbens . . . . .	— 5	4 10
4 " radula, golden yellow with			" " fl. pleno, double . . . . .	— 6	6 3
a black centre	1 9	— —	" " plenissima compacta	— 8	—
4 Ruellia tuberosa, Dam. 1895;			4 Sapindus Saponaria . . . . .	— —	— 8
very bushy, dwarf and rich flowering;			⊙ Saponaria multiflora (calabrica). . . . .	— 3	2 —
the numerous Bignonia-like flowers are			" " Scarlet Queen	— 3	2 9
of blue colour, standing above the			Satin Flower, see Lunaria biennis.		
foliage. To be sown early in the stove;			⊙ Scabiosa (Scabious) atropurpurea fl.		
the plant will then flower in July,			pl. mixed . . . . .	— —	1 9
lasting until Christmas, magnificent	1 3	— —	" atropurpurea grandiflora com-		
Sage, see Salvia.			compacta fl. pl. mixed	— 4	3 9
⊙ Salpiglossis variabilis fine mixed . . . . .	— 6	6 —	" " major fl. pl. large		
" variabilis grandiflora, large			flowered, mixed . . . . .	—	1 9
flowered mixed . . . . .	— 8	8 —	" " major fl. pl. Giant		
" " nana, dwarf mixed . . . . .	— 6	6 —	King of the Blacks	— 3	2 —
" " superbissima, mixed . . . . .	1 3	18 —	" " maxima fl. pl. The		
4 Salvia argentea, true . . . . .	— 2	1 4	Fairy, with large		
⊙ " coccinea . . . . .	— 3	2 6	azure-blue flowers . . . . .	— 6	5 9
" grandiflora . . . . .	— 4	3 3	" " nana, double dwarf		
" lactea, pure white . . . . .	— 6	6 —	mixed . . . . .	— 2	1 6
⊙ " " nana, Dam.			" brachiata, Dam. 1899. A most		
1899. A dwarf form of the lovely			valuable plant for cutting pur-		
S. coccinea lactea growing only about			poses, commencing to bloom		
16 to 20 inches high and bearing in			already in the month of May;		
great number pure white flowers al-			its charming pale blue flowers		
ready in June which last until frost			last a long time . . . . .	10	— —
sets in; most valuable for groups . . . . .	— 9	— —	" hybrida Victoria (Sc. atro-		
⊙ Salvia farinacea . . . . .	— 5	— —	purpurea × Columbaria),		
" " alba . . . . .	— 10	— —	finest mixed . . . . .	— 3	2 —
" officinalis, see Sweet Herbs &c.			4 " caucasica . . . . .	3 —	— —
⊙ " Roemeriana . . . . .	1 3	— —	⊙ Schizanthus Grahami carmineus . . . . .	4	4 —
" Sclarea, see Sweet Herbs &c.			" grandiflorus oculatus . . . . .	2	1 7
4 " silvestris . . . . .	— 3	1 8	" " mixed . . . . .	2	1 7
4 " splendens . . . . .	2 6	36 —	" papilionaceus . . . . .	— 2	1 7
" Alfred Ragueneau			" pinnatus mixed . . . . .	2	1 10
1/8 oz —/10	5 3	— —	§ Schubertia grandiflora, a splendid		
" compacta nana			climber with white scented flowers		
1/8 oz —/8	3 9	— —	100 seeds 2/—; 1000 seeds 16/—		
			Sea Lavender, see Statice.		

	per oz s. d.	per lb. s. d.		per oz s. d.	per lb. s. d.
⊙ Senecio elegans plenissimus (Jacobaea double) splendid mixed	1 3	— —	g Solanum robustum . . . . .	1 4	— —
" elegans nanus plenissimus, dwarf mixed . . . . .	1 3	— —	g§ " Seafortianum 1/8 oz —/8	4 6	— —
Sensitive Plant, see Mimosa pudica.			g " Warscewiczii . . . . .	— 10	— —
⊙§ Sicyos angulata . . . . .	— 3	1 7	Spartium (Genista) see Tree seeds.		
⊙ Silene pendula (rosea graeca) . . . . .	— —	— 7	Spiderwort, see Cleome,		
" " alba. . . . .	— —	— 7	Spurge, variegated, see Euphorbia variegata.		
" " Bonnetti . . . . .	— —	— 7	g Stapelia variegata finest mixed		
" " compacta fl. pl. . . . .	— 4	4 —	1000 seeds 1/4	— —	— —
" " carnea plena . . . . .	— —	— 10	Standing Cypress, see Ipomopsis.		
" " Thusnelda Dam. 1896; with long branches of golden yellow foliage and thousands of lovely rose-coloured flowers. . . . .	— 3	1 7	⊙ Statice Bonduelli, yellow . . . . .	— —	1 —
Silene pendula compacta rosea . . . . .	— 3	1 3	4 " caspia; one of the finest, with purple flowers . 1/8 oz —/7	3 3	— —
" " " alba plena Dam. . . . .	— 3	1 7	4 " latifolia . . . . .	— 4	3 3
" " " fol. aureis, golden leaved . . . . .	— 4	2 9	⊙4 sinensis, Dam. 1901 (Electro)		
" " " Empress of India, large, dark rose flowering . . . . .	— 3	2 —	An exceedingly graceful plant the flowers of which will be found most valuable for all floral decorations. The flower stalks are about 16 to 20 inches high, and the panicles which are produced in great profusion bear flowers somewhat resembling those of Statice sinuata, but they are far more graceful and charming. Their color is pure white alternated with canary-yellow, of a very pretty effect. The flowers are equally useful both fresh and dry. If sown in March the plant begins flowering already in June . . . . .	2 6	— —
" pendula compacta fol. aur. Venus, Dam. 1898. With yellow foliage, and pure white flowers this very nice plant is extremely adapted for carpet bedding . . . . .	— 3	2 —	⊙ " sinuata, blue . . . . .	— —	— 11
Silene pendula compacta Luna Dam. 1896; very compact; flowers of a delicate carnation colour; foliage golden yellow . . . . .	— 4	2 6	" " candidissima . . . . .	— —	— 11
Silene pendula compacta ruberrima . . . . .	— —	1 —	" " rosea . . . . .	— —	— 11
" " compacta ruberrima fl. pleno . . . . .	— —	1 2	⊙ Suworowii . . . . .	— 5	4 —
" " compacta Snow King, large pure white flowers . . . . .	— 3	2 —	4§ Stephanotis floribunda		
" " ruberrima . . . . .	— —	— 8	100 seeds 1/9		
" " " flore pleno . . . . .	— 2	1 2	1000 " 14/6	— —	— —
g Skimmia japonica . . . . .	— 7	7 3	⊙ Stevia Eupatoria . . . . .	— 6	4 9
Smilax, see Myrsiphyllum.			⊙ " Lindleyana . . . . .	— 6	6 3
Snapdragon, see Antirrhinum.			4 " odorata (salicifolia) . . . . .	1 10	— —
⊙ Solanum atropurpureum . . . . .	— 5	5 3	4 " purpurea . . . . .	— 6	— —
4 " Balbisii . . . . .	— 4	3 6	4 " serrata, white . . . . .	— 10	— —
4 " cabiliense argenteum (marginatum) . . . . .	— 5	4 3	Stocks, see page 28.		
g " Capsicastrum . . . . .	— 4	3 3	Stoncrop blue, see Sedum coeruleum.		
" " nanum . . . . .	— 5	3 7	4 Strelitzia Augusta 100 seeds 10/6	— —	— —
4 " Dammannianum			" Reginae 100 " 10/6	— —	— —
100 seeds —/9	— —	— —	4 Streptocarpus Rexii 1/32 oz 2/9	— —	— —
4 " dublosinuatum . . . . .	1 —	— —	1/16 oz 4/9; 1/8 " 8/6	— —	— —
g " Farini . . . 1/8 oz —/10	5 —	— —	" Wendlandi, light blue, large leaves		
⊙ " Gilo . . . . .	— 4	3 5	1/32 oz 2/9; 1/16 oz 4/9; 1/8 oz 8/6	— —	— —
⊙ " guineense . . . . .	— 2	2 —	4 Streptocarpus, newest hybrids mixed		
g " Hendersonii . . . . .	— 5	4 10	1/32 oz 5/3; 1/16 oz 9/3; 1/8 oz 17/6	— —	— —
g " laciniatum . . . . .	4 —	4 —	Summer Cypress, see Kochia scoparia.		
" mors elephantum . . . . .	— 6	5 6	Sun Drops, see Oenothera.		
g " pseudo-Capsicum . . . . .	— 4	3 3			
g " pyracanthum . . . . .	2 3	— —			



	per oz s. d.	per lb. s. d.
Sunflower, see <i>Helianthus annuus</i> .		
Sun Rose, see <i>Helianthemum</i> .		
g <i>Sutherlandia frutescens</i> , one of the most splendid and decorative small shrubs, with fine scarlet flowers, throughout the summer. . . . .	1 6	— —
g <i>Swainsonia alba</i> . 1000 seeds 2/—	— —	— —
" <i>Andersoni</i> . 1000 " 1/5	— —	— —
" <i>coronillaefolia</i> 1000 " 1/3	— —	— —
" <i>galegifolia</i> . 1000 " 1/3	— —	— —
" <i>Greyana</i> . 1000 " 1/—	— —	— —
" best sorts mixed 1000 " 1/—	— —	— —
Swallow wort, see <i>Asclepias</i> .		
Swan River Daisy, see <i>Brachycome</i> .		
Sweet Alyssum, see <i>Alyssum Benthami</i> .		
" Pea, see <i>Lathyrus odoratus</i> .		
" Scabious, see <i>Scabiosa</i> .		
" Sultan, see <i>Centaurea moschata</i> .		
" William, see <i>Dianthus barbatus</i> .		
⊙ <b>Tagetes erecta fl. pl.</b> <b>Double African Marigold.</b>		
Finest best varieties mixed . . . . .	— 3	2 5
<b>Tagetes patula, single.</b>		
Best varieties mixed . . . . .	— 2	1 5
⊙ <b>Tagetes patula fl. pl.</b> <b>Double French Marigold.</b>		
Dwarf double mixed, best sorts . . . . .	— 2	1 10
Double tall mixed, " " . . . . .	— 2	1 7
<i>Tagetes signata pumila</i> . . . . .	— 4	3 7
" " " Golden Ring, pure golden yellow . . . . .	— 4	4 —
" sulphurea, pure sulphur yellow . . . . .	— 5	4 10
Tassel Flower, see <i>Cacalia</i> .		
g§ <i>Tecoma radicans</i> ( <i>Bignonia</i> ) . . . . .	— 8	— —
g§ " <i>Stans</i> ( <i>Bignonia</i> ) . . . . .	— 10	— —
g " <i>Smithi</i> . . . . . 1/4 oz 1/6	5 —	— —
Thrift, see <i>Armeria</i> .		
⊙§ <i>Thunbergia alata nanking</i> , with black eye. . . . .	1 —	— —
" <i>alba</i> , pure white with black eye . . . . .	1 —	— —
⊙§ " <i>alata aurantiaca</i> , golden yellow with black eye . . . . .	1 —	— —
" <i>alata mixed</i> . . . . .	10	10 9
h§ " <i>grandiflora</i> . 1000 seeds 10/—	— —	— —
⊙h <i>Torenia Baillonii</i> . . . . . 1/8 oz 2/5	18 —	— —
⊙h " <i>Fournieri</i> ( <i>edentula</i> ) . . . . .	3 9	— —
" " <i>alba</i> ( <i>White Wings</i> ) . . . . .	3 9	— —
" " <i>coelestina grandiflora</i> 1/8 oz —/10 . . . . .	5 —	— —
" " <i>compacta</i> 1/8 " 1/2 . . . . .	7 6	— —
" " <i>alba</i> 1/16 " 2/3 . . . . .	— —	— —
" " " 1/8 " 3/9 . . . . .	— —	— —

	per oz s. d.	per lb. s. d.
<i>Torenia Fournieri</i> comp. <i>coelestina</i> 1/16 oz 2/—; 1/8 oz 3/6	25 —	— —
" " <i>grandiflora</i> 1/8 oz —/10	5 3	— —
Touch me-not, see <i>Balsam</i> .		
<i>Tournefortia heliotropioides</i> . . . . .	— 8	— —
⊙ <i>Trachelium coeruleum</i> . . . . .	1 2	— —
" " <i>album</i> . . . . .	1 3	— —
Tree Cypress, see <i>Ipomopsis</i> .		
⊙§ <i>Trichosanthes Anguinea vera</i> . . . . .	— 3	2 3
" <i>coccinea</i> . . . . .	— 3	2 6
" <i>colubrina</i> . . . . .	— 3	2 6
" <i>cucumerina</i> . . . . .	— 3	2 3
" <i>palmata</i> . . . . .	— 3	2 6



*Statice sinensis.*  
(Electro 3.6.)

<i>Tridax gaillardoides</i> , new, Dam. 1901; producing a profuse number of single flowers measuring about one inch and 1/2 in diameter, of a chrome-yellow color with white border. This new form is specially remarkable for its very large number of flowers at an unusually early time which makes it most valuable as an early bedding plant. . . . .	— 10	— —
Tritoma, see <i>Kniphofia</i> .		
⊙§ <i>Tropaeolum canariense</i> ( <i>peregrinum</i> ) Canary Creeper . . . . .	— 5	4 10
<b>Tropaeolum Lobbianum</b>		
<i>cardinale</i> . . . . .	3	2 5
<i>Crown Prince</i> . . . . .	3	2 5

	per oz s. d.	per lb. s. d.
Duc de Vicence . . . . .	— 3	2 —
fulgens . . . . .	— 3	2 5
Hookeri . . . . .	— 3	2 5
Lilli Smith . . . . .	— 3	2 5
Lucifer . . . . .	— 3	2 5
luteum . . . . .	— 3	2 9
Queen Victoria . . . . .	— 3	2 5
Roi des noirs . . . . .	— 3	3 2
Spitfire . . . . .	— 3	2 5
Triomphe de Gand . . . . .	— 3	2 5
Zanderi nigrum . . . . .	— 3	2 5
mixed in splendid varieties . . . . .	— —	1 6

**Tropaeolum majus nanum**  
(Tom Thumb)

Chamaeleon . . . . .	— 4	4 —
Empress of India, dark scarlet . . . . .	— 3	2 9



Verbena erinoides.  
Electro 25.

King of Tom Thumb, scarlet . . . . .	— 3	2 2
„ Theodore, dark red . . . . .	— 3	1 9
Ruby King . . . . .	— 3	2 —
Spotted King, dark-leaves . . . . .	— 3	2 —
Vesuvius, salmon-rose . . . . .	— 4	4 —
best sorts mixed . . . . .	— —	— 10

Trumpet Flower, see Datura.

g§ Vallaris dichotoma, a beautiful climber for the conservatory, with large snow white flowers . . . . . 100 seeds 1/9

Venus Looking Glass, see Campanula Speculum.

Venus Navel wort, see Cynoglossum linifolium.

o) Verbena Aubletia candidissima, new, pure white . . . . . 1 3 — —  
 „ „ grandiflora . . . . . — 3 2 5  
 „ ciliata Dam. 1899. Resembling for its habit and shape of flowers the Verbena erinoides and it is an equally free bloomer,

	per oz s. d.	per lb. s. d.
only its leaves are less deeply cut and its flowers are of a very bright lilac . . . . .	— 9	— —
Verbena Drummondii (montana) . . . . .	— 4	3 2
„ erinoides (Electro) . . . . .	— 8	7 3
„ „ alba, white, . . . . .	1 —	— —
„ pulchella . . . . .	— 3	2 2
„ teucroides (Niveni) . . . . .	— 3	2 5
„ venosa . . . . .	— 3	2 5

**Verbena hybrida.**

Finest mixed . . . . .	— 9	8 7
Extra selected quality . . . . .	1 —	13 9
Auriculae flowered sorts with large white eye, first class flowers . . . . .	1 —	13 9
Alba . . . . .	— 10	9 10
Atroviolacea . . . . .	— 10	9 10
Candidissima . . . . .	— 11	11 3
Coccinea . . . . .	1 —	12 6
Coerulea . . . . .	— 10	9 10
Défiance, fiery scarlet . . . . .	1 3	15 10
Purple Cloak . . . . .	1 2	— —
Striata, Italian striped . . . . .	1 —	11 10

**Verbena hybrida grandiflora**  
(Mammoth)

dark scarlet . . . . .	— —	— —
Firefly . . . . .	— —	— —
rose and carmine . . . . .	1 3	— —
white . . . . .	1 2	— —
finest colours mixed . . . . .	1 —	11 10

**Verbena hybrida compacta (erecta).**

Candidissima . . . . .	1 6	— —
Dark blue . . . . .	1 6	— —
Défiance . . . . .	3 —	— —
Splendid mixed . . . . .	1 4	17 6
4 Verbesina virginica, Dam. 1897. With numerous white flowers . . . . .	1 6	— —
4 Vernonia arkansana, Dam. 1898. With very nice purple flowers; splendid for cutting . . . . .	— 10	— —
h Victoria regia . . . . . 100 seeds 14/6	— —	— —
h⊙ Vinca rosea, Madagascar Periwinkle . . . . .	— 8	8 —
„ „ alba oculata . . . . .	— 8	8 —
„ „ alba pura . . . . .	— 8	8 —
„ „ mixed . . . . .	— 7	7 6
4 Viola cornuta . . . . .	1 3	— —
„ „ alba . . . . .	1 3	— —
„ „ Admiration . . . . .	2 6	— —
„ „ Blue Perfection . . . . .	2 3	— —
„ „ Papilio . . . . .	1 6	— —
„ odorata, semperflorens . . . . .	— 9	8 6
„ „ semperflorens fl. albo . . . . .	— 11	11 10
„ „ „ the Czar . . . . .	1 7	— —
„ „ „ „ fl. albo . . . . .	1 7	— —

⊙ **Viola tricolor maxima. Pansies.**

Seeds saved from the best flowers only.

	per oz s. d.	per lb. s. d.
All colours mixed . . . . .	— 10	9 10
English show (faced) varieties mixed .	— 11	11 10
Large-flowered French varieties mixed	1 —	13 9
Cassier, three and five blotched giant	2 —	29 —
Bugnots largest flowered . . . . .	1 10	25 —
Alba pura (Schneewittchen) . . . . .	— 10	— —
Azure blue . . . . .	— 10	— —
Cardinal . . . . .	1 —	— —
Dark blue . . . . .	— 10	— —
Emperor William . . . . .	— 10	— —
Dr. Faust, pure black . . . . .	— 10	— —



*Zinnia elegans grandiflora laciniata fl. albo pl.*  
Electro 4/5.

King of the Blacks . . . . .	— 10	— —
Lord Beaconsfield . . . . .	— 10	— —
Meteor, reddish brown . . . . .	— 10	— —
Odier Prize Pansies . . . . .	1 —	— —
Prince Bismarck . . . . .	— 10	— —
Pure yellow . . . . .	— 10	— —
Victoria, red . . . . .	— 10	— —
White, dark centre . . . . .	— 10	— —
Yellow, dark centre . . . . .	— 10	— —

⊙ **Viola tricolor maxima Trimardeau, Giant Pansies.**

(Seeds collected from the largest flowers only; quite especially recommended.)

Auriculaeflora . . . . .	1 6	— —
Azure-blue . . . . .	1 4	— —
Emperor William . . . . .	1 4	— —

	per oz s. d.	per lb. s. d.
King of the Blacks . . . . .	1 10	— —
Lord Beaconsfield . . . . .	1 4	— —
Pure yellow . . . . .	1 9	— —
Pure White . . . . .	1 4	— —
White with dark centre . . . . .	1 4	— —
Yellow with dark centre . . . . .	1 9	— —
Striata . . . . .	1 4	— —
All colours mixed . . . . .	1 6	18 —

Virginian Stocks, see *Cheiranthus maritimus*.

Wallflower, see page 28.

Water Lily, see *Nymphaea*.

⊙ <i>Whitlavia grandiflora</i> . . . . .	— —	1 4
"    " <i>alba</i> . . . . .	— 3	1 4



*Zinnia spectabilis miniata.*  
Electro 3/3.

h <i>Wigandia caracasana</i> . . . . .	— 8	— —
Woodroof, see <i>Asperula</i> .		
⊙ <i>Xanthocephalum gymnospermoides</i> , new, Dam. 1901, with double chrome- yellow flowers measuring about 1 inch in diameter. The plant is of a bushy habit and grows about 3 feet high. Its flowering period is an unusually long one, and it is specially adapted for large groups and for table and house decoration. . . . .	— 6	— —
⊙ <i>Xeranthemum annuum superbissim-</i> <i>um album fl. pl.</i> . . . . .	— 8	— —
<i>Xeranthemum annuum superbissim-</i> <i>um roseum fl. pl.</i> . . . . .	— 8	— —
<i>Xeranthemum annuum superbissim-</i> <i>um rubrum fl. pl.</i> . . . . .	— 8	— —

	per oz s. d.	per lb. s. d.
Youth and Old age, see Zinnia.		
Yucca, see page 20.		
⊙ Zinnia Darwini fl. pl. finest mixed . . . . .	— 3	3 3

⊙ **Zinnia elegans.**

Single flowered mixed . . . . .	— 2	1 5
---------------------------------	-----	-----

⊙ **Zinnia elegans grandiflora plenissima.**

The flowers of our Zinnias are quite enormous, for which they have gained a world wide reputation.

Finest double mixed . . . . .	— 3	2 9
Alba . . . . .	— 3	3 3
Atrococcinea . . . . .	— 3	3 3
Atropurpurea . . . . .	— 3	3 3



Zinnia elegans pygmaea flore pleno.  
Electro 4/—.

Aurea . . . . .	— 3	3 3
Carminea . . . . .	— 3	3 3
Carnea . . . . .	— 3	3 3
Coccinea . . . . .	— 3	3 3
Lilacina . . . . .	— 3	3 3
Lutea . . . . .	— 3	3 3
Rosea . . . . .	— 3	3 3

**Zinnia elegans pumila (nana Tom Thumb) plenissima.**

Finest mixed . . . . .	— 3	3 3
Alba . . . . .	— 4	3 6
Atrococcinea . . . . .	— 4	3 6
Aurantiaca . . . . .	— 4	3 6
Aurea . . . . .	— 4	3 6
Carminea . . . . .	— 4	3 6
Coccinea . . . . .	— 4	3 6
Purpurea . . . . .	— 4	3 6

	per oz s. d.	per lb. s. d.
Rosea . . . . .	— 4	3 6
Salmonea . . . . .	— 4	3 6
Sulphurea . . . . .	— 4	3 6
Violacea . . . . .	— 4	3 6

**Zinnia elegans robusta grandiflora plenissima.**

Double large flowered in splendid mixture . . . . .	— 4	3 7
Aurea . . . . .	— 5	4 —
Atrococcinea . . . . .	— 5	4 —
Carminea . . . . .	— 5	4 —
Carnea . . . . .	— 5	4 —
Coccinea . . . . .	— 5	4 —
Lilacina . . . . .	— 5	4 —
Lutea . . . . .	— 5	4 —
Rosea . . . . .	— 5	4 —
Salmonea . . . . .	— 5	4 —
Violacea . . . . .	— 5	4 —

Zinnia elegans fl. pl. Reginae, new; the petals are of a peculiar shape. . . . . — 4 3 2

Zinnia elegans fl. pl. "Iris". Contrary to the well known striata form from which our splendid new introduction is absolutely different, the ground color of the flowers is of a pale yellow, while the petals are striped, spotted and speckled in various shades of carmine, crimson, pink and minium red. The plants grow to a medium height and the flowers measure about 2<sup>1</sup>/<sub>2</sub> inches across. — 5 4 —

**Zinnia elegans grandiflora laciniata fl. pl., Dam. (Electro.)**

A splendid new class! The petals of the perfect shaped flowers are as is shown in our cut more or less deeply cut, a fact never met before with any Zinnia. The habit of the plant and shape of the flowers is exactly that of the Z. elegans fl. pl.

Alba . . . . .	— 5	4 10
Carnea . . . . .	— 5	4 10
Carminea . . . . .	— 5	4 10
Rosea . . . . .	— 5	4 10
Mixed . . . . .	— 5	4 6

**Zinnia elegans spectabilis fl. pl. Dam. (Electro.)**

The petals of this new class are of a peculiar form, being slightly folded up, forming a kind of canal. The flowers are very large, globe-shaped and most elegant.

Miniata, minium colour . . . . .	— 4	3 7
Cupreata, copper red . . . . .	— 4	3 7



	per oz s. d.	per lb. s. d.		per oz s. d.	per lb. s. d.
Pennisetum longistylum . . . . .	— 3	2 5	4 Uniola latifolia . . . . .	— 5	5 3
"    violaceum . . . . .	— 3	2 5	Zea gracillima (minima) . . . . .	— —	— 6
"    macrurum; a gigantic grass, resembling the Glycerium argenteum . . . . .	— 5	4 10	"    "    fol. var. . . . .	— —	— 7
PennisetumRueppellianum, Dam. 1893 (Electro), one of the finest and most graceful grasses, producing a great number of the most lovely spikes . . . . .	— 4	4 —	"    japonica fol. var., striped Japanese Maize . . . . .	— —	— 4
Quaking Grass, see Briza maxima.			"    "    gigantea quadricolor new. Dam. 1896; a gigantic varie- gated-leaved, highly decorative kind and much superior to the old Z. jap. vol. var.; leaves bright green, silver-white, sulphur- yellow and rose striped; most effective . . . . .	— —	— 10
4 Scirpus natalensis . . . . .	— 6	— —	Zea tunicata fol. var. . . . .	— —	1 7
4 Stipa elegantissima . . . . .	1 —	— —			
"    pennata (Feather Grass) . . . . .	— 6	5 3			

### XIII. Seeds of Bulbs and Roots.

	per oz s. d.	per lb. s. d.		per oz s. d.	per lb. s. d.
Agapanthus umbellatus . . . . .	— 9	— —	Freesia Leichtlini . . . . .	— 3	2 4
Brodiaea mixed . . . . .	1 2	— —	"    refracta alba . . . . .	— 4	3 3
Convallaria japonica . . . . .	— 4	1 9	"    splendid mixed . . . . .	— 3	2 —
Cyclamen neapolitanum . . . . .	1 3	— —	Gladiolus gandavensis, French in splendid varieties mixed . . . . .	— 8	8 6
"    persicum, fine mixed . . . . .	2 6	— —	"    Lemoinei hybridus, best mixed . . . . .	— 8	8 6
<b>Cyclamen persicum giganteum.</b> (seeds collected from giant flowers only)			"    Nanceianus, fine mixed 1000 seeds 5/— . . . . .	— —	— —
sanguineum . 1000 seeds 8/9 . . . . .	— —	— —	"    European and Asiatic varieties mixed . . . . .	— 3	2 5
roseum . . . 1000 " 8/— . . . . .	— —	— —	Hyacinthus candicans (Galtonia) . . . . .	— 3	2 —
Emperor William 1000 " 8/— . . . . .	— —	— —	Ixia hybrida, a fine collection mixed . . . . .	1 —	— —
Montblanc, pure white 1000 seeds 8/9 . . . . .	— —	— —	Kniphofia (Tritoma) Red-hot-poker- plant Uvaria (aloides) nobilis . . . . .	1 —	— —
universum, white with a red eye 100 seeds 1/— . . . . .	— —	— —	Lilium auratum, true . . . . .	1 3	— —
splendid mixed 1000 " 8/— . . . . .	— —	— —	Paeonia sinensis fl. pl., double mixed . . . . .	1 2	13 9
1/16 oz 1/—; 1/8 oz 1/10 . . . . .	12 —	— —	Ranunculus asiaticus superbissimus fl. pl. mixed . . . . .	— 4	3 3
Papilio . . . . 100 seeds 4/3 . . . . .	— —	— —	Richardia albo-maculata . . . . .	— 9	— —
			Tulipa Greigii hybrida, mixed . . . . .	1 10	— —

### XIV. Seeds of Cannas.

	per oz s. d.	per lb. s. d.		per oz s. d.	per lb. s. d.
<b>a. Gladioli-flowered.</b>			Beauté Poitevine . . . . .	— 6	— —
Abricot . . . . .	— 4	3 3	Boucharlat ainé . . . . .	— 4	3 3
Ajax, Dam. . . . .	— 3	2 10	Camille Bernardin . . . . .	— 6	— —
Alkmene, Dam. . . . .	— 3	3 —	Ch. Paul, red-leaved . . . . .	— 6	— —
Ami Jules Crétin . . . . .	— 4	— —	Ch. van Geert . . . . .	— 4	— —
Attika, red-leaved . . . . .	— 6	— —	Citoyen de Cronstadt . . . . .	— 3	— —
Auguste Chantin . . . . .	— 6	— —	Colonel Denfert, red-leaved. . . . .	— 6	— —
Aurore . . . . .	— 4	3 3	Comte de Bouchaud, yellow . . . . .	— 6	— —
Baronne de Poilly . . . . .	— 4	3 3	"    H. de Choiseul . . . . .	— 4	3 3

	per oz s. d.	per lb. s. d.
Comtesse de Bouchaud . . . . .	— 4	3 3
Crozy père . . . . .	— 5	4 —
Cousin Jacob . . . . .	— 4	3 3
Cyclope . . . . .	— 4	— —
Czar Alexandre III . . . . .	— 4	— —
Daniel Gerard . . . . .	— 5	— —
Duc de Mortemart . . . . .	— 6	— —
F. Neuwesel, red-leaved . . . . .	— 6	— —
François Morel . . . . .	— 5	— —
„ Vuillermet . . . . .	— 6	— —
Francisque Morel . . . . .	— 4	— —
Frau Oberbürgermeister Rümelin . . . . .	— 6	— —
Fürst Bismarck . . . . .	— 6	— —
Généreux . . . . .	— 7	— —
George d'Harcourt . . . . .	— 6	— —
Gloire des marchés . . . . .	— 5	— —
Graf von Turin, Dam. . . . .	— 7	— —
H. Guichard . . . . .	— 5	4 —
Herzogin Vera . . . . .	— 8	— —
Hofgartendirektor Walter, red-leaved . . . . .	— 7	— —
J. Soulayr . . . . .	— 4	3 3
J. D. Cabos . . . . .	— 4	— —
Jules Favre . . . . .	— 4	3 3
Kaiser Wilhelm . . . . .	— 6	— —
Karl Neubronner . . . . .	— 6	— —
Kronprinz v. Italien, Dam. . . . .	— 4	— —
L. Patry . . . . .	— 5	— —
L. E. Bally . . . . .	— 4	3 3
Léon Vasilliére, red-leaved . . . . .	— 7	— —
Lohengrin . . . . .	— 5	— —
Madagascar . . . . .	— 5	4 4
M. J. Goss, red-leaved . . . . .	— 6	— —
Madame Ginot . . . . .	— 6	— —
„ H. Riquad . . . . .	— 6	— —
„ Léon Leclercq . . . . .	— 5	4 —
„ Mériem Lombard . . . . .	1 3	— —
„ Oriol . . . . .	— 4	3 3
„ Oscar Meuricoffre, Dam. . . . .	— 4	3 3
„ Pichon . . . . .	— 6	— —
„ Victor Lemoine . . . . .	— 7	— —
Marquise A. de l'Aigle . . . . .	— 4	3 3
Maurice Grand . . . . .	— 4	3 3
„ Rivoire, red-leaved . . . . .	— 5	— —
M. Ritton . . . . .	— 5	— —
Max Kolb, red-leaved . . . . .	— 10	— —
Mrs. F. Dreer . . . . .	— 6	5 3
Monsieur Colcombet . . . . .	— 5	4 4
„ Jarry Desloges . . . . .	— 6	— —
Mr. Cleveland . . . . .	— 4	3 3
N. Belisso . . . . .	— 5	— —
Otto Froebel . . . . .	— 5	— —

	per oz s. d.	per lb. s. d.
Panache . . . . .	— 6	— —
Papa Treyve . . . . .	— 6	— —
Paolo Radaelli . . . . .	— 6	— —
Paul Bruant . . . . .	— 6	— —
Penelope, Dam. . . . .	— 6	4 9
Petite Mocotte . . . . .	— 5	4 —
Podere Restelli . . . . .	— 5	4 —
Perle des Massifs . . . . .	— 6	4 9
Pregmy . . . . .	— 5	— —
Président Chaudon, yellow . . . . .	— 5	4 —
„ Meyer, red-leaved . . . . .	— 7	— —
Professor Foster, Dam. . . . .	— 5	— —
„ Charguérand . . . . .	— 4	3 3
„ J. G. Baker, Dam. . . . .	— 6	— —
„ David . . . . .	— 6	— —
„ Rossi, Dam. . . . .	— 4	3 3
Princesse Letizia Dam. . . . .	— 4	— —
Progression . . . . .	— 3	3 —
Red Indian, red-leaved . . . . .	— 9	— —
Reval Massot . . . . .	— 4	— —
Rose T. May . . . . .	— 7	— —
Secrétaire Chabanne . . . . .	— 7	— —
Sémaphore, red-leaved . . . . .	— 7	— —
Sénateur Montefiore . . . . .	— 3	3 —
Souvenir du Capitaine Drujon . . . . .	— 5	— —
„ de François Gaulin . . . . .	— 4	— —
„ de Madame Nardy . . . . .	— 5	— —
Solfatara, Dam. . . . .	— 6	— —
Stromboli . . . . .	— 4	— —
Thomas S. Ware, red-leaved . . . . .	— 6	— —
Trocadero . . . . .	— 4	— —
V. Debons . . . . .	— 8	— —
Venus . . . . .	— 10	— —
Vesuvius, Dam. . . . .	— 5	4 9
Vice-Président Luizet . . . . .	— 7	— —
Victor Gaulin . . . . .	— 5	— —
Ville de Poitiers . . . . .	— 5	4 —
New large flowered early Hybrids (Crozy) dwarf with green leaves, mixed . . . . .	— —	2 —
New large fl. early Hybrids (Crozy) semi- high and high with green leaves, mixed . . . . .	— —	2 —
New large flowered early Hybrids (Crozy) with red leaves, mixed . . . . .	— —	2 4
New large flowered early Hybrids (Crozy) all sorts mixed . . . . .	— —	2 —

### b. Other Sorts.

Discolor . . . . .	— —	2 3
Flaccida le Roi . . . . .	— —	1 7
All sorts mixed . . . . .	— —	1 3

## XV. Palms.

(Fine and sound plants, grown in the open air.)

	10 pieces		100 pieces			10 pieces		100 pieces	
	s.	d.	s.	d.		s.	d.	s.	d.
Brahea Roezli, of 1 year . . . . .	10	—	—	—	Kentia Belmoreana, of 7 to 8 years	—	—	—	—
Chamaerops excelsa, of 1 year . . . . .	1	—	6	—	6/— to 8/— a piece	—	—	—	—
"    "    "    2 years . . . . .	1	9	14	—	"    Forsteriana, of 3 to 4 years	—	—	—	—
"    "    "    3 to 4 years . . . . .	4	—	32	—	1/9 a piece	—	—	—	—
"    "    "    7 to 8	—	—	—	—	Latania borbonica, of 2 years . . . . .	2	—	16	—
"    "    "    about 2 to 3 feet high 4/6 a piece	—	—	—	—	"    "    "    3 . . . . .	3	6	28	—
"    humilis, of 1 year . . . . .	1	—	7	6	"    "    "    5 " . . . . .	8	—	70	—
"    "    "    2 years . . . . .	2	—	14	—	Livistona rotundifolia, of 1 year . . . . .	8	—	—	—
"    "    "    3 " . . . . .	3	—	26	—	Phoenix canariensis, dactylifera, leonensis, reclinata, tenuis each	—	—	—	—
Chamaedorea Ernesto Augusti, of 3 years	15	—	130	—	of 2 years . . . . .	2	6	20	—
Corypha australis, of 1 year . . . . .	1	3	8	—	"    3 " . . . . .	3	6	28	—
"    "    "    2 years . . . . .	2	6	20	—	"    4 " . . . . .	8	—	70	—
"    "    "    3 to 4 years . . . . .	5	—	40	—	"    6 to 7 years 4/6 a piece	—	—	—	—
"    "    "    7 to 8 " . . . . .	—	—	—	—	Thrinax argentea, of 1 year . . . . .	7	—	—	—
"    "    "    4/— a piece	—	—	—	—	Washingtonia filifera, of 2 years . . . . .	4	—	32	—
Kentia Belmoreana, of 2 years . . . . .	6	6	52	—	"    "    "    3 " . . . . .	5	6	44	—
"    "    "    3 " . . . . .	7	6	64	—	"    "    "    4 " . . . . .	7	3	60	—
"    "    "    4 to 6 years	—	—	—	—	"    "    "    6 " . . . . .	11	—	96	—
"    "    "    2/— a piece	—	—	—	—					

Besides the above sorts we can supply other Palms &c. in particularly large and fine specimens and shall be glad if our correspondents will communicate with us to this effect.

## XVI. Agave, Aloe, Yucca &c.

	1 piece		10 pieces		100 pieces			1 piece		10 pieces		100 pieces	
	s.	d.	s.	d.	s.	d.		s.	d.	s.	d.	s.	d.
Agave americana, strong plants,	—	2	—	9	5	—	Aloe abyssinica . . . . .	—	6	3	9	—	—
"    "    without soil . . . . .	—	2	—	9	5	—	"    arborescens . . . . .	—	10	—	—	—	—
"    "    fol. var., strong plants,	—	2	1	—	6	6	"    ciliaris . . . . .	—	6	3	9	—	—
"    "    "    without soil . . . . .	—	2	1	—	6	6	"    prolifera (brevifolia)	—	4	2	—	—	—
"    "    lactevirens . . . . .	—	9	5	—	—	—	"    rubescens . . . . .	—	10	—	—	—	—
"    "    vittata . . . . .	—	6	3	6	—	—	"    Schmidtii . . . . .	—	4	2	—	—	—
"    "    angustifolia, strong plants . . . . .	—	10	—	—	—	—	"    xanthacantha . . . . .	—	9	—	—	—	—
"    "    atrovirens . . . . .	—	9	5	—	—	—	Beschorneria bracteata . . . . .	—	10	7	6	64	—
"    "    filifera . . . . .	1	4	—	—	—	—	"    "    californica . . . . .	—	10	—	—	—	—
"    "    heterocantha . . . . .	1	—	—	—	—	—	Dasyliroon gracile . . . . .	—	2	1	6	—	—
"    "    horrida . . . . .	—	10	7	6	—	—	"    "    serratifolium, seedlings	—	—	—	—	—	—
"    "    laevis, strong plants . . . . .	1	4	—	—	—	—	of 2 years . . . . .	—	3	1	9	15	—
"    "    lophantha . . . . .	—	6	3	9	—	—	"    "    juncifolium . . . . .	—	2	1	6	—	—
"    "    "    heterocantha . . . . .	1	4	—	—	—	—	Fourcroya elegans . . . . .	—	2	1	6	—	—
"    "    Margaritae . . . . .	1	4	—	—	—	—	"    "    Lindeni . . . . .	1	9	—	—	—	—
"    "    Mexicana, strong plants . . . . .	2	—	—	—	—	—	Yucca aloefolia, strong seedlings . . . . .	—	1	—	9	—	—
"    "    multiflora . . . . .	—	5	3	—	—	—	"    "    fol. var. . . . .	—	4	2	3	—	—
"    "    rigida . . . . .	—	6	3	9	—	—	"    "    "    quadricolor . . . . .	1	9	—	—	—	—
"    "    "    var. Sisaliana (producing the Sisal hemp)	—	9	5	—	—	—	"    Desmetiana . . . . .	2	—	—	—	—	—
"    "    "    "    silacana, strong plants . . . . .	—	10	—	—	—	—	"    filamentosa . . . . .	—	2	1	—	—	—
"    "    "    Rumphii . . . . .	—	3	2	—	—	—	"    glauca (angustifolia) . . . . .	—	9	6	—	—	—
"    "    "    Salmiana fol. var., strong plants . . . . .	2	—	—	—	—	—	"    "    gloriosa recurvata pendula,	—	—	—	—	—	—
"    "    "    "    spectabilis . . . . .	1	4	—	—	—	—	fine plants from the open ground . . . . .	—	8	5	—	—	—
"    "    "    "    yuccaefolia . . . . .	1	4	—	—	—	—	"    "    "    gloriosa recurvata pendula fol. var. . . . .	—	—	—	—	—	—
							"    "    "    "    guatemalensis, strong plants	1	4	11	6	—	—



## XVII. Stapelia.

The Stapelias can be shipped the whole year, even in the winter, if well protected against the cold, and they are offered in good and sound specimens. As to their scent, they are generally better than their reputation, and the most striking kinds are almost scentless.

	1 piece s. d.	10 pieces s. d.		1 piece s. d.	10 pieces s. d.
Duvalia angustiloba . . . . .	2 —	— —	Stapelia lunata, hort. Dam. . . . .	— 3	2 3
Stapelia anguinea, Jacq. . . . .	— 3	— —	" luxurians D. . . . .	— 6	— —
" angulosa, Tod. . . . .	— 3	— —	" marmorata, Jacq. . . . .	— 3	1 10
"     " Charybdis, hort. Dam. . . . .	— 6	3 4	" mixta, Mass . . . . .	— 3	1 10
"     " Nemesis, " " . . . . .	— 6	3 4	"     " pentagona . . . . .	— 6	3 4
"     " Uranos " " . . . . .	— 6	— —	" multiflora . . . . .	— 4	1 11
" atrata, Tod. . . . .	— 6	3 4	" muricata, hort. . . . .	— 5	2 7
"     " rufescens, hort. Dam. . . . .	— 6	3 4	" mutabilis, Jacq. (Orbea) . . . . .	— 4	2 2
"     " tigrina, " " . . . . .	— 6	3 4	"     " Chimaera, hort. Dam. . . . .	— 9	5 2
" atropurpurea, Dyck. . . . .	— 7	4 2	" parvipunctata, Tod. . . . .	— 3	1 10
" bisulca, Don. . . . .	— 3	1 10	" patula, Willd. . . . .	— 10	— —
" Burtini, Tod. . . . .	— 3	1 10	" planiflora, Jacq. . . . .	— 3	1 10
" ciliolata, hort. Pan. . . . .	— 3	1 10	" purpurea, hort. Dam. . . . .	— 3	1 10
" clypeolata hort. Lyon . . . . .	— 4	2 6	" quinquenervia . . . . .	— 6	3 4
" conspurcata, Willd. . . . .	— 3	1 10	" radiata, Sims . . . . .	— 6	3 9
" decora . . . . .	— 6	3 4	" Salmiana . . . . .	— 6	3 4
" deflexa, Jacq. (Stapletonia) . . . . .	— 6	3 4	" Stella, Jacq. . . . .	— 3	1 10
" geminata . . . . .	— 6	3 4	25 very fine sorts of our selection . . . . .	6 2	— —
" hirtella hort. Lyon (not Duvalia) . . . . .	— 6	3 4	10 " " " " " " " . . . . .	2 6	— —
" hispida, Horn. . . . .	— 3	1 10			

## XVIII. Canna Roots.

In order to offer something special to our friends with whom we are in regular business connection, we have had a colored plate made (29×18 inch.) of 20 of our most beautiful Orchid-flowering Cannas representing the flowers in their natural size or rather below it. These varieties are marked \* in our list. This beautiful plate will be sent free of charge to all our customers, and to others on receipt of 6d.

*We only send out strong, sound and undivided roots grown in the open ground, and not delicate and poor specimens obtained by unnatural forcing in the hot-house, a good number of which is invariably destined to perish. Our Cannas will therefore be always preferable even at higher prices to any others. They are packed very carefully and travel quite safely even to very distant countries; we wish it, however, to be understood that they travel on buyer's risk. Canna Roots can be forwarded from October to May, as far as the temperature permits it.*

	1 piece s. d.	10 pieces s. d.	100 pieces s. d.		1 piece s. d.	10 pieces s. d.	100 pieces s. d.
<b>1. Dammann's wonderful Orchid-flowering Cannas.</b>				Umbria . . . . .	1 —	8 —	— —
1. Season 1899 to 1900.				About 4 feet high. Leaves brown with a metallic hue, flowers of a brilliant vermilion with distinct chamois stripes.			
Emilia . . . . .	— 9	5 6	44 —	2. Season 1898 to 1899.			
About 4 feet high. Leaves purple; of strong growth; flowers of a splendid and peculiar scarlet marbled with chamois.				Australia . . . . .	— 6	3 6	28
Romagna . . . . .	— 8	4 6	36 —	About 4 feet high, leaves dark green with a brown border; flowers very large, salmon-red striped with deep sulphur-yellow; extremely fine.			
About 4 feet high. Dark brown leaves, flowers of a minium scarlet with some large yellowish stripes; a most free flowering kind.				3. Season 1897 to 1898.			
Sicilia . . . . .	— 9	6 —	48 —	* Atalanta . . . . .	— 6	3 6	29
About 2½—3 feet high. Leaves bright green; of robust growth; flowers very large of a dark chrome yellow the lower petal of which is spotted salmon red.				Height about 3 feet. Large greyish-green foliage with a dark border; flowers deep orange carmine and very large; of very rich ground.			

	1 piece s. d.	10 pieces s. d.	100 pieces s. d.		1 piece s. d.	10 pieces s. d.	100 pieces s. d.
* Britannia . . . . .	6	4	32	grows about 4 $\frac{1}{2}$ to 6 feet high. Numerous Musa-like glaucous leaves and wonderful spikes of flowers. The latter are enormous and surpass in size even those of the Canna „Italia“. The outer petals are scarlet with a very broad gold-yellow border. The inside of the blooms is scarlet and dark red. Exceedingly beautiful.			
About 4 feet. Foliage lively green, Musa like, very large flowers with a yellow ground flamed with carmine. Larger than „Italia“.							
Campania . . . . .	5	3 3	26				
About 6 feet. — Glauous large leaves; growth extremely rich; flowers large, inner petals chrome-yellow with carmine spots, outer petals sulphur-yellow.							
* Ch. Naudin . . . . .	6	3 6	28	* America . . . . .	5	3	26
About 4 feet. — Dark green, brown bordered foliage. Very large flowers (about 7 inches in diameter), salmon-red, the inner petals are darker.				Red leaves. Height about 4 to 5 feet. The beautiful foliage is of a bronze color with dark red hues and shining as if the leaves were varnished. The spikes are very large and the flowers enormous, of a very beautiful glowing red-purple flamed and striped.			
Hellas . . . . .	5	3	23	* Aphrodite . . . . .	5	3	24
About 3 feet. — Lively green, of strong growth and bearing abundant flowers of a canary-yellow color spotted brown-red.				Height about 6 feet. Very rich flowering, broad green leaves, immense trusses of large golden yellow flowers with large spots salmon colour; inner petals entirely salmon colour. Splendid.			
* Phoebe . . . . .	5	3	26	Asia . . . . .	4	2 9	23
About 6 feet high. — Glauous leaves, luxuriant growth, flowers similar to a Cattleya, very large, sulphur-yellow, turning later on into a whitish yellow; petals spotted carmine, the inner ones more markedly than the outer ones.				Height about 3 feet. Numerous stalks, dark green foliage, very effective. Very large regular flowers of a rich golden yellow. Inner petals dotted scarlet. Splendid.			
Professor Treub . . . . .	8	5 9	52	* Bavaria . . . . .	5	3	24
About 4 feet. Broad lanceolate leaves, brown-red, with a dark green hue. Flowers large, minium scarlet striped with salmon-red. Among the red-leaved Cannas this is one of the most striking and beautiful.				Height about 3 feet. Leaves large, green, with a blueish hue. Very large spikes and flowers of a brilliant golden yellow covered all over with scarlet spots. Quite unique and extremely handsome.			
* Roma . . . . .	5	3	24	Borussia . . . . .	4	2 6	20
About 3 to 4 feet and a half. Growth extremely luxuriant, leaves glaucous. Very numerous and large panicles; flowers large with yellow ground flamed salmon-red.				Height 3 to 4 feet. Broad bright green leaves. Enormous spikes, very large flowers, not so large however as those of „Italia“, of a shining canary-yellow with a golden yellow hue and small fiery red spots. Extremely handsome.			
Rhea . . . . .	3	2 3	18	Burgundia . . . . .	5	3	23
About 4 feet. Leaves brown with a metallic hue, flowers of medium size and a brilliant crimson.				Height 3 feet. Large glaucous leaves, very large spikes, enormous flowers resembling an expanded Cattleya, of a brilliant golden yellow with rich scarlet spots, golden yellow in the centre and fiery red flamed. A marvel of beauty.			
Trinacria . . . . .	5	3	23	* Edouard André . . . . .	5	4	36
About 4 feet. Bright green, of luxuriant growth. Flowers very numerous and large, sulphur-yellow, fading later on into a paler yellow. A very pure color.				Bushy plant, about 3 feet high. Stalks dark red, broad leaves, short, and dark spotted on the back. Well ramified stalk, spikes bearing 9 to 12 very large flowers of a bright fiery red with orange yellow spots like sparks, long dark red buds of a greenish hue. A kind of sterling merit.			
4. Season 1896 to 1897.				* H. Wendland . . . . .	5	3 3	27
* Africa . . . . .	7	5	40	Height about 4 feet. Very broad beautiful green leaves. Very large			
Height about 3 feet, leaves lanceolate, purple, bronzy, striped green with dark green shades. Very large flowers similar to a Cattleya of a rich purple-scarlet, golden yellow and orange inside. A splendid variety.							
* Alemannia . . . . .	5	3	24				
This kind produces the largest flowers which have been obtained as yet in the way of Cannas. The plant							

	1 piece s. d.	10 pieces s. d.	100 pieces s. d.		1 piece s. d.	10 pieces s. d.	100 pieces s. d.
trusses of large flowers, outer petals scarlet with a golden yellow border, quite fiery red inside and yellow in the centre. It is one of the best of this class.							
Heinrich Seidel . . . . .	— 4	2 9	24 —				
Height about 3 feet. Green Musa-like leaves with a light glaucous hue. Very large panicles. Very large and numerous flowers of a vivid fiery red with a yellow border spotted with purple. A great beauty.							
Iberia . . . . .	— 4	2 9	23 —				
Height about 3 feet. Glauous leaves, very large panicles. The large flowers are Cattleya-like. Outer petals golden yellow with a red border. Inner petals crimson, very beautiful.							
* Kronos . . . . .	— 4	2 9	23 —				
Height about 3 feet. Broad sea-green leaves, slender stalk, very large panicles. Very large flowers of a rich sulphur-yellow all spotted in red. An extremely fine form.							
* La France . . . . .	— 6	4 6	40 —				
About 4 feet high. Numerous stalks. Broad lanceolate leaves, very large, of a splendid purple and shining as if varnished. Very large and regular flowers similar to „Austria“, of a brilliant yellowish scarlet. Unique for its beauty.							
* Oceanus . . . . .	— 4	2 9	23 —				
Height about 3 feet, lanceolate leaves bright green. Very large panicles. Flowers yellow red spotted. Inferior petals almost quite red. Remarkably beautiful.							
* Pandora . . . . .	— 7	5 —	40 —				
Height about 3 feet and more. Lanceolate purple leaves with a metallic hue and dark green stripes. Very large spike; enormous flowers of a glowing fiery red, dark red outside. The borders and the inside are gold flamed. An extraordinarily beautiful variety.							
* Parthenope . . . . .	— 4	2 6	20 —				
Height about 3 feet, broad pointed sea-green leaves. Ramified stalk, enormous spikes of flowers of a vivid dark orange-yellow difficult to define, and not observed in Cannas as yet.							
Perseus . . . . .	— 4	2 9	23 —				
Height about 3 feet. Broad glaucous green foliage, numerous stalks. Trusses of immense flowers of a pure canary-yellow with scarlet pencillings in the inside. A magnificent variety, very rich flowering and lasting.							
* Pluto . . . . .	— 5	3 6	31 —				
Height about 3 feet. Numerous stalks with a splendid purple-red foliage. Large and beautiful scarlet-purple flowers flamed with red inside.							
* Suevia . . . . .	— 4	2 6	20 —				
Height about 3 feet. Leaves Musa-like, slender stalks. Very large flowers of a pure canary-yellow, satiny, and bronzed inside. Bractees bronzed. Splendid.							
Wilhelm Beck . . . . .	— 4	2 6	19 —				
Height about 6 feet. Broad green leaves, immense trusses of sulphur yellow flowers with scarlet red pencillings. Inner perigon scarlet red. A very remarkable variety.							
5. Season 1895 to 1896.							
Austria . . . . .	— —	— 9	6 6				
Flowers very large, canary yellow; centre spotted red.							
Italia . . . . .	— —	1 —	8 —				
Enormous panicles of scarlet flowers with a yellow border. Magnificent.							
The whole assortment, introductions of 1895 to 1900							
1 root of each. . . . .			15/—				
12 kinds of our selection			4/—				
Orchid-flowering Cannas mixed . . . . .	— 3	1 9	15 —				
American sorts.							
Burbank, lemon-yellow changing into white . . . . .	— 5	3 —	24				
Mrs. Kate Gray, orange-scarlet, flowers very large . . . . .	9	6 6	— —				
<b>2. Gladioli-flowered Cannas.</b>							
<b>(Dammann.)</b>							
Introductions of 1899 to 1900.							
Baja . . . . .	— 7	4 9					
About 25 to 30 inches high, bright green foliage, flowers deep crimson bordered with a faint yellow edge; extremely rich flowering.							
Cavour . . . . .	— —	— —					
Of dwarf habit, not exceeding about 2 feet in height, lively green foliage, large spikes of vermilion purple flowers with undulated border.							
Meta . . . . .	— —	— —					
About 2 feet and 1/2 high, large greyish green foliage, flowers chrome yellow, striped and spotted with brown.							
Nero . . . . .	1	8 —					
About 3 feet high, the beautiful foliage is of a dark brown red, stems of a whitish hue flowers of a rich cherry red.							
Paestum . . . . .	— 10	6 6					
About 3 feet high, large green leaves, flowers light chrome yellow with regular vermilion spots. Very large spikes.							
Solfatara . . . . .	— 8	5 8					
About 3 feet high; light green foliage large flowers of a beautiful orange color with carmine reflex.							
Toledo . . . . .	— 10	8					
About 3 feet and 1/2; leaves green; enormous minium red flowers, often with a light golden edge.							

	1 piece s. d.	10 pieces s. d.		1 piece s. d.	10 pieces s. d.
The whole collection of the above Cannas . . . . .	5/9	—	Princess Helena of Montenegro . . . . .	8	—
<b>Introductions of 1898.</b>			About 3 feet. Leaves green, flowers very large, salmon-red, striped and bordered with golden yellow; petals round; magnificent.		
Capri . . . . .	6	4	Princess Laetitia . . . . .	4	2 9
Height about 1 foot. Glauous leaves, very large salmon-scarlet flowers slightly spotted with yellow.			About 3 feet. Leaves Musa-like. Panicle enormous, flowers large, bright fire-red, dark red flamed and yellow bordered. Splendid.		
Ischia . . . . .	6	4	Stromboli . . . . .	6	—
Height about 1½ feet. Leaves vivid green, flowers sulphur-yellow upon which appear when they begin to fade, large vermilion spots.			About 2 feet. Leaves glaucous; flowers very large, red and bright scarlet, fire-red in the centre. Very fine.		
Lutetia . . . . .	8	5 4	<b>3. Gladioli-flowered Cannas of different raisers.</b>		
Height about 2 feet, glaucous leaves with a greyish tinge. Flowers deep yellow, ground slightly spotted with red. Very rich flowered and in consequence of its habit much adapted for groups.			<b>Best introductions of the last years.</b>		
Minerva . . . . .	8	5 4	<b>a. Green-leaved.</b>		
Height 3 feet. Dark green foliage; large trusses of very large cinnabar red flowers. a new and grand rich flowering variety.			Alsace, pale sulphur-yellow . . . . .	6	4
Professor Rossi . . . . .	5	3 3	Ami Jules Chrétien, salmon-scarlet and yellow	5	3 3
About 2 feet high, dark green foliage turning to brown. Very large trusses of salmon-red flowers. Of great value for cutting purposes.			Anna Ernst (1899), canary-yellow, crimson spotted . . . . .	10	—
Sultana . . . . .	5	3 3	Architecte Mouren, salmon, golden border .	8	5 3
Height about 3 feet. Glauous foliage with a greyish tinge. Flowers canary-yellow with numberless vermilion spots. A very remarkable colour.			Auguste Chantin, copper-red, bright flamed	8	5 3
<b>Introductions of 1896.</b>			Auguste Nonin . . . . .	10	7
Adonis . . . . .	4	2 9	Baronne de Poilly, salmon . . . . .	5	3 9
About 2 feet high, leaves green with a brown border; flowers blood-red.			Candeur, cream-yellow changing into white .	9	6 9
Actna . . . . .	4	2 9	Ch. Molin (1900), salmon-orange, crimson spotted . . . . .	1 8	—
About 3 feet; leaves very dark red, flowers crimson and purple.			Citoyen de Cronstadt, chrome-yellow, crimson spotted . . . . .	5	3 8
Ajax . . . . .	4	2 9	Claude Fichet, brown-red with dark-red, large flowered . . . . .	10	7 3
About 2 feet; leaves green; flowers wax- yellow with rosy spots.			Comtesse de Bouchaud, salmon, crimson spotted, yellow border . . . . .	5	3 8
Alkmene . . . . .	4	2 9	Coronet, chrome-yellow . . . . .	6	4
About 3 feet. Leaves green; flowers orange with a golden yellow border.			Cyclope, fiery blood red, very large flowered	5	3 8
Arethusa . . . . .	—	—	Czar Alexander III, bright scarlet . . . . .	4	3 9
About 1 foot ½. Leaves green; flowers very large, sulphur-yellow, changing after- wards into a bright salmon colour; inside dark red; new colour.			Daniel Gerard, crimson, dark crimson flamed, golden-bordered . . . . .	8	—
Count of Turin . . . . .	4	2 9	Ernst Rauth (1900), vermilion orange with yellow border . . . . .	—	—
About 2 feet. Leaves glaucous, flowers very large, fire-red, dark red striped with a yellow border, centre blood-red.			François Vuillermet, brilliant granate-red, very large flowers . . . . .	6	4
Queen of Italy . . . . .	8	—	Franz Buchner, orange with mauve-hue and yellow border . . . . .	—	—
About 2 feet. Leaves large, green. Panicle enormous; flowers very large, dark scarlet with a broad golden border; finer than Queen Charlotte.			Frau Bremermann, dwarf, compact, flowers large, scarlet with golden yellow border and spots . . . . .	1 3	11 6
Crown-Prince of Italy . . . . .	6	4	Fürst Bismarck, splendid scarlet with a dark red hue and undulated petals	—	—
About 3 feet. Leaves glaucous; flowers very large, dark scarlet; most beautiful.			100 pieces 24/—	4	2 9
			Généreux, vermilion, very large flowers . .	1 3	—
			Goliath, very large flowers, bright amaranth- coloured . . . . .	8	5 3
			G. O. Quintus, bright yellowish red, crimson edged . . . . .	1 3	11 3
			Gustave Grünwald . . . . .	10	7

	1 piece s. d.	10 pieces s. d.		1 piece s. d.	10 pieces s. d.
Hans Wermüller, leaves dark green, changing into brown, flowers very large, orange-red with a carmine hue . . . . .	8	5 6	Souvenir de Madame Crozy, bright red . . . . .	—	—
Henry Cannell, dwarf, numerous spikes, flowers large, vermillion dark red with a large golden yellow border . . . . .	9	6 6	"    "    "    Nardy, very large flowers. chrome-yellow spotted carmine, very fine . . . . .	6	4
Herzogin Vera (1900), pale sulphur yellow, very large flowered . . . . .	1 8	—	Venus (1900), yellowish white . . . . .	1 8	—
Hofgarten-Director Wendland . . . . .	5	3 8	V. Debons, flowers large and numerous, currant-red, striped . . . . .	10	—
J. Colette-Ronchaine (1900), lively pomegranate colour, very large flowers . . . . .	1 8	—	Vice President Luizet, cherry-red . . . . .	8	5 3
Jeanne Schmidt, bright rose, slightly, crimson spotted, with a pale yellow border . . . . .	10	7 3	Victory (Century) 1900, orange scarlet with yellow border . . . . .	—	—
Léon Pépin Lehalleur, crimson . . . . .	4	3 —	Ville de Poitiers, chrome-yellow, very large flowers, splendid . . . . .	4	2 4
Madame Chabanne, rose . . . . .	8	5 —	Wilhelm Bofinger, flowers fiery dark red, velvety . . . . .	7	—
"    H. Riquad . . . . .	10	7 —	William Bull (1900), lively cerise . . . . .	—	—
"    Léon Leclerq, salmon, golden border . . . . .	6	4 —	L. Patry, of middle height; green leaves, very large flowers of a beautiful vermillion with darker spots and a yellow edge . . . . .	5	3 8
"    Legris, chrome-yellow, brown, spotted . . . . .	5	3 3			
"    Louis Druz, brilliant purple . . . . .	1 3	—	<b>b. Red-leaved.</b>		
"    Pichon, lemon-yellow, scarlet spotted . . . . .	8	5 3	Arthur William Paul (1900), dark orange spotted carmine . . . . .	1 8	—
"    Victor Lemoine, pure yellow with brown stripes; a very rare colour . . . . .	10	7 3	Attika, bright crimson . . . . .	6	4 —
"    Meriem Lombard, whitish . . . . .	6	4 6	Ch. Paul, salmon . . . . .	8	—
Madagascar, salmon-orange and rose-lilac . . . . .	6	4 —	Count Waldersee, minium orange-red, very large . . . . .	1 9	—
Marigold, orange . . . . .	5	3 3	David Harum, vermillion scarlet spotted carmine . . . . .	2	—
Memory of Queen Charlotte . . . . .	10	7 —	German Crown-Prince (red-leaved Goliath), flowers of a fiery amaranth-red . . . . .	1 9	—
Michel Favrichon, very rich flowering, dark salmon, spotted red with a yellow border . . . . .	10	—	Gouverneur von Zimmerer, bright orange and dark-red . . . . .	8	—
Miss Amy Ker (1900), creamy white turning white . . . . .	1 3	—	Grossherzog Ernst Ludwig (1900), scarlet orange . . . . .	2 5	—
Mrs. F. Dreer, canary-yellow, salmon spotted . . . . .	8	5 3	Hermann Fischer, leaves musa-like, flowers fiery minium orange and carmine . . . . .	1 10	—
Mr. Colbombet, canary-yellow and red . . . . .	6	4 —	Hofgärtner Stiegler, carmine purple, large flowered . . . . .	10	—
Mr. Jarry-Desloges, very large flowers, dark red with a brighter hue and crimson stripes . . . . .	10	7 3	Hofgarten Director Walter, brilliant purple red . . . . .	8	5 4
Modèle, crimson and carmine . . . . .	—	—	Le Deuil (1900), velvety dark purple . . . . .	2	—
Panache, crimson . . . . .	6	4 —	Léon Vassillière, bright granate-red, very fine . . . . .	1 3	—
Papa Canna, salmon-red . . . . .	—	—	Max Kolb (1899), salmon orange . . . . .	1 3	11 4
"    Treyve, orange . . . . .	6	4 —	Memory to Prince Bismarck, brilliant carmine vermillion . . . . .	10	—
Petite Mocotte, crimson-rose, chamois flamed with a yellow border . . . . .	6	4 —	Mrs. Geo A. Stöhlein, leaves light brown, flowers bright amaranth, very large . . . . .	1 9	—
Philippe Rivoire, very large flowers, crimson-rose marbled carmine with a yellow border . . . . .	—	—	Oscar Dannecker (1899), dark canary yellow . . . . .	1 3	—
Poète, flowers whitish . . . . .	1 3	10 6	President Meyer, cerise carmine, very large flowered . . . . .	8	5 4
Reichskanzler Fürst Hohenlohe, very large flowers, bright lemon yellow, large undulated petals . . . . .	8	—	President de Péronne, leaves brown-red, flowers vermillion-orange, darker marbled . . . . .	2	—
Riese von Stuttgart (Giant of Stuttgart) flowers enormous of a brilliant vermillion with a lilac hue and yellow border . . . . .	2	—	Red Indian (1900), pure cerise carmine . . . . .	2	—
Roi des Rouges, bright crimson . . . . .	6	4 —	Sémaphore, brilliant orange yellow . . . . .	10	—
Rose T. May, bright crimson . . . . .	4	2 10	Stadrath Heidenreich, vermillion . . . . .	8	5 4
100 pieces 14/6 . . . . .	8	5 3	W. Atlee Burpee, magenta . . . . .	1 9	—
Secrétaire Chabanne, salmon-crimson . . . . .	8	5 3			
Souvenir du Capitaine Drujon, canary-yellow, orange spotted . . . . .	6	4 —			
Souvenir de A. Chargueraud, of a splendid granate-red, striped red . . . . .	1 8	—			

#### 4. Gladioli-flowered early

##### a. Some older fine sorts for forcing.

	1 piece s. d.	10 pieces s. d.	100 pieces s. d.
Colonel Denfert, red-leaved . . .	— 1	— 7	4 —
Duc de Mortemart . . . . .	— 2	— 10	7 3
Guillaume Couston . . . . .	— 1	— 7	4 —
J. Cordieux, red-leaved, dwarf	— 2	— 10	6 —
Revol Massot, dwarf . . . . .	— 1	— 7	—

##### b. Green-leaved, red-flowered.

Semi-high; splendid for pot culture.

Alphonse Bouvier, . . . . .	— 2	1 6	—
Boucharlat aîné . . . . .	— 3	2 —	—
Camille Bernardin . . . . .	— 5	3 —	—
Cousin Jacob . . . . .	— 2	— 10	7 3
Ch. Pallice . . . . .	— 3	2 —	—
Ch. Henderson . . . . .	— 2	1 6	—
Ch. van Geert . . . . .	— 2	— 10	7 3
Colonel Vaillard . . . . .	— 3	2 —	—
Comte H. de Choiseul . . . . .	— 3	2 —	—
Emile Barré . . . . .	— 3	2 —	—
Explorateur Crampbel . . . . .	— 2	— 7	4 —
Frau Oberbürgermeister Rümelin	— 5	3 3	—
Ferdinand Lombard Dam. . . . .	— 2	— 7	4 —
Francisque Morel . . . . .	— 2	— 7	4 —
Françoise Crozy . . . . .	— 2	— 7	4 —
Gartendirector Siebert . . . . .	— 2	— 10	5 8
G. Sennholz . . . . .	— 2	1 3	8 —
Gloire des Marchés . . . . .	— 3	2 —	—
H. Guichard . . . . .	— 3	2 —	—
Jules Favre . . . . .	— 2	— 10	7 3
Kaiser Wilhelm . . . . .	— 2	— 10	4 10
Karl Neubronner . . . . .	— 4	3 —	—
M. Ritton . . . . .	— 3	2 —	—
Madame Ginet . . . . .	— 2	— 10	4 10
Mr. Cleveland . . . . .	— 1	— 7	4 —
Paul Bruant . . . . .	— 3	1 8	—
Paul Marquant . . . . .	— 1	— 7	4 —
Paolo Radaelli . . . . .	— 3	2 —	—
Penelope Dam. . . . .	— 3	2 —	—
Perle des Massifs . . . . .	— 3	2 —	—
Podere Restelli . . . . .	— 3	2 —	—
Prof. David . . . . .	— 2	— 10	4 10
J. G. Baker Dam. . . . .	— 3	1 8	—
R. Brand, rose . . . . .	— 2	— 10	4 10
Rose Unique . . . . .	— 2	1 3	—
Sophie Buchner . . . . .	— 2	1 3	8 —
Trocadero . . . . .	— 2	— 8	4 —
Vesuvius Dam. . . . .	— 2	1 5	12 —

##### c. Green-leaved, semi-high with yellow, red striped and spotted flowers.

Splendid for pot-culture and for cutting.

Aegla Dam. . . . .	— 3	2 —	—
Ami Pichon . . . . .	— 2	1 3	—
Aurore . . . . .	— 2	— 8	4 —

	1 piece s. d.	10 pieces s. d.	100 pieces s. d.
Baronne de Sandrans . . . . .	— 2	— 8	4 —
Comte de Bouchaud . . . . .	— 7	4 6	—
Crozy père . . . . .	— 3	2 —	—
Docteur Vergely . . . . .	— 2	— 10	6 —
George d'Harcourt . . . . .	— 2	— 8	4 —
Hofgartendirector Pfister . . . . .	— 5	3 —	—
J. D. Cabos . . . . .	— 2	1 3	—
J. Souлары . . . . .	— 2	1 3	—
L. E. Bally . . . . .	— 2	— 8	4 10
Mad. Oriol . . . . .	— 2	— 8	4 —
N. Bellisso . . . . .	— 2	— 8	—
Pierret Biorlet . . . . .	— 3	2 —	—
Pregmy, golden-yellow . . . . .	— 2	— 8	4 —
Président Chaudon . . . . .	— 2	1 3	—
Prof. Foster Dam. . . . .	— 2	1 3	—
Progression . . . . .	— 2	— 8	4 10
Sénateur Montefiore . . . . .	— 2	— 8	4 10
Souv. de Mr. Gaulin . . . . .	— 2	— 8	4 —

##### d. Green-leaved, all colours of red, very dwarf, all very rich-flowering.

Abricot . . . . .	— 3	2 —	—
Beauté Poitevine . . . . .	— 3	2 —	—
Bonne Etoile . . . . .	— 2	— 10	7 3
C. Buisson . . . . .	— 2	— 8	4 10
Ch. Molin . . . . .	— 3	2 —	—
Ed. Mieg . . . . .	— 2	— 10	6 5
Général Baron Berge . . . . .	— 1	— 8	4 10
Ingénieur Pérache . . . . .	— 2	— 10	6 5
Königin Charlotte . . . . .	— 6	4 —	30 —
Lohengrin . . . . .	— 2	1 3	—
Louis van Houtte . . . . .	— 5	3 8	—
Madame Crozy . . . . .	—	—	—
„ Oscar Meuricoffre Dam. . . . .	— 2	— 8	4 —
Marquise Arthur de l'Aigle . . . . .	— 2	— 8	4 —
Maurice Grand . . . . .	— 2	1 3	—
„ Musy . . . . .	— 2	— 10	7 3
Otto Froebel . . . . .	— 2	1 3	—
Papillon . . . . .	— 4	2 10	—
Princesse de Brancovan . . . . .	—	—	—
Professeur Changuerand . . . . .	— 1	— 9	4 —
Souvenir d'Antonin Crozy . . . . .	— 8	5 3	—

##### e. Red-leaved and red-flowered.

Admiral Avellan . . . . .	— 3	2 —	—
B. de Jussieu . . . . .	— 2	— 10	6 —
Ch. Souchet . . . . .	— 2	— 10	6 —
Doyen Jean Sisley . . . . .	— 1	— 8	4 —
Emile Thomas . . . . .	— 3	2 —	—
E. Renan . . . . .	— 3	2 —	—
F. Neuwesel . . . . .	— 2	— 10	6 —
Gloire d'Emple . . . . .	— 4	2 10	—
Godefroy-Lebœuf . . . . .	— 4	2 10	—
Henry A. Dreer . . . . .	—	—	—
J. D. Cabos . . . . .	— 6	4 —	—

	1 piece s. d.	10 pieces s. d.	100 pieces s. d.
Karl Kölle . . . . .	— 7	4 6	— —
Laforcade . . . . .	— 1	— 6	4 —
Légionnaire . . . . .	— 2	— 8	4 10
Louis de Mérode . . . . .	— —	— —	— —
M. J. Goss . . . . .	— 2	— 8	4 —
Maurice Rivoire . . . . .	— 2	— 8	4 —
Nardy père . . . . .	— 2	— 8	4 —
Paul Lorenz . . . . .	— 2	— 10	— —
Président Carnot . . . . .	— 2	— 8	4 10
Secrétaire Nicolas . . . . .	— 4	3 —	— —
Th. S. Ware . . . . .	— 4	2 10	— —
Victor Gaulin . . . . .	— 1	— 8	4 —

### f. Yellow-flowered dwarf.

Hugo Fuchs . . . . .	— 2	1 3	8 —
Mad. A. Blanc . . . . .	— 4	2 10	— —

### g. The above Gladioli-flowered Cannas mixed.

	10 pieces s. d.	100 pieces s. d.	1000 pieces s. d.
Crozy's yellow-flowered, mixed . . . . .	— 5	3 3	24 —
" red-flowered, mixed . . . . .	— 7	4 10	40 —
" red-leaved mixed . . . . .	— 8	5 8	48 —
" all sorts mixed . . . . .	— 5	2 9	24 —

### 5. Iridiflora Hybrids

a splendid class for groups.

	1 piece s. d.	10 pieces s. d.	100 pieces s. d.
Iridiflora Ehmannii . . . . .	— 2	— 10	4 10
" Guttermannii . . . . .	— 2	1 3	— —
" Nouttoni . . . . .	— 2	1 3	— —

### 6. Older sorts, red-leaved.

Alégatière . . . . .	— —	— 3	2 —
Coquette, splendid, rich-flowering . . . . .	— —	— 5	3 3
Discolor . . . . .	— —	— 4	2 —
Sanguinea . . . . .	— —	— 3	2 —
Sénateur Millaud, splendid . . . . .	— —	— 3	2 —
Mixed, red-leaved . . . . .	— —	— 3	2 —

### 7. Older sorts, green- leaved.

Brenningsii fol. var., splendid kind with green, white striped leaves, in no way inferior to the C. indica var. so much spoken of . . . . .	— —	— —	— —
Flaccida le Roi . . . . .	— —	— 2	1 3
Mixed, green-leaved . . . . .	— —	— 2	1 3

## XIX. Bulbs and Roots.

Almost all of them can be joined in dry state to any other orders for seeds.

	10 pieces s. d.	100 pieces s. d.	10 pieces s. d.	100 pieces s. d.
Agapanthus umbellatus . . . . .	1 —	8 —	— 9	7 6
Amaryllis formosissima (Sprekelia) . . . . .	2 3	17 —	— 8	6 3
" Graveana (Hypeastrum) . . . . .	7 —	60 —	3 6	30 —
Amorphophallus Rivieri . . . . .	6 6	— —	3 —	25 —
Anemone japonica Honorine Joubert . . . . .	— 6	4 —	— —	— —
Asclepias tuberosa . . . . .	1 6	— —	1 —	7 6
Begonia hybrida gigantea, single, all colours mixed per 1000 80/— . . . . .	1 —	9 —	1 3	14 6
"   " double per 1000 124/— . . . . .	1 6	13 6	4 —	35 —
Calla aethiopica . . . . .	1 3	12 —	4 —	35 —
"   " compacta . . . . .	1 6	14 —	1 2	8 9
"   " gigantea . . . . .	3 —	26 —	8 6	76 —
"   " Little Gem . . . . .	— 9	6 —	3 —	25 —
Chlidanthus Ehrenbergii . . . . .	— 6	4 —	1 3	14 6
Colocasia antiquorum . . . . .	5 —	44 —	1 —	8 9
"   " Dussii . . . . .	8 —	70 —	5 —	44 —
Cooperia Drummondii . . . . .	— 9	7 6	3 6	31 —
" pedunculata per 1000 58/— . . . . .	— 8	6 3	— 4	3 6
Crinum abyssinicum, 1 <sup>st</sup> size . . . . .	3 6	30 —	— 4	3 6
"   " 2 <sup>nd</sup> "   " . . . . .	3 —	25 —	— 4	3 6
" capense (Amaryllis longifolia) per 1000 60/— . . . . .	1 —	7 6	— 4	3 6
"   " fl. albo . . . . .	1 3	14 6	— 4	3 6
" erubescens . . . . .	4 —	35 —	3 —	25 —
" hybr. Todoraë . . . . .	4 —	35 —	1 3	14 6
" lineare . . . . .	1 2	8 9	1 —	8 9
" Mac Owani, very fine . . . . .	8 6	76 —	5 —	44 —
" Moorei . . . . .	3 —	25 —	3 6	31 —
" pedunculatum . . . . .	1 3	14 6	— 4	3 6
" pratense . . . . .	1 —	8 9	— 4	3 6
" Yemense, 1 <sup>st</sup> size . . . . .	5 —	44 —	— 4	3 6
"   " 2 <sup>nd</sup> " . . . . .	3 6	31 —	— 4	3 6
Cyclamen neapolitanum per 1000 26/— . . . . .	— 4	3 6	3 —	26 —
" repandum per 1000 26/— . . . . .	— 4	3 6	1 8	16 —
Cyrtanthus Mc. Kenny . . . . .	3 —	26 —	— —	— —
Eucomis punctata . . . . .	1 8	16 —	— —	— —

	10 pieces s. d.	100 pieces s. d.		10 pieces s. d.	100 pieces s. d.
Galtonia (Hyacinthus) candicans . . .	— 5	3 6	Lilium speciosum album . . . . .	5 —	40 —
Gladiolus Childsi, a new class, with very large flowers . . . . .	1 3	9 6	"    "    roseum . . . . .	3 —	26 —
"    Gandavensis, best sorts mixed per 1000 56/—	— 9	6 —	"    "    rubrum . . . . .	3 —	26 —
"    "    Brenchleyensis per 1000 40/—	— 7	5 —	"    tigrinum . . . . .	1 3	10 6
"    "    Lemoinei, best hybrids per 1000 44/—	— 8	5 6	"    "    fl. pl. . . . .	1 8	14 6
Gladiolus Nanceianus, best sorts mixed per 1000 88/—	1 3	10 —	Lycoris aurea . . . . .	7 6	— —
Gloxinia, mixed . . . per 1000 140/—	1 9	15 —	"    radiata . . . . .	1 3	10 6
Habranthus roseus . . . . .	2 —	17 —	"    Terracciani . . . . .	3 3	26 —
Haemanthus coccineus . . . . .	10 6	— —	Moraea (Iris) Robinsoniana . . . . .	5 —	44 —
"    natalensis . . . . .	13 —	— —	Nerine undulata . . . . .	3 —	23 —
Hedychium coronarium . . . . .	3 3	26 —	Ophiopogon Jaburan . . . . .	1 7	13 6
Hemerocallis aurantiaca major . . . . .	10 —	88 —	Pancratium maritimum . . . . .	— 5	3 6
"    fulva . . . . .	— 10	6 3	Pardanthus chinensis . . . . .	1 6	13 6
Hymenocallis Harrisiana . . . . .	1 3	10 6	Phaedranassa chloracea . . . . .	1 3	10 6
"    undulata . . . . .	— 10	7 3	Ranunculus asiaticus superbissimus fl. pleno . . . . . per 1000 8/—	— —	1 —
Iris germanica, mixed per 1000 11/—	— 2	1 4	Rhodea japonica . . . . .	1 3	10 6
"    olbiensis mixed . . . . .	— 6	4 —	"    "    fol. var. . . . .	3 6	30 —
"    stylosa (unguicularis) per 1000 35/—	— 6	4 —	Ruscus Hippoglossum . . . . .	— 3	1 6
"    "    alba . . . . .	— 8	5 6	Richardia albo-maculata . . . . .	— 6	4 6
Kniphofia (Tritoma) best sorts mixed . . . . .	1 4	10 6	Veltheimia (Aletris) capensis . . . . .	8 —	— —
Lilium auratum . . . . .	10 6	88 —	Zephyranthes Andersoni . . . . .	— 5	3 3
			"    Atamasco per 1000 26/—	— 5	3 —
			"    candida . . . . .	— 3	2 6
			"    tubispatha per 1000 17/6	— 3	2 —

## XX. Asparagus-Plants.

	10 pieces s. d.	100 pieces s. d.	1000 pieces s. d.		10 pieces s. d.	100 pieces s. d.	1000 pieces s. d.
Acutifolius, evergreen, slightly climbing very suitable for decorative purposes	— 7	4 —	32 —	Sprengerii Rgl. Dam. plants of 1 year from the open ground	— 2	1 6	10 —
Lucidus, a fine kind, standing the winter well with us; resembles somewhat the A. Sprengerii . . . . .	2 6	— —	— —	"    "    2 years " " " "	— 5	2 9	22 —
Plumosus, strong plants . . . . .	3 6	— —	— —	"    "    2 " grown in pots . . . . .	1 3	9 —	— —
"    superbus, a new kind of quick growth, splendid for decorating purposes, very much recommended 1 piece —/8	6 6	55 —	— —	"    "    3 " from the open ground	— 8	4 6	40 —
				"    "    3 " grown in pots . . . . .	3 —	25 —	— —
				"    "    4 " " " " " . . . . .	7 —	— —	— —
				stronger plants according to the size from 1/6 to 8/— each			



## XXI. Aspidistra.

We can furnish sound and well-rooted plants from October to April; they are grown in the open ground and will be furnished without soil; they must, however, be sent by the quickest way possible. The plants will be packed very carefully in moss and cases, in order to prevent the leaves from getting damaged; they will, however, not all be ready for sale and part of them must be grown again in pots. The plants are undivided. Of course the plants with striped or spotted leaves produce sometimes also some leaves that are only slightly variegated or even green, which, as they belong to the plant, cannot be taken off and must consequently be charged as variegated ones. The plants are sent of course at buyer's risk, they are, however, packed so carefully that in our opinion they will stand well, even a prolonged journey. By parcel post we can forward baskets of 11 Lb. weight containing about 80 to 100 leaves for trial, but these will not give an exact idea of the quality, as large plants cannot for their size be sent as parcels.



Aspidistra.  
Electro 3/3.

	100 leaves s. d.	1000 leaves s. d.
Aspidistra elatior, green . . . . .	10 —	90 —
" " fol. var. . . . .	19 6	180 —
" " fol. punct. . . . .	16 —	— —

## XXII. Fruits of Lagenaria vulgaris.

These highly interesting fruits of many interesting shapes are not yet sufficiently known, although they are a most attractive object for show-windows, and at the same time a very salable article. The very often really gigantic fruits, for instance those of the Hercules club, are so decorative that they sell very readily, and there is no kind that is not highly decorative.

Assortment of 12 sorts . . . . . 8/—.

## XXIII. Cycas revoluta.

Small sound and good trunks (bulbs detached from the mother plant) grown here and therefore much better adapted to grow freely than those imported from warmer countries.

12 to 14 in. circumference . . . . .	10 <sup>d</sup> each
8 " 10 " " . . . . .	8 <sup>d</sup> "
6 " 8 " " . . . . .	7 <sup>d</sup> "

## XXIV. Raphia.

Best quality, very long, in original bales of about 2 cwt., per cwt. 48/—; smaller quantities —/7 per lb. Prices variable.

For larger quantities special prices will be quoted on application.

## XXV. Novelties for the season 1903 to 1904.

### Newly Introduced or New Flower Seeds.

⊙ = Annuals. — 4 = Perennials.

The price for 100 packets will be applied for orders of at least 25 packets.

We beg to inform our patrons that, in order to spare unnecessary labour, orders for seeds in packets will not be filled in as many single packets, but the corresponding weight or number will be sent in one lot.

#### 4 **Campanula Medium Wiegandi** (see coloured Seed-Pocket) (Canterbury-Bell).

This Canterbury-Bell with golden-yellow leaves is one of the most charming new introductions, and the effect of the blue flowers and the golden leaves is really lovely.

1 packet —/9 d; 100 packets 45/—.

#### 4 **Tagetes Lemmoni A. Gray.** (Electro.)

This nice plant forms dwarf compact bushes the first year, producing an enormous mass of lovely yellow flowers in the autumn, covering the plant almost entirely.

1 packet —/8 d; 100 packets 35/—.

#### ⊙ **Ipomoea Mikado.**

Of this excellent class only recently introduced from Japan, with extremely large flowers, we offer a further number of fine and new colours, viz.

Blue, dotted with white

„ bordered „ „

Brown

Rose

„ with yellow leaves

„ dotted with white

Yellow dotted with white

White with yellow leaves

each colour separate.

1 packet —/6 d; 100 packets 35/—.



Tagetes Lemmoni A. Gray.  
(Electro 3/6.)

## XXVI. Fruit Trees and Cuttings.

A special list of the best Italian kinds containing all that is worth being offered will be forwarded to our correspondents upon application.

## XXVII. Pictorial Seed Pockets.

All drawn from nature and artistically executed.—Empty.

### A. Vegetable Seeds, ab<sup>t</sup> 4 × 2½ in.

Orders for at least 1000 per sort will be forwarded direct by our German Printer at 7/6 per 1000. Smaller quantities per sort will be sent by ourselves at 1/2 per 100. Less than 10 per sort will not be sold.

1	Basil, sweet green.	68	Lettuce, Cabbage, Nonpareil.
79	Beans, dwarf wax flageolet.	65	" " Rudolph's Favourite.
77	" " Crimson flageolet.	69	" " spotted (Trout).
78	" " Hinrichs speckled giant.	15	" " Stubborn-headed, large yellow.
79	" " Golden Butter Wax.	71	" " " " new brown.
46	Beet, Egyptian turnip, red.	70	" " Winter, Silverball.
80	Borecole curled dwarf green.	72	" " for picking, American brown curled.
81	" " " " purple.	25	Onion, Zittau, giant yellow.
22	Cabbage, Brunswick, large Drumhead.	23	Parsley, moss curled.
52	" " Winnigstadt.	29	" " turnip rooted, short.
30	Carrot, French early forcing.	24	" " long.
83	" " Early stump rooted Dutch.	57	Radish, early scarlet white tipped.
3	" " Nantes' early half-long scarlet.	98	" " half long scarlet.
6	Cauliflower, Erfurt earliest dwarf.	33	" " Winter, black round.
91	" " Veitch's autumn Giant.	56	Scorzonera, common.
7	Celeriac, apple-shaped.	11	Swede, white fleshed.
40	Cucumber, long green of Erfurt.	10	" " yellow green top.
41	" " very " " " "	90	" " purple top.
17	Endive, moss curled.	19	Tomato, large red.
44	Kohl-Rabi, purple very early Vienna.	39	Leek, Summer.
49	" " white " " "	38a	" " Carantan.
67	Lettuce, Cabbage, All the year round.	93	Turnip very early flat white Dutch.
12	" " " " early green stone-head.	36	Spinach long standing dark green.
66	" " " " Emperor forcing.	88	Savoy Drumhead, large late.
13	" " " " large Mogul.		" " Early dwarf Ulm.
301	" " " " brown Laibach Ice		

### B. Flower Seeds, ab<sup>t</sup> 3 × 2 in.

Orders for at least 1000 per sort will be forwarded direct by our German Printer at 6/— per 1000. Smaller quantities per sort will be sent by ourselves at 1/— per 100.

Less than 10 per sort will not be sold.

1	Acroclinium roseum.	30	Aster, Liliput, mixed.
6	Ageratum mexicanum, blue.	24	" Paeony Perfection, mixed.
7	" " " " album, white.	26	" Quilled, mixed.
9	Agrostemma, coeli-rosa.	33	" Victoria, mixed.
11	Alyssum, sweet.	133	Balsam, double mixed.
12	" saxatile.	134	" rose-flowered double, mixed.
13	Amaranthus caudatus, fox-tail.	39	Begonia, tuberous-rooted single, mixed.
6a	" " ruber, red.	56	Blue-Bottle, mixed.
14	" " tricolor.	184a	Calampelis scabra.
17	Antirrhinum majus, Snapdragon, mixed.	45	Calendula Meteor.
18	" " nanum, " " dwarf mixed.	50	Campanula Medium, single mixed (Canterbury Bell).
20	Aquilegia vulgaris fl. pl., mixed (Columbine).	130	Candytuft, white rocket.
29	Aster, Anmuth, mixed.	131	" " large-flowering (Iberis coronaria).
32	" " Comet, mixed.	132	" " (Iberis umbellata purpurea).
23	" " Crown, mixed.	52	Canna, mixed.
34	" " Dwarf, mixed.	94	Carnation, extra double Border.
35	" " Bouquet (Boltze), mixed.	95	" " double dwarf Vienna.

- 93 Carnation, Margaret, mixed.  
 119a Centaurea moschata.  
 67 Chrysanthemum tricolor, mixed.  
 68 " " atrococcineum.  
 72 Cineraria hybrida, large-flowering, mixed.  
 73 Clarkia elegans, double mixed.  
 76 Cobaea scandens.  
 53 Cocks-comb, dwarf, mixed.  
 54 " feathered, mixed.  
 302 " " "Preziosa".  
 77 Coleus, best mixed.  
 186a " Verschaffeltii var.  
 78 Collinsia bicolor.  
 79 " mixed.  
 136 Convolvulus major, mixed.  
 80 " minor, mixed.  
 47 Coreopsis Drummondii.  
 46 " tinctoria.  
 82 Cyclamen persicum giganteum, mixed.  
 85 Dahlia variabilis, single mixed.  
 40 Daisy, double mixed.  
 97 Dianthus chinensis fl. pl., Indian Pink.  
 101 " Heddewigi, mixed.  
 104 " plumarius, common Pink.  
 106 Eschscholtzia californica, yellow.  
 107 " " alba, white.  
 161 Forget me-not, blue (Myosotis alpestris).  
 110 Gaillardia picta Lorenziana, double.  
 303 Gazania pygmaea lutea.  
 112 Godetia, Duchess of Albany.  
 114 " Lady Albemarle.  
 49a " The Bride.  
 113 " Whitney.  
 115 Gomphrena globosa, Globe Amaranth mixed.  
 121 Helichrysum monstrosum, double mixed.  
 125 Heliotropium, mixed.  
 10 Hollyhocks, double mixed.  
 128 Humulus japonicus, Japanese Hop.  
 211 Jacobaea, double mixed.  
 86 Larkspur, dwarf rocket.  
 141 Linum grandiflorum rubrum, scarlet flax.  
 143 Lobelia cardinalis.  
 145 " Erinus speciosa Crystal Palace.  
 146 " " Emperor William.  
 151 Lupinus, annual mixed.  
 152 Lychnis chalconica, scarlet.  
 153 Malope grandiflora alba.  
 154 " " purpurea.  
 160 Marvel of Peru, mixed.  
 176a Maurandia, mixed.  
 196 Mignonette, common.  
 197 " large-flowering, Golden Queen.  
 159 Mimulus moschatus (Musk).  
 229 Nasturtium, climbing mixed.  
 228 " dwarf mixed.  
 226 " King of Tom Thumb.  
 165 Nemophila insignis.  
 168 Nicotiana affinis.  
 171 Oenothera Lamarckiana.  
 238 Pansies, best mixed.  
 239 " best English, mixed.  
 240 " large-flowering French, mixed.  
 246 " Emperor William.  
 247 " Lord Beaconsfield.  
 249 " Odier.  
 242 " Schneewittchen (snow-white).  
 241 " Trimardeau.  
 174 Perilla nankinensis.  
 175 Petunia hybrida, mixed.  
 176 " " grandiflora, best mixed.  
 181 Phlox Drummondii, mixed.  
 183 " " grandiflora, best mixed.  
 172 Poppy (Papaver Rhoeas), ranunculus, double, mixed.  
 173 " " somniferum fl. pl., double mixed.  
 188 Portulaca grandiflora, mixed.  
 189 " " fl. pl., double mixed.  
 191 Primula auricula, mixed.  
 193 " veris (elatior).  
 194 " chinensis fimbriata, fringed mixed.  
 195 Pyrethrum parthenifolium aureum, Golden Feather.  
 202 Ricinus sanguineus.  
 203 Salpiglossis variabilis, mixed.  
 205 Sanvitalia procumbens, double.  
 209 Scabious atropurpurea, double dwarf mixed.  
 212 Silene pendula, rose.  
 214 " " ruberrima, red.  
 215 " " mixed.  
 143a " " compacta.  
 58 Stocks, ten week, mixed.  
 59 " ten week, largeflowering, mixed.  
 60 " Winter or Brompton, mixed.  
 63 " Virginian, mixed.  
 137 Sweet Peas, mixed.  
 88 " William, single mixed.  
 89 " " double mixed.  
 75a Tagetes patula fl. pl., double French, Marigold,  
 mixed.  
 220 " " nana fl. pl., double dwarf French  
 Marigold mixed.  
 221 " " striata fl. pl. double striped French  
 Marigold.  
 222 " signata pumila.  
 231 Verbena hybrida, mixed.  
 256 Zinnia elegans fl. pl., mixed.  
 304 " " " " "Iris".

## XXVIII. Pure South-Italian wines.

We have supplied for many years to our Continental friends different qualities of our fine Italian wines which have been very much appreciated owing to their excellent qualities and cheap prices. In order to meet the increasing demands we have made arrangements with several important wine growers, and are therefore in a position to offer the following qualities at moderate prices viz.

### Red wines:

Vesuvio, a mild Claret . . . . .	44
Syracusa, fiery, for medical purposes . . . . .	50
Calabria, dry and strong . . . . .	44
Capri, dry . . . . .	56

### White wines:

Ischia, much like Moselle . . . . .	40
Stromboli, very fiery . . . . .	44
Vesuvio, a favorite but strong wine . . . . .	44
Capri, dry, very fine, like Chablis . . . . .	56

### Lunch- and Dinner-wines:

Malvasia, white, strong and sweet, greatly appreciated . . . . .	124
Marsala, white, brand „England“, dry and much like Sherry . . . . .	104
Marsala, white, „Italy“, strong very fine . . . . .	88
Porto, red, much like Portwine . . . . .	116

All pure and natural wines ready to be bottled. The prices are for 100 Litres or Kilosnet, equal to about 22 English Gallons f. o. b. Naples — Casks extra. We do not accept orders for less than 50 Litres or about 11 English Gallons per sort.

Per 100 Litres or Kilosnet, equal to about 22 English Gallons f. o. b. Naples, casks included. We do not supply any quantity under 25 Litres or about 5 English Gallons and a half of each kind.

Price are understood for Cash with order, without any discount. The wines travel at buyer's risk and we do not answer for leakage, evaporation &c. Our responsibility ceases once the goods are on board.

### Casks:

are charged at first cost as follows:

of about 400 Litres (about 88 English Gallons)	21/6
„ „ 300 „ „ 66 „ „	18/6
„ „ 200 „ „ 44 „ „	13/6
„ „ 100 „ „ 22 „ „	9/6
„ „ 50 „ „ 11 „ „	5/3

### Double-casks:

These are added only when expressly ordered at following prices:

for 400 Litres (about 88 English Gallons)	12/9
„ 300 „ „ 66 „ „	9/6
„ 200 „ „ 44 „ „	7/3
„ 100 „ „ 22 „ „	5/6
„ 50 „ „ 11 „ „	3/3

Seamers to all parts of the world.

Samples of the different qualities are at the disposal of correspondents at a trifling cost. We respectfully invite our Patrons to give us a trial order with which they will be fully satisfied.

## XXIX. Best Olive-Oil for table use.

We offer the above of the very best quality, packed in a tin and a light wooden box of ab<sup>t</sup> 11 lb. gross weight at 8/—, to be forwarded by parcel post; parcel-fee to all parts of England 2,3 d. per parcel of 11 lb.

## XXX. Tomato sauce

prepared from the best fresh fruits, keeping their natural flavour even for years.

tins of	200 Gr.	250 Gr.	400 Gr.	500 Gr.	1000 Gr.
= ab <sup>t</sup>	7 oz	8 <sup>3</sup> / <sub>4</sub> oz	14 oz	1 <sup>1</sup> / <sub>10</sub> lb.	2 <sup>2</sup> / <sub>10</sub> lb.
per tin	2 d.	3 d.	4 d.	5 d.	9 d.

### Dammann & Co.

San Giovanni a Teduccio (Prov. of Naples).


*A List of all Electros published will be forwarded to our customers on application. It contains about 500 cuts. We shall charge for it 6 d which will however be deducted from the first invoice of electros.*

### Our Bulb Catalogue

is published in May every year and will be sent free of charge to all our correspondents.

## Contents.

	<i>page</i>		<i>page</i>
I. Vegetable Seeds . . . . .	1	XV. Palms . . . . .	54
II. Swede, Turnip and Mangel Wurzel . . . . .	14	XVI. Agave, Aloe, Yucca &c. . . . .	54
III. Sweet Herbs &c. . . . .	14	XVII. Stapelia . . . . .	55
IV. Clovers, Lucerne &c. . . . .	15	XVIII. Canna Roots . . . . .	55
V. Grasses . . . . .	15	XIX. Bulbs and Roots . . . . .	61
VI. Sundry Agricultural Seeds, and Seeds of Economical, Officinal Plants &c. . . . .	16	XX. Asparagus-Plants . . . . .	62
VII. Fruit Trees . . . . .	17	XXI. Aspidistra . . . . .	63
VIII. Seeds of Trees, Shrubs &c. . . . .	18	XXII. Fruits of <i>Lagenaria vulgaris</i> . . . . .	63
IX. Conifer Seeds . . . . .	20	XXIII. <i>Cycas revoluta</i> . . . . .	63
X. Palm Seeds . . . . .	22	XXIV. <i>Raphia</i> . . . . .	63
XI. Seeds of Annual, Perennial, Climbing, Hot-and-Green- House Plants . . . . .	23	XXV. Novelties of Flower Seeds . . . . .	64
XII. Seeds of Ornamental Grasses . . . . .	51	XXVI. Fruit Trees and Cuttings . . . . .	64
XIII. Seeds of Bulbs and Roots . . . . .	52	XXVII. Pictorial Seed Pockets . . . . .	65
XIV. Seeds of Cannas . . . . .	52	XXVIII. Pure Italian Wines . . . . .	67
		XXIX. Best Olive-Oil for table use . . . . .	67
		XXX. Tomato sauce . . . . .	67





# DAMMANN & Co.



*Offices.*



*Entrance to the Trial Grounds. (15 acres.)*



No. 145.  
1904—1905.



No. 145.  
1904—1905.

By appointment to his Majesty the King of Italy.

# DAMMANN & C<sup>o</sup>

Seed and Bulb Growers and Merchants

## SAN GIOVANNI A TEDUCCIO

near Naples, Italy.

Established 1877.

Awards obtained:

First Diploma of Honour at the Italian Exhibition, London, 1888.

Large Gold Medal of the Royal Academy of Naples for Improvements in Horticulture, 1890.

Three Medals at the Great Berlin International Horticultural Exhibition, 1890.



Melon Therapia.

Awards obtained:

Diploma of Honour from the Botanic Society, Geneva, 1891.

Horticultural Exhibition, Naples 1892.

11 first Prizes, both the 2 Medals of the Government. Florence 1893. 1895.

Leipzig, large and small silver Medals 1893.

Chicago 1893.

Naples 1895.

## General Price List

of

Vegetable, Farm, Tree, Conifer, Palm, Flower and other Seeds, Canna Roots, Italian Fruit Trees, Plants, Novelties of Seeds &c. &c.

## Conditions of sale and important remarks.

All prices are quoted in Shillings and Pence (English currency) and to be understood for goods delivered and payable in San Giovanni a Teduccio net without discount at 3 months from date of invoice. Agricultural seeds at 30 days. This condition will not in the least be altered and remains valid even if we draw upon our customers.

We allow 2<sup>0</sup>/<sub>10</sub> discount on all amounts exceeding £ 10.—/—, if cash is remitted on receipt of goods. Smaller amounts are absolutely to be paid in cash.

Our prices being very low (which you will easily find out by comparing them with those of other reliable houses) we cannot deviate from the above condition.

Orders from unknown correspondents must invariably be accompanied by references to continental firms, or the approximate amount be remitted, otherwise orders will not be executed.

Prices are subject to variations and as many quotations are made before the final result of the crop is known we shall not hold ourselves liable for quantities.

We shall thank our Patrons if they will send in their orders on receipt of this list and more especially orders for seeds which have to be collected, such as seeds of Trees, Shrubs, Conifers etc. etc.

Almost all the seeds are grown under our special superintendence, but although we use the utmost care to have all seeds etc. pure and true to name yet we give no warranty expressed or implied as to description, quality, or any other matter connected with the goods we send out and we will not be in any way responsible for the crop. Moreover all our transactions are to be ruled by Italian law. Any claims if in spite of the great care we take there should be any, will, however, be taken into most liberal consideration, but we wish it to be understood, that in no case and under no circumstances we will be responsible beyond the price invoiced for each article. It is on these strict terms only that we offer any goods or execute orders, and in accepting the goods our clients implicitly acknowledge all these terms as binding.

This List cancels all previous quotations.

For quantities from 28 lb. upwards of one sort we quote the price for 1 cwt.; quantities of at least 1/4 lb. of one sort will be charged at the rate of 1 lb., quantities under 1/4 lb. will be charged at the price per oz, orders for smaller quantities than offered in this list will be charged at comparatively higher prices.

Any claims resulting from the invoice itself or from the merchandise, are to be made immediately on receipt thereof, else they can in no way be acknowledged.

### Shipping.

In order that our customers may have an idea of what they will have to pay for freight and shipping charges on our goods, we give the following approximate rates of freight and all charges (not including packing and insurance) from Naples — our establishment can be reached by horse car in about half an hour from the centre of Naples — calculated on 500 Kilos or 10 cwt, which are, however, subject to variations:

To London and Liverpool board: about 2/3 d. per cwt. Freight for Beans to London, Liverpool, Hull etc. about 15 Shillings per ton. Fast Steamers by British India Line and others.

To New-York board: about 2/6 d. per cwt. (not in-

cluding insurance and consular charges). (Fast steamers by North German Lloyd, Hamburg-American, Anchor and Fabre Lines.)

To Australia, New-Zealand, India, China, Japan, South Africa, South America etc. etc., similar cheap rates by direct Steamers.

### Parcels

can be forwarded by post at the following rates: parcels up to 11 lb, (5 kilos) to:

Australia:	East India 11 lb. . . . .	4/—
New South Wales	Egypt . . . . .	1/6
2 <sup>1</sup> / <sub>5</sub> to 6 <sup>1</sup> / <sub>2</sub> lb. 4/6	Great Britain . . . . .	2/3
6 <sup>1</sup> / <sub>2</sub> " 11 " 5/6	Hongkong . . . . .	5/6
Queensland 11 lb. . . . .	Japan . . . . .	4/5
Tasmania 2 <sup>1</sup> / <sub>5</sub> to 6 <sup>1</sup> / <sub>2</sub> lb. 5/8	Malta . . . . .	1/6
6 <sup>1</sup> / <sub>2</sub> " 11 " 7/8	Natal 2 <sup>1</sup> / <sub>5</sub> to 6 <sup>1</sup> / <sub>2</sub> lb. . . . .	6/5
Victoria . 3 <sup>1</sup> / <sub>2</sub> " 6 <sup>1</sup> / <sub>2</sub> " 5/8	6 <sup>1</sup> / <sub>2</sub> to 11 lb. . . . .	9/7
6 <sup>1</sup> / <sub>2</sub> " 11 " 7/8	Mexico via France . . . . .	3/2
Canada 6 <sup>1</sup> / <sub>2</sub> to 11 lb. . . . .	" " Germany . . . . .	3/8
Cape Colony . . . . .	New Zealand 11 lb. . . . .	7/8
Ceylon . . . . .	British South 6 <sup>1</sup> / <sub>2</sub> lb. . . . .	7/6
Dutch Colonies:	Africa and Transvaal	
Batavia, Padang, Samarang, Soerabaia . . . . .	11 lb. 11/6	

U. S. of America (some States) via Germany (Hamburg or Brene) at a through rate of 5/5 (subject to eventual changes).

### Samples

to Great Britain and U. S. A., of 12 oz weight —/4, registered —/7 to all other countries " 9 " " —/3, " —/6

### Postage

on letters . . . . . 2<sup>1</sup>/<sub>2</sub> d.  
" post cards . . . . . 1 d.

Packing at first cost.

Goods travel entirely and exclusively at purchasers risk and we are therefore not responsible for any fault or deficiency arising during the voyage or from an eventual long duration of the same.

We shall however thank our correspondents to give us instructions as to the mode of forwarding, otherwise we shall send the goods by the way we think most convenient, without, however, taking any responsibility.

Insurance, if no other instructions are given, will be covered by us for amount of invoice, freight and charges added.

Our Patrons, by ordering, acknowledge the above conditions of sale.

### Electros.

On application we shall forward a list of all electros published at the charge of 6<sup>d</sup> which will be credited again on an eventual invoice of electros. These electros can be had from us at the prices indicated, but it is to be distinctly understood, that our customers use them exclusively for themselves and that they do not sell, lend or copy them. They will be forwarded through Messrs. Dammann & Co., Leipzig (Germany). Any breach of this agreement is liable to a fine of £ 5—/—.

Our establishment being the largest and oldest of its kind in Italy we can show our customers at any time a great many most interesting things and solicit the favor of a visit, when we shall be happy to show them our large crops of every description.

NB. We shall be glad to procure from reliable sources at reasonable prices any kinds of seeds which our friends may not find in our catalogue.


## Dammann & Co.

Cable address: DAMMANN, San Giovanni Teduccio.

A. B. C. CODE, IV<sup>th</sup> and V<sup>th</sup> edition used.

# I. Vegetable Seeds.

	per lb. s. d.	per cwt. s. d.
<b>Akekengi.</b>		
Eatable Winter-Cherry ( <i>Physalis edulis</i> )	3 —	— —
<b>Artichoke.</b>		
Large early purple Campania . . . . .	7 —	— —
„ „ green of Naples . . . . .	6 —	— —
„ green of Laon or Paris . . . . .	8 —	— —
Purple of Venice . . . . .	4 —	— —
„ Provence or purple French . . . . .	4 6	— —
Green „ „ green „ . . . . .	4 6	— —
Remontant, one of the finest; large, dark green without any spines; bears twice with us, i. e. in spring and autumn . . . . .	6 —	— —
Horatius . . . . .	4 6	— —
Of Modica, very large, glaucous, without spines	4 6	— —
<b>Asparagus.</b>		
Giant of Erfurt . . . . .	— 8	— —
Purple Argenteuil . . . . .	— 10	70 —
Conovers Colossal . . . . .	1 —	95 —
Palmetto . . . . .	1 8	— —
Columbian White . . . . .	2 8	— —
Ivory, (Snow-head) new; very tender, remaining white even if shot up very high above the ground. . . . .	2 8	— —
<b>Basella.</b>		
White of Malabar ( <i>Basella alba</i> ) . . . . .	2 6	— —
<b>Beans.</b>		
<b>Broad Varieties.</b>		
Sevilla long pod . . . . .	— 4	17 —
Aguadulce, (Electro) the finest and largest; best stock; we have grown pods abt 12 in. long . . . . .	— 5	18 —
<b>Beans.</b>		
<b>French or dwarf varieties.</b>		
Crop extremely bad.		
Algiers black wax . . . . .	— —	— —
Best of All . . . . .	— —	18 —
Black Belgian, excellent for forcing . . . . .	— —	— —
Canadian Wonder, excellent stock . . . . .	— —	— —
Canterbury yellow . . . . .	— —	14 —
China . . . . .	— —	— —
Crimson flageolet . . . . .	— —	— —
Fulmers early forcing . . . . .	— —	18 —
Golden Butter Wax, black seeded . . . . .	— —	— —
Hinrich's speckled giant . . . . .	— —	— —
Hundred for one, small yellow, extremely prolific . . . . .	— —	17 —
Negro Monster . . . . .	— —	18 —
„ long pod . . . . .	— —	— —
„ extra early . . . . .	— —	— —



Broad Bean Aguadulce.  
Electro 4



Early Mongibello. . . . . 2 3 — — —  
 We recommend these last two sorts quite especially for warmer countries; they are splendid.

### Savoy.

Asti, dwarf, very early, extremely firm, a fine Italian sort . . . . . 5 6 — — —  
 Drumhead, large late . . . . . 1 7 160 —  
 Early dwarf Ulm . . . . . 1 5 155 —  
 Marcellin . . . . . 1 7 160 —  
 Small early Vienna . . . . . 1 9 180 —  
 Victoria (Waterloo) . . . . . 1 3 132 —  
**Caper Tree**, see Trees.

### Capsicum.

#### Sweet varieties.

Cardinal, scarlet, fruits long . . . . . 1 10 — — —  
 Columbus (Dam.) (Electro), red, of enormous size . . . . . 2 10 — — —  
 Columbus (Dam.), yellow . . . . . 1 10 — — —  
 Elephant's Trump, red, splendid . . . . . 2 — — — —  
 Golden Dawn . . . . . 2 9 — — —  
 Golden King (Nocera), most beautiful, very large fruit . . . . . 1 5 — — —  
 Lucullus, Dam. new. Highly decorative and interesting, growing about 10—12 inches high and producing on a vigorous stem a profusion of upright fruits forming a dense bouquet.  
 red } each colour separate. . . . . 3 3 — — —  
 orange }  
 Maddaloni, of conical shape, very early . . . . . 1 9 — — —  
 Mild red Harald. The fruits resemble much the Ruby King as to size, shape and color, but contrary to this latter kind the fruits stand perfectly upright above the leaves, a decided advantage over the other kinds, as the fruits are more exposed to the sun, thus ripening better and more quickly . . . . . 2 3 — — —  
 Procop's Giant . . . . . 2 — — — —  
 Red pointed Calabrese. Extremely rich bearing, with large fleshy dark purple fruits reaching a length of about 7 inches ending in a point; quite a new form. . . . . 1 6 — — —  
 Ruby King, red, splendid very large . . . . . 1 9 180 —  
 Sweet Mountain or Bull nose . . . . . 1 9 180 —  
 „ Spanish . . . . . 1 9 180 —  
 Taranto, Dam. new. Dwarf, compact producing a great number of fine deep-red middle-size fruits in an upright position, but its principal feature is their skin which is very thin, while their flesh is very

thick, extremely sweet and of the finest flavour. In fact these qualities render this new and fine sort not only very valuable but even superior to most of the others .

per lb. per cwt.  
s. d. s. d.  
2 6 — — —

Under different climatic and cultural conditions it happens that certain kinds of mild Capsicum turn hot.

### Capsicum.

#### Hot varieties for pickling.

Cayenne, red, long fruited . . . . . 1 8 — — —  
 Celestial . . . . . 1 8 — — —  
 Cherry, red . . . . . 1 6 — — —



Capsicum Columbus  
Electro 3/3.

Chile red, orange, sulphur yellow, purple, each . . . . . 1 7 — — —  
 Japanese Cluster, scarlet and orange, fruits long . . . . . 2 2 — — —  
 Kaleidoscope . . . . . 1 9 — — —  
 Spanish or Guinea . . . . . 1 2 — — —  
 Tom Thumb (producing fruits in clusters), red, orange, yellow, each . . . . . 1 5 — — —

### Cardoon.

Puvis, very fine and large, spineless . . . . . 1 6 — — —  
 Bolognese, excellent . . . . . 2 — — —  
 Alexander, (prickly) of enormous size . . . . . 2 — — —  
 Prickly, solid . . . . . — — — — —

	Rubbed or clean Seed		Bearded Seed	
	per lb. s. d.	per cwt. s. d.	per lb. s. d.	per cwt. s. d.
<b>Carrot.</b>				
Please state if you desire „Rubbed“ or „Bearded“ Seed.				
Altringham, long scarlet	1 3	125 —	1 1	110 —
Chantenay, half long	1 3	125 —	1 1	110 —
Carentan, early, half long, scarlet	1 3	125 —	1 1	110 —
Early Gem (Oxheart-Guerande)	1 4	135 —	1 3	115 —
Early scarlet Horn	1 5	145 —	1 3	130 —
French early forc. Horn	1 5	145 —	1 3	130 —
Half long Luc, stump-rooted	1 3	125 —	1 1	110 —
James Intermediate, half long scarlet, pointed	1 4	135 —	1 3	115 —
Nantes, early half long scarlet, stump-rooted	1 —	100 —	1 2	106 —
St. Valery, long red	1 3	125 —	1 1	110 —
Stump-rooted, half long scarlet	1 2	120 —	—	—
Surrey long, red	1 9	165 —	1 7	145 —
White Belgian, green top	— 10	75 —	— 10	68 —
„ Vosges, thick, short	— 9	80 —	— 8	75 —

### Cauliflower.

We grow Cauliflower seed on a very large scale (about 70 acres).

#### Italian varieties.

	per lb. s. d.	per cwt. s. d.
<b>Dammann's Primus</b> , (earliest short-stemmed Italian Giant), very early, most beautiful large, white, solid heads	4 3	— —
<b>Eclipse, true</b> , short-stemmed	9 —	— —
Earliest Italian Giant „Non plus ultra“	2 9	280 —
Dammann's Secundus, the best intermediate sort, short-stemmed, with extremely firm white heads	3 3	— —
Veitch's Autumn Giant	2 3	230 —
„ „ „ improved, about 3 weeks earlier than the old sort	2 9	290 —
Algiers Giant, late	2 4	240 —
Late Asiatic	2 4	240 —
„ Italian Giant (Veitch's self protecting Broccoli)	2 4	240 —
Giant Malta	2 4	240 —

### Cauliflower.

English, French and German varieties grown in Italy. Finest seeds.

	per lb.	per cwt.
Erfurt earliest Dwarf . . . per oz 1/3	18 —	— —
Snowball, very fine . . . „ „ 1/3	18 —	— —
Montblanc, of the Snowball type; quite dwarf, pure white and solid heads (crop failed)	9 —	— —
Imperial early	6 —	— —

	per lb. s. d.	per cwt. s. d.
Early Paris or small Salomon	5 —	— —
Large white Erfurt	3 3	340 —
Early Dutch	4 6	— —
„ London	4 6	— —
Lenormand large	4 6	— —
„ short-stemmed, true	8 —	— —
Large Salomon	4 6	— —
Stadtholdter	4 6	— —
Walcheren, true	4 6	— —

### Cauliflower.

Imported seed, from our special growers.

	per lb.	per cwt.
Erfurt earliest dwarf, for forcing, finest quality . . . per oz 4—	60 —	— —
Snowball, large, very firm white heads, superior stock . . . „ „ 3—	40 —	— —

### Celery.

	per lb.	per cwt.
De Candolle } these Italian varieties are	1 2	— —
Folgore } quite extra	1 2	— —
Henderson's White Plume	1 3	— —
Large dwarf white solid	1 —	— —
Leicester Red	1 6	— —
Pascal, very large	1 —	— —
Sandringham white	1 —	— —
Chemin, golden yellow	1 7	— —
<b>Soup Celery</b>	— 7	45 —

### Celeriac or Turnip-rooted Celery.

	per lb.	per cwt.
Erfurt	1 4	— —
Giant of Prague	1 6	— —
Ne plus ultra, Paris white	1 6	— —
Apple-shaped	1 2	— —

### Chervil.

	per lb.	per cwt.
Common or plain	— 6	— —
Curled	— 7	— —

### Chicory.

	per lb.	per cwt.
Common (Barbe de Capucin) } excellent	— 7	52 —
Improved very large-leaved } for	— 10	90 —
Brussels or Witloof } salad	— 11	95 —
Large-rooted Brunswick	— 10	88 —
Asparagus, an excellent Italian variety quite different from any other; leaves and stalks give a most wholesome and refreshing salad when cooked and served cold	1 3	— —

### Corn, Sweet or Sugar.

	per lb.	per cwt.
Adam's, extra early	— 5	30 —
Crosby's early	— 5	30 —
Cory early (red Cob)	— 5	30 —

	per lb. s. d.	per cwt. s. d.
Early Minnesota . . . . .	— 5	30 —
Egyptian . . . . .	— 5	30 —
Mammoth . . . . .	— 5	30 —
Moore's early Concord . . . . .	— 5	30 —
Perry's Hybrid . . . . .	— 5	30 —

**Cornsalad.**

Small-seeded green . . . . .	1 —	82 —
Large-seeded round-leaved Dutch . . . . .	— 9	65 —
Italian (Valleriana coronata, Régence) . . . . .	— 9	65 —

**Cress** (1 bushel = abt 1/2 cwt.).

Common or plain . . . . .	— 5	35 —
Curled . . . . .	— 7	45 —



Cucumber, Yokohama climbing.  
Electro 3/3.



Cucumber, Corosan climbing.  
Electro 3/3.

American Winter . . . . .	1 —	— —
Australian or Golden . . . . .	— 7	57 —
Broad-leaved . . . . .	— 9	68 —
<b>Water Cress</b> . . . . .	1 9	— —

**Cucumber.**

(Open ground varieties.)

Long green . . . . .	1 8	— —
„ „ Italian, very fine and productive . . . . .	1 8	— —
„ „ of Athens, or Greek . . . . .	1 8	— —
„ „ English prickly . . . . .	1 8	— —
„ „ Bismarck, white-spined . . . . .	1 9	— —

	per lb. s. d.	per cwt. s. d.
Long green Goliath . . . . .	1 9	— —
„ „ prolific . . . . .	1 8	— —
„ „ white spine . . . . .	1 9	— —
Very long yellow Dutch . . . . .	1 9	— —
Paris pickling . . . . .	1 4	— —
Small pickling Bourbonne . . . . .	1 4	— —
Japanese green climbing . . . . .	2 —	— —
Formosa climbing (Dam.), very early and enormously prolific, of splendid flavour. Fruit smooth, dark green, slightly black spotted; flesh white, very solid . . . . .	2 —	— —
Yokohama climbing (Dam.) (Electro). A most beautiful late sort; the foliage		

never suffers from disease. The fruits are cylindrical, bright green and very slightly spined or prickly. Later, if ripe, they turn brighter, almost into wax colour. Flesh white solid. Bears most abundantly . . . . . 2 9

**Corosan climbing (Dam.) (Electro).**  
The "ne plus ultra" of productiveness as it bears most abundantly and never suffers from diseases. Fruit dark green, bright green striped and very slightly prickly, with a curious knot at the extremity. Flesh white, of finest flavour and never bitter . . . . . 2

**Giant of Quedlinburg . . . . .** 1 9

**Sikkim, long Turkish . . . . .** 2 6

The Prince's Cucumber (Electro), fruits short, about 6—8 in. cylindrical smooth, light green, very fleshy and solid, extremely prolific and highly to be recommended . . . . . 1 9 —  
 Bonneuil, white very large . . . . . 1 7 —  
 Russian small (Murum) . . . . . 1 4 —  
 „ netted . . . . . 1 7 —  
 Cucumis flexuosus (Snake) . . . . . 2 6 —  
 Persian Cluster (Dam.), very early, ripening in about 5 weeks, about 8 inches long, dark green, very slightly prickly; very fine . . . . . 2 — —  
 Bedfordshire Prize Ridge . . . . . 2 — —  
 Stockwood extra . . . . . 2 — —  
 Unicum, new; of medium size, thick, green, stands all atmospheric influences extremely well . . . . . 2 3 —  
 Fordhook, fruit dark green, smooth, straight, very fleshy, about 12 to 16 in. long, containing very few seed, this new sort is extremely productive and really one of the finest . . . . . 2 6 —

per lb. per cwt.  
s. d. s. d.

**Dandelion.**  
 Common . . . . . 1 8 —  
 Improved thick-leaved or cabbaging . . . . . 5 9 —  
 Improved Moss . . . . . 6 6 —

**Egg Plant.**  
 Barbentan long early . . . . . 2 — —  
 Purple dwarf very early . . . . . 2 8 —  
 Black Nagasaki (Dam.), dwarf very early and prolific . . . . . 2 9 —  
 Black Snake. New and very interesting. Producing an abundant number of cylindrical dark purple almost black fruits about 12 in. long of the very best flavour . . . . . 2 6 —



Cucumber, The Prince's Electro 2/6.



Egg Plant, Dammann's „Délicatesse“ Electro 3/—.

**Cucumber.**  
(Frame Varieties.)

Gladiator long green . . per oz —/— — — —  
 Rollisson's Telegraph . . „ „ 1/3 — — —  
 Arnstadt white Giant, } very per oz 1/6 — — —  
 „ green „ } fine „ „ 1/3 — — —  
 Hampel's Forcing . . . . „ „ 1/3 — — —  
 Prescott Wonder . . . . „ „ 1/3 — — —  
 Noa's Forcing . . . . . „ „ 1/— — — —  
 Indefatigable . . . . . „ „ 1/— — — —  
 Jewel of Koppitz . . . . „ „ 1/3 — — —  
 Old cucumber seed . . . . . — 3 16 —

Chamber Cucumber, very early, climbing very little, highly productive; can be grown well indoors in any room near the window . . . . . 1 9 —  
 Cyperus esculentus . . . . . — 10 — — —

Dammann's „Délicatesse“ (Electro) the earliest, pear-shaped; quite an enormous bearer . . . . . 2 9 —  
 Purple large early . . . . . 2 — —  
 „ round . . . . . 2 7 —  
 „ long of Palermo . . . . . 2 — —  
 „ giant . . . . . 2 4 —  
 Black China (Peking) . . . . . 3 — —  
 New York Giant . . . . . 5 — —  
 Long white China . . . . . 1 9 —  
 Round white . . . . . 2 3 —  
 All sorts mixed . . . . . 1 9 —

**Endive.**

Small green curled summer . . . . . 1 2 —  
 Large green curled . . . . . 1 2 —  
 Moss curled . . . . . 1 4 —



	per lb. s. d.	per cwt. s. d.
Rouen or Staghorn . . . . .	1 2	— —
Ruffec curled . . . . .	1 2	— —
Pancaliere curled . . . . .	1 4	— —
Ever-white curled . . . . .	1 7	— —
Imperial curled . . . . .	1 3	— —
Green fine curled winter Meaux . . . . .	1 1	— —
Carter's Model . . . . .	1 4	— —
Batavian (Scarole) green . . . . .	1 2	— —
„ white . . . . .	1 2	— —
„ of Naples, excellent . . . . .	— 11	— —

**Garlic.**

Large Naples . . . . .	— 3	12 —
Very large Calabria . . . . .	— —	— —



Leek, Giant Italian Winter.  
Electro 2/4.

**Gourd.**

Eatable sorts see *Vegetable Marrow*.  
Ornamental sorts see *Cucumis*, *Cucurbita*, *Lagenaria*.

**Ice Plant**, see *Sweet Herbs*.

**Kohl-Rabi.**

Grown exclusively from selected stock.

White ordinary . . . . .	1 —	— —
„ very early Vienna, short-leaved . . . . .	1 4	— —
„ of Prague, the finest of all . . . . .	1 6	— —
Purple ordinary . . . . .	1 2	— —
„ very early Vienna, short-leaved . . . . .	1 5	— —
White Goliath, extremely large . . . . .	— 11	— —
Purple „ „ „ . . . . .	— 11	— —
Curled of Naples . . . . .	1 —	— —

**Leek**

(Grown from selected stocks).

Musselburgh (Scotch stock seeds) . . . . .	1 1	100 —
Large Rouen winter . . . . .	1 —	98 —

	per lb. s. d.	per cwt. s. d.
Monstrous Carentan . . . . .	1 —	98 —
Poitou large yellow . . . . .	1 —	— —
Large Brabant . . . . .	1 —	98 —
The Lyon . . . . .	— 11	92 —
Broad London flag . . . . .	1 —	98 —
Giant Italian Winter (Electro) . . . . .	1 1	105 —
„ Ostia, dark green . . . . .	1 1	105 —
Coldstream Giant . . . . .	1 —	100 —
Bulgarian, very long . . . . .	1 1	— —
Giant of Palermo, glaucous, the largest . . . . .	1 1	— —

These last 3 Italian sorts are most beautiful, producing enormous plants; they will give satisfaction everywhere and more especially in warmer countries.

**Lettuce.**

w. s. = white seed; bl. s. = black seed;  
y. s. = yellow seed.

**Cabbage varieties.**

**a) Spring varieties.**

Boston Market or white Tennisball, w. s. . . . .	1 6	— —
Golden Yellow Stonehead or Golden Ball w. s. . . . .	1 6	— —
Wheeler's Tom Thumb; bl. s. . . . .	1 4	135 —
Egg, small early, w. s. . . . .	1 3	— —
Dippe's Emperor, w. s. . . . .	1 4	— —

**b) Summer varieties.**

All the year round, w. s. . . . .	1 3	— —
„ „ „ „ bl. s. . . . .	1 3	118 —
Nonpareil, w. s. . . . .	1 3	— —
Stubborn-headed large yellow (Trotzkopf) w. s. . . . .	1 4	— —
Stubborn-headed new brown (brown Trotzkopf) w. s. . . . .	1 4	— —
Small dark red, bl. s. . . . .	1 6	— —
Golden spotted, w. s. . . . .	1 6	— —
Dippe's yellow solid (yellow-seeded Butter) y. s. . . . .	1 4	— —
Rudolph's Favourite, w. s. . . . .	1 6	— —
Large yellow market, w. s. . . . .	1 3	— —
Albano, seed light brown . . . . .	1 2	— —

**Genezzano, (Continuity, Jewel) bl. s. of a bronzy colour outside and creamy white inside; stands the greatest heat, is very solid and at the same time very tender, scarcely produces any seed; the finest sort that exists**  
per oz —/5

Green Unctuous, bl. s. . . . .	5 9	— —
White Giant, bl. s. new, Dam. 1901. Of quite an unusually large size while at the same time the heads are extremely tender and of the finest flavor. The color of the leaves is of a tender green changing into yellow toward the centre . . . . .	1 2	— —
	1 6	— —

	per lb. s. d.	per cwt. s. d.
Green Giant, w. s. new, Dam. 1901. Same as the former but the leaves are dark green changing into pale green toward the heart; the outside leaves have a slight reddish shade at the back . . . . .	1 3	— —
Malta Drumhead, w. s. . . . .	— 9	80 —
Batavia white, w. s. . . . .	1 3	— —
„ green, w. s. . . . .	1 3	— —
Chou de Naples, w. s. . . . .	1 6	155 —
Ice Lettuce of Laibach (Iceberg), w. s.	1 6	— —
Brown Laibach Ice Lettuce, new (Dam. 1890). A new variety with bronzed leaves which is in every way up to the old yellow kind, and will hold a prominent place among the best Cabbage Lettuces. The heads are of enormous size, very firm, standing the heat extremely well, a feature which makes this Lettuce particularly adapted to warmer countries . . . . .	1 6	— —



Dammann's Ice Lettuce.  
Electro 3/—.


Dammann's Ice Lettuce, w. s. (Electro) larger than the former and of the finest flavour, quite excellent; requires a good loamy soil	1 6	— —
Italian Ice Lettuce, w. s., also very large, and solid, yellow; remarkably fine . . . . .	1 6	— —
Improved Tyrolese, new (Dam. 1890) (Electro). The heads are of enormous size and firm as a stone, leaves same as the ribs very tender. A special characteristic of this beautiful new sort are its leaves, the borders of which are fringed or serrated quite peculiarly. Our cut gives a pretty accurate idea of it . . . . .	1 9	— —

c) Winter varieties.

Brown German Winter, w. s. . . . .	1 1	— —
Green German Winter, w. s. . . . .	1 1	— —
Besson or Marvel, bl. s. . . . .	1 4	— —
Nansen, w. s., green, very hardy . . . . .	1 4	— —

Varieties for picking and cutting.

	per lb. s. d.	per cwt. s. d.
American brown curled, w. s. . . . .	1 2	120 —
Australian yellow curled, w. s. . . . .	1 2	120 —
<b>Cos varieties.</b>		
Balloon, bl. s. . . . .	1 3	— —
Brown Bath, bl. s. . . . .	1 3	125 —
Frascati, w. s. White self-folding, most excellent	1 3	— —
Paris white, w. s. . . . .	1 3	— —
„ Green, w. s. . . . .	1 2	— —
Potenza, w. s. of enormous size and most excellent; leaves very numerous, white, bronze, self-folding, very solid; does not easily run to seed	1 1	— —
Tankred, w. s. splendid, new; white, self-folding, beautiful . . . . .	1 1	— —
Trianon, w. s. . . . .	1 3	— —
Lettuce seed for bird's food, w. s. . . . .	— 8	60 —
„ „ „ „ „ bl. s. . . . .	— 4	30 —



Improved Tyrolese Cabbage Lettuce.  
Electro 3/—.

Melon.

Neapolitan Winter, white flesh keeps very well . . . . . per oz —	2	1 7	— —
Netted of Naples . . . . . „ „ —	2	1 7	— —
Malta, red flesh . . . . . „ „ —	4	2 7	— —
„ green „ . . . . . „ „ —	4	2 7	— —
Honfleur netted . . . . . „ „ —	6	4 6	— —
Tours netted . . . . . „ „ —	4	3 3	— —
Pine Apple, white flesh . . . . . „ „ —	4	3 —	— —
„ „ red flesh . . . . . „ „ —	4	3 —	— —
Hackensack . . . . . „ „ —	5	3 9	— —
Skillman's netted . . . . . „ „ —	4	3 3	— —
Blenheim Orange . . . . . „ „ —	—	— —	— —
Bujukdere, round, smooth, light yellow with green spots or stripes; flesh snow white, thick and juicy; of finest flavour	per oz —	3	2 3



	per lb. s. d.	per cwt. s. d.
Giant of Eboli (Dam.) . . . . .	2 —	— —
Both very large, especially the last one, resembling almost the Celery; we recommend these 2 sorts quite particularly.		
Turnip-rooted long . . . . .	1 —	95 —
"    "    short . . . . .	1 —	95 —

**Parsnip.**

Long smooth . . . . .	— 5	40 —
Round . . . . .	— 5	40 —
Hollow crown . . . . .	— 7	50 —
Elcombe's improved . . . . .	— 6	50 —
Sutton's Student . . . . .	— 7	50 —
Dobbie's selected . . . . .	— 6	50 —



Tomato *sempfructifera*.  
Electro 3/—.

**Peas.**

Prince Albert (of Paris) . . . . .	— 5	28 —
Caractacus . . . . .	— 6	32 —
Express, green . . . . .	— 5	34 —
Fillbasket (Laxton) . . . . .	— 6	40 —
White Victoria . . . . .	— 5	28 —
Ring leader . . . . .	— 5	32 —
De Grace . . . . .	— 6	30 —

**Peas (Wrinkled Varieties).**

Champion of England . . . . .	— 8	48 —
Telephone . . . . .	— 8	48 —
Knight's . . . . .	— 6	40 —
Laxton's Alpha . . . . .	— 8	48 —
Stratagem . . . . .	— 8	50 —
American Wonder . . . . .	— 8	48 —
William Hurst . . . . .	— 8	50 —

(Any other English, French or German &c. Peas can be supplied in best quality at same or lower prices than those of other respectable firms.)

**Radish**

(saved from transplanted roots).

	per lb. s. d.	per cwt. s. d.
Turnip early scarlet . . . . .	— 10	60 —
"    extra early scarlet . . . . .	— 10	70 —
"    early scarlet white-tipped . . . . .	— 10	60 —
"    early white . . . . .	— 10	74 —
"    very early yellow . . . . .	1 —	— —
"    early deep scarlet . . . . .	— 10	70 —
"    "    "    "    white-tipped . . . . .	— 10	60 —
Olive-shaped scarlet . . . . .	— 10	60 —
"    "    "    white-tipped (French breakfast) . . . . .	— 10	65 —
"    "    early deep scarlet . . . . .	— 10	70 —
"    "    "    "    "    white-tipped (new) . . . . .	— 10	70 —
Long scarlet or short top . . . . .	— 11	— —
"    Wood's early frame . . . . .	— 11	80 —
"    white Naples . . . . .	1 —	90 —
"    scarlet " . . . . .	1 —	90 —
Summer black turnip . . . . .	— 9	78 —
"    "    long . . . . .	— 9	78 —
Winter Spanish black round . . . . .	— 9	78 —
"    "    "    long . . . . .	— 9	78 —
"    scarlet China . . . . .	— 9	75 —

**Rhubarb.**

Myatt's Victoria . . . . .	2 2	— —
Prince Albert . . . . .	2 2	— —
Salsify, Mammoth Sandwich Island . . . . .	4 6	— —
"    ordinary . . . . .	2 3	— —

**Scorzonera.**

Common . . . . .	1 9	— —
Large Russian . . . . .	2 9	— —
Sea-Kale ( <i>Crambe maritima</i> ) . . . . .	2 10	— —

**Spinach.**

Prickly or winter (prickly seed) . . . . .	— 5	28 —
Monstrous Viroflay (round seed) . . . . .	— 5	27 —
Round-leaved large Dutch (round seed) . . . . .	— 5	26 —
Victoria, dark green . . . . .	— 5	28 —
Lettuce leaved (round seed) . . . . .	— 5	26 —
Long-standing, round seed . . . . .	— 5	25 —
New Zealand ( <i>Tetragonia expansa</i> ) . . . . .	— 8	60 —
Mountain Spinach or Orach, white . . . . .	— 6	— —

**Swiss Chard.**

Silver-ribbed (yellowish white) . . . . .	— 7	48 —
"    "    curled . . . . .	— 7	48 —
Chilian scarlet-ribbed . . . . .	— 10	— —
"    yellow-ribbed . . . . .	— 9	70 —

**Tomato.**

(Speciality of our firm.)

Acme, large purple . . . . .	3 3	— —
Aurora (Dam. 97) apple-shaped, orange-yellow; flesh solid . . . . .	per oz —/5	3 6 — —

	per lb. s. d.	per cwt. s. d.
Cardinal . . . . . per oz —/4	2 9	— —
Carter's Duke of York . . . . . —/5	3 9	— —
Challenger, very large, scarlet; very productive . . . . . per oz —/5	3 6	— —
Chemin, one of the finest sorts . . . . . —/5	3 6	— —
Cherry-shaped, red . . . . . —/4	2 9	— —
Conqueror . . . . . —/5	3 9	— —
Enormous, an American sort, fruits of an enormous size, containing very few seeds . . . . . per oz —/6	5 3	— —
Excelsior . . . . . —/5	3 5	— —
Ficarazzi (Dam.) the earliest of fall . . . . . —/2	1 9	— —
Frogmore selected . . . . . —/5	3 9	— —
Goldball (Dam. 97) golden yellow; fleshy; velvety skinned . . . . . per oz —/4	3 —	— —
Ham Green Favorite . . . . . —/4	3 —	— —
King Humbert (Dam.) red; well-known fine sort . . . . . —/10	70	— —



Vegetable Marrow, Neapolitan Cocozzella. Electro 3/3.

	per lb. s. d.	per cwt. s. d.
Perfection . . . . . per oz —/5	3 9	— —
Pine Apple (Dam.) round, golden-yellow; enormous bearer . . . . . per oz —/4	3 —	— —
Ponderosa, true . . . . . —/7	5 6	— —
President Garfield . . . . . —/5	4 9	— —
Prince of Naples (Dam.) fruits scarlet, of enormous size, flat-round, slightly ribbed . . . . . per oz —/6	4 6	— —
Red Apple . . . . . —/4	2 9	— —
Ruby, large red early . . . . . —/4	2 9	— —
Semperfructifera (Dam.) (Electro) enormously prolific, bearing large clusters of plum-shaped scarlet fruits (often 50 to one cluster). With us the first fruits are ready in May and the plants continually produce them almost until Xmas; they are rather small, but solid and of the finest flavour; . . . . . per oz —/6	4 —	— —



Cocozzella of Tripoli. Electro 3/—.

King Humbert (Dam.) golden-yellow; the finest of all yellow sorts . . . . . per oz —/2	2 —	— —
King Humbert (Dam.) white (wax); very prolific and of fine flavour . . . . . per oz —/5	3 9	— —
Large red . . . . . —/1	90	— —
„ „ early dwarf . . . . . —/2	—	— —
„ „ yellow . . . . . —/3	6	— —
Mayflower . . . . . per oz —/4	2 9	— —
Meteor (Dam.) very dwarf; needs no sticks; fruits large, smooth, scarlet, solid . . . . . per oz —/6	4 6	— —
Mikado, purple . . . . . —/6	5 10	— —
„ „ scarlet . . . . . —/6	5 10	— —
Nonplus ultra (Dam.) large red . . . . . —/3	2 7	— —
Northlight (Dam.) upright; fruit not very large, round carmine-red; flesh solid . . . . . per oz —/6	4 9	— —

Skamander (Dam.) upright, large purple fruits like those of Woodgate Hero, from which it descends . . . . . per oz —/6	4 9	— —
Stone, improved, enormous fruits, round, bright scarlet, smooth, fleshy, excellent flavour; the improved sort produces very few seeds . . . . . per oz —/6	5 3	— —
Trophy, red . . . . . —/4	3 3	— —
All sorts mixed . . . . . —/1	5	— —

**Turnip (Garden).**

Very early flat white Dutch . . . . .	10	75
Golden Ball . . . . .	8	60
Munich early purple top . . . . .	10	78
Early red top strap-leaved American stone . . . . .	9	60

	per lb. s. d.	per cwt. s. d.
Early white top strap-leaved American stone . . . . .	— 10	70 —
Milan purple top strap-leaved very early . . . . .	1 3	110 —
Milan white top extra early, new . . . . .	1 4	120 —
Early flat red top . . . . .	— 9	55 —
„ Snowball . . . . .	— 9	58 —
Jersey white . . . . .	— 9	55 —
„ Lily Turnip . . . . .	10	— —
Chirk Castle black stone . . . . .	— 9	68 —

**Vegetable Marrow.**

Vegetable Marrow long green Bush or Neapolitan Cocozzella, green and yellow striped (Electro) . . . . .	1 2	100 —
---	-----	-------



Cocozzella snow-white Belmonte.  
Electro 3/3.

Vegetable Marrow, English (à la moelle anglais) . . . . .	1 4	— —
Neapolitan Portmanteau green . . . . .	1 2	90 —
Italian white Mushroom (Champignon) Dam. . . . .	2 —	— —
Marrow early golden Bush . . . . .	1 10	— —
„ Squash Hubbard . . . . .	1 10	— —
Long white Bush Marrow . . . . .	1 7	— —
Large yellow gourd or yellow Mammoth . . . . .	1 9	— —
„ white „ „ white „ . . . . .	3 6	— —
„ red „ „ red „ . . . . .	2 3	— —
„ green „ „ green „ . . . . .	2 3	— —
Cocozzella of Tripoli (Electro) . . . . .	2 —	— —
„ „ „ white . . . . .	2 3	— —
„ „ Molfetta, dwarf, with long yellowish-white fruits; very fine . . . . .	1 7	— —
„ „ snow - white Belmonte (Dam.) (Electro). Dwarf with long white fruits; particularly fine . . . . .	2 6	— —

	per lb. s. d.	per cwt. s. d.
Charles Naudin (Cucurbita moschata) (Dam.) a beautiful sort, slightly climbing, with round white-striped white-fleshed fruits and large silvery seeds . . . . .	2 9	— —
Scarlet Chinese Sugar, fruits round with scarlet rind; flesh very solid and sweet . . . . .	2 4	— —
Wonder, new; very early and prolific; round, of medium size; the seeds have no shell as those of other kinds but only a very soft skin . . . . .	1 9	— —
King's Acre Cream . . . . .	2 —	— —
Pen-y-byd . . . . .	2 —	— —



Vegetable Marrow, Neapolitan longest green running.  
Electro 4/—.

Neapolitan longest green running (Lagenaria leucantha longissima (Cocozzella da pergola) (Electro) when young, this sort furnishes quite an excellent dish; cut into pieces of abt 3 in. long, take out the seeds, fill it up again with a stuffing of meat &c. boil, and serve with Tomato sauce . . . . .	2 4	— —
Moore's Vegetable Cream . . . . .	1 9	— —
Long green trailing . . . . .	1 9	— —
„ white „ . . . . .	1 9	— —
Whale, greyish green . . . . .	2 6	— —
Turkish Honey, new, Dam. 1901. The fruits which are orange-red veined with white grow to about 1/2 cwt. weight. Flesh chamois-yellow, very tender and sweet, and of delicious flavor, extremely fine for cooking. In Turkey this Pumpkin is greatly appreciated . . . . .	3 9	— —

## II. Swede, Turnip and Mangel Wurzel.

Prices variable.

	per lb. s. d.	per cwt. s. d.		per lb. s. d.	per cwt. s. d.
<b>Swede.</b>			<b>Mangel Wurzel.</b>		
Yellow green top . . . . .	— 9	56 —	Long red . . . . .	— 6	38 —
„ purple top . . . . .	— 9	56 —	„ yellow . . . . .	— 6	38 —
Laings yellow purple top . . . . .	— 9	50 —	„ Mammoth . . . . .	— 5	36 —
Skirvings „ „ „ . . . . .	— 9	50 —	Champion Yellow Globe . . . . .	— 6	42 —
			Golden Tankard . . . . .	— 6	45 —
<b>Turnip.</b>			Oberndorf Yellow Globe . . . . .	— 6	38 —
White Tankard, green top . . . . .	— 7	48 —	„ Red Globe . . . . .	— 6	38 —
Red „ „ . . . . .	— 6	45 —	Olive-shaped Yellow or Intermediate .	— 6	44 —
Pomeranian White Globe . . . . .	— 7	55 —	The seeds of <b>Swede, Turnip</b> and		
Red Top Norfolk . . . . .	— 7	52 —	<b>Mangel Wurzel</b> as offered above		
Green Top Norfolk . . . . .	— 7	50 —	have been grown from best stocks; any		
Carters Purple top Mammoth . . . . .	— —	— —	other sorts not enumerated will be sup-		
Aberdeen purple top . . . . .	— —	— —	plied also in reliable quality at cheapest		
			prices.		

## III. Sweet Herbs &c.

	per lb. s. d.	per cwt. s. d.		per lb. s. d.	per cwt. s. d.
Arachis hypogaea (Pea-nut; ground-nut) . . . . .	— 3	21 —	Fennel Morosini (Dam.) new; the largest, finest and sweetest; a first rate sort . .	1 —	— —
Angelica (Angelica Archangelica) . . . . .	1 9	— —	These sweet Fennels are quite excellent and whoever tried them with us here, were very satisfied.		
Anise (Pimpinella Anisum) best of Apulia (South Italian) . . . . .	— 8	50 —	Horehound (Marrubium vulgare) . . . . .	1 10	— —
Balm (Melissa officinalis) . . . . .	2 6	— —	Hyssop Hyssopus officinalis . . . . .	2 —	— —
Basil sweet, large green . . . . .	1 —	— —	Ice plant (Mesembrianthemum cristallinum) . . . . .	2 3	— —
„ bush green . . . . .	1 —	— —	Lavender (Lavendula spica) . . . . .	1 4	— —
„ of Abyssinia (O. suave) excellent both for the kitchen and as a decorative plant (failed) . . . . .	2 —	— —	„ true (Lavendula vera) oz 1/5 . . . . .	6 —	— —
Basil purple dwarf curled . . . . .	1 4	— —	Marigold, Pot (Calendula officinalis) . . . . .	1 3	— —
Blessed Thistle (Centaurea benedicta) . . . . .	— 5	— —	Marjoram, sweet (Majorana hortensis) . . . . .	1 9	160 —
Borage (Borago officinalis) . . . . .	1 —	— —	„ pot (Origanum vulgare) per oz —/6 . . . . .	5 10	— —
Burnet, Garden (Poterium hortense sanguisorba) . . . . .	— 7	— —	Mignonette, see Flower Seeds.		
Caper Tree, see Tree Seeds (Capparis). . . . .	— 4	28 —	Mint, Mentha piperita, Peppermint . . . . .	— —	— —
Caraway (Carum Carvi) . . . . .	11 6	— —	„ „ crispa . . . . . oz 3/9 . . . . .	— —	— —
Chives (seed) . . . . . oz —/10 . . . . .	— —	— —	„ „ Pulegium, (Penny-Royal) . . . . .	— —	— —
Cardoon, see Vegetable seeds.			„ „ . . . . . per oz 1/3 . . . . .	— —	— —
Clary (Salvia sclarea) . . . . .	5 6	— —	„ „ viridis, (Spear-Mint) the best for sauces . . . . . per oz 2/9 . . . . .	3 6	— —
Coriander (Coriandrum sativum) . . . . .	— 3	22 —	Okra, dwarf early . . . . .	1 7	— —
Cumin (Cuminum Cyminum) . . . . .	— 6	38 —	„ „ improved . . . . .	1 9	— —
Dill (Anethum graveolens) . . . . .	— 8	65 —	„ „ Egyptian (Hibiscus lutescens) . . . . .	1 6	— —
Fennel, Carosella of Naples (Foeniculum piperatum) . . . . .	1 3	— —	Purslain green (Portulacca oleracea) . . . . .	1 6	— —
„ sweet Bolognese (Foeniculum dulce) . . . . .	1 —	— —	„ golden . . . . .	1 6	— —
„ largest sweet of Sicily, new . . . . .	1 —	— —			

	per lb. s. d.	per cwt. s. d.		per lb. s. d.	per cwt. s. d.
Pyrethrum cinerariaefolium per oz —/6	6	—	Savory, Winter or perennial (Satureja montana)	2	—
Rampion (Raiponce) Campanula (Rapun- culus)	2	8	Skirret	—	—
Rocket (Brassica Eruca, Eruca sativa)	—	7	Sorrel, broad-leaved French	1	4
Rosemary (Rosmarinus officinalis)	4	6	Tarragon, Russian (Artemisia Dracun- culus)	—	—
Rue (Ruta graveolens)	1	6	per oz 1/8	—	—
Sage (Salvia officinalis)	2	—	Thyme, Summer	3	2
„ large-leaved	2	4	„ German Winter	3	7
Savory, Summer or annual (Satureja hortensis)	—	9	Wormwood (Artemisia Absinthium)	2	10

## IV. Clovers, Lucerne &c. &c.

Prices variable; terms 30 days. Special quotations made for large quantities.

	per lb. s. d.	per cwt. s. d.		per lb. s. d.	per cwt. s. d.
Bird's foot Trefoil (Lotus corniculatus)	1	3	Melilotus coerulea	—	10
Broom, common (Spartium scoparium)	—	5	Sainfoin, common (Hedysarum Onobry- chis) in husk	—	—
„ yellow or Spanish (Spartium junceum)	—	6	Sainfoin, common (Hedysarum Onobry- chis) husked or milled (to be preferred, as the seeds grow more easily)	—	18
Clover, Alexandrium, white flowering, very much to be recommended	—	8	Sulla (Spanish Sainfoin, Hedysarum coronarium) in husk	—	—
„ Alsike (Trifolium hybridum)	1	—	Sulla (Spanish Sainfoin, Hedysarum coronarium) husked or milled (to be preferred, as the seeds grow more easily)	1	3
„ Bokhara (Melilotus alba)	—	9	Sulla is one of the very best fodder plants for warmer countries. Ask for special circular on Sulla which will be sent free on application.	—	—
„ Crimson, scarlet or Italian (Trif. incarnatum)	—	—	Tares, common or Spring Vetches (Vicia sativa), white-seeded	—	—
„ red (Trifolium pratense)	—	10	„ black-seeded	—	—
„ white ( „ repens)	1	—	„ Vicia villosa	—	6
Fenugreek (Trigonella foenum graecum)	—	—	„ Faba arvensis	—	—
Furze, Gorse or Whin (Ulex europaeus)	1	5	„ „ equina (Horse Bean)	—	—
Goat's Rue (Galega officinalis)	—	—	Trefoil yellow, (Medicago lupulina)	—	5
Lathyrus Clymenum	—	—	Vetchling (Lathyrus sylvestris)	2	9
Lentil, Spanish (Lathyrus sativus)	—	—	Yellow Sand Clover (Anthyllis vulneraria)	1	—
Lupins, white (Lupinus albus)	—	—			
„ yellow ( „ luteus)	—	—			
„ blue ( „ angustifolius)	—	—			
Lucerne (Medicago sativa) best Italian, carefully sifted, fine quality	—	10			
„ hardy (Med. media)	—	11			
„ tree (Med. arborea), an excellent fodder plant for warmer countries	—	—			

## V. Grasses.

Prices variable.

	per lb. s. d.	per cwt. s. d.		per lb. s. d.	per cwt. s. d.
Bent-Grass, creeping (Agrostis stolonifera)	—	8	Brome, meadow (Bromus pratensis)	—	8
Bermuda-Grass	2	—	Canary-Grass (Phalaris arundinacea)	1	9
Brome, Hungarian or awnless (Bromus inermis)	—	7	Cocksfoot, common (Dactylis glomerata)	—	8
„ soft or Bull Grass (Bromus mollis)	—	—	Crested Dogstail (Cynosurus cris- tatus)	—	10



	per lb. s. d.	per cwt. s. d.		per lb. s. d.	per cwt. s. d.
Fescue, hard ( <i>Festuca duriuscula</i> ) . . .	— 5	33 —	Rye-Grass, English ( <i>Lol. perenne</i> ) 28 lb.	— —	22 —
„ tall ( „ <i>elatior</i> ) . . .	— 7	48 —	„ „ „ ( „ „ ) 26 lb.	— —	20 —
„ various-leaved ( <i>Festuca hetero-</i> <i>phylla</i> ) . . . . .	— 8	53 —	„ „ „ ( „ „ ) Pacey's	— —	25 —
„ sheep's ( <i>Festuca ovina</i> ) . . .	— 5	33 —	Soft Grass, meadow, Honey gr. ( <i>Holcus</i> <i>lanatus</i> ) . . . . .	— 4	25 —
„ meadow ( „ <i>pratensis</i> ) . . .	— 5	36 —	Sweet Vernal Grass ( <i>Anthoxanthum</i> <i>odoratum</i> ) true . . . . .	1 6	135 —
„ red or creeping ( <i>Festuca</i> <i>rubra</i> ) . . . . .	— 5	33 —	Sweet Vernal Grass common ( <i>Antho-</i> <i>xanthum odoratum Puellii</i> ) . . . . .	— 6	40 —
Hair-Grass waved ( <i>Aira flexuosa</i> ) . . .	— 5	36 —	Teosinte, ( <i>Reana luxurians</i> ) . . . . .	1 9	140 —
Meadow, Foxtail ( <i>Alopecurus pratensis</i> )	— 9	66 —	Timothy ( <i>Phleum pratense</i> ) . . . . .	— 5	35 —
„ wood ( <i>Poa nemoralis</i> ) . . . . .	— 9	70 —	Lawn Grass . . . . .	— —	— —
„ smooth-stalked ( <i>Poa pratensis</i> )	— 7	54 —	Mixture for meadows, pastures &c.	— —	34 —
„ rough-stalked ( „ <i>trivialis</i> ) . . .	— 10	80 —	„ „ „ „ in-	— —	— —
Marram-, Reed-Grass ( <i>Arundo arenaria</i> , <i>Ammophila arundinacea</i> ) . . . . .	1 —	92 —	„ „ „ „ „ in-	— —	36 —
Millet, Pearl or cat-tail, ( <i>Pencillaria</i> <i>spicata</i> ) . . . . .	— 6	— —	„ „ „ „ „ in-	— —	38 —
Oats, tall ( <i>Avena elatior</i> ) . . . . .	— 8	60 —	„ „ „ „ „ in-	— —	38 —
Rye-Grass, Italian ( <i>Lolium Italicum</i> ) .	— —	22 —	Please indicate nature of soil, expo-	— —	— —
			sure &c. &c.		

## VI. Seeds of sundry Agricultural, Economical, Official &c. Plants.

Prices variable. Special prices for large quantities.

	per lb. s. d.	per cwt. s. d.		per lb. s. d.	per cwt. s. d.
Barley, best Italian } very fine Italian	— —	12 —	Yellow large of Naples . . . . .	— 2	10 —
„ Altamura } varieties . . . . .	— —	12 —	Pearl, white . . . . .	— 2	16 —
Canary-seed ( <i>Phalaris canariensis</i> ) . .	— —	27 —	Kansas King, giant white . . . . .	— 2	13 —
Chamomile ( <i>Matricaria Chamomilla</i> ) . .	2 7	— —	In the husk, an interesting sort, the grains of which are wrapped up in a reddish hull . . . 10 spikes —/10	— 6	— —
Cotton ( <i>Gossypium herbaceum</i> ), Nea- politian . . . . .	— —	14 —	The following are the best American varieties, which we can warmly recommend for their great productiveness.		
„ Gordon Pasha, very fine . . . . .	1 3	— —	Jowa Gold Mine, yellow . . . . .	— 3	18 —
Cumin ( <i>Cuminum Cyminum</i> ) . . . . .	— 8	46 —	„ Silver „ white . . . . .	— 3	18 —
<i>Cytisus proliferus</i> ( <i>Tagasaste</i> ), valuable fodder plant for warmer countries. Soak the seed in hot water and when cold again it will grow easily . . . . .	2 6	— —	Giant of Mexico, „ . . . . .	— 3	18 —
Flax, giant of Naples ( <i>Linum usitatissi-</i> <i>imum</i> ) . . . . .	— —	23 —	Mastodon improved, yellow . . . . .	— 3	18 —
„ Campania, dwarf, furnishes the best fibre suitable for the finest texture . . .	— 5	26 —	Longfellow, yellow . . . . .	— 3	18 —
Hemp, giant of Naples, large-seeded	— 5	26 —	Leaming, yellow, one of the best . . . .	— 3	20 —
„ „ „ „ small- „ . . . . .	— 4	22 —	Lentil, small red ( <i>Ervum lens minor</i> )	— 4	24 —
„ „ „ „ Piedmont, a choice variety, growing rapidly very high	— 9	60 —	„ large yellow . . . . .	— 4	20 —
<b>Indian Corn or Maize.</b>			Millet, yellow Neapolitan . . . . .	— —	15 —
Nanerottolo, very dwarf; the earliest of all	— 3	19 —	„ silver-white round Italian . . . . .	— —	16 —
Ambra . . . . . 10 spikes —/9	— 2	13 —	„ Italian ( <i>Panicum Italicum</i> ) ex- cellent, especially for warmer countries; sown in April, it can be cut already in July	— 2	14 —
Harlequin . . . . . 10 „ —/9	— 2	13 —	Millet of Yokohama ( <i>Eleusine caracana</i> var.) . . . . .	— 6	28 —
Caragua, giant white (Horse tooth)	— 2	14 —	Moha, Hungarian or German Millet ( <i>Panicum Germanicum</i> ) . . . . .	— 4	24 —
Six weeks or Quarantine of Naples	— 2	10 —	„ green Californian . . . . .	— 3	16 —
Seven-weeks or Cinquantine, yellow .	— 2	12 —	Nettle China-Grass, Silvery Ramieh ( <i>Urtica nivea</i> ) . . . . . per oz 1/6	20 —	—

	per lb. s. d.	per cwt. s. d.		per lb. s. d.	per cwt. s. d.
Oats best Naples . . . . .	— —	13 —	Tobacco ( <i>Nicotiana Tabacum</i> var.)		
„ „ of the Abbruzzes . . . . .	— —	13 —	American Kentucky „ „ 1/—	12 —	— —
Panicum frumentaceum giganteum, an annual grass, growing very quickly, about 6 feet high and producing an enormous amount of green fodder; crop small . . . . .	— 10	— —	„ „ Burley „ „ 1/—	12 —	— —
Rice of Castellamare (Naples) . . . . .	— 4	17 —	„ Pennsylvania Seed Leaf . „ „ 1/—	12 —	— —
Rye, winter of Naples . . . . .	— —	13 —	„ Virginia Seed Leaf . „ „ 1/—	12 —	— —
„ of the Abbruzzes . . . . .	— —	13 —	Havana . . . . . „ „ 3/6	48 —	— —
Sacaline ( <i>Polygonum sacchalinese</i> ) . . . . .	9 —	— —	Brazilian . . . . . „ „ 1/9	19 —	— —
Sorghum, ( <i>Holcus Sorghum</i> ) Broomcorn	— —	9 —	Sumatra (Deli) . . . . . „ „ 5/—	62 —	— —
„ cernuum (Douro, Durra) . . . . .	— —	19 —	Seeds obtained exclusively from the respective native countries.		
„ saccharatum (Sugar-Millet) black-seeded . . . . .	— —	20 —	Trevir (for insect powder) ( <i>Pyrethrum cinerariaefolium</i> ) . . . . . per oz —/6	6 —	— —
„ „ Minnesota (Amber cane) . . . . .	— —	20 —	Wheat Bianchetta . . . . .	— —	14 —
„ „ Orange-Sugar	— —	— —	„ Carosella . . . . .	— —	14 —
„ „ the Shah, dwarf, ab <sup>t</sup> 4 to 5 feet high, very early, compact, with large panicles, very rich in sugar . . . . .	— —	— —	„ Majorica . . . . .	— —	14 —
Sunflower, common . . . . .	— 3	16 6	„ Rieti, guaranteed to be grown in the original and best district . . . . .	— —	17 —
„ Hungarian . . . . .	— 3	16 6	„ Noè . . . . .	— —	16 —
„ Russian giant . . . . .	— 4	20 —	„ Saragolla . . . . .	— —	15 —
Tobacco ( <i>Nicotiana Tabacum</i> var.)			„ Fucense, an excellent sort . . . . .	— —	16 —
Turkish Bafra . . . per oz 1/—	12 —	— —	With the exception of Noè all others are native of Italy and of great repute in this country; in fact they are excellent and will certainly give satisfaction.		
Turkish Samsun . . . „ „ 1/—	12 —	— —	Yarrow ( <i>Achillea millefolium</i> ) clean seed	3 9	— —

## VII. Fruit Trees.

(See our remarks on Seeds of Trees, Shrubs &c. page 18, to which we refer.)

	per lb. s. d.		per lb. s. d.
Amygdalus communis (Almond, bitter) cwt. 30/—	— 6	Corylus Avellana (Hazel Nut) best South Italian, from Avellino cwt. 32/—	— 5
„ „ dulcis ( „ sweet) „ 32/—	— 6	„ „ var. Sicilian . . „ 34/—	— 5
„ fragilis (Almond, Princess) „ 40/—	— 8	„ „ fol. atropurpureis . . . . .	2 9
„ tenerrima, with very thin shell . . . . .	— 10	Cydonia vulgaris (Common Quince) . . . . .	2 —
„ Persica (Peach, common) cwt. 7/—	— —	Diospyros Lotus (Date Plum) . . . . .	1 4
Anona squamosa (Sweet Sop Sugar Apple)		„ sinensis (Kaki) (Japanese Date Plum) oz —/3	2 6
„ triloba (Papaw Custard-Apple) „ —/4	4 6	„ virginica (Virginian Date Plum) . . . . .	1 9
Arbutus Unedo (Strawberry Tree) . . . . .	2 5	Eriobotrya japonica (Loquat tree. Japan Medlar) . . . . .	— 6
Castanea vesca (Chestnut sw. Spanish) cwt. 14/—	— 3	Ficus carica mixed (Fig tree cultivated) oz —/8	7 3
„ macrocarpa, large-fruited „ 16/—	— 4	Fragaria vesca Alpine (des 4 saisons) „ —/3	3 —
Ceratonia Siliqua (Carob Tree) . . . . .	— 4	Juglans americana nigra (Black Walnut) cwt. 22/—	— 4
Citrus Aurantium (Orange Tree) . . . . .	3 6	„ regia var. Sorrento (Sorrento Walnut) cwt. 44/—	— 6
„ Bigaradia . . . . .	3 3	„ „ „ Nocera . . . „ 44/—	— 6
„ Limonum (Lemon Tree) . . . . .	3 6		
„ medica (Citron Tree) . . . . . oz —/7	6 6		
„ nobilis (Mandarine Tree) . . . . . —/10	— —		
Coffea arabica (Arabian Coffee Tree) 100 fruits 1/10	— —		

	per lb. s. d.		per lb. s. d.
Morus alba of Milan (Mulberry Tree white)	2 4	Prunus damascena St. Julien . . . . .	— —
„ nigra vera . . . . . oz —/4	2 9	„ Myrobolana 1st. Qual. . . . cwt. 35/—	— 5
Olea europaea (Olive Tree) . . . cwt. 55/—	— 7	Psidium Cattleianum . . . . . oz 1/6	— —
Opuntia Ficus indica (Indian Fig) . oz —/5	— —	Punica Granatum (Pomegranate) . . „ —/6	4 6
Pirus communis (Pear pips) . . . cwt. 230/—	2 3	Ribes Grossularia (Gooseberry) . . „ —/4	3 9
„ Malus (Apple-Pips) . . . . . cwt. 58/—	— 8	„ rubrum (Red Currant) . . . . „ —/3	2 7
Pistacia vera (Pistachio Tree of Sicily) . .	3 —	Rubus fruticosus (Blackberry) . . . . .	1 9
Prunus Armeniaca (Apricot Tree) cwt. 20/—	— 4	„ Idaea (Raspberry) . . . . . oz —/2	2 —
„ Avium dulcis (Cultivated Cherry)	— 4	Thea Bohea (Chinese Tea Tree) 100 seeds 4/—	— —
„ acida . . . . . cwt. 19/—	— 4	Vitis of Naples, mixed . . . . .	1 3
		„ Coignetiae . . . . . oz —/9	— —

## VIII. Seeds of Trees, Shrubs &c.

We shall be glad to receive orders for these seeds as early in the season as possible as we have them collected in such quantities as to meet our regular demand; orders for larger quantities should at any rate be sent in September at latest, but possibly earlier; even having accepted an order we wish it however to be clearly understood that we shall not be bound to supply the seeds, should they fail to come in or be of an unsatisfactory quality. We supply only fresh seeds, but will not under any circumstances accept any responsibility as to growth and denomination, but will submit samples on application.

The prices of many kinds are subject to variations. § = Climbers.

	per oz s. d.	per lb. s. d.		per oz s. d.	per lb. s. d.
Acer campestre . . . . . cwt. 16/—	— —	— 3	Carpinus Betulus (Hornbeam) cwt. 35/—	— —	— 7
„ Negundo . . . . . „ 20/—	— —	— 3	Carya alba (White Hickory) . . . . .	— —	— 6
„ platanoides (Maple) . . . „ 25/—	— —	— 3	„ olivaeformis (Decan Nut) . . . . .	— —	1 7
„ Pseudo-Platanus (Sycamore)			Castilleja elastica . . . . . 100 seeds 4/6	— —	— —
	cwt. 23/—	— 3	1000 „ 40/—	— —	— —
Ailanthus glandulosa . . . . . „ 15/—	— —	— 3	Catalpa, see Bignonia.		
Alnus cordifolia (Alder) . . . . .	— —	1 —	Ceanothus americanus . . . . .	— 7	6 3
Amorpha fruticosa . . . . .	— —	— 9	„ azureus . . . . .	— 6	— —
§ Ampelopsis Veitchii, berries . . . . .	— 3	2 9	„ Gloire de Versailles . . . . .	— 7	— —
Aralia spinosa . . . . .	1 3	— —	Celtis australis . . . . . cwt. 100/—	— —	1 —
Ash, see Fraxinus.			Cercis Siliquastrum . . . . . cwt. 60/—	— —	— 8
Aucuba japonica . . . . .	— —	1 3	Chionanthus virginica . . . . .	— 7	— —
Azalea mollis . . . . .	6 6	— —	§ Clematis coccinea . . . . .	1 9	— —
„ pontica fine mixed . . . . .	2 6	— —	„ fragrans (flamula) . . . . .	— —	1 —
Beech, see Fagus sylvatica.			„ vitalba . . . . .	— —	— 7
Berberis vulgaris . . . . .	— —	— 9	„ Viticella . . . . .	— —	1 —
„ „ fol. atropurpureis . . . . .	— 2	2 —	„ Wilfordii, yellow . . . . .	— 4	4 —
Betula alba (Birch) . . . . .	— —	— 7	Cockspur, see Crataegus Oxyacantha.		
Bignonia Catalpa . . . . .	— —	— 7	Colutea arborescens . . . . .	— —	— 9
„ Kaempferi . . . . .	— —	1 9	„ cruenta . . . . .	— —	— 8
Birch, see Betula.			Common Privet, see Ligustrum.		
Bird Cherry, see Prunus Padus.			Cornus sanguinea . . . . .	— —	— 5
Broom, see Spartium scoparium, page 14.			Coronilla Emerus . . . . .	— 4	2 9
Broussonetia papyrifera . . . . .	— —	1 6	Crataegus crus-galli . . . . .	— —	— 10
Buxus sempervirens . . . . .	— 3	1 8	„ oxyacantha, clean seed		
Callicarpa americana . . . . .	— 6	— —	„ cwt. 28/—	— —	— 5
Calycanthus floridus . . . . .	— 5	3 6	„ pyracantha, clean seed . . . . .	— —	1 9
„ praecox (fragrans) . . . . .	— 3	2 2	Cytisus alpinus . . . . .	— 3	1 10
„ „ grandiflorus . . . . .	— 3	3 —	„ Laburnum . . . . .	— —	— 9
Capparis inermis . . . . .	— 8	6 —	„ nigricans . . . . .	— 6	4 9
„ spinosa . . . . .	— 10	9 3	„ proliferus, see under Agri-		
Caragana arborescens . . . . .	— 4	2 3	cultural &c. Seeds, Section VI.		

	per oz s. d.	per lb. s. d.		per oz s. d.	per lb. s. d.
Daphne Gnidium . . . . .	— 4	4 —	Locust Tree, see Robinia Pseudo-Acacia.		
„ Mezereum . . . . .	— 5	5 3	Maclura aurantiaca (Osage Orange) . . . . .	— 3	2 3
Deutzia crenata fl. pl. . . . .	— 5	4 9	Magnolia grandiflora . . . . .	— 3	1 7
„ gracilis, berries . . . . .	— 4	3 3	„ purpurea (discolor) . . . . .	— 5	4 —
Dog Rose, see Rosa canina.			„ Soulangeana, fruits . . . . .	— 6	4 9
Dogwood, see Cornus.			„ Youlan . . . . .	— 6	5 9
Elaeagnus angustifolia (Olea bohemica) . . . . .	— 3	2 —	Mahonia Aquifolium, clean seed . . . . .	— 3	2 3
„ longipes . . . . .	— 6	— —	„ japonica, fruits . . . . .	— 4	3 9
Elder, see Sambucus racemosa.			Mallotus (Rottlera) japonicus . . . . .	— 3	2 —
Elm, see Ulmus.			§ Mandevillea suaveolens . . . . .	— 8	— —
Evonymus europaeus . . . . .	— —	1 —	Melia Azedarach . . . . . cwt. 37/—	— —	— 6
Fagus sylvatica (Beech) . cwt. 38/—	— —	— 6	„ japonica (floribunda) . . . . .	— 4	3 3
„ „ atropurpurea . . . . .	— —	2 9	„ sempervirens . . . . .	— 4	3 3
Fraxinus excelsior (Ash) . cwt. 15/—	— —	— 3	Mock Orange, see Philadelphus.		
„ Ornus . . . . . cwt. 20/—	— —	— 4	Mountain Ash, see Sorbus Aucubaria.		
Furze, see Ulex europaeus, page 19.			Myrtus communis, berries . . . . .	— —	— 10
Genista juncea (Spartium junceum) see under Clover page 15 (Broom).			Oak, see Quercus.		
Gleditschia triacanthos . . cwt. 28/—	— —	— 4	Oreodaphne californica . . . . .	— 5	4 —
§ Glycine frutescens . . . . .	— —	1 10	Osage Orange, see Maclura.		
„ sinensis (Wistaria) . . . . .	— 8	8 —	Osyris alba . . . . .	— 3	2 3
„ „ fl. albo . . . . .	1 2	— —	Paeonia arborea . . . . .	— 9	— —
Gorse, see Ulex, page 20.			Paliurus aculeatus, clean seeds . . . . .	— —	1 4
Guelder Rose, see Viburnum Opulus.			Paulownia imperialis . . . . .	— —	— 9
Halesia tetraptera, pods . . . . .	— 6	— —	§ Periploca graeca . . . . .	— —	— —
Hawthorn, see Crataegus oxyacantha.			Philadelphus coronarius, clean seed . . . . .	1 —	— —
Hevea brasiliensis (Para-Cautchouc) . . . . .	1 4	18 —	Pistacia Lentiscus . . . . .	— —	1 —
Hibiscus syriacus mixed . . . . .	— —	— 7	„ Terebinthus . . . . .	— —	1 —
„ „ double mixed . . . . .	— 2	1 3	„ vera . . . . .	— —	2 3
Hickory, see Carya alba.			Plane, see Platanus.		
Holly, see Ilex.			Platanus occidentalis . . . cwt. 11/—	— —	— 2
Honey Locust, see Gleditschia triacanthos.			„ orientalis . . . . . „ 11/—	— —	— 2
Honey Suckle, see Lonicera.			Privet common, see Ligustrum.		
Hornbeam, see Carpinus Betulus.			Prunus Lauro-Cerasus (Common Laurel) . . . . .	— —	— 8
Horse Chestnut, see Aesculus.			„ lusitanica (Portugal Laurel) . . . . .	— —	1 1
Idesia, see Polycarpa.			„ Mahaleb . . . . . cwt. 62/—	— —	— 9
Ilex aquifolium, berries . . . . .	— —	— 8	„ Padus (Bird Cherry) . . . . .	— —	1 9
„ „ fol. var. berries . . . . .	— 3	1 9	„ spinosa (Sloe, Black Thorn) . . . . .	— —	— 6
Judas tree, see Cercis Siliquastrum.			Pterocarya caucasica . . . . .	— 5	5 3
Kadsura japonica . . . . .	— 4	3 10	Quercus Cerris . . . . . cwt. 16/—	— —	— 3
Kalmia latifolia, clean seed . . . . .	1 3	17 6	„ Ilex . . . . . „ 12/—	— —	— 2
Koelreuteria paniculata . . . . .	— —	— 8	„ Robur, common Oak . . . . .	— —	— —
Laburnum, see Cytisus Laburnum.			„ „ cwt. 12/6	— —	— 2
Laurel common, see Prunus Lauro Cerasus.			„ Suber, Cork Oak „ 30/—	— —	— 7
„ Portugal, see Prunus lusitanica.			Rhamnus Alaternus . . . . .	— —	1 1
Laurus Tinus, see Viburnum Tinus.			Rhododendron arboreum hybridum, splendid hybrids mixed, clean seed . . . . .	1 6	— —
„ Camphora . . . . .	— 3	2 10	„ „ ponticum, mixed . . . . .	1 4	— —
„ indica . . . . .	— —	— 6	Rhus coriaria, true . . . . .	— 2	1 7
„ nobilis . . . . .	— —	— 5	„ Cotinus . . . . .	— 3	2 9
Ligustrum japonicum . . . . .	— —	— 6	Robinia Pseudo Acacia (Thorn Acacia- Locust Tree) . cwt. 39/—	— —	— 6
„ vulgare italicum . . . . .	— —	— 5	„ Pseudo Acacia Bessoniana . . . . .	— 3	2 6
Lilac, see Syringa.			Rock Rose, see Cistus.		
Lime, see Tilia.			Rosa bengalensis fl. pl. mixed, berries . . . . .	— 2	1 9
Liriodendron tulipifera (Tulip Tree) . . . . .	— —	9	„ canina (Common Dog-Rose), clean seed . . . . . cwt. 24/—	— —	— 4
			„ hybrida Remontant, berries . . . . .	— 3	2 6

	per oz s. d.	per lb. s. d.		per oz s. d.	per lb. s. d.
<i>Rosa multiflora</i> , <i>semperflorens nana</i>			Sumach, see <i>Rhus</i> .		
flowers { 100 berries —/4	—	—	Sweet Bay, see <i>Laurus nobilis</i> .		
4 months after { 1000 " 2/3	—	—	Sycamore, see <i>Acer pseudo-platanus</i> .		
being sown { 10000 " 18/—	—	—	<i>Syringa japonica</i> , clean seed . . . . .	2 7	—
" <i>rugosa</i> , berries . . . . .	— 5	3 3	" <i>vulgaris</i> , pods . . . . .	—	— 6
" " clean seed . . . . .	— 9	—	" " <i>alba</i> . . . . .	—	1 6
" <i>Thea</i> , finest mixed, clean seed . . . . .	— 9	9 6	<i>Tamarix gallica</i> . . . . .	— 6	5 9
<i>Ruscus aculeatus</i> . . . . .	—	— 8	Thorn Acacia, see <i>Robinia</i> .		
" <i>racemosus</i> . . . . .	—	2 6	<i>Tilia argentea</i> . . . . .	—	1 —
<i>Sambucus Ebulus</i> . . . . .	—	— 10	" <i>europaea latifolia</i> . . . . .	—	— 7
" <i>glauca</i> (California) . . . . .	1 3	—	Traveller's Joy, see <i>Clematis Vitalba</i> .		
<i>Schinus molle</i> . . . . . cwt. 29/—	—	— 6	Tree of Heaven, see <i>Ailanthus</i> .		
Sea Buckthorn, see <i>Hippophaea</i> .			Tulip Tree, see <i>Liriodendron</i> .		
Sloe, see <i>Prunus spinosa</i> .			<i>Ulex europaeus</i> , see Section IV page 14.		
Snowball, see <i>Viburnum</i> .			<i>Ulmus campestris</i> (Elm) . . . . .	—	— 4
Snowberry, see <i>Symphoricarpus</i> .			<i>Viburnum Lantana</i> . . . . .	—	— 6
<i>Sophora japonica</i> . . . . .	—	— 6	" <i>Opulus</i> (Snowball) . . . . .	—	— 8
<i>Spartium junceum</i>			" <i>Tinus</i> . . . . .	—	— 8
(Span. Broom) see page 14.			Virginian Creeper, see <i>Ampelopsis</i> .		
<i>Spartium scoparium</i> (Clovers &c.)			Virgin's Bower, see <i>Clematis</i> .		
(common Broom)			<i>Weigelia mixed</i> . . . . .	2 3	—
Spindle Tree, see <i>Evonymus europaeus</i> .			<i>Wistaria</i> , see <i>Glycine</i> .		
Spurge Laurel, see <i>Daphne Laureola</i> .			Woodbine, see <i>Ampelopsis quinquefolia</i> .		—
<i>Staphylea colchica</i> . . . . .	— 4	3 2	<i>Yucca aloefolia</i> . . . . .	—	1 8
" <i>pinnata</i> . . . . .	— 3	1 7	" " fol. var. . . . .	—	2 3
<i>Sterculia platanifolia</i> . . . . .	— 3	1 5	" <i>canaliculata</i> ( <i>Treculiana</i> ) . . . . .	1 —	—
<i>Styrax japonica</i> . . . . .	— 4	3 3	" <i>filamentosa</i> , true . . . . .	1 3	—
" <i>officinale</i> . . . . .	— 2	1 6	" <i>quadricolor</i> . . . . .	1 10	—
			" <i>Whipplei</i> . . . . .	3 3	—

## IX. Seeds of Conifers.

We offer these under the same conditions as for the Tree and Shrub Seeds (see page 18) to which we refer.

Denominations after the "Handbook on Conifers" by L. Beissner (*Handbuch der Nadelholzkunde*). The prices of many kinds are subject to variations.

	per oz s. d.	per lb. s. d.		per oz s. d.	per lb. s. d.
<i>Abies balsamea</i> , . . . . .	— 7	6 —	<i>Araucaria excelsa</i> . . . 100 " 3/6	—	—
" <i>brachyphylla</i> . . . . .	1 2	—	1000 " 28/—	—	—
" <i>cephalonica</i> . . . . .	— 4	4 8	" <i>imbricata</i> . . . 100 " 4/6	—	—
" <i>concolor</i> . . . . .	— 10	—	1000 " 40/—	—	—
" <i>Fraseri</i> . . . . .	— 11	—	the seeds of several other kinds of <i>Araucaria</i>		
" <i>magnifica</i> . . . . .	1 5	—	are not always sure to come in and often they		
" <i>nobilis</i> . . . . .	1 2	—	arrive in bad condition; we therefore do		
" <i>Nordmanniana</i> , true . . . . .	— 3	2 —	not quote prices, but shall make special		
" <i>pectinata</i> ( <i>Pinus Abies</i> ), common			offers in every single case.		
Silver Fir . . . . . cwt. 36/—	—	— 6	<i>Arbor Vitae</i> , see <i>Biota</i> and <i>Thuja</i> .		
" <i>Pinsapo</i> . . . . .	— 3	2 2	<i>Biota orientalis</i> ( <i>Thuja</i> ) . . . . .	—	1 —
<i>Araucaria brasiliensis</i> , fresh seeds of this			" " <i>aurea</i> . . . . .	—	1 5
kind are expected in July or			" " <i>compacta</i> . . . . .	—	1 5
August every year and orders			" " <i>elegantissima</i> . . . . .	— 5	3 9
accepted for delivery at the			" " <i>pyramidalis</i> . . . . .	—	1 10
above time 100 seeds 6/—			<i>Callitris quadrivalvis</i> ( <i>Thuja articulata</i> )	1 3	—
1000 " 50/—	—	—			

	per oz s. d.	per lb. s. d.		per oz s. d.	per lb. s. d.
Casuarina equisetifolia . . . . .	1 —	— —	Libocedrus decurrens (Thuja gigantea Craigiana) . . . . .	— 4	2 9
" quadrivalvis . . . . .	1 4	18 —	Picea excelsa (Pinus Picea) Norway Spruce . . . . .	— —	1 5
" tenuissima . . . . .	— 8	8 —	" orientalis . . . . .	1 3	— —
Cedrus atlantica (argentea) clean seed .	— 4	4 3	" pungens . . . . .	1 3	— —
" Deodara . . . . .	— 4	3 9	Pinus australis (palustris-Pitch Pine) .	1 4	18 —
" Libani, clean seed (Cedar of Libanon)	— 4	4 —	" austriaca, see P. Laricio austriaca.	— —	— —
Cephalotaxus Fortunei . . . . .	— 3	1 8	" canariensis . . . . .	— 4	3 9
Chamaecyparis Lawsoniana (Cupressus)	— —	2 6	" Cembra, Swiss Stone Pine, variable	— —	— 6
" " argentea . . . . .	— 5	4 —	" Coulteri . . . . .	1 —	13 9
" " aurea . . . . .	— 6	— —	" excelsa, Nepaul Weymouth Pine	— 5	4 4
" " glauca . . . . .	— 6	— —	" halepensis . . . . . cwt. 110/—	— —	1 3
" obtusa (Retinospora) . . . . .	1 —	11 10	" insignis . . . . .	— 10	9 —
" pisifera ( " ) . . . . .	— 8	7 3	" Lambertiana . . . . .	— 9	8 8
" " plumosa (Reti- nospora) . . . . .	1 —	— —	" Laricio, Corsican Pine . . . . .	— 3	2 3
" " plumosa aurea (Retinospora). . . . .	1 3	— —	" " austriaca, black Austrian Fir	— 3	3 3
" " squarrosa (Re- tinospora) . . . . .	1 3	— —	" longifolia . . . . .	1 —	13 9
Cryptomeria japonica . . . . .	— 3	2 2	" muricata . . . . .	2 4	— —
" " elegans . . . . .	— 5	3 6	" Nordmanniana, see Abies.	— —	— —
" " Lobbii (viridis). . . . .	— 5	3 6	" Picea, Norway Spruce, see Picea excelsa.	— —	— 8
Cupressus australis . . . . .	— 4	4 —	" Pinaster (maritima) . cwt. 23/— ton 400/—	— —	— 5
" Benthamiana . . . . .	— 4	3 7	" Pinea, Italian Stone Pine (variable) cwt. 25/— ton 440/—	— —	— 6
" elegans . . . . .	— 4	3 7	" " fragilis (variable) " 38/—	— —	— 6
" excelsa . . . . .	— 8	— —	" ponderosa (P. Benthamiana), yellow . . . . .	— 9	8 8
" funebris . . . . .	— 4	2 10	" Sabiniana . . . . .	— 5	4 5
" glauca (lusitanica) . . . . .	— 4	3 4	" silvestris, Scotch Fir (variable) .	— 3	2 6
" " pendula vera . . . . .	— 4	4 —	" sitchensis, see Picea . . . . .	— 5	5 —
" Goveniana . . . . .	— 4	3 2	" Strobis, Weymouth Pine (variable)	— 10	11 6
" Lambertiana (macrocarpa) . . . . .	— 3	2 9	Pseudotsuga Douglasii . . . . .	— 10	11 6
" Lawsoniana, see Chamae- cyparis.	— —	— 8	Salisburia, see Gingko.	— —	— —
" sempervirens (horizontalis)	— —	— 8	Sciadopitys verticillata . . . . .	1 3	— —
" " pyramidalis (fastigiata)	— —	— 8	Sequoia sempervirens (Taxodium) . .	— 3	2 —
" torulosa . . . . .	— 4	3 —	Taxodium distichum, clean seed . . .	— —	1 4
Gingko biloba (Salisburia adianthifolia)	— —	— 9	" mucronatum . . . . .	— 3	2 10
Juniperus Bermudiana . . . . .	— 5	4 9	Taxus baccata (Yew) clean seed . . .	— —	2 4
" chinensis (dioica) . . . . .	— —	1 7	" " fastigiata (hibernica) . . . . .	— 4	3 3
" communis . . . . .	— —	— 3	Thuja gigantea (Lobbii), true . . . .	1 3	16 —
" excelsa . . . . .	— —	2 —	Thuja occidentalis . . . . .	— 5	4 9
" macrocarpa . . . . .	— —	1 3	" " Warreana . . . . .	— 10	9 9
" Sabina . . . . .	— —	1 3	Wellingtonia gigantea . . . . .	1 6	20 —
" virginiana (Red Cedar) . . . . .	— —	— 7			
" " pyramidalis . . . . .	— —	1 5			
Larix europaea (Larch) (variable) cwt. 260/—	— —	2 6			
Libocedrus chilensis. . . 1/8 oz 4/—	— —	— —			

## X. Palm Seeds.

We receive these seeds from all parts of the world and of course at very different times of the year; we shall therefore thank our correspondents if they will give us their orders as soon as they receive this list. The seeds will then be shipped as soon as they arrive in good condition and our patrons are sure to receive only fresh seeds. We send out but such and decline any other guarantee and responsibility.

	100 seeds s. d.	1000 seeds s. d.		100 seeds s. d.	1000 seeds s. d.
<i>Areca Baueri</i> , fresh seeds in April . . . . .	2 —	16 —	<i>Kentia Belmoreana</i> (Griesebachia) . . . . .	1 9	13 6
" <i>lutescens</i> ( <i>Hyophorbe indica</i> ) . . . . .	2 6	24 —	" <i>Canterburyana</i> ( <i>Hedyscepe</i> ) . . . . .	6 —	— —
" <i>rubra</i> . . . . .	2 —	17 6	" <i>Forsteriana</i> (Griesebachia) . . . . .	1 9	13 6
" <i>Verschaffeltii</i> ( <i>Hyophorbe</i> ) . . . . .	3 6	30 —	<i>Latania aurea</i> ( <i>Verschaffeltii</i> ) . . . . .	4 6	40 —
<i>Brahea edulis</i> ( <i>Erythea edulis</i> ) (April to May) . . . . .	6 6	60 —	" <i>borbonica</i> ( <i>Livistona sinensis</i> ) . . . . .	— —	— —
" <i>Roezlii</i> ( <i>Erythea armata</i> ), „Blue-palm“ (April to May) . . . . .	6 —	— —	" " Seeds raised in Africa . . . . .	— —	— —
<i>Caryota urens</i> . . . . .	2 6	19 6	" <i>Commersonii</i> ( <i>rubra</i> ) . . . . .	9 —	— —
<i>Chamaerops excelsa</i> . . . . . lb. —/5	— —	— —	<i>Livistona altissima</i> . . . . .	1 10	16 —
" " <i>Fortunei</i> " —/8	— —	— —	" <i>Mariae</i> , splendid, leaves red, quite hardy . . . . .	8 —	70 —
" <i>Histrix</i> . . . . .	1 3	10 —	" <i>olivaeformis</i> . . . . .	1 10	16 —
" <i>humilis</i> mixed . . . . . lb. —/5	— —	— —	" <i>rotundifolia</i> . . . . .	3 —	26 —
" " <i>argentea</i> " —/8	— —	— —	<i>Oreodoxa regia</i> , a splendid kind . . . . .	1 6	13 —
" " <i>tomentosa</i> " 1/—	— —	— —	<i>Pandanus utilis</i> . . . . .	2 —	17 —
" " <i>elegans</i> " —/10	— —	— —	<i>Phoenix acaulis</i> . . . . .	3 3	— —
" " <i>gracilis</i> " 1/—	— —	— —	" <i>canariensis</i> 10 000seeds23/6	— 4	2 6
" " <i>macrocarpa</i> " —/10	— —	— —	" <i>cycadifolia</i> . . . . .	1 3	10 6
<i>Chamaedorea elegans</i> . . . . .	1 4	11 —	" <i>dactylifera</i> . . . . . lb. 1/3	— —	— —
" <i>Ernesti Augusti</i> . . . . .	1 5	12 —	" <i>leonensis</i> . . . . .	— 8	5 —
<i>Cocos australis</i> . . . . .	1 —	8 9	" <i>reclinata</i> . . . . .	— 8	5 —
" <i>Bonettii</i> ( <i>Diplothemium campestre</i> ) . . . . .	1 5	12 6	" <i>rupicola</i> . . . . .	1 8	14 —
" <i>campestris</i> . . . . .	1 5	12 6	" <i>silvestris</i> . . . . .	— 11	7 6
" <i>flexuosa</i> . . . . .	1 4	10 6	" <i>tenuis</i> . . . . .	— 8	4 6
" <i>plumosa</i> . . . . .	1 4	10 6	<i>Sabal Adansonii</i> . . . . .	— —	2 2
" <i>Romanzoffiana</i> , splendid for greenhouse and rooms . . . . .	1 4	10 6	" <i>Blackburniana</i> ( <i>umbraculifera</i> ) . . . . .	— 5	3 6
" <i>Weddeliana</i> ( <i>Glaziova Martiana</i> ) . . . . .	3 6	30 —	" <i>Palmetto</i> . . . . .	— 8	5 3
" <i>Yatay</i> , the true kind for the greenhouse . . . . .	3 6	30 —	<i>Seaforthia</i> ( <i>Ptychosperma</i> ) <i>elegans</i> . . . . .	1 3	10 6
<i>Corypha australis</i> ( <i>Livistona</i> ) . . . . .	— 10	7 3	<i>Thrinax argentea</i> . . . . .	1 4	12 6
<i>Subaea spectabilis</i> . . . . .	3 6	30 —	<i>Verschaffeltia splendida</i> . . . . .	7 6	— —
			<i>Washingtonia filifera</i> ( <i>Pritchardia</i> ) . . . . .	— 5	2 2
			" <i>robusta</i> H. W., true . . . . .	— 6	4 —

## XI. Annual, Perennial, Climbing, Hot- and Green-House Plants.

Explanations of the signs used:

⊙ = annual || 4 = perennial || § = climber || g = greenhouse || h = hothouse (stove).

	per oz s. d.	per lb. s. d.		per oz s. d.	per lb. s. d.
⊙ <i>Abobra viridiflora</i> . . . . .	— 9	9 9	g <i>Acacia arabica</i> . . . . .	6	5 8
⊙ <i>Abronia arenaria</i> . . . . .	1 —	13 —	" <i>armata</i> . . . . .	— 6	6 —
" <i>umbellata</i> . . . . .	— 6	5 9	" <i>cyanophylla</i> . . . . .	— 4	4 —
⊙ <i>Abrus praecatorius</i> . . . . .	— 4	3 3	" <i>dealbata</i> . . . . .	— 4	3 3
⊙ <i>Abutilon</i> new hybrids mixed 1/8 oz —/8	3 6	— —	" <i>decurrens</i> . . . . .	— 6	4 10

	per oz. s. d.	per lb. s. d.		per oz. s. d.	per lb. s. d.
g Acacia Farnesiana . . . . .	—	1 —	⊙ Amaranthus atropurpureus . . . . .	—	— 6
" floribunda . . . . .	— 4	4 —	" bicolor . . . . .	—	1 6
" Julibrissin . . . . .	—	— 7	" " ruber . . . . .	—	1 7
" longifolia . . . . .	—	1 —	" Brilliant . . . . .	— 5	4 9
" lophantha . . . . .	—	1 —	" caudatus . . . . .	—	— 6
" " speciosa . . . . .	—	1 9	" Henderi . . . . .	— 5	4 9
" Nemu . . . . .	— 6	4 6	" hybridus Princess of Wales . . . . .	— 6	6 —
" pycnantha . . . . .	— 4	3 2	" " Queen Victoria . . . . .	— 5	4 9
" semperflorens . . . . .	— 3	2 7	" Margaritae, splendid . . . . .	—	— 6
" suaveolens . . . . .	— 4	4 —	" monstrosus (Giant Prince's feather) . . . . .	—	— 6
" in great variety mixed . . . . .	—	2 —	" melancholicus . . . . .	—	2 —
4 Acanthus latifolius . . . . .	—	1 10	" nobilis pyramidalis . . . . .	—	2 —
" mollis . . . . .	—	1 10	" quadricolor, Dam. 1898 new; the leaves at the end of the stalks are bright and dark green, dark crimson and yellow producing a most wonderful effect	— 5	4 10
4 Achillea Ptarmica fl. pl. . . . .	3 9	—	" salicifolius . . . . .	— 6	6 —
½ Achimenes, finest mixed 10,000 seeds 6/—	—	—	" sanguineus . . . . .	—	— 6
⊙ Acroclinium roseum grandiflorum . . . . .	— 3	2 3	" superbus (coleifolius) Dam. . . . .	— 2	1 7
⊙ " " grandiflor. album . . . . .	— 3	2 3	" tricolor . . . . .	— 2	2 2
" " fl. pl., double pink . . . . .	— 3	2 6	" " giganteus . . . . .	— 3	3 2
" " fl. albo pl. " white . . . . .	— 3	2 9	⊙ Anagallis grandiflora carnea . . . . .	— 9	—
⊙ Adonis aestivalis . . . . .	—	1 —	" " coccinea . . . . .	— 9	—
" autumnalis . . . . .	—	1 —	" " coerulea . . . . .	— 9	—
4 Agathaea coelestris (amelloides) . . . . .	1 9	—	" " lilacea . . . . .	— 9	—
g Agave americana . . . . .	— 10	—	" " Napoleon III. . . . .	— 9	—
" fol. var. 1000 seeds 3/6	—	—	" " mixed . . . . .	— 9	8 —
" Salmiana . . . . . 1000 " 3/2	—	—	4 Anchusa capensis . . . . .	— 3	2 10
⊙ Ageratum Lasseauxi, rose . . . . .	— 8	8 —	Angel's Trumpet, see Datura.	—	—
" mexicanum coeruleum . . . . .	— 3	2 5	⊙ Anthemis Cupaniana . . . . .	— 9	—
" " album . . . . .	— 3	2 5	" Kelwayi . . . . .	— 6	—
" " grandiflorum album . . . . .	— 9	—	½ Anthurium Scherzerianum . . . . .	—	—
" " Imperial dwarf, dark blue . . . . .	— 4	4 —	100 seeds 2/6	—	—
" " " " white . . . . .	— 4	4 —	§g Antigonum leptopus . . . . .	— 8	8 —
" " nanum album . . . . .	— 3	3 2	⊙ Antirrhinum majus (Snapdragon) finest mixed . . . . .	— 4	4 —
" " " coeruleum . . . . .	— 2	2 6	" " nanum mixed . . . . .	— 5	4 10
" " " Swanley blue . . . . .	— 4	4 —	" " grandiflorum mixed . . . . .	— 5	4 3
" " " Little Dorrit, blue . . . . .	— 5	4 9	⊙ " " Tom Thumb mixed . . . . .	— 8	8 —
" " " " " white . . . . .	—	—	4 Aquilegia (Columbine) chrysantha . . . . .	1 3	—
" " " Forget me not . . . . .	— 4	4 —	" coerulea . . . . .	1 9	—
⊙ Ageratum mexicanum nanum Forgetmenot fl. albo, new, Dam. 1901, pure white . . . . .	— 5	—	" haylodgensis (coerulea hybr.) . . . . .	1 3	—
" Wendlandii nanum compact, blue . . . . .	— 8	—	" Skinneri hybr. fl. pl. . . . .	1 6	—
" " " " " white . . . . .	— 8	—	" stellata double mixed . . . . .	— 6	—
⊙ Agrostemma coeli rosa . . . . .	—	1 7	" vulgaris mixed . . . . .	— 3	2 7
" coronaria, white . . . . .	—	1 9	" " fl. pl. double mixed . . . . .	— 3	2 7
Alkekengi, see Physalis.	—	—	g Aralia papyrifera . . . . .	1 5	—
g Alsophila australis, tree-fern 1/8 oz —/9	5 —	—	" Sieboldi, clean seeds ready in April; orders booked now . . . . .	1 4	18 —
4 Althaea rosea fl. pl. (Hollyhocks) English var. best mixed . . . . .	1 —	12 9	⊙ Arctotis grandis, new . . . . .	— 8	8 —
4 " rosea fl. pl. Chaters strain, saved from one of the finest collections . . . . .	2 —	27 9	⊙ Argemone grandiflora . . . . .	— 4	4 —
" rosea fl. pl. Chaters, very good quality . . . . .	1 6	21 9	" mexicana (speciosa) . . . . .	— 4	4 —
⊙ Alyssum Benthami . . . . .	— 3	2 9	Argyranthemum, see Chrysanthemum.	—	—
" " grandiflorum compactum . . . . .	— 5	4 9	§ Aristolochia elegans . . . . .	1 3	—
4 " " saxatile . . . . .	— 5	5 3	4 Armeria cephalotes . . . . .	— 7	7 3
			" formosa . . . . .	— 5	4 9



	per oz s. d.	per lb. s. d.		per oz s. d.	per lb. s. d.
⊙ Arnebia cornuta . . . 1/8 oz —/9	4 —	— —	Washington, mixed . . . . .	1 —	13 9
4 Arnica montana . . . . .	— 5	5 —	Imbriquée Pompon, mixed . . . . .	— 9	9 10
4 Artemisia argentea . . . . .	— 3	2 7	Cocardeau or Crown, mixed . . . . .	1 —	11 9
⊙ " gracilis . . . . .	— —	1 3	" imbriquée Pompon (Pompon Crown) mixed . . . . .	— 9	9 10
g Arum sanctum . . . . .	— 6	5 9	Giant Comet, crimson, lilac rose, rose, incarnate, snow white, sulphur yellow, blue, dark blue, the Bride, white changing into rose, each separate . . . . .	1 3	16 6
⊙ Asclepias Cornuti (syriaca) . . . . .	— 10	9 10	all colours mixed . . . . .	1 —	14 9
" incarnata . . . . .	— 10	9 10	Surprise, rose chamois . . . . .	2 3	— —
" tuberosa . . . . .	3 6	— —	White of Boston, splendid for cutting . . . . .	1 6	20 —
4 Asparagus acutifolius . . . . .	— 2	2 —	Japanese, mixed . . . . .	2 —	— —
" decumbens, a splendid kind for suspending baskets, highly decorative 100 seeds —/—	— —	— —	Asters tall varieties, mixed . . . . .	— 8	8 —
1000 " —/—	— —	— —			
g " plumosus 1000 " 24/—	— —	— —	<b>2. Semi-tall Section.</b>		
" " nanus 1000 " 26/—	— —	— —	Comet, Bride's maid (white, changing into rose-purple) carmine, lilac, light blue, dark blue, dark blue and white. King Humbert (white, very large), rose, bright rose, rosy carmine, snow white, white with lilac, white with rose, each separate . . . . .	1 3	18 6
4 " " superbus, a highly decorative climber, the branches of which furnish a most splendid material for bouquets and any kind of decorations. 100 seeds 5/6; 1000 seeds 44/—	— —	— —	Comet, mixed . . . . .	1 3	16 —
g Asparagus Sprengeri Dam. . . . .	— 10	8 —	Christmas-Tree, a curious very rich flowering kind of pyramidal habit, with almost horizontal branches . . . . .	1 9	— —
I <i>U</i> contains about 8000 or more seeds. Special prices for larger quantities on application.			Quilled, mixed . . . . .	— 5	4 9
⊙ Asperula azurea setosa . . . . .	— —	— 11	Queen of the Halls, mixed . . . . .	— 5	5 6
4 Aster, the best perennial sorts mixed	1 3	— —	" " " white . . . . .	— 10	9 10
⊙ Aster sinensis fl. pl. Asters.			Globe-flowered, mixed . . . . .	— 5	5 6
We guarantee our Asters not to be in any way inferior to the finest German strains and our patrons may fully rely upon receiving only choicest qualities. The growing of the best Asters is one of our most important specialities.			Paeony-flowered Globe, mixed . . . . .	1 —	11 —
<b>1. Tall Section.</b>			Rose, large-flowered, mixed . . . . .	— 10	9 9
American Bush, late flowering, very large flowers, best mixed . . . . .	— 8	8 9	Liliput, mixed . . . . .	— 8	8 6
Reid's improved globe (Betteridge's Prize)			Meteor, mixed . . . . .	1 —	11 10
sulphur yellow . . . . .	— 10	10 9	Mignon, carmine (no crop), dark blue, light blue, lilac-purple, lilac, pure white, lilac-rose, scarlet, pure white early flowering		
mixed . . . . .	— 8	8 —	each separate . . . . .	1 3	15 9
Tall Chrysanthemum, mixed . . . . .	— 10	9 9	mixed . . . . .	1 —	12 —
Goliath, mixed . . . . .	— 7	7 3	Ostrich-Feather, carmine, light blue, lilla, rose, pure white, white changing into rose, each separate . . . . .	1 3	— —
Harlequin, mixed . . . . .	— 10	9 10	mixed . . . . .	1 —	13 9
Hohenzollern, new; very rich flowering, pure white, bright rose, each separate . . . . .	1 3	15 10	Princess, mixed. . . . .	1 6	20 —
Jewel-or Ball, mixed . . . . .	— —	— —	Schiller, mixed . . . . .	— 7	7 3
Globe-flowered pyramidal, mixed . . . . .	— 10	9 10	St. John's Day, pure white, very early flowering . . . . .	2 —	— —
Ladies, with narrow leaves and well-shaped flowers, resembling those of the Comet Asters; a very distinct class; mixed . . . . .	1 —	12 —	Surprise, Sunlight, new; flowers large, bright yellow, keeping very well . . . . .	2 6	— —
Paeony Perfection,			Victoria,		
1. crimson, 4. bright scarlet,			1. Crimson, 5. Crimson-rose,		
2. light blue, 5. dark blue,			2. Dark blue, 6. Light blue,		
3. pure white, 6. bright rose,			3. Bright scarlet, 7. Peach blossom,		
each separate . . . . .	1 3	17 9	4. White,		
mixed . . . . .	1 —	13 9	each separate . . . . .	1 6	21 —
			mixed . . . . .	1 4	17 —

	per oz s. d.	per lb. s. d.		per 1/16 oz s. d.	per 1/8 oz s. d.	per oz s. d.
Diamant mixed . . . . .	1 6	— —	1/2 Bear Grass, see Yucca.			
Semi-tall varieties mixed . . . . .	— 10	9 10	1/2 Begonia hybrida gigantea,			
<b>3. Dwarf Section.</b>			carmine	7 6	14 —	— —
Dwarf, mixed . . . . .	— 11	11 —	"    "    "    rose	7 6	14 —	— —
"    pyramidal, mixed . . . . .	1 6	— —	"    "    "    scarlet	7 6	14 —	— —
"    Bouquet pyramidal (Boltze's)			"    "    "    white	7 6	14 —	— —
mixed . . . . .	1 —	13 9	"    "    "    yellow	7 6	14 —	— —
Dwarf Comet Perfection			"    "    "    all col- ours mixed	5 —	9 —	— —
pure white . . . . .	1 6	— —	"    "    double- flowered, splendid	per 1/32 oz s. d.		
rose . . . . .	1 6	— —	varieties mixed . . . . .	16 6	— —	— —
Dwarf Giant Comet Snow-white. While all the Giant Comet Asters hitherto offered are of tall habit, we herewith introduce an absolutely dwarf form hardly 16 inches high, the flowers of which are quite as large again as those of the original kind. They are of a dazzling white, very double and of a perfect shape. The effect produced by such a dwarf plant with so large flowers is a striking one (crop failed) . . . . .	— —	— —	1/2 Begonia Rex, mixed varieties 100 seeds —/7 1000 seeds 3/3			— —
Shakespeare, mixed . . . . .	1 2	15 10	1/2 Begonia semperflorens, white . . . . .			1 9
Improved dwarf Bouquet pyramidal, mixed . . . . .	1 7	— —	"    "    atropurpurea (Vernon)		6	3 —
Dwarf Chrysanthemum, large-flowered			"    "    "    maxima, with splen- did enormous flowers and very large leaves		— 10	5 —
1. Carmine,           4. Purple,			"    "    "    rosea . . . . .		— 5	2 6
2. Dark blue,       5. Snow-white,			Bellflower, see Campanula.			
3. Bright scarlet, 6. Brick red,			2 Bellis perennis maxima fl. pl. (Giant Daisies) double mixed	per oz s. d.	1 10	25 6
each separate . . . . .	1 9	23 —	"    "    "    giant double white		2 —	27 9
mixed . . . . .	1 6	19 9	"    "    fl. pl. Longfellow, large- flowering rose . . . . .		2 —	27 9
Dwarf New Paeony mixed . . . . .	1 6	— —	"    "    "    Snowball . . . . .		2 —	27 9
"    Victoria, mixed . . . . .	1 6	— —	Belvidere (Summer Cypress), see Kochia scoparia.			
"    Crown or Cocardeau, mixed . . . . .	1 9	— —	§ Bignonia Tweediana . . . . .			1 8
Triumph, carmin, Dark red, Dark scarlet (crop failed) Dark scarlet with white, Dark-purple (crop failed) copper-red White (crop failed)			1/2 Bixa Orellana . . . . .		9	— —
each separate . . . . .	2 3	— —	Blanket flower, see Gaillardia.			
mixed . . . . .	2 —	29 —	Blue Bottle, see Centaurea Cyanus.			
Non plus ultra, with very large flowers, mixed	1 5	20 —	2§ Boussingaultia baselloides		3 3	— —
Dwarf varieties, mixed . . . . .	1 2	15 —	1/2 Bouvardia Jacquini 1000 seeds 3/5			— —
			"    longiflora, flowers pure white, very fragrant 1000 seeds 7/—			— —
			"    splendens . 1000 " 3/—			— —
			⊙ Brachycome iberidifolia (Swan River Daisy) . . . . .		11	— —
			⊙ Browallia elata fl. albo . . . . .		9	— —
			"    "    "    purpureo . . . . .		11	— —
			"    "    "    grandiflora . . . . .		8	— —
			"    "    "    alba . . . . .		7	— —
			"    "    "    Roetzli . . . . .		7 6	— —
			"    "    "    speciosa major, new, darkblue			
			1/8 oz 3/—; 1/16 oz 1/9; 1/32 oz 1/—		21 3	— —
			4§ Bryonia alba . . . . .		4	4 —
			⊙§ Bryonopsis laciniosa erythrocarpa . . . . .		4	3 8
			⊙ Cacalia coccinea (Tassel Flower)		4	3 7
			"    "    "    lutea . . . . .		4	3 3
			1/2 Caladium bulbosum, newest varie- gated-leaved mixed . 100 seeds 1/8			— —
			Calampelis, see Eccremocarpus.			
			⊙ Calandrinia umbellata . . . . .		9	— —
Auriculas, see Primula Auricula.						
g Azalea indica new best varieties mixed	7 —	— —				
Bachelor's Button, see Centaurea Cyanus.						
Balm, see Dracocephalum.						
Balsam Apple, see Momordica.						
Balsams double, see Impatiens Bal- samina.						
Balloon-vine, see Cardiospermum.						
⊙ Bartonia aurea . . . . .	— 3	2 6				

	per 1/32 oz s. d.	per 1/16 oz s. d.	per 1/8 oz s. d.	per oz s. d.	per oz s. d.	per lb. s. d.
<b>g Calceolaria hybrida</b>						
self coloured, large flowered mixed . . .	2 8	4 10	9 6	74 —		
self coloured dwarf . . .	2 8	4 10	9 6	74 —		
spotted or tigred mixed spotted or tigred large flowered dwarf . . .	3 6	6 —	11 —	85 —		
4 — 7 9			15 —	117 —		
painted or margined mixed . . . . .	3 —	5 3	10 —	76 3		
painted or margined dwarf mixed . . . . .	3 —	5 3	10 —	76 3		
			per oz s. d.	per lb. s. d.		
⊙ <b>Calendula hybrida</b> . . . . .			— —	1 1		
“ officinalis, single Pot Marigold . . .			— —	— 10		
“ “ fl. pl. single double Pot Mari- gold . . . . .			— —	— 11		
“ “ “ Meteor, striped . . . . .			— —	1 —		
“ “ “ Orange King . . . . .			— —	1 3		
“ “ “ Prince of Orange . . . . .			— —	1 —		
“ “ “ sulphurea . . . . .			— —	— 9		
“ pluvialis . . . . .			— —	— 10		
Californian Poppy, see Eschscholtzia.						
<b>g Calla aethiopica</b> . . . . .			— 9	— —		
“ “ compacta . . . . .			— 10	— —		
“ “ gigantea . . . . .			1 4	— —		
⊙ <b>Calliopsis bicolor (tinctoria)</b> . . . . .			— —	1 10		
“ cardaminifolia atrosanguinea . . . . .			— —	2 —		
“ “ bicolor . . . . .			— —	2 —		
“ Drummondii (Golden Wave) . . . . .			— —	1 5		
“ hybrida superba, new . . . . .			1 —	— —		
“ “ aurea, a fine selected colour . . . . .			2 —	— —		
⊙ <b>Callirrhoe pedata</b> . . . . .			— 3	3 7		
“ “ compacta . . . . .			— 7	7 2		
<b>g Camellia japonica</b> , mixed . . . . .						
“ “ 1000 seeds 3/6 . . . . .			— —	— —		
“ “ double, mixed 1000 seeds 4/6 . . . . .			— —	— —		
4 <b>Campanula dichotoma</b> , blue . . . . .			— 7	— —		
4 “ fragilis . . . 1/8 oz —/10 . . . . .			5 —	— —		
⊙ “ macrostyla . . . . .			1 6	— —		
4 “ Medium fl. albo (Canterbury Bells) . . . . .			— 4	3 2		
“ “ fl. albo pleno . . . . .			1 —	— —		
“ “ calycantheme . . . . .			1 2	— —		
“ “ fl. albo . . . . .			1 3	— —		
“ “ fl. coeruleo . . . . .			— 4	3 —		
“ “ fl. “ pleno . . . . .			— 9	— —		
“ “ Wiegandi Dam. 1903 new; flowers blue, leaves golden yellow; of a splen- did effect . . . . .			3 3	— —		
“ “ single, mixed . . . . .			— —	2 9		
“ “ fl. pleno, mixed . . . . .			— 11	— —		
4 “ pyramidalis . . . . .			— 6	— —		
“ “ alba . . . . .			— 7	— —		
⊙ <b>Campanula Speculum</b> , blue . . . . .			— 3	— 3		
“ “ white . . . . .			— 3	— 6		
Canary Creeper, see Tropaeolum canariense.						
Candytuft, see Iberis.						
Canna-Seeds, see page 49.						
Canna-Roots, see page 52.						
⊙ <b>Cannabis gigantea</b> , Giant Hemp . . . . .			— —	— 8		
Canterbury-Bell, see Campanula.						
Cape Forget-me-not, see Anchusa.						
“ Hyacinth, see Hyacinthus candicans.						
Capsicum, see Vegetable seeds.						
⊙ § <b>Cardiospermum halicacabum</b> (Balloon Vine) . . . . .			— 3	1 6		
4 “ hirsutum, large clusters of white pending sweet-scented flowers and triangular fruits . . . . .			— 5	4 —		
“ velutinum, new, splendid . . . . .			— 3	2 8		
⊙ <b>Carduus Marianus (Silybum)</b> . . . . .			— —	— 4		
Carnation, see Dianthus Caryo- phyllus.						
h <b>Cassia floribunda</b> . . . . .			— 6	5 —		
Castor Oil Plant, see Ricinus.						
Casuarina, see Conifers.						
h <b>Cedrela chinensis</b> . . . . .			1 6	— —		
“ odorata . . . . .			4 —	— —		
<b>Cocks comb (Celosia cristata).</b>						
<b>Celosia cristata</b> , finest mixed . . . . .			— 8	8 —		
“ “ nana alba . . . . .			1 —	— —		
“ “ “ atropurpurea . . . . .			1 —	— —		
⊙ “ “ “ aurea . . . . .			1 —	— —		
“ “ “ Empress . . . . .			— 11	— —		
“ “ “ kermesina (Glas- gow Prize, President Thiers) . . . . .			1 5	— —		
<b>Celosia cristata nana Queen of Dwarfs</b> , crimson . . . . .			1 5	— —		
<b>Celosia cristata nana, Dam. 1898</b> “Ruby”. About 12 inches high pro- ducing flowers of a perfect shape and of quite a peculiar most lovely crimson color displaying still more its charm under the sunlight. The stalks also are almost of the same color and the leaves are of a brownish red, giving the plant a most lovely appearance; quite a wonderful kind . . . . .			1 —	— —		
<b>Celosia cristata nana rosea</b> . . . . .			1 5	— —		
“ “ “ finest mixed . . . . .			— 10	10 —		
“ Huttoni . . . . .			1 10	— —		
“ pyramidalis aurea . . . . .			— 3	2 5		
“ “ coccinea . . . . .			— 3	2 8		
“ “ mixed . . . . .			— 3	2 2		
⊙ “ “ monstrosa, Dam. 1898. Its bushy habit is like that of the C. pyramidalis while the flowers and						

	per oz s. d.	per lb. s. d.		per oz s. d.	per lb. s. d.
pecially those of the main stems are more like those of the <i>C. cristata</i> . They are dark red, the leaves dark green spotted more or less with dark red. The plant grows most vigorously to about 4 feet in height which makes it invaluable for large groups	—	2 2			
⊙ <i>Celosia pyr. plumosa</i> Thompsoni (Triomphe de l'exposition)	— 6	5 7			
" " " aurea . . . . .	— 4	3 7			
" " " coccinea . . . . .	— 3	2 9			
" " " Preziosa . . . . .	— 6	6 —			
" " " ostrich-feathered, orange-crimson; an absolutely distinct and fine sort . . . . .	— 9	8 9			
" " " finest mixed . . . . .	— 3	2 7			
⊙ " Thompsoni magnifica, atrococcinea, aurantiaca, aurea, coccinea, kermesina, lutea, each separate 1/8 oz 1/—	5 —	— —			
" Thompsoni magnifica, all colours mixed 1/8 oz —/6	2 6	— —			
⊙ <i>Centaurea americana</i> . . . . .	— 11	11 —			
" " " alba . . . . .	— —	— —			
4 " candidissima (ragusina) . . . . .	2 6	36 —			
" " " compacta . . . . .	3 4	— —			
4 " Clementei . . . . .	— 10	— —			
<i>Centaurea Cyanus</i> (Blue Bottle, Bachelor's Button).					
coelestina (Emperor William)	— 2	1 9			
fl.pl.mixed, new double flowered	— 3	2 2			
nana compacta Victoria	— 5	4 9			
" " " " fl. pl.					
Dam. 1899, double, dark red	— 5	4 9			
nana compacta Victoria bicolor, Dam. 1902, white with a blue centre . . . . .	— 8	— —			
single flowered, mixed . . . . .	— 2	1 —			
⊙ <i>Centaurea depressa</i> . . . . .	— —	1 5			
4 " gymnocarpa . . . . .	— 6	5 7			
⊙ " Margaritae, Dam. 1891 (White Sultan Mammoth), pure white, very large scented flowers (true, not the common very inferior <i>C. imperialis</i> ) . . . . .	— 10	10 3			
⊙ " moschata (Sweet Sultan) . . . . .	— 3	2 9			
" " " alba . . . . .	— 4	3 3			
⊙ " odorata Dam. 89 (Red Mammoth Sultan), with large purple scented flowers . . . . .	— 11	10 9			
" " Chamaeleon Dam. (Yellow Sultan Mammoth), with very large flowers of a pale sulphur-yellow, later whitish yellow changing into lilac and fading in a rosy colour	1 9	25 —			
⊙ <i>Centaurea suaveolens</i> , Yellow Sweet Sultan . . . . .	— 6	6 —			
⊙§ <i>Cephalandra palmata</i> , Dam. 1889 . . . . .	3 —	— —			
4 <i>Cerastium tomentosum</i> . . . . .	1 3	— —			
g <i>Cestrum aurantiacum</i> . . . . .	1 6	— —			
4 <i>Chamaepeuce Casabonae</i> , Fishbone Thistle . . . . .	— 10	— —			
" diacantha, Ivory Thistle . . . . .	— 6	5 9			
<b>Stocks.</b>					
⊙ <i>Cheiranthus annuus</i> .					
One of our most important specialities!					
All our Stocks are grown with so much skill and care that there is no better quality in the market; they give the highest percentage of double flowers as all our many thousands of patrons who received them, will testify.					
<u>Dwarf early-flowered ten week</u>					
<u>Stocks,</u>					
1. Crimson,			5. Rose,		
2. Dark Blue,			6. Rosy-carmine,		
3. Deep blood-red,			7. White,		
4. Light-blue,			8. Yellow,		
each separate . . . . .	2 3	31 9			
all colours mixed . . . . .	2 —	27 9			
<u>Large-flowered dwarf ten week</u>					
<u>Stocks,</u>					
1. Canary-yellow,			5. Fire red,		
2. Crimson,			6. Light blue,		
3. Dark blood-red,			7. Lilac,		
4. Dark blue,			8. White,		
each separate . . . . .	3 3	— —			
all colours mixed . . . . .	2 8	37 6			
<u>Wallflower-leaved large flowered</u>					
<u>ten week Stocks,</u>					
all colours mixed . . . . .					
	3 9	— —			
<u>Victoria Bouquet ten week Stocks,</u>					
1. Carmine,			4. Light blue,		
2. Dark bloodred,			5. White,		
3. Dark blue,					
each separate . . . . .	3 6	— —			
all colours mixed . . . . .	3 —	— —			
<u>Dresden Perpetual-flowered ten</u>					
<u>week Stocks,</u>					
1. Dark blue,			4. Rosa,		
2. Deep crimson,			5. Sulphur-yellow,		
3. Light blue,			6. White,		
each separate . . . . .	4 —	— —			
all colours mixed . . . . .	3 6	— —			
<u>Large-flowered pyramidal ten</u>					
<u>week Stocks mixed . . . . .</u>					
	3 9	— —			

	per oz. s. d.	per lb. s. d.
<u>Dwarf large-flowered pyramidal ten-week Stocks, mixed</u> . . .	4 6	— —
<u>Giant or Tree ten-week Stocks, mixed</u> . . . . .	3 6	— —
<u>Giant Perfection ten-week Stocks, mixed</u> . . . . .	4 —	— —
<u>Perpetual-flowering or Emperor Stocks, all colours mixed</u> . .	8 9	— —
<u>Winter or Brompton Stocks, mixed</u>	8 9	— —
<u>Dwarf Winter or Brompton Stocks all colours mixed</u> . . . . .	6 6	— —
<u>Brompton Stocks, white Nice, magnificent, continuously flowering; splendid for cutting</u> . . . . .	3 —	42 —

**Victoria Winter Stock, Dam.**

Since we introduced this beautiful class it has met every where with an unlimited and unrestricted approbation; we recommend it most warmly to all who wish to have fine cut flowers; it produces the highest percentage of double flowers.

White (Electro) . . . . .	3 6	46 —
Pale-rose (peach-blossom) . . .	5 6	— —
Canary-yellow Dam. 1898. This new and very valuable addition is a worthy pendant to the other colours introduced by us and which obtained such a grand and general success. We can recommend this new kind most especially for cutting purposes. It can also easily be forced . . .	4 6	— —
Salmon-rose . . . . .	5 6	— —
Lilac, wall-flower-leaved . . . .	4 6	— —

**Italian Winter Stock.**

A most recommendable class, resembling as to their habit the Tree ten week stock, producing from January to March a great abundance of fine flowers.

a) <u>high</u>		
fire-red . . . . .		
white . . . . .		
each separate . . . . .	— 9	9 3
b) <u>semi-high</u>		
white . . . . .	1 —	12 —

<u>Cheiranthus Cheiri, German Wall-flower.</u>		
Double Tree, mixed of many fine colours . . . . . 1/8 oz —/10	5 —	— —
Double Branching, mixed of many splendid colours . . . 1/8 oz —/10	5 6	— —
Single Branching, mixed . . . .	— 3	2 8

	per oz. s. d.	per lb. s. d.
⊙ <u>Cheiranthus maritimus (Malcolmia) Virginian Stocks</u> . . . . .	— —	1 —
⊙ " " <u>maritimus albus</u> . . . . .	— —	1 —
" " <u>Fairy Queen</u> . . . . .	— —	1 6
" " <u>kermesinus (Crimson King)</u> . . . . .	— —	1 6
" " <u>mixed</u> . . . . .	— —	1 —
4 <u>Chelone barbata</u> . . . . .	— 3	2 6
<u>Chinese Bellflower, see Abutilon.</u>		
" <u>Primrose, see Primula chinensis.</u>		
<u>Christmas Rose, see Helleborus.</u>		



Victoria White Winter Stock.  
Electro 4/—.

<u>Chrysanthemum Burridgeanum</u> . . . . .	— —	2 3
g " <u>carinatum, see tricolor.</u>		
g " <u>indicum, double fine mixed</u> . . . . .	8 9	— —
g <u>Chrysanthemum, Japanese, double large-flowered, mixed</u> . . . . .	6 3	— —
g <u>Chrysanthemum, Japanese, with hairy flowers</u> . . . . . 1/8 oz 2/6	16 —	— —
g <u>Chrysanthemum, Japanese Imperial double Ostrich-feathered, imported seed from one of the best collections</u> . . . . .	6 3	— —
⊙ <u>Chrysanthemum coronarium album plenum</u> . . . . .	— —	1 6
" <u>coronarium luteum plenum</u> . . . . .	— —	1 6
" " <u>sulphureum plenum</u> . . . . .	— —	1 6
" " <u>double, mixed</u> . . . . .	— —	1 6
g " <u>frutescens (Argyranthemum)</u> . . . . .	— 8	8 —
⊙ " <u>inodorum plenissimum</u> . . . . .	— 9	— —

	per oz s. d.	per lb. s. d.		per oz s. d.	per lb. s. d.
4 <b>Chrysanthemum leucanthemum hybridum</b> (Shasta Daisies). A new and really beautiful class standing even the severest cold without suffering; the flowers are very large, 3 to 4 in. diameter, with brilliant pure white petals, on long stiff stems; the plant blooms continuously for months and the cut flowers keep fresh for two weeks or more. The plant produces very few seed which is however rather large $\frac{1}{8}$ oz —/9	4	6	—	—	—
Chrysanthemum segetum Gloria, new, with very large sulphur yellow flowers . . . . .	—	5	4	9	—
⊙ " tricolor (carinatum) album	—	2	1	9	—
" " atrococcineum	—	3	2	4	—
" " Chamaeleon, new	—	3	3	2	—
" " Dunnett albo pl.	—	6	5	6	—
" " " aurea pl. . . . .	—	6	5	6	—
" " Eclipse . . . . .	—	3	2	9	—
" " Golden Feather	—	3	2	5	—
" " finest mixed . . . . .	—	2	1	8	—
Cigar-Flower, see Cuphea platycentra.					
g Cineraria hybrida, finest mixed . . . . .	6	3	—	—	—
" " large flowered, finest mixed $\frac{1}{16}$ oz 1/—	12	4	—	—	—
" " dwarf, many varieties of the finest colours, mixed $\frac{1}{16}$ oz 2/—	—	—	—	—	—
" " dwarf large flowered, extra selected $\frac{1}{16}$ oz 2/6	—	—	—	—	—
g " " striata, splendid colours mixed $\frac{1}{32}$ oz 1/9 $\frac{1}{16}$ " 3/3	—	—	—	—	—
g " " striata nana, seeds collected from a magnificent collection $\frac{1}{32}$ oz 2/3 $\frac{1}{16}$ " 4/—	—	—	—	—	—
" " plenissima, double splendid mixed $\frac{1}{8}$ oz 11/— $\frac{1}{16}$ " 5/10 $\frac{1}{32}$ " 3/3.	—	—	—	—	—
4 " " maritima . . . . .	—	2	1	8	—
4 " " candidissima . . . . .	—	4	3	—	—
g§ Cissus antarctica . . . . .	1	—	—	—	—
g Citrus trifoliata . . . . .	—	8	6	—	—
⊙ Clarkia elegans Double, mixed . . . . .	—	—	1	7	—
" " pulchella fl. albo pl.	—	2	1	7	—
" " " double, mixed	—	2	1	7	—
⊙ Cleome grandis, Dam. new wonderful, with large flowers . . . . .	—	4	3	7	—
" speciosissima . . . . .	—	4	3	7	—
h Clanthus Dampieri . . . . .	3	9	—	—	—
" " puniceus . . . . .	2	—	24	—	—
⊙§ Cobaea macrostemma, most elegant climber	2	—	—	—	—
" " scandens, beautiful climber	—	9	10	—	—
⊙§ " " fl. albo . . . . .	1	6	—	—	—
⊙§ Coccinea indica . . . . .	—	7	7	3	—
" " Moghad . . . . .	—	10	—	—	—
Cockscomb, see Celosia.					
h <b>Coleus hybridus,</b> choice quality from our own splendid collection . . . . . $\frac{1}{8}$ oz 1/4	9	—	—	—	—
very good quality . . . . . $\frac{1}{8}$ " 1/—	5	—	—	—	—
macrophyllus, with very large leaves of the best and remarkable colours $\frac{1}{8}$ oz 1/6	10	—	—	—	—
regalis (imperialis) with very undulate and blistered leaves, in the finest variety of colours . . . . . $\frac{1}{8}$ oz 2/—	13	—	—	—	—
laciniatus, with light brownish lacinated leaves; a most lovely and remarkable kind . . . . . $\frac{1}{8}$ oz 1/6	10	—	—	—	—
⊙ Collinsia bicolor . . . . .	—	—	—	10	—
" " mixed . . . . .	—	—	—	10	—
Columbine, see Aquilegia.					
4 Commelina coelestis . . . . .	—	3	—	—	—
" " alba . . . . .	—	3	—	—	—
" " Sellowiana, new . . . . .	3	—	—	—	—
4§ Convolvulus major, see Ipomoea purpurea.					
g " mauritanicus . . . . .	1	—	12	—	—
⊙ " minor (tricolor), mixed . . . . .	—	—	—	6	—
Coral Tree, see Erythrina.					
h Cordyline australis (C. Baueri), the true broad-leaved variety, berries . . . . .	1	—	14	6	—
" " clean seed . . . . .	3	9	—	—	—
" congesta spectabilis 1000 seeds 3/6	—	—	—	—	—
" indivisa (C. colocoma superbiens) berries . . . . .	—	5	4	—	—
" " lineata . . . . .	—	6	5	9	—
" " latifolia . . . . .	—	8	7	6	—
" " Veitchi . . . . .	—	6	—	—	—
" " " rubra (Dracaena)	—	9	—	—	—
" nutans 1000 seeds 2/—	—	—	—	—	—
" rubra 1000 " 11/—	—	—	—	—	—
4 Coreopsis grandiflora . . . . .	—	3	3	—	—
⊙ " japonica . . . . .	—	6	—	—	—
Corn Flower, see Centaurea Cyanus.					
⊙ Cosmea hybrida Klondyke, orange-red, large flowering . . . . .	3	9	—	—	—
" pinnatifida (Cosmos bipinnatus) . . . . .	—	5	4	9	—

	per oz s. d.	per lb. s. d.		per oz s. d.	per lb. s. d.
Cosmea pinnatifida purpurea . . .	— 5	— —	Grandiflora marginata, bordered, mixed . . . . .	— 8	8 —
" " Mammoth, white . . .	— 4	— —	" white Queen, pure white . . .	1 6	— —
" " " mixed . . . . .	— 4	4 —	" "Neck-ruffle" („Colle- rette"), new; a highly interesting novelty, with large flowers of various colours, the yellow centre of which is surrounded by a number of gracefully arranged white petals; of a most charming effect . . .	3 —	— —
" " " mixed . . . . .	— 5	4 3	b) double large-flowering. Finest mixture of a splendid collection, choice quality . . .	1 6	20 —
Cowslip yellow, see Primula veris.			Good quality . . . . .	1 3	15 —
4 Croton sebiferum (Stillingia) . . .	1 2	— —	Juarezi (Cactus), mixed . . . . .	1 10	— —
Crown of the Field, see Agrostemma.			Liliput, mixed . . . . .	1 10	— —
○ Cryptostemma lusitanicum, Dam. 1899. About 8 inches high. Its narrow pinnate or deeply cut leaves are of a greyish green and silvery grey on the back. The plant produces a large number of flowers measuring about 2 inches in diameter, the petals of which are sulphur-yellow and chrome-yellow at the base with a dark brown spot. A rival of the Gazanias . . . . .	— 4	3 3	Tom Thumb, dwarf mixed . . . . .	1 10	— —
○ § Cucumis anguineus, see Tricho- santhes.			Daisies, see Bellis perennis. Dames Violet, see Hesperis.		
Cucumis Anguria (Aradae) . . . . .	— 4	3 —	g Dasyliion acrotriche (serratifolium) " longifolium verum 1000 seeds 1/—	— 10	— —
" Grossularia, Gooseberry Gourd . . .	— 3	3 3	h Datura arborea . . . . .	5 —	— —
" odoratissimus (Dudaim) . . . . .	— 4	3 3	○ " ceratocaula . . . . .	— 9	8 9
4 " perennis . . . . .	— 9	— —	" cornucopiae . . . . .	— 5	4 9
○ § Cucurbita argyrosperma . . . . .	— 3	2 5	" fastuosa alba plena . . . . .	— 4	3 3
" maliformis, Apple Gourd, yellow, white, striped, each . . .	— 4	3 7	" " coerulea plena . . . . .	— 3	3 —
" maxima sylvestris, Naudin 1889 . . .	— 3	2 3	" " fl. pl. mixed . . . . .	— 3	2 9
" melanosperma, variegated fruited Malabar (Angora), black seed . . . . .	— 3	2 5	" " Huberiana alba plena . . .	— 5	4 —
" oviformis, Ostrich Egg . . . . .	— 4	4 —	" " humilis flava plena . . .	— 4	3 7
" Pepo turbinata, Turban Gourd, scarlet. . . . .	— 3	2 9	○ Delphinium Ajacis, see Larkspur.		
○ § " piriformis (pear-shaped) green, green with white, each . . . . .	— 3	2 9	4 " Cardinale . . . . . 1/8 oz 1/6	10 —	— —
○ Cuphea eminens . . . 1/8 oz 1/3	7 6	— —	" chinense . . . . .	— 5	4 9
" platycentra . . . 1/8 " 1/6	9 —	— —	" formosum . . . . .	1 —	— —
" Roezli . . . 1/8 " —/9	6 3	— —	" hybridum, mixed . . . . .	— 5	4 9
" " grandiflora superba 1/8 oz 1/3	8 9	— —	" " fl. pl. double mixed . . .	3 6	— —
Cyanus, see Centaurea.			" sulphureum (Zalil) 1/8 oz —/10	4 6	— —
Cyclamen, see Seeds of Bulbs and Roots.			Devil in a bush, see Nigella. Dew Plant, see Mesembrianthemum tricolor.		
○ § Cyclanthera explodens . . . . .	— 8	— —	4 Dianthus barbatus, Sweet William fine single mixed . . . . .	— —	1 3
" pedata . . . . .	— 4	3 3	fl. pl. best double-flowered mixed, first quality, producing the highest per- centage of double flowers . . . . .	— 8	7 3
Cyperus, see Ornamental Grasses.			nanus compactus, fl. pleno double mixed, choice quality . . . . .	1 2	—
Cypress Vine, see Ipomoea Qua- moclit.					
4 Dahlia imperialis grandis . . . . .	4 6	— —	<b>Dianthus Caryophyllus fl. pl.</b> seeds raised from finest stage flowers only.		
4 Dahlia variabilis			Bizarre . . . . .	1 2	8 9
a) single large-flowering.			Doublettes . . . . .	1 2	8 9
Grandiflora mixed . . . . .	— 5	4 —			
" nana, dwarf-mixed . . . . .	— 6	6 —			
" striata, " . . . . .	— 6	6 —			
" " nana, dwarf-mixed . . . . .	— 6	6 6			

	100 seeds s. d.	1000 seeds s. d.
Fancy . . . . .	1 4	10 6
Self . . . . .	1 2	8 9
Picotees (Avranches), yellow ground	1 6	12 —
„ white ground . . . . .	1 2	9 6
„ (Saxons, with red border)	1 9	16 —
Spotted (Grenoble and Salamander)	1 2	8 9
Extra fine mixture of the above stage flowers . . . . .	— 7	6 6
Splendid mixture of stage flowers 1/16 oz 4/3; 1/8 oz 7/6	56 —	— —
(1/8 oz of Carnation seed contains about 1800 or more seeds.)		



Margaret Carnation semi-high double. Dam. Electro 3/3.

Perpetual-flowering, raised from finest stage plants only.	per oz s. d.	per lb. s. d.
Extra double, all colours mixed . . .	4 9	— —
„ „ yellow ground 1/8 oz 1/6	9 9	— —
„ „ dwarf (tige de fer) 1/32 oz 3/6; 1/16 oz 6/6; 1/8 oz 12/—	91 6	— —
Riviera Market 1/32 oz 2/—; 1/16 oz 3/6; 1/8 oz 6/6	50 —	— —
Alégatière 1/32 oz 3/6; 1/16 oz 6/—; 1/8 oz 11/— (1/8 oz of Carnation seed contains about 1800 or more seeds.)	85 —	— —
<b>Border- (Ground) Carnations.</b>		
Extra double self coloured . . . . .	2 3	31 —
„ „ striped in beautiful colours	2 9	38 —
Early flowering dwarf Vienna, finest strain . . . . .	1 9	23 —
Grenadin, brilliant red, choice quality	2 6	37 6
„ white . . . . .	2 6	37 6

**Margaret Carnations Dam.**

	per oz s. d.	per lb. s. d.
Malmaison, very large-flowering (require a heavy good soil) . . . 1/8 oz —/9	4 —	56 —
Semi-high, very 'double,' saved from the finest collection (Electro) producing about 90% of double flowers, choicest quality . . . . .	1 —	14 —
Semi-high, good quality . . . . .	— 10	11 9
„ very double white . . . . .	2 —	25 6
„ „ „ rose . . . . .	1 6	19 —
„ „ „ scarlet . . . . .	1 6	20 —
„ „ „ dark red . . . . .	1 6	20 —
„ „ „ purple (violet). . . . .	1 6	20 —
„ „ „ yellow and yellow-ground 1/8 oz —/10	5 —	70 —
„ „ „ striped . . . . .	2 —	— —
The separate colours are still very variable.		
Dwarf, very double, finest mixed . . .	2 6	36 —
„ Margaret Carnation, newest dwarf double-Chabaud (tige de fer) white . . . . . 1/8 oz —/10	5 —	71 —
all colours mixed 1/8 „ —/9	3 9	51 —
⊙ Dianthus chinensis fl. pl. double Chinese Pinks, finest mixed . . . . .	— 5	4 9
⊙ „ imperialis fl. pl. double Imperial Pink, finest mixed . . . . .	— 5	4 9
⊙ <b>Dianthus Heddegi (giganteus)</b>		
albus (Queen of Holland) with very large pure white flowers . . . . .	— 8	8 —
„ plenus, extra . . . . .	— 8	8 —
atrococcineus plenus, Dam. 1899. A new dark scarlet extremely fine colour. The plant produces a large number of very double flowers . . . . .	— 6	6 —
Crimson Belle, dark red . . . . .	— 6	6 —
diadematus plenus . . . . .	— 10	9 10
Eastern Queen, rosa . . . . .	— 6	6 —
Mourning Cloak . . . . .	— 8	8 —
nobilis (Royal Pink), new, one of the best single . . . . .	— 8	— —
ornatus, Dam. 1902, new; the petals are deep blood red towards the centre, striped and marbled in dark brown, white the border is white forming a white distinct circle. . . . .	— 8	8 —
single-flowered, best mixed . . . . .	— 5	4 9
double-flowered, „ „ . . . . .	— 7	6 9
⊙ Dianthus laciniatus, single-flowered mixed . . . . .	— 5	4 9
„ „ double mixed . . . . .	— 8	8 —
„ „ zonalis, new, salmon-red with dark-red . . . . .	1 6	— —



	per oz s. d.	per lb. s. d.		per oz s. d.	per lb. s. d.
⊙ Dianthus laciniatus, rubro striatus Dam. 1898. An extremely pretty kind blooming most profusely and growing about 8 to 10 inches high. The flowers are white, richly striped with lilac-red. A very valuable addition to the col- lection . . . . .	— 10	— —	Eschscholtzia californica fl. roseo .	— 3	2 3
Dianthus laciniatus Salmon Queen, new, large-flowering, salmon-red	— 9	8 8	” ” grandifloracarmine	— 5	4 9
” laciniatus Salmon Queen fl. pl. double flowered . . . . .	— 11	— —	” ” The Golden West	— 5	4 9
” plumarius, the common Phea- sant eye Pink . . . . .	— 3	1 7	” crocea . . . . .	— 3	2 —
” ” fl. pl. finest double Garden Pink . . . . .	2 —	— —	” ” fl. pl. double . . . . .	— 4	3 9
⊙ Didiscus (Huegelia) coeruleus . . .	— —	— —	” hybrida Mandarin . . . . .	— 4	3 9
Didymocarpus, see Streptocarpus.			” maritima, Cross of Malta	— 4	4 —
⊙ Digitalis (Foxglove)			g Eucalyptus amygdalina . . . . .	1 3	15 3
” gloxiniaeflora mixed . . . . .	— 3	2 9	g ” botryoides . . . . .	2 —	— —
” purpurea . . . . .	— 2	1 5	” citriodora . . . . .	3 9	— —
g§ Dioclea glycinoides . . . . .	— 5	5 7	” colossea . . . . .	3 —	— —
⊙§ Dolichos atropurpureus . . . . .	— 2	— 11	” gigantea . . . . .	1 6	18 —
” Lablab albus, Hyacinth Bean, white . . . . .	— —	1 —	” globulus, Blue Gum . . . . .	1 3	16 —
” ” giganteus . . . . .	— 2	1 1	” Gunnii . . . . .	1 3	— —
” ” Princess Helene Dam. 1896 new, white, scented, pods wax-white . . . . .	— 2	1 3	” marginata (Jarrah) . . . . .	1 6	21 —
” ” mixed . . . . .	— 2	— 9	” obliqua . . . . .	1 2	— —
g§ ” lignosus . . . . .	— 3	2 5	” piperita . . . . .	1 8	— —
” mixed . . . . .	— —	— 10	” resinifera, Red Gum . . . . .	1 5	18 9
h Dracaena arborea 1000 seeds 2/—	— —	— —	” robusta . . . . .	1 5	18 9
” Draco . . . . .	— 5	4 9	” rostrata . . . . .	1 3	16 —
Dusty Miller, see Centaurea candi- dissima.			⊙ Eucharidium Breweri, rosy purple .	2 —	— —
⊙§ Ecremocarpus scaber (Calampelis)	1 3	16 —	” grandiflorum . . . . .	— 3	2 —
g Echeveria glauca (capsules) . . . .	1 —	— —	Eupatorium serrulatum, new . . . .	3 3	— —
⊙ Echinacea purpurea 100 seeds —/3	— —	— —	g ” Weinmannianum . . . . .	1 8	— —
1000 ” 1/9	— —	— —	” ” tricolor 1/8 oz 1/9	12 3	— —
” hybrida superba			g⊙ Euphorbia heterophylla . . . . .	— 11	11 10
100 seeds 4/6	— —	— —	h Euryale ferox, hot-house aquatic, similar to Victoria regia 10 seeds 1/—; 100 seeds 8/—	— —	— —
1000 ” 35/—	— —	— —	Evening Primrose, see Oenothera.		
⊙ Echinops (Globe Thistle) macroce- phalus . . . . .	— 3	— —	Everlasting Flower, see Helichrysum.		
Edelweiss, see Gnaphalium Leonto- podium.			” Pea, see Lathyrus lati- folius.		
English Clover, see Gomphrena.			⊙ Fedia Cornucopiae . . . . .	— 2	2 —
h Erythrina caffra vera 100 seeds 2/6	— —	— —	⊙ Felicia abyssinica Dam. 1897 new	2 6	— —
” corallodendron 1000 ” 8/6	— —	— —	Feverfew, see Matricaria.		
” crista galli . . . . .	— 9	10 3	h Ficus Cooperi . 1000 seeds 2/6		
” insignis . . . . .	— —	— —	” elastica . . 1000 ” 2/3		
h Erythroxylon Coca 100 ” 1/10	— —	— —	” imperialis . 1000 ” 3/—		
⊙ Eschscholtzia californica (Californian Poppy) . . . . .	— 3	2	Fishbone Thistle, see Chamaepeuce.		
” ” fl. albo . . . . .	— 3	2	Flora's Paint Brush, see Cacalia.		
			Flos Adonis, see Adonis aestivalis.		
			Flowering Flax, see Linum.		
			” Maple, see Abutilon.		
			Forget me not, see Myosotis.		
			Fountain Plant, see Amaranthus salicifolius.		
			Four o'clock, see Mirabilis.		
			Fox glove, see Digitalis.		
			⊙ Fragaria indica . . . . .	1 —	— —
			g Franseria artemisioides		
			100 seeds —/8	— —	— —
			1000 ” 3/6	— —	— —
			g Fuchsia corymbiflora 1/32 oz 2/6	— —	— —
			g ” ” alba 1/32 ” 2/6	— —	— —
			” procumbens 1000 seeds 2/—	— —	— —
			• Gaillardia grandiflora . . . . .	— 4	4
			” ” compacta . . . . .	— 6	6

	per oz s. d.	per lb. s. d.
Gaillardia grandiflora maxima . . .	— 6	6 —
⊙ " picta (pulchella) . . .	— 2	1 6
" " Lorenziana, best double mixed . . .	— 3	2 5
⊙ Gaura Lindheimeri . . . . .	— 2	1 9
4 Gazania bracteata pure white, rich- flowering $\frac{1}{32}$ oz 1/5; $\frac{1}{8}$ oz 4/9	34 —	— —
4 " hybrida Nora, Dam. 1897 (Electro No. 1). Flowers milk white, with lilac tips, sulphur-yellow at the base with a large black spot, 100 seeds 1/2; 1000 seeds 9/—	— —	— —



Nr. 1 Gazania hybr. Blondine.  
Nr. 2 Nora.  
Nr. 3 Diana.  
Electro 3/3.

4 Gazania hybrida Diana, Dam. 1897 (Electro No. 2). Upper part of the petals yellowish white, the lower part changing into chrome-yellow, 100 seeds 1/2; 1000 seeds 9/—	— —	— —
4 Gazania hybrida Blondine, Dam. 1897 (Electro No. 3). Bright chamouis, dark orange on the base with white or pale yellow spots; the opposite part of the petals is dark lilac striped, 100 seeds 2/—; 1000 seeds 16/—	— —	— —
4 Gazania hybrida Bianca, Dam. 1897. Flowers at first sulphur-yellow, changing afterwards into white; slight purple spots at the base of the petals; the opposite part of the petals bears a broad blue stripe in the centre. Flowers measuring about 3 in. across 100 seeds 2/—; 1000 seeds 16/—	— —	— —

	per oz s. d.	per lb. s. d.
4 Gazania hybrida Venus, Dam. 1899. Satin white flowers with a light yellow hue at the base. The back side of the petals is crossed by a broad greyish green line. This plant differs from G. nivea by its shorter and broader petals and also by the greater profusion of flowers, which makes it a worthy addition to the fine varieties introduced by us 3 years ago. 100 seeds 2/—; 1000 seeds 16/—	— —	— —
Gazania hybrida, mixture of one of the finest collections of more than 40 different forms, which we recom- mend quite particularly; selected seeds, growing about 95% 100 seeds 3/9; 1000 seeds 31/—	— —	— —
4 Gazania pygmaea lutea. A new form with very large chrome yellow flowers, the petals of which bear on their basis a light yellow spot forming together a circle which produces a striking effect. The petals are at their lower part crossed by a broad grey line. The yellow color of the flowers is not only quite new among Gazanias but also extremely handsome. It is a charming novelty which will soon become very popular. 100 seeds 1/—; 1000 seeds 7/6	— —	— —
4 Gazania splendens, a fine, well known plant for carpet-bedding . . . . .	2 —	— —
" splendens fol. var. 100 seeds —/9 1000 seeds 5/6	— —	— —
" stenophylla (Gazaniopsis) . . . . .	3 9	— —
g Genista candicans . . . . .	— 7	— —
4 Gentiana acaulis . . . . .	— 9	8 9
Geranium, see Pelargonium.	— —	— —
4 Gerbera Jamesoni 100 seeds 7/6	— —	— —
4 Geum coccineum atrosanguineum semitl. . . . .	— 10	— —
⊙ Gilia tricolor . . . . .	— —	— 8
Globe amarant, see Gomphrena.	— —	— —
" Thistle, see Echinops.	— —	— —
Glory Pea, see Clianthus.	— —	— —

**h Gloxinia hybrida**

with erect flowers mixed $\frac{1}{32}$ oz 4/—; $\frac{1}{16}$ oz 7/6; $\frac{1}{8}$ oz 14/—	— —	— —
grandiflora (Emperor Frederic), bright scarlet with broad white bor- ders, $\frac{1}{32}$ oz 4/9; $\frac{1}{16}$ oz 8/9; $\frac{1}{8}$ oz 16/9	— —	— —
splendid mixed $\frac{1}{32}$ oz 3/6; $\frac{1}{16}$ oz 6/6; $\frac{1}{8}$ oz 12/6	— —	— —

	per oz s. d.	per lb. s. d.		per oz s. d.	per lb. s. d.
4 Gnaphalium Leontopodium (Edelweiss) . . . 1/8 oz —/10	5	—	⊙ Helianthus (Sunflower) (continued).	—	—
⊙ " orientale fl. pleno 1/32 oz 1/9; 1/16 oz 2/9; 1/8 oz 4/9	36	—	" annuus macrophyllus giganteus	—	7
⊙ Godetia Bijou, dwarf, with rose-coloured spot . . . . .	—	3 2 9	" " Primrose coloured . . . . .	—	10
" Duchess of Albany, satin white	—	4 4 —	" " mixed . . . . .	—	2 1 —
" " of Fife, dark-red with white	—	4 3 7	" argyrophyllus . . . . .	—	1 3
" Duke of Fife . . . . .	—	4 3 3	" cucumerifolius, small-flowered .	—	3 2 5
" " of York, scarlet carmine	—	4 3 7	" " Excelsior, flowers cactus-like, with long curled petals . . . . .	—	3 2 5
" Fairy Queen . . . . .	—	5 4 10	" " nanus compactus (Perkeo) . . . . .	—	9 8 —
" Gloriosa, deep bloodred . . . . .	—	5 — —	" " Orion, new . . . . .	—	5 4 9
" grandiflora rosea plena . . . . .	—	6 — —	" " Giant Star, same as Excelsior, but with much larger flowers . . . . .	—	3 2 6
" Lady Albemarle . . . . .	—	3 2 7	" " Stella, new, pure golden yellow . . . . .	—	3 3 3
" " compacta . . . . .	—	3 2 9	⊙ " " Stella grandiflorus, with very large flowers . . . . .	—	4 4 —
" " Satin Rose . . . . .	—	4 3 3	" " white (albiflora Polarstar) . . . . .	—	7 — —
" Lindleyana fl. pl. . . . .	—	2 1 10	" " Apollo, new; quite dwarf, ab <sup>t</sup> 12 inches high . . . . .	2	6 — —
" Mandarin, pale yellow . . . . .	—	4 2 9	" " mixed . . . . .	—	3 3 —
" Princess Henry . . . . .	—	3 2 5	" " double-flowering . . . . .	—	9 — —
" " of Wales . . . . .	—	3 2 —	" uniflorus . . . . .	—	— 6
" the Bride . . . . .	—	2 2 —	4 Helichrysum angustifolium . . . . .	—	8 8 —
" Whitney Brilliant . . . . .	—	3 2 2	⊙ " compositum monstrosum, double large-flowered mixed .	—	8 7 3
" " compacta . . . . .	—	3 2 9	⊙ Helichrysum compositum nanum plenissimum, dwarf double mixed .	—	8 — —
" White Pearl . . . . .	—	2 1 10	h Heliotropium peruvianum.		
" mixed . . . . .	—	2 1 9	Anna Turell . . . . .	2	6 — —
Gold Dust, see Alyssum saxatile.			Boule de neige . . . . .	2	6 — —
Golden Feather, see Pyrethrum parthenifolium aureum.			Bouquet parfait . . . . .	2	6 — —
⊙ Gomphrena globosa (GlobeAmarant)	—	2 1 5	giganteum, large-flowered, dark violet (purple) 1/8 oz —/8	4	— — —
" " alba . . . . .	—	2 1 5	grandiflorum . . . . .	2	6 — —
" " mixed . . . . .	—	2 1 3	Gloire des massifs . . . . .	2	6 — —
" Haageana, orange . . . . .	—	2 2 2	Regina Margarita (Marguerite) 1/8 oz —/9	3	9 — —
Gourds, ornamental, see Cucurbita and Lagenaria.			Reine des Violettes . . . . .	2	6 — —
g Grevillea robusta . . . . .	1	— 12 9	Roi des noirs . . . . .	2	8 — —
Groundsel, see Senecio.			Umberto, very large-flowering 1/8 oz —/9	3	9 — —
4 Gymnopsis uniserialis Hook. Grows about 30 inches high. Flowers chrome-yellow, 2 to 3 in. across most abundant on rather long stems, keeping well for a long time. June to September . . . . .	—	4 3 9	Voltaireanum . . . . .	2	6 — —
⊙ Gypsophila elegans . . . . .	—	— 7	White Lady . . . . .	2	6 — —
4 " paniculata . . . . .	—	5 4 6	peruvianum, newest large-flowering varieties mixed . . . . .	2	— 25 9
Hardenbergia, see Kennedyya.			4 Helleborus niger, (Christmas Rose)	—	5 5 3
Harpalum rigidum (Helianthus), rich-flowering, beautiful 1/8 oz 1/—	6	9 — —	⊙ Heterospermum Xanthii A. Gray Dam. 1898. Grows only about 8 to 10 inches high and is therefore most adapted for borders or carpet bedding. Its small flowers are chrome-yellow with a shade of canary-yellow at the		
Hawkweed, see Crepis.					
Heartsease, see Viola tricolor maxima.					
⊙ Hebenstreitia comosa serratifolia . . . . .	1	— — —			
⊙ Helianthus (Sunflower).					
" annuus Bismarckianus, with enormous flowers . . . . .	—	2 1 —			
" " globosus fistulosus . . . . .	—	— 1 3			
" " flore pleno . . . . .	—	— 11			
" " nanus fol. var. (Golden Leaf) . . . . .	—	3 2 7			
" " californicus plenissimus	—	— 1 3			

end of the petals. They bloom continually from beginning of June to the end of autumn and the flowers appear already 4 weeks after the sowing

		per oz s. d.	per lb. s. d.
4	<i>Heuchera sanguinea</i> , crimson . . .	4 9	— —
h	<i>Hevea brasiliensis</i> . . . . .	1 3	— —
⊙	<i>Hibiscus africanus</i> . . . . .	— —	1 5
h	" <i>coccineus</i> . . . . .	1 3	— —
h	" <i>grandiflorus</i> , mixed . . . . .	— 6	— —
g	" <i>moschatus roseus</i> . . . . .	— 6	— —



*Hunnemannia fumariaefolia*.  
Electro 3/6.

g	<i>Hibiscus mutabilis</i> . . . . .	1 —	— —
g	" <i>palustris</i> . . . . .	— 6	— —
	" <i>roseus</i> . . . . .	— 6	— —
h	" <i>rosa sinensis</i> . . . . .	2 3	— —
h	" <i>roseus grandiflorus</i> . . . . .	— 8	— —
	Hollyhocks, see <i>Althaea rosea</i> fl. pl.		
	Honesty, see <i>Lunaria biennis</i> .		
	Honeysuckle, French, see <i>Hedysarum coronarium</i> .		
	Horn Poppy, see <i>Glaucium</i> .		
⊙§	<i>Humulus japonicus</i> , Japanese Hop	— 5	4 6
⊙§	" <i>japonicus variegatis</i> , with white variegated leaves . . . . .	— 5	5 —
4§	" <i>Lupulus</i> , seeds as collected . . . . .	— 2	1 4

⊙4 *Hunnemannia fumariaefolia* (Electro).

A magnificent Papaveracea with large sulphur-yellow flowers, resembling those of the *Eschscholtzia* and graceful pinnate leaves, flowering without interruption till late in the autumn; stands several degrees of frost; a really most remarkable plant which fills well its place wherever it is used . . . . .

Hyacinth Beans, see *Dolichos*.

		per oz s. d.	per lb. s. d.
⊙	<i>Iberis</i> (Candytuft) <i>amara</i> . . . . .	— —	— 10
	" <i>coronaria</i> Empress . . . . .	— 4	4 —
	" " <i>regia</i> ( <i>hesperidifolia</i> ) . . . . .	— —	— 10
4	" <i>gibraltarica</i> . . . . .	2 6	— —
⊙	" <i>Lagascae</i> . . . . .	— 2	1 7
⊙	" <i>nigricans</i> . . . . .	— 2	1 3
⊙	" <i>odorata</i> ( <i>pectinata</i> ) . . . . .	— —	— 9
4	" <i>sempervirens</i> . . . . .	— 11	11 —
⊙	" <i>umbellata</i> , lilac . . . . .	— 4	3 3
	" " white . . . . .	— 3	2 6
	" " <i>carminea</i> . . . . .	— 8	8 —
	" " <i>carnea</i> . . . . .	— 4	3 9
	" " <i>purpurea</i> . . . . .	— 3	2 9
	" " <i>Queen of Italy</i> . . . . .	— 6	5 9
	" " <i>Rose Cardinal</i> , bright rose-carmine . . . . .	1 6	— —
	" " <i>nana alba</i> . . . . .	— 3	2 7

Ice Plant, see *Mesembrianthemum crystallinum*.

⊙ *Impatiens Balsamina flore pleno*.  
Double Balsams.

We offer and guarantee first quality only, the growing of these plants being one of our specialities.

Double tall mixed . . . . . — 3 3 —

Double Rose.

- |                         |                      |
|-------------------------|----------------------|
| 1. Brilliant brick-red, | 8. Pale yellow,      |
| 2. Chamois,             | 9. Pomegranate red,  |
| 3. Chamois rose,        | 10. Purple,          |
| 4. Dark blue,           | 11. Rose,            |
| 5. Deep blood-red,      | 12. White,           |
| 6. Light blue,          | 13. White with rose, |
| 7. Lilac,               | 14. purple,          |
|                         | 15. scarlet,         |

each separate . . . . . — 8 7 3  
All colors mixed . . . . . — 6 5 6

Double Camellia.

- |                       |                  |
|-----------------------|------------------|
| 1. Brilliant rose,    | 6. Purple,       |
| 2. Brilliant scarlet, | 7. Rose,         |
| 3. Crimson,           | 8. Rosy carmine, |
| 4. Light blue,        | 9. Rosy lilac,   |
| 5. Lilac,             | 10. Scarlet,     |

each separate . . . . . — 8 7 3  
All colours mixed . . . . . — 6 5 6

	per oz s. d.	per lb. s. d.
Improved double Camellia „Prince Bismarck“, brilliant salmon-rose . . .	1 2	16 —
Improved double Camellia, pure white „alba perfecta“ . . . . .	1 2	16 —
Double dwarf, splendid mixed . . .	— 5	4 6
„ Solferino, streaked and spotted, mixed . . . . .	— 6	5 6
„ Emperor . . . . .	— 6	5 6
„ Victoria, mixed . . . . .	— 7	— —
Atrosanguinea plenissima, dark blood-red . . . . .	— 9	— —
Pink-Balsams, striped, mixed . . .	— 5	4 9
<i>h</i> Impatiens Sultani		
1/16 oz 2/3; 1/8 oz 4/—	29 —	— —
„ Sultani nacré rosé 1/8 „ 4/6	— —	— —
„ „ splendens . 1/8 „ 5/3	— —	— —
„ „ hybrida, splendid hybrids mixed . 1/8 oz 4/—	29 ..	— —
<i>4</i> Incarvillea Delavayi . 1/8 „ 3/2	— —	— —
Indian Shoot, see Canna.		
⊙ Ipomoea bona nox . . . . .	— 2	1 7
„ campanulata . . . . .	— 3	2 —
⊙ „ coccinea . . . . .	— 2	1 3
⊙ „ grandiflora Hesperus, new; a grand new variety of the “Moonflower”; flowers pure white of enormous size; most magnificent . . . . .	2 3	30 9
⊙ Ipomoea grandiflora mexicana alba	— 6	6 —
⊙ „ hederacea grandiflora alba . . .	— 2	1 3
„ Huberi variegata Carmen Sylva	— 3	1 7
„ „ „ finest mixed . . . . .	— —	1 3

⊙ **Ipomoea Mikado.** Dam. 1902.

A new class of marvelous beauty, producing splendid flowers in the greatest variety of colours, measuring often 4 to 5 in. across. The foliage also is highly ornamental, varying in colour from light green to dark green, marbled, striped &c. The plant is of a remarkably vigorous and quick growth, growing in a very short time very high.

blue	purple		
„ spotted	yellow, spotted		
„ white-edged	rose		
brown	„ yellow leaves		
carmine	„ spotted		
„ white-edged	white		
slate-blue	„ yellow leaves		
each separate . . . . .		— 6	4 6
All colours mixed . . . . .		— 5	3 9

⊙ **Ipomoea imperialis** Dam. 1893.

A most beautiful class of Ipomoea with very large flowers, the colours for the most part absolutely new.

a) With green leaves.

Adonis, bright purple with pure white throat	— 3	2 6
Aphrodite, pure white, giant flowers	— 3	3 —

	per oz s. d.	per lb. s. d.
Asteria, enormous flowers, copper-red with a white throat . . . . .	— 3	3 —
Thalia, pure white . . . . .	— 3	3 3

b) With silvery leaves.

Aglaja, crimson with a white throat . . . . .	— 3	3 3
Antigone, very large blue flowers with a rosy throat . . . . .	— 3	3 —
⊙§ Ipomoea imperialis satin-rose. The foliage is of a bright green splashed with silvery white. . . . .	— 6	6 9
Ceres, crimson with a white border . . . . .	— 3	3 6
Euphrosyne, pure white with a rosy throat	— 3	3 —
Princess, white, crimson speckled . . . . .	— 3	3 6



Ipomoea imperialis collata. Electro 3/3.

c) **Aurata** (fol. aur. — leaves with a golden hue).

Cleopatra, brilliant carmine with a white throat and border . . . . .	— 4	3 7
Juno, sky-blue . . . . .	— 3	3 —
Luna, very large flowers, dark and light blue and delicate carnation . . . . .	— 3	3 —
the above sorts 3 classes a. b. c. mixed . . . . .	— 3	2 9

d) **Collata** (Electro).

A most remarkable and beautiful class of the greatest variety of shape and colour, the gigantic flowers are partly curled or frizzled, looking thus, as if they were double.

Alba, pure white . . . . .	— 5	4 9
Carminea, carmine-red . . . . .	— 5	4 9

	per oz s. d.	per lb. s. d.		per oz s. d.	per lb. s. d.
Diana, dark blue with a white border	— 5	4 9			
The above sorts mixed . . . . .	— 4	4 3			
e) Micans.					
Another wonderful class of Ipomoea imperialis with perfectly smooth stems and leaves; leaves either green or silvery and the variety of colors is most beautiful and striking; <b>finest colours mixed</b> . . . . .					
¼ Ipomoea Learii, blue . . . . .	— 11	12 —			
⊙ " limbata (Pharbitis) . . . . .	— 2	1 3			
⊙ " Nil grandiflora . . . . .	— 2	1 6			
⊙ " purpurea (Morning Glory) Convolvulus major, splendid mixed . . . . . cwt. 48/—	— —	— 7			
⊙ " purpurea, 6 distinct colours, each separate . . . . .	— —	— 8			
" " fl. albo pleno, double white . . . . .	— 5	4 6			
" " fl. carminea plena . . . . .	— 5	4 6			
" " fl. carneo plena . . . . .	— 5	4 6			
" " fl. violaceo plena . . . . .	— 5	4 6			
" " flore pleno, double flowering mixed . . . . .	— 4	3 9			
⊙ " Quamoclit, Cypress Vine . . . . .	— 3	2 5			
⊙ " " hederacea, scarlet . . . . .	— 3	2 —			
⊙ " rubro-coerulea (violacea vera) . . . . .	— 9	8 —			
⊙ " sanguinea (Mina) . . . . .	— 3	2 —			
⊙ Ipomopsis elegans, mixed . . . . .	— 4	3 7			
Italian Bugloss, see Anchusa.					
¼ Jacaranda mimosaeifolia . . . . .	1 2	14 —			
Jacobaea, see Senecio elegans.					
Jerusalem Star, see Cerastium.					
⊙ Jonopsidium acaule . . . . .	1 9	— —			
Joseph's Coat, see Amaranthus tricolor.					
Jove's Flower, see Agrostemma coronaria.					
⊙ Kaulfussia amelloides . . . . .	— 8	— —			
g§ Kennedyya nigricans . . . . .	3 —	— —			
⊙§ Lagenaria leucantha clavata . . . . .	— 3	2 6			
" " corsica . . . . .	— 3	2 6			
" " verrucosa . . . . .	— 3	2 9			
" " var. Gourds of different curious shapes, such as for instance Water- bottle, Tobacco box etc. etc.	— 2	2 —			
" vulgaris sylvestris (abys- sinica) . . . . .	— 4	2 9			
g Lagerstroemia indica, clean seed . . . . .	1 6	— —			
Lagunaria, see Hibiscus.					
g Lantana hybrida grandiflora, fine mixed . . . . .	— 3	2 3			
g§ Lapageria rosea . 100 seeds 2/9	— —	— —			
⊙ Larkspurs.					
Double Imperial branching (Delphi- nium Consolida imperiale) finest mixed . . . . .					
	— 3	2 9			
Double dwarf branching or Cande- labrum mixed . . . . .					
	— 8	7 3			
Double Hyacinth-flowered giant, finest mixed . . . . .					
	— 3	2 3			
Double Stock-flowered, mixed . . . . .					
	— 2	2 —			
⊙§ Lathyrus odoratus, Sweet Peas mixed cwt. 40/—	— —	— 8			
" " Eckfords new hy- brids mixed cwt. 60/—	— —	— 10			
g Lavatera arborea . . . . .	— 3	2 6			
" " fol. var. . . . .	— 9	— —			
⊙ " trimestris fl. albo . . . . .	— 2	1 6			
" " fl. rubro . . . . .	— 2	1 6			
⊙ Leptosiphon hybridus, mixed . . . . .	— 4	— —			
⊙ Leptosyne gigantea, a charming deco- rative plant with graceful pinnate foliage and golden-yellow flowers 100 seeds —/4; 1000 seeds 3/—					
2 Leucanthemum maximum (Chrysan- themum) . . . . .	— 4	— —			
" nipponicum, large-flow- ered white. . . . .	3 —	— —			
" uliginosum . . . . .	3 9	— —			
Ligularia Kaempferi 100 seeds —/6					
⊙ Linaria aparinoides splendens Dam. Hendersoni ericoides . . . . .	— 4	3 9			
" Pancici; new, Dam. 1901, very fine, dwarf with large canary-yellow flowers . . . . .	— 4	— —			
" reticulata aureo-purpurea . . . . .	— 5	4 9			
2 Linum grandiflorum roseum . . . . .	— 2	1 7			
" " rubrum (Scarlet Flax) . . . . .	— 2	1 7			
2 " perenne . . . . .	— 3	2 4			
⊙ Lobelia Erinus					
blue . . . . .	— 8	8 —			
Barnards Perpetual, dark blue with a white eye . . . . .					
	1 3	— —			
Emperor William . . . . .					
	1 10	— —			
Primadonna . . . . .					
	2 —	— —			
speciosa (Crystal Palace) . . . . .					
	— 11	12 —			
compacta Goldelse . . . . .					
	3 2	— —			
" Crystal Palace . . . . .	1 10	— —			
4 Lobelia cardinalis . . 1/8 oz 1/3	8 6	— —			
4 " fulgens, best hybrids mixed 1/32 oz 4/3; 1/16 oz 7/6; 1/8 oz 14/—	— —	— —			
" " Queen Victoria 1/32 oz 2/6; 1/16 oz 4/6; 1/8 oz 8/—					
	— —	— —			

	per oz s. d.	per lb. s. d.		per oz s. d.	per lb. s. d.
Lobelia Gerardi, violet, very floriferous 1/32 oz 2/6; 1/16 oz 4/6; 1/8 oz 8/—	—	—	Mignonette, see Reseda.		
" Rivoirei, very large-flowering hybrids . 1000 seeds 4/3	—	—	♂⊙ Mimosa pudica (Sensitive Plant) .	— 6	4 9
⊙§ Lophospermum scandens . . . . .	2 3	—	⊙ Mimulus cardinalis . . . 1/8 oz —/6	2 6	—
⊙ Lotus Jacobaeus . . . . .	— 6	5 7	" cupreus . . . 1/8 " —/6	3 —	—
" " luteus . . . . .	— 6	5 7	" " Prince Bismarck	3 9	—
Love Grove, see Nemophila.			" duplex (hose in hose) mixed.	2 6	—
⊙ " in a Mist, see Nigella.			" moschatus (Musk) . . . . .	1 10	25 6
" in a Puff, see Cardiospermum.			" " compactus 1/8 oz —/9	5 —	—
" lies bleeding, see Amaranthus caudatus.			" tigrinus (pardinus) . . . . .	2 3	—
⊙§ Luffa acutangula, Rag or Dish-cloth Gourd . . . . .	— 4	3 —	" " grandiflorus (Queen's Prize) . . . . .	2 6	—
" Soly Qua . . . . .	— 4	3 —	⊙§ Mina lobata, beautiful climber . . .	2 —	29 —
4 Lunaria biennis (Moon Wort) . . . . .	— 3	2 7	" sanguinea, see Ipomoea san- guinea.		
⊙ Lupinus albo-coccineus nanus roseus	— 5	4 —	⊙ Mirabilis Jalapa (Marvel of Peru)		
" luteus Romulus Dam. . . . .	— 4	3 3	mixed . . . . .	— —	— 9
" sulphureus superbus . . . . .	— 4	4 —	" Jalapa fol. variegatis, mixed	— —	— 10
" tall annual varieties mixed	— —	— 11	" " Tom Thumb, white	— 2	1 3
" dwarf " " "	— 2	1 7	g Mitraria coccinea 100 seeds 1/8	— —	— —
Madagascar Periwinkle, see Vinca.			⊙§ Momordica Balsamina, Balsam Apple	— 5	3 5
⊙ Malope grandiflora, red . . . . .	— —	1 —	" Charantia . . . . .	— 4	3 9
" " alba . . . . .	— —	1 —	" Elaterium, squirting Cu- cumber . . . . .	— 3	2 9
" " rosea . . . . .	— —	1 —	" involucrata Dam. . . . .	1 —	12 —
g Manihot Glaziovii . . . . .	— 9	7 6	Monkey Flower, see Mimulus.		
Marigold, African and French, see Tagetes.			Moon Wort, see Lunaria.		
Marigold Cape, see Calendula pluvialis.			Morning Glory, see Ipom. purpurea.		
Marigold Pot, see Sweet Herbs.			" Glory Brazilian, see Ipom. setosa.		
⊙ Martynia Craniolaria (formosa, fra- grans) . . . . .	— 3	3 —	Mourning Bride, see Scabiosa.		
" lutea . . . . .	— 3	3 —	♂ Musa Ensete . 1000 seeds 13/6	— —	3 6
" proboscidea . . . . .	— 3	3 —	" " Italian saved seeds 100 seeds 4/—	— —	— —
" " rosea . . . . .	— 3	3 —	" Gilleti		
Marvel of Peru, see Mirabilis.			100 seeds 1/—; 1000 seeds 8/—	— —	— —
Mask Flower, see Alonsoa.			" Martini		
⊙4 Matricaria eximea flore pleno . . . . .	— 5	4 —	100 seeds 1/9; 1000 " 13/6	— —	— —
4 " glauca. Highly suited to borders and dwarf groups; hardly 6 inch. high. Flowers white with a yellow centre; leaves pinnate, silver-grey . . . . .	— 11	— —	" Ornata rosea		
⊙§ Maurandia Barkleyana . . . . .	2 6	— —	100 seeds 1/—; 1000 " 8/9	— —	— —
" " fl. albo . . . . .	3 9	— —	" religiosa (Fétiche)		
" purpurea grandiflora . . . . .	2 3	— —	100 seeds 1/—; 1000 " 8/—	— —	— —
" semperflorens . . . . .	2 3	— —	" Rodochlamys		
" mixed . . . . .	2 —	29 9	100 seeds 1/—; 1000 " 8/9	— —	— —
Medeola, see Myrsiphyllum.			" Sumatrana		
⊙§ Melothria abyssinica, Naud. . . . .	— 10	— —	100 seeds —/10; 1000 " 7/—	— —	— —
" punctata 100 seeds 1/—	— —	— —	" superba		
4 Mentha Pulegium, Pennyroyal . . . . .	2 3	— —	100 seeds 1/9; 1000 " 13/6	— —	— —
g Mesembrianthemum crystallinum, (Ice Plant) . . . . .	— 3	2 9	Musk Plant, see Mimulus moschatus.		
Mesembrianthemum tricolor . . . . .	— 6	6 —	4 Myosotis alpestris, Alpine Forget- me-not . . . . .	— 9	8 3
4 Michauxia campanuloides . . . . .	3 9	— —	" " alba . . . . .	— 10	9 10
			" " rosea . . . . .	— 10	— —
			" " compacta, blue . . . . .	1 —	— —
			" " elegantissima . . . . .	1 —	— —
			" " " alba . . . . .	1 —	— —
			" " robusta grandiflora (Elisa Fonrobert)	1 —	— —
			" " Victoria, dwarf com- pact variety . . . . .	1 6	— —

	per oz s. d.	per lb. s. d.		per oz s. d.	per lb. s. d.
⊙ Myosotis azorica			Pansies, see <i>Viola tricolor maxima</i> .		
1/16 oz 1/10; 1/8 oz 2/—	14 6	— —	4 Papaver bracteatum . . . . .	— 5	4 10
4 " dissitiflora . . . . .	3 9	— —	⊙ " Danebrog, brilliant scarlet		
" dissitiflora alba . . . . .	3 9	— —	with large white spots . . . . .	— —	— 11
" " Blue Perfection	6 —	— —	" Danebrog flore pleno . . . . .	— 2	1 2
" oblongata (latifolia) . . . . .	— 9	— —	⊙ " glaucum (Tulip Poppy) . . . . .	— 10	— —
" palustris, true . . . . .	1 9	23 9	" Mephisto, deep scarlet with		
" " semperflorens . . . . .	1 9	23 9	blackish purple spots . . . . .	— —	1 —
" " " alba . . . . .	2 6	— —	" Murselli fl. pl. white, striped		
" " " Fairy-Eye			dark . . . . .	— —	1 —
" (Water-Fairy) . . . . .	4 9	— —	" " Mikado . . . . .	— 2	1 8
" Welwitschii, dwarf, splen-			4 " nudicaule . . . . .	1 3	— —
did . . . . .	1 9	— —	⊙ " paeoniflorum fl. pl. mixed . . . . .	— —	— 11
g§ Myrsiphyllum asparagoides (Medeola,			⊙ " pavoninum (Peacock Poppy)	— 4	3 9
Smilax) . . . . .	— 8	6 9	" Rhoëas Shirley, single flower-		
Nasturtium (Indian Cress), see			ing . . . . .	— 4	4 —
Tropaeolum.			⊙ " Rhoëas fl. pl. French ranun-		
h Nelumbium luteum 100 seeds 1/10	— —	— —	culus-flowering double mixed	— —	1 5
⊙ Nemesia strumosa Suttoni, very flori-			" somniferum "The Bride",		
ferous, highly adapted for borders			single flowered white . . . . .	— —	— 11
1/8 oz 1/3	8 —	— —	⊙ " somniferum fl. pl., double		
Nemesia strumosa nana compacta			Carnation Poppy, mixed . . . . .	— —	— 9
1/8 oz 3/6	25 —	— —	" somniferum nanum fl. pl.		
⊙ Nemophila crambeoides . . . . .	— —	1 —	White Swan . . . . .	— 2	1 4
" discoidalis . . . . .	— —	1 —	" somniferum nanum fl. pl.		
" insignis, blue . . . . .	— —	— 10	brilliant-rose . . . . .	— 2	1 3
" " alba . . . . .	— —	1 —	" umbrosum (commutatum)	— 2	1 5
" " purpurea . . . . .	— —	1 —	g Parkinsonia aculeata . . . . .	— 5	4 —
" maculata . . . . .	— —	— 8	h§ Passiflora coerulea (Passion flower)	— —	4 9
g Nerium Oleander album clean seed	— 5	4 9	" " grandiflora . . . . .	— 6	6 6
" roseum . . . . .	— 4	3 —	" edulis . . . . .	1 7	— —
⊙ Nicotiana affinis . . . . .	— 4	3 9	" rosacea (incarnata) . . . . .	1 4	— —
" colossea, one of the finest			Pea, Sweet, see <i>Lathyrus odoratus</i> .		
ornamental foliage plants			g Pelargonium hybridum grandi-		
1/8 oz 1/6	10 —	— —	florum, finest large-flowered, Odier		
" noctiflora var. albiflora			and Fancy mixed,		
Dam. 1898 new . . . . .	— 8	— —	100 seeds 2/3; 1000 seeds 18/—	— —	— —
" purpurea grandiflora . . . . .	— 4	— —	g Pelargonium hederæfolium mixed,		
" sylvestris, Spegaz. Dam.			100 seeds —/7; 1000 seeds 5/3	— —	— —
Flowers pure white . . . . .	— 6	— —	g Pelargonium hederæfolium, double,		
⊙ Nierembergia gracilis . . . . .	— 8	— —	mixed,		
⊙ Nigella damascena nana alba plena	— —	1 —	100 seeds 2/3; 1000 seeds 18/—	— —	— —
" " " coerulea			Pelargonium odoratissimum		
plena (Love-in-a-mist) . . . . .	— —	1 3	100 seeds —/4; 1000 seeds 2/6	— —	— —
" hispanica . . . . .	— 3	1 7	g Pelargonium Scarlet, choice mixed . . . . .	— 8	8 —
" " alba . . . . .	— 3	1 7	" Scarlet, double-flowered, mixed,		
" " purpurea . . . . .	— 3	1 7	100 seeds 1/2; 1000 seeds 8/3	— —	— —
⊙ Nycteria capensis . . . . .	— 11	11 3	g Pelargonium Scarlet, white varie-		
⊙ Oenothera acaulis vera (Evening-			gated-leaved,		
Primrose) . . . . .	— 11	— —	100 seeds 1/9; 1000 seeds 14/6	— —	— —
⊙ Oxalis rosea . . . . . 1/8 oz 1/2	7 6	— —	g Pelargonium Scarlet, golden, tri-		
h " sensitiva (Biophytum)			color, variegated, hybridized,		
1/16 oz 2/9; 1/8 oz 5/—	37 —	— —	100 seeds 1/6; 1000 seeds 13/6	— —	— —
h " tropaeoloides . . . . .	1 2	— —	Penny Royal, see <i>Mentha Pulegium</i> .		
Oxlip, see <i>Primula elatior</i> .			4 Penstemon Hartwegi ( <i>gentianoides</i> )		
4 Paeonia arborea (Moutan) fl. pl. . . . .	— 9	— —	mixed varieties . . . . .	1 6	19 9
Palma Christi, see <i>Ricinus</i> .					



	per oz s. d.	per lb. s. d.		per oz s. d.	per lb. s. d.
⊙ <i>Perilla nankinensis</i> . . . . .	—	1 1	⊙ <i>Phacelia campanularia</i> . . . . .	— 6	6 —
” ” <i>fol. atropurpureis</i>			” <i>Emperor William</i> . . . . .	— 3	2 7
” ” <i>laciniatis</i> . . . . .	— 2	1 4	” <i>Parryi</i> . . . . .	— 4	4 —
” ” <i>macrophylla crispa</i>			” <i>tanacetifolia</i> . . . . .	— —	1 —
” ” <i>compacta</i> . . . . .	— 2	1 8	4§ <i>Phaseolus Caracalla</i> . . . . .	— 6	6 —
” ” <i>macrophylla crispa</i>			⊙§ ” <i>ensififormis gigas</i> . . . . .	— —	1 3
” ” <i>elatior</i> . . . . .	— 3	2 3	<i>Pheasant-eye Pink</i> , see <i>Dianthus plumarius</i> .		
” ” <i>laciniatus picta</i> , Dam. 1899. Under normal conditions the plant grows about 2 feet high; the leaves are deeply cut, of a dark brown almost black color with very distinct large rose and white stripes . . . . .	— 3	3 3			
⊙ <b><i>Petunia hybrida</i>.</b>			⊙ <b><i>Phlox Drummondii</i>.</b>		
<i>Alba</i> . . . . .	— 7	6 10	<i>Extra fine mixed</i> . . . . .	— 10	11 —
<i>Belle Etoile</i> . . . . .	— 8	8 6	<b><i>Phlox Drummondii grandiflora</i>.</b>		
<i>Carmen Sylva</i> . . . . .	— 8	8 —	Collected from largest flowers.		
<i>Carminea intus alba (Adonis)</i> . . . . .	— 8	8 —	<i>Alba pura</i> . . . . .	1 3	— —
<i>Compacta nana multiflora</i> . . . . .	1 10	— —	<i>Atropurpurea</i> . . . . .	1 3	— —
<i>Countess of Ellesmere</i> . . . . .	— 5	4 9	<i>Carminea</i> . . . . .	1 3	— —
<i>Inimitable</i> . . . . .	— 10	9 10	<i>Coccinea</i> . . . . .	1 3	— —
” <i>nana compacta multiflora</i> . . . . .	1 2	— —	<i>Splendens</i> . . . . .	1 3	— —
<i>Vittata</i> , purple lilac, white striped . . . . .	2 —	— —	<i>All the above mixed</i> . . . . .	1 —	12 —
<i>Finest mixed</i> , first quality . . . . .	— 8	8 —	<b><i>Phlox Drummondii nana compacta grandiflora</i>.</b>		
⊙ <b><i>Petunia hybrida grandiflora</i>.</b>			Saved exclusively from dwarf plants.		
Choicest quality.			<i>Alba</i> . . . . .	4 6	— —
<i>Alba</i> . . . . . $\frac{1}{16}$ oz $\frac{1}{6}$ ; $\frac{1}{8}$ oz $\frac{2}{6}$	17 —	— —	<i>Atropurpurea</i> . . . . .	4 6	— —
<i>Atropurpurea</i> . . . . . $\frac{1}{16}$ ” $\frac{1}{9}$ ; $\frac{1}{8}$ ” $\frac{2}{9}$	20 —	— —	<i>Carminea</i> . . . . .	4 6	— —
<i>Maculata</i> . . . . . $\frac{1}{16}$ ” $\frac{1}{9}$ ; $\frac{1}{8}$ ” $\frac{2}{9}$	20 —	— —	<i>Chamois rose</i> . . . . .	4 6	— —
<i>Purpurea albo maculata</i> , new $\frac{1}{32}$ oz $\frac{1}{3}$ ; $\frac{1}{16}$ oz $\frac{2}{2}$ ; $\frac{1}{8}$ oz $\frac{3}{10}$	— —	— —	<i>Coccinea</i> . . . . .	4 6	— —
<i>Purple King</i> . . . . . $\frac{1}{16}$ oz $\frac{1}{9}$ ; $\frac{1}{8}$ oz $\frac{2}{10}$	— —	— —	” <i>floribunda</i> , Fireball . . . . .	4 9	— —
<i>Superbissima Prince of Wurtemberg</i> $\frac{1}{32}$ oz $\frac{2}{3}$ ; $\frac{1}{16}$ oz $\frac{4}{2}$ ; $\frac{1}{8}$ oz $\frac{7}{9}$	— —	— —	<i>Coerulea stellata</i> . . . . .	4 6	— —
<i>Largest-flowered varieties mixed</i> $\frac{1}{16}$ oz $\frac{1}{2}$ ; $\frac{1}{8}$ oz $\frac{1}{10}$	12 6	— —	<i>Hortensiaeflora</i> . . . . .	4 6	— —
⊙ <b><i>Petunia hybrida grandiflora fimbriata</i>.</b>			<i>Nivea (Snowball)</i> . . . . .	— —	— —
All colours mixed, choicest quality $\frac{1}{32}$ oz $\frac{1}{9}$ ; $\frac{1}{16}$ oz $\frac{3}{—}$ ; $\frac{1}{8}$ oz $\frac{5}{—}$	— —	— —	<i>Victoria</i> . . . . .	3 9	— —
⊙ <b><i>Petunia hybrida grandiflora fl. pl.</i></b>			<i>All the above mixed</i> . . . . .	2 6	33 6
Most carefully fecondated.			⊙ <i>Phlox Drummondii cuspidata</i> , mixed	1 2	— —
First quality.			” <i>fimbriata</i> , mixed . . . . .	1 2	— —
<i>Double large-flowered mixed</i> (producing about 25 to 30 $\frac{0}{10}$ of double flowers $\frac{1}{64}$ oz $\frac{5}{—}$ ; $\frac{1}{32}$ oz $\frac{9}{—}$	— —	— —	4 ” <i>perennis (decussata) hybrida</i> , finest large flowering sorts mixed	1 4	17 9
<i>Double fringed in great variety mixed</i> ( <i>fimbriata</i> ) . . . . . 1000 seeds $\frac{2}{3}$ 10 000 ” $\frac{20}{—}$	— —	— —	” <i>perennis (decussata) hybrida</i> , „Eclairleur“ crimson colour, extremely large-flowering $\frac{1}{8}$ oz $\frac{1}{—}$	6 —	— —
			” <i>perennis (decussata) hybrida</i> nana, best new dwarf varieties $\frac{1}{8}$ oz $\frac{—}{8}$	4 6	— —
			g <i>Phormium tenax</i> , New Zealand Flax	— 8	8 —
			” ” fol. var. 1000 seeds $\frac{2}{6}$	— —	— —
			(*) <i>Physalis Alkekengii</i> . . . . .	— 3	2 6
			” <i>Francheti</i> , with white flowers producing a very large scarlet balloon; highly effective . . . . .	10	10 —
			g§ <i>Physianthus albens</i> . . . . .	— 5	4 4

	per oz s. d.	per lb. s. d.
4 Physostegia virginica (speciosa) . . . . .	— 6	— —
"          "          alba . . . . .	— 11	— —
Picotees, see Dianthus Caryophyllus.		
Pimpernelle, see Anagallis.		
Pink, see Dianthus.		
"          japanese, see Dianthus Heddeewigi.		
g Pittosporum Tobirae . . . . .	— 8	8 —
"          undulatum . . . . .	— 7	5 9
4 Platycodon Mariesi . . . . .	— 10	— —
"          "          fl. albo . . . . .	— 10	— —
h Poinciana Gilliesi Bird of Paradise . . . . .	1 —	12 —
"          pulcherrima . . . . .	— 8	7 3
"          regia . . . . .	— 6	5 —



Polygonum Posumbu.  
Electro 3/6.

h Poinsettia (Euphorbia) pulcherrima . . . . .			
100 seeds 2/3; 1000 seeds 20/—	— —	— —	
Polyanthus, see Primula elatior.			
4 Polygonum lanigerum, a perennial species with silvery leaves . . . . .	1 3	— —	
4§ " multiflorum . . . . .	1 —	12 —	
⊙ " orientale (Persicaria) . . . . .	— 2	1 9	
"          fol. variegatis . . . . .	— 4	1 2	
Polygonum Posumbu, Dam. 1902, new. (Electro). The plant grows only about 12 to 14 in. high, producing a mass of dark green glossy leaves somewhat undulated from which emerge the small rosy panicles. Mr. Max Leichtlin writes in the Vienna Illustrated Garden Journal; "The plant			

is very graceful and it will certainly become a most valuable market plant all the more as it is of the easiest culture . . . . .	2 3	— —	
4 Polygonum sachalinense, very decorative most recommendable as green fodder . . . . .	— 8	8 3	
⊙ Polyptris callosa, Dam. 1898. Height about 1 foot 1/2 with a very graceful and showy foliage. Throughout the summer the plant is completely covered with charming rose-lilac flowers. One of the most richly flowering plants . . . . .	— 5	4 9	
Poppy, see Papaver.			

### Portulacca grandiflora, single.

Alba . . . . .	— 6	6 —
Alba rubro-striata . . . . .	— 6	6 —
Aurea . . . . .	— 6	6 —
Bronze . . . . .	— 6	6 —
Carnea . . . . .	— 6	6 —
Caryophylloides . . . . .	— 6	6 —
Coccinea . . . . .	— 6	6 —
Isabellina . . . . .	— 6	6 —
Rosea . . . . .	— 6	6 —
Splendens (Gilliesi) . . . . .	— 6	6 —
Thellusonii (orange). . . . .	— 6	6 —
Fine single mixed . . . . .	— 5	4 10

### Portulacca grandiflora, double.

Saved from very double flowers.

Alba . . . . .	4 6	— —
Aurea . . . . .	4 6	— —
Carnea . . . . .	4 6	— —
Caryophylloides . . . . .	4 6	— —
Coccinea . . . . .	4 6	— —
Isabellina . . . . .	4 6	— —
Kermesina . . . . .	4 6	— —
Purpurea . . . . .	4 6	— —
Rosea . . . . .	4 6	— —
Rubro purpurea . . . . .	4 6	— —
Splendens . . . . .	4 6	— —
Sulphurea . . . . .	4 6	— —
Thellusonii . . . . .	4 6	— —
Finest mixed, superior quality . . . . .	2 8	37 9
4 Potentilla hybrida flore pleno, double mixed . . . . .	1 9	— —
"          multiflora semiplena . . . . .	— 5	— —
Prickly Poppy, see Argemone.		
4 Primula Auricula (Auriculas) fine mixed 1/8 oz 2/—	13 6	— —
4 "          "          extra fine quality from first class flowers 1/8 oz 2/8	18 6	— —
"          elatior, sweet scented Oxlip in beautiful varieties . . . . .	2 3	— —
"          "          (Polyanthus) finest named sorts . . . . .	2 6	— —
"          "          "          gold laced varieties . . . . .	3 6	— —

	per oz s. d.	per lb. s. d.
Primula elatior duplex (hose in hose) 1/16 oz 1/6; 1/8 oz 2/8	18	6 — —
„ obconica (alba) . . . 1/8 „ 1/6	10	— — —
„ „ grandiflora 1/8 „ 1/8	11	3 — —
<b>g Primula chinensis fimbriata, Chinese Primrose.</b>		
Choice quality.		
Alba pura . . . . . 1/8 oz 3/6	23	6 — —
„ magnifica . . . . . 1/8 „ 4/9	34	— — —
Coerulea . 1/32 oz 2/—; 1/16 oz 3/6; 1/8 „ 6/6	50	— — —
Coccinea . . . . . 1/8 „ 4/6	32	— — —
Gigantea alba pura, largest-flowered 100 seeds 1/—	—	— — —
Kermesina splendens . 1/16 oz 1/6 1/8 „ 2/8	18	9 — —
Montblanc . 1/16 oz 2/3; 1/8 „ 4/—	27	— — —
Punctata elegantissima . 1/16 „ 1/9 1/8 „ 3/5	24	9 — —
Rosea . . . . . 1/16 oz 1/6; 1/8 „ 2/5	17	6 — —
Striatiflora . . 1/16 „ 1/9; 1/8 „ 2/10	21	— — —
Urania; stems and flower stalks of a dark blood-red; flowers fringed, dark copper- red; a very fine and most remarkable kind 1/16 oz 2/9; 1/8 oz 5/—	—	— — —
Fringed mixed, seeds collected exclusively from selected large flowers; first quality 1/8 oz 3/—	21	— — —
„ mixed, very good quality 1/8 oz 2/3	16	— — —
<b>Primula chinensis fimbriata filicifolia.</b>		
Alba pura . . . . . 1/8 oz 4/—	27	— — —
Gigantea Perfection white 1/32 „ 4/—	—	— — —
Kermesina splendens . 1/8 „ 4/—	29	9 — —
Rosea . . . . . 1/8 „ 3/3	22	6 — —
Striatiflora . . . . . 1/8 „ 4/—	27	— — —

	100 seeds s. d.	1000 seeds s. d.
<b>Primula chinensis fimbriata flore pleno, double fringed.</b>		
Alba, double white fringed . . . . .	— 6	4 3
Carminea . . . . .	— 6	4 2
Coccinea . . . . .	— 7	5 6
Kermesina splendens . . . . .	— 7	5 6
Rosea . . . . .	— 5	3 9
Striatiflora . . . . .	— 8	5 9
Double fringed mixed . . . . .	— 6	4 3
Prince's Feather, see Amaranthus hypochondriacus.		
<b>g§ Pueraria Thunbergiana; most splendid, high-ranking, of Japan, with fine clusters of blue flowers 1/4 oz —/6</b>	1 3	16 —

	per oz s. d.	per lb. s. d.
2 Pyrethrum cinerariaefolium . . . . .	— 6	6 —
2 „ parthenifolium aureum (Gol- den Feather) . . . . .	— 6	6 —
„ „ Golden Gem. . . . .	— 9	8 9
„ „ laciniatum . . . . .	— 6	6 —
„ „ selaginoides . . . . .	1 —	12 9
„ „ glaucum . . . . .	— 5	4 —
„ roseum hybr. mixed . . . . .	1 6	— —
„ „ „ carmineum . . . . .	1 9	— —
„ „ „ carneum . . . . .	1 9	— —
„ „ „ double mixed 1/16 oz 2/6; 1/8 oz 4/3	30	— —
„ Tschihatschewi, true . . . . .	1 3	— —
Red-hot-Poker Plant, see Tritoma.		



Reseda odorata Fiammetta.  
Electro 3/10.

	per oz s. d.	per lb. s. d.
<b>⊙⊙ Reseda odorata grandiflora</b>		
choicest qualities, a speciality of our firm.		
arborea . . . . .	— 4	4 —
aurea (Golden Queen) . . . . .	— 4	4 —
compacta nana multiflora . . . . .	— 4	4 —
Crimson Queen . . . . .	— 5	4 9
Diamond . . . . .	— 6	6 —
Fiammetta, Dam. (Electro) with enor- mous panicles of very scented flowers of a dark-red hue; the finest . . . . .	— 5	4 —
Gabriele (imperialis, red, large panicles) . . . . .	— 5	4 9
gigantea pyramidalis . . . . .	— 4	3 3
Machet, dwarf compact variety . . . . .	— 8	7 3
„ golden yellow . . . . .	— 10	10 —
Ruby . . . . .	1 6	— —

	per oz s. d.	per lb. s. d.		per oz s. d.	per lb. s. d.	
maxima Goliath . . . . .	2 —	— —	4	Salvia argentea, true . . . . .	— 2 1 6	
meliorata (Crimson Giant) . . . . .	— —	1 3		„ azurea grandiflora, large-flowe- ring blue, abt 6 feet high, highly decorative and fine 1/8 oz 1/—	6 — — —	
Miles Spiral . . . . .	— 2	1 9	⊙	„ coccinea . . . . .	— 4 3 3	
odorata . . . . . cwt. 98/—	— —	— 10	⊙	„ „ grandiflora . . . . .	— 4 3 8	
„ grandiflora . . . . . „ 110/—	— —	1 —	⊙	„ farinacea . . . . .	— 9 — —	
special prices for quantities!				„ alba . . . . .	1 3 — —	
Urania Dam. 1892, with enormous panicles . . . . .	— 3	2 —		„ officinalis, see Sweet Herbs &c.		
Victoria, dark-red . . . . .	— 4	3 7		„ Sclarea, see Sweet Herbs &c.		
the above sorts mixed . . . . .	— —	1 9	4	„ silvestris . . . . .	— 2 — —	
⊙ Rhodanthe maculata . . . . .	1 —	— —	½	„ splendens (special quotations for large quantities) . . . . .	2 9 39 6	
„ maculata alba . . . . .	1 —	— —		„ „ Alfred Raguencau 1/8 oz —/10	5 — — —	
„ Manglesii . . . . .	1 —	— —		„ „ compacta nana 1/8 oz —/9	4 6 — —	
„ „ fl. pl. . . . . 1/8 oz —/9	5 —	— —		„ „ Glory of Stuttgart, very large-flowering 1/8 oz —/10	5 3 — —	
⊙ Ricinus (Castor Oil Bean, Palma Christi)				„ „ Ingenieur Clavenad 1/8 oz —/9	4 6 — —	
africanus . . . . .	— —	— 9		„ „ Prince of Naples . . . . .	6 3 — —	
borboniensis arboreus . . . . .	— —	— 8		„ „ Silverspot, new, leaves yellow spotted 1/8 oz 1/—	6 3 — —	
cambodgensis, very dark leaved . . . . .	— —	1 —		„ „ Surprise, with a very large yellow spot at the base of the leaves; of quite an extraordinary effect 100 seeds —/9; 1000 seeds 5/6	— — — —	
communis major . . . . .	— —	— 8	4	Salvia taraxacifolia, Dam. 1899. About 10 inches high; one single plant will produce about 15 to 20 panicles of bright lilac flowers with a whitish lip, from June to September . . . . .	1 3 — —	
Duchess of Edinburgh . . . . .	— —	— 9		4	Santolina Chamaecyparissus . . . . .	— 5 4 10
Gibsoni . . . . .	— —	— 10	⊙	Sanvitalia procumbens . . . . .	— 6 5 7	
„ mirabilis . . . . .	— —	1 —		„ „ fl. pleno, double . . . . .	— 7 7 3	
sanguineus . . . . . cwt. 27/—	— —	— 6	½	„ „ plenissima compacta . . . . .	— 9 — —	
Zanzibariensis, red seeds . . . . .	— —	— 10		½	Sapindus Saponaria . . . . .	— — — 8
„ cinerascens . . . . .	— —	— 10	⊙	Saponaria multiflora (calabrica). . . . .	— 3 2 —	
„ enormis . . . . .	— —	1 —		„ „ Scarlet Queen . . . . .	— 3 2 9	
„ mixed . . . . .	— —	— 9		Satin Flower, see Lunaria biennis.		
all sorts mixed . . . . . cwt. 31/—	— —	— 5	⊙	Scabiosa (Scabious) atropurpurea fl. pl. mixed . . . . .	— — 2 —	
Rock Lychnis, see Viscaria.				„ atropurpurea grandiflora com- pacta fl. pl. mixed . . . . .	— 5 4 4	
Rocket, see Hesperis matronalis.				„ „ major fl. pl. large flowered, mixed . . . . .	— — 2 —	
⊙ Romneya Coulteri . . . . .	4 9	— —		„ „ major fl. pl. Giant King of the Blacks . . . . .	— 4 3 3	
Rose Campion, see Agrostemma.				„ „ maxima fl. pl. The Fairy, with large azure-blue flowers . . . . .	— 6 5 9	
⊙ Rudbeckia bicolor superba . . . . .	— 5	4 —		„ „ nana, double dwarf mixed . . . . .	— 2 1 7	
4	„ „ „ semiplena . . . . .	— 9 — —				
4	„ „ laciniata fl. pl. Goldball splendid, with very large flowers 100 seeds 2/—	— — — —				
4	„ „ Neumannii . . . . .	3 9 — —				
4	„ „ radula, golden yellow with a black centre . . . . .	1 9 — —				
½	Ruellia tuberosa, Dam. 1895; very bushy, dwarf and rich flowering; the numerous Bignonia-like flowers are of blue colour, standing above the foliage. To be sown early in the stove; the plant will then flower in July, lasting until Christmas, magnificent . . . . .	2 — — —				
Sage, see Salvia.						
⊙ Salpiglossis variabilis fine mixed . . . . .	— 7	7 2				
„ variabilis grandiflora, large flowered mixed . . . . .	— 8	8 —				
„ „ nana, dwarf mixed . . . . .	— 8	8 —				
„ „ superbissima, mixed . . . . .	— 2	28 9				

	per oz s. d.	per lb. s. d.		per oz s. d.	per lb. s. d.
Scabiosa brachiata, Dam. 1899. A most valuable plant for cutting purposes, commencing to bloom already in the month of May; its charming pale blue flowers last a long time . . . . .	— 10	— —	g Solanum Farini . . . . . 1/8 oz —/10	5 —	— —
„ hybrida Victoria (Sc. atropurpurea X Columbaria), finest mixed . . . . .	— 3	2 —	g „ Hendersonii . . . . .	— 5	4 10
4 „ caucasica . . . . .	3 6	— —	g „ laciniatum . . . . .	— 4	4 —
⊙ Schizanthus Grahmi carmineus . . . . .	— 4	4 —	g „ pseudo-Capsicum . . . . .	— 4	3 3
„ grandiflorus mixed . . . . .	— 2	1 10	g „ pyracanthum . . . . .	2 3	— —
„ papilionaceus . . . . .	— 2	1 10	g „ robustum . . . . .	1 4	— —
„ pinnatus mixed . . . . .	— 2	2 —	g§ „ Seafortianum 1/8 oz —/7	3 9	— —
§ Schubertia grandiflora, a splendid climber with white scented flowers 100 seeds 2/—; 1000 seeds 16/—	— —	— —	g „ Warscewiczii . . . . .	— 10	— —
Sea Lavender, see Statice.			Spartium (Genista) see Tree seeds.		
⊙ Senecio elegans plenissimus (Jacobaea double) splendid mixed	1 3	— —	Spiderwort, see Cleome,		
„ elegans nanus plenissimus, dwarf mixed . . . . .	1 3	— —	Spurge, variegated, see Euphorbia variegata.		
Sensitive Plant, see Mimosa pudica.			g Stapelia variegata finest mixed		
⊙§ Sicyos angulata . . . . .	— 3	2 6	1000 seeds 1/4	— —	— —
⊙ Silene pendula (rosea graeca) . . . . .	— —	— 7	Standing Cypress, see Ipomopsis.		
„ „ alba . . . . .	— —	— 7	⊙ Statice Bonduelli, yellow . . . . .	— —	1 3
„ „ Bonnetti . . . . .	— —	1 —	4 „ caspia; one of the finest, with purple flowers . 1/8 oz —/7	3 6	— —
„ „ compacta fl. pl. . . . .	— 4	4 —	4 „ latifolia . . . . .	— 4	4 —
„ „ Thusnelda Dam. 1896; with long branches of golden yellow foliage and thousands of lovely rose-coloured flowers. . . . .	— 3	1 7	⊙4 sinensis, Dam. 1901 (Electro)		
Silene pendula compacta rosea . . . . .	3 —	2 —	An exceedingly graceful plant the flowers of which will be found most valuable for all floral decorations. The flower stalks are about 16 to 20 inches high, and the panicles which are produced in great profusion bear flowers somewhat resembling those of Statice sinuata, but they are far more graceful and charming. Their color is pure white alternated with canary-yellow, of a very pretty effect. The flowers are equally useful both fresh and dry. If sown in March the plant begins flowering already in June . . . . .	3 —	— —
„ „ „ alba plena Dam. . . . .	— 3	1 7	⊙ „ sinuata, blue . . . . .	— —	1 3
„ „ „ fol. aureis, golden leaved . . . . .	— 4	2 9	„ „ candidissima . . . . .	— —	1 3
„ „ „ Luna Dam. 1896; very compact; flowers of a delicate carnation colour; foliage golden yellow . . . . .	— 4	2 6	⊙ „ rosea . . . . .	— —	1 3
Silene pendula compacta ruberrima . . . . .	— —	1 5	⊙ „ Suworowii . . . . .	— 8	7 3
„ „ compacta ruberrima fl. pleno . . . . .	— —	2 —	½§ Stephanotis floribunda		
„ „ compacta Snow King, large pure white flowers . . . . .	— 3	2 —	100 seeds 1/6		
„ „ ruberrima . . . . .	— —	— 8	1000 „ 12/6	— —	— —
„ „ „ flore pleno . . . . .	— 2	1 2	⊙ Stevia Eupatoria . . . . .	— 7	6 3
g Skimmia japonica . . . . .	— 7	7 3	⊙ „ Lindleyana . . . . .	— 7	6 3
Smilax, see Myrsiphyllum.			2 „ odorata (salicifolia) . . . . .	1 10	— —
Snapdragon, see Antirrhinum.			2 „ purpurea . . . . .	— 7	— —
⊙ Solanum atropurpureum . . . . .	— 5	5 3	4 „ serrata, white . . . . .	— 10	— —
4 „ Balbisii . . . . .	— 4	3 6	Stocks, see page 27.		
4 „ cabiliense argenteum (marginatum) . . . . .	— 5	4 3	4 Stokesia Cyanea. Although this magnificent plant is known for a long time, yet it has been introduced to the trade only a few years ago; flowers lavender-blue, measuring abt 4 to 5 in. across. We recommend this		
g „ Capsicastrum . . . . .	— 4	3 3			
„ „ nanum . . . . .	— 5	3 7			
4 „ Dammannianum					
100 seeds —/9	— —	— —			

really fine plant most warmly; it stands the winter in the open ground, if it is not kept too moist.  $\frac{1}{8}$  oz 1/—  
 Stonecrop blue, see *Sedum coeruleum*.  
*h* *Streptocarpus Rexii*  $\frac{1}{32}$  oz 3/—  
      $\frac{1}{16}$  oz 5/3;  $\frac{1}{8}$  " 9/6  
     *Wendlandi*, light blue, large leaves  
      $\frac{1}{32}$  oz 5/3;  $\frac{1}{16}$  oz 10/—;  $\frac{1}{8}$  oz 19/—  
*h* *Streptocarpus*, newest hybrids mixed  
      $\frac{1}{32}$  oz 6/6;  $\frac{1}{16}$  oz 11/6;  $\frac{1}{8}$  oz 21/6  
 Summer Cypress, see *Kochia scoparia*.  
 Sun Drops, see *Oenothera*.  
 Sunflower, see *Helianthus annuus*.

per oz s. d.	per lb. s. d.
6 3	90 —
— —	— —
— —	— —
— —	— —



*Statice sinensis*.  
(Electro 3/6.)

Sun Rose, see *Helianthemum*.  
*g* *Sutherlandia frutescens*, one of the most splendid and decorative small shrubs, with fine scarlet flowers, throughout the summer. . . . . 2 — — —  
*g* *Swainsonia alba* . 1000 seeds 3/— — — — —  
     " *coronillaefolia* 1000 " 1/9 — — — — —  
     " *rosea grandifl.* 1000 " 1/9 — — — — —  
     " *Greyana* . 1000 " 1/9 — — — — —  
     " best sorts mixed 1000 " 1/7 — — — — —  
 Swallow wort, see *Asclepias*.  
 Swan River Daisy, see *Brachycome*.  
 Sweet Alyssum, see *Alyssum Benthami*.  
     " Pea, see *Lathyrus odoratus*.  
     " Scabious, see *Scabiosa*.

2 —	— —
— —	— —
— —	— —
— —	— —
— —	— —
— —	— —

Sweet Sultan, see *Centaurea moschata*.  
 " William, see *Dianthus barbatus*.

⊙ *Tagetes erecta* fl. pl.  
**Double African Marigold.**

Finest best varieties mixed . . . . . — 4 3 2

⊙ *Tagetes patula* fl. pl.  
**Double French Marigold.**

Dwarf double mixed, best sorts . . . — 3 2 5  
 Double tall mixed, " " . . . — 2 2 —  
*Tagetes signata pumila* . . . . . — 5 4 9  
     " " " Golden Ring, . . . . . — 8 8 —  
     " " " pure golden yellow . . . — 8 8 —  
     " *sulphurea*, pure sulphur yellow . — 7 7 —



*Tagetes Lemoni*.  
Electro 3/3.

4 " *Lemoni* A. Gray (Electro Dam. 1903). This nice plant forms dwarf compact bushes the first year, producing an enormous mass of lovely yellow flowers in the autumn, covering the plant almost entirely.  $\frac{1}{8}$  oz —/10 5 — — —  
 Tassel Flower, see *Cacalia*.  
*g§* *Tecoma radicans grandifl.* (Bignonia) — 8 7 3  
*g§* " *Stans* (Bignonia) . . . . . — 10 — —  
*g* " *Smithi* . . . . .  $\frac{1}{4}$  oz 1/3 4 — — —  
 Thrift, see *Armeria*.  
 ⊙§ *Thunbergia alata nanking*, with black eye. . . . . 1 — — —  
     " *alba*, pure white with black eye 1 — — —

5 —	— —
— 8	7 3
— 10	— —
4 —	— —
1 —	— —
1 —	— —

	per oz s. d.	per lb. s. d.
⊙§ Thunbergia alata aurantiaca, golden yellow with black eye . . . . .	1 —	— —
"    alata mixed . . . . .	— 10	10 9
⊙h Torenia Bailloni . . . . . 1/8 oz 2/5	18 —	— —
⊙h " Fournieri (edentula) . . . . .	3 9	— —
"    " alba (White Wings) . . . . .	3 9	— —
"    " coelestina grandiflora . . . . .	5 —	— —
1/8 oz —/10	7 6	— —
"    " compacta 1/8 " 1/2	— —	— —
"    " alba 1/16 " —/10	— —	— —
1/8 " 1/3	— —	— —
"    " coelestina . . . . .	— —	— —
1/16 oz 1/3; 1/8 oz 2/—	12 6	— —
"    " grandiflora 1/8 oz —/10	5 —	— —
"    speciosa 1/8 " 6/10	— —	— —
"    " alba 1/8 " 6/10	— —	— —
Touch me-not, see Balsams.		
Tournefortia heliotropioides . . . . .	— 8	— —
⊙ Trachelium coeruleum . . . . .	1 —	— —
"    " album . . . . .	1 3	— —
Tree Cypress, see Ipomopsis.		
⊙§ Trichosanthes Anguinea vera . . . . .	— 4	3 3
"    " coccinea . . . . .	— 4	3 3
"    " colubrina . . . . .	— 4	3 7
"    " cucumerina . . . . .	— 4	3 7
"    " palmata . . . . .	— 4	3 7
Tridax gaillardiioides, new, Dam. 1901; producing a profuse number of single flowers measuring about one inch and 1/2 in diameter, of a chrome-yellow color with white border. This new form is specially remarkable for its very large number of flowers at an unusually early time which makes it most valuable as an early bedding plant. . . . .	— 6	— —
Tritoma, see Kniphofia.		
⊙§ Tropaeolum canariense (peregrinum) Canary Creeper . . . . .	— 5	5 —
⊙ " Lobianum, best varieties mixed . . . . .	— —	1 6
<b>Tropaeolum majus nanum (Tom Thumb)</b>		
Chamaeleon . . . . .	— 4	3 3
Empress of India, dark scarlet . . . . .	— 4	3 3
King of Tom Thumb, scarlet . . . . .	— 3	2 7
"    Theodore, dark red . . . . .	— 3	1 9
Ruby King . . . . .	— 3	2 3
Spotted King, dark-leaves . . . . .	— 3	2 —
Vesuvius, salmon-rose . . . . .	— 4	3 3
best sorts mixed . . . . .	— —	1 —
Trumpet Flower, see Datura.		
g§ Vallaris dichotoma, a beautiful climber for the conservatory, with large snow white flowers . . . 100 seeds 1/9	— —	— —
Venus Looking Glass, see Campanula Speculum.		

	per oz s. d.	per lb. s. d.
Venus Navel wort, see Cynoglossum linifolium.		
⊙ Verbena Aubletia grandiflora . . . . .	— 4	3 4
"    Drummondii (montana) . . . . .	— 4	3 7
"    erinoides (Electro) . . . . .	— 9	8 9
"    " alba, white, . . . . .	— 9	8 9
"    pulchella . . . . .	— 3	2 5
"    venosa . . . . .	— 4	3 3
<b>Verbena hybrida.</b>		
Finest mixed . . . . .	— 9	8 7
Extra selected quality . . . . .	1 3	15 9
Auriculae flowered sorts with large white eye, first class flowers . . . . .	1 3	15 9
Alba . . . . .	— 11	11 10
Candidissima . . . . .	1 —	13 10
Coccinea . . . . .	1 3	15 10
Coerulea . . . . .	— 10	11 10
Défiance, fiery scarlet . . . . .	1 6	19 19
Purple Cloak . . . . .	1 2	— —
Striata, Italian striped . . . . .	1 —	11 10



Verbena erinoides.  
Electro 2/5.

	per oz s. d.	per lb. s. d.
<b>Verbena hybrida grandiflora (Mammoth)</b>		
dark scarlet . . . . .	2 9	— —
rose and carmine . . . . .	2 6	— —
white . . . . .	2 6	— —
finest colours mixed . . . . .	1 3	15 10
<b>Verbena hybrida compacta (erecta).</b>		
Candidissima . . . . .	2 —	— —
Dark blue . . . . .	2 —	— —
Défiance . . . . .	3 —	— —
Splendid mixed . . . . .	1 4	19 9
4 Verbesina virginica, Dam. 1897. With numerous white flowers . . . . .	1 6	— —

	per oz s. d.	per lb. s. d.
4 Vernonia arkansana, Dam. 1898. With very nice purple flowers; splendid for cutting . . . . .	— 10	— —
h Victoria regia . . . 100 seeds 14/6	— —	— —
h⊙ Vinca rosea. Madagascar Periwinkle	— 9	8 9
"    "    alba oculata . . . . .	— 9	8 9
"    "    alba pura . . . . .	— 9	8 9
"    "    mixed . . . . .	— 8	8 —
4 Viola cornuta . . . . .	1 3	— —
"    "    alba . . . . .	1 5	— —
"    "    Admiration . . . . .	2 3	— —
"    "    Blue Perfection . . . . .	2 3	— —
"    "    Papilio . . . . .	1 9	— —
"    odorata, semperflorens . . . . .	— 10	10 —
"    "    semperflorens fl. albo . . . . .	1 —	13 10
"    "    "    the Czar . . . . .	1 7	— —
"    "    "    "    "    fl. albo . . . . .	1 10	— —



Zinnia elegans grandiflora laciniata fl. albo pl.  
Electro 4/5.

⊙ **Viola tricolor maxima. Pansies.**

Seeds saved from the best flowers only.

All colours mixed . . . . .	— 9	8 9
English show (faced) varieties mixed . . . . .	— 11	11 10
Large-flowered French varieties mixed . . . . .	1 —	13 9
Cassier, three and five blotched giant . . . . .	2 —	29 —
Bugnots largest flowered . . . . .	1 10	25 —
Alba pura (Schneewittchen) . . . . .	— 10	— —
Azure blue . . . . .	— 10	— —
Cardinal . . . . .	1 —	— —
Dark blue . . . . .	— 10	— —
Emperor William . . . . .	— 10	— —
Dr. Faust, pure black . . . . .	— 10	— —

	per oz s. d.	per lb. s. d.
King of the Blacks . . . . .	— 10	— —
Lord Beaconsfield . . . . .	— 10	— —
Meteor, reddish brown . . . . .	— 10	— —
Odier Prize Pansies . . . . .	1 —	— —
Prince Bismarck . . . . .	— 10	— —
Pure yellow . . . . .	— 10	— —
Victoria, red . . . . .	— 10	— —
White, dark centre . . . . .	— 10	— —
Yellow, dark centre . . . . .	— 10	— —

⊙ **Viola tricolor maxima Trimardeau, Giant Pansies.**

(Seeds collected from the largest flowers only; quite especially recommended.)

Auriculaeflora . . . . .	1 6	— —
Azure-blue . . . . .	1 9	— —
Emperor William . . . . .	1 9	— —
King of the Blacks . . . . .	1 9	— —
Lord Beaconsfield . . . . .	1 9	— —
Pure yellow . . . . .	1 8	— —
Pure White . . . . .	1 9	— —
White with dark centre . . . . .	1 9	— —
Yellow with dark centre . . . . .	1 8	— —
Striata . . . . .	1 9	— —
All colours mixed . . . . .	1 6	18 —
Virginian Stocks, see Cheiranthus maritimus.		
Wallflower, see page 27.		
Water Lily, see Nymphaea.		
⊙ Whitlavia grandiflora . . . . .	— —	1 4
"    "    alba . . . . .	— 3	1 4
h Wigandia caracasana . . . . .	1 —	— —
Woodroof, see Asperula.		
⊙ Xeranthemum annuum superbissimum album fl. pl. . . . .	— 6	— —
Xeranthemum annuum superbissimum roseum fl. pl. . . . .	— 6	— —
Xeranthemum annuum superbissimum rubrum fl. pl. . . . .	— 6	— —
Youth and Old age, see Zinnia.		
Yucca, see page 19.		

⊙ **Zinnia elegans.**

Single flowered mixed . . . . .	— 2	2 —
---------------------------------	-----	-----

⊙ **Zinnia elegans grandiflora plenissima.**

The flowers of our Zinnias are quite enormous, for which they have gained a world wide reputation.

Finest double mixed . . . . .	— 3	3 —
Alba . . . . .	— 3	3 3
Atrococcinea . . . . .	— 3	3 3
Atropurpurea . . . . .	— 3	3 3
Aurea . . . . .	— 3	3 3
Carminia . . . . .	— 3	3 3
Carnea . . . . .	— 3	3 3



	per oz s. d.	per lb. s. d.
Coccinea . . . . .	— 3	3 3
Lilacina . . . . .	— 3	3 3
Lutea . . . . .	— 3	3 3
Rosea . . . . .	— 3	3 3
<b>Zinnia elegans pumila (nana Tom Thumb) plenissima.</b>		
Finest mixed . . . . .	— 3	3 3
Alba . . . . .	— 4	3 6



Zinnia spectabilis miniata.  
Electro 3/3.

	per oz s. d.	per lb. s. d.
Lutea . . . . .	— 5	4 —
Rosea . . . . .	— 5	4 —
Salmonea . . . . .	— 5	4 —
Violacea . . . . .	— 5	4 —
Zinnia elegans fl. pl. "Iris". Contrary to the well known striata form from which our splendid new introduction is absolutely different, the ground color of the flowers is of a pale yellow, while the petals are striped, spotted and speckled in various shades of carmine, crimson, pink and minium red. The plants grow to a medium height and the flowers measure about 2 1/2 inches across.		
	— 5	4 —



Zinnia elegans pygmaea flore pleno.  
Electro 4/—.

Atrococcinea . . . . .	— 4	3 6
Aurantiaca . . . . .	— 4	3 6
Aurea . . . . .	— 4	3 6
Carminea . . . . .	— 4	3 6
Coccinea . . . . .	— 4	3 6
Purpurea . . . . .	— 4	3 6
Rosea . . . . .	— 4	3 6
Salmonea . . . . .	— 4	3 6
Sulphurea . . . . .	— 4	3 6
Violacea . . . . .	— 4	3 6

**Zinnia elegans robusta grandiflora plenissima.**

Double large flowered in splendid mixture . . . . .	— 4	3 7
Alba . . . . .	— 5	4 —
Aurea . . . . .	— 5	4 —
Atrococcinea . . . . .	— 5	4 —
Carminea . . . . .	— 5	4 —
Carnea . . . . .	— 5	4 —
Coccinea . . . . .	— 5	4 —
Lilacina . . . . .	— 5	4 —

**Zinnia elegans grandiflora laciniata fl. pl., Dam. (Electro.)**

A splendid new class! The petals of the perfect shaped flowers are as is shown in our cut more or less deeply cut, a fact never met before with any Zinnia. The habit of the plant and shape of the flowers is exactly that of the Z. elegans fl. pl.

Alba . . . . .	— 5	4 10
Carnea . . . . .	— 5	4 10
Carminea . . . . .	— 5	4 10
Rosea . . . . .	— 5	4 10
Mixed . . . . .	— 5	4 6

**Zinnia elegans spectabilis fl. pl. Dam. (Electro.)**

The petals of this new class are of a peculiar form, being slightly folded up, forming a kind of canal. The flowers are very large, globe-shaped and most elegant.

Miniata, minium colour . . . . .	— 4	3 7
Cupreata, copper red . . . . .	— 4	3 7

	per oz s. d.	per lb. s. d.		per oz s. d.	per lb. s. d.
Zinnia elegans pygmaea flore pleno (Electro). An absolutely new dwarf kind of only about 8 inches in height but in spite of this very dwarf habit, of most extraordinary rich flowering. We have had as many as 25 to 30 flowers of about 3 inches in diameter on a single plant, which is certainly remark- able considering its small proportions. The flowers are quite as large and double as those of the old Z. elegans. — This new kind can therefore be quite specially recommended as a border plant.			Zinnia elegans robusta striata plenissima mixed . . . . .	— 6	6 —
Brilliant scarlet, Crimson, White, each separate . . . . .	— 6	6 —	"    "    fl. pl. „Miniatur“, a dwarf small-flowered, very double, rich flowering kind, finest colours mixed . .	— 8	8 —
Mixed . . . . .	— 5	5 —	Zinnia elegans pomponica fl. pl. Liliput, mixed . . . . .	— 6	5 7
			Zinnia Haageana (mexicana) single- flowered . . . . .	— 4	4 —
			"    "    fl. pleno, double . . . . .	— 8	8 —
			"    "    "    imbricata plenissima . .	— 8	8 —
			"    "    "    Darwini, double . . . . .	— 4	3 6
			Mixed Flower Seeds, annuals cwt. 52/—	— —	— 8
			"    "    "    "    suitable	— —	— 8
			for bee feeding . . . . cwt. 90/—	— —	1 6

## XII. Seeds of Ornamental Grasses.

4 = perennial; all others are annual.

	per oz s. d.	per lb. s. d.		per oz s. d.	per lb. s. d.
Agrostis nebulosa . . . . .	— 8	— —	4 Panicum tonsum; dwarf, lawn-forming with numerous loose spikes, at first dark red, then rose and finally of a silvery colour . . . . .	— 9	— —
"    pulchella . . . . .	— 6	5 9	4 Panicum virgatum . . . . .	— 4	3 2
4 Arundo conspicua . . . . .	4 6	— —			
4 "    Donax . . . . .	— 4	4 —			
4 "    "    fol. var. . . . .	1 —	— —			
4 Briza lutescens . . . . .	— 7	— —			
"    maxima (Quaking Grass) . .	— —	1 9			
4 Carex pendula . . . . .	— 3	2 6			
4 Coix Lacrymae . . . . .	— —	— 7			
4 Cyperus alternifolius . . . . .	2 6	— —			
"    ferox . . . . .	— 9	— —			
"    flabelliformis . . . . .	3 6	— —			
"    Papyrus . . . . .	2 6	— —			
4 Erianthus Ravennae . . . . .	— 4	3 6			
4 Euchlaena luxurians (Reana Teo- sinthe) see section V (Grasses) .	— —	— —			
4 Eulalia japonica (Miscanthus japoni- cus) . . . . .	— 7	7 2			
4 "    "    zebrina . . . . .	1 —	13 9			
4 Festuca glauca . . . . .	1 6	— —			
4 Gymnothrix latifolia . . . . .	— 5	— —			
4 Gynerium argenteum (Pampas Grass)	— 5	4 10			
"    "    jubatum . . . . .	— 9	— —			
4 "    "    "    roseum . . . . .	— 5	4 10			
4 Hordeum jubatum (Squirrel Tail Grass) . . . . .	— 3	2 9			
Job's Tears, see Coix Lacrymae.					
Lagurus ovatus (Hare's Tail Grass)	— —	1 3			
Pampas Grass, see Gynerium.					
4 Panicum capillare violaceum Dam. .	— 2	1 9			
4 "    plicatum . . . . .	1 —	— —			
4 "    sulcatum . . . . .	1 2	— —			



Pennisetum Ruppellianum.  
Electro 3/3.

	per oz s. d.	per lb. s. d.		per oz s. d.	per lb. s. d.
Pennisetum longistylum . . . . .	— 3	2 8	4 Uniola latifolia . . . . .	— 5	5 3
„ violaceum . . . . .	— 3	2 5	Zea gracillima (minima) . . . . .	— —	— 6
„ macrurum; a gigantic grass, resembling the Gynerium argenteum . . . . .	— 5	4 10	„ „ fol. var. . . . .	— —	— 7
PennisetumRueppellianum,Dam.1893 (Electro), one of the finest and most graceful grasses, producing a great number of the most lovely spikes . . . . .	— 4	4 —	„ japonica fol. var., striped Japanese Maize . . . . .	— —	— 4
Quaking Grass, see Briza maxima.			„ „ gigantea quadricolor new. Dam. 1896; a gigantic varie- gated-leaved, highly decorative kind and much superior to the old Z. jap. vol. var.;		
4 Scirpus natalensis . . . . .	— 6	4 9	leaves bright green, silver-white, sulphur- yellow and rose striped; most effective	— —	— 10
4 Stipa elegantissima . . . . .	1 —	— —	Zea tunicata fol. var. . . . .	— —	1 7
„ pennata (Feather Grass) . . . . .	— 6	5 3			

### XIII. Seeds of Bulbs and Roots.

	per oz s. d.	per lb. s. d.		per oz s. d.	per lb. s. d.
Agapanthus umbellatus . . . . .	— 9	— —	Gladiolus gandavensis, French in splendid. varieties mixed . . . . .	— 7	6 9
Brodiaea mixed . . . . .	1 2	— —	„ Lemoinei hybridus, best mixed	— 7	6 9
Convallaria japonica . . . . .	— 4	1 9	„ Nanceianus, fine mixed	1 9	— —
Cyclamen persicum, fine mixed . . . . .	2 —	— —	„ European and Asiatic varieties mixed . . . . .	— 3	2 5
<b>Cyclamen persicum giganteum.</b> (seeds collected from giant flowers only)			Hyacinthus candicans (Galtonia) . . . . .	— 2	1 8
sanguineum . 1000 seeds 8/9	— —	— —	Iris Robinsoniana 100 seeds —/5	— —	— —
roseum . . . 1000 „ 8/—	— —	— —	1000 „ 2 —	— —	— —
Emperor William 1000 „ 8/—	— —	— —	Ixia hybrida, a fine collection mixed . . . . .	— 11	— —
Montblanc, pure white 1000 seeds 8/9	— —	— —	Kniphofia (Tritoma) Red-hot-poker- plant Uvaria (aloides) nobilis . . . . .	1 —	— —
universum, white with a red eye 100 seeds 1/—	— —	— —	Lilium auratum, true . . . . .	1 9	— —
1000 „ 8/—	— —	— —	Paeonia sinensis fl. pl., double mixed . . . . .	1 2	13 9
splendid mixed 1/16 oz 1/—; 1/8 oz 1/10	12 —	— —	Ranunculus asiaticus superbissimus fl. pl. mixed . . . . .	— 4	3 7
Papilio . . . . 100 seeds 4/3	— —	— —	Scilla Clusii . . . . .	— 4	— —
Freesia Leichtlini . . . . .	— 3	2 —	Sparaxis grandiflora . . . . .	— 5	— —
„ refracta alba . . . . .	— 3	2 9	Tulipa Greigii hybrida, mixed . . . . .	1 10	— —
„ splendid mixed . . . . .	— 2	1 7	„ best sorts mixed . . . . .	1 2	— —

### XIV. Seeds of Cannas.

	per oz s. d.	per lb. s. d.		per oz s. d.	per lb. s. d.
<b>a. Gladioli-flowered.</b>			Beauté Poitevine . . . . .	— 6	— —
Abricot . . . . .	— 4	3 3	Boucharlat aîné . . . . .	— 4	3 3
Ajax, Dam. . . . .	— 3	2 10	Camille Bernardin . . . . .	— 6	— —
Alkmene, Dam. . . . .	— 3	3 —	Ch. Paul, red-leaved . . . . .	— 6	— —
Ami Jules Crétin . . . . .	— 4	— —	Ch. van Geert . . . . .	— 4	— —
Attika, red-leaved . . . . .	— 6	— —	Citoyen de Cronstadt . . . . .	— 3	— —
Auguste Chantin . . . . .	— 6	— —	Colonel Denfert, red-leaved. . . . .	— 6	— —
Aurore . . . . .	— 4	3 3	Comte de Bouchaud, yellow . . . . .	— 6	— —
Baronne de Poilly . . . . .	— 4	3 3	„ H. de Choiseul . . . . .	— 4	3 3

	per oz s. d.	per lb. s. d.		per oz s. d.	per lb. s. d.
Comtesse de Bouchaud . . . . .	— 4	3 3	Panache . . . . .	— 6	— —
Crozy père . . . . .	— 5	4 —	Papa Treyve . . . . .	— 6	— —
Cousin Jacob . . . . .	— 4	3 3	Paolo Radaelli . . . . .	— 6	— —
Cyclope . . . . .	— 4	— —	Paul Bruant . . . . .	— 6	— —
Czar Alexandre III . . . . .	— 4	— —	Penelope, Dam. . . . .	— 6	4 9
Daniel Gerard . . . . .	— 5	— —	Petite Mocotte . . . . .	— 5	4 —
Duc de Mortemart . . . . .	— 6	— —	Podere Restelli . . . . .	— 5	4 —
F. Neuwesel, red-leaved . . . . .	— 6	— —	Perle des Massifs . . . . .	— 6	4 9
François Morel . . . . .	— 5	— —	Pregmy . . . . .	— 5	— —
„ Vuillemet . . . . .	— 6	— —	Président Chaudon, yellow . . . . .	— 5	4 —
Francisque Morel . . . . .	— 4	— —	„ Meyer, red-leaved . . . . .	— 7	— —
Frau Oberbürgermeister Rümelin . . . . .	— 6	— —	Professor Foster, Dam. . . . .	— 5	— —
Fürst Bismarck . . . . .	— 6	— —	„ Charguérand . . . . .	— 4	3 3
Généreux . . . . .	— 7	— —	„ J. G. Baker, Dam. . . . .	— 6	— —
George d'Harcourt . . . . .	— 6	— —	„ David . . . . .	— 6	— —
Gloire des marchés . . . . .	— 5	— —	„ Rossi, Dam. . . . .	— 4	3 3
Graf von Turin, Dam. . . . .	— 7	— —	Princesse Letizia Dam. . . . .	— 4	— —
H. Guichard . . . . .	— 5	4 —	Progression . . . . .	— 3	3 —
Herzogin Vera . . . . .	— 8	— —	Red Indian, red-leaved . . . . .	— 9	— —
Hofgartendirektor Walter, red-leaved . . . . .	— 7	— —	Reval Massot . . . . .	— 4	— —
J. Soulayr . . . . .	— 4	3 3	Rose T. May . . . . .	— 7	— —
J. D. Cabos . . . . .	— 4	— —	Secrétaire Chabanne . . . . .	— 7	— —
Jules Favre . . . . .	— 4	3 3	Sémaphore, red-leaved . . . . .	— 7	— —
Kaiser Wilhelm . . . . .	— 6	— —	Sénateur Montefiore . . . . .	— 3	3 —
Karl Neubronner . . . . .	— 6	— —	Souvenir du Capitaine Drujon . . . . .	— 5	— —
Kronprinz v. Italien, Dam. . . . .	— 4	— —	„ de François Gaulin . . . . .	— 4	— —
L. Patry . . . . .	— 5	— —	„ de Madame Nardy . . . . .	— 5	— —
L. E. Bally . . . . .	— 4	3 3	Solfatara, Dam. . . . .	— 6	— —
Léon Vasilliére, red-leaved . . . . .	— 7	— —	Stromboli . . . . .	— 4	— —
Lohengrin . . . . .	— 5	— —	Thomas S. Ware, red-leaved . . . . .	— 6	— —
Madagascar . . . . .	— 5	4 4	Trocadero . . . . .	— 4	— —
M. J. Goss, red-leaved . . . . .	— 6	— —	V. Debons . . . . .	— 8	— —
Madame Ginot . . . . .	— 6	— —	Venus . . . . .	— 10	— —
„ H. Riquad . . . . .	— 6	— —	Vesuvius, Dam. . . . .	— 5	4 9
„ Léon Leclercq . . . . .	— 5	4 —	Vice-Président Luizet . . . . .	— 7	— —
„ Mériem Lombard . . . . .	1 3	— —	Victor Gaulin . . . . .	— 5	— —
„ Oriol . . . . .	— 4	3 3	Ville de Poitiers . . . . .	— 5	4 —
„ Oscar Meuricoffre, Dam. . . . .	— 4	3 3	New large flowered early Hybrids (Crozy) dwarf with green leaves, mixed . . . . .	— —	2 —
„ Pichon . . . . .	— 6	— —	New large fl. early Hybrids (Crozy) semi- high and high with green leaves, mixed . . . . .	— —	2 —
„ Victor Lemoine . . . . .	— 7	— —	New large flowered early Hybrids (Crozy) with red leaves, mixed . . . . .	— —	2 4
Marquise A. de l'Aigle . . . . .	— 4	3 3	New large flowered early Hybrids (Crozy) all sorts mixed . . . . .	— —	2 —
Maurice Grand . . . . .	— 4	3 3			
„ Rivoire, red-leaved . . . . .	— 5	— —	<b>b. Other Sorts.</b>		
M. Ritton . . . . .	— 5	— —	Discolor . . . . .	— —	2 3
Max Kolb, red-leaved . . . . .	— 10	— —	Flaccida le Roi . . . . .	— —	1 7
Mrs. F. Dreer . . . . .	— 6	5 3	All sorts mixed . . . . .	— —	1 3
Monsieur Colcombet . . . . .	— 5	4 4			
„ Jarry Desloges . . . . .	— 6	— —			
Mr. Cleveland . . . . .	— 4	3 3			
N. Belisso . . . . .	— 5	— —			
Otto Froebel . . . . .	— 5	— —			

## XV. Palms.

(Fine and sound plants, grown in the open air.)

	10 pieces s. d.	100 pieces s. d.		10 pieces s. d.	100 pieces s. d.
Brahea Roezli, 1 year . . . . .	10 —	— —	Kentia Belmoreana, 4 to 6 years	— —	— —
Chamaerops excelsa, 1 year . . . . .	1 —	6 —	"          "          2/— a piece	— —	— —
"          "          2 years . . . . .	1 9	14 —	"          "          7 to 8 years	— —	— —
"          "          3 to 4 years . . . . .	4 —	30 —	"          "          6/— to 8/— a piece	— —	— —
"          "          7 to 8 " . . . . .	— —	— —	"          Forsteriana, 2 to 4 years	— —	— —
about 2 to 3 feet high 4/— a piece	— —	— —	"          "          1/9 a piece	— —	— —
"          humilis, 1 year . . . . .	1 —	7 6	Latania borbonica, 2 years . . . . .	2 —	16 —
"          "          2 years . . . . .	2 —	14 —	"          "          3 " . . . . .	3 6	28 —
"          "          3 " . . . . .	3 —	26 —	"          "          5 " . . . . .	8 —	70 —
Chamaedorea Ernesto Augusti, of 3 years	15 —	130 —	Livistona rotundifolia, 1 year . . . . .	8 —	— —
Cocos capitata, 1 year . . . . .	4 —	— —	Phoenix canariensis, dactylifera, leo-		
Corypha australis, 1 year . . . . .	1 3	8 —	"          "          nensis, reclinata, tenuis each		
"          "          2 years . . . . .	2 6	20 —	"          "          1 year . . . . .	2 3	18 —
"          "          3 to 4 years . . . . .	5 —	40 —	"          "          2 years . . . . .	2 6	20 —
"          "          7 to 8 " . . . . .	— —	— —	"          "          3 " . . . . .	3 6	28 —
"          "          4/— a piece	— —	— —	"          "          4 " . . . . .	8 —	70 —
"          Gebanga, 1 year . . . . .	5 —	— —	"          "          6 to 7 years 4/6 a piece	— —	— —
Cycas Rumphii, 2 to 3 leaves			Thrinax argentea, 1 year . . . . .	7 —	— —
1 piece 3/—	— —	— —	Washingtonia filifera, 2 years . . . . .	4 —	32 —
Kentia Belmoreana, 2 years . . . . .	6 6	52 —	"          "          3 " . . . . .	5 6	44 —
"          "          3 " . . . . .	7 6	64 —	"          "          4 " . . . . .	7 3	60 —
			"          "          6 " . . . . .	11 —	96 —

## XVI. Agave, Aloe, Yucca &c.

	1 piece s. d.	10 pieces s. d.	100 pieces s. d.		1 piece s. d.	10 pieces s. d.	100 pieces s. d.
Agave americana, strong plants,				Aloe arborescens . . . . .	— 10	— —	— —
without soil . . . . .	— 2	— 9	5 —	"          ciliaris . . . . .	— 6	3 9	— —
"          "          fol. var., strong plants,				"          prolifera (brevifolia) . . . . .	— 4	2 —	— —
"          "          without soil . . . . .	— 2	1 —	6 6	"          rubescens . . . . .	— 10	— —	— —
"          "          lactevirens . . . . .	— 9	5 —	— —	"          Schmidtii . . . . .	— 4	2 —	— —
"          "          vittata . . . . .	— 6	3 6	— —	"          xanthacantha . . . . .	— 9	— —	— —
"          angustifolia, strong plants	— 10	— —	— —	Beschorneria bracteata . . . . .	— 10	7 6	64 —
"          atrovirens . . . . .	— 9	5 —	— —	"          californica . . . . .	— 10	— —	— —
"          filifera . . . . .	1 4	— —	— —	Dasyliirion gracile . . . . .	— 2	1 6	— —
"          heterocantha . . . . .	1 —	— —	— —	"          serratifolium, seedlings of 2 years	— 3	1 9	15 —
"          horrida . . . . .	— 10	7 6	— —	"          juncifolium . . . . .	— 2	1 6	— —
"          laevis, strong plants . . . . .	1 4	— —	— —	Fourcroya elegans . . . . .	— 2	1 6	— —
"          lophantha . . . . .	— 6	3 9	— —	"          Lindeni . . . . .	1 9	— —	— —
"          "          heterocantha . . . . .	1 4	— —	— —	Yucca aloefolia, strong seedlings . . . . .	— 1	— 9	— —
"          Margaritae . . . . .	1 4	— —	— —	"          "          fol. var. . . . .	— 4	2 3	— —
"          Mexicana, strong plants . . . . .	2 —	— —	— —	"          "          quadricolor . . . . .	1 9	— —	— —
"          multiflora . . . . .	— 5	3 —	— —	"          Desmetiana . . . . .	2 —	— —	— —
"          rigida . . . . .	— 6	3 9	— —	"          filamentosa . . . . .	— 2	1 —	— —
"          "          var. Sisaliana (producing				"          "          glauca (angustifolia) . . . . .	— 9	6 —	— —
"          "          the Sisal hemp) . . . . .	— 9	5 —	— —	"          "          gloriosa recurvata pendula,			
"          "          silacana, strong plants	— 10	— —	— —	"          "          fine plants from the open			
"          Rumphii . . . . .	— 3	2 —	— —	"          "          ground . . . . .	— 8	5 —	— —
"          Salmiana fol. var., strong plants	2 —	— —	— —	"          "          gloriosa recurvata pendula			
"          spectabilis . . . . .	1 4	— —	— —	"          "          fol. var. . . . .	— —	— —	— —
"          yuccaefolia . . . . .	1 4	— —	— —	"          "          guatemalensis, strong plants	1 4	11 6	— —
Aloe abyssinica . . . . .	— 6	3 9	— —	"          "          Treculeana, 1 year . . . . .	— 10	— —	— —

## XVII. Stapelia.

The Stapelias can be shipped the whole year, even in the winter, if well protected against the cold, and they are offered in good and sound specimens. As to their scent, they are generally better than their reputation, and the most striking kinds are almost scentless.

	1 piece s. d.	10 pieces s. d.		1 piece s. d.	10 pieces s. d.
Duvalia angustiloba . . . . .	2 —	— —	Stapelia lunata, hort. Dam. . . . .	— 3	2 3
Stapelia anguinea, Jacq. . . . .	— 3	— —	" luxurians D. . . . .	— 6	— —
" angulosa, Tod. . . . .	— 3	— —	" marmorata, Jacq. . . . .	— 3	1 10
" " Charybdis, hort. Dam. . . . .	— 6	3 4	" mixta, Mass . . . . .	— 3	1 10
" " Nemesiis, " " . . . . .	— 6	3 4	" " pentagona . . . . .	— 6	3 4
" " Uranos " " . . . . .	— 6	— —	" multiflora . . . . .	— 4	1 11
" atrata, Tod. . . . .	— 6	3 4	" muricata, hort. . . . .	— 5	2 7
" " rufescens, hort. Dam. . . . .	— 6	3 4	" mutabilis, Jacq. (Orbea) . . . . .	— 4	2 2
" " tigrina, " " . . . . .	— 6	3 4	" " Chimaera, hort. Dam. . . . .	— 9	5 2
" atropurpurea, Dyck. . . . .	— 7	4 2	" parvipunctata, Tod. . . . .	— 3	1 10
" bisulca, Don. . . . .	— 3	1 10	" patula, Willd. . . . .	— 10	— —
" Burtini, Tod. . . . .	— 3	1 10	" planiflora, Jacq. . . . .	— 3	1 10
" ciliolata, hort. Pan. . . . .	— 3	1 10	" purpurea, hort. Dam. . . . .	— 3	1 10
" clypeolata hort. Lyon . . . . .	— 4	2 6	" quinquenervia . . . . .	— 6	3 4
" conspurcata, Willd. . . . .	— 3	1 10	" radiata, Sims . . . . .	— 6	3 9
" decora . . . . .	— 6	3 4	" revoluta . . . . .	— 6	— —
" deflexa, Jacq. (Stapletonia) . . . . .	— 6	3 4	" Salmiana . . . . .	— 6	3 4
" geminata . . . . .	— 6	3 4	" Stella, Jacq. . . . .	— 3	1 10
" gigantea . . . . .	1 —	— —	25 very fine sorts of our selection . . . . .	6 2	— —
" hirtella hort. Lyon (not Duvalia) . . . . .	— 6	3 4	10 " " " " " " . . . . .	2 6	— —
" hispida, Horn. . . . .	— 3	1 10			

## XVIII. Canna Roots.

In order to offer something special to our friends with whom we are in regular business connection, we had a colored plate made (29 × 18 inch.) of 20 of our most beautiful Orchid-flowering Cannas representing the flowers in their natural size or rather below it. These varieties are marked \* in our list. This beautiful plate will be sent free of charge to all our customers, and to others on receipt of 6d.

*We only send out strong, sound and undivided roots grown in the open ground, and not delicate and poor specimens obtained by unnatural forcing in the hot-house, a good number of which is invariably destined to perish. Our Cannas will therefore be always preferable even at higher prices to any others. They are packed very carefully and travel quite safely even to very distant countries; we wish it, however, to be understood that they travel on buyer's risk. Canna Roots can be forwarded from October to May, as far as the temperature permits it.*

	1 piece s. d.	10 pieces s. d.	100 pieces s. d.		1 piece s. d.	10 pieces s. d.	100 pieces s. d.
<b>1. Dammann's wonderful Orchid-flowering Cannas.</b>				Umbria . . . . .	1 —	8 —	— —
1. Season 1899 to 1900.				About 4 feet high. Leaves brown with a metallic hue, flowers of a brilliant vermilion with distinct chamois stripes.			
Emilia . . . . .	— 9	5 6	44 —	2. Season 1898 to 1899.			
About 4 feet high. Leaves purple; of strong growth; flowers of a splendid and peculiar scarlet marbled with chamois.				Australia . . . . .	— 6	3 6	28 —
Romagna . . . . .	— 8	4 6	36 —	About 4 feet high, leaves dark green with a brown border; flowers very large, salmon-red striped with deep sulphur-yellow; extremely fine.			
About 4 feet high. Dark brown leaves, flowers of a minium scarlet with some large yellowish stripes; a most free flowering kind.				3. Season 1897 to 1898.			
Sicilia . . . . .	— 9	6 —	48 —	* Atalanta . . . . .	— 6	3 6	29 —
About 2½—3 feet high. Leaves bright green; of robust growth; flowers very large of a dark chrome yellow the lower petal of which is spotted salmon red.				Height about 3 feet. Large greyish-green foliage with a dark border; flowers deep orange carmine and very large; of very rich growth.			

	1 piece s. d.	10 pieces s. d.	100 pieces s. d.		1 piece s. d.	10 pieces s. d.	100 pieces s. d.
* Britannia . . . . .	— 6	4 —	32 —	grows about 4½ to 6 feet high. Numerous Musa-like glaucous leaves and wonderful spikes of flowers. The latter are enormous and surpass in size even those of the Canna „Italia“. The outer petals are scarlet with a very broad gold-yellow border. The inside of the blooms is scarlet and dark red. Exceedingly beautiful.			
About 4 feet. Foliage lively green, Musa like, very large flowers with a yellow ground flamed with carmine. Larger than „Italia“.							
Campania . . . . .	— 5	3 3	26 —	* America . . . . .	— 5	3 —	26 —
About 6 feet. — Glaucous large leaves; growth extremely rich; flowers large, inner petals chrome-yellow with carmine spots, outer petals sulphur-yellow.				Red leaves. Height about 4 to 5 feet. The beautiful foliage is of a bronze color with dark red hues and shining as if the leaves were varnished. The spikes are very large and the flowers enormous, of a very beautiful glowing red-purple flamed and striped.			
* Ch. Naudin . . . . .	— 6	3 6	28 —	* Aphrodite . . . . .	— 5	3 —	24 —
About 4 feet. — Dark green, brown bordered foliage. Very large flowers (about 7 inches in diameter), salmon-red, the inner petals are darker.				Height about 6 feet. Very rich flowering, broad green leaves, immense trusses of large golden yellow flowers with large spots salmon colour; inner petals entirely salmon colour. Splendid.			
Hellas . . . . .	— 5	3 —	23 —	Asia . . . . .	— 4	2 9	23 —
About 3 feet. — Lively green, of strong growth and bearing abundant flowers of a canary-yellow color spotted brown-red.				Height about 3 feet. Numerous stalks, dark green foliage, very effective. Very large regular flowers of a rich golden yellow. Inner petals dotted scarlet. Splendid.			
* Phoebe . . . . .	— 5	3 —	26 —	* Bavaria . . . . .	— 5	3 —	24 —
About 6 feet high. — Glaucous leaves, luxuriant growth, flowers similar to a Cattleya, very large, sulphur-yellow, turning later on into a whitish yellow; petals spotted carmine, the inner ones more markedly than the outer ones.				Height about 3 feet. Leaves large, green, with a blueish hue. Very large spikes and flowers of a brilliant golden yellow covered all over with scarlet spots. Quite unique and extremely handsome.			
Professor Treub . . . . .	— 8	5 9	52 —	Borussia . . . . .	— 4	2 6	20 —
About 4 feet. Broad lanceolate leaves, brown-red, with a dark green hue. Flowers large, minium scarlet striped with salmon-red. Among the red-leaved Cannas this is one of the most striking and beautiful.				Height 3 to 4 feet. Broad bright green leaves. Enormous spikes, very large flowers, not so large however as those of „Italia“, of a shining canary-yellow with a golden yellow hue and small fiery red spots. Extremely handsome.			
* Roma . . . . .	— 5	3 —	24 —	Burgundia . . . . .	— 5	3 —	23 —
About 3 to 4 feet and a half. Growth extremely luxuriant, leaves glaucous. Very numerous and large panicles; flowers large with yellow ground flamed salmon-red.				Height 3 feet. Large glaucous leaves, very large spikes, enormous flowers resembling an expanded Cattleya, of a brilliant golden yellow with rich scarlet spots, golden yellow in the centre and fiery red flamed. A marvel of beauty.			
Rhea . . . . .	— 3	2 3	18 —	* Edouard André . . . . .	— 5	4 —	36 —
About 4 feet. Leaves brown with a metallic hue, flowers of medium size and a brilliant crimson.				Bushy plant, about 3 feet high. Stalks dark red, broad leaves, short, and dark spotted on the back. Well ramified stalk, spikes bearing 9 to 12 very large flowers of a bright fiery red with orange yellow spots like sparks, long dark red buds of a greenish hue. A kind of sterling merit.			
Trinacria . . . . .	— 5	3 —	23 —	* H. Wendland . . . . .	— 5	3 3	27
About 4 feet. Bright green, of luxuriant growth. Flowers very numerous and large, sulphur-yellow, fading later on into a paler yellow. A very pure color.				Height about 4 feet. Very broad beautiful green leaves. Very large			
4. Season 1896 to 1897.							
* Africa . . . . .	— 7	5 —	40 —				
Height about 3 feet, leaves lanceolate, purple, bronzy, striped green with dark green shades. Very large flowers similar to a Cattleya of a rich purple-scarlet, golden yellow and orange inside. A splendid variety.							
* Alemannia . . . . .	— 5	3 —	24 —				
This kind produces the largest flowers which have been obtained as yet in the way of Cannas. The plant							

	1 piece s. d.	10 pieces s. d.	100 pieces s. d.		1 piece s. d.	10 pieces s. d.	100 pieces s. d.
trusses of large flowers, outer petals scarlet with a golden yellow border, quite fiery red inside and yellow in the centre. It is one of the best of this class.							
Heinrich Seidel . . . . .	— 4	2 9	24 —				
Height about 3 feet. Green Musa-like leaves with a light glaucous hue. Very large panicles. Very large and numerous flowers of a vivid fiery red with a yellow border spotted with purple. A great beauty.							
Iberia . . . . .	— 4	2 9	23 —				
Height about 3 feet. Glaucous leaves, very large panicles. The large flowers are Cattleya-like. Outer petals golden yellow with a red border. Inner petals crimson, very beautiful.							
* Kronos . . . . .	— 4	2 9	23 —				
Height about 3 feet. Broad sea-green leaves, slender stalk, very large panicles. Very large flowers of a rich sulphur-yellow all spotted in red. An extremely fine form.							
* La France . . . . .	— 6	4 6	40 —				
About 4 feet high. Numerous stalks. Broad lanceolate leaves, very large, of a splendid purple and shining as if varnished. Very large and regular flowers similar to „Austria“, of a brilliant yellowish scarlet. Unique for its beauty.							
* Oceanus . . . . .	— 4	2 9	23 —				
Height about 3 feet, lanceolate leaves bright green. Very large panicles. Flowers yellow red spotted. Inferior petals almost quite red. Remarkably beautiful.							
* Pandora . . . . .	— 7	5 —	40 —				
Height about 3 feet and more. Lanceolate purple leaves with a metallic hue and dark green stripes. Very large spike; enormous flowers of a glowing fiery red, dark red outside. The borders and the inside are gold flamed. An extraordinarily beautiful variety.							
* Parthenope . . . . .	— 4	2 6	20 —				
Height about 3 feet, broad pointed sea-green leaves. Ramified stalk, enormous spikes of flowers of a vivid dark orange-yellow difficult to define, and not observed in Cannas as yet.							
Perseus . . . . .	— 4	2 9	23 —				
Height about 3 feet. Broad glaucous green foliage, numerous stalks. Trusses of immense flowers of a pure canary-yellow with scarlet pencillings in the inside. A magnificent variety, very rich flowering and lasting.							
* Pluto . . . . .	— 5	3 6	31 —				
Height about 3 feet. Numerous stalks with a splendid purple-red foliage. Large and beautiful scarlet-purple flowers flamed with red inside.							
				* Suevia . . . . .	— 4	2 6	20 —
				Height about 3 feet. Leaves Musa-like, slender stalks. Very large flowers of a pure canary-yellow, satiny, and bronzed inside. Bractees bronzed. Splendid.			
				Wilhelm Beck . . . . .	— 4	2 6	19 —
				Height about 6 feet. Broad green leaves, immense trusses of sulphur yellow flowers with scarlet red pencillings. Inner perigon scarlet red. A very remarkable variety.			
				5. Season 1895 to 1896.			
				Austria . . . 1000 pieces 70/—	— —	— 9	6 6
				Flowers very large, canary yellow; centre spotted red,			
				Italia . . . . 1000 pieces 90/—	— —	1 —	8 —
				Enormous panicles of scarlet flowers with a yellow border. Magnificent.			
				The whole assortment, introductions of 1895 to 1900			
				1 root of each . . . 15/—			
				12 kinds of our selection 4/—			
				Orchid-flowering Cannas mixed .	— 3	1 9	15 —
				American sorts.			
				Burbank, lemon-yellow changing into white . . . . .	— 5	3 —	24 —
				Mrs. Kate Gray, orange-scarlet, flowers very large . . . . .	— 9	6 6	— —
				<b>2. Gladioli-flowered Cannas.</b>			
				(Dammann.)			
				Introductions of 1899 to 1900.			
				Baja . . . . .	— 7	4 9	
				About 25 to 30 inches high, bright green foliage, flowers deep crimson bordered with a faint yellow edge; extremely rich flowering.			
				Cavour . . . . .	— —	— —	
				Of dwarf habit, not exceeding about 2 feet in height, lively green foliage, large spikes of vermilion purple flowers with undulated border.			
				Meta . . . . .	— —	— —	
				About 2 feet and $\frac{1}{2}$ high, large greyish green foliage, flowers chrome yellow, striped and spotted with brown.			
				Nero . . . . .	1 —	8 —	
				About 3 feet high, the beautiful foliage is of a dark brown red, stems of a whitish hue flowers of a rich cherry red.			
				Paestum . . . . .	— 10	6 6	
				About 3 feet high, large green leaves, flowers light chrome yellow with regular vermilion spots. Very large spikes.			
				Solfatara . . . . .	— 8	5 8	
				About 3 feet high; light green foliage large flowers of a beautiful orange color with carmine reflex.			
				Toledo . . . . .	— 10	8 —	
				About 3 feet and $\frac{1}{2}$ ; leaves green; enormous minium red flowers, often with a light golden edge.			



	1 piece s. d.	10 pieces s. d.		1 piece s. d.	10 pieces s. d.
The whole collection of the above Cannas . . . . .	5/9	— —	Princess Helena of Montenegro . . . . .	8	— —
<b>Introductions of 1898.</b>			About 3 feet. Leaves green, flowers very large, salmon-red, striped and bordered with golden yellow; petals round; magnificent.		
Capri . . . . .	6	4 —	Princess Laetitia . . . . .	4	2 9
Height about 1 foot. Glaucons leaves, very large salmon-scarlet flowers slightly spotted with yellow.			About 3 feet. Leaves Musa-like. Panicle enormous, flowers large, bright fire-red, dark red flamed and yellow bordered. Splendid.		
Ischia . . . . .	6	4 —	Stromboli . . . . .	6	— —
Height about 1½ feet. Leaves vivid green, flowers sulphur-yellow upon which appear when they begin to fade, large vermilion spots.			About 2 feet. Leaves glaucous; flowers very large, red and bright scarlet, fire-red in the centre. Very fine.		
Lutetia . . . . .	8	5 4	<b>3. Gladioli-flowered Cannas of different raisers.</b>		
Height about 2 feet, glaucous leaves with a greyish tinge. Flowers deep yellow, ground slightly spotted with red. Very rich flowered and in consequence of its habit much adapted for groups.			Best introductions of the last years.		
Minerva . . . . .	8	5 4	<b>a. Green-leaved.</b>		
Height 3 feet. Dark green foliage; large trusses of very large cinnabar red flowers. a new and grand rich flowering variety.			Alsace, pale sulphur-yellow . . . . .	6	4 —
Professor Rossi . . . . .	5	3 3	Ami Jules Chrétien, salmon-scarlet and yellow	5	3 3
About 2 feet high, dark green foliage turning to brown. Very large trusses of salmon-red flowers. Of great value for cutting purposes.			Anna Ernst (1899), canary-yellow, crimson spotted . . . . .	10	— —
Sultana . . . . .	5	3 3	Architecte Mouren, salmon, golden border . . . . .	8	5 3
Height about 3 feet. Glaucons foliage with a greyish tinge. Flowers canary-yellow with numberless vermilion spots. A very remarkable colour.			Auguste Chantin, copper-red, bright flamed	8	5 3
<b>Introductions of 1896.</b>			Auguste Nonin . . . . .	10	7 —
Adonis . . . . .	4	2 9	Baronne de Poilly, salmon . . . . .	5	3 9
About 2 feet high, leaves green with a brown border; flowers blood-red.			Candeur, cream-yellow changing into white . . . . .	9	6 9
Aetna . . . . .	4	2 9	Ch. Molin (1900), salmon-orange, crimson spotted . . . . .	1	8 —
About 3 feet; leaves very dark red, flowers crimson and purple.			Citoyen de Cronstadt, chrome-yellow, crimson spotted . . . . .	5	3 8
Ajax . . . . .	4	2 9	Claude Fichet, brown-red with dark-red, large flowered . . . . .	10	7 3
About 2 feet; leaves green; flowers wax- yellow with rosy spots.			Comtesse de Bouchaud, salmon, crimson spotted, yellow border . . . . .	5	3 8
Alkmene . . . . .	4	2 9	Coronet, chrome-yellow . . . . .	6	4 —
About 3 feet. Leaves green; flowers orange with a golden yellow border.			Cyclope, fiery blood red, very large flowered	5	3 8
Arethusa . . . . .	—	—	Czar Alexander III, bright scarlet . . . . .	4	3 9
About 1 foot ½. Leaves green; flowers very large, sulphur-yellow, changing after- wards into a bright salmon colour; inside dark red; new colour.			Daniel Gerard, crimson, dark crimson flamed, golden-bordered . . . . .	8	— —
Count of Turin . . . . .	4	2 9	Ernst Rauth (1900), vermilion orange with yellow border . . . . .	—	—
About 2 feet. Leaves glaucous, flowers very large, fire-red, dark red striped with a yellow border, centre blood-red.			François Vuillermet, brilliant granate-red, very large flowers . . . . .	6	4 —
Queen of Italy . . . . .	8	—	Franz Buchner, orange with mauve-hue and yellow border . . . . .	—	—
About 2 feet. Leaves large, green. Panicle enormous; flowers very large, dark scarlet with a broad golden border; finer than Queen Charlotte.			Frau Bremermann, dwarf, compact, flowers large, scarlet with golden yellow border and spots . . . . .	1	3 11 6
Crown-Prince of Italy . . . . .	6	4 —	Fürst Bismarck, splendid scarlet with a dark red hue and undulated petals 100 pieces 24/—	4	2 9
About 3 feet. Leaves glaucous; flowers very large, dark scarlet; most beautiful.			Généreux, vermilion, very large flowers . . . . .	1	3 —
			Goliath, very large flowers, bright amaranth- coloured . . . . .	8	5 3
			G. O. Quintus, bright yellowish red, crimson edged . . . . .	1	3 11 3
			Gustave Grünwald . . . . .	10	7 —

	1 piece s. d.	10 pieces s. d.		1 piece s. d.	10 pieces s. d.
Hans Werdmüller, leaves dark green, changing into brown, flowers very large, orange-red with a carmine hue . . . . .	— 8	5 6	Souvenir de Madame Crozy, bright red . . . . .	— —	— —
Henry Cannell, dwarf, numerous spikes, flowers large, vermilion dark red with a large golden yellow border . . . . .	— 9	6 6	"    "    "    Nardy, very large flowers. chrome-yellow spotted carmine, very fine . . . . .	— 6	4 —
Herzogin Vera (1900), pale sulphur yellow, very large flowered . . . . .	1 8	— —	Venus (1900), yellowish white . . . . .	1 8	— —
Hofgarten-Director Wendland . . . . .	— 5	3 8	V. Debons, flowers large and numerous, currant-red, striped . . . . .	— 10	— —
J. Colette-Ronchaine (1900), lively pomegranate colour, very large flowers . . . . .	1 8	— —	Vice President Luizet, cherry-red . . . . .	— 8	5 3
Jeanne Schmidt, bright rose, slightly, crimson spotted, with a pale yellow border . . . . .	— 10	7 3	Victory (Century) 1900, orange scarlet with yellow border . . . . .	— —	— —
Léon Pépin Lehalleur, crimson . . . . .	— 4	3 —	Ville de Poitiers, chrome-yellow, very large flowers, splendid . . . . .	— 4	2 4
Madame Chabanne, rose . . . . .	— 8	5 —	Wilhelm Bofinger, flowers fiery dark red, velvety . . . . .	— 7	— —
"    H. Riquad . . . . .	— 10	7 —	William Bull (1900), lively cerise . . . . .	— —	— —
"    Léon Leclerq, salmon, golden border . . . . .	— 6	4 —	L. Patry, of middle height; green leaves, very large flowers of a beautiful vermilion with darker spots and a yellow edge . . . . .	— 5	3 8
"    Legris, chrome-yellow, brown, spotted . . . . .	— 5	3 3			
"    Louis Druz, brilliant purple . . . . .	1 3	— —	<b>b. Red-leaved.</b>		
"    Pichon, lemon-yellow, scarlet spotted . . . . .	— 8	5 3	Arthur William Paul (1900), dark orange spotted carmine . . . . .	1 8	— —
"    Victor Lemoine, pure yellow with brown stripes; a very rare colour . . . . .	— 10	7 3	Attika, bright crimson . . . . .	— 6	4 —
"    Meriem Lombard, whitish . . . . .	— 6	4 6	Ch. Paul, salmon . . . . .	— 8	— —
Madagascar, salmon-orange and rose-lilac . . . . .	— 6	4 —	Count Waldersee, minium orange-red, very large . . . . .	1 9	— —
Marigold, orange . . . . .	— 5	3 3	David Harum, vermilion scarlet spotted carmine . . . . .	2 —	— —
Memory of Queen Charlotte . . . . .	— 10	7 —	German Crown-Prince (red-leaved Goliath), flowers of a fiery amaranth-red . . . . .	1 9	— —
Michel Favrichon, very rich flowering, dark salmon, spotted red with a yellow border . . . . .	— 10	— —	Gouverneur von Zimmerer, bright orange and dark-red . . . . .	— 8	— —
Miss Amy Ker (1900), creamy white turning white . . . . .	1 3	— —	Grossherzog Ernst Ludwig (1900), scarlet orange . . . . .	2 5	— —
Mrs. F. Dreer, canary-yellow, salmon spotted . . . . .	— 8	5 3	Hermann Fischer, leaves musa-like, flowers fiery minium orange and carmine . . . . .	1 10	— —
Mr. Colbambet, canary-yellow and red . . . . .	— 6	4 —	Hofgärtner Stiegler, carmine purple, large flowered . . . . .	— 10	— —
Mr. Jarry-Desloges, very large flowers, dark red with a brighter hue and crimson stripes . . . . .	— 10	7 3	Hofgarten Director Walter, brilliant purple red . . . . .	— 8	5 4
Modèle, crimson and carmine . . . . .	— —	— —	Le Deuil (1900), velvety dark purple . . . . .	2 —	— —
Panache, crimson . . . . .	— 6	4 —	Léon Vassillière, bright granate-red, very fine . . . . .	1 3	— —
Papa Canna, salmon-red . . . . .	— —	— —	Max Kolb (1899), salmon orange . . . . .	1 3	11 4
"    Treyve, orange . . . . .	— 6	4 —	Memory to Prince Bismarck, brilliant carmine vermilion . . . . .	— 10	— —
Petite Mocotte, crimson-rose, chamois flamed with a yellow border . . . . .	— 6	4 —	Mrs. Geo A. Stöhlein, leaves light brown, flowers bright amaranth, very large . . . . .	1 9	— —
Philippe Rivoire, very large flowers, crimson-rose marbled carmine with a yellow border . . . . .	— —	— —	Oscar Dannecker (1899), dark canary yellow . . . . .	1 3	— —
Poète, flowers whitish . . . . .	1 3	10 6	President Meyer, cerise carmine, very large flowered . . . . .	— 8	5 4
Reichskanzler Fürst Hohenlohe, very large flowers, bright lemon yellow, large undulated petals . . . . .	— 8	— —	President de Péronne, leaves brown-red, flowers vermilion-orange, darker marbled . . . . .	2 —	— —
Riese von Stuttgart (Giant of Stuttgart) flowers enormous of a brilliant vermilion with a lilac hue and yellow border . . . . .	2 —	— —	Red Indian (1900), pure cerise carmine . . . . .	2 —	— —
Roi des Rouges, bright crimson . . . . .	— 6	4 —	Sémaphore, brilliant orange yellow . . . . .	— 10	— —
Rose T. May, bright crimson . . . . .	— 4	2 10	Stadtrath Heidenreich, vermilion . . . . .	— 8	5 4
100 pieces 14/6 . . . . .	— 4	2 10	W. Atlee Burpee, magenta . . . . .	1 9	— —
Secrétaire Chabanne, salmon-crimson . . . . .	— 8	5 3			
Souvenir du Capitaine Drujon, canary-yellow, orange spotted . . . . .	— 6	4 —			
Souvenir de A. Chargueraud, of a splendid granate-red, striped red . . . . .	1 8	— —			

#### 4. Gladioli-flowered early

##### a. Some older fine sorts for forcing.

	1 piece s. d.	10 pieces s. d.	100 pieces s. d.
Colonel Denfert, red-leaved . . . . .	— 1	— 7	4 —
Duc de Mortemart . . . . .	— 2	— 10	7 3
Guillaume Couston . . . . .	— 1	— 7	4 —
J. Cordieux, red-leaved, dwarf . . . . .	— 2	— 10	6 —
Revol Massot, dwarf . . . . .	— 1	— 7	— —

##### b. Green-leaved, red-flowered.

Semi-high; splendid for pot culture.

Alphonse Bouvier, . . . . .	— 2	1 6	— —
Boucharlat aîné . . . . .	— 3	2 —	— —
Camille Bernardin. . . . .	— 5	3 —	— —
Cousin Jacob . . . . .	— 2	— 10	7 3
Ch. Pallice . . . . .	— 3	2 —	— —
Ch. Henderson . . . . .	— 2	1 6	— —
Ch. van Geert . . . . .	— 2	— 10	7 3
Colonel Vaillard . . . . .	— 3	2 —	— —
Comte H. de Choiseul . . . . .	— 3	2 —	— —
Emile Barré . . . . .	— 3	2 —	— —
Explorateur Crampbel . . . . .	— 2	— 7	4 —
Frau Oberbürgermeister Rümelin . . . . .	— 5	3 3	— —
Ferdinand Lombard Dam. . . . .	— 2	— 7	4 —
Francisque Morel . . . . .	— 2	— 7	4 —
Françoise Crozy . . . . .	— 2	— 7	4 —
Gartendirector Siebert . . . . .	— 2	— 10	5 8
G. Sennholz . . . . .	— 2	1 3	8 —
Gloire des Marchés . . . . .	— 3	2 —	— —
H. Guichard . . . . .	— 3	2 —	— —
Jules Favre . . . . .	— 2	— 10	7 3
Kaiser Wilhelm . . . . .	— 2	— 10	4 10
Karl Neubronner . . . . .	— 4	3 —	— —
M. Ritton . . . . .	— 3	2 —	— —
Madame Ginét . . . . .	— 2	— 10	4 10
Mr. Cleveland . . . . .	— 1	— 7	4 —
Paul Bruant . . . . .	— 3	1 8	— —
Paul Marquant . . . . .	— 1	— 7	4 —
Paolo Radaelli . . . . .	— 3	2 —	— —
Penelope Dam. . . . .	— 3	2 —	— —
Perle des Massifs . . . . .	— 3	2 —	— —
Podere Restelli . . . . .	— 3	2 —	— —
Prof. David . . . . .	— 2	— 10	4 10
J. G. Baker Dam. . . . .	— 3	1 8	— —
R. Brand, rose . . . . .	— 2	— 10	4 10
Rose Unique . . . . .	— 2	1 3	— —
Sophie Buchner . . . . .	— 2	1 3	8 —
Trocadero . . . . .	— 2	— 8	4 —
Vesuvius Dam. . . . .	— 2	1 5	12 —

##### c. Green-leaved, semi-high with yellow, red striped and spotted flowers.

Splendid for pot-culture and for cutting.

Aegla Dam. . . . .	— 3	2 —	— —
Ami Pichon . . . . .	— 2	1 3	— —
Aurore . . . . .	— 2	— 8	4 —

	1 piece s. d.	10 pieces s. d.	100 pieces s. d.
Baronne de Sandrans . . . . .	— 2	— 8	4 —
Comte de Bouchaud. . . . .	— 7	4 6	— —
Crozy père . . . . .	— 3	2 —	— —
Docteur Vergely . . . . .	— 2	— 10	6 —
George d'Harcourt . . . . .	— 2	— 8	4 —
Hofgartendirector Pfister . . . . .	— 5	3 —	— —
J. Souly . . . . .	— 2	1 3	— —
L. E. Bally . . . . .	— 2	— 8	4 10
Mad. Oriol . . . . .	— 2	— 8	4 —
N. Bellisso . . . . .	— 2	— 8	— —
Pierret Biorlet . . . . .	— 3	2 —	— —
Pregmy, golden-yellow . . . . .	— 2	— 8	4 —
Président Chaudon . . . . .	— 2	1 3	— —
Prof. Foster Dam. . . . .	— 2	1 3	— —
Progression . . . . .	— 2	— 8	4 10
Sénateur Montefiore . . . . .	— 2	— 8	4 10
Souv. de Mr. Gaulin . . . . .	— 2	— 8	4 —

##### d. Green-leaved, all colours of red, very dwarf, all very rich-flowering.

Abricot . . . . .	— 3	2 —	— —
Beauté Poitevine . . . . .	— 3	2 —	— —
Bonne Etoile . . . . .	— 2	— 10	7 3
C. Buisson . . . . .	— 2	— 8	4 10
Ch. Molin . . . . .	— 3	2 —	— —
Ed. Mieg . . . . .	— 2	— 10	6 5
Général Baron Berge . . . . .	— 1	— 8	4 10
Ingénieur Pérache . . . . .	— 2	— 10	6 5
Königin Charlotte . . . . .	— 6	4 —	30 —
Lohengrin . . . . .	— 2	1 3	— —
Louis van Houtte . . . . .	— 5	3 8	— —
Madame Crozy . . . . .	— —	— —	— —
„ Oscar Meuricoffre Dam. . . . .	— 2	— 8	4 —
Marquise Arthur de l'Aigle . . . . .	— 2	— 8	4 —
Maurice Grand . . . . .	— 2	1 3	— —
„ Musy . . . . .	— 2	— 10	7 3
Otto Froebel . . . . .	— 2	1 3	— —
Papillon . . . . .	— 4	2 10	— —
Princesse de Brancovan . . . . .	— —	— —	— —
Professeur Changuerand . . . . .	— 1	— 9	4 —
Souvenir d'Antonin Crozy . . . . .	— 8	5 3	— —

##### e. Red-leaved and red-flowered.

Admiral Avellan . . . . .	— 3	2 —	— —
B. de Jussieu . . . . .	— 2	— 10	6 —
Ch. Souchet . . . . .	— 2	— 10	6 —
Doyen Jean Sisley . . . . .	— 1	— 8	4 —
Emile Thomas . . . . .	— 3	2 —	— —
E. Renan . . . . .	— 3	2 —	— —
F. Neuwesel . . . . .	— 2	— 10	6 —
Gloire d'Emple . . . . .	— 4	2 10	— —
Godefroy-Lebœuf . . . . .	— 4	2 10	— —
Henry A. Dreer . . . . .	— —	— —	— —
J. D. Cabos . . . . .	— 6	4 —	— —

	1 piece s. d.	10 pieces s. d.	100 pieces s. d.		1 piece s. d.	10 pieces s. d.	100 pieces s. d.
Karl Kölle . . . . .	— 7	4 6	— —	<b>5. Iridiflora Hybrids</b>			
Laforcade . . . . .	— 1	— 6	4 —	a splendid class for groups.			
Légionnaire . . . . .	— 2	— 8	4 10	Iridiflora Ehmannii . . . . .	— 2	— 10	4 10
Louis de Mérode . . . . .	— —	— —	— —	" Guttermannii . . . . .	— 2	1 3	— —
M. J. Goss . . . . .	— 2	— 8	4 —	" Nouttoni . . . . .	— 2	1 3	— —
Maurice Rivoire . . . . .	— 2	— 8	4 —	<b>6. Older sorts, red-leaved.</b>			
Nardy père . . . . .	— 2	— 8	4 —	Alégatière . . . . .	— —	— 3	2 —
Paul Lorenz . . . . .	— 2	— 10	— —	Coquette, splendid, rich-flowering . . . . .	— —	— 5	3 3
Président Carnot . . . . .	— 2	— 8	4 10	Discolor . . . . .	— —	— 4	2 —
Secrétaire Nicolas . . . . .	— 4	3 —	— —	Sanguinea . . . . .	— —	— 3	2 —
Th. S. Ware . . . . .	— 4	2 10	— —	Sénateur Millaud, splendid . . . . .	— —	— 3	2 —
Victor Gaulin . . . . .	— 1	— 8	4 —	Mixed, red-leaved . . . . .	— —	— 3	2 —
<b>f. Yellow-flowered dwarf.</b>				<b>7. Older sorts, green-leaved.</b>			
Hugo Fuchs . . . . .	— 2	1 3	8 —	Brenningsii fol. var., splendid kind			
Mad. A. Blanc . . . . .	— 4	2 10	— —	with green, white striped leaves, in			
<b>g. The above Gladioli-flowered</b>				no way inferior to the C. indica			
<b>Cannas mixed.</b>				var. so much spoken of . . . . .	— —	— —	— —
Crozy's yellow-flowered, mixed . . . . .	— 5	3 3	24 —	Flaccida le Roi . . . . .	— —	— 2	1 3
" red-flowered, mixed . . . . .	— 7	4 10	40 —	Mixed, green-leaved . . . . .	— —	— 2	1 3
" red-leaved mixed . . . . .	— 8	5 8	48 —				
" all sorts mixed . . . . .	— 5	2 9	24 —				

## XIX. Bulbs and Roots.

Almost all of them can be joined in dry state to any other orders for seeds.

	10 pieces s. d.	100 pieces s. d.		10 pieces s. d.	100 pieces s. d.
Agapanthus umbellatus . . . . .	1 —	8 —	Colocasia antiquorum . . . . .	5 —	44 —
Amaryllis formosissima (Sprekelia) . . . . .	2 3	17 —	Crinum abyssanicum, 1 <sup>st</sup> size . . . . .	3 6	30 —
" Graveana (Hyppeastrum) . . . . .	7 —	60 —	" " 2 <sup>nd</sup> " . . . . .	3 —	25 —
Amorphophallus Rivieri . . . . .	6 6	— —	" capense (Amaryllis longifolia)		
Anemone japonica Honorine Joubert . . . . .	— 6	4 —	per 1000 60/—	1 —	7 6
Asclepias tuberosa . . . . .	4 6	— —	" " fl. albo . . . . .	1 3	14 6
Begonia hybrida gigantea, single, all			" erubescens . . . . .	6 —	56 —
colours mixed			" hybr. Todoraë . . . . .	4 —	35 —
per 1000 80/—	1 —	9 —	" lineare . . . . .	1 2	8 9
" " double			" Mac Owani, very fine . . . . .	8 6	76 —
per 1000 124/—	1 6	13 6	" Moorei . . . . .	5 —	40 —
Calla aethiopica . . . . .	1 3	12 —	" pratense . . . . .	1 —	8 9
" " compacta . . . . .	1 6	14 —	" Yemense, 1 <sup>st</sup> size . . . . .	5 —	44 —
" " gigantea . . . . .	3 —	26 —	" " 2 <sup>nd</sup> " . . . . .	3 6	31 —
" " Little Gem			Cyclamen neapolitanum per 1000 26/—	— 4	3 6
per 1000 52/—	— 9	6 —	" repandum per 1000 26/—	— 4	3 6
Chlidanthus Ehrenbergii . . . . .	— 6	4 —	Cyrtanthus Mc. Kenny . . . . .	3 —	26 —
			Eucomis punctata . . . . .	1 8	16 —

	10 pieces s. d.	100 pieces s. d.		10 pieces s. d.	100 pieces s. d.
Galtonia (Hyacinthus) candicans . . .	— 5	3 6	Lilium auratum . . . . .	10 6	88 —
Gladiolus Childsi, a new class, with very large flowers . . . . .	1 3	9 6	” speciosum album . . . . .	5 —	40 —
” Gandavensis, best sorts mixed per 1000 56/—	— 9	6 —	” ” roseum . . . . .	3 —	26 —
” ” Brenchleyensis per 1000 36/—	— 7	4 —	” ” rubrum . . . . .	3 —	26 —
” Lemoinei, best hybrids per 1000 44/—	— 8	5 6	” tigrinum . . . . .	1 3	11 6
Gladiolus Nanceianus, best sorts mixed per 1000 88/—	1 3	10 —	” ” fl. pl. . . . .	2 —	16 —
Gloxinia, mixed . . . per 1000 140/—	1 9	15 —	Lycoris aurea . . . . .	7 6	— —
Habranthus roseus . . . . .	2 —	17 —	” radiata . . . . .	1 3	10 6
Haemanthus coccineus . . . . .	10 6	— —	” Terracciani . . . . .	3 3	26 —
” natalensis . . . . .	13 —	— —	Moraea (Iris) Robinsoniana . . . . .	5 —	44 —
Hedychium coronarium . . . . .	3 3	26 —	Nerine undulata . . . . .	3 —	23 —
Hemerocallis aurantiaca major . . . . .	66 —	56 —	Ophiopogon Jaburan fol. aur. var. . . . .	4 —	32 —
” fulva . . . . .	1 —	8 —	Pancreatium maritimum . . . . .	— 5	3 6
Hymenocallis Harrisiana . . . . .	1 3	10 6	Pardanthus chinensis . . . . .	1 6	13 6
” undulata . . . . .	— 10	7 3	Phaedranassa chloracea . . . . .	1 3	10 6
Iris germanica, mixed per 1000 11/—	— 2	1 4	Ranunculus asiaticus superbissimus fl. pleno . . . . . per 1000 8/—	— —	1 —
” stylosa (unguicularis) per 1000 35/—	— 6	4 —	Rhodea japonica . . . . .	1 3	10 6
” ” alba . . . . .	— 8	5 6	” ” fol. var. . . . .	3 6	30 —
Kniphofia (Tritoma) best sorts mixed . . . . .	1 4	10 6	Ruscus Hippoglossum . . . . .	— 3	1 6
			Zephyranthes Atamasco per 1000 26/—	— 5	3 —
			” candida . . . . .	— 3	2 6
			” tubispatha per 1000 17/6	— 3	2 —

## XX. Asparagus-Plants.

	10 pieces s. d.	100 pieces s. d.	1000 pieces s. d.		10 pieces s. d.	100 pieces s. d.	1000 pieces s. d.
Acutifolius, evergreen, slightly climbing very suitable for decorative purposes	— 7	4 —	32 —	quick growth, splendid for decorating purposes, very much recommended	4 —	32 —	— —
Decumbens, a fine sort, climbing only ab <sup>t</sup> 3 feet high . . . . .	4 6	— —	— —	Sprengeri Rgl. Dam.			
Lucidus, a fine kind, standing the winter well with us; resembles somewhat the A. Sprengeri . . . . .	2 6	— —	— —	plants of 1 year from the open ground	— 2	1 6	12 —
Plumosus, strong plants . . . . .	2 6	20 —	— —	” ” 2 years ” ” ” ”	— 9	4 6	40 —
” nanus . . . . .	7 6	— —	— —	” ” 2 ” grown in pots . . . . .	1 3	9 —	— —
” superbus, a new kind of				” ” 3 ” from the open ground	— 9	5 9	52 —
				” ” 3 ” grown in pots . . . . .	3 —	25 —	— —
				” ” 4 ” ” ” ” . . . . .	7 —	— —	— —
				stronger plants according to the size from 1/6 to 8/— each			

## XXI. Aspidistra.

We can furnish sound and well-rooted plants from October to April; they are grown in the open ground and will be furnished without soil; they must, however, be sent by the quickest way possible. The plants will be packed very carefully in moss and cases, in order to prevent the leaves from getting damaged; they will, however, not all be ready for sale and part of them must be grown again in pots. The plants are undivided. Of course the plants with striped or spotted leaves produce sometimes also some leaves that are only slightly variegated or even green, which, as they belong to the plant, cannot be taken off and must consequently be charged as variegated ones. The plants are sent of course at buyer's risk, they are, however, packed so carefully that in our opinion they will stand well, even a prolonged journey. By parcel post we can forward baskets of 11 Lb. weight containing about 80 to 100 leaves for trial, but these will not give an exact idea of the quality, as large plants cannot for their size be sent as parcels.



Aspidistra.  
Electro 3/3.

	100 leaves s. d.	1000 leaves s. d.
Aspidistra elatior, green . . . . .	10 —	90 —
" " fol. var. . . . .	19 6	180 —
" " fol. punct. . . . .	16 —	— —

## XXII. Fruits of Lagenaria vulgaris.

These highly interesting fruits of many interesting shapes are not yet sufficiently known, although they are a most attractive object for show-windows, and at the same time a very salable article. The very often really gigantic fruits, for instance those of the Hercules club, are so decorative that they sell very readily, and there is no kind that is not highly decorative.

Assortment of 12 sorts . . . . . 8/—.

## XXIII. Cycas revoluta.

Small sound and good trunks (bulbs detached from the mother plant) grown here and therefore much better adapted to grow freely than those imported from warmer countries.

12 to 14 in. circumference . . . . .	10 <sup>d</sup> each
8 " 10 " " . . . . .	8 <sup>d</sup> "
6 " 8 " " . . . . .	7 <sup>d</sup> "

## XXIV. Raphia.

Best quality, very long, in original bales of about 2 cwt., per cwt. 48/—; smaller quantities —/7 per lb. Prices variable.

For larger quantities special prices will be quoted on application.

## XXV. Novelties for the season 1904 to 1905.

### Newly Introduced or New Flower Seeds.

⊙ = Annuals.

The price for 100 packets will be applied for orders of at least 25 packets.

We beg to inform our patrons that, in order to spare unnecessary labour, orders for seeds in packets will not be filled in as many single packets, but the corresponding weight or number will be sent in one lot.

⊙ **Centaurea Cyanus nana compacta Victoria**  
pure white.

A pure white variety of the fine dwarf Corn-flower, of a charming effect.

1 packet —/6 d; 100 packets 40/—.

⊙ **Crysanthemum segetum Gloria fl. pl.**

Of this fine kind with large yellow flowers we have obtained a form with equally large but very double flowers and recommend this really beautiful kind quite especially.

1 packet —/9 d; 100 packets 55/—.

## XXVI. Fruit Trees and Cuttings.

A special list of the best Italian kinds containing all that is worth being offered will be forwarded to our correspondents upon application.

## XXVII. Pictorial Seed Pockets.

All drawn from nature and artistically executed.—Empty.

### A. Vegetable Seeds, abt 4 × 2½ in.

If requested we shall have the firms' name printed on them, when several thousands are ordered at a time, at the rate of 1/9 per thousand.

Orders for at least 1000 per sort will be forwarded direct by our German Printer at 7/6 per 1000. Smaller quantities per sort will be sent by ourselves at 1/2 per 100. Less than 10 per sort will not be sold.

1	Basil, sweet green.	68	Lettuce, Cabbage, Nonpareil.
79	Beans, dwarf wax flageolet.	65	" " Rudolph's Favourite.
77	" " Crimson flageolet.	69	" " spotted (Trout).
78	" " Hinrichs speckled giant.	15	" " Stubborn-headed, large yellow.
79	" " Golden Butter Wax.	71	" " " " new brown.
46	Beet, Egyptian turnip, red.	70	" " Winter, Silverball.
80	Borecole curled dwarf green.	72	" " for picking, American brown curled.
81	" " " " purple.	25	Onion, Zittau, giant yellow.
22	Cabbage, Brunswick, large Drumhead.	23	Parsley, moss curled.
52	" " Winnigstadt.	29	" " turnip rooted, short.
30	Carrot, French early forcing.	24	" " long.
83	" " Early stump rooted Dutch.	57	Radish, early scarlet white tipped.
3	" " Nantes' early half-long scarlet.	98	" " half long scarlet.
6	Cauliflower, Erfurt earliest dwarf.	33	" " Winter, black round.
91	" " Veitch's autumn Giant.	56	Scorzonera, common.
7	Celeriac, apple-shaped.	11	Swede, white fleshed.
40	Cucumber, long green of Erfurt.	10	" " yellow green top.
41	" " very " " " "	90	" " purple top.
17	Endive, moss curled.	19	Tomato, large red.
44	Kohl-Rabi, purple very early Vienna.	39	Leek, Summer.
49	" " white " " "	38a	" " Carantan.
67	Lettuce, Cabbage, All the year round.	93	Turnip very early flat white Dutch.
12	" " " " early green stone-head.	36	Spinach long standing dark green.
66	" " " " Emperor forcing.	88	Savoy Drumhead, large late.
13	" " " " large Mogul.		" " Early dwarf Ulm.
301	" " " " brown Laibach Ice		

### B. Flower Seeds, abt 3 × 2 in.

Orders for at least 1000 per sort will be forwarded direct by our German Printer at 6/— per 1000. Smaller quantities per sort will be sent by ourselves at 1/— per 100.

Less than 10 per sort will not be sold.

1	<i>Acroclinium roseum</i> .	85	<i>Dahlia variabilis</i> , single mixed.
6	<i>Ageratum mexicanum</i> , blue.	40	Daisy, double mixed.
7	" " album, white.	97	<i>Dianthus chinensis</i> fl. pl., Indian Pink.
9	<i>Agrostemma coeli-rosa</i> .	101	" Heddewigi, mixed.
11	<i>Alyssum</i> , sweet.	104	" plumarius, common Pink.
12	" saxatile.	106	<i>Eschscholtzia californica</i> , yellow.
13	<i>Amaranthus caudatus</i> , fox-tail.	107	" " alba, white.
6a	" ruber, red.	161	Forget me-not, blue ( <i>Myosotis alpestris</i> ).
14	" tricolor.	110	<i>Gaillardia picta Lorenziana</i> , double.
17	<i>Antirrhinum majus</i> , Snapdragon, mixed.	303	<i>Gazania pygmaea lutea</i> .
18	" " nanum, " dwarf mixed.	112	<i>Godetia</i> , Duchess of Albany.
20	<i>Aquilegia vulgaris</i> fl. pl., mixed (Columbine).	114	" Lady Albemarle.
29	<i>Aster</i> , Anmuth, mixed.	49a	" The Bride.
32	" Comet, mixed.	113	" Whitneyi.
23	" Crown, mixed.	115	<i>Gomphrena globosa</i> , Globe Amaranth mixed.
34	" Dwarf, mixed.	121	<i>Helichrysum monstrosum</i> , double mixed.
35	" " Bouquet (Boltze), mixed.	125	<i>Heliotropium</i> , mixed.
30	" Liliput, mixed.	10	Hollyhocks, double mixed.
24	" Paeony Perfection, mixed.	128	<i>Humulus japonicus</i> , Japanese Hop.
26	" Quilled, mixed.	211	<i>Jacobaea</i> , double mixed.
33	" Victoria, mixed.	86	Larkspur, dwarf rocket.
133	Balsam, double mixed.	141	<i>Linum grandiflorum rubrum</i> , scarlet flax.
134	" rose-flowered double, mixed.	143	<i>Lobelia cardinalis</i> .
39	<i>Begonia</i> , tuberous-rooted single, mixed.	145	" <i>Erinus speciosa</i> Crystal Palace.
56	Blue-Bottle, mixed.	146	" " Emperor William.
184a	<i>Calampelis scabra</i> .	151	<i>Lupinus</i> , annual mixed.
45	<i>Calendula Meteor</i> .	152	<i>Lychnis chalconica</i> , scarlet.
50	<i>Campanula Medium</i> , single mixed (Canterbury Bell).	153	<i>Malope grandiflora alba</i> .
51	" " Wiegandi, yellow-leaved.	154	" " <i>purpurea</i> .
130	Candytuft, white rocket.	160	Marvel of Peru, mixed.
131	" large-flowering ( <i>Iberis coronaria</i> ).	176a	<i>Maurandia</i> , mixed.
132	" ( <i>Iberis umbellata purpurea</i> ).	196	<i>Mignonette</i> , common.
52	<i>Canna</i> , mixed.	197	" large-flowering, Golden Queen.
94	Carnation, extra double Border.	159	<i>Mimulus moschatus</i> (Musk.).
95	" double dwarf Vienna.	229	<i>Nasturtium</i> , climbing mixed.
93	" Margaret, mixed.	228	" dwarf mixed.
119a	<i>Centaurea moschata</i> .	226	" King of Tom Thumb.
67	<i>Chrysanthemum tricolor</i> , mixed.	165	<i>Nemophila insignis</i> .
68	" " <i>atrococcineum</i> .	168	<i>Nicotiana affinis</i> .
72	<i>Cineraria hybrida</i> , large-flowering, mixed.	171	<i>Oenothera Lamarckiana</i> .
73	<i>Clarkia elegans</i> , double mixed.	238	Pansies, best mixed.
76	<i>Cobaea scandens</i> .	239	" best English, mixed.
53	Cocks-comb, dwarf, mixed.	240	" large-flowering French, mixed.
54	" feathered, mixed.	246	" Emperor William.
302	" " "Preziosa".	247	" Lord Beaconsfield.
77	<i>Coleus</i> , best mixed.	249	" Odier.
186a	" <i>Verschaffeltii</i> var.	242	" <i>Schneewittchen</i> (snow-white).
78	<i>Collinsia bicolor</i> .	241	" <i>Trimardeau</i> .
79	" mixed.	174	<i>Perilla nankinensis</i> .
136	<i>Convolvulus major</i> , mixed.	175	<i>Petunia hybrida</i> , mixed.
80	" minor, mixed.	176	" " <i>grandiflora</i> , best mixed.
47	<i>Coreopsis Drummondii</i> .	181	<i>Phlox Drummondii</i> , mixed.
46	" <i>tinctoria</i> .	183	" " <i>grandiflora</i> , best mixed.
82	<i>Cyclamen persicum giganteum</i> , mixed.		



172	Poppy (Papaver Rhoeas), ranunculus, double, mixed	58	Stocks, ten week, mixed.
173	" " somniferum fl. pl., double mixed	59	" ten week, largeflowering, mixed.
188	Portulaca grandiflora, mixed.	60	" Winter or Brompton, mixed.
189	" " fl. pl., double mixed.	63	" Virginian, mixed.
191	Primula auricula, mixed.	137	Sweet Peas, mixed.
193	" veris (elatior).	88	" William, single mixed.
194	" chinensis fimbriata, fringed mixed.	89	" " double mixed.
195	Pyrethrum parthenifolium aureum, Golden Feather.	75a	Tagetes patula fl. pl., double French, Marigold, mixed.
202	Ricinus sanguineus.	220	" " nana fl. pl., double dwarf French Marigold mixed.
203	Salpiglossis variabilis, mixed.	221	" " striata fl. pl. double striped French Marigold.
205	Sanvitalia procumbens, double.	222	" signata pumila.
209	Scabious atropurpurea, double dwarf mixed.	231	Verbena hybrida, mixed.
212	Silene pendula, rose.	256	Zinnia elegans fl. pl., mixed.
214	" " ruberrima, red.	304	" " " " "Iris".
215	" " mixed.		
143a	" " compacta.		

## XXVIII. Pure South-Italian wines.

We have supplied for many years to our Continental friends different qualities of our fine Italian wines which have been very much appreciated owing to their excellent qualities and cheap prices. In order to meet the increasing demands we have made arrangements with several important wine growers, and are therefore in a position to offer the following qualities at moderate prices viz.

Red wines:	Shillings Per 22 Gallons	All pure and natural wines ready to be bot- tled. The prices are for 100 Litres or Kilosnet, equal to about 22 Eng- lish Gallons f. o. b.
Vesuvio, a mild Claret . . . . .	44	Naples — Casks extra. We do not accept orders for less than 50 Litres or about 11 Eng- lish Gallons per sort.
Syracusa, fiery, for medical purposes . . . . .	50	
Calabria, dry and strong . . . . .	44	Per 100 Litres or Kilosnet, equal to about 22 Eng- lish Gallons f. o. b. Naples, casks included. We do not supply any quantity under 25 Litres or about 5 English Gallons and a half of each kind.
Capri, dry . . . . .	56	
White wines:		
Ischia, much like Moselle . . . . .	40	These are added only when expressly ordered at following prices:
Stromboli, very fiery . . . . .	44	
Vesuvio, a favorite but strong wine . . . . .	44	for 400 Litres (about 88 English Gallons) 12/9
Capri, dry, very fine, like Chablis . . . . .	56	" 300 " " 66 " " 9/6
Lunch- and Dinner-wines:		" 200 " " 44 " " 7/3
Malvasia, white, strong and sweet, greatly appreciated . . . . .	124	" 100 " " 22 " " 5/6
Marsala, white, brand „England“, dry and much like Sherry . . . . .	104	" 50 " " 11 " " 3/3
Marsala, white, „Italy“, strong very fine . . . . .	88	<b>Seamers</b> to all parts of the world.
Porto, red, much like Portwine . . . . .	116	<b>Samples</b> of the different qualities are at the disposal of correspondents at a trifling cost. We respectfully invite our Patrons to give us a trial order with which they will be fully satisfied.

Price are understood for Cash with order, without any discount. The wines travel at buyer's risk and we do not answer for leakage, evaporation &c. Our responsibility ceases once the goods are on board.

### Casks:

are charged at first cost as follows:

of about 400 Litres (about 88 English Gallons)	21/6
" " 300 " " 66 " "	18/6
" " 200 " " 44 " "	13/6
" " 100 " " 22 " "	9/6
" " 50 " " 11 " "	5/3

### Double-casks:

These are added only when expressly ordered at following prices:

for 400 Litres (about 88 English Gallons)	12/9
" 300 " " 66 " "	9/6
" 200 " " 44 " "	7/3
" 100 " " 22 " "	5/6
" 50 " " 11 " "	3/3

**Seamers** to all parts of the world.

**Samples** of the different qualities are at the disposal of correspondents at a trifling cost. We respectfully invite our Patrons to give us a trial order with which they will be fully satisfied.

## XXIX. Best Olive-Oil for table use.

We offer the above of the very best quality, packed in a tin and a light wooden box of abt 11 lb. gross weight at 8/—, to be forwarded by parcel post; parcel-fee to all parts of England 2/3 d. per parcel of 11 lb.

## XXX. Tomato sauce

prepared from the best fresh fruits, keeping their natural flavour even for years.

tins of	200 Gr.	250 Gr.	400 Gr.	500 Gr.	1000 Gr.
= ab <sup>t</sup>	7 oz	8 <sup>3</sup> / <sub>4</sub> oz	14 oz	1 <sup>1</sup> / <sub>10</sub> lb.	2 <sup>2</sup> / <sub>10</sub> lb.
per tin	2 d.	3 d.	4 d.	5 d.	9 d.

**Dammann & Co.**

San Giovanni a Teduccio (Prov. of Naples).

*A List of all Electros published will be forwarded to our customers on application. It contains about 500 cuts. We shall charge for it 6 d which will however be deducted from the first invoice of electros.*

### Our **Bulb Catalogue**


is published in May every year and will be sent free of charge to all our correspondents.

## Contents.

	<i>page</i>		<i>page</i>
I. Vegetable Seeds . . . . .	1	XV. Palms . . . . .	51
II. Swede, Turnip and Mangel Wurzel . . . . .	13	XVI. Agave, Aloe, Yucca &c. . . . .	51
III. Sweet Herbs &c. . . . .	13	XVII. Stapelia . . . . .	52
IV. Clovers, Lucerne &c. . . . .	14	XVIII. Canna Roots . . . . .	52
V. Grasses . . . . .	14	XIX. Bulbs and Roots . . . . .	58
VI. Sundry Agricultural Seeds, and Seeds of Economical, Officinal Plants &c. . . . .	15	XX. Asparagus-Plants . . . . .	59
VII. Fruit Trees . . . . .	16	XXI. Aspidistra . . . . .	60
VIII. Seeds of Trees, Shrubs &c. . . . .	17	XXII. Fruits of Lagenaria vulgaris . . . . .	60
IX. Conifer Seeds . . . . .	19	XXIII. Cycas revoluta . . . . .	60
X. Palm Seeds . . . . .	21	XXIV. Raphia . . . . .	60
XI. Seeds of Annual, Perennial, Climbing, Hot-and-Green- House Plants . . . . .	21	XXV. Novelties of Flower Seeds . . . . .	61
XII. Seeds of Ornamental Grasses . . . . .	48	XXVI. Fruit Trees and Cuttings . . . . .	61
XIII. Seeds of Bulbs and Roots . . . . .	49	XXVII. Pictorial Seed Pockets . . . . .	61
XIV. Seeds of Cannas . . . . .	49	XXVIII. Pure Italian Wines . . . . .	63
		XXIX. Best Olive-Oil for table use . . . . .	63
		XXX. Tomato sauce . . . . .	64



# DAMMANN & Co.



*Offices.*



*Entrance to the Trial Grounds. (15 acres.)*

No. 154.  
1905—1906.

No. 154.  
1905—1906.



By appointment to his Majesty the King of Italy.

# DAMMANN & C<sup>o</sup>

Seed and Bulb Growers and Merchants

## SAN GIOVANNI A TEDUCCIO

near Naples, Italy.

Established 1877.



Awards obtained:

First Diploma of Honour at the Italian Exhibition, London, 1888.

Large Gold Medal of the Royal Academy of Naples for Improvements in Horticulture. 1890.

Three Medals at the Great Berlin International Horticultural Exhibition, 1890.



Aster Sada Yakko.



Awards obtained:

Diploma of Honour from the Botanic Society, Geneva. 1891.

Horticultural Exhibition, Naples 1892. 11 first Prizes, both the 2 Medals of the Government, Florence 1893. 1895.

Leipzig, large and small silver Medals 1893.

Chicago 1893. Naples 1895.



## General Price List

of Vegetable, Farm, Tree, Conifer, Palm, Flower and other Seeds, Canna Roots, Italian Fruit Trees, Plants, Novelties of Seeds &c. &c.

## Conditions of sale and important remarks.

All prices are quoted in Shillings and Pence (English currency) and to be understood for goods delivered and payable in San Giovanni a Teduccio net without discount at 3 months from date of invoice. Agricultural seeds at 30 days. This condition will not in the least be altered and remains valid even if we draw upon our customers.

We allow 2% discount on all amounts exceeding £ 10.—/—, if cash is remitted on receipt of goods. Smaller amounts are absolutely to be paid in cash.

Our prices being very low (which you will easily find out by comparing them with those of other reliable houses) we cannot deviate from the above condition.

Orders from unknown correspondents must invariably be accompanied by references to continental firms, or the approximate amount be remitted, otherwise orders will not be executed.

Prices are subject to variations and as many quotations are made before the final result of the crop is known we shall not hold ourselves liable for quantities.

We shall thank our Patrons if they will send in their orders on receipt of this list and more especially orders for seeds which have to be collected, such as seeds of Trees, Shrubs, Conifers etc. etc.

Almost all the seeds are grown under our special superintendence, but although we use the utmost care to have all seeds etc. pure and true to name yet we give no warranty expressed or implied as to description, quality, or any other matter connected with the goods we send out and we will not be in any way responsible for the crop. Moreover all our transactions are to be ruled by Italian law. Any claims if in spite of the great care we take there should be any, will, however, be taken into most liberal consideration, but we wish it to be understood, that in no case and under no circumstances we will be responsible beyond the price invoiced for each article. It is on these strict terms only that we offer any goods or execute orders, and in accepting the goods our clients implicitly acknowledge all these terms as binding.

This List cancels all previous quotations.

For quantities from 28 lb. upwards of one sort we quote the price for 1 cwt.; quantities of at least 1/4 lb. of one sort will be charged at the rate of 1 lb., quantities under 1/4 lb. will be charged at the price per oz, orders for smaller quantities than offered in this list will be charged at comparatively higher prices.

Any claims resulting from the invoice itself or from the merchandise, are to be made immediately on receipt thereof, else they can in no way be acknowledged.

### Shipping.

In order that our customers may have an idea of what they will have to pay for freight and shipping charges on our goods, we give the following approximate rates of freight and all charges (not including packing and insurance) from Naples — our establishment can be reached by Electric car in about half an hour from the centre of Naples — calculated on 500 Kilos or 10 cwt, which are, however, subject to variations:

To London and Liverpool board: about 2/3 d. per cwt. Freight for Beans to London, Liverpool, Hull etc. about 15 Shillings per ton. Fast Steamers by British India Line and others.

To New-York board: about 2/6 d. per cwt. (not in-

cluding insurance and consular charges). (Fast steamers by North German Lloyd, Hamburg-American, Anchor and Fabre Lines.)

To Australia, New-Zealand, India, China, Japan, South Africa, South America etc. etc., similar cheap rates by direct Steamers.

### Parcels

can be forwarded by post at the following rates: parcels up to 11 lb, (5 kilos) to:

<p><b>Australia:</b>                  New South Wales                      2<sup>1</sup>/<sub>5</sub> to 6<sup>1</sup>/<sub>2</sub> lb. 5/8                      6<sup>1</sup>/<sub>2</sub> " 11 " 7/8                  Queensland 11 lb. . . . 7/8                  Tasmania 2<sup>1</sup>/<sub>5</sub> to 6<sup>1</sup>/<sub>2</sub> lb. 5/8                      6<sup>1</sup>/<sub>2</sub> " 11 " 7/8                  Victoria 3<sup>1</sup>/<sub>2</sub> " 6<sup>1</sup>/<sub>2</sub> " 5/8                      6<sup>1</sup>/<sub>2</sub> " 11 " 7/8                  Canada 6<sup>1</sup>/<sub>2</sub> to 11 lb. . . 6/2                  Cape Colony . . . . . 9/5                  Ceylon . . . . . 4/—                  Dutch Colonies:                      Batavia, Padang, Samarang, Soerabaya . . . . 4/7</p>	<p><b>East India 11 lb. . . . . 4/—</b>  <b>Egypt . . . . . 1/6</b>  <b>Great Britain . . . . . 2/3</b>  <b>Hongkong . . . . . 5/6</b>  <b>Japan . . . . . 4/5</b>  <b>Malta . . . . . 1/6</b>  <b>Natal</b>                      2<sup>1</sup>/<sub>5</sub> to 6<sup>1</sup>/<sub>2</sub> lb. {via France} 6/5                      6<sup>1</sup>/<sub>2</sub> to 11 lb. {&amp; England.} 9/7                      6<sup>1</sup>/<sub>2</sub> to 11 lb. via Brindisi. 6/5  <b>Mexico via France . . . 3/2</b>                      " " Germany . . . 3/8                      " " " " . . . 7/8  <b>New Zealand 11 lb. . . 7/6</b>  <b>British South 6<sup>1</sup>/<sub>2</sub> lb. . 7/6</b>  <b>Africa and Transvaal</b>                      11 lb. 11/6</p>
---	--

U. S. of America, as per special list.

### Samples

to Great Britain and U.S.A., of 12 oz weight —/4, registered —/7 to all other countries " 9 " " —/3, " " —/6

### Postage

on letters . . . . . 2<sup>1</sup>/<sub>2</sub> d.  
 " post cards . . . . . 1 d.

Packing at first cost.

Goods travel entirely and exclusively at purchasers risk and we are therefore not responsible for any fault or deficiency arising during the voyage or from an eventual long duration of the same.

We shall however thank our correspondents to give us instructions as to the mode of forwarding, otherwise we shall send the goods by the way we think most convenient, without, however, taking any responsibility.

Insurance, if no other instructions are given, will be covered by us for amount of invoice, freight and charges added.

Our Patrons, by ordering, acknowledge the above conditions of sale.

### Electros.

On application we shall forward a list of all electros published at the charge of 6d which will be credited again on an eventual invoice of electros. These electros can be had from us at the prices indicated, but it is to be distinctly understood, that our customers use them exclusively for themselves and that they do not sell, lend or copy them. They will be forwarded through Messrs. Dammann & Co., Leipzig (Germany). Any breach of this agreement is liable to a fine of £ 5—/—.

Our establishment being the largest and oldest of its kind in Italy we can show our customers at any time a great many most interesting things and solicit the favor of a visit, when we shall be happy to show them our large crops of every description.

NB. We shall be glad to procure from reliable sources at reasonable prices any kinds of seeds which our friends may not find in our catalogue.

## Dammann & Co.


Cable address: DAMMANN, San Giovanni Teduccio.

A. B. C. CODE, IV<sup>th</sup> and V<sup>th</sup> edition used.

Telephone No. 28.

# I. Vegetable Seeds.

	per lb. s. d.	per cwt. s. d.
<b>Akekengi.</b>		
Eatable Winter-Cherry ( <i>Physalis edulis</i> )	4 —	— —
<b>Artichoke.</b>		
Large early purple Campania . . . . .	7 —	— —
„ „ green of Naples . . . . .	6 —	— —
„ green of Laon or Paris . . . . .	8 —	— —
Purple of Venice . . . . .	4 —	— —
„ Provence or purple French . . . . .	4 3	— —
Green „ „ green „ „ . . . . .	4 —	— —
Remontant, one of the finest; large, dark green without any spines; bears twice with us, i. e. in spring and autumn . . . . .	4 9	— —
Horatius . . . . .	4 6	— —
Of Modica, very large, glaucous, without spines . . . . .	4 6	— —
<b>Asparagus.</b>		
Giant of Erfurt . . . . .	— 8	— —
Purple Argenteuil . . . . .	— 10	70 —
Conovers Colossal . . . . .	1 —	95 —
Palmetto . . . . .	1 5	— —
Columbian White . . . . .	2 8	— —
Ivory, (Snow-head) new; very tender, remaining white even if shot up very high above the ground . . . . .	2 8	— —
<b>Basella.</b>		
White of Malabar ( <i>Basella alba</i> ) . . . . .	2 6	— —
<b>Beans.</b>		
<b>Broad Varieties.</b>		
Sevilla long pod . . . . .	— 4	18 —
Aguadulce, (Electro) the finest and largest; best stock; we have grown pods abt 12 in. long . . . . .	— 5	19 —
<b>Beans.</b>		
French or dwarf varieties. Crop extremely bad.		
Algiers black wax . . . . .	— —	— —
Best of All . . . . .	— —	— —
Black Belgian, excellent for forcing . . . . .	— —	— —
Canadian Wonder, excellent stock . . . . .	— —	16 —
Canterbury yellow . . . . .	— —	14 —
China . . . . .	— —	— —
Crimson flageolet . . . . .	— —	15 —
Fulmers early forcing . . . . .	— —	10 —
Golden Butter Wax, black seeded . . . . .	— —	— —
Hinrich's speckled giant . . . . .	— —	16 —
Hundred for one, small yellow, extremely prolific . . . . .	— —	15 6



Broad Bean Aguadulce.  
Electro 4 —.





	per lb. s. d.	per cwt. s. d.
Large blood-red Drumhead . . . . .	1 8	— —
Small „ early Dutch . . . . .	1 8	260 —
Pisa, a very early, splendid variety with large solid heads; very much adapted for warmer countries . . . . .	3 6	300 —
Early Mongibello . . . . .	2 —	— —
We recommend these last two sorts quite especially for warmer countries; they are splendid.		

### Savoy.

Drumhead, large late . . . . .	1 7	160 —
Early dwarf Ulm . . . . .	1 4	138 —
Marcelin . . . . .	1 4	142 —
Small early Vienna . . . . .	1 4	142 —
Victoria (Waterloo) . . . . .	1 4	142 —
<b>Caper Tree</b> , see Trees.		

### Capsicum.

#### Sweet varieties.

Cardinal, scarlet, fruits long . . . . .	1 10	— —
Columbus (Dam.) (Electro), red, of enormous size . . . . .	2 8	270 —
Columbus (Dam.), yellow . . . . .	1 10	— —
Elephant's Trump, red, splendid . . . . .	2 —	— —
Golden Dawn . . . . .	2 9	— —
Golden King (Nocera), most beautiful, very large fruit . . . . .	1 5	— —
Lucullus, Dam. new. About 10—12 inches high, producing on a vigorous stem a profusion of upright fruits forming a dense bouquet.		
red } each colour separate. . . . .	3 3	— —
orange }		
Maddaloni, of conical shape, very early . . . . .	1 9	— —
Mild red Harald. The fruits resemble much the Ruby King as to size, shape and color, but contrary to this latter kind the fruits stand perfectly upright above the leaves, a decided advantage over the other kinds, as the fruits are more exposed to the sun, thus ripening better and more quickly . . . . .	2 3	— —
Procop's Giant . . . . .	2 —	— —
Red pointed Calabrese. Extremely rich bearing, with large fleshy dark purple fruits reaching a length of about 7 inches ending in a point; quite a new form. . . . .	1 6	— —
Ruby King, red, splendid very large . . . . .	1 7	160 —
Sweet Mountain or Bull nose . . . . .	1 9	180 —
„ Spanish . . . . .	1 9	180 —
Taranto, Dam. new. Dwarf, compact producing a great number of fine deep-red middle-size fruits in an upright position, but its principal feature is their skin which		

is very thin, while their flesh is very thick, extremely sweet and of the finest flavour. In fact these qualities render this new and fine sort not only very valuable but even superior to most of the others . . . . .

Under different climatic and cultural conditions it happens that certain kinds of mild Capsicum turn hot.

### Capsicum.

#### Hot varieties for pickling.

Cayenne, red, long fruited . . . . .	1 8	— —
Celestial . . . . .	1 8	— —



Capsicum Columbus  
Electro 3/3.

Cherry, red . . . . .	1 6	— —
Japanese Cluster, scarlet and orange, fruits long . . . . .	2 2	— —
Kaleidoscope . . . . .	1 9	— —
Spanish or Guinea . . . . .	1 2	— —
Tom Thumb (producing fruits in clusters) red and yellow, each . . . . .	1 5	— —

### Cardoon.

Puvis, very fine and large, spineless . . . . .	1 6	— —
Bolognese, excellent . . . . .	2 —	— —
Alexander, (prickly) of enormous size . . . . .	2 —	— —
Prickly, solid . . . . .	1 6	— —

	Rubbed or clean Seed		Bearded Seed		per lb. s. d.	per cwt. s. d.
	per lb. s. d.	per cwt. s. d.	per lb. s. d.	per cwt. s. d.		
<b>Carrot.</b>						
Please state if you desire „Rubbed“or „Bearded“ Seed.						
Altrinckham, long scarlet	1 3	125 —	1 1	110 —		
Chantenay, half long	1 3	125 —	1 1	110 —		
Carentan, early, half long, scarlet	1 3	125 —	1 1	110 —		
Early Gem (Oxheart-Guerande)	1 3	130 —	1 3	110 —		
Early scarlet Horn	1 5	145 —	1 3	130 —		
French early forc. Horn	1 5	145 —	1 3	130 —		
Half long Luc, stump-rooted	1 3	125 —	1 1	110 —		
James Intermediate, half long scarlet, pointed	1 3	130 —	1 3	110 —		
Nantes, early half long scarlet, stump-rooted	1 —	100 —	1 2	106 —		
St. Valery, long red	1 1	105 —	1 —	95 —		
Stump-rooted, half long scarlet	1 2	120 —	—	—		
Surrey long, red	1 9	165 —	1 7	145 —		
White Belgian, green top	— 10	75 —	— 10	68 —		
„ Vosges, thick, short	— 9	80 —	— 8	75 —		

**Cauliflower.**

We grow Cauliflower seed on a very large scale (about 70 acres).

**Italian varieties.**

**Dammann's Primus**, (earliest short-stemmed Italian Giant), very early, most beautiful large, white, solid heads . . .

**Eclipse, true**, short-stemmed (crop failed)

**Earliest Italian Giant** „Non plus ultra“

**Dammann's Secundus**, the best intermediate sort, short-stemmed, with extremely firm white heads . . .

**Veitch's Autumn Giant** . . .

„ „ „ improved, about 3 weeks earlier than the old sort . . .

**Algiers Giant, late** . . .

**Late Asiatic** . . .

„ Italian Giant (Veitch's self protecting Broccoli) . . .

**Giant Malta** . . .

**Cauliflower.**

**English, French and German varieties grown in Italy. Finest seeds.**

Erfurt earliest Dwarf . . per oz 1/3

Snowball, very fine . . . „ „ 1/3

Montblanc, of the Snowball type; quite dwarf, pure white and solid heads (crop failed)

Imperial early . . .

per lb. s. d. per cwt. s. d.

4 3 — —

— — — —

2 9 280 —

3 3 — —

2 3 230 —

2 9 290 —

2 4 240 —

2 4 240 —

2 4 240 —

2 4 240 —

18 — — —

18 — — —

9 — — —

6 — — —

Early Paris or small Salomon . . .	5 —	— —
Large white Erfurt . . .	3 3	340 —
Early Dutch . . .	4 6	— —
„ London . . .	4 6	— —
Lenormand large . . .	4 6	— —
„ short-stemmed, true . . .	8 —	— —
Large Salomon . . .	4 6	— —
Stadtholder . . .	4 6	— —
Walcheren, true . . .	4 6	— —

**Cauliflower.**

Imported seed, from our special growers.

Erfurt earliest dwarf, for forcing, finest quality . . per oz 4 —	60 —	— —
Snowball, large, very firm white heads, superior stock . . „ „ 3 —	40 —	— —

**Celery.**

De Candolle } these Italian varieties arc	1 2	— —
Folgore } quite extra	1 2	— —
Henderson's White Plume . . .	1 3	— —
Large dwarf white solid . . .	1 —	— —
Leicester Red . . .	1 6	— —
Pascal, very large . . .	1 —	— —
Sandringham white . . .	1 —	— —
Chemin, golden yellow . . .	1 7	— —
<b>Soup Celery</b> . . .	— 7	45 —

**Celeriac or Turnip-rooted Celery.**

Erfurt . . .	1 4	— —
Giant of Prague . . .	1 6	— —
Ne plus ultra, Paris white . . .	1 6	— —
Apple-shaped . . .	1 2	— —

**Chervil.**

Common or plain . . .	— 6	— —
Curled . . .	— 7	— —

**Chicory.**

Common (Barbe de Capucin) } excellent	— 7	52 —
Improved very large-leaved } for	— 9	— —
Brussels or Witloof } salad	— 9	76 —
Large-rooted Brunswick . . .	— 9	76 —
Asparagus, an excellent Italian variety quite different from any other; leaves and stalks give a most wholesome and refreshing salad when cooked and served cold . .	1 3	— —

**Corn, Sweet or Sugar.**

Adam's, extra early . . .	— 5	30 —
Crosby's early . . .	— 5	30 —
Cory early (red Cob) . . .	— 5	30 —

	per lb. s. d.	per cwt. s. d.		per lb. s. d.	per cwt. s. d.
Early Minnesota . . . . .	— 5	30 —	Bonneuil, white very large . . . . .	1 7	— —
Egyptian . . . . .	— 5	30 —	Russian small (Murum) . . . . .	1 4	— —
Mammoth . . . . .	— 5	30 —	„ netted . . . . .	1 5	— —
Moore's early Concord . . . . .	— 5	30 —	Cucumis flexuosus (Snake) . . . . .	2 6	— —
Perry's Hybrid . . . . .	— 5	30 —	Persian Cluster (Dam.), very early, ripening in about 5 weeks, about 8 inches long, dark green, very slightly prickly; very fine . . . . .	2 —	— —
<b>Cornsalad.</b>			Bedfordshire Prize Ridge . . . . .	2 —	— —
Small-seeded green . . . . .	— 10	80 —	Stockwood extra . . . . .	2 —	— —
Large-seeded round-leaved Dutch . . . . .	— 10	78 —	Unicum, new; of medium size, thick, green, stands all atmospheric influences extreme- ly well . . . . .	4 —	— —
Italian (Valleriana coronata, Régence) . . . . .	— 9	65 —	Fordhook, fruit dark green, smooth, straight, very fleshy, about 12 to 16 in. long, con- taining very few seed, this new sort is extre- mely productive and really one of the finest	2 6	— —
<b>Cress</b> (1 bushel = abt 1/2 cwt.).					
Common or plain . . . . .	— 5	35 —	<b>Cucumber.</b>		
Curled . . . . .	— 7	45 —	(Frame Varieties.)		
American Winter . . . . .	1 —	— —	Gladiator long green . . per oz —/—	— —	— —
<b>Water Cress</b> . . . . .	2 6	— —	Rollisson's Telegraph . . „ „ 1/3	— —	— —
<b>Cucumber.</b>			Arnstadt white Giant, } very per oz 1/6	— —	— —
(Open ground varieties.)			„ green „ } fine „ „ 1/3	— —	— —
Long green . . . . .	1 6	— —	Hampel's Forcing . . . . .	— —	— —
„ „ Italian, very fine and pro- ductive . . . . .	1 6	— —	Prescot Wonder . . . . .	— —	— —
„ „ of Athens, or Greek . . . . .	1 8	— —	Noa's Forcing . . . . .	— —	— —
„ „ English prickly . . . . .	1 8	— —	Indefatigable . . . . .	— —	— —
„ „ Bismarck, white-spined . . . . .	1 9	— —	Jewel of Koppitz . . . . .	— —	— —
Long green Goliath . . . . .	1 9	— —	Old cucumber seed . . . . .	— 3	16 —
„ „ prolific . . . . .	1 6	— —	Chamber Cucumber, very early, climbing very little, highly productive; can be grown well indoors in any room near the window . . . . .	1 9	— —
„ „ white spine . . . . .	1 9	— —	<b>Dandelion.</b>		
Very long yellow Dutch . . . . .	1 7	— —	Common . . . . .	1 3	— —
Paris pickling . . . . .	1 1	— —	Improved thick-leaved or cabbaging . . . . .	4 9	— —
Small pickling Bourbonne . . . . .	1 4	— —	Improved Moss . . . . .	4 4	— —
Japanese green climbing . . . . .	2 —	— —	<b>Egg Plant.</b>		
Formosa climbing (Dam.), very early and enormously prolific, of splendid flavour. Fruit smooth, dark green, slightly black spotted; flesh white, very solid . . . . .	2 —	— —	Barbentan long early . . . . .	2 —	— —
Yokohama climbing (Dam.). A most beautiful late sort; the foliage never suffers from disease. The fruits are cylindrical, bright green and very slightly spined or prickly. Later, if ripe, they turn brighter, almost into wax colour. Flesh white solid. Bears most abundantly . . . . .	2 9	— —	Purple dwarf very early . . . . .	2 8	— —
Corosan climbing (Dam.). The "ne plus ultra" of productiveness as it bears most abundantly and never suffers from diseases. Fruit dark green, bright green striped and very slightly prickly, with a curious knot at the extremity. Flesh white, of finest flavour and never bitter . . . . .	2 —	— —	Black Nagasaki (Dam.), dwarf very early and prolific . . . . .	2 7	— —
Giant of Quedlinburg . . . . .	1 5	— —	Black Snake. New and very interesting. Pro- ducing an abundant number of cylindrical dark purple almost black fruits about 12 in. long of the very best flavour . . . . .	2 6	— —
Sikkim, long Turkish . . . . .	2 —	— —	Dammann's „Délicatesse“ (Electro) the earliest, pear-shaped; quite an enormous bearer . . . . .	2 7	— —
The Prince's Cucumber, fruits short, about 6—8 in. cylindrical smooth, light green, very fleshy and solid, extremely prolific and highly to be recommended . . . . .	1 7	— —	Purple large early . . . . .	2 —	— —
			„ round . . . . .	2 7	— —
			„ long of Palermo . . . . .	2 —	— —
			„ giant . . . . .	3 —	— —
			Black China (Peking) . . . . .	3 —	— —
			New York Giant . . . . .	4 9	— —

	per lb. s. d.	per cwt. s. d.
Long white China . . . . .	1 8	— —
Round white . . . . .	2 —	— —
All sorts mixed . . . . .	1 9	— —
<b>Endive.</b>		
Small green curled summer . . . . .	1 2	— —
Large green curled . . . . .	1 2	— —
Moss curled . . . . .	1 4	— —
Rouen or Staghorn . . . . .	1 2	— —
Ruffec curled . . . . .	1 2	— —
Pancaliere curled . . . . .	1 3	— —
Ever-white curled . . . . .	1 5	— —
Imperial curled . . . . .	1 3	— —
Green fine curled winter Meaux . . . . .	1 1	— —
Carter's Model . . . . .	1 4	— —



Egg Plant, Damman's „Délicatesse“.  
Electro 3/—.

Batavian (Scarole) green . . . . .	1 2	— —
„ white . . . . .	1 2	— —
„ of Naples, excellent . . . . .	1 3	— —

**Garlic.**

Large Naples . . . . .	— 3	12 —
------------------------	-----	------

**Gourd.**

Eatable sorts see *Vegetable Marrow*.

Ornamental sorts see *Cucumis*, *Cucurbita*, *Lagenaria*.

**Ice Plant**, see *Sweet Herbs*.

**Kohl-Rabi.**

Grown exclusively from selected stock.

	per lb. s. d.	per cwt. s. d.
White ordinary . . . . .	1 —	— —
„ very early Vienna, short-leaved . . . . .	1 2	— —
„ of Prague, the finest of all . . . . .	1 5	— —
Purple ordinary . . . . .	1 2	— —
„ very early Vienna, short-leaved . . . . .	1 2	— —
White Goliath, extremely large . . . . .	1 —	— —
Purple „ „ „ . . . . .	1 2	— —
Curled of Naples . . . . .	1 —	— —

**Leek**

(Grown from selected stocks).

Musselburgh (Scotch stock seeds) . . . . .	2 2	— —
Large Rouen winter . . . . .	1 6	160 —
Monstrous Carentan . . . . .	1 6	160 —
Large Brabant . . . . .	1 6	160 —
The Lyon . . . . .	1 6	160 —



Leek, Giant Italian Winter.  
Electro 2/4.

Broad London flag . . . . .	1 6	152 —
Giant Italian Winter (Electro) . . . . .	1 4	132 —
„ Ostia, dark green . . . . .	1 6	— —
Bulgarian, very long . . . . .	2 4	— —
Giant of Palermo, glaucous, the largest . . . . .	1 6	— —

These last 3 Italian sorts are most beautiful, producing enormous plants; they will give satisfaction everywhere and more especially in warmer countries.

**Lettuce.**

w. s. = white seed; bl. s. = black seed;  
y. s. = yellow seed.

**Cabbage varieties.**

a) Spring varieties.


Boston Market or white Tennisball, w. s. . . . .	1 6	— —
Golden Yellow Stonehead or Golden Ball w. s. . . . .	1 6	— —
Wheeler's Tom Thumb; bl. s. . . . .	1 4	135 —

	per lb. s. d.	per cwt. s. d.
Egg, small early, w. s. . . . .	1 3	— — —
Dippe's Emperor, w. s. . . . .	1 4	— — —
<b>b) Summer varieties.</b>		
All the year round, w. s. . . . .	1 3	— — —
" " " " bl. s. . . . .	1 5	142 —
Nonpareil, w. s. . . . .	1 3	— — —
Stubborn-headed large yellow (Trotz- kopf) w. s. . . . .	1 3	120 —
Stubborn-headed new brown (brown Trotzkopf) w. s. . . . .	1 4	125 —
Small dark red, bl. s. . . . .	1 5	— — —
Golden spotted, w. s. . . . .	1 6	— — —
Dippe's yellow solid (yellow-seeded Butter) y. s. . . . .	1 4	— — —
Rudolph's Favourite, w. s. . . . .	1 7	— — —



Dammann's Ice Lettuce.  
Electro 3/—.

	per lb. s. d.	per cwt. s. d.
May-King, a new and very recommendable sort both for the cold frame and the open Ground; heads firm and solid of a yellow- greenish colour; stands well even the worst weather . . . . .	2 10	— — —
Dammann's Ice Lettuce, w. s. (Electro) larger than the former and of the finest flavour, quite excellent; requires a good loamy soil	1 6	— — —
Italian Ice Lettuce, w. s., also very large, and solid, yellow; remarkably fine . . . .	1 6	— — —
Improved Tyrolese, new (Dam. 1890) (Electro). The heads are of enormous size and firm as a stone, leaves same as the ribs very tender. A special charac- teristic of this beautiful new sort are its leaves, the borders of which are fringed or serrated quite peculiarly. Our cut gives a pretty accurate idea of it . . . .	1 9	— — —



Improved Tyrolese Cabbage Lettuce.  
Electro 3/—.

Large yellow market, w. s. . . . .	1 3	— — —
Albano, seed light brown . . . . .	1 2	— — —
Genezzano, (Continuity, Jewel) bl. s. of a bronzy colour outside and creamy white inside; stands the greatest heat, is very solid and at the same time very tender, scarcely pro- duces any seed; the finest sort that exists per oz —/7	7 3	— — —
Green Unctuous, bl. s. . . . .	1 2	— — —
White Giant, bl. s. new, Dam. 1901. Of quite an unusually large size while at the same time the heads are extremely tender and of the finest flavor. The color of the leaves is of a tender green changing into yellow toward the centre . . . . .	1 4	130 —
Malta Drumhead, w. s. . . . .	— 9	80 —
Batavia white, w. s. . . . .	1 3	120 —
" green, w. s. . . . .	1 3	— — —
Chou de Naples, w. s. . . . .	1 6	155 —
Ice Lettuce of Laibach (Iceberg), w. s.	1 6	— — —

### c) Winter varieties.

Brown German Winter, w. s. . . . .	1 1	— — —
Green German Winter, w. s. . . . .	1 1	— — —
Besson or Marvel, bl. s. . . . .	1 4	— — —

### Varieties for picking and cutting.

American brown curled, w. s. . . . .	1 2	120 —
Australian yellow curled, w. s. . . . .	1 2	120 —

### Cos varieties.

Balloon, bl. s. . . . .	1 1	— — —
Brown Bath, bl. s. . . . .	1 1	110 —
Frascati, w. s. White self-folding, most excellent	1 3	— — —
Paris white, w. s. . . . .	1 3	— — —
" Green, w. s. . . . .	1 1	— — —
Potenza, w. s. of enormous size and most excel- lent; leaves very numerous, white, bronze, self- folding, very solid; does not easily run to seed	1 1	— — —



	per lb. s. d.	per cwt. s. d.
Coimbra, roundish or flattened, of rosy colour	1 8	— —
Prizetaker . . . . .	3 9	— —
Red Wethersfield . . . . .	3 6	— —
James long keeping . . . . .	3 6	— —
Magnum Bonum . . . . .	3 6	— —
Trebons . . . . .	3 6	— —
White Spanish . . . . .	2 6	— —
Brown " . . . . .	2 3	— —
White Lisbon (special price on application)	— 10	80 —
" round Dutch . . . . .	1 9	180 —
Danvers yellow . . . . .	3 6	— —
Zittau giant, yellow or pale red . . . . .	3 6	— —
" " red . . . . .	3 6	— —

**Orach**, see Spinach.

### Parsley.

Common or plain . . . . .	— 7	44 —
Curled . . . . .	— 7	48 —
Myatt's dwarf . . . . .	— 9	70 —
Moss-curled Champion . . . . .	— 7	44 —
Italian large-leaved (Celery-leaved)	1 8	— —
Giant of Eboli (Dam.) . . . . .	2 —	— —

Both very large, especially the last one, resembling almost the Celery; we recommend these 2 sorts quite particularly.

Turnip-rooted long . . . . .	1 —	95 —
" " short . . . . .	1 —	95 —

### Parsnip.

Long smooth . . . . .	— 5	40 —
Round . . . . .	— 5	40 —
Hollow crown . . . . .	— 7	50 —
Elcombe's improved . . . . .	— 6	50 —
Sutton's Student . . . . .	— 7	50 —
Dobbie's selected . . . . .	— 6	50 —

### Peas.

Prince Albert (of Paris) . . . . .	— 4	24 —
Caractacus . . . . .	— 5	26 —
Express, green . . . . .	— 5	30 —
Fillbasket (Laxton) . . . . .	— 5	32 —
White Victoria . . . . .	— 5	26 —
De Grace . . . . .	— 6	30 —

### Peas (Wrinkled Varieties).

Champion of England . . . . .	— 6	40
Telephone . . . . .	— 6	40
Knight's . . . . .	— 6	40
Laxton's Alpha . . . . .	— 6	42
Stratagem . . . . .	— 6	40
American Wonder . . . . .	— 6	40
William Hurst . . . . .	— 8	50

(Any other English, French or German &c.

Peas can be supplied in best quality at same or lower prices than those of other respectable firms.)

### Radish

(saved from transplanted roots).

	per lb. s. d.	per cwt. s. d.
Turnip early scarlet . . . . .	— 10	70 —
" early scarlet white-tipped . . . . .	— 10	60 —
" early white . . . . .	— 10	74 —
" very early yellow . . . . .	— —	— —
" early deep scarlet . . . . .	— 10	70 —
" " " white-tipped . . . . .	— 10	60 —
Olive-shaped scarlet . . . . .	— 10	60 —
" " " white-tipped (French breakfast) . . . . .	— 10	65 —
" " early deep scarlet . . . . .	— 10	70 —
" " " " " white-tipped (new) . . . . .	— 10	70 —



Tomato semperfructifera.  
Electro 3/—.

Long scarlet or short top . . . . .	— 11	— —
" Wood's early frame . . . . .	— 11	80 —
" white Naples . . . . .	1 —	90 —
" scarlet " . . . . .	1 —	90 —
Summer black turnip . . . . .	— 9	78 —
" long . . . . .	— 9	78 —
Winter Spanish black round . . . . .	— 9	78 —
" " " long . . . . .	— 9	78 —
" scarlet China . . . . .	— 9	75 —

### Rhubarb.

Myatt's Victoria . . . . .	2 —	— —
Prince Albert . . . . .	2 —	— —
Salsify, Mammoth Sandwich Island . . . . .	4 9	— —
" ordinary . . . . .	4 —	— —

### Scorzonera.

Common . . . . .	2 7	— —
Large Russian . . . . .	3 1	— —
Sea-Kale (Crambe maritima) . . . . .	2 6	— —

	per lb. s. d.	per cwt. s. d.
<b>Spinach.</b>		
Prickly or winter (prickly seed) . . . . .	5	28
Monstrous Viroflay (round seed) . . . . .	5	27
Round-leaved large Dutch (round seed)	5	26
Victoria, dark green . . . . .	5	30
Lettuce leaved (round seed) . . . . .	5	26
Long-standing, round seed . . . . .	5	25
New Zealand (Tetragonia expansa) . . . . .	8	60
Mountain Spinach or Orach, white . . . . .	6	—

	per lb. s. d.	per cwt. s. d.
<b>Swiss Chard.</b>		
Silver-ribbed (yellowish white) . . . . .	7	48
” ” curled . . . . .	7	48
Chilian scarlet-ribbed . . . . .	10	—
” yellow-ribbed . . . . .	9	70

	per lb. s. d.	per cwt. s. d.
Excelsior . . . . . per oz	—/5	3 5
Ficarazzi (Dam.) the earliest of all per oz	—/2	1 3
Frogmore selected . . . . . per oz	—/5	3 9
Goldball (Dam. 97) golden yellow; fleshy; velvety skinned . . . . . per oz	—/5	4 —
Ham Green Favorite . . . . . ” ”	—/5	4 —
King Humbert (Dam.) red; well-known fine sort . . . . .	—	8 55
King Humbert (Dam.) golden-yellow; the finest of all yellow sorts . per oz	—/3	2 9
King Humbert (Dam.) white (wax); very prolific and of fine flavour . per oz	—/3	2 9
Large red . . . . .	—	9 65
” ” early dwarf . . . . .	2	—
” yellow . . . . .	3	6
Mayflower . . . . . per oz	—/5	3 2



Vegetable Marrow, Neapolitan Cocozzella.  
Electro 3/3.



Cocozzella of Tripoli.  
Electro 3/—.

	per lb. s. d.	per cwt. s. d.
<b>Tomato.</b>		
(Speciality of our firm.)		
Alice Roosevelt, new, very large round smooth fruits, dark scarlet, very early per oz	—/10	8 —
Acme, large purple . . . . .	—	3 3
Aurora (Dam. 97) apple-shaped, orange- yellow; flesh solid . . . . . per oz	—/5	3 6
Cardinal . . . . . per oz	—/5	3 9
Carter's Duke of York . . . . . ” ”	—/5	3 9
Challenger, very large, scarlet; very pro- ductive . . . . . per oz	—/5	3 6
Chemin, one of the finest sorts . . . . . ” ”	—/5	3 6
Cherry-shaped, red . . . . . ” ”	—/4	2 9
Conqueror . . . . . ” ”	—/5	3 9
Enormous, an American sort, fruits of an enormous size, containing very few seeds per oz	—/8	6 9

Meteor (Dam.) very dwarf; needs no sticks; fruits large, smooth, scarlet, solid per oz	—/6	4 6
Mikado, purple . . . . . ” ”	—/6	5 10
” scarlet . . . . . ” ”	—/6	5 10
Non plus ultra (Dam.) large red . . . . . ” ”	—/3	3 3
Northlight (Dam.) upright; fruit not very large, round carmine-red; flesh solid per oz	—/6	4 9
Perfection . . . . . ” ”	—/5	4 3
Pine Apple (Dam.) round, golden-yellow; enormous bearer . . . . . per oz	—/4	3 —
Ponderosa, true . . . . . ” ”	—/8	6 9
President Garfield . . . . . ” ”	—/5	4 9
Prince of Naples (Dam.) fruits scarlet, of enormous size, flat-round, slightly ribbed per oz	—/6	4 6
Red Apple . . . . . ” ”	—/4	3 2



	per lb. s. d.	per cwt. s. d.
Ruby, large red early . . . per oz —/5	3 6	— —
Semperfructifera (Dam.) (Electro) enormously prolific, bearing large clusters of plum-shaped scarlet fruits (often 50 to one cluster). With us the first fruits are ready in May and the plants continually produce them almost until Xmas; they are rather small, but solid and of the finest flavour; per oz —/6	4 9	— —
Skamander (Dam.) upright, large purple fruits like those of Woodgate Hero, from which it descends . . . per oz —/6	4 9	— —
Stone, improved, enormous fruits, round, bright scarlet, smooth, fleshy, excellent flavour; the improved sort produces very few seeds . . . per oz —/6	5 3	— —
Trophy, red . . . . . " " —/5	4 —	— —
All sorts mixed . . . . .	1 5	— —

**Turnip (Garden).**

Very early flat white Dutch . . . . .	— 10	75 —
Golden Ball . . . . .	— 9	75 —
Munich early purple top . . . . .	1 —	110 —
Early red top strap-leaved American stone . . . . .	— 8	65 —
Early white top strap-leaved American stone . . . . .	— 8	65 —
Milan purple top strap-leaved very early . . . . .	1 3	110 —
Milan white top extra early, new . . . . .	1 4	120 —
Early flat red top . . . . .	— 9	55 —
„ Snowball . . . . .	— 9	70 —
Jersey white . . . . .	— 9	55 —
„ Lily Turnip . . . . .	— 10	— —
Chirk Castle black stone . . . . .	— 9	68 —

**Vegetable Marrow.**

Vegetable Marrow long green Bush or Neapolitan Cocozzella, green and yellow striped (Electro) . . . . .	1 2	100 —
Vegetable Marrow, English (à la moelle anglais) . . . . .	1 4	— —
Neapolitan Portmanteau green . . . . .	1 2	90 —
Italian white Mushroom (Champignon) Dam. . . . .	2 —	— —
Marrow early golden Bush . . . . .	1 10	— —
„ Squash Hubbard . . . . .	1 10	— —
Long white Bush Marrow . . . . .	1 5	— —
Large yellow gourd or yellow Mammoth . . . . .	1 9	— —
„ white „ „ white „ . . . . .	2 7	— —
„ red „ „ red „ . . . . .	2 3	— —
„ green „ „ green „ . . . . .	2 3	— —
Cocozzella of Tripoli (Electro) . . . . .	1 9	— —
„ „ „ white . . . . .	1 9	— —
„ „ Molfetta, dwarf, with long yellowish-white fruits; very fine . . . . .	1 7	— —

	per lb. s. d.	per cwt. s. d.
Cocozzella of snow-white Belmonte (Dam.) (Electro). Dwarf with long white fruits; particularly fine . . . . .	2 6	— —
Charles Naudin (Cucurbita moschata) (Dam.) a beautiful sort, slightly climbing, with round white-striped white-fleshed fruits and large silvery seeds . . . . .	2 9	— —
Scarlet Chinese Sugar, fruits round with scarlet rind; flesh very solid and sweet . . . . .	2 4	— —
Wonder, new; very early and prolific; round, of medium size; the seeds have no shell as those of other kinds but only a very soft skin . . . . .	1 9	— —
King's Acre Cream . . . . .	2 —	— —
Pen-y-byd . . . . .	2 —	— —



Cocozzella snow-white Belmonte.  
Electro 3/3.

Neapolitan longest green running (Lagenaria leucantha longissima (Cocozzella da pergola) (Electro) when young, this sort furnishes quite an excellent dish; cut into pieces of ab <sup>t</sup> 3 in. long, take out the seeds, fill it up again with a stuffing of meat &c. boil, and serve with Tomato sauce . . . . .	2 4	— —
Moore's Vegetable Cream . . . . .	1 9	— —
Long green trailing . . . . .	1 7	— —
„ white „ . . . . .	1 9	— —
Whale, greyish green . . . . .	2 2	— —
Turkish Honey, new, Dam. 1901. The fruits which are orange-red veined with white grow to about 1/2 cwt. weight. Flesh chamois-yellow, very tender and sweet, and of delicious flavor, extremely fine for cooking. In Turkey this Pumpkin is greatly appreciated . . . . .	2 9	— —

## II. Swede, Turnip and Mangel Wurzel.

Prices variable.

	per lb. s. d.	per cwt. s. d.		per lb. s. d.	per cwt. s. d.
<b>Swede.</b>			<b>Mangel Wurzel.</b>		
Yellow green top . . . . .	— 9	56 —	Long red . . . . .	— 6	38 —
„ purple top . . . . .	— 9	56 —	„ yellow . . . . .	— 6	38 —
Laings yellow purple top . . . . .	— 9	50 —	„ Mammoth . . . . .	— 5	36 —
Skirvings „ „ „ . . . . .	— 9	50 —	Champion Yellow Globe . . . . .	— 6	42 —
<b>Turnip.</b>			Golden Tankard . . . . .	— 6	45 —
White Tankard, green top . . . . .	— 7	48 —	Oberndorf Yellow Globe . . . . .	— 6	38 —
Red „ . . . . .	— 6	45 —	„ Red Globe . . . . .	— 6	38 —
Pomeranian White Globe . . . . .	— 7	55 —	Olive-shaped Yellow or Intermediate .	— 6	44 —
Red Top Norfolk . . . . .	— 7	52 —	The seeds of <b>Swede, Turnip</b> and		
Green Top Norfolk . . . . .	— 7	50 —	<b>Mangel Wurzel</b> as offered above		
Carters Purple top Mammoth . . . . .	— —	— —	have been grown from best stocks; any		
Aberdeen purple top . . . . .	— —	— —	other sorts not enumerated will be sup-		
			plied also in reliable quality at cheapest		
			prices.		

## III. Sweet Herbs &c.

	per lb. s. d.	per cwt. s. d.		per lb. s. d.	per cwt. s. d.
Arachis hypogaea (Pea-nut; ground-nut) . . . . .	— 3	21 —	Fennel Morosini (Dam.) new; the largest, finest and sweetest; a first rate sort . . . . .	1 —	— —
Angelica (Angelica Archangelica) . . . . .	1 9	— —	These sweet Fennels are quite excellent and whoever tried them with us here, were very satisfied.		
Anise (Pimpinella Anisum) best of Apulia (South Italian) . . . . .	— 8	60 —	Horehound (Marrubium vulgare) . . . . .	1 10	— —
Balm (Melissa officinalis) . . . . .	2 —	— —	Hyssop Hyssopus officinalis . . . . .	2 —	— —
Basil sweet, large green . . . . .	1 —	— —	Ice plant (Mesembrianthemum cristallinum) . . . . .	2 3	— —
„ bush green . . . . .	1 —	— —	Lavender (Lavendula spica) . . . . .	1 4	— —
„ of Abyssinia (O. suave) excellent both for the kitchen and as a decorative plant (failed) . . . . .	2 —	— —	„ true (Lavendula vera) oz 1/5 . . . . .	6 —	— —
Basil purple dwarf curled . . . . .	1 4	— —	Marigold, Pot (Calendula officinalis) . . . . .	1 3	— —
Borage (Borago officinalis) . . . . .	— 10	80 —	Marjoram, sweet (Majorana hortensis) . . . . .	1 3	130 —
Burnet, Garden (Poterium hortense sanguisorba) . . . . .	— 7	— —	„ pot (Origanum vulgare) per oz — '6 . . . . .	5 10	— —
Caper Tree, see Tree Seeds (Capparis).			Mignonette, see Flower Seeds.		
Caraway (Carum Carvi) . . . . .	— 4	28 —	Mint, Mentha piperita, Peppermint . . . . .		
Chives (seed) . . . . . oz —/10	11 6	— —	„ „ aquatica . . . . . oz 6/3 . . . . .	— —	— —
Cardoon, see Vegetable seeds.			„ „ crispa . . . . . oz 3/9 . . . . .	— —	— —
Clary (Salvia sclarea) . . . . .	5 6	— —	„ „ Pulegium, (Penny-Royal) . . . . .		
Coriander (Coriandrum sativum) . . . . .	— 3	22 —	„ „ viridis, (Spear-Mint) the best for sauces per oz 2/6 . . . . .	36 —	— —
Cumin (Cuminum Cyminum) . . . . .	— 6	38 —	Okra, dwarf early . . . . .	1 7	— —
Dill (Anethum graveolens) . . . . .	— 8	65 —	„ „ improved . . . . .	1 9	— —
Fennel, Carosella of Naples (Foeniculum piperatum) . . . . .	1 3	— —	„ „ Egyptian (Hibiscus lutescens) . . . . .	1 6	— —
„ sweet Bolognese (Foeniculum dulce) . . . . .	1 —	— —	Purslain green (Portulacca oleracea) . . . . .	1 2	— —
„ largest sweet of Sicily, new . . . . .	1 —	— —	„ golden . . . . .	1 4	— —

	per lb. s. d.	per cwt. s. d.		per lb. s. d.	per cwt. s. d.
Pyrethrum cinerariaefolium per oz —/6	6 —	— —	Savory, Winter or perennial (Satujeja montana)	3 —	— —
Rampion (Raiponce) Campanula (Rapun- culus)	2 8	— —	Skirret	— —	— —
Rocket (Brassica Eruca, Eruca sativa)	— 7	48 —	Sorrel, broad-leaved French	1 4	— —
Rosemary (Rosmarinus officinalis)	3 4	— —	Tarragon, Russian (Artemisia Dracun- culus)	— —	— —
Rue (Ruta graveolens)	1 6	— —	per oz 1/8	— —	— —
Sage (Salvia officinalis)	2 —	— —	Thyme, Summer	3 2	— —
„ large-leaved	2 4	— —	„ German Winter	3 7	— —
Savory, Summer or annual (Satujeja hortensis)	1 3	— —	Wormwood (Artemisia Absinthium)	2 10	— —

### IV. Clovers, Lucerne &c. &c.

Prices variable; terms 30 days. Special quotations made for large quantities.

	per lb. s. d.	per cwt. s. d.		per lb. s. d.	per cwt. s. d.
Bird's foot Trefoil (Lotus corniculatus)	1 2	98 —	Melilotus coerulea	— 10	— —
Broom, common (Spartium scoparium)	— 5	29 —	Sainfoin, common (Hedysarum Onobry- chis) in husk	— —	18 —
„ yellow or Spanish (Spartium junceum)	— 6	35 —	Sainfoin, common (Hedysarum Onobry- chis) husked or milled (to be preferred, as the seeds grow more easily)	— 5	42 —
Clover, Alexandrium, white flowering, very much to be recommended	— 10	72 —	Sulla (Spanish Sainfoin, Hedysarum coronarium) in husk	— —	28 —
„ Alsike (Trifolium hybridum)	1 —	85 —	Sulla (Spanish Sainfoin, Hedysarum coronarium) husked or milled (to be preferred, as the seeds grow more easily)	1 8	165 —
„ Bokhara (Melilotus alba)	— 9	72 —	Sulla is one of the very best fodder plants for warmer countries. Ask for special circular on Sulla which will be sent free on application. Crop extremely bad	— —	— —
„ Crimson, scarlet or Italian (Trif. incarnatum) crop very small	— —	42 —	Tares, common or Spring Vetches (Vicia sativa), white-seeded	— —	14 6
„ red (Trifolium pratense)	— 9	64 —	„ black-seeded	— —	12 —
„ white ( „ repens)	1 1	90 —	„ Vicia villosa	— 6	36 —
Fenugreek (Trigonella foenum graecum)	— —	16 6	„ Faba arvensis	— —	14 —
Furze, Gorse or Whin (Ulex europaeus)	1 5	— —	„ „ equina (Horse Bean)	— —	14 —
Goat's Rue (Galega officinalis)	— —	20 —	Trefoil yellow, (Medicago lupulina)	— 5	35 —
Lathyrus Clymenum	— —	14 —	Yellow Sand Clover (Anthyllis vulneraria)	1 —	— —
Lentil, Spanish (Lathyrus sativus)	— —	14 —			
Lupins, white (Lupinus albus)	— —	10 —			
„ blue ( „ angustifolius)	— —	14 —			
Lucerne (Medicago sativa) best Italian, carefully sifted, fine quality	— 9	58 —			
„ hardy (Med. media)	— 11	90 —			
„ tree (Med. arborea), an excellent fodder plant for warmer countries as it resists even the greatest drought; we recommend this highly useful plant quite especially	1 2	95 —			

### V. Grasses.

Prices variable.

	per lb. s. d.	per cwt. s. d.		per lb. s. d.	per cwt. s. d.
Bent-Grass, creeping (Agrostis stolonifera)	— 7	48 —	Brome, Hungarian or awnless (Bromus inermis)	— 7	55 —
Bermuda-Grass	2 —	— —	„ soft or Bull Grass (Bromus mollis)	— —	20 —

	per lb. s. d.	per cwt. s. d.		per lb. s. d.	per cwt. s. d.
Brome, meadow ( <i>Bromus pratensis</i> ) . . . . .	— 8	48 —	Oats, tall ( <i>Avena elatior</i> ) . . . . .	— 9	55 —
Canary-Grass ( <i>Phalaris arundinacea</i> ) . . . . .	1 9	170 —	Rye-Grass, Italian ( <i>Lolium Italicum</i> ) . . . . .	— —	16 6
Cocksfoot, common ( <i>Dactylis glomerata</i> ) . . . . .	— 8	54 —	Rye-Grass, English ( <i>Lol. perenne</i> ) 28 lb. . . . .	— —	18 6
Crested Dogstail ( <i>Cynosurus cristatus</i> ) . . . . .	— 10	78 —	“ “ “ ( “ “ ) 26 lb. . . . .	— —	18 —
Fescue, hard ( <i>Festuca duriuscula</i> ) . . . . .	— 5	29 —	“ “ “ ( “ “ ) Pacey's . . . . .	— —	24 —
“ tall ( “ <i>elatior</i> ) . . . . .	— 7	44 —	Soft Grass, meadow, Honey gr. ( <i>Holcus lanatus</i> ) . . . . .	— 4	25 —
“ various-leaved ( <i>Festuca heterophylla</i> ) . . . . .	— 8	53 —	Sweet Vernal Grass ( <i>Anthoxanthum odoratum</i> ) true . . . . .	1 3	— —
“ sheep's ( <i>Festuca ovina</i> ) . . . . .	— 5	33 —	Sweet Vernal Grass common ( <i>Anthoxanthum odoratum Puellii</i> ) . . . . .	— 5	35 —
“ meadow ( “ <i>pratensis</i> ) . . . . .	— 5	36 —	Teosinte, ( <i>Reana luxurians</i> ) . . . . .	1 9	140 —
“ red or creeping ( <i>Festuca rubra</i> ) . . . . .	— 5	33 —	Timothy ( <i>Phleum pratense</i> ) . . . . .	— 5	35 —
Hair-Grass waved ( <i>Aira flexuosa</i> ) . . . . .	— 5	36 —	Lawn Grass . . . . .	— —	— —
Meadow, Foxtail ( <i>Alopecurus pratensis</i> ) . . . . .	— 9	58 —	Mixture for meadows, pastures &c. . . . .	— —	34 —
“ wood ( <i>Poa nemoralis</i> ) . . . . .	— 9	73 —	“ “ “ “ “ in- . . . . .	— —	36 —
“ smooth-stalked ( <i>Poa pratensis</i> ) . . . . .	— 7	54 —	“ “ “ “ “ cluding clovers &c. . . . .	— —	38 —
“ rough-stalked ( “ <i>trivialis</i> ) . . . . .	— 9	66 —	“ “ “ “ “ wet . . . . .	— —	38 —
Marram-, Reed-Grass ( <i>Arundo arenaria</i> , <i>Ammophila arundinacea</i> ) . . . . .	1 —	92 —	Please indicate nature of soil, expo- sure &c. &c.		
Millet, Pearl or cat-tail, ( <i>Pencillaria spicata</i> ) . . . . .	— 6	— —			

## VI. Seeds of sundry Agricultural, Economical, Official &c. Plants.

Prices variable. Special prices for large quantities.

	per lb. s. d.	per cwt. s. d.		per lb. s. d.	per cwt. s. d.
Barley, best Italian } very fine Italian	— —	13 —	Six weeks or Quarantine of Naples	— 2	10 —
“ Altamura } varieties . . . . .	— —	13 —	Seven-weeks or Cinquantine, yellow . . . . .	— 2	12 —
Canary-seed ( <i>Phalaris canariensis</i> ) . . . . .	— —	25 —	Yellow large of Naples . . . . .	— 2	10 —
Chamomile ( <i>Matricaria Chamomilla</i> ) . . . . .	2 7	— —	Pearl, white . . . . .	— 2	16 —
Cotton ( <i>Gossypium herbaceum</i> ), Neapolitan . . . . .	— —	13 —	Kansas King, giant white . . . . .	— 2	13 —
“ Mit Afifi } the 2 best Egyptian	— —	— —	In the husk, an interesting sort, the grains of which are wrapped up in a reddish hull . . . . . 10 spikes —/10	— 6	— —
“ Iwanowitch } varieties . . . . .	— —	22 —	The following are the best American varieties, which we can warmly recommend for their great productiveness.		
Cumin ( <i>Cuminum Cyminum</i> ) . . . . .	— 8	46 —	Jowa Gold Mine, yellow . . . . .	— 3	18 —
Cytisus proliferus ( <i>Tagasaste</i> ), valuable fodder plant for warmer countries. Soak the seed in hot water and when cold again it will grow easily . . . . .	2 6	— —	“ Silver “ white . . . . .	— 3	18 —
Flax, giant of Naples ( <i>Linum usitatissimum</i> ) . . . . .	— —	23 —	Giant of Mexico, “ . . . . .	— 3	18 —
“ Campania, dwarf, furnishes the best fibre suitable for the finest texture . . . . .	— 5	26 —	Mastodon improved, yellow . . . . .	— 3	18 —
Hemp, giant of Naples. large-seeded . . . . .	— 6	33 —	Longfellow, yellow . . . . .	— 3	18 —
“ “ “ “ small- “ . . . . .	— 5	29 —	Leaming, yellow, one of the best . . . . .	— 3	20 —
“ “ “ Piedmont, a choice variety, growing rapidly very high . . . . .	— 8	42 —	Lentil, small red ( <i>Ervum lens minor</i> ) . . . . .	— 4	24 —
Indian Corn or Maize.			“ large yellow . . . . .	— 4	20 —
Nanerottolo, very dwarf; the earliest of all . . . . .	— 3	19 —	Millet, yellow Neapolitan . . . . .	— —	14 —
Ambra . . . . . 10 spikes —/9 . . . . .	— 2	13 —	“ silver-white round Italian . . . . .	— —	15 —
Harlequin . . . . . 10 “ —/9 . . . . .	— 2	13 —	“ Italian ( <i>Panicum Italicum</i> ) excellent, especially for warmer countries; sown in April, it can be cut already in July . . . . .	— 2	14 —
Caragua, giant white (Horse tooth) . . . . .	— 2	14 —	Millet of Yokohama ( <i>Eleusine caracana</i> var.) . . . . .	— 6	28 —

	per lb. s. d.	per cwt. s. d.		per lb. s. d.	per cwt. s. d.
Moha, Hungarian or German Millet (Panicum Germanicum) . . .	— 4	24 —	American Kentucky Burley per oz 1/—	12 —	— —
„ green Californian . . . . .	— 3	16 —	„ Pennsylvania Seed Leaf . „ „ 1/—	12 —	— —
Nettle China-Grass, Silvery Ramieh (Urtica nivea) . . . . . per oz 1/6	20 —	— —	„ Virginia Seed Leaf . „ „ 1/—	12 —	— —
Oats best Naples . . . . .	— —	13 —	Havana . . . . . „ „ 3/6	48 —	— —
„ „ of the Abbruzzes . . . . .	— —	13 —	Brazilian . . . . . „ „ 1/9	19 —	— —
Panicum frumentaceum giganteum, an annual grass, growing very quickly, about 6 feet high and producing an enormous amount of green fodder; crop small . .	— 10	— —	Sumatra (Deli) . . . . . „ „ 5/—	62 —	— —
Rice of Castellamare (Naples) . . . .	— 4	17 —	Seeds obtained exclusively from the respective native countries.		
Rye, winter of Naples . . . . .	— —	13 —	Trevir (for insect powder) (Pyrethrum cinerariaefolium) . . . per oz —/6	6 —	— —
„ of the Abbruzzes . . . . .	— —	13 —	Wheat Bianchetta . . . . .	— —	14 —
Sacaline (Polygonum sacchalinese) . .	9 6	— —	„ Carosella . . . . .	— —	14 —
Sorghum, (Holcus Sorghum) Broomcorn „ cernuum (Douro, Durra) . . . . .	— —	9 —	„ Majorca . . . . .	— —	14 —
„ saccharatum (Sugar-Millet) black-seeded . . . . .	— —	17 6	„ Rieti, (Electro) the best Italian variety, very robust growing, highly productive; not subject to diseases and highly resistant to the rust.	— —	16 9
„ „ Minnesota (Amber cane) . . . . .	— —	17 6	„ Noè . . . . .	— —	16 —
Sunflower, common . . . . .	— 3	16 6	„ Saragolla . . . . .	— —	15 —
„ Hungarian . . . . .	— 3	16 6	„ Fucense, an excellent sort . . .	— —	16 —
„ Russian giant . . . . .	— 4	20 —	With the exception of Noè all others are native of Italy and of great repute in this country; in fact they are excellent and will certainly give satisfaction.		
Tobacco (Nicotiana Tabacum var.) Turkish Bafra . . . per oz 1/—	12 —	— —	Yarrow (Achillea millefolium) clean seed	3 9	— —
Turkish Samsum . . . „ „ 1/—	12 —	— —			
Tobacco (Nicotiana Tabacum var.) American Kentucky per oz 1/—	12 —	— —			

## VII. Fruit Trees.

(See our remarks on Seeds of Trees, Shrubs &c. page 16, to which we refer.)

	per lb. s. d.		per lb. s. d.
Amygdalus communis (Almond, bitter) cwt. 28/6	— 6	Corylus Avellana (Hazel Nut) best South Italian, from Avellino cwt. 32/—	— 5
„ „ dulcis ( „ sweet) „ 28/6	— 6	„ „ var. Sicilian . . . „ 34/—	— 5
„ fragilis (Almond, Princess) „ 40/—	— 8	„ „ fol. atropurpureis . . . . .	2 9
„ tenerrima, with very thin shell . . .	— 10	Cydonia vulgaris (Common Quince) . . . . .	2 —
„ Persica (Peach, common) cwt. 7/—	— —	Diospyros Lotus (Date Plum) . . . . .	1 4
Anona squamosa (Sweet Sop Sugar Apple) oz —/5	4 6	„ sinensis (Kaki) (Japanese Date Plum) oz —/3	2 6
„ triloba (Papaw Custard-Apple) „ —/4	3 3	„ virginica (Virginian Date Plum) . . . . .	1 9
Arbutus Unedo (Strawberry Tree) . . . . .	2 5	Eriobotrya japonica (Loquat tree. Japan Medlar) . . . . .	— 6
Castanea vesca (Chestnut sw. Spanish) cwt. 14/—	— 3	Ficus carica mixed (Fig tree cultivated) oz —/8	7 3
„ macrocarpa, large-fruited „ 16/—	— 4	Fragaria vesca Alpine (des 4 saisons) „ —/3	3 —
Ceratonia Siliqua (Carob Tree) . . . . .	— 4	Juglans americana nigra (Black Walnut) cwt. 22/—	— 4
Citrus Aurantium (Orange Tree) . . . . .	3 6	„ regia var. Sorrento (Sorrento Walnut) cwt. 44	— 6
„ Bigaradia . . . . .	3 3	„ „ „ Nocera . . . „ 44/	— 6
„ Limonum (Lemon Tree) . . . . .	1 9		
„ medica (Citron Tree) . . . . . oz —/7	6 6		
„ nobilis (Mandarine Tree) . . . . . —/10	— —		
Coffea arabica (Arabian Coffee Tree) 100 fruits 1/2	— —		

	per lb. s. d.		per lb. s. d.
Morus alba of Milan (Mulberry Tree white)	1 9	Pistacia vera (Pistachio Tree of Sicily)	2 6
„ nigra vera . . . . . oz —/4	2 6	Prunus Armeniaca (Apricot Tree) cwt. 20/—	— 4
Olea europaea (Olive Tree) . . . cwt. 55/—	— 7	„ Avium dulcis (Cultivated Cherry)	— 4
Opuntia Ficus indica (Indian Fig) . oz —/5	— —	„ acida . . . . . cwt. 19/—	— 4
Pirus communis (Pear pips) . . . cwt. 192/—	2 —	Prunus damascena St. Julien . . . . .	— —
„ Malus (Apple-Pips) . . . . . cwt. 58/—	— 8		



Rieti Wheat, Electro 6/—.

		per lb. s. d.		per lb. s. d.
Prunus Myrobolana 1 <sup>st</sup> . Qual. . . . .	cwt. 30/—	— 5	Rubus fruticosus (Blackberry) . . . . .	1 9
Psidium Cattleianum . . . . .	oz 1/6	— —	„ Idaea (Raspberry) . . . . .	2 —
Punica Granatum (Pomegranate) . . . . .	„ —/6	4 6	Thea Bohea (Chinese Tea Tree) 100 seeds 4/—	— —
Ribes Grossularia (Gooseberry) . . . . .	„ —/4	3 9	Vitis of Naples, mixed . . . . .	1 3
„ rubrum (Red Currant) . . . . .	„ —/3	2 7	„ Coignetiae . . . . .	oz —/9 — —

## VIII. Seeds of Trees, Shrubs &c.

We shall be glad to receive orders for these seeds as early in the season as possible as we have them collected only in such quantities as to meet our regular demand; orders for larger quantities should at any rate be sent in September at latest, but possibly earlier; even having accepted an order we wish it however to be clearly understood that we shall not be bound to supply the seeds, should they fail to come in or be of an unsatisfactory quality. We supply only fresh seeds, but will not under any circumstances accept any responsibility as to growth and denomination, but will submit samples on application.

The prices of many kinds are subject to variations. § = Climbers.

	per oz s. d.	per lb. s. d.		per oz s. d.	per lb. s. d.
Acer campestre . . . . .	cwt. 16/—	— 3	Ceanothus americanus . . . . .	— 5	4 10
„ Negundo . . . . .	„ 20/—	— 3	„ azureus . . . . .	— 6	— —
„ platanoides (Maple) . . . . .	„ 25/—	— 3	„ Gloire de Versailles . . . . .	— 6	— —
„ Pseudo-Platanus (Sycamore)	cwt. 23/—	— 3	Celtis australis . . . . .	cwt. 100/—	— 1 —
Ailanthus glandulosa . . . . .	„ 15/—	— 3	Cercis Siliquastrum . . . . .	cwt. 60/—	— 8
Alnus cordifolia (Alder) . . . . .	— —	1 —	Chionanthus virginica . . . . .	— 7	— —
Amorpha fruticosa . . . . .	— —	9 —	§ Clematis coccinea . . . . .	1 3	— —
§ Ampelopsis Veitchii, berries . . . . .	— 3	2 9	„ fragrans (flamula) . . . . .	— —	1 —
Aralia spinosa . . . . .	1 3	— —	„ vitalba . . . . .	— —	— 7
Ash, see Fraxinus.	— —	— —	„ Viticella . . . . .	— —	— 10
Aucuba japonica . . . . .	— —	1 3	„ Wilfordii, yellow . . . . .	— 4	4 —
Azalea mollis . . . . .	6 6	— —	Cockspur, see Crataegus Oxyacantha.	— —	— 9
„ pontica fine mixed . . . . .	2 6	— —	Colutea arborescens . . . . .	— —	— 8
Beech, see Fagus sylvatica.	— —	— —	„ cruenta . . . . .	— —	— 8
Berberis vulgaris . . . . .	— —	9 —	Common Privet, see Ligustrum.	— —	— 5
„ „ fol. atropurpureis . . . . .	— 3	2 3	Cornus sanguinea . . . . .	— 4	2 9
Betula alba (Birch) . . . . .	— —	7 —	Coronilla Emerus . . . . .	— 4	2 9
Bignonia Catalpa . . . . .	— —	7 —	Crataegus crus-galli . . . . .	— —	1 —
„ Kaempferi . . . . .	— —	1 9	„ oxyacantha, clean seed	— —	— 5
Birch, see Betula.	— —	— —	„ pyracantha, clean seed . . . . .	— —	1 9
Bird Cherry, see Prunus Padus.	— —	— —	Cytisus alpinus . . . . .	— 3	1 10
Broom, see Spartium scoparium, page 13.	— —	— —	„ Laburnum . . . . .	— —	— 9
Broussonetia papyrifera . . . . .	— —	2 9	„ nigricans . . . . .	— 6	6 9
Buxus sempervirens . . . . .	— 3	1 8	„ proliferus, see under Agricultural &c. Seeds, Section VI.	— —	— —
Callicarpa americana . . . . .	— 6	— —	Daphne Gnidium . . . . .	— 4	4 —
Calycanthus floridus . . . . .	— 5	3 6	„ Mezereum . . . . .	— 5	5 3
„ praecox (fragrans) . . . . .	— 3	2 2	Deutzia crenata fl. pl. . . . .	— 5	4 9
„ „ grandiflorus . . . . .	— 3	3 —	„ gracilis, berries . . . . .	— 4	3 3
Capparis inermis . . . . .	— 8	6 —	Dog Rose, see Rosa canina.	— —	— —
„ spinosa . . . . .	— 10	9 3	Dogwood, see Cornus.	— —	— —
Caragana arborescens . . . . .	— 4	2 3	Elaeagnus angustifolia (Olea bohemica)	3	2
Carpinus Betulus (Hornbeam) cwt. 35/—	— —	— 7	„ longipes . . . . .	— 6	— —
Carya alba (White Hickory) . . . . .	— —	— 9	Edler, see Sambucus racemosa.	— —	— —
„ olivaeformis (Decan Nut) . . . . .	— —	1 7	Elm, see Ulmus.	— —	— —
Castilleja elastica . . . . .	100 seeds 4/6	— —	Evonymus europaeus . . . . .	— —	1
„ „ 1000 „ 40/—	— —	— —	Fagus sylvatica (Beech) cwt. 38/—	— —	— 6
Catalpa, see Bignonia.	— —	— —			

	per oz s. d.	per lb. s. d.		per oz s. d.	per lb. s. d.
Fagus sylvatica atropurpurea . . . . .	— —	2 9	Myrtus communis, berries . . . . .	— —	— 10
Fraxinus excelsior (Ash) . cwt. 15/—	— —	— 3	Oak, see Quercus.		
" Ornus . . . . . cwt. 20/—	— —	— 4	Osage Orange, see Maclura.		
Furze, see Ulex europaeus, page 13.			Osyris alba . . . . .	— 3	2 3
Genista juncea (Spartium junceum) see under Clover page 15 (Broom).			Paeonia arborea . . . . .	— 9	— —
Gleditschia triacanthos . . cwt. 28/—	— —	— 4	Paliurus aculeatus, clean seeds . . . . .	— —	1 4
" inermis . . . . .	— —	1 7	Paulownia imperialis . . . . .	— —	— 9
§ Glycine frutescens . . . . .	— —	1 10	§ Periploca graeca . . . . .	— —	— —
" sinensis (Wistaria) . . . . .	— 8	8 —	Philadelphus coronarius, clean seed . . . . .	1 —	— —
" " fl. albo . . . . .	1 2	— —	Pistacia Lentiscus . . . . .	— —	1 —
Gorse, see Ulex, page 13.			" Terebinthus . . . . .	— —	1 —
Guelder Rose, see Viburnum Opulus.			" vera . . . . .	— —	2 3
Hawthorn, see Crataegus oxyacantha.			Plane, see Platanus.	— —	— —
Hevea brasiliensis (Para-Cautchouc) . . . . .	1 4	18 —	Platanus occidentalis . . cwt. 11/—	— —	— 2
Hibiscus syriacus mixed . . . . .	— —	— 7	" orientalis . . . . . " 11/—	— —	— 2
" " double mixed . . . . .	— 2	1 3	Privet common, see Ligustrum.	— —	— —
Hickory, see Carya alba.			Prunus Lauro-Cerasus (Common Laurel)	— —	— 8
Holly, see Ilex.			" lusitanica (Portugal Laurel) . . . . .	— —	1 1
Honey Locust, see Gleditschia triacanthos.			" Mahaleb . . . . . cwt. 62/—	— —	— 9
Honey Suckle, see Lonicera.			" Padus (Bird Cherry) . . . . .	— —	1 9
Hornbeam, see Carpinus Betulus.			" spinosa (Sloe, Black Thorn) . . . . .	— —	— 6
Horse Chestnut, see Aesculus.			Pterocarya caucasica . . . . .	— 5	4 6
Idesia, see Polycarpa.			Quercus Cerris . . . . . cwt. 16/—	— —	— 3
Ilex aquifolium, berries . . . . .	— —	— 8	" Ilex . . . . . " 12/—	— —	— 2
" " fol. var. berries . . . . .	— 3	1 9	" Robur, common Oak . . . . .	— —	— 2
Judas tree, see Cercis Siliquastrum.			" Suber, Cork Oak " 30/—	— —	— 7
Kadsura japonica . . . . .	— 4	3 10	Rhamnus Alaternus . . . . .	— —	1 1
Koelreuteria paniculata . . . . .	— —	— 8	Rhododendron arboreum hybridum, splendid hybrids mixed, clean seed . . . . .	1 6	— —
Laburnum, see Cytisus Laburnum.			" ponticum, mixed . . . . .	1 4	— —
Laurel common, see Prunus Lauro Cerasus.			Rhus coriaria, true . . . . .	— 2	1 7
" Portugal, see Prunus lusitanica.			" Cotinus . . . . .	— 3	2 9
Laurus Tinus, see Viburnum Tinus.			Robinia Pseudo Acacia (Thorn Acacia- Locust Tree) . cwt. 37/—	— —	— 6
" Camphora . . . . .	— 3	2 10	" Pseudo Acacia Bessoniana . . . . .	— 3	2 6
" indica . . . . .	— —	— 6	Rock Rose, see Cistus.		
" nobilis . . . . .	— —	— 5	Rosa bengalensis fl. pl. mixed, berries . . . . .	— 2	1 9
Ligustrum japonicum . . . . .	— —	— 6	" canina (Common Dog Rose), clean seed . . . . . cwt. 24/—	— —	— 4
" vulgare italicum . . . . .	— —	— 5	" hybrida Remontant, berries . . . . .	— 3	2 6
Lilac, see Syringa.			" multiflora, semperflorens nana flowers { 100 berries —/4	— —	— —
Lime, see Tilia.			4 months after { 1000 " 2/3	— —	— —
Liriodendron tulipifera (Tulip Tree) . . . . .	— —	— 9	being sown { 10000 " 18/—	— —	— —
Locust Tree, see Robinia Pseudo-Acacia.			Rosa Thea, finest mixed, clean seed . . . . .	— 9	9 6
Maclura aurantiaca (Osage Orange) . . . . .	— 3	2 3	Ruscus aculeatus . . . . .	— —	1 —
Magnolia grandiflora . . . . .	— 3	1 7	" racemosus . . . . .	— —	2 6
Magnolia purpurea (discolor) . . . . .	— 5	4 —	Sambucus Ebulus . . . . .	— —	— 10
" Soulangeana, fruits . . . . .	— 6	4 9	Schinus molle . . . . . cwt. 29/—	— —	— 6
" Youlan . . . . .	— 6	5 9	Sea Buckthorn, see Hippophaea.		
Mahonia Aquifolium, clean seed . . . . .	— 3	2 3	Sloe, see Prunus spinosa.		
" japonica, fruits . . . . .	— 4	3 9	Snowball, see Viburnum.		
Mallotus (Rottlera) japonicus . . . . .	— 3	2 —	Snowberry, see Symphoricarpus.		
§ Mandevillea suaveolens . . . . .	— 7	— —	Sophora japonica . . . . .	— —	— 6
Melia Azedarach . . . . . cwt. 37/—	— —	— 6			
" japonica (floribunda) . . . . .	— 4	3 3			
" sempervirens . . . . .	— 7	6 —			
Mock Orange, see Philadelphus.					
Mountain Ash, see Sorbus Aucubaria.					



	per oz. s. d.	per lb. s. d.		per oz. s. d.	per lb. s. d.
Spartium junceum (Span. Broom) } see page 13.			Traveller's Joy, see Clematis Vitalba.		
Spartium scoparium (common Broom) } (Clovers &c.)			Tree of Heaven, see Ailanthus.		
Spindle Tree, see Evonymus europaeus.			Tulip Tree, see Liriodendron.		
Spurge Laurel, see Daphne Laureola.			Ulex europaeus, see Section IV page 13.		
Staphylea colchica . . . . .	— 4	3 2	Ulmus campestris (Elm) . . . . .	— —	— 4
"    pinnata . . . . .	— 3	1 7	Viburnum Lantana . . . . .	— —	— 6
Sterculia platanifolia . . . . .	— 3	1 5	"    Opulus (Snowball) . . . . .	— —	— 8
Styrax japonica . . . . .	— 4	3 3	"    Tinus . . . . .	— —	— 8
"    officinale . . . . .	— 2	1 6	Virginian Creeper, see Ampelopsis.		
Sumach, see Rhus.			Virgin's Bower, see Clematis.		
Sweet Bay, see Laurus nobilis.			Weigelia mixed . . . . .	2 3	—
Sycamore, see Acer pseudo-platanus.			Wistaria, see Glycine.		
Syringa vulgaris, pods . . . . .	— —	— 6	Woodbine, see Ampelopsis quinquefolia.		—
"    "    alba . . . . .	— —	1 6	Yucca aloefolia . . . . .	— —	1 5
Thorn Acacia, see Robinia.			"    "    fol. var. . . . .	— —	2 3
Tilia argentea . . . . .	— —	1 —	"    filamentosa, true . . . . .	1 3	— —
"    europaea latifolia . . . . .	— —	— 7	"    quadricolor . . . . .	1 10	— —
			"    Whipplei . . . . .	1 6	21 6

## IX. Seeds of Conifers.

We offer these under the same conditions as for the Tree and Shrub Seeds (see page 17) to which we refer.

Denominations after the „Handbook on Conifers“ by L. Beissner (Handbuch der Nadelholzkunde). The prices of many kinds are subject to variations.

	per oz. s. d.	per lb. s. d.		per oz. s. d.	per lb. s. d.
Abies balsamea, . . . . .	— 7	6 —	Biota orientalis (Thuja) . . . . .	— —	1 —
"    brachyphylla . . . . .	1 2	— —	"    "    aurea . . . . .	— —	1 5
"    cephalonica . . . . .	— 4	4 8	"    "    compacta . . . . .	— —	1 5
"    concolor . . . . .	— 10	— —	"    "    elegantissima . . . . .	— 5	3 9
"    Fraseri . . . . .	— 11	— —	"    "    pyramidalis . . . . .	— —	1 10
"    magnifica . . . . .	1 5	— —	Callitris quadrivalvis (Thuja articulata)	1 3	— —
"    nobilis . . . . .	1 2	— —	Casuarina equisetifolia . . . . .	— 10	— —
"    Nordmanniana, true . . . . .	— 3	2 3	"    quadrivalvis . . . . .	1 —	12 —
"    pectinata (Pinus Abies.), common			"    tenuissima . . . . .	— 7	6 4
"    Silver Fir. . . . . cwt. 36/—			Cedrus atlantica (argentea) clean seed .	— 4	4 3
"    Pinsapo . . . . .	— —	— 6	"    Deodara, crop failed . . . . .	— —	— —
Araucaria brasiliensis, fresh seeds of this	— 3	2 2	"    Libani, clean seed (Cedar of Libanon)	— 4	4 —
kind are expected in July or			Cephalotaxus Fortunei . . . . .	— 3	1 8
August every year and orders			Chamaecyparis Lawsoniana (Cupressus)	— —	2 —
accepted for delivery at the			"    "    argentea . . . . .	— 5	4 —
above time 100 seeds 6/—			"    "    aurea . . . . .	— 6	— —
1000 " 50/—	— —	— —	"    "    glauca . . . . .	— 6	— —
Araucaria excelsa . . 100 " 3/6	— —	— —	"    "    obtus (Retinospora) . . . . .	— 10	10 —
1000 " 28/—	— —	— —	"    "    pisifera ( " ) . . . . .	— 8	7 3
"    imbricata . 100 " 4/6	— —	— —	Chamaecyparis pisifera plumosa (Reti-		
1000 " 40/—	— —	— —	"    "    "    plumosa (Reti-	1 —	— —
the seeds of several other kinds of Araucaria			"    "    "    plumosa aurea		
are not always sure to come in and often they			"    "    "    (Retinospora) . . . . .	1 3	— —
arrive in bad condition; we therefore do			"    "    "    suarrosa (Reti-		
not quote prices, but shall make special			"    "    "    tinospora) . . . . .	1 3	— —
offers in every single case.			Cryptomeria japonica . . . . .	— 3	2 2
Arbor Vitae, see Biota and Thuja.			"    "    "    elegans . . . . .	— 5	3 6

	per oz s. d.	per lb. s. d.		per oz s. d.	per lb. s. d.
Cryptomeria japonica Lobbii (viridis)	— 5	3 6	Pinus Coulteri . . . . .	1 —	13 9
Cupressus australis . . . . .	4 —	4 —	„ excelsa, Nepaul Weymouth Pine	— 5	4 4
„ Benthamiana . . . . .	4 —	3 7	„ halepensis . . . . cwt. 110/—	— —	1 3
„ elegans . . . . .	— 4	3 7	„ insignis . . . . .	— 10	9 —
„ funebris . . . . .	— 4	2 10	„ Lambertiana . . . . .	— 9	8 8
„ glauca (lusitanica) . . . . .	— 4	3 —	„ Laricio, Corsican Pine . . . . .		
„ „ pendula vera . . . . .	— 4	3 2	„ „ cwt. 230/—	— 3	2 3
„ Goveniana . . . . .	— 4	3 2	„ „ austriaca, black Austrian Fir	— 3	3 3
„ Lambertiana (macrocarpa) . . . . .	— 3	2 9	„ longifolia . . . . .	1 —	13 9
„ Lawsoniana, see Chamaecyparis.			„ Nordmanniana, see Abies.		
„ sempervirens (horizontalis)	— —	— 8	„ Picea, Norway Spruce, see Picea excelsa.		
„ „ pyramidalis (fastigiata)	— —	— 8	„ Pinaster (maritima). cwt. 19/—	— —	— 8
„ torulosa . . . . .	— 4	3 —	„ „ ton 360/—		
Gingko biloba (Salisburia adianthifolia)	— —	— 9	„ Pinea, Italian Stone Pine (variable)		
Juniperus Bermudiana . . . . .	— 5	4 9	„ „ cwt. 25/—	— —	— 5
„ chinensis (dioica) . . . . .	— —	1 7	„ „ ton 440/—		
„ communis . . . . .	— —	— 3	„ „ fragilis (variable) „ 38/—	— —	— 6
„ excelsa . . . . .	— —	2 —	„ ponderosa (P. Benthamiana),		
„ macrocarpa . . . . .	— —	1 3	„ yellow . . . . .	— 9	8 8
„ Sabina . . . . .	— —	1 3	„ Sabiniana . . . . .	— 5	4 5
„ virginiana (Red Cedar) . . . . .	— —	— 7	„ silvestris, Scotch Fir (variable) .	— 3	2 6
„ „ pyramidalis . . . . .	— —	1 5	„ sitchensis, see Picea . . . . .		
Larix europaea (Larch) (variable)			„ Strobis, Weymouth Pine (variable)	— 5	5 —
„ cwt. 260/—	— —	2 6	Pseudotsuga Douglasii . . . . .	— 10	11 6
Libocedrus decurrens (Thuja gigantea			Salisburia, see Gingko.		
„ Craigiana) . . . . .	— 4	2 9	Sciadopitys verticillata . . . . .	1 3	— —
Picea excelsa (Pinus Picea) Norway			Sequoia sempervirens (Taxodium) . .	— 3	2 5
„ Spruce . . . . .	— —	1 5	Taxodium distichum, clean seed . . .	— —	1 4
„ orientalis . . . . .	1 3	— —	Taxus baccata (Yew) clean seed . . .	— —	2 4
„ pungens . . . . .	1 3	— —	„ „ fastigiata (hibernica) . . . . .	— 4	3 3
Pinus australis (palustris-Pitch Pine) .	1 4	18 —	Thuja gigantea (Lobbii), true . . . .	1 —	13 —
„ austriaca, see P. Laricio austriaca.			Thuja occidentalis . . . . .	— 5	4 9
„ canariensis . . . . .	— 4	3 9	„ „ Warreana . . . . .	— 10	9 9
„ Cembra, Swiss Stone Pine, variable	— —	— 6	Wellingtonia gigantea . . . . .	1 6	20 —

## X. Palm Seeds.

We receive these seeds from all parts of the world and of course at very different times of the year; we shall therefore thank our correspondents if they will give us their orders as soon as they receive this list. The seeds will then be shipped as soon as they arrive in good condition and our patrons are sure to receive only fresh seeds. We send out but such and decline any other guarantee and responsibility.

	100 seeds s. d.	1000 seeds s. d.		100 seeds s. d.	1000 seeds s. d.
Areca Baueri, fresh seeds in April . . .	1 10	14 —	Kentia Belmoreana (Griesebachia) . . .	1 9	13 6
„ lutescens (Hyophorbe indica) . . .	1 10	15 —	„ Canterburyana (Hedyscepe) . . .	6 —	— —
„ rubra . . . . .	2 —	17 6	„ Forsteriana (Griesebachia) . . .	1 9	13 6
„ Verschaffeltii (Hyophorbe) . . .	3 6	30 —	Latania aurea (Verschaffeltii) . . .	4 6	40 —
Brahea edulis (Erythea edulis) (April to May) . . . . .	6 6	60 —	„ borbonica (Livistona sinensis) lb. —/6; cwt. 32/—	— —	— —
„ Roetzlii (Erythea armata), „Blue- palm“ (April to May) . . . . .	6 —	— —	„ „ Seeds raised in Africa lb. —/9; cwt. 65/—	— —	— —
Caryota urens . . . . .	2 —	16 —	„ Commersonii (rubra) . . . . .	9 —	— —
Chamaerops excelsa . . . . . lb. —/5	— —	— —	Livistona altissima . . . . .	1 10	16 —
„ „ Fortuneii „ —/8	— —	— —	„ olivaeformis . . . . .	1 10	16 —
„ Histrix . . . . .	1 3	10 —	„ rotundifolia . . . . .	3 —	26 —
„ humilis mixed . lb. —/5	— —	— —	Oreodoxa regia, a splendid kind . . .	1 3	10 6
„ „ argentea „ —/8	— —	— —	Pandanus utilis . . . . .	2 —	17 —
„ „ „ tomentosa „ —/9	— —	— —	Phoenix acaulis . . . . .	3 3	— —
„ „ elegans „ —/9	— —	— —	„ canariensis . 10000seeds 17/6	— 3	2 —
„ „ macrocarpa „ —/9	— —	— —	„ cycadifolia . . . . .	1 3	10 6
Chamaedorea elegans . . . . .	1 4	11 —	„ dactylifera . . . . . lb. 1/—	— —	— —
„ Ernesti Augusti . . . . .	1 5	12 —	„ leonensis . . . . .	— 6	4 —
Cocos australis . . . . .	— 11	7 3	„ reclinata . . . . .	— 6	4 —
„ Bonettii (Diplothemium cam- pestre) . . . . .	1 5	12 6	„ rupicola . . . . .	1 3	12 6
„ campestris . . . . .	1 5	12 6	„ silvestris . . . . .	— 11	7 6
„ flexuosa . . . . .	1 —	8 —	„ tenuis . . . . .	— 8	4 6
„ plumosa . . . . .	1 —	8 —	Sabal Adansonii . . . . .	— —	2 —
„ Romanzoffiana, splendid for green- house and rooms . . . . .	1 4	10 6	„ Blackburniana (umbraculifera) . . .	— 5	3 6
„ Weddeliana (Glaziova Martiana)	3 6	30 —	„ Palmetto . . . . .	— 8	5 3
„ Yatay, the true kind for the green- house . . . . .	3 3	28 —	Seaforthia (Ptychosperma) elegans . .	1 3	10 6
Corypha australis (Livistona) . . . . .	— 9	6 3	Thrinax argentea . . . . .	1 4	12 6
Jubaea spectabilis . . . . .	3 6	30 —	Verschaffeltia splendida . . . . .	7 6	— —
			Washingtonia filifera (Pritchardia) . .	— 4	2 —
			„ robusta H. W., true . . . . .	— 5	3 6

## XI. Annual, Perennial, Climbing, Hot-, and Green-House Plants.

Explanations of the signs used:

⊙ = annual || 4 = perennial || § = climber || g = greenhouse || h = hothouse (stove).

	per oz s. d.	per lb. s. d.		per oz s. d.	per lb. s. d.
§ Abobra viridiflora . . . . .	— 9	9 9	g Acacia arabica . . . . .	— 6	5 —
⊙ Abronia arenaria . . . . .	— 10	10 —	„ armata . . . . .	— 6	6 —
„ umbellata . . . . .	— 6	5 9	„ cyanophylla . . . . .	— 4	4 —
§ Abrus praeatorius . . . . .	— 3	2 6	„ dealbata . . . . .	— 4	3 3
g Abutilon new hybrids mixed 1/8 oz —/8	3 6	— —	„ decurrens . . . . .	— 6	4 10

	per oz s. d.	per lb. s. d.		per oz s. d.	per lb. s. d.
g Acacia Farnesiana . . . . .	—	1 —	⊙ Amaranthus Henderi . . . . .	— 4	4 —
" floribunda . . . . .	— 4	4 —	" hybridus Princess of Wales . . . . .	— 6	6 —
" Julibrissin . . . . .	—	7 —	" " Queen Victoria . . . . .	— 5	4 9
" longifolia . . . . .	—	1 —	" Margaritae, splendid . . . . .	—	5 —
" lophantha . . . . .	—	1 —	" monstrosus (Giant Prince's feather) . . . . .	—	6 —
" " speciosa . . . . .	—	1 9	" melancholicus . . . . .	—	1 7
" Nemu . . . . .	— 6	4 6	" nobilis pyramidalis . . . . .	—	1 9
" pycnantha . . . . .	— 4	3 2	" quadricolor, Dam. 1898 new; the leaves at the end of the stalks are bright and dark green, dark crimson and yellow producing a most wonderful effect	— 4	4 —
" semperflorens . . . . .	— 3	2 7	" salicifolius . . . . .	— 5	5 —
" suaveolens . . . . .	— 4	4 —	" sanguineus . . . . .	—	6 —
" in great variety mixed . . . . .	—	2 —	" superbus (coleifolius) Dam. . . . .	— 2	1 3
4 Acanthus latifolius . . . . .	—	1 10	" tricolor . . . . .	— 2	2 2
" mollis . . . . .	—	1 10	" " giganteus . . . . .	— 3	3 2
4 Achillea Ptarmica fl. pl. . . . .	3 9	—	⊙ Anagallis grandiflora carnea . . . . .	— 9	—
h Achimenes, finest mixed 10,000 seeds 6/-	—	—	" " coccinea . . . . .	— 9	—
⊙ Acroclinium roseum grandiflorum . . . . .	— 3	2 3	" " coerulea . . . . .	— 9	—
⊙ " " grandiflor. album . . . . .	— 3	2 3	" " lilacea . . . . .	— 9	—
" " fl. pl., double pink . . . . .	— 3	2 6	" " Napoleon III. . . . .	— 9	—
" " fl. albo pl. " white . . . . .	— 3	2 9	" " mixed . . . . .	— 9	8 —
⊙ Adonis aestivalis . . . . .	—	10 —	Angel's Trumpet, see Datura.		
" autumnalis . . . . .	—	1 —	h Anthurium Scherzerianum . . . . .		
4 Agathaea coelestris (amelloides) . . . . .	1 9	—	100 seeds 2/6		
g Agave americana . . . . .	— 5	—	§g Antigonum leptopus . . . . .	— 7	7 3
" " fol. var. 1000 seeds 3/6	—	—	⊙ Antirrhinum majus (Snapdragon) finest mixed . . . . .	— 4	4 —
" Salmiana . . . 1000 " 2/-	—	—	" " nanum mixed . . . . .	— 5	4 10
⊙ Ageratum Lasseauxi, rose . . . . .	— 8	8 —	" " grandiflorum mixed . . . . .	— 5	4 3
" mexicanum coeruleum . . . . .	— 3	2 5	⊙ " " Tom Thumb mixed . . . . .	— 8	8 —
" " album . . . . .	— 3	2 5	4 Aquilegia (Columbine) chrysantha . . . . .	1 9	—
" " grandiflorum album . . . . .	— 9	—	" coerulea . . . . .	4 —	—
" " Imperial dwarf, dark blue . . . . .	— 4	3 9	" haylodgensis (coerulea hybr.) . . . . .	1 —	—
" " " " white . . . . .	— 4	4 —	" Skinneri hybr. fl. pl. . . . .	1 —	—
" " nanum album . . . . .	— 3	3 2	" stellata double mixed . . . . .	— 6	—
" " " coeruleum . . . . .	— 2	2 6	" vulgaris mixed . . . . .	— 3	2 7
" " Swanley blue . . . . .	— 4	4 —	" " fl. pl. double mixed . . . . .	— 3	2 9
" " Little Dorrit, blue . . . . .	— 5	4 9	g Aralia papyrifera . . . . .	1 5	—
" " " " white . . . . .	— 5	4 9	" Sieboldi, clean seeds ready in April; orders booked now . . . . .	1 4	18 —
" " Forget me not fl. albo Dam. 1901, pure white . . . . .	— 5	—	⊙ Arctotis grandis, new . . . . .	— 5	5 —
" Wendlandii nanum compact., blue . . . . .	— 7	—	⊙ Argemone grandiflora, white . . . . .	— 4	4 —
" " " " white . . . . .	— 7	—	" " mexicana (speciosa), yellow . . . . .	— 4	4 —
⊙ Agrostemma coeli rosa . . . . .	—	1 7	Argyranthemum, see Chrysanthemum.		
" coronaria, white . . . . .	—	1 9	§ Aristolochia elegans . . . . .	1 —	13 9
Alkekengi, see Physalis.			4 Armeria cephalotes . . . . .	— 7	7 3
4 Althaea rosea fl. pl. (Hollyhocks)			" formosa . . . . .	— 4	4 —
English var. best mixed . . . . .	1 —	12 9	4 Arnica montana . . . . .	— 5	5 —
4 " rosea fl. pl. Chaters strain, saved from one of the finest collections . . . . .	2 —	27 9	4 Artemisia argentea . . . . .	— 3	2 7
" rosea fl. pl. Chaters, very good quality . . . . .	1 3	16 —	⊙ " gracilis . . . . .	—	1 3
⊙ Alyssum Benthami . . . . .	— 3	2 9	g Arum sanctum . . . . .	— 6	5 9
" " grandiflorum compactum . . . . .	— 5	4 9	⊙ Asclepias incarnata . . . . .	— 10	9 10
4 " " saxatile . . . . .	— 5	4 6	" tuberosa . . . . .	3 6	—
⊙ Amaranthus atropurpureus . . . . .	—	6 —	4 Asparagus acutifolius . . . . .	— 2	2 —
" bicolor . . . . .	—	1 6			
" " ruber . . . . .	—	1 7			
" Brilliant . . . . .	— 5	4 9			
" caudatus . . . . .	—	6 —			

	per oz s. d.	per lb. s. d.		per oz s. d.	per lb. s. d.
4 Asparagus decumbens, a splendid kind for suspending baskets, highly decorative 100 seeds 1/3	—	—	Cocardeau imbriquée Pompon (Pompon Crown) mixed . . . . .	9	9 10
1000 " 10/6	—	—	Giant Comet, crimson, lilac rose, rose, incarnate, snow white, sulphur yellow, blue, dark blue, the Bride, white changing into rose, each separate . . . . .	1 3	15 —
g " plumosus 1000 " 9/—	—	—	all colours mixed . . . . .	1 —	12 6
" " 10000 " 80/—	—	—	Surprise, rose chamois . . . . .	2 3	— —
" " nanus 1000 " 18/—	—	—	White of Boston, splendid for cutting . . . . .	1 1	18 —
" " " 10000 " 150/—	—	—	Japanese, mixed . . . . .	2 —	— —
4 " " superbus, a highly decorative climber, the branches of which furnish a most splendid material for bouquets and any kind of decorations. 100 seeds 5/6; 1000 seeds 44/—	—	—	Asters tall varieties, mixed . . . . .	7	7 3
g Asparagus Sprengeri Dam. . . . .	10	8	<b>2. Semi-tall Section.</b>		
1 lb contains about 8000 or more seeds. Special prices for larger quantities on application.			Comet, Bride's maid (white, changing into rose-purple) carmine, lilac, light blue, dark blue, dark blue and white, King Humbert (white, very large), rose, bright rose, rosy carmine, snow white, white with lilac, white with rose, each separate . . . . .	1 2	15 10
⊙ Asperula azurea setosa . . . . .	—	11	Comet, mixed . . . . .	1 —	13 9
4 Aster, the best perennial sorts mixed . . . . .	1 3	—	Christmas-Tree, a curious very rich flowering kind of pyramidal habit, with almost horizontal branches . . . . .	1 2	15 10
⊙ Aster sinensis fl. pl. Asters.			Quilled, mixed . . . . .	5	4 9
We guarantee our Asters not to be in any way inferior to the finest German strains and our patrons may fully rely upon receiving only choicest qualities. The growing of the best Asters is one of our most important specialities.			Queen of the Halls, mixed . . . . .	5	5 6
			" " " " white . . . . .	10	9 10
			Globe-flowered, mixed . . . . .	5	5 6
			Paeony-flowered Globe, mixed . . . . .	9	9 10
			Rose, large-flowered, mixed . . . . .	9	8 8
			Liliput, mixed . . . . .	8	8 6
			Mignon, carmine (no crop), dark blue, light blue, lilac-purple, lilac, pure white, lilac-rose, scarlet, pure white early flowering . . . . .	1 —	13 9
			each separate . . . . .	1 —	13 9
			mixed . . . . .	11	11 10
			Ostrich-Feather, carmine, light blue, lilla, rose, pure white, white changing into rose, each separate . . . . .	1 3	— —
			mixed . . . . .	1 —	13 9
			Princess, mixed. . . . .	1 6	20 —
			Schiller, mixed . . . . .	7	7 3
			St. John's Day, pure white, very early flowering . . . . .	2 —	— —
			Surprise, Sunlight, new; flowers large, bright yellow, keeping very well . . . . .	1 2	15 10
			Victoria,		
			1. Crimson, 5. Crimson-rose,		
			2. Dark blue, 6. Light blue,		
			3. Bright scarlet, 7. Peach blossom,		
			4. White,		
			each separate . . . . .	1 2	15 10
			mixed . . . . .	1 —	13 9
			Semi-tall varieties mixed . . . . .	9	8 8

	per oz s. d.	per lb. s. d.		per 1/16 oz s. d.	per 1/8 oz s. d.	per oz s. d.
<b>3. Dwarf Section.</b>			<i>1/2</i> Bear Grass, see Yucca.			
Dwarf, mixed . . . . .	— 11	11 —	<i>1/2</i> Begonia hybrida gigantea, carmine	7 6	14 —	— —
„ pyramidal, mixed . . . . .	1 6	— —	„ „ „ rose	7 6	14 —	— —
„ Bouquet pyramidal (Boltze's) mixed . . . . .	1 —	13 9	„ „ „ scarlet	7 6	14 —	— —
Dwarf Comet Perfection pure white . . . . .	1 2	15 10	„ „ „ white	7 6	14 —	— —
rose . . . . .	1 2	15 10	„ „ „ yellow	7 6	14 —	— —
Dwarf Giant Comet Snow-white. While all the Giant Comet Asters hitherto offered are of tall habit, we herewith introduce an absolutely dwarf form hardly 16 inches high, the flowers of which are quite as large again as those of the original kind. They are of a dazzling white, very double and of a perfect shape. The effect produced by such a dwarf plant with so large flowers is a striking one . . . . .	1 2	15 10	„ „ „ all col- ours mixed	4 6	8 —	— —
Shakespeare, mixed . . . . .	1 2	15 10	„ „ double- flowered, splendid	per 1/32 oz s. d.		
Improved dwarf Bouquet pyramidal, mixed . . . . .	1 2	15 10	varieties mixed . . . . .	16 6	— —	— —
Dwarf Chrysanthemum, large-flowered 1. Carmine,           4. Purple, 2. Dark blue,       5. Snow-white, 3. Bright scarlet, 6. Brick red, each separate . . . . .	1 6	19 9	<i>1/2</i> Begonia Rex, mixed varieties 100 seeds —/7   1000 seeds 3/3			
mixed . . . . .	1 4	18 —	<i>1/2</i> Begonia semperflorens, white . . . . .			1 9
Dwarf New Paeony mixed . . . . .	1 6	— —	„ „ atropurpurea (Vernon)		6	3 9
„ Victoria, mixed . . . . .	1 4	18 —	„ „ „ maxima, with splen- did enormous flowers and very large leaves		10	5 —
„ Crown or Cocardeau, mixed . . . . .	1 9	— —	„ „ „ rosea . . . . .		5	2 6
Triumph, carmin, Dark red, Dark scarlet (crop failed) Dark scarlet with white, Dark-purple (crop failed) copper-red White (crop failed) each separate . . . . .	2 3	— —	Bellflower, see Campanula.			
mixed . . . . .	2 —	29 —	2 Bellis perennis maxima fl. pl. (Giant Daisies) double mixed		1 9	23 9
Dwarf varieties, mixed . . . . .	1 2	15 —	„ „ „ giant double white		2 —	27 9
Asters, single flowered mixed . . . . .	— 4	4 —	„ „ fl. pl. Longfellow, large- flowering rose . . . . .		2 —	27 9
Auriculas, see Primula Auricula.			„ „ „ Snowball . . . . .		2 —	27 9
<i>g</i> Azalea indica new best varieties mixed	7 —	— —	Belvidere (Summer Cypress, see Kochia scoparia.			
Bachelor's Button, see Centaurea Cyanus.			§ Bignonia Tweediana . . . . .			1 3
Balm, see Dracocephalum.			<i>1/2</i> Bixa Orellana . . . . .		9	— —
Balsam Apple, see Momordica.			Blanket flower, see Gaillardia.			
Balsams double, see Impatiens Bal- samina.			Blue Bottle, see Centaurea Cyanus.			
Balloon-vine, see Cardiospermum.			2§ Boussingaultia baselloides		1 9	— —
⊙ Bartonia aurea . . . . .	— 3	2 6	<i>1/2</i> Bouvardia Jacquini 1000 seeds 2/9			— —
			„ „ „ 10000 „ 22/—			— —
			„ longiflora, flowers pure white, very fragrant 1000 seeds 7/—			— —
			„ splendens . 1000 „ 3/—			— —
			⊙ Brachycome iberidifolia (Swan River Daisy) . . . . .		11	— —
			⊙ Browallia elata fl. albo . . . . .		7	— —
			„ „ „ purpureo . . . . .		11	— —
			„ „ „ grandiflora . . . . .		8	— —
			„ „ „ alba . . . . .		7	— —
			„ „ „ Roezli . . . . .		8 10	— —
			„ speciosa major, new, darkblue 1/8 oz 3/—; 1/16 oz 1/9; 1/32 oz 1/—		21 3	— —
			4§ Bryonia alba . . . . .			— —
			⊙§ Bryonopsis laciniosa erythrocarpa .		4	3 2
			⊙ Cacalia coccinea (Tassel Flower)		4	3 2
			„ „ „ lutea . . . . .		4	3 3
			<i>1/2</i> Caladium bulbosum, newest varie- gated-leaved mixed . 100 seeds 1/8			— —
			Calampelis, see Ecchremocarpus.			
			⊙ Calandrinia umbellata . . . . .		9	— —

	per 1/32 oz s. d.	per 1/16 oz s. d.	per 1/8 oz s. d.	per oz s. d.	per oz s. d.	per lb. s. d.
<b>g Calceolaria hybrida</b>						
self coloured, large flowered mixed . . .	2 8	4 10	9 6	74 —		
self coloured dwarf . . .	2 8	4 10	9 6	74 —		
spotted or tigred mixed spotted or tigred large flowered dwarf . . .	3 6	6 —	11 —	85 —		
4 — 7 9	4 —	7 9	15 —	117 —		
15 — 117 —	3 —	5 3	10 —	76 3		
3 — 5 3	3 —	5 3	10 —	76 3		
			per oz s. d.	per lb. s. d.		
⊙ <b>Calendula officinalis</b> , single Pot Mari- gold . . . . .			— —	— 10		
” ” fl. pl. single double Pot Mari- gold . . . . .			— —	— 11		
” ” ” ” Meteor, striped . . . . .			— —	1 —		
” ” ” ” Orange King . . . . .			— —	1 3		
” ” ” ” Prince of Orange . . . . .			— —	1 —		
” ” ” ” sulphurea . . . . .			— —	— 10		
Californian Poppy, see <i>Eschscholtzia</i> .						
<b>g Calla aethiopica</b> . . . . .			— 6	— —		
” ” compacta . . . . .			— 8	— —		
” ” gigantea . . . . .			— 10	— —		
⊙ <b>Calliopsis bicolor</b> ( <i>tinctoria</i> ) . . . . .			— —	1 10		
” <i>cardaminifolia atrosanguinea</i> . . . . .			— —	2 —		
” <i>Drummondii</i> ( <i>Golden Wave</i> ) . . . . .			— —	1 5		
” <i>hybrida superba</i> , new . . . . .			1 —	— —		
” ” <i>aurea</i> , a fine selected colour . . . . .			2 —	— —		
⊙ <b>Callirrhoe pedata</b> . . . . .			— 3	3 7		
” ” compacta . . . . .			— 7	7 2		
<b>g Camellia japonica</b> , mixed . . . . .						
1000 seeds 3,6 . . . . .			— —	— —		
” ” double, mixed 1000 seeds 4/6 . . . . .			— —	— —		
4 <b>Campanula dichotoma</b> , blue . . . . .			— 7	— —		
4 ” <i>fragilis</i> . . . 1/8 oz —/8 . . . . .			4 —	— —		
⊙ ” <i>macrostyla</i> . . . . .			1 6	— —		
4 ” <b>Medium fl. albo</b> ( <i>Canterbury Bells</i> ) . . . . .			— 4	3 2		
” ” fl. albo pleno . . . . .			1 —	— —		
” ” <i>calycanthemea</i> . . . . .			— 11	— —		
” ” fl. albo . . . . .			— 11	— —		
” ” fl. coeruleo . . . . .			— 3	2 7		
” ” fl. ” pleno . . . . .			— 9	— —		
” ” <b>Wiegandi Dam. 1903</b> new; flowers blue, leaves golden yellow; of a splen- did effect . . . . .			3 3	— —		
” ” single, mixed . . . . .			— —	2 7		
” ” fl. pleno, mixed . . . . .			— 8	— —		
4 ” <i>pyramidalis</i> . . . . .			— 8	— —		
” ” <i>alba</i> . . . . .			— 8	— —		
⊙ <b>Campanula Speculum</b> , blue . . . . .			— 3	2 —		
” ” white . . . . .			— 3	2 —		
Canary Creeper, see <i>Tropaeolum canariense</i> .						
Candytuft, see <i>Iberis</i> .						
Canna-Roots, see page 50.						
Canna-Seeds, see page 50.						
⊙ <b>Cannabis gigantea</b> , Giant Hemp . . . . .			— —	— 8		
Canterbury-Bell, see <i>Campanula</i> .						
Cape Forget-me-not, see <i>Anchusa</i> .						
” Hyacinth, see <i>Hyacinthus candicans</i> .						
Capsicum, see Vegetable seeds.						
⊙ § <b>Cardiospermum halicacabum</b> (Balloon Vine) . . . . .			— 3	1 6		
4 ” <i>hirsutum</i> , large clusters of white pending sweet-scented flowers and triangular fruits . . . . .			— 4	3 —		
⊙ <b>Carduus Marianus</b> ( <i>Silybum</i> ) . . . . .			— —	— 4		
Carnation, see <i>Dianthus Caryo- phyllus</i> .						
4 <b>Cassia floribunda</b> . . . . .			— 6	5 —		
Castor Oil Plant, see <i>Ricinus</i> .						
Casuarina, see <i>Conifers</i> .						
4 <b>Cedrela chinensis</b> . . . . .			2 2	— —		
” <i>odorata</i> . . . . .			3 9	— —		
<b>Cocks comb</b> ( <i>Celosia cristata</i> ).						
<i>Celosia cristata</i> , finest mixed . . . . .			— 7	6 —		
” ” <i>nana alba</i> . . . . .			1 —	— —		
” ” <i>atropurpurea</i> . . . . .			1 —	— —		
⊙ ” ” <i>aurea</i> . . . . .			1 —	— —		
” ” <i>Empress</i> . . . . .			— 11	— —		
” ” <i>kermesina</i> ( <i>Glas- gow Prize, President Thiers</i> ) . . . . .			1 5	— —		
<i>Celosia cristata nana</i> Queen of Dwarfs, crimson . . . . .			1 5	— —		
<i>Celosia cristata nana</i> , Dam. 1898 “Ruby”. About 12 inches high producing flowers of a perfect shape and of quite a peculiar most lovely crimson color displaying still more its charm under the sunlight. The stalks also are almost of the same color and the leaves are of a brownish red, giving the plant a most lovely appearance; quite a wonderful kind . . . . .			1 —	— —		
<i>Celosia cristata nana rosea</i> . . . . .			1 5	— —		
” ” <i>finest mixed</i> . . . . .			— 10	10 —		
” <i>Huttoni</i> . . . . .			1 10	— —		
” <i>pyramidalis aurea</i> . . . . .			— 3	2 5		
” ” <i>coccinea</i> . . . . .			— 3	2 8		
” ” <i>mixed</i> . . . . .			— —	2 2		
⊙ ” <i>monstroza</i> , Dam. 1898. Its bushy habit is like that of the <i>C. pyramidalis</i> while the flowers and specially those of the main stems are more like those of the <i>C. cristata</i> . They are dark red, the leaves dark						

	per oz s. d.	per lb. s. d.		per oz s. d.	per lb. s. d.
green spotted more or less with dark red. The plant grows most vigorously to about 4 feet in height which makes it invaluable for large groups	— —	2 2	4	1 3	— —
⊙ <i>Celosia pyr. plumosa</i> Thompsoni (Triomphe de l'exposition)	— 5	4 —	g	1 6	— —
" " " aurea . . . . .	— 4	2 6	4	Chamaepeuce Casabonae, Fishbone Thistle . . . . .	— 10
" " " coccinea . . . . .	— 4	2 6	"	diacantha, Ivory Thistle . . . . .	— 6
" " " Preziosa . . . . .	— 5	4 —	<b>Stocks.</b>		
" " " ostrich-feathered, orange-crimson; an absolutely distinct and fine sort . . . . .	— 8	7 2	⊙ <b>Cheiranthus annuus.</b>		
" " " finest mixed . . . . .	— 3	1 10	One of our most important specialities!		
⊙ " Thompsoni magnifica, atrococcinea, aurantiaca, aurea, coccinea, kermesina, lutea, each separate . . . . .	2 —	— —	All our Stocks are grown with so much skill and care that there is no better quality in the market; they give the highest percentage of double flowers as all our many thousands of patrons who received them, will testify.		
" Thompsoni magnifica, all colours mixed 1/8 oz —/6	1 10	— —	<u>Dwarf early-flowered ten week</u>		
⊙ <i>Centaurea americana</i> . . . . .	— 11	11 —	<u>Stocks,</u>		
" " alba . . . . .	— —	— —	1. Crimson,	5. Rose,	
4 " candidissima (ragusina) . . . . .	2 —	27 9	2. Dark Blue,	6. Rosy-carmine,	
" " compacta . . . . .	3 4	— —	3. Deep blood-red,	7. White,	
4 " Clementei . . . . .	1 2	— —	4. Light-blue,	8. Yellow,	
<i>Centaurea Cyanus</i> (Blue Bottle, Bachelor's Button)			each separate . . . . .		2 3 31 9
coelestina (Emperor William)	— 2	1 5	all colours mixed . . . . .		2 — 27 9
fl.pl.mixed,new double flowered	— 3	2 —	<u>Large-flowered dwarf ten week</u>		
nana compacta Victoria . . . . .	— 4	3 —	<u>Stocks,</u>		
" " " fl. pl.			1. Canary-yellow,	5. Fire red,	
Dam. 1899, double, dark red . . . . .	— 4	3 2	2. Crimson,	6. Light blue,	
nana compacta Victoria bicolor, Dam. 1902, white with a blue centre . . . . .	— 6	— —	3. Dark blood-red,	7. Lilac,	
single flowered, mixed . . . . .	— 2	1 —	4. Dark blue,	8. White,	
⊙ <i>Centaurea depressa</i> . . . . .	— —	1 —	each separate . . . . .		3 3 — —
4 " gymnocarpa . . . . .	— 5	5 3	all colours mixed . . . . .		2 8 37 6
⊙ " Margaritae, Dam. 1891 (White Sultan Mammoth), pure white, very large scented flowers (true, not the common very inferior <i>C. imperialis</i> ) . . . . .	— 8	8 —	<u>Wallflower-leaved large flowered</u>		
⊙ " moschata (Sweet Sultan) . . . . .	— 3	2 9	<u>ten week Stocks,</u>		
" " alba . . . . .	— 3	2 9	all colours mixed . . . . .		
⊙ " odorata Dam. 89 (Red Mammoth Sultan), with large purple scented flowers . . . . .	— —	— —	3 9 — —		
" " Chamaeleon Dam. (Yellow Sultan Mammoth), with very large flowers of a pale sulphur-yellow, later whitish yellow changing into lilac and fading in a rosy colour	1 9	25 —	<u>Victoria Bouquet ten week Stocks,</u>		
⊙ <i>Centaurea suaveolens</i> , Yellow Sweet Sultan . . . . .	— 5	4 —	1. Carmine,	4. Light blue,	
⊙§ <i>Cephalandra palmata</i> , Dam. 1889 . . . . .	2 2	— —	2. Dark bloodred,	5. White,	
			3. Dark blue,		
			each separate . . . . .		3 6 — —
			all colours mixed . . . . .		3 — — —
			<u>Dresden Perpetual-flowered ten</u>		
			<u>week Stocks,</u>		
			1. Dark blue,	4. Rosa,	
			2. Deep crimson,	5. Sulphur-yellow,	
			3. Light blue,	6. White,	
			each separate . . . . .		4 — — —
			all colours mixed . . . . .		3 6 — —
			<u>Large-flowered pyramidal ten</u>		
			<u>week Stocks mixed . . . . .</u>		
					3 9 — —
			<u>Dwarf large-flowered pyramidal</u>		
			<u>ten-week Stocks, mixed . . . . .</u>		
					4 6 — —



	per oz. s. d.	per lb. s. d.
<u>Giant or Tree ten-week Stocks,</u> mixed . . . . .	3 6	— —
<u>Giant Perfection ten-week Stocks,</u> mixed . . . . .	4 —	— —
<u>Perpetual-flowering or Emperor</u> <u>Stocks, all colours mixed . . . . .</u>	8 9	— —
<u>Winter or Brompton Stocks, mixed</u> all colours mixed . . . . .	8 9	— —
<u>Dwarf Winter or Brompton Stocks</u> all colours mixed . . . . .	7 6	— —
<u>Brompton Stocks, white Nice,</u> magnificent, continuously flowering; splendid for cutting . . . . .	3 —	42 —

**Victoria Winter Stock, Dam.**

Since we introduced this beautiful class it has met every where with an unlimited and unrestricted approbation; we recommend it most warmly to all who wish to have fine cut flowers; it produces the highest percentage of double flowers.

White (Electro) . . . . .	3 —	42 —
Pale-rose (peach-blossom) . . . . .	4 —	— —
Canary-yellow Dam. 1898. A worthy pendant to the other colours introduced by us; it can also easily be forced . . . . .	4 —	— —
Salmon-rose (Beauty of Nice) Prime quality, producing the highest percentage of double flowers	4 6	65 —
First quality, about 80 <sup>0</sup> / <sub>0</sub> of double flowers . . . . .	4 3	45 —
Lilac, wall-flower-leaved . . . . .	4 —	— —
Carmine-red . . . . .	3 3	— —
Queen Alexandra, flowers enormous, of a tender lilac-rosa; the plant is of very robust and quick growth, excellent for cutting purposes; well adapted both for autumn and winter, highly recommendable $\frac{1}{8}$ oz 1 3	10 —	— —

**Italian Winter Stock.**

A most recommendable class, resembling as their habit the Tree ten week stock, producing from January to March a great abundance of fine flowers.

a) <u>high</u> fire-red . . . . .	—	9 3
white . . . . .	—	9 3
each separate . . . . .	—	9 3
b) <u>semi-high</u> white . . . . .	1 —	12 —

**Cheiranthus Cheiri, German Wall-flower.**

Double Tree, mixed of many fine colours . . . . . $\frac{1}{8}$ oz —/10	5 —	— —
--	-----	-----

	per oz. s. d.	per lb. s. d.
Double Branching, mixed of many splendid colours . . $\frac{1}{8}$ oz —/10	5 6	— —
Single Branching, mixed . . . . .	— 3	2 8
⊙ Cheiranthus maritimus (Malcolmia) Virginian Stocks	— —	1 —
⊙ " maritimus albus . . . . .	— —	1 —
" " Fairy Queen . . . . .	— —	1 6
" " kermesinus (Crim- son King) . . . . .	— —	1 6
" " mixed . . . . .	— —	1 —
Chinese Bellflower, see Abutilon.		
" Primrose, see Primula chinensis.		



Victoria White Winter Stock.  
Electro 4/—.

Christmas Rose, see Helleborus.		
Chrysanthemum Burridgeanum . . . . .	— —	2 7
" carinatum, see tricolor.		
g " indicum, double fine mixed	8 9	— —
g Chrysanthemum, Japanese, double large-flowered, mixed . . . . .	6 3	— —
g Chrysanthemum, Japanese, with hairy flowers . . . . . $\frac{1}{8}$ oz 2/6	16 —	— —
g Chrysanthemum, Japanese Imperial double Ostrich-feathered, imported seed from one of the best collections . . . . .	6 3	— —
⊙ Chrysanthemum coronarium album plenum . . . . .		1 6
" coronarium luteum plenum		1 6
" " sulphureum plenum		1 6
" " double, mixed . . . . .		1 6

	per oz s. d.	per lb. s. d.		per oz s. d.	per lb. s. d.
g Chrysanthemum frutescens (Argyranthemum)	— 8	8 —	Clarkia elegans pulchella fl. albo pl.	— 2	1 9
⊙ " inodorum plenissimum	— 8	— —	" " " double, mixed	— 2	1 9
4 Chrysanthemum leucanthemum hybridum (Shasta Daisies). A new and really beautiful class standing even the severest cold without suffering; the flowers are very large, 3 to 4 in. diameter, with brilliant pure white petals, on long stiff stems; the plant blooms continuously for months and the cut flowers keep fresh for two weeks or more. The plant produces very few seed which is however rather large			⊙ Cleome grandis, Dam. new wonderful, with large flowers	— 4	2 6
$\frac{1}{8}$ oz —/9	4 6	— —	" speciosissima	— 4	3 7
Chrysanthemum segetum Gloria, new, with very large sulphur yellow flowers	— 5	4 9	h Clianthus Dampieri	3 9	— —
⊙ " tricolor (carinatum) album	— 2	1 9	" puniceus	2 —	24 —
" " atrococcineum	— 3	2 4	⊙§ Cobaea macrostemma, most elegant climber	2 9	— —
" " Chamaeleon, new	— 3	3 2	" scandens, beautiful climber	1 —	13 6
" " Dunnetti albo pl.	— 6	5 6	⊙§ " " fl. albo	1 6	20 —
" " aurea pl.	— 6	5 6	⊙§ Coccinea indica	— 7	6 3
" " Eclipse	— 3	2 9	" Moghad	— 10	— —
" " Golden Feather	— 3	2 5	Cockscomb, see Celosia.		
" " finest mixed	— 2	1 8			
Cigar-Flower, see Cuphea platycentra.					
g Cineraria hybrida, finest mixed	6 3	— —	h Coleus hybridus,		
" " large flowered, finest mixed $\frac{1}{16}$ oz —/11	11 —	— —	choice quality from our own splendid collection	$\frac{1}{8}$ oz 1/—	6 3 — —
" " dwarf, many varieties of the finest colours, mixed $\frac{1}{16}$ oz 2/—	— —	— —	very good quality	$\frac{1}{8}$ " —/6	3 — 39 6
" " dwarf large flowered, extra selected	— —	— —	macrophyllus, with very large leaves of the best and remarkable colours	$\frac{1}{8}$ oz 1/3	8 6 — —
$\frac{1}{16}$ oz 2/6	— —	— —	regalis (imperialis) with very undulate and blistered leaves, in the finest variety of colours	$\frac{1}{8}$ oz 2/—	13 — — —
g " " striata, splendid colours mixed	— —	— —	laciniatus, with light brownish lacinated leaves; a most lovely and remarkable kind	$\frac{1}{8}$ oz 4/—	29 — — —
$\frac{1}{32}$ oz 1/9	— —	— —	quercifolius	$\frac{1}{8}$ oz 6/—	— — — —
$\frac{1}{16}$ " 3/3	— —	— —			
g " " striata nana, seeds collected from a magnificent collection	— —	— —	⊙ Collinsia bicolor	— —	— 11
$\frac{1}{32}$ oz 2/3	— —	— —	" " mixed	— —	— 11
$\frac{1}{16}$ " 4/—	— —	— —	Columbine, see Aquilegia.		
" " stellata (Cactus)	— —	— —	4 Commelina coelestis	— 5	— —
$\frac{1}{16}$ oz 1/3	— —	— —	" " alba	— 5	— —
" " plenissima, double splendid mixed	— —	— —	" Sellowiana, new	3 —	— —
$\frac{1}{8}$ oz 11/—	— —	— —	4§ Convolvulus major, see Ipomoea purpurea.		
$\frac{1}{16}$ " 5/10	— —	— —	g " mauritanicus	1 —	12 —
$\frac{1}{32}$ " 3/3	— —	— —	⊙ " minor (tricolor), mixed	— —	— 6
4 " " maritima	— 3	2 1	Coral Tree, see Erythrina.		
4 " " candidissima	— 4	3 —	h Cordyline australis (C. Baueri), the true broad-leaved variety, berries	1 —	14 6
g§ Cissus antarctica	1 —	— —	" " clean seed	3 9	— —
g Citrus trifoliata	— 6	4 10	" congesta spectabilis	— —	— —
⊙ Clarkia elegans Double, mixed	— —	1 9	1000 seeds 2/3	— —	— —
			" indivisa (C. colocoma superbiens) berries	— 5	4 —
			" " lineata	— 6	5 9
			" " latifolia	— 7	6 —
			" " Veitchi	— 8	7 3
			" " rubra (Dracaena)	— 9	8 —
			" nutans 1000 seeds 2/—	— —	— —
			" rubra 1000 " 11/—	— —	— —
			4 Coreopsis grandiflora	— 3	3 —
			⊙ " japonica	— 6	— —





	per oz s. d.	per lb. s. d.		per oz s. d.	per lb. s. d.
Eastern Queen, rosa . . . . .	— 5	4 9	4 Echinacea purpurea 100 seeds —/3	— —	— —
Mourning Cloak . . . . .	— 6	6 —	1000 " 1/9	— —	— —
nobilis (Royal Pink), new, one of the best single . . . . .	— 6	6 —	" hybrida superba 100 seeds 4/6	— —	— —
ornatus, Dam. 1902, new; the petals are deep blood red towards the centre, striped and marbled in dark brown, while the border is white forming a white distinct circle.	— 5	4 9	1000 " 35/—	— —	— —
single-flowered, best mixed . . . . .	— 4	4 —	Edelweiss, see Gnaphalium Leonto- podium.		
double-flowered, " " . . . . .	— 5	4 9	English Clover, see Gomphrena.		
⊙ Dianthus laciniatus, single-flowered mixed . . . . .	— 5	4 9	h Erythrina caffra vera 100 seeds 2/6	— —	— —
" " mirabilis, new . . . . .	2 6	— —	" corallodendron 1000 " 11/6	— —	— —
" " double mixed . . . . .	— 6	6 —	" crista galli . . . . .	— 9	10 3
" " zonalis, new, salmon-red with dark-red . . . . .	— —	— —	" insignis . . . . .	— —	— —
⊙ Dianthus laciniatus, rubro striatus Dam. 1898. An extremely pretty kind blooming most profusely and growing about 8 to 10 inches high. The flowers are white, richly striped with lilac-red. A very valuable addition to the col- lection . . . . .	— 8	8 —	⊙ Eschscholtzia californica (Californian Poppy) . . . . .	— 3	2 —
Dianthus laciniatus Salmon Queen, new, large-flowering, salmon-red	— 6	6 4	" " fl. albo . . . . .	— 3	2 —
" laciniatus Salmon Queen fl. pl. double flowered . . . . .	— 10	10 4	Eschscholtzia californica fl. roseo . . . . .	— 3	2 3
4 " plumarius, the common Phea- sant eye Pink . . . . .	— 3	1 7	" " grandiflora carmine . . . . .	— 5	4 9
" " fl. pl. finest double Garden Pink . . . . .	2 —	— —	" " The Golden West . . . . .	— 4	3 7
4⊙ Didiscus (Huegelia) coeruleus . . . . .	— —	— —	" crocea . . . . .	— 3	2 —
Didymocarpus, see Streptocarpus.			" " fl. pl. double . . . . .	— 4	3 9
4 Digitalis (Foxglove)			" hybrida Mandarin . . . . .	— 4	3 9
" gloxiniaeflora mixed . . . . .	— 3	2 9	" maritima, Cross of Malta . . . . .	— 4	3 7
" purpurea . . . . .	— 2	1 5	g Eucalyptus amygdalina . . . . .	1 3	15 3
g§ Dioclea glycinoides . . . . .	— 5	5 7	g " botryoides . . . . .	2 —	— —
⊙§ Dolichos atropurpureus . . . . .	— 2	— 11	" citriodora . . . . .	3 9	— —
" Lablab albus, Hyacinth Bean, white . . . . .	— —	— 9	" colossea . . . . .	3 —	— —
" " giganteus . . . . .	— —	— 9	" gigantea . . . . .	1 6	18 —
" " Princess Helene Dam. 1896 new, white, scented, pods wax-white . . . . .	— —	— 9	" globulus, Blue Gum . . . . .	1 3	15 6
" " mixed . . . . .	— —	— 8	" Gunnii . . . . .	1 3	— —
g§ " lignosus . . . . .	— 3	2 5	" marginata (Jarrah) . . . . .	1 6	21 —
" mixed . . . . .	— —	— 10	" obliqua . . . . .	1 2	— —
h Dracaena arborea 1000 seeds 1/6	— —	— —	" piperita . . . . .	1 8	— —
" Draco . . . . .	— 5	4 9	" resinifera, Red Gum . . . . .	1 3	14 6
Dusty Miller, see Centaurea candi- dissima.			" robusta . . . . .	1 3	15 6
⊙4§ Eccremocarpus scaber (Calampelis)	1 3	16 —	" rostrata . . . . .	1 3	16 —
g Echeveria glauca (capsules) . . . . .	1 —	— —	⊙ Eucharidium Breweri, rosy purple . . . . .	2 —	— —
			" grandiflorum . . . . .	— 3	2 —
			Eupatorium serrulatum, new . . . . .	3 3	— —
			g " Weinmannianum . . . . .	1 8	— —
			h Euryale ferox, hot-house aquatic, similar to Victoria regia 10 seeds 1/—; 100 seeds 8/—	— —	— —
			Evening Primrose, see Oenothera.		
			Everlasting Flower, see Helichrysum.		
			" Pea, see Lathyrus lati- folius.		
			4 Felicia abyssinica Dam. 1897 new Feverfew, see Matricaria.		
			h Ficus Cooperi . 1000 seeds 2/6	— —	— —
			" elastica . 1000 " 2/3	— —	— —
			" imperialis . 1000 " 3/—	— —	— —
			Fishbone Thistle, see Chamaepeuce.		
			Flora's Paint Brush, see Cacalia.		
			Flos Adonis, see Adonis aestivalis.		
			Flowering Flax, see Linum.		
			" Maple, see Abutilon.		
			Forget me not, see Myosotis.		

		per oz s. d.	per lb. s. d.
	Fountain Plant, see <i>Amaranthus salicifolius</i> .		
	Four o'clock, see <i>Mirabilis</i> .		
	Fox glove, see <i>Digitalis</i> .		
4	<i>Fragaria indica</i> . . . . .	1 —	—
g	<i>Franseria artemisioides</i>		
	100 seeds—/8	—	—
	1000 " 3/6	—	—
g	<i>Fuchsia corymbiflora</i> 1/32 oz 2/6	—	—
g	" " <i>alba</i> 1/32 " 2/6	—	—
	" <i>procumbens</i> 1000 seeds 2/—	—	—



*Gerbera Jamesoni*. Electro 3/3.

⊙	<i>Gaillardia grandiflora</i> . . . . .	— 4	3 8
	" " <i>compacta</i> . . . . .	— 5	4 4
	<i>Gaillardia grandiflora maxima</i> . . . . .	— 5	4 9
⊙	" <i>picta</i> ( <i>pulchella</i> ) . . . . .	— 2	1 6
	" " <i>Lorenziana</i> , best double mixed . . . . .	— 3	2 5
⊙	<i>Gaura Lindheimeri</i> . . . . .	— 2	1 9
4	<i>Gazania bracteata</i> pure white, rich-flowering 1/32 oz 1/5; 1/8 oz 4/9	34 —	—
4	" <i>hybrida</i> <i>Nora</i> , Dam. 1897 Flowers milk white, with lilac tips, sulphur-yellow at the base with a large black spot. 100 seeds 1/2; 1000 seeds 9/—	—	—

		per oz s. d.	per lb. s. d.
4	<i>Gazania hybrida</i> <i>Diana</i> , Dam. 1897 Upper part of the petals yellowish white, the lower part changing into chrome-yellow, 100 seeds 1/2; 1000 seeds 9/—	—	—
4	<i>Gazania hybrida</i> <i>Blondine</i> , Dam. 1897 Bright chamois, dark orange on the base with white or pale yellow spots; the opposite part of the petals is dark lilac striped, 100 seeds 2/—; 1000 seeds 16/—	—	—
4	<i>Gazania hybrida</i> <i>Bianca</i> , Dam 1897. Flowers at first sulphur-yellow, changing afterwards into white; slight purple spots at the base of the petals; the opposite part of the petals bears a broad blue stripe in the centre. Flowers measuring about 3 in. across 100 seeds 2/—; 1000 seeds 16/—	—	—
4	<i>Gazania hybrida</i> <i>Venus</i> , Dam. 1899. Satin white flowers with a light yellow hue at the base. The back side of the petals is crossed by a broad greyish green line. This plant differs from <i>G. nivea</i> by its shorter and broader petals and also by the greater profusion of flowers, which makes it a worthy addition to the fine varieties introduced by us 3 years ago. 100 seeds 2/—; 1000 seeds 16/—	—	—
	<i>Gazania hybrida</i> , mixture of one of the finest collections of more than 40 different forms, which we recommend quite particularly; selected seeds, growing about 95%.	—	—
	100 seeds 3/9; 1000 seeds 31/—	—	—
4	<i>Gazania pygmaea</i> <i>lutea</i> . A new form with very large chrome yellow flowers, the petals of which bear on their basis a light yellow spot forming together a circle which produces a striking effect. The petals are at their lower part crossed by a broad grey line. The yellow color of the flowers is not only quite new among <i>Gazanias</i> but also extremely handsome. It is a charming novelty which will soon become very popular. 100 seeds —/9; 1000 seeds 5/6	—	—
4	<i>Gazania splendens</i> , a fine, well known plant for carpet-bedding . . . . .	2 —	—
	" <i>splendens</i> fol. var. 100 seeds —/9 1000 seeds 5/6	—	—
	" <i>stenophylla</i> ( <i>Gazaniopsis</i> ) . . . . .	3 9	—
g	<i>Genista candicans</i> . . . . .	— 7	—
4	<i>Gentiana acaulis</i> . . . . .	— 9	8 9
	<i>Geranium</i> , see <i>Pelargonium</i> .		

	per oz s. d.	per lb. s. d.		per oz s. d.	per lb. s. d.
4 Gerbera Jamesoni (Electro) 100 seeds 7/—	—	—	⊙ Gypsophila elegans . . . . .	—	7
" " (Electro) 1000 seeds 60/—	—	—	4 " paniculata . . . . .	5	4
4 Geum coccineum atrosanguineum semipl. . . . .	13	—	Hardenbergia, see Kennedyya.		
⊙ Gilia tricolor . . . . .	—	8	Harpalium rigidum (Helianthus), rich-flowering, beautiful 1/8 oz 1/—	6	9
Globe amarant, see Gomphrena.			Hawkweed, see Crepis.		
" Thistle, see Echinops.			Heartsease, see Viola tricolor maxima.		
Glory Pea, see Clianthus.			⊙ Hebenstreitia comosa serratifolia .	1	—
			⊙ Helianthus (Sunflower).		
<b>1/2 Gloxinia hybrida</b>			" annuus Bismarckianus, with enormous flowers . . . . .	2	1
with erect flowers mixed			" " globosus fistulosus . . . . .	—	1 1
1/32 oz 4/—; 1/16 oz 7/6; 1/8 oz 14/—	—	—	" " flore pleno . . . . .	—	— 11
grandiflora (Emperor Frederic), bright scarlet with broad white borders, 1/32 oz 4/9; 1/16 oz 8/9; 1/8 oz 16/9	—	—	" " nanus fol. var. (Golden Leaf) . . . . .	3	1 7
splendid mixed 1/32 oz 3/6; 1/16 oz 6/6; 1/8 oz 12/6	—	—	" " californicus plenissimus . . . . .	—	1 3
4 Gnaphalium Leontopodium (Edelweiss) . . . 1/8 oz —/10	5	—	" annuus macrophyllus giganteus . . . . .	—	— 7
⊙ " orientale fl. pleno 1/32 oz 1/9; 1/16 oz 2/9; 1/8 oz 4/9	36	—	" " Primrose coloured . . . . .	—	— 10
⊙ Godetia Bijou, dwarf, with rose-coloured spot . . . . .	3	2 9	" " mixed . . . . .	2	— 10
" Duchess of Albany, satin white . . . . .	4	3 7	" argyrophyllus . . . . .	—	1 3
" " of Fife, dark-red with white . . . . .	4	3 7	" cucumerifolius, small-flowered . . . . .	3	2
" Duke of Fife . . . . .	4	3 7	" " Excelsior, flowers cactus-like, with long curled petals . . . . .	3	2 5
" " of York, scarlet carmine . . . . .	4	3 7	" " nanus compactus (Perkeo) . . . . .	5	4 9
" Fairy Queen . . . . .	5	4	" " Orion, new . . . . .	4	3 7
" Gloriosa, deep bloodred . . . . .	5	—	" cucumerifolius, Giant Star, same as Excelsior, but with much larger flowers . . . . .	3	2 6
" grandiflora rosea plena . . . . .	6	—	" " Stella, new, pure golden yellow . . . . .	3	3 3
" Lady Albemarle . . . . .	3	2 7	⊙ " " Stella grandiflorus, with very large flowers . . . . .	4	4
" " compacta . . . . .	3	2 9	" " white (albiflora Polarstar) . . . . .	5	4
" " Satin Rose . . . . .	4	3 7	" " Apollo, new; quite dwarf, ab <sup>t</sup> 12 inches high . . . . .	1	—
" Lindleyana fl. pl. . . . .	2	1 10	" " mixed . . . . .	3	3
" Princess Henry . . . . .	3	2 5	" " double-flowering . . . . .	6	6
" Whitney Brilliant . . . . .	3	2 5	" uniflorus . . . . .	—	6
" White Pearl . . . . .	2	1 10	4 Helichrysum angustifolium . . . . .	9	9
" mixed . . . . .	2	1 9	⊙ " compositum monstrosum, double large-flowered mixed . . . . .	8	7 3
Gold Dust, see Alyssum saxatile.			⊙ Helichrysum compositum nanum plenissimum, dwarf double mixed . . . . .	8	—
Golden Feather, see Pyrethrum parthenifolium aureum.			1/2 Heliotropium peruvianum.		
⊙ Gomphrena globosa (Globe Amarant)	2	1 5	Anna Turell . . . . .	2	6
" " alba . . . . .	2	1 5	Boule de neige . . . . .	2	6
" " mixed . . . . .	2	1 3	Bouquet parfait . . . . .	2	6
" Haageana, orange . . . . .	2	2 2	giganteum, large-flowered, dark violet (purple) 1/8 oz —/8	4	—
Gourds, ornamental, see Cucurbita and Lagenaria.			grandiflorum . . . . .	2	6
g Grevillea robusta . . . . .	1 3	15	Gloire des massifs . . . . .	2	6
Groundsel, see Senecio.			Regina Margarita (Marguerite) 1/8 oz —/9	3	9
4 Gymnopsis uniserialis Hook. Grows about 30 inches high. Flowers chrome-yellow, 2 to 3 in. across most abundant on rather long stems, keeping well for a long time. June to September . . . . .	4	3 9			





	per oz s. d.	per lb. s. d.
<b>Double rose.</b>		
10. Purple,            13. White with rose,		
11. Rose,             14. purple,		
12. White,            15. scarlet,		
each separate . . . . .	— 5	4 —
All colours mixed . . . . .	— 5	3 3
<b>Double Camellia.</b>		
1. Brilliant rose,    6. Purple,		
2. Brilliant scarlet, 7. Rose,		
3. Crimson,         8. Rosy carmine,		
4. Light blue,      9. Rosy lilac,		
5. Lilac,            10. Scarlet,		
each separate . . . . .	— 5	4 —
All colours mixed . . . . .	— 5	3 3
<b>Improved double Camellia „Prince Bismarck“, brilliant salmon-rose</b>	— 10	9 10
<b>Improved double Camellia, pure white „alba perfecta“</b>	— 10	9 10
<b>Double dwarf, splendid mixed</b>	— 5	4 6
„ Solferino, streaked and spotted, mixed . . . . .	— 5	4 9
„ Emperor . . . . .	— 6	5 6
„ Victoria, mixed . . . . .	— 7	6 —
<b>Atroanguinea plenissima, dark blood-red . . . . .</b>	— 8	7 2
<b>Pink-Balsams, striped, mixed . . . . .</b>	— 4	3 7
<b>z Impatiens Sultani</b>		
1/16 oz 1/9; 1/8 oz 3/—	21	— —
„ „ hybrida, splendid hybrids mixed . . . . . 1/8 oz 2/6	18 6	— —
<b>4 Incarvillea Delavayi . . . . . 1/8 „ 1/4</b>	10	— —
<b>Indian Shoot, see Cannas.</b>		
⊙ <b>Ipomoea bona nox . . . . .</b>	— 2	1 7
„ campanulata . . . . .	— 2	1 5
„ coccinea . . . . .	— 2	1 1
⊙ „ grandiflora Hesperus, new; a grand new variety of the “Moonflower”; flowers pure white of enormous size; most magnificent . . . . .	1 3	16 —
⊙ <b>Ipomoea grandiflora mexicana alba</b>	— 6	5 8
⊙ „ hederacea grandiflora alba . . . . .	— 2	1 —
„ Huberi variegata Carmen Sylva . . . . .	— 2	1 3
„ „ „ finest mixed . . . . .	— —	1 1
 ⊙ <b>Ipomoea Mikado. Dam. 1902.</b>		
A new class of marvelous beauty, producing splendid flowers in the greatest variety of colours, measuring often 4 to 5 in. across. The foliage also is highly ornamental, varying in colour from light green to dark green, marbled, striped &c. The plant is of a remarkably vigorous and quick growth, growing in a very short time very high.		
blue                    purple		
„ spotted             yellow,		
„ white-edged        rose spotted		

	per oz s. d.	per lb. s. d.
brown                    rose yellow leaves		
carmin                  „ spotted		
„ white-edged       white		
slate-blue              „ yellow leaves		
each separate . . . . .	— 6	4 6
All colours mixed . . . . .	— 5	3 9
 ⊙ <b>Ipomoea imperialis Dam. 1893.</b>		
A most beautiful class of Ipomoea with very large flowers, the colours for the most part absolutely new.		
<b>a) With green leaves.</b>		
Adonis, bright purple with pure white throat	— 3	2 6
Aphrodite, pure white, giant flowers . . . . .	— 3	3 —
Asteria, enormous flowers, copper-red with a white throat . . . . .	— 3	3 —
Thalia, pure white . . . . .	— 3	3 3
All colours mixed . . . . .	— 3	3 —



Iberis umbellata Queen of Italy.  
Electro 3—.

	per oz s. d.	per lb. s. d.
<b>b) With silvery leaves.</b>		
Aglaja, crimson with a white throat . . . . .	— 3	3 3
Antigone, very large blue flowers with a rosy throat . . . . .	— 3	3 —
⊙§ <b>Ipomoea imperialis satin-rose.</b> The foliage is of a bright green splashed with silvery white . . . . .	— 6	6 9
Ceres, crimson with a white border . . . . .	— 3	3 6
Euphrosyne, pure white with a rosy throat . . . . .	— 3	3 —
Princess, white, crimson speckled . . . . .	— 3	3 6
All colours mixed . . . . .	— 3	3 3
 <b>c) Aurata (fol. aur. — leaves with a golden hue).</b>		
Cleopatra, brilliant carmine with a white throat and border . . . . .	4	3 7
Juno, sky-blue . . . . .	3	3 —
Luna, very large flowers, dark and light blue and delicate carnation . . . . .	— 3	3 —
All colours mixed . . . . .	— 3	2 9
the above sorts 3 classes a. b. c mixed . . . . .	— 3	2 9

d) Collata (Electro).

A most remarkable and beautiful class of the greatest variety of shape and colour, the gigantic flowers are partly curled or frizzled, looking thus, as if they were double.

	per oz s. d.	per lb. s. d.
Alba, pure white . . . . .	— 5	4 9
Carminea, carmine-red . . . . .	— 5	4 9
Diana, dark blue with a white border . . . . .	— 5	4 9
The above sorts mixed . . . . .	— 4	4 3

e) Micans.

Another wonderful class of Ipomoea imperialis with perfectly smooth stems and leaves; leaves either green or



Ipomoea imperialis collata.  
Electro 33.

	per oz s. d.	per lb. s. d.
silvery and the variety of colors is most beautiful and striking; finest colours mixed . . . . .	— 4	3 3
h Ipomoea Learii, blue . . . . .	— 11	12 —
⊙ " limbata (Pharbitis) . . . . .	— 1	— 10
⊙ " Nil grandiflora . . . . .	— 2	1 —
⊙ " purpurea (Morning Glory) Convolvulus major, splendid mixed . . . . . cwt. 48/—	— —	— 7
⊙ " purpurea, 6 distinct colours, each separate . . . . .	— —	— 8
" " fl. albo pleno, double white . . . . .	— 5	4 —
" " fl. carminea plena . . . . .	— 5	4 —
" " fl. carneo plena . . . . .	— 5	4 —
" " fl. violaceo plena . . . . .	— 5	4 —
" " flore pleno, double flowering mixed . . . . .	— 4	3 2

	per oz s. d.	per lb. s. d.
⊙ Ipomoea Quamoclit, Cypress Vine	— 3	2 5
⊙ " " hederacea, scarlet	— 3	2 —
⊙ " rubro-coerulea (violacea vera)	— 8	6 6
⊙ " sanguinea (Mina) . . . . .	— 2	1 5
⊙ Ipomopsis elegans, mixed . . . . .	— 4	3 3
Italian Bugloss, see Anchusa.		
h Jacaranda mimosaefolia . . . . .	1 2	14 —
Jacobaea, see Senecio elegans.		
Jerusalem Star, see Cerastium.		
⊙ Jonopsidium acaule . . . . .	1 2	— —
Joseph's Coat, see Amaranthus tricolor.		
Jove's Flower, see Agrostemma coronaria.		
⊙ Kaulfussia amelloides . . . . .	— 8	— —
g§ Kennedyya nigricans . . . . .	3 —	— —
⊙§ Lagenaria leucantha clavata . . . . .	— 3	2 6
" " verrucosa . . . . .	— 3	2 9
" " var. Gourds of different curious shapes, such as for instance Water-bottle, Tobacco box etc. etc.	— 2	1 7
" vulgaris sylvestris (abyssinica) . . . . .	— 3	2 —
g Lagerstroemia indica, clean seed . . . . .	1 6	— —
Lagunaria, see Hibiscus.		
g Lantana hybrida grandiflora, fine mixed . . . . .	— 3	2 —
g§ Lapageria rosea . 100 seeds 2/9	— —	— —

⊙ Larkspurs.

Double Imperial branching (Delphinium Consolida imperiale) finest mixed . . . . .	— 3	2 9
Double dwarf branching or Candelabrum mixed . . . . .	— 7	6 4
Double Hyacinth-flowered giant, finest mixed . . . . .	— 3	2 —
Double Stock-flowered, mixed . . . . .	— 2	2 —
⊙§ Lathyrus odoratus, Sweet Peas mixed cwt. 40/—	— —	— 8
" " Eckfords new hybrids mixed cwt. 60/—	— —	— 10
g Lavatera arborea . . . . .	— 3	2 6
" " fol. var. . . . .	— 11	— —
⊙ " trimestris fl. albo . . . . .	— 2	1 7
" " fl. rubro . . . . .	— 2	1 7
⊙ Leptosiphon hybridus, mixed . . . . .	— 4	— —
⊙ Leptosyne gigantea, a charming decorative plant with graceful pinnate foliage and golden-yellow flowers		
100 seeds —/4; 1000 seeds 2/7	— —	— —



	per oz s. d.	per lb. s. d.		per oz s. d.	per lb. s. d.
Mourning Bride, see Scabiosa.			⊙ Nigella hispanica . . . . .	3	1 7
h Musa Ensete . 1000 seeds 13/6	—	3 6	"   "   "   alba . . . . .	3	1 7
"   "   Italian-saved seeds	—	—	"   "   "   purpurea . . . . .	3	1 7
100 seeds 4/—	—	—	⊙ Nycterinia capensis . . . . .	11	11 3
"   religiosa (Fétiche)	—	—	⊙ Oenothera acaulis vera (Evening- Primrose) . . . . .	11	—
100 seeds 1/—; 1000 " 8/—	—	—	⊙ Oxalis rosea . . . . . 1/8 oz —/8	4 6	—
Musk Plant, see Mimulus moschatus.	—	—	h "   sensitiva (Biophytum)	—	—
4 Myosotis alpestris, Alpine Forget- me-not . . . . .	9	8 3	"   "   "   1/16 oz 2/9; 1/8 oz 5/—	37	—
"   "   alba . . . . .	10	9 10	⊙ "   tropaeoloides . . . . .	1 2	—
"   "   rosea . . . . .	9	—	Oxlip, see Primula elatior.		
"   "   compacta, blue . . . . .	1	—	4 Paeonia arborea (Moutan) fl. pl. .	9	—
"   "   elegantissima . . . . .	1	—	Palma Christi, see Ricinus.		
"   "   "   "   alba . . . . .	1	—	Pansies, see Viola tricolor maxima.		
"   "   robusta grandiflora (Elisa Fonrobert)	1	—	4 Papaver bracteatum . . . . .	5	4 10
"   "   Victoria, dwarf com- pact variety . . . . .	1 6	—	⊙ "   Danebrog, brilliant scarlet with large white spots. . . . .	—	11
"   "   mixed . . . . .	9	8 9	"   Danebrog flore pleno . . . . .	2	1 2
⊙ Myosotis azorica			⊙ "   "   glaucum (Tulip Poppy) . . . . .	10	—
1/16 oz 1/6; 1/8 oz 2/6	19 9	—	"   "   Murselli fl. pl. white, striped dark. . . . .	—	1
4 "   dissitiflora . . . . .	3 9	—	"   "   Mikado . . . . .	2	1 8
"   "   alba . . . . .	5	—	4 "   "   nudicaule . . . . .	1 3	—
"   "   BluePerfection . . . . .	6	—	⊙ "   "   paeoniflorum fl. pl. mixed . . . . .	—	11
"   "   oblongata (latifolia) . . . . .	9	—	"   "   Rhoeas Shirley, single flower- ing. . . . .	4	4
"   "   palustris, true. . . . .	1 9	23 9	⊙ "   "   Rhoeas fl. pl. French ranun- culus-flowering double mixed somniaferum "The Bride", single flowered white . . . . .	—	11
"   "   semperflorens . . . . .	1 9	23 9	⊙ "   "   somniaferum fl. pl., double Carnation Poppy, mixed . . . . .	—	9
"   "   "   "   alba . . . . .	2 6	—	"   "   somniaferum nanum fl. pl. White Swan . . . . .	2	1 4
"   "   "   "   Fairy-Eye (Water-Fairy) . . . . .	4 9	—	"   "   somniaferum nanum fl. pl. brilliant-rose . . . . .	2	1 3
"   "   Welwitschii, dwarf, splen- did . . . . .	1 3	18	g Parkinsonia aculeata . . . . .	5	4 6
g§ Myrsiphyllum asparagoides (Medeola, Smilax) . . . . .	6	5 7	h§ Passiflora coerulea (Passion flower)	5	4
Nasturtium (Indian Cress), see Tropaeolum.			"   "   grandiflora . . . . .	6	5 7
h Nelumbium luteum 100 seeds 1/10	—	—	"   "   edulis . . . . .	1 6	—
⊙ Nemesia strumosa Suttoni, very flori- ferous, highly adapted for borders	2 6	—	"   "   rosacea (incarnata) . . . . .	1 4	—
Nemesia strumosa nana compacta	3	—	Pea, Sweet, see Lathyrus odoratus.		
⊙ Nemophila . . . . .	—	—	g Pelargonium hybridum grandi- florum, finest large-flowered, Odier and Fancy mixed, 100 seeds 1/6; 1000 seeds 13/3	—	—
"   insignis, blue . . . . .	—	8	g Pelargonium hederaefolium mixed, 100 seeds —/7; 1000 seeds 5/3	—	—
"   "   alba . . . . .	—	1	g Pelargonium hederaefolium, double, mixed, 100 seeds 1/3; 1000 seeds 11/6	—	—
"   "   "   "   purpurea . . . . .	—	1	Pelargonium odoratissimum		
"   "   "   "   maculata . . . . .	—	8	100 seeds —/4; 1000 seeds 2/6	—	—
g Nerium Oleander album clean seed	5	4 9	g Pelargonium Scarlet, choice mixed .	6	6
"   "   roseum . . . . .	4	3	"   Scarlet, double-flowered, mixed, 100 seeds 1/2; 1000 seeds 8/3	—	—
⊙ Nicotiana affinis . . . . .	4	3 9			
"   colossea, one of the finest ornamental foliage plants	4	—			
"   "   1/8 oz —/9	—	—			
"   "   purpurea grandiflora . . . . .	3	—			
"   "   sylvestris, Spegaz. Dam.	—	—			
Flowers pure white . . . . .	3	—			
⊙ Nierembergia gracilis . . . . .	8	—			
⊙ Nigella damascena nana alba plena	—	1			
"   "   "   "   coerulea	—	—			
"   "   "   "   plena (Love-in-a-mist) . . . . .	—	1 3			

	per oz s. d.	per lb. s. d.		per oz s. d.	per lb. s. d.
g Pelargonium Scarlet, white variegated-leaved, 100 seeds 1/9; 1000 seeds 14/6	—	—			
g Pelargonium Scarlet, golden, tricolor, variegated, hybridized, 100 seeds 1/6; 1000 seeds 13/6	—	—			
Penny Royal, see Mentha Pulegium.					
4 Penstemon Hartwegi (gentianoides) mixed varieties . . . . .	1 3	18 —			
⊙ Perilla nankinensis . . . . .	—	1 —			
” ” fol. atropurpureis laciniatis . . . . .	— 2	1 3			
” ” macrophylla crispa compacta . . . . .	— 2	1 5			
” ” macrophylla crispa elator . . . . .	— 3	2 3			
” ” laciniatus picta, Dam. 1899. Under normal conditions the plant grows about 2 feet high; the leaves are deeply cut, of a dark brown almost black color with very distinct large rose and white stripes . . . . .	— 2	1 7			
⊙ <b>Petunia hybrida.</b>					
Alba . . . . .	— 7	6 10			
Belle Etoile . . . . .	— 8	8 6			
Carmen Sylva . . . . .	— 8	8 —			
Carminea intus alba (Adonis) . . . . .	— 8	8 —			
Compacta nana multiflora . . . . .	1 3	—			
Countess of Ellesmere . . . . .	— 5	4 9			
Inimitable . . . . .	— 9	8 —			
” nana compacta multiflora . . . . .	1 2	—			
Finest mixed, first quality . . . . .	— 6	5 3			
⊙ <b>Petunia hybrida grandiflora.</b>					
Choicest quality.					
Alba . . . . . 1/16 oz 1/6; 1/8 oz 2/6	17 —	—			
Atropurpurea . . . . . 1/16 ” 1/9; 1/8 ” 2/9	20 —	—			
Maculata . . . . . 1/16 ” 1/9; 1/8 ” 2/9	20 —	—			
Purpurea albo maculata, new 1/32 oz 1/3; 1/16 oz 2/2; 1/8 oz 3/10	—	—			
Purple King . . . . . 1/16 oz 1/9; 1/8 oz 2/10	—	—			
Superbissima Prince of Wurtemberg with enormous flowers, quite extra 1/32 oz 2/6; 1/16 oz 4/6; 1/8 oz 8/—	—	—			
Largest-flowered varieties mixed 1/16 oz 1/2; 1/8 oz 1/10	12 6	—			
⊙ <b>Petunia hybrida grandiflora fimbriata.</b>					
All colours mixed, choicest quality 1/16 oz 1/3; 1/8 oz 2/—; 1/4 oz 2/6	24 9	—			
⊙ <b>Petunia hybrida grandiflora fl. pl.</b>					
Most carefully fecondated, producing about 50% of double flowers. First quality.					
Double large-flowered mixed 1/64 oz 4/6; 1/32 oz 8/—	—	—			
Double fringed in great variety mixed (fimbriata) . . . . . 1000 seeds 1/9 10 000 ” 18/—	—	—			
⊙ Phacelia campanularia . . . . .	— 5	4 9			
” tanacetifolia . . . . .	—	10			
§ Phaseolus Caracalla . . . . .	— 6	6 —			
⊙ § ” ensiformis gigas . . . . .	—	1 3			
Pheasant-eye Pink, see Dianthus plumarius.					
⊙ <b>Phlox Drummondii.</b>					
Extra fine mixed . . . . .	— 9	9 9			
<b>Phlox Drummondii grandiflora.</b>					
Collected from largest flowers.					
Alba pura . . . . .	1 3	—			
Atropurpurea . . . . .	1 3	—			
Carminea . . . . .	1 3	—			
Coccinea . . . . .	1 3	—			
Splendens . . . . .	1 3	—			
All the above mixed . . . . .	— 11	11 —			
<b>Phlox Drummondii nana compacta grandiflora.</b>					
Saved exclusively from dwarf plants.					
Alba . . . . .	2 6	—			
Atropurpurea . . . . .	2 6	—			
Carminea . . . . .	3 9	—			
Chamois rose . . . . .	6 3	—			
Coccinea . . . . .	3 3	—			
” floribunda, Fireball . . . . .	4 9	—			
Coerulea stellata . . . . .	4 6	—			
Hortensiaeflora . . . . .	6 3	—			
Nivea (Snowball) . . . . .	2 9	—			
Victoria . . . . .	2 9	—			
All the above mixed . . . . .	2	26 —			
⊙ Phlox Drummondii cuspidata, mixed	1	11 10			
” ” fimbriata, mixed	1	11 10			
4 ” perennis (decussata) hybrida, finest large flowering sorts mixed	1 4	17 9			
” perennis (decussata) hybrida, ”Eclairer“ crimson colour, extremely large-flowering 1/8 oz 1/—	6	—			
” perennis (decussata) hybrida nana, best new dwarf varieties	4 6	—			



	per oz s. d.	per lb. s. d.
4 Primula Auricula extra fine quality from first class flowers 1/8 oz 1/10	12 4	— —
„ elatior, sweet scented Oxlip in beautiful varieties . . .	2 3	— —
„ „ (Polyanthus) finest named sorts	2 6	— —
„ „ „ gold laced varieties .	3 6	— —
„ „ „ duplex (hose in hose) 1/8 oz —/9	4 —	— —
„ obconica (alba) . . . 1/8 „ 1/6	10 —	— —
„ „ grandiflora 1/8 „ 1/8	11 3	— —

**g Primula chinensis fimbriata, Chinese Primrose.**  
Choice quality.

Alba pura . . . . . 1/8 oz 3/6	23 6	— —
„ magnifica . . . . . 1/8 „ 4/9	34 —	— —
Coerulea . 1/32 oz 3/6; 1/16 oz 6/—; 1/8 „ 6/6	50 —	— —
Coccinea . . . . . 1/8 „ 4/6	32 —	— —
Gigantea alba pura, largest-flowered 100 seeds 1/—	— —	— —
Kermesina splendens . 1/16 oz 1/6 1/8 „ 2/8	18 9	— —
Montblanc . 1/16 oz 2/3; 1/8 „ 4/—	27 —	— —
Punctata elegantissima . 1/16 „ 1/9 1/8 „ 3/5	24 9	— —
Rosea . . . . . 1/16 oz 1/6; 1/8 „ 2/5	17 6	— —
Striatiflora . . 1/16 „ 1/9; 1/8 „ 2/10	21 —	— —
Urania; stems and flower stalks of a dark blood-red; flowers fringed, dark copper-red; a very fine and most remarkable kind 1/16 oz —/—; 1/8 oz —/—	— —	— —
Fringed mixed, seeds collected exclusively from selected large flowers; first quality 1/8 oz 3/—	21 —	— —
„ mixed, very good quality 1/8 oz 2/3	16 —	— —

**Primula chinensis fimbriata flicifolia.**

Alba pura . . . . . 1/8 oz 4/—	27 —	— —
Gigantea Perfection white 1/32 „ 4/—	— —	— —
Kermesina splendens . 1/8 „ 4/—	29 9	— —
Rosea . . . . . 1/8 „ 3/3	22 6	— —
Striatiflora . . . . . 1/8 „ 4/—	27 —	— —

**Primula chinensis fimbriata flore pleno, double fringed.**

	100 seeds s. d.	1000 seeds s. d.
Alba, double white fringed . . . . .	— 6	4 3
Carminea . . . . .	— 6	4 2
Coccinea . . . . .	— 7	5 6
Kermesina splendens . . . . .	— 7	5 6
Rosea . . . . .	— 5	3 9
Striatiflora . . . . .	— 8	5 9
Double fringed mixed . . . . .	— 6	4 3

	per oz s. d.	per lb. s. d.
Prince's Feather, see Amaranthus hypochondriacus.		
g§ Pueraria Thunbergiana; most splendid, high-ranking, of Japan, with fine clusters of blue flowers 1/4 oz —/6	1 3	16 —
4 Pyrethrum cinerariaefolium . . . . .	— 7	7 3
4 „ parthenifolium aureum (Golden Feather) . . . . .	— 5	4 9
„ „ Golden Gem. . . . .	— 6	6 —
„ „ laciniatum . . . . .	— 6	6 —
„ „ selaginoides . . . . .	— 9	8 —
„ „ glaucum . . . . .	— 5	4 —



Reseda odorata Fiammetta.  
Electro 3/10.

4 Pyrethrum roseum hybr. mixed . . . . .	1 3	— —
„ „ „ carmineum . . . . .	1 9	— —
„ „ „ carneum . . . . .	1 9	— —
„ „ „ double mixed 1/16 oz 1/6; 1/8 oz 2/9	20 —	— —
„ Tschihatschewi, true . . . . .	1 3	— —

Red-hot-Poker Plant, see Tritoma.

⊙⊙ **Reseda odorata grandiflora**  
choicest qualities, a speciality of our firm.

arborea . . . . .	— 4	3 6
aurea (Golden Queen) . . . . .	— 4	4 —
Bismark with giant spikes of flowers . . . . .	1 6	— —
compacta nana multiflora . . . . .	— 4	4 —
Crimson Queen . . . . .	— 5	4 9
Diamond . . . . .	— 5	4 9
Fiammetta, Dam. (Electro) with enormous panicles of very scented flowers of a dark-red hue; the finest . . . . .	3	3 2

	per oz s. d.	per lb. s. d.
Gabriele (imperialis, red, large panicles)	— 5	4 9
gigantea pyramidalis	— 3	2 5
Goliath	1 6	19 9
Machet, dwarf compact variety	— 7	6 —
„ golden yellow	— 9	8 —
Ruby	1 —	11 10
meliorata (Crimson Giant)	— —	1 3
Miles Spiral	— 2	1 9
odorata . . . . . cwt. 98/—	— —	— 10



Ruellia tuberosa. Electro 3/3.

odorata grandiflora . . . „ 110/—	— —	1 —
special prices for quantities!		
Urania Dam. 1892, with enormous panicles	— 3	2 —
Victoria, dark-red	— 4	3 7
the above sorts mixed	— —	1 9
all varieties mixed	— —	1 7
⊙ Rhodanthe maculata	1 —	— —
„ maculata alba	1 —	— —
„ Manglesii	1 —	— —
„ „ fl. pl. 1/8 oz —/9	5 —	— —
⊙ Ricinus (Castor Oil Bean, Palma Christi)		
africanus	— —	9 —
borboniensis arboreus	— —	8 —
cambodgensis, very dark leaved	— —	1 5
communis major	— —	8 —
Duchess of Edinburgh	— —	9 —
Gibsoni	— —	10 —
„ mirabilis	1 —	— —
sanguineus cwt. 27.	— —	6 —

	per oz s. d.	per lb. s. d.
Zanzibariensis, red seeds	— —	— 10
„ cinerascens	— —	— 10
„ enormis	— —	1 —
„ maculatus	— —	— 10
„ niger	— —	— 11
„ mixed	— —	— 9
all sorts mixed . . . cwt. 31/—	— —	— 5
Rock Lychnis, see Viscaria.		
Rocket, see Hesperis matronalis.		
⊙ Romneya Coulteri	4 9	— —
Rose Campion, see Agrostemma.		
⊙ Rudbeckia bicolor superba	— 5	4 —
„ „ „ semiplena	— 9	— —
4 „ Neumannii	2 6	— —
4 „ radula, golden yellow with a black centre	1 9	— —
h Ruellia tuberosa, (Electro) Dam. 1895; very bushy, dwarf and rich flowering; the numerous Bignonia-like flowers are of blue colour, standing above the foliage. To be sown early in the stove; the plant will then flower in July, lasting until Christmas, magnificent	2 —	— —
Sage, see Salvia.		
⊙ Salpiglossis variabilis fine mixed	— 7	7 2
„ variabilis grandiflora, large flowered mixed	— 8	8 —
„ „ nana, dwarf mixed	— 8	8 —
„ „ superbissima, mixed	1 9	23 9
4 Salvia argentea, true	— 2	1 6
„ azurea grandiflora, large-flowering blue, abt 6 feet high, highly decorative and fine 1/8 oz 1/—	6 —	— —
⊙ „ coccinea	— 4	3 3
„ „ grandiflora	— 4	3 8
⊙ „ farinacea	— 8	8 —
„ „ alba	— 9	9 9
„ officinalis, see Sweet Herbs &c.		
„ Sclarea, see Sweet Herbs &c.		
4 „ silvestris	— 2	— —
h „ splendens (special quotations for large quantities)	2 9	39 6
„ „ Alfred Ragueneau	5 —	— —
„ „ compacta nana	4 3	60 —
„ „ Glory of Stuttgart, very large-flowering	5 3	— —
„ „ Ingenieur Clavenad	4 6	— —
„ „ Prince of Naples	4 6	— —
„ „ Silverspot, new, leaves yellow spotted	4 6	— —
„ „ Surprise, with a very large yellow spot at the base of the leaves; of quite an extraordinary effect		
100 seeds —/7; 1000 seeds 4/6		
4 Salvia taraxacifolia, Dam. 1899. About 10 inches high; one single plant		



	per oz s. d.	per lb. s. d.
will produce about 15 to 20 panicles of bright lilac flowers with a whitish lip, from June to September . . . . .	1 3	— —
4 Santolina Chamaecyparissus . . . . .	— 5	4 10
⊙ Sanvitalia procumbens . . . . .	— 6	5 7
"    "    fl. pleno, double . . . . .	— 7	7 3
"    "    plenissima compacta . . . . .	— 9	— —
h Sapindus Saponaria . . . . .	— —	— 8
⊙ Saponaria multiflora (calabrica) . . . . .	— 3	2 —
"    "    Scarlet Queen . . . . .	— 3	2 9
Satin Flower, see Lunaria biennis.		
⊙ Scabiosa (Scabious) atropurpurea fl. pl. mixed . . . . .	— —	2 —
"    atropurpurea grandiflora compacta fl. pl. mixed . . . . .	— 5	4 4
"    "    major fl. pl. large flowered, mixed . . . . .	— —	2 —
"    "    major fl. pl. Giant King of the Blacks . . . . .	— 4	3 3
"    "    maxima fl. pl. The Fairy, with large azure-blue flowers . . . . .	— 6	5 9
"    "    nana, double dwarf mixed . . . . .	— 2	1 7
Scabiosa brachiata, Dam. 1899. A most valuable plant for cutting purposes, commencing to bloom already in the month of May; its charming pale blue flowers last a long time . . . . .	— 9	8 —
"    hybrida Victoria (Sc. atropurpurea × Columbaria), finest mixed . . . . .	— 3	2 —
4    "    caucasica . . . . .	3 6	— —
⊙ Schizanthus grandiflorus mixed . . . . .	— 2	1 10
"    papilionaceus . . . . .	— 2	1 10
"    pinnatus mixed . . . . .	— 2	2 —
§ Schubertia grandiflora, a splendid climber with white scented flowers 100 seeds 2/—; 1000 seeds 16/— . . . . .	— —	— —
Sea Lavender, see Statice.		
⊙ Senecio elegans plenissimus (Jacobaea double) splendid mixed . . . . .	1 3	— —
"    elegans nanus plenissimus, dwarf mixed . . . . .	1 3	— —
Sensitive Plant, see Mimosa pudica.		
⊙§ Sicyos angulata . . . . .	— 3	2 6
⊙ Silene pendula (rosea graeca) . . . . .	— —	— 7
"    "    alba . . . . .	— —	— 7
"    "    Bonnetti . . . . .	— —	1 —
"    "    compacta fl. pl. . . . .	— 4	4 —
"    "    compacta rosea . . . . .	3 —	2 —
"    "    "    alba plena Dam. . . . .	— —	— —
"    "    "    "    fol. aureis, golden leaved . . . . .	— 4	2 9

	per oz s. d.	per lb. s. d.
⊙ Silene pendula compacta Luna Dam. 1896; very compact; flowers of a delicate carnation colour; foliage golden yellow . . . . .	— 3	2 —
Silene pendula compacta ruberrima . . . . .	— —	1 5
"    "    compacta ruberrima fl. pleno . . . . .	— —	1 7
g Skimmia japonica . . . . .	— 7	7 3
Smilax, see Myrsiphyllum.		
Snapdragon, see Antirrhinum.		



Statice caspia. Electro 3/3.

⊙ Solanum atropurpureum . . . . .	— 5	5 3
4    "    Balbisii . . . . .	— 3	2 9
4    "    cabiliense argenteum (marginatum) . . . . .	— 4	3 7
g    "    Capsicastrum . . . . .	— 4	2 7
"    "    nanum . . . . .	— 5	3 7
g Solanum Farini . . . . . 1/8 oz —/5	3 —	— —
g    "    Hendersonii . . . . .	— 5	4 —
g    "    laciniatum . . . . .	— 3	3 3
g    "    pyracanthum . . . . .	1 3	— —
g    "    robustum . . . . .	1 4	— —
g§    "    Seafortianum 1/8 oz —/7	3 9	— —
g    "    Warscewiczii . . . . .	— 10	— —
Spartium (Genista) see Tree seeds.		
Spiderwort, see Cleome,		
Spurge, variegated, see Euphorbia variegata.		
g Stapelia variegata finest mixed 1000 seeds 1/4 . . . . .	— —	— —
Standing Cypress, see Ipomopsis.		
⊙ Statice Bonduelli, yellow . . . . .	— —	1 3
4    "    caspia; (Electro) one of the finest, with purple flowers 1/8 oz —/7	3 6	— —
4    "    latifolia . . . . .	— 6	— —

⊙4 *Statice sinensis*, Dam. 1901 (Electro)

An exceedingly graceful plant the flowers of which will be found most valuable for all floral decorations. The flower stalks are about 16 to 20 inches high, and the panicles which are produced in great profusion bear flowers somewhat resembling those of *Statice sinuata*, but they are far more graceful and charming. Their color is pure white alternated with



*Statice sinensis*.  
(Electro 3/6.)

canary-yellow, of a very pretty effect. The flowers are equally useful both fresh and dry. If sown in March the plant begins flowering already in June . . .

	per oz s. d.	per lb. s. d.
⊙ <i>Statice sinuata</i> , blue . . . . .	— —	1 3
"   " <i>candidissima</i> . . . . .	— —	1 3
"   " <i>rosea</i> . . . . .	— —	— —
⊙ " <i>Suworowii</i> . . . . .	— 8	7 3
⊙ <i>Stephanotis floribunda</i>		
100 seeds 1/6	— —	— —
1000 " 12/6	— —	— —
⊙ <i>Stevia Eupatoria</i> . . . . .	— 7	6 3
⊙ " <i>Lindleyana</i> . . . . .	— 7	6 3
4 " <i>odorata (salicifolia)</i> . . . . .	1 6	— —
4 " <i>purpurea</i> . . . . .	— 8	— —
4 " <i>serrata</i> , white . . . . .	— 10	— —

	per oz s. d.	per lb. s. d.
Stocks, see page 26.		
4 <i>Stokesia Cyanea</i> (Electro). Although this magnificent plant is known for a long time, yet it has been introduced to the trade only a few years ago; flowers lavender-blue, measuring abt 4 to 5 in. across. We recommend this really fine plant most warmly; it stands the winter in the open ground, if it is not kept too moist. 1/8 oz 1/—	5 6	— —
Stonecrop blue, see <i>Sedum coeruleum</i> .		
h <i>Streptocarpus Rexii</i> 1/32 oz 3/—	— —	— —
1/16 oz 5/3; 1/8 " 9/6		
" <i>Wendlandi</i> , light blue, large leaves 1/32 oz 5/3; 1/16 oz 10/—; 1/8 oz 19/—	— —	— —
h <i>Streptocarpus</i> , newest hybrids mixed 1/32 oz 6/6; 1/16 oz 11/6; 1/8 oz 21/6	— —	— —
Summer Cypress, see <i>Kochia scoparia</i> .		
Sun Drops, see <i>Oenothera</i> .		
Sunflower, see <i>Helianthus annuus</i> .		
Sun Rose, see <i>Helianthemum</i> .		
g <i>Sutherlandia frutescens</i> , one of the most splendid and decorative small shrubs, with fine scarlet flowers, throughout the summer. . . . .	3 —	— —
g <i>Swainsonia alba</i> . 1000 seeds 3/—	— —	— —
" <i>coronillaefolia</i> 1000 " 1/9	— —	— —
" <i>rosea grandifl.</i> 1000 " 1/9	— —	— —
" <i>Greyana</i> . 1000 " 1/9	— —	— —
" best sorts mixed 1000 " 1/7	— —	— —
Swallow wort, see <i>Asclepias</i> .		
Swan River Daisy, see <i>Brachycome</i> .		
Sweet Alyssum, see <i>Alyssum Benthami</i> .		
" Pea, see <i>Lathyrus odoratus</i> .		
" Scabious, see <i>Scabiosa</i> .		
" Sultan, see <i>Centaurea moschata</i> .		
" William, see <i>Dianthus barbatus</i> .		

	per oz s. d.	per lb. s. d.
⊙ <i>Tagetes erecta fl. pl.</i> Double African Marigold.		
Finest best varieties mixed . . . . .	— 4	3 2
⊙ <i>Tagetes patula fl. pl.</i> Double French Marigold.		
Dwarf double mixed, best sorts . . . . .	— 3	2 2
Double tall mixed, " " . . . . .	— 2	2 —
<i>Tagetes signata pumila</i> . . . . .	— 5	4 9
" " " Golden Ring, pure golden yellow	— 8	8 —
" <i>sulphurea</i> , pure sulphur yellow . . . . .	— 7	7 —
4 " <i>Lemonni A. Gray</i> (Electro Dam. 1903). This nice plant forms dwarf compact bushes the		

first year, producing an enormous mass of lovely yellow flowers in the autumn, covering the plant almost entirely.

$\frac{1}{8}$  oz — 10

per oz s. d.	per lb. s. d.
5 —	— —

Tassel Flower, see *Cacalia*.

g§ *Tecoma radicans grandifl.* (*Bignonia*)

g§ " *Stans* (*Bignonia*) . . . . .

g " *Smithi* . . . . .  $\frac{1}{4}$  oz  $\frac{1}{3}$

Thrift, see *Armeria*.

per oz s. d.	per lb. s. d.
— 8	7 3
— 10	— —
4 —	— —



*Stokesia Cyanea*. Electro 7/—.

	per oz s. d.	per lb. s. d.
⊙§ Thunbergia alata nanking, with black eye . . . . .	1 —	— —
„ alba, pure white with black eye . . . . .	1 —	— —
„ alata aurantiaca, golden yellow with black eye . . . . .	1 —	— —
„ alata mixed . . . . .	— 10	10 9
⊙h Torenia Bailloni . . . 1/8 oz 1/—	13 6	— —
⊙h „ Fournieri (edentula) . . . . .	3 —	— —
„ „ alba (White Wings) . . . . .	3 —	— —
„ „ coelestina grandiflora 1/8 oz —/9	4 6	— —



Tagetes Lemmonii.  
Electro 3/3.

„ „ compacta 1/8 „ —/10	5 —	— —
„ „ „ alba 1/8 „ —/10	5 —	— —
„ „ „ coelestina 1/8 oz 1/—	6 3	— —
„ „ grandiflora 1/8 oz —/8	4 —	— —
„ speciosa 1/8 „ 6/—	— —	— —
„ „ alba 1/8 „ 6/—	— —	— —
Touch me-not, see Balsams.		
Tournefortia heliotropioides . . . . .	— 6	— —
⊙ Trachelium coeruleum . . . . .	— 9	— —
„ „ album . . . . .	1 2	— —
Tree Cypress, see Ipomopsis.		
⊙§ Trichosanthes Anguinea vera . . . . .	— 4	3 3
„ coccinea . . . . .	— 4	2 9
„ colubrina . . . . .	— 4	2 9
„ cucumerina . . . . .	— 4	2 9
„ palmata . . . . .	— 4	2 9
Tridax gaillardiioides, new, Dam. 1901; producing a profuse number of single flowers measuring about one inch and 1/2 in diameter, of a chrome-yellow color with white border. This		

new form is specially remarkable for its very large number of flowers at an unusually early time which makes it most valuable as an early bedding plant.

Tritoma, see Kniphofia.

	per oz s. d.	per lb. s. d.
⊙§ Tropaeolum canariense (peregrinum) Canary Creeper . . . . .	— 5	5 —
⊙ „ Lobianum, best varieties mixed . . . . .	— —	1 6

**Tropaeolum majus nanum**  
(Tom Thumb)

Chamaeleon . . . . .	— 3	2 5
Empress of India, dark scarlet . . . . .	— 4	3 3
King of Tom Thumb, scarlet . . . . .	— 3	2 7
„ Theodore, dark red . . . . .	— 3	1 9
Ruby King . . . . .	— 3	2 —
Spotted King, dark-leaves . . . . .	— 3	2 —
Vesuvius, salmon-rose . . . . .	— 3	2 6
best sorts mixed . . . . .	— —	1 —

Trumpet Flower, see Datura.

g§ Vallaris dichotoma, a beautiful climber for the conservatory, with large snow white flowers . . . . . 100 seeds 1/9	—	— —
--	---	-----

Venus Looking Glass, see Campanula Speculum.

Venus Navel wort, see Cynoglossum linifolium.

⊙ Verbena Aubletia grandiflora . . . . .	— 4	3 4
„ Drummondii (montana) . . . . .	— 4	3 7
„ erinoides . . . . .	— 6	6 —
„ „ alba, white, . . . . .	— 8	8 —
„ pulchella . . . . .	— 3	3 2
„ venosa . . . . .	— 3	3 2

**Verbena hybrida.**

Finest mixed . . . . .	— 9	8 7
Extra selected quality . . . . .	1 3	15 9
Auriculae flowered sorts with large white eye, first class flowers . . . . .	1 3	15 9
Alba . . . . .	— 11	11 10
Candidissima . . . . .	1 —	13 10
Coccinea . . . . .	1 3	15 10
Coerulea . . . . .	— 10	11 10
Défiance, fiery scarlet . . . . .	1 6	18 —
Purple Cloak . . . . .	1 2	— —
Striata, Italian striped . . . . .	1 —	11 10

**Verbena hybrida grandiflora**  
(Mammoth)

dark scarlet . . . . .	2 9	— —
rose and carmine . . . . .	2 6	— —
white . . . . .	2 6	— —
Firefly . . . . .	2 9	— —
finest colours mixed . . . . .	1 3	15 10

**Verbena hybrida compacta (erecta).**

	per oz. s. d.	per lb. s. d.
Candidissima . . . . .	2 —	— —
Dark blue . . . . .	2 —	— —
Défiance . . . . .	3 —	— —
Splendid mixed . . . . .	1 4	19 9
4 <i>Verbesina virginica</i> , Dam. 1897. With numerous white flowers . . . . .	1 6	— —
4 <i>Vernonia arkansana</i> , Dam. 1898. With very nice purple flowers; splendid for cutting . . . . .	— 10	— —
½ <i>Victoria regia</i> . . . . . 100 seeds 14/6	— —	— —
½⊙ <i>Vinca rosea</i> . Madagascar Periwinkle . . . . .	— 9	8 9
"    " <i>alba oculata</i> . . . . .	— 9	8 9
"    " <i>alba pura</i> . . . . .	— 9	8 9
"    " <i>mixed</i> . . . . .	— 8	8 —
4 <i>Viola cornuta</i> . . . . .	1 3	— —
"    " <i>alba</i> . . . . .	1 5	— —
"    " <i>Admiration</i> . . . . .	1 8	— —
"    " <i>Blue Perfection</i> . . . . .	2 —	— —
"    " <i>Papilio</i> . . . . .	1 9	— —
"    " <i>odorata, semperflorens</i> . . . . .	— 10	11 10
"    " <i>sempreflorens fl. albo</i> . . . . .	1 —	13 10
"    "    " <i>the Czar</i> . . . . .	1 7	— —
"    "    " <i>fl. albo</i> . . . . .	1 10	— —

⊙ ***Viola tricolor maxima*. Pansies.**

Seeds saved from the best flowers only.

All colours mixed . . . . .	— 9	8 9
English show (faced) varieties mixed . . . . .	— 11	11 10
Large-flowered French varieties mixed . . . . .	1 —	13 9
Cassier, three and five blotched giant . . . . .	1 9	23 9
Bugnots largest flowered . . . . .	1 10	25 —
Alba pura ( <i>Schneewittchen</i> ) . . . . .	— 10	— —
Azure blue . . . . .	— 10	— —
Cardinal . . . . .	1 —	— —
Dark blue . . . . .	— 10	— —
Emperor William . . . . .	— 10	— —
Dr. Faust, pure black . . . . .	— 10	— —
King of the Blacks . . . . .	— 10	— —
Lord Beaconsfield . . . . .	— 10	— —
Meteor, reddish brown . . . . .	— 10	— —
Odier Prize Pansies . . . . .	1 —	— —
Prince Bismarck . . . . .	— 10	— —
Pure yellow . . . . .	— 10	— —
Victoria, red . . . . .	— 10	— —
White, dark centre . . . . .	— 10	— —
Yellow, dark centre . . . . .	— 10	— —

⊙ ***Viola tricolor maxima* Trimardeau, Giant Pansies.**

(Seeds collected from the largest flowers only; quite especially recommended.)

Auriculaeflora . . . . .	1 6	— —
Azure-blue . . . . .	1 9	— —
Emperor William . . . . .	1 6	— —
King of the Blacks . . . . .	1 6	— —
Lord Beaconsfield . . . . .	1 6	— —
Pure yellow . . . . .	1 6	— —

	per oz. s. d.	per lb. s. d.
Pure White . . . . .	1 6	— —
White with dark centre . . . . .	1 6	— —
Yellow with dark centre . . . . .	1 4	— —
Striata . . . . .	1 6	— —
All colours mixed . . . . .	1 3	15 10
Virginian Stocks, see <i>Cheiranthus maritimus</i> .		
Wallflower, see page 27.		
Water Lily, see <i>Nymphaea</i> .		
½ <i>Wigandia imperialis</i> . . . . .	— 8	— —



*Zinnia elegans grandiflora laciniata fl. albo pl.*  
Electro 4/5.

Woodroof, see <i>Asperula</i> .		
⊙ <i>Xeranthemum annuum superbissimum album fl. pl.</i> . . . . .	— 5	— —
<i>Xeranthemum annuum superbissimum roseum fl. pl.</i> . . . . .	— 5	— —
<i>Xeranthemum annuum superbissimum rubrum fl. pl.</i> . . . . .	— 5	— —
Youth and Old age, see <i>Zinnia</i> .		
Yucca, see page 19.		

⊙ ***Zinnia elegans*.**

Single flowered mixed . . . . .	— 2	— 2
---------------------------------	-----	-----

⊙ ***Zinnia elegans grandiflora plenissima*.**

The flowers of our Zinnias are quite enormous, for which they have gained a world wide reputation.

Finest double mixed . . . . .	— 3	— 2 9
Alba . . . . .	— 3	— 3 —

	per oz. s. d.	per lb. s. d.
Atrococcinea . . . . .	— 3	3 —
Atropurpurea . . . . .	— 3	3 —
Aurea . . . . .	— 3	3 —
Carminea . . . . .	— 3	3 —
Carnea . . . . .	— 3	3 —
Coccinea . . . . .	— 3	3 —
Lilacina . . . . .	— 3	3 —
Lutea . . . . .	— 3	3 —
Rosea . . . . .	— 3	3 —
<b>Zinnia elegans pumila (nana Tom Thumb) plenissima.</b>		
Finest mixed . . . . .	— 3	3 —

	pr. oz. s. d.	pr. lb. s. d.
Atrococcinea . . . . .	— 4	3 7
Carminea . . . . .	— 4	3 7
Carnea . . . . .	— 4	3 7
Coccinea . . . . .	— 4	3 7
Lilacina . . . . .	— 4	3 7
Lutea . . . . .	— 4	3 7
Rosea . . . . .	— 4	3 7
Salmonea . . . . .	— 4	3 7
Violacea . . . . .	— 4	3 7
Zinnia elegans fl. pl. "Iris". Contrary to the well known striata form from which our splendid new introduction is absolutely different, the ground color of the flowers is of a pale yellow, while the petals are striped, spotted and speckled in various shades of carmine, crimson, pink and minium red.		



Zinnia spectabilis miniata.  
Electro 3/3.



Zinnia elegans pygmaea flore pleno.  
Electro 4/—.

Alba . . . . .	— 3	3 2
Atrococcinea . . . . .	— 3	3 2
Aurantiaca . . . . .	— 3	3 2
Aurea . . . . .	— 3	3 2
Carminea . . . . .	— 3	3 2
Coccinea . . . . .	— 3	3 2
Purpurea . . . . .	— 3	3 2
Rosea . . . . .	— 3	3 2
Salmonea . . . . .	— 3	3 2
Sulphurea . . . . .	— 3	3 2
Violacea . . . . .	— 3	3 2

**Zinnia elegans robusta grandiflora plenissima.**

Double large flowered in splendid mixture . . . . .	— 3	3 2
Alba . . . . .	— 4	3 7
Aurea . . . . .	— 4	3 7

The plants grow to a medium height and the flowers measure about 2<sup>1</sup>/<sub>2</sub> inches across. — 5 4 —

**Zinnia elegans grandiflora laciniata fl. pl., Dam. (Electro.)**

A splendid new class! The petals of the perfect shaped flowers are as is shown in our cut more or less deeply cut, a fact never met before with any Zinnia. The habit of the plant and shape of the flowers is exactly that of the Z. elegans fl. pl.

Alba . . . . .	— 4	4 —
Carnea . . . . .	— 4	4 —
Carminea . . . . .	— 4	4 —
Rosea . . . . .	— 4	4 —
Mixed . . . . .	— 4	4 —

**Zinnia elegans spectabilis fl. pl. Dam.**  
(Electro.)

The petals of this new class are of a peculiar form, being slightly folded up, forming a kind of canal. The flowers are very large, globe-shaped and most elegant.

Miniata, minium colour . . . . . — 4 3 7

Cupreata, copper red . . . . . — 4 3 7

**Zinnia elegans pygmaea flore pleno**  
(Electro). An absolutely new dwarf kind of only about 8 inches in height but in spite of this very dwarf habit, of most extraordinary rich flowering. We have had as many as 25 to 30 flowers of about 3 inches in diameter on a single plant, which is certainly remarkable considering its small proportions. The flowers are quite as large and double as those of the old *Z. elegans*. — This new kind can therefore be quite specially recommended as a border plant.

	per oz s. d.	per lb. s. d.	per oz s. d.	per lb. s. d.
Brilliant scarlet, Crimson, White, each separate . . . . .	— 5	4 9		
Mixed . . . . .	— 4	4 —		
<i>Zinnia elegans robusta striata plenissima</i> mixed . . . . .	— 5	4 9		
" " fl. pl. „ <b>Miniatur</b> “, a dwarf small-flowered, very double, rich flowering kind, finest colours mixed . .	— 6	6 —		
<i>Zinnia elegans pomponica fl. pl. Liliput</i> , mixed . . . . .	— 5	4 9		
<i>Zinnia Haageana (mexicana)</i> single- flowered . . . . .	— 4	3 7		
" " fl. pleno, double . . . . .	— 8	8 —		
" " imbricata plenissima . . . . .	— 8	8 —		
" Darwini, double . . . . .	— 4	2 9		
Mixed Flower Seeds, annuals cwt. 52/—	— —	— 8		
" " " " suitable for bee feeding . . . . cwt. 90/—	— —	1 6		

## XII. Seeds of Ornamental Grasses.

4 = perennial; all others are annual.

	per oz s. d.	per lb. s. d.
<i>Agrostis nebulosa</i> . . . . .	— 8	— —
" <i>pulchella</i> . . . . .	— 10	9 10
4 <i>Arundo conspicua</i> . . . . .	4 6	— —
4 " <i>Donax</i> . . . . .	— 4	4 —
4 " " fol. var. . . . .	1 —	— —
4 <i>Briza lutescens</i> . . . . .	— 7	— —
" <i>maxima</i> (Quaking Grass) . . . . .	— —	1 7
4 <i>Carex pendula</i> . . . . .	— 5	— —
4 <i>Coix Lacrymae</i> . . . . .	— —	— 7
4 <i>Cyperus alternifolius</i> . . . . .	2 3	— —
" <i>ferox</i> . . . . .	— 9	— —
" <i>flabelliformis</i> . . . . .	3 6	— —
" <i>Papyrus</i> . . . . .	2 6	— —
4 <i>Erianthus Ravennae</i> . . . . .	— 3	2 5
4 <i>Fuchlaena luxurians</i> (Reana Teo- sinthe) see section V (Grasses) . . . . .	— —	— —
4 <i>Eulalia japonica</i> ( <i>Miscanthus japoni- cus</i> ) . . . . .	— 6	6 —
4 " " <i>zebrina</i> . . . . .	— 9	— —
4 <i>Festuca glauca</i> . . . . .	1 6	— —
4 <i>Gymnothrix latifolia</i> . . . . .	— 5	— —
4 <i>Gynerium argenteum</i> (Pampas Grass) " " <i>jubatum</i> . . . . .	— 5	4 —
" " <i>roseum</i> . . . . .	— 10	— —
4 " " " . . . . .	— 5	4 4
4 <i>Hordeum jubatum</i> (Squirrel Tail Grass) . . . . .	— 3	2 9
Job's Tears, see <i>Coix Lacrymae</i> .		
<i>Lagurus ovatus</i> (Hare's Tail Grass) . . . . .	— —	1 3
Pampas Grass, see <i>Gynerium</i> .		



*Pennisetum Ruppellianum*.  
Electro 8/3.

	per oz s. d.	per lb. s. d.		per oz s. d.	per lb. s. d.
4 Panicum capillare violaceum Dam. . . . .	— 2	1 9	Quaking Grass, see Briza maxima.		
4 " plicatum . . . . .	1 —	— —	4 Scirpus natalensis . . . . .	— 4	4 —
4 " sulcatum . . . . .	1 2	— —	4 Stipa elegantissima . . . . .	1 6	— —
4 Panicum tonsum; dwarf, lawn-forming with numerous loose spikes, at first dark red, then rose and finally of a silvery colour . . . . .	— 6	— —	" pennata (Feather Grass) . . . . .	— 6	5 3
4 Panicum virgatum . . . . .	— 4	3 2	4 Ziola latifolia . . . . .	— 5	5 3
Pennisetum longistylum . . . . .	— 3	2 8	Zea gracillima (minima) . . . . .	— —	— 6
" violaceum . . . . .	— 3	2 5	" " fol. var. . . . .	— —	— 7
" macrurum; a gigantic grass, resembling the Gynierum argenteum . . . . .	— 5	4 10	" japonica fol. var., striped Japanese Maize . . . . .	— —	— 4
PennisetumRueppellianum,Dam.1893 (Electro), one of the finest and most graceful grasses, producing a great number of the most lovely spikes . . . . .	— 3	3 2	" " gigantea quadricolor new. Dam. 1896; a gigantic varie- gated-leaved, highly decorative kind and much superior to the old Z. jap. vol. var.; leaves bright green, silver-white, sulphur- yellow and rose striped; most effective	— —	— 10
			Zea tunicata fol. var. . . . .	— —	1 7

### XIII. Seeds of Bulbs and Roots.

	per oz s. d.	per lb. s. d.		per oz s. d.	per lb. s. d.
Agapanthus umbellatus . . . . .	— 9	— —	Freesia Leichtlini . . . . .	— 3	2 —
Brodiaea mixed . . . . .	1 2	— —	" refracta alba . . . . .	— 3	2 —
Convallaria japonica . . . . .	— 4	1 9	" splendid mixed . . . . .	— 2	1 5
Cyclamen persicum, fine mixed . . . . .	2 —	— —	Gladiolus gandavensis, French in splendid, varieties mixed . . . . .	— 6	6 —
<b>Cyclamen persicum giganteum.</b> (seeds collected from giant flowers only)			" Lemoinei hybridus, best mixed	— 7	6 9
sanguineum . . . . . 1000 seeds 8/—	— —	— —	" Nanceianus, fine mixed	1 6	19 9
roseum . . . . . 1000 " 7/ 3	— —	— —	" European and Asiatic varieties mixed . . . . .	— 3	2 5
Emperor William 1000 " 7/ 3	— —	— —	Hyacinthus candicans (Galtonia) . . . . .	— 2	1 8
Montblanc, pure white			Iris Bismarkiana . . . . .	3 9	— —
1000 seeds 8/—	— —	— —	Ixia hybrida, a fine collection mixed . . . . .	— 8	— —
universum, white with a red eye			Lilium auratum, true . . . . .	1 9	— —
100 seeds 1/—	— —	— —	Paeonia sinensis fl. pl., double mixed . . . . .	1 2	13 9
1000 " 8/—	— —	— —	Ranunculus asiaticus superbissimus fl. pl. mixed . . . . .	— 3	2 5
splendid mixed			Scilla Clusii . . . . .	— 3	2 6
1/16 oz 1/—; 1/8 oz 1/10	12 —	— —	Sparaxis grandiflora . . . . .	— 3	2 9
Papilio . . . . . 100 seeds 4/—	— —	— —	Tulipa Greigii hybrida, mixed . . . . .	1 3	— —
			" best sorts mixed . . . . .	— 9	— —

### XIV. Seeds of Cannas.

	per oz s. d.	per lb. s. d.		per oz s. d.	per lb. s. d.
<b>a. Gladioli-flowered.</b>			Beauté Poitevine . . . . .	— 6	— —
Abricot . . . . .	— 4	3 3	Boucharlat aîné . . . . .	— 4	3 3
Ajax, Dam. . . . .	— —	— —	Camille Bernardin . . . . .	— 6	— —
Alkmene, Dam. . . . .	— 7	— —	Ch. Paul, red-leaved . . . . .	— 6	— —
Ami Jules Crétin . . . . .	— 4	— —	Ch. van Geert . . . . .	— 4	— —
Attika, red-leaved . . . . .	— 6	— —	Citoyen de Cronstadt . . . . .	— 3	— —
Auguste Chantin . . . . .	— —	— —	Colonel Denfert, red-leaved . . . . .	— 6	— —
Aurora . . . . .	— 4	3 3	Comte de Bouchaud, yellow . . . . .	— 6	— —
Baronne de Poilly . . . . .	— 4	3 3	" H. de Choiseul . . . . .	— 4	3 3



	per oz s. d.	per lb. s. d.		per oz s. d.	per lb. s. d.
Comtesse de Bouchaud . . . . .	— 4	3 3	Panache . . . . .	— 6	— —
Crozy père . . . . .	— 5	4 —	Papa Treyve . . . . .	— —	— —
Cousin Jacob . . . . .	— 4	3 3	Paolo Radaelli . . . . .	— 6	— —
Cyclope . . . . .	— 4	— —	Paul Bruant . . . . .	— 6	— —
Czar Alexandre III . . . . .	— 4	— —	Penelope, Dam. . . . .	— 6	— —
Daniel Gerard . . . . .	— 5	— —	Petite Mocotte . . . . .	— 5	4 —
Duc de Mortemart . . . . .	— 6	— —	Podere Restelli . . . . .	— 5	— —
F. Neuwesel, red-leaved . . . . .	— 6	— —	Perle des Massifs . . . . .	— 6	4 9
François Morel . . . . .	— 5	— —	Pregmy . . . . .	— 5	— —
„ Vuillermet . . . . .	— 6	— —	Président Chaudon, yellow . . . . .	— 5	— —
Francisque Morel . . . . .	— 4	— —	„ Meyer, red-leaved . . . . .	— 7	— —
Frau Oberbürgermeister Rümelin . . . . .	— 6	— —	Professor Foster, Dam. . . . .	— 5	— —
Fürst Bismarck . . . . .	— 6	— —	„ Charguérand . . . . .	— 4	— —
Généreux . . . . .	— 7	— —	„ J. G. Baker, Dam. . . . .	— 6	— —
George d'Harcourt . . . . .	— —	— —	„ David . . . . .	— 6	— —
Gloire des marchés . . . . .	— 5	4 6	„ Rossi, Dam. . . . .	— 4	— —
Graf von Turin, Dam. . . . .	— 7	— —	Princesse Letizia Dam. . . . .	— —	— —
H. Guichard . . . . .	— 5	4 —	Progression . . . . .	— 3	3 —
Herzogin Vera . . . . .	— 8	— —	Red Indian, red-leaved . . . . .	— 9	— —
Hofgartendirektor Walter, red-leaved . . . . .	— 7	— —	Reval Massot . . . . .	— 4	— —
J. Souлары . . . . .	— 4	3 3	Rose T. May . . . . .	— 7	— —
J. D. Cabos . . . . .	— 4	— —	Secrétaire Chabanne . . . . .	— 7	— —
Jules Favre . . . . .	— 4	— —	Sémaphore, red-leaved . . . . .	— 7	— —
Kaiser Wilhelm . . . . .	— 6	6 —	Sénateur Montefiore . . . . .	— 4	3 7
Karl Neubronner . . . . .	— 6	— —	Souvenir du Capitaine Drujon . . . . .	— 5	— —
Kronprinz v. Italien, Dam. . . . .	— 4	— —	„ de François Gaulin . . . . .	— 4	3 6
L. Patry . . . . .	— 5	— —	„ de Madame Nardy . . . . .	— 5	— —
L. E. Bally . . . . .	— 4	3 3	Solfatarà, Dam. . . . .	— 6	— —
Léon Vassillière, red-leaved . . . . .	— 7	— —	Stromboli . . . . .	— 4	— —
Lohengrin . . . . .	— 5	— —	Thomas S. Ware, red-leaved . . . . .	— 6	— —
Madagascar . . . . .	— 5	4 4	Trocadero . . . . .	— 4	— —
M. J. Goss, red-leaved . . . . .	— 6	— —	V. Debons . . . . .	— 8	— —
Madame Ginot . . . . .	— 6	— —	Venus . . . . .	— 10	— —
„ H. Riquad . . . . .	— 6	— —	Vesuvius, Dam. . . . .	— 5	4 9
„ Léon Leclercq . . . . .	— 5	4 —	Vice-Président Luizet . . . . .	— 7	— —
„ Mériem Lombard . . . . .	1 3	— —	Victor Gaulin . . . . .	— 5	— —
„ Oriol . . . . .	— 5	4 —	Ville de Poitiers . . . . .	— 5	4 —
„ Oscar Meuricoffre, Dam. . . . .	— 4	— —	New large flowered early Hybrids (Crozy) dwarf with green leaves, mixed . . . . .	— —	2 —
„ Pichon . . . . .	— 6	— —	New large fl. early Hybrids (Crozy) semi- high and high with green leaves, mixed . . . . .	— —	2 —
„ Victor Lemoine . . . . .	— 7	— —	New large flowered early Hybrids (Crozy) with red leaves, mixed . . . . .	— —	2 9
Marquise A. de l'Aigle . . . . .	— 4	— —	New large flowered early Hybrids (Crozy) all sorts mixed . . . . .	— —	2 4
Maurice Grand . . . . .	— 4	3 3			
„ Rivoire, red-leaved . . . . .	— 5	— —			
M. Ritton . . . . .	— 5	4 3			
Max Kolb, red-leaved . . . . .	— 10	— —			
Mrs. F. Dreer . . . . .	— 6	— —			
Monsieur Colcombet . . . . .	— 5	— —			
„ Jarry Desloges . . . . .	— 6	— —			
Mr. Cleveland . . . . .	— 4	3 3			
N. Belisso . . . . .	— —	— —			
Otto Froebel . . . . .	— —	— —			
			<b>b. Other Sorts.</b>		
			Discolor . . . . .	— —	2 3
			Flaccida le Roi . . . . .	— —	1 7
			All sorts mixed . . . . .	— —	1 3

## XV. Palms.

(Fine and sound plants, grown in the open air.)

	10 pieces s. d.	100 pieces s. d.		10 pieces s. d.	100 pieces s. d.
Chamaerops excelsa, 1 year . . . . .	1 —	5 6	Kentia Belmoreana and Forsteriana		
„ „ 2 years . . . . .	1 9	14 —	3 years . . . . .	10 3	90 —
„ „ 3 to 4 years . . . . .	4 —	30 —	„ 4 to 6 years 3/— a piece . . . . .	— —	— —
„ „ 5 „ 6 „ . . . . .	22 —	— —	„ 7 „ 8 „ 6/— to 8/— a piece . . . . .	— —	— —
„ „ 7 „ 8 „ . . . . .	— —	— —			
about 2 to 3 feet high 4/— a piece . . . . .	— —	— —	Latania borbonica, 2 years . . . . .	2 —	16 —
„ humilis, 1 year . . . . .	1 —	7 6	„ „ 3 „ . . . . .	3 3	26 6
„ „ 2 years . . . . .	2 —	14 —	„ „ 5 „ . . . . .	8 —	70 —
„ „ 3 „ . . . . .	3 —	26 —			
Chamaedorea Ernesto Augusti, of 3 years . . . . .	15 —	130 —	Livistona rotundifolia, 1 year . . . . .	5 —	— —
Cocos capitata, 1 year . . . . .	4 —	— —	Phoenix canariensis, dactylifera, leonensis, pumila reclinata, rupicola, tenuis, each 1 year . . . . .	2 3	18 —
„ australis 1 „ . . . . .	3 6	30 —	2 years . . . . .	2 6	20 —
Corypha australis, 1 year . . . . .	1 3	8 —	3 „ . . . . .	3 6	28 —
„ „ 2 years . . . . .	2 6	20 —	4 „ . . . . .	8 —	70 —
„ „ 3 to 4 years . . . . .	5 —	40 —	6 to 7 years 4/6 a piece . . . . .	— —	— —
„ „ 5 „ 6 „ . . . . .	22 —	— —	Washingtonia filifera, 2 years . . . . .	4 —	32 —
„ „ 7 „ 8 „ . . . . .	— —	— —	„ „ 3 „ . . . . .	6 6	57 —
4/— a piece . . . . .	— —	— —	„ „ 4 „ . . . . .	7 3	60 —
„ Gebanga, 1 year . . . . .	5 —	— —	„ „ 6 „ . . . . .	11 —	96 —
Kentia Belmoreana and Forsteriana					
2 years . . . . .	6 6	52 —			

## XVI. Agave, Aloe, Yucca &c.

	1 piece s. d.	10 pieces s. d.	100 pieces s. d.		1 piece s. d.	10 pieces s. d.	100 pieces s. d.
Agave americana, strong plants,				Aloe arborescens . . . . .	— 10	— —	— —
without soil . . . . .	— 2	— 9	5 —	„ barbadensis . . . . .	— 5	3 —	23 —
„ „ fol. var., strong plants,				„ heteracantha . . . . .	— 6	— —	— —
without soil . . . . .	— 2	1 —	6 6	„ prolifera (brevifolia) . . . . .	— 4	2 —	— —
„ „ lactevirens . . . . .	— 9	5 —	— —	„ xanthacantha . . . . .	— 9	— —	— —
„ „ vittata . . . . .	— 6	3 6	— —	Beschorneria bracteata . . . . .	— 10	7 6	64 —
„ angustifolia, strong plants . . . . .	— 10	— —	— —	Dasyliirion gracile . . . . .	— 2	1 6	— —
„ atrovirens . . . . .	— 9	5 —	— —	„ serratifolium, seedlings of 2 years . . . . .	— 3	1 9	15 —
„ filifera . . . . .	1 4	— —	— —	„ juncifolium, of 4 years . . . . .	— 8	5 —	— —
„ heterocantha . . . . .	1 —	— —	— —	„ longifolium, „ 4 „ . . . . .	1 3	11 6	— —
„ horrida . . . . .	— 10	7 6	— —	Fourcroya elegans . . . . .	— 10	6 7	— —
„ laevis, strong plants . . . . .	1 4	— —	— —	„ „ Lindenii . . . . .	1 3	11 6	— —
„ lophantha . . . . .	— 6	3 9	— —	Yucca aloefolia, strong plants . . . . .	— 9	4 6	— —
„ „ heterocantha . . . . .	1 4	— —	— —	„ „ fol. var., strong plants . . . . .	1 3	8 9	— —
„ Mexicana, strong plants . . . . .	2 —	— —	— —	„ „ quadricolor „ „ . . . . .	1 9	— —	— —
„ multiflora . . . . .	— 5	3 —	— —	„ Desmetiana . . . . .	2 —	— —	— —
„ rigida . . . . .	— 6	3 9	— —	„ filamentosa . . . . .	— 2	1 —	— —
„ „ var. Sisaliana (producing the Sisal hemp) . . . . .	— 9	5 —	— —	„ glauca (angustifolia) . . . . .	— 9	6 —	— —
„ „ „ silacana, strong plants . . . . .	— 10	— —	— —	„ gloriosa recurvata pendula, strong plants (ab <sup>t</sup> 3 feet), from the open ground . . . . .	5 6	— —	— —
„ Rumphii . . . . .	— 3	2 —	— —	„ gloriosa recurvata pendula fol. var. . . . .	— —	— —	— —
„ Salmiana fol. var., strong plants . . . . .	2 —	— —	— —	„ Treculeana, 1 year . . . . .	— 10	— —	— —
„ spectabilis . . . . .	1 4	— —	— —				
„ yuccaeifolia . . . . .	1 4	— —	— —				
Aloe abyssinica . . . . .	— 6	3 9	— —				

## XVII. Canna Roots.

In order to offer something special to our friends with whom we are in regular business connection, we had a colored plate made (29 × 18 inch.) of 20 of our most beautiful Orchid-flowering Cannas representing the flowers in their natural size or rather below it. These varieties are marked \* in our list. This beautiful plate will be sent free of charge to all our customers, and to others on receipt of 6d.

*We only send out strong, sound and undivided roots grown in the open ground, and not delicate and poor specimens obtained by unnatural forcing in the hot-house, a good number of which is invariably destined to perish. Our Cannas will therefore be always preferable even at higher prices to any others. They are packed very carefully and travel quite safely even to very distant countries; we wish it, however, to be understood that they travel on buyer's risk. Canna Roots can be forwarded from October to May, as far as the temperature permits it.*

	1 piece s. d.	10 pieces s. d.	100 pieces s. d.		1 piece s. d.	10 pieces s. d.	100 pieces s. d.
<b>1. Dammann's wonderful Orchid-flowering Cannas.</b>							
<b>1. Season 1899 to 1900.</b>							
Emilia. About 4 feet high. Leaves purple; of strong growth; flowers of a splendid and peculiar scarlet marbled with chamois. . . . .	— 6	4 —	35 —				
Romagna. About 4 feet high. Dark brown leaves, flowers of a minium scarlet with some large yellowish stripes; a most free flowering kind. . . . .	— 5	3 6	30 —				
Sicilia. About 2½—3 feet high. Leaves bright green; of robust growth; flowers very large of a dark chrome yellow the lower petal of which is spotted salmon red. . . . .	— 7	5 —	44 —				
Umbria. About 4 feet high. Leaves brown with a metallic hue, flowers of a brilliant vermilion with distinct chamois stripes. . . . .	— 9	6 —	48 —				
<b>2. Season 1898 to 1899.</b>							
Australia. About 4 feet high, leaves dark green with a brown border; flowers very large, salmon-red striped with deep sulphur-yellow; extremely fine . . . . .	— 5	3 —	25 —				
<b>3. Season 1897 to 1898.</b>							
* Atalanta. Height about 3 feet. Large greyish-green foliage with a dark border; flowers deep orange carmine and very large; of very rich growth. . . . .	— 5	3 —	26 —				
* Britannia. About 4 feet. Foliage lively green, Musa like, very large flowers with a yellow ground flamed with carmine. Larger than „Italia“. . . . .	— 5	3 6	30 —				
Campania. About 6 feet. — Glauous large leaves; growth extremely rich; flowers large, inner petals chrome-yellow with carmine spots, outer petals sulphur-yellow . . . . .	— 5	3 3	28 —				
* Ch. Naudin. About 4 feet. — Dark green, brown bordered foliage. Very large flowers (about 7 inches in diameter), salmonred, the inner petals are darker . . . . .	— 6	3 6	30 —				
Hellas. About 3 feet. — Lively green, of strong growth and bearing abundant flowers of a canary-yellow color spotted brown-red . . . . .	— 5	3 —	24 6				
				* Phoebe. About 6 feet high. — Glauous leaves, luxuriant growth, flowers similar to a Cattleya, very large, sulphur-yellow, turning later on into a whitish yellow; petals spotted carmine, the inner ones more markedly than the outer ones . . . . .	— 5	3 —	24 6
				Professor Treub. About 4 feet. Broad lanceolate leaves, brown-red, with a dark green hue. Flowers large, minium scarlet striped with salmon-red. Among the red-leaved Cannas this is one of the most striking and beautiful . . . . .	— 8	5 —	44 —
				* Roma. About 3 to 4 feet and a half. Growth extremely luxuriant, leaves glauous. Very numerous and large panicles; flowers large with yellow ground flamed salmon-red . . . . .	— 5	2 6	18 —
				Rhea. About 4 feet. Leaves brown with a metallic hue, flowers of medium size and a brilliant crimson. . . . .	— 5	2 6	19 —
				Trinacria. About 4 feet. Bright green, of luxuriant growth. Flowers very numerous and large, sulphur-yellow, fading later on into a paler yellow. A very pure color. . . . .	— 5	2 6	18 —
				<b>4. Season 1896 to 1897.</b>			
				* Africa. Height about 3 feet, leaves lanceolate, purple, bronzy, striped green with dark green shades. Very large flowers similar to a Cattleya of a rich purple-scarlet, golden yellow and orange inside. A splendid variety. . . . .	— 5	3 3	27 —
				* Alemannia. This kind produces the largest flowers which have been obtained as yet in the way of Cannas. The plant grows about 4½ to 6 feet high. Numerous Musa-like glauous leaves and wonderful spikes of flowers. The latter are enormous and surpass in size even those of the Canna „Italia“. The outer petals are scarlet with a very broad gold-yellow border. The inside of the blooms is scarlet and dark red. Exceedingly beautiful . . . . .	— 5	2 6	18 —
				* America. Red leaves. Height about 4 to 5 feet. The beautiful foliage is of a bronze color with dark red hues and shining as if the leaves were varnished. The spikes are very large and the flowers enormous, of a very beautiful glowing redpurple flamed and striped . . . . .	— 5	3 3	28 —

	1 piece s. d.	10 pieces s. d.	100 pieces s. d.		1 piece s. d.	10 pieces s. d.	100 pieces s. d.
* Aphrodite. Height about 6 feet. Very rich flowering, broad green leaves, immense trusses of large golden yellow flowers with large spots salmon colour; inner petals entirely salmon colour. Splendid . . . . .	— 5	2 6	18 —	and shining as if varnished. Very large and regular flowers similar to „Austria“, of a brilliant yellowish carlet. Unique for its beauty. . . . .	— 6	5 —	44 —
Asia. Height about 3 feet. Numerous stalks, dark green foliage, very effective. Very large regular flowers of a rich golden yellow. Inner petals dotted scarlet. Splendid . . . . .	— 5	3 —	25 —	* Oceanus. Height about 3 feet, lanceolate leaves bright green. Very large panicles. Flowers yellow red spotted. Inferior petals almost quite red. Remarkably beautiful . . . . .	— 5	2 3	18 —
* Bavaria. Height about 3 feet. Leaves large, green, with a blueish hue. Very large spikes and flowers of a brilliant golden yellow covered all over with scarlet spots. Quite unique and extremely handsome . . . . .	— 5	2 6	18 —	* Pandora. Height about 3 feet and more. Lanceolate purple leaves with a metallic hue and dark green stripes. Very large spike; enormous flowers of a glowing fiery red, dark red outside. The borders and the inside are gold flamed. An extraordinary beautiful variety . . . . .	— 7	5 —	44 —
Borussia. Height 3 to 4 feet. Broad bright green leaves. Enormous spikes, very large flowers, not so large however as those of „Italia“, of a shining canary-yellow with a golden yellow hue and small fiery red spots. Extremely handsome . . . . .	— 5	2 6	22 —	* Parthenope. Height about 3 feet, broad pointed sea-green leaves. Rami- fied stalk, enormous spikes of flowers of a vivid dark orange-yellow difficult to define, and not observed in Cannas as yet . . . . .	— 5	2 6	18 —
Burgundia. Height 3 feet. Large glaucous leaves, very large spikes, enormous flowers resembling an ex- panded Cattleya, of a brilliant golden yellow with rich scarlet spots, golden yellow in the centre and fiery red flamed. A marvel of beauty . . . . .	— 5	2 6	18 —	Perseus. Height about 3 feet. Broad glaucous green foliage, numerous stalks. Trusses of immense flowers of a pure canary-yellow with scarlet pencillings in the inside. A magni- ficent variety, very rich flowering and lasting . . . . .	— 5	2 6	18 —
* Edouard André. Bushy plant, about 3 feet high. Stalks dark red, broad leaves, short, and dark spotted on the back. Well ramified stalk, spikes bearing 9 to 12 very large flowers of a bright fiery red with orange yellow spots like sparks, long dark red buds of greenish hue. A kind of sterling merit . . . . .	— 6	4 6	40 —	* Pluto. Height about 3 feet. Nume- rous stalks with a splendid purple- red foliage. Large and beautiful scarlet-purple flowers flamed with red inside . . . . .	— 5	3 —	26 —
* H. Wendland. Height about 4 feet. Very broad beautiful green leaves. Very large trusses of large flowers, outer petals scarlet with a golden yellow border, quite fiery red inside and yellow in the centre. It is one of the best of this class . . . . .	— 6	3 6	30 —	* Suevia. Height about 3 feet. Leaves Musalike, slender stalks. Very large flowers of a pure canary-yellow, satiny, and bronzed inside. Bractees bronzed. Splendid . . . . .	— 5	2 6	21 —
Heinrich Seidel. Height about 3 feet. Green Musalike leaves with a light glaucous hue. Very large panicles. Very large and numerous flowers of a vivid fiery red with a yellow border spotted with purple. A great beauty. . . . .	— 5	2 9	26 —	Wilhelm Beck. Height about 6 feet. Broad green leaves, immense trusses of sulphur yellow flowers with scarlet red pencillings. Inner perigon scarlet red. A very remarkable variety. . . . .	— 5	2 6	18 —
Iberia. Height about 3 feet. Glaucous leaves, very large panicles. The large flowers are Cattleya-like. Outer petals golden yellow with a red border. Inner petals crimson, very beautiful . . . . .	— 5	2 6	18 —	5. Season 1895 to 1896.			
* Kronos. Height about 3 feet. Broad seagreen leaves, slender stalk, very large panicles. Very large flowers of a rich sulphur-yellow all spotted in red. An extremely fine form. . . . .	— 5	2 6	18 —	Austria . . . 1000 pieces 70/—	— —	— 9	7 —
* La France. About 4 feet high. Numerous stalks. Broad lanceolate leaves, very large, of a splendid purple				Flowers very large, canary yellow; centre spotted red.			
				Italia . . . . 1000 pieces 90/—	— —	1 —	9 —
				Enormous panicles of scarlet flowers with a yellow border. Magnificent.			
				The whole assortment, introduc- tions of 1895 to 1900			
				1 root of each. . . . 14/—			
				12 kinds of our selection 3/9			
				Orchid-flowering Cannas mixed . . . . .	— 2	1 3	9 —
				1000 roots 70/—			
				American sorts.			
				Burbank, lemon-yellow changing into white . . . . .	— 5	2 6	18 —
				Mrs. Kate Gray, orange-scarlet, flowers very large . . . . .	— 5	3 2	2 6

## 2. Gladioli-flowered Cannas. (Dammann.)

Introductions of 1899 to 1900.

	1 piece s. d.	10 pieces s. d.	100 pieces s. d.
Nero. About 3 feet high, the beautiful foliage is of a dark brown red, stems of a whitish hue flowers of a rich cherry red . . . . .	— 10	7 —	— —
Paestum. About 3 feet high, large green leaves, flowers light chrome yellow with regular vermilion spots. Very large spikes . . . . .	— 5	3 —	26 —
Solfatara. About 3 feet high. light green foliage large flowers of a beautiful orange color with carmine reflex . . . . .	— 8	5 6	— —
Toledo. About 3 feet and 1/2; leaves green; enormous minium red flowers, often with a light golden edge . . . . .	— 10	9 —	— —

Introductions of 1898.

Capri. Height about 1 foot. Glaucous leaves, very large salmon-scarlet flowers slightly spotted with yellow . . . . .	— 6	4 4	— —
Ischia. Height about 1 1/2 feet. Leaves vivid green, flowers sulphur-yellow upon which appear when they begin to fade, large vermilion spots . . . . .	— 6	4 6	40 —
Minerva. Height 3 feet. Dark green foliage; large trusses of very large cinnabar red flowers. a new and grand rich flowering variety . . . . .	— 8	6 —	— —
Professor Rossi. About 2 feet high, dark green foliage turning to brown. Very large trusses of salmon-red flowers. Of great value for cutting purposes . . . . .	— 5	3 6	— —
Sultana. Height about 3 feet. Glaucous foliage with a greyish tinge. Flowers canary-yellow with numberless vermilion spots. A very remarkable colour . . . . .	— 5	3 6	30 —

Introductions of 1896.

Adonis. About 2 feet high, laeves green with a brown border; flowers blood-red . . . . .	— 4	3 —	— —
Aetna. About 3 feet; leaves very dark red, flowers crimson and purple . . . . .	— 4	3 3	28 —
Ajax. About 2 feet; leaves green; flowers wax-yellow with rosy spots. . . . .	— 4	3 3	28 —
Alkmene. About 3 feet. Leaves green; flowers orange with a golden yellow border . . . . .	— 4	3 —	26 —
Arethusa. About 1 foot 1/2. Leaves green; flowers very large, sulphur-yellow, changing afterwards into a bright salmon colour; inside dark red; new colour. . . . .	— 10	— —	— —
Count of Turin. About 2 feet. Leaves glaucous, flowers very large, fire-red, dark red striped with a yellow border, centre blood-red. . . . .	— 4	3 —	26 —
Queen of Italy. About 2 feet. Leaves large, green. Panicle enormous; flowers very large, dark scarlet with a broad golden border; finer than Queen Charlotte . . . . .	— 8	— —	— —

Crown-Prince of Italy. About 3 feet.

Leaves glaucous; flowers very large, dark scarlet; most beautiful . . . . .	— 6	4 6	— —
Princess Helena of Montenegro. About 3 feet. Leaves green, flowers very large, salmon-red, striped and bordered with golden yellow; petals round; magnificent . . . . .	— 8	— —	— —
Princess Laetitia. About 3 feet. Leaves Musa-like. Panicle enormous, flowers large, bright fire-red, dark red flamed and yellow bordered. Splendid . . . . .	— 4	3 —	— —
Stromboli. About 2 feet. Leaves glaucous; flowers very large, red and bright scarlet, fire-red in the centre. Very fine. . . . .	— 4	3 —	26 —

## 3. Gladioli-flowered Cannas of different raisers.

Best introductions of the last years.

### a. Green-leaved.

Alsace, pale sulphur-yellow . . . . .	— 3	2 3	18 —
Ami Jules Chrétien, salmon-scarlet and yellow . . . . .	— 3	2 3	18 —
Anna Ernst (1899), canary-yellow, crimson spotted . . . . .	— 11	— —	— —
Architecte Mouren, salmon, golden border . . . . .	— 8	6 —	— —
Auguste Chantin, copper-red, bright flamed . . . . .	— 8	6 —	— —
Auguste Nonin . . . . .	— 10	7 —	— —
Baronne de Poilly, salmon . . . . .	— 3	2 6	22 —
Candeur, cream-yellow changing into white . . . . .	— 9	7 6	— —
Ch. Molin (1900), salmon-orange, crimson spotted . . . . .	— 5	3 —	26 —
Citoyen de Cronstadt, chrome-yellow, crimson spotted . . . . .	— 5	3 —	26 —
Claude Fichet, brown-red with dark-red, large flowered . . . . .	— 11	— —	— —
Comtesse de Bouchaud, salmon, crimson spotted, yellow border . . . . .	— 5	3 —	26 —
Coronet, chrome-yellow . . . . .	— 6	4 5	— —
Cyclope, fiery blood red, very large flowered . . . . .	— 3	2 8	22 —
Czar Alexander III, bright scarlet . . . . .	— 4	3 6	— —
Daniel Gerard, crimson, dark crimson flamed, golden-bordered . . . . .	— 5	2 6	21 —
François Vuillermet, brilliant granate-red, very large flowers . . . . .	— 5	2 6	21 —
Franz Buchner, orange with mauve-hue and yellow border . . . . .	— —	— —	— —
Frau Bremermann, dwarf, compact, flowers large, scarlet with golden yellow border and spots . . . . .	— —	— —	— —
Fürst Bismarck, splendid scarlet with a dark red hue and undulated petals . . . . .	— 5	3 —	— —
Généreux, vermilion, very large flowers . . . . .	— 9	7 —	— —

	1 piece		10 pieces		100 pieces			1 piece		10 piece		100 pieces	
	s.	d.	s.	d.	s.	d.		s.	d.	s.	d.	s.	d.
Goliath, very large flowers, bright amaranth-coloured . . . . .	—	8	6	—	—	—	Philippe Rivoire, very large flowers, crimson-rose marbled carmine with a yellow border . . . . .	—	—	—	—	—	—
G. O. Quintus, bright yellowish red, crimson edged . . . . .	1	5	—	—	—	—	Poëte, flowers whitish . . . . .	1	4	11	6	—	—
Gustave Grünwald . . . . .	—	10	7	—	—	—	Reichskanzler Fürst Hohenlohe, very large flowers, bright lemon yellow, large undulated petals . . . . .	—	8	—	—	—	—
Hans Werdmüller, leaves dark green, changing into brown, flowers very large, orange-red with a carmine hue	—	8	6	3	—	—	Riese von Stuttgart (Giant of Stutt- gart) flowers enormous of a brilliant vermilion with a lilac hue and yellow border . . . . .	—	—	—	—	—	—
Henry Cannell, dwarf, numerous spikes, flowers large, vermilion dark red with a large golden yellow border . . . . .	—	7	5	6	—	—	Roi des Rouges, bright crimson . . . . .	—	5	3	6	—	—
Herzogin Vera (1900), pale sulphur yellow, very large flowered . . . . .	—	7	5	6	—	—	Rose T. May, bright crimson . . . . .	—	4	2	8	22	—
Hofgarten-Director Wendland . . . . .	—	6	4	—	—	—	Secrétaire Chabanne, salmon-crimson	—	5	3	6	—	—
J. Colette-Ronchaine (1900), lively pomegranate colour, very large flowers	—	11	—	—	—	—	Souvenir du Capitaine Drujon, canary-yellow, orange spotted . . . . .	—	4	2	8	22	—
Jeanne Schmidt, bright rose, slightly, crimson spotted, with a pale yellow border . . . . .	—	6	4	—	35	—	Souvenir de A. Chargueraud, of a splendid granate-red, striped red . . . . .	—	—	—	—	—	—
L. Patry, of middle height; green leaves, very large flowers of a beautiful ver- milion with darker spots and a yellow edge . . . . .	—	5	3	8	—	—	Souvenir de Madame Crozy, bright red . . . . .	—	—	—	—	—	—
Léon Pépin Lehalleur, crimson . . . . .	—	—	—	—	—	—	Souvenir de Madame Nardy, very large flowers, chrome-yellow spotted carmine, very fine . . . . .	—	5	3	—	25	—
Madame Chabanne, rose . . . . .	—	6	4	6	—	—	Venus (1900), yellowish white . . . . .	—	11	—	—	—	—
„ H. Riquad . . . . .	—	6	4	6	—	—	V. Debons, flowers large and numerous, currant-red, striped . . . . .	—	6	4	6	—	—
„ Léon Leclercq, salmon, golden border . . . . .	—	5	3	6	31	—	Vice President Luizet, cherry-red . . . . .	—	5	3	8	—	—
„ Legris, chrome-yellow, brown, spotted . . . . .	—	3	2	6	21	6	Victory (Century) 1900, orange scarlet with yellow border . . . . .	—	—	—	—	—	—
„ Louis Druz, brilliant purple . . . . .	—	5	3	—	26	—	Ville de Poitiers, chrome-yellow, very large flowers, splendid . . . . .	—	3	2	6	—	—
„ Pichon, lemon-yellow, scarlet spotted . . . . .	—	6	4	6	—	—	Wilhelm Bofinger, flowers fiery dark red, velvety . . . . .	—	6	4	—	—	—
„ Victor Lemoine, pure yellow with brown stripes; a very rare colour . . . . .	—	5	3	9	—	—	William Bull (1900), lively cerise . . . . .	—	—	—	—	—	—
„ Meriem Lombard, whitish . . . . .	—	6	4	6	—	—							
Madagascar, salmon-orange and rose- lilac . . . . .	—	5	3	9	—	—	<b>b. Red-leaved.</b>						
Marigold, orange . . . . .	—	4	2	9	—	—	Arthur William Paul (1900), dark orange spotted carmine . . . . .	—	11	7	—	—	—
Memory of Queen Charlotte . . . . .	—	11	—	—	—	—	Attika, bright crimson . . . . .	—	6	4	3	38	—
Michel Favrichon, very rich flowering, dark salmon, spotted red with a yellow border . . . . .	—	—	—	—	—	—	Ch. Paul, salmon . . . . .	—	6	4	6	—	—
Miss Amy Ker (1900), creamy white turning white . . . . .	1	3	—	—	—	—	Count Waldersee, minium orange-red, very large . . . . .	—	11	—	—	—	—
Mrs. F. Dreer, canary-yellow, salmon spotted . . . . .	—	5	3	3	26	—	David Harum, vermilion scarlet spotted carmine . . . . .	1	3	10	6	—	—
Mr. Colbombet, canary-yellow and red	—	5	3	3	26	—	Floréal, leaves very dark; flowers garnet- red, very large . . . . .	—	6	4	6	—	—
Mr. Jarry-Desloges, very large flowers, dark red with a brighter hue and crimson stripes . . . . .	—	5	3	—	25	—	German Crown-Prince (red-leaved Goliath), flowers of a fiery amaranth- red . . . . .	—	11	—	—	—	—
Modèle, crimson and carmine . . . . .	—	—	—	—	—	—	Gouverneur von Zimmerer, bright orange and dark-red . . . . .	—	7	—	—	—	—
Panache, crimson . . . . .	—	5	3	—	26	—	Grossherzog Ernst Ludwig (1900), scarlet orange . . . . .	—	11	—	—	—	—
Papa Canna, salmon-red . . . . .	—	6	4	9	—	—	Hermann Fischer, leaves musa-like, flowers fiery minium orange and carmine . . . . .	1	4	—	—	—	—
„ Treyve, orange . . . . .	—	6	4	9	—	—	Hofgärtner Stiegler, carmine purple, large flowered . . . . .	—	11	—	—	—	—
Petite Mocotte, crimson-rose, chamois flamed with a yellow border . . . . .	—	4	2	9	22	—							



	1 piece s. d.	10 pieces s. d.	100 pieces s. d.		10 pieces s. d.	100 pieces s. d.	1000 pieces s. d.	
Maurice Musy . . . . .	— 2	— 11	8 —	<b>g. The above Gladioli-flowered Cannas mixed.</b>				
Otto Froebel . . . . .	— 2	1 3	—		Crozy's yellow-flowered, mixed . . . . .	— 5	3 3 26 —	
Princesse de Brancovan . . . . .	— 5	—	—		„ red-flowered, mixed . . . . .	— 7	5 — 44 —	
Professeur Changuerand . . . . .	—	— 9	4 5		„ red-leaved mixed . . . . .	1 —	8 — — 70 —	
Souvenir d'Antonin Crozy . . . . .	—	—	—		„ all sorts mixed . . . . .	— 5	3 — 26 —	
<b>e. Red-leaved and red-flowered.</b>				<b>5. Iridiflora Hybrids</b> a splendid class for groups.				
Admiral Avellan . . . . .	— 3	1 2	8 9		Iridiflora Ehmannii . . . . .	— 2	— 11 —	
B. de Jussieu . . . . .	— 2	— 10	6 7		„ Guttermannii . . . . .	— 2	1 3 —	
Ch. Souchet . . . . .	— 2	— 10	6 7		<b>6. Older sorts, red-leaved.</b>			
Doyen Jean Sisley . . . . .	—	— 10	7 —			Alégatière . . . . .	—	— 5 3 —
E. Renan . . . . .	— 3	— 11	8 —			Coquette, splendid, rich-flowering . . . . .	—	— 5 3 9
F. Neuwesel . . . . .	— 2	— 11	8 —			Discolor . . . . .	—	— 5 3 —
Godefroy-Lebœuf . . . . .	— 3	1 9	—			Sanguinea . . . . .	—	— 5 3 —
Henry A. Dreer . . . . .	— 3	1 8	—			Sénateur Millaud, splendid . . . . .	—	— 5 3 —
J. D. Cabos . . . . .	— 3	1 9	13 3			Mixed, red-leaved . . . . .	—	— 5 3 —
J. Cordieux . . . . .	— 2	1 3	10 6	<b>7. Older sorts, green- leaved.</b>				
Laforcade . . . . .	—	— 7	—			Brenningsii fol. var., splendid kind with green, white striped leaves, in no way inferior to the C. indica var. so much spoken of . . . . .	—	— 6 —
Légionnaire . . . . .	— 2	— 11	—			Mixed, green-leaved . . . . .	—	— 2 2 —
Louis de Mérode . . . . .	— 2	— 11	8 —					
M. J. Goss . . . . .	— 2	— 8	5 3					
Maurice Rivoire . . . . .	— 2	— 8	5 3					
Nardy père . . . . .	— 2	— 8	—					
Paul Lorenz . . . . .	— 2	— 11	—					
Président Carnot . . . . .	— 3	1 3	8 9					
Secrétaire Nicolas . . . . .	— 3	1 9	—					
Th. S. Ware . . . . .	— 3	1 9	—					
Victor Gaulin . . . . .	—	— 8	4 5					
<b>f. Yellow-flowered dwarf.</b>								
Mad. A. Blanc . . . . .	— 4	—	—					

## XVIII. Bulbs and Roots.

Almost all of them can be joined in dry state to any other orders for seeds.

	10 pieces s. d.	100 pieces s. d.		10 pieces s. d.	100 pieces s. d.
Agapanthus umbellatus per 1000 72/—	1 —	8 —	Crinum abyssinicum, 1 <sup>st</sup> size . . . . .	3 6	30 —
Amaryllis formosissima (Sprekelia) . . . . .	2 —	16 —	„ „ 11 <sup>nd</sup> „ . . . . .	3 —	25 —
„ Graveana (Hypeastrum) . . . . .	7 —	60 —	„ capense (Amaryllis longifolia) per 1000 60/—	1 —	7 6
Amorphophallus Rivieri . . . . .	6 6	—	„ „ fl. albo . . . . .	1 3	14 6
Anemone japonica Honorine Joubert . . . . .	— 6	4 —	„ erubescens . . . . .	6 —	56 —
Begonia hybrida gigantea, single, all colours mixed			„ hybr. Todoraë . . . . .	4 —	35 —
per 1000 80/—	1 —	9 —	„ lineare . . . . .	1 2	8 9
„ „ double			„ Mac Owani, very fine . . . . .	8 6	76 —
per 1000 124/—	1 6	13 6	„ Moorei . . . . .	5 —	40 —
Calla aethiopica . . . . .	1 3	12 —	„ Powellii . . . . .	4 6	—
„ „ compacta . . . . .	1 6	14 —	„ pratense . . . . .	1 —	8 9
„ „ gigantea . . . . .	3 —	26 —	„ Yemense . . . . .	5 —	44 —
„ „ Little Gem			Cyclamen neapolitanum per 1000 26/—	— 4	3 6
per 1000 40/—	— 9	5 —	„ repandum per 1000 26/—	— 4	3 6
Chlidanthus Ehrenbergii . . . . .	— 6	4 —	Eucomis punctata . . . . .	1 8	16 —
Colocasia antiquorum . . . . .	5 —	44 —			



	10 pieces s. d.	100 pieces s. d.		10 pieces s. d.	100 pieces s. d.
Galtonia (Hyacinthus) candicans . . .	— 5	3 6	Hemerocallis lacera . . . . .	2 —	16 —
Gladiolus Childsi, a new class, with very large flowers . . . . .	1 3	9 6	„ Mac Leana (Ismere) . . .	1 2	8 9
„ Gandavensis, best sorts mixed per 1000 56/—	— 9	6 6	„ undulata ( „ ) . . .	1 —	7 —
„ „ Brenchleyensis per 1000 44/—	— 8	5 —	Iris germanica, mixed per 1000 11/—	— 2	1 4
„ Lemoinei, best hybrids per 1000 44/—	— 8	5 6	„ stylosa (angustifolia) per 1000 26/—	— 6	3 3
„ Nanceianus, best sorts mixed per 1000 70/—	1 —	8 —	„ „ alba . . . . .	— 8	5 6
Gloxinia, mixed . . . per 1000 120/—	1 8	13 —	Kniphofia (Tritoma) best sorts mixed .	1 4	10 6
Habranthus coccineus . . . . .	1 9	13 3	Lycoris . . . . .	— —	— —
Hemerocallis aurantiaca major . . .	4 —	35 —	„ radiata . . . . .	1 3	10 6
„ fulva . . . . .	— 10	7 —	„ squamigera . . . . .	3 —	26 —
„ Mittendorfi . . . . .	1 3	10 6	„ Terracciani . . . . .	3 3	26 —
„ Thunbergi . . . . .	— 10	6 —	Nerine undulata . . . . .	3 —	23 —
„ concinna . . . . .	2 —	16 —	Pancreatium maritimum . . . . .	— 5	3 6
„ Harrisiana . . . . .	1 3	10 6	Phaedranassa chloracea . . . . .	1 3	10 6
			Rhodea japonica . . . . .	1 3	10 6
			„ „ fol. var. . . . .	3 6	30 —
			Zephyranthes Atamasco per 1000 26/—	— 5	3 —
			„ candida . . . . .	— 3	2 6
			„ tubispatha per 1000 17/6	— 3	2 —

## XIX. Asparagus-Plants.

	10 pieces s. d.	100 pieces s. d.	1000 pieces s. d.		10 pieces s. d.	100 pieces s. d.	1000 pieces s. d.
Acutifolius, evergreen, slightly climbing very suitable for decorative purposes	— 6	3 —	26 —	quick growth, splendid for decorating purposes, very much recommended	4 —	35 —	—
Decumbens, a fine sort, climbing only ab <sup>t</sup> 3 feet high . . . . .	4 6	— —	— —	Sprengerii Rgl. Dam.			
Lucidus, a fine kind, standing the winter well with us; resembles somewhat the A. Sprengerii . . . . .	4 6	— —	— —	plants of 1 year from the open ground	— 4	2 3	18 —
Plumosus, strong plants . . . . .	2 6	18 —	— —	„ „ 2 years „ „ „ „	— 9	5 —	44 —
„ nanus . . . . .	7 6	— —	— —	„ „ 2 „ grown in pots . . .	1 3	9 —	— —
„ superbus, a new kind of				„ „ 3 „ from the open ground	— 10	7 —	65 —
				„ „ 3 „ grown in pots . . .	3 —	26 —	— —
				„ „ 4 „ „ „ „ „	5 6	— —	— —
				stronger plants according to the size from 1/6 to 8/— each			

## XX. *Aspidistra*.

We can furnish sound and well-rooted plants from October to April; they are grown in the open ground and will be furnished without soil; they must, however, be sent by the quickest way possible. The plants will be packed very carefully in moss and cases, in order to prevent the leaves from getting damaged; they will, however, not all be ready for sale and part of them must be grown again in pots. The plants are undivided. Of course the plants with striped or spotted leaves produce sometimes also some leaves that are only slightly variegated or even green, which, as they belong to the plant, cannot be taken off and must consequently be charged as variegated ones. The plants are sent of course at buyer's risk, they are, however, packed so carefully that in our opinion they will stand well, even a prolonged journey. By parcel post we can forward baskets of 11 Lb. weight containing about 80 to 100 leaves for trial, but these will not give an exact idea of the quality, as large plants cannot for their size be sent as parcels.



*Aspidistra*.  
Electro 3/3.

	100 leaves	1000 leaves
	s. d.	s. d.
<i>Aspidistra elatior</i> , green . . . . .	10 —	86 —
" " fol. var. . . . .	19 —	— —

## XXI. Fruits of *Lagenaria vulgaris*.

These highly interesting fruits of many interesting shapes are not yet sufficiently known, although they are a most attractive object for show-windows, and at the same time a very salable article. The very often really gigantic fruits, for instance those of the Hercules club, are so decorative that they sell very readily, and there is no kind that is not highly decorative.

Assortment of 12 sorts . . . . . 8/—.

## XXII. *Cycas revoluta*.

Small sound and good trunks (bulbs detached from the mother plant) grown here and therefore much better adapted to grow freely than those imported from warmer countries.

12 to 14 in. circumference . . . . .	10 <sup>d</sup> each
8 " 10 " " . . . . .	8 <sup>d</sup> "
6 " 8 " " . . . . .	7 <sup>d</sup> "

## XXIII. *Raphia*.

Best quality, very long, in original bales of about 2 cwt., per cwt. 48/—; smaller quantities —/7 per lb. Prices variable.

For larger quantities special prices will be quoted on application.

## XXIV. Novelties for the season 1905 to 1906.

The price for 100 packets will be applied for orders of at least 25 packets.

We beg to inform our patrons that in order to spare unnecessary labour, orders for seeds in packets will not be filled in as many single packets, but the corresponding weight or number will be sent in one lot.

### New Vegetable Seeds.

#### Tomato Monte Pellegrino (Electro).

A new sort with round slightly flattened fruits quite as early as our Ficarazzi, to which however it will be preferred for its regular shape, smoothness and beautiful scarlet-red color.

Owing to its great precocity this new tomato can be grown in colder countries with much more success than any other sort. Its fleshy and solid fruits are of a very delicate flavour, they

are of a medium size, although they reach a diameter of 3 to 4 inches. The leaves are slightly curled. This new Tomato is enormously prolific, and we are certain that it will give the highest satisfaction everywhere, and will be especially welcome to growers in the North

1 packet — 6d; 100 packets 30/—; 1000 packets 260/—.

#### Tomato Giant Pear (Electro).

The scarlet-red fruits of this new sort reach a length of about 4 inches, a size hitherto unknown among the pear-shaped



Tomato Monte Pellegrino. Electro 7/6.

tomatoes. Their flavour is excellent and they are especially adapted for salad, The great advantage of this kind over any other consists in its standing well also the worst weather and in its producing excellent fruits until late in the autumn.

1 packet — 6d; 100 packets 30/—; 1000 packets 260/—.

### New Flower seeds.

#### Aster Mammoth Comet.

This is a really Giant plant in all its parts. The enormous flowers, of a delicate white changing afterwards into rose, reach

a diameter of about 6 inches. They are very double and are born on long stiff stems. The leaves are also very large. The plant, owing to its extremely robust habit resists better than any other to wet and cold weather and will for this reason be greatly appreciated in northern Countries. We can therefore recommend it most warmly.

1 packet — 6d; 100 packets 30/—; 1000 packets 260/—.

#### Aster Sada Yakko (Electro).

This is undoubtedly the finest of all kinds belonging to the Chrysanthemum class. The extremely double flowers are white



Tomato Giant Pear. Electro 6j .

with a rosy hue forming such a lovely colour that they can be used even for the most delicate bouquets. The petals of the flower are canaliculate and most gracefully bent back towards the center of the bloom. The flowers are borne on strong and stiff stems which do not bend, and are highly valuable for cutting all the more as they keep fresh a very long time.

1 packet — 6 d; 100 packets 30/ —;  
1000 packets 260/ —.

To our assortment of *Ipomoea collata* we have added the following fine colours viz  
dark blue.

copper-red with white border.  
rose.

each separate.

1 packet — 9 d; 100 packets 45/ —.



Aster Sada Yakko.  
Electro 4/—.

## XXV. Fruit Trees and Cuttings.

A special list of the best Italian kinds containing all that is worth being offered will be forwarded to our correspondents upon application.

## XXVI. Pictorial Seed Pockets.

All drawn from nature and artistically executed.—Empty.

### A. Vegetable Seeds, abt 4 × 2½ in.

If requested we shall have the firms' name printed on them, when several thousands are ordered at a time, at the rate of 1/9 per thousand.

Orders for at least 1000 per sort will be forwarded direct by our German Printer at 7/6 per 1000. Smaller quantities per sort will be sent by ourselves at 1/2 per 100. Less than 10 per sort will not be sold.

1	Basil, sweet green.	30	Carrot, French early forcing.
79	Beans, dwarf wax flageolet.	83	"    Early stump rooted Dutch.
77	"    Crimson flageolet.	3	"    Nantes' early half-long scarlet.
78	"    Hinrichs speckled giant.	6	Cauliflower, Erfurt earliest dwarf.
79	"    Golden Butter Wax.	91	"    Veitch's autumn Giant.
46	Beet, Egyptian turnip, red.	7	Celeriac, apple-shaped.
80	Borecole curled dwarf green.	40	Cucumber, long green of Erfurt.
81	"    "    "    purple.	41	"    very "    "    "    "
22	Cabbage, Brunswick, large Drumhead.	17	Endive, moss curled.
52	"    Winnigstadt.	44	Kohl-Rabi, purple very early Vienna.

49	Kohl-Rabi, white very early Vienna.	24	Parsley, turnip long.
67	Lettuce, Cabbage, All the year round.	57	Radish, early scarlet white tipped.
12	" " early green stone-head.	98	" " half long scarlet.
66	" " Emperor forcing.	33	" " Winter, black round.
13	" " large Mogul.	56	Scorzonera, common.
301	" " brown Laibach Ice	11	Swede, white fleshed.
68	" " Nonpareil.	10	" " yellow green top.
65	" " Rudolph's Favourite.	90	" " purple top.
69	" " spotted (Trout).	19	Tomato, large red.
15	" " Stubborn-headed, large yellow.	39	Leek, Summer.
71	" " " " new brown.	38a	" " Carantan.
70	" " Winter, Silverball.	93	Turnip very early flat white Dutch.
72	" " for picking, American brown curled.	36	Spinach long standing dark green.
25	Onion, Zittau, giant yellow.	88	Savoy Drumhead, large late.
23	Parsley, moss curled.		" " Early dwarf Ulm.
29	" " turnip rooted, short.		

### B. Flower Seeds, ab<sup>t</sup> 3 × 2 in.

Orders for at least 1000 per sort will be forwarded direct by our German Printer at 6/— per 1000. Smaller quantities per sort will be sent by ourselves at 1/— per 100.

Less than 10 per sort will not be sold.

1	Acroclinium roseum.	93	Carnation Margaret, mixed.
6	Ageratum mexicanum, blue.	119a	Centaurea moschata.
7	" " album, white.	67	Chrysanthemum tricolor, mixed.
9	Agrostemma, coeli-rosa.	68	" " atrococcineum.
11	Alyssum, sweet.	72	Cineraria hybrida, large-flowering, mixed.
12	" saxatile.	73	Clarkia elegans, double mixed.
13	Amaranthus caudatus, fox-tail.	76	Cobaea scandens.
6a	" ruber, red.	53	Cocks-comb, dwarf, mixed.
14	" tricolor.	54	" feathered, mixed.
17	Antirrhinum majus, Snapdragon, mixed.	302	" " " " "Preziosa".
18	" " nanum, " dwarf mixed.	77	Coleus, best mixed.
20	Aquilegia vulgaris fl. pl., mixed (Columbine).	186a	" Verschaffeltii var.
29	Aster, Anmuth, mixed.	78	Collinsia bicolor.
32	" Comet, mixed.	79	" mixed.
23	" Crown, mixed.	136	Convolvulus major, mixed.
34	" Dwarf, mixed.	80	" minor, mixed.
35	" " Bouquet (Boltze), mixed.	47	Coreopsis Drummondii.
30	" Liliput, mixed.	46	" tinctoria.
24	" Paeony Perfection, mixed.	82	Cyclamen persicum giganteum, mixed.
26	" Quilled, mixed.	85	Dahlia variabilis, single mixed.
33	" Victoria, mixed.	40	Daisy, double mixed.
133	Balsam, double mixed.	97	Dianthus chinensis fl. pl., Indian Pink.
134	" rose-flowered double, mixed.	101	" Heddeewigi, mixed.
39	Begonia, tuberous-rooted single, mixed.	104	" plumarius, common Pink.
56	Blue-Bottle, mixed.	106	Eschscholtzia californica, yellow.
184a	Calampelis scabra.	107	" " alba, white.
45	Calendula Meteor.	161	Forget me-not, blue (Myosotis alpestris).
50	Campanula Medium, single mixed (Canterbury Bell).	110	Gaillardia picta Lorenziana, double.
51	" " Wiegandi, yellow-leaved.	303	Gazania pygmaea lutea.
130	Candytuft, white rocket.	112	Godetia, Duchess of Albany.
131	" large-flowering (Iberis coronaria).	114	" Lady Albemarle.
132	" (Iberis umbellata purpurea).	49a	" The Bride.
52	Canna, mixed.	113	" Whitneyi.
94	Carnation, extra double Border.	115	Gomphrena globosa, Globe Amaranth mixed.
95	" double dwarf Vienna.	121	Helichrysum monstrosum, double mixed.

125	<i>Heliotropium</i> , mixed.	181	<i>Phlox Drummondii</i> , mixed.
10	Hollyhocks, double mixed.	183	" " <i>grandiflora</i> , best mixed.
128	<i>Humulus japonicus</i> , Japanese Hop.	172	" (Papaver Rhoëas), ranunculus, double, mixed
211	<i>Jacobaea</i> , double mixed.	173	" " <i>somniferum fl. pl.</i> , double mixed
86	Larkspur, dwarf rocket.	188	<i>Portulaca grandiflora</i> , mixed.
141	<i>Linum grandiflorum rubrum</i> , scarlet flax.	189	" " <i>fl. pl.</i> , double mixed.
143	<i>Lobelia cardinalis</i> .	191	<i>Primula auricula</i> , mixed.
145	" <i>Erinus speciosa</i> Crystal Palace.	193	" <i>veris (elatior)</i> .
146	" " <i>Emperor William</i> .	194	" <i>chinensis fimbriata</i> , fringed mixed.
151	<i>Lupinus</i> , annual mixed.	195	<i>Pyrethrum parthenifolium aureum</i> , Golden Feather.
152	<i>Lychnis chalconica</i> , scarlet.	202	<i>Ricinus sanguineus</i> .
153	<i>Malope grandiflora alba</i> .	203	<i>Salpiglossis variabilis</i> , mixed.
154	" " <i>purpurea</i> .	205	<i>Sanvitalia procumbens</i> , double.
160	Marvel of Peru, mixed.	209	<i>Scabious atropurpurea</i> , double dwarf mixed.
176a	<i>Maurandia</i> , mixed.	212	<i>Silene pendula</i> , rose.
196	<i>Mignonette</i> , common.	214	" " <i>ruberrima</i> , red.
197	" large-flowering, Golden Queen.	215	" " mixed.
159	<i>Mimulus moschatus</i> (Musk.).	143a	" " <i>compacta</i> .
229	<i>Nasturtium</i> , climbing mixed.	58	Stocks, ten week, mixed.
228	" dwarf mixed.	59	" ten week, large-flowering, mixed.
226	" King of Tom Thumb.	60	" Winter or Brompton, mixed.
165	<i>Nemophila insignis</i> .	63	" Virginian, mixed.
168	<i>Nicotiana affinis</i> .	137	Sweet Peas, mixed.
171	<i>Oenothera Lamarckiana</i> .	88	" <i>William</i> , single mixed.
238	Pansies, best mixed.	89	" " double mixed.
239	" best English, mixed.	75a	<i>Tagetes patula fl. pl.</i> , double French, Marigold, mixed.
240	" large-flowering French, mixed.	220	" " <i>nana fl. pl.</i> , double dwarf French Marigold mixed.
246	" <i>Emperor William</i> .	221	" " <i>striata fl. pl.</i> double striped French Marigold.
247	" Lord Beaconsfield.	222	" <i>signata pumila</i> .
249	" <i>Ozier</i> .	231	<i>Verbena hybrida</i> , mixed.
242	" <i>Schneewittchen</i> (snow-white).	256	<i>Zinnia elegans fl. pl.</i> , mixed.
241	" <i>Trimardeau</i> .	304	" " " " " <i>Iris</i> <sup>66</sup> .
174	<i>Perilla nankinensis</i> .		
175	<i>Petunia hybrida</i> , mixed.		
176	" " <i>grandiflora</i> , best mixed.		

## XXVII. Pure South-Italian wines.

We have supplied for many years to our Continental friends different qualities of our fine Italian wines which have been very much appreciated owing to their excellent qualities and cheap prices. In order to meet the increasing demands we have made arrangements with several important wine growers, and are therefore in a position to offer the following qualities at moderate prices viz.

Red wines:	Shillings Per 22 Gallons	All pure and natural wines ready to be bot- tled. The prices are for 100 Litres or Kilosnet, equal to about 22 Eng- lish Gallons f. o. b. Naples — Casks extra. We do not accept orders for less than 50 Litres or about 11 Eng- lish Gallons per sort.	Lunch- and Dinner-wines:	Per 100 Litres or Kilosnet, equal to about 22 Eng- lish Gallons f. o. b. Naples, casks included. We do not supply any quantity under 25 Litres or about 5 English Gallons and a half of each kind.
Vesuvio, a mild Claret . . . . .	44		Malvasia, white, strong and sweet, greatly appreciated . . . . .	124
Syracusa, fiery, for medical purposes . . . . .	50		Marsala, white, brand „England“, dry and much like Sherry . . . . .	104
Calabria, dry and strong . . . . .	44		Marsala, white, „Italy“, strong very fine . . . . .	88
Capri, dry . . . . .	56		Porto, red, much like Portwine . . . . .	116
<b>White wines:</b>				
Ischia, much like Moselle . . . . .	40			
Stromboli, very fiery . . . . .	44			
Vesuvio, a favorite but strong wine . . . . .	44			
Capri, dry, very fine, like Chablis . . . . .	56			

Prices are understood for Cash with order, without any discount. The wines travel at buyer's risk and we do not

answer for leakage, evaporation &c. Our responsibility ceases once the goods are on board.

### Casks:

are charged at first cost as follows:

of about 400 Litres (about 88 English Gallons)	21/6
" " 300 " " 66 " "	18/6
" " 200 " " 44 " "	13/6
" " 100 " " 22 " "	9/6
" " 50 " " 11 " "	5/3

### Double-casks:

These are added only when expressly ordered at following prices:

for 400 Litres (about 88 English Gallons)	12/9
" 300 " " 66 " "	9/6
" 200 " " 44 " "	7/3
" 100 " " 22 " "	5/6
" 50 " " 11 " "	3/3

Seamers to all parts of the world.

Samples of the different qualities are at the disposal of correspondents at a trifling cost. We respectfully invite our Patrons to give us a trial order with which they will be fully satisfied.

## XXVIII. Best Olive-Oil for table use.

We offer the above of the very best quality, packed in a tin and a light wooden box of ab<sup>t</sup> 11 lb. gross weight at 8/-, to be forwarded by parcel post; parcel-fee to all parts of England 2 3 d. per parcel of 11 lb.

## XXIX. Tinned Vegetables.

Owing to the general approval met with the Tomato sauce prepared by us for several years, we have decided to prepare also a number of other Vegetables of our own crops, and more especially those of South Italian origin. They are manufactured with the most perfect machinery and according to the prescriptions of the Board of Health. Being hermetically closed they keep well for years provided they are kept in a suitable place.

### Tomato-Sauce, Concentrated.

tins of	130 Gr.	200 Gr.	250 Gr.	400 Gr.	500 Gr.	1000 Grammes.
=ab <sup>t</sup>	4 1/2 oz	7 oz	8 3/4 oz	14 oz	2 1/10 lb.	2 2/10 lb.
per tin	—/10 d.	2 d.	3 d.	4 d.	5 d.	9 d.
„ 10 tins	7/3 d.	11/3 d.	14/6 d.	19/6 d.	28/9 d.	56/— d.

### Peeled Tomatoes.

tins of	500 Gr. = (ab <sup>t</sup> 1 1/10 lb.)	1250 Gr. = (ab <sup>t</sup> 2 3/4 lb.)
	4 d.	7 d.
per 10 tins	2/6 d.	4/10 d.

### Artichokes (cut in two).

tins of	400 Gr. = (ab <sup>t</sup> 14 oz)	500 Gr. = (ab <sup>t</sup> 1 1/10 lb.)	1000 Gr. = (ab <sup>t</sup> 2 2/10 lb.)
per tin	5 d.	6 d.	10 d.
„ 10 tins	3/6 d.	4/3 d.	7/3 d.

### Artichokes, small, in best olive-oil.

tins of	500 Gr. = (ab <sup>t</sup> 1 1/10 lb.)	1—
---------	--	----

### Bottoms of Artichokes.

tins of	500 Gr. = (ab <sup>t</sup> 1 1/10 lb.)	1000 Gr. = (ab <sup>t</sup> 2 2/10 lb.)
	1/2 d.	1/9 d.

### Haricot-Beans (Haricots verts.)

	tins of	400 Gr. = (ab <sup>t</sup> 14 oz)	500 Gr. = (ab <sup>t</sup> 1 1/10 lb.)	1000 Gr. = (ab <sup>t</sup> 2 2/10 lb.)
extra fine	per tin	4 d.	5 d.	—/9 d.
"	„ 10 tins	2/9 d.	3/4 d.	6/6 d.
very fine	„ tin	—/—	—/4 d.	—/7 d.
"	„ 10 tins	—/—	3/— d.	5/4 d.
fine	„ tin	—/—	—/4 d.	—/7 d.
"	„ 10 tins	—/—	2/9 d.	5/3 d.



**Egg-Plants (fried.)**

tin of 500 Gr. = (abt 14 oz.) —/8 d.

**Peas.**tins of 200 Grammes = (abt 7 oz) 400 Gr. = (abt 14 oz) 500 Gr = (abt 1<sup>1</sup>/<sub>10</sub> lb.) 1000 Gr. = (abt 2<sup>2</sup>/<sub>10</sub> lb.)

extra fine	per tin	—/—	—/—	—/7 d.	1/— d.
„	„ 10 tins	—/—	—/—	5/— d.	9/— d.
very fine	„ tin	—/3 d.	—/5 d.	—/5 d.	—/9 d.
„	„ 10 tins	2/— d.	3/9 d.	4/— d.	6/10 d.
fine	„ tin	—/—	—/—	—/4 d.	—/8 d.
„	„ 10 tins	—/—	—/—	3/2 d.	6/— d.
medium	„ tin	—/—	—/—	4 d.	—/6 d.
„	„ 10 tins	—/—	—/—	2/7 d.	4/6 d.

**Giant sweet Capsicum**, grilled, excellent for salad with oil and vinegar.per tin of 500 Gr. = (abt 1<sup>1</sup>/<sub>10</sub> lb.) —/5 d.

„ 10 tins „ 500 „ = ( „ „ ) 3/6 d.

**same, in fine olive-oil**

per tin of 600 Gr. = (abt 1 lb., 5 oz) —/6 d.

„ „ „ 600 „ „ ( „ „ ) 4/6 d.

**Special prices for larger quantities.**

Agents in all places of the world wanted for the sale of our preserved Vegetables.

**Dammann & Co.**

San Giovanni a Teduccio (Prov. of Naples).

*A List of all Electros published will be forwarded to our customers on application. It contains about 500 cuts. We shall charge for it 6d which will however be deducted from the first invoice of electros.*


**Our Bulb Catalogue**

is published in May every year and will be sent free of charge to all our correspondents.



# Contents.

	<i>page</i>		<i>page</i>
I. Vegetable Seeds . . . . .	1	XV. Palms . . . . .	52
II. Swede, Turnip and Mangel Wurzel . . . . .	12	XVI. Agave, Aloe, Yucca &c. . . . .	52
III. Sweet Herbs &c. . . . .	12	XVII. Canna Roots . . . . .	53
IV. Clovers, Lucerne &c. . . . .	13	XXVIII. Bulbs and Roots . . . . .	58
V. Grasses . . . . .	13	XIX. Asparagus-Plants . . . . .	59
VI. Sundry Agricultural Seeds, and Seeds of Economical, Officinal Plants &c. . . . .	14	XX. Aspidistra . . . . .	60
VII. Fruit Trees . . . . .	15	XXI. Fruits of <i>Lagenaria vulgaris</i> . . . . .	60
VIII. Seeds of Trees, Shrubs &c. . . . .	17	XXII. <i>Cycas revoluta</i> . . . . .	60
IX. Conifer Seeds . . . . .	19	XXIII. <i>Raphia</i> . . . . .	60
X. Palm Seeds . . . . .	21	XXIV. Novelties of Flower Seeds . . . . .	61
XI. Seeds of Annual, Perennial, Climbing, Hot-and Green- House Plants . . . . .	21	XXV. Fruit Trees and Cuttings . . . . .	63
XII. Seeds of Ornamental Grasses . . . . .	49	XXVI. Pictorial Seed Pockets . . . . .	63
XIII. Seeds of Bulbs and Roots . . . . .	50	XXVII. Pure Italian Wines . . . . .	65
XIV. Seeds of Cannas . . . . .	50	XXVIII. Best Olive-Oil for table use . . . . .	66
		XXIX. Tinned Vegetables . . . . .	66





# Contents.

	<i>page</i>		<i>page</i>
I. Vegetable Seeds . . . . .	1	XV. Palms . . . . .	52
II. Swede, Turnip and Mangel Wurzel . . . . .	12	XVI. Agave, Aloe, Yucca &c. . . . .	52
III. Sweet Herbs &c. . . . .	12	XVII. Canna Roots . . . . .	53
IV. Clovers, Lucerne &c. . . . .	13	XXVIII. Bulbs and Roots . . . . .	58
V. Grasses . . . . .	13	XIX. Asparagus-Plants . . . . .	59
VI. Sundry Agricultural Seeds, and Seeds of Economical, Officinal Plants &c. . . . .	14	XX. Aspidistra . . . . .	60
VII. Fruit Trees . . . . .	15	XXI. Fruits of Lagenaria vulgaris . . . . .	60
VIII. Seeds of Trees, Shrubs &c. . . . .	17	XXII. Cycas revoluta . . . . .	60
IX. Conifer Seeds . . . . .	19	XXIII. Raphia . . . . .	60
X. Palm Seeds . . . . .	21	XXIV. Novelties of Flower Seeds . . . . .	61
XI. Seeds of Annual, Perennial, Climbing, Hot-and Green- House Plants . . . . .	21	XXV. Fruit Trees and Cuttings . . . . .	63
XII. Seeds of Ornamental Grasses . . . . .	49	XXVI. Pictorial Seed Pockets . . . . .	63
XIII. Seeds of Bulbs and Roots . . . . .	50	XXVII. Pure Italian Wines . . . . .	65
XIV. Seeds of Cannas . . . . .	50	XXVIII. Best Olive-Oil for table use . . . . .	66
		XXIX. Tinned Vegetables . . . . .	66





# DAMMANN & Co.



*Offices.*



*Entrance to the Trial Grounds. (15 acres.)*

No. 161.  
1906—1907.



No. 161.  
1906—1907.

By appointment to his Majesty the King of Italy.

# DAMMANN & C<sup>o</sup>

Seed and Bulb Growers and Merchants

**SAN GIOVANNI A TEDUCCIO**

near Naples, Italy.

Established 1877.



Awards obtained:

First Diploma of Honour at the Italian Exhibition, London, 1888.

Large Gold Medal of the Royal Academy of Naples for Improvements in Horticulture. 1890.

Three Medals at the Great Berlin International Horticultural Exhibition, 1890.



*Coreopsis grandiflora compacta.*

Awards obtained:

Diploma of Honour from the Botanic Society, Geneva, 1891.

Horticultural Exhibition, Naples 1892. 11 first Prizes, both the 2 Medals of the Government, Florence 1893. 1895.

Leipzig, large and small silver Medals 1893.

Chicago 1893. Naples 1895.

## General Price List

of Vegetable, Farm, Tree, Conifer, Palm, Flower and other Seeds, Canna Roots, Italian Fruit Trees, Plants, Novelties of Seeds &c. &c.



## Conditions of sale and important remarks.

All prices are quoted in Shillings and Pence (English currency) and to be understood for goods delivered and payable in San Giovanni a Teduccio net without discount at 3 months from date of invoice. Agricultural seeds at 30 days. This condition will not in the least be altered and remains valid even if we draw upon our customers.

We allow 2<sup>0</sup>/<sub>10</sub> discount on all amounts exceeding £ 10.—/—, if cash is remitted on receipt of goods. Smaller amounts are absolutely to be paid in cash.

Our prices being very low (which you will easily find out by comparing them with those of other reliable houses) we cannot deviate from the above condition.

Orders from unknown correspondents must invariably be accompanied by references to continental firms, or the approximate amount be remitted, otherwise orders will not be executed.

Prices are subject to variations and as many quotations are made before the final result of the crop is known we shall not hold ourselves liable for quantities.

We shall thank our Patrons if they will send in their orders on receipt of this list and more especially orders for seeds which have to be collected, such as seeds of Trees, Shrubs, Conifers &c. &c.

Almost all the seeds are grown under our special superintendence, but although we use the utmost care to have all seeds &c. pure and true to name yet we give no warranty expressed or implied as to description, quality, or any other matter connected with the goods we send out and we will not be in any way responsible for the crop. Moreover all our transactions are to be ruled by Italian law. Any claims if in spite of the great care we take there should be any, will, however, be taken into most liberal consideration, but we wish it to be understood, that in no case and under no circumstances we will be responsible beyond the price invoiced for each article. It is on these strict terms only that we offer any goods or execute orders, and in accepting the goods our clients implicitly acknowledge all these terms as binding.

This List cancels all previous quotations.\*

For quantities from 28 lb. upwards of one sort we quote the price for 1 cwt.; quantities of at least 1/4 lb. of one sort will be charged at the rate of 1 lb., quantities under 1/4 lb. will be charged at the price per oz, orders for smaller quantities than offered in this list will be charged at comparatively higher prices.

Any claims resulting from the invoice itself or from the merchandise, are to be made immediately on receipt thereof, else they can in no way be acknowledged.

### Shipping.

In order that our customers may have an idea of what they will have to pay for freight and shipping charges on our goods, we give the following approximate rates of freight and all charges (not including packing and insurance) from Naples — our establishment can be reached by Electric car in about half an hour from the centre of Naples — calculated on 500 Kilos or 10 cwt, which are, however, subject to variations:

To London and Liverpool board: about 2/3 d. per cwt. Freight for Beans to London, Liverpool, Hull &c. about 15 Shillings per ton. Fast Steamers by British India Line and others.

To New-York board: about 2/6 d. per cwt. (not in-

All Postal Orders should be made payable in San Giovanni a Teduccio and not in Naples.

cluding insurance and consular charges). (Fast steamers by North German Lloyd, Hamburg-American, Anchor and Fabre Lines.)

To Australia, New-Zealand, India, China, Japan, South Africa, South America etc. etc., similar cheap rates by direct Steamers.

### Parcels

can be forwarded by post at the following rates: parcels up to 11 lb. (5 kilos) to:

Australia:		Hongkong . . . . .	5/6
New South Wales	} via Brindisi from 2 <sup>1</sup> / <sub>5</sub> to 11 lb. 6/—	Japan via Naples . . . . .	3/3
Queensland		Malta . . . . .	1/6
Tasmania		Natal	
Victoria		2 <sup>1</sup> / <sub>5</sub> to 6 <sup>1</sup> / <sub>2</sub> lb. } via France	6/5
Canada 6 <sup>1</sup> / <sub>2</sub> to 11 lb. . . . .		6 <sup>1</sup> / <sub>2</sub> to 11 lb. } & England.	9/7
Cape Colony . . . . .		6 <sup>1</sup> / <sub>2</sub> to 11 via Brindisi . . . . .	6/5
Ceylon . . . . .		6 <sup>1</sup> / <sub>5</sub> to 11 via Naples . . . . .	6/3
Dutch Colonies:		Mexico via France . . . . .	3/2
Batavia, Padang, Samarang, Soerabaia . . . . .		" " Germany . . . . .	3/8
East India 11 lb. . . . .		New Zealand 11 lb. . . . .	6/—
Egypt . . . . .		British South 6 <sup>1</sup> / <sub>2</sub> lb. . . . .	7/6
Great Britain . . . . .		Africa and Transvaal	
		11 lb. 8/—	

U. S. of America, as per special list.

### Samples

to Great Britain and U. S. A., of 12 oz weight —/4, registered —/7  
to all other countries " 9 " " —/3, " —/6

### Postage

on letters . . . . . 2<sup>1</sup>/<sub>2</sub> d.  
" post cards . . . . . 1 d.

Packing at first cost.

Goods travel entirely and exclusively at purchasers risk and we are therefore not responsible for any fault or deficiency arising during the voyage or from an eventual long duration of the same.

We shall however thank our correspondents to give us instructions as to the mode of forwarding, otherwise we shall send the goods by the way we think most convenient, without, however, taking any responsibility.

Insurance, if no other instructions are given, will be covered by us for amount of invoice, freight and charges added.

Our Patrons, by ordering, acknowledge the above conditions of sale.

### Electros.

On application we shall forward a list of all electros published at the charge of 6<sup>d</sup> which will be credited again on an eventual invoice of electros. These electros can be had from us at the prices indicated, but it is to be distinctly understood, that our customers use them exclusively for themselves and that they do not sell, lend or copy them. They will be forwarded through Messrs. Dammann & Co., Leipzig (Germany). Any breach of this agreement is liable to a fine of £ 5—/—.

Our establishment being the largest and oldest of its kind in Italy we can show our customers at any time a great many most interesting things and solicit the favor of a visit, when we shall be happy to show them our large crops of every description.

NB. We shall be glad to procure from reliable sources at reasonable prices any kinds of seeds which our friends may not find in our catalogue.

## Dammann & Co.

Cable address: DAMMANN, San Giovanni Teduccio.

A. B. C. CODE, IV<sup>th</sup> and V<sup>th</sup> edition used.



The heavy and prolonged rain of ashes which have fallen here in April last during the outbreak of Mount Vesuvius has destroyed many crops around the Volcano, while another part of them has considerably suffered. As to ourselves we have on the whole been fortunate enough, as only part of the early sowings in the autumn of 1905 and spring 1906 have suffered.

In consequence several crops are somewhat short this season, and several articles will likely be exhausted sooner than usually.

rs by  
ines.)  
pan,  
rates

5/6  
3/3  
1/6

6/5  
9/7  
6/5  
6/3  
3/2  
3/8  
6/—



pe  
ed.  
n-


all  
be  
s.  
es  
at  
es  
y  
r,  
s

at  
f  
e

# I. Vegetable Seeds.

	per lb. s. d.	per cwt. s. d.
<b>Akekengi.</b>		
Eatable Winter-Cherry ( <i>Physalis edulis</i> )	4 —	— —
<b>Artichoke.</b>		
Large early purple Campania . . . . .	7 —	— —
„ „ green of Naples . . . . .	6 —	— —
„ green of Laon or Paris . . . . .	8 —	— —
Purple of Venice . . . . .	4 —	— —
„ Provence or purple French . . . . .	4 3	— —
Green „ „ green „ . . . . .	4 —	— —
Remontant, one of the finest; large, dark green without any spines; bears twice with us, i. e. in spring and autumn . . . . .	4 9	— —
Horatius . . . . .	4 6	— —
Of Modica, very large, glaucous, without spines	4 6	— —
<b>Asparagus.</b>		
Giant of Erfurt . . . . .	— 8	— —
Purple Argenteuil . . . . .	— 10	70 —
Conovers Colossal . . . . .	1 —	95 —
Palmetto . . . . .	1 5	— —
Columbian White . . . . .	2 8	— —
Ivory, (Snow-head) new; very tender, remaining white even if shot up very high above the ground . . . . .	2 8	— —
<b>Basella.</b>		
White of Malabar ( <i>Basella alba</i> ) . . . . .	2 6	— —
<b>Beans.</b>		
<b>Broad Varieties.</b>		
Sevilla long pod . . . . .	— 4	18 —
Aguadulce, (Electro) the finest and largest; best stock; we have grown pods abt 12 in. long . . . . .	— 5	19 —
<b>Beans.</b>		
<b>French or dwarf varieties.</b>		
Crop extremely bad.		
Algiers black wax . . . . .	— —	— —
Best of All . . . . .	— —	— —
Black Belgian, excellent for forcing . . . . .	— —	— —
Canadian Wonder, excellent stock . . . . .	— —	16 —
Canterbury yellow . . . . .	— —	14 —
China . . . . .	— —	— —
Crimson flageolet . . . . .	— —	15 —
Fulmers early forcing . . . . .	— —	10 —
Golden Butter Wax, black seeded . . . . .	— —	— —
Hinrich's speckled giant . . . . .	— —	16 —
Hundred for one, small yellow, extremely prolific . . . . .	— —	15 6

	per lb. s. d.	per cwt. s. d.
Negro Monster . . . . .	— —	16 —
„ long pod . . . . .	— —	15 —
„ extra early . . . . .	— —	15 6
Ne plus ultra, fine for forcing . . . . .	— —	— —
Osborne's forcing . . . . .	— —	16 —
Pale Dun . . . . .	— —	16 —
Sion House . . . . .	— —	— —
Sir Joseph Paxton . . . . .	— —	14 —



Broad Bean Aquadulce  
Pods from 12 to 16 in. (30 to 40 c/m.) in length and 1 1/2 to 1 3/4 in broad  
Electro 6—.

	per lb. s. d.	per cwt. s. d.		per lb. s. d.	per cwt. s. d.
<b>Soja-Beans (Soja hispida).</b>			Vilmorin's improved . . . . .	— 7	45 —
Yellow . . . . .	— 4	27 —	Dippe's best stock . . . . .	— 7	50 —
Brown . . . . .	— 4	30 —	<b>Silver-Beet</b> , see Swiss Chard.		
Black . . . . .	— 4	30 —			
Green Samarow, extremely early and prolific . . . . .	— 5	33 —			
Giant yellow Santa Margherita; of enormous growth; beans very large; extremely prolific . . . . .	— 6	— —			
<b>Lima Beans.</b>			<b>Borecole or Kale.</b>		
(Phaseolus lunatus var.)			Curled dwarf green (German Greens)	1 —	— —
<b>Dwarf.</b>			" " purple . . . . .	1 4	— —
Toledo, white, very prolific . . . . .	— 5	— —	Palm Tree, King, dwarf . . . . .	2 2	— —
Linderaya, very dwarf white, very large pods . . . . .	— 7	— —			
Giuditta, very prolific, pods broad . . . . .	— 7	— —			
Wonder of San Giovanni, most prolific and early, dark red speckled . . . . .	— 4	— —			
<b>Runners.</b>			<b>Broccoli.</b>		
San Giovanni white; runs high, abundant bearer . . . . .	— 5	— —	Purple Navidad, early, dark purple . . . . .	3 —	— —
Sant Antonio, yellowish white; highly prolific . . . . .	— 5	— —	Large white early . . . . .	3 7	— —
San Giuseppe, white; of medium size . . . . .	— 6	— —	Walcheren . . . . .	4 6	— —
San Carlo, black speckled; runs high; abundant bearer, one of the finest . . . . .	— 6	— —	Adams early white . . . . .	5 6	— —
Lagune, red speckled, splendid . . . . .	— 8	— —	Cattell's Eclipse, late . . . . .	5 6	— —
Inca, with pods like Peas, and white, almost round seeds . . . . .	— 6	— —	Knights protecting, late . . . . .	5 —	— —
Santa Rosa, pods long and broad, seeds large, flat; excellent flavour . . . . .	— 6	— —	Penzance (from Cornish stock) . . . . .	5 6	— —
			Snow's white winter . . . . .	9 —	— —
			Veitch's self protecting, late . . . . .	2 4	240 —
			Giant Malta, late . . . . .	2 4	240 —
			Late Asiatic . . . . .	2 4	240 —
			Sprouting Nataleschi . . . . .	2 —	— —
			" Febbrajoli, late . . . . .	2 —	— —
			" Marzajuoli, very late . . . . .	2 —	— —
			<b>Brussels Sprouts.</b>		
			Tall, best stock . . . . .	1 3	— —
			Dwarf, improved . . . . .	1 5	— —
			Aigburth . . . . .	1 6	— —
			<b>Cabbage.</b>		
			Bacalan, early . . . . .	1 4	130 —
			Brunswick, large Drumhead, best stock . . . . .	1 3	110 —
			Cocoa Nut . . . . .	1 7	160 —
			Drumhead Dutch late . . . . .	1 4	130 —
			" " early dwarf . . . . .	1 3	120 —
			Early Etampes . . . . .	1 6	— —
			Enfield Market . . . . .	1 6	140 —
			Myatt's early Offenham . . . . .	2 —	— —
			Mein's No. 1 . . . . .	2 —	— —
			Oxheart large . . . . .	1 6	140 —
			" early . . . . .	1 5	132 —
			St. John's Day, early . . . . .	1 5	132 —
			" " late . . . . .	1 5	132 —
			Schweinfurt Drumhead . . . . .	1 6	140 —
			Strassburg Quintal or Cwt. Drumhead . . . . .	1 5	132 —
			Sugar loaf . . . . .	1 7	— —
			Wheeler's Imperial . . . . .	1 7	— —
			Winnigstadt, best stock . . . . .	1 7	— —
			York early . . . . .	1 3	120 —
			" large . . . . .	1 5	132 —
<b>Sugar Beet.</b>					
(German grown, from selected stock.)					
Imperial white . . . . .	— 7	45 —			
Klein Wanzleben . . . . .	— 7	45 —			

	per lb. s. d.	per cwt. s. d.
Large blood-red Drumhead . . . . .	1 8	— —
Small „ early Dutch . . . . .	1 8	260 —
Pisa, a very early, splendid variety with large solid heads; very much adapted for warmer countries . . . . .	2 —	200 —
Early Mongibello. . . . .	2 —	— —
We recommend these last two sorts quite especially for warmer countries; they are splendid.		

**Savoy.**

Drumhead, large late . . . . .	1 7	160 —
Early dwarf Ulm. . . . .	1 4	138 —
Marcelin. . . . .	1 4	142 —
Small early Vienna . . . . .	1 4	142 —
Victoria (Waterloo) . . . . .	1 4	142 —

**Caper Tree, see Trees.**

**Capsicum.**

Sweet varieties.

Cardinal, scarlet, fruits long . . . . .	1 10	— —
Columbus (Dam.) (Electro), red, of enormous size . . . . .	2 —	170 —
Columbus (Dam.), yellow . . . . .	1 10	— —
Elephant's Trump, red, splendid . . . . .	2 —	— —
Golden Dawn . . . . .	2 9	— —
Golden King (Nocera), most beautiful, very large fruit . . . . .	1 4	135 —
Lucullus, Dam. new. About 10—12 inches high, producing on a vigorous stem a profusion of upright fruits forming a dense bouquet. red } each colour separate. . . . . orange }	3 3	— —
Maddaloni, of conical shape, very early . . . . .	1 9	— —
Mild red Harald. The fruits resemble much the Ruby King as to size, shape and color, but contrary to this latter kind the fruits stand perfectly upright above the leaves, a decided advantage over the other kinds, as the fruits are more exposed to the sun, thus ripening better and more quickly . . . . .	2 2	— —
Procop's Giant . . . . .	2 —	— —
Red pointed Calabrese. Extremely rich bearing, with large fleshy dark purple fruits reaching a length of about 7 inches ending in a point; quite a new form. . . . .	1 6	— —
Ruby King, red, splendid very large . . . . .	1 4	135 —
Sweet Mountain or Bull nose . . . . .	1 9	180 —
„ Spanish . . . . .	1 9	180 —
Taranto, Dam. new. Dwarf, compact producing a great number of fine deep-red middle-size fruits in an upright position, but its principal feature is their skin which		

is very thin, while their flesh is very thick, extremely sweet and of the finest flavour. In fact these qualities render this new and fine sort not only very valuable but even superior to most of the others .

	per lb. s. d.	per cwt. s. d.
	2 2	— —

Under different climatic and cultural conditions it happens that certain kinds of mild Capsicum turn hot.

**Capsicum.**

Hot varieties for pickling.

Cayenne, red, long fruited . . . . .	1 8	— —
Celestial. . . . .	1 8	— —



Capsicum Columbus Electro 3/3.

Cherry, red . . . . .	1 6	— —
Japanese Cluster, scarlet and orange, fruits long . . . . .	2 4	— —
Kaleidoscope . . . . .	1 9	— —
Spanish or Guinea . . . . .	1 2	— —
Tom Thumb (producing fruits in clusters), red and yellow, each . . . . .	1 5	— —

**Cardoon.**

Puvis, very fine and large, spineless . . . . .	1 6	— —
Bolognese, excellent . . . . .	2 —	— —
Alexander, (prickly) of enormous size . . . . .	2 —	— —
Prickly, solid . . . . .	1 6	— —

	Rubbed or clean Seed		Bearded Seed		per lb. s. d.	per cwt. s. d.
	per lb. s. d.	per cwt. s. d.	per lb. s. d.	per cwt. s. d.		
<b>Carrot.</b>						
Please state if you desire „Rubbed“ or „Bearded“ Seed.						
Altrincham, long scarlet	1 3	125 —	1 1	110 —		
Chantenay, half long	1 3	125 —	1 1	110 —		
Carentan, early, half long, scarlet	1 3	125 —	1 1	110 —		
Early Gem (Oxheart-Guerande)	1 3	130 —	1 3	110 —		
Early scarlet Horn	1 5	145 —	1 3	130 —		
French early forc. Horn	1 5	145 —	1 3	130 —		
Half long Luc, stump-rooted	1 3	125 —	1 1	110 —		
James Intermediate, half long scarlet, pointed	1 3	130 —	1 3	110 —		
Nantes, early half long scarlet, stump-rooted	1 —	100 —	1 2	106 —		
St. Valery, long red	1 1	105 —	1 —	95 —		
Stump-rooted, half long scarlet	1 2	120 —	— —	— —		
Surrey long, red	1 9	165 —	1 7	145 —		
White Belgian, green top	— 10	75 —	— 10	68 —		
„ Vosges, thick, short	— 9	80 —	— 8	75 —		
<b>Cauliflower.</b>						
We grow Cauliflower seed on a very large scale (about 70 acres). (Crop very small this season.)						
Italian varieties.						
Dammann's Primus, (earliest short-stemmed Italian Giant), very early, most beautiful large, white, solid heads			4 3	— —		
Eclipse, true, short-stemmed (crop failed)			— —	— —		
Earliest Italian Giant „Non plus ultra“			4 —	420 —		
Dammann's Secundus, the best intermediate sort, short-stemmed, with extremely firm white heads			3 3	— —		
Veitch's Autumn Giant			2 10	290 —		
„ „ „ improved, about 3 weeks earlier than the old sort			3 3	340 —		
Algiers Giant, late			2 8	185 —		
Late Asiatic			2 8	185 —		
„ Italian Giant (Veitch's self protecting Broccoli)			2 8	185 —		
Giant Malta			2 8	185 —		
<b>Cauliflower.</b>						
English, French and German varieties grown in Italy. Finest seeds.						
Erfurt earliest Dwarf . . . per oz 2/—			26 —	— —		
Snowball, very fine . . . „ „ 2/—			26 —	— —		
Montblanc, of the Snowball type; quite dwarf, pure white and solid heads (crop failed)			9 —	— —		
Imperial early			6 —	— —		
Early Paris or small Salomon . . . 6 — — —						
Large white Erfurt . . . 3 3 340 —						
Early Dutch . . . 6 — — —						
„ London . . . 6 — — —						
Lenormand large . . . 6 — — —						
„ short-stemmed, true . . . 8 — — —						
Large Salomon . . . 6 — — —						
Stadtholdter . . . 6 — — —						
Walcheren, true . . . 6 — — —						
<b>Cauliflower.</b>						
Imported seed, from our special growers.						
Erfurt earliest dwarf, for forcing, finest quality . . per oz 4— 60 — — —						
Snowball, large, very firm white heads, superior stock . . „ „ 3— 40 — — —						
<b>Celery.</b>						
De Candolle } these Italian varieties are 1 2 — —						
Folgore } quite extra 1 2 — —						
Henderson's White Plume . . . 1 3 — —						
Large dwarf white solid . . . 1 — — —						
Leicester Red . . . 1 6 — —						
Pascal, very large . . . 1 — — —						
Sandringham white . . . 1 — — —						
Chemin, golden yellow . . . 1 7 — —						
<b>Soup Celery</b> . . . — 7 45 — —						
<b>Celeriac or Turnip-rooted Celery.</b>						
Erfurt . . . 1 4 — —						
Giant of Prague . . . 2 — — —						
Ne plus ultra, Paris white . . . 1 6 — —						
Apple-shaped . . . 1 2 — —						
<b>Chervil.</b>						
Common or plain . . . — 6 — —						
Curled . . . — 7 — —						
<b>Chicory.</b>						
Common (Barbe de Capucin) } excellent — 7 52 — —						
Improved very large-leaved } for — 9 — —						
Brussels or Witloof } salad — 9 75 — —						
Large-rooted Brunswick . . . — 9 75 — —						
Asparagus, an excellent Italian variety quite different from any other; leaves and stalks give a most wholesome and refreshing salad when cooked and served cold . . . 1 3 — —						
<b>Corn, Sweet or Sugar.</b>						
Adam's, extra early . . . — 5 30 — —						
Crosby's early . . . — 5 30 — —						
Cory early (red Cob) . . . — 5 30 — —						

	per lb. s. d.	per cwt. s. d.		per lb. s. d.	per cwt. s. d.
Early Minnesota . . . . .	— 5	30 —	Bonneuil, white very large . . . . .	1 7	— —
Egyptian . . . . .	— 5	30 —	Russian small (Murum) . . . . .	1 4	— —
Mammoth . . . . .	— 5	30 —	„ netted . . . . .	1 5	— —
Moore's early Concord . . . . .	— 5	30 —	Cucumis flexuosus (Snake) . . . . .	2 6	— —
Perry's Hybrid . . . . .	— 5	30 —	Persian Cluster (Dam.), very early, ripening in about 5 weeks, about 8 inches long, dark green, very slightly prickly; very fine . . . . .	2 —	— —
<b>Cornsalad.</b>			Bedfordshire Prize Ridge . . . . .	2 —	— —
Small-seeded green . . . . .	— 10	80 —	Stockwood extra . . . . .	2 —	— —
Large-seeded round-leaved Dutch . . . . .	— 10	78 —	Unicum, new; of medium size, thick, green, stands all atmospheric influences extreme- ly well . . . . .	4 —	— —
Italian (Valleriana coronata, Régence)	— 9	65 —	Fordhook, fruit dark green, smooth, straight, very fleshy, about 12 to 16 in. long, con- taining very few seed, this new sort is extreme- ly productive and really one of the finest	2 6	— —
<b>Cress</b> (1 bushel = ab <sup>t</sup> 1/2 cwt.).			<b>Cucumber.</b>		
Common or plain . . . . .	— 5	35 —	(Frame Varieties.)		
Curled . . . . .	— 7	45 —	Gladiator long green . . . per oz —/—	— —	— —
American Winter . . . . .	1 —	— —	Rollisson's Telegraph . . . „ „ 1/3	— —	— —
<b>Water Cress</b> . . . . .	3 7	— —	Arnstadt white Giant, } very per oz 1/6	— —	— —
<b>Cucumber.</b>			„ green „ } fine „ „ 1/3	— —	— —
(Open ground varieties.)			Hampel's Forcing . . . . . „ „ 1/3	— —	— —
Long green . . . . .	1 9	— —	Prescot Wonder . . . . . „ „ 1/3	— —	— —
„ „ Italian, very fine and pro- ductive . . . . .	1 6	— —	Noa's Forcing . . . . . „ „ 1/—	— —	— —
„ „ of Athens, or Greek . . . . .	2 —	— —	Indefatigable . . . . . „ „ 1/—	— —	— —
„ „ English prickly . . . . .	1 8	— —	Jewel of Koppitz . . . . . „ „ 1/3	— —	— —
„ „ Bismarck, white-spined . . . . .	1 9	— —	Old cucumber seed . . . . .	— 3	16 —
„ „ Goliath . . . . .	1 9	— —	Chamber Cucumber, very early, climbing very little, highly productive; can be grown well indoors in any room near the window . . . . .	1 9	— —
„ „ prolific . . . . .	1 6	— —	<b>Dandelion.</b>		
„ „ white spine . . . . .	1 9	— —	Common . . . . .	1 3	— —
Very long yellow Dutch . . . . .	1 7	— —	Improved thick-leaved or cabbaging . . . . .	4 9	— —
Paris pickling . . . . .	1 1	— —	Improved Moss . . . . .	4 4	— —
Small pickling Bourbonne . . . . .	1 4	— —	<b>Egg Plant.</b>		
Japanese green climbing . . . . .	2 —	— —	Barbentan long early . . . . .	2 —	— —
Formosa climbing (Dam.), very early and enormously prolific, of splendid flavour. Fruit smooth, dark green, slightly black spotted; flesh white, very solid . . . . .	2 —	— —	Purple dwarf very early . . . . .	2 8	— —
Yokohama climbing (Dam.). A most beautiful late sort; the foliage never suffers from disease. The fruits are cylindrical, bright green and very slightly spined or prickly. Later, if ripe, they turn brighter, almost into wax colour. Flesh white solid. Bears most abundantly . . . . .	2 9	— —	Black Nagasaki (Dam.), dwarf very early and prolific . . . . .	2 7	— —
Corosan climbing (Dam.). The "ne plus ultra" of productiveness as it bears most abundantly and never suffers from diseases. Fruit dark green, bright green striped and very slightly prickly, with a curious knot at the extremity. Flesh white, of finest flavour and never bitter . . . . .	2 —	— —	Black Snake. New and very interesting. Pro- ducing an abundant number of cylindrical dark purple almost black fruits about 12 in. long of the very best flavour . . . . .	2 6	— —
Giant of Quedlinburg . . . . .	1 5	— —	Dammann's „Délicatesse“ (Electro) the earliest, pear-shaped; quite an enormous bearer . . . . .	2 7	— —
Sikkim, long Turkish . . . . .	2 —	— —	Purple large early . . . . .	2 —	— —
The Prince's Cucumber, fruits short, about 6—8 in. cylindrical smooth, light green, very fleshy and solid, extremely prolific and highly to be recommended . . . . .	1 7	— —	„ round . . . . .	2 —	— —
			„ long of Palermo . . . . .	2 —	— —
			„ giant . . . . .	3 —	— —
			Black China (Peking) . . . . .	3 —	— —
			New York Giant . . . . .	4 9	— —

	per lb. s. d.	per cwt. s. d.
Long white China . . . . .	1 8	— —
Round white . . . . .	2 —	— —
All sorts mixed . . . . .	1 9	— —

**Endive.**

	per lb. s. d.	per cwt. s. d.
Small green curled summer . . . . .	1 2	— —
Large green curled . . . . .	1 2	— —
Moss curled . . . . .	1 4	— —
Rouen or Staghorn . . . . .	1 2	— —
Ruffec curled . . . . .	1 2	— —
Pancaliere curled . . . . .	1 3	— —
Ever-white curled . . . . .	1 5	— —
Imperial curled . . . . .	1 3	— —
Green fine curled winter Meaux . . . . .	1 1	— —
Carter's Model . . . . .	1 4	— —



Egg Plant, Damman's „Delicatesse“.  
Electro 3/—.

Batavian (Scarole) green . . . . .	1 2	— —
„ white . . . . .	1 2	— —
„ of Naples, excellent . . . . .	1 7	— —

**Garlic.**

Large Naples . . . . .	3	12 —
------------------------	---	------

**Gourd.**

Eatable sorts see *Vegetable Marrow*.  
Ornamental sorts see *Cucumis*, *Cucurbita*, *Lagenaria*.  
**Ice Plant**, see *Sweet Herbs*.

**Kohl-Rabi.**

Grown exclusively from selected stock.

	per lb. s. d.	per cwt. s. d.
White ordinary . . . . .	1 —	— —
„ very early Vienna, short-leaved . . . . .	1 2	— —
„ of Prague, the finest of all . . . . .	1 5	— —
Purple ordinary . . . . .	1 2	— —
„ very early Vienna, short-leaved . . . . .	1 2	— —
White Goliath, extremely large . . . . .	1 —	— —
Purple „ „ . . . . .	1 2	— —
Curled of Naples . . . . .	1 —	— —

**Leek**

(Grown from selected stocks).

Musselburgh (Scotch stock seeds) . . . . .	1 6	— —
Large Rouen winter . . . . .	1 2	120 —
Monstrous Carentan . . . . .	1 2	120 —
Large Brabant . . . . .	1 2	120 —
The Lyon . . . . .	1 2	120 —



Leek, Giant Italian Winter.  
Electro 2/4.

Broad London flag . . . . .	1 2	120 —
Giant Italian Winter (Electro) . . . . .	1 3	125 —
„ Ostia, dark green . . . . .	1 3	— —
Bulgarian, very long . . . . .	1 7	— —
Giant of Palermo, glaucous, the largest . . . . .	1 3	— —

These last 3 Italian sorts are most beautiful, producing enormous plants; they will give satisfaction everywhere and more especially in warmer countries.

**Lettuce.**

w. s. = white seed; bl. s. = black seed;  
y. s. = yellow seed.

**Cabbage varieties.**

a) Spring varieties.

Boston Market or white Tennisball, w. s. . . . .	1 6	— —
Golden Yellow Stonehead or Golden Ball w. s. . . . .	1 6	— —
Wheeler's Tom Thumb; bl. s. . . . .	1 4	135 —




	per lb. s. d.	per cwt. s. d.
Egg, small early, w. s. . . . .	1 3	— —
Dippe's Emperor, w. s. . . . .	1 4	— —
<b>b) Summer varieties.</b>		
All the year round, w. s. . . . .	1 3	— —
" " " " bl. s. . . . .	1 3	130 —
Nonpareil, w. s. . . . .	1 3	130 —
Stubborn-headed large yellow (Trotz- kopf) w. s. . . . .	1 —	100 —
Stubborn-headed new brown (brown Trotzkopf) w. s. . . . .	1 —	100 —
Small dark red, bl. s. . . . .	1 5	— —
Golden spotted, w. s. . . . .	1 6	— —
Dippe's yellow solid (yellow-seeded Butter) y. s. . . . .	1 4	— —
Rudolph's Favourite, w. s. . . . .	1 7	— —



Dammann's Ice Lettuce.  
Electro 3/—.

	per lb. s. d.	per cwt. s. d.
May-King, a new and very recommendable sort both for the cold frame and the open Ground; heads firm and solid of a yellow- greenish colour; stands well even the worst weather . . . . .	1 3	— —
Dammann's Ice Lettuce, w. s. (Electro) larger than the former and of the finest flavour, quite excellent; requires a good loamy soil	1 6	— —
Italian Ice Lettuce, w. s., also very large, and solid, yellow; remarkably fine . . . .	1 6	— —
Improved Tyrolese, new (Dam. 1890) (Electro). The heads are of enormous size and firm as a stone, leaves same as the ribs very tender. A special charac- teristic of this beautiful new sort are its leaves, the borders of which are fringed or serrated quite peculiarly. Our cut gives a pretty accurate idea of it . . . .	1 9	— —



Improved Tyrolese Cabbage Lettuce.  
Electro 3/—.

Large yellow market, w. s. . . . .	1 1	— —
Albano, seed light brown . . . . .	1 2	— —
Genezzano, (Continuity, Jewel) bl. s. of a bronzy colour outside and creamy white inside; stands the greatest heat, is very solid and at the same time very tender, scarcely pro- duces any seed; the finest sort that exists per oz —/7	7 3	— —
Green Unctuous, bl. s. . . . .	1 2	— —
White Giant, bl. s. new, Dam. 1901. Of quite an unusually large size while at the same time the heads are extremely tender and of the finest flavor. The color of the leaves is of a tender green changing into yellow toward the centre . . . . .	1 4	130
Malta Drumhead, w. s. . . . .	— 9	80
Batavia white, w. s. . . . .	1 3	120
" green, w. s. . . . .	1 3	—
Chou de Naples, w. s. . . . .	1 6	155
Ice Lettuce of Laibach (Iceberg), w. s.	1 6	— —

May-King, extremely early, equally suitable for forcing and the open ground . . . .	1 6	— —
<b>c) Winter varieties.</b>		
Brown German Winter, w. s. . . . .	1 1	— —
Green German Winter, w. s. . . . .	1 1	— —
Besson or Marvel, bl. s. . . . .	1 4	— —
<b>Varieties for picking and cutting.</b>		
American brown curled, w. s. . . . .	1 2	120
Australian yellow curled, w. s. . . . .	1 —	100
<b>Cos varieties.</b>		
Balloon, bl. s. . . . .	1 1	— —
Brown Bath, bl. s. . . . .	1 1	110
Frascati, w. s. White self-folding, most excellent	1 3	— —
Paris white, w. s. . . . .	1 1	110
" Green, w. s. . . . .	1 1	— —
Potenza, w. s. of enormous size and most excel- lent; leaves very numerous, white, bronze, self- folding, very solid; does not easily run to seed	1 1	— —

	per lb. s. d.	per cwt. s. d.		per lb. s. d.	per cwt. s. d.
Trianon, w. s. . . . .	1 1	—			
Lettuce seed for bird's food, w. s. .	— 8	60			
"    "    "    "    "    bl. s. .	— 4	30			
<b>Melon.</b>					
Neapolitan Winter, white flesh keeps very well . . . . . per oz —/2	1 7	—			
Netted of Naples . . . . . " " —/2	1 7	—			
Malta, red flesh . . . . . " " —/4	2 7	—			
"    green " . . . . . " " —/4	2 7	—			
Honfleur netted . . . . . " " —/6	4 6	—			
Tours netted . . . . . " " —/4	3 3	—			
Pine Apple, white flesh . . . . . " " —/4	3 —	—			
"    "    red flesh . . . . . " " —/4	3 —	—			
Hackensack . . . . . " " —/5	3 9	—			
Skillman's netted . . . . . " " —/4	3 3	—			
Blenheim Orange . . . . . " " —/	—	—			
Bujukdere, round, smooth, light yellow with green spots or stripes; flesh snow white, thick and juicy; of finest flavour . . . . . per oz —/3	2 3	—			
Galata. Fruit large, oval, about 16 inch. long, yellow, dark green marbled; flesh greenish white, very juicy and sweet . . . . . per oz —/4	3 —	—			
Therapia, large, yellow-netted; flesh thick, dark green, changing into a yellowish red towards the interior; very juicy and of excellent flavour . . . . . per oz —/4	2 4	—			
Turkish Giant, fruits large, orange yellow, smooth, oval, weighing up to 11 lb.; flesh glaucous, very sweet and juicy per oz —/3	2 6	—			
Spanish Pearl, very juicy and aromatic . . . . . per oz —/4	3 1	—			
Abundantia (Dam.). Certainly the most prolific. The oval shaped medium sized slightly ribbed fruits of a bright yellow colour are white fleshed and of a most delicious flavour. One of the earliest sorts and for this reason well suited for northern countries. The plant produces such a number of fruits that all the ground is covered with them . . . . . per oz —/3	2 3	—			
Cilento (Dam.). Of oval shape, smooth dark green skin and medium size. The flesh is greenish, almost white of quite an excellent flavour and very sweet. It keeps very well and may be kept in a dry and airy place (without frost) for many months; its seeds are unlike any of other melons. Highly to be recommended all the more as it is very productive . . . . . per oz —/3	2 —	—			
Coral-reef, new . . . . . " " —/8	7 3	—			
All sorts mixed . . . . .	1 2	110			
Frame varieties mixed . . . . .	5 6	—			
Old Melon seed . . . . .	— 3	16			
			<b>Water-Melon.</b>		
			Red-fleshed of Castellamare, black-seed . . . . . per oz —/2	1 9	—
			Very large black seeded . . . . . " " —/2	1 3	—
			Giant of Pompei, very large round, rind dark green; flesh dark red of quite an excellent sweet flavour . . . . . per oz —/6	6 —	—
			Homerus (Dam.) of enormous size; flesh bright red of finest flavour; <i>the seeds are quite soft and can be eaten</i> . . . . . per oz —/5	4 —	—
			Brindisi Giant (Dam.). Round, rind smooth and thin, flesh carmine, seeds black, of excellent flavour . . . . . per oz —/5	4 —	—
			Julius Caesar (Dam.). Fruit long of very large size; flesh dark red, seeds black; a splendid sort of exquisite musk flavour . . . . . per oz —/5	4 6	—
			Ice Cream . . . . . " " —/3	3 —	—
			Mammoth Ironclad, flesh red . . . . . " " —/3	3 —	—
			Mountain Sweet, flesh red . . . . . " " —/3	3 —	—
			Oh! My! . . . . .	3 6	—
			An American sort, which is said to grow to a very large size.		
			Colossus, also an American sort, producing fruits of more than 150 lb. weight; at the same time the flavour is most delicious; it requires a good sandy loam and convenient manure . . . . . per oz —/5	3 9	—
			Monte Cristo, new; very early, growing to a large size, very productive, of oval shape, skin dark green; of finest flavour, very sweet . . . . . per oz —/6	4 9	—
			Mixed varieties . . . . .	— 8	55
			<b>Okra, see Sweet Herbs.</b>		
			<b>Onion.</b>		
			Wonder, small white, the earliest of all . . . . .	2 —	—
			White Queen (white Barletta, Neapolitan Marzajola) very early, for pickling the true small, producing very little seed . . . . .	1 9	—
			"    "    good ordinary quality . . . . .	1 5	150
			"    Nocera, early . . . . .	1 4	130
			"    Etna, silverskinned . . . . .	1 2	120
			"    Pearl . . . . .	1 2	120
			Early white Paris . . . . .	1 2	120
			White Valence . . . . .	1 2	120
			Maggiajola, flat white (May-Onion) . . . . .	1 2	120
			Flat white Italian Tripoli . . . . .	1 2	120
			"    red " " . . . . .	—	—
			Giant white Mammoth (Silverking) . . . . .	1 4	130
			"    red Mammoth (giant red Garganus or Pompei) . . . . .	—	—
			"    Rocca brown . . . . .	2 —	—
			"    "    blood-red . . . . .	2 —	—
			"    "    white (white globe) . . . . .	1 3	—
			"    "    yellow . . . . .	2 —	—
			Bassano or Genoa, dark red . . . . .	1 3	125

	per lb. s. d.	per cwt. s. d.
Madeira round . . . . .	2 —	— —
„ flat . . . . .	— —	— —
Coimbra, roundish or flattened, of rosy colour	— —	— —
Prizetaker . . . . .	2 6	— —
Red Wethersfield . . . . .	1 9	— —
James long keeping . . . . .	1 9	— —
Magnum Bonum . . . . .	2 6	— —
Trebons . . . . .	2 —	— —
White Spanish . . . . .	1 8	158 —
Brown „ . . . . .	1 8	145 —
White Lisbon (special price on application)	— 8	58 —
„ round Dutch (White Portugal)	1 8	140 —
Danvers yellow . . . . .	1 8	— —
Zittau giant, yellow or pale red . . . . .	1 8	— —
„ „ red . . . . .	1 8	— —

**Orach**, see Spinach.

### Parsley.

Common or plain . . . . .	— 7	44 —
Curled . . . . .	— 7	48 —
Myatt's dwarf . . . . .	— 9	70 —
Moss-curved Champion . . . . .	— 7	44 —
Italian large-leaved (Celery-leaved)	1 8	— —
Giant of Eboli (Dam.) . . . . .	2 —	— —

Both very large, especially the last one, resembling almost the Celery; we recommend these 2 sorts quite particularly.

Turnip-rooted long . . . . .	— 8	67 —
„ „ short . . . . .	— 8	67 —

### Parsnip.

Long smooth . . . . .	— 5	42 —
Round . . . . .	— 5	42 —
Hollow crown . . . . .	— 7	45 —
Elcombe's improved . . . . .	— 6	50 —
Sutton's Student . . . . .	— 7	50 —
Dobbie's selected . . . . .	— 6	50 —

### Peas.

Prince Albert (of Paris) . . . . .	— 4	24 —
Caractacus . . . . .	— 5	26 —
Express, green . . . . .	— 5	30 —
Fillbasket (Laxton) . . . . .	— 5	32 —
White Victoria . . . . .	— 5	28 —
De Grace . . . . .	— 6	30 —

### Peas (Wrinkled Varieties).

Champion of England . . . . .	— 6	40 —
Telephone . . . . .	— 6	40 —
Knight's . . . . .	— 6	40 —
Laxton's Alpha . . . . .	— 6	42 —
Stratagem . . . . .	— 6	40 —
American Wonder . . . . .	— 6	40 —
William Hurst . . . . .	— 8	50 —

(Any other English, French or German &c.

Peas can be supplied in best quality at same or lower prices than those of other respectable firms.)

### Radish

(saved from transplanted roots).

	per lb. s. d.	per cwt. s. d.
Turnip early scarlet . . . . .	1 —	90 —
„ early scarlet white-tipped . . . . .	1 —	90 —
„ early white . . . . .	1 —	90 —
„ very early yellow . . . . .	— —	— —
„ early deep scarlet . . . . .	1 —	90 —
„ „ „ „ white-tipped . . . . .	1 —	90 —
Olive-shaped scarlet . . . . .	1 —	90 —
„ „ „ „ white-tipped (French breakfast) . . . . .	1 —	90 —
„ „ early deep scarlet . . . . .	1 —	90 —
„ „ „ „ „ white-tipped (new) . . . . .	1 —	90 —



*Tomato semperfructifera.*  
Electro 3—.

Long scarlet or short top . . . . .	1 —	— —
„ Wood's early frame . . . . .	1 —	— —
„ white Naples . . . . .	1 —	90 —
„ scarlet „ . . . . .	1 —	90 —
Summer black turnip . . . . .	— 9	78 —
„ „ long . . . . .	— 9	78 —
Winter Spanish black round . . . . .	— 9	78 —
„ „ „ long . . . . .	— 9	78 —
„ scarlet China . . . . .	— 9	75 —

### Rhubarb.

Myatt's Victoria . . . . .	2 —	— —
Prince Albert . . . . .	2 —	— —
Salsify, Mammoth Sandwich Island . . . . .	4 9	— —
„ ordinary . . . . .	4 —	— —

### Scorzonera.

Common . . . . .	5 2	— —
Large Russian . . . . .	5 9	— —
Sea-Kale ( <i>Crambe maritima</i> ) . . . . .	2 6	— —

**Spinach.**

	per lb. s. d.	per cwt. s. d.		per lb. s. d.	per cwt. s. d.
Prickly or winter (prickly seed) . . . . .	— 5	28 —	Lettuce leaved (round seed) . . . . .	— 5	26 —
Monstrous Viroflay (round seed) . . . . .	— 5	27 —	Long-standing, round seed . . . . .	— 5	25 —
Round-leaved large Dutch (round seed) . . . . .	— 5	26 —	New Zealand ( <i>Tetragonia expansa</i> ) . . . . .	8	60 —
Victoria, dark green . . . . .	— 5	30 —	Mountain Spinach or Orach, white . . . . .	6	—



Tomato Giant Pear.  
Electro 6/—.

**Swiss Chard.**

	per lb. s. d.	per cwt. s. d.
Silver-ribbed (yellowish white) . . . . .	— 7	48 —
” ” curled . . . . .	— 7	48 —
Chilian scarlet-ribbed . . . . .	— 10	— —
” yellow-ribbed . . . . .	— 9	70 —

**Tomato.**

(Speciality of our firm.)

Atlantic Prize, large fruits, scarlet, smooth, very prolific . . . . . per oz —/7	7 3	— —
--	-----	-----

	per lb. s. d.	per cwt. s. d.
Alice Roosevelt, new, very large round smooth fruits, dark scarlet, very early per oz —/10	8 —	— —
Acme, large purple . . . . .	3 3	— —
Aurora (Dam. 97) apple-shaped, orange- yellow; flesh solid . . . . . per oz —/5	3 6	— —
Cardinal . . . . . per oz —/5	3 9	— —
Carter's Duke of York . . . . . per oz —/5	3 9	— —
Challenger, very large, scarlet; very pro- ductive . . . . . per oz —/5	3 6	— —
Chemini, one of the finest sorts . . . . . per oz —/5	3 6	— —
Cherry-shaped, red . . . . . per oz —/4	2 9	— —



Tomato Monte Pellegrino.  
Electro 7/6.

	per lb. s. d.	per cwt. s. d.
Conqueror . . . . . „ „ —/5	3 9	— —
Enormous, an American sort, fruits of an enormous size, containing very few seeds per oz —/8	6 9	— —
Excelsior . . . . . per oz —/5	3 5	— —
Ficarazzi (Dam.) the earliest of all per oz —/2	1 3	120 —
Frogmore selected . . . . . per oz —/5	3 9	— —
Giant Pear, new (Dam.) (Electro) very large pear-shaped fruits about 4 in.) of excellent flavour; the plant stands well even the worst weather, producing fruits until late in the autumn per oz —/7	6 —	— —
Goldball (Dam. 97) golden yellow; fleshy; velvety skinned . . . . . per oz —/5	4 —	— —
Ham Green Favorite . . . . . „ „ —/5	4 —	— —

	per lb. s. d.	per cwt. s. d.
to which however it will be preferred for its regular shape, smoothness and beautiful scarlet-red color. Owing to its great precocity this new tomato can be grown in colder countries with much more success than any other sort. Its fleshy and solid fruits are of a very delicate flavour, they are of a medium size, although they reach a diameter of 3 to 4 inches. The leaves are slightly curled. This new Tomato is enormously prolific . . . . . per oz —/8	— —	— —
Non plus ultra (Dam.) large red „ „ —/3	3 3	— —
Northlight (Dam.) upright; fruit not very large, round carmine-red; flesh solid per oz —/6	4 9	— —
Perfection . . . . . „ „ —/5	4 3	— —



Vegetable Marrow, Neapolitan Cocozzella. Electro 3/3.



Cocozzella of Tripoli. Electro 3/—.

Holme's Supreme, scarlet, smooth, very productive . . . . . per oz —/6	4 10	— —
King Humbert (Dam.) red; well-known fine sort . . . . .	— 8	55 —
King Humbert (Dam.) golden-yellow; the finest of all yellow sorts . per oz —/3	2 9	— —
King Humbert (Dam.) white (wax); very prolific and of fine flavour. per oz —/3	2 9	— —
Large red . . . . .	— 9	65 —
„ „ early dwarf . . . . .	2 —	— —
„ „ yellow . . . . .	3 6	— —
Mayflower . . . . . per oz —/5	3 2	— —
Meteor (Dam.) very dwarf; needs no sticks; fruits large, smooth, scarlet, solid per oz —/6	4 6	— —
Mikado, purple . . . . . „ „ —/6	5 10	— —
„ „ scarlet . . . . . „ „ —/6	5 10	— —
Monte Pellegrino, new, (Dam.) 1905 (Electro) quite as early as our Ficarazzi,		

Pine Apple (Dam.) round, golden-yellow; enormous bearer . . . . . per oz —/4	3 —	— —
Ponderosa, true, very large fruited per oz —/8	6 9	— —
President Garfield . . . . . „ „ —/5	4 9	— —
Prince of Naples (Dam.) fruits scarlet, of enormous size, flat-round, slightly ribbed per oz —/6	4 6	— —
Queen of the earliest . . . . .	3 9	— —
Red Apple . . . . . per oz —/4	3 2	— —
Ruby, large red early . . . . . „ „ —/5	3 6	— —
Semperfructifera (Dam.) (Electro) enormously prolific, bearing large clusters of plum-shaped scarlet fruits (often 50 to one cluster). With us the first fruits are ready in May and the plants continually produce them almost until Xmas; they are rather small, but solid and of the finest flavour; per oz —/6	5 9	— —

	per lb. s. d.	per cwt. s. d.		per lb. s. d.	per cwt. s. d.
Skamander (Dam.) upright, large purple fruits like those of Woodgate Hero, from which it descends . . . per oz —/6	4 9	— —	Charles Naudin ( <i>Cucurbita moschata</i> ) (Dam.) a beautiful sort, slightly climbing, with round white-striped white-fleshed fruits and large silvery seeds . . . . .	2 9	— —
Stone, improved, enormous fruits, round, bright scarlet, smooth, fleshy, excellent flavour; the improved sort produces very few seeds . . . . . per oz —/6	5 3	— —	Scarlet Chinese Sugar, fruits round with scarlet rind; flesh very solid and sweet .	2 4	— —
Trophy, red . . . . . " " —/5	4 3	— —	Wonder, new; very early and prolific; round, of medium size; the seeds have no shell as those of other kinds but only a very soft skin . . . . .	1 9	— —
Wonder of the market, large smooth very solid fruits of scarlet colour . . . . . per oz —/6	4 9	— —	King's Acre Cream . . . . .	2 —	— —
All sorts mixed . . . . .	1 5	— —	Pen-y-byd . . . . .	2 —	— —
			Neapolitan longest green running ( <i>Lagenaria leucantha longissima</i> (Cocoz-		

### Turnip (Garden).

Very early flat white Dutch . . . . .	— 10	75 —
Golden Ball . . . . .	— 9	75 —
Munich early purple top . . . . .	1 —	110 —
Early red top strap-leaved American stone . . . . .	— 8	65 —
Early white top strap-leaved American stone . . . . .	— 8	65 —
Milan purple top strap-leaved very early . . . . .	1 3	110 —
Milan white top extra early, new . . . . .	1 4	120 —
Early flat red top . . . . .	— 9	55 —
" Snowball . . . . .	— 9	70 —
Jersey white . . . . .	— 9	55 —
" Lily Turnip . . . . .	— 10	— —
Chirk Castle black stone . . . . .	— 9	68 —

### Vegetable Marrow.

Vegetable Marrow long green Bush or Neapolitan Cocozzella, green and yellow striped (Electro) . . . . .	1 2	100 —
Vegetable Marrow, English (à la moelle anglais) . . . . .	1 4	— —
Neapolitan Portmanteau green . . . . .	1 2	90 —
Italian white Mushroom (Champignon) Dam. . . . .	2 —	— —
Marrow early golden Bush . . . . .	1 10	— —
" Squash Hubbard . . . . .	1 10	— —
Long white Bush Marrow . . . . .	1 5	— —
Large yellow gourd or yellow Mammoth . . . . .	1 9	— —
" white " " white " . . . . .	2 7	— —
" red " " red " . . . . .	2 3	— —
" green " " green " . . . . .	2 3	— —
Cocozzella of Tripoli (Electro) . . . . .	1 9	— —
" " " white . . . . .	1 9	— —
" " Molfetta, dwarf, with long yellowish-white fruits; very fine . . . . .	1 7	— —
Cocozzella of snow-white Belmonte (Dam.) (Electro). Dwarf with long white fruits; particularly fine . . . . .	2 6	— —



Cocozzella snow-white Belmonte.  
Electro 3/3.

zella da pergola) (Electro) when young, this sort furnishes quite an excellent dish; cut into pieces of ab <sup>t</sup> 3 in. long, take out the seeds, fill it up again with a stuffing of meat &c. boil, and serve with Tomato sauce . . . . .	2 4	— —
Moore's Vegetable Cream . . . . .	1 9	— —
Long green trailing . . . . .	1 7	— —
" white " . . . . .	1 9	— —
Whale, greyish green . . . . .	2 2	— —
Turkish Honey, new, Dam. 1901. The fruits which are orange-red veined with white grow to about 1/2 cwt. weight. Flesh chamois-yellow, very tender and sweet, and of delicious flavor, extremely fine for cooking. In Turkey this Pumpkin is greatly appreciated . . . . .	2 —	— —

## II. Swede, Turnip and Mangel Wurzel.

Prices variable.

	per lb. s. d.	per cwt. s. d.		per lb. s. d.	per cwt. s. d.
<b>Swede.</b>			<b>Mangel Wurzel.</b>		
Yellow green top . . . . .	— 9	56 —	Long red . . . . .	— 7	45 —
„ purple top . . . . .	— 9	56 —	„ yellow . . . . .	— 7	45 —
Laings yellow purple top . . . . .	— 9	50 —	„ Mammoth . . . . .	— 7	46 —
Skirvings „ „ „ . . . . .	— 9	50 —	Champion Yellow Globe . . . . .	— 7	48 —
			Golden Tankard . . . . .	— 7	48 —
<b>Turnip.</b>			Oberndorf Yellow Globe . . . . .	— 7	45 —
White Tankard, green top . . . . .	— 7	48 —	„ Red Globe . . . . .	— 7	45 —
Red „ . . . . .	— 6	45 —	Olive-shaped Yellow or Intermediate .	— 7	48 —
Pomeranian White Globe . . . . .	— 7	55 —	The seeds of Swede, Turnip and Mangel Wurzel as offered above have been grown from best stocks; any other sorts not enumerated will be supplied also in reliable quality at cheapest prices.		
Red Top Norfolk . . . . .	— 7	52 —			
Green Top Norfolk . . . . .	— 7	50 —			
Carters Purple top Mammoth . . . . .	— —	— —			
Aberdeen purple top . . . . .	— —	— —			

## III. Sweet Herbs &c.

	per lb. s. d.	per cwt. s. d.		per lb. s. d.	per cwt. s. d.
Arachis hypogaea (Pea-nut; ground-nut)	— 3	21 —	Ice plant (Mesembrianthemum cristallinum)	3 6	— —
Angelica (Angelica Archangelica)	1 9	— —	Lavender (Lavendula spica)	1 4	— —
Anise (Pimpinella Anisum) best of Apulia (South Italian)	— 8	60 —	„ true (Lavendula vera) oz 1/5	6 —	— —
Balm (Melissa officinalis)	2 —	— —	Marigold, Pot (Calendula officinalis)	1 3	— —
Basil sweet, large green	1 —	— —	Marjoram, sweet (Majorana hortensis)	1 2	105 —
„ bush green	1 —	— —	„ pot (Origanum vulgare) per oz —/6	5 10	— —
„ of Abyssinia (O. suave) excellent both for the kitchen and as a decorative plant (failed)	2 —	— —	Mignonette, see Flower Seeds.		
Basil purple dwarf curled	1 4	— —	Mint, Mentha piperita, Peppermint oz 6/3	— —	— —
Borage (Borago officinalis)	— 10	80 —	„ „ aquatica . . . oz —/9	— —	— —
Burnet, Garden (Poterium hortense sanguisorba)	— 7	— —	„ „ crispa . . . . . oz 3/9	— —	— —
Caper Tree, see Tree Seeds (Capparis).	— 4	28 —	„ „ Pulegium, (Penny-Royal) per oz 1/3	— —	— —
Caraway (Carum Carvi)	— 4	28 —	„ „ viridis, (Spear-Mint) the best for sauces per oz 2/6	36 —	— —
Chives (seed) . . . . . oz —/10	11 6	— —	Okra, dwarf early	1 7	— —
Cardoon, see Vegetable seeds.			„ „ improved	1 9	— —
Clary (Salvia sclarea)	5 6	— —	„ „ Egyptian (Hibiscus lutescens)	1 6	— —
Coriander (Coriandrum sativum)	— 4	26 —	Purslain green (Portulacca oleracea)	1 2	— —
Cumin (Cuminum Cyminum)	— 6	38 —	„ golden	1 4	— —
Dill (Anethum graveolens)	— 8	65 —	Pyrethrum cinerariaefolium per oz —/6	6 —	— —
Fennel, Carosella of Naples (Foeniculum piperatum)	1 3	— —	Rampion (Raiponce) Campanula (Rapun-culus)	4 9	— —
„ sweet Bolognese (Foeniculum dulce)	1 —	— —	Rocket (Brassica Eruca, Eruca sativa)	— 7	48 —
„ largest sweet of Sicily, new	1 1	— —	Rosemary (Rosmarinus officinalis)	3 4	— —
„ Morosini (Dam.) new; the largest, finest and sweetest; a first rate sort	1 1	— —	Rue (Ruta graveolens)	1 6	— —
These sweet Fennels are quite excellent and whoever tried them with us here, were very satisfied.			Sage (Salvia officinalis)	2 —	— —
Horehound (Marrubium vulgare)	1 10	— —	„ large-leaved	2 4	— —
Hyssop Hyssopus officinalis	2 —	— —	Savory, Summer or annual (Satureja hortensis)	1 3	— —
			„ Winter or perennial (Satureja montana)	3 —	— —



	per lb. s. d.	per cwt. s. d.		per lb. s. d.	per cwt. s. d.
Skirret . . . . .	—	—	Thyme, Summer . . . . .	3 2	—
Sorrel, broad-leaved French . . . . .	1 4	—	„ German Winter . . . . .	3 7	—
Tarragon, Russian (Artemisia Dracunculus) . . . . . per oz 1/8	—	—	Wormwood (Artemisia Absinthium) . . . . .	2 10	—

### IV. Clovers, Lucerne &c. &c.

Prices variable; terms 30 days. Special quotations made for large quantities.

	per lb. s. d.	per cwt. s. d.		per lb. s. d.	per cwt. s. d.
Bird's foot Trefoil (Lotus corniculatus)	1 9	156 —	Melilotus coerulea . . . . .	— 10	—
Broom, common (Spartium scoparium)	— 6	36 —	Sainfoin, common (Hedysarum Onobrychis) in husk . . . . .	—	18 —
„ yellow or Spanish (Spartium junceum) . . . . .	— 6	38 —	Sainfoin, common (Hedysarum Onobry-		



Medicago arborea. — Electro 4/6.

Clover, Alexandrium, white flowering, very much to be recommended . . . . .	— 10	82 —	chis) husked or milled (to be preferred, as the seeds grow more easily) . . . . .	— 5	40 —
„ Alsike (Trifolium hybridum) . . . . .	— 10	72 —	Sulla (Spanish Sainfoin, Hedysarum coronarium) in husk . . . . .	—	22 —
„ Bokhara (Melilotus alba) . . . . .	— 9	72 —	Sulla (Spanish Sainfoin, Hedysarum coronarium) husked or milled (to be preferred, as the seeds grow more easily)		
„ Crimson, scarlet or Italian (Trif. incarnatum) . . . . .	—	35 —	Sulla is one of the very best fodder plants for warmer countries. Ask for special circular on Sulla which will be sent free on application . . . . .	— 11	86 —
„ red (Trifolium pratense) . . . . .	— 9	62 —	Tares, common or Spring Vetches (Vicia sativa), white-seeded . . . . .	—	13 —
„ white ( „ repens) . . . . .	— 9	70 —	„ „ black-seeded . . . . .	—	12 —
Fenugreek (Trigonella foenum graecum)	—	16 —	„ Vicia villosa . . . . .	— 6	36 —
Furze, Gorse or Whin (Ulex europaeus)	1 5	—	„ Faba arvensis . . . . .	—	14 —
Goat's Rue (Galega officinalis) . . . . .	—	22 —	„ „ equina (Horse Bean) . . . . .	—	14 —
Lathyrus Clymenum . . . . .	—	14 —	Trefoil yellow, (Medicago lupulina) . . . . .	— 5	35 —
Lentil, Spanish (Lathyrus sativus) . . . . .	—	14 —	Yellow Sand Clover (Anthyllis vulneraria)	1	—
Lupins, white (Lupinus albus) . . . . .	—	9 —			
„ blue ( „ angustifolius) . . . . .	—	14 —			
Lucerne (Medicago sativa) best Italian, carefully sifted, fine quality . . . . .	— 9	58 —			
„ hardy (Med. media) . . . . .	— 11	90 —			
„ tree (Med. arborea) (Electro), an excellent fodder plant for warmer countries as it resists even the greatest drought; we recommend this highly useful plant quite especially	1 2	95 —			

## V. Grasses.

Prices variable.

	per lb. s. d.	per cwt. s. d.		per lb. s. d.	per cwt. s. d.
Bent-Grass, creeping ( <i>Agrostis stolonifera</i> ) . . . . .	— 7	42 —	Millet, Pearl or cat-tail, ( <i>Pencillaria spicata</i> ) . . . . .	— 6	— —
Bermuda-Grass . . . . .	2 —	— —	Oats, tall ( <i>Avena elatior</i> ) . . . . .	— 9	55 —
Brome, Hungarian or awnless ( <i>Bromus inermis</i> ) . . . . .	— 7	55 —	Rye-Grass, Italian ( <i>Lolium Italicum</i> ) . . . . .	— —	20 —
„ soft or Bull Grass ( <i>Bromus mollis</i> ) . . . . .	— —	20 —	Rye-Grass, English ( <i>Lol. perenne</i> ) 28 lb. . . . .	— —	18 —
„ meadow ( <i>Bromus pratensis</i> ) . . . . .	— 8	48 —	„ „ „ ( „ „ ) 26 lb. . . . .	— —	18 —
Canary-Grass ( <i>Phalaris arundinacea</i> ) . . . . .	1 9	170 —	„ „ „ ( „ „ ) Pacey's . . . . .	— —	24 —
Cocksfoot, common ( <i>Dactylis glomerata</i> ) . . . . .	— 8	54 —	Soft Grass, meadow, Honey gr. ( <i>Holcus lanatus</i> ) . . . . .	— 4	22 —
Crested Dogtail ( <i>Cynosurus cristatus</i> ) . . . . .	— 10	78 —	Sweet Vernal Grass ( <i>Anthoxanthum odoratum</i> ) true . . . . .	— 9	— —
Fescue, hard ( <i>Festuca duriuscula</i> ) . . . . .	— 5	29 —	Sweet Vernal Grass common ( <i>Anthoxanthum odoratum Puellii</i> ) . . . . .	— 5	36 —
„ tall ( „ <i>elatior</i> ) . . . . .	— 7	44 —	Teosinte, ( <i>Reana luxurians</i> ) . . . . .	1 9	140 —
„ various-leaved ( <i>Festuca heterophylla</i> ) . . . . .	— 7	48 —	Timothy ( <i>Phleum pratense</i> ) . . . . .	— 5	36 —
„ sheep's ( <i>Festuca ovina</i> ) . . . . .	— 5	33 —	Lawn Grass . . . . .	— —	— —
„ meadow ( „ <i>pratensis</i> ) . . . . .	— 5	40 —	Mixture for meadows, pastures &c. . . . .	— —	34 —
„ red or creeping ( <i>Festuca rubra</i> ) . . . . .	— 5	30 —	„ „ „ „ „ in- . . . . .	— —	— —
Hair-Grass waved ( <i>Aira flexuosa</i> ) . . . . .	— 5	36 —	„ „ „ „ „ cluding clovers &c. . . . .	— —	36 —
Meadow, Foxtail ( <i>Alopecurus pratensis</i> ) . . . . .	— 7	50 —	„ „ „ „ „ lawns on dry land . . . . .	— —	38 —
„ wood ( <i>Poa nemoralis</i> ) . . . . .	— 8	62 —	„ „ „ „ „ wet . . . . .	— —	38 —
„ smooth-stalked ( <i>Poa pratensis</i> ) . . . . .	— 7	54 —			
„ rough-stalked ( „ <i>trivialis</i> ) . . . . .	— 9	66 —			
Marram-, Reed-Grass ( <i>Arundo arenaria</i> , <i>Ammophila arundinacea</i> ) . . . . .	— 10	72 —			

Please indicate nature of soil, exposure &c. &c.

## VI. Seeds of sundry Agricultural, Economical, Officinal &c. Plants.

Prices variable. Special prices for large quantities.

	per lb. s. d.	per cwt. s. d.		per lb. s. d.	per cwt. s. d.
Barley, best Italian } very fine Italian	— —	13 —	Yellow large of Naples . . . . .	— 2	10 —
„ Altamura } varieties . . . . .	— —	13 —	Pearl, white . . . . .	— 2	16 —
Canary-seed ( <i>Phalaris canariensis</i> ) . . . . .	— —	25 —	Kansas King, giant white . . . . .	— 2	13 —
Chamomile ( <i>Matricaria Chamomilla</i> ) . . . . .	2 7	— —	In the husk, an interesting sort, the grains of which are wrapped up in a reddish hull . . . 10 spikes —/10	— 6	— —
Cotton ( <i>Gossypium herbaceum</i> ), Neapolitan . . . . .	— —	13 —	The following are the best American varieties, which we can warmly recommend for their great productiveness.		
„ Mit Afifi } the 2 best Egyptian	— —	— —	Jowa Gold Mine, yellow . . . . .	— 3	18 —
„ Iwanowitch } varieties . . . . .	— —	22 —	„ Silver „ white . . . . .	— 3	18 —
Cumin ( <i>Cuminum Cyminum</i> ) . . . . .	— 8	46 —	Giant of Mexico, „ . . . . .	— 3	18 —
Flax, giant of Naples ( <i>Linum usitatissimum</i> ) . . . . .	— —	23 —	Mastodon improved, yellow . . . . .	— 3	18 —
„ Campania, dwarf, furnishes the best fibre suitable for the finest texture . . . . .	— 5	26 —	Longfellow, yellow . . . . .	— 3	18 —
Hemp, giant of Naples. large-seeded . . . . .	— 6	33 —	Leaming, yellow, one of the best . . . . .	— 3	20 —
„ „ „ „ small- „ . . . . .	— 5	29 —	Lentil, small red ( <i>Ervum lens minor</i> ) . . . . .	— 4	24 —
„ „ „ Piedmont, a choice variety, growing rapidly very high . . . . .	— 8	42 —	„ large yellow . . . . .	— 4	20 —
<b>Indian Corn or Maize.</b>			Millet, yellow Neapolitan . . . . .	— —	15 —
Nanerottolo, very dwarf; the earliest of all . . . . .	— 3	19 —	„ silver-white round Italian . . . . .	— —	17 —
Ambra . . . . . 10 spikes —/9 . . . . .	— 2	13 —	„ Italian ( <i>Panicum Italicum</i> ) excellent, especially for warmer countries; sown in April, it can be cut already in July . . . . .	— 2	14 —
Harlequin . . . . . 10 „ —/9 . . . . .	— 2	13 —	Millet of Yokohama ( <i>Eleusine caracana</i> var.) . . . . .	— 6	28 —
Caragua, giant white (Horse tooth) . . . . .	— 2	15 —			
Six weeks or Quarantine of Naples . . . . .	— 2	10 —			
Seven-weeks or Cinquantine, yellow . . . . .	— 2	12 —			

	per lb. s. d.	per cwt. s. d.		per lb. s. d.	per cwt. s. d.
Moha, Hungarian or German Millet (Panicum Germanicum) . . . . .	— 4	24 —	American Kentucky Burley		
„ green Californian . . . . .	— 3	17 —	per oz 1/—	12 —	— —
Nettle China-Grass, Silvery Ramieh (Urtica nivea) . . . . . per oz 1/6	20 —	— —	„ Pennsylvania		
Oats best Naples . . . . .	— —	13 —	Seed Leaf . . . . .	1/—	12 —
„ „ of the Abbruzzes . . . . .	— —	13 —	„ Virginia		
Panicum frumentaceum giganteum, an annual grass, growing very quickly, about 6 feet high and producing an enormous amount of green fodder; crop small . . . . .	— 10	— —	Seed Leaf . . . . .	1/—	12 —
Rice of Castellamare (Naples) . . . . .	— 4	17 —	Havana . . . . .	3/6	48 —
Rye, winter of Naples . . . . .	— —	13 —	Brazilian . . . . .	1/9	19 —
„ of the Abbruzzes . . . . .	— —	13 —	Sumatra (Deli) . . . . .	5/—	62 —
Sacaline (Polygonum sachalinense) . . . . .	9 6	— —	Seeds obtained exclusively from the respective native countries.		
Sorghum, (Holcus Sorghum) Broomcorn	— —	9 —	Trevir (for insect powder) (Pyrethrum cinerariaefolium) . . . . . per oz 1/6	— —	— —
„ cernuum (Douro, Durra) . . . . .	— —	19 —	Wheat Bianchetta . . . . .	— —	15 —
„ saccharatum (Sugar-Millet)	— —	17 6	„ Carosella . . . . .	— —	15 —
„ „ black-seeded	— —	17 6	„ Majorica . . . . .	— —	15 —
„ „ Minnesota	— —	17 6	„ Rieti, (Electro) the best Italian variety, very robust growing, highly productive; not subject to diseases and highly resistant to the rust.	— —	16 9
„ „ (Amber cane) . . . . .	— —	17 6	„ Noè . . . . .	— —	16 —
Sunflower, common . . . . .	— 3	16 6	„ Saragolla . . . . .	— —	15 —
„ Hungarian . . . . .	— 3	16 6	„ Fucense, an excellent sort . . . . .	— —	16 —
„ Russian giant . . . . .	— 4	20 —	With the exception of Noè all others are native of Italy and of great repute in this country; in fact they are excellent and will certainly give satisfaction.		
Tobacco (Nicotiana Tabacum var.)			Yarrow (Achillea millefolium) clean seed	1 6	— —
Turkish Bafra . . . . . per oz 1/—	12 —	— —			
Turkish Samsun . . . . . „ „ 1/—	12 —	— —			
Tobacco (Nicotiana Tabacum var.)					
American Kentucky per oz 1/—	12 —	— —			

## VII. Fruit Trees.

(See our remarks on Seeds of Trees, Shrubs &c. page 16, to which we refer.)

	per lb. s. d.		per lb. s. d.
Amygdalus communis (Almond, bitter) cwt.	35/—	Corylus Avellana (Hazel Nut) best South Italian, from Avellino cwt.	36/—
„ „ dulcis ( „ sweet) „	35/—	„ „ var. Sicilian . . . . .	38/—
„ fragilis (Almond, Princess) „	40/—	„ „ fol. atropurpureis . . . . .	2 9
„ tenerrima, with very thin shell . . . . .	— 10	Cydonia vulgaris (Common Quince) . . . . .	2 9
„ Persica (Peach, common) cwt.	12/—	Diospyros Lotus (Date Plum) . . . . .	1 2
Anona squamosa (Sweet Sop Sugar Apple)		„ sinensis (Kaki) (Japanese Date Plum)	
„ triloba (Papaw Custard-Apple) „	—/5	oz —/3	2 6
Arbutus Unedo (Strawberry Tree) . . . . .	2 5	„ virginica (Virginian Date Plum) . . . . .	1 9
Castanea vesca (Chestnut sw. Spanish) cwt.	14/—	Eriobotrya japonica (Loquat tree. Japan Medlar) . . . . .	— 6
„ macrocarpa, large-fruited „	16/—	Ficus carica mixed (Fig tree cultivated) oz	—/8
Ceratonia Siliqua (Carob Tree) . . . . .	— 5	Fragaria vesca Alpine (des 4 saisons) „	—/3
Citrus Aurantium (Orange Tree) . . . . .	3 6	Juglans americana nigra (Black Walnut)	
„ Bigaradia . . . . .	3 3	cwt. 22/—	— 4
„ Limonum (Lemon Tree) . . . . .	4 9	„ regia var. Sorrento (Sorrento Walnut)	
„ medica (Citron Tree) . . . . . oz	—/7	cwt. 50/—	— 8
„ nobilis (Mandarine Tree) . . . . . „	—/10	„ „ „ Nocera . . . . . „	50/—
Coffea arabica (Arabian Coffee Tree) 100 fruits	1/2		— 8



	per lb. s. d.		per lb. s. d.
Prunus Myrobolana 1 <sup>st</sup> . Qual. . . . . cwt. 32/—	— 5	Rubus fruticosus (Blackberry) . . . . .	1 9
Psidium Cattleianum . . . . . oz 1/6	— —	„ Idaea (Raspberry). . . . . oz —/2	2 —
Punica Granatum (Pomegranate) . . . „ —/5	3 9	Thea Bohea (Chinese Tea Tree) 100 seeds 4/—	— —
Ribes Grossularia (Gooseberry) . . . „ —/5	4 9	Vitis of Naples, mixed . . . . .	1 3
„ rubrum (Red Currant) . . . . . „ —/3	2 7	„ Coignetiae . . . . . oz —/10	— —

## VIII. Seeds of Trees, Shrubs &c.

We shall be glad to receive orders for these seeds as early in the season as possible as we have them collected only in such quantities as to meet our regular demand; orders for larger quantities should at any rate be sent in September at latest, but possibly earlier; even having accepted an order we wish it however to be clearly understood that we shall not be bound to supply the seeds, should they fail to come in or be of an unsatisfactory quality. We supply only fresh seeds, but will not under any circumstances accept any responsibility as to growth and denomination, but will submit samples on application.

The prices of many kinds are subject to variations. § = Climbers.

	per oz s. d.	per lb. s. d.		per oz s. d.	per lb. s. d.
Acer campestre . . . . . cwt. 16/—	— —	— 3	Catalpa, see Bignonia.		
„ Negundo . . . . . „ 20/—	— —	— 3	Ceanothus americanus . . . . .	— 5	4 10
„ platanoides (Maple) . . . „ 25/—	— —	— 3	„ azureus . . . . .	— 6	— —
„ Pseudo-Platanus (Sycamore)			„ Gloire de Versailles . . . . .	— 6	— —
	cwt. 23/—	— 3	Celtis australis . . . . . cwt. 100/—	— —	1 —
Ailanthus glandulosa . . . . . „ 15/—	— —	— 3	Cercis Siliquastrum . . . . . cwt. 60/—	— —	— 8
Alnus cordifolia (Alder) . . . . .	— —	1 —	Chionanthus virginica . . . . .	— 7	— —
Amorpha fruticosa . . . . .	— —	— 9	§ Clematis coccinea . . . . .	1 7	— —
§ Ampelopsis Veitchii, berries . . . . .	— 3	2 9	„ fragrans (flammula) . . . . .	— —	1 —
Aralia spinosa . . . . .	1 3	— —	„ vitalba . . . . .	— —	— 7
Ash, see Fraxinus.			„ Viticella . . . . .	— —	— 10
Aucuba japonica . . . . .	— —	1 3	„ Wilfordii, yellow . . . . .	— 4	4 —
Azalea mollis . . . . .	6 6	— —	Cockspur, see Crataegus Oxyacantha.		
„ pontica fine mixed . . . . .	2 6	— —	Colutea arborescens . . . . .	— —	— 9
Beech, see Fagus sylvatica.			„ cruenta . . . . .	— —	— 8
Berberis vulgaris . . . . .	— —	— 9	Common Privet, see Ligustrum.		
„ „ fol. atropurpureis . . . . .	— 3	2 3	Cornus sanguinea . . . . .	— —	— 5
Betula alba (Birch) . . . . .	— —	— 7	Coronilla Emerus . . . . .	— 4	2 9
Bignonia Catalpa . . . . .	— —	— 7	Crataegus crus-galli . . . . .	— —	1 —
„ Kaempferi . . . . .	— —	1 9	„ oxyacantha, clean seed		
Birch, see Betula.				cwt. 28/—	— 5
Bird Cherry, see Prunus Padus.			„ pyracantha, clean seed . . . . .	— —	1 9
Broom, see Spartium scoparium, page 13.			Cytisus alpinus . . . . .	— 3	1 10
Broussonetia papyrifera . . . . .	— —	2 6	„ Laburnum . . . . .	— —	— 9
Buxus sempervirens . . . . .	— 3	1 8	„ nigricans . . . . .	— 6	6 9
Callicarpa americana . . . . .	— 6	— —	Daphne Gnidium . . . . .	— 4	4 —
Calycanthus floridus . . . . .	— 5	3 6	„ Mezereum . . . . .	— 5	5 3
„ praecox (fragrans) . . . . .	— 3	2 2	Deutzia crenata fl. pl. . . . .	— 5	4 9
„ „ grandiflorus . . . . .	— 3	3 —	„ gracilis, berries . . . . .	— 4	3 3
Capparis inermis . . . . .	— 8	6 —	Dog Rose, see Rosa canina.		
„ spinosa . . . . .	— 10	9 3	Dogwood, see Cornus.		
Caragana arborescens . . . . .	— 4	2 3	Elaeagnus angustifolia (Olea bohemica)	— 3	2 —
Carpinus Betulus (Hornbeam) cwt. 35/—	— —	— 7	„ longipes . . . . .	— 6	— —
Carya alba (White Hickory) . . . . .	— —	— 9	Edler, see Sambucus racemosa.		
„ olivaeformis (Decan Nut). . . . .	— —	1 7	Elm, see Ulmus.		
Castilleja elastica . . . . . 100 seeds 4/6	— —	— —	Evonymus europaeus . . . . .	— —	1 —
1000 „ 40/—	— —	— —	Fagus sylvatica (Beech) cwt. 38/—	— —	— 6



	per oz s. d.	per lb. s. d.		per oz s. d.	per lb. s. d.
Spartium junceum (Span. Broom)	} see page 15.		Traveller's Joy, see Clematis Vitalba.		
Spartium scoparium (common Broom)			} (Clovers &c.)	Tree of Heaven, see Ailanthus.	
Spindle Tree, see Evonymus europaeus.				Tulip Tree, see Liriodendron.	
Spurge Laurel, see Daphne Laureola.			Ulex europaeus, see Section IV page 15.		
Staphylea pinnata . . . . .	— 3	1 7	Ulmus campestris (Elm) . . . . .	— —	4
Sterculia platanifolia . . . . .	— 3	1 5	Viburnum Lantana . . . . .	— —	6
Styrax japonica . . . . .	— 4	3 3	"    Opulus (Snowball) . . . . .	— —	8
"    officinale . . . . .	— 2	1 6	"    Tinus . . . . .	— —	8
Sumach, see Rhus.			Virginian Creeper, see Ampelopsis.		
Sweet Bay, see Laurus nobilis.			Virgin's Bower, see Clematis.		
Sycamore, see Acer pseudo-platanus.			Weigelia mixed . . . . .	2 3	— —
Syringa vulgaris, pods . . . . .	— —	— 6	Wistaria, see Glycine.		
"    "    alba . . . . .	— —	1 6	Woodbine, see Ampelopsis quinquefolia.		
Thorn Acacia, see Robinia.			Yucca aloefolia . . . . .	— —	1 5
Tilia argentea . . . . .	— —	1 —	"    "    fol. var. . . . .	— —	2 3
"    europaea latifolia . . . . .	— —	— 7	"    filamentosa, true . . . . .	1 3	— —
			"    quadricolor . . . . .	1 10	— —
			"    Whipplei . . . . .	1 6	21 6

## IX. Seeds of Conifers.

We offer these under the same conditions as for the Tree and Shrub Seeds (see page 19) to which we refer.

Denominations after the "Handbook on Conifers" by L. Beissner (Handbuch der Nadelholzkunde). The prices of many kinds are subject to variations.

	per oz s. d.	per lb. s. d.		per oz s. d.	per lb. s. d.
Abies balsamea, . . . . .	— 7	6 —	Biota orientalis (Thuja) (Chines arbor vitae)	— —	1 —
"    brachyphylla . . . . .	1 —	12 9	"    "    aurea . . . . .	— —	1 5
"    cephalonica . . . . .	— 4	3 8	"    "    compacta . . . . .	— —	1 5
"    concolor . . . . .	— 10	— —	"    "    elegantissima . . . . .	— 5	3 9
"    Fraseri . . . . .	— 10	9 9	"    "    pyramidalis . . . . .	— —	1 10
"    magnifica . . . . .	1 5	— —	Callitris quadrivalvis (Thuja articulata)	1 3	— —
"    nobilis . . . . .	1 2	— —	Casuarina equisetifolia . . . . .	— 10	— —
"    Nordmanniana, true . . . . .	— 3	2 3	"    quadrivalvis . . . . .	1 —	12 —
"    pectinata (Pinus Abies.), common			"    tenuissima . . . . .	— 7	6 4
Silver Fir . . . . . cwt. 36/—			Cedrus atlantica (argentea) clean seed .	— 4	4 —
"    Pinsapo . . . . .	— —	1 10	"    Deodara, crop failed . . . . .	— 4	3 8
Araucaria brasiliensis, fresh seeds of this	— 3	2 2	"    Libani, clean seed (Cedar of Libanon)	— 4	4 —
kind are expected in July or			Cephalotaxus Fortunei . . . . .	— 3	1 8
August every year and orders			Chamaecyparis Lawsoniana (Cupressus)	— —	2 —
accepted for delivery at the			"    "    argentea . . . . .	— 5	4 —
above time 100 seeds 7/—			"    "    aurea . . . . .	— 6	— —
1000 " 62/—	— —	— —	"    "    glauca . . . . .	— 6	— —
"    excelsa . . . . . 100 " 5/3			"    "    obtusa (Retinospora) . . . . .	— 10	10 —
1000 " 44/—	— —	— —	"    "    pisifera ( " ) . . . . .	— 8	7 3
"    imbricata . . . . . 100 " 4/6			Chamaecyparis pisifera plumosa (Reti-		
1000 " 40/—	— —	— —	nospora) . . . . .	1 —	— —
the seeds of several other kinds of Araucaria			"    "    plumosa aurea		
are not always sure to come in and often they			(Retinospora) . . . . .	1 3	— —
arrive in bad condition; we therefore do			"    "    squarrosa (Re-		
not quote prices, but shall make special			tinospora) . . . . .	1 3	— —
offers in every single case.			Cryptomeria japonica . . . . .	— 3	2 2
Arbor Vitae, see Biota and Thuja.			"    "    elegans . . . . .	— 5	3 6





	100 seeds s. d.	1000 seeds s. d.		100 seeds s. d.	1000 seeds s. d.
<i>Cocos campestris</i>	1 5	12 6	<i>Livistona altissima</i>	1 10	16 —
„ <i>flexuosa</i>	— 10	6 6	„ <i>olivaeformis</i>	1 10	16 —
„ <i>plumosa</i>	— 9	6 6	„ <i>rotundifolia</i>	3 —	26 —
„ <i>Romanzoffiana</i> , splendid for green-house and rooms	1 3	10 —	<i>Oreodoxa regia</i> , a splendid kind	1 2	9 —
„ <i>Weddeliana</i> ( <i>Glaziova Martiana</i> )	3 6	30 —	<i>Pandanus utilis</i>	2 —	17 —
„ <i>Yatay</i> , the true kind for the green-house	3 3	28 —	<i>Phoenix acaulis</i>	2 6	— —
<i>Corypha australis</i> ( <i>Livistona</i> )			„ <i>canariensis</i> . 10000seeds	17/6	— 3 2 —
10 000 seeds	55/—	— 9 6 6	„ <i>cycadifolia</i>	1 3	10 6
<i>Jubaea spectabilis</i>	3 6	30 —	„ <i>dactylifera</i> . . . . . lb. 1/—	— —	— —
<i>Kentia Belmoreana</i> ( <i>Griesebachia</i> )	2 3	19 6	„ <i>leonensis</i>	— 6	4 —
„ <i>Canterburyana</i> ( <i>Hedyscepe</i> )	6 —	— —	„ <i>reclinata</i>	— 6	3 9
„ <i>Forsteriana</i> ( <i>Griesebachia</i> )	2 6	22 —	„ <i>rupicola</i>	1 3	10 —
<i>Latania aurea</i> ( <i>Verschaffeltii</i> )			„ <i>silvestris</i>	— 11	7 6
10 seeds	2/3	18 — — —	„ <i>tenuis</i>	— 8	4 6
„ <i>borbonica</i> ( <i>Livistona sinensis</i> )			<i>Sabal Adansonii</i>	— —	2 —
lb. —/6; cwt. 32/—	— — —	— — —	„ <i>Blackburniana</i> ( <i>umbraculifera</i> )	— 5	3 6
„ „ Seeds raised in Africa			„ <i>Palmetto</i>	— 5	3 6
lb. —/9; cwt. 65/—	— — —	— — —	<i>Seaforthia</i> ( <i>Ptychosperma</i> ) <i>elegans</i>	1 3	10 6
„ <i>Commersonii</i> ( <i>rubra</i> )			<i>Thrinax argentea</i>	1 3	10 6
10 seeds	1/3	14 — — —	<i>Verschaffeltia splendida</i>	12 —	— —
			<i>Washingtonia filifera</i> ( <i>Pritchardia</i> )	— 4	2 —
			„ <i>robusta</i> H. W., true	— 5	3 6

## XI. Annual, Perennial, Climbing, Hot-, and Green-House Plants.

Explanations of the signs used:

⊙ = annual || 4 = perennial || § = climber || g = greenhouse || h = hothouse (stove).

	per oz s. d.	per lb. s. d.		per oz s. d.	per lb. s. d.
§ <i>Abobra viridiflora</i>	— 9	9 9	⊙ <i>Acroclinium roseum grandiflorum</i>	— 3	2 —
⊙ <i>Abronia arenaria</i>	— 10	10 —	⊙ „ „ <i>grandiflor. album</i>	— 3	2 —
„ <i>umbellata</i>	— 6	5 9	„ „ „ <i>fl. pl., double pink</i>	— 3	2 5
§ <i>Abrus praecatorius</i>	— 3	2 2	„ „ „ <i>fl. albo pl. „ white</i>	— 3	2 9
g <i>Abutilon new hybrids mixed</i> 1/8 oz —/8	3 6	— —	⊙ <i>Adonis aestivalis</i>	— —	— 10
g <i>Acacia arabica</i>	— 6	5 3	„ <i>autumnalis</i>	— —	1 —
„ <i>armata</i>	— 7	7 3	4 <i>Agathaea coelestris</i> ( <i>amelloides</i> )	1 6	— —
„ <i>cyanophylla</i>	— 3	2 9	g <i>Agave americana</i>	— 5	— —
„ <i>dealbata</i>	— 4	3 3	„ „ <i>fol. var. 1000seeds</i> 2/9	— —	— —
„ <i>decurrens</i>	— 6	4 10	„ <i>Salmiana</i> . . . . . 1000 „ 2/—	— —	— —
„ <i>Farnesiana</i>	— —	1 —	⊙ <i>Ageratum Lasseauxi</i> , rose	— 8	8 —
„ <i>floribunda</i>	— 3	2 6	„ <i>mexicanum coeruleum</i>	— 3	2 2
„ <i>Julibrissin</i>	— —	— 7	„ „ <i>album</i>	— 3	2 5
„ <i>longifolia</i>	— —	1 —	„ „ <i>grandiflorum album</i>	— 5	3 6
„ <i>lophantha</i>	— —	1 —	„ „ <i>Imperial dwarf, dark blue</i>	— 4	3 9
„ „ <i>speciosa</i>	— —	1 9	„ „ „ <i>white</i>	— 4	4 —
„ <i>Nemu</i>	— 6	4 6	„ „ <i>nanum album</i>	— 3	3 2
„ <i>pycnantha</i>	— 4	3 2	„ „ „ <i>coeruleum</i>	— 2	2 6
„ <i>semperflorens</i>	— 3	2 7	„ „ „ <i>Swanley blue</i>	— 4	4 —
„ <i>suaveolens</i>	— 4	4 —	„ „ „ <i>Little Dorrit, blue</i>	— 5	4 —
„ <i>in great variety mixed</i>	— —	2 —	„ „ „ <i>white</i>	— 5	4 —
4 <i>Acanthus latifolius</i>	— —	1 7	„ „ „ <i>Forget me not fl. albo</i>	— 5	4 10
„ <i>mollis</i>	— —	1 10	„ „ <i>Dam. 1901, pure white</i>	— 7	7 —
4 <i>Achillea Ptarmica fl. pl.</i>	3 3	— —	„ <i>Wendlandii nanum compact., blue</i>	— 7	7 —
h <i>Achimenes, finest mixed 10,000 seeds</i> 6/—	— —	— —	„ „ „ <i>white</i>	— 7	7 —



	per oz s. d.	per lb. s. d.
Tall Chrysanthemum, mixed . . . . .	— 9	8 —
Goliath, mixed . . . . .	— 6	6 —
Hohenzollern, new; very rich flowering, pure white, bright rose, blue, each separate	1 3	14 —
mixed . . . . .	1 —	12 —
Jewel-or Ball, mixed . . . . .	1 —	10 —
Globe-flowered pyramidal, mixed . . . . .	— 9	8 —
Ladies, with narrow leaves and well-shaped flowers, resembling those of the Comet		
Asters; a very distinct class; mixed . . . . .	— 10	10 —
<b>Paeony Perfection,</b>		
1. crimson, 4. bright scarlet,		
2. light blue, 5. dark blue,		
3. pure white, 6. bright rose,		
each separate . . . . .	1 3	17 9
mixed . . . . .	1 —	13 9
Washington, mixed . . . . .	1 —	12 —
Imbriquée Pompon, mixed . . . . .	— 9	8 —
Cocardeau or Crown, mixed . . . . .	1 —	12 —
Cocardeau imbriquée Pompon (Pom- pon Crown) mixed . . . . .	— 9	8 —
Giant Comet, crimson, lilac rose, rose, incarnate, snow white, sulphur yellow, blue, dark blue, the Bride, white changing into rose, each separate . . . . .	1 3	14 —
all colours mixed . . . . .	1 —	12 —
<b>Mammoth Come, new, Dam. 1905.</b> This is a really Giant plant in all its parts. The enormous flowers, of a delicate white changing afterwards into rose, reach a dia- meter of about 6 inches. They are very double and are born on long stiff stems. The leaves are also very large. The plant, owing to its extremely robust habit resists better than any other to wet and cold weather and will for this reason be greatly appreciated in northern Countries. We can therefore recommend it most warmly . . . . .	5 9	— —
<b>Sada Yakko, new, Dam. 1905 (Electro).</b> This is undoubtedly the finest of all kinds belonging to the Chrysanthemum class. The extremely double flowers are white with a rosy hue forming such a lovely colour that they can be used even for the most delicate bouquets. The petals of the flower are canaliculate and most gracefully bent back towards the center of the bloom. The flowers are borne on strong and stiff stems which do not bend, and are highly valuable for cutting all the more as they keep fresh a very long time . . . . .	5 —	— —
Surprise, rose chamois . . . . .	2 3	— —
White of Boston, splendid for cutting . . . . .	1 2	16 —
Asters tall varieties, mixed . . . . .	— 7	7 3

**2. Semi-tall Section.**

	per oz s. d.	per lb. s. d.
blue, dark blue and white. King Humbert (white, very large), rose, bright rose, rosy carmine, snow white, white with lilac, white with rose, each separate . . . . .	1 —	13 10
Comet, mixed . . . . .	1 —	11 10
Christmas-Tree, a curious very rich flowering kind of pyramidal habit, with almost horizontal branches . . . . .	1 —	14 —
Quilled, mixed . . . . .	— 5	4 —
Earliest of the Halls, white . . . . .	— 9	8 —
Globe-flowered, mixed . . . . .	— 6	6 —
Paeony-flowered Globe, mixed . . . . .	— 8	8 —



Aster Sada Yakko.  
Electro 4/—.

Rose, large-flowered, mixed . . . . .	— 9	8 8
Liliput, mixed . . . . .	— 8	8 —
Mignon, pure white, early flowering . . . . .	1 —	14 —
„ mixed in many beautiful colours . . . . .	— 10	10 —
Ostrich-Feather, carmine, light blue, dark blue, lilla, rose, pure white, white changing into rose, each separate . . . . .	— 10	10 —
mixed . . . . .	— 8	8 —
Princess, mixed . . . . .	1 6	20 —
Queen of the Halls, crimson, dark blue, dark scarlet, each separate . . . . .	— 8	8 —
Queen of the Halls, mixed . . . . .	6	6 —
Schiller, mixed . . . . .	7	7 3

	per oz s. d.	per lb. s. d.		per 1/16 oz s. d.	per 1/8 oz s. d.	per oz s. d.
Surprise, Sunlight, new; flowers large, bright yellow, keeping very well . . .	1 2	15 10	1/2 Bear Grass, see Yucca.			
Victoria,			1/2 Begonia hybrida gigantea,			
1. Crimson, 5. Crimson-rose,			carmine	7 6	14 —	— —
2. Dark blue, 6. Light blue,			" " " rose	7 6	14 —	— —
3. Bright scarlet, 7. Peach blossom,			" " " scarlet	7 6	14 —	— —
4. White,			" " " white	7 6	14 —	— —
each separate . . . . .	1 —	14 —	" " " yellow	7 6	14 —	— —
mixed . . . . .	1 —	12 —	" " " all col- ours mixed	4 6	8 —	— —
Semi-tall varieties mixed . . . . .	— 9	8 8	" " double- flowered, splendid	per 1/32 oz s. d.		
<b>3. Dwarf Section.</b>			varieties mixed . . . . .	16 6	— —	— —
Dwarf, mixed . . . . .	— 11	11 —	1/2 Begonia Rex, mixed varieties			
" Bouquet pyramidal (Boltze's) mixed	1 —	13 9	100 seeds —/7 1000 seeds 3/3		— —	— —
" Comet Perfection, pure white, rose, each separate . . . . .	1 —	14 —	1/2 Begonia semperflorens, white . . . . .			1 9
" Giant Comet Snow-white. While all the Giant Comet Asters hitherto offered are of tall habit, we herewith introduce an absolutely dwarf form hardly 16 inches high, the flowers of which are quite as large again as those of the original kind. They are of a dazzling white, very double and of a perfect shape. The effect produced by such a dwarf plant with so large flowers is a striking one . . . . .	1 3	— —	" " atropurpurea (Vernon)		— 6	3 9
Shakespeare, mixed . . . . .	1 —	14 —	" " " maxima, with splen- did enormous flowers and very large leaves		— 10	5 —
Improved dwarf Bouquet pyramidal, mixed	1 2	15 10	" " " rosea . . . . .		— 5	2 6
Dwarf Chrysanthemum, large-flowered			Bellflower, see Campanula.			
1. Carmine, 4. Purple,			4 Bellis perennis maxima fl. pl. (Giant Daisies) double mixed	1 9		23 9
2. Dark blue, 5. Snow-white,			" " " giant double white	2 —		27 9
3. Bright scarlet, 6. Brick red,			" " fl. pl. Longfellow, large- flowering rose . . . . .	2 —		27 9
each separate . . . . .	1 6	19 9	" " " Snowball . . . . .	2 —		27 9
mixed . . . . .	1 4	18 —	Belvidere (Summer Cypress), see Kochia scoparia.			
Dwarf New Paeony mixed . . . . .	1 3	— —	§ Bignonia Tweediana . . . . .	— —		1 3
" Victoria, mixed . . . . .	1 4	18 —	1/2 Bixa Orellana . . . . .	— 9		8 —
" Crown or Cocardeau, mixed . . . . .	1 3	— —	Blanket flower, see Gaillardia.			
" St. John's Day, very early flowering pure white . . . . .	1 6	20 —	Blue Bottle, see Centaurea Cyanus.			
" Triumph, Carmin, Dark red, Dark scarlet, Dark scarlet with white, Dark-purple, Copper-red, White, each separate . . . . .	2 3	— —	2§ Boussingaultia baselloides	1 9		— —
mixed . . . . .	2 —	26 —	1/2 Bouvardia Jacquinii 1000 seeds 2/9			— —
Dwarf varieties, mixed . . . . .	— 10	10 —	" " " 10000 " 22/—			— —
Asters, single flowered mixed . . . . .	— 4	3 —	" longiflora, flowers pure white, very fragrant 1000 seeds 7/—			— —
Auriculas, see Primula Auricula.			" splendens . 1000 " 3/—			— —
g Azalea indica new best varieties mixed	7 —	— —	⊙ Brachycome iberidifolia (Swan River Daisy) . . . . .	— 9		— —
Bachelor's Button, see Centaurea Cyanus.			" " " alba . . . . .	— 9		— —
Balm, see Dracocephalum.			⊙ Browallia elata fl. albo . . . . .	— 7		— —
Balsam Apple, see Momordica.			" " " purpureo . . . . .	— 11		— —
Balsams double, see Impatiens Bal- samina.			" " " grandiflora . . . . .	— 8		— —
Balloon-vine, see Cardiospermum.			" " " alba . . . . .	— 7		— —
⊙ Bartonia aurea . . . . .	— 3	2 6	" " " Roezli . . . . .	9 —		— —
			" speciosa major, new, darkblue 1/8 oz 2/6; 1/16 oz 1/5; 1/32 oz —/9	18 6		— —
			4§ Bryonia alba . . . . .	— —		— —
			⊙§ Bryonopsis laciniosa erythrocarpa .	— 4		3 2
			⊙ Cacalia coccinea (Tassel Flower)	— 4		3 2
			" " " lutea . . . . .	— 4		3 3
			1/2 Caladium bulbosum, newest varie- gated-leaved mixed . 100 seeds 1/8			— —
			Calampelis, see Eccremocarpus.			
			⊙ Calandrinia umbellata . . . . .	— 9		— —

	per 1/32 oz s. d.	per 1/16 oz s. d.	per 1/8 oz s. d.	per oz s. d.	per oz s. d.	per lb. s. d.
<b>g Calceolaria hybrida</b>						
self coloured, large flowered mixed . . .	2 8	4 10	9 6	74 —		
self coloured dwarf . . .	2 8	4 10	9 6	74 —		
spotted or tigred mixed	3 6	6 —	11 —	85 —		
spotted or tigred large flowered dwarf . . .	4 —	7 9	15 —	117 —		
painted or margined mixed . . . . .	3 —	5 3	10 —	76 3		
painted or margined dwarf mixed . . . . .	3 —	5 3	10 —	76 3		
					per oz s. d.	per lb. s. d.
⊙ <i>Calendula officinalis</i> , single Pot Mari- gold . . . . .	—	—	—	—	10	
” ” fl. pl. large-flowering double Pot Marigold . . . . .	—	—	—	—	1 —	
” ” ” ” Meteor, striped . . . . .	—	—	—	—	1 —	
” ” ” ” Orange King . . . . .	—	—	—	—	1 3	
” ” ” ” Prince of Orange . . . . .	—	—	—	—	1 —	
” ” ” ” sulphurea . . . . .	—	—	—	—	11	
Californian Poppy, see <i>Eschscholtzia</i> .						
<b>g Calla aethiopica</b> . . . . .	—	—	—	—	6	
” ” compacta . . . . .	—	—	—	—	8	
” ” gigantea . . . . .	—	—	—	—	10	
⊙ <i>Calliopsis bicolor</i> ( <i>tinctoria</i> ) . . . . .	—	—	—	—	1 10	
” <i>cardaminifolia atrosanguinea</i>	—	—	—	—	2 —	
” <i>Drummondii</i> (Golden Wave)	—	—	—	—	1 5	
” <i>hybrida superba</i> , new . . . . .	—	—	—	—	1 —	
” ” <i>aurea</i> , a fine selected colour . . . . .	—	—	—	—	2 —	
⊙ <i>Callirhoe pedata</i> . . . . .	—	—	—	—	4	4 —
” ” compacta . . . . .	—	—	—	—	7	6 —
<b>g Camellia japonica</b> , mixed						
1000 seeds 3/6	—	—	—	—		
” ” double, mixed 1000 seeds 4/6	—	—	—	—		
4 <i>Campanula dichotoma</i> , blue . . . . .	—	—	—	—	7	
4 ” <i>fragilis</i> . . . . . 1/8 oz — 8	—	—	—	—	4	
⊙ ” <i>macrostyla</i> . . . . .	—	—	—	—	1 6	
4 ” <i>Medium fl. albo</i> (Canterbury Bells) . . . . .	—	—	—	—	4	3 2
” ” fl. albo pleno . . . . .	—	—	—	—	11	
” ” fl. coeruleo . . . . .	—	—	—	—	3	2 7
” ” fl. ” pleno . . . . .	—	—	—	—	9	
” ” single, mixed . . . . .	—	—	—	—	2 7	
” ” fl. pleno, mixed . . . . .	—	—	—	—	8	
” ” <i>calycanthema</i> . . . . .	—	—	—	—	11	
” ” fl. albo . . . . .	—	—	—	—	11	
4 ” <i>pyramidalis</i> . . . . .	—	—	—	—	8	
” ” albo . . . . .	—	—	—	—	8	
⊙ ” <i>Speculum</i> , blue . . . . .	—	—	—	—	3	1 10
” ” white . . . . .	—	—	—	—	3	2 —
Canary Creeper, see <i>Tropaeolum</i> <i>canariense</i> .						
Candytuft, see <i>Iberis</i> .						
— Canna-Roots, see page 55.						
Canna-Seeds, see page 52.						
⊙ <i>Cannabis gigantea</i> , Giant Hemp . . . . .	—	—	—	—	—	8
Canterbury-Bell, see <i>Campanula</i> .						
Cape Forget-me-not, see <i>Anchusa</i> .						
” Hyacinth, see <i>Hyacinthus</i> <i>candicans</i> .						
Capsicum, see Vegetable seeds.						
⊙ § <i>Cardiospermum halicacabum</i> (Balloon Vine) . . . . .	—	—	—	—	3	1 6
4 ” <i>hirsutum</i> , large clusters of white pending sweet-scented flowers and triangular fruits . . . . .	—	—	—	—	4	3 —
⊙ <i>Carduus Marianus</i> ( <i>Silybum</i> ) . . . . .	—	—	—	—	—	4
Carnation, see <i>Dianthus Caryo- phyllus</i> .						
4 <i>Cassia floribunda</i> . . . . .	—	—	—	—	6	5 —
Castor Oil Plant, see <i>Ricinus</i> .						
Casuarina, see Conifers.						
4 <i>Cedrela chinensis</i> . . . . .	—	—	—	—	2 2	— —
” <i>odorata</i> 1000 seeds 2/3 . . . . .	—	—	—	—	3 9	— —
⊙ <b>Cocks comb (<i>Celosia cristata</i>).</b>						
<i>Celosia cristata</i> , finest mixed . . . . .	—	—	—	—	5	4 6
” ” <i>nana alba</i> . . . . .	—	—	—	—	1 —	— —
” ” <i>atropurpurea</i> . . . . .	—	—	—	—	1 —	— —
” ” <i>aurea</i> . . . . .	—	—	—	—	1 —	— —
” ” <i>Empress</i> . . . . .	—	—	—	—	1 —	— —
” ” <i>kermesina</i> (Glas- gow Prize, President Thiers)	—	—	—	—	1 5	— —
<i>Celosia cristata nana</i> Queen of Dwarfs, crimson . . . . .	—	—	—	—	1 5	— —
<b><i>Celosia cristata nana</i>, Dam. 1898</b> “Ruby”. About 12 inches high, pro- ducing flowers of a perfect shape and of quite a peculiar most lovely crimson color, displaying still more its charm under the sunlight. The stalks also are almost of the same color and the leaves are of a brownish red, giving the plant a most lovely appearance; quite a wonderful kind						
” ” ” ” ” . . . . .	—	—	—	—	1 3	— —
<i>Celosia cristata nana rosea</i> . . . . .	—	—	—	—	1 5	— —
” ” ” ” finest mixed . . . . .	—	—	—	—	10	10 —
” <i>Huttoni</i> . . . . .	—	—	—	—	2 4	— —
” <i>pyramidalis aurea</i> . . . . .	—	—	—	—	2	1 3
” ” <i>coccinea</i> . . . . .	—	—	—	—	2	1 3
” ” mixed . . . . .	—	—	—	—	—	1 —
” ” <i>monstrosa</i> , Dam. 1898. Its bushy habit is like that of the <i>C. pyramidalis</i> while the flowers and specially those of the main stems are more like those of the <i>C. cristata</i> . They are dark red, the leaves dark green spotted more or less with dark red. The plant grows most vigorously						

	per oz s. d.	per lb. s. d.		per oz s. d.	per lb. s. d.
to about 4 feet in height which makes it invaluable for large groups	—	2	4	1	3
<i>Celosia pyr. plumosa</i> Thompsoni (Triomphe de l'exposition)	—	5	g	1	6
" " " <i>aurea</i> . . . . .	—	4	4	1	3
" " " <i>coccinea</i> . . . . .	—	4	"	—	11
" " " <i>Preziosa</i> . . . . .	—	5			
" " " ostrich-feathered, orange-crimson; an absolutely distinct and fine sort . . . . .	—	7			
" " " finest mixed . . . . .	—	2			
" <i>spicata</i> ( <i>argentea vera</i> ) beautiful for cutting and pots . . . . .	1	—			
" <u>Thompsoni magnifica</u> , <i>atrococcinea</i> , <i>aurantiaca</i> , <i>aurea</i> , <i>coccinea</i> , <i>kermesina</i> , <i>lutea</i> , each separate . . . . .	1	3			
" <u>Thompsoni magnifica</u> , all colours mixed $\frac{1}{8}$ oz —/6 . . . . .	1	—			
⊙ <i>Centaurea americana</i> . . . . .	1	—			
" " <i>alba</i> . . . . .	—	—			
4 " <i>candidissima</i> ( <i>ragusina</i> ) . . . . .	1	6			
" " <i>compacta</i> . . . . .	3	4			
4 " <i>Clementei</i> . . . . .	—	—			
<i>Centaurea Cyanus</i> (Blue Bottle, Bachelor's Button)					
<i>coelestina</i> (Emperor William)	—	3			
fl.pl.mixed, new double flowered	—	3			
<i>nana compacta</i> Victoria	—	4			
" " " " fl. pl.					
Dam. 1899, double, dark red	—	4			
<i>nana compacta</i> Victoria bicolor, Dam. 1902, white with a blue centre . . . . .	—	6			
single flowered, mixed . . . . .	—	2			
⊙ <i>Centaurea depressa</i> . . . . .	—	1			
4 " <i>gymnocarpa</i> . . . . .	—	5			
⊙ " <i>Margaritae</i> , Dam. 1891 (White Mammoth Sultan), pure white, very large scented flowers (true, not the common very inferior <i>C. imperialis</i> ) . . . . .	1	—			
⊙ " <i>moschata</i> (Sweet Sultan) . . . . .	—	3			
" " <i>alba</i> . . . . .	—	3			
⊙ " <i>odorata</i> Dam. 89 (Red Mammoth Sultan), with large purple scented flowers . . . . .	1	7			
" " <i>Chamaeleon</i> Dam. (Yellow Mammoth Sultan), with very large flowers of a pale sulphur-yellow, later whitish yellow changing into lilac and fading in a rosy colour	2	—			
White & red Mammoth Sultan mixed	1	—			
⊙ <i>Centaurea suaveolens</i> , Yellow Sweet Sultan . . . . .	—	5			
⊙§ <i>Cephalandra palmata</i> , Dam. 1889 . . . . .	2	2			

## Stocks.

⊙ *Cheiranthus annuus*.

One of our most important specialties!

All our Stocks are grown with so much skill and care that there is no better quality in the market; they give the highest percentage of double flowers as all our many thousands of patrons who received them, will testify.

## Dwarf early-flowered ten week

## Stocks,

1. Crimson,	5. Rose,		
2. Dark Blue,	6. Rosy-carmine,		
3. Deep blood-red,	7. White,		
4. Light-blue,	8. Yellow,	2	3
each separate . . . . .			31
all colours mixed . . . . .		2	—
			27
			9

## Large-flowered dwarf ten week

## Stocks,

1. Canary-yellow,	5. Fire red,		
2. Crimson,	6. Light blue,		
3. Dark blood-red,	7. Lilac,		
4. Dark blue,	8. White,		
each separate . . . . .		3	3
all colours mixed . . . . .		2	8
			37
			6

## Wallflower-leaved large flowered

## ten week Stocks,

all colours mixed . . . . .	3	9	—
-----------------------------	---	---	---

## Victoria Bouquet ten week Stocks,

1. Carmine,	4. Light blue,		
2. Dark bloodred,	5. White,		
3. Dark blue,			
each separate . . . . .		3	6
all colours mixed . . . . .		3	—
			—

## Dresden Perpetual-flowered ten

## week Stocks,

1. Dark blue,	4. Rosa,		
2. Deep crimson,	5. Sulphur-yellow,		
3. Light blue,	6. White,		
each separate . . . . .		4	—
all colours mixed . . . . .		3	6
			47
			—

## Large-flowered pyramidal ten

week Stocks mixed . . . . .	3	9	—
-----------------------------	---	---	---

## Dwarf large-flowered pyramidal

ten-week Stocks, mixed . . . . .	4	6	—
----------------------------------	---	---	---

	per oz. s. d.	per lb. s. d.
<b>Giant or Tree ten-week Stocks,</b> mixed . . . . .	3 6	— —
<b>Giant Perfection ten-week Stocks,</b> mixed . . . . .	4 —	— —
<b>Perpetual-flowering or Emperor</b> <b>Stocks, all colours mixed . . . . .</b>	8 9	— —
<b>Winter or Brompton Stocks</b> red, blue, white, each separate . . . . .	8 9	— —
mixed . . . . .	6 6	— —
<b>Dwarf Winter or Brompton Stocks</b> all colours mixed . . . . .	7 6	— —
<b>Brompton Stocks, white Nice . . . . .</b>	1 10	25 —

**Victoria Winter Stock, Dam.**

Since we introduced this beautiful class it has met every where with an unlimited and unrestricted approbation; we recommend it most warmly to all who wish to have fine cut flowers; it produces the highest percentage of double flowers.

White (Electro) . . . . .	2 —	26 6
Pale-rose (peach-blossom) . . . . .	3 6	— —
Canary-yellow Dam. 1898. A worthy pendant to the other colours introduced by us; it can also easily be forced . . . . .	3 6	— —
Salmon-rose (Beauty of Nice) Prime quality, producing the highest percentage of double flowers . . . . .	2 9	36 —
Lilac, wall-flower-leaved . . . . .	3 —	— —
Carmine-red . . . . .	2 6	32 —
Queen Alexandra, flowers enormous, of a tender lilac-rosa; the plant is of very robust and quick growth, excellent for cutting purposes; well adapted both for autumn and winter, highly recommendable 1/8 oz 1/— . . . . .	6 —	90 —
Victoria Winter Stock, all varieties mixed . . . . .	2 6	32 —

**Italian Winter Stock.**

A most recommendable class, resembling as to their habit the Tree ten week stock, producing from January to March a great abundance of fine flowers.

a) high fire-red white each separate . . . . .	— 9	9 3
---	-----	-----

**Cheiranthus Cheiri, German Wall-flower.**

Double Tree, mixed of many fine colours . . . . . 1/8 oz —/10	5 —	— —
Double Branching, mixed of many splendid colours . . . . . 1/8 oz —/10	5 6	— —

	per oz. s. d.	per lb. s. d.
Single Branching, mixed . . . . .	— 3	2 8
Paris single early flowering, blooming the first year . . . . .	— 4	4 —
⊙ Cheiranthus maritimus (Malcolmia) Virginian Stocks . . . . .	— —	1 —
⊙ " maritimus albus . . . . .	— —	1 —
" " Fairy Queen . . . . .	— —	1 6
" " kermesinus (Crimson King) . . . . .	— —	1 6
" " mixed . . . . .	— —	1 —
Chinese Bellflower, see Abutilon.		
" Primrose, see Primula chinensis.		



Victoria White Winter Stock. Electro 4—.

Christmas Rose, see Helleborus.		
Chrysanthemum Burridgeanum . . . . .	— 3	— —
" carinatum, see tricolor.		
g " indicum, double fine mixed . . . . .	8 9	— —
g Chrysanthemum, Japanese, double large-flowered, mixed . . . . .	6 3	— —
g Chrysanthemum, Japanese, with hairy flowers . . . . . 1/8 oz 2/6	16 —	— —
g Chrysanthemum, Japanese Imperial double Ostrich-feathered, imported seed from one of the best collections . . . . .	6 3	— —
⊙ Chrysanthemum coronarium album plenum . . . . .	— —	1 6
" coronarium luteum plenum . . . . .	— —	1 6
" " sulphureum plenum . . . . .	— —	1 6
" " double, mixed . . . . .	— —	1 6

	per oz s. d.	per lb. s. d.		per oz s. d.	per lb. s. d.
<i>g</i> <i>Chrysanthemum frutescens</i> ( <i>Argyranthemum</i> ) . . . . .	— 8	8 —	<i>g</i> <i>Citrus trifoliata</i> . . . . .	— 6	4 10
⊙ " <i>inodorum plenissimum</i> . . . . .	— 8	— —	⊙ <i>Clarkia elegans</i> double, mixed . . . . .	— —	2 —
4 " <i>lacustre</i> . . . . .	1 —	— —	" " <i>pulchella fl. albo pl.</i> . . . . .	— 2	1 9
4 <i>Chrysanthemum leucanthemum hybridum</i> ( <i>Shasta Daisies</i> ). Flowers very large, 3 to 4 in. diameter, with brilliant pure white petals, on long stiff stems; the plant blooms continuously for months and the cut flowers keep fresh for two weeks or more. The plant flowers very early, producing very few seed which is however rather large $\frac{1}{8}$ oz —/8	4	— —	" " double, mixed . . . . .	— 2	1 9
<i>Chrysanthemum leucanthemum hybridum</i> California, with very large semi-double flowers, splendid	— —	— —	⊙ <i>Cleome grandis</i> , Dam. new wonderful, with large flowers . . . . .	— 4	2 6
1000 seeds $\frac{3}{3}$	— —	— —	" <i>speciosissima</i> . . . . .	— 4	3 7
<i>Chrysanthemum segetum</i> Gloria, new, with very large sulphur yellow flowers . . . . .	— 4	3 3	<i>h</i> <i>Clianthus Dampieri</i> . . . . .	3 9	— —
⊙ " <i>tricolor (carinatum) album</i> . . . . .	— 2	— —	" <i>puniceus</i> . . . . .	2 —	24 —
" " <i>atrococcineum</i> . . . . .	— 3	— —	⊙§ <i>Cobaea macrostemma</i> , most elegant climber . . . . .	2 9	— —
" " <i>Chamaeleon</i> , new . . . . .	— 3	— —	" <i>scandens</i> , beautiful climber . . . . .	1 —	13 6
" " <i>Dunnetti albo pl.</i> . . . . .	— 6	— —	⊙§ " " fl. albo . . . . .	1 8	— —
" " " <i>aurea pl.</i> . . . . .	— 6	— —	⊙§ <i>Coccinea indica</i> . . . . .	— 7	6 3
" " <i>Eclipse</i> . . . . .	— 3	— —	" <i>Moghad</i> . . . . .	— 10	— —
" " <i>Golden Feather</i> . . . . .	— 3	— —	Cockscomb, see <i>Celosia</i> .		
" " finest mixed . . . . .	— 2	2 —	<i>h</i> <b><i>Coleus hybridus</i></b> , choice quality from our own splendid collection . . . . . $\frac{1}{8}$ oz 1/—	6 3	— —
Cigar-Flower, see <i>Cuphea platycentra</i>			very good quality . . . . . $\frac{1}{8}$ " —/6	3 —	39 6
<i>g</i> <i>Cineraria hybrida</i> , finest mixed . . . . .	6 3	— —	<i>macrophyllus</i> , with very large leaves of the best and remarkable colours $\frac{1}{8}$ oz $\frac{1}{3}$	8 6	— —
" " large flowered, finest mixed $\frac{1}{16}$ oz —/11	11 —	— —	<i>regalis (imperialis)</i> with very undulate and blistered leaves, in the finest variety of colours . . . . . $\frac{1}{3}$ oz 2/—	13 —	— —
" " dwarf, many varieties of the finest colours, mixed $\frac{1}{16}$ oz 2/—	— —	— —	<i>laciniatus</i> , with light brownish lacinated leaves; a most lovely and remarkable kind . . . . . $\frac{1}{8}$ oz 4/—	29 —	— —
" " dwarf large flowered, extra selected $\frac{1}{16}$ oz 2/6	— —	— —	<i>quercifolius</i> . . . . . $\frac{1}{8}$ oz 6/—	— —	— —
<i>g</i> " " <i>striata</i> , splendid colours mixed $\frac{1}{32}$ oz 1/9	— —	— —	⊙ <i>Collinsia bicolor</i> . . . . .	— —	— 11
" " <i>striata nana</i> , seeds collected from a magnificent collection $\frac{1}{16}$ " 3/3	— —	— —	" " mixed . . . . .	— —	— 11
" " <i>stellata (Cactus)</i> $\frac{1}{16}$ " 4/—	— —	— —	Columbine, see <i>Aquilegia</i> .		
" " <i>plenissima</i> , double splendid mixed $\frac{1}{16}$ " 4/—	— —	— —	4 <i>Commelina coelestis</i> . . . . .	— 5	4 6
" " <i>maritima</i> . . . . . $\frac{1}{8}$ oz 11/—	— —	— —	" " <i>alba</i> . . . . .	— 5	4 10
" " <i>candidissima</i> . . . . . $\frac{1}{16}$ " 5/10	— —	— —	" <i>Sellowiana</i> , new . . . . .	3 —	— —
4 " " " $\frac{1}{32}$ " 3/3	— —	— —	4§ <i>Convolvulus major</i> , see <i>Ipomoea purpurea</i> .		
4 " " " . . . . .	— 3	2 1	<i>g</i> " <i>mauritanicus</i> . . . . .	1 —	— —
4 " " " . . . . .	— 4	3 —	⊙ " <i>minor (tricolor)</i> , mixed . . . . .	— —	— 6
g§ <i>Cissus antarctica</i> . . . . .	1 —	— —	Coral Tree, see <i>Erythrina</i> .		
			<i>h</i> <i>Cordyline australis</i> ( <i>C. Baueri</i> ), the true broad-leaved variety, berries . . . . .	1 —	14 6
			" " clean seed . . . . .	3 9	— —
			" <i>congesta spectabilis</i> 1000 seeds $\frac{2}{3}$	— —	— —
			" <i>indivisa</i> ( <i>C. colocoma superbiens</i> ) berries . . . . .	— 5	4 —
			" " <i>lineata</i> . . . . .	— 6	5 9
			" " <i>latifolia</i> . . . . .	— 7	6 —
			" " <i>Veitchi</i> . . . . .	— 8	7 3
			" " <i>rubra (Dracaena)</i> . . . . .	— 9	8 —
			" <i>nutans</i> 1000 seeds $\frac{2}{3}$	— —	— —
			" <i>rubra</i> 1000 " $\frac{11}{3}$	— —	— —



	per oz s. d.	per lb. s. d.		per oz s. d.	per lb. s. d.
4 Coreopsis grandiflora . . . . .	— 4	3 4	⊙§ Cucurbita piriformis (pear-shaped)		
⊙ " japonica . . . . .	— 6	— —	green, green with white, each	— 3	2 9
Corn Flower, see Centaurea Cyanus.			" Ornamental Gourds, mixture	— 4	3 —
⊙ Cosmea hybrida Klondyke, orange- red, large flowering . . . . .	2 3	28 —	⊙ Cuphea eminens . . . 1/8 oz 1/6	10 —	— —
			" platycentra . . . 1/8 " 1/9	12 —	— —
			" Roezli . . . 1/8 " —/9	6 3	— —
			" " grandiflora superba		
			1/8 oz 1/3	8 9	— —
<b>Cosmea pinnatifida</b> (Cosmos bipinnatus). (Electro see page 67.)			Cyanus, see Centaurea.		
First class plant for cutting and groups of the most easiest culture. If sown in June, Cosmea pinnatifida and C. p. Mammoth flower in the autumn, producing giant flowers on long stems of the most beautiful colours. C. p. praecox ought to be sown in April; it produces smaller flowers throughout the summer.			Cyclamen, see Seeds of Bulbs and Roots.		
white . . . . .	— 3	2 3	⊙§ Cyclanthera explodens . . . . .	— 6	— —
purpurea . . . . .	— 3	2 3	" pedata . . . . .	— 4	3 3
rosea . . . . .	— 3	2 3	Cyperus, see Ornamental Grasses.		
mixed . . . . .	— 3	1 9	Cypress Vine, see Ipomoea Qua- moclit.		
Mammoth, white . . . . .	— 4	2 6	4 Dahlia imperialis grandis . . . . .	3 6	— —
" lilac . . . . .	— 4	2 9	4 <u>Dahlia variabilis</u>		
" purpurea . . . . .	— 4	2 6	a) single large-flowering.		
" rose . . . . .	— 4	2 6	Grandiflora mixed . . . . .	— 5	4 —
" rubea . . . . .	— 4	2 6	" nana, dwarf-mixed . . . . .	— 6	6 —
" mixed . . . . .	— 3	2 —	" striata, " . . . . .	— 6	6 —
praecox white . . . . .	1 2	— —	" " nana, dwarf-mixed	— 6	6 6
" purpurea . . . . .	— 5	4 9	Grandiflora marginata, bordered,		
" rose . . . . .	— 5	4 9	mixed . . . . .	— 8	8 —
" mixed . . . . .	— 5	4 9	" white Queen, pure white	1 6	— —
Cowslip yellow, see Primula veris.			" „Neck-ruffle“ („Colle- rette“), new; a highly interesting novelty, with large flowers of various colours, the yellow centre of which is surrounded by a number of gracefully arranged white petals; of a most charming effect . . . . .	3 9	— —
4 Croton sebiferum (Stillingia) . . . . .	1 2	— —	b) double large-flowering.		
Crown of the Field, see Agrostemma.			Finest mixture of a splendid collection, choice quality . . . . .	1 6	20 —
⊙ Cryptostemma lusitanicum, Dam. 1899. About 8 inches high. Its narrow pinnate or deeply cut leaves are of a greyish green and silvery grey on the back. The plant produces a large number of flowers measuring about 2 inches in diameter, the petals of which are sulphur-yellow and chrome-yellow at the base with a dark brown spot. A rival of the Gazanias . . . . .	— 4	3 3	Good quality . . . . .	1 3	15 —
⊙§ Cucumis anguineus, see Tricho- santhes.			Juarezi (Cactus), mixed . . . . .	— —	— —
" Anguria (Aradae) . . . . .	— 4	2 9	" " " prime qua- lity, saved from one of the most beautiful collections . . . . .	3 —	— —
" Grossularia, Gooseberry Gourd	— 4	3 6	very good quality . . . . .	2 3	— —
" odoratissimus (Dudaim) . . . . .	— 4	3 3	Liliput, mixed . . . . .	2 3	— —
4 perennis . . . . .	1 —	— —	Tom Thumb, dwarf mixed . . . . .	1 10	— —
⊙§ Cucurbita argyrosperma . . . . .	— 3	2 5	Juarezi (Cactus), mixed single- flowered . . . . .	1 3	16
" maliformis, Apple Gourd, yellow, white, striped, each . . . . .	— 4	4 —	Daisies, see Bellis perennis.		
" maxima sylvestris, Naudin 1889	— 3	2 3	Dames Violet, see Hesperis.		
" melanosperma, variegated fruited Malabar (Angora), black seed . . . . .	— 3	2 5	g Dasyliion acrotriche (serratifolium)	— 10	—
" oviformis, Ostrich Egg . . . . .	— 4	4 —	" longifolium verum		
" Pepo turbinata, Turban Gourd, scarlet. . . . .	— 3	2 9	1000 seeds 1/—	— —	—
			4 Datura arborea . . . . .	5 —	—
			⊙ " ceratocaulis . . . . .	— 5	—

	per oz s. d.	per lb. s. d.
<i>Datura cornucopiae</i> . . . . .	— 5	4 —
„ <i>fastuosa alba plena</i> . . . . .	— 3	2 9
„ „ <i>coerulea plena</i> . . . . .	— 3	2 9
„ „ <i>fl. pl. mixed</i> . . . . .	— 3	2 9
„ „ <i>Huberiana alba plena</i> . . . . .	— 4	3 2
„ <i>humilis flava plena</i> . . . . .	— 4	3 6
⊙ <i>Delphinium Ajacis</i> , see Larkspur.		
4 „ <i>Cardinale</i> . . . . . 1/8 oz 1/6	10 —	— —
„ <i>chinense</i> . . . . .	— 5	4 9
„ <i>formosum</i> . . . . .	1 —	— —
„ <i>hybridum</i> , mixed . . . . .	— 5	4 9
„ „ <i>fl. pl. double mixed</i> . . . . .	2 6	— —
„ <i>sulphureum (Zalil)</i> 1/8 oz —/8	4 —	— —

Devil in a bush, see *Nigella*.



Margaret Carnation semi-high double. Dam.  
Electro 3/3.

Dew Plant, see <i>Mesembrianthemum tricolor</i> .		
4 <i>Dianthus barbatus</i> , Sweet William fine single mixed . . . . .	— —	2 2
best double-flowered mixed, first quality, producing the highest percentage of double flowers . . . . .	— 11	— —
<i>Dianthus compactus</i> , <i>fl. pleno</i> double mixed, choice quality . . . . .	1 2	— —
<b><i>Dianthus Caryophyllus fl. pl.</i></b>		
seeds raised from finest stage flowers only.		
Bizarre . . . . .	1 2	8 9
Doublettes . . . . .	1 2	8 9
Fancy . . . . .	1 4	10 6
Self . . . . .	1 2	8 9

	100 seeds s. d.	1000 seeds s. d.
Picotees (Avranches), yellow ground	1 6	12 —
„ white ground . . . . .	1 2	9 6
„ (Saxons, with red border) . . . . .	1 9	16 —
Spotted (Grenoble and Salamander)	1 2	8 9
Extra fine mixture of the above stage flowers . . . . .	— 7	6 6
Splendid mixture of stage flowers 1/16 oz 4/3; 1/8 oz 7/6	56 —	— —
(1/8 oz of Carnation seed contains about 1800 or more seeds.)		

**Perpetual-flowering,**  
raised from finest stage plants only.

	per oz s. d.	per lb. s. d.
Extra double, all colours mixed . . . . .	4 9	— —
Chaband, dwarf early-flowering, first quality, producing about 85% of double flowers . . . . .	3 —	35 —
Chaband Giant . . . . .	3 6	45 —
„ dwarf (tige de fer) . . . . .	3 6	48 —
Riviera Market . . . . . 1/8 oz 1/9	12 —	— —
Alégatière 1/16 oz 1/9; 1/8 oz 3/—	20 —	— —
Giant of Nice (Race Guillard) 1/16 oz 1/9; 1/8 oz 2/9	18 —	— —
(1/8 oz of Carnation seed contains about 1800 or more seeds.)		

**Border- (Ground) Carnations.**

Extra double self coloured . . . . .	2 —	25 —
„ „ striped in beautiful colours . . . . .	2 6	31 —
Early flowering dwarf Vienna, finest strain . . . . .	1 9	23 —
Grenadin, brilliant red, choice quality . . . . .	2 6	31 —
„ white . . . . .	2 6	31 6

**Margaret Carnations Dam.**

**Malmaison**, very large-flowering (require

a heavy good soil)

white . . . . .	8 6	— —
yellow . . . . .	10 3	— —
yellow-ground . . . . .	10 3	— —
red . . . . .	8 6	— —
best mixed . . . . .	2 —	28 —

**Semi-high**, very double, saved from the finest collection (Electro) producing about 90% of double flowers, choicest quality . . . . .

<b>Semi-high</b> , very double white . . . . .	— 10	10 —
„ „ „ rose . . . . .	1 3	15 3
„ „ „ scarlet . . . . .	1 3	14 6
„ „ „ dark red . . . . .	1 3	14 6
„ „ „ purple (violet). . . . .	1 3	15 9
„ „ „ yellow and yellow-ground 1/8 oz —/9	3 —	— —
„ „ „ striped . . . . .	1 3	15 9

The separate colours are still very variable.



		per oz s. d.	per lb. s. d.
z	<i>Euryale ferox</i> , hot-house aquatic, similar to <i>Victoria regia</i> 10 seeds 1/—; 100 seeds 8/—	---	---
	Evening Primrose, see <i>Oenothera</i> .		
	Everlasting Flower, see <i>Helichrysum</i> .		
	Pea, see <i>Lathyrus latifolius</i> .		
4	<i>Felicia abyssinica</i> Dam. 1897 new Feverfew, see <i>Matricaria</i> .		
z	<i>Ficus Cooperi</i> . . . 1000 seeds 3/—	---	---
	„ <i>elastica</i> . . . 1000 „ 2/3	---	---
	„ <i>imperialis</i> . . . 1000 „ 3/—	---	---



*Gerbera Jamesoni*. Electro 3/3.

Fishbone Thistle, see *Chamaepeuce*.  
 Flora's Paint Brush, see *Cacalia*.  
 Flos Adonis, see *Adonis aestivalis*.  
 Flowering Flax, see *Linum*.  
 „ Maple, see *Abutilon*.  
 Forget me not, see *Myosotis*.  
 Fountain Plant, see *Amaranthus salicifolius*.

4	Four o'clock, see <i>Mirabilis</i> .		
	Fox glove, see <i>Digitalis</i> .		
4	<i>Fragaria indica</i> . . . . .	1	---
g	<i>Franseria artemisioides</i>		
	100 seeds—/8	---	---
	1000 „ 3/6	---	---

		per oz s. d.	per lb. s. d.
g	<i>Fuchsia corymbiflora</i> 1/32 oz 2/6	---	---
g	„ „ <i>alba</i> 1/32 „ 2/6	---	---
	„ <i>procumbens</i> 1000 seeds 2/—	---	---
⊙	<i>Gaillardia grandiflora</i> . . . . .	4	3 3
	„ „ <i>compacta</i> . . . . .	5	4 —
	„ „ <i>maxima</i> . . . . .	5	4 9
⊙	„ <i>picta</i> ( <i>pulchella</i> ) . . . . .	2	1 6
	„ „ <i>Lorenziana</i> , best double mixed . . . . .	3	2 5
⊙	<i>Gaura Lindheimeri</i> . . . . .	2	1 9
4	<i>Gazania bracteata</i> pure white, rich- flowering 1/32 oz 1/5; 1/8 oz 4/9	34	---
4	„ <i>hybrida Nora</i> , Dam. 1897 Flowers milk white, with lilac tips, sulphur-yellow at the base with a large black spot, 100 seeds 1/2; 1000 seeds 9/—	---	---
4	<i>Gazania hybrida Diana</i> , Dam. 1897 Upper part of the petals yellowish white, the lower part changing into chrome- yellow, 100 seeds 1/2; 1000 seeds 9/—	---	---
4	<i>Gazania hybrida Blondine</i> , Dam. 1897 Bright chamois, dark orange on the base with white or pale yellow spots; the opposite part of the petals is dark lilac striped, 100 seeds 2/—; 1000 seeds 16/—	---	---
4	<i>Gazania hybrida Bianca</i> , Dam. 1897. Flowers at first sulphur-yellow, changing afterwards into white; slight purple spots at the base of the petals; the opposite part of the petals bears a broad blue stripe in the centre. Flowers measuring about 3 in. across 100 seeds 2/—; 1000 seeds 16/—	---	---
4	<i>Gazania hybrida Venus</i> , Dam. 1899. Satiny white flowers with a light yellow hue at the base. The back side of the petals is crossed by a broad greyish green line. This plant differs from <i>G. nivea</i> by its shorter and broader petals and also by the greater profusion of flowers, which makes it a worthy addition to the fine varieties introduced by us 3 years ago. 100 seeds 2/—; 1000 seeds 16/—	---	---
	<i>Gazania hybrida grandiflora</i> , mixture of one of the finest collections of more than 40 different forms, which we recommend quite particularly; selected seeds, growing about 95%.		
	100 seeds 2/4; 1000 seeds 21/—	---	---
	10000 „ 170/—	---	---
4	<i>Gazania pygmaea lutea</i> . A new form with very large chrome yellow flowers,		



	per oz s. d.	per lb. s. d.
Helianthus uniflorus . . . . .	—	6
4 Helichrysum angustifolium . . . . .	9	9
⊙ " compositum monstrosum, double large-flowered mixed . . . . .	7	6 4
⊙ Helichrysum compositum nanum plenissimum, dwarf double mixed . . . . .	8	—
h Heliotropium peruvianum.		
Anna Turell . . . . .	2 6	—
Boule de neige . . . . .	2 6	—
Bouquet parfait . . . . .	2 6	—
giganteum, large-flowered, dark violet (purple) 1/8 oz —/8	4	—



Hunnemannia fumariaefolia.  
Electro 3/6.

grandiflorum . . . . .	2 6	—
Gloire des massifs . . . . .	2 6	—
Regina Margarita (Marguerite) 1/8 oz —/9	3 9	—
Reine des Violettes . . . . .	2 6	—
Roi des noirs . . . . .	2 8	—
Umberto, very large-flowering 1/8 oz —/9	3 9	—
Voltaireanum . . . . .	2 6	—
White Lady . . . . .	2 6	—
peruvianum, newest large-flowering varieties mixed . . . . .	2	23 9
4 Helleborus niger, (Christmas Rose)	5	4 4

	per oz s. d.	per lb. s. d.
⊙ Heterospermum Xanthii A. Gray Dam. 1898. Flowers chrome-yellow with a shade of canary-yellow at the end of the petals. They bloom continually from beginning of June to the end of autumn and the flowers appear already 4 weeks after the sowing	2	—
4 Heuchera sanguinea, crimson . . . . .	4 6	—
h Hevea brasiliensis . . . . .	1 3	—
⊙ Hibiscus africanus . . . . .	—	—
h " coccineus . . . . .	1 3	—
h " grandiflorus, mixed . . . . .	9	—
g " moschatus roseus . . . . .	6	—
g " mutabilis . . . . .	6	—
g " palustris . . . . .	7	—
h " " roseus . . . . .	8	—
h " rosa sinensis 1000 seeds 7/—	—	—
h " roseus grandiflorus . . . . .	8	—
Hollyhocks, see Althaea rosea fl. pl.		
Honesty, see Lunaria biennis.		
Honeysuckle, French, see Hedysarum coronarium.		
Horn Poppy, see Glaucium.		
⊙§ Humulus japonicus, Japanese Hop	4	3 4
⊙§ " japonicus variegatis, with white variegated leaves . . . . .	5	4
4§ " Lupulus, seeds as collected . . . . .	2	1 4
⊙ <sup>2</sup> Hunnemannia fumariaefolia(Electro). A magnificent Papaveracea with large sulphur-yellow flowers, resembling those of the Eschscholtzia and graceful pinnate leaves, flowering without interruption till late in the autumn; stands several degrees of frost; a really most remarkable plant which fills well its place wherever it is used . . . . .	1 5	—
Hyacinth Beans, see Dolichos.		
⊙ Iberis (Candytuft) amara . . . . .	—	10
" coronaria Empress . . . . .	4	3 3
" " regia (hesperidifolia)	—	11
4 " gibraltarica . . . . .	2	—
⊙ " nigricans . . . . .	2	1 3
⊙ " odorata (pectinata). . . . .	—	9
4 " sempervirens . . . . .	9	—
⊙ " umbellata, lilac . . . . .	3	2 5
" " white . . . . .	3	1 7
" " carminea . . . . .	8	8
" " carnea . . . . .	4	4
" " purpurea . . . . .	3	2 5
" " Queen of Italy . . . . .	1 2	—
" " Rose Cardinal, bright rose-carmine	10	—
" " nana alba . . . . .	3	2 5
Ice Plant, see Mesembrianthemum crystallinum.		

⊙ **Impatiens Balsamina flore pleno.**  
**Double Balsams.**

We offer and guarantee first quality only, the growing of these plants being one of our specialities.

	per oz s. d.	per lb. s. d.
Double tall mixed . . . . .	— 3	2 2
Double Rose.		
1. Brilliant brick-red,		8. Pale yellow,
2. Chamois,		9. Pomegranate red,
3. Chamois rose,		10. Purple,
4. Dark blue,		11. Rose,
5. Deep bloodred,		12. White,
6. Light blue,		13. White withrose,
7. Lilac,		14. purple,
		15. scarlet,
each separate . . . . .	— 5	4 —
All colors mixed . . . . .	— 5	3 3

	per oz s. d.	per lb. s. d.
Double Camellia.		
1. Brilliant rose,		6. Purple,
2. Brilliant scarlet,		7. Rose,
3. Crimson,		8. Rosy carmine,
4. Light blue,		9. Rosy lilac,
5. Lilac,		10. Scarlet,
each separate . . . . .	— 5	3 9
All colours mixed . . . . .	— 5	3 3

Improved double Camellia „Prince Bismarck“, brilliant salmon-rose . . . . .	— 9	8 —
Improved double Camellia, pure white „alba perfecta“ . . . . .	— 9	8 —
Double dwarf, splendid mixed . . . . .	— 5	4 —
„ Solferino, streaked and spotted, mixed . . . . .	— 4	3 3
„ Emperor . . . . .	— 5	4 9
„ Victoria, mixed . . . . .	— 5	4 —
Atrosanguinea plenissima, dark blood-red . . . . .	— 7	6 —
Pink-Balsams, striped, mixed . . . . .	— 4	3 7

h Impatiens Sultani		
1/16 oz 1/9; 1/8 oz 3/—	21 —	— —
„ „ hybrida, splendid hybrids mixed . . . 1/8 oz 2/6	18 6	— —

**Impatiens Holstii hybrida, new (Electro) the splendid new large-flowering kind from East Africa, mixed in many magnificent colours**  
100 seeds —/9; 1000 seeds 5/—;  
1/32 oz 7/—; 1/16 oz 12/6; 1/8 oz 23/6

4 Incarvillea Delavayi. . . 1/8 oz 1/2	7 6	
Indian Shoot, see Canna.		
⊙ Ipomoea bona nox . . . . .	— 2	1 7
„ campanulata . . . . .	— 2	1 5
⊙ „ coccinea . . . . .	— 2	1 1
⊙ „ grandiflora Hesperus, new; a grand new variety of the “Moonflower”; flowers pure white of enormous size; most magnificent . . . . .	1 3	16 —

⊙ Ipomoea grandiflora mexicana alba	— 6	6 —
⊙ „ hederacea grandiflora alba .	— 2	1 —
„ Huberi variegata Carmen Sylva	— 2	1 3
„ „ „ finest mixed . . . . .	— —	1 1

⊙ **Ipomoea Mikado. Dam. 1902.**

A new class of marvelous beauty, producing splendid flowers in the greatest variety of colours, measuring often 4 to 5 in. across. The foliage also is highly ornamental, varying in colour from light green to dark green, marbled, striped &c. The plant is of a remarkably vigorous and quick growth, growing in a very short time very high.



Impatiens Holstii hybrida.  
Electro 33.

blue	purple		
„ spotted	yellow,		
„ white-edged	rose spotted		
brown	rose yellow leaves		
carmine	„ spotted		
„ white-edged white			
slate-blue	„ yellow leaves		
each separate . . . . .		6	4 6
All colours mixed . . . . .		5	3 9

⊙ **Ipomoea imperialis Dam. 1893.**

A most beautiful class of Ipomoea with very large flowers, the colours for the most part absolutely new.

a) With green leaves.

Adonis, bright purple with pure white throat	3	2 6
Aphrodite, pure white, giant flowers . . . . .	3	3 —
Asteria, enormous flowers, copper-red with a white throat . . . . .	3	3 —
Thalia, pure white . . . . .	3	3 3
All colours mixed . . . . .	3	3 —

## b) With silvery leaves.

	per oz s. d.	per lb. s. d.
Aglaja, crimson with a white throat . . . . .	— 3	3 3
Antigone, very large blue flowers with a rosy throat . . . . .	— 3	3 —
⊙§ <i>Ipomœa imperialis</i> satin-rose. The foliage is of a bright green splashed with silvery white. . . . .	— 6	6 9
Ceres, crimson with a white border . . . . .	— 3	3 6
Euphrosyne, pure white with a rosy throat . . . . .	— 3	3 —
Princess, white, crimson speckled . . . . .	— 3	3 6
All colours mixed . . . . .	— 3	3 3



Kochia trichophila. — Electro 33.

c) *Aurata* (fol. aur. — leaves with a golden hue).

	per oz s. d.	per lb. s. d.
Cleopatra, brilliant carmine with a white throat and border . . . . .	— 4	3 7
Juno, sky-blue . . . . .	— 3	3 —
Luna, very large flowers, dark and light blue and delicate carnation . . . . .	— 3	3 —
All colours mixed . . . . .	— 3	2 9
the above sorts 3 classes a. b. c. mixed . . . . .	— 3	2 9

d) *Collata*.

A most remarkable and beautiful class of the greatest variety of shape and colour, the gigantic flowers are partly curled or frizzled, looking thus, as if they were double.

	per oz s. d.	per lb. s. d.
Alba, pure white . . . . .	— 5	4 —
Carminea, carmine-red . . . . .	— 5	4 —
Diana, dark blue with a white border . . . . .	— 5	4 —
Dark blue . . . . .	— 5	4 —
Copper-red with a white border . . . . .	— 5	4 —
Rose . . . . .	— 5	4 —
The above sorts mixed . . . . .	— 4	3 10

## e) Micans.

	per oz s. d.	per lb. s. d.
Another wonderful class of <i>Ipomœa imperialis</i> with perfectly smooth stems and leaves; leaves either green or silvery and the variety of colors is most beautiful and striking; finest colours mixed . . . . .	— 4	3 3
h <i>Ipomœa Learii</i> , blue . . . . .	1 —	13 3
⊙ " <i>limbata</i> ( <i>Pharbitis</i> ) . . . . .	— 1	— 10
⊙ " <i>Nil grandiflora</i> . . . . .	— 2	1 —
⊙ " <i>purpurea</i> ( <i>Morning Glory</i> ) <i>Convolvulus major</i> , splendid mixed . . . . . cwt. 48/—	— —	— 7
⊙ " <i>purpurea</i> , 6 distinct colours, each separate . . . . .	— —	— 9
" " fl. albo pleno, double white . . . . .	— 4	3 3
" " fl. carminea plena . . . . .	— 4	3 3
" " fl. carneo plena . . . . .	— 4	3 3
" " fl. violaceo plena . . . . .	— 4	3 3
" " flore pleno, double flowering mixed . . . . .	— 4	2 8
⊙ " <i>Quamoclit</i> , Cypress Vine . . . . .	— 3	2 3
⊙ " " <i>hederacea</i> , scarlet . . . . .	— 3	2 —
⊙ " <i>rubro-coerulea</i> ( <i>violacea vera</i> ) . . . . .	— 9	10 —
⊙ " <i>sanguinea</i> ( <i>Mina</i> ) . . . . .	— 2	1 5
⊙ <i>Ipomopsis elegans</i> , mixed . . . . .	— 4	3 3
Italian Bugloss, see <i>Anchusa</i> .		
h <i>Jacaranda mimosaefolia</i> . . . . .	1 3	— —
<i>Jacobaea</i> , see <i>Senecio elegans</i> .		
Jerusalem Star, see <i>Cerastium</i> .		
⊙ <i>Jonopsidium acaule</i> . . . . .	— 11	— —
Joseph's Coat, see <i>Amaranthus tricolor</i> .		
Jove's Flower, see <i>Agrostemma coronaria</i> .		
⊙ <i>Kaulfussia amelloides</i> . . . . .	— 8	— —
<i>Kochia trichophila</i> ( <i>Elektro</i> ) ( <i>Summer-Cypress</i> ) An unusually decorative plant of rapid growth, abt 30 in. high, with graceful foliage, the light green colour of which changes into red towards the end of the vegetation.	— 10	10 —
g§ <i>Kennedyia nigricans</i> . . . . .	3 —	— —
⊙§ <i>Lagenaria leucantha clavata</i> . . . . .	— 3	2 6
" " <i>verrucosa</i> . . . . .	— 3	2 9
" " var. Gourds of different curious shapes, such as for instance Water- bottle, Tobacco box etc. etc.	— 2	1 7
" <i>vulgaris sylvestris</i> ( <i>abys- sinica</i> ) . . . . .	— 3	2 —
g <i>Lagerstroemia indica</i> , clean seed . . . . .	1 6	— —
<i>Lagunaria</i> , see <i>Hibiscus</i> .		
g <i>Lantana hybrida grandiflora</i> , fine mixed . . . . .	— 3	1 9
g§ <i>Lapageria rosea</i> . . . . . 100 seeds 2/9	— —	— —



⊙ **Larkspurs.**

	per oz s. d.	per lb. s. d.		per oz s. d.	per lb. s. d.
Double Imperial branching (Delphinium Consolida imperiale) finest mixed . . . . .	— 3	2 9	Lobelia Rivoirei, very large-flowering hybrids : 1000 seeds 4/3	— —	— —
Double dwarf branching or Candelabrum mixed . . . . .	— 7	6 4	⊙§ Lophospermum scandens . . . . .	2 —	26 —
Double Hyacinth-flowered giant, finest mixed . . . . .	— 3	1 9	⊙ Lotus Jacobaeus luteus . . . . .	— 6	5 7
Double Stock-flowered, mixed . . . . .	— 2	2 —	Love Grove, see Nemophila.		
⊙§ Lathyrus odoratus, Sweet Peas mixed cwt. 40/—	— —	— 8	⊙ " in a Mist, see Nigella.		
" " Eckfords new hybrids mixed cwt. 60/—	— —	— 10	" in a Puff, see Cardiospermum.		
g Lavatera arborea . . . . .	— 3	2 6	" lies bleeding, see Amaranthus caudatus.		
" " fol. var. . . . .	1 3	— —	⊙§ Luffa acutangula, Rag or Dish-cloth Gourd . . . . .	— 4	2 7
⊙ " trimestris fl. albo . . . . .	— 2	1 7	" Soly Qua . . . . .	— 4	3 —
" " fl. rubro . . . . .	— 2	1 7	4 Lunaria biennis (Moon Wort) . . . . .	— 3	2 9
⊙ Leptosiphon hybridus, mixed . . . . .	— 4	— —	⊙ Lupinus albo-coccineus nanus roseus . . . . .	— 5	— —
⊙ Leptosyne gigantea, a charming decorative plant with graceful pinnate foliage and golden-yellow flowers	— —	— —	" luteus Romulus Dam. . . . .	— 5	— —
100 seeds—/4; 1000 seeds 2/7	— —	— —	" sulphureus superbus . . . . .	— —	— —
4 Leucanthemum maximum (Chrysanthemum) . . . . .	— 4	— —	" tall annual varieties mixed . . . . .	— —	1 —
" nipponicum, large-flowered white. . . . .	3 —	— —	" dwarf " " " . . . . .	— 2	1 7
" uliginosum . . . . .	4 —	— —	Madagascar Periwinkle, see Vinca.		
Ligularia Kaempferi 100 seeds—/6	— —	— —	⊙ Malope grandiflora, red . . . . .	— —	1 3
⊙ Linaria aparinoides splendens Dam. . . . .	— 4	— —	" " alba . . . . .	— —	1 3
" Pancici, new, Dam. 1901, very fine, dwarf with large canary-yellow flowers . . . . .	— 5	4 —	" " rosea . . . . .	— —	1 3
" reticulata aureo-purpurea . . . . .	— 5	— —	g Manihot Glaziovi . . . . .	— 6	4 9
4 Linum grandiflorum roseum . . . . .	— 2	1 7	Marigold, African and French, see Tagetes.		
" " rubrum (Scarlet Flax) . . . . .	— 2	1 7	Marigold Cape, see Calendula pluvialis.		
4 " perenne . . . . .	— 3	— —	Marigold Pot, see Sweet Herbs.		
⊙ <b>Lobelia Erinus</b>			⊙ Martynia Craniolaria (formosa, fragrans) . . . . .	— 3	3 —
blue . . . . .	— 8	8 —	" lutea . . . . .	— 3	3 —
Barnards Perpetual, dark blue with a white eye . . . . .	1 3	— —	" proboscidea . . . . .	— 3	2 9
Emperor William . . . . .	1 7	— —	" " atropurpurea . . . . .	— 3	3 —
Primadonna . . . . .	2 —	— —	" the finest of all . . . . .	— 3	3 —
speciosa (Crystal Palace) . . . . .	— 11	12 —	" " rosea . . . . .	— 3	2 9
compacta Goldelse . . . . .	3 2	— —	Marvel of Peru, see Mirabilis.		
" Crystal Palace . . . . .	1 7	— —	Mask Flower, see Alonsoa.		
Lobelia Tenuior (ramosa) 1/8 oz 1/3	9 —	— —	⊙4 Matricaria eximea flore pleno . . . . .	— 5	4 —
4 " cardinalis . . . . . 1/8 oz 1/8	11 6	— —	4 " glauca. Highly suited to borders and dwarf groups; hardly 6 inch. high. Flowers white with a yellow centre; leaves pinnate, silver-grey . . . . .	— 11	— —
4 " fulgens, best hybrids mixed 1/32 oz 4/3; 1/16 oz 7/6; 1/8 oz 14/—	— —	— —	⊙§ Maurandia Barkleyana . . . . .	2 3	— —
" " Queen Victoria 1/32 oz 2/6; 1/16 oz 4/6; 1/8 oz 8/—	— —	— —	" " fl. albo . . . . .	3 9	— —
" Gerardi, violet, very floriferous 1/32 oz 2/6; 1/16 oz 4/6; 1/8 oz 8/—	— —	— —	" purpurea grandiflora . . . . .	2 3	— —
			" semperflorens . . . . .	2 3	— —
			" mixed . . . . .	2 —	27 9
			Medeola, see Myrsiphyllum.		
			⊙§ Melothria abyssinica, Naud. . . . .	— 8	6 —
			4 Mentha Pulegium, Pennyroyal . . . . .	2 3	— —
			g Mesembrianthemum crystallinum, (Ice Plant) . . . . .	— 3	— —
			" tricolor . . . . .	— 6	— —
			Mignonette, see Reseda.		
			⊙ Mimosa pudica (Sensitive Plant) . . . . .	— 6	4 —
			⊙ Mimulus cardinalis . . . . . 1/8 oz —/6	2 6	— —
			" cupreus . . . . . 1/8 " —/6	2 6	— —

	per oz s. d.	per lb. s. d.		per oz s. d.	per lb. s. d.
⊙ Mimulus cupreus Prince Bismarck	3 9	— —	g§ Myrsiphyllum asparagoides myrtifolia	— —	— —
.. duplex (hose in hose) mixed.	3	— —	1000 seeds 65/—; 5000 seeds 300/—	— —	— —
.. moschatus (Musk)	1 10	25 6	Nasturtium (Indian Cress), see Tropaeolum.	— —	— —
.. " compactus 1/8 oz—/9	5 —	— —	℥ Nelumbium luteum 100 seeds 1/10	— —	— —
.. tigrinus (pardinus)	1 10	— —	⊙ Nemesia strumosa Suttoni, very floriferous, highly adapted for borders	2 6	— —
.. " grandiflorus (Queen's Prize)	2 6	— —	Nemesia strumosa nana compacta	3 —	— —
⊙§ Mina lobata, beautiful climber.	2 —	28 —	⊙ Nemophila	— —	— —
.. sanguinea, see Ipomoea sanguinea.	— —	— —	.. insignis, blue	— —	8 —
⊙ Mirabilis Jalapa (Marvel of Peru) mixed	— —	9 —	.. " alba	— —	1 —
⊙ " Jalapa fol. variegatis, mixed	— —	10 —	.. " purpurea	— —	1 —
.. " Tom Thumb, white	2 —	1 3	.. maculata	— —	8 —
⊙§ Momordica Balsamina, Balsam Apple	4 —	3 2	g Nerium Oleander album clean seed	5 —	4 9
.. Charantia	4 —	3 2	.. " roseum " "	4 —	3 —
.. Elaterium, squirting Cucumber	3 —	3 —	⊙ Nicotiana affinis	4 —	3 9
.. involucrata Dam.	1 —	12 —	.. " hybrida, with very large flowers in many colors, scented	1 3	— —
Monkey Flower, see Mimulus.	— —	— —	.. Sanderi, new	2 3	— —
Moon Wort, see Lunaria.	— —	— —	.. colossea, one of the finest ornamental foliage plants	— —	— —
Morning Glory, see Ipom. purpurea.	— —	— —	1/8 oz 1/—	6 —	— —
.. Glory Brazilian, see Ipom. setosa.	— —	— —	.. purpurea grandiflora	3 —	— —
Mourning Bride, see Scabiosa.	— —	— —	.. sylvestris, Spegaz. Dam.	— —	— —
℥ Musa Ensete . 1000 seeds 13/6	— —	3 6	Flowers pure white	3 —	— —
.. " Italian-saved seeds	— —	— —	⊙ Nierembergia gracilis	8 —	— —
100 seeds 4/—	— —	— —	⊙ Nigella damascena nana alba plena	— —	1 —
.. religiosa (Fétiche)	— —	— —	.. " " coerulea	— —	1 3
100 seeds 1/—; 1000 " 8/—	— —	— —	plena (Love-in-a-mist)	— —	1 7
Musk Plant, see Mimulus moschatus.	— —	— —	⊙ " hispanica	3 —	1 7
4 Myosotis alpestris, Alpine Forget-me-not	9 —	8 —	.. " alba	3 —	1 7
.. " alba	10 —	9 10	.. " purpurea	3 —	1 7
.. " rosea	10 —	10 —	⊙ Nycteria capensis	10 —	10 —
.. " compacta, blue	1 —	— —	⊙ Oenothera acaulis vera (Evening-Primrose)	11 —	— —
.. " elegantissima	10 —	10 —	⊙ Oxalis rosea	1/8 oz —/8	4 6
.. " " alba	1 —	— —	℥ " sensitiva (Biophytum)	1/16 oz 2/9; 1/8 oz 5/—	37 —
.. " robusta grandiflora (Elisa Fonrobert)	10 —	— —	⊙ " tropaeoloides	1 2	— —
.. " Victoria, dwarf compact variety	1 2	— —	Oxlip, see Primula elatior.	— —	— —
.. " mixed	9 —	8 —	4 Paeonia arborea (Moutan) fl. pl.	9 —	— —
⊙ " azorica	— —	— —	Palma Christi, see Ricinus.	— —	— —
1/16 oz 1/9; 1/8 oz 3/3	24 —	— —	Pansies, see Viola tricolor maxima.	— —	— —
4 .. dissitiflora	3 9	— —	4 Papaver bracteatum	5 —	4 10
.. " alba	5 —	— —	⊙ " Danebrog, brilliant scarlet with large white spots	— —	11 —
.. " Blue Perfection	6 —	— —	.. " Danebrog flore pleno	2 —	1 2
.. oblongata (latifolia)	1 —	— —	⊙ " glaucum (Tulip Poppy)	10 —	10 —
.. palustris, true	1 9	23 9	.. Murselli fl. pl. white, striped dark	— —	1 —
.. " semperflorens	1 9	23 9	.. " Mikado	2 —	1 8
.. " " alba	2 6	— —	4 " nudicaule	10 —	10 —
.. " " Fairy-Eye (Water-Fairy)	4 —	— —	⊙ " paeoniflorum fl. pl. mixed	— —	11 —
.. Welwitschii, dwarf, splendid	1 3	18 —	.. Rhoas Shirley, single flowering	4 —	4 —
g§ Myrsiphyllum asparagoides (Medeola, Smilax)	6 —	5 7	⊙ " Rhoas fl. pl. French ranunculus-flowering double mixed	— —	1 5

	per oz s. d.	per lb. s. d.		per oz s. d.	per lb. s. d.
Papaver somniferum „The Bride“, single flowered white	—	11	Carmen Sylva . . . . .	8	8
⊙ „ somniferum fl. pl., double Carnation Poppy, mixed	—	9	Carminea intus alba (Adonis) . . . . .	8	8
„ somniferum nanum fl. pl. White Swan . . . . .	2	4	Compacta nana multiflora . . . . .	1 3	—
„ somniferum nanum fl. pl. brilliant-rose . . . . .	2	3	Countess of Ellesmere . . . . .	5	4 9
g Parkinsonia aculeata . . . . .	5	6	Inimitable . . . . .	9	8
h§ Passiflora coerulea (Passion flower)	5	4	„ nana compacta multiflora . . . . .	1 2	—
„ „ grandiflora . . . . .	6	7	Finest mixed, first quality . . . . .	6	5 3
„ edulis . . . . .	1 6	—			
„ rosacea (incarnata) . . . . .	1 6	—	⊙ <b>Petunia hybrida grandiflora.</b>		
Pea, Sweet, see Lathyrus odoratus.			Choicest quality.		
g Pelargonium hybridum grandi- florum, finest large-flowered, Odier and Fancy mixed,			Alba . . . . . 1/16 oz 1/6; 1/8 oz 2/6	17	—
100 seeds 1/—; 1000 seeds 7/3	—	—	Atropurpurea . . . . . 1/16 „ 1/9; 1/8 „ 2/9	20	—
g Pelargonium hederacifolium mixed, 100 seeds —/7; 1000 seeds 4/9	—	—	Maculata . . . . . 1/16 „ 1/9; 1/8 „ 2/9	20	—
10 000 seeds 36/—	—	—	Purpurea albo maculata, new 1/32 oz 1/3; 1/16 oz 2/2; 1/8 oz 3/10	—	—
g Pelargonium hederacifolium, double, mixed,	—	—	Purple King . . . . . 1/16 oz 1/9; 1/8 oz 2/10	—	—
100 seeds 1/3; 1000 seeds 11/6	—	—	Superbissima Prince of Wurtemberg with enormous flowers, quite extra 1/32 oz 2/6; 1/16 oz 4/6; 1/8 oz 8/—	—	—
Pelargonium odoratissimum	—	—	Largest-flowered varieties mixed 1/16 oz 1/2; 1/8 oz 1/10	12 6	—
g Pelargonium Scarlet, choice mixed .	6	6			
„ Scarlet, double-flowered, mixed, 100 seeds —/9; 1000 seeds 6/—	—	—	⊙ <b>Petunia hybrida grandiflora     fimbriata.</b>		
10 000 seeds 50/—	—	—	All colours mixed, choicest quality 1/32 oz 1/3; 1/16 oz 2/—; 1/8 oz 3/6	15	—
g Pelargonium Scarlet, white varie- gated-leaved,	—	—	⊙ <b>Petunia hybrida grandiflora fl. pl.</b>		
100 seeds 1/9; 1000 seeds 14/6	—	—	Most carefully fecondated, producing about 50% of double flowers.		
g Pelargonium Scarlet, golden, tri- color, variegated, hybridized,	—	—	First quality.		
100 seeds 1/6; 1000 seeds 13/6	—	—	Double large-flowered mixed 1/64 oz 4/6; 1/32 oz 8/—	—	—
Penny Royal, see Mentha Pulegium.			Double fringed in great variety mixed (fimbriata) . . . . . 1000 seeds 1/—	—	—
4 Penstemon Hartwegi (gentianoides) mixed varieties . . . . .	1 3	18	10 000 „ 8/—	—	—
⊙ Perilla nankinensis . . . . .	—	1	⊙ Phacelia campanularia . . . . .	5	4 9
„ „ fol. atropurpureis	—	—	„ tanacetifolia . . . . .	—	10
„ „ laciniatis . . . . .	2	3	h§ Phaseolus Caracalla . . . . .	6	6
„ „ macrophylla crispa compacta . . . . .	2	5	⊙§ „ ensiformis gigas . . . . .	—	1 3
„ „ macrophylla crispa elatior . . . . .	3	3	Pheasant-eye Pink, see Dianthus plumarius.		
„ „ laciniatus picta, Dam. 1899. Under normal conditions the plant grows about 2 feet high; the leaves are deeply cut, of a dark brown almost black color with very distinct large rose and white stripes . . . . .	2	—	⊙ <b>Phlox Drummondii.</b>		
			Extra fine mixed . . . . .	9	9 9
⊙ <b>Petunia hybrida.</b>					
Alba . . . . .	7	7 3	<b>Phlox Drummondii grandiflora.</b>		
Belle Etoile . . . . .	8	8 6	Collected from largest flowers.		
			Alba pura . . . . .	1 3	—
			Atropurpurea . . . . .	1 3	—
			Carminea . . . . .	1 3	—
			Coccinea . . . . .	1 3	—
			Splendens . . . . .	1 3	—
			All the above mixed . . . . .	11	11

	per oz s. d.	per lb. s. d.		per oz s. d.	per lb. s. d.
<b>Phlox Drummondii nana compacta grandiflora.</b>					
Saved exclusively from dwarf plants.					
Alba . . . . .	2 6	— —	g§ Physianthus albens . . . . .	— 5	4 4
Atropurpurea . . . . .	2 6	— —	4 Physostegia virginica (speciosa) . . . . .	— 6	— —
Carminea . . . . .	3 9	— —	"  "  alba . . . . .	— 11	— —
Chamois rose . . . . .	6 3	— —	Picotees, see Dianthus Caryophyllus.		
Coccinea . . . . .	3 3	— —	Pimpernelle, see Anagallis.		
"  floribunda, Fireball . . . . .	4 9	— —	Pink, see Dianthus.		
Coerulea stellata . . . . .	4 6	— —	"  japanese, see Dianthus Heddeewigi.		
Hortensiaeflora . . . . .	6 3	— —	g Pittosporum Tobirae . . . . .	— 8	8 —
Nivea (Snowball) . . . . .	2 9	— —	"  undulatum . . . . .	— 7	5 9
Victoria . . . . .	2 9	— —	4 Platycodon Mariesi . . . . .	— 10	— —
All the above mixed . . . . .	2 —	26 —	"  "  fl. albo . . . . .	— 10	— —
			½ Poinciana Gilliesi Bird of Paradise . . . . .	— 8	8 —
			"  pulcherrima . . . . .	— 8	8 —
			"  regia . . . . .	— 7	5 7
			½ Poinsettia (Euphorbia) pulcherrima . . . . .		
			100 seeds 2/3; 1000 seeds 20/—		
			Polyanthus, see Primula elatior.		
			4 Polygonum lanigerum, a perennial species with silvery leaves . . . . .	1 5	— —
			4§ " multiflorum . . . . .	— 9	8 —
			⊙ " orientale (Persicaria) . . . . .	— 2	1 9
			"  "  fol. variegatis . . . . .	— 4	3 3
			Polygonum Posumbu, Dam. 1902, new. (Electro). The plant grows only about 12 to 14 in. high, producing a mass of dark green glossy leaves somewhat undulated from which emerge the small rosy panicles. Mr. Max Leichtlin writes in the Vienna Illustrated Garden Journal: „The plant is very graceful and it will certainly become a most valuable market plant all the more as it is of the easiest culture . . . . .	2 3	— —
			4 Polygonum sachalinense, very decorative most recommendable as green fodder . . . . .	— 9	9 6
			⊙ Polypteris callosa, Dam. 1898. Height about 1 foot ½ with a very graceful and showy foliage. Throughout the summer the plant is completely covered with charming rose-lilac flowers. One of the most richly flowering plants . . . . .	— 5	4 —
			Poppy, see Papaver.		
			<b>Portulacca grandiflora, single.</b>		
⊙ Phlox Drummondii cuspidata, mixed			Alba . . . . .	— 6	6 —
"  "  fimbriata, mixed	1 —	11 10	Alba rubro-striata . . . . .	— 6	6 —
4 " perennis (decussata) hybrida, finest large flowering sorts mixed	1 —	11 10	Aurea . . . . .	— 6	6 —
"  perennis (decussata) hybrida, „Eclairer“ crimson colour, extremely large-flowering	1 4	17 9	Bronze . . . . .	— 6	6 —
"  perennis (decussata) hybrida nana, best new dwarf varieties	— —	— —	Carnea . . . . .	— 6	6 —
"  "  "  1/8 oz —/—	— —	— —	Caryophylloides . . . . .	— 6	6 —
g Phormium tenax, New Zealand Flax	4 6	— —	Coccinea . . . . .	— 6	6 —
"  "  fol. var.	— 10	10 —	Isabellina . . . . .	— 6	6 —
"  "  "  1000 seeds 1/6	— —	— —	Rosea . . . . .	— 6	6 —
⊙ Physalis Alkekengii . . . . .	— 3	2 6	Splendens (Gilliesi) . . . . .	— 6	6 —
"  Francheti, with white flowers producing a very large scarlet balloon; highly effective . . . . .	— 8	7 6	Thellusonii (orange) . . . . .	— 6	6 —
			Fine single mixed . . . . .	— 5	4 3



Polygonum Posumbu.  
Electro 3/6.

**Portulacca grandiflora, double.**

Saved from very double flowers.

	per oz s. d.	per lb. s. d.
Alba . . . . .	4 6	— —
Aurea . . . . .	4 6	— —
Carnea . . . . .	4 6	— —
Caryophylloides . . . . .	4 6	— —
Coccinea . . . . .	4 6	— —
Isabellina . . . . .	4 6	— —
Kermesina . . . . .	4 6	— —
Purpurea . . . . .	4 6	— —
Rosea . . . . .	4 6	— —
Rubro purpurea . . . . .	4 6	— —
Splendens . . . . .	4 6	— —
Sulphurea . . . . .	4 6	— —
Thellusonii . . . . .	4 6	— —
Finest mixed, superior quality . . . . .	2 8	37 9
4 Potentilla hybrida flore pleno, double mixed . . . . .	1 3	— —
„ multiflora semiplena . . . . .	— 5	— —
Prickly Poppy, see Argemone.		
4 Primula Auricula (Auriculas) fine mixed 1/8 oz 1/2 . . . . .	8 4	— —
4 Primula Auricula extra fine quality from first class flowers 1/8 oz 1/10 . . . . .	12 4	— —
„ veris elatior, sweet scented Oxlip in beautiful varieties . . . . .	2 3	29 —
„ „ „ (Polyanthus) finest . . . . .	2 6	— —
„ „ „ named sorts gold . . . . .	3 6	— —
„ „ „ laced varieties . . . . .		
„ „ „ duplex (hose in hose) 1/8 oz —/9 . . . . .	4 —	— —
„ obconica (alba) . . . 1/8 „ 1/6 . . . . .	10 —	— —
„ „ grandiflora 1/8 „ 1/8 . . . . .	11 3	— —

**g Primula chinensis fimbriata, Chinese Primrose.**

Choice quality.

Alba pura . . . . . 1/8 oz 3/6	23 6	— —
„ magnifica . . . . . 1/8 „ 4/9	34 —	— —
Coerulea . . 1/32 oz 3/6; 1/16 oz 6/—; 1/8 „ 6/6 . . . . .	50 —	— —
Coccinea . . . . . 1/8 „ 4/6	32 —	— —
Gigantea alba pura, largest-flowered 100 seeds 1/— . . . . .	— —	— —
Kermesina splendens . . 1/16 oz 1/6 1/8 „ 2/8 . . . . .	18 9	— —
Montblanc . . 1/16 oz 2/3; 1/8 „ 4/— . . . . .	27 —	— —
Punctata elegantissima . . 1/16 „ 1/9 1/8 „ 3/5 . . . . .	24 9	— —
Rosea . . . . . 1/16 oz 1/6; 1/8 „ 2/5	17 6	— —
Striatiflora . . 1/16 „ 1/9; 1/8 „ 2/10	21 —	— —
Urania; stems and flower stalks of a dark blood-red; flowers fringed, dark copper- red; a very fine and most remarkable kind 1/16 oz —/—; 1/8 oz —/— . . . . .	— —	— —

Fringed mixed, seeds collected exclusively  
from selected large flowers;  
first quality 1/8 oz 3/—  
„ mixed, very good quality 1/8 oz 2/3

per oz s. d.	per lb. s. d.
21 —	— —
16 —	— —

**Primula chinensis fimbriata filicifolia.**

Alba pura . . . . . 1/8 oz 4/—	27 —	— —
Gigantea Perfection white 1/32 „ 4/—	— —	— —
Kermesina splendens . . 1/8 „ 4/—	29 9	— —
Rosea . . . . . 1/8 „ 3/3	22 6	— —
Striatiflora . . . . . 1/8 „ 4/—	27 —	— —

**Primula chinensis fimbriata flore pleno, double fringed.**

100 seeds s. d.	1000 seeds s. d.
Alba, double white fringed . . . . .	— 6 4 3
Carminea . . . . .	— 6 4 2
Coccinea . . . . .	— 7 5 6
Kermesina splendens . . . . .	— 7 5 6
Rosea . . . . .	— 5 3 9
Striatiflora . . . . .	— 8 5 9
Double fringed mixed . . . . .	— 6 4 3

Prince's Feather, see Amaranthus  
hypochondriacus.

g§ Pueraria Thunbergiana; most splendid,  
high-ranking, of Japan, with fine  
clusters of blue flowers 1/4 oz —/6

per oz s. d.	per lb. s. d.
4 Pyrethrum cinerariaefolium . . . . .	1 3 — —
4 „ parthenifolium aureum (Gol- den Feather) . . . . .	— 5 4 9
„ „ Golden Gem . . . . .	— 6 6 —
„ „ laciniatum . . . . .	— 6 5 7
„ „ selaginoides . . . . .	— 8 7 3
„ „ glaucum . . . . .	— 5 — —
4 Pyrethrum roseum hybr. mixed . . . . .	1 3 — —
„ „ „ carmineum . . . . .	1 9 — —
„ „ „ carneum . . . . .	1 9 — —
„ „ „ double mixed 1/16 oz 1/6; 1/8 oz 2/9 . . . . .	20 — — — —
„ Tschihatschewi, true . . . . .	1 3 — —

Red-hot-Poker Plant, see Tritoma.

**⊙⊙ Reseda odorata grandiflora**

choicest qualities, a speciality of our firm.

arborea . . . . .	— 4 3 6
aurea (Golden Queen) . . . . .	— 5 4 9
Bismarck with giant spikes of flowers . . . . .	1 3 16 —
compacta nana multiflora . . . . .	— 5 4 9
Crimson Queen . . . . .	— 5 4 —
Diamond . . . . .	— — — —
Fiammetta, Dam. (Electro) with enor- mous panicles of very scented flowers of a dark-red hue; the finest . . . . .	— 3 3 2

	per oz s. d.	per lb. s. d.
Gabriele (imperialis, red, large panicles)	— 5	4 —
gigantea pyramidalis	— 4	3 3
Goliath	1 6	— —
Machet, dwarf compact variety	— 7	6 —
„ golden yellow	— 9	8 —
Ruby	1 —	11 10
meliorata (Crimson Giant)	— —	1 3
Miles Spiral	— 2	2 —
odorata cwt. 98/—	— —	— 10
„ grandiflora „ 110/—	— —	1 —
special prices for quantities!		



Reseda odorata Fiammetta.  
Electro 3/10.

Urania Dam. 1892, with enormous panicles	— 4	4 —
Victoria, dark-red	— 5	4 10
the above sorts mixed	— —	1 9
all varieties mixed	— —	1 7
⊙ Rhodanthe maculata	1 —	— —
„ maculata alba	1 —	— —
„ Manglesii	1 —	— —
„ „ fl. pl. 1/8 oz—/9	5 —	— —

⊙ Ricinus (Castor Oil Bean, Palma Christi)

africanus	— —	9 —
borboniensis arboreus	— —	7 —
cambodgensis, very dark leaved	— —	1 5
communis major	— —	8 —
Duchess of Edinburgh	— —	9 —
Gibsoni	— —	10 —
„ mirabilis	— —	1 —

	per oz s. d.	per lb. s. d.
sanguineus . . . . . cwt. 27/—	— —	— 6
Zanzibariensis, red seeds	— —	— 10
„ cinerascens	— —	— 10
„ enormis	— —	1 —
„ maculatus	— —	— 10
„ niger	— —	— 11
„ mixed cwt. 60/—	— —	— 9
all sorts mixed . . . . . cwt. 27/—	— —	— 4
Rock Lychnis, see Viscaria.		
Rocket, see Hesperis matronalis.		
⊙ Romneya Coulteri	3 6	— —
Rose Campion, see Agrostemma.		
⊙ Rudbeckia bicolor superba	— 5	4 —



Ruellia tuberosa.  
Electro 3/3.

⊙ Rudbeckia bicolor superba semiplena	— 9	— —
4 „ Neumannii	2 6	— —
4 „ radula, golden yellow with a black centre	1 9	— —
h Ruellia tuberosa, (Electro) Dam. 1895; very bushy, dwarf and rich flowering; the numerous Bignonia-like flowers are of blue colour, standing above the foliage. To be sown early in the stove; the plant will then flower in July, lasting until Christmas, magnificent	2 —	— —
Sage, see Salvia,		
⊙ Salpiglossis variabilis fine mixed	— 7	7 2
„ variabilis grandiflora, large flowered mixed	— 8	8 —
„ „ nana, dwarf mixed	— 8	8 —
„ „ grandiflora superbissima, mixed	1 9	23 9
4 Salvia argentea, true	— 2	1 6

	per oz s. d.	per lb. s. d.		per oz s. d.	per lb. s. d.
Salvia azurea grandiflora, large-flowering blue, abt 6 feet high, highly decorative and fine 1/8 oz 1/—	6 —	— —	Scabiosa hybrida Victoria (Sc. atropurpurea × Columbaria), finest mixed . . . . .	— 3	2 —
⊙ " coccinea . . . . .	— 4	3 3	4 " caucasica . . . . .	2 9	— —
" " grandiflora . . . . .	— 4	3 8	⊙ Schizanthus grandiflorus mixed . . . . .	— 2	1 10
⊙ " farinacea . . . . .	1 —	— —	" papilionaceus . . . . .	— 2	1 10
" " alba . . . . .	— —	— —	" pinnatus mixed . . . . .	— 2	2 —
" officinalis, see Sweet Herbs &c.	— —	— —	" Wisetonensis 1/8 oz 6/—	45 —	— —
" Sclarea, see Sweet Herbs &c.	— —	— —	§ Schubertia grandiflora, a splendid climber with white scented flowers 100 seeds 1/6; 1000 seeds 11/—	— —	— —
4 " silvestris . . . . .	— 2	— —	Sea Lavender, see Statice.		
h " splendens (special quotations for large quantities) . . . . .	2 9	39 6	⊙ Senecio elegans plenissimus (Jacobaea double) splendid mixed . . . . .	1 3	— —
" " Alfred Ragueneau . . . . .	5 —	— —	" elegans nanus plenissimus, dwarf mixed . . . . .	1 3	— —
" " compacta nana . . . . .	4 3	60 —	Sensitive Plant, see Mimosa pudica.		
" " Glory of Stuttgart, very large-flowering . . . . .	5 3	— —	⊙§ Sicyos angulata . . . . .	— 3	2 6
" " Ingenieur Clavenad . . . . .	4 6	— —	⊙ Silene pendula (rosea graeca) . . . . .	— —	7 —
" " Prince of Naples . . . . .	4 6	— —	" " alba . . . . .	— —	7 —
" " Silverspot, new, leaves yellow spotted . . . . .	4 6	— —	" " Bonnetti . . . . .	— —	1 —
" " Surprise, with a very large yellow spot at the base of the leaves; of quite an extraordinary effect 100 seeds —/7; 1000 seeds 4/6	— —	— —	" " compacta fl. pl. . . . .	— 4	4 —
4 Salvia taraxacifolia, Dam. 1899. About 10 inches high; one single plant will produce about 15 to 20 panicles of bright lilac flowers with a whitish lip, from June to September . . . . .	1 3	— —	" " compacta rosea . . . . .	3 —	2 —
4 Santolina Chamaecyparissus . . . . .	— 5	4 10	" " alba plena Dam. . . . .	— —	— —
⊙ Sanvitalia procumbens . . . . .	— 6	5 7	" " fol. aureis, golden leaved . . . . .	— 4	2 9
" " fl. pleno, double . . . . .	— 7	7 3	⊙ " pendula compacta Luna Dam. 1896; very compact; flowers of a delicate carnation colour; foliage golden yellow . . . . .	— 3	2 —
" " plenissima compacta . . . . .	— 9	— —	Silene pendula compacta ruberrima . . . . .	— —	1 5
h Sapindus Saponaria . . . . .	— —	— 8	" " compacta ruberrima fl. pleno . . . . .	— —	1 7
⊙ Saponaria multiflora (calabrica) . . . . .	— 3	1 9	g Skimmia japonica . . . . .	— 7	7 3
" " Scarlet Queen . . . . .	— 3	2 9	Smilax, see Myrsiphyllum.		
Satin Flower, see Lunaria biennis.			Snapdragon, see Antirrhinum.		
⊙ Scabiosa (Scabious) atropurpurea fl. pl. mixed . . . . .	— —	1 7	⊙ Solanum atropurpureum . . . . .	— 5	— —
" atropurpurea grandiflora compacta fl. pl. mixed . . . . .	— 4	3 7	4 " Balbisii . . . . .	— 3	2 9
" " major fl. pl. large flowered, mixed . . . . .	— —	2 —	4 " cabiliense argenteum (marginatum) . . . . .	— 4	3 5
" " major fl. pl. Giant King of the Blacks . . . . .	— 4	3 3	g " Capsicastrum . . . . .	— 4	2 7
" " maxima fl. pl. The Fairy, with large azure-blue flowers . . . . .	— 4	3 7	" " nanum . . . . .	— 5	3 7
" " nana, double dwarf mixed . . . . .	— 2	1 7	g " Farini . . . . . 1/8 oz —/5	2 6	— —
" brachiata, Dam. 1899. A most valuable plant for cutting purposes, commencing to bloom already in the month of May; its charming pale blue flowers last a long time . . . . .	— 9	8 —	g " Hendersonii . . . . .	— 5	4 —
			g " laciniatum . . . . .	— 3	3 3
			g " pyracanthum . . . . .	1 3	15 3
			g " robustum . . . . .	1 4	— —
			g§ " Seaforthianum 1/8 oz —/7	3 9	— —
			g " Warscewiczii . . . . .	— 9	— —
			Spartium (Genista) see Tree seeds.		
			Spiderwort, see Cleome,		
			Spurge, variegated, see Euphorbia variegata.		
			g Stapelia variegata finest mixed 1000 seeds 1/4	— —	— —
			Standing Cypress, see Ipomopsis.		
			⊙ Statice Bonduelli, yellow . . . . .	— —	1 3

	per oz s. d.	per lb. s. d.
4 <i>Statice caspia</i> ; (Electro) one of the finest, with purple flowers $\frac{1}{8}$ oz —/7	3 6	— —
4 " <i>latifolia</i> . . . . .	— 6	— —
⊙ 4 " <i>sinensis</i> , Dam. 1901 (Electro) An exceedingly graceful plant which is most valuable for all floral decorations. The flowers are pure white alternated with canary-yellow, of quite a charming effect	1 —	10 6
⊙ <i>Statice sinuata</i> , blue . . . . .	— 2	— —
" " <i>candidissima</i> . . . . .	— 2	— —
" " <i>rosea</i> . . . . .	— —	— —
⊙ " <i>Suworowii</i> . . . . .	— 9	— —



*Statice caspia*. Electro 3/3.

h§ <i>Stephanotis floribunda</i>	100 seeds $\frac{1}{6}$	— —	— —
	1000 " 12/6	— —	— —
⊙ <i>Stevia Eupatoria</i> . . . . .	— 8	8 —	— —
⊙ " <i>Lindleyana</i> . . . . .	— 8	8 —	— —
4 " <i>odorata</i> ( <i>salicifolia</i> ) . . . . .	1 6	— —	— —
4 " <i>purpurea</i> . . . . .	— 8	— —	— —
4 " <i>serrata</i> , white . . . . .	— 10	— —	— —

Stocks, see page 28.

4 *Stokesia Cyanea* (Electro). Although this magnificent plant is known for a long time, yet it has been introduced to the trade only a few years ago; flowers lavender-blue, measuring abt 4 to 5 in. across. We recommend this really fine plant most warmly; it stands the winter in the open ground, if it is not kept too moist.  $\frac{1}{8}$  oz 1/—

Stonecrop blue, see *Sedum coeruleum*.

	per oz s. d.	per lb. s. d.
h <i>Streptocarpus Rexii</i> $\frac{1}{32}$ oz 3/—	— —	— —
$\frac{1}{16}$ oz 5/3; $\frac{1}{8}$ " 9/6	— —	— —
" <i>Wendlandi</i> , light blue, large leaves $\frac{1}{32}$ oz 5/3; $\frac{1}{16}$ oz 10/—; $\frac{1}{8}$ oz 19/—	— —	— —
h <i>Streptocarpus</i> , newest hybrids mixed $\frac{1}{32}$ oz 6/6; $\frac{1}{16}$ oz 11/6; $\frac{1}{8}$ oz 21/6	— —	— —
Summer Cypress, see <i>Kochia scoparia</i> . Sun Drops, see <i>Oenothera</i> . Sunflower, see <i>Helianthus annuus</i> . Sun Rose, see <i>Helianthemum</i> .		
g <i>Sutherlandia frutescens</i> , one of the		



*Statice sinensis*. (Electro 3/6.)

most splendid and decorative small shrubs, with fine scarlet flowers, throughout the summer . . . . .	3 —	— —
g <i>Swainsonia alba</i> . . . . .	7 6	— —
" <i>coronillaefolia</i> . . . . .	4 —	— —
" <i>rosea grandifl.</i> . . . . .	4 —	— —
" <i>Greyana</i> . . . . .	4 —	— —
" best sorts mixed . . . . .	3 —	40 —
Swallow wort, see <i>Asclepias</i> . Swan River Daisy, see <i>Brachycome</i> . Sweet Alyssum, see <i>Alyssum Benthami</i> . " Pea, see <i>Lathyrus odoratus</i> . " Scabious, see <i>Scabiosa</i> . " Sultan, see <i>Centaurea moschata</i> . " William, see <i>Dianthus barbatus</i> .		
⊙ <i>Tagetes erecta</i> fl. pl. Double African Marigold.		
Finest best varieties mixed . . . . .	— 4	3 9



© *Tagetes patula* fl. pl.  
**Double French Marigold.**

Dwarf double mixed, best sorts . . .  
 Double tall mixed, " " . . .

per oz s. d.	per lb. s. d.
— 3	2 5
— 2	2 5

*Tagetes signata* pumila . . . . .  
 " " " Golden Ring,  
 pure golden yellow . . . . .  
 " sulphurea, pure sulphur yellow . . . . .  
 4 " Lemoni A. Gray (Electro

per oz s. d.	per lb. s. d.
— 5	4 9
— 8	8 —
— 7	7 —



*Stokosia Cyanca.* Electro 7/—.

Dam. 1903). This nice plant forms dwarf compact bushes the first year, producing an enormous mass of lovely yellow flowers in the autumn, covering the plant almost entirely.

1/8 oz —/10

Tassel Flower, see *Cacalia*.

g§ *Tecoma radicans grandifl.* (*Bignonia*) — 8 7 3

g§ " *Stans* (*Bignonia*) — 10 — —

g " *Smithi* . . . 1/4 oz 1/3 4 — —

Thrift, see *Armeria*.



*Tagetes Lemonnii*.  
Electro 3/3.

⊙§ *Thunbergia alata nanking*, with black eye. . . . . 1 — — —

" *alba*, pure white with black eye . . . . . 1 — — —

" *alata aurantiaca*, golden yellow with black eye . . . . . 1 — — —

" *alata mixed* . . . . . — 10 10 9

⊙h *Torenia Bailloni* . . . 1/8 oz 1/— 13 6 — —

⊙h " *Fournieri* (*edentula*) . . . . . 3 — — —

" " *alba* (*White Wings*) . . . . . 3 — — —

" " *coelestina grandiflora* . . . . . 4 6 — —

" " *compacta* 1/8 " —/10 5 — — —

" " *alba* 1/8 " —/10 5 — — —

" " *coelestina* . . . . . 6 3 — —

" " *grandiflora* 1/8 oz —/8 4 — — —

" *speciosa* 1/8 " 6/— — — — —

" *alba* 1/8 " 6/— — — — —

Touch me-not, see *Balsams*.

*Tournefortia heliotropioides* . . . . . — 6 — — —

⊙ *Trachelium coeruleum* . . . . . — 9 — — —

" " *album* . . . . . 1 2 — — —

Tree Cypress, see *Ipomopsis*.

⊙§ *Trichosanthes Anguinea vera* . . . . . — 4 3 3

" *coccinea* . . . . . — 4 2 9

" *colubrina* . . . . . — 4 2 9

" *cucumerina* . . . . . — 4 2 9

" *palmata* . . . . . — 4 2 9

*Tridax gaillardoides*, new, Dam.

1901; the crone yellow flowers measure about one inch and 1/2 in diameter, and are produced at an unusually early time which makes it most valuable as an early bedding plant . . . . . — 6 — —

*Tritoma*, see *Kniphofia*.

⊙§ *Tropaeolum canariense* (*peregrinum*) *Canary Creeper* . . . . . — 5 5 —

⊙ " *Lobianum*, best varieties mixed — — 1 6

***Tropaeolum majus nanum***  
(*Tom Thumb*)

*Chamaeleon* . . . . . — 3 2 5

*Empress of India*, dark scarlet . . . . . — 4 3 3

*King of Tom Thumb*, scarlet . . . . . — 3 2 7

" *Theodore*, dark red . . . . . — 3 1 9

*Ruby King* . . . . . — 3 2 —

*Spotted King*, dark-leaves . . . . . — 3 2 —

*Vesuvius*, salmon-rose . . . . . — 3 2 6

best sorts mixed . . . . . — — 1 2

Trumpet Flower, see *Datura*.

g§ *Vallis dichotoma*, a beautiful climber for the conservatory, with large snow white flowers . . . 100 seeds 1/9 — — — —

*Venus Looking Glass*, see *Campanula Speculum*.

*Venus Navel wort*, see *Cynoglossum linifolium*.

⊙ *Verbena Aubletia grandiflora* . . . . . — 4 3 4

" *Drummondii* (*montana*) . . . . . — 4 3 7

" *erinoides* . . . . . — 6 5 7

" " *alba*, white, . . . . . — 7 6 —

" *pulchella* . . . . . — 3 3 2

" *venosa* . . . . . — 3 3 2

***Verbena hybrida***.

Finest mixed . . . . . — 9 8 7

Extra selected quality . . . . . 1 3 15 9

*Auriculae* flowered sorts with large white eye, first class flowers . . . . . 1 3 15 9

*Alba* . . . . . — 11 11 10

*Candidissima* . . . . . 1 — 13 10

*Coccinea* . . . . . 1 3 15 10

*Coerulea* . . . . . — 10 11 10

*Défiance*, fiery scarlet . . . . . 1 6 18 —

*Purple Cloak* . . . . . 1 2 — —

*Striata*, Italian striped . . . . . 1 — 11 10

**Verbena hybrida grandiflora  
(Mammoth)**

	per oz. s. d.	per lb. s. d.
dark scarlet . . . . .	2 9	— —
rose and carmine . . . . .	2 6	— —
white . . . . .	2 6	— —
Firefly . . . . .	2 9	— —
finest colours mixed . . . . .	1 3	15 10

**Verbena hybrida compacta (erecta).**

Candidissima . . . . .	2 —	— —
Dark blue . . . . .	2 —	— —
Défiance . . . . .	3 —	— —
Splendid mixed . . . . .	1 4	19 9

4 *Verbesina virginica*, Dam. 1897. With numerous white flowers . . . . . 1 6 — —

4 *Vernonia arkansana*, Dam. 1898. With very nice purple flowers; splendid for cutting . . . . . — 6 — —

h *Victoria regia* . . . . . 100 seeds 14/6 — — — —

h ⊙ *Vinca rosea*. Madagascar Periwinkle — — — —  
 " " *alba oculata* . . . . . — 9 8 3  
 " " *alba pura* . . . . . — 9 8 3  
 " " *mixed* . . . . . — 8 8 —

4 *Viola cornuta* . . . . . 1 3 — —  
 " " *alba* . . . . . 1 5 — —  
 " " *Admiration* . . . . . 1 6 — —  
 " " *Blue Perfection* . . . . . 1 7 — —  
 " *odorata, semperflorens* . . . . . 1 — 13 10  
 " " *sempreflorens fl. albo* . . . . . 1 8 — —  
 " " " *the Czar* . . . . . 2 — — —  
 " " " *fl. albo* . . . . . 2 — — —

⊙ **Viola tricolor maxima. Pansies.**

Seeds saved from the best flowers only.

All colours mixed . . . . .	— 9	8 9
English show (faced) varieties mixed . . . . .	— 11	11 10
Large-flowered French varieties mixed . . . . .	1 —	13 9
Cassier, three and five blotched giant . . . . .	1 9	23 9
Bugnots largest flowered . . . . .	1 10	25 —
Alba pura (Schneewittchen) . . . . .	— 10	— —
Azure blue . . . . .	— 10	— —
Cardinal . . . . .	1 —	— —
Dark blue . . . . .	— 10	— —
Emperor William . . . . .	— 10	— —
Dr. Faust, pure black . . . . .	— 10	— —
King of the Blacks . . . . .	— 10	— —
Lord Beaconsfield . . . . .	— 10	— —
Meteor, reddish brown . . . . .	— 10	— —
Odier Prize Pansies . . . . .	1 —	— —
Prince Bismarck . . . . .	— 10	— —
Pure yellow . . . . .	— 10	— —
Victoria, red . . . . .	— 10	— —
White, dark centre . . . . .	— 10	— —
Yellow, dark centre . . . . .	— 10	— —

⊙ **Viola tricolor maxima Trimardeau,  
Giant Pansies.**

(Seeds collected from the largest flowers only; quite especially recommended.)

Auriculaeflora . . . . .	1 6	— —
Azure-blue . . . . .	1 9	— —
Emperor William . . . . .	1 6	— —
King of the Blacks . . . . .	1 6	— —
Lord Beaconsfield . . . . .	1 6	— —
Pure yellow . . . . .	1 6	— —
Pure White . . . . .	1 6	— —
White with dark centre . . . . .	1 6	— —



*Zinnia elegans grandiflora laciniata fl. albo pl.*  
Electro 4/5.

Yellow with dark centre . . . . .	1 4	— —
Striata . . . . .	1 6	— —
All colours mixed . . . . .	1 3	15 —
Virginian Stocks, see <i>Cheiranthus maritimus</i> .		
Wallflower, see page 29.		
Water Lily, see <i>Nymphaea</i> .		
h <i>Wigandia imperialis</i> . . . . .	— 8	— —
Woodroof, see <i>Asperula</i> .		
⊙ <i>Xeranthemum annuum superbissimum album fl. pl.</i> . . . . .	— 5	— —
<i>Xeranthemum annuum superbissimum roseum fl. pl.</i> . . . . .	— 5	— —
<i>Xeranthemum annuum superbissimum rubrum fl. pl.</i> . . . . .	— 5	— —
Youth and Old age, see <i>Zinnia</i> .		
<i>Yucca</i> , see page 21.		

⊙ **Zinnia elegans.**

Single flowered mixed . . . . .	— 2	1 9
---------------------------------	-----	-----

⊙ **Zinnia elegans grandiflora plenissima.**

The flowers of our Zinnias are quite enormous, for which they have gained a world wide reputation.

	per oz s. d.	per bl. s. d.
Finest double mixed . . . . .	— 3	2 6
Alba, Atrococcinea, Atropurpurea, Aurea, Carminea, Carnea, Coccinea, Lilacina, Lutea, Rosea each separate . . . . .	— 3	2 9



Zinnia spectabilis miniata.  
Electro 3/3.

**Zinnia elegans pumila (nana Tom Thumb) plenissima.**

Finest mixed . . . . .	— 3	2 8
Alba, Atrococcinea, Aurantiaca, Aurea, Carminea, Coccinea, Purpurea, Rosea, Salmonea, Sulphurea, Violacea each separate . . . . .	— 3	3 —

**Zinnia elegans robusta grandiflora plenissima.**

Double large flowered in splendid mixture . . . . .	— 3	3 2
Alba, Aurea, Atrococcinea, Atropurpurea, Carminea, Carnea, Coccinea, Lilacina, Lutea, Rosea, Salmonea, Violacea each separate . . . . .	— 4	3 7

Zinnia elegans crispo fl. pl. . . . . — 5 4 9

Zinnia elegans fl. pl. "Iris". Contrary to the well known striata form from which our splendid new introduction is absolutely

different, the ground color of the flowers is of a pale yellow, while the petals are striped, spotted and speckled in various shades of carmine, crimson, pink and minium red. The plants grow to a medium height and the flowers measure about 2<sup>1</sup>/<sub>2</sub> inches across.

per oz s. d.	per lb. s. d.
— 5	4

**Zinnia elegans grandiflora laciniata fl. pl., Dam. (Electro.)**

A splendid new class! The petals of the perfect shaped flowers are as is shown in our cut more or less deeply cut, a fact never met before with any Zinnia. The habit of the plant and shape of the flowers is exactly that of the Z. elegans fl. pl.

Alba, Carnea, Carminea, Rosea each separate . . . . .	— 4	4 —
Mixed . . . . .	— 4	3 8



Zinnia elegans pygmaea flore pleno.  
Electro 4/—.

**Zinnia elegans spectabilis fl. pl. Dam. (Electro.)**

The petals of this new class are of a peculiar form, being slightly folded up, forming a kind of canal. The flowers are very large, globe-shaped and most elegant.

Miniata, minium colour . . . . .	— 4	3 7
Cupreata, copper red . . . . .	— 4	3 7

Zinnia elegans pygmaea flore pleno (Electro). An absolutely new dwarf kind of only about 8 inches in height but in spite of this very dwarf habit, of most extraordinary rich flowering. We have had as many as 25 to 30 flowers of about 3 inches in diameter on a single plant, which is certainly remarkable considering its small proportions. The flowers are quite as large and double

	pr. oz. s. d.	pr. lb. s. d.		per oz. s. d.	per lb. s. d.
as those of the old <i>Z. elegans</i> . — This new kind can therefore be quite specially recommended as a border plant.			<i>Zinnia elegans pomponica</i> fl. pl. Liliput, mixed . . . . .	— 5	4 9
Brilliant scarlet, Crimson, White, each separate . . . . .	— 5	4 9	<i>Zinnia Haageana</i> (mexicana) single-flowered . . . . .	— 4	3 7
Mixed . . . . .	— 4	4 —	" " fl. pleno, double . . . . .	— 8	8 —
<i>Zinnia elegans robusta striata plenissima</i> mixed . . . . .	— 5	4 9	" " imbricata plenissima . . . . .	— 8	8 —
" " fl. pl. „ <i>Miniatur</i> “, a dwarf small-flowered, very double, rich flowering kind, finest colours mixed . . . . .	— 6	6 —	" " hybrida . . . . .	1 3	— —
			" Darwini, double . . . . .	— 4	2 9
			Mixed Flower Seeds, annuals cwt. 52/—	— —	— 8
			" " " " suitable for bee feeding . . . . cwt. 90/—	— —	1 6

## XII. Seeds of Ornamental Grasses.

4 = perennial; all others are annual.

	per oz. s. d.	per lb. s. d.		per oz. s. d.	per lb. s. d.
<i>Agrostis nebulosa</i> . . . . .	— 8	6 —	<i>Pennisetum longistylum</i> . . . . .	— 3	2 8
" <i>pulchella</i> . . . . .	— 9	8 6	" <i>violaceum</i> . . . . .	— 3	2 7
4 <i>Arundo conspicua</i> . . . . .	5 3	— —	" <i>macrurum</i> ; a gigantic grass, resembling the <i>Gynerium argenteum</i> . . . . .	— 5	4 10
4 " <i>Donax</i> . . . . .	— 4	4 —			
4 " " fol. var. . . . .	1 —	— —			
4 <i>Briza lutescens</i> . . . . .	— 7	— —			
" <i>maxima</i> (Quaking Grass) . . . . .	— —	1 5			
4 <i>Carex pendula</i> . . . . .	— 5	— —			
4 <i>Coix Lacrymae</i> . . . . .	— —	— 7			
4 <i>Cyperus alternifolius</i> . . . . .	1 9	— —			
" <i>ferox</i> . . . . .	— 9	— —			
" <i>flabelliformis</i> . . . . .	3 6	— —			
" <i>Papyrus</i> . . . . .	2 6	— —			
4 <i>Erianthus Ravennae</i> . . . . .	— 3	2 —			
4 <i>Euchlaena luxurians</i> (Reana Teosinthe) see section V (Grasses) . . . . .	— —	— —			
4 <i>Eulalia japonica</i> ( <i>Miscanthus japonicus</i> ) . . . . .	— 6	6 —			
4 " " <i>zebrina</i> . . . . .	— 9	— —			
4 <i>Festuca glauca</i> . . . . .	1 6	— —			
4 <i>Gymnothrix latifolia</i> . . . . .	— 5	— —			
4 <i>Gynerium argenteum</i> (Pampas Grass) . . . . .	— 5	3 4			
" " <i>jubatum</i> . . . . .	— 10	— —			
4 " " <i>roseum</i> . . . . .	— 5	4 —			
4 <i>Hordeum jubatum</i> (Squirrel Tail Grass) . . . . .	— 3	2 5			
Job's Tears, see <i>Coix Lacrymae</i> .					
<i>Lagurus ovatus</i> (Hare's Tail Grass)	— —	1 3			
Pampas Grass, see <i>Gynerium</i> .					
4 <i>Panicum capillare violaceum</i> Dam. . . . .	— 2	1 9			
4 " <i>plicatum</i> . . . . .	1 —	— —			
4 " <i>sulcatum</i> . . . . .	1 2	— —			
4 " <i>tonsum</i> ; dwarf, lawn-forming with numerous loose spikes, at first dark red, then rose and finally of a silvery colour . . . . .	— 4	3 3			
4 <i>Panicum virgatum</i> . . . . .	— 4	3 2			



*Pennisetum Rueppellianum*.  
Electro 3/3.

*Pennisetum Rueppellianum*, Dam. 1893 (Electro), one of the finest and most graceful grasses, producing a great number of the most lovely spikes . . . . . — 3 2 9

Quaking Grass, see *Briza maxima*.

4 *Scirpus natalensis* . . . . . — 4 4 —

	per oz s. d.	per lb. s. d.		per oz s. d.	per lb. s. d.
4 Stipa elegantissima . . . . .	1 6	— —	Zea japonica gigantea quadricolor		
„ pennata (Feather Grass) . . . . .	— 6	5 3	new. Dam. 1896; a gigantic varie-		
4 Uniola latifolia . . . . .	— 5	4 —	gated-leaved, highly decorative kind and		
Zea gracillima (minima) . . . . .	— —	— 5	much superior to the old Z. jap. vol. var.;		
„ „ fol. var. . . . .	— —	— 6	leaves bright green, silver-white, sulphur-		
„ Caragua . . . . . cwt. 15/—	— —	— —	yellow and rose striped; most effective	— —	— 6
„ japonica fol. var., striped Japanese	— —	— —	Zea tunicata fol. var. . . . .	— —	— 7
Maize . . . . .	— —	— 4			

### XIII. Seeds of Bulbs and Roots.

	per oz s. d.	per lb. s. d.		per oz s. d.	per lb. s. d.
Agapanthus umbellatus . . . . .	— 9	— —	Salmon-coloured 100 seeds 1/9	— —	— —
Brodiaea mixed . . . . .	1 2	— —	Freesia Leichtlini . . . . .	— 3	2 —
Cövallaria japonica . . . . .	— 3	2 —	„ refracta alba . . . . .	— 3	2 —
Cyclamen persicum, fine mixed . . . . .	2 —	— —	„ splendid mixed . . . . .	— 2	1 5
<b>Cyclamen persicum giganteum.</b>			Gladiolus gandavensis, French in splendid.		
(seeds collected from giant flowers only)			varieties mixed . . . . .	— 6	6 —
sanguineum . 1000 seeds 8/—	— —	— —	„ Lemoinei hybridus, best mixed	— 7	6 9
roseum . . . 1000 „ 7/ 3	— —	— —	„ Nanceianus, fine mixed	1 3	15 9
Emperor William 1000 „ 7/ 3	— —	— —	„ European and Asiatic varieties		
Montblanc, pure white			mixed . . . . .	— 3	2 5
1000 seeds 8/—	— —	— —	Hyacinthus candicans (Galtonia) . . . . .	— 2	1 8
universum, white with a red eye			Ixia hybrida, a fine collection mixed . . . . .	— 8	— —
100 seeds 1/—	— —	— —	Lilium auratum, true . . . . .	1 9	— —
1000 „ 8/—	— —	— —	Paeonia sinensis fl. pl., double mixed . . . . .	1 2	13 9
splendid mixed			Ranunculus asiaticus superbissimus fl.		
<sup>1</sup> / <sub>16</sub> oz 1/—; <sup>1</sup> / <sub>8</sub> oz 1/10	12 —	— —	pl. mixed . . . . .	— 3	2 5
Papilio . . . . 100 seeds 4/—	— —	— —	Scilla Clusii . . . . .	— 3	2 6
King of the Blacks 100 „ 2/3	— —	— —	Sparaxis grandiflora . . . . .	— 3	2 9
			Tritoma Uvaria grandiflora . . . . .	— 9	— —
			Tulipa Greigii hybrida, mixed . . . . .	1 3	— —
			„ best sorts mixed . . . . .	— 9	— —

### XIV. Seeds of Cannas.

	per oz s. d.	per lb. s. d.		per oz s. d.	per lb. s. d.
<b>a. Gladioli-flowered.</b>			Beauté Poitevine . . . . .	— 6	— —
Abricot . . . . .	— 4	3 3	Boucharlat aîné . . . . .	— 4	3 3
Ajax, Dam. . . . .	— —	— —	Camille Bernardin . . . . .	— 6	— —
Alkmene, Dam. . . . .	— 7	— —	Ch. Paul, red-leaved . . . . .	— 6	— —
Ami Jules Crétin . . . . .	— 4	— —	Ch. van Geert . . . . .	— 4	— —
Attika, red-leaved . . . . .	— 6	— —	Citoyen de Cronstadt . . . . .	— 3	— —
Auguste Chantin . . . . .	— —	— —	Colonel Denfert, red-leaved . . . . .	— 6	— —
Aurore . . . . .	— 4	3 3	Comte de Bouchaud, yellow . . . . .	— 6	— —
Baronne de Poilly . . . . .	— 4	3 3	„ H. de Choiseul . . . . .	— 4	3 3

	per oz s. d.	per lb. s. d.		per oz s. d.	per lb. s. d.
Comtesse de Bouchaud	— 4	3 3	Panache	— 6	— —
Crozy père	— 5	4 —	Papa Treyve	— —	— —
Cousin Jacob	— 4	3 3	Paolo Radaelli	— 6	— —
Cyclope	— 4	— —	Paul Bruant	— 6	— —
Czar Alexandre III	— 4	— —	Penelope, Dam.	— 6	— —
Daniel Gerard	— 5	— —	Petite Mocotte	— 5	4 —
Duc de Mortemart	— 6	— —	Podere Restelli	— 5	— —
F. Neuwesel, red-leaved	— 6	— —	Perle des Massifs	— 6	4 9
François Morel	— 5	— —	Pregmy	— 5	— —
„ Vuillermet	— 6	— —	Président Chaudon, yellow	— 5	— —
Francisque Morel	— 4	— —	„ Meyer, red-leaved	— 7	— —
Frau Oberbürgermeister Rümelin	— 6	— —	Professor Foster, Dam.	— 5	— —
Fürst Bismarck	— 6	— —	„ Charguérand	— 4	— —
Généreux	— 7	— —	„ J. G. Baker, Dam.	— 6	— —
George d'Harcourt	— —	— —	„ David	— 6	— —
Gloire des marchés	— 5	4 6	„ Rossi, Dam.	— 4	— —
Graf von Turin, Dam.	— 7	— —	Princesse Letizia Dam.	— —	— —
H. Guichard	— 5	4 —	Progression	— 3	3 —
Herzogin Vera	— 8	— —	Red Indian, red-leaved	— 9	— —
Hofgartendirektor Walter, red-leaved	— 7	— —	Reval Massot	— 4	— —
J. Soulayr	— 4	3 3	Rose T. May	— 7	— —
J. D. Cabos	— 4	— —	Secrétaire Chabanne	— 7	— —
Jules Favre	— 4	— —	Sémaphore, red-leaved	— 7	— —
Kaiser Wilhelm	— 6	6 —	Sénateur Montefiore	— 4	3 7
Karl Neubronner	— 6	— —	Souvenir du Capitaine Drujon	— 5	— —
Kronprinz v. Italien, Dam.	— 4	— —	„ de François Gaulin	— 4	3 6
L. Patry	— 5	— —	„ de Madame Nardy	— 5	— —
L. E. Bally	— 4	3 3	Solfatarà, Dam.	— 6	— —
Léon Vassillière, red-leaved	— 7	— —	Stromboli	— 4	— —
Lohengrin	— 5	— —	Thomas S. Ware, red-leaved	— 6	— —
Madagascar	— 5	4 4	Trocadero	— 4	— —
M. J. Goss, red-leaved	— 6	— —	V. Debons	— 8	— —
Madame Ginét	— 6	— —	Venus	— 10	— —
„ H. Riquad	— 6	— —	Vesuvius, Dam.	— 5	4 9
„ Léon Leclerg	— 5	4 —	Vice-Président Luizet	— 7	— —
„ Mériem Lombard	1 3	— —	Victor Gaulin	— 5	— —
„ Oriol	— 5	4 —	Ville de Poitiers	— 5	4 —
„ Oscar Meuricoffre, Dam.	— 4	— —	New large flowered early Hybrids (Crozy) dwarf with green leaves, mixed	— —	2 —
„ Pichon	— 6	— —	New large fl. early Hybrids (Crozy) semi- high and high with green leaves, mixed	— —	2 —
„ Victor Lemoine	— 7	— —	New large flowered early Hybrids (Crozy) with red leaves, mixed	— —	2 9
Marquise A. de l'Aigle	— 4	— —	New large flowered early Hybrids (Crozy) all sorts mixed	— —	2 4
Maurice Grand	— 4	3 3			
„ Rivoire, red-leaved	— 5	— —			
M. Ritton	— 5	4 3			
Max Kolb, red-leaved	— 10	— —			
Mrs. F. Dreer	— 6	— —			
Monsieur Colcombet	— 5	— —			
„ Jarry Desloges	— 6	— —			
Mr. Cleveland	— 4	3 3			
N. Belisso	— —	— —			
Otto Froebel	— —	— —			
			<b>b. Other Sorts.</b>		
			Discolor	— —	2 3
			Flaccida le Roi	— —	1 7
			All sorts mixed	— —	1 8





## XVII. Canna Roots.

In order to offer something special to our friends with whom we are in regular business connection, we had a colored plate made (29×18 inch.) of 20 of our most beautiful Orchid-flowering Cannas representing the flowers in their natural size or rather below it. These varieties are marked \* in our list. This beautiful plate will be sent free of charge to all our customers, and to others on receipt of 6d.

*We only send out strong, sound and undivided roots grown in the open ground, and not delicate and poor specimens obtained by unnatural forcing in the hot-house, a good number of which is invariably destined to perish. Our Cannas will therefore be always preferable even at higher prices to any others. They are packed very carefully and travel quite safely even to very distant countries; we wish it, however, to be understood that they travel on buyer's risk. Canna Roots can be forwarded from October to May, as far as the temperature permits it.*

	1 piece s. d.	10 pieces s. d.	100 pieces s. d.		1 piece s. d.	10 pieces s. d.	100 pieces s. d.
<b>1. Dammann's wonderful Orchid-flowering Cannas.</b>							
<b>1. Season 1899 to 1900.</b>							
Emilia. About 4 feet high. Leaves purple; of strong growth; flowers of a splendid and peculiar scarlet marbled with chamois. . . . .	— 5	3 —	22 —	* Phoebe. About 6 feet high. — Glaucous leaves, luxuriant growth, flowers similar to a Cattleya, very large, sulphur-yellow, turning later on into a whitish yellow; petals spotted carmine, the inner ones more markedly than the outer ones . . .	— 5	2 6	18 —
Romagna. About 4 feet high. Dark brown leaves, flowers of a minium scarlet with some large yellowish stripes; a most free flowering kind. . . . .	— 4	2 6	18 —	Professor Treub. About 4 feet. Broad lanceolate leaves, brown-red, with a dark green hue. Flowers large, minium scarlet striped with salmon-red. Among the red-leaved Cannas this is one of the most striking and beautiful	— 5	3 —	22 —
Sicilia. About 2½—3 feet high. Leaves bright green; of robust growth; flowers very large of a dark chrome yellow the lower petal of which is spotted salmon red. . . . .	— 4	2 6	18 —	* Roma. About 3 to 4 feet and a half. Growth extremely luxuriant, leaves glaucous. Very numerous and large panicles; flowers large with yellow ground flamed salmon-red . . . . .	— 5	2 6	18 —
Umbria. About 4 feet high. Leaves brown with a metallic hue, flowers of a brilliant vermilion with distinct chamois stripes. . . . .	— 7	4 —	32 —	Rhea. About 4 feet. Leaves brown with a metallic hue, flowers of medium size and a brilliant crimson.	— 5	3 —	22 —
<b>2. Season 1898 to 1899.</b>				Trinacria. About 4 feet. Bright green, of luxuriant growth. Flowers very numerous and large, sulphur-yellow, fading later on into a paler yellow. A very pure color. . . . .	— 5	2 6	18 —
Australia. About 4 feet high, leaves dark green with a brown border; flowers very large, salmon-red striped with deep sulphur-yellow; extremely fine . . . . .	— 5	3 —	22 —	<b>4. Season 1896 to 1897.</b>			
<b>3. Season 1897 to 1898.</b>				* Africa. Height about 3 feet, leaves lanceolate, purple, bronzy, striped green with dark green shades. Very large flowers similar to a Cattleya of a rich purple-scarlet, golden yellow and orange inside. A splendid variety. . . . .	— 5	2 6	18 —
* Atalanta. Height about 3 feet. Large greyish-green foliage with a dark border; flowers deep orange carmine and very large; of very rich growth. . . . .	— 5	2 6	18 —	* Alemannia. This kind produces the largest flowers which have been obtained as yet in the way of Cannas. The plant grows about 4½ to 6 feet high. Numerous Musa-like glaucous leaves and wonderful spikes of flowers. The latter are enormous and surpass in size even those of the Canna „Italia“. The outer petals are scarlet with a very broad gold-yellow border. The inside of the blooms is scarlet and dark red. Exceedingly beautiful . . . . .	— 5	2 6	18 —
* Britannia. About 4 feet. Foliage lively green, Musa like, very large flowers with a yellow ground flamed with carmine. Larger than „Italia“. . . . .	— 5	2 6	18 —	* America. Red leaves. Height about 4 to 5 feet. The beautiful foliage is of a bronze color with dark red hues and shining as if the leaves were varnished. The spikes are very large and the flowers enormous, of a very beautiful glowing redpurple flamed and striped . . . . .	— 5	3 —	22 —
Campania. About 6 feet. — Glaucous large leaves; growth extremely rich; flowers large, inner petals chrome-yellow with carmine spots, outer petals sulphur-yellow . . . . .	— 5	3 —	22 —				
* Ch. Naudin. About 4 feet. — Dark green, brown bordered foliage. Very large flowers (about 7 inches in diameter), salmonred, the inner petals are darker . . . . .	— 6	3 —	27 —				
Hellas. About 3 feet. — Lively green, of strong growth and bearing abundant flowers of a canary-yellow color spotted brown-red. . . . .	— 5	2 6	18 —				

	1 piece s. d.	10 pieces s. d.	100 pieces s. d.		1 piece s. d.	10 pieces s. d.	100 pieces s. d.
* Aphrodite. Height about 6 feet. Very rich flowering, broad green leaves, immense trusses of large golden yellow flowers with large spots salmon colour; inner petals entirely salmon colour. Splendid . . . . .	— 5	2 6	18 —	and shining as if varnished. Very large and regular flowers similar to „Austria“, of a brilliant yellowish carlet. Unique for its beauty. . . . .	— 6	4 3	36 —
Asia. Height about 3 feet. Numerous stalks, dark green foliage, very effective. Very large regular flowers of a rich golden yellow. Inner petals dotted scarlet. Splendid . . . . .	— 5	3 —	22 —	* Oceanus. Height about 3 feet, lanceolate leaves bright green. Very large panicles. Flowers yellow red spotted. Inferior petals almost quite red. Remarkably beautiful . . . . .	— 5	2 3	18 —
* Bavaria. Height about 3 feet. Leaves large, green, with a blueish hue. Very large spikes and flowers of a brilliant golden yellow covered all over with scarlet spots. Quite unique and extremely handsome . . . . .	— 5	2 6	18 —	* Pandora. Height about 3 feet and more. Lanceolate purple leaves with a metallic hue and dark green stripes. Very large spike; enormous flowers of a glowing fiery red, dark red outside. The borders and the inside are gold flamed. An extraordinary beautiful variety . . . . .	— 5	2 6	18 —
Borussia. Height 3 to 4 feet. Broad bright green leaves. Enormous spikes, very large flowers, not so large however as those of „Italia“, of a shining canary-yellow with a golden yellow hue and small fiery red spots. Extremely handsome . . . . .	— 5	2 6	22 —	* Parthenope. Height about 3 feet, broad pointed sea-green leaves. Ramified stalk, enormous spikes of flowers of a vivid dark orange-yellow difficult to define, and not observed in Cannas as yet . . . . .	— 5	2 6	18 —
Burgundia. Height 3 feet. Large glaucous leaves, very large spikes, enormous flowers resembling an expanded Cattleya, of a brilliant golden yellow with rich scarlet spots, golden yellow in the centre and fiery red flamed. A marvel of beauty . . . . .	— 5	2 6	18 —	Perseus. Height about 3 feet. Broad glaucous green foliage, numerous stalks. Trusses of immense flowers of a pure canary-yellow with scarlet pencillings in the inside. A magnificent variety, very rich flowering and lasting . . . . .	— 5	2 6	18 —
* Edouard André. Bushy plant, about 3 feet high. Stalks dark red, broad leaves, short, and dark spotted on the back. Well ramified stalk, spikes bearing 9 to 12 very large flowers of a bright fiery red with orange yellow spots like sparks, long dark red buds of greenish hue. A kind of sterling merit . . . . .	— 5	2 6	18 —	* Pluto. Height about 3 feet. Numerous stalks with a splendid purple-red foliage. Large and beautiful scarlet-purple flowers flamed with red inside . . . . .	— 5	3 —	26 —
* H. Wendland. Height about 4 feet. Very broad beautiful green leaves. Very large trusses of large flowers, outer petals scarlet with a golden yellow border, quite fiery red inside and yellow in the centre. It is one of the best of this class . . . . .	— 5	2 6	18 —	* Suevia. Height about 3 feet. Leaves Musalike, slender stalks. Very large flowers of a pure canary-yellow, satiny, and bronzed inside. Bractees bronzed. Splendid . . . . .	— 5	2 6	22 —
Heinrich Seidel. Height about 3 feet. Green Musalike leaves with a light glaucous hue. Very large panicles. Very large and numerous flowers of a vivid fiery red with a yellow border spotted with purple. A great beauty. . . . .	— 5	3 —	22 —	Wilhelm Beck. Height about 6 feet. Broad green leaves, immense trusses of sulphur yellow flowers with scarlet red pencillings. Inner perigon scarlet red. A very remarkable variety. . . . .	— 5	2 6	18 —
Iberia. Height about 3 feet. Glaucous leaves, very large panicles. The large flowers are Cattleya-like. Outer petals golden yellow with a red border. Inner petals crimson, very beautiful . . . . .	— 5	2 6	18 —	5. Season 1895 to 1896.			
* Kronos. Height about 3 feet. Broad seagreen leaves, slender stalk, very large panicles. Very large flowers of a rich sulphur-yellow all spotted in red. An extremely fine form. . . . .	— 5	2 6	18 —	Austria . . . . . 1000 pieces 70/—	— —	— 9	7 —
* La France. About 4 feet high. Numerous stalks. Broad lanceolate leaves, very large, of a splendid purple				Flowers very large, canary yellow; centre spotted red.			
				Italia . . . . . 1000 pieces 90/—	— —	1 —	9 —
				Enormous panicles of scarlet flowers with a yellow border. Magnificent.			
				The whole assortment, introductions of 1895 to 1900			
				1 root of each. . . . . 14/—			
				12 kinds of our selection 3/9			
				Orchid-flowering Cannas mixed	— 2	1 3	9 —
				1000 roots 70/—			
				American sorts.			
				Burbank, lemon-yellow changing into white . . . . .	— 5	2 6	18 —
				Mrs. Kate Gray, orange-scarlet, flowers very large . . . . .	— 5	3 2	2 6

	1 piece s. d.	10 pieces s. d.	100 pieces s. d.		1 piece s. d.	10 pieces s. d.	100 pieces s. d.
<b>2. Gladioli-flowered Cannas. (Dammann.)</b>							
Introductions of 1899 to 1900.							
Nero. About 3 feet high, the beautiful foliage is of a dark brown red, stems of a whitish hue flowers of a rich cherry red . . . . .	— 10	7 —	— — —				
Paestum. About 3 feet high, large green leaves, flowers light chrome yellow with regular vermilion spots. Very large spikes . . . . .	— 5	3 —	26 —				
Solfatara. About 3 feet high. light green foliage large flowers of a beautiful orange color with carmine reflex . . . . .	— 8	5 6	— — —				
Toledo. About 3 feet and 1/2; leaves green; enormous minium red flowers, often with a light golden edge . . . . .	— 10	9 —	— — —				
Introductions of 1838.							
Capri. Height about 1 foot. Glauous leaves, very large salmon-scarlet flowers slightly spotted with yellow . . . . .	— 6	4 4	— — —				
Ischia. Height about 1 1/2 feet. Leaves vivid green, flowers sulphur-yellow upon which appear when they begin to fade, large vermilion spots . . . . .	— 5	3 —	22 —				
Minerva. Height 3 feet. Dark green foliage; large trusses of very large cinnabar red flowers. a new and grand rich flowering variety . . . . .	— 8	6 —	— — —				
Professor Rossi. About 2 feet high, dark green foliage turning to brown. Very large trusses of salmon-red flowers. Of great value for cutting purposes . . . . .	— 5	3 6	— — —				
Sultana. Height about 3 feet. Glauous foliage with a greyish tinge. Flowers canary-yellow with numberless vermilion spots. A very remarkable colour . . . . .	— 5	3 6	30 —				
Introductions of 1836.							
Adonis. About 2 feet high, laeves green with a brown border; flowers blood-red . . . . .	— 4	3 —	— — —				
Aetna. About 3 feet; leaves very dark red, flowers crimson and purple . . . . .	— 4	3 3	28 —				
Ajax. About 2 feet; leaves green; flowers wax-yellow with rosy spots. . . . .	— 4	3 3	28 —				
Alkmene. About 3 feet. Leaves green; flowers orange with a golden yellow border . . . . .	4	3 —	26 —				
Arethusa. About 1 foot 1/2. Leaves green; flowers very large, sulphur-yellow, changing afterwards into a bright salmon colour; inside dark red; new colour. . . . .	— 10	— — —	— — —				
Count of Turin. About 2 feet. Leaves glauous, flowers very large, fire-red, dark red striped with a yellow border, centre blood-red. . . . .	— 4	3 —	26 —				
Queen of Italy. About 2 feet. Leaves large, green. Panicle enormous; flowers very large, dark scarlet with a broad golden border; finer than Queen Charlotte . . . . .	— 8	— — —	— — —				
Crown-Prince of Italy. About 3 feet. Leaves glaucous; flowers very large, dark scarlet; most beautiful . . . . .	— 6	4 6	— — —				
Princess Helena of Montenegro. About 3 feet. Leaves green, flowers very large, salmon-red, striped and bordered with golden yellow; petals round; magnificent . . . . .	— 8	— — —	— — —				
Princess Laetitia. About 3 feet. Leaves Musa-like. Panicle enormous, flowers large, bright fire-red, dark red flamed and yellow bordered. Splendid . . . . .	— 4	3 —	— — —				
Stromboli. About 2 feet. Leaves glaucous; flowers very large, red and bright scarlet, fire-red in the centre. Very fine. . . . .	— 4	3 —	26 —				
<b>3. Gladioli-flowered Cannas of different raisers.</b>							
Best introductions of the last years.							
<b>a. Green-leaved.</b>							
Alsace, pale sulphur-yellow . . . . .	— 3	2 3	18 —				
Ami Jules Chrétien, salmon-scarlet and yellow . . . . .	— 3	2 3	18 —				
Anna Ernst (1899), canary-yellow, crimson spotted . . . . .	— 11	— — —	— — —				
Architecte Mouren, salmon, golden border . . . . .	— 8	6 —	— — —				
Auguste Chantin, copper-red, bright flamed . . . . .	— 8	6 —	— — —				
Auguste Nonin . . . . .	— 10	7 —	— — —				
Baronne de Poilly, salmon . . . . .	— 3	2 6	22 —				
Candeur, cream-yellow changing into white . . . . .	— 9	7 6	— — —				
Ch. Molin (1900), salmon-orange, crimson spotted . . . . .	— 5	3 —	26 —				
Citoyen de Cronstadt, chrome-yellow, crimson spotted . . . . .	— 5	3 —	26 —				
Claude Fichet, brown-red with dark-red, large flowered . . . . .	— 11	— — —	— — —				
Comtesse de Bouchaud, salmon, crimson spotted, yellow border . . . . .	— 5	3 —	26 —				
Coronet, chrome-yellow . . . . .	— 6	4 5	— — —				
Cyclope, fiery blood red, very large flowered . . . . .	— 3	2 8	22 —				
Czar Alexander III, bright scarlet . . . . .	— 4	3 6	— — —				
Daniel Gerard, crimson, dark crimson flamed, golden-bordered . . . . .	— 5	2 6	21 —				
François Vuillermet, brilliant granate-red, very large flowers . . . . .	— 5	2 6	21 —				
Franz Buchner, orange with mauve-hue and yellow border . . . . .	— — —	— — —	— — —				
Frau Bremermann, dwarf, compact, flowers large, scarlet with golden yellow border and spots . . . . .	— — —	— — —	— — —				
Fürst Bismarck, splendid scarlet with a dark red hue and undulated petals . . . . .	— 5	3 —	— — —				
Généreux, vermilion, very large flowers . . . . .	— 9	7 —	— — —				

	1 piece		10 pieces		100 pieces			1 piece		10 pieces		100 pieces	
	s.	d.	s.	d.	s.	d.		s.	d.	s.	d.	s.	d.
Goliath, very large flowers, bright amaranth-coloured . . . . .	—	8	6	—	—	—	Philippe Rivoire, very large flowers, crimson-rose marbled carmine with a yellow border . . . . .	—	—	—	—	—	—
G. O. Quintus, bright yellowish red, crimson edged . . . . .	1	5	—	—	—	—	Poète, flowers whitish . . . . .	1	4	11	6	—	—
Gustave Grünwald . . . . .	—	10	7	—	—	—	Reichskanzler Fürst Hohenlohe, very large flowers, bright lemon yellow, large undulated petals . . . . .	—	8	—	—	—	—
Hans Werdmüller, leaves dark green, changing into brown, flowers very large, orange-red with a carmine hue	—	8	6	3	—	—	Riese von Stuttgart (Giant of Stutt- gart) flowers enormous of a brilliant vermilion with a lilac hue and yellow border . . . . .	—	—	—	—	—	—
Henry Cannell, dwarf, numerous spikes, flowers large, vermilion dark red with a large golden yellow border . . . . .	—	7	5	6	—	—	Roi des Rouges, bright crimson . . . . .	—	5	3	6	—	—
Herzogen Vera (1900), pale sulphur yellow, very large flowered . . . . .	—	7	5	6	—	—	Rose T. May, bright crimson . . . . .	—	4	2	8	22	—
Hofgarten-Director Wendland . . . . .	—	6	4	—	—	—	Secrétaire Chabanne, salmon-crimson	—	5	3	6	—	—
J. Colette-Ronchaine (1900), lively pomegranate colour, very large flowers	—	11	—	—	—	—	Souvenir du Capitaine Drujon, canary-yellow, orange spotted . . . . .	—	4	2	8	22	—
Jeanne Schmidt, bright rose, slightly, crimson spotted, with a pale yellow border . . . . .	—	6	4	—	35	—	Souvenir de A. Chargueraud, of a splendid granate-red, striped red . . . . .	—	—	—	—	—	—
L. Patry, of middle height; green leaves, very large flowers of a beautiful ver- milion with darker spots and a yellow edge . . . . .	—	5	3	8	—	—	Souvenir de Madame Crozy, bright red . . . . .	—	—	—	—	—	—
Léon Pépin Lehalleur, crimson . . . . .	—	—	—	—	—	—	Souvenir de Madame Nardy, very large flowers. chrome-yellow spotted carmine, very fine . . . . .	—	5	3	—	25	—
Madame Chabanne, rose . . . . .	—	6	4	6	—	—	Venus (1900), yellowish white . . . . .	—	11	—	—	—	—
„ H. Riquad . . . . .	—	6	4	6	—	—	V. Debons, flowers large and numerous, currant-red, striped . . . . .	—	6	4	6	—	—
„ Léon Leclerq, salmon, golden border . . . . .	—	5	3	6	31	—	Vice President Luizet, cherry-red . . . . .	—	5	3	8	—	—
„ Legris, chrome-yellow, brown, spotted . . . . .	—	3	2	6	21	6	Victory (Century) 1900, orange scarlet with yellow border . . . . .	—	—	—	—	—	—
„ Louis Druz, brilliant purple . . . . .	—	5	3	—	26	—	Ville de Poitiers, chrome-yellow, very large flowers, splendid . . . . .	—	3	2	6	—	—
„ Pichon, lemon-yellow, scarlet spotted . . . . .	—	6	4	6	—	—	Wilhelm Bofinger, flowers fiery dark red, velvety . . . . .	—	6	4	—	—	—
„ Victor Lemoine, pure yellow with brown stripes; a very rare colour . . . . .	—	5	3	9	—	—	William Bull (1900), lively cerise . . . . .	—	—	—	—	—	—
„ Meriem Lombard, whitish . . . . .	—	6	4	6	—	—							
Madagascar, salmon-orange and rose- lilac . . . . .	—	5	3	9	—	—	<b>b. Red-leaved.</b>						
Marigold, orange . . . . .	—	4	2	9	—	—	Arthur William Paul (1900), dark orange spotted carmine . . . . .	—	11	7	—	—	—
Memory of Queen Charlotte . . . . .	—	11	—	—	—	—	Attika, bright crimson . . . . .	—	6	4	3	38	—
Michel Favrichon, very rich flowering, dark salmon, spotted red with a yellow border . . . . .	—	—	—	—	—	—	Ch. Paul, salmon . . . . .	—	6	4	6	—	—
Miss Amy Ker (1900), creamy white turning white . . . . .	1	3	—	—	—	—	Count Waldersee, minium orange-red, very large . . . . .	—	11	—	—	—	—
Mrs. F. Dreer, canary-yellow, salmon spotted . . . . .	—	5	3	3	26	—	David Harum, vermilion scarlet spotted carmine . . . . .	1	3	10	6	—	—
Mr. Colbombet, canary-yellow and red	—	5	3	3	26	—	Floréal, leaves very dark; flowers garnet- red, very large . . . . .	—	6	4	6	—	—
Mr. Jarry-Desloges, very large flowers, dark red with a brighter hue and crimson stripes . . . . .	—	5	3	—	25	—	German Crown-Prince (red-leaved Goliath), flowers of a fiery amaranth- red . . . . .	—	11	—	—	—	—
Modèle, crimson and carmine . . . . .	—	—	—	—	—	—	Gouverneur von Zimmerer, bright orange and dark-red . . . . .	—	7	—	—	—	—
Panache, crimson . . . . .	—	5	3	—	26	—	Grossherzog Ernst Ludwig (1900), scarlet orange . . . . .	—	11	—	—	—	—
Papa Canna, salmon-red . . . . .	—	6	4	9	—	—	Hermann Fischer, leaves musa-like, flowers fiery minium orange and carmine . . . . .	1	4	—	—	—	—
„ Treyve, orange . . . . .	—	6	4	9	—	—	Hofgärtner Stiegler, carmine purple, large flowered . . . . .	—	11	—	—	—	—
Petite Mocotte, crimson-rose, chamois flamed with a yellow boder . . . . .	—	4	2	9	22	—							

	1 piece s. d.	10 pieces s. d.	100 pieces s. d.		1 piece s. d.	10 pieces s. d.	100 pieces s. d.
Hofgarten Director Walter, brilliant purple red . . . . .	— 6	4 —	36 —	M. Ritton. . . . .	— 3	1 9	— —
Le Deuil (1900), velvety dark purple	1 4	— —	— —	Madame Ginot . . . . .	— 2	— 9	5 6
Léon Vassilière, bright granate-red, very fine . . . . .	— 5	3 —	27 —	Mr. Cleveland . . . . .	— —	— 8	4 6
Max Kolb (1899), salmon orange . . . . .	— 5	3 —	27 —	Paul Bruant . . . . .	— 2	1 3	10 6
Memory to Prince Bismarck, brilliant carmine vermilion . . . . .	— 11	— —	— —	Paul Marquant . . . . .	— —	— 8	4 6
Mrs. Geo A. Stöhlein, leaves light brown, flowers bright amaranth, very large . . . . .	— 10	7 —	— —	Paolo Radaelli . . . . .	— 3	1 9	— —
Oscar Dannecker (1899), dark canary yellow . . . . .	— 7	5 —	44 —	Penelope Dam. . . . .	— 3	2 3	18 —
President Meyer, cerise carmine, very large flowered . . . . .	— 7	5 —	44 —	Perle des Massifs . . . . .	— 3	1 9	14 —
President de Péronne, leaves brown-red, flowers vermilion-orange, darker marbled . . . . .	1 4	— —	— —	Podere Restelli . . . . .	— 3	2 3	— —
Red Indian (1900), pure cerise carmine	— 10	7 —	— —	Prof. David . . . . .	— 2	— 9	5 6
Sémaphore, brilliant orange yellow . . . . .	— 7	5 3	— —	J. G. Baker Dam. . . . .	— 3	1 6	12 5
Stadtrath Heidenreich, vermilion . . . . .	— 6	4 6	— —	R. Brand, rose . . . . .	— 2	— 9	5 3
W. Atlee Burpee, magenta . . . . .	— 10	7 —	— —	Rose Unique . . . . .	— 2	1 3	— —
				Sophie Buchner . . . . .	— 2	1 3	9 —
				Trocadero . . . . .	— 2	— 8	4 4
				Vesuvius Dam. . . . .	— 2	1 3	10 6
<b>4. Gladioli-flowered early</b>				<b>c. Green-leaved, semi-high with yellow, red striped and spotted flowers.</b>			
<b>a. Some older fine sorts for forcing.</b>				Splendid for pot-culture and for cutting.			
Colonel Denfert, red-leaved . . . . .	— —	— 8	4 6	Ami Pichon . . . . .	— 2	1 3	— —
Duc de Mortemart . . . . .	— —	— 11	8 —	Aurore . . . . .	— 2	— 8	4 5
Guillaume Couston . . . . .	— —	— 8	4 6	Baronne de Sandrans . . . . .	— 2	— 8	4 5
J. Cordieux, red-leaved, dwarf . . . . .	— —	— 11	— —	Comte de Bouchaud . . . . .	— 3	1 10	14 —
Revol Massot, dwarf . . . . .	— —	— 8	6 —	Crozy père . . . . .	— 3	1 10	14 —
				Docteur Vergely . . . . .	— 2	— 10	6 7
				George d'Harcourt . . . . .	— 3	— —	— —
<b>b. Green-leaved, red-flowered.</b>				Hofgardendirector Pfister . . . . .	— 3	1 9	— —
Semi-high; splendid for pot culture.				J. Soulayr . . . . .	— 2	1 3	— —
Alphonse Bouvier, . . . . .	— 2	1 7	— —	L. E. Bally . . . . .	— 2	— 8	5 3
Boucharlat aîné . . . . .	— 3	1 9	14 —	Mad. Oriol . . . . .	— 2	— 8	4 5
Camille Bernardin . . . . .	— 3	1 9	13 6	Pierret Biorlet . . . . .	— 3	1 9	— —
Cousin Jacob . . . . .	— 2	— 11	8 —	Pregmy, golden-yellow . . . . .	— 2	— 8	4 5
Ch. Pallice . . . . .	— —	— —	— —	Président Chaudon . . . . .	— 2	1 3	— —
Ch. Henderson . . . . .	— 2	1 7	— —	Prof. Foster Dam. . . . .	— 2	1 3	8 9
Ch. van Geert . . . . .	— 2	— 11	8 —	Progression . . . . .	— 2	— 8	5 3
Colonel Vaillard . . . . .	— 3	2 3	— —	Sénateur Montefiore . . . . .	— 2	— 8	5 3
Comte H. de Choiseul . . . . .	— 3	1 9	14 —	Souv. de Mr. Gaulin . . . . .	— 2	— 8	4 5
Emile Barré . . . . .	— 3	1 9	13 6				
Explorateur Crampbel . . . . .	— —	— 8	4 5	<b>d. Green-leaved, all colours of red, very dwarf, all very rich-flowering.</b>			
Frau Oberbürgermeister Rümelin . . . . .	— 4	2 3	18 —	Abricot . . . . .	— 3	1 10	14 —
Ferdinand Lombard Dam. . . . .	— —	— 8	4 6	Beauté Poitevine . . . . .	— 3	1 10	15 —
Francisque Morel . . . . .	— —	— 8	4 6	Bonne Etoile . . . . .	— 2	— —	— —
Françoise Crozy . . . . .	— —	— 8	4 6	C. Buisson . . . . .	— 2	— 8	— —
Gartendirector Siebert . . . . .	— 2	— 10	6 3	Ed. Mieg . . . . .	— 2	— 10	7 —
G. Sennholz . . . . .	— 2	1 2	8 9	Général Baron Berge . . . . .	— —	— 8	— —
Gloire des Marchés . . . . .	— 3	1 9	13 6	Ingénieur Pérache . . . . .	— 2	— 11	— —
H. Guichard . . . . .	— 3	1 9	— —	Königin Charlotte . . . . .	— 5	8 7	— —
Jules Favre . . . . .	— 2	— 11	8 —	Lohengrin . . . . .	— 2	1 3	— —
Kaiser Wilhelm . . . . .	— 2	— 9	5 6	Louis van Houtte . . . . .	— 4	2 3	— —
Karl Neubronner . . . . .	— 3	1 9	13 6	Madame Crozy . . . . .	— 4	2 3	— —
Lafayette . . . . .	— 2	1 3	10 6	„ Oscar Meuricoffre Dam. . . . .	— 2	— 8	4 5
				Marquise Arthur de l'Aigle . . . . .	— 2	— 8	— —
				Maurice Grand . . . . .	— 2	— 11	8 —

	1 piece s. d.	10 pieces s. d.	100 pieces s. d.		10 pieces s. d.	100 pieces s. d.	1000 pieces s. d.
Maurice Musy . . . . .	— 2	— 11	8 —	<b>g. The above Gladioli-flowered Cannas mixed.</b>			
Otto Froebel . . . . .	— 2	1 3	— —		Crozy's yellow-flowered, mixed	— 5	3 3 26 —
Princesse de Brancovan . . . . .	— 5	— —	— —		red-flowered, mixed	— 7	5 — 44 —
Professeur Changuerand . . . . .	— —	— 9	4 5		red-leaved mixed	1 —	8 — — 70
Souvenir d'Antonin Crozy . . . . .	— —	— —	— —		all sorts mixed	— 5	3 — 26 —
<b>e. Red-leaved and red-flowered.</b>				<b>5. Iridiflora Hybrids</b> a splendid class for groups.	1 piece s. d.	10 pieces s. d.	100 pieces s. d.
Admiral Avellan . . . . .	— 3	1 2	8 9		Iridiflora Ehmannii . . . . .	— 2	— 11
B. de Jussieu . . . . .	— 2	— 10	6 7	" Guttermannii . . . . .	— 2	1 3	— —
Ch. Souchet . . . . .	— 2	— 10	6 7	<b>6. Older sorts, red-leaved.</b>			
Doyen Jean Sisley . . . . .	— —	— 10	7 —	Alégatière . . . . .	— —	— 5	8 —
E. Renan . . . . .	— 3	— 11	8 —	Coquette, splendid, rich-flowering . . . . .	— —	— 5	3 9
F. Neuwesel . . . . .	— 2	— 11	8 —	Discolor . . . . .	— —	— 5	3 —
Godefroy-Lebœuf . . . . .	— 3	1 9	— —	Sanguinea . . . . .	— —	— 5	3 —
Henry A. Dreer . . . . .	— 3	1 8	— —	Sénateur Millaud, splendid . . . . .	— —	— 5	3 —
J. D. Cabos . . . . .	— 3	1 9	13 3	Mixed, red-leaved . . . . .	— —	— 5	3 —
J. Cordieux . . . . .	— 2	1 3	10 6	<b>7. Older sorts, green-leaved.</b>			
Laforcade . . . . .	— —	— 7	— —	Brenningsii fol. var., splendid kind with green, white striped leaves, in no way inferior to the C. indica var. so much spoken of . . . . .	— —	— 6	— —
Légionnaire . . . . .	— 2	— 11	— —	Mixed, green-leaved . . . . .	— —	— 2	2 —
Louis de Mérode . . . . .	— 2	— 11	8 —				
M. J. Goss . . . . .	— 2	— 8	5 3				
Maurice Rivoire . . . . .	— 2	— 8	5 3				
Nardy père . . . . .	— 2	— 8	— —				
Paul Lorenz . . . . .	— 2	— 11	— —				
Président Carnot . . . . .	— 3	1 3	8 9				
Secrétaire Nicolas . . . . .	— 3	1 9	— —				
Th. S. Ware . . . . .	— 3	1 9	— —				
Victor Gaulin . . . . .	— —	— 8	4 5				
<b>f. Yellow-flowered dwarf.</b>							
Mad. A. Blanc . . . . .	— 4	— —	— —				

## XVIII. Bulbs and Roots.

Almost all of them can be joined in dry state to any other orders for seeds.

	10 pieces s. d.	100 pieces s. d.		10 pieces s. d.	100 pieces s. d.
Agapanthus umbellatus per 1000 72/—	1 —	8 —	Crinum abyssinicum, 1 <sup>st</sup> size . . . . .	3 6	30 —
Amaryllis formosissima (Sprekelia) . . . . .	2 —	16 —	" " 2 <sup>nd</sup> " . . . . .	3 —	25 —
" Graveana (Hyppeastrum) . . . . .	7 —	60 —	" capense (Amaryllis longifolia) per 1000 60/—	1 —	7 6
Begonia hybrida gigantea, single, all colours mixed	1 —	9 —	" erubescens . . . . .	6 —	56 —
" " double	1 —	9 —	" hybr. Todoraë . . . . .	4 —	35 —
per 1000 80/—	1 —	9 —	" lineare . . . . .	1 2	8 9
" " per 1000 124/—	1 6	13 6	" Mac Owani, very fine . . . . .	8 6	76 —
Calla aethiopica . . . . .	1 3	12 —	" Powellii . . . . .	4 6	— —
" " compacta . . . . .	1 6	14 —	" pratense . . . . .	1 —	8 9
" " gigantea . . . . .	3 —	26 —	" Yemense . . . . .	5 —	44 —
" " Little Gem	— 9	5 —	Cyclamen neapolitanum per 1000 26/—	— 4	3 6
per 1000 40/—	— 9	5 —	" repandum per 1000 26/—	— 4	3 6
Chlidanthus Ehrenbergii . . . . .	— 6	4 —			

	10 pieces s. d.	100 pieces s. d.		10 pieces s. d.	100 pieces s. d.
Gladiolus Childsi, a new class, with very large flowers . . . . .	1 3	9 6	Hemerocalis Mac Leana (Ismere) . . . . .	1 2	8 9
" Gandavensis, best sorts mixed			" undulata ( " ) . . . . .	1 —	7 —
per 1000 56/—	— 9	6 6	Iris germanica, mixed per 1000 11/—	— 2	1 4
" " Brenchleyensis			" stylosa . . . . . per 1000 22/—	— 5	3 —
per 1000 44/—	— 8	5 —	" " alba . . . . . " 1000 26/—	5 —	3 3
" Lemoinei, best hybrids			" " angustifolia " " 22/—	— 5	3 —
per 1000 44/—	— 8	5 6	" " speciosa . . . . . " " 26/—	— 5	3 3
" Nanceianus, best sorts mixed			Kniphofia (Tritoma) best sorts mixed . . . . .	1 4	10 6
per 1000 70/—	1 —	8 —	Lycoris . . . . .	— —	— —
Gloxinia, mixed . . . . . per 1000 120/—	1 8	13 —	" radiata . . . . .	1 3	10 6
Habranthus coccineus . . . . .	1 9	13 3	" squamigera . . . . .	3 —	26 —
Hemerocallis aurantiaca major . . . . .	4 —	35 —	" Terracciani . . . . .	3 3	26 —
" fulva . . . . .	— 10	7 —	Nerine undulata . . . . .	3 —	23 —
" Mittendorffiana . . . . .	1 3	10 6	Pancreatium maritimum . . . . .	— 5	3 6
" Thunbergi . . . . .	— 10	6 —	Phaedranassa chloracea . . . . .	1 3	10 6
" concinna . . . . .	2 —	16 —	Rhodea japonica . . . . .	1 3	10 6
" Harrisiana . . . . .	1 3	10 6	" " fol. var. . . . .	3 6	30 —
" lacera . . . . .	2 —	16 —	Zephyranthes Atamasco per 1000 26/—	— 5	3 —
			" candida . . . . .	— 3	2 6
			" tubispatha per 1000 17/6	— 3	2 —

## XIX. Asparagus-Plants.

	10 pieces s. d.	100 pieces s. d.	1000 pieces s. d.		10 pieces s. d.	100 pieces s. d.	1000 pieces s. d.
Acutifolius, evergreen, slightly climbing very suitable for decorative purposes	— 6	3 —	26 —	quick growth, splendid for decorating purposes, very much recommended	4 —	35 —	— —
Decumbens, a fine sort, climbing only ab <sup>t</sup> 3 feet high . . . . .	4 6	— —	— —	Sprengerii Rgl. Dam.			
Lucidus, a fine kind, standing the winter well with us; resembles somewhat the A. Sprengerii . . . . .	4 6	— —	— —	plants of 1 year from the open ground	— 4	2 3	18 —
Plumosus, strong plants . . . . .	2 6	18 —	— —	" " 2 years " " " " "	— 6	3 3	27 —
" nanus . . . . .	4 3	36 —	— —	" " 2 " grown in pots . . . . .	1 3	9 —	— —
" superbus, a new kind of				" " 3 " from the open ground	— 9	6 —	52 —
				" " 3 " grown in pots . . . . .	3 —	26 —	— —
				" " 4 " " " " " " . . . . .	5 6	— —	— —
				stronger plants according to the size from 1/6 to 8/— each			

## XX. Aspidistra.

We can furnish sound and well-rooted plants from October to April; they are grown in the open ground and will be furnished without soil; they must, however, be sent by the quickest way possible. The plants will be packed very carefully in moss and cases, in order to prevent the leaves from getting damaged; they will, however, not all be ready for sale and part of them must be grown again in pots. The plants are undivided. Of course the plants with striped or spotted leaves produce sometimes also some leaves that are only slightly variegated or even green, which, as they belong to the plant, cannot be taken off and must consequently be charged as variegated ones. The plants are sent of course at buyer's risk, they are, however, packed so carefully that in our opinion they will stand well, even a prolonged journey. By parcel post we can forward baskets of 11 Lb. weight containing about 80 to 100 leaves for trial, but these will not give an exact idea of the quality, as large plants cannot for their size be sent as parcels.



Aspidistra.  
Electro 3/3.

	100 leaves		1000 leaves	
	s.	d.	s.	d.
Aspidistra elatior, green . . . . .	10	—	86	—
"    "    fol. var. . . . .	19	—	—	—

## XXI. Fruits of Lagenaria vulgaris.

These highly interesting fruits of many interesting shapes are not yet sufficiently known, although they are a most attractive object for show-windows, and at the same time a very salable article. The very often really gigantic fruits, for instance those of the Hercules club, are so decorative that they sell very readily, and there is no kind that is not highly decorative.

Assortment of 12 sorts . . . . . 8/—.

## XXII. Cycas revoluta.

Small sound and good trunks (bulbs detached from the mother plant) grown here and therefore much better adapted to grow freely than those imported from warmer countries.

12 to 14 in. circumference . . . . .	10 <sup>d</sup>	each
8 " 10 " " " . . . . .	8 <sup>d</sup>	"
6 " 8 " " " . . . . .	7 <sup>d</sup>	"

## XXIII. Raphia.

Best quality, very long, in original bales of about 2 cwt., per cwt. 38/—; smaller quantities —/5 per lb. Prices variable.

For larger quantities special prices will be quoted on application.



## XXIV. Fruit Trees and Cuttings.

A special list of the best Italian kinds containing all that is worth being offered will be forwarded to our correspondents upon application.

## XXV. Pictorial Seed Pockets.

All drawn from nature and artistically executed.—Empty.

### A. Vegetable Seeds, abt 4 × 2½ in.

If requested we shall have the firms' name printed on them, when several thousands are ordered at a time, at the rate of 1/9 per thousand.

Orders for at least 1000 per sort will be forwarded direct by our German Printer at 7/6 per 1000. Smaller quantities per sort will be sent by ourselves at 1/2 per 100. Less than 10 per sort will not be sold.

1	Basil, sweet green.	68	Lutuce, Cabbage, Nonpareil.
79	Beans, dwarf wax flageolet.	65	" " Rudolph's Favourite.
77	" " Crimson flageolet.	69	" " spotted (Trout).
78	" " Hinrichs speckled giant.	15	" " Stubborn-headed, large yellow.
79	" " Golden Butter Wax.	71	" " " " new brown.
46	Beet, Egyptian turnip, red.	70	" " Winter, Silverball.
80	Borecole curled dwarf green.	72	" " for picking, American brown curled.
81	" " " " purple.	25	Onion, Zittau, giant yellow.
22	Cabbage, Brunswick, large Drumhead.	23	Parsley, moss curled.
52	" " Winnigstadt.	29	" " turnip rooted, short.
30	Carrot, French early forcing.	24	Parsley, turnip long.
83	" " Early stump rooted Dutch.	57	Radish, early scarlet white tipped.
3	" " Nantes, early half-long scarlet.	98	" " half long scarlet.
6	Cauliflower, Erfurt earliest dwarf.	33	" " Winter, black round.
91	" " Veitch's autumn Giant.	56	Scorzoner, common.
7	Celeriac, apple-shaped.	11	Swede, white fleshed.
40	Cucumber, long green of Erfurt.	10	" " yellow green top.
41	" " very " " " "	90	" " purple top.
17	Endive, moss curled.	19	Tomato, large red.
44	Kohl-Rabi, purple very early Vienna.	39	Leek, Summer.
49	" " white very early Vienna.	38a	" " Carantan.
67	Lettuce, Cabbage, All the year round.	93	Turnip very early flat white Dutch.
12	" " " " early green stone-head.	36	Spinach long standing dark green.
66	" " " " Emperor forcing.	88	Savoy Drumhead, large late.
13	" " " " large Mogul.		" " Early dwarf Ulm.
301	" " " " brown Laibach Ice		

### B. Flower Seeds, abt 3 × 2 in.

Orders for at least 1000 per sort will be forwarded direct by our German Printer at 6/— per 1000. Smaller quantities per sort will be sent by ourselves at 1/— per 100.

Less than 10 per sort will not be sold.

1	Acroclinium roseum.	20	Aquilegia vulgaris fl. pl., mixed (Columbine).
6	Ageratum mexicanum, blue.	29	Aster, Anmuth, mixed.
7	" " " " album, white.	32	" " Comet, mixed.
9	Agrostemma, coeli-rosa.	23	" " Crown, mixed.
11	Alyssum, sweet.	34	" " Dwarf, mixed.
12	" " saxatile.	35	" " " " Bouquet (Boltze), mixed.
13	Amaranthus caudatus, fox-tail.	30	" " Liliput, mixed.
6a	" " ruber, red.	24	" " Paeony Perfection, mixed.
14	" " tricolor.	26	" " Quilled, mixed.
17	Antirrhinum majus, Snapdragon, mixed.	33	" " Victoria, mixed.
18	" " " " nanum, " " dwarf mixed.	133	Balsam, double mixed.

134	Balsam, rose-flowered double, mixed.	153	Malope grandiflora alba.
39	Begonia, tuberous-rooted single, mixed.	154	" " purpurea.
56	Blue-Bottle, mixed.	160	Marvel of Peru, mixed.
184a	Calampelis scabra.	176a	Maurandia, mixed.
45	Calendula Meteor.	196	Mignonette, common.
50	Campanula Medium, single mixed (Canterbury Bell).	197	" " large-flowering, Golden Queen.
51	" " Wiegandi, yellow-leaved.	159	Mimulus moschatus (Musk.).
130	Candytuft, white rocket.	229	Nasturtium, climbing mixed.
131	" large-flowering (Iberis coronaria).	228	" dwarf mixed.
132	" (Iberis umbellata purpurea).	226	" King of Tom Thumb.
52	Canna, mixed.	165	Nemophila insignis.
94	Carnation, extra double Border.	168	Nicotiana affinis.
95	" double dwarf Vienna.	171	Oenothera Lamarckiana.
93	" Margaret, mixed.	238	Pansies, best mixed.
119a	Centaurea moschata.	239	" best English, mixed.
67	Chrysanthemum tricolor, mixed.	240	" large-flowering French, mixed.
68	" " atrococcineum.	246	" Emperor William.
72	Cineraria hybrida, large-flowering, mixed.	247	" Lord Beaconsfield.
73	Clarkia elegans, double mixed.	249	" Odier.
76	Cobaea scandens.	242	" Schneewittchen (snow-white).
53	Cocks-comb, dwarf, mixed.	241	" Trimardeau.
54	" feathered, mixed.	174	Perilla nankinensis.
302	" " "Preziosa".	175	Petunia hybrida, mixed.
77	Coleus, best mixed.	176	" " grandiflora, best mixed.
186a	" Verschaffeltii var.	181	Phlox Drummondii, mixed.
78	Collinsia bicolor.	183	" " grandiflora, best mixed.
79	" mixed.	172	" (Papaver Rhoeas), ranunculus, double, mixed
136	Convolvulus major, mixed.	173	" " somniferum fl. pl., double mixed
80	" minor, mixed.	188	Portulaca grandiflora, mixed.
47	Coreopsis Drummondii.	189	" " fl. pl., double mixed.
46	" tinctoria.	191	Primula auricula, mixed.
82	Cyclamen persicum giganteum, mixed.	193	" veris (elatior).
85	Dahlia variabilis, single mixed.	194	" chinensis fimbriata, fringed mixed.
40	Daisy, double mixed.	195	Pyrethrum parthenifolium aureum, Golden Feather.
97	Dianthus chinensis fl. pl., Indian Pink.	202	Ricinus sanguineus.
101	" Heddeewigi, mixed.	203	Salpiglossis variabilis, mixed.
104	" plumarius, common Pink.	205	Sanvitalia procumbens, double.
106	Eschscholtzia californica, yellow.	209	Scabious atropurpurea, double dwarf mixed.
107	" " alba, white.	212	Silene pendula, rose.
161	Forget me-not, blue (Myosotis alpestris).	214	" " ruberrima, red.
110	Gaillardia picta Lorenziana, double.	215	" " mixed.
303	Gazania pygmaea lutea.	143a	" " compacta.
112	Godetia, Duchess of Albany.	58	Stocks, ten week, mixed.
114	" Lady Albemarle.	59	" ten week, large-flowering, mixed.
49a	" The Bride.	60	" Winter or Brompton, mixed.
113	" Whitneyi.	63	" Virginian, mixed.
115	Gomphrena globosa, Globe Amaranth mixed.	137	Sweet Peas, mixed.
121	Helichrysum monstrosum, double mixed.	88	" William, single mixed.
125	Heliotropium, mixed.	89	" " double mixed.
10	Hollyhocks, double mixed.	75a	Tagetes patula fl. pl., double French, Marigold, mixed.
128	Humulus japonicus, Japanese Hop.	220	" " nana fl. pl., double dwarf French Marigold mixed.
211	Jacobaea, double mixed.	221	" " striata fl. pl. double striped French Marigold.
86	Larkspur, dwarf rocket.	222	" signata pumila.
141	Linum grandiflorum rubrum, scarlet flax.	231	Verbena hybrida, mixed.
143	Lobelia cardinalis.	256	Zinnia elegans fl. pl., mixed.
145	" Erinus speciosa Crystal Palace.	304	" " " " "Iris".
146	" " Emperor William.		
151	Lupinus, annual mixed.		
152	Lychnis chalcedonica, scarlet.		

## XXVI. Pure South-Italian wines.

We have supplied for many years to our Continental friends different qualities of our fine Italian wines which have been very much appreciated owing to their excellent qualities and cheap prices. In order to meet the increasing demands we have made arrangements with several important wine growers, and are therefore in a position to offer the following qualities at moderate prices viz.

Red wines:	Shillings Per 22 Gallons	All pure and natural wines ready to be bottled. The prices are for 100 Litres or Kilosnet, equal to about 22 English Gallons f. o. b. Naples — Casks extra. We do not accept orders for less than 50 Litres or about 11 English Gallons per sort.	answer for leakage, evaporation &c. Our responsibility ceases once the goods are on board.
Vesuvio, a mild Claret . . . . .	44		
Syracusa, fiery, for medical purposes . . . . .	50		
Calabria, dry and strong . . . . .	44		
Capri, dry . . . . .	56		
White wines:			
Ischia, much like Moselle . . . . .	40		
Stromboli, very fiery . . . . .	44		
Vesuvio, a favorite but strong wine . . . . .	44		
Capri, dry, very fine, like Chablis . . . . .	56		
Lunch- and Dinner-wines:		Per 100 Litres or Kilosnet, equal to about 22 English Gallons f. o. b. Naples, casks included. We do not supply any quantity under 25 Litres or about 5 English Gallons and a half of each kind.	
Malvasia, white, strong and sweet, greatly appreciated . . . . .	124		
Marsala, white, brand „England“, dry and much like Sherry . . . . .	104		
Marsala, white, „Italy“, strong very fine . . . . .	88		
Porto, red, much like Portwine . . . . .	116		
Prices are understood for Cash with order, without ant discount. The wines travel at buyer's risk and we do not			

answer for leakage, evaporation &c. Our responsibility ceases once the goods are on board.

### Casks:

are charged at first cost as follows:

of about 400 Litres (about 88 English Gallons)	21/6
„ „ 300 „ „ 66 „ „	18/6
„ „ 200 „ „ 44 „ „	13/6
„ „ 100 „ „ 22 „ „	9/6
„ „ 50 „ „ 11 „ „	5/3

### Double-casks:

These are added only when expressly ordered at following prices:

for 400 Litres (about 88 English Gallons)	12/9
„ 300 „ „ 66 „ „	9/6
„ 200 „ „ 44 „ „	7/3
„ 100 „ „ 22 „ „	5/6
„ 50 „ „ 11 „ „	3/3

Steamers to all parts of the world.

Samples of the different qualities are at the disposal of correspondents at a trifling cost. We respectfully invite our Patrons to give us a trial order with which they will be fully satisfied.

## XXVII. Best Olive-Oil for table use.

We offer the above of the very best quality, packed in a tin and a light wooden box of ab<sup>t</sup> 11 lb. gross weight at 8/—, to be forwarded by parcel post; parcel-fee to all parts of England 2/3 d. per parcel of 11 lb.

## XXVIII. Tinned Vegetables.

Owing to the general approval met with the Tomato sauce prepared by us for several years, we have decided to prepare also a number of other Vegetables of our own crops, and more especially those of South Italian origin. They are manufactured with the most perfect machinery and according to the prescriptions of the Board of Health. Being hermetically closed they keep well for years provided they are kept in a suitable place.

### Tomato-Sauce, Concentrated.

tins of	130 Gr.	200 Gr.	250 Gr.	400 Gr.	500 Gr.	1000 Grammes.
=ab <sup>t</sup>	4 <sup>1</sup> / <sub>2</sub> oz	7 oz	8 <sup>3</sup> / <sub>4</sub> oz	14 oz	2 <sup>1</sup> / <sub>10</sub> lb.	2 <sup>2</sup> / <sub>10</sub> lb.
per 10 tins	1/— d.	1/3 d.	1/8 d.	2/9 d.	3/6 d.	6/6 d.
„ 100 tins	8/6 d.	12/6 d.	16/6 d.	24/— d.	32/— d.	60/— d.

### Peeled Tomatoes.

tins of	650 Gr. = (ab <sup>t</sup> 1 <sup>1</sup> / <sub>2</sub> lb.)	1250 Gr. = (ab <sup>t</sup> 2 <sup>3</sup> / <sub>4</sub> lb.)
	4 d.	7 d.
per 10 tins	2/6 d.	4/10 d.

**Tomatoes au naturel (unpeeled)**

tins of	650 Gr. = (ab <sup>t</sup> 1½ lb.)	1250 Gr. = (ab <sup>t</sup> 2¾ lb.)
	3 d.	6 d.
per 10 tins	2/3 d.	3/9 d.

**Artichokes (cut in two).**

tins of	400 Gr. = (ab <sup>t</sup> 14 oz)	500 Gr. = (ab <sup>t</sup> 1¼ lb.)	1000 Gr. = (ab <sup>t</sup> 2½ lb.)
per tin	5 d.	6 d.	10 d.
„ 10 tins	3/6 d.	7/3 d.	4/3 d.

**Artichokes, small, in best olive-oil.**

tins of 500 Gr. = (ab<sup>t</sup> 1¼ lb.) 1/—

**Bottoms of Artichokes.**

tins of	500 Gr. = (ab <sup>t</sup> 1¼ lb.)	1000 Gr. = (ab <sup>t</sup> 2½ lb.)
	1/2 d.	1/9 d.

**Haricot-Beans (Haricots verts.)**

	tins of	400 Gr. = (ab <sup>t</sup> 14 oz)	500 Gr. = (ab <sup>t</sup> 1¼ lb.)	1000 Gr. = (ab <sup>t</sup> 2½ lb.)
extra fine	per tin	4 d.	5 d.	—/9 d.
„	„ 10 tins	2/9 d.	3/4 d.	6/6 d.
very fine	„ tin	—/—	—/4 d.	—/7 d.
„	„ 10 tins	—/—	3/— d.	5/4 d.
fine	„ tin	—/—	—/4 d.	—/7 d.
„	„ 10 tins	—/—	2/9 d.	5/3 d.

**Egg-Plants (fried.)**

tin of 500 Gr. = (ab<sup>t</sup> 14 oz.) —/8 d.

**Peas.**

	tins of	200 Grammes = (ab <sup>t</sup> 7 oz)	400 Gr. = (ab <sup>t</sup> 14 oz)	500 Gr. = (ab <sup>t</sup> 1¼ lb.)	1000 Gr. = (ab <sup>t</sup> 2½ lb.)
extra fine	per tin	—/—	—/—	—/7 d.	1/— d.
„	„ 10 tins	—/—	—/—	5/— d.	9/— d.
very fine	„ tin	—/3 d.	—/5 d.	—/5 d.	—/9 d.
„	„ 10 tins	2/— d.	3/9 d.	4/— d.	6/10 d.
fine	„ tin	—/—	—/—	—/4 d.	—/8 d.
„	„ 10 tins	—/—	—/—	3/2 d.	6/— d.
medium	„ tin	—/—	—/—	4 d.	—/6 d.
„	„ 10 tins	—/—	—/—	2/7 d.	4/6 d.

**Giant sweet Capsicum, grilled, excellent for salad with oil and vinegar.**

per tin of 500 Gr. = (ab<sup>t</sup> 1¼ lb.) —/7 d.  
 „ 10 tins „ 500 „ = ( „ ) 4/6 d.

**same, in fine olive-oil**

per tin of 600 Gr. = (ab<sup>t</sup> 1 lb., 5 oz) —/8 d.  
 „ „ „ 600 „ „ ( „ ) 5/6 d.

**same cut in slices**

stewed with Anchovies, Olives, Capers and best Olive-oil, ready for the table; an excellent „hors d'oeuvre.“  
 tins of 500 Gr. = (ab<sup>t</sup> 1¼ lb.) —/6 d.

**Special prices for larger quantities.**

Agents in all places of the world wanted for the sale of our preserved Vegetables.



*Cosmea pinnatifida* Mammoth.  
Electro 7,6.

## XXIX. Novelties for the season 1906 to 1907.

The price for 100 packets will be applied for orders of at least 25 packets.

We beg to inform our patrons that in order to spare unnecessary labour, orders for seeds in packets will not be filled in as many single packets, but the corresponding weight or number will be sent in one lot.

### New Vegetable Seeds.

#### Tomato „Italia“.

A first class new sort and the earliest of all hitherto known.

The fruit is large, oval-round, smooth, very fleshy and of the finest flavour; it keeps fresh a long time, and stands therefore shipping very well. The plant is enormously productive,



*Aster multiflora rosea.*  
Electro 4/6.

more than any other large-fruited sort, and if treated well, one single plant will easily yield from 30 to 50 well shaped and large fruits. Also for pot and green house culture, „Italia“ is exactly what one could desire, it does not grow high, but freely, is not subject to diseases and produces almost 1/3 of its fruits at the same time.

We can confidently recommend this new sort.

1 packet — 6 d; 100 packets 40/—.

### New or newly introduced Flower seeds.

⊙ = Annuals. — 4 = Perennials.

#### ⊙ *Aster multiflora rosea* (Electro).

This is a new and quite distinct sort, highly useful for all purposes. The plant grows semi-high and is of a symmetrical and pyramidal habit, producing its flowers in such a profusion as is usual only with the perennial Asters; they measure about 1½ in. in diameter and are nicely double. A cut plant put in a flower vase forms a most graceful and lovely natural bouquet. For pots and for bedding the plant is also equally invaluable.

1 packet — 6 d; 100 packets 40/—.



*Coreopsis grandiflora compacta.*  
Electro 3/—.


#### 4 *Coreopsis grandiflora compacta* (Electro).

The well known *C. grandiflora* does not require any more recommendation although the growth of the plant is rather irregular.

On the other hand our new kind is a first class plant forming a regular compact bush with straight stems, bearing large yellow fine flowers. Each stem emerges from the root for itself and never branches.

The stems are much shorter than those of the old sort, but the flowers are quite as large. When sown early, *C. grandiflora compacta* flowers in 4 to 5 months and can be used both as an annual or a perennial.

1 packet — 6 d; 100 packets 40/—.



*Cosmea pinnatifida* Mammoth Red Star.  
Electro 3/3.

⊙ ***Cosmea pinnatifida* Mammoth Red Star** (Electro).

A novelty of extraordinary beauty, both on account of the shape and colour of the flowers. The plant is of a very graceful habit and the flowers have absolutely the shape of a star, with long narrow petals. The effect of the plant is really splendid.

1 packet — 6 d; 100 packets 40/—.

⊙ ***Dianthus Heddewigii triteleiaeflora*** (Electro).

A dwarf rich flowering pink about 14 in. high with stiff and upright stems and glaucous small leaves.

The quite distinct flowers are perfectly star like, with 4 to 5 petals, and resemble very much a *Triteleia*.

They are mostly white, but there are also white flowers with a red eye, red and rose ones. This is a plant producing quite an unusual effect and it will not fail to do so when it will be employed either in pots, as a border plant or in any other way.

1 packet — 6 d; 100 packets 40/—.



*Dianthus Heddewigii triteleiaeflora*.  
Electro 4—.

4 ***Salvia azurea grandiflora***.

Although this plant is not a novelty it is one of the finest *Salvia* that exist. The delicate sky-blue colour, almost like that of *S. patens*, and the size of the flowers, as well as its rapid growth, make this plant much more valuable than the *S. farinacea*. Its giant stems stand erect, bearing a great number of fine flowers which afford the finest material for floral work of every description. In southern countries the plant is a hardy perennial while in the north it can be treated as an annual, as, if sown early in a warm frame, it will flower from July until frosts set in.

$\frac{1}{8}$  oz 1/3 d; 1 oz 7/6 d.

**Dammann & Co.**

San Giovanni a Teduccio (Prov. of Naples).

*A List of all Electros published will be forwarded to our customers on application. It contains about 500 cuts. We shall charge for it 6 d which will however be deducted from the first invoice of electros.*

Our **Bulb Catalogue**

is published in May every year and will be sent free of charge to all our correspondents.

# Contents.

	<i>page</i>		<i>page</i>
I. Vegetable Seeds . . . . .	1	XV. Palms . . . . .	54
II. Swede, Turnip and Mangel Wurzel . . . . .	14	XVI. Agave, Aloe, Yucca &c. . . . .	54
III. Sweet Herbs &c. . . . .	14	XVII. Canna Roots . . . . .	55
IV. Clovers, Lucerne &c. . . . .	15	XVIII. Bulbs and Roots . . . . .	60
V. Grasses . . . . .	16	XIX. Asparagus-Plants . . . . .	61
VI. Sundry Agricultural Seeds, and Seeds of Economical, Officinal Plants &c. . . . .	16	XX. Aspidistra . . . . .	62
VII. Fruit Trees . . . . .	17	XXI. Fruits of Lagenaria vulgaris . . . . .	62
VIII. Seeds of Trees, Shrubs &c. . . . .	19	XXII. Cycas revoluta . . . . .	62
IX. Conifer Seeds . . . . .	21	XXIII. Raphia . . . . .	62
X. Palm Seeds . . . . .	22	XXIV. Fruit Trees and Cuttings . . . . .	63
XI. Seeds of Annual, Perennial, Climbing, Hot-and-Green- House Plants . . . . .	23	XXV. Pictorial Seed Pockets . . . . .	63
XII. Seeds of Ornamental Grasses . . . . .	51	XXVI. Pure Italian Wines . . . . .	65
XIII. Seeds of Bulbs and Roots . . . . .	52	XXVII. Best Olive-Oil for table use . . . . .	65
XIV. Seeds of Cannas . . . . .	52	XXVIII. Tinned Vegetables . . . . .	65
		XXIX. Novelties for the season 1906 to 1907 . . . . .	68











# DAMMANN & Co.



*Offices.*



*Entrance to the Trial Grounds. (15 acres.)*

Leave stub for

1907-08














New York Botanical Garden Library



3 5185 00319 0863



Made in Italy

02-11 STD



8 032919 990020

[www.colibrisystem.com](http://www.colibrisystem.com)

