

Index

Numbers in *italics* point to b/w figures, numbers in **bold** refer to color plate numbers.

- 2,4-D, 300
 ABA, *see* abscisic acid
 abandoned fields, 182
Abies, 225
 abscisic acid, 158
 abundance of ferns, 327, 336, 371
Acer saccharum, 191
 acid rain, 132
 acidic soil, 204
Acrospermum, 224
Acrostichum, 41, 144
A. aureum, 194
A. danaeifolium, 86, 96, 98, 99, 188, 241, 280, 329
 actinomycin D, 158
Actinostachys
A. pennula, 280
 adaptations to
 epiphytic habitat, 222
 seasonal climates, 332
 xeric environments, 140, 147
 adder's tongues, *see* Ophioglossaceae
Adenophorus, 25
Adiantopsis
A. seemannii, 330
Adiantum, 44, 150
A. capillus-veneris, 189, 283
A. humile, 121
A. lianxianense, 346
A. lunulatum, 167
A. pulverulentum, 121
A. raddianum, 283
A. reniforme, 340
A. tomentosum, 121
 adjuvants, 300
 adventitious buds, 278
 aerenchyma, 286, 288
 Africa, **1**, 25, 34, 40, 140, 167, 168, 342
 age
 clones, 84
 determination, 80, 365
 families, 28
 plants, 80
 tree ferns, 81
Aglaomorpha, 154, 242
Aglaophyton major, 228
 agricultural run-off, 132, 293
Agrostis capillaris, 232
Agrotis ipsilon, 304
 air currents, 23
Ajuga, 272
 Alaska, 195, 202, 204
 alien species, *see* introduced species
 alkaloids, 240
 allelopathy, 184, 207
 alluvial terrace, 119
 alpine lady fern *see* *Athyrium distentifolium*
Alsophila, 83
A. bryophila, 195
A. firma, 82, 98, 100, 239, 239, 336
A. incana, 193
A. setosa, 79, 81
 alternation of generations, 7, 12, 12
 alternation of hosts, 225
 aluminum, 112, 241, 366
 Amazonia, 36, 44, 121
Ambia, 303
 American Fern Society, 324
 ammonium, 117
Anabaena azollae, 116, 222, 288
 Andes, 29, 31, 33, 36, 82, 144, 301, 347
Anemia karwinskyana, 330
Anetium, 167
A. citrifolium, 166, 330
Aneugmenus
A. merida, 301
A. padi, 271
Angiopteris
A. evecta, **6**, 282, 291
A. smithii, 329
 angiosperms, 7, 8, 12, 12, 16, 28, 41, 118, 128, 129,
 147, 160, 230, 233, 324
 annual plant, *see* therophyte

Anogramma

- A. ascensionensis*, 346
- A. leptophylla*, 168
- ant ferns, 117, 244
- ant protection, 242, 243
- antagonism, 221
- antheridiogens, 68, 69, 335
- antheridium, 13, 69
- anthocyanins, 225
- Anthomyiidae, 237
- anthracnosis, 224
- Anthus trivialis*, 273
- antibiotics, 223
- antioxidants, 160, 161
- antler fern, *see Ceratopteris*
- Antrophyum lanceolatum*, 243
- AOO, *see* area of occupancy
- Apatelodidae, 236, 237
- aphids, 234, 237, 243, 271
- Apodemus sylvaticus*, 273
- apogamy, 9, 71, 79, 198
- Archangiopteris itoi*, 340
- archegonium, 13, 69
- area of occupancy, 344, 345, 345
- Argynnis adippe*, 272
- Argyrochosma*, 162, 241, 330
- arid environments, 366
- Aristolochia tomentosa*, 280
- Arrhenius equation, 332
- arsenic, 5, 11, 241, 283
- Artemisia*, 296
- Ascension Island, 346, 347
- Ascochyta pteridis*, 270
- Ascomycota, 223, 224, 227, 228, 231
- Asplenium*, 28, 41, 44, 157
 - A. adiantum-nigrum*, 25
 - A. castaneum*, 144
 - A. ceterach*, 150, 153, 159
 - A. diana*, 330
 - A. hookerianum*, 27
 - A. marinum*, 283
 - A. nidus*, 72, 114, 144, 165
 - A. platyneuron*, 241
 - A. praemorsum*, 158
 - A. ruta-muraria*, 157, 340
 - A. scolopendrium*, 85, 91
 - A. septentrionale*, 76, 340
 - A. sessilifolium*, 198
 - A. trichomanes*, 85, 86, 91, 157
 - A. tunquiniense*, 28
 - A. viride*, 28, 340
- Astrolepis*, 148
- asulam, 296
- Athyrium*, 225
 - A. distentifolium*, 70, 89, 90
 - A. filix-femina*, 65, 70, 90, 132, 159, 204, 224
 - A. japonicum*, *see* *Deparia petersenii*
 - A. pycnocarpon*, 241
 - A. sandwichianum*, 194
 - A. tejeri*, 330
- Atta colombica*, 225

Aureobasidium pullulans, 222

- Australia, 27
 - arid floodplain, 189
 - disturbance, 342
 - endangered species, 282
 - endemism, 347
 - epiphytic ferns, 114, 143
 - extinction rates, 341
 - fire, 191
 - problem ferns, 275, 285
 - tree ferns, 169
- Austromusotima camptozonale*, 303
- Azolla*, 115, 289, 300
 - A. filiculoides*, 288, 304, 305
 - A. pinnata*, 190, 288, 289, 303
- Azores, 268, 282, 294, 307
- Azores bullfinch, *see* *Pyrhula murina*
- Azteca* ants, 245
- basal area, 119, 120
- batswing fern, *see* *Histiopteris incisa*
- beetles, 234, 303
- bioassay, 241
- biochemical defense, 225, 239
- biofuel, 268
- biogeography, 22, 360
- Biomaphalaria boissyi*, 287
- biomass, 3, 72, 94, 117, 188
- Bioscypha pteridicola*, 223
- bird's nest fern, *see* *Asplenium nidus*
- birds, 232, 272, 277, 286, 287
- black spleenwort, *see* *Asplenium adiantum-nigrum*
- Blechnum*, 11
 - B. appendiculatum*, 7, 281, 338
 - B. attenuatum*, 9, 76
 - B. auratum*, 338, 339
 - B. buchtienii*, *see* *B. auratum*
 - B. discolor*, 201
 - B. occidentale*, 133, 149, 167
 - B. punctulatum*, 225
 - B. schiedeanum*, 338
 - B. serrulatum*, 279
 - B. spicant*, 85, 132, 159, 190, 191, 225
 - B. stoloniferum*, 339
 - B. tabulare*, 205
 - B. werckleanum*, 338, 339
- blue-green algae, 288
- bogs, 230, 339
- Bolivia, 27–33, 35, 45, 191, 193, 329, 348
- Boloria euphrosyne*, 272, 272
- Bommeria elegans*, 330
- boreal forests, 198
- boreal wetlands, 202
- Borneo, 27, 35
- Boston fern, *see* *Nephrolepis exaltata*
- Botrychium*, 92
 - B. lunaria*, 273
 - B. mormo*, 231
 - B. pallidum*, 329
 - B. pinnatum*, 5
 - B. virginianum*, 335, 364

- Botswana, 329
 bracken, *see* *Pteridium*
 braid fern, *see* *Platyzoma microphyllum*
 brake ferns, *see* *Pteridaceae*
 Brazil, 79, 81, 153, 190, 267, 282, 284, 329, 347, 350
 breeding systems, 69, 335
 British Columbia, 5
 British Pteridological Society, 324
 brittle fern, *see* *Cystopteris fragilis*
 broad buckler fern, *see* *Dryopteris dilatata*
 bromeliads, 34, 115, 153, 163, 233, 372
 buds, 7, 62, 198
 on gametophytes, *see* gemmae
 on sporophytes, 79
Burhinus oediconemus, 273
 butterflies, 234, 272, 273
- C:N ratio, 119
 C3-photosynthesis, 162
 cacti, 163
Calamites, 16
 calcium, 131, 242, 366
 California, 35, 191, 207, 288
Calopistria juvenina, 271
 CAM, *see* crassulacean acid metabolism
Camellia sinensis, 294
 Cameroon, 186
Camponotus ants, 243
 Canada, 5, 89, 341
 Canary Isles, 270
 cancer, 263, 266–68, 295, 307
Caprimulgus europaeus, 273
 carbon isotopes, 165
 Carboniferous, 16, 221, 232, 324
 carcinogen, 3, 240, 264, 266, 267
Carduelis flavirostris, 273
 carotenoids, 160
 carpet club-moss, *see* *Lycopodium diffusum*
 Carrasco National Park, 27
 carton runway, 117
 cation concentrations, 118, 121
 cattle, 31, 191, 232, 263, 295, 307
 caves, 333
 cavitation, 149
 Cecidomyiidae, 235
Cecropia peltata, 204
 cell wall, 131, 240, 366
 Cenozoic, 16
Ceratopteris, 41
 C. thalictroides, 269, 288
 cesium, 3
Cheilanthes, 11, 149, 159, 162, 331
 C. kaulfussii, 143
 C. lanosa, 231
 C. myriophylla, 143
 C. parryi, 96, 149, 150, 159, 168, 170
 C. sieberi, 267
 cheilanthoid ferns, 2, 144
 Chile, 264
 China, 124, 262, 283, 290, 304, 340, 346, 347
- Chinese brake fern, *see* *Pteris vittata*
 Chinese fir-moss, *see* *Huperzia serrata*
Chirosia, 271
 chlorophyll, 12, 24, 29, 67, 77, 334
 chlorophyll fluorescence, 159
Chondrostethus woodfordii, 238
 Christ, Hermann, 3
 Christmas fern, *see* *Polystichum acrostichoides*
 chronosequence, 129, 131, 194
Chusquea subtessellata, 339
Cibotium, 83, 204, 208, 282
 C. glaucum, 100, 102, 119, 132, 186, 196, 199, 202–04, 203
 C. taiwanense, 83, 98
 cinnamon fern, *see* *Osmunda cinnamomea*
 circinate vernation, 9
Circus cyaneus, 273
 CITES, 325, 342, 349, 374
Cladium jamaicense, 279
 classification system, 17, 379
 clay content, 121, 122
 cliffs, 181
 climatic
 changes, 26
 extremes, 24
 shifts, 27, 46
 tolerance hypothesis, 40
 variation, 332
 climbing ferns, 4, 12, 77, 183, 199, 278
 clone, 84, 197
 cloud condensation belt, 46
 cloud forests, 2, 29, 31, 33, 82, 363
Cnemidaria uleana, 223
 coffee plantation, 328, 328
 collateral damage, 293
Colletotrichum, 224
 C. gloeosporioides, 303
Colocasia esculenta, 289
 Colombia, 82, 223
 colonization of land, 115
 Colorado, 96
 Colorado River, 305
 commercial trade, 2, 342, 349
 commercial value of ornamental ferns, 308
 common club-moss, *see* *Lycopodium clavatum*
 common polypody, *see* *Polypodium vulgare*
 common quillwort, *see* *Isoetes lacustris*
 competition, 31, 205, 206, 264, 367, 368
 compost, 268
 conservation of ferns, 87, 323, 350, 370
 containment, 292
 control of problem ferns, 293
 biological, 285, 301
 chemical, 296
 costs, 305–08
 physical, 294
 copper, 274
Corticium anceps, 270
Corydalis claviculata, 272
 Costa Rica
 ant ferns, 243

Costa Rica (cont.)
 cloud forest, 338
 dry forest, 149, 167
 elevational gradient, 35, 35, 38, 39, 39, 43, 45, 47
 endemism, 30
 fern endemism, 31
 fire, 190, 206
 gall insects, 235, 238
 herbivory, 236
 introduced species, 6, 282
 mycorrhizae, 231
 páramo, 3, 339
Pteridium, 207, 267, 273
 rain forest, 9, 10, 64, 124
 soil specificity, 44
Cotornix japonicus, 267
 cover, 117
 crassulacean acid metabolism, 162, 164
Craterostigma, 158
Crematogaster ants, 243, 245
 Cretaceous, 221, 233, 324
Crocicreas sessilis, 223
 cross-fertilization, 13
 crozier, 9, 97
 crushing, 295
 cryopreservation, 350
Cryptomeria japonica, 326
Cryptomycena pteridis, 270
Cuculus canorus, 273
Cucurbita okeechobeensis, 280
Culcita macrocarpa, 232
 cuticle, 150, 151, 157, 159
 cutting, 294
 cyanogenic glycosides, 240
Cyathea, 83, 326, 367
 C. arborea, 75, 185, 195, 199, 204
 C. australis, 191
 C. borinquena, 93
 C. caracasana, 82, 196, 208
 C. dealbata, 72
 C. divergens, 223
 C. horrida, 97
 C. medullaris, 114
 C. muricata, 81
 C. smithii, 72, 113, 119, 120, 202
 C. ursina, 330
Cyclophorus, 154
Cyclosorus
 C. canus, 100
 C. cyatheoides, 281
 C. dentatus, 100, 281, 283
 C. parasiticus, 281
Cylindrocarpon destructans, 222
Cynepteris lasiophora, 232
Cyrtandra cyaneoides, 281
Cyrtobagous
 C. salviniae, 10, 285, 302, 304
 C. singularis, 304
Cyrtomium
 C. falcatum, 79, 283
 C. fortunei, 79

Cystopteris, 157
 C. dickieana, 78
 C. fragilis, 28, 189
 dairy industry, 307
Danaea, 157
 D. elliptica, 73, 98
 D. wendlandii, 4, 10, 66, 72, 76, 87, 98
 dark germination, 335
Dasineura, 271
 data bases, 101
Davallia, 167
 debris removal, 93
 deciduousness, 167
 deep phylogenetic splits, 27
 deer fern, *see* *Blechnum spicant*
 defoliation, 100
 deforestation, 342
 demography, 65, 80, 91
Dennstaedtia punctilobula, 5, 189, 200, 205
Deparia
 D. acrostichoides, 78
 D. petersenii, 281
 deserts, 4, 96, 144, 159
 desiccation tolerance, 3, 145, 150, 155, 158, 159, 366
 destructive harvesting, 93
 developmental triggers, 365
 Devonian, 16, 220
 dicamba, 300
Dicksonia, 83, 300
 D. antarctica, 191, 342, 349
 D. fibrosa, 82
 D. sellowiana, 193
 D. squarrosa, 119, 120, 202, 278
Dicranopteris, 77, 169
 D. curranii, 277
 D. linearis, 96, 112, 132, 168, 186, 192, 193, 198, 202, 206, 207, 276, 276, 295, 336
 D. pectinata, *see* *Gleichenella pectinata*
Dictymia brownii, 166
Diellia, 25, 85, 86
 D. mannii, 281
Dimeriella polypodii, 223
 dimorphism, *see* leaf dimorphism
 dinosaur food, 233
Diplazium
 D. esculentum, 267
 D. expansum, 86
 D. megaphyllum, 79
 D. pycnocarpon, 78
 D. subsylvaticum, 198
 diplophase, 12
Diplopterygium bancroftii, 11, 193
 diplospore, 9
 Diptera, 237
Dipteris conjugata, 351
Dischidia major, 117

- dispersal, 23, 194
 limitations, 15–16, 29, 42
 water, 23
 waterfowl, 23, 194
 wind, 194
- disturbance, 31, 177, 185, 260, 341, 367
- disturbance effects, 187
- disturbance regime, 186
- Ditropis pteridis*, 271
- diversification rates, 40
- diversity, 33, 325
 alpha, 32
 beta, 44
 correlates of, 370
 estimation of, 332
 fern proportion, 1, 34
 hot spots, 35
 latitudinal gradient, 33
 maxima of, 35, 38
 mid-elevation peak, 35
 morphological traits, 47, 47
 species, 32
 turnover, 324
 versus humidity, 36
- domatia, 117, 242, 243
- Dominican Republic, 206
- dormant buds, 279, 286
- drinking water, 296
- dry forests, 86, 167
- Drynaria*, 144, 242
D. fortunei, 167
D. quercifolia, 242
D. rigidula, 143, 242
- Dryopteris*, 4, 89
D. arguta, 341
D. ascensionensis, 346
D. austriaca, 132
D. carthusiana, 70, 90, 189
D. crassirhizoma, 93
D. cycadina, 79
D. dilatata, 99
D. expansa, 1, 90, 204
D. filix-mas, 4, 70, 81, 90, 96, 99, 273, 274
D. goldiana, 195
D. intermedia, 86, 87, 89, 93, 132, 188, 198
D. juxtaposita, 267
D. marginalis, 86
D. villarii, 80
- duckweed, *see Lemna*
- earthworms, 231
- ebony spleenwort, *see Asplenium platyneuron*
- economic role of ferns, 373
- ecophysiology, 365
- ecosystem functions, 373
- Ecuador, 36, 118, 121, 231, 270, 347
- egg cell, 9, 69
- egg mimicry, 238, 239
- Elaphoglossum*, 72, 73, 153
E. calaguuala, 158
E. crinitum, 100
E. hirtum, 158
E. mathewsii, 158
E. paleaceum, 152
E. peltatum, 11, 222
E. petiolatum, 156
E. rigidum, 133
- elater, 245
- electrophoretic analysis, 78
- elevational
 amplitudes, 45
 gradients, 30
 ranges, 45
 zones, 45
- emboli, 149
- Endelus bakerianus*, 303
- endemics, 330
- endemism, 29–31
 rate of, 30
- endophyte, 222
- endospory, 13
- EOO, *see* extent of occurrence
- Epilobium angustifolium*, 271
- Epipactis atrorubens*, 273
- epiphytic ferns, 34, 39, 112, 119, 124, 151, 162, 170, 222, 230, 333
- Equisetum*, 115, 129, 144
E. arvense, 6, 192, 277, 300
E. bogotense, 228
E. fluviatile, 202
E. palustre, 202
E. pratense, 202
E. telmateia, 278
- eradication, 292
- Eriosorus*, 144
- erosion control, 204
- ethnobotany, 268
- Eucalyptus* plantations, 342
- Europe, 28, 87, 223, 287, 294, 296, 333
- eusporangiate ferns, 16
- evapotranspiration, 37
- Everglades, 279, 308
- evergreen wood fern, *see Dryopteris intermedia*
- evolution, 16–17
- ex situ* conservation, 350
- extent of occurrence, 344, 345, 345, 347
- extinction, 186, 301, 323, 346, 370
- facilitation, 207, 209, 210, 242, 245, 272
- Falco columbarius*, 273
- Falkland Islands, 34, 280
- farina, 241
- felt fern, *see Pyrrosia*
- fern
 allies, 8, 17
 families, 386
 genera, 386
 removal, 206
 rust, 224
 thickets, 183, 202, 204, 205–07
- fern-ericoid mycorrhizae, 231
- fertility, 78, 87

Cambridge University Press

978-0-521-72820-1 - Fern Ecology

Edited by Klaus Mehlreter, Lawrence R. Walker and Joanne M. Sharpe

Index

[More information](#)

434

fertilization, 9, 13, 71
 intergametophytic, 245, 335
 intragametophytic, *see* selfing, intragametophytic multiple, 13
 fertilization studies, 132
 fiber content, 130, 240
 fiddlehead, *see* crozier
 field assessment, 101
 field horsetail, *see Equisetum arvense*
 field surveys, 46
 filmy ferns, *see* Hymenophyllaceae
 Finland, 84
 fire, 92, 168, 169, 181, 190, 206, 264, 279, 295, 339, 342
 fireweed, *see Epilobium angustifolium*
 fir-moss, *see Huperzia*
 fish, 305
 flavonoids, 162, 241
 flies, 271
 flooding, 189
 floodplains, 178, 190
Floracarus perrepa, 303
 floras, 1, 33
 Florida, 12, 201, 279, 291, 295, 303, 304, 307, 329
 floristic boundaries, 46
 flowering plants, *see* angiosperms
 fog, 35, 124
 forest margin, 144, 169, 183
 forest understory, 3, 5, 41, 64, 336
 fossil record, 13, 16, 324, 330
 fragmentation
 genetic, 31
 geographic range, 343
 habitat, 340, 342
 plant, 286, 288, 301
 rhizome, 80, 85
 France, 333
 French Guiana, 76, 191, 194
 frequency distribution, 89
Fulica alai, 287
 fungi
Azolla, 290
 herbicides, 303
 parasitic, 221, 224
Pteridium, 270
 rust, 302
 saprophytic, 223
 fungicide, 224, 229
 future of ferns, 374
 future research, 101, 133, 171, 210, 245, 336, 352, 360, 361, 364, 370

Galanthus krasnovii, 271
 Galápagos Islands, 25
 gall formers, 236, 237
Gallinula chloropus sandvicensis, 287
 gametangia, 13
 gametes, 9
 gametophyte, 9, 13, 371
 aboveground, 13
 bisexual, 69

Index

demography, 70
 desiccation tolerance, 159
 development, 67, 70
 ecology, 71
 establishment, 198
 field experiments, 70
 life span, 70
 mycorrhiza, 229
 subterranean, 13
 types of, 14
 gap, 91, 188, 195, 202
Garrulus glandarius, 273
 Gelechioidea, 238
 gemmae, 9, 13, 24, 70, 335
 gene flow, 31, 41, 47, 340
 gene transfer, 364
 generalist, 235
 generation times, 40
 genetic diversity, 340, 351
 genets, 72, 78
 geographical range, 28, 102, 329, 332
Geranium sanguineum, 273
 Germany, 290, 335
 giant horsetail, *see Equisetum telmateia*
 giant leather fern, *see Acrostichum danaeifolium*
 glacial moraine, 178, 195
 glade fern, *see Athyrium pycnocarpon*
Gladiolus illyricus, 271
 glands, 162, 241
Gleichenella pectinata, 5, 73, 184, 191, 198, 200, 201, 201, 206, 207, 276
Gleichenia, 77, 169, 275
G. bifida, *see Sticherus bifidus*
G. dicarpa, 122, 123, 201
G. japonica, 276, 277
 Gleicheniaceae, 121, 144
 Global Invasive Species Database, 284
 Glomeromycota, 226, 228
 glossary, 7, 407
 glyphosate, 296, 297, 300
 gold-back ferns, *see Pityrogramma*
 Goldie's wood fern, *see Dryopteris goldiana*
 gradient, 42
 elevational, 44, 90
 latitudinal, 90
 soil, 44, 128
Grammitis billardieri, 201
 grape ferns, *see Botrychium*
 grasshoppers, 236
 grassland, 169
 gravitropism, 65
 green spleenwort, *see Asplenium viride*
 greenhouse effect, 290
 grouse shooting, 306
 growth, 4, 198
 determinate, 98
 indeterminate, 96
 tree ferns, 81, 83
 Guadeloupe, 81
 Guatemala, 11
 Gulf of Guinea, 34

- Gymnocarpium*
G. dryopteris, 84, 92, 133
G. robertianum, 78
gymnosperms, 324
- habitat, 17, 18, 34, 121, 177
alpine, 144
anthropogenic, 180
aquatic, **10**, 115, 189, 230, 283
characteristics, 93
disturbed, 178
epilithic, **2**, 231
epiphytic, 114, 141, 222, 231
montane, 170
subarctic, 124
terrestrial, 278
xeric, 140, 142
- habitat specificity, 330, 333
- hairy paddle fern, *see* *Elaphoglossum crinitum*
- hammock fern, *see* *Blechnum occidentale*
- haplophase, 12
- Hartig net, 231
- Harvard Forest, 189, 205
- haustoria, 225
- Hawaii
chronosequence, 131, 194
colonization, 24–25, 194, 198
dry forest, 86
endangered species, 347
endemism, 30
fertilization experiments, 132
fire, 168, 264
herbivory, 235
introduced animals, 232
introduced ferns, 261, 283, 288, 294
invasive ferns, 204
landslides, 193
lava flows, 186, 206
leaf litter, 276
mycorrhizae, 115, 116, 230
native species, 288
naturalized species, 280
nutrient concentrations, 131
nutrient cycling, 204
precipitation, 119
problem ferns, 281, 282, 304
scrambling ferns, 96, 112, 276, 277, 336
succession, 196
tree ferns, 100, 119, 128, 199, 202, 207, 208
- hay-scented fern, *see* *Dennstaedtia punctilobula*
- heathland, 112, 129, 133, 205
- Hedychium gardnerianum*, 203
- helicopter spraying, 299
- Hemidictyum*
H. marginatum, 97
Hemidictyum marginatum, 330
- hemiepiphytic ferns, **9**, 72
- Hemiptera, 234
- Hepialis*, 271
- herbicides, 296, 297
- herbivore, 235, 236, 303, 368
deterrence, 240
resistance, 92
satiation, 239
- herbivory, 232
- Herpetogramma aeglealis*, 238
- heteroblastic leaf series, 76
- heteroecy, 224
- heterosporous ferns, 15, 69
- heterozygosity, 69
- Himalayas, 100
- Himantopus mexicanus knudseni*, 287
- Histiopteris incisa*, 267, 273, 274, 281
- Holcus mollis*, 272
- Holttum, Richard E., 3
- Homeomastax dentata*, 236
- homosporous ferns, 14, 69
- homozygosity, 69
- horsetail, *see* *Equisetum*
- horticultural potential, 100
- horticulture, *see* uses of ferns
- host-plant switching, 225, 237
- hot spots, *see* diversity hot spots
- human disturbance, 191–92
- human impact, 341, 369
- humectant, 302
- Huperzia*, 27
H. crassifolia, **3**
H. lucidula, 84, 132, 198
H. selago, 84
H. serrata, 369
- hurricanes, 179, 187, 307
- Hyalopsora*, 225
- hybrids, 14, 281, 309
- hydathodes, 242
- hydraulic conductance, 149
- Hydrilla verticillata*, 307
- Hylopedetes nigrithorax*, 236
- Hymenophyllaceae, 45, 112, 151, 156, 156, 157
- Hymenophyllopsis*, 157
- Hymenophyllum*
H. multifidum, 201
H. polyanthos, 24, 335
- Hymenoptera, 237
- hyperaccumulation, 5, **11**, 366
- Hypolepis*, 191
H. nigrescens, 193
H. parallelogramma, 193
H. repens, 273
- ice ages, 33
- Illinois, 231
- ILTER, 102
- import ban, 291
- importance of ferns, 324, 364, 373
- in situ* conservation, 351
- in vitro* culture, 350
- inbreeding depression, 340
- India, 282, 303, 304
- indicators, **9**, 44, 77, 121, 279, 366
- Indonesia, 72, 186

Cambridge University Press

978-0-521-72820-1 - Fern Ecology

Edited by Klaus Mehlreter, Lawrence R. Walker and Joanne M. Sharpe

Index

[More information](#)

436

insects, 233
interactions, 236, 270, 368, 372
interactions with
 animals, **10**, 220, 231
 ants, 241, 244
 arthropods, 233
 birds, 272
 butterflies, 272
 fungi, 220, 226, 270
 insects, 271
 other plants, 205, 271
International Association of Pteridologists, 2
interrupted fern, *see Osmunda claytoniana*
intrinsic biological factors, 334
introduced species, 261, 328
introduction of ferns for conservation, 351
invasive ferns, 5, 204, 369
Iran, 289, 304
iridescence, **9**
island chain hopping, 25
island floras, **1**
Isoëtaceae, 69, 166, 230
Isoëtes, 71
 I. lacustris, 85, 90, 190
 I. pallida, **3**
 I. tenesseensis, 28
isotopes, *see* nitrogen and carbon isotopes
Itopsidema vanclieveii, 232
IUCN, 343
IUCN criteria, 344
Ixodes ricinus, 266

Jamaica, 282
Jamesonia, 77, *see* book cover
Japan, 87, 240, 267, 276, 277, 278, 336
Japanese quail, *see Coturnix japonicus*
jet streams, 23
Juan-Fernández Islands, 330
Jurassic, 264

Kariba weed, *see Salvinia molesta*
key characters, 380
Killamey fern, *see Vandenboschia speciosa*
Krakatau, 186, 188

Lacerta agilis, 273
Lacerta vivipara, 273
Lachnum, 223
lady fern, *see Athyrium filix-femina*
Lake Moondarra, 285
lake quillwort, *see Isoëtes lacustris*
lakes, 90
landslides, 4, 81, 180, 186, 193, 198, 206
large gully fern, *see Hemidictyum marginatum*
lava flows, 186, 194, 196, 198, 206
leaf
 calcium, 131
 cohort, 98
 color, 7, 225
 complexity, 87
 count, 86

Index

curling, 158, 162
decomposition, 204
determinate growth, 77
development, 64
dimorphism, 7, 64, 77
elongation, 96
emergence, 99
flush, 99
galls, **10**
growth, 96
heterophylly, 166
indeterminate growth, **11**, 73, 77, 199, 279
life span, 93, 94, 96
litter, 206
marcescent, 72
mass per unit area, LMA, 123
monomorphism, 7
nitrogen, 131
nutrient concentration, 123
nutritional value, 233
parameters, 62
phenology, *see* phenology
primordia, 77
production, 77, 82, 86, 98
rosette, 72, 98, 114
scar, 72, 82
spot, 222
stands, 98
survivorship curve, 99
traits, 125
twining, 77
venation, 9
leaf cutter ants, *see Atta colombica*
leather fern, *see Acrostichum*
Lecanopteris, 117, 243
 L. mirabilis, 243
 L. spinosa, 245
Lemna, 287
Lepisorus longifolius, 243
leptokurtic dispersal curve, 197
Leptopteris, 83, 157, 196
leptosporangiate ferns, 16, 324
Lesotho, 230
life cycle, 7, 10, 62, 66, 92
life cycle diagram, 12, 63
life form, 182, 183
life history
 stages, 68, 84, 85
 transitions, 91, 372
light, 9, 13, 41, 92, 200
lignin, 130
Lindsaea
 L. ensifolia, 281
lip fern, *see Cheilanthes*
lithophytic ferns, 189
litter, 123
 decomposition, 130
 removal, 188
 trapping, 114
lizards, 273
Lolium

- L. multiflorum*, 278
L. perenne, 278
Lomagramma guianensis, 72
 long distance dispersal, 23–25, 194
 long-term studies, 82, 91, 351
 long-term, low-level equilibrium stasis, 293
 Louisiana, 287, 303
Loxoma cunninghamii, 26
 Loxomataceae, 26
Loxosomopsis pearcei, 26
 LTER, 102
 Luquillo rain forest, 94, 98
 lycophyte
 families, 386
 genera, 386
 lycophytes, 3, 17–18
 Lycopodiaceae, 69, 80, 121, 229, 335
Lycopodiella
 L. caroliniana, 168
 L. cernua, 194, 229
Lycopodium
 L. clavatum, 26, 28, 229
 L. complanatum, 84, 190, 335
 L. diffusum, 122
 L. digitatum, 198
 L. paniculatum, 228, 230, 231
 L. thyoides, 3
Lygodium, 225, 291, 295, 300, 301–4,
 307, 310
 L. japonicum, 12, 280
 L. microphyllum, 5, 12, 201, 279
 L. venustum, 77, 96, 98, 294
 Lyme disease, 266

 Macaronesia, 283
Macrosyphum ptericolens, 271
Macrothelypteris torresiana, 338
Maculinia arion, 273
 Madagascar, 25, 33, 34, 347
 Madeira, 282
Maianthemum canadense, 191
 maidenhair spleenwort, *see Asplenium trichomanes*
 Maine, 89, 329
 malate, 163
 Malaysia, 276, 277
 Maldives, 34
 male fern, *see Dryopteris filix-mas*
 Mali, 155
 mammals, 232, 368
 management of problem ferns, 255, 290
 mangroves, 144, 188, 194, 241, 279
 Manitoba, 89
 Maori, 3
 Marattiaceae, 324, 341
Marsilea, 69, 148, 300
 M. drummondii, 189, 288
 M. macropoda, 288
 M. minuta, 288
 M. mollis, 168
 M. mutica, 288
 M. quadrifolia, 194
 M. vestita, 149, 288
 M. villosa, 288
 Marsileaceae, 230
 mass extinction events, 323
 Massachusetts, 201, 205
 matted fern, *see Anetium citrifolium*
Matteuccia struthiopteris, 7, 70, 77, 78, 87, 89, 96
 Mediterranean, 33, 283, 341
 megaphyll, 11
 megaspores, 15, 69
 meiosis, 9
Melaleuca quinquenervia, 280
Melampyrum, 272
 Melastomataceae, 118
Mellicta athalia, 272
Melpomene, 34, 224
 M. flabelliformis, 24
 Mesozoic, 16, 221, 233, 324
 methods
 demographic, 89
 leaf complexity, 87
 non-destructive, 89
 of risk assessment, 325
 preventive management, 224
 standard, 101, 365
 standard abundance data, 327
Metrosideros polymorpha, 202, 203, 206, 207, 336
 Mexico, 3, 341
 Cheilanthes, 331
 climbing ferns, 96
 cloud forest, 2
 endemics, 330
 epiphytic ferns, 162
 fern abundance, 328
 fern nectaries, 242
 fungi on ferns, 223, 224
 herbivory, 233, 234, 236, 237
 leaf galls, 10
 Los Tuxtlas, 186
 mangroves, 241
 mimicry, 239
 montane forest, 156
 Pteridium, 273
 riverbank, 198
 species size, 339
 spore bank, 67
 tree ferns, 100, 239, 336
 vanilla plantations, 294
 xerophytic ferns, 143
 mice, 273
 Michigan, 191
Microgramma, 117, 153, 243
 M. brunei, 245
 M. reptans, 198
 microphyll, 3, 11
Microsorium
 M. cromwellii, 166
 M. punctatum, 164, 166, 167
 microspores, 15, 69
 mid-domain effect, 42
 midges, 304

Cambridge University Press

978-0-521-72820-1 - Fern Ecology

Edited by Klaus Mehlreter, Lawrence R. Walker and Joanne M. Sharpe

Index

[More information](#)

438

Milesia, 225
Milesina, 225
 Minnesota, 231
 Missouri, 231
 mites, 303
Mixia, 225
Mohria, 153
Monalocoris filicis, 271
 monitoring, 102
 monotypic genera, 330
 montane forests, 156, 162, 328, 328
 moonwort, *see Botrychium mormo*
 Morocco, 294
 mosquito fern, *see Azolla*
 mosquitoes, 287, 290
 moths, 10, 234, 238, 271, 303, 304
 Mount Kilimanjaro, 155, 168, 169
 Mount Kinabalu, 27
 Mount St. Helens, 264
 mountain wood fern, *see Dryopteris austriaca*
 mule's-foot fern, *see Angiopteris evecta*
Musotima nitidalis, 275
 mutation rates, 40
 mutualism, 115, 221, 368
Mycena pterigena, 223
 mycoherbicides, 302
 mycorrhizae, 115, 116, 227–31
 mycotrophy, 13
 myrmecophily, 245
Myrothecium verrucaria, 303
Mythimna turca, 272

 N:Ca ratio, 131
 N:P ratio, 130, 132
 nardoo, *see Marsilea drummondii*
 narrow-leaved glade fern, *see Diplazium pycnocarpon*
 native species, 261
 naturalized species, 6, 261
 nectar composition, 242
 nectaries, 242
Neomusotima conspurcatalis, 303
Neostrombocerus abicomus, 303
Nephrolepis
 N. abrupta, 205
 N. acutifolia, 165
 N. exaltata, 194, 196, 238
 N. multiflora, 193
 N. pumicola, 168
 net primary productivity, 37
 Netherlands, 81, 86, 89, 91, 194
 netted chain fern, *see Woodwardia areolata*
 neutral theory of biodiversity and biogeography, 42
 neutralism, 221
 New Hampshire, 131
 New Zealand, 27–28, 123
 alluvial terrace, 113, 114
 elevational gradient, 36
 forest understory, 201, 202
 heathland, 123
 herbivory, 231, 264

Index

invasive ferns, 278, 300
 mycorrhizae, 227
 nutrient concentrations, 129, 131, 131
Pteridium, 112
 sand dunes, 123
 temperate rain forest, 119
 tree ferns, 72, 120, 128, 367
 ultramafic soils, 123
 volcanoes, 186
 New Zealand bracken, *see Pteridium esculentum*
 newly described species, 348
 niche, 302, 370, 372
 breadth hypothesis, 39
 conservatism, 40
 position hypothesis, 39
Nigrospora sphaerica, 303
Niphidium crassifolium, 144, 164, 166, 167
 nitrogen, 114, 119, 128, 129
 fixation, 116, 288
 isotopes, 115, 124
 Noctuidae, 234
 North America, 36, 158, 159, 168, 223
 North Carolina, 192
 northern fir-moss, *see Huperzia selago*
 northern ground cedar, *see Lycopodium complanatum*
 Norway, 43, 78, 89, 90, 198
Nothofagus, 228
Notholaena, 162, 241
 N. brachycaulis, 330
 N. parryi, 4
 nurse log, 208
 nutrient
 additions, 132
 cycling, 72, 204
 ecology, 111
 limitations, 100
 ratios, 130
 uptake, 112
 nutrients, 202, 229

 oak-leaf ferns, *see Drynaria*
 Oaxaca, 3
Octothrips lygodii, 303
Odontosoria
 O. aculeata, 207
 O. chinensis, 193, 281
 Ohio, 79, 189
 Oklahoma, 288
Oleandra pistillaris, 72
 Olympic Peninsula, 1
Onoclea sensibilis, 189, 241
 Ontario, 200, 205
 ontogenetic transitions, 63
 ontogeny, 84
Onychium contiguum, 267
 Ophioglossaceae, 69, 112, 229, 324, 335
Ophioglossum, 155
 O. vulgatum, 273
 orchids, 151, 163, 165, 167, 233, 369, 371
Oreochromis niloticus, 305
Orobanche, 270

- Oroephoetes peruana*, 238
 osmotic potential, 150
Osmunda, 225, 234
 O. cinnamomea, 77, 96
 O. claytoniana, 78, 197, 200
 O. regalis, 232, 351
 outcrossing, 69

Paesia scaberula, 278, 300
 pale moonwort, *see Botrychium pallidum*
 palms, 82
 Panama, 30, 102
Panicum repens, 287
Papaipema speciosissima, 234
 Papua New Guinea, 192, 193, 271
 páramo, 3, 339, 339
 parasitic fungi, 224
 parasitic seed plants, 364
Parthenium hysterophorus, 296
 Patagonia, 228, 231
Paulinia acuminata, 304
Pellaea, 159, 162
 P. cordifolia, 11
Pentagramma, 162
 peripheral populations, 341
 Permian, 16, 323
 Peru, 329
 pesticide, 296
Petrophora chlorosata, 271
 pH, 91, 191, 286, 293
 Phasmatodea, 238
Pheidole flavens, 243
 phenolics, 130
 phenology, 62, 95–101, 167–68
 phenotypic plasticity, 185
 Philippines, 280, 347
Philudoria potatoria, 273
Phlebodium, 154
 P. areolatum, 167
 P. aureum, 281
 P. pseudoaureum, 243
 phloroglucides, 241
Phoma
 P. aquilina, 270
 P. glomerata, 303
 phosphorus, 114, 118, 119, 128, 129
 photochemical efficiency, 160
 photodamage, 160, 162
 photoinhibition, 160, 169
 photoperiod, 78, 168
 photoprotection, 160, 161
 photosynthesis, 150, 160, 164, 336, 337
 phyllopodium, 72
Phylloscopus sibilatrix, 273
 phylogeny, 8, 17
Phymatodes, 154
Phymatosorus grossus, 281
Physothrips, 237
 phytoalexins, 240
 phytoecdysone, 240
 phytoecdysteroids, 271

 phytohormones, 158
 phytoremediation, 5, 11, 283, 369
Picea abies, 201
 pigments, 161, 162
 pigs, 204, 232, 267, 295, 368
Pinus
 P. banksiana, 200
 P. densiflora, 276
 P. sylvestris, 201
 pit membrane, 147
Pityrogramma, 162, 241
 P. calomelanos, 186, 191, 283
Plagiogyria
 P. adnata, 98
 P. dunnii, 98
Platycerium, 25, 144, 242
 P. andinum, 329
 P. bifurcatum, 166, 281
 P. superbum, 114, 281
 P. veitchii, 166
Platyzoma microphyllum, 162
 Pleistocene refugia, 33, 34
Pleopeltis, 34, 151, 153, 159
 P. angusta, 153
 P. crassinervata, 143
 P. furfuracea, 159, 243
 P. hirsutissima, 152, 153
 P. mexicana, 156, 157
 P. plebeia, 156, 157, 242
 P. polypodioides, 10, 112, 143, 151, 153, 155, 157, 158, 159, 162
 P. squalida, 153
 ploidy levels, 63
 plowing, 294
 poikilohydry, 155, 168
 poisoning, 266
 Poland, 351
 political responsibility, 330
 pollen grain, 9
Polybotrya, 44
 P. osmundacea, 242
Polygonum meisnerianum, 280
 polymorphism, 241
 Polynesia, 329
Polypedilum ivinoense, 304
 Polypodiaceae, 41, 131
Polypodium, 34, 72, 153, 242, 330
 P. furfuraceum, *see Pleopeltis furfuracea*
 P. madrense, 223
 P. montigenum, 223
 P. piloselloides, 76
 P. plebeium, *see Pleopeltis plebeia*
 P. plesiosorum, 243
 P. puberulum, 167
 P. rhodopleuron, 167
 P. triseriale, 7
 P. virginianum, 158, 195
 P. vulgare, 78, 159, 170, 340
Polystichum
 P. acrostichoides, 72, 78, 86, 87, 89, 93, 192, 224, 238

Cambridge University Press

978-0-521-72820-1 - Fern Ecology

Edited by Klaus Mehlreter, Lawrence R. Walker and Joanne M. Sharpe

Index

[More information](#)

440

Polystichum (cont.)
P. braunii, 93
P. lonchitis, 96
P. munitum, 1, 132, 224
P. setiferum, 89, 92, 102
P. squarrosum, 267
P. tripterum, 87, 93, 336
Pomacea canaliculata, 304
Popillia japonica, 271
population
 dynamics, 61, 340, 363
 size, 327, 340
 size hypothesis, 38
 structure, 70, 89
 viability, 38
potato fern, *see* *Microgramma brunei*
precipitation, 35, 119, 124
Primula, 272
problem ferns, 255, 256
Procas granulicollis, 272
protein synthesis, 158
prothallus, 9
Prunus serotina, 205
Psilotaceae, 71, 112, 229, 335
Psilotum nudum, 5
ptaquiloside, 267, 268, 296
Pteridaceae, 17, 41
Pteridium, 3, 121, 148, 169, 191, 241, 242, 262, 263, 265, 266, 267, 274, 292, 299, 306, 309
P. aquilinum, 3, 84, 102, 112, 132, 144, 159, 184, 190, 191, 198, 200, 205, 207, 222, 227, 232, 234, 242
P. esculentum, 3, 122, 123
Pteris
P. cretica, 79, 267, 283
P. orizabae, 10
P. vittata, 5, 11, 282
P. wallichiana, 98
pterosides, 267
pterosins, 267
Pterozonium, 162
public awareness, 308, 330, 333
public awareness program, 291
Puccinia lygodii, 225, 302
Puerto Rico
 debris removal experiment, 93
 epiphytic ferns, 76
 fern abundance, 4
 fertilization experiment, 132
 fire, 206
 hurricanes, 188
 irradiation experiment, 3
 landslides, 118, 204, 367
 leaf life spans, 94, 98, 199
 leaf production rates, 100
 naturalized ferns, 280, 281
 riverbanks, 189
 scrambling ferns, 191, 201, 202, 276
 spore dispersal, 197
 stream bed, 97
 tree ferns, 75

Index

Pyralidae, 238
Pyrrhocorax pyrrhocorax, 274
Pyrrhula murina, 232
Pyrrosia, 151, 154, 167
 P. adnascens, 154
 P. confluens, 163
 P. dielsii, 163
 P. lanceolata, 163, 243
 P. lingua, 77, 165
 P. longifolia, 143, 163, 164
 P. piloselloides, 163, 166
 P. rupestris, 165
Quebec, 189
Quercus rubra, 205
quillwort, *see* *Isoetes*
radiation, 41, 323
rain forests, 3, 4, 9, 99, 118, 119, 121, 167
ramets, 64, 66, 78, 84
range size, 24, 28–29
rank abundance curve, 328, 328
Rapid Assessment Program for biodiversity, 103
Rapport's rule, 332
rarity, 331
ray fern, *see* *Schizaea*
recalcitrance, 130
recruitment, 93
Red List
 categories, 344, 346
 criteria, 343
 of Threatened Species, 343
redwood, *see* *Sequoia sempervirens*
regional Red Lists, 348
regional risk assessment, 347
reinforcement, 351
reintroduction, 351
rejuvenation, 63
relative water content, 155, 157
releasing of planted trees, 292
reproduction, 7, 9, 62, 63, 64, 79
resistance
 constitutive, 239
 fire, 342
 frost, 4
 herbicide, 300
 induced, 239
 to radiation, 4
resorption, 129
resource monopolization, 205
respiration, 164
resurrection fern, *see* *Pleopeltis polypodioides*
resurrection spike-moss, *see* *Selaginella lepidophylla*
Reunion Island, 5, 7, 9, 186, 205, 282, 326
revival, 156
rheophytic ferns, 100, 189
Rhizoctonia solani, 303
rhizome, 62, 71, 112
 branching, 79, 84
 disintegration, 79
 morphology, 72

- rice crops, 287
ring fern, *see Paesia scaberula*
risk categories, *see* Red List categories
river, 100
riverbank, 177, 198, 333
road cuts, 180
rock polypody, *see Polypodium virginianum*
Romania, 287
root, 8, 71, 112
 hair, 112
 mantle, 82, 222, 349
rough tree fern, *see Dicksonia squarrosa*
royal fern, *see Osmunda regalis*
Rumohra adiantiformis, 100, 224, 234
running-pine, *see Lycopodium complanatum*
Russia, 85, 86, 90
rust fungi, 225, 302
rusty cliff fern, *see Woodsia ilvensis*
RWC, *see* relative water content
- Sadleria*
 S. cyatheoides, 196
 S. pallida, 193, 194, 196
safe site, 207
Sagittaria sagittifolia, 289
Saint Helena, 347
Salvinia, 69, 284, 293, 300
 S. auriculata, 287
 S. minima, 287
 S. molesta, 10, 284, 285, 303, 304, 305
 S. natans, 287
Salvinia grasshopper, *see Paulinia acuminata*
Salvinia stem-borer, *see Samea multiplicalis*
Salvinia weevil, *see Cyrtobagous salviniae*
Salviniaceae, 71, 230
Samea multiplicalis, 304
sampling density, 32
sand dunes, 121, 122, 123
São Tomé and Príncipe Islands, 348
saprophytic fungi, 223
savannas, 168
sawflies, 303
Saxicola rubetra, 273
scale dependent measures, 345
scale insects, 234
scales, 152, 162
Schinus terebinthifolius, 280
Schizaea
 S. fistulosa, 201
 S. pennula, 329
Scilla non-scripta, 271
Sclerotinia sclerotiorum, 303
Scoliosorus ensiformis, 9
Scotland, 65, 228, 299
scrambling ferns, 5, 182, 275
sea-cave fern, *see Cystopteris dickieana*
seasonality, 5, 95, 100, 167, 204, 207, 222, 279, 288
secondary growth, 8, 71
seed 9
seed bank 205
seedling mortality 208
- Selaginella*, 33, 69, 157, 159
 S. lepidophylla, 159, 160, 162, 170
 S. pallescens, 149
 S. ribae, 3
self-fertilization, 13
selfing
 gametophytic, 69
 intragametophytic, 335
 sporophytic, 69
sensitive fern, *see Onoclea sensibilis*
Sequoia sempervirens, 191
sesquiterpene-glycosides, 240
sex expression, 69
sexual life cycle, 7
sexual reproduction, 69
sheep farming, 306
sheep tick, *see Ixodes ricinus*
shining fir-moss, *see Huperzia lucidula*
shoestring fern, *see Vittaria lineata*
shorelines, 178
Siberia, 85, 86, 90
Sideroxylon thornei, 280
silage, 268
silicic acid, 241
silver-back ferns, *see Pityrogramma*
silvery spleenwort, *see Deparia acrostichoides*
Singapore, 351
sink populations, 43
slender bog club-moss, *see Lycopodiella caroliniana*
slugs, 231
small-leaf climbing fern, *see Lygodium microphyllum*
snails, 287
snakes, 10, 273
socio-economic effects of problem ferns, 305
soft shield fern, *see Polystichum setiferum*
soft tree fern, *see Cyathea smithii*
soil
 erosion, 204
 fertility, 111, 113, 118
 water content, 204
Solanopteris, 117, *see Microgramma*
Solomon Islands, 238
soral crypsis, 10, 238
sorus, 7, 9
source-sink effects, 42
South Africa, 225, 230, 275, 289, 301, 304, 305, 347
South America, 238, 264, 266, 303
Southeast Asia, 33, 262, 289, 294
Spain, 191
spatial dynamics, 4
specialist, 235
specialization, 41
speciation
 allopatric, 41
 sympatric, 41
species collections, 32
species richness, 32
 area dependence, 36
 climate dependence, 36
 elevational patterns, 35
 historical limitations of, 40

species richness, (cont.)
 local limitations, 37
 patterns, 30
 versus soil fertility, 118
 species size, 338
 species-area curves, 332
 sperm, 9, 69
Sphaeropteris, 83, 300
S. cooperi, 169, 204, 282, 294
Sphenomeris chinensis, see *Odontosoria chinensis*
Sphenopteris arizonica, 232
 spike-moss, see *Selaginella*
 spinulose wood fern, see *Dryopteris carthusiana*
 spleenwort, see *Asplenium*
 sporangium, 7, 9, 62
 spore, 9, 12–15, 371
 aborted, 11
 aperture, 11
 bank, 63, 350
 color, 12
 count, 90
 feeders, 10
 germination, 64, 68
 green, 24, 334
 monolete, 11, 13
 movement through soil, 65
 production, 195
 release, 65, 78, 91
 storage, 350
 trilete, 11, 13
 viability, 12, 24, 65
 wall, 11
 sporeling, 78
 sporocarp, 288
 sporophore, 5
 sporophyll, 7
 sporophyte, 9, 62
 desiccation tolerance, 155
 development, 64
 fertile adult, 86
 juvenile, 84
 morphology, 8
 senescent, 86
 sterile adult, 85
 Sri Lanka, 202, 206, 284, 305
 staghorn ferns, see *Platyserium*
Stagonospora, 222
 stand of leaves, 72
 stem, 71
 density, 119
Stenopelmus rufinasus, 304
Sticherus, 77, 169
S. bifidus, 149, 167, 184, 201, 201, 206, 276
 stick insects, see Phasmatodea
 stipule buds, 341
 stoichiometry, 130
 stolon, 7
 stomatal conductance, 149, 150, 157, 163
 stress, 46
 strobilus, 3, 11
 substrate, 116

substrate specificity, 44
 succession, 5, 31, 32, 177, 192, 193, 194, 196, 209, 265
 succulence, 154, 165
 Sulawesi, 329
 surfactants, 300
 swamp umbrella fern, see *Gleichenia dicarpa*
 Sweden, 201
 sweet mountain fern, see *Thelypteris limbosperma*
 Switzerland, 340
 sword fern, see *Polystichum munitum*
Sylvia undata, 273
 symbionts, 228
 symbiosis, 115, 222, 227
 synangia, 5
 synaptospory, 245
Synchytrium athyrii, 224

Tabebuia heterophylla, 207
 taeniafuge, 241
 Tahiti, 282
 Taiwan, 78, 94, 98, 274, 280, 340
 Tamaulipas, 3
 tannins, 130, 240
 Tanzania, 35, 35
Taphrina
T. faulliana, 224
T. polystichi, 224
Tapinoma sessile, 242
Tarchon felderi, 236, 237
 Tasmania, 342, 349
Taxodium distichum, 279
 tea plantations, see *Camellia sinensis*
Tectaria antioquiiana, 121
 temperate forests, 4, 78, 89, 91
 temperate rain forests, 1
 temperature, 35, 78, 93, 169, 170
 temporal dynamics, 4, 192
 Tennessee, 28
 Tenthredinidae, 237
 termites, 72
Terpsichore, 224
 Texas, 287
 Thailand, 303
Thelypteris, 86
T. angustifolia, 98, 99, 100, 189, 190
T. deltoidea, 73, 87, 93, 132
T. limbosperma, 89, 96
T. macrophylla, 121
T. reticulata, 98
 theory of
 island biogeography, 38
 species-energy, 37
 therophyte, 168
 thiaminase, 240, 288
 thiamine deficiency, 278
 threats to ferns, 324
 threshold of population viability, 38
 thrips, 237, 303
Thyrsopteris elegans, 330
 Thysanoptera, 237
 tick-borne disease, 306

Cambridge University Press

978-0-521-72820-1 - Fern Ecology

Edited by Klaus Mehlreter, Lawrence R. Walker and Joanne M. Sharpe

Index

[More information](#)

Index

443

- Tillandsia utriculata*, 280
 timberline, 39, 46
 tissue culture, 350
 tissue specificity, 222
Tmesipteris elongata, 113
 tocopherol, 160, 162
 tolerance
 cold, 170
 desiccation, 170
 drought, 4, 169
 heat, 169
 light, 367
 stress, 368
 topography, 33
Tortula, 158
 toxicity, 266
 tracheid, 147
 trade winds, 23
 trampling, 295, 301
 tree fern, 82, 128, 207, 222, 223
 density, 199
 growth, 199
 herbivory, 232
 leaf longevity, 199
 skirt, 72
 Triassic, 232, 324
Trichoplusia ni, 271
Trichomanes
 T. bucinatum, 156
 T. capillaceum, 222
 T. elegans, 9
 T. reptans, 222
 T. tuerckheimii, 9
 trichomes, 112, 151, 153, 159
 triclopyr, 300
Trientalis europaea, 271
 Tristan da Cunha, 335, 347
 trophophore, 5
 trophophyll, 7
 trunk-forming species, 82
Turdus torquatus, 273
 Turkey, 267, 271
- Uganda, 33, 118
 ultramafic soil, 122
 undersampling, 33, 234
 understory, 1, 9, 167
 underutilization, 234
Undulambia polystichalis, 234
 United Kingdom, 78, 80, 229, 235, 262, 270, 271, 304
 United States Atomic Energy Commission, 4
 Uredinales, 224, 225
Uredinopsis, 225
 US Environmental Protection Agency, 296
 USA, 341
 disturbance, 188
 epiphytic ferns, 151
 fern biomass, 72
 fertilization experiments, 132
 herbivory, 238
 invasive ferns, 12, 280
 naturalized ferns, 282
 phenology, 89
 problem ferns, 288, 305
 temperate rain forest, 1
 uses of ferns, 2, 269, 369, 373
 animal fodder, 289, 373
 fertilizer, 289, 325
 food, 267
 horticulture, 2, 79
 medicine, 325
 UV light protection, 162
- Vallisneria americana*, 190
Vandenboschia speciosa, 333
Vanilla
 V. mexicana, 280
 V. planifolia, 294
 vegetative expansion, 197
 vegetative propagation, 62
 vein counting method, 88
 Venezuela, 267, 301
 Veracruz, 2, 3, 9
 vernalization, 9
 vessel, 147, 169
 vicariance, 26–28
Viola, 272
 vitamin B, 241
Vittaria, 167
 V. flexuosa, 166
 V. lineata, 166
 volcanoes, 178, 186
- wall rue, *see Asplenium ruta-muraria*
 Washington, 132
Wasmannia auropunctata, 242
 water
 dependence, 36
 loss, 156
 pollution of, 190
 potential, 149, 150
 storage, 154, 245
 stress, 37
 transport, 147
 uptake, 150
 use efficiency, 163, 165
 water-clover, *see Marsilea*
 waterfowl, 287, 288, 289
 water-storing tissue, 154, 154, 165
 weevils, 302, 304
 wells, 333
 wetlands, 121, 142, 144, 279, 288, 301, 369
 whisk-ferns, *see Psilotaceae*
 woodland oak fern, *see Gymnocarpium robertianum*
Woodsia, 148
 W. ilvensis, 351
 W. mexicana, 11
 W. obtusa, 148
Woodwardia
 W. areolata, 71
 W. radicans, 232
 WUE, *see water use efficiency*

Cambridge University Press

978-0-521-72820-1 - Fern Ecology

Edited by Klaus Mehltreter, Lawrence R. Walker and Joanne M. Sharpe

Index

[More information](#)

444

xanthophyll, 160
xerophytic ferns, 2, 141, 142
xylem anatomy, 148

Yangtze River, 340
Yemen, 347

Index

Zambezi, 284
Zambia, 100, 190
zeaxanthin, 162
Zion National Park, 189
zygote, 9