

Kodak

LED LIGHTING



FILAMENT LIGHT BULBS COLLECTION



5W
 ITEM# 67000
 ITEM# 67000-UL
 4 FILAMENTS
 VERY WARM WHITE



7.5W
 ITEM # 67001
 ITEM # 67001-UL
 6 FILAMENTS
 VERY WARM WHITE

High Color Rendering Index Very warm white 2200K
60 WATT, 90 WATT Halogen Equivalent
ST-64 Extra Long Filament

Dimmable

Product Description


This vintage looking light bulb is in the form of the historic original Edison light bulb. This nostalgic bulb is great for chandeliers and sconces. Although this bulb appears antique it uses linear LED filaments and is incredibly energy efficient.

Features

- 30,000 hrs rated life
- Dimmable
- 900 lumens
- 360 degree lighting
- No UV / No IR
- Operating temperature:
 -10°C to +40°C
 -24° F to +104° F

Construction

Aluminum Housing
 Clear Glass Lens
 E26 Base



ITEM No.	Form	Lens	Input	Base	Watts	CCT	Lumens	Rated Life (hrs)	CRI	Beam Angle	Dimming
67000	ST-64	Clear	120V	E26	5W	2200K	600	30,000	92	360	Yes
67000-UL	ST-64	Clear	120V	E26	5W	2200K	600	30,000	92	360	Yes
67001	ST-64	Clear	120V	E26	7.5W	2200K	900	30,000	92	360	Yes
67001-UL	ST-64	Clear	120V	E26	7.5W	2200K	900	30,000	92	360	Yes



2.5W
ITEM # 67024
2 FILAMENTS



5W
ITEM # 67025
4 FILAMENTS



7.5W
ITEM # 67026
6 FILAMENTS



10W
ITEM # 67027
8 FILAMENTS



12.5W
ITEM # 67028
10 FILAMENTS

30 WATT, 60 WATT, 90 WATT 120 WATT, 150 WATT Halogen Equivalent ST-64 Extra Long Filament

Dimmable

Product Description

This vintage looking light bulb is in the form of the historic original Edison light bulb. This nostalgic bulb is great for chandeliers and sconces. Although this bulb appears antique it uses linear LED filaments and is incredibly energy efficient.

Features

- 30,000 hrs rated life
- Dimmable
- 300 - 1500 lumens
- 360 degree lighting
- No UV / No IR
- Operating temperature:
-10°C to +40°C
-24° F to +104° F

Construction

Aluminum Housing
Clear Glass Lens
E26 Base

ITEM No.	Form	Lens	Input	Base	Watts	CCT	Lumens	Rated Life (hrs)	CRI	Beam Angle	Dimming
67024	ST-64	Clear	120V	E26	2.50W	2700K	300	30,000	82	360	Yes
67025	ST-64	Clear	120V	E26	5.00W	2700K	600	30,000	82	360	Yes
67026	ST-64	Clear	120V	E26	7.50W	2700K	900	30,000	82	360	Yes
67027	ST-64	Clear	120V	E26	10.0W	2700K	1200	30,000	82	360	Yes
67028	ST-64	Clear	120V	E26	12.5W	2700K	1500	30,000	82	360	Yes



7.5W
ITEM # 67004
6 FILAMENTS
VERY WARM WHITE

High Color Rendering Index Very warm white 2200K

90 WATT Halogen Equivalent

A21 LED Extra Long Filament

Dimmable

Product Description

Filament LED Lamps provide a 360 degree beam angle. These lamps continue the more than 100 years of tradition of preferring incandescent bulbs. Delivering incandescent-like sparkling light effects. Lighting in the hospitality industry, as well as home environments. These lamps employ Multi-Linear LED filaments.

Features

- True 90W
- Non-flickering
- Available in Medium Base - E26
- No UV / No IR
- Instant-on
- Operating temperature:
 -10°C to +40°C
 -24° F to +104° F

Construction

Aluminum Housing
 Clear Glass Lens
 E26 Base

ITEM No.	Form	Lens	Input	Base	Watts	CCT	Lumens	Rated Life (hrs)	CRI	Beam Angle	Dimming
67004	A21	Clear	120V	E26	7.500W	2200K	900	30,000	92	360	Yes



2.5W
ITEM # 67030
2 FILAMENTS



5W
ITEM # 67031
4 FILAMENTS



7.5W
ITEM # 67032
6 FILAMENTS



10W
ITEM # 67033
8 FILAMENTS



12.5W
ITEM # 67034
10 FILAMENTS

30 WATT, 60 WATT, 90 WATT 120 WATT, 150 WATT Halogen Equivalent A21 LED Extra Long Filament

Dimmable

Product Description

Filament LED Lamps provide a 360 degree beam angle. These lamps continue the more than 100 years of tradition of preferring incandescent bulbs. Delivering incandescent-like sparkling light effects. Lighting in the hospitality industry, as well as home environments. These lamps employ Multi-Linear LED filaments.

Features

- True 30W, 60W, 90W, 120W and 150W replacement
- Non-flickering
- Available in Medium Base - E26
- No UV / No IR
- Instant-on
- Operating temperature:
-10°C to +40°C
-24° F to +104° F

Construction

Aluminum Housing
Clear Glass Lens
E26 Base

ITEM No.	Form	Lens	Input	Base	Watts	CCT	Lumens	Rated Life (hrs)	CRI	Beam Angle	Dimming
67030	A21	Clear	120V	E26	2.50W	2700K	300	30,000	82	360	Yes
67031	A21	Clear	120V	E26	5.00W	2700K	600	30,000	82	360	Yes
67032	A21	Clear	120V	E26	7.50W	2700K	900	30,000	82	360	Yes
67033	A21	Clear	120V	E26	10.0W	2700K	1200	30,000	82	360	Yes
67034	A21	Clear	120V	E26	12.5W	2700K	1500	30,000	82	360	Yes



5W
ITEM # 67006
4 FILAMENT



7.5W
ITEM # 67007
6 FILAMENT



7.5W
ITEM # 67035
6 FILAMENT
VERY WARM WHITE

11.875"

60 WATT

90 WATT Halogen Equivalent

T-30 Long LED Extra Long Filament **Dimmable**

Product Description

This tubular LED lamp uses linear LED filaments. Comes in various wattages. Energy saving.

Features

- 30,000 hrs rated life
- Dimmable
- 600 and 900 lumens
- No UV / No IR
- Operating temperature:
-10°C to +40°C
-24° F to +104° F

Construction

Aluminum Housing
Clear Glass Lens
E26 Base

ITEM No.	Form	Lens	Input	Base	Watts	CCT	Lumens	Rated Life (hrs)	CRI	Beam Angle	Dimming
67006	T-30 Long	Clear	120V	E26	5.0W	2700K	600	30,000	82	360	Yes
67007	T-30 Long	Clear	120V	E26	7.5W	2700K	900	30,000	82	360	Yes
67035	T-30 Long	Clear	120V	E26	7.5W	2200K	900	30,000	92	360	Yes



2.5W
ITEM # 67008
2 FILAMENTS



5W
ITEM # 67009
4 FILAMENTS



5W
ITEM # 67037
4 FILAMENTS
VERY WARM WHITE

7.25"

30 WATT
90 WATT Halogen Equivalent
T-30 LED Extra Long Filament

Dimmable

Product Description

This tubular LED lamp uses linear LED filaments. Comes in various wattages. Energy saving.

Features

- 30,000 hrs rated life
- Dimmable
- 300 and 600 lumens
- No UV / No IR
- Operating temperature:
-10°C to +40°C
-24° F to +104° F

Construction

Aluminum Housing
Clear Glass Lens
E26 Base

ITEM No.	Form	Lens	Input	Base	Watts	CCT	Lumens	Rated Life (hrs)	CRI	Beam Angle	Dimming
67008	T-30	Clear	120V	E26	2.5W	2700K	300	30,000	82	360	Yes
67009	T-30	Clear	120V	E26	5.0W	2700K	600	30,000	82	360	Yes
67037	T-30	Clear	120V	E26	5.0W	2200K	600	30,000	92	360	Yes



2.5W
ITEM # 67010
2 FILAMENT



5W
ITEM # 67011
4 FILAMENTS



5W
ITEM # 67039
4 FILAMENTS
VERY WARM WHITE

4.5"

30 WATT, 60 WATT Halogen Equivalent T-30 Short LED

Dimmable

Product Description

This tubular LED lamp uses linear LED filaments. Comes in various wattages. Energy saving.

Features

- 30,000 hrs rated life
- Dimmable
- 300 and 600 lumens
- No UV / No IR
- Operating temperature:
-10°C to +40°C
-24° F to +104° F

Construction

Aluminum Housing
Clear Glass Lens
E26 Base

ITEM No.	Form	Lens	Input	Base	Watts	CCT	Lumens	Rated Life (hrs)	CRI	Beam Angle	Dimming
67010	T-30 Short	Clear	120V	E26	2.5W	2700K	300	30,000	82	360	Yes
67011	T-30 Short	Clear	120V	E26	5.0W	2700K	600	30,000	82	360	Yes
67039	T-30 Short	Clear	120V	E26	5.0W	2200K	600	30,000	92	360	Yes



7.5W
ITEM #67041
4 INCH GLOBE
6 FILAMENT
VERY WARM WHITE

High Color Rendering Index Very warm white 2200K

90 WATT Halogen Equivalent

4 Inch Globe Filament

Dimmable

Product Description

KODAK LED Lamps provide a 360 degree beam angle. Delivering incandescent-like sparkling light effects, LED Filament bulbs are ideal for general and decorative lighting in the hospitality industry, as well as home environments. The lamp employs Linear LED filaments.

Features

- 30,000 hrs rated life
- Dimmable
- 900 lumens
- 360 degree lighting
- No UV / No IR
- Operating temperature:
 -10°C to +40°C
 -24° F to +104° F

Construction

Aluminum Housing
 Clear Glass Lens
 E26 Base

Item No.	Form	Lens	Input	Base	Watts	CCT	Lumens	Rated Life (hrs)	CRI	Beam Angle	Dimming
67041	G95 4 in	Clear	120V	E26	7.5W	2200K	900	30,000	92	360	Yes



5W
ITEM #67013
4 INCH GLOBE
4 FILAMENT



7.5W
ITEM #67014
4 INCH GLOBE
6 FILAMENT



10W
ITEM #67015
4 INCH GLOBE
8 FILAMENT

60 WATT, 90 WATT 120 WATT Halogen Equivalent 4 Inch Globe Filament

Dimmable

Product Description

KODAK LED Lamps provide a 360 degree beam angle. Delivering incandescent-like sparkling light effects, LED Filament bulbs are ideal for general and decorative lighting in the hospitality industry, as well as home environments. The lamp employs Linear LED filaments.

Features

- 30,000 hrs rated life
- Dimmable
- 600, 900 and 1200 lumens
- 360 degree lighting
- No UV / No IR
- Operating temperature:
-10°C to +40°C
-24° F to +104° F

Construction

Aluminum Housing
Clear Glass Lens
E26 Base

Item No.	Form	Lens	Input	Base	Watts	CCT	Lumens	Rated Life (hrs)	CRI	Beam Angle	Dimming
67013	G95 4 in	Clear	120V	E26	5.0W	2700K	600	30,000	82	360	Yes
67014	G95 4 in	Clear	120V	E26	7.5W	2700K	900	30,000	82	360	Yes
67015	G95 4 in	Clear	120V	E26	10W	2700K	1200	30,000	82	360	Yes



7.5W
ITEM #67045
5 INCH GLOBE
6 FILAMENT
VERY WARM WHITE

High Color Rendering Index Very warm white 2200K

90 WATT Halogen Equivalent

5 Inch Globe Filament

Dimmable

Product Description

KODAK LED Lamps provide a 360 degree beam angle. Delivering incandescent-like sparkling light effects, LED Filament bulbs are ideal for general and decorative lighting in the hospitality industry, as well as home environments. The lamp employs Linear LED filaments.

Features

- 30,000 hrs rated life
- Dimmable
- 900 lumens
- 360 degree lighting
- No UV / No IR
- Operating temperature:
 -10°C to +40°C
 -24° F to +104° F

Construction

Aluminum Housing
 Clear Glass Lens
 E26 Base

ITEM No.	Form	Lens	Input	Base	Watts	CCT	Lumens	Rated Life (hrs)	CRI	Beam Angle	Dimming
67045	G125 5 in	Clear	120V	E26	7.5W	2200K	900	30,000	92	360	Yes



5W
ITEM #67016
5 INCH GLOBE
4 FILAMENT



7.5W
ITEM #67017
5 INCH GLOBE
6 FILAMENT



10W
ITEM #67018
5 INCH GLOBE
8 FILAMENT



12.5W
ITEM #67043
5 INCH GLOBE
10 FILAMENT

**60 WATT, 90 WATT
120 WATT, 150 WATT** Halogen Equivalent
5 Inch Globe Filament

Dimmable

Product Description

KODAK LED Lamps provide a 360 degree beam angle. Delivering incandescent-like sparkling light effects, LED Filament bulbs are ideal for general and decorative lighting in the hospitality industry, as well as home environments. The lamp employs Linear LED filaments.

Features

- 30,000 hrs rated life
- Dimmable
- 600, 900 1200 and 1500 lumens
- 360 degree lighting
- No UV / No IR
- Operating temperature:
-10°C to +40°C
-24° F to +104° F

Construction

Aluminum Housing
Clear Glass Lens
E26 Base

ITEM No.	Form	Lens	Input	Base	Watts	CCT	Lumens	Rated Life (hrs)	CRI	Beam Angle	Dimming
67016	G125 5 in	Clear	120V	E26	5.00W	2700K	600	30,000	82	360	Yes
67017	G125 5 in	Clear	120V	E26	7.50W	2700K	900	30,000	82	360	Yes
67018	G125 5 in	Clear	120V	E26	10.0W	2700K	1200	30,000	82	360	Yes
67043	G125 5 in	Clear	120V	E26	12.5W	2700K	1500	30,000	82	360	Yes



1.25W
ITEM #67019
T25



2.5W
ITEM #67020
T25

15 WATT, 30 WATT Halogen Equivalent T25 Filament

Dimmable

Product Description

With 360-degree light direction, our lamps deliver the gentle, warm light consumers prefer. Table lamps are fully lit, not just upward but in all directions. The color of the light provides softness for reading and enhances interior ambiance.

Features

- 30,000 hrs rated life
- Dimmable
- 150 and 300 lumens
- 360 degree lighting
- No UV / No IR
- Operating temperature:
-10°C to +40°C
-24° F to +104° F

Construction

Aluminum Housing
Clear Glass Lens
E12 Base

ITEM No.	Form	Lens	Input	Base	Watts	CCT	Lumens	Rated Life (hrs)	CRI	Beam Angle	Dimming
67019	T25	Clear	120V	E12	1.25W	2700K	150	30,000	82	360	Yes
67020	T25	Clear	120V	E12	2.50W	2700K	300	30,000	82	360	Yes



5W
ITEM #55028



5W
ITEM #55033
AMBER

50 WATT Halogen Equivalent ST-64 Weaved Clear and Amber **Dimmable**

Product Description

This vintage looking light bulb is in the form of the historic original Edison light bulb. This nostalgic bulb is great for chandeliers and sconces. Although this bulb appears antique it uses linear LED filaments and is incredibly energy efficient.

Features

- 30,000 hrs rated life
- Dimmable
- 500 lumens
- 360 degree lighting
- No UV / No IR
- Operating temperature:
-10°C to +40°C
-24° F to +104° F

Construction

Aluminum Housing
Glass Lens
E26 Base

Amber Lens Impact

The amber lens reduces the color temperature by 200K. Therefore, 2700K will appear as 2500K.

ITEM No.	Form	Lens	Input	Base	Watts	CCT	Lumens	Rated Life (hrs)	CRI	Beam Angle	Dimming
55028	ST-64	Clear	120V	E26	5W	2700	500	30,000	82	360	Yes
55033	ST-64	Amber	120V	E26	5W	2700	500	30,000	82	360	Yes



5 Inch
10 FILAMENT
ITEM #55041



2 Inch
4 FILAMENT
ITEM #55036



3 Inch
4 FILAMENT
ITEM #55037
ITEM #55037-UL



4 Inch
4 FILAMENT
ITEM #55038
ITEM #55038-UL



5 Inch
6 FILAMENT
ITEM #55039



5 Inch
8 FILAMENT
ITEM #55040
ITEM #55040-UL

40 WATT, 60 WATT, 80 WATT, 100 WATT Halogen Equivalent Mirror Globe

Dimmable

Product Description


KODAK LED Lamps provide a 360 degree beam angle. This lamp continues the more than 100 years of tradition of preferring incandescent bulbs. Delivering incandescent-like sparkling light effects, LED Filament bulbs are ideal for general and decorative lighting in the hospitality industry, as well as home environments. The lamp employs Linear LED filaments.

Features

- Dimmable
- True 40W, 60W, 80W, 100W replacement
- Non-flickering
- Single light source for even distribution
- No spotting
- Glare-free
- No UV / No IR
- Instant-on
- Operating temperature:
-10°C to +40°C
-24° F to +104° F

Construction

Aluminum Housing
Glass Lens
E12 and E26 Base



ITEM No.	Form	Lens	Input	Base	Watts	CCT	Lumens	Rated Life (hrs)	CRI	Beam Angle	Dimming
55036	G16.5 2 in	Mirror	120V	E12	4W	2700K	400	30,000	82	360	Yes
55037	G80 3 in	Mirror	120V	E26	4W	2700K	400	30,000	82	360	Yes
55037-UL	G80 3 in	Mirror	120V	E26	4W	2700K	400	30,000	82	360	Yes
55038	G95 4 in	Mirror	120V	E26	4W	2700K	400	30,000	82	360	Yes
55038-UL	G95 4 in	Mirror	120V	E26	4W	2700K	400	30,000	82	360	Yes
55039	G125 5 in	Mirror	120V	E26	6W	2700K	600	30,000	82	360	Yes
55040	G125 5 in	Mirror	120V	E26	7W	2700K	800	30,000	82	360	Yes
55040-UL	G125 5 in	Mirror	120V	E26	7W	2700K	800	30,000	82	360	Yes
55041	G125 5 in	Mirror	120V	E26	8W	2700K	900	30,000	82	360	Yes



10 Filament
ITEM #55050



6 Filament
ITEM #55049
ITEM #55049-UL



8 Filament
ITEM #55048
ITEM #55048-UL

60 WATT, 80 WATT, 100 WATT Halogen Equivalent A19 LED Filament Mirror

Dimmable

Product Description


KODAK LED Lamps provide a 360 degree beam angle. Delivering incandescent-like sparkling light effects, LED Filament bulbs are ideal for general and decorative lighting in the hospitality industry, as well as home environments. The lamp employs Linear LED filaments.

Features

- 30,000 hrs rated life
- True 60W, 80W and 100 replacement
- Dimmable
- 360 degree lighting
- No UV / No IR
- Operating temperature:
-10°C to +40°C
-24° F to +104° F

Construction

Aluminum Housing
Clear Glass Lens
E26 Base



ITEM No.	Form	Lens	Input	Base	Watts	CCT	Lumens	Rated Life (hrs)	CRI	Beam Angle	Dimming
55048	A19	Clear	120V	E26	6W	2700K	600	30,000	82	360	Yes
55048-UL	A19	Clear	120V	E26	6W	2700K	600	30,000	82	360	Yes
55049	A19	Clear	120V	E26	7W	2700K	800	30,000	82	360	Yes
55049-UL	A19	Clear	120V	E26	7W	2700K	800	30,000	82	360	Yes
55050	A19	Clear	120V	E26	8W	2700K	900	30,000	82	360	Yes



2W
ITEM #41116
ITEM #41116-UL
CANDLE FLAME TIP



4W
ITEM #41117
ITEM #41117-UL
CANDLE FLAME TIP

25 WATT 40 WATT Halogen Equivalent Candle Flame Tip

Dimmable

Product Description


Available with a clear lens, these lamps cast light in all directions, including down. Light is properly centered so chandeliers and shaded fixtures illuminate with no shadowing or dark spots.

Features

- 30,000 hrs rated life
- Dimmable
- 200 and 400 lumens
- 360 degree lighting
- No UV / No IR
- Operating temperature:
-10°C to +40°C
-24° F to +104° F

Construction

Aluminum Housing
Clear Glass Lens
E12 Base



ITEM No.	Form	Lens	Input	Base	Watts	CCT	Lumens	Rated Life (hrs)	CRI	Beam Angle	Dimming
41116	Flame Tip	Clear	120V	E12	2W	2700K	200	30,000	82	360	Yes
41117	Flame Tip	Clear	120V	E12	4W	2700K	400	30,000	82	360	Yes
41116-UL	Flame Tip	Clear	120V	E12	2W	2700K	200	30,000	82	360	Yes
41117-UL	Flame Tip	Clear	120V	E12	4W	2700K	400	30,000	82	360	Yes



6W
ITEM #55000
ITEM #55000-UL
TORPEDO
2700 K CRI 82
WARM WHITE



6W
ITEM #55001
ITEM #55001-UL
TORPEDO
2200 K CRI 92
VERY WARM WHITE



6W
ITEM #55004
ITEM #55004-UL
TORPEDO
2700K CRI 82
MILKY WHITE



6W
ITEM #55005
ITEM #55005-UL
TORPEDO
2700K CRI 82
FROSTED

55 WATT Halogen Equivalent Torpedo Collection

Dimmable

Product Description


With clear, milky white and frosted all glass bodies, these lamps cast light in all directions, including down. Light is properly centered so chandeliers and shaded fixtures illuminate with no shadowing or dark spots.

Features

- 30,000 hrs rated life
- Dimmable
- 550 lumens
- 360 degree lighting
- No UV / No IR
- Operating temperature:
-10°C to +40°C
-24° F to +104° F

Construction

Aluminum Housing
Glass Lens
E12 Base



ITEM No.	Form	Lens	Input	Base	Watts	CCT	Lumens	Rated Life (hrs)	CRI	Beam Angle	Dimming
55000	Torpedo	Clear	120V	E12	6W	2700K	550	30,000	82	360	Yes
55000-UL	Torpedo	Clear	120V	E12	6W	2700K	550	30,000	82	360	Yes
55001	Torpedo	Clear	120V	E12	6W	2200K	550	30,000	92	360	Yes
55001-UL	Torpedo	Clear	120V	E12	6W	2200K	550	30,000	92	360	Yes
55004	Torpedo	White	120V	E12	6W	2700K	550	30,000	82	360	Yes
55004-UL	Torpedo	White	120V	E12	6W	2700K	550	30,000	82	360	Yes
55005	Torpedo	Frosted	120V	E12	6W	2700K	550	30,000	82	360	Yes
55005-UL	Torpedo	Frosted	120V	E12	6W	2700K	550	30,000	82	360	Yes



2W
ITEM #41067
ITEM #41067-UL
CANDLE TORPEDO



4W
ITEM #41063
ITEM #41063-UL
CANDLE TORPEDO



25 WATT 40 WATT Halogen Equivalent Candle Torpedo

Dimmable

Product Description


Available with a clear lens, these lamps cast light in all directions, including down. Light is properly centered so chandeliers and shaded fixtures illuminate with no shadowing or dark spots.

Features

- 30,000 hrs rated life
- Dimmable
- 200 and 400 lumens
- 360 degree lighting
- No UV / No IR
- Operating temperature:
-10°C to +40°C
-24° F to +104° F

Construction

Aluminum Housing
Clear Glass Lens
E12 Base




ITEM No.	Form	Lens	Input	Base	Watts	CCT	Lumens	Rated Life (hrs)	CRI	Beam Angle	Dimming
41067	Torpedo	Clear	120V	E12	2W	2700K	200	30,000	82	360	Yes
41067-UL	Torpedo	Clear	120V	E12	2W	2700K	200	30,000	82	360	Yes
41063	Torpedo	Clear	120V	E12	4W	2700K	400	30,000	82	360	Yes
41063-UL	Torpedo	Clear	120V	E12	4W	2700K	400	30,000	82	360	Yes



2W
ITEM # 42082
E12 BASE
4W
ITEM # 42083
E12 BASE



2W
ITEM # 55074
E26 BASE
4W
ITEM # 55075
E26 BASE



25 WATT 40 WATT Halogen Equivalent Frosted Torpedo Filament

Dimmable

Product Description

Available with a clear lens, these lamps cast light in all directions, including down. Light is properly centered so chandeliers and shaded fixtures illuminate with no shadowing or dark spots.

Features

- 30,000 hrs rated life
- Dimmable
- 200 and 400 lumens
- No UV / No IR
- Operating temperature:
-10°C to +40°C
-24° F to +104° F

Construction

Aluminum Housing
Clear Glass Lens
E12 and E26 Base



ITEM No.	Form	Lens	Input	Base	Watts	CCT	Lumens	Rated Life (hrs)	CRI	Beam Angle	Dimming
42082	Torpedo	Frosted	120V	E12	2W	2700K	200	30,000	82	360	Yes
42082-UL	Torpedo	Frosted	120V	E12	2W	2700K	200	30,000	82	360	Yes
42083	Torpedo	Frosted	120V	E12	4W	2700K	400	30,000	82	360	Yes
42083-UL	Torpedo	Frosted	120V	E12	4W	2700K	400	30,000	82	360	Yes
55074	Torpedo	Frosted	120V	E26	2W	2700K	200	30,000	82	360	Yes
55075	Torpedo	Frosted	120V	E26	4W	2700K	400	30,000	82	360	Yes



2W
ITEM #42011
TWISTED TORPEDO/ICE CREAM



4W
ITEM #42012
TWISTED TORPEDO/ICE CREAM

25 WATT

40 WATT Halogen Equivalent

Twisted Torpedo/Ice Cream

Dimmable

Product Description

Available in clear twisted decorative lens these lamps cast light in all directions. Light is properly centered so chandeliers and shaded fixtures illuminate with no shadowing or dark spots.

Features

- 30,000 hrs rated life
- Dimmable
- 200 and 400 lumens
- 360 degree lighting
- No UV / No IR
- Operating temperature:
-10°C to +40°C
-24° F to +104° F

Construction

Aluminum Housing
Clear Glass Lens
E12 Base

ITEM No.	Form	Lens	Input	Base	Watts	CCT	Lumens	Rated Life (hrs)	CRI	Beam Angle	Dimming
42011	Torpedo	Clear	120V	E12	2W	2700K	200	30,000	82	360	Yes
42012	Torpedo	Clear	120V	E12	4W	2700K	400	30,000	82	360	Yes



6W
 ITEM #55002
 ITEM #55002-UL
 2200K CRI 92
 VERY WARM WHITE



6W
 ITEM #55003
 ITEM #55003-UL
 2700K CRI 82
 VERY WARM WHITE

55 WATT Halogen Equivalent Candle Flame Tip Collection

Dimmable

Product Description


Available in clear twisted decorative lens these lamps cast light in all directions. Light is properly centered so chandeliers and shaded fixtures illuminate with no shadowing or dark spots.

Features

- 30,000 hrs rated life
- Dimmable
- 550 lumens
- 360 degree lighting
- No UV / No IR
- Operating temperature:
 -10°C to +40°C
 -24° F to +104° F

Construction

Aluminum Housing
 Clear Glass Lens
 E12 Base



ITEM No.	Form	Lens	Input	Base	Watts	CCT	Lumens	Rated Life (hrs)	CRI	Beam Angle	Dimming
55002	Flame Tip	Clear	120V	E12	6W	2200K	550	30,000	92	360	Yes
55002-UL	Flame Tip	Clear	120V	E12	6W	2200K	550	30,000	92	360	Yes
55003	Flame Tip	Clear	120V	E12	6W	2700K	550	30,000	82	360	Yes
55003-UL	Flame Tip	Clear	120V	E12	6W	2700K	550	30,000	82	360	Yes



2W
ITEM #55070
ITEM #55070-UL
FLAME TIP
FROSTED
E12 BASE



4W
ITEM #55071
ITEM #55071-UL
FLAME TIP
FROSTED
E12 BASE



2W
ITEM #55072
FLAME TIP
FROSTED
E26 BASE



4W
ITEM #55073
FLAME TIP
FROSTED
E26 BASE

25 WATT 40 WATT Halogen Equivalent Candle Flame Tip Frosted

Dimmable

Product Description


Available in a frosted lens these lamps cast light in all directions, including down. Light is properly centered so chandeliers and shaded fixtures illuminate with no shadowing or dark spots.

Features

- 30,000 hrs rated life
- Dimmable
- 200 and 400 lumens
- 360 degree lighting
- No UV / No IR
- Operating temperature:
-10°C to +40°C
-24° F to +104° F

Construction

Aluminum Housing
Clear Glass Lens
E12 and E26 Base



ITEM No.	Form	Lens	Input	Base	Watts	CCT	Lumens	Rated Life (hrs)	CRI	Beam Angle	Dimming
55070	Flame Tip	Frosted	120V	E12	2W	2700K	200	30,000	82	360	Yes
55070-UL	Flame Tip	Frosted	120V	E12	2W	2700K	200	30,000	82	360	Yes
55071	Flame Tip	Frosted	120V	E12	4W	2700K	400	30,000	82	360	Yes
55071-UL	Flame Tip	Frosted	120V	E12	4W	2700K	400	30,000	82	360	Yes
55072	Flame Tip	Frosted	120V	E26	2W	2700K	200	30,000	82	360	Yes
55073	Flame Tip	Frosted	120V	E26	4W	2700K	400	30,000	82	360	Yes



2W
ITEM #41144
ITEM #41144-UL
TORPEDO
AMBER



4W
ITEM #41143
ITEM #41143-UL
TORPEDO
AMBER



2W
ITEM #42002
ITEM #42002-UL
FLAME TIP
AMBER



4W
ITEM #42003
ITEM #42003-UL
FLAME TIP
AMBER

25 WATT

40 WATT Halogen Equivalent

Amber Torpedo & Flame Tip

Dimmable

Product Description

Available in clear twisted decorative lens these lamps cast light in all directions. Light is properly centered so chandeliers and shaded fixtures illuminate with no shadowing or dark spots.

Features

- 30,000 hrs rated life
- Dimmable
- 200 and 400 lumens
- 360 degree lighting
- No UV / No IR
- Operating temperature:
-10°C to +40°C
-24° F to +104° F

Construction

Aluminum Housing
Clear Glass Lens
E12 Base

Amber Lens Impact

The amber lens reduces the color temperature by 200K. Therefore, 2700K will appear as 2500K.



ITEM No.	Form	Lens	Input	Base	Watts	CCT	Lumens	Rated Life (hrs)	CRI	Beam Angle	Dimming
41144	Torpedo	Amber	120V	E12	2W	2700K	200	30,000	82	360	Yes
41144-UL	Torpedo	Amber	120V	E12	2W	2700K	200	30,000	82	360	Yes
41143	Torpedo	Amber	120V	E12	4W	2700K	400	30,000	82	360	Yes
41143-UL	Torpedo	Amber	120V	E12	4W	2700K	400	30,000	82	360	Yes
42002	Flame Tip	Amber	120V	E12	2W	2700K	200	30,000	82	360	Yes
42002-UL	Flame Tip	Amber	120V	E12	2W	2700K	200	30,000	82	360	Yes
42003	Flame Tip	Amber	120V	E12	4W	2700K	400	30,000	82	360	Yes
42003-UL	Flame Tip	Amber	120V	E12	4W	2700K	400	30,000	82	360	Yes



2W

ITEM #41148
ITEM #41148-UL
TORPEDO
CRI 92 - 2200 K
VERY WARM WHITE

4W

ITEM #42055
ITEM #42055-UL
TORPEDO
CRI 92 - 2200 K
VERY WARM WHITE

2W

ITEM #41167
ITEM #41167-UL
FLAME TIP
CRI 92 - 2200 K
VERY WARM WHITE

4W

ITEM #41168
ITEM #41168-UL
FLAME TIP
CRI 92 - 2200 K
VERY WARM WHITE

25 WATT

40 WATT Halogen Equivalent

Candle LED Torpedo & Flame Tip Dimmable

Product Description

With a clear all glass body, these lamps cast light in all directions including down. Light is properly centered so chandeliers and shaded fixtures illuminate with no shadowing or dark spots.

Features

- 30,000 hrs rated life
- Dimmable
- 200 and 400 lumens
- 360 degree lighting
- No UV / No IR
- Operating temperature:
-10°C to +40°C
-24° F to +104° F

Construction

Aluminum Housing
Clear Glass Lens
E12 Base



ITEM No.	Form	Lens	Input	Base	Watts	CCT	Lumens	Rated Life (hrs)	CRI	Beam Angle	Dimming
41148	Torpedo	Clear	120V	E12	2W	2200K	200	20,000	92	360	Yes
41148-UL	Torpedo	Clear	120V	E12	2W	2200K	200	20,000	92	360	Yes
42055	Torpedo	Clear	120V	E12	4W	2200K	400	30,000	92	360	Yes
42055-UL	Torpedo	Clear	120V	E12	4W	2200K	400	30,000	92	360	Yes
41167	Flame Tip	Clear	120V	E12	2W	2200K	200	20,000	92	360	Yes
41167-UL	Flame Tip	Clear	120V	E12	2W	2200K	200	20,000	92	360	Yes
41168	Flame Tip	Clear	120V	E12	4W	2200K	400	30,000	92	360	Yes
41168-UL	Flame Tip	Clear	120V	E12	4W	2200K	400	30,000	92	360	Yes



6W
 ITEM #55006
 TORPEDO
 2700K - CRI 82
 WARM WHITE



6W
 ITEM #55022
 TORPEDO
 2200K - CRI 92
 VERY WARM WHITE



6W
 ITEM #55007
 FLAME TIP
 2700K - CRI 82
 WARM WHITE

55 WATT Halogen Equivalent Torpedo and Flame Tip

Dimmable

Product Description

With 360-degree light direction, our lamps deliver the gentle, warm light consumers prefer. Table lamps are fully lit, not just upward but in all directions. The color of the light provides softness for reading and enhances interior ambiance.

Features

- 30,000 hrs rated life
- Dimmable
- 550 lumens
- 360 degree lighting
- No UV / No IR
- Operating temperature:
 -10°C to +40°C
 -24° F to +104° F

Construction

Aluminum Housing
 Clear Glass Lens
 E26 Base

ITEM No.	Form	Lens	Input	Base	Watts	CCT	Lumens	Rated Life (hrs)	CRI	Beam Angle	Dimming
55006	Torpedo	Clear	120V	E26	6W	2700K	550	30,000	82	360	Yes
55022	Torpedo	Clear	120V	E26	6W	2200K	550	30,000	92	360	Yes
55007	Flame Tip	Clear	120V	E26	6W	2700K	550	30,000	82	360	Yes



2W
ITEM #41155
TORPEDO



4W
ITEM #42047
TORPEDO



2W
ITEM #42008
FLAME TIP



4W
ITEM #42009
FLAME TIP

55 WATT Halogen Equivalent Candle LED Torpedo & Flame Tip E26 Base

Dimmable

Product Description

Available in clear twisted decorative lens these lamps cast light in all directions. Light is properly centered so chandeliers and shaded fixtures illuminate with no shadowing or dark spots.

Features

- 30,000 hrs rated life
- Dimmable
- 200 and 400 lumens
- 360 degree lighting
- No UV / No IR
- Operating temperature:
-10°C to +40°C
-24° F to +104° F

Construction

Aluminum Housing
Clear Glass Lens
E26 Base

ITEM No.	Form	Lens	Input	Base	Watts	CCT	Lumens	Rated Life (hrs)	CRI	Beam Angle	Dimming
41155	Torpedo	Clear	120V	E26	2W	2700K	200	30,000	82	360	Yes
42047	Torpedo	Clear	120V	E26	4W	2700K	400	30,000	82	360	Yes
42008	Flame Tip	Clear	120V	E26	2W	2700K	200	30,000	82	360	Yes
42009	Flame Tip	Clear	120V	E26	4W	2700K	400	30,000	82	360	Yes



2 Filament
ITEM #42113
ITEM #42113-UL
A15



4 Filament
ITEM #42114
ITEM #42114-UL
A15



6 Filament
ITEM #42115
ITEM #42115-UL
A15



8 Filament
ITEM #42116
ITEM #42116-UL
A15

3.375"

25 WATT, 40 WATT
60 WATT, 75 WATT Halogen Equivalent
A15 LED Multi-Filament

Dimmable

Product Description

KODAK LED Filament Lamps provide a 360 degree beam angle, delivering incandescent-like sparkling light effects. Well suited for lighting in the hospitality industry, as well as home environments.

Features

- 30,000 hrs rated life
- True 25W, 40W, 60W, 75W, replacement
- Dimmable
- 360 degree lighting
- No UV / No IR
- Operating temperature: -10°C to +40°C
-24° F to +104° F

Construction

Aluminum Housing
Clear Glass Lens
E26 Base



ITEM No.	Form	Lens	Input	Base	Watts	CCT	Lumens	Rated Life (hrs)	CRI	Beam Angle	Dimming
42113	A15	Clear	120V	E26	2W	2700K	200	30,000	82	360	Yes
42113-UL	A15	Clear	120V	E26	2W	2700K	200	30,000	82	360	Yes
42114	A15	Clear	120V	E26	4W	2700K	400	30,000	82	360	Yes
42114-UL	A15	Clear	120V	E26	4W	2700K	400	30,000	82	360	Yes
42115	A15	Clear	120V	E26	6W	2700K	600	30,000	82	360	Yes
42115-UL	A15	Clear	120V	E26	6W	2700K	600	30,000	82	360	Yes
42116	A15	Clear	120V	E26	8W	2700K	800	30,000	82	360	Yes
42116-UL	A15	Clear	120V	E26	8W	2700K	800	30,000	82	360	Yes



4 Filament
ITEM # 41068
ITEM # 41068-UL

5 Filament
ITEM # 41069

6 Filament
ITEM # 41070
ITEM # 41070-UL

7 Filament
ITEM # 55076

8 Filament
ITEM # 41181
ITEM # 41181-UL

10 Filament
ITEM # 41145
ITEM # 41145-UL

**40 WATT, 50 WATT,
60 WATT, 70 WATT
75 WATT, 100 WATT** Halogen Equivalent
A19 LED Multi-Filament

Dimmable

Product Description


KODAK LED Filament Lamps provide a 360 degree beam angle, delivering incandescent-like sparkling light effects. Well suited for lighting in the hospitality industry, as well as home environments.

Features


- 30,000 hrs rated life
- True 25W, 40W, 60W, 75W, 100W replacement
- Dimmable
- 360 degree lighting
- No UV / No IR
- Operating temperature:
-10°C to +40°C
-24° F to +104° F

Construction

Aluminum Housing
Clear Glass Lens
E26 Base



ITEM No.	Form	Lens	Input	Base	Watts	CCT	Lumens	Rated Life (hrs)	CRI	Beam Angle	Dimming
41068	A19	Clear	120V	E26	4.0W	2700K	400	30,000	82	360	Yes
41068-UL	A19	Clear	120V	E26	4.0W	2700K	400	30,000	82	360	Yes
41069	A19	Clear	120V	E26	5.0W	2700K	500	30,000	82	360	Yes
41070	A19	Clear	120V	E26	6.0W	2700K	600	30,000	82	360	Yes
41070-UL	A19	Clear	120V	E26	6.0W	2700K	600	30,000	82	360	Yes
55076	A19	Clear	120V	E26	6.5W	2700K	700	30,000	82	360	Yes
41181	A19	Clear	120V	E26	7.0W	2700K	800	30,000	82	360	Yes
41181-UL	A19	Clear	120V	E26	7.0W	2700K	800	30,000	82	360	Yes
41145	A19	Clear	120V	E26	8.0W	2700K	900	30,000	82	360	Yes
41145-UL	A19	Clear	120V	E26	8.0W	2700K	900	30,000	82	360	Yes



6W
ITEM # 41025

8W
ITEM # 40603

50 WATT, 75 WATT Halogen Equivalent A19 LED Filament

Non-Dimmable
Dimmable

Product Description

KODAK LED Filament Lamps provide a 360 degree beam angle, delivering incandescent-like sparkling light effects. Well suited for lighting in the hospitality industry, as well as home environments.

Features

- 30,000 hrs rated life
- True 50W, 75W replacement
- Dimmable/Non-Dimmable
- 360 degree lighting
- No UV / No IR
- Operating temperature:
-10°C to +40°C
-24° F to +104° F

Construction

Aluminum Housing
Clear Glass Lens
E26 Base

ITEM No.	Form	Lens	Input	Base	Watts	CCT	Lumens	Rated Life (hrs)	CRI	Beam Angle	Dimming
41025	A19	Clear	120V	E26	6W	2700K	600	30,000	82	360	Yes
40603	A19	Clear	120V	E26	8W	2700K	900	30,000	82	360	No



6W
ITEM # 42045
ITEM # 42045-UL

60 WATT Halogen Equivalent **A19 LED Filament Amber**

Dimmable

Product Description


KODAK LED Filament Lamps provide a 360 degree beam angle, delivering incandescent-like sparkling light effects. Well suited for lighting in the hospitality industry, as well as home environments.

Features

- 30,000 hrs rated life
- True 60W
- Dimmable
- 360 degree lighting
- No UV / No IR
- Operating temperature:
 -10°C to +40°C
 -24° F to +104° F

Construction

Aluminum Housing
 Clear Glass Lens
 E26 Base



ITEM No.	Form	Lens	Input	Base	Watts	CCT	Lumens	Rated Life (hrs)	CRI	Beam Angle	Dimming
42045	A19	Amber	120V	E26	6W	2700K	600	30,000	82	360	Yes
42045-UL	A19	Amber	120V	E26	6W	2700K	600	30,000	82	360	Yes



4W
ITEM # 41159

6W
ITEM # 41161

40 WATT, 60 WATT Halogen Equivalent A19 LED Filament Zig Zag

Dimmable

Product Description

KODAK LED Filament Lamps provide a 360 degree beam angle, delivering incandescent-like sparkling light effects. Well suited for lighting in the hospitality industry, as well as home environments.

Features

- 30,000 hrs rated life
- True 40W, 60W replacement
- Dimmable
- 360 degree lighting
- No UV / No IR
- Operating temperature:
-10°C to +40°C
-24° F to +104° F

Construction

Aluminum Housing
Clear Glass Lens
E26 Base

ITEM No.	Form	Lens	Input	Base	Watts	CCT	Lumens	Rated Life (hrs)	CRI	Beam Angle	Dimming
41159	A19	Clear	120V	E26	4W	2700K	400	30,000	82	360	Yes
41161	A19	Clear	120V	E26	6W	2700K	600	30,000	82	360	Yes



4W
ITEM #41044



40 WATT Halogen Equivalent A19 LED Multi-Filament

Non-Dimmable

Product Description

KODAK LED Filament Lamps provide a 360 degree beam angle, delivering incandescent-like sparkling light effects. Well suited for lighting in the hospitality industry, as well as home environments.

Features

- 30,000 hrs rated life
- True 40W replacement
- 360 degree lighting
- No UV / No IR
- Operating temperature:
-10°C to +40°C
-24° F to +104° F

Construction

Aluminum Housing
Clear Glass Lens
E26 Base

ITEM No.	Form	Lens	Input	Base	Watts	CCT	Lumens	Rated Life (hrs)	CRI	Beam Angle	Dimming
41044	A19	Clear	120V	E26	4W	2700K	400	30,000	82	360	No



4 Filament
ITEM #55051



6 Filament
ITEM #55052



6 Filament
ITEM #55009
AMBER



8 Filament
ITEM #55008



10 Filament
ITEM #55030

**40 WATT, 60 WATT,
80 WATT, 100 WATT** Halogen Equivalent
A19 Clear, & Amber GU24 Base

Dimmable

Product Description

KODAK LED Lamps provide a 360 degree beam angle. Delivering incandescent-like sparkling light effects, LED Filament bulbs are ideal for general and decorative lighting in the hospitality industry, as well as home environments. The lamp employs Linear LED filaments.

Features

- 30,000 hrs rated life
- True 40W, 60W, 80W and 100W replacement
- Dimmable
- 360 degree lighting
- No UV / No IR
- Operating temperature:
-10°C to +40°C
-24° F to +104° F


Construction

Glass Lens
GU24 Base

Amber Lens Impact

The amber lens reduces the color temperature by 200K. Therefore, 2700K will appear as 2500K.

ITEM No.	Form	Lens	Input	Base	Watts	CCT	Lumens	Rated Life (hrs)	CRI	Beam Angle	Dimming
55051	A19	Clear	120V	GU24	4W	2700	400	30,000	82	360	Yes
55052	A19	Clear	120V	GU24	6W	2700	600	30,000	82	360	Yes
55008	A19	Clear	120V	GU24	8W	2700	800	30,000	82	360	Yes
55009	A19	Amber	120V	GU24	6W	2700	600	30,000	82	360	Yes
55030	A19	Clear	120V	GU24	8W	2700	900	30,000	82	360	Yes



9W
ITEM # 42084

12W
ITEM # 42085

75 WATT, 100 WATT Halogen Equivalent A19 GU24

Dimmable

Product Description

With 160 degree light direction, our lamps deliver the gentle, warm light consumers prefer. Table lamps are fully lit, not just upward but in all directions. Light color provides softness for reading and enhances interior ambience.

Features

- 30,000 hrs rated life
- True 75W, 100W replacement
- Dimmable
- 360 degree lighting
- No UV / No IR
- Operating temperature:
-10°C to +40°C
-24° F to +104° F

Construction

Aluminum Housing
Clear Glass Lens
GU24 Base

ITEM No.	Form	Lens	Input	Base	Watts	CCT	Lumens	Rated Life (hrs)	CRI	Beam Angle	Dimming
42084	A19	White	120V	GU24	9W	3000K	720	30,000	82	160	Yes
42085	A19	White	120V	GU24	12W	3000K	960	30,000	82	160	Yes



5W
ITEM # 41064
S14
WET LOCATION

40 WATT Halogen Equivalent **S14 Wet Location**

Dimmable

Product Description

Our custom-designed clear lamp replicates the standard clear incandescent lamp by using several warm-white LEDs to simulate an actual filament. These clear lamps are ideal for applications where you want to retain that classic look while upgrading to a more energy efficient lamp.

This waterproof lamp is excellent for the following uses:

- Indoor Fixtures
- Outdoor Fixtures
- Scoreboards
- Movie Signs

Features

- 30,000 hrs rated life
- True 40W replacement
- Dimmable
- 360 degree lighting
- No UV / No IR
- Operating temperature:
 -10°C to +40°C
 -24° F to +104° F

Construction

Aluminum Housing
 Clear Glass Lens
 E26

Item No.	Form	Lens	Input	Base	Watts	CCT	Lumens	Rated Life (hrs)	CRI	Beam Angle	Dimming
41064	S-14 Wet Location	Clear	120V	E26	5W	2700	425	30,000	82	360	No



4.25"

2W
ITEM # 41085
ITEM # 41085-UL
CLEAR

2W
ITEM # 42061
ITEM # 42061-UL
AMBER

4W
ITEM # 41096
CLEAR

4W
ITEM # 42062
ITEM # 42062-UL
AMBER

25 WATT, 40 WATT Halogen Equivalent S14 Clear and Amber

Dimmable

Product Description

This vintage looking light bulb is in the form of the historic original Edison light bulb. This nostalgic bulb is great for chandeliers and sconces. Although this bulb appears antique it uses linear LED filaments and is incredibly energy efficient.

Features

- 30000 hrs rated life
- Dimmable
- 200 - 400 lumens
- 360 degree lighting
- 2700k warm white
- No UV / No IR
- Operating temperature:
-10°C to +40°C
-24° F to +104° F

Construction

Aluminum Housing
Glass Lens
E26 Base

Amber Lens Impact

The amber lens reduces the color temperature by 200K. Therefore, 2700K will appear as 2500K.



ITEM No.	Form	Lens	Input	Base	Watts	CTT	Lumens	Rated Life (hrs)	CRI	Beam Angle	Dimming
41085	S-14	Clear	120V	E26	2W	2700K	200	30,000	82	360	Yes
41085-UL	S-14	Clear	120V	E26	2W	2700K	200	30,000	82	360	Yes
42061	S-14	Amber	120V	E26	2W	2700K	200	30,000	82	360	Yes
42061-UL	S-14	Amber	120V	E26	2W	2700K	200	30,000	82	360	Yes
41096	S-14	Clear	120V	E26	4W	2700K	400	30,000	82	360	Yes
42062	S-14	Amber	120V	E26	4W	2700K	400	30,000	82	360	Yes
42062-UL	S-14	Amber	120V	E26	4W	2700K	400	30,000	82	360	Yes



25 WATT, 40 WATT Halogen Equivalent ST-48 Clear

Dimmable

Product Description

These gorgeous vintage light bulbs create a beautiful ambiance - the old fashioned style filaments glowing with warm light, just like the originals invented by Thomas Edison. These old style light bulbs are very versatile and can be used with a lamp shade or look stunning just on their own. They can be used as the main light in a room or can simply be decorative.

Features

- Dimmable
- True 25W-40W replacement
- Non-flickering
- Full 360 degree lighting
- No UV / No IR
- Operating temperature:
-10°C to +40°C
-24° F to +104° F

Construction

Aluminum Housing
Clear Glass Lens
E12 and E26 Base

ITEM No.	Form	Lens	Input	Base	Watts	CCT	Lumens	Rated Life (hrs)	CRI	Beam Angle	Dimming
42015	ST-48	Clear	120V	E12	2W	2700K	200	30,000	82	360	Yes
42016	ST-48	Clear	120V	E26	2W	2700K	200	30,000	82	360	Yes
42017	ST-48	Clear	120V	E12	4W	2700K	400	30,000	82	360	Yes
42018	ST-48	Clear	120V	E26	4W	2700K	400	30,000	82	360	Yes



2 Filaments
ITEM #41102



4 Filaments
ITEM #41098
ITEM #41098-UL



6 Filaments
ITEM #41100
ITEM #41100-UL



8 Filaments
ITEM #42081
ITEM #42081-UL



10 Filaments
ITEM #55029

64MM Diameter

2.5"



5.375"



25 WATT, 40 WATT, 60 WATT, 80 WATT, 100 WATT Halogen Equivalent ST-64 Clear

Dimmable

Product Description


This vintage looking light bulb is in the form of the historic original Edison light bulb. This nostalgic bulb is great for chandeliers and sconces. Although this bulb appears antique it uses linear LED filaments and is incredibly energy efficient.

Features

- 30000 hrs rated life
- Dimmable
- 200 - 900 lumens
- 360 degree lighting
- 2700k warm white
- No UV / No IR
- Operating temperature:
-10°C to +40°C
-24° F to +104° F

Construction

Aluminum Housing
Clear Glass Lens
E26 Base



ITEM No.	Form	Lens	Input	Base	Watts	CCT	Lumens	Rated Life (hrs)	CRI	Beam Angle	Dimming
41102	ST-64	Clear	120V	E26	2W	2700K	200	30,000	80	360	Yes
41098	ST-64	Clear	120V	E26	4W	2700K	400	30,000	80	360	Yes
41098-UL	ST-64	Clear	120V	E26	4W	2700K	400	30,000	80	360	Yes
41100	ST-64	Clear	120V	E26	6W	2700K	600	30,000	80	360	Yes
41100-UL	ST-64	Clear	120V	E26	6W	2700K	600	30,000	80	360	Yes
42081	ST-64	Clear	120V	E26	8W	2700K	800	30,000	80	360	Yes
42081-UL	ST-64	Clear	120V	E26	8W	2700K	800	30,000	80	360	Yes
55029	ST-64	Clear	120V	E26	8W	2700K	900	30,000	82	360	Yes



2W
ITEM # 41104

4W
ITEM # 41099
ITEM # 41099-UL

6W
ITEM # 41101

8W
ITEM # 42004
ITEM # 42004-UL

2.5"

5.5"

25 WATT, 40 WATT, 60 WATT 80 WATT Halogen Equivalent ST-64 Amber

Dimmable

Product Description

This vintage looking light bulb is in the form of the historic original Edison light bulb. This nostalgic bulb is great for chandeliers and sconces. Although this bulb appears antique it uses linear LED filaments and is incredibly energy efficient.

Features


- 30,000 hrs rated life
- Dimmable
- 200 to 800 lumens
- 360 degree lighting
- 2700k warm white
- No UV / No IR
- Operating temperature:
-10°C to +40°C
-24° F to +104° F

Construction

Aluminum Housing
Amber Glass Lens
E26 Base

Amber Lens Impact

The amber lens reduces the color temperature by 200K. Therefore, 2700K will appear as 2500K.



ITEM No.	Form	Lens	Input	Base	Watts	CCT	Lumens	Rated Life (hrs)	CRI	Beam Angle	Dimming
41104	ST-64	Amber	120V	E26	2W	2700K	200	30,000	80	360	Yes
41099	ST-64	Amber	120V	E26	4W	2700K	400	30,000	80	360	Yes
41099-UL	ST-64	Amber	120V	E26	4W	2700K	400	30,000	80	360	Yes
41101	ST-64	Amber	120V	E26	6W	2700K	600	30,000	80	360	Yes
42004	ST-64	Amber	120V	E26	8W	2700K	800	30,000	80	360	Yes
42004-UL	ST-64	Amber	120V	E26	8W	2700K	800	30,000	80	360	Yes



6W
ITEM #55011



8W
ITEM #55012



6W
ITEM #55013
AMBER

6.625"

4W
ITEM #55010

40 WATT, 60 WATT, 80 WATT Halogen Equivalent ST-64 Clear and Amber GU24 Base

Dimmable

Product Description

This vintage looking light bulb is in the form of the historic original Edison light bulb. This nostalgic bulb is great for chandeliers and sconces. Although this bulb appears antique it uses linear LED filaments and is incredibly energy efficient.

Features

- 30,000 hrs rated life
- **Dimmable**
- 400 - 600 - 800 lumens
- 360 degree lighting
- No UV / No IR
- Operating temperature:
-10°C to +40°C
-24° F to +104° F

Construction

Aluminum Housing
Glass Lens
GU24 Base

Amber Lens Impact

The amber lens reduces the color temperature by 200K. Therefore, 2700K will appear as 2500K.

ITEM No.	Form	Lens	Input	Base	Watts	CCT	Lumens	Rated Life (hrs)	CRI	Beam Angle	Dimming
55010	ST-64	Clear	120V	GU24	4W	2700	400	30,000	82	360	Yes
55011	ST-64	Clear	120V	GU24	6W	2700	600	30,000	82	360	Yes
55012	ST-64	Clear	120V	GU24	8W	2700	800	30,000	82	360	Yes
55013	ST-64	Amber	120V	GU24	6W	2700	600	30,000	82	360	Yes



40 WATT, 60 WATT, 80 WATT Halogen Equivalent T-30 LED

Dimmable

Product Description

This tubular LED lamp uses linear LED filaments. Comes in various wattages. Energy saving.

Features

- 30,000 hrs rated life
- Dimmable
- 400 - 800 lumens
- 360 degree lighting
- 2700k warm white
- No UV / No IR
- Operating temperature:
-10°C to +40°C
-24° F to +104° F

Construction

Aluminum Housing
Clear Glass Lens
E26 Base

ITEM No.	Form	Lens	Input	Base	Watts	CCT	Lumens	Rated Life (hrs)	CRI	Beam Angle	Dimming
41095	T-30	Clear	120V	E26	4W	2700K	400	30,000	82	360	Yes
41105	T-30	Clear	120V	E26	6W	2700K	600	30,000	82	360	Yes
42007	T-30	Clear	120V	E26	8W	2700K	800	30,000	82	360	Yes



2W
ITEM #41118

4W
ITEM #41119

6W
ITEM #42117



25 WATT, 40 WATT, 60 WATT Halogen Equivalent T-30 Short, LED

Dimmable

Product Description

This tubular LED lamp uses linear LED filaments. Comes in various wattages. Energy saving.

Features

- 30,000 hrs rated life
- Dimmable
- 200, 400, and 600 lumens
- 360 degree lighting
- 2700k warm white
- No UV / No IR
- Operating temperature:
-10°C to +40°C
-24° F to +104° F

Construction

Aluminum Housing
Clear Glass Lens
E26 Base

ITEM No.	Form	Lens	Input	Base	Watts	CCT	Lumens	Rated Life (hrs)	CRI	Beam Angle	Dimming
41118	T-30 Short	Clear	120V	E26	2W	2700	200	30,000	82	360	Yes
41119	T-30 Short	Clear	120V	E26	4W	2700	400	30,000	82	360	Yes
42117	T-30 Short	Clear	120V	E26	6W	2700	600	30,000	82	360	Yes



40 WATT, 60 WATT Halogen Equivalent T-30 LED Amber

Dimmable

Product Description

This tubular LED lamp uses linear LED filaments. Comes in various wattages. Energy saving.

Features

- 30,000 hrs rated life
- Dimmable
- 400-600 lumens
- 360 degree lighting
- No UV / No IR
- Operating temperature:
-10°C to +40°C
-24° F to +104° F


Construction

Aluminum Housing
Glass Lens
E26 Base


ITEM No.	Form	Lens	Input	Base	Watts	CCT	Lumens	Rated Life (hrs)	CRI	Beam Angle	Dimming
55014	T-30	Amber	120V	E26	6W	2700	600	30,000	82	360	Yes
55015	T-30 Short	Amber	120V	E26	4W	2700	400	30,000	82	360	Yes
55016	T-30 Short	Amber	120V	E26	6W	2700	600	30,000	82	360	Yes

30mm Diameter

1.25"



2W
ITEM #55082
SHORT



4W
ITEM #55083



6W
ITEM #55084
EXTRA LONG



8W
ITEM #55085
EXTRA LONG



6W
ITEM #55086
EXTRA LONG
AMBER

25 WATT, 40 WATT, 60 WATT, 80 WATT Halogen Equivalent T-30 Diagonal Clear and Amber **Dimmable**

Product Description

This tubular LED lamp uses linear LED filaments. Comes in various wattages. Energy saving.


Features

- 30,000 hrs rated life
- Dimmable
- 200, 400, 600 and 800 lumens
- No UV / No IR
- Operating temperature:
-10°C to +40°C
-24° F to +104° F

Construction

Aluminum Housing
Glass Lens
E26 Base

ITEM No.	Form	Lens	Input	Base	Watts	CCT	Lumens	Rated Life (hrs)	CRI	Beam Angle	Dimming
55082	T-30 Short Diagonal	Clear	120V	E26	2W	2700	200	30,000	82	360	Yes
55083	T-30 Long Diagonal	Clear	120V	E26	4W	2700	400	30,000	82	360	Yes
55084	T-30 Extra Long Diagonal	Clear	120V	E26	6W	2700	600	30,000	82	360	Yes
55085	T-30 Extra Long Diagonal	Clear	120V	E26	8W	2700	800	30,000	82	360	Yes
55086	T-30 Extra Long Diagonal	Amber	120V	E26	6W	2200	600	30,000	82	360	Yes



25 WATT, 40 WATT, 60 WATT, 80 WATT Halogen Equivalent T-30 Diagonal Clear and Amber **Dimmable**

Product Description

This tubular LED lamp uses linear LED filaments. Comes in various wattages. Energy saving.

Features

- 30,000 hrs rated life
- Dimmable
- 200, 400, 600 and 800 lumens
- No UV / No IR
- Operating temperature:
-10°C to +40°C
-24° F to +104° F

Construction

Aluminum Housing
Glass Lens
E26 Base



ITEM No.	Form	Lens	Input	Base	Watts	CCT	Lumens	Rated Life (hrs)	CRI	Beam Angle	Dimming
55017	T-30 Extra Long	Clear	120V	E26	4W	2700	400	30,000	82	360	Yes
55018	T-30 Extra Long	Clear	120V	E26	6W	2700	600	30,000	82	360	Yes
55018-UL	T-30 Extra Long	Clear	120V	E26	6W	2700	600	30,000	82	360	Yes
55020	T-30 Extra Long	Amber	120V	E26	6W	2700	600	30,000	82	360	Yes
55019	T-30 Extra Long	Clear	120V	E26	8W	2700	800	30,000	82	360	Yes
55021	T-30 Extra Long	Clear	120V	E26	6W	2200	600	30,000	92	360	Yes
55064	T-30 Extra Long	Milky	120V	E26	6W	2700	600	30,000	82	360	Yes



2W
ITEM # 41080

4W
ITEM # 41083
ITEM # 41083-UL
E12 BASE



2W
ITEM # 41120

4W
ITEM # 41121
ITEM # 41121-UL
E26 Base



4W
ITEM # 55032
ITEM # 55032-UL
AMBER

25 WATT, 40 WATT Halogen Equivalent G16.5 Clear and Amber 2 Inch Globe **Dimmable**

Product Description

KODAK LED Filament LED Lamps provide a 360 degree beam angle. Delivering incandescent-like sparkling light effects, KODAK LED Filament bulbs are ideal for general and decorative lighting in the hospitality industry, as well as home environments. The lamp employs linear LED filaments.

Features


- 30,000 hrs rated life
- Dimmable
- 200, 400, 600 and 800 lumens
- 360 degree lighting
- 2700k warm white
- No UV / No IR
- Operating temperature:
-10°C to +40°C
-24° F to +104° F

Construction

Aluminum Housing
Glass Lens
E12 and E26 Base

Amber Lens Impact

The amber lens reduces the color temperature by 200K. Therefore, 2700K will appear as 2500K.



ITEM No.	Form	Lens	Input	Base	Watts	CCT	Lumens	Rated Life (hrs)	CRI	Beam Angle	Dimming
41120	G16.5	Clear	120V	E26	2W	2700K	200	30,000	82	360	Yes
41080	G16.5	Clear	120V	E12	2W	2700K	200	30,000	82	360	Yes
41121	G16.5	Clear	120V	E26	4W	2700K	400	30,000	82	360	Yes
41121-UL	G16.5	Clear	120V	E26	4W	2700K	400	30,000	82	360	Yes
41083	G16.5	Clear	120V	E12	4W	2700K	400	30,000	82	360	Yes
41083-UL	G16.5	Clear	120V	E12	4W	2700K	400	30,000	82	360	Yes
55032	G16.5	Amber	120V	E26	4W	2700K	400	30000	80	360	Yes
55032-UL	G16.5	Amber	120V	E26	4W	2700K	400	30000	80	360	Yes



5 Inch
ITEM # 41082
E26 BASE



4 Inch
ITEM # 41081
E26 BASE



3 Inch
ITEM # 41084
E26 BASE



2W
ITEM # 41120
ITEM # 41120-UL
E26 BASE



2W
ITEM # 41080
E12 BASE

4W
ITEM # 41121
ITEM # 41121-UL
E26 BASE

4W
ITEM # 41083
E12 BASE

25 WATT, 40 WATT, 50 WATT Halogen Equivalent
2 inch, 3 inch, 4 inch, 5 inch Globes

Dimmable

Product Description


KODAK LED Filament LED Lamps provide a 360 degree beam angle. Delivering incandescent-like sparkling light effects, KODAK LED Filament bulbs are ideal for general and decorative lighting in the hospitality industry, as well as home environments. The lamp employs linear LED filaments.

Features

- 30,000 hrs rated life
- Dimmable
- 200, 400, and 500 lumens
- 360 degree lighting
- 2700k warm white
- No UV / No IR
- Operating temperature:
-10°C to +40°C
-24° F to +104° F

Construction

Aluminum Housing
Glass Lens
E12 and E26 Base



ITEM No.	Form	Lens	Input	Base	Watts	CCT	Lumens	Rated Life (hrs)	CRI	Beam Angle	Dimming
41080	2 inch G16.5	Clear	120V	E12	2W	2700K	200	30,000	82	360	Yes
41083	2 inch G16.5	Clear	120V	E12	4W	2700K	400	30,000	82	360	Yes
41120	2 inch G16.5	Clear	120V	E26	2W	2700K	200	30,000	82	360	Yes
41120-UL	2 inch G16.5	Clear	120V	E26	2W	2700K	200	30,000	82	360	Yes
41121	2 inch G16.5	Clear	120V	E26	4W	2700K	400	30,000	82	360	Yes
41121-UL	2 inch G16.5	Clear	120V	E26	4W	2700K	400	30,000	82	360	Yes
41084	3 inch G80	Clear	120V	E26	4W	2700K	400	30,000	82	360	Yes
41081	4 inch G95	Clear	120V	E26	5W	2700K	500	30,000	82	360	Yes
41082	5 inch G125	Clear	120V	E26	5W	2700K	500	30,000	82	360	Yes



8 Filaments
ITEM #55034
ITEM #55034-UL



10 Filaments
ITEM #55035

80 WATT, 100 WATT Halogen Equivalent
G125 5 inch Globe

Dimmable

Product Description


KODAK LED Lamps provide a 360 degree beam angle. Delivering incandescent-like sparkling light effects, LED Filament bulbs are ideal for general and decorative lighting in the hospitality industry, as well as home environments. The lamp employs linear LED filaments.

Features

- 30,000 hrs rated life
- Dimmable
- 800 and 900 lumens
- 360 degree lighting
- 2700k warm white
- No UV / No IR
- Operating temperature:
-10°C to +40°C
-24° F to +104° F

Construction

Aluminum Housing
Glass Lens
E26 Base



ITEM No.	Form	Lens	Input	Base	Watts	CCT	Lumens	Rated Life (hrs)	CRI	Beam Angle	Dimming
55034	G125 5 in	Clear	120V	E26	7W	2700K	800	30,000	82	360	Yes
55034-UL	G125 5 in	Clear	120V	E26	7W	2700K	800	30,000	82	360	Yes
55035	G125 5 in	Clear	120V	E26	8W	2700K	900	30,000	82	360	Yes



5 Inch
ITEM # 42111
50W
E26 BASE



2 Inch
ITEM # 42097
25W E12 BASE
ITEM # 42112
40W E12 BASE



3 Inch
ITEM # 42109
40W
E26 BASE



4 Inch
ITEM # 42110
50W
E26 BASE

25 WATT, 40 WATT, 50 WATT Halogen Equivalent Faceted Globe 95

Dimmable

Product Description

With its faceted design, this decorative light bulb will add style and sparkle to your lighting fixtures.

Features

- Dimmable
- True 25W, 40W and 50W replacement
- Non-flickering
- Single light source for even distribution
- No spotting
- Glare-free
- No UV / No IR
- Instant-on
- Operating temperature:
-10°C to +40°C
-24° F to +104° F

Construction

Aluminum Housing
Glass Lens
E12 and E26 Base

ITEM No.	Form	Lens	Input	Base	Watts	CCT	Lumens	Rated Life (hrs)	CRI	Beam Angle	Dimming
42097	Faceted Globe 2 in	Clear	120V	E12	2W	2700K	200	30,000	80	360	Yes
42112	Faceted Globe 2 in	Clear	120V	E12	4W	2700K	400	30,000	80	360	Yes
42109	Faceted Globe 3 in	Clear	120V	E26	4W	2700K	400	30,000	80	360	Yes
42110	Faceted Globe 4 in	Clear	120V	E26	5W	2700K	500	30,000	80	360	Yes
42111	Faceted Globe 5 in	Clear	120V	E26	5W	2700K	500	30,000	80	360	Yes



4W
ITEM #42079
ITEM #42079-UL
S14



4W
ITEM #42080
TORPEDO
E26 BASE



4W
ITEM #42078
2 INCH GLOBE
G16.5



5W
ITEM #42077
ITEM #42077-UL
4 INCH GLOBE
G95

High Color Rendering Index Very warm white 2200K S14, Torpedo, G16.5, G95 Dimmable

Product Description


With a clear all glass body, these lamps cast light in all directions including down. Light is properly centered so chandeliers and shaded fixtures illuminate with no shadowing or dark spots. With 92 CRI and 2200K these lamps produce a warmer illumination.

Features

- Dimmable
- 360 degree lighting
- Warmer illumination
- No UV / No IR
- Operating temperature:
-10°C to +40°C
-24° F to +104° F

Construction

Aluminum Housing
Glass Lens
E12 and E26 Base



ITEM No.	Form	Lens	Input	Base	Watts	CCT	Lumens	Rated Life (hrs)	CRI	Beam Angle	Dimming
42078	G16.5	Clear	120V	E12	4W	2200K	400	30,000	92	360	Yes
42079	S-14	Clear	120V	E26	4W	2200K	400	30,000	92	360	Yes
42079-UL	S-14	Clear	120V	E26	4W	2200K	400	30,000	92	360	Yes
42080	Torpedo	Clear	120V	E26	4W	2200K	400	30,000	92	360	Yes
42077	G95	Clear	120V	E26	5W	2200K	500	30,000	92	360	Yes
42077-UL	G95	Clear	120V	E26	5W	2200K	500	30,000	92	360	Yes



6W
ITEM #42075
T 30



6W
ITEM #42074
ST-64



6W
ITEM #42076
5 INCH GLOBE
G125



6W
ITEM #42073
ITEM #42073-UL
A19

High Color Rendering Index Very warm white 2200K T-30, ST-64, G125, A19 **Dimmable**

Product Description


With a clear all glass body, these lamps cast light in all directions including down. Light is properly centered so chandeliers and shaded fixtures illuminate with no shadowing or dark spots. With 92 CRI and 2200K these lamps produce a warmer illumination.

Features

- Dimmable
- 360 degree lighting
- Warmer illumination
- No UV / No IR
- Operating temperature:
-10°C to +40°C
-24° F to +104° F

Construction

Aluminum Housing
Glass Lens
E26 Base



ITEM No.	Form	Lens	Input	Base	Watts	CCT	Lumens	Rated Life (hrs)	CRI	Beam Angle	Dimming
42073	A19	Clear	120V	E26	6W	2200K	600	30,000	92	360	Yes
42073-UL	A19	Clear	120V	E26	6W	2200K	600	30,000	92	360	Yes
42074	ST-64	Clear	120V	E26	6W	2200K	600	30,000	92	360	Yes
42075	T-30	Clear	120V	E26	6W	2200K	600	30,000	92	360	Yes
42076	G125	Clear	120V	E26	6W	2200K	600	30,000	92	360	Yes



25MM Diameter
1.00"



3.50"

2W

ITEM # 42050
2700K
CRI 82
WARM WHITE

4W

ITEM # 42051
2700K
CRI 82
WARM WHITE

2W

ITEM #55068
2200K
CRI 92
VERY WARM WHITE

4W

ITEM #55069
2200K
CRI 92
VERY WARM WHITE

4W

ITEM #55127
2700K
CRI 82
AMBER

25 WATT, 40 WATT Halogen Equivalent T-25 Filament Clear and Amber

Dimmable

Product Description

With 360-degree light direction, our lamps deliver the gentle, warm light consumers prefer. Table lamps are fully lit, not just upward but in all directions. Light color provides softness for reading and enhanced interior ambience.

Features

- Dimmable
- 360 degree lighting
- Warmer illumination
- No UV / No IR
- Operating temperature:
-10°C to +40°C
-24° F to +104° F

Construction

Aluminum Housing
Glass Lens
E12 Base

ITEM No.	Form	Lens	Input	Base	Watts	CCT	Lumens	Rated Life (hrs)	CRI	Beam Angle	Dimming
42050	T-25	Clear	120V	E12	2W	2700K	200	20,000	82	360	Yes
42051	T-25	Clear	120V	E12	4W	2700K	400	20,000	82	360	Yes
55068	T-25	Clear	120V	E12	2W	2200K	200	20,000	92	360	Yes
55069	T-25	Clear	120V	E12	4W	2200K	400	20,000	92	360	Yes
55127	T-25	Amber	120V	E12	4W	2700K	400	20,000	82	360	Yes

45mm Diameter



2W
ITEM # 42000
ITEM # 42000-UL



4W
ITEM # 42001
ITEM # 42001-UL

25 WATT, 40 WATT Halogen Equivalent T-45 Filament

Dimmable

Product Description

This tubular LED lamp uses linear LED filaments. Comes in various wattages. Energy saving.

Features

- 30,000 hrs rated life
- Dimmable
- 200 - 400 lumens
- 360 degree lighting
- 2700k warm white
- No UV / No IR
- Operating temperature:
-10°C to +40°C
-24° F to +104° F

Construction

Aluminum Housing
Glass Lens
E26 Base



ITEM No.	Form	Lens	Input	Base	Watts	CCT	Lumens	Rated Life (hrs)	CRI	Beam Angle	Dimming
42000	T-45	Clear	120V	E26	2W	2700K	200	30,000	82	360	Yes
42000-UL	T-45	Clear	120V	E26	2W	2700K	200	30,000	82	360	Yes
42001	T-45	Clear	120V	E26	4W	2700K	400	30,000	82	360	Yes
42001-UL	T-45	Clear	120V	E26	4W	2700K	400	30,000	82	360	Yes

107MM



6W
ITEM # 42014
POINTED PYRAMID

120MM



6W
ITEM # 42049
INVERTED PYRAMID

60 WATT Halogen Equivalent Faceted Pyramid

Dimmable

Product Description

Such a beautiful light bulb. These faceted bulbs have great "charisma"! These lights bring a lot of atmosphere to your home!

Features

- Dimmable
- True 60W replacement
- Non-flickering
- Full 360 degree lighting
- No UV / No IR
- Operating temperature:
-10°C to +40°C
-24° F to +104° F

Construction

Aluminum Housing
Glass Lens
E26 Base

ITEM No.	Form	Lens	Input	Base	Watts	CCT	Lumens	Rated Life (hrs)	CRI	Beam Angle	Dimming
42014	Pointed Pyramid	Clear	120V	E26	6W	2200K	600	30,000	82	360	Yes
42049	Inverted Pyramid	Clear	120V	E26	6W	2200K	600	30,000	82	360	Yes



6.4 Watt
ITEM # 42056

60 WATT Halogen Equivalent **R63 Mirror Inside**

Dimmable

Product Description

KODAK LED R63 Lamps provide a 160 degree beam angle. These lamps continue the more than 100 years of tradition of preferring incandescent bulbs. Delivering incandescent-like sparkling light effects. Lighting in the hospitality industry, as well as home environments.

Features

- True 60W replacement
- Mirrored Center
- Non-flickering
- Available in medium base E26
- No UV / No IR
- Instant-on
- Operating temperature:
-10°C to +40°C
-24° F to +104° F

Construction

Glass Lens
E26 Base

ITEM No.	Form	Lens	Input	Base	Watts	CCT	Lumens	Rated Life (hrs)	CRI	Beam Angle	Dimming
42056	R63	Clear	110V-240V	E26	7W	2700K	500	30,000	80	160	Yes



7 Watt
ITEM # 42057

60 WATT Halogen Equivalent **R80 Mirror Inside**

Dimmable

Product Description

KODAK LED R80 Lamps provide a 160 degree beam angle. These lamps continue the more than 100 years of tradition of preferring incandescent bulbs. Delivering incandescent-like sparkling light effects. Lighting in the hospitality industry, as well as home environments.

Features

- True 60W replacement
- Mirrored Center
- Non-flickering
- Available in medium base E26
- No UV / No IR
- Instant-on
- Operating temperature:
-10°C to +40°C
-24° F to +104° F

Construction

Glass Lens
E26 Base

ITEM No.	Form	Lens	Input	Base	Watts	CCT	Lumens	Rated Life (hrs)	CRI	Beam Angle	Dimming
42057	R80	Clear	100V-240V	E26	7W	2700K	500	30,000	80	160	Yes



10W
ITEM #55046
ITEM #55046-UL



10 WATT Halogen Equivalent
All Glass Body
C7 Christmas Light LED Torpedo

Dimmable

Product Description


With a clear all glass body these lamps cast light in all directions, including down. Light is properly centered so chandeliers and shaded fixtures illuminate with no shadowing or dark spots.

Features

- Dimmable
- True 10W replacement
- Non-flickering
- Available in Medium Base E12
- No UV/ No IR
- Instant-on
- Operating temperature:
-10°C to +40°C
-24° F to +104° F

Construction

Glass Lens
E12 Base



ITEM No.	Form	Lens	Input	Base	Watts	CCT	Lumens	Rated Life (hrs)	CRI	Beam Angle	Dimming
55046	Torpedo	Clear	120V	E12	.5W	2700K	50	30,000	82	360	Yes
55046-UL	Torpedo	Clear	120V	E12	.5W	2700K	50	30,000	82	360	Yes



6W
ITEM #55053

60 WATT Halogen Equivalent
3U COB C42

Dimmable

Product Description

This tubular LED lamp uses linear LED filaments. Comes in various wattages. Energy saving.

Features

- 30,000 hrs rated life
- 600 lumens
- 320 degree lighting
- 3000k warm white
- No UV / No IR
- Operating temperature:
-10°C to +40°C
-24° F to +104° F

Construction

Aluminum Housing
Clear Glass Lens
E26 Base

ITEM No.	Form	Lens	Input	Base	Watts	CCT	Lumens	Rated Life (hrs)	CRI	Beam Angle	Dimming
55053	3U	Clear	120V	E26	6W	3000K	600	30,000	80	320	Yes



5W
ITEM # 55126
MILKY TORPEDO

5 WATT Halogen Equivalent
Milky Torpedo

Non-Dimmable

Product Description

Available in a clear lens these lamps cast light in all directions, including down. Light is properly centered so chandeliers and shaded fixtures illuminate with no shadowing or dark spots.

Features

- True 5W replacement
- Non-flickering
- No UV / No IR
- Instant-on
- Operating temperature:
 -10°C to +40°C
 -24° F to +104° F

Construction

E12 Base

Item No.	Form	Lens	Input	Base	Watts	CCT	Lumens	Rated Life (hrs)	CRI	Beam Angle	Dimming
55126	Torpedo	Milky	120V	E12	5W	2700K	50	30,000	80	360	Yes



2W
ITEM # 42092
MILKY

4W
ITEM # 42093
MILKY

25 WATT, 40 WATT Halogen Equivalent Full Glass Candle Torpedo Milky White

Dimmable

Product Description

Available in a Milky White glass lens these lamps cast light in all directions, including down. Light is properly centered so chandeliers and shaded fixtures illuminate with no shadowing or dark spots.

Features

- Dimmable
- 30,000 hrs rated life
- 360 degree lighting
- No UV / No IR
- Operating temperature:
-10°C to +40°C
-24° F to +104° F

Construction

Aluminum Housing
Milky White Glass Lens
E12 Base

ITEM No.	Form	Lens	Input	Base	Watts	CCT	Lumens	Rated Life (hrs)	CRI	Beam Angle	Dimming
42092	Torpedo	White	120V	E12	2W	2700K	240	30,000	82	360	Yes
Previous part number 40612											
42093	Torpedo	White	120V	E12	4W	2700K	420	30,000	82	360	Yes
Previous part number 40614											



4W
ITEM #42106
E26 BASE
MILKY



4W
ITEM #42107
ITEM #42107-UL
E12 BASE
MILKY



4W
42108
ITEM #42107-UL
E12 BASE
MILKY

40 WATT Halogen Equivalent Milky Torpedo & Flame Tip

Dimmable

Product Description

With an all glass body, these lamps cast light in all directions including down. Light is properly centered so chandeliers and shaded fixtures illuminate with no shadowing or dark spots. With 92 CRI and 2700K these lamps produce a warm illumination.

Features

- Dimmable
- 360 degree lighting
- No UV / No IR
- Operating temperature:
-10°C to +40°C
-24° F to +104° F

Construction

Aluminum Housing
Milky White Glass Lens
E12 and E26 Base



(CRI 92 - 2700K)
High Color Rendering Index
Warm white 2700K

ITEM No.	Form	Lens	Input	Base	Watts	CCT	Lumens	Rated Life (hrs)	CRI	Beam Angle	Dimming
42106	Torpedo	Milky	120V	E26	4W	2700K	400	30,000	92	360	Yes
42107	Torpedo	Milky	120V	E12	4W	2700K	400	30,000	92	360	Yes
42107-UL	Torpedo	Milky	120V	E12	4W	2700K	400	30,000	92	360	Yes
42108	Flame	Milky	120V	E12	4W	2700K	400	30,000	92	360	Yes
42108-UL	Flame	Milky	120V	E12	4W	2700K	400	30,000	92	360	Yes



6 Filament
ITEM #55043
MILKY WHITE



8 Filament
ITEM #55044
MILKY WHITE



10 Filament
ITEM #55045
MILKY WHITE

4 Filament
ITEM #55042
MILKY WHITE

40 WATT, 60 WATT, 80 WATT, 100 WATT Halogen Equivalent A19 Milky GU24 Base **Dimmable**

Product Description

KODAK LED Lamps provide a 360 degree beam angle. This lamp continues the more than 100 years of tradition of preferring incandescent bulbs. Delivering incandescent-like sparkling light effects, LED Filament bulbs are ideal for general and decorative lighting in the hospitality industry, as well as home environments. The lamp employs Linear LED filaments.


Features

- 30,000 hrs rated life
- Dimmable
- 400 - 600 - 800 - 900 lumens
- 360 degree lighting
- No UV / No IR
- Operating temperature:
-10°C to +40°C
-24° F to +104° F

Construction

Aluminum Housing
Milky White Glass Lens
GU24 Base

ITEM No.	Form	Lens	Input	Base	Watts	CCT	Lumens	Rated Life (hrs)	CRI	Beam Angle	Dimming
55042	A19	Milky	120V	GU24	4W	2700	400	30,000	92	360	Yes
55043	A19	Milky	120V	GU24	6W	2700	600	30,000	92	360	Yes
55044	A19	Milky	120V	GU24	7W	2700	800	30,000	92	360	Yes
55045	A19	Milky	120V	GU24	8W	2700	900	30,000	92	360	Yes



7W
ITEM # 41004
A19 MILKY

11W
ITEM # 42010
A19 MILKY

55 WATT, 70 WATT Halogen Equivalent A19 Milky

Dimmable

Product Description

With 270 degree light direction, our lamps deliver the gentle, warm light consumers prefer. Table lamps are fully lit, not just upward but in all directions. Light color provides softness for reading and enhances interior ambience.


Features

- Dimmable
- True 55W-70W replacement
- Non-flickering
- Porcelain body
- Full 270 degree lighting
- Soft White Lens
- No UV / No IR
- Instant-on
- Operating temperature:
-10°C to +40°C
-24° F to +104° F

Construction

Aluminum Housing
Milky White Glass Lens
E26 Base

ITEM No.	Form	Lens	Input	Base	Watts	CCT	Lumens	Rated Life (hrs)	CRI	Beam Angle	Dimming
41004 Milky	A19	White	120V	E26	7W	2700K	560	30,000	82	270	Yes
42010 Milky	A19	White	120V	E26	11W	2700K	870	30,000	82	270	Yes



9W
ITEM #42054
A19 MILKY

WATER PROOF

65 WATT Halogen Equivalent
A19 Milky Glass

Dimmable

Product Description

KODAK LED Lamps provide a 360 degree beam angle. This lamp continues the more than 100 years of tradition of preferring incandescent bulbs. Delivering incandescent-like sparkling light effects, LED Filament bulbs are ideal for general and decorative lighting in the hospitality industry, as well as home environments. The lamp employs Linear LED filaments.

Features

- Dimmable
- True 65W Replacement
- Non-flickering
- Available in Medium Base - E26
- No UV / No IR
- Instant-on
- Operating temperature:
-10°C to +40°C
-24° F to +104° F

Construction

Aluminum Housing
Milky White Glass Lens
E26 Base

ITEM No.	Form	Lens	Input	Base	Watts	CCT	Lumens	Rated Life (hrs)	CRI	Beam Angle	Dimming
42054 Milky All Glass Body (Previous ITEM # 41077 Milky)	A19	White	120V	E26	9W	3000K	900	30,000	82	360	Yes



12W
ITEM # 41005
A19 MILKY

75 WATT Halogen Equivalent
A19 Milky Glass

Dimmable

Product Description

With 270-degree light direction, our lamps deliver the gentle, warm light consumers prefer. Table lamps are fully lit, not just upward but in all directions. Light color provides softness for reading and enhance interior ambiance.


Features

- Dimmable
- True 75W Replacement
- Non-flickering
- Full 270 degree lighting
- Soft white lens
- No UV / No IR
- Instant On
- Operating temperature:
 -10°C to +40°C
 -24° F to +104° F

Construction

Aluminum Housing
 Soft white Lens
 E26 Base

ITEM No.	Form	Lens	Input	Base	Watts	CCT	Lumens	Rated Life (hrs)	CRI	Beam Angle	Dimming
41005	A19	White	120V	E26	12W	2700K	1080	30,000	82	270	Yes



13W
ITEM # 42058
A21 MILKY

100 WATT Halogen Equivalent
A21 (Slightly larger than A19)

Dimmable

Product Description


With 270-degree light direction, our lamps deliver the gentle, warm light consumers prefer. Table lamps are fully lit, not just upward but in all directions. Light color provides softness for reading and enhance interior ambiance.

Features

- Dimmable
- True 100W replacement
- Non-flickering
- Porcelain body
- Full 270 degree lighting
- Soft White Lens
- No UV / No IR
- Instant-on
- Operating temperature:
 -10°C to +40°C
 -24° F to +104° F

Construction

Aluminum Housing
 Soft white Lens
 E26 Base



Item No.	Form	Lens	Input	Base	Watts	CCT	Lumens	Rated Life (hrs)	CRI	Beam Angle	Dimming
42058	A21	White	120V	E26	13W	2700K	1100	30,000	82	270	Yes

6W
ITEM # 42103
T-30 MILKY



6W
ITEM # 42104
ST-64 MILKY



8W
ITEM # 42102
6W
ITEM # 42101
4W
ITEM # 42100
A19 MILKY



6W
ITEM # 42105
S14 MILKY



High Color Rendering Index Very warm white 2200K Milky T-30, ST-64, S14, A19 Dimmable

Product Description

With an all glass body, these lamps cast light in all directions including down. Light is properly centered so chandeliers and shaded fixtures illuminate with no shadowing or dark spots. With 92 CRI and 2700K these lamps produce a warm illumination.

Features

- Dimmable
- True 100W replacement
- Non-flickering
- Porcelain body
- No UV / No IR
- Instant-on
- Operating temperature:
-10°C to +40°C
-24° F to +104° F

Construction

Aluminum Housing
Soft white Lens
E26 Base

Item No.	Form	Lens	Input	Base	Watts	CCT	Lumens	Rated Life (hrs)	CRI	Beam Angle	Dimming
42100	A19	Milky	120V	E26	4W	2700K	400	30,000	92	360	Yes
42101	A19	Milky	120V	E26	6W	2700K	600	30,000	92	360	Yes
42102	A19	Milky	120V	E26	8W	2700K	800	30,000	92	360	Yes
42103	T-30	Milky	120V	E26	6W	2700K	600	30,000	92	360	Yes
42104	ST-64	Milky	120V	E26	6W	2700K	600	30,000	92	360	Yes
42105	S14	Milky	120V	E26	6W	2700K	600	30,000	92	360	Yes



1W
ITEM # 42090
FLAME TIP STAR



1W
ITEM # 42091
FLAME TIP STAR
AMBER

15 WATT Halogen Equivalent Flame Tip Star Collection

Dimmable

Product Description

Antique Retro Vintage Light Bulb - This new form LED approaches as close as possible the look of a vintage type bulb with modern high efficiency LED technology.

Features

- Dimmable
- Non-flickering
- No UV / No IR
- Operating temperature:
-10°C to +40°C
-24° F to +104° F

Construction

Aluminum Housing
Glass Lens
E12 Base

Amber Lens Impact

The amber lens reduces the color temperature by 200K. Therefore, 2700K will appear as 2500K.

Item No.	Form	Lens	Input	Base	Watts	CCT	Lumens	Rated Life (hrs)	CRI	Beam Angle	Dimming
42090	Flame Tip Star	Clear	120V	E12	1W	2700K	200	30,000	82	360	Yes
42091	Flame Tip Star	Amber	120V	E12	1W	2700K	200	30,000	82	360	Yes



1W
ITEM # 42019
TORPEDO STAR



1W
ITEM # 42020
TORPEDO STAR
AMBER

15 WATT Halogen Equivalent Torpedo Star Collection

Dimmable

Product Description

Antique Retro Vintage Light Bulb - This new form LED approaches as close as possible the look of a vintage type bulb with modern high efficiency LED technology.

Features

- Dimmable
- Non-flickering
- No UV / No IR
- Operating temperature:
-10°C to +40°C
-24° F to +104° F

Construction

Aluminum Housing
Glass Lens
E12 Base

Amber Lens Impact

The amber lens reduces the color temperature by 200K. Therefore, 2700K will appear as 2500K.

Item No.	Form	Lens	Input	Base	Watts	CCT	Lumens	Rated Life (hrs)	CRI	Beam Angle	Dimming
42019	Torpedo Star	Clear	120V	E12	1W	2200K	100	20,000	82	360	Yes
42020	Torpedo Star	Amber	120V	E12	1W	2200K	100	20,000	82	360	Yes



1W
ITEM # 42086
S14 STAR



1W
ITEM # 42087
S14 STAR
AMBER

15 WATT Halogen Equivalent S14 Star Collection

Dimmable

Product Description

Antique Retro Vintage Light Bulb - This new form LED approaches as close as possible the look of a vintage type bulb with modern high efficiency LED technology.

Features

- Dimmable
- Non-flickering
- No UV / No IR
- Operating temperature:
-10°C to +40°C
-24° F to +104° F

Construction

Aluminum Housing
Glass Lens
E26 Base

Amber Lens Impact

The amber lens reduces the color temperature by 200K. Therefore, 2700K will appear as 2500K.

Item No.	Form	Lens	Input	Base	Watts	CCT	Lumens	Rated Life (hrs)	CRI	Beam Angle	Dimming
42086	S-14 Star	Clear	120V	E26	1W	2700K	100	30,000	82	360	Yes
42087	S-14 Star	Amber	120V	E26	1W	2700K	100	30,000	82	360	Yes



1W
ITEM # 42088
TWISTED TORPEDO
ICE CREAM

15 WATT Halogen Equivalent
Twisted Torpedo/Ice Cream
Star Collection

Dimmable

Product Description

Antique Retro Vintage Light Bulb - This new form LED approaches as close as possible the look of a vintage type bulb with modern high efficiency LED technology.

Features

- Dimmable
- Non-flickering
- No UV / No IR
- Operating temperature:
 -10°C to +40°C
 -24° F to +104° F

Construction

Aluminum Housing
 Glass Lens
 E12 Base


Item No.	Form	Lens	Input	Base	Watts	CCT	Lumens	Rated Life (hrs)	CRI	Beam Angle	Dimming
42088	Twisted Torpedo /Ice Cream Star	Clear	120V	E12	1W	2700K	100	30,000	82	360	Yes



2W
ITEM # 42031
A19 STAR



2W
ITEM # 42032
A19 STAR
AMBER



25 WATT Halogen Equivalent A19 Star Collection

Dimmable

Product Description

Antique Retro Vintage Light Bulb - This new form LED approaches as close as possible the look of a vintage type bulb with modern high efficiency LED technology.

Features

- Dimmable
- Non-flickering
- No UV / No IR
- Operating temperature:
-10°C to +40°C
-24° F to +104° F

Construction

Aluminum Housing
Glass Lens
E26 Base

Amber Lens Impact

The amber lens reduces the color temperature by 200K. Therefore, 2700K will appear as 2500K.

Item No.	Form	Lens	Input	Base	Watts	CCT	Lumens	Rated Life (hrs)	CRI	Beam Angle	Dimming
42031	A19	Clear	120V	E26	2W	2200K	200	30,000	82	360	Yes
42032	A19	Amber	120V	E26	2W	2200K	200	30,000	82	360	Yes



3W
ITEM # 42037
G125 5 INCH GLOBE



3W
ITEM # 42038
G125 5 INCH GLOBE
AMBER

125MM Diameter

5.0"



6.9"



25 WATT Halogen Equivalent G-125 Star Collection Clear & Amber 5 Inch Globe

Dimmable

Product Description

Antique Retro Vintage Light Bulb - This new form LED approaches as close as possible the look of a Vintage type filament bulb with modern high efficiency LED technology.

Features

- Dimmable
- Non-flickering
- No UV / No IR
- Operating temperature:
-10°C to +40°C
-24° F to +104° F

Construction

Aluminum Housing
Glass Lens
E26 Base

Amber Lens Impact

The amber lens reduces the color temperature by 200K. Therefore, 2700K will appear as 2500K.

Item No.	Form	Lens	Input	Base	Watts	CCT	Lumens	Rated Life (hrs)	CRI	Beam Angle	Dimming
42037	G125	Clear	120V	E26	3W	2200K	300	20,000	82	360	Yes
42038	G125	Amber	120V	E26	3W	2200K	300	20,000	82	360	Yes

95MM



3W
ITEM # 42035
G95
STAR GLOBE



3W
ITEM # 42036
G95
STAR GLOBE
AMBER

95MM Diameter
4.0"



30 WATT Halogen Equivalent G-95 Star Collection Clear & Amber 5 Inch Globe

Dimmable

Product Description

Antique Retro Vintage Light Bulb - This new form LED approaches as close as possible the look of a Vintage type filament bulb with modern high efficiency LED technology.

Features

- Dimmable
- Non-flickering
- No UV / No IR
- Operating temperature:
-10°C to +40°C
-24° F to +104° F

Construction

Aluminum Housing
Glass Lens
E26 Base

Amber Lens Impact

The amber lens reduces the color temperature by 200K. Therefore, 2700K will appear as 2500K.

Item No.	Form	Lens	Input	Base	Watts	CCT	Lumens	Rated Life (hrs)	CRI	Beam Angle	Dimming
42035	G95	Clear	120V	E26	3W	2200K	300	20,000	82	360	Yes
42036	G95	Amber	120V	E26	3W	2200K	300	20,000	82	360	Yes

45MM



1W

ITEM # 42023
G45 2 INCH GLOBE E26 BASE
STAR

1W

ITEM # 42024
G45 2 INCH GLOBE E26 BASE
AMBER STAR

1W

ITEM # 42063
G45 2 INCH GLOBE E12 BASE
STAR

1W

ITEM # 42064
G45 2 INCH GLOBE E12 BASE
AMBER STAR

30 WATT Halogen Equivalent G-45 Star Collection Clear & Amber 2 Inch Globe

Dimmable

Product Description

Antique Retro Vintage Light Bulb - This new form LED approaches as close as possible the look of a Vintage type filament bulb with modern high efficiency LED technology.

Features

- Dimmable
- Non-flickering
- No UV / No IR
- Operating temperature:
-10°C to +40°C
-24° F to +104° F

Construction

Aluminum Housing
Glass Lens
E12 and E26 Base

Amber Lens Impact

The amber lens reduces the color temperature by 200K. Therefore, 2700K will appear as 2500K.

Item No.	Form	Lens	Input	Base	Watts	CCT	Lumens	Rated Life (hrs)	CRI	Beam Angle	Dimming
42023	G45	Clear	120V	E26	1W	2200K	100	20,000	82	360	Yes
42024	G45	Amber	120V	E26	1W	2200K	100	20,000	82	360	Yes
42063	G45	Clear	120V	E12	1W	2200K	100	20,000	82	360	Yes
42064	G45	Amber	120V	E12	1W	2200K	100	20,000	82	360	Yes

107MM



5W
ITEM # 42068
POINTED PYRAMID

120MM



5W
ITEM # 42067
POINTED PYRAMID
AMBER



5W
ITEM # 42069
INVERTED PYRAMID



5W
ITEM # 42066
INVERTED PYRAMID
AMBER

50 WATT Halogen Equivalent Pyramid Star Collection Clear & Amber

Dimmable

Product Description

Antique Retro Vintage Light Bulb - This new form LED approaches as close as possible the look of a Vintage type filament bulb with modern high efficiency LED technology.

Features

- Dimmable
- Non-flickering
- No UV / No IR
- Operating temperature:
-10°C to +40°C
-24° F to +104° F

Construction

Aluminum Housing
Glass Lens
E26 Base

Amber Lens Impact

The amber lens reduces the color temperature by 200K. Therefore, 2700K will appear as 2500K.

Item No.	Form	Lens	Input	Base	Watts	CCT	Lumens	Rated Life (hrs)	CRI	Beam Angle	Dimming
42068	Pointed	Clear	120V	E26	5W	2200K	500	20,000	82	360	Yes
42067	Pointed	Amber	120V	E26	5W	2200K	500	20,000	82	360	Yes
42069	Inverted	Clear	120V	E26	5W	2200K	500	20,000	82	360	Yes
42066	Inverted	Amber	120V	E26	5W	2200K	500	20,000	82	360	Yes



3W
ITEM # 42029
ST-64 STAR



3W
ITEM # 42030
ST-64 STAR
AMBER

64MM Diameter

2.5"



5.5"

30 WATT Halogen Equivalent ST-64 Star Collection Clear & Amber

Dimmable

Product Description

Antique Retro Vintage Light Bulb - This new form LED approaches as close as possible the look of a Vintage type filament bulb with modern high efficiency LED technology.

Features

- Dimmable
- Non-flickering
- No UV / No IR
- Operating temperature:
-10°C to +40°C
-24° F to +104° F

Construction

Aluminum Housing
Glass Lens
E26 Base

Amber Lens Impact

The amber lens reduces the color temperature by 200K. Therefore, 2700K will appear as 2500K.

Item No.	Form	Lens	Input	Base	Watts	CCT	Lumens	Rated Life (hrs)	CRI	Beam Angle	Dimming
42029	ST-64	Clear	120V	E26	3W	2200K	300	20,000	82	360	Yes
42030	ST-64	Amber	120V	E26	3W	2200K	300	20,000	82	360	Yes



2W
ITEM # 42025
T-30 STAR

2W
ITEM # 42026
T-30 STAR
AMBER

20 WATT Halogen Equivalent T-30 Star Collection Clear & Amber

Dimmable

Product Description

Antique Retro Vintage Light Bulb - This new form LED approaches as close as possible the look of a Vintage type filament bulb with modern high efficiency LED technology.

Features

- Dimmable
- Non-flickering
- No UV / No IR
- Operating temperature:
-10°C to +40°C
-24° F to +104° F


Construction

Aluminum Housing
Glass Lens
E26 Base

Amber Lens Impact

The amber lens reduces the color temperature by 200K. Therefore, 2700K will appear as 2500K.

Item No.	Form	Lens	Input	Base	Watts	CCT	Lumens	Rated Life (hrs)	CRI	Beam Angle	Dimming
42025	T-30	Clear	120V	E26	2W	2200K	200	20,000	82	360	Yes
42026	T-30	Amber	120V	E26	2W	2200K	200	20,000	82	360	Yes



3W
ITEM # 40334
TORPEDO

3W
ITEM # 41011
FLAME TIP

40 WATT Halogen Equivalent
Torpedo Silver Clear
Flame Tip Silver

Non-Dimmable
Dimmable

Product Description

Available in a clear lens these lamps cast light in all directions. Light is properly centered so chandeliers and shaded fixtures illuminate with no shadowing or dark spots.

Features

- 30,000 hrs rated life
- Dimmable/Non-Dimmable
- 330 - 550 lumens
- 2700K warm white
- No UV / No IR
- Operating temperature:
-10°C to +40°C
-24° F to +104° F

Construction

Aluminum Housing
Glass Lens
E12 Base

Item No.	Form	Lens	Input	Base	Watts	CCT	Lumens	Rated Life (hrs)	CRI	Beam Angle	Dimming
40334	Torpedo	Clear	120V	E12	3W	2700K	330	30,000	82	240	No
41011	Flame Tip	Clear	120V	E12	5W	2700K	550	30,000	80	360	Yes



6W
ITEM # 41047
FLAME TIP

6W
ITEM # 41046
TORPEDO

60 WATT Halogen Equivalent Candle LED Flame Tip LED Torpedo

Dimmable

Product Description

Available in a clear lens these lamps cast light in all directions. Light is properly centered so chandeliers and shaded fixtures illuminate with no shadowing or dark spots.

Features

- 30,000 hrs rated life
- Dimmable
- 580 lumens
- 300 degree lighting
- 2700K warm white
- No UV / No IR
- Operating temperature:
-10°C to +40°C
-24° F to +104° F

Construction

Aluminum Housing
Glass Lens
E12 Base

Item No.	Form	Lens	Input	Base	Watts	CCT	Lumens	Rated Life (hrs)	CRI	Beam Angle	Dimming
41047	Flame Tip	Clear	120V	E12	6W	2700K	580	30,000	82	300	Yes
41046	Torpedo	Clear	120V	E12	6W	2700K	580	30,000	82	300	Yes



18W
ITEM # 41023
T8 TUBE LIGHT
48 INCHES

Equivalent to F32 Fluorescent Tube LED T8 Tube Light

Product Description

The KODAK LED Commercial Grade LED T8 replacement lamps are an energy saving LED alternative to traditional T8 fluorescent lamps.

This lamp combines innovative optical and mechanical design features to achieve a light distribution similar to traditional fluorescent lamps while consuming less electrical power.

The Commercial Grade LED T8 replacement lamp has a dedicated isolated internal driver and is designed to be a direct fluorescent replacement. The isolated driver will allow the LED tube to last longer.

Features

- 30000 hrs rated life
- Non-Dimmable
- 1800 lumens
- 120 degree beam angle
- Cool white
- Lower installation cost
- Driver will last longer
- No need to rewire the fixture
- No need to remove the ballast
- No UV / No IR
- Instant On
- Operating temperature:
 -10°C to +40°C
 -24° F to +104° F

- Instant Fit
- No Ballast Rewiring Required
- Electronic Ballast Compatible
- Isolated Driver



Item No.	Form	Length	Input	Watts	CCT	Lumens	Base	Rated Life (hrs)	CRI	Beam Angle	Dimming	Fluorescent Equiv
41023	Tube Light	48 Inches	120V	18W	4100K	1800	G13	30,000	82	120	No	32W



18W
ITEM # 41034
T8 TUBE LIGHT
48 INCHES

LED T8 Tube Light

Product Description

The KODAK LED Commercial Grade LED T8 replacement lamps are an energy saving LED alternative to traditional T8 fluorescent lamps.

This lamp combines innovative optical and mechanical design features to achieve a light distribution similar to traditional fluorescent lamps while consuming less electrical power.

Features

- Length - 48 Inches
- 30000 hrs rated life
- Non-Dimmable
- 1800 Lumens
- 120 degree beam angle
- Cool white
- No UV / No IR
- Instant On
- Operating temperature:
 -10°C to +40°C
 -24° F to +104° F

- Ballast Rewiring Is Necessary



Item No.	Form	Length	Input	Watts	CCT	Lumens	Base	Rated Life (hrs)	CRI	Beam Angle	Dimming	Fluorescent Equiv
41034	Tube Light	48 Inches	120V	18W	4100K	1800	G13	30,000	82	120	No	32W



22W
ITEM # 41172
T8 TUBE LIGHT
48 INCH

Equivalent to F32 Fluorescent Tube LED T8 Tube Light

Dimmable

Product Description

The KODAK LED Commercial Grade LED T8 replacement lamps are an energy saving LED alternative to traditional T8 fluorescent lamps. This lamp combines innovative optical and mechanical design features to achieve a light distribution similar to traditional fluorescent lamps while consuming less electrical power.

Features

- 30,000 hrs rated life
- Dimmable
- 2200 lumens
- 120 degree lighting
- Cool white
- No UV / No IR
- Operating temperature:
 -10°C to +40°C
 -24° F to +104° F

- Ballast Rewiring Is Necessary

Item No.	Form	Length	Input	Base	Watts	CCT	Lumens	Rated Life (hrs)	CRI	Beam Angle	Dimming	Fluorescent Equiv
41172	Tube Light	48 inches	120V	G13	22W	4100K	2200	30,000	82	120	Yes	32W

ALL GLASS
VERY COMPETITIVE PRICING

18W
ITEM # 42058
T8 TUBE LIGHT
48 INCH
NON-DIMMABLE

18W
ITEM # 55066
T8 TUBE LIGHT
48 INCH
DIMMABLE

Equivalent to F32 Fluorescent Tube
LED T8 Tube
Light All Glass Body

Non-Dimmable
Dimmable

Product Description

The KODAK LED Commercial Grade LED T8 replacement lamps are an energy saving LED alternative to traditional T8 fluorescent lamps. This lamp combines innovative optical and mechanical design features to achieve a light distribution similar to traditional fluorescent lamps while consuming less electrical power. The Commercial Grade LED T8 replacement lamp has a dedicated isolated internal driver and is designed to be a direct fluorescent replacement. The isolated driver will allow the LED tube to last longer.

Features

- 30,000 hrs rated life
- Dimmable/Non-Dimmable
- 1550 lumens
- 330 degree lighting
- Cool white
- No UV / No IR
- Operating temperature:
 -10°C to +40°C
 -24° F to +104° F

- Ballast Rewiring Is Necessary
- This Tube Is All Glass No Aluminium, No P.C.

Item No.	Form	Length	Input	Base	Watts	CCT	Lumens	Rated Life (hrs)	CRI	Beam Angle	Dimming
42048	Tube Light	48 inches	120V	G13	18W	4100K	1550	30,000	70	330	No
55066	Tube Light	48 inches	120V	G13	18W	4100K	1550	30,000	70	330	Yes

**145 LUMENS
PER WATT**



22W
ITEM # 55081
2G 11
CLEAR

22W
ITEM # 55065
2G 11
MILKY

250 WATT Halogen Equivalent
2G 11 Clear and Milky

Dimmable

Product Description

This tubular LED lamp uses linear LED filaments. Energy saving.


Features

- 30,000 hrs rated life
- Dimmable
- 2900 lumens
- 180 degree lighting
- No UV / No IR
- Operating temperature:
-10°C to +40°C
-24° F to +104° F

Construction

Aluminum Housing
Glass Lens

Item No.	Form	Lens	Input	Base	Watts	CCT	Lumens	Rated Life (hrs)	CRI	Beam Angle	Dimming
55081	2G11	Clear	120V	4 Pin	22W	4100	2900	30,000	80	180	Yes
55065	2G11	Milky	120V	4 Pin	22W	4100	2900	30,000	80	180	Yes



8W
ITEM # 40201
R20

50 WATT Halogen Equivalent R20

Dimmable

Product Description

New design for exceptional heat dissipation, our light R20 delivers with high output per watt used.

Features


- Dimmable
- True 50W Replacement
- Non-flickering
- Single light source for even distribution
- No spotting
- Glare-free
- No UV / No IR
- Instant-on
- Operating temperature:
-10°C to +40°C
-24° F to +104° F

Construction

Aluminum Housing
Glass Lens
E26 Base



Item No.	Form	Lens	Input	Base	Watts	CCT	Lumens	Rated Life (hrs)	CRI	Beam Angle	Dimming
40201	R20	White	120V	E26	8W	3000K	450	25,000	82	120	Yes



11W
ITEM # 42302
BR30

75 WATT Halogen Equivalent BR30

Dimmable

Product Description


Best replacement lamp for ceiling downlights. Milky Lens "hides" into the ceiling can and provides desirable soft, warm light. Wide flood illumination, not for outdoor use.

Features

- Dimmable
- True 75W replacement
- Non-flickering
- Plastic body
- No spotting, wide flood
- Glare-free
- No UV / No IR
- Instant-on
- Operating temperature:
-10°C to +40°C
-24° F to +104° F

Construction

Plastic Housing
Soft White Acrylic Lens
E26 Base



Item No.	Form	Lens	Input	Base	Watts	CCT	Lumens	Rated Life (hrs)	CRI	Beam Angle	Dimming
42302	BR30	White	120V	E26	11W	3000K	800	30,000	82	180	Yes



13W
ITEM # 41075
BR40

100 WATT Halogen Equivalent BR40

Dimmable

Product Description

Best replacement lamp for ceiling downlights. Milky Lens "hides" into the ceiling can and provides desirable soft, warm light. Wide flood illumination, not for outdoor use.

Features

- Dimmable
- True 100W replacement
- Non-flickering
- No spotting, wide flood
- Glare-free
- No UV / No IR
- Instant-on
- Operating temperature:
-10°C to +40°C
-24° F to +104° F

Construction

Soft White Acrylic Lens
E26 Base

Item No.	Form	Lens	Input	Base	Watts	CCT	Lumens	Rated Life (hrs)	CRI	Beam Angle	Dimming
41075	BR40	White	120V	E26	13W	3000K	800	25,000	82	120	Yes



18W
ITEM # 55067
BR40

120 WATT Halogen Equivalent
BR40

Dimmable

Product Description


Best replacement lamp for ceiling down lights. Milky Lens "hides" into the ceiling can and provides desirable soft, warm light. Wide flood illumination, not for outdoor use.

Features

- Dimmable
- True 120W replacement
- Non-flickering
- No spotting, wide flood
- Glare-free
- No UV / No IR
- Instant-on
- Operating temperature:
-10°C to +40°C
-24° F to +104° F

Construction

Soft White Acrylic Lens
E26 Base



Item No.	Form	Lens	Input	Base	Watts	CCT	Lumens	Rated Life (hrs)	CRI	Beam Angle	Dimming
55067	BR40	White	120V	E26	18W	2700K	1400	25,000	80	110	Yes



6W COB
ITEM # 40503
PAR 16
DIMMABLE

6W COB
ITEM # 40504
PAR 16
NON-DIMMABLE

120 WATT Halogen Equivalent

Par16

Non-Dimmable
Dimmable

Product Description

Compact flood provides the same light as a 120W Incandescent. Robust heat sink provides consistent output and increases life.

Features

- Dimmable / Non-Dimmable
- True 50W Replacement
- Non-flickering
- Aluminum body
- Single light source for even distribution. No spotting
- Narrow Flood
- Glare-free
- No UV / No IR
- Instant-on
- Operating temperature:
 -10°C to +40°C
 -24° F to +104° F

Construction

Aluminum Housing
 Clear PMMA lens
 E26 Medium Base

Item No.	Form	Lens	Input	Base	Watts	CCT	Lumens	Rated Life (hrs)	CRI	Beam Angle	Dimming
40503	Par16	Clear	120V	E26	6W COB	2700K	500	40,000	82	60	Yes
40504	Par16	Clear	120V	E26	6W COB	2700K	500	40,000	82	60	No



8W COB
ITEM # 40505
PAR20

50 WATT Halogen Equivalent **Par20**

Dimmable

Product Description


Compact flood provides the same light as a 50W Incandescent. Robust heat sink provides consistent output and increases life.

Features

- Dimmable
- True 50W Replacement
- Non-flickering
- Single light source for even distribution. No spotting
- Narrow Flood
- Glare-free
- No UV / No IR
- Instant-on
- Operating temperature:
 -10°C to +40°C
 -24° F to +104° F

Construction

Aluminum Housing
 Clear PMMA lens
 E26 Medium Base



Item No.	Form	Lens	Input	Base	Watts	CCT	Lumens	Rated Life (hrs)	CRI	Beam Angle	Dimming
40505	Par20	Clear	120V	E26	8W	3000K	500	30,000	82	38	Yes



11W
ITEM # 40506
PAR30

75 WATT Halogen Equivalent
Par30

Dimmable

Product Description


Compact flood provides the same light as a 75W Incandescent. Robust heat sink provides consistent output and increases life.

Features

- Dimmable
- True 50W Replacement
- Non-flickering
- Single light source for even distribution. No spotting
- Narrow Flood
- Glare-free
- No UV / No IR
- Instant-on
- Operating temperature:
 -10°C to +40°C
 -24° F to +104° F

Construction

Aluminum Housing
 Clear PMMA lens
 E26 Medium Base



Item No.	Form	Lens	Input	Base	Watts	CCT	Lumens	Rated Life (hrs)	CRI	Beam Angle	Dimming
40506	Par30	Clear	120V	E26	11W	3000K	800	30,000	82	38	Yes



18W
ITEM # 55079
PAR38

150 WATT Halogen Equivalent Par38

Dimmable

Product Description


The high-lumen output of our Par38 Series offers uncompromising performance with energy efficiency. Compact design is achieved through exceptional heat dissipation, both through the coated porcelain base and lens. The single light source provides even distribution with no spotting or shadowing. Clean exterior finish compliments interiors.

Features

- Dimmable
- True 150W replacement
- Non-flickering
- Single light source for even distribution
 - No spotting
- Glare-free
- No UV / No IR
- Instant-on
- Operating temperature:
 - 10°C to +40°C
 - 24° F to +104° F

Construction

Aluminum Housing
Clear PMMA lens
E26 Medium Base



Item No.	Form	Lens	Input	Base	Watts	CCT	Lumens	Rated Life (hrs)	CRI	Beam Angle	Dimming
55079	Par38	White	120V	E26	18W	3000K	1100	35,000	80	40	Yes



18W
ITEM # 41122
PAR38

18W
ITEM # 41123
PAR38

150 WATT Halogen Equivalent Par38

Dimmable

Product Description

The high-lumen output of our Par38 Series offers uncompromising performance with energy efficiency. Compact design is achieved through exceptional heat dissipation, both through the coated porcelain base and lens. The single light source provides even distribution with no spotting or shadowing. Clean exterior finish compliments interiors.

Features

- Dimmable
- True 150W replacement
- Non-flickering
- Single light source for even distribution
 - No spotting
- Glare-free
- No UV / No IR
- Instant-on
- Operating temperature:
 - 10°C to +40°C
 - 24° F to +104° F

Construction

Aluminum Housing
Clear PMMA lens
E26 Medium Base

Item No.	Form	Lens	Input	Base	Watts	CCT	Lumens	Rated Life (hrs)	CRI	Beam Angle	Dimming
41122	Par38	White	120V	E26	18W	3000K	1600	30,000	82	120	Yes
41123	Par38	White	120V	E26	18W	7000K	1760	30,000	82	120	Yes



12W
ITEM # 55047
G5.3 BASE



12W
ITEM # 55080
GU10 BASE

12 WATT Halogen Equivalent AR111

Dimmable

Product Description

New AR111 design looks and functions the same as halogen—but at a fraction of the cost. The single light source provides even distribution with no spotting, shadowing, or glare. Choice of base, beam, and wattage.

Features

- Dimmable
- True 12W replacement
- Non-flickering
- Available in G53 and GU10 Base
- No UV/No IR
- Instant-on
- Operating temperature:
-10°C to +40°C
-24° F to +104° F

Construction

Aluminum Housing
Clear Glass Lens
G53 and GU11 Base


Item No.	Form	Lens	Input	Base	Watts	CCT	Lumens	Rated Life (hrs)	CRI	Beam Angle	Dimming
55047	AR111	Clear	12V	G5.3	12W	3000K	1100	30,000	82	40	Yes
55080	AR111	Clear	120V	GU10	12W	3000K	1100	30,000	82	40	Yes



6W COB
ITEM# 41017
MR16
GU5.3 BASE



3W COB
ITEM# 41013
MR16
GU5.3 BASE




5W COB
ITEM # 40801
MR16
GU5.3 BASE



6W COB WET
ITEM# 40804
MR16
GU5.3 BASE



6W COB
ITEM # 41127
MR16
GU5.3 BASE



35 WATT, 40 WATT, 70 WATT Halogen Equivalent

MR16 GU 5.3

Non-Dimmable
Dimmable

Product Description

High output 12V Halogen replacements are available in several outputs. High efficiency is combined with long life. These lamps represent the best choice for commercial and high-use environments. Exceptional rendering means that colors are warm and crisp—important for retail store and hospitality use.

Features

- Dimmable / Non-Dimmable
- Non-flickering
- No glare
- No UV / No IR
- Instant-on
- Operating temperature:
-10°C to +40°C
-24° F to +104° F

Construction

Acrylic lens
Available in GU-5.3 Base

Item No.	Form	Lens	Input	Base	Watts	CCT	Lumens	Rated Life (hrs)	CRI	Beam Angle	Dimming
41013	MR16	Clear	12V	GU5.3	3W COB	2700K	210	30,000	82	60	No
40801	MR16	Clear	12V	GU5.3	5W COB	2700K	350	30,000	82	90	No
41017	MR16	Clear	12V	GU5.3	6W COB	2700K	150	14,000	70	30	No
40804	MR16	Clear	12V	GU5.3	6W COB	2700K	550	30,000	82	60	Yes
41127	MR16	Clear	12V	GU5.3	6W COB	2700K	720	25,000	80	30	Yes



5W COB
ITEM# 40901
90° BEAM ANGLE
MR16
GU10 BASE



6W COB
ITEM# 41132
30° BEAM ANGLE
MR16
GU10 BASE



8W COB
ITEM# 40903
35° BEAM ANGLE
MR16
GU10 BASE



6W COB
ITEM# 41030
60° BEAM ANGLE
MR16
GU10 BASE

35 WATT, 60 WATT, 70 WATT Halogen Equivalent

MR16 GU 10

Non-Dimmable
Dimmable

Product Description

High output 120V Halogen replacements are available in several outputs. High efficiency is combined with long life. These lamps represent the best choice for commercial and high-use environments. Exceptional rendering means that colors are warm and crisp—important for retail store and hospitality use.

Features

- Dimmable / Non-Dimmable
- Non-flickering
- No glare
- No UV / No IR
- Instant-on
- Operating temperature:
-10°C to +40°C
-24° F to +104° F

Construction

Acrylic lens
Available in GU10 Base

Item No.	Form	Lens	Input	Base	Watts	CCT	Lumens	Rated Life (hrs)	CRI	Beam Angle	Dimming
40901	MR16	Clear	120V	GU10	5W COB	2700K	350	30,000	82	90	No
41132	MR16	Clear	120V	GU10	6W COB	3000K	720	25,000	80	30	Yes
41030	MR16	Clear	120V	GU10	6W COB	3000K	720	25,000	80	60	Yes
40903	MR16	Clear	120V	GU10	8W COB	2700K	540	25,000	82	35	No



6W
ITEM # 41157
MR16
GU5.3 BASE



6W
ITEM # 41158
MR16
GU10 BASE

50 WATT Halogen Equivalent MR16 GU 5.3 and GU 10

Dimmable

Product Description

High output 12V Halogen replacements are available in several outputs. High efficiency is combined with long life. These lamps represent the best choice for commercial and high-use environments. Exceptional rendering means that colors are warm and crisp—important for retail store and hospitality use.

Features

- Dimmable
- Non-flickering
- No glare
- No UV / No IR
- Instant-on
- Operating temperature:
-10°C to +40°C
-24° F to +104° F

Construction

Acrylic lens
Available in GU5.3 and GU-10 Base

**10 DEGREE
BEAM ANGLE**

Item No.	Form	Lens	Input	Base	Watts	CCT	Lumens	Rated Life (hrs)	CRI	Beam Angle	Dimming
41157	MR16	Clear	12V	GU5.3	6W COB	2700K	500	25,000	80	10	Yes
41158	MR16	Clear	120V	GU10	6W COB	2700K	500	25,000	80	10	Yes



6W COB
ITEM # 41017
MR16
WET LOCATION

25 WATT Halogen Equivalent MR16 Wet Location

Non-Dimmable

Product Description

High output 12V Halogen replacements are available in several outputs. High efficiency is combined with long life. These lamps represent the best choice for commercial and high-use environments. Exceptional rendering means that colors are warm and crisp—important for retail store and hospitality use. This lamp can be exposed to rain and is a great for landscaping use.


Features

- Non-flickering
- Non-Dimmable
- Aluminum body designed for high-thermal conductivity
- No glare
- No UV / No IR
- Instant-on
- IP 67
- Operating temperature:
 -10°C to +40°C
 -24° F to +104° F

Construction

6063 Aluminum Housing
 Acrylic lens
 Available in GU 5.3 Base

Item No.	Form	Lens	Input	Base	Watts	CCT	Lumens	Rated Life (hrs)	CRI	Beam Angle	Dimming
41017	MR16	Clear	12V	GU5.3	6W COB	2700K	150	14,000	70	30	No



25 WATT, 30 WATT, 60 WATT Halogen Equivalent G4

Dimmable


Product Description

This LED halogen replacement is compact and functions on standard 12V DC systems. Special lens and diffuser provides wide beam angle from the single light source LED.

Features

- True 25W, 30W, 60W replacement
- Dimmable
- Non-flickering
- No UV / No IR
- Instant-on
- Operating temperature:
-10°C to +40°C
-24° F to +104° F

Item No.	Form	Lens	Input	Base	Watts	CCT	Lumens	Rated Life (hrs)	CRI	Beam Angle	Dimming
41139	G4	N/A	12V DC	Pin	2W	2700K	200	30,000	80	360	Yes
41138	G4	N/A	12V DC	Pin	3W	2700K	270	30,000	80	360	Yes
41174	G4	N/A	12V DC	Pin	6W	2700K	566	30,000	82	360	Yes



30 WATT, 35 WATT Halogen Equivalent G4 Super Lumen

Non-Dimmable


Product Description

This LED halogen replacement is compact and functions on standard 12V DC systems. Special lens and diffuser provides wide beam angle from the single light source LED.

Features

- True 30W and 35W replacement
- Non-Dimmable
- Non-flickering
- No UV / No IR
- Instant-on
- Operating temperature:
-10°C to +40°C
-24° F to +104° F

Item No.	Form	Lens	Input	Base	Watts	CCT	Lumens	Rated Life (hrs)	CRI	Beam Angle	Dimming
41036	G4	N/A	12V DC	Pin	5.0W	2700K	220	30,000	82	360	No
41038	G4	N/A	12V DC	Pin	7.5W	2700K	250	30,000	82	360	No



3W
ITEM # 41032
G4

25 WATT Halogen Equivalent G4 High Lumen

Non-Dimmable

Product Description

This LED halogen replacement is compact and functions on standard 12V DC systems. Special lens and diffuser provides wide beam angle from the single light source LED.

Features

- True 25W replacement
- Non-Dimmable
- Non-flickering
- Ceramic body
- Single light source for even distribution
- Glare-free
- No UV / No IR
- Instant-on
- Operating temperature:
 -10°C to +40°C
 -24° F to +104° F

Construction

Ceramic Housing
 PMMA lens
 G4 bi-pin Base

Item No.	Form	Lens	Input	Base	Watts	CCT	Lumens	Rated Life (hrs)	CRI	Beam Angle	Dimming
41032	G4	N/A	12V DC	Pin	3W	2700K	160	30,000	82	360	No



2W
ITEM # 42070
G6.35



3W
ITEM # 42071
G6.35



6W
ITEM # 42072
G6.35

25 WATT, 30 WATT, 60 WATT Halogen Equivalent G6.35

Dimmable


Product Description

This LED halogen replacement is compact and functions on standard 12V DC systems. Special lens and diffuser provides wide beam angle from the single light source LED.

Features

- True 25W, 30W, 60W replacement
- Dimmable
- Non-flickering
- No UV / No IR
- Instant-on
- Operating temperature:
-10°C to +40°C
-24° F to +104° F

Item No.	Form	Lens	Input	Base	Watts	CCT	Lumens	Rated Life (hrs)	CRI	Beam Angle	Dimming
42070	G6.35	N/A	12V DC	Pin	2W	2700K	200	30,000	80	360	Yes
42071	G6.35	N/A	12V DC	Pin	3W	2700K	270	30,000	80	360	Yes
42072	G6.35	N/A	12V DC	Pin	6W	2700K	566	30,000	82	360	Yes



15W
ITEM # 40401
G4

15 WATT Halogen Equivalent G4

Non-Dimmable

Product Description

This LED halogen replacement is compact and functions on standard 12V DC systems. Special lens and diffuser provides wide beam angle from the single light source LED. Remote-Dimming.


Features

- True 15W replacement
- Non-flickering
- Ceramic body
- Single light source for even distribution
- Glare-free
- No UV / No IR
- Instant-on
- Operating temperature:
-10°C to +40°C
-24° F to +104° F

Construction

Ceramic Housing
PMMA lens
G4 bi-pin Base

Item No.	Form	Lens	Input	Base	Watts	CCT	Lumens	Rated Life (hrs)	CRI	Beam Angle	Dimming
40401	G4	N/A	12V DC	Pin	2W	2700K	110	30,000	82	350	No



15 WATT, 20 WATT, and 40 WATT Halogen Equivalent G9, G9 2.2W, G9 Super Lumen G9 3W

Non-Dimmable
Dimmable

Product Description

Our LED halogen replacement is compact and functions on standard 120V systems. Special lens and diffuser provides exceptional distribution from the single light source. Low power consumption, saves 80% power compared with traditional lamps. Easy to install and maintenance free, cuts cost by reducing re-lamp frequency. Environmentally friendly, No UV or infrared radiation, no mercury or lead. No danger of broken glass.

Features

- True 15W, 20W, 40W replacement
- Single light source for even distribution
- Glare-free
- No UV / No IR
- Instant-on
- Operating temperature:
-10°C to +40°C
-24° F to +104° F

Construction

G9 bi-pin Base

Item No.	Form	Lens	Input	Base	Watts	CCT	Lumens	Rated Life (hrs)	CRI	Beam Angle	Dimming
40402	G9	N/A	120V	Pin	2.00W	2700K	100	25,000	82	145	No
41086	G9	N/A	120V	Pin	2.20W	2700K	200	30,000	82	145	No
42098	G9	N/A	110V	Pin	3.00W	2700K	280	30,000	82	145	Yes
41037	G9	N/A	120V	Pin	5.00W	2700K	350	30,000	82	360	No



35 WATT, and 45 WATT Halogen Equivalent G9

Dimmable

Product Description

This LED halogen replacement is compact and functions on standard 120V systems. Special lens and diffuser provides wide beam angle.

Features

- True 35W and 45W replacement
- Dimmable
- Non-flickering
- No UV / No IR
- Instant-on
- Operating temperature:
-10°C to +40°C
-24° F to +104° F

Construction

G9 bi-pin Base

Item No.	Form	Lens	Input	Base	Watts	CCT	Lumens	Rated Life (hrs)	CRI	Beam Angle	Dimming
41140	G9	N/A	120V	Pin	4W	2700K	310	30,000	82	360	Yes
41074	G9	N/A	120V	Pin	6W	2700K	480	50,000	82	360	Yes



IP64 Mogul Base LED Corn Light

Non-Dimmable and Dimmable


Product Description

This high efficiency Corn Light will achieve 106lm/W IP64. High quality Aluminum material heat dissipation. Working environment temperature: -30-65 celsius degree. Streamline exterior design, beautiful appearance. CE, TUV, PSE, UL, ISO9001-2008

Operating temperature:
-10°C to +40°C
-24° F to +104° F

**MOGUL
BASE**

100 WATT HPS, MH Replacement
150 WATT HPS, MH Replacement
250 WATT HPS, MH Replacement
350 WATT HPS, MH Replacement
400 WATT HPS, MH Replacement



ITEM No.	Form	Input	Base	Watts	CCT	Lumens	Rated Life (hrs)	Measurements	CRI	Beam Angle	Dimming
41073	Corn	AC85-265V/277V	E39	45W	3500K	3500	30,000	3.66"Dx8.42"H	80	360	No
41146	Corn	AC85-265V/277V	E39	45W	3500K	3500	30,000	3.66"Dx8.42"H	80	360	Yes
41087	Corn	AC85-265V/277V	E39	54W	3500K	5600	30,000	3.66"Dx8.42"H	80	360	No
41133	Corn	AC85-265V/277V	E39	54W	3500K	5600	30,000	3.66"Dx8.42"H	80	360	Yes
41088	Corn	AC85-265V/277V	E39	80W	3500K	8000	30,000	4.75"Dx11.70"H	80	360	No
41134	Corn	AC85-265V/277V	E39	80W	3500K	8000	30,000	4.75"Dx11.70"H	80	360	Yes
41089	Corn	AC85-265V/277V	E39	100W	3500K	10080	30,000	4.72"Dx13.26"H	80	360	No
41135	Corn	AC85-265V/277V	E39	100W	3500K	10080	30,000	4.72"Dx13.26"H	80	360	Yes
41090	Corn	AC85-265V/277V	E39	125W	3500K	12000	30,000	4.72"Dx16.22"H	80	360	No
41136	Corn	AC85-265V/277V	E39	125W	3500K	12000	30,000	4.72"Dx16.22"H	80	360	Yes



220W
ITEM # 55077
LED CORN LIGHT

250W
ITEM # 55078
LED CORN LIGHT

300W
ITEM # 55088
LED CORN LIGHT

IP64 Mogul Base LED Corn Light


Non-Dimmable

Product Description

This high efficiency Corn Light will achieve 106lm/W IP64. High quality Aluminum material heat dissipation. Working environment temperature: -30-65 celsius degree. Streamline exterior design, beautiful appearance. CE, TUV, PSE, UL, ISO9001-2008

Operating temperature:
-10°C to +40°C
-24° F to +104° F

**MOGUL
BASE**



ITEM No.	Form	Input	Base	Watts	CCT	Lumens	Rated Life (hrs)	CRI	Beam Angle	Dimming
55077	Corn	AC85-265V/277V	E39	220W	6000K	22,000	30,000	80	360	No
55078	Corn	AC85-265V/277V	E39	250W	6000K	25,000	30,000	80	360	No
55088	Corn	AC85-265V/277V	E39	300W	6000K	30,000	30,000	80	360	No



Medium Base LED Corn Light


Non-Dimmable and Dimmable

Product Description

This high efficiency Corn Light will achieve 106lm/W IP64. High quality Aluminum material heat dissipation. Working environment temperature: -30-65 celsius degree. Streamline exterior design, beautiful appearance. CE, TUV, PSE, UL, ISO9001-2008

Operating temperature:
-10°C to +40°C
-24° F to +104° F

MEDIUM BASE



ITEM No.	Form	Input	Base	Watts	CCT	Lumens	Rated Life (hrs)	Measurements	CRI	Beam Angle	Dimming
55023	Corn	AC85-265V/277V	E26	45W	3500K	3,500	30,000	3.66"Dx8.42"H	80	360	No
55024	Corn	AC85-265V/277V	E26	54W	3500K	5,600	30,000	3.66"Dx8.42"H	80	360	No
55025	Corn	AC85-265V/277V	E26	80W	3500K	8,000	30,000	4.75"Dx11.70"H	80	360	No
55026	Corn	AC85-265V/277V	E26	100W	3500K	10,080	30,000	4.72"Dx13.26"H	80	360	No
55027	Corn	AC85-265V/277V	E26	125W	3500K	12,000	30,000	4.72"Dx16.22"H	80	360	No



LED Flexible Tape Strip

Product Description

- Unique LED source Red/Green/Blue/White in one LED as a light source.
- Double-faced soft FP with a thicker copper layer.
- Flexible in lengths suitable for different applications.
- DC 12V with 12mm PCB width.
- By using a special 4 channel controller you can achieve different lighting effects.
- Environmentally friendly: complies with CE and RoHS standard without harmful substances, such as lead or mercury etc.
- 2 year warranty.

- Operating temperature:
-10°C to +40°C
-24° F to +104° F

INNOVATIVE 4 COLORS IN ONE LED CHIP

ITEM NO.	FORM	INPUT	BASE	WATTS	CCT	LUMENS	LENGTH	RATED LIFE (HRS)	CRI	BEAM ANGLE	DIMMING
42099	Flexible Tape	12V	N/A	4.4W per ft.	3000K	366 per ft.	16' 5"	50,000	80	120	Yes

**LED CONTROLLER WITH REMOTE
ITEM #55054**



**EXTENSION CONNECTOR WITHOUT WIRE
55062**



**30W
POWER SUPPLY BOX
ITEM #55055
60W
POWER SUPPLY BOX
ITEM #55056
120W
POWER SUPPLY BOX
ITEM #55057**

**200W
POWER SUPPLY BOX
ITEM #55058
400W
POWER SUPPLY BOX
ITEM #55059
600W
POWER SUPPLY BOX
ITEM #55060**



**EXTENSION CONNECTOR WITH WIRE
ITEM #55063**



**POWER SUPPLY BOX
OUTLET PLUG
ITEM #55061**

LED Flexible Tape Strip Accessories

Item No.	Description	Input	Watts
55054	LED Controller with Remote	Battery operated	
55055	Power Supply Box		30W
55056	Power Supply Box		60W
55057	Power Supply Box		120W
55058	Power Supply Box		200W
55059	Power Supply Box		400W
55060	Power Supply Box		600W
55061	Power Supply Box Outlet Plug		
55062	Extension Connector with Wire		
55063	Extension Connector without Wire		



Product Demo Case

Product Description

This beautiful aluminum demo case is the perfect solution for the LED light bulb salesperson. You will love this product. This demo case is produced for LED dealers. This case will allow you to show our products in a classy and professional manner. It is made especially for LED light bulbs to showcase how wondrous the LED luminaries really are.

Features

- Light weight - only 5.5 pounds
- 6.25" x 8.75" x 11.5"
- Comes with power cord
- Power adjustable to show dimming capabilities
- Will demo KODAK LED Lighting's entire product line

Additional Features

- Two GU 5.3 sockets
- DC Dimmer
- Master Switch with fuse
- Sockets for E26, E12, GU10, G9, and G24
- AC Dimmer

Item No.

1000 Demo Case



Kodak

LED LIGHTING

SPOTLITE-USA

3691 Lenawee Ave

Los Angeles, CA 90016

T: +1 310-829-0200

The Kodak trademark and trade dress are used
under license from Kodak. © Spotlite-USA