




Canadian Forest Service  
Forest Biodiversity Network

# Index of plant pathogens, plant-associated microorganisms, and forest fungi of British Columbia



A. Fernando, F. Ring, D. Lowe, and B. Callan

Information Report BC-X-385  
Pacific Forestry Centre, Victoria, British Columbia




Natural Resources  
Canada

Canadian Forest  
Service

Ressources naturelles  
Canada

Service canadien  
des forêts

Canada



### **The Pacific Forestry Centre, Victoria, British Columbia**

The Pacific Forestry Centre of the Canadian Forest Service undertakes research as part of a national network system responding to the needs of various forest resource managers. The results of this research are distributed in the form of scientific and technical reports and other publications.

Additional information on Natural Resources Canada, the Canadian Forest Service and the Pacific Forestry Centre research and publications is also available on the World Wide Web at <http://www.pfc.cfs.nrcan.gc.ca/>.

### **Forest Biodiversity Network**

Canadians increasingly recognize that the future sustainability of the forest resource depends on maintaining the adaptive capacity, ecological stability, and biological diversity of forested ecosystems. The Canadian Forest Service has established the Forest Biodiversity Network to develop sound scientific basis for monitoring, reporting, and conservation of forest biodiversity in Canada, and to examine the impacts of forest management and other human and environmental pressures on forest biodiversity.

# **Index of plant pathogens, plant-associated microorganisms, and forest fungi of British Columbia**

A. Fernando, F. Ring, D. Lowe, and B. Callan

Natural Resources Canada  
Canadian Forest Service  
Forest Biodiversity Network

Pacific Forestry Centre  
Victoria, British Columbia

Information Report BC-X-385

1999

Canadian Forest Service  
Pacific Forestry Centre  
506 West Burnside Road  
Victoria, British Columbia  
V8Z 1M5  
Phone (250) 363-0600

© Her Majesty the Queen in Right of Canada, 1999

Printed in Canada

Canadian Cataloguing in Publication Data

Main entry under title:

Index of plant pathogens, plant-associated microorganisms, and forest fungi of British Columbia

(Information report, ISSN 0830-0453; BC-X-385)

Includes bibliographic references.

"This book is the result of an extensive revision and expansion of the 'Check List and Host Index of Bacteria, Fungi, and Mistletoes of British Columbia' (Lowe 1969)". Preface.

ISBN 0-662-27946-8

Cat. No. Fo46-17/385E

1. Phytopathogenic microorganisms -- British Columbia -- Identification.
  2. Fungi -- British Columbia -- Identification.
  3. Phytopathogenic bacteria -- British Columbia -- Identification.
- I. Fernando, A. (Analie), 1963 -  
II. Pacific Forestry Centre  
III. Series: Information report (Pacific Forestry Centre); BC-X-385.

SB731.152 1999

632.3'09711 C99-980240-2

## CONTENTS

<i>Abstract/Résumé</i> .....	5
<i>Acknowledgments</i> .....	5
<i>Preface</i> .....	7
<i>Substrate/Organism Index</i> .....	9
Plant Hosts .....	11
Unidentified Plant Hosts and Wood Substrates .....	201
Fungus Hosts (and Slime Moulds) .....	205
Invertebrate Hosts.....	213
Soil and Duff.....	215
Other Substrates .....	221
<i>Organism/Substrate Index</i> .....	223
Fungi (Ascomycotina, Basidiomycotina, Chytridiomycota	
Deuteromycotina, and Zygomycotina) .....	225
Chromista (Labyrinthulomycota and Oomycota).....	415
Protozoa (Myxomycota and Plasmodiophoromycota) .....	419
Parasitic Plants.....	421
Bacteria .....	423
<i>Literature Cited</i> .....	425
<i>Appendix</i> .....	443



## **Abstract**

This Index was compiled from over 60 years of Canadian Forest Service records and collections, augmented with almost 400 literature records and data provided by Agriculture and Agri-Food Canada. Its purpose is to collate records of fungi, plant pathogens, and plant-associated microorganisms occurring on native plants and other forest substrates in British Columbia. The Index holds records of 3506 organisms on 1703 different plant hosts and other substrates. Of these records, 4742 are verified by herbarium specimens curated at the Pacific Forestry Centre. A separate, incomplete list of organisms associated with some agricultural crops and introduced ornamental plants (included in an earlier host-fungus index but not updated) is also appended.

## **Résumé**

Le présent index a été monté à partir des mentions recueillies depuis une soixantaine d'années par le Service canadien des forêts, auxquelles ont été ajoutées près de 400 mentions publiées ainsi que des données fournies par Agriculture et Agroalimentaire Canada. Cette base de données vise à regrouper les mentions de champignons, de phytopathogènes et d'autres microorganismes associés aux végétaux, présents sur les plantes indigènes et les autres substrats forestiers de Colombie-Britannique. L'index renferme des mentions pour 3506 organismes, vivant sur 1703 plantes hôtes et autres substrats. Parmi les mentions, 4742 sont appuyées par des spécimens d'herbier conservés au Centre de foresterie du Pacifique. On trouvera également, sous forme d'appendice séparé, une liste incomplète des organismes associés à certaines plantes agricoles ou ornementales introduites; cette liste provient d'un index hôte-champignon antérieur qui n'a pas été mis à jour.

## **Acknowledgments**

The authors gratefully acknowledge the efforts and support of several Pacific Forestry Centre staff. Field technicians of the former Forest Insect and Disease Survey were responsible for collecting thousands of the forest pathology specimens and records documented in this index. Past and present PFC mycologists identified most of these voucher specimens, which are deposited in DAVFP. Alan Thomson was instrumental in designing the database used to develop this book. Fangliang He verified the taxonomic status of many of the plant hosts. Steve Glover edited the manuscript, Heather Matson formatted the manuscript and typed corrections prior to publication, and Jennifer Adsett designed the cover art and aided with printing arrangements.

Thanks are also due to the following individuals who contributed their time and expertise to this project: Scott Redhead of the Biological Resources Program, Eastern Cereal and Oilseed Research Centre, Agriculture and Agri-Food Canada, Ottawa provided a list of additional provincial records and references, and Paul Kroeger of the Vancouver Mycological Society confirmed voucher specimens deposited at the University of BC Herbarium.

## PREFACE

This index is the result of an extensive revision and expansion of the “Check List and Host Index of Bacteria, Fungi, and Mistletoes of British Columbia” (Lowe 1969). Daphyne Lowe, former Forest Research Technician, Canadian Forest Service, Victoria, based this checklist, primarily of pathogens and saprobes, on Forest Insect and Disease Survey and literature records. Jones (1957) and Shaw (1958) published earlier checklists specific to B.C. and the Pacific Northwest, respectively, and Lowe (1969) extracted many records from these two sources.

Lowe completed a second edition of her 1969 checklist in 1977, but this version was not published. It was available only as a ring-bound volume housed at the Pacific Forestry Centre Library, and copies, although permitted, had to be made from loaned volumes at the user's expense. Lowe periodically updated the checklist until her retirement in 1991, but none of these revisions have been published. In 1998, the check list was re-formatted, revised, expanded, and converted from the ring-bound version to a web-accessible database at the following address:

[www.pfc.cfs.nrcan.gc.ca/biodiversity/herbarium](http://www.pfc.cfs.nrcan.gc.ca/biodiversity/herbarium)

However, the need was also seen for a printed, dated, version that could be more easily consulted in a laboratory setting, facilitating fungal identifications and quick checks for potential new provincial incidence records. Additionally, as the web database is continuously updated, it is not easily cited in publications. The printed version of the Index is available as an Adobe Acrobat file, which may be downloaded from a link at the web address cited above.

Over 4740 (51%) of the records in the newly revised Index are vouchered by specimens housed at the Pacific Forestry Centre herbarium. The remaining 4480(49%) of the records are derived from published literature, records from other major herbaria such as DAOM (National Mycological Herbarium, Ottawa), UBC (Botany Department, University of British Columbia) and from data provided by Agriculture and Agri-Food Canada.

The Pacific Forestry Centre herbarium is identified by the acronym DAVFP in the Index Herbariorum, a directory of the world's herbaria (Holmgren et al. 1990). Lowe estimated that in 1977, DAVFP held 25 000 specimens, representing over 2000 species on over 1000 host species and substrates. Today in 1999, DAVFP houses over 35 300 specimens, representing over 3500 species of plant pathogens and plant associated microorganisms (fungi, dwarf mistletoes, bacteria, etc.), as well as saprophytic and symbiotic forest fungi in British Columbia. These organisms are reported from over 1700 species of mostly indigenous or established herbaceous hosts, plus indigenous, established and ornamental woody hosts.

The user of this manual should note the following format changes from Lowe's 1969 checklist:

- Records of organisms occurring on 97 host taxa have not been updated, but have been retained in a separate section (Appendix). These taxa are predominately herbaceous ornamentals, houseplants, or agricultural crop cultivars. The Canadian Forest Service does not perform disease diagnoses or maintain voucher specimens or records for these taxa. Agricultural agencies and references (such as Ginns, 1986) cited in the Appendix should be consulted for more current information. Some plant genera with both indigenous and cultivated taxa (e.g. *Solanum* and *Rubus*) may be grouped together in the main body of the Index for ease of comparison.
- The format has been modified so that it is similar to the style of Farr et al. (1989).
- Approximately 400 full literature citations are now included, in order to document records not represented by collections in DAVFP.
- Certain fungal groups, such as the Aphyllophorales, have been extensively reworked to better reflect current taxonomic concepts.
- Certain symbols appear after the species names listed under each host/substrate. These symbols help to confirm if each record may be easily verified. They are defined as follows:

V = confirmation that a voucher specimen has been deposited in a herbarium. The acronym of the herbarium (following Holmgren et al. 1990) follows in parentheses. Occasionally, the acronym is followed by the words TYPE, HOLOTYPE, ISOTYPE, or PARATYPE, indicating that a type specimen is deposited at that herbarium.

LC = literature citation only. The reference cited in parentheses forms the basis for the record. Voucher specimens may have been deposited in a herbarium, but the authors of

the Index have not confirmed this, so the reader should check the literature reference to find the location of any collected specimens.

UR = unsubstantiated record, lacking voucher specimens or literature citation. A data sheet is housed at DAVFP, but the record cannot be further verified using voucher specimens.

DAVFP staff welcomes suggestions for additions and corrections to this index. Printed correspondence should be directed to:

Dr. B. Callan  
Curator, DAVFP  
Natural Resources Canada  
Canadian Forest Service  
Pacific Forestry Centre  
506 West Burnside Rd  
Victoria BC V8Z 1M5  
Canada

Electronic messages may be sent to: [bcallan@pfc.cfs.nrcan.gc.ca](mailto:bcallan@pfc.cfs.nrcan.gc.ca)

References:

- Farr, D. F.; Bills, G.F.; Chamuris, G.P.; Rossman, A.Y. 1989. *Fungi on plants and plant products in the United States*. American Phytopathological Society Press, Saint Paul, MN.
- Ginns, J. 1986. Compendium of plant disease and decay fungi in Canada 1960-1980. Research Branch, Agriculture Canada, Ottawa, ON. Publication 1813.
- Holmgren, P. K.; Holmgren, N.H.; Barnett, L.C. (Editors) 1990. *Index Herbariorum. Part I, The herbaria of the world*. *Regnum Vegetabile* 120:80-694.
- Jones, W. 1957. Check list of plant diseases in the coastal areas of British Columbia. Laboratory of Plant Pathology, Saanichton, BC.
- Lowe, D.P. 1969. Check list and host index of bacteria, fungi, and mistletoes of British Columbia. Department of Fisheries and Forestry, Forest Research Laboratory, Victoria, BC. Information Report BC-X-32.
- Shaw, C.G. 1958. Host fungus index for the Pacific Northwest I. Hosts. Washington Agricultural Experiment Stations. Stations Circular 335.

## **Substrate/Organism Index**

## Plant Hosts

### ***Abies amabilis* (Dougl.) Forb. - amabilis fir**

#### Fungi

##### **Ascomycotina**

- Asterina* sp., V (DAVFP)
- Bisporella resinicola*, V (DAVFP)
- Caliciopsis pseudotsugae*, V (DAVFP)
- Ceratocystis* sp., UR
- Ciboria rufo-fusca*, V (DAVFP)
- Dermea balsamea*, V (DAVFP)
- Dermea pseudotsugae*, V (DAVFP)
- Euantennaria alaskensis*, V (DAVFP)
- Grovesiella abieticola*, V (DAVFP)
- Herpotrichia juniperi*, V (DAVFP)
- Isthmiella* sp., V (DAVFP)
- Lachnellula agassizii*, V (DAVFP)
- Lachnellula calyciformis*, V (DAVFP)
- Lirula abietis-concoloris*, V (DAVFP)
- Lirula punctata*, V (DAVFP)
- Lirula* sp., V (DAVFP)
- Lophodermium consociatum*, V (DAVFP)
- Lophodermium decorum*, V (DAVFP)
- Lophodermium piceae*, V (DAVFP)
- Lophodermium uncinatum*, V (DAVFP)
- Lophomerum autumnale*, V (DAVFP)
- Maurodothina farriae*, V (DAVFP) (ISOTYPE)
- Mycoglaena subcoerulescens*, LC (Barr 1990b)
- Nectria fuckeliana*, V (DAVFP)
- Nectria neomacrospora*, V (DAVFP)
- Nitschka molnarii*, V (DAVFP)
- Ostreola formosa*, LC (Barr 1990a)
- Pezicula livida*, V (DAVFP)
- Phacidium gaeumannii*, V (DAVFP)
- Phaeocryptopus nudus*, V (DAVFP)
- Pithya vulgaris*, V (DAVFP)
- Potebniamyces balsamicola* var. *boycei*, V (DAVFP)
- Rasutoria abietis*, V (DAVFP)
- Sarcotrichila balsameae*, V (DAVFP)
- Sarea resiniae*, LC (Shaw 1973 as *Biatorella resiniae*)
- Stenocybe major*, V (DAVFP)
- Sydiowia polyspora*, V (DAVFP)
- Sydiowia semenospora*, V (DAVFP) (TYPE)
- Virgella robusta*, V (DAVFP)

##### **Basidiomycotina**

###### **Agaricales**

- Armillaria ostoyae*, V (DAVFP)
- Armillaria sinapina*, UR
- Armillaria* sp., V (DAVFP)
- Naematoloma* sp., V (DAVFP)
- Panellus serotinus*, V (DAVFP)
- Pholiota adiposa*, V (DAVFP)
- Pholiota alnicolor*, V (DAVFP)

###### **Aphyllophorales**

- Acanthophysium weiri*, V (DAOM 142562)
- Aleurodiscus amorphus*, V (DAVFP)
- Aleurodiscus grantii*, V (DAVFP)
- Amylostereum chailletii*, V (DAVFP)
- Asterostroma laxum*, V (DAOM 139081)
- Botryobasidium botryosum*, V (DAOM 141261, 141265)

- Botryobasidium subcoronatum*, V (DAOM 141229)
- Ceraceomyces borealis*, LC (Ginns 1986a)
- Ceriporiopsis rivulosa*, V (DAVFP)
- Chaetoderma luna*, V (DAVFP)
- Columnocystis abietina*, V (DAVFP)
- Conio-phora puteana* var. *puteana*, LC (Ginns 1982a)
- Cryptoporus volvatus*, UR
- Echinodontium tinctorium*, V (DAVFP)
- Fomitopsis officinalis*, V (DAVFP)
- Fomitopsis pinicola*, V (DAVFP)
- Ganoderma applanatum*, UR
- Ganoderma oregonense*, V (DAVFP)
- Gloeophyllum sepiarium*, V (DAVFP)
- Grandinia breviseta*, V (DAOM 138945)
- Grandinia granulosa*, V (DAOM 138959)
- Grandinia pallidula*, V (DAOM 139152, 142427)
- Grandinia subalutacea*, V (DAOM 138993)
- Hericium abietis*, V (DAVFP)
- Hericium americanum*, V (DAOM 141021)
- Heterobasidion annosum*, V (DAVFP)
- Hymenochaete fusca*, V (DAOM 141790)
- Hyphoderma setigerum*, LC (Shaw 1973 as *Peniophora setigera*)
- Hypothecium polonense*, V (DAOM 138979)
- Inonotus tomentosus*, UR
- Inonotus* sp., UR - Cultured then discarded.
- Laetiporus sulphureus*, V (DAVFP)
- Laurilia sulcata*, V (DAOM 141290, 141291)
- Leucogyrophana pinastri*, V (DAOM 142152)
- Mucronella calva*, V (DAOM 141282)
- Odontia lactea*, V (DAVFP)
- Perenniporia subacida*, V (DAVFP)
- Phaeolus schweinitzii*, V (DAVFP)
- Phanerochaete carnosa*, V (DAVFP)
- Phellinus ferrugineofuscus*, V (DAOM 142166)
- Phellinus nigrolimitatus*, V (DAOM 139048)
- Phellinus pini*, V (DAVFP)
- Phellinus punctatus*, UR
- Phellinus robustus*, LC (Connors 1967)
- Phellinus weiri*, V (DAVFP)
- Phlebia albida*, V (DAVFP)
- Phlebia tremellosus*, UR
- Phlebiella vaga*, V (DAVFP)
- Piloderma byssinum*, V (DAOM 142148)
- Polyporus varius*, V (DAVFP)
- Postia fragilis*, V (DAOM 142097)
- Postia undosa*, V (DAVFP)
- Pycnoporellus alboluteus*, V (DAVFP)
- Resinicium bicolor*, LC (Connors 1967 as *Odontia bicolor*)
- Serpula himantoides*, V (DAVFP)
- Serpula lacrimans*, LC (Shaw 1973)
- Sistotrema brinkmannii*, V (DAVFP)
- Skeletocutis stellae*, V (DAVFP)
- Skeletocutis subincarnata*, V (DAVFP)
- Stereum sanguinolentum*, UR
- Trametes versicolor*, UR
- Trechispora mollusca*, V (DAVFP)
- Trichaptum abietinum*, V (DAVFP)
- Trichaptum fuscoviolaceum*, V (DAVFP)
- Tubulicrinis calothrix*, V (DAOM 142017)
- Vararia granulosa*, V (DAVFP)

## Plant hosts - A

### **Uredinales**

- Hyalopsora aspidiotus*, V (DAVFP)
- Melampsora abieti-capraearum*, V (DAVFP)
- Melampsorella caryophyllacearum*, V (DAVFP)
- Milesina* sp., V (DAVFP)
- Peridermium pseudo-balsameum*, V (DAVFP)
- Peridermium* sp., V (DAVFP)
- Pucciniastrum epilobii*, V (DAVFP)
- Pucciniastrum goeppertianum*, V (DAVFP)
- Uredinopsis longimucronata*, V (DAVFP)
- Uredinopsis pteridis*, V (DAVFP)

### **Others**

- Dacrymyces abietinus* var. *triseptatus*, V (UBC F12935)
- Guepiniopsis chrysocomus*, V (DAVFP)

### **Deuteromycotina**

#### **Coelomycetes**

- Ceuthospora* sp., V (DAVFP)
- Cytosporium* sp., V (DAVFP)
- Phoma* sp., V (DAVFP)
- Rhizosphaera kalkhoffii*, V (DAVFP)
- Sclerophoma semenospora*, V (DAVFP)
- Tryblidiopycnis* sp., V (DAVFP)

#### **Hyphomycetes**

- Atchia glomerulosa*, V (DAVFP)
- Botrytis cinerea*, V (DAVFP)
- Hypsosoma abietis*, V (DAVFP)
- Hypsosoma lumbrocoideum*, V (DAVFP)
- Microlychnus epicorticis*, V (DAVFP)
- Thysanophora penicillioides*, V (DAVFP)

### **Parasitic Plants**

- Arceuthobium tsugense*, V (DAVFP)

## ***Abies balsamea* (L.) Mill. - balsam fir**

### **Fungi**

#### **Ascomycotina**

- Phaeocryptopus nudus*, LC (Shaw 1973)

#### **Basidiomycotina**

##### **Aphyllophorales**

- Fomitopsis pinicola*, LC (Shaw 1973 as *Fomes pinicola*)
- Serpula himantioides*, LC (Shaw 1973)

## ***Abies concolor* Lindl. - white fir**

### **Fungi**

#### **Ascomycotina**

- Nectria neomacrospora*, V (DAVFP)

#### **Basidiomycotina**

##### **Aphyllophorales**

- Aleurodiscus amorphus*, V (DAVFP)

#### **Uredinales**

- Melampsora abieti-capraearum*, V (DAVFP)
- Melampsora medusae*, V (DAVFP)
- Melampsora occidentalis*, V (DAVFP)
- Pucciniastrum epilobii*, V (DAVFP)

## ***Abies grandis* (Dougl.) Lindl. - grand fir**

### **Fungi**

#### **Ascomycotina**

- Ascocoryne sarcoides*, V (DAVFP)
- Asterina* sp., V (DAVFP)
- Battarina* sp., UR
- Botryosphaeria abietina*, V (DAVFP)
- Caliciopsis pseudotsugae*, V (DAVFP)
- Ciboria rufo-fusca*, V (DAOM 87511)
- Claussenomyces olivaceus*, V (DAVFP)
- Dermea pseudotsugae*, V (DAVFP)
- Dermea tetrasperma*, V (DAVFP)
- Euantennaria alaskensis*, V (DAVFP)
- Grovesiella abieticola*, V (DAVFP)
- Grovesiella grantii*, V (DAVFP) (TYPE)
- Gyromitra californica*, V (DAVFP)
- Lachnellula agassizii*, V (DAVFP)
- Lachnellula ciliata*, V (DAVFP)
- Lachnellula occidentalis*, V (DAVFP)
- Lecanidion* sp., V (DAVFP)
- Lirula abietis-concoloris*, V (DAVFP)
- Lirula punctata*, V (DAVFP)
- Lophodermium decorum*, V (DAVFP)
- Lophodermium lacerum*, V (DAVFP)
- Lophodermium piceae*, UR
- Maurodothina farriae*, V (DAVFP)
- Nectria fuckeliana*, LC (Ginns 1986a)
- Pithya vulgaris*, V (DAVFP)
- Potebniamyces balsamicola* var. *boycei*, V (DAVFP) (TYPE)
- Rasutoria abietis*, V (DAVFP)
- Sarcotrichila balsameae*, V (DAVFP)
- Sarea difformis*, LC (Hawksworth and Sherwood 1981)
- Sydotia polyspora*, V (DAVFP)
- Valsa abietis*, LC (Connors 1967)
- Valsa* sp., V (DAVFP)

#### **Basidiomycotina**

##### **Agaricales**

- Armillaria ostoyae*, UR
- Armillaria* sp., UR
- Gymnopilus spectabilis*, V (DAVFP)
- Hypholoma capnoides*, V (DAVFP)
- Hypholoma fasciculare*, V (DAVFP)
- Lentinellus ursinus*, V (DAVFP)
- Marasmiellus candidus*, V (DAVFP)
- Pholiota adiposa*, V (DAVFP)
- Pholiota limonella*, V (DAVFP)
- Phyllotopsis nidulans*, LC (Connors 1967)
- Pleurotus ostreatus*, V (DAVFP)
- Tapinella panuoides*, V (DAVFP)
- Xeromphalina fulvipes*, LC (Connors 1967)

##### **Aphyllophorales**

- Acanthophysium weiri*, LC (Connors 1967)
- Aleurocystidiellum subcruentatum*, V (DAVFP)
- Aleurodiscus abietis*, V (DAVFP)
- Aleurodiscus amorphus*, V (DAVFP)
- Aleurodiscus grantii*, V (DAVFP)
- Amylostereum chailletii*, V (DAVFP)
- Antrodia carbonica*, V (DAVFP)
- Bondarzewia montana*, V (DAVFP)
- Botryobasidium vagum*, LC (Shaw 1973 as *Pellicularia vaga*)
- Columnocystis abietina*, LC (Connors 1967 as *Stereum abietinum*)
- Coniophora arida* var. *arida*, V (DAVFP)

*Coniophora puteana* var. *puteana*, LC (Ginns 1982a)

*Corticium separatum*, LC (Connors 1967)  
*Crustoderma dryinum*, V (DAVFP)  
*Cryptoporus volvatus*, V (DAVFP)  
*Dendrothele incrustans*, V (DAVFP)  
*Diplomitoporus crustulinus*, V (DAVFP)  
*Echinodontium tinctorium*, V (DAVFP)  
*Fomitopsis cajanderi*, V (DAVFP)  
*Fomitopsis officinalis*, V (DAVFP)  
*Fomitopsis pinicola*, V (DAVFP)  
*Ganoderma applanatum*, V (DAVFP)  
*Ganoderma oregonense*, V (DAVFP)  
*Gloeophyllum sepiarium*, V (DAVFP)  
*Hericium abietis*, V (DAVFP)  
*Heterobasidion annosum*, V (DAVFP)  
*Hymenochaete* sp., UR  
*Hyphoderma setigerum*, V (DAVFP)  
*Inonotus dryadeus*, V (DAVFP)  
*Ischnoderma resinosum*, V (DAVFP)  
*Jahnporus hirtus*, V (DAVFP)  
*Junghuhnia collabens*, LC (Lombard and Gilbertson 1966)  
*Laetiporus sulphureus*, V (DAVFP)  
*Oxyporus cuneatus*, LC (Connors 1967)  
*Peniophora incarnata*, V (DAVFP)  
*Perenniporia subacida*, V (DAVFP)  
*Phanerochaete sanguinea*, V (DAVFP)  
*Phellinus pini*, V (DAVFP)  
*Phellinus punctatus*, V (DAVFP)  
*Phellinus weiri*, LC (Ginns 1986a)  
*Phlebia albida*, V (DAVFP)  
*Phlebia merismoides*, V (DAVFP)  
*Polyporus destructor* var. *resupinatus*, V (DAVFP)  
*Postia stiptica*, V (DAVFP)  
*Pseudotomentella tristis*, LC (Shaw 1973)  
*Pycnoporus cinnabarinus*, LC (Connors 1967)  
*Resinicium bicolor*, V (DAVFP)  
*Schizopora paradoxa*, V (DAVFP)  
*Scytonostroma galactina*, LC (Shaw 1973)  
*Sistotrema brinkmannii*, UR  
*Stereum sanguinolentum*, V (DAVFP)  
*Trametes hirsuta*, V (DAVFP)  
*Trametes versicolor*, V (DAVFP)  
*Trichaptum abietinum*, V (DAVFP)  
*Vararia granulosa*, LC (Ginns 1986a)  
*Vararia racemosa*, LC (Ginns 1986a)

#### Uredinales

*Hyalopsora aspidiotus*, V (DAVFP)  
*Melampsora abieti-capraearum*, V (DAVFP)  
*Melampsora medusae*, V (DAVFP)  
*Melampsorella caryophyllacearum*, V (DAVFP)  
*Milesina laeviuscula*, V (DAVFP)  
*Peridermium pseudo-balsameum*, V (DAVFP)  
*Peridermium* sp., V (DAVFP)  
*Pucciniastrum epilobii*, V (DAVFP)  
*Pucciniastrum goeppertianum*, LC (Connors 1967)  
*Uredinopsis hashikawai*, V (DAVFP)  
*Uredinopsis longimucronata*, V (DAVFP)  
*Uredinopsis pteridis*, V (DAVFP)

#### Others

*Dacrymyces palmatus*, V (DAVFP)  
*Tremella* sp., V (DAVFP)

#### Deuteromycotina

##### Coelomycetes

*Cytospora* sp., V (DAVFP)  
*Endothiella aggregata*, V (DAVFP)  
*Gelatinosporium griseo-lanatum*, V (DAVFP)  
*Gelatinosporium pinicola*, V (DAVFP)  
*Monochaetia abietis*, V (DAVFP)  
*Phomopsis abietina*, LC (Shaw 1973)  
*Phomopsis occulta*, V (DAVFP)  
*Phyllosticta abietis*, V (DAVFP)  
*Podosporium* sp., V (DAVFP)  
*Rhizosphaera pini*, V (DAVFP)  
*Sclerophoma semenospora*, V (DAVFP)  
*Sirodothis* sp., V (DAVFP)

##### Hyphomycetes

*Atchia glomerulosa*, V (DAVFP)  
*Botrytis* sp., LC (Mittal and Wang 1985)  
*Hormonema meriooides*, V (DAVFP)  
*Toxosporium campitospermum*, LC (Shaw 1973)

#### Parasitic Plants

*Arceuthobium douglasii*, LC (Connors 1967)  
*Arceuthobium laricis*, V (DAVFP)

#### *Abies lasiocarpa* (Hook.) Nutt. - alpine fir

##### Fungi

##### Ascomycotina

*Ascocalyx tenuisporus*, V (DAVFP)  
*Ascocoryne sarcoïdes*, UR  
*Bertia moriformis*, V (DAVFP)  
*Ceratocystis dryocoetidis*, V (DAVFP) (ISOTYPE) - Dried culture only.  
*Ceratocystis* sp., V (DAVFP)  
*Chlorociboria* sp., UR  
*Darkera abietis*, V (DAVFP)  
*Dasyscyphus turbinulatus*, LC (Connors 1967)  
*Delphinella abietis*, V (DAVFP)  
*Delphinella balsameae*, V (DAVFP)  
*Dermea balsamea*, V (DAVFP)  
*Dermea rhytidiformans*, V (DAVFP) (TYPE)  
*Dermea tetrasperma*, V (DAVFP)  
*Didymosphaeria futilis*, LC (Shaw 1973)  
*Elaphomyces* sp., LC (Shaw 1973)  
*Eriosphaeria vermicularia*, LC (Ginns 1986a)  
*Euantennaria alaskensis*, V (DAVFP)  
*Grovesiella abieticola*, V (DAVFP)  
*Grovesiella grantii*, V (DAVFP)  
*Herpotrichia juniperi*, V (DAVFP)  
*Isthmiella abietis*, V (DAVFP)  
*Isthmiella quadrispora*, V (DAVFP) (TYPE)  
*Lachnellula agassizii*, V (DAVFP)  
*Lachnellula arida*, V (DAVFP)  
*Leptosphaeria faullii*, V (DAVFP)  
*Lirula abietis-concoloris*, V (DAVFP)  
*Lirula punctata*, V (DAVFP)  
*Lophodermium decorum*, V (DAVFP)  
*Lophodermium piceae*, V (DAVFP)  
*Lophodermium uncinatum*, V (DAVFP)  
*Lophomerum autumnale*, V (DAVFP)  
*Metacapnodium* sp., V (DAVFP)  
*Microthyrium microscopicum*, V (DAVFP)  
*Niesslia coloradensis*, LC (Barr 1953 as *Acanthonitschkea coloradensis*)  
*Nothophaeidium phyllophilum*, V (DAVFP)  
*Ostreola sessilis*, V (DAVFP)  
*Pezizella chapmanii*, V (DAVFP)

## Plant hosts - A

*Phacidium abietis*, V (DAVFP)  
*Phaeocryptopus nudus*, V (DAVFP)  
*Pithya vulgaris*, V (DAVFP)  
*Potebnia famycos balsamicola* var. *balsamicola*,  
V (DAVFP)  
*Rasutoria abietis*, V (DAVFP)  
*Rosellinia diathrausta*, V (DAVFP)  
*Sarcotrichila balsameae*, V (DAVFP)  
*Sarea difformis*, V (DAVFP)  
*Scoleconecria cucurbitula*, V (DAVFP)  
*Scutellinia scutellata*, V (DAVFP)  
*Seuratia* sp., V (DAVFP)  
*Sydiowia polyspora*, V (DAVFP)  
*Thyronectria balsamea*, V (DAVFP)  
*Tympanis laricina*, V (DAVFP)  
*Tympanis truncatula*, V (DAVFP)  
*Valsa abietis*, V (DAVFP)  
*Valsa* sp., V (DAVFP)

### Basidiomycotina

#### Agaricales

*Armillaria ostoyae*, V (DAVFP)  
*Armillaria* sp., V (DAVFP)  
*Crepidotus sphaerosporus*, V (DAVFP)  
*Flammula* sp., V (DAVFP)  
*Gymnopilus spectabilis*, V (DAVFP)  
*Hypholoma capnoides*, V (DAVFP)  
*Leccinum scabrum*, V (DAVFP)  
*Lentinus strigosus*, V (DAVFP)  
*Naucoria germinella*, LC (Conners 1967)  
*Panellus serotinus*, V (DAVFP)  
*Pholiota adiposa*, V (DAVFP)  
*Pholiota alnicola*, UR  
*Pholiota squarrosa*, LC (Conners 1967)  
*Phyllotopsis nidulans*, V (DAVFP)  
*Xeromphalina campanella*, UR

#### Aphyllophorales

*Aleurodiscus amorphus*, V (DAVFP)  
*Aleurodiscus grantii*, V (DAVFP)  
*Amphinema byssoides*, V (DAVFP)  
*Amylostereum chailletii*, V (DAVFP)  
*Anomoporia albolutescens*, V (DAVFP)  
*Antrodia heteromorpha*, UR  
*Antrodia serialis*, UR  
*Antrodia variiformis*, V (DAVFP)  
*Antrodia xantha*, V (DAVFP)  
*Asterodon ferruginosum*, V (DAVFP)  
*Athelia epiphylla*, V (DAVFP)  
*Auriporia aurea*, V (DAVFP)  
*Bjerkandera adusta*, UR  
*Ceraceomyces tessulatus*, V (DAVFP)  
*Ceriporia tarda*, V (DAVFP)  
*Ceriporiopsis subvermispora*, V (DAVFP)  
*Chondrostereum purpureum*, UR  
*Clavulicium macounii*, V (DAVFP)  
*Climacocystis borealis*, V (DAVFP)  
*Columnocystis abietina*, V (DAVFP)  
*Coniophora puteana* var. *puteana*, V  
(DAVFP)  
*Corticium minnsiae*, V (DAVFP)  
*Crustoderma longicystidia*, LC (Ginns and  
Clark 1989)  
*Cryptoporus volvatus*, LC (Conners 1967 as  
*Polyporus volvatus*)  
*Cylindrobasidium corrugum*, V (DAVFP)  
*Cylindrobasidium laeve*, V (DAVFP)  
*Cylindrobasidium* sp., V (DAVFP)  
*Diplomitoporus crustulinus*, V (DAVFP)  
*Echinodontium tinctorium*, V (DAVFP)

*Fibulomyces mutabilis*, V (DAVFP)  
*Flavophlebia sulfureo-isabellina*, V (DAVFP)  
*Fomitopsis pinicola*, V (DAVFP)  
*Gloeophyllum sepiarium*, V (DAVFP)  
*Grandinia granulosa*, V (DAVFP)  
*Hericium abietis*, LC (Ginns 1986a)  
*Hymenochaete rubiginosa*, V (DAVFP)  
*Hymenochaete tabacina*, V (DAVFP)  
*Hymenochaete tenuis*, V (DAVFP)  
*Hyphoderma karstenii*, V (DAVFP)  
*Hyphoderma praetermissum*, UR  
*Hyphoderma roseocremeum*, LC (Hallenberg  
1984)  
*Hyphoderma setigerum*, LC (Shaw 1973 as  
*Peniophora setigera*)  
*Hyphoderma* sp., V (DAVFP)  
*Inonotus circinatus*, LC (Conners 1967 as  
*Polyporus circinatus*)  
*Inonotus tomentosus*, V (DAVFP)  
*Ischnoderma resinosum*, LC (Shaw 1973)  
*Jahnoporus hirtus*, V (DAVFP)  
*Junghuhnia collabens*, V (DAVFP)  
*Junghuhnia luteoalba*, V (DAVFP)  
*Junghuhnia zonata*, LC (Shaw 1973)  
*Laetiporus sulphureus*, UR  
*Laurilia sulcata*, V (DAVFP)  
*Merulius taxicola*, V (DAVFP)  
*Odontia lactea*, V (DAVFP)  
*Osteina obducta*, UR  
*Oxydonta* sp., V (DAVFP)  
*Oxyporus corticola*, V (DAVFP)  
*Parmastomycetes transmutans*, UR  
*Peniophora piceae*, UR  
*Peniophora pseudopini*, V (DAVFP)  
*Peniophora septentrionalis*, UR  
*Perenniporia subacida*, V (DAVFP)  
*Phaeolus schweinitzii*, UR  
*Phanerochaete gigantea*, V (DAVFP)  
*Phellinus ferrugineofuscus*, V (DAVFP)  
*Phellinus nigrolimitatus*, V (DAVFP)  
*Phellinus pini*, V (DAVFP)  
*Phellinus punctatus*, V (DAVFP)  
*Phellinus robustus*, LC (Conners 1967)  
*Phellinus viticola*, V (DAVFP)  
*Phellinus weiri*, V (DAVFP)  
*Phlebia albida*, V (DAVFP)  
*Phlebia merismoides*, V (DAVFP)  
*Phlebia unica*, V (DAVFP) (TYPE)  
*Phlebia* sp., V (DAVFP)  
*Piloderma byssinum*, V (DAVFP)  
*Polyporus badius*, V (DAVFP)  
*Polyporus melanopus*, V (DAOM 125986,  
125985)  
*Polyporus varius*, UR  
*Poria cinerascens*, V (DAVFP)  
*Postia balsamea*, V (DAVFP)  
*Postia leucospongia*, V (DAVFP)  
*Postia sericeomollis*, UR  
*Pycnoporellus alboluteus*, V (DAVFP)  
*Resinicium bicolor*, UR  
*Rigidoporus* sp., UR - Identified in culture  
then discarded.  
*Scytonostroma galactina*, V (DAVFP)  
*Scytonostroma jacksonii*, LC (Boidin 1981)  
(HOLOTYPE)  
*Serpula himantoides*, V (DAVFP)  
*Serpula lacrimans*, UR  
*Sistotrema brinkmannii*, LC (Ginns 1986a)  
*Sistotrema raduloides*, UR  
*Skeletocutis odora*, V (DAVFP)

*Skeletocutis stellae*, V (DAVFP)  
*Skeletocutis subincarnata*, V (DAVFP)  
*Stereum ostrea*, UR  
*Stereum sanguinolentum*, V (DAVFP)  
*Trechispora mollusca*, V (DAVFP)  
*Trichaptum abietinum*, V (DAVFP)  
*Trichaptum laricinum*, V (DAVFP)  
*Tyromyces chioneus*, LC (Conners 1967)  
*Vararia granulosa*, UR  
*Vararia jacksonii*, V (DAVFP) (TYPE)  
*Vararia phyllophila*, LC (Shaw 1973)  
*Vararia racemosa*, V (DAVFP)  
*Vesiculomyces citrinus*, V (DAVFP)  
*Wrightoporia lenta*, UR

#### Uredinales

*Hyalopsora aspidiotus*, V (DAVFP)  
*Melampsora abieti-capraearum*, V (DAVFP)  
*Melampsorella caryophyllacearum*, V (DAVFP)  
*Milesina* sp., V (DAVFP)  
*Peridermium* sp., V (DAVFP)  
*Pucciniastrum epilobii*, V (DAVFP)  
*Pucciniastrum goeppertianum*, V (DAVFP)  
*Uredinopsis hashiokai*, V (DAVFP)  
*Uredinopsis longimucronata*, V (DAVFP)  
*Uredinopsis phegopteridis*, V (DAVFP)  
*Uredinopsis pteridis*, V (DAVFP)  
*Uredinopsis struthiopteridis*, V (DAVFP)

#### Others

*Auricularia auricula*, V (DAVFP)  
*Eichleriella macrospora*, V (DAVFP)  
*Guepiniopsis alpina*, LC (Shaw 1973)  
*Lycoperdon perlatum*, V (DAVFP)  
*Pseudohydnum gelatinosum*, LC (Conners 1967)  
*Tremella fimbriata*, V (DAVFP)

#### Deuteromycotina

##### Coelomycetes

*Ascochyta* sp., V (DAVFP)  
*Camarosporium strobilinum*, V (DAVFP)  
*Cytospora* sp., V (DAVFP)  
*Cytosporella* sp., V (DAVFP)  
*Endothiella aggregata*, V (DAVFP)  
*Phacioidypnis balsamicola*, V (DAVFP)  
*Rhizosphaera pini*, V (DAVFP)  
*Rhizothyrium abietis*, V (DAVFP)  
*Sclerophoma semenospora*, V (DAVFP)  
*Sclerophoma* sp., V (DAVFP)  
*Septoria* sp., V (DAVFP)  
*Sirodothis* sp., V (DAVFP)  
*Stegonsporiopsis cenangiodes*, V (DAVFP)

#### Hyphomycetes

*Aureobasidium* sp., UR  
*Botrytis cinerea*, UR  
*Botrytis* sp., LC (Mittal and Wang 1985)  
*Cephalosporium* sp., UR  
*Chalara fungorum*, V (DAVFP)  
*Epicoccum* sp., LC (Shaw 1973)  
*Graphium* sp., LC (Shaw 1973)  
*Helminthosporium* sp., V (DAVFP)  
*Hyphosoma lumbricoideum*, LC (Conners 1967 as *Hyphosoma lumbricoidea*)  
*Leptodontidium elatius*, UR  
*Paecilomyces farinosus*, LC (Ginns 1986a)  
*Penicillium* sp., LC (Shaw 1973)  
*Phialophora melinii*, LC (Ginns 1986a)

*Rhodotorula* sp., LC (Shaw 1973)  
*Trichothecium* sp., LC (Shaw 1973)

#### Protozoa

##### Myxomycota

*Comatricha* sp., V (DAVFP)  
*Lycogala epidendrum*, V (DAVFP)  
*Trichia varia*, V (DAVFP)

#### Parasitic Plants

*Arceuthobium laricis*, V (DAVFP)

#### Abies pinsapo

Boiss. - Spanish fir

##### Fungi

##### Basidiomycotina

##### Aphyllophorales

*Aleurodiscus amorphus*, V (DAVFP)

*Aleurodiscus grantii*, V (DAVFP)

#### Abies procera

Rehd. - noble fir

##### Fungi

##### Ascomycotina

*Phacidium shewoodiae*, LC (Funk 1985b)

##### Deuteromycotina

##### Coelomycetes

*Apostrasseria* sp., V (DAVFP)

*Sclerophoma* sp., V (DAVFP)

#### Abies sp.

- balsam, fir

##### Fungi

##### Ascomycotina

*Bertia moriformis* var. *moriformis*, LC (Corlett and Krug 1984)

*Chlorociboria* sp., V (DAVFP)

*Sydiowia polyspora*, UR - Specimen discarded

*Valsa abietis*, V (DAVFP)

##### Basidiomycotina

##### Agaricales

*Hypsizygus tessellatus*, LC (Redhead 1984c as *Hypsizygus marmoreus*)

*Xeromphalina campanella*, LC (Conners 1967)

##### Aphyllophorales

*Aleurodiscus grantii*, V (DAVFP)

*Ceriporiopsis rivulosa*, V (DAVFP)

*Crustoderma dryinum*, LC (Ginns and Clark 1989)

*Diplomitoporus lenis*, V (DAVFP)

*Hericium abietis*, LC (Ginns 1985)

*Laurilia sulcata*, LC (Chamuris 1988)

*Phellinus gilvus*, LC (Ginns and Macrae 1971 as *Polyporus gilvus*)

*Serpula himantoides*, V (DAVFP)

*Skeletocutis amorphia*, V (DAVFP)

*Tubulicrinis subulatus*, LC (Hallenberg 1986)

##### Uredinales

*Uredinopsis pteridis*, UR - Specimen discarded

##### Deuteromycotina

##### Hyphomycetes

*Hormonema merioides*, UR - Specimen discarded

## Plant hosts - A

### *Acer circinatum* Pursh - vine maple

#### Fungi

##### Ascomycotina

- Ciboria* sp., V (DAVFP)
- Cucurbitothrix pithyophila*, V (DAVFP)
- Mycosphaerella mycopappi*, V (DAVFP)
- Nectria cinnabarinia*, V (DAVFP)
- Nectria coccinea*, V (DAVFP)
- Valsa ceratosperma*, LC (Ginns 1986a)
- Xylaria* sp., V (DAVFP)

##### Basidiomycotina

###### Agaricales

- Crepidotus* sp., UR – Specimen discarded.

###### Aphyllophorales

- Botryobasidium vagum*, V (DAVFP)
- Perenniporia subacida*, LC (Shaw 1973 as *Poria subacida*)
- Poria* sp., V (DAVFP)
- Schizophyllum commune*, V (DAVFP)
- Trametes hirsuta*, V (DAVFP)
- Trametes versicolor*, LC (Shaw 1973 as *Polyporus versicolor*)

###### Others

- Dacrymyces deliquescens* var. *minor*, V (UBC F836)

##### Deuteromycotina

###### Coelomycetes

- Septoria aceris*, V (DAVFP)
- Septoria circinata*, LC (Shaw 1973)

###### Hymomycetes

- Cristulariella depraedans*, V (DAVFP)
- Oidium* sp., LC (Toms 1964)
- Stilbella albocitrina*, LC (Seifert 1985)

***Acer glabrum*** Torr. - Rocky Mountain maple see *Acer glabrum* var. *douglasii*

### *Acer glabrum* Torr. var. *douglasii* (Hook.)

Dipp. (=*Acer glabrum*) - Douglas maple

#### Fungi

##### Ascomycotina

- Hysterographium* sp., LC (Shaw 1973)
- Nectria* sp., V (DAVFP)
- Taphrina* *darkeri*, V (DAVFP)
- Valsa sordida*, LC (Conners 1967 as *Cytospora chrysosperma* and *C. pulcherrima*; Spielman 1985)

##### Basidiomycotina

###### Agaricales

- Armillaria* sp., LC (Morrison et al. 1985 as *Armillaria mellea*)

###### Aphyllophorales

- Cerrena unicolor*, LC (Ginns 1986a)
- Phellinus igniarius*, V (DAVFP)
- Schizophyllum commune*, V (DAVFP)
- Trametes hirsuta*, V (DAVFP)
- Trichaptum biforme*, LC (Shaw 1973 as *Polyporus pargamenus*)

##### Deuteromycotina

###### Coelomycetes

- Cylindrosporium consociatum*, LC (Jones 1957)
- Phyllosticta minutissima*, LC (Parmelee 1984)
- Septoria aceris*, V (DAVFP)

###### Hymomycetes

- Cristulariella depraedans*, V (DAVFP)
- Verticillium dahliae*, LC (Wooliams 1966)

##### Protozoa

###### Myxomycota

- Lamproderma robustum*, V (DAVFP)

### *Acer macrophyllum* Pursh - broadleaf maple

#### Fungi

##### Ascomycotina

- Chlorociboria aeruginascens*, V (DAVFP)
- Glomerella cingulata*, V (DAVFP)
- Gnomonia setacea*, LC (Barr 1953)
- Hymenoscyphus calyculus*, V (DAVFP)
- Massarina eccentrica*, LC (Barr 1992b)
- Mycosphaerella mycopappi*, V (DAVFP) (TYPE)
- Mycosphaerella punctiformis*, LC (Barr 1953)
- Nectria cinnabarinia*, V (DAVFP)
- Nectria coccinea*, V (DAVFP)
- Pleospora* sp., V (DAVFP)
- Rhytisma punctatum*, V (DAVFP)
- Uncinula bicornis*, V (DAVFP)
- Ustulina deusta*, V (DAVFP)
- Xylaria hypoxylon*, V (DAVFP)

##### Basidiomycotina

###### Agaricales

- Armillaria nabsnona*, V (DAVFP)
- Armillaria* sp., LC (Anderson and Ullrich 1979 ; Morrison et al. 1985 as *Armillaria mellea*)
- Crepidotus fulvotomentosus*, V (DAVFP)
- Cyphellopsis anomala*, V (DAVFP)
- Flammulina velutipes*, V (DAVFP)
- Hypholoma fasciculare*, V (DAVFP)
- Marasmiellus candidus*, V (DAVFP)
- Pleurotus ostreatus*, V (DAVFP)
- Pleurotus subareolatus*, V (DAVFP)

###### Aphyllophorales

- Bjerkandera fumosa*, V (DAVFP)
- Bondarzewia berkeleyi*, V (DAVFP)
- Botryobasidium pruinatum*, V (DAVFP)
- Ceriporia reticulata*, V (DAVFP)
- Cylindrobasidium laeve*, V (DAVFP)
- Cystostereum subabruptum*, V (DAVFP)
- Datronia mollis*, V (DAVFP)
- Dendrothele candida*, V (DAVFP)
- Dendrothele incrustans*, LC (Ginns 1986a)
- Ganoderma applanatum*, V (DAVFP)
- Gloeophyllum sepiarium*, V (DAVFP)
- Heterobasidion annosum*, V (DAVFP)
- Hymenochaete tabacina*, V (DAVFP)
- Hyphoderma praetermissum*, V (DAOM 139100)
- Hyphoderma setigerum*, V (DAVFP)
- Hypodontia* sp., V (DAOM 139052)
- Hypochnicium analogum*, V (DAVFP)

*Hypoderma* sp., LC (Bandoni 1986)  
*Inonotus cuticularis*, LC (Shaw 1973 as  
*Peniophorus cuticularis*)  
*Laxitextum bicolor*, LC (Chamuris 1988)  
*Lenzites betulina*, LC (Shaw 1973)  
*Merulius corium*, V (DAVFP)  
*Mycoacia uda*, V (DAVFP)  
*Peniophora decorticans*, V (DAVFP)  
*Peniophora incarnata*, V (DAVFP)  
*Peniophora pithya*, LC (Connors 1967)  
*Phanerochaete rimosa*, V (DAOM 141316)  
*Phanerochaete sordida*, V (DAVFP)  
*Phanerochaete* sp., V (DAVFP)  
*Phellinus conchatus*, LC (Ginns 1986a)  
*Phellinus ferreus*, V (DAVFP)  
*Phellinus igniarius*, LC (Connors 1967 as  
*Fomes igniarius*)  
*Phlebia merismoides*, V (DAVFP)  
*Phlebia rufa*, V (DAVFP)  
*Phlebia tremellosus*, V (DAVFP)  
*Phlebiella vaga*, V (DAVFP)  
*Polyporus badius*, V (DAVFP)  
*Polyporus varius*, LC (Shaw 1973)  
*Postia caesia*, V (DAVFP)  
*Pycnoporus cinnabarinus*, LC (Shaw 1973  
as *Polyporus cinnabarinus*)  
*Schizophyllum commune*, V (DAVFP)  
*Schizopora paradoxa*, V (DAVFP)  
*Skeletocutis nivea*, V (DAVFP)  
*Steccherinum fimbriatum*, V (DAVFP)  
*Steccherinum ochraceum*, V (DAVFP)  
*Stereum ochraceo-flavum*, V (DAVFP)  
*Thelephora terrestris*, LC (Shaw 1973)  
*Trametes hirsuta*, V (DAVFP)  
*Trametes versicolor*, V (DAVFP)  
*Typhula erythropus*, LC (Ginns 1986a)  
*Xenasma rimicolum*, LC (Shaw 1973)

#### Others

*Calocera cornea*, V (DAVFP)  
*Dacrymyces deliquescens* var. *deliquescens*,  
V (UBC F4843, F4850, F4851, F4852)  
*Dacrymyces deliquescens* var. *minor*, V  
(UBC F4879)  
*Exidia nucleata*, V (DAVFP)  
*Fibulobasidium sirobasioides*, LC (Bandoni  
1998) (HOLOTYPE)  
*Tremella fimbriata*, LC (Shaw 1973)  
*Tremella mesenterica*, LC (Shaw 1973)  
*Tremella uliginosa*, LC (Koske 1972)

#### Deuteromycotina

##### Coelomycetes

*Cytospora* sp., V (DAVFP)  
*Didymosporina* sp., V (DAVFP)  
*Diplodina acerina*, V (DAVFP)  
*Discula* sp., V (DAVFP)  
*Gloeosporium* sp., V (DAVFP)  
*Melanconiopsis inquinans*, V (DAVFP)  
*Melanconium* sp., V (DAVFP)  
*Phomopsis* sp., V (DAVFP)  
*Septoria aceris*, LC (Toms 1964)  
*Septoria* sp., LC (Shaw 1973)

##### Hymenomycetes

*Botrytis* sp., V (DAVFP)  
*Cladosporium herbarum*, V (DAVFP)  
*Cladosporium* sp., V (DAVFP)  
*Cristulariella depraedans*, V (DAVFP)  
*Fusarium* sp., V (DAVFP)

*Oidium* sp., UR  
*Stilbella albocitrina*, LC (Seifert 1985)  
*Tubercularia vulgaris*, V (DAVFP)  
*Tubercularia* sp., V (DAVFP)  
*Valdensia heterodoxa*, LC (Ginns 1986a)  
*Verticillium dahliae*, LC (Woolliams 1966)

#### Protozoa

##### Myxomycota

*Badhamia utricularis*, V (DAVFP)  
*Trichia varia*, V (DAVFP)

**Acer negundo** L. - boxelder, Manitoba  
maple

##### Fungi

##### Ascomycotina

*Phyllactinia* sp., V (DAVFP)

**Acer palmatum** Thunb. var.

**atropurpureum** (Vanh.) Schwer. -  
Japanese maple

##### Fungi

##### Deuteromycotina

##### Hymenomycetes

*Verticillium* sp., LC (Toms 1964)

**Acer pseudoplatanus** L. var. **purpureum**

Loud. - sycamore maple

##### Fungi

##### Ascomycotina

*Mycosphaerella mycopappi*, V (DAVFP)

**Acer rubrum** L. - red maple

##### Fungi

##### Deuteromycotina

##### Hymenomycetes

*Oidium* sp., V (DAVFP)

**Acer** sp. - maple

##### Fungi

##### Ascomycotina

*Antennularia vancouverensis*, LC (Barr 1953  
as *Protoventuria vancouverensis*)  
*Cryptodiaporthe salicella*, LC (Bier 1961)  
*Cucurbitaria obducens*, LC (Barr 1953 as  
*Strickeria obducens*)  
*Diaporthe eres*, LC (Barr 1953)  
*Diatrype bullata*, LC (Rodrigues 1989 as  
*Diatrype macounii*)  
*Diatrype* sp., V (DAVFP)  
*Gnomonia cerastis*, LC (Barr 1978)  
*Melanomma medium*, LC (Barr 1953)  
*Nectria cinnabarinia*, UR  
*Nectria discophora*, LC (Connors 1967)  
*Uncinula circinata*, LC (Connors 1967)

#### Basidiomycotina

##### Agaricales

*Armillaria* sp., UR

*Cyphellopsis anomala*, LC (Redhead 1973)

#### Aphyllophorales

*Chondrostereum purpureum*, UR  
*Grandinia quercina*, LC (Hallenberg 1984 as  
*Hyphodontia quercina*)  
*Oxyporus populinus*, LC (Ginns 1986a)  
*Phellinus igniarius*, V (DAVFP)

## Plant hosts - A

<b>Others</b>	<i>Dacrymyces stillatus</i> , V (UBC F852)	<b>Aesculus hippocastanum</b> L. - horse-chestnut
<b>Deuteromycotina</b>		<b>Fungi</b>
<b>Hymomycetes</b>		<b>Ascomycotina</b>
<i>Fusarium expansum</i> , LC (Shaw 1973)		<i>Nectria cinnabarina</i> , V (DAVFP)
<i>Verticillium dahliae</i> , UR		<i>Pleospora</i> sp., V (DAVFP)
<b>Achillea millefolium</b> L. - common yarrow		<b>Basidiomycotina</b>
<b>Fungi</b>		<b>Agaricales</b>
<b>Ascomycotina</b>		<i>Pleurotus dryinus</i> , V (DAVFP)
<i>Mycosphaerella tassiana</i> , LC (Shaw 1973)		<b>Aphyllophorales</b>
<i>Nodulosphaeria dolioloides</i> , LC (Shoemaker 1984b)		<i>Chondrostereum purpureum</i> , V (DAVFP)
<i>Pleospora herbarum</i> var. <i>occidentalis</i> , LC (Barr 1953)		<i>Ganoderma brownii</i> , V (DAVFP)
<i>Pleospora rainierensis</i> , LC (Shaw 1973)		<i>Trametes versicolor</i> , V (DAVFP)
<b>Achlys triphylla</b> (Smith) DC. - vanilla leaf, May leaf		<b>Deuteromycotina</b>
<b>Fungi</b>		<b>Coelomycetes</b>
<b>Deuteromycotina</b>		<i>Macrophoma</i> sp., V (DAVFP)
<b>Coelomycetes</b>		<i>Phyllosticta sphaeropsoidea</i> , V (DAVFP)
<i>Ascochyta achlyicola</i> , LC (Ginns 1986a)		<i>Phyllosticta</i> sp., LC (Wood et al. 1987)
<i>Stagonospora achlydis</i> , V (DAVFP)		<b>Hymomycetes</b>
<b>Others</b>		<i>Cladosporium herbarum</i> , V (DAVFP)
<i>Rhizoctonia</i> sp., V (DAVFP)		<i>Tubercularia</i> sp., V (DAVFP)
<b>Aconitum delphiniiifolium</b> DC. - monkshood		<b>Agoseris aurantiaca</b> (Hook.) Greene - orange-flowered mountain dandelion
<b>Fungi</b>		<b>Fungi</b>
<b>Basidiomycotina</b>		<b>Ascomycotina</b>
<b>Others</b>		<i>Mycosphaerella tassiana</i> , LC (Connors 1967)
<i>Urocystis sorosporioides</i> , LC (Shaw 1973)		<b>Basidiomycotina</b>
<b>Acroptilon repens</b> (L.) DC. - Russian knapweed		<b>Uredinales</b>
<b>Fungi</b>		<i>Puccinia agoseridis</i> , LC (Parmelee and Savile 1981) (TYPE)
<b>Basidiomycotina</b>		<i>Puccinia cnici-oleracei</i> , LC (Parmelee and Savile 1981 as <i>Puccinia columbiensis</i> )
<b>Uredinales</b>		
<i>Puccinia acropitili</i> , LC (Savile 1970)		<b>Agoseris glauca</b> (Pursh) Raf.
<b>Deuteromycotina</b>		<b>Fungi</b>
<b>Hymomycetes</b>		<b>Basidiomycotina</b>
<i>Alternaria cichorii</i> , LC (Mortensen and Molloy 1989)		<b>Uredinales</b>
<b>Actaea rubra</b> (Ait.) Willd. - baneberry		<i>Puccinia cnici-oleracei</i> , LC (Parmelee and Savile 1981)
<b>Fungi</b>		<i>Puccinia troximontis</i> , LC (Parmelee and Savile 1981)
<b>Basidiomycotina</b>		
<b>Uredinales</b>		<b>Agoseris gracilens</b> (Gray) Greene - slender mountain dandelion
<i>Puccinia recondita</i> , V (DAVFP)		<b>Fungi</b>
<b>Adenocaulon bicolor</b> Hook. - pathfinder, silver-green, trail-plant		<b>Ascomycotina</b>
<b>Fungi</b>		<i>Mycosphaerella tassiana</i> , LC (Barr 1953)
<b>Deuteromycotina</b>		
<b>Coelomycetes</b>		<b>Agoseris</b> sp. - mountain dandelion
<i>Septoria adenocauli</i> , LC (Shaw 1973)		<b>Fungi</b>
<b>Adoxa moschatellina</b> L. - moschatel, muskroot, townhall-clock		<b>Ascomycotina</b>
<b>Fungi</b>		<i>Sphaerotilus fuliginea</i> , LC (Barr 1953 as <i>Sphaerotilus humuli</i> var. <i>fuliginea</i> )
<b>Basidiomycotina</b>		<i>Sphaerotilus macularis</i> , LC (Shaw 1973)
<b>Uredinales</b>		<b>Basidiomycotina</b>
<i>Puccinia adoxae</i> , LC (McCain et al. 1990)		<b>Uredinales</b>
		<i>Puccinia hieracii</i> , LC (Shaw 1973)

***Agropyron cristatum*** (L.) Gaertn. - crested wheat-grass

Fungi

Ascomycotina

*Claviceps purpurea*, LC (Barr 1953)

Basidiomycotina

Uredinales

*Puccinia striiformis*, LC (Ginns 1986a)

***Agropyron dasystachyum*** (Hook.) Scribn. - downy wheat-grass, thickspike wheat-grass

Fungi

Ascomycotina

*Myriosclerotinia borealis*, LC (Conners 1967)

***Agropyron desertorum*** (Fisch.) Schult. - desert wheat-grass

Fungi

Ascomycotina

*Myriosclerotinia borealis*, LC (Ginns 1986a)

***Agropyron intermedium*** (Host) Beauv. - intermediate wheat-grass

Fungi

Ascomycotina

*Myriosclerotinia borealis*, LC (Conners 1967)

***Agropyron latiglume*** (Scribn. & Sm.) Hitchc. - wheat-grass

Fungi

Ascomycotina

*Clathrospora pentamera*, LC (Barr 1953)

***Agropyron repens*** (L.) Beauv. - couchgrass, quackgrass

Fungi

Ascomycotina

*Erysiphe graminis*, LC (Barr 1953)  
*Phaeosphaeria heptameria*, LC (Shoemaker and Babcock 1989)  
*Phyllachora graminis*, LC (Punja and Ormrod 1979)

Basidiomycotina

Uredinales

*Puccinia recondita*, LC (Conners 1967)  
*Puccinia striiformis*, LC (Conners 1967)

Others

*Ustilago hypodytes*, V (DAVFP)

Deuteromycotina

Coelomycetes

*Pseudoseptoria donacis*, LC (Sprague 1960a, 1962)

Hyphomycetes

*Cercosporidium graminis*, LC (Conners 1967)  
*Rhynchosporium secalis*, LC (Conners 1967)

***Agropyron semicostatum*** (Steud.) Nees - wheat-grass

Fungi

Ascomycotina

*Myriosclerotinia borealis*, LC (Conners 1967)

***Agropyron sibiricum*** (Willd.) Beauv. - Siberian wheat-grass

Fungi

Ascomycotina

*Myriosclerotinia borealis*, LC (Conners 1967)

***Agropyron smithii*** Rydb. - western wheat-grass

Fungi

Basidiomycotina

Uredinales

*Puccinia striiformis*, LC (Arthur 1934 as *Puccinia glumarum*)

***Agropyron spicatum*** (Pursh) Scribn. & Sm. - bluebunch wheat-grass

Fungi

Ascomycotina

*Leptosphaeria culmifraga*, LC (Barr 1953)

Basidiomycotina

Uredinales

*Puccinia montanensis*, LC (Parmelee 1984)

***Agropyron subsecundum*** (Link) Hitchc. - bearded wheat-grass

Fungi

Deuteromycotina

Coelomycetes

*Pseudoseptoria obtusa*, LC (Conners 1967 on *Agropyron trachycaulum* var. *unilaterale*)

***Agropyron trachycaulum*** (Link) Malte - slender wheat-grass

Fungi

Ascomycotina

*Erysiphe graminis*, LC (Sprague 1962)  
*Pleospora helvetica*, LC (Barr 1953)

Basidiomycotina

Uredinales

*Puccinia recondita*, LC (Toms 1964)  
*Puccinia striiformis*, LC (Arthur 1934 as *Puccinia glumarum* on *Agropyron richardsonii*)

Others

*Ustilago bullata*, LC (Toms 1964)  
*Ustilago hypodytes*, LC (Fischer and Hirschhorn 1945)  
*Ustilago striiformis*, LC (Toms 1964)

Deuteromycotina

Coelomycetes

*Pseudoseptoria donacis*, LC (Sprague 1960a)

*Plant hosts - A*

***Agropyron* sp. - wheat-grass**

**Fungi**

**Ascomycotina**

*Erysiphe graminis*, V (DAVFP)  
*Mycosphaerella tassiana*, LC (Barr 1953)

***Agrostis alba* L. - red top**

**Fungi**

**Basidiomycotina**

**Uredinales**

*Puccinia coronata*, V (DAVFP)  
*Puccinia graminis*, LC (Toms 1964 on  
*Agrostis gigantea*)

**Others**

*Ustilago striiformis*, LC (Toms 1964 on  
*Agrostis gigantea*)

**Deuteromycotina**

**Coelomycetes**

*Septoria triseti*, LC (Toms 1964 on *Agrostis*  
*gigantea*)

***Agrostis canina* L. - velvet bentgrass**

**Fungi**

**Ascomycotina**

*Claviceps purpurea*, LC (Conners 1967)  
*Myriosclerotinia borealis*, LC (Ginns 1986a)

***Agrostis exarata* Trin. - western bentgrass**

**Fungi**

**Ascomycotina**

*Erysiphe graminis*, LC (Ginns 1986a)

**Basidiomycotina**

**Uredinales**

*Puccinia coronata*, LC (Arthur 1934)

***Agrostis palustris* Huds. - Washington  
bentgrass**

**Fungi**

**Deuteromycotina**

**Hymenomycetes**

*Microdochium nivale*, LC (Conners 1967)

***Agrostis rossiae* Vas. - Ross' bentgrass**

**Fungi**

**Ascomycotina**

*Clathrospora pentamera*, LC (Barr 1953 on  
*Agrostis rossiae*)

***Agrostis scabra* Willd. - bentgrass, tickle-  
grass**

**Fungi**

**Basidiomycotina**

**Uredinales**

*Puccinia graminis*, V (DAVFP)  
*Puccinia recondita*, V (DAVFP)

**Deuteromycotina**

**Coelomycetes**

*Septoria calamagrostidis*, LC (Ginns 1986a)

***Agrostis tenuis* Sibth. - Highland colonial  
bentgrass**

**Fungi**

**Ascomycotina**

*Gaeumannomyces graminis* var. *tritici*, LC  
(Shoemaker 1974)  
*Leptosphaerulina trifolii*, LC (Ginns 1986a)

**Basidiomycotina**

**Uredinales**

*Puccinia recondita*, LC (Ginns 1986a)

**Others**

*Ustilago striiformis*, LC (Ginns 1986a)

**Deuteromycotina**

**Coelomycetes**

*Pseudorbillarda agrostidis*, UR

**Hymenomycetes**

*Drechslera fugax*, LC (Connors 1967)

***Agrostis tenuis* Sibth. var. *aristata***

(Parnell) Druce - colonial bentgrass

**Fungi**

**Deuteromycotina**

**Coelomycetes**

*Stagonospora avenae*, LC (Sprague 1960b  
as *Septoria avenae*)

***Agrostis thurberiana* Hitchc. - Thurber's  
bentgrass**

**Fungi**

**Basidiomycotina**

**Uredinales**

*Puccinia coronata*, LC (Arthur 1934)  
*Puccinia praegracilis* var. *praegracilis*, LC  
(Ginns 1986a; Parmelee 1989)

***Agrostis* sp. - bentgrass**

**Fungi**

**Ascomycotina**

*Gaeumannomyces graminis* var. *avenae*, LC  
(MacDonald et al. 1991)

*Leptosphaeria culmifraga*, LC (Barr 1953)  
*Mycosphaerella tassiana*, LC (Barr 1953)

**Deuteromycotina**

**Hymenomycetes**

*Curvularia* sp., LC (MacDonald et al. 1991)  
*Microdochium nivale*, LC (Fushtey 1988)  
*Microdochium* sp., LC (MacDonald et al.  
1991)

**Others**

*Rhizoctonia* sp., LC (MacDonald et al. 1991)

**Chromista**

**Oomycota**

*Pythium* sp., LC (MacDonald et al. 1991)

***Ailanthus altissima* (Mill.) Swingle - Tree of  
heaven, Copal-tree**

**Fungi**

**Basidiomycotina**

**Agaricales**

*Armillaria* sp., LC (Jones 1957 as *Armillaria*  
*mellea*)

**Ailanthus sp.** - Tree of heaven

Fungi  
 Deuteromycotina  
 Coelomycetes  
*Micropora* sp., V (DAVFP)

**Albizia julibrissin** Durazz. - silk-tree,

"Mimos"

Fungi  
 Ascomycotina  
*Nectria cinnabrina*, V (DAVFP)

**Allium acuminatum** Hook. - Hooker's onion

Fungi  
 Basidiomycotina  
 Uredinales  
*Puccinia blasdalei*, LC (Savile 1961)  
*Uromyces aemulus*, LC (Savile 1961)

**Allium amplectens** Torr. - narrow-leaved onion

Fungi  
 Basidiomycotina  
 Uredinales  
*Puccinia blasdalei*, LC (Savile 1961)

**Allium cernuum** Roth - nodding onion

Fungi  
 Basidiomycotina  
 Uredinales  
*Puccinia granulispora*, V (DAVFP)

**Allium sp.** - onion, garlic, leek

Fungi  
 Ascomycotina  
*Mycosphaerella tassiana*, LC (Barr 1953)

**Alnus crispa** (Aiton) Pursh - American green alder, green alder, mountain alder

Fungi  
 Deuteromycotina  
 Coelomycetes  
*Septoria weiriana*, LC (Constantinescu 1984)

**Alnus rhombifolia** Nutt. - white alder

Fungi  
 Basidiomycotina  
 Aphyllophorales  
*Skeletocutis nivea*, LC (Shaw 1973 as *Polyporus semipileatus*)  
*Tyromyces chioneus*, LC (Shaw 1973)

**Alnus rubra** Bong. - red alder

Fungi  
 Ascomycotina  
*Ascocoryne constricta*, V (DAVFP)  
*Biscogniauxia bartholomaei*, V (DAVFP)  
*Biscogniauxia mediterranea*, V (DAVFP)  
*Biscogniauxia mediterranea* var. *microspora*, V (DAVFP)  
*Bisporella citrina*, V (DAVFP)  
*Caliciopsis* sp., V (DAVFP)  
*Chlorociboria aeruginascens*, V (DAVFP)  
*Coniochaeta* sp., LC (Sieber, Sieber-Canavesi, and Dorworth 1991)

*Diaporthe eres*, LC (Sieber, Sieber-Canavesi, and Dorworth 1991)  
*Diaporthe* sp., UR  
*Diatrype flavovirens*, V (DAVFP)  
*Diatrypella verruciformis*, V (DAVFP)  
*Didymosphaeria oregonensis*, V (DAVFP)  
*Dothiora* sp., V (DAVFP)  
*Encoelia furfuracea*, V (DAVFP)  
*Entoleuca mammata*, V (DAVFP) - Dried culture only.  
*Erysiphe aggregata*, V (DAVFP)  
*Eutypella stellulata*, V (DAVFP)  
*Gnomonia alni*, V (DAVFP)  
*Gnomonia intermedia* var. *alni*, V (DAVFP)  
*Gnomonia setacea*, LC (Barr 1953 on *Alnus oregona*; Sieber et al. 1989; Sieber, Sieber-Canavesi, and Dorworth 1991)  
*Gnomoniella tubaeformis*, LC (Sieber, Sieber-Canavesi, and Dorworth 1991)  
*Hypoxyylon bipappillatum*, LC (Sieber, Sieber-Canavesi, and Dorworth 1991)  
*Hypoxyylon fragiforme*, V (DAVFP)  
*Hypoxyylon fuscum*, V (DAVFP)  
*Hypoxyylon irregularare*, LC (Sieber, Sieber-Canavesi, and Dorworth 1991)  
*Hypoxyylon multiforme*, V (DAVFP)  
*Hypoxyylon rubiginosum*, V (DAVFP)  
*Kalmusia clivensis*, LC (Barr 1992a)  
*Melanconis alni*, V (DAVFP)  
*Melanconis marginalis*, V (DAVFP)  
*Melanomma pulvis-pyrius*, V (DAVFP)  
*Microsphaera penicillata*, V (DAVFP)  
*Mycorrhynchus* sp., V (DAVFP)  
*Mycosphaerella punctiformis*, LC (Sieber, Sieber-Canavesi, and Dorworth 1991)  
*Nectria cinnabrina*, LC (Barr 1953 as *Creonectria purpurea* on *Alnus oregona*)  
*Nectria ditissima*, V (ATCC 74260)  
*Nectria episphaeria*, V (DAVFP)  
*Nectria pitoides*, V (DAVFP)  
*Nectria* sp., LC (Sieber, Sieber-Canavesi, and Dorworth 1991)  
*Nemania serpens*, LC (Sieber, Sieber-Canavesi, and Dorworth 1991 as *Hypoxyylon serpens*)  
*Nipterella parksii*, V (DAVFP)  
*Pezicula alni*, V (DAVFP)  
*Pezicula carpinea*, LC (Sieber, Sieber-Canavesi, and Dorworth 1991)  
*Pezicula lividia*, LC (Sieber, Sieber-Canavesi, and Dorworth 1991)  
*Phyllactinia guttata*, V (DAVFP)  
*Plagiomystoma jensenii*, LC (Barr 1991b; Meurer-Grimes et al. 1992) (HOLOTYPE)  
*Pleospora herbarum*, LC (Sieber, Sieber-Canavesi, and Dorworth 1991)  
*Pringsheimia sepincola*, LC (Barr 1953 as *Pleosphaerulina intermixta* on *Alnus oregona*)  
*Pseudovalsella thelebola*, V (DAVFP)  
*Taphrina alni*, V (DAVFP)  
*Taphrina japonica*, V (DAVFP)  
*Taphrina occidentalis*, V (DAVFP)  
*Tympanis alnea*, V (DAVFP)  
*Valsa* sp., V (DAVFP)  
*Winterella suffusa*, V (DAVFP)  
*Xylaria hypoxylon*, V (DAVFP)  
*Xylaria* sp., LC (Sieber, Sieber-Canavesi, and Dorworth 1991)

## Plant hosts - A

- Basidiomycotina**
- Agaricales**
- Armillaria nabsnona*, V (DAVFP)
  - Armillaria* sp., V (DAVFP)
  - Clitocybe aurantiaca*, V (DAVFP)
  - Crepidotus fulvotomentosus*, V (DAVFP)
  - Crepidotus haerens*, V (DAVFP)
  - Cyphelopsis anomala*, V (DAVFP)
  - Kuehneromyces mutabilis*, V (DAVFP)
  - Lentinus strigosus*, UR
  - Lentinus torulosus*, V (DAVFP)
  - Marasmiellus vaillantii*, LC (Redhead 1981)
  - Panellus longinquus* subsp. *pacificus*, LC  
(Libonati-Barnes and Redhead 1984)
  - Panellus serotinus*, V (DAVFP)
  - Panellus stipticus*, V (DAVFP)
  - Paxillus* sp., V (DAVFP)
  - Pholiota adiposa*, V (DAVFP)
  - Pleurotus dryinus*, V (DAVFP)
  - Pleurotus ostreatus*, V (DAVFP)
- Aphyllophorales**
- Basidioradulum radula*, V (DAVFP)
  - Botryobasidium botryosum*, V (DAOM 141267)
  - Botryobasidium danicum*, V (DAOM 141309)
  - Botryobasidium subcoronatum*, V (DAOM 141243)
  - Botryobasidium vagum*, V (DAVFP)
  - Ceraceomyces serpens*, LC (Ginns 1986a)
  - Ceriporia purpurea*, V (DAVFP)
  - Ceriporia reticulata*, V (DAOM 142076)
  - Ceriporia viridis*, V (DAOM 142083)
  - Ceriporiopsis pannocincta*, V (DAVFP)
  - Cerrena unicolor*, V (DAVFP)
  - Chondrostereum purpureum*, V (DAVFP)
  - Coniophora arida* var. *arida*, V (DAVFP)
  - Coniophora olivacea*, V (DAVFP)
  - Coniophora puteana* var. *puteana*, V (DAVFP)
  - Corticium praeteritum*, LC (Connors 1967)
  - Cylindrobasidium laeve*, V (DAVFP)
  - Cylindrobasidium* sp., UR - Specimen discarded
  - Daedaleopsis confragosa*, V (DAVFP)
  - Datronia scutellata*, V (DAOM 141396)
  - Fibricium rude*, V (DAVFP)
  - Fomitopsis pinicola*, V (DAVFP)
  - Ganoderma applanatum*, V (DAVFP)
  - Gloeocystidium furfuraceum*, V (DAOM 142187)
  - Gloeocystidium porosum*, V (DAVFP)
  - Gloeophyllum sepiarium*, V (DAVFP)
  - Gloeoporus dichrous*, LC (Shaw 1958 as *Polyporus dichrous*)
  - Grandinia alutaria*, V (DAOM 138963)
  - Grandinia breviseta*, V (DAOM 138953, 138940)
  - Grandinia crustosa*, V (DAVFP)
  - Grandinia quercina*, V (DAVFP)
  - Grandinia subalutacea*, V (DAOM 138992)
  - Heterobasidion annosum*, V (DAVFP)
  - Hymenochaete cinnamomea*, UR
  - Hymenochaete tabacina*, V (DAVFP)
  - Hyphoderma praetermissum*, V (DAVFP)
  - Hyphoderma puberum*, V (DAVFP)
  - Hyphoderma setigerum*, V (DAVFP)
  - Irpea lacteus*, V (DAVFP)
  - Leptoporus mollis*, V (DAOM 141360)
- Leucogyrophana mollusca**, V (DAOM 139099)
- Macrotyphula fistulosa** var. *contorta*, V (DAVFP)
- Merulius corium**, V (DAVFP)
- Mycoacia aurea**, V (DAVFP)
- Mycoacia uda**, V (DAOM 139122)
- Mycoleptodon dichroum**, V (DAVFP)
- Peniophora aurantiaca**, V (DAVFP)
- Peniophora incarnata**, V (DAVFP)
- Perenniporia subacida**, V (DAVFP)
- Phanerochaete rimososa**, V (DAOM 139144)
- Phanerochaete sordida**, V (DAVFP)
- Phellinus ferreus**, V (DAVFP)
- Phellinus ferruginosus**, UR
- Phellinus igniarius**, V (DAVFP)
- Phellinus laevigatus**, V (DAVFP)
- Phlebia concentrica**, V (DAVFP)
- Phlebia merismoides**, V (DAVFP)
- Phlebia** sp., V (DAVFP)
- Plicatura nivea**, V (DAVFP)
- Plicaturopsis crispa**, V (DAVFP)
- Polyporus badius**, V (DAVFP)
- Polyporus melanopus**, V (DAVFP)
- Polyporus varius**, V (DAVFP)
- Postia tephroleuca**, V (DAVFP)
- Schizopora paradoxa**, V (DAVFP)
- Schizopora radula**, V (DAVFP)
- Scytinostroma galactina**, V (DAVFP)
- Sistotrema brinkmannii**, V (DAVFP)
- Skeletocutis nivea**, V (DAOM 142162)
- Steccherinum ochraceum**, V (DAVFP)
- Stereum alnicola**, V (DAOM 142448, 142450, 142451, 142454)
- Stereum hirsutum**, V (DAVFP)
- Stereum ostrea**, V (DAVFP)
- Tomentella chlorina**, V (DAOM 142586)
- Trametes hirsuta**, V (DAVFP)
- Trametes pubescens**, LC (Connors 1967 as *Polyporus pubescens*)
- Trametes versicolor**, V (DAVFP)
- Trechispora mollusca**, V (DAOM 143349)
- Tyromyces chioneus**, V (DAVFP)
- Uredinales**
- Melampsoridium hiratsukanum*, V (DAVFP)
- Others**
- Calocera cornea*, V (DAVFP)
- Dacrymyces deliquescens* var. *deliquescens*, V (UBC F4832)
- Dacrymyces deliquescens* var. *ellisii*, V (UBC F4889, F4890)
- Dacrymyces deliquescens* var. *minor*, V (UBC F4873, F4876)
- Exidia candida*, V (DAVFP)
- Exidiopsis grisea*, V (DAVFP)
- Guepinopsis alpina*, V (DAVFP)
- Sebacina sublilacina*, UR
- Tremella aurantia*, V (DAVFP)
- Tremella mesenterica*, V (DAVFP)
- Tulasnella pruinosa*, LC (Shaw 1973)
- Deuteromycotina**
- Coelomycetes**
- Asteromella* sp., LC (Sieber, Sieber-Canavesi, and Dorworth 1991)
- Coniothyrium* sp., LC (Sieber, Sieber-Canavesi, and Dorworth 1991)

*Cryptocline* sp., LC (Sieber, Sieber-Canavesi, and Dorworth 1991)  
*Cryptosporiopsis abietina*, LC (Sieber et al. 1989)  
*Cryptosporiopsis* sp., LC (Sieber, Sieber-Canavesi, and Dorworth 1991)  
*Cryptosporium neesii*, V (DAVFP)  
*Cytospora* sp., UR  
*Gloeosporium* sp., LC (Sieber et al. 1989)  
*Leptothyrium* sp., V (DAVFP)  
*Libertia* sp., LC (Sieber, Sieber-Canavesi, and Dorworth 1991)  
*Marssonina* sp., V (DAVFP)  
*Melanconium* sp., V (DAVFP)  
*Phloeosporella* sp., LC (Sieber, Sieber-Canavesi, and Dorworth 1991)  
*Phoma* sp., LC (Sieber, Sieber-Canavesi, and Dorworth 1991)  
*Phomopsis* sp., V (DAVFP) - Dried culture only.  
*Septoria alni*, V (DAVFP)  
*Septoria alnifolia*, V (DAVFP)

**Hypocreales**

*Aureobasidium pullulans*, V (DAVFP)  
*Botrytis* sp., LC (Mittal and Wang 1985; Sieber, Sieber-Canavesi, and Dorworth 1991)  
*Cladosporium cladosporioides*, LC (Sieber, Sieber-Canavesi, and Dorworth 1991)  
*Cladosporium sphaerospermum*, LC (Sieber, Sieber-Canavesi, and Dorworth 1991)  
*Helminthosporium velutinum*, V (DAVFP)  
*Mycopappus alni*, V (DAVFP)  
*Nodulisporium* sp., LC (Sieber, Sieber-Canavesi, and Dorworth 1991)  
*Oedocephalum* sp., LC (Sieber, Sieber-Canavesi, and Dorworth 1991)  
*Periconiella* sp., LC (Sieber, Sieber-Canavesi, and Dorworth 1991)  
*Phialophora hoffmannii*, LC (Sieber, Sieber-Canavesi, and Dorworth 1991)  
*Pleurothecium recurvatum*, LC (Goos 1969)  
*Stenocephalum subalutaceum*, LC (Chamuris and Wang 1990)  
*Trichoderma* sp., LC (Sieber, Sieber-Canavesi, and Dorworth 1991)  
*Tuberularia vulgaris*, V (DAVFP)

**Others**

*Rhizoctonia* sp., LC (Sieber, Sieber-Canavesi, and Dorworth 1991)

**Protozoa**

**Mixomycota**

*Comatricha nigra*, V (DAVFP)

**Bacteria**

*Frankia alni*, V (DAVFP)

### *Alnus rugosa* (Du Roi) Spreng. - speckled alder

**Fungi**

**Ascomycotina**

*Valsa* sp., V (DAVFP)

**Alnus rugosa** (Du Roi) Spreng. var. *americana* (Regel) Fern

**Fungi**

**Ascomycotina**

*Gnomonia intermedia* var. *alni*, LC (Barr 1978)

**Alnus sinuata** (Regel) Rydb. (=*Alnus sitchensis*) - Sitka alder

**Fungi**

**Ascomycotina**

*Chlorociboria aeruginascens*, V (DAVFP)  
*Coniochaeta ligniaria*, V (DAVFP)  
*Diaporthe* sp., V (DAVFP)  
*Diatrype* sp., UR  
*Didymosphaeria oregonensis*, V (DAVFP)  
*Encoelia furfuracea*, V (DAVFP)  
*Entoleuca mammata*, V (DAVFP)  
*Eutypella cerviculata*, V (DAVFP)  
*Glyphium corrugatum*, LC (Ginns 1986a)  
*Gnomonia intermedia* var. *alni*, V (DAVFP)  
*Gnomonia setacea*, V (DAVFP)  
*Hypoxyylon fuscum*, V (DAVFP)  
*Hypoxyylon multifforme*, UR  
*Leptosphaeria* sp., V (DAVFP)  
*Melanconis alni*, LC (Barr 1953)  
*Melanconis marginalis*, V (DAVFP)  
*Mycosphaerella punctiformis*, V (DAVFP)  
*Ophiovalsa* sp., V (DAVFP)  
*Patinellaria sanguinea*, V (DAVFP)  
*Phaeocalicium compressulum*, V (DAVFP)  
*Phyllactinia guttata*, LC (Connors 1967)  
*Taphrina* sp., V (DAVFP)  
*Tymanis hysteriooides*, V (DAVFP)  
*Valsa melanodiscus*, V (DAVFP)

**Basidiomycotina**

**Agaricales**

*Armillaria* sp., LC (Morrison et al. 1985 as *Armillaria mellea*)  
*Cyphellopsis anomala*, V (DAVFP)  
*Panellus ringens*, V (DAVFP)

**Aphyllphorales**

*Cerrena unicolor*, LC (Shaw 1973 as *Daedalea unicolor*)  
*Datronia mollis*, UR  
*Datronia scutellata*, UR  
*Hymenochaete tabacina*, UR  
*Inonotus radiatus*, UR  
*Irpea lacteus*, UR  
*Lenzites betulina*, UR  
*Peniophora aurantiaca*, V (DAVFP)  
*Phellinus ferreus*, V (DAVFP)  
*Phellinus igniarius*, V (DAVFP)  
*Polyporus varius*, V (DAVFP)  
*Radulum* sp., UR  
*Steccherinum* sp., V (DAVFP)  
*Trametes pubescens*, LC (Shaw 1973 as *Polyporus pubescens*)

**Others**

*Dacrymyces deliquescent* var. *ellisi*, V (UBC F4909)  
*Exidia crenata*, V (DAVFP)  
*Exidia recisa*, UR  
*Tremella fimbriata*, LC (Shaw 1973)  
*Tremella mesenterica*, V (DAVFP)

## Plant hosts - A

<b>Deuteromycotina</b>	<b><i>Alnus</i> sp. - alder</b>
<b>Coelomycetes</b>	<b>Fungi</b>
<i>Phragmotrichum rivoclarinum</i> , V (DAVFP)	<b>Ascomycotina</b>
<i>Septoria alni</i> , V (DAVFP)	<i>Anthostoma microsporum</i> var. <i>exudans</i> , V (DAVFP)
<i>Septoria alnifolia</i> , V (DAVFP)	<i>Bertia moriformis</i> , LC (Barr 1953)
<i>Sirodothis</i> sp., V (DAVFP)	<i>Bertia moriformis</i> var. <i>latispora</i> , LC (Corlett and Krug 1984)
<b>Hymomycetes</b>	<i>Bertia moriformis</i> var. <i>moriformis</i> , LC (Corlett and Krug 1984)
<i>Alternaria</i> sp., V (DAVFP)	<i>Capitotricha bicolor</i> , V (DAVFP)
<i>Passalora alni</i> , V (DAVFP)	<i>Cryptodiaporte salicella</i> , LC (Bier 1961)
<b><i>Alnus sitchensis</i> Sarg. see <i>Alnus sinuata</i></b>	<i>Cucurbitaria obducens</i> , LC (Barr 1953 as <i>Strickeria obducens</i> )
<b><i>Alnus tenuifolia</i> Nutt. - mountain alder</b>	<i>Cyathicula</i> sp., V (DAVFP)
<b>Fungi</b>	<i>Daldinia concentrica</i> , V (DAVFP)
<b>Ascomycotina</b>	<i>Diatrype bullata</i> , LC (Barr 1953 as <i>Diatrype macounii</i> )
<i>Ascocoryne sarcoides</i> , UR	<i>Diatrype disciformis</i> , LC (Barr 1953)
<i>Diatrypella placenta</i> , UR	<i>Diatrypella favacea</i> , LC (Barr 1953 as <i>Diatrypella toccaeana</i> )
<i>Didymosphaeria oregonensis</i> , V (DAVFP)	<i>Endoxylina moroides</i> , V (DAVFP)
<i>Hypoxyton fuscum</i> , V (DAVFP)	<i>Erysiphe aggregata</i> , LC (Barr 1953)
<i>Melanconis marginalis</i> , UR	<i>Gnomonia alni</i> , V (DAVFP)
<i>Mycosphaerella punctiformis</i> , V (DAVFP)	<i>Gnomonia setacea</i> , V (DAVFP)
<i>Nectria pittheoides</i> , UR	<i>Hypoxyton howeianum</i> , UR
<i>Pezicula alni</i> , UR	<i>Hypoxyton vogesiacum</i> , LC (Barr 1953)
<i>Phyllactinia guttata</i> , LC (Shaw 1973)	<i>Lachnum virgineum</i> , V (DAVFP)
<i>Taphrina alni</i> , LC (Shaw 1973 as <i>Taphrina amentorum</i> on <i>Alnus incana</i> )	<i>Lasiosphaeria caesariana</i> , LC (Shoemaker and White 1985)
<i>Taphrina occidentalis</i> , V (DAVFP)	<i>Melanconis alni</i> , UR
<i>Taphrina</i> sp., UR	<i>Melanconis marginalis</i> , V (DAVFP)
<i>Valsa sordida</i> , LC (Spielman 1985)	<i>Melanomma pulvis-pyrius</i> , V (DAVFP)
<b>Basidiomycotina</b>	<i>Mycosphaerella</i> sp., V (DAVFP)
<b>Agaricales</b>	<i>Phragmoporthe conformis</i> , LC (Barr 1978)
<i>Cyphellopsis anomala</i> , UR	<i>Phyllactinia guttata</i> , LC (Barr 1953 as <i>Phyllactinia corylea</i> )
<b>Aphyllophorales</b>	<i>Plagiomastoma alnea</i> var. <i>alnea</i> , LC (Barr 1978)
<i>Basidioradulum radula</i> , UR	<i>Scutellinia scutellata</i> , V (DAVFP)
<i>Cerrena unicolor</i> , LC (Ginns 1986a on <i>Alnus rugosa</i> var. <i>occidentalis</i> )	<i>Taphrina occidentalis</i> , V (DAVFP)
<i>Chondrostereum purpureum</i> , UR	<i>Ustulina deusta</i> , LC (Barr 1953 as <i>Hypoxyton ustulatum</i> )
<i>Datronia scutellata</i> , LC (Connors 1967 as <i>Fomes scutellatus</i> )	<i>Valsa oxystoma</i> , LC (Shaw 1973)
<i>Merismodes fasciculata</i> , UR	<b>Basidiomycotina</b>
<i>Peniophora incarnata</i> , UR	<b>Agaricales</b>
<i>Phellinus igniarius</i> , V (DAVFP)	<i>Cyphellopsis anomala</i> , LC (Redhead 1973)
<i>Plicatura nivea</i> , UR	<i>Hypholoma fasciculare</i> , V (DAVFP)
<i>Pycnoporus cinnabarinus</i> , V (DAVFP)	<i>Panellus serotinus</i> , V (DAVFP)
<i>Trametes hirsuta</i> , V (DAVFP)	<i>Pellidiscus pallida</i> , LC (Redhead 1973)
<i>Trametes versicolor</i> , LC (Shaw 1958)	<i>Pholiota populnea</i> , V (DAVFP)
<i>Tyromyces chioneus</i> , UR	<i>Pholiota tuberculosa</i> , V (DAVFP)
<b>Others</b>	<b>Aphyllophorales</b>
<i>Tremella</i> sp., UR	<i>Antrodia albida</i> , V (DAVFP)
<b>Deuteromycotina</b>	<i>Chondrostereum purpureum</i> , V (DAVFP)
<b>Coelomycetes</b>	<i>Coniophora puteana</i> var. <i>puteana</i> , LC (Ginns 1982a)
<i>Melanconium</i> sp., V (DAVFP)	<i>Cristinia mucida</i> , LC (Hallenberg 1984)
<i>Septoria alnifolia</i> , V (DAVFP)	<i>Cylindrobasidium laeve</i> , V (DAVFP)
<i>Septoria</i> sp., UR	<i>Cylindrobasidium</i> sp., UR - Specimen discarded
<b><i>Alnus viridis</i> (Chaix) DC. - European green alder</b>	<i>Datronia scutellata</i> , V (DAVFP)
<b>Fungi</b>	<i>Fomes fomentarius</i> , V (DAVFP)
<b>Ascomycotina</b>	<i>Galzinia incrustans</i> , V (DAVFP)
<i>Melanconis marginalis</i> , LC (Sieber et al. 1991 as <i>Melanconium marginale</i> )	<i>Gloeocystidiellum clavuligerum</i> , LC (Hallenberg 1984)
	<i>Gloeocystidiellum porosum</i> , LC (Hallenberg 1984; 1988)

*Gloeoporus dichrous*, V (DAVFP)  
*Grandinia quercina*, LC (Hallenberg 1991 as  
*Hyphodontia quercina*)  
*Hymenochaete cinnamomea*, V (DAVFP)  
*Hyphoderma praetermissum*, LC (Hallenberg  
1984)  
*Hyphoderma sambuci*, LC (Shaw 1973 as  
*Peniophora sambuci*)  
*Inonotus tomentosus*, LC (Conners 1967 as  
*Polyporus tomentosus*)  
*Merismodes fasciculata*, V (DAVFP)  
*Mycoacia uda*, V (DAVFP)  
*Peniophora cinerea*, V (DAVFP)  
*Perenniporia tenuis*, LC (Conners 1967 as  
*Poria pulchella*)  
*Phellinus igniarius*, V (DAVFP)  
*Phlebia rufa*, LC (Hallenberg 1984)  
*Phlebia* sp., V (DAVFP)  
*Polyporus varius*, V (DAVFP)  
*Stereum gausapatum*, V (DAVFP)  
*Stereum rugosum*, V (DAVFP)  
*Stromatocyphella conglobata*, V (DAVFP)  
*Tomentella coerulea*, V (DAVFP)  
*Tomentella ramosissima*, LC (Larsen 1974;  
Ginns 1986a)  
*Trametes pubescens*, V (DAVFP)  
*Tyromyces chioneus*, V (DAVFP)

**Others**

*Calocera cornea*, V (UBC F4729, F4731)  
*Dacrymyces deliquescens* var. *ellisi*, V  
(DAVFP)  
*Exidia glandulosa*, V (DAVFP)  
*Exidia recisa*, V (UBC F5196)  
*Sebacina sublilacina*, V (UBC F5294, F5295)  
*Sphaerobolus stellatus*, V (DAVFP)  
*Tremella mesenterica*, LC (Bandoni & Ginns  
1998)

**Deuteromycotina****Coelomycetes**

*Melanconium* sp., V (DAVFP)  
*Phomopsis* sp., V (DAVFP)  
*Sclerophoma* sp., UR  
*Seimatosporium* sp., V (DAVFP)  
*Septoria alni*, V (DAVFP)

**Hyphomycetes**

*Articulospora* sp., V (DAVFP)  
*Aureobasidium pullulans*, V (DAVFP)  
*Bactrodesmium biformatum*, LC (Hughes  
1983)  
*Cryptocoryneum condensatum*, V (DAVFP)  
*Endophragmiella angustispora*, LC (Hughes  
1978) (HOLOTYPE)  
*Gonytrichum caesium*, V (DAVFP)  
*Helicosporium murinum*, LC (Goos 1989)  
*Menispora caesia*, LC (Hughes and Kendrick  
1963)  
*Menispora ciliata*, LC (Hughes and Kendrick  
1963)  
*Menispora glauca*, LC (Ginns 1986a)  
*Pseudospirotes nodosus*, V (DAVFP)  
*Spadicoides klotzschii*, LC (Hughes 1973d)  
(TYPE)  
*Stenocephalum subalutaceum*, LC  
(Chamuris and Wang 1990)

**Protozoa****Myxomycota**

*Fuligo* sp., V (DAVFP)

***Alopecurus pratensis* L.** - meadow foxtail**Fungi****Ascomycotina**

*Myriosclerotinia borealis*, LC (Ginns 1986a)

***Althaea rosea* Cav.** - hollyhock**Fungi****Basidiomycotina****Uredinales**

*Puccinia malvacearum*, V (DAVFP)

***Alyssum saxatile* L.** - golden-tuft**Chromista****Oomycota**

*Peronospora parasitica*, V (DAVFP)

***Amaranthus graecizans* L.** - tumbleweed**Fungi****Deuteromycotina****Hyphomycetes**

*Verticillium dahliae*, LC (Toms 1964;  
Woolliams 1966)

***Amaranthus retroflexus* L.** - redroot**pigweed****Fungi****Deuteromycotina****Hyphomycetes**

*Fusarium oxysporum* f. sp. *radicis-lycopersici*,  
LC (Menzies et al. 1990)  
*Verticillium dahliae*, LC (Toms 1964)

**Chromista****Oomycota**

*Albugo bliti*, LC (Ginns 1986a)

***Amaranthus* sp.** - amaranth**Fungi****Ascomycotina**

*Melanospora zamiae*, LC (Barr 1953 as  
*Melanospora townei*)

**Deuteromycotina****Hyphomycetes**

*Verticillium dahliae*, LC (Aube and Sackston  
1965)

**Chromista****Oomycota**

*Peronospora farinosa*, LC (Ginns 1986a)

***Amelanchier alnifolia* (Nutt.) Nutt.**

(=*Amelanchier florida*) - Saskatoon-berry

**Fungi****Ascomycotina**

*Apiosporina collinsii*, V (DAVFP)

*Calosphaeria pulchella*, LC (Shaw 1973)

*Cocomyces* sp., V (DAVFP)

*Cucurbitaria obducens*, V (DAVFP)

*Diplocarpon mespili*, LC (Jones 1957 as  
*Fabraea maculata*)

*Lophodermium foliicola*, V (DAVFP)

*Nectria cinnabarina*, LC (Shaw 1973)

## Plant hosts - A

- Phyllactinia guttata*, LC (Barr 1953 as *Phyllactinia corylea*)  
*Strickeria amelanchieris*, LC (Shaw 1973)  
*Valsa sordida*, LC (Spielman 1985)  
*Valsa* sp., V (DAVFP)
- Basidiomycotina**  
**Agaricales**  
*Stigmatotlemma poriaeforme*, V (DAVFP)
- Aphyllophorales**  
*Acanthophysium cerussatum*, V (DAVFP)  
*Fibricium rude*, V (DAVFP)  
*Hymenochaete tabacina*, V (DAVFP)  
*Merulioopsis corium*, V (DAVFP)  
*Peniophora cinerea*, UR  
*Polyporus badius*, UR
- Uredinales**  
*Gymnosporangium clavariiforme*, V (DAVFP)  
*Gymnosporangium clavipes*, V (DAVFP)  
*Gymnosporangium inconspicuum*, V (DAVFP)  
*Gymnosporangium nelsonii*, V (DAVFP)  
*Gymnosporangium nidus-avis*, V (DAVFP)
- Deuteromycotina**  
**Coelomycetes**  
*Cylindrosporium* sp., V (DAVFP)  
*Phyllosticta innumerabilis*, V (DAVFP)
- Hymomycetes**  
*Tubercularia vulgaris*, V (DAVFP)
- Protozoa**  
**Myxomycota**  
*Lamproderma carestiae*, V (DAVFP)
- Amelanchier florida** Lindl. see *Amelanchier alnifolia*
- Amelanchier** sp. - servis berry, Juneberry
- Fungi**  
**Ascomycotina**  
*Apiosporina collinsii*, V (DAVFP)  
*Calosphaeria pulchella*, LC (Barr 1953 as *Calosphaeria princeps*)  
*Strickeria amelanchieris*, LC (Barr 1953)
- Basidiomycotina**  
**Aphyllophorales**  
*Polyporus* sp., V (DAVFP)  
*Tomentella bryophila*, LC (Larsen 1974)  
*Tomentella* sp., V (DAVFP)
- Uredinales**  
*Gymnosporangium clavariiforme*, LC (Parmelee 1978a)
- Ammophila arenaria** (L.) Link - marram grass, European beachgrass
- Fungi**  
**Basidiomycotina**  
**Uredinales**  
*Puccinia coronata*, LC (Ginns 1986a)
- Amsinckia lycopsoides** Lehm.:Fisch. & Mey. - bugloss amsinckia
- Fungi**  
**Ascomycotina**  
*Erysiphe cichoracearum*, LC (Shaw 1973)
- Amsinckia menziesii** (Lehm.) Nels. & Macbr. - Menzies' fiddle-neck
- Fungi**  
**Ascomycotina**  
*Erysiphe cichoracearum*, V (DAVFP)
- Anaphalis margaritacea** (L.) Benth. & Hook. - pearly everlasting
- Fungi**  
**Ascomycotina**  
*Leptosphaeria conoidea*, LC (Shoemaker 1984a)  
*Leptosphaeria ogilviensis*, LC (Shoemaker 1984a)  
*Mycosphaerella tassiana*, LC (Barr 1953)  
*Ophiobolus mattheui*, LC (Ginns 1986a)  
*Phaeosphaeria sparsa*, LC (Shoemaker and Babcock 1989)  
*Pleospora helvetica*, LC (Barr 1953)
- Basidiomycotina**  
**Uredinales**  
*Uromyces amoenus*, V (DAVFP)
- Anaphalis margaritacea** (L.) Benth. & Hook. var. *subalpina* Gray - pearly everlasting
- Fungi**  
**Basidiomycotina**  
**Uredinales**  
*Uromyces amoenus*, LC (Connors 1967)
- Anchusa azurea** Mill. - anchusa, alkanet
- Fungi**  
**Ascomycotina**  
*Sclerotinia sclerotiorum*, LC (Ginns 1986a)
- Andromeda polifolia** L. - wild rosemary, moorwort
- Fungi**  
**Ascomycotina**  
*Rhytisma andromedae*, V (DAVFP)
- Basidiomycotina**  
**Others**  
*Exobasidium vaccinii* var. *vaccinii*, V (DAVFP)
- Andropogon scoparius** Michx. - prairie beardgrass, little bluestem
- Fungi**  
**Ascomycotina**  
*Clathrospora pentamera*, LC (Barr 1953)  
*Mycosphaerella tassiana*, LC (Barr 1953)
- Anemone baldensis** L. - anemone, windflower
- Fungi**  
**Ascomycotina**  
*Pleospora tragacanthae*, LC (Shaw 1958)

**Anemone coronaria** L. var. St. Brigid -  
poppy anemone, St. Brigid anemone, Caen  
anemone

Fungi

Basidiomycotina

Uredinales

*Tranzschelia discolor*, V (DAVFP)

**Anemone cylindrica** Gray - thimbleweed,  
long-headed anemone

Fungi

Basidiomycotina

Uredinales

*Puccinia gigantispora*, LC (Conners 1967)

*Puccinia recondita*, LC (Conners 1967)

**Anemone drummondii** Wats. -

Drummond's anemone

Fungi

Ascomycotina

*Pleospora tragacantheae*, LC (Barr 1953)

Basidiomycotina

Uredinales

*Puccinia pulsatillae*, LC (Parmelee and

Savile 1984a)

**Anemone globosa** Nutt. see *Anemone multifida*

**Anemone multifida** Poir. (=*Anemone globosa*) - windflower, globe anemone

Fungi

Ascomycotina

*Pleospora coloradensis*, LC (Barr 1953)

Basidiomycotina

Uredinales

*Puccinia gigantispora*, V (DAVFP)

*Puccinia pulsatillae*, LC (Parmelee and  
Savile 1984a)

*Puccinia recondita*, LC (Shaw 1973)

Deuteromycotina

Coelomycetes

*Rhabdospora campotospora*, LC (Shaw 1973)

*Septoria cylindrica*, LC (Shaw 1973)

*Septoria punicea*, V (DAVFP)

**Anemone parviflora** Michx. - northern  
anemone

Fungi

Basidiomycotina

Uredinales

*Puccinia gigantispora*, V (DAVFP)

*Puccinia pulsatillae*, V (DAVFP)

**Anemone patens** L. - pasque flower, wild  
crocus, lion's beard

Fungi

Basidiomycotina

Uredinales

*Puccinia pulsatillae*, LC (Parmelee and

Savile 1984a)

**Anemone sp.** - anemone, windflower

Fungi

Ascomycotina

*Mycosphaerella tassiana*, LC (Barr 1953)

*Pleospora comata*, LC (Barr 1953)

Chromista

Oomycota

*Plasmopara pygmaea*, LC (Shaw 1973)

**Angelica arguta** Nutt. - shining angelica

Fungi

Deuteromycotina

Hyphomycetes

*Pollaccia peucedani*, V (DAVFP)

*Ramularia archangelicae*, LC (Ginns 1986a)

**Angelica dawsonii** S. Wats. - mountain  
parsnip

Fungi

Deuteromycotina

Hyphomycetes

*Cercospora angelicae*, LC (Ginns 1986a)

**Angelica genuflexa** Nutt. - kneeling  
angelica

Fungi

Basidiomycotina

Uredinales

*Puccinia angelicae*, LC (Ginns 1986a)

Deuteromycotina

Hyphomycetes

*Cercosporidium depressum*, LC (Shaw

1973)

**Angelica lucida** L. (=*Coelopleurum*  
*gmelinii*) - sea-watch

Fungi

Basidiomycotina

Uredinales

*Puccinia coelopleuri*, LC (Ginns 1986a)

Deuteromycotina

Hyphomycetes

*Ramularia archangelicae*, LC (Ginns 1986a)

**Antennaria alpina** (L.) Gaertn. var. **media**  
(Greene) Jepson - everlasting

Fungi

Ascomycotina

*Pleospora rainierensis*, LC (Conners 1967)

**Antennaria nitida** Greene - everlasting,  
pussytoes

Fungi

Ascomycotina

*Pleospora tragacantheae*, LC (Barr 1953 on  
*Antennaria microphylla*)

**Antennaria rosea** Greene - rosy pussytoes

Fungi

Ascomycotina

*Pleospora tragacantheae*, LC (Shaw 1973)

*Plant hosts - A*

***Antennaria* sp.** - pussytoes, everlasting

Fungi

Ascomycotina

*Mycosphaerella tassiana*, LC (Barr 1953)  
*Pleospora herbarum* var. *occidentalis*, LC  
(Barr 1953)  
*Pleospora potentillae*, LC (Barr 1953 as  
*Pleospora oligasca*)

***Anthoxanthum odoratum*** L. - sweet vernalgrass

Fungi

Ascomycotina

*Phaeosphaeria fuckelii*, LC (Shoemaker and Babcock 1989)  
*Phaeosphaeria nigrans*, LC (Shoemaker and Babcock 1989)  
*Phaeosphaeria sparsa*, LC (Shoemaker and Babcock 1989)

***Anthyllis vulneraria*** L. - kidney vetch

Fungi

Ascomycotina

*Sclerotinia* sp., LC (Ginns 1986a)

***Antirrhinum* sp.**

Fungi

Deuteromycotina

Hyphomycetes

*Verticillium albo-atrum*, LC (Aube and Sackston 1965)

***Apargidium boreale*** (Bong.) T. & G. - apargidium

Fungi

Basidiomycotina

Uredinales

*Puccinia eriophori* var. *apargidii*, LC (Savile 1972)

***Apocynum androsaemifolium*** L. - spreading dogbane

Fungi

Ascomycotina

*Leptosphaeria doliolum*, LC (Shoemaker 1984a)  
*Ophiobolus mathieui*, LC (Ginns 1986a)

***Aquilegia flavescens*** S. Wats. - yellow columbine

Fungi

Basidiomycotina

Uredinales

*Puccinia recondita*, V (DAVFP)

***Aquilegia formosa*** Fisch. - Sitka columbine, western columbine

Fungi

Ascomycotina

*Erysiphe polygoni*, LC (Barr 1953)  
*Nodulosphaeria aucta*, LC (Ginns 1986a)  
*Pleospora armeriae*, LC (Barr 1953)  
*Pleospora scrophulariae* var. *compositarum*, LC (Barr 1953 as *Pleospora compositarum*)  
*Wettsteinina gigaspora*, LC (Barr 1972)

Basidiomycotina

Uredinales

*Puccinia recondita*, V (DAVFP)

***Aquilegia* sp.** - columbine

Fungi

Ascomycotina

*Mycosphaerella coerulea*, LC (Barr 1953)

*Mycosphaerella tassiana*, LC (Barr 1953)

Deuteromycotina

Coelomycetes

*Ascochyta aquilegiae*, LC (Ginns 1986a)

Hyphomycetes

*Haplobasidion thalictri*, LC (Ginns 1986a)

***Arabis albida*** Stev. - white rock cress

Chromista

Oomycota

*Albugo candida*, LC (Toms 1964)

*Peronospora parasitica*, LC (Toms 1964)

***Arabis alpina*** L. - rock cress, lady's cushion

Chromista

Oomycota

*Albugo candida*, LC (Conners 1967)

***Arabis canescens*** Nutt. - gray rock cress

Fungi

Ascomycotina

*Pleospora comata*, LC (Barr 1953)

***Arabis caucasica*** Willd. - rock cress

Chromista

Oomycota

*Albugo candida*, LC (Shaw 1973)

***Arabis divaricarpa*** Nels. - rock cress

Fungi

Basidiomycotina

Uredinales

*Puccinia thlaspeos*, LC (Savile 1974d)

***Arabis drummondii*** Gray - Drummond's rock cress

Fungi

Ascomycotina

*Heptameria tenera*, LC (Barr 1953 as *Leptosphaeria tenera*)

Basidiomycotina

Uredinales

*Puccinia thlaspeos*, LC (Savile 1974d)

***Arabis hirsuta*** (L.) Scop. - hairy rock cress

Fungi

Ascomycotina

*Mycosphaerella hermione*, LC (Barr 1953 as *Mycosphaerella punctiformis* var. *clematidis*)

Basidiomycotina

Uredinales

*Puccinia monoica*, V (DAVFP)

*Puccinia thlaspeos*, V (DAVFP)

***Arabis holboellii*** Hornem. - Holboell's rock cress

Fungi

Basidiomycotina

Uredinales

*Puccinia* sp., V (DAVFP)

***Arabis holboellii*** Hornem. var. ***retrofracta***  
(Grah.) Rydb. - Holboell's rock cress

Fungi

Basidiomycotina

Uredinales

*Puccinia monoica*, LC (Conners 1967)

*Puccinia thlaspeos*, LC (Conners 1967 as

*Puccinia holboellii*)

***Arabis lemmonii*** S. Wats. - Lemmon's rock cress

Fungi

Basidiomycotina

Uredinales

*Puccinia thlaspeos*, V (DAVFP)

***Arabis lyallii*** S. Wats. - Lyall's rock cress

Fungi

Basidiomycotina

Uredinales

*Puccinia thlaspeos*, LC (Savile 1974d)

***Arabis lyrata*** L. - lyre-shaped rock cress

Fungi

Basidiomycotina

Uredinales

*Puccinia thlaspeos*, LC (Savile 1974d)

***Arabis nuttallii*** Robinson - Nuttall's rock cress

Fungi

Basidiomycotina

Uredinales

*Puccinia monoica*, LC (Conners 1967)

*Puccinia thlaspeos*, LC (Savile 1974d)

***Arabis puberula*** Nutt. - hoary rock cress, blue mountain rock cress

Fungi

Ascomycotina

*Pleospora comata*, LC (Shaw 1973)

Basidiomycotina

Uredinales

*Puccinia monoica*, V (DAVFP)

***Arabis*** sp. - rock cress

Fungi

Ascomycotina

*Clathrospora planispora*, LC (Barr 1953)

*Mycosphaerella tassiana*, LC (Barr 1953)

Basidiomycotina

Uredinales

*Puccinia thlaspeos*, V (DAVFP)

***Aralia nudicaulis*** L. - wild sarsaparilla

Fungi

Basidiomycotina

Uredinales

*Nyssopsora clavellosa*, V (DAVFP)

***Aralia*** sp. - aralia

Fungi

Deuteromycotina

Hyphomycetes

*Verticillium albo-atrum*, LC (Toms 1964; Conners 1967)

***Arbutus menziesii*** Pursh - arbutus, madrone

Fungi

Ascomycotina

*Capnodium walteri*, V (DAVFP)

*Cilioplea amplispora*, LC (Barr 1992b)

*Coccomyces arbutifolius*, V (DAVFP)

*Coccomyces leptideus*, V (DAVFP)

*Corollospora maritima*, LC (Anastasiou and Churchland 1969)

*Hysterographium flexuosum*, V (DAVFP)

*Lulworthia medusa*, LC (Anastasiou and Churchland 1969)

*Massarina eccentrica*, LC (Barr 1992b)

*Mycosphaerella arbuticola*, LC (Barr 1953)

*Nemania serpens*, V (DAVFP)

*Rhytisma arbuti*, LC (Ginns 1986a)

*Stictis radiata*, V (DAVFP)

*Valsa* sp., V (DAVFP)

*Xylaria hypoxylon*, V (DAVFP)

Basidiomycotina

Agaricales

*Armillaria* sp., V (DAVFP)

*Cyphellopsis anomala*, V (DAOM)

*Panellus serotinus*, LC (DAOM) (Ginns 1986a)

*Pleurotus dryinus*, V (DAVFP)

*Pleurotus subareolatus*, V (DAVFP)

Aphyllophorales

*Acanthophysium macrocystidiatum*, V (DAVFP) (TYPE)

*Amylocorticum cebennense*, LC (Werresub 1976)

*Antrodia malicola*, V (DAVFP)

*Athelia scutellaris*, V (DAVFP)

*Corticium deflectens*, V (DAVFP)

*Dendrothele incrustans*, LC (Ginns 1986a)

*Dichomitus squalens*, V (DAVFP)

*Grandinia breviseta*, V (DAOM 138949)

*Grandinia crustosa*, V (DAVFP)

*Hymenochaete spreta*, V (DAVFP)

*Hymenochaete tabacina*, V (DAVFP)

*Hyphoderma amoenum*, V (DAVFP)

*Hyphoderma puberum*, V (DAVFP)

*Mycoacia uda*, V (DAVFP)

*Peniophora aurantiaca*, LC (Conners 1967)

*Peniophora cinerea*, V (DAVFP)

*Peniophora incarnata*, V (DAVFP)

*Perenniporia subacida*, LC (Conners 1967 as *Poria subacida*)

*Phellinus ferreus*, V (DAVFP)

*Phellinus ferruginosus*, LC (Conners 1967 as *Poria ferruginosa*)

*Phellinus igniarius*, V (DAVFP)

## Plant hosts - A

- Phlebia albida*, V (DAVFP)  
*Phlebiella vaga*, V (DAVFP)  
*Poria cinerascens*, V (DAVFP)  
*Skeletocutis nivea*, V (DAVFP)  
*Stereum hirsutum*, V (DAVFP)  
*Stereum ostrea*, V (DAVFP)  
*Trametes trogii*, V (DAVFP)  
*Trametes versicolor*, V (DAVFP)  
*Trichaptum abietinum*, V (DAVFP)
- Uredinales**  
*Pucciniastrum sparsum*, V (DAVFP)
- Others**  
*Basidiodendron caesiocinereum*, V (DAVFP)  
*Basidiodendron eyrei*, LC (Shaw 1973)  
*Dacrymyces deliquescens* var. *ellisi*, V (DAVFP)  
*Exobasidium* sp., V (DAVFP)  
*Exobasidium vaccinii*, V (DAVFP)
- Chytridiomycota**  
*Nowakowskella elegans*, LC (Anastasiou and Churchland 1969)
- Deuteromycotina**  
**Coelomycetes**  
*Ascochyta hansenii*, LC (Ginns 1986a)  
*Cytospora* sp., V (DAVFP)  
*Didymosporium arbuticola*, V (DAVFP)  
*Diplodia maculata*, V (DAVFP)  
*Gloeosporium* sp., V (DAVFP)  
*Harknessia arctostaphyli*, V (DAVFP)  
*Hendersonula toruloidea*, V (DAVFP)  
*Marssonina* sp., V (DAVFP)  
*Monochaetia monochaeta*, V (DAVFP)  
*Phoma* sp., V (DAVFP)  
*Seimatosporium arbuti*, V (DAVFP)
- Hyphomycetes**  
*Alternaria alternata*, LC (Anastasiou and Churchland 1969)  
*Cylindrocarpon* sp., LC (Anastasiou and Churchland 1969)  
*Dictyosporium pelagicum*, LC (Anastasiou and Churchland 1969)  
*Humicola alopallonella*, LC (Anastasiou and Churchland 1969)  
*Monodictys pelagica*, LC (Anastasiou and Churchland 1969)  
*Papulaspora halima*, LC (Anastasiou and Churchland 1969)  
*Sporotrichum maritimum*, LC (Anastasiou and Churchland 1969)  
*Stachybotrys chartarum*, LC (Anastasiou and Churchland 1969)  
*Zalerion maritimum*, LC (Anastasiou and Churchland 1969)
- Chromista**  
**Labyrinthulomycota**  
*Labyrinthula* sp., LC (Anastasiou and Churchland 1969)
- Oomycota**  
*Phytophthora cactorum*, V (DAVFP)
- Arbutus** sp. - arbutus  
**Fungi**  
**Basidiomycotina**  
**Aphyllophorales**  
*Antrodia serialis*, LC (Ginns 1986a)
- Arceuthobium americanum** Nutt.:Engelm. on *Pinus contorta* Dougl. - American leafless mistletoe on lodgepole pine  
**Fungi**  
**Ascomycotina**  
*Caliciopsis arceuthobii*, V (DAVFP)  
*Glomerella cingulata*, V (DAVFP)
- Deuteromycotina**  
**Coelomycetes**  
*Colletotrichum* sp., V (DAVFP 18861) - Whole collection at IMI (Kew).  
*Sphaeropsis sapinea*, V (DAVFP)
- Hyphomycetes**  
*Cladosporium* sp., V (DAVFP)  
*Cylindrocarpon gillii*, V (DAVFP)
- Arceuthobium campylopodium** Engelm. on *Larix occidentalis* Nutt. - yellow leafless mistletoe on western larch  
**Fungi**  
**Deuteromycotina**  
**Hyphomycetes**  
*Cylindrocarpon gillii*, LC (Shaw 1973 as *Septogloea gillii*)
- Arceuthobium douglasii** Engelm. on *Pseudotsuga menziesii* (Mirb.) Franco - Douglas-fir mistletoe on Douglas-fir  
**Fungi**  
**Ascomycotina**  
*Caliciopsis arceuthobii*, V (DAVFP)  
*Glomerella cingulata*, V (DAVFP)
- Deuteromycotina**  
**Hyphomycetes**  
*Cylindrocarpon gillii*, V (DAVFP)
- Arceuthobium laricis** (Piper) St. John on *Larix occidentalis* Nutt. - larch dwarf mistletoe on western larch  
**Fungi**  
**Ascomycotina**  
*Glomerella cingulata*, V (DAVFP)
- Arceuthobium tsugense** (Rosendahl) G.N. Jones on *Pinus contorta* Dougl. - yellow leafless mistletoe on lodgepole pine  
**Fungi**  
**Deuteromycotina**  
**Hyphomycetes**  
*Cylindrocarpon gillii*, V (DAVFP)

***Arceuthobium tsugense*** (Rosendahl) G.N. Jones on *Tsuga heterophylla* (Raf.) Sarg. – yellow leafless mistletoe on western hemlock

Fungi

Ascomycotina

- Coleroa sp., V (DAVFP)
- Glomerella cingulata, V (DAVFP)
- Phacidium coniferarum, V (DAVFP)

Deuteromycotina

Coelomycetes

- Pestalotia sp., V (DAVFP)

Hymenomycetes

- Cylindrocarpon gillii, V (DAVFP)

***Arctagrostis latifolia*** (R. Br.) Griseb. - polar grass

Fungi

Ascomycotina

- Mycosphaerella tassiana, LC (Barr 1953)
- Pyrenophora schroeteri, LC (Barr 1953 as Clathrospora macrospora)

***Arctium minus*** (Hill) Bernh. - common burdock

Fungi

Basidiomycotina

Uredinales

- Puccinia calcitrappae var. bardanae, LC (Ginns 1986a as Puccinia bardanae)

***Arctostaphylos alpina*** (L.) Spreng. subsp. *rubra* (Rehd. & Wils.) Hult. see *Arctostaphylos rubra*

***Arctostaphylos columbiana*** Piper - Columbia manzanita

Fungi

Ascomycotina

- Botryosphaeria vaccinii, LC (Barr 1953 as Guignardia vaccinii)

Basidiomycotina

Others

- Ditiola radicata, V (UBC F4974, F4982)
- Exobasidium vaccinii var. arctostaphyli, V (DAVFP)

Deuteromycotina

Coelomycetes

- Monochaetia phyllostictae, V (DAVFP)

***Arctostaphylos rubra*** (Rehd. & Wils.) Fern. (=*Arctostaphylos alpina* subsp. *rubra*) – alpine bearberry

Fungi

Basidiomycotina

Uredinales

- Pucciniastrum sparsum, V (DAVFP)

***Arctostaphylos uva-ursi*** (L.) Spreng. - bearberry, kinnikinnick

Fungi

Basidiomycotina

Uredinales

- Chrysomyxa arctostaphyli, V (DAVFP)

Others

- Exobasidium vaccinii var. arctostaphyli, V (DAVFP)
- Exobasidium vaccinii var. vaccinii, V (DAVFP)

***Arenaria capillaris*** Poir. - hair-leaved sandwort

Fungi

Ascomycotina

- Mycosphaerella hermione, LC (Barr 1953 as Mycosphaerella punctiformis var. clematidis)

***Arenaria capillaris*** Poir. subsp. *americana* Maguire - hair-leaved sandwort

Fungi

Basidiomycotina

Uredinales

- Puccinia arenariae, LC (Savile 1976a)

***Arenaria formosa*** Fisch. - mountain sandwort

Fungi

Ascomycotina

- Mycosphaerella tassiana, LC (Shaw 1973)
- Pleospora helvetica, LC (Shaw 1973)

***Arenaria lateriflora*** L. - grove sandwort

Fungi

Basidiomycotina

Others

- Ustilago violacea var. stellariae, LC (Savile 1953 as Ustilago violacea inter var. stellariae and var. violacea)

***Arenaria obtusiloba*** (Rydb.) Fern. - alpine sandwort

Fungi

Ascomycotina

- Mycosphaerella dolichospora, LC (Barr 1953)

- Pleospora ambigua var. crandallii, LC (Barr 1953)

***Arenaria rubella*** (Wahlenb.) J.E. Smith - reddish sandwort

Fungi

Ascomycotina

- Mycosphaerella tassiana, LC (Shaw 1973)
- Pleospora comata, LC (Shaw 1973)

***Arenaria* sp.** - sandwort

Fungi

Ascomycotina

- Pleospora tragacanthae, LC (Barr 1953)

*Plant hosts - A*

***Armeria maritima* (Mill.) Willd.** - thrift

Fungi

Ascomycotina

*Pleospora herbarum*, LC (Barr 1953)

Basidiomycotina

Uredinales

*Uromyces armeriae* subsp. *pacificus*, V (DAVFP)

***Arnica amplexicaulis* Nutt.** - clasping arnica

Fungi

Basidiomycotina

Others

*Entyloma arnicale*, LC (Savile 1978a)

***Arnica chamissonis* Less.** - arnica

Fungi

Basidiomycotina

Others

*Entyloma arnicale*, LC (Savile 1978a)

***Arnica cordifolia* Hook.** - heart-leaf arnica

Fungi

Ascomycotina

*Wettsteinina gigaspora*, LC (Shoemaker and Babcock 1987)

Basidiomycotina

Uredinales

*Puccinia arnicalis*, LC (Savile 1978b)

Others

*Entyloma arnicale*, LC (Savile 1978a)

***Arnica latifolia* Bong.** - broadleaf arnica

Fungi

Ascomycotina

*Diaporthe arctii*, LC (Barr 1953)

*Didymella delphinii*, LC (Barr 1953)

*Hyponectria sceptri*, LC (Conners 1967)

*Mycosphaerella tassiana*, LC (Barr 1953)

Basidiomycotina

Others

*Entyloma arnicale*, LC (Savile 1978a)

***Arnica mollis* Hook.** - soft-leaved arnica

Fungi

Basidiomycotina

Uredinales

*Puccinia arnicalis*, LC (Savile 1978b)

Others

*Entyloma arnicale*, LC (Savile 1978a)

***Arnica rydbergii* Greene** - Rydberg's arnica

Fungi

Basidiomycotina

Others

*Entyloma arnicale*, LC (Savile 1978a)

***Arrhenatherum elatius* (L.) Beauv.** - tall oat grass

Fungi

Ascomycotina

*Claviceps purpurea*, LC (Conners 1967)

*Myriosclerotinia borealis*, LC (Toms 1964)

Basidiomycotina

Uredinales

*Puccinia graminis*, LC (Jones 1957)

Others

*Ustilago avenae*, LC (Toms 1964)

Deuteromycotina

Hypomycetes

*Cercosporidium graminis*, LC (Jones 1957;

Conners 1967 as *Passalora graminis*)

***Artemisia borealis* Pall.** - wormwood

Fungi

Ascomycotina

*Pleospora comata*, LC (Barr 1953)

***Artemisia dracunculus* L.** - sagebrush, dragon sagewort

Fungi

Basidiomycotina

Uredinales

*Puccinia tanaceti*, V (DAVFP)

***Artemisia frigida* Willd.** - prairie sagewort

Fungi

Basidiomycotina

Uredinales

*Puccinia cnici-oleracei*, LC (Conners 1967)

*Puccinia tanaceti*, V (DAVFP)

***Artemisia ludoviciana* Nutt.** - western mugwort, white sage

Fungi

Basidiomycotina

Uredinales

*Puccinia tanaceti*, LC (Conners 1967)

***Artemisia norvegica* Fr.** - mountain sagewort

Fungi

Ascomycotina

*Mycosphaerella eriophila*, LC (Barr 1953 on

*Artemisia longepedunculata*)

*Pleospora rainierensis*, LC (Barr 1953 as

*Pleospora asymmetrica* on *Artemisia longepedunculata*)

***Artemisia tridentata* Nutt.** - sagebrush

Fungi

Ascomycotina

*Cucurbitaria obducens*, LC (Barr 1953 as

*Strickeria obducens*)

*Lophiostoma caulinum*, LC (Barr 1953)

*Rosellinia ovalis*, LC (Barr 1953)

Basidiomycotina

Uredinales

*Puccinia tanaceti*, V (DAVFP)

***Artemisia vulgaris*** L. - common mugwort

Fungi

Ascomycotina

*Mycosphaerella tassiana*, LC (Barr 1953)  
*Pleospora angustata*, LC (Barr 1953)

***Artemisia*** sp. - wormwood, mugwort

Fungi

Ascomycotina

*Erysiphe cichoracearum*, LC (Shaw 1973)  
*Strickeria incisa*, LC (Barr 1990a)

Basidiomycotina

Uredinales

*Puccinia atrofusca*, LC (Parmelee and Ginns 1986)

***Aruncus sylvester*** Kostel. - goat's beard

Fungi

Deuteromycotina

Hyphomycetes

*Cristulariella depraedans*, LC (Redhead 1975)

***Asarum caudatum*** Lindl. - western wild ginger

Fungi

Basidiomycotina

Uredinales

*Puccinia asarina*, V (DAVFP)

***Aspidium spinulosum*** Sw. see *Dryopteris austriaca*

***Asplenium cycloporum*** Rupr. see *Athyrium filix-femina*

***Aster ciliolatus*** Lindl. - aster

Fungi

Basidiomycotina

Uredinales

*Coleosporium asterum*, V (DAVFP)

*Puccinia cnici-oleracei*, V (DAVFP)

*Puccinia dioicae*, V (DAVFP)

Chromista

Oomycota

*Basidiophora entospora*, LC (Connors 1967)

***Aster conspicuus*** Lindl. - showy aster

Fungi

Ascomycotina

*Mycosphaerella tassiana*, LC (Barr 1953)

Basidiomycotina

Uredinales

*Coleosporium asterum*, V (DAVFP)

*Puccinia cnici-oleracei*, V (DAVFP)

***Aster douglasii*** Lindl. see *Aster subspicatus*

***Aster eatonii*** (Gray) Howell - Eaton's aster

Fungi

Basidiomycotina

Uredinales

*Coleosporium asterum*, LC (Shaw 1973)

***Aster engelmannii*** (Eat.) Gray - aster

Fungi

Basidiomycotina

Uredinales

*Coleosporium asterum*, V (DAVFP)

*Puccinia cnici-oleracei*, LC (Savile 1976a)

***Aster foliaceus*** Lindl. - leafy aster  
leafy aster

Fungi

Basidiomycotina

Uredinales

*Coleosporium asterum*, LC (Jones 1957)

***Aster modestus*** Lindl. - great northern aster

Fungi

Basidiomycotina

Uredinales

*Coleosporium asterum*, LC (Shaw 1973)

***Aster novae-angliae*** L. - New England aster

Fungi

Ascomycotina

*Erysiphe cichoracearum*, LC (Ginns 1986a)

***Aster occidentalis*** Nutt. - western aster

Fungi

Basidiomycotina

Uredinales

*Coleosporium asterum*, LC (Arthur 1907 as

*Coleosporium solidaginis*; Toms 1964)

*Puccinia dioicae*, V (DAVFP)

***Aster subspicatus*** Nees (=*Aster douglasii*)  
- Douglas' aster

Fungi

Basidiomycotina

Uredinales

*Coleosporium asterum*, V (DAVFP)

*Puccinia cnici-oleracei*, V (DAVFP)

Chromista

Oomycota

*Basidiophora entospora*, LC (Ginns 1986a)

***Aster*** sp. - aster

Fungi

Ascomycotina

*Erysiphe cichoracearum*, LC (Barr 1953)

*Pleospora herbarum* var. *occidentalis*, LC

(Barr 1953)

*Plant hosts - A*

**Basidiomycotina**  
**Uredinales**  
*Coleosporium asterum*, V (DAVFP)

**Astragalus aboriginum** Richards. -  
aboriginal milk vetch

**Fungi**  
**Basidiomycotina**  
**Uredinales**  
*Uromyces lapponicus*, V (DAVFP)

**Astragalus agrestis** Dougl.:G. Don -  
meadow milk vetch

**Fungi**  
**Ascomycotina**  
*Polystigma astragali*, LC (Ginns 1986a)

**Astragalus alpinus** L. - alpine milk vetch

**Fungi**  
**Deuteromycotina**  
**Coelomycetes**  
*Cylindrosporium* sp., LC (Shaw 1973)

**Astragalus convallarius** Greene - milk  
vetch

**Fungi**  
**Ascomycotina**  
*Graphillum permundum*, LC (Shaw 1973 as  
*Platyspora permunda*)  
*Pleospora coloradensis*, LC (Shaw 1973)

**Astragalus lentiginosus** Dougl.:Hook. -  
mottled milk vetch

**Fungi**  
**Basidiomycotina**  
**Uredinales**  
*Uromyces punctatus*, LC (Savile and  
Parmelee 1974)

**Astragalus lotiflorus** Hook. - low milk vetch

**Fungi**  
**Basidiomycotina**  
**Uredinales**  
*Uromyces punctatus*, LC (Savile and  
Parmelee 1974)

**Astragalus macounii** Rydb.

**Fungi**  
**Ascomycotina**  
*Asterella hellebori*, LC (Barr 1953)

**Astragalus miser** Dougl.:Hook. - starved  
milk vetch

**Fungi**  
**Ascomycotina**  
*Mycosphaerella tassiana*, LC (Shaw 1973)  
*Pleospora penicilllus*, LC (Shaw 1973)

**Astragalus purshii** Dougl.:Hook. var.  
**glareosus** (Dougl.) Barneby - woolly milk  
vetch

**Fungi**  
**Ascomycotina**  
*Pleospora rainierensis*, LC (Barr 1953 on  
*Astragalus glareosus*)

**Astragalus purshii** Dougl.:Hook. var.

**purshii** - Pursh's milk vetch

**Fungi**  
**Basidiomycotina**  
**Uredinales**  
*Uromyces punctatus*, LC (Savile and  
Parmelee 1974)

**Astragalus robbinsii** (Oakes) Gray var.  
**occidentalis** Wats. - milk vetch

**Fungi**  
**Ascomycotina**  
*Asterella hellebori*, LC (Connors 1967)

**Astragalus sp.**

**Fungi**  
**Basidiomycotina**  
**Uredinales**  
*Uromyces punctatus*, LC (Parmelee 1984)

**Athyrium filix-femina** (L.) Roth  
(=*Asplenium cyclosorum*) - lady-fern

**Fungi**  
**Basidiomycotina**  
**Agaricales**  
*Mycena lohwagii*, LC (Redhead 1984e)  
*Mycena pterigena*, LC (Redhead 1984e)

**Uredinales**  
*Uredinopsis longimucronata*, V (DAVFP)

**Atrichum selwynii** Aust. - moss

**Fungi**  
**Basidiomycotina**  
**Aphyllophorales**  
*Cyphellostereum laeve*, LC (Redhead 1973)

**Aucuba japonica** Thunb. - Japanese  
aucuba

**Fungi**  
**Deuteromycotina**  
**Hyphomycetes**  
*Botrytis cinerea*, LC (Toms 1964)

**Avena fatua** L. - wild oats

**Fungi**  
**Basidiomycotina**  
**Uredinales**  
*Puccinia graminis*, LC (Harder 1989 as  
*Puccinia graminis f. sp. avenae*)

**Others**  
*Ustilago avenae*, V (DAVFP)

**Avena sp.** - oat

**Fungi**  
**Deuteromycotina**  
**Coelomycetes**  
*Septoria avenae f. sp. avenae*, LC (Connors  
1967 as *Leptosphaeria avenaria f. sp.*  
*avenaria*)

**Balsamorhiza sagittata** (Pursh) Nutt. - balsam-root

Fungi

Basidiomycotina

Uredinales

*Puccinia balsamorhizae*, V (DAVFP)

**Balsamorhiza sp.** - balsam-root

Fungi

Ascomycotina

*Mycosphaerella tassiana*, LC (Barr 1953)

*Pleospora vulgaris* var. *vulgaris*, LC (Barr 1953)

Deuteromycotina

Hypomycetes

*Oidium* sp., V (DAVFP)

**Beckmannia syzigachne** (Steud.) Fern. - American sloughgrass

Fungi

Chytridiomycota

*Physoderma beckmanniae*, LC (Ginns 1986a)

Deuteromycotina

Hypomycetes

*Helminthosporium* sp., LC (Ginns 1986a)

**Berberis aquifolium** Pursh (=*Mahonia aquifolium*) - tall Oregon grape

Fungi

Ascomycotina

*Coccomyces dentatus*, V (DAVFP)

Basidiomycotina

Uredinales

*Cumminsia mirabilissima*, V (DAVFP)

*Puccinia brachypodii* var. *arrhenatheri*, V (DAVFP)

*Puccinia montanensis*, LC (Parmelee 1984)

**Berberis nervosa** Pursh (=*Mahonia nervosa*) - Oregon grape

Fungi

Ascomycotina

*Chaetothyrium babingtonii*, V (DAVFP)

*Coccomyces dentatus*, V (DAVFP)

*Hypoderma gaultheriae*, V (DAVFP)

*Mycosphaerella berberidis*, LC (Shaw 1973)

*Mycosphaerella* sp., V (DAVFP)

Basidiomycotina

Uredinales

*Puccinia brachypodii* var. *arrhenatheri*, LC (Conners 1967 as *Puccinia koeleriae*)

**Berberis repens** Lindl. (=*Mahonia repens*) - creeping mahonia

Fungi

Basidiomycotina

Uredinales

*Puccinia brachypodii* var. *arrhenatheri*, LC (Conners 1967 as *Puccinia koeleriae*)

**Berberis vulgaris** L. - common barberry

Fungi

Basidiomycotina

Uredinales

*Puccinia graminis*, LC (Connors 1967)

**Berberis wilsonae** Hemsl. & Wils. - Wilson's barberry

Fungi

Ascomycotina

*Dothidea berberidis*, LC (Ginns 1986a)

**Betula alba** L. - European white birch

Fungi

Basidiomycotina

Uredinales

*Melampsoridium betulinum*, V (DAVFP)

**Betula glandulosa** Michx. - glandular birch, scrub birch

Fungi

Ascomycotina

*Plagiostoma campylostylum*, V (DAVFP)

*Pleospora* sp., V (DAVFP)

*Taphrina bacteriosperma*, V (DAVFP)

*Taphrina carneae*, LC (Ginns 1986a)

*Taphrina nana*, V (DAVFP)

Basidiomycotina

Aphyllophorales

*Fomes fomentarius*, LC (Shaw 1973)

Uredinales

*Melampsoridium betulinum*, V (DAVFP)

Others

*Exidia candida*, V (DAVFP)

*Exidia repanda*, LC (Shaw 1973)

**Betula occidentalis** Hook. - water birch

Fungi

Ascomycotina

*Daldinia concentrica*, LC (Barr 1953 on *Betula fontinalis*)

*Daldinia occidentalis*, LC (Connors 1967)

*Diatrype stigma*, LC (Barr 1953 on *Betula fontinalis*)

*Diatrypella favacea*, UR

*Eutypella stellulata*, LC (Barr 1953)

*Melanconis alni*, UR

*Phylactinia guttata*, UR

*Taphrina boycei*, LC (Connors 1967)

*Valsa sordida*, LC (Spielman 1985 on *Betula fontinalis*)

Basidiomycotina

Aphyllophorales

*Daedaleopsis confragosa*, LC (Shaw 1958)

*Fomes fomentarius*, LC (Ginns 1986a)

*Ganoderma applanatum*, LC (Shaw 1958 as *Fomes applanatus*)

*Lenzites betulina*, LC (Ginns 1986a)

*Osteina obducta*, LC (Connors 1967)

*Phellinus igniarius*, LC (Connors 1967 as *Fomes igniarius*)

*Phellinus laevigatus*, LC (Ginns 1986a)

*Piptoporus betulinus*, LC (Connors 1967)

*Plicaturopsis crista*, UR

## Plant hosts - B

*Pycnoporus cinnabarinus*, V (DAVFP)  
*Radulum* sp., UR  
*Trametes hirsuta*, LC (Shaw 1958 as  
    *Polyporus hirsutus*)  
*Trametes pubescens*, LC (Conners 1967)  
*Tyromyces chioneus*, LC (Conners 1967)

### ***Betula papyrifera* Marsh. vars. - white birch**

#### Fungi

##### **Ascomycotina**

*Atopospora betulina*, V (DAVFP)  
*Calosphaeria pulchella*, V (DAVFP)  
*Daldinia concentrica*, V (DAVFP)  
*Daldinia occidentalis*, LC (Shaw 1973)  
*Diatrype stigma*, LC (Shaw 1973)  
*Diatrypella betulina*, V (DAVFP)  
*Eutypella angulosa*, V (DAVFP)  
*Eutypella stellulata*, LC (Conners 1967)  
*Godronia multispora*, V (DAVFP)  
*Hymenoscyphus* sp., V (DAVFP)  
*Hypoxyylon multifforme*, UR  
*Hypoxyylon* sp., V (DAVFP)  
*Taphrina americana*, V (DAVFP)  
*Taphrina boycei*, LC (Conners 1967)  
*Taphrina flava*, V (DAVFP)  
*Taphrina nana*, V (DAVFP)  
*Taphrina* sp., UR - Specimen discarded  
*Trichosphaeria breviseta*, LC (Conners  
    1967)  
*Valsa sordida*, LC (Shaw 1973)  
*Valsella* sp., V (DAVFP)

##### **Basidiomycotina**

###### **Agaricales**

*Armillaria* sp., V (DAVFP)  
*Flammula* sp., V (DAVFP)  
*Gymnopilus spectabilis*, UR  
*Hypholoma fasciculare*, V (DAVFP)  
*Leccinum aurantiacum*, V (DAVFP)  
*Lentinus strigosus*, V (DAVFP)  
*Naematoloma dispersum*, V (DAVFP)  
*Panellus patellaris*, V (DAVFP)  
*Panellus serotinus*, V (DAVFP)  
*Panellus stipticus*, V (DAVFP)  
*Pholiota adiposa*, UR  
*Pholiota squarrrosoides*, V (DAVFP)  
*Pholiota subsquarrosa*, V (DAVFP)  
*Pholiota* sp., V (DAVFP)  
*Phyllotopsis nidulans*, V (DAVFP)  
*Pleurotus ostreatus*, LC (Shaw 1973)  
*Pluteus atricapillus*, V (DAVFP)  
*Suillus lakei*, V (DAVFP)

###### **Aphyllophorales**

*Bjerkandera adusta*, V (DAVFP)  
*Bjerkandera fumosa*, V (DAVFP)  
*Botryobasidium vagum*, LC (Shaw 1973 as  
    *Pellicularia vaga*)  
*Ceriporiopsis pannocincta*, V (DAVFP)  
*Cerrena unicolor*, V (DAVFP)  
*Chondrostereum purpureum*, V (DAVFP)  
*Daedaleopsis confragosa*, V (DAVFP)  
*Datronia mollis*, V (DAVFP)  
*Fomes fomentarius*, V (DAVFP)  
*Fomitopsis pinicola*, V (DAVFP)  
*Galziria incrustans*, V (DAVFP)  
*Ganoderma applanatum*, V (DAVFP)  
*Gloeophyllum sepiarium*, V (DAVFP)  
*Gloeoporos dichrous*, V (DAVFP)  
*Grandinia spathulata*, V (DAVFP)

*Hericium coralloides*, LC (Conners 1967 on

*Betula subcordata*)

*Hypoderma setigerum*, V (DAVFP)

*Inonotus cuticularis*, UR

*Inonotus glomeratus*, UR

*Inonotus obliquus*, V (DAVFP)

*Intextomyces contiguus*, V (DAVFP)

*Irpea lacteus*, V (DAVFP)

*Laxitextum bicolor*, V (DAVFP)

*Lenzites betulina*, V (DAVFP)

*Osteina obducta*, LC (Shaw 1973)

*Perenniporia subacida*, LC (Conners 1967  
    as *Poria subacida*)

*Phellinus ferruginosus*, V (DAVFP)

*Phellinus igniarius*, V (DAVFP)

*Phellinus laevigatus*, V (DAVFP)

*Phellinus robustus*, LC (Conners 1967)

*Phlebia concentrica*, LC (Shaw 1973)

*Phlebia merismoides*, V (DAVFP)

*Phlebia tremelloides*, V (DAVFP)

*Piptoporus betulinus*, V (DAVFP)

*Plicaturopsis crispa*, V (DAVFP)

*Polyporus badius*, LC (Conners 1967 as  
    *Polyporus picipes*)

*Postia tephroleuca*, V (DAVFP)

*Pycnoporus cinnabarinus*, V (DAVFP)

*Schizophyllum commune*, V (DAVFP)

*Skeletocutis alutacea*, V (DAVFP)

*Steccherinum ochraceum*, V (DAVFP)

*Stereum hirsutum*, V (DAVFP)

*Stereum ostrea*, V (DAVFP)

*Tomentella ochracea*, UR

*Tomentella* sp., V (DAVFP)

*Trametes hirsuta*, V (DAVFP)

*Trametes ochracea*, V (DAVFP)

*Trametes pubescens*, V (DAVFP)

*Trametes versicolor*, V (DAVFP)

*Trichaptum biforme*, V (DAVFP)

*Tyromyces chioneus*, V (DAVFP)

##### **Uredinales**

*Melampsoridium betulinum*, V (DAVFP)

##### **Others**

*Exidia candida*, LC (Shaw 1973)

*Exidia* sp., V (DAVFP)

*Lycoperdon pyriforme*, V (DAVFP)

##### **Deuteromycotina**

###### **Coelomycetes**

*Cryptosporium* sp., V (DAVFP)

*Cylindrosporium betulae*, LC (Conners 1967)

*Gloeosporium* sp., V (DAVFP)

*Melanconium* sp., V (DAVFP)

*Septoria betulina*, V (DAVFP)

*Septoria* sp., V (DAVFP)

*Sirococcus* sp., LC (Hopkins and Funk 1986)

##### **Hyphomycetes**

*Epicoccum* sp., V (DAVFP)

*Tubercularia vulgaris*, UR

##### **Protozoa**

###### **Myxomycota**

*Lamproderma carestiae*, V (DAVFP)

*Stemonitis axifera*, V (DAVFP)

**Betula pendula** Roth - European birch

Fungi

Ascomycotina

*Taphrina* sp., LC (Shaw 1973)

Deuteromycotina

Hymomycetes

*Fusicladium betulae*, LC (Connors 1967)

**Betula pendula** Roth var. *gracilis* Rehd. - European birch

Fungi

Basidiomycotina

Uredinales

*Melampsoridium betulinum*, V (DAVFP)

**Betula** sp. - birch

Fungi

Ascomycotina

*Diaporthe* sp., V (DAVFP)

*Encoelia furfuracea*, V (DAVFP)

*Hypoxyton fuscum*, LC (Barr 1953)

*Hypoxyton multiforme*, V (DAVFP)

*Nectria sanguinea*, LC (Connors 1967)

*Plagiostoma campylostylum*, LC (Monod 1983 as *Gnomonia betulina*)

*Taphrina* sp., V (DAVFP)

*Valsa ceratosperma*, LC (Barr 1953 as *Valsa ceratophora*)

*Valsa* sp., V (DAVFP)

Basidiomycotina

Agaricales

*Armillaria* sp., UR

*Galerina venenata*, V (DAVFP)

*Lentinellus vulpinus*, V (DAVFP)

*Panellus serotinus*, V (DAVFP)

Aphylophorales

*Asterodon ferruginosum*, V (DAVFP)

*Chondrostereum purpureum*, V (DAVFP)

*Fomes fomentarius*, V (DAVFP)

*Hericium coralloides*, V (DAVFP)

*Hymenochaete tabacina*, V (DAVFP)

*Inonotus obliquus*, V (DAVFP)

*Laxitextum bicolor*, V (DAVFP)

*Perenniporia subacida*, V (DAVFP)

*Phellinus igniarius*, V (DAVFP)

*Polyporus arcularius*, LC (Connors 1967)

*Trichaptum subchartaceum*, V (DAVFP)

*Tyromyces chioneus*, V (DAVFP)

Others

*Dacrymyces deliquescent* var. *minor*, V (UBC F4880)

*Dacrymyces palmatus*, LC (Shaw 1973)

*Helicogloea lagerheimii*, V (DAVFP; UBC)

Deuteromycotina

Coelomycetes

*Cytospora* sp., V (DAVFP)

*Phyllosticta* sp., V (DAVFP)

Protozoa

Myxomycota

*Stemonitis herbarica*, V (DAVFP)

**Bidens cernua** L. - Devil's pitchfork, bur marigold

Fungi

Ascomycotina

*Sphaerotheca fuliginea*, LC (Barr 1953 as

*Sphaerotheca humuli* var. *fuliginea*)

*Sphaerotheca macularis*, LC (Ginns. 1986a)

Basidiomycotina

Others

*Entyloma compositarum*, LC (Ginns 1986a)

**Botrychium multifidum** (Gmel.) Rupr. var. *intermedium* (D.C. Eaton) Farwell - leathery grape fern

Fungi

Ascomycotina

*Mycosphaerella botrychii*, LC (Connors 1967)

**Brassica campestris** L. - field mustard, rape

Protozoa

Plasmodiophoromycota

*Plasmodiophora brassicae*, LC (Shaw 1973)

**Brassica** sp. - mustard, turnip, cabbage, cauliflower

Fungi

Ascomycotina

*Mycosphaerella tassiana*, LC (Barr 1953)

*Pleospora armeriae*, LC (Barr 1953)

Bacteria

*Streptomyces scabies*, LC (Connors 1967)

**Bromus carinatus** Hook. & Arn. - California brome

Fungi

Basidiomycotina

Uredinales

*Puccinia recondita*, LC (Ginns 1986a)

*Puccinia striiformis*, LC (Ginns 1986a)

Deuteromycotina

Hymomycetes

*Cercosporidium graminis*, LC (Connors 1967)

*Ramularia pusilla*, LC (Sprague 1960a)

**Bromus ciliatus** L. - fringed brome

Fungi

Ascomycotina

*Claviceps purpurea*, LC (Connors 1967)

Basidiomycotina

Uredinales

*Puccinia striiformis*, LC (Connors 1967)

**Bromus erectus** Huds. - erect brome

Fungi

Ascomycotina

*Myriosclerotinia borealis*, LC (Ginns 1986a)

*Plant hosts - B*

***Bromus glabratus*** Spenner - brome-grass

Fungi

Basidiomycotina

Others

*Ustilago bullata*, LC (Savile 1957 on *Bromus tectorum* var. *glabratus*)

***Bromus inermis*** Leyss. - smooth brome, Hungarian brome

Fungi

Ascomycotina

*Claviceps purpurea*, LC (Barr 1953)

*Myriosclerotinia borealis*, LC (Ginns 1986a)

Basidiomycotina

Others

*Ustilago bullata*, LC (Connors 1967)

Deuteromycotina

Coelomycetes

*Pseudoseptoria bromigena*, LC (Ginns 1986a)

Hyphomycetes

*Cercosporidium graminis*, LC (Ginns 1986a)

***Bromus marginatus*** Nees - large mountain brome-grass

Fungi

Basidiomycotina

Uredinales

*Puccinia striiformis*, LC (Arthur 1934; Connors 1967)

***Bromus mollis*** L. - soft brome

Fungi

Basidiomycotina

Uredinales

*Puccinia recondita*, LC (Ginns 1986a)

Others

*Ustilago bullata*, LC (Ginns 1986a)

***Bromus porteri*** (Coulter) Nash - Porter's brome-grass

Fungi

Ascomycotina

*Mycosphaerella tassiana*, LC (Barr 1953)

***Bromus pumpellianus*** Scribn. - brome-grass

Fungi

Basidiomycotina

Uredinales

*Puccinia recondita*, LC (Connors 1967)

***Bromus sitchensis*** Trin. - Alaska brome-grass, Sitka brome

Fungi

Basidiomycotina

Uredinales

*Puccinia striiformis*, LC (Arthur 1934 as *Puccinia glumarum*; Connors 1967)

Others

*Ustilago bullata*, LC (Ginns 1986a)

Deuteromycotina

Coelomycetes

*Phyllosticta* sp., LC (Sprague 1960a)

Hyphomycetes

*Cercosporidium graminis*, LC (Sprague 1960a as *Scolecostrichum graminis*)

***Bromus sterilis*** L. - sterile cheat, sterile brome-grass

Fungi

Basidiomycotina

Others

*Ustilago bullata*, LC (Ginns 1986a)

***Bromus tectorum*** L. - downy cheat, downy brome-grass

Fungi

Basidiomycotina

Others

*Ustilago bullata*, LC (Ginns 1986a)

***Bromus vulgaris*** (Hook.) Shear - narrow-flowered brome-grass

Fungi

Basidiomycotina

Uredinales

*Puccinia recondita*, V (DAVFP)

***Bromus*** sp. - brome-grass

Fungi

Basidiomycotina

Uredinales

*Puccinia coronata*, V (DAVFP)

Deuteromycotina

Coelomycetes

*Aristostoma* sp., V (DAVFP)

Hyphomycetes

*Drechslera bromi*, LC (Ginns 1986a)

***Buxus sempervirens*** L. - common box

Fungi

Deuteromycotina

Coelomycetes

*Macrophoma candollei*, LC (Ginns 1986a)

*Phomopsis stictica*, LC (Ginns 1986a)

*Phyllosticta* sp., LC (Ginns 1986a)

***Calamagrostis canadensis* (Michx.)**

Beauv. - bluejoint

**Fungi**

**Ascomycotina**

- Claviceps purpurea*, LC (Barr 1953)
- Leptosphaeria culmifraga*, LC (Barr 1953)

**Basidiomycotina**

**Uredinales**

- Puccinia coronata*, LC (Arthur 1934)

**Deuteromycotina**

**Hypocreales**

- Mastigosporium rubricosum*, LC (Conners 1967)

***Calamagrostis inexpansa* A. Gray -**

northern reedgrass

**Fungi**

**Deuteromycotina**

**Coelomycetes**

- Pseudoseptoria everhartii*, LC (Ginns 1986a)

***Calamagrostis purpurascens* R. Br. -**

purple reedgrass

**Fungi**

**Ascomycotina**

- Clathrospora pentamera*, LC (Barr 1953)

***Calamagrostis rubescens* Buckl. -**

pinegrass

**Fungi**

**Basidiomycotina**

**Uredinales**

- Puccinia coronata*, V (DAVFP)

***Calamagrostis* sp. - reedgrass**

**Fungi**

**Ascomycotina**

- Mycosphaerella tassiana*, LC (Barr 1953)
- Phaeosphaeria typharum*, LC (Barr 1953 as *Leptosphaeria typharum*)

***Calamovilfa latifolia* - sandreed**

**Fungi**

**Ascomycotina**

- Phaeosphaeria typharum*, LC (Barr 1953 as *Leptosphaeria typharum*)

***Calandrinia ciliata* (R. & P.) DC. -**

calandrinia, red maids

**Chromista**

**Oomycota**

- Peronospora Claytoniae*, LC (Shaw 1973)

***Callistephus chinensis* (L.) Nees - Chinese aster**

**Fungi**

**Ascomycotina**

- Erysiphe cichoracearum*, LC (Conners 1967)
- Sclerotinia sclerotiorum*, LC (Conners 1967)

**Basidiomycotina**

**Others**

- Thanatephorus cucumeris*, LC (Conners 1967 as *Rhizoctonia solani*)

**Deuteromycotina**

**Hypocreales**

- Botrytis cinerea*, LC (Toms 1964)
- Fusarium oxysporum f. sp. callistephi*, LC (Ginns 1986a)
- Oidium* sp., LC (Toms 1964)
- Verticillium dahliae*, LC (Toms 1964; Wooliams 1966)

**Chromista**

**Oomycota**

- Phytophthora cryptogea*, LC (Ginns 1986a)

***Callistephus* sp.**

**Fungi**

**Ascomycotina**

- Erysiphe cichoracearum*, LC (Barr 1953)

***Calluna vulgaris* (L.) Hull var. Mair's -**

heather

**Chromista**

**Oomycota**

- Phytophthora cinnamomi*, LC (Atkinson 1965)

***Calochortus apiculatus* Baker - Baker's star tulip, three-spot mariposa**

**Fungi**

**Basidiomycotina**

**Uredinales**

- Puccinia calochorti*, V (DAVFP)

***Calochortus macrocarpus* Dougl. - green-banded star tulip**

**Fungi**

**Basidiomycotina**

**Uredinales**

- Puccinia calochorti*, LC (Savile 1961)

***Caltha leptosepala* DC. - mountain marsh marigold**

**Fungi**

**Ascomycotina**

- Pseudopeziza calthae*, LC (Ginns 1986a)

**Basidiomycotina**

**Uredinales**

- Aecidium* sp., V (DAVFP)
- Puccinia areolata*, LC (Ginns 1986a)
- Puccinia gemella*, LC (Parmelee and de Carteret 1984b)
- Puccinia treleasiana*, LC (Shaw 1973)
- Puccinia* sp., V (DAVFP)

***Caltha palustris* L. subsp. *asarifolia* (DC.)**

Hult. - yellow marsh marigold

**Fungi**

**Basidiomycotina**

**Uredinales**

- Puccinia areolata*, V (DAVFP)

*Plant hosts - C*

<b><i>Camassia leichtlinii</i> (Baker) S. Wats.</b> - camass	Fungi Deuteromycotina Hypocreales <i>Botrytis cinerea</i> , LC (Shaw 1973)	<i>Pleospora herbarum</i> , LC (Barr 1953)
<b><i>Camassia quamash</i> (Pursh) Greene</b> - common camass	Fungi Basidiomycotina Others <i>Urocystis colchici</i> , V (DAVFP)	<b><i>Capsella bursa-pastoris</i> (L.) Medic.</b> - shepherd's purse
<b><i>Camellia japonica</i> L.</b> - camellia	Fungi Ascomycotina <i>Leptosphaeria camelliae</i> , LC (Shaw 1973)	Fungi Deuteromycotina Hypocreales <i>Verticillium dahliae</i> , LC (Toms 1964; Aube and Sackston 1965; Woolliams 1966)
	Deuteromycotina Coelomycetes <i>Hendersonia</i> sp., LC (Ginns 1986a) <i>Pestalotiopsis maculans</i> , LC (Shaw 1973)	<b>Chromista</b> Oomycota <i>Albugo candida</i> , LC (Ginns 1986a) <i>Peronospora parasitica</i> , LC (Ginns 1986a)
	Hypocreales <i>Varicosporium elodeae</i> , LC (Ginns 1986a)	<b><i>Cardamine bellidifolia</i> L.</b> - alpine bitter-cress
<b><i>Camellia</i> sp.</b> - camellia	Fungi Ascomycotina <i>Scorias</i> sp., UR - Specimen discarded	Fungi Basidiomycotina Uredinales <i>Puccinia cruciferarum</i> subsp. <i>borealis</i> , LC (Ginns 1986a)
<b><i>Campanula alaskana</i> (A. Gray) Wright:J.P. Anderson</b> - Alaska harebell	Fungi Basidiomycotina Uredinales <i>Puccinia campanulae</i> , LC (Parmelee and de Carteret 1982b)	<b><i>Cardamine occidentalis</i> (Wats.) Howell</b> - western bitter-cress
		Chromista Oomycota <i>Peronospora parasitica</i> , LC (Ginns 1986a)
<b><i>Campanula medium</i> L.</b> - Canterbury bells	Fungi Ascomycotina <i>Sclerotinia sclerotiorum</i> , LC (Ginns 1986a)	<b><i>Cardamine pratensis</i> L.</b> - bitter-cress
	Basidiomycotina Uredinales <i>Coleosporium tussilaginis</i> , LC (Ginns 1986a)	Chromista Oomycota <i>Peronospora parasitica</i> , LC (Connors 1967)
	Deuteromycotina Hypocreales <i>Ramularia macrospora</i> , LC (Ginns 1986a)	
<b><i>Campanula persicifolia</i> L.</b> - harebell, paper bellflower	Fungi Basidiomycotina Uredinales <i>Coleosporium tussilaginis</i> , V (DAVFP)	<b><i>Carex anthoxanthea</i> Presl</b> - sedge
		Fungi Ascomycotina <i>Melanodothis caricis</i> , LC (Arnold 1971, 1974)
<b><i>Campanula sp.</i> - bluebell</b>	Fungi Ascomycotina <i>Lewisia scrophulariae</i> , LC (Barr 1953 as <i>Pleospora media</i> var. <i>obtusa</i> ) <i>Mycosphaerella tassiana</i> , LC (Barr 1953) <i>Pleospora armeriae</i> , LC (Barr 1953)	<b><i>Carex aperta</i> Boott</b> - Columbia sedge
		Fungi Ascomycotina <i>Clathrospora pentamera</i> , LC (Barr 1953)
		<b><i>Carex aquatilis</i> Wahlenb.</b> - water sedge
		Fungi Basidiomycotina Uredinales <i>Puccinia caricina</i> , LC (Shaw 1973)
		Others <i>Anthracoides heterospora</i> , LC (Connors 1967)
		<b><i>Carex arctata</i> Boott</b> - sedge
		Fungi Basidiomycotina Others <i>Anthracoides caricis</i> , LC (Shaw 1973)

**Carex atherodes** Spreng. - awned sedge

Fungi  
**Basidiomycotina**  
 Others  
*Anthracoidea subinclusa*, LC (Shaw 1973)

**Carex atratiformis** Britt. - sedge

Fungi  
**Ascomycotina**  
*Clathrospora elynae*, LC (Barr 1953)  
*Leptosphaeria vagans*, LC (Barr 1953)

**Carex bebbii** Olney: Fern. - sedge

Fungi  
**Deuteromycotina**  
**Coelomycetes**  
*Phloeoospora lunelliana*, LC (Shaw 1973)

**Carex brunnescens** (Pers.) Poir. - brownish sedge

Fungi  
**Basidiomycotina**  
**Uredinales**  
*Puccinia dioicae*, LC (Shaw 1973)

**Carex buxbaumii** Wahl. - sedge

Fungi  
**Basidiomycotina**  
 Others  
*Anthracoidea buxbaumii*, LC (Connors 1967)

**Carex canescens** L. - silvery sedge, hoary sedge

Fungi  
**Basidiomycotina**  
 Others  
*Anthracoidea caricis*, LC (Shaw 1973)  
*Anthracoidea fischeri*, LC (Ginns 1986a)

**Carex capillaris** L. - sedge

Fungi  
**Basidiomycotina**  
 Others  
*Anthracoidea capillaris*, LC (Connors 1967; Parmelee 1988)

**Carex chordorrhiza** L. f. - sedge

Fungi  
**Basidiomycotina**  
 Others  
*Anthracoidea aspera*, LC (Shaw 1973)  
*Anthracoidea fischeri*, LC (Connors 1967 as *Cintractia fischeri*)

**Carex concinnoides** Mack. - northwestern sedge

Fungi  
**Basidiomycotina**  
**Uredinales**  
*Puccinia caricina*, LC (Shaw 1973)  
*Puccinia* sp., V (DAVFP)

**Carex deweyana** Schw. - sedge

Fungi  
**Basidiomycotina**  
**Uredinales**  
*Puccinia dioicae*, LC (Shaw 1973)

**Carex diandra** Schrank. - lesser paniced sedge

Fungi  
**Ascomycotina**  
*Mycosphaerella perexigua*, LC (Barr 1953)

**Carex festiva** Dewey - sedge

Fungi  
**Basidiomycotina**  
 Others  
*Anthracoidea caricis*, LC (Shaw 1973)

**Carex festivella** Mack. - mountain meadow sedge

Fungi  
**Ascomycotina**  
*Claviceps grohii*, LC (Shaw 1958)

**Basidiomycotina**  
 Others  
*Anthracoidea caricis*, LC (Shaw 1958)

**Carex filifolia** Nutt. - thread-leaved sedge

Fungi  
**Basidiomycotina**  
**Uredinales**  
*Puccinia atrofusca*, LC (Shaw 1973)

**Carex flava** L. - sedge

Fungi  
**Ascomycotina**  
*Mycosphaerella pusilla*, LC (Barr 1953)

**Carex hoodii** Boott - Hood's sedge

Fungi  
**Ascomycotina**  
*Pleospora discors*, LC (Barr 1953)

**Carex laeviculmis** Meinh. - smooth-stemmed sedge

Fungi  
**Basidiomycotina**  
**Uredinales**  
*Puccinia dioicae*, LC (Shaw 1973)

**Carex leptopoda** Mack. - shorter-scaled sedge

Fungi  
**Basidiomycotina**  
**Uredinales**  
*Puccinia dioicae*, LC (Shaw 1958)

**Carex limosa** L. - shore sedge

Fungi  
**Ascomycotina**  
*Mycosphaerella lineolata*, LC (Barr 1953)

**Basidiomycotina**  
**Uredinales**  
*Puccinia limosae*, LC (Ginns 1986a)

**Others**  
*Anthracoidea limosa*, LC (Connors 1967)

Plant hosts - C

**Carex livida** (Wahl.) Willd. - livid sedge

Fungi

Ascomycotina

*Melanodothis caricis*, V (DAVFP)

Basidiomycotina

Others

*Anthracoidea paniceae*, LC (Connors 1967)

**Carex lyngbyei** Hornem. X **C. sitchensis**

Prescott - sedge

Fungi

Ascomycotina

*Melanodothis caricis*, LC (Arnold 1971, 1974)

**Carex macrochaeta** C.A. Meyer - Alaskan long-awned sedge

Fungi

Ascomycotina

*Melanodothis caricis*, LC (Arnold 1971, 1974)

Basidiomycotina

Uredinales

*Puccinia caricina*, LC (Shaw 1973)

Others

*Anthracoidea atratae*, LC (Connors 1967)

**Carex magellanica** Lam. - Magellan sedge

Fungi

Basidiomycotina

Uredinales

*Puccinia karellica* subsp. *karellica*, LC (Parmelee and de Carteret 1981b)

**Carex mertensii** Presl - Merten's sedge

Fungi

Basidiomycotina

Uredinales

*Puccinia caricina*, V (DAVFP)

**Carex microptera** Mack. - sedge

Fungi

Ascomycotina

*Claviceps grohii*, LC (Shaw 1973)

Basidiomycotina

Others

*Anthracoidea caricis*, LC (Shaw 1973)

**Carex misandra** R. Br. - sedge

Fungi

Basidiomycotina

Others

*Anthracoidea misandrae*, LC (Connors 1967)

**Carex muricata** L. - sedge

Fungi

Ascomycotina

*Claviceps grohii*, LC (Shaw 1973)

**Carex nardina** Fr. - sedge

Fungi

Basidiomycotina

Others

*Anthracoidea elynae* var. *nardinae*, LC (Connors 1967)

**Carex obnupta** Bailey - slough sedge

Fungi

Basidiomycotina

Uredinales

*Puccinia caricis-strictae*, V (DAVFP)

**Carex pauciflora** Lightf. - sedge

Fungi

Ascomycotina

*Melanodothis caricis*, LC (Arnold 1971, 1974)

Basidiomycotina

Others

*Anthracoidea caricis-pauciflorae*, LC (Ginns 1986a)

**Carex pensylvanica** Lam. - sedge

Fungi

Basidiomycotina

Others

*Anthracoidea caricis*, LC (Shaw 1973)

**Carex petricosa** Dewey - sedge

Fungi

Basidiomycotina

Others

*Anthracoidea misandrae*, LC (Ginns 1986a)

**Carex phyllomanica** Boott - sedge

Fungi

Ascomycotina

*Melanodothis caricis*, LC (Arnold 1971, 1974)

**Carex physocarpa** Presl - sedge

Fungi

Basidiomycotina

Others

*Anthracoidea subinclusa*, LC (Parmelee and Ginns 1986)

**Carex pluriflora** Hult. - sedge

Fungi

Ascomycotina

*Melanodothis caricis*, LC (Arnold 1971, 1974)

Basidiomycotina

Uredinales

*Puccinia karellica* subsp. *karellica*, LC (Parmelee and de Carteret 1981b)

Others

*Anthracoidea limosa*, LC (Connors 1967)

**Carex podocarpa** R. Br. - short-stalk sedge

Fungi

Basidiomycotina

Others

*Anthracoidea atratae*, LC (Connors 1967)

**Carex *praegracilis*** W. Boott - clustered sedge

Fungi

Basidiomycotina

Others

*Anthracoidea elynae*, LC (Ginns 1986a)

**Carex *pyrenaica*** Wahl. - Pyrenaen sedge

Fungi

Ascomycotina

*Guignardia caricicola*, LC (Shaw 1973)

*Mycosphaerella caricicola*, LC (Barr 1953)

Basidiomycotina

Others

*Thecaphora apicis*, LC (Savile 1953) (TYPE)

**Carex *retrorsa*** Schw. - retrorse sedge

Fungi

Basidiomycotina

Uredinales

*Puccinia caricina*, LC (Shaw 1973)

**Carex *richardsonii*** R. Br. - Richardson's sedge

Fungi

Basidiomycotina

Uredinales

*Puccinia caricina*, UR

**Carex *rossii*** Boott - Ross' sedge

Fungi

Basidiomycotina

Uredinales

*Puccinia atrofusca*, LC (Connors 1967)

Others

*Anthracoidea caricis*, LC (Connors 1967)

*Cintractia carpophila* var. *carpophila*, LC (Connors 1967)

(Connors 1967)

**Carex *rostrata*** Stokes - beaked sedge

Fungi

Basidiomycotina

Others

*Anthracoidea americana*, LC (Shaw 1973)

*Anthracoidea fischeri*, LC (Connors 1967 as *Cintractia fischeri*)

*Farysia thumentii*, LC (Mordue 1986)

**Carex *rupestris*** Bellard - sedge

Fungi

Basidiomycotina

Others

*Anthracoidea rupestris*, LC (Connors 1967)

**Carex *scirpoidea*** Michx. - sedge

Fungi

Basidiomycotina

Others

*Anthracoidea scirpoideae*, LC (Connors 1967; Parmelee 1988)

**Carex *sitchensis*** Prescott - Sitka sedge

Fungi

Ascomycotina

*Melanodothis caricis*, LC (Arnold 1971, 1974) (HOLOTYPE)

Basidiomycotina

Others

*Anthracoidea heterospora*, LC (Connors 1967)

**Carex *spectabilis*** Dewey - showy sedge

Fungi

Ascomycotina

*Phaeosphaeria canadensis*, LC (Shoemaker and Babcock 1989)

Basidiomycotina

Uredinales

*Puccinia caricina*, LC (Shaw 1973)

Others

*Anthracoidea atratae*, LC (Ginns 1986a)

*Anthracoidea caricis*, LC (Shaw 1973)

**Carex *stellulata*** Good. - sedge

Fungi

Ascomycotina

*Claviceps grohii*, LC (Barr 1953) (TYPE)

**Carex *vesicaria*** L. - sedge

Fungi

Deuteromycotina

Coelomycetes

*Stagonospora paludosa*, LC (Shaw 1973)

**Carex *viridula*** Michx. - sedge

Fungi

Ascomycotina

*Melanodothis caricis*, LC (Arnold 1971, 1974)

**Carex sp.** - sedge

Fungi

Ascomycotina

*Leptosphaeria culmifraga*, LC (Barr 1953)

*Leptosphaeria petkovicensis*, LC (Barr 1953)

*Mycosphaerella tassiana*, LC (Barr 1953)

*Mycosphaerella wachuriana*, LC (Barr 1953)

*Phaeosphaeria typharum*, LC (Barr 1953 as *Leptosphaeria typharum*)

*Wettsteinina macrotheca*, LC (Barr 1953)

Basidiomycotina

Agaricales

*Helotium cyphelloides*, LC (Redhead 1982a)

*Marasmiellus vaillantii*, LC (Redhead 1981)

*Marasmius caricis*, LC (Redhead 1981)

*Marasmius limosus*, LC (Redhead 1981)

*Melanotus caricicola*, LC (Redhead 1984a)

*Mycena bulbosa*, LC (Redhead 1981)

*Mycena culmigena*, LC (Redhead 1981,

1984a as *Mycena juncicola*)

*Resinomycena saccharifera* subsp.

*kalalochensis*, LC (Redhead 1984a)

*Plant hosts - C*

**Deuteromycotina**  
**Hyphomycetes**  
*Cladosporium herbarum*, V (DAVFP)

**Cassiope mertensiana** (Bong.) G. Don -  
moss heather

**Fungi**  
**Ascomycotina**  
*Capronia borealis*, LC (Barr 1991a)

**Basidiomycotina**  
**Others**  
*Exobasidium cassipes*, LC (Parmelee and  
Ginns 1986)  
*Exobasidium vaccinii*, V (DAVFP)

**Cassiope stellariana** (Pall.) DC. - Alaska  
moss heath

**Fungi**  
**Ascomycotina**  
*Antennularia variisetosa*, LC (Shaw 1973)  
*Gibbera myrtilli*, LC (Barr 1953 as *Venturia*  
*myrtilli*)

**Cassiope tetragona** (L.) D. Don - Lapland  
cassiope

**Fungi**  
**Basidiomycotina**  
**Others**  
*Exobasidium vaccinii*, V (DAVFP)  
*Exobasidium vaccinii* var. *arctostaphyli*, LC  
(Connors 1967)  
*Exobasidium* sp., V (DAVFP)

**Cassiope** sp. - cassiope

**Fungi**  
**Ascomycotina**  
*Extrawettsteinina andromedae*, (Barr 1953  
as *Leptosphaeria andromedae*)  
*Herpotrichiella fusispora*, LC (Barr 1972)

**Castanea crenata** Sieb. and Zucc. -  
Japanese chestnut

**Fungi**  
**Ascomycotina**  
*Cryphonectria parasitica*, LC (Shaw 1973)

**Castanea dentata** (Marsh.) Borkh. -  
American chestnut

**Fungi**  
**Ascomycotina**  
*Cryphonectria parasitica*, LC (Ginns 1986a)

**Castanea mollissima** Bl. - Chinese  
chestnut

**Fungi**  
**Ascomycotina**  
*Cryphonectria parasitica*, LC (Shaw 1973)

**Castanea sativa** Mill. - Spanish chestnut

**Fungi**  
**Ascomycotina**  
*Cryphonectria parasitica*, V (DAVFP)

**Basidiomycotina**  
**Aphylophorales**  
*Schizophyllum commune*, V (DAVFP)

**Castilleja hispida** Benth. - harsh paintbrush  
**Fungi**

**Basidiomycotina**  
**Uredinales**  
*Cronartium coleosporioides*, V (DAVFP)

**Castilleja magna** Rydb. see *Castilleja*  
*miniata*

**Castilleja miniata** Dougl.:Hook. (=*Castilleja*  
*magna*) - great red Indian paintbrush

**Fungi**  
**Ascomycotina**  
*Leptosphaeria oglivensis*, LC (Shoemaker  
1984a)  
*Nodulosphaeria aquilana*, LC (Shoemaker  
1984b)  
*Nodulosphaeria revelstokensis*, LC  
(Shoemaker 1984b)  
*Pleospora comata*, LC (Barr 1953)  
*Sphaerotilus fuliginea*, LC (Ginns 1986a)

**Basidiomycotina**  
**Uredinales**  
*Cronartium coleosporioides*, V (DAVFP)  
*Cronartium coleosporioides* f. *album*, V  
(DAVFP) (TYPE)  
*Cronartium coleosporioides* f.  
*coleosporioides*, V (DAVFP)

**Deuteromycotina**  
**Hyphomycetes**  
*Ramularia castillejae*, LC (Ginns 1986a)

**Castilleja** sp. - Indian paintbrush

**Fungi**  
**Ascomycotina**  
*Mycosphaerella tassiana*, LC (Barr 1953)  
*Sphaerotilus fuliginea*, LC (Barr 1953 as  
*Sphaerotilus humuli* var. *fuliginea*)  
*Sphaerotilus macularis*, LC (Shaw 1958)

**Basidiomycotina**  
**Uredinales**  
*Cronartium coleosporioides*, V (DAVFP)  
*Cronartium coleosporioides* f.  
*coleosporioides*, V (DAVFP)

**Catalpa speciosa** Warden - catalpa, bean  
tree

**Fungi**  
**Deuteromycotina**  
**Hyphomycetes**  
*Botrytis cinerea*, LC (Toms 1964)  
*Verticillium dahliae*, LC (Wooliams 1966)

**Ceanothus sanguineus** Pursh - buckbrush,  
Oregon tea-tree, snowbrush

**Fungi**  
**Deuteromycotina**  
**Coelomycetes**  
*Gloeosporium* sp., V (DAVFP)  
*Phloeospora ceanothi*, LC (Ginns 1986a)

**Ceanothus velutinus** Dougl.:Hook. - sticky laurel, mountain balm

Fungi

Deuteromycotina

Coelomycetes

*Phloeospora ceanothi*, V (DAVFP)

**Cedrus atlantica** Manetti - Atlas cedar

Fungi

Ascomycotina

*Pithya vulgaris*, V (DAVFP)

Deuteromycotina

Coelomycetes

*Sirococcus conigenus*, V (DAVFP)

**Cedrus deodara** (Roxb.) Loud. - Deodar cedar

Fungi

Deuteromycotina

Coelomycetes

*Cytospora abietis*, V (DAVFP)

*Sclerophoma* sp., V (DAVFP)

Hymenomycetes

*Botrytis* sp., LC (Connors 1967)

**Cedrus** sp. - cedar

Fungi

Ascomycotina

*Sydiowia polyspora*, V (DAVFP)

**Centaurea cyanus** L. - cornflower, bachelor's button

Fungi

Basidiomycotina

Uredinales

*Puccinia cyanii* var. *sublevis*, LC (Ginns 1986a)

Deuteromycotina

Coelomycetes

*Septoria centaureicola* var. *brevispora*, LC (Ginns 1986a)

**Centaurea diffusa** Lam. - diffuse knapweed

Fungi

Ascomycotina

*Sclerotinia sclerotiorum*, LC (Ginns 1986a)

Basidiomycotina

Uredinales

*Puccinia jaceae* var. *diffusae*, LC (Mortensen et al. 1989)

Deuteromycotina

Coelomycetes

*Microsphaeropsis centaureae*, LC (Morgan-Jones 1974; Watson et al. 1974; Watson and Miltimore 1975) (TYPE)

**Centaurea jacea** L. - brown knapweed

Fungi

Ascomycotina

*Mycosphaerella tassiana*, LC (Barr 1953)

*Pleospora armeriae*, LC (Barr 1953)

**Centaurea nigra** L. - black knapweed

Fungi

Basidiomycotina

Uredinales

*Puccinia centaureae* LV (Mortensen et al. 1991)

**Centaurea repens** L. - creeping star-thistle

Fungi

Basidiomycotina

Uredinales

*Puccinia acropitili*, LC (Shaw 1973)

Deuteromycotina

Hymenomycetes

*Alternaria cichorii*, LC (Mortensen and Molloy 1989)

**Cerastium alpinum** L. - alpine mouse-eared chickweed

Fungi

Basidiomycotina

Uredinales

*Melampsorella caryophyllacearum*, LC (Connors 1967)

**Cerastium arvense** L. - field mouse-eared chickweed

Fungi

Ascomycotina

*Pleospora penicilllus*, LC (Shaw 1973)

Basidiomycotina

Uredinales

*Melampsorella caryophyllacearum*, V (DAVFP)

**Cerastium beringianum** Cham. & Schlecht. - chickweed

Fungi

Basidiomycotina

Uredinales

*Melampsorella caryophyllacearum*, LC (Connors 1967)

**Cerastium vulgatum** L. - common mouse-eared chickweed

Fungi

Basidiomycotina

Uredinales

*Melampsorella caryophyllacearum*, V (DAVFP)

**Chamaecyparis lawsoniana** (A. Murr.) Parl - Port Orford or Lawson cypress

Fungi

Ascomycotina

*Leptotyphula cupressi*, V (DAVFP)

*Phacidium coniferarum*, V (DAVFP)

*Scirrhia conigena*, V (DAVFP)

Basidiomycotina

Agaricales

*Armillaria ostoyae*, V (DAVFP)

## Plant hosts - C

<b>Aphyllophorales</b>	<b>Deuteromycotina</b>
<i>Postia fragilis</i> , LC (Shaw 1973)	<b>Coelomycetes</b>
<b>Deuteromycotina</b>	<i>Cytospora</i> sp., V (DAVFP)
<b>Coelomycetes</b>	<i>Phomopsis juniperovora</i> , V (DAVFP)
<i>Pestalotiopsis funerea</i> , LC (Conners 1967 as <i>Pestalotia funerea</i> )	
<i>Phoma</i> sp., V (DAVFP)	
<b>Chromista</b>	<b>Chromista</b>
<b>Oomycota</b>	<b>Oomycota</b>
<i>Phytophthora cinnamomi</i> , LC (Atkinson 1965, 1982)	<i>Phytophthora lateralis</i> , UR
<i>Phytophthora lateralis</i> , LC (Conners 1967)	
<i>Pythium</i> sp., LC (Conners 1967)	
<b><i>Chamaecyparis lawsoniana</i> (A. Murr.)</b>	<b>Protozoa</b>
Parl. var. <i>ellwoodii</i> - Port Orford or Lawson	<b>Myxomycota</b>
cypress	<i>Comatricha suksdorfii</i> , V (DAVFP)
<b>Fungi</b>	<i>Diacheopisis insessa</i> , V (DAVFP)
<b>Deuteromycotina</b>	
<b>Coelomycetes</b>	
<i>Cytospora</i> sp., V (DAVFP)	
<b>Chromista</b>	<b><i>Chamaecyparis nootkatensis</i> (D. Don)</b>
<b>Oomycota</b>	Spach f. <i>glauca</i> Beiss. - yellow cypress, Alaska cedar
<i>Phytophthora</i> sp., LC (Atkinson 1965)	<b>Fungi</b>
<b><i>Chamaecyparis nootkatensis</i> (D. Don)</b>	<b>Ascomycotina</b>
Spach - yellow cypress, Alaska cedar	<i>Pleospora laricina</i> , V (DAVFP)
<b>Fungi</b>	<b>Deuteromycotina</b>
<b>Ascomycotina</b>	<b>Coelomycetes</b>
<i>Dimerium</i> sp., V (DAVFP)	<i>Cytospora abietis</i> , V (DAVFP)
<i>Gelatinodiscus flavidus</i> , LC (Eckblad 1968)	<i>Kabatina thujae</i> , V (DAVFP)
<i>Herpotrichia juniperi</i> , V (DAVFP)	<i>Pestalotia thujicola</i> , V (DAVFP)
<i>Leptopeltis</i> sp., V (DAVFP)	<i>Pestalotiopsis funerea</i> , V (DAVFP)
<i>Mycosphaerella</i> sp., V (DAVFP)	
<i>Pleospora laricina</i> , V (DAVFP)	
<i>Pseudodiscus nootkatense</i> , V (DAVFP)	
<i>Rosellinia diathrausta</i> , V (DAVFP)	
<i>Seynesiella juniperi</i> , V (DAVFP)	
<b>Basidiomycotina</b>	<b><i>Chamaecyparis nootkatensis</i> (D. Don)</b>
<b>Agaricales</b>	Spach f. <i>lutea</i> Beiss. - yellow cypress, Alaska cedar
<i>Armillaria</i> sp., UR	<b>Fungi</b>
<i>Xeromphalina campanella</i> , UR	<b>Deuteromycotina</b>
<b>Aphyllophorales</b>	<b>Coelomycetes</b>
<i>Acanthophysium weiri</i> , V (DAOM 142561)	<i>Kabatina thujae</i> , V (DAVFP)
<i>Botryobasidium obtusisporum</i> , V (DAOM 141232)	
<i>Grandinia pallidula</i> , V (DAOM 139156)	
<i>Grandinia subalutacea</i> , V (DAOM 138995)	
<i>Jaapia argillacea</i> , V (DAOM 139138)	
<i>Phanerochaete sanguinea</i> , V (DAOM 142058)	
<i>Phellinus weiri</i> , UR	
<i>Postia sericeomollis</i> , UR	
<i>Serpula himantoides</i> , UR	
<i>Tubulicrinis regificus</i> , V (DAOM 142023)	
<b>Uredinales</b>	<b>Chromista</b>
<i>Gymnosporangium nootkatense</i> , V (DAVFP)	<b>Oomycota</b>
<b>Others</b>	<i>Phytophthora cinnamomi</i> , LC (Atkinson 1965)
<i>Nidularia</i> sp., V (DAVFP)	<i>Phytophthora</i> sp., LC (Atkinson 1965)
	<b><i>Chamaecyparis rosedale</i> - cedar, cypress</b>
	<b>Fungi</b>
	<b>Ascomycotina</b>
	<i>Leptotypha cupressi</i> , V (DAVFP)

***Chamaecyparis* sp.** - cedar, cypress

Fungi

Ascomycotina

*Lophodermium juniperinum*, V (DAVFP)  
*Pleospora* sp., V (DAVFP)

Basidiomycotina

Aphylophorales

*Phlebia lilascens*, LC (Hallenberg and Larsson 1991)  
*Tubulicrinis glebulosus*, LC (Hallenberg 1991 as *Tubulicrinis gracillimus*)

Uredinales

*Gymnosporangium biseptatum*, LC (Connors 1967)

Deuteromycotina

Hymomycetes

*Aspergillus* sp., V (DAVFP)  
*Fusarium* sp., V (DAVFP)

Bacteria

*Agrobacterium tumefaciens*, V (DAVFP)

***Chamaedaphne calyculata* (L.) Moench** - leather-leaf, cassandra

Fungi

Basidiomycotina

Uredinales

*Chrysomyxa ledi* var. *cassandrae*, V (DAVFP)

***Cheiranthus allionii*** Hort. - hybrid wallflower

Fungi

Deuteromycotina

Hymomycetes

*Botrytis cinerea*, LC (Jones 1957)

***Cheiranthus cheiri* L.** - wallflower

Fungi

Ascomycotina

*Sclerotinia sclerotiorum*, LC (Connors 1967)

Deuteromycotina

Hymomycetes

*Botrytis cinerea*, LC (Toms 1964)

Chromista

Oomycota

*Peronospora parasitica*, LC (Ginns 1986a)  
*Phytophthora megasperma*, LC (Ginns 1986a)

***Cheiranthus* sp.** - wallflower

Fungi

Ascomycotina

*Mycosphaerella tassiana*, LC (Barr 1953)

***Chenopodium album* L.** - lamb's quarters, pigweed

Fungi

Deuteromycotina

Hymomycetes

*Verticillium dahliae*, LC (Toms 1964; Aube and Sackston 1965; Wooliams 1966)

Chromista

Oomycota

*Peronospora farinosa*, LC (Ginns 1986a)

***Chimaphila umbellata* (L.) Bart.** - western prince's pine

Fungi

Ascomycotina

*Mycosphaerella chimaphilae*, V (DAVFP)

***Chimaphila umbellata* (L.) Bart. var.**

***cisatlantica*** Blake - western prince's pine

Fungi

Basidiomycotina

Uredinales

*Pucciniastrum pyrolae*, LC (Connors 1967)

***Chimaphila umbellata* (L.) Bart. var.**

***occidentalis*** (Rydb.) Blake - western prince's pine

Fungi

Ascomycotina

*Mycosphaerella chimaphilae*, LC (Connors 1967)

Basidiomycotina

Uredinales

*Pucciniastrum pyrolae*, V (DAVFP)

***Chiogenes hispidula* (L.) T. & G.** see

*Gaultheria hispidula*

***Choenomeles japonica* (Thunb.) Lindl.** - dwarf Japanese quince, "Japonica"

Fungi

Ascomycotina

*Monilia laxa*, LC (Ginns 1986a)

***Choenomeles lagenaria* (Loisel.) Koidz.** - Japanese quince, tall flowering quince, "Japonica"

Fungi

Ascomycotina

*Nectria cinnabarina*, LC (Barr 1953 as *Creonectria purpurea*)

Bacteria

*Agrobacterium tumefaciens*, LC (Toms 1964)

***Choenomeles* sp.** - flowering quince

Fungi

Ascomycotina

*Podosphaera* sp., LC (Ginns 1986a)

***Choisya ternata*** Kunth - Mexican orange

Fungi

Ascomycotina

*Nectria cinnabarina*, LC (Barr 1953 as *Creonectria purpurea*; Toms 1964)

***Chrysanthemum leucanthemum* L.** - ox-eyed daisy

Fungi

Ascomycotina

*Ophiobolus mathieui*, LC (Ginns 1986a)

Plant hosts - C

***Chrysanthemum maximum*** Ramond -  
Shasta daisy  
**Fungi**  
**Deuteromycotina**  
**Coelomycetes**  
*Septoria chrysanthemi*, LC (Ginns 1986a)

***Chrysanthemum* sp.** - chrysanthemum  
**Fungi**  
**Ascomycotina**  
*Erysiphe cichoracearum*, LC (Barr 1953)  
*Mycosphaerella tassiana*, LC (Barr 1953)

**Basidiomycotina**  
**Uredinales**  
*Puccinia tanaceti*, V (DAVFP)

**Deuteromycotina**  
**Hymomycetes**  
*Fusarium oxysporum*, LC (Connors 1967)

***Chrysopsis villosa*** (Pursh) Nutt. - golden aster  
**Fungi**  
**Ascomycotina**  
*Pleospora comata*, LC (Barr 1953)

***Cichorium intybus*** L. - chicory  
**Fungi**  
**Ascomycotina**  
*Mycosphaerella tassiana*, LC (Barr 1953)  
*Pleospora herbarum*, LC (Barr 1953)

**Basidiomycotina**  
**Uredinales**  
*Puccinia hieracii*, V (DAVFP)

**Deuteromycotina**  
**Hymomycetes**  
*Ramularia cichorii*, LC (Ginns 1986a)

***Cicuta douglasii*** (DC.) Coulter & Rose - poison water-hemlock  
**Fungi**  
**Ascomycotina**  
*Mycosphaerella sagedioides*, LC (Barr 1953)

**Basidiomycotina**  
**Uredinales**  
*Puccinia cicutae*, LC (Ginns 1986a)

**Chytridiomycota**  
*Physoderma* sp., LC (Shaw 1973)

***Circaeа alpina*** L. (= *Circaeа pacifica*) - smaller Enchanter's nightshade  
**Fungi**  
**Basidiomycotina**  
**Uredinales**  
*Puccinia circaeae*, V (DAVFP)

***Circaeа pacifica*** Asch. & Magnus see *Circaeа alpina*

***Cirsium arvense*** (L.) Scop. - Canada thistle  
**Fungi**  
**Ascomycotina**  
*Lachnella villosa*, LC (Redhead 1973)

**Basidiomycotina**  
**Agaricales**  
*Calyptella capula*, LC (Redhead 1973)

***Cirsium arvense*** (L.) Scop. f. ***albiflorum***  
(Rand & Redf.) R. Hoffm. - white-flowered Canada thistle  
**Fungi**  
**Basidiomycotina**  
**Uredinales**  
*Puccinia punctiformis*, V (DAVFP)

***Cirsium arvense*** (L.) Scop. var. ***horridum***  
Wimm. & Grab. - Canada thistle  
**Fungi**  
**Basidiomycotina**  
**Uredinales**  
*Puccinia punctiformis*, V (DAVFP)

***Cirsium brevistylum*** Cronq. - thistle  
**Fungi**  
**Basidiomycotina**  
**Uredinales**  
*Puccinia cnici* var. *cnici*, V (DAVFP)

***Cirsium douglasii*** DC. var. ***canescens***  
(Petr.) J.T. Howell - thistle  
**Fungi**  
**Basidiomycotina**  
**Uredinales**  
*Puccinia calcitratae* var. *centaureae*, LC  
(Shaw 1973 as *Puccinia laschii*)

***Cirsium edule*** Nutt. - edible thistle  
**Fungi**  
**Basidiomycotina**  
**Uredinales**  
*Puccinia calcitratae* var. *centaureae*, LC  
(Savile 1970 as *Puccinia laschii* var. *laschii*)

***Cirsium hookerianum*** Nutt. - Hooker's thistle  
**Fungi**  
**Basidiomycotina**  
**Uredinales**  
*Puccinia calcitratae* var. *centaureae*, LC  
(Savile 1970 as *Puccinia laschii* var. *laschii*)

***Cirsium lanceolatum*** (L.) Scop. see *Cirsium vulgare*

***Cirsium undulatum*** (Nutt.) Spreng. - wavy-leaved thistle  
**Fungi**  
**Basidiomycotina**  
**Uredinales**  
*Puccinia calcitratae*, V (DAVFP)

- Puccinia calcitrapae* var. *centaureae*, LC  
(Savile 1970 as *Puccinia laschii* var.  
*laschii*)
- Puccinia inclusa* var. *inclusa*, LC (Savile  
1970)
- Others**
- Thecaphora traillii*, LC (Connors 1967)
- Cirsium vulgare** (Savi) Airy-Shaw  
(=*Cirsium lanceolatum*) - bull thistle,  
common thistle
- Fungi**
- Ascomycotina**
- Mycosphaerella hermione*, LC (Barr 1953 as  
*Mycosphaerella punctiformis* var.  
*clematidis*)
- Ophiobolus acuminatus*, LC (Barr 1953)
- Basidiomycotina**
- Uredinales**
- Puccinia cnici*, V (DAVFP)
- Puccinia cnici* var. *cnici*, LC (Connors 1967)
- Cirsium sp.** - thistle
- Fungi**
- Ascomycotina**
- Clathrospora baccata*, LC (Barr 1953)
- Graphyllum permundum*, LC (Shaw 1973 as  
*Platyspora permunda*)
- Kalmusia clivensis*, LC (Barr 1992a)
- Mycosphaerella tassiana*, LC (Barr 1953)
- Pleospora herbarum*, LC (Barr 1953)
- Deuteromycotina**
- Hymomycetes**
- Helicosporium phragmitis*, LC (Goos 1989)
- Clarkia amoena** (Lehm.) Nels. & Macbr.  
(=*Godetia grandiflora*) - clarkia
- Fungi**
- Basidiomycotina**
- Uredinales**
- Pucciniastrum epilobii*, LC (Connors 1967)
- Pucciniastrum pustulatum*, LC (Ginns 1986a)
- Clarkia elegans** Dougl. - elegant clarkia
- Chromista**
- Oomycota**
- Peronospora arthuri*, LC (Jones 1957)
- Clarkia pulchella** Pursh - beautiful clarkia
- Chromista**
- Oomycota**
- Peronospora arthuri*, LC (Ginns 1986a)
- Clarkia unguiculata** Lindl. - clarkia
- Chromista**
- Oomycota**
- Peronospora arthuri*, LC (Ginns 1986a)
- Claytonia cordifolia** Wats. - claytonia
- Fungi**
- Basidiomycotina**
- Others**
- Ustilago nelsoniana*, LC (Shaw 1958)
- Claytonia lanceolata** Pursh - western  
spring beauty
- Fungi**
- Basidiomycotina**
- Uredinales**
- Puccinia claytoniicola*, V (DAVFP)
- Claytonia perfoliata** (Don) Howell -  
claytonia
- Chromista**
- Oomycota**
- Peronospora claytoniae*, LC (Shaw 1958)
- Clematis jackmanii** Th. Moore - Jackman's  
clematis
- Fungi**
- Ascomycotina**
- Erysiphe polygoni*, LC (Ginns 1986a as  
*Erysiphe communis*)
- Clematis ligusticifolia** Nutt. - western  
clematis, traveller's joy
- Fungi**
- Basidiomycotina**
- Uredinales**
- Puccinia recondita*, V (DAVFP)
- Deuteromycotina**
- Hymomycetes**
- Cercospora squalidula*, LC (Ginns 1986a)
- Didymaria clematidis*, LC (Ginns 1986a)
- Cleome spinosa** L. - giant spiderflower
- Fungi**
- Deuteromycotina**
- Hymomycetes**
- Fusarium* sp., LC (Connors 1967)
- Clintonia uniflora** (Schult.) Kunth - Queen's  
cup
- Fungi**
- Basidiomycotina**
- Uredinales**
- Puccinia mesomajalis*, V (DAVFP)
- Clivia miniata** Regel - clivia
- Fungi**
- Deuteromycotina**
- Coelomycetes**
- Colletotrichum himantophylli*, LC (Toms  
1964)
- Coelopleurum gmelinii** (DC.) Ledeb. see  
*Angelica lucida*
- Colchicum autumnale** L. - autumn crocus
- Fungi**
- Basidiomycotina**
- Others**
- Urocystis colchici*, LC (Savile 1961)

Plant hosts - C

***Collinsia grandiflora*** Lindl. - large-flowered blue-eyed Mary

Fungi

Basidiomycotina

Others

*Entyloma linariae*, LC (Shaw 1973)

***Collinsia parviflora*** Lindl. - small-flowered blue-eyed Mary

Fungi

Ascomycotina

*Sphaerotheca fuliginea*, LC (Ginns 1986a)

Chytridiomycota

*Synchytrium* sp., LC (Karling 1956)

Chromista

Oomycota

*Peronospora grisea*, LC (Shaw 1973)

***Collomia grandiflora*** Lindl. - large-flowered collomia

Fungi

Ascomycotina

*Sphaerotheca macularis*, LC (Shaw 1973)

***Collomia heterophylla*** Hook. - varied-leaved collomia

Chromista

Oomycota

*Peronospora phlogina*, LC (Shaw 1973)

***Collomia linearis*** Nutt. - narrow-leaved collomia

Fungi

Ascomycotina

*Sphaerotheca macularis*, V (DAVFP)

Chromista

Oomycota

*Peronospora phlogina*, LC (Shaw 1973)

***Comandra livida*** Richards. (=*Geocaulon lividum*) - northern comandra

Fungi

Basidiomycotina

Uredinales

*Cronartium comandrae*, V (DAVFP)

***Comandra pallida*** A. DC. see *Comandra umbellata* var. *pallida*

***Comandra umbellata*** (L.) Nutt. var. *pallida* (A. DC.) M.E. Jones (=*Comandra pallida*) – pale bastard toad-flax, pale comandra

Fungi

Ascomycotina

*Erysiphe polygoni*, LC (Barr 1953)

Basidiomycotina

Uredinales

*Cronartium comandrae*, V (DAVFP)

***Conioselinum pacificum*** (S. Wats.) Coult. & Rose - hemlock-parsley

Fungi

Basidiomycotina

Uredinales

*Puccinia ligustici*, LC (Parmelee 1989)

Deuteromycotina

Coelomycetes

*Septoria levisticicola*, LC (Ginns 1986a on *Conioselinum chinense*)

Hyphomycetes

*Cercospora selini-gmelini*, LC (Ginns 1986a on *Conioselinum chinense*)

Chromista

Oomycota

*Plasmopara carlottae*, LC (Ginns 1986a on *Conioselinum chinense*)

***Conringia orientalis*** (L.) Dum. - hare's ear mustard

Chromista

Oomycota

*Albugo candida*, LC (Shaw 1973)

***Convallaria majalis*** L. - lily-of-the-valley

Fungi

Deuteromycotina

Hyphomycetes

*Botrytis cinerea*, LC (Savile 1961; Conners 1967)

*Botrytis* sp., LC (Toms 1964)

***Convolvulus arvensis*** L. - small bindweed, morning-glory

Fungi

Deuteromycotina

Coelomycetes

*Septoria convolvuli*, LC (Ginns 1986a)

***Coreopsis grandiflora*** Nutt. - coreopsis

Fungi

Ascomycotina

*Sphaerotheca fuliginea*, LC (Conners 1967)

*Sphaerotheca macularis*, LC (Ginns 1986a)

***Coreopsis* sp.** - tickseed

Fungi

Ascomycotina

*Sphaerotheca fuliginea*, LC (Barr 1953 as *Sphaerotheca humuli* var. *fuliginea*)

Deuteromycotina

Hyphomycetes

*Fusarium* sp., LC (Conners 1967)

***Cornus canadensis*** L. - bunchberry, dwarf dogwood

Fungi

Basidiomycotina

Uredinales

*Puccinia porphyrogenita*, V (DAVFP)

- Deuteromycotina**
- Coelomycetes**
- Discula destructiva*, LC (Toms 1964 as *Gloeosporium corni*)
- Hypocreales**
- Glomopsis corni*, LC (Jones 1957)
- Cornus florida** L. - flowering dogwood
- Fungi**
- Deuteromycotina**
- Hypocreales**
- Botrytis* sp., LC (Mittal and Wang 1985)
- Cornus nuttallii** Aud. - western flowering dogwood
- Fungi**
- Ascomycotina**
- Diaporthe* sp., LC (Ginns 1986a)  
*Glomerella cingulata*, V (DAVFP)  
*Monilinia corni*, LC (Ginns 1986a)  
*Mycosphaerella auerswaldii*, LC (Barr 1953)  
*Nectria cinnabarinia*, V (DAVFP)  
*Nectria* sp., V (DAVFP)  
*Phyllactinia guttata*, V (DAVFP)  
*Xylaria hypoxylon*, V (DAVFP)
- Basidiomycotina**
- Aphylophorales**
- Coniophora puteana* var. *puteana*, LC (Ginns 1982a)  
*Cylindrobasidium laeve*, UR  
*Daedaleopsis confragosa*, UR  
*Merulius corium*, V (DAVFP)  
*Odontia* sp., V (DAVFP)  
*Peniophora cinerea*, V (DAVFP)  
*Phellinus ferreus*, V (DAVFP)  
*Phellinus igniarius*, V (DAVFP)  
*Stereum* sp., V (DAVFP)  
*Trametes versicolor*, LC (Nobles 1948 as *Polyporus versicolor*)
- Others**
- Dacrymyces stillatus*, V (UBC F854)  
*Tremella mesenterella*, LC (Bandoni & Ginns 1998) – sometimes associated with *Peniophora* sp.
- Deuteromycotina**
- Coelomycetes**
- Camarosporium quaternatum*, V (DAVFP)  
*Discula destructiva*, V (DAVFP)  
*Gloeosporium* sp., V (DAVFP)  
*Melanconium* sp., V (DAVFP)  
*Phoma* sp., LC (Ginns 1986a)  
*Phyllosticta cornicola*, UR  
*Placosphaeria cornicola*, LC (Shaw 1973)  
*Sclerophoma ambigua*, V (DAVFP) (TYPE)  
*Septoria cornicola*, LC (Punja and Ormrod 1979)
- Hypocreales**
- Botrytis cinerea*, V (DAVFP)  
*Monilia corni*, V (DAVFP)  
*Tubercularia* sp., UR
- Chromista**
- Oomycota**
- Phytophthora cactorum*, V (DAVFP)
- Phytophthora cinnamomi**, LC (Atkinson 1965)  
*Phytophthora* sp., LC (Atkinson 1965)
- Protozoa**
- Myxomycota**
- Comatricha lurida*, V (DAVFP)
- Cornus occidentalis** Coville - western osier
- Fungi**
- Ascomycotina**
- Valsa sordida*, LC (Spielman 1985)
- Cornus pubescens** Nutt. see *Cornus stolonifera*
- Cornus stolonifera** Michx. (=*Cornus pubescens*) - red osier dogwood
- Fungi**
- Ascomycotina**
- Glyphium corrugatum*, LC (Ginns 1986a)  
*Melanconis* sp., UR  
*Pezicula corni*, V (DAVFP)  
*Phyllactinia guttata*, V (DAVFP)  
*Valsa sordida*, LC (Connors 1967)  
*Valsa* sp., V (DAVFP)
- Basidiomycotina**
- Aphylophorales**
- Basidioradulum radula*, V (DAVFP)  
*Botryobasidium vagum*, LC (Shaw 1973 as *Pellicularia vaga*)  
*Grandinia crustosa*, V (DAVFP)  
*Phellinus ferreus*, V (DAVFP)
- Uredinales**
- Puccinia* sp., V (DAVFP)
- Deuteromycotina**
- Coelomycetes**
- Cytospora* sp., V (DAVFP)  
*Diplodina salicis*, V (DAVFP)  
*Discula destructiva*, V (DAVFP)  
*Septoria cornicola*, V (DAVFP)
- Hypocreales**
- Mycovellosiella* sp., V (DAVFP)
- Cornus** sp. - dogwood
- Fungi**
- Ascomycotina**
- Cryptodiaporte salicella*, LC (Bier 1961)  
*Mycosphaerella* sp., V (DAVFP)  
*Nectria cinnabarinia*, V (DAVFP)  
*Phyllactinia guttata*, LC (Barr 1953 as *Phyllactinia corylea*)
- Basidiomycotina**
- Agaricales**
- Armillaria* sp., UR
- Deuteromycotina**
- Coelomycetes**
- Discula destructiva*, V (DAVFP)  
*Gloeosporium* sp., V (DAVFP)  
*Libertella* sp., V (DAVFP)  
*Phoma* sp., V (DAVFP)

*Plant hosts - C*

***Corylus avellana* L. - European hazelnut**

**Fungi**

**Ascomycotina**

*Strossmayeria atriseda*, LC (Iturriaga and Korf 1990)

**Deuteromycotina**

**Coelomycetes**

*Phomopsis revellens*, LC (Ginns 1986a)

**Bacteria**

*Xanthomonas coryli*, LC (Conners 1967)

***Corylus cornuta* Marsh. - beaked hazelnut**

**Fungi**

**Ascomycotina**

*Mamianiella coryli*, V (DAVFP)

**Basidiomycotina**

**Aphylophorales**

*Hymenochaete tabacina*, V (DAVFP)

*Poria* sp., V (DAVFP)

**Deuteromycotina**

**Coelomycetes**

*Diplodia sarmmentorum*, V (DAVFP)

**Protozoa**

**Myxomycota**

*Lamproderma carestiae*, V (DAVFP)

***Corylus cornuta* Marsh. var. *californica***

(A. DC.) Sharp - California hazel, beaked hazelnut

**Fungi**

**Ascomycotina**

*Hypoxyylon rubiginosum*, V (DAVFP)

*Mamianiella coryli*, V (DAVFP)

*Melanomma pulvis-pyrius*, V (DAVFP)

*Phyllactinia guttata*, LC (Conners 1967)

**Basidiomycotina**

**Aphylophorales**

*Merulioopsis corium*, V (DAVFP)

*Peniophora cinerea*, V (DAVFP)

*Polyporus mori*, LC (Shaw 1958 on *Corylus californica*)

**Others**

*Tremella* sp., V (DAVFP)

**Deuteromycotina**

**Coelomycetes**

*Piggotia coryli*, LC (Ginns 1986a)

*Septoria ostriae*, LC (Constantinescu 1984)

***Corylus* sp. - hazel**

**Fungi**

**Ascomycotina**

*Anisogramma anomala*, LC (Buonassisi 1989)

*Hypoxyylon fuscum*, V (DAVFP)

*Mamianiella coryli*, LC (Barr 1978 as *Mamianiella coryli* var. *coryli*)

*Nectria cinnabarina*, LC (Shaw 1973)

*Phyllactinia guttata*, LC (Barr 1953; Buonassisi 1989 as *Phyllactinia corylea*)

**Basidiomycotina**

**Aphylophorales**

*Ceriporia reticulata*, V (DAOM 142075)

*Grandinia crustosa*, V (DAVFP)

*Hymenochaete radio-ferruginea*, V (DAOM 141783)

*Hyphodermella corrugata*, V (DAVFP)

*Phanerochaete sordida*, V (DAVFP)

*Phellinus ferreus*, V (DAVFP)

*Phlebia concentrica*, V (DAVFP)

*Polyporus varius*, LC (Shaw 1973)

*Skeletocutis nivea*, V (DAVFP)

**Deuteromycotina**

**Hyphomycetes**

*Tubercularia vulgaris*, V (DAVFP)

***Cosmos bipinnatus* Caw. - common**

**cosmos**

**Fungi**

**Ascomycotina**

*Sclerotinia sclerotiorum*, LC (Ginns 1986a)

***Cosmos* sp. - cosmos**

**Fungi**

**Deuteromycotina**

**Hyphomycetes**

*Botrytis cinerea*, LC (Conners 1967)

***Cotoneaster franchetii* Bois. - cotoneaster**

**Chromista**

**Oomycota**

*Phytophthora cactorum*, LC (Jones 1957)

***Cotoneaster frigida* Lindl. - cotoneaster**

**Fungi**

**Ascomycotina**

*Nectria cinnabarina*, LC (Jones 1957)

***Cotoneaster horizontalis* Decne. -**

**cotoneaster**

**Chromista**

**Oomycota**

*Phytophthora cactorum*, LC (Ginns 1986a)

***Cotoneaster salicifolia* Franch. - willow leaf**

**cotoneaster**

**Bacteria**

*Erwinia amylovora*, V (DAVFP)

***Cotoneaster simonsii* Baker - cotoneaster**

**Fungi**

**Ascomycotina**

*Valsa ambiens*, LC (Shaw 1973)

***Cotoneaster* sp. - cotoneaster**

**Fungi**

**Basidiomycotina**

**Agaricales**

*Armillaria* sp., V (DAVFP)

***Crataegus brevispina* Douglas ex Steud.**

**Fungi**

**Ascomycotina**

*Valsa sordida*, LC (Spielman 1985)

***Crataegus columbiana*** Howell - Columbia hawthorn

Fungi

Basidiomycotina

Uredinales

*Gymnosporangium bethelii*, V (DAVFP)

*Gymnosporangium clavipes*, V (DAVFP)

***Crataegus douglasii*** Lindl. - black hawthorn

Fungi

Ascomycotina

*Phyllactinia guttata*, LC (Shaw 1973)

*Valsa sordida*, LC (Connors 1967)

Basidiomycotina

Uredinales

*Gymnosporangium bethelii*, V (DAVFP)

*Gymnosporangium clavipes*, V (DAVFP)

*Gymnosporangium inconspicuum*, LC (Ginns 1986a)

Deuteromycotina

Coelomycetes

*Cylindrosporium brevispina*, LC (Connors 1967)

Hyphomycetes

*Cercoseptoria crataegi*, LC (Dearness 1916  
on *Crataegus brevispina*)

***Crataegus oxyacantha*** L. - English hawthorn

Fungi

Ascomycotina

*Diplocarpon mespili*, V (DAVFP)

*Podosphaera clandestina*, LC (Ginns 1986a  
on *Crataegus curvipespala*)

Basidiomycotina

Uredinales

*Gymnosporangium clavariiforme*, V (DAVFP)

Bacteria

*Erwinia amylovora*, LC (Connors 1967)

***Crataegus oxyacantha*** L. var. ***paulii*** Rehd.  
- English hawthorn

Fungi

Ascomycotina

*Diplocarpon mespili*, LC (Connors 1967 as  
*Entomosporium thuemenii*)

***Crataegus*** sp. - hawthorn

Fungi

Ascomycotina

*Daldinia concentrica*, V (DAVFP)

*Diatrype stigma*, LC (Shaw 1973)

*Diplocarpon mespili*, V (DAVFP)

*Phyllactinia guttata*, LC (Barr 1953 as  
*Phyllactinia corylea*)

Basidiomycotina

Agaricales

*Armillaria* sp., LC (Morrison et al. 1985 as  
*Armillaria mellea*)

Aphyllophorales

*Phellinus ferreus*, V (DAVFP)

***Crepis acuminata*** Nutt. - long-leaved hawksbeard

Fungi

Basidiomycotina

Uredinales

*Puccinia hieracii*, LC (Shaw 1973)

***Crepis atrabarpa*** Heller - slender hawksbeard

Fungi

Ascomycotina

*Mycosphaerella tassiana*, LC (Barr 1953)

Basidiomycotina

Uredinales

*Puccinia crepidis-montanae*, LC (Parmelee  
and Savile 1981)

*Puccinia hieracii*, LC (Parmelee and Savile  
1981)

***Cryptantha torreyana*** (Gray) Greene -

Torrey's cryptantha

Fungi

Ascomycotina

*Erysiphe cichoracearum*, LC (Shaw 1973)

***Cryptogramma crispa*** (L.) R. Br. var.

***acrostichoides*** (R. Br.) C.B. Clarke -

parsley fern

Fungi

Basidiomycotina

Uredinales

*Milesina darkeri*, V (DAVFP)

***Cucurbita maxima*** Dcne. - autumn or winter squash

Fungi

Ascomycotina

*Chaetomium murorum*, LC (Connors 1967)

*Didymella bryoniae*, LC (Toms 1964)

*Erysiphe cichoracearum*, LC (Ginns 1986a)

*Mycosphaerella tassiana*, LC (Barr 1953)

*Sordaria fimicola*, LC (Barr 1953)

Deuteromycotina

Coelomycetes

*Septoria cucurbitacearum*, LC (Ginns 1986a)

Hyphomycetes

*Alternaria* sp., LC (Ginns 1986a)

*Fusarium avenaceum*, LC (Connors 1967)

*Fusarium equiseti*, LC (Connors 1967)

*Fusarium oxysporum*, LC (Ginns 1986a)

*Fusarium solani* f. sp. *cucurbitae*, LC (Shaw  
1973)

*Geotrichum candidum*, LC (Connors 1967 as  
*Oospora lactis*)

*Oidium* sp., LC (Toms 1964)

*Periconia byssoides*, LC (Connors 1967)

*Verticillium albo-atrum*, LC (Connors 1967)

*Verticillium dahliae*, LC (Toms 1964;  
Wooliams 1966)

*Plant hosts - C*

**Zygomycotina**

*Mucor racemosus*, LC (Connors 1967)  
*Rhizopus stolonifer*, LC (Connors 1967)

**Cucurbita pepo** L. - pumpkin, vegetable marrow

**Fungi**

**Ascomycotina**

*Didymella bryoniae*, LC (Corlett et al. 1986;  
Ginns 1986a as *Ascochyta cucumis*)  
*Erysiphe cichoracearum*, LC (Ginns 1986a)  
*Pleospora herbarum*, UR  
*Sordaria fimicola*, LC (Connors 1967)

**Deuteromycotina**

**Coelomycetes**

*Ascochyta cucumis*, LC (Jones 1957)

**Hypocreales**

*Alternaria alternata*, LC (Connors 1967)  
*Alternaria radicina*, LC (Connors 1967)  
*Botrytis cinerea*, LC (Toms 1964)  
*Epicoccum nigrum*, LC (Connors 1967)  
*Fusarium equiseti*, LC (Connors 1967)  
*Fusarium sambucinum* var. *caeruleum*, LC  
(Connors 1967)  
*Fusarium sporotrichioides*, LC (Connors  
1967)  
*Geotrichum candidum*, LC (Connors 1967 as  
*Oospora lactis*)  
*Oidium* sp., LC (Ginns 1986a)  
*Verticillium albo-atrum*, LC (Shaw 1973)

**Zygomycotina**

*Mucor hiemalis*, LC (Connors 1967)  
*Rhizopus arrhizus*, LC (Connors 1967)

**X Cupressocyparis leylandii** (Dallim. & Jacks.) Dallim. - Leyland cypress

**Fungi**

**Basidiomycotina**

**Agaricales**

*Marasmiellus candidus*, V (DAVFP)

**Cupressus arizonica** Greene - Arizona cypress

**Fungi**

**Ascomycotina**

*Lophodermium* sp., V (DAVFP)

**Deuteromycotina**

**Coelomycetes**

*Kabatina thujae*, V (DAVFP)

**Cupressus macrocarpa** Hartw. - Monterey cypress

**Fungi**

**Ascomycotina**

*Ascocoryne sarcoides*, UR  
*Leptotypha cupressi*, V (DAVFP)  
*Mytilinidion* sp., V (DAVFP)

**Basidiomycotina**

**Aphyllophorales**

*Coniophora puteana* var. *puteana*, UR

**Deuteromycotina**

**Coelomycetes**

*Monochaetia* sp., V (DAVFP)  
*Pestalotiopsis funerea*, V (DAVFP)  
*Phomopsis* sp., V (DAVFP)

**Cupressus** sp. - cypress

**Fungi**

**Ascomycotina**

*Gibberella baccata*, V (DAVFP)  
*Pleospora* sp., V (DAVFP)

**Bacteria**

*Agrobacterium tumefaciens*, V (DAVFP)

**Cydonia oblonga** Mill. - quince

**Fungi**

**Ascomycotina**

*Diplocarpon mespili*, LC (Ginns 1986a)

**Bacteria**

*Erwinia amylovora*, LC (Toms 1964)

**Cynosurus cristatus** L. - crested dogtail

**Fungi**

**Deuteromycotina**

**Hypocreales**

*Cercosporidium graminis*, LC (Ginns 1986a)

**Cystopteris fragilis** (L.) Bernh. - fragile fern

**Fungi**

**Basidiomycotina**

**Uredinales**

*Hyalopsora polypodii*, V (DAVFP)

**Chytridiomycota**

*Synchytrium alyrii*, LC (Karling 1956)

**Cytisus praecox** Bean - white Spanish broom

**Fungi**

**Basidiomycotina**

**Agaricales**

*Armillaria* sp., V (DAVFP)

**Cytisus scoparius** (L.) Link - Scotch broom

**Fungi**

**Ascomycotina**

*Diaporthe inaequalis*, V (DAVFP)

*Diaporthe* sp., V (DAVFP)

*Kalmusia clivensis*, LC (Barr 1992a)

*Lachnella alboviolascens*, V (DAVFP)

*Pleospora* sp., V (DAVFP)

*Trichometasphaeria genistae*, LC (Barr 1992b)

**Basidiomycotina**

**Agaricales**

*Pellidiscus pallida*, LC (Redhead 1973)

**Aphyllophorales**

*Athelia scutellaris*, V (DAVFP)

*Cylindrobasidium laeve*, V (DAVFP)

*Cyphella alboviolascens*, V (DAVFP)

*Hyphoderma sambuci*, V (DAVFP)

*Hyphoderma setigerum*, V (DAVFP)

*Mycoacia uda*, V (DAVFP)

*Peniophora incarnata*, V (DAVFP)

*Phellinus robustus*, V (DAVFP)  
*Scytiostroma galactina*, V (DAVFP)  
*Trametes versicolor*, V (DAVFP)

**Others**

*Sebacina* sp., V (DAVFP)  
*Tremella mesenterica*, LC (Bandoni & Ginns  
1998)

**Deuteromycotina**

**Coelomycetes**  
*Phomopsis* sp., V (DAVFP)

**Hypocreomycetes**

*Alternaria alternata*, LC (Punja and Ormrod  
1979)  
*Helminthosporium velutinum*, V (DAVFP)

**Cytisus** sp. - broom

**Fungi**

**Ascomycotina**  
*Leptosphaeria californica*, LC (Barr 1953)

**Basidiomycotina**

**Others**

*Dacrymyces deliquescent var. ellisi*, V (UBC  
F4887)

*Plant hosts - C*

**Dactylis glomerata** L. - orchardgrass

Fungi

Ascomycotina

- Claviceps purpurea*, V (DAVFP)
- Erysiphe graminis*, LC (Barr 1953)
- Lophodermium arundinaceum*, V (DAVFP)
- Myriosclerotinia borealis*, LC (Ginns 1986a)
- Phaeosphaeria nigrans*, LC (Shoemaker and Babcock 1989)
- Phaeosphaeria typharum*, LC (Barr 1953 as *Leptosphaeria typharum*)
- Phyllachora graminis*, LC (Barr 1953)

Basidiomycotina

Uredinales

- Puccinia graminis*, LC (Jones 1957)
- Puccinia striiformis*, LC (Bittman et al. 1991)
- Uromyces dactylidis*, V (DAVFP)

Others

- Ustilago striiformis*, LC (Ginns 1986a as *Ustilago sallei*)

Deuteromycotina

Coelomycetes

- Dinemasporium strigosum*, V (DAVFP)
- Sphaerellopsis filum*, LC (Connors 1967)

Hyphomycetes

- Cercosporidium graminis*, LC (Ginns 1986a)
- Fusarium culmorum*, LC (Ginns 1986a)
- Mastigosporium rubricosum*, LC (Ginns 1986a)

Chromista

Oomycota

- Sclerotophthora cryophila*, LC (Ginns 1986a)

**Danthonia californica** Boland. - western wild oat grass

Fungi

Ascomycotina

- Mycosphaerella tassiana*, LC (Barr 1953)

**Danthonia intermedia** Vas. - mountain wild oat grass

Fungi

Ascomycotina

- Phaeosphaeria typharum*, LC (Barr 1953 as *Leptosphaeria typharum*)

**Daphne mezereum** L. - February daphne, mezereon

Fungi

Deuteromycotina

Coelomycetes

- Marssonina daphnes*, V (DAVFP)

Hyphomycetes

- Botrytis cinerea*, LC (Toms 1964)

**Daucus carota** L. - wild carrot, Queen Anne's lace

Fungi

Deuteromycotina

Hyphomycetes

- Fusarium roseum*, LC (Shaw 1973)

- Thielaviopsis basicola*, LC (Ginns 1986a)

**Delphinium brownii** Rydb. - larkspur

Fungi

Ascomycotina

- Metasphaeria zobeliana*, LC (Barr 1953)

Basidiomycotina

Others

- Entyloma winteri*, LC (Connors 1967)

**Delphinium cultorum** Voss - perennial delphinium

Fungi

Deuteromycotina

Hyphomycetes

- Botrytis cinerea*, LC (Toms 1964)

- Oidium* sp., LC (Toms 1964)

Bacteria

- Erwinia carotovora*, LC (Toms 1964)

- Pseudomonas delphinii*, LC (Toms 1964)

**Delphinium menziesii** DC. - Menzies' larkspur

Fungi

Chytridiomycota

- Synchytrium* sp., LC (Karling 1956)

Deuteromycotina

Coelomycetes

- Phyllosticta delphinii*, LC (Shaw 1973)

**Delphinium** sp. - larkspur

Fungi

Ascomycotina

- Erysiphe cichoracearum*, LC (Barr 1953)

- Erysiphe polygoni*, LC (Barr 1953)

- Mycosphaerella tassiana*, LC (Barr 1953)

Basidiomycotina

Uredinales

- Puccinia recondita*, V (DAVFP)

Deuteromycotina

Hyphomycetes

- Botrytis cinerea*, LC (Jones 1957)

- Fusarium* sp., LC (Connors 1967)

**Deschampsia atropurpurea** (Wahl.) Scheele - mountain hair-grass

Fungi

Ascomycotina

- Phaeosphaeria typharum*, LC (Barr 1953 as *Leptosphaeria typharum*)

Basidiomycotina

Uredinales

- Puccinia praegracilis* var. *connersii*, LC

(Parmelee 1983 on *Vahlodea atropurpurea*)

**Deschampsia cespitosa** (L.) Beauv. - seven-year-grass

Fungi

Deuteromycotina

Coelomycetes

- Pseudoseptoria everhartii*, LC (Ginns 1986a)

*Plant hosts - D*

<b><i>Deschampsia elongata</i> (Hook.) Munro:</b> Benth. - slender hair-grass	<b>Hyphomycetes</b> <i>Cercospora streptopi</i> , LC (Shaw 1973)
<b>Fungi</b>	
<b>Basidiomycotina</b>	
<b>Uredinales</b>	
<i>Uromyces fragilipes</i> , V (DAVFP)	
<b>Deuteromycotina</b>	
<b>Coelomycetes</b>	
<i>Pseudoseptoria stomaticola</i> , LC (Ginns 1986a)	
<b><i>Deschampsia sp.</i> - hair-grass</b>	
<b>Fungi</b>	
<b>Ascomycotina</b>	
<i>Mycosphaerella tassiana</i> , LC (Barr 1953)	
<b><i>Dierama pulcherrimum</i> (Hook.) Baker - angel's fishing rod</b>	
<b>Fungi</b>	
<b>Deuteromycotina</b>	
<b>Hyphomycetes</b>	
<i>Cladosporium herbarum</i> , V (DAVFP)	
<b><i>Digitalis lanata</i> Ehrh. - foxglove</b>	
<b>Fungi</b>	
<b>Deuteromycotina</b>	
<b>Coelomycetes</b>	
<i>Colletotrichum fuscum</i> , LC (Ginns 1986a)	
<b>Hyphomycetes</b>	
<i>Verticillium albo-atrum</i> , LC (Shaw 1973)	
<i>Verticillium</i> sp., LC (Toms 1964)	
<b>Chromista</b>	
<b>Oomycota</b>	
<i>Pythium</i> sp., LC (Jones 1957)	
<b><i>Digitalis purpurea</i> L. - common foxglove</b>	
<b>Fungi</b>	
<b>Deuteromycotina</b>	
<b>Hyphomycetes</b>	
<i>Ramularia variabilis</i> , LC (Ginns 1986a)	
<b><i>Digitalis</i> sp. - foxglove</b>	
<b>Fungi</b>	
<b>Ascomycotina</b>	
<i>Pleospora herbarum</i> , LC (Barr 1953)	
<b><i>Disporum hookeri</i> (Torr.) Britt. var. <i>oreganum</i> (S. Wats.) Q. Jones - Hooker's fairy bell</b>	
<b>Fungi</b>	
<b>Deuteromycotina</b>	
<b>Coelomycetes</b>	
<i>Septoria streptopodis</i> , V (DAVFP)	
<b>Hyphomycetes</b>	
<i>Cercospora streptopi</i> , V (DAVFP)	
<b><i>Disporum majus</i> (Hook.) Britt. - rough-fruited fairy bell</b>	
<b>Fungi</b>	
<b>Deuteromycotina</b>	
<b>Coelomycetes</b>	
<i>Septoria streptopodis</i> , LC (Savile 1961)	
<b><i>Distichlis spicata</i> (L.) Greene - alkali grass, salt-grass</b>	
<b>Fungi</b>	
<b>Ascomycotina</b>	
<i>Mycosphaerella graminicola</i> , LC (Barr 1953)	
<b>Basidiomycotina</b>	
<b>Uredinales</b>	
<i>Puccinia aristidae</i> , LC (Ginns 1986a)	
<i>Uromyces peckianus</i> subsp. <i>rugulosus</i> , LC (Savile 1976a) (TYPE)	
<b><i>Distichlis stricta</i> (Torr.) Rydb. - desert salt-grass</b>	
<b>Fungi</b>	
<b>Ascomycotina</b>	
<i>Dothidella aristidae</i> , LC (Ginns 1986a)	
<i>Phyllachora sylvatica</i> , LC (Barr 1953 as <i>Endodothella tracyi</i> )	
<b>Basidiomycotina</b>	
<b>Uredinales</b>	
<i>Puccinia subnitens</i> , LC (Parmelee and de Carteret 1981c)	
<b><i>Ditrichum</i> sp. - moss</b>	
<b>Fungi</b>	
<b>Basidiomycotina</b>	
<b>Aphyllophorales</b>	
<i>Cyphellostereum laeve</i> , LC (Redhead 1973)	
<b><i>Dodecatheon jeffreyi</i> Van Houtte - Jeffrey's shooting star</b>	
<b>Fungi</b>	
<b>Basidiomycotina</b>	
<b>Uredinales</b>	
<i>Puccinia ortonii</i> , LC (Parmelee 1981)	
<b><i>Dodecatheon pulchellum</i> (Raf.) Merr. - shooting star</b>	
<b>Fungi</b>	
<b>Basidiomycotina</b>	
<b>Uredinales</b>	
<i>Puccinia ortonii</i> , LC (Parmelee 1981)	
<b><i>Draba alpina</i> L. - whitlow-grass</b>	
<b>Fungi</b>	
<b>Ascomycotina</b>	
<i>Mycosphaerella tassiana</i> , LC (Barr 1953 as <i>Mycosphaerella confinis</i> )	
<b><i>Draba incerta</i> Pays. - uncertain whitlow-grass</b>	
<b>Fungi</b>	
<b>Basidiomycotina</b>	
<b>Uredinales</b>	
<i>Puccinia drabae</i> , LC (Ginns 1986a)	
<i>Puccinia drabica</i> , LC (Savile 1974f; Parmelee 1989) (TYPE)	

***Draba longipes*** Raup - whitlow-grass

- Fungi
  - Basidiomycotina
    - Uredinales
      - Puccinia drabae*, LC (Ginns 1986a)
  
- Draba paysonii*** Macbr. - Payson's draba
  - Fungi
    - Ascomycotina
      - Acrospermum compressum*, LC (Barr 1953)
      - Pleospora scrophulariae* var. *compositarum*, LC (Barr 1953 as *Pleospora compositarum*)

***Draba paealta*** Greene - tall whitlow-grass

- Fungi
  - Ascomycotina
    - Pleospora tragacanthae*, LC (Barr 1953)

***Draba stenoloba*** Ledeb. - slender whitlow-grass

- Fungi
  - Ascomycotina
    - Heptameria tenera*, LC (Barr 1953 as *Leptosphaeria tenera*)
    - Pleospora amplispora*, LC (Barr 1953)

***Draba* sp.** - whitlow-grass

- Fungi
  - Ascomycotina
    - Mycosphaerella tassiana*, LC (Barr 1953)
    - Pleospora helvetica*, LC (Barr 1953)

***Dryas drummondii*** Richards.:Hook. -

Drummond's mountain avens

- Fungi
  - Ascomycotina
    - Isothea rhytismaoides*, LC (Shaw 1973)
    - Pleospora potentillae*, LC (Shaw 1973 as *Leptosphaerulina pulchra*)
    - Wettsteinina dryadis*, LC (Barr 1953 as *Massarina dryadis*)

Chromista

- Oomycota
  - Phytophthora fragariae*, LC (Shaw 1973)

***Dryas octopetala*** L. - white mountain avens

- Fungi
  - Ascomycotina
    - Pleospora potentillae*, LC (Barr 1953 as *Pleospora oligasca*)

***Dryas* sp.** - mountain avens

- Fungi
  - Basidiomycotina
    - Agaricales
      - Marasmius epidryas*, LC (Redhead et al. 1982)

***Dryopteris austriaca*** (Jacq.) Woyn.

(= *Aspidium spinulosum*, *Dryopteris dilatata*)

- spiny wood-fern

- Fungi
  - Basidiomycotina
    - Uredinales
      - Milesina dilatata*, V (DAVFP)

Deuteromycotina  
Hyphomycetes  
*Valdensia heterodoxa*, LC (Ginns 1986a)

***Dryopteris dilatata*** (Hoffm.) A. Gray see  
*Dryopteris austriaca*

***Dryopteris disjuncta*** (Ledeb.) C.V. Morton  
see *Gymnocarpium dryopteris*

***Dryopteris linnaeana*** C. Chr. see  
*Gymnocarpium dryopteris*

*Plant hosts - D*

***Echinocystis lobata*** (Michx.) T. & G. - wild cucumber

Fungi

Deuteromycotina

Hyphomycetes

*Verticillium dahliae*, LC (Toms 1964;  
Woolliams 1966)

***Elaeagnus angustifolia*** L. - oleaster,  
Russian olive

Fungi

Basidiomycotina

Uredinales

*Puccinia caricis-shepherdiae*, LC (Ginns  
1986a)

Deuteromycotina

Coelomycetes

*Phomopsis arnoldiae*, LC (Ginns 1986a)

Hyphomycetes

*Verticillium dahliae*, LC (Woolliams 1966)

***Elaeagnus argentea*** Pursh see *Elaeagnus commutata*

***Elaeagnus commutata*** Bernh.

(= *Elaeagnus argentea*) - silverberry, wolf willow

Fungi

Basidiomycotina

Uredinales

*Puccinia caricis-shepherdiae*, V (DAVFP)  
*Puccinia coronata*, LC (Shaw 1973)

Deuteromycotina

Coelomycetes

*Phoma glomerata*, V (DAVFP)

Hyphomycetes

*Cercosporidium manitobanum*, V (DAVFP)

***Elymus arenarius*** L. var. ***villosus*** E. Mey. - lyme grass, wild rye

Fungi

Ascomycotina

*Claviceps purpurea*, LC (Connors 1967)

***Elymus canadensis*** L. - Canada wild rye-grass

Fungi

Ascomycotina

*Myriosclerotinia borealis*, LC (Ginns 1986a)  
*Phaeosphaeria erikssonii*, LC (Shoemaker and Babcock 1989)

***Elymus cinereus*** Scribn. & Merr. - gray rye-grass

Fungi

Deuteromycotina

Coelomycetes

*Pseudoseptoria donacis*, LC (Sprague 1960a)

*Septoria infuscans*, LC (Sprague 1960a)

***Elymus condensatus*** Presl - giant rye-grass

Fungi

Ascomycotina

*Phyllachora graminis*, LC (Barr 1953)

***Elymus glaucus*** Buckl. - wild rye, western rye-grass

Fungi

Ascomycotina

*Claviceps purpurea*, LC (Ginns 1986a)

*Phyllachora graminis*, LC (Connors 1967)

Basidiomycotina

Uredinales

*Puccinia recondita*, V (DAVFP)

*Puccinia striiformis*, V (DAVFP)

Deuteromycotina

Coelomycetes

*Cheilaria agrostis*, V (DAVFP)

Hyphomycetes

*Cercosporidium graminis*, LC (Ginns 1986a)

*Epicoccum* sp., V (DAVFP)

*Ramularia pusilla*, LC (Connors 1967)

***Elymus hirsutus*** Presl - northern rye-grass

Fungi

Basidiomycotina

Uredinales

*Puccinia striiformis*, LC (Savile 1983)

***Elymus innovatus*** Beal - wild rye

Fungi

Ascomycotina

*Claviceps purpurea*, LC (Connors 1967)

*Mycosphaerella tassiana*, LC (Barr 1953)

*Pyrenophora schroeteri*, LC (Barr 1953 as *Clathrospora macrospora*)

Basidiomycotina

Uredinales

*Puccinia coronata*, V (DAVFP)

Deuteromycotina

Hyphomycetes

*Cercosporidium graminis*, LC (Connors 1967)

***Elymus macounii*** Vas. - Macoun's rye-grass

Fungi

Ascomycotina

*Leptosphaeria culmifraga*, LC (Barr 1953)

Deuteromycotina

Coelomycetes

*Pseudoseptoria donacis*, LC (Sprague 1960a)

***Elymus marginalis*** Rydb. - wild rye

Fungi

Basidiomycotina

Uredinales

*Puccinia striiformis*, LC (Arthur 1934 as *Puccinia glumarum*)

*Plant hosts - E*

***Elymus mollis*** Trin. - wild rye, sea lyme-grass

**Fungi**

**Ascomycotina**

*Claviceps purpurea*, LC (Conners 1967)  
*Lophodermium arundinaceum*, V (DAVFP)

**Basidiomycotina**

**Agaricales**

*Resinomyces saccharifera* subsp.  
*kalalochensis*, LC (Redhead 1984a)

**Uredinales**

*Puccinia recondita*, UR

**Deuteromycotina**

**Coelomycetes**

*Stagonospora avenae* f. sp. *triticea*, LC  
 (Conners 1967)

**Hyphomycetes**

*Cladosporium herbarum*, V (DAVFP)

***Elymus piperi*** Bowden - wild rye

**Fungi**

**Ascomycotina**

*Claviceps purpurea*, LC (Conners 1967)  
*Phyllachora graminis*, LC (Conners 1967)

**Basidiomycotina**

**Agaricales**

*Coprinus psychromorbidus*, LC (Redhead  
 and Traquair 1981b)

**Uredinales**

*Puccinia montanensis*, V (DAVFP)  
*Puccinia recondita*, LC (Conners 1967)

***Elymus sibiricus*** L. - Siberian wild rye

**Fungi**

**Ascomycotina**

*Myriosclerotinia borealis*, LC (Ginns 1986a)

***Elymus vancouverensis*** Vas. - Vancouver  
 wild rye

**Fungi**

**Basidiomycotina**

**Uredinales**

*Puccinia recondita*, LC (Conners 1967)

***Elymus virescens*** Piper - Pacific rye-grass

**Fungi**

**Basidiomycotina**

**Uredinales**

*Puccinia recondita*, V (DAVFP)  
*Puccinia striiformis*, LC (Ginns 1986a on  
*Elymus glaucus* var. *virescens*)

***Elymus* sp.** - wild rye, rye-grass

**Fungi**

**Ascomycotina**

*Phaeosphaeria typharum*, LC (Barr 1953 as  
*Leptosphaeria typharum*)

**Deuteromycotina**

**Hyphomycetes**

*Menispora ciliata*, LC (Hughes and Kendrick  
 1963)

***Empetrum nigrum*** L. - crowberry

**Fungi**

**Ascomycotina**

*Arwidssonia empetri*, V (DAVFP)  
*Physalospora empetri*, V (DAVFP)

**Basidiomycotina**

**Uredinales**

*Chrysomyxa empetri*, V (DAVFP)

**Others**

*Exobasidium empetri*, LC (Ginns 1986a)

**Deuteromycotina**

**Hyphomycetes**

*Cladosporium* sp., V (DAVFP)

***Epilobium adenocaulon*** Hausskn. see  
*Epilobium glandulosum* var. *adenocaulon*

***Epilobium alpinum*** L. - alpine willow-herb

**Fungi**

**Basidiomycotina**

**Uredinales**

*Puccinia scandica*, LC (Parmelee and Ginns  
 1986 on *Epilobium anagallidifolium*)  
*Puccinia veratri*, LC (Ginns 1986a)

**Others**

*Doassansia pilobii*, LC (Ginns 1986a)

**Deuteromycotina**

**Hyphomycetes**

*Ramularia montana*, LC (Shaw 1973 as  
*Cercospora montana*)

***Epilobium alpinum*** L. var. *nutans*

(Hornem.) Hook. - alpine willow-herb

**Fungi**

**Basidiomycotina**

**Uredinales**

*Pucciniastrum pilobii*, V (DAVFP)

***Epilobium angustifolium*** L. - great willow-herb,  
 fireweed

**Fungi**

**Ascomycotina**

*Clathridium tostum*, LC (Ginns 1986a as  
*Discostroma tosta*)

*Diaporthe pardalota*, LC (Barr 1953)

*Didymella fenestrans*, LC (Barr 1953)

*Ditopellopsis racemula*, LC (Barr 1978)

*Mycosphaerella minor*, LC (Barr 1953)

*Sphaerella microspila*, LC (Barr 1953)

*Sydiowilla fenestrans*, LC (Barr 1978)

**Basidiomycotina**

**Aphyllophorales**

*Typhula uncialis*, V (DAVFP)

**Uredinales**

*Puccinia dioicae*, V (DAVFP)

*Puccinia gigantea*, V (DAVFP)

*Pucciniastrum pilobii*, V (DAVFP)

- Deuteromycotina**  
**Hyphomycetes**  
*Acremonium* sp., UR  
*Botrytis* sp., V (DAVFP)  
*Ramularia montana*, LC (Ginns 1986a as  
*Cercospora montana*)
- Epilobium clavatum* Trel.**  
**Fungi**  
**Basidiomycotina**  
**Uredinales**  
*Puccinia scandica*, LC (Parmelee and Ginns  
1986)
- Epilobium glandulosum* Lehm.**  
**Fungi**  
**Basidiomycotina**  
**Uredinales**  
*Pucciniastrum epilobii*, V (DAVFP)
- Epilobium glandulosum* Lehm. var.  
*adenocaulon*** (Hausskn.) Fern. (=*Epilobium adenocaulon*) – glandular willow herb  
**Fungi**  
**Ascomycotina**  
*Sphaerotheca epilobii*, V (DAVFP)
- Basidiomycotina**  
**Uredinales**  
*Pucciniastrum epilobii*, V (DAVFP)
- Epilobium glandulosum* Lehm. var. *tenue***  
(Trel.) C.L. Hitchc. - glandular willow-herb  
**Fungi**  
**Basidiomycotina**  
**Uredinales**  
*Pucciniastrum epilobii*, V (DAVFP)
- Epilobium hirsutum* L.** - hirsute willow-herb  
**Fungi**  
**Basidiomycotina**  
**Uredinales**  
*Puccinia veratri*, LC (Connors 1967)
- Epilobium latifolium* L.** - broad-leaved willow-herb  
**Fungi**  
**Ascomycotina**  
*Mycosphaerella chamaenerii*, LC (Ginns 1986a)  
*Venturia adusta*, LC (Ginns 1986a)
- Basidiomycotina**  
**Uredinales**  
*Puccinia veratri*, V (DAVFP)
- Chromista**  
**Oomycota**  
*Plasmopara epilobii*, LC (Shaw 1973)  
*Plasmopara latifolii*, LC (Ginns 1986a)
- Epilobium luteum* Pursh** - yellow willow-herb  
**Fungi**  
**Basidiomycotina**  
**Uredinales**  
*Puccinia veratri*, LC (Savile 1961)
- Pucciniastrum epilobii***, LC (Shaw 1973)
- Epilobium minutum* Lindl.** - minute willow-herb  
**Fungi**  
**Basidiomycotina**  
**Uredinales**  
*Puccinia oenotherae*, LC (Connors 1967)  
*Puccinia pulverulenta*, LC (Shaw 1973)
- Epilobium palustre* L.** - marsh willow-herb  
**Fungi**  
**Basidiomycotina**  
**Uredinales**  
*Puccinia epilobii* subsp. *palustris*, LC (Ginns 1986a)  
*Pucciniastrum epilobii*, LC (Shaw 1973)
- Epilobium paniculatum* Nutt.** - tall annual willow-herb  
**Fungi**  
**Basidiomycotina**  
**Uredinales**  
*Puccinia pulvurulenta*, V (DAVFP)
- Deuteromycotina**  
**Hyphomycetes**  
*Ramularia montana*, LC (Ginns 1986a as  
*Cercospora montana*)
- Epilobium* sp.** - willow-herb  
**Fungi**  
**Ascomycotina**  
*Venturia maculaeformis*, LC (Ginns 1986a)
- Equisetum arvense* L.** - common horsetail  
**Fungi**  
**Ascomycotina**  
*Lachnella alboviolascens*, LC (Redhead 1973)
- Deuteromycotina**  
**Hyphomycetes**  
*Verticillium dahliae*, LC (Woolliams 1966)
- Equisetum hyemale* L.** - common scouring-rush  
**Fungi**  
**Ascomycotina**  
*Phaeosphaeria berlesei*, LC (Shoemaker and Babcock 1989)  
*Phaeosphaeria hiemalis*, LC (Shoemaker and Babcock 1989)
- Equisetum telmateia* Ehrh.** - giant horsetail  
**Fungi**  
**Ascomycotina**  
*Phaeosphaeria hesperia*, LC (Barr 1992a)
- Eranthis hyemalis* (L.) Salisb.** - winter aconite  
**Fungi**  
**Basidiomycotina**  
**Others**  
*Urocystis eranthidis*, LC (Ginns 1986a)

*Plant hosts - E*

***Erica carnea* L. var. *Springwood* - heath**

**Chromista**

**Oomycota**

*Phytophthora cinnamomi*, LC (Atkinson 1965)

***Erigeron aureus* Greene - alpine yellow daisy**

**Fungi**

**Ascomycotina**

*Mycosphaerella tassiana*, LC (Shaw 1973)  
*Pleospora rainierensis*, LC (Shaw 1973)

**Basidiomycotina**

**Uredinales**

*Puccinia grindeliae*, LC (Ginns 1986a)

***Erigeron compositus* Pursh - cut-leaved daisy**

**Fungi**

**Ascomycotina**

*Pleospora njegusensis*, LC (Barr 1953)

***Erigeron filifolius* Nutt. - thread-leaved daisy**

**Fungi**

**Ascomycotina**

*Pleospora chlamydospora*, LC (Barr 1953 as  
*Pleospora balsamorrhizae*)

**Basidiomycotina**

**Uredinales**

*Puccinia grindeliae*, LC (Ginns 1986a)

***Erigeron linearis* (Hook.) Piper - fleabane, desert yellow daisy**

**Fungi**

**Basidiomycotina**

**Uredinales**

*Puccinia stipae*, V (DAVFP)

***Erigeron peregrinus* (Pursh) Greene - wandering daisy**

**Fungi**

**Basidiomycotina**

**Uredinales**

*Puccinia dioicae*, LC (Shaw 1973)

***Erigeron speciosus* (Lindl.) DC. - showy daisy**

**Fungi**

**Ascomycotina**

*Leptosphaeria agnita*, LC (Barr 1953)

**Basidiomycotina**

**Others**

*Entyloma compositarum*, LC (Shaw 1973)

***Erigeron speciosus* (Lindl.) DC. var. *macranthus* (Nutt.) Cronq.**

**Fungi**

**Ascomycotina**

*Leptosphaeria erigerontis*, LC (Shoemaker 1984a)

***Erigeron* sp. - fleabane**

**Fungi**

**Ascomycotina**

*Mycosphaerella eriophila*, LC (Barr 1953)  
*Mycosphaerella hermione*, LC (Barr 1953 as  
*Mycosphaerella punctiformis* var.  
*clematidis*)

*Mycosphaerella tassiana*, LC (Barr 1953)

*Pleospora comata*, LC (Barr 1953)

*Pleospora herbarum*, LC (Barr 1953)

*Pleospora rainierensis*, LC (Barr 1953 as  
*Pleospora asymmetrica*)

*Pleospora scrophulariae* var. *compositarum*,  
LC (Barr 1953 as *Pleospora*  
*compositarum*)

*Pleospora tragacanthae*, LC (Barr 1953)

*Pleospora vulgaris* var. *ferruginea*, LC (Barr  
1953)

***Eriogonum heracleoides* Nutt. - creamy eriogonum**

**Fungi**

**Ascomycotina**

*Mycosphaerella polygonorum*, LC (Barr  
1953)

**Basidiomycotina**

**Uredinales**

*Uromyces intricatus*, V (DAVFP)

*Uromyces intricatus* var. *major*, LC (Ginns  
1986a)

*Uromyces intricatus* var. *umbellati*, LC  
(Savile 1966)

***Eriogonum niveum* Dougl.:Benth. - snowy eriogonum**

**Fungi**

**Basidiomycotina**

**Uredinales**

*Uromyces intricatus* var. *nivei*, LC (Ginns  
1986a)

***Eriogonum umbellatum* Torr. - sulphur-flowered eriogonum**

**Fungi**

**Basidiomycotina**

**Uredinales**

*Uromyces intricatus* var. *umbellati*, LC  
(Savile 1966)

***Eriogonum* sp. - eriogonum**

**Fungi**

**Ascomycotina**

*Pleospora potentillae*, LC (Barr 1953 as  
*Pleospora oligasca*)

***Eriophorum angustifolium* Roth - tall cotton-grass**

**Fungi**

**Basidiomycotina**

**Uredinales**

*Puccinia angustata*, LC (Shaw 1973)

***Eriophorum chamissonis*** C.A. Mey. -

russet cotton-grass

Fungi

Basidiomycotina

Uredinales

*Puccinia eriophori* var. *eriophori*, LC (Savile 1972)

***Eriophorum polystachion*** L. - cotton-grass

Fungi

Basidiomycotina

Uredinales

*Puccinia eriophori* var. *apargidii*, LC (Savile 1972) (TYPE)

***Eriophorum viridicarinatum*** (Engelm.)

Fern. - cotton-grass

Fungi

Basidiomycotina

Uredinales

*Puccinia angustata*, LC (Conners 1967)

***Erythronium grandiflorum*** Pursh - dog tooth violet, yellow adder's tongue, fawn lily

Fungi

Basidiomycotina

Uredinales

*Uromyces heterodermus*, LC (Savile 1961)

Others

*Ustilago heufleri*, LC (Shaw 1973)

Deuteromycotina

Hyphomycetes

*Botrytis tulipae*, LC (Toms 1964)

***Erythronium oregonum*** Appleg. - dog tooth violet, giant adder's tongue, fawn lily

Fungi

Basidiomycotina

Uredinales

*Uromyces heterodermus*, V (DAVFP)

Others

*Ustilago heufleri*, LC (Savile 1961)

***Erythronium revolutum*** J.E. Sm. - coast fawn lily

Fungi

Basidiomycotina

Uredinales

*Uromyces heterodermus*, LC (Savile 1961)

***Eucalyptus rubida*** Deane & Maiden. - eucalyptus

Fungi

Deuteromycotina

Coelomycetes

*Cytospora* sp., V (DAVFP)

*Phaciopycnis* sp., V (DAVFP)

***Eucalyptus*** sp. - eucalyptus

Fungi

Deuteromycotina

Hyphomycetes

*Cladosporium* sp., V (DAVFP)

***Euonymus alatus*** (Thunb.) Sieb. - winged spindle-tree

Fungi

Ascomycotina

*Glomerella cingulata*, LC (Shaw 1973)

Deuteromycotina

Coelomycetes

*Diplodia ramulicola*, V (DAVFP)

*Gloeosporium* sp., LC (Toms 1964)

Hyphomycetes

*Fusarium acuminatum*, LC (Conners 1967)

*Fusarium lateritium*, LC (Gordon 1959)

*Fusarium roseum*, LC (Shaw 1973)

***Euonymus fortunei*** (Turcz.) Hand.-Mazz. -

'Ivory Jade' euonymus

Bacteria

*Agrobacterium tumefaciens*, V (DAVFP)

***Euphorbia esula*** L. - leafy spurge, wolf's-milk

Fungi

Ascomycotina

*Erysiphe* sp., LC (Mortensen 1984 on

*Euphorbia esula virgata*)

***Euphorbia glyptosperma*** Engelm. - ridge-seeded spurge

Fungi

Basidiomycotina

Uredinales

*Uromyces euphorbiae*, V (DAVFP)

***Euphorbia peplus*** L. - petty spurge

Fungi

Basidiomycotina

Uredinales

*Melampsora cf. euphorbiae-gerardiae*, V

(DAVFP)

*Melampsora monticola*, V (DAVFP)

Deuteromycotina

Hyphomycetes

*Alternaria alternata*, LC (Jones 1957)

***Euphorbia serpyllifolia*** Pers. - thyme-leaved spurge

Fungi

Basidiomycotina

Uredinales

*Uromyces euphorbiae*, LC (Conners 1967)

*Uromyces macounianus*, LC (Monoson and

Prose 1983) (TYPE)

*Plant hosts - E*

<b><i>Fagopyrum esculentum</i></b> Moench - common buckwheat	<b>Fungi</b> Basidiomycotina Others <i>Thanatephorus cucumeris</i> , LC (Shaw 1973)
<b><i>Fagus grandifolia</i></b> Ehrh. - American beech	<b>Fungi</b> Basidiomycotina Aphyllophorales <i>Hymenochaete tabacina</i> , V (DAVFP) <i>Schizophyllum commune</i> , V (DAVFP)
<b><i>Fagus sylvatica</i></b> L. - European beech	<b>Fungi</b> Basidiomycotina Aphyllophorales <i>Ganoderma applanatum</i> , V (DAVFP)
<b><i>Fatsia japonica</i></b> (Thunb.) Decne. & Planch. - fatsia	<b>Fungi</b> Deuteromycotina Hypocreales <i>Verticillium albo-atrum</i> , LC (Ginns 1986a)
<b><i>Festuca elatior</i></b> L. - meadow fescue	<b>Fungi</b> Ascomycotina Claviceps purpurea, LC (Barr 1953) <i>Myriosclerotinia borealis</i> , LC (Ginns 1986a on <i>Festuca pratensis</i> )
	Basidiomycotina Uredinales <i>Puccinia brachypodii</i> var. <i>poae-nemoralis</i> , LC (Toms 1964 as <i>Puccinia poae-nemoralis</i> )
	Deuteromycotina Hypocreales <i>Drechslera dictyoides</i> , LC (Jones 1957 as <i>Helminthosporium dictyoides</i> )
<b><i>Festuca gigantea</i></b> (L.) Vill. - fescue	<b>Fungi</b> Ascomycotina <i>Myriosclerotinia borealis</i> , LC (Connors 1967)
<b><i>Festuca idahoensis</i></b> Elm. - Idaho bunchgrass	<b>Fungi</b> Ascomycotina <i>Didymella festucae</i> , LC (Ginns 1986a as <i>Phloeospora idahoensis</i> ) <i>Mycosphaerella wichuriana</i> , LC (Barr 1953)
	Zygomycotina <i>Glomus fasciculatus</i> , LC (Molina et al. 1978) <i>Glomus macrocarpus</i> var. <i>macrocarpus</i> , LC (Molina et al. 1978) <i>Glomus microcarpus</i> , LC (Molina et al. 1978) <i>Glomus tenuis</i> , LC (Molina et al. 1978)

<b><i>Festuca ovina</i></b> L. var. <b><i>duriuscula</i></b> (L.) W. Koch - hard fescue	<b>Fungi</b> Basidiomycotina Aphyllophorales <i>Laetisaria fuciformis</i> , LC (Fushtey 1988)
<b><i>Festuca rubra</i></b> L. - red fescue	<b>Fungi</b> Ascomycotina Claviceps purpurea, LC (Connors 1967) <i>Didymella festucae</i> , LC (Ginns 1986a) <i>Myriosclerotinia borealis</i> , LC (Connors 1967) <i>Phyllachora sylvatica</i> , LC (Barr 1953) <i>Phyllachora</i> sp., V (DAVFP)
	Basidiomycotina Uredinales <i>Puccinia crandallii</i> , V (DAVFP) <i>Puccinia recondita</i> , LC (Arthur 1934)
	Deuteromycotina Coelomycetes <i>Colletotrichum graminicola</i> , LC (Connors 1967)
	Hypocreales <i>Fusarium poae</i> , LC (Ginns 1986a)
<b><i>Festuca scabrella</i></b> Torr. - buffalo bunchgrass	<b>Fungi</b> Ascomycotina <i>Didymella festucae</i> , LC (Smith and Shoemaker 1974)
	Zygomycotina <i>Glomus fasciculatus</i> , LC (Molina et al. 1978) <i>Glomus macrocarpus</i> var. <i>macrocarpus</i> , LC (Molina et al. 1978) <i>Glomus microcarpus</i> , LC (Molina et al. 1978) <i>Glomus tenuis</i> , LC (Molina et al. 1978)
<b><i>Festuca viridula</i></b> Vasey	<b>Fungi</b> Zygomycotina <i>Acaulospora laevis</i> , LC (Molina et al. 1978) <i>Acaulospora scrobiculata</i> , LC (Molina et al. 1978) <i>Glomus fasciculatus</i> , LC (Molina et al. 1978) <i>Glomus macrocarpus</i> var. <i>geosporus</i> , LC (Molina et al. 1978) <i>Glomus tenuis</i> , LC (Molina et al. 1978)
<b><i>Festuca</i> sp. - fescue</b>	<b>Fungi</b> Ascomycotina <i>Mycosphaerella tassiana</i> , LC (Barr 1953)
	Basidiomycotina Aphyllophorales <i>Laetisaria fuciformis</i> , LC (Fushtey 1988; MacDonald et al. 1991)
	Uredinales <i>Puccinia graminis</i> , LC (Connors 1967)

*Plant hosts - F*

***Ficus carica* L. - fig**

**Fungi**  
**Deuteromycotina**  
**Hymenomycetes**  
*Botrytis cinerea*, LC (Toms 1964)

***Ficus elastica* Roxbg. vars. - rubber plant**

**Fungi**  
**Ascomycotina**  
*Glomerella cingulata*, LC (Toms 1964)

***Ficus* sp. - fig**

**Fungi**  
**Ascomycotina**  
*Nectria cinnabarina*, LC (Barr 1953 as  
*Creonectria purpurea*)

***Forsythia* sp. - forsythia**

**Fungi**  
**Deuteromycotina**  
**Coelomycetes**  
*Phoma* sp., LC (Shaw 1973)

**Bacteria**

*Agrobacterium tumefaciens*, V (DAVFP)  
*Pseudomonas syringae*, LC (Toms 1964)

***Fragaria chiloensis* (L.) Duchesne - beach strawberry, coastal strawberry**

**Fungi**  
**Ascomycotina**  
*Sphaerella earliana*, LC (Barr 1953)

***Fragaria glauca* (Wats.) Rydb. - native strawberry**

**Fungi**  
**Ascomycotina**  
*Mycosphaerella fragariae*, LC (Jones 1957)

***Fragaria vesca* L. - European or alpine strawberry, woodland strawberry**

**Fungi**  
**Deuteromycotina**  
**Hymenomycetes**  
*Verticillium albo-atrum*, LC (Shaw 1973)

**Chromista**

**Oomycota**  
*Phytophthora fragariae*, LC (Shaw 1973)

***Fragaria virginiana* Duchesne - Virginia strawberry, wild strawberry**

**Fungi**  
**Ascomycotina**  
*Diplocarpon earliana*, LC (Shaw 1973)  
*Gnomonia comari*, LC (Shaw 1973)  
*Mycosphaerella fragariae*, LC (Shaw 1973)

**Deuteromycotina**  
**Coelomycetes**  
*Marssonina canadensis*, LC (Bolton 1963)

**Chromista**

**Oomycota**  
*Phytophthora fragariae*, LC (Shaw 1973)

***Fragaria* sp. - strawberry**

**Fungi**  
**Ascomycotina**  
*Sphaerotheca macularis*, LC (Barr 1953 as  
*Sphaerotheca humuli*)

**Deuteromycotina**

**Coelomycetes**  
*Marssonina canadensis*, LC (Toms 1964)

**Hymenomycetes**

*Ramularia brunnea*, V (DAVFP)  
*Verticillium dahliae*, LC (Aube and Sackston  
1965)  
*Verticillium* sp., LC (Shaw 1973)

***Fraxinus latifolia* Benth. - Oregon ash**

**Fungi**  
**Deuteromycotina**  
**Coelomycetes**  
*Cytospora* sp., V (DAVFP)

***Fraxinus velutina* Torr. var. *glabra* Rehd. -**

**Modesto ash**

**Fungi**  
**Deuteromycotina**  
**Coelomycetes**  
*Discula umbrinella*, LC (Punja and Ormrod  
1979)

***Fritillaria camschatcensis* (L.) Ker-Gawl -**  
**Kamchatka fritillary, black lily**

**Fungi**  
**Basidiomycotina**  
**Uredinales**  
*Uromyces miurae*, LC (Savile 1961)

**Deuteromycotina**  
**Hymenomycetes**  
*Botrytis cinerea*, LC (Savile 1961)

***Fritillaria lanceolata* Pursh - rice root, mission bells, purple rice-bulbed fritillary**

**Fungi**  
**Basidiomycotina**  
**Uredinales**  
*Uromyces miurae*, V (DAVFP)

**Deuteromycotina**  
**Coelomycetes**  
*Phyllosticta fritillariae*, V (DAVFP)

**Hymenomycetes**  
*Botrytis cinerea*, LC (Shaw 1973)

***Fuchsia* sp. - fuchsia**

**Fungi**  
**Basidiomycotina**  
**Aphyllophorales**  
*Poria* sp., V (DAVFP)

**Uredinales**  
*Pucciniastrum epilobii*, V (DAVFP)

**Deuteromycotina**  
**Hymenomycetes**  
*Verticillium albo-atrum*, LC (Toms 1964)

***Fucus distichus* L. - alga**

**Fungi**

**Deuteromycotina**

**Hymenomycetes**

*Cylindrodendrum album* var. *paralion*, LC

(Summerbell et al. 1989)

*Plant hosts - F*

***Gaillardia aristata*** Pursh - blanketflower

## Fungi

## Ascomycotina

*Mycosphaerella tassiana*, LC (Barr 1953)  
*Pleospora angustata*, LC (Barr 1953)

## Basidiomycotina

## Others

*Entyloma compositarum*, LC (Shaw 1973)

***Galanthus elwesii*** Hook. f. - giant snowdrop

## Fungi

## Basidiomycotina

## Others

*Thanatephorus cucumeris*, LC (Connors 1967 as *Rhizoctonia solani*)

***Galeopsis tetrahit*** L. - hemp-nettle

## Fungi

## Deuteromycotina

## Coelomycetes

*Septoria galeopsidis*, LC (Ginns 1986a)

***Galinsoga ciliata*** (Raf.) Blake - hairy galinsoga

## Fungi

## Deuteromycotina

## Hyphomycetes

*Fusarium oxysporum* f. sp. *radicis-lycopersici*, LC (Menzies et al. 1990)

***Galium aparine*** L. - cleavers, goose grass

## Fungi

## Basidiomycotina

## Uredinales

*Puccinia difformis*, V (DAVFP)

***Galium boreale*** L. - northern bedstraw

## Fungi

## Basidiomycotina

## Uredinales

*Puccinia rubefaciens*, V (DAVFP)

## Deuteromycotina

## Coelomycetes

*Hainesia borealis*, V (DAVFP)

***Galium trifidum*** L. - dyer's cleavers

## Fungi

## Basidiomycotina

## Uredinales

*Puccinia punctata*, LC (Connors 1967)

***Galium triflorum*** Michx. - sweet-scented bedstraw

## Fungi

## Basidiomycotina

## Uredinales

*Puccinia punctata* var. *troglodytes*, V (DAVFP)

*Puccinia rubefaciens*, V (DAVFP)

*Pucciniastrum guttatum*, V (DAVFP)

## Deuteromycotina

## Hyphomycetes

*Cercosporidium galii*, LC (Connors 1967)

***Galium*** sp.

## Fungi

## Basidiomycotina

## Uredinales

*Puccinia punctata*, LC (Parmelee 1984)

***Gaultheria hispida*** (L.) Muhl.

(=*Chiogenes hispida*) - creeping snowberry, capillaire

## Fungi

## Ascomycotina

*Microsphaera penicillata*, LC (Shaw 1973)

*Microsphaera vaccinii*, LC (Barr 1953 as

*Microsphaera alni* var. *vaccinii*)

## Basidiomycotina

## Uredinales

*Chrysomyxa chiogenis*, V (DAVFP)

***Gaultheria ovatifolia*** Gray - western teaberry, slender gaultheria

## Fungi

## Ascomycotina

*Meliola* sp., V (DAVFP)

***Gaultheria shallon*** Pursh - salal

## Fungi

## Ascomycotina

*Asterella gaultheriae*, LC (Barr 1953)

*Coccomyces dentatus*, V (DAVFP)

*Coccomyces gaultheriae*, V (DAVFP)

*Dasyscyphus* sp., V (DAVFP)

*Gibbera gaultheriae*, LC (Shaw 1973)

*Hypoderma gaultheriae*, V (DAVFP) (TYPE)

*Lachnum gaultheriae*, LC (Ginns 1986a)

*Leptosphaeria gaultheriae*, LC (Barr 1953)

*Lophodermium schweinitzii*, V (DAVFP)

*Massarina lignorum*, LC (Barr 1992b)

*Meliola niessleana*, V (DAVFP)

*Mycosphaerella gaultheriae*, LC (Barr 1972)

*Pestalopezia brunneo-pruinosa*, V (DAVFP)

*Plectania melastoma*, V (DAVFP)

*Valdensinia heterodoxa*, V (DAVFP)

## Basidiomycotina

## Agaricales

*Marasmius salalis*, LC (Desjardin and

Redhead 1987)

## Aphyllophorales

*Grandinia breviseta*, V (DAOM 138946)

*Phellinus ferreus*, V (DAVFP)

## Deuteromycotina

## Coelomycetes

*Coniothyrium* sp., V (DAVFP)

*Phyllosticta gaultheriae*, V (DAVFP)

## Protozoa

## Myxomycota

*Lamproderma carestiae*, V (DAVFP)

*Plant hosts - G*

***Gayophytum nuttallii*** T. & G. - Nuttall's gayophytum

Fungi

Basidiomycotina

Uredinales

*Puccinia pulverulenta*, V (DAVFP)

***Gentiana calycosa*** Griseb. - explorer's gentian, moutain bog gentian

Fungi

Ascomycotina

*Lophiostoma* sp., LC (Shoemaker and Babcock 1987)

*Venturia atriseda*, LC (Barr 1953)

*Wettsteinina gentianae*, LC (Barr 1972)

***Gentiana glauca*** Pall. - gentian

Fungi

Basidiomycotina

Uredinales

*Uredo beringiana*, LC (Parmelee 1985)

***Gentiana sceptrum*** Griseb. - scepter gentian, King's gentian

Fungi

Basidiomycotina

Uredinales

*Puccinia gentianae*, LC (Parmelee and de Carteret 1985)

Chytridiomycota

*Synchytrium* sp., V (DAVFP)

Deuteromycotina

Coelomycetes

*Phyllosticta* sp., V (DAVFP)

***Geocaulon lividum*** (Richards.) Fern. see *Comandra livida*

***Geranium bicknellii*** Britt. - Bicknell's geranium

Fungi

Ascomycotina

*Coleroa circinans*, LC (Shaw 1973)

***Geranium erianthum*** DC. - northern geranium

Fungi

Ascomycotina

*Mycosphaerella tassiana*, LC (Barr 1953)

Basidiomycotina

Uredinales

*Puccinia leveillei*, LC (Parmelee and Savile 1990)

*Uromyces geranii*, V (DAVFP)

***Geranium pusillum*** L. - small-flowered geranium

Fungi

Ascomycotina

*Coleroa circinans*, LC (Shaw 1973)

*Hormotheca robertiani*, LC (Barr 1953)

Chromista

Oomycota

*Peronospora conglomerata*, LC (Shaw 1973)

***Geranium richardsonii*** Fisch. & Trautv. -

white geranium

Fungi

Ascomycotina

*Sphaerotheca macularis*, V (DAVFP)

***Geranium viscosissimum*** Fisch. & Mey. -

sticky geranium, viscid geranium

Fungi

Ascomycotina

*Sphaerotheca macularis*, LC (Barr 1953 as *Sphaerotheca humuli*; Parmelee 1975)

Basidiomycotina

Uredinales

*Puccinia leveillei*, LC (Parmelee and Savile 1990)

***Geranium*** sp. - geranium

Fungi

Deuteromycotina

Hyphomycetes

*Verticillium dahliae*, LC (Aube and Sackston 1965)

***Geum calthifolium*** J.E. Sm. in Rees. -

avens

Fungi

Basidiomycotina

Uredinales

*Puccinia urbanis*, LC (Savile 1974e) (HOLOTYPE)

***Geum chiloense*** Balb. - geum

Chromista

Oomycota

*Peronospora potentillae*, LC (Ginns 1986a on *Geum quellyon*)

***Geum coccineum*** Sibth. & J.E. Sm. - avens

Chromista

Oomycota

*Phytophthora fragariae*, LC (Shaw 1973)

***Geum macrophyllum*** Willd. - large-leaved avens, bloodroot

Fungi

Ascomycotina

*Sphaerotheca macularis*, LC (Parmelee 1975)

Deuteromycotina

Coelomycetes

*Septoria gei*, LC (Connors 1967)

***Geum triflorum*** Pursh - long-plumed purple avens

Fungi

Ascomycotina

*Pleospora potentillae*, LC (Barr 1953 as *Pleospora oligasca*)

<p><b>Chromista</b>  <b>Oomycota</b>  <i>Phytophthora fragariae</i>, LC (Shaw 1973)</p> <p><b>Gleditsia triacanthos</b> L. - honey-locust  <b>Fungi</b>  <b>Ascomycotina</b>  <i>Nectria cinnabarinna</i>, V (DAVFP)</p> <p><b>Gleditsia sp.</b> - honey-locust  <b>Fungi</b>  <b>Ascomycotina</b>  <i>Lachnum</i> sp., V (DAVFP)</p> <p><b>Basidiomycotina</b>  <b>Aphyllophorales</b>  <i>Polyporus badius</i>, V (DAVFP)</p> <p><b>Glehnia littoralis</b> Schmidt subsp.  <b>leiocarpa</b> (Math.) Hult. - American glehnia  <b>Fungi</b>  <b>Deuteromycotina</b>  <b>Hymenomycetes</b>  <i>Ramularia glehniae</i>, LC (Savile 1965b)  (TYPE)</p> <p><b>Glyceria grandis</b> S. Wats.:Gray - American manna-grass  <b>Fungi</b>  <b>Basidiomycotina</b>  <b>Others</b>  <i>Ustilago longissima</i>, LC (Connors 1967)</p> <p><b>Glyceria pauciflora</b> Presl - few-flowered manna-grass  <b>Fungi</b>  <b>Basidiomycotina</b>  <b>Uredinales</b>  <i>Puccinia coronata</i>, V (DAVFP)</p> <p><b>Godetia grandiflora</b> Lindl. see <i>Clarkia amoena</i></p> <p><b>Goodyera oblongifolia</b> Raf. - giant or Menzies' rattlesnake-plantain  <b>Fungi</b>  <b>Basidiomycotina</b>  <b>Uredinales</b>  <i>Uredo goodyerae</i>, V (DAVFP)</p> <p><b>Goodyera repens</b> (L.) R. Br. - dwarf rattlesnake-plantain  <b>Fungi</b>  <b>Basidiomycotina</b>  <b>Uredinales</b>  <i>Uredo goodyerae</i>, LC (Shaw 1973)</p> <p><b>Grindelia integrifolia</b> DC. - Puget Sound grindelia  <b>Fungi</b>  <b>Ascomycotina</b>  <i>Cilioplea occidentalis</i>, LC (Barr 1992b)  <i>Lophiostoma columbiense</i>, LC (Barr 1992b)  (PARATYPE)</p>	<p><b>Basidiomycotina</b>  <b>Uredinales</b>  <i>Coleosporium asterum</i>, V (DAVFP)</p> <p><b>Deuteromycotina</b>  <b>Hymenomycetes</b>  <i>Cercosporaella virgaureae</i>, LC (Shaw 1973)</p> <p><b>Grindelia integrifolia</b> DC. var.  <b>macrophylla</b> (Greene) Cronq. - Puget Sound grindelia  <b>Fungi</b>  <b>Basidiomycotina</b>  <b>Uredinales</b>  <i>Coleosporium asterum</i>, V (DAVFP)</p> <p><b>Grindelia stricta</b> DC.  <b>Fungi</b>  <b>Basidiomycotina</b>  <b>Uredinales</b>  <i>Coleosporium asterum</i>, V (DAVFP)</p> <p><b>Gymnocarpium dryopteris</b> (L.) Newm.  (= <i>Dryopteris disjuncta</i>, <i>Dryopteris linnaeana</i>, <i>Phegopteris dryopteris</i>) – oak-fern  <b>Fungi</b>  <b>Basidiomycotina</b>  <b>Uredinales</b>  <i>Hyalopsora aspidiotus</i>, V (DAVFP)  <i>Uredinopsis phegopteridis</i>, V (DAVFP)</p>
---	--



**Habenaria dilatata** (Pursh) Hook. - rein-orchid, boreal bog orchid

Fungi

Basidiomycotina

Uredinales

*Puccinia praegracilis*, V (DAVFP)

**Habenaria hyperborea** (L.) R. Br. - green-flowered bog orchid

Fungi

Basidiomycotina

Uredinales

*Puccinia praegracilis*, V (DAVFP)

**Habenaria saccata** Greene - slender bog orchid

Fungi

Basidiomycotina

Uredinales

*Puccinia praegracilis* var. *praegracilis*, LC  
(Savile 1976a; Parmelee 1989)

**Hackelia floribunda** (Lehm.) Johnst. - many-flowered stickseed

Chromista

Oomycota

*Peronospora echinospermi*, LC (Shaw 1973)

**Haplopappus lyallii** Gray - Lyall's tonestus

Fungi

Ascomycotina

*Pleospora comata*, LC (Barr 1953)

**Hebe cupressoides** (Hook. f.) Cockayne & Allan - New Zealand veronica

Fungi

Basidiomycotina

Others

*Thanatephorus cucumeris*, LC (Toms 1964 as *Rhizoctonia solani*)

**Hedera colchica** K. Koch var. *dentata*

Hibb. - cut-leaf ivy

Fungi

Deuteromycotina

Hyphomycetes

*Ramularia hedericola*, LC (Toms 1964)

**Hedera helix** L. - English ivy

Fungi

Deuteromycotina

Coelomycetes

*Colletotrichum dematium*, LC (Lum and Copeman 1988)

*Colletotrichum trichellum*, LC (Ginns 1986a)

*Phyllosticta concentrica*, LC (Ginns 1986a)

**Hedysarum alpinum** L. - alpine hedysarum, alpine sweet-broom

Fungi

Basidiomycotina

Uredinales

*Uromyces hedysari-obscuri*, V (DAVFP)

**Hedysarum mackenzii** Richardson

Fungi

Basidiomycotina

Uredinales

*Uromyces hedysari-obscuri*, LC (Parmelee 1983)

**Hedysarum sulphurescens** Rydb. - yellow hedysarum

Fungi

Basidiomycotina

Uredinales

*Uromyces hedysari-obscuri*, V (DAVFP)

**Helianthus annuus** L. - common sunflower

Fungi

Ascomycotina

*Sclerotinia sclerotiorum*, LC (Ginns 1986a)

Basidiomycotina

Uredinales

*Puccinia helianthi*, LC (Ginns 1986a)

Deuteromycotina

Hyphomycetes

*Verticillium dahliae*, LC (Toms 1964)

**Helianthus decapetalus** L. - perennial sunflower

Fungi

Ascomycotina

*Erysiphe cichoracearum*, LC (Ginns 1986a)

**Helianthus nuttallii** T. & G. subsp. *nuttallii*

- Nuttall's sunflower

Fungi

Basidiomycotina

Uredinales

*Puccinia helianthi*, LC (Parmelee 1977)

**Helianthus tuberosus** L. - Jerusalem artichoke

Fungi

Ascomycotina

*Erysiphe cichoracearum*, LC (Connors 1967)

*Sclerotinia sclerotiorum*, LC (Ginns 1986a)

Deuteromycotina

Hyphomycetes

*Oidium* sp., LC (Toms 1964)

**Heracleum lanatum** Michx. - cow-parsnip

Fungi

Deuteromycotina

Coelomycetes

*Cylindrosporium umbelliferarum*, LC (Savile 1965b)

*Phoma complanata*, V (DAVFP)

Hyphomycetes

*Ramularia heraclei*, LC (Ginns 1986a)

*Plant hosts - H*

***Heuchera chlorantha*** Piper - narrow-flowered heuchera

Fungi

Basidiomycotina

Uredinales

*Puccinia heucherae* var. *heucherae*, LC  
(Savile 1954)

***Heuchera cylindrica*** Dougl. (=*Heuchera ovalifolia*)

Fungi

Basidiomycotina

Uredinales

*Puccinia heucherae* var. *heucherae*, LC  
(Savile 1954)  
*Puccinia heucherae* var. *saxifragae*, LC  
(Savile 1954)

***Heuchera cylindrica*** Dougl. var. *cylindrica*

- heuchera

Fungi

Basidiomycotina

Uredinales

*Puccinia heucherae* var. *heucherae*, LC  
(Savile 1954)  
*Puccinia saxifragae* var. *holochloae*, LC  
(Savile 1973)

***Heuchera cylindrica*** Dougl. var. *gabella*  
(T. & G.) Wheelock - lava heuchera

Fungi

Basidiomycotina

Uredinales

*Puccinia heucherae* var. *heucherae*, LC  
(Savile 1973)

***Heuchera cylindrica*** Dougl. var.  
*orbicularis* (R.B. & L.) Calder & Savile - heuchera

Fungi

Basidiomycotina

Uredinales

*Puccinia heucherae* var. *heucherae*, LC  
(Savile 1973)  
*Puccinia saxifragae* var. *holochloae*, LC  
(Savile 1973)

***Heuchera cylindrica*** Dougl. var.  
*septentrionalis* R.B. & L. - heuchera

Fungi

Basidiomycotina

Uredinales

*Puccinia saxifragae* var. *holochloae*, LC  
(Savile 1973)

***Heuchera glabra*** Willd. - smooth heuchera,  
alpine heuchera

Fungi

Ascomycotina

*Mycosphaerella hermione*, LC (Barr 1953 as  
*Mycosphaerella punctiformis* var.  
*clematidis*)  
*Sphaerotheca macularis*, LC (Barr 1953 as  
*Sphaerotheca humuli*)

**Basidiomycotina**

**Uredinales**

*Puccinia heucherae*, V (DAVFP)  
*Puccinia heucherae* var. *heucherae*, LC  
(Savile 1954; 1973)

***Heuchera micrantha*** Dougl. - wild  
geranium, small-flowered heuchera

Fungi

Basidiomycotina

Uredinales

*Puccinia heucherae* var. *heucherae*, LC  
(Savile 1954; 1973)

***Heuchera ovalifolia*** Nutt. see *Heuchera cylindrica*

***Heuchera richardsonii*** R. Br. - heuchera

Fungi

Basidiomycotina

Uredinales

*Puccinia saxifragae* var. *heucherarum*, LC  
(Savile 1973)

***Hieracium albertinum*** Farr - western  
hawkweed

Fungi

Ascomycotina

*Pleospora herbarum* var. *occidentalis*, LC  
(Barr 1953)

Basidiomycotina

Uredinales

*Aecidium columbiense*, LC (Shaw 1973)  
*Puccinia dioicae*, LC (Shaw 1973)

***Hieracium albiflorum*** Hook. - white-flowered hawkweed

Fungi

Basidiomycotina

Uredinales

*Aecidium columbiense*, V (DAVFP)  
*Puccinia dioicae*, LC (Connors 1967)  
*Puccinia hieracii*, LC (Parmelee and Savile 1981)

***Hieracium aurantiacum*** L. - orange  
hawkweed, devil's paint brush

Fungi

Ascomycotina

*Pleospora herbarum*, LC (Barr 1953)

***Hieracium canadense*** Michx.

Fungi

Basidiomycotina

Uredinales

*Puccinia hieracii*, LC (Parmelee and Savile 1981)

***Hieracium cynoglossoides*** Arvet-Touvet.

Fungi

Basidiomycotina

Uredinales

*Puccinia cnici-oleracei*, V (DAVFP)  
*Puccinia hieracii*, LC (Parmelee and Savile 1981)

**Hieracium scouleri** Hook. - Scouler's hawkweed

Fungi

Basidiomycotina

Uredinales

*Puccinia cnici-oleracei*, V (DAVFP)

*Puccinia hieracii*, LC (Parmelee and Savile 1981)

**Hieracium umbellatum** L. - umbellate hawkweed

Fungi

Basidiomycotina

Uredinales

*Puccinia hieracii*, V (DAVFP)

**Hieracium sp.** - hawkweed

Fungi

Ascomycotina

*Mycosphaerella tassiana*, LC (Barr 1953)

Basidiomycotina

Uredinales

*Puccinia dioicae*, V (DAVFP)

**Hierochloe sp.** - vanilla grass

Fungi

Ascomycotina

*Mycosphaerella tassiana*, LC (Barr 1953)

**Holcus lanatus** L. - velvet grass

Fungi

Ascomycotina

*Claviceps purpurea*, V (DAVFP)

*Epichloe typhina*, LC (Barr 1953)

Basidiomycotina

Uredinales

*Puccinia coronata*, V (DAVFP)

*Puccinia hordei*, V (DAVFP)

*Puccinia recondita*, V (DAVFP)

Others

*Entyloma dactyliidis*, LC (Ginns 1986a)

*Ustilago striiformis*, LC (Ginns 1986a as *Ustilago salvei*)

Deuteromycotina

Coelomycetes

*Dilophospora alopecuri*, LC (Ginns 1986a)

Hymomycetes

*Mariellottia triseptata*, LC (Connors 1967 as *Helminthosporium triseptatum*; Shoemaker 1998)

**Holcus mollis** L.

Fungi

Deuteromycotina

Hymomycetes

*Mariellottia triseptata*, LC (Shoemaker 1998)

**Holodiscus discolor** (Pursh) Maxim.

(= *Spiraea discolor*) - ocean-spray

Fungi

Ascomycotina

*Glyphium elatum*, V (DAVFP)

*Hypoxylon fuscum*, V (DAVFP)

*Kalmusia ebuli*, LC (Barr 1992a)

*Lophiostoma columbiense*, LC (Barr 1992b)  
(HOLOTYPE)

*Massarina eccentrica*, LC (Barr 1992b)

*Phyllactinia guttata*, LC (Barr 1953 as

*Phyllactinia corylea*)

Basidiomycotina

Aphyllophorales

*Datronia mollis*, V (DAVFP)

*Dendrothele incrustans*, V (DAVFP)

*Hymenochaete rubiginosa*, V (DAVFP)

*Hymenochaete tabacina*, V (DAVFP)

*Odontia* sp., V (DAVFP)

*Peniophora cinerea*, V (DAVFP)

*Peniophora incarnata*, V (DAVFP)

*Phellinus ferreus*, V (DAVFP)

*Stereum* sp., V (DAVFP)

Others

*Tulasnella violea*, V (DAVFP)

Deuteromycotina

Coelomycetes

*Cylindrosporium filipendulae*, LC (Shaw 1973)

*Phloeospora spiraeicola*, LC (Jones 1957 on *Spiraea discolor*)

*Septogloea schizonoti*, LC (Shaw 1973)

**Hordeum brachyantherum** Nevski

(= *Hordeum nodosum*) - meadow barley

Fungi

Basidiomycotina

Uredinales

*Puccinia striiformis*, LC (Jones 1957 as

*Puccinia glumarum*; Savile 1983)

*Uromyces fragilipes*, LC (Jones 1957 as

*Uromyces jacksonii*)

Others

*Urocystis agropyri*, LC (Jones 1957)

**Hordeum caespitosum** Scribn. see

*Hordeum jubatum* var. *caespitosum*

**Hordeum depressum** (Scribn. & Smith)

Rydb. - barley

Fungi

Basidiomycotina

Uredinales

*Puccinia striiformis*, LC (Savile 1983)

**Hordeum jubatum** L. - foxtail barley

Fungi

Basidiomycotina

Uredinales

*Puccinia graminis*, LC (Harder and Dunsmore 1990, 1991 as *Puccinia graminis* f. sp. *tritici*)

*Puccinia striiformis*, LC (Arthur 1934; Connors 1967)

Others

*Ustilago bullata*, LC (Connors 1967)

*Plant hosts - H*

**Deuteromycotina**  
**Coelomycetes**  
*Pseudoseptoria stomaticola*, LC (Ginns 1986a)

**Hyphomycetes**  
*Microdochium niveale*, LC (Ginns 1986a)

**Hordeum jubatum var. caespitosum**  
(Scribn.) Hitchc. (=*Hordeum caespitosum*) - tufted barley

**Fungi**  
**Basidiomycotina**  
**Uredinales**  
*Puccinia striiformis*, LC (Arthur 1934; Connors 1967)

**Hordeum nodosum L.** see *Hordeum brachyantherum*

**Humulus lupulus L.** - hop

**Fungi**  
**Basidiomycotina**  
**Others**  
*Thanatephorus cucumeris*, LC (Toms 1964 as *Rhizoctonia solani*)

**Deuteromycotina**  
**Hyphomycetes**  
*Fumago vagans*, LC (Toms 1964)  
*Verticillium dahliae*, LC (Toms 1964; Aube and Sackston 1965; Wooliams 1966)

**Chromista**  
**Oomycota**  
*Phytophthora citricola*, LC (Connors 1967)  
*Pseudoperonospora humuli*, LC (Toms 1964)  
*Pythium* sp., LC (Toms 1964)

**Bacteria**  
*Agrobacterium tumefaciens*, LC (Connors 1967)

**Hydrangea sp.** - hydrangea

**Fungi**  
**Ascomycotina**  
*Mycosphaerella tassiana*, LC (Barr 1953)  
*Sclerotinia sclerotiorum*, LC (Toms 1964)

**Basidiomycotina**  
**Agaricales**  
*Armillaria* sp., V (DAVFP)

**Aphyllophorales**  
*Schizophora paradoxa*, V (DAVFP)

**Deuteromycotina**  
**Hyphomycetes**  
*Oidium* sp., LC (Jones 1957)

**Hydrophyllum capitatum** Dougl.:Benth. - woollen breeches

**Fungi**  
**Chytridiomycota**  
*Synchytrium* sp., LC (Karling 1956)

**Hydrophyllum tenuipes** Heller - slender-stemmed waterleaf, Pacific waterleaf

**Fungi**  
**Basidiomycotina**  
**Uredinales**  
*Puccinia recondita*, V (DAVFP)

**Hylocomium splendens** (Hedw.) Bry. Eur. - moss

**Fungi**  
**Basidiomycotina**  
**Agaricales**  
*Leptoglossum* sp., V (DAVFP)

**Hypericum sp.** - St. John's wort

**Fungi**  
**Basidiomycotina**  
**Uredinales**  
*Melampsora hypericorum*, V (DAVFP)

***Ilex aquifolium* L. - English holly**

**Fungi**

**Ascomycotina**

*Trochila ilicina*, V (DAVFP)  
*Vialaea insculpta*, LC (Toms 1964 as *Boydia insculpta*)

**Deuteromycotina**

**Coelomycetes**

*Ceuthospora phacidoides*, V (DAVFP)  
*Phoma* sp., LC (Toms 1964)

**Hymenomycetes**

*Fumago vagans*, LC (Toms 1964)

**Chromista**

**Oomycota**

*Phytophthora ilicis*, LC (Toms 1964; Punja and Ormrod 1979)

***Ilex opaca* Aiton - American holly**

**Fungi**

**Deuteromycotina**

**Hymenomycetes**

*Botrytis* sp., LC (Mittal and Wang 1985)

***Ilex* sp. - holly**

**Fungi**

**Ascomycotina**

*Rhytisma* sp., LC (Conners 1967)  
*Scorias* sp., V (DAVFP)

**Deuteromycotina**

**Coelomycetes**

*Gloeosporium* sp., V (DAVFP)

***Iris* sp. - iris**

**Fungi**

**Ascomycotina**

*Mycosphaerella macrospora*, LC (Toms, 1964 as *Heterosporium gracile*; Ginn 1986a as *Macrosphaerella macrospora*)  
*Sclerotinia sclerotiorum*, LC (Toms 1964)

**Deuteromycotina**

**Coelomycetes**

*Phyllosticta iridis*, LC (Conners 1967)

**Hymenomycetes**

*Botrytis cinerea*, LC (Jones 1957)

**Others**

*Rhizoctonia tuliparum*, LC (Toms 1964)  
*Sclerotium rolfsii*, LC (MacDonald 1991)  
*Sclerotium rolfsii* var. *delphinii*, LC (Conners 1967)

**Bacteria**

*Erwinia carotovora*, LC (Conners 1967)



**Juglans cinerea** L. - butternut

Fungi

Ascomycotina

*Gnomonia leptostyla*, LC (Toms 1964 as *Marssonina juglandis*)

**Juglans nigra** L. - black walnut

Fungi

Basidiomycotina

Aphyllophorales

*Hyphoderma sambuci*, LC (Shaw 1973 as *Peniophora sambuci*)

Deuteromycotina

Hymomycetes

*Fusarium lateritium*, LC (Gordon 1959)

**Juglans regia** L. - English walnut, Persian walnut

Fungi

Ascomycotina

*Phyllactinia guttata*, LC (Toms 1964)

Deuteromycotina

Hymomycetes

*Fusarium lateritium*, LC (Toms 1964)  
*Microstroma juglandis*, LC (Toms 1964)

Bacteria

*Xanthomonas juglandis*, LC (Toms 1964;  
Conners 1967)

**Juglans sieboldiana** Maxim. - Japanese walnut

Fungi

Basidiomycotina

Aphyllophorales

*Phellinus punctatus*, V (DAVFP)

**Juglans sp.** - walnut

Fungi

Basidiomycotina

Aphyllophorales

*Trametes versicolor*, V (DAVFP)

Deuteromycotina

Hymomycetes

*Microstroma juglandis*, V (DAVFP)  
*Tubercularia vulgaris*, V (DAVFP)

**Juncus balticus** Willd. - Baltic rush, wire rush

Fungi

Ascomycotina

*Comoclastris pentamera*, LC (Shoemaker and Babcock 1992)

**Juncus drummondii** E. Mey. - Drummond's rush

Fungi

Ascomycotina

*Clathrospora heterospora* var. *simmonsii*, LC  
(Ginns 1986a)

*Clathrospora revelstokensis*, LC (Shoemaker and Babcock 1992)

*Guignardia caricicola*, LC (Shaw 1973)

*Mycosphaerella caricicola*, LC (Barr 1953)

*Mycosphaerella tassiana*, LC (Barr 1953)

*Phomatospora argyrostigma*, LC (Connors 1967)

*Phomatospora therophila*, LC (Barr 1953)

**Juncus ensifolius** Wikst. - three-stemmed rush

Fungi

Ascomycotina

*Phaeosphaeria alpina*, LC (Shoemaker and Babcock 1989)

Basidiomycotina

Uredinales

*Uromyces junci-effusi*, V (DAVFP)

**Juncus falcatus** E. Meyer

Fungi

Ascomycotina

*Phaeosphaeria humerata*, LC (Shoemaker and Babcock 1989)

*Phaeosphaeria tricincta*, LC (Shoemaker and Babcock 1989) (TYPE)

**Juncus parryi** Engelm. - Parry's rush

Fungi

Ascomycotina

*Bricookea sepalorum*, LC (Ginns 1986a)

**Juncus xiphiooides** E. Mey. - iris-leaved rush

Fungi

Basidiomycotina

Uredinales

*Uromyces junci-effusi*, LC (Connors 1967)

**Juncus sp.** - rush

Fungi

Ascomycotina

*Bricookea sepalorum*, LC (Barr 1982)

*Leptosphaeria petkovicensis*, LC (Barr 1953)

*Phaeosphaeria alpina*, LC (Shoemaker and Babcock 1989)

Basidiomycotina

Agaricales

*Marasmiellus vaillantii*, LC (Redhead 1981)

*Melanotus caricicola*, LC (Redhead 1984a)

*Mycena stylobates*, LC (Redhead 1981)

*Resinomycena saccharifera* subsp.

*kalalochensis*, LC (Redhead 1984a)

**Juniperus chinensis** L. vars. - Chinese juniper

Fungi

Basidiomycotina

Uredinales

*Gymnosporangium asiaticum*, V (DAVFP)

*Gymnosporangium fuscum*, V (DAVFP)

Deuteromycotina

Coelomycetes

*Pestalotiopsis funerea*, LC (Shaw 1973 as *Pestalotia funerea*)

Hymomycetes

*Alternaria* sp., V (DAVFP)

*Plant hosts - J*

***Juniperus chinensis* L. var. *pfitzeriana***

Spaeth - Pfitzer juniper

Fungi

Ascomycotina

- Lophodermium juniperinum*, V (DAVFP)
- Pithya cupressina*, V (DAVFP)
- Sydiowia polyspora*, V (DAVFP)

Deuteromycotina

Coelomycetes

- Kabatina juniperi*, V (DAVFP)
- Pestalotiopsis funerea*, LC (Jones 1957 as *Pestalotia funerea*)

***Juniperus communis* L. - common juniper, dwarf juniper**

Fungi

Ascomycotina

- Chloroscypha sabinae*, V (DAVFP)
- Epipolaeum* sp., V (DAVFP)
- Herpotrichia juniperi*, V (DAVFP)
- Lophodermium chamaecyparisi*, V (DAVFP)
- Mycosphaerella juniperina*, V (DAVFP)
- Mytilinidion acicola*, V (DAVFP)
- Mytilinidion gemmigenum*, LC (Shaw 1973)

Basidiomycotina

Uredinales

- Gymnosporangium clavipes*, V (DAVFP)
- Gymnosporangium tremelloides*, V (DAVFP)

Deuteromycotina

Coelomycetes

- Hendersonia* sp., V (DAVFP)

Hyphomycetes

- Cercospora sequoiae* var. *juniperi*, V (DAVFP)
- Stigmina glomerulosa*, V (DAVFP)

***Juniperus communis* L. var. *depressa***

Pursh - prostrate juniper

Fungi

Ascomycotina

- Lophodermium juniperinum*, LC (Parmelee 1984)

Basidiomycotina

Uredinales

- Gymnosporangium clavariiforme*, LC (Parmelee 1978a)
- Gymnosporangium clavipes*, LC (Parmelee 1978b)
- Gymnosporangium cornutum*, V (DAVFP)

***Juniperus communis* L. var. *hibernica***

Gord. - Irish juniper

Fungi

Ascomycotina

- Lophodermium juniperinum*, V (DAVFP)

Basidiomycotina

Uredinales

- Gymnosporangium clavariiforme*, V (DAVFP)

***Juniperus communis* L. var. *suecica*** Ait. -

Swedish juniper

Fungi

Basidiomycotina

Uredinales

- Gymnosporangium clavariiforme*, V (DAVFP)

***Juniperus horizontalis*** Moench - creeping

juniper

Fungi

Ascomycotina

- Pithya cupressina*, V (DAVFP)

Basidiomycotina

Uredinales

- Gymnosporangium fuscum*, V (DAVFP)
- Gymnosporangium nelsonii*, V (DAVFP)
- Gymnosporangium nidus-avis*, V (DAVFP)

Deuteromycotina

Hyphomycetes

- Cephalosporium* sp., V (DAVFP)

***Juniperus occidentalis*** Hook. - western

juniper

Fungi

Basidiomycotina

Uredinales

- Gymnosporangium nelsonii*, LC (Shaw 1973)

***Juniperus sabina* L. vars. - European**

juniper

Fungi

Ascomycotina

- Pithya cupressina*, V (DAVFP)

Basidiomycotina

Uredinales

- Gymnosporangium fuscum*, LC (Ormrod et al. 1984 on *Juniperus sabina* and *Juniperus sabina* var. *hicksii*)

Deuteromycotina

Coelomycetes

- Phomopsis juniperovora*, V (DAVFP)

Hyphomycetes

- Botrytis* sp., V (DAVFP)
- Stemphylium* sp., V (DAVFP)

***Juniperus sabina* L. var. *sabina* -**

European juniper

Fungi

Ascomycotina

- Lophodermium juniperinum*, V (DAVFP)

Basidiomycotina

Uredinales

- Gymnosporangium fuscum*, V (DAVFP)

***Juniperus sabina* L. var. *tamariscifolia***

Ait. - European juniper

Fungi

Ascomycotina

- Lophodermium juniperinum*, V (DAVFP)

- Basidiomycotina**  
**Uredinales**  
*Gymnosporangium fuscum*, V (DAVFP)
- Juniperus sabina* L. var. *variegata*** (West.)  
Audib. - European juniper  
**Fungi**  
**Ascomycotina**  
*Chaetoscutula juniperi*, V (DAVFP)
- Basidiomycotina**  
**Uredinales**  
*Gymnosporangium fuscum*, V (DAVFP)
- Juniperus scopulorum* Sarg.** - Rocky Mountain juniper  
**Fungi**  
**Ascomycotina**  
*Chaetoscutula juniperi*, V (DAVFP)  
*Holmiella sabina*, V (DAVFP)  
*Lophodermium juniperinum*, V (DAVFP)  
*Microthyrium* sp., V (DAVFP)  
*Otthia* sp., V (DAVFP)  
*Scirrhia conigena*, V (DAVFP)  
*Seynesiella juniperi*, V (DAVFP)  
*Seynesiella sequoiae*, LC (Barr 1953)
- Basidiomycotina**  
**Agaricales**  
*Armillaria ostoyae*, V (DAVFP)
- Aphylophorales**  
*Jahnoporus hirtus*, LC (Connors 1967)
- Basidiomycotina**  
**Uredinales**  
*Gymnosporangium bethelii*, V (DAVFP)  
*Gymnosporangium inconspicuum*, V (DAVFP)  
*Gymnosporangium nelsonii*, V (DAVFP)  
*Gymnosporangium nidus-avis*, V (DAVFP)
- Deuteromycotina**  
**Coelomycetes**  
*Kabatina juniperi*, V (DAVFP)  
*Phomopsis juniperovora*, V (DAVFP)  
*Sclerophoma* sp., V (DAVFP)
- Hypocreales**  
*Botrytis* sp., UR  
*Cladosporium* sp., UR - Specimen discarded
- Juniperus squamata* Lamb. var. *fargesii***  
Rehd. & Wils. - exotic juniper  
**Fungi**  
**Basidiomycotina**  
**Uredinales**  
*Gymnosporangium fuscum*, V (DAVFP)
- Juniperus squamata* Lamb. var. *meyeri***  
Rehd. - exotic juniper  
**Fungi**  
**Basidiomycotina**  
**Uredinales**  
*Gymnosporangium fuscum*, V (DAVFP)
- Juniperus squamata* Lamb. var. *prostrata*** Lamb. var. *prostrata*  
Hornibrook - exotic juniper  
**Fungi**  
**Basidiomycotina**  
**Uredinales**  
*Gymnosporangium fuscum*, V (DAVFP)
- Juniperus virginiana* L.** - eastern red cedar  
**Fungi**  
**Ascomycotina**  
*Pithya* sp., V (DAVFP)
- Basidiomycotina**  
**Uredinales**  
*Gymnosporangium bethelii*, LC (Toms 1964)  
*Gymnosporangium tremelloides*, LC (Connors 1967)
- Juniperus virginiana* L. var. *glaucia***  
**Fungi**  
**Basidiomycotina**  
**Uredinales**  
*Gymnosporangium fuscum*, LC (Ormrod et al. 1984)
- Juniperus* sp. - juniper**  
**Fungi**  
**Ascomycotina**  
*Actidium nitidum*, V (DAVFP)  
*Cucurbitaria* sp., V (DAVFP)  
*Lepteutypa cupressi*, V (DAVFP)
- Basidiomycotina**  
**Others**  
*Dacrymyces stillatus*, V (UBC F838) – anamorph only
- Deuteromycotina**  
**Coelomycetes**  
*Ascochyta* sp., V (DAVFP)  
*Coniella* sp., V (DAVFP)  
*Cytospora pinastri*, V (DAVFP)  
*Kabatina juniperi*, V (DAVFP)  
*Phomopsis* sp., LC (MacDonald and Barnett 1989)
- Hypocreales**  
*Volutella ciliata*, V (DAVFP) - Dried culture only
- Chromista**  
**Oomycota**  
*Phytophthora* sp., LC (MacDonald 1990)



**Kalmia polifolia** Wang. - bog laurel

Fungi

Basidiomycotina

Others

*Exobasidium vaccinii* var. *vaccinii*, LC (Savile 1959)

**Kalmia polifolia** Wang. subsp.

**occidentalis** (Small) Abrams - bog laurel,  
western swamp kalmia

Fungi

Ascomycotina

*Phyllachora kalmiae*, V (DAVFP)

**Kobresia myosuroides** (Vill.) Fiori & Paol. -

kobresia

Fungi

Basidiomycotina

Others

*Anthracoidea elynae*, LC (Kukkonen 1961 as  
*Cintractia elynae*)

**Kobresia simpliciuscula** (Wahl.) Mack. -

kobresia

Fungi

Basidiomycotina

Others

*Anthracoidea lindebergiae*, LC (Conners 1967)

**Koeleria cristata** (L.) Pers. - Koeler's grass

Fungi

Ascomycotina

*Mycosphaerella tassiana*, LC (Barr 1953)  
*Phaeosphaeria typharum*, LC (Barr 1953 as  
*Leptosphaeria typharum*)

Deuteromycotina

Coelomycetes

*Pseudoseptoria stomaticola*, LC (Ginns 1986a)

*Plant hosts - K*

***Laburnum* sp. - laburnum**

**Fungi**

**Deuteromycotina**

**Hymomycetes**

*Epicoccum nigrum*, V (DAVFP)

***Lactuca biennis* (Moench) Fern. - tall blue lettuce**

**Fungi**

**Ascomycotina**

*Sphaerotheca fuliginea*, LC (Conners 1967)

*Sphaerotheca macularis*, LC (Shaw 1973)

**Basidiomycotina**

**Uredinales**

*Puccinia dioicae*, LC (Conners 1967)

***Lactuca canadensis* L. - trumpet fireweed, devil's weed**

**Fungi**

**Basidiomycotina**

**Uredinales**

*Puccinia minussensis*, V (DAVFP)

***Lactuca pulchella* (Pursh) DC. - blue lettuce**

**Fungi**

**Basidiomycotina**

**Uredinales**

*Puccinia minussensis*, LC (Conners 1967; Parmelee and Savile 1981)

***Lactuca serriola* L. - prickly lettuce**

**Fungi**

**Ascomycotina**

*Erysiphe cichoracearum*, LC (Barr 1953 on *Lactuca scariola*)

**Deuteromycotina**

**Hymomycetes**

*Verticillium dahliae*, LC (Toms 1964; Aube and Sackston 1965; Wooliams 1966 on *Lactuca scariola*)

***Lactuca serriola* L. var. *integrata* Gren. & Godr. - prickly lettuce**

**Fungi**

**Basidiomycotina**

**Agaricales**

*Calyptella capula*, LC (Redhead 1973)

***Lactuca* sp.**

**Fungi**

**Ascomycotina**

*Sphaerotheca fuliginea*, LC (Barr 1953 as *Sphaerotheca humuli* var. *fuliginea*)

***Lamium amplexicaule* L. - common henbit, dead nettle**

**Fungi**

**Deuteromycotina**

**Hymomycetes**

*Verticillium dahliae*, LC (Toms 1964; Wooliams 1966)

**Chromista**

**Oomycota**

*Peronospora lamii*, LC (Toms 1964)

***Lapsana communis* L. - nipplewort**

**Fungi**

**Basidiomycotina**

**Uredinales**

*Puccinia lapsanae*, V (DAVFP)

**Deuteromycotina**

**Hymomycetes**

*Ramularia lapsanae*, LC (Ginns 1986a)

***Larix decidua* Mill. - European larch**

**Fungi**

**Ascomycotina**

*Dasyscyphus* sp., V (DAVFP)

*Sydiowia polyspora*, V (DAVFP)

*Tympanis laricina*, V (DAVFP)

**Basidiomycotina**

**Agaricales**

*Armillaria ostoyae*, V (DAVFP)

**Uredinales**

*Melampsora medusae*, V (DAVFP)

*Melampsora occidentalis*, V (DAVFP)

**Deuteromycotina**

**Coccomyces**

*Gelatinosporium griseo-lanatum*, V (DAVFP)

*Macrophoma* sp., V (DAVFP)

**Hymomycetes**

*Botrytis* sp., V (DAVFP)

*Cladosporium* sp., V (DAVFP)

***Larix gmelinii* (Rupr.) Litvin. - Dahurian larch**

**Fungi**

**Basidiomycotina**

**Aphyllophorales**

*Resinicium bicolor*, UR

***Larix laricina* (DuRoi) K. Koch - American larch, black larch, tamarack**

**Fungi**

**Ascomycotina**

*Leucostoma kunzei*, V (DAVFP)

*Sarea difformis*, LC (Conners 1967 as *Retinocyclus abietis*)

**Basidiomycotina**

**Agaricales**

*Pholiota adiposa*, UR

*Pholiota alnicola*, UR

**Aphyllophorales**

*Coniocephala puteana* var. *puteana*, UR

*Perenniporia subacida*, UR

*Phaeolus schweinitzii*, V (DAVFP)

*Stereum sanguinolentum*, UR

**Uredinales**

*Melampsora medusae*, V (DAVFP)

*Melampsora paradoxa*, V (DAVFP)

*Plant hosts - L*

**Deuteromycotina**  
**Coelomycetes**  
*Sirodotothis* sp., V (DAVFP)

**Larix leptolepis** (Sieb. & Zucc.) Gord. -  
Japanese larch

**Fungi**  
**Basidiomycotina**  
**Agaricales**  
*Armillaria ostoyae*, V (DAVFP)

**Uredinales**  
*Melampsora medusae*, V (DAVFP)  
*Melampsora occidentalis*, V (DAVFP)

**Larix lyallii** Parl. - alpine larch

**Fungi**  
**Ascomycotina**  
*Lachnellula occidentalis*, V (DAVFP)  
*Lachnellula suecica*, V (DAVFP)  
*Lophodermium laricinum*, V (DAVFP)  
*Pleospora* sp., V (DAVFP)  
*Sarcotrichila alpina*, V (DAVFP)

**Deuteromycotina**  
**Hymomycetes**  
*Meria laricis*, LC (Maruyama 1984)

**Larix occidentalis** Nutt. - western larch

**Fungi**  
**Ascomycotina**  
*Ascocalyx* sp., V (DAVFP)  
*Dermea tetrasperma*, V (DAVFP)  
*Diaporthe lokoyae*, V (DAVFP)  
*Encoeliopsis laricina*, V (DAVFP)  
*Godronia* sp., LC (Ginns 1986a)  
*Hypoderella laricis*, V (DAVFP)  
*Lachnellula flavovirens*, V (DAVFP)  
*Lachnellula occidentalis*, V (DAVFP)  
*Lachnellula suecica*, V (DAVFP)  
*Lophodermium laricinum*, V (DAVFP)  
*Lophodermium pinastri*, LC (Ginns 1986a as  
*Hypoderella laricis*)  
*Mytilinidion gemmigenum*, V (DAVFP)  
*Nectria* sp., V (DAVFP)  
*Peltosphaeria canadensis*, V (DAVFP)  
*Pezicula* sp., V (DAVFP)  
*Phacidium coniferarum*, V (DAVFP)  
*Phacidium gaeumannii*, V (DAVFP)  
*Phacidium shewoodiae*, LC (Wood and Van  
Sickle 1986)  
*Rhizina undulata*, LC (Shaw 1973)  
*Sarcotrichila alpina*, V (DAVFP)  
*Sarea* sp., UR  
*Sydiowia polyspora*, V (DAVFP)  
*Tympanis laricina*, V (DAVFP)  
*Valsa abietis*, V (DAVFP)  
*Valsa* sp., V (DAVFP)

**Basidiomycotina**  
**Agaricales**  
*Armillaria ostoyae*, V (DAVFP)  
*Armillaria* sp., UR  
*Neolentinus lepideus*, V (DAVFP)  
*Xeromphalina campanella*, UR

**Aphyllophorales**  
*Acanthophysium spiniger*, LC (Ginns 1986a)  
*Amylostereum chailletii*, V (DAVFP)

*Antrodia serialis*, UR  
*Confertobasidium olivaceo-album*, LC (Shaw  
1973)  
*Coniophora puteana* var. *puteana*, UR  
*Corticium subcontinuum*, UR  
*Diplomitoporus lenis*, LC (Shaw 1973 as  
*Poria lenis*)

*Fomitopsis officinalis*, V (DAVFP)  
*Fomitopsis pinicola*, V (DAVFP)  
*Fomitopsis rosea*, LC (Ginns 1986a)  
*Gloeophyllum carbonarium*, LC (Shaw 1973  
as *Trametes carbonaria*)  
*Heterobasidion annosum*, LC (Shaw 1973 as  
*Fomes annosus*)  
*Hyphoderma puberum*, UR  
*Laetiporus sulphureus*, LC (Shaw 1973)  
*Phaeolus schweinitzii*, V (DAVFP)  
*Phellinus nigrolimitatus*, V (DAVFP)  
*Phellinus pini*, V (DAVFP)  
*Phellinus weiri*, UR  
*Postia balsamea*, LC (Shaw 1973 as  
*Polyporus balsameus*)  
*Postia fragilis*, LC (Shaw 1973)  
*Postia guttulata*, LC (Shaw 1973)  
*Postia sericeomollis*, UR  
*Postia undosa*, LC (Shaw 1973 as *Polyporus  
undosus*)  
*Scytonstroma galactina*, V (DAVFP) – Dried  
culture only

*Stereum sanguinolentum*, UR  
*Tomentellina fibrosa*, LC (Shaw 1973)  
*Trichaptum abietinum*, V (DAVFP)  
*Vararia granulosa*, LC (Ginns 1986a)  
*Vararia racemosa*, LC (Ginns 1986a)

**Uredinales**

*Melampsora medusae*, V (DAVFP)  
*Melampsora occidentalis*, V (DAVFP)  
*Melampsora paradoxa*, V (DAVFP)

**Deuteromycotina**

**Coelomycetes**  
*Apostrasseria lunata*, V (DAVFP)  
*Collonema* sp., LC (Shaw 1973)  
*Coniothyrium* sp., V (DAVFP)  
*Cytospora* sp., V (DAVFP)  
*Phaciidiopycnis* sp., V (DAVFP)  
*Phoma prunicola*, UR  
*Phoma* sp., V (DAVFP)  
*Phomopsis occulta*, V (DAVFP)  
*Sclerophoma semenospora*, V (DAVFP)  
*Sirodotothis* sp., V (DAVFP)  
*Truncatella* sp., V (DAVFP)

**Hymomycetes**

*Aureobasidium pullulans*, V (DAVFP)  
*Botrytis* sp., LC (Mittal and Wang 1985)  
*Fusarium oxysporum*, V (DAVFP)  
*Hormonema meriooides*, V (DAVFP)  
*Meria laricis*, V (DAVFP)

**Protozoa**

**Myxomycota**  
*Lamproderma carestiae*, V (DAVFP)

**Parasitic Plants**

*Arceuthobium laricis*, V (DAVFP)  
*Arceuthobium tsugense*, V (DAVFP)

**Larix sibirica** Ledeb. - Siberian larch

Fungi

**Ascomycotina**

- Ascocalyx sp., V (DAVFP)
- Didymella sp., V (DAVFP)
- Sydiowia polyspora, V (DAVFP)

**Deuteromycotina**

**Coelomycetes**

- Phoma sp., V (DAVFP)
- Sclerophoma sp., LC (Wood et al. 1987)

**Hypocreales**

- Cladosporium sp., V (DAVFP)

**Larix** sp. - larch

Fungi

**Basidiomycotina**

**Aphyllophorales**

- Antrodia variiformis, LC (David and Tortic 1986)
- Fomitopsis cajanderi, V (DAVFP)
- Postia sericeomollis, LC (Shaw 1958 as Poria asiatica)

**Deuteromycotina**

**Hypocreales**

- Epicoccum sp., V (DAVFP)

**Lathyrus nevadensis** Wats. - purple pea

Fungi

**Deuteromycotina**

**Hypocreales**

- Oidium sp., UR

**Lathyrus nevadensis** Wats. subsp.

**lanceolatus** (Howell) C.L. Hitchc.

(= *Lathyrus nuttallii*) – purple pea

Fungi

**Basidiomycotina**

**Uredinales**

- Uromyces fabae, V (DAVFP)

**Chromista**

**Oomycota**

- Peronospora lathyri-palustris, LC (Ginns 1986a)

**Lathyrus nuttallii** Wats. see *Lathyrus nevadensis* subsp. *lanceolatus*

**Lathyrus ochroleucus** Hook. - yellow pea

Fungi

**Ascomycotina**

- Erysiphe polygoni, LC (Barr 1953)

**Deuteromycotina**

**Coelomycetes**

- Septoria astragali, LC (Ginns 1986a)

**Lathyrus palustris** L. - marsh pea

Fungi

**Basidiomycotina**

**Uredinales**

- Uromyces fabae, V (DAVFP)

**Deuteromycotina**

**Coelomycetes**

- Ascochyta pisi, LC (Toms 1964)

**Lathyrus sylvestris** L. - flat pea

Fungi

**Deuteromycotina**

**Coelomycetes**

- Ascochyta pisi, LC (Ginns 1986a)

**Lathyrus** sp. - pea

Fungi

**Basidiomycotina**

**Agaricales**

- Calypella capula, LC (Redhead and Traquair 1981a)

**Deuteromycotina**

**Coelomycetes**

- Septoria lathyri, V (DAVFP)

**Lavandula officinalis** Chaix - lavender

Fungi

**Deuteromycotina**

**Coelomycetes**

- Septoria lavandulae, LC (Connors 1967)

**Ledum decumbens** (Ait.) Lodd. (= *Ledum palustre* var. *decumbens*) - wild rosemary, decumbent Labrador tea

Fungi

**Basidiomycotina**

**Uredinales**

- Chrysomyxa ledi var. ledi, V (DAVFP)
- Chrysomyxa ledicola, V (DAVFP)
- Chrysomyxa woroninii, V (DAVFP)

**Ledum glandulosum** Nutt. - glandular Labrador tea

Fungi

**Ascomycotina**

- Rhytisma sp., V (DAVFP)

**Basidiomycotina**

**Uredinales**

- Chrysomyxa ledi var. ledi, V (DAVFP)

**Ledum groenlandicum** Oeder - Labrador tea

Fungi

**Ascomycotina**

- Antennularia variisetosa, LC (Shaw 1973)

- Gibbera cassandrae, LC (Barr 1953 as Venturia cassandrae)

**Basidiomycotina**

**Uredinales**

- Chrysomyxa ledi var. ledi, V (DAVFP)
- Chrysomyxa ledicola, V (DAVFP)
- Chrysomyxa woroninii, V (DAVFP)

**Others**

- Exobasidium vaccinii, V (DAVFP)

**Deuteromycotina**

**Coelomycetes**

- Seimatosporium ledi, V (DAVFP) (TYPE)

*Plant hosts - L*

**Ledum palustre** L. - Labrador tea

Fungi

Ascomycotina

*Pseudophaeacidium ledi*, LC (DiCosmo et al. 1984)

**Ledum palustre** L. var. *decumbens* Ait.

see *Ledum decumbens*

**Lepidium perfoliatum** L. - shieldweed, yellow peppergrass

Fungi

Basidiomycotina

Uredinales

*Puccinia subnitens*, LC (Parmelee and de Carteret 1981c)

Deuteromycotina

Hyphomycetes

*Verticillium dahliae*, LC (Toms 1964; Woolliams 1966)

**Lepidium virginicum** L. - wild peppergrass, poor man's pepper

Chromista

Oomycota

*Albugo candida*, LC (Shaw 1973)

**Leptarrhena pyrolifolia** (D. Don) R.

Br.:Ser. in DC. - leather-leaved saxifrage

Fungi

Ascomycotina

*Polytrichella longispora*, LC (Barr 1972) (TYPE)

*Pseudomassaria occidentalis*, LC (Ginns 1986a)

**Leptotaenia dissecta** Nutt. see *Lomatium dissectum*

**Leptotaenia multifida** Nutt. see *Lomatium dissectum* var. *multifidum*

**Lewisia rediviva** Pursh - bitter root

Fungi

Basidiomycotina

Uredinales

*Uromyces unitus* subsp. *unitus*, V (DAVFP)

**Libocedrus decurrens** Torr. - incense-cedar

Fungi

Ascomycotina

*Lepteutypa cupressi*, V (DAVFP)

Deuteromycotina

Coelomycetes

*Sirococcus conigenus*, LC (Shaw 1973)

**Ligusticum canbyi** Coulter & Rose - Canby's lovage

Fungi

Basidiomycotina

Uredinales

*Puccinia ligustici*, LC (Ginns 1986a; Parmelee 1989)

**Ligustrum vulgare** L. - common privet

Fungi

Deuteromycotina

Hyphomycetes

*Cercosporaella howittii*, LC (Ginns 1986a)

**Lilium columbianum** Hanson (=*Lilium parviflorum*) - Columbia lily, wild tiger lily

Fungi

Basidiomycotina

Uredinales

*Aecidium* sp., V (DAVFP)

*Uromyces holwayi*, V (DAVFP)

**Lilium parviflorum** (Hook.) Holtz. see *Lilium columbianum*

**Lilium** sp. - lily

Fungi

Deuteromycotina

Coelomycetes

*Phyllosticta* sp., V (DAVFP)

Hyphomycetes

*Botrytis cinerea*, LC (Savile 1961)

**Limonium latifolium** (J.E. Sm.) Kuntze - sea-lavender

Fungi

Basidiomycotina

Uredinales

*Uromyces limonii*, LC (Connors 1967)

**Limonium** sp. - sea-lavender

Fungi

Deuteromycotina

Hyphomycetes

*Botrytis* sp., LC (Connors 1967)

**Linnaea borealis** L. subsp. *americana*

(Forbes) Rehd. see *Linnaea borealis* subsp. *longiflora*

**Linnaea borealis** L. subsp. *longiflora* Torr.

(= *Linnaea borealis* subsp. *americana*) -

American twinflower

Fungi

Ascomycotina

*Metacoleroa dickiei*, V (DAVFP)

*Phylleutypa wittrockii*, V (DAVFP)

Basidiomycotina

Aphyllophorales

*Thelephora terrestris*, V (DAVFP)

*Linum lewisii* Pursh see *Linum perenne*  
subsp. *lewisii*

*Linum perenne* L. subsp. *lewisii* (Pursh)  
Wright (=*Linum lewisii*) - western blue flax  
Fungi

**Ascomycotina**

*Mycosphaerella tassiana*, LC (Barr 1953)  
*Pleospora tragacanthae*, LC (Barr 1953)

**Basidiomycotina**

**Uredinales**

*Melampsora lini*, V (DAVFP)

*Linum usitatissimum* L. - common flax

Fungi

**Ascomycotina**

*Mycosphaerella linicola*, LC (Conners 1967)

**Basidiomycotina**

**Aphyllphorales**

*Pellicularia praticola*, LC (Shaw 1973)

**Uredinales**

*Melampsora lini*, LC (Conners 1967)

**Deuteromycotina**

**Hypomycetes**

*Fusarium avenaceum*, LC (Shaw 1973)  
*Fusarium oxysporum*, LC (Conners 1967)  
*Fusarium sambucinum* var. *caeruleum*, LC  
(Conners 1967)

*Liquidambar styraciflua* L. - sweetgum

Fungi

**Basidiomycotina**

**Coelomycetes**

*Phomopsis* sp., V (DAVFP)

*Lithophragma parviflora* (Hook.) T. and G.  
- small-flowered fringe-cup

Fungi

**Basidiomycotina**

**Uredinales**

*Puccinia heucherae* var. *lithophragmiae*, LC  
(Ginns 1986a)

*Lolium multiflorum* Lam. - Italian rye grass

Fungi

**Ascomycotina**

*Claviceps purpurea*, LC (Toms 1964)

**Basidiomycotina**

**Uredinales**

*Puccinia coronata*, LC (Toms 1964)

**Deuteromycotina**

**Hypomycetes**

*Ovularia lolii*, LC (Jones 1957)

*Lolium perenne* L. - English ryegrass,  
perennial ryegrass

Fungi

**Basidiomycotina**

**Aphyllphorales**

*Laetisaria fuciformis*, LC (Fushtey 1988)

**Deuteromycotina**

**Hypomycetes**

*Ovularia lolii*, LC (Jones 1957)

*Lolium* sp.

Fungi

**Basidiomycotina**

**Aphyllphorales**

*Laetisaria fuciformis*, LC (MacDonald et al.  
1991)

**Uredinales**

*Puccinia* sp., LC (MacDonald et al. 1991)

*Lomatium nudicaule* (Nutt.) Coulter & Rose

- Wyeth's lomatium, bread-and-biscuit

Fungi

**Ascomycotina**

*Mycosphaerella tassiana*, LC (Barr 1953)

**Basidiomycotina**

**Uredinales**

*Puccinia jonesii* subsp. *asperior*, LC (Ginns  
1986a)

*Lomatium nudicaule* (Coulter & Rose)

Macbr. - Brandegee's lomatium

Fungi

**Deuteromycotina**

**Hypomycetes**

*Pollaccia peucedani*, LC (Ginns 1986a)

*Lomatium nudicaule* (Nutt.) Math. &

Const. (=*Leptotaenia dissecta*) - fern-leaved  
lomatium

Fungi

**Ascomycotina**

*Euryachora* sp., V (DAVFP)

**Basidiomycotina**

**Uredinales**

*Puccinia jonesii* subsp. *asperior*, LC (Ginns  
1986a)

*Lomatium nudicaule* (Nutt.) Math. &

Const. *var. multifidum* (Nutt.) Math. &  
Const. (=*Leptotaenia multifida*) – fern-  
leaved lomatium

Fungi

**Basidiomycotina**

**Uredinales**

*Puccinia jonesii* subsp. *jonesii*, V (DAVFP)

*Lomatium nudicaule* (S. Wats.) Coulter & Rose -

Geyer's lomatium

Fungi

**Basidiomycotina**

**Uredinales**

*Puccinia jonesii* subsp. *asperior*, LC (Ginns  
1986a)

*Puccinia jonesii* subsp. *jonesii*, LC (Ginns  
1986a)

*Plant hosts - L*

**Lomatium macrocarpum** (Nutt.) Coult. & Rose - large-fruited lomatium

Fungi

Basidiomycotina

Uredinales

*Puccinia jonesii* subsp. *asperior*, LC (Ginns 1986a)  
*Puccinia jonesii* subsp. *jonesii*, LC (Ginns 1986a)

**Lomatium martindalei** Coult. & Rose var. **angustatum** Coult. & Rose - Martindale's lomatium

Fungi

Deuteromycotina

Hypomycetes

*Pollaccia peucedani*, LC (Ginns 1986a)

**Lomatium triternatum** (Pursh) Coult. & Rose - Lewis' lomatium

Fungi

Basidiomycotina

Uredinales

*Puccinia jonesii* subsp. *asperior*, LC (Ginns 1986a)

**Lomatium utriculatum** (Nutt.) Coult. & Rose - common lomatium

Fungi

Basidiomycotina

Uredinales

*Puccinia jonesii* subsp. *asperior*, LC (Ginns 1986a)

**Lonicera ciliosa** (Pursh) DC. - orange honeysuckle

Fungi

Ascomycotina

*Hyponectria lonicerae*, V (DAVFP)  
*Massarina eccentrica*, LC (Barr 1992b)  
*Massarina lignorum*, LC (Barr 1992b)

Basidiomycotina

Aphyllophorales

*Phellinus ferreus*, V (DAVFP)  
*Stereum* sp., V (DAVFP)

Deuteromycotina

Hypomycetes

*Phaeoramularia antipus*, V (DAVFP)  
*Phaeoramularia periclymeni*, V (DAVFP)

**Lonicera hispida** (Lindl.) Dougl.:T. & G. - purple honeysuckle

Fungi

Ascomycotina

*Hyponectria lonicerae*, V (DAVFP)  
*Massarina eccentrica*, LC (Barr 1992b)  
*Microsphaera penicillata*, V (DAVFP)

**Lonicera involucrata** (Richards)

Banks:Spreng. - native twin-berry

Fungi

Ascomycotina

*Leptosphaeria dumetorum*, LC (Barr 1953)

*Leptosphaeria lonicerae*, LC (Shoemaker 1984a)

*Massarina eccentrica*, LC (Barr 1992b)

*Microsphaera penicillata*, LC (Ginns 1986a)

*Ophiobolus minor*, LC (Barr 1953)

Basidiomycotina

Others

*Insolibasidium deformans*, LC (Oberwinkler and Bandoni 1984)

Deuteromycotina

Coelomycetes

*Kabatia lonicerae* var. *involutatae*, LC (Ginns 1986a)

*Leptothyrium periclymeni*, LC (Shaw 1973 as *Colletotrichella periclymeni*)

**Lonicera periclymenum** L. - honeysuckle, woodbine

Fungi

Ascomycotina

*Microsphaera penicillata*, LC (Ginns 1986a)

**Lonicera utahensis** S. Wats. - native red twin-berry

Fungi

Deuteromycotina

Coelomycetes

*Kabatia periclymeni* var. *periclymeni*, V (DAVFP)

**Lonicera** sp. - honeysuckle

Fungi

Ascomycotina

*Lasiosiobotrys lonicerae*, LC (Barr 1972)  
*Microsphaera penicillata* var. *lonicerae*, LC (Barr 1953 as *Microsphaera alni* var. *lonicerae*)

*Neohypodiscus cerebrinus*, V (DAVFP)

*Stictis* sp., V (DAVFP)

**Lotus corniculatus** L. (=*Lotus tenerum*) - bird's-foot trefoil

Fungi

Ascomycotina

*Sclerotinia sclerotiorum*, LC (Shaw 1973)  
*Sclerotinia trifoliorum*, LC (Jones 1957)

Deuteromycotina

Coelomycetes

*Phoma* sp., LC (Ginns 1986a)

Hypomycetes

*Verticillium dahliae*, UR

**Lotus denticulatus** (Drew) Greene - meadow lotus

Fungi

Ascomycotina

*Erysiphe polygoni*, LC (Barr 1953)

**Lotus tenerum** - bird's-foot trefoil see *Lotus corniculatus*

**Lupinus albus** L. - field lupine, white lupine

Fungi

Deuteromycotina

Hymenomycetes

*Pleiochaeta setosa*, LC (Paulitz and Atlin 1992)

**Lupinus arboreus** Sims. - tree lupine

Fungi

Ascomycotina

*Lachnella alboviolascens*, LC (Redhead 1973)

*Lachnella villosa*, LC (Redhead 1973)

**Lupinus arcticus** Wats. - arctic lupine

Fungi

Ascomycotina

*Leptosphaeria wehmeyeri*, LC (Shoemaker 1984a on *Lupinus latifolius* var. *subalpinus*)

Deuteromycotina

Hymenomycetes

*Ovularia lupinicola*, LC (Ginns 1986a)

**Lupinus latifolius** Lindl. ex J. Agardh - broad-leaved lupine

Fungi

Ascomycotina

*Hyponectria sceptri*, LC (Conners 1967)  
*Leptosphaeria agnita*, LC (Barr 1953)  
*Pleospora rainierensis*, LC (Barr 1953 as *Pleospora asymmetrica*)

Deuteromycotina

Hymenomycetes

*Ovularia lupinicola*, LC (Shaw 1973)

**Lupinus lyallii** Gray - Lyall's lupine

Fungi

Ascomycotina

*Pleospora tragacantheae*, LC (Barr 1953)

**Lupinus nootkatensis** Donn - Nootka lupine

Fungi

Ascomycotina

*Microsphaera trifolii*, V (DAVFP)

**Lupinus perennis** L. - wild lupine, sundial lupine

Fungi

Ascomycotina

*Erysiphe polygoni*, LC (Ginns 1986a as *Erysiphe communis*)

**Lupinus polyphyllus** Lindl. - large-leaved lupine

Fungi

Ascomycotina

*Erysiphe polygoni*, LC (Ginns 1986a as *Erysiphe communis*)

Deuteromycotina

Hymenomycetes

*Pseudocercospora lupini*, LC (Shaw 1973)

Chromista

Oomycota

*Peronospora trifoliorum*, LC (Conners 1967)

**Lupinus rivularis** Dougl. - riverbank lupine

Fungi

Basidiomycotina

Uredinales

*Uromyces lupini*, V (DAVFP)

Chytridiomycota

*Synchytrium* sp., LC (Karling 1956)

**Lupinus sericeus** Pursh - Pursh's silky lupine

Fungi

Deuteromycotina

Coelomycetes

*Macrophoma lupini*, LC (Shaw 1973)

**Lupinus** sp. - lupine

Fungi

Ascomycotina

*Erysiphe polygoni*, LC (Barr 1953)

*Mycosphaerella tassiana*, LC (Barr 1953)

*Pleospora herbarum*, LC (Barr 1953)

Basidiomycotina

Uredinales

*Uromyces occidentalis*, LC (Shaw 1973)

Deuteromycotina

Coelomycetes

*Ascochyta* sp., LC (Ginns 1986a)

**Luzula campestris** (L.) DC. - common wood-rush

Fungi

Ascomycotina

*Pleospora discors*, LC (Barr 1953)

**Luzula divaricata** S. Wats.

Fungi

Ascomycotina

*Phaeosphaeria alpina*, LC (Shoemaker and Babcock 1989)

**Luzula parviflora** (Ehrh.) Desv. - small-flowered wood-rush

Fungi

Basidiomycotina

Uredinales

*Puccinia obscura*, V (DAVFP)

**Luzula piperi** (Cov.) M.E. Jones - wood-rush

Fungi

Basidiomycotina

Others

*Ustilago vuijckii*, LC (Ginns 1986a)

**Luzula spicata** (L.) DC. - spiked wood-rush

Fungi

Ascomycotina

*Clathrospora elynae*, LC (Barr 1953)

*Graphyllum permundum*, LC (Shaw 1973 as *Platyspora permunda*)

*Plant hosts - L*

**Luzula wahlenbergii** Rupr. - Wahlenberg's wood-rush

Fungi

Ascomycotina

*Mycosphaerella wicheriana*, LC (Barr 1953)

**Luzula sp.** - wood-rush

Fungi

Ascomycotina

*Microthyrium* sp., V (DAVFP)

*Mycosphaerella tassiana*, LC (Barr 1953)

*Phaeosphaeria elongata*, LC (Shoemaker and Babcock 1989)

**Lychnis alba** Mill. - white cockle, evening campion

Fungi

Deuteromycotina

Coelomycetes

*Phyllosticta lychnidis*, LC (Connors 1967)

**Lycium chinense** Mill. - Chinese matrimony vine

Fungi

Ascomycotina

*Erysiphe polygoni*, LC (Shaw 1973)

Deuteromycotina

Hypocreales

*Oidium* sp., LC (Toms 1964)

**Lycium halimifolium** Mill. - box thorn, common matrimony vine

Fungi

Ascomycotina

*Erysiphe polygoni*, LC (Shaw 1973)

Deuteromycotina

Hypocreales

*Oidium* sp., LC (Toms 1964)

**Lycopodium annotinum** L. - stiff club-moss

Protozoa

Myxomycota

*Lamproderma cibrariooides*, V (DAVFP)

**Lygodesmia juncea** (Pursh) D. Don - skeletonweed

Fungi

Basidiomycotina

Uredinales

*Puccinia stipae*, V (DAVFP)

**Lyonia ligustrina** (L.) DC. - maleberry, male blueberry

Fungi

Basidiomycotina

Uredinales

*Pucciniastrum vaccinii*, LC (Shaw 1973)

**Lysichiton americanum** Hulten & St. John - yellow skunk cabbage, western skunk cabbage

Fungi

Ascomycotina

*Mitrlula elegans*, V (DAVFP)

***Madia sativa*** Mol. - tarweed**Fungi****Basidiomycotina****Uredinales**

*Coleosporium pacificum*, LC (Ginns 1986a  
as *Coleosporium madiae*)

***Mahonia aquifolium*** (Pursh) Nutt. see  
*Berberis aquifolium****Mahonia nervosa*** (Pursh) Nutt. see  
*Berberis nervosa****Mahonia repens*** (Lindl.) G. Don see  
*Berberis repens****Maianthemum canadense*** Desf. var.  
*interius* Fern. - wild lily-of-the-valley**Fungi****Deuteromycotina****Hymenomycetes**

*Ramularia subsanguinea*, LC (Savile 1961)

***Maianthemum dilatatum*** (Wood) A. Nels. &  
Macbr. - western maianthemum, two-leaved  
Solomon's seal**Fungi****Deuteromycotina****Hymenomycetes**

*Ramularia subsanguinea*, V (DAVFP)

***Malus diversifolia*** (Bong.) Roem. see  
*Malus fusca****Malus domestica*** Borkh. (=*Pyrus malus*) -  
common apple**Fungi****Ascomycotina**

*Glomerella cingulata*, LC (Barr 1953)

*Leucostoma persoonii*, LC (Barr 1953 as  
*Valsa leucostoma*)

*Nectria cinnabarinna*, LC (Barr 1953 as  
*Creonectria purpurea*)

*Podosphaera leucotricha*, LC (Barr 1953)

*Valsa ambiens*, LC (Barr 1953)

*Venturia inaequalis*, LC (Barr 1953)

**Deuteromycotina****Coelomycetes**

*Phomopsis ambigua*, V (DAVFP) - on  
Granny Smith apple trees

***Malus fusca*** (Raf.) C.K. Schneid. (=*Malus*  
*diversifolia*) - Pacific crabapple**Fungi****Ascomycotina**

*Venturia inaequalis*, LC (Jones 1957)

**Basidiomycotina****Uredinales**

*Gymnosporangium cornutum*, V (DAVFP)

*Gymnosporangium nelsonii*, LC (Ginns  
1986a)

*Gymnosporangium nootkatense*, V (DAVFP)

**Deuteromycotina****Hymenomycetes**

*Valdensia heterodoxa*, LC (Ginns 1986a)

***Malus pumila*** (L.) Mill. - common apple,  
cultivated introduced apple**Fungi****Ascomycotina**

*Botryosphaeria stevensii*, LC (Connors 1967)

*Monilinia fructicola*, LC (Connors 1967)

*Monilinia laxa*, LC (Connors 1967)

*Nectria cinnabarinna*, V (DAVFP)

*Nectria galligena*, LC (Jones 1957)

*Pezicula malicorticis*, LC (Jones 1957;

Connors 1967 as *Neofabraea malicorticis*)

*Physalospora* sp., LC (Jones 1957)

*Podosphaera leucotricha*, LC (Jones 1957)

*Venturia inaequalis*, LC (Jones 1957)

**Basidiomycotina****Agaricales**

*Armillaria* sp., LC (Connors 1967 as

*Armillaria mellea*)

*Pholiota squarrosa*, LC (Connors 1967)

*Psathyrella candolleana*, LC (Connors 1967)

**Aphyllophorales**

*Chondrostereum purpureum*, LC (Connors  
1967 as *Stereum purpureum*)

*Ganoderma applanatum*, LC (Toms 1964;  
Connors 1967)

*Phellinus igniarius*, V (DAVFP)

*Schizophyllum commune*, LC (Jones 1957)

*Trametes versicolor*, V (DAVFP)

**Uredinales**

*Gymnosporangium* sp., V (DAVFP)

**Deuteromycotina****Coelomycetes**

*Cryptosporiopsis corticola*, LC (Connors  
1967)

**Hymenomycetes**

*Botrytis cinerea*, LC (Jones 1957)

*Penicillium expansum*, LC (Jones 1957)

*Stigmina carpophila*, LC (Connors 1967)

*Stigmina negundinis*, LC (Connors 1967)

*Trichothecium roseum*, LC (Connors 1967)

**Chromista****Oomycota**

*Phytophthora cactorum*, LC (Connors 1967)

**Bacteria**

*Agrobacterium rhizogenes*, V (DAVFP)

*Agrobacterium tumefaciens*, LC (Connors  
1967)

*Erwinia amylovora*, LC (Connors 1967)

***Malus sylvestris*** (L.) Mill. - wild apple**Fungi****Ascomycotina**

*Botryosphaeria obtusa*, LC (Shaw 1973)

*Glomerella cingulata*, LC (Toms 1964)

*Leucostoma persoonii*, LC (Shaw 1973)

*Nectria cinnabarinna*, LC (Shaw 1973)

*Nectria galligena*, LC (Shaw 1973)

*Otthia amica*, LC (Shaw 1973)

## Plant hosts - M

- Pezicula malicorticis*, LC (Toms 1964)  
*Podosphaera clandestina*, LC (Shaw 1973)  
*Podosphaera leucotricha*, LC (Toms 1964)  
*Valsa ambiens*, LC (Shaw 1973)  
*Venturia inaequalis*, LC (Toms 1964)
- Basidiomycotina**  
**Agaricales**  
*Armillaria* sp., LC (Shaw 1973 as *Armillaria mellea*)  
*Pholiota squarrosa*, LC (Toms 1964)  
*Psathyrella candelleana*, LC (Toms 1964)
- Aphyllophorales**  
*Chondrostereum purpureum*, LC (Connors 1967 as *Stereum purpureum*)  
*Ganoderma applanatum*, LC (Toms 1964)  
*Phellinus igniarius*, LC (Shaw 1973 as *Fomes igniarius*)  
*Schizophyllum commune*, LC (Toms 1964)  
*Trametes pubescens*, LC (Shaw 1973)
- Deuteromycotina**  
**Coelomycetes**  
*Colletotrichum dematium*, LC (Shaw 1973)  
*Sphaeropsis malorum*, LC (Toms 1964)
- Hyphomycetes**  
*Botrytis cinerea*, LC (Toms 1964)  
*Cylindrocarpon mali*, LC (Toms 1964)  
*Penicillium expansum*, LC (Toms 1964)  
*Stigmina negundinis*, LC (Toms 1964)
- Chromista**  
**Oomycota**  
*Phytophthora cactorum*, LC (Toms 1964)  
*Phytophthora cambivora*, LC (Toms 1964)
- Bacteria**  
*Agrobacterium tumefaciens*, LC (Toms 1964)  
*Erwinia amylovora*, LC (Toms 1964)
- Malus sp.** - apple, crabapple
- Fungi**
- Ascomycotina**  
*Nectria episphaeria*, V (DAVFP)  
*Pezicula malicorticis*, V (DAVFP)  
*Podosphaera leucotricha*, V (DAVFP)  
*Venturia inaequalis*, V (DAVFP)
- Basidiomycotina**  
**Agaricales**  
*Armillaria* sp., UR  
*Coprinus psychromorbidus*, LC (Traquair 1987; Gaudet and Sholberg 1990)  
*Crepidotus fulvotomentosus*, V (DAVFP)  
*Pleurotus dryinus*, V (DAVFP)
- Aphyllophorales**  
*Ganoderma applanatum*, V (DAVFP)  
*Trametes hirsuta*, LC (Shaw 1973 as *Polyporus hirsutus*)
- Uredinales**  
*Gymnosporangium clavipes*, UR  
*Gymnosporangium* sp., LC (Toms 1964)
- Deuteromycotina**  
**Coelomycetes**  
*Cytospora* sp., V (DAVFP)
- Phomopsis mali**, LC (Toms 1964)
- Hyphomycetes**  
*Constantinella terrestris*, LC (Utkhede and Li 1988)  
*Penicillium janthinellum*, LC (Utkhede and Li 1988)  
*Penicillium* sp., LC (Sholberg and Owen 1990)  
*Stigmina negundinis*, LC (Morgan-Jones 1971)  
*Stigmina pallida*, LC (Shaw 1973)  
*Trichoderma* sp., LC (Utkhede and Li 1988)
- Chromista**  
**Oomycota**  
*Phytophthora citricola*, LC (Shaw 1973)
- Parasitic Plants**  
*Viscum album* subsp. *album*, V (DAVFP)
- Bacteria**  
*Erwinia amylovora*, V (DAVFP)
- Malva neglecta** Wallr. - common mallow
- Fungi**
- Basidiomycotina**  
**Uredinales**  
*Puccinia malvacearum*, LC (Jones 1957; Parmelee and de Carteret 1980)
- Deuteromycotina**  
**Hyphomycetes**  
*Verticillium albo-atrum*, LC (Shaw 1973)
- Malva rotundifolia** L. - round-leaved mallow
- Fungi**
- Basidiomycotina**  
**Uredinales**  
*Puccinia malvacearum*, LC (Jones 1957)
- Deuteromycotina**  
**Hyphomycetes**  
*Verticillium dahliae*, LC (Toms 1964; Woolliams 1966)
- Matteuccia struthiopteris** (L.) Todaro - ostrich fern
- Fungi**
- Basidiomycotina**  
**Uredinales**  
*Uredinopsis struthiopteridis*, V (DAVFP)
- Medicago lupulina** L. - yellow trefoil, black medick
- Fungi**
- Ascomycotina**  
*Sclerotinia trifoliorum*, LC (Ginns 1986a)
- Melampyrum lineare** Desr. - cow-wheat
- Fungi**
- Basidiomycotina**  
**Uredinales**  
*Cronartium coleosporioides*, V (DAVFP)  
*Cronartium coleosporioides* f. *coleosporioides*, V (DAVFP)

***Melica subulata*** (Griseb.) Scribn. - melic grass, Alaska onion-grass

Fungi

Ascomycotina

*Erysiphe graminis*, V (DAVFP)

***Melilotus alba*** Desr. - white sweet clover

Fungi

Ascomycotina

*Leptosphaeria pratensis*, LC (Ginns 1986a)

*Leptosphaeria viridella*, LC (Shoemaker 1984a)

*Sclerotinia trifoliorum*, LC (Ginns 1986a)

Deuteromycotina

Coelomycetes

*Ascochyta lethalis*, LC (Ginns 1986a as *Aschochyta viciae*)

*Phoma medicaginis*, LC (Ginns 1986a)

Chromista

Oomycota

*Peronospora trifoliorum*, LC (Ginns 1986a)

***Melilotus officinalis*** (L.) Lam. - yellow sweet clover

Fungi

Deuteromycotina

Coelomycetes

*Phoma medicaginis*, LC (Connors 1967)

***Melilotus sp.*** - sweet clover

Fungi

Deuteromycotina

Hymenomycetes

*Botrytis* sp., LC (Connors 1967)

***Mentha arvensis*** L. - field mint

Fungi

Basidiomycotina

Uredinales

*Puccinia menthae*, V (DAVFP)

Chytridiomycota

*Synchytrium* sp., LC (Karling 1956)

***Mentha arvensis*** L. var. ***canadensis*** (L.)

Briq. - field mint

Fungi

Basidiomycotina

Uredinales

*Puccinia menthae*, LC (Brown 1956 on *Mentha canadensis*)

***Menyanthes trifoliata*** L. - bog-bean, buck-bean, marsh-trefoil

Fungi

Chytridiomycota

*Physoderma menyanthis*, LC (Parmelee and Ginns 1986)

***Menziesia ferruginea*** Smith - false azalea

Fungi

Ascomycotina

*Rhytisma arbuti*, V (DAVFP)

Basidiomycotina

Others

*Exobasidium vaccinii*, V (DAVFP)

Deuteromycotina

Coelomycetes

*Melasma menziesiae*, V (DAVFP)

Hymenomycetes

*Valdensia heterodoxa*, LC (Ginns 1986a)

***Menziesia sp.***

Fungi

Basidiomycotina

Others

*Exobasidium* sp., V (DAVFP)

***Mertensia paniculata*** (Ait.) G. Don - tall

lungwort

Fungi

Ascomycotina

*Erysiphe cichoracearum*, V (DAVFP)

***Metasequoia glyptostroboides*** Hu &

Cheng - dawn redwood

Fungi

Ascomycotina

*Diaporthe lokoyae*, V (DAVFP)

***Microsteris gracilis*** (Hook.) Greene

(=*Phlox gracilis*) - slender phlox

Fungi

Ascomycotina

*Sphaerotheca macularis*, LC (Shaw 1973)

Basidiomycotina

Uredinales

*Puccinia plumbaria*, LC (Parmelee 1986a)

Chytridiomycota

*Synchytrium* sp., LC (Karling 1956 on *Phlox gracilis*)

Deuteromycotina

Hymenomycetes

*Ramularia giliae*, LC (Shaw 1973)

***Mimulus guttatus*** DC. - common large

monkey-flower

Fungi

Basidiomycotina

Others

*Entyloma clintonianum*, LC (Connors 1967)

***Mimulus lewisii*** Pursh - Lewis' monkey-

flower, great purple monkey-flower

Fungi

Deuteromycotina

Hymenomycetes

*Ramularia lewisi*, LC (Ginns 1986a ; Braun 1992 as *Cercospora lewisi*)

*Ramularia mimuli*, LC (Shaw 1973)

Plant hosts - M

**Mimulus moschatus** Dougl. - musk flower

Fungi  
Deuteromycotina  
Coelomycetes  
*Septoria mimuli*, LC (Shaw 1973)

**Mitella breweri** Gray - feathery mitrewort

Fungi  
Basidiomycotina  
Uredinales  
*Puccinia austroberingiana* subsp.  
*austroberingiana*, LC (Savile 1973)  
*Puccinia saxifragae* var. *mitellae*, LC (Savile 1973)

**Mitella nuda** L. - mitrewort

Fungi  
Basidiomycotina  
Uredinales  
*Puccinia heucherae* var. *heucherae*, V  
(DAVFP)  
*Puccinia heucherae* var. *minor*, LC (Savile 1973)

**Mitella ovalis** Greene - oval-leaved mitrewort

Fungi  
Basidiomycotina  
Uredinales  
*Puccinia heucherae* var. *heucherae*, LC  
(Savile 1954, 1973; Toms 1964)

**Mitella pentandra** Hook. - five-point mitrewort

Fungi  
Basidiomycotina  
Uredinales  
*Puccinia austroberingiana* subsp.  
*austroberingiana*, LC (Toms 1964 as  
*Puccinia heucherae* var. *austroberingiana*;  
Savile 1973)  
*Puccinia heucherae*, V (DAVFP)  
*Puccinia saxifragae* var. *mitellae*, LC (Savile 1973)

**Mitella trifida** Graham - three-toothed mitrewort

Fungi  
Basidiomycotina  
Uredinales  
*Puccinia austroberingiana* subsp.  
*austroberingiana*, LC (Toms 1964 as  
*Puccinia heucherae* var. *austroberingiana*;  
Savile 1973)  
*Puccinia saxifragae* var. *mitellae*, LC (Savile 1973)

**Mnium glabrescens** Kindb. - moss

Fungi  
Basidiomycotina  
Aphylophorales  
*Cyphellostereum laeve*, LC (Redhead 1973)

**Mnium insigne** Mitt. - moss

Fungi  
Basidiomycotina  
Aphylophorales  
*Mniopetalum globisporum*, LC (Redhead 1973)

**Monarda fistulosa** L. var. *menthofolia*

(Graham) Fern. - wild bergamot  
Fungi  
Basidiomycotina  
Uredinales  
*Puccinia menthae*, LC (Connors 1967)

**Monarda fistulosa** L. var. *mollis* (L.)

Benth. - horsemint, wild bergamot  
Fungi  
Ascomycotina  
*Mycosphaerella tassiana*, LC (Barr 1953 on  
*Monarda mollis*)  
  
Basidiomycotina  
Uredinales  
*Puccinia angustata*, LC (Jones 1957)  
*Puccinia menthae*, V (DAVFP)

**Moneses uniflora** (L.) A. Gray - one-flowered pyrola

Fungi  
Basidiomycotina  
Uredinales  
*Chrysomyxa monesis*, V (DAVFP) (TYPE)  
*Chrysomyxa pirolata*, V (DAVFP)

**Morus alba** L. - white mulberry

Fungi  
Deuteromycotina  
Hypocreales  
*Fusarium lateritium*, LC (Gordon 1959)  
*Fusarium lateritium* f. *mori*, LC (Toms 1964  
as *Fusarium lateritium* var. *mori*)

**Muhlenbergia asperifolia** (Nees & Mey.)

Parodi - scratch grass  
Fungi  
Ascomycotina  
*Phyllachora vulgata*, LC (Connors 1967)  
  
Basidiomycotina  
Others  
*Tilletia asperifolii*, LC (Connors 1967)

**Myrica californica** Cham. - wax myrtle

Fungi  
Basidiomycotina  
Uredinales  
*Cronartium comptoniae*, V (DAVFP)

**Myrica gale** L. - sweet gale

Fungi  
Ascomycotina  
*Uncinula adunca*, V (DAVFP)

Basidiomycotina  
Uredinales  
*Cronartium comptoniae*, V (DAVFP)

**Deuteromycotina**  
**Hypocreales**  
*Ramularia destructiva*, V (DAVFP)



**Nemophila parviflora** Dougl. - small-flowered nemophila

**Chromista**

**Oomycota**

*Peronospora nemophilae*, LC (Shaw 1973)

**Nothofagus** sp. - beech

**Fungi**

**Ascomycotina**

*Cucurbitaria* sp., V (DAVFP)

*Valsa* sp., V (DAVFP)

**Nuphar advena** (Ait.) Ait. - common spatterdock

**Fungi**

**Basidiomycotina**

**Others**

*Rhamphospora nymphaeae*, LC (Connors 1967)

**Nuttallia cerasiformis** T. & G. see *Oemleria cerasiformis*

**Nymphaea** sp. - water-lily

**Fungi**

**Deuteromycotina**

**Coelomycetes**

*Ramularia nymphaearum*, LC (Connors 1967)



**Oemleria cerasiformis** (Hook. & Arnott) J.W. Landon (=Nuttallia cerasiformis, Osmaronia cerasiformis) - bird cherry, osoberry

Fungi

Ascomycotina

*Diaporthe columbiensis*, LC (Barr 1953)  
*Nectria cinnabarina*, V (DAVFP)

Basidiomycotina

Aphyllophorales

*Cylindrobasidium laeve*, V (DAVFP)  
*Tubulicium vermicifera*, LC (Weresub 1953 as *Peniophora vermicifera*)

Deuteromycotina

Coelomycetes

*Cylindrosporium nuttallii*, V (DAVFP)  
*Diplodia nuttalliae*, LC (Shaw 1973)

**Oenanthe sarmentosa** Presl:DC. - water parsley

Fungi

Deuteromycotina

Coelomycetes

*Septoria oenanthis*, LC (Ginns 1986a)

**Oenothera biennis** L. - small-flowered evening primrose

Fungi

Ascomycotina

*Mycosphaerella tassiana*, LC (Barr 1953)  
*Pleospora herbarum*, LC (Barr 1953)

Deuteromycotina

Coelomycetes

*Septoria oenotherae*, LC (Ginns 1986a)

Chromista

Oomycota

*Peronospora arthuri*, LC (Shaw 1973)

**Oenothera** sp. - evening primrose

Fungi

Ascomycotina

*Erysiphe cichoracearum*, LC (Barr 1953)  
*Erysiphe polygoni*, LC (Shaw 1973)  
*Pleospora armeriae*, LC (Barr 1953)

**Oplopanax horridus** (Sm.) Miq. - devil's club

Fungi

Ascomycotina

*Leptosphaeria macrospora*, LC (Shoemaker 1984a on *Oplopanax horridum*)  
*Ophiobolus mathieui*, LC (Ginns 1986a)

**Oryzopsis asperifolia** Michx. - winter grass, roughleaf ricegrass

Fungi

Basidiomycotina

Uredinales

*Puccinia pygmaea*, V (DAVFP)

**Oryzopsis hymenoides** (Roem. & Schult.) Ricker - Indian mountain rice, Indian ricegrass, silk grass

Fungi

Ascomycotina

*Clathrospora pentamera*, LC (Barr 1953)

**Oryzopsis pungens** (Torr.) Hitchc. - ricegrass, mountain rice

Fungi

Ascomycotina

*Mycosphaerella wichuriana*, LC (Barr 1953)

**Oryzopsis** sp. - ricegrass, mountain rice

Fungi

Ascomycotina

*Mycosphaerella tassiana*, LC (Barr 1953)

**Osmaronia cerasiformis** (Torr. & Gray)

Greene see *Oemleria cerasiformis*

**Osmorhiza chilensis** Hook. & Arn.

(=Osmorhiza divaricata) - mountain sweet-cicely

Fungi

Basidiomycotina

Uredinales

*Puccinia pimpinellae*, V (DAVFP)  
*Puccinia pimpinellae* subsp. *carlottae*, LC (Savile 1965b) (TYPE)  
*Puccinia pimpinellae* subsp. *pimpinellae*, LC (Ginns 1986a)

Deuteromycotina

Coelomycetes

*Phloeospora aegopodii*, LC (Ginns 1986a as *Septoria aegopodii*)  
*Phloeospora osmorrhizae*, LC (Ginns 1986a as *Septoria osmorrhizae*)

**Osmorhiza depauperata** Phil. - sweet-cicely

Fungi

Basidiomycotina

Uredinales

*Puccinia pimpinellae* subsp. *pimpinellae*, LC (Ginns 1986a)

Deuteromycotina

Coelomycetes

*Phloeospora osmorrhizae*, LC (Ginns 1986a as *Septoria osmorrhizae*)

**Osmorhiza divaricata** Nutt.:Torr. & Gray  
see *Osmorhiza chilensis*

**Osmorhiza purpurea** (Coulter & Rose)

Suksd. - purple sweet-cicely

Fungi

Basidiomycotina

Uredinales

*Puccinia pimpinellae*, V (DAVFP)  
*Puccinia pimpinellae* subsp. *carlottae*, LC (Ginns 1986a)  
*Puccinia pimpinellae* subsp. *pimpinellae*, LC (Ginns 1986a)

*Plant hosts - O*

**Deuteromycotina**  
**Coelomycetes**  
*Phloeospora osmorrhizae*, LC (Ginns 1986a  
as *Septoria osmorrhizae*)

***Osmorhiza* sp. - sweet-cicely**

**Fungi**  
**Basidiomycotina**  
**Uredinales**  
*Puccinia pimpinellae*, LC (Ginns 1986a)

**Deuteromycotina**  
**Coelomycetes**  
*Phloeospora osmorrhizae*, LC (Shaw 1973)

***Oxycoccus microcarpus* Turcz.**  
(= *Vaccinium oxycoccus*) - small bog  
cranberry

**Fungi**  
**Ascomycotina**  
*Physalospora vaccinii*, LC (Barr 1953 as  
*Acanthorhynchus vaccinii*)  
*Pyrenobotrys compacta*, V (DAVFP)

**Basidiomycotina**  
**Others**  
*Exobasidium vaccinii* var. *vaccinii*, LC (Savile  
1959)

***Oxycoccus quadripetalus* Gilib. - bog  
cranberry**

**Fungi**  
**Ascomycotina**  
*Pyrenobotrys compacta*, V (DAVFP)

**Basidiomycotina**  
**Uredinales**  
*Pucciniastrum vaccinii*, V (DAVFP)

***Oxyria digyna* (L.) Hill. - mountain sorrel**

**Fungi**  
**Ascomycotina**  
*Chaetomium spirale*, LC (Barr 1953)  
*Venturia oxyriæ*, LC (Barr 1953 as *Coleroa  
oxyriæ*)

**Basidiomycotina**  
**Uredinales**  
*Puccinia oxyriæ*, LC (Connors 1967)

**Others**  
*Ustilago vinosa*, LC (Connors 1967)

***Oxytropis alpicola* (Rydb.) Jones -  
oxytrop**

**Fungi**  
**Ascomycotina**  
*Pleospora comata*, LC (Barr 1953)

***Oxytropis campestris* (L.) DC. - oxytrop**

**Fungi**  
**Ascomycotina**  
*Pleospora comata*, LC (Shaw 1973)  
*Pleospora tragacanthæ*, LC (Shaw 1973)

***Oxytropis campestris* (L.) DC. var.  
*gracilis* (A. Nels.) Barneby - oxytrop**

**Fungi**  
**Basidiomycotina**  
**Uredinales**  
*Uromyces punctatus*, LC (Savile and  
Parmelee 1974)

***Oxytropis cusickii* Greene - Cusick's  
oxytrop**

**Fungi**  
**Ascomycotina**  
*Pleospora tragacanthæ*, LC (Barr 1953)

***Oxytropis sericea* Nutt. var. *spicata***

**(Hook.) Barneby - oxytrop**

**Fungi**  
**Basidiomycotina**  
**Uredinales**  
*Uromyces punctatus*, LC (Savile and  
Parmelee 1974)

**Pachistima myrsinoides** (Pursh) Raf. - mountain lover, Oregon boxwood

Fungi

Ascomycotina

*Mycosphaerella pachystimae*, LC (Barr 1953)

Basidiomycotina

Agaricales

*Armillaria ostoyae*, V (DAVFP)

Aphylophorales

*Hymenochaete tabacina*, LC (Shaw 1973)

Deuteromycotina

Coelomycetes

*Phyllosticta pachystimae*, V (DAVFP)

**Panicum occidentale** Scribn. - western panicum

Fungi

Ascomycotina

*Leptosphaeria culmifraga*, LC (Barr 1953)

*Mycosphaerella tassiana*, LC (Barr 1953)

**Panicum thermale** Boland. - hot spring panicum

Fungi

Ascomycotina

*Phaeosphaeria typharum*, LC (Barr 1953 as *Leptosphaeria typharum*)

**Parnassia fimbriata** Koenig - fringed grass-of-Parnassus

Fungi

Basidiomycotina

Uredinales

*Puccinia parnassiae*, V (DAVFP)

**Parnassia parviflora** DC. - small-flowered grass-of-Parnassus

Fungi

Chytridiomycota

*Synchytrium aureum*, LC (Shaw 1973)

**Parthenocissus quinquefolia** (L.) Planch. - Virginia creeper

Fungi

Ascomycotina

*Uncinula necator*, LC (Shaw 1973)

**Parthenocissus** sp.

Fungi

Ascomycotina

*Uncinula necator*, LC (Barr 1953)

**Pedicularis bracteosa** Benth. - Canadian bracted lousewort, bracted pedicularis

Fungi

Ascomycotina

*Apiosporella alpina*, LC (Barr 1953)

*Pleospora tragacantheae*, LC (Barr 1953)

*Sphaerotheca fuliginea*, LC (Ginns 1986a)

Basidiomycotina

Uredinales

*Cronartium coleosporioides*, LC (Savile 1968a)

*Puccinia clintonii* var. *bracteosae*, V (DAVFP)

Deuteromycotina

Hyphomycetes

*Ramularia obducens*, V (DAVFP)

**Pedicularis lanata** Cham. & Schlecht. - lousewort

Fungi

Deuteromycotina

Coelomycetes

*Diplodina pedicularidis*, LC (Shaw 1973)

**Pedicularis ornithorhyncha** Benth.:Hook. - bird's beak lousewort

Fungi

Basidiomycotina

Uredinales

*Puccinia clintonii* var. *ornithorhynchae*, LC (Ginns 1986a)

Deuteromycotina

Hyphomycetes

*Ramularia obducens*, LC (Savile 1968a)

**Pedicularis paddeensis** Pennell - Mount Adams lousewort

Fungi

Ascomycotina

*Wettsteinina anomala*, LC (Barr 1953 as *Eriosphaeria herbarum*)

**Pedicularis racemosa** Dougl.:Hook. - leafy lousewort

Fungi

Chytridiomycota

*Synchytrium* sp., LC (Karling 1956)

**Pedicularis racemosa** Dougl.:Hook. subsp. *racemosa* - leafy lousewort

Fungi

Basidiomycotina

Uredinales

*Puccinia clintonii* var. *racemosae*, LC (Savile 1967)

**Pedicularis** sp. - lousewort

Fungi

Ascomycotina

*Mycosphaerella tassiana*, LC (Barr 1953)

*Wettsteinina anomala*, LC (Barr 1972)

**Pelargonium** sp. - geranium, cranesbill, pelargonium

Fungi

Deuteromycotina

Hyphomycetes

*Botrytis cinerea*, LC (Jones 1957)

Chromista

Oomycota

*Pythium ultimum*, LC (Shaw 1973)

- Bacteria**  
*Agrobacterium tumefaciens*, LC (Conners 1967)
- Penstemon fruticosus* (Pursh) Greene - shrubby penstemon**
- Fungi**
- Ascomycotina**  
*Antennulariella alpina*, LC (Barr 1953)
- Basidiomycotina**  
**Uredinales**  
*Puccinia dasantherae*, V (DAVFP)
- Penstemon ovatus* Dougl. - broad-leaved penstemon**
- Fungi**
- Ascomycotina**  
*Mycosphaerella tassiana*, LC (Barr 1953)
- Deuteromycotina**  
**Hypomycetes**  
*Cercospora penstemonis*, LC (Ginns 1986a)
- Penstemon procerus* Dougl.:R. Grah. - small-flowered penstemon**
- Fungi**
- Ascomycotina**  
*Pleospora herbarum*, LC (Shaw 1973)
- Penstemon procerus* Dougl.:R. Grah. var. *procerus* - small-flowered penstemon**
- Fungi**
- Basidiomycotina**  
**Uredinales**  
*Puccinia palmeri*, V (DAVFP)
- Penstemon rydbergii* A. Nels. - Rydberg's penstemon**
- Fungi**
- Basidiomycotina**  
**Uredinales**  
*Puccinia andropogonis*, LC (Shaw 1973)  
*Puccinia palmeri*, LC (Shaw 1973)
- Penstemon serrulatus* Menzies:Smith - Cascade penstemon**
- Fungi**
- Deuteromycotina**  
**Hypomycetes**  
*Cercospora penstemonis*, LC (Ginns 1986a)  
*Ramularia nivosa*, LC (Ginns 1986a)
- Penstemon tolmiei* Hook. - alpine penstemon**
- Fungi**
- Ascomycotina**  
*Pleospora herbarum* var. *occidentalis*, LC (Barr 1953)
- Penstemon* sp. - penstemon, beard-tongue**
- Fungi**
- Ascomycotina**  
*Erysiphe cichoracearum*, LC (Barr 1953)  
*Karstenula multiseptata*, LC (Barr 1990a)
- Perideridia gairdneri* (Hook. & Arn.) Math. - Gairdner's yampah, false caraway**
- Fungi**
- Basidiomycotina**  
**Uredinales**  
*Puccinia ligustici*, LC (Ginns 1986a)
- Petasites frigidus* (L.) Fr. var. *nivalis* (Greene) Cronq. - alpine coltsfoot**
- Fungi**
- Basidiomycotina**  
**Uredinales**  
*Puccinia conglomerata*, LC (Savile 1977 on *Puccinia nivalis*)
- Petasites frigidus* (L.) Fr. var. *palmatus* (Ait.) Cronq. - palmate sweet coltsfoot**
- Fungi**
- Basidiomycotina**  
**Uredinales**  
*Puccinia conglomerata*, V (DAVFP)  
*Puccinia poarum*, V (DAVFP)
- Deuteromycotina**  
**Coelomycetes**  
*Stagonospora petasitidis*, V (DAVFP)
- Petasites palmatus* X *P. nivalis***
- Fungi**
- Basidiomycotina**  
**Uredinales**  
*Puccinia conglomerata*, LC (Savile 1977)
- Petasites sagittatus* (Banks) Gray - coltsfoot**
- Fungi**
- Basidiomycotina**  
**Uredinales**  
*Puccinia conglomerata*, LC (Savile 1977)
- Phacelia hastata* Dougl.:Lehm. var. *leptosepala* (Rydb.) Cronq. - phacelia**
- Fungi**
- Ascomycotina**  
*Ophiobolus rufis*, LC (Barr 1953 on *Phacelia leptosepala*)
- Basidiomycotina**  
**Uredinales**  
*Puccinia phaceliae*, LC (Savile 1976a)
- Phacelia heterophylla* Pursh - virgate phacelia, varied-leaved phacelia**
- Fungi**
- Basidiomycotina**  
**Uredinales**  
*Puccinia recondita*, LC (Shaw 1958)
- Phacelia leucophylla* Torr. - white-leaved phacelia, silver-leaf phacelia**
- Fungi**
- Ascomycotina**  
*Mycosphaerella tassiana*, LC (Barr 1953)  
*Pleospora coloradensis*, LC (Barr 1953)

- Pleospora vulgaris* var. *vulgaris*, LC (Barr 1953)
- Phacelia linearis*** (Pursh) Holz. - narrow-leaved phacelia, linear leaf phacelia  
**Chromista**  
**Oomycota**  
*Peronospora hydrophylli*, LC (Shaw 1958)
- Phacelia sericea*** (Graham) Gray - mountain phacelia, silky phacelia  
**Fungi**  
**Ascomycotina**  
*Pleospora comata*, LC (Barr 1953)  
*Pleospora tragacantha*, LC (Barr 1953)
- Phalaris arundinacea*** L. - reed canary-grass  
**Fungi**  
**Ascomycotina**  
*Phaeosphaeria fuckelii*, LC (Barr 1953 as *Leptosphaeria fuckelii*)  
**Basidiomycotina**  
**Agaricales**  
*Campanella subdendrophora*, LC (Redhead 1974) (TYPE)  
**Deuteromycotina**  
**Hymenomycetes**  
*Rhynchosporium secalis*, LC (Ginns 1986a)
- Phegopteris dryopteris*** (L.) Fee see *Gymnocarpium dryopteris*
- Philadelphus gordoniianus*** Lindl. see *Philadelphus lewisi*
- Philadelphus lewisi*** Pursh (=*Philadelphus gordoniianus*) - Lewis' syringa  
**Fungi**  
**Ascomycotina**  
*Phyllactinia guttata*, LC (Shaw 1973)  
*Valsa sordida*, LC (Spielman 1985)  
**Deuteromycotina**  
**Coelomycetes**  
*Ascochyta philadelphi*, LC (Shaw 1973)  
*Septoria philadelphi*, LC (Ginns 1986a)  
**Hymenomycetes**  
*Ramularia philadelphi*, LC (Shaw 1973)
- Phleum alpinum*** L. - mountain timothy  
**Fungi**  
**Ascomycotina**  
*Mycosphaerella tassiana*, LC (Barr 1953)  
*Phaeosphaeria eustoma*, LC (Barr 1953 as *Leptosphaeria eustoma*)
- Phleum pratense*** L. - common timothy  
**Fungi**  
**Ascomycotina**  
*Claviceps purpurea*, LC (Barr 1953)  
*Myriosclerotinia borealis*, LC (Ginns 1986a)
- Basidiomycotina**  
**Uredinales**  
*Puccinia graminis*, V (DAVFP)
- Others**  
*Ustilago striiformis*, LC (Ginns 1986a as *Ustilago salvei*)
- Deuteromycotina**  
**Hymenomycetes**  
*Cercosporidium graminis*, LC (Ginns 1986a)  
*Cladosporium phlei*, LC (Ginns 1986a)
- Phlox diffusa*** Benth. - spreading phlox  
**Fungi**  
**Ascomycotina**  
*Hyponectria sceptri*, LC (Shaw 1973)
- Basidiomycotina**  
**Uredinales**  
*Puccinia plumbaria*, LC (Parmelee 1986a on *Phlox diffusa* subsp. *longistylis*)
- Phlox douglasii*** Hook.  
**Fungi**  
**Ascomycotina**  
*Karstenula multiseptata*, LC (Barr 1990a)
- Phlox drummondii*** Hook. - Texan pride, annual phlox  
**Fungi**  
**Deuteromycotina**  
**Coelomycetes**  
*Septoria phlogis*, LC (Ginns 1986a)
- Phlox gracilis*** (Hook.) Greene see *Microsteris gracilis*
- Phlox longifolia*** Nutt. - long-leaved phlox  
**Fungi**  
**Ascomycotina**  
*Graphyllum permundum*, LC (Barr 1990b)
- Phlox paniculata*** L. - perennial phlox  
**Fungi**  
**Ascomycotina**  
*Erysiphe cichoracearum*, LC (Ginns 1986a)
- Deuteromycotina**  
**Coelomycetes**  
*Septoria phlogis*, LC (Ginns 1986a)
- Hymenomycetes**  
*Verticillium dahliae*, LC (Woolliams 1966)
- Chromista**  
**Oomycota**  
*Phytophthora* sp., LC (Ginns 1986a)
- Phlox speciosa*** Pursh - showy phlox  
**Fungi**  
**Ascomycotina**  
*Lophiostoma caulium*, LC (Barr 1953)

*Plant hosts - P*

***Phlox subulata*** L. - moss pink, ground pink

**Chromista**

**Oomycota**

*Peronospora phlogina*, LC (Ginns 1986a)

***Phlox*** sp. - phlox

**Fungi**

**Ascomycotina**

*Erysiphe cichoracearum*, LC (Barr 1953)  
*Graphyllum permundum*, LC (Barr 1953 as  
*Clathrospora permunda*)  
*Mycosphaerella tassiana*, LC (Barr 1953)  
*Pleospora comata*, LC (Barr 1953)

***Photinia serrulata*** Lindl. - Chinese photinia

**Fungi**

**Ascomycotina**

*Sphaerotheca pannosa*, LC (Shaw 1973)

**Deuteromycotina**

**Hyphomycetes**

*Oidium* sp., LC (Toms 1964)

***Phyllodoce empetriformis*** (J.E. Sm.) D.

Don - pink mountain heather

**Fungi**

**Basidiomycotina**

**Others**

*Exobasidium phyllodoces*, V (DAVFP)

***Phyllodoce*** sp. - mountain heather

**Fungi**

**Ascomycotina**

*Mycosphaerella taraxaci*, LC (Barr 1972)

***Physocarpus malvaceus*** (Greene) Kuntze

- mallow-leaved ninebark

**Fungi**

**Deuteromycotina**

**Coelomycetes**

*Marssonina neilliae*, LC (Shaw 1973)

***Physocarpus opulifolius*** (L.) Maxim. -

ninebark

**Fungi**

**Basidiomycotina**

**Aphyllophorales**

*Phellinus ferreus*, V (DAVFP)

***Physostegia parviflora*** Nutt. - western

lion's heart, false dragonhead

**Fungi**

**Basidiomycotina**

**Uredinales**

*Puccinia physostegiae*, V (DAVFP)

***Picea abies*** (L.) Karst. - Norway spruce

**Fungi**

**Ascomycotina**

*Phacidium gaeumannii*, V (DAVFP)

**Basidiomycotina**

**Agaricales**

*Armillaria ostoyae*, V (DAVFP)

**Uredinales**

*Chrysomyxa arctostaphyli*, V (DAVFP)

**Deuteromycotina**

**Hyphomycetes**

*Botrytis* sp., LC (Mittal and Wang 1985)

**Parasitic Plants**

*Arceuthobium tsugense*, V (DAVFP)

***Picea canadensis*** (L.) B.S.P. see *Picea glauca*

***Picea engelmannii*** Parry - Engelmann spruce

**Fungi**

**Ascomycotina**

*Botryosphaeria piceae*, V (DAVFP) (TYPE)

*Ceratocystis rufipenni*, LC (Wingfield et al. 1997) (HOLOTYPE, PARATYPE) – host infested with *Dendroctonus rufipennis*.

*Ceratocystis* sp., V (DAVFP)

*Dermea* sp., V (DAVFP)

*Euantennaria alaskensis*, V (DAVFP)

*Eurotium* sp., V (DAVFP)

*Gyromitra infula*, UR

*Herpotrichia juniperi*, V (DAVFP)

*Isthmiella crepidiformis*, V (DAVFP)

*Lachnellula suecica*, V (DAVFP)

*Leucostoma kunzei*, V (DAVFP)

*Lirula brevispora*, V (DAVFP)

*Lirula macrospora*, V (DAVFP)

*Nectria fuckeliana*, UR

*Nectria* sp., V (DAVFP)

*Neopeckia coulteri*, V (DAVFP)

*Ophiostoma europiooides*, V (DAVFP)

*Phacidium gaeumannii*, V (DAVFP)

*Pleospora* sp., V (DAVFP)

*Pseudopachacidium garmanii*, V (DAVFP)

*Retinocyclus* sp., UR

*Rhizina undulata*, V (DAVFP)

*Rosellinia mycophila*, V (DAVFP)

*Sarea difformis*, V (DAVFP)

*Sarea resinae*, UR

*Stomiopeltis* sp., V (DAVFP)

*Sydiowia polyspora*, V (DAVFP)

*Therrya piceae*, V (DAVFP)

*Tryblidiopsis pinastri*, V (DAVFP)

**Basidiomycotina**

**Agaricales**

*Armillaria ostoyae*, V (DAVFP)

*Armillaria* sp., V (DAVFP)

*Pholiota adiposa*, LC (Ginns 1986a)

*Pholiota alnicola*, LC (Ginns 1986a)

*Xeromphalina campanella*, UR

**Aphyllophorales**

*Amphinema byssoides*, LC (Ginns 1986a)

*Amylocystis lapponica*, LC (Ginns 1986a as

*Tyromyces lapponicus*)

*Antrodia heteromorpha*, V (DAVFP)

*Antrodia serialis*, V (DAVFP)

*Antrodia variiformis*, V (DAVFP)

*Chondrostereum purpureum*, UR

*Climacocystis borealis*, LC (Ginns 1986a as

*Tyromyces borealis*)

*Columnocystis abietina*, UR

*Confertobasidium olivaceo-album*, V

(DAVFP)

*Coniophora puteana* var. *puteana*, UR

*Cylindrobasidium corrugum*, V (DAVFP)  
*Diplomitoporus crustulinus*, V (DAVFP)  
*Echinodontium tinctorium*, V (DAVFP)  
*Fomitopsis cajanderi*, LC (Ginns 1986a)  
*Fomitopsis officinalis*, LC (Ginns 1986a)  
*Fomitopsis pinicola*, V (DAVFP)  
*Gloeophyllum odoratum*, UR  
*Gloeophyllum sepiarium*, UR  
*Grandinia granulosa*, LC (Martin and Gilbertson 1977)  
*Hypoderma setigerum*, LC (Shaw 1973 as *Peniophora setigera*)  
*Inonotus tormentosus*, V (DAVFP)  
*Junghuhnia collabens*, V (DAVFP)  
*Laetiporus sulphureus*, V (DAVFP)  
*Perenniporia subacida*, V (DAVFP)  
*Phellinus nigrolimitatus*, V (DAVFP)  
*Phellinus pini*, V (DAVFP)  
*Phellinus viticola*, LC (Ginns 1986a)  
*Phellinus weiri*, V (DAVFP)  
*Postia sericeomollis*, LC (Ginns 1986a as *Tyromyces sericeomollis*)  
*Pycnoporellus alboluteus*, V (DAVFP)  
*Skeletocutis amorpha*, V (DAVFP)  
*Stereum sanguinolentum*, UR  
*Trichaptum laricinum*, V (DAVFP)  
*Vararia granulosa*, V (DAVFP)  
*Vesiculomyces citrinus*, UR

**Uredinales**

*Chrysomyxa arctostaphyli*, V (DAVFP)  
*Chrysomyxa empetri*, LC (Connors 1967)  
*Chrysomyxa ledi*, V (DAVFP)  
*Chrysomyxa ledicola*, V (DAVFP)  
*Chrysomyxa pirolata*, V (DAVFP)  
*Chrysomyxa weiri*, V (DAVFP)  
*Peridermium* sp., UR  
*Pucciniastrum americanum*, V (DAVFP)

**Deuteromycota****Coelomycetes**

*Apostrasseria* sp., V (DAVFP)  
*Cytospora* sp., V (DAVFP)  
*Dichomera gemmicola*, V (DAVFP)  
*Phoma* sp., UR  
*Phragmotrichum chailletii*, V (DAVFP)  
*Rhizosphaera kalkhoffii*, V (DAVFP)  
*Sclerophoma* sp., LC (Mitchell 1986)  
*Sirococcus conigenus*, V (DAVFP)

**Hyphomycetes**

*Alternaria* sp., LC (Mitchell 1986)  
*Botrytis cinerea*, V (DAVFP)  
*Botrytis* sp., LC (Mittal and Wang 1985)  
*Cladosporium* sp., V (DAVFP)  
*Cylindrocarpon* sp., UR  
*Fusarium* sp., V (DAVFP)  
*Leptographium abietinum*, V (DAVFP) – Dried culture only  
*Leptographium wageneri* var. *ponderosum*, UR  
*Paecilomyces* sp., LC (Mitchell 1986)  
*Penicillium* sp., LC (Mitchell 1986)  
*Phialophora fastigiata*, LC (Cole and Kendrick 1973)  
*Rhinocladiella mansonii*, UR  
*Stigmina verrucosa*, V (DAVFP)  
*Trichoderma* sp., LC (Mitchell 1986)  
*Verticicladiella* sp., V (DAVFP)

**Others**

*Cenococcum geophilum*, V (DAVFP)

**Zygomycota**

*Mucor* sp., LC (Mitchell 1986)  
*Rhizopus* sp., LC (Mitchell 1986)

**Chromista****Oomycota**

*Pythium* sp., V (DAVFP)

**Protozoa****Myxomycota**

*Badhamia* sp., V (DAVFP)  
*Lamproderma carestiae*, V (DAVFP)  
*Lamproderma robustum*, V (DAVFP)

**Parasitic Plants**

*Arceuthobium americanum*, V (DAVFP)  
*Arceuthobium larcis*, V (DAVFP)  
*Arceuthobium tsugense*, V (DAVFP)

***Picea glauca* (Moench) Voss (=*Picea canadensis*) - white spruce****Fungi****Ascomycotina**

*Ascocalyx* sp., V (DAVFP)  
*Ascocoryne sarcoides*, V (DAVFP)  
*Bisporella citrina*, V (DAVFP)  
*Bisporella resinicola*, V (DAVFP)  
*Botryosphaeria piceae*, V (DAVFP)  
*Caloscypha fulgens*, LC (Sullivan et al. 1984)  
*Ceratocystis* sp., V (DAVFP)  
*Chaetomium* sp., V (DAVFP)  
*Coccophacidium* sp., V (DAVFP)  
*Dermea grovesii*, V (DAVFP)  
*Didymella* sp., V (DAVFP)  
*Herpotrichia juniperi*, V (DAVFP)  
*Isthmiella crepidiformis*, V (DAVFP)  
*Lachnellula suecica*, V (DAVFP)  
*Lirula brevispora*, V (DAVFP) (TYPE)  
*Lirula macrospora*, V (DAVFP)  
*Lophodermium piceae*, V (DAVFP)  
*Lophomerum darkeri*, V (DAVFP)  
*Lophophacidium hyperboreum*, V (DAVFP)  
*Nectria fuckeliana*, V (DAVFP)  
*Pezizella chapmanii*, V (DAVFP) (TYPE)  
*Pleospora* sp., V (DAVFP)  
*Pseudohphacidium garmani*, V (DAVFP) (TYPE)  
*Rasutoria tsugae*, V (DAVFP)  
*Rhizina undulata*, V (DAVFP)  
*Sarea difformis*, V (DAVFP)  
*Sarea resinae*, LC (Shaw 1973 as *Biatorella resinae*)  
*Sphaeropezia* sp., V (DAVFP)  
*Sydiowia polyspora*, V (DAVFP)  
*Therrya piceae*, V (DAVFP) (TYPE)  
*Tryblidiopsis pinastri*, V (DAVFP)  
*Tympanis laricina*, V (DAVFP)  
*Tympanis* sp., V (DAVFP)  
*Valsa abietis*, V (DAVFP)  
*Valsa* sp., V (DAVFP)

**Basidiomycotina****Agaricales**

*Armillaria ostoyae*, UR  
*Armillaria sinapina*, UR - Specimen discarded

## Plant hosts - P

- Armillaria* sp., LC (Morrison et al. 1985 as *Armillaria mellea*)  
*Clitocybe decora*, LC (Connors 1967)  
*Collybia acervata*, V (DAVFP)  
*Gymnopilus spectabilis*, V (DAVFP)  
*Hypholoma capnoides*, V (DAVFP)  
*Kuehneromyces lignicola*, V (DAVFP)  
*Panellus serotinus*, UR  
*Pholiota adiposa*, UR  
*Pholiota alnicolor*, UR  
*Pholiota squarrosa*, V (DAVFP)  
*Pleurotellus hypnophilus*, V (DAVFP)  
*Pleurotus ostreatus*, UR  
*Xerocomus* sp., V (DAVFP)  
*Xeromphalina campanella*, V (DAVFP)
- Aphyllophorales**
- Aleurocystidiellum subcruentatum*, V (DAVFP)  
*Amphinema byssoides*, V (DAVFP)  
*Amylocorticium subincarnatum*, V (DAVFP)  
*Amylocystis lapponica*, V (DAVFP)  
*Amylostereum chailletii*, V (DAVFP)  
*Antrodia heteromorpha*, V (DAVFP)  
*Antrodia serialis*, V (DAVFP)  
*Antrodia sinuosa*, V (DAVFP)  
*Antrodia sitchensis*, V (DAVFP)  
*Antrodia variiformis*, V (DAVFP)  
*Antrodia xantha*, V (DAVFP)  
*Asterodon ferruginosum*, V (DAVFP)  
*Bjerkandera adusta*, V (DAVFP)  
*Botryobasidium flavescens*, LC (Connors 1967)  
*Botryobasidium subcoronatum*, V (DAVFP)  
*Ceraceomyces borealis*, V (DAVFP)  
*Ceraceomyces serpens*, V (DAVFP)  
*Ceraceomyces tessulatus*, V (DAVFP)  
*Ceriporia tarda*, UR  
*Ceriporiopsis rivulosa*, UR  
*Ceriporiopsis subvermispora*, V (DAVFP)  
*Chaetoderma luna*, V (DAVFP)  
*Chondrostereum purpureum*, LC (Martin and Gilbertson 1980)  
*Clavariadelphus sachalinensis*, V (DAVFP)  
*Clavulicium macounii*, V (DAVFP)  
*Climacocystis borealis*, V (DAVFP)  
*Coniophora olivacea*, V (DAVFP)  
*Coniophora puteana* var. *puteana*, V (DAVFP)  
*Coniophora* sp., V (DAVFP)  
*Cryptoporus volvatus*, V (DAVFP)  
*Cylindrobasidium corrugum*, V (DAVFP)  
*Cylindrobasidium laeve*, UR  
*Dacryobolus sudans*, V (DAVFP)  
*Diplomitoporus crustulinus*, V (DAVFP)  
*Echinodontium tinctorium*, UR  
*Fomitopsis cajanderi*, UR  
*Fomitopsis pinicola*, V (DAVFP)  
*Fomitopsis rosea*, V (DAVFP)  
*Ganoderma applanatum*, V (DAVFP)  
*Gloeophyllum odoratum*, V (DAVFP)  
*Gloeophyllum sepiarium*, V (DAVFP)  
*Grandinia granulosa*, V (DAVFP)  
*Grandinia pallidula*, V (DAVFP)  
*Heterobasidion annosum*, V (DAVFP)  
*Hymenochaete fusca*, V (DAVFP)  
*Hyphoderma praetermissum*, UR  
*Hyphoderma setigerum*, LC (Ginns 1986a)  
*Inonotus circinatus*, V (DAVFP)  
*Inonotus tomentosus*, V (DAVFP)
- Ischnoderma resinosum*, V (DAVFP)  
*Jahnoporus hirtus*, V (DAVFP)  
*Junghuhnia collabens*, V (DAVFP)  
*Laeticorticium* sp., LC (Shaw 1973)  
*Laetiporus sulphureus*, V (DAVFP)  
*Laurilia sulcata*, V (DAVFP)  
*Meruliodipsis ambiguum*, V (DAVFP)  
*Meruliodipsis taxicola*, V (DAVFP)  
*Odonto lactea*, V (DAVFP)  
*Peniophora piceae*, V (DAVFP)  
*Peniophora pseudopini*, LC (Martin and Gilbertson 1977)  
*Peniophora septentrionalis*, V (DAVFP)  
*Perenniporia subacida*, V (DAVFP)  
*Phaeolus schweinitzii*, V (DAVFP)  
*Phanerochaete gigantea*, V (DAVFP)  
*Phanerochaete sordida*, V (DAVFP)  
*Phellinus ferreus*, LC (Ginns 1986a)  
*Phellinus ferrugineofuscus*, LC (Ginns 1986a)  
*Phellinus ferruginosus*, V (DAVFP)  
*Phellinus nigrolimitatus*, V (DAVFP)  
*Phellinus pini*, V (DAVFP)  
*Phellinus punctatus*, UR  
*Phellinus* sp., V (DAVFP)  
*Phlebia albida*, V (DAVFP)  
*Piloderma byssinum*, V (DAVFP)  
*Plicaturopsis crispa*, V (DAVFP)  
*Polyporus badius*, V (DAVFP)  
*Polyporus varius*, V (DAVFP)  
*Poria cinerascens*, V (DAVFP)  
*Postia balsamea*, UR  
*Postia caesia*, V (DAVFP)  
*Postia placenta*, V (DAVFP)  
*Postia sericeomollis*, V (DAVFP)  
*Pseudomerulius aureus*, V (DAVFP)  
*Pycnoporellus alboluteus*, V (DAVFP)  
*Pycnoporellus fulgens*, V (DAVFP)  
*Pycnoporus cinnabarinus*, V (DAVFP)  
*Resinicium bicolor*, V (DAVFP)  
*Scytonostroma galactina*, V (DAVFP)  
*Serpula himantoides*, UR  
*Sistotrema brinkmannii*, UR  
*Sistotrema raduloides*, UR  
*Skeletocutis amorphia*, V (DAVFP)  
*Skeletocutis stellae*, V (DAVFP)  
*Skeletocutis subincarnata*, V (DAVFP)  
*Stereum sanguinolentum*, V (DAVFP)  
*Thelephora terrestris*, V (DAVFP)  
*Trametes hirsuta*, V (DAVFP)  
*Trametes pubescens*, UR  
*Trichaptum abietinum*, V (DAVFP)  
*Tubulicrinis glebulosus*, V (DAVFP)  
*Vararia granulosa*, V (DAVFP)  
*Vararia jacksonii*, V (DAVFP)
- Uredinales**
- Chrysomyxa arctostaphyli*, V (DAVFP)  
*Chrysomyxa empetri*, V (DAVFP)  
*Chrysomyxa ledi*, V (DAVFP)  
*Chrysomyxa ledicola*, V (DAVFP)  
*Chrysomyxa pirolata*, V (DAVFP)  
*Chrysomyxa weiri*, V (DAVFP)  
*Chrysomyxa woroninii*, V (DAVFP)  
*Pucciniastrum americanum*, V (DAVFP)  
*Pucciniastrum sparsum*, V (DAVFP)
- Others**
- Auricularia auricula*, V (DAVFP)  
*Dacrymyces palmatus*, V (DAVFP)

- Eichleriella macrospora*, V (DAVFP)  
*Tremella mesenterica*, V (DAVFP)
- Deuteromycotina**
- Coelomycetes**
- Apostrasseria* sp., V (DAVFP)  
*Camarosporium strobilinum*, V (DAVFP)  
*Coniothyrium* sp., V (DAVFP)  
*Dichomera gemmicola*, V (DAVFP) (TYPE)  
*Macrophoma* sp., V (DAVFP)  
*Micropora* sp., V (DAVFP)  
*Phoma* sp., V (DAVFP)  
*Phragmotrichum chailletii*, V (DAVFP)  
*Sclerophoma* sp., V (DAVFP)  
*Sirococcus conigenus*, V (DAVFP)  
*Sirodthis* sp., V (DAVFP)  
*Tryblidiopycnis* sp., UR
- Hyphomycetes**
- Alternaria* sp., LC (Shaw 1973)  
*Aureobasidium pullulans*, LC (Connors 1967)  
*Botrytis* sp., V (DAVFP)  
*Cladosporium* sp., V (DAVFP)  
*Cylindrocarpon didymum*, V (DAVFP)  
*Cylindrocarpon* sp., V (DAVFP)  
*Epicoccum* sp., V (DAVFP)  
*Fusarium oxysporum*, LC (Shaw 1973)  
*Leptographium abietinum*, V (DAVFP) –  
     Dried culture only.  
*Leptographium wageneri* var. *ponderosum*,  
     V (DAVFP)  
*Rhinocladiella mansonii*, V (DAVFP) - Dried  
     culture only.  
*Septotrullula* sp., V (DAVFP)  
*Stigmina lautii*, V (DAVFP)  
*Stigmina verrucosa*, V (DAVFP) (TYPE)
- Chromista**
- Oomycota**
- Pythium ultimum*, V (DAVFP)  
*Pythium* sp., V (DAVFP)
- Protozoa**
- Myxomycota**
- Leocarpus fragilis*, V (DAVFP)  
*Stemonitis axifera*, V (DAVFP)
- Parasitic Plants**
- Arceuthobium americanum*, V (DAVFP)  
*Arceuthobium laricis*, V (DAVFP)  
*Arceuthobium tsugense*, V (DAVFP)
- Picea glauca** (Moench) Voss X **P. engelmannii** Parry - hybrid spruce
- Fungi**
- Ascomycotina**
- Botryosphaeria piceae*, LC (Funk 1982)  
*Dermea grovesii*, LC (Funk 1982 as  
     *Corniculariella abietis*)  
*Griphosphaeria* sp., V (DAVFP)  
*Lachnellula agassizii*, LC (Funk 1982)  
*Rhizina undulata*, LC (Norris 1989)  
*Sarea difformis*, LC (Funk 1982)  
*Sydiowia polypora*, V (DAVFP)  
*Therrya piceae*, LC (Funk 1982)  
*Tryblidiopsis pinastri*, LC (Funk 1982)
- Basidiomycotina**
- Aphylophorales**
- Inonotus tomentosus*, LC (Lewis and Hansen  
     1991a, 1991b)  
*Stereum sanguinolentum*, V (DAVFP)
- Uredinales**
- Chrysomyxa arctostaphyli*, LC (Funk 1982)
- Others**
- Pseudostypella* sp., LC (Funk 1982)
- Deuteromycotina**
- Hyphomycetes**
- Botrytis* sp., V (DAVFP)
- Picea mariana** (Mill.) B.S.P. - black spruce
- Fungi**
- Ascomycotina**
- Isthmia crepidiformis*, V (DAVFP)  
*Lirula macrospora*, V (DAVFP)  
*Sarea difformis*, V (DAVFP)  
*Tryblidiopsis pinastri*, V (DAVFP)
- Basidiomycotina**
- Agaricales**
- Pholiota alnicola*, UR
- Aphylophorales**
- Antrodia xantha*, V (DAVFP)  
*Gloeophyllum sepiarium*, V (DAVFP)  
*Grandinia crustosa*, LC (Ginns 1986a)  
*Phellinus pini*, UR  
*Subulicystidium longisporum*, LC (Ginns  
     1986a)  
*Trichaptum abietinum*, V (DAVFP)
- Uredinales**
- Chrysomyxa arctostaphyli*, V (DAVFP)  
*Chrysomyxa ledi*, V (DAVFP)  
*Chrysomyxa ledicola*, V (DAVFP)  
*Chrysomyxa pirolata*, V (DAVFP)  
*Chrysomyxa weiri*, UR  
*Chrysomyxa woroninii*, V (DAVFP)
- Deuteromycotina**
- Coelomycetes**
- Comatospora Suttonii*, V (DAVFP) (TYPE)
- Hyphomycetes**
- Stigmina verrucosa*, V (DAVFP)
- Picea pungens** Engelm. - blue spruce,  
     Colorado spruce, silver spruce
- Fungi**
- Ascomycotina**
- Phaeocryptopus nudus*, V (DAVFP)
- Basidiomycotina**
- Uredinales**
- Chrysomyxa pirolata*, V (DAVFP)
- Picea rubens** Sarg. - he balsam, red spruce
- Fungi**
- Deuteromycotina**
- Hyphomycetes**
- Botrytis* sp., LC (Mittal and Wang 1985)

**Picea sitchensis** (Bong.) Carr. - Sitka spruce

**Fungi**

**Ascomycotina**

- Amorphotheca resinae*, V (DAVFP)
- Appendiculella pinicola*, V (DAVFP)
- Bisporella resinicola*, V (DAVFP)
- Botryosphaeria piceae*, V (DAVFP)
- Caloscypha fulgens*, LC (Sutherland 1981; Thomson et al. 1983)
- Claussenomyces olivaceus*, V (DAVFP)
- Cucurbitothis pithyophila*, V (DAVFP)
- Dasyscyphus ellisianus*, V (DAVFP)
- Diaporthe lokoyae*, V (DAVFP)
- Discocainia treleasei*, V (DAVFP)
- Herpotrichia juniperi*, V (DAVFP)
- Lachnellula agassizii*, V (DAVFP)
- Lirula macrospora*, V (DAVFP)
- Lophodermium piceae*, V (DAVFP)
- Pezizella* sp., V (DAVFP)
- Phaeocryptopus nudus*, V (DAVFP)
- Retinocyclus* sp., UR
- Rhizina undulata*, V (DAVFP)
- Sarcotrichila piniperda*, V (DAVFP)
- Sarea difformis*, V (DAVFP)
- Stomiopeltis pinastri*, V (DAVFP)
- Sydiowia polyspora*, V (DAVFP)
- Tryblidiopsis pinastri*, V (DAVFP)

**Basidiomycotina**

**Agaricales**

- Armillaria ostoyae*, V (DAVFP)
- Armillaria sinapina*, V (DAVFP)
- Armillaria* sp., UR
- Hypoloma capnoides*, V (DAVFP)
- Neolentinus kauffmanii*, V (DAVFP)
- Pleurocybella porrigens*, V (DAVFP)
- Xeromphalina campanella*, V (DAOM 11981, 11982)

**Aphyllophorales**

- Aleurocystidellum subcruentatum*, V (DAVFP)
- Aleurodiscus penicillatus*, V (DAVFP)
- Amylocorticium subincarnatum*, LC (Weresub 1977)
- Amylocystis laponica*, V (DAVFP)
- Amylostereum chailletii*, LC (Ginns 1986a)
- Anomoporia myceliosa*, LC (Shaw 1973)
- Antrodia albobrunnea*, V (DAOM 125038, 125146)
- Antrodia carbonica*, V (DAVFP)
- Antrodia heteromorpha*, V (DAVFP)
- Antrodia serialis*, V (DAVFP)
- Antrodia sinuosa*, V (DAVFP)
- Antrodia sordida*, LC (Shaw 1973 as *Poria oleagina*)
- Antrodia variiformis*, V (DAVFP)
- Antrodia xantha*, V (DAVFP)
- Antrodiella overholtsii*, V (DAOM 142093)
- Bondarzewia berkeleyi*, V (DAVFP)
- Bondarzewia montana*, V (DAVFP)
- Botryobasidium ansosum*, V (DAVFP)
- Ceriporiopsis rivulosa*, V (DAVFP)
- Ceriporiopsis subvermispora*, V (DAVFP)
- Chaetoderma luna*, V (DAVFP)
- Climacocystis borealis*, V (DAVFP)
- Columnocystis abietina*, V (DAVFP)
- Corticium* sp., V (DAVFP)

**Crustoderma drynum**, V (DAVFP)

**Crustoderma resinorum**, V (DAVFP) (TYPE of syn. *Hyphoderma resinorum*)

*Cryptoporus volvatus*, V (DAVFP)

*Dentinum repandum*, V (DAOM 168229)

*Diplomitoporus lenis*, V (DAOM 125035)

*Echinodontium tinctorium*, LC (Connors 1967)

*Fomitopsis officinalis*, V (DAVFP)

*Fomitopsis pinicola*, V (DAVFP)

*Ganoderma applanatum*, V (DAVFP)

*Ganoderma oregonense*, LC (Ginns 1986a)

*Gloeophyllum odoratum*, V (DAVFP)

*Gloeophyllum sepiarium*, V (DAVFP)

*Grandinia breviseta*, V (DAOM 138938)

*Grandinia granulosa*, LC (Martin and Gilbertson 1977)

*Hericium abietis*, V (DAVFP)

*Heterobasidion annosum*, V (DAVFP)

*Inonotus circinatus*, V (DAVFP)

*Laetiporus sulphureus*, V (DAVFP)

*Odontia* sp., V (DAVFP)

*Osteina obducta*, V (DAVFP)

*Oxyporus similis*, LC (Ginns 1986a)

*Perenniporia subacida*, V (DAVFP)

*Phaeolus schweinitzii*, V (DAVFP)

*Phellinus nigrolimitatus*, V (DAVFP)

*Phellinus pini*, V (DAVFP)

*Phellinus punctatus*, UR

*Phellinus weiri*, V (DAVFP)

*Phlebiella ralla*, LC (Ginns 1986a)

*Polyporus badius*, V (DAVFP)

*Polyporus perennis*, LC (Shaw 1973)

*Postia balsamea*, V (DAVFP)

*Postia guttulata*, V (DAVFP)

*Postia placenta*, V (DAVFP)

*Postia sericeomollis*, V (DAVFP)

*Postia undosa*, V (DAVFP)

*Pycnoporellus alboluteus*, V (DAVFP)

*Pycnoporellus fulgens*, V (DAVFP)

*Rigidoporus crocatus*, V (DAVFP)

*Skeletocutis stellae*, V (DAVFP)

*Skeletocutis subincarnata*, V (DAVFP)

*Stereopsis humphreyi*, LC (Redhead and Reid 1983)

*Stereum sanguinolentum*, V (DAVFP)

*Thelephora terrestris*, V (DAVFP)

*Trechispora mollusca*, LC (Ginns 1986a)

*Trichaptum abietinum*, V (DAVFP)

*Veluticeps fimbriata*, V (DAVFP)

- Phoma* sp., V (DAVFP)  
*Phomopsis* sp., V (DAVFP)  
*Rhizosphaera pini*, V (DAVFP)  
*Rileya piceae*, V (DAVFP) (TYPE)  
*Sirococcus conigenus*, V (DAVFP)  
*Sirodothis* sp., V (DAVFP)
- Hypocreales**  
*Acremonium* sp., V (DAVFP)  
*Bactrodesmium rahmii*, V (DAVFP)  
*Botrytis cinerea*, UR - Specimen discarded  
*Botrytis* sp., V (DAVFP)  
*Cladosporium herbarum*, UR  
*Cladosporium* sp., V (DAVFP)  
*Hyalodendron* sp., V (DAVFP)  
*Infundibula adhaerens*, LC (Nag Raj and Kendrick 1981)  
*Microlychnus epicorticis*, V (DAVFP) (TYPE)  
*Ramichloridium* sp., V (DAVFP)
- Parasitic Plants**  
*Arceuthobium tsugense*, V (DAVFP)
- Picea** sp. - spruce
- Fungi**
- Ascomycotina**  
*Cheilymenia* sp., V (DAVFP)  
*Lachnellula suecica*, V (DAVFP)  
*Peziza repanda*, UR
- Basidiomycotina**  
**Agaricales**  
*Armillaria ostoyae*, V (DAVFP)  
*Armillaria* sp., UR  
*Flagelloscypha citrizona*, LC (Redhead 1973)  
*Pholiota limonella*, V (DAVFP)  
*Strobilurus occidentalis*, LC (Redhead 1989)
- Aphyllophorales**  
*Acanthophysium lividocaeruleum*, LC (Ginns 1986a)  
*Coniophora arida* var. *arida*, V (DAVFP)  
*Dendrothele* sp., V (DAVFP)  
*Fomitopsis cajanderi*, UR - Specimen discarded  
*Hericium coralloides*, UR  
*Hymenochaete cinnamomea*, V (DAVFP)  
*Inonotus tomentosus*, V (DAVFP)  
*Kavinia alboviridis*, V (DAVFP)  
*Perenniporia subacida*, UR - Specimen discarded.  
*Phellinus nigrolimitatus*, V (DAVFP)  
*Phellinus pini*, V (DAVFP)  
*Pycnoporellus alboluteus*, V (DAVFP)  
*Sarcodon imbricatus*, UR - Specimen discarded.  
*Trichaptum abietinum*, UR - Specimen discarded.
- Deuteromycotina**  
**Coelomycetes**  
*Phoma* sp., UR - Specimen discarded  
*Phomopsis conorum*, V (DAVFP)
- Hypocreales**  
*Aspergillus* sp., V (DAVFP)  
*Leptographium abietinum*, LC (Jacobs et al. 1998)  
*Monilia* sp., V (DAVFP)
- Tubercularia* sp., V (DAVFP)
- Zygomycotina**  
*Endogone* sp., V (DAVFP)  
*Rhizopus stolonifer*, V (DAVFP)
- Protozoa**
- Myxomycota**  
*Fuligo cinerea*, V (DAVFP)
- Pinguicula villosa** L. - butterwort
- Fungi**
- Basidiomycotina**  
**Others**  
*Ustilago pinguiculae*, LC (Savile 1981)
- Pinguicula vulgaris** L. subsp. *macroceras*
- (Link) Calder & Taylor - common butterwort
- Fungi**
- Basidiomycotina**  
**Others**  
*Ustilago pinguiculae*, LC (Savile 1981)
- Pinus albicaulis** Engelm. - whitebark pine
- Fungi**
- Ascomycotina**  
*Ascocalyx abietina*, V (DAVFP)  
*Biatorella* sp., V (DAVFP)  
*Bifusella linearis*, V (DAVFP)  
*Bifusella saccata*, V (DAVFP)  
*Hemiphacidium planum*, V (DAVFP)  
*Karschia* sp., V (DAVFP)  
*Lachnellula agassizii*, V (DAVFP)  
*Lachnellula arida*, V (DAVFP)  
*Lachnellula flavovirens*, V (DAVFP)  
*Lachnellula pini*, V (DAVFP)  
*Lachnellula suecica*, UR  
*Lophodermella arcuata*, V (DAVFP)  
*Lophodermella concolor*, V (DAVFP)  
*Lophodermella montivaga*, UR  
*Lophodermium nitens*, V (DAVFP)  
*Mytilinidion* sp., V (DAVFP)  
*Neopeckia coulteri*, V (DAVFP)  
*Nitschka molnarii*, V (DAVFP)  
*Sarea resinae*, LC (Shaw 1973 as *Biatorella resinae*)  
*Sydiowia polyspora*, V (DAVFP)  
*Tympanis laricina*, V (DAVFP)
- Basidiomycotina**  
**Agaricales**  
*Armillaria ostoyae*, V (DAVFP)  
*Xeromphalina campanella*, UR
- Aphyllophorales**  
*Inonotus tomentosus*, V (DAVFP)  
*Postia leucospongia*, V (DAVFP)  
*Trichaptum abietinum*, UR
- Uredinales**  
*Cronartium ribicola*, V (DAVFP)
- Deuteromycotina**  
**Coelomycetes**  
*Endothiella aggregata*, V (DAVFP)  
*Leptotomenton allescheri*, V (DAVFP)  
*Leptostroma* sp., V (DAVFP)  
*Phoma* sp., V (DAOM 143556)  
*Sirococcus conigenus*, V (DAVFP)

*Plant hosts - P*

**Protozoa**  
**Myxomycota**  
*Trichia* sp., V (DAVFP)

***Pinus aristata*** Engelm. - hickory pine,  
 bristlecone pine

**Fungi**  
**Deuteromycotina**  
**Coelomycetes**  
*Strasseria geniculata*, V (DAVFP)

***Pinus banksiana*** Lamb. - jack pine

**Fungi**  
**Ascomycotina**  
*Lophodermium pinastri*, V (DAVFP)  
*Sydiowia polyspora*, V (DAVFP)  
  
**Basidiomycotina**  
**Aphyllophorales**  
*Gloeophyllum odoratum*, LC (Shaw 1973)  
*Phellinus pini*, LC (Shaw 1973 as *Fomes pini*)  
  
**Uredinales**  
*Melampsora medusae*, V (DAVFP)  
  
**Deuteromycotina**  
**Hyphomycetes**  
*Botrytis* sp., LC (Mittal and Wang 1985)

***Pinus contorta*** Dougl. - lodgepole pine,  
 shore pine

**Fungi**  
**Ascomycotina**  
*Anthracobia maurilabra*, LC (Egger and Paden 1986a)  
*Anthracobia tristis*, LC (Egger and Paden 1986a)  
*Caloscypha fulgens*, LC (Sullivan et al. 1984; Egger and Paden 1986b)  
*Geopyxis carbonaria*, LC (Egger and Paden 1986a)  
*Gyromitra infula*, LC (Egger and Paden 1986a)  
*Ophiostoma huntii*, LC (Griffin 1968)  
*Ophiostoma ips*, LC (Shaw 1973)  
*Pyropyxis rubra*, LC (Egger and Paden 1986a)  
*Rhizina undulata*, LC (Egger and Paden 1986a; Norris 1989)  
*Sphaerospora brunnea*, LC (Egger and Paden 1986a)  
*Tricharina praecox* var. *intermedia*, LC (Egger and Paden 1986a)  
*Trichophaea hemisphaerioides*, LC (Egger and Paden 1986a)

**Basidiomycotina**  
**Aphyllophorales**  
*Grandinia subalutacea*, LC (Shaw 1973 as *Peniophora subalutacea*)  
*Merulipopsis taxicola*, UR  
*Resinicium furfuraceum*, LC (Liberta 1965 as *Corticium furfuraceum*)

**Others**  
*Dacrymyces deliquesens* var. *minor*, V (UBC F4877, F4884)

*Scleroderma bovista*, LC (Hutchison 1990)  
*Tremella mesenterica*, LC (Bandoni & Giins 1998)

***Pinus contorta*** Dougl. var. *contorta* -  
 shore pine

**Fungi**  
**Ascomycotina**  
*Anthostomella* sp., V (DAVFP)  
*Atropellis pinicola*, V (DAVFP)  
*Atropellis piniphila*, V (DAVFP)  
*Atropellis* sp., UR  
*Davisonomyces ampla*, V (DAVFP)  
*Davisonomyces montana*, V (DAVFP)  
*Hemipacidium planum*, V (DAVFP)  
*Lachnellula agassizii*, V (DAVFP)  
*Lophium mytilinum*, V (DAVFP)  
*Lophodermella concolor*, V (DAVFP)  
*Lophodermella montivaga*, V (DAVFP)  
*Lophodermium pinastri*, V (DAVFP)  
*Lophodermium* sp., V (DAVFP)  
*Mycosphaerella pini*, V (DAVFP)  
*Neopeckia coulteri*, V (DAVFP)  
*Peltosphaeria canadensis*, V (DAVFP)  
*Sarcotrichila macrospora*, V (DAVFP)  
*Sydiowia polyspora*, UR -: Specimen discarded.

**Basidiomycotina**  
**Agaricales**  
*Armillaria* sp., V (DAVFP)

**Aphyllophorales**  
*Gloeophyllum sepiarium*, UR  
*Inonotus circinatus*, V (DAVFP)  
*Inonotus tomentosus*, V (DAVFP)  
*Phaeolus schweinitzii*, V (DAVFP)  
*Phellinus pini*, V (DAVFP)  
*Phellinus weiri*, V (DAVFP)

**Uredinales**  
*Coleosporium asterum*, V (DAVFP)  
*Cronartium coleosporioides*, UR  
*Cronartium comptoniae*, V (DAVFP)

**Deuteromycotina**  
**Coelomycetes**  
*Hendersonia pinicola*, V (DAVFP)  
*Leptomelanconium pinicola*, V (DAVFP)  
*Leptomelanconium* sp., V (DAVFP)

**Parasitic Plants**  
*Arceuthobium laricis*, V (DAVFP)  
*Arceuthobium tsugense*, V (DAVFP)

***Pinus contorta*** Dougl. var. *latifolia*  
 Engelm. (=*Pinus contorta* var. *murrayana*) -  
 lodgepole pine

**Fungi**  
**Ascomycotina**  
*Amorphotheca resinae*, UR  
*Ascocalyx abietina*, V (DAVFP)  
*Atropellis pinicola*, V (DAVFP)  
*Atropellis piniphila*, V (DAVFP)  
*Atropellis* sp., V (DAVFP)  
*Cenangium ferruginosum*, V (DAVFP)  
*Ceratocystis* sp., UR  
*Claussenomyces pini*, V (DAVFP) (TYPE)  
*Cyanodiscus occidentalis*, V (DAVFP)

*Cyclaneusma niveum*, V (DAVFP)  
*Dasyscyphus* sp., V (DAVFP)  
*Davisomycella ampla*, V (DAVFP)  
*Davisomycella medusa*, V (DAVFP)  
*Davisomycella montana*, V (DAVFP)  
*Discina ancilis*, V (DAVFP)  
*Elytroderma deformans*, V (DAVFP)  
*Hansenula canadensis*, LC (Strongman 1987)  
*Hansenula holstii*, UR  
*Hemiphaeidium longisporum*, V (DAVFP) (TYPE)  
*Herpotrichia juniperi*, V (DAVFP)  
*Hypodermella* sp., V (DAVFP)  
*Lachnellula agassizii*, V (DAVFP)  
*Lachnellula arida*, V (DAVFP)  
*Lachnellula flavovirens*, V (DAVFP)  
*Lachnellula fuscosanguinea*, V (DAVFP)  
*Lachnellula suecica*, V (DAVFP)  
*Lachnellula* sp., V (DAVFP)  
*Lecanidiella contortae*, V (DAVFP)  
*Lophium mytilinum*, V (DAVFP)  
*Lophodermella concolor*, V (DAVFP)  
*Lophodermella montivaga*, V (DAVFP)  
*Lophodermella* sp., V (DAVFP)  
*Lophodermium pinastri*, V (DAVFP)  
*Lophodermium seditiosum*, UR - Specimen discarded.  
*Lophodermium* sp., V (DAVFP)  
*Mycosphaerella pini*, V (DAVFP) (TYPE of syn. *Scirrhia pini*)  
*Mytilinidion gemmigenum*, V (DAVFP)  
*Nectria fuckeliana*, V (DAVFP)  
*Nectria* sp., V (DAVFP)  
*Neopeckia coulteri*, V (DAVFP)  
*Ophiostoma aureum*, LC (Robinson-Jeffrey and Davidson 1968)  
*Ophiostoma clavigerum*, LC (Ginns 1986a as *Europhium clavigerum*; Strongman 1987 as *Ceratocystis clavigera*)  
*Ophiostoma huntii*, LC (Robinson-Jeffrey and Grinchenko, 1964) (TYPE of syn. *Ceratocystis huntii*)  
*Ophiostoma ips*, LC (Strongman 1987)  
*Ophiostoma wageneri*, LC (Hunt and Morrison 1986 as *Ceratocystis wageneri* pine pathotype)  
*Pezizella chapmanii*, V (DAVFP)  
*Phacidium coniferarum*, V (DAVFP)  
*Pichia pini*, LC (Strongman 1987 as *Pichia pinus*)  
*Retinocyclops* sp., UR  
*Rhizina undulata*, V (DAVFP)  
*Rosellinia thelena*, V (DAVFP)  
*Sarcotrichila macrospora*, V (DAVFP) (TYPE)  
*Sarea difformis*, V (DAVFP)  
*Sarea resinae*, V (DAVFP)  
*Scirrhia* sp., V (DAVFP)  
*Sydiowia polyspora*, V (DAVFP)  
*Tympanis laricina*, V (DAVFP)  
*Valsa abietis*, UR

**Basidiomycotina****Agaricales**

*Armillaria ostoyae*, V (DAVFP)  
*Armillaria* sp., V (DAVFP)  
*Hypholoma capnoides*, V (DAVFP)  
*Pholiota alnicolor*, UR  
*Xeromphalina campanella*, UR

**Aphylophorales**

*Aleurodiscus penicillatus*, V (DAVFP)  
*Amylostereum chailletii*, UR  
*Antrodia crassa*, V (DAVFP)  
*Antrodia serialis*, V (DAVFP)  
*Antrodia* sp., V (DAVFP)  
*Auriscalpium vulgare*, V (DAVFP)  
*Coniophora puteana* var. *puteana*, V (DAVFP)  
*Cryptoporus volvatus*, V (DAVFP)  
*Dichomitus squalens*, V (DAVFP)  
*Entomocorticium dendroctoni*, V (DAVFP) (TYPE)  
*Fomitopsis cajanderi*, V (DAVFP)  
*Gloeophyllum odoratum*, V (DAVFP)  
*Gloeoporos dichrous*, V (DAVFP)  
*Heterobasidion annosum*, LC (Shaw 1973)  
*Hydnellum* sp., V (DAVFP)  
*Hydnium stereosarcinon*, V (DAOM)  
*Inonotus circinatus*, V (DAVFP)  
*Inonotus tomentosus*, V (DAVFP)  
*Inonotus* sp., UR - Cultured then discarded.  
*Junghuhnia collabens*, V (DAVFP)  
*Meruliodipsis ambiguus*, V (DAVFP)  
*Meruliodipsis corium*, V (DAVFP)  
*Peniophora pseudopini*, V (DAVFP)  
*Peniophora septentrionalis*, UR  
*Perenniporia subacida*, V (DAVFP)  
*Phaeolus schweinitzii*, V (DAVFP)  
*Phanerochaete gigantea*, V (DAVFP)  
*Phellinus pini*, UR - Cultured then discarded  
*Phellinus viticola*, LC (Shaw 1973 as *Trametes tenuis*)  
*Phlebia merismoides*, V (DAVFP)  
*Phlebia subserialis*, UR - Cultured then discarded.  
*Polyporus* sp., V (DAVFP)  
*Postia sericeomollis*, LC (Shaw 1973 as *Polyporus sericeomollis*)  
*Postia undosa*, LC (Shaw 1973)  
*Resinicium bicolor*, V (DAVFP)  
*Sarcodon* sp., UR - Specimen discarded  
*Scytonstroma galactina*, V (DAVFP)  
*Serpula himantoides*, UR  
*Sistotrema brinkmannii*, V (DAVFP)  
*Skeletocutis amorphia*, V (DAVFP)  
*Stereum sanguinolentum*, V (DAVFP)  
*Thelephora terrestris*, V (DAVFP)  
*Trichaptum abietinum*, V (DAVFP)  
*Tubulicrinis glebulosus*, V (DAOM 139163)  
*Wolfiporia cocos*, V (DAVFP)

**Uredinales**

*Coleosporium asterum*, V (DAVFP)  
*Coleosporium* sp., V (DAVFP)  
*Cronartium coleosporioides*, V (DAVFP)  
*Cronartium coleosporioides f. album*, V (DAVFP)  
*Cronartium coleosporioides f.*  
*coleosporioides*, V (DAVFP)  
*Cronartium comandrae*, V (DAVFP)  
*Cronartium comptoniae*, V (DAVFP)  
*Cronartium* sp., V (DAVFP)  
*Endocronartium harknessii*, V (DAVFP)  
*Melampsora medusae*, V (DAVFP)  
*Melampsora occidentalis*, V (DAVFP)  
*Peridermium* sp., V (DAVFP)

## Plant hosts - P

### **Others**

*Dacrymyces minutus*, V (DAVFP)  
*Tremella encephala*, V (DAVFP)  
*Tremella mesenterica*, V (DAVFP)  
*Tremella* sp., UR

### **Deuteromycotina**

#### **Coelomycetes**

*Aposphaeria* sp., V (DAVFP)  
*Apostrasseria* sp., V (DAVFP)  
*Ceuthospora* sp., V (DAVFP)  
*Coniothyrium* sp., V (DAVFP)  
*Cytospora* sp., V (DAVFP)  
*Endothiella aggregata*, V (DAVFP) (TYPE)  
*Hendersonia pinicola*, V (DAVFP)  
*Lecanosticta* sp., V (DAVFP)  
*Leptosporangium pinicola*, V (DAVFP)  
*Leptostroma* sp., UR  
*Phacidiohypcnis* sp., V (DAVFP)  
*Phaeoseptoria contortae*, V (DAVFP)  
*Phoma* sp., V (DAVFP)  
*Phomopsis* sp., V (DAVFP) - Dried culture only.  
*Sclerotiora* sp., V (DAVFP)  
*Sirococcus conigenus*, V (DAVFP)  
*Stilbospora* sp., V (DAVFP)  
*Truncatella angustata*, V (DAVFP)  
*Tryblidiopycnis* sp., V (DAVFP)

#### **Hymenomycetes**

*Acrodictys* sp., V (DAVFP)  
*Botrytis cinerea*, UR  
*Chrysosporium filiforme*, LC (Sigler et al. 1982)  
*Cladosporium herbarum*, V (DAVFP)  
*Cylindrocarpon* sp., V (DAVFP)  
*Fusarium sambucinum* var. *caeruleum*, LC (Gordon 1959)  
*Fusarium* sp., V (DAVFP)  
*Graphium* sp., UR  
*Hormiscium* sp., LC (Shaw 1973)  
*Hormodendrum* sp., LC (Shaw 1973)  
*Hyalodendron* sp., V (DAVFP)  
*Leptographium terebrantis*, UR  
*Leptographium wageneri*, V (DAVFP)  
*Leptographium wageneri* var. *ponderosum*, V (DAVFP)  
*Leptographium wageneri* var. *wageneri*, V (DAVFP)  
*Verticicladiella brachiata*, UR  
*Verticicladiella* sp., V (DAVFP)

### **Zygomycotina**

*Phycomyces blakesleeanus*, V (DAVFP)

### **Chromista**

#### **Myxomycota**

*Amaurochaete* sp., V (DAVFP)

### **Parasitic Plants**

*Arceuthobium americanum*, V (DAVFP)  
*Arceuthobium campylopodium*, V (DAVFP)  
*Arceuthobium laricis*, V (DAVFP)  
*Arceuthobium tsugense*, V (DAVFP)  
*Arceuthobium* sp., V (DAVFP)

### ***Pinus contorta* Dougl. var. *murrayana***

(Grev. & Balf.) Engelm. see *Pinus contorta* var. *latifolia*

### ***Pinus coulteri* D. Don - Coulter pine**

#### **Fungi**

##### **Ascomycotina**

*Peziza ostracoderma*, V (DAVFP)

### ***Pinus echinata* Mill. X *taeda* L. - shortleaf pine X loblolly pine**

#### **Fungi**

##### **Ascomycotina**

*Lophodermium* sp., V (DAVFP)  
*Mycosphaerella pini*, V (DAVFP)

### ***Pinus flexilis* James - limber pine**

#### **Fungi**

##### **Ascomycotina**

*Cucurbitothis pithyophila* var. *pithyophila*, V (DAVFP)  
*Neopeckia coulteri*, V (DAVFP)

##### **Basidiomycotina**

##### **Uredinales**

*Cronartium ribicola*, V (DAVFP)

### ***Pinus jeffreyi* Grev. & Balf. - Jeffrey pine**

#### **Fungi**

##### **Ascomycotina**

*Lophodermium pinastri*, V (DAVFP)  
*Lophodermium* sp., V (DAVFP)  
*Mycosphaerella pini*, LC (Shaw 1973)

##### **Basidiomycotina**

##### **Uredinales**

*Cronartium* sp., V (DAVFP)  
*Endocronartium harknessii*, V (DAVFP)

### ***Pinus lambertiana* Dougl. - sugar pine**

#### **Fungi**

##### **Ascomycotina**

*Lophodermium pinastri*, LC (Shaw 1973)

##### **Basidiomycotina**

##### **Uredinales**

*Cronartium ribicola*, V (DAVFP)  
*Melampsora medusae*, V (DAVFP)  
*Melampsora occidentalis*, V (DAVFP)

### ***Pinus montana* Mill. see *Pinus mugo***

### ***Pinus monticola* Dougl. - western white pine**

#### **Fungi**

##### **Ascomycotina**

*Atropellis pinicola*, V (DAVFP)  
*Atropellis tingens*, V (DAVFP)  
*Bifusella linearis*, V (DAVFP)  
*Caliciopsis pinea*, V (DAVFP)  
*Camarosporula* sp., V (DAVFP)  
*Cenangium acicola*, V (DAVFP)  
*Cenangium ferruginosum*, V (DAVFP)  
*Ceratostomella sphaerosperma*, LC (Shaw 1958)  
*Ceriosporopsis halima*, LC (Hughes 1969)  
*Coccomyces strobi*, UR

- Colpoma crispum*, V (DAVFP)  
*Cucurbitodothis pithyophila* var. *cembrae*, V (DAVFP)  
*Cucurbitodothis pithyophila* var. *pithyophila*, V (DAVFP)  
*Dermea balsamea*, V (DAVFP)  
*Europodium trinaciforme*, V (DAVFP) (TYPE)  
*Gorgoniceps aridula*, V (DAVFP)  
*Halonectria milfordensis*, LC (Hughes 1969)  
*Hemiphacidium planum*, V (DAVFP)  
*Lachnellula agassizii*, V (DAVFP)  
*Lachnellula calyciformis*, V (DAVFP)  
*Lachnellula fuscosanguinea*, LC (Shaw 1973)  
*Lachnellula pini*, V (DAVFP)  
*Lachnellula suecica*, V (DAVFP)  
*Lophium mytilinum*, V (DAVFP)  
*Lophodermella concolor*, LC (Wood et al. 1987)  
*Lophodermella* sp., V (DAVFP)  
*Lophodermium nitens*, V (DAVFP)  
*Lophodermium pinastri*, LC (Ginns 1986a)  
*Lulworthia floridana*, LC (Hughes 1969)  
*Lulworthia medusa*, LC (Hughes 1969)  
*Lulworthia salina*, LC (Hughes 1969)  
*Meloderma desmazieri*, V (DAVFP)  
*Mycosphaerella pini*, V (DAVFP)  
*Nectria neomacrospora*, V (DAVFP)  
*Neournula pouchetii*, LC (Shaw 1973)  
*Ophiostoma piliferum*, LC (Shaw 1958)  
*Parvacoccum pini*, V (DAVFP) (TYPE)  
*Pragmopora pithya*, V (DAVFP)  
*Pseudoeurotium rilstonii*, LC (Hughes 1969)  
*Rhizina undulata*, LC (Wood and Van Sickle 1986)  
*Sarea resinae*, V (DAVFP)  
*Sclerotinia* sp., V (DAVFP)  
*Stomiopeltis pinastri*, V (DAVFP)  
*Sydiowia polyspora*, V (DAVFP)  
*Therrya pini*, LC (Shaw 1973)  
*Tympanis hypopodia*, V (DAVFP)  
*Tympanis laricina*, V (DAVFP)  
*Tympanis truncatula*, LC (Shaw 1973 as *Tympanis pithya*)  
*Tympanis* sp., V (DAVFP)  
*Valsa pini*, V (DAVFP)  
*Xenomeris abietis*, V (DAVFP)
- Basidiomycotina**  
**Agaricales**  
*Armillaria ostoyae*, V (DAVFP)  
*Armillaria* sp., LC (Morrison et al. 1985 as *Armillaria mellea*)  
*Neolentinus lepideus*, V (DAVFP)  
*Pholiota adiposa*, LC (Shaw 1973)
- Aphyllophorales**  
*Aleurodiscus penicillatus*, V (DAVFP)  
*Amylocorticium cebennense*, V (DAVFP)  
*Amylostereum chailletii*, V (DAVFP)  
*Antrodia crassa*, V (DAVFP)  
*Antrodia heteromorpha*, V (DAVFP)  
*Antrodia serialis*, V (DAVFP)  
*Antrodia sinuosa*, V (DAVFP)  
*Antrodia variiformis*, UR  
*Antrodia xantha*, V (DAVFP)  
*Botryobasidium vagum*, V (DAVFP)  
*Chaetoderma luna*, V (DAVFP)  
*Cryptoporus volvatus*, LC (Shaw 1973 as *Polyporus volvatus*)
- Dacryobolus karstenii*, V (DAVFP)  
*Dichostereum pallescens*, V (DAVFP)  
*Diplomitoporus lenis*, LC (Shaw 1973 as *Poria lenis*)  
*Fomitopsis officinalis*, LC (Shaw 1973 as *Fomes officinalis*)  
*Fomitopsis pinicola*, V (DAVFP)  
*Gloeophyllum odoratum*, UR  
*Gloeophyllum sepiarium*, V (DAVFP)  
*Inonotus circinatus*, V (DAVFP)  
*Ischnoderma resinosum*, V (DAVFP)  
*Laetiporus sulphureus*, LC (Shaw 1973)  
*Leptotorus mollis*, V (DAVFP)  
*Leucogyrophana mollusca*, V (DAVFP)  
*Merulius albostramineus*, V (DAVFP)  
*Odontia* sp., V (DAVFP)  
*Odonticium romellii*, LC (Shaw 1973 as *Odontia romellii*)  
*Perenniporia subacida*, V (DAVFP)  
*Phaeolus schweinitzii*, V (DAVFP)  
*Phanerochaete cariosa*, LC (Burdall 1985)  
*Phanerochaete gigantea*, V (DAVFP)  
*Phellinus pini*, V (DAVFP)  
*Phellinus viticola*, LC (Shaw 1973 as *Fomes viticola*)  
*Phellinus weiri*, V (DAVFP)  
*Phlebiella vaga*, V (DAVFP)  
*Postia guttulata*, LC (Shaw 1973 as *Polyporus guttulatus*)  
*Postia placenta*, LC (Murrill 1920)  
*Postia undosa*, V (DAVFP)  
*Pycnoporellus alboluteus*, LC (Shaw 1958)  
*Resinicium bicolor*, LC (Conners 1967 as *Odontia bicolor*)  
*Resinicium furfuraceum*, V (DAVFP)  
*Scytonostroma galactina*, V (DAVFP)  
*Skeletocutis amorphia*, V (DAVFP)  
*Skeletocutis subincarnata*, V (DAVFP)  
*Stereum sanguinolentum*, V (DAVFP)  
*Thelephora terrestris*, V (DAVFP)  
*Trichaptum abietinum*, V (DAVFP)  
*Vararia granulosa*, LC (Ginns 1986a)  
*Wolfiporia cocos*, UR
- Uredinales**  
*Cronartium ribicola*, V (DAVFP)  
*Melampsora occidentalis*, V (DAVFP)

- Deuteromycotina**  
**Coelomycetes**  
*Apostresseria lunata*, V (DAVFP)  
*Cytosphaera* sp., V (DAVFP)  
*Endothiella aggregata*, V (DAVFP)  
*Gelatinosporium pinicola*, V (DAVFP)  
*Hendersonia* sp., V (DAVFP)  
*Leptomelanconium allescheri*, V (DAVFP)  
*Libertia* sp., V (DAVFP)  
*Phoma herbarum*, V (DAVFP) - Identified in culture  
*Phoma* sp., LC (Hughes 1969)  
*Rhizosphaera pini*, V (DAVFP)  
*Sclerophoma semenospora*, V (DAVFP)

- Hyphomycetes**  
*Aureobasidium pullulans*, LC (Shaw 1973)  
*Cirrenalia macrocephala*, LC (Hughes 1969)  
*Fusarium heterosporum*, LC (Shaw 1973)  
*Graphium* sp., LC (Shaw 1973)  
*Hormodendrum* sp., LC (Shaw 1973)  
*Hormonema* sp., V (DAVFP)

## Plant hosts - P

- Humicola alopallionella*, LC (Hughes 1969)  
*Leptographium* sp., LC (Shaw 1973)  
*Leptographium terebrantis*, V (DAVFP)  
*Leptographium wageneri* var. *ponderosum*, V (DAVFP)  
*Linodochium hyalinum*, V (DAVFP)  
*Monodictys pelagica*, LC (Hughes 1969)  
*Penicillium raistrickii*, LC (Shaw 1973)  
*Ulocladium consortiale*, LC (Hughes 1969)  
*Zalerion maritimum*, LC (Hughes 1969)
- Protozoa**  
**Myxomycota**  
*Comatricha nigra*, V (DAVFP)  
*Diderma* sp., V (DAVFP)  
*Lamproderma robustum*, V (DAVFP)
- Parasitic Plants**  
*Arceuthobium laricis*, V (DAVFP)  
*Arceuthobium tsugense*, V (DAVFP)
- Pinus mugo* Turra (=*Pinus montana*) - mountain pine**
- Fungi**  
**Ascomycotina**  
*Cyclaneusma niveum*, V (DAVFP)  
*Lophodermium* sp., V (DAVFP)  
*Sydiowia polypora*, V (DAVFP)
- Basidiomycotina**  
**Agaricales**  
*Armillaria ostoyae*, V (DAVFP)
- Uredinales**  
*Endocronartium harknessii*, V (DAVFP)
- Pinus muricata* D. Don - bishop pine**
- Fungi**  
**Ascomycotina**  
*Lophodermium pinastri*, V (DAVFP)  
*Mycosphaerella pini*, V (DAVFP)  
*Sydiowia polypora*, V (DAVFP)
- Basidiomycotina**  
**Agaricales**  
*Armillaria ostoyae*, V (DAVFP)
- Uredinales**  
*Cronartium comptoniae*, V (DAVFP)  
*Endocronartium harknessii*, V (DAVFP)
- Deuteromycotina**  
**Hymenomycetes**  
*Botrytis cinerea*, V (DAVFP)
- Pinus murrayana* Grev. & Balf. X *banksiana* Lamb. - shore pine X jack pine**
- Fungi**  
**Ascomycotina**  
*Mycosphaerella pini*, V (DAVFP)
- Basidiomycotina**  
**Uredinales**  
*Endocronartium harknessii*, V (DAVFP)
- Pinus nigra* Arnold - Austrian pine**
- Fungi**  
**Ascomycotina**  
*Lophodermium sediticum*, V (DAVFP)  
*Peltosphaeria canadensis*, V (DAVFP)  
*Sydiowia polypora*, V (DAVFP)
- Basidiomycotina**  
**Agaricales**  
*Armillaria ostoyae*, UR
- Uredinales**  
*Endocronartium harknessii*, V (DAVFP)
- Deuteromycotina**  
**Coelomycetes**  
*Sclerophoma* sp., V (DAVFP)
- Pinus nigra* Arnold var. *calabrica* Loud.**  
see *Pinus nigra* var. *poiretiana*
- Pinus nigra* Arnold var. *poiretiana* (Ant.)**  
Aschers. & Graebn. (=*Pinus nigra* var. *calabrica*) – Corsican pine
- Fungi**  
**Ascomycotina**  
*Lophodermium pinastri*, V (DAVFP)  
*Mycosphaerella pini*, V (DAVFP)
- Deuteromycotina**  
**Coelomycetes**  
*Apostasseria lunata*, V (DAVFP)
- Pinus palustris* Mill. - longleaf pine**
- Fungi**  
**Ascomycotina**  
*Lulworthia* sp., LC (Connors 1967)
- Deuteromycotina**  
**Hymenomycetes**  
*Helicoma* sp., LC (Connors 1967)
- Pinus pinaster* Ait. - cluster pine**
- Fungi**  
**Ascomycotina**  
*Atropellis* sp., V (DAVFP)  
*Cyclaneusma niveum*, V (DAVFP)  
*Lophodermium pinastri*, V (DAVFP)  
*Lophodermium sediticum*, V (DAVFP)  
*Mycosphaerella pini*, V (DAVFP)  
*Peltosphaeria canadensis*, V (DAVFP)
- Basidiomycotina**  
**Agaricales**  
*Armillaria ostoyae*, V (DAVFP)
- Uredinales**  
*Endocronartium harknessii*, V (DAVFP)  
*Peridermium* sp., V (DAVFP)
- Deuteromycotina**  
**Coelomycetes**  
*Sclerophoma* sp., V (DAVFP)
- Pinus ponderosa* Laws. - ponderosa pine**
- Fungi**  
**Ascomycotina**  
*Ascocalyx abietina*, V (DAVFP)

*Atropellis piniphila*, V (DAVFP)  
*Cenangium ferruginosum*, V (DAVFP)  
*Ceratocystis* sp., V (DAVFP)  
*Davisomycelia medusa*, V (DAVFP)  
*Didymosphaeria* sp., V (DAVFP)  
*Discina ancilis*, V (DAVFP)  
*Elytroderma deformans*, V (DAVFP)  
*Lecanidion atratum*, V (DAVFP)  
*Lophodermella concolor*, V (DAVFP)  
*Lophodermella morbida*, V (DAVFP)  
*Lophodermium pinastri*, V (DAVFP)  
*Mycosphaerella pini*, V (DAVFP)  
*Ophiostoma clavigerum*, LC (Robinson-Jeffrey and Davidson 1968) (TYPE)  
*Ophiostoma piliferum*, LC (Shaw 1958)  
*Pezizella chapmani*, V (DAVFP)  
*Propolis* sp., V (DAVFP)  
*Rosellinia obliquata* var. *americana*, LC (Barr 1953)  
*Sarea difformis*, LC (Conners 1967 as *Retinocyclus abietis*)  
*Sarea resinae*, V (DAVFP)  
*Sydiowia polyspora*, V (DAVFP)  
*Valsa pini*, LC (Shaw 1958)

**Basidiomycotina****Agaricales**

*Armillaria ostoyae*, V (DAVFP)  
*Armillaria* sp., UR

**Aphyllophorales**

*Aleurodiscus penicillatus*, V (DAVFP)  
*Antrodia heteromorpha*, V (DAVFP)  
*Antrodia serialis*, UR - whole collection sent to Ottawa.  
*Antrodia sinuosa*, V (DAVFP)  
*Ceraceomyces serpens*, V (DAVFP)  
*Confertobasidium olivaceo-album*, LC (Shaw 1973)  
*Coniophora arida* var. *arida*, V (DAVFP)  
*Coniophora puteana* var. *puteana*, UR  
*Corticium minssiae*, LC (Ginns 1986a)  
*Cryptoporus volvatus*, V (DAVFP)  
*Dichomitus squalens*, V (DAVFP)  
*Diplomitoporus lenis*, V (DAVFP)  
*Entomocorticium dendroctoni*, V (DAVFP)  
*Fomitopsis officinalis*, V (DAVFP)  
*Fomitopsis pinicola*, UR  
*Gloeophyllum sepiarium*, V (DAVFP)  
*Gloeoporus dichrous*, V (DAVFP)  
*Grandinia hastata*, V (DAVFP)  
*Grandinia subalutacea*, LC (Shaw 1973)  
*Heterobasidion annosum*, V (DAVFP)  
*Inonotus circinatus*, LC (Conners 1967)  
*Inonotus tormentosus*, UR  
*Laetiporus sulphureus*, LC (Shaw 1973)  
*Leucogyrophana mollusca*, V (DAVFP)  
*Merulioopsis ambiguus*, V (DAVFP)  
*Perenniporia tenuis*, V (DAVFP)  
*Phaeolus schweinitzii*, UR  
*Phanerochaete gigantea*, V (DAVFP)  
*Phellinus pini*, UR  
*Phellinus weiri*, UR  
*Phlebia subserialis*, UR  
*Poria aurantiaca*, V (DAOM 125066)  
*Poria cinerascens*, V (DAVFP)  
*Serpula himantoides*, UR  
*Serpula lacrimans*, UR  
*Stereum sanguinolentum*, V (DAVFP)  
*Trichaptum abietinum*, V (DAVFP)

*Trichaptum laricinum*, LC (Shaw 1973 as *Lenzites laricina*)  
*Tubulicrinis glebulosus*, V (DAVFP)  
*Vararia granulosa*, V (DAVFP)  
*Wolffiporia cocos*, UR

**Uredinales**

*Cronartium comandrae*, V (DAVFP)  
*Cronartium comptoniae*, V (DAVFP)  
*Endocronartium harknessii*, V (DAVFP)  
*Melampsora medusae*, V (DAVFP)  
*Melampsora occidentalis*, V (DAVFP)  
*Peridermium* sp., UR

**Deuteromycotina****Coelomycetes**

*Endothiella aggregata*, V (DAVFP)  
*Hendersonia pinicola*, V (DAVFP)  
*Leptometerium cf. cinereum*, V (DAVFP)  
*Leptometerium pinicola*, V (DAVFP)  
*Leptostroma* sp., V (DAVFP)  
*Phaeoseptoria contortae*, V (DAVFP)  
*Sclerophoma semenospora*, V (DAVFP)  
*Sirococcus conigenus*, V (DAVFP)  
*Sphaeropsis sapinea*, V (DAVFP)

**Hyphomycetes**

*Botrytis* sp., LC (Mittal and Wang 1985)  
*Cladosporium cladosporioides*, LC (Shaw 1973)  
*Coniothecium* sp., V (DAVFP)  
*Graphium* sp., LC (Shaw 1973)  
*Taeniola* sp., V (DAVFP)  
*Verticicladiella* sp., V (DAVFP)

**Chromista****Oomycota**

*Pythium* sp., V (DAVFP)

**Parasitic Plants**

*Arceuthobium americanum*, V (DAVFP)  
*Arceuthobium campylopodium*, V (DAVFP)  
*Arceuthobium larcis*, V (DAVFP)  
*Arceuthobium tsugense*, V (DAVFP)

**Pinus radiata** D. Don - Monterey pine**Fungi****Ascomycotina**

*Cyclaneusma niveum*, V (DAVFP)  
*Lachnellula agassizii*, V (DAVFP)  
*Lophodermium pinastri*, V (DAVFP)  
*Mycosphaerella pini*, V (DAVFP)  
*Nectria neomacrospora*, V (DAVFP)

**Basidiomycotina****Agaricales**

*Armillaria ostoyae*, V (DAVFP)

**Uredinales**

*Cronartium comptoniae*, V (DAVFP)  
*Endocronartium harknessii*, V (DAVFP)  
*Melampsora medusae*, V (DAVFP)  
*Melampsora occidentalis*, V (DAVFP)

**Deuteromycotina****Coelomycetes**

*Phomopsis* sp., V (DAVFP)

*Plant hosts - P*

***Pinus resinosa* Ait. - red pine**

**Fungi**

**Ascomycotina**

*Lophodermium pinastri*, V (DAVFP)  
*Lophodermium seditiosum*, V (DAVFP)  
*Sydiowia polyspora*, V (DAVFP)

**Basidiomycotina**

**Agaricales**

*Armillaria ostoyae*, V (DAVFP)

**Uredinales**

*Melampsora medusae*, LC (Ginns 1986a)

**Deuteromycotina**

**Hyphomycetes**

*Botrytis* sp., LC (Mittal and Wang 1985)

***Pinus strobiformis* Engelmann - south western white pine**

**Fungi**

**Basidiomycotina**

**Agaricales**

*Armillaria ostoyae*, V (DAVFP)

***Pinus strobus* L. - eastern white pine**

**Fungi**

**Basidiomycotina**

**Uredinales**

*Cronartium ribicola*, V (DAVFP)

**Deuteromycotina**

**Coelomycetes**

*Sclerophoma* sp., LC (Shaw 1973)

***Pinus sylvestris* L. - Scots pine**

**Fungi**

**Ascomycotina**

*Caliciopsis pseudotsugae*, V (DAVFP)

*Cenangium ferruginosum*, V (DAVFP)

*Cyclaneusma niveum*, V (DAVFP)

*Dasyscyphus* sp., LC (Shaw 1973 as

*Dasyscypha* sp.)

*Lophodermella concolor*, V (DAVFP)

*Lophodermella montivaga*, V (DAVFP)

*Lophodermium pinastri*, V (DAVFP)

*Lophodermium seditiosum*, V (DAVFP)

*Lophodermium* sp., V (DAVFP)

*Peltosphaeria canadensis*, V (DAVFP)

*Sydiowia polyspora*, V (DAVFP)

**Basidiomycotina**

**Agaricales**

*Armillaria ostoyae*, V (DAVFP)

*Armillaria* sp., UR - Specimen discarded

*Hebeloma* sp., V (DAVFP)

**Aphyllophorales**

*Aleurodiscus penicillatus*, V (DAVFP)

*Ganoderma applanatum*, V (DAVFP)

*Perenniporia subacida*, V (DAVFP)

*Trichaptum abietinum*, V (DAVFP)

**Uredinales**

*Cronartium coleosporiooides*, V (DAVFP)

*Cronartium coleosporiooides f.*

*coleosporiooides*, V (DAVFP)

*Endocronartium harknessii*, V (DAVFP)

*Melampsora medusae*, V (DAVFP)

*Peridermium* sp., V (DAVFP)

**Chytridiomycota**

*Blyttiomycetes aureus*, LC (Booth 1969)

**Deuteromycotina**

**Hyphomycetes**

*Botrytis* sp., LC (Mittal and Wang 1985)

*Fusarium* sp., V (DAVFP)

**Protozoa**

**Myxomycota**

*Lamproderma carestiae*, V (DAVFP)

**Parasitic Plants**

*Arceuthobium tsugense*, V (DAVFP)

***Pinus thunbergii* Parl. - Japanese black pine**

**Fungi**

**Ascomycotina**

*Mycosphaerella pini*, LC (Shaw 1973)

***Pinus* sp. - pine**

**Fungi**

**Ascomycotina**

*Cenangium acicola*, LC (Shaw 1973)

*Neopeckia coulteri*, LC (Barr 1984)

**Basidiomycotina**

**Aphyllophorales**

*Fomitopsis rosea*, LC (Shaw 1973 as *Fomes roseus*)

**Deuteromycotina**

**Coelomycetes**

*Phoma acicola*, V (DAVFP)

**Hyphomycetes**

*Trichoderma citrinoviride*, LC (Bissett 1984)

***Pittosporum tobira* Ait. - Japanese pittosporum**

**Fungi**

**Deuteromycotina**

**Coelomycetes**

*Phyllosticta* sp., LC (Ginns 1986a)

***Plagiobothrys hirtus* (Greene) I.M. Johnston - rough allocarya**

**Fungi**

**Chytridiomycota**

*Synchytrium myosotidis*, LC (Karling 1956)

***Plagiochila asplenoides* (L.) Dumont - moss**

**Fungi**

**Basidiomycotina**

**Aphyllophorales**

*Mniopetalum globisporum*, LC (Redhead 1973)

***Plantago juncoides* Lam. - seaside plantain**

**Fungi**

**Ascomycotina**

*Erysiphe cichoracearum*, LC (Toms 1964)

**Plantago major** L. - common plantain

Fungi

Ascomycotina

*Erysiphe cichoracearum*, LC (Barr 1953)  
*Erysiphe* sp., V (DAVFP)

Deuteromycotina

Hymenomycetes

*Verticillium dahliae*, LC (Toms 1964;  
 Woolliams 1966)

Chromista

Oomycota

*Peronospora alta*, LC (Ginns 1986a)

**Plantago maritima** L. - plantain

Fungi

Ascomycotina

*Erysiphe cichoracearum*, LC (Jones 1957)

**Platanus acerifolia** (Ait.) Willd. - London planetree

Fungi

Ascomycotina

*Apiognomonia veneta*, V (DAVFP)

**Platanus occidentalis** L. - American planetree, buttonwood, sycamore

Fungi

Ascomycotina

*Apiognomonia veneta*, LC (Barr 1953 as  
*Gnomonia veneta*)

**Platanus orientalis** L. - oriental planetree

Fungi

Ascomycotina

*Apiognomonia veneta*, LC (Conners 1967)

**Platanus sp.** - planetree, sycamore

Fungi

Deuteromycotina

Cyphomycetes

*Cytospora* sp., V (DAVFP)

**Poa ampla** Merr. - Merrill's bluegrass

Fungi

Ascomycotina

*Myriosclerotinia borealis*, LC (Ginns 1986a)

Deuteromycotina

Cyphomycetes

*Pseudoseptoria donacis*, LC (Sprague 1960a)

**Poa annua** L. - annual bluegrass

Chromista

Oomycota

*Pythium* sp., V (DAVFP)

**Poa bulbosa** L. - bulbous bluegrass

Fungi

Basidiomycotina

Uredinales

*Puccinia brachypodii* var. *poae-nemoralis*,  
 LC (Savile 1976a as *Puccinia poae-*  
*nemoralis* subsp. *poae-nemoralis*)

**Poa compressa** L. - Canada bluegrass

Fungi

Ascomycotina

*Myriosclerotinia borealis*, LC (Ginns 1986a)

Basidiomycotina

Uredinales

*Puccinia brachypodii* var. *poae-nemoralis*,  
 LC (Toms 1964 as *Puccinia poae-*  
*nemoralis*)

Others

*Thanatephorus cucumeris*, LC (Ginns 1986a  
 as *Rhizoctonia solani*)

Deuteromycotina

Hymenomycetes

*Cercosporidium graminis*, LC (Jones 1957  
 as *Scolecochitrum graminis*)

**Poa gracillima** Vas. - Pacific bluegrass

Fungi

Ascomycotina

*Pleospora heleocharidis*, LC (Barr 1953)

**Poa interior** Rydb. - inland bluegrass

Fungi

Ascomycotina

*Metasphaeria culmifida* f. *poae*, LC (Barr  
 1953)

**Poa palustris** L. - fowl meadow bluegrass

Fungi

Basidiomycotina

Uredinales

*Puccinia brachypodii* var. *poae-nemoralis*, V  
 (DAVFP)

Deuteromycotina

Cyphomycetes

*Pseudoseptoria stomaticola*, LC (Ginns  
 1986a)

**Poa paucispicula** Scribn. & Merr. - bog bluegrass

Fungi

Basidiomycotina

Uredinales

*Puccinia brachypodii* var. *poae-nemoralis*, V  
 (DAVFP)

**Poa pratensis** L. - Kentucky bluegrass

Fungi

Ascomycotina

*Erysiphe graminis*, LC (Ginns 1986a)

*Leptosphaeria korrae*, LC (MacDonald et al.  
 1991)

Basidiomycotina

Aphyllophorales

*Typhula* sp., LC (MacDonald et al. 1991)

Uredinales

*Puccinia brachypodii* var. *poae-nemoralis*, V  
 (DAVFP)

*Puccinia striiformis*, V (DAVFP)

*Puccinia* sp., LC (MacDonald et al. 1991)

*Plant hosts - P*

<b>Others</b> <i>Thanatephorus cucumeris</i> , LC (Traquair and Smith 1981 as <i>Rhizoctonia solani</i> )	<b>Polygonum acre</b> H.B.K. see <i>Polygonum punctatum</i>
<b>Deuteromycotina</b> <b>Coelomycetes</b> <i>Pseudoseptoria stomaticola</i> , LC (Ginns 1986a)	<b>Polygonum amphibium</b> L. (= <i>Polygonum natans</i> ) - water knotweed
<b>Hymomycetes</b> <i>Cercosporidium graminis</i> , LC (Ginns 1986a) <i>Drechslera poae</i> , LC (Ginns 1986a) <i>Fusarium poae</i> , LC (Ginns 1986a)	<b>Fungi</b> <b>Basidiomycotina</b> <b>Uredinales</b> <i>Puccinia polygoni-amphibii</i> , V (DAVFP) <i>Uromyces polygoni-aviculae</i> , LC (Shaw 1973)
<b>Poa sp. - bluegrass</b>	<b>Polygonum arenastrum</b> Jord. ex Bor.
<b>Fungi</b>	<b>Fungi</b>
<b>Ascomycotina</b> <i>Clathrospora pentamera</i> , LC (Barr 1953) <i>Erysiphe graminis</i> , LC (Barr 1953) <i>Leptosphaeria culmifraga</i> , LC (Barr 1953) <i>Mycosphaerella tassiana</i> , LC (Barr 1953) <i>Mycosphaerella whichuriana</i> , LC (Barr 1953) <i>Phaeosphaeria typharum</i> , LC (Barr 1953 as <i>Leptosphaeria typharum</i> ) <i>Phyllachora graminis</i> , LC (Barr 1953) <i>Pleospora discors</i> , LC (Barr 1953) <i>Pleospora helvetica</i> , LC (Barr 1953)	<b>Basidiomycotina</b> <b>Uredinales</b> <i>Uromyces polygoni-aviculae</i> , LC (Savile 1987)
<b>Basidiomycotina</b> <b>Uredinales</b> <i>Puccinia brachypodii</i> var. <i>poae-nemoralis</i> , V (DAVFP) <i>Puccinia recondita</i> , V (DAVFP)	<b>Polygonum aviculare</b> L. - common knotweed
<b>Deuteromycotina</b> <b>Coelomycetes</b> <i>Ascospora graminis</i> , LC (Barr 1953)	<b>Fungi</b> <b>Ascomycotina</b> <i>Erysiphe polygoni</i> , V (DAVFP)
<b>Polygonatum contortum</b> (Schwaegr.) Sull. - moss	<b>Basidiomycotina</b> <b>Uredinales</b> <i>Uromyces polygoni-aviculae</i> , LC (Toms 1964; Savile 1987)
<b>Fungi</b>	<b>Polygonum coccineum</b> Muhl. - swamp knotweed
<b>Basidiomycotina</b> <b>Aphyllophorales</b> <i>Cyphellostereum laeve</i> , LC (Redhead 1973)	<b>Fungi</b> <b>Basidiomycotina</b> <b>Uredinales</b> <i>Puccinia polygoni-amphibii</i> , V (DAVFP) <i>Uromyces polygoni-aviculae</i> , LC (Shaw 1973)
<b>Polygonatum macounii</b> Kindb. - moss	<b>Polygonum coccineum</b> Muhl. var. <i>hartwrightii</i> (Gray) Biss. - swamp knotweed
<b>Fungi</b>	<b>Fungi</b>
<b>Basidiomycotina</b> <b>Aphyllophorales</b> <i>Cyphellostereum laeve</i> , LC (Redhead 1973)	<b>Basidiomycotina</b> <b>Uredinales</b> <i>Puccinia polygoni-amphibii</i> , UR
<b>Polemonium acutiflorum</b> Willd.	<b>Polygonum convolvulus</b> L. - black bindweed
<b>Fungi</b>	<b>Fungi</b>
<b>Basidiomycotina</b> <b>Uredinales</b> <i>Puccinia polemonii</i> , LC (Parmelee 1986a)	<b>Deuteromycotina</b> <b>Hymomycetes</b> <i>Fusarium oxysporum</i> f. sp. <i>radicis-lycopersici</i> , LC (Menzies et al. 1990)
<b>Polemonium sp. - polemonium</b>	<b>Chromista</b> <b>Oomycota</b> <i>Peronospora polygoni</i> , LC (Ginns 1986a)
<b>Fungi</b>	<b>Polygonum fowleri</b> Robinson - Fowler's knotweed
<b>Ascomycotina</b> <i>Mycosphaerella tassiana</i> , LC (Barr 1953) <i>Pleospora comata</i> , LC (Barr 1953)	<b>Fungi</b> <b>Basidiomycotina</b> <b>Uredinales</b> <i>Uromyces polygoni-aviculae</i> , V (DAVFP)
<b>Uredinales</b> <i>Puccinia polemonii</i> , LC (Parmelee 1986a)	

**Polygonum natans** (Michx.) Eaton see  
*Polygonum amphibium*

**Polygonum persicaria** L. - lady's thumb,  
spotted persicaria

Fungi

Deuteromycotina

Coelomycetes

*Septoria polygonorum*, LC (Toms 1964;  
Punja and Ormrod 1979)

**Polygonum punctatum** Elliott  
(=*Polygonum acre*) - water smartweed

Fungi

Basidiomycotina

Uredinales

*Puccinia polygoni-amphibii*, LC (Ginns  
1986a)

**Polygonum spargulariaeforme** Meisn. -  
fall knotweed

Fungi

Basidiomycotina

Uredinales

*Uromyces polygoni-aviculae*, V (DAVFP)

**Polygonum viviparum** L. - viviparous  
knotweed

Fungi

Basidiomycotina

Uredinales

*Puccinia bistortae*, V (DAVFP)

Others

*Ustilago bistortarum*, LC (Connors 1967)

**Polygonum sp.** - knotweed

Fungi

Ascomycotina

*Erysiphe polygoni*, LC (Barr 1953)

Basidiomycotina

Others

*Ustilago reticulata*, LC (Punja and Ormrod  
1979)

**Polypodium vulgare** L. var. *occidentale*  
Hook. - licorice fern

Fungi

Basidiomycotina

Uredinales

*Milesina laeviuscula*, V (DAVFP)

**Polystichum lonchitis** (L.) Roth - holly fern

Fungi

Ascomycotina

*Phylloachora filicina*, LC (Connors 1967)

**Polystichum munitum** (Kaulf.) Presl -  
western sword fern

Fungi

Ascomycotina

*Taphrina faulliana*, V (DAVFP)

**Basidiomycotina**  
**Agaricales**  
*Mycena stylobates*, LC (Redhead 1981)

**Uredinales**

*Milesina vogesiaca*, V (DAVFP)  
*Milesina winelandii*, V (DAVFP)  
*Peridermium* sp., V (DAVFP)

**Deuteromycotina**

**Hyphomycetes**

*Valdensia heterodoxa*, LC (Ginns 1986a)

**Populus '8/33'** - poplar

Fungi

Basidiomycotina

Uredinales

*Melampsora occidentalis*, V (DAVFP)

**Populus 'A8'** - poplar

Fungi

Basidiomycotina

Uredinales

*Melampsora occidentalis*, V (DAVFP)

**Populus acuminata** Rydb. - lanceleaf  
cottonwood

Fungi

Basidiomycotina

Uredinales

*Melampsora occidentalis*, LC (Connors  
1967)

**Populus X acuminata** Rydb. - lanceleaf  
cottonwood

Fungi

Basidiomycotina

Uredinales

*Melampsora occidentalis*, UR

**Populus alba** L. - silver-leaved poplar, white  
poplar

Fungi

Ascomycotina

*Melanomma* sp., V (DAVFP)  
*Neofabraea populi*, V (DAVFP)

Basidiomycotina

Uredinales

*Melampsora* sp., V (DAVFP)  
*Uredo* sp., V (DAVFP)

Deuteromycotina

Coelomycetes

*Marssonina brunnea*, V (DAVFP)  
*Marssonina castagnei*, V (DAVFP)

**Populus alba** L. X *P. glutinosa* - hybrid  
poplar

Fungi

Deuteromycotina

Coelomycetes

*Marssonina brunnea*, V (DAVFP)

*Plant hosts - P*

***Populus balsamifera* L. - balsam poplar**

**Fungi**

**Ascomycotina**

- Caliciopsis calicoides*, V (DAVFP)
- Hypoxyylon fuscum*, V (DAVFP)
- Lahmia kunzei*, V (DAVFP)
- Linospora tetraspora*, LC (Conners 1967)
- Mycosphaerella populicola*, V (DAVFP)
- Mycosphaerella populorum*, V (DAVFP)
- Phaeocalicium populneum*, V (DAVFP)
- Scutellinia scutellata*, LC (Shaw 1973)
- Valsa sordida*, V (DAVFP)
- Venturia populina*, V (DAVFP)

**Basidiomycotina**

**Agaricales**

- Armillaria sinapina*, V (DAVFP)
- Armillaria* sp., V (DAVFP)
- Gymnopilus spectabilis*, UR
- Pleurotus subareolatus*, LC (Shaw 1973)

**Aphyllophorales**

- Bjerkandera adusta*, UR
- Fomes fomentarius*, V (DAVFP)
- Ganoderma applanatum*, V (DAVFP)
- Hericium coralloides*, UR – Cultured then discarded.
- Inonotus cuticularis*, UR
- Inonotus glomeratus*, UR
- Peniophora rufa*, V (DAVFP)

**Uredinales**

- Melampsora occidentalis*, V (DAVFP)

**Deuteromycotina**

**Coelomycetes**

- Cytospora* sp., V (DAVFP)

***Populus 'Berolenfusis'* (=*Populus berolinensis*) - poplar**

**Fungi**

**Ascomycotina**

- Taphrina populina*, UR

***Populus berolinensis* Dippel X *P. maximowiczii* Henry - Oxford poplar**

**Fungi**

**Basidiomycotina**

**Uredinales**

- Melampsora occidentalis*, V (DAVFP)

***Populus 'Brooks'* - poplar**

**Fungi**

**Deuteromycotina**

**Coelomycetes**

- Cytospora* sp., V (DAVFP)

***Populus 'Brooks No. 10'* - poplar**

**Fungi**

**Deuteromycotina**

**Coelomycetes**

- Cytospora* sp., V (DAVFP)

- Marssonina brunnea*, V (DAVFP)

***Populus X canadensis* Moench 'Gelrica' -**

**hybrid poplar**

**Fungi**

**Basidiomycotina**

**Uredinales**

- Melampsora occidentalis*, V (DAVFP)

**Deuteromycotina**

**Coelomycetes**

- Cytospora* sp., V (DAVFP)

***Populus X canadensis* Moench 'Grandis' -**

**hybrid poplar**

**Fungi**

**Ascomycotina**

- Taphrina populina*, V (DAVFP)

**Basidiomycotina**

**Agaricales**

- Armillaria* sp., V (DAVFP)

***Populus X canadensis* Moench 'I-488' -**

**hybrid poplar**

**Fungi**

**Ascomycotina**

- Neofabraea populi*, V (DAVFP)

***Populus X canadensis* Moench 'Regenerata' (Schneid.) Rehd. - hybrid**

**poplar**

**Fungi**

**Ascomycotina**

- Neofabraea populi*, V (DAVFP)

- Taphrina populina*, V (DAVFP)

**Basidiomycotina**

**Aphyllophorales**

- Peniophora* sp., V (DAVFP)

**Deuteromycotina**

**Coelomycetes**

- Cytospora* sp., V (DAVFP)

- Marssonina brunnea*, V (DAVFP)

- Melanconium* sp., V (DAVFP)

***Populus X canadensis* Moench 'Regenerata Grandis' - hybrid poplar**

**Fungi**

**Ascomycotina**

- Neofabraea populi*, V (DAVFP)

**Deuteromycotina**

**Coelomycetes**

- Cytospora* sp., V (DAVFP)

- Melanconium* sp., V (DAVFP)

***Populus X canadensis* Moench 'Robusta' -**

**hybrid poplar**

**Fungi**

**Ascomycotina**

- Cryptodiaporthe salicella*, LC (Bier 1961 on  
*Populus robusta*)

**Deuteromycotina**

**Hyphomycetes**

- Fusarium lateritium*, LC (Bier 1961 on

- Populus robusta*)

***Populus X canadensis* Moench 'Robusta Bachelieri'** - hybrid poplar

Fungi

Ascomycotina

*Neofabraea populi*, V (DAVFP)  
*Taphrina populinella*, V (DAVFP)

Deuteromycotina

Coelomycetes

*Cytospora* sp., V (DAVFP)  
*Melanconium* sp., V (DAVFP)

***Populus X canadensis* Moench 'Robusta Issendorf'** - hybrid poplar

Fungi

Ascomycotina

*Neofabraea populi*, V (DAVFP)

Deuteromycotina

Coelomycetes

*Cytospora* sp., V (DAVFP)

***Populus X canadensis* Moench 'Robusta Vernirubens'** - hybrid poplar

Fungi

Deuteromycotina

Coelomycetes

*Cytospora* sp., V (DAVFP)

***Populus X canadensis* Moench 'Serotina 1'** (Hartig) Rehd. - hybrid poplar

Fungi

Basidiomycotina

Uredinales

*Melampsora occidentalis*, V (DAVFP)

***Populus X canadensis* Moench 'Serotina 2'** (Hartig) Rehd. - hybrid poplar

Fungi

Ascomycotina

*Diaporthe* sp., V (DAVFP)

Basidiomycotina

Uredinales

*Melampsora occidentalis*, V (DAVFP)

***Populus x canadensis* Moench 'Serotina'** (Hartig) Rehd. X ***Populus x canadensis*** Moench 'Marilandica' (Poir.) Rehd. – hybrid poplar

Fungi

Basidiomycotina

Uredinales

*Uredo* sp., V (DAVFP)

***Populus 'D-8'*** - poplar

Fungi

Basidiomycotina

Uredinales

*Melampsora occidentalis*, V (DAVFP)

***Populus deltoides*** Bartr. - eastern

cottonwood

Fungi

Ascomycotina

*Mycosphaerella populifolia*, LC (Barr 1953)

***Populus deltoides*** Bartr. X ***P. nigra*** L. -

hybrid poplar

Fungi

Deuteromycotina

Coelomycetes

*Marssonina brunnea*, V (DAVFP)

***Populus 'FNS 44-52'*** - poplar

Fungi

Deuteromycotina

Coelomycetes

*Cytospora* sp., V (DAVFP)

***Populus X 'Generosa'*** Henry - hybrid poplar

Fungi

Basidiomycotina

Uredinales

*Melampsora occidentalis*, V (DAVFP)

***Populus X jackii*** Sarg. (=*Populus balsamifera* X *P. deltoides*) - Northwest

poplar

Fungi

Ascomycotina

*Neofabraea populi*, V (DAVFP)

Basidiomycotina

Uredinales

*Melampsora occidentalis*, V (DAVFP)

Deuteromycotina

Coelomycetes

*Cytospora* sp., V (DAVFP)

***Populus nigra*** L. - black poplar of Europe

Fungi

Basidiomycotina

Agaricales

*Armillaria* sp., V (DAVFP)

Deuteromycotina

Coelomycetes

*Diplodia tumefaciens*, LC (Shaw 1973)

*Marssonina populi*, LC (Shaw 1973 as

*Drepanopeziza populorum*)

Hyphomycetes

*Cladosporium* sp., LC (Shaw 1973)

***Populus nigra*** L. var. ***italica*** Muenchh. - lombardy poplar

Fungi

Ascomycotina

*Taphrina populinella*, V (DAVFP)

*Valsa sordida*, LC (Connors 1967 as

*Cytospora chrysosperma*)

*Valsa* sp., V (DAVFP)

*Venturia populinella*, V (DAVFP)

*Plant hosts - P*

<b>Basidiomycotina</b>	
<b>Agaricales</b>	
<i>Pholiota populnea</i> , V (DAVFP)	
<i>Pleurotus ostreatus</i> , V (DAVFP)	
<b>Aphyllophorales</b>	
<i>Chondrostereum purpureum</i> , V (DAVFP)	
<i>Typhula setipes</i> , V (DAVFP)	
<b>Deuteromycotina</b>	
<b>Coelomycetes</b>	
<i>Cytospora</i> sp., V (DAVFP)	
<i>Marssonina populi</i> , V (DAVFP)	
<b>Hymomycetes</b>	
<i>Fusarium</i> sp., V (DAVFP)	
<b>Bacteria</b>	
<i>Pseudomonas syringae</i> , V (DAVFP)	
<b><i>Populus nigra</i> L. X <i>P. trichocarpa</i> T. &amp; G.</b>	-
hybrid poplar	
<b>Fungi</b>	
<b>Basidiomycotina</b>	
<b>Uredinales</b>	
<i>Uredo</i> sp., V (DAVFP)	
<b><i>Populus petrowskyana</i> Schneid.</b>	- poplar
<b>Fungi</b>	
<b>Deuteromycotina</b>	
<b>Coelomycetes</b>	
<i>Cytospora</i> sp., V (DAVFP)	
<b><i>Populus tacamahaca</i> Mill. 'clone</b>	
<b>candidans berolinensis'</b> - balsam poplar	
<b>Fungi</b>	
<b>Basidiomycotina</b>	
<b>Uredinales</b>	
<i>Uredo</i> sp., V (DAVFP)	
<b><i>Populus tacamahaca</i> Mill. X <i>P. deltoides</i></b>	
Bartr. - hybrid poplar	
<b>Fungi</b>	
<b>Deuteromycotina</b>	
<b>Coelomycetes</b>	
<i>Marssonina brunnea</i> , V (DAVFP)	
<b><i>Populus tremula</i> L. X <i>P. tremuloides</i></b>	
Michx. - hybrid poplar	
<b>Fungi</b>	
<b>Ascomycotina</b>	
<i>Neofabraea populi</i> , V (DAVFP)	
<b><i>Populus tremuloides</i> Michx.</b>	- trembling aspen
<b>Fungi</b>	
<b>Ascomycotina</b>	
<i>Amphisphaerella amphisphaerioides</i> , V (DAVFP)	
<i>Bertia moriformis</i> , V (DAVFP)	
<i>Bisporella citrina</i> , V (DAVFP)	
<i>Caliciopsis calicoides</i> , V (DAVFP)	
<i>Ceratocystis fimbriata</i> , V (DAVFP)	
<i>Ceratocystis</i> sp., V (DAVFP)	
<i>Chlorociboria aeruginosa</i> , V (DAVFP)	
<i>Ciborinia whetzelii</i> , V (DAVFP)	
<i>Coniochaeta lignaria</i> , V (DAVFP)	
<b>Basidiomycotina</b>	
<b>Agaricales</b>	
<i>Coniochaeta pulveracea</i> , V (DAVFP)	
<i>Cryptodiaporthe salicella</i> , LC (Bier 1961)	
<i>Cryptodiaporthe</i> sp., V (DAVFP)	
<i>Cryptosphaeria lignyota</i> , V (DAVFP)	
<i>Cucurbitaria staphula</i> , V (DAVFP)	
<i>Cucurbitaria</i> sp., V (DAVFP)	
<i>Dasyscyphus</i> sp., V (DAVFP)	
<i>Dermea</i> sp., V (DAVFP)	
<i>Diatrype flavovirens</i> , V (DAVFP)	
<i>Encoelia fascicularis</i> , V (DAVFP)	
<i>Encoelia pruinosa</i> , V (DAVFP)	
<i>Entoleuca mammata</i> , V (DAVFP)	
<i>Glyphium corrugatum</i> , LC (Ginns 1986a)	
<i>Hyponectria populi</i> , V (DAVFP)	
<i>Hypoxyylon fuscum</i> , LC (Barr 1953)	
<i>Hypoxyylon multifforme</i> , V (DAVFP)	
<i>Hypoxyylon novemtexicanum</i> , V (DAVFP)	
<i>Hypoxyylon rubiginosum</i> , V (DAVFP)	
<i>Hysterographium fraxini</i> , V (DAVFP)	
<i>Karschia</i> sp., V (DAVFP)	
<i>Lahmia kunzei</i> , V (DAVFP)	
<i>Lasiosphaeria</i> sp., V (DAVFP)	
<i>Leucostoma nivea</i> , V (DAVFP)	
<i>Melanomma pulvis-pyrius</i> , V (DAVFP)	
<i>Mycosphaerella populicola</i> , V (DAVFP)	
<i>Mycosphaerella populorum</i> , V (DAVFP)	
<i>Mycosphaerella tassiana</i> , V (DAVFP)	
<i>Nemania serpens</i> , V (DAVFP)	
<i>Neofabraea populi</i> , V (DAVFP)	
<i>Ophiostoma piliferum</i> , LC (Hutchison et al. 1992)	
<i>Perrotia flammea</i> , V (DAVFP)	
<i>Phaeocalicium populneum</i> , V (DAVFP)	
<i>Pleospora</i> sp., V (DAVFP)	
<i>Pseudovalsaria ferruginea</i> , V (DAVFP)	
<i>Rhytidella baranyayi</i> , V (DAVFP) (TYPE)	
<i>Stictis radiata</i> , V (DAVFP)	
<i>Taphrina populina</i> , LC (Ginns 1986a)	
<i>Taphrina</i> sp., UR - Specimen discarded	
<i>Teichospora</i> sp., V (DAVFP)	
<i>Tympanis alnea</i> , V (DAVFP)	
<i>Tympanis conspersa</i> , UR	
<i>Tympanis spermatiospora</i> , V (DAVFP)	
<i>Uncinula adunca</i> , V (DAVFP)	
<i>Valsa sordida</i> , V (DAVFP)	
<i>Valsa</i> sp., V (DAVFP)	
<i>Venturia borealis</i> , V (DAVFP) (HOLOTYPE)	
– Dried culture only.	
<i>Venturia macularis</i> , V (DAVFP)	
<i>Venturia cf. macularis</i> , V (DAVFP)	

**Basidiomycotina**

**Agaricales**

*Armillaria sinapina*, V (DAVFP)

*Armillaria* sp., LC (Morrison et al. 1985 as *Armillaria mellea*)

*Crepidotus fulvotomentosus*, V (DAVFP)

*Crepidotus mollis*, V (DAVFP)

*Flammulina velutipes*, V (DAVFP)

*Gymnopilus spectabilis*, UR

*Hohenbuehelia unguicularis*, V (DAVFP)

*Hypsizygus tessellatus*, V (DAVFP)

*Kuehneromyces mutabilis*, V (DAVFP)

*Lentinellus cochleatus*, V (DAVFP)

*Lentinus strigosus*, V (DAVFP)

*Marasmius epiphylloides*, UR

*Pholiota adiposa*, UR

*Pholiota alnicola*, UR

*Pleurotus ostreatus*, V (DAVFP)

*Pleurotus subareolatus*, V (DAVFP)

**Aphyllophorales**

*Antrodia malicola*, LC (Shaw 1973 as *Trametes malicola*)

*Antrodia xantha*, V (DAVFP)

*Bjerkandera adusta*, V (DAVFP)

*Ceraceomyces serpens*, V (DAVFP)

*Ceriporia purpurea*, V (DAVFP)

*Ceriporiopsis aneirina*, V (DAVFP)

*Cerrena unicolor*, LC (Shaw 1973 as *Daedalea unicolor*)

*Chondrostereum purpureum*, V (DAVFP)

*Coniophora olivacea*, V (DAVFP)

*Coriolopsis gallica*, V (DAVFP)

*Corticium roseum*, V (DAVFP)

*Crustoderma dryinum*, V (DAVFP)

*Cystostereum murraili*, UR

*Daedaleopsis confragosa*, V (DAVFP)

*Fibulomycetes mutabilis*, V (DAVFP)

*Fomitopsis cajanderi*, V (DAVFP)

*Fomitopsis pinicola*, V (DAVFP)

*Ganoderma applanatum*, V (DAVFP)

*Gloeophyllum sepiarium*, V (DAVFP)

*Gloeocephorus dichrous*, V (DAVFP)

*Grandinia spathulata*, V (DAVFP)

*Hapalopilus rutilans*, V (DAVFP)

*Hericium coralloides*, V (DAVFP)

*Hypoderma karstenii*, V (DAVFP)

*Hypoderma mutatum*, V (DAVFP)

*Inonotus cuticularis*, UR

*Inonotus glomeratus*, UR

*Inonotus radiatus*, LC (Ginns 1986a)

*Inonotus rheades*, V (DAVFP)

*Irpea lactea*, LC (Shaw 1973 as *Polyporus tulipiferae*)

*Junghuhnia nitida*, V (DAVFP)

*Kavinia alboviridis*, LC (Connors 1967 as *Mycoacia alboviride*)

*Oxyporus corticola*, V (DAVFP)

*Peniophora polygonia*, V (DAVFP)

*Peniophora rufa*, V (DAVFP)

*Phanerochaete sanguinea*, V (DAVFP)

*Phanerochaete sordida*, V (DAVFP)

*Phanerochaete* sp., V (DAVFP)

*Phellinus ferruginosus*, V (DAVFP)

*Phellinus tremulae*, V (DAVFP)

*Phlebia merismoides*, V (DAVFP)

*Phlebia tremellosus*, LC (Connors 1967)

*Phlebiella vaga*, V (DAVFP)

*Piloderma byssinum*, V (DAVFP)

*Polyporus badius*, V (DAVFP)

*Polyporus varius*, V (DAVFP)

*Postia caesia*, V (DAVFP)

*Punctularia strigosozonata*, V (DAVFP)

*Radulodon americanus*, V (DAVFP) (TYPE)

*Resinicium bicolor*, LC (Shaw 1973 as *Odontia bicolor*)

*Schizophyllum commune*, V (DAVFP)

*Sistotrema raduloides*, V (DAVFP)

*Skeletocutis nivea*, V (DAVFP)

*Steccherinum ciliolatum*, V (DAVFP)

*Trametes hirsuta*, V (DAVFP)

*Trametes ochracea*, V (DAVFP)

*Trametes pubescens*, V (DAVFP)

*Trametes versicolor*, V (DAVFP)

*Trichaptum biforme*, V (DAVFP)

*Trichaptum subchartaceum*, V (DAVFP)

**Uredinales**

*Melampsora medusae*, V (DAVFP)

*Melampsora* sp., UR - Specimen discarded.

*Uredo* sp., V (DAVFP)

**Others**

*Aporium caryae*, V (DAVFP)

*Calocera cornea*, V (DAVFP)

*Tremella mesenterica*, V (DAVFP)

**Deuteromycotina****Coelomycetes**

*Cytospora* sp., V (DAVFP)

*Diplodia tumefaciens*, V (DAVFP)

*Leciographa gallicola*, V (DAVFP) - (+ TYPE of conidial state)

*Libertia* sp., LC (Connors 1967)

*Marssonina brunnea*, V (DAVFP)

*Marssonina castagnaei*, LC (Connors 1967)

*Marssonina populi*, V (DAVFP)

*Marssonina* sp., V (DAVFP)

*Phoma* sp., V (DAVFP)

**Hyphomycetes**

*Epicoccum* sp., UR

*Fusarium lateritium*, LC (Bier 1961)

*Graphium* sp., V (DAVFP)

*Hypozyma* sp., LC (Hutchison et al. 1992)

*Lecythophora hoffmannii*, LC (Hutchison et al. 1992)

*Leptographium* sp., V (DAVFP)

*Phaeoramularia maculicola*, LC (Ginns 1986a)

*Sporidesmium* sp., V (DAVFP)

*Trichoderma* sp., LC (Shaw 1973)

**Protozoa****Myxomycota**

*Dianema* sp., V (DAVFP)

*Trichia decipiens*, V (DAVFP)

**Bacteria**

*Pseudomonas syringae*, V (DAVFP)

***Populus tremuloides* Michx. var. *aurea***

(Tidestr.) Daniels - Rocky Mountain  
trembling aspen

**Fungi****Deuteromycotina****Hyphomycetes**

*Phaeoramularia maculicola*, LC (Sutton 1970)

***Populus trichocarpa* T. & G. - black**

cottonwood

**Fungi****Ascomycotina**

*Amphisphaerella amphisphaeroides*, V (DAVFP)

*Arachnopeziza* sp., V (DAVFP)

*Ascocoryne sarcoidea*, UR

*Caliciopsis calicioides*, V (DAVFP)

*Coccomyces* sp., V (DAVFP)

*Cryptodiaporthe salicella*, LC (Bier 1961)

*Cryptosphaeria lignyota*, V (DAVFP)

*Cucurbitaria staphula*, V (DAVFP)

*Diaporthe eres*, LC (Barr 1953)

*Diaporthe* sp., V (DAVFP)

## Plant hosts - P

- Diatrype bullata*, LC (Barr 1953 as *Diatrype macounii*)  
*Discina ancilis*, V (DAVFP)  
*Eutypa maura*, V (DAVFP)  
*Guignardia* sp., V (DAVFP)  
*Hyaloscypha hyalina*, V (DAVFP)  
*Hypoxyylon multiforme*, LC (Barr 1953)  
*Hypoxyylon vogesiacum* var. *macrospora*, V (DAVFP)  
*Leucostoma nivea*, LC (Shaw 1973 as *Valsa n.*)  
*Linospora tetraspora*, V (DAVFP)  
*Lophodermium* sp., V (DAVFP)  
*Melanomma fuscidulum*, V (DAVFP)  
*Mycosphaerella populicola*, V (DAVFP)  
*Mycosphaerella populifolia*, LC (Barr 1953)  
*Mycosphaerella populorum*, V (DAVFP)  
*Mycosphaerella tassiana*, V (DAVFP)  
*Mycosphaerella* sp., V (DAVFP)  
*Nectria inventa*, V (DAVFP)  
*Neofabrea populi*, V (DAVFP)  
*Ophiostoma piliferum*, LC (Griffin 1968; Ginn 1986a as *Ceratocystis pilifera*)  
*Peziza emileia*, V (DAVFP)  
*Peziza repanda*, V (DAVFP)  
*Phaeocalicium populneum*, V (DAVFP)  
*Pleospora* sp., V (DAVFP)  
*Scutellinia scutellata*, V (DAVFP)  
*Stictis radiata*, V (DAVFP)  
*Taphrina populi-salicis*, V (DAVFP)  
*Taphrina populina*, V (DAVFP)  
*Tymanis spermatiospora*, LC (Shaw 1973)  
*Tymanis* sp., V (DAVFP)  
*Uncinula adunca*, V (DAVFP)  
*Valsa sordida*, V (DAVFP)  
*Valsa* sp., V (DAVFP)  
*Venturia populina*, V (DAVFP)
- Basidiomycotina**
- Agaricales**
- Armillaria nabsnona*, V (DAVFP)  
*Armillaria* sp., V (DAVFP)  
*Clitocybe truncicola*, V (DAVFP)  
*Coprinus* sp., UR  
*Crepidotus fulvotomentosus*, V (DAVFP)  
*Cyphelopsis anomala*, V (DAVFP)  
*Flammula* sp., V (DAVFP)  
*Flammulina velutipes*, V (DAVFP)  
*Gymnopilus spectabilis*, UR  
*Hypsizygus tessellatus*, V (DAVFP)  
*Hypsizygus ulmarius*, V (DAVFP)  
*Inocybe* sp., LC (Shaw 1973)  
*Kuehneromyces mutabilis*, V (DAVFP)  
*Lentinellus ursinus*, V (DAVFP)  
*Lentinellus vulpinus*, V (DAVFP)  
*Lentinus strigosus*, V (DAVFP)  
*Ossicaulis lignatilis*, LC (Redhead and Ginn 1985)  
*Pholiota populnea*, V (DAVFP)  
*Pholiota* sp., V (DAVFP)  
*Pleurotellus hypnophilus*, V (DAVFP)  
*Pleurotus dryinus*, V (DAVFP)  
*Pleurotus ostreatus*, V (DAVFP)  
*Pleurotus subareolatus*, V (DAVFP)  
*Pluteus atricapillus*, V (DAVFP)  
*Pseudoclitocybe cyathiformis*, V (DAVFP)
- Aphyllophorales**
- Amphinema byssoides*, UR  
*Antrodia serialis*, V (DAVFP)
- Antrodia xantha*, V (DAVFP)  
*Bjerkandera adusta*, V (DAVFP)  
*Botryohypochnus isabellinus*, V (DAVFP)  
*Ceriporia viridans*, V (DAVFP)  
*Ceriporiopsis aneirina*, V (DAVFP)  
*Ceriporiopsis pannocincta*, V (DAVFP)  
*Cerrena unicolor*, V (DAVFP)  
*Chondrostereum purpureum*, V (DAVFP)  
*Coriolopsis gallica*, V (DAVFP)  
*Corticium roseum*, V (DAVFP)  
*Cristinia helvetica*, V (DAVFP)  
*Cylindrobasidium laeve*, V (DAVFP)  
*Daedaleopsis confragosa*, V (DAVFP)  
*Datronia mollis*, V (DAVFP)  
*Datronia stereoides*, V (DAVFP)  
*Diplomitoporus lenis*, LC (Shaw 1973 as *Poria lenis*)  
*Fomes fomentarius*, V (DAVFP)  
*Fomitopsis pinicola*, V (DAVFP)  
*Ganoderma applanatum*, V (DAVFP)  
*Gloeocystidiellum karstenii*, V (DAVFP)  
*Gloeocystidiellum porosum*, V (DAVFP)  
*Gloeoporos dichrous*, V (DAVFP)  
*Grandinia arguta*, V (DAVFP)  
*Hapalopilus rutilans*, LC (Connors 1967 as *Polyporus nidulans*)  
*Hericium americanum*, V (DAVFP)  
*Hericium coralloides*, V (DAVFP)  
*Hyphoderma inusitata*, V (DAVFP) (TYPE)  
*Hyphoderma mutatum*, V (DAVFP)  
*Hyphoderma sambuci*, V (DAVFP)  
*Hyphoderma setigerum*, V (DAVFP)  
*Hypochnicium analogum*, V (DAVFP)  
*Hypochnicium velleereum*, V (DAVFP)  
*Inonotus glomeratus*, V (DAVFP)  
*Inonotus obliquus*, LC (Shaw 1973 as *Poria obliqua*)  
*Intextomyces contiguus*, LC (Connors 1967 as *Corticium contiguus*)  
*Irpea lacteus*, V (DAVFP)  
*Junghuhnia nitida*, V (DAVFP)  
*Laeticorticium expallens*, V (DAVFP)  
*Merulipopsis corium*, V (DAVFP)  
*Oxyporus corticola*, V (DAVFP)  
*Oxyporus similis*, V (DAVFP)  
*Peniophora aurantiaca*, V (DAVFP)  
*Peniophora polygonia*, V (DAVFP)  
*Peniophora rufa*, V (DAVFP)  
*Phanerochaete carnosa*, LC (Ginn 1986a)  
*Phanerochaete sordida*, V (DAVFP)  
*Phanerochaete tuberculata*, V (DAVFP)  
*Phellinus ferreus*, V (DAVFP)  
*Phellinus ferruginosus*, V (DAVFP)  
*Phellinus igniarius*, V (DAVFP)  
*Phellinus viticola*, UR  
*Phlebia albida*, LC (Shaw 1973)  
*Phlebia merismoides*, V (DAVFP)  
*Polyporus badius*, V (DAVFP)  
*Polyporus melanopus*, V (DAVFP)  
*Polyporus squamosus*, V (DAVFP)  
*Polyporus varius*, V (DAVFP)  
*Postia caesia*, LC (Connors 1967 on *Polyporus caesius*)  
*Punctularia strigosozonata*, V (DAVFP)  
*Radulodon americanus*, V (DAVFP)  
*Schizophyllum commune*, V (DAVFP)  
*Schizopora paradoxa*, V (DAVFP)  
*Scytonostroma galactina*, V (DAVFP)  
*Sistotrema brinkmannii*, UR  
*Sistotrema raduloides*, V (DAVFP)

*Spongipellis delectans*, V (DAVFP)  
*Spongipellis spumeus*, LC (Shaw 1973 as  
*Polyporus spumeus*.)  
*Steccherinum ciliolatum*, V (DAVFP)  
*Steccherinum fimbriatum*, V (DAVFP)  
*Steccherinum ochraceum*, V (DAVFP)  
*Stereum ostrea*, LC (Conners 1967)  
*Subulicystidium longisporum*, V (DAVFP)  
*Tomentella calcicola*, V (DAVFP)  
*Tomentella coerulea*, V (DAVFP)  
*Tomentella ferruginea*, V (DAVFP)  
*Tomentella jaapii*, LC (Shaw 1973)  
*Tomentellastrum badium*, V (DAVFP)  
*Trametes hirsuta*, V (DAVFP)  
*Trametes pubescens*, LC (Conners 1967 as  
*Polyporus pubescens*)  
*Trametes suaveolens*, V (DAVFP)  
*Trametes versicolor*, V (DAVFP)  
*Trechispora mollusca*, UR  
*Trichaptum biforme*, V (DAVFP)  
*Trichaptum subchartaceum*, V (DAVFP)  
*Typhula* sp., V (DAVFP)  
*Tyromyces galactinus*, V (DAVFP)

**Uredinales**

*Melampsora occidentalis*, V (DAVFP)

**Others**

*Aporpium caryae*, V (DAVFP)  
*Basidiodendron grandinoides*, V (DAVFP)  
*Calocera cornea*, V (UBC F4727)  
*Dacrymyces deliquescens* var. *deliquescens*,  
 V (UBC F4848)  
*Dacrymyces deliquescens* var. *ellisi*, V (UBC  
 F4898)  
*Exidia glandulosa*, V (DAVFP)  
*Exidia recisa*, V (UBC F5192, F5193)  
*Exidiopsis fuliginea*, V (DAVFP)  
*Helicogloea lagerheimii*, V (UBC F5395,  
 F5399)  
*Heterochaete spinulosa*, V (DAVFP)  
*Protodontia oligacantha*, V (DAVFP) (TYPE)  
*Tremella mesenterica*, V (DAVFP)  
*Tulasnella calospora*, LC (Shaw 1973 as  
*Gloeotulasnella calospora*)

**Deuteromycotina****Coelomycetes**

*Cytospora* sp., V (DAVFP)  
*Diplodia tumefaciens*, V (DAVFP)  
*Libertia* sp., LC (Shaw 1973)  
*Marssonina populi*, V (DAVFP)  
*Phoma* sp., V (DAVFP)

**Hyphomycetes**

*Aegerita* sp., V (DAVFP)  
*Alternaria alternata*, UR  
*Aspergillus* sp., LC (Ginns 1986a)  
*Aureobasidium pullulans*, LC (Shaw 1973)  
*Beauveria bassiana*, UR  
*Cladosporium sessile*, V (DAVFP)  
*Cladosporium* sp., UR  
*Epicoccum* sp., LC (Ginns 1986a)  
*Fusarium lateritium*, LC (Bier 1959; 1961)  
*Phaeoramularia maculicola*, V (DAVFP)  
*Phialocephala bactrospora*, LC (Kendrick  
 1961) (TYPE)  
*Ramularia* sp., V (DAVFP)  
*Trichoderma hamatum*, LC (Bissett 1991)  
*Trichoderma* sp., LC (Ginns 1986a)

**Bacteria**

*Pseudomonas syringae*, V (DAVFP)

***Populus trichocarpa* T. & G. X P.  
*deltoides* Bartr. - hybrid poplar****Fungi****Ascomycotina**

*Diaporthe eres*, V (DAVFP)  
*Glomerella cingulata*, V (DAVFP)  
*Linospora tetraspora*, V (DAVFP)  
*Mycosphaerella populicola*, V (DAVFP)  
*Mycosphaerella populorum*, V (DAVFP)  
*Mycosphaerella tassiana*, V (DAVFP)  
*Taphrina populina*, V (DAVFP)  
*Valsa sordida*, V (DAVFP)  
*Valsa* sp., V (DAVFP)  
*Venturia populina*, V (DAVFP)

**Basidiomycotina****Uredinales**

*Melampsora medusae* f. sp. *deltoidae*, V  
 (DAVFP)  
*Melampsora occidentalis*, V (DAVFP)

**Deuteromycotina****Coelomycetes**

*Cytospora* sp., V (DAVFP)  
*Marssonina brunnea*, V (DAVFP)  
*Marssonina populi*, V (DAVFP)  
*Phomopsis* sp., V (DAVFP)

**Hyphomycetes**

*Pseudocercospora salicina*, V (DAVFP)  
*Stigmina* sp., LC (Wood et al. 1987)

***Populus trichocarpa* T. & G. X P.  
*maximowiczii* A. Henry****Fungi****Ascomycotina**

*Mycosphaerella populorum*, V (DAVFP)

**Basidiomycotina****Uredinales**

*Melampsora medusae* f. sp. *deltoidae*, V  
 (DAVFP)  
*Melampsora occidentalis*, V (DAVFP)

***Populus trichocarpa* T. & G. X P. *nigra* L. -  
 hybrid poplar****Fungi****Deuteromycotina****Coelomycetes**

*Marssonina populi*, V (DAVFP)

***Populus tristis* Fisch. - poplar****Fungi****Deuteromycotina****Coelomycetes**

*Cytospora* sp., V (DAVFP)

***Populus* sp. - poplar, aspen, cottonwood,  
 hybrids****Fungi****Ascomycotina**

*Bisporella citrina*, V (DAVFP)

*Caliciopsis* sp., V (DAVFP)

*Chlorociboria aeruginascens*, V (DAVFP)

*Plant hosts - P*

*Diaporthe columbiensis*, LC (Shaw 1973)  
*Diaporthe eres*, V (DAVFP)  
*Eutypella stellulata*, LC (Barr 1953)  
*Hypoxyylon rubiginosum*, LC (Barr 1953 as  
*Hypoxyylon perforatum*)  
*Linospora tetraspora*, V (DAVFP)  
*Mycosphaerella populicola*, V (DAVFP)  
*Mycosphaerella populorum*, LC (Shaw 1973)  
*Mycosphaerella tassiana*, V (DAVFP)  
*Mycosphaerella* sp., V (DAVFP)  
*Neofabraea populi*, V (DAVFP)  
*Scutellinia scutellata*, V (DAVFP)  
*Taphrina populina*, V (DAVFP)  
*Valsa sordida*, V (DAVFP)  
*Valsa* sp., V (DAVFP)  
*Venturia populina*, V (DAVFP)

**Basidiomycotina**

**Agaricales**

*Armillaria* sp., UR  
*Calathella eruciformis*, LC (Redhead 1973)  
*Cyphelopsis anomala*, LC (Redhead 1973)  
*Cyphelopsis confusa*, LC (Redhead 1973)  
*Flagelloscypha citrispora*, LC (Redhead  
1973)  
*Panellus ringens*, UR  
*Pellidiscus pallida*, LC (Redhead 1973)

**Aphyllophorales**

*Antrodia crassa*, V (DAVFP)  
*Bjerkandera adusta*, V (DAVFP)  
*Botryobasidium vagum*, V (DAVFP)  
*Cerrena unicolor*, LC (van der Westhuizen  
1963)  
*Chondrostereum purpureum*, V (DAVFP)  
*Coniophora arida* var. *arida*, LC (Ginns  
1982a)  
*Coniophora puteana* var. *puteana*, LC (Ginns  
1982a)  
*Gloeocystidium porosum*, LC (Nakasone  
1982)  
*Hymenochaete spreta*, V (DAVFP)  
*Inonotus rheades*, V (DAVFP)  
*Junguhuhnia nitida*, V (DAVFP)  
*Phellinus ferruginosus*, V (DAVFP)  
*Phellinus igniarius*, V (DAVFP)  
*Phlebia subochracea*, LC (Hallenberg and  
Larsson 1991)  
*Radulodon americanus*, V (DAVFP)  
*Schizophyllum commune*, V (DAVFP)  
*Stereum ochraceo-flavum*, LC (Chamuris  
1988)  
*Trechispora microspora*, LC (Shaw 1958)

**Uredinales**

*Melampsora medusae* f. sp. *deltoidae*, V  
(DAVFP)  
*Melampsora occidentalis*, V (DAVFP)

**Others**

*Dacrymyces deliquescent* var. *minor*, V  
(UBC F1048)  
*Exidiopsis grisea*, V (DAVFP)

**Deuteromycotina**

**Coelomycetes**

*Cryptosporium* sp., LC (Ginns 1986a)  
*Cytospora* sp., V (DAVFP)  
*Marssonina brunnea*, V (DAVFP)  
*Marssonina populi*, V (DAVFP)

*Melanconium* sp., V (DAVFP)

**Hyphomycetes**

*Menispora glauca*, LC (Ginns 1986a)  
*Pseudocercospora salicina*, V (DAVFP)  
*Trichoderma longipilis*, LC (Bissett 1991)

**Portulaca grandiflora** Hook. - purslane,

portulaca, rose-moss

**Fungi**

**Deuteromycotina**

**Hyphomycetes**

*Fusarium acuminatum*, LC (Ginns 1986a)

**Potamogeton natans** L. - common floating  
pondweed

**Fungi**

**Basidiomycotina**

**Others**

*Doassansiopsis hydrophila*, LC (Connors  
1967 as *Doassansia martianoffiana*)

**Potentilla anserina** L. - silver weed

**Fungi**

**Deuteromycotina**

**Coelomycetes**

*Marssonina fragariae*, LC (Ginns 1986a)

**Potentilla diversifolia** Lehm. - diverse-  
leaved cinquefoil

**Fungi**

**Ascomycotina**

*Guignardia potentillae*, LC (Barr 1953)

**Basidiomycotina**

**Uredinales**

*Phragmidium boreale*, LC (Ginns 1986a)

**Potentilla flabellifolia** Hook. - Mount  
Rainier cinquefoil, fringe-leaf cinquefoil

**Fungi**

**Ascomycotina**

*Microthyrium arcticum*, LC (Barr 1953)

**Basidiomycotina**

**Uredinales**

*Phragmidium bilocular*, LC (Ginns 1986a)

**Potentilla flabelliformis** Lehm. see  
*Potentilla gracilis*

**Potentilla fruticosa** L. - shrubby cinquefoil

**Fungi**

**Basidiomycotina**

**Uredinales**

*Phragmidium andersonii*, V (DAVFP)

**Potentilla glandulosa** Lindl. - sticky  
cinquefoil

**Chromista**

**Oomycota**

*Phytophthora fragariae*, LC (Shaw 1973)

- Potentilla gracilis** Dougl.:Hook.  
 (=Potentilla flabelliformis) - slender  
 cinquefoil
- Fungi
- Basidiomycotina
  - Uredinales
  - Phragmidium ivesiae, V (DAVFP)
  - Phragmidium potentillae, V (DAVFP)
- Deuteromycotina
- Hypomycetes
  - Verticillium albo-atrum, LC (Shaw 1973)
- Chromista
- Oomycota
- Peronospora potentillae, LC (Shaw 1973)
  - Phytophthora fragariae, LC (Shaw 1973)
- Potentilla gracilis** Dougl.:Hook. var.  
**flabelliformis** (Lehm.) Nutt.:T. & G. -  
 slender cinquefoil
- Fungi
- Basidiomycotina
  - Uredinales
  - Phragmidium ivesiae, LC (Savile 1976b)
- Potentilla gracilis** Dougl.:Hook. var.  
**glabrata** (Lehm.) C.L. Hitchc. - slender  
 cinquefoil
- Fungi
- Basidiomycotina
  - Uredinales
  - Phragmidium ivesiae, LC (Savile 1976b)
- Deuteromycotina
- Hypomycetes
  - Verticillium dahliae, LC (Ginns 1986a)
- Chromista
- Oomycota
- Peronospora potentillae, LC (Ginns 1986a)
- Potentilla gracilis** Dougl.:Hook. var.  
**gracilis** - slender cinquefoil
- Fungi
- Basidiomycotina
  - Uredinales
  - Phragmidium ivesiae, LC (Savile 1976b)
- Potentilla gracilis** Dougl.:Hook. subsp.  
**nuttallii** (Lehm.) D. Keck (=Potentilla  
 nuttallii)
- Fungi
- Basidiomycotina
  - Uredinales
  - Phragmidium ivesiae, LC (Jones 1957)
- Deuteromycotina
- Hypomycetes
  - Verticillium dahliae, LC (Wooliams 1966 on  
*Potentilla nuttallii*)
- Chromista
- Oomycota
- Peronospora potentillae, LC (Jones 1957)

- Potentilla gracilis** Dougl.:Hook. var.  
**permollis** (Rydb.) C.L. Hitchc. - slender  
 cinquefoil
- Fungi
- Basidiomycotina
  - Uredinales
  - Phragmidium ivesiae, LC (Savile 1976b)
- Potentilla gracilis** Dougl.:Hook. var.  
**pulcherrima** (Lehm.) Fern. - slender  
 cinquefoil
- Fungi
- Basidiomycotina
  - Uredinales
  - Phragmidium ivesiae, LC (Savile 1976b)
- Potentilla nuttallii** Lehm. see *Potentilla  
 gracilis* subsp. *nuttallii*
- Potentilla palustris** (L.) Scop. - purple  
 cinquefoil, marsh cinquefoil
- Fungi
- Ascomycotina
  - Gnomonia fragariae, LC (Barr 1953)
  - Mycosphaerella fragariae, LC (Barr 1953)
  - Plagiomystoma lugubre, LC (Barr 1978)
  - Sphaerotheca macularis, LC (Barr 1953 as  
*Sphaerotheca humuli*)
- Deuteromycotina
- Coelomycetes
  - Septoria purpurascens, LC (Shaw 1973)
- Potentilla pensylvanica** L. - Pennsylvania  
 cinquefoil
- Fungi
- Basidiomycotina
  - Uredinales
  - Phragmidium potentillae, LC (Savile 1974b)
  - Phragmidium sp., V (DAVFP)
- Potentilla** sp. - cinquefoil, five-finger
- Fungi
- Ascomycotina
  - Mycosphaerella tassiana, LC (Barr 1953)
  - Pleospora comata, LC (Barr 1953)
  - Pleospora potentillae, LC (Barr 1953 as  
*Pleospora oligasca*)
- Basidiomycotina
- Uredinales
  - Phragmidium ivesiae, V (DAVFP)
  - Phragmidium potentillae, V (DAVFP)
- Prenanthes alata** (Hook.) D. Dietr. -  
 western rattlesnake-root
- Fungi
- Basidiomycotina
  - Uredinales
  - Puccinia variabilis var. *insperata*, V (DAVFP)
- Primula mistassinica** Michx. - bird's-eye  
 primrose
- Fungi
- Chytridiomycota
  - Synchytrium sp., LC (Karling 1956)

*Plant hosts - P*

**Primula sp.** - primrose

Fungi

Ascomycotina

*Pleospora armeriae*, LC (Barr 1953)

Deuteromycotina

Hymenomycetes

*Ramularia primulae*, LC (Jones 1957)

**Prunella vulgaris** L. - heal-all

Fungi

Ascomycotina

*Ophiobolus prunellae*, V (DAVFP)

**Prunus amygdalus** Batsch - almond

Fungi

Basidiomycotina

Aphylophorales

*Chondrostereum purpureum*, LC (Shaw 1973)

Deuteromycotina

Hymenomycetes

*Stigmina carpophila*, LC (Shaw 1973)

**Prunus armeniaca** L. - apricot

Fungi

Ascomycotina

*Apiosporina morbosa*, LC (Ginns 1986a)  
*Monilinia fructicola*, LC (Ginns 1986a)  
*Monilinia laxa*, LC (Ginns 1986a)  
*Phyllactinia guttata*, LC (Shaw 1973)  
*Podosphaera clandestina*, LC (Connors 1967)

Basidiomycotina

Aphylophorales

*Chondrostereum purpureum*, LC (Shaw 1973)  
*Ipex lacteus*, V (DAVFP)  
*Schizophyllum commune*, V (DAVFP)  
*Trametes hirsuta*, V (DAVFP)

Deuteromycotina

Coccomycetes

*Cylindrosporium* sp., LC (Ginns 1986a)

Hymenomycetes

*Botrytis cinerea*, LC (Toms 1964)  
*Oidium* sp., LC (Toms 1964)  
*Stigmina carpophila*, V (DAVFP)  
*Verticillium dahliae*, LC (Wooliams 1966; Ginns 1986a)

Chromista

Oomycota

*Phytophthora cactorum*, LC (Toms 1964)

**Prunus avium** L. - sweet cherry, mazzard, cerisier de France

Fungi

Ascomycotina

*Apiosporina morbosa*, LC (Ginns 1986a)  
*Blumeriella jaapii*, LC (Jones 1957 as *Cylindrosporium hiemalis*)  
*Monilinia fructicola*, LC (Jones 1957)  
*Monilinia laxa*, LC (Jones 1957)

*Podosphaera clandestina*, LC (Jones 1957

as *Podosphaera oxyacanthae*)

*Sclerotinia* sp., V (DAVFP)

*Taphrina wiesneri*, V (DAVFP)

Basidiomycotina

Agaricales

*Armillaria* sp., LC (Jones 1957 as *Armillaria mellea*)

Aphylophorales

*Ganoderma applanatum*, LC (Ginns 1986a)

Deuteromycotina

Hymenomycetes

*Aureobasidium pullulans*, LC (Ginns 1986a)  
*Botrytis cinerea*, LC (Ginns 1986a)  
*Fusicladium cerasi*, LC (Connors 1967)  
*Stigmina carpophila*, V (DAVFP)  
*Verticillium dahliae*, LC (Wooliams 1966; Ginns 1986a)

Chromista

Oomycota

*Phytophthora cactorum*, LC (Ginns 1986a)

Bacteria

*Agrobacterium tumefaciens*, LC (Jones 1957)

*Pseudomonas syringae* f. sp. *prunicola*, LC (Toms 1964)

**Prunus besseyi** Bailey - western sand cherry

Fungi

Ascomycotina

*Monilinia fructicola*, LC (Jones 1957)  
*Monilinia laxa*, LC (Connors 1967)

**Prunus blireiana** Andre

Fungi

Deuteromycotina

Hymenomycetes

*Stigmina carpophila*, UR

**Prunus cerasifera** Ehrh. var. *pissardi*

Bailey - cherry plum

Fungi

Basidiomycotina

Agaricales

*Armillaria* sp., V (DAVFP)  
*Hypholoma fasciculare*, V (DAVFP)

Aphylophorales

*Ganoderma brownii*, V (DAVFP)

**Prunus cerasus** L. - sour cherry

Fungi

Ascomycotina

*Apiosporina morbosa*, LC (Toms 1964)  
*Blumeriella jaapii*, LC (Connors 1967)  
*Monilinia fructicola*, LC (Toms 1964)  
*Monilinia laxa*, LC (Toms 1964)  
*Podosphaera clandestina*, LC (Toms 1964; Ginns 1986a)  
*Taphrina wiesneri*, LC (Toms 1964 as *Taphrina cerasi*)  
*Valsa* sp., LC (Shaw 1973)

<b>Basidiomycotina</b>	
<b>Agaricales</b>	
<i>Armillaria</i> sp., LC (Toms 1964 as <i>Armillaria mellea</i> )	
<b>Aphyllophorales</b>	
<i>Ganoderma applanatum</i> , LC (Toms 1964)	
<b>Deuteromycotina</b>	
<b>Hypocreales</b>	
<i>Aureobasidium pullulans</i> , LC (Toms 1964 as <i>Pullularia pullulans</i> )	
<i>Botrytis cinerea</i> , LC (Toms 1964)	
<i>Stigmina carpophila</i> , LC (Toms 1964)	
<i>Verticillium dahliae</i> , LC (Toms 1964; Woolliams 1966)	
<b>Chromista</b>	
<b>Oomycota</b>	
<i>Phytophthora cactorum</i> , LC (Toms 1964)	
<b>Bacteria</b>	
<i>Agrobacterium tumefaciens</i> , LC (Toms 1964)	
<i>Pseudomonas syringae</i> f. sp. <i>prunicola</i> , LC (Toms 1964)	
<b>Prunus demissa</b> (Nutt.) Walp. see <i>Prunus virginiana</i> var. <i>demissa</i>	
<b>Prunus domestica</b> L. - common garden plum	
<b>Fungi</b>	
<b>Ascomycotina</b>	
<i>Apiosporina morbosa</i> , V (DAVFP)	
<i>Blumeriella jaapii</i> , LC (Conners 1967)	
<i>Chlorosplenium chlora</i> , V (DAVFP)	
<i>Leucostoma persoonii</i> , LC (Toms 1964)	
<i>Monilinia fructicola</i> , LC (Toms 1964)	
<i>Monilinia laxa</i> , LC (Toms 1964)	
<i>Nipterella parksii</i> , V (DAVFP)	
<i>Taphrina communis</i> , LC (Toms 1964)	
<i>Taphrina pruni</i> , LC (Conners 1967)	
<i>Taphrina</i> sp., V (DAVFP)	
<b>Basidiomycotina</b>	
<b>Agaricales</b>	
<i>Armillaria</i> sp., LC (Shaw 1973 as <i>Armillaria mellea</i> )	
<b>Aphyllophorales</b>	
<i>Chondrostereum purpureum</i> , LC (Toms 1964 as <i>Stereum purpureum</i> )	
<i>Fomitopsis cajanderi</i> , LC (Shaw 1973 as <i>Fomes cajanderi</i> )	
<i>Fomitopsis pinicola</i> , LC (Toms 1964 as <i>Fomes pinicola</i> )	
<i>Ganoderma applanatum</i> , LC (Toms 1964)	
<i>Trametes hirsuta</i> , LC (Toms 1964 as <i>Polyporus hirsutus</i> )	
<i>Trametes versicolor</i> , LC (Conners 1967 as <i>Polyporus versicolor</i> )	
<b>Uredinales</b>	
<i>Tranzschelia discolor</i> , V (DAVFP)	
<b>Deuteromycotina</b>	
<b>Hypocreales</b>	
<i>Stigmina carpophila</i> , LC (Toms 1964)	

<b>Bacteria</b>	
	<i>Erwinia amylovora</i> , LC (Conners 1967)
<b>Prunus emarginata</b> (Dougl.) Walp. - bitter cherry	
<b>Fungi</b>	
<b>Ascomycotina</b>	
<i>Ascocoryne inflata</i> , V (DAVFP)	
<i>Blumeriella jaapii</i> , LC (Conners 1967)	
<i>Daldinia concentrica</i> , V (DAVFP)	
<i>Dermea cerasi</i> , V (DAVFP)	
<i>Godronia confertus</i> , V (DAVFP)	
<i>Hypoxyylon fuscum</i> , V (DAVFP)	
<i>Hypoxyylon multifforme</i> , V (DAVFP)	
<i>Mycosphaerella cinerascens</i> , LC (Barr 1953)	
<i>Podosphaera clandestina</i> , LC (Jones 1957 as <i>Podosphaera oxyacanthae</i> )	
<i>Taphrina flectans</i> , V (DAVFP)	
<i>Taphrina wiesneri</i> , V (DAVFP)	
<b>Basidiomycotina</b>	
<b>Agaricales</b>	
<i>Armillaria</i> sp., LC (Morrison et al. 1985 as <i>Armillaria mellea</i> )	
<b>Aphyllophorales</b>	
<i>Chondrostereum purpureum</i> , V (DAVFP)	
<i>Fomitopsis cajanderi</i> , LC (Shaw 1973 as <i>Fomes cajanderi</i> )	
<i>Gloeophyllum sepiarium</i> , V (DAVFP)	
<i>Hapalopilus rutilans</i> , V (DAVFP)	
<i>Hymenochaete radio-ferruginea</i> , UR	
<i>Hypoderma setigerum</i> , V (DAVFP)	
<i>Odontia</i> sp., V (DAVFP)	
<i>Peniophora incarnata</i> , V (DAVFP)	
<i>Perenniporia subacida</i> , V (DAVFP)	
<i>Phellinus ferreus</i> , V (DAVFP)	
<i>Phlebia merismoides</i> , V (DAVFP)	
<i>Phlebia rufa</i> , V (DAVFP)	
<i>Poria cinerascens</i> , V (DAVFP)	
<i>Postia guttulata</i> , V (DAVFP)	
<i>Schizophora paradoxo</i> , V (DAVFP)	
<i>Sistotrema brinkmannii</i> , V (DAVFP)	
<i>Trametes versicolor</i> , V (DAVFP)	
<i>Trichaptum abietinum</i> , V (DAVFP)	
<i>Tyromyces chioneus</i> , V (DAVFP)	
<b>Others</b>	
<i>Calocera cornea</i> , UR	
<i>Tulasnella allantospora</i> , LC (Shaw 1973)	
<b>Deuteromycotina</b>	
<b>Ceolomycetes</b>	
<i>Phyllosticta</i> sp., LC (Jones 1957)	
<b>Hypocreales</b>	
<i>Cladosporium</i> sp., V (DAVFP)	
<i>Stigmina carpophila</i> , LC (Conners 1967)	
<b>Prunus fruticosa</b> Pall. - ground cherry	
<b>Fungi</b>	
<b>Basidiomycotina</b>	
<b>Agaricales</b>	
<i>Armillaria</i> sp., LC (Conners 1967 as <i>Armillaria mellea</i> )	

*Plant hosts - P*

***Prunus glandulosa*** Thunb. - flowering almond

**Fungi**

**Ascomycotina**

*Monilinia laxa*, LC (Toms 1964)

***Prunus institia*** L. - damson plum

**Fungi**

**Ascomycotina**

*Apiosporina morbosa*, LC (Jones 1957 as *Dibotryon morbosum*)

***Prunus japonica*** Thunb. - Japanese cherry, dwarf flowering cherry

**Fungi**

**Ascomycotina**

*Monilinia laxa*, LC (Toms 1964)

***Prunus laurocerasus*** L. - English laurel, cherry laurel, hedge laurel

**Fungi**

**Ascomycotina**

*Blumeriella jaapii*, V (DAVFP)  
*Corollospora maritima*, LC (Anastasiou and Churchland 1969)  
*Lulworthia medusa*, LC (Anastasiou and Churchland 1969)  
*Nectria cinnabarinia*, V (DAVFP)  
*Pleospora* sp., V (DAVFP)

**Basidiomycotina**

**Aphyllophorales**

*Bjerkandera fumosa*, V (DAVFP)  
*Chondrostereum purpureum*, LC (Toms 1964 as *Stereum purpureum*)

**Chytridiomycota**

*Nowakowskia elegans*, LC (Anastasiou and Churchland 1969)

**Deuteromycotina**

**Hyphomycetes**

*Alternaria alternata*, LC (Anastasiou and Churchland 1969)  
*Cylindrocarpon* sp., LC (Anastasiou and Churchland 1969)  
*Dictyosporium pelagicum*, LC (Anastasiou and Churchland 1969)  
*Humicola alopallonella*, LC (Anastasiou and Churchland 1969)  
*Monodictys pelagica*, LC (Anastasiou and Churchland 1969)  
*Papulaspora halima*, LC (Anastasiou and Churchland 1969)  
*Sporotrichum maritimum*, LC (Anastasiou and Churchland 1969)  
*Stachybotrys chartarum*, LC (Anastasiou and Churchland 1969)  
*Stigmina carpophila*, LC (Ginns 1986a)  
*Zalerion maritimum*, LC (Anastasiou and Churchland 1969)

**Chromista**

**Labyrinthulomycota**

*Labyrinthula* sp., LC (Anastasiou and Churchland 1969)

**Oomycota**

*Phytophthora vesicula*, LC (Anastasiou and Churchland 1969)

**Bacteria**

*Pseudomonas syringae*, V (DAVFP)

***Prunus lusitanica*** L. - Portugal laurel

**Fungi**

**Basidiomycotina**

**Aphyllophorales**

*Chondrostereum purpureum*, V (DAVFP)

***Prunus persica*** (L.) Batsch - peach

**Fungi**

**Ascomycotina**

*Leucostoma persoonii*, LC (Barr 1953 as *Valsa leucostoma*)  
*Monilinia fructicola*, LC (Toms 1964; Ginns 1986a)  
*Monilinia laxa*, LC (Shaw 1973)  
*Monilinia* sp., V (DAVFP)  
*Podosphaera clandestina*, LC (Toms 1964)  
*Taphrina deformans*, V (DAVFP)

**Basidiomycotina**

**Aphyllophorales**

*Fomitopsis pinicola*, LC (Connors 1967 as *Fomes pinicola*)  
*Trametes hirsuta*, LC (Shaw 1973 as *Polyporus hirsutus*)

**Deuteromycotina**

**Hyphomycetes**

*Botrytis cinerea*, LC (Connors 1967)  
*Stigmina carpophila*, V (DAVFP)  
*Verticillium dahliae*, LC (Toms 1964; Woolliams 1966; Ginns 1986a)

**Zygomycotina**

*Mucor piriformis*, LC (Sholberg 1990)  
*Rhizopus stolonifer*, LC (Toms 1964)

**Chromista**

**Oomycota**

*Phytophthora cactorum*, LC (Toms 1964)

**Bacteria**

*Agrobacterium tumefaciens*, LC (Toms 1964)

***Prunus persica*** (L.) Batsch **var. nectarina**

(Ait.) Maxim. - nectarine

**Fungi**

**Ascomycotina**

*Leucostoma persoonii*, LC (Jones 1957)  
*Monilinia fructicola*, LC (Jones 1957)  
*Sphaerotilus pannosa*, LC (Toms 1964)  
*Taphrina deformans*, LC (Toms 1964)

***Prunus serrulata*** Lindl. - Japanese flowering cherry

**Fungi**

**Ascomycotina**

*Monilinia fructicola*, LC (Toms 1964)  
*Monilinia laxa*, V (DAVFP)

- Basidiomycotina**  
**Agaricales**  
*Hypoloma fasciculare*, UR - Specimen discarded
- Bacteria**  
*Agrobacterium tumefaciens*, LC (Toms 1964)  
*Pseudomonas syringae f. sp. prunicola*, LC (Toms 1964)
- Prunus spinosa** L. - blackthorn, sloe  
**Fungi**  
**Ascomycotina**  
*Apiosporina morbosa*, V (DAVFP)
- Prunus subcordata** Benth. - Sierra plum, western plum  
**Fungi**  
**Ascomycotina**  
*Apiosporina morbosa*, V (DAVFP)
- Prunus subhirtella** Miq. var. **pendula**  
(Maxim.) Tanaka - weeping cherry  
**Fungi**  
**Ascomycotina**  
*Monilinia laxa*, LC (Ginns 1986a)
- Prunus tangutica** Batal. - cherry  
**Fungi**  
**Ascomycotina**  
*Apiosporina morbosa*, V (DAVFP)
- Prunus triloba** Lindl. - flowering almond  
**Fungi**  
**Ascomycotina**  
*Monilinia laxa*, LC (Shaw 1973)
- Prunus virginiana** L. - choke cherry  
**Fungi**  
**Ascomycotina**  
*Apiosporina morbosa*, V (DAVFP)  
*Fenestella princeps*, LC (Shaw 1973)  
*Monilinia fructicola*, LC (Connors 1967; Ginns 1986a)  
*Nectria cinnabarina*, V (DAVFP) - anamorph only.  
*Podosphaera clandestina*, LC (Ginns 1986a)  
*Taphrina confusa*, V (DAVFP)
- Prunus virginiana** L. var. **demissa** (Nutt.) Torr. (=Prunus demissa) - western choke cherry  
**Fungi**  
**Ascomycotina**  
*Apiosporina morbosa*, V (DAVFP)  
*Caproniella pleiospora*, LC (Barr 1953)  
*Fenestella princeps*, LC (Barr 1953)  
*Monilinia demissa*, V (DAVFP)  
*Monilinia padi*, V (DAVFP)  
*Podosphaera clandestina*, LC (Toms 1964)  
*Taphrina confusa*, V (DAVFP)  
*Tympanis* sp., V (DAVFP)
- Deuteromycotina**  
**Coelomycetes**  
*Phloeospora padi*, V (DAVFP)
- Prunus virginiana** L. var. **melanocarpa** (A. Nels.) Sarg. - black choke cherry  
**Fungi**  
**Ascomycotina**  
*Apiosporina morbosa*, UR
- Prunus** sp. – plum, cherry, almond, apricot, peach  
**Fungi**  
**Ascomycotina**  
*Apiosporina morbosa*, V (DAVFP)  
*Biscogniauxia mediterranea* var. *microspora*, V (DAVFP)  
*Calosphaeria pulchella*, V (DAVFP)  
*Cryptodiaporthe salicella*, LC (Bier 1961)  
*Dermea prunastri*, V (DAVFP)  
*Podosphaera clandestina*, LC (Barr 1953 as *Podosphaera oxyacanthae*)  
*Sphaerotropha pannosa*, LC (Barr 1953)  
*Taphrina* sp., LC (Wood et al. 1987)
- Basidiomycotina**  
**Aphylophorales**  
*Bjerkandera adusta*, V (DAVFP)  
*Cerrena unicolor*, V (DAVFP)  
*Chondrostereum purpureum*, V (DAVFP)  
*Daedaleopsis confragosa*, V (DAVFP)  
*Laxitextum bicolor*, V (DAOM 141293)  
*Phlebia concentrica*, V (DAVFP)  
*Sistotrema brinkmannii*, V (DAVFP)  
*Stereum hirsutum*, V (DAVFP)  
*Trametes versicolor*, LC (Nobles 1948 as *Polyporus versicolor*)
- Others**  
*Calocera cornea*, V (UBC F4738)  
*Ceratobasidium* sp., V (DAOM 142587)
- Deuteromycotina**  
**Coelomycetes**  
*Cytospora* sp., LC (Cujeć et al. 1988 on peach and other stone fruits)  
*Micropera* sp., V (DAVFP)  
*Phloeosporella padi*, V (DAVFP)
- Hymenomycetes**  
*Fusarium* sp., V (DAVFP)  
*Verticillium dahliae*, LC (Aube and Sackston 1965)
- Bacteria**  
*Agrobacterium tumefaciens*, V (DAVFP)
- Pseudotsuga menziesii** (Mirb.) Franco (=Pseudotsuga taxifolia) - Douglas-fir  
**Fungi**  
**Ascomycotina**  
*Ascocalyx* sp., V (DAVFP)  
*Ascocoryne sarcoïdes*, V (DAVFP)  
*Bisporella resinicola*, V (DAVFP)  
*Botryosphaeria pseudotsugae*, V (DAVFP) (TYPE)  
*Caliciopsis pinea*, V (DAVFP)  
*Caliciopsis pseudotsugae*, V (DAVFP)  
*Caloscypha fulgens*, LC (Sullivan et al. 1984)  
*Cephaloascus fragrans*, V (DAVFP)  
*Ceratostysis allantospora*, LC (Olchowecski and Reid 1974)

## Plant hosts - P

- Ceratocystis angusticollis*, LC (Ginns 1986a)  
*Ceratocystis coeruleascens*, V (DAVFP)  
*Ceratocystis davidsonii*, LC (Olchowecki and Reid 1974) (TYPE)  
*Ceratocystis fasciata*, LC (Olchowecki and Reid 1974) (TYPE)  
*Ceratocystis leucocarpa*, LC (Ginns 1986a)  
*Ceratocystis pseudominor*, LC (Olchowecki and Reid 1974) (TYPE)  
*Ceratocystis sagmatospora*, LC (Ginns 1986a)  
*Ceriosporopsis halima*, LC (Hughes 1969)  
*Chaetomium elatum*, V (DAVFP)  
*Chlorociboria aeruginascens*, UR  
*Ciboria rufo-fusca*, V (DAVFP)  
*Claussenomyces olivaceus*, V (DAVFP)  
*Claussenomyces pseudotsugae*, V (DAVFP)  
*Clypeolum* sp., V (DAVFP)  
*Coccomyces pseudotsugae*, V (DAVFP) (TYPE)  
*Colpoma crispum*, V (DAVFP)  
*Coniochaeta* sp., V (DAVFP)  
*Coronophora* sp., V (DAVFP)  
*Dermea pseudotsugae*, V (DAVFP) (TYPE)  
*Dermea* sp., LC (Funk 1985a)  
*Dermea tetrasperma*, V (DAVFP) (TYPE)  
*Diaporthe lokoyae*, V (DAVFP) (TYPE)  
*Diaporthe lokoyae*, V (DAVFP)  
*Discina ancilis*, V (DAVFP)  
*Discostroma corticola*, V (DAVFP)  
*Dothiora* sp., V (DAVFP)  
*Durandiella pseudotsugae*, V (DAVFP) (TYPE)  
*Epibelonium* sp., V (DAVFP)  
*Euantennaria alaskensis*, V (DAVFP)  
*Gyromitra esculenta*, V (DAVFP)  
*Halonectria milfordensis*, LC (Hughes 1969)  
*Herpotrichia* sp., V (DAVFP)  
*Hyalopeziza ciliata*, LC (Shaw 1973)  
*Lachnellula ciliata*, V (DAVFP)  
*Lachnellula pseudotsugae*, V (DAVFP)  
*Leucostoma kunzei*, V (DAVFP)  
*Limacinia moniliforma* var. *quinqueseptata*, V (DAVFP) (TYPE)  
*Lophium mytilinum*, V (DAVFP)  
*Lulworthia floridana*, LC (Hughes 1969)  
*Lulworthia medusa*, LC (Hughes 1969)  
*Microthelia maritima*, LC (Hughes 1969)  
*Nectria fuckeliana*, V (DAVFP)  
*Nectria* sp., V (DAVFP)  
*Nitschkia molnarii*, V (DAVFP) (TYPE)  
*Ophiostoma europhiodes*, V (DAVFP)  
*Ophiostoma pseudotsugae*, V (DAVFP)  
*Pezicula lividula*, V (DAVFP)  
*Pezizella chapmani*, V (DAVFP)  
*Phacidium abietis*, V (DAVFP)  
*Phacidium coniferarum*, V (DAVFP)  
*Phacidium gaeumannii*, V (DAVFP)  
*Phacidium pini-cembrae*, V (DAVFP)  
*Phacidium sherwoodiae*, V (DAVFP)  
*Phaeocryptopus gaeumannii*, V (DAVFP)  
*Phaeocryptopus nudus*, UR  
*Pithya vulgaris*, V (DAVFP)  
*Pleospora* sp., V (DAVFP)  
*Pragmopora pithya*, V (DAVFP) - (+ TYPE of conidial state, *Pragmopycnis pithya*)  
*Propolis* sp., V (DAVFP)  
*Pseudoeurotium rilstonii*, LC (Hughes 1969)  
*Retinocyclus* sp., UR  
*Rhabdocline parkeri*, V (DAVFP)
- Rhabdocline pseudotsugae* subsp. *epiphylla*, V (DAVFP) (TYPE)  
*Rhabdocline pseudotsugae* subsp. *pseudotsugae*, V (DAVFP)  
*Rhabdocline weiri* subsp. *obovata*, V (DAVFP) (TYPE)  
*Rhabdocline weiri* subsp. *weiri*, V (DAVFP) (TYPE)  
*Rhabdocline* sp., UR - Specimen discarded.  
*Rhizina undulata*, V (DAVFP)  
*Roeslerina microspora*, LC (Redhead 1984d)  
*Rosellinia mycophila*, V (DAVFP, IMI) (Francis 1986; Petrini 1992) - originally identified as *Rosellinia herpotrichioides*  
*Sarea difformis*, V (DAVFP)  
*Sarea resinae*, V (DAVFP)  
*Scoleconectria cucurbitula*, V (DAVFP)  
*Stamnaria* sp., V (DAVFP)  
*Stenocybe major*, V (DAVFP)  
*Stomiopeltis* sp., V (DAVFP)  
*Strigopodia batistae*, LC (Hughes 1968 on *Pseudotsuga taxifolia* var. *taxifolia*) (TYPE)  
*Stuartella suttonii*, V (DAVFP) (HOLOTYPE)  
*Sydiowia polypora*, V (DAVFP)  
*Sydiowia semenospora*, V (DAVFP)  
*Therrya pseudotsugae*, V (DAVFP) (TYPE)  
*Tryblidiopsis* sp., V (DAVFP)  
*Tympanis confusa*, UR  
*Tympanis laricina*, V (DAVFP)  
*Tympanis* sp., V (DAVFP)  
*Valsa abietis*, V (DAVFP)  
*Valsa friesii*, LC (Shaw 1973)  
*Valsa pini*, LC (Barr 1953)  
*Xenomeris abietis*, V (DAVFP) - (+ TYPE of conidial state)

## Basidiomycotina

### Agaricales

- Armillaria ostoyae*, V (DAVFP)  
*Armillaria* sp., V (DAVFP)  
*Cantharellus cibarius*, V (DAVFP)  
*Clitocybe aurantiaca*, V (DAVFP)  
*Clitocybe decora*, LC (Connors 1967)  
*Clitocybe gibba*, V (DAOM)  
*Collybia albipilata*, V (DAVFP)  
*Crepidotus mollis*, LC (Shaw 1973)  
*Flammula decorata*, V (DAVFP)  
*Gymnopilus spectabilis*, V (DAVFP)  
*Helotium hirsutum*, LC (Redhead 1982a)  
*Hypholoma capnoides*, V (DAVFP)  
*Hypholoma fasciculare*, V (DAVFP)  
*Inocybe* sp., V (DAVFP)  
*Marasmiellus candidus*, UR  
*Marasmiellus pluvius*, LC (Redhead 1982b)  
*Mycena occidentalis*, V (DAVFP)  
*Omphalina luteicolor*, V (DAVFP)  
*Panellus mitis*, V (DAVFP)  
*Panellus serotinus*, V (DAVFP)  
*Panellus stipticus*, V (DAVFP)  
*Paxillus atrotomentosus*, V (DAVFP)  
*Pholiota adiposa*, LC (Connors 1967)  
*Pholiota aeruginosa*, V (DAVFP)  
*Pholiota populnea*, V (DAVFP)  
*Pholiota* sp., V (DAVFP)  
*Pleurocybella porrigens*, V (DAVFP)  
*Pleurotellus hypnophilus*, V (DAVFP)  
*Pleurotus albolanatus*, V (DAVFP)  
*Russula abietina*, UR  
*Russula fragilis*, UR  
*Russula lutea*, UR

- Solenia* sp., V (DAOM 139109)  
*Strobilurus conigenoides*, V (DAVFP)  
*Suillus caerulescens*, V (DAVFP)  
*Tapinella panuoides*, V (DAVFP)  
*Xeromphalina campanella*, V (DAVFP)
- Aphyllophorales**
- Acanthophysium lividocaeruleum*, V (DAVFP)  
*Acanthophysium spiniger*, V (DAVFP)  
*Acanthophysium weiri*, V (DAVFP)  
*Aleurocystidiellum subcruentatum*, LC (Shaw 1973)  
*Aleurodiscus amorphus*, LC (Ginns 1986a)  
*Aleurodiscus farlowii*, V (DAVFP)  
*Aleurodiscus penicillatus*, V (DAVFP)  
*Amylostereum chailletii*, V (DAVFP)  
*Anomoporia albolutescens*, LC (Connors 1967)  
*Anomoporia bombycinia*, V (DAOM 141368)  
*Antrodia carbonica*, V (DAVFP)  
*Antrodia crassa*, LC (Shaw 1973 as *Poria crassa*)  
*Antrodia heteromorpha*, V (DAVFP)  
*Antrodia serialis*, V (DAVFP)  
*Antrodia sinuosa*, V (DAVFP)  
*Antrodia variiformis*, V (DAVFP)  
*Antrodia xantha*, V (DAVFP)  
*Asterodon ferruginosum*, V (DAVFP)  
*Asterostroma laxum*, V (DAOM 139082)  
*Auriscalpium vulgare*, V (DAVFP)  
*Basidioradulum radula*, V (DAVFP)  
*Botryobasidium angustisporum*, V (DAOM 141263)  
*Botryobasidium botryosum*, V (DAOM 141246)  
*Botryobasidium danicum*, V (DAOM 141315)  
*Botryobasidium subcoronatum*, V (DAVFP)  
*Botryobasidium vagum*, V (DAVFP)  
*Botryohypochnus isabellinus*, V (DAVFP)  
*Ceriporiopsis rivulosa*, V (DAVFP)  
*Chaetoderma luna*, LC (Hallenberg 1984)  
*Chondrostereum purpureum*, V (DAVFP)  
*Clavulina* sp., V (DAOM 142598)  
*Columnocystis abietina*, LC (Connors 1967 as *Stereum abietinum*)  
*Confertobasidium olivaceo-album*, UR  
*Coniophora arida* var. *arida*, LC (Ginns 1982a)  
*Coniophora fusispora*, V (DAVFP)  
*Coniophora olivacea*, V (DAVFP)  
*Coniophora puteana* var. *puteana*, LC (Ginns 1982a)  
*Corticium inopinatum*, V (DAVFP)  
*Corticium minnsiae*, V (DAVFP)  
*Corticium pini-canadensis*, UR  
*Corticium testatum*, V (DAVFP) (TYPE)  
*Crustoderma dryinum*, V (DAVFP)  
*Crustoderma resinosum*, V (DAVFP)  
*Cryptoporus volvatus*, V (DAVFP)  
*Cystostereum murraii*, V (DAOM 142177)  
*Dacryobolus karstenii*, V (DAVFP)  
*Dendrothele incrustans*, V (DAVFP)  
*Dentinum albidum*, V (DAOM)  
*Dichomitus squalens*, V (DAVFP)  
*Diplomitoporus lenis*, V (DAVFP)  
*Echinodontium tinctorium*, UR  
*Fibulomyces mutabilis*, V (DAVFP)  
*Fomitopsis cajanderi*, V (DAVFP)  
*Fomitopsis officinalis*, V (DAVFP)
- Fomitopsis pinicola*, V (DAVFP)  
*Fomitopsis rosea*, V (DAVFP)  
*Galzinia incrustans*, V (DAOM 143328)  
*Ganoderma applanatum*, V (DAVFP)  
*Ganoderma oregonense*, V (DAVFP)  
*Gloeocystidiellum clavuligerum*, LC (Hallenberg 1984)  
*Gloeocystidiellum ochraceum*, V (DAOM 139102, 142122, 142123)  
*Gloeocystidiellum propinquum*, V (DAVFP)  
*Gloeocystidiellum subasperisporum*, V (DAOM 142189)  
*Gloeophyllum carbonarium*, V (DAVFP)  
*Gloeophyllum odoratum*, V (DAVFP)  
*Gloeophyllum sepiarium*, V (DAVFP)  
*Gloeoporus dichrous*, LC (Shaw 1958 as *Polyporus dichrous*)  
*Grandinia alutaria*, V (DAOM 138964)  
*Grandinia barba-jovis*, V (DAVFP)  
*Grandinia breviseta*, LC (Hallenberg 1984)  
*Grandinia crustosa*, UR - Specimen discarded  
*Grandinia subalutacea*, V (DAVFP)  
*Heterobasidion annosum*, V (DAVFP)  
*Hymenochaete fusca*, V (DAVFP)  
*Hymenochaete tabacina*, V (DAVFP)  
*Hyphoderma deviatum*, V (DAOM 142421)  
*Hyphoderma praetermissum*, V (DAVFP)  
*Hyphoderma puberum*, V (DAOM 139084)  
*Hyphoderma roseocremeum*, V (DAOM 138924)  
*Hyphoderma setigerum*, LC (Shaw 1958 as *Peniophora setigera*)  
*Hypchnicium versatum*, LC (Shaw 1958 as *Corticium versatum*)  
*Inonotus circinatus*, UR  
*Inonotus subiculosus*, V (DAVFP)  
*Inonotus tomentosus*, UR  
*Ischnoderma resinosum*, V (DAVFP)  
*Jahnoporus hirtus*, V (DAVFP)  
*Junghuhnia zonata*, V (DAVFP)  
*Laetiporus sulphureus*, V (DAVFP)  
*Leptotorpus mollis*, V (DAVFP)  
*Leucogyrophana mollusca*, V (DAVFP)  
*Meruliodipsis taxicola*, UR  
*Meruliporia incrassata*, V (DAVFP)  
*Mycocacia fuscoatra*, V (DAOM 142124)  
*Odontia lactea*, V (DAVFP)  
*Odonticium romellii*, V (DAOM 139078, 139088)  
*Osteina obducta*, V (DAVFP)  
*Oxyporus similis*, LC (Shaw 1973 as *Poria similis*)  
*Peniophora humifaciens*, V (DAVFP)  
*Peniophora piceae*, V (DAVFP)  
*Peniophora pseudopini*, LC (Connors 1967)  
*Peniophora septentrionalis*, LC (Nobles 1956)  
*Perenniporia subacida*, V (DAVFP)  
*Perenniporia tenuis*, V (DAVFP)  
*Phaeolus schweinitzii*, V (DAVFP)  
*Phanerochaete carnosa*, V (DAVFP)  
*Phanerochaete gigantea*, V (DAVFP)  
*Phanerochaete rimosa*, V (DAOM 139121)  
*Phanerochaete sanguinea*, V (DAVFP)  
*Phanerochaete sordida*, V (DAOM 142055)  
*Phanerochaete* sp., V (DAOM 139093, 141436, 141438)  
*Phellinus ferreus*, V (DAVFP)  
*Phellinus ferrugineofuscus*, V (DAVFP)

## Plant hosts - P

- Phellinus nigrolimitatus*, V (DAVFP)  
*Phellinus pini*, V (DAVFP)  
*Phellinus punctatus*, UR  
*Phellinus repandus*, V (DAVFP)  
*Phellinus robustus*, V (DAVFP)  
*Phellinus viticola*, V (DAVFP)  
*Phellinus weiri*, V (DAVFP)  
*Phlebia albida*, V (DAVFP)  
*Phlebia cretacea*, V (DAOM 141428)  
*Phlebia livida*, V (DAVFP)  
*Phlebia merismoides*, V (DAVFP)  
*Phlebia segregata*, UR  
*Phlebia subserialis*, V (DAVFP)  
*Phlebia tremellosum*, V (DAVFP)  
*Phlebia* sp., V (DAOM)  
*Phlebiella filicina*, V (DAVFP)  
*Phlebiella ralla*, V (DAVFP)  
*Phlebiella tulasnelloidea*, V (DAVFP)  
*Phlebiella vaga*, LC (Ginns 1982a)  
*Piloderma byssinum*, V (DAVFP)  
*Piloderma fallax*, V (DAVFP)  
*Pistillaria* sp., V (DAVFP)  
*Plicaturopsis crispa*, V (DAVFP)  
*Polyporus cinnamomeus*, V (DAVFP)  
*Polyporus perennis*, V (DAVFP)  
*Polyporus varius*, V (DAVFP)  
*Poria cinerascens*, V (DAVFP)  
*Poria expallescens*, V (DAVFP)  
*Postia balsamea*, V (DAVFP)  
*Postia caesia*, LC (Shaw 1973 as *Polyporus caesioides*)  
*Postia fragilis*, V (DAVFP)  
*Postia guttulata*, V (DAVFP)  
*Postia leucospongia*, V (DAVFP)  
*Postia perdelicata*, V (DAVFP)  
*Postia placenta*, V (DAVFP)  
*Postia salmonicolor*, UR  
*Postia sericeomollis*, V (DAVFP)  
*Postia stiptica*, V (DAVFP)  
*Postia undosa*, V (DAVFP)  
*Pycnoporellus alboluteus*, UR  
*Pycnoporellus fulgens*, V (DAVFP)  
*Ramaria stricta* var. *concolor*, V (DAVFP)  
*Resinicum bicolor*, V (DAVFP)  
*Resinicum furfuraceum*, V (DAVFP)  
*Rigidoporus crocatus*, V (DAVFP)  
*Schizopora paradoxa*, V (DAVFP)  
*Scytonostroma arachnoideum*, V (DAVFP)  
 (TYPE)  
*Scytonostroma galactina*, V (DAVFP)  
*Serpula himantoides*, V (DAVFP)  
*Serpula lacrimans*, V (DAVFP)  
*Sistotrema brinkmannii*, V (DAVFP)  
*Skeletocutis amorpha*, V (DAVFP)  
*Skeletocutis nivea*, LC (Shaw 1973 as *Polyporus semipileatus*)  
*Skeletocutis subincarnata*, V (DAOM 141350)  
*Sparassis crispa*, V (DAVFP)  
*Sphaerobasidium minutum*, V (DAOM 142446)  
*Steccherinum ochraceum*, V (DAVFP)  
*Stereum ostrea*, V (DAVFP)  
*Stereum sanguinolentum*, V (DAVFP)  
*Thelephora terrestris*, V (DAVFP)  
*Tomentella ochracea*, LC (Larsen 1970, 1974)  
*Tomentella sublilacina*, V (DAVFP)  
*Tomentella* sp., V (DAVFP)  
*Tomentellina fibrosa*, V (DAVFP)
- Trametes cervina*, V (DAVFP)  
*Trametes pubescens*, UR  
*Trametes versicolor*, V (DAVFP)  
*Trechispora mollusca*, V (DAVFP)  
*Trichaptum abietinum*, V (DAVFP)  
*Trichaptum fuscoviolaceum*, V (DAOM 141009)  
*Tubulicrinis borealis*, V (DAOM 142461)  
*Tubulicrinis calothrix*, V (DAOM 142018)  
*Tubulicrinis chaetophorus*, V (DAOM 142021)  
*Tubulicrinis glebulosus*, V (DAVFP)  
*Tubulicrinis subulatus*, V (DAOM 142024)  
*Tyromyces chioneus*, V (DAOM 142112)  
*Tyromyces* sp., V (DAVFP)  
*Vararia granulosa*, V (DAVFP)  
*Vararia racemosa*, LC (Shaw 1973)  
*Vesiculomyces citrinus*, V (DAVFP)  
*Wolfiporia cocos*, LC (Ginns and Lowe 1983 as *Macrohyporia extensa*)  
*Wrightoporia lenta*, V (DAVFP)
- Uredinales**
- Melampsora medusae*, V (DAVFP)  
*Melampsora occidentalis*, V (DAVFP)
- Others**
- Cerinomyces canadensis*, LC (Seifert 1983)  
*Cerinomyces crustulinus*, V (DAOM 142589)  
*Cristella* sp., V (DAOM 139067)  
*Crucibulum laeve*, V (DAVFP)  
*Dacrymyces palmatus*, V (DAVFP)  
*Ditiola radicata*, V (DAVFP)  
*Eichlerella macrospora*, V (DAVFP)  
*Exidia saccharina*, V (DAVFP)  
*Guepiniopsis alpina*, LC (Shaw 1973)  
*Heterotextus luteus*, LC (Seifert 1983)  
*Lycoperdon pyriforme*, UR  
*Nidula microcarpa*, V (DAVFP)  
*Pseudohydnum gelatinosum*, V (DAVFP)  
*Rhizopogon vinicolor*, LC (Shaw 1973)  
*Sebacina* sp., V (DAVFP)  
*Thanatephorus cucumeris*, LC (Conners 1967 as *Rhizoctonia solani*)  
*Tremella encephala*, V (DAVFP)  
*Tremella fimbriata*, LC (Conners 1967 as *Tremella encephala*)
- Deuteromycotina**
- Coelomycetes**
- Amphicytostroma* sp., V (DAVFP)  
*Apostrasseria lunata*, V (DAVFP)  
*Camarosporium* sp., V (DAVFP)  
*Ceuthospora* sp., UR  
*Cryptosporium* sp., V (DAVFP)  
*Cytospora* sp., V (DAVFP)  
*Dichomera gemmicola*, V (DAVFP)  
*Endothiella aggregata*, V (DAVFP)  
*Fusicoccum* sp., V (DAVFP)  
*Gelatinosporium fosteri*, V (DAVFP) (TYPE)  
*Gelatinosporium griseo-lanatum*, V (DAVFP)  
*Gelatinosporium pinicola*, V (DAVFP)  
*Gelatinosporium sinuatum*, V (DAVFP) (HOLOTYPE)  
*Gelatinosporium uncinatum*, V (DAVFP) (TYPE)  
*Haplosporella* sp., V (DAVFP)  
*Macrophoma* sp., V (DAVFP)  
*Phoma* sp., V (DAVFP)  
*Phomopsis porteri*, V (DAVFP) (TYPE)

*Rhabdogloea pseudotsugae*, V (DAVFP)

*Rhizosphaera kalkhoffii*, V (DAVFP)

*Rhizosphaera oudemansi*, V (DAVFP)

*Sclerophoma semenospora*, V (DAVFP)  
(TYPE)

*Sclerotiopsis* sp., V (DAVFP)

*Sirococcus conigenus*, V (DAVFP)

*Sirodothis* sp., V (DAVFP)

*Tiarosporella pseudotsugae*, V (DAVFP)

*Truncatella* sp., UR

#### Hyphomycetes

*Alternaria maritima*, LC (Hughes 1969)

*Alternaria* sp., LC (Shaw 1973)

*Aspergillus* sp., LC (Shaw 1973)

*Aitchia glomerulosa*, V (DAVFP)

*Aitchia* sp., V (DAVFP)

*Aureobasidium pullulans*, UR

*Bactrodesmium obliquum* var. *suttonii*, V  
(DAVFP)

*Botrytis cinerea*, V (DAVFP)

*Botrytis* sp., LC (Mittal and Wang 1985)

*Cirrenalia macrocephala*, LC (Hughes 1969)

*Cladosporium herbarum*, V (DAVFP)

*Cylindrocarpone destructans*, LC (Shaw 1973)

*Cylindrocarpone didymum*, LC (Ginns 1986a)

*Cylindrocarpone* sp., LC (Axelrood et al.  
1992)

*Epicoccum nigrum*, V (DAVFP)

*Epicoccum* sp., V (DAVFP)

*Fumago* sp., V (DAVFP)

*Fusarium acuminatum*, LC (Axelrood et al.  
1990)

*Fusarium avenaceum*, LC (Conners 1967;  
Axelrood et al. 1990)

*Fusarium lateritium*, LC (Axelrood et al.  
1990)

*Fusarium moniliforme*, LC (Axelrood et al.  
1990)

*Fusarium oxysporum*, LC (Axelrood et al.  
1990; Strobel and Sinclair 1991)

*Fusarium oxysporum* f. sp. *pini*, V (DAVFP)

*Fusarium poae*, LC (Axelrood et al. 1990)

*Fusarium redolens*, LC (Ginns 1986a)

*Fusarium sambucinum*, LC (Axelrood et al.  
1990)

*Fusarium sambucinum* var. *caeruleum*, LC  
(Shaw 1973)

*Gliocladium roseum*, LC (Shaw 1973)

*Graphium* sp., V (DAVFP) - Dried culture  
only.

*Hormodendrum* sp., LC (Shaw 1973)

*Hormonema merioides*, V (DAVFP) (TYPE)

*Humicola alopallionella*, LC (Hughes 1969)

*Ilosporium* sp., UR

*Leptographium abietinum*, V (DAVFP) –  
Dried culture only.

*Leptographium procerum*, V (DAVFP) - Dried  
culture only.

*Leptographium wageneri*, V (DAVFP)

*Leptographium wageneri* var. *pseudotsugae*,  
V (DAVFP)

*Leptographium wageneri* var. *wageneri*, LC

(Harrington and Cobb 1986 as

*Verticiladiella wageneri* var. *wageneri*)

*Mariannaea elegans*, LC (Bissett 1979a)

*Meria laricis*, V (DAVFP)

*Meria* sp., LC (Wood and Van Sickle 1986)

*Monilia versiformia*, V (DAVFP)

(HOLOTYPE) - Dried culture only.

*Monilia* sp., LC (Shaw 1973)

*Monodictys pelagica*, LC (Hughes 1969)

*Paecilomyces carneus*, LC (Bissett 1979b)

*Penicillium* sp., LC (Ginns 1986a)

*Racodium resinae*, V (DAVFP)

*Rhinocladiella mansonii*, UR

*Septonema dendrophioides*, V (DAVFP)

*Sporidesmium* sp., V (DAVFP)

*Stemphylium* sp., LC (Shaw 1973)

*Trichocladium* sp., LC (Bloomberg 1966)

*Trichoderma atroviride*, LC (Bissett 1992)

*Trichoderma harzianum*, LC (Bissett 1991)

*Trichoderma oblongisporum*, LC (Bissett  
1991)

*Trichoderma polysporum*, LC (Bissett 1991)

*Trichoderma viride*, LC (Ginns 1986a)

*Trichoderma* sp., UR - Specimen discarded

*Trichothecium roseum*, V (DAVFP)

*Ulocladium consortiale*, LC (Hughes 1969)

*Verticiladiella brachiata*, LC (Kendrick 1962)  
(TYPE)

*Zalerion maritimum*, LC (Hughes 1969)

#### Others

*Cenococcum geophilum*, LC (Roth and

Berch 1992)

*Mycelia sterilia*, V (DAOM 141778)

*Mycelium radicum atrovirens*, LC (Bloomberg  
1966)

*Naemospora* sp., V (DAVFP)

#### Zygomycotina

*Cunninghamella* sp., LC (Shaw 1973)

*Mucor racemosus*, LC (Shaw 1973)

*Rhizopus* sp., LC (Shaw 1973)

#### Chromista

##### Oomycota

*Phytophthora cryptogea*, LC (Hamm and  
Hansen 1985)

*Phytophthora drechsleri*, LC (Hamm and  
Hansen 1985)

*Pythium* sp., V (DAVFP) - Dried culture only.

#### Protozoa

##### Myxomycota

*Arcyria denudata*, V (DAVFP)

*Comatricha nigra*, V (DAVFP)

*Diacheopsis insessa*, V (DAVFP)

*Fuligo septica*, V (DAVFP)

*Leocarpus fragilis*, V (DAVFP)

*Lycogala epidendrum*, V (DAVFP)

*Physarum* sp., V (DAVFP)

*Stemonitis fusca*, UR

*Trichia alpina*, V (DAVFP)

#### Parasitic Plants

*Arceuthobium douglasii*, V (DAVFP)

*Arceuthobium tsugense*, V (DAVFP)

#### Bacteria

*Erwinia* sp., V (DAVFP)

**Pseudotsuga taxifolia** (Poir.) Britton:Sudw.

see **Pseudotsuga menziesii**

*Plant hosts - P*

***Pseudotsuga wilsoniana* Hayata**

Fungi

Ascomycotina

Rhabdocline sp. UR - Specimen discarded.

***Pseudotsuga* sp.**

Fungi

Basidiomycotina

Aphylophorales

Repetobasidium mirificum, LC (Hallenberg 1991)

Tubulicrinis strangulatus, LC (Hallenberg 1991)

***Pteridium aquilinum* (L.) Kuehn - bracken**

Fungi

Ascomycotina

Cryptomycina pteridis, V (DAVFP)

Mycosphaerella pteridis, LC (Barr 1953 as Mycosphaerella indistincta)

Basidiomycotina

Agaricales

Flagelloscypha citrispora, LC (Redhead 1973)

Pellidiscus pallida, LC (Redhead 1973)

Aphylophorales

Thelephora terrestris, V (DAVFP)

Uredinales

Uredinopsis hashiokai, V (DAVFP)

Uredinopsis pteridis, V (DAVFP)

Deuteromycotina

Hyphomycetes

Aureobasidium sp., UR

Valdensia heterodoxa, LC (Ginns 1986a)

***Pteridium aquilinum* (L.) Kuehn var. pubescens** Underw. - bracken

Fungi

Ascomycotina

Cryptomycina pteridis, V (DAVFP)

Basidiomycotina

Uredinales

Uredinopsis hashiokai, V (DAVFP)

Uredinopsis pteridis, V (DAVFP)

***Puccinellia hauptiana* Krecz. - alkali grass**

Fungi

Deuteromycotina

Coelomycetes

Pseudoseptoria everhartii, LC (Ginns 1986a)

Hyphomycetes

Spermospora subulata, LC (Ginns 1986a)

***Puccinellia nuttalliana* (Schult.) Hitchc. - Nuttall's alkali grass**

Fungi

Ascomycotina

Mycosphaerella tassiana, LC (Barr 1953)

***Pyracantha coccinea* Roem. - firethorn**

Fungi

Ascomycotina

Venturia inaequalis, LC (Shaw 1973)

Deuteromycotina

Hyphomycetes

Spilocaea pyracanthae, LC (Ginns 1986a)

***Pyracantha crenatisserrata* (Hance) Rehd. - firethorn**

Fungi

Basidiomycotina

Aphylophorales

Periophora incarnata, V (DAVFP)

***Pyracantha koidzumii* - firethorn**

Fungi

Deuteromycotina

Hyphomycetes

Spilocaea pyracanthae, V (DAVFP)

***Pyrola aphylla* Smith - wintergreen, leafless pyrola**

Fungi

Basidiomycotina

Uredinales

Chrysomyxa pirolata, V (DAVFP)

***Pyrola asarifolia* Michx. var. *asarifolia***  
(=Pyrola uliginosa) - large wintergreen

Fungi

Basidiomycotina

Uredinales

Chrysomyxa pirolata, V (DAVFP)

Pucciniastrum pyrolae, V (DAVFP)

***Pyrola asarifolia* Michx. var. *purpurea***

(Bunge) Fern. (=Pyrola bracteata) - large wintergreen, Oregon wintergreen

Fungi

Ascomycotina

Lophodermium pyrolae, V (DAVFP)  
(ISOTYPE)

Basidiomycotina

Uredinales

Chrysomyxa pirolata, V (DAVFP)

Pucciniastrum pyrolae, V (DAVFP)

Deuteromycotina

Hyphomycetes

Phyllosticta pyrolae, LC (Parmelee 1958;  
Bissett and Derbyshire 1984b on *Pyrola  
bracteata*)

***Pyrola bracteata* Hook. see *Pyrola  
asarifolia* var. *purpurea***

***Pyrola chlorantha* Sw. see *Pyrola virens***

***Pyrola dentata* Smith - Nootka wintergreen**

Fungi

Basidiomycotina

Uredinales

Chrysomyxa pirolata, V (DAVFP)

***Pyrola minor* L. - lesser pyrola****Fungi****Basidiomycotina****Uredinales***Pucciniastrum pyrolae*, V (DAVFP)***Pyrola picta* Smith - white-veined pyrola****Fungi****Ascomycotina***Lophodermium pyrolae*, LC (Connors 1967)**Basidiomycotina****Uredinales***Chrysomyxa pirolata*, LC (Ginns 1986a)***Pyrola rotundifolia* L. var. *americana***

(Sweet) Fern. - round-leaved pyrola, wild lily-of-the-valley

**Fungi****Basidiomycotina****Uredinales***Chrysomyxa pirolata*, LC (Connors 1967)***Pyrola secunda* L. - one-sided pyrola****Fungi****Basidiomycotina****Uredinales***Chrysomyxa pirolata*, V (DAVFP)*Pucciniastrum pyrolae*, V (DAVFP)***Pyrola uliginosa* Torr. & Gray see *Pyrola asarifolia* var. *asarifolia******Pyrola virens* Schweigger (=*Pyrola chlorantha*) - greenish-flowered wintergreen****Fungi****Basidiomycotina****Uredinales***Chrysomyxa pirolata*, V (DAVFP)*Pucciniastrum pyrolae*, V (DAVFP)***Pyrus communis* L. - common pear****Fungi****Ascomycotina***Diplocarpon mespili*, LC (Connors 1967 as *Fabraea maculata*)*Glomerella fructigena*, LC (Shaw 1973)*Monilinia laxa*, LC (Ginns 1986a)*Nectria coccinea*, LC (Shaw 1973)*Nectria galligena*, LC (Punja and Ormrod 1979)*Pezicula malicorticis*, LC (Connors 1967)*Podosphaera leucotricha*, LC (Ginns 1986a)*Taphrina bullata*, LC (Ginns 1986a)*Valsa* sp., LC (Shaw 1973)*Venturia inaequalis*, V (DAVFP)*Venturia pirina*, V (DAVFP)**Basidiomycotina****Agaricales***Armillaria* sp., LC (Shaw 1973 as *Armillaria mellea*)**Uredinales***Gymnosporangium fuscum*, V (DAVFP)**Deuteromycotina****Cycomycetes***Cryptosporiopsis corticola*, LC (Connors 1967)*Cytospora* sp., LC (Toms 1964)**Hyphomycetes***Botrytis cinerea*, LC (Toms 1964)*Oidium* sp., LC (Jones 1957)*Penicillium* sp., LC (Sholberg and Owen 1991)*Phialophora malorum*, LC (Shaw 1973)**Zygomycotina***Mucor piriformis*, LC (Sholberg and Owen 1991)*Mucor* sp., LC (Sholberg and Owen 1991)*Rhizopus stolonifer*, LC (Ginns 1986a)**Chromista****Oomycota***Phytophthora cactorum*, LC (Toms 1964)*Phytophthora cambivora*, LC (Toms 1964)*Phytophthora cinnamomi*, LC (Shaw 1973)*Phytophthora cryptogea*, LC (Ginns 1986a)**Bacteria***Agrobacterium tumefaciens*, LC (Toms 1964)*Erwinia amylovora*, LC (Connors 1967)*Pseudomonas syringae*, LC (Connors 1967)***Pyrus longipes* Coss. & Dur. - pear****Fungi****Ascomycotina***Taphrina bullata*, LC (Ginns 1986a)***Pyrus malus* L. see *Malus domestica******Pyrus ussuriensis* Maxim. - Asiatic pear****Fungi****Ascomycotina***Podosphaera leucotricha*, LC (Connors 1967)***Pyrus* sp.****Fungi****Ascomycotina***Venturia pirina*, V (DAVFP)**Basidiomycotina****Uredinales***Gymnosporangium fuscum*, V (DAOM)



***Quercus coccinea*** Muenchh. - scarlet oak**Fungi****Ascomycotina***Nectria* sp., V (DAVFP)***Quercus garryana*** Dougl. - Garry oak**Fungi****Ascomycotina***Gnomonia setacea*, V (DAVFP)*Microsphaera extensa* var. *curta*, V (DAVFP)*Microsphaera penicillata*, LC (Barr 1953 as  
*Microsphaera alni*)*Nemania serpens* var. *macrospora*, V  
(DAVFP)*Pleuroceras virgularum*, LC (Barr 1991b)*Poculum sydowiana*, LC (Shaw 1973)*Taphrina caerulescens*, V (DAVFP)**Basidiomycotina****Agaricales***Armillaria* sp., V (DAVFP)*Coprinus atramentarius*, V (DAVFP)*Lentinus torulosus*, V (DAVFP)*Pleurotus ostreatus*, V (DAVFP)**Aphyllophorales***Dendrothele candida*, V (DAVFP)*Ganoderma applanatum*, V (DAVFP)*Grandinia crustosa*, V (DAVFP)*Hericium americanum*, V (DAVFP)*Hyphoderma amoenum*, V (DAVFP)*Inonotus cuticularis*, V (DAVFP)*Inonotus dryadeus*, V (DAVFP)*Kavinia himantia*, V (DAVFP)*Laetiporus sulphureus*, V (DAVFP)*Megalocystidium leucoxanthum*, V (DAVFP)*Peniophora incarnata*, V (DAVFP)*Phaeolus schweinitzii*, V (DAVFP)*Phanerochaete rimoso*, V (DAVFP)*Phellinus ferreus*, V (DAVFP)*Phellinus ferruginosus*, V (DAVFP)*Phlebia merismoides*, V (DAVFP)*Phlebia rufa*, V (DAVFP)*Ramaricium flavomarginatum*, LC (Ginns  
1986a)*Schizopora paradoxa*, V (DAVFP)*Steccherinum ochraceum*, V (DAVFP)*Stereum gausapatum*, V (DAVFP)*Stereum hirsutum*, V (DAVFP)*Stereum ochraceo-flavum*, LC (Chamuris  
1988)*Stereum ostrea*, V (DAVFP)*Subulicystidium longisporum*, V (DAVFP)*Trametes hirsuta*, V (DAVFP)*Trametes versicolor*, V (DAVFP)**Others***Exidiopsis grisea*, V (DAVFP)**Deuteromycotina****Coelomycetes***Botryodiplodia gallae*, V (DAVFP)*Cytospora* sp., V (DAVFP)*Discula umbrinella*, V (DAVFP)*Fusicoccum ellisianum*, V (DAVFP)*Phoma* sp., V (DAVFP)*Phomopsis quercina*, LC (Shaw 1973)*Septoria* sp., V (DAVFP)**Protozoa****Myxomycota***Craterium minutum*, V (DAVFP)*Fuligo septica*, V (DAVFP)***Quercus kelloggii*** Newberry - Kellogg's

oak, California black oak

**Fungi****Basidiomycotina****Aphyllophorales***Dendrothele macrodens*, LC (Shaw 1973)***Quercus robur*** L. - English oak**Fungi****Ascomycotina***Microsphaera penicillata*, UR**Deuteromycotina****Hyphomycetes***Oidium* sp., LC (Toms 1964)***Quercus rubra*** L. - red oak**Fungi****Deuteromycotina****Coelomycetes***Discula umbrinella*, V (DAVFP)***Quercus* sp. - oak****Fungi****Ascomycotina***Apiognomonia veneta*, V (DAVFP)**Basidiomycotina****Others***Exidia recisa*, V (UBC F5177)**Deuteromycotina****Coelomycetes***Gloeosporium* sp., V (DAVFP)**Hyphomycetes***Helicosporium phragmitis*, LC (Goos 1989)



**Ranunculus acris** L. - tall buttercup,  
meadow buttercup  
**Fungi**  
**Oomycota**  
*Peronospora ficariae*, LC (Shaw 1973)

**Ranunculus bongardii** Greene see  
*Ranunculus uncinatus* var. *parviflorus*

**Ranunculus cooleyae** Vasey & Rose -  
 Cooley's buttercup  
**Fungi**  
**Basidiomycotina**  
**Others**  
*Urocystis anemones*, LC (Conners 1967)

**Ranunculus cymbalaria** Pursh - sea-side  
 crowfoot, sea-side buttercup  
**Fungi**  
**Basidiomycotina**  
**Uredinales**  
*Puccinia recondita*, V (DAVFP)

**Ranunculus eschscholtzii** Schlecht. -  
 Eschscholtz's buttercup  
**Fungi**  
**Ascomycotina**  
*Mycosphaerella ranunculi*, LC (Barr 1953)  
*Pleospora rainierensis*, LC (Barr 1953 as  
*Pleospora asymmetrica*)  
  
**Basidiomycotina**  
**Uredinales**  
*Puccinia blyttiana*, LC (Parmelee and de  
 Carteret 1984a)  
*Puccinia ustalis*, LC (Parmelee and Savile  
 1984c)  
  
**Others**  
*Urocystis anemones*, LC (Conners 1967)

**Ranunculus glaberrimus** Hook. -  
 sagebrush buttercup  
**Fungi**  
**Basidiomycotina**  
**Uredinales**  
*Puccinia recondita*, V (DAVFP)

**Ranunculus inamoenus** Greene -  
 buttercup  
**Fungi**  
**Deuteromycotina**  
**Hymenomycetes**  
*Ramularia* sp., LC (Shaw 1973)

**Ranunculus pygmaeus** Wahlenb. - dwarf  
 buttercup  
**Fungi**  
**Basidiomycotina**  
**Uredinales**  
*Puccinia blyttiana*, LC (Parmelee and de  
 Carteret 1984a)

**Ranunculus recurvatus** Poir. - buttercup  
**Fungi**  
**Basidiomycotina**  
**Uredinales**  
*Tranzschelia pruni-spinosae*, LC (Arthur  
 1934)

**Ranunculus repens** L. - creeping buttercup  
**Fungi**  
**Basidiomycotina**  
**Others**  
*Entyloma microsporum*, LC (Ginns 1986a)  
  
**Deuteromycotina**  
**Hymenomycetes**  
*Ramularia* sp., LC (Shaw 1973)

**Ranunculus uncinatus** D. Don - little  
 buttercup  
**Fungi**  
**Basidiomycotina**  
**Others**  
*Entyloma ficariae*, LC (Shaw 1973)

**Deuteromycotina**  
**Hymenomycetes**  
*Ramularia aequivoca*, LC (Shaw 1973)  
*Ramularia ranunculi-lyallii*, LC (Shaw 1973)  
  
**Chromista**  
**Oomycota**  
*Peronospora ficariae*, LC (Ginns 1986a)

**Ranunculus uncinatus** D. Don var.  
*parviflorus* (Torr.) Benson (=*Ranunculus*  
*bongardii*) - little buttercup  
**Fungi**  
**Basidiomycotina**  
**Others**  
*Entyloma ficariae*, LC (Conners 1967)

**Deuteromycotina**  
**Hymenomycetes**  
*Ramularia aequivoca*, LC (Jones 1957)  
*Ramularia ranunculi-lyallii*, LC (Dearnness  
 1917; Braun 1992 on *Ranunculus lyallii*)

**Ranunculus** sp. - buttercup  
**Fungi**  
**Ascomycotina**  
*Erysiphe* sp., V (DAVFP)  
*Pseudopeziza singularis*, LC (Shoemaker  
 and Egger 1982)

**Basidiomycotina**  
**Others**  
*Entyloma ficariae*, V (DAVFP)

**Raphanus sativus** L. - wild radish  
**Fungi**  
**Ascomycotina**  
*Hypocopra hypocoproides*, LC (Barr 1953 as  
*Sordaria hypocoproides*)  
*Petriella asymmetrica*, LC (Conners 1967 as  
*Petriella asymmetrica* on seed)  
*Tripterospora brevicaudata*, LC (Conners  
 1967)

## Plant hosts - R

### **Basidiomycotina**

#### **Others**

*Thanatephorus cucumeris*, LC (Ginns 1986a)

### **Deuteromycotina**

#### **Hymenomycetes**

*Alternaria alternata*, LC (Connors 1967)  
*Alternaria brassicae*, LC (Connors 1967)  
*Alternaria raphani*, LC (Ginns 1986a)  
*Arthrinium arundinis*, LC (Connors 1967)  
*Fusarium equiseti*, LC (Connors 1967)  
*Geotrichum candidum*, LC (Connors 1967 as *Oospora lactis* on seed)  
*Penicillium spinulosum*, LC (Connors 1967)  
*Ulocladium consortiale*, LC (Shaw 1973)

### **Zygomycotina**

*Rhizopus arrhizus*, LC (Connors 1967)

### **Chromista**

#### **Oomycota**

*Aphanomyces raphani*, LC (Ginns 1986a)  
*Peronospora parasitica*, LC (Ginns 1986a)

### **Protozoa**

#### **Plasmodiophoromycota**

*Plasmodiophora brassicae*, LC (Ginns 1986a)

***Rhamnus alnifolia* L'Her** - alder-leaved buckthorn

#### **Fungi**

##### **Basidiomycotina**

###### **Uredinales**

*Puccinia coronata*, V (DAVFP)

***Rhamnus cathartica* L.** - European buckthorn

#### **Fungi**

##### **Basidiomycotina**

###### **Uredinales**

*Puccinia coronata*, V (DAVFP)

***Rhamnus purshiana* DC.** - cascara

#### **Fungi**

##### **Ascomycotina**

*Kalmusia ebuli*, LC (Barr 1992a)  
*Nectria cinnabarina*, V (DAVFP)

##### **Basidiomycotina**

###### **Agaricales**

*Pholiota aurivelloides*, LC (Shaw 1973)

##### **Aphyllophorales**

*Postia guttulata*, LC (Shaw 1973 as *Polyporus guttulatus*)  
*Schizophyllum commune*, V (DAVFP)

###### **Uredinales**

*Puccinia coronata*, V (DAVFP)

##### **Deuteromycotina**

###### **Coelomycetes**

*Marssonina rhamni*, V (DAVFP)  
*Phyllosticta rhamni*, LC (Jones 1957)

##### **Hymenomycetes**

*Tubercularia vulgaris*, V (DAVFP)

***Rhipiolepis indica* (L.) Lindl.** - Indian hawthorn

#### **Fungi**

##### **Ascomycotina**

*Diplocarpon mespili*, LC (Punja and Ormrod 1979 as *Diplocarpon maculatum*)

***Rheum rhaboticum* L.** - garden rhubarb

#### **Fungi**

##### **Ascomycotina**

*Erysiphe polygoni*, LC (Ginns 1986a as *Erysiphe communis*)  
*Erysiphe* sp., LC (Shaw 1973)

##### **Deuteromycotina**

###### **Coelomycetes**

*Colletotrichum dematium*, LC (Ginns 1986a)  
*Macrophoma straminella*, LC (Connors 1967)

##### **Hymenomycetes**

*Botrytis cinerea*, LC (Jones 1957)

### **Bacteria**

*Agrobacterium tumefaciens*, LC (Connors 1967)

***Rhinanthus crista-galli* L.** - yellow-rattle

#### **Fungi**

##### **Basidiomycotina**

###### **Uredinales**

*Cronartium coleosporioides f. coleosporioides*, V (DAVFP)

***Rhododendron albiflorum* Hook.** - white-flowered rhododendron

#### **Fungi**

##### **Ascomycotina**

*Protoventuria angustispora*, LC (Barr 1989; Meurer-Grimes et al. 1992) (HOLOTYPE)

##### **Basidiomycotina**

###### **Others**

*Exobasidium burtii*, V (DAVFP)

***Rhododendron augustinii* Hemsl. X *R. fastigiatum* Franch.** (Augfast) - hybrid rhododendron

#### **Fungi**

##### **Basidiomycotina**

###### **Uredinales**

*Chrysomyxa ledi* var. *rhododendri*, V (DAVFP)

***Rhododendron 'Blue Peter'* - rhododendron**

#### **Fungi**

##### **Basidiomycotina**

###### **Uredinales**

*Chrysomyxa piperiana*, V (DAVFP)

**Rhododendron calostrotum** Balf. & Ward -  
rhododendron

Fungi  
 Basidiomycotina  
 Uredinales  
*Chrysomyxa ledi* var. *rhododendri*, LC  
 (Ginns 1986a)

**Rhododendron campylogynum** Franch. -  
rhododendron

Fungi  
 Basidiomycotina  
 Uredinales  
*Chrysomyxa ledi* var. *rhododendri*, V  
 (DAVFP)

**Rhododendron ciliatum** Hook. X **R. racemosum** Franch. (Racil) - hybrid  
rhododendron

Fungi  
 Basidiomycotina  
 Uredinales  
*Chrysomyxa ledi* var. *rhododendri*, V  
 (DAVFP)

**Rhododendron** 'var. **Cinnabarinum**' -  
rhododendron

Fungi  
 Basidiomycotina  
 Uredinales  
*Chrysomyxa ledi* var. *rhododendri*, V  
 (DAVFP)

**Rhododendron ferrugineum** L. -  
rhododendron

Fungi  
 Basidiomycotina  
 Uredinales  
*Chrysomyxa ledi* var. *rhododendri*, V  
 (DAVFP)

**Rhododendron ferrugineum** L. X **R. hirsutum** L. 'Intermedium' - hybrid  
rhododendron

Fungi  
 Basidiomycotina  
 Uredinales  
*Chrysomyxa ledi* var. *rhododendri*, UR

**Rhododendron hirsutum** L. -  
rhododendron

Fungi  
 Basidiomycotina  
 Uredinales  
*Chrysomyxa ledi* var. *rhododendri*, V  
 (DAVFP)

**Rhododendron impeditum** Balf. & W.W.  
Sm. X **R. hanceanum** Hemsl. (Impeanum) –  
hybrid rhododendron

Fungi  
 Basidiomycotina  
 Uredinales  
*Chrysomyxa ledi* var. *rhododendri*, V  
 (DAVFP)

**Rhododendron indicum** (L.) Sweet -

azalea  
 Fungi  
 Basidiomycotina  
 Others  
*Exobasidium vaccinii*, LC (Ginns 1986a)  
 Chromista  
 Oomycota  
*Phytophthora cinnamomi*, LC (Atkinson  
 1965)

**Rhododendron japonicum** (A. Gray)

Suringar - azalea  
 Fungi  
 Ascomycotina  
*Glomerella cingulata*, LC (Jones 1957 as  
*Gloeosporium rhododendri*)  
 Basidiomycotina  
 Others  
*Exobasidium vaccinii*, LC (Jones 1957)

**Rhododendron lapponicum** (L.) Wahlenb.

- Lapland rosebay  
 Fungi  
 Basidiomycotina  
 Uredinales  
*Chrysomyxa ledi* var. *rhododendri*, V  
 (DAVFP)

**Rhododendron macrophyllum** G. Don -  
California rhododendron, Pacific  
rhododendron

Fungi  
 Basidiomycotina  
 Uredinales  
*Chrysomyxa piperiana*, V (DAVFP)  
 Others  
*Exobasidium vaccinii*, V (DAVFP)

Deuteromycotina  
 Hyphomycetes  
*Pycnostysanus azaleae*, V (DAVFP)

Protozoa  
 Myxomycota  
*Comatricha nigra*, V (DAVFP)

**Rhododendron molle** (Bl.) G. Don - azalea

Chromista  
 Oomycota  
*Phytophthora cinnamomi*, LC (Atkinson  
 1965)

**Rhododendron obtusum** (Lindl.) Planch. -  
azalea

Fungi  
 Basidiomycotina  
 Others  
*Exobasidium vaccinii*, LC (Ginns 1986a)

*Plant hosts - R*

**Rhododendron obtusum** (Lindl.) Planch.

var. **Hinodegiri** - azalea

Fungi

Basidiomycotina

Others

*Phytophthora* sp., LC (Atkinson 1965)

**Rhododendron obtusum** (Lindl.) Planch.

var. **japonicum** (Maxim.) Wils. - azalea

Fungi

Basidiomycotina

Others

*Exobasidium* sp., V (DAVFP)

**Rhododendron pemakoense** Ward -

rhododendron

Fungi

Basidiomycotina

Uredinales

*Chrysomyxa ledi* var. *rhododendri*, V  
(DAVFP)

**Rhododendron ponticum** L. -

rhododendron

Chromista

Oomycota

*Phytophthora cinnamomi*, LC (Ginns 1986a)  
*Phytophthora* sp., LC (Atkinson 1965)

**Rhododendron racemosum** Franch. X **R. ciliatum** Hook. (Racil) - hybrid

rhododendron

Fungi

Basidiomycotina

Uredinales

*Chrysomyxa ledi* var. *rhododendri*, V  
(DAVFP)

**Rhododendron radicans** Balf. & Forrest -

rhododendron

Fungi

Basidiomycotina

Others

*Chrysomyxa ledi* var. *rhododendri*, V  
(DAVFP)

**Rhododendron riparium** Ward -

rhododendron

Fungi

Basidiomycotina

Others

*Chrysomyxa ledi* var. *rhododendri*, V  
(DAVFP)

**Rhododendron scyphocalyx** -

rhododendron

Fungi

Basidiomycotina

Others

*Chrysomyxa ledi* var. *rhododendri*, V  
(DAVFP)

**Rhododendron** sp. - rhododendron

Fungi

Ascomycotina

*Encoeliopsis rhododendri*, LC (Shaw 1973)

*Mycosphaerella rhododendri*, LC (Ginns

1986a)

*Protoventuria rhododendri*, LC (Ginns

1986a)

**Basidiomycotina**

Others

*Exobasidium* sp., V (DAVFP)

**Deuteromycotina**

Coelomycetes

*Pestalotiopsis sydowiana*, V (DAVFP)

*Phyllosticta* sp., LC (Shaw 1973)

*Seimatosporium arbuti*, LC (Ginns 1986a)

Chromista

Oomycota

*Phytophthora cinnamomi*, V (DAVFP)

**Rhododendron** sp. X **R. calostrotum** Balf.

& Ward (**cream**) - hybrid rhododendron

Fungi

Basidiomycotina

Others

*Chrysomyxa ledi* var. *rhododendri*, V  
(DAVFP)

**Rhododendron** sp. X **R. calostrotum** Balf.

& Ward (**rose**) - hybrid rhododendron

Fungi

Basidiomycotina

Others

*Chrysomyxa ledi* var. *rhododendri*, V  
(DAVFP)

**Rhus glabra** L. - smooth sumac

Fungi

Ascomycotina

*Cucurbitaria typhina*, LC (Barr 1953)

*Sphaerotheca macularis*, LC (Barr 1953 as

*Sphaerotheca humuli*)

Deuteromycotina

Coelomycetes

*Coryneum* sp., V (DAVFP)

Hyphomycetes

*Stigmina pallida*, LC (Connors 1967)

**Rhus radicans** L. - poison ivy

Fungi

Basidiomycotina

Uredinales

*Pileolaria brevipes*, LC (Parmelee and Elliott  
1974)

**Rhus typhina** L. - staghorn sumac

Fungi

Basidiomycotina

Agaricales

*Armillaria* sp., V (DAVFP)

**Rhus** sp. - sumac

Fungi

Ascomycotina

*Erysiphe* sp., LC (Connors 1967)

**Ribes americanum** Mill. - American black currant

Fungi

Ascomycotina

*Microsphaera grossulariae*, LC (Shaw 1973)

**Ribes aureum** Pursh - golden currant

Fungi

Basidiomycotina

Uredinales

*Cronartium ribicola*, LC (Ginns 1986a)

**Ribes bracteosum** Dougl.:Hook. - stink currant, blue currant

Fungi

Ascomycotina

*Neokeissleria ribis*, LC (Shaw 1973)

Basidiomycotina

Aphylophorales

*Polyporus melanopus*, UR

Uredinales

*Cronartium ribicola*, V (DAVFP)

*Puccinia caricina*, V (DAVFP)

*Puccinia parkerae*, LC (Connors 1967)

Deuteromycotina

Hymenomycetes

*Ramularia coalescens*, LC (Pirozynski 1974)

**Ribes cereum** Dougl. - white squaw currant

Fungi

Deuteromycotina

Hymenomycetes

*Cylindrosporium ribis*, UR

**Ribes divaricatum** Dougl. - common gooseberry

Fungi

Basidiomycotina

Uredinales

*Cronartium ribicola*, V (DAVFP)

*Melampsora ribesii-purpureae*, V (DAVFP)

*Puccinia caricina*, V (DAVFP)

*Puccinia parkerae*, V (DAVFP)

Deuteromycotina

Coelomycetes

*Cytospora* sp., LC (Shaw 1973)

**Ribes glandulosum** Grauer - skunk currant

Fungi

Basidiomycotina

Uredinales

*Puccinia caricina*, V (DAVFP)

**Ribes grossularia** L. - common cultivated gooseberry

Fungi

Ascomycotina

*Drepanopeziza ribis*, LC (Shaw 1973)

*Mycosphaerella ribis*, LC (Shaw 1973)

*Sphaerotheca mors-uvae*, LC (Ginns 1986a)

Basidiomycotina

Uredinales

*Cronartium ribicola*, LC (Ginns 1986a)

*Puccinia caricina*, LC (Ginns 1986a)

Deuteromycotina

Hymenomycetes

*Botrytis cinerea*, LC (Toms 1964)

**Ribes howellii** Greene - maple-leaved currant

Fungi

Basidiomycotina

Uredinales

*Cronartium ribicola*, LC (Ginns 1986a)

**Ribes hudsonianum** Richards. - black currant

Fungi

Basidiomycotina

Uredinales

*Cronartium ribicola*, V (DAVFP)

**Ribes inerme** Rydb. - white-stemmed gooseberry

Fungi

Basidiomycotina

Uredinales

*Cronartium ribicola*, V (DAVFP)

*Puccinia caricina*, V (DAVFP)

Deuteromycotina

Coelomycetes

*Gloeosporidiella bartholomaei*, LC (Shaw 1973)

**Ribes lacustre** (Pers.) Poir. - swamp currant, prickly currant

Fungi

Ascomycotina

*Sphaerotheca mors-uvae*, LC (Ginns 1986a)

Basidiomycotina

Aphylophorales

*Cylindrobasidium corrugum*, LC (Ginns 1989)

Uredinales

*Cronartium ribicola*, V (DAVFP)

*Melampsora ribesii-purpureae*, V (DAVFP)

*Puccinia caricina*, V (DAVFP)

*Puccinia parkerae*, V (DAVFP)

**Ribes laxiflorum** Pursh - coast trailing currant, black currant

Fungi

Basidiomycotina

Uredinales

*Cronartium ribicola*, V (DAVFP)

*Puccinia caricina*, LC (Connors 1967)

**Ribes lobii** Gray - red-flowered gooseberry, gummy gooseberry

Fungi

Ascomycotina

*Godronia cassandrae*, V (DAVFP)

*Godronia ribis*, V (DAVFP)

*Plant hosts - R*

<b>Basidiomycotina</b>	<b>Deuteromycotina</b>
<b>Uredinales</b>	<b>Coelomycetes</b>
<i>Cronartium ribicola</i> , V (DAVFP)	<i>Phyllosticta grossulariae</i> , LC (Toms 1964)
<b>Ribes nigrum</b> L. - black currant	<b>Ribes triste</b> Pall. - wild red currant
<b>Fungi</b>	<b>Fungi</b>
<b>Ascomycotina</b>	<b>Basidiomycotina</b>
<i>Sphaerothecea mors-uvae</i> , LC (Ginns 1986a)	<b>Uredinales</b>
<i>Xylaria hypoxylon</i> , V (DAVFP)	<i>Puccinia caricina</i> , V (DAVFP)
 	<i>Puccinia ribis</i> , V (DAVFP)
<b>Basidiomycotina</b>	 
<b>Uredinales</b>	 
<i>Cronartium ribicola</i> , V (DAVFP)	 
 	<b>Ribes viscosissimum</b> Pursh - sticky currant
<b>Ribes oxyacanthoides</b> L. - smooth gooseberry, wild gooseberry	<b>Fungi</b>
<b>Fungi</b>	<b>Basidiomycotina</b>
<b>Basidiomycotina</b>	<b>Uredinales</b>
<b>Uredinales</b>	<i>Cronartium ribicola</i> , V (DAVFP)
<i>Cronartium ribicola</i> , V (DAVFP)	 
 	<b>Deuteromycotina</b>
<b>Ribes roezlii</b> Regel - Sierra gooseberry	<b>Coelomycetes</b>
<b>Fungi</b>	<i>Gloeosporidiella bartholomaei</i> , V (DAVFP)
<b>Basidiomycotina</b>	 
<b>Uredinales</b>	 
<i>Cronartium ribicola</i> , LC (Shaw 1958)	 
 	<b>Hyphomycetes</b>
<b>Ribes sanguineum</b> Pursh - red flowering currant, blood currant	<i>Cercospora</i> sp., V (DAVFP)
<b>Fungi</b>	<i>Cylindrosporium ribis</i> , LC (Conners 1967)
<b>Basidiomycotina</b>	 
<b>Aphyllophorales</b>	 
<i>Ganoderma applanatum</i> , V (DAVFP)	 
<b>Uredinales</b>	<b>Ribes sp.</b> - currant, gooseberry
<i>Cronartium ribicola</i> , V (DAVFP)	<b>Fungi</b>
 	<b>Ascomycotina</b>
<b>Deuteromycotina</b>	<i>Gnomonia ribicola</i> , LC (Barr 1978)
<b>Coelomycetes</b>	<i>Mycosphaerella ribis</i> , LC (Barr 1953 as <i>Mycosphaerella grossulariae</i> )
<i>Cytospora</i> sp., LC (Shaw 1973)	 
<i>Septoria sanguinea</i> , LC (Ginns 1986a)	<b>Basidiomycotina</b>
<i>Septoria</i> sp., V (DAVFP)	<b>Uredinales</b>
 	<i>Puccinia caricina</i> , V (DAVFP)
<b>Ribes sativum</b> Syme - garden currant, red currant	 
<b>Fungi</b>	<b>Deuteromycotina</b>
<b>Ascomycotina</b>	<b>Hyphomycetes</b>
<i>Drepanopeziza ribis</i> , LC (Ginns 1986a)	<i>Fusarium</i> sp., UR
<i>Mycosphaerella ribis</i> , LC (Conners 1967)	 
<i>Sphaerothecea mors-uvae</i> , LC (Ginns 1986a)	 
 	<b>Robinia pseudoacacia</b> L. - black locust
<b>Basidiomycotina</b>	<b>Fungi</b>
<b>Uredinales</b>	<b>Ascomycotina</b>
<i>Cronartium ribicola</i> , V (DAVFP)	<i>Diaporthe eres</i> , V (DAVFP)
<b>Deuteromycotina</b>	<b>Basidiomycotina</b>
<b>Hyphomycetes</b>	<b>Aphyllophorales</b>
<i>Botrytis cinerea</i> , LC (Toms 1964)	<i>Phellinus igniarius</i> , LC (Shaw 1973 as <i>Fomes igniarius</i> )
<b>Ribes sativum</b> Syme var. <i>albescens</i> Rehd.	<b>Deuteromycotina</b>
- white currant	<b>Coelomycetes</b>
<b>Fungi</b>	<i>Camarosporium robiniae</i> , V (DAVFP)
<b>Ascomycotina</b>	<i>Phomopsis</i> sp., V (DAVFP)
<i>Mycosphaerella ribis</i> , LC (Toms 1964)	 
 	<b>Hyphomycetes</b>
 	<i>Fusarium</i> sp., V (DAVFP)
 	<b>Romneya coulteri</b> Harv. - Matilija poppy, tree poppy, canyon poppy
<b>Fungi</b>	<b>Fungi</b>
<b>Ascomycotina</b>	<b>Ascomycotina</b>
	<i>Sclerotinia sclerotiorum</i> , LC (Ginns 1986a)

**Rosa acicularis** Lindl. var. *bourgeauiana*  
 Crepin (=Rosa bourgeauiana) - rose  
 Fungi  
     Basidiomycotina  
         Uredinales  
             *Phragmidium fusiforme* var. *novi-boreale*, LC  
             (Savile 1974a) (TYPE)

**Rosa borboniana** Desp. 'La Reine Victoria' - Bourbon rose  
 Fungi  
     Basidiomycotina  
         Uredinales  
             *Phragmidium tuberculatum*, V (DAVFP)

**Rosa borboniana** Desp. 'Mme. Ernest Calvat' - Bourbon rose  
 Fungi  
     Basidiomycotina  
         Uredinales  
             *Phragmidium tuberculatum*, V (DAVFP)

**Rosa borboniana** Desp. 'Mme. Pierre Oger' - Bourbon rose  
 Fungi  
     Basidiomycotina  
         Uredinales  
             *Phragmidium tuberculatum*, V (DAVFP)

X **Rosa borboniana** Desp. X **R. chinensis**  
 Jacq. 'Black Prince' - Bourbon rose, hybrid perpetual rose, Remontant rose  
 Fungi  
     Basidiomycotina  
         Uredinales  
             *Phragmidium tuberculatum*, V (DAVFP)

X **Rosa borboniana** Desp. X **R. chinensis**  
 Jacq. 'Ferdinand Pichard' - Bourbon rose, hybrid perpetual rose, Remontant rose  
 Fungi  
     Basidiomycotina  
         Uredinales  
             *Phragmidium tuberculatum*, V (DAVFP)

X **Rosa borboniana** Desp. X **R. chinensis**  
 Jacq. 'Georg Arends' – Bourbon rose, hybrid perpetual rose, Remontant rose  
 Fungi  
     Basidiomycotina  
         Uredinales  
             *Phragmidium tuberculatum*, V (DAVFP)

X **Rosa borboniana** Desp. X **R. chinensis**  
 Jacq. 'Heinrich Munch' - Bourbon rose, hybrid perpetual rose, Remontant rose  
 Fungi  
     Basidiomycotina  
         Uredinales  
             *Phragmidium tuberculatum*, V (DAVFP)

X **Rosa borboniana** Desp. X **R. chinensis**  
 Jacq. 'Henry Nevard' - Bourbon rose, hybrid perpetual rose, Remontant rose  
 Fungi  
     Basidiomycotina  
         Uredinales  
             *Phragmidium tuberculatum*, V (DAVFP)

**Rosa bourgeauiana** Crepin see *Rosa acicularis* var. *bourgeauiana*

**Rosa californica** Cham. & Schlecht. - California rose  
 Fungi  
     Basidiomycotina  
         Uredinales  
             *Phragmidium rosae-californicae*, LC  
             (Connors 1967)

**Rosa canina** L. - rose  
 Fungi  
     Ascomycotina  
         *Sphaerotheca macularis*, LC (Connors 1967)

**Rosa centifolia** L. var. *muscosa* (Mill.) Ser.  
 - moss rose  
 Fungi  
     Ascomycotina  
         *Mycosphaerella rosicola*, LC (Connors 1967)

**Rosa centifolia** L. 'Variegata di Bologna' - cabbage rose  
 Fungi  
     Basidiomycotina  
         Uredinales  
             *Phragmidium tuberculatum*, V (DAVFP)

**Rosa dilecta** Rehd. 'Audie Murphy' - hybrid tea rose  
 Fungi  
     Basidiomycotina  
         Uredinales  
             *Phragmidium tuberculatum*, V (DAVFP)

**Rosa dilecta** Rehd. 'Caprice' - hybrid tea rose  
 Fungi  
     Basidiomycotina  
         Uredinales  
             *Phragmidium tuberculatum*, V (DAVFP)

**Rosa dilecta** Rehd. 'Cynthia Brooke' - hybrid tea rose  
 Fungi  
     Basidiomycotina  
         Uredinales  
             *Phragmidium tuberculatum*, V (DAVFP)

**Rosa dilecta** Rehd. 'Ena Harkness' - hybrid tea rose  
 Fungi  
     Basidiomycotina  
         Uredinales  
             *Phragmidium tuberculatum*, V (DAVFP)

*Plant hosts - R*

**Rosa *dictecta*** Rehd. 'Ethel Sanday' - hybrid tea rose

Fungi  
Basidiomycotina  
Uredinales  
*Phragmidium tuberculatum*, V (DAVFP)

**Rosa *dictecta*** Rehd. 'Etoile de Hollande' - hybrid tea rose

Fungi  
Basidiomycotina  
Uredinales  
*Phragmidium tuberculatum*, V (DAVFP)

**Rosa *dictecta*** Rehd. 'Fort Vancouver' - hybrid tea rose

Fungi  
Basidiomycotina  
Uredinales  
*Phragmidium tuberculatum*, V (DAVFP)

**Rosa *dictecta*** Rehd. 'Hector Deane' - hybrid tea rose

Fungi  
Basidiomycotina  
Uredinales  
*Phragmidium tuberculatum*, V (DAVFP)

**Rosa *dictecta*** Rehd. 'Living' - hybrid tea rose

Fungi  
Basidiomycotina  
Uredinales  
*Phragmidium tuberculatum*, V (DAVFP)

**Rosa *dictecta*** Rehd. 'Marcel Gret' - hybrid tea rose

Fungi  
Basidiomycotina  
Uredinales  
*Phragmidium tuberculatum*, V (DAVFP)

**Rosa *dictecta*** Rehd. 'Margaret' - hybrid tea rose

Fungi  
Basidiomycotina  
Uredinales  
*Phragmidium tuberculatum*, V (DAVFP)

**Rosa *dictecta*** Rehd. 'Mme. Henri Guillot' - hybrid tea rose

Fungi  
Basidiomycotina  
Uredinales  
*Phragmidium tuberculatum*, V (DAVFP)

**Rosa *dictecta*** Rehd. 'Mrs. Edward Laxton' - hybrid tea rose

Fungi  
Basidiomycotina  
Uredinales  
*Phragmidium tuberculatum*, V (DAVFP)

**Rosa *dictecta*** Rehd. 'Picture' - hybrid tea rose

Fungi  
Basidiomycotina  
Uredinales  
*Phragmidium tuberculatum*, V (DAVFP)

**Rosa *dictecta*** Rehd. 'President Herbert Hoover' - hybrid tea rose

Fungi  
Basidiomycotina  
Uredinales  
*Phragmidium tuberculatum*, V (DAVFP)

**Rosa *dictecta*** Rehd. 'Royalist' - hybrid tea rose

Fungi  
Basidiomycotina  
Uredinales  
*Phragmidium tuberculatum*, V (DAVFP)

**Rosa *dictecta*** Rehd. 'Rubaiyat' - hybrid tea rose

Fungi  
Basidiomycotina  
Uredinales  
*Phragmidium tuberculatum*, V (DAVFP)

**Rosa *dictecta*** Rehd. 'Shot Silk' - hybrid tea rose

Fungi  
Basidiomycotina  
Uredinales  
*Phragmidium tuberculatum*, V (DAVFP)

**Rosa *dictecta*** Rehd. 'Signora' - hybrid tea rose

Fungi  
Basidiomycotina  
Uredinales  
*Phragmidium tuberculatum*, V (DAVFP)

**Rosa *dictecta*** Rehd. 'Souv. de Jaques Veschuren' - hybrid tea rose

Fungi  
Basidiomycotina  
Uredinales  
*Phragmidium tuberculatum*, V (DAVFP)

**Rosa *dictecta*** Rehd. 'Sterling Silver' - hybrid tea rose

Fungi  
Basidiomycotina  
Uredinales  
*Phragmidium tuberculatum*, V (DAVFP)

**Rosa *dictecta*** Rehd. 'Sultane' - hybrid tea rose

Fungi  
Basidiomycotina  
Uredinales  
*Phragmidium tuberculatum*, V (DAVFP)

**Rosa *directive*** Rehd. 'Sutters Gold' - hybrid tea rose

Fungi

Basidiomycotina

Uredinales

*Phragmidium tuberculatum*, V (DAVFP)

**Rosa *directive*** Rehd. 'Tahiti' - hybrid tea rose

Fungi

Basidiomycotina

Uredinales

*Phragmidium tuberculatum*, V (DAVFP)

**Rosa *directive*** Rehd. 'Tzigane' - hybrid tea rose

Fungi

Basidiomycotina

Uredinales

*Phragmidium tuberculatum*, V (DAVFP)

**Rosa *directive*** Rehd. 'Virgo' - hybrid tea rose

Fungi

Basidiomycotina

Uredinales

*Phragmidium tuberculatum*, V (DAVFP)

**Rosa *directive*** Rehd. 'White Favourite' - hybrid tea rose

Fungi

Basidiomycotina

Uredinales

*Phragmidium tuberculatum*, V (DAVFP)

**Rosa *gallica* L. *officinalis*** Thory - double French rose

Fungi

Basidiomycotina

Uredinales

*Phragmidium tuberculatum*, V (DAVFP)

**Rosa *gymnocarpa*** Nutt. - wood rose, little wild rose

Fungi

Basidiomycotina

Uredinales

*Phragmidium fusiforme* var. *novi-boreale*, LC  
(Savile 1974a)

*Phragmidium montivagum*, LC (Conners 1967)

*Phragmidium rosae-californicae*, V (DAVFP)

**Rosa *heleneae*** Rehd. & Wils. 'Donald Prior' - rose

Fungi

Basidiomycotina

Uredinales

*Phragmidium tuberculatum*, V (DAVFP)

**Rosa *heleneae*** Rehd. & Wils. 'Masquerade' - rose

Fungi

Basidiomycotina

Uredinales

*Phragmidium tuberculatum*, V (DAVFP)

**Rosa *moschata*** Herrm. 'Bishop

Darlington' - musk rose

Fungi

Basidiomycotina

Uredinales

*Phragmidium tuberculatum*, V (DAVFP)

**Rosa *nutkana*** Presl - Nootka rose, common wild rose

Fungi

Ascomycotina

*Valsa sordida*, LC (Conners 1967)

Basidiomycotina

Uredinales

*Phragmidium fusiforme*, V (DAVFP)

*Phragmidium rosae-californicae*, V (DAVFP)

Deuteromycotina

Cycomycetes

*Coryneopsis microsticta*, V (DAVFP)

*Cytospora-Cytosporella complex*, V (DAVFP)

**Rosa *nutkana*** Presl var. *hispida* Fern. -

Nootka rose, common wild rose

Fungi

Basidiomycotina

Uredinales

*Phragmidium fusiforme* var. *novi-boreale*, LC  
(Savile 1974a)

**Rosa *nutkana*** Presl var. *nutkana* - Nootka rose, common wild rose

Fungi

Basidiomycotina

Uredinales

*Phragmidium fusiforme* var. *novi-boreale*, LC  
(Savile 1974a)

**Rosa *pisocarpa*** Gray - clustered wild rose, swamp rose

Fungi

Basidiomycotina

Uredinales

*Phragmidium fusiforme* var. *novi-boreale*, LC  
(Savile 1974a)

*Phragmidium montivagum*, V (DAVFP)

*Phragmidium rosae-arkansanae*, V (DAVFP)

*Phragmidium rosae-californicae*, LC

(Conners 1967)

**Rosa *richardii*** Rehd. - rose

Fungi

Basidiomycotina

Uredinales

*Phragmidium tuberculatum*, V (DAVFP)

**Rosa *rugosa*** Thunb. 'Conrad Ferdinand Meyer' - perpetual brier rose

Fungi

Basidiomycotina

Uredinales

*Phragmidium tuberculatum*, V (DAVFP)

*Plant hosts - R*

**Rosa rugosa** Thunb. 'Sarah van Fleet' -  
perpetual brier rose

**Fungi**

**Basidiomycotina**

**Uredinales**

*Phragmidium tuberculatum*, V (DAVFP)

**Rosa spaldingii** Crep. - Spalding's rose

**Fungi**

**Basidiomycotina**

**Uredinales**

*Phragmidium fusiforme*, V (DAVFP)

**Rosa woodsii** Lindl. var. **ultramontana** (S.  
Wats.) Jeps. - rose

**Fungi**

**Basidiomycotina**

**Uredinales**

*Phragmidium fusiforme* var. *novi-boreale*, LC  
(Savile 1974a)

**Rosa sp. - rose**

**Fungi**

**Ascomycotina**

*Diaplella coniothyrium*, LC (Connors 1967)  
*Diaporthe exiguestroma*, LC (Barr 1953)  
*Didymosphaeria borgii*, LC (Barr 1953)  
*Diplocarpon rosae*, LC (Ginns 1986a)  
*Gnomonia rauii*, LC (Barr 1953 as *Didymella rauii*)  
*Metaspasma macounii*, LC (Barr 1953)  
*Podosphaera clandestina*, LC (Shaw 1973)  
*Pringsheimia sepincola*, LC (Barr 1953 as  
*Pleosphaerulina intermixta*)  
*Sphaerotheca pannosa* var. *rosae*, UR

**Basidiomycotina**

**Aphyllophorales**

*Corticium rosae*, LC (Shaw 1973)  
*Phellinus ferreus*, LC (Shaw 1973)  
*Stereum* sp., V (DAVFP)

**Uredinales**

*Phragmidium fusiforme*, V (DAVFP)  
*Phragmidium montivagum*, LC (Parmelee  
1984)  
*Phragmidium mucronatum*, LC (Ginns  
1986a)  
*Phragmidium rosae-pimpinellifoliae*, LC  
(Connors 1967)  
*Phragmidium* sp., V (DAVFP)

**Deuteromycotina**

**Coelomycetes**

*Cryptosporium minimum*, LC (Connors 1967)  
*Seimatosporium caudatum*, LC (Ginns  
1986a)  
*Sphaceloma rosarum*, LC (Connors 1967)

**Hymenomycetes**

*Botrytis cinerea*, V (DAVFP)

**Zygomycotina**

*Pilobolus crystallinus*, LC (Toms 1964 on  
hybrid roses)

**Chromista**

**Oomycota**

*Peronospora sparsa*, LC (Connors 1967)

**Bacteria**

*Agrobacterium rubi*, LC (Connors 1967)  
*Agrobacterium tumefaciens*, LC (Connors  
1967)

**Rubus allegheniensis** Porter - sow-teat  
bramble, Allegheny blackberry

**Fungi**

**Ascomycotina**

*Diaplella coniothyrium*, LC (Connors 1967)  
*Mycosphaerella rubi*, LC (Connors 1967 as  
*Septoria rubi*)

**Basidiomycotina**

**Uredinales**

*Arthuriomyces peckianus*, LC (Connors  
1967)

**Deuteromycotina**

**Hyphomycetes**

*Botrytis cinerea*, LC (Connors 1967)

**Bacteria**

*Agrobacterium tumefaciens*, LC (Connors  
1967)

**Rubus arcticus** L. - Arctic bramble

**Fungi**

**Basidiomycotina**

**Uredinales**

*Kuehneola uredinis*, LC (Connors 1967)  
*Pucciniastrum arcticum*, V (DAVFP)

**Rubus idaeus** L. - raspberry

**Fungi**

**Ascomycotina**

*Didymella applanata*, LC (Corlett 1974b)  
*Mycosphaerella rubi*, V (DAVFP)  
*Xylaria hypoxylon*, V (DAVFP)

**Basidiomycotina**

**Uredinales**

*Pucciniastrum americanum*, V (DAVFP)

**Deuteromycotina**

**Hyphomycetes**

*Verticillium albo-atrum*, LC (Shaw 1973)  
*Verticillium dahliae*, LC (Shaw 1973 as  
*Verticillium ovatum*)

**Chromista**

**Oomycota**

*Phytophthora fragariae*, UR

**Bacteria**

*Agrobacterium rubi*, LC (Connors 1967)

**Rubus idaeus** L. subsp. **sachalinensis**

(Levl.) Focke var. **sachalinensis** (=*Rubus melanolasius*) - raspberry

**Fungi**

**Basidiomycotina**

**Uredinales**

*Phragmidium rubi-idaei*, V (DAVFP)

- Pucciniastrum americanum*, V (DAVFP)
- Rubus idaeus L. var. peramoenus**  
(Greene) Fern. - raspberry
- Fungi
- Basidiomycotina
  - Uredinales
  - Phragmidium rubi-idaei*, V (DAVFP)
- Rubus idaeus L. var. strigosus** (Michx.) Maxim.
- Fungi
- Ascomycotina
  - Ascospora ruborum*, LC (Conners 1967)
  - Diaplella coniothyrium*, LC (Conners 1967 as *Leptosphaeria coniothyrium*)
  - Didymella applanata*, LC (Conners 1967)
  - Elsinoe veneta*, LC (Conners 1967)
  - Mycosphaerella rubi*, LC (Conners 1967 as *Septoria rubi*)
  - Sphaerotheca fuliginea*, LC (Conners 1967)
  - Sphaerotheca macularis*, LC (Conners 1967)
- Basidiomycotina
- Agaricales
  - Armillaria* sp., LC (Conners 1967 as *Armillaria mellea*)
  - Hypholoma fasciculare*, LC (Conners 1967 as *Naematoloma fasciculare*)
- Aphyllophorales
- Trametes versicolor*, LC (Conners 1967 as *Polyporus versicolor*)
- Uredinales
- Phragmidium rubi-idaei*, V (DAVFP)
  - Pucciniastrum americanum*, LC (Conners 1967)
- Others
- Thanatephorus cucumeris*, LC (Conners 1967 as *Rhizoctonia solani*)
- Deuteromycotina
- Coelomycetes
- Ascospora ruborum*, LC (Conners 1967)
  - Hapalosphaeria deformans*, LC (Conners 1967)
- Hyphomycetes
- Botrytis cinerea*, LC (Conners 1967)
  - Cylindrocarpon destructans*, LC (Conners 1967 as *Cylindrocarpon radicicola*)
  - Cylindrocladium scoparium*, LC (Conners 1967)
  - Fusarium avenaceum*, LC (Conners 1967)
  - Verticillium* sp., LC (Conners 1967)
- Others
- Rhizoctonia* sp., LC (Conners 1967)
- Chromista
- Oomycota
- Phytophthora* sp., LC (Conners 1967)
  - Pythium* sp., LC (Conners 1967)
- Bacteria
- Agrobacterium tumefaciens*, LC (Conners 1967)
- Rubus laciniatus** Willd. - evergreen blackberry, cutleafed blackberry
- Fungi
- Ascomycotina
  - Diaplella coniothyrium*, LC (Barr 1992a as *Kalmusia coniothyrium*)
  - Mycosphaerella rubi*, LC (Shaw 1973 as *Septoria rubi*)
- Basidiomycotina
- Uredinales
  - Kuehneola uredinis*, V (DAVFP)
- Bacteria
- Agrobacterium rubi*, LC (Toms 1964)
- Rubus leucodermis** Dougl. - black raspberry, white-stemmed raspberry
- Fungi
- Ascomycotina
  - Mycosphaerella rubi*, LC (Shaw 1973)
- Basidiomycotina
- Uredinales
  - Phragmidium rubi-idaei*, LC (Conners 1967)
- Deuteromycotina
- Coelomycetes
- Cytospora* sp., LC (Shaw 1973)
  - Phlyctemata vagabunda*, LC (Shaw 1973)
- Bacteria
- Agrobacterium rubi*, LC (Conners 1967)
- Rubus loganobaccus** Bailey - loganberry
- Fungi
- Ascomycotina
- Diaplella coniothyrium*, LC (Conners 1967)
  - Didymella applanata*, LC (Ginns 1986a on *Rubus ursinus* var. *loganobaccus*)
  - Elsinoe veneta*, LC (Shaw 1973)
  - Mycosphaerella rubi*, LC (Ginns 1986a on *Rubus ursinus* var. *loganobaccus*)
- Deuteromycotina
- Coelomycetes
- Hapalosphaeria deformans*, LC (Ginns 1986a on *Rubus ursinus* var. *loganobaccus*)
- Hyphomycetes
- Botrytis cinerea*, LC (Conners 1967)
- Chromista
- Oomycota
- Phytophthora fragariae*, LC (Ginns 1986a on *Rubus ursinus* var. *loganobaccus*)
- Bacteria
- Agrobacterium rubi*, LC (Conners 1967)
  - Agrobacterium tumefaciens*, LC (Conners 1967)
- Rubus macropetalus** Dougl. see *Rubus ursinus*

Plant hosts - R

**Rubus melanolasius** Focke see *Rubus idaeus* subsp. *sachalinensis* var. *sachalinensis*

**Rubus occidentalis** L. - black raspberry

Fungi

Ascomycotina

*Elsinoe veneta*, LC (Connors 1967)  
*Mycosphaerella rubi*, LC (Connors 1967)

Basidiomycotina

Uredinales

*Phragmidium rubi-idaei*, LC (Ginns 1986a)

Deuteromycotina

Coelomycetes

*Phlyctema vagabunda*, LC (Connors 1967)

Bacteria

*Agrobacterium rubi*, LC (Toms 1964)

**Rubus parviflorus** Nutt. - thimbleberry

Fungi

Ascomycotina

*Belonidium sulphureum*, V (DAVFP)  
*Capitotricha bicolor*, V (DAVFP)  
*Coleroa chaetomium*, LC (Barr 1953; Corlett 1974a)  
*Gnomonia vepris*, LC (Barr 1953)  
*Gnomonia* sp., V (DAVFP)  
*Mycosphaerella rubi*, V (DAVFP)  
*Sphaerotheca macularis*, V (DAVFP)  
*Sydiowilla depressula*, LC (Barr 1953 as *Gnomonia depressula*)

Basidiomycotina

Agaricales

*Armillaria* sp., LC (Jones 1957 as *Armillaria mellea*)  
*Hypholoma fasciculare*, V (DAVFP)

Aphyllophorales

*Resinicium bicolor*, LC (Wall and Shamoun 1990)

Uredinales

*Phragmidium occidentale*, V (DAVFP)

Deuteromycotina

Coelomycetes

*Discosia* sp., LC (Wall and Shamoun 1990)  
*Hainesia lythri*, V (DAVFP)  
*Seimatosporium* sp., V (DAVFP)

Hymomycetes

*Alternaria* sp., V (DAVFP)  
*Botrytis cinerea*, LC (Wall and Shamoun 1990)  
*Botrytis* sp., V (DAVFP)  
*Cylindrocarpon destructans*, LC (Wall and Shamoun 1990)  
*Fusarium oxysporum*, LC (Wall and Shamoun 1990)  
*Oidium* sp., LC (Toms 1964)  
*Valdensia heterodoxa*, LC (Ginns 1986a)  
*Verticillium* sp., LC (Wall and Shamoun 1990)

Chromista

Oomycota

*Peronospora rubi*, LC (Ginns 1986a)  
*Phytophthora fragariae*, LC (Shaw 1973)

**Rubus pedatus** J.E. Smith - strawberry

dwarf bramble

Fungi

Ascomycotina

*Coleroa chaetomium*, V (DAVFP)  
*Fabrea cincta*, LC (Pirozynski 1976)

**Rubus procerus** P.J. Muell. - Himalaya blackberry

Fungi

Ascomycotina

*Lophodermium rubiicola*, V (DAVFP)

Basidiomycotina

Agaricales

*Armillaria* sp., V (DAVFP)

Bacteria

*Agrobacterium rubi*, LC (Jones 1957 on *Rubus thysanthus*)

**Rubus pubescens** Raf. - dwarf red blackberry, dewberry

Fungi

Basidiomycotina

Uredinales

*Arthuriomyces peckianus*, UR  
*Pucciniastrum arcticum*, V (DAVFP)

**Rubus spectabilis** Pursh - salmonberry

Fungi

Ascomycotina

*Dasyscyphus* sp., V (DAVFP)  
*Mycosphaerella rubi*, V (DAVFP)  
*Sphaerotheca macularis*, V (DAVFP)  
*Valsa ceratosperma*, LC (Ginns 1986a)

Basidiomycotina

Agaricales

*Marasmiellus candidus*, V (DAVFP)

Aphyllophorales

*Botryobasidium danicum*, V (DAOM 141313, 141314)  
*Botryobasidium vagum*, LC (Shaw 1973 as *Pellicularia vaga*)  
*Grandinia breviseta*, V (DAOM 138943)  
*Hymenochaete tabacina*, LC (Shaw 1973)  
*Hyphoderma pallidum*, V (DAVFP)  
*Peniophora incarnata*, V (DAVFP)  
*Phellinus ferreus*, V (DAVFP)  
*Polyporus badius*, V (DAVFP)

Others

*Dacrymyces cf. capitatus*, V (UBC F835)  
*Dacrymyces deliquescens* var. *deliquescens*, V (UBC F4833)  
*Dacrymyces deliquescens* var. *ellisi*, UR  
*Nidula candida*, V (DAVFP)  
*Tremella mesenterica*, LC (Bandoni & Ginns 1998)

<b>Chromista</b>	<i>Ramularia</i> sp., V (DAVFP)
<b>Oomycota</b>	<i>Verticillium dahliae</i> , LC (Jones 1957)
<i>Peronospora rubi</i> , LC (Ginns 1986a)	
<b>Protozoa</b>	
<b>Myxomycota</b>	
<i>Laemproderma robustum</i> , V (DAVFP)	
<b>Rubus ursinus</b> Cham. & Schlecht.	
(= <i>Rubus macropetalus</i> ; <i>Rubus vitifolius</i> ) -	
Douglas berry, Pacific blackberry, dewberry.	
<b>Fungi</b>	
<b>Ascomycotina</b>	
<i>Cryptodiaporthe vepris</i> , LC (Barr 1953 as <i>Apioportha vepris</i> )	
<i>Mycosphaerella rubi</i> , V (DAVFP)	
<i>Sphaerotheca macularis</i> , LC (Parmelee 1975)	
<b>Basidiomycotina</b>	
<b>Agaricales</b>	
<i>Melanotus textilis</i> , LC (Redhead and Kroeger 1984)	
<b>Uredinales</b>	
<i>Kuehneola uredinis</i> , LC (Shaw 1973)	
<i>Phragmidium rubi-idaei</i> , LC (Shaw 1973)	
<i>Pucciniastrum americanum</i> , LC (Shaw 1973)	
<b>Deuteromycotina</b>	
<b>Hypomycetes</b>	
<i>Valdensia heterodoxa</i> , LC (Ginns 1986a)	
<b>Chromista</b>	
<b>Oomycota</b>	
<i>Peronospora rubi</i> , LC (Connors 1967)	
<i>Phytophthora fragariae</i> , LC (Shaw 1973)	
<b>Rubus vitifolius</b> Cham. & Schlecht. see	
<i>Rubus ursinus</i>	
<b>Rubus sp.</b> - raspberry, blackberry	
<b>Fungi</b>	
<b>Ascomycotina</b>	
<i>Ascospora ruborum</i> , LC (Barr 1953)	
<i>Hormothecea rubicola</i> , LC (Barr 1953 as <i>Asterina rubicola</i> )	
<i>Nectria cinnabarinata</i> , LC (Barr 1953 as <i>Creonectria purpurea</i> )	
<i>Sphaerotheca fuliginea</i> , LC (Barr 1953 as <i>Sphaerotheca humuli</i> var. <i>fuliginea</i> )	
<i>Sphaerotheca macularis</i> , LC (Barr 1953 as <i>Sphaerotheca humuli</i> )	
<i>Sydowiella depressula</i> , LC (Barr 1978)	
<b>Basidiomycotina</b>	
<b>Others</b>	
<i>Dacrymyces deliquescent var. ellisi</i> , V (UBC F4899)	
<i>Dacrymyces stillatus</i> , V (UBC) – anamorph only	
<b>Deuteromycotina</b>	
<b>Coelomycetes</b>	
<i>Hendersonia rubi</i> , LC (Shaw 1973)	
<b>Hypomycetes</b>	
<i>Botrytis cinerea</i> , LC (Jones 1957)	
<b>Rudbeckia laciniata</b> L. - coneflower, golden-glow	
<b>Fungi</b>	
<b>Ascomycotina</b>	
<i>Erysiphe cichoracearum</i> , LC (Barr 1953)	
<b>Rudbeckia laciniata</b> L. var. <i>hortensis</i>	
Bailey - golden-glow	
<b>Fungi</b>	
<b>Ascomycotina</b>	
<i>Erysiphe cichoracearum</i> , LC (Connors 1967)	
<b>Rumex acetosella</b> L. - sheep sorrel	
<b>Fungi</b>	
<b>Ascomycotina</b>	
<i>Mycosphaerella tassiana</i> , LC (Barr 1953)	
<i>Venturia canadensis</i> , LC (Ginns 1986a)	
<i>Venturia rumicis</i> , LC (Barr 1953)	
<b>Rumex crispus</b> L. - curly dock, yellow dock	
<b>Fungi</b>	
<b>Deuteromycotina</b>	
<b>Hypomycetes</b>	
<i>Fusarium oxysporum</i> f. sp. <i>radicis-lycopersici</i> , LC (Menzies et al. 1990)	
<b>Rumex obtusifolius</b> L. - bitter dock, patience	
<b>Fungi</b>	
<b>Ascomycotina</b>	
<i>Venturia rumicis</i> , LC (Ginns 1986a)	
<b>Rumex sp.</b> - sorrel	
<b>Fungi</b>	
<b>Ascomycotina</b>	
<i>Pleospora herbarum</i> , LC (Barr 1953)	



**Sagittaria cuneata** Sheld. - arum-leaved arrow-head  
**Fungi**  
 Basidiomycotina  
 Others  
*Doassansia sagittariae*, LC (Conners 1967)

**Sagittaria latifolia** Willd. - broad-leaved arrow-head  
**Fungi**  
 Basidiomycotina  
 Others  
*Doassansia sagittariae*, LC (Conners 1967)

**Salicornia pacifica** Standl. see *Salicornia virginica*

**Salicornia virginica** L. (=*Salicornia pacifica*) - woody glasswort  
**Fungi**  
 Basidiomycotina  
 Uredinales  
*Uromyces peckianus*, LC (Conners 1967)

**Salix alba** L. var. **vitellina** (L.) Stokes - white willow, golden willow  
**Fungi**  
 Ascomycotina  
*Glomerella cingulata*, V (DAVFP)  
*Venturia saliciperda*, V (DAVFP)

Deuteromycotina  
 Hyphomycetes  
*Fusarium* sp., V (DAVFP)

**Salix anglorum** Cham. - willow  
**Fungi**  
 Basidiomycotina  
 Uredinales  
*Melampsora arctica*, LC (Conners 1967)

**Salix babylonica** L. - weeping willow  
**Fungi**  
 Ascomycotina  
*Diaporthe eres*, LC (Barr 1953)  
*Glomerella cingulata*, V (DAVFP)  
*Melanomma cinereum*, LC (Barr 1953)  
*Valsa sordida*, V (DAVFP)  
*Venturia saliciperda*, V (DAVFP)

Basidiomycotina  
 Aphyllophorales  
*Coriolopsis gallica*, V (DAVFP)

Deuteromycotina  
 Coelomycetes  
*Cytospora* sp., V (DAVFP)  
*Marssonina kriegeriana*, V (DAVFP)  
*Marssonina salicicola*, V (DAVFP)

Hyphomycetes  
*Cephalosporium* sp., V (DAVFP)  
*Trichothecium* sp., LC (Shaw 1973)

**Bacteria**  
*Agrobacterium tumefaciens*, LC (Conners 1967)

*Pseudomonas* sp., V (DAVFP)

**Salix bebbiana** Sarg. - Bebb willow, long-beaked willow  
**Fungi**  
 Basidiomycotina  
 Uredinales  
*Melampsora epitea*, LC (Shaw 1973)

**Salix commutata** Bebb - willow  
**Fungi**  
 Basidiomycotina  
 Uredinales  
*Melampsora epitea*, LC (Shaw 1973)

**Salix fluviatilis** Nutt. - river willow  
**Fungi**  
 Basidiomycotina  
 Aphyllophorales  
*Trametes versicolor*, LC (Shaw 1973)

**Salix fragilis** L. - crack willow  
**Fungi**  
 Basidiomycotina  
 Uredinales  
*Melampsora epitea*, V (DAVFP)

**Salix X fruticosa** Doell. - hybrid willow  
**Fungi**  
 Ascomycotina  
*Venturia saliciperda*, V (DAVFP)

**Salix hookeriana** Barratt - Hooker willow  
**Fungi**  
 Ascomycotina  
*Cryptodiaporthe salicella*, LC (Conners 1967)

**Salix 'June des Ardennes'** - willow  
**Fungi**  
 Ascomycotina  
*Venturia saliciperda*, V (DAVFP)

**Salix lasiandra** Benth. - Pacific willow, red willow

**Fungi**  
 Ascomycotina  
*Valsa sordida*, V (DAVFP)

Basidiomycotina  
 Aphyllophorales  
*Coriolopsis gallica*, LC (Shaw 1973 as *Trametes hispida*)  
*Hapalopilus rutilans*, V (DAVFP)  
*Phellinus ferreus*, V (DAVFP)  
*Phellinus igniarius*, V (DAVFP)

Uredinales  
*Melampsora epitea*, V (DAVFP)  
*Melampsora paradoxa*, V (DAVFP)

Deuteromycotina  
 Coelomycetes  
*Colletotrichum* sp., V (DAVFP)  
*Cytospora* sp., V (DAVFP)

*Plant hosts - S*

***Salix mackenzieana*** Barr. apud Anders. -

Mackenzie willow

**Fungi**

**Basidiomycotina**

**Uredinales**

*Melampsora epitea*, UR

***Salix pentandra*** L. - bay willow, bay-leaved

willow

**Fungi**

**Deuteromycotina**

**Coelomycetes**

*Sclerophoma* sp., V (DAVFP)

***Salix perrostrata*** Rydb. - willow

**Fungi**

**Basidiomycotina**

**Uredinales**

*Melampsora epitea*, LC (Shaw 1973)

***Salix petrophila*** Rydb. - alpine willow

**Fungi**

**Basidiomycotina**

**Uredinales**

*Melampsora arctica*, LC (Connors 1967)

***Salix reticulata*** L. - willow

**Fungi**

**Basidiomycotina**

**Uredinales**

*Melampsora epitea*, V (DAVFP)

***Salix scouleriana*** Barratt - Scouler willow, mountain willow

**Fungi**

**Ascomycotina**

*Cryptodiaporthe salicella*, LC (Connors 1967)

*Rhytisma salicinum*, V (DAVFP)

*Uncinula adunca*, V (DAVFP)

*Valsa* sp., V (DAVFP)

**Basidiomycotina**

**Agaricales**

*Pholiota aurivelloides*, V (DAVFP)

**Aphyllphorales**

*Cylindrobasidium laeve*, V (DAVFP)

*Cylindrobasidium* sp., UR

*Merulioopsis corium*, V (DAVFP)

*Polyporus squamosus*, V (DAVFP)

**Uredinales**

*Melampsora ribesii-purpureae*, V (DAVFP)

***Salix scouleriana*** Barratt *f. poikila*

Schneider - Scouler willow, mountain willow

**Fungi**

**Basidiomycotina**

**Uredinales**

*Melampsora abieti-capraearum*, V (DAVFP)

*Melampsora epitea f. sp. tsugae*, V (DAVFP) (TYPE)

***Salix scouleriana*** Barratt var. *thompsoni*

Ball - Scouler willow, mountain willow

**Fungi**

**Basidiomycotina**

**Uredinales**

*Melampsora abieti-capraearum*, V (DAVFP)

*Melampsora deformans*, V (DAVFP)

***Salix sitchensis*** Sanson - Sitka willow

**Fungi**

**Ascomycotina**

*Nectria* sp., V (DAVFP)

**Basidiomycotina**

**Agaricales**

*Crepidotus fulvotomentosus*, LC (Connors 1967)

**Aphyllphorales**

*Perenniporia subacida*, V (DAVFP)

*Phellinus igniarius*, V (DAVFP)

**Uredinales**

*Melampsora arctica*, V (DAVFP)

*Melampsora epitea f. sp. tsugae*, V (DAVFP)

**Deuteromycotina**

**Coelomycetes**

*Cytospora* sp., LC (Connors 1967)

***Salix* sp.** - willow

**Fungi**

**Ascomycotina**

*Acrospermum cuneolum*, V (DAVFP)

*Bertia moriformis* var. *moriformis*, LC (Corlett and Krug 1984)

*Bisporella citrina*, V (DAVFP)

*Capitotricha bicolor*, V (DAVFP)

*Ciborinia foliicola*, V (DAVFP)

*Cryptodiaporthe apiculata*, V (DAVFP)

*Cryptodiaporthe salicella*, V (DAVFP)

*Cryptodiaporthe* sp., V (DAVFP)

*Cryptomyces maximus*, V (DAVFP)

*Cucurbitothis pithyophila*, V (DAVFP)

*Diatrype bullata*, V (DAVFP)

*Drepanopeziza salicis*, LC (Shaw 1973)

*Entoleuca mammata*, V (DAVFP)

*Glomerella cingulata*, V (DAVFP)

*Glyphium elatum*, LC (Ginns 1986a)

*Godronia fuliginosa*, V (DAVFP)

*Lachnella alboviolascens*, LC (Redhead 1973)

*Linospora capreae*, LC (Barr 1978)

*Linospora insularis*, LC (Barr 1953)

*Lophodermium* sp., V (DAVFP)

*Melanomma pulvis-pyrius*, V (DAVFP)

*Nectria cinnabarina*, LC (Shaw 1973)

*Nectria coccinea*, V (DAVFP)

*Pezicula ocellata*, V (DAVFP)

*Pleospora* sp., V (DAVFP)

*Rhytisma salicinum*, V (DAVFP)

*Stictis radiata*, V (DAVFP)

*Taphrina populi-salicis*, LC (Shaw 1973)

*Uncinula adunca*, LC (Barr 1953 as *Uncinula salicis*)

*Valsa sordida*, LC (Spielman 1985)

*Valsa* sp., V (DAVFP)

*Venturia chlorospora*, LC (Barr 1953)

*Venturia minuta*, LC (Ginns 1986a)

*Xylaria hypoxylon*, V (DAVFP)

#### **Basidiomycotina**

##### **Agaricales**

- Armillaria* sp., V (DAVFP)
- Crepidotus fulvotomentosus*, V (DAVFP)
- Cyphelopsis anomala*, V (DAVFP)
- Flammulina velutipes*, LC (Conners 1967 as  
*Collybia velutipes*)
- Mycena* sp., V (DAVFP)
- Phaeomarasmius erinaceus*, LC (Ginns  
1986a)
- Pholiota adiposa*, V (DAVFP)
- Pholiota limonella*, V (DAVFP)
- Pholiota* sp., UR
- Pleurotus ostreatus*, V (DAVFP)

##### **Aphyllophorales**

- Basidioradulum radula*, V (DAVFP)
- Bjerkandera adusta*, LC (Shaw 1973 as  
*Polyporus adustus*)
- Bjerkandera fumosa*, LC (Conners 1967)
- Ceriporia viridans*, V (DAVFP)
- Chondrostereum purpureum*, V (DAVFP)
- Coriolopsis gallica*, V (DAVFP)
- Corticium deflectens*, V (DAVFP)
- Cylindrobasidium laeve*, V (DAVFP)
- Cyphella alboviolascens*, V (DAVFP)
- Cystostereum subabruptum*, V (DAVFP)
- Cytidia salicina*, V (DAVFP)
- Daedaleopsis confragosa*, V (DAVFP)
- Ganoderma applanatum*, V (DAVFP)
- Gloeocystidium porosum*, V (DAVFP)
- Grandinia pallidula*, V (DAVFP)
- Grandinia quercina*, V (DAVFP)
- Haploporus odorus*, V (DAVFP)
- Hymenochaete tabacina*, V (DAVFP)
- Hyphoderma puberum*, V (DAOM 139068)
- Intextomyces contiguus*, V (DAVFP)
- Irpea lacteus*, V (DAVFP)
- Melzericum udicolum*, V (DAVFP)
- Merismodes* sp., V (DAVFP)
- Mycoacia uda*, V (DAVFP)
- Oxyporus populinus*, LC (Conners 1967 as  
*Fomes connatus*)
- Phanerochaete rimosae*, LC (Conners 1967  
as *Peniophora hydnoides*)
- Phanerochaete sordida*, V (DAOM 142431)
- Phellinus igniarius*, V (DAVFP)
- Phlebia merismoides*, V (DAVFP)
- Phlebia rufa*, V (DAVFP)
- Polyporus badius*, V (DAVFP)
- Polyporus melanopus*, V (DAVFP)
- Polyporus perennis*, V (DAVFP)
- Polyporus squamosus*, V (DAVFP)
- Polyporus varius*, V (DAVFP)
- Schizopora paradoxa*, V (DAVFP)
- Skeletocutis nivea*, V (DAVFP)
- Tomentellina fibrosa*, LC (Shaw 1973 as  
*Kneiffiella fibrosa*)
- Trametes hirsuta*, V (DAVFP)
- Trametes ochracea*, V (DAVFP)
- Trametes pubescens*, LC (Shaw 1973)
- Trametes suaveolens*, LC (Ginns 1986a)
- Trametes versicolor*, V (DAVFP)
- Tubulicrinis glebulosus*, LC (Conners 1967  
as *Peniophora gracillimus*)

##### **Uredinales**

- Melampsora epitea*, V (DAVFP)

#### **Others**

- Dacrymyces deliquescens* var. *ellisi*, V (UBC F4888, F4902)
- Dacrymyces sebeceus*, V (UBC F4859)
- Ditiola radicata*, V (UBC F4977)
- Exidia glandulosa* f. *populi*, V (DAVFP)
- Exidia recisa*, V (UBC)
- Exidiopsis grisea*, V (DAVFP)
- Nidula niveotomentosa*, V (DAVFP)
- Tremella mesenterella*, LC (Bandoni & Ginns  
1998) (TYPE) – associated with  
*Peniophora* sp.
- Tremella mesenterica*, LC (Wong et al. 1985;  
Bandoni & Ginns 1998, associated with  
*Peniophora* sp., *Tremella mesenterella*,  
and a corticiaceous fungus)
- Tremella subanomala*, LC (Shaw 1973)
- Tulasnella violea*, V (DAVFP)

#### **Deuteromycotina**

##### **Coelomycetes**

- Camarosporium* sp., V (DAVFP)
- Cytospora* sp., V (DAVFP)
- Diplodina salicis*, V (DAVFP)
- Gloeosporium* sp., V (DAVFP)
- Melanconium salicis*, UR
- Phomopsis* sp., V (DAVFP)
- Septogloewum salicinum*, LC (Conners 1967)
- Septomyxa salicis*, V (DAVFP)
- Septoria* sp., V (DAVFP)

##### **Hypomycetes**

- Acrotheca* sp., V (DAVFP)
- Bactrodesmium traversianum*, LC (Hughes  
and White 1983)
- Fusarium lateritium*, LC (Bier 1961)
- Fusicladium* sp., V (DAVFP)
- Gonatorrhodiella highlei*, V (DAVFP)
- Helminthosporium* sp., V (DAVFP)
- Monilia* sp., V (DAVFP)
- Ramularia* sp., LC (Shaw 1973)
- Ramulaspera salicina*, V (DAVFP)
- Stemphylium* sp., V (DAVFP)
- Tuberularia vulgaris*, V (DAVFP)

#### **Protozoa**

##### **Myxomycota**

- Lamproderma carestiae*, V (DAVFP)
- Lamproderma cribariooides*, V (DAVFP)
- Lamproderma robustum*, V (DAVFP)
- Lamproderma sauteri*, V (DAVFP)

#### ***Salsola kali* L. var. *tenuifolia* Tausch. -**

Russian thistle

##### **Fungi**

##### **Deuteromycotina**

- Hypomycetes**
- Verticillium dahliae*, LC (Toms 1964;  
Woolliams 1966)

#### ***Salvia officinalis* L. - sage**

##### **Fungi**

##### **Ascomycotina**

- Pleospora herbarum*, LC (Conners 1967 as  
*Stemphylium botryosum*)

Plant hosts - S

**Deuteromycotina**  
**Hyphomycetes**  
*Alternaria alternata*, LC (Conners 1967)  
*Botrytis cinerea*, LC (Conners 1967)  
*Cladosporium cladosporioides*, LC (Conners 1967)

**Sambucus callicarpa** Greene see  
*Sambucus racemosa* var. *arborescens*

**Sambucus cerulea** Raf. (=*Sambucus glauca*) - blue elderberry

**Fungi**  
**Ascomycotina**  
*Valsa sordida*, LC (Conners 1967; Spielman 1985)

**Deuteromycotina**  
**Coelomycetes**  
*Septoria sambucina*, V (DAVFP)

**Hyphomycetes**  
*Stigmina pedunculata*, LC (Shaw 1973)

**Sambucus glauca** Nutt. see *Sambucus cerulea*

**Sambucus racemosa** L. - red-fruited elder

**Fungi**  
**Basidiomycotina**  
**Agaricales**  
*Melanotus textilis*, V (DAVFP)

**Others**  
*Dacrymyces deliquescens* var. *deliquescens*, V (UBC F4849)

**Deuteromycotina**  
**Coelomycetes**  
*Septoria sambucina*, LC (Ginns 1986a)

**Sambucus racemosa** L. var. *arborescens* (T. & G.) Gray (=*Sambucus callicarpa*) – red elderberry

**Fungi**  
**Basidiomycotina**  
**Aphyllophorales**  
*Hyphoderma sambuci*, V (DAVFP)  
*Schizopora paradoxa*, V (DAVFP)

**Deuteromycotina**  
**Hyphomycetes**  
*Pollaccia* sp., V (DAVFP)

**Sambucus racemosa** L. var. *pubens* (Michx.) Koehne - catberry, scarlet elder

**Fungi**  
**Ascomycotina**  
*Diaporthe* sp., LC (Ginns 1986a)

**Deuteromycotina**  
**Hyphomycetes**  
*Dendryphion comosum*, LC (Ginns 1986a)

**Sambucus** sp. - elder

**Fungi**  
**Basidiomycotina**  
**Agaricales**  
*Cortinarius rigidus*, LC (Davidson 1930)

**Aphyllophorales**  
*Cylindrobasidium laeve*, V (DAOM 143311)  
*Hymenochaete tabacina*, V (DAVFP)  
*Peniophora incarnata*, V (DAVFP)

**Others**  
*Dacrymyces deliquescens* var. *ellisi*, V (UBC F4894)  
*Dacrymyces stillatus*, V (UBC F815)

**Deuteromycotina**  
**Hyphomycetes**  
*Phragmocephala elliptica*, LC (Ginns 1986a)

**Sanguisorba officinalis** L. subsp. *microcephala* (Presl) Calder & Taylor - red burnet

**Fungi**  
**Ascomycotina**  
*Sphaerotilis macularis*, V (DAVFP)

**Basidiomycotina**  
**Uredinales**  
*Xenodochus carbonarius*, LC (Parmelee 1986b)

**Chytridiomycota**  
*Synchytrium* sp., V (DAOM)

**Deuteromycotina**  
**Coelomycetes**  
*Marssonina sennensis*, V (DAOM)

**Sanguisorba sitchensis** C.A. Mey. - broad-leaved burnet, Sitka great burnet

**Fungi**  
**Deuteromycotina**  
**Coelomycetes**  
*Marssonina sennensis*, LC (Conners 1967)

**Hyphomycetes**  
*Isariopsis bulbigena*, V (DAVFP)

**Sanicula crassicaulis** Poepp.:DC. - Pacific sanicle

**Fungi**  
**Ascomycotina**  
*Mycosphaerella tassiana*, LC (Barr 1953)  
*Pleospora armeriae*, LC (Barr 1953)

**Sanicula marilandica** L. - black snakeroot

**Fungi**  
**Basidiomycotina**  
**Uredinales**  
*Puccinia marylandica*, LC (Ginns 1986a)

**Sansevieria zeylanica** Willd. - bowstring hemp

**Fungi**  
**Ascomycotina**  
*Glomerella cingulata*, LC (Shaw 1973)

**Satureja douglasii** (Benth.) Briq. - yerba buena

Fungi

Basidiomycotina

Uredinales

*Puccinia menthae*, V (DAVFP)

**Satureja hortensis** L. - summer savory

Fungi

Deuteromycotina

Hyphomycetes

- Alternaria alternata*, LC (Connors 1967)
- Aureobasidium pullulans*, LC (Connors 1967)
- Botrytis cinerea*, LC (Connors 1967)
- Cladosporium cladosporioides*, LC (Connors 1967)
- Cladosporium herbarum*, LC (Connors 1967)
- Epicoccum nigrum*, LC (Connors 1967)
- Ulocladium consortiale*, LC (Connors 1967  
as *Alternaria consortiale*)

**Saxifraga arguta** D. Don - mountain meadow saxifrage

Fungi

Basidiomycotina

Uredinales

*Puccinia heucherae*, V (DAVFP)

**Saxifraga bongardii** Presl see *Saxifraga ferruginea*

**Saxifraga bronchialis** L. - spotted saxifrage

Fungi

Ascomycotina

*Pseudomassaria inconspicua*, LC (Ginns 1986a)

Basidiomycotina

Uredinales

*Puccinia pazzschkei* var. *tricuspidatae*, LC  
(Savile 1954)

**Saxifraga bronchialis** L. subsp. *austromontana* (Wieg.) Piper - saxifrage

Fungi

Basidiomycotina

Uredinales

*Puccinia pazzschkei* var. *tricuspidatae*, LC  
(Savile 1973)

**Saxifraga caespitosa** L. - tufted saxifrage

Fungi

Ascomycotina

*Lasiostemma fimbriatum*, LC (Ginns 1986a)

**Saxifraga cernua** L. - nodding saxifrage

Fungi

Basidiomycotina

Uredinales

*Melampsora epitea*, LC (Shaw 1973)  
*Puccinia saxifragae* var. *longior*, LC (Savile 1973)

**Saxifraga ferruginea** Graham (=*Saxifraga bongardii*) - Alaska saxifrage

Fungi

Basidiomycotina

Uredinales

*Puccinia pazzschkei* var. *ferruginea*, LC  
(Savile 1973) (TYPE)

**Saxifraga integrifolia** Hook. - Hooker's saxifrage

Fungi

Basidiomycotina

Uredinales

*Puccinia heucherae*, LC (Shaw 1973)

**Saxifraga lyallii** Engl. subsp. *hultenii*

Calder & Savile - Lyall's saxifrage, red-stemmed saxifrage.

Fungi

Basidiomycotina

Uredinales

*Puccinia austroberingiana* subsp.

*saxifragarum*, LC (Savile 1973)

*Puccinia heucherae* var. *cordillerana*, V  
(DAVFP)

**Saxifraga lyallii** Engl. inter subsp. *hultenii*

Calder & Savile and subsp. *lyallii* - Lyall's saxifrage

Fungi

Basidiomycotina

Uredinales

*Puccinia heucherae* var. *cordillerana*, LC  
(Savile 1973)

**Saxifraga lyallii** Engl. subsp. *hultenii*

Calder & Savile X **S. odontoloma** Piper - Lyall's saxifrage, red-stemmed saxifrage

Fungi

Basidiomycotina

Uredinales

*Puccinia heucherae* var. *heucherae*, LC  
(Savile 1973)

**Saxifraga mertensiana** Bong. - wood saxifrage

Fungi

Basidiomycotina

Uredinales

*Puccinia pazzschkei* var. *heterisiae*, LC  
(Savile 1973)

**Saxifraga nivalis** L. - saxifrage

Fungi

Basidiomycotina

Uredinales

*Puccinia saxifragae* var. *curtipes*, LC (Savile 1973)

Plant hosts - S

<b>Saxifraga occidentalis</b> Wats. subsp. <b>rufidula</b> (Small) Bacigalupi - rusty saxifrage
Fungi
Basidiomycotina
Uredinales
<i>Puccinia saxifragae</i> var. <i>curtipes</i> , LC (Savile 1973)
<b>Saxifraga odontoloma</b> Piper - saxifrage
Fungi
Basidiomycotina
Uredinales
<i>Puccinia austroberingiana</i> subsp. <i>austroberingiana</i> , LC (Savile 1973)
<b>Saxifraga punctata</b> L. subsp. <b>cascadensis</b>
Calder & Savile - saxifrage
Fungi
Basidiomycotina
Uredinales
<i>Puccinia austroberingiana</i> subsp. <i>austroberingiana</i> , LC (Savile 1973)
<i>Puccinia heucherae</i> var. <i>heucherae</i> , LC (Savile 1973)
<b>Saxifraga punctata</b> L. subsp. <b>charlottae</b>
Calder & Savile - saxifrage
Fungi
Basidiomycotina
Uredinales
<i>Puccinia austroberingiana</i> , LC (Ginns 1986a on <i>Saxifraga nelsoniana</i> subsp. <i>carlottae</i> )
<b>Saxifraga rivularis</b> L. - alpine brook saxifrage
Fungi
Basidiomycotina
Uredinales
<i>Puccinia saxifragae</i> var. <i>curtipes</i> , LC (Ginns 1986a)
<i>Puccinia saxifragae</i> var. <i>longior</i> , LC (Savile 1973)
<b>Saxifraga tenuis</b> (Wahlenb.) H. Sm. - saxifrage
Fungi
Basidiomycotina
Uredinales
<i>Puccinia saxifragae</i> var. <i>curtipes</i> , LC (Savile 1973)
<b>Saxifraga tolmiei</b> T. & G. - alpine saxifrage
Fungi
Basidiomycotina
Others
<i>Urocystis heucherae</i> , LC (Conners 1967)
<b>Saxifraga tolmiei</b> T. & G. var. <b>tolmiei</b> - alpine saxifrage
Fungi
Basidiomycotina
Uredinales
<i>Puccinia heucherae</i> var. <i>diffusistriata</i> , LC (Savile 1973)

<b>Saxifraga tricuspidata</b> Rottb. - prickly saxifrage
Fungi
Basidiomycotina
Uredinales
<i>Puccinia pazschkei</i> var. <i>tricuspidatae</i> , LC (Savile 1973)
<b>Schizachne purpurascens</b> (Torr.) Swallen - false melic
Fungi
Ascomycotina
<i>Mycosphaerella tassiana</i> , LC (Barr 1953)
<b>Schizanthus</b> sp. - butterfly-flower
Chromista
Oomycota
<i>Phytophthora cinnamomi</i> , LC (Atkinson 1965)
<b>Scilla hispanica</b> Mill. - bluebell, blue-flowered squill
Fungi
Basidiomycotina
Uredinales
<i>Uromyces muscari</i> , V (DAVFP)
<i>Uromyces muscari</i> f. sp. <i>scillae</i> , LC (Conners 1967)
<b>Scilla nonscripta</b> (L.) Hoffmgg. & Link - English bluebell, harebell
Fungi
Basidiomycotina
Uredinales
<i>Uromyces muscari</i> , V (DAVFP)
<b>Scirpus americanus</b> Pers. (= <i>Scirpus olneyi</i> ) - American bulrush, common-threesquare
Fungi
Basidiomycotina
Agaricales
<i>Conocybe</i> sp., V (DAOM)
<i>Coprinus</i> sp., V (DAOM)
<i>Galerina</i> sp., V (DAOM)
<i>Psathyrella</i> sp., V (DAOM)
<i>Psilocybe</i> cf. <i>pratense</i> , V (DAOM)
<i>Psilocybe</i> sp., V (DAOM)
Uredinales
<i>Puccinia osoyoosensis</i> , LC (Savile 1972) (TYPE)
<b>Scirpus cespitosus</b> L. subsp. <b>austriaca</b> (Palla) Asch. & Graebn. - tufted club-rush
Fungi
Deuteromycotina
Hyphomycetes
<i>Arthrinium sporophleum</i> , V (DAVFP)

***Scirpus hudsonianus*** (Michx.) Fern. - bulrush

Fungi

Basidiomycotina

Uredinales

*Puccinia eriophori-alpini*, LC (Savile 1972 on *Trichophorum cespitosum*)

***Scirpus maritimus*** L. var. ***paludosus*** (A. Nels.) Kuekenth. - marsh bulrush

Fungi

Basidiomycotina

Uredinales

*Uromyces lineolatus* subsp. *nearcticus*, LC (Ginns 1986a)

***Scirpus microcarpus*** Presl - small-fruited bulrush

Fungi

Basidiomycotina

Uredinales

*Puccinia mcclatchieana*, V (DAVFP)

Deuteromycotina

Hymomycetes

*Naiadella fluitans*, LC (Marvanová and Bandoni 1987)

***Scirpus olneyi*** A. Gray see *Scirpus americanus*

***Scirpus rubrotinctus*** Fernald

Fungi

Basidiomycotina

Uredinales

*Puccinia mcclatchieana*, LC (Savile 1972)

***Scirpus*** sp. - bulrush

Fungi

Basidiomycotina

Agaricales

*Mycena tubarioides*, LC (Redhead 1984a)

Deuteromycotina

Hymomycetes

*Heterosporium maculatum*, LC (Shaw 1973)

***Secale cereale*** L. - rye

Fungi

Ascomycotina

*Claviceps purpurea*, LC (Barr 1953)

*Erysiphe graminis*, LC (Barr 1953)

Basidiomycotina

Uredinales

*Puccinia graminis*, LC (Jones 1957; Green 1981 as *Puccinia graminis* f. sp. *tritici*)  
*Puccinia recondita*, V (DAVFP)

Deuteromycotina

Hymomycetes

*Fusarium oxysporum* f. sp. *radicis-lycopersici*, LC (Menzies et al. 1990)

*Rhynchosporium secalis*, LC (Ginns 1986a)

***Sedum douglasii*** Hook. see *Sedum stenopetalum*

***Sedum spathulifolium*** Hook. - broad-leaved stonecrop

Fungi

Basidiomycotina

Uredinales

*Puccinia rydbergii*, LC (Conners 1967)

*Puccinia umbilici*, V (DAVFP)

***Sedum stenopetalum*** Pursh (= *Sedum douglasii*) - narrow-petaled stonecrop

Fungi

Ascomycotina

*Mycosphaerella tassiana*, LC (Barr 1953)

Basidiomycotina

Uredinales

*Puccinia rydbergii*, LC (Shaw 1973)

Chytridiomycota

*Synchytrium* sp., LC (Karling 1956 on *Sedum douglasii*)

***Sempervivum tectorum*** L. - houseleek

Fungi

Basidiomycotina

Uredinales

*Endophyllum sempervivi*, LC (Ginns 1986a)

***Senecio aureus*** L. - golden ragwort

Fungi

Basidiomycotina

Uredinales

*Puccinia recedens*, V (DAVFP)

***Senecio canus*** Hook. - woolly butterweed

Fungi

Ascomycotina

*Pleospora potentillae*, LC (Barr 1953 as *Pleospora oligasca*)

***Senecio cruentus*** (Mass.) DC. - cineraria

Fungi

Ascomycotina

*Erysiphe cichoracearum*, LC (Shaw 1973)

Deuteromycotina

Hymomycetes

*Oidium* sp., LC (Toms 1964)

***Senecio integrerrimus*** Nutt. - tall western senecio

Fungi

Ascomycotina

*Mycosphaerella tassiana*, LC (Barr 1953)

***Senecio pauperculus*** Michx. - Canadian butterweed

Fungi

Ascomycotina

*Mycosphaerella hermione*, LC (Barr 1953 as *Mycosphaerella punctiformis* var. *clematidis*)

*Plant hosts - S*

<p><i>Pleospora scrophulariae</i> var. <i>compositarum</i>, LC (Barr 1953 as <i>Pleospora</i> <i>compositarum</i>)</p> <p><b><i>Senecio triangularis</i></b> Hook. - spear-head senecio, giant ragwort</p> <p><b>Fungi</b></p> <p><b>Basidiomycotina</b></p> <p><b>Uredinales</b></p> <p><i>Puccinia angustata</i>, V (DAVFP)</p> <p><i>Puccinia eriophori</i> var. <i>eriophori</i>, LC (Savile 1972)</p> <p><b><i>Senecio vulgaris</i></b> L. - common groundsel</p> <p><b>Fungi</b></p> <p><b>Deuteromycotina</b></p> <p><b>Hypomycetes</b></p> <p><i>Verticillium dahliae</i>, LC (Toms 1964; Woolliams 1966)</p> <p><b><i>Sequoia sempervirens</i></b> (Lamb.) Endl. - redwood</p> <p><b>Fungi</b></p> <p><b>Ascomycotina</b></p> <p><i>Glomerella cingulata</i>, V (DAVFP)</p> <p><b>Deuteromycotina</b></p> <p><b>Hypomycetes</b></p> <p><i>Botrytis</i> sp., V (DAVFP)</p> <p><b><i>Setaria glauca</i></b> (L.) Beauv. - yellow foxtail</p> <p><b>Fungi</b></p> <p><b>Basidiomycotina</b></p> <p><b>Others</b></p> <p><i>Sporisorium neglectum</i>, LC (Ginns 1986a)</p> <p><b><i>Setaria viridis</i></b> (L.) Beauv. - green foxtail</p> <p><b>Chromista</b></p> <p><b>Oomycota</b></p> <p><i>Sclerospora graminicola</i>, LC (Connors 1967)</p> <p><b><i>Shepherdia canadensis</i></b> (L.) Nutt. - soopolallie, soapberry, Canada buffaloberry</p> <p><b>Fungi</b></p> <p><b>Ascomycotina</b></p> <p><i>Coniochaeta pulveracea</i>, V (DAVFP)</p> <p><i>Sphaerotheca macularis</i>, LC (Barr 1953 as <i>Sphaerotheca humuli</i>)</p> <p><b>Basidiomycotina</b></p> <p><b>Aphyllophorales</b></p> <p><i>Trametes hirsuta</i>, LC (Shaw 1973 as <i>Polyporus hirsutus</i>)</p> <p><b>Uredinales</b></p> <p><i>Puccinia caricae-shepherdiae</i>, V (DAVFP)</p> <p><i>Puccinia coronata</i>, V (DAVFP)</p>	<p><b>Deuteromycotina</b></p> <p><b>Coelomycetes</b></p> <p><i>Septoria shepherdiae</i>, V (DAVFP)</p> <p><b><i>Sibbaldia procumbens</i></b> L. - sibbaldia</p> <p><b>Fungi</b></p> <p><b>Ascomycotina</b></p> <p><i>Microthyrium arcticum</i>, LC (Barr 1953)</p> <p><i>Mycosphaerella ranunculi</i>, LC (Barr 1953 as <i>Mycosphaerella innumerella</i>)</p> <p><b><i>Sidalcea hendersonii</i></b> (L.) Wats. - Henderson's sidalcea</p> <p><b>Fungi</b></p> <p><b>Deuteromycotina</b></p> <p><b>Hypomycetes</b></p> <p><i>Ramularia sidalceae</i>, LC (Ginns 1986a)</p> <p><b><i>Silene acaulis</i></b> L. - moss campion</p> <p><b>Fungi</b></p> <p><b>Ascomycotina</b></p> <p><i>Phaeosphaeria silenes-acaulis</i>, LC (Barr 1953 as <i>Leptosphaeria silenes-acaulis</i>)</p> <p><b><i>Silene acaulis</i></b> L. var. <i>exscapa</i> (All.) DC. - moss campion</p> <p><b>Fungi</b></p> <p><b>Basidiomycotina</b></p> <p><b>Others</b></p> <p><i>Ustilago violacea</i> var. <i>violacea</i>, LC (Savile 1957)</p> <p><b><i>Silene acaulis</i></b> L. var. <i>subacaulescens</i> (F.N. Williams) Fern. &amp; St. John - moss campion</p> <p><b>Fungi</b></p> <p><b>Basidiomycotina</b></p> <p><b>Others</b></p> <p><i>Ustilago violacea</i> var. <i>violacea</i>, LC (Savile 1957)</p> <p><b><i>Silene armeria</i></b> L. - sweet william catchfly</p> <p><b>Fungi</b></p> <p><b>Deuteromycotina</b></p> <p><b>Coelomycetes</b></p> <p><i>Septoria silenes</i>, LC (Shaw 1973)</p> <p><b><i>Silene douglasii</i></b> Hook. - Douglas' campion</p> <p><b>Fungi</b></p> <p><b>Ascomycotina</b></p> <p><i>Mycosphaerella tassiana</i>, LC (Barr 1953)</p> <p><i>Pleospora comata</i>, LC (Barr 1953)</p> <p><b><i>Silene douglasii</i></b> Hook. var. <i>douglasii</i> - Douglas' campion</p> <p><b>Fungi</b></p> <p><b>Basidiomycotina</b></p> <p><b>Uredinales</b></p> <p><i>Uromyces inaequaltus</i>, LC (Ginns 1986a)</p> <p><b>Others</b></p> <p><i>Ustilago clintoniana</i>, LC (Savile 1957)</p>
---	--

***Silene menziesii*** Hook. - Menzies' campion

Fungi  
 Deuteromycotina  
 Coelomycetes  
*Septoria silenes*, V (DAVFP)

***Silene parryi*** (Wats.) Hitchc. & Maguire - catchfly

Fungi  
 Basidiomycotina  
 Uredinales  
*Uromyces inaequialtus*, LC (Savile 1976a)

***Sisymbrium altissimum*** L. - tumbling mustard

Fungi  
 Deuteromycotina  
 Hyphomycetes  
*Verticillium dahliae*, LC (Toms 1964; Aube and Sackston 1965; Wooliams 1966)

Chromista  
 Oomycota  
*Albugo candida*, V (DAVFP)

***Sisymbrium linifolium*** Nutt. - hedge mustard

Chromista  
 Oomycota  
*Albugo candida*, LC (Shaw 1973)

***Sisymbrium officinale*** (L.) Scop. - tall hedge mustard

Chromista  
 Oomycota  
*Albugo candida*, LC (Ginns 1986a)

***Sisyrinchium angustifolium*** Mill. - narrow-leaved blue-eyed grass

Fungi  
 Ascomycotina  
*Mycosphaerella tassiana*, LC (Barr 1953)

***Sisyrinchium douglasii*** A. Dietr. - purple-eyed grass, grass widows

Fungi  
 Basidiomycotina  
 Uredinales  
*Uromyces probus*, V (DAVFP)

***Sitanion hystrix*** (Nutt.) J.G. Sm. - bottle brush, squirrel tail

Fungi  
 Ascomycotina  
*Mycosphaerella tassiana*, LC (Barr 1953)

***Smelowskia calycina*** (Steph.) C.A. Mey. var. ***americana*** (Regel & Herd.) Drury & Rollins – alpine smelowskia

Fungi  
 Basidiomycotina  
 Uredinales  
*Puccinia aberrans*, LC (Parmelee 1984; Ginns 1986a)

***Smilacina racemosa*** (L.) Desf. - false Solomon's seal

Fungi  
 Deuteromycotina  
 Coelomycetes  
*Cylindrosporium smilacinae*, LC (Savile 1961)

Hyphomycetes  
*Ramularia smilacinae*, LC (Savile 1961)

***Smilacina stellata*** (L.) Desf. - Nuttall's Solomon's seal

Fungi  
 Basidiomycotina  
 Uredinales  
*Puccinia sessilis*, LC (Connors 1967)

***Solanum melongena*** L. - eggplant

Fungi  
 Deuteromycotina  
 Hyphomycetes  
*Verticillium dahliae*, LC (Toms 1964)

***Solanum melongena*** L. var. ***esculentum***

Nees - eggplant  
 Fungi  
 Deuteromycotina  
 Coelomycetes  
*Phomopsis vexans*, LC (Connors 1967)

Hyphomycetes  
*Verticillium dahliae*, LC (Connors 1967)

***Solanum nigrum*** L. - black nightshade

Fungi  
 Ascomycotina  
*Erysiphe cichoracearum*, LC (Barr 1953)

Deuteromycotina  
 Hyphomycetes  
*Oidium* sp., LC (Toms 1964)  
*Verticillium dahliae*, LC (Toms 1964; Wooliams 1966)

Chromista  
 Oomycota  
*Phytophthora infestans*, LC (Ginns 1986a)

***Solanum sarrachoides*** Sendt. - hairy nightshade

Fungi  
 Ascomycotina  
*Erysiphe cichoracearum*, LC (Shaw 1973)

Deuteromycotina  
 Hyphomycetes  
*Oidium* sp., LC (Toms 1964)  
*Verticillium dahliae*, LC (Toms 1964; Wooliams 1966)

***Solanum tuberosum*** L. - potato

Fungi  
 Ascomycotina  
*Sclerotinia minor*, LC (Jones 1957)  
*Sclerotinia sclerotiorum*, LC (Jones 1957)

*Plant hosts - S*

<b>Basidiomycotina</b>	
<b>Agaricales</b>	
<i>Armillaria</i> sp., LC (Jones 1957 as <i>Armillaria mellea</i> )	
<b>Others</b>	
<i>Helicobasidium brebissonii</i> , LC (Jones 1957 as <i>Rhizoctonia crocorum</i> )	
<i>Thanatephorus cucumeris</i> , LC (Jones 1957 as <i>Rhizoctonia solani</i> )	
<b>Deuteromycotina</b>	
<b>Coelomycetes</b>	
<i>Phaciopycnis tuberivora</i> , LC (Jones 1957 as <i>Phomopsis tuberivora</i> )	
<i>Phoma exigua</i> , LC (Jones 1957 as <i>Phoma tuberosa</i> )	
<i>Phoma lycopersici</i> , LC (Jones 1957 as <i>Ascochyta lycopersici</i> )	
<b>Hyphomycetes</b>	
<i>Alternaria solani</i> , LC (Jones 1957)	
<i>Botrytis cinerea</i> , LC (Jones 1957)	
<i>Fusarium caeruleum</i> , LC (Jones 1957)	
<i>Fusarium javanicum</i> , UR	
<i>Fusarium oxysporum f. tuberosi</i> , LC (Jones 1957)	
<i>Fusarium redolens</i> , LC (Toms 1964)	
<i>Fusarium sambucinum</i> , UR	
<i>Fusarium sambucinum</i> form 6, LC (Toms 1964)	
<i>Fusarium solani</i> f. sp. <i>eumartii</i> , UR	
<i>Helminthosporium solani</i> , LC (Jones 1957 as <i>Spondylocladium atrovirens</i> )	
<i>Polyscytalum pustulans</i> , LC (Shaw 1973 as <i>Oospora pustulans</i> )	
<i>Ulocladium consortiale</i> , LC (Jones 1957 as <i>Stemphylium consortiale</i> )	
<i>Verticillium albo-atrum</i> , LC (Jones 1957)	
<i>Verticillium dahliae</i> , LC (Toms 1964)	
<b>Chromista</b>	
<b>Oomycota</b>	
<i>Phytophthora erythroseptica</i> , LC (Jones 1957)	
<i>Phytophthora infestans</i> , LC (Jones 1957)	
<i>Pythium debaryanum</i> , LC (Shaw 1973)	
<i>Pythium ultimum</i> , LC (Jones 1957)	
<b>Protozoa</b>	
<b>Plasmodiophoromycota</b>	
<i>Spongospora subterranea</i> , LC (Jones 1957)	
<b>Bacteria</b>	
<i>Corynebacterium sepedonicum</i> , LC (Jones 1957)	
<i>Erwinia atroseptica</i> , LC (Conners 1967)	
<i>Erwinia carotovora</i> , LC (Jones 1957)	
<i>Streptomyces scabies</i> , LC (Jones 1957)	
<b><i>Solanum</i> sp.</b>	
<b>Fungi</b>	
<b>Deuteromycotina</b>	
<b>Hyphomycetes</b>	
<i>Verticillium dahliae</i> , LC (Aube and Sackston 1965)	
<b><i>Solidago canadensis</i> L. - meadow goldenrod</b>	
<b>Fungi</b>	
<b>Basidiomycotina</b>	
<b>Uredinales</b>	
<i>Coleosporium asterum</i> , V (DAVFP)	
<i>Puccinia dioicae</i> , LC (Shaw 1973)	
<i>Uromyces sommerfeltii</i> , LC (Shaw 1973)	
<b><i>Solidago canadensis</i> L. subsp. <i>elongata</i></b>	
(Nutt.) Keck - meadow goldenrod	
<b>Fungi</b>	
<b>Basidiomycotina</b>	
<b>Uredinales</b>	
<i>Coleosporium asterum</i> , UR	
<b><i>Solidago decumbens</i> Greene - decumbent goldenrod</b>	
<b>Fungi</b>	
<b>Ascomycotina</b>	
<i>Pleospora chlamydospora</i> , LC (Barr 1953 as <i>Pleospora balsamorrhizae</i> )	
<b><i>Solidago lanceolata</i> - goldenrod</b>	
<b>Fungi</b>	
<b>Basidiomycotina</b>	
<b>Uredinales</b>	
<i>Coleosporium asterum</i> , UR	
<b><i>Solidago lepida</i> DC. - narrow goldenrod, Alaskan goldenrod</b>	
<b>Fungi</b>	
<b>Basidiomycotina</b>	
<b>Uredinales</b>	
<i>Coleosporium asterum</i> , V (DAVFP)	
<i>Puccinia stipae</i> , LC (Jones 1957)	
<i>Uromyces sommerfeltii</i> , V (DAVFP)	
<b><i>Solidago lepida</i> DC. var. <i>elongata</i> (Nutt.) Fern. - thin goldenrod</b>	
<b>Fungi</b>	
<b>Basidiomycotina</b>	
<b>Uredinales</b>	
<i>Coleosporium</i> sp., V (DAVFP)	
<b><i>Solidago multiradiata</i> Ait. - alpine goldenrod</b>	
<b>Fungi</b>	
<b>Ascomycotina</b>	
<i>Mycosphaerella tassiana</i> , LC (Barr 1953)	
<b>Basidiomycotina</b>	
<b>Uredinales</b>	
<i>Coleosporium asterum</i> , V (DAVFP)	
<b><i>Solidago spathulata</i> DC. - dune goldenrod</b>	
<b>Fungi</b>	
<b>Ascomycotina</b>	
<i>Pleospora chlamydospora</i> , LC (Shaw 1973)	
<b>Basidiomycotina</b>	
<b>Uredinales</b>	
<i>Coleosporium asterum</i> , V (DAVFP)	

***Solidago* sp. - goldenrod****Fungi****Ascomycotina**

*Erysiphe cichoracearum*, LC (Barr 1953)  
*Hymenoscyphus scutula*, V (DAVFP)

**Basidiomycotina****Uredinales**

*Puccinia dioicae*, V (DAVFP)

**Deuteromycotina****Hypomycetes**

*Cercospora* sp., LC (Ginns 1986a)

***Sonchus oleraceus* L. - sow-thistle****Fungi****Deuteromycotina****Hypomycetes**

*Alternaria sonchi*, LC (Ginns 1986a)

**Chromista****Oomycota**

*Bremia lactucae*, LC (Ginns 1986a)

***Sorbopyrus auricularis* (Knoop) Schneid. - hybrid between *Pyrus communis* and *Sorbus aria* – Bollwyller pear****Fungi****Ascomycotina**

*Taphrina bullata*, LC (Ginns 1986a on *Sorbopyrus auricularia*)

***Sorbus americana* Marsh. - American mountain ash****Fungi****Basidiomycotina****Aphyllophorales**

*Cerrena unicolor*, V (DAVFP)  
*Ganoderma applanatum*, V (DAVFP)  
*Trametes pubescens*, V (DAVFP)

***Sorbus aucuparia* L. - rowan tree, European mountain ash****Fungi****Ascomycotina**

*Eutypella sorbi*, LC (Ginns 1986a)

**Basidiomycotina****Agaricales**

*Armillaria* sp., LC (Jones 1957 as *Armillaria mellea*)

**Aphyllophorales**

*Trametes pubescens*, LC (Connors 1967 as *Polyporus pubescens*)

***Sorbus occidentalis* (Wats.) Greene see *Sorbus sitchensis* var. *grayi******Sorbus scopulina* Greene - mountain ash****Fungi****Basidiomycotina****Uredinales**

*Gymnosporangium cornutum*, LC (Parmelee 1978c)

*Gymnosporangium tremelloides*, LC (Parmelee 1978d)

***Sorbus sitchensis* Roem. - Sitka mountain ash, Pacific mountain ash****Fungi****Ascomycotina**

*Eutypella sorbi*, V (DAVFP)  
*Fenestella subcaespitosa*, LC (Barr 1990a)  
*Guignardia* sp., V (DAVFP)  
*Phyllactinia guttata*, V (DAVFP)  
*Sydowia versiformis*, LC (Barr 1972) (TYPE)  
*Teichospora* sp., V (DAVFP)

**Basidiomycotina****Agaricales**

*Pleurotus subareolatus*, V (DAVFP)

**Aphyllophorales**

*Irpea lacteus*, LC (Shaw 1958 as *Polyporus tulipiferae*)

**Uredinales**

*Gymnosporangium nidus-avis*, V (DAVFP)  
*Gymnosporangium tremelloides*, LC (Parmelee 1978d)

**Deuteromycotina****Coelomycetes**

*Septoria sitchensis*, LC (Shaw 1973)

**Hypomycetes**

*Cercospora* sp., V (DAVFP)

***Sorbus sitchensis* Roem. var. *grayi***

(Wenzig) C.L. Hitchc. (=*Sorbus occidentalis*) – dwarf mountain ash

**Fungi****Ascomycotina**

*Diplocarpon mespili*, LC (Shaw 1973)  
*Fenestella subcaespitosa*, LC (Barr 1990a)  
*Stomiopeltis borealis*, LC (Barr 1967 on *Pyrus occidentalis*)

**Basidiomycotina****Uredinales**

*Gymnosporangium clavipes*, V (DAVFP)  
*Gymnosporangium cornutum*, V (DAVFP)  
*Gymnosporangium nootkatense*, V (DAVFP)  
*Gymnosporangium tremelloides*, V (DAVFP)

***Sorbus sitchensis* Roem. var. *sitchensis* - western mountain ash****Fungi****Basidiomycotina****Uredinales**

*Gymnosporangium clavipes*, V (DAVFP)  
*Gymnosporangium cornutum*, V (DAVFP)  
*Gymnosporangium nootkatense*, V (DAVFP)  
*Gymnosporangium tremelloides*, V (DAVFP)

***Sorbus* sp. - mountain ash****Fungi****Ascomycotina**

*Dothiora pyrenophora*, V (DAVFP)  
*Nectria cinnabarina*, V (DAVFP)

**Deuteromycotina****Coelomycetes**

*Cytospora* sp., V (DAVFP)

*Plant hosts - S*

- Hyphomycetes**  
*Tuberularia vulgaris*, V (DAVFP)
- Sorghum vulgare** Pers. - sorghum  
**Fungi**  
**Basidiomycotina**  
**Others**  
*Sporisorium sorghi*, LC (Ginns 1986a)
- Sorghum** sp. - sorghum  
**Bacteria**  
*Pseudomonas syringae*, UR
- Spartina gracilis** Trin. - alkali cord-grass  
**Fungi**  
**Basidiomycotina**  
**Uredinales**  
*Puccinia distichlidis*, LC (Parmelee and de Carteret 1981a)
- Deuteromycotina**  
**Coelomycetes**  
*Septoria spartinae*, LC (Sprague 1960a)
- Spergula arvensis** L. - corn spurry  
**Fungi**  
**Deuteromycotina**  
**Hyphomycetes**  
*Fusarium oxysporum f. sp. radicis-lycopersici*, LC (Menzies et al. 1990)
- Sphenopholis obtusata** (Michx.) Scribn. - prairie wedgegrass  
**Fungi**  
**Ascomycotina**  
*Mycosphaerella tassiana*, LC (Barr 1953)
- Spinacia oleracea** L. - spinach  
**Fungi**  
**Ascomycotina**  
*Pleospora herbarum*, LC (Ginns 1986a)
- Basidiomycotina**  
**Uredinales**  
*Puccinia aristidae*, LC (Ginns 1986a)
- Deuteromycotina**  
**Coelomycetes**  
*Ascochyta chenopodii*, LC (Ginns 1986a)
- Hyphomycetes**  
*Botrytis cinerea*, LC (Conners 1967)  
*Cladosporium variabile*, LC (Ginns 1986a)  
*Fusarium avenaceum*, LC (Conners 1967)
- Chromista**  
**Oomycota**  
*Albugo occidentalis*, LC (Ginns 1986a)  
*Peronospora farinosa*, LC (Ginns 1986a)  
*Phytophthora megasperma*, LC (Ginns 1986a)  
*Pythium ultimum*, LC (Ginns 1986a)
- Spiraea betulifolia** Pall. var. *lucida*  
(Dougl.) C.L. Hitchc. (=*Spiraea lucida*) - white spiraea  
**Fungi**  
**Ascomycotina**  
*Mycosphaerella tassiana*, LC (Barr 1953)
- Deuteromycotina**  
**Coelomycetes**  
*Cylindrosporium filipendulae*, V (DAVFP)  
*Phloeospora spiraeicola*, LC (Jones 1957)
- Spiraea discolor** Pursh see *Holodiscus discolor*
- Spiraea douglasii** Hook. (=*Spiraea menziesii*) - western spiraea  
**Fungi**  
**Ascomycotina**  
*Cryptodiaporthe macounii*, LC (Barr 1953)  
*Diaporthe macounii*, LC (Dearness 1916)  
*Godronia spiraeae*, LC (Shaw 1973)  
*Nectria cinnabarinna*, LC (Barr 1953 as *Creonectria purpurea*)
- Deuteromycotina**  
**Coelomycetes**  
*Camarosporium coronillae*, LC (Shaw 1973)  
*Diplodia constricta*, LC (Shaw 1973)  
*Stagonospora spiraeae*, LC (Shaw 1973)
- Hyphomycetes**  
*Oidium* sp., UR
- Spiraea lucida** Dougl. see *Spiraea betulifolia* var. *lucida*
- Spiraea menziesii** Hook. see *Spiraea douglasii*
- Sporobolus cryptandrus** (Torr.) A. Gray - sand dropseed  
**Fungi**  
**Ascomycotina**  
*Comocladhris quadrisepata*, LC (Shoemaker and Babcock 1992)
- Stachys ciliata** Dougl. see *Stachys cooleyae*
- Stachys cooleyae** Heller (=*Stachys ciliata*) - hedge-nettle  
**Fungi**  
**Ascomycotina**  
*Erysiphe cichoracearum*, LC (Shaw 1973)  
*Erysiphe* sp., V (DAVFP)
- Stachys mexicana** Benth. - hedge-nettle  
**Fungi**  
**Ascomycotina**  
*Erysiphe galeopsidis*, LC (Shaw 1973)
- Stellaria borealis** Bigelow see *Stellaria calycantha*

***Stellaria calycantha*** (Ledeb.) Bong.  
 (= *Stellaria borealis*) - calyx-flowered  
 starwort, mountain bog starwort

- Fungi
  - Basidiomycotina
    - Uredinales
      - Melampsorella caryophyllacearum*, V  
(DAVFP)
      - Puccinia arenariae*, LC (Ginns 1986a)
  - Deuteromycotina
    - Hypomycetes
      - Ramularia stellariae*, LC (Conners 1967)

***Stellaria crispa*** Cham. & Schlecht. - crised  
starwort, Chamisso's starwort

- Fungi
  - Basidiomycotina
    - Uredinales
      - Melampsorella caryophyllacearum*, V  
(DAVFP)

***Stellaria longipes*** Goldie (= *Stellaria monantha*) - long-stalked starwort

- Fungi
  - Ascomycotina
    - Mycosphaerella tassiana*, LC (Barr 1953)
  - Basidiomycotina
    - Uredinales
      - Melampsorella caryophyllacearum*, V  
(DAVFP)
      - Puccinia arenariae*, LC (Savile 1976a)

***Stellaria media*** (L.) Cyr. - common  
chickweed

- Fungi
  - Basidiomycotina
    - Uredinales
      - Melampsorella caryophyllacearum*, V  
(DAVFP)
  - Deuteromycotina
    - Coelomycetes
      - Septoria stellariae*, LC (Ginns 1986a)
    - Hypomycetes
      - Fusarium oxysporum* f. sp. *radicis-lycopersici*,  
LC (Menzies et al. 1990)

***Stellaria monantha*** Hult. see *Stellaria longipes*

***Stellaria nitens*** Nutt. - shiny chickweed

- Fungi
  - Deuteromycotina
    - Coelomycetes
      - Septoria stellariae*, LC (Shaw 1973)

***Stenanthium occidentale*** (Gray) Rydb. -  
western stenanthium, mountain bells

- Fungi
  - Ascomycotina
    - Mycosphaerella tassiana*, LC (Barr 1953)
    - Pleospora comata*, LC (Barr 1953)

*Pleospora scrophulariae* var. *compositarum*,  
LC (Barr 1953 as *Pleospora*  
*compositarum*)

***Stephanomeria tenuifolia*** (Torr.) Hall. -  
white-plumed stephanomeria, narrow-leaved  
stephanomeria

- Fungi
  - Basidiomycotina
    - Uredinales
      - Puccinia hieracii*, V (DAVFP)
      - Puccinia hieracii* var. *stephanomeriae*, LC  
(Parmelee and Savile 1981 as *Puccinia*  
*harknessii* var. *stephanomeriae*)

***Stipa comata*** Trin. & Rupr. - needle and  
thread grass, spear grass

- Fungi
  - Ascomycotina
    - Clathrospora pentamera*, LC (Barr 1953)
    - Graphyllum permundum*, LC (Barr 1953 as  
*Clathrospora permunda*)

***Stipa* sp.** - needlegrass

- Fungi
  - Ascomycotina
    - Mycosphaerella tassiana*, LC (Barr 1953)

***Stransvaesia* sp.** - stransvaesia

- Fungi
  - Deuteromycotina
    - Coelomycetes
      - Cytospora* sp., V (DAVFP)
      - Phoma* sp., V (DAVFP)

***Streptopus roseus*** Michx. var. *curvipes*

(Vail) Fassett - simple-stemmed twisted  
stalk

- Fungi
  - Basidiomycotina
    - Others
      - Tuburcinia clintoniae*, LC (Savile 1961)

***Symporicarpos albus*** (L.) Blake

(= *Symporicarpos racemosus*) - snowberry

- Fungi
  - Ascomycotina
    - Microsphaera diffusa*, LC (Barr 1953)
    - Mycosphaerella tassiana*, LC (Barr 1953)
    - Sphaerotheca* sp., V (DAVFP)

Basidiomycotina

- Uredinales
  - Puccinia crandallii*, V (DAVFP)
  - Puccinia symphoricarpi*, V (DAVFP)

Deuteromycotina

- Coelomycetes
  - Septoria symphoricarpi*, LC (Ginns 1986a)

Hypomycetes

- Phaeoramularia symphoricarpi*, V (DAVFP)

*Plant hosts - S*

**Symporicarpos hesperius** G.N. Jones -  
creeping snowberry

**Fungi**

**Basidiomycotina**

**Uredinales**

*Puccinia symphoricarpi*, V (DAVFP)

**Symporicarpos racemosus** Michx. see  
*Symporicarpos albus*

**Symphytum officinale** L. - common  
comfrey

**Fungi**

**Basidiomycotina**

**Agaricales**

*Calyptella capula*, LC (Redhead 1973)

**Syringa vulgaris** L. - common lilac

**Fungi**

**Basidiomycotina**

**Aphylophorales**

*Trametes versicolor*, V (DAVFP)

**Others**

*Tremella mesenterica*, LC (Wong et al. 1985;

Bandoni & Ginns 1998, with *Peniophora*  
sp.)

**Deuteromycotina**

**Coelomycetes**

*Ascochyta syringae*, LC (Ginns 1986a)

*Phyllosticta syringae*, LC (Connors 1967)

**Hypomycetes**

*Cladosporium herbarum*, V (DAVFP)

**Bacteria**

*Pseudomonas syringae*, LC (Connors 1967)

**Syringa sp.** - lilac

**Fungi**

**Basidiomycotina**

**Agaricales**

*Armillaria* sp., V (DAVFP)

**Deuteromycotina**

**Coelomycetes**

*Sclerophoma* sp., V (DAVFP)

**Hypomycetes**

*Cladosporium herbarum*, V (DAVFP)

**Bacteria**

*Erwinia amylovora*, V (DAVFP)

***Tagetes signata*** Bartl. var. ***pumila*** Hort. - dwarf marigold

Fungi

Deuteromycotina

Hypocreales

*Botrytis cinerea*, LC (Toms 1964)

Chromista

Oomycota

*Phytophthora cryptogea*, LC (Connors 1967)

***Tanacetum vulgare*** L. - tansy

Fungi

Ascomycotina

*Mycosphaerella tassiana*, LC (Barr 1953)

*Pleospora herbarum*, LC (Barr 1953)

***Taraxacum dumetorum*** Greene

Fungi

Basidiomycotina

Uredinales

*Puccinia hieracii*, LC (Parmelee and Savile 1981)

***Taraxacum kok-saghyz*** Rod. - Russian dandelion

Fungi

Deuteromycotina

Hypocreales

*Botrytis cinerea*, LC (Toms 1964)  
*Cladosporium cladosporioides*, LC (Connors 1967)  
*Fusarium oxysporum*, LC (Connors 1967)

***Taraxacum laevigatum*** (Willd.) DC.

Fungi

Basidiomycotina

Uredinales

*Puccinia hieracii*, LC (Parmelee and Savile 1981)

***Taraxacum officinale*** Weber - common dandelion

Fungi

Ascomycotina

*Sphaerotheca fuliginea*, LC (Connors 1967)  
*Sphaerotheca macularis*, LC (Ginns 1986a)

Basidiomycotina

Uredinales

*Puccinia hieracii*, V (DAVFP)

Chytridiomycota

*Synchytrium taraxaci*, LC (Ginns 1986a)

Deuteromycotina

Hypocreales

*Ramularia taraxaci*, LC (Ginns 1986a)

***Taraxacum sp.*** - dandelion

Fungi

Ascomycotina

*Sphaerotheca fuliginea*, LC (Barr 1953 as  
*Sphaerotheca humuli* var. *fuliginea*)

Deuteromycotina

Hypocreales

*Verticillium dahliae*, LC (Toms 1964;  
Woolliams 1966)

***Taxus baccata*** L. - English yew

Chromista

Oomycota

*Phytophthora cinnamomi*, V (DAVFP)

***Taxus baccata*** L. var. ***fastigiata*** Loud. -

Irish yew

Fungi

Deuteromycotina

Coccomyces

*Phomopsis* sp., V (DAVFP)

***Taxus baccata*** L. var. ***stricta*** Laws. - Irish yew

Chromista

Oomycota

*Phytophthora cinnamomi*, LC (Atkinson 1965)

***Taxus brevifolia*** Nutt. - western yew

Fungi

Ascomycotina

*Asteridiella pitya*, V (DAVFP)

*Discochora philoprina*, V (DAVFP)

*Dothiora taxicola*, V (DAVFP)

*Epipolaeum* sp., V (DAVFP)

*Glomerella cingulata*, V (DAVFP)

*Herpotrichia juniperi*, V (DAVFP)

*Limacinia* sp., V (DAVFP)

*Nectria* sp., V (DAVFP)

*Phacidium dearnessii*, V (DAVFP)

Basidiomycotina

Agaricales

*Armillaria ostoyae*, V (DAVFP)

Aphyllophorales

*Dendrothele incrustans*, V (DAVFP)

*Hymenochaete radio-ferruginea*, V (DAVFP)

*Hymenochaete fusca*, V (DAVFP)

Others

*Dacrymyces ovisporus*, V (UBC F4785)

Deuteromycotina

Coccomyces

*Apostrasseria* sp., V (DAVFP)

*Phomopsis* sp., V (DAVFP)

Hypocreales

*Spiropes helleri*, V (DAVFP)

***Taxus cuspidata*** Sieb. & Zucc. var. ***nana***

Rehd. - Japanese yew

Chromista

Oomycota

*Phytophthora cinnamomi*, LC (Atkinson 1965)

*Plant hosts - T*

**Taxus media** Rehd. var. *hatfieldii* Rehd. - hybrid yew  
Chromista  
Oomycota  
*Phytophthora cinnamomi*, LC (Atkinson 1965 on *Taxus cuspidata* var. *hatfieldii*)

**Taxus sp.** - yew  
Fungi  
Basidiomycotina  
Agaricales  
*Armillaria ostoyae*, V (DAVFP)

**Tellima grandiflora** (Pursh) Dougl.  
(= *Tellima odorata*) - fragrant large fringe-cup  
Fungi  
Basidiomycotina  
Uredinales  
*Puccinia austroberingiana* subsp. *austroberingiana*, LC (Savile 1973)  
(TYPE)  
*Puccinia austroberingiana* subsp. *saxifragarum*, LC (Savile 1973)  
*Puccinia heucherae*, V (DAVFP)

**Tellima odorata** How. see *Tellima grandiflora*

**Thalictrum alpinum** L. - Arctic meadow-rue, dwarf meadow-rue  
Fungi  
Basidiomycotina  
Uredinales  
*Puccinia gigantispora*, V (DAVFP)

**Thalictrum occidentale** Gray - western meadow-rue  
Fungi  
Basidiomycotina  
Uredinales  
*Puccinia recondita*, V (DAVFP)

**Thlaspi arvense** L. - stinkweed  
Fungi  
Deuteromycotina  
Hypocreales  
*Verticillium dahliae*, LC (Aube and Sackston 1965; Woolliams 1966)

**Thuja occidentalis** L. - white cedar  
Fungi  
Ascomycotina  
*Ceratocystis allantospora*, LC (Ginns 1986a)  
*Ceratocystis angusticollis*, LC (Ginns 1986a)  
*Ceratocystis sagmatospora*, LC (Ginns 1986a)  
*Lachnellula* sp., V (DAVFP)

Deuteromycotina  
Coelomycetes  
*Kabatina* sp., LC (MacDonald and Barnett 1989)

**Thuja occidentalis** L. var. *fastigiata* Jaeg.  
- American arbor-vitae

Fungi  
Ascomycotina  
*Dermea* sp., V (DAVFP)

Deuteromycotina  
Coelomycetes  
*Coniothyrium* sp., V (DAVFP)  
*Dothiorella* sp., V (DAVFP)  
*Phomopsis juniperovora*, V (DAVFP)  
*Seiridium* sp., V (DAVFP)

**Thuja orientalis** L. - oriental arbor-vitae, Chinese arbor-vitae

Fungi  
Ascomycotina  
*Leptotypha cupressi*, V (DAVFP)  
*Lophodermium thujae*, V (DAVFP)

**Thuja orientalis** L. var. *stricta* Loud.  
(= *Thuja pyramidalis*) - oriental arbor-vitae, Chinese arbor-vitae

Fungi  
Ascomycotina  
*Pleospora herbarum*, V (DAVFP)

Deuteromycotina  
Coelomycetes  
*Ascochytopsis* sp., V (DAVFP)  
*Cytospora* sp., V (DAVFP)  
*Pestalotiopsis funerea*, V (DAVFP)  
*Phoma* sp., V (DAVFP)

Hypocreales  
*Cladosporium herbarum*, V (DAVFP)

**Thuja plicata** Donn - western red cedar  
Fungi

Ascomycotina  
*Delphinella peckii*, V (DAVFP)  
*Dermea balsamea*, V (DAVFP)  
*Diaporthe lokoyae*, V (DAVFP)  
*Didymascella thujina*, V (DAVFP)  
*Discina ancilis*, V (DAVFP)  
*Euantennaria alaskensis*, V (DAVFP)  
*Euantennaria* sp., V (DAVFP)  
*Kriegeria seaveri*, V (DAVFP)  
*Lecanidion atratum*, V (DAVFP)  
*Leptotypha cupressi*, V (DAVFP)  
*Lulworthia medusa*, LC (Hughes 1969)  
*Mitula elegans*, V (DAVFP)  
*Nectria neomacrospora*, V (DAVFP)  
*Phacidium coniferarum*, V (DAVFP)  
*Pithya cupressina*, V (DAVFP)  
*Pleospora laricina*, V (DAVFP)  
*Pleospora* sp., V (DAVFP)  
*Rhizina undulata*, V (DAVFP)  
*Scutellinia scutellata*, LC (Connors 1967)  
*Stenocybe major*, UR  
*Sydiowia polyspora*, V (DAVFP)  
*Valsa abietis*, V (DAVFP)  
*Velutarina rufo-olivacea*, V (DAVFP)

Basidiomycotina  
Agaricales  
*Armillaria ostoyae*, V (DAVFP)

- Armillaria* sp., LC (Morrison et al. 1985 as  
*Armillaria mellea*)  
*Clitocybe gibba* var. *gibba*, V (DAVFP)  
*Collybia acervata*, V (DAVFP)  
*Flammula decorata*, V (DAVFP)  
*Flammula liquiritiae*, V (DAVFP)  
*Hohenbuehelia petalodes*, V (DAVFP)  
*Hypholoma capnoides*, LC (Connors 1967)  
*Hypholoma fasciculare*, V (DAVFP)  
*Lentinus strigosus*, V (DAVFP)  
*Marasmiellus pluvius*, LC (Redhead 1982b)  
*Marasmius scorodonius*, LC (Connors 1967)  
*Mycena griseiconica*, LC (Connors 1967)  
*Neolentinus lepideus*, V (DAVFP)  
*Omphalina ericetorum*, V (DAVFP)  
*Pleurotellus hypnophilus*, V (DAVFP)  
*Pleurotus* sp., V (DAVFP)  
*Psathyrella* sp., V (DAVFP)  
*Resupinatus striatulus*, V (DAOM 21617)  
*Tapinella panuoides*, V (DAVFP)  
*Xeromphalina campanella*, V (DAVFP)
- Aphyllophorales**
- Acanthophysium lividocaeruleum*, V  
(DAVFP)  
*Aleurodiscus occidentalis*, LC (Ginns 1990)  
*Aleurodiscus penicillatus*, V (DAVFP)  
*Aleurodiscus tsugae*, V (DAVFP)  
*Amphinema byssoides*, V (DAVFP)  
*Amylocorticum cebennense*, V (DAVFP)  
*Amylostereum chailletii*, V (DAVFP)  
*Antrodia albida*, LC (Shaw 1973)  
*Antrodia serialis*, LC (Shaw 1973 as  
*Trametes serialis*)  
*Antrodia sinuosa*, V (DAVFP)  
*Antrodia xantha*, V (DAVFP)  
*Antrodia* sp., V (DAVFP)  
*Antrodiella semisupina*, UR  
*Asterostroma andinum*, V (DAVFP)  
*Botryobasidium botryosum*, V (DAOM  
141235)  
*Botryobasidium danicum*, V (DAOM 141311)  
*Botryobasidium subcoronatum*, V (DAVFP)  
*Botryobasidium vagum*, V (DAVFP)  
*Ceriporiopsis rivulosa*, V (DAVFP)  
*Chondrostereum purpureum*, V (DAVFP)  
*Clavicorona taxophila*, V (DAVFP)  
*Confertobasidium olivaceo-album*, V  
(DAVFP)  
*Coniophora arida* var. *arida*, V (DAVFP)  
*Coniophora arida* var. *suffocata*, V (DAVFP)  
*Coniophora olivacea*, LC (Ginns 1982a)  
*Coniophora puteana* var. *puteana*, V  
(DAVFP)  
*Corticium amylaceum*, V (DAVFP)  
*Corticium* sp., V (DAVFP)  
*Cylindrobasidium corrugum*, V (DAVFP)  
*Dacryobolus karstenii*, V (DAVFP)  
*Datronia mollis*, LC (Connors 1967 as  
*Trametes mollis*)  
*Datronia stereoides*, V (DAVFP)  
*Denthinus repandum* var. *repandum*, V  
(DAVFP)  
*Dichostereum pallescens*, V (DAVFP)  
*Diplomitoporus lenis*, V (DAVFP)  
*Echinodontium tinctorium*, UR  
*Fibricium rude*, V (DAVFP)  
*Fibulomyces mutabilis*, V (DAVFP)  
*Fomitopsis pinicola*, V (DAVFP)  
*Ganoderma applanatum*, LC (Connors 1967)
- Gloeocystidiellum propinquum*, V (DAVFP)  
(TYPE)  
*Gloeophyllum carbonarium*, V (DAVFP)  
*Gloeophyllum odoratum*, LC (Mounce and  
Macrae 1936 as *Trametes americana*)  
*Gloeophyllum sepiarium*, V (DAVFP)  
*Gloeoporoides dichrous*, V (DAVFP)  
*Grandinia breviseta*, V (DAOM 138939)  
*Grandinia granulosa*, V (DAVFP)  
*Grandinia pallidula*, V (DAVFP)  
*Grandinia stenospora*, V (DAVFP)  
*Heterobasidion annosum*, V (DAVFP)  
*Hymenochaete cinnamomea*, V (DAVFP)  
*Hymenochaete fusca*, V (DAVFP)  
*Hymenochaete tabacina*, V (DAVFP)  
*Hyphoderma praetermissum*, V (DAVFP)  
*Hyphoderma sambuci*, V (DAVFP)  
*Jahnoporus hirtus*, V (DAVFP)  
*Laetiporus sulphureus*, UR  
*Leucogyrophana mollusca*, V (DAVFP)  
*Leucogyrophana pulverulenta*, LC (Ginns  
1986a)  
*Meruliodiopsis albostramineus*, V (DAVFP)  
*Meruliporia incrassata*, LC (Shaw 1973)  
*Odontia lactea*, V (DAVFP)  
*Odonticium romellii*, LC (Shaw 1973 as  
*Odontia romellii*)  
*Oxyporus corticola*, V (DAVFP)  
*Oxyporus cuneatus*, V (DAVFP)  
*Peniophora humifaciens*, V (DAVFP)  
*Peniophora piceae*, LC (Connors 1967)  
*Perenniporia subacida*, V (DAVFP)  
*Phaeolus schweinitzii*, V (DAVFP)  
*Phanerochaete carnea*, V (DAVFP)  
*Phanerochaete sanguinea*, V (DAVFP)  
*Phanerochaete velutina*, LC (Shaw 1973)  
*Phellinus ferreus*, V (DAVFP)  
*Phellinus ferrugineofuscus*, V (DAVFP)  
*Phellinus nigrolimitatus*, V (DAVFP)  
*Phellinus pini*, V (DAVFP)  
*Phellinus punctatus*, UR  
*Phellinus repandus*, V (DAVFP)  
*Phellinus viticola*, V (DAVFP)  
*Phellinus weiri*, V (DAVFP)  
*Phlebia albida*, V (DAVFP)  
*Phlebia serialis*, V (DAVFP)  
*Phlebiella filicina*, V (DAOM 141611)  
*Phlebiella vaga*, V (DAVFP)  
*Piloderma byssinum*, V (DAVFP)  
*Polyporus perennis*, V (DAVFP)  
*Polyporus varius*, V (DAVFP)  
*Poria cinerascens*, V (DAVFP)  
*Postia balsamea*, V (DAVFP)  
*Postia caesia*, V (DAVFP)  
*Postia mappa*, LC (Connors 1967 as *Poria*  
*mappa*)  
*Postia placenta*, V (DAVFP)  
*Postia salmonicolor*, LC (Shaw 1973 as  
*Poria salmonicolor*)  
*Postia sequoiae*, UR  
*Postia sericeomollis*, V (DAVFP)  
*Postia stiptica*, V (DAVFP)  
*Postia undosa*, V (DAVFP)  
*Pseudomerulius aureus*, UR  
*Pseudotomentella mucidula*, V (DAVFP)  
*Pseudotomentella vepallidospora*, V  
(DAVFP)  
*Resinicium bicolor*, V (DAVFP)  
*Resinicium furfuraceum*, V (DAVFP)  
*Rigidoporus crocatus*, LC (Connors 1967)

## Plant hosts - T

*Schizophyllum commune*, V (DAVFP)  
*Scytonostroma galactina*, V (DAVFP)  
*Scytonostroma ochroleucum*, V (DAVFP)  
*Serpula himantoides*, UR  
*Serpula lacrimans*, V (DAVFP)  
*Sistotrema brinkmannii*, V (DAVFP)  
*Skeletocutis nivea*, V (DAVFP)  
*Skeletocutis subincarnata*, V (DAVFP)  
*Stereum sanguinolentum*, V (DAVFP)  
*Thelephora terrestris*, V (DAVFP)  
*Thujacorticium mirabile*, V (DAVFP)  
 (ISOTYPE)  
*Tomentella avellanea*, V (DAVFP)  
*Tomentella ferruginea*, V (DAVFP)  
*Tomentella ochracea*, LC (Larsen 1970 as  
*Tomentella microspora*)  
*Tomentella ramosissima*, V (DAVFP)  
*Tomentellina fibrosa*, LC (Larsen 1965 as  
*Hypochnus canadensis*)  
*Trametes hirsuta*, V (DAVFP)  
*Trametes versicolor*, V (DAVFP)  
*Trechispora mollusca*, V (DAVFP)  
*Trichaptum abietinum*, V (DAVFP)  
*Tubulicrinis calothrix*, V (DAOM 142020)  
*Tubulicrinis chaetophorus*, V (DAVFP)  
*Tubulicrinis glebulosus*, V (DAVFP)  
*Tubulicrinis hirtellus*, V (DAOM 142465)  
*Vararia racemosa*, V (DAVFP)  
*Vesiculomyces citrinus*, V (DAVFP)

### Others

*Auricularia auricula*, V (DAVFP)  
*Calocera viscosa*, LC (Shaw 1973)  
*Dacrymyces abietinus* var. *abietinus*, V (UBC  
 F4780)  
*Dacrymyces deliquescens* var. *deliquescens*,  
 V (UBC F4838, F4856)  
*Dacrymyces deliquescens* var. *minor*, V  
 (UBC F4875)  
*Nidula niveotomentosa*, V (DAVFP)

### Deuteromycotina

**Coelomycetes**  
*Cytospora* sp., V (DAVFP)  
*Macrophoma thujana*, V (DAVFP)  
*Monochaetia* sp., V (DAVFP)  
*Pestalotia funerea* var. *macrochaeta*, V  
 (DAVFP)  
*Pestalotia thujicola*, V (DAVFP)  
*Pestalotiopsis* sp., UR  
*Phoma* sp., V (DAVFP)  
*Phomopsis* sp., V (DAVFP)  
*Tiarosporella* sp., V (DAVFP)  
*Truncatella angustata*, V (DAVFP)  
*Vestigium felicis*, LC (Ginns 1986a)

### Hypocreales

*Alternaria maritima*, LC (Hughes 1969)  
*Bactrodesmium obliquum* var. *suttonii*, V  
 (DAVFP)  
*Cladosporium* sp., V (DAVFP)  
*Cylindrodendrum album* var. *album*, LC  
 (Summerbell et al. 1989)  
*Epicoccum nigrum*, V (DAVFP)  
*Fusarium* sp., V (DAVFP)  
*Humicola alopallonella*, LC (Hughes 1969)  
*Stigmella thujina*, V (DAVFP)  
*Trichoderma oblongisporum*, LC (Bissett  
 1991) (TYPE)  
*Trichoderma polysporum*, LC (Bissett 1991)

*Tuberularia* sp., V (DAVFP)  
*Zalerion maritimum*, LC (Hughes 1969)

### Protozoa

#### Myxomycota

*Lamproderma carestiae*, V (DAVFP)  
*Mucilago crustacea*, V (DAVFP)

### *Thuja plicata* Donn var. *atrovirens* (Gord.)

Sudw. - western red cedar

#### Fungi

##### Ascomycotina

*Didymascella thujina*, V (DAVFP)

### *Thuja pyramidalis* Ten. see *Thuja*

*orientalis* var. *stricta*

### *Thuja* sp. - cedar

#### Fungi

##### Ascomycotina

*Leptopezis* sp., LC (Wood et al. 1987)  
*Sydiowia polyspora*, V (DAVFP)

##### Basidiomycotina

##### Agaricales

*Flammula echinulisperus*, LC (Davidson  
 1930)

##### Aphyllophorales

*Tomentella terrestris*, LC (Larsen 1974)

#### Others

*Dacrymyces stillatus*, V (UBC F857, F859)

##### Deuteromycotina

##### Coelomycetes

*Cytospora* sp., V (DAVFP)

### *Tiarella lacinata* Hook. X *T. trifoliata* L. - false mitrewort

#### Fungi

##### Basidiomycotina

##### Uredinales

*Puccinia heucherae* var. *heucherae*, LC  
 (Savile 1973)

### *Tiarella trifoliata* L. - three-leaved false mitrewort, lace-flower

#### Fungi

##### Basidiomycotina

##### Uredinales

*Puccinia heucherae*, V (DAVFP)  
*Puccinia heucherae* var. *heucherae*, LC

(Savile 1973)

### *Tiarella unifoliata* Hook. - simply leaved false mitrewort, sugar-scoop

#### Fungi

##### Basidiomycotina

##### Uredinales

*Puccinia heucherae*, V (DAVFP)  
*Puccinia heucherae* var. *heucherae*, LC  
 (Savile 1954, 1973)

***Tilia americana* L.** - American basswood**Fungi****Ascomycotina**

*Lulworthia* sp., LC (Shaw 1973)  
*Peritrichospora* sp., LC (Shaw 1973)

**Deuteromycotina****Hymomycetes**

*Piricarda* sp., LC (Shaw 1973)

***Tilia europaea* L.** - European basswood**Fungi****Deuteromycotina****Hymomycetes**

*Cladosporium* sp., V (DAVFP)

***Tilia platyphyllos* Scop.** - large-leaved linden**Fungi****Deuteromycotina****Coelomycetes**

*Discula umbrinella*, V (DAVFP)

**Hymomycetes**

*Cercospora microsora*, LC (Shaw 1973)

***Tilia* sp.** - basswood, linden**Fungi****Ascomycotina**

*Hypoxyylon cinereo-lilacinum*, LC (Shaw 1973)

***Tofieldia coccinea* Richards.** - false asphodel**Fungi****Ascomycotina**

*Pleospora herbarum* var. *occidentalis*, LC (Barr 1953)

***Tofieldia glutinosa* (Michx.) Pers.** - false asphodel**Fungi****Ascomycotina**

*Mycosphaerella tassiana*, LC (Barr 1953)

***Tolmiea menziesii* (Pursh) T. and G.** - bristle-flower**Fungi****Basidiomycotina****Uredinales**

*Puccinia heucherae*, V (DAVFP)  
*Puccinia heucherae* var. *heucherae*, V (DAVFP)

***Tragopogon porrifolius* L.** - salsify, oyster plant**Chromista****Oomycota**

*Albugo tragopogonis*, LC (Connors 1967)

***Tragopogon pratensis* L.** - goat's beard**Fungi****Deuteromycotina****Hymomycetes**

*Vorticillium dahliae*, LC (Toms 1964;  
Woolliams 1966)

**Chromista****Oomycota**

*Albugo tragopogonis*, LC (Ginns 1986a)

***Trautvetteria carolinensis* (Walt.) Vail**

(= *Trautvetteria grandis*) - western false bugbane

**Fungi****Basidiomycotina****Uredinales**

*Puccinia pulsatillae*, LC (Ginns 1986a)

**Deuteromycotina****Hymomycetes**

*Ramularia trautvetteriae*, V (DAVFP)

***Trautvetteria carolinensis* (Walt.) Vail var.**

***occidentalis* (Gray) C.L. Hitchc.** - western false bugbane

**Fungi****Basidiomycotina****Uredinales**

*Puccinia trautvetteriae*, LC (Parmelee and Savile 1984b)

***Trautvetteria fimbriatum* Lindl.** see

*Trifolium wormskoldii*

***Trautvetteria grandis* Nutt.** see

*Trautvetteria carolinensis*

***Trientalis arctica* Fisch.:Hook.** - northern star-flower**Fungi****Basidiomycotina****Uredinales**

*Puccinia limosae*, V (DAVFP)

***Trientalis europaea* L.****Fungi****Basidiomycotina****Uredinales**

*Puccinia karelica* subsp. *karelica*, LC (Savile 1965a; Parmelee and de Carteret 1981b)

***Trientalis latifolia* Hook.** - broad-leaved star-flower**Fungi****Basidiomycotina****Others**

*Urocystis trientalis*, V (DAVFP)

**Deuteromycotina****Coelomycetes**

*Septoria trientalis*, V (DAVFP)

***Trifolium dubium* Sibth.** - least hop clover**Fungi****Ascomycotina**

*Sclerotinia trifoliorum*, LC (Ginns 1986a)

**Basidiomycotina****Uredinales**

*Uromyces minor*, V (DAVFP)

*Plant hosts - T*

<p><b>Chromista</b> <b>Oomycota</b> <i>Peronospora trifoliorum</i>, LC (Ginns 1986a)</p> <p><b><i>Trifolium hybridum</i> L. - alsike clover</b></p> <p><b>Fungi</b></p> <p><b>Ascomycotina</b></p> <p><i>Cymadothea trifolii</i>, LC (Ginns 1986a) <i>Erysiphe polygoni</i>, LC (Ginns 1986a as <i>Erysiphe communis</i>)</p> <p><b>Basidiomycotina</b> <b>Uredinales</b> <i>Uromyces trifolii</i>, LC (Jones 1957)</p> <p><b>Deuteromycotina</b> <b>Hyphomycetes</b></p> <p><i>Aureobasidium caulinorum</i>, LC (Toms 1964) <i>Fusarium acuminatum</i>, LC (Connors 1967) <i>Fusarium oxysporum</i>, LC (Connors 1967) <i>Oidium</i> sp., LC (Toms 1964)</p> <p><b><i>Trifolium incarnatum</i> L. - crimson clover</b></p> <p><b>Fungi</b></p> <p><b>Basidiomycotina</b> <b>Uredinales</b> <i>Uromyces trifolii</i>, LC (Jones 1957)</p> <p><b><i>Trifolium macrocephalum</i> (Pursh) Poiret - big-headed clover</b></p> <p><b>Fungi</b></p> <p><b>Basidiomycotina</b> <b>Uredinales</b> <i>Uromyces minor</i>, LC (Shaw 1973)</p> <p><b><i>Trifolium microcephalum</i> Pursh - woolly clover</b></p> <p><b>Fungi</b></p> <p><b>Basidiomycotina</b> <b>Uredinales</b> <i>Uromyces minor</i>, V (DAVFP)</p> <p><b><i>Trifolium microdon</i> Hook. &amp; Arn. - cup clover</b></p> <p><b>Fungi</b></p> <p><b>Basidiomycotina</b> <b>Uredinales</b> <i>Uromyces minor</i>, LC (Connors 1967)</p> <p><b><i>Trifolium oliganthum</i> Steud. - few-flowered clover</b></p> <p><b>Fungi</b></p> <p><b>Basidiomycotina</b> <b>Uredinales</b> <i>Uromyces minor</i>, LC (Connors 1967)</p> <p><b><i>Trifolium pratense</i> L. - red clover</b></p> <p><b>Fungi</b></p> <p><b>Ascomycotina</b></p> <p><i>Cymadothea trifolii</i>, LC (Ginns 1986a) <i>Erysiphe polygoni</i>, LC (Ginns 1986a as <i>Erysiphe communis</i>) <i>Pseudopeziza trifolii</i>, V (DAVFP) <i>Sclerotinia trifoliorum</i>, LC (Ginns 1986a)</p>	<p><b>Basidiomycotina</b> <b>Uredinales</b> <i>Uromyces trifolii</i>, V (DAVFP)</p> <p><b>Deuteromycotina</b> <b>Coelomycetes</b> <i>Stagonospora recedens</i>, LC (Ginns 1986a)</p> <p><b>Hyphomycetes</b></p> <p><i>Aureobasidium caulinorum</i>, LC (Toms 1964) <i>Cladosporium cladosporioides</i>, LC (Connors 1967) <i>Fusarium avenaceum</i>, LC (Connors 1967) <i>Fusarium oxysporum f. sp. radicis-lycopersici</i>, LC (Menzies et al. 1990) <i>Oidium</i> sp., LC (Toms 1964) <i>Stemphylium sarciniforme</i>, LC (Toms 1964; Corlett et al. 1982b)</p> <p><b><i>Trifolium repens</i> L. - white clover</b></p> <p><b>Fungi</b></p> <p><b>Ascomycotina</b></p> <p><i>Cymadothea trifolii</i>, V (DAVFP) <i>Erysiphe polygoni</i>, LC (Ginns 1986a as <i>Erysiphe communis</i>) <i>Leptosphaeria pratensis</i>, LC (Connors 1967) <i>Pseudopeziza trifolii</i>, LC (Shaw 1973) <i>Sclerotinia trifoliorum</i>, LC (Shaw 1973)</p> <p><b>Basidiomycotina</b> <b>Uredinales</b></p> <p><i>Uromyces nerviphilus</i>, V (DAVFP) <i>Uromyces trifolii</i>, LC (Jones 1957)</p> <p><b>Deuteromycotina</b> <b>Coelomycetes</b></p> <p><i>Stagonospora recedens</i>, LC (Ginns 1986a)</p> <p><b>Hyphomycetes</b></p> <p><i>Fusarium oxysporum f. sp. radicis-lycopersici</i>, LC (Menzies et al. 1990) <i>Verticillium dahliae</i>, LC (Woolliams 1966)</p> <p><b>Zygomycotina</b></p> <p><i>Glomus hoi</i>, LC (Berch and Trappe 1985)</p> <p><b><i>Trifolium subterraneum</i> L. - subterranean clover</b></p> <p><b>Fungi</b></p> <p><b>Ascomycotina</b></p> <p><i>Sclerotinia trifoliorum</i>, LC (Ginns 1986a)</p> <p><b>Basidiomycotina</b> <b>Uredinales</b></p> <p><i>Uromyces trifolii</i>, LC (Jones 1957)</p> <p><b><i>Trifolium tridentatum</i> Lindl. - tomcat clover</b></p> <p><b>Fungi</b></p> <p><b>Basidiomycotina</b> <b>Uredinales</b></p> <p><i>Uromyces minor</i>, LC (Shaw 1973)</p> <p><b><i>Trifolium wormskoldii</i> Lehm.</b> (=<i>Trautvetteria fimbriatum</i>) - perennial clover</p> <p><b>Fungi</b></p> <p><b>Ascomycotina</b></p> <p><i>Cymadothea trifolii</i>, V (DAVFP) <i>Sclerotinia trifoliorum</i>, LC (Connors 1967)</p>
---	---

***Trifolium* sp. - clover****Fungi****Ascomycotina**

- Didymella trifolii*, LC (Barr 1953)  
*Erysiphe polygoni*, LC (Barr 1953)  
*Pleospora herbarum*, LC (Barr 1953)  
*Sclerotinia sclerotiorum*, LC (Ginns 1986a)

***Triglochin maritima* L. - seaside**

arrowgrass

**Fungi****Ascomycotina**

- Pleospora herbarum*, LC (Corlett et al. 1982a  
as *Stemphylium botryosum*)

***Trillium ovatum* Pursh - trillium, wake-robin****Fungi****Basidiomycotina****Others**

- Urocystis trillii*, V (DAVFP)

***Trisetum spicatum* (L.) Richt. - downy oat grass****Fungi****Ascomycotina**

- Mycosphaerella tassiana*, LC (Barr 1953)  
*Phaeosphaeria typharum*, LC (Barr 1953 as  
*Leptosphaeria typharum*)  
*Pleospora heleocharidis*, LC (Barr 1953)

***Triticum aestivum* L. - common wheat****Fungi****Ascomycotina**

- Claviceps purpurea*, LC (Barr 1953; Jones 1957)  
*Erysiphe graminis*, LC (Barr 1953; Jones 1957)  
*Erysiphe graminis* f. sp. *tritici*, LC (Conners 1967)  
*Gaeumannomyces graminis*, LC (Toms 1964)  
*Gaeumannomyces graminis* var. *tritici*, LC (Shoemaker 1974)  
*Myriosclerotinia borealis*, LC (Conners 1967  
as *Sclerotinia borealis*)

**Basidiomycotina****Aphyllophorales**

- Typhula* sp., LC (Toms 1964)

**Uredinales**

- Puccinia graminis*, LC (Jones 1957; Harder and Dunsmore 1991 as *Puccinia graminis* f. sp. *tritici*)  
*Puccinia recondita*, LC (Toms 1964)  
*Puccinia striiformis*, LC (Toms 1964; Savile 1983)  
*Puccinia triticina*, UR

**Others**

- Thanatephorus cucumeris*, LC (Toms 1964  
as *Rhizoctonia solani*)  
*Tilletia caries*, LC (Jones 1957)  
*Tilletia controversa*, LC (Toms 1964;  
Parmelee 1974)  
*Ustilago tritici*, LC (Jones 1957)

**Deuteromycotina****Coelomycetes**

- Septoria tritici*, LC (Jones 1957)  
*Stagonospora nodorum*, LC (Jones 1957 as  
*Septoria nodorum*)

**Hyphomycetes**

- Alternaria alternata*, LC (Conners 1967 as  
*Alternaria tenuis*)  
*Bipolaris sorokiniana*, LC (Toms 1964)  
*Bipolaris victoriae*, LC (Toms 1964)  
*Fusarium acuminatum*, LC (Gordon 1959)  
*Fusarium avenaceum*, LC (Conners 1967)  
*Fusarium culmorum*, LC (Conners 1967)  
*Fusarium oxysporum* f. sp. *radicis-lycopersici*,  
LC (Menzies et al. 1990)  
*Fusarium poae*, LC (Conners 1967)  
*Fusarium sporotrichioides*, LC (Gordon 1959)  
*Pseudocercosporella herpotrichoides*, LC  
(Toms 1964 as *Cercosporella*  
*herpotrichoides*)

**Zygomycotina**

- Acaulospora* sp., LC (Cade-Menun et al. 1991)  
*Glomus halonatum*, LC (Cade-Menun et al. 1991)  
*Glomus monosporum*, LC (Cade-Menun et al. 1991)  
*Glomus* sp., LC (Cade-Menun et al. 1991)  
*Sclerocystis rubiformis*, LC (Cade-Menun et al. 1991)  
*Scutellospora* sp., LC (Cade-Menun et al. 1991)

***Triticum durum* Desf. - winter wheat****Fungi****Basidiomycotina****Uredinales**

- Puccinia recondita*, V (DAVFP)

***Triticum* sp. - wheat****Fungi****Basidiomycotina****Uredinales**

- Puccinia graminis*, LC (Green 1981; Green and Martens 1982)

***Tsuga canadensis* (L.) Carr. - Canadian hemlock, eastern hemlock****Fungi****Basidiomycotina****Uredinales**

- Pucciniastrum vaccinii*, V (DAVFP)

**Deuteromycotina****Hyphomycetes**

- Botrytis* sp., LC (Mittal and Wang 1985)  
*Fusarium avenaceum*, LC (Conners 1967)

***Tsuga heterophylla* (Raf.) Sarg. - western hemlock****Fungi****Ascomycotina**

- Actidium pulchra*, V (DAVFP)  
*Amorphotheca resinae*, V (DAVFP)  
*Ascobolus epimyces*, V (DAVFP)

## Plant hosts - T

- Ascocoryne sarcoides*, V (DAVFP)  
*Bisporella resinicola*, V (DAVFP) (TYPE)  
*Botryosphaeria tsugae*, V (DAVFP) (TYPE)  
*Caliciopsis pseudotsugae*, V (DAVFP)  
*Cephaloascus fragrans*, LC (Wells 1954 as  
*Ascocybe grovesii*)  
*Chlorociboria aeruginascens* subsp.  
*aeruginascens*, V (DAVFP)  
*Ciboria gordoni*, V (DAVFP) (TYPE)  
*Claussenomyces olivaceus*, V (DAVFP)  
*Coccomyces heterophyllae*, V (DAVFP)  
 (TYPE)  
*Colpoma crispum*, V (DAVFP)  
*Cucurbitodis pithyophila*, V (DAVFP)  
*Dermea balsamea*, V (DAVFP)  
*Diaporthe lokoyae*, V (DAVFP)  
*Discocainia treleasei*, V (DAVFP)  
*Durandiella tsugae*, V (DAVFP)  
*Elaphomyces muricatus* f. *variegatus*, V  
 (DAVFP) - Whole collection sent to J.M.  
 Trappe.  
*Euantennaria* sp., V (DAOM 156358)  
*Fabrella tsugae* subsp. *grandispora*, V  
 (DAVFP) (TYPE)  
*Glomerella cingulata*, V (DAVFP)  
*Gyromitra esculenta*, V (DAVFP)  
*Herpotrichia juniperi*, V (DAVFP)  
*Hypocreë* sp., V (DAVFP)  
*Lachnellula agassizii*, V (DAVFP)  
*Lachnellula suecica*, UR  
*Leptosphaerulina trifolii*, V (DAVFP) – Dried  
 culture only  
*Lophium mytilinum*, V (DAVFP)  
*Lophodermium* sp., V (DAVFP)  
*Mytilinidion tortile*, LC (Ginns 1986a)  
*Nectria cinnabarina*, V (DAVFP)  
*Nectria neomacrospora*, V (DAVFP)  
*Neohypodiscus cerebrinus*, LC (Barr 1953 as  
*Hypoxyylon aspera*)  
*Nipterella tsugae*, V (DAVFP) (TYPE)  
*Nitschka molnarii*, V (DAVFP)  
*Pestalopezia tsugae*, V (DAVFP) (TYPE)  
*Phacidium gaeumannii*, V (DAVFP)  
*Phaeocryptopus* sp., V (DAVFP)  
*Potebniomyces gallicola*, V (DAVFP) (TYPE)  
*Pseudoplectania nigrella*, V (DAVFP)  
*Rasutoria tsugae*, V (DAVFP)  
*Retinocyclus* sp., UR  
*Rhizina undulata*, V (DAVFP)  
*Sageria tsugae*, V (DAVFP) (TYPE)  
*Sarea difformis*, LC (Baranyay 1966 as  
*Retinocyclus abietis*)  
*Sarea resinæ*, V (DAVFP)  
*Stomiopeltis* sp., V (DAVFP)  
*Strigopodia spongiosa*, LC (Baranyay 1966  
 as *Capnodium spongiosum*)  
*Sydowia polyspora*, V (DAVFP)  
*Therrya tsugae*, V (DAVFP) (TYPE)  
*Valsa abietis*, V (DAVFP)  
*Xenomeris abietis*, V (DAVFP)
- Basidiomycotina**
- Agaricales**
- Armillaria ostoyae*, V (DAVFP)  
*Armillaria sinapina*, V (DAVFP)  
*Armillaria* sp., UR - Specimen discarded  
*Boletus mirabilis*, V (DAVFP)  
*Clitocybe aurantiaca*, UR  
*Collybia acervata*, V (DAVFP)  
*Hohenbuehelia petalodes*, V (DAVFP)
- Hypholoma capnoides*, UR  
*Kuehneromyces lignicola*, V (DAVFP)  
*Lactarius scrobiculatus*, V (DAVFP)  
*Lentinellus vulpinus*, UR  
*Mycena* sp., V (DAVFP)  
*Naucoria lignicola*, V (DAVFP)  
*Ossicaulis lignatilis*, V (DAVFP)  
*Panellus longinquus* subsp. *pacificus*, V  
 (DAVFP)  
*Panellus serotinus*, UR  
*Panellus stipticus*, V (DAVFP)  
*Paxillus atrotomentosus*, LC (Connors 1967)  
*Pholiota adiposa*, UR  
*Pholiota alnicola*, V (DAVFP) - Dried culture  
 only.  
*Pholiota malicola*, LC (Connors 1967)  
*Pholiota* sp., UR  
*Pleurocybella porrigens*, V (DAVFP)  
*Tapinella panuoides*, V (DAVFP)  
*Xeromphalina campanella*, V (DAVFP)
- Aphyllophorales**
- Acanthophysium spiniger*, V (DAVFP)  
*Acanthophysium weiri*, V (DAVFP)  
*Aleurodiscus penicillatus*, V (DAVFP)  
*Amylostereum chailletii*, V (DAVFP)  
*Anomoporia myceliosa*, V (DAVFP)  
*Antrodia carbonica*, LC (Connors 1967 as  
*Poria carbonica*)  
*Antrodia heteromorpha*, V (DAVFP)  
*Antrodia serialis*, V (DAVFP)  
*Antrodia sinuosa*, V (DAVFP)  
*Antrodia sitchensis*, LC (Shaw 1973 as *Poria*  
*sitchensis*)  
*Antrodia variiformis*, LC (Connors 1967 as  
*Coriollellus variiformis*)  
*Antrodia xantha*, LC (Connors 1967 as *Poria*  
*xantha*)  
*Asterodon ferruginosum*, V (DAVFP)  
*Athelia* sp., V (DAOM 143306)  
*Basidioradulum radula*, V (DAVFP)  
*Bondarzewia montana*, V (DAVFP)  
*Botryobasidium botyosum*, V (DAOM  
 141251)  
*Botryobasidium danicum*, V (DAOM 141312)  
*Botryobasidium subcoronatum*, V (DAOM  
 141242)  
*Botryobasidium vagum*, V (DAVFP)  
*Ceriporiopsis rivulosa*, V (DAVFP)  
*Chaetoderma luna*, V (DAVFP)  
*Chondrostereum purpureum*, UR  
*Clavulina* sp., V (DAVFP)  
*Climacocystis borealis*, LC (Shaw 1973)  
*Columnocystis abietina*, V (DAVFP)  
*Coniophora arida*, V (DAVFP)  
*Coniophora arida* var. *arida*, LC (Ginns  
 1982a)  
*Coniophora puteana* var. *puteana*, LC (Ginns  
 1982a)  
*Corticium minnsiae*, LC (Ginns 1986a)  
*Crustoderma dryinum*, V (DAVFP)  
*Crustoderma longicystidia*, LC (Ginns and  
 Clark 1989)  
*Cryptoporus volvatus*, V (DAVFP)  
*Cylindrobasidium laeve*, UR  
*Dacryobolus sudans*, V (DAVFP)  
*Dichomitus squalens*, V (DAVFP)  
*Dichostereum pallescens*, V (DAVFP)  
*Diplomitoporus crustulinus*, LC (Shaw 1973)  
*Diplomitoporus lenis*, V (DAVFP)

- Echinodontium tinctorium*, V (DAVFP)  
*Fomitopsis cajanderi*, V (DAVFP)  
*Fomitopsis officinalis*, V (DAVFP)  
*Fomitopsis pinicola*, V (DAVFP)  
*Fomitopsis rosea*, V (DAVFP)  
*Ganoderma applanatum*, V (DAVFP)  
*Ganoderma oregonense*, V (DAVFP)  
*Ganoderma tsugae*, LC (Nobles 1948)  
*Gloeocystidium ochraceum*, V (DAVFP)  
*Gloeophyllum sepiarium*, V (DAVFP)  
*Gloeoporus dichrous*, V (DAVFP)  
*Gloiodon occidentale*, V (DAVFP)  
    (ISOTYPE)  
*Grandinia alutaria*, V (DAOM 138965)  
*Grandinia arguta*, V (DAVFP)  
*Grandinia breviseta*, V (DAOM 139046)  
*Grandinia granulosa*, V (DAVFP)  
*Hericium abietis*, V (DAVFP)  
*Hericium americanum*, V (DAVFP)  
*Heterobasidion annosum*, V (DAVFP)  
*Hymenochaete badio-ferruginea*, V (DAVFP)  
*Hymenochaete fusca*, V (DAVFP)  
*Hymenochaete tabacina*, V (DAVFP)  
*Hyphoderma setigerum*, V (DAVFP)  
*Hypochnopsis mustalaensis*, UR  
*Inonotus circinatus*, V (DAVFP)  
*Inonotus dryadeus*, V (DAVFP)  
*Inonotus torquentus*, V (DAVFP)  
*Ischnoderma resinosum*, V (DAVFP)  
*Junghuhnia collabens*, LC (Lombard and Gilbertson 1966)  
*Junghuhnia zonata*, LC (Ginns 1986a)  
*Laetiporus sulphureus*, V (DAVFP)  
*Laurilia sulcata*, V (DAVFP)  
*Laxitextum bicolor*, UR  
*Leptoporus mollis*, V (DAVFP)  
*Leucogyrophana mollusca*, V (DAVFP)  
*Meruliodia taxicola*, V (DAVFP)  
*Meruliporia incrassata*, V (DAOM 141401)  
*Mucronella calva*, V (DAOM 139090)  
*Odontia lactea*, V (DAVFP)  
*Oxyporus similis*, LC (Shaw 1973 as *Poria similis*)  
*Peniophora cinerea*, V (DAVFP) – Dried culture only.  
*Peniophora piceae*, V (DAVFP)  
*Perenniporia medulla-panis*, LC (Shaw 1973 as *Poria unita*)  
*Perenniporia subacida*, V (DAVFP)  
*Phaeolus schweinitzii*, V (DAVFP)  
*Phanerochaete gigantea*, UR  
*Phanerochaete sanguinea*, V (DAVFP)  
*Phanerochaete sordida*, V (DAVFP)  
*Phellinus ferreus*, V (DAVFP)  
*Phellinus ferrugineofuscus*, V (DAVFP)  
*Phellinus nigrolimitatus*, V (DAVFP)  
*Phellinus pini*, V (DAVFP)  
*Phellinus punctatus*, V (DAVFP)  
*Phellinus repandus*, V (DAVFP)  
*Phellinus robustus*, V (DAVFP)  
*Phellinus viticola*, V (DAVFP)  
*Phellinus weiri*, V (DAVFP)  
*Phlebia albida*, V (DAVFP)  
*Phlebia livida*, V (DAVFP)  
*Phlebia merismoides*, V (DAVFP)  
*Phlebia segregata*, UR  
*Phlebia subserialis*, UR  
*Phlebia tremellosus*, V (DAVFP)  
*Physisporinus sanguinolentus*, LC (Connors 1967)  
*Physisporinus vitreus*, LC (Shaw 1973)  
*Piloderma byssinum*, V (DAVFP)  
*Polyporus badius*, V (DAVFP)  
*Poria cinerascens*, UR  
*Postia balsamea*, V (DAVFP)  
*Postia caesia*, V (DAVFP)  
*Postia fragilis*, V (DAVFP)  
*Postia guttulata*, V (DAVFP)  
*Postia placenta*, V (DAVFP)  
*Postia sericeomollis*, UR  
*Postia tephroleuca*, V (DAVFP)  
*Postia undosa*, V (DAVFP)  
*Pseudomerulius aureus*, V (DAVFP)  
*Pterula* sp., V (DAVFP)  
*Pycnoporellus alboluteus*, V (DAVFP)  
*Pycnoporellus fulgens*, V (DAVFP)  
*Resinicium bicolor*, V (DAVFP)  
*Resinicium furfuraceum*, V (DAVFP)  
*Rigidoporus crocatus*, V (DAVFP)  
*Schizophora paradoxata*, LC (Connors 1967)  
*Scytonostroma galactina*, V (DAVFP)  
*Scytonostroma ochroleucum*, V (DAVFP)  
*Serpula himantoides*, LC (Shaw 1973 as *Merulius himantoides*)  
*Sistotrema brinkmannii*, UR  
*Sistotrema raduloides*, UR  
*Skeletocutis amorpha*, V (DAVFP)  
*Skeletocutis subincarnata*, V (DAVFP)  
*Stereopsis humphreyi*, LC (Redhead and Reid 1983)  
*Stereum ostrea*, V (DAVFP)  
*Stereum sanguinolentum*, V (DAVFP)  
*Thelephora terrestris*, V (DAVFP)  
*Tomentella subilicina*, V (DAVFP)  
*Trametes versicolor*, V (DAVFP)  
*Trechispora mollusca*, V (DAVFP)  
*Trichaptum abietinum*, V (DAVFP)  
*Tubulicrinis borealis*, V (DAOM 142016)  
*Tubulicrinis glebulosus*, V (DAVFP)  
*Typhula abietina*, V (DAVFP)  
*Vararia granulosa*, V (DAVFP)  
*Wolfiporia cocos*, UR
- Uredinales**  
*Melampsora epitea f. sp. tsugae*, V (DAVFP)  
*Pucciniastrum vaccinii*, V (DAVFP)
- Others**  
*Auricularia auricula*, LC (Shaw 1973)  
*Dacrymyces deliquescent var. deliquescent*, UR  
*Ditiola radicata*, V (DAVFP)  
*Femsjonia luteoalba*, V (DAVFP)  
*Guepinopsis alpina*, V (DAVFP)  
*Guepinopsis chrysocomus*, V (DAVFP)  
*Lycoperdon perlatum*, V (DAVFP)  
*Lycoperdon pyriforme*, V (DAVFP)  
*Nidula candida*, V (DAVFP)  
*Nidularia* sp., V (DAVFP)  
*Pseudohydnum gelatinosum*, V (DAVFP)  
*Tremella encephala*, LC (Shaw 1973)  
*Truncocolumella rubra*, V (DAVFP)
- Deuteromycotina**  
**Coelomycetes**  
*Chondropodium* sp., V (DAVFP)  
*Colletotrichum acutatum*, V (DAVFP)  
*Cryptosporiopsis* sp., V (DAVFP)  
*Cytospora* sp., V (DAVFP)

## Plant hosts - T

*Gelatinosporium griseo-lanatum*, V (DAVFP)  
(TYPE)  
*Gelatinosporium pinicola*, V (DAVFP)  
*Gelatinosporium stillwelli*, V (DAVFP)  
(TYPE)  
*Macrophoma* sp., V (DAVFP)  
*Micropora* sp., V (DAVFP)  
*Myxosporium abietinum*, V (DAVFP)  
*Phoma* sp., V (DAVFP)  
*Phomopsis occulta*, V (DAVFP)  
*Plenodomus* sp., V (DAVFP)  
*Rhizosphaera pini*, V (DAVFP)  
*Sclerophoma semenospora*, V (DAVFP)  
*Sclerophoma* sp., LC (Wood and Van Sickle  
1986)  
*Seiridium abietinum*, V (DAVFP)  
*Sirococcus conigenus*, V (DAVFP)  
*Sirodothis* sp., V (DAVFP)  
*Truncatella angustata*, V (DAVFP) - Dried  
culture only.  
*Zythia* sp., V (DAVFP)

### Hypocreomycetes

*Acremonium tsugae*, V (DAVFP)  
*Ascoconidium tsugae*, V (DAVFP) (TYPE)  
*Bactrodesmium obliquum* var. *suttonii*, V  
(DAVFP)  
*Botrytis cinerea*, LC (Ginns 1986a)  
*Botrytis* sp., LC (Mittal and Wang 1985)  
*Cephalosporium* sp., V (DAVFP) - Dried  
culture only.  
*Coniosporium puncoideum*, V (DAVFP)  
*Conoplea juniperi* var. *robusta*, V (DAVFP)  
*Endophragmiella* sp., V (DAVFP)  
*Epicoccum nigrum*, LC (Ginns 1986a as  
*Epicoccum purpurascens*)  
*Fusarium episphaeria*, V (DAVFP) - Dried  
culture only.  
*Fusarium lateritium*, V (DAVFP)  
*Hormonema merioides*, V (DAVFP)  
*Hypsosoma abietis*, V (DAVFP)  
*Leptographium wageneri* var. *pseudotsugae*,  
V (DAVFP)  
*Leptographium wageneri* var. *wageneri*, LC  
(Harrington and Cobb 1986 as  
*Verticiladiella wageneri* var. *wageneri*)  
*Microlychnus epicorticis*, V (DAVFP)  
*Phialocephala fusca*, LC (Kendrick 1963)  
*Phialocephala virens*, LC (Siegfried et al.  
1992) (PARATYPE)  
*Racodium resinæ*, V (DAVFP)  
*Sporoschisma* sp., LC (Connors 1967)  
*Stigmina* sp., V (DAVFP)  
*Trichocladium canadense*, LC (Connors  
1967)  
*Trichothecium* sp., LC (Shaw 1973)  
*Tubercularia* sp., V (DAVFP)  
*Vanterpoolia tsugae*, V (DAVFP) (TYPE)  
*Verticillium* sp., UR

### Others

*Cenococcum geophilum*, LC (Roth and  
Berch 1992)  
*Mycelium radicum atrovirens*, LC (Roth and  
Berch 1992)

### Protozoa

#### Myxomycota

*Comatricha* sp., V (DAVFP)  
*Diderma* sp., UR

*Enteridium olivaceum*, V (DAVFP)  
*Fuligo septica*, V (DAVFP)  
*Lamproderma carestiae*, V (DAVFP)  
*Lamproderma robustum*, UR  
*Lycogala epidendrum*, V (DAVFP)  
*Physarum globuliferum*, V (DAVFP)  
*Stemonitis splendens*, V (DAVFP)  
*Trichia contorta*, V (DAVFP)

### Parasitic Plants

*Arceuthobium tsugense*, V (DAVFP)  
*Arceuthobium* sp., UR - Specimen discarded

## *Tsuga mertensiana* (Bong.) Carr. -

mountain hemlock

### Fungi

#### Ascomycotina

*Herpotrichia juniperi*, V (DAVFP)  
*Lachnellula suecica*, UR

#### Basidiomycotina

##### Aphylophorales

*Acanthophysium weiri*, V (DAOM 142560,  
142559)

*Aleurodiscus grantii*, LC (Ginns 1982b)

*Aleurodiscus penicillatus*, V (DAVFP)

*Asterostroma laxum*, V (DAOM 139077)

*Botryobasidium subcoronatum*, V (DAOM  
141228)

*Botryobasidium vagum*, LC (Shaw 1973 as  
*Pellicularia vaga*)

*Columnocystis abietina*, UR

*Echinodontium tinctorium*, V (DAVFP)

*Fibulomyces septentrionalis*, V (DAOM  
141278)

*Fomitopsis pinicola*, V (DAVFP)

*Ganoderma applanatum*, V (DAVFP)

*Gloeostydiellum furfuraceum*, V (DAOM  
142184)

*Grandinia pallidula*, V (DAOM 139160)

*Grandinia subalutacea*, V (DAOM 139132,  
138994, 138990)

*Hericium abietis*, V (DAVFP)

*Hypoderma praetermissum*, V (DAOM  
139060)

*Hypochnicium punctulatum*, V (DAOM  
139129)

*Ischnoderma resinosum*, LC (Connors 1967)

*Jaapia argillacea*, V (DAOM 139047)

*Jaapia ochroleuca*, V (DAOM 141302)

*Laeticorticium subalpinum*, V (DAOM  
141286, 141287)

*Phellinus nigrolimitatus*, V (DAOM 139011)

*Phellinus pini*, V (DAVFP)

*Phellinus punctatus*, UR

*Phlebia* sp., V (DAOM 141443)

*Phlebiella filicina*, V (DAOM 141612)

*Piloderma byssinum*, V (DAOM 139150)

*Postia fragilis*, LC (Shaw 1973 as *Polyporus  
fragilis*)

*Stereum sanguinolentum*, UR

*Subulicystidium longisporum*, V (DAOM  
142002)

*Tubulicrinis regificus*, V (DAOM 142022)

*Vesiculomyces citrinus*, V (DAOM 142182)

### Uredinales

*Melampsora epitea* f. sp. *tsugae*, V (DAVFP)

*Melampsora medusae*, V (DAVFP)

<i>Pucciniastrum vaccinii</i> , V (DAVFP)	<b>Tulipa sp.</b> - tulip
<b>Others</b>	<b>Fungi</b>
<i>Guepiniopsis alpina</i> , LC (Shaw 1973)	<b>Ascomycotina</b>
<i>Trechispora farinacea</i> , V (DAOM 143366)	<i>Sclerotinia bulborum</i> , LC (Shaw 1973)
<i>Tulasnella fuscoviolacea</i> , LC (Shaw 1973)	<b>Basidiomycotina</b>
<b>Deuteromycotina</b>	<b>Agaricales</b>
<b>Coelomycetes</b>	<i>Armillaria</i> sp., LC (Jones 1957)
<i>Sirococcus conigenus</i> , V (DAVFP)	<b>Others</b>
<b>Hyphomycetes</b>	<i>Thanatephorus cucumeris</i> , LC (Jones 1957 as <i>Rhizoctonia solani</i> )
<i>Ascoconidium tsugae</i> , V (DAVFP)	<b>Typha latifolia</b> L. - common cat-tail, broad-leaved cat-tail
<b>Parasitic Plants</b>	<b>Fungi</b>
<i>Arceuthobium tsugense</i> , V (DAVFP)	<b>Ascomycotina</b>
<b>Tsuga sp.</b> - hemlock	<i>Leptosphaeria typhicola</i> , LC (Barr 1953)
<b>Fungi</b>	<i>Mycosphaerella typhae</i> , LC (Barr 1953)
<b>Basidiomycotina</b>	<i>Phaeosphaeria eustoma</i> , LC (Barr 1953 as <i>Leptosphaeria eustoma</i> )
<b>Agaricales</b>	<i>Phaeosphaeria typharum</i> , LC (Shaw 1973)
<i>Hypholoma fasciculare</i> , LC (Connors 1967)	<b>Basidiomycotina</b>
<i>Panellus serotinus</i> , V (DAVFP)	<b>Agaricales</b>
<b>Aphyllophorales</b>	<i>Mycena tubarioides</i> , LC (Redhead 1984a)
<i>Cylindrobasidium corrugum</i> , LC (Ginns 1989)	<b>Typha sp.</b> - cat-tail
<i>Leucogyrophana pinastri</i> , LC (Shaw 1973)	<b>Fungi</b>
<i>Meruliporia incrassata</i> , V (DAOM 142067)	<b>Ascomycotina</b>
<i>Pseudotomentella nigra</i> , V (DAOM 138756)	<i>Haligena spartinae</i> , LC (Hughes 1969)
<b>Others</b>	<i>Halosphaeria hamata</i> , LC (Hughes 1969 as <i>Remispora hamata</i> )
<i>Dacrymyces palmatus</i> , LC (Shaw 1973)	<b>Basidiomycotina</b>
<b>Tulipa gesneriana</b> L. - tulip	<b>Agaricales</b>
<b>Fungi</b>	<i>Cortinarius rigidus</i> , LC (Davidson 1930)
<b>Ascomycotina</b>	<b>Deuteromycotina</b>
<i>Sclerotinia sclerotiorum</i> , LC (Toms 1964)	<b>Coelomycetes</b>
<b>Basidiomycotina</b>	<i>Stagonospora vitensis</i> , LC (Hughes 1969)
<b>Agaricales</b>	<b>Hyphomycetes</b>
<i>Armillaria</i> sp., LC (Toms 1964 as <i>Armillaria mellea</i> )	<i>Monodictys pelagica</i> , LC (Hughes 1969)
<b>Aphyllophorales</b>	
<i>Typhula</i> sp., LC (Toms 1964)	
<b>Others</b>	
<i>Thanatephorus cucumeris</i> , LC (Toms 1964 as <i>Rhizoctonia solani</i> )	
<b>Deuteromycotina</b>	
<b>Hyphomycetes</b>	
<i>Botrytis cinerea</i> , LC (Toms 1964)	
<i>Botrytis tulipae</i> , LC (Toms 1964)	
<i>Fusarium oxysporum</i> , LC (Connors 1967)	
<i>Penicillium</i> sp., LC (Toms 1964)	
<b>Others</b>	
<i>Rhizoctonia tuliparum</i> , LC (Toms 1964 as <i>Sclerotium tuliparum</i> )	
<i>Sclerotium rolfsii</i> var. <i>delphinii</i> , LC (Connors 1967 as <i>Sclerotium delphinii</i> )	
<b>Chromista</b>	
<b>Oomycota</b>	
<i>Phytophthora</i> sp., LC (Toms 1964)	
<i>Pythium ultimum</i> , LC (Toms 1964)	



***Ulmus americana* L. - white elm**

Fungi  
**Deuteromycotina**  
**Coelomycetes**  
*Botryodiplodia* sp., V (DAVFP)

***Ulmus hollandica* Mill. var. *major* (Sm.)**

Rehd. - Dutch elm

Fungi  
**Deuteromycotina**  
**Coelomycetes**  
*Pyrenophaeta* sp., V (DAVFP)

***Ulmus parvifolia* Jacq. - Chinese elm**

Fungi  
**Ascomycotina**  
*Nectria cinnabarinata*, LC (Jones 1957)

***Ulmus pumila* L. - Siberian elm**

Fungi  
**Ascomycotina**  
*Nectria cinnabarinata*, V (DAVFP)

**Deuteromycotina**  
**Hypocreales**  
*Tubercularia ulmea*, LC (Connors 1967)

***Ulmus* sp. - elm**

Fungi  
**Basidiomycotina**  
**Aphylophorales**  
*Cerrena unicolor*, V (DAVFP)  
*Ganoderma applanatum*, V (DAVFP)  
*Merulius corium*, V (DAVFP)  
*Peniophora cinerea*, V (DAVFP)

**Deuteromycotina**  
**Hypocreales**  
*Tubercularia ulmea*, V (DAVFP)  
*Tubercularia* sp., V (DAVFP)  
*Verticillium dahliae*, UR

***Urtica dioica* L. subsp. *gracilis* Seland.**

**var. *lyallii*** (Wats.) C.L. Hitchc. (=*Urtica lyallii*) – western nettle

Fungi  
**Ascomycotina**  
*Leptosphaeria acuta*, V (DAVFP)

**Basidiomycotina**  
**Uredinales**  
*Puccinia caricina*, V (DAVFP)

**Deuteromycotina**  
**Hypocreales**  
*Ramularia urticae*, V (DAVFP)

**Chromista**  
**Oomycota**  
*Pseudoperonospora humuli*, LC (Shaw 1973)

***Urtica lyallii*** Wats. see *Urtica dioica* subsp. *gracilis* var. *lyallii*

***Urtica* sp. - nettle**

Fungi  
**Ascomycotina**  
*Lachnella villosa*, LC (Redhead 1973)  
*Leptosphaeria acuta*, LC (Shoemaker 1984a)

**Deuteromycotina**  
**Hypocreales**  
*Dendryphion comosum*, LC (Ginns 1986a)



**Vaccinium caespitosum** Michx. - dwarf huckleberry

**Fungi**

**Basidiomycotina**

**Uredinales**

*Pucciniastrum vaccinii*, V (DAVFP)

**Others**

*Exobasidium dimorphosporum*, LC (Savile 1959) (TYPE)  
*Exobasidium vaccinii-uliginosi*, V (DAVFP)

**Vaccinium canadense** Kulm. see  
**Vaccinium myrtilloides**

**Vaccinium corymbosum** L. - high bush cranberry

**Fungi**

**Ascomycotina**

*Godronia cassandrae f. vaccinii*, LC (Ginns 1986a)  
*Melanomma pulvis-pyrius*, LC (Barr 1990a)  
*Monilinia vaccinii-corymbosi*, LC (Ginns 1986a)

**Deuteromycotina**

**Hymenomycetes**

*Verticillium* sp., LC (Conners 1967)

**Bacteria**

*Agrobacterium rubi*, LC (Conners 1967)  
*Agrobacterium tumefaciens*, LC (Conners 1967)

**Vaccinium deliciosum** Piper - blue huckleberry

**Fungi**

**Basidiomycotina**

**Others**

*Exobasidium* sp., V (DAOM 141777)

**Vaccinium macrocarpon** Ait. - cranberry

**Fungi**

**Ascomycotina**

*Godronia cassandrae f. vaccinii*, UR  
*Microsphaera vaccinii*, LC (Ginns 1986a)  
*Monilinia oxytropis*, LC (Ginns 1986a)  
*Pyrenotrypae compacta*, LC (Toms 1964)

**Basidiomycotina**

**Others**

*Exobasidium vaccinii*, LC (Ginns 1986a)

**Deuteromycotina**

**Cyphomycetes**

*Coleophoma empetri*, LC (Shaw 1973)

**Vaccinium membranaceum** Dougl.:Hook. - mountain bilberry

**Fungi**

**Basidiomycotina**

**Uredinales**

*Pucciniastrum goeppertianum*, V (DAVFP)  
*Pucciniastrum vaccinii*, V (DAVFP)

**Others**

*Exobasidium cordilleranum* var. *minor*, V (DAVFP)  
*Exobasidium* sp., UR

**Vaccinium myrtilloides** Michx.

(= *Vaccinium canadense*) - velvet-leaf blueberry

**Fungi**

**Basidiomycotina**

**Uredinales**

*Pucciniastrum vaccinii*, V (DAVFP)

**Others**

*Exobasidium vaccinii* var. *vaccinii*, LC (Connors 1967)

**Vaccinium myrtillus** L. - bilberry, whinberry, whortleberry

**Fungi**

**Basidiomycotina**

**Uredinales**

*Pucciniastrum vaccinii*, LC (Parmelee 1989)

**Vaccinium ovalifolium** Smith - tall blue

bilberry

**Fungi**

**Ascomycotina**

*Gibbera elegantula*, V (DAVFP)

**Basidiomycotina**

**Aphylophorales**

*Grandinia breviseta*, V (DAOM 138947)

**Uredinales**

*Pucciniastrum goeppertianum*, V (DAVFP)  
*Pucciniastrum vaccinii*, V (DAVFP)

**Others**

*Exobasidium cordilleranum* var. *cordilleranum*, V (DAVFP)  
*Exobasidium vaccinii*, V (DAVFP)  
*Exobasidium vaccinii* var. *vaccinii*, LC (Connors 1967)  
*Exobasidium* sp., V (DAVFP)

**Deuteromycotina**

**Hymenomycetes**

*Valdensia heterodoxa*, LC (Ginns 1986a)

**Vaccinium ovatum** Pursh - evergreen

huckleberry

**Fungi**

**Ascomycotina**

*Lophodermium melaleucum* var. *melaleucum*, V (DAVFP)

**Basidiomycotina**

**Uredinales**

*Pucciniastrum goeppertianum*, V (DAVFP)  
*Pucciniastrum vaccinii*, LC (Shaw 1973)

**Vaccinium oxycoccus** L. see *Oxycoccus microcarpus*

*Plant hosts - V*

**Vaccinium parvifolium** Smith - red bilberry or huckleberry

**Fungi**

**Ascomycotina**

- Chaetomium* sp., UR
- Lachnum virginellum*, V (DAVFP)
- Lophodermium cladophilum*, V (DAVFP)
- Meliola* sp., V (DAVFP)
- Microsphaera vaccinii*, V (DAVFP)
- Valdensinia heterodoxa*, V (DAVFP)

**Basidiomycotina**

**Uredinales**

- Chrysomyxa ledi* var. *vaccinii*, V (DAVFP) (TYPE)
- Pucciniastrum goeppertianum*, V (DAVFP)
- Pucciniastrum vaccinii*, V (DAVFP)

**Others**

- Exobasidium cordilleranum* var. *cordilleranum*, LC (Connors 1967)
- Exobasidium vaccinii*, V (DAVFP)
- Exobasidium vaccinii* var. *vaccinii*, V (DAVFP)

**Deuteromycotina**

**Hypocreales**

- Aureobasidium* sp., UR
- Cladosporium* sp., V (DAVFP)
- Helminthosporium* sp., V (DAVFP)
- Monilia* sp., V (DAVFP)
- Penicillium* sp., UR
- Trichoderma* sp., UR

**Vaccinium scoparium** Leiberg - red alpine blueberry, small-leaved huckleberry

**Fungi**

**Basidiomycotina**

**Uredinales**

- Pucciniastrum goeppertianum*, V (DAVFP)
- Pucciniastrum vaccinii*, V (DAVFP)

**Others**

- Exobasidium vaccinii* var. *vaccinii*, V (DAVFP)

**Vaccinium vitis-idaea** L. - rock cranberry

**Fungi**

**Basidiomycotina**

**Uredinales**

- Pucciniastrum goeppertianum*, V (DAVFP)
- Pucciniastrum vaccinii*, V (DAVFP)

**Others**

- Exobasidium vaccinii*, LC (Parmelee and Ginns 1986)
- Exobasidium vaccinii* var. *vaccinii*, V (DAVFP)

**Vaccinium** sp. - blueberry, cranberry, huckleberry, bilberry

**Fungi**

**Ascomycotina**

- Gibbera myrtilli*, LC (Ginns 1986a)
- Monilinia vaccinii-corymbosi*, LC (Batra 1991)
- Nipterella parksii*, V (DAVFP)

**Basidiomycotina**

**Aphylophorales**

- Aleurodiscus aurantius*, LC (Ginns 1986a)
- Hymenochaete tabacina*, V (DAVFP)
- Peniophora incarnata*, V (DAVFP)
- Phellinus ferreus*, LC (Shaw 1973 as *Poria ferrea*)
- Thelephora terrestris*, V (DAVFP)
- Tubulicium vermicula*, LC (Weresub 1953 as *Peniophora vermicula*)

**Others**

- Exobasidium* sp., V (DAVFP)

**Deuteromycotina**

**Hypocreales**

- Botrytis cinerea*, LC (Connors 1967)

**Protozoa**

**Myxomycota**

- Leocarpus fragilis*, V (DAVFP)

**Valeriana sitchensis** Bong. - mountain heliotrope

**Fungi**

**Ascomycotina**

- Nodulosphaeria edgari*, LC (Shoemaker and Babcock 1990)
- Nodulosphaeria olivacea*, LC (Shoemaker 1984b)
- Sphaerella vagans*, LC (Barr 1953)

**Basidiomycotina**

**Uredinales**

- Puccinia commutata*, LC (Connors 1967)

**Chytridiomycota**

- Synchytrium perforatum*, LC (Karling 1956)

**Veratrum californicum** Durand - California false hellebore

**Fungi**

**Basidiomycotina**

**Uredinales**

- Puccinia veratri*, LC (Connors 1967)

**Veratrum eschscholtzianum** Rydb. see

*Veratrum viride*

**Veratrum eschscholtzii** A. Gray - false hellebore

**Veratrum viride** Ait. (= *Veratrum eschscholtzianum*) - green false hellebore

**Fungi**

**Basidiomycotina**

**Uredinales**

- Puccinia veratri*, LC (Ginns 1986a)

**Deuteromycotina**

**Coccomyces**

- Phyllosticta melanoplaca*, LC (Ginns 1986a)

**Hypocreales**

- Cercospora veratri*, LC (Ginns 1986a)

***Verbascum thapsus*** L. - woolly mullein

Fungi  
 Deuteromycotina  
 Hyphomycetes  
*Ramularia variabilis*, LC (Shaw 1973)

***Verbena hybrida*** Voss - garden verbena

Fungi  
 Deuteromycotina  
 Hyphomycetes  
*Oidium* sp., LC (Connors 1967)

***Veronica arvensis*** L. - corn speedwell

Fungi  
 Basidiomycotina  
 Others  
*Schroeteria delastrina*, LC (Ginns 1986a)

Deuteromycotina  
 Coelomycetes  
*Discogloea veronicae*, LC (Shaw 1973)

Chromista  
 Oomycota  
*Peronospora grisea*, LC (Shaw 1973)

***Veronica cusickii*** A. Gray - Cusick's speedwell, ornamental speedwell

Fungi  
 Basidiomycotina  
 Uredinales  
*Puccinia cascadiensis*, LC (Ginns 1986a as  
*Puccinia albulensis* subsp. *cascadiensis*)

Deuteromycotina  
 Coelomycetes  
*Cylindrosporella* sp., LC (Ginns 1986a)

***Veronica persica*** Poir. - Persian speedwell

Fungi  
 Deuteromycotina  
 Hyphomycetes  
*Ramularia veronicae*, LC (Shaw 1973)

***Veronica serpyllifolia*** L. var. ***serpyllifolia*** - thyme-leaved speedwell

Chromista  
 Oomycota  
*Peronospora grisea*, LC (Savile 1968a)

***Veronica tournefortii*** Vill. - speedwell

Fungi  
 Deuteromycotina  
 Coelomycetes  
*Discogloea veronicae*, LC (Ginns 1986a on  
*Veronica officinalis* var. *tournefortii*)

***Veronica wormskjoldii*** Roem. & Schult. - American alpine speedwell

Fungi  
 Basidiomycotina  
 Uredinales  
*Puccinia albulensis*, V (DAVFP)  
*Puccinia albulensis* subsp. *albulensis*, LC  
 (Savile 1968b)

Deuteromycotina  
 Coelomycetes  
*Cylindrosporella* sp., LC (Shaw 1973)

Hyphomycetes  
*Isariopsis veronicae*, LC (Shaw 1973)

***Viburnum edule*** (Michx.) Raf. (= *Viburnum pauciflorum*) - high bush cranberry

Fungi  
 Ascomycotina  
*Godronia viburni*, V (DAVFP)

Basidiomycotina  
 Uredinales  
*Puccinia linkii*, V (DAVFP)

Deuteromycotina  
 Coelomycetes  
*Phoma viburni*, LC (Ginns 1986a)

***Viburnum opulus*** L. - snowball, guelder-rose

Fungi  
 Deuteromycotina  
 Coelomycetes  
*Phoma viburni*, LC (Connors 1967)

***Viburnum pauciflorum*** Pyl. see *Viburnum edule****Viburnum tinus*** L. - laurestinus

Fungi  
 Ascomycotina  
*Microsphaera penicillata*, LC (Ginns 1986a)

Deuteromycotina  
 Hyphomycetes  
*Oidium* sp., LC (Toms 1964)

***Vicia americana*** Muhl.:Willd. - American vetch, pea vine

Fungi  
 Basidiomycotina  
 Uredinales  
*Uromyces fabae*, LC (Shaw 1973)

***Vicia americana*** Muhl.:Willd. **subsp. *oregana*** (Nutt.) Abrams (= *Vicia angustifolia*) - American vetch

Fungi  
 Basidiomycotina  
 Uredinales  
*Uromyces coloradensis*, V (DAVFP)

Deuteromycotina  
 Coelomycetes  
*Ascochyta pisi*, LC (Toms 1964)

Chromista  
 Oomycota  
*Peronospora narbonensis*, LC (Ginns 1986a)

***Vicia angustifolia*** L. see *Vicia sativa* var. *angustifolia*

**Vicia faba** L. - broad bean, horse bean

**Fungi**

**Ascomycotina**

- Chaetomium globosum*, LC (Conners 1967 as *Chaetomium cochlioides*)
- Erysiphe polygoni*, LC (Ginns 1986a as *Erysiphe communis*)
- Melanospora papillata*, LC (Barr 1953)
- Pleospora herbarum*, LC (Jones 1957 as *Stemphylium botryosum*)
- Sordaria fimicola*, LC (Conners 1967)

**Deuteromycotina**

**Coelomycetes**

- Ascochyta fabae*, LC (Jones 1957)

**Hymomycetes**

- Alternaria alternata*, LC (Conners 1967 as *Alternaria tenuis*)
- Arthrinium arundinis*, LC (Conners 1967 as *Papularia arundinis*)
- Aureobasidium pullulans*, LC (Conners 1967)
- Botrytis cinerea*, LC (Jones 1957)
- Cladosporium cladosporioides*, LC (Conners 1967)
- Epicoccum nigrum*, LC (Conners 1967 as *Epicoccum neglectum*)
- Fusarium acuminatum*, LC (Conners 1967)
- Fusarium equiseti*, LC (Conners 1967)
- Fusarium oxysporum f. sp. radicis-lycopersici*, LC (Menzies et al. 1990)
- Fusarium poae*, LC (Conners 1967)
- Nigrospora oryzae*, LC (Conners 1967)
- Oidium sp.*, LC (Toms 1964)
- Penicillium viride*, LC (Conners 1967 as *Penicillium palitens*)
- Scopulariopsis stercoraria*, LC (Conners 1967)
- Trichocladium asperum*, LC (Conners 1967)
- Trichothecium roseum*, LC (Conners 1967)
- Ulocladium consortiale*, LC (Shaw 1973)

**Zygomycotina**

- Cunninghamella elegans*, LC (Conners 1967)

**Vicia gigantea** Hook. - giant vetch

**Fungi**

**Basidiomycotina**

**Agaricales**

- Pellidiscus pallida*, LC (Redhead 1973)

**Vicia hirsuta** (L.) Koch - hairy vetch

**Fungi**

**Deuteromycotina**

**Coelomycetes**

- Ascochyta pisi*, LC (Ginns 1986a)

**Vicia sativa** L. - spring vetch

**Fungi**

**Deuteromycotina**

**Coelomycetes**

- Ascochyta pisi*, LC (Conners 1967)

**Hymomycetes**

- Ovularia sphaeroidea*, LC (Shaw 1973)

**Chromista**

**Oomycota**

- Peronospora viciae*, LC (Ginns 1986a)

**Vicia sativa** L. var. **angustifolia** (L.) Wahlb.

- common vetch

**Fungi**

**Basidiomycotina**

**Uredinales**

- Uromyces fabae*, V (DAVFP)

**Deuteromycotina**

**Coelomycetes**

- Ascochyta sp.*, LC (Ginns 1986a)

**Hymomycetes**

- Ovularia sp.*, LC (Ginns 1986a)

**Vicia villosa** Roth - hairy vetch

**Fungi**

**Deuteromycotina**

**Coelomycetes**

- Ascochyta pisi*, LC (Shaw 1973)

**Hymomycetes**

- Ovularia sphaeroidea*, LC (Conners 1967)

**Chromista**

**Oomycota**

- Phytophthora citricola*, LC (Conners 1967)

- Pythium sp.*, LC (Toms 1964)

**Vicia sp.** - vetch

**Fungi**

**Basidiomycotina**

**Agaricales**

- Flagelloscypha citrispora*, LC (Redhead 1973)

**Vinca minor** L. - common periwinkle

**Fungi**

**Deuteromycotina**

**Coelomycetes**

- Ceuthospora foliicola*, LC (Dicosmo et al. 1984)

- Phyllosticta pervincae*, LC (Bissett and Derbyshire 1984a)

**Viola adunca** Smith - western dog violet, blue violet

**Fungi**

**Ascomycotina**

- Pleospora rainierensis*, LC (Barr 1953 as *Pleospora asymmetrica*)

**Basidiomycotina**

**Uredinales**

- Puccinia violae* subsp. *americana*, LC (Savile 1975c)

**Viola canadensis** L. - Canada violet, June flower

**Fungi**

**Basidiomycotina**

**Uredinales**

- Puccinia violae*, V (DAVFP)

**Viola epipsila** Ledeb. subsp. *repens*  
(Turcz.) Becker - violet

Fungi

Basidiomycotina

Uredinales

*Puccinia violae* subsp. *americana*, LC  
(Savile 1975c)

**Viola glabella** Nutt. - smooth woodland violet, yellow violet

Fungi

Basidiomycotina

Uredinales

*Puccinia glacieri*, LC (Savile 1975b) (TYPE)  
*Puccinia ornatula*, V (DAVFP)  
*Puccinia violae*, V (DAVFP)  
*Puccinia violae* subsp. *americana*, LC  
(Savile 1975c)

Chytridiomycota

*Synchytrium* sp., V (DAVFP)

**Viola howellii** Gray - Howell's violet

Fungi

Basidiomycotina

Uredinales

*Puccinia violae* subsp. *americana*, LC  
(Savile 1975c)

**Viola langsdorffii** Fisch. - violet

Fungi

Basidiomycotina

Uredinales

*Puccinia fergussonii*, LC (Toms 1964; Savile 1975a)  
*Puccinia violae* subsp. *americana*, LC  
(Savile 1975c)

**Viola macloskeyi** Lloyd - Macloskey's violet

Fungi

Basidiomycotina

Uredinales

*Puccinia fergussonii*, LC (Conners 1967)

**Viola nephrophylla** Greene - northern bog violet

Fungi

Basidiomycotina

Uredinales

*Puccinia fergussonii*, LC (Conners 1967)

**Viola odorata** L. - English violet

Fungi

Basidiomycotina

Uredinales

*Puccinia violae*, LC (Shaw 1973)

**Viola orbiculata** Geyer:Hook. - western round-leaved violet

Fungi

Basidiomycotina

Uredinales

*Puccinia canadensis*, LC (Savile 1974c)

**Viola palustris** L. - marsh violet, blue swamp violet

Fungi

Basidiomycotina

Uredinales

*Puccinia fergussonii*, V (DAVFP)  
*Puccinia violae* subsp. *americana*, LC  
(Savile 1975c) (TYPE)

**Viola renifolia** Gray var. *brainerdii*  
(Greene) Fern. - kidney-leaved violet

Fungi

Basidiomycotina

Uredinales

*Puccinia violae* subsp. *americana*, LC  
(Savile 1975c)

**Viola rugulosa** Greene - yellow-eyed violet

Fungi

Basidiomycotina

Uredinales

*Puccinia violae* subsp. *americana*, LC  
(Savile 1975c)

**Viola tricolor** L. - pansy

Fungi

Basidiomycotina

Uredinales

*Puccinia aegra*, V (DAVFP)

Deuteromycotina

Hyphomycetes

*Botrytis cinerea*, LC (Jones 1957)  
*Oidium* sp., LC (Jones 1957)

**Viola tricolor** L. var. *hortensis* DC. - cultivated pansy

Fungi

Ascomycotina

*Sphaerotilotheca fuliginea*, LC (Conners 1967)  
*Sphaerotilotheca macularis*, LC (Conners 1967)

Basidiomycotina

Uredinales

*Puccinia violae*, LC (Conners 1967)

Deuteromycotina

Coelomycetes

*Ascochyta violae*, LC (Conners 1967)

Hyphomycetes

*Cercospora violae*, LC (Conners 1967)  
*Fusarium culmorum*, LC (Conners 1967)  
*Myrothecium roridum*, LC (Conners 1967)  
*Ramularia agrestis*, LC (Conners 1967)  
*Ramularia lactea*, LC (Conners 1967)

**Viola X wittrockiana** (*V. hortensis*, *V. tricolor maxima* hort.) - garden pansy

Fungi

Basidiomycotina

Uredinales

*Puccinia violae* subsp. *violae*, LC (Savile 1975c)

**Viola sp.**

Fungi

Ascomycotina

*Sphaerotheca macularis*, LC (Barr 1953 as  
*Sphaerotheca humuli*)

**Vitis labrusca** L. - foxgrape

Fungi

Ascomycotina

*Guignardia bidwellii*, LC (Conners 1967)  
*Uncinula necator*, LC (Conners 1967)

Deuteromycotina

Hymenomycetes

*Verticillium dahliae*, LC (Toms 1964;  
Wooliams 1966)

Chromista

Oomycota

*Plasmopara viticola*, LC (Conners 1967)

**Vitis vinifera** L. - wine grape

Fungi

Ascomycotina

*Guignardia bidwellii*, LC (Ginns 1986a)  
*Uncinula necator*, LC (Ginns 1986a)

Deuteromycotina

Hymenomycetes

*Botrytis cinerea*, LC (Toms 1964)

**Vitis sp.**

Fungi

Ascomycotina

*Uncinula necator*, LC (Barr 1953)

***Wisteria sinensis 'Plena'* - Chinese wisteria**

**Fungi**

**Ascomycotina**

*Diaporthe* sp., V (DAVFP)

**Deuteromycotina**

**Coelomycetes**

*Phomopsis* sp., V (DAVFP)



**Xanthium italicum** Mor. - cocklebur

Fungi

Basidiomycotina

Uredinales

*Puccinia canaliculata*, LC (Ginns 1986a)

**Xanthium strumarium** L. - cocklebur

Fungi

Basidiomycotina

Uredinales

*Puccinia canaliculata*, LC (Shaw 1973)

**Xanthium strumarium** L. var. **canadense**

(Mill.) T. & G. - cocklebur

Fungi

Basidiomycotina

Uredinales

*Puccinia osoyoosensis*, LC (Savile 1972)

*Plant hosts - X*

***Yucca smalliana* Fern. - yucca**

**Fungi**

**Deuteromycotina**

**Coelomycetes**

*Alpakesa yuccifolia*, LC (Shaw 1973)

*Microsphaeropsis concentrica*, LC (Shaw  
1973)

***Yucca* sp. - yucca**

**Fungi**

**Ascomycotina**

*Phomatospora argyrostigma*, LC (Conners  
1967)



**Zantedeschia aethiopica** Spreng. -

common calla lily

**Bacteria**

*Erwinia carotovora*, LC (Conners 1967)

**Zea mays** L. - maize, Indian corn

**Fungi**

**Ascomycotina**

*Chaetomium funicola*, LC (Conners 1967)  
*Mycosphaerella tassiana*, LC (Barr 1953)

**Basidiomycotina**

**Others**

*Ustilago zaeae*, LC (Ginns 1986a)

**Deuteromycotina**

**Hypomycetes**

*Acremonium strictum*, LC (Conners 1967)  
*Cladosporium cladosporioides*, LC (Conners 1967)  
*Cladosporium herbarum*, LC (Conners 1967)  
*Cladosporium malorum*, LC (Conners 1967)  
*Epicoccum nigrum*, LC (Conners 1967)  
*Fusarium equiseti*, LC (Gordon 1954)  
*Fusarium moniliforme*, LC (Conners 1967)  
*Ulocladium consortiale*, LC (Conners 1967  
 as *Alternaria consortialis*)

**Zea mays** L. var. *rugosa* Bonsf. - sweet

corn

**Fungi**

**Deuteromycotina**

**Hypomycetes**

*Fusarium culmorum*, LC (Conners 1967)

**Bacteria**

*Erwinia dissolvens*, LC (Conners 1967)

**Zinnia elegans** Jacq. - zinnia

**Fungi**

**Deuteromycotina**

**Hypomycetes**

*Alternaria zinniae*, LC (Ginns 1986a)  
*Botrytis cinerea*, LC (Jones 1957)  
*Fusarium solani*, LC (Conners 1967)

**Chromista**

**Oomycota**

*Phytophthora cryptogea*, LC (Ginns 1986a)

**Zinnia** sp. - zinnia

**Fungi**

**Ascomycotina**

*Erysiphe cichoracearum*, LC (Barr 1953)  
*Sclerotinia sclerotiorum*, LC (Conners 1967)

**Zostera marina** L. - eelgrass

**Chromista**

**Labyrinthulomycota**

*Labyrinthula macrocystis*, LC (Conners 1967)

**Zygadenus elegans** Pursh - white camass

**Fungi**

**Ascomycotina**

*Mycosphaerella tassiana*, LC (Barr 1953)

**Basidiomycotina**

**Uredinales**

*Puccinia grumosa*, LC (Ginns 1986a)

**Zygadenus venenosus** S. Wats. - poison camass, death camass

**Fungi**

**Basidiomycotina**

**Uredinales**

*Uromyces zygadeni*, LC (Savile 1961)

*Plant hosts - Z*

## Unidentified Plant Hosts And Wood Substrates (see also "Other Substrates")

### **Bryophytes - mosses and liverworts**

#### Fungi

##### Ascomycotina

*Helotium destructor*, V (DAVFP)  
*Humaria axillaris*, V (DAVFP)

##### Basidiomycotina

###### Agaricales

*Arrhenia acerosa*, LC (Redhead 1984b on moss)  
*Helotium nebulophilum*, LC (Redhead 1982a on moss gametophytes)

###### Aphyllophorales

*Stereopsis humphreyi*, LC (Redhead and Reid 1983 on moss)

### **Pteridophytes**

#### Fungi

##### Basidiomycotina

###### Aphyllophorales

*Stereopsis humphreyi*, LC (Redhead and Reid 1983 on fern)

### **Angiosperms**

#### Grasses

#### Fungi

##### Ascomycotina

*Acrospermum graminum*, V (DAVFP)  
*Gaeumannomyces graminis*, LC (MacDonald 1990)  
*Leptosphaeria korrae*, LC (MacDonald 1990)  
*Lewia scrophulariae*, LC (Barr 1953 as *Pleospora media* var. *obtusa* on Gramineae)  
*Phaeosphaeria erikssonii*, LC (Shoemaker and Babcock 1989)  
*Phaeosphaeria nigrans*, LC (Shoemaker and Babcock 1989)  
*Phaeosphaeria sparsa*, LC (Shoemaker and Babcock 1989)

##### Basidiomycotina

###### Agaricales

*Coprinus phaeosporus*, LC (Redhead 1984a)  
*Melanotus caricicola*, LC (Redhead 1984a; Redhead and Kroeger 1984 on wetland Monocotyledoneae)  
*Mycena stylobates*, LC (Redhead 1981)  
*Resinomyces saccharifera* subsp. *kalalochensis*, LC (Redhead 1984a)

###### Aphyllophorales

*Laetisaria* sp., LC (MacDonald 1990)  
*Typhula incarnata*, LC (Årvoll and Smith 1978)

#### Uredinales

*Puccinia* sp., LC (MacDonald 1990)

#### Others

*Entyloma dactyliidis*, LC (MacDonald 1990)  
*Thanatephorus cucumeris*, LC (MacDonald 1990 as *Rhizoctonia solani*)

#### Deuteromycotina

##### Coelomycetes

*Colletotrichum graminicola*, LC (MacDonald 1990)

##### Hyphomycetes

*Curvularia lunata*, LC (MacDonald 1990)  
*Curvularia* sp., LC (MacDonald et al. 1991)  
*Drechslera* sp., LC (MacDonald 1990)  
*Mariellottia biseptata*, LC (Shoemaker 1998 on old culms of ?*Holcus mollis*)

#### Chromista

##### Oomycota

*Pythium* sp., LC (MacDonald 1990)

#### Protozoa

##### Myxomycota

*Badhamia affinis*, V (DAVFP)  
*Badhamia foliicola*, V (DAVFP)  
*Fuligo* sp., UR - Specimen discarded.

#### Plasmodiophoromycota

*Polymyxa graminis*, LC (Barr 1981)

#### Herbaceous, other

#### Fungi

##### Ascomycotina

*Hymenoscyphus scutula*, V (DAVFP)  
*Leptospora rubella*, LC (Barr 1953 on dead herbaceous stem)  
*Nodulosphaeria edgari*, LC (Shoemaker and Babcock 1990)  
*Pleospora vulgaris* var. *ferruginea*, LC (Barr 1953 on Liliaceae)  
*Pleospora vulgaris* var. *vulgaris*, LC (Barr 1953)  
*Stictis polycocca*, LC (Sherwood 1977 on ?legume)

##### Basidiomycotina

###### Agaricales

*Melanotus textilis*, LC (Redhead and Kroeger 1984 on partially burnt root of ?*Rubus spectabilis*)

##### Deuteromycotina

##### Hyphomycetes

*Dendryphion nanum*, LC (Hughes and Cooke 1979a)

#### Wood (Angiosperm)

#### Fungi

##### Ascomycotina

*Biscogniauxia mediterranea* var. *microspora*, LC (Miller 1961)  
*Biscogniauxia nummularia* var. *exutans*, LC (Miller 1961)

## Unidentified plant hosts

*Chlorociboria aeruginascens*, UR  
*Diatrype stigma*, V (DAVFP)  
*Eutypa lata*, V (DAVFP)  
*Lasiosphaeria strigosa*, V (DAVFP)  
*Lophiostoma macrostomoides*, V (DAVFP)  
*Plectania melastoma*, V (DAVFP)  
*Pringsheimia sepincola*, LC (Barr 1972)  
*Xylaria* sp., V (DAVFP)

### Basidiomycotina

#### Agaricales

*Calathella eruciformis*, V (DAVFP)  
*Cyphelopsis anomala*, LC (Redhead 1973)  
*Cyphelopsis subglobispora*, LC (Redhead 1973)  
*Melanotus textilis*, LC (Redhead and Kroeger 1984)  
*Ossicaulis lignatilis*, V (DAVFP)  
*Pluteus granularis*, V (DAVFP)

### Aphyllophorales

*Abortiporus biennis*, LC (Lowe and Gilbertson 1961)  
*Amylocorticium cebennense*, V (DAVFP)  
*Antrodiella semisupina*, LC (Lowe and Gilbertson 1961 as *Polyporus semisupinus*)  
*Athelia epiphylla*, V (DAVFP)  
*Botryobasidium vagum*, V (DAVFP)  
*Ceriporia tarda*, LC (Lowe and Gilbertson 1961 as *Poria tarda*)  
*Ceriporia viridans*, LC (Lowe and Gilbertson 1961 as *Poria rhodella*)  
*Ceripriopsis subvermispora*, LC (Ginns and Macrae 1971)  
*Chondrostereum purpureum*, V (DAOM 142590)  
*Cristinia mucida*, LC (Hallenberg 1984 on deciduous log)  
*Dichostereum pallescens*, V (DAVFP)  
*Gloeocystidium clavuligerum*, LC (Hallenberg 1988 on deciduous wood)  
*Hypoderma argillaceum*, V (DAOM 139103)  
*Hypoderma cristatum*, V (DAVFP)  
*Hypoderma medioburiense*, LC (Slysh 1960 as *Peniophora medioburiense*)  
*Hypoderma pallidum*, V (DAOM 138981)  
*Hypoderma praetermissum*, V (DAOM 139051)  
*Hypoderma puberum*, V (DAOM)  
*Hypodermella corrugata*, V (DAVFP)  
*Merulius tomentosus*, LC (TYPE) (Burt 1917; Ginns 1968)  
*Oxyporus latemarginatus*, LC (Lowe and Gilbertson 1961 as *Poria ambigua*)  
*Peniophora humifaciens*, V (DAVFP)  
*Perenniporia tenuis*, V (DAVFP)  
*Polyporus arcularius*, V (DAVFP)  
*Polyporus brumalis*, LC (Lowe and Gilbertson 1961)  
*Tomentella cinerascens*, V (DAVFP)  
*Tomentella crinalis*, V (DAVFP)  
*Tomentella ferruginea*, V (DAVFP)  
*Trechispora mollusca*, V (DAOM 143347)  
*Trechispora petrophila*, V (DAVFP)  
*Trichaptum biforme*, LC (Lowe and Gilbertson 1961)  
*Tyromyces chioneus*, UR

### Others

*Basidiodendron cinereum*, LC (Luck-Allen 1963 on *Salix*?)  
*Crucibulum laeve*, V (DAVFP)  
*Nidularia* sp., V (DAVFP)  
*Phlogiotis helvelloides*, UR  
*Tulasnella pinicola*, V (UBC F5310)

### Deuteromycotina

#### Hyphomycetes

*Brachysporium nigrum*, LC (Hughes and Kokko 1975)  
*Costantinella micheneri*, V (DAVFP)  
*Pseudospirotes simplex*, LC (Hughes and Cooke 1979b)  
*Spadicoides bina*, LC (Hughes 1973b)  
*Sporidesmium foliculatum*, LC (Hughes and Illman 1974a)  
*Sporidesmium hormisciodes*, LC (Hughes and Illman 1974b)  
*Tubercularia* sp., V (DAVFP)

### Bark

#### Fungi

#### Ascomycotina

*Eutypella cerviculata*, V (DAVFP on bark of dicot tree)

### Gymnosperms

#### Fungi

#### Ascomycotina

*Roeslerina radicella*, LC (Redhead 1984d on conifer rootlets) (TYPE)

#### Basidiomycotina

#### Agaricales

*Marasmiellus filipes*, LC (Redhead 1980b on conifer needles)

### Wood (Gymnosperm)

#### Fungi

#### Ascomycotina

*Bertia moriformis*, V (DAVFP)  
*Bertia moriformis* var. *latispora*, LC (Corlett and Krug 1984)  
*Cudonia monticola*, V (DAVFP)  
*Humaria hemisphaerica*, V (DAVFP)  
*Pseudoplectania melaena*, V (DAOM)  
*Spathularia flava*, V (DAVFP)  
*Trichosphaeria breviseta*, LC (Dearnness 1916)

#### Basidiomycotina

#### Agaricales

*Boletus mirabilis*, V (DAVFP)  
*Cantharellus floccosus*, V (DAVFP)  
*Fayodia invita*, V (DAOM)  
*Helotium substellatum*, LC (Redhead 1982a)  
*Henningsomyces candidus*, V (DAVFP)  
*Henningsomyces pubera*, LC (Redhead 1973)  
*Hypholoma capnoides*, LC (Smith 1951 as *Naematoloma capnoides*)  
*Marasmiellus pluvius*, LC (Redhead 1982b (HOLOTYPE))  
*Mycena haematopoda*, LC (Davidson 1930 as *Mycena haematopus*)  
*Pholiota adiposa*, V (DAVFP)  
*Pholiota alnicola*, V (DAVFP)

- Pholiota flammans*, UR  
*Xeromphalina campanella*, V (DAVFP)
- Aphyllophorales**
- Amylocorticium subsulphureum*, LC (Slysh 1960 as *Peniophora subsulphurea*)  
*Anomoporia bombycina*, LC (Lombard and Gilbertson 1965 as *Poria bombycina*)  
*Antrodia vaillantii*, V (DAVFP)  
*Asterostroma laxum*, V (DAOM 142117)  
*Athelia laxa*, LC (Slysh 1960)  
*Boreostereum radiatum*, V (DAVFP)  
*Botryobasidium botryosum*, V (DAOM 141252, 141237)  
*Botryobasidium danicum*, V (DAOM 141304, 141307)  
*Botryobasidium subcoronatum*, V (DAVFP)  
*Botryobasidium vagum*, V (DAVFP)  
*Ceraceomyces tessulatus*, UR  
*Ceriporia viridans*, LC (Lowe and Gilbertson 1961 as *Poria rhodella*)  
*Ceriporiopsis rivulosa*, V (DAVFP)  
*Chondrostereum purpureum*, V (DAVFP)  
*Clavicorona piperata*, LC (Dodd 1972)  
*Columnocystis abietina*, V (DAVFP)  
*Dacryobolus karstenii*, V (DAVFP)  
*Eriocladus* sp., V (DAVFP)  
*Gloeocystidiellum karstenii*, V (DAVFP)  
*Grandinia alutaria*, V (DAOM 138966)  
*Grandinia breviseta*, V (DAOM 138937)  
*Grandinia subalutacea*, V (DAOM 138989, 138997)  
*Hypoderma pallidum*, V (DAVFP)  
*Hypoderma roseocremeum*, V (DAOM 139170)  
*Hypochniciellum molle*, V (DAVFP)  
*Hypochnicium versatum*, V (DAVFP)  
*Jaapia argillacea*, V (DAOM 139140)  
*Meruliporia incrassata*, V (DAVFP)  
*Phellinus nigrolimitatus*, V (DAVFP)  
*Phellinus viticola*, V (DAVFP)  
*Phlebia lilascens*, LC (Hallenberg and Larsson 1991)  
*Phlebia segregata*, LC (Slysh 1960 as *Peniophora livida*)  
*Phlebiella filicina*, V (DAOM 141608)  
*Polyporus badius*, UR - Specimen discarded  
*Scytonostroma jacksonii*, LC (Boidin 1981)  
*Skeletotus subincarnata*, V (DAVFP)  
*Tomentella sublilacina*, V (DAVFP)  
*Tubulicrinis accedens*, LC (Weresub 1953 as *Peniophora accedens*)  
*Tubulicrinis angustus*, LC (Weresub 1953 as *Peniophora angusta*)  
*Tubulicrinis chaetophorus*, LC (Weresub 1953 as *Peniophora chaetophora* on conifer)  
*Tubulicrinis juniperinus*, LC (Weresub 1953 as *Peniophora juniperina*)  
*Tubulicrinis subulatus*, LC (Slysh 1960 as *Peniophora subulata*)  
*Vararia jacksonii*, V (DAVFP)
- Others**
- Calocera cornea*, V (DAVFP)  
*Dacrymyces abietinus* var. *triseptatus*, V (UBC F4783)  
*Dacrymyces aquaticus*, V (DAOM, UBC (TYPE))

- Dacrymyces deliquescens* var. *deliquescens*, V (DAVFP)  
*Dacrymyces punctiformis*, V (UBC F785, F832)  
*Dacrymyces rufum*, UR  
*Dacrymyces stillatus*, V (UBC F12173)  
*Dacryopinax spathularia*, UR  
*Ditiola radicata*, V (UBC)  
*Heterochaetella dubia*, V (UBC F5405, F5406)  
*Oliveonia subviolacea*, V (DAOM 141410)

**Deuteromycotina****Hyphomycetes**

- Helicosporium aureum*, V (DAVFP)  
*Trichoderma polysporum*, LC (Bissett 1991)

**Protozoa****Myxomycota**

- Arcyria vitellina*, V (DAVFP)  
*Dictyidium* sp., V (DAVFP)

**Unidentified Wood****Fungi****Ascomycotina**

- Amylocarpus encephaloides*, LC (Hughes 1969)  
*Bombardia ambigua* var. *carbonaria*, LC (Barr 1953)  
*Ceriosporopsis cambrensis*, LC (Hughes 1969)  
*Ceriosporopsis halima*, LC (Hughes 1969)  
*Chlorociboria aeruginascens*, V (DAVFP)  
*Corollospora comata*, LC (Hughes 1969)  
*Corollospora cristata*, LC (Hughes 1969)  
*Corollospora maritima*, LC (Hughes 1969)  
*Corollospora trifurcata*, LC (Hughes 1969)  
*Corollospora tubulata*, LC (Hughes 1969)  
*Gyromitra ambigua*, LC (Ginns 1974)  
*Halonectria milfordensis*, LC (Hughes 1969)  
*Halosphaeria appendiculata*, LC (Hughes 1969)  
*Halosphaeria circumvestita*, LC (Hughes 1969)  
*Halosphaeria hamata*, LC (Hughes 1969 as *Remispora hamata*)  
*Halosphaeria mediosetigera*, LC (Hughes 1969)  
*Halosphaeria torquata*, LC (Hughes 1969)  
*Halosphaeria tubulifera*, LC (Hughes 1969)  
*Leptosphaeria australiensis*, LC (Hughes 1969)  
*Leptosphaeria discors*, LC (Hughes 1969)  
*Lignincola laevis*, LC (Hughes 1969)  
*Lindra inflata*, LC (Hughes 1969)  
*Lulworthia fucicola*, LC (Hughes 1969)  
*Lulworthia medusa*, LC (Hughes 1969)  
*Marinospora calyprata*, LC (Hughes 1969)  
*Massarina lignorum*, LC (Barr 1992b on driftwood)  
*Melanomma sanguinarium*, LC (Barr 1953)  
*Microthelia maritima*, LC (Hughes 1969)  
*Nemania serpens* var. *macrospora*, LC (Barr 1953 as *Hypoxylon serpens* var. *macrosporum*)  
*Neohypodiscus cerebrinus*, V (DAVFP)  
*Peziza sylvestris*, UR  
*Plectania coccinea*, V (DAVFP)  
*Remispora maritima*, LC (Hughes 1969)

## Unidentified plant hosts

*Remispora ornata*, LC (Hughes 1969)  
*Remispora pilleata*, LC (Hughes 1969)  
*Remispora quadri-remis*, LC (Hughes 1969)  
*Remispora stellata*, LC (Hughes 1969)  
*Sarcosoma mexicana*, LC (Paden and Tylutki 1969)  
*Vibrissa truncorum*, V (DAVFP)

### Basidiomycotina

#### Agaricales

*Chrysomphalina chrysophylla*, V (DAVFP)  
*Chrysomphalina luteicolor*, V (DAVFP)  
*Clitocybe piceina*, V (DAVFP)  
*Collybia confluens*, V (DAVFP)  
*Coprinus alkalinus*, LC (Anastasiou 1967) (HOLOTYPE)  
*Coprinus amphibius*, LC (Anastasiou 1967) (HOLOTYPE)  
*Coprinus micaceus*, UR  
*Crepidotus submollis*, UR  
*Crepidotus versutus*, UR  
*Crepidotus* sp., V (DAVFP)  
*Flammula polychroa*, V (DAVFP)  
*Galerina* sp., V (DAVFP)  
*Gymnopilus picreus*, V (DAVFP)  
*Hypholoma capnoides*, V (DAVFP)  
*Lentinellus ursinus*, V (DAVFP)  
*Lentinus bisus*, UR  
*Marasmiellus papillatus*, LC (Redhead and Halling 1982)  
*Mycena alcalina*, V (DAVFP)  
*Omphalia albidula*, UR  
*Panellus serotinus*, V (DAVFP)  
*Pholiota adiposa*, V (DAVFP)  
*Pholiota pulchella*, V (DAVFP)  
*Pluteus flavofuligineus*, UR  
*Psilocybe pelliculosa*, V (DAVFP)  
*Stigmatotlemma poriaeforme*, LC (Redhead 1973)  
*Tricholomopsis rutilans*, V (DAVFP)  
*Xeromphalina campanella*, V (DAVFP)

#### Aphyllophorales

*Bulbillomyces farinosa*, V (DAOM 141285)  
*Clavulina* sp., V (DAOM 142595)  
*Digitatispora marina*, LC (Hughes 1969)  
*Ganoderma tsugae*, V (DAVFP)  
*Gloeocystidium clavuligerum*, LC (Hallenberg 1984 on log)  
*Grandinia alutaria*, V (DAOM 138972, 138973)  
*Grifola frondosa*, V (DAVFP)  
*Hyphoderma praetermissum*, V (DAOM 139064)  
*Phanerochaete sordida*, V (DAOM 141439)  
*Repetobasidium canadense*, LC (Eriksson et al. 1981) (HOLOTYPE)  
*Repetobasidium conicum*, LC (Eriksson et al. 1981)  
*Repetobasidium macrosporum*, LC (Eriksson et al. 1981)  
*Thelephora regularis*, V (DAVFP)  
*Tomentella neobourdotii*, LC (Larsen 1974)  
*Trechispora mollusca*, V (DAVFP)  
*Typhula thaxteri*, LC (Redhead 1985)

#### Others

*Calocera viscosa*, V (DAVFP)  
*Ditiola radicata* var. *radicata*, LC (Kennedy 1964)

*Lycoperdon pyriforme*, V (DAVFP)  
*Tilletiaria anomala*, LC (Bandoni and Johri 1972) (HOLOTYPE)

### Deuteromycotina

#### Coelomycetes

*Phoma* sp., LC (Hughes 1969)

#### Hyphomycetes

*Cirrenalia macrocephala*, LC (Hughes 1969)  
*Conoplea fusca*, LC (Hughes 1960)  
*Cremasteria cymatilia*, LC (Hughes 1969)  
*Dictyosporium pelagicum*, LC (Hughes 1969)  
*Humicola alopallonella*, LC (Hughes 1969)  
*Menispora caesia*, LC (Hughes and Kendrick 1963)  
*Menispora ciliata*, LC (Hughes and Kendrick 1963)  
*Monodictys pelagica*, LC (Hughes 1969)  
*Mycogone cinerea*, V (DAOM)  
*Orbimyces spectabilis*, LC (Hughes 1969)  
*Spadicoides atra*, LC (Hughes 1973a)  
*Spadicoides grovei*, LC (Hughes 1973c)  
*Stilbella orbicularis*, V (DAVFP)  
*Trichoderma citrinoviride*, LC (Bissett 1984)  
*Zalerion maritimum*, LC (Hughes 1969)  
*Zalerion varium*, LC (Hughes 1969)

### Zygomycotina

*Endogone pisiformis*, LC (Dalpe 1984)

### Protozoa

#### Myxomycota

*Arcyria incarnata*, V (DAVFP)  
*Trichia botrytis*, UR  
*Tubifera casparyi*, V (DAVFP)

### Unidentified Bark

#### Fungi

#### Basidiomycotina

#### Agaricales

*Hemimycena tortuosa*, LC (Redhead 1980a)  
*Psathyrella piluliformis*, LC (Davidson 1930 as *Hypholoma hydrophilum* on bark of fallen tree)

## Fungus Hosts (and Slime Moulds)

***Agaricus campestris*** Fr. - meadow mushroom

**Fungi**

**Deuteromycotina**

**Hyphomycetes**

- Dactylium dendroides*, LC (Toms 1964)
- Myceliphthora lutea*, LC (Toms 1964)
- Papulaspora byssina*, LC (Toms 1964)

***Antrodia carbonica*** (Overh.) Ryvarden & R.L. Gilbertson on *Pseudotsuga menziesii* (Mirb.) Franco - polypore on Douglas-fir

**Fungi**

**Ascomycotina**

- Pseudohelotium incrustatum*, V (DAVFP)

***Apiosporina morbosa*** (Schw.) Arx on *Prunus virginiana* L. - black knot of cherry on chokecherry

**Fungi**

**Deuteromycotina**

**Hyphomycetes**

- Tubercularia* sp., V (DAVFP)

***Botryosphaeria piceae*** Funk on *Picea engelmannii* Parry - ascomycete on Engelmann spruce

**Fungi**

**Deuteromycotina**

**Hyphomycetes**

- Cylindrocarpon roseum*, V (DAVFP) (TYPE)

***Botryosphaeria piceae*** Funk on *Picea glauca* (Moench) Voss - ascomycete on white spruce

**Fungi**

**Deuteromycotina**

**Hyphomycetes**

- Cylindrocarpon roseum*, V (DAVFP)

***Botryosphaeria piceae*** Funk on *Picea sitchensis* (Bong.) Carr. - ascomycete on Sitka spruce

**Fungi**

**Deuteromycotina**

**Coelomycetes**

- Rileya piceae*, V (DAVFP)

**Hyphomycetes**

- Cylindrocarpon roseum*, V (DAVFP)

***Botryosphaeria tsugae*** Funk on *Tsuga heterophylla* (Raf.) Sarg. - ascomycete on western hemlock

**Fungi**

**Deuteromycotina**

**Hyphomycetes**

- Aegerita fungicola*, V (DAVFP)

***Ciboria gordonii*** Funk on *Tsuga heterophylla* (Raf.) Sarg. - discomycete on western hemlock

**Fungi**

**Deuteromycotina**

**Coelomycetes**

- Coniothyrium* sp., V (DAVFP) - Dried culture only.

***Coccomyces heterophyliae*** Funk on *Tsuga heterophylla* (Raf.) Sarg. - discomycete on western hemlock

**Fungi**

**Basidiomycotina**

**Others**

- Tremella* sp., V (DAVFP)

**Corticaceous fungus** on rotten *Alnus*

**Fungi**

**Basidiomycotina**

**Others**

- Platygloea peniophorae*, V (UBC F12158)

***Cronartium coleosporioides*** Arth. on *Pinus contorta* Dougl. - stalactiform rust on lodgepole pine

**Fungi**

**Deuteromycotina**

**Hyphomycetes**

- Tuberculina maxima*, V (DAVFP)

***Cronartium comandrae*** Peck on *Pinus contorta* Dougl. - comandra blister rust on lodgepole pine

**Fungi**

**Deuteromycotina**

**Hyphomycetes**

- Tuberculina maxima*, V (DAVFP)

***Cronartium comptoniae*** Arth. on *Pinus contorta* Dougl. - sweet-fern blister rust on lodgepole pine

**Fungi**

**Deuteromycotina**

**Hyphomycetes**

- Tuberculina maxima*, V (DAVFP)

***Cronartium ribicola*** J.C. Fisch.:Rab. on *Pinus albicaulis* Engelm. - white pine blister rust on whitebark pine

**Fungi**

**Deuteromycotina**

**Hyphomycetes**

- Monocillium* sp., V (DAVFP)

- Tuberculina maxima*, V (DAVFP)

*Fungus hosts*

**Cronartium ribicola** J.C. Fisch.:Rab. on *Pinus monticola* Dougl. - white pine blister rust on western white pine

**Fungi**

**Deuteromycotina**

**Hypocreales**

*Acremonium* sp., V (DAVFP)

*Cephalosporium* sp., V (DAVFP)

*Chrysonilia sitophila*, V (DAVFP)

*Cladosporium gallicola*, V (DAVFP)

*Fusarium lateritium*, V (DAVFP)

*Peyronelia* sp., V (DAVFP)

*Tuberculina maxima*, V (DAVFP)

**Cytospora abietis** Sacc. on *Chamaecyparis nootkatensis* (D. Don) Spach - coelomycete on yellow cypress

**Fungi**

**Deuteromycotina**

**Hypocreales**

*Engelhardtia alba*, V (DAVFP) (TYPE)

**Cytospora** sp. on *Alnus rubra* Bong. - coelomycete on red alder

**Fungi**

**Ascomycotina**

*Nectria episphaeria*, V (DAVFP)

**Cytospora** sp. on *Arbutus menziesii* Pursh - coelomycete on arbutus

**Fungi**

**Basidiomycotina**

**Others**

*Tremella* sp., V (DAVFP)

**Diaporthe columbiensis** Ell. & Everh. - pyrenomycete

**Fungi**

**Ascomycotina**

*Nectria episphaeria*, LC (Barr 1953)

**Diaporthe eres** on *Populus* sp. - pyrenomycete on poplar

**Fungi**

**Ascomycotina**

*Nectria episphaeria*, V (DAVFP)

**Diaporthe lokoyae** Funk on *Pseudotsuga menziesii* (Mirb.) Franco - pyrenomycete on Douglas-fir

**Fungi**

**Basidiomycotina**

**Others**

*Tremella* sp., V (DAVFP)

**Diaporthe** sp. on *Cornus nuttallii* Aud. - pyrenomycete on western flowering dogwood

**Fungi**

**Basidiomycotina**

**Others**

*Tremella globospora*, LC (Brough 1974)

**Diaporthe** sp. on *Salix* sp. - pyrenomycete on willow

**Fungi**

**Basidiomycotina**

**Others**

*Tremella globospora*, LC (Brough 1974)

**Diaporthe** sp. on *Sambucus racemosa* L. var. *pubens* (Michx.) Koehne - pyrenomycete on scarlet elder

**Fungi**

**Basidiomycotina**

**Others**

*Tremella globospora*, LC (Brough 1974 on *Diaporthe* sp. on *Sambucus pubens*)

**Diatrypaceae** on *Populus trichocarpa* T. & G.

**Fungi**

**Ascomycotina**

*Nectria episphaeria*, V (DAVFP)

**Diatrype macounii** Ell. & Everh. - pyrenomycete

**Fungi**

**Ascomycotina**

*Nectria episphaeria*, LC (Barr 1953)

**Diatrype** sp. - pyrenomycete

**Fungi**

**Ascomycotina**

*Herpotrichiella parasitica*, LC (Barr 1972)

**Endocronartium harknessii** (J.P. Moore)

Y. Hiratsuka on *Pinus contorta* Dougl. - western gall rust on lodgepole pine

**Fungi**

**Deuteromycotina**

**Hypocreales**

*Cladosporium* sp., V (DAVFP)

*Fusarium lateritium*, V (DAVFP)

**Eutypella stellulata** (Fr.) Sacc. - pyrenomycete

**Fungi**

**Ascomycotina**

*Nectria episphaeria*, LC (Barr 1953)

**Exobasidium** sp. on *Menziesia* sp.

**Fungi**

**Deuteromycotina**

**Hypocreales**

*Cladosporium* sp., UR

**Fomitopsis pinicola** (Sw.:Fr.) Karst. - red belt fungus

**Fungi**

**Ascomycotina**

*Hypocrea citrina*, V (DAVFP)

*Hypocrea citrina* var. *citrina*, LC (Canham 1969 on *Fomes pinicola*)

***Fomitopsis pinicola*** (Sw.:Fr.) Karst. on *Tsuga heterophylla* (Raf.) Sarg. - red belt fungus on western hemlock

Fungi

Ascomycotina

*Hypomyces aurantius*, V (DAVFP)

Basidiomycotina

Aphyllophorales

*Sistotrema brinkmannii*, V (DAVFP)

***Ganoderma applanatum*** (Pers.) Pat. on *Acer macrophyllum* Pursh - picture fungus on broadleaf maple

Fungi

Ascomycotina

*Hypomyces aurantius*, V (DAVFP)

***Gloeocystidiellum citrinum*** (Pers.) Donk - Aphyllophorales

Fungi

Zygomycotina

*Martensella corticii*, LC (Jackson and Dearden 1948 on *Corticium radiosum*)

***Gymnosporangium bethelii*** Kern on *Crataegus douglasii* Lindl. - Bethel's juniper rust on black hawthorn

Fungi

Deuteromycotina

Hypomycetes

*Tuberulina maxima*, V (DAVFP)

***Gymnosporangium nidus-avis*** Thaxt. on *Amelanchier alnifolia* Nutt. - juniper broom rust on Saskatoon

Fungi

Deuteromycotina

Hypomycetes

*Tuberulina maxima*, V (DAVFP)

***Gymnosporangium nootkatense*** Arth. on *Malus diversifolia* (Bong.) Roem. - yellow cypress rust on Pacific crabapple

Fungi

Deuteromycotina

Hypomycetes

*Cladosporium* sp., V (DAVFP)

***Helvella lacunosa*** Afzel.:Fr. - discomycete

Fungi

Ascomycotina

*Hypomyces cervinigenus*, LC (Rogerson and Simms 1971)

Deuteromycotina

Hypomycetes

*Mycogone roseola*, UR

***Helvella* sp.** - discomycete

Fungi

Basidiomycotina

Agaricales

*Clitocybe sclerotoidea*, V (DAVFP)

Deuteromycotina

Hypomycetes

*Mycogone cervina*, V (DAOM)

***Hyalopsora aspidiotus*** (Magn.) Magn. on *Abies amabilis* (Dougl.) Forb. - fir-oak-fern rust on amabilis fir

Fungi

Deuteromycotina

Hypomycetes

*Tuberulina maxima*, V (DAVFP)

***Hyphoderma praetermissum*** (P. Karst.) J. Eriksson - Aphyllophorales

Fungi

Basidiomycotina

Others

*Platygloea peniophorae*, V (UBC F11853)

***Hypoderma* cf. *pacificensis*** Tehon on *Acer macrophyllum* Pursh - discomycete on broadleaf maple

Fungi

Basidiomycotina

Others

*Sirotrema pusilla*, LC (Bandoni 1986) (TYPE)

***Hypoxyton* sp.** on *Corylus* sp. - pyrenomycete on hazel

Fungi

Ascomycotina

*Nectria episphaeria*, V (DAVFP)

Jelly fungus

Fungi

Deuteromycotina

Hypomycetes

*Trichoderma harzianum*, LC (Bissett 1991)

***Lactarius* sp.** - mushroom

Fungi

Ascomycotina

*Hypomyces lactifluorum*, V (DAVFP)

?***Lirula abietis-concoloris*** (Mayr:Dearn.)

Darker on *Abies lasiocarpa* (Hook.) Nutt. - discomycete on alpine fir

Fungi

Basidiomycotina

Others

*Sirotrema translucens*, V (DAVFP)

***Lirula* sp.** on *Abies amabilis* (Dougl.) Forb. - discomycete on amabilis fir

Fungi

Ascomycotina

*Sarcotrichila balsameae*, V (DAVFP)

***Lophium* sp.** on *Abies lasiocarpa* (Hook.)

Nutt. - ascomycete on alpine fir

Fungi

Deuteromycotina

Hypomycetes

*Cylindrocarpon* sp., V (DAVFP)

*Fungus hosts*

?***Lophodermium decorum*** Darker on *Abies lasiocarpa* (Hook.) Nutt. - discomycete on alpine fir

Fungi  
Basidiomycotina  
Others  
*Sirotrema translucens*, V (DAVFP)

***Lophodermium pinastri*** (Schrad.:Hook.) Chev. on *Pinus contorta* Dougl. - discomycete on lodgepole pine

Fungi  
Basidiomycotina  
Others  
*Sirotrema parvula*, LC (Bandoni 1986) (TYPE)

***Lophodermium pinastri*** (Schrad.:Hook.) Chev. on *Pinus resinosa* Ait. - discomycete on red pine

Fungi  
Basidiomycotina  
Others  
*Sirotrema translucens*, V (DAVFP)

***Lophodermium sp.*** on *Abies grandis* (Dougl.) Lindl. - discomycete on grand fir

Fungi  
Basidiomycotina  
Others  
*Sirotrema translucens*, V (DAVFP)

***Lophodermium sp.*** on *Abies lasiocarpa* (Hook.) Nutt - discomycete on alpine fir

Fungi  
Basidiomycotina  
Others  
*Sirotrema translucens*, V (DAVFP)

***Lycoperdon pyriforme*** Schaeff.:Pers. - puffball

Fungi  
Basidiomycotina  
Aphylophorales  
*Typhula mycophaga*, LC (Berthier and Redhead 1982) (TYPE)

***Marasmius pallidocephalus*** Gilliam - mushroom

Fungi  
Basidiomycotina  
Aphylophorales  
*Syzygospora subsolida*, LC (Ginns 1986b) (TYPE)

?***Melampsora abieti-capraearum*** Tub. on *Abies lasiocarpa* (Hook.) Nutt. - willow rust on alpine fir

Fungi  
Deuteromycotina  
Hypomycetes  
*Tuberculina maxima*, V (DAVFP)

***Melampsora epitea*** Thuem. on *Salix* sp. - willow rust on willow

Fungi  
Deuteromycotina  
Coelomycetes  
*Sphaerellopsis filum*, V (DAVFP)

***Melampsora medusae*** Thuem. on *Pseudotsuga menziesii* (Mirb.) Franco - conifer-aspen rust on Douglas-fir

Fungi  
Deuteromycotina  
Coelomycetes  
*Sphaerellopsis filum*, V (DAVFP)

Hypomycetes  
*Tuberculina maxima*, V (DAVFP)

***Melampsora monticola*** Mains on *Euphorbia peplus* L. - rust on petty spurge

Fungi  
Deuteromycotina  
Hypomycetes  
*Cladosporium* sp., V (DAVFP)

***Melampsora occidentalis*** Jacks. on *Pseudotsuga menziesii* (Mirb.) Franco - conifer- cottonwood rust on Douglas-fir

Fungi  
Deuteromycotina  
Hypomycetes  
*Tuberculina maxima*, V (DAVFP)

***Melanconis thelebola*** (Fr.) Sacc. - pyrenomycete

Fungi  
Ascomycotina  
*Nectria episphaeria*, LC (Barr 1953)

***Micropera sp.*** on *Pseudotsuga menziesii* (Mirb.) Franco - coelomycete on Douglas-fir

Fungi  
Ascomycotina  
*Nectria episphaeria*, UR  
  
Basidiomycotina  
Others  
*Tremella* sp., V (DAVFP)

?***Myxosporium sp.*** on *Tsuga heterophylla* (Raf.) Sarg. - ?coelomycete on western hemlock

Fungi  
Deuteromycotina  
Hypomycetes  
*Aegerita fungicola*, V (DAVFP)

***Peniophora sp.*** on wood

Fungi  
Basidiomycotina  
Others  
*Platygloea peniophorae*, UR

***Peridermium pseudo-balsameum*** (Diet. & Holw.) Arth. & Kern on *Abies grandis*

(Dougl.) Lindl. – white perennial fir rust on grand fir

**Fungi**

**Deuteromycotina**

**Coelomycetes**

*Sphaerellopsis filum*, V (DAVFP)

**Hyphomycetes**

*Tuberculina maxima*, V (DAVFP)

**Pestalotiopsis funerea** (Desm.) Steyaert on *Chamaecyparis nootkatensis* (D. Don) Spach – coelomycete on yellow cypress

**Fungi**

**Deuteromycotina**

**Hyphomycetes**

*Engelhardtia alba*, V (DAVFP)

**Pestalotiopsis funerea** (Desm.) Steyaert on *Juniperus virginiana* L. - coelomycete on eastern red cedar

**Fungi**

**Deuteromycotina**

**Hyphomycetes**

*Engelhardtia alba*, V (DAVFP)

**Pestalotiopsis funerea** (Desm.) Steyaert on *Thuja plicata* Donn - coelomycete on western red cedar

**Fungi**

**Deuteromycotina**

**Hyphomycetes**

*Engelhardtia alba*, V (DAVFP)

**Polyporus cf. badius** (Pers.:S.F. Gray) Schwein. on *Populus trichocarpa* T. & G. – polypore on black cottonwood

**Fungi**

**Ascomycotina**

*Hypomyces aurantius*, V (DAVFP)

**Polyporus resinosus** Schrad.:Fr. on *Tsuga heterophylla* (Raf.) Sarg. - polypore on western hemlock

**Fungi**

**Ascomycotina**

*Hypomyces aurantius*, V (DAVFP)

**Puccinia caricis-strictae** Diet. on *Carex obnupta* Bailey - rust on slough sedge

**Fungi**

**Deuteromycotina**

**Coelomycetes**

*Sphaerellopsis filum*, V (DAVFP)

**Pucciniastrum epilobii** Otth sensu Hyl., Joerst. & Nannf. on *Abies lasiocarpa* (Hook.) Nutt. – fir-fireweed rust on alpine fir

**Fungi**

**Deuteromycotina**

**Hyphomycetes**

*Tuberculina maxima*, V (DAVFP)

**Pucciniastrum goeppertianum** (Kuehn)

Kleb. on *Abies amabilis* (Dougl.) Forb. – blueberry broom rust on amabilis fir

**Fungi**

**Deuteromycotina**

**Hyphomycetes**

*Tuberculina maxima*, V (DAVFP)

**Pucciniastrum goeppertianum** (Kuehn)

Kleb. on *Abies lasiocarpa* (Hook.) Nutt. – blueberry broom rust on alpine fir

**Fungi**

**Deuteromycotina**

**Coelomycetes**

*Sphaerellopsis filum*, V (DAVFP)

**Hyphomycetes**

*Tuberculina maxima*, V (DAVFP)

**Pyrenomycte** on *Sambucus racemosa* L.

var. *pubens* (Michx.) Koehne - pyrenomycte on scarlet elder

**Fungi**

**Basidiomycotina**

**Others**

*Tremella globospora*, LC (Brough 1974 on pyrenomycte on *Sambucus pubens*)

**Pyrenomycte** on *Tsuga heterophylla* (Raf.)

Sarg. - pyrenomycte on western hemlock

**Fungi**

**Deuteromycotina**

**Hyphomycetes**

*Aegerita fungicola*, V (DAVFP)

**Pyrenomycte** on *Vaccinium ovalifolium*

Smith - pyrenomycte on tall blue bilberry

**Fungi**

**Basidiomycotina**

**Others**

*Tremella globospora*, LC (Brough 1974)

**Rhabdocline pseudotsugae** Syd. on *Pseudotsuga menziesii* (Mirb.) Franco -

discomycete on Douglas-fir

**Fungi**

**Deuteromycotina**

**Hyphomycetes**

*Hymenula* sp., V (DAVFP)

**Rhizophydiumpchytiomycetis** Karling -

chytrid

**Fungi**

**Chytridiomycota**

*Septosperma rhizophidii*, LC (Booth 1969)

**Sclerotium cepivorum** Berk. -

deuteromycete

**Fungi**

**Deuteromycotina**

**Hyphomycetes**

*Trichoderma hamatum*, LC (Bissett 1991)

*Fungus hosts*

**Slime mould (*Cribaria* sp.)** - slime mould

Fungi  
Deuteromycotina  
Hypocreales  
*Stilbella byssiseda*, LC (Seifert 1985)

**Slime mould (?*Fuligo* sp.)** - slime mould

Fungi  
Deuteromycotina  
Hypocreales  
*Stilbella byssiseda*, V (DAVFP)

***Sphaerotheca macularis* (Wallr.:Fr.) P.**

Magn. on *Rubus parviflorus* Nutt. -  
pyrenomycete on thimbleberry

Fungi  
Deuteromycotina  
Coelomycetes  
*Ampelomyces* sp., V (DAVFP)

?***Steccherinum* on *Alnus rubra* Bong.** -

Hydnaceae on red alder

Fungi  
Deuteromycotina  
Others  
*Stilbum* sp., V (DAVFP)

***Stereum hirsutum* (Willd.:Fr.) S.F. Gray** -

Aphyllophorales

Fungi  
Deuteromycotina  
Hypocreales  
*Gliocladium polyporicola*, LC (Seifert 1985)  
*Stilbella stereicola*, LC (Seifert 1985)

***Stereum sanguinolentum* (Albertini &**

Schwein.:Fr.) Fr. - Aphyllophorales

Fungi  
Deuteromycotina  
Hypocreales  
*Stilbella sebacea*, LC (Seifert 1985)

***Stereum* sp.** - Aphyllophorales

Fungi  
Deuteromycotina  
Hypocreales  
*Stilbella stereicola*, LC (Seifert 1985)

***Therrya piceae* Funk on *Picea glauca***

(Moench) Voss - discomycete on white  
spruce

Fungi  
Basidiomycotina  
Others  
*Tremella* sp., V (DAVFP)

***Tyromyces lacteus* (Fr.) Murr.** - polypore

Fungi  
Basidiomycotina  
Others  
*Tremella polyporina*, LC (Koske 1972)

***Uredinopsis pteridis* Diet. & Holw. on**

*Abies grandis* (Dougl.) Lindl. - common fir-  
bracken rust on grand fir

Fungi  
Deuteromycotina  
Hypocreales  
*Tuberculina maxima*, V (DAVFP)

***Uredinopsis pteridis* Diet. & Holw. on**

*Abies lasiocarpa* (Hook.) Nutt. - common fir-  
bracken rust on alpine fir

Fungi  
Deuteromycotina  
Hypocreales  
*Tuberculina maxima*, V (DAVFP)

***Valsa abietis* Fr. on *Tsuga heterophylla***

(Raf.) Sarg. - pyrenomycete on western  
hemlock

Fungi  
Basidiomycotina  
Others  
*Tremella globospora*, LC (Brough 1974)

***Valsa ceratophora* Tul. on *Rubus***

*spectabilis* Pursh - pyrenomycete on  
salmonberry

Fungi  
Basidiomycotina  
Others  
*Tremella globospora*, LC (Brough 1974)

***Valsa clavigera* Dearn. & Barth. on *Acer***

*circinatum* Pursh - pyrenomycete on vine  
maple

Fungi  
Basidiomycotina  
Others  
*Tremella globospora*, LC (Brough 1974)

***Valsa sordida* Nitschke on *Populus* sp. -**

pyrenomycete on poplar

Fungi  
Ascomycotina  
*Nectria episphaeria*, V (DAVFP)

***Valsa* sp. on *Acer circinatum* Pursh -**

pyrenomycete on vine maple

Fungi  
Basidiomycotina  
Others  
*Tremella globospora*, LC (Brough 1974)

***Valsa* sp. on *Alnus rubra* Bong. -**

pyrenomycete on red alder

Fungi  
Basidiomycotina  
Others  
*Tremella globospora*, LC (Brough 1974)

**Valsa sp.** on conifer – pyrenomycete on conifer

**Fungi**

**Basidiomycotina**

**Others**

*Tremella globospora*, LC (Brough 1974)

**Valsa sp.** on *Pseudotsuga menziesii* (Mirb.)

Franco - pyrenomycete on Douglas-fir

**Fungi**

**Basidiomycotina**

**Others**

*Tremella globospora*, LC (Brough 1974)

*Tremella* sp., V (DAVFP)

**Valsa sp.** on *Rubus spectabilis* Pursh – pyrenomycete on salmonberry

**Fungi**

**Basidiomycotina**

**Others**

*Tremella globospora*, LC (Brough 1974)

**Valsa sp.** on *Rubus* sp.

**Fungi**

**Basidiomycotina**

**Others**

*Tremella globospora*, LC (Brough 1974)

**Valsa sp.** on *Thuja plicata* Donn -

pyrenomycete on western red cedar

**Fungi**

**Basidiomycotina**

**Others**

*Tremella globospora*, LC (Brough 1974)

**Valsa sp.** on *Tsuga heterophylla* (Raf.)

Sarg. – pyrenomycete on western hemlock

**Fungi**

**Basidiomycotina**

**Others**

*Tremella globospora*, LC (Brough 1974)

**Xenomeris abietis** Barr on *Pseudotsuga menziesii* (Mirb.) Franco - ascomycete on

Douglas-fir

**Fungi**

**Ascomycotina**

*Nectria episphaeria*, V (DAVFP)



## Invertebrate Hosts

### Ants

#### Fungi

##### Ascomycotina

*Cordyceps myremecophila*, LC (Mains 1947; Barr 1953)

### Beetle, ambrosia (*Dendroctonus monticolae* Hopk.)

#### Fungi

##### Ascomycotina

*Hansenula capsulata*, UR

### Beetle, ambrosia (*Gnathotrichus sulcatus* Lec.) on *Pseudotsuga menziesii*

#### Fungi

##### Deuteromycotina

##### Hyphomycetes

*Ambrosiella sulcati*, V (DAVFP) (TYPE) - Dried culture only.

### Beetle, ambrosia (*Monarthrum scutellare* Le Conte)

#### Fungi

##### Deuteromycotina

##### Hyphomycetes

*Ambrosiella brunnea*, UR – Cultured then discarded

### Beetle, ambrosia (*Platypus wilsoni* Sw.)

#### Fungi

##### Deuteromycotina

##### Hyphomycetes

*Raffaelea canadensis* V (DAVFP) (TYPE) - Dried culture only.

### Beetle, ambrosia (*Trypodendron lineatum* Oliv.)

#### Fungi

##### Deuteromycotina

##### Hyphomycetes

*Ambrosiella ferruginea*, V (DAVFP) - Dried culture only.

### Beetle, ambrosia

#### Fungi

##### Zygomycotina

*Absidia psychrophilia*, LC (Hesseltine and Ellis 1964) (TYPE)

### Beetle, western balsam bark, (*Dryocoetes confusus* Sw.) on *Abies lasiocarpa* (Hook.) Nutt.

#### Fungi

##### Deuteromycotina

##### Hyphomycetes

*Beauveria bassiana*, V (DAVFP)

### ?Budworm, spruce (?*Choristoneura occidentalis* Freeman) on *Pseudotsuga menziesii* (Mirb.) Franco

#### Fungi

##### Zygomycotina

*Entomophthora sphaerosperma*, UR

### Cutworm (*Panthea portlandica* Grt.) in soil and duff

#### Fungi

##### Ascomycotina

*Cordyceps militaris*, V (DAVFP)

### Insect

#### Fungi

##### Zygomycotina

*Entomophthora* sp., V (DAVFP)

### Looper, green-striped forest

### (*Melanolophia imitata* (Wlk.)) in soil and duff

#### Fungi

##### Ascomycotina

*Cordyceps militaris*, V (DAVFP)

### Looper, green-striped forest

### (*Melanolophia imitata* (Wlk.)) on *Tsuga heterophylla* (Raf.) Sarg.

#### Fungi

##### Ascomycotina

*Cordyceps militaris*, V (DAVFP)

### Looper, western hemlock (*Lambdina fiscellaria lugubrosa* (Hulst)) on *Abies amabilis* (Dougl.) Forb.

#### Fungi

##### Deuteromycotina

##### Hyphomycetes

*Beauveria bassiana*, V (DAVFP)

### Noctuid pupa

#### Fungi

##### Deuteromycotina

##### Hyphomycetes

*Isaria farinosa*, V (DAVFP)

### Sawfly pupa, larch (*Pristiphora erichsonii* Htg.) on *Larix occidentalis* Nutt.

#### Fungi

##### Deuteromycotina

##### Hyphomycetes

*Paecilomyces farinosus*, V (DAVFP)



## Soil And Duff

### Fungi

#### Ascomycotina

*Aleuria aurantia*, V (DAVFP)  
*Anthracobia macrocystis*, LC (Egger and Paden 1986b)  
*Ascobolus carbonarius*, LC (Egger and Paden 1986b)  
*Ascobolus epimyces*, LC (Egger and Paden 1986b)  
*Ascobolus michaudii*, LC (Paden and Stanlake 1973)  
*Caloscypha fulgens*, V (DAVFP)  
*Cordyceps militaris*, V (DAVFP)  
*Cudonia monticola*, V (DAVFP)  
*Discina ancilis*, V (DAVFP)  
*Discina macrospora*, LC (McKnight 1969)  
*Elaphomyces granulatus* var. *asperulus*, V (DAVFP)  
*Elaphomyces granulatus* var. *granulatus*, V (DAVFP)  
*Elaphomyces muricatus* f. *variegatus*, V (DAVFP)  
*Geopyxis carbonaria*, LC (Egger and Paden 1986b)  
*Geopyxis* sp., V (DAVFP)  
*Gyromitra californica*, V (DAVFP)  
*Gyromitra esculenta*, V (DAVFP)  
*Gyromitra infula*, V (DAVFP)  
*Gyromitra perlata*, V (DAVFP)  
*Helvella acetabulum*, V (DAVFP)  
*Helvella elastica*, V (DAVFP)  
*Helvella lacunosa*, V (DAVFP)  
*Helvella maculata*, V (DAVFP)  
*Helvella stevensii*, V (DAVFP)  
*Helvella* sp., V (DAVFP)  
*Humaria araneosa*, V (DAVFP)  
*Hydnotrya variiformis*, V (DAVFP)  
*Hypomyces rosellus*, V (DAVFP)  
*Mitrula elegans*, LC (Mains 1955 as *Mitrula paludosa*)  
*Morchella angusticeps*, V (DAVFP)  
*Morchella crassipes*, V (DAVFP)  
*Morchella deliciosa*, V (DAVFP)  
*Morchella esculenta*, V (DAVFP)  
*Neogyromitra caroliniana*, UR  
*Neolecta vitellina*, LC (Redhead 1977 on needle beds and moss carpets)  
*Otidea kauffmanii*, UR  
*Otidea leporina*, V (DAVFP)  
*Otidea onotica*, V (DAVFP)  
*Otidea smithii*, UR  
*Peziza badia*, V (DAVFP)  
*Peziza badio-confusa*, LC (Elliott and Kaufert 1974)  
*Peziza emileia*, V (DAVFP)  
*Peziza endocarpoides*, LC (Egger and Paden 1986b)  
*Peziza melaleuca*, V (DAVFP)  
*Peziza petersii*, LC (Egger and Paden 1986b)  
*Peziza praetervisa*, LC (Egger and Paden 1986b)  
*Peziza repanda*, V (DAVFP)  
*Peziza sylvestris*, V (DAVFP)

*Peziza violacea*, LC (Egger and Paden 1986b)

*Plectania melastoma*, V (DAVFP)  
*Plectania nannfeldtii*, V (DAVFP)  
*Plicaria trachycarpa*, V (DAVFP)  
*Pseudoplectania nigrella*, V (DAVFP)  
*Pulvinula archeri*, LC (Egger and Paden 1986b)  
*Pustularia bronca*, UR  
*Pyronema omphalodes*, V (DAVFP)  
*Rhizina undulata*, V (DAVFP)  
*Sarcosphaera coronaria*, V (DAVFP)  
*Sclerophinia homoeocarpa*, LC (Toms 1964)  
*Scutellinia scutellata*, V (DAVFP)  
*Scutellinia umbrarum*, V (DAVFP)  
*Sepultaria pellita*, V (DAVFP)  
*Spathularia flavidia*, V (DAVFP)  
*Spathulariopsis velutipes*, UR  
*Trichoglossum hirsutum*, V (DAVFP)  
*Trichophaea abundans*, LC (Egger and Paden 1986b)  
*Trichophaea hemisphaeroides*, LC (Egger and Paden 1986b)  
*Verpa bohemica*, V (DAVFP)  
*Verpa conica*, V (DAVFP)  
*Warcupia terrestris*, V (DAVFP) (TYPE) - Dried culture only.

#### Basidiomycotina

##### Agaricales

*Agaricus arvensis*, V (DAVFP)  
*Agaricus augustus*, V (DAVFP)  
*Agaricus bisporus*, V (DAVFP)  
*Agaricus haemorrhoidarius*, LC (Davidson 1930 as *Psalliota haemorrhodaria*)  
*Agaricus hillii*, LC (Hotson and Stuntz 1938)  
*Agaricus hillii*, LC (Murrill 1912b among moss and humus.) (TYPE)  
*Agaricus hondensis*, V (DAVFP)  
*Agaricus perrarus*, V (DAVFP)  
*Agaricus placomyces*, V (DAVFP)  
*Agaricus semotus*, V (DAVFP)  
*Agaricus silvaticus*, V (DAVFP)  
*Agaricus silvicola*, UR  
*Agaricus subrufescens*, V (DAVFP)  
*Agaricus xanthodermus*, V (DAVFP)  
*Agrocybe arvalis*, V (DAVFP)  
*Agrocybe erebia*, V (DAVFP)  
*Agrocybe molesta*, V (DAVFP)  
*Agrocybe praecox*, V (DAVFP)  
*Alboleptonia sericella*, V (DAVFP)  
*Amanita gemmata*, LC (Jenkins 1977)  
*Amanita muscaria*, V (DAVFP)  
*Amanita muscaria* var. *muscaria*, LC (Jenkins 1977)  
*Amanita pachycolea*, V (DAVFP)  
*Amanita pantherina*, V (DAVFP)  
*Amanita pantherina* var. *pantherina*, LC (Jenkins 1977)  
*Amanita phalloides*, V (DAVFP)  
*Amanita porphyria*, V (DAVFP)  
*Amanita rubescens*, V (DAVFP)  
*Amanita silvicola*, V (DAVFP)  
*Amanita smithiana*, V (DAVFP)  
*Amanita solitaria*, V (DAVFP)

- Amanitopsis vaginatus*, V (DAVFP)  
*Armillaria ponderosa*, V (DAVFP)  
*Armillaria* sp., V (DAVFP)  
*Boletellus zelleri*, V (DAVFP)  
*Boletinus amabilis*, V (DAVFP)  
*Boletus aestivalis*, V (DAVFP)  
*Boletus barrowsii*, V (DAVFP)  
*Boletus chrysenteron*, V (DAVFP)  
*Boletus edulis*, V (DAVFP)  
*Boletus mirabilis*, V (DAVFP)  
*Boletus oliveaceobrunneus*, V (DAOM)  
*Boletus versipellis*, V (DAVFP)  
*Calocybe georgii*, V (DAVFP)  
*Cantharellula umbonata*, V (DAVFP)  
*Cantharellus cibarius*, V (DAVFP)  
*Cantharellus cinnabarinus*, V (DAVFP)  
*Cantharellus clavatus*, V (DAVFP)  
*Cantharellus floccosus*, V (DAVFP)  
*Cantharellus infundibuliformis*, V (DAVFP)  
*Cantharellus kauffmanii*, V (DAVFP)  
*Cantharellus multiplex*, V (DAVFP)  
*Cantharellus subalbidus*, V (DAVFP)  
*Cantharellus tubaeformis*, V (DAVFP)  
*Catathelasma ventricosa*, V (DAVFP)  
*Cheimopphyllum candidissimum*, LC (Davidson 1930  
as *Pleurotus candidissimum* on decaying log)  
*Chroogomphus rutilus*, V (DAVFP)  
*Chroogomphus tomentosus*, V (DAVFP)  
*Clitocybe atrialba*, V (DAVFP)  
*Clitocybe aurantiaca*, V (DAVFP)  
*Clitocybe candida*, LC (Davidson 1930)  
*Clitocybe cartilaginea*, UR  
*Clitocybe catina*, LC (Davidson 1930)  
*Clitocybe cerussata* var. *diformis*, LC  
(Bigelow 1959)  
*Clitocybe ectypoides*, V (DAVFP)  
*Clitocybe gibba*, V (DAVFP)  
*Clitocybe gilvaoides*, V (DAVFP)  
*Clitocybe inversa*, LC (Davidson 1930)  
*Clitocybe multiceps*, V (DAVFP)  
*Clitocybe nebularis*, V (DAVFP)  
*Clitocybe odora*, V (DAVFP)  
*Clitocybe pithyophila*, LC (Davidson 1930)  
*Clitocybe sinopica*, V (DAOM)  
*Clitocybe smaragdina*, LC (Bigelow and  
Smith 1962)  
*Clitocybe* sp., V (DAVFP)  
*Collybia acervata*, V (DAVFP)  
*Collybia badiialba*, V (DAVFP)  
*Collybia* cf. *butyracea*, V (DAVFP)  
*Collybia dryophila*, LC (Davidson 1930)  
*Collybia maculata*, V (DAVFP)  
*Collybia oregonensis*, V (DAVFP)  
?Collybia sp., V (DAVFP)  
*Conocybe intrusa*, V (DAVFP)  
*Conocybe tenera*, LC (Davidson 1930 as  
*Galera tenera*)  
*Coprinus atramentarius*, V (DAVFP)  
*Coprinus comatus*, V (DAVFP)  
*Coprinus micaceus*, LC (Davidson 1930)  
*Coprinus* sp., V (DAVFP)  
*Cortinarius alboviolaceus*, V (DAVFP)  
*Cortinarius armillatus*, V (DAVFP)  
*Cortinarius brunneofulvus*, V (DAVFP)  
*Cortinarius callisteus*, V (DAVFP)  
*Cortinarius camphoratus*, V (DAVFP)  
*Cortinarius cinnamomeus*, V (DAVFP)  
*Cortinarius cotoneus*, V (DAVFP)  
*Cortinarius croceus*, V (DAVFP)  
*Cortinarius glaucopus*, V (DAVFP)
- Cortinarius iliopodius*, UR  
*Cortinarius mutabilis*, V (DAVFP)  
*Cortinarius oregonensis*, UR  
*Cortinarius orichalceus*, V (DAVFP)  
*Cortinarius phoeniceus* var. *occidentalis*, V  
(DAVFP)  
*Cortinarius plumiger*, UR  
*Cortinarius rigidus*, UR  
*Cortinarius semisanguineus*, V (DAVFP)  
*Cortinarius squarrosus*, LC (Davidson 1930)  
*Cortinarius traganus*, V (DAVFP)  
*Cortinarius vanduzerensis*, V (DAVFP)  
*Cortinarius vibratilis*, V (DAVFP)  
*Cortinarius violaceus*, V (DAVFP)  
*Cortinarius* sp., V (DAVFP)  
*Crepidotus latifolius*, V (DAVFP)  
*Crepidotus versutus*, LC (Davidson 1930)  
*Cystoderma amianthina*, V (DAVFP)  
*Cystoderma fallax*, UR  
*Entoloma griseum*, V (DAVFP)  
*Entoloma sericeum*, V (DAVFP)  
*Entoloma speculum*, LC (Davidson 1930)  
*Flammula lubrica*, UR  
*Flammula* sp., V (DAVFP on rotten log)  
*Flammulina velutipes*, V (DAVFP)  
*Floccularia albolanaripes*, V (DAVFP)  
*Fuscoboletinus ochraceoroseus*, UR  
*Galera flava*, V (DAVFP)  
*Galerina marginata*, V (DAVFP)  
?Galerina nana, V (DAVFP)  
*Gomphidius glutinosus*, V (DAVFP)  
*Gomphidius leptocystis*, LC (Singer 1949)  
(TYPE)  
*Gomphidius maculatus*, LC (Davidson 1930)  
*Gomphidius oregonensis*, V (DAVFP)  
*Gomphidius septentrionalis*, V (DAVFP)  
*Gomphidius subroseus*, V (DAVFP)  
*Gomphidius vinicolor*, LC (Singer 1949)  
*Gomphus clavatus*, V (DAVFP)  
*Gymnopilus hillii*, LC (Murrill 1912a on rotten  
logs and stumps) (TYPE)  
*Gymnopilus pallidus*, LC (Murrill 1912a)  
(TYPE)  
*Gymnopilus terrestris*, V (DAVFP)  
*Gyroporus castaneus*, V (DAVFP)  
*Hebeloma mesophaeum*, V (DAVFP)  
*Hebeloma sacchariolens*, V (DAVFP)  
*Hebeloma simile*, V (DAVFP)  
*Hebeloma sinapizans*, V (DAVFP)  
*Hebeloma sordidulum*, V (DAVFP)  
*Helotium albicolor*, LC (Redhead 1982a)  
*Hohenbuehelia angustata*, LC (Davidson  
1930 as *Panus angustatus* on decaying  
wood)  
*Hohenbuehelia petalodes*, V (DAVFP)  
*Hygrocybe miniata*, V (DAVFP)  
*Hygrophoropsis morganii*, V (DAVFP)  
*Hygrophoropsis olida*, V (DAVFP)  
*Hygrophorus bakerensis*, V (DAVFP)  
*Hygrophorus calophylla*, V (DAVFP)  
*Hygrophorus cantharellus*, V (DAVFP)  
*Hygrophorus capreolarius*, UR  
*Hygrophorus ceraceus*, LC (Davidson 1930)  
*Hygrophorus conicus*, V (DAVFP)  
*Hygrophorus eburneus*, LC (Davidson 1930)  
*Hygrophorus miniatus*, V (DAVFP)  
*Hygrophorus minutulus*, V (DAVFP)  
*Hygrophorus picea*, V (DAVFP)  
*Hygrophorus psittacinus*, LC (Davidson 1930  
as *Hygrophorus psittacinus*)

- Hygrophorus pudorinus*, V (DAVFP)  
*Hygrophorus saxatilis*, V (DAVFP)  
*Hygrophorus tephroleucus*, V (DAVFP)  
*Hypholoma fasciculare*, V (DAVFP)  
*Hypholoma sublateritium*, V (DAVFP)  
*Hypholoma tuberosum*, V (DAVFP)  
    (ISOTYPE, PARATYPE)  
*Hypsizygus tessellatus*, V (DAVFP)  
*Inocybe fastigiata*, V (DAVFP)  
*Inocybe geophylla*, UR  
*Inocybe goodeyi*, UR  
*Inocybe serotina*, V (DAVFP)  
*Laccaria amethysteo-occidentalis*, V  
    (DAVFP)  
*Laccaria amethystina*, V (DAVFP)  
*Laccaria bicolor*, V (DAVFP)  
*Laccaria laccata*, V (DAVFP)  
*Laccaria ochropurpurea*, V (DAVFP)  
*Lactarius affinis* var. *affinis*, V (DAVFP)  
*Lactarius circellatus*, UR  
*Lactarius controversus*, V (DAVFP)  
*Lactarius deliciosus*, V (DAVFP)  
*Lactarius glyciosmus*, V (DAVFP)  
*Lactarius kauffmanii*, V (DAVFP)  
*Lactarius mucidus*, V (DAVFP)  
*Lactarius pallens*, V (DAVFP)  
*Lactarius pseudomucidus*, V (DAVFP)  
*Lactarius resimus* var. *resimus*, V (DAVFP)  
*Lactarius rufus*, V (DAVFP)  
*Lactarius sanguifluus*, V (DAVFP)  
*Lactarius scrobiculatus*, V (DAVFP)  
*Lactarius subdulcis*, V (DAVFP)  
*Lactarius torninosus*, V (DAVFP)  
*Lactarius torninosus* var. *normandensis*, V  
    (DAVFP)  
*Lactarius trivialis*, UR  
*Lactarius uvidus*, V (DAVFP)  
*Lactarius* sp., V (DAVFP)  
*Leccinum atrostipitatum*, V (DAVFP)  
*Leccinum aurantiacum*, V (DAVFP)  
*Leccinum clavatum*, V (DAVFP)  
*Leccinum discolor*, V (DAVFP)  
*Leccinum fallax*, V (DAVFP)  
*Leccinum insigne*, V (DAVFP)  
*Leccinum scabrum*, V (DAVFP)  
*Lentinellus cochleatus*, V (DAVFP)  
*Lentinus torulosus*, V (DAVFP)  
*Lepiota brunnea*, V (DAVFP)  
*Lepiota clypeolaria*, V (DAVFP)  
*Lepiota cristata*, V (DAVFP)  
*Lepiota friesii*, LC (Davidson 1930)  
*Lepiota lutea*, V (DAVFP)  
*Lepiota naucina*, V (DAVFP)  
*Lepiota rachodes*, V (DAVFP)  
*Lepiota rubrotincta*, LC (Davidson 1930)  
*Lepista caespitosa*, LC (Davidson 1930 as  
    *Tricholoma panoeolum* var. *caespitosum*)  
*Lepista nuda*, LC (Davidson 1930 as  
    *Tricholoma nudum*)  
*Lepista personata*, V (DAVFP)  
*Lepista sordida*, LC (Davidson 1930 as  
    *Tricholoma sordidum*)  
*Leptonia asprella*, V (DAVFP)  
*Leptonia lampropoda*, UR  
*Leptonia serrulata*, UR  
? *Leptonia* sp., V (DAVFP)  
*Leucocoprinus brebissonii*, V (DAVFP)  
*Leucopaxillus albissimus*, V (DAVFP)  
*Leucopaxillus albissimus* var. *paradoxus* f.  
    *albiformis*, UR  
*Leucopaxillus laterarius*, LC (Davidson 1930  
    as *Tricholoma laterarium*)  
*Limacella glioderma*, V (DAVFP)  
*Locellina stercoraria*, UR  
*Marasmius felix*, UR  
*Marasmius oreades*, V (DAVFP)  
*Marasmius plicatulus*, V (DAVFP)  
*Marasmius salalis*, V (DAVFP)  
*Marasmius* sp., V (DAVFP)  
*Melanoleuca* sp., V (DAVFP)  
*Micromphale foetidum*, UR  
*Mycena acicula*, LC (Davidson 1930)  
*Mycena alcalina*, LC (Davidson 1930)  
*Mycena ammoniaca*, LC (Davidson 1930)  
*Mycena atroalba*, LC (Davidson 1930)  
*Mycena aurantiidisca*, V (DAVFP)  
*Mycena clavicularis* var. *luteipes*, LC  
    (Davidson 1930)  
*Mycena cyaneobasis*, LC (Davidson 1930)  
*Mycena excisa*, LC (Davidson 1930)  
*Mycena flavoalba*, UR  
*Mycena galericulata*, LC (Davidson 1930)  
*Mycena haematopoda*, LC (Davidson 1930  
    as *Mycena haematopus*)  
*Mycena inclinata*, LC (Davidson 1930)  
*Mycena leptocephala*, LC (Davidson 1930)  
*Mycena minutula*, LC (Davidson 1930)  
*Mycena parabolica*, LC (Davidson 1930)  
*Mycena polygramma* var. *albida*, LC  
    (Davidson 1930)  
*Mycena pura*, LC (Davidson 1930)  
*Mycena rosella*, LC (Davidson 1930)  
*Mycena sanguinolenta*, LC (Davidson 1930)  
*Mycena* sp., V (DAVFP)  
*Naematoloma epicanthum*, LC (Davidson  
    1930 as *Hypholoma epicanthum*)  
*Naucoria semiorbicularis*, LC (Davidson  
    1930)  
*Nolanea* sp., V (DAVFP)  
*Omphalia* sp., V (DAVFP)  
*Omphalina ericetorum*, V (DAVFP)  
*Panaeolus acuminatus*, UR  
*Panaeolus campanulatus*, LC (Davidson  
    1930)  
*Panaeolus retirugis*, LC (Davidson 1930)  
*Panaeolus solidipes*, V (DAVFP)  
*Panellus ringens*, UR  
*Paxillus atrotomentosus*, V (DAVFP)  
*Paxillus involutus*, V (DAVFP)  
*Phaeocollybia ammiratii*, V (DAVFP)  
*Phaeocollybia attenuata*, LC (Norvell 1998)  
*Phaeocollybia carmanahensis*, LC (Norvell  
    1998) (HOLOTYPE)  
*Phaeocollybia fallax*, LC (Norvell 1998)  
*Phaeocollybia kauffmanii*, V (DAVFP)  
*Phaeocollybia oregonensis*, LC (Norvell  
    1998)  
*Phaeocollybia piceae*, LC (Norvell 1998)  
*Phaeocollybia pseudofestiva*, LC (Norvell  
    1998)  
*Phaeocollybia redheadii*, LC (Norvell 1998)  
*Phaeocollybia similis*, LC (Norvell 1998)  
*Phaeolepiota aurea*, V (DAVFP)  
*Pholiota acercola*, V (DAVFP)  
*Pholiota malicola*, V (DAVFP)  
*Pholiota terrestris*, UR  
*Pholiota* sp., V (DAVFP)  
*Phylloporus rhodoxanthus*, V (DAVFP)  
*Pleurocybella porrigens*, V (DAVFP)  
*Pleurotus ostreatus*, V (DAVFP)

## Soil and duff

- Pluteus atricapillus*, V (DAVFP)  
*Psathyrella candolleana*, UR  
*Psathyrella crenata*, LC (Davidson 1930)  
*Psathyrella velutina*, LC (Davidson 1930 as  
*Hypholoma velutinum*)  
*Psathyrella* sp., V (DAVFP)  
*Pseudobaeospora pillodii*, LC (Redhead  
1982c)  
*Psilocybe baeocystis*, LC (Guzman et al.  
1976)  
*Psilocybe cibularia*, V (DAVFP)  
*Psilocybe cyanescens*, V (DAVFP)  
*Psilocybe pelliculosa*, LC (Guzman et al.  
1976)  
*Psilocybe semilanceata*, V (DAVFP)  
*Psilocybe strictipes*, LC (Guzman et al.  
1976)  
*Psilocybe stuntzii*, V (DAVFP)  
*Psilocybe subviscida*, LC (Davidson 1930)  
*Pulveroboletus retipes*, UR  
*Rozites caperata*, V (DAVFP)  
*Russula aeruginea*, UR  
*Russula alutacea*, V (DAVFP)  
*Russula claroflava*, V (DAVFP)  
*Russula decolorans*, V (DAVFP)  
*Russula delica*, V (DAVFP)  
*Russula densifolia*, V (DAVFP)  
*Russula emetica*, V (DAVFP)  
*Russula foetens*, V (DAVFP)  
*Russula fragilis*, V (DAVFP)  
*Russula furcata*, UR  
*Russula laurocerasi*, V (DAVFP)  
*Russula lutea*, V (DAVFP)  
*Russula occidentalis*, V (DAVFP)  
*Russula pectinata*, V (DAVFP)  
*Russula placita*, V (DAVFP)  
*Russula vетernosa*, LC (Davidson 1930)  
*Russula virescens*, V (DAVFP)  
*Russula xerampelina*, V (DAVFP)  
*Russula* sp., V (DAVFP)  
*Stropharia aeruginosa*, UR  
*Stropharia albonitens*, LC (Davidson 1930)  
*Stropharia ambigua*, V (DAVFP)  
*Stropharia hornemannii*, V (DAVFP)  
*Stropharia pseudocyanea*, LC (Redhead  
1984a on wet rotting vegetation)  
*Stropharia rugosoannulata*, V (DAVFP)  
*Stropharia stercoraria*, LC (Davidson 1930  
on manure heap)  
*Suillus albipes*, LC (Pantidou and Groves  
1966)  
*Suillus brevipes*, LC (Pantidou and Groves  
1966)  
*Suillus caerulescens*, V (DAVFP)  
*Suillus granulatus*, V (DAVFP)  
*Suillus grevillei*, V (DAVFP)  
*Suillus lakei*, V (DAVFP)  
*Suillus placidus*, LC (Pantidou and Groves  
1966)  
*Suillus punctipes*, UR  
*Suillus subaureus*, V (DAVFP)  
*Suillus tomentosus*, V (DAVFP)  
*Suillus umbonatus*, LC (Pantidou and  
Groves 1966)  
*Suillus* sp., V (DAVFP)  
*Tricholoma apium*, V (DAVFP, DAOM, UBC)  
*Tricholoma aurantium*, V (DAVFP)  
*Tricholoma flavobrunneum*, V (DAVFP)  
*Tricholoma pardinum*, V (DAVFP)  
*Tricholoma pessundatum*, V (DAVFP)
- Tricholoma platyphyllum*, V (DAVFP)  
*Tricholoma populinum*, V (DAVFP)  
*Tricholoma sulphurescens*, V (DAVFP)  
*Tricholoma terreum*, UR  
*Tricholoma vaccinum*, V (DAVFP)  
*Tricholoma zelleri*, V (DAVFP)  
*Volvariella speciosa* var. *speciosa*, LC  
(Shaffer 1957)  
*Volvariella* sp., V (DAVFP)  
*Xerocomus oregonensis*, V (DAVFP) -  
nomen nudum  
*Xerocomus subtomentosus*, V (DAVFP)  
*Xerula radicata*, UR
- Aphyllophorales**
- Abortiporus biennis*, LC (Lowe and  
Gilbertson 1961)  
*Albatrellus flettii*, V (DAVFP)  
*Albatrellus ovinus*, V (DAVFP)  
*Auriscalpium vulgare*, V (DAVFP)  
*Bondarzewia berkeleyi*, V (DAVFP)  
*Bondarzewia montana*, V (DAVFP)  
*Clavaria formosa*, UR  
*Clavaria fusiformis*, V (DAVFP)  
*Clavaria purpurea*, V (DAVFP)  
*Clavaria vermicularis* var. *sphaerospora*, V  
(DAVFP)  
*Clavariadelphus ligulus*, V (DAVFP)  
*Clavariadelphus sachalinensis*, V (DAVFP)  
*Clavariadelphus subfastigiatus*, V (DAVFP)  
*Clavariadelphus truncatus*, V (DAVFP)  
*Clavariadelphus truncatus* var. *truncatus*, V  
(DAVFP)  
*Clavariella* sp., V (DAVFP)  
*Clavulinina cinerea*, V (DAVFP)  
*Clavulinina cristata*, V (DAVFP)  
*Clavulinina* sp., UR  
*Clavulinopsis aurantio-cinnabarinus*, V  
(DAVFP)  
*Cotylidia diaphana*, V (DAVFP)  
*Craterellus pistillaris*, V (DAVFP)  
*Dentinum repandum*, V (DAVFP)  
*Dentinum repandum* var. *album*, V (DAVFP)  
*Dentinum repandum* var. *repandum*, V  
(DAVFP)  
*Dentinum umbilicatum*, V (DAVFP)  
*Ganoderma oregonense*, V (DAVFP)  
*Gloeoporus dichrous*, UR  
*Hydnellum aurantiacum*, V (DAVFP)  
*Hydnellum caeruleum*, V (DAVFP)  
*Hydnellum peckii*, V (DAVFP)  
*Hydnellum pineticola*, V (DAVFP)  
*Hydnellum scrobiculatum* var. *scrobiculatum*,  
V (DAVFP)  
*Hydnellum scrobiculatum* var. *zonatum*, V  
(DAVFP)  
*Hydnellum suaveolens*, V (DAVFP)  
*Hydnum calvatum*, V (DAVFP)  
*Hydnum fuscoindicum*, V (DAVFP)  
*Hydnum scabrosum*, V (DAOM)  
*Hydnum stereosarcinon*, V (DAVFP)  
*Inonotus circinatus*, V (DAVFP)  
*Inonotus tomentosus*, V (DAVFP)  
*Jahnoporus hirtus*, V (DAVFP)  
*Laetisaria fuciformis*, LC (Toms 1964)  
*Leucogyrophana pulverulenta*, V (DAOM)  
*Osteina obducta*, V (DAVFP)  
*Phaeolus schweinitzii*, V (DAVFP)  
*Phellodon atratus*, V (DAVFP)  
*Phellodon melaleucus*, V (DAVFP)

- Phellodon tomentosus*, V (DAVFP)  
*Phlebia tremellosus*, V (DAVFP)  
*Polyozellus multiplex*, V (DAVFP)  
*Polyporus badius*, V (DAVFP)  
*Polyporus cinnamomeus*, UR  
*Polyporus confluens*, V (DAVFP)  
*Polyporus cristatus*, V (DAVFP)  
*Polyporus ellisii*, V (DAVFP)  
*Polyporus leucomelas*, V (DAVFP)  
*Polyporus melanopus*, V (DAVFP)  
*Polyporus perennis*, V (DAVFP)  
*Polyporus sylvestris*, LC (Overholts 1941  
 (TYPE))  
*Polyporus tuberaster*, V (DAVFP)  
*Postia floriformis*, V (DAVFP)  
*Pterula* sp., V (DAVFP)  
*Pycnoporellus alboluteus*, V (DAVFP)  
*Ramaria botrytis*, V (DAVFP)  
*Ramaria cystidiophora*, V (DAVFP)  
*Ramaria flava*, V (DAVFP)  
*Ramaria flavo-brunneascens*, V (DAVFP)  
*Ramaria rasilispora*, V (DAVFP)  
*Ramaria sarandacina*, V (DAVFP)  
*Ramariopsis fusiformis*, V (DAVFP)  
*Sarcodon fuscoindicum*, V (DAVFP)  
*Sarcodon imbricatus*, V (DAVFP)  
*Sparassis crispa*, V (DAVFP)  
*Thelephora caryophyllea*, V (DAVFP)  
*Thelephora regularis* var. *multipartita*, V  
 (DAVFP)  
*Thelephora terrestris*, V (DAVFP)  
*Tomentellina fibrosa*, LC (Larsen 1965 as  
*Hypchnus canadensis*)
- Uredinales**
- Puccinia brachypodii* var. *poae-nemoralis*,  
 LC (Toms 1964)  
*Puccinia graminis*, LC (Toms 1964)
- Others**
- Astraeus hygrometricus*, V (DAVFP)  
*Battarrea phalloides*, V (DAVFP)  
*Bovista pila*, V (DAVFP)  
*Calbovista subsculpta*, V (DAVFP)  
*Calvatia elata*, UR  
*Calvatia gigantea*, V (DAVFP)  
*Calvatia lepidophorum*, V (DAVFP)  
*Clathrus ruber*, UR  
*Crucibulum* sp., V (DAVFP)  
*Cyathus striatus*, UR  
*Gastrum minus*, V (DAVFP)  
*Gastrum tripes*, V (DAVFP)  
*Hymenogaster* sp., V (DAVFP)  
*Hysterangium* sp., V (DAVFP)  
*Lycoperdon curtisi*, V (DAVFP)  
*Lycoperdon perlatum* var. *perlatum*, V  
 (DAVFP)  
*Lycoperdon pyriforme*, V (DAVFP)  
*Lycoperdon subincarnatum*, V (DAVFP)  
*Lysurus gardneri*, V (DAVFP)  
*Mycenastrum corium*, V (DAVFP)  
*Phallogaster saccatus*, LC (Bowerman and  
 Groves 1962)  
*Phlogiotis helvelloides*, V (DAVFP)  
*Pisolithus tinctorius*, V (DAVFP)  
*Pseudohydnum gelatinosum*, V (DAVFP)  
*Rhizopogon canadensis*, LC (Harrison and  
 Smith 1968) (TYPE)  
*Rhizopogon cinnamomeus*, LC (Harrison and  
 Smith 1968) (TYPE)
- Rhizopogon columbianus*, LC (Harrison and  
 Smith 1968) (TYPE)  
*Rhizopogon defectus*, LC (Harrison and  
 Smith 1968)  
*Rhizopogon diabolicus*, LC (Harrison and  
 Smith 1968)  
*Rhizopogon evadens*, LC (Harrison and  
 Smith 1968)  
*Rhizopogon florencianus*, LC (Harrison and  
 Smith 1968)  
*Rhizopogon hawkerae*, LC (Harrison and  
 Smith 1968)  
*Rhizopogon idahoensis*, LC (Harrison and  
 Smith 1968)  
*Rhizopogon molallaensis*, LC (Harrison and  
 Smith 1968)  
*Rhizopogon ochraceorubens*, V (DAVFP)  
*Rhizopogon olivaceofuscus*, LC (Harrison  
 and Smith 1968)  
*Rhizopogon pseudoroseolus*, LC (Harrison  
 and Smith 1968)  
*Rhizopogon roseolus*, LC (Harrison and  
 Smith 1968)  
*Rhizopogon rubescens* var. *ochraceus*, LC  
 (Harrison and Smith 1968)  
*Rhizopogon rubescens* var. *rileyi*, LC  
 (Harrison and Smith 1968)  
*Rhizopogon rubescens* var. *rubescens*, LC  
 (Harrison and Smith 1968)  
*Rhizopogon subcaeruleascens* var.  
*subcaeruleascens*, LC (Harrison and Smith  
 1968)  
*Rhizopogon subcaeruleascens* var.  
*subpannosus*, LC (Harrison and Smith  
 1968)  
*Rhizopogon subsalmonius* var.  
*subsالmonius*, LC (Harrison and Smith  
 1968)  
*Rhizopogon vinicolor*, LC (Harrison and  
 Smith 1968)  
*Rhizopogon* sp., V (DAVFP)  
*Scleroderma aurantium*, V (DAVFP)  
*Scleroderma cepa*, V (DAVFP)  
*Scleroderma flavidum*, V (DAOM)  
*Scleroderma lycoperdoides*, V (DAVFP)  
*Scleroderma polyrhizum*, V (DAVFP)  
*Simblum sphaerocephalum*, V (DAVFP)  
*Thanatephorus cucumeris*, LC (Toms 1964)  
*Truncocolumella citrina*, V (DAVFP)  
*Truncocolumella citrina* var. *citrina*, V  
 (DAVFP)  
*Truncocolumella rubra*, V (DAVFP)  
*Tulostoma* sp., V (DAVFP)  
*Tulostoma campestre*, V (DAVFP)  
*Tulostoma tuberculatum*, LC (Long 1946)  
 (TYPE)
- Chytridiomycota**
- Chytridium citriforme*, LC (Booth 1969)  
*Chytromyces hyalinus*, LC (Booth 1969)  
*Chytromyces poculatus*, LC (Booth 1969)  
*Olpidium longicollum*, LC (Booth 1969)  
*Phlyctochytrium palustre*, LC (Booth 1969)  
*Phlyctochytrium reinboldiae*, LC (Booth  
 1969)  
*Phlyctochytrium semiglobiferum*, LC (Booth  
 1969)  
*Rhizophlyctis harderii*, LC (Booth 1969)  
*Rhizophlyctis rosea*, LC (Booth 1969)  
*Rhizophyllum angulosum*, LC (Booth 1969)

## *Soil and duff*

- Rhizophydiumpchytiomycetis*, LC (Booth 1969)  
*Rhizophydiumpollinis-pini*, LC (Booth 1969)  
*Rhizophydiumracemosum*, LC (Booth 1969)  
*Rhizophydiumpphaerotheca*, LC (Booth 1969)  
*Rhizophydiumptriculare*, LC (Booth 1969)  
*Schizochytriumaggregatum*, LC (Booth 1969)
- Deuteromycotina**  
**Ceolomycetes**  
*Colletotrichumgraminicola*, LC (Toms 1964)
- Hypomycetes**  
*Aspergillusrepens*, V (DAVFP) – Dried culture only.  
*Botrytiscinerea*, LC (Egger and Paden 1986b)  
*Costantinellaterrestris*, LC (Utkhede and Li 1988)  
*Diheterosporachlamydosporia*, LC (Barron and Onions 1966)  
*Fusariumacuminatum*, LC (Gordon 1956)  
*Fusariumculmorum*, LC (Gordon 1956)  
*Fusariumequiseti*, LC (Gordon 1956)  
*Fusariumredolens*, LC (Gordon 1956)  
*Fusariumsambucinum* var. *caeruleum*, LC (Gordon 1956)  
*Fusariumsolani*, LC (Gordon 1956)  
*Fusarium* sp., V (DAVFP)  
*Gonytrichum* sp., V (DAVFP)  
*Helicoon* sp., V (DAVFP)  
*Helicosporium* sp., V (DAVFP)  
*Microdochiumnivale*, LC (Toms 1964)  
*Mycogonecinerea*, V (DAVFP)  
*Paecilomycesinflatus*, LC (Bissett 1979c)  
*Penicilliumjanthinellum*, LC (Utkhede and Li 1988)  
*Thielaviopsisbasicola*, LC (Punja et al. 1992 as *Chalaraelegans*)  
*Trichodermahamatum*, LC (Bissett 1991)  
*Trichodermaharzianum*, LC (Bissett 1991)  
*Trichodermapolysporum*, LC (Bissett 1991)  
*Trichoderma* sp., LC (Utkhede and Li 1988)
- Zygomycotina**  
*Acaulosporalaevis*, LC (Molina et al. 1978)  
*Acaulosporascrobiculata*, LC (Molina et al. 1978)  
*Endogonepisiformis*, LC (Gerdemann and Trappe 1974)  
*Glomusconvolutus*, V (DAVFP)  
*Glomusfasciculatus*, LC (Molina et al. 1978)  
*Glomusfasciculatus*, LC (Gerdemann and Trappe 1974)  
*Glomusmacrocarpus* var. *geosporus*, LC (Molina et al. 1978)  
*Glomusmacrocarpus* var. *macrocarpus*, LC (Gerdemann and Trappe 1974; Molina et al., 1978)  
*Glomusmicrocarpus*, LC (Molina et al. 1978)  
*Glomustenuis*, LC (Molina et al. 1978)  
*Mucorpiriformis*, LC (Sholberg and Owen 1986)  
*Mucor* sp., LC (Sholberg and Owen 1986)
- Chromista**  
**Oomycota**  
*Phytophthora cactorum*, LC (McIntosh 1964)
- Phytophthora cambivora*, LC (McIntosh 1964)  
*Phytophthora cryptogea*, LC (McIntosh 1964)  
*Phytophthora drechsleri*, LC (McIntosh 1964)  
*Phytophthora megasperma* f. sp. *glycinea*, LC (McIntosh 1964 as *Phytophthora megasperma* var. *sojae*)  
*Pythium* sp., LC (Toms 1964)
- Protozoa**  
**Myxomycota**  
*Fuligo septica*, V (DAVFP)  
*Physarum cinereum*, LC (Toms 1964)  
*Thraustochytrium pachydermum*, LC (Booth 1969)  
*Thraustochytrium proliferum*, LC (Booth 1969)  
*Thraustochytrium roseum*, LC (Booth 1969)  
*Tubifera ferruginosa*, V (DAVFP)

## Other Substrates

### **Blue jeans**

**Fungi**  
**Basidiomycotina**  
**Agaricales**  
*Melanotus textilis*, V (DAVFP)

### **Cardboard**

**Fungi**  
**Ascomycotina**  
*Chaetomium globosum*, LC (Barr 1953 as  
*Chaetomium cochlioides* on cardboard and  
paper towel)  
*Coniochaeta leucoplaca*, LC (Barr 1953)

### **Carpet**

**Fungi**  
**Basidiomycotina**  
**Agaricales**  
*Melanotus textilis*, V (DAVFP) - On rotting  
carpet, woolen carpet

### **Compost**

**Fungi**  
**Basidiomycotina**  
**Agaricales**  
*Volvariella volvacea*, V (DAVFP)  
  
**Others**  
*Lysurus gardneri*, V (DAVFP)

### **Conch shell**

**Fungi**  
**Ascomycotina**  
*Plunkettomyces littoralis*, LC (Orr 1977)  
(TYPE)

### **Concrete floor with hair-line crack**

**Fungi**  
**Ascomycotina**  
*Peziza* sp., V (DAVFP)

### **Decaying floor boards**

**Fungi**  
**Basidiomycotina**  
**Agaricales**  
*Melanotus textilis*, LC (Redhead and Kroeger  
1984)

### **Dung**

**Fungi**  
**Ascomycotina**  
*Podospora curvula*, LC (Mirza and Cain  
1969)  
*Sporormia fimetaria*, LC (Ahmed and Cain  
1972)  
*Sporormiella cylindrospora*, LC (Ahmed and  
Cain 1972)  
*Sporormiella intermedia*, LC (Ahmed and  
Cain 1972)  
*Sporormiella vexans*, LC (Ahmed and Cain  
1972)

### **Basidiomycotina**

**Agaricales**  
*Panaeolus campanulatus*, UR

### **Dung, cow**

**Fungi**  
**Ascomycotina**  
*Cheilymenia stercorea*, LC (Denison 1964)  
*Hypocopra gigaspora*, LC (Barr 1953)

### **Basidiomycotina**

**Others**  
*Crucibulum* sp., V (DAVFP)

### **Dung, deer**

**Fungi**  
**Ascomycotina**  
*Arnium ovale*, LC (Cain and Mirza 1972)  
*Ascobolus sacchariferus*, LC (Paden and  
Linton 1976)  
*Thelebolus stercoreus*, LC (Kimbrough 1966)  
*Thelebolus zukalii*, LC (Kimbrough 1966)

### **Dung, horse**

**Fungi**  
**Ascomycotina**  
*Coniochaeta leucoplaca*, LC (Barr 1953)  
*Sordaria fimicola*, LC (Barr 1953)

### **Basidiomycotina**

**Agaricales**  
*Pholiota* sp., V (DAVFP)

### **Dung, moose**

**Fungi**  
**Ascomycotina**  
*Coprotus luteus*, LC (Kimbrough et al. 1972)

### **Basidiomycotina**

**Agaricales**  
*Panaeolus alcidis*, V (DAVFP)

### **Deuteromycotina**

**Hyphomycetes**  
*Trichoderma polysporum*, LC (Bissett 1991)

### **Dung, wapiti**

**Fungi**  
**Ascomycotina**  
*Hypocopra festucacea*, LC (Krug and Cain  
1974)

### **Gyproc board**

**Fungi**  
**Ascomycotina**  
*Morchella angusticeps*, V (DAVFP)

### **Hoof or horn**

**Fungi**  
**Ascomycotina**  
*Orygina equina*, V (DAVFP)

## Other substrates

### Jute-like fabric on discarded chair

Fungi  
Basidiomycotina  
Agaricales  
*Melanotus textilis*, LC (Redhead and Kroeger 1984)

### Old burlap

Fungi  
Basidiomycotina  
Others  
*Helicogloea lagerheimii*, V (UBC F5389)

### Pollen in soil

Fungi  
Chytridiomycota  
*Olpidium pendulum*, LC (Booth 1969)

### Sawdust

Fungi  
Basidiomycotina  
Others  
*Lysurus gardneri*, V (DAVFP)

### Snail shell

Fungi  
Ascomycotina  
*Plunkettomyces littoralis*, LC (Orr 1977)

### Unknown/Not Specified

Fungi  
Ascomycotina  
*Duplicaria acuminata*, LC (Powell 1973 on  
Juncus and/or Carex sp.)  
*Phaeosphaeria fuckelii*, LC (Shoemaker and  
Babcock 1989)  
*Podospora vesticola*, LC (Mirza and Cain  
1969)

Basidiomycotina  
Agaricales  
*Lentinellus micheneri*, LC (Miller and Stewart  
1971 as *Lentinellus omphalodes* on woody  
debris and/or soil)

Aphylophorales  
*Coriolopsis gallica*, V (DAVFP) - On ?*Tsuga*  
*heterophylla*  
*Gloeophyllum trabeum*, LC (Ginns and  
Macrae 1971)  
*Schizopora paradoxa*, LC (Hallenberg 1983)

Chytridiomycota  
*Olpidium brassicae*, LC (Barr 1980)

### Wood chips

Fungi  
Basidiomycotina  
Agaricales  
*Stropharia aurantiaca*, V (DAVFP)

### Wood chips and horse manure

Fungi  
Basidiomycotina  
Others  
*Lysurus gardneri*, V (DAVFP)

### Wood mulch

Fungi  
Basidiomycotina  
Agaricales  
*Pholiota* sp., V (DAVFP)

### Woolen socks

Fungi  
Basidiomycotina  
Agaricales  
*Melanotus textilis*, V (DAVFP)

## **Organism/Substrate Index**



## Fungi (Ascomycotina, Basidiomycotina, Chytridiomycota Deuteromycotina, and Zygomycotina)

### ***Abortiporus biennis* (Bull.:Fr.) Singer**

(=*Polyporus biennis*)

Angiosperms, Wood, LC (Lowe and Gilbertson 1961)  
Soil and Duff, LC (Lowe and Gilbertson 1961)

### ***Absidia psychrophilia* Hesseltine & Ellis**

Beetle, ambrosia, LC (Hesseltine and Ellis 1964)  
(TYPE)

### ***Acanthonitschkea coloradensis* Cash &**

Davidson see *Niesslia coloradensis*

### ***Acanthophysium cerussatum* (Bres.)**

Boidin in Boidin et al. (=*Aleurodiscus cerussatus*)

*Amelanchier alnifolia*, V (DAVFP)

### ***Acanthophysium lividocaeruleum* (P.**

Karst.) Boidin in Boidin et al. (=*Aleurodiscus lividocaeruleus*)

*Picea* sp., LC (Ginns 1986a)  
*Pseudotsuga menziesii*, V (DAVFP)  
*Thuja plicata*, V (DAVFP)

### ***Acanthophysium macrocystidiatum* (P.A.**

Lemke) Boidin in Boidin et al.

(= *Aleurodiscus macrocystidiatus*)

*Arbutus menziesii*, V (DAVFP) (TYPE)

### ***Acanthophysium spiniger* (D.P. Rogers &**

P.A. Lemke) Parmasto (= *Aleurodiscus spiniger*)

*Larix occidentalis*, LC (Ginns 1986a)  
*Pseudotsuga menziesii*, V (DAVFP)  
*Tsuga heterophylla*, V (DAVFP)

### ***Acanthophysium weiri* (Burt) Parmasto**

(= *Aleurodiscus weiri*)

*Abies amabilis*, V (DAOM 142562)  
*Abies grandis*, LC (Connors 1967)  
*Chamaecyparis nootkatensis*, V (DAOM 142561)  
*Pseudotsuga menziesii*, V (DAVFP)  
*Tsuga heterophylla*, V (DAVFP)  
*Tsuga mertensiana*, V (DAOM 142560, 142559)

### ***Acanthorhynchus vaccinii* Shear**

see *Physalospora vaccinii*

### ***Acaulospora laevis* Gerd. & Trappe**

*Festuca viridula*, LC (Molina et al. 1978)  
Soil and Duff, LC (Molina et al. 1978)

### ***Acaulospora scrobiculata* Trappe**

*Festuca viridula*, LC (Molina et al. 1978)  
Soil and Duff, LC (Molina et al. 1978)

### ***Acaulospora* sp.**

*Triticum aestivum*, LC (Cade-Menun et al. 1991)

### ***Acremonium strictum* W. Gams**

(= *Cephalosporium acremonium*)  
*Zea mays*, LC (Connors 1967)

### ***Acremonium tsugae* W. Gams**

*Tsuga heterophylla*, V (DAVFP)

### ***Acremonium* sp.**

*Cronartium ribicola* on *Pinus monticola*, V  
(DAVFP)  
*Epilobium angustifolium*, UR  
*Picea sitchensis*, V (DAVFP)

### ***Acrodictys* sp.**

*Pinus contorta* var. *latifolia*, V (DAVFP)

### ***Acrospermum compressum* Tode:Fr.**

*Draba paysonii*, LC (Barr 1953)

### ***Acrospermum cuneolum* Dearn. & House**

*Salix* sp., V (DAVFP)

### ***Acrospermum graminum* Lib.**

Angiosperms, Grasses, V (DAVFP)

### ***Acrotheca* sp.**

*Salix* sp., V (DAVFP)

### ***Actidium nitidum* (Cooke & Ellis) Zogg**

*Juniperus* sp., V (DAVFP)

### ***Actidium pulchra* (Teng) Zogg**

*Tsuga heterophylla*, V (DAVFP)

### ***Adelopus gaeumannii* Rohde**

see *Phaeocryptopus gaeumannii*

### ***Aecidium columbiense* Ellis & Everh.**

*Hieracium albertinum*, LC (Shaw 1973)  
*Hieracium albiflorum*, V (DAVFP)

### ***Aecidium graebnerianum* P. Henn.**

see *Puccinia praegracilis* (teleomorph)

### ***Aecidium* sp.**

*Caltha leptosepala*, V (DAVFP)  
*Lilium columbianum*, V (DAVFP)

### ***Aegerita fungicola* (Zeller) Hennebert**

*Botryosphaeria tsugae* on *Tsuga heterophylla*, V  
(DAVFP)

?*Myxosporium* sp. on *Tsuga heterophylla*, V  
(DAVFP)

?*Pyrenomyces* on *Tsuga heterophylla*, V (DAVFP)

**Aegerita sp.**

*Populus trichocarpa*, V (DAVFP)

**Agaricus arvensis** Schaeff.:Fr.

Soil and Duff, V (DAVFP)

**Agaricus augustus** Fr.

Soil and Duff, V (DAVFP)

**Agaricus bisporus** (Lange) Imbach

Soil and Duff, V (DAVFP)

**Agaricus haemorrhoidarius** Schulz.

Soil and Duff, LC (Davidson 1930 as *Psalliota haemorrhodaria*)

**Agaricus hillii** Murr.

Soil and Duff, LC (Murrill 1912b among moss and humus; Hotson and Stuntz 1938) (TYPE)

**Agaricus hondensis** Murr.

Soil and Duff, V (DAVFP)

**Agaricus perrarus** Schulz.

Soil and Duff, V (DAVFP)

**Agaricus placomyces** Peck

Soil and Duff, V (DAVFP)

**Agaricus semotus** Fr.

Soil and Duff, V (DAVFP)

**Agaricus silvaticus** Schaeff.:Secr.

Soil and Duff, V (DAVFP)

**Agaricus silvicola** (Vitt.) Peck

Soil and Duff, UR

**Agaricus subrufescens** Peck

Soil and Duff, V (DAVFP)

**Agaricus xanthodermus** Gen.

Soil and Duff, V (DAVFP)

**Agrocybe arvalis** (Fr.) Singer

Soil and Duff, V (DAVFP)

**Agrocybe dura** (Bolten:Fr.) Singer see

*Agrocybe molesta*

**Agrocybe erebia** (Fr.) Kühner

Soil and Duff, V (DAVFP)

**Agrocybe molesta** (Lasch) Singer

(= *Agrocybe dura*)

Soil and Duff, V (DAVFP)

**Agrocybe praecox** Fr.

Soil and Duff, V (DAVFP)

**Aithalomyces alaskensis** (Sacc. & Scalia)

Barr see *Euantennaria alaskensis*

**Albatrellus flettii** (Morse) Pouzar

Soil and Duff, V (DAVFP)

**Albatrellus ovinus** (Fr.) Kotlaba & Pouzar

(= *Polyporus ovinus*)

Soil and Duff, V (DAVFP)

**Alboleptonia sericella** (Fr.) Largent & Benedict

Soil and Duff, V (DAVFP)

**Aleuria aurantia** (Pers.) Fuckel

Soil and Duff, V (DAVFP)

**Aleurocorticium candidum** (Schw.) P.A.

Lemke see *Dendrothele candida*

**Aleurocorticium incrustans** P.A. Lemke

see *Dendrothele incrustans*

**Aleurocystidiellum subcruentatum** (Berk.

& Curt.) P.A. Lemke (= *Aleurodiscus subcruentatus*)

*Abies grandis*, V (DAVFP)

*Picea glauca*, V (DAVFP)

*Picea sitchensis*, V (DAVFP)

*Pseudotsuga menziesii*, LC (Shaw 1973)

**Aleurodiscus abietis** Jacks. & P.A. Lemke

*Abies grandis*, V (DAVFP)

**Aleurodiscus amorphus** (Purt.) J. Schröt.

*Abies amabilis*, V (DAVFP)

*Abies concolor*, V (DAVFP)

*Abies grandis*, V (DAVFP)

*Abies lasiocarpa*, V (DAVFP)

*Abies pinsapo*, V (DAVFP)

*Pseudotsuga menziesii*, LC (Ginns 1986a)

**Aleurodiscus amylaceus** (Bourd. & Galzin)

D.P. Rogers & Jacks. see *Corticium amylaceum*

**Aleurodiscus aurantius** (Pers.:Fr.) J.

Schröt.

*Vaccinium* sp., LC (Ginns 1986a)

**Aleurodiscus cerussatus** (Bres.) Höhn. &

Litsch. see *Acanthophysium cerussatum*

**Aleurodiscus farlowii** Burt

*Pseudotsuga menziesii*, V (DAVFP)

**Aleurodiscus grantii** Lloyd

*Abies amabilis*, V (DAVFP)

*Abies grandis*, V (DAVFP)

*Abies lasiocarpa*, V (DAVFP)

*Abies pinsapo*, V (DAVFP)

*Abies* sp., V (DAVFP)

*Tsuga mertensiana*, LC (Ginns 1982b)

**Aleurodiscus lividocaeruleus** (P. Karst.)

P.A. Lemke see *Acanthophysium  
lividocaeruleum*

**Aleurodiscus macrocystidiatus** P.A.

Lemke see *Acanthophysium  
macrocystidiatum*

**Aleurodiscus occidentalis** Ginns

*Thuja plicata*, LC (Ginns 1990)

**Aleurodiscus penicillatus** Burt

*Picea sitchensis*, V (DAVFP)  
*Pinus contorta* var. *latifolia*, V (DAVFP)  
*Pinus monticola*, V (DAVFP)  
*Pinus ponderosa*, V (DAVFP)  
*Pinus sylvestris*, V (DAVFP)  
*Pseudotsuga menziesii*, V (DAVFP)  
*Thuja plicata*, V (DAVFP)  
*Tsuga heterophylla*, V (DAVFP)  
*Tsuga mertensiana*, V (DAVFP)

**Aleurodiscus spiniger** D.P. Rogers & P.A.

Lemke see *Acanthophysium spiniger*

**Aleurodiscus subcruentatus** (Berk. &

Curt.) Burt see *Aleurocystidiellum  
subcruentatum*

**Aleurodiscus tsugae** Yasuda in Lloyd

*Thuja plicata*, V (DAVFP)

**Aleurodiscus weiri** Burt see

*Acanthophysium weiri*

**Alpakesa yuccifolia** (J.G. Hall)

Subramanian & Ramakrishnan  
(=Neottiospora yuccifolia)

*Yucca smalliana*, LC (Shaw 1973)

**Alternaria alternata** (Fr.) Keissler

(=Alternaria tenuis)

*Arbutus menziesii*, LC (Anastasiou and  
Churchland 1969)  
*Cucurbita pepo*, LC (Connors 1967)  
*Cytisus scoparius*, LC (Punja and Ormrod 1979)  
*Euphorbia peplus*, LC (Jones 1957)  
*Populus trichocarpa*, UR  
*Prunus laurocerasus*, LC (Anastasiou and  
Churchland 1969)  
*Raphanus sativus*, LC (Connors 1967)  
*Salvia officinalis*, LC (Connors 1967)  
*Satureja hortensis*, LC (Connors 1967)  
*Triticum aestivum*, LC (Connors 1967)  
*Vicia faba*, LC (Connors 1967)

**Alternaria brassicae** (Berk.) Sacc.

*Raphanus sativus*, LC (Connors 1967)

**Alternaria cichorii** Nattrass

*Acroptilon repens*, LC (Mortensen and Molloy  
1989)

*Centaurea repens*, LC (Mortensen and Molloy  
1989)

**Alternaria maritima** G.K. Sutherland

*Pseudotsuga menziesii*, LC (Hughes 1969)  
*Thuja plicata*, LC (Hughes 1969)

**Alternaria radicina** Meier, Drechs., & E.D.

Eddy (=Stemphylium radicum)  
*Cucurbita pepo*, LC (Connors 1967)

**Alternaria raphani** Groves & Skolko

*Raphanus sativus*, LC (Ginns 1986a)

**Alternaria solani** (Ellis & G. Martin) Sorok.

*Solanum tuberosum*, LC (Jones 1957)

**Alternaria sonchi** J.J. Davis

*Sonchus oleraceus*, LC (Ginns 1986a)

**Alternaria tenuis** Nees see *Alternaria  
alternata***Alternaria zinniae** Pape

*Zinnia elegans*, LC (Ginns 1986a)

**Alternaria sp.**

*Alnus sinuata*, V (DAVFP)  
*Cucurbita maxima*, LC (Ginns 1986a)  
*Juniperus chinensis*, V (DAVFP)  
*Picea engelmannii*, LC (Mitchell 1986)  
*Picea glauca*, LC (Shaw 1973)  
*Pseudotsuga menziesii*, LC (Shaw 1973)  
*Rubus parviflorus*, V (DAVFP)

**Amanita gemmata** (Fr.) Bertillon in

Dechambre

Soil and Duff, LC (Jenkins 1977)

**Amanita muscaria** Fr.

Soil and Duff, V (DAVFP)

**Amanita muscaria var. muscaria** (L.:Fr.)

Pers.

Soil and Duff, LC (Jenkins 1977)

**Amanita pachycolea** D.E. Stuntz

Soil and Duff, V (DAVFP)

**Amanita pantherina** (DC.:Fr.) Secr.

Soil and Duff, V (DAVFP)

**Amanita pantherina** (DC.:Fr.) Secr. var.  
*pantherina*

Soil and Duff, LC (Jenkins 1977)

**Amanita phalloides** (Fr.) Link in Widenow

Soil and Duff, V (DAVFP)

**Amanita porphyria** (Fr.) Secr.

Soil and Duff, V (DAVFP)

**Amanita rubescens** (Pers.:Fr.) Gray

Soil and Duff, V (DAVFP)

**Amanita silvicola** Kauffmann  
Soil and Duff, V (DAVFP)

**Amanita smithiana** Bas  
Soil and Duff, V (DAVFP)

**Amanita solitaria** (Bull.:Fr.) P. Kumm.  
Soil and Duff, V (DAVFP)

**Amanitopsis vaginatus** (Bull.:Fr.) P. Karst.  
Soil and Duff, V (DAVFP)

**Ambrosiella brunnea** (Verrall) Batra  
(=*Monilia brunnea*)  
Beetle, ambrosia (*Monarthrum scutellare* Le Conte), UR – Cultured then discarded.

**Ambrosiella ferruginea** (Mathiesen-Kaarik)  
Batra (=*Monilia ferruginea*)  
Beetle, ambrosia (*Trypodendron lineatum* Oliv.), V (DAVFP) - Dried culture only.

**Ambrosiella sulcati** Funk  
Beetle, ambrosia (*Gnathotrichus sulcatus*) on *Pseudotsuga menziesii*, V (DAVFP) (TYPE) – Dried culture only.

**Amerosporium trichellum** (Fr.) Lind see *Colletotrichum trichellum*

**Amorphotheca resinae** Parberry  
(=*Cladosporium resinae* - anamorph)  
*Picea sitchensis*, V (DAVFP)  
*Pinus contorta* var. *latifolia*, UR  
*Tsuga heterophylla*, V (DAVFP)

**Ampelomyces** sp.  
*Sphaerotheca macularis* on *Rubus parviflorus*, V (DAVFP)

**Amphicytostroma** sp.  
*Pseudotsuga menziesii*, V (DAVFP)

**Amphinema byssoides** (Pers.:Fr.) J. Eriksson (=*Peniophora byssoides*)  
*Abies lasiocarpa*, V (DAVFP)  
*Picea engelmannii*, LC (Ginns 1986a)  
*Picea glauca*, V (DAVFP)  
*Populus trichocarpa*, UR  
*Thuja plicata*, V (DAVFP)

**Amphisphaerella amphisphaeroides**  
(Sacc. & Speg.) Kirschstein  
*Populus tremuloides*, V (DAVFP)  
*Populus trichocarpa*, V (DAVFP)

**Amylocarpus encephaloides** Currey  
Unidentified wood, LC (Hughes 1969)

**Amylocorticum cebennense** (Bourd.) Pouzar  
Angiosperms, Wood, V (DAVFP)  
*Arbutus menziesii*, LC (Weresub 1976)  
*Pinus monticola*, V (DAVFP)

*Thuja plicata*, V (DAVFP)

**Amylocorticium subincarnatum** (Peck)  
Pouzar (=*Peniophora subincarnata*)  
*Picea glauca*, V (DAVFP)  
*Picea sitchensis*, LC (Weresub 1977)

**Amylocorticium subsulphureum** (P. Karst.) Pouzar (=*Peniophora subsulphurea*)  
Gymnosperms, Wood, LC (Slysh 1960)

**Amylocystis lapponica** (Romell) Bond. & Singer (=*Polyporus lapponicus*, *Polyporus ursinus*)  
*Picea engelmannii*, LC (Ginns 1986a as *Tyromyces lapponicus*)  
*Picea glauca*, V (DAVFP)  
*Picea sitchensis*, V (DAVFP)

**Amylostereum chailletii** (Pers.:Fr.) Boidin (=*Stereum chailletii*)  
*Abies amabilis*, V (DAVFP)  
*Abies grandis*, V (DAVFP)  
*Abies lasiocarpa*, V (DAVFP)  
*Larix occidentalis*, V (DAVFP)  
*Picea glauca*, V (DAVFP)  
*Picea sitchensis*, LC (Ginns 1986a)  
*Pinus contorta* var. *latifolia*, UR  
*Pinus monticola*, V (DAVFP)  
*Pseudotsuga menziesii*, V (DAVFP)  
*Thuja plicata*, V (DAVFP)  
*Tsuga heterophylla*, V (DAVFP)

**Anisogramma anomala** (Peck) E. Müller in E. Müller & Arx  
*Corylus* sp., LC (Buonassisi 1989)

**Anomoporia albolutescens** (Romell)  
Pouzar (=*Poria albolutescens*)  
*Abies lasiocarpa*, V (DAVFP)  
*Pseudotsuga menziesii*, LC (Connors 1967)

**Anomoporia bombycinia** (Fr.:Fr.) Pouzar (=*Poria bombycinia*)  
Gymnosperms, Wood, LC (Lombard and Gilbertson 1965)  
*Pseudotsuga menziesii*, V (DAOM 141368)

**Anomoporia myceliosa** (Peck) Pouzar (=*Poria myceliosa*)  
*Picea sitchensis*, LC (Shaw 1973)  
*Tsuga heterophylla*, V (DAVFP)

**Antennulariella alpina** (W.B. Cooke) Barr (=*Dimerium alpinum*)  
*Penstemon fruticosus*, LC (Barr 1953)

**Antennularia rhododendri** Höhn. see *Protoventuria rhododendri*

**Antennularia vancouverensis** (Dearn.) Barr (=*Protoventuria vancouverensis*)  
*Acer* sp., LC (Barr 1953)

***Antennularia variisetosa* Barr**

*Cassiope stelleriana*, LC (Shaw 1973)  
*Ledum groenlandicum*, LC (Shaw 1973)

***Anthostoma microsporum* P. Karst. var.  
*exudans* Peck**

*Alnus* sp., V (DAVFP)

***Anthostomella* sp.**

*Pinus contorta* var. *contorta*, V (DAVFP)

***Anthracobia macrocystis* (Cooke) Boud.**

Soil and Duff, LC (Egger and Paden 1986b)

***Anthracobia maurilabrum* (Cooke) Boud.**

*Pinus contorta*, LC (Egger and Paden 1986a)

***Anthracobia tristis* (Bomm., Rouss., & Sacc.) Boud.**

*Pinus contorta*, LC (Egger and Paden 1986a)

***Anthracoidea americana* (Nannf. & Lindeberg) Kukkonen**

*Carex rostrata*, LC (Shaw 1973)

***Anthracoidea aspera* (Liro) Kukkonen**

*Carex chordorrhiza*, LC (Shaw 1973)

***Anthracoidea atratae* (Savile) Kukkonen  
(=*Cintractia atratae*)**

*Carex macrochaeta*, LC (Conners 1967)  
*Carex podocarpa*, LC (Conners 1967)  
*Carex spectabilis*, LC (Ginns 1986a)

***Anthracoidea buxbaumii* Kukkonen**

*Carex buxbaumii*, LC (Conners 1967)

***Anthracoidea capillaris* Kukkonen**

*Carex capillaris*, LC (Conners 1967; Parmelee 1988)

***Anthracoidea caricis* (Pers.:Pers.) Bref.  
(=*Cintractia caricis*)**

*Carex arctata*, LC (Shaw 1973)  
*Carex canescens*, LC (Shaw 1973)  
*Carex festiva*, LC (Shaw 1973)  
*Carex festivella*, LC (Shaw 1958)  
*Carex microptera*, LC (Shaw 1973)  
*Carex pensylvanica*, LC (Shaw 1973)  
*Carex rossii*, LC (Conners 1967)  
*Carex spectabilis*, LC (Shaw 1973)

***Anthracoidea caricis-pauciflora* (Lehtola)**

Kukkonen

*Carex pauciflora*, LC (Ginns 1986a)

***Anthracoidea elynae* (Syd.) Kukkonen  
(=*Cintractia carpophila* var. *elynae*)**

*Carex praegracilis*, LC (Ginns 1986a)  
*Kobresia myosuroides*, LC (Kukkonen 1961 as  
*Cintractia elynae*)

***Anthracoidea elynae* (Syd.) Kukkonen var.  
*nardinae* Kukkonen**

*Carex nardina*, LC (Conners 1967)

***Anthracoidea fischeri* (P. Karst.) Kukkonen  
(=*Cintractia fischeri*)**

*Carex canescens*, LC (Ginns 1986a)  
*Carex chordorrhiza*, LC (Conners 1967)  
*Carex rostrata*, LC (Conners 1967)

***Anthracoidea heterospora* (Lindeberg in Nannf. & Lindeberg) Kukkonen (=*Cintractia caricis* var. *acutarum*)**

*Carex aquatilis*, LC (Conners 1967)  
*Carex sitchensis*, LC (Conners 1967)

***Anthracoidea limosa* (Syd.) Kukkonen**

*Carex limosa*, LC (Conners 1967)  
*Carex pluriflora*, LC (Conners 1967)

***Anthracoidea lindebergiae* (Kukkonen)**

Kukkonen  
*Kobresia simpliciuscula*, LC (Conners 1967)

***Anthracoidea misandrae* Kukkonen**

*Carex misandra*, LC (Conners 1967)  
*Carex petricosa*, LC (Ginns 1986a)

***Anthracoidea paniceae* Kukkonen**

*Carex livida*, LC (Conners 1967)

***Anthracoidea rupestris* Kukkonen**

*Carex rupestris*, LC (Conners 1967)

***Anthracoidea scirpoideae* Kukkonen**

*Carex scirpoidea*, LC (Conners 1967; Parmelee 1988)

***Anthracoidea subinclusa* (Körn.) Bref.**

(=*Cintractia subinclusa*)

*Carex atherodes*, LC (Shaw 1973)  
*Carex physocarpa*, LC (Parmelee and Ginns 1986)

***Antrodia albida* (Fr.:Fr.) Donk (=*Trametes sepium*)**

*Alnus* sp., V (DAVFP)  
*Thuja plicata*, LC (Shaw 1973)

***Antrodia albobrunnea* (Romell) Ryvarden**

(=*Polyporus albobrunneus*, *Poria albobrunnea*)

*Picea sitchensis*, V (DAOM 125038, 125146)

***Antrodia carbonica* (Overh.) Ryvarden & R.L. Gilbertson (=*Poria carbonica*)**

*Abies grandis*, V (DAVFP)  
*Picea sitchensis*, V (DAVFP)  
*Pseudotsuga menziesii*, V (DAVFP)  
*Tsuga heterophylla*, LC (Conners 1967)

***Antrodia crassa* (P. Karst.) Ryvarden**

(=*Poria crassa*)

*Pinus contorta* var. *latifolia*, V (DAVFP)

*Pinus monticola*, V (DAVFP)  
*Populus* sp., V (DAVFP)  
*Pseudotsuga menziesii*, LC (Shaw 1973)

**Antrodia heteromorpha** (Fr.:Fr.) Donk  
 (=Trametes heteromorpha)

*Abies lasiocarpa*, UR  
*Picea engelmannii*, V (DAVFP)  
*Picea glauca*, V (DAVFP)  
*Picea sitchensis*, V (DAVFP)  
*Pinus monticola*, V (DAVFP)  
*Pinus ponderosa*, V (DAVFP)  
*Pseudotsuga menziesii*, V (DAVFP)  
*Tsuga heterophylla*, V (DAVFP)

**Antrodia malicola** (Berk. & M.A. Curtis)

Donk (=Trametes malicola)  
*Arbutus menziesii*, V (DAVFP)  
*Populus tremuloides*, LC (Shaw 1973)

**Antrodia serialis** (Fr.:Fr.) Donk

(=Trametes serialis)  
*Abies lasiocarpa*, UR  
*Arbutus* sp., LC (Ginns 1986a)  
*Larix occidentalis*, UR  
*Picea engelmannii*, V (DAVFP)  
*Picea glauca*, V (DAVFP)  
*Picea sitchensis*, V (DAVFP)  
*Pinus contorta* var. *latifolia*, V (DAVFP)  
*Pinus monticola*, V (DAVFP)  
*Pinus ponderosa*, UR - Whole collection sent to Ottawa.  
*Populus trichocarpa*, V (DAVFP)  
*Pseudotsuga menziesii*, V (DAVFP)  
*Thuja plicata*, LC (Shaw 1973)  
*Tsuga heterophylla*, V (DAVFP)

**Antrodia sinuosa** (Fr.:Fr.) P. Karst. (=Poria sinuosa, *Poria vaporaria*)

*Picea glauca*, V (DAVFP)  
*Picea sitchensis*, V (DAVFP)  
*Pinus monticola*, V (DAVFP)  
*Pinus ponderosa*, V (DAVFP)  
*Pseudotsuga menziesii*, V (DAVFP)  
*Thuja plicata*, V (DAVFP)  
*Tsuga heterophylla*, V (DAVFP)

**Antrodia sitchensis** (D. Baxter) R.L.

Gilbertson & Ryvarden (=Poria sitchensis)  
*Picea glauca*, V (DAVFP)  
*Tsuga heterophylla*, LC (Shaw 1973)

**Antrodia sordida** Ryvarden & R.L.

Gilbertson (=Poria oleagina)  
*Picea sitchensis*, LC (Shaw 1973)

**Antrodia vaillantii** (DC.:Fr.) Ryvarden

(=Poria vaillantii)  
 Gymnosperms, Wood, V (DAVFP)

**Antrodia variiformis** (Peck) Donk  
 (=Trametes variiformis)

*Abies lasiocarpa*, V (DAVFP)  
*Larix* sp., LC (David and Tortic 1986)  
*Picea engelmannii*, V (DAVFP)  
*Picea glauca*, V (DAVFP)

*Picea sitchensis*, V (DAVFP)  
*Pinus monticola*, UR  
*Pseudotsuga menziesii*, V (DAVFP)  
*Tsuga heterophylla*, LC (Connors 1967 as *Coriollellus variiformis*)

**Antrodia xantha** (Fr.:Fr.) Ryvarden (=Poria xantha)

*Abies lasiocarpa*, V (DAVFP)  
*Picea glauca*, V (DAVFP)  
*Picea mariana*, V (DAVFP)  
*Picea sitchensis*, V (DAVFP)  
*Pinus monticola*, V (DAVFP)  
*Populus tremuloides*, V (DAVFP)  
*Populus trichocarpa*, V (DAVFP)  
*Pseudotsuga menziesii*, V (DAVFP)  
*Thuja plicata*, V (DAVFP)  
*Tsuga heterophylla*, LC (Connors 1967)

**Antrodia sp.**

*Pinus contorta* var. *latifolia*, V (DAVFP)  
*Thuja plicata*, V (DAVFP)

**Antrodiella overholtsii** Ryvarden & R.L.

Gilbertson (=Polyporus canadensis)  
*Picea sitchensis*, V (DAOM 142093)

**Antrodiella semisupina** (Berk. & M.A.

Curtis) Ryvarden (=Flaviporus semisupinus,  
*Polyporus semisupinus*)  
 Angiosperms, Wood, LC (Lowe and Gilbertson 1961)  
*Thuja plicata*, UR

**Apiognomonia veneta** (Sacc. & Speg.)

Höhn. (=Gnomonia veneta)  
*Platanus acerifolia*, V (DAVFP)  
*Platanus occidentalis*, LC (Barr 1953)  
*Platanus orientalis*, LC (Connors 1967)  
*Quercus* sp., V (DAVFP)

**Apioporthe vepris** (Lacroix) Wehmeyer

see *Cryptodiaporthe vepris*

**Apiospora alpina** Wehmeyer

*Pedicularis bracteosa*, LC (Barr 1953)

**Apiosporina collinsii** (Schwein.) Höhn.

*Amelanchier alnifolia*, V (DAVFP)  
*Amelanchier* sp., V (DAVFP)

**Apiosporina morbosa** (Schwein.:Fr.) Arx

*Prunus armeniaca*, LC (Ginns 1986a)  
*Prunus avium*, LC (Ginns 1986a)  
*Prunus cerasus*, LC (Toms 1964)  
*Prunus domestica*, V (DAVFP)  
*Prunus insititia*, LC (Jones 1957 as *Dibotryon morbosum*)  
*Prunus spinosa*, V (DAVFP)  
*Prunus subcordata*, V (DAVFP)  
*Prunus tangutica*, V (DAVFP)  
*Prunus virginiana*, V (DAVFP)  
*Prunus virginiana* var. *demissa*, V (DAVFP)  
*Prunus virginiana* var. *melanocarpa*, UR  
*Prunus* sp., V (DAVFP)

***Aporpium caryae*** (Schwein.) Texeira & D.P. Rogers (=*Poria canescens*)

*Populus tremuloides*, V (DAVFP)  
*Populus trichocarpa*, V (DAVFP)

***Aposphaeria* sp.**

*Pinus contorta* var. *latifolia*, V (DAVFP)

***Apostrasseria lunata*** (Shear) Nag Raj

*Larix occidentalis*, V (DAVFP)  
*Pinus monticola*, V (DAVFP)  
*Pinus nigra* var. *poiretiana*, V (DAVFP)  
*Pseudotsuga menziesii*, V (DAVFP)

***Apostrasseria* sp.**

*Abies procera*, V (DAVFP)  
*Picea engelmannii*, V (DAVFP)  
*Picea glauca*, V (DAVFP)  
*Picea sitchensis*, V (DAVFP)  
*Pinus contorta* var. *latifolia*, V (DAVFP)  
*Taxus brevifolia*, V (DAVFP)

***Appendiculella pinicola*** (Dearn.)

Pirozynski & Shoemaker (=*Asteridiella pinicola*, *Meliola pinicola*)  
*Picea sitchensis*, V (DAVFP)

***Arachnopeziza* sp.**

*Populus trichocarpa*, V (DAVFP)

***Aristastoma* sp.**

*Bromus* sp., V (DAVFP)

***Armillaria mellea*** (Vahl.:Fr.) P. Kumm. see  
*Armillaria ostoyae*, *A. sinapina* and  
*Armillaria* sp.

***Armillaria nabsnona*** Volk & Burdsall

*Acer macrophyllum*, V (DAVFP)  
*Alnus rubra*, V (DAVFP)  
*Populus trichocarpa*, V (DAVFP)

***Armillaria obscura*** (Pers.) Herink in Hasek  
 see *Armillaria ostoyae*

***Armillaria ostoyae*** (Romagnesi) Herink  
 (=*Armillaria obscura*)

*Abies amabilis*, V (DAVFP)  
*Abies grandis*, UR  
*Abies lasiocarpa*, V (DAVFP)  
*Chamaecyparis lawsoniana*, V (DAVFP)  
*Juniperus scopulorum*, V (DAVFP)  
*Larix decidua*, V (DAVFP)  
*Larix leptolepis*, V (DAVFP)  
*Larix occidentalis*, V (DAVFP)  
*Pachistima myrsinoides*, V (DAVFP)  
*Picea abies*, V (DAVFP)  
*Picea engelmannii*, V (DAVFP)  
*Picea glauca*, UR  
*Picea sitchensis*, V (DAVFP)  
*Picea* sp., V (DAVFP)  
*Pinus albicaulis*, V (DAVFP)  
*Pinus contorta* var. *latifolia*, V (DAVFP)  
*Pinus monticola*, V (DAVFP)  
*Pinus mugo*, V (DAVFP)

*Pinus muricata*, V (DAVFP)

*Pinus nigra*, UR  
*Pinus pinaster*, V (DAVFP)  
*Pinus ponderosa*, V (DAVFP)  
*Pinus radiata*, V (DAVFP)  
*Pinus resinosa*, V (DAVFP)  
*Pinus strobus*, V (DAVFP)  
*Pinus sylvestris*, V (DAVFP)  
*Pseudotsuga menziesii*, V (DAVFP)  
*Taxus brevifolia*, V (DAVFP)  
*Taxus* sp., V (DAVFP)  
*Thuja plicata*, V (DAVFP)  
*Tsuga heterophylla*, V (DAVFP)

***Armillaria ponderosa*** (Peck) Sacc.

Soil and Duff, V (DAVFP)

***Armillaria sinapina*** Bérubé & Dessureault

*Abies amabilis*, UR  
*Picea glauca*, UR - Specimen discarded  
*Picea sitchensis*, V (DAVFP)  
*Populus balsamifera*, V (DAVFP)  
*Populus tremuloides*, V (DAVFP)  
*Tsuga heterophylla*, V (DAVFP)

***Armillaria* sp.**

*Abies amabilis*, V (DAVFP)  
*Abies grandis*, UR  
*Abies lasiocarpa*, V (DAVFP)  
*Acer glabrum* var. *douglasii*, LC (Morrison et al. 1985 as *Armillaria mellea*)  
*Acer macrophyllum*, LC (Anderson and Ullrich 1979; Morrison et al. 1985 as *Armillaria mellea*)  
*Acer sp.*, UR  
*Ailanthus altissima*, LC (Jones 1957 as *Armillaria mellea*)  
*Alnus rubra*, V (DAVFP)  
*Alnus sinuata*, LC (Morrison et al. 1985 as *Armillaria mellea*)  
*Arbutus menziesii*, V (DAVFP)  
*Betula papyrifera*, V (DAVFP)  
*Betula* sp., UR  
*Chamaecyparis nootkatensis*, UR  
*Cornus* sp., UR  
*Cotoneaster* sp., V (DAVFP)  
*Crataegus* sp., LC (Morrison et al. 1985 as *Armillaria mellea*)  
*Cytisus praecox*, V (DAVFP)  
*Hydrangea* sp., V (DAVFP)  
*Larix occidentalis*, UR  
*Malus pumila*, LC (Connors 1967 as *Armillaria mellea*)  
*Malus sylvestris*, LC (Shaw 1973 as *Armillaria mellea*)  
*Malus* sp., UR  
*Picea engelmannii*, V (DAVFP)  
*Picea glauca*, LC (Morrison et al. 1985 as *Armillaria mellea*)  
*Picea sitchensis*, UR  
*Picea* sp., UR  
*Pinus contorta* var. *contorta*, V (DAVFP)  
*Pinus contorta* var. *latifolia*, V (DAVFP)  
*Pinus monticola*, LC (Morrison et al. 1985 as *Armillaria mellea*)  
*Pinus ponderosa*, UR  
*Pinus sylvestris*, UR - Specimen discarded  
*Populus balsamifera*, V (DAVFP)  
*Populus X canadensis 'Grandis'*, V (DAVFP)  
*Populus nigra*, V (DAVFP)

*Populus tremuloides*, LC (Morrison et al. 1985 as *Armillaria mellea*)  
*Populus trichocarpa*, V (DAVFP)  
*Populus* sp., UR  
*Prunus avium*, LC (Jones 1957 as *Armillaria mellea*)  
*Prunus cerasifera* var. *pissardi*, V (DAVFP)  
*Prunus cerasus*, LC (Toms 1964 as *Armillaria mellea*)  
*Prunus domestica*, LC (Shaw 1973 as *Armillaria mellea*)  
*Prunus emarginata*, LC (Morrison et al. 1985 as *Armillaria mellea*)  
*Prunus fruticosa*, LC (Connors 1967 as *Armillaria mellea*)  
*Pseudotsuga menziesii*, V (DAVFP)  
*Pyrus communis*, LC (Shaw 1973 as *Armillaria mellea*)  
*Quercus garryana*, V (DAVFP)  
*Rhus typhina*, V (DAVFP)  
*Rubus idaeus* var. *strigosus*, LC (Connors 1967 as *Armillaria mellea*)  
*Rubus parviflorus*, LC (Jones 1957 as *Armillaria mellea*)  
*Rubus procerus*, V (DAVFP)  
*Salix* sp., V (DAVFP)  
Soil and Duff, V (DAVFP)  
*Solanum tuberosum*, LC (Jones 1957 as *Armillaria mellea*)  
*Sorbus aucuparia*, LC (Jones 1957 as *Armillaria mellea*)  
*Syringa* sp., V (DAVFP)  
*Thuja plicata*, LC (Morrison et al. 1985 as *Armillaria mellea*)  
*Tsuga heterophylla*, UR - Specimen discarded  
*Tulipa gesneriana*, LC (Toms 1964 as *Armillaria mellea*)  
*Tulipa* sp., LC (Jones 1957)

***Arnium ovale*** Cain & Mirza  
Dung, deer, LC (Cain and Mirza 1972)

***Arrhenia acerosa*** (Fr.) Kühner  
Bryophytes, LC (Redhead 1984b on moss)

***Arthrinium arundininis*** Dyko & Sutton  
(=*Papularia arundininis*)  
*Raphanus sativus*, LC (Connors 1967)  
*Vicia faba*, LC (Connors 1967)

***Arthrinium sporophleum*** Kunze  
*Scirpus cespitosus* subsp. *austriaca*, V (DAVFP)

***Arthuriomyces peckianus*** (E. Howe)  
Cummins & Y. Hiratsuka (=*Gymnoconia peckiana*)  
*Rubus allegheniensis*, LC (Connors 1967)  
*Rubus pubescens*, UR

***Articulospora* sp.**  
*Alnus* sp., V (DAVFP)

***Arwidssonia empetri*** (Rehm) B. Eriksson  
(=*Sphaeropezia empetri*)  
*Empetrum nigrum*, V (DAVFP)

***Ascobolus carbonarius*** Karst.  
Soil and Duff, LC (Egger and Paden 1986b)

***Ascobolus epimyces*** (Cooke) Seaver  
Soil and Duff, LC (Egger and Paden 1986b)  
*Tsuga heterophylla*, V (DAVFP)

***Ascobolus michaudii*** Boud.  
Soil and Duff, LC (Paden and Stanlake 1973)

***Ascobolus sacchariferus*** Brumm.  
Dung, deer, LC (Paden and Linton 1976)

***Ascocalyx abietina*** (Lagerberg) Schläpfer  
(=*Gremmeniella abietina*, *Scleroderris lagerbergii*; =*Brunchorstia pinea* - anamorph)  
*Pinus albicaulis*, V (DAVFP)  
*Pinus contorta* var. *latifolia*, V (DAVFP)  
*Pinus ponderosa*, V (DAVFP)

***Ascocalyx tenuisporus*** Groves  
*Abies lasiocarpa*, V (DAVFP)

***Ascocalyx* sp.**

*Larix occidentalis*, V (DAVFP)  
*Larix sibirica*, V (DAVFP)  
*Picea glauca*, V (DAVFP)  
*Pseudotsuga menziesii*, V (DAVFP)

***Ascochyta achlydis*** Dearn. see  
*Stagonospora achlydis*

***Ascochyta achlyicola*** Ellis & Everh.  
*Achlys triphylla*, LC (Ginns 1986a)

***Ascochyta aquilegiae*** (Roum. & Pat.)  
Sacc.  
*Aquilegia* sp., LC (Ginns 1986a)

***Ascochyta chenopodii*** Rostr.  
*Spinacia oleracea*, LC (Ginns 1986a)

***Ascochyta cucumis*** Fautr. & Roum.  
*Cucurbita pepo*, LC (Jones 1957)

***Ascochyta fabae*** Speg.  
*Vicia faba*, LC (Jones 1957)

***Ascochyta hansenii*** Ellis & Everh.  
*Arbutus menziesii*, LC (Ginns 1986a)

***Ascochyta imperfecta*** Peck see *Phoma medicaginis*

***Ascochyta lethalis*** Ellis & Barth. in Barth.  
(=*Ascochyta meliloti*)  
*Melilotus alba*, LC (Ginns 1986a as *Ascochyta viciae*)

***Ascochyta lycopersici*** Brun. see *Phoma lycopersici*

**Ascochyta meliloti** (Trel.) J.J. Davis see  
*Ascochyta lethalis*

**Ascochyta nicotianae** Pass. see *Phoma exigua*

**Ascochyta phaseolorum** Sacc. see  
*Phoma exigua*

**Ascochyta philadelphi** Sacc. & Speg.  
*Philadelphus lewisi*, LC (Shaw 1973)

**Ascochyta pisi** Lib.  
*Lathyrus palustris*, LC (Toms 1964)  
*Lathyrus sylvestris*, LC (Ginns 1986a)  
*Vicia americana* subsp. *oregana*, LC (Toms 1964)  
*Vicia hirsuta*, LC (Ginns 1986a)  
*Vicia sativa*, LC (Connors 1967)  
*Vicia villosa*, LC (Shaw 1973)

**Ascochyta syringae** Bres.  
*Syringa vulgaris*, LC (Ginns 1986a)

**Ascochyta viburni** Sacc. see *Phoma viburni*

**Ascochyta violae** Sacc.  
*Viola tricolor* var. *hortensis*, LC (Connors 1967)

**Ascochyta sp.**  
*Abies lasiocarpa*, V (DAVFP)  
*Juniperus* sp., V (DAVFP)  
*Lupinus* sp., LC (Ginns 1986a)  
*Vicia sativa* var. *angustifolia*, LC (Ginns 1986a)

**Ascochytopsis** sp.  
*Thuja orientalis* var. *stricta*, V (DAVFP)

**Ascoconidium tsugae** Funk  
*Tsuga heterophylla*, V (DAVFP) (TYPE)  
*Tsuga mertensiana*, V (DAVFP)

**Ascocoryne constricta** Wilson inedit.  
*Alnus rubra*, V (DAVFP)

**Ascocoryne inflata** Wilson inedit.  
*Prunus emarginata*, V (DAVFP)

**Ascocoryne sarcoides** (Jacq.:Fr.) Groves & D.E. Wilson (=*Coryne sarcoides*)  
*Abies grandis*, V (DAVFP)  
*Abies lasiocarpa*, UR  
*Alnus tenuifolia*, UR  
*Cupressus macrocarpa*, UR  
*Picea glauca*, V (DAVFP)  
*Populus trichocarpa*, UR  
*Pseudotsuga menziesii*, V (DAVFP)  
*Tsuga heterophylla*, V (DAVFP)

**Ascocybe grovesii** Wells see  
*Cephaloascus fragrans*

**Ascospora graminis** Lindau  
*Poa* sp., LC (Barr 1953)

**Ascospora ruborum** Zeller  
*Rubus idaeus* var. *strigosus*, LC (Connors 1967)  
*Rubus* sp., LC (Barr 1953)

**Aspergillus repens** (Corda) Sacc.  
Soil and Duff, UR - Cultured then discarded.

**Aspergillus** sp.  
*Chamaecyparis* sp., V (DAVFP)  
*Picea* sp., V (DAVFP)  
*Populus trichocarpa*, LC (Ginns 1986a)  
*Pseudotsuga menziesii*, LC (Shaw 1973)

**Asperisporium peucedani** (Ellis & Howl.) Maubl. see *Pollaccia peucedani*

**Asterella gaultheriae** (Curt. in G. Martin) Sacc.  
*Gaultheria shallon*, LC (Barr 1953)

**Asterella hellebori** Rehm in Voss  
*Astragalus macounii*, LC (Barr 1953)  
*Astragalus robbinsii* var. *occidentalis*, LC (Connors 1967)

**Asteridiella pinicola** (Dearn.) Hansford  
see *Appendiculella pinicola*

**Asteridiella pitya** (Sacc.) Hansford  
(=*Asteridiella taxi*)  
*Taxus brevifolia*, V (DAVFP)

**Asteridiella taxi** (Sawada) Hansford see  
*Asteridiella pitya*

**Asterina** sp.  
*Abies amabilis*, V (DAVFP)  
*Abies grandis*, V (DAVFP)

**Asterodon ferruginosum** Pat.  
*Abies lasiocarpa*, V (DAVFP)  
*Betula* sp., V (DAVFP)  
*Picea glauca*, V (DAVFP)  
*Pseudotsuga menziesii*, V (DAVFP)  
*Tsuga heterophylla*, V (DAVFP)

**Asteromella** sp.  
*Alnus rubra*, LC (Sieber, Sieber-Canavesi, and Dorworth 1991)

**Asterostroma andinum** Pat.  
(=*Asterostroma bicolor*)  
*Thuja plicata*, V (DAVFP)

**Asterostroma bicolor** Ellis & Everh. see  
*Asterostroma andinum*

**Asterostroma laxum** Bres.  
*Abies amabilis*, V (DAOM 139081)  
*Gymnosperms*, Wood, V (DAOM 142117)  
*Pseudotsuga menziesii*, V (DAOM 139082)  
*Tsuga mertensiana*, V (DAOM 139077)

**Astraeus hygrometricus** (Pers.) Morg.  
Soil and Duff, V (DAVFP)

**Athelia bicolor** (Peck) Parmasto see  
*Piloderma byssinum*

**Athelia borealis** (Romell) Parmasto see  
*Ceraceomyces borealis*

**Athelia epiphylla** Pers.:Fr.  
*Abies lasiocarpa*, V (DAVFP)  
Angiosperms, Wood, V (DAVFP)

**Athelia fuscostriata** (Burt) Donk see  
*Confertobasidium olivaceo-album*

**Athelia laxa** (Burt) Jülich (=Peniophora  
*laxa*)  
Gymnosperms, Wood, LC (Slysh 1960)

**Athelia pellicularis** (P. Karst.) Donk see  
*Fibulomyces mutabilis*

**Athelia scutellaris** (Berk. & M.A. Curtis)  
R.L. Gilbertson (=Corticium scutellare)  
*Arbutus menziesii*, V (DAVFP)  
*Cytisus scoparius*, V (DAVFP)

**Athelia septentrionalis** J. Eriksson see  
*Fibulomyces septentrionalis*

**Athelia tessulata** (Cooke) Donk see  
*Ceraceomyces tessulatus*

**Athelia sp.**  
*Tsuga heterophylla*, V (DAOM 143306)

**Atichia glomerulosa** (Achar. ex H. Mann)  
Stein in Cohn  
*Abies amabilis*, V (DAVFP)  
*Abies grandis*, V (DAVFP)  
*Pseudotsuga menziesii*, V (DAVFP)

**Atichia sp.**  
*Pseudotsuga menziesii*, V (DAVFP)

**Atopospora betulina** (Fr.:Fr.) Petr.  
*Betula papyrifera*, V (DAVFP)

**Atropellis pinicola** Zeller & Goodd.  
*Pinus contorta* var. *contorta*, V (DAVFP)  
*Pinus contorta* var. *latifolia*, V (DAVFP)  
*Pinus monticola*, V (DAVFP)

**Atropellis piniphila** (Weir) Lohman & Cash  
(=Cenangium piniphilum)  
*Pinus contorta* var. *contorta*, V (DAVFP)  
*Pinus contorta* var. *latifolia*, V (DAVFP)  
*Pinus ponderosa*, V (DAVFP)

**Atropellis tingens** Lohman & Cash  
*Pinus monticola*, V (DAVFP)

**Atropellis sp.**

*Pinus contorta* var. *contorta*, UR  
*Pinus contorta* var. *latifolia*, V (DAVFP)  
*Pinus pinaster*, V (DAVFP)

**Aureobasidium caulinorum** (Kirchn.) W.B.

Cooke (=Kabatiella caulinora)  
*Trifolium hybridum*, LC (Toms 1964)  
*Trifolium pratense*, LC (Toms 1964)

**Aureobasidium pullulans** (de Bary) G.

Arnaud (=Pullularia pullulans)  
*Alnus rubra*, V (DAVFP)  
*Alnus* sp., V (DAVFP)  
*Larix occidentalis*, V (DAVFP)  
*Picea glauca*, LC (Connors 1967)  
*Pinus monticola*, LC (Shaw 1973)  
*Populus trichocarpa*, LC (Shaw 1973)  
*Prunus avium*, LC (Ginns 1986a)  
*Prunus cerasus*, LC (Toms 1964)  
*Pseudotsuga menziesii*, UR  
*Satureja hortensis*, LC (Connors 1967)  
*Vicia faba*, LC (Connors 1967)

**Aureobasidium sp.**

*Abies lasiocarpa*, UR - Cultured then discarded.  
*Pteridium aquilinum*, UR - Cultured then  
discarded.  
*Vaccinium parvifolium*, UR - Cultured then  
discarded.

**Auricularia auricula** (L.:Fr.) Underw.

*Abies lasiocarpa*, V (DAVFP)  
*Picea glauca*, V (DAVFP)  
*Thuja plicata*, V (DAVFP)  
*Tsuga heterophylla*, LC (Shaw 1973)

**Auriporia aurea** (Peck) Ryvarden (=Poria  
aurea)

*Abies lasiocarpa*, V (DAVFP)

**Auriscalpium vulgare** S.F. Gray

*Pinus contorta* var. *latifolia*, V (DAVFP)  
*Pseudotsuga menziesii*, V (DAVFP)  
Soil and Duff, V (DAVFP)

***Bactrodesmium biformatum*** (Höhn.)

Hughes

*Alnus* sp., LC (Hughes 1983)***Bactrodesmium obliquum*** Sutton var.***suttonii*** Hughes & White*Pseudotsuga menziesii*, V (DAVFP)*Thuja plicata*, V (DAVFP)*Tsuga heterophylla*, V (DAVFP)***Bactrodesmium rahmii*** M.B. Ellis*Picea sitchensis*, V (DAVFP)***Bactrodesmium traversianum*** (Peyr.) M.B.

Ellis

*Salix* sp., LC (Hughes and White 1983)***Basidiobodendron caesiocinereum*** (Höhn. & Litsch.) Luck-Allen (= *Sebacina caesiocinerea*)*Arbutus menziesii*, V (DAVFP)***Basidiobodendron cinereum*** (Bres.) Luck-Allen (= *Sebacina cinerea*)Angiosperms, Wood, LC (Luck-Allen 1963 on *Salix*?)***Basidiobodendron eyrei*** (Wakef.) Luck-Allen (= *Sebacina eyrei*)*Arbutus menziesii*, LC (Shaw 1973)***Basidiobodendron grandinioides*** (Bourd. & Galzin) Luck-Allen (= *Bourdotia grandinioides*)*Populus trichocarpa*, V (DAVFP)***Basidioradulum radula*** (Fr.:Fr.) Nobles (= *Hypoderma radula*, *Radulum orbiculare*)*Alnus rubra*, V (DAVFP)*Alnus tenuifolia*, UR*Cornus stolonifera*, V (DAVFP)*Pseudotsuga menziesii*, V (DAVFP)*Salix* sp., V (DAVFP)*Tsuga heterophylla*, V (DAVFP)***Battarrea phalloides*** (Dicks.) Pers.

Soil and Duff, V (DAVFP)

***Battarrina* sp.***Abies grandis*, UR***Beauveria bassiana*** (Balsamo) Vuill.

Beetle, western balsam bark, V (DAVFP)

Looper, western hemlock (*Lambdina fiscellaria lugubrosa*) on *Abies amabilis*, V (DAVFP)*Populus trichocarpa*, UR***Belonidium parksii*** Cash see *Nipterella parksii****Belonidium sulphureum*** (Pers.:Fr.) Raitvii (= *Dasyscyphus sulphureus*, *Lachnella sulphurea*)*Rubus parviflorus*, V (DAVFP)***Bertia moriformis*** (Tode:Fr.) De Not.*Abies lasiocarpa*, V (DAVFP)*Alnus* sp., LC (Barr 1953)

Gymnosperms, Wood, V (DAVFP)

*Populus tremuloides*, V (DAVFP)***Bertia moriformis*** (Tode:Fr.) De Not. var.***latispora*** Corlett & J. Krug*Alnus* sp., LC (Corlett and Krug 1984)

Gymnosperms, Wood, LC (Corlett and Krug 1984)

***Bertia moriformis*** (Tode:Fr.) De Not. var.***moriformis*** Corlett & J. Krug*Abies* sp., LC (Corlett and Krug 1984)*Alnus* sp., LC (Corlett and Krug 1984)*Salix* sp., LC (Corlett and Krug 1984)***Biatorella resiniae*** (Fr.) Mudd see *Sarea resiniae****Biatorella* sp.***Pinus albicaulis*, V (DAVFP)***Bifusella abietis*** Dearn. see *Isthmiella abietis****Bifusella crepidiformis*** Darker see *Isthmiella crepidiformis****Bifusella linearis*** (Peck) Höhn.*Pinus albicaulis*, V (DAVFP)*Pinus monticola*, V (DAVFP)***Bifusella saccata*** (Darker) Darker (= *Hypoderma saccata*)*Pinus albicaulis*, V (DAVFP)***Bipolaris sorokiniana*** (Sacc.) Shoemaker (= *Helminthosporium sativum*)*Triticum aestivum*, LC (Toms 1964)***Bipolaris victoriae*** (F. Meehan & Murphy) Shoemaker*Triticum aestivum*, LC (Toms 1964)***Biscogniauxia bartholomaei*** (Peck) L.N.

Vasilyeva

*Alnus rubra*, V (DAVFP)***Biscogniauxia mediterranea*** (De Not.)

Kuntze

*Alnus rubra*, V (DAVFP)***Biscogniauxia mediterranea*** (De Not.)Kuntze var. ***microspora*** (J.H. Miller) Y.-M.

Ju & J.D. Rogers (=*Hypoxyton mediterraneum* var. *microspora*)

*Alnus rubra*, V (DAVFP)  
*Angiosperms*, Wood, LC (Miller 1961)  
*Prunus* sp., V (DAVFP)

**Biscogniauxia nummularia** (Bull.:Fr.)

Kuntze var. *exutans* (Cooke) Van der Gucht  
 (=*Hypoxyton nummularium* var. *exutans*)  
*Angiosperms*, Wood, LC (Miller 1961)

**Bisporella citrina** (Batsch:Fr.) Korf & S.

Carpenter (=*Helotium citrinum*)

*Alnus rubra*, V (DAVFP)  
*Picea glauca*, V (DAVFP)  
*Populus tremuloides*, V (DAVFP)  
*Populus* sp., V (DAVFP)  
*Salix* sp., V (DAVFP)

**Bisporella resinicola** (Baranyay & Funk) S.

Carpenter & Seifert (=*Helotium resinicola*)

*Abies amabilis*, V (DAVFP)  
*Picea glauca*, V (DAVFP)  
*Picea sitchensis*, V (DAVFP)  
*Pseudotsuga menziesii*, V (DAVFP)  
*Tsuga heterophylla*, V (DAVFP) (TYPE)

**Bjerkandera adusta** (Willd.:Fr.) P. Karst.

(= *Polyporus adustus*)

*Abies lasiocarpa*, UR  
*Betula papyrifera*, V (DAVFP)  
*Picea glauca*, V (DAVFP)  
*Populus balsamifera*, UR  
*Populus tremuloides*, V (DAVFP)  
*Populus trichocarpa*, V (DAVFP)  
*Populus* sp., V (DAVFP)  
*Prunus* sp., V (DAVFP)  
*Salix* sp., LC (Shaw 1973)

**Bjerkandera fumosa** (Pers.:Fr.) P. Karst.

(= *Polyporus fumosus*)

*Acer macrophyllum*, V (DAVFP)  
*Betula papyrifera*, V (DAVFP)  
*Prunus laurocerasus*, V (DAVFP)  
*Salix* sp., LC (Conners 1967)

**Blumeriella jaapii** (Rehm) Arx

(= *Coccomyces hiemalis*, *Coccomyces prunophorae*; *Cylindrosporium prunophorae*, *Cylindrosporium hiemalis* - anamorph)

*Prunus avium*, LC (Jones 1957)  
*Prunus cerasus*, LC (Conners 1967)  
*Prunus domestica*, LC (Conners 1967)  
*Prunus emarginata*, LC (Conners 1967)  
*Prunus laurocerasus*, V (DAVFP)

**Boletellus mirabilis** (Murrill) Singer see  
*Boletus mirabilis*

**Boletellus zelleri** (Murrill) Singer, Snell & Dick

Soil and Duff, V (DAVFP)

**Boletinus amabilis** (Peck) Snell

Soil and Duff, V (DAVFP)

**Boletus aestivalis** Fr.

Soil and Duff, V (DAVFP)

**Boletus barrowsii** Thiers & A.H. Smith

Soil and Duff, V (DAVFP)

**Boletus chrysenteron** Fr.

Soil and Duff, V (DAVFP)

**Boletus edulis** Bull.:Fr.

Soil and Duff, V (DAVFP)

**Boletus mirabilis** Murrill (= *Boletellus mirabilis*)

Gymnosperms, Wood, V (DAVFP)  
 Soil and Duff, V (DAVFP)  
*Tsuga heterophylla*, V (DAVFP)

**Boletus olivaceobrunneus** Zeller & Bailey

Soil and Duff, V (DAOM)

**Boletus scaber** Bull.:Fr. see *Leccinum scabrum*

**Boletus versipellis** Fr.

Soil and Duff, V (DAVFP)

**Bombardia ambigua** (Sacc.) Wint. var. *carbonaria* Rehm

Unidentified wood, LC (Barr 1953)

**Bondarzewia berkeleyi** (Fr.) Bondartsev & Singer (= *Polyporus berkeleyi*)

*Acer macrophyllum*, V (DAVFP)  
*Picea sitchensis*, V (DAVFP)  
 Soil and Duff, V (DAVFP)

**Bondarzewia montana** (Quél.) Singer

(= *Polyporus montanus*)

*Abies grandis*, V (DAVFP)  
*Picea sitchensis*, V (DAVFP)  
 Soil and Duff, V (DAVFP)  
*Tsuga heterophylla*, V (DAVFP)

**Boreostereum radiatum** (Peck) Parmasto  
 (= *Stereum radiatum*)

Gymnosperms, Wood, V (DAVFP)

**Botryobasidium angustisporum** Boidin  
*Pseudotsuga menziesii*, V (DAOM 141263)

**Botryobasidium ansosum** (H. Jacks. & D.P. Rogers) Parmasto (= *Pellicularia ansosa*)

*Picea sitchensis*, V (DAVFP)

**Botryobasidium botryosum** (Bres.) J. Eriksson

*Abies amabilis*, V (DAOM 141261, 141265)  
*Alnus rubra*, V (DAOM 141267)

Gymnosperms, Wood, V (DAOM 141252, 141237)  
*Pseudotsuga menziesii*, V (DAOM 141246)  
*Thuja plicata*, V (DAOM 141235)  
*Tsuga heterophylla*, V (DAOM 141251)

**Botryobasidium danicum** J. Eriksson & Hjortstam

*Alnus rubra*, V (DAOM 141309)  
Gymnosperms, Wood, V (DAOM 141304, 141307)  
*Pseudotsuga menziesii*, V (DAOM 141315)  
*Rubus spectabilis*, V (DAOM 141313, 141314)  
*Thuja plicata*, V (DAOM 141311)  
*Tsuga heterophylla*, V (DAOM 141312)

**Botryobasidium flavescens** (Bonord.) D.P. Rogers (=*Pellicularia flavescens*)  
*Picea glauca*, LC (Connors 1967)

**Botryobasidium obtusisporum** J. Eriksson  
*Chamaecyparis nootkatensis*, V (DAOM 141232)

**Botryobasidium pruinatum** (Bres.) J. Eriksson (=*Pellicularia pruinata*)  
*Acer macrophyllum*, V (DAVFP)

**Botryobasidium subcoronatum** (Höhn. & Litsch.) Donk (=*Pellicularia subcoronata*)  
*Abies amabilis*, V (DAOM 141229)  
*Alnus rubra*, V (DAOM 141243)  
Gymnosperms, Wood, V (DAVFP)  
*Picea glauca*, V (DAVFP)  
*Pseudotsuga menziesii*, V (DAVFP)  
*Thuja plicata*, V (DAVFP)  
*Tsuga heterophylla*, V (DAOM 141242)  
*Tsuga mertensiana*, V (DAOM 141228)

**Botryobasidium vagum** (Berk. & M.A. Curtis) D.P. Rogers (=*Pellicularia vaga*; =*Haplotrichum curtisii*, *Oidium curtisii* - anamorph)  
*Abies grandis*, LC (Shaw 1973)  
*Acer circinatum*, V (DAVFP)  
*Alnus rubra*, V (DAVFP)  
Angiosperms, Wood, V (DAVFP)  
*Betula papyrifera*, LC (Shaw 1973)  
*Cornus stolonifera*, LC (Shaw 1973)  
Gymnosperms, Wood, V (DAVFP)  
*Pinus monticola*, V (DAVFP)  
*Populus* sp., V (DAVFP)  
*Pseudotsuga menziesii*, V (DAVFP)  
*Rubus spectabilis*, LC (Shaw 1973)  
*Thuja plicata*, V (DAVFP)  
*Tsuga heterophylla*, V (DAVFP)  
*Tsuga mertensiana*, LC (Shaw 1973)

**Botryodiplodia gallae** (Schwein.) Petr. & Syd. (=*Dothiorella quercina*)  
*Quercus garryana*, V (DAVFP)

**Botryodiplodia** sp.  
*Ulmus americana*, V (DAVFP)

**Botryohypochnus isabellinus** (Fr.) J.

Eriksson (=*Pellicularia isabellina*)  
*Populus trichocarpa*, V (DAVFP)  
*Pseudotsuga menziesii*, V (DAVFP)

**Botryosphaeria abietina** (Prill. & Delacr.) Maubl.

*Abies grandis*, V (DAVFP)

**Botryosphaeria bidwellii** (Ellis) Petr. see *Guignardia bidwellii*

**Botryosphaeria obtusa** (Schwein.) Shoemaker (=*Physalospora obtusa*)  
*Malus sylvestris*, LC (Shaw 1973)

**Botryosphaeria piceae** Funk

*Picea engelmannii*, V (DAVFP) (TYPE)  
*Picea glauca*, V (DAVFP)  
*Picea glauca X P. engelmannii*, LC (Funk 1982)  
*Picea sitchensis*, V (DAVFP)

**Botryosphaeria pseudotsugae** Funk

*Pseudotsuga menziesii*, V (DAVFP) (TYPE)

**Botryosphaeria stevensii** Shoemaker  
*Malus pumila*, LC (Connors 1967)

**Botryosphaeria tsugae** Funk

*Tsuga heterophylla*, V (DAVFP) (TYPE)

**Botryosphaeria vaccinii** (Shear) Barr  
(=*Guignardia vaccinii*)  
*Arctostaphylos columbiana*, LC (Barr 1953)

**Botryotinia fuckeliana** (de Bary) Whetzel  
see *Botrytis cinerea* (anamorph)

**Botrytis cinerea** Pers.:Fr. (=*Botryotinia fuckeliana* - teleomorph)

*Abies amabilis*, V (DAVFP)  
*Abies lasiocarpa*, UR  
*Aucuba japonica*, LC (Toms 1964)  
*Callistephus chinensis*, LC (Toms 1964)  
*Camassia leichtlinii*, LC (Shaw 1973)  
*Catalpa speciosa*, LC (Toms 1964)  
*Cheiranthus allionii*, LC (Jones 1957)  
*Cheiranthus cheiri*, LC (Toms 1964)  
*Convallaria majalis*, LC (Savile 1961; Connors 1967)  
*Cornus nuttallii*, V (DAVFP)  
*Cosmos* sp., LC (Connors 1967)  
*Cucurbita pepo*, LC (Toms 1964)  
*Daphne mezereum*, LC (Toms 1964)  
*Delphinium cultorum*, LC (Toms 1964)  
*Delphinium* sp., LC (Jones 1957)  
*Ficus carica*, LC (Toms 1964)  
*Fritillaria camschatcensis*, LC (Savile 1961)  
*Fritillaria lanceolata*, LC (Shaw 1973)  
*Iris* sp., LC (Jones 1957)  
*Lilium* sp., LC (Jones 1957)  
*Malus sylvestris*, LC (Toms 1964)  
*Pelargonium* sp., LC (Jones 1957)  
*Picea engelmannii*, V (DAVFP)  
*Picea sitchensis*, UR - Specimen discarded

*Pinus contorta* var. *latifolia*, UR  
*Pinus muricata*, V (DAVFP)  
*Prunus armeniaca*, LC (Toms 1964)  
*Prunus avium*, LC (Ginns 1986a)  
*Prunus cerasus*, LC (Toms 1964)  
*Prunus persica*, LC (Conners 1967)  
*Pseudotsuga menziesii*, V (DAVFP)  
*Pyrus communis*, LC (Toms 1964)  
*Rheum rhaboticum*, LC (Jones 1957)  
*Ribes grossularia*, LC (Toms 1964)  
*Ribes sativum*, LC (Toms 1964)  
*Rosa* sp., V (DAVFP)  
*Rubus allegheniensis*, LC (Conners 1967)  
*Rubus idaeus* var. *strigosus*, LC (Conners 1967)  
*Rubus loganobaccus*, LC (Conners 1967)  
*Rubus parviflorus*, LC (Wall and Shamoun 1990)  
*Rubus* sp., LC (Jones 1957)  
*Salvia officinalis*, LC (Conners 1967)  
*Satureja hortensis*, LC (Conners 1967)  
*Soil and Duff*, LC (Egger and Paden 1986b)  
*Solanum tuberosum*, LC (Jones 1957)  
*Spinacia oleracea*, LC (Conners 1967)  
*Tagetes signata* var. *pumila*, LC (Toms 1964)  
*Taraxacum kok-saghyz*, LC (Toms 1964)  
*Tsuga heterophylla*, LC (Ginns 1986a)  
*Tulipa gesneriana*, LC (Toms 1964)  
*Vaccinium* sp., LC (Conners 1967)  
*Vicia faba*, LC (Jones 1957)  
*Viola tricolor*, LC (Jones 1957)  
*Vitis vinifera*, LC (Toms 1964)  
*Zinnia elegans*, LC (Jones 1957)

***Botrytis tulipae* (Lib.) Lind**

*Erythronium grandiflorum*, LC (Toms 1964)  
*Tulipa gesneriana*, LC (Toms 1964)

***Botrytis* sp.**

*Abies grandis*, LC (Mittal and Wang 1985)  
*Abies lasiocarpa*, LC (Mittal and Wang 1985)  
*Acer macrophyllum*, V (DAVFP)  
*Alnus rubra*, LC (Mittal and Wang 1985; Sieber,  
 Sieber-Canavesi, and Dorworth 1991)  
*Cedrus deodara*, LC (Conners 1967)  
*Convallaria majalis*, LC (Toms 1964)  
*Cornus florida*, LC (Mittal and Wang 1985)  
*Epilobium angustifolium*, V (DAVFP)  
*Ilex opaca*, LC (Mittal and Wang 1985)  
*Juniperus sabina*, V (DAVFP)  
*Juniperus scopulorum*, UR  
*Larix decidua*, V (DAVFP)  
*Larix occidentalis*, LC (Mittal and Wang 1985)  
*Limonium* sp., LC (Conners 1967)  
*Melilotus* sp., LC (Conners 1967)  
*Picea abies*, LC (Mittal and Wang 1985)  
*Picea engelmannii*, LC (Mittal and Wang 1985)  
*Picea glauca*, V (DAVFP)  
*Picea glauca* X *P. engelmannii*, V (DAVFP)  
*Picea rubens*, LC (Mittal and Wang 1985)  
*Picea sitchensis*, V (DAVFP)  
*Pinus banksiana*, LC (Mittal and Wang 1985)  
*Pinus ponderosa*, LC (Mittal and Wang 1985)  
*Pinus resinosa*, LC (Mittal and Wang 1985)  
*Pinus sylvestris*, LC (Mittal and Wang 1985)  
*Pseudotsuga menziesii*, LC (Mittal and Wang  
 1985)  
*Rubus parviflorus*, V (DAVFP)  
*Sequoiadendron giganteum*, V (DAVFP)  
*Tsuga canadensis*, LC (Mittal and Wang 1985)  
*Tsuga heterophylla*, LC (Mittal and Wang 1985)

***Bourdotia grandinioides*** Bourd. and  
 Galzin see *Basidiocladus grandinioides*

***Bovista pila*** Berk. and Curt.  
 Soil and Duff, V (DAVFP)

***Boydia insculpta*** (Oudem.) Grove see  
*Vialaea insculpta*

***Brachysporium nigrum*** (Link:Fr.) S.J.  
 Hughes  
 Angiosperms, Wood, LC (Hughes and Kokko  
 1975)

***Bricookea sepalorum*** (Vleugel) Barr  
 (= *Leptosphaeria sepalorum*)  
*Juncus parryi*, LC (Ginns 1986a)  
*Juncus* sp., LC (Barr 1982)

***Brunchorstia pinea*** (P. Karst.) Höhn. see  
*Ascocalyx abietina* (teleomorph)

***Bulbillomyces farinosa*** (Bres.) Jülich  
 (= *Peniophora farinosa*)  
 Unidentified wood, V (DAOM 141285)

***Bulgaria melastoma*** (Sowerby) Seaver  
 see *Plectania melastoma*

**Calathella eruciformis** (Batsch:Fr.) D. Reid  
 (=*Cyphella eruciformis*)  
 Angiosperms, Wood, V (DAVFP)  
*Populus* sp., LC (Redhead 1973)

**Calbovista subsculpta** Morse  
 Soil and Duff, V (DAVFP)

**Caldesiella ferruginosa** (Fr.) Sacc. see  
*Tomentella crinalis*

**Caldesiella viridis** (Albertini & Schwein.:Fr.)  
 Pat. see *Tomentella chlorina*

**Caliciopsis arceuthobii** (Peck) Barr  
 (=*Wallrothiella arceuthobii*)  
*Arceuthobium americanum* on *Pinus contorta*, V  
 (DAVFP)  
*Arceuthobium douglasii* on *Pseudotsuga menziesii*, V (DAVFP)

**Caliciopsis calicoides** (Ellis & Everh.)  
 Fitzp.  
*Populus balsamifera*, V (DAVFP)  
*Populus tremuloides*, V (DAVFP)  
*Populus trichocarpa*, V (DAVFP)

**Caliciopsis pinea** Peck  
*Pinus monticola*, V (DAVFP)  
*Pseudotsuga menziesii*, V (DAVFP)

**Caliciopsis pseudotsugae** Fitzp.  
*Abies amabilis*, V (DAVFP)  
*Abies grandis*, V (DAVFP)  
*Pinus sylvestris*, V (DAVFP)  
*Pseudotsuga menziesii*, V (DAVFP)  
*Tsuga heterophylla*, V (DAVFP)

**Caliciopsis sp.**  
*Alnus rubra*, V (DAVFP)  
*Populus* sp., V (DAVFP)

**Calocera cornea** (Batsch:Fr.) Fr.  
*Acer macrophyllum*, V (DAVFP)  
*Alnus rubra*, V (DAVFP)  
*Alnus* sp., V (UBC F4729, F4731)  
 Gymnosperms, Wood, V (DAVFP)  
*Populus tremuloides*, V (DAVFP)  
*Populus trichocarpa*, V (UBC F4727)  
*Prunus emarginata*, UR  
*Prunus* sp., V (UBC F4738)

**Calocera viscosa** (Fr.) Fr.  
*Thuja plicata*, LC (Shaw 1973)  
 Unidentified wood, V (DAVFP)

**Calocybe georgii** (Clusius:Fr.) Kühner  
 Soil and Duff, V (DAVFP)

**Caloscypha fulgens** (Pers.) Boud.  
 (=*Pseudoplectania fulgens*;  
 =*Geniculodendron pyriforme* - anamorph)  
*Picea glauca*, LC (Sullivan et al. 1984)  
*Picea sitchensis*, LC (Sutherland 1981; Thomson  
 et al. 1983)

*Pinus contorta*, LC (Sullivan et al. 1984; Egger  
 and Paden 1986b)  
*Pseudotsuga menziesii*, LC (Sullivan et al. 1984)  
 Soil and Duff, V (DAVFP)

**Calosphaeria princeps** Tul. see  
*Calosphaeria pulchella*

**Calosphaeria pulchella** (Pers.:Fr.) J.  
 Schröt. in Cohn (=*Calosphaeria princeps*)  
*Amelanchier alnifolia*, LC (Shaw 1973)  
*Amelanchier* sp., LC (Barr 1953)  
*Betula papyrifera*, V (DAVFP)  
*Prunus* sp., V (DAVFP)

**Calvatia elata** (Massee) Morg. fide Zeller &  
 Smith (=*Calvatia saccata*)  
 Soil and Duff, UR

**Calvatia gigantea** (Batsch:Pers.) Lloyd fide  
 Zeller & Smith (=*Calvatia maxima*)  
 Soil and Duff, V (DAVFP)

**Calvatia lepidophorum** (Ellis & Everh.)  
 Coker & Couch fide Zeller & Smith  
 Soil and Duff, V (DAVFP)

**Calvatia maxima** (Schaeff.) Morg. see  
*Calvatia gigantea*

**Calvatia saccata** (Vahl) Morg. see *Calvatia elata*

**Calyptella capula** (Holmsk.:Fr.) Quél.  
*Cirsium arvense*, LC (Redhead 1973)  
*Lactuca serriola* var. *integrata*, LC (Redhead  
 1973)  
*Lathyrus* sp., LC (Redhead and Traquair 1981a)  
*Symphtym officinale*, LC (Redhead 1973)

**Camarographium abietis** (Wilson &  
 Anders.) Grove see *Stegonsporiopsis  
 cenangiooides*

**Camarosporium coronillae** (Sacc. &  
 Speg.) Sacc.  
*Spiraea douglasii*, LC (Shaw 1973)

**Camarosporium quaternatum** (Haszl.)  
 Schulz.  
*Cornus nuttallii*, V (DAVFP)

**Camarosporium robiniae** (West.) Sacc.  
*Robinia pseudoacacia*, V (DAVFP)

**Camarosporium strobilinum** Bomm.,  
 Rouss. & Sacc.  
*Abies lasiocarpa*, V (DAVFP)  
*Picea glauca*, V (DAVFP)

**Camarosporium sp.**  
*Pseudotsuga menziesii*, V (DAVFP)  
*Salix* sp., V (DAVFP)

**Camarosporula sp.**

*Pinus monticola*, V (DAVFP)

**Campanella subdendrophora** Redhead  
*Phalaris arundinacea*, LC (Redhead 1974)  
 (TYPE)

**Cantharellula umbonata** (Fr.) Singer  
 Soil and Duff, V (DAVFP)

**Cantharellus cibarius** Fr.

*Pseudotsuga menziesii*, V (DAVFP)  
 Soil and Duff, V (DAVFP)

**Cantharellus cinnabarinus** Schw.  
 Soil and Duff, V (DAVFP)

**Cantharellus clavatus** Pers.:Fr.  
 Soil and Duff, V (DAVFP)

**Cantharellus floccosus** Schw.  
 Gymnosperms, Wood, V (DAVFP)  
 Soil and Duff, V (DAVFP)

**Cantharellus infundibuliformis** Fr.  
 Soil and Duff, V (DAVFP)

**Cantharellus kauffmanii** A.H. Smith  
 Soil and Duff, V (DAVFP)

**Cantharellus multiplex** Underw.  
 Soil and Duff, V (DAVFP)

**Cantharellus subalbidus** A.H. Smith &  
 Morse  
 Soil and Duff, V (DAVFP)

**Cantharellus tubaeformis** Fr.  
 Soil and Duff, V (DAVFP)

**Capitotricha bicolor** (Bull.:Fr.) Baral &  
 Krieglsteiner (=Dasyphyllum bicolor)  
*Alnus* sp., V (DAVFP)  
*Rubus parviflorus*, V (DAVFP)  
*Salix* sp., V (DAVFP)

**Capnodium spongiosum** Barr see  
*Strigopodia spongiosa*

**Capnodium walteri** Sacc.  
*Arbutus menziesii*, V (DAVFP)

**Capronia borealis** Barr  
*Cassiope mertensiana*, LC (Barr 1991a)

**Caproniella pleiospora** (Mout.) Berl.  
*Prunus virginiana* var. *demissa*, LC (Barr 1953 on  
*Prunus demissa*)

**Catathelasma ventricosa** (Peck) Singer  
 Soil and Duff, V (DAVFP)

**Cenangium abietis** (Pers.) Rehm see  
*Cenangium ferruginosum*

**Cenangium acicola** (Fuckel) Rehm  
 (=Cenangium acuum)  
*Pinus monticola*, V (DAVFP)  
*Pinus* sp., LC (Shaw 1973)

**Cenangium acuum** Cooke & Peck see  
*Cenangium acicola*

**Cenangium ferruginosum** Fr.:Fr.  
 (=Cenangium abietis)  
*Pinus contorta* var. *latifolia*, V (DAVFP)  
*Pinus monticola*, V (DAVFP)  
*Pinus ponderosa*, V (DAVFP)  
*Pinus sylvestris*, V (DAVFP)

**Cenangium furfuraceum** (Roth) Sacc. see  
*Encoelia furfuracea*

**Cenangium piniphilum** Weir see *Atropellis piniphila*

**Cenangium singulare** (Rehm) R.W.  
 Davidson & Cash see *Encoelia pruinosa*

**Cenococcum geophilum** Fr.  
*Picea engelmannii*, V (DAVFP)  
*Pseudotsuga menziesii*, LC (Roth and Berch  
 1992)  
*Tsuga heterophylla*, LC (Roth and Berch 1992)

**Cephaloascus fragrans** Hanawa  
 (=Ascocybe grovesii)  
*Pseudotsuga menziesii*, V (DAVFP)  
*Tsuga heterophylla*, LC (Wells 1954)

**Cephalosporium acremonium** Corda see  
*Acremonium strictum*

**Cephalosporium sp.**  
*Abies lasiocarpa*, UR  
*Cronartium ribicola* on *Pinus monticola*, V  
 (DAVFP)  
*Juniperus horizontalis*, V (DAVFP)  
*Salix babylonica*, V (DAVFP)  
*Tsuga heterophylla*, V (DAVFP) - Dried culture  
 only.

**Ceraceomerulius albostramineus**  
 (Torrend) Ginns see *Merulius*  
*albostramineus*

**Ceraceomyces borealis** (Romell) J.  
 Eriksson & Ryvarden (=Athelia borealis,  
*Merulius borealis*)  
*Abies amabilis*, LC (Ginns 1986a)  
*Picea glauca*, V (DAVFP)

**Ceraceomyces serpens** (Fr.:Fr.) Ginns  
 (=Merulius serpens)  
*Alnus rubra*, LC (Ginns 1986a)

*Picea glauca*, V (DAVFP)  
*Pinus ponderosa*, V (DAVFP)  
*Populus tremuloides*, V (DAVFP)

**Ceraceomyces tessulatus** (Cooke) Jülich  
 (=Athelia tessulata)

*Abies lasiocarpa*, V (DAVFP)  
*Gymnosperms*, Wood, UR  
*Picea glauca*, V (DAVFP)

**Ceratobasidium atratum** (Bres.) D.P.  
 Rogers see *Oliveonia subviolacea*

**Ceratobasidium sp.**

*Prunus* sp., V (DAOM 142587)

**Ceratocystis allantospora** H.D. Griffin  
*Pseudotsuga menziesii*, LC (Olchowecki and Reid 1974)  
*Thuja occidentalis*, LC (Ginns 1986a)

**Ceratocystis angusticollis** Wright & H.D. Griffin

*Pseudotsuga menziesii*, LC (Ginns 1986a)  
*Thuja occidentalis*, LC (Ginns 1986a)

**Ceratocystis coerulescens** (Münch) Bakshi

*Pseudotsuga menziesii*, V (DAVFP)

**Ceratocystis davidsonii** Olchowecki & Reid

*Pseudotsuga menziesii*, LC (Olchowecki and Reid 1974) (TYPE)

**Ceratocystis dryocoetidis** Kendrick & Molnar

*Abies lasiocarpa*, V (DAVFP) (ISOTYPE) - Dried culture only.

**Ceratocystis fasciata** Olchowecki & Reid  
*Pseudotsuga menziesii*, LC (Olchowecki and Reid 1974) (TYPE)

**Ceratocystis fimbriata** Ellis & Halst.  
*Populus tremuloides*, V (DAVFP)

**Ceratocystis huntii** Robinson-Jeffrey in  
 Robinson-Jeffrey & Grinchenko see  
*Ophiostoma huntii*

**Ceratocystis leucocarpa** R.W. Davidson  
*Pseudotsuga menziesii*, LC (Ginns 1986a)

**Ceratocystis montia** (Rumbold) J. Hunt  
 see *Ophiostoma ips*

**Ceratocystis pilifera** (Fr.:Fr.) C. Moreau  
 see *Ophiostoma piliferum*

**Ceratocystis pseudominor** Olchowecki & Reid

*Pseudotsuga menziesii*, LC (Olchowecki and Reid 1974) (TYPE)

**Ceratocystis rufipenni** Wingfield,

Harrington, & Solheim

*Picea engelmannii*, LC (Wingfield et al. 1997)  
 (HOLOTYPE, PARATYPE) – host infested with  
*Dendroctonus rufipennis*.

**Ceratocystis sagmatospora** E. Wright & Cain

*Pseudotsuga menziesii*, LC (Ginns 1986a)  
*Thuja occidentalis*, LC (Ginns 1986a)

**Ceratocystis sp.**

*Abies amabilis*, UR  
*Abies lasiocarpa*, V (DAVFP)  
*Picea engelmannii*, V (DAVFP)  
*Picea glauca*, V (DAVFP)  
*Pinus contorta* var. *latifolia*, UR  
*Pinus ponderosa*, V (DAVFP)  
*Populus tremuloides*, V (DAVFP)

**Ceratostomella sphaerosperma** (Fuckel)

Sacc.

*Pinus monticola*, LC (Shaw 1958)

**Cercoseptoria crataegi** (Ellis & Everh.) J.J. Davis

(=*Cylindrosporium crataegi*)  
*Crataegus douglasii*, LC (Dearness 1916 on  
*Crataegus brevispina*)

**Cercoseptoria ribis** (J.J. Davis) Dearn. &  
 House see *Cylindrosporium ribis*

**Cercoseptoria vermiciformis** (J.J. Davis)  
 J.J. Davis see *Mycopappus alni*

**Cercospora angelicae** (Sacc. & Scalia)  
 Chupp

*Angelica dawsonii*, LC (Ginns 1986a)

**Cercospora antipus** Ellis & Holw. see  
*Phaeoramularia antipus*

**Cercospora galii** Ellis & Holw. see  
*Cercosporidium galii*

**Cercospora lupini** Cooke see  
*Pseudocercospora lupini*

**Cercospora manitobana** J.J. Davis see  
*Cercosporidium manitobanum*

**Cercospora microsora** Sacc.  
*Tilia platyphyllos*, LC (Shaw 1973)

**Cercospora penstemonis** Ellis & Kellerm.

*Penstemon ovatus*, LC (Ginns 1986a)  
*Penstemon serrulatus*, LC (Ginns 1986a)

- Cercospora periclymeni** Wint. see  
*Phaeoramularia periclymeni*
- Cercospora rosicola** Pass. see  
*Mycosphaerella rosicola* (teleomorph)
- Cercospora selini-gmelini** (Sacc. & Scalia)  
Chupp  
*Conioselinum pacificum*, LC (Ginns 1986a on  
*Conioselinum chinense*)
- Cercospora septoriopsis** Chupp see  
*Cylindrosporium ribis*
- Cercospora sequoiae** Ellis & Everh. var.  
*juniperi* Ellis & Everh.  
*Juniperus communis*, V (DAVFP)
- Cercospora squalidula** Peck  
*Clematis ligusticifolia*, LC (Ginns 1986a)
- Cercospora streptopi** Dearn. & Barth.  
*Disporum hookeri* var. *oregano*, V (DAVFP)  
*Disporum majus*, LC (Shaw 1973)
- Cercospora symphoricarpi** Ellis & Everh.  
see *Phaeoramularia symphoricarpi*
- Cercospora violae** Sacc.  
*Viola tricolor* var. *hortensis*, LC (Connors 1967)
- Cercospora sp.**  
*Ribes viscosissimum*, V (DAVFP)  
*Solidago* sp., LC (Ginns 1986a)  
*Sorbus sitchensis*, V (DAVFP)
- Cercosporella aceris** Dearn. & Barth. see  
*Mycosphaerella mycopappi* (teleomorph)
- Cercosporella cana** (Pass.) Sacc. see  
*Cercosporella virgaureae*
- Cercosporella herpotrichoides** Fron see  
*Pseudocercosporella herpotrichoides*
- Cercosporella howittii** Dearn.  
*Ligustrum vulgare*, LC (Ginns 1986a)
- Cercosporella lewisi** (Savile) U. Braun.  
see *Ramularia lewisi*
- Cercosporella primulae** Allesch. see  
*Ramularia primulae*
- Cercosporella veratri** Peck  
*Veratrum viride*, LC (Ginns 1986a)
- Cercosporella virgaureae** (Thuem.)  
Allesch. (=Cercosporella cana)  
*Grindelia integrifolia*, LC (Shaw 1973)

- Cercosporidium depressum** (Berk. &  
Broome) Deighton (=*Passalora depressa*)  
*Angelica genuflexa*, LC (Shaw 1973)
- Cercosporidium galii** (Ellis & Holw.)  
Deighton (=*Cercospora galii*)  
*Gallium triflorum*, LC (Connors 1967)
- Cercosporidium graminis** (Fuckel)  
Deighton (=*Passalora graminis*,  
*Scolecochitrum graminis*)  
*Agropyron repens*, LC (Connors 1967)  
*Arrhenatherum elatius*, LC (Jones 1957; Connors  
1967)  
*Bromus carinatus*, LC (Connors 1967)  
*Bromus inermis*, LC (Ginns 1986a)  
*Bromus sitchensis*, LC (Sprague 1960a)  
*Cynosurus cristatus*, LC (Ginns 1986a)  
*Dactylis glomerata*, LC (Ginns 1986a)  
*Elymus glaucus*, LC (Ginns 1986a)  
*Elymus innovatus*, LC (Connors 1967)  
*Phleum pratense*, LC (Ginns 1986a)  
*Poa compressa*, LC (Jones 1957)  
*Poa pratensis*, LC (Ginns 1986a)
- Cercosporidium manitobanum** (J.J. Davis)  
Sutton (=*Cercospora manitobana*)  
*Elaeagnus commutata*, V (DAVFP)
- Cerinomyces canadensis** (Jacks. & Martin)  
Martin  
*Pseudotsuga menziesii*, LC (Seifert 1983)
- Cerinomyces crustulinus** (Bourd. &  
Galzin) Martin  
*Pseudotsuga menziesii*, V (DAOM 142589)
- Ceriosporopsis cambreensis** Wilson  
Unidentified wood, LC (Hughes 1969)
- Ceriosporopsis halima** Linder  
*Pinus monticola*, LC (Hughes 1969)  
*Pseudotsuga menziesii*, LC (Hughes 1969)  
Unidentified wood, LC (Hughes 1969)
- Ceriporia purpurea** (Fr.:Fr.) Donk (=*Poria  
purpurea*)  
*Alnus rubra*, V (DAVFP)  
*Populus tremuloides*, V (DAVFP)
- Ceriporia reticulata** (Pers.:Fr.) Domanski  
(=*Poria reticulata*)  
*Acer macrophyllum*, V (DAVFP)  
*Alnus rubra*, V (DAOM 142076)  
*Corylus* sp., V (DAOM 142075)
- Ceriporia tarda** (Berk.) Ginns (=*Poria  
semitincta*, *Poria tarda*)  
*Abies lasiocarpa*, V (DAVFP)  
Angiosperms, Wood, LC (Lowe and Gilbertson  
1961)  
*Picea glauca*, UR

***Ceriporia viridans* (Berk. & Broome) Donk**(=*Poria rhodella*)

- Alnus rubra*, V (DAOM 142083)
- Angiosperms, Wood, LC (Lowe and Gilbertson 1961)
- Gymnosperms, Wood, LC (Lowe and Gilbertson 1961)
- Populus trichocarpa*, V (DAVFP)
- Salix* sp., V (DAVFP)

***Ceriporiopsis aneirina* (Sommerf.:Fr.)**Domanski (=*Poria aneirina*)

- Populus tremuloides*, V (DAVFP)
- Populus trichocarpa*, V (DAVFP)

***Ceriporiopsis pannocincta* (Romell) R.L.**Gilbertson & Ryvarden (=*Poria pannocincta*, *Poria tacamahacae*)

- Alnus rubra*, V (DAVFP)
- Betula papyrifera*, V (DAVFP)
- Populus trichocarpa*, V (DAVFP)

***Ceriporiopsis rivulosa* (Berk. & M.A.**Curtis) R.L. Gilbertson & Ryvarden (=*Poria albibellucida*, *Poria rivulosa*)

- Abies amabilis*, V (DAVFP)
- Abies* sp., V (DAVFP)
- Gymnosperms, Wood, V (DAVFP)
- Picea glauca*, UR
- Picea sitchensis*, V (DAVFP)
- Pseudotsuga menziesii*, V (DAVFP)
- Thuja plicata*, V (DAVFP)
- Tsuga heterophylla*, V (DAVFP)

***Ceriporiopsis subvermispora* (Pilát) R.L.**Gilbertson & Ryvarden (=*Poria subvermispora*)

- Abies lasiocarpa*, V (DAVFP)
- Angiosperms, Wood, LC (Ginns and Macrae 1971)
- Picea glauca*, V (DAVFP)
- Picea sitchensis*, V (DAVFP)

***Cerrena unicolor* (Bull.:Fr.) Murrill**(=*Daedalea unicolor*)

- Acer glabrum* var. *douglasii*, LC (Ginns 1986a)
- Alnus rubra*, V (DAVFP)
- Alnus sinuata*, LC (Shaw 1973)
- Alnus tenuifolia*, LC (Ginns 1986a on *Alnus rugosa* var. *occidentalis*)
- Betula papyrifera*, V (DAVFP)
- Populus tremuloides*, LC (Shaw 1973)
- Populus trichocarpa*, V (DAVFP)
- Populus* sp., LC (van der Westhuizen 1963)
- Prunus* sp., V (DAVFP)
- Sorbus americana*, V (DAVFP)
- Ulmus* sp., V (DAVFP)

***Ceuthospora foliicola* (Lib.) Jaap***Vinca minor*, LC (Dicosmo et al. 1984)***Ceuthospora phacidiooides* Grev.***Ilex aquifolium*, V (DAVFP)***Ceuthospora* sp.**

- Abies amabilis*, V (DAVFP)
- Pinus contorta* var. *latifolia*, V (DAVFP)
- Pseudotsuga menziesii*, UR

***Chaetoderma luna* (Romell ex D.P. Rogers**& H. Jacks.) Parmasto (=*Peniophora luna*, *Peniophora odorata*)

- Abies amabilis*, V (DAVFP)
- Picea glauca*, V (DAVFP)
- Picea sitchensis*, V (DAVFP)
- Pinus monticola*, V (DAVFP)
- Pseudotsuga menziesii*, LC (Hallenberg 1984)
- Tsuga heterophylla*, V (DAVFP)

***Chaetomium cochlioides* Palliser see***Chaetomium globosum****Chaetomium elatum* J.C. Schmidt &**

Kunze:Fr.

- Pseudotsuga menziesii*, V (DAVFP)

***Chaetomium funicola* Cooke***Zea mays*, LC (Connors 1967)***Chaetomium globosum* Kunze:Fr.**(=*Chaetomium cochlioides*)

- Cardboard, LC (Barr 1953 on cardboard and paper towel)
- Vicia faba*, LC (Connors 1967)

***Chaetomium murorum* Corda***Cucurbita maxima*, LC (Connors 1967)***Chaetomium spirale* Zopf***Oxyria digyna*, LC (Barr 1953)***Chaetomium* sp.**

- Picea glauca*, V (DAVFP)
- Vaccinium parvifolium*, UR

***Chaetoscutula juniperi* E. Müller**

- Juniperus sabina* var. *variegata*, V (DAVFP)
- Juniperus scopulorum*, V (DAVFP)

***Chaetothyrium babingtonii* (Berk.) Keissl.***Berberis nervosa*, V (DAVFP)***Chalara fungorum* (Sacc.) Sacc.***Abies lasiocarpa*, V (DAVFP)***Cheilaria agrostis* Lib. (=*Septogloeum oxysporum*)***Elymus glaucus*, V (DAVFP)***Cheilymenia stercorea* (Pers.:Fr.) Boud.**

Dung, cow, LC (Denison 1964)

***Cheilymenia* sp.***Picea* sp., V (DAVFP)

**Cheimonophyllum candidissimum** (Berk. & M.A. Curtis) Singer (=Pleurotus candidissimum)

Soil and Duff, LC (Davidson 1930 on decaying log)

**Chlorociboria aeruginascens** (Nyl.)

Kanouse ex Ramamurthi, Korf & Batra

*Acer macrophyllum*, V (DAVFP)  
*Alnus rubra*, V (DAVFP)  
*Alnus sinuata*, V (DAVFP)  
 Angiosperms, Wood, UR  
*Populus* sp., V (DAVFP)  
*Pseudotsuga menziesii*, UR  
 Unidentified wood, V (DAVFP)

**Chlorociboria aeruginascens** (Nyl.)

Kanouse ex Ramamurthi, Korf & Batra

**subsp. aeruginascens**

*Tsuga heterophylla*, V (DAVFP)

**Chlorociboria aeruginosa** (Pers.:Fr.)

Seaver ex Ramamurthi, Korf & Batra

*Populus tremuloides*, V (DAVFP)

**Chlorociboria** sp.

*Abies lasiocarpa*, UR  
*Abies* sp., V (DAVFP)

**Chloroscypha sabinae** (Fuckel) Dennis

(=Kriegeria juniperina)

*Juniperus communis*, V (DAVFP)

**Chlorosplenium chlorae** (Schwein.:Fr.) M.A.

Curtis in C. Sprague

*Prunus domestica*, V (DAVFP)

**Chondropodium pseudotsugae** W.L.

White see *Durandiella pseudotsugae*

**Chondropodium** sp.

*Tsuga heterophylla*, V (DAVFP)

**Chondrostereum purpureum** (Pers.:Fr.)

Pouzar (=Stereum purpureum, *Stereum rugosiusculum*)

*Abies lasiocarpa*, UR  
*Acer* sp., UR  
*Aesculus hippocastanum*, V (DAVFP)  
*Alnus rubra*, V (DAVFP)  
*Alnus tenuifolia*, UR  
*Alnus* sp., V (DAVFP)  
 Angiosperms, Wood, V (DAOM 142590)  
*Betula papyrifera*, V (DAVFP)  
*Betula* sp., V (DAVFP)  
 Gymnosperms, Wood, V (DAVFP)  
*Malus pumila*, LC (Conners 1967)  
*Malus sylvestris*, LC (Conners 1967)  
*Picea engelmannii*, UR  
*Picea glauca*, LC (Martin and Gilbertson 1980)  
*Populus nigra* var. *italica*, V (DAVFP)  
*Populus tremuloides*, V (DAVFP)  
*Populus trichocarpa*, V (DAVFP)  
*Populus* sp., V (DAVFP)  
*Prunus amygdalus*, LC (Shaw 1973)

*Prunus armeniaca*, LC (Shaw 1973)

*Prunus domestica*, LC (Toms 1964)

*Prunus emarginata*, V (DAVFP)

*Prunus laurocerasus*, LC (Toms 1964)

*Prunus lusitanica*, V (DAVFP)

*Prunus* sp., V (DAVFP)

*Pseudotsuga menziesii*, V (DAVFP)

*Salix* sp., V (DAVFP)

*Thuja plicata*, V (DAVFP)

*Tsuga heterophylla*, UR

**Chromelosporium fulvum** (Link:Fr.)

McGinty, Korf & Hennebert in Hennebert & Korf see *Peziza ostracoderma*

**Chroogomphus rutilus** (Schaeff.:Fr.) O.K.

Miller

Soil and Duff, V (DAVFP)

**Chroogomphus tomentosus** (Murrill) O.K.

Miller

Soil and Duff, V (DAVFP)

**Chrysomphalina chrysophylla** (Fr.)

Clemenccon

Unidentified wood, V (DAVFP)

**Chrysomphalina luteicolor** (Murrill)

Clemenccon

Unidentified wood, V (DAVFP)

**Chrysomyxa arctostaphyli** Dietel

(=Peridermium coloradense - anamorph)

*Arctostaphylos uva-ursi*, V (DAVFP)

*Picea abies*, V (DAVFP)

*Picea engelmannii*, V (DAVFP)

*Picea glauca*, V (DAVFP)

*Picea glauca* X *P. engelmannii*, LC (Funk 1982)

*Picea mariana*, V (DAVFP)

*Picea sitchensis*, V (DAVFP)

**Chrysomyxa chiogenis** Dietel

*Gaultheria hispidula*, V (DAVFP)

**Chrysomyxa empetri** J. Schröt. ex

Cummins

*Empetrum nigrum*, V (DAVFP)

*Picea engelmannii*, LC (Conners 1967)

*Picea glauca*, V (DAVFP)

**Chrysomyxa ledi** de Bary

*Picea engelmannii*, V (DAVFP)

*Picea glauca*, V (DAVFP)

*Picea mariana*, V (DAVFP)

*Picea sitchensis*, V (DAVFP)

**Chrysomyxa ledi** de Bary var. *cassandrae*

(Peck & G.W. Clinton) Savile

*Chamaedaphne calyculata*, V (DAVFP)

**Chrysomyxa ledi** de Bary var. *ledi*

*Ledum decumbens*, V (DAVFP)

*Ledum glandulosum*, V (DAVFP)

*Ledum groenlandicum*, V (DAVFP)

***Chrysomyxa ledi* de Bary var.**

***rhododendri* (de Bary) Savile**

*Rhododendron augustini* X *R. fastigiatum*, V (DAVFP)  
*Rhododendron calostrotum*, LC (Ginns 1986a)  
*Rhododendron campylogynum*, V (DAVFP)  
*Rhododendron ciliatum* X *R. racemosum*, V (DAVFP)  
*Rhododendron* 'var. *Cinnabarinum*', V (DAVFP)  
*Rhododendron ferrugineum*, V (DAVFP)  
*Rhododendron ferrugineum* X *R. hirsutum* 'Intermedium', UR  
*Rhododendron hirsutum*, V (DAVFP)  
*Rhododendron impeditum* X *R. hanceanum*, V (DAVFP)  
*Rhododendron lapponicum*, V (DAVFP)  
*Rhododendron pemakoense*, V (DAVFP)  
*Rhododendron racemosum* X *R. ciliatum*, V (DAVFP)  
*Rhododendron radicans*, V (DAVFP)  
*Rhododendron riparium*, V (DAVFP)  
*Rhododendron scyphocalyx*, V (DAVFP)  
*Rhododendron* sp. X *R. calostrotum* (cream), V (DAVFP)  
*Rhododendron* sp. X *R. calostrotum* (rose), V (DAVFP)

***Chrysomyxa ledi* de Bary var. *vaccinii***

Ziller

*Vaccinium parvifolium*, V (DAVFP) (TYPE)

***Chrysomyxa ledicola* Lagerh.**

*Ledum decumbens*, V (DAVFP)  
*Ledum groenlandicum*, V (DAVFP)  
*Picea engelmannii*, V (DAVFP)  
*Picea glauca*, V (DAVFP)  
*Picea mariana*, V (DAVFP)  
*Picea sitchensis*, V (DAVFP)

***Chrysomyxa monesis* Ziller**

*Moneses uniflora*, V (DAVFP) (TYPE)  
*Picea sitchensis*, V (DAVFP)

***Chrysomyxa piperiana* Sacc. & Trott. ex Cummins**

*Rhododendron* 'Blue Peter', V (DAVFP)  
*Rhododendron macrophyllum*, V (DAVFP)

***Chrysomyxa pirolata* G. Wint. in Rabenh.**

*Moneses uniflora*, V (DAVFP)  
*Picea engelmannii*, V (DAVFP)  
*Picea glauca*, V (DAVFP)  
*Picea mariana*, V (DAVFP)  
*Picea pungens*, V (DAVFP)  
*Picea sitchensis*, V (DAVFP)  
*Pyrola aphylla*, V (DAVFP)  
*Pyrola asarifolia* var. *asarifolia*, V (DAVFP)  
*Pyrola asarifolia* var. *purpurea*, V (DAVFP)  
*Pyrola dentata*, V (DAVFP)  
*Pyrola picta*, LC (Ginns 1986a)  
*Pyrola rotundifolia* var. *americana*, LC (Connors 1967)  
*Pyrola secunda*, V (DAVFP)  
*Pyrola virens*, V (DAVFP)

***Chrysomyxa weiri* H. Jacks.**

*Picea engelmannii*, V (DAVFP)

*Picea glauca*, V (DAVFP)

*Picea mariana*, UR

*Picea sitchensis*, V (DAVFP)

***Chrysomyxa woroninii* Tranzschel**

*Ledum decumbens*, V (DAVFP)

*Ledum groenlandicum*, V (DAVFP)

*Picea glauca*, V (DAVFP)

*Picea mariana*, V (DAVFP)

***Chrysonilia sitophila* (Mont.) Arx (=*Monilia sitophila*)**

*Cronartium ribicola* on *Pinus monticola*, V (DAVFP)

***Chrysosporium filiforme* Sigler,**

Carmichael & Whitney

*Pinus contorta* var. *latifolia*, LC (Sigler et al. 1982)

***Ciboria gordoni* Funk**

*Tsuga heterophylla*, V (DAVFP) (TYPE)

***Ciboria rufo-fusca* (Weberb.) Sacc.**

*Abies amabilis*, V (DAVFP)

*Abies grandis*, V (DAOM 87511)

*Pseudotsuga menziesii*, V (DAVFP)

***Ciboria* sp.**

*Acer circinatum*, V (DAVFP)

***Ciborinia foliicola* (Cash & R.W. Davidson)**

Whetzel

*Salix* sp., V (DAVFP)

***Ciborinia seaveri* Groves & Bowerman see *Ciborinia whetzelii***

***Ciborinia whetzelii* (Seaver) Seaver**

*Populus tremuloides*, V (DAVFP)

***Cilioplea amplispora* Barr**

*Arbutus menziesii*, LC (Barr 1992b)

***Cilioplea occidentalis* Barr**

*Grindelia integrifolia*, LC (Barr 1992b)

***Cintractia atratae* Savile see *Anthracoidea atratae***

***Cintractia caricensis* (Pers.:Pers.) Magnus see *Anthracoidea caricensis***

***Cintractia caricensis* (Pers.) Magnus var. *acutarum* Savile see *Anthracoidea heterospora***

***Cintractia carpophila* (Schumach.) Liro var. *carpophila***

*Carex rossii*, LC (Connors 1967)

**Cintractia carpophila** (Schumach.) Liro  
var. *elynae* (Syd.) Savile see *Anthracoidea elynae*

**Cintractia fischeri** (P. Karst.) Liro see  
*Anthracoidea fischeri*

**Cintractia subinclusa** (Körn.) Magnus see  
*Anthracoidea subinclusa*

**Cirrenalia macrocephala** (Kohlmeyer) S.P.  
Meyers & R.T. Moore

*Pinus monticola*, LC (Hughes 1969)  
*Pseudotsuga menziesii*, LC (Hughes 1969)  
Unidentified wood, LC (Hughes 1969)

**Cladosporium cladosporioides** (Fresen.)  
G.A. De Vries (=Hormodendrum  
*cladosporioides*)

*Alnus rubra*, LC (Sieber, Sieber-Canavesi, and  
Dorworth 1991)  
*Pinus ponderosa*, LC (Shaw 1973)  
*Salvia officinalis*, LC (Conners 1967)  
*Satureja hortensis*, LC (Conners 1967)  
*Taraxacum kok-saghyz*, LC (Conners 1967)  
*Trifolium pratense*, LC (Conners 1967)  
*Vicia faba*, LC (Conners 1967)  
*Zea mays*, LC (Conners 1967)

**Cladosporium gallicola** Sutton

*Cronartium ribicola* on *Pinus monticola*, V  
(DAVFP)

**Cladosporium herbarum** (Pers.:Fr.) Link

*Acer macrophyllum*, V (DAVFP)  
*Aesculus hippocastanum*, V (DAVFP)  
*Carex* sp., V (DAVFP)  
*Dierama pulcherrimum*, V (DAVFP)  
*Elymus mollis*, V (DAVFP)  
*Picea sitchensis*, UR  
*Pinus contorta* var. *latifolia*, V (DAVFP)  
*Pseudotsuga menziesii*, V (DAVFP)  
*Satureja hortensis*, LC (Conners 1967)  
*Syringa vulgaris*, V (DAVFP)  
*Syringa* sp., V (DAVFP)  
*Thuja orientalis* var. *stricta*, V (DAVFP)  
*Zea mays*, LC (Conners 1967)

**Cladosporium malorum** Ruehle  
*Zea mays*, LC (Conners 1967)

**Cladosporium phlei** (C.T. Gregory) G.A.  
De Vries (=Heterosporium phlei)  
*Phleum pratense*, LC (Ginns 1986a)

**Cladosporium resinae** (Lindau) G.A. De  
Vries see *Amorphotheca resinae*  
(teleomorph)

**Cladosporium sessile** Ellis & Barth.  
*Populus trichocarpa*, V (DAVFP)

**Cladosporium sphaerospermum** Penz.  
*Alnus rubra*, LC (Sieber, Sieber-Canavesi, and  
Dorworth 1991)

**Cladosporium subsessile** Ellis & Barth.  
see *Phaeoramularia maculicola*

**Cladosporium variable** (Cooke) G.A. De  
Vries (=Heterosporium variable)  
*Spinacia oleracea*, LC (Ginns 1986a)

**Cladosporium** sp.

*Acer macrophyllum*, V (DAVFP)  
*Arceuthobium americanum* on *Pinus contorta*, V  
(DAVFP)  
*Empetrum nigrum*, V (DAVFP)  
*Endocronartium harknessii*, V (DAVFP)  
*Eucalyptus* sp., V (DAVFP)  
*Exobasidium* sp. on *Menziesia* sp., UR  
*Gymnosporangium nootkatense* on *Malus*  
*diversifolia*, V (DAVFP)  
*Juniperus scopulorum*, UR - Specimen discarded  
*Larix decidua*, V (DAVFP)  
*Larix sibirica*, V (DAVFP)  
*Melampsora monticola* on *Euphorbia peplus*, V  
(DAVFP)  
*Picea engelmannii*, V (DAVFP)  
*Picea glauca*, V (DAVFP)  
*Picea sitchensis*, V (DAVFP)  
*Populus nigra*, LC (Shaw 1973)  
*Populus trichocarpa*, UR  
*Prunus emarginata*, V (DAVFP)  
*Thuja plicata*, V (DAVFP)  
*Tilia europaea*, V (DAVFP)  
*Vaccinium parvifolium*, V (DAVFP)

**Clathridium tostum** (Berk. & Broome) E.  
Müller & Shoemaker

*Epilobium angustifolium*, LC (Ginns 1986a as  
*Discostroma tosta*)

**Clathrospora baccata** Ellis  
*Cirsium* sp., LC (Barr 1953)

**Clathrospora diplospora** (Ellis & Everh.)  
Wehmeyer see *Graphyllum permundum*

**Clathrospora elynae** Rabenh.  
*Carex atratiformis*, LC (Barr 1953)  
*Luzula spicata*, LC (Barr 1953)

**Clathrospora heterospora** (De Not.)  
Wehmeyer var. *simmonsii* (Wehmeyer)  
Wehmeyer  
*Juncus drummondii*, LC (Ginns 1986a)

**Clathrospora macrospora** (Schröt.) Nannf.  
see *Pyrenopthora schroeteri*

**Clathrospora pentamera** (P. Karst.) Berl.  
*Agropyron latiglume*, LC (Barr 1953)  
*Agrostis rossiae*, LC (Barr 1953)  
*Andropogon scoparius*, LC (Barr 1953)  
*Calamagrostis purpurascens*, LC (Barr 1953)  
*Carex aperta*, LC (Barr 1953)

- Oryzopsis hymenoides*, LC (Barr 1953)  
*Poa* sp., LC (Barr 1953)  
*Stipa comata*, LC (Barr 1953)
- Clathrospora permunda* (Cooke) Berl.** see  
*Graphyllum permundum*
- Clathrospora planispora* (Ellis) Berl.**  
*Arabis* sp., LC (Barr 1953)
- Clathrospora revelstokensis* Shoemaker & Babcock**  
*Juncus drummondii*, LC (Shoemaker and Babcock 1992)
- Clathrus cancellatus* L.** see *Clathrus ruber*
- Clathrus ruber* Mich.:Pers. fide Pilát**  
(=*Clathrus cancellatus*)  
Soil and Duff, UR
- Claussenomyces olivaceus* (Fuckel) M.A. Sherwood** (=*Retinocyclus olivaceus*)  
*Abies grandis*, V (DAVFP)  
*Picea sitchensis*, V (DAVFP)  
*Pseudotsuga menziesii*, V (DAVFP)  
*Tsuga heterophylla*, V (DAVFP)
- Claussenomyces pini* Funk**  
*Pinus contorta* var. *latifolia*, V (DAVFP) (TYPE)
- Claussenomyces pseudotsugae* (Groves) Ouellette & Pirozynski** (=*Tympanis pseudotsugae*)  
*Pseudotsuga menziesii*, V (DAVFP)
- Clavaria flava* Schaeff.** see *Ramaria flava*
- Clavaria formosa* Pers.**  
Soil and Duff, UR
- Clavaria fusiformis* Sowerby**  
Soil and Duff, V (DAVFP)
- Clavaria ligula* Schaeff.** see  
*Clavariadelphus ligulus*
- Clavaria purpurea* Fr.**  
Soil and Duff, V (DAVFP)
- Clavaria vermicularis* Fr. var. *sphaerospora* Bord. & Galzin**  
Soil and Duff, V (DAVFP)
- Clavariadelphus fistulosus* (Fr.) Corner**  
var. ***contortus*** Corner see *Macrotyphula fistulosa* var. *contorta*
- Clavariadelphus ligulus* Fr.** (=*Clavaria ligula*)  
Soil and Duff, V (DAVFP)
- Clavariadelphus sachalinensis* (Imai)**  
Corner  
*Picea glauca*, V (DAVFP)  
Soil and Duff, V (DAVFP)
- Clavariadelphus subfastigiatus* Wells & Kempton**  
Soil and Duff, V (DAVFP)
- Clavariadelphus truncatus* (Quél.) Donk**  
*Soil and Duff*, V (DAVFP)
- Clavariadelphus truncatus* (Quél.) Donk**  
var. *truncatus*  
Soil and Duff, V (DAVFP)
- Clavariella* sp.**  
Soil and Duff, V (DAVFP)
- Claviceps grohii* Groves**  
*Carex festivella*, LC (Shaw 1958)  
*Carex microptera* LC (Shaw 1973)  
*Carex muricata*, LC (Shaw 1973)  
*Carex stellulata*, LC (Barr 1953) (TYPE)
- Claviceps purpurea* (Fr.:Fr.) Tul.**  
*Agropyron cristatum*, LC (Barr 1953)  
*Agrostis canina*, LC (Connors 1967)  
*Arrhenatherum elatius*, LC (Connors 1967)  
*Bromus ciliatus*, LC (Connors 1967)  
*Bromus inermis*, LC (Barr 1953)  
*Calamagrostis canadensis*, LC (Barr 1953)  
*Dactylis glomerata*, V (DAVFP)  
*Elymus arenarius* var. *vilosus*, LC (Connors 1967)  
*Elymus glaucus*, LC (Ginns 1986a)  
*Elymus innovatus*, LC (Connors 1967)  
*Elymus mollis*, LC (Connors 1967)  
*Elymus piperi*, LC (Connors 1967)  
*Festuca elatior*, LC (Barr 1953)  
*Festuca rubra*, LC (Connors 1967)  
*Holcus lanatus*, V (DAVFP)  
*Lolium multiflorum*, LC (Toms 1964)  
*Phleum pratense*, LC (Barr 1953)  
*Secale cereale*, LC (Barr 1953)  
*Triticum aestivum*, LC (Barr 1953; Jones 1957)
- Clavicorona piperata* (Kauffm.) Leathers & A.H. Smith**  
Gymnosperms, Wood, LC (Dodd 1972)
- Clavicorona taxophila* (Thom) Doty**  
*Thuja plicata*, V (DAVFP)
- Clavulicium macounii* (Burt) J. Eriksson & Boidin**  
*Abies lasiocarpa*, V (DAVFP)  
*Picea glauca*, V (DAVFP)
- Clavulina cinerea* (Fr.) Schröt.**  
Soil and Duff, V (DAVFP)
- Clavulina cristata* (Fr.) Schröt.**  
Soil and Duff, V (DAVFP)

**Clavulina sp.**

*Pseudotsuga menziesii*, V (DAOM 142598)  
Soil and Duff, UR  
*Tsuga heterophylla*, V (DAVFP)  
Unidentified wood, V (DAOM 142595)

**Clavulinopsis aurantio-cinnabrina**

(Schw.) Corner  
Soil and Duff, V (DAVFP)

**Climacocystis borealis** (Fr.:Fr.) Kotlaba & Pouzar (=*Polyporus borealis*)

*Abies lasiocarpa*, V (DAVFP)  
*Picea engelmannii*, LC (Ginns 1986a as  
*Tyromyces borealis*)  
*Picea glauca*, V (DAVFP)  
*Picea sitchensis*, V (DAVFP)  
*Tsuga heterophylla*, LC (Shaw 1973)

**Clithris crispa** (Pers.) Rehm see *Colpoma crispum*

**Clitocybe atrialba** Murrill

Soil and Duff, V (DAVFP)

**Clitocybe aurantiaca** (Fr.) Stud.

*Alnus rubra*, V (DAVFP)  
*Pseudotsuga menziesii*, V (DAVFP)  
Soil and Duff, V (DAVFP)  
*Tsuga heterophylla*, UR

**Clitocybe candida** Bres.

Soil and Duff, LC (Davidson 1930)

**Clitocybe cartilaginea** (Bull.) Bres.

Soil and Duff, UR

**Clitocybe catina** (Fr.) Quél.

Soil and Duff, LC (Davidson 1930)

**Clitocybe cerussata** (Fr.) P. Kumm. var.  
*difformis* (Fr.) Gill. sensu Bres.

Soil and Duff, LC (Bigelow 1959)

**Clitocybe cyathiformis** (Bull.:Fr.) P. Kumm.  
see *Pseudoclitocybe cyathiformis*

**Clitocybe decora** (Fr.) Gill.

*Picea glauca*, LC (Conners 1967)  
*Pseudotsuga menziesii*, LC (Conners 1967)

**Clitocybe ectypoides** Peck

Soil and Duff, V (DAVFP)

**Clitocybe gibba** (Pers.:Fr.) P. Kumm.

*Pseudotsuga menziesii*, V (DAOM)  
Soil and Duff, V (DAVFP)

**Clitocybe gibba** (Pers.:Fr.) P. Kumm. var.  
*gibba*

*Thuja plicata*, V (DAVFP)

**Clitocybe gilvooides** Kauffm.

Soil and Duff, V (DAVFP)

**Clitocybe inversa** (Scop.:Fr.) Quél.

Soil and Duff, LC (Davidson 1930)

**Clitocybe multiceps** Peck

Soil and Duff, V (DAVFP)

**Clitocybe nebularis** (Batsch:Fr.) P. Kumm.

Soil and Duff, V (DAVFP)

**Clitocybe odora** (Bull.:Fr.) P. Kumm.

Soil and Duff, V (DAVFP)

**Clitocybe piceina** Peck

Unidentified wood, V (DAVFP)

**Clitocybe pithyophila** (Fr.) Gill.

Soil and Duff, LC (Davidson 1930)

**Clitocybe sclerotoidea** (Morse) H.E.

Bigelow

*Helvella* sp., V (DAVFP)

**Clitocybe sinopica** (Fr.) P. Kumm.

Soil and Duff, V (DAOM)

**Clitocybe smaragdina** (Berk.) H.E. Bigelow

& A.H. Smith

Soil and Duff, LC (Bigelow and Smith 1962)

**Clitocybe truncicola** (Peck) Sacc.

*Populus trichocarpa*, V (DAVFP)

**Clitocybe sp.**

Soil and Duff, V (DAVFP)

**Clypeolium sp.**

*Pseudotsuga menziesii*, V (DAVFP)

**Coccomyces arbutifolius** M.A. Sherwood

*Arbutus menziesii*, V (DAVFP)

**Coccomyces dentatus** (J.C. Schmidt & Kunze:Fr.) Sacc.

*Berberis aquifolium*, V (DAVFP)

*Berberis nervosa*, V (DAVFP)

*Gaultheria shallon*, V (DAVFP)

**Coccomyces gaultheriae** (Dearn.)

DiCosmo, Nag Raj & Kendrick (=*Phacidium gaultheriae*)

*Gaultheria shallon*, V (DAVFP)

**Coccomyces heterophyllae** Funk

*Tsuga heterophylla*, V (DAVFP) (TYPE)

**Coccomyces hiemalis** Higg. see

*Blumeriella jaapii*

**Coccomyces leptideus** (Fr.:Fr.) B.

Eriksson (=*Coccomyces quadratus*)

*Arbutus menziesii*, V (DAVFP)

**Cocomyces pini** (Albertini & Schwein.) P. Karst. see *Therrya pini*

**Cocomyces prunophorae** Higg. see *Blumeriella jaapii*

**Cocomyces pseudotsugae** Funk  
*Pseudotsuga menziesii*, V (DAVFP) (TYPE)

**Cocomyces quadratus** (J.C. Schmidt & Kunze) P. Karst. see *Cocomyces leptideus*

**Cocomyces strobi** J. Reid & Cain  
*Pinus monticola*, UR

**Cocomyces sp.**

*Amelanchier alnifolia*, V (DAVFP)  
*Populus trichocarpa*, V (DAVFP)

**Coccophacidium sp.**  
*Picea glauca*, V (DAVFP)

**Coleophoma empetri** (Rostr.) Petr.  
(= *Sporonema oxyccoci*)  
*Vaccinium macrocarpon*, LC (Shaw 1973)

**Coleosporium asterum** (Dietel) Syd. & P. Syd.

*Aster ciliolatus*, V (DAVFP)  
*Aster conspicuus*, V (DAVFP)  
*Aster eatonii*, LC (Shaw 1973)  
*Aster engelmannii*, V (DAVFP)  
*Aster foliaceus*, V (DAVFP)  
*Aster foliaceus* var. *apricus*, LC (Jones 1957)  
*Aster modestus*, LC (Shaw 1973)  
*Aster occidentalis*, LC (Arthur 1907 as  
*Coleosporium solidaginis*; Toms 1964)  
*Aster occidentalis*, LC (Toms 1964)  
*Aster subspicatus*, V (DAVFP)  
*Aster* sp., V (DAVFP)  
*Grindelia integrifolia*, V (DAVFP)  
*Grindelia integrifolia* var. *macrophylla*, V (DAVFP)  
*Grindelia stricta*, V (DAVFP)  
*Pinus contorta* var. *contorta*, V (DAVFP)  
*Pinus contorta* var. *latifolia*, V (DAVFP)  
*Solidago canadensis*, V (DAVFP)  
*Solidago canadensis* subsp. *elongata*, UR  
*Solidago lanceolata*, UR  
*Solidago lepida*, V (DAVFP)  
*Solidago multiradiata*, V (DAVFP)  
*Solidago spathulata*, V (DAVFP)

**Coleosporium campanulae** Lév. ex J. Kickx fil. see *Coleosporium tussilaginis*

**Coleosporium madiae** (Syd.) Arth. see *Coleosporium pacificum*

**Coleosporium pacificum** Cummins  
(= *Coleosporium madiae*)  
*Madia sativa*, LC (Ginns 1986a)

**Coleosporium tussilaginis** (Pers.) Lév. in C. d'Orb. (= *Coleosporium campanulae*)  
*Campanula medium*, LC (Ginns 1986a)  
*Campanula persicifolia*, V (DAVFP)  
*Campanula* sp., LC (Parmelee and de Carteret 1982a)

**Coleosporium sp.**

*Pinus contorta* var. *latifolia*, V (DAVFP)  
*Solidago lepida* var. *elongata*, V (DAVFP)

**Coleroa chaetomium** (Kunze:Fr.) Rabenh.  
*Rubus parviflorus*, LC (Barr 1953; Corlett 1974a)  
*Rubus pedatus*, V (DAVFP)

**Coleroa circinans** (Fr.:Fr.) G. Wint. in Rabenh. (= *Venturia circinans*)  
*Geranium bicknellii*, LC (Shaw 1973)  
*Geranium pusillum*, LC (Shaw 1973)

**Coleroa rubicola** (Ellis & Everh.) E. Müller  
see *Hormothecea rubicola*

**Coleroa sp.**

*Arceuthobium tsugense* on *Tsuga heterophylla*, V (DAVFP)

**Colletotrichum acutatum** J.H. Simmonds  
*Tsuga heterophylla*, V (DAVFP)

**Colletotrichum dematium** (Pers.) Grove  
(= *Colletotrichum erumpens*, *Colletotrichum fructus*)  
*Hedera helix*, LC (Lum and Copeman 1988)  
*Malus sylvestris*, LC (Shaw 1973)  
*Rheum rhabonticum*, LC (Ginns 1986a)

**Colletotrichum erumpens** Sacc. see *Colletotrichum dematium*

**Colletotrichum fructus** (F.L. Stevens & J.G. Hall) Sacc. see *Colletotrichum dematium*

**Colletotrichum fuscum** Laubert  
*Digitalis lanata*, LC (Ginns 1986a)

**Colletotrichum gloeosporioides** (Penz.) Penz. & Sacc. in Penz. see *Glomerella cingulata* (teleomorph)

**Colletotrichum graminicola** (Ces.) G.W. Wils.

Angiosperms, Grasses, LC (MacDonald 1990)  
*Festuca rubra*, LC (Conners 1967)  
Soil and Duff, LC (Toms 1964)

**Colletotrichum himantophylli** Kab. & Bubák  
*Clivia miniata*, LC (Toms 1964)

**Colletotrichum trichellum** (Fr.:Fr.) M.M.  
Duke (=Amerosporium trichellum)  
*Hedera helix*, LC (Ginns 1986a)

**Colletotrichum sp.**  
*Arcutothobium americanum* on *Pinus contorta*, V  
(DAVFP 18861) - Whole collection at IMI (Kew).  
*Salix lasiandra*, V (DAVFP)

**Collonema sp.**  
*Larix occidentalis*, LC (Shaw 1973)

**Collybia acervata** (Fr.:Fr.) P. Kumm.  
*Picea glauca*, V (DAVFP)  
Soil and Duff, V (DAVFP)  
*Thuja plicata*, V (DAVFP)  
*Tsuga heterophylla*, V (DAVFP)

**Collybia albipilata** Peck  
*Pseudotsuga menziesii*, V (DAVFP)

**Collybia badiialba** Murrill  
Soil and Duff, V (DAVFP)

**Collybia cf. butyracea** (Fr.) Quél.  
Soil and Duff, V (DAVFP)

**Collybia confluens** (Pers.:Fr.) P. Kumm.  
Unidentified wood, V (DAVFP)

**Collybia conigenoides** (Ellis) Sacc. see  
*Strobilurus conigenoides*

**Collybia dryophila** (Bull.:Fr.) P. Kumm.  
Soil and Duff, LC (Davidson 1930)

**Collybia maculata** (A.& S.:F.) P. Kumm.  
Soil and Duff, V (DAVFP)

**Collybia oregonensis** A.H. Smith  
Soil and Duff, V (DAVFP)

**Collybia radicata** (Relhan:Fr.) P. Kumm.  
see *Xerula radicata*

**Collybia velutipes** (Curtis:Fr.) P. Kumm.  
see *Flammulina velutipes*

?**Collybia sp.**  
Soil and Duff, V (DAVFP)

**Colpoma crispum** (Pers.:Fr.) Sacc.  
(=Clithris crispa)

*Pinus monticola*, V (DAVFP)  
*Pseudotsuga menziesii*, V (DAVFP)  
*Tsuga heterophylla*, V (DAVFP)

**Columnocystis abietina** (Pers.:Fr.) Pouzar  
(=Stereum abietinum, Stereum rugisporum)  
*Abies amabilis*, V (DAVFP)  
*Abies grandis*, LC (Conners 1967)  
*Abies lasiocarpa*, V (DAVFP)  
Gymnosperms, Wood, V (DAVFP)  
*Picea engelmannii*, UR

*Picea sitchensis*, V (DAVFP)  
*Pseudotsuga menziesii*, LC (Conners 1967)  
*Tsuga heterophylla*, V (DAVFP)  
*Tsuga mertensiana*, UR

**Comatospora Suttonii** Pirozynski &  
Shoemaker  
*Picea mariana*, V (DAVFP) (TYPE)

**Comoclathris pentamera** (Karsten) S.  
Ahmad  
*Juncus balticus*, LC (Shoemaker and Babcock  
1992)

**Comoclathris quadri septata** (Cooke &  
Harkness) Shoemaker & Babcock  
*Sporobolus cryptandrus*, LC (Shoemaker and  
Babcock 1992)

**Confertobasidium olivaceo-album** (Bourd.  
& Galzin) Jülich (=Athelia fuscostrata)  
*Larix occidentalis*, LC (Shaw 1973)  
*Picea engelmannii*, V (DAVFP)  
*Pinus ponderosa*, LC (Shaw 1973)  
*Pseudotsuga menziesii*, UR  
*Thuja plicata*, V (DAVFP)

**Coniella sp.**  
*Juniperus* sp., V (DAVFP)

**Coniochaeta leucoplaca** (Berk. & Rav.)  
Cain  
Cardboard, LC (Barr 1953)  
Dung, horse, LC (Barr 1953)

**Coniochaeta lignaria** (Grev.) Cooke  
(=Rosellinia lignaria)  
*Alnus sinuata*, V (DAVFP)  
*Populus tremuloides*, V (DAVFP)

**Coniochaeta pulveracea** (Ehrenb.:Fr.)  
Munk  
*Populus tremuloides*, V (DAVFP)  
*Shepherdia canadensis*, V (DAVFP)

**Coniochaeta sp.**  
*Alnus rubra*, LC (Sieber, Sieber-Canavesi, and  
Dorworth 1991)  
*Pseudotsuga menziesii*, V (DAVFP)

**Coniophora arida** (Fr.:Fr.) P. Karst.  
*Tsuga heterophylla*, V (DAVFP)

**Coniophora arida** (Fr.:Fr.) P. Karst. var.  
*arida*  
*Abies grandis*, V (DAVFP)  
*Alnus rubra*, V (DAVFP)  
*Picea* sp., V (DAVFP)  
*Pinus ponderosa*, V (DAVFP)  
*Populus* sp., LC (Ginns 1982a)  
*Pseudotsuga menziesii*, LC (Ginns 1982a)  
*Thuja plicata*, V (DAVFP)  
*Tsuga heterophylla*, LC (Ginns 1982a)

**Coniophora arida** (Fr.:Fr.) P. Karst. var.  
**suffocata** (Peck) Ginns  
Thuja plicata, V (DAVFP)

**Coniophora fusispora** (Cooke & Ellis)  
Sacc.  
Pseudotsuga menziesii, V (DAVFP)

**Coniophora olivacea** (Pers.:Fr.) P. Karst.  
Alnus rubra, V (DAVFP)  
Picea glauca, V (DAVFP)  
Populus tremuloides, V (DAVFP)  
Pseudotsuga menziesii, V (DAVFP)  
Thuja plicata, LC (Ginns 1982a)

**Coniophora puteana** (Schumach.:Fr.) P. Karst. var. **puteana**  
Abies amabilis, LC (Ginns 1982a)  
Abies grandis, LC (Ginns 1982a)  
Abies lasiocarpa, V (DAVFP)  
Alnus rubra, V (DAVFP)  
Alnus sp., LC (Ginns 1982a)  
Cornus nuttallii, LC (Ginns 1982a)  
Cupressus macrocarpa, UR  
Larix laricina, UR  
Larix occidentalis, UR  
Picea engelmannii, UR  
Picea glauca, V (DAVFP)  
Pinus contorta var. *latifolia*, V (DAVFP)  
Pinus ponderosa, UR  
Populus sp., LC (Ginns 1982a)  
Pseudotsuga menziesii, LC (Ginns 1982a)  
Thuja plicata, V (DAVFP)  
Tsuga heterophylla, LC (Ginns 1982a)

**Coniophora** sp.  
Picea glauca, V (DAVFP)

**Coniosporium mali** Dearn. & W.R. Foster  
see *Venturia inaequalis* (teleomorph)

**Coniosporium puncoideum** (P. Karst.) P. Karst.  
Tsuga heterophylla, V (DAVFP)

**Coniothecium** sp.  
Pinus ponderosa, V (DAVFP)

**Coniothyrium concentricum** (Desmaz.) Sacc. see *Microsphaeropsis concentrica*

**Coniothyrium fuckelii** Sacc. see  
*Diaplella coniothyrium* (teleomorph)

**Coniothyrium** sp.  
Alnus rubra, LC (Sieber, Sieber-Canavesi, and Dorworth 1991)  
Ciboria gordonii on Tsuga heterophylla, V (DAVFP) - Dried culture only.  
Gaultheria shallon, V (DAVFP)  
Larix occidentalis, V (DAVFP)  
Picea glauca, V (DAVFP)  
Pinus contorta var. *latifolia*, V (DAVFP)  
Thuja occidentalis var. *fastigiata*, V (DAVFP)

**Conocybe intrusa** (Peck) Singer  
Soil and Duff, V (DAVFP)

**Conocybe tenera** (Schaeff.:Fr.) Fayod  
(=Galera tenera)  
Soil and Duff, LC (Davidson 1930)

**Conocybe** sp.  
*Scirpus americanus*, V (DAOM)

**Conoplea fusca** Pers.  
Unidentified wood, LC (Hughes 1960)

**Conoplea juniperi** S.J. Hughes var.  
**robusta** S.J. Hughes  
Tsuga heterophylla, V (DAVFP)

**Coprinus alkalinus** Anastasiou  
Unidentified wood, LC (Anastasiou 1967)  
(HOLOTYPE)

**Coprinus amphibius** Anastasiou  
Unidentified wood, LC (Anastasiou 1967)  
(HOLOTYPE)

**Coprinus atramentarius** (Bull.:Fr.) Fr.  
Quercus garryana, V (DAVFP)  
Soil and Duff, V (DAVFP)

**Coprinus comatus** (O.F. Muell. in Fl. Dan.:Fr.) S.F. Gray  
Soil and Duff, V (DAVFP)

**Coprinus micaceus** (Bull.:Fr.) Fr.  
Soil and Duff, LC (Davidson 1930)  
Unidentified wood, UR

**Coprinus phaeosporus** Karsten  
Angiosperms, Grasses, LC (Redhead 1984a)

**Coprinus psychromorbidus** Redhead & J.A. Traquair  
Elymus piperi, LC (Redhead and Traquair 1981b)  
Malus sp., LC (Traquair 1987; Gaudet and Sholberg 1990)

**Coprinus** sp.  
Populus trichocarpa, UR  
*Scirpus americanus*, V (DAOM)  
Soil and Duff, V (DAVFP)

**Coprotus luteus** Kimbrough, Luck-Allen & Cain  
Dung, moose, LC (Kimbrough et al. 1972)

**Cordyceps militaris** (Fr.) Link  
Cutworm, V (DAVFP)  
Looper, green-striped forest (*Melanolophia imitata*)  
in soil and duff, V (DAVFP)  
Looper, green-striped forest (*Melanolophia imitata*)  
on Tsuga heterophylla, V (DAVFP)  
Soil and Duff, V (DAVFP)

**Cordyceps myremecophila** Ces.  
Ants, LC (Mains 1947; Barr 1953)

**Coriolopsis gallica** (Bull.:Fr.) Ryvarden  
 (=Trametes hispida)

*Populus tremuloides*, V (DAVFP)  
*Populus trichocarpa*, V (DAVFP)  
*Salix babylonica*, V (DAVFP)  
*Salix lasiandra*, LC (Shaw 1973)  
*Salix* sp., V (DAVFP)  
 Unknown/Uncertain, V (DAVFP) - On ?*Tsuga heterophylla*

**Corniculariella abietis** P. Karst. see  
*Dermea grovesii*

**Corollospora comata** (Kohlmeyer)

Kohlmeyer  
 Unidentified wood, LC (Hughes 1969)

**Corollospora cristata** (Kohlmeyer)

Kohlmeyer  
 Unidentified wood, LC (Hughes 1969)

**Corollospora maritima** Werdermann

*Arbutus menziesii*, LC (Anastasiou and Churchland 1969)  
*Prunus laurocerasus*, LC (Anastasiou and Churchland 1969)  
 Unidentified wood, LC (Hughes 1969)

**Corollospora trifurcata** (W. Höhnk)

Kohlmeyer  
 Unidentified wood, LC (Hughes 1969)

**Corollospora tubulata** Kohlmeyer

Unidentified wood, LC (Hughes 1969)

**Coronophora** sp.

*Pseudotsuga menziesii*, V (DAVFP)

**Corticium amylaceum** Bourd. & Galzin

(=Aleurodiscus amylaceus)  
*Thuja plicata*, V (DAVFP)

**Corticium areolatum** Bres. see

*Melzericium udicolum*

**Corticium bicolor** Peck see *Piloderma byssinum*

**Corticium citrinum** Pers. see  
*Gloeocystidiellum citrinum*

**Corticium corrugé** (Burt) Burt see  
*Cylindrobasidium corrugatum*

**Corticium deflectens** (P. Karst.) P. Karst.  
*Arbutus menziesii*, V (DAVFP)  
*Salix* sp., V (DAVFP)

**Corticium fuciforme** (Berk.) Wakef. see  
*Laetisaria fuciformis*

**Corticium inopinatum** H. Jacks.

*Pseudotsuga menziesii*, V (DAVFP)

**Corticium laeve** Pers.:Fr. see  
*Cylindrobasidium laeve*

**Corticium minnsiae** (H. Jacks.) Boidin &  
 Lanquetin (=Laeticorticium minnsiae)

*Abies lasiocarpa*, V (DAVFP)  
*Pinus ponderosa*, LC (Ginns 1986a)  
*Pseudotsuga menziesii*, V (DAVFP)  
*Tsuga heterophylla*, LC (Ginns 1986a)

**Corticium pini-canadensis** (Schwein.) D.P.

Rogers & H. Jacks.  
*Pseudotsuga menziesii*, UR

**Corticium praeteritum** H. Jacks. & Deard.

*Alnus rubra*, LC (Conners 1967)

**Corticium rosae** Burt

*Rosa* sp. LC (Shaw 1973)

**Corticium roseum** Pers.:Fr.

(=Laeticorticium roseum)  
*Populus tremuloides*, V (DAVFP)  
*Populus trichocarpa*, V (DAVFP)

**Corticium scutellare** Berk. & M.A. Curtis

see *Athelia scutellaris*

**Corticium separatum** H. Jacks. & Deard.

*Abies grandis*, LC (Conners 1967)

**Corticium subcontinuum** Berk. & M.A.

Curtis  
*Larix occidentalis*, UR

**Corticium subnullum** Burt see

*Trechispora microspora*

**Corticium testatum** H. Jacks. & Deard.

*Pseudotsuga menziesii*, V (DAVFP) (TYPE)

**Corticium tuberculatum** P. Karst. see

*Phanerochaete tuberculata*

**Corticium versatum** (Burt) D.P. Rogers &  
 H. Jacks. see *Hypochnicium versatum*

**Corticium** sp.

*Picea sitchensis*, V (DAVFP)  
*Thuja plicata*, V (DAVFP)

**Cortinarius alboviolaceus** (Pers.:Fr.) Fr.  
 Soil and Duff, V (DAVFP)

**Cortinarius armillatus** (Fr.) Fr.  
 Soil and Duff, V (DAVFP)

**Cortinarius brunneofulvus** Fr.  
 Soil and Duff, V (DAVFP)

- Cortinarius callisteus** (Fr.) Fr.  
Soil and Duff, V (DAVFP)
- Cortinarius camphoratus** Fr.  
Soil and Duff, V (DAVFP)
- Cortinarius cinnamomeus** (L.:Fr.) Fr.  
Soil and Duff, V (DAVFP)
- Cortinarius cotoneus** Fr. group  
Soil and Duff, V (DAVFP)
- Cortinarius croceus** Schaeff.  
Soil and Duff, V (DAVFP)
- Cortinarius glaucopus** (Schaeff.:Fr.) Fr.  
Soil and Duff, V (DAVFP)
- Cortinarius iliopodius** (Bull.:Fr.) Fr.  
Soil and Duff, UR
- Cortinarius mutabilis** A.H. Smith  
Soil and Duff, V (DAVFP)
- Cortinarius oregonensis** A.H. Smith  
Soil and Duff, UR
- Cortinarius orichalceus** (Batsch:Secr.) Fr.  
Soil and Duff, V (DAVFP)
- Cortinarius phoeniceus** (Bulliard) Maire  
var. *occidentalis* Smith  
Soil and Duff, V (DAVFP)
- Cortinarius plumiger** Fr.  
Soil and Duff, UR
- Cortinarius rigidus** (Scop.:Fr.) Fr.  
*Sambucus* sp., LC (Davidson 1930)  
Soil and Duff, UR  
*Typha* sp., LC (Davidson 1930)
- Cortinarius semisanguineus** (Fr.) Quelet  
Soil and Duff, V (DAVFP)
- Cortinarius squarrosus** Clements  
Soil and Duff, LC (Davidson 1930)
- Cortinarius traganus** Fr.  
Soil and Duff, V (DAVFP)
- Cortinarius vanduzerensis** Smith & Trappe  
Soil and Duff, V (DAVFP)
- Cortinarius vibratilis** (Fr.) Fr.  
Soil and Duff, V (DAVFP)
- Cortinarius violaceus** (L.:Fr.) Fr.  
Soil and Duff, V (DAVFP)
- Cortinarius sp.**  
Soil and Duff, V (DAVFP)
- Coryne sarcoides** (Jacq.) Tul. & C. Tul.  
see *Ascocoryne sarcoides*
- Coryneopsis microsticta** Grove  
*Rosa nutkana*, V (DAVFP)
- Coryneum cardinale** Wagener see  
*Lepteutypa cupressi*
- Coryneum carpophilum** (Lév.) Jauch see  
*Stigmina carpophila*
- Coryneum negundinis** Berk. & M.A. Curtis  
in Berk. see *Stigmina negundinis*
- Coryneum pedunculatum** (Ellis & Everh.)  
S.J. Hughes see *Stigmina pedunculata*
- Coryneum rhoinum** (Dearn. & Barth.) S.J.  
Hughes see *Stigmina pallida*
- Coryneum thujinum** Dearn. see *Stigmina thujina*
- Coryneum sp.**  
*Rhus glabra*, V (DAVFP)
- Costantinella micheneri** (Berk. & M.A.  
Curtis) S.J. Hughes  
Angiosperms, Wood, V (DAVFP)
- Costantinella terrestris** (Link: S.F. Gray)  
*Malus* sp., LC (Utkhede and Li 1988)  
Soil and Duff, LC (Utkhede and Li 1988)
- Cotylidia diaphana** (Schwein.) Lentz  
(=*Stereum diaphanum*)  
Soil and Duff, V (DAVFP)
- Craterellus pistillaris** Fr.  
Soil and Duff, V (DAVFP)
- Cremasteria cymatilis** S.P. Meyers & R.T.  
Moore  
Unidentified wood, LC (Hughes 1969)
- Crepidotus fulvotomentosus** Peck  
*Acer macrophyllum*, V (DAVFP)  
*Alnus rubra*, V (DAVFP)  
*Malus* sp., V (DAVFP)  
*Populus tremuloides*, V (DAVFP)  
*Populus trichocarpa*, V (DAVFP)  
*Salix sitchensis*, LC (Connors 1967)  
*Salix* sp., V (DAVFP)
- Crepidotus haerens** (Peck) Sacc.  
*Alnus rubra*, V (DAVFP)
- Crepidotus herbarum** (Peck) Sacc. see  
*Pleurotellus hypnophilus*
- Crepidotus latifolius** Peck  
Soil and Duff, V (DAVFP)

**Crepidotus mollis** (Schaeff.:Fr.) Staude  
*Populus tremuloides*, V (DAVFP)  
*Pseudotsuga menziesii*, LC (Shaw 1973)

**Crepidotus sphaerosporus** (Pat.) J.E. Lange  
*Abies lasiocarpa*, V (DAVFP)

**Crepidotus submollis** Murrill  
 Unidentified wood, UR

**Crepidotus versutus** (Peck) Sacc.  
 Soil and Duff, LC (Davidson 1930)  
 Unidentified wood, UR

**Crepidotus sp.**  
*Acer circinatum*, UR - Specimen discarded.  
 Unidentified wood, V (DAVFP)

**Cristella farinacea** (Pers.:Fr.) Donk see  
*Trechispora farinacea*

**Cristella sp.**  
*Pseudotsuga menziesii*, V (DAOM 139067)

**Cristinia helvetica** (Pers.) Parmasto  
*Populus trichocarpa*, V (DAVFP)

**Cristinia mucida** (Bourd. & Galz.) Erikss. & Ryv.  
*Alnus* sp., LC (Hallenberg 1984)  
 Angiosperms, Wood, LC (Hallenberg 1984 on  
 deciduous log)

**Cristulariella depraedans** (Cooke) Höhn.  
*Acer circinatum*, V (DAVFP)  
*Acer glabrum* var. *douglasii*, V (DAVFP)  
*Acer macrophyllum*, V (DAVFP)  
*Aruncus sylvester*, LC (Redhead 1975)

**Cronartium coleosporioides** Arth.  
 (=Peridermium stalactiforme - anamorph)  
*Castilleja hispida*, V (DAVFP)  
*Castilleja miniata*, V (DAVFP)  
*Castilleja* sp., V (DAVFP)  
*Melampyrum lineare*, V (DAVFP)  
*Pedicularis bracteosa*, LC (Savile 1968a)  
*Pinus contorta* var. *contorta*, UR  
*Pinus contorta* var. *latifolia*, V (DAVFP)  
*Pinus sylvestris*, V (DAVFP)

**Cronartium coleosporioides** Arth. f.  
**album** Ziller  
*Castilleja miniata*, V (DAVFP) (TYPE)  
*Pinus contorta* var. *latifolia*, V (DAVFP)

**Cronartium coleosporioides** Arth. f.  
**coleosporioides**  
*Castilleja miniata*, V (DAVFP)  
*Castilleja* sp., V (DAVFP)  
*Melampyrum lineare*, V (DAVFP)  
*Pinus contorta* var. *latifolia*, V (DAVFP)  
*Pinus sylvestris*, V (DAVFP)  
*Rhinanthus crista-galli*, V (DAVFP)

**Cronartium comandrae** Peck  
*Comandra livida*, V (DAVFP)  
*Comandra umbellata* var. *pallida*, V (DAVFP)  
*Pinus contorta* var. *latifolia*, V (DAVFP)  
*Pinus ponderosa*, V (DAVFP)

**Cronartium comptoniae** Arth.  
*Myrica californica*, V (DAVFP)  
*Myrica gale*, V (DAVFP)  
*Pinus contorta* var. *contorta*, V (DAVFP)  
*Pinus contorta* var. *latifolia*, V (DAVFP)  
*Pinus muricata*, V (DAVFP)  
*Pinus ponderosa*, V (DAVFP)  
*Pinus radiata*, V (DAVFP)

**Cronartium ribicola** J.C. Fisch.  
*Pinus albicaulis*, V (DAVFP)  
*Pinus flexilis*, V (DAVFP)  
*Pinus lambertiana*, V (DAVFP)  
*Pinus monticola*, V (DAVFP)  
*Pinus strobus*, V (DAVFP)  
*Ribes aureum*, LC (Ginns 1986a)  
*Ribes bracteosum*, V (DAVFP)  
*Ribes divaricatum*, V (DAVFP)  
*Ribes grossularia*, LC (Ginns 1986a)  
*Ribes howellii*, LC (Ginns 1986a)  
*Ribes hudsonianum*, V (DAVFP)  
*Ribes inerme*, V (DAVFP)  
*Ribes lacustre*, V (DAVFP)  
*Ribes laxiflorum*, V (DAVFP)  
*Ribes lobbii*, V (DAVFP)  
*Ribes nigrum*, V (DAVFP)  
*Ribes oxyacanthoides*, V (DAVFP)  
*Ribes roezlii*, LC (Shaw 1958)  
*Ribes sanguineum*, V (DAVFP)  
*Ribes sativum*, V (DAVFP)  
*Ribes viscosissimum*, V (DAVFP)

**Cronartium sp.**  
*Pinus contorta* var. *latifolia*, V (DAVFP)  
*Pinus jeffreyi*, V (DAVFP)

**Crucibulum laeve** (Bull.) Kambly in Kambly & R.E. Lee (=Crucibulum vulgare)  
 Angiosperms, Wood, V (DAVFP)  
*Pseudotsuga menziesii*, V (DAVFP)

**Crucibulum vulgare** Tul. see *Crucibulum laeve*

**Crucibulum sp.**  
 Dung, cow, V (DAVFP)  
 Soil and Duff, V (DAVFP)

**Crustoderma dryinum** (Berk. & M.A. Curtis) Parmasto (=Peniophora dryina, Peniophora viridis)  
*Abies grandis*, V (DAVFP)  
*Abies* sp., LC (Ginns and Clark 1989)  
*Picea sitchensis*, V (DAVFP)  
*Populus tremuloides*, V (DAVFP)  
*Pseudotsuga menziesii*, V (DAVFP)  
*Tsuga heterophylla*, V (DAVFP)

**Crustoderma longicystidia** (Litschauer)  
 Nakasone  
*Abies lasiocarpa*, LC (Ginns and Clark 1989)  
*Tsuga heterophylla*, LC (Ginns and Clark 1989)

**Crustoderma resinosum** (H. Jacks. &  
 Dearden) R.L. Gilbertson (=*Hypoderma  
 resinosum*, *Peniophora resinosa*)  
*Picea sitchensis*, V (DAVFP) (TYPE of  
*Hypoderma resinosum*)  
*Pseudotsuga menziesii*, V (DAVFP)

**Cryphonectria parasitica** (Murrill) Barr  
 (=*Endothia parasitica*)  
*Castanea crenata*, LC (Shaw 1973)  
*Castanea dentata*, LC (Ginns 1986a)  
*Castanea mollissima*, LC (Shaw 1973)  
*Castanea sativa*, V (DAVFP)

**Cryptocline sp.**  
*Alnus rubra*, LC (Sieber, Sieber-Canavesi, and  
 Dorworth 1991)

**Cryptocoryneum condensatum** (Wallr.) E.  
 Mason & S.J. Hughes  
*Alnus* sp., V (DAVFP)

**Cryptodiaporthe apiculata** (Wallr.) Petr.  
*Salix* sp., V (DAVFP)

**Cryptodiaporthe macounii** (Dearn.)  
 Wehmeyer  
*Spiraea douglasii*, LC (Barr 1953 on *Spiraea  
 menziesii*)

**Cryptodiaporthe salicella** (Fr.:Fr.) Petr.  
 (=*Cryptodiaporthe salicina*)  
*Acer* sp., LC (Bier 1961)  
*Alnus* sp., LC (Bier 1961)  
*Cornus* sp., LC (Bier 1961)  
*Populus tremuloides*, LC (Bier 1961)  
*Populus trichocarpa*, LC (Bier 1961)  
*Populus X canadensis 'Robusta'*, LC (Bier 1961  
 on *Populus robusta*)  
*Prunus* sp., LC (Bier 1961)  
*Salix hookeriana*, LC (Connors 1967)  
*Salix scouleriana*, LC (Connors 1967)  
*Salix* sp., V (DAVFP)

**Cryptodiaporthe salicina** (Curr.)  
 Wehmeyer see *Cryptodiaporthe salicella*

**Cryptodiaporthe vepris** (Lacroix) Petr.  
 (=*Apioporthe vepris*)  
*Rubus ursinus*, LC (Barr 1953 on *Rubus  
 macropetalus*)

**Cryptodiaporthe sp.**  
*Populus tremuloides*, V (DAVFP)  
*Salix* sp., V (DAVFP)

**Cryptomycella pteridis** (Kalchbr.:Fr.)  
 Höhn. see *Cryptomycina pteridis*  
 (teleomorph)

**Cryptomyces maximus** (Fr.) Rehm  
*Salix* sp., V (DAVFP)

**Cryptomycina pteridis** (Rebent.:Fr.) Höhn.  
 (=*Cryptomycella pteridis* - anamorph)  
*Pteridium aquilinum*, V (DAVFP)  
*Pteridium aquilinum* var. *pubescens*, V (DAVFP)

**Cryptoporus volvatus** (Peck) Shear  
 (=*Polyporus volvatus*)  
*Abies amabilis*, UR  
*Abies grandis*, V (DAVFP)  
*Abies lasiocarpa*, LC (Connors 1967)  
*Picea glauca*, V (DAVFP)  
*Picea sitchensis*, V (DAVFP)  
*Pinus contorta* var. *latifolia*, V (DAVFP)  
*Pinus monticola*, LC (Shaw 1973)  
*Pinus ponderosa*, V (DAVFP)  
*Pseudotsuga menziesii*, V (DAVFP)  
*Tsuga heterophylla*, V (DAVFP)

**Cryptosphaeria lignyota** (Fr.:Fr.) Auersw.  
 (=*Cryptosphaeria populina*)  
*Populus tremuloides*, V (DAVFP)  
*Populus trichocarpa*, V (DAVFP)

**Cryptosphaeria populina** Sacc. see  
*Cryptosphaeria lignyota*

**Cryptosporiopsis abietina** Petr.  
*Alnus rubra*, LC (Sieber et al. 1989)

**Cryptosporiopsis corticola** (Edgerton)  
 Nannf. (=*Myxosporium corticola*)  
*Malus pumila*, LC (Connors 1967)  
*Pyrus communis*, LC (Connors 1967)

**Cryptosporiopsis sp.**  
*Alnus rubra*, LC (Sieber, Sieber-Canavesi, and  
 Dorworth 1991)  
*Tsuga heterophylla*, V (DAVFP)

**Cryptosporium minimum** Laubert  
*Rosa* sp., LC (Connors 1967)

**Cryptosporium neesii** Corda  
*Alnus rubra*, V (DAVFP)

**Cryptosporium sp.**  
*Betula papyrifera*, V (DAVFP)  
*Populus* sp., LC (Ginns 1986a)  
*Pseudotsuga menziesii*, V (DAVFP)

**Cryptostictis arbuti** (Bonar) Zeller see  
*Seimatosporium arbuti*

**Cucurbitodothis pithyophila** (J.C. Schmidt &  
 Kunze:Fr.) Petr.  
*Acer circinatum*, V (DAVFP)  
*Picea sitchensis*, V (DAVFP)

*Salix* sp., V (DAVFP)  
*Tsuga heterophylla*, V (DAVFP)

**Cucurbitothis pithyophila** (J.C. Schmidt & Kunze:Fr.) Petr. var. **cembrae** (Rehm) L. Holm  
*Pinus monticola*, V (DAVFP)

**Cucurbitothis pithyophila** (J.C. Schmidt & Kunze:Fr.) Petr. var. **pithyophila**  
*Pinus flexilis*, V (DAVFP)  
*Pinus monticola*, V (DAVFP)

**Cucurbitaria obducens** (Schumach.:Fr.) Fuckel (= *Teichospora obducens*)  
*Acer* sp., LC (Barr 1953 as *Strickeria obducens*)  
*Alnus* sp., LC (Barr 1953 as *Strickeria obducens*)  
*Amelanchier alnifolia*, V (DAVFP)  
*Artemisia tridentata*, LC (Barr 1953 as *Strickeria obducens*)

**Cucurbitaria staphula** Dearn. ex R.H. Arnold & R.C. Russell  
*Populus tremuloides*, V (DAVFP)  
*Populus trichocarpa*, V (DAVFP)

**Cucurbitaria typhina** Ellis & Everh.  
*Rhus glabra*, LC (Barr 1953)

**Cucurbitaria** sp.  
*Juniperus* sp., V (DAVFP)  
*Nothofagus* sp., V (DAVFP)  
*Populus tremuloides*, V (DAVFP)

**Cudonia monticola** Mains  
 Gymnosperms, Wood, V (DAVFP)  
 Soil and Duff, V (DAVFP)

**Cumminsiella mirabilissima** (Peck) Nannf.  
*Berberis aquifolium*, V (DAVFP)

**Cunninghamella elegans** Lendner  
*Vicia faba*, LC (Connors 1967)

**Cunninghamella** sp.  
*Pseudotsuga menziesii*, LC (Shaw 1973)

**Curvularia lunata** (Wakk.) Boedijn  
 Angiosperms, Grasses, LC (MacDonald 1990)

**Curvularia** sp.  
*Agrostis* sp., LC (MacDonald et al. 1991)  
 Angiosperms, Grasses, LC (MacDonald et al. 1991)

**Cyanodiscus occidentalis** E. Müller & M.L. Farr  
*Pinus contorta* var. *latifolia*, V (DAVFP)

**Cyathicula** sp.  
*Alnus* sp., V (DAVFP)

**Cyathus striatus** (Huds.:Pers.) Pers.  
 Soil and Duff, UR

**Cyclaneusma niveum** (Pers.:Fr.) DiCosmo, Peredo, & Minter (= *Naemacyclus niveus*)

*Pinus contorta* var. *latifolia*, V (DAVFP)  
*Pinus mugo*, V (DAVFP)  
*Pinus pinaster*, V (DAVFP)  
*Pinus radiata*, V (DAVFP)  
*Pinus sylvestris*, V (DAVFP)

**Cylindrobasidium corrugum** (Burt) Ginns (= *Corticium corrugatum*)

*Abies lasiocarpa*, V (DAVFP)  
*Picea engelmannii*, V (DAVFP)  
*Picea glauca*, V (DAVFP)  
*Ribes lacustre*, LC (Ginns 1989)  
*Thuja plicata*, V (DAVFP)  
*Tsuga* sp., LC (Ginns 1989)

**Cylindrobasidium evolvens** (Fr.:Fr.) Jülich  
 see *Cylindrobasidium laeve*

**Cylindrobasidium laeve** (Pers.:Fr.)

Chamuris (= *Corticium laeve*)  
**Cylindrobasidium evolvens**  
*Abies lasiocarpa*, V (DAVFP)  
*Acer macrophyllum*, V (DAVFP)  
*Alnus rubra*, V (DAVFP)  
*Alnus* sp., V (DAVFP)  
*Cornus nuttallii*, UR  
*Cytisus scoparius*, V (DAVFP)  
*Oemleria cerasiformis*, V (DAVFP)  
*Picea glauca*, UR  
*Populus trichocarpa*, V (DAVFP)  
*Salix scouleriana*, V (DAVFP)  
*Salix* sp., V (DAVFP)  
*Sambucus* sp., V (DAOM 143311)  
*Tsuga heterophylla*, UR

**Cylindrobasidium** sp.

*Abies lasiocarpa*, V (DAVFP)  
*Alnus rubra*, UR - Specimen discarded  
*Alnus* sp., UR - Specimen discarded  
*Salix scouleriana*, UR

**Cylindrocarpon cylindroides** Wollenweb.  
 see *Nectria neomacrospora*

**Cylindrocarpon destructans**

(Zinssmeister) Scholten (= *Cylindrocarpon radicicola*, *Ramularia destructans*)  
*Pseudotsuga menziesii*, LC (Shaw 1973)  
*Rubus idaeus* var. *strigosus*, LC (Connors 1967)  
*Rubus parviflorus*, LC (Wall and Shamoun 1990)

**Cylindrocarpon didymum** (Harting)  
 Wollenweb.

*Picea glauca*, V (DAVFP)  
*Pseudotsuga menziesii*, LC (Ginns 1986a)

**Cylindrocarpon gillii** (D.E. Ellis) J.A. Muir (= *Septogloewum gillii*)

*Arceuthobium americanum* on *Pinus contorta*, V (DAVFP)  
*Arceuthobium campylopodium* on *Larix occidentalis*, LC (Shaw 1973)

- Arceuthobium douglasii* on *Pseudotsuga menziesii*, V (DAVFP)
- Arceuthobium tsugense* on *Pinus contorta*, V (DAVFP)
- Arceuthobium tsugense* on *Tsuga heterophylla*, V (DAVFP)
- Cylindrocarpon mali*** (Allesch.) Wollenw.  
*Malus sylvestris*, LC (Toms 1964)
- Cylindrocarpon radicicola*** Wollenweb.  
see *Cylindrocarpon destructans*
- Cylindrocarpon roseum*** Funk  
*Botryosphaeria piceae* on *Picea engelmannii*, V (DAVFP) (TYPE)  
*Botryosphaeria piceae* on *Picea glauca*, V (DAVFP)  
*Botryosphaeria piceae* on *Picea sitchensis*, V (DAVFP)
- Cylindrocarpon willkommii*** (Lindau)  
Wollenweb. see *Nectria ditissima* (teleomorph)
- Cylindrocarpon sp.***  
*Arbutus menziesii*, LC (Anastasiou and Churchland 1969)  
*Arceuthobium tsugense*, V (DAVFP)  
*Lophium* sp. on *Abies lasiocarpa*, V (DAVFP)  
*Picea engelmannii*, UR  
*Picea glauca*, V (DAVFP)  
*Pinus contorta* var. *latifolia*, V (DAVFP)  
*Prunus laurocerasus*, LC (Anastasiou and Churchland 1969)  
*Pseudotsuga menziesii*, LC (Axelrood et al. 1992)
- Cylindrocladium scoparium*** Morg.  
*Rubus idaeus* var. *strigosus*, LC (Connors 1967)
- Cylindrodendrum album*** Bonorden var. *album*  
*Thuja plicata*, LC (Summerbell et al. 1989)
- Cylindrodendrum album*** Bonorden var. *paralion* Summerbell, Seifert, & Mackinnon  
*Fucus distichus*, LC (Summerbell et al. 1989)
- Cylindrosporella sp.***  
*Veronica cusickii*, LC (Ginns 1986a)  
*Veronica wormskjoldii*, LC (Shaw 1973)
- Cylindrosporium betulae*** J.J. Davis  
*Betula papyrifera*, LC (Connors 1967)
- Cylindrosporium brevispina*** Dearn.  
*Crataegus douglasii*, LC (Connors 1967)
- Cylindrosporium ceanothi*** Ellis & Everh.  
see *Phloeosporella ceanothi*
- Cylindrosporium consociatum*** Dearn.  
*Acer glabrum* var. *douglasii*, LC (Jones 1957)
- Cylindrosporium crataegi*** Ellis & Everh.  
see *Cercoseptoria crataegi*
- Cylindrosporium filipendulae*** Thuem.  
*Holodiscus discolor*, LC (Shaw 1973)  
*Spiraea betulifolia* var. *lucida*, V (DAVFP)
- Cylindrosporium heraclei*** Ellis & Everh.  
see *Cylindrosporium umbelliferarum*
- Cylindrosporium hiemalis*** Higg. see *Blumeriella jaapii*
- Cylindrosporium nuttallii*** (Harkn.) Dearn.  
*Oemleria cerasiformis*, V (DAVFP)
- Cylindrosporium prunophorae*** Higg. see *Blumeriella jaapii*
- Cylindrosporium ribis*** J.J. Davis  
(= *Cercoseptoria ribis*, *Cercospora septoriopsis*)  
*Ribes cereum*, UR  
*Ribes viscosissimum*, LC (Connors 1967)
- Cylindrosporium smilacinae*** Ellis & Everh.  
*Smilacina racemosa*, LC (Savile 1961)
- Cylindrosporium spiraeicola*** Ellis & Everh.  
see *Phloeospora spiraeicola*
- Cylindrosporium umbelliferarum***  
Wehmeyer (= *Cylindrosporium heraclei*)  
*Heracleum lanatum*, LC (Savile 1965b)
- Cylindrosporium sp.***  
*Amelanchier alnifolia*, V (DAVFP)  
*Astragalus alpinus*, LC (Shaw 1973)  
*Prunus armeniaca*, LC (Ginns 1986a)
- Cymadothea trifolii*** (C. Killian) F.A. Wolf  
(= *Mycosphaerella killiani*)  
*Trifolium hybridum*, LC (Ginns 1986a)  
*Trifolium pratense*, LC (Ginns 1986a)  
*Trifolium repens*, V (DAVFP)  
*Trifolium wormskjoldii*, V (DAVFP)
- Cyphella alboviolascens*** (Fr.) P. Karst.  
*Cytisus scoparius*, V (DAVFP)  
*Salix* sp., V (DAVFP)
- Cyphella eruciformis*** (Batsch:Fr.) Fr. see *Calathella eruciformis*
- Cyphellopsis anomala*** (Pers.:Fr.) Donk  
(= *Solenia anomala*)  
*Acer macrophyllum*, V (DAVFP)  
*Acer* sp., LC (Redhead 1973)  
*Alnus rubra*, V (DAVFP)  
*Alnus sinuata*, V (DAVFP)  
*Alnus tenuifolia*, UR  
*Alnus* sp., LC (Redhead 1973)  
Angiosperms, Wood, LC (Redhead 1973)

*Fungi - C*

*Arbutus menziesii*, V (DAOM)  
*Populus trichocarpa*, V (DAVFP)  
*Populus* sp., LC (Redhead 1973)  
*Salix* sp., V (DAVFP)

***Cyphellopsis confusa*** (Bres.) D. Reid  
*Populus* sp., LC (Redhead 1973)

***Cyphellopsis subglobispora*** D. Reid  
Angiosperms, Wood, LC (Redhead 1973)

***Cyphellostereum laeve*** (Fr.) D. Reid  
*Atrichum selwynii*, LC (Redhead 1973)  
*Ditrichum* sp., LC (Redhead 1973)  
*Mnium glabrescens*, LC (Redhead 1973)  
*Pogonatum contortum*, LC (Redhead 1973)  
*Pogonatum macounii*, LC (Redhead 1973)

***Cystoderma amianthina*** (Scop.:Fr.) Fayod  
Soil and Duff, V (DAVFP)

***Cystoderma fallax*** A.H. Smith & Singer  
Soil and Duff, UR

***Cystostereum murraili*** (Berk. & M.A. Curtis)  
Pouzar (=*Stereum murrayi*)  
*Populus tremuloides*, UR  
*Pseudotsuga menziesii*, V (DAOM 142177)

***Cystostereum subabruptum*** (Bourd. & Galzin) J. Eriksson & Ryvarden  
*Acer macrophyllum*, V (DAVFP)  
*Salix* sp., V (DAVFP)

***Cytidia salicina*** (Fr.:Fr.) Burt  
*Salix* sp., V (DAVFP)

***Cytosphaera* sp.**  
*Pinus monticola*, V (DAVFP)

***Cytospora abietis*** Sacc.  
*Cedrus deodara*, V (DAVFP)  
*Chamaecyparis nootkatensis* f. *glauca*, V (DAVFP)

***Cytospora chrysosperma*** (Pers.:Fr.) Fr.  
see *Valsa sordida* (teleomorph)

***Cytospora dubyi*** Sacc. see *Cytospora pinastri*

***Cytospora pinastri*** Fr.:Fr. (=*Cytospora dubyi*)  
*Juniperus* sp., V (DAVFP)

***Cytospora pulcherrima*** Dearn. &  
Hansbrough see *Valsa sordida*  
(teleomorph)

***Cytospora rubescens*** Fr. see *Eutypella sorbi* (teleomorph)

***Cytospora* sp.**  
*Abies grandis*, V (DAVFP)

*Abies lasiocarpa*, V (DAVFP)  
*Acer macrophyllum*, V (DAVFP)  
*Alnus rubra*, UR  
*Arbutus menziesii*, V (DAVFP)  
*Betula* sp., V (DAVFP)  
*Chamaecyparis lawsoniana* var. *ellwoodii*, V (DAVFP)  
*Chamaecyparis nootkatensis*, V (DAVFP)  
*Cornus stolonifera*, V (DAVFP)  
*Eucalyptus rubida*, V (DAVFP)  
*Fraxinus latifolia*, V (DAVFP)  
*Larix occidentalis*, V (DAVFP)  
*Malus* sp., V (DAVFP)  
*Picea engelmannii*, V (DAVFP)  
*Pinus contorta* var. *latifolia*, V (DAVFP)  
*Platanus* sp., V (DAVFP)  
*Populus balsamifera*, V (DAVFP)  
*Populus 'Brooks'*, V (DAVFP)  
*Populus 'Brooks No. 10'*, V (DAVFP)  
*Populus X canadensis* 'Gelrica', V (DAVFP)  
*Populus X canadensis* 'Regenerata', V (DAVFP)  
*Populus X canadensis* 'Regenerata Grandis', V (DAVFP)  
*Populus X canadensis* 'Robusta Bachelieri', V (DAVFP)  
*Populus X canadensis* 'Robusta Issendorf', V (DAVFP)  
*Populus X canadensis* 'Robusta Vernirubens', V (DAVFP)  
*Populus 'FNS 44-52'*, V (DAVFP)  
*Populus X jackii*, V (DAVFP)  
*Populus nigra* var. *italica*, V (DAVFP)  
*Populus petrowskyana*, V (DAVFP)  
*Populus tremuloides*, V (DAVFP)  
*Populus trichocarpa*, V (DAVFP)  
*Populus trichocarpa* X *P. deltoides*, V (DAVFP)  
*Populus tristis*, V (DAVFP)  
*Populus* sp., V (DAVFP)  
*Prunus* sp., LC (Cujec et al. 1988 on peach and other stone fruits)  
*Pseudotsuga menziesii*, V (DAVFP)

*Pyrus communis*, LC (Toms 1964)  
*Quercus garryana*, V (DAVFP)  
*Ribes divaricatum*, LC (Shaw 1973)  
*Ribes sanguineum*, LC (Shaw 1973)  
*Rubus leucodermis*, LC (Shaw 1973)  
*Salix babylonica*, V (DAVFP)  
*Salix lasiandra*, V (DAVFP)  
*Salix sitchensis*, LC (Connors 1967)  
*Salix* sp., V (DAVFP)  
*Sorbus* sp., V (DAVFP)  
*Stransvaesia* sp., V (DAVFP)  
*Thuja orientalis* var. *stricta*, V (DAVFP)  
*Thuja plicata*, V (DAVFP)  
*Thuja* sp., V (DAVFP)  
*Tsuga heterophylla*, V (DAVFP)

***Cytospora-Cytosporella complex***  
*Rosa nutkana*, V (DAVFP)

***Cytosporella* sp.**  
*Abies lasiocarpa*, V (DAVFP)

***Cytosporium* sp.**  
*Abies amabilis*, V (DAVFP)

**Dacrymyces abietinus** (Pers.) J. Schröt.  
var. **abietinus**

*Thuja plicata*, V (UBC F4780)

**Dacrymyces abietinus** (Pers.) J. Schröt.  
var. **triseptatus** Olive

*Abies amabilis*, V (UBC F12935)  
Gymnosperms, Wood, V (UBC F4783)

**Dacrymyces aquaticus** Bandoni & Hughes  
Gymnosperms, Wood, V (DAOM, UBC) (TYPE)

**Dacrymyces cf. capitatus** Schwein.  
*Rubus spectabilis*, V (UBC F835)

**Dacrymyces deliquescens** (Mérat) Duby  
var. **deliquescens**

*Acer macrophyllum*, V (UBC F4843, F4850,  
F4851, F4852)  
*Alnus rubra*, V (UBC F4832)  
Gymnosperms, Wood, V (DAVFP)  
*Populus trichocarpa*, V (UBC F4848)  
*Rubus spectabilis*, V (UBC F4833)  
*Sambucus racemosa*, V (UBC F4849)  
*Thuja plicata*, V (UBC F4838, F4856)  
*Tsuga heterophylla*, UR

**Dacrymyces deliquescens** (Mérat) Duby  
var. **ellisi** (Coker) Kennedy (=Dacrymyces  
ellisi)

*Alnus rubra*, V (UBC F4889, F4890)  
*Alnus sinuata*, V (UBC F4909)  
*Alnus sp.*, V (DAVFP)  
*Arbutus menziesii*, V (DAVFP)  
*Cytisus sp.*, V (UBC F4887)  
*Populus trichocarpa*, V (UBC F4898)  
*Rubus spectabilis*, UR  
*Rubus sp.*, V (UBC F4899)  
*Salix sp.*, V (UBC F4888, F4902)  
*Sambucus sp.*, V (UBC F4894)

**Dacrymyces deliquescens** (Mérat) Duby  
var. **minor** (Peck) Kennedy

*Acer circinatum*, V (UBC F836)  
*Acer macrophyllum*, V (UBC F4879)  
*Alnus rubra*, V (UBC F4873, F4876)  
*Betula sp.*, V (UBC F4880)  
*Pinus contorta*, V (UBC F4877, F4884)  
*Populus sp.*, V (UBC F1048)  
*Thuja plicata*, V (UBC F4875)

**Dacrymyces ellisi** Coker see *Dacrymyces  
deliquescens* var. *ellisi*

**Dacrymyces minutus** (Olive) McNabb  
(=Guepinopsis minuta)

*Pinus contorta* var. *latifolia*, V (DAVFP)

**Dacrymyces ovisporus** Bref.  
*Taxus brevifolia*, V (UBC F4785)

**Dacrymyces palmatus** (Schwein.) Bres.  
*Abies grandis*, V (DAVFP)

*Betula sp.*, LC (Shaw 1973)

*Picea glauca*, V (DAVFP)

*Pseudotsuga menziesii*, V (DAVFP)  
*Tsuga sp.*, LC (Shaw 1973)

**Dacrymyces punctiformis** Neuhoff  
Gymnosperms, Wood, V (UBC F785, F832)

**Dacrymyces rufum** (Fr.) Neuhoff  
Gymnosperms, Wood, UR

**Dacrymyces sebeceus** B. & Br.  
*Salix sp.*, V (UBC F4859)

**Dacrymyces stillatus** Nees:Fr.

*Acer sp.*, V (UBC F852)  
*Cornus nuttallii*, V (UBC F854)  
Gymnosperms, Wood, V (UBC F12173)  
*Juniperus sp.*, V (UBC F838) – anamorph only  
*Picea sitchensis*, V (UBC F826) – anamorph only  
*Rubus sp.*, V (UBC) – anamorph only  
*Sambucus sp.*, V (UBC F815)  
*Thuja sp.*, V (UBC F857, F859)

**Dacryobolus karstenii** (Bres.) Oberwinkler  
ex Parmasto (=Peniophora crassa)

Gymnosperms, Wood, V (DAVFP)  
*Pinus monticola*, V (DAVFP)  
*Pseudotsuga menziesii*, V (DAVFP)  
*Thuja plicata*, V (DAVFP)

**Dacryobolus sudans** (Albertini &  
Schwein.:Fr.) Fr. (=Odontia sudans)

*Picea glauca*, V (DAVFP)  
*Tsuga heterophylla*, V (DAVFP)

**Dacryomitra nuda** (Berk. & Broome) Pat.  
see *Ditiola radicata*

**Dacryopinax spathularia** (Schwein.:Fr.)

G.W. Martin  
Gymnosperms, Wood, UR

**Dactylium dendroides** Fr.

*Agaricus campestris*, LC (Toms 1964)

**Daedalea confragosa** (Bolten:Fr.) Fr. see  
*Daedaleopsis confragosa*

**Daedalea extensa** Peck see *Wolfiporia  
cocos*

**Daedalea unicolor** (Bull.:Fr.) Cooke see  
*Cerrena unicolor*

**Daedaleopsis confragosa** (Bolton:Fr.) J.  
Schröt. (=Daedalea confragosa)

*Alnus rubra*, V (DAVFP)  
*Betula occidentalis*, LC (Shaw 1958)  
*Betula papyrifera*, V (DAVFP)  
*Cornus nuttallii*, UR  
*Populus tremuloides*, V (DAVFP)  
*Populus trichocarpa*, V (DAVFP)  
*Prunus sp.*, V (DAVFP)  
*Salix sp.*, V (DAVFP)

**Daldinia concentrica** (Bolten:Fr.) Ces. & De Not.

*Alnus* sp., V (DAVFP)  
*Betula occidentalis*, LC (Barr 1953 on *Betula fontinalis*)  
*Betula papyrifera*, V (DAVFP)  
*Crataegus* sp., V (DAVFP)  
*Prunus emarginata*, V (DAVFP)

**Daldinia occidentalis** Child

*Betula occidentalis*, LC (Connors 1967)  
*Betula papyrifera*, LC (Shaw 1973)

**Darkera abietis** H.S. Whitney, J. Reid & Pirozynski (=Tiarosporella abietis - anamorph)

*Abies lasiocarpa*, V (DAVFP)

**Darluca filum** (Biv.-Bern. ex Fr.) Berk. see *Sphaerellopsis filum*

**Dasyscyphus bicolor** (Bull.:Fr.) Fuckel  
see *Capitotricha bicolor*

**Dasyscyphus ellisianus** (Rehm) Sacc.  
*Picea sitchensis*, V (DAVFP)

**Dasyscyphus gaultheriae** Ellis & Everh.  
see *Lachnum gaultheriae*

**Dasyscyphus pini** (Brunch.) Hahn & Ayers  
see *Lachnellula pini*

**Dasyscyphus sulphureus** (Pers.:Fr.)  
Massee see *Belonidium sulphureum*

**Dasyscyphus turbinulatus** Sacc.  
*Abies lasiocarpa*, LC (Connors 1967)

**Dasyscyphus virginellus** (Cooke) Sacc.  
see *Lachnum virginellum*

**Dasyscyphus virgineus** (Batsch:Fr.) S.F. Gray  
see *Lachnum virgineum*

**Dasyscyphus sp.**

*Gaultheria shallon*, V (DAVFP)  
*Larix decidua*, V (DAVFP)  
*Pinus contorta* var. *latifolia*, V (DAVFP)  
*Pinus sylvestris*, LC (Shaw 1973 as *Dasyscypha* sp.)  
*Populus tremuloides*, V (DAVFP)  
*Rubus spectabilis*, V (DAVFP)

**Datronia mollis** (Sommerf.:Fr.) Donk  
(=Trametes mollis)

*Acer macrophyllum*, V (DAVFP)  
*Alnus sinuata*, UR  
*Betula papyrifera*, V (DAVFP)  
*Holodiscus discolor*, V (DAVFP)  
*Populus trichocarpa*, V (DAVFP)  
*Thuja plicata*, LC (Connors 1967)

**Datronia scutellata** (Schwein.) R.L.

Gilbertson & Ryvarden (=Fomes scutellatus)

*Alnus rubra*, V (DAOM 141396)  
*Alnus sinuata*, UR  
*Alnus tenuifolia*, LC (Connors 1967)  
*Alnus* sp., V (DAVFP)

**Datronia stereoides** (Fr.:Fr.) Ryvarden

(=Polyporus planellus)

*Populus trichocarpa*, V (DAVFP)  
*Thuja plicata*, V (DAVFP)

**Davisomycelia ampla** (J.J. Davis) Darker

(=Hypodermella ampla)

*Pinus contorta* var. *contorta*, V (DAVFP)  
*Pinus contorta* var. *latifolia*, V (DAVFP)

**Davisomycelia medusa** (Darker) Darker

(=Hypodermella medusa)

*Pinus contorta* var. *latifolia*, V (DAVFP)  
*Pinus ponderosa*, V (DAVFP)

**Davisomycelia montana** (Darker) Darker

(=Hypodermella montana)

*Pinus contorta* var. *contorta*, V (DAVFP)  
*Pinus contorta* var. *latifolia*, V (DAVFP)

**Delphinella abietis** (Rostr.) E. Müller

(=Rehmiellopsis abietis)

*Abies lasiocarpa*, V (DAVFP)

**Delphinella balsameae** (A.M. Waterman)

E. Müller in E. Müller & Arx

*Abies lasiocarpa*, V (DAVFP)

**Delphinella peckii** (Lindau) Barr

(=Mycosphaerella peckii)

*Thuja plicata*, V (DAVFP)

**Dendrothele candida** (Schwein.:Fr.) P.A.

Lemke (=Aleurocorticium candidum)

*Acer macrophyllum*, V (DAVFP)  
*Quercus garryana*, V (DAVFP)

**Dendrothele incrustans** (P.A. Lemke) P.A.

Lemke (=Aleurocorticium incrustans)

*Abies grandis*, V (DAVFP)  
*Acer macrophyllum*, LC (Ginns 1986a)  
*Arbutus menziesii*, LC (Ginns 1986a)  
*Holodiscus discolor*, V (DAVFP)  
*Pseudotsuga menziesii*, V (DAVFP)  
*Taxus brevifolia*, V (DAVFP)

**Dendrothele macrodens** (Coker) P.A.

Lemke

*Quercus kelloggii*, LC (Shaw 1973)

**Dendrothele sp.**

*Picea* sp., V (DAVFP)

**Dendryphion comosum** Wallr.

*Sambucus racemosa* var. *pubens*, LC (Ginns 1986a)

- Urtica* sp., LC (Ginns 1986a)
- Dendryphion nanum** (Nees) S.J. Hughes  
Angiosperms, Herbaceous, other LC (Hughes and Cooke 1979a)
- Dentinum albidum** (Peck) Snell  
*Pseudotsuga menziesii*, V (DAOM)
- Dentinum repandum** (Fr.) S.F. Gray  
*Picea sitchensis*, V (DAOM 168229)  
Soil and Duff, V (DAVFP)
- Dentinum repandum** (Fr.) S.F. Gray var. *album* (Quél.) K. Harrison (=*Hydnus repandum* var. *album*)  
Soil and Duff, V (DAVFP)
- Dentinum repandum** (Fr.) S.F. Gray var. *repandum* (=*Hydnus repandum* var. *repandum*)  
Soil and Duff, V (DAVFP)  
*Thuja plicata*, V (DAVFP)
- Dentinum umbilicatum** (Peck) Pouzar  
Soil and Duff, V (DAVFP)
- Dermea balsamea** (Peck) Seaver in B.O. Dodge (=*Foveostroma abietinum*, *Gelatinosporium abietinum* - anamorph))  
*Abies amabilis*, V (DAVFP)  
*Abies lasiocarpa*, V (DAVFP)  
*Pinus monticola*, V (DAVFP)  
*Thuja plicata*, V (DAVFP)  
*Tsuga heterophylla*, V (DAVFP)
- Dermea cerasi** (Pers.:Fr.) Fr.  
*Prunus emarginata*, V (DAVFP)
- Dermea grovesii** J. Reid & Pirozynski (=*Corniculariella abietis*)  
*Picea glauca*, V (DAVFP)  
*Picea glauca X P. engelmannii*, LC (Funk 1982)
- Dermea prunastri** (Pers.:Fr.) Fr.  
*Prunus* sp., V (DAVFP)
- Dermea pseudotsugae** Funk (=*Foveostroma boycei*, *Fusarium phacidioideum*, *Micropera boycei* - anamorph)  
*Abies amabilis*, V (DAVFP)  
*Abies grandis*, V (DAVFP)  
*Pseudotsuga menziesii*, V (DAVFP) (TYPE)
- Dermea rhytidiformans** Funk & Kuijt  
*Abies lasiocarpa*, V (DAVFP) (TYPE)
- Dermea tetrasperma** Funk (=*Gelatinosporium lunasporum*, *Micropera lunaspora* - anamorph)  
*Abies grandis*, V (DAVFP)  
*Abies lasiocarpa*, V (DAVFP)  
*Larix occidentalis*, V (DAVFP)
- Pseudotsuga menziesii*, V (DAVFP) (TYPE)
- Dermea sp.**  
*Picea engelmannii*, V (DAVFP)  
*Populus tremuloides*, V (DAVFP)  
*Pseudotsuga menziesii*, LC (Funk 1985a)  
*Thuja occidentalis* var. *fastigiata*, V (DAVFP)
- Diaplella coniothyrium** (Fuckel) Barr (=*Leptosphaeria coniothyrium*;  
= *Coniothyrium fuckelii* - anamorph)  
*Rosa* sp., LC (Connors 1967)  
*Rubus allegheniensis*, LC (Connors 1967)  
*Rubus idaeus* var. *strigosus*, LC (Connors 1967)  
*Rubus laciniatus*, LC (Barr 1992a as *Kalmusia coniothyrium*)  
*Rubus loganobaccus*, LC (Connors 1967)
- Diaporthe arctii** (Lasch) Nitschke  
*Arnica latifolia*, LC (Barr 1953)
- Diaporthe columbiensis** Ellis & Everh.  
*Oemleria cerasiformis*, LC (Barr 1953 on *Nuttallia cerasiformis*)  
*Populus* sp., LC (Shaw 1973)
- Diaporthe eres** Nitschke (= *Phomopsis oblonga* - anamorph)  
*Acer* sp., LC (Barr 1953)  
*Alnus rubra*, LC (Sieber, Sieber-Canavesi, and Dorworth 1991)  
*Populus trichocarpa*, LC (Barr 1953)  
*Populus trichocarpa X P. deltoides*, V (DAVFP)  
*Populus* sp., V (DAVFP)  
*Robinia pseudoacacia*, V (DAVFP)  
*Salix babylonica*, LC (Barr 1953)
- Diaporthe exiguestroma** Dearn.  
*Rosa* sp., LC (Barr 1953)
- Diaporthe inaequalis** (Currey) Nitschke  
*Cytisus scoparius*, V (DAVFP)
- Diaporthe lokoyae** Funk (= *Phomopsis lokoyae* - anamorph)  
*Larix occidentalis*, V (DAVFP)  
*Metasequoia glyptostroboides*, V (DAVFP)  
*Picea sitchensis*, V (DAVFP)  
*Pseudotsuga menziesii*, V (DAVFP) (TYPE)  
*Thuja plicata*, V (DAVFP)  
*Tsuga heterophylla*, V (DAVFP)
- Diaporthe macounii** Dearn.  
*Spiraea douglasii*, LC (Dearnness 1916 on *Spiraea menziesii*)
- Diaporthe pardalota** (Mont.) Fuckel  
*Epilobium angustifolium*, LC (Barr 1953)
- Diaporthe** sp.  
*Alnus rubra*, UR  
*Alnus sinuata*, V (DAVFP)  
*Betula* sp., V (DAVFP)  
*Cornus nuttallii*, LC (Ginns 1986a)  
*Cytisus scoparius*, V (DAVFP)  
*Populus X canadensis* 'Serotina 2', V (DAVFP)

*Populus trichocarpa*, V (DAVFP)  
*Sambucus racemosa* var. *pubens*, LC (Ginns 1986a)  
*Wisteria sinensis* 'Plena', V (DAVFP)

***Diatrype bullata* (Hoffm.:Fr.) Fr. (=*Diatrype macounii*)**

*Acer* sp., LC (Rodrigues 1989)  
*Alnus* sp., LC (Barr 1953)  
*Populus trichocarpa*, LC (Barr 1953)  
*Salix* sp., V (DAVFP)

***Diatrype disciformis* (Hoffm.:Fr.) Fr.**  
*Alnus* sp., LC (Barr 1953)

***Diatrype flavovirens* (Pers.:Fr.) Fr.**

(= *Eutypa flavovirescens*)  
*Alnus rubra*, V (DAVFP)  
*Populus tremuloides*, V (DAVFP)

***Diatrype macounii* Ellis & Everh. see**  
***Diatrype bullata***

***Diatrype stigma* (Hoffm.:Fr.) Fr.**

Angiosperms, Wood, V (DAVFP)  
*Betula occidentalis*, LC (Barr 1953 on *Betula fontinalis*)  
*Betula papyrifera*, LC (Shaw 1973)  
*Crataegus* sp., LC (Shaw 1973)

***Diatrype* sp.**

*Acer* sp., V (DAVFP)  
*Alnus sinuata*, UR

***Diatrypella betulina* (Peck) Sacc.**  
*Betula papyrifera*, V (DAVFP)

***Diatrypella favacea* (Fr.:Fr.) De Not.**  
(= *Diatrypella tocciaeana*)

*Alnus* sp., LC (Barr 1953)  
*Betula occidentalis*, UR

***Diatrypella placentae* Rehm**  
*Alnus tenuifolia*, UR

***Diatrypella tocciaeana* De Not. see**  
***Diatrypella favacea***

***Diatrypella verrucaeformis* (Ehrh.:Fr.) Nits.**  
*Alnus rubra*, V (DAVFP)

***Dichomera gemmicola* Funk & Sutton**  
*Picea engelmannii*, V (DAVFP)  
*Picea glauca*, V (DAVFP) (TYPE)  
*Picea sitchensis*, V (DAVFP)  
*Pseudotsuga menziesii*, V (DAVFP)

***Dichomitus squalens* (P. Karst.) D. Reid**  
(= *Polyporus anceps*, *Poria stenospora*)  
*Arbutus menziesii*, V (DAVFP)  
*Pinus contorta* var. *latifolia*, V (DAVFP)  
*Pinus ponderosa*, V (DAVFP)  
*Pseudotsuga menziesii*, V (DAVFP)  
*Tsuga heterophylla*, V (DAVFP)

***Dichostereum pallescens* (Schwein.)**  
Boidin & Lanquetin (= *Vararia pallescens*)

Angiosperms, Wood, V (DAVFP)  
*Pinus monticola*, V (DAVFP)  
*Thuja plicata*, V (DAVFP)  
*Tsuga heterophylla*, V (DAVFP)

***Dictyosporium pelagicum* (Linder) G.C.**

Hughes ex T.W. Johnson & Sparrow  
*Arbutus menziesii*, LC (Anastasiou and Churchland 1969)  
*Prunus laurocerasus*, LC (Anastasiou and Churchland 1969)  
Unidentified wood, LC (Hughes 1969)

***Didymaria clematidis* Cooke & Harkn.**

*Clematis ligusticifolia*, LC (Ginns 1986a)

***Didymascella thujina* (E.J. Durand) Maire**  
(= *Keithia thujina*)

*Thuja plicata*, V (DAVFP)  
*Thuja plicata* var. *atrovirens*, V (DAVFP)

***Didymascella tsugae* (Farl.) Maire see**

*Fabrella tsugae* subsp. *grandispora*

***Didymella applanata* (Niessl) Sacc.**

*Rubus idaeus*, LC (Corlett 1974b)  
*Rubus idaeus* var. *strigosus*, LC (Conners 1967)  
*Rubus loganobaccus*, LC (Ginns 1986a on *Rubus ursinus* var. *loganobaccus*)

***Didymella bryoniae* (Auersw.) Rehm**

(= *Mycosphaerella citrullina*, *Mycosphaerella melonis*)  
*Cucurbita maxima*, LC (Toms 1964)  
*Cucurbita pepo*, LC (Corlett et al. 1986; Ginns 1986a as *Ascochyta cucumis*)

***Didymella delphinii* Earle**

*Arnica latifolia*, LC (Barr 1953)

***Didymella fenestrans* (Duby) G. Wint.**

*Epilobium angustifolium*, LC (Barr 1953)

***Didymella festucae* (H. Wegelin) L. Holm**

(= *Phloeospora idahoensis* - anamorph)  
*Festuca idahoensis*, LC (Ginns 1986a)  
*Festuca rubra*, LC (Ginns 1986a)  
*Festuca scabrella*, LC (Smith and Shoemaker 1974)

***Didymella rauii* (Ellis & Everh.) Ellis see**  
***Gnomonia rauii***

***Didymella trifolii* (Fuckel) Sacc.**  
*Trifolium* sp., LC (Barr 1953)

***Didymella* sp.**

*Larix sibirica*, V (DAVFP)  
*Picea glauca*, V (DAVFP)

**Didymellina macrospora** Kleb. see  
*Mycosphaerella macrospora*

**Didymosphaeria borgii** Carnana-Gatto & Sacc.  
Rosa sp., LC (Barr 1953)

**Didymosphaeria fenestrans** (Duby) G. Wint. see *Sydiowilla fenestrans*

**Didymosphaeria futilis** (Berk. & Broome) Rehm  
*Abies lasiocarpa*, LC (Shaw 1973)

**Didymosphaeria oregonensis** Goodee.  
*Alnus rubra*, V (DAVFP)  
*Alnus sinuata*, V (DAVFP)  
*Alnus tenuifolia*, V (DAVFP)

**Didymosphaeria** sp.  
*Pinus ponderosa*, V (DAVFP)

**Didymosporina** sp.  
*Acer macrophyllum*, V (DAVFP)

**Didymosporium arbuticola** Zeller  
*Arbutus menziesii*, V (DAVFP)

**Digitatispora marina** Doguet  
Unidentified wood, LC (Hughes 1969)

**Diheterospora chlamydosporia** (Goddard)  
Barron & Onions  
Soil and Duff, LC (Barron and Onions 1966)

**Dilophospora alopecuri** Fr.  
*Holcus lanatus*, LC (Ginns 1986a)

**Dimerium alpinum** W.B. Cooke see  
*Antennulariella alpina*

**Dimerium** sp.  
*Chamaecyparis nootkatensis*, V (DAVFP)

**Dinemasporium gramineum** (Lib.) Lév.  
see *Dinemasporium strigosum*

**Dinemasporium strigosum** (Pers.:Fr.) Sacc. (=*Dinemasporium gramineum*)  
*Dactylis glomerata*, V (DAVFP)

**Diplocarpon earlianum** (Ellis & Everh.) F.A. Wolf  
*Fragaria virginiana*, LC (Shaw 1973)

**Diplocarpon mespili** (Sorauer) Sutton  
(=*Fabraea maculata*; =*Entomosporium thuemenii* - anamorph)  
*Amelanchier alnifolia*, LC (Jones 1957)  
*Crataegus oxyacantha*, V (DAVFP)  
*Crataegus oxyacantha* var. *paulii*, LC (Conners 1967)  
*Crataegus* sp., V (DAVFP)

*Cydonia oblonga*, LC (Ginns 1986a)  
*Pyrus communis*, LC (Conners 1967)  
*Raphiolepis indica*, LC (Punja and Ormrod 1979  
as *Diplocarpon maculatum*)  
*Sorbus sitchensis* var. *grayi*, LC (Shaw 1973)

**Diplocarpon rosae** F.A. Wolf  
Rosa sp., LC (Ginns 1986a)

**Diplodia constricta** Dearn.  
*Spiraea douglasii*, LC (Shaw 1973)

**Diplodia maculata** Cooke & Harkn.  
*Arbutus menziesii*, V (DAVFP)

**Diplodia nuttalliae** Dearn.  
*Oemleria cerasiformis*, LC (Shaw 1973)

**Diplodia ramulicola** Desmaz.  
*Euonymus alatus*, V (DAVFP)

**Diplodia sarmientorum** (Fr.:Fr.) Fr.  
*Corylus cornuta*, V (DAVFP)

**Diplodia tumefaciens** (Shear) Zalasky  
(=*Macrophoma tumefaciens*)  
*Populus nigra*, LC (Shaw 1973)  
*Populus tremuloides*, V (DAVFP)  
*Populus trichocarpa*, V (DAVFP)

**Diplodina acerina** (Pass.) Sutton  
*Acer macrophyllum*, V (DAVFP)

**Diplodina eurhododendri** G. Voss see  
*Encoeliopsis rhododendri* (teleomorph)

**Diplodina pedicularidis** (Fuckel) Lind  
*Pedicularis lanata*, LC (Shaw 1973)

**Diplodina salicis** West.  
*Cornus stolonifera*, V (DAVFP)  
*Salix* sp., V (DAVFP)

**Diplomitoporus crustulinus** (Bres.) Dománski (=*Poria crustulina*)  
*Abies grandis*, V (DAVFP)  
*Abies lasiocarpa*, V (DAVFP)  
*Picea engelmannii*, V (DAVFP)  
*Picea glauca*, V (DAVFP)  
*Tsuga heterophylla*, LC (Shaw 1973)

**Diplomitoporus lenis** (P. Karst.) R.L. Gilbertson & Ryvarden (=*Poria lenis*)  
*Abies* sp., V (DAVFP)  
*Larix occidentalis*, LC (Shaw 1973)  
*Picea sitchensis*, V (DAOM 125035)  
*Pinus monticola*, LC (Shaw 1973)  
*Pinus ponderosa*, V (DAVFP)  
*Populus trichocarpa*, LC (Shaw 1973)  
*Pseudotsuga menziesii*, V (DAVFP)  
*Thuja plicata*, V (DAVFP)  
*Tsuga heterophylla*, V (DAVFP)

**Discina ancilis** (Pers.) Sacc. (=*Discina perlata*)

*Pinus contorta* var. *latifolia*, V (DAVFP)  
*Pinus ponderosa*, V (DAVFP)  
*Populus trichocarpa*, V (DAVFP)  
*Pseudotsuga menziesii*, V (DAVFP)  
Soil and Duff, V (DAVFP)  
*Thuja plicata*, V (DAVFP)

**Discina macrospora** Bubák

Soil and Duff, LC (McKnight 1969)

**Discina perlata** (Fr.) Fr. see *Discina ancilis*

**Discocainia treleasei** (Sacc.) J. Reid & Funk

*Picea sitchensis*, V (DAVFP)  
*Tsuga heterophylla*, V (DAVFP)

**Discochora philoprina** (Berk. & M.A. Curtis) Bissett

*Taxus brevifolia*, V (DAVFP)

**Discogloeoium veronicae** (Lib.) Petr. (=*Gloeosporium veronicae*)

*Veronica arvensis*, LC (Shaw 1973)  
*Veronica tournefortii*, LC (Ginns 1986a on  
*Veronica officinalis* var. *tournefortii*)

**Discosia sp.**

*Rubus parviflorus*, LC (Wall & Shamoun 1990)

**Discostroma corticola** (Fuckel) I.

Brockmann (=*Griphosphaeria corticola*)  
*Pseudotsuga menziesii*, V (DAVFP)

**Discula destructiva** Redlin

(= *Gloeosporium corni*)

*Cornus canadensis*, LC (Toms 1964)  
*Cornus nuttallii*, V (DAVFP)  
*Cornus stolonifera*, V (DAVFP)  
*Cornus* sp., V (DAVFP)

**Discula quercina** (Westend.) Arx hom. illeg.  
see *Discula umbrinella*

**Discula umbrinella** (Berk. & Broome)

Sutton (= *Discula quercina*, *Gloeosporium tiliae*)  
*Fraxinus velutina* var. *glabra*, LC (Punja and  
Ormrod 1979)  
*Quercus garryana*, V (DAVFP)  
*Quercus rubra*, V (DAVFP)  
*Tilia platyphyllos*, V (DAVFP)

**Discula sp.**

*Acer macrophyllum*, V (DAVFP)

**Ditiola radicata** (Albertini & Schwein.:Fr.)

Fr. (= *Dacryomitra nuda*)  
*Arctostaphylos columbiana*, V (UBC F4974,  
F4982)  
Gymnosperms, Wood, V (UBC)  
*Pseudotsuga menziesii*, V (DAVFP)

*Salix* sp., V (UBC F4977)  
*Tsuga heterophylla*, V (DAVFP)

**Ditiola radicata** (Albertini & Schwein.:Fr.)

Fr. var. **radicata**  
Unidentified wood, LC (Kennedy 1964)

**Ditopellopsis racemula** (Cooke & Peck)

Barr  
*Epilobium angustifolium*, LC (Barr 1978)

**Doassansia epilobii** Farl.

*Epilobium alpinum*, LC (Ginns 1986a)

**Doassansia hydrophila** (A. Dietr.)

Lindeberg see *Doassansiopsis hydrophila*

**Doassansia sagittariae** (Fuckel) C. Fisch.

*Sagittaria cuneata*, LC (Connors 1967)  
*Sagittaria latifolia*, LC (Connors 1967)

**Doassansiopsis hydrophila** (A. Dietr.)

Lavrov (= *Doassansia hydrophila*)  
*Potamogeton natans*, LC (Connors 1967 as  
*Doassansia martianoffiana*)

**Dothichiza pithyophila** (Corda) Petr. see  
*Sydiowia polyspora*

**Dothichiza sorbi** Lib. see *Dothiora pyrenophora* (teleomorph)

**Dothidea berberidis** (Wahlenberg) De Not.

(= *Dothidella berberidis*)  
*Berberis wilsonae*, LC (Ginns 1986a)

**Dothidella aristidae** (Schwein.) Ellis & Everh.

*Distichlis stricta*, LC (Ginns 1986a)

**Dothidella berberidis** (Wahlenberg) Theiss.  
& Syd. see *Dothidea berberidis*

**Dothidella kalmiae** (Peck) Sacc. see  
*Phyllachora kalmiae*

**Dothiora pyrenophora** (Fr.:Fr.) Fr.  
(= *Dothichiza sorbi* - anamorph)

*Sorbus* sp., V (DAVFP)

**Dothiora taxicola** (Peck) Barr

(= *Sphaerulina taxicola*)  
*Taxus brevifolia*, V (DAVFP)

**Dothiora sp.**

*Alnus rubra*, V (DAVFP)  
*Pseudotsuga menziesii*, V (DAVFP)

**Dothiorella quercina** (Cooke & Ellis) Sacc.  
see *Botryodiplodia gallae*

***Dothiorella* sp.**

*Thuja occidentalis* var. *fastigiata*, V (DAVFP)

***Dothistroma pini*** Hulbary see

*Mycosphaerella pini* (teleomorph)

***Drechslera bromi*** (Died.) Shoemaker

*Bromus* sp., LC (Ginns 1986a)

***Drechslera dictyoides*** (Drechs.)

Shoemaker (=*Helminthosporium dictyoides*)

*Festuca elatior*, LC (Jones 1957)

***Drechslera fugax*** (Wallr.) Shoemaker in

S.J. Hughes (=*Helminthosporium*

*stenacrum*)

*Agrostis tenuis*, LC (Connors 1967)

***Drechslera poae*** (Baudys) Shoemaker

(= *Helminthosporium vagans*)

*Poa pratensis*, LC (Ginns 1986a)

***Drechslera* sp.**

Angiosperms, Grasses, LC (MacDonald 1990)

***Drepanopeziza populi-albae*** (Kleb.) Nannf.

see *Marssonina castagnei* (anamorph)

***Drepanopeziza populorum*** (Desmaz.)

Höhn. see *Marssonina populi* (anamorph)

***Drepanopeziza ribis*** (Kleb.) Höhn.

(= *Pseudopeziza ribis*)

*Ribes grossularia*, LC (Shaw 1973)

*Ribes sativum*, LC (Ginns 1986a)

***Drepanopeziza salicis*** (Tul. & C. Tul.)

Höhn. (= *Pseudopeziza salicis*)

*Salix* sp., LC (Shaw 1973)

***Duplicaria acuminata*** Ellis & Everh.

Unknown/Uncertain, LC (Powell 1973 on *Juncus*  
and/or *Carex* sp.)

***Durandiella pseudotsugae*** Funk

(= *Chondropodium pseudotsugae*)

*Pseudotsuga menziesii*, V (DAVFP) (TYPE)

***Durandiella tsugae*** Baranyay

*Tsuga heterophylla*, V (DAVFP)



**Echinodontium tinctorium** (Ellis & Everh.)  
Ellis & Everh.

*Abies amabilis*, V (DAVFP)  
*Abies grandis*, V (DAVFP)  
*Abies lasiocarpa*, V (DAVFP)  
*Picea engelmannii*, V (DAVFP)  
*Picea glauca*, UR  
*Picea sitchensis*, LC (Connors 1967)  
*Pseudotsuga menziesii*, UR  
*Thuja plicata*, UR  
*Tsuga heterophylla*, V (DAVFP)  
*Tsuga mertensiana*, V (DAVFP)

**Eichlerella macrospora** (Ellis & Everh.)  
G.W. Martin (=Exidiopsis macrospora)

*Abies lasiocarpa*, V (DAVFP)  
*Picea glauca*, V (DAVFP)  
*Pseudotsuga menziesii*, V (DAVFP)

**Eichlerella spinulosa** (Berk. & M.A. Curtis)  
Burt see *Heterochaete spinulosa*

**Elaphomyces granulatus** Fr. var.  
**asperulus** (Vitt.) Hawker sensu M. Lange  
Soil and Duff, V (DAVFP)

**Elaphomyces granulatus** Fr. var.  
**granulatus** sensu M. Lange  
Soil and Duff, V (DAVFP)

**Elaphomyces muricatus** Fr. f. **variegatus**  
(Vitt.) Ceruti  
Soil and Duff, V (DAVFP)  
*Tsuga heterophylla*, V (DAVFP) - Whole collection sent to J.M. Trappe.

**Elaphomyces** sp.  
*Abies lasiocarpa*, LC (Shaw 1973)

**Elsinoe veneta** (Burkholder) Jenkins  
*Rubus idaeus* var. *strigosus*, LC (Connors 1967)  
*Rubus loganobaccus*, LC (Shaw 1973)  
*Rubus occidentalis*, LC (Connors 1967)

**Elytroderma deformans** (Weir) Darker  
*Pinus contorta* var. *latifolia*, V (DAVFP)  
*Pinus ponderosa*, V (DAVFP)

**Encoelia fascicularis** (Albertini & Schwein.:Fr.) P. Karst.  
*Populus tremuloides*, V (DAVFP)

**Encoelia furfuracea** (Roth:Pers.) P. Karst.  
(=Cenangium furfuraceum)  
*Alnus rubra*, V (DAVFP)  
*Alnus sinuata*, V (DAVFP)  
*Betula* sp., V (DAVFP)

**Encoelia pruinosa** (Ellis & Everh.)  
Torkelson & Eckblad (=Cenangium singulare)  
*Populus tremuloides*, V (DAVFP)

**Encoeliopsis laricina** (Ettlinger) Groves  
*Larix occidentalis*, V (DAVFP)

**Encoeliopsis rhododendri** (Ces. ex De Not.) Nannf. (=Diplodina eurhododendri - anamorph)  
*Rhododendron* sp., LC (Shaw 1973)

**Endocronartium harknessii** (J.P. Moore)  
Y. Hiratsuka (=Peridermium harknessii - anamorph)

*Pinus contorta* var. *latifolia*, V (DAVFP)  
*Pinus jeffreyi*, V (DAVFP)  
*Pinus mugo*, V (DAVFP)  
*Pinus muricata*, V (DAVFP)  
*Pinus murrayana* X *banksiana*, V (DAVFP)  
*Pinus nigra*, V (DAVFP)  
*Pinus pinaster*, V (DAVFP)  
*Pinus ponderosa*, V (DAVFP)  
*Pinus radiata*, V (DAVFP)  
*Pinus sylvestris*, V (DAVFP)

**Endodothella tracyi** (Ellis & Everh.) Theiss. & Syd. see *Phyllachora sylvatica*

**Endogone pisiformis** Link:Fr.  
Soil and Duff, LC (Gerdemann and Trappe 1974)  
Unidentified wood, LC (Dalpe 1984)

**Endogone** sp.  
*Picea* sp., V (DAVFP)

**Endophragmiella angustispora** S.J. Hughes  
*Alnus* sp., LC (Hughes 1978) (HOLOTYPE)

**Endophragmiella** sp.  
*Tsuga heterophylla*, V (DAVFP)

**Endophyllum sempervivi** de Bary  
*Sempervivum tectorum*, LC (Ginns 1986a)

**Endothia parasitica** (Murrill) P.J. Anderson & H.W. Anderson see *Cryphonectria parasitica*

**Endothiella aggregata** Funk  
*Abies grandis*, V (DAVFP)  
*Abies lasiocarpa*, V (DAVFP)  
*Pinus albicaulis*, V (DAVFP)  
*Pinus contorta* var. *latifolia*, (DAVFP) V (TYPE)  
*Pinus monticola*, V (DAVFP)  
*Pinus ponderosa*, V (DAVFP)  
*Pseudotsuga menziesii*, V (DAVFP)

**Endoxylina moroides** (Cooke & Peck)  
Shoemaker & Egger (=Valsaria moroides)  
*Alnus* sp., V (DAVFP)

**Engelhardtia alba** Funk  
*Cytospora abietis* on *Chamaecyparis nootkatensis*, V (DAVFP) (TYPE)  
*Pestalotiopsis funerea* on *Chamaecyparis nootkatensis*, V (DAVFP)

*Pestalotiopsis funerea* on *Juniperus virginiana*, V  
 (DAVFP)  
*Pestalotiopsis funerea* on *Thuja plicata*, V  
 (DAVFP)

**Entoleuca mammata** (Wahlenberg:Fr.) J.D.  
 Rogers & Y.-M. Ju (=*Hypoxyylon blakei*,  
*Hypoxyylon mammatum*, *Hypoxyylon  
 pruinatum*)  
*Alnus rubra*, V (DAVFP) - Dried culture only.  
*Alnus sinuata*, V (DAVFP)  
*Populus tremuloides*, V (DAVFP)  
*Salix* sp., V (DAVFP)

**Entoloma griseum** Peck  
 Soil and Duff, V (DAVFP)

**Entoloma sericeum** (Bull.:Fr.) Quél.  
 Soil and Duff, V (DAVFP)

**Entoloma speculum** (Fr.) Quél.  
 Soil and Duff, LC (Davidson 1930)

**Entomocorticium dendroctoni** H.S.  
 Whitney, Bandoni & Oberwinkler  
*Pinus contorta* var. *latifolia*, V (DAVFP) (TYPE)  
*Pinus ponderosa*, V (DAVFP)

**Entomophthora sphaerosperma** Fresen.  
 ?Budworm, spruce (?*Choristoneura occidentalis*)  
 on *Pseudotsuga menziesii*, UR

**Entomophthora** sp.  
 Insect, V (DAVFP)

**Entomosporium thuemenii** (Cooke) Sacc.  
 see *Diplocarpon mespili* (teleomorph)

**Entyloma arnicale** Ellis & Everh.  
*Arnica amplexicaulis*, LC (Savile 1978a)  
*Arnica chamissonis*, LC (Savile 1978a)  
*Arnica cordifolia*, LC (Savile 1978a)  
*Arnica latifolia*, LC (Savile 1978a)  
*Arnica mollis*, LC (Savile 1978a)  
*Arnica rydbergii*, LC (Savile 1978a)

**Entyloma clintonianum** Zundel & A.A.  
 Dunlap  
*Mimulus guttatus*, LC (Conners 1967)

**Entyloma compositarum** Farl.  
*Bidens cernua*, LC (Ginns 1986a)  
*Erigeron speciosus*, LC (Shaw 1973)  
*Gaillardia aristata*, LC (Shaw 1973)

**Entyloma dactylinidis** (Pass.) Cif.  
 Angiosperms, Grasses, LC (MacDonald 1990)  
*Holcus lanatus*, LC (Ginns 1986a)

**Entyloma ficariae** (Cornu & Roze) Fisch. v.  
 Waldh.  
*Ranunculus uncinatus*, LC (Shaw 1973)  
*Ranunculus uncinatus* var. *parviflorus*, LC  
 (Conners 1967)  
*Ranunculus* sp., V (DAVFP)

**Entyloma linariae** J. Schröt. in Cohn  
*Collinsia grandiflora*, LC (Shaw 1973)

**Entyloma microsporum** (Unger) J. Schröt.  
 in Rabenh.  
*Ranunculus repens*, LC (Ginns 1986a)

**Entyloma nymphaeae** (D.D. Cunn.) Setch.  
 see *Rhamphospora nymphaeae*

**Entyloma winteri** Linh.  
*Delphinium brownii*, LC (Conners 1967)

**Epibelonium** sp.  
*Pseudotsuga menziesii*, V (DAVFP)

**Epichloe typhina** (Pers.:Fr.) Tul. in Tul. &  
 C. Tul.  
*Holcus lanatus*, LC (Barr 1953)

**Epicoccum neglectum** Desmaz. see  
*Epicoccum nigrum*

**Epicoccum nigrum** Link (=*Epicoccum  
 neglectum*)  
*Cucurbita pepo*, LC (Conners 1967)  
*Laburnum* sp., V (DAVFP)  
*Pseudotsuga menziesii*, V (DAVFP)  
*Satureja hortensis*, LC (Conners 1967)  
*Thuja plicata*, V (DAVFP)  
*Tsuga heterophylla*, LC (Ginns 1986a as  
*Epicoccum purascens*)  
*Vicia faba*, LC (Conners 1967)  
*Zea mays*, LC (Conners 1967)

**Epicoccum** sp.  
*Abies lasiocarpa*, LC (Shaw 1973)  
*Betula papyrifera*, V (DAVFP)  
*Elymus glaucus*, V (DAVFP)  
*Larix* sp., V (DAVFP)  
*Picea glauca*, V (DAVFP)  
*Populus tremuloides*, UR  
*Populus trichocarpa*, LC (Ginns 1986a)  
*Pseudotsuga menziesii*, V (DAVFP)

**Epipolaeum abietis** (Dearn.) Shoemaker  
 see *Rasutoria abietis*

**Epipolaeum tsugae** (Dearn.) Shoemaker  
 see *Rasutoria tsugae*

**Epipolaeum** sp.  
*Juniperus communis*, V (DAVFP)  
*Taxus brevifolia*, V (DAVFP)

**Erinellina raphidospora** (Ellis) Sacc. see  
*Gorgoniceps aridula*

**Eriocladus** sp.  
 Gymnosperms, Wood, V (DAVFP)

**Eriosphaeria herbarum** Wehmeyer see  
*Wettsteinina anomala*

**Eriosphaeria vermicularia** (Nees.:Fr.)  
Sacc.  
*Abies lasiocarpa*, LC (Ginns 1986a)

**Erysiphe aggregata** (Peck) Farl.  
*Alnus rubra*, V (DAVFP)  
*Alnus sp.*, LC (Barr 1953)

**Erysiphe cichoracearum** DC.  
*Amsinckia lycopoides*, LC (Shaw 1973)  
*Amsinckia menziesii*, V (DAVFP)  
*Artemisia sp.*, LC (Shaw 1973)  
*Aster novae-angliae*, LC (Ginns 1986a)  
*Aster sp.*, LC (Barr 1953)  
*Callistephus chinensis*, LC (Connors 1967)  
*Callistephus sp.*, LC (Barr 1953)  
*Chrysanthemum sp.*, LC (Barr 1953)  
*Cryptantha torreyana*, LC (Shaw 1973)  
*Cucurbita maxima*, LC (Ginns 1986a)  
*Cucurbita pepo*, LC (Ginns 1986a)  
*Delphinium sp.*, LC (Barr 1953)  
*Helianthus decapetalus*, LC (Ginns 1986a)  
*Helianthus tuberosus*, LC (Connors 1967)  
*Lactuca serriola*, LC (Barr 1953 on *Lactuca*  
scariola)  
*Mertensia paniculata*, V (DAVFP)  
*Oenothera sp.*, LC (Barr 1953)  
*Penstemon sp.*, LC (Barr 1953)  
*Phlox paniculata*, LC (Ginns 1986a)  
*Phlox sp.*, LC (Barr 1953)  
*Plantago juncoides*, LC (Toms 1964)  
*Plantago major*, LC (Barr 1953)  
*Plantago maritima*, LC (Jones 1957)  
*Rudbeckia laciniata*, LC (Barr 1953)  
*Rudbeckia laciniata* var. *hortensis*, LC (Connors  
1967)  
*Senecio cruentus*, LC (Shaw 1973)  
*Solanum nigrum*, LC (Barr 1953)  
*Solanum sarrachoides*, LC (Shaw 1973)  
*Solidago sp.*, LC (Barr 1953)  
*Stachys cooleya*, LC (Shaw 1973)  
*Zinnia sp.*, LC (Barr 1953)

**Erysiphe galeopsidis** DC.  
*Stachys mexicana*, LC (Shaw 1973)

**Erysiphe graminis** DC.  
*Agropyron repens*, LC (Barr 1953)  
*Agropyron trachycaulum*, LC (Sprague 1962)  
*Agropyron sp.*, V (DAVFP)  
*Agrostis exarata*, LC (Ginns 1986a)  
*Dactylis glomerata*, LC (Barr 1953)  
*Melica subulata*, V (DAVFP)  
*Poa pratensis*, LC (Ginns 1986a)  
*Poa sp.*, LC (Barr 1953)  
*Secale cereale*, LC (Barr 1953)  
*Triticum aestivum*, LC (Barr 1953; Jones 1957)

**Erysiphe graminis** DC. f. sp. *tritici* Ém.  
Marchal  
*Triticum aestivum*, LC (Connors 1967)

**Erysiphe polygoni** DC.  
*Aquilegia formosa*, LC (Barr 1953)

*Clematis jackmanii*, LC (Ginns 1986a as *Erysiphe*  
*communis*)  
*Comandra umbellata* var. *pallida*, LC (Barr 1953  
on *Comandra pallida*)  
*Delphinium sp.*, LC (Barr 1953)  
*Lathyrus ochroleucus*, LC (Barr 1953)  
*Lotus denticulatus*, LC (Barr 1953)  
*Lupinus perennis*, LC (Ginns 1986a as *Erysiphe*  
*communis*)  
*Lupinus polyphyllus*, LC (Ginns 1986a as  
*Erysiphe communis*)  
*Lupinus sp.*, LC (Barr 1953)  
*Lycium chinense*, LC (Shaw 1973)  
*Lycium halimifolium*, LC (Shaw 1973)  
*Oenothera sp.*, LC (Shaw 1973)  
*Polygonum aviculare*, V (DAVFP)  
*Polygonum sp.*, LC (Barr 1953)  
*Rheum rhaboticum*, LC (Ginns 1986a as  
*Erysiphe communis*)  
*Trifolium hybridum*, LC (Ginns 1986a as *Erysiphe*  
*communis*)  
*Trifolium pratense*, LC (Ginns 1986a as *Erysiphe*  
*communis*)  
*Trifolium repens*, LC (Ginns 1986a as *Erysiphe*  
*communis*)  
*Trifolium sp.*, LC (Barr 1953)  
*Vicia faba*, LC (Ginns 1986a as *Erysiphe*  
*communis*)

**Erysiphe trifolii** Grev. see *Microsphaera*  
*trifolii*

#### **Erysiphe sp.**

*Euphorbia esula*, LC (Mortensen 1984 on  
*Euphorbia esula virgata*)  
*Plantago major*, V (DAVFP)  
*Ranunculus sp.*, V (DAVFP)  
*Rheum rhaboticum*, LC (Shaw, 1973)  
*Rhus sp.*, LC (Connors 1967)  
*Stachys cooleya*, V (DAVFP)

**Euantennaria alaskensis** (Sacc. & Scalia)  
Speg. (=*Aithalomyces alaskensis*, *Limacinia*  
*alaskensis*)

*Abies amabilis*, V (DAVFP)  
*Abies grandis*, V (DAVFP)  
*Abies lasiocarpa*, V (DAVFP)  
*Picea engelmannii*, V (DAVFP)  
*Pseudotsuga menziesii*, V (DAVFP)  
*Thuja plicata*, V (DAVFP)

#### **Euantennaria sp.**

*Thuja plicata*, V (DAVFP)  
*Tsuga heterophylla*, V (DAOM 156358)

**Europodium aureum** Robinson-Jeffrey &  
R.W. Davidson see *Ophiostoma aureum*

**Europodium clavigerum** Robinson-Jeffrey &  
R.W. Davidson see *Ophiostoma clavigerum*

**Europodium trinacriforme** A.K. Parker  
*Pinus monticola*, V (DAVFP) (TYPE)

#### **Eurotium sp.**

*Picea engelmannii*, V (DAVFP)

**Euryachora sp.**

*Lomatium dissectum*, V (DAVFP)

**Eutryblidiella sabina** (De Not.) Höhn. see  
*Holmiella sabina*

**Eutypa acharii** Tul. & C. Tul. see *Eutypa maura*

**Eutypa flavovirescens** (Hoffm.) Sacc. see  
*Diatrype flavovirens*

**Eutypa lata** (Pers.:Fr.) Tul. & C. Tul.  
(=*Eutypa millaria*)

Angiosperms, Wood, V (DAVFP)

**Eutypa maura** (Fr.:Fr.) Fuckel (=*Eutypa acharii*)

*Populus trichocarpa*, V (DAVFP)

**Eutypa millaria** (Fr.:Fr.) Sacc. see *Eutypa lata*

**Eutypella alnifraga** (Wahlenberg) Sacc.  
see *Eutypella cerviculata*

**Eutypella angulosa** Tul.

*Betula papyrifera*, V (DAVFP)

**Eutypella cerviculata** (Fr.:Fr.) Sacc.

(=*Eutypella alnifraga*)

*Alnus sinuata*, V (DAVFP)

Angiosperms, Bark, V (DAVFP, on bark of dicot tree)

**Eutypella sorbi** (J.C. Schmidt:Fr.) Sacc.  
(=*Cytospora rubescens* - anamorph)

*Sorbus aucuparia*, LC (Ginns 1986a)

*Sorbus sitchensis*, V (DAVFP)

**Eutypella stellulata** (Fr.:Fr.) Sacc.

*Alnus rubra*, V (DAVFP)

*Betula occidentalis*, LC (Barr 1953)

*Betula papyrifera*, LC (Conners 1967)

*Populus* sp., LC (Barr 1953)

**Exidia candida** C.G. Lloyd

*Alnus rubra*, V (DAVFP)

*Betula glandulosa*, V (DAVFP)

*Betula papyrifera*, LC (Shaw 1973)

**Exidia crenata** (Schwein.) Fr.

*Alnus sinuata*, V (DAVFP)

**Exidia glandulosa** Fr.:Fr.

*Alnus* sp., V (DAVFP)

*Populus trichocarpa*, V (DAVFP)

**Exidia glandulosa** Fr.:Fr. f. *populi* Neuhoff  
*Salix* sp., V (DAVFP)

**Exidia nucleata** (Schwein.:Fr.) Burt

*Acer macrophyllum*, V (DAVFP)

**Exidia recisa** Fr.:Fr.

*Alnus sinuata*, UR

*Alnus* sp., V (UBC F5196)

*Populus trichocarpa*, V (UBC F5192, F5193)

*Quercus* sp., V (UBC F5177)

*Salix* sp., V (UBC)

**Exidia repanda** Fr.:Fr.

*Betula glandulosa*, LC (Shaw 1973)

**Exidia saccharina** (Albertini & Schwein.:Fr.) Fr.

*Pseudotsuga menziesii*, V (DAVFP)

**Exidia sp.**

*Betula papyrifera*, V (DAVFP)

**Exidiopsis fuliginea** Rick (=*Sebacina adusta*)

*Populus trichocarpa*, V (DAVFP)

**Exidiopsis grisea** (Pers.) Bourd. & Maire  
(=*Sebacina grisea*)

*Alnus rubra*, V (DAVFP)

*Populus* sp., V (DAVFP)

*Quercus garryana*, V (DAVFP)

*Salix* sp., V (DAVFP)

**Exidiopsis macrospora** (Ellis & Everh.) K. Wells see *Eichleriella macrospora*

**Exidiopsis sublilacina** (G.W. Martin) Ervin  
see *Sebacina sublilacina*

**Exobasidium burtii** Zeller

*Rhododendron albiflorum*, V (DAVFP)

**Exobasidium cassiopes** Peck

*Cassiope mertensiana*, LC (Parmelee and Ginns 1986)

**Exobasidium cordilleranum** Savile var.  
*cordilleranum*

*Vaccinium ovalifolium*, V (DAVFP)

*Vaccinium parvifolium*, LC (Conners 1967)

**Exobasidium cordilleranum** Savile var.  
*minor* Savile

*Vaccinium membranaceum*, V (DAVFP)

**Exobasidium dimorphosporum** Savile

*Vaccinium caespitosum*, LC (Savile 1959) (TYPE)

**Exobasidium empetri** Ito & Otani

*Empetrum nigrum*, LC (Ginns 1986a)

**Exobasidium parvifolii** Hotson see  
*Exobasidium vaccinii*

**Exobasidium phyllodoces** (Savile) Savile  
(=Exobasidium vaccinii-uliginosi var.  
**phyllodoces**)  
Phyllococe empetriformis, V (DAVFP)

**Exobasidium vaccinii** (Fuckel) Woronin  
(=Exobasidium parvifolii)  
Arbutus menziesii, V (DAVFP)  
Cassiope mertensiana, V (DAVFP)  
Cassiope tetragona, V (DAVFP)  
Ledum groenlandicum, V (DAVFP)  
Menziesia ferruginea, V (DAVFP)  
Rhododendron indicum, LC (Ginns 1986a)  
Rhododendron japonicum, LC (Jones 1957)  
Rhododendron macrophyllum, V (DAVFP)  
Rhododendron obtusum, LC (Ginns 1986a)  
Vaccinium macrocarpon, LC (Ginns 1986a)  
Vaccinium ovalifolium, V (DAVFP)  
Vaccinium parvifolium, V (DAVFP)  
Vaccinium vitis-idaea, LC (Parmelee and Ginns  
1986)

**Exobasidium vaccinii** (Fuckel) Woronin  
var. **arctostaphyli** (Harkn.) Savile  
Arctostaphylos columbiana, V (DAVFP)  
Arctostaphylos uva-ursi, V (DAVFP)  
Cassiope tetragona, LC (Conners 1967)

**Exobasidium vaccinii** (Fuckel) Woronin  
var. **vaccinii**  
Andromeda polifolia, V (DAVFP)  
Arctostaphylos uva-ursi, V (DAVFP)  
Kalmia polifolia, LC (Savile 1959)  
Oxycoccus microcarpus, LC (Savile 1959 on  
Vaccinium oxyccos)  
Vaccinium myrtilloides, LC (Conners 1967)  
Vaccinium ovalifolium, LC (Conners 1967)  
Vaccinium parvifolium, V (DAVFP)  
Vaccinium scoparium, V (DAVFP)  
Vaccinium vitis-idaea, V (DAVFP)

**Exobasidium vaccinii-uliginosi** Boud.  
Vaccinium caespitosum, V (DAVFP)

**Exobasidium vaccinii-uliginosi** Boud. var.  
**phyllodoces** Savile see *Exobasidium  
phyllodoces*

**Exobasidium sp.**  
Arbutus menziesii, V (DAVFP)  
Cassiope tetragona, V (DAVFP)  
Menziesia sp., V (DAVFP)  
Rhododendron obtusum var. *japonicum*, V  
(DAVFP)  
Rhododendron sp., V (DAVFP)  
Vaccinium deliciosum, V (DAOM 141777)  
Vaccinium membranaceum, UR  
Vaccinium ovalifolium, V (DAVFP)  
Vaccinium sp., V (DAVFP)

**Extrawettsteinina andromedae** (Auersw.)  
Barr (=Leptosphaeria andromedae,  
Wettsteinina andromedae)  
Cassiope sp., LC (Barr 1953)



- Fabrea cincta*** Sacc. & Scalia  
*Rubus pedatus*, LC (Pirozynski 1976)
- Fabrea maculata*** Atk. see *Diplocarpon mespili*
- Fabrea rousseauana*** Sacc. & E. Bommer  
 see *Pseudopeziza calthae*
- Fabrella tsugae*** (Farl.) Kirschst. subsp. ***grandispora*** Ziller  
*Tsuga heterophylla*, V (DAVFP) (TYPE)
- Farysia olivacea*** (DC.) Syd. see *Farysia thuemenii*
- Farysia thuemenii*** (A. Fisch. v. Waldh.)  
 Nannf. in Lindeberg (=*Farysia olivacea*)  
*Carex rostrata*, LC (Mordue 1986)
- Favolus alveolaris*** (DC.:Fr.) Quél. see *Polyporus mori*
- Fayodia invita*** (P. Karst.) Singer  
*Gymnosperms*, Wood, V (DAOM)
- Femsjonia luteoalba*** Fr.  
*Tsuga heterophylla*, V (DAVFP)
- Femsjonia radiculata*** (Sowerby:Fr.) G.W. Martin  
 see *Femsjonia luteoalba*
- Fenestella princeps*** Tul.  
*Prunus virginiana*, LC (Shaw 1973)  
*Prunus virginiana* var. *demissa*, LC (Barr 1953 on *Prunus demissa*)
- Fenestella subcaespitosa*** (G. Otth) Barr  
*Sorbus sitchensis*, LC (Barr 1990a)  
*Sorbus sitchensis* var. *grayi*, LC (Barr 1990a on *Sorbus occidentalis*)
- Fibricium greschikii*** (Bres.) J. Eriksson  
 see *Fibricium rude*
- Fibricium rude*** Jülich (=*Fibricium greschikii*, *Peniophora greschikii*)  
*Alnus rubra*, V (DAVFP)  
*Amelanchier alnifolia*, V (DAVFP)  
*Thuja plicata*, V (DAVFP)
- Fibulobasidium sirobasidioides*** Bandoni  
*Acer macrophyllum*, LC (Bandoni 1998)  
 (HOLOTYPE)
- Fibulomyces mutabilis*** (Bres.) Jülich  
 (=*Athelia pellicularis*)  
*Abies lasiocarpa*, V (DAVFP)  
*Populus tremuloides*, V (DAVFP)  
*Pseudotsuga menziesii*, V (DAVFP)  
*Thuja plicata*, V (DAVFP)
- Fibulomyces septentrionalis*** (J. Eriksson)  
 Jülich (=*Athelia septentrionalis*)  
*Tsuga mertensiana*, V (DAOM 141278)
- Flagelloscypha citrispora*** (Pilát) D. Reid  
*Picea* sp., LC (Redhead 1973)  
*Populus* sp., LC (Redhead 1973)  
*Pteridium aquilinum*, LC (Redhead 1973)  
*Vicia* sp., LC (Redhead 1973)
- Flammula alnicola*** (Fr.) P. Kumm. see *Pholiota alnicola*
- Flammula connissans*** Fr. sensu Ricken  
 see *Pholiota alnicola*
- Flammula decorata*** Murrill  
*Pseudotsuga menziesii*, V (DAVFP)  
*Thuja plicata*, V (DAVFP)
- Flammula echinulisperous*** Murrill  
*Thuja* sp., LC (Davidson 1930)
- Flammula liquiritiae*** (Pers.) Quél.  
*Thuja plicata*, V (DAVFP)
- Flammula lubrica*** (Pers.:Fr.) P. Kumm.  
 Soil and Duff, UR
- Flammula polychroa*** Berk.  
 Unidentified wood, V (DAVFP)
- Flammula sp.***  
*Abies lasiocarpa*, V (DAVFP)  
*Betula papyrifera*, V (DAVFP)  
*Populus trichocarpa*, V (DAVFP)  
 Soil and Duff, V (DAVFP)
- Flammulina velutipes*** (Curtis:Fr.) Singer  
 (=*Collybia velutipes*)  
*Acer macrophyllum*, V (DAVFP)  
*Populus tremuloides*, V (DAVFP)  
*Populus trichocarpa*, V (DAVFP)  
*Salix* sp., LC (Conners 1967)  
 Soil and Duff, V (DAVFP)
- Flaviporus semisupinus*** (Berk. & M.A. Curtis) Ginns see *Antrodiella semisupina*
- Flavophlebia sulfureo-isabellina*** (Litsch.) K.-H. Larsson & Hjortstam  
*Abies lasiocarpa*, V (DAVFP)
- Floccularia albolanaripes*** Atk.  
 Soil and Duff, V (DAVFP)
- Fomes annosus*** (Fr.) P. Karst. see *Heterobasidion annosum*
- Fomes applanatus*** (Pers.) Gill. see *Ganoderma applanatum*

**Fomes cajanderi** Weir see *Fomitopsis cajanderi*

**Fomes conchatus** (Pers.:Fr.) Gill. see *Phellinus conchatus*

**Fomes connatus** (Weinm.) Gill. see *Oxyporus populinus*

**Fomes fomentarius** (L.:Fr.) J. Kickx fil.  
*Alnus* sp., V (DAVFP)  
*Betula glandulosa*, LC (Shaw 1973)  
*Betula occidentalis*, LC (Ginns 1986a)  
*Betula papyrifera*, V (DAVFP)  
*Betula* sp., V (DAVFP)  
*Populus balsamifera*, V (DAVFP)  
*Populus trichocarpa*, V (DAVFP)

**Fomes igniarius** (L.:Fr.) Fr. see *Phellinus igniarius*

**Fomes igniarius** (L.:Fr.) Fr. var. *laevigatus* (Fr.) Overh. see *Phellinus laevigatus*

**Fomes igniarius** (L.:Fr.) Fr. var. *populinus* (Neum.) Campbell see *Phellinus tremulae*

**Fomes nigrolimitatus** (Romell) Egeland  
see *Phellinus nigrolimitatus*

**Fomes officinalis** (Villars:Fr.) Faull see *Fomitopsis officinalis*

**Fomes pini** (Thore:Fr.) P. Karst. see *Phellinus pini*

**Fomes pinicola** (Sw.:Fr.) Cooke see *Fomitopsis pinicola*

**Fomes repandus** Overh. see *Phellinus repandus*

**Fomes robustus** P. Karst. see *Phellinus robustus*

**Fomes robustus** P. Karst. var. *tsugina* Murrill see *Phellinus punctatus*

**Fomes roseus** (Albertini & Schwein.:Fr.) P. Karst. see *Fomitopsis rosea*

**Fomes scutellatus** (Schwein.) Cooke see *Datronia scutellata*

**Fomes subroseus** (Weir) Overh. see *Fomitopsis cajanderi*

**Fomes viticola** (Schwein.:Fr.) J. Lowe see *Phellinus viticola*

**Fomitopsis cajanderi** (P. Karst.) Kotlaba & Pouzar (=*Fomes cajanderi*, *Fomes subroseus*)

*Abies grandis*, V (DAVFP)  
*Larix* sp., V (DAVFP)  
*Picea engelmannii*, LC (Ginns 1986a)  
*Picea glauca*, UR  
*Picea* sp., UR  
*Pinus contorta* var. *latifolia*, V (DAVFP)  
*Populus tremuloides*, V (DAVFP)  
*Prunus domestica*, LC (Shaw 1973)  
*Prunus emarginata*, LC (Shaw 1973)  
*Pseudotsuga menziesii*, V (DAVFP)  
*Tsuga heterophylla*, V (DAVFP)

**Fomitopsis officinalis** (Villars:Fr.)

Bondartsev & Singer (=*Fomes officinalis*)

*Abies amabilis*, V (DAVFP)  
*Abies grandis*, V (DAVFP)  
*Larix occidentalis*, V (DAVFP)  
*Picea engelmannii*, LC (Ginns 1986a)  
*Picea sitchensis*, V (DAVFP)  
*Pinus monticola*, LC (Shaw 1973)  
*Pinus ponderosa*, V (DAVFP)  
*Pseudotsuga menziesii*, V (DAVFP)  
*Tsuga heterophylla*, V (DAVFP)

**Fomitopsis pinicola** (Sw.:Fr.) P. Karst.

(=*Fomes pinicola*)

*Abies amabilis*, V (DAVFP)  
*Abies balsamea*, LC (Shaw 1973)  
*Abies grandis*, V (DAVFP)  
*Abies lasiocarpa*, V (DAVFP)  
*Alnus rubra*, V (DAVFP)  
*Betula papyrifera*, V (DAVFP)  
*Larix occidentalis*, V (DAVFP)  
*Picea engelmannii*, V (DAVFP)  
*Picea glauca*, V (DAVFP)  
*Picea sitchensis*, V (DAVFP)  
*Pinus monticola*, V (DAVFP)  
*Pinus ponderosa*, UR  
*Populus tremuloides*, V (DAVFP)  
*Populus trichocarpa*, V (DAVFP)  
*Prunus domestica*, LC (Toms 1964)  
*Prunus persica*, LC (Connors 1967)  
*Pseudotsuga menziesii*, V (DAVFP)  
*Thuja plicata*, V (DAVFP)  
*Tsuga heterophylla*, V (DAVFP)  
*Tsuga mertensiana*, V (DAVFP)

**Fomitopsis rosea** (Albertini & Schwein.:Fr.)

P. Karst. (=*Fomes roseus*)

*Larix occidentalis*, LC (Ginns 1986a)  
*Picea glauca*, V (DAVFP)  
*Pinus* sp., LC (Shaw 1973)  
*Pseudotsuga menziesii*, V (DAVFP)  
*Tsuga heterophylla*, V (DAVFP)

**Foveostroma abietinum** (Peck) DiCosmo  
see *Dermea balsamea* (teleomorph)

**Foveostroma boycei** (Dearn.) Funk see  
*Dermea pseudotsugae* (teleomorph)

**Fumago vagans** Pers.

*Humulus lupulus*, LC (Toms 1964)

*Ilex aquifolium*, LC (Toms 1964)

**Fumago sp.**

*Pseudotsuga menziesii*, V (DAVFP)

**Fusarium acuminatum** Ellis & Everh.

*Euonymus alatus*, LC (Conners 1967)  
*Portulaca grandiflora*, LC (Ginns 1986a)  
*Pseudotsuga menziesii*, LC (Axelrood et al. 1990)  
 Soil and Duff, LC (Gordon 1956)  
*Trifolium hybridum*, LC (Conners 1967)  
*Triticum aestivum*, LC (Gordon 1959)  
*Vicia faba*, LC (Conners 1967)

**Fusarium avenaceum** (Fr.:Fr.) Sacc.

*Cucurbita maxima*, LC (Conners 1967)  
*Linum usitatissimum*, LC (Shaw 1973)  
*Pseudotsuga menziesii*, LC (Conners 1967;  
 Axelrood et al. 1990)  
*Rubus idaeus* var. *strigosus*, LC (Conners 1967)  
*Spinacia oleracea*, LC (Conners 1967)  
*Trifolium pratense*, LC (Conners 1967)  
*Triticum aestivum*, LC (Conners 1967)  
*Tsuga canadensis*, LC (Conners 1967)

**Fusarium caeruleum** (Lib.) Sacc.

*Solanum tuberosum*, LC (Jones 1957)

**Fusarium culmorum** (W.G. Smith) Sacc.

*Dactylis glomerata*, LC (Ginns 1986a)  
 Soil and Duff, LC (Gordon 1956)  
*Triticum aestivum*, LC (Conners 1967)  
*Viola tricolor* var. *hortensis*, LC (Conners 1967)  
*Zea mays* var. *rugosa*, LC (Conners 1967)

**Fusarium episphaeria** (Tode) W.C. Snyder & H.N. Hans.

*Tsuga heterophylla*, V (DAVFP) - Dried culture only.

**Fusarium equiseti** (Corda) Sacc.

*Cucurbita maxima*, LC (Conners 1967)  
*Cucurbita pepo*, LC (Conners 1967)  
*Raphanus sativus*, LC (Conners 1967)  
 Soil and Duff, LC (Gordon 1956)  
*Vicia faba*, LC (Conners 1967)  
*Zea mays*, LC (Gordon 1954)

**Fusarium expansum** Schlecht.

*Acer* sp., LC (Shaw 1973)

**Fusarium heterosporum** Nees:Fr.

*Pinus monticola*, LC (Shaw 1973)

**Fusarium javanicum** Koord. (=*Fusarium solani* f. sp. *radicicola*)

*Solanum tuberosum*, UR

**Fusarium lateritium** Nees:Fr.

*Cronartium ribicola* on *Pinus monticola*, V (DAVFP)  
*Endocronartium harknessii*, V (DAVFP)  
*Euonymus alatus*, LC (Gordon 1959)  
*Juglans nigra*, LC (Gordon 1959)  
*Juglans regia*, LC (Toms 1964)  
*Morus alba*, LC (Gordon 1959)

*Populus X canadensis* 'Robusta', LC (Bier 1961  
 on *Populus robusta*)

*Populus tremuloides*, LC (Bier 1961)  
*Populus trichocarpa*, LC (Bier 1959; 1961)  
*Pseudotsuga menziesii*, LC (Axelrood et al. 1990)  
*Salix* sp., LC (Bier 1961)  
*Tsuga heterophylla*, V (DAVFP)

**Fusarium lateritium** Nees:Fr. f. *mori*

(Desmaz.) Matuo & K. Sato  
*Morus alba*, LC (Toms 1964 as *Fusarium lateritium* var. *mori*)

**Fusarium moniliforme** J. Sheldon

*Pseudotsuga menziesii*, LC (Axelrood et al. 1990)  
*Zea mays*, LC (Conners 1967)

**Fusarium nivale** Ces. ex Berl. & Voglino  
 see *Microdochium nivale*

**Fusarium oxysporum** Schlechtend.:Fr.  
 emend. W.C. Snyder & H.N. Hans.

*Chrysanthemum* sp., LC (Conners 1967)  
*Cucurbita maxima*, LC (Ginns 1986a)  
*Larix occidentalis*, V (DAVFP)  
*Linum usitatissimum*, LC (Conners 1967)  
*Picea glauca*, LC (Shaw 1973)  
*Pseudotsuga menziesii*, LC (Axelrood et al. 1990;  
 Strobel and Sinclair 1991)  
*Rubus parviflorus*, LC (Wall and Shamoun 1990)  
*Taraxacum kok-saghyz*, LC (Conners 1967)  
*Trifolium hybridum*, LC (Conners 1967)  
*Tulipa gesneriana*, LC (Conners 1967)

**Fusarium oxysporum** Schlechtend.:Fr. f.  
 sp. *callistephi* (Beach) W.C. Snyder & H.N. Hans.

*Callistephus chinensis*, LC (Ginns 1986a)

**Fusarium oxysporum** Schlechtend.:Fr. f.

sp. *pini* (Hartig) W.C. Snyder & H.N. Hans.  
*Pseudotsuga menziesii*, V (DAVFP)

**Fusarium oxysporum** Schlechtend.:Fr. f.  
 sp. *radicis-lycopersici* W.R. Jarvis &

Shoemaker

*Amaranthus retroflexus*, LC (Menzies et al. 1990)  
*Galinsoga ciliata*, LC (Menzies et al. 1990)  
*Polygonum convolvulus*, LC (Menzies et al. 1990)  
*Rumex crispus*, LC (Menzies et al. 1990)  
*Secale cereale*, LC (Menzies et al. 1990)  
*Spergula arvensis*, LC (Menzies et al. 1990)  
*Stellaria media*, LC (Menzies et al. 1990)  
*Trifolium pratense*, LC (Menzies et al. 1990)  
*Trifolium repens*, LC (Menzies et al. 1990)  
*Triticum aestivum*, LC (Menzies et al. 1990)  
*Vicia faba*, LC (Menzies et al. 1990)

**Fusarium oxysporum** Schlechtend.:Fr. f.

sp. *tuberosi* W.C. Snyder & H.N. Hans.  
*Solanum tuberosum*, LC (Jones 1957)

**Fusarium oxysporum** Schlechtend.:Fr. var.  
**redolens** W.L. Gordon see *Fusarium redolens*

**Fusarium phacidioideum** Dearn. see  
*Dermea pseudotsugae* (teleomorph)

**Fusarium poae** (Peck) Wollenweb.  
(= *Fusarium tricinctum f. sp. poae*)  
*Festuca rubra*, LC (Ginns 1986a)  
*Poa pratensis*, LC (Ginns 1986a)  
*Pseudotsuga menziesii*, LC (Axelrood et al. 1990)  
*Triticum aestivum*, LC (Connors 1967)  
*Vicia faba*, LC (Connors 1967)

**Fusarium redolens** Wollenweb.  
(= *Fusarium oxysporum* var. *redolens*)  
*Pseudotsuga menziesii*, LC (Ginns 1986a)  
Soil and Duff, LC (Gordon 1956)  
*Solanum tuberosum*, LC (Toms 1964)

**Fusarium roseum** Link:Fr.  
*Daucus carota*, LC (Shaw 1973)  
*Euonymus alatus*, LC (Shaw 1973)

**Fusarium sambucinum** Fuckel  
*Cytisus scoparius*, V (DAVFP)  
*Pseudotsuga menziesii*, LC (Axelrood et al. 1990)  
*Solanum tuberosum*, UR

**Fusarium sambucinum** Fuckel form 6  
Wollenweb.  
*Solanum tuberosum*, LC (Toms 1964)

**Fusarium sambucinum** Fuckel var.  
**caeruleum** Wollenweb.  
*Cucurbita pepo*, LC (Connors 1967)  
*Linum usitatissimum*, LC (Connors 1967)  
*Pinus contorta* var. *latifolia*, LC (Gordon 1959)  
*Pseudotsuga menziesii*, LC (Shaw 1973)  
Soil and Duff, LC (Gordon 1956)

**Fusarium solani** (Mart.) Sacc. emend. W.C. Snyder & H.N. Hans.  
Soil and Duff, LC (Gordon 1956)  
*Zinnia elegans*, LC (Connors 1967)

**Fusarium solani** (Mart.) Sacc. f. sp.  
**cucurbitae** W.C. Snyder & H.N. Hans.  
*Cucurbita maxima*, LC (Shaw 1973)

**Fusarium solani** (Mart.) Sacc. f. sp.  
**eumartii** (C. Carpenter) W.C. Snyder & H.N. Hans.  
*Solanum tuberosum*, UR

**Fusarium solani** (Mart.) Sacc. f. sp.  
**radicicola** (Wollenweb.) W.C. Snyder & H.N. Hans. see *Fusarium javanicum*

**Fusarium sporotrichioides** Sherb.  
*Cucurbita pepo*, LC (Connors 1967)  
*Triticum aestivum*, LC (Gordon 1959)

**Fusarium tricinctum** (Corda) Sacc. f. sp.  
**poae** (Peck) W.C. Snyder & H.N. Hans. see  
*Fusarium poae*

**Fusarium sp.**

*Acer macrophyllum*, V (DAVFP)  
*Chamaecyparis* sp., V (DAVFP)  
*Cleome spinosa*, LC (Connors 1967)  
*Coreopsis* sp., LC (Connors 1967)  
*Delphinium* sp., LC (Connors 1967)  
*Picea engelmannii*, V (DAVFP)  
*Pinus contorta* var. *latifolia*, V (DAVFP)  
*Pinus sylvestris*, V (DAVFP)  
*Populus nigra* var. *italica*, V (DAVFP)  
*Prunus* sp., V (DAVFP)  
*Ribes* sp., UR  
*Robinia pseudoacacia*, V (DAVFP)  
*Salix alba* var. *vitellina*, V (DAVFP)  
Soil and Duff, V (DAVFP)  
*Thuja plicata*, V (DAVFP)

**Fuscoboletinus ochraceoroseus** (Snell)

Pomerleau & Smith  
Soil and Duff, UR

**Fusicladium betulae** Aderhold  
*Betula pendula*, LC (Connors 1967)

**Fusicladium cerasi** (Rabenh.) Sacc.  
*Prunus avium*, LC (Connors 1967)

**Fusicladium pyracanthae** (G. Otth) Rostr.  
see *Spilocaea pyracanthae*

**Fusicladium pyrinum** (Lib.) Fuckel see  
*Venturia pirina*

**Fusicladium saliciperdum** (Allesch. &  
Tub.) Tub. see *Venturia saliciperda*  
(teleomorph)

**Fusicladium sp.**  
*Salix* sp., V (DAVFP)

**Fusicoccum ellisianum** (Ellis & Everh.)  
Sacc. & Syd.  
*Quercus garryana*, V (DAVFP)

**Fusicoccum sp.**  
*Pseudotsuga menziesii*, V (DAVFP)

**Gaeumannomyces graminis** (Sacc.) Arx & D. Olivier (=Ophiobolus cariceti, Ophiobolus graminis)  
 Angiosperms, Grasses, LC (MacDonald 1990)  
*Triticum aestivum*, LC (Toms 1964)

**Gaeumannomyces graminis** (Sacc.) Arx & D. Olivier var. *avenae* (E.M. Turner) Dennis  
*Agrostis* sp., LC (MacDonald et al. 1991)

**Gaeumannomyces graminis** (Sacc.) Arx & D. Olivier var. *tritici* J. Walker  
*Agrostis tenuis*, LC (Shoemaker 1974)  
*Triticum aestivum*, LC (Shoemaker 1974)

**Galera flava** Peck  
 Soil and Duff, V (DAVFP)

**Galera tenera** Fr. see *Conocybe tenera*

**Galerina marginata** (Batsch:Fr.) Kühner (=*Pholiota marginata*)  
 Soil and Duff, V (DAVFP)

? **Galerina nana** (Petri) Kühner  
 Soil and Duff, V (DAVFP)

**Galerina venenata** A.H. Smith  
*Betula* sp., V (DAVFP)

**Galerina** sp.  
*Scirpus americanus*, V (DAOM)  
 Unidentified wood, V (DAVFP)

**Galzinia incrustans** (Höhn. & Litsch.) Parmasto  
*Alnus* sp., V (DAVFP)  
*Betula papyrifera*, V (DAVFP)  
*Pseudotsuga menziesii*, V (DAOM 143328)

**Ganoderma applanatum** (Pers.) Pat.  
 (=*Fomes applanatus*)  
*Abies amabilis*, UR  
*Abies grandis*, V (DAVFP)  
*Acer macrophyllum*, V (DAVFP)  
*Alnus rubra*, V (DAVFP)  
*Betula occidentalis*, LC (Shaw 1958)  
*Betula papyrifera*, V (DAVFP)  
*Fagus sylvatica*, V (DAVFP)  
*Malus pumila*, LC (Toms 1964; Conners 1967)  
*Malus sylvestris*, LC (Toms 1964)  
*Malus* sp., V (DAVFP)  
*Picea glauca*, V (DAVFP)  
*Picea sitchensis*, V (DAVFP)  
*Pinus sylvestris*, V (DAVFP)  
*Populus balsamifera*, V (DAVFP)  
*Populus tremuloides*, V (DAVFP)  
*Populus trichocarpa*, V (DAVFP)  
*Prunus avium*, LC (Ginns 1986a)  
*Prunus cerasus*, LC (Toms 1964)  
*Prunus domestica*, LC (Toms 1964)  
*Pseudotsuga menziesii*, V (DAVFP)  
*Quercus garryana*, V (DAVFP)  
*Ribes sanguineum*, V (DAVFP)  
*Salix* sp., V (DAVFP)

*Sorbus americana*, V (DAVFP)  
*Thuja plicata*, LC (Conners 1967)  
*Tsuga heterophylla*, V (DAVFP)  
*Tsuga mertensiana*, V (DAVFP)  
*Ulmus* sp., V (DAVFP)

**Ganoderma applanatum** (Pers.) Pat. var. *brownii* (Murrill) C.J. Humphrey & Leus see *Ganoderma brownii*

**Ganoderma brownii** (Murrill) R.L. Gilbertson (=*Ganoderma applanatum* var. *brownii*)  
*Aesculus hippocastanum*, V (DAVFP)  
*Prunus cerasifera* var. *pissardi*, V (DAVFP)

**Ganoderma oregonense** Murrill  
 (=*Polyporus oregonensis*)  
*Abies amabilis*, V (DAVFP)  
*Abies grandis*, V (DAVFP)  
*Picea sitchensis*, LC (Ginns 1986a)  
*Pseudotsuga menziesii*, V (DAVFP)  
 Soil and Duff, V (DAVFP)  
*Tsuga heterophylla*, V (DAVFP)

**Ganoderma tsugae** Murrill  
*Tsuga heterophylla*, LC (Nobles 1948)  
 Unidentified wood, V (DAVFP)

**Geastrum minus** (Pers.) Cunn.  
 Soil and Duff, V (DAVFP)

**Geastrum triplex** Jungh.  
 Soil and Duff, V (DAVFP)

**Gelatinodiscus flavidus** Kanouse & A.H. Sm.  
*Chamaecyparis nootkatensis*, LC (Eckblad 1968)

**Gelatinosporium abietinum** Peck see *Dermea balsamea*

**Gelatinosporium fosteri** (Funk) Funk  
 (=*Micropora fosteri*)  
*Pseudotsuga menziesii*, V (DAVFP) (TYPE)

**Gelatinosporium griseo-lanatum** Funk  
*Abies grandis*, V (DAVFP)  
*Larix decidua*, V (DAVFP)  
*Pseudotsuga menziesii*, V (DAVFP)  
*Tsuga heterophylla*, V (DAVFP) (TYPE)

**Gelatinosporium lunasporum** (Linder)  
 Funk see *Dermea tetrasperma* (teleomorph)

**Gelatinosporium pinicola** (Linder) Funk  
 (=*Micropora pinicola*)  
*Abies grandis*, V (DAVFP)  
*Pinus monticola*, V (DAVFP)  
*Pseudotsuga menziesii*, V (DAVFP)  
*Tsuga heterophylla*, V (DAVFP)

**Gelatinosporium sinuatum** Funk  
*Pseudotsuga menziesii*, V (DAVFP) (HOLOTYPE)

- Gelatinosporium stillwellii** Funk  
*Tsuga heterophylla*, V (DAVFP) (TYPE)
- Gelatinosporium uncinatum** Funk  
(=*Micropora uncinata*)  
*Pseudotsuga menziesii*, V (DAVFP) (TYPE)
- Geniculodendron pyriforme** G.A. Salt see  
*Caloscypha fulgens* (teleomorph)
- Geopyxis carbonaria** (A. & S.) Sacc.  
*Pinus contorta*, LC (Egger and Paden 1986a)  
Soil and Duff, LC (Egger and Paden 1986b)
- Geopyxis sp.**  
Soil and Duff, V (DAVFP)
- Geotrichum candidum** Link (=*Oospora lactis*)  
*Cucurbita maxima*, LC (Conners 1967)  
*Cucurbita pepo*, LC (Conners 1967)  
*Raphanus sativus*, LC (Conners 1967 on seed)
- Gibbera cassandrae** (Peck) Barr  
(=*Venturia cassandrae*)  
*Ledum groenlandicum*, LC (Barr 1953)
- Gibbera elegantula** (Rehm) Petr.  
*Vaccinium ovalifolium*, V (DAVFP)
- Gibbera gaultheriae** (Ellis & Everh.) Barr  
*Gaultheria shallon*, LC (Shaw 1973)
- Gibbera myrtilli** (Cooke) Petr. (=*Venturia myrtilli*)  
*Cassiope stelleriana*, LC (Barr 1953)  
*Vaccinium* sp., LC (Ginns 1986a)
- Gibberella baccata** (Wallr.) Sacc.  
*Cupressus* sp., V (DAVFP)
- Gliocladium polyporicola** (Henn.) Seifert &  
W. Gams  
*Stereum hirsutum*, LC (Seifert 1985)
- Gliocladium roseum** Bainier  
*Pseudotsuga menziesii*, LC (Shaw 1973)
- Gloeocystidiellum citrinum** (Pers.) Donk  
see *Vesiculomyces citrinus*
- Gloeocystidiellum clavuligerum** (Höhn. &  
Litsch.) Nakasone  
*Alnus* sp., LC (Hallenberg 1984)  
Angiosperms, Wood, LC (Hallenberg 1988 on  
deciduous wood)  
*Pseudotsuga menziesii*, LC (Hallenberg 1984)  
Unidentified wood, LC (Hallenberg 1984 on log)
- Gloeocystidiellum furfuraceum** (Bres.)  
Donk  
*Alnus rubra*, V (DAOM 142187)  
*Tsuga mertensiana*, V (DAOM 142184)

- Gloeocystidiellum karstenii** (Bourd. &  
Galzin) Donk (=*Gloeocystidium karstenii*)  
Gymnosperms, Wood, V (DAVFP)  
*Populus trichocarpa*, V (DAVFP)
- Gloeocystidiellum leucoxanthum** (Bres.)  
Boidin see *Megalocystidium leucoxanthum*
- Gloeocystidiellum ochraceum** (Fr.:Fr.)  
Donk  
*Pseudotsuga menziesii*, V (DAOM 139102,  
142122, 142123)  
*Tsuga heterophylla*, V (DAVFP)
- Gloeocystidiellum porosum** (Berk. & M.A.  
Curtis) Donk  
*Alnus rubra*, V (DAVFP)  
*Alnus* sp., LC (Hallenberg 1984, 1988)  
*Populus trichocarpa*, V (DAVFP)  
*Populus* sp., LC (Nakasone 1982)  
*Salix* sp., V (DAVFP)
- Gloeocystidiellum propinquum** (Jacks. &  
Deard.) Parmasto  
*Pseudotsuga menziesii*, V (DAVFP)  
*Thuja plicata*, V (DAVFP) (TYPE)
- Gloeocystidiellum subasperisporum**  
(Litsch.) J. Eriksson & Ryvarden  
*Pseudotsuga menziesii*, V (DAOM 142189)
- Gloeocystidium karstenii** Bourd. & Galzin  
see *Gloeocystidiellum karstenii*
- Gloeocystidium ochroleucum** Bres. see  
*Scytonostroma ochroleucum*
- Gloeophyllum carbonarium** (Berk. & M.A.  
Curtis) Ryvarden (=*Griseoporia carbonaria*,  
*Trametes carbonaria*)  
*Larix occidentalis*, LC (Shaw 1973)  
*Pseudotsuga menziesii*, V (DAVFP)  
*Thuja plicata*, V (DAVFP)
- Gloeophyllum odoratum** (Wulfen:Fr.)  
Imazeki (=*Osmoporus odoratus*, *Trametes americana*, *Trametes odorata*)  
*Abies* sp., V (DAVFP)  
*Picea engelmannii*, UR  
*Picea glauca*, V (DAVFP)  
*Picea sitchensis*, V (DAVFP)  
*Pinus banksiana*, LC (Shaw 1973)  
*Pinus contorta* var. *latifolia*, V (DAVFP)  
*Pinus monticola*, UR  
*Pseudotsuga menziesii*, V (DAVFP)  
*Thuja plicata*, LC (Mounce and Macrae 1936)
- Gloeophyllum sepiarium** (Wulfen:Fr.) P.  
Karst. (=*Lenzites sepiaria*)  
*Abies amabilis*, V (DAVFP)  
*Abies grandis*, V (DAVFP)  
*Abies lasiocarpa*, V (DAVFP)  
*Acer macrophyllum*, V (DAVFP)

*Alnus rubra*, V (DAVFP)  
*Betula papyrifera*, V (DAVFP)  
*Picea engelmannii*, UR  
*Picea glauca*, V (DAVFP)  
*Picea mariana*, V (DAVFP)  
*Picea sitchensis*, V (DAVFP)  
*Pinus contorta* var. *contorta*, UR  
*Pinus monticola*, V (DAVFP)  
*Pinus ponderosa*, V (DAVFP)  
*Populus tremuloides*, V (DAVFP)  
*Prunus emarginata*, V (DAVFP)  
*Pseudotsuga menziesii*, V (DAVFP)  
*Thuja plicata*, V (DAVFP)  
*Tsuga heterophylla*, V (DAVFP)

**Gloeophyllum trabeum** (Pers.:Fr.) Murrill  
 (=Lenzites trabea)  
 Unknown/Uncertain, LC (Ginns and Macrae 1971,  
 host not specified)

**Gloeoporus dichrous** (Fr.:Fr.) Bres.  
 (=Polyporus dichrous)  
*Alnus rubra*, LC (Shaw 1958)  
*Alnus sp.*, V (DAVFP)  
*Betula papyrifera*, V (DAVFP)  
*Pinus contorta* var. *latifolia*, V (DAVFP)  
*Pinus ponderosa*, V (DAVFP)  
*Populus tremuloides*, V (DAVFP)  
*Populus trichocarpa*, V (DAVFP)  
*Pseudotsuga menziesii*, LC (Shaw 1958)  
 Soil and Duff, UR  
*Thuja plicata*, V (DAVFP)  
*Tsuga heterophylla*, V (DAVFP)

**Gloeosporidiella bartholomaei** (Dearn.)  
 Arx  
*Ribes inerme*, LC (Shaw 1973)  
*Ribes viscosissimum*, V (DAVFP)

**Gloeosporium allantosporum** Fautrey see  
*Phlyctema vagabunda*

**Gloeosporium corni** Peck see *Discula*  
*destructiva*

**Gloeosporium coryli** (Desmaz.) Sacc. see  
*Piggotia coryli*

**Gloeosporium nervisequum** (Fuckel)  
 Sacc. see *Gnomonia veneta*

**Gloeosporium nymphaearum** Allesch.  
 see *Ramularia nymphaearum*

**Gloeosporium rhododendri** Briosi & Cav.  
 see *Glomerella cingulata*

**Gloeosporium sansevieriae** Verwoerd &  
 du Plessis see *Glomerella cingulata*  
 (teleomorph)

**Gloeosporium tiliae** Oudem. see *Discula*  
*umbrinella*

**Gloeosporium veronicae** Dearn. & House  
 see *Discogloeum veronicae*

**Gloeosporium sp.**  
*Acer macrophyllum*, V (DAVFP)  
*Alnus rubra*, LC (Sieber et al. 1989)  
*Arbutus menziesii*, V (DAVFP)  
*Betula papyrifera*, V (DAVFP)  
*Ceanothus sanguineus*, V (DAVFP)  
*Cornus nuttallii*, V (DAVFP)  
*Cornus sp.*, V (DAVFP)  
*Euonymus alatus*, LC (Toms 1964)  
*Ilex sp.*, V (DAVFP)  
*Quercus sp.*, V (DAVFP)  
*Salix sp.*, V (DAVFP)

**Gloeotulasnella calospora** (Boud.) D.P.  
 Rogers see *Tulasnella calospora*

**Gloeotulasnella pinicola** (Bres.) D.P.  
 Rogers see *Tulasnella pinicola*

**Gloiodon occidentale** Ginns  
*Tsuga heterophylla*, V (DAVFP) (ISOTYPE)

**Glomerella cingulata** (Stoneman) Spauld.  
 & H. Schrenk (=Physalospora miyabeana;  
 =Colletotrichum gloeosporioides,  
*Gloeosporium sansevieriae* - anamorph)

*Acer macrophyllum*, V (DAVFP)  
*Arceuthobium americanum* on *Pinus contorta*, V  
 (DAVFP)  
*Arceuthobium douglasii* on *Pseudotsuga*  
*menziesii*, V (DAVFP)  
*Arceuthobium laricis* on *Larix occidentalis*, V  
 (DAVFP)  
*Arceuthobium tsugense* on *Tsuga heterophylla*, V  
 (DAVFP)  
*Cornus nuttallii*, V (DAVFP)  
*Euonymus alatus*, LC (Shaw 1973)  
*Ficus elastica*, LC (Toms 1964)  
*Malus domestica*, LC (Barr 1953 on *Pyrus malus*)  
*Malus sylvestris*, LC (Toms 1964)  
*Populus trichocarpa* X *P. deltoides*, V (DAVFP) -  
 Dried culture only.  
*Rhododendron japonicum*, LC (Jones 1957 as  
*Gloeosporium rhododendri*)  
*Salix alba* var. *vitellina*, V (DAVFP)  
*Salix babylonica*, V (DAVFP)  
*Salix sp.*, V (DAVFP)  
*Sansevieria zeylanica*, LC (Shaw 1973)  
*Sequoiadendron giganteum*, V (DAVFP)  
*Taxus brevifolia*, V (DAVFP)  
*Tsuga heterophylla*, V (DAVFP)

**Glomerella fructigena** (Clint.) Sacc.  
*Pyrus communis*, LC (Shaw 1973)

**Glomerularia corni** Peck see *Glomopsis*  
*corni*

**Glomopsis corni** (Peck) D.M. Henderson  
 (=Glomerularia corni)  
*Cornus canadensis*, LC (Jones 1957)

**Glomus convolutus** Trappe & Gerd.

Soil and Duff, V (DAVFP)

**Glomus fasciculatus** (Thaxt. sensu Gerd.)

Gerd. & Trappe

*Festuca idahoensis*, LC (Molina et al. 1978)

*Festuca scabrella*, LC (Molina et al. 1978)

*Festuca viridula*, LC (Molina et al. 1978)

Soil and Duff, LC (Gerdemann and Trappe 1974; Molina et al. 1978)

**Glomus halonatum** Rose & Trappe

*Triticum aestivum*, LC (Cade-Menun et al. 1991)

**Glomus hoi** Berch & Trappe

*Trifolium repens*, LC (Berch and Trappe 1985)

**Glomus macrocarpus** Tul. & C. Tul. var.

**geosporus** (Nicol. & Gerd.) Gerd. & Trappe

*Festuca viridula*, LC (Molina et al. 1978)

Soil and Duff, LC (Molina et al. 1978)

**Glomus macrocarpus** Tul. & C. Tul. var.  
**macrocarpus**

*Festuca idahoensis*, LC (Molina et al. 1978)

*Festuca scabrella*, LC (Molina et al. 1978)

Soil and Duff, LC (Gerdemann and Trappe 1974; Molina et al. 1978)

**Glomus microcarpus** Tul. & C. Tul.

*Festuca scabrella*, LC (Molina et al. 1978)

Soil and Duff, LC (Molina et al. 1978)

**Glomus monosporum** Gerdemann &

Trappe

*Triticum aestivum*, LC (Cade-Menun et al. 1991)

**Glomus tenuis** (Green) Hall

*Festuca idahoensis*, LC (Molina et al. 1978)

*Festuca scabrella*, LC (Molina et al. 1978)

*Festuca viridula*, LC (Molina et al. 1978)

Soil and Duff, LC (Molina et al. 1978)

**Glomus sp.**

*Triticum aestivum*, LC (Cade-Menun et al. 1991)

**Glyphium corrugatum** (Ellis) H. Goree

*Alnus sinuata*, LC (Ginns 1986a)

*Cornus stolonifera*, LC (Ginns 1986a)

*Populus tremuloides*, LC (Ginns 1986a)

**Glyphium elatum** (Grev.:Fr.) Zogg

(= *Lophium dolabriforme*)

*Holodiscus discolor*, V (DAVFP)

*Salix* sp., LC (Ginns 1986a)

**Gnomonia alni** Plowright (= *Hypospila californica*)

*Alnus rubra*, V (DAVFP)

*Alnus* sp., V (DAVFP)

**Gnomonia campylostyla** Auersw. see

*Plagiostoma campylostylum*

**Gnomonia cerastis** (Riess.) Ces. & De Not.

*Acer* sp., LC (Barr 1978)

**Gnomonia comari** P. Karst. (= *Gnomonia fructicola*)

*Fragaria virginiana*, LC (Shaw 1973)

**Gnomonia depressula** P. Karst. see  
*Sydomiella depressula*

**Gnomonia fragariae** Kleb.

*Potentilla palustris*, LC (Barr 1953)

**Gnomonia fructicola** (G. Arnaud) J. Fall

see *Gnomonia comari*

**Gnomonia intermedia** Rehm var. *alni* Barr

*Alnus rubra*, V (DAVFP)

*Alnus rugosa* var. *americana*, LC (Barr 1978)

*Alnus sinuata*, V (DAVFP)

**Gnomonia leptostyla** (Fr.:Fr.) Ces. & De

Not. (= *Marssonina juglandis* - anamorph)

*Juglans cinerea*, LC (Toms 1964)

**Gnomonia rauii** (Ellis & Everh.) Petr.

(= *Didymella rauii*)

*Rosa* sp., LC (Barr 1953)

**Gnomonia ribicola** Barr

*Ribes* sp., LC (Barr 1978)

**Gnomonia setacea** (Pers.:Fr.) Ces. & De

Not.

*Acer macrophyllum*, LC (Barr 1953)

*Alnus rubra*, LC (Barr 1953 on *Alnus oregonia*;

Sieber et al. 1989; Sieber, Sieber-Canavesi, and Dorworth 1991)

*Alnus sinuata*, V (DAVFP)

*Alnus* sp., V (DAVFP)

*Quercus garryana*, V (DAVFP)

**Gnomonia veneta** (Sacc. & Speg.) Kleb.

see *Apiognomonia veneta*

**Gnomonia vepris** Mout.

*Rubus parviflorus*, LC (Barr 1953)

**Gnomonia** sp.

*Rubus parviflorus*, V (DAVFP)

**Gnomoniella coryli** (Batsch) Sacc. see

*Mamianiella coryli*

**Gnomoniella tubaeformis** (Fr.) Sacc.

*Alnus rubra*, LC (Sieber, Sieber-Canavesi, and Dorworth 1991)

**Godronia cassandrae** Peck

*Ribes lobii*, V (DAVFP)

***Godronia cassandrae*** Peck f. ***vaccinii***

Groves

*Vaccinium corymbosum*, LC (Ginns 1986a)  
*Vaccinium macrocarpon*, UR***Godronia confertus*** (Hone) Groves(=*Godronia urceolus* var. *confertus*)*Prunus emarginata*, V (DAVFP)***Godronia fuliginosa*** (Fr.:Fr.) Seaver*Salix* sp., V (DAVFP)***Godronia multispora*** Groves*Betula papyrifera*, V (DAVFP)***Godronia ribis*** (Fr.) Seaver*Ribes lobbii*, V (DAVFP)***Godronia spiraeae*** (Rehm) Seaver*Spiraea douglasii*, LC (Shaw 1973)***Godronia urceolus*** (J.C. Schmidt:Fr.) P.Karst. var. ***confertus*** Hone see *Godronia confertus****Godronia viburni*** Rehm*Viburnum edule*, V (DAVFP)***Godronia* sp.***Larix occidentalis*, LC (Ginns 1986a)***Gomphidius glutinosus*** (Schaeff.:Fr.) Fr.

Soil and Duff, V (DAVFP)

***Gomphidius leptocystis*** Singer

Soil and Duff, LC (Singer 1949) (TYPE)

***Gomphidius maculatus*** (Scop.:Fr.) Fr.

Soil and Duff, LC (Davidson 1930)

***Gomphidius oregonensis*** Peck

Soil and Duff, V (DAVFP)

***Gomphidius septentrionalis*** Singer

Soil and Duff, V (DAVFP)

***Gomphidius subroseus*** Kauffm.

Soil and Duff, V (DAVFP)

***Gomphidius vinicolor*** Peck

Soil and Duff, LC (Singer 1949)

***Gomphus clavatus*** (Fr.) S.F. Gray

Soil and Duff, V (DAVFP)

***Gonatorrhodiella highlei*** A.L. Smith*Salix* sp., V (DAVFP)***Gonytrichum caesium*** Nees & T. Nees*Alnus* sp., V (DAVFP)***Gonytrichum* sp.**

Soil and Duff, V (DAVFP)

***Gorgoniceps aridula*** (P. Karst.) P. Karst.(=*Erinellina raphidospora*)*Pinus monticola*, V (DAVFP)***Grandinia alutaria*** (Burt) Jülich(=*Hyphodontia alutaria*, *Peniophora alutaria*)*Alnus rubra*, V (DAOM 138963)*Gymnosperms*, Wood, V (DAOM 138966)*Pseudotsuga menziesii*, V (DAOM 138964)*Tsuga heterophylla*, V (DAOM 138965)

Unidentified wood, V (DAOM 138972, 138973)

***Grandinia arguta*** (Fr.:Fr.) Jülich(=*Hyphodontia arguta*, *Odontia arguta*)*Populus trichocarpa*, V (DAVFP)*Tsuga heterophylla*, V (DAVFP)***Grandinia barba-jovis*** (Fr.:Fr.) Jülich(=*Hyphodontia barba-jovis*; *Odontia barba-jovis*)*Pseudotsuga menziesii*, V (DAVFP)***Grandinia breviseta*** (P. Karst.) Jülich(=*Hyphodontia breviseta*)*Abies amabilis*, V (DAOM 138945)*Alnus rubra*, V (DAOM 138953, 138940)*Arbutus menziesii*, V (DAOM 138949)*Gaultheria shallon*, V (DAOM 138946)*Gymnosperms*, Wood, V (DAOM 138937)*Picea sitchensis*, V (DAOM 138938)*Pseudotsuga menziesii*, LC (Hallenberg 1984)*Rubus spectabilis*, V (DAOM 138943)*Thuja plicata*, V (DAOM 138939)*Tsuga heterophylla*, V (DAOM 139046)*Vaccinium ovalifolium*, V (DAOM 138947)***Grandinia crustosa*** (Pers.:Fr.) Fr.(=*Hyphodontia crustosa*, *Odontia crustosa*)*Alnus rubra*, V (DAVFP)*Arbutus menziesii*, V (DAVFP)*Cornus stolonifera*, V (DAVFP)*Corylus* sp., V (DAVFP)*Picea mariana*, LC (Ginns 1986a)*Pseudotsuga menziesii*, UR - Specimen discarded*Quercus garryana*, V (DAVFP)***Grandinia granulosa*** (Pers.:Fr.) Fr.(=*Hyphodontia aspera*)*Abies amabilis*, V (DAOM 138959)*Abies lasiocarpa*, V (DAVFP)*Picea engelmannii*, LC (Martin and Gilbertson 1977)*Picea glauca*, V (DAVFP)*Picea sitchensis*, LC (Martin and Gilbertson 1977)*Thuja plicata*, V (DAVFP)*Tsuga heterophylla*, V (DAVFP)***Grandinia hastata*** (Litsch.) Jülich(=*Hyphodontia hastata*, *Peniophora hastata*)*Pinus ponderosa*, V (DAVFP)***Grandinia helvetica*** (Pers.) Fr. see*Cristinia helvetica*

**Grandinia pallidula** (Bres.) Jülich  
 (=Hypodontia pallidula, Peniophora pallidula)  
*Abies amabilis*, V (DAOM 139152, 142427)  
*Chamaecyparis nootkatensis*, V (DAOM 139156)  
*Picea glauca*, V (DAVFP)  
*Salix* sp., V (DAVFP)  
*Thuja plicata*, V (DAVFP)  
*Tsuga mertensiana*, V (DAOM 139160)

**Grandinia quercina** (Fr.:Fr.) Jülich  
 (=Hypodontia quercina)  
*Acer* sp., LC (Hallenberg 1984)  
*Alnus rubra*, V (DAVFP)  
*Alnus* sp., LC (Hallenberg 1991)  
*Salix* sp., V (DAVFP)

**Grandinia raduloides** (P. Karst.) Bourd & Galzin see *Sistotrema raduloides*

**Grandinia spathulata** (Schrad.:Fr.) Jülich  
 (=Odontia spathulata)  
*Betula papyrifera*, V (DAVFP)  
*Populus tremuloides*, V (DAVFP)

**Grandinia stenospora** (P. Karst.) Jülich  
 (=Hypodontia alutacea)  
*Thuja plicata*, V (DAVFP)

**Grandinia subalutacea** (P. Karst.) Jülich  
 (=Hypodontia subalutacea, Peniophora subalutacea)  
*Abies amabilis*, V (DAOM 138993)  
*Alnus rubra*, V (DAOM 138992)  
*Chamaecyparis nootkatensis*, V (DAOM 138995)  
*Gymnosperms*, Wood, V (DAOM 138989, 138997)  
*Pinus contorta*, LC (Shaw 1973)  
*Pinus ponderosa*, LC (Shaw 1973)  
*Pseudotsuga menziesii*, V (DAVFP)  
*Tsuga mertensiana*, V (DAOM 139132, 138994, 138990)

**Graphium** sp.  
*Abies lasiocarpa*, LC (Shaw 1973)  
*Pinus contorta* var. *latifolia*, UR  
*Pinus monticola*, LC (Shaw 1973)  
*Pinus ponderosa*, LC (Shaw 1973)  
*Populus tremuloides*, V (DAVFP)  
*Pseudotsuga menziesii*, V (DAVFP) - Dried culture only.

**Graphyllum permundum** (Cooke) Barr  
 (=Clathrospora diplospora, Clathrospora permunda)  
*Astragalus convallarius*, LC (Shaw 1973 as *Platyspora permunda*)  
*Cirsium* sp., LC (Shaw 1973 as *Platyspora permunda*)  
*Luzula spicata*, LC (Shaw 1973 as *Platyspora permunda*)  
*Phlox longifolia*, LC (Barr 1990b)  
*Phlox* sp., LC (Barr 1953))  
*Stipa comata*, LC (Barr 1953)

**Gremmeniella abietina** (Lagerberg) Morelet  
 see *Ascocalyx abietina*

**Grifola frondosa** (Dickson:Fr.) Fr.  
 (=Polyporus frondosus)  
 Unidentified wood, V (DAVFP)

**Griphosphaeria corticola** (Fuckel) Höhn.  
 see *Discostroma corticola*

**Griphosphaeria** sp.  
*Picea glauca* X *P. engelmannii*, V (DAVFP)

**Griseoporia carbonaria** (Berk. & M.A. Curtis) Ginns see *Gloeophyllum carbonarium*

**Grovesiella abieticola** (Zeller & Goodd.) Morelet & Gremmen (=Scleroderris abieticola)  
*Abies amabilis*, V (DAVFP)  
*Abies grandis*, V (DAVFP)  
*Abies lasiocarpa*, V (DAVFP)

**Grovesiella grantii** Funk  
*Abies grandis*, V (DAVFP) (TYPE)  
*Abies lasiocarpa*, V (DAVFP)

**Guepiniopsis alpina** (Tracy & Earle) Brasfield  
*Abies lasiocarpa*, LC (Shaw 1973)  
*Alnus rubra*, V (DAVFP)  
*Pseudotsuga menziesii*, LC (Shaw 1973)  
*Tsuga heterophylla*, V (DAVFP)  
*Tsuga mertensiana*, LC (Shaw 1973)

**Guepiniopsis chrysocomus** (Bull.:Fr.) Brasfield  
*Abies amabilis*, V (DAVFP)  
*Tsuga heterophylla*, V (DAVFP)

**Guepiniopsis minuta** Olive see *Dacrymyces minutus*

**Guignardia bidwellii** (Ellis) Viala & Ravaz (=Botryosphaeria bidwellii)  
*Vitis labrusca*, LC (Connors 1967)  
*Vitis vinifera*, LC (Ginns 1986a)

**Guignardia caricicola** (Fuckel) Lind  
*Carex pyrenaica*, LC (Shaw 1973)  
*Juncus drummondii*, LC (Shaw 1973)

**Guignardia lonicerae** Dearn. & Barth. see *Hyponectria lonicerae*

**Guignardia populi** G.E. Thompson see *Hyponectria populi*

**Guignardia potentillae** (Rostr.) Lindau in Engl. & Prantl  
*Potentilla diversifolia*, LC (Barr 1953)

***Guignardia vaccinii*** Shear see  
*Botryosphaeria vaccinii*

***Guignardia* sp.**

*Populus trichocarpa*, V (DAVFP)  
*Sorbus sitchensis*, V (DAVFP)

***Gymnoconia peckiana* (E. Howe) Trott.**  
see *Arthuriomyces peckianus*

***Gymnopilus hillii* Murrill**

Soil and Duff, LC (Murrill 1912a on rotten logs  
and stumps) (TYPE)

***Gymnopilus pallidus* Murrill**

Soil and Duff, LC (Murrill 1912a) (TYPE)

***Gymnopilus picreus* (Fr.) Karsten**

Unidentified wood, V (DAVFP)

***Gymnopilus spectabilis* (Fr.:Fr.) A.H. Sm.**

(= *Pholiota spectabilis*)

*Abies grandis*, V (DAVFP)  
*Abies lasiocarpa*, V (DAVFP)  
*Betula papyrifera*, UR  
*Picea glauca*, V (DAVFP)  
*Populus balsamifera*, UR  
*Populus tremuloides*, UR  
*Populus trichocarpa*, UR  
*Pseudotsuga menziesii*, V (DAVFP)

***Gymnopilus terrestris* (Earle) Hesler**

Soil and Duff, V (DAVFP)

***Gymnosporangium asiaticum* Miyabe ex  
G. Yamada (= *Gymnosporangium***

*haraeanum*)  
*Juniperus chinensis*, V (DAVFP)

***Gymnosporangium aurantiacum* Chev.**  
see *Gymnosporangium cornutum*

***Gymnosporangium bethelii* F. Kern**

(= *Gymnosporangium tubulatum*)

*Crataegus columbiana*, V (DAVFP)  
*Crataegus douglasii*, V (DAVFP)  
*Juniperus scopulorum*, V (DAVFP)  
*Juniperus virginiana*, LC (Toms 1964)

***Gymnosporangium bispetatum* Ellis**

*Chamaecyparis* sp., LC (Connors 1967)

***Gymnosporangium clavariiforme* (Wulfen  
in Jacq.:Pers.) DC.**

*Amelanchier alnifolia*, V (DAVFP)  
*Amelanchier* sp., LC (Parmelee 1978a)  
*Crataegus oxyacantha*, V (DAVFP)  
*Juniperus communis* var. *depressa*, LC  
(Parmelee 1978a)  
*Juniperus communis* var. *hibernica*, V (DAVFP)  
*Juniperus communis* var. *suecica*, V (DAVFP)

***Gymnosporangium clavipes* (Cooke &  
Peck) Cooke & Peck**

*Amelanchier alnifolia*, V (DAVFP)  
*Crataegus columbiana*, V (DAVFP)  
*Crataegus douglasii*, V (DAVFP)  
*Juniperus communis*, V (DAVFP)  
*Juniperus communis* var. *depressa*, LC  
(Parmelee 1978b)  
*Malus* sp., UR  
*Sorbus sitchensis* var. *grayi*, V (DAVFP)  
*Sorbus sitchensis* var. *sitchensis*, V (DAVFP)

***Gymnosporangium cornutum* Arth. ex F.**

Kern (= *Gymnosporangium aurantiacum*)  
*Juniperus communis* var. *depressa*, V (DAVFP)  
*Malus fusca*, V (DAVFP)  
*Sorbus scopulina*, LC (Parmelee 1978c)  
*Sorbus sitchensis* var. *grayi*, V (DAVFP)  
*Sorbus sitchensis* var. *sitchensis*, V (DAVFP)

***Gymnosporangium fuscum* R. Hedw. in  
DC.**

*Juniperus chinensis*, V (DAVFP)  
*Juniperus horizontalis*, V (DAVFP)  
*Juniperus sabina*, LC (Ormrod et al. 1984 on  
*Juniperus sabina* and *Juniperus sabina* var.  
*hicksii*)  
*Juniperus sabina* var. *sabina*, V (DAVFP)  
*Juniperus sabina* var. *tamariscifolia*, V (DAVFP)  
*Juniperus sabina* var. *variegata*, V (DAVFP)  
*Juniperus squamata* var. *fargesii*, V (DAVFP)  
*Juniperus squamata* var. *meyeri*, V (DAVFP)  
*Juniperus squamata* var. *prostrata*, V (DAVFP)  
*Juniperus virginiana* var. *glauca*, LC (Ormrod et  
al. 1984)  
*Pyrus communis*, V (DAVFP)  
*Pyrus* sp., V (DAOM)

***Gymnosporangium haraeanaum* Syd. & P.**  
Syd. see *Gymnosporangium asiaticum*

***Gymnosporangium inconspicuum* F. Kern**

*Amelanchier alnifolia*, V (DAVFP)  
*Crataegus douglasii*, LC (Ginns 1986a)  
*Juniperus scopulorum*, V (DAVFP)

***Gymnosporangium juniperinum* L.:Mart.**  
see *Gymnosporangium tremelloides*

***Gymnosporangium nelsonii* Arth.**

*Amelanchier alnifolia*, V (DAVFP)  
*Juniperus horizontalis*, V (DAVFP)  
*Juniperus occidentalis*, LC (Shaw 1973)  
*Juniperus scopulorum*, V (DAVFP)  
*Malus fusca*, LC (Ginns 1986a)

***Gymnosporangium nidus-avis* Thaxt.**

*Amelanchier alnifolia*, V (DAVFP)  
*Juniperus horizontalis*, V (DAVFP)  
*Juniperus scopulorum*, V (DAVFP)  
*Sorbus sitchensis*, V (DAVFP)

***Gymnosporangium nootkatense* Arth.**

*Chamaecyparis nootkatensis*, V (DAVFP)  
*Malus fusca*, V (DAVFP)  
*Sorbus sitchensis* var. *grayi*, V (DAVFP)

*Sorbus sitchensis* var. *sitchensis*, V (DAVFP)

**Gymnosporangium tremelloides** R. Hartig

*Juniperus communis*, V (DAVFP)

*Juniperus virginiana*, LC (Connors 1967)

*Sorbus scopulina*, LC (Parmelee 1978d)

*Sorbus sitchensis*, LC (Parmelee 1978d)

*Sorbus sitchensis* var. *grayi*, V (DAVFP)

*Sorbus sitchensis* var. *sitchensis*, V (DAVFP)

**Gymnosporangium tubulatum** F. Kern

see *Gymnosporangium bethelii*

**Gymnosporangium** sp.

*Malus pumila*, V (DAVFP)

*Malus* sp., LC (Toms 1964)

**Gyromitra ambigua** (P. Karst.) Harmaja

Unidentified wood, LC (Ginns 1974)

**Gyromitra californica** (W. Phillips) Raitvii

(=*Helvella californica*)

*Abies grandis*, V (DAVFP)

Soil and Duff, V (DAVFP)

**Gyromitra esculenta** (Pers.:Fr.) Fr.

*Pseudotsuga menziesii*, V (DAVFP)

Soil and Duff, V (DAVFP)

*Tsuga heterophylla*, V (DAVFP)

**Gyromitra infula** (Schaeff.) Quél.

(=*Helvella infula*)

*Picea engelmannii*, UR

*Pinus contorta*, LC (Egger and Paden 1986a)

Soil and Duff, V (DAVFP)

**Gyromitra perlata** (Fr.) Harmaja

Soil and Duff, V (DAVFP)

**Gyroporus castaneus** (Bull.:Fr.) Quél.

Soil and Duff, V (DAVFP)

**Haematostereum gausapatum** (Fr.:Fr.)  
Pouzar see *Stereum gausapatum*

**Haematostereum rugosum** (Pers.:Fr.)  
Pouzar see *Stereum rugosum*

**Haematostereum sanguinolentum**  
(Albertini & Schwein.:Fr.) Pouzar see  
*Stereum sanguinolentum*

**Hainesia borealis** Ellis & Everh.  
*Galium boreale*, V (DAVFP)

**Hainesia lythri** (Desmaz.) Höhn.  
*Rubus parviflorus*, V (DAVFP)

**Haligena spartinae** E.B.G. Jones  
*Typha* sp., LC (Hughes 1969)

**Halonectria milfordensis** E.B.G. Jones  
*Pinus monticola*, LC (Hughes 1969)  
*Pseudotsuga menziesii*, LC (Hughes 1969)  
Unidentified wood, LC (Hughes 1969)

**Halosphaeria appendiculata** Linder  
Unidentified wood, LC (Hughes 1969)

**Halosphaeria circumvestita** Kohlmeyer  
Unidentified wood, LC (Hughes 1969)

**Halosphaeria hamata** (W. Höhn.)  
Kohlmeyer (= *Remispora hamata*)  
*Typha* sp., LC (Hughes 1969)  
Unidentified wood, LC (Hughes 1969)

**Halosphaeria mediosetigera** A.B. Cribb &  
J.W. Cribb  
Unidentified wood, LC (Hughes 1969)

**Halosphaeria torquata** Kohlmeyer  
Unidentified wood, LC (Hughes 1969)

**Halosphaeria tubulifera** Kohlmeyer  
Unidentified wood, LC (Hughes 1969)

**Hansenula canadensis** Wickerham  
*Pinus contorta* var. *latifolia*, LC (Strongman 1987)

**Hansenula capsulata** Wickerham  
Beetle, ambrosia (*Dendroctonus monticolae*  
Hopk.), UR

**Hansenula holstii** Wickerham  
*Pinus contorta* var. *latifolia*, UR

**Hapalopilus nidulans** (Fr.:Fr.) P. Karst.  
see *Hapalopilus rutilans*

**Hapalopilus rutilans** (Pers.:Fr.) Murrill  
(= *Hapalopilus nidulans*, *Polyporus nidulans*,  
*Polyporus rutilans*)  
*Populus tremuloides*, V (DAVFP)  
*Populus trichocarpa*, LC (Conners 1967)

*Prunus emarginata*, V (DAVFP)  
*Salix laetiandra*, V (DAVFP)

**Hapalosphaeria deformans** (Syd.) Syd.  
*Rubus idaeus* var. *strigosus*, LC (Conners 1967)  
*Rubus loganobaccus*, LC (Ginns 1986a on *Rubus ursinus* var. *loganobaccus*)

**Haplobasidion pavoninum** Höhn. see  
*Haplobasidion thalictri*

**Haplobasidion thalictri** Eriks.  
(= *Haplobasidion pavoninum*)  
*Aquilegia* sp., LC (Ginns 1986a)

**Haploporus odorus** (Sommerf.:Fr.) Sing.  
(= *Trametes odora*)  
*Salix* sp., V (DAVFP)

**Haplosporella** sp.  
*Pseudotsuga menziesii*, V (DAVFP)

**Haplotrichum curtisii** (Berk.) Holubová-  
Jechová see *Botryobasidium vagum*  
(teleomorph)

**Harknessia arctostaphyli** Cooke & Harkn.  
*Arbutus menziesii*, V (DAVFP)

**Hebeloma mesophaeum** (Pers.:Fr.) Quél.  
Soil and Duff, V (DAVFP)

**Hebeloma sacchariolens** Quél.  
Soil and Duff, V (DAVFP)

**Hebeloma simile** Kauffm.  
Soil and Duff, V (DAVFP)

**Hebeloma sinapizans** (Paul.:Fr.) Gill.  
Soil and Duff, V (DAVFP)

**Hebeloma sordidulum** (Peck) Sacc.  
Soil and Duff, V (DAVFP)

**Hebeloma** sp.  
*Pinus sylvestris*, V (DAVFP)

**Helicobasidium brebissonii** (Desmaz.)  
Donk (= *Helicobasidium purpureum*;  
= *Rhizoctonia crocormum* – anamorph)  
*Solanum tuberosum*, LC (Jones 1957)

**Helicobasidium purpureum** Pat. see  
*Helicobasidium brebissonii*

**Helicogloea lagerheimii** Pat. in Pat. &  
Lagerh.  
*Betula* sp., V (DAVFP; UBC)  
Old burlap, V (UBC F5389)  
*Populus trichocarpa*, V (UBC F5395, F5399)

**Helicoma** sp.  
*Pinus palustris*, LC (Conners 1967)

***Helicoon* sp.**

Soil and Duff, V (DAVFP)

***Helicosporium aureum* (Corda) Linder  
(= *Helicosporium pilosum*)**

Gymnosperms, Wood, V (DAVFP)

***Helicosporium murinum* Goos**  
*Alnus* sp., LC (Goos 1989)

***Helicosporium phragmitis* von Höhnel**  
*Cirsium* sp., LC (Goos 1989)  
*Quercus* sp., LC (Goos 1989)

***Helicosporium pilosum* Ellis & Everh.** see  
*Helicosporium aureum*

***Helicosporium* sp.**

Soil and Duff, V (DAVFP)

***Helminthosporium avenae* Eidam** see  
*Drechslera avenae*

***Helminthosporium dictyoides* Drechs.**  
see *Drechslera dictyoides*

***Helminthosporium gramineum* Rabenh.**  
see *Drechslera graminea*

***Helminthosporium nodosum* Wallr.** see  
*Pseudospriopes nodosus*

***Helminthosporium sativum* Pammel, C.M.**  
King & Bakke see *Bipolaris sorokiniana*

***Helminthosporium solani* Durieu & Mont.**  
(= *Spondylocladium atrovirens*)  
*Solanum tuberosum*, LC (Jones 1957)

***Helminthosporium stenacrum* Drechs.**  
see *Drechslera fugax*

***Helminthosporium teres* Sacc.** see  
*Drechslera teres*

***Helminthosporium triseptatum* Drechs.**  
see *Mariellottia triseptata*

***Helminthosporium vagans* Drechs.** see  
*Drechslera poae*

***Helminthosporium velutinum* Link:Fr.**  
*Alnus rubra*, V (DAVFP)  
*Cytisus scoparius*, V (DAVFP)

***Helminthosporium* sp.**

*Abies lasiocarpa*, V (DAVFP)  
*Beckmannia syzigachne*, LC (Ginns 1986a)  
*Salix* sp., V (DAVFP)  
*Vaccinium parvifolium*, V (DAVFP)

***Helotium albicolor* (Smith) Redhead**

Soil and Duff, LC (Redhead 1982a)

***Helotium citrinum* (Hedw.) Fr.** see  
*Bisporella citrina*

***Helotium cyphelloides* Redhead**  
*Carex* sp., LC (Redhead 1982a)

***Helotium destructor* Peck**  
Bryophytes, V (DAVFP)

***Helotium hirsutum* Tode**  
*Pseudotsuga menziesii*, LC (Redhead 1982a)

***Helotium nebulophilum* Redhead**  
Bryophytes, LC (Redhead 1982a on moss  
gametophytes)

***Helotium resinicola* Baranyay & Funk** see  
*Bisporella resinicola*

***Helotium scutula* (Pers.:Fr.) P. Karst.** see  
*Hymenoscyphus scutula*

***Helotium substellatum* (Kühner in Kühner  
& Valla) Redhead**  
Gymnosperms, Wood, LC (Redhead 1982a)

***Helotium virgultorum* (Vahl) Fr.** see  
*Hymenoscyphus calyculus*

***Helvella acetabulum* (L.:St. Amans) Quél.**  
(= *Paxina acetabulum*)  
Soil and Duff, V (DAVFP)

***Helvella californica* Phill.** see *Gyromitra*  
*californica*

***Helvella elastica* Bull.**  
Soil and Duff, V (DAVFP)

***Helvella infula* Schaeff.** see *Gyromitra*  
*infula*

***Helvella lacunosa* Afzel.:Fr.**  
Soil and Duff, V (DAVFP)

***Helvella maculata* Weber**  
Soil and Duff, V (DAVFP)

***Helvella stevensii* Peck**  
Soil and Duff, V (DAVFP)

***Helvella* sp.**  
Soil and Duff, V (DAVFP)

***Hemimycena tortuosa* (Orton) Redhead**  
Unidentified bark, LC (Redhead 1980a)

***Hemiphacidium longisporum* Ziller & Funk**  
*Pinus contorta* var. *latifolia*, V (DAVFP) (TYPE)

**Hemiphacidium planum** (J.J. Davis) Korf  
*Pinus albicaulis*, V (DAVFP)  
*Pinus contorta* var. *contorta*, V (DAVFP)  
*Pinus monticola*, V (DAVFP)

**Hendersonia pinicola** Wehmeyer  
*Pinus contorta* var. *contorta*, V (DAVFP)  
*Pinus contorta* var. *latifolia*, V (DAVFP)  
*Pinus ponderosa*, V (DAVFP)

**Hendersonia rubi** (West.) Sacc.  
*Rubus* sp., LC (Shaw 1973)

**Hendersonia** sp.  
*Camellia japonica*, LC (Ginns 1986a)  
*Juniperus communis*, V (DAVFP)  
*Pinus monticola*, V (DAVFP)

**Hendersonula toruloidea** Nattrass  
*Arbutus menziesii*, V (DAVFP)

**Henningsomyces candidus** (Pers.:Fr.)  
Kuntze (= *Solenia candida*)  
Gymnosperms, Wood, V (DAVFP)

**Henningsomyces pubera** (Romell:W.B. Cooke) Reid  
Gymnosperms, Wood, LC (Redhead 1973)

**Heptameria tenera** (Ellis) Cooke  
(= *Leptosphaeria tenera*)  
*Arabis drummondii*, LC (Barr 1953)  
*Draba stenoloba*, LC (Barr 1953)

**Hericium abietis** (Weir ex Hubert) K.A. Harrison  
*Abies amabilis*, V (DAVFP)  
*Abies grandis*, V (DAVFP)  
*Abies lasiocarpa*, LC (Ginns 1986a)  
*Abies* sp., LC (Ginns 1985)  
*Picea sitchensis*, V (DAVFP)  
*Tsuga heterophylla*, V (DAVFP)  
*Tsuga mertensiana*, V (DAVFP)

**Hericium americanum** Ginns  
*Abies amabilis*, V (DAOM 141021)  
*Populus trichocarpa*, V (DAVFP)  
*Quercus garryana*, V (DAVFP)  
*Tsuga heterophylla*, V (DAVFP)

**Hericium coralloides** (Scop.:Fr.) S.F. Gray  
*Betula papyrifera*, LC (Connors 1967 on *Betula subcordata*)  
*Betula* sp., V (DAVFP)  
*Picea* sp., UR  
*Populus balsamifera*, UR – Cultured then discarded.  
*Populus tremuloides*, V (DAVFP)  
*Populus trichocarpa*, V (DAVFP)

**Herpotrichia coulteri** (Peck) Bose see  
*Neopeckia coulteri*

**Herpotrichia juniperi** (Duby) Petr.  
(= *Herpotrichia nigra*)  
*Abies amabilis*, V (DAVFP)  
*Abies lasiocarpa*, V (DAVFP)  
*Chamaecyparis nootkatensis*, V (DAVFP)  
*Juniperus communis*, V (DAVFP)  
*Picea engelmannii*, V (DAVFP)  
*Picea glauca*, V (DAVFP)  
*Picea sitchensis*, V (DAVFP)  
*Pinus contorta* var. *latifolia*, V (DAVFP)  
*Taxus brevifolia*, V (DAVFP)  
*Tsuga heterophylla*, V (DAVFP)  
*Tsuga mertensiana*, V (DAVFP)

**Herpotrichia nigra** R. Hartig see  
*Herpotrichia juniperi*

**Herpotrichia** sp.  
*Pseudotsuga menziesii*, V (DAVFP)

**Herpotrichiella fusispora** Barr  
*Cassiope* sp., LC (Barr 1972)

**Herpotrichiella parasitica** (Ellis & Everh.) Barr (= *Melanomma parasitica*)  
*Diatrype* sp., LC (Barr 1972)

**Heterobasidion annosum** (Fr.:Fr.) Bref.  
(= *Fomes annosus*)  
*Abies amabilis*, V (DAVFP)  
*Abies grandis*, V (DAVFP)  
*Acer macrophyllum*, V (DAVFP)  
*Alnus rubra*, V (DAVFP)  
*Larix occidentalis*, LC (Shaw 1973)  
*Picea glauca*, V (DAVFP)  
*Picea sitchensis*, V (DAVFP)  
*Pinus contorta* var. *latifolia*, LC (Shaw 1973)  
*Pinus ponderosa*, V (DAVFP)  
*Pseudotsuga menziesii*, V (DAVFP)  
*Thuja plicata*, V (DAVFP)  
*Tsuga heterophylla*, V (DAVFP)

**Heterochaete spinulosa** (Berk. & M.A. Curtis) D. Reid (= *Eichlerella spinulosa*)  
*Populus trichocarpa*, V (DAVFP)

**Heterochaetella dubia** (Bourd. & Galzin)  
Bourd. & Galzin  
Gymnosperms, Wood, V (UBC F5405, F5406)

**Heterosporium gracile** (Wallr.) Sacc. see  
*Mycosphaerella macrospora*

**Heterosporium maculatum** Klotzsch in Cooke  
*Scirpus* sp., LC (Shaw 1973)

**Heterosporium phlei** C.T. Gregory see  
*Cladosporium phlei*

**Heterosporium variabile** Cooke see  
*Cladosporium variabile*

**Heterotextus luteus** (Bres.) McNabb  
*Pseudotsuga menziesii*, LC (Seifert 1983)

**Hirschioporus abietinus** (Dickson:Fr.)  
 Donk see *Trichaptum abietinum*

**Hirschioporus fuscoviolaceus**  
 (Ehrenb.:Fr.) Donk see *Trichaptum fuscoviolaceum*

**Hirschioporus laricinus** (P. Karst.)  
 Teramoto see *Trichaptum laricinum*

**Hirschioporus pargamenus** (Fr.)  
 Bondartsev & Singer see *Trichaptum biforme*

**Hohenbuehelia angustata** (Berk.) Singer  
 (=*Panus angustatus*)  
 Soil and Duff, LC (Davidson 1930 on decaying wood)

**Hohenbuehelia petalodes** (Bull.:Fr.)  
 Schulzer (=*Pleurotus petalooides*)  
 Soil and Duff, V (DAVFP)  
*Thuja plicata*, V (DAVFP)  
*Tsuga heterophylla*, V (DAVFP)

**Hohenbuehelia unguicularis** (Fr.:Fr.) O.K.  
 Miller  
*Populus tremuloides*, V (DAVFP)

**Holmiella sabina** (De Not.) Petrini,  
 Samuels, & E. Müller (=*Eutryblidiella sabina*)  
*Juniperus scopulorum*, V (DAVFP)

**Hormiscium** sp.  
*Pinus contorta* var. *latifolia*, LC (Shaw 1973)

**Hormodendrum cladosporioides** (Fresen.)  
 Sacc. see *Cladosporium cladosporioides*

**Hormodendrum** sp.  
*Pinus contorta* var. *latifolia*, LC (Shaw 1973)  
*Pinus monticola*, LC (Shaw 1973)  
*Pseudotsuga menziesii*, LC (Shaw 1973)

**Hormonema merioides** Funk, Woods &  
 Hopkinson  
*Abies grandis*, V (DAVFP)  
*Abies* sp., UR - Specimen discarded  
*Larix occidentalis*, V (DAVFP)  
*Pseudotsuga menziesii*, V (DAVFP) (TYPE)  
*Tsuga heterophylla*, V (DAVFP)

**Hormonema** sp.  
*Pinus monticola*, V (DAVFP)

**Hormotheca robertiana** (Fr.:Fr.) Höhn.  
 (=*Stigmatea robertiana*)  
*Geranium pusillum*, LC (Barr 1953)

**Hormotheca rubicola** (Ellis & Everh.)  
 Corlett & Barr (=*Coleroa rubicola*,  
*Stigmatea rubicola*)  
*Rubus* sp., LC (Barr 1953 as *Asterina rubicola*)

**Humaria hemisphaerica** (A. Wigg.) Fuckel  
 (=*Patella albida*)  
 Gymnosperms, Wood, V (DAVFP)

**Humaria araneosa** (Bull.:Fr.) Seaver  
 Soil and Duff, V (DAVFP)

**Humaria axillaris** (Nees) Seaver  
 Bryophyta, V (DAVFP)

**Humicola alopallonella** S.P. Meyers & R.T.  
 Moore  
*Arbutus menziesii*, LC (Anastasiou and  
 Churchland 1969)  
*Pinus monticola*, LC (Hughes 1969)  
*Prunus laurocerasus*, LC (Anastasiou and  
 Churchland 1969)  
*Pseudotsuga menziesii*, LC (Hughes 1969)  
*Thuja plicata*, LC (Hughes 1969)  
 Unidentified wood, LC (Hughes 1969)

**Hyalodendron** sp.  
*Picea sitchensis*, V (DAVFP)  
*Pinus contorta* var. *latifolia*, V (DAVFP)

**Hyalodothis caricis** Pat. & Har. see  
*Melanodothis caricis*

**Hyalopeziza ciliata** Fuckel  
*Pseudotsuga menziesii*, LC (Shaw 1973)

**Hyalopsora aspidiotus** (Magnus) Magnus  
*Abies amabilis*, V (DAVFP)  
*Abies grandis*, V (DAVFP)  
*Abies lasiocarpa*, V (DAVFP)  
*Gymnocarpium dryopteris*, V (DAVFP)

**Hyalopsora polypodii** (Dietel) Magnus  
*Cystopteris fragilis*, V (DAVFP)

**Hyaloscypha hyalina** (Pers.:Fr.) Boud.  
*Populus trichocarpa*, V (DAVFP)

**Hydnellum aurantiacum** (Batsch:Fr.) P.  
 Karst.  
 Soil and Duff, V (DAVFP)

**Hydnellum caeruleum** (Hornem.:Pers.) P.  
 Karst.  
 Soil and Duff, V (DAVFP)

**Hydnellum peckii** Banker  
 Soil and Duff, V (DAVFP)

**Hydnellum pineticola** K.A. Harrison  
 Soil and Duff, V (DAVFP)

***Hydnellum scrobiculatum*** (Fr.:Secr.) P. Karst. var. ***scrobiculatum***  
Soil and Duff, V (DAVFP)

***Hydnellum scrobiculatum*** (Fr.:Secr.) P. Karst. var. ***zonatum*** (Batsch:Fr.) K.A. Harrison  
Soil and Duff, V (DAVFP)

***Hydnellum suaveolens*** (Scop.:Fr.) P. Karst.  
Soil and Duff, V (DAVFP)

***Hydnellum*** sp.  
*Pinus contorta* var. *latifolia*, V (DAVFP)

***Hydnotrya variiformis*** Gilkey  
Soil and Duff, V (DAVFP)

***Hydnnum calvatum*** K.A. Harrison  
Soil and Duff, V (DAVFP)

***Hydnnum fuscoindicum*** K.A. Harrison  
Soil and Duff, V (DAVFP)

***Hydnnum imbricatum*** L.:Fr. see *Sarcodon imbricatus*

***Hydnnum repandum*** Fr. var. ***album*** (Quél.) Rea see *Dentinum repandum* var. *album*

***Hydnnum repandum*** Fr. var. ***repandum***  
see *Dentinum repandum* var. *repandum*

***Hydnnum scabrosum*** Fr.  
Soil and Duff, V (DAOM)

***Hydnnum stereosarcinon*** (Wehmeyer) K.A. Harrison  
*Pinus contorta* var. *latifolia*, V (DAOM)  
Soil and Duff, V (DAVFP)

***Hydrocybe conica*** (Scop.) P. Karst. see *Hygrophorus conicus*

***Hygrocybe miniata*** (Fr.) Kühner  
Soil and Duff, V (DAVFP)

***Hygrophoropsis morganii*** (Peck) Bigelow  
Soil and Duff, V (DAVFP)

***Hygrophoropsis olida*** (Quél.) Metr.  
Soil and Duff, V (DAVFP)

***Hygrophorus bakerensis*** A.H. Smith & Hesler  
Soil and Duff, V (DAVFP)

***Hygrophorus calophylla*** Karsten  
Soil and Duff, V (DAVFP)

***Hygrophorus cantharellus*** (Schwein.) Fr.  
Soil and Duff, V (DAVFP)

***Hygrophorus capreolarius*** (Kalchbr.) Sacc.  
Soil and Duff, UR

***Hygrophorus ceraceus*** (Fr.) Fr.  
Soil and Duff, LC (Davidson 1930)

***Hygrophorus conicus*** (Fr.) Fr.  
(=*Hydrocybe conica*)  
Soil and Duff, V (DAVFP)

***Hygrophorus eburneus*** (Fr.) Fr.  
Soil and Duff, LC (Davidson 1930)

***Hygrophorus miniatus*** (Fr.) Fr.  
Soil and Duff, V (DAVFP)

***Hygrophorus minutulus*** Peck  
Soil and Duff, V (DAVFP)

***Hygrophorus piceae*** Kühner & Romagnesi  
Soil and Duff, V (DAVFP)

***Hygrophorus psittacinus*** (Fr.) Fr.  
Soil and Duff, LC (Davidson 1930 as *Hygrophorus psittacinus*)

***Hygrophorus pudorinus*** (Fr.) Fr.  
Soil and Duff, V (DAVFP)

***Hygrophorus saxatilis*** A.H. Smith & Hesler  
Soil and Duff, V (DAVFP)

***Hygrophorus tephroleucus*** (Fr.) Fr.  
Soil and Duff, V (DAVFP)

***Hymenochaete badio-ferruginea*** (Mont.) Lév.  
*Corylus* sp., V (DAOM 141783)  
*Prunus emarginata*, UR  
*Taxus brevifolia*, V (DAVFP)  
*Tsuga heterophylla*, V (DAVFP)

***Hymenochaete cinnamomea*** (Pers.:Fr.) Bres.  
*Alnus rubra*, UR  
*Alnus* sp., V (DAVFP)  
*Picea* sp., V (DAVFP)  
*Thuja plicata*, V (DAVFP)

***Hymenochaete fuliginosa*** (Pers.) Lév. see *Hymenochaete fusca*

***Hymenochaete fusca*** (P. Karst.) Sacc.  
(=*Hymenochaete fuliginosa*)  
*Abies amabilis*, V (DAOM 141790)  
*Picea glauca*, V (DAVFP)  
*Pseudotsuga menziesii*, V (DAVFP)  
*Taxus brevifolia*, V (DAVFP)  
*Thuja plicata*, V (DAVFP)  
*Tsuga heterophylla*, V (DAVFP)

**Hymenochaete rubiginosa** (Dickson:Fr.)

Lév.

*Abies lasiocarpa*, V (DAVFP)  
*Holodiscus discolor*, V (DAVFP)

**Hymenochaete spreta** Peck

*Arbutus menziesii*, V (DAVFP)  
*Populus* sp., V (DAVFP)

**Hymenochaete tabacina** (Sowerby:Fr.)

Lév.

*Abies lasiocarpa*, V (DAVFP)  
*Acer macrophyllum*, V (DAVFP)  
*Alnus rubra*, V (DAVFP)  
*Alnus sinuata*, UR  
*Amelanchier alnifolia*, V (DAVFP)  
*Arbutus menziesii*, V (DAVFP)  
*Betula* sp., V (DAVFP)  
*Corylus cornuta*, V (DAVFP)  
*Fagus grandifolia*, V (DAVFP)  
*Holodiscus discolor*, V (DAVFP)  
*Pachistima myrsinoides*, LC (Shaw 1973)  
*Pseudotsuga menziesii*, V (DAVFP)  
*Rubus spectabilis*, LC (Shaw 1973)  
*Salix* sp., V (DAVFP)  
*Sambucus* sp., V (DAVFP)  
*Thuja plicata*, V (DAVFP)  
*Tsuga heterophylla*, V (DAVFP)  
*Vaccinium* sp., V (DAVFP)

**Hymenochaete tenuis** Peck

*Abies lasiocarpa*, V (DAVFP)

**Hymenochaete sp.**

*Abies grandis*, UR

**Hymenogaster sp.**

Soil and Duff, V (DAVFP)

**Hymenoscyphus calyculus** (Sowerby) W.

Phillips (=*Helotium virgultorum*)  
*Acer macrophyllum*, V (DAVFP)

**Hymenoscyphus scutula** (Pers.:Fr.) W.

Phillips (=*Helotium scutula*)  
 Angiosperms, Herbaceous , other, V (DAVFP)  
*Solidago* sp., V (DAVFP)

**Hymenoscyphus sp.**

*Betula papyrifera*, V (DAVFP)

**Hymenula sp.**

Rhabdocline pseudotsugae on *Pseudotsuga menziesii*, V (DAVFP)

**Hyphoderma amoenum** (Burt) Donk

(=Peniophora amoena)

*Arbutus menziesii*, V (DAVFP)  
*Quercus garryana*, V (DAVFP)

**Hyphoderma argillaceum** (Bres.) Donk

(=Peniophora argillacea)

Angiosperms, Wood, V (DAOM 139103)

**Hyphoderma cristulatum** (Fr.:Fr.) Donk

(=Odontia cristulata)

Angiosperms, Wood, V (DAVFP)

**Hyphoderma deviatum** (Lund.) J. Eriksson

& Ryvarden (=Hyphodontia deviata)

*Pseudotsuga menziesii*, V (DAOM 142421)

**Hyphoderma inusitata** (Jacks. & Deard.)

Ginns (=Peniophora inusitata)

*Populus trichocarpa*, V (DAVFP) (TYPE)

**Hyphoderma karstenii** Jülich

(=Metulodontia nivea, =Peniophora nivea)

*Abies lasiocarpa*, V (DAVFP)

*Populus tremuloides*, V (DAVFP)

**Hyphoderma medioburiense** (Burt) Donk

(=Peniophora medioburiensis)

Angiosperms, Wood, LC (Slysh 1960)

**Hyphoderma mutatum** (Peck) Donk

(=Peniophora mutata)

*Populus tremuloides*, V (DAVFP)

*Populus trichocarpa*, V (DAVFP)

**Hyphoderma pallidum** (Bres.) Donk

Angiosperms, Wood, V (DAOM 138981)

Gymnosperms, Wood, V (DAVFP)

*Rubus spectabilis*, V (DAVFP)

**Hyphoderma polonense** (Bres.) Donk see

*Hypochnicium polonense*

**Hyphoderma praetermissum** (P. Karst.) J. Eriksson

(=Hyphoderma tenue)

*Abies lasiocarpa*, UR

*Acer macrophyllum*, V (DAOM 139100)

*Alnus rubra*, V (DAVFP)

*Alnus* sp., LC (Hallenberg 1984)

Angiosperms, Wood, V (DAOM 139051)

*Picea glauca*, UR

*Pseudotsuga menziesii*, V (DAVFP)

*Thuja plicata*, V (DAVFP)

*Tsuga mertensiana*, V (DAOM 139060)

Unidentified wood, V (DAOM 139064)

**Hyphoderma puberum** (Fr.:Fr.) Wallr.

(=Peniophora pubera)

*Alnus rubra*, V (DAVFP)

Angiosperms, Wood, V (DAOM)

*Arbutus menziesii*, V (DAVFP)

*Larix occidentalis*, UR

*Pseudotsuga menziesii*, V (DAOM 139084)

*Salix* sp., V (DAOM 139068)

**Hyphoderma radula** (Fr.:Fr.) Donk see

*Basidioradulum radula*

**Hyphoderma resinosum** (H. Jacks. &

Dearden) K.J. Martin & R.L. Gilbertson see

*Crustoderma resinosum*

**Hypoderma roseocremeum** (Bres.) Donk  
*Abies lasiocarpa*, LC (Hallenberg 1984)  
*Gymnosperms*, Wood, V (DAOM 139170)  
*Pseudotsuga menziesii*, V (DAOM 138924)

**Hypoderma sambuci** (Pers.) Jülich  
(= *Hypodontia sambuci*, = *Peniophora sambuci*)  
*Alnus* sp., LC (Shaw 1973)  
*Cytisus scoparius*, V (DAVFP)  
*Juglans nigra*, LC (Shaw 1973)  
*Populus trichocarpa*, V (DAVFP)  
*Sambucus racemosa* var. *arborescens*, V  
(DAVFP)  
*Thuja plicata*, V (DAVFP)

**Hypoderma setigerum** (Fr.:Fr.) Donk  
(= *Odontia setigera*, *Peniophora aspera*,  
*Peniophora setigera*)  
*Abies amabilis*, LC (Shaw 1973)  
*Abies grandis*, V (DAVFP)  
*Abies lasiocarpa*, LC (Shaw 1973)  
*Acer macrophyllum*, V (DAVFP)  
*Alnus rubra*, V (DAVFP)  
*Betula papyrifera*, V (DAVFP)  
*Cytisus scoparius*, V (DAVFP)  
*Picea engelmannii*, LC (Shaw 1973)  
*Picea glauca*, LC (Ginn 1986a)  
*Populus trichocarpa*, V (DAVFP)  
*Prunus emarginata*, V (DAVFP)  
*Pseudotsuga menziesii*, LC (Shaw 1958)  
*Tsuga heterophylla*, V (DAVFP)

**Hypoderma tenue** (Pat.) Donk see  
*Hypoderma praetermissum*

**Hypoderma sp.**  
*Abies lasiocarpa*, V (DAVFP)

**Hypodermella corrugata** (Fr.) J. Eriksson  
& Ryvarden (= *Odontia corrugata*, *Odontia livida*)  
Angiosperms, Wood, V (DAVFP)  
*Corylus* sp., V (DAVFP)

**Hypodontia alutacea** (Fr.:Fr.) J. Eriksson  
see *Grandinia stenospora*

**Hypodontia alutaria** (Burt) J. Eriksson  
see *Grandinia alutaria*

**Hypodontia arguta** (Fr.:Fr.) Eriksson see  
*Grandinia arguta*

**Hypodontia aspera** (Fr.) J. Eriksson see  
*Grandinia granulosa*

**Hypodontia barba-jovis** (Fr.:Fr.) J.  
Eriksson see *Grandinia barba-jovis*

**Hypodontia breviseta** (P. Karst.) J.  
Eriksson see *Grandinia breviseta*

**Hypodontia crustosa** (Pers.:Fr.) J.  
Eriksson see *Grandinia crustosa*

**Hypodontia deviata** (Lund.) J. Eriksson &  
Hjortstam see *Hypoderma deviatum*

**Hypodontia hastata** (Litsch.) J. Eriksson  
see *Grandinia hastata*

**Hypodontia pallidula** (Bres.) J. Eriksson  
see *Grandinia pallidula*

**Hypodontia quercina** (Fr.:Fr.) J. Eriksson  
see *Grandinia quercina*

**Hypodontia sambuci** (Pers.) J. Eriksson  
see *Hypoderma sambuci*

**Hypodontia subalutacea** (P. Karst.) J.  
Eriksson see *Grandinia subalutacea*

**Hypodontia sp.**  
*Acer macrophyllum*, V (DAOM 139052)

**Hypoloma appendiculatum** Fr. see  
*Psathyrella candelleana*

**Hypoloma capnoides** (Fr.:Fr.) P. Kumm.  
(= *Naematoloma capnoides*)  
*Abies grandis*, V (DAVFP)  
*Abies lasiocarpa*, V (DAVFP)  
*Gymnosperms*, Wood, LC (Smith 1951)  
*Picea glauca*, V (DAVFP)  
*Picea sitchensis*, V (DAVFP)  
*Pinus contorta* var. *latifolia*, V (DAVFP)  
*Pseudotsuga menziesii*, V (DAVFP)  
*Thuja plicata*, LC (Conners 1967)  
*Tsuga heterophylla*, UR  
Unidentified wood, V (DAVFP)

**Hypoloma epixanthum** Fr. see  
*Naematoloma epixanthum*

**Hypoloma fasciculare** (Huds.:Fr.) P.  
Kumm. (= *Naematoloma fasciculare*)  
*Abies grandis*, V (DAVFP)  
*Acer macrophyllum*, V (DAVFP)  
*Alnus* sp., V (DAVFP)  
*Betula papyrifera*, V (DAVFP)  
*Prunus cerasifera* var. *pissardi*, V (DAVFP)  
*Prunus serrulata*, UR - Specimen discarded  
*Pseudotsuga menziesii*, V (DAVFP)  
*Rubus idaeus* var. *strigosus*, LC (Conners 1967)  
*Rubus parviflorus*, V (DAVFP)  
Soil and Duff, V (DAVFP)  
*Thuja plicata*, V (DAVFP)  
*Tsuga* sp., LC (Conners 1967)

**Hypoloma sublateritium** (Fr.) Qué.  
(= *Naematoloma sublateritium*)  
Soil and Duff, V (DAVFP)

**Hypoloma tuberosum** Redhead & Kroeger

Soil and Duff, V (DAVFP) (ISOTYPE, PARATYPE)

**Hypoloma velutinum** (Fr.) Quél. see *Psathyrella velutina*

**Hypsosoma abietis** (W.B. Cooke & C.G. Shaw) S.J. Hughes

*Abies amabilis*, V (DAVFP)  
*Tsuga heterophylla*, V (DAVFP)

**Hypsosoma lumbricoideum** (Dearn.) S.J. Hughes

*Abies amabilis*, V (DAVFP)  
*Abies lasiocarpa*, LC (Connors 1967)

**Hypozyma** sp.

*Populus tremuloides*, LC (Hutchison et al. 1992)

**Hypochniciellum molle** (Fr.:Fr.) Hjortstam (=Peniophora mollis)

Gymnosperms, Wood, V (DAVFP)

**Hypochnicium analogum** (Bourd. & Galzin) J. Eriksson

*Acer macrophyllum*, V (DAVFP)  
*Populus trichocarpa*, V (DAVFP)

**Hypochnicium polonense** (Bres.) Strid

*Abies amabilis*, V (DAOM 138979)

**Hypochnicium punctulatum** (Cooke) J. Eriksson

*Tsuga mertensiana*, V (DAOM 139129)

**Hypochnicium vellereum** (Ellis & Cragin) Parmasto

*Populus trichocarpa*, V (DAVFP)

**Hypochnicium versatum** (Burt) Ginns (=Corticium versatum)

Gymnosperms, Wood, V (DAVFP)  
*Pseudotsuga menziesii*, LC (Shaw 1958)

**Hypochnopsis mustialaensis** (P. Karst.) P. Karst.

*Tsuga heterophylla*, UR

**Hypochnus canadensis** Burt see *Tomentellina fibrosa*

**Hypochnus fuscus** (Pers.) Fr. see *Tomentella ferruginea*

**Hypocopra festucacea** Krug & Cain

Dung, wapiti, LC (Krug and Cain 1974)

**Hypocopra gigaspora** (Ellis & Everh.) Griff.

Dung, cow, LC (Barr 1953)

**Hypocopra hypocoprooides** (Speg.) Krug & Cain (=Sordaria hypocoprooides)

*Raphanus sativus*, LC (Barr 1953)

**Hypocrea citrina** (Pers.:Fr.) Fr.  
*Fomitopsis pinicola*, V (DAVFP)

**Hypocrea citrina** (Pers.:Fr.) Fr. var. *citrina*  
*Fomitopsis pinicola*, LC (Canham 1969 on *Fomes pinicola*)

**Hypocrea** sp.  
*Tsuga heterophylla*, V (DAVFP)

**Hypoderma desmazierii** Duby see *Meloderma desmazierii*

**Hypoderma gaultheriae** R.S. Hunt  
*Berberis nervosa*, V (DAVFP)  
*Gaultheria shallon*, V (DAVFP) (TYPE)

**Hypoderma robustum** Tub. see *Virgella robusta*

**Hypoderma saccata** Darker see *Bifusella saccata*

**Hypoderma** sp.  
*Acer macrophyllum*, LC (Bandoni 1986)

**Hypodermella abietis-concoloris** (Mayr)  
Dearn. see *Lirula abietis-concoloris*

**Hypodermella ampla** (J.J. Davis) Dearn.  
see *Davisomycelia ampla*

**Hypodermella concolor** (Dearn.) Darker  
see *Lophodermella concolor*

**Hypodermella laricis** Tub.  
*Larix occidentalis*, V (DAVFP)

**Hypodermella medusa** Dearn. see *Davisomycelia medusa*

**Hypodermella montana** Darker see *Davisomycelia montana*

**Hypodermella montivaga** (Petr.) Dearn.  
see *Lophodermella montivaga*

**Hypodermella punctata** Darker see *Lirula punctata*

**Hypodermella** sp.  
*Pinus contorta* var. *latifolia*, V (DAVFP)

**Hypomyces aurantius** (Pers.:Fr.) Tul.  
*Fomitopsis pinicola* on *Tsuga heterophylla*, V (DAVFP)  
*Ganoderma applanatum* on *Acer macrophyllum*, V (DAVFP)

*Polyporus cf. badius* on *Populus trichocarpa*, V  
(DAVFP)  
*Polyporus resinosus* on *Tsuga heterophylla*, V  
(DAVFP)

***Hypomyces cervinigenus*** Rogerson & Simms

*Helvella lacunosa*, LC (Rogerson and Simms 1971)

***Hypomyces lactifluorum*** Schw.  
Lactarius sp., V (DAVFP)

***Hypomyces rosellus*** (Albertini & Schwein.) Tul.

Soil and Duff, V (DAVFP)

***Hyponectria lonicerae*** (Dearn. & Barth.)

Barr (=Guignardia lonicerae)  
*Lonicera ciliosa*, V (DAVFP)  
*Lonicera hispida*, V (DAVFP)

***Hyponectria populi*** (G.E. Thompson) Barr  
(=Guignardia populi)

*Populus tremuloides*, V (DAVFP)

***Hyponectria sceptri*** (P. Karst.) Samuels et al.  
(=Nectriella pedicularis)

*Arnica latifolia*, LC (Conners 1967)  
*Lupinus latifolius*, LC (Conners 1967)  
*Phlox diffusa*, LC (Shaw 1973)

***Hypospila californica*** Dearn & Barth. see  
*Gnomonia alni*

***Hypoxyton aspera*** Mass. see  
*Neohypodiscus cerebrinus*

***Hypoxyton atropurpureum*** (Fr.:Fr.) Fr.  
see *Hypoxyton multifforme*

***Hypoxyton bartholomaei*** Peck see  
*Biscogniauxia bartholomaei*

***Hypoxyton bipapillatum*** Berk.  
Alnus rubra, LC (Sieber, Sieber-Canavesi, & Dorworth 1991)

***Hypoxyton blakei*** Berk. & M.A. Curtis see  
*Entoleuca mammata*

***Hypoxyton cerebrinum*** (Fée) Cooke see  
*Neohypodiscus cerebrinus*

***Hypoxyton cinereo-lilacinum*** J.H. Miller  
*Tilia* sp., LC (Shaw 1973)

***Hypoxyton crustaceum*** (Sowerby)  
Nitschke see *Hypoxyton multifforme*

***Hypoxyton deustum*** (Hoffm.:Fr.) Grev.  
see *Ustulina deusta*

***Hypoxyton diathrauston*** Rehm see  
*Rosellinia diathrausta*

***Hypoxyton fragiforme*** (Scop.:Fr.) J. Kickx fil

*Alnus rubra*, V (DAVFP)

***Hypoxyton fuscum*** (Pers.:Fr.) Fr.

*Alnus rubra*, V (DAVFP)  
*Alnus sinuata*, V (DAVFP)  
*Alnus tenuifolia*, V (DAVFP)  
*Betula* sp., LC (Barr 1953)  
*Corylus* sp., V (DAVFP)  
*Holodiscus discolor*, V (DAVFP)  
*Populus balsamifera*, V (DAVFP)  
*Populus tremuloides*, LC (Barr 1953)  
*Prunus emarginata*, V (DAVFP)

***Hypoxyton howeianum*** Peck

*Alnus* sp., UR

***Hypoxyton irregularare*** Cooke

*Alnus rubra*, LC (Sieber, Sieber-Canavesi, & Dorworth 1991)

***Hypoxyton mammatum*** (Wahlenberg) J.H.

Miller see *Entoleuca mammata*

***Hypoxyton mediterraneum*** (De Not.) J.H.

Miller var. ***microspora*** J.H. Miller see  
*Biscogniauxia mediterranea* var. *microspora*

***Hypoxyton morsei*** Berk. & M.A. Curtis see  
*Entoleuca mammata*

***Hypoxyton multifforme*** (Fr.:Fr.) Fr.

*Alnus rubra*, V (DAVFP)  
*Alnus sinuata*, UR  
*Betula papyrifera*, UR  
*Betula* sp., V (DAVFP)  
*Populus tremuloides*, V (DAVFP)  
*Populus trichocarpa*, LC (Barr 1953)  
*Prunus emarginata*, V (DAVFP)

***Hypoxyton novemtexicanum*** J.H. Miller

*Populus tremuloides*, V (DAVFP)

***Hypoxyton nummularium*** Bull.:Fr. var.  
***exutans*** (Cooke) J.H. Miller see  
*Biscogniauxia nummularia* var. *exutans*

***Hypoxyton perforatum*** Schwein.:Fr. see  
*Hypoxyton rubiginosum*

***Hypoxyton pruinatum*** (Klotzsch) Cooke  
see *Entoleuca mammata*

***Hypoxyton rubiginosum*** (Pers.:Fr.) Fr.  
(=*Hypoxyton perforatum*)

*Alnus rubra*, V (DAVFP)  
*Corylus cornuta* var. *californica*, V (DAVFP)  
*Populus tremuloides*, V (DAVFP)  
*Populus* sp., LC (Barr 1953)

**Hypoxyylon serpens** (Pers.:Fr.) J. Kickx fil.  
see *Nemania serpens*

**Hypoxyylon serpens** (Pers.:Fr.) J. Kickx fil.  
var. **macrosporum** J.H. Miller see  
*Nemania serpens* var. *macrospora*

**Hypoxyylon ustulatum** Bull. see *Ustulina*  
*deusta*

**Hypoxyylon vogesiacum** (Pers.) Sacc.  
*Alnus* sp., LC (Barr 1953)

**Hypoxyylon vogesiacum** (Pers.) Sacc. var.  
**macrospora** J.H. Miller  
*Populus trichocarpa*, V (DAVFP)

**Hypoxyylon** sp.  
*Betula papyrifera*, V (DAVFP)

**Hypsizygus tessellatus** (Bull.:Fr.) Singer  
*Abies* sp., LC (Redhead 1984c as *Hypsizygus*  
*marmoreus*)  
*Populus tremuloides*, V (DAVFP)  
*Populus trichocarpa*, V (DAVFP)  
Soil and Duff, V (DAVFP)

**Hypsizygus ulmarius** (Bull.:Fr.) Redhead  
(=*Pleurotus ulmarius*)  
*Populus trichocarpa*, V (DAVFP)

**Hysterangium** sp.  
Soil and Duff, V (DAVFP)

**Hysterographium flexuosum**  
(Schwein.:Fr.) Sacc. (=*Hysterographium*  
*vulvatum*)  
*Arbutus menziesii*, V (DAVFP)

**Hysterographium fraxini** (Pers.:Fr.) De  
Not.  
*Populus tremuloides*, V (DAVFP)

**Hysterographium vulvatum** (Schwein.)  
Rehm see *Hysterographium flexuosum*

**Hysterographium** sp.  
*Acer glabrum* var. *douglasii*, LC (Shaw 1973 on  
*Acer glabrum*)

***Ilosporium* sp.***Pseudotsuga menziesii*, UR***Infundibula adhaerens*** Nag Raj & Kendrick  
*Picea sitchensis*, LC (Nag Raj and Kendrick 1981)***Inocybe fastigiata*** (Schaeff.:Fr.) Quél.  
Soil and Duff, V (DAVFP)***Inocybe geophylla*** (Sowerby:Fr.) P. Kumm.  
Soil and Duff, UR***Inocybe godeyi*** Gill.  
Soil and Duff, UR***Inocybe serotina*** Peck  
Soil and Duff, V (DAVFP)***Inocybe* sp.**  
*Populus trichocarpa*, LC (Shaw 1973)  
*Pseudotsuga menziesii*, V (DAVFP)***Inonotus circinatus* (Fr.) R.L. Gilbertson  
(=Polyporus circinatus)**  
*Abies lasiocarpa*, LC (Conners 1967)  
*Picea glauca*, V (DAVFP)  
*Picea sitchensis*, V (DAVFP)  
*Pinus contorta* var. *contorta*, V (DAVFP)  
*Pinus contorta* var. *latifolia*, V (DAVFP)  
*Pinus monticola*, V (DAVFP)  
*Pinus ponderosa*, LC (Conners 1967)  
*Pseudotsuga menziesii*, UR  
Soil and Duff, V (DAVFP)  
*Tsuga heterophylla*, V (DAVFP)***Inonotus cuticularis* (Bull.:Fr.) P. Karst.  
(=Polyporus cuticularis)**  
*Acer macrophyllum*, LC (Shaw 1973)  
*Betula papyrifera*, UR  
*Populus balsamifera*, UR  
*Populus tremuloides*, UR  
*Quercus garryana*, V (DAVFP)***Inonotus dryadeus* (Pers.:Fr.) Murrill  
(=Polyporus dryadeus)**  
*Abies grandis*, V (DAVFP)  
*Quercus garryana*, V (DAVFP)  
*Tsuga heterophylla*, V (DAVFP)***Inonotus glomeratus* (Peck) Murrill  
(=Polyporus glomeratus)**  
*Betula papyrifera*, UR  
*Populus balsamifera*, UR  
*Populus tremuloides*, UR  
*Populus trichocarpa*, V (DAVFP)***Inonotus obliquus* (Pers.:Fr.) Pilát (=Poria obliqua)**  
*Betula papyrifera*, V (DAVFP)  
*Betula* sp., V (DAVFP)  
*Populus trichocarpa*, LC (Shaw 1973)***Inonotus radiatus* (Sowerby:Fr.) P. Karst.  
(=Polyporus radiatus)**  
*Alnus sinuata*, UR*Populus tremuloides*, LC (Ginns 1986a)***Inonotus rheades* (Pers.) Bondartsev & Singer (=Polyporus dryophilus var. *vulpinus*, *Polyporus vulpinus*)  
*Populus tremuloides*, V (DAVFP)  
*Populus* sp., V (DAVFP)*****Inonotus subiculosus* (Peck) J. Eriksson & A. Strid (=Poria subiculososa)  
*Pseudotsuga menziesii*, V (DAVFP)*****Inonotus tomentosus* (Fr.:Fr.) S. Teng  
Abies amabilis, UR  
*Abies lasiocarpa*, V (DAVFP)  
*Alnus* sp., LC (Conners 1967 as *Polyporus tomentosus*)  
*Picea engelmannii*, V (DAVFP)  
*Picea glauca*, V (DAVFP)  
*Picea glauca* X *P. engelmannii*, LC (Lewis and Hansen 1991a, 1991b)  
*Picea* sp., V (DAVFP)  
*Pinus albicaulis*, V (DAVFP)  
*Pinus contorta* var. *contorta*, V (DAVFP)  
*Pinus contorta* var. *latifolia*, V (DAVFP)  
*Pinus ponderosa*, UR  
*Pseudotsuga menziesii*, UR  
Soil and Duff, V (DAVFP)  
*Tsuga heterophylla*, V (DAVFP)*****Inonotus weiri* (Murrill) Kotlaba & Pouzar  
see *Phellinus weiri******Inonotus* sp.***Abies amabilis*, UR - Cultured then discarded.  
*Pinus contorta* var. *latifolia*, UR - Cultured then discarded.***Insolibasidium deformans* (Gould)**  
Oberwinkler & Bandoni  
*Lonicera involucrata*, LC (Oberwinkler and Bandoni 1984)***Intextomyces contiguus* (P. Karst.) J. Eriksson & Ryvarden**  
*Betula papyrifera*, V (DAVFP)  
*Populus trichocarpa*, LC (Conners 1967 as *Corticium contiguum*)  
*Salix* sp., V (DAVFP)***Irpea lactea* (Fr.:Fr.) Fr. (=Polyporus tulipiferae)**  
*Alnus rubra*, V (DAVFP)  
*Alnus sinuata*, UR  
*Betula papyrifera*, V (DAVFP)  
*Populus tremuloides*, LC (Shaw 1973)  
*Populus trichocarpa*, V (DAVFP)  
*Prunus armeniaca*, V (DAVFP)  
*Salix* sp., V (DAVFP)  
*Sorbus sitchensis*, LC (Shaw 1958)***Irpea owensii* C.G. Lloyd see *Phlebia concentrica***

***Isaria farinosa*** Dicks.

Looper, green-striped forest (*Melanolophia imitata* (Wlk.)) on *Tsuga heterophylla* (Raf.) Sarg., V  
(DAVFP)  
Noctuid pupa, V (DAVFP)

***Isariopsis bulbigera*** (Fuckel) Savile

*Sanguisorba sitchensis*, V (DAVFP)

***Isariopsis veronicae*** (Pass.) Savile

*Veronica wormskjoldii*, LC (Shaw 1973)

***Ischnoderma resinosum*** (Schrad.:Fr.) P.

Karst. (=*Polyporus benzoinus*, *Polyporus resinosus*)

*Abies grandis*, V (DAVFP)  
*Abies lasiocarpa*, LC (Shaw 1973)  
*Picea glauca*, V (DAVFP)  
*Pinus monticola*, V (DAVFP)  
*Pseudotsuga menziesii*, V (DAVFP)  
*Tsuga heterophylla*, V (DAVFP)  
*Tsuga mertensiana*, LC (Connors 1967)

***Isothea rhytismaoides*** (Bab.:Berk.) Fr.

(=*Laestadia rhytismaoides*)

*Dryas drummondii*, LC (Shaw 1973)

***Isthmiella abietis*** (Dearn.) Darker

(=*Bifusella abietis*)

*Abies lasiocarpa*, V (DAVFP)

***Isthmiella crepidiformis*** (Darker) Darker

(=*Bifusella crepidiformis*)

*Picea engelmannii*, V (DAVFP)  
*Picea glauca*, V (DAVFP)  
*Picea mariana*, V (DAVFP)

***Isthmiella quadrispora*** Ziller

*Abies lasiocarpa*, V (DAVFP) (TYPE)

***Isthmiella* sp.**

*Abies amabilis*, V (DAVFP)

***Jaapia argillacea* Bres.**

*Chamaecyparis nootkatensis*, V (DAOM 139138)  
*Tsuga mertensiana*, V (DAOM 139047)  
Gymnosperms, Wood, V (DAOM 139140)

***Jaapia ochroleuca* (Bres. ap. Brinkm.)**

Nannf. & Erikss.

*Tsuga mertensiana*, V (DAOM 141302)

***Jahnoporus hirtus* (Quél. ex Cooke) Donk**

(=*Polyporus hirtus*)

*Abies grandis*, V (DAVFP)  
*Abies lasiocarpa*, V (DAVFP)  
*Juniperus scopulorum*, LC (Connors 1967)  
*Picea glauca*, V (DAVFP)  
*Pseudotsuga menziesii*, V (DAVFP)  
Soil and Duff, V (DAVFP)  
*Thuja plicata*, V (DAVFP)

***Junghuhnia collabens* (Fr.) Ryvarden**

(=*Poria rixosa*)

*Abies grandis*, LC (Lombard and Gilbertson 1966)  
*Abies lasiocarpa*, V (DAVFP)  
*Picea engelmannii*, V (DAVFP)  
*Picea glauca*, V (DAVFP)  
*Pinus contorta* var. *latifolia*, V (DAVFP)  
*Tsuga heterophylla*, LC (Lombard and Gilbertson 1966)

***Junghuhnia luteoalba* (P. Karst.) Ryvarden**

(=*Poria luteoalba*)

*Abies lasiocarpa*, V (DAVFP)

***Junghuhnia nitida* (Pers.:Fr.) Ryvarden**

(=*Poria eupora*)

*Populus tremuloides*, V (DAVFP)  
*Populus trichocarpa*, V (DAVFP)  
*Populus* sp., V (DAVFP)

***Junghuhnia zonata* (Bres.) Ryvarden**

(=*Poria zonata*)

*Abies lasiocarpa*, LC (Shaw 1973)  
*Pseudotsuga menziesii*, V (DAVFP)  
*Tsuga heterophylla*, LC (Ginns 1986a)



***Kabatia lonicerae*** (Harkn.) Höhn. var.***involucratae*** Conners*Lonicera involucrata*, LC (Ginns 1986a)***Kabatia periclymeni*** (Desmaz.) Morelet var. ***periclymeni****Lonicera utahensis*, V (DAVFP)***Kabatiella caulivora*** (Kirchn.) Karakulin  
see *Aureobasidium caulivorum****Kabatina juniperi*** R. Schneider & Arx*Juniperus chinensis* var. *pfitzeriana*, V (DAVFP)  
*Juniperus scopulorum*, V (DAVFP)  
*Juniperus* sp., V (DAVFP)***Kabatina thujae*** R. Schneider & Arx*Chamaecyparis nootkatensis* f. *glauca*, V (DAVFP)  
*Chamaecyparis nootkatensis* f. *lutea*, V (DAVFP)  
*Chamaecyparis nootkatensis* var. *pendula*, V (DAVFP)  
*Cupressus arizonica*, V (DAVFP)***Kabatina* sp.***Chamaecyparis pisifera* var. *filifera nana aurea*, LC (MacDonald and Barnett 1989 on  
*Chamaecyparis pisifera*)  
*Thuja occidentalis*, LC (MacDonald and Barnett 1989)***Kalmusia clivensis*** (Berk. & Broome) Barr*Alnus rubra*, LC (Barr 1992a)  
*Cirsium* sp., LC (Barr 1992a)  
*Cytisus scoparius*, LC (Barr 1992a)***Kalmusia ebuli*** Niessl.*Holodiscus discolor*, LC (Barr 1992a)  
*Rhamnus purshiana*, LC (Barr 1992a)***Karschia* sp.***Pinus albicaulis*, V (DAVFP)  
*Populus tremuloides*, V (DAVFP)***Karstenula multiseptata*** (Starbäck) Barr*Penstemon* sp., LC (Barr 1990a)  
*Phlox douglasii*, LC (Barr 1990a)***Kavinia alboviridis*** (Morg.) R.L. Gilbertson & Budington (= *Mycoacia alboviride*, *Oxydonta alboviride*)*Picea* sp., V (DAVFP)  
*Populus tremuloides*, LC (Conners 1967)***Kavinia himantia*** (Schwein.) J. Eriksson  
(= *Mycoacia himantia*, *Oxydonta himantia*)  
*Quercus garryana*, V (DAVFP)***Keithia thujina*** Durand see *Didymascella thujina****Kneiffia breviseta*** P. Karst. see  
*Hyphodontia breviseta****Kneiffiella fibrosa*** (Berk. & M.A. Curtis)M.J. Larsen see *Tomentellina fibrosa****Kriegeria juniperina*** (Ellis) Seaver see  
*Chloroscypha sabinae****Kriegeria seaveri*** (Rehm) Seaver  
*Thuja plicata*, V (DAVFP)***Kuehneola uredinis*** (Link) Arth.*Rubus arcticus*, LC (Conners 1967)  
*Rubus laciniatus*, V (DAVFP)  
*Rubus ursinus*, LC (Shaw 1973)***Kuehneromyces lignicola*** (Peck) Redhead  
(= *Kuehneromyces vernalis*, *Pholiota marginella*)*Picea glauca*, V (DAVFP)  
*Tsuga heterophylla*, V (DAVFP)***Kuehneromyces mutabilis*** (Schaeff.:Fr.)Singer & A.H. Sm. (= *Pholiota mutabilis*)  
*Alnus rubra*, V (DAVFP)  
*Populus tremuloides*, V (DAVFP)  
*Populus trichocarpa*, V (DAVFP)***Kuehneromyces vernalis*** (Peck) Singer & A.H. Sm. see *Kuehneromyces lignicola*



***Laccaria amethysteo-occidentalis*** G.M.

Mueller

Soil and Duff, V (DAVFP)

***Laccaria amethystina*** (Bolten:Fr.) Berk. &

Broome

Soil and Duff, V (DAVFP)

***Laccaria bicolor*** (Maire) Orton

Soil and Duff, V (DAVFP)

***Laccaria laccata*** (Fr.) Berk. & Broome

Soil and Duff, V (DAVFP)

***Laccaria ochropurpurea*** (Berk.) Peck

Soil and Duff, V (DAVFP)

***Lachnella alboviolascens*** (Albertini & Schwein.:Fr.) Fr.*Cytisus scoparius*, V (DAVFP)*Equisetum arvense*, LC (Redhead 1973)*Lupinus arboreus*, LC (Redhead 1973)*Salix* sp., LC (Redhead 1973)***Lachnella sulphurea*** (Pers.) Quél. see  
*Belonidium sulphureum****Lachnella villosa*** (Pers.: Fr.) Gill.*Cirsium arvense*, LC (Redhead 1973)*Lupinus arboreus*, LC (Redhead 1973)*Urtica* sp., LC (Redhead 1973)***Lachnella agassizii*** (Berk. & M.A. Curtis)

Dennis

*Abies amabilis*, V (DAVFP)*Abies grandis*, V (DAVFP)*Abies lasiocarpa*, V (DAVFP)*Picea glauca* X *P. engelmannii*, LC (Funk 1982)*Picea sitchensis*, V (DAVFP)*Pinus albicaulis*, V (DAVFP)*Pinus contorta* var. *contorta*, V (DAVFP)*Pinus contorta* var. *latifolia*, V (DAVFP)*Pinus monticola*, V (DAVFP)*Pinus radiata*, V (DAVFP)*Tsuga heterophylla*, V (DAVFP)***Lachnella arida*** (W. Phillips) Dennis*Abies lasiocarpa*, V (DAVFP)*Pinus albicaulis*, V (DAVFP)*Pinus contorta* var. *latifolia*, V (DAVFP)***Lachnella calyciformis*** (Batsch) Dharne*Abies amabilis*, V (DAVFP)*Pinus monticola*, V (DAVFP)***Lachnella chrysophthalma*** (Pers.) P.Karst. see *Lachnella suecica****Lachnella ciliata*** Dennis*Abies grandis*, V (DAVFP)*Pseudotsuga menziesii*, V (DAVFP)***Lachnella flavovirens*** (Bres.) Dennis*Larix occidentalis*, V (DAVFP)*Pinus albicaulis*, V (DAVFP)*Pinus contorta* var. *latifolia*, V (DAVFP)***Lachnella fuscosanguinea*** (Rehm)

Dennis

*Pinus contorta* var. *latifolia*, V (DAVFP)*Pinus monticola*, LC (Shaw 1973)***Lachnella occidentalis*** (Hahn & Ayers)

Dharne

*Abies grandis*, V (DAVFP)*Larix lyallii*, V (DAVFP)*Larix occidentalis*, V (DAVFP)***Lachnella pini*** (Brunch.) Dennis*Pinus albicaulis*, V (DAVFP)*Pinus monticola*, V (DAVFP)***Lachnella pseudotsugae*** (Hahn) Dennis*Pseudotsuga menziesii*, V (DAVFP)***Lachnella suecica*** (de Bary ex Fuckel)Nannf. (= *Lachnella chrysophthalma*)*Larix lyallii*, V (DAVFP)*Larix occidentalis*, V (DAVFP)*Picea engelmannii*, V (DAVFP)*Picea glauca*, V (DAVFP)*Picea* sp., V (DAVFP)*Pinus albicaulis*, UR*Pinus contorta* var. *latifolia*, V (DAVFP)*Pinus monticola*, V (DAVFP)*Tsuga heterophylla*, UR*Tsuga mertensiana*, UR***Lachnella* sp.***Pinus contorta* var. *latifolia*, V (DAVFP)*Thuja occidentalis*, V (DAVFP)***Lachnum gaultheriae*** (Ellis & Everh.) Zeller(=*Dasyscyphus gaultheriae*)*Gaultheria shallon*, LC (Ginns 1986a)***Lachnum virginellum*** (Sacc.) Zeller(=*Dasyscyphus virginellus*)*Vaccinium parvifolium*, V (DAVFP)***Lachnum virgineum*** (Batsch:Fr.) S.F. Gray(=*Dasyscyphus virgineus*)*Alnus* sp., V (DAVFP)***Lachnum* sp.***Gleditsia* sp., V (DAVFP)***Lactarius affinis* var. *affinis*** Peck

Soil and Duff, V (DAVFP)

***Lactarius circellatus*** Fr.

Soil and Duff, UR

***Lactarius controversus*** (Fr.) Fr.

Soil and Duff, V (DAVFP)

***Lactarius deliciosus*** (L.:Fr.) S.F. Gray

Soil and Duff, V (DAVFP)

**Lactarius glycosmus** (Fr.) Fr.

Soil and Duff, V (DAVFP)

**Lactarius kauffmanii** Hesler & A.H. Smith

Soil and Duff, V (DAVFP)

**Lactarius mucidus** Burl.

Soil and Duff, V (DAVFP)

**Lactarius pallescens** Hesler & A.H. Smith

Soil and Duff, V (DAVFP)

**Lactarius pseudomucidus** Hesler & A.H. Smith

Soil and Duff, V (DAVFP)

**Lactarius resimus var. resimus** (Fr.) Fr.

Soil and Duff, V (DAVFP)

**Lactarius rufus** (Fr.) Fr.

Soil and Duff, V (DAVFP)

**Lactarius sanguifluus** Fr.

Soil and Duff, V (DAVFP)

**Lactarius scrobiculatus** (Scop.:Fr.) Fr.

Soil and Duff, V (DAVFP)

*Tsuga heterophylla*, V (DAVFP)

**Lactarius subdulcis** (Bull.:Fr.) Gray

Soil and Duff, V (DAVFP)

**Lactarius torminosus** (Fr.) S.F. Gray

Soil and Duff, V (DAVFP)

**Lactarius torminosus var. normandensis**

(Smith) Hesler & Smith  
Soil and Duff, V (DAVFP)

**Lactarius trivialis** (Fr.) Fr.

Soil and Duff, UR

**Lactarius uvidus** (Fr.) Fr.

Soil and Duff, V (DAVFP)

**Lactarius sp.**

Soil and Duff, V (DAVFP)

**Laestadia rhytismaoides** (Berk.) Sacc. see  
*Isothea rhytismaoides*

**Laeticorticium expallens** (Bres.) J.

Eriksson & Hjortstam  
*Populus trichocarpa*, V (DAVFP)

**Laeticorticium minnsiae** (H. Jacks.) Donk  
see *Corticium minnsiae*

**Laeticorticium roseum** (Pers.:Fr.) Donk  
see *Corticium roseum*

**Laeticorticium subalpinum** J. Eriksson  
*Tsuga mertensiana*, V (DAOM 141286, 141287)

**Laeticorticium sp.**

*Picea glauca*, LC (Shaw 1973)

**Laetiporus sulphureus** (Bull.:Fr.) Murrill

(=*Polyporus sulphureus*)

*Abies amabilis*, V (DAVFP)

*Abies grandis*, V (DAVFP)

*Abies lasiocarpa*, UR

*Larix occidentalis*, LC (Shaw 1973)

*Picea engelmannii*, V (DAVFP)

*Picea glauca*, V (DAVFP)

*Picea sitchensis*, V (DAVFP)

*Pinus monticola*, LC (Shaw 1973)

*Pinus ponderosa*, LC (Shaw 1973)

*Pseudotsuga menziesii*, V (DAVFP)

*Quercus garryana*, V (DAVFP)

*Thuja plicata*, UR

*Tsuga heterophylla*, V (DAVFP)

**Laetisaria fuciformis** (McAlpine) Burdsall

(=*Corticium fuciforme*)

*Festuca ovina* var. *duriuscula*, LC (Fushtey 1988)

*Festuca* sp., LC (Fushtey 1988; MacDonald et al. 1991)

*Lolium perenne*, LC (Fushtey 1988)

*Lolium* sp., LC (MacDonald et al. 1991)

Soil and Duff, LC (Toms 1964)

**Laetisaria sp.**

Angiosperms, Grasses, LC (MacDonald 1990)

**Lahmia kunzei** Koerb. (=*Parkerella populii*)

*Populus balsamifera*, V (DAVFP)

*Populus tremuloides*, V (DAVFP)

**Lasiobotrys ionicerae** (Fr.) Kunze

*Lonicera* sp., LC (Barr 1972)

**Lasiosphaeria caesariata** (Clinton & Peck

in Peck) Saccardo

*Alnus* sp., LC (Shoemaker and White 1985)

**Lasiosphaeria strigosa** (Albertini &

Schwein.:Fr.) Ces. & De Not.

Angiosperms, Wood, V (DAVFP)

**Lasiosphaeria sp.**

*Populus tremuloides*, V (DAVFP)

**Lasiostemma fimbriatum** (Dearn. &

House) Barr (=*Wentiomycetes fimbriatum*)

*Saxifraga caespitosa*, LC (Ginns 1986a)

**Laurilia sulcata** (Burt) Pouzar (=*Stereum sulcatum*)

*Abies amabilis*, V (DAOM 141290, 141291)

*Abies lasiocarpa*, V (DAVFP)

*Abies* sp., LC (Chamuris 1988)

*Picea glauca*, V (DAVFP)

*Tsuga heterophylla*, V (DAVFP)

**Laxitextum bicolor** (Pers.:Fr.) Lentz

(=*Stereum bicolor*, *Stereum fuscum*)

*Acer macrophyllum*, LC (Chamuris 1988)

*Betula papyrifera*, V (DAVFP)  
*Betula* sp., V (DAVFP)  
*Prunus* sp., V (DAOM 141293)  
*Tsuga heterophylla*, UR

**Lecanidiella contortae** M.A. Sherwood  
*Pinus contorta* var. *latifolia*, V (DAVFP)

**Lecanidion atratum** (Hedw.) Rabenh.  
(=*Patellaria atrata*)  
*Pinus ponderosa*, V (DAVFP)  
*Thuja plicata*, V (DAVFP)

**Lecanidion** sp.  
*Abies grandis*, V (DAVFP)

**Lecanosticta** sp.  
*Pinus contorta* var. *latifolia*, V (DAVFP)

**Leccinum atrostipitatum** A.H. Smith,  
Thiers, & Watling  
Soil and Duff, V (DAVFP)

**Leccinum aurantiacum** (Bull.:Saint-Amans)  
S.F. Gray  
*Betula papyrifera*, V (DAVFP)  
Soil and Duff, V (DAVFP)

**Leccinum clavatum** A.H. Smith, Thiers, &  
Watling  
Soil and Duff, V (DAVFP)

**Leccinum discolor** A.H. Smith, Thiers, &  
Watling  
Soil and Duff, V (DAVFP)

**Leccinum fallax** A.H. Smith, Thiers, &  
Watling  
Soil and Duff, V (DAVFP)

**Leccinum insigne** Smith, Thiers, & Watling  
Soil and Duff, V (DAVFP)

**Leccinum scabrum** (Bull.:Fr.) S.F. Gray  
(=*Boletus scaber*)  
*Abies lasiocarpa*, V (DAVFP)  
Soil and Duff, V (DAVFP)

**Leciographa gallicola** Funk  
(=*Seimatosporium etheridgei*)  
*Populus tremuloides*, V (DAVFP) (TYPE of  
conidial state )

**Lecythophora hoffmannii** (J.F.H. van  
Beyma thoë Kingma) W. Gams & M.R.  
McGinnis  
*Populus tremuloides*, LC (Hutchison et al. 1992)

**Lentinellus cochleatus** (Fr.:Fr.) P. Karst.  
(=*Lentinus cochleatus*)  
*Populus tremuloides*, V (DAVFP)  
Soil and Duff, V (DAVFP)

**Lentinellus micheneri** (Berk. & M.A. Curtis)  
Pegler (=*Lentinellus omphalodes*)  
Unknown/Uncertain, LC (Miller and Stewart 1971  
on woody debris and/or soil)

**Lentinellus omphalodes** (Fr.) P. Karst.  
see *Lentinellus micheneri*

**Lentinellus ursinus** (Fr.:Fr.) Kühner  
*Abies grandis*, V (DAVFP)  
*Populus trichocarpa*, V (DAVFP)  
Unidentified wood, V (DAVFP)

**Lentinellus vulpinus** (Fr.:Fr.) Kühner &  
Maire (=*Lentinus vulpinus*)  
*Betula* sp., V (DAVFP)  
*Populus trichocarpa*, V (DAVFP)  
*Tsuga heterophylla*, UR

**Lentinus bisus** Quél. sensu Bres.  
Unidentified wood, UR

**Lentinus cochleatus** (Pers.) Fr. see  
*Lentinellus cochleatus*

**Lentinus kauffmanii** A.H. Smith in Bier &  
Nobles see *Neolentinus kauffmanii*

**Lentinus lepideus** Fr. see *Neolentinus*  
*lepidus*

**Lentinus strigosus** (Schwein.:Fr.) Fr.  
(=*Panus rudis*)  
*Abies lasiocarpa*, V (DAVFP)  
*Alnus rubra*, UR  
*Betula papyrifera*, V (DAVFP)  
*Populus tremuloides*, V (DAVFP)  
*Populus trichocarpa*, V (DAVFP)  
*Thuja plicata*, V (DAVFP)

**Lentinus torulosus** (Pers.:Fr.) C.G. Lloyd  
(=*Panus torulosus*)  
*Alnus rubra*, V (DAVFP)  
*Quercus garryana*, V (DAVFP)  
Soil and Duff, V (DAVFP)

**Lentinus vulpinus** (Fr.:Fr.) Fr. see  
*Lentinellus vulpinus*

**Lenzites betulina** (L.:Fr.) Fr.  
*Acer macrophyllum*, LC (Shaw 1973)  
*Alnus sinuata*, UR  
*Betula occidentalis*, LC (Ginns 1986a)  
*Betula papyrifera*, V (DAVFP)

**Lenzites laricinus** P. Karst. see  
*Trichaptum laricinum*

**Lenzites sepiaria** (Wulfen:Fr.) Fr. see  
*Gloeophyllum sepiarium*

**Lenzites trabea** (Pers.:Fr.) Fr. see  
*Gloeophyllum trabeum*

**Lepiota brunnea** Farl. & Burt  
 Soil and Duff, V (DAVFP)

**Lepiota clypeolaria** (Bull.:Fr.) P. Kumm.  
 Soil and Duff, V (DAVFP)

**Lepiota cristata** (Fr.) P. Kumm.  
 Soil and Duff, V (DAVFP)

**Lepiota friesii** Lasch  
 Soil and Duff, LC (Davidson 1930)

**Lepiota lutea** (Bolten) Quél.  
 Soil and Duff, V (DAVFP)

**Lepiota naucina** (Fr.) P. Kumm.  
 Soil and Duff, V (DAVFP)

**Lepiota rachodes** (Vitt.) Quél.  
 Soil and Duff, V (DAVFP)

**Lepiota rubrotincta** Peck  
 Soil and Duff, LC (Davidson 1930)

**Lepista caespitosa** (Bres.) Sing.  
 (=Tricholoma panaeolum var. caespitosum)  
 Soil and Duff, LC (Davidson 1930)

**Lepista nuda** (Bull.:Fr.) W.G. Smith  
 (=Tricholoma nudum)  
 Soil and Duff, LC (Davidson 1930)

**Lepista personata** (Fr.) W.G. Smith  
 (=Tricholoma personatum)  
 Soil and Duff, V (DAVFP)

**Lepista sordida** (Fr.) Sing. (=Tricholoma sordidum)  
 Soil and Duff, LC (Davidson 1930)

**Lepteutypa cupressi** (Nattrass, Booth & Sutton) Swart  
*Chamaecyparis lawsoniana*, V (DAVFP)  
*Chamaecyparis rosedale*, V (DAVFP)  
*Cupressus macrocarpa*, V (DAVFP)  
*Juniperus* sp., V (DAVFP)  
*Libocedrus decurrens*, V (DAVFP)  
*Thuja orientalis*, V (DAVFP)  
*Thuja plicata*, V (DAVFP)

**Leptodontidium elatius** (G. Mangenot) De Hoog (=Rhinocladiella elatior)  
*Abies lasiocarpa*, UR

**Leptoglossum** sp.  
*Hylocomium splendens*, V (DAVFP)

**Leptographium abietinum** (Peck) M.J.  
 Wingfield (=Verticiladiella abietina)  
*Picea engelmannii*, V (DAVFP) – Dried culture only.

*Picea glauca*, V (DAVFP) – Dried culture only.  
*Picea* sp., LC (Jacobs et al. 1998)  
*Pseudotsuga menziesii*, V (DAVFP) – Dried culture only.

**Leptographium procerum** (Kendrick) M.J.  
 Wingfield (=Verticiladiella procerum)  
*Pseudotsuga menziesii*, V (DAVFP) – Dried culture only.

**Leptographium terebrantis** S.J. Barras & T.J. Perry  
*Pinus contorta* var. *latifolia*, UR  
*Pinus monticola*, V (DAVFP)

**Leptographium wageneri** (Kendrick) M.J.  
 Wingfield (=Verticiladiella wageneri)  
*Pinus contorta* var. *latifolia*, V (DAVFP)  
*Pseudotsuga menziesii*, V (DAVFP)

**Leptographium wageneri** (Kendrick) M.J.  
 Wingfield var. *ponderosum* (T.C. Harrington & F.W. Cobb)  
*Pinus engelmannii*, UR  
*Picea glauca*, V (DAVFP)  
*Pinus contorta* var. *latifolia*, V (DAVFP)  
*Pinus monticola*, V (DAVFP)

**Leptographium wageneri** (Kendrick) M.J.  
 Wingfield var. *pseudotsugae* T.C. Harrington & F.W. Cobb  
*Pseudotsuga menziesii*, V (DAVFP)  
*Tsuga heterophylla*, V (DAVFP)

**Leptographium wageneri** (Kendrick) M.J.  
 Wingfield var. *wageneri*  
*Pinus contorta* var. *latifolia*, V (DAVFP)  
*Pseudotsuga menziesii*, LC (Harrington and Cobb 1986 as *Verticiladiella wageneri* var. *wageneri*)  
*Tsuga heterophylla*, LC (Harrington and Cobb 1986 as *Verticiladiella wageneri* var. *wageneri*)

**Leptographium** sp.  
*Pinus monticola*, LC (Shaw 1973)  
*Populus tremuloides*, V (DAVFP)

**Leptomelanconium allescheri** (Schnabl)  
 Petr.  
*Pinus albicaulis*, V (DAVFP)  
*Pinus monticola*, V (DAVFP)

**Leptomelanconium cinereum** (Dearn.) Morgan-Jones see *Leptomelanconium pinicola*

**Leptomelanconium cf. cinereum** (Dearn.) Morgan-Jones  
*Pinus ponderosa*, V (DAVFP)

**Leptomelanconium pinicola** (Berk. & M.A. Curtis) R.S. Hunt (=*Leptomelanconium cinereum*)

*Pinus contorta* var. *contorta*, V (DAVFP)  
*Pinus contorta* var. *latifolia*, V (DAVFP)  
*Pinus ponderosa*, V (DAVFP)

**Leptomelanconium sp.**

*Pinus contorta* var. *contorta*, V (DAVFP)

**Leptonia asprella** (Fr.) P. Kumm.

Soil and Duff, V (DAVFP)

**Leptonia lampropoda** (Fr.) Quél.

Soil and Duff, UR

**Leptonia serrulata** (Pers.:Fr.) Quél.

Soil and Duff, UR

?**Leptonia sp.**

Soil and Duff, V (DAVFP)

**Leptopeltis sp.**

*Chamaecyparis nootkatensis*, V (DAVFP)  
*Thuja* sp., LC (Wood et al. 1987)

**Leptoporus mollis** (Pers.:Fr.) Pilát

(=*Polyporus mollis*, *Tyromyces mollis*)

*Alnus rubra*, V (DAOM 141360)  
*Pinus monticola*, V (DAVFP)  
*Pseudotsuga menziesii*, V (DAVFP)  
*Tsuga heterophylla*, V (DAVFP)

**Leptosphaeria acuta** (Fuckel) P. Karst.

*Urtica dioica* subsp. *gracilis* var. *lyallii*, V (DAVFP)  
*Urtica* sp., LC (Shoemaker 1984a)

**Leptosphaeria agnita** (Desmaz.) Ces. & De Not.

*Erigeron speciosus*, LC (Barr 1953)  
*Lupinus latifolius*, LC (Barr 1953)

**Leptosphaeria andromedae** (Auersw.) Sacc. see *Extrawettsteinina andromedae*

**Leptosphaeria australiensis** (A.B. Cribb & J.W. Cribb) G.C. Hughes

Unidentified wood, LC (Hughes 1969)

**Leptosphaeria californica** (Cooke & Harkn.) Berl. & Voglino

*Cytisus* sp., LC (Barr 1953)

**Leptosphaeria camelliae** Cooke & Mass.

*Camellia japonica*, LC (Shaw 1973)

**Leptosphaeria coniothyrium** (Fuckel)

Sacc. see *Diaplella coniothyrium*

**Leptosphaeria conoidea** (De Not.) Sacc.

*Anaphalis margaritacea*, LC (Shoemaker 1984a)

**Leptosphaeria culmifraga** (Fr.) Ces. & De Not.

*Agropyron spicatum*, LC (Barr 1953)  
*Agrostis* sp., LC (Barr 1953)  
*Calamagrostis canadensis*, LC (Barr 1953)  
*Carex* sp., LC (Barr 1953)  
*Elymus macounii*, LC (Barr 1953)  
*Panicum occidentale*, LC (Barr 1953)  
*Poa* sp., LC (Barr 1953)

**Leptosphaeria discors** Sacc. & Ellis  
 Unidentified wood, LC (Hughes 1969)

**Leptosphaeria doliolum** (Pers.:Fr.) Ces. & De Not.

*Apocynum androsaemifolium*, LC (Shoemaker 1984a)

**Leptosphaeria dumetorum** Niessl  
*Lonicera involucrata*, LC (Barr 1953)

**Leptosphaeria erigerontis** (Berlese)  
 Berlese

*Erigeron speciosus* var. *macranthus*, LC  
 (Shoemaker 1984a)

**Leptosphaeria eustoma** (Fuckel) Sacc.  
 see *Phaeosphaeria eustoma*

**Leptosphaeria faullii** Darker  
*Abies lasiocarpa*, V (DAVFP)

**Leptosphaeria fuckelii** Niessl see  
*Phaeosphaeria fuckelii*

**Leptosphaeria gaultheriae** Dearn.  
*Gaultheria shallon*, LC (Barr 1953)

**Leptosphaeria hesperia** Barr see  
*Ophiobolus prunellae*

**Leptosphaeria korrae** J.C. Walker & A.M. Sm.

Angiosperms, Grasses, LC (MacDonald 1990)  
*Poa pratensis*, LC (MacDonald et al. 1991)

**Leptosphaeria lonicerae** (Fautrey) L. Holm  
*Lonicera involucrata*, LC (Shoemaker 1984a)

**Leptosphaeria macrospora** (Fuckel)  
 Thümen

*Oplopanax horridus*, LC (Shoemaker 1984a on  
*Oplopanax horridum*)

**Leptosphaeria ogilviensis** (Berkeley & Broome) Ces. & De Not.

*Anaphalis margaritacea*, LC (Shoemaker 1984a)  
*Castilleja miniata*, LC (Shoemaker 1984a)

**Leptosphaeria petkovicensis** Bubák & Ranoj.

*Carex* sp., LC (Barr 1953)  
*Juncus* sp., LC (Barr 1953)

**Leptosphaeria pratensis** Sacc. & Briard in Roum. (=Stagonospora meliloti - anamorph)  
*Melilotus alba*, LC (Ginns 1986a)  
*Trifolium repens*, LC (Conners 1967)

**Leptosphaeria sepalorum** (Vleugel) Lind  
 see *Bricookea sepalorum*

**Leptosphaeria silenes-acaulis** De Not.  
 see *Phaeosphaeria silenes-acaulis*

**Leptosphaeria tenera** Ellis see  
*Heptameria tenera*

**Leptosphaeria typharum** (Desmaz.) P.  
 Karst. see *Phaeosphaeria typharum*

**Leptosphaeria typhicola** P. Karst.  
*Typha latifolia*, LC (Barr 1953)

**Leptosphaeria vagans** P. Karst.  
*Carex atratiformis*, LC (Barr 1953)

**Leptosphaeria viridella** (Peck) Sacc.  
*Melilotus alba*, LC (Shoemaker 1984a)

**Leptosphaeria wehmeyeri** Shoemaker  
*Lupinus arcticus*, LC (Shoemaker 1984a on  
*Lupinus latifolius* var. *subalpinus*)

**Leptosphaeria sp.**  
*Alnus sinuata*, V (DAVFP)

**Leptosphaerulina australis** McAlpine see  
*Leptosphaerulina trifolii*

**Leptosphaerulina trifolii** (Rostr.) Petr.  
 (=*Leptosphaerulina australis*, *Pseudoplea trifolii*)  
*Agrostis tenuis*, LC (Ginns 1986a)  
*Tsuga heterophylla*, V (DAVFP) - Dried culture  
 only

**Leptospora rubella** (Pers.:Fr.) Rabenh.  
 (=*Ophiobolus porphyrogonus*)  
 Angiosperms, Herbaceous, other, LC (Barr 1953  
 on dead herbaceous stem)

**Leptostroma sp.**  
*Pinus albicaulis*, V (DAVFP)  
*Pinus contorta* var. *latifolia*, UR  
*Pinus ponderosa*, V (DAVFP)

**Leptothyrium periclymeni** (Desmaz.)  
 Sacc.  
*Lonicera involucrata*, LC (Shaw 1973 as  
*Colletotrichella periclymeni*)

**Leptothyrium periclymeni** (Desmaz.)  
 Sacc. var. *periclymeni* see *Kabatia*  
*periclymeni* var. *periclymeni*

**Leptothyrium sp.**  
*Alnus rubra*, V (DAVFP)

**Leucocoprinus brebissonii** (Godey apud  
 Gillet) & Locquin  
 Soil and Duff, V (DAVFP)

**Leucogyrophana mollusca** (Fr.:Fr.) Pouzar  
 (=*Merulius fugax*, *Merulius molluscus*)  
*Alnus rubra*, V (DAOM 139099)  
*Pinus monticola*, V (DAVFP)  
*Pinus ponderosa*, V (DAVFP)  
*Pseudotsuga menziesii*, V (DAVFP)  
*Thuja plicata*, V (DAVFP)  
*Tsuga heterophylla*, V (DAVFP)

**Leucogyrophana pinastri** (Fr.:Fr.) Ginns &  
 Weresub (=*Merulius pinastri*, *Serpula*  
*pinastri*)  
*Abies amabilis*, V (DAOM 142152)  
*Tsuga sp.*, LC (Shaw 1973)

**Leucogyrophana pulverulenta** (Fr.) Ginns  
 Soil and Duff, V (DAOM)  
*Thuja plicata*, LC (Ginns 1986a)

**Leucopaxillus albissimus** (Peck) Sing.  
 Soil and Duff, V (DAVFP)

**Leucopaxillus albissimus** (Peck) Sing.  
 var. *paradoxus* (Cost. & Duf.) Sing. & A.H.  
 Smith f. *albiformis* (Murrill) Sing. & A.H.  
 Smith  
 Soil and Duff, UR

**Leucopaxillus laterarius** (Peck) Sing. &  
 A.H. Smith (=*Tricholoma laterarium*)  
 Soil and Duff, LC (Davidson 1930)

**Leucostoma kunzei** (Fr.:Fr.) Munk  
*Larix laricina*, V (DAVFP)  
*Picea engelmannii*, V (DAVFP)  
*Pseudotsuga menziesii*, V (DAVFP)

**Leucostoma nivea** (Hoffm.:Fr.) Höhn.  
 (=*Valsa nivea*)  
*Populus tremuloides*, V (DAVFP)  
*Populus trichocarpa*, LC (Shaw 1973)

**Leucostoma persoonii** Höhn. (=*Valsa*  
*leucostoma*)  
*Malus domestica*, LC (Barr 1953 on *Pyrus malus*)  
*Malus sylvestris*, LC (Shaw 1973)  
*Prunus domestica*, LC (Toms 1964)  
*Prunus persica*, LC (Barr 1953)  
*Prunus persica* var. *nectarina*, LC (Jones 1957)

**Lewia scrophulariae** (Desmaz.) Barr & E.  
 Simmons in E. Simmons (=*Pleospora*  
*media* var. *obtusa*, *Pleospora scrophulariae*)  
 Angiosperms, Grasses, LC (Barr 1953 on  
 Gramineae)  
*Campanula* sp., LC (Barr 1953)

***Libertella* sp.**

*Alnus rubra*, LC (Sieber, Sieber-Canavesi, and Dorworth 1991)  
*Cornus* sp., V (DAVFP)  
*Pinus monticola*, V (DAVFP)  
*Populus tremuloides*, LC (Connors 1967)  
*Populus trichocarpa*, LC (Shaw 1973)

***Lignincola laevis* W. Höhnk**

Unidentified wood, LC (Hughes 1969)

***Limacella glioderma* (Fr.) Earle**

Soil and Duff, V (DAVFP)

***Limacinia alaskensis* Sacc. & Scalia** see *Euantennaria alaskensis****Limacinia moniliforma* (Fraser) Barr var. *quinqueseptata* Barr**

*Pseudotsuga menziesii*, V (DAVFP) (TYPE)

***Limacinia* sp.**

*Taxus brevifolia*, V (DAVFP)

***Lindra inflata* Wilson**

Unidentified wood, LC (Hughes 1969)

***Linodochium hyalinum* (Lib.) Höhn.**

*Pinus monticola*, V (DAVFP)

***Linospora capreae* (DC.:Fr.) Fuckel**

*Salix* sp., LC (Barr 1978)

***Linospora insularis* Johans.**

*Salix* sp., LC (Barr 1953)

***Linospora prunellae* Ellis & Everh.** see *Ophiobolus prunellae****Linospora tetraspora* G.E. Thompson**

*Populus balsamifera*, LC (Connors 1967)  
*Populus trichocarpa*, V (DAVFP)  
*Populus trichocarpa X P. deltoides*, V (DAVFP)  
*Populus* sp., V (DAVFP)

***Lirula abietis-concoloris* (Mayr ex Dearn.)**

Darker (=Hypodermella abietis-concoloris)  
*Abies amabilis*, V (DAVFP)  
*Abies grandis*, V (DAVFP)  
*Abies lasiocarpa*, V (DAVFP)

***Lirula brevispora* Ziller**

*Picea engelmannii*, V (DAVFP)  
*Picea glauca*, V (DAVFP) (TYPE)

***Lirula macrospora* (R. Hartig) Darker**  
(=Lophodermium filiforme, *Lophodermium macrosporum*)

*Picea engelmannii*, V (DAVFP)  
*Picea glauca*, V (DAVFP)  
*Picea mariana*, V (DAVFP)  
*Picea sitchensis*, V (DAVFP)

***Lirula punctata* (Darker) Darker**

(=Hypodermella punctata)  
*Abies amabilis*, V (DAVFP)  
*Abies grandis*, V (DAVFP)  
*Abies lasiocarpa*, V (DAVFP)

***Lirula* sp.**

*Abies amabilis*, V (DAVFP)

***Locellina stercoraria* (Peck) nomen dubium**

Soil and Duff, UR

***Lophiostoma caulinum* (Fr.:Fr.) Ces. & De Not.**

*Artemisia tridentata*, LC (Barr 1953)  
*Phlox speciosa*, LC (Barr 1953)

***Lophiostoma columbiense* Barr**

*Grindelia integrifolia*, LC (Barr 1992b)  
(PARATYPE)  
*Holodiscus discolor*, LC (Barr 1992b)  
(HOLOTYPE)

***Lophiostoma macrostomoides* (De Not.)**

Ces. & De Not.  
Angiosperms, Wood, V (DAVFP)

***Lophiostoma* sp.**

*Gentiana calycosa*, LC (Shoemaker and Babcock 1987)

***Lophium dolabriiforme* Wallr.** see *Glyphium elatum****Lophium mytilinum* (Pers.) Fr.**

*Pinus contorta* var. *contorta*, V (DAVFP)  
*Pinus contorta* var. *latifolia*, V (DAVFP)  
*Pinus monticola*, V (DAVFP)  
*Pseudotsuga menziesii*, V (DAVFP)  
*Tsuga heterophylla*, V (DAVFP)

***Lophodermella arcuata* (Darker) Darker**

*Pinus albicaulis*, V (DAVFP)

***Lophodermella concolor* (Dearn.) Darker**  
(=Hypodermella concolor)

*Pinus albicaulis*, V (DAVFP)  
*Pinus contorta* var. *contorta*, V (DAVFP)  
*Pinus contorta* var. *latifolia*, V (DAVFP)  
*Pinus monticola*, LC (Wood et al. 1987)  
*Pinus ponderosa*, V (DAVFP)  
*Pinus sylvestris*, V (DAVFP)

***Lophodermella montivaga* Petr.**

(=Hypodermella montivaga)

*Pinus albicaulis*, UR  
*Pinus contorta* var. *contorta*, V (DAVFP)  
*Pinus contorta* var. *latifolia*, V (DAVFP)  
*Pinus sylvestris*, V (DAVFP)

***Lophodermella morbida* Staley & Bynum**

*Pinus ponderosa*, V (DAVFP)

**Lophodermella sp.**

*Pinus contorta* var. *latifolia*, V (DAVFP)  
*Pinus monticola*, V (DAVFP)

**Lophodermium arundinaceum**

(Schrad.:Fr.) Chev.

*Dactylis glomerata*, V (DAVFP)  
*Elymus mollis*, V (DAVFP)

**Lophodermium chamaecyparisii** Shirai & Hara

*Juniperus communis*, V (DAVFP)

**Lophodermium cladophilum** (Lév.) Rehm

*Vaccinium parvifolium*, V (DAVFP)

**Lophodermium consociatum** Darker

*Abies amabilis*, V (DAVFP)

**Lophodermium decorum** Darker

*Abies amabilis*, V (DAVFP)

*Abies grandis*, V (DAVFP)

*Abies lasiocarpa*, V (DAVFP)

**Lophodermium filiforme** Darker see *Lirula macrospora*

**Lophodermium foliicola** (Fr.:Fr.) P.

Cannon & Minter (=*Lophodermium hysteroides*)

*Amelanchier alnifolia*, V (DAVFP)

**Lophodermium hysteroides** (Pers.) Sacc.  
see *Lophodermium foliicola*

**Lophodermium juniperi** (Grev.) Darker

see *Lophodermium juniperinum*

**Lophodermium juniperinum** (Fr.) De Not.

(= *Lophodermium juniperi*)

*Chamaecyparis* sp., V (DAVFP)

*Juniperus chinensis* var. *pfitzeriana*, V (DAVFP)

*Juniperus communis* var. *depressa*, LC

(Parmelee 1984)

*Juniperus communis* var. *hibernica*, V (DAVFP)

*Juniperus sabina* var. *sabina*, V (DAVFP)

*Juniperus sabina* var. *tamariscifolia*, V (DAVFP)

*Juniperus scopulorum*, V (DAVFP)

**Lophodermium lacerum** Darker

*Abies grandis*, V (DAVFP)

**Lophodermium laricinum** Duby

*Larix lyallii*, V (DAVFP)

*Larix occidentalis*, V (DAVFP)

**Lophodermium laricis** Dearn. see  
*Lophodermium pinastri*

**Lophodermium macrosporum** (R. Hartig)

Rehm see *Lirula macrospora*

**Lophodermium melaleucum** (Fr.:Fr.) De

Not. var. ***melaleucum***

*Vaccinium ovatum*, V (DAVFP)

**Lophodermium nitens** Darker

*Pinus albicaulis*, V (DAVFP)

*Pinus monticola*, V (DAVFP)

**Lophodermium piceae** (Fuckel) Höhn.

*Abies amabilis*, V (DAVFP)

*Abies grandis*, UR

*Abies lasiocarpa*, V (DAVFP)

*Picea glauca*, V (DAVFP)

*Picea sitchensis*, V (DAVFP)

**Lophodermium pinastri** (Schrad.:Fr.)

Chev. (= *Lophodermium laricis*,

*Lophodermium pinicola*)

*Larix occidentalis*, LC (Ginns 1986a as

*Hypoderma laricis*)

*Pinus banksiana*, V (DAVFP)

*Pinus contorta* var. *contorta*, V (DAVFP)

*Pinus contorta* var. *latifolia*, V (DAVFP)

*Pinus jeffreyi*, V (DAVFP)

*Pinus lambertiana*, LC (Shaw 1973)

*Pinus monticola*, LC (Ginns 1986a)

*Pinus muricata*, V (DAVFP)

*Pinus nigra* var. *poiretiana*, V (DAVFP)

*Pinus pinaster*, V (DAVFP)

*Pinus ponderosa*, V (DAVFP)

*Pinus radiata*, V (DAVFP)

*Pinus resinosa*, V (DAVFP)

*Pinus sylvestris*, V (DAVFP)

**Lophodermium pinicola** Tehon see

*Lophodermium pinastri*

**Lophodermium pyrolae** Parmelee

*Pyrola asarifolia* var. *purpurea*, V (DAVFP)

(ISOTYPE)

*Pyrola picta*, LC (Conners 1967)

**Lophodermium rubicola** Earle

*Rubus procerus*, V (DAVFP)

**Lophodermium schweinitzii** M. Wilson &

N.F. Robertson

*Gaultheria shallon*, V (DAVFP)

**Lophodermium sediosum** Minter, Staley & Millar

*Pinus contorta* var. *latifolia*, UR - Specimen

discarded.

*Pinus nigra*, V (DAVFP)

*Pinus pinaster*, V (DAVFP)

*Pinus resinosa*, V (DAVFP)

*Pinus sylvestris*, V (DAVFP)

**Lophodermium thujae** J.J. Davis

*Thuja orientalis*, V (DAVFP)

**Lophodermium uncinatum** Darker

*Abies amabilis*, V (DAVFP)

*Abies lasiocarpa*, V (DAVFP)

**Lophodermium sp.**

*Cupressus arizonica*, V (DAVFP)  
*Pinus contorta* var. *contorta*, V (DAVFP)  
*Pinus contorta* var. *latifolia*, V (DAVFP)  
*Pinus echinata* X *taeda*, V (DAVFP)  
*Pinus jeffreyi*, V (DAVFP)  
*Pinus mugo*, V (DAVFP)  
*Pinus sylvestris*, V (DAVFP)  
*Populus trichocarpa*, V (DAVFP)  
*Salix* sp., V (DAVFP)  
*Tsuga heterophylla*, V (DAVFP)

**Lophomerum autumnale** (Darker) Magasi

*Abies amabilis*, V (DAVFP)  
*Abies lasiocarpa*, V (DAVFP)

**Lophomerum darkeri** Ouellette

*Picea glauca*, V (DAVFP)

**Lophophacidium hyperboreum** Lagerberg

*Picea glauca*, V (DAVFP)

**Lulworthia floridana** S.P. Meyers

*Pinus monticola*, LC (Hughes 1969)  
*Pseudotsuga menziesii*, LC (Hughes 1969)

**Lulworthia fucicola** Sutherland

Unidentified wood, LC (Hughes 1969)

**Lulworthia medusa** (Ellis & Everh.) A.B.

Cribb & J.W. Cribb

*Arbutus menziesii*, LC (Anastasiou and Churchland 1969)  
*Pinus monticola*, LC (Hughes 1969)  
*Prunus laurocerasus*, LC (Anastasiou and Churchland 1969)  
*Pseudotsuga menziesii*, LC (Hughes 1969)  
*Thuja plicata*, LC (Hughes 1969)  
 Unidentified wood, LC (Hughes 1969)

**Lulworthia salina** (Linder) A.B. Cribb &

J.W. Cribb

*Pinus monticola*, LC (Hughes 1969)

**Lulworthia sp.**

*Pinus palustris*, LC (Conners 1967)  
*Tilia americana*, LC (Shaw 1973)

**Lycoperdon curtisii** Berk.

Soil and Duff, V (DAVFP)

**Lycoperdon gemmatum** Batsch:Fr. see

*Lycoperdon perlatum* var. *perlatum*

**Lycoperdon perlatum** Pers.

*Abies lasiocarpa*, V (DAVFP)  
*Tsuga heterophylla*, V (DAVFP)

**Lycoperdon perlatum** Pers. var. *perlatum*

(=*Lycoperdon gemmatum*)

Soil and Duff, V (DAVFP)

**Lycoperdon pyriforme** Schaeff.:Pers.

*Betula papyrifera*, V (DAVFP)  
*Pseudotsuga menziesii*, UR

Soil and Duff, V (DAVFP)  
*Tsuga heterophylla*, V (DAVFP)  
 Unidentified wood, V (DAVFP)

**Lycoperdon subincarnatum** Peck

Soil and Duff, V (DAVFP)

**Lysurus gardneri** Berk.

Compost, V (DAVFP)  
 Sawdust, V (DAVFP)  
 Soil and Duff, V (DAVFP)  
 Wood chips and horse manure, V (DAVFP)



***Macrohyporia extensa*** (Peck) Ginns & J. Lowe see *Wolfiporia cocos*

***Macrophoma candollei*** (Berk. & Broome) Berl. & Voglino  
*Buxus sempervirens*, LC (Ginns 1986a)

***Macrophoma lupini*** (Cooke & Harkn.) Berl. & Voglino  
*Lupinus sericeus*, LC (Shaw 1973)

***Macrophoma straminella*** (Bres.) Died.  
(=*Phyllosticta straminella*)  
*Rheum rhabonticum*, LC (Conners 1967)

***Macrophoma thujana*** Cooke & Mass.  
*Thuja plicata*, V (DAVFP)

***Macrophoma tumefaciens*** Shear see  
*Diplodia tumefaciens*

***Macrophoma sp.***  
*Aesculus hippocastanum*, V (DAVFP)  
*Larix decidua*, V (DAVFP)  
*Picea glauca*, V (DAVFP)  
*Pseudotsuga menziesii*, V (DAVFP)  
*Tsuga heterophylla*, V (DAVFP)

***Macrotyphula fistulosa*** (Fr.) Petersen var.  
***contorta*** (Fr.) Corner (=*Clavariadelphus fistulosus* var. *contortus*)  
*Alnus rubra*, V (DAVFP)

***Mamianiella coryli*** (Batsch:Fr.) Höhn.  
(=*Gnomoniella coryli*)  
*Corylus cornuta*, V (DAVFP)  
*Corylus cornuta* var. *californica*, V (DAVFP)  
*Corylus* sp., LC (Barr 1978 as *Mamianiella coryli* var. *coryli*)

***Marasmiellus candidus*** (Bolten:Fr.) Singer  
(=*Marasmius candidus*)  
*Abies grandis*, V (DAVFP)  
*Acer macrophyllum*, V (DAVFP)  
*X Cupressocyparis leylandii*, V (DAVFP)  
*Pseudotsuga menziesii*, UR  
*Rubus spectabilis*, V (DAVFP)

***Marasmiellus filopes*** (Peck) Redhead  
(=*Marasmius thujinus*)  
Gymnosperms, LC (Redhead 1980b on conifer needles)

***Marasmiellus papillatus*** (Peck) Redhead & Halling  
Unidentified wood, LC (Redhead and Halling 1982)

***Marasmiellus pluvius*** Redhead  
Gymnosperms, Wood, LC (Redhead 1982b)  
(HOLOTYPE)  
*Pseudotsuga menziesii*, LC (Redhead 1982b)  
*Thuja plicata*, LC (Redhead 1982b)

***Marasmiellus vaillantii*** (Pers.:Fr.) Singer  
*Alnus rubra*, LC (Redhead 1981)  
*Carex* sp., LC (Redhead 1981)  
*Juncus* sp., LC (Redhead 1981)

***Marasmius candidus*** Bolten:Fr. see  
*Marasmiellus candidus*

***Marasmius caricis*** Karsten  
*Carex* sp., LC (Redhead 1981)

***Marasmius epidryas*** Kühner  
*Dryas* sp., LC (Redhead et al. 1982)

***Marasmius epiphyllus*** (Pers.:Fr.) Fr.  
*Populus tremuloides*, UR

***Marasmius felix*** Morg.  
Soil and Duff, UR

***Marasmius foetidus*** (Sowerby:Fr.) Fr. see  
*Micromphale foetidum*

***Marasmius limosus*** Quélet  
*Carex* sp., LC (Redhead 1981)

***Marasmius oreades*** (Bolten) Fr.  
Soil and Duff, V (DAVFP)

***Marasmius plicatulus*** Peck  
Soil and Duff, V (DAVFP)

***Marasmius salalis*** Desjardin & Redhead  
*Gaultheria shallon*, LC (Desjardin and Redhead 1987)  
Soil and Duff, V (DAVFP)

***Marasmius scorodonius*** (Fr.) Fr.  
*Thuja plicata*, LC (Conners 1967)

***Marasmius thujinus*** Peck see  
*Marasmiellus filipes*

***Marasmius sp.***  
Soil and Duff, V (DAVFP)

***Margarinomyces heteromorpha*** (Nannf.) Mangenot see *Rhinocladiella mansonii*

***Mariannaea elegans*** (Corda) R.A. Samson  
*Pseudotsuga menziesii*, LC (Bissett 1979a)

***Marielliotta biseptata*** (Sacc. & Roum. in  
Roum. & Sacc.) Shoemaker  
Angiosperms, Grasses, LC (Shoemaker 1998 on  
old culms of ?*Holcus mollis*)

***Marielliotta triseptata*** (Drechsler)  
Shoemaker (=*Helminthosporium triseptatum*)  
*Holcus lanatus*, LC (Conners 1967; Shoemaker 1998)  
*Holcus mollis*, LC (Shoemaker 1998)

**Marinospora calyprata** (Kohlmeyer)

Cavaliere

Unidentified wood, LC (Hughes 1969)

**Marssonina brunnea** (Ellis & Everh.)

Magnus (=Marssonina tremulae)

*Populus alba*, V (DAVFP)

*Populus alba X P. glutinosa*, V (DAVFP)

*Populus 'Brooks No. 10'*, V (DAVFP)

*Populus X canadensis 'Regenerata'*, V (DAVFP)

*Populus deltoides X P. nigra*, V (DAVFP)

*Populus tacamahaca X P. deltoides*, V (DAVFP)

*Populus tremuloides*, V (DAVFP)

*Populus trichocarpa X P. deltoides*, V (DAVFP)

*Populus* sp., V (DAVFP)

**Marssonina canadensis** A.T. Bolt

*Fragaria virginiana*, LC (Bolton 1963)

*Fragaria* sp., LC (Toms 1964)

**Marssonina castagnei** (Desmaz. & Mont.)

Magnus (=Drepanopeziza populi-albae,

=Pseudopeziza populi-albae - teleomorph)

*Populus alba*, V (DAVFP)

*Populus tremuloides*, LC (Connors 1967)

**Marssonina daphnes** (Desmaz. &

Roberge) Magnus

*Daphne mezereum*, V (DAVFP)

**Marssonina fragariae** (Lib.) Kleb.

(=Marssonina potentillae)

*Potentilla anserina*, LC (Ginns 1986a)

**Marssonina juglandis** (Lib.) Magnus see

*Gnomonia leptostyla* (teleomorph)

**Marssonina kriegeriana** (Bres.) Magnus

*Salix babylonica*, V (DAVFP)

**Marssonina neilliae** (Harkn.) Magnus

*Physocarpus malvaceus*, LC (Shaw 1973)

**Marssonina populi** (Lib.) Magnus

(=Drepanopeziza populorum - teleomorph)

*Populus nigra*, LC (Shaw 1973)

*Populus nigra* var. *italica*, V (DAVFP)

*Populus tremuloides*, V (DAVFP)

*Populus trichocarpa*, V (DAVFP)

*Populus trichocarpa X P. deltoides*, V (DAVFP)

*Populus trichocarpa X P. nigra*, V (DAVFP)

*Populus* sp., V (DAVFP)

**Marssonina potentillae** (Desmaz.) Magnus

see Marssonina fragariae

**Marssonina rhamni** (Ellis & Everh.)

Magnus

*Rhamnus purshiana*, V (DAVFP)

**Marssonina salicicola** (Bres.) Magnus

*Salix babylonica*, V (DAVFP)

**Marssonina sennenis** Gonz. Frag.

*Sanguisorba officinalis* subsp. *microcephala*, V

(DAOM)

*Sanguisorba sitchensis*, LC (Connors 1967)

**Marssonina tremulae** (Lib.) Kleb. see

Marssonina brunnea

**Marssonina** sp.

*Alnus rubra*, V (DAVFP)

*Arbutus menziesii*, V (DAVFP)

*Populus tremuloides*, V (DAVFP)

**Martensella corticii** Thaxt.

*Gloeocystidiellum citrinum*, LC (Jackson and

Dearden 1948 on *Corticium radiosum*)

**Massaria macrotheca** (Rostr.) Lind see

Wettsteinina macrotheca

**Massarina dryadis** Rostr. see Wettsteinina dryadis

**Massarina eccentrica** Barr

*Acer macrophyllum*, LC (Barr 1992b)

*Arbutus menziesii*, LC (Barr 1992b)

*Holodiscus discolor*, LC (Barr 1992b)

*Lonicera ciliosa*, LC (Barr 1992b)

*Lonicera hispida*, LC (Barr 1992b)

*Lonicera involucrata*, LC (Barr 1992b)

**Massarina lignorum** (Wehmeyer) Barr

*Gaultheria shallon*, LC (Barr 1992b)

*Lonicera ciliosa*, LC (Barr 1992b)

Unidentified wood, LC (Barr 1992b on driftwood)

**Mastigosporium rubricosum** (Dearn. &

Barth.) Nannf.

*Calamagrostis canadensis*, LC (Connors 1967)

*Dactylis glomerata*, LC (Ginns 1986a)

**Maurodothina fariae** Pirozynski &

Shoemaker

*Abies amabilis*, V (DAVFP) (ISOTYPE)

*Abies grandis*, V (DAVFP)

**Megalocystidium leucoxanthum** (Bres.)

Jülich (=Gloeocystidiellum leucoxanthum)

*Quercus garryana*, V (DAVFP)

**Melampsora abieti-capraearum** Tub.

(=Melampsora epitea race *M. abieti-capraearum*)

*Abies amabilis*, V (DAVFP)

*Abies concolor*, V (DAVFP)

*Abies grandis*, V (DAVFP)

*Abies lasiocarpa*, V (DAVFP)

*Salix scouleriana* f. *poikilota*, V (DAVFP)

*Salix scouleriana* var. *thompsoni*, V (DAVFP)

**Melampsora arctica** Rostr. (=Melampsora

epitea race *M. arctica*)

*Salix anglorum*, LC (Connors 1967)

*Salix petrophila*, LC (Connors 1967)

- Salix sitchensis*, V (DAVFP)
- Melampsora bigelowii** Thuem. see  
*Melampsora paradoxa*
- Melampsora cf. euphorbiae-gerardianae**  
W. Muell.  
*Euphorbia peplus*, V (DAVFP)
- Melampsora deformans** Leppik nomen  
nudum  
*Salix scouleriana* var. *thompsoni*, V (DAVFP)
- Melampsora epitea** Thuem.  
*Salix bebbiana*, LC (Shaw 1973)  
*Salix commutata*, LC (Shaw 1973)  
*Salix fragilis*, V (DAVFP)  
*Salix lasiandra*, V (DAVFP)  
*Salix mackenzieana*, UR  
*Salix perrostrata*, LC (Shaw 1973)  
*Salix reticulata*, V (DAVFP)  
*Salix* sp., V (DAVFP)  
*Saxifraga cernua*, LC (Shaw 1973)
- Melampsora epitea** Thuem. f. sp. *tsugae*  
Ziller  
*Salix scouleriana* f. *poikila*, V (DAVFP) (TYPE)  
*Salix sitchensis*, V (DAVFP)  
*Tsuga heterophylla*, V (DAVFP)  
*Tsuga mertensiana*, V (DAVFP)
- Melampsora epitea** Thuem. race *M. abieti-capraearum* Tub. see *Melampsora abieti-capraearum*
- Melampsora epitea** Thuem. race *M. arctica* Rostr. see *Melampsora arctica*
- Melampsora epitea** Thuem. race *M. bigelowii* Thuem. see *Melampsora paradoxa*
- Melampsora epitea** Thuem. race *M. ribesii-purpureae* Kleb. see *Melampsora ribesii-purpureae*
- Melampsora hypericorum** G. Wint.  
*Hypericum* sp., V (DAVFP)
- Melampsora lini** (Ehrenb.) Desmaz.  
*Linum perenne* subsp. *lewisii*, V (DAVFP)  
*Linum usitatissimum*, LC (Connors 1967)
- Melampsora medusae** Thuem.  
*Abies concolor*, V (DAVFP)  
*Abies grandis*, V (DAVFP)  
*Larix decidua*, V (DAVFP)  
*Larix laricina*, V (DAVFP)  
*Larix leptolepis*, V (DAVFP)  
*Larix occidentalis*, V (DAVFP)  
*Picea sitchensis*, V (DAVFP)  
*Pinus banksiana*, V (DAVFP)  
*Pinus contorta* var. *latifolia*, V (DAVFP)  
*Pinus lambertiana*, V (DAVFP)
- Pinus ponderosa*, V (DAVFP)  
*Pinus radiata*, V (DAVFP)  
*Pinus resinosa*, LC (Ginns 1986a)  
*Pinus sylvestris*, V (DAVFP)  
*Populus tremuloides*, V (DAVFP)  
*Pseudotsuga menziesii*, V (DAVFP)  
*Tsuga mertensiana*, V (DAVFP)
- Melampsora medusae** Thuem. f. sp.  
*deltoidae*  
*Populus trichocarpa* X *P. deltoides*, V (DAVFP)  
*Populus trichocarpa* X *P. maximowiczii*, V  
(DAVFP)  
*Populus* sp., V (DAVFP)
- Melampsora monticola** Mains  
*Euphorbia peplus*, V (DAVFP)
- Melampsora occidentalis** H. Jacks.  
*Abies concolor*, V (DAVFP)  
*Larix decidua*, V (DAVFP)  
*Larix leptolepis*, V (DAVFP)  
*Larix occidentalis*, V (DAVFP)  
*Picea sitchensis*, V (DAVFP)  
*Pinus contorta* var. *latifolia*, V (DAVFP)  
*Pinus lambertiana*, V (DAVFP)  
*Pinus monticola*, V (DAVFP)  
*Pinus ponderosa*, V (DAVFP)  
*Pinus radiata*, V (DAVFP)  
*Populus '8/33'*, V (DAVFP)  
*Populus 'A8'*, V (DAVFP)  
*Populus acuminata*, LC (Connors 1967)  
*Populus X acuminata*, UR  
*Populus balsamifera*, V (DAVFP)  
*Populus berolinensis* X *P. maximowiczii*, V  
(DAVFP)  
*Populus X canadensis* 'Gelrica', V (DAVFP)  
*Populus X canadensis* 'Serotina 1', V (DAVFP)  
*Populus X canadensis* 'Serotina 2', V (DAVFP)  
*Populus 'D-8'*, V (DAVFP)  
*Populus X 'Generosa'*, V (DAVFP)  
*Populus X 'Jackii'*, V (DAVFP)  
*Populus trichocarpa*, V (DAVFP)  
*Populus trichocarpa* X *P. deltoides*, V (DAVFP)  
*Populus trichocarpa* X *P. maximowiczii*, V  
(DAVFP)  
*Populus* sp., V (DAVFP)  
*Pseudotsuga menziesii*, V (DAVFP)
- Melampsora paradoxa** Dietel & Holw.  
(= *Melampsora bigelowii*, *Melampsora epitea*  
race *M. bigelowii*)  
*Larix laricina*, V (DAVFP)  
*Larix occidentalis*, V (DAVFP)  
*Salix lasiandra*, V (DAVFP)
- Melampsora ribesii-purpureae** Kleb.  
(= *Melampsora epitea* race *M. ribesii-purpureae*)  
*Ribes divaricatum*, V (DAVFP)  
*Ribes lacustre*, V (DAVFP)  
*Salix scouleriana*, V (DAVFP)
- Melampsora** sp.  
*Populus alba*, V (DAVFP)  
*Populus tremuloides*, UR - Specimen discarded.

**Melampsorella caryophyllacearum** J.

Schröt.

- Abies amabilis*, V (DAVFP)
- Abies grandis*, V (DAVFP)
- Abies lasiocarpa*, V (DAVFP)
- Cerastium alpinum*, LC (Connors 1967)
- Cerastium arvense*, V (DAVFP)
- Cerastium beringianum*, LC (Connors 1967)
- Cerastium vulgatum*, V (DAVFP)
- Stellaria calycantha*, V (DAVFP)
- Stellaria crispa*, V (DAVFP)
- Stellaria longipes*, V (DAVFP)
- Stellaria media*, V (DAVFP)

**Melampsoridium betulinum** (Fr.) Kleb.

- Betula alba*, V (DAVFP)
- Betula glandulosa*, V (DAVFP)
- Betula papyrifera*, V (DAVFP)
- Betula pendula* var. *gracilis*, V (DAVFP)

**Melampsoridium hiratsukanum** S. Ito ex Hiratsuka

- Alnus rubra*, V (DAVFP)

**Melanconiopsis inquinans** Ellis & Everh.

- Acer macrophyllum*, V (DAVFP)

**Melanconis alni** Tul. & C. Tul.

- (= *Melanconium sphaeroideum* - anamorph)
  - Alnus rubra*, V (DAVFP)
  - Alnus sinuata*, LC (Barr 1953 on *Alnus sitchensis*)
  - Alnus sp.*, UR
  - Betula occidentalis*, UR

**Melanconis alni** Tul. & C. Tul. var. *marginalis* (Peck) Wehmeyer see *Melanconis marginalis*

**Melanconis marginalis** (Peck) Wehmeyer  
(= *Melanconis alni* var. *marginalis*;  
= *Melanconium marginale* - anamorph)

- Alnus rubra*, V (DAVFP)
- Alnus sinuata*, V (DAVFP)
- Alnus tenuifolia*, UR
- Alnus viridis*, LC (Sieber et al. 1991)
- Alnus sp.*, V (DAVFP)

**Melanconis thelebola** (Fr.:Fr.) Sacc. see *Pseudovalsella thelebola*

**Melanconis** sp.

- Cornus stolonifera*, UR

**Melanconium marginale** Wehmeyer see *Melanconis marginalis* (teleomorph)

**Melanconium salicis** (Corda) Hughes  
*Salix* sp., UR

**Melanconium sphaeroideum** Link:Fr. see *Melanconis alni* (teleomorph)

**Melanconium** sp.

- Acer macrophyllum*, V (DAVFP)

*Alnus rubra*, V (DAVFP)

*Alnus tenuifolia*, V (DAVFP)

*Alnus* sp., V (DAVFP)

*Betula papyrifera*, V (DAVFP)

*Cornus nuttallii*, V (DAVFP)

*Populus X canadensis* 'Regenerata', V (DAVFP)

*Populus X canadensis* 'Regenerata Grandis', V (DAVFP)

*Populus X canadensis* 'Robusta Bachelieri', V (DAVFP)

*Populus* sp., V (DAVFP)

**Melanodothis caricis** R.H. Arnold

(= *Hyalodothis caricis*)

*Carex anthoxanthea*, LC (Arnold 1971, 1974)

*Carex lida*, V (DAVFP)

*Carex lyngbyei* X *C. sitchensis*, LC (Arnold 1971, 1974)

*Carex macrochaeta*, LC (Arnold 1971, 1974)

*Carex pauciflora*, LC (Arnold 1971, 1974)

*Carex phyllomanica*, LC (Arnold 1971, 1974)

*Carex pluriflora*, LC (Arnold 1971, 1974)

*Carex sitchensis*, LC (Arnold 1971, 1974)

(HOLOTYPE)

*Carex viridula*, LC (Arnold 1971, 1974)

**Melanoleuca** sp.

- Soil and Duff, V (DAVFP)

**Melanomma cinereum** (P. Karst.) Sacc.

- Salix babylonica*, LC (Barr 1953)

**Melanomma fuscidulum** Sacc.

- Populus trichocarpa*, V (DAVFP)

**Melanomma medium** Sacc. & Speg.

- Acer* sp., LC (Barr 1953)

**Melanomma parasitica** Ellis & Everh. see *Herpotrichiella parasitica*

**Melanomma pulvis-pyrius** (Pers.:Fr.)

Fuckel

*Alnus rubra*, V (DAVFP)

*Alnus* sp., V (DAVFP)

*Corylus cornuta* var. *californica*, V (DAVFP)

*Populus tremuloides*, V (DAVFP)

*Salix* sp., V (DAVFP)

*Vaccinium corymbosum*, LC (Barr 1990a)

**Melanomma sanguinarium** (P. Karst.)

Sacc.

- Unidentified wood, LC (Barr 1953)

**Melanomma** sp.

- Populus alba*, V (DAVFP)

**Melanospora papillata** Hots.

- Vicia faba*, LC (Barr 1953)

**Melanospora townei** D. Griffiths see *Melanospora zamiae*

***Melanospora zamiae*** Corda(=*Melanospora townei*)*Amaranthus* sp., LC (Barr 1953)***Melanotus caricicola*** (Orton) GuzmanAngiosperms, Grasses, LC (Redhead 1984a;  
Redhead and Kroeger 1984 on wetland  
Monocotyledoneae)*Carex* sp., LC (Redhead 1984a)  
*Juncus* sp., LC (Redhead 1984a)***Melanotus textilis*** Redhead & P. KroegerAngiosperms, Herbaceous, other, LC (Redhead  
and Kroeger 1984 on partially burnt root of  
?*Rubus spectabilis*)  
Angiosperms, Wood, LC (Redhead and Kroeger  
1984)  
Blue jeans, V (DAVFP)  
Carpet, V (DAVFP) - on rotting carpet, woolen  
carpet.  
Decaying floor boards, LC (Redhead and Kroeger  
1984)  
Jute-like fabric on discarded chair, LC (Redhead  
and Kroeger 1984)  
*Rubus ursinus*, LC (Redhead and Kroeger 1984)  
*Sambucus racemosa*, V (DAVFP)  
Woolen socks, V (DAVFP)***Melasmia menziesiae*** Dearn. & Barth.*Menziesia ferruginea*, V (DAVFP)***Meliola niessleana*** G. Wint.*Gaultheria shallon*, V (DAVFP)***Meliola pinicola*** Dearn. see *Appendiculella*  
*pinicola****Meliola* sp.***Gaultheria ovatifolia*, V (DAVFP)  
*Vaccinium parvifolium*, V (DAVFP)***Meloderma desmazierii*** (Duby) Darker*Pinus monticola*, V (DAVFP)***Melzericium udicum*** (Bourd.) Hauerslev*Salix* sp., V (DAVFP)***Menispora caesia*** G. Preuss (=*Menispora*  
state of *Chaetosphaeria pulviscula*)*Alnus* sp., LC (Hughes and Kendrick 1963)  
Unidentified wood, LC (Hughes and Kendrick  
1963)***Menispora ciliata*** Corda*Alnus* sp., LC (Hughes and Kendrick 1963)  
*Elymus* sp., LC (Hughes and Kendrick 1963)  
Unidentified wood, LC (Hughes and Kendrick  
1963)***Menispora glauca*** Pers.*Alnus* sp., LC (Ginns 1986a)  
*Populus* sp., LC (Ginns 1986a)***Meria laricis*** Vuill.*Larix lyallii*, LC (Maruyama 1984)  
*Larix occidentalis*, V (DAVFP)*Pseudotsuga menziesii*, V (DAVFP)***Meria* sp.***Pseudotsuga menziesii*, LC (Wood and Van  
Sickle 1986)***Merismodes fasciculata*** (Schwein.) Donk  
in Singer*Alnus tenuifolia*, UR  
*Alnus* sp., V (DAVFP)***Merismodes* sp.***Salix* sp., V (DAVFP)***Meruliodopsis albostramineus*** (Torrend)Jülich & Stalpers (=*Ceraceomerulius*  
*albostramineus*, *Merulius albostramineus*,*Merulius armeniacus*)*Pinus monticola*, V (DAVFP)  
*Thuja plicata*, V (DAVFP)***Meruliodopsis ambiguus*** (Berk.) Ginns(=*Merulius ambiguus*)*Picea glauca*, V (DAVFP)  
*Pinus contorta* var. *latifolia*, V (DAVFP)  
*Pinus ponderosa*, V (DAVFP)***Meruliodopsis corium*** (Fr.:Fr.) Ginns(=*Merulius confluens*, *Merulius corium*)*Acer macrophyllum*, V (DAVFP)  
*Alnus rubra*, V (DAVFP)  
*Amelanchier alnifolia*, V (DAVFP)  
*Cornus nuttallii*, V (DAVFP)  
*Corylus cornuta* var. *californica*, V (DAVFP)  
*Pinus contorta* var. *latifolia*, V (DAVFP)  
*Populus trichocarpa*, V (DAVFP)  
*Salix scouleriana*, V (DAVFP)  
*Ulmus* sp., V (DAVFP)***Meruliodopsis taxicola*** (Pers.) Bondartsev in  
Parmasto (=*Poria rufa*, *Poria taxicola*)*Abies lasiocarpa*, V (DAVFP)  
*Picea glauca*, V (DAVFP)  
*Pinus contorta*, UR  
*Pseudotsuga menziesii*, UR  
*Tsuga heterophylla*, V (DAVFP)***Meruliporia incrassata*** (Berk. & M.A.Curtis) Murrill (=*Poria incrassata*)Gymnosperms, Wood, V (DAVFP)  
*Pseudotsuga menziesii*, V (DAVFP)  
*Thuja plicata*, LC (Shaw 1973)  
*Tsuga heterophylla*, V (DAOM 141401)  
*Tsuga* sp., V (DAOM 142067)***Merulius albostramineus*** Torrend see  
*Meruliodopsis albostramineus****Merulius ambiguus*** Berk. see *Meruliodopsis*  
*ambiguus****Merulius americanus*** Burt see *Serpula*  
*himantoides*

**Merulius armeniacus** Bres. see  
*Merulipsis albostramineus*

**Merulius aureus** Fr. see *Pseudomerulius aureus*

**Merulius borealis** Romell see  
*Ceraceomyces borealis*

**Merulius confluens** Schwein. see  
*Merulipsis corium*

**Merulius corium** (Fr.:Fr.) Fr. see  
*Merulipsis corium*

**Merulius fugax** Fr. see *Leucogyrophana mollusca*

**Merulius himantoides** Fr.:Fr. see *Serpula himantoides*

**Merulius lacrimans** (Wulffen:Fr.) Fr. see  
*Serpula lacrimans*

**Merulius molluscus** Fr.:Fr. see  
*Leucogyrophana mollusca*

**Merulius niveus** Fr.:Fr. see *Plicatura nivea*

**Merulius pinastri** (Fr.:Fr.) Burt see  
*Leucogyrophana pinastri*

**Merulius rufus** Fr.:Fr. see *Phlebia rufa*

**Merulius serpens** Fr.:Fr. see  
*Ceraceomyces serpens*

**Merulius tomentosus** Burt  
Angiosperms, Wood, LC (Burt 1917; Ginns 1968)  
(TYPE)

**Merulius tremellosus** Schrad.:Fr. see  
*Phlebia tremellosus*

**Metacapnodium** sp.  
*Abies lasiocarpa*, V (DAVFP)

**Metacoleroa dickiei** (Berk. & Broome) Petr.  
(= *Venturia dickiei*)  
*Linnaea borealis* subsp. *longiflora*, V (DAVFP)

**Metasphaeria culmifida** (P. Karst.) Sacc. f.  
**poae** (Niessl) Berl.  
*Poa interior*, LC (Barr 1953)

**Metasphaeria macounii** Dearn.  
*Rosa* sp., LC (Barr 1953)

**Metasphaeria zobeliana** Staritz  
*Delphinium brownii*, LC (Barr 1953)

**Metulodontia nivea** (Karst.) Parm. see  
*Hyphoderma karstenii*

**Microdochium niveale** (Fr.) Samuels & I.C.  
Hallett (= *Fusarium niveale*)  
*Agrostis palustris*, LC (Conners 1967)  
*Agrostis* sp., LC (Fushtey 1988)  
*Hordeum jubatum*, LC (Ginns 1986a)  
Soil and Duff, LC (Toms 1964)

**Microdochium** sp.  
*Agrostis* sp., LC (MacDonald et al. 1991)

**Microlychnus epicorticis** Funk  
*Abies amabilis*, V (DAVFP)  
*Picea sitchensis*, V (DAVFP) (TYPE)  
*Tsuga heterophylla*, V (DAVFP)

**Micromphale foetidum** (Sowerby:Fr.)  
Singer (= *Marasmius foetidus*)  
Soil and Duff, UR

**Micropera boycei** (Dearn.) Groves see  
*Dermea pseudotsugae*

**Micropera fosteri** Funk see  
*Gelatinosporium fosteri*

**Micropera lunaspora** (Linder) Funk see  
*Dermea tetrasperma*

**Micropera pinicola** (Linder) Funk see  
*Gelatinosporium pinicola*

**Micropera uncinata** Funk see  
*Gelatinosporium uncinatum*

**Micropera** sp.  
*Ailanthus* sp., V (DAVFP)  
*Picea glauca*, V (DAVFP)  
*Picea sitchensis*, V (DAVFP)  
*Prunus* sp., V (DAVFP)  
*Tsuga heterophylla*, V (DAVFP)

**Microsphaera alni** (Wallr.) E.S. Salmon  
see *Microsphaera penicillata*

**Microsphaera alni** (Wallr.) E.S. Salmon  
var. **ionicerae** (DC.) E.S. Salmon see  
*Microsphaera penicillata* var. *ionicerae*

**Microsphaera alni** (Wallr.) E.S. Salmon  
var. **vaccinii** (Schwein.) E.S. Salmon see  
*Microsphaera vaccinii*

**Microsphaera diffusa** Cooke & Peck  
*Symporicarpos albus*, LC (Barr 1953)

**Microsphaera extensa** Cooke & Peck var.  
**curta** U. Braun  
*Quercus garryana*, V (DAVFP)

***Microsphaera grossulariae*** (Wallr.) Lév.  
*Ribes americanum*, LC (Shaw 1973)

***Microsphaera penicillata*** (Wallr.:Fr.) Lév.  
 (= *Microsphaera alni*)  
*Alnus rubra*, V (DAVFP)  
*Gaultheria hispidula*, LC (Shaw 1973)  
*Lonicera hispidula*, V (DAVFP)  
*Lonicera involucrata*, LC (Ginns 1986a)  
*Lonicera periclymenum*, LC (Ginns 1986a)  
*Quercus garryana*, LC (Barr 1953)  
*Quercus robur*, UR  
*Viburnum tinus*, LC (Ginns 1986a)

***Microsphaera penicillata*** (Wallr.:Fr.) Lév.  
 var. *lonicerae* (Fr.) W.B. Cooke  
 (= *Microsphaera alni* var. *lonicerae*)  
*Lonicera* sp., LC (Barr 1953)

***Microsphaera symphoricarpi*** E. Howe  
 see *Microsphaera diffusa*

***Microsphaera trifolii*** (Grev.) U. Braun  
 (= *Erysiphe trifolii*)  
*Lupinus nootkatensis*, V (DAVFP)

***Microsphaera vaccinii*** (Schwein.) Cooke & Peck  
 (= *Microsphaera alni* var. *vaccinii*)  
*Gaultheria hispidula*, LC (Barr 1953 on *Chiogenes hispidula*)  
*Vaccinium macrocarpon*, LC (Ginns 1986a)  
*Vaccinium parvifolium*, V (DAVFP)

***Microsphaeropsis centaureae*** Morgan-Jones  
*Centaurea diffusa*, LC (Morgan-Jones 1974;  
 Watson et al. 1974; Watson and Miltimore 1975) (TYPE)

***Microsphaeropsis concentrica*** (Desmaz.)  
 Morgan-Jones (= *Coniothyrium concentricum*)  
*Yucca smalliana*, LC (Shaw 1973)

***Microstroma juglandis*** (Berenger) Sacc.  
*Juglans regia*, LC (Toms 1964)  
*Juglans* sp., V (DAVFP)

***Microthelia maritima*** (Linder) Kohlmeyer  
*Pseudotsuga menziesii*, LC (Hughes 1969)  
 Unidentified wood, LC (Hughes 1969)

***Microthyrium arcticum*** Oudem.  
*Potentilla flabellifolia*, LC (Barr 1953)  
*Sibbaldia procumbens*, LC (Barr 1953)

***Microthyrium microscopicum*** Desmaz.  
*Abies lasiocarpa*, V (DAVFP)

***Microthyrium* sp.**  
*Juniperus scopulorum*, V (DAVFP)  
*Luzula* sp., V (DAVFP)

***Milesia darkeri*** Faull see *Milesina darkeri*

***Milesia dilatata*** Faull see *Milesina dilatata*

***Milesia laeviuscula*** (Ditel) Faull see  
*Milesina laeviuscula*

***Milesia polystichi*** Wineland ex Faull see  
*Milesina winelandii*

***Milesia vogesiaca*** Faull see *Milesina vogesiaca*

***Milesina darkeri*** (Faull) Hiratsuka (= *Milesia darkeri*)  
*Cryptogramma crispa* var. *acrostichoides*, V  
 (DAVFP)

***Milesina dilatata*** (Faull) Hiratsuka  
 (= *Milesia dilatata*)  
*Dryopteris austriaca*, V (DAVFP)

***Milesina laeviuscula*** (Ditel) Hiratsuka  
 (= *Milesia laeviuscula*)  
*Abies grandis*, V (DAVFP)  
*Polypodium vulgare* var. *occidentale*, V (DAVFP)

***Milesina vogesiaca*** (Faull) Hiratsuka  
 (= *Milesia vogesiaca*)  
*Polystichum munitum*, V (DAVFP)

***Milesina winelandii*** Hiratsuka (= *Milesia polystichi*)  
*Polystichum munitum*, V (DAVFP)

***Milesina* sp.**  
*Abies amabilis*, V (DAVFP)  
*Abies lasiocarpa*, V (DAVFP)

***Mitrula elegans*** (Berk.) Fr.  
*Lysichiton americanum*, V (DAVFP)  
 Soil and Duff, LC (Mains 1955 as *Mitrula paludosa*)  
*Thuja plicata*, V (DAVFP)

***Mniopetalum globisporum*** Donk  
*Mnium insigne*, LC (Redhead 1973)  
*Plagiochila asplenoides*, LC (Redhead 1973)

***Monilia brunnea*** (Verrall) Batra non Gilman & E. Abbott see *Ambrosiella brunnea*

***Monilia corni*** Reade  
*Cornus nuttallii*, V (DAVFP)

***Monilia ferruginea*** Mathiesen-Kaarik non Pers. see *Ambrosiella ferruginea*

***Monilia sitophila*** (Mont.) Sacc. see  
*Chrysonilia sitophila*

**Monilia versiformia** Funk

*Pseudotsuga menziesii*, V (DAVFP) (HOLOTYPE)  
- Dried culture only.

**Monilia** sp.

*Picea* sp., V (DAVFP)  
*Pseudotsuga menziesii*, LC (Shaw 1973)  
*Salix* sp., V (DAVFP)  
*Vaccinium parvifolium*, V (DAVFP)

**Monilinia corni** (Reade) Honey

*Cornus nuttallii*, LC (Ginns 1986a)

**Monilinia demissa** (Dana) Honey

*Prunus virginiana* var. *demissa*, V (DAVFP)

**Monilinia fructicola** (G. Wint.) Honey

(=*Sclerotinia fructicola*)

*Malus pumila*, LC (Conners 1967)  
*Prunus armeniaca*, LC (Ginns 1986a)  
*Prunus avium*, LC (Jones 1957)  
*Prunus besseyi*, LC (Jones 1957)  
*Prunus cerasus*, LC (Toms 1964)  
*Prunus domestica*, LC (Toms 1964)  
*Prunus persica*, LC (Toms 1964; Ginns 1986a)  
*Prunus persica* var. *nectarina*, LC (Jones 1957)  
*Prunus serrulata*, LC (Toms 1964)  
*Prunus virginiana*, LC (Conners 1967; Ginns 1986a)

**Monilinia laxa** (Aderhold & Ruhland) Honey

(=*Sclerotinia laxa*)

*Choenomeles japonica*, LC (Ginns 1986a)  
*Malus pumila*, LC (Conners 1967)  
*Prunus armeniaca*, LC (Ginns 1986a)  
*Prunus avium*, LC (Jones 1957)  
*Prunus besseyi*, LC (Conners 1967)  
*Prunus cerasus*, LC (Toms 1964)  
*Prunus domestica*, LC (Toms 1964)  
*Prunus glandulosa*, LC (Toms 1964)  
*Prunus japonica*, LC (Toms 1964)  
*Prunus persica*, LC (Shaw 1973)  
*Prunus serrulata*, V (DAVFP)  
*Prunus subhirtella* var. *pendula*, LC (Ginns 1986a)  
*Prunus triloba*, LC (Shaw 1973)  
*Pyrus communis*, LC (Ginns 1986a)

**Monilinia oxycocci** (Woronin) Honey

*Vaccinium macrocarpon*, LC (Ginns 1986a)

**Monilinia padī** (Woronin) Honey

*Prunus virginiana* var. *demissa*, V (DAVFP)

**Monilinia vaccinii-corymbosi** (Reade)

Honey

*Vaccinium corymbosum*, LC (Ginns 1986a)  
*Vaccinium* sp., LC (Batra 1991)

**Monilinia** sp.

*Prunus persica*, V (DAVFP)

**Monochaetia abietis** Dearn., nomen nudum

*Abies grandis*, V (DAVFP)

**Monochaetia desmazierii** Sacc. see

*Monochaetia monochaeta*

**Monochaetia monochaeta** (Desmaz.)  
Allesch. in Rabenh. (=*Monochaetia desmazierii*)  
*Arbutus menziesii*, V (DAVFP)

**Monochaetia phyllostictaea** (Sacc.) Allesch.  
*Arctostaphylos columbiana*, V (DAVFP)

**Monochaetia** sp.

*Cupressus macrocarpa*, V (DAVFP)  
*Thuja plicata*, V (DAVFP)

**Monocillium** sp.

*Cronartium ribicola* on *Pinus albicaulis*, V (DAVFP)

**Monodictys pelagica** (T.W. Johnson)

E.B.G. Jones  
*Arbutus menziesii*, LC (Anastasiou and Churchland 1969)  
*Pinus monticola*, LC (Hughes 1969)  
*Prunus laurocerasus*, LC (Anastasiou and Churchland 1969)  
*Pseudotsuga menziesii*, LC (Hughes 1969)  
*Typha* sp., LC (Hughes 1969)  
Unidentified Wood, LC (Hughes 1969)

**Morchella angusticeps** Peck

Gyproc board, V (DAVFP)  
Soil and Duff, V (DAVFP)

**Morchella crassipes** (Vent.) Pers.

Soil and Duff, V (DAVFP)

**Morchella deliciosa** Fr.

Soil and Duff, V (DAVFP)

**Morchella esculenta** (L.) Fr.

Soil and Duff, V (DAVFP)

**Mucor hiemalis** Wehmer

*Cucurbita pepo*, LC (Conners 1967)

**Mucor piriformis** Fischer

*Prunus persica*, LC (Sholberg 1990)  
*Pyrus communis*, LC (Sholberg and Owen 1991)  
Soil and Duff, LC (Sholberg and Owen 1986)

**Mucor racemosus** Fresen.

*Cucurbita maxima*, LC (Conners 1967)  
*Pseudotsuga menziesii*, LC (Shaw 1973)

**Mucor** sp.

*Picea engelmannii*, LC (Mitchell 1986)  
*Pyrus communis*, LC (Sholberg and Owen 1991)  
Soil and Duff, LC (Sholberg and Owen 1986)

**Mucronella calva** (Fr.) Fr.

*Abies amabilis*, V (DAOM 141282)  
*Tsuga heterophylla*, V (DAOM 139090)

**Mycelia sterilia***Pseudotsuga menziesii*, V (DAOM 141778)**Myceliophthora lutea** Cost.*Agaricus campestris*, LC (Toms 1964)**Mycelium radicis atrovirens** Melin*Pseudotsuga menziesii*, LC (Bloomberg 1966)  
*Tsuga heterophylla*, LC (Roth and Berch 1992)**Mycena acicula** (Fr.) P. Kumm.

Soil and Duff, LC (Davidson 1930)

**Mycena alcalina** (Fr.:Fr.) P. Kumm.Soil and Duff, LC (Davidson 1930)  
Unidentified wood, V (DAVFP)**Mycena ammoniaca** (Fr.) Quél.

Soil and Duff, LC (Davidson 1930)

**Mycena atroalba** (Bolten:Fr.) Gill.

Soil and Duff, LC (Davidson 1930)

**Mycena aurantiidisca** Murrill

Soil and Duff, V (DAVFP)

**Mycena bulbosa** (Cejp) Kühner

Carex sp., LC (Redhead 1981)

**Mycena clavicularis** Fr. var. *luteipes*

Kauffm.

Soil and Duff, LC (Davidson 1930)

**Mycena culmigena** Maas G. (=Mycena*juncicola*)

Carex sp., LC (Redhead 1981, 1984a)

**Mycena cyaneobasis** Peck

Soil and Duff, LC (Davidson 1930)

**Mycena excisa** (Lasch) Gill.

Soil and Duff, LC (Davidson 1930)

**Mycena flavoalba** (Fr.) Quél.

Soil and Duff, UR

**Mycena galericulata** (Scop.:Fr.) S.F. Gray

Soil and Duff, LC (Davidson 1930)

**Mycena griseiconica** Kauffm.*Thuja plicata*, LC (Connors 1967)**Mycena haematopoda** (Pers.:Fr.) P.

Kumm. (=Mycena haematopus)

Gymnosperms, Wood, LC (Davidson 1930)  
Soil and Duff, LC (Davidson 1930)**Mycena haematopus** (Pers.:Fr.) Quél. see  
*Mycena haematopoda***Mycena inclinata** (Fr.) Quél.

Soil and Duff, LC (Davidson 1930)

**Mycena juncicola** (Fr.) Gillet see *Mycena**culmigena***Mycena leptcephala** (Fr.) Gill.

Soil and Duff, LC (Davidson 1930)

**Mycena lohwagii** Singer*Athyrium filix-femina*, LC (Redhead 1984e)**Mycena minutula** (Peck) Sacc.

Soil and Duff, LC (Davidson 1930)

**Mycena occidentalis** Murrill*Pseudotsuga menziesii*, V (DAVFP)**Mycena parabolica** (Fr.) Quél.

Soil and Duff, LC (Davidson 1930)

**Mycena polygramma** Fr. var. *albida*

Kauffm.

Soil and Duff, LC (Davidson 1930)

**Mycena pterigena** (Fr.:Fr.) Kummer*Athyrium filix-femina*, LC (Redhead 1984e)**Mycena pura** (Fr.) P. Kumm.

Soil and Duff, LC (Davidson 1930)

**Mycena rosella** (Fr.) P. Kumm.

Soil and Duff, LC (Davidson 1930)

**Mycena sanguinolenta** (Albertini &

Schwein.:Fr.) Quél.

Soil and Duff, LC (Davidson 1930)

**Mycena stylobates** (Fr.) Kummer

Angiosperms, Grasses, LC (Redhead 1981)

*Juncus* sp., LC (Redhead 1981)*Polystichum munitum*, LC (Redhead 1981)**Mycena tubarioides** (R. Maire) Kühner*Scirpus* sp., LC (Redhead 1984a)*Typha latifolia*, LC (Redhead 1984a)**Mycena sp.***Salix* sp., V (DAVFP)

Soil and Duff, V (DAVFP)

*Tsuga heterophylla*, V (DAVFP)**Mycenastrum corium** (Guers.) Desv.

Soil and Duff, V (DAVFP)

**Mycoacia alboviride** (Morg.) L.W. Miller & Boyle see *Kavinia alboviridis***Mycoacia aurea** (Fr.:Fr.) J. Eriksson & Ryvarden (=Mycoacia stenodon, *Oxydonta* *stenodon*)*Alnus rubra*, V (DAVFP)**Mycoacia fuscoatra** (Fr.:Fr.) Donk*Pseudotsuga menziesii*, V (DAOM 142124)

**Mycoacia himantia** (Schwein.) L.W. Miller & Boyle see *Kavinia himantia*

**Mycoacia stenodon** (Pers.) Donk see *Mycoacia aurea*

**Mycoacia uda** (Fr.:Fr.) Donk (=*Odontia uda*)

*Acer macrophyllum*, V (DAVFP)  
*Alnus rubra*, V (DAOM 139122)  
*Alnus* sp., V (DAVFP)  
*Arbutus menziesii*, V (DAVFP)  
*Cytisus scoparius*, V (DAVFP)  
*Salix* sp., V (DAVFP)

**Mycoglaena subcoerulescens** (Nyl.) von Höhnel

*Abies amabilis*, LC (Barr 1990b)

**Mycogone cervina** Ditmar

*Helvella* sp., V (DAOM)

**Mycogone cinerea** Morg.

Soil and Duff, V (DAVFP)  
 Unidentified wood, V (DAOM)

**Mycogone roseola** Pound & Clem.

*Helvella lacunosa*, UR

**Mycoleptodon dichroum** (Pers.) Pat.

*Alnus rubra*, V (DAVFP)

**Mycopappus aceris** (Dearn. & Barth.)

Redhead & G.P. White see *Mycosphaerella mycopappi* (teleomorph)

**Mycopappus alni** (Dearn. & Barth.)

Redhead & G.P. White (=*Cercoseptoria vermiformis*)

*Alnus rubra*, V (DAVFP)

**Mycorhynchus** sp.

*Alnus rubra*, V (DAVFP)

**Mycosphaerella arbuticola** (Peck) House

*Arbutus menziesii*, LC (Barr 1953)

**Mycosphaerella auerswaldii** (Fleischhack)

Mig. in Thome

*Cornus nuttallii*, LC (Barr 1953)

**Mycosphaerella berberidis** (Auersw.)

Lindau in Engl. & Prantl

*Berberis nervosa*, LC (Shaw 1973)

**Mycosphaerella botrychii** (Rostr.) Savile

*Botrychium multifidum* var. *intermedium*, LC  
 (Conners 1967)

**Mycosphaerella caricicola** (Fuckel) Lindau

*Carex pyrenaica*, LC (Barr 1953)

*Juncus drummondii*, LC (Barr 1953)

**Mycosphaerella chamaenerii** Savile

*Epilobium latifolium*, LC (Ginns 1986a)

**Mycosphaerella chimaphilae** (Ellis & Everh.) Höhn. (=*Mycosphaerella chimaphilina*)

*Chimaphila umbellata*, V (DAVFP)  
*Chimaphila umbellata* var. *occidentalis*, LC  
 (Connors 1967)

**Mycosphaerella chimaphilina** (Peck in Sacc.) House see *Mycosphaerella chimaphilae*

**Mycosphaerella cinerascens** (Fuckel)

Vestergr.

*Prunus emarginata*, LC (Barr 1953)

**Mycosphaerella citrullina** (C.O. Smith)

Gross. see *Didymella bryoniae*

**Mycosphaerella coerulea** (Ell. & Ev.) Tracy & Earle

*Aquilegia* sp., LC (Barr 1953)

**Mycosphaerella confinis** (P. Karst.) Dearn. & House see *Mycosphaerella tassiana*

**Mycosphaerella conigena** (Peck) House

see *Scirrhia conigena*

**Mycosphaerella dolichospora** (Sacc. & Fautrey) Wehmeyer

*Arenaria obtusiloba*, LC (Barr 1953)

**Mycosphaerella eriophila** (Niessl) Lindau

*Artemisia norvegica*, LC (Barr 1953 on *Artemisia longepedunculata*)

*Erigeron* sp., LC (Barr 1953)

**Mycosphaerella fragariae** (Tul.) Lindau in Engl. & Prantl

*Fragaria glauca*, LC (Jones 1957)

*Fragaria virginiana*, LC (Shaw 1973)

*Potentilla palustris*, LC (Barr 1953)

**Mycosphaerella gaultheriae** (Cooke & Ellis) House

*Gaultheria shallon*, LC (Barr 1972)

**Mycosphaerella graminicola** (Fuckel) J. Schröt.

*Distichlis spicata*, LC (Barr 1953)

**Mycosphaerella grossulariae** (Fr.) Lindau in Engl. & Prantl see *Mycosphaerella ribis*

**Mycosphaerella hermione** (Sacc.) Lindau in Ranoj. (=*Mycosphaerella punctiformis* var. *clematidis*)

*Arabis hirsuta*, LC (Barr 1953)

*Arenaria capillaris*, LC (Barr 1953)

*Cirsium vulgare*, LC (Barr 1953 on *Cirsium lanceolatum*)  
*Erigeron* sp., LC (Barr 1953)  
*Heuchera glabra*, LC (Barr 1953)  
*Senecio pauperulus*, LC (Barr 1953)

**Mycosphaerella indistincta** (Peck) Lindau  
in Engl. & Prantl see *Mycosphaerella pteridis*

**Mycosphaerella innumerella** (P. Karst.)  
Starb. see *Mycosphaerella ranunculi*

**Mycosphaerella juniperina** (J.B. Ellis)  
Tomilin  
*Juniperus communis*, V (DAVFP)

**Mycosphaerella killianii** Petr. see  
*Cymadothea trifolii*

**Mycosphaerella lineolata** (Roberge ex Desmaz.) J. Schröt. in Cohn  
*Carex limosa*, LC (Barr 1953)

**Mycosphaerella linicola** Naumov  
(=*Mycosphaerella linorum*; =*Septoria linicola* - anamorph)  
*Linum usitatissimum*, LC (Conners 1967)

**Mycosphaerella linorum** (Wollenweb.)  
Garcia-Rada see *Mycosphaerella linicola*

**Mycosphaerella macrospora** (Kleb.) Jorst.  
(=*Didymellina macrospora*; = *Heterosporium gracile* - anamorph)  
*Iris* sp., LC (Toms, 1964; Ginn 1986a as *Macrospphaerella macrospora*)

**Mycosphaerella melonis** (Pass.) Chiu & J.C. Walker see *Didymella bryoniae*

**Mycosphaerella minor** (P. Karst.) Johans.  
*Epilobium angustifolium*, LC (Barr 1953)

**Mycosphaerella mycopappi** Funk & Dorworth (=*Cercosporaella aceris*, *Mycopappus aceris* - anamorph; =*Stigmina zillieri* - synanamorph)  
*Acer circinatum*, V (DAVFP)  
*Acer macrophyllum*, V (DAVFP) (TYPE)  
*Acer pseudoplatanus* var. *purpureum*, V (DAVFP)

**Mycosphaerella orbicularis** (Peck) House  
see *Venturia macularis*

**Mycosphaerella pachystimae** Dearn.  
*Pachistima myrsinoides*, LC (Barr 1953)

**Mycosphaerella peckii** Lindau in Engl. & Prantl see *Delphinella peckii*

**Mycosphaerella perexigua** (P. Karst.)  
Johans.

*Carex diandra*, LC (Barr 1953)

**Mycosphaerella pini** Rostr. in Munk  
(=*Scirrhia pini*; =*Dothistroma pini* - anamorph)

*Pinus contorta* var. *contorta*, V (DAVFP)  
*Pinus contorta* var. *latifolia*, V (DAVFP) (TYPE of *Scirrhia pini*)  
*Pinus echinata* X *taeda*, V (DAVFP)  
*Pinus jeffreyi*, LC (Shaw 1973)  
*Pinus monticola*, V (DAVFP)  
*Pinus muricata*, V (DAVFP)  
*Pinus murrayana* X *banksiana*, V (DAVFP)  
*Pinus nigra* var. *poiretiana*, V (DAVFP)  
*Pinus pinaster*, V (DAVFP)  
*Pinus ponderosa*, V (DAVFP)  
*Pinus radiata*, V (DAVFP)  
*Pinus thunbergii*, LC (Shaw 1973)

**Mycosphaerella polygonorum** (Crie)  
Dearn. & House  
*Eriogonum heracleoides*, LC (Barr 1953)

**Mycosphaerella populincola** G.E.  
Thompson (=*Septoria populincola* - anamorph)

*Populus balsamifera*, V (DAVFP)  
*Populus tremuloides*, V (DAVFP)  
*Populus trichocarpa*, V (DAVFP)  
*Populus trichocarpa* X *P. deltoides*, V (DAVFP)  
*Populus* sp., V (DAVFP)

**Mycosphaerella populifolia** (Cooke)  
House  
*Populus deltoides*, LC (Barr 1953)  
*Populus trichocarpa*, LC (Barr 1953)

**Mycosphaerella populorum** G.E.  
Thompson (=*Septoria musiva* - anamorph)  
*Populus balsamifera*, V (DAVFP)  
*Populus tremuloides*, V (DAVFP)  
*Populus trichocarpa*, V (DAVFP)  
*Populus trichocarpa* X *P. deltoides*, V (DAVFP)  
*Populus trichocarpa* X *P. maximowiczii*, V (DAVFP)  
*Populus* sp., LC (Shaw 1973)

**Mycosphaerella pteridis** (Desmaz.) J. Schröt. in Cohn (=*Mycosphaerella indistincta*)  
*Pteridium aquilinum*, LC (Barr 1953)

**Mycosphaerella punctiformis** (Pers.) J. Schröt.  
*Acer macrophyllum*, LC (Barr 1953)  
*Alnus rubra*, LC (Sieber, Sieber-Canavesi, and Dorworth 1991)  
*Alnus sinuata*, V (DAVFP)  
*Alnus tenuifolia*, V (DAVFP)

**Mycosphaerella punctiformis** (Fr.) J.

Schröt. var. *clematidis* Jaap see  
*Mycosphaerella hermione*

**Mycosphaerella pusilla** (Auersw.) Johans.  
*Carex flava*, LC (Barr 1953)

**Mycosphaerella ranunculi** (P. Karst.) Lind  
(= *Mycosphaerella innumerella*)  
*Ranunculus eschscholtzii*, LC (Barr 1953)  
*Sibbaldia procumbens*, LC (Barr 1953)

**Mycosphaerella rhododendri** Lindau  
*Rhododendron* sp., LC (Ginns 1986a)

**Mycosphaerella ribis** Feltgen  
(= *Mycosphaerella grossulariae*; = *Septoria ribis* - anamorph)  
*Ribes grossularia*, LC (Shaw 1973)  
*Ribes sativum*, LC (Connors 1967)  
*Ribes sativum* var. *albescens*, LC (Toms 1964)  
*Ribes* sp., LC (Barr 1953)

**Mycosphaerella rosicola** B.H. Davis ex Deighton (= *Cercospora rosicola* - anamorph)  
*Rosa centifolia* var. *muscosa*, LC (Connors 1967)

**Mycosphaerella rubi** Roark (= *Septoria rubi* - anamorph)  
*Rubus allegheniensis*, LC (Connors 1967)  
*Rubus idaeus*, V (DAVFP)  
*Rubus idaeus* var. *strigosus*, LC (Connors 1967)  
*Rubus laciniatus*, LC (Shaw 1973)  
*Rubus leucodermis*, LC (Shaw 1973)  
*Rubus loganobaccus*, LC (Ginns 1986a on *Rubus ursinus* var. *loganobaccus*)  
*Rubus occidentalis*, LC (Connors 1967)  
*Rubus parviflorus*, V (DAVFP)  
*Rubus spectabilis*, V (DAVFP)  
*Rubus ursinus*, V (DAVFP)

**Mycosphaerella sagedioides** (Wint.)

Lindau in Engl. & Prantl  
*Cicuta douglasii*, LC (Barr 1953)

**Mycosphaerella stromatoidea** Dearn. see  
*Venturia rumicis*

**Mycosphaerella taraxaci** (P. Karst.) Lind  
*Phyllococe* sp., LC (Barr 1972)

**Mycosphaerella tassiana** (De Not.)

Johans. (= *Mycosphaerella confinis*)

*Achillea millefolium*, LC (Shaw 1973)  
*Agoseris aurantiaca*, LC (Connors 1967)  
*Agoseris gracilens*, LC (Barr 1953)  
*Agropyron* sp., LC (Barr 1953)  
*Agrostis* sp., LC (Barr 1953)  
*Allium* sp., LC (Barr 1953)  
*Anaphalis margaritacea*, LC (Barr 1953)  
*Andropogon scoparius*, LC (Barr 1953)  
*Anemone* sp., LC (Barr 1953)  
*Antennaria* sp., LC (Barr 1953)

*Aquilegia* sp., LC (Barr 1953)  
*Arabis* sp., LC (Barr 1953)  
*Arctagrostis latifolia*, LC (Barr 1953)  
*Arenaria formosa*, LC (Shaw 1973)  
*Arenaria rubella*, LC (Shaw 1973)  
*Arnica latifolia*, LC (Barr 1953)  
*Artemisia vulgaris*, LC (Barr 1953)  
*Aster conspicuus*, LC (Barr 1953)  
*Astragalus miser*, LC (Shaw 1973)  
*Balsamorhiza* sp., LC (Barr 1953)  
*Brassica* sp., LC (Barr 1953)  
*Bromus porteri*, LC (Barr 1953)  
*Calamagrostis* sp., LC (Barr 1953)  
*Campanula* sp., LC (Barr 1953)  
*Carex* sp., LC (Barr 1953)  
*Castilleja* sp., LC (Barr 1953)  
*Centaurea jacea*, LC (Barr 1953)  
*Cheiranthus* sp., LC (Barr 1953)  
*Chrysanthemum* sp., LC (Barr 1953)  
*Cichorium intybus*, LC (Barr 1953)  
*Cirsium* sp., LC (Barr 1953)  
*Crepis atrabarpa*, LC (Barr 1953)  
*Cucurbita maxima*, LC (Barr 1953)  
*Danthonia californica*, LC (Barr 1953)  
*Delphinium* sp., LC (Barr 1953)  
*Deschampsia* sp., LC (Barr 1953)  
*Draba alpina*, LC (Barr 1953)  
*Draba* sp., LC (Barr 1953)  
*Elymus innovatus*, LC (Barr 1953)  
*Erigeron aureus*, LC (Shaw 1973)  
*Erigeron* sp., LC (Barr 1953)  
*Festuca* sp., LC (Barr 1953)  
*Gaillardia aristata*, LC (Barr 1953)  
*Geranium erianthum*, LC (Barr 1953)  
*Hieracium* sp., LC (Barr 1953)  
*Hierochloe* sp., LC (Barr 1953)  
*Hydrangea* sp., LC (Barr 1953)  
*Juncus drummondii*, LC (Barr 1953)  
*Koeleria cristata*, LC (Barr 1953)  
*Linum perenne* subsp. *lewisii*, LC (Barr 1953 on *Linum lewisii*)  
*Lomatium nudicaule*, LC (Barr 1953)  
*Lupinus* sp., LC (Barr 1953)  
*Luzula* sp., LC (Barr 1953)  
*Monarda fistulosa* var. *mollis*, LC (Barr 1953 on *Monarda mollis*)  
*Oenothera biennis*, LC (Barr 1953)  
*Oryzopsis* sp., LC (Barr 1953)  
*Panicum occidentale*, LC (Barr 1953)  
*Pedicularis* sp., LC (Barr 1953)  
*Penstemon ovatus*, LC (Barr 1953)  
*Phacelia leucophylla*, LC (Barr 1953)  
*Phleum alpinum*, LC (Barr 1953)  
*Phlox* sp., LC (Barr 1953)  
*Poa* sp., LC (Barr 1953)  
*Polemonium* sp., LC (Barr 1953)  
*Populus tremuloides*, V (DAVFP)  
*Populus trichocarpa*, V (DAVFP)  
*Populus trichocarpa* X *P. deltoides*, V (DAVFP)  
*Populus* sp., V (DAVFP)  
*Potentilla* sp., LC (Barr 1953)  
*Puccinellia nuttalliana*, LC (Barr 1953)  
*Rumex acetosella*, LC (Barr 1953)  
*Sanicula crassicaulis*, LC (Barr 1953)  
*Schizachne purpurascens*, LC (Barr 1953)  
*Sedum stenopetalum*, LC (Barr 1953)  
*Senecio integrerrimus*, LC (Barr 1953)  
*Silene douglasii*, LC (Barr 1953)  
*Sisyrinchium angustifolium*, LC (Barr 1953)  
*Sitanion hystrix*, LC (Barr 1953)

*Solidago multiradiata*, LC (Barr 1953)  
*Sphenopholis obtusata*, LC (Barr 1953)  
*Spiraea betulifolia* var. *lucida*, LC (Barr 1953 on  
*Spiraea lucida*)  
*Stellaria longipes*, LC (Barr 1953)  
*Stenanthium occidentale*, LC (Barr 1953)  
*Stipa* sp., LC (Barr 1953)  
*Symporicarpos albus*, LC (Barr 1953)  
*Tanacetum vulgare*, LC (Barr 1953)  
*Tofieldia glutinosa*, LC (Barr 1953)  
*Trisetum spicatum*, LC (Barr 1953)  
*Zea mays*, LC (Barr 1953)  
*Zygadenus elegans*, LC (Barr 1953)

***Mycosphaerella typhae*** (Lasch) Lindau in  
Engl. & Prantl  
*Typha latifolia*, LC (Barr 1953)

***Mycosphaerella wichuriana*** (J. Schröt.)  
Johans.

*Carex* sp., LC (Barr 1953)  
*Festuca idahoensis*, LC (Barr 1953)  
*Luzula wahlenbergii*, LC (Barr 1953)  
*Oryzopsis pungens*, LC (Barr 1953)  
*Poa* sp., LC (Barr 1953)

***Mycosphaerella* sp.**

*Alnus* sp., V (DAVFP)  
*Berberis nervosa*, V (DAVFP)  
*Chamaecyparis nootkatensis*, V (DAVFP)  
*Cornus* sp., V (DAVFP)  
*Populus trichocarpa*, V (DAVFP)  
*Populus* sp., V (DAVFP)

***Mycovellosiella* sp.**

*Cornus stolonifera*, V (DAVFP)

***Myriosclerotinia borealis*** (Bubák &  
Vleugel) L.M. Kohn (= *Sclerotinia borealis*)

*Agropyron dasystachyum*, LC (Connors 1967)  
*Agropyron desertorum*, LC (Ginns 1986a)  
*Agropyron intermedium*, LC (Connors 1967)  
*Agropyron semicostatum*, LC (Connors 1967)  
*Agropyron sibiricum*, LC (Connors 1967)  
*Agrostis canina*, LC (Ginns 1986a)  
*Alopecurus pratensis*, LC (Ginns 1986a)  
*Arrhenatherum elatius*, LC (Toms 1964)  
*Bromus erectus*, LC (Ginns 1986a)  
*Bromus inermis*, LC (Ginns 1986a)  
*Dactylis glomerata*, LC (Ginns 1986a)  
*Elymus canadensis*, LC (Ginns 1986a)  
*Elymus sibiricus*, LC (Ginns 1986a)  
*Festuca elatior*, LC (Ginns 1986a on *Festuca*  
*pratensis*)  
*Festuca gigantea*, LC (Connors 1967)  
*Festuca rubra*, LC (Connors 1967)  
*Phleum pratense*, LC (Ginns 1986a)  
*Poa ampla*, LC (Ginns 1986a)  
*Poa compressa*, LC (Ginns 1986a)  
*Triticum aestivum*, LC (Connors 1967)

***Myrothecium roridum*** Tode:Fr  
*Viola tricolor* var. *hortensis*, LC (Connors 1967)

***Mytilinidion acicola*** G. Wint.  
*Juniperus communis*, V (DAVFP)

***Mytilinidion gemmigenum*** Fuckel

*Juniperus communis*, LC (Shaw 1973)  
*Larix occidentalis*, V (DAVFP)  
*Pinus contorta* var. *latifolia*, V (DAVFP)

***Mytilinidion tortile*** (Schwein.) Ellis &  
Everh.

*Tsuga heterophylla*, LC (Ginns 1986a)

***Mytilinidion* sp.**

*Cupressus macrocarpa*, V (DAVFP)  
*Pinus albicaulis*, V (DAVFP)

***Myxosporium abietinum*** Rostr.

*Tsuga heterophylla*, V (DAVFP)

***Myxosporium corticola*** Edgerton see  
*Cryptosporiopsis corticola*



**Naemacyclus niveus** (Pers.:Fr.) Sacc. see *Cyclaneusma niveum*

**Naematoloma capnoides** (Fr.:Fr.) P. Karst. see *Hypoloma capnoides*

**Naematoloma dispersum** (Fr.) P. Karst. *Betula papyrifera*, V (DAVFP)

**Naematoloma epixanthum** (Fr.) P. Karst. (=*Hypoloma epixanthum*) Soil and Duff, LC (Davidson 1930)

**Naematoloma fasciculare** (Huds.:Fr.) P. Karst. see *Hypoloma fasciculare*

**Naematoloma sublateritium** (Fr.) P. Karst. see *Hypoloma sublateritium*

**Naematoloma sp.** *Abies amabilis*, V (DAVFP)

**Naemospora sp.** *Pseudotsuga menziesii*, V (DAVFP)

**Naevia piniperda** Rehm see *Sarcotrichila piniperda*

**Naiadella fluitans** Marvanová & Bandoni *Scirpus microcarpus*, LC (Marvanová and Bandoni 1987)

**Naucoria geminella** (Peck) Sacc. *Abies lasiocarpa*, LC (Connors 1967)

**Naucoria lignicola** (Peck) Sacc. *Tsuga heterophylla*, V (DAVFP)

**Naucoria semiorbicularis** (Fr.) Quél. Soil and Duff, LC (Davidson 1930)

**Naucoria vernalis** (Peck) Sacc. see *Kuehneromyces vernalis*

**Nectria cinnabarina** (Tode:Fr.) Fr. *Acer circinatum*, V (DAVFP)  
*Acer macrophyllum*, V (DAVFP)  
*Acer* sp., UR  
*Aesculus hippocastanum*, V (DAVFP)  
*Albizia julibrissin*, V (DAVFP)  
*Alnus rubra*, LC (Barr 1953 as *Creonectria purpurea* on *Alnus oregona*)  
*Amelanchier alnifolia*, LC (Shaw 1973)  
*Choenomeles lagenaria*, LC (Barr 1953 as *Creonectria purpurea*)  
*Choisya ternata*, LC (Barr 1953 as *Creonectria purpurea*; Toms 1964)  
*Cornus nuttallii*, V (DAVFP)  
*Cornus* sp., V (DAVFP)  
*Corylus* sp., LC (Shaw 1973)  
*Cotoneaster frigida*, LC (Jones 1957)  
*Ficus* sp., LC (Barr 1953 as *Creonectria purpurea*)  
*Gleditsia triacanthos*, V (DAVFP)

*Malus domestica*, LC (Barr 1953 as *Creonectria purpurea* on *Pyrus malus*)  
*Malus pumila*, V (DAVFP)  
*Malus sylvestris*, LC (Shaw 1973)  
*Oemleria cerasiformis*, V (DAVFP)  
*Prunus laurocerasus*, V (DAVFP)  
*Prunus virginiana*, V (DAVFP) - anamorph only.  
*Rhamnus purshiana*, V (DAVFP)  
*Rubus* sp., LC (Barr 1953 as *Creonectria purpurea*)  
*Salix* sp., LC (Shaw 1973)  
*Sorbus* sp., V (DAVFP)  
*Spiraea douglasii*, LC (Barr 1953 as *Creonectria purpurea* on *Spiraea menziesii*)  
*Tsuga heterophylla*, V (DAVFP)  
*Ulmus parvifolia*, LC (Jones 1957)  
*Ulmus pumila*, V (DAVFP)

**Nectria coccinea** (Pers.:Fr.) Fr.

*Acer circinatum*, V (DAVFP)  
*Acer macrophyllum*, V (DAVFP)  
*Pyrus communis*, LC (Shaw 1973)  
*Salix* sp., V (DAVFP)

**Nectria discophora** (Mont.) Mont.

(= *Nectria mammoidea*)  
*Acer* sp., LC (Connors 1967)

**Nectria ditissima** Tul. & C. Tul.

(= *Cylindrocarpon willkommii* - anamorph)  
*Alnus rubra*, V (ATCC 74260)

**Nectria episphaeria** (Tode:Fr.) Fr.

*Alnus rubra*, V (DAVFP)  
*Cytospora* sp. on *Alnus rubra*, V (DAVFP)  
*Diaporthe columbiensis*, LC (Barr 1953)  
*Diaporthe eres* on *Populus* sp., V (DAVFP)  
*Diatrypaceae* on *Populus trichocarpa*, V (DAVFP)  
*Diatrys macounii*, LC (Barr 1953)  
*Eutypella stellulata*, LC (Barr 1953)  
*Hypoxyylon* sp. on *Corylus* sp., V (DAVFP)  
*Malus* sp., V (DAVFP)  
*Melanconis thelebola*, LC (Barr 1953)  
*Micropera* sp. on *Pseudotsuga menziesii*, UR  
*Valsa sordida* on *Populus* sp., V (DAVFP)  
*Xenomeris abietis* on *Pseudotsuga menziesii*, V (DAVFP)

**Nectria fuckeliana** C. Booth

*Abies amabilis*, V (DAVFP)  
*Abies grandis*, LC (Ginns 1986a)  
*Picea engelmannii*, UR  
*Picea glauca*, V (DAVFP)  
*Pinus contorta* var. *latifolia*, V (DAVFP)  
*Pseudotsuga menziesii*, V (DAVFP)

**Nectria fuckeliana** C. Booth var.

**macrospora** (Wr.) C. Booth see *Nectria neomacrospora*

**Nectria galligena** Bres. in Strass.

*Malus pumila*, LC (Jones 1957)  
*Malus sylvestris*, LC (Shaw 1973)  
*Pyrus communis*, LC (Punja and Ormrod 1979)

**Nectria inventa** Pethybr.

*Populus trichocarpa*, V (DAVFP)

**Nectria macrospora** (Wr.) Ouellette see  
*Nectria neomacrospora*

**Nectria mammoidea** W. Phillips & Plowr.  
see *Nectria discophora*

**Nectria neomacrospora** Booth & Samuels  
(=*Nectria fuckeliana* var. *macrospora*,  
*Nectria macrospora*)

*Abies amabilis*, V (DAVFP)  
*Abies concolor*, V (DAVFP)  
*Pinus monticola*, V (DAVFP)  
*Pinus radiata*, V (DAVFP)  
*Thuja plicata*, V (DAVFP)  
*Tsuga heterophylla*, V (DAVFP)

**Nectria pitthoides** Ellis & Everh.  
*Alnus rubra*, V (DAVFP)  
*Alnus tenuifolia*, UR

**Nectria sanguinea** Bolten:Fr.  
*Betula* sp., LC (Conners 1967)

**Nectria** sp.

*Acer glabrum* var. *douglasii*, V (DAVFP)  
*Alnus rubra*, LC (Sieber, Sieber-Canavesi, and  
Dorworth 1991)  
*Cornus nuttallii*, V (DAVFP)  
*Larix occidentalis*, V (DAVFP)  
*Picea engelmannii*, V (DAVFP)  
*Pinus contorta* var. *latifolia*, V (DAVFP)  
*Pseudotsuga menziesii*, V (DAVFP)  
*Quercus coccinea*, V (DAVFP)  
*Salix sitchensis*, V (DAVFP)  
*Taxus brevifolia*, V (DAVFP)

**Nectriella pedicularis** (Tracy & Earle)  
Seaver see *Hyponectria sceptri*

**Nemania serpens** (Pers.:Fr.) S.F. Gray  
(=Hypoxyylon serpens)  
*Alnus rubra*, LC (Sieber, Sieber-Canavesi, and  
Dorworth 1991)  
*Arbutus menziesii*, V (DAVFP)  
*Populus tremuloides*, V (DAVFP)

**Nemania serpens** (Pers.:Fr.) S.F. Gray var.  
**macrospora** (J.H. Miller) Pouzar  
(=Hypoxyylon serpens var. *macrosporum*)  
*Quercus garryana*, V (DAVFP)  
Unidentified wood, LC (Barr 1953)

**Neofabraea malicorticis** H. Jacks. see  
*Pezicula malicorticis*

**Neofabraea perennans** Kienholz see  
*Pezicula malicorticis*

**Neofabraea populi** G.E. Thompson  
*Populus alba*, V (DAVFP)  
*Populus X canadensis* 'I-488', V (DAVFP)  
*Populus X canadensis* 'Regenerata', V (DAVFP)

*Populus X canadensis* 'Regenerata Grandis', V  
(DAVFP)  
*Populus X canadensis* 'Robusta Bachelieri', V  
(DAVFP)  
*Populus X canadensis* 'Robusta Issendorf', V  
(DAVFP)  
*Populus X jackii*, V (DAVFP)  
*Populus tremula X P. tremuloides*, V (DAVFP)  
*Populus tremuloides*, V (DAVFP)  
*Populus trichocarpa*, V (DAVFP)  
*Populus* sp., V (DAVFP)

**Neofabraea** sp.

**Neofuckelia pinicola** Zeller & Goodd. see  
*Atropellis pinicola*

**Neohypodiscus cerebrinus** (Fée) J.D.  
Rogers, Y.-M. Ju et Laessøe (=*Hypoxyylon aspera*, *Hypoxyylon cerebrinum*)  
*Lonicera* sp., V (DAVFP)  
*Tsuga heterophylla*, LC (Barr 1953)  
Unidentified wood, V (DAVFP)

**Neogyromitra caroliniana** (Bosc:Fr.) Imai  
Soil and Duff, UR

**Neokeissleria ribis** (Henn. & Plöttner) Petr.  
*Ribes bracteosum*, LC (Shaw 1973)

**Neolecta vitellina** (Bres.) Korf & D.P.

Rogers  
Soil and Duff, LC (Redhead 1977 on needle beds  
and moss carpets)

**Neolentinus kauffmanii** (A.H. Smith)  
Redhead & Ginns (=*Lentinus kauffmanii*)  
*Picea sitchensis*, V (DAVFP)

**Neolentinus lepideus** (Fr.:Fr.) Redhead &  
Ginns (=*Lentinus lepideus*)  
*Larix occidentalis*, V (DAVFP)  
*Pinus monticola*, V (DAVFP)  
*Thuja plicata*, V (DAVFP)

**Neopeckia coulteri** (Peck) Sacc. in Peck  
(=Hypotrichia coulteri)  
*Picea engelmannii*, V (DAVFP)  
*Pinus albicaulis*, V (DAVFP)  
*Pinus contorta* var. *contorta*, V (DAVFP)  
*Pinus contorta* var. *latifolia*, V (DAVFP)  
*Pinus flexilis*, V (DAVFP)  
*Pinus* sp., LC (Barr 1984)

**Neottiospora yuccifolia** J.G. Hall see  
*Alpakesa yuccifolia*

**Neournula pouchetii** (Berthet & Riousset)  
Paden  
*Pinus monticola*, LC (Shaw 1973)

**Nidula candida** (Peck) V.S. White  
*Rubus spectabilis*, V (DAVFP)  
*Tsuga heterophylla*, V (DAVFP)

**Nidula microcarpa** Peck in V.S. White  
*Pseudotsuga menziesii*, V (DAVFP)

**Nidula niveotomentosa** (P. Henn.) Lloyd  
*Salix* sp., V (DAVFP)  
*Thuja plicata*, V (DAVFP)

**Nidularia** sp.  
 Angiosperms, Wood, V (DAVFP)  
*Chamaecyparis nootkatensis*, V (DAVFP)  
*Tsuga heterophylla*, V (DAVFP)

**Niesslia coloradensis** (Cash & R.W. Davidson) W. Gams (=Acanthonitschkea coloradensis)  
*Abies lasiocarpa*, LC (Barr 1953)

**Nigrospora oryzae** (Berk. & Broome) Petch  
*Vicia faba*, LC (Conners 1967)

**Nipterella parksii** (Cash) Dennis  
 (=Belonidium parksii)  
*Alnus rubra*, V (DAVFP)  
*Prunus domestica*, V (DAVFP)  
*Vaccinium* sp., V (DAVFP)

**Nipterella tsugae** Funk  
*Tsuga heterophylla*, V (DAVFP) (TYPE)

**Nitschkia molnarii** Funk  
*Abies amabilis*, V (DAVFP)  
*Pinus albicaulis*, V (DAVFP)  
*Pseudotsuga menziesii*, V (DAVFP) (TYPE)  
*Tsuga heterophylla*, V (DAVFP)

**Nodulisporium** sp.  
*Alnus rubra*, LC (Sieber, Sieber-Canavesi, and Dorworth 1991)

**Nodulosphaeria aquilana** (D. Sacc. in Sacc. & D. Sacc.) L. Holm  
*Castilleja miniata*, LC (Shoemaker 1984b)

**Nodulosphaeria aucta** (Niessl) Holm  
*Aquilegia formosa*, LC (Ginns 1986a)

**Nodulosphaeria dolioloides** (Auersw. in Rabenhorst) Rabenhorst  
*Achillea millefolium*, LC (Shoemaker 1984b)

**Nodulosphaeria edgari** Shoemaker & Babcock  
 Angiosperms, Herbaceous, other, LC (Shoemaker and Babcock 1990)  
*Valeriana sitchensis*, LC (Shoemaker and Babcock 1990)

**Nodulosphaeria olivacea** (Ellis) L. Holm  
*Valeriana sitchensis*, LC (Shoemaker 1984b)

**Nodulosphaeria revelstokensis**  
 Shoemaker  
*Castilleja miniata*, LC (Shoemaker 1984b)

**Nolanea** sp.  
 Soil and Duff, V (DAVFP)

**Nothophaeidium abietinellum** (Dearn.) J. Reid & Cain see *Nothophaeidium phyllophilum*

**Nothophaeidium phyllophilum** (Peck)  
 Smerlis  
*Abies lasiocarpa*, V (DAVFP)

**Nyssopsora clavellosa** (Berk.) Arth.  
*Aralia nudicaulis*, V (DAVFP)



**Odontia arguta** (Fr.:Fr.) Quél. see  
*Grandinia arguta*

**Odontia aspera** (Fr.) Bourd. & Galzin see  
*Hypodontia aspera*

**Odontia barba-jovis** (Fr.:Fr.) Fr. see  
*Grandinia barba-jovis*

**Odontia bicolor** (Albertini & Schwein.:Fr.)  
Quél. see *Resinicium bicolor*

**Odontia ciliolata** (Berk. & M.A. Curtis) L.W.  
Miller see *Steccherinum ciliolatum*

**Odontia corrugata** (Fr.) Bourd. & Galzin  
see *Hyphodermella corrugata*

**Odontia cristulata** (Fr.:Fr.) Fr. see  
*Hyphoderma cristulatum*

**Odontia crustosa** (Pers.:Fr.) Quél. see  
*Grandinia crustosa*

**Odontia fimbriata** (Pers.:Fr.) Fr. see  
*Steccherinum fimbriatum*

**Odontia hydnoides** (Cooke & Massee) see  
*Phanerochaete rimosae*

**Odontia lactea** P. Karst.

*Abies amabilis*, V (DAVFP)  
*Abies lasiocarpa*, V (DAVFP)  
*Picea glauca*, V (DAVFP)  
*Pseudotsuga menziesii*, V (DAVFP)  
*Thuja plicata*, V (DAVFP)  
*Tsuga heterophylla*, V (DAVFP)

**Odontia livida** Bres. see *Hyphodermella corrugata*

**Odontia romellii** S. Lundell in J. Eriksson  
see *Odonticium romellii*

**Odontia setigera** (Fr.:Fr.) L.W. Miller see  
*Hyphoderma setigerum*

**Odontia spathulata** (Schrad.:Fr.) Litsch.  
see *Grandinia spathulata*

**Odontia subabrupta** Bourd. & Galzin see  
*Cystostereum subabruptum*

**Odontia sudans** (Albertini & Schwein.:Fr.)  
Bres. see *Dacryobolus sudans*

**Odontia uda** (Fr.:Fr.) Bres. see *Mycoacia uda*

**Odontia sp.**

*Cornus nuttallii*, V (DAVFP)

*Holodiscus discolor*, V (DAVFP)  
*Picea sitchensis*, V (DAVFP)  
*Pinus monticola*, V (DAVFP)  
*Prunus emarginata*, V (DAVFP)

**Odonticium romellii** (S. Lundell) Parmasto  
(= *Odontia romellii*)

*Pinus monticola*, LC (Shaw 1973)  
*Pseudotsuga menziesii*, V (DAOM 139078,  
139088)  
*Thuja plicata*, LC (Shaw 1973)

**Oedocephalum sp.**

*Alnus rubra*, LC (Sieber, Sieber-Canavesi, and  
Dorworth 1991)

**Oidium curtisii** (Berk.) Linder see  
*Botryobasidium vagum* (teleomorph)

**Oidium sp.**

*Acer circinatum*, LC (Toms 1964)  
*Acer macrophyllum*, UR  
*Acer rubrum*, V (DAVFP)  
*Balsamorhiza* sp., V (DAVFP)  
*Callistephus chinensis*, LC (Toms 1964)  
*Cucurbita maxima*, LC (Toms 1964)  
*Cucurbita pepo*, LC (Ginns 1986a)  
*Delphinium cultorum*, LC (Toms 1964)  
*Helianthus tuberosus*, LC (Toms 1964)  
*Hydrangea* sp., LC (Jones 1957)  
*Lathyrus nevadensis*, UR  
*Lycium chinense*, LC (Toms 1964)  
*Lycium halimifolium*, LC (Toms 1964)  
*Photinia serrulata*, LC (Toms 1964)  
*Prunus armeniaca*, LC (Toms 1964)  
*Pyrus communis*, LC (Jones 1957)  
*Quercus robur*, LC (Toms 1964)  
*Rubus parviflorus*, LC (Toms 1964)  
*Senecio cruentus*, LC (Toms 1964)  
*Solanum nigrum*, LC (Toms 1964)  
*Solanum sarachoides*, LC (Toms 1964)  
*Spiraea douglasii*, UR  
*Trifolium hybridum*, LC (Toms 1964)  
*Trifolium pratense*, LC (Toms 1964)  
*Verbena hybrida*, LC (Connors 1967)  
*Viburnum tinus*, LC (Toms 1964)  
*Vicia faba*, LC (Toms 1964)  
*Viola tricolor*, LC (Jones 1957)

**Oligoporus caesius** (Schrad.:Fr.) R.L.  
Gilbertson & Ryvarden see *Postia caesia*

**Oliveonia subviolacea** (Peck) M. Larsen  
(= *Ceratobasidium atratum*)  
Gymnosperms, Wood, V (DAOM 141410)

**Olipidium brassicae** (Woronin) P.A. Dang.  
Unknown/Not Specified, LC (Barr 1980)

**Olipidium longicollum** Uebelmesser sensu  
Sparrow  
Soil and Duff, LC (Booth 1969)

**Olipidium pendulum** Zopf  
Pollen in soil, LC (Booth 1969)

**Omphalia albidula** Peck  
Unidentified wood, UR

**Omphalia campanella** (Batsch:Fr.) P.  
Kumm. see *Xeromphalina campanella*

**Omphalia umbellifera** (L.:Fr.) Kühner see  
*Omphalina ericetorum*

**Omphalia** sp.  
Soil and Duff, V (DAVFP)

**Omphalina ericetorum** (Fr.) M. Lange  
(=Omphalia umbellifera)  
Soil and Duff, V (DAVFP)  
*Thuja plicata*, V (DAVFP)

**Omphalina luteicolor** Murrill  
*Pseudotsuga menziesii*, V (DAVFP)

**Onygena equina** (Willd.) Pers.  
Hoof or horn, V (DAVFP)

**Oospora lactis** (Fresen.) Sacc. see  
*Geotrichum candidum*

**Oospora pustulans** M.N. Owen & Wakef.  
see *Polyscytalum pustulans*

**Ophiobolus acuminatus** (Sowerby:Fr.)  
Duby  
*Cirsium vulgare*, LC (Barr 1953 on *Cirsium*  
*lanceolatum*)

**Ophiobolus cariceti** (Berk. & Broome)  
Sacc. see *Gaeumannomyces graminis*

**Ophiobolus graminis** Sacc. see  
*Gaeumannomyces graminis*

**Ophiobolus mathieui** (West.) Sacc.  
*Anaphalis margaritacea*, LC (Ginns 1986a)  
*Apocynum androsaemifolium*, LC (Ginns 1986a)  
*Chrysanthemum leucanthemum*, LC (Ginns  
1986a)  
*Opopanax horridus*, LC (Ginns 1986a)

**Ophiobolus minor** Bubák  
*Lonicera involucrata*, LC (Barr 1953)

**Ophiobolus porphyrogonus** (Tode) Sacc.  
see *Leptospora rubella*

**Ophiobolus prunellae** (Ellis & Everh.)  
Shoemaker (=*Leptosphaeria hesperia*,  
*Linospora prunellae*, *Ophiobolus rostrupii*)  
*Prunella vulgaris*, V (DAVFP)

**Ophiobolus rostrupii** Ferd. & Winge see  
*Ophiobolus prunellae*

**Ophiobolus rudis** (Reiss) Rehm  
*Phacelia hastata* var. *leptocephala*, LC (Barr 1953  
on *Phacelia leptosepala*)

**Ophiostoma aureum** (Robinson-Jeffrey &  
R.W. Davidson) T.C. Harrington  
(=*Europium aureum*)  
*Pinus contorta* var. *latifolia*, LC (Robinson-Jeffrey  
and Davidson 1968)

**Ophiostoma clavigerum** (Robinson-Jeffrey  
& R.W. Davidson) T.C. Harrington  
(=*Europium clavigerum*)  
*Pinus contorta* var. *latifolia*, LC (Ginns 1986a;  
Strongman 1987 as *Ceratocystis clavigera*)  
*Pinus ponderosa*, LC (Robinson-Jeffrey and  
Davidson 1968) (TYPE)

**Ophiostoma europioides** (E. Wright & R.  
Cain) H. Solheim  
*Picea engelmannii*, V (DAVFP)  
*Pseudotsuga menziesii*, V (DAVFP)

**Ophiostoma huntii** (Robinson-Jeffrey) De  
Hoog & R.J. Scheffer (=*Ceratocystis huntii*)  
*Pinus contorta*, LC (Griffin 1968)  
*Pinus contorta* var. *latifolia*, LC (Robinson-Jeffrey  
and Grinchenko 1964) (TYPE of *Ceratocystis*  
*huntii*)

**Ophiostoma ips** (Rumbold) Nannf.  
(=*Ceratocystis montia*)  
*Pinus contorta*, LC (Shaw 1973)  
*Pinus contorta* var. *latifolia*, LC (Strongman 1987)

**Ophiostoma piliferum** (Fr.:Fr.) Syd. & P.  
Syd. (=*Ceratocystis pilifera*)  
*Pinus monticola*, LC (Shaw 1958)  
*Pinus ponderosa*, LC (Shaw 1958)  
*Populus tremuloides*, LC (Hutchison et al. 1992)  
*Populus trichocarpa*, LC (Griffin 1968; Ginns  
1986a)

**Ophiostoma pseudotsugae** (Rumbold) Arx  
*Pseudotsuga menziesii*, V (DAVFP)

**Ophiostoma wageneri** (D.J. Goheen &  
F.W. Cobb) T.C. Harrington  
*Pinus contorta* var. *latifolia*, LC (Hunt and  
Morrison 1986 as *Ceratocystis wageneri* pine  
pathotype)

**Ophiovalsa suffusa** (Fr.:Fr.) Petr. see  
*Winterella suffusa*

**Ophiovalsa** sp.  
*Alnus sinuata*, V (DAVFP)

**Orbimyces spectabilis** Linder  
Unidentified wood, LC (Hughes 1969)

**Osmoporus odoratus** (Wulfen:Fr.) Singer  
see *Gloeophyllum odoratum*

**Ossicaulis lignatilis** (Pers.:Fr.) Redhead and Ginns (=Pleurotus lignatilis)

Angiosperms, Wood, V (DAVFP)  
*Populus trichocarpa*, LC (Redhead and Ginns 1985)  
*Tsuga heterophylla*, V (DAVFP)

**Osteina obducta** (Berk.) Donk (=Polyporus osseus)

*Abies lasiocarpa*, UR  
*Betula occidentalis*, LC (Conners 1967)  
*Betula papyrifera*, LC (Shaw 1973)  
*Picea sitchensis*, V (DAVFP)  
*Pseudotsuga menziesii*, V (DAVFP)  
Soil and Duff, V (DAVFP)

**Ostreola formosa** (Cooke) Barr  
*Abies amabilis*, LC (Barr 1990a)

**Ostreola sessilis** Darker  
*Abies lasiocarpa*, V (DAVFP)

**Otidea kauffmanii** Kanouse  
Soil and Duff, UR

**Otidea leporina** (Fr.) Fuckel  
Soil and Duff, V (DAVFP)

**Otidea onotica** (Fr.) Fuckel  
Soil and Duff, V (DAVFP)

**Otidea smithii** Kanouse  
Soil and Duff, UR

**Otthia amica** Sacc., E. Bommer & M. Rousseau  
*Malus sylvestris*, LC (Shaw 1973)

**Otthia** sp.  
*Juniperus scopulorum*, V (DAVFP)

**Ovularia lolii** Volkart  
*Lolium multiflorum*, LC (Jones 1957)  
*Lolium perenne*, LC (Jones 1957)

**Ovularia lupinicola** F. Pollack in J.A. Stevenson  
*Lupinus arcticus*, LC (Ginns 1986a)  
*Lupinus latifolius*, LC (Shaw 1973)

**Ovularia pusilla** (Unger) Sacc. see  
*Ramularia pusilla*

**Ovularia sphaeroidea** Sacc. (=Ovularia schwarziana)

*Vicia sativa*, LC (Shaw 1973)  
*Vicia villosa*, LC (Conners 1967)

**Ovularia schwarziana** Magnus see  
*Ovularia sphaeroidea*

**Ovularia** sp.  
*Vicia sativa* var. *angustifolia*, LC (Ginns 1986a)

**Oxydonta alboviride** (Morg.) L.W. Miller  
see *Kavinia alboviridis*

**Oxydonta himantia** (Schwein.) L.W. Miller  
see *Kavinia himantia*

**Oxydonta stenodon** (Pers.) L.W. Miller  
see *Mycoacia aurea*

**Oxydonta** sp.  
*Abies lasiocarpa*, V (DAVFP)

**Oxyporus corticola** (Fr.:Fr.) Ryvarden  
(=Poria corticola)

*Abies lasiocarpa*, V (DAVFP)  
*Populus tremuloides*, V (DAVFP)  
*Populus trichocarpa*, V (DAVFP)  
*Thuja plicata*, V (DAVFP)

**Oxyporus cuneatus** (Murrill) Aoshima  
(=Polyporus cuneatus)

*Abies grandis*, LC (Conners 1967)  
*Thuja plicata*, V (DAVFP)

**Oxyporus latemarginatus** (Durieu & Mont.)  
Donk (=Poria ambigua, Poria latemarginata)

Angiosperms, Wood, LC (Lowe and Gilbertson 1961)

**Oxyporus populinus** (Schumach.:Fr.) Donk  
(=Fomes connatus)

*Acer* sp., LC (Ginns 1986a)  
*Salix* sp., LC (Conners 1967)

**Oxyporus similis** (Bres.) Ryvarden (=Poria similis)

*Picea sitchensis*, LC (Ginns 1986a)  
*Populus trichocarpa*, V (DAVFP)  
*Pseudotsuga menziesii*, LC (Shaw 1973)  
*Tsuga heterophylla*, LC (Shaw 1973)



**Paecilomyces carneus** (Duche & R. Heim)  
A.H.S. Brown & G. Smith  
*Pseudotsuga menziesii*, LC (Bissett 1979b)

**Paecilomyces farinosus** (Holmsk.) A.H.S.  
Brown & G. Smith  
*Abies lasiocarpa*, LC (Ginns 1986a)  
Sawfly pupa, larch (*Pristiphora erichsonii*) on *Larix occidentalis*, V (DAVFP)

**Paecilomyces inflatus** (Burnside)  
Carmichael  
Soil and Duff, LC (Bissett 1979c)

**Paecilomyces sp.**  
*Picea engelmannii*, LC (Mitchell 1986)

**Panaeolus acuminatus** (Schaeff.:Secr.)  
Qué.  
Soil and Duff, UR

**Panaeolus alcidis** Moser  
Dung, moose, V (DAVFP)

**Panaeolus campanulatus** (L.:Fr.) Qué.  
Dung, UR  
Soil and Duff, LC (Davidson 1930)

**Panaeolus retirugis** (Fr.) Qué.  
Soil and Duff, LC (Davidson 1930)

**Panaeolus solidipes** Peck  
Soil and Duff, V (DAVFP)

**Panellus longinquus** (Berk.) Singer subsp.  
**pacificus** S.D. Libonati-Barnes & Redhead  
*Alnus rubra*, LC (Libonati-Barnes and Redhead  
1984)  
*Tsuga heterophylla*, V (DAVFP)

**Panellus mitis** (Pers.:Fr.) Singer  
(= *Pleurotus mitis*)  
*Pseudotsuga menziesii*, V (DAVFP)

**Panellus patellaris** (Fr.) Konrad & Maubl.  
*Betula papyrifera*, V (DAVFP)

**Panellus ringens** (Fr.) Romagnesi  
(= *Panus salicinus*)  
*Alnus sinuata*, V (DAVFP)  
*Populus* sp., UR  
Soil and Duff, UR

**Panellus serotinus** (Pers.:Fr.) Kühner  
(= *Pleurotus serotinus*)  
*Abies amabilis*, V (DAVFP)  
*Abies lasiocarpa*, V (DAVFP)  
*Alnus rubra*, V (DAVFP)  
*Alnus* sp., V (DAVFP)  
*Arbutus menziesii*, LC (DAOM) (Ginns 1986a)  
*Betula papyrifera*, V (DAVFP)  
*Betula* sp., V (DAVFP)  
*Picea glauca*, UR  
*Pseudotsuga menziesii*, V (DAVFP)

*Tsuga heterophylla*, UR  
*Tsuga* sp., V (DAVFP)  
Unidentified wood, V (DAVFP)

**Panellus stipticus** (Bull.:Fr.) P. Karst.  
(= *Panus stipticus*)  
*Alnus rubra*, V (DAVFP)  
*Betula papyrifera*, V (DAVFP)  
*Pseudotsuga menziesii*, V (DAVFP)  
*Tsuga heterophylla*, V (DAVFP)

**Panus angustatus** Berk. see  
*Hohenbuehelia angustata*

**Panus rudis** Fr. see *Lentinus strigosus*

**Panus salicinus** Peck see *Panellus ringens*

**Panus stipticus** (Bull.:Fr.) Fr. see *Panellus stipticus*

**Panus torulosus** (Pers.:Fr.) Fr. see  
*Lentinus torulosus*

**Papularia arundinis** (Corda) Fr. see  
*Arthrinium arundinis*

**Papulaspora byssina** Hotson  
*Agaricus campestris*, LC (Toms 1964)

**Papulaspora halima** Anastasiou  
*Arbutus menziesii*, LC (Anastasiou and  
Churchland 1969)  
*Prunus laurocerasus*, LC (Anastasiou and  
Churchland 1969)

**Parkerella populi** Funk see *Lahmia kunzei*

**Parmastomyces transmutans** (Overh.)  
Ryvarden & R.L. Gilbertson (= *Polyporus subcartilagineus*, = *Tyromyces subcartilagineus*)  
*Abies lasiocarpa*, UR

**Parvacoccum pini** R.S. Hunt & Funk  
*Pinus monticola*, V (DAVFP) (TYPE)

**Passalora alni** (Chupp & H.C. Greene)  
Deighton (= *Passalora bacilligera*)  
*Alnus sinuata*, V (DAVFP)

**Passalora bacilligera** Mont. & Fr. see  
*Passalora alni*

**Passalora depressa** (Berk. & Broome)  
Sacc. see *Cercosporidium depressum*

**Passalora graminis** (Fuckel) Höhn. see  
*Cercosporidium graminis*

**Patella albida** (Schaeff.) Seaver see *Humaria hemisphaerica*

**Patella scutellata** (L.:Fr.) Morg. see *Scutellinia scutellata*

**Patellaria atrata** (Hedw.) Fr. see *Lecanidion atratum*

**Patinellaria sanguinea** (Pers.:Fr.) P. Karst. *Alnus sinuata*, V (DAVFP)

**Paxillus atrotomentosus** (Batsch:Fr.) Fr. *Pseudotsuga menziesii*, V (DAVFP)  
Soil and Duff, V (DAVFP)  
*Tsuga heterophylla*, LC (Connors 1967)

**Paxillus involutus** (Batsch:Fr.) Fr.  
Soil and Duff, V (DAVFP)

**Paxillus panuoides** (Batsch:Fr.) Fr. see *Tapinella panuoides*

**Paxillus sp.**  
*Alnus rubra*, V (DAVFP)

**Paxina acetabulum** Kuntze see *Helvella acetabulum*

**Pellicularia ansosa** H. Jacks. & D.P.  
Rogers in D.P. Rogers see *Botryobasidium ansosum*

**Pellicularia filamentosa** (Pat.) D.P. Rogers  
see *Thanatephorus cucumeris*

**Pellicularia flavescens** (Bonord.) D.P.  
Rogers see *Botryobasidium flavescens*

**Pellicularia isabellina** (Fr.) D.P. Rogers  
see *Botryohypochnus isabellinus*

**Pellicularia praticola** (Kotila) Flentje  
*Linum usitatissimum*, LC (Shaw 1973)

**Pellicularia pruinata** (Bres.) D.P. Rogers &  
Linder see *Botryobasidium pruinatum*

**Pellicularia subcoronata** (Höhn. & Litsch.)  
D.P. Rogers see *Botryobasidium subcoronatum*

**Pellicularia vaga** (Berk. & M.A. Curtis) D.P.  
Rogers see *Botryobasidium vagum*

**Pellidiscus pallida** (Berk. & Broome) Donk  
*Alnus sp.*, LC (Redhead 1973)  
*Cytisus scoparius*, LC (Redhead 1973)  
*Populus sp.*, LC (Redhead 1973)  
*Pteridium aquilinum*, LC (Redhead 1973)  
*Vicia gigantea*, LC (Redhead 1973)

**Peltosphaeria canadensis** (Ellis & Everh.)  
Berl.

*Larix occidentalis*, V (DAVFP)  
*Pinus contorta* var. *contorta*, V (DAVFP)  
*Pinus nigra*, V (DAVFP)  
*Pinus pinaster*, V (DAVFP)  
*Pinus sylvestris*, V (DAVFP)

**Penicillium expansum** Link

*Malus pumila*, LC (Jones 1957)  
*Malus sylvestris*, LC (Toms 1964)

**Penicillium janthinellum** Biourge

*Malus sp.*, LC (Utkhede and Li 1988)  
Soil and Duff, LC (Utkhede and Li 1988)

**Penicillium palitens** Westling see  
*Penicillium viridicatum*

**Penicillium raistrickii** G. Smith  
*Pinus monticola*, LC (Shaw 1973)

**Penicillium spinulosum** Thom  
*Raphanus sativus*, LC (Connors 1967)

**Penicillium viridicatum** Westling  
(= *Penicillium palitens*)  
*Vicia faba*, LC (Connors 1967)

**Penicillium sp.**

*Abies lasiocarpa*, LC (Shaw 1973)  
*Malus sp.*, LC (Sholberg and Owen 1990)  
*Picea engelmannii*, LC (Mitchell 1986)  
*Pseudotsuga menziesii*, LC (Ginns 1986a)  
*Pyrus communis*, LC (Sholberg and Owen 1991)  
*Tulipa gesneriana*, LC (Toms 1964)  
*Vaccinium parvifolium*, UR - Cultured then  
discarded.

**Peniophora accedens** Bourd. & Galzin see  
*Tubulicrinis accedens*

**Peniophora alutaria** Burt see *Grandinia alutaria*

**Peniophora amoena** Burt see  
*Hyphoderma amoenum*

**Peniophora angusta** D.P. Rogers &  
Weresub in Weresub see *Tubulicrinis angustus*

**Peniophora argillacea** Bres. see  
*Hyphoderma argillaceum*

**Peniophora aspera** (Pers.) Sacc. see  
*Hyphoderma setigerum*

**Peniophora aurantiaca** (Bres.) Höhn. &  
Litsch.

*Alnus rubra*, V (DAVFP)  
*Alnus sinuata*, V (DAVFP)  
*Arbutus menziesii*, LC (Connors 1967)

*Populus trichocarpa*, V (DAVFP)

***Peniophora byssoides*** (Fr.) Bres. see  
*Amphinema byssoides*

***Peniophora calothrix*** (Pat.) D.P. Rogers &  
H. Jacks. see *Tubulicrinis calothrix*

***Peniophora carnosa*** Burt see  
*Phanerochaete carnosa*

***Peniophora chaetophora*** (Höhn.) Höhn. &  
Litsch. see *Tubulicrinis chaetophorus*

***Peniophora cinerea*** (Pers.:Fr.) Cooke  
Aldus sp., V (DAVFP)  
*Amelanchier alnifolia*, UR  
*Arbutus menziesii*, V (DAVFP)  
*Cornus nuttallii*, V (DAVFP)  
*Corylus cornuta* var. *californica*, V (DAVFP)  
*Holodiscus discolor*, V (DAVFP)  
*Tsuga heterophylla*, V (DAVFP) - Dried culture  
only.  
*Ulmus* sp., V (DAVFP)

***Peniophora crassa*** Burt in Peck see  
*Dacryobolus karstenii*

***Peniophora cremea*** (Bres.) Sacc. & Syd.  
see *Phanerochaete sordida*

***Peniophora decorticans*** Burt  
*Acer macrophyllum*, V (DAVFP)

***Peniophora dryina*** (Berk. & M.A. Curtis)  
D.P. Rogers & H. Jacks. see *Crustoderma*  
*dryinum*

***Peniophora farinosa*** (Bres.) Höhn. &  
Litsch. see *Bulbillomyces farinosa*

***Peniophora flavo-ferruginea*** (P. Karst.)  
Litsch. see *Phlebia serialis*

***Peniophora gigantea*** (Fr.:Fr.) Massee see  
*Phanerochaete gigantea*

***Peniophora gracillima*** Ellis & Everh. ex  
D.P. Rogers & H. Jacks. see *Tubulicrinis*  
*glebulosus*

***Peniophora greschikii*** (Bres.) Bourd. &  
Galzin see *Fibricium rude*

***Peniophora hastata*** Litsch. see *Grandinia*  
*hastata*

***Peniophora humifaciens*** Burt  
Angiosperms, Wood, V (DAVFP)  
*Pseudotsuga menziesii*, V (DAVFP)  
*Thuja plicata*, V (DAVFP)

***Peniophora hydnoides*** Cooke & Massee  
see *Phanerochaete rimosa*

***Peniophora incarnata*** (Pers.:Fr.) P. Karst.  
*Abies grandis*, V (DAVFP)  
*Acer macrophyllum*, V (DAVFP)  
*Alnus rubra*, V (DAVFP)  
*Alnus tenuifolia*, UR  
*Arbutus menziesii*, V (DAVFP)  
*Cytisus scoparius*, V (DAVFP)  
*Holodiscus discolor*, V (DAVFP)  
*Prunus emarginata*, V (DAVFP)  
*Pyracantha crenatisserrata*, V (DAVFP)  
*Quercus garryana*, V (DAVFP)  
*Rubus spectabilis*, V (DAVFP)  
*Sambucus* sp., V (DAVFP)  
*Vaccinium* sp., V (DAVFP)

***Peniophora inusitata*** Jacks. & Deard. see  
*Hyphoderma inusitata*

***Peniophora juniperina*** Bourd. & Galzin in  
Bourd. & Galzin see *Tubulicrinis juniperinus*

***Peniophora laxa*** Burt see *Athelia laxa*

***Peniophora livida*** Burt see *Phlebia*  
*segregata*

***Peniophora longispora*** (Pat.) Höhn. see  
*Subulicystidium longisporum*

***Peniophora luna*** Romell ex D.P. Rogers &  
H. Jacks. see *Chaetoderma luna*

***Peniophora medioburiensis*** Burt see  
*Hyphoderma medioburiense*

***Peniophora mollis*** (Fr.:Fr.) Bourd. & Galzin  
see *Hypochniciellum molle*

***Peniophora mutata*** (Peck) Höhn. & Litsch.  
see *Hyphoderma mutatum*

***Peniophora nivea*** (P. Karst.) Bourd. &  
Galzin see *Hyphoderma karstenii*

***Peniophora odorata*** (P. Karst.) Burt sensu  
Burt see *Chaetoderma luna*

***Peniophora pallidula*** (Bres.) Bres. in  
Bourd. & Galzin see *Grandinia pallidula*

***Peniophora phlebioides*** H. Jacks. &  
Dearden see *Phlebia subserialis*

***Peniophora piceae*** (Pers.) J. Eriksson  
(= *Peniophora separans*)  
*Abies lasiocarpa*, UR  
*Picea glauca*, V (DAVFP)  
*Pseudotsuga menziesii*, V (DAVFP)  
*Thuja plicata*, LC (Connors 1967)

*Tsuga heterophylla*, V (DAVFP)

**Peniophora pithya** (Pers.) J. Eriksson  
*Acer macrophyllum*, LC (Connors 1967)

**Peniophora polygonia** (Pers.:Fr.) Bourd. & Galzin

*Populus tremuloides*, V (DAVFP)  
*Populus trichocarpa*, V (DAVFP)

**Peniophora pseudopini** Weresub & S. Gibson

*Abies lasiocarpa*, V (DAVFP)  
*Picea glauca*, LC (Martin and Gilbertson 1977)  
*Pinus contorta* var. *latifolia*, V (DAVFP)  
*Pseudotsuga menziesii*, LC (Connors 1967)

**Peniophora pubera** (Fr.:Fr.) Sacc. see *Hypoderma puberum*

**Peniophora resinosa** H. Jacks. & Dearden  
see *Crustoderma resinosum*

**Peniophora rimicola** (P. Karst.) Höhn. & Litsch. see *Xenasma rimicolum*

**Peniophora romellii** Litsch. in Bourd. see *Phlebia cretacea*

**Peniophora rufa** (Fr.:Fr.) Boidin (= *Stereum rufum*)

*Populus balsamifera*, V (DAVFP)  
*Populus tremuloides*, V (DAVFP)  
*Populus trichocarpa*, V (DAVFP)

**Peniophora sambuci** (Pers.) Burt see *Hypoderma sambuci*

**Peniophora sanguinea** (Fr.:Fr.) Bres. see *Phanerochaete sanguinea*

**Peniophora separans** Burt see *Peniophora piceae*

**Peniophora septentrionalis** Laurila

*Abies lasiocarpa*, UR  
*Picea glauca*, V (DAVFP)  
*Pinus contorta* var. *latifolia*, UR  
*Pseudotsuga menziesii*, LC (Nobles 1956 on *Pseudotsuga taxifolia*)

**Peniophora setigera** (Fr.:Fr.) Höhn. & Litsch. see *Hypoderma setigerum*

**Peniophora subalutacea** (P. Karst.) Höhn. & Litsch. see *Grandinia subalutacea*

**Peniophora subincarnata** (Peck) Litsch.  
see *Amylocorticium subincarnatum*

**Peniophora subsulphurea** (P. Karst.) Höhn. & Litsch. see *Amylocorticium subsulphureum*

**Peniophora subulata** Bourd. & Galzin see *Tubulicrinis subulatus*

**Peniophora tenuis** (Pat.) Massee see *Hypoderma tenue*

**Peniophora unica** H. Jacks. & Dearden  
see *Phlebia unica*

**Peniophora velutina** (DC.:Fr.) Cooke see *Phanerochaete velutina*

**Peniophora vermicifera** Bourd. see *Tubulicium vermicifera*

**Peniophora viridis** (G. Preuss) Bres. see *Crustoderma dryinum*

**Peniophora sp.**  
*Populus X canadensis* 'Regenerata', V (DAVFP)

**Perenniporia medulla-panis** (Jacq.:Fr.) Donk (= *Poria medulla-panis*, *Poria unita*)  
*Tsuga heterophylla*, LC (Shaw 1973)

**Perenniporia subacida** (Peck) Donk

(= *Poria subacida*)  
*Abies amabilis*, V (DAVFP)  
*Abies grandis*, V (DAVFP)  
*Abies lasiocarpa*, V (DAVFP)  
*Acer circinatum*, LC (Shaw 1973)  
*Alnus rubra*, V (DAVFP)  
*Arbutus menziesii*, LC (Connors 1967)  
*Betula papyrifera*, LC (Connors 1967)  
*Betula* sp., V (DAVFP)  
*Larix laricina*, UR  
*Picea engelmannii*, V (DAVFP)  
*Picea glauca*, V (DAVFP)  
*Picea sitchensis*, V (DAVFP)  
*Picea* sp., UR - Specimen discarded.  
*Pinus contorta* var. *latifolia*, V (DAVFP)  
*Pinus monticola*, V (DAVFP)  
*Pinus sylvestris*, V (DAVFP)  
*Prunus emarginata*, V (DAVFP)  
*Pseudotsuga menziesii*, V (DAVFP)  
*Salix sitchensis*, V (DAVFP)  
*Thuja plicata*, V (DAVFP)  
*Tsuga heterophylla*, V (DAVFP)

**Perenniporia tenuis** (Schwein.) Ryvarden  
(= *Poria pulchella*, *Poria tenuis* var. *pulchella*)

*Alnus* sp., LC (Connors 1967)  
Angiosperms, Wood, V (DAVFP)  
*Pinus ponderosa*, V (DAVFP)  
*Pseudotsuga menziesii*, V (DAVFP)

**Periconia byssoides** Pers. (= *Periconia pycnospora*)

*Cucurbita maxima*, LC (Connors 1967)

**Periconia pycnospora** Fresen. see  
*Periconia byssoides*

**Periconiella sp.**

*Alnus rubra*, LC (Sieber, Sieber-Canavesi, and Dorworth 1991)

**Peridermium coloradense** (Dietel) Arth. & F. Kern see *Chrysomyxa arctostaphyli* (teleomorph)

**Peridermium harknessii** J.P. Moore see *Endocronartium harknessii* (teleomorph)

**Peridermium holwayi** Syd. see  
*Pucciniastrum goeppertianum* (teleomorph)

**Peridermium pseudo-balsameum** (Dietel & Holw.) Arth. & F. Kern  
*Abies amabilis*, V (DAVFP)  
*Abies grandis*, V (DAVFP)

**Peridermium stalactiforme** Arth. & F. Kern  
see *Cronartium coleosporioides* (teleomorph)

**Peridermium sp.**

*Abies amabilis*, V (DAVFP)  
*Abies grandis*, V (DAVFP)  
*Abies lasiocarpa*, V (DAVFP)  
*Picea engelmannii*, UR  
*Pinus contorta* var. *latifolia*, V (DAVFP)  
*Pinus pinaster*, V (DAVFP)  
*Pinus ponderosa*, UR  
*Pinus sylvestris*, V (DAVFP)  
*Polystichum munitum*, V (DAVFP)

**Peritrichospora sp.**

*Tilia americana*, LC (Shaw 1973)

**Perrotia flammea** (Albertini & Schwein.:Fr.) Boud.

*Populus tremuloides*, V (DAVFP)

**Pestalopezia brunneo-pruinosa** (Zeller) Seaver  
*Gaultheria shallon*, V (DAVFP)

**Pestalopezia tsugae** Funk

*Tsuga heterophylla*, V (DAVFP) (TYPE)

**Pestalotia funerea** Desmaz. see  
*Pestalotiopsis funerea*

**Pestalotia funerea** Desmaz. var.  
*macrochaeta* Speg.  
*Thuja plicata*, V (DAVFP)

**Pestalotia guepini** Desmaz. see  
*Pestalotiopsis maculans*

**Pestalotia rhododendri** Guba non  
Westend. see *Pestalotiopsis sydowiana*

**Pestalotia thujae** Sawada non Hollós see  
*Pestalotia thujicola*

**Pestalotia thujicola** J.L. Maas (= *Pestalotia thujae*)  
*Chamaecyparis nootkatensis* f. *glaуca*, V  
(DAVFP)  
*Thuja plicata*, V (DAVFP)

**Pestalotia truncata** Lév. see *Truncatella angustata*

**Pestalotia sp.**

*Arceuthobium tsugense* on *Tsuga heterophylla*, V  
(DAVFP)

**Pestalotiopsis funerea** (Desmaz.) Steyaert  
(= *Pestalotia funerea*)  
*Chamaecyparis lawsoniana*, LC (Connors 1967)  
*Chamaecyparis nootkatensis* f. *glaуca*, V  
(DAVFP)  
*Cupressus macrocarpa*, V (DAVFP)  
*Juniperus chinensis*, LC (Shaw 1973)  
*Juniperus chinensis* var. *pfitzeriana*, LC (Jones 1957)  
*Thuja orientalis* var. *stricta*, V (DAVFP)

**Pestalotiopsis maculans** (Corda) Nag Raj  
(= *Pestalotia guepini*)  
*Camellia japonica*, LC (Shaw 1973)

**Pestalotiopsis sydowiana** (Bres.) Sutton  
(= *Pestalotia rhododendri*)  
*Rhododendron* sp., V (DAVFP)

**Pestalotiopsis sp.**

*Thuja plicata*, UR

**Petriella asymmetrica** Curzi

*Raphanus sativus*, LC (Connors 1967 as *Pietriella asymmetrica* on seed)

**Peyronelia sp.**

*Cronartium ribicola* on *Pinus monticola*, V  
(DAVFP)

**Pezicula alni** Rehm

*Alnus rubra*, V (DAVFP)  
*Alnus tenuifolia*, UR

**Pezicula carpinea** (Pers.:Pers.) Tul.: Fuckel  
*Alnus rubra*, LC (Sieber, Sieber-Canavesi, and Dorworth 1991)

**Pezicula corni** Petr.

*Cornus stolonifera*, V (DAVFP)

**Pezicula livida** (Berk. & Broome) Rehm

*Abies amabilis*, V (DAVFP)  
*Alnus rubra*, LC (Sieber, Sieber-Canavesi, and Dorworth 1991)

*Pseudotsuga menziesii*, V (DAVFP)

**Pezicula malicorticis** (H. Jacks.) Nannf.  
(=Neofabraea malicorticis, Neofabraea perennans)

*Malus pumila*, LC (Jones 1957; Conners 1967)  
*Malus sylvestris*, LC (Toms 1964)  
*Malus* sp., V (DAVFP)  
*Pyrus communis*, LC (Conners 1967)

**Pezicula ocellata** (Pers.:Fr.) Seaver  
*Salix* sp., V (DAVFP)

**Pezicula** sp.

*Larix occidentalis*, V (DAVFP)

**Peziza badia** Pers.:Mérat  
Soil and Duff, V (DAVFP)

**Peziza badio-confusa** Korf  
Soil and Duff, LC (Elliott and Kaufert 1974)

**Peziza emileia** Cooke  
*Populus trichocarpa*, V (DAVFP)  
Soil and Duff, V (DAVFP)

**Peziza endocarpoides** Berk.  
Soil and Duff, LC (Egger and Paden 1986b)

**Peziza melaleuca** (Bres.) Seaver  
Soil and Duff, V (DAVFP)

**Peziza ostracoderma** Korf  
(=Chromelosporium fulvum)  
*Pinus coulteri*, V (DAVFP)

**Peziza petersii** Berk.  
Soil and Duff, LC (Egger and Paden 1986b)

**Peziza praetervisa** Bres.  
Soil and Duff, LC (Egger and Paden 1986b)

**Peziza repanda** Pers.  
*Picea* sp., UR  
*Populus trichocarpa*, V (DAVFP)  
Soil and Duff, V (DAVFP)

**Peziza sylvestris** (Boud.) Sacc.  
Soil and Duff, V (DAVFP)  
Unidentified wood, UR

**Peziza violacea** Pers.  
Soil and Duff, LC (Egger and Paden 1986b)

**Peziza** sp.  
Concrete floor with hair-line crack, V (DAVFP)

**Pezizella chapmanii** H.S. Whitney & Funk  
*Abies lasiocarpa*, V (DAVFP)  
*Picea glauca*, V (DAVFP) (TYPE)  
*Pinus contorta* var. *latifolia*, V (DAVFP)  
*Pinus ponderosa*, V (DAVFP)  
*Pseudotsuga menziesii*, V (DAVFP)

**Pezizella** sp.

*Picea sitchensis*, V (DAVFP)

**Phacidiopycnis balsamicola** Funk  
*Abies lasiocarpa*, V (DAVFP)

**Phacidiopycnis tuberivora** (H.T. Güssow & W.R. Foster) Sutton (=Phomopsis tuberivora)  
*Solanum tuberosum*, LC (Jones 1957)

**Phacidiopycnis** sp.

*Eucalyptus rubida*, V (DAVFP)  
*Larix occidentalis*, V (DAVFP)  
*Pinus contorta* var. *latifolia*, V (DAVFP)

**Phacidium abietis** (Dearn.) J. Reid & Cain  
*Abies lasiocarpa*, V (DAVFP)  
*Pseudotsuga menziesii*, V (DAVFP)

**Phacidium coniferarum** (Hahn) DiCosmo, Nag Raj, & Kendrick (=Potebniamyces coniferarum; =Phomopsis pseudotsugae - anamorph)  
*Arceuthobium tsugense* on *Tsuga heterophylla*, V (DAVFP)

*Chamaecyparis lawsoniana*, V (DAVFP)  
*Larix occidentalis*, V (DAVFP)  
*Pinus contorta* var. *latifolia*, V (DAVFP)  
*Pseudotsuga menziesii*, V (DAVFP)  
*Thuja plicata*, V (DAVFP)

**Phacidium dearnessii** DiCosmo, Nag Raj, & Kendrick  
*Taxus brevifolia*, V (DAVFP)

**Phacidium gaeumannii** (Miller) DiCosmo, Nag Raj & Kendrick  
*Abies amabilis*, V (DAVFP)  
*Larix occidentalis*, V (DAVFP)  
*Picea abies*, V (DAVFP)  
*Picea engelmannii*, V (DAVFP)  
*Pseudotsuga menziesii*, V (DAVFP)  
*Tsuga heterophylla*, V (DAVFP)

**Phacidium gaultheriae** Dearn. see *Coccomyces gaultheriae*

**Phacidium pini-cembrae** (Rehm) Terrier  
*Pseudotsuga menziesii*, V (DAVFP)

**Phacidium sherwoodiae** DiCosmo, Nag Raj & Kendrick  
*Abies procera*, LC (Funk 1985b)  
*Larix occidentalis*, LC (Wood and Van Sickle 1986)  
*Pseudotsuga menziesii*, V (DAVFP)

**Phaeocalicium compressulum** (Nyl.) A. Schmidt  
*Alnus sinuata*, V (DAVFP)

***Phaeocalicium populneum*** (Brond.:Duby)

A. Schmidt

- Populus balsamifera*, V (DAVFP)
- Populus tremuloides*, V (DAVFP)
- Populus trichocarpa*, V (DAVFP)

***Phaeocollybia ammiratii*** Norvell (nom. prov.)

Soil and Duff, V (DAVFP)

***Phaeocollybia attenuata*** (A.H. Smith)

Singer

Soil and Duff, LC (Norvell 1998)

***Phaeocollybia carmanahensis*** Redhead & Norvell

Soil and Duff, LC (Norvell 1998) (HOLOTYPE)

***Phaeocollybia fallax*** A.H. Smith

Soil and Duff, LC (Norvell 1998)

***Phaeocollybia kauffmanii*** (Smith) Singer

Soil and Duff, V (DAVFP)

***Phaeocollybia oregonensis*** A.H. Smith & Trappe

Soil and Duff, LC (Norvell 1998)

***Phaeocollybia piceae*** A.H. Smith & Trappe

Soil and Duff, LC (Norvell 1998)

***Phaeocollybia pseudofestiva*** A.H. Smith

Soil and Duff, LC (Norvell 1998)

***Phaeocollybia redheadii*** Norvell (nom. prov.)

Soil and Duff, LC (Norvell 1998)

***Phaeocollybia similis*** sensu A.H. Smith

Soil and Duff, LC (Norvell 1998)

***Phaeocryptopus gaeumannii*** (T. Rohde) Petr. (=*Adelopus gaeumannii*)*Pseudotsuga menziesii*, V (DAVFP)***Phaeocryptopus nudus*** (Peck) Petr.

- Abies amabilis*, V (DAVFP)
- Abies balsamea*, LC (Shaw 1973)
- Abies lasiocarpa*, V (DAVFP)
- Picea pungens*, V (DAVFP)
- Picea sitchensis*, V (DAVFP)
- Pseudotsuga menziesii*, UR

***Phaeocryptopus* sp.***Tsuga heterophylla*, V (DAVFP)***Phaeolepiota aurea*** (Mattusch.:Fr.)

Maire:Konr. &amp; Maubl.

Soil and Duff, V (DAVFP)

***Phaeolus alboluteus*** (Ellis & Everh.) Pilátsee *Pycnoporellus alboluteus****Phaeolus schweinitzii*** (Fr.:Fr.) Pat.(=*Polyporus schweinitzii*)

- Abies amabilis*, V (DAVFP)
- Abies lasiocarpa*, UR
- Larix laricina*, V (DAVFP)
- Larix occidentalis*, V (DAVFP)
- Picea glauca*, V (DAVFP)
- Picea sitchensis*, V (DAVFP)
- Pinus contorta* var. *contorta*, V (DAVFP)
- Pinus contorta* var. *latifolia*, V (DAVFP)
- Pinus monticola*, V (DAVFP)
- Pinus ponderosa*, UR
- Pseudotsuga menziesii*, V (DAVFP)
- Quercus garryana*, V (DAVFP)
- Soil and Duff, V (DAVFP)
- Thuja plicata*, V (DAVFP)
- Tsuga heterophylla*, V (DAVFP)

***Phaeomarasmius erinaceus*** (Fr.) Kühner

in Singer

*Salix* sp., LC (Ginns 1986a)***Phaeophlebia strigosozonata*** (Schwein.)W.B. Cooke see *Punctularia strigosozonata****Phaeoramularia antipus*** (Ellis & Holw.)Deighton (=*Cercospora antipus*)*Lonicera ciliosa*, V (DAVFP)***Phaeoramularia maculicola*** (Romell &Sacc.) Sutton (=*Cladosporium subsessile*)

- Populus tremuloides*, LC (Ginns 1986a)
- Populus tremuloides* var. *aurea*, LC (Sutton 1970)
- Populus trichocarpa*, V (DAVFP)

***Phaeoramularia periclymeni*** (G. Wint.)Deighton (=*Cercospora periclymeni*)*Lonicera ciliosa*, V (DAVFP)***Phaeoramularia symphoricarpi*** (Ellis &Everh.) Deighton (=*Cercospora**symphoricarpi*)*Symporicarpos albus*, V (DAVFP)***Phaeoseptoria contortae*** Parmelee &

Hiratsuka

*Pinus contorta* var. *latifolia*, V (DAVFP)*Pinus ponderosa*, V (DAVFP)***Phaeosphaerella maculosa*** (Sacc.) P.Karst. see *Venturia macularis****Phaeosphaeria alpina*** Leuchtmann*Juncus ensifolius*, LC (Shoemaker and Babcock 1989)*Juncus* sp., LC (Shoemaker and Babcock 1989)*Luzula divaricata*, LC (Shoemaker and Babcock 1989)***Phaeosphaeria berlesei*** (Larsen & Munk)

Hedjaroude

*Equisetum hyemale*, LC (Shoemaker and Babcock 1989)

**Phaeosphaeria canadensis** Shoemaker & Babcock

*Carex spectabilis*, LC (Shoemaker and Babcock 1989)

**Phaeosphaeria elongata** (Wehmeyer)

Shoemaker & Babcock

Angiosperms, Grasses, LC (Shoemaker and Babcock 1989)  
*Luzula* sp., LC (Shoemaker and Babcock 1989)

**Phaeosphaeria erikssonii** Shoemaker & Babcock

Angiosperms, Grasses, LC (Shoemaker and Babcock 1989)  
*Elymus canadensis*, LC (Shoemaker and Babcock 1989)

**Phaeosphaeria eustoma** (Fuckel) L. Holm  
 (=Leptosphaeria eustoma)

*Phleum alpinum*, LC (Barr 1953)  
*Typha latifolia*, LC (Barr 1953)

**Phaeosphaeria fuckelii** (Niessl) L. Holm  
 (=Leptosphaeria fuckelii)

*Anthoxanthum odoratum*, LC (Shoemaker and Babcock 1989)  
*Phalaris arundinacea*, LC (Barr 1953)  
 Unknown/Uncertain, LC (Shoemaker and Babcock 1989)

**Phaeosphaeria heptamera** Shoemaker & Babcock

*Agropyron repens*, LC (Shoemaker and Babcock 1989)

**Phaeosphaeria hesperia** Barr

*Equisetum telmateia*, LC (Barr 1992a)

**Phaeosphaeria hiemalis** (Sacc. & Spegazzini in Sacc.) Shoemaker & Babcock

*Equisetum hyemale*, LC (Shoemaker and Babcock 1989)

**Phaeosphaeria humerata** Shoemaker & Babcock

*Juncus falcatus*, LC (Shoemaker and Babcock 1989)

**Phaeosphaeria nigrans** (Roberge ex Desmaz.) L. Holm

Angiosperms, Grasses, LC (Shoemaker and Babcock 1989)  
*Anthoxanthum odoratum*, LC (Shoemaker and Babcock 1989)  
*Dactylis glomerata*, LC (Shoemaker and Babcock 1989)

**Phaeosphaeria silenes-acaulis** (De Not.) L. Holm (=Leptosphaeria silenes-acaulis)

*Silene acaulis*, LC (Barr 1953)

**Phaeosphaeria sparsa** (Fuckel)

Shoemaker & Babcock

*Anaphalis margaritacea*, LC (Shoemaker and Babcock 1989)  
 Angiosperms, Grasses, LC (Shoemaker and Babcock 1989)  
*Anthoxanthum odoratum*, LC (Shoemaker and Babcock 1989)

**Phaeosphaeria tricincta** Shoemaker & Babcock

*Juncus falcatus*, LC (Shoemaker and Babcock 1989) (TYPE)

**Phaeosphaeria typharum** (Desmaz.) L.

Holm (=Leptosphaeria typharum)

*Calamagrostis* sp., LC (Barr 1953)  
*Calamovilia latifolia*, LC (Barr 1953)  
*Carex* sp., LC (Barr 1953)  
*Dactylis glomerata*, LC (Barr 1953)  
*Danthonia intermedia*, LC (Barr 1953)  
*Deschampsia atropurpurea*, LC (Barr 1953)  
*Elymus* sp., LC (Barr 1953)  
*Koeleria cristata*, LC (Barr 1953)  
*Panicum thermale*, LC (Barr 1953)  
*Poa* sp., LC (Barr 1953)  
*Trisetum spicatum*, LC (Barr 1953)  
*Typha latifolia*, LC (Shaw 1973)

**Phallogaster saccatus** Morg.

Soil and Duff, LC (Bowerman and Groves 1962)

**Phanerochaete carnosa** (Burt) Parmasto

(=Peniophora carnosa)

*Abies amabilis*, V (DAVFP)  
*Pinus monticola*, LC (Burdsall 1985)  
*Populus trichocarpa*, LC (Ginns 1986a)  
*Pseudotsuga menziesii*, V (DAVFP)  
*Thuja plicata*, V (DAVFP)

**Phanerochaete crenea** (Bres.) J. Eriksson  
 see *Phanerochaete sordida*

**Phanerochaete gigantea** (Fr.:Fr.) S.S.

Rattan et al. in S.S. Rattan (=Peniophora gigantea, *Phlebia gigantea*, *Phlebiopsis gigantea*)

*Abies lasiocarpa*, V (DAVFP)  
*Picea glauca*, V (DAVFP)  
*Pinus contorta* var. *latifolia*, V (DAVFP)  
*Pinus monticola*, V (DAVFP)  
*Pinus ponderosa*, V (DAVFP)  
*Pseudotsuga menziesii*, V (DAVFP)  
*Tsuga heterophylla*, UR

**Phanerochaete rimosa** (Cooke) Burdsall  
 (=Peniophora hydnoides, *Odontia hydnoides*)

*Acer macrophyllum*, V (DAOM 141316)  
*Alnus rubra*, V (DAOM 139144)  
*Pseudotsuga menziesii*, V (DAOM 139121)  
*Quercus garryana*, V (DAVFP)  
*Salix* sp., LC (Conners 1967)

***Phanerochaete sanguinea* (Fr.:Fr.) Pouzar  
(=*Peniophora sanguinea*)**

*Abies grandis*, V (DAVFP)  
*Chamaecyparis nootkatensis*, V (DAOM 142058)  
*Populus tremuloides*, V (DAVFP)  
*Pseudotsuga menziesii*, V (DAVFP)  
*Thuja plicata*, V (DAVFP)  
*Tsuga heterophylla*, V (DAVFP)

***Phanerochaete sordida* (P. Karst.) J. Eriksson & Ryvarden (=*Peniophora cremea*, *Phanerochaete cremea*)**

*Acer macrophyllum*, V (DAVFP)  
*Alnus rubra*, V (DAVFP)  
*Corylus sp.*, V (DAVFP)  
*Picea glauca*, V (DAVFP)  
*Populus tremuloides*, V (DAVFP)  
*Populus trichocarpa*, V (DAVFP)  
*Pseudotsuga menziesii*, V (DAOM 142055)  
*Salix sp.*, V (DAOM 142431)  
*Tsuga heterophylla*, V (DAVFP)  
Unidentified wood, V (DAOM 141439)

***Phanerochaete tuberculata* (P. Karst.)**

Parmasto (=*Corticium tuberculatum*)  
*Populus trichocarpa*, V (DAVFP)

***Phanerochaete velutina* (DC.:Fr.) P. Karst.  
(=*Peniophora velutina*)**

*Thuja plicata*, LC (Shaw 1973)

***Phanerochaete sp.***

*Acer macrophyllum*, V (DAVFP)  
*Populus tremuloides*, V (DAVFP)  
*Pseudotsuga menziesii*, V (DAOM 139093, 141436, 141438)

***Phellinus conchatus* (Pers.:Fr.) Quél.  
(=*Fomes conchatus*)**

*Acer macrophyllum*, LC (Ginns 1986a)

***Phellinus ferreus* (Pers.) Bourd. & Galzin  
(=*Poria ferrea*)**

*Acer macrophyllum*, V (DAVFP)  
*Alnus rubra*, V (DAVFP)  
*Alnus sinuata*, V (DAVFP)  
*Arbutus menziesii*, V (DAVFP)  
*Cornus nuttallii*, V (DAVFP)  
*Cornus stolonifera*, V (DAVFP)  
*Corylus sp.*, V (DAVFP)  
*Crataegus sp.*, V (DAVFP)  
*Gaultheria shallon*, V (DAVFP)  
*Holodiscus discolor*, V (DAVFP)  
*Lonicera ciliosa*, V (DAVFP)  
*Physocarpus opulifolius*, V (DAVFP)  
*Picea glauca*, LC (Ginns 1986a)  
*Populus trichocarpa*, V (DAVFP)  
*Prunus emarginata*, V (DAVFP)  
*Pseudotsuga menziesii*, V (DAVFP)  
*Quercus garryana*, V (DAVFP)  
*Rosa sp.*, LC (Shaw 1973)  
*Rubus spectabilis*, V (DAVFP)  
*Salix lasiandra*, V (DAVFP)  
*Thuja plicata*, V (DAVFP)  
*Tsuga heterophylla*, V (DAVFP)  
*Vaccinium sp.*, LC (Shaw 1973)

***Phellinus ferrugineofuscus* (P. Karst.)**

Bourd. (=*Poria ferrugineofusca*)  
*Abies amabilis*, V (DAOM 142166)  
*Abies lasiocarpa*, V (DAVFP)  
*Picea glauca*, LC (Ginns 1986a)  
*Pseudotsuga menziesii*, V (DAVFP)  
*Thuja plicata*, V (DAVFP)  
*Tsuga heterophylla*, V (DAVFP)

***Phellinus ferruginosus* Bourd. & Galzin**

(=*Poria ferruginosa*)  
*Alnus rubra*, UR  
*Arbutus menziesii*, LC (Connors 1967)  
*Betula papyrifera*, V (DAVFP)  
*Picea glauca*, V (DAVFP)  
*Populus tremuloides*, V (DAVFP)  
*Populus trichocarpa*, V (DAVFP)  
*Populus sp.*, V (DAVFP)  
*Quercus garryana*, V (DAVFP)

***Phellinus gilvus* (Schwein.:Fr.) Pat.**

(=*Polyporus gilvus*)  
*Abies sp.*, LC (Ginns and Macrae 1971)

***Phellinus igniarius* (L.:Fr.) Quél. (=*Fomes igniarius*)**

*Acer glabrum* var. *douglasii*, V (DAVFP)  
*Acer macrophyllum*, LC (Connors 1967)  
*Acer sp.*, V (DAVFP)  
*Alnus rubra*, V (DAVFP)  
*Alnus sinuata*, V (DAVFP)  
*Alnus tenuifolia*, V (DAVFP)  
*Alnus sp.*, V (DAVFP)  
*Arbutus menziesii*, V (DAVFP)  
*Betula occidentalis*, LC (Connors 1967)  
*Betula papyrifera*, V (DAVFP)  
*Betula sp.*, V (DAVFP)  
*Cornus nuttallii*, V (DAVFP)  
*Malus pumila*, V (DAVFP)  
*Malus sylvestris*, LC (Shaw 1973)  
*Populus trichocarpa*, V (DAVFP)  
*Populus sp.*, V (DAVFP)  
*Robinia pseudoacacia*, LC (Shaw 1973)  
*Salix lasiandra*, V (DAVFP)  
*Salix sitchensis*, V (DAVFP)  
*Salix sp.*, V (DAVFP)

***Phellinus laevigatus* (Fr.) Bourd. & Galzin**

(=*Fomes igniarius* var. *laevigatus*, *Poria laevigata*)

*Alnus rubra*, V (DAVFP)  
*Betula occidentalis*, LC (Ginns 1986a)  
*Betula papyrifera*, V (DAVFP)

***Phellinus nigrolimitatus* (Romell) Bourd. & Galzin (=*Fomes nigrolimitatus*)**

*Abies amabilis*, V (DAOM 139048)  
*Abies lasiocarpa*, V (DAVFP)  
*Gymnosperms*, Wood, V (DAVFP)  
*Larix occidentalis*, V (DAVFP)  
*Picea engelmannii*, V (DAVFP)  
*Picea glauca*, V (DAVFP)  
*Picea sitchensis*, V (DAVFP)  
*Picea sp.*, V (DAVFP)  
*Pseudotsuga menziesii*, V (DAVFP)  
*Thuja plicata*, V (DAVFP)

*Tsuga heterophylla*, V (DAVFP)  
*Tsuga mertensiana*, V (DAOM 139011)

**Phellinus pini** (Thore:Fr.) A. Ames  
 (=Fomes pini)

*Abies amabilis*, V (DAVFP)  
*Abies grandis*, V (DAVFP)  
*Abies lasiocarpa*, V (DAVFP)  
*Larix occidentalis*, V (DAVFP)  
*Picea engelmannii*, V (DAVFP)  
*Picea glauca*, V (DAVFP)  
*Picea mariana*, UR  
*Picea sitchensis*, V (DAVFP)  
*Picea sp.*, V (DAVFP)  
*Pinus banksiana*, LC (Shaw 1973)  
*Pinus contorta* var. *contorta*, V (DAVFP)  
*Pinus contorta* var. *latifolia*, UR - Cultured then discarded  
*Pinus monticola*, V (DAVFP)  
*Pinus ponderosa*, UR  
*Pseudotsuga menziesii*, V (DAVFP)  
*Thuja plicata*, V (DAVFP)  
*Tsuga heterophylla*, V (DAVFP)  
*Tsuga mertensiana*, V (DAVFP)

**Phellinus punctatus** (Fr.) Pilát (=Fomes robustus var. *tsugina*, *Poria punctata*, *Poria tsugina*)

*Abies amabilis*, UR  
*Abies grandis*, V (DAVFP)  
*Abies lasiocarpa*, V (DAVFP)  
*Juglans sieboldiana*, V (DAVFP)  
*Picea glauca*, UR  
*Picea sitchensis*, UR  
*Pseudotsuga menziesii*, UR  
*Thuja plicata*, UR  
*Tsuga heterophylla*, V (DAVFP)  
*Tsuga mertensiana*, UR

**Phellinus repandus** (Overh.) R.L.

Gilbertson (=Fomes repandus)  
*Pseudotsuga menziesii*, V (DAVFP)  
*Thuja plicata*, V (DAVFP)  
*Tsuga heterophylla*, V (DAVFP)

**Phellinus robustus** (P. Karst.) Bourd. & Galzin (=Fomes robustus)

*Abies amabilis*, LC (Conners 1967)  
*Abies lasiocarpa*, LC (Conners 1967)  
*Betula papyrifera*, LC (Conners 1967)  
*Cytisus scoparius*, V (DAVFP)  
*Pseudotsuga menziesii*, V (DAVFP)  
*Tsuga heterophylla*, V (DAVFP)

**Phellinus tremulae** (Bondartsev)

Bondartsev & Borisov (=Fomes igniarius var. *populinus*)  
*Populus tremuloides*, V (DAVFP)

**Phellinus viticola** (Schwein.:Fr.) Donk  
 (=Fomes viticola, *Poria isabellina*, *Trametes tenuis*)

*Abies lasiocarpa*, V (DAVFP)  
*Gymnosperms*, Wood, V (DAVFP)  
*Picea engelmannii*, LC (Ginns 1986a)  
*Pinus contorta* var. *latifolia*, LC (Shaw 1973)

*Pinus monticola*, LC (Shaw 1973)  
*Populus trichocarpa*, UR  
*Pseudotsuga menziesii*, V (DAVFP)  
*Thuja plicata*, V (DAVFP)  
*Tsuga heterophylla*, V (DAVFP)

**Phellinus weiri** (Murrill) R.L. Gilbertson  
 (=Inonotus weiri, *Poria weiri*)

*Abies amabilis*, V (DAVFP)  
*Abies grandis*, LC (Ginns 1986a)  
*Abies lasiocarpa*, V (DAVFP)  
*Chamaecyparis nootkatensis*, UR  
*Larix occidentalis*, UR  
*Picea engelmannii*, V (DAVFP)  
*Picea sitchensis*, V (DAVFP)  
*Pinus contorta* var. *contorta*, V (DAVFP)  
*Pinus monticola*, V (DAVFP)  
*Pinus ponderosa*, UR  
*Pseudotsuga menziesii*, V (DAVFP)  
*Thuja plicata*, V (DAVFP)  
*Tsuga heterophylla*, V (DAVFP)

**Phellinus sp.**

*Picea glauca*, V (DAVFP)

**Phellodon atratus** K.A. Harrison  
 Soil and Duff, V (DAVFP)

**Phellodon melaleucus** (Fr.) P. Karst.  
 Soil and Duff, V (DAVFP)

**Phellodon tomentosus** (Fr.) Banker  
 Soil and Duff, V (DAVFP)

**Phialocephala bactrospora** Kendrick  
*Populus trichocarpa*, LC (Kendrick 1961) (TYPE)

**Phialocephala fusca** Kendrick  
*Tsuga heterophylla*, LC (Kendrick 1963)

**Phialocephala virens** Siegfried, Seifert, & Bilmer  
*Tsuga heterophylla*, LC (Siegfried et al. 1992)  
 (PARATYPE)

**Phialophora fastigiata** (Lagerberg & Melin)  
 Conant

*Picea engelmannii*, LC (Cole and Kendrick 1973)

**Phialophora hoffmannii** (Beyma) Scholl-Schwarz

*Alnus rubra*, LC (Sieber, Sieber-Canavesi, and Dorworth 1991)

**Phialophora malorum** (M.N. Kidd & A. Beaumont) McColloch

*Pyrus communis*, LC (Shaw 1973)

**Phialophora melinii** (Nannf.) Conant  
*Abies lasiocarpa*, LC (Ginns 1986a)

**Phlebia albida** Fr. (=Phlebia mellea)

*Abies amabilis*, V (DAVFP)  
*Abies grandis*, V (DAVFP)  
*Abies lasiocarpa*, V (DAVFP)

*Arbutus menziesii*, V (DAVFP)  
*Picea glauca*, V (DAVFP)  
*Populus trichocarpa*, LC (Shaw 1973)  
*Pseudotsuga menziesii*, V (DAVFP)  
*Thuja plicata*, V (DAVFP)  
*Tsuga heterophylla*, V (DAVFP)

**Phlebia concentrica** (Cooke & Ellis) Kropf & Nakasone (=*Irpea owensii*, *Radulum owensii*)  
*Alnus rubra*, V (DAVFP)  
*Betula papyrifera*, LC (Shaw 1973)  
*Corylus sp.*, V (DAVFP)  
*Prunus sp.*, V (DAVFP)

**Phlebia cretacea** (Bourd. & Galzin) J. Eriksson & Hjortstam  
*Pseudotsuga menziesii*, V (DAOM 141428)

**Phlebia gigantea** (Fr.:Fr.) Donk see *Phanerochaete gigantea*

**Phlebia lilascens** (Bourd.) J. Eriksson & Hjortstam in J. Eriksson et al.  
*Chamaecyparis sp.*, LC (Hallenberg and Larsson 1991)  
*Gymnosperms*, Wood, LC (Hallenberg and Larsson 1991)

**Phlebia livida** (Pers.:Fr.) Bres.  
*Pseudotsuga menziesii*, V (DAVFP)  
*Tsuga heterophylla*, V (DAVFP)

**Phlebia mellea** Overh. see *Phlebia albida*

**Phlebia merismoides** (Fr.:Fr.) Fr.  
(=Phlebia radiata)  
*Abies grandis*, V (DAVFP)  
*Abies lasiocarpa*, V (DAVFP)  
*Acer macrophyllum*, V (DAVFP)  
*Alnus rubra*, V (DAVFP)  
*Betula papyrifera*, V (DAVFP)  
*Pinus contorta* var. *latifolia*, V (DAVFP)  
*Populus tremuloides*, V (DAVFP)  
*Populus trichocarpa*, V (DAVFP)  
*Prunus emarginata*, V (DAVFP)  
*Pseudotsuga menziesii*, V (DAVFP)  
*Quercus garryana*, V (DAVFP)  
*Salix sp.*, V (DAVFP)  
*Tsuga heterophylla*, V (DAVFP)

**Phlebia phlebioides** (H. Jacks. & Dearden) R.L. Gilbertson & Budington see *Phlebia subserialis*

**Phlebia radiata** Fr. see *Phlebia merismoides*

**Phlebia rufa** (Fr.:Fr.) M. Christiansen (=Merulius rufus)  
*Acer macrophyllum*, V (DAVFP)  
*Alnus sp.*, LC (Hallenberg 1984)  
*Prunus emarginata*, V (DAVFP)  
*Quercus garryana*, V (DAVFP)  
*Salix sp.*, V (DAVFP)

**Phlebia segregata** (Bourd. & Galzin)  
*Parmasto* (=*Peniophora livida*)  
*Gymnosperms*, Wood, LC (Slysh 1960)  
*Pseudotsuga menziesii*, UR  
*Tsuga heterophylla*, UR

**Phlebia serialis** (Fr.) Donk (=*Peniophora flavo-ferruginea*)  
*Thuja plicata*, V (DAVFP)

**Phlebia strigosozonata** (Schwein.) C.G. Lloyd see *Punctularia strigosozonata*

**Phlebia subochracea** (Bres.) J. Eriksson & Ryvarden  
*Populus sp.*, LC (Hallenberg and Larsson 1991)

**Phlebia subserialis** (Bourd. & Galzin) Donk (=*Peniophora phlebioides*, *Phlebia phlebioides*)  
*Pinus contorta* var. *latifolia*, UR - Cultured then discarded.  
*Pinus ponderosa*, UR  
*Pseudotsuga menziesii*, V (DAVFP)  
*Tsuga heterophylla*, UR

**Phlebia tremellosus** (Schrad.:Fr.) Nakasone & Burdsall (=Merulius tremellosus)  
*Abies amabilis*, UR  
*Acer macrophyllum*, V (DAVFP)  
*Betula papyrifera*, V (DAVFP)  
*Populus tremuloides*, LC (Conners 1967)  
*Pseudotsuga menziesii*, V (DAVFP)  
*Soil and Duff*, V (DAVFP)  
*Tsuga heterophylla*, V (DAVFP)

**Phlebia unica** (H. Jacks. & Dearden) Ginn (=*Peniophora unica*)  
*Abies lasiocarpa*, V (DAVFP) (TYPE)

**Phlebia sp.**  
*Abies lasiocarpa*, V (DAVFP)  
*Alnus rubra*, V (DAVFP)  
*Alnus sp.*, V (DAVFP)  
*Pseudotsuga menziesii*, V (DAOM)  
*Tsuga mertensiana*, V (DAOM 141443)

**Phlebiella filicina** (Bourd.) K. Larsson & Hjortstam in Hjortstam & K. Larsson (=Xenasma filicinum)  
*Gymnosperms*, Wood, V (DAOM 141608)  
*Pseudotsuga menziesii*, V (DAVFP)  
*Thuja plicata*, V (DAOM 141611)  
*Tsuga mertensiana*, V (DAOM 141612)

**Phlebiella ralla** (H. Jacks.) K. Larsson & Hjortstam in Hjortstam & K. Larsson (=Xenasma rallum)  
*Picea sitchensis*, LC (Ginn 1986a)  
*Pseudotsuga menziesii*, V (DAVFP)

**Phlebiella tulasnelloidea** (Höhn. & Litsch.)

Oberwinkler (=Xenasma tulasnelloideum)  
*Pseudotsuga menziesii*, V (DAVFP)

**Phlebiella vaga** (Fr.:Fr.) P. Karst.

(=Trechispora vaga)

*Abies amabilis*, V (DAVFP)  
*Acer macrophyllum*, V (DAVFP)  
*Arbutus menziesii*, V (DAVFP)  
*Pinus monticola*, V (DAVFP)  
*Populus tremuloides*, V (DAVFP)  
*Pseudotsuga menziesii*, LC (Ginns 1982a)  
*Thuja plicata*, V (DAVFP)

**Phlebiopsis gigantea** (Fr.:Fr.) Jülich see  
*Phanerochaete gigantea*

**Phloeospora aceris** (Lib.) Sacc. see  
*Septoria aceris*

**Phloeospora aegopodii** Grove

*Osmorrhiza chilensis*, LC (Ginns 1986a as  
*Septoria aegopodii*)

**Phloeospora anemones** Ellis & Kellerm. in  
G. Martin see *Septoria punicea*

**Phloeospora idahoensis** R. Sprague see  
*Didymella festucae* (teleomorph)

**Phloeospora lunelliana** (Sacc.) Solheim

(=Septoria lunelliana)  
*Carex bebbii*, LC (Shaw 1973)

**Phloeospora osmorrhizae** (Peck) House  
(=Septoria osmorrhizae)

*Osmorrhiza chilensis*, LC (Ginns 1986a)  
*Osmorrhiza depauperata*, LC (Ginns 1986a)  
*Osmorrhiza purpurea*, LC (Ginns 1986a)  
*Osmorrhiza* sp., LC (Shaw 1973)

**Phloeospora spiraeicola** (Ellis & Everh.)  
Bubák (=Cylindrosporium spiraeicola)

*Holodiscus discolor*, LC (Jones 1957 on *Spiraea*  
<sub>discolor</sub>)  
*Spiraea betulifolia* var. *lucida*, LC (Jones 1957 on  
*Spiraea lucida*)

**Phloeosporella ceanothi** (Ellis & Everh.)  
Höhn. (=Cylindrosporium ceanothi)

*Ceanothus sanguineus*, LC (Ginns 1986a)  
*Ceanothus velutinus*, V (DAVFP)

**Phloeosporella padi** (Lib.) Arx

*Prunus virginiana* var. *demissa*, V (DAVFP)  
*Prunus* sp., V (DAVFP)

**Phloeosporella** sp.

*Alnus rubra*, LC (Sieber, Sieber-Canavesi, and  
Dorworth 1991)

**Phlogiotis helvelloides** (Fr.) Martin

Angiosperms, Wood, UR  
Soil and Duff, V (DAVFP)

**Phlyctema vagabunda** Desmaz.

(=Gloeosporium allantosporum)  
*Rubus leucodermis*, LC (Shaw 1973)  
*Rubus occidentalis*, LC (Connors 1967)

**Pholiota acericola** Peck

Soil and Duff, V (DAVFP)

**Pholiota adiposa** (Fr.:Fr.) P. Kumm.

(=Pholiota aurivella)

*Abies amabilis*, V (DAVFP)  
*Abies grandis*, V (DAVFP)  
*Abies lasiocarpa*, V (DAVFP)  
*Alnus rubra*, V (DAVFP)  
*Betula papyrifera*, UR  
Gymnosperms, Wood, V (DAVFP)  
*Larix laricina*, UR  
*Picea engelmannii*, LC (Ginns 1986a)  
*Picea glauca*, UR  
*Pinus monticola*, LC (Shaw 1973)  
*Populus tremuloides*, UR  
*Pseudotsuga menziesii*, LC (Connors 1967)  
*Salix* sp., V (DAVFP)  
*Tsuga heterophylla*, UR  
Unidentified wood, V (DAVFP)

**Pholiota aeruginosa** Peck

*Pseudotsuga menziesii*, V (DAVFP)

**Pholiota alnicola** (Fr.:Fr.) Singer

(=Flammula alnicola, Flammula connissans)

*Abies amabilis*, V (DAVFP)  
*Abies lasiocarpa*, UR  
Gymnosperms, Wood, V (DAVFP)  
*Larix laricina*, UR  
*Picea engelmannii*, LC (Ginns 1986a)  
*Picea glauca*, UR  
*Picea mariana*, UR  
*Pinus contorta* var. *latifolia*, UR  
*Populus tremuloides*, UR  
*Tsuga heterophylla*, V (DAVFP) - Dried culture  
only.

**Pholiota aurivella** (Fr.) P. Kumm. see  
*Pholiota adiposa*

**Pholiota aurivelloides** Overh.

*Rhamnus purshiana*, LC (Shaw 1973)  
*Salix scouleriana*, V (DAVFP)

**Pholiota caperata** (Pers.:Fr.) P. Kumm.  
see *Rozites caperata*

**Pholiota destruens** (Brond.) Gill. see  
*Pholiota populnea*

**Pholiota flammans** (Fr.:Fr.) P. Kumm.  
Gymnosperms, Wood, UR

**Pholiota limonella** (Peck) Sacc. (=Pholiota  
squarrosa-adiposa)

*Abies grandis*, V (DAVFP)  
*Picea* sp., V (DAVFP)  
*Salix* sp., V (DAVFP)

**Pholiota malicola** (Kauffm.) A.H. Smith  
Soil and Duff, V (DAVFP)  
*Tsuga heterophylla*, LC (Connors 1967)

**Pholiota marginata** (Batsch:Fr.) Quél. see  
*Galerina marginata*

**Pholiota marginella** Peck see  
*Kuehneromyces lignicola*

**Pholiota mutabilis** (Schaeff.:Fr.) P. Kumm.  
see *Kuehneromyces mutabilis*

**Pholiota populnea** (Pers.:Fr.) Kuyper &  
Tjall.-Beukers (=*Pholiota destruens*)  
*Alnus* sp., V (DAVFP)  
*Populus nigra* var. *italica*, V (DAVFP)  
*Populus trichocarpa*, V (DAVFP)  
*Pseudotsuga menziesii*, V (DAVFP)

**Pholiota pulchella** A.H. Smith & Hesler  
Unidentified wood, V (DAVFP)

**Pholiota spectabilis** (Fr.:Fr.) Gill. see  
*Gymnopilus spectabilis*

**Pholiota squarrosa** (Fr.:Fr.) P. Kumm.  
*Abies lasiocarpa*, LC (Connors 1967)  
*Malus pumila*, LC (Connors 1967)  
*Malus sylvestris*, LC (Toms 1964)  
*Picea glauca*, V (DAVFP)

**Pholiota squarrosa-adiposa** J.E. Lange  
see *Pholiota limonella*

**Pholiota squarrosoides** (Peck) Sacc.  
*Betula papyrifera*, V (DAVFP)

**Pholiota subsquarrosa** (Fr.) Quél.  
*Betula papyrifera*, V (DAVFP)

**Pholiota terrestris** Overh.  
Soil and Duff, UR

**Pholiota tuberculosa** (Fr.) P. Kumm.  
*Alnus* sp., V (DAVFP)

**Pholiota** sp.  
*Betula papyrifera*, V (DAVFP)  
Dung, horse, V (DAVFP)  
*Populus trichocarpa*, V (DAVFP)  
*Pseudotsuga menziesii*, V (DAVFP)  
*Salix* sp., UR  
Soil and Duff, V (DAVFP)  
*Tsuga heterophylla*, UR  
Wood mulch, V (DAVFP)

**Phoma abietina** R. Hartig see *Phomopsis abietina*

**Phoma acicola** (Lév.) Sacc.  
*Pinus* sp., V (DAVFP)

**Phoma complanata** (Tode:Fr.) Desmaz.  
*Heracleum lanatum*, V (DAVFP)

**Phoma exigua** Desmaz. (=*Ascochyta nicotianae*, *Ascochyta phaseolorum*, *Phoma tuberosa*)  
*Solanum tuberosum*, LC (Jones 1957)

**Phoma glomerata** (Corda) Wollenweb. &  
Hochapfel  
*Elaeagnus commutata*, V (DAVFP)

**Phoma herbarum** Westend.  
*Pinus monticola*, V (DAVFP) - Identified in culture

**Phoma lycopersici** Cooke (=*Ascochyta lycopersici*)  
*Solanum tuberosum*, LC (Jones 1957)

**Phoma medicaginis** Malbr. & Roum. in  
Roum. (=*Ascochyta imperfecta*)  
*Melilotus alba*, LC (Ginns 1986a)  
*Melilotus officinalis*, LC (Connors 1967)

**Phoma prunicola** (Opiz) Wollenweb. &  
Hochapfel non Schwein.  
*Larix occidentalis*, UR

**Phoma tuberosa** Melhus, Rosenb., & E.S.  
Schultz see *Phoma exigua*

**Phoma viburni** (Sacc.) Boerema & M.J.  
Griffin (=*Ascochyta viburni*)  
*Viburnum edule*, LC (Ginns 1986a)  
*Viburnum opulus*, LC (Connors 1967)

**Phoma** sp.  
*Abies amabilis*, V (DAVFP)  
*Alnus rubra*, LC (Sieber, Sieber-Canavesi, and  
Dorworth 1991)  
*Arbutus menziesii*, V (DAVFP)  
*Chamaecyparis lawsoniana*, V (DAVFP)  
*Cornus nuttallii*, LC (Ginns 1986a)  
*Cornus* sp., V (DAVFP)  
*Forsythia* sp., LC (Shaw 1973)  
*Ilex aquifolium*, LC (Toms 1964)  
*Larix occidentalis*, V (DAVFP)  
*Larix sibirica*, V (DAVFP)  
*Lotus corniculatus*, LC (Ginns 1986a)  
*Picea engelmannii*, UR  
*Picea glauca*, V (DAVFP)  
*Picea sitchensis*, V (DAVFP)  
*Picea* sp., UR - Specimen discarded  
*Pinus albicaulis*, V (DAOM 143556)  
*Pinus contorta* var. *latifolia*, V (DAVFP)  
*Pinus monticola*, LC (Hughes 1969)  
*Populus tremuloides*, V (DAVFP)  
*Populus trichocarpa*, V (DAVFP)  
*Pseudotsuga menziesii*, V (DAVFP)  
*Quercus garryana*, V (DAVFP)  
*Sequoia sempervirens*, V (DAVFP)  
*Stransvaesia* sp., V (DAVFP)  
*Thuja orientalis* var. *stricta*, V (DAVFP)  
*Thuja plicata*, V (DAVFP)  
*Tsuga heterophylla*, V (DAVFP)

Unidentified wood, LC (Hughes 1969)

**Phomatospora argyrostigma** (Berk.) Sacc.  
*Juncus drummondii*, LC (Conners 1967)  
*Yucca* sp., LC (Conners 1967)

**Phomatospora therophila** (Desmaz.) Sacc.  
*Juncus drummondii*, LC (Barr 1953)

**Phomopsis abietina** (R. Hartig) Höhn.  
(=Phoma abietina)  
*Abies grandis*, LC (Shaw 1973)

**Phomopsis ambigua** (Sacc.) Traverso  
*Malus domestica*, V (DAVFP) - on Granny Smith apples

**Phomopsis arnoldiae** Sutton (=Phomopsis elaeagni)  
*Elaeagnus angustifolia*, LC (Ginns 1986a)

**Phomopsis conorum** (Sacc.) Died.  
*Picea* sp., V (DAVFP)

**Phomopsis elaeagni** (J.C. Carter & Sacamano) R.H. Arnold & J.C. Carter see *Phomopsis arnoldiae*

**Phomopsis juniperovora** Hahn  
*Chamaecyparis nootkatensis*, V (DAVFP)  
*Juniperus sabina*, V (DAVFP)  
*Juniperus scopulorum*, V (DAVFP)  
*Thuja occidentalis* var. *fastigata*, V (DAVFP)

**Phomopsis lokoyae** Hahn see *Diaporthe lokoyae* (teleomorph)

**Phomopsis mali** Roberts  
*Malus* sp., LC (Toms 1964)

**Phomopsis oblonga** (Desmaz.) Traverso see *Diaporthe eres* (teleomorph)

**Phomopsis occulta** (Sacc.) Traverso  
*Abies grandis*, V (DAVFP)  
*Larix occidentalis*, V (DAVFP)  
*Tsuga heterophylla*, V (DAVFP)

**Phomopsis porteri** Funk  
*Pseudotsuga menziesii*, V (DAVFP) (TYPE)

**Phomopsis pseudotsugae** M. Wilson see *Phacidium coniferarum* (teleomorph)

**Phomopsis quercina** Höhn.  
*Quercus garryana*, LC (Shaw 1973)

**Phomopsis revellens** (Sacc.) Höhn.  
*Corylus avellana*, LC (Ginns 1986a)

**Phomopsis stictica** (Berk. & Broome) Traverso  
*Buxus sempervirens*, LC (Ginns 1986a)

**Phomopsis tuberivora** H.T. Güssow & W.R. Foster see *Phacidiopycnis tuberivora*

**Phomopsis vexans** (Sacc. & Syd.) Harter  
*Solanum melongena* var. *esculentum*, LC (Conners 1967)

**Phomopsis** sp.

*Acer macrophyllum*, V (DAVFP)  
*Alnus rubra*, V (DAVFP) - Dried culture only.  
*Alnus* sp., V (DAVFP)  
*Cupressus macrocarpa*, V (DAVFP)  
*Cytisus scoparius*, V (DAVFP)  
*Juniperus* sp., LC (MacDonald and Barnett 1989)  
*Liquidambar styraciflua*, V (DAVFP)  
*Picea sitchensis*, V (DAVFP)  
*Pinus contorta* var. *latifolia*, V (DAVFP) - Dried culture only.  
*Pinus radiata*, V (DAVFP)  
*Populus trichocarpa* X *P. deltoides*, V (DAVFP)  
*Robinia pseudoacacia*, V (DAVFP)  
*Salix* sp., V (DAVFP)  
*Taxus baccata* var. *fastigiata*, V (DAVFP)  
*Taxus brevifolia*, V (DAVFP)  
*Thuja plicata*, V (DAVFP)  
*Wisteria sinensis* 'Plena', V (DAVFP)

**Phragmidium andersonii** Shear  
*Potentilla fruticosa*, V (DAVFP)

**Phragmidium biloculare** Dietel & Holw.  
*Potentilla flabellifolia*, LC (Ginns 1986a)

**Phragmidium boreale** Tranzschel  
*Potentilla diversifolia*, LC (Ginns 1986a)

**Phragmidium fusiforme** J. Schröt.  
(=Phragmidium rosae-acicularis)  
*Rosa nutkana*, V (DAVFP)  
*Rosa spaldingii*, V (DAVFP)  
*Rosa* sp., V (DAVFP)

**Phragmidium fusiforme** J. Schröt. var. *novi-boreale* Savile  
*Rosa acicularis* var. *bourgeauiana*, LC (Savile 1974a) (TYPE)  
*Rosa gymnocarpa*, LC (Savile 1974a)  
*Rosa nutkana* var. *hispida*, LC (Savile 1974a)  
*Rosa nutkana* var. *nutkana*, LC (Savile 1974a)  
*Rosa pisocarpa*, LC (Savile 1974a)  
*Rosa woodsii* var. *ultramontana*, LC (Savile 1974a)

**Phragmidium ivesiae** Syd. & P. Syd.  
*Potentilla gracilis*, V (DAVFP)  
*Potentilla gracilis* subsp. *nuttallii*, LC (Jones 1957)  
*Potentilla gracilis* var. *flabelliformis*, LC (Savile 1976b)  
*Potentilla gracilis* var. *glabrata*, LC (Savile 1976b)  
*Potentilla gracilis* var. *gracilis*, LC (Savile 1976b)  
*Potentilla gracilis* var. *permollis*, LC (Savile 1976b)  
*Potentilla gracilis* var. *pulcherrima*, LC (Savile 1976b)  
*Potentilla* sp., V (DAVFP)

***Phragmidium montivagum*** Arth.

*Rosa gymnocarpa*, LC (Conners 1967)  
*Rosa pisocarpa*, V (DAVFP)  
*Rosa* sp., LC (Parmelee 1984)

***Phragmidium mucronatum*** (Pers.:Pers.)

Schlechtend.

*Rosa* sp., LC (Ginns 1986a)

***Phragmidium occidentale*** Arth. in H.C.

Greene

*Rubus parviflorus*, V (DAVFP)

***Phragmidium potentillae*** (Pers.:Pers.) P.

Karst.

*Potentilla gracilis*, V (DAVFP)  
*Potentilla pensylvanica*, LC (Savile 1974b)  
*Potentilla* sp., V (DAVFP)

***Phragmidium rosae-acicularis*** Liro see

*Phragmidium fusiforme*

***Phragmidium rosae-arkansanae*** Dietel

*Rosa pisocarpa*, V (DAVFP)

***Phragmidium rosae-californicae*** Dietel

*Rosa californica*, LC (Conners 1967)  
*Rosa gymnocarpa*, V (DAVFP)  
*Rosa nutkana*, V (DAVFP)  
*Rosa pisocarpa*, LC (Conners 1967)

***Phragmidium rosae-pimpinellifoliae*** Dietel

*Rosa* sp., LC (Conners 1967)

***Phragmidium rubi-idaei*** (DC.) P. Karst.

*Rubus idaeus* subsp. *sachalinensis* var.  
*sachalinensis*, V (DAVFP)  
*Rubus idaeus* var. *peramoenus*, V (DAVFP)  
*Rubus idaeus* var. *strigosus*, V (DAVFP)  
*Rubus leucodermis*, LC (Conners 1967)  
*Rubus occidentalis*, LC (Ginns 1986a)  
*Rubus ursinus*, LC (Shaw 1973)

***Phragmidium tuberculatum*** J. Müller

*Rosa borboniana* 'La Reine Victoria', V (DAVFP)  
*Rosa borboniana* 'Mme. Ernest Calvat', V  
(DAVFP)  
*Rosa borboniana* 'Mme. Pierre Oger', V (DAVFP)  
X *Rosa borboniana* X *R. chinensis* 'Black Prince',  
V (DAVFP)  
X *Rosa borboniana* X *R. chinensis* 'Ferdinand  
Pichard', V (DAVFP)  
X *Rosa borboniana* X *R. chinensis* 'Georg Arends',  
V (DAVFP)  
X *Rosa borboniana* X *R. chinensis* 'Heinrich  
Munch', V (DAVFP)  
X *Rosa borboniana* X *R. chinensis* 'Henry Nevard',  
V (DAVFP)  
*Rosa centifolia* 'Variegata di Bologna', V (DAVFP)  
*Rosa dilecta* 'Audie Murphy', V (DAVFP)  
*Rosa dilecta* 'Caprice', V (DAVFP)  
*Rosa dilecta* 'Cynthia Brooke', V (DAVFP)  
*Rosa dilecta* 'Ena Harkness', V (DAVFP)  
*Rosa dilecta* 'Ethel Sanday', V (DAVFP)  
*Rosa dilecta* 'Etoile de Hollande', V (DAVFP)  
*Rosa dilecta* 'Fort Vancouver', V (DAVFP)

*Rosa dilecta* 'Hector Deane', V (DAVFP)

*Rosa dilecta* 'Living', V (DAVFP)

*Rosa dilecta* 'Marcel Gret', V (DAVFP)

*Rosa dilecta* 'Margaret', V (DAVFP)

*Rosa dilecta* 'Mme. Henri Guillot', V (DAVFP)

*Rosa dilecta* 'Mrs. Edward Laxton', V (DAVFP)

*Rosa dilecta* 'Picture', V (DAVFP)

*Rosa dilecta* 'President Herbert Hoover', V  
(DAVFP)

*Rosa dilecta* 'Royalist', V (DAVFP)

*Rosa dilecta* 'Rubaiyat', V (DAVFP)

*Rosa dilecta* 'Shot Silk', V (DAVFP)

*Rosa dilecta* 'Signora', V (DAVFP)

*Rosa dilecta* 'Souv. de Jaques Veschuren', V  
(DAVFP)

*Rosa dilecta* 'Sterling Silver', V (DAVFP)

*Rosa dilecta* 'Sultane', V (DAVFP)

*Rosa dilecta* 'Sutters Gold', V (DAVFP)

*Rosa dilecta* 'Tahiti', V (DAVFP)

*Rosa dilecta* 'Tzigane', V (DAVFP)

*Rosa dilecta* 'Virgo', V (DAVFP)

*Rosa dilecta* 'White Favourite', V (DAVFP)

*Rosa gallica*, V (DAVFP)

*Rosa helenae* 'Donald Prior', V (DAVFP)

*Rosa helenae* 'Masquerade', V (DAVFP)

*Rosa moschata* 'Bishop Darlington', V (DAVFP)

*Rosa richardii*, V (DAVFP)

*Rosa rugosa* 'Conrad Ferdinand Meyer', V  
(DAVFP)

*Rosa rugosa* 'Sarah van Fleet', V (DAVFP)

***Phragmidium* sp.**

*Potentilla pensylvanica*, V (DAVFP)

*Rosa* sp., V (DAVFP)

***Phragmocephala elliptica*** (Berk. &

Broome) Hughes

*Sambucus* sp., LC (Ginns 1986a)

***Phragmoporthe conformis*** (Berk. & Br.)

Petrak

*Alnus* sp., LC (Barr 1978)

***Phragmoporthe pseudotsugae*** Funk see

*Griphosphaeria corticola*

***Phragmotrichum chailletii*** Kunze

*Picea engelmannii*, V (DAVFP)

*Picea glauca*, V (DAVFP)

***Phragmotrichum rivoclarinum*** (Peyronel)

Sutton & Pirozynski

*Alnus sinuata*, V (DAVFP)

***Phycomyces blakesleeanus*** Burgeff

*Pinus contorta* var. *latifolia*, V (DAVFP)

***Phyllachora filicina*** Sacc. & Scalia

(=*Trabutella filicina*)

*Polystichum lonchitis*, LC (Conners 1967)

***Phyllachora graminis*** (Pers.Fr.) Nitschke

*Agropyron repens*, LC (Punja and Ormrod 1979)

*Dactylis glomerata*, LC (Barr 1953)

*Elymus condensatus*, LC (Barr 1953)

*Elymus glaucus*, LC (Conners 1967)

*Elymus piperi*, LC (Conners 1967)  
*Poa* sp., LC (Barr 1953)

**Phyllachora kalmiae** (Peck) Petr.  
 (=Dothidella kalmiae)  
*Kalmia polifolia* subsp. *occidentalis*, V (DAVFP)

**Phyllachora sylvatica** Sacc. & Speg.  
 (=Endothella tracyi)  
*Distichlis stricta*, LC (Barr 1953)  
*Festuca rubra*, LC (Barr 1953)

**Phyllachora vulgata** Theiss. & Syd.  
*Muhlenbergia asperifolia*, LC (Conners 1967)

**Phyllachora witrockii** (Eriks.) Sacc. see  
*Phylleutypa witrockii*

**Phyllachora** sp.  
*Festuca rubra*, V (DAVFP)

**Phyllactinia corylea** (Pers.) P. Karst. see  
*Phyllactinia guttata*

**Phyllactinia guttata** (Wallr.:Fr.) Lév.  
 (=Phyllactinia corylea)  
*Alnus rubra*, V (DAVFP)  
*Alnus sinuata*, LC (Conners 1967)  
*Alnus tenuifolia*, LC (Shaw 1973)  
*Alnus* sp., LC (Barr 1953)  
*Amelanchier alnifolia*, LC (Barr 1953)  
*Betula occidentalis*, UR  
*Cornus nuttallii*, V (DAVFP)  
*Cornus stolonifera*, V (DAVFP)  
*Cornus* sp., LC (Barr 1953)  
*Corylus cornuta* var. *californica*, LC (Conners 1967)  
*Corylus* sp., LC (Barr 1953; Buonassisi 1989)  
*Crataegus douglasii*, LC (Shaw 1973)  
*Crataegus* sp., LC (Barr 1953)  
*Holodiscus discolor*, LC (Barr 1953)  
*Juglans regia*, LC (Toms 1964)  
*Philadelphus lewisii*, LC (Shaw 1973)  
*Prunus armeniaca*, LC (Shaw 1973)  
*Sorbus sitchensis*, V (DAVFP)

**Phyllactinia** sp.  
*Acer negundo*, V (DAVFP)

**Phylleutypa witrockii** (Eriks.) Petr.  
 (=Phyllachora witrockii)  
*Linnaea borealis* subsp. *longiflora*, V (DAVFP)

**Phylloporus rhodoxanthus** (Schwein.)  
 Bres.  
 Soil and Duff, V (DAVFP)

**Phyllosticta abietis** Bissett & Palm  
*Abies grandis*, V (DAVFP)

**Phyllosticta concentrica** Sacc.  
*Hedera helix*, LC (Ginns 1986a)

**Phyllosticta cornicola** (DC.) Rabenh.  
*Cornus nuttallii*, UR

**Phyllosticta delphinii** Clements in Seaver  
*Delphinium menziesii*, LC (Shaw 1973)

**Phyllosticta fritillariae** Bonar & W.B.  
 Cooke  
*Fritillaria lanceolata*, V (DAVFP)

**Phyllosticta gaultheriae** Ellis & Everh.  
*Gaultheria shallon*, V (DAVFP)

**Phyllosticta grossulariae** Sacc.  
*Ribes sativum* var. *albescens*, LC (Toms 1964)

**Phyllosticta innumerabilis** Peck  
*Amelanchier alnifolia*, V (DAVFP)

**Phyllosticta iridis** Ellis & G. Martin in Ellis & Everh.  
*Iris* sp., LC (Conners 1967)

**Phyllosticta lychnidis** (Kunze & J.C. Schmidt) Ellis & Everh.  
*Lychnis alba*, LC (Conners 1967)

**Phyllosticta melanoplaca** Thuem.  
*Veratrum viride*, LC (Ginns 1986a)

**Phyllosticta minutissima** Ellis & Everh.  
*Acer glabrum* var. *douglasii*, LC (Parmelee 1984 on *Acer glabrum*)

**Phyllosticta pachystimae** Wehmeyer  
*Pachistima myrsinoides*, V (DAVFP)

**Phyllosticta pervincae** Bissett & Darbyshire  
*Vinca minor*, LC (Bissett and Darbyshire 1984a)

**Phyllosticta pyrolae** Ellis & Everh.  
*Pyrola asarifolia* var. *purpurea*, LC (Parmelee 1958; Bissett and Darbyshire 1984b on *Pyrola bracteata*)

**Phyllosticta rhamni** Westend.  
*Rhamnus purshiana*, LC (Jones 1957)

**Phyllosticta sphaeropsoidea** Ellis & Everh.  
*Aesculus hippocastanum*, V (DAVFP)

**Phyllosticta straminella** Died. see  
*Macrophoma straminella*

**Phyllosticta syringae** Westend.  
*Syringa vulgaris*, LC (Conners 1967)

**Phyllosticta** sp.  
*Aesculus hippocastanum*, LC (Wood et al. 1987)  
*Betula* sp., V (DAVFP)  
*Bromus sitchensis*, LC (Sprague 1960a)  
*Buxus sempervirens*, LC (Ginns 1986a)  
*Gentiana sceptrum*, V (DAVFP)  
*Lilium* sp., V (DAVFP)  
*Pittosporum tobira*, LC (Ginns 1986a)

- Prunus emarginata*, LC (Jones 1957)  
*Rhododendron* sp., LC (Shaw 1973)
- Phyllocladus nidulans*** (Pers.:Fr.) Singer  
*Abies grandis*, LC (Conners 1967)  
*Abies lasiocarpa*, V (DAVFP)  
*Betula papyrifera*, V (DAVFP)
- Physalospora crepiniana*** Sacc. & Él.  
 Marchal in Rehm see *Physalospora empetri*
- Physalospora empetri*** Rostr.  
 (= *Physalospora crepiniana*)  
*Empetrum nigrum*, V (DAVFP)
- Physalospora miyabeana*** Fukushi see  
*Glomerella cingulata*
- Physalospora obtusa*** (Schwein.) Cooke  
 see *Botryosphaeria obtusa*
- Physalospora vaccinii*** (Shear) Arx & E.  
 Müller (= *Acanthorhynchus vaccinii*)  
*Oxycoccus microcarpus*, LC (Barr 1953 on  
*Vaccinium oxycoccos*)
- Physalospora* sp.**  
*Malus pumila*, LC (Jones 1957)
- Physisporinus sanguinolentus*** (Albertini &  
 Schwein.:Fr.) Pilát (= *Poria decolorans*,  
*Poria sanguinolenta*)  
*Tsuga heterophylla*, LC (Conners 1967)
- Physisporinus vitreus*** (Pers.:Fr.) P. Karst.  
 (= *Poria undata*, *Poria vitrea*)  
*Tsuga heterophylla*, LC (Shaw 1973)
- Pichia pini*** (Holst) Phaff  
*Pinus contorta* var. *latifolia*, LC (Strongman 1987  
 as *Pichia pinus*)
- Piggotia coryli*** (Desmaz.) Sutton  
 (= *Gloeosporium coryli*)  
*Corylus cornuta* var. *californica*, LC (Ginns 1986a)
- Pileolaria brevipes*** Berk. & Ravenel in  
 Berk.  
*Rhus radicans*, LC (Parmelee and Elliott 1974)
- Pilobolus crystallinus*** (Wigg.) Tode  
*Rosa* sp., LC (Toms 1964 on hybrid roses)
- Piloderma byssinum*** (P. Karst.) Jülich  
*Abies amabilis*, V (DAOM 142148)  
*Abies lasiocarpa*, V (DAVFP)  
*Picea glauca*, V (DAVFP)  
*Populus tremuloides*, V (DAVFP)  
*Pseudotsuga menziesii*, V (DAVFP)  
*Thuja plicata*, V (DAVFP)  
*Tsuga heterophylla*, V (DAVFP)  
*Tsuga mertensiana*, V (DAOM 139150)
- Piloderma fallax*** (Libert) Stalpers  
*Pseudotsuga menziesii*, V (DAVFP)
- Piloporia albobrunnea*** (Romell) Ginns see  
*Antrodia albobrunnea*
- Piptoporus betulinus*** (Bull.:Fr.) P. Karst.  
 (= *Polyporus betulinus*)  
*Betula occidentalis*, LC (Conners 1967)  
*Betula papyrifera*, V (DAVFP)
- Piricauda* sp.**  
*Tilia americana*, LC (Shaw 1973)
- Pisolithus tinctorius*** (Mich.:Pers.) Coker &  
 Couch  
 Soil and Duff, V (DAVFP)
- Pistillaria setipes*** Grev. see *Typhula*  
*setipes*
- Pistillaria typhuloides*** (Peck) Burt see  
*Typhula uncialis*
- Pistillaria* sp.**  
*Pseudotsuga menziesii*, V (DAVFP)
- Pithya cupressi*** (Batsch) Rehm see *Pithya*  
*cupressina*
- Pithya cupressina*** (Pers.) Fuckel (= *Pithya*  
*cupressi*)  
*Juniperus chinensis* var. *pfitzeriana*, V (DAVFP)  
*Juniperus horizontalis*, V (DAVFP)  
*Juniperus sabina*, V (DAVFP)  
*Thuja plicata*, V (DAVFP)
- Pithya vulgaris*** Fuckel  
*Abies amabilis*, V (DAVFP)  
*Abies grandis*, V (DAVFP)  
*Abies lasiocarpa*, V (DAVFP)  
*Cedrus atlantica*, V (DAVFP)  
*Pseudotsuga menziesii*, V (DAVFP)
- Pithya* sp.**  
*Juniperus virginiana*, V (DAVFP)
- Placosphaeria cornicola*** Dearn.  
*Cornus nuttallii*, LC (Shaw 1973)
- Plagiostoma alnea* var. *alnea*** (Fr.) von Arx  
*Alnus* sp., LC (Barr 1978)
- Plagiostoma campylostylum*** (Auersw.)  
 Barr (= *Gnomonia campylostyla*)  
*Betula glandulosa*, V (DAVFP)  
*Betula* sp., LC (Monod 1983 as *Gnomonia*  
*betulina*)
- Plagiostoma jensenii*** Barr  
*Alnus rubra*, LC (Meurer-Grimes et al. 1992)  
 (HOLOTYPE)

**Plagiostoma lugubre** (Karst.) Bolay  
*Potentilla palustris*, LC (Barr 1978)

**Platygloea peniophorae** Bourd. & Galzin  
 Corticiaceous fungus on rotten *Alnus*, V (UBC F12158)  
*Hyphoderma praetermissum*, V (UBC F11853)  
*Peniophora* sp. on wood, UR

**Plectania coccinea** (Scop.) Fuckel  
 Unidentified wood, V (DAVFP)

**Plectania melastoma** (Sowerby) Fuckel  
 (=*Bulgaria melastoma*)  
 Angiosperms, Wood, V (DAVFP)  
*Gaultheria shallon*, V (DAVFP)  
 Soil and Duff, V (DAVFP)

**Plectania nannfeldtii** Korf  
 Soil and Duff, V (DAVFP)

**Pleiochaeta setosa** (Kirchn.) S.J. Hughes  
*Lupinus albus*, LC (Paulitz and Atlin 1992)

**Plenodomus** sp.  
*Tsuga heterophylla*, V (DAVFP)

**Pleospora ambigua** (Berl. & Bres.)  
 Wehmeyer see *Pleospora penicillus*

**Pleospora ambigua** (Berl. & Bres.)  
 Wehmeyer var. *crandallii* (Ellis & Everh.)  
 Wehmeyer  
*Arenaria obtusiloba*, LC (Barr 1953)

**Pleospora amplispora** Ellis & Everh.  
*Draba stenoloba*, LC (Barr 1953)

**Pleospora angustata** Wehmeyer  
*Artemisia vulgaris*, LC (Barr 1953)  
*Gaillardia aristata*, LC (Barr 1953)

**Pleospora armeriae** (Corda) Ces. & De Not.  
*Aquilegia formosa*, LC (Barr 1953)  
*Brassica* sp., LC (Barr 1953)  
*Campanula* sp., LC (Barr 1953)  
*Centaurea jacea*, LC (Barr 1953)  
*Oenothera* sp., LC (Barr 1953)  
*Primula* sp., LC (Barr 1953)  
*Sanicula crassicaulis*, LC (Barr 1953)

**Pleospora asymmetrica** Wehmeyer see  
*Pleospora rainierensis*

**Pleospora balsamorhizae** Tracy & Earle  
 see *Pleospora chlamydospora*

**Pleospora chlamydospora** Sacc.  
 (=*Pleospora balsamorhizae*)  
*Erigeron filifolius*, LC (Barr 1953)  
*Solidago decumbens*, LC (Barr 1953)  
*Solidago spathulata*, LC (Shaw 1973)

**Pleospora coloradensis** Ellis & Everh.  
*Anemone multifida*, LC (Barr 1953)  
*Astragalus convallarius*, LC (Shaw 1973)  
*Phacelia leucophylla*, LC (Barr 1953)

**Pleospora comata** Auersw. & Niessl  
*Anemone* sp., LC (Barr 1953)  
*Arabis canescens*, LC (Barr 1953)  
*Arabis puberula*, LC (Shaw 1973)  
*Arenaria rubella*, LC (Shaw 1973)  
*Artemisia borealis*, LC (Barr 1953)  
*Castilleja miniata*, LC (Barr 1953)  
*Chrysopsis villosa*, LC (Barr 1953)  
*Erigeron* sp., LC (Barr 1953)  
*Haplopappus lyallii*, LC (Barr 1953)  
*Oxytropis alpicola*, LC (Barr 1953)  
*Oxytropis campestris*, LC (Shaw 1973)  
*Phacelia sericea*, LC (Barr 1953)  
*Phlox* sp., LC (Barr 1953)  
*Polemonium* sp., LC (Barr 1953)  
*Potentilla* sp., LC (Barr 1953)  
*Silene douglasii*, LC (Barr 1953)  
*Stenanthium occidentale*, LC (Barr 1953)

**Pleospora compositarum** Earle see  
*Pleospora scrophulariae* var. *compositarum*

**Pleospora discors** (Durieu & Mont.) Ces. &  
 De Not.  
*Carex hoodii*, LC (Barr 1953)  
*Luzula campestris*, LC (Barr 1953)  
*Poa* sp., LC (Barr 1953)

**Pleospora heleocharidis** P. Karst.  
*Poa gracillima*, LC (Barr 1953)  
*Trisetum spicatum*, LC (Barr 1953)

**Pleospora helvetica** Niessl  
*Agropyron trachycaulum*, LC (Barr 1953)  
*Anaphalis margaritacea*, LC (Barr 1953)  
*Arenaria formosa*, LC (Shaw 1973)  
*Draba* sp., LC (Barr 1953)  
*Poa* sp., LC (Barr 1953)

**Pleospora herbarum** (Pers.:Fr.) Rabenh.  
*Alnus rubra*, LC (Sieber, Sieber-Canavesi, and Dorworth 1991)  
*Armeria maritima*, LC (Barr 1953)  
*Campanula* sp., LC (Barr 1953)  
*Cichorium intybus*, LC (Barr 1953)  
*Cirsium* sp., LC (Barr 1953)  
*Cucurbita pepo*, UR  
*Digitalis* sp., LC (Barr 1953)  
*Erigeron* sp., LC (Barr 1953)  
*Hieracium aurantiacum*, LC (Barr 1953)  
*Lupinus* sp., LC (Barr 1953)  
*Oenothera biennis*, LC (Barr 1953)  
*Penstemon procerus*, LC (Shaw 1973)  
*Rumex* sp., LC (Barr 1953)  
*Salvia officinalis*, LC (Conners 1967 as *Stemphylium botryosum*)  
*Spinacia oleracea*, LC (Ginns 1986a)  
*Tanacetum vulgare*, LC (Barr 1953)  
*Thuja orientalis* var. *stricta*, V (DAVFP)  
*Trifolium* sp., LC (Barr 1953)  
*Triglochin maritima*, LC (Corlett et al. 1982a as *Stemphylium botryosum*)

*Vicia faba*, LC (Jones 1957 as *Stemphylium botryosum*)

**Pleospora herbarum** (Pers.:Fr.) Rabenh.  
var. **occidentalis** Wehmeyer

*Achillea millefolium*, LC (Barr 1953)  
*Antennaria* sp., LC (Barr 1953)  
*Aster* sp., LC (Barr 1953)  
*Hieracium albertinum*, LC (Barr 1953)  
*Penstemon tolmiei*, LC (Barr 1953)  
*Tofieldia coccinea*, LC (Barr 1953)

**Pleospora laricina** Rehm

*Chamaecyparis nootkatensis*, V (DAVFP)  
*Chamaecyparis nootkatensis* f. *glaуca*, V  
(DAVFP)  
*Thuja plicata*, V (DAVFP)

**Pleospora media** Niessl var. **obtusa**  
Wehmeyer see *Lewia scrophulariae*

**Pleospora njegensis** Bubák

*Erigeron compositus*, LC (Barr 1953)

**Pleospora oligasca** Bubák see *Pleospora potentillae*

**Pleospora penicillus** (J.C. Schmidt) Fuckel  
(= *Pleospora ambigua*)

*Astragalus miser*, LC (Shaw 1973)  
*Cerastium arvense*, LC (Shaw 1973)

**Pleospora potentillae** (Rostr.) E. Müller  
(= *Pleospora oligasca*)

*Antennaria* sp., LC (Barr 1953)  
*Dryas drummondii*, LC (Shaw 1973 as  
*Leptosphaerulina pulchra*)  
*Dryas octopetala*, LC (Barr 1953)  
*Eriogonum* sp., LC (Barr 1953)  
*Geum triflorum*, LC (Barr 1953)  
*Potentilla* sp., LC (Barr 1953)  
*Senecio canus*, LC (Barr 1953)

**Pleospora rainierensis** Wehmeyer  
(= *Pleospora asymmetrica*)

*Achillea millefolium*, LC (Shaw 1973)  
*Antennaria alpina* var. *media*, LC (Conners 1967)  
*Artemisia norvegica*, LC (Barr 1953 on *Artemisia longepedunculata*)  
*Astragalus purshii* var. *glareosus*, LC (Barr 1953  
on *Astragalus glareosus*)  
*Erigeron aureus*, LC (Shaw 1973)  
*Erigeron* sp., LC (Barr 1953)  
*Lupinus latifolius*, LC (Barr 1953)  
*Ranunculus eschscholtzii*, LC (Barr 1953)  
*Viola adunca*, LC (Barr 1953)

**Pleospora scrophulariae** (Desmaz.) Höhn.  
see *Lewia scrophulariae*

**Pleospora scrophulariae** (Desmaz.) Höhn.  
var. **compositarum** (Earle) Wehmeyer  
(= *Pleospora compositarum*)

*Aquilegia formosa*, LC (Barr 1953)  
*Draba paysonii*, LC (Barr 1953)

*Erigeron* sp., LC (Barr 1953)  
*Senecio pauperculus*, LC (Barr 1953)  
*Stenanthium occidentale*, LC (Barr 1953)

**Pleospora tragacanthae** Rabenh.

*Anemone baldensis*, LC (Shaw 1958)  
*Anemone drummondii*, LC (Barr 1953)  
*Antennaria nitida*, LC (Barr 1953 on *Antennaria microphylla*)  
*Antennaria rosea*, LC (Shaw 1973)  
*Arenaria* sp., LC (Barr 1953)  
*Draba paealta*, LC (Barr 1953)  
*Erigeron* sp., LC (Barr 1953)  
*Linum perenne* subsp. *lewisii*, LC (Barr 1953 on  
*Linum lewisii*)  
*Lupinus lyallii*, LC (Barr 1953)  
*Oxytropis campestris*, LC (Shaw 1973)  
*Oxytropis cusickii*, LC (Barr 1953)  
*Pedicularis bracteosa*, LC (Barr 1953)  
*Phacelia sericea*, LC (Barr 1953)

**Pleospora vulgaris** Niessl var. **ferruginea**

Wehmeyer  
Angiosperms, Herbaceous, other, LC (Barr 1953  
on Liliaceae)  
*Erigeron* sp., LC (Barr 1953)

**Pleospora vulgaris** Niessl var. **vulgaris**

Angiosperms, Herbaceous, other, LC (Barr 1953)  
*Balsamorhiza* sp., LC (Barr 1953)  
*Phacelia leucophylla*, LC (Barr 1953)

**Pleospora** sp.

*Acer macrophyllum*, V (DAVFP)  
*Aesculus hippocastanum*, V (DAVFP)  
*Betula glandulosa*, V (DAVFP)  
*Chamaecyparis* sp., V (DAVFP)  
*Cupressus* sp., V (DAVFP)  
*Cytisus scoparius*, V (DAVFP)  
*Larix lyallii*, V (DAVFP)  
*Picea engelmannii*, V (DAVFP)  
*Picea glauca*, V (DAVFP)  
*Populus tremuloides*, V (DAVFP)  
*Populus trichocarpa*, V (DAVFP)  
*Prunus laurocerasus*, V (DAVFP)  
*Pseudotsuga menziesii*, V (DAVFP)  
*Salix* sp., V (DAVFP)  
*Thuja plicata*, V (DAVFP)

**Pleuroceras virgularum** Barr

*Quercus garryana*, LC (Barr 1991b)

**Pleurocybella porrigens** (Pers.:Fr.) Singer

(= *Pleurotus porrigens*)  
*Picea sitchensis*, V (DAVFP)  
*Pseudotsuga menziesii*, V (DAVFP)  
Soil and Duff, V (DAVFP)  
*Tsuga heterophylla*, V (DAVFP)

**Pleurotellus hypnophilus** (Berk.) Sacc.

(= *Crepidotus herbarum*)  
*Picea glauca*, V (DAVFP)  
*Populus trichocarpa*, V (DAVFP)  
*Pseudotsuga menziesii*, V (DAVFP)  
*Thuja plicata*, V (DAVFP)

**Pleurothecium recurvatum** (Morg.) Höhn.  
*Alnus rubra*, LC (Goos 1969)

**Pleurotus albolanatus** (Peck) Kauffm.  
*Pseudotsuga menziesii*, V (DAVFP)

**Pleurotus candidissimum** (Berk. & M.A. Curtis) Sacc. see *Cheimonophyllum candidissimum*

**Pleurotus dryinus** (Pers.:Fr.) P. Kumm.  
*Aesculus hippocastanum*, V (DAVFP)  
*Alnus rubra*, V (DAVFP)  
*Arbutus menziesii*, V (DAVFP)  
*Malus* sp., V (DAVFP)  
*Populus trichocarpa*, V (DAVFP)

**Pleurotus lignatilis** (Pers.:Fr.) P. Kumm.  
 see *Ossicaulis lignatilis*

**Pleurotus mitis** (Pers.:Fr.) Quél. see  
*Panellus mitis*

**Pleurotus nidulans** Singer see  
*Phyllotopsis nidulans*

**Pleurotus ostreatus** (Jacq.:Fr.) P. Kumm.  
 (=Pleurotus sapidus)  
*Abies grandis*, V (DAVFP)  
*Acer macrophyllum*, V (DAVFP)  
*Alnus rubra*, V (DAVFP)  
*Betula papyrifera*, LC (Shaw 1973)  
*Picea glauca*, UR  
*Populus nigra* var. *italica*, V (DAVFP)  
*Populus tremuloides*, V (DAVFP)  
*Populus trichocarpa*, V (DAVFP)  
*Quercus garryana*, V (DAVFP)  
*Salix* sp., V (DAVFP)  
 Soil and Duff, V (DAVFP)

**Pleurotus petaloides** (Bull.:Fr.) Quél. see  
*Hohenbuehelia petalodes*

**Pleurotus porrigens** (Pers.:Fr.) P. Kumm.  
 see *Pleurocybella porrigens*

**Pleurotus sapidus** Kalchbr. see *Pleurotus ostreatus*

**Pleurotus serotinus** (Pers.:Fr.) P. Kumm.  
 see *Panellus serotinus*

**Pleurotus subareolatus** Peck  
*Acer macrophyllum*, V (DAVFP)  
*Arbutus menziesii*, V (DAVFP)  
*Populus balsamifera*, LC (Shaw 1973)  
*Populus tremuloides*, V (DAVFP)  
*Populus trichocarpa*, V (DAVFP)  
*Sorbus sitchensis*, V (DAVFP)

**Pleurotus ulmarius** (Bull.:Fr.) P. Kumm.  
 see *Hypsizygus ulmarius*

**Pleurotus** sp.  
*Thuja plicata*, V (DAVFP)

**Plicaria trachycarpa** (Curr.) Boud.  
 Soil and Duff, V (DAVFP)

**Plicatura aurea** (Fr.:Fr.) Parmasto see  
*Pseudomerulius aureus*

**Plicatura nivea** (Fr.:Fr.) P. Karst.  
 (=Merulius niveus)  
*Alnus rubra*, V (DAVFP)  
*Alnus tenuifolia*, UR

**Plicaturopsis crista** (Pers.:Fr.) D. Reid  
 (=Trogia crista)  
*Alnus rubra*, V (DAVFP)  
*Betula occidentalis*, UR  
*Betula papyrifera*, V (DAVFP)  
*Picea glauca*, V (DAVFP)  
*Pseudotsuga menziesii*, V (DAVFP)

**Plunkettomyces littoralis** Orr  
 Conch shell, LC (Orr 1977) (TYPE)  
 Snail shell, LC (Orr 1977)

**Pluteus atricapillus** (Batsch) Fayod  
 (=Pluteus cervinus)  
*Betula papyrifera*, V (DAVFP)  
*Populus trichocarpa*, V (DAVFP)  
 Soil and Duff, V (DAVFP)

**Pluteus cervinus** (Schaeff.:Fr.) P. Kumm.  
 see *Pluteus atricapillus*

**Pluteus flavofuligineus** Atk.  
 Unidentified wood, UR

**Pluteus granularis** Peck  
 Angiosperms, Wood, V (DAVFP)

**Poculum sydowiana** (Rehm) Dumont  
 (=Rutstroemia sydowiana)  
*Quercus garryana*, LC (Shaw 1973)

**Podosphaera clandestina** (Wallr.:Fr.) Lév.  
*Crataegus oxyacantha*, LC (Ginns 1986a on  
*Crataegus curvisepala*)  
*Malus sylvestris*, LC (Shaw 1973)  
*Prunus armeniaca*, LC (Connors 1967)  
*Prunus avium*, LC (Jones 1957 as *Podosphaera oxyacanthae*)  
*Prunus cerasus*, LC (Toms 1964; Ginns 1986a)  
*Prunus emarginata*, LC (Jones 1957 as  
*Podosphaera oxyacanthae*)  
*Prunus persica*, LC (Toms 1964)  
*Prunus virginiana*, LC (Ginns 1986a)  
*Prunus virginiana* var. *demissa*, LC (Toms 1964)  
*Prunus* sp., LC (Barr 1953 as *Podosphaera oxyacanthae*)  
*Rosa* sp., LC (Shaw 1973)

**Podosphaera leucotricha** (Ellis & Everh.)  
 E.S. Salmon  
*Malus domestica*, LC (Barr 1953)

*Malus pumila*, LC (Jones 1957)  
*Malus sylvestris*, LC (Toms 1964)  
*Malus* sp., V (DAVFP)  
*Pyrus communis*, LC (Ginns 1986a)  
*Pyrus ussuriensis*, LC (Conners 1967)

***Podosphaera* sp.**

*Choenomeles* sp., LC (Ginns 1986a)

***Podospora curvula* (de Bary) Niessl**

Dung, LC (Mirza and Cain 1969)

***Podospora vesticola* (Berk. & Broome)**

Mirza & Cain  
Unknown/Uncertain, LC (Mirza and Cain 1969)

***Podosporium* sp.**

*Abies grandis*, V (DAVFP)

***Pollaccia americana* Ondrej** see *Venturia macularis****Pollaccia borealis* Funk** see *Venturia borealis****Pollaccia elegans* Servazzi** see *Venturia populinina* (teleomorph)***Pollaccia peucedani* (Ellis & Holw.)**

Deighton (=Asperisporium peucedani)  
*Angelica arguta*, V (DAVFP)  
*Lomatium brandegei*, LC (Ginns 1986a)  
*Lomatium martindalei* var. *angustatum*, LC (Ginns 1986a)

***Pollaccia radiosa* (Lib.) Baldacci & Cif.** see *Venturia macularis* (teleomorph)***Pollaccia saliciperda* (Allesch. & Tub.) Arx**  
see *Venturia saliciperda* (teleomorph)***Pollaccia* sp.**

*Sambucus racemosa* var. *arborescens*, V  
(DAVFP)

***Polyozellus multiplex* (Underwood)** Murrill  
Soil and Duff, V (DAVFP)***Polyporus abietinus* (Dickson:Fr.) Fr.** see *Trichaptum abietinum****Polyporus adustus* (Willd.:Fr.) Fr.** see *Bjerkandera adusta****Polyporus albellus* Peck** see *Tyromyces chioneus****Polyporus albobrunneus* Romell** see *Antrodia albobrunnea****Polyporus alboluteus* (Ellis & Everh.) Ellis**  
& Everh. see *Pycnoporellus alboluteus*

***Polyporus amorphus* Fr.:Fr.** see *Skeletocutis amorpha*

***Polyporus anceps* Peck** see *Dichomitus squalens*

***Polyporus arcularius* (Batsch:Fr.) Fr.**

Angiosperms, Wood, V (DAVFP)  
*Betula* sp., LC (Conners 1967)

***Polyporus badius* (Pers.) Schwein.**

(=*Polyporus picipes*)

*Abies lasiocarpa*, V (DAVFP)  
*Acer macrophyllum*, V (DAVFP)  
*Alnus rubra*, V (DAVFP)  
*Amelanchier alnifolia*, UR  
*Betula papyrifera*, LC (Conners 1967)  
*Gleditsia* sp., V (DAVFP)  
Gymnosperms, Wood, UR - Specimen discarded  
*Picea glauca*, V (DAVFP)  
*Picea sitchensis*, V (DAVFP)  
*Populus tremuloides*, V (DAVFP)  
*Populus trichocarpa*, V (DAVFP)  
*Rubus spectabilis*, V (DAVFP)  
*Salix* sp., V (DAVFP)  
Soil and Duff, V (DAVFP)  
*Tsuga heterophylla*, V (DAVFP)

***Polyporus balsameus* Peck** see *Postia balsamea*

***Polyporus benzoinus* (Wahlenberg:Fr.) Fr.**  
see *Ischnoderma resinosum*

***Polyporus berkeleyi* Fr.** see *Bondarzewia berkeleyi*

***Polyporus betulinus* (Bull.:Fr.) Fr.** see *Piptoporus betulinus*

***Polyporus biennis* (Bull.:Fr.) Fr.** see *Abortiporus biennis*

***Polyporus biformis* Fr.** in Klotzsch see *Trichaptum biforme*

***Polyporus borealis* Fr.:Fr.** see *Climacocystis borealis*

***Polyporus brumalis* (Pers.:Fr.) Fr.**  
Angiosperms, Wood, LC (Lowe and Gilbertson 1961)

***Polyporus caesius* (Schrad.:Fr.) Fr.** see *Postia caesia*

***Polyporus canadensis* Overh.** see *Antrodiella overholtsii*

***Polyporus cinnabarinus* Jacq.:Fr.** see *Pycnoporus cinnabarinus*

- Polyporus cinnamomeus** Pers.  
Pseudotsuga menziesii, V (DAVFP)  
Soil and Duff, UR
- Polyporus circinatus** (Fr.) Fr. see  
*Inonotus circinatus*
- Polyporus confluens** Albertini &  
Schwein.:Fr.  
Soil and Duff, V (DAVFP)
- Polyporus cristatus** Pers.:Fr.  
Soil and Duff, V (DAVFP)
- Polyporus cuneatus** (Murrill) Zeller see  
*Oxyporus cuneatus*
- Polyporus cuticularis** (Bull.:Fr.) Fr. see  
*Inonotus cuticularis*
- Polyporus delectans** Peck see  
*Spongipellis delectans*
- Polyporus destructor** Fr. var. *resupinatus*  
Bourd. & Galzin  
Abies grandis, V (DAVFP)
- Polyporus dichrous** Fr.:Fr. see  
*Gloeoporus dichrous*
- Polyporus dryadeus** (Pers.:Fr.) Fr. see  
*Inonotus dryadeus*
- Polyporus dryophilus** Berk. var. *vulpinus*  
(Fr.) Overh. see *Inonotus rheades*
- Polyporus elegans** (Bull.) Fr. see  
*Polyporus varius*
- Polyporus ellisii** Berk.  
Soil and Duff, V (DAVFP)
- Polyporus fibrillosus** P. Karst. see  
*Pycnoporellus fulgens*
- Polyporus flavicans** P. Karst. see *Poria luteoalba*
- Polyporus floriformis** Quél. in Bres. see  
*Postia floriformis*
- Polyporus fragilis** Fr.:Fr. see *Postia fragilis*
- Polyporus frondosus** (Dickson:Fr.) Fr. see  
*Grifola frondosa*
- Polyporus fumosus** Pers.:Fr. see  
*Bjerkandera fumosa*
- Polyporus galactinus** Berk. see  
*Tyromyces galactinus*
- Polyporus gilvus** (Schwein.:Fr.) Fr. see  
*Phellinus gilvus*
- Polyporus glomeratus** Peck see *Inonotus glomeratus*
- Polyporus griseus** Peck see *Polyporus leucomelas*
- Polyporus guttulatus** Peck in Sacc. see  
*Postia guttulata*
- Polyporus hirsutus** (Wulfen:Fr.) Fr. see  
*Trametes hirsuta*
- Polyporus hirtus** Quél. see *Jahnoporus hirtus*
- Polyporus immitis** Peck see *Postia stipitica*
- Polyporus lapponicus** Romell see  
*Amylocystis lapponica*
- Polyporus leucomelas** Pers.:Fr.  
(= *Polyporus griseus*)  
Soil and Duff, V (DAVFP)
- Polyporus leucospongia** Cooke & Harkn.  
in Cooke see *Postia leucospongia*
- Polyporus melanopus** Fr.:Fr.  
Abies lasiocarpa, V (DAOM 125985, 125986)  
Alnus rubra, V (DAVFP)  
Populus trichocarpa, V (DAVFP)  
Ribes bracteosum, UR  
Salix sp., V (DAVFP)  
Soil and Duff, V (DAVFP)
- Polyporus mollis** (Pers.:Fr.) Fr. see  
*Leptoporus mollis*
- Polyporus montanus** (Quél.) Ferry see  
*Bondarzewia montana*
- Polyporus mori** (Pollini:Fr.) Fr. (= *Favolus alveolaris*)  
Corylus cornuta var. *californica*, LC (Shaw 1958  
on *Corylus californica*)
- Polyporus nidulans** Fr.:Fr. see  
*Hapalopilus rutilans*
- Polyporus oregonensis** (Murrill) Kauffm.  
see *Ganoderma oregonense*
- Polyporus osseus** Kalchbr. see *Osteina obducta*

**Polyporus ovinus** Fr. see *Albatrellus ovinus*

**Polyporus pargamenus** (Fr.) Fr. see *Trichaptum biforme*

**Polyporus perdelicatus** (Murrill) Murrill  
see *Postia perdelicata*

**Polyporus perennis** L.:Fr.

*Picea sitchensis*, LC (Shaw 1973)  
*Pseudotsuga menziesii*, V (DAVFP)  
*Salix* sp., V (DAVFP)  
Soil and Duff, V (DAVFP)  
*Thuja plicata*, V (DAVFP)

**Polyporus picipes** Fr. see *Polyporus badius*

**Polyporus planellus** (Murrill) Overh. see *Datronia stereoides*

**Polyporus pubescens** (Schumach.:Fr.) Fr.  
see *Trametes pubescens*

**Polyporus radiatus** (Sowerby:Fr.) Fr. see *Inonotus radiatus*

**Polyporus resinosus** (Schrad.:Fr.) Fr. see *Ischnoderma resinosum*

**Polyporus rutilans** Pers.:Fr. see *Hapalopilus rutilans*

**Polyporus schweinitzii** Fr.:Fr. see *Phaeolus schweinitzii*

**Polyporus semipileatus** Peck see *Skeletocutis nivea*

**Polyporus semisupinus** Berk. & M.A. Curtis see *Antrodiella semisupina*

**Polyporus sericeomollis** Romell see *Postia sericeomollis*

**Polyporus spumeus** (Sowerby:Fr.) Fr. see *Spongipellis spumeus*

**Polyporus squamosus** (Huds.:Fr.) Fr.  
*Populus trichocarpa*, V (DAVFP)  
*Salix scouleriana*, V (DAVFP)  
*Salix* sp., V (DAVFP)

**Polyporus stipticus** (Pers.:Fr.) Fr. see *Postia stiptica*

**Polyporus subcartilagineus** Overh. see *Parmastomyces transmutans*

**Polyporus subchartaceus** (Murrill) Overh.  
see *Trichaptum subchartaceum*

**Polyporus sulphureus** (Bull.:Fr.) Fr. see *Laetiporus sulphureus*

**Polyporus sylvestris** Overh.

Soil and Duff, LC (Overholts 1941) (TYPE)

**Polyporus tephroleucus** Fr.:Fr. see *Postia tephroleuca*

**Polyporus tuberaster** Jacq.:Fr.  
Soil and Duff, V (DAVFP)

**Polyporus tulipiferae** (Schwein.) Overh.  
see *Irpea lacteus*

**Polyporus undosus** Peck see *Postia undosa*

**Polyporus ursinus** C.G. Lloyd see *Amylocystis laponica*

**Polyporus varius** Fr.:Fr. (=*Polyporus elegans*)

*Abies amabilis*, V (DAVFP)  
*Abies lasiocarpa*, UR  
*Acer macrophyllum*, LC (Shaw 1973)  
*Alnus rubra*, V (DAVFP)  
*Alnus sinuata*, V (DAVFP)  
*Alnus* sp., V (DAVFP)  
*Corylus* sp., LC (Shaw 1973)  
*Picea glauca*, V (DAVFP)  
*Populus tremuloides*, V (DAVFP)  
*Populus trichocarpa*, V (DAVFP)  
*Pseudotsuga menziesii*, V (DAVFP)  
*Salix* sp., V (DAVFP)  
*Thuja plicata*, V (DAVFP)

**Polyporus velutinus** Fr.:Fr. see *Trametes pubescens*

**Polyporus versicolor** (L.:Fr.) Fr. see *Trametes versicolor*

**Polyporus volvatus** Peck see *Cryptoporus volvatus*

**Polyporus vulpinus** Fr. see *Inonotus rheades*

**Polyporus zonatus** Nees:Fr. see *Trametes ochracea*

**Polyporus sp.**

*Amelanchier* sp., V (DAVFP)  
*Pinus contorta* var. *latifolia*, V (DAVFP)

**Polyscytalum pustulans** (M.N. Owen & Wakef.) M.B. Ellis (=*Oospora pustulans*)  
*Solanum tuberosum*, LC (Shaw 1973)

**Polystictus versicolor** (L.:Fr.) Fr. see  
*Trametes versicolor*

**Polystigma astragali** (Lasch) Höhn.  
*Astragalus agrestis*, LC (Ginns 1986a)

**Polytrichiella longispora** Barr  
*Leptarrhena pyrolifolia*, LC (Barr 1972) (TYPE)

**Poria albipellucida** D. Baxter see  
*Ceriporiopsis rivulosa*

**Poria albobrunnea** (Romell) D. Baxter see  
*Antrodia albobrunnea*

**Poria albolutescens** (Romell) Egeland see  
*Anomoporia albolutescens*

**Poria alutacea** J. Lowe in Overh. & J. Lowe  
see *Skeletocutis alutacea*

**Poria ambigua** Bres. see *Oxyporus latemarginatus*

**Poria aneirina** (Sommerf.:Fr.) Cooke see  
*Ceriporiopsis aneirina*

**Poria asiatica** (Pilát) Overh. see *Postia sericeomollis*

**Poria aurantiaca** (Rostk.) Sacc.  
*Pinus ponderosa*, V (DAOM 125066)

**Poria aurea** Peck see *Auriporia aurea*

**Poria bombycina** (Fr.:Fr.) Cooke see  
*Anomoporia bombycina*

**Poria candidissima** (Schwein.) Cooke see  
*Trechispora mollusca*

**Poria canescens** P. Karst. see *Aporpium caryae*

**Poria carbonica** Overh. see *Antrodia carbonica*

**Poria carnicolor** D. Baxter see *Postia placenta*

**Poria cinerascens** (Bres.) Sacc. & Syd.  
*Abies lasiocarpa*, V (DAVFP)  
*Arbutus menziesii*, V (DAVFP)  
*Picea glauca*, V (DAVFP)  
*Pinus ponderosa*, V (DAVFP)  
*Prunus emarginata*, V (DAVFP)  
*Pseudotsuga menziesii*, V (DAVFP)  
*Thuja plicata*, V (DAVFP)  
*Tsuga heterophylla*, UR

**Poria cocos** F.A. Wolf see *Wolfiporia cocos*

**Poria corticola** (Fr.:Fr.) Cooke see  
*Oxyporus corticola*

**Poria crassa** (P. Karst.) Sacc. see *Antrodia crassa*

**Poria crustulinina** Bres. see *Diplomitoporus crustulininus*

**Poria decolorans** (Schwein.) Cooke see  
*Physisporinus sanguinolentus*

**Poria eupora** (P. Karst.) Cooke see  
*Junguhnia nitida*

**Poria expallescens** P. Karst.  
*Pseudotsuga menziesii*, V (DAVFP)

**Poria ferox** W.H. Long & D. Baxter see  
*Trametes serialis*

**Poria ferrea** (Pers.) Overh. see *Phellinus ferreus*

**Poria ferrugineofusca** P. Karst. see  
*Phellinus ferrugineofuscus*

**Poria ferruginosa** (Schrad.:Fr.) P. Karst.  
see *Phellinus ferruginosus*

**Poria griseoalba** (Peck) Sacc. see  
*Ceriporia viridans*

**Poria incrassata** (Berk. & M.A. Curtis) Burt  
see *Meruliporia incrassata*

**Poria isabellina** (Fr.) Overh. see *Phellinus viticola*

**Poria laevigata** (Fr.) P. Karst. see  
*Phellinus laevigatus*

**Poria latemarginata** (Durieu & Mont.)  
Cooke see *Oxyporus latemarginatus*

**Poria lenis** (P. Karst.) Sacc. see  
*Diplomitoporus lenis*

**Poria lenta** Overh. & J. Lowe see  
*Wrightoporia lenta*

**Poria luteoalba** (P. Karst.) Sacc. see  
*Junguhnia luteoalba*

**Poria mappa** Overh. & J. Lowe see *Postia mappa*

- Poria medulla-panis** (Jacq.:Fr.) Bres. see *Perenniporia medulla-panis*
- Poria microspora** Overh. see *Postia placenta*
- Poria mollusca** (Pers.:Fr.) Cooke see *Trechispora mollusca*
- Poria monticola** Murrill see *Postia placenta*
- Poria myceliosa** Peck see *Anomoporia myceliosa*
- Poria nigrescens** Bres. see *Rigidoporus crocatus*
- Poria obliqua** (Pers.:Fr.) P. Karst. see *Inonotus obliquus*
- Poria odora** Peck ex Sacc. see *Skeletocutis odora*
- Poria oleagina** Overh. see *Antrodia sordida*
- Poria pannocincta** (Romell) J. Lowe see *Ceriporiopsis pannocincta*
- Poria placenta** (Fr.) Cooke see *Postia placenta*
- Poria pulchella** (Schwein.) Cooke see *Perenniporia tenuis*
- Poria punctata** (Fr.) P. Karst. see *Phellinus punctatus*
- Poria purpurea** (Fr.:Fr.) Cooke see *Ceriporia purpurea*
- Poria radula** (Fr.) Cooke sensu Bres. see *Schizopora radula*
- Poria reticulata** (Pers.:Fr.) Cooke see *Ceriporia reticulata*
- Poria rhodella** (Fr.:Fr.) Cooke see *Ceriporia viridans*
- Poria rivulosa** (Berk. & M.A. Curtis) Cooke see *Ceriporiopsis rivulosa*
- Poria rixosa** (P. Karst.) P. Karst. see *Junghuhnia collabens*
- Poria rubens** Overh. & J. Lowe see *Postia salmonicolor*
- Poria rufa** (Schrad.) Cooke see *Meruliopsis taxicola*
- Poria salmonicolor** (Berk. & M.A. Curtis) Cooke see *Postia salmonicolor*
- Poria sanguinolenta** (Albertini & Schwein.:Fr.) Cooke see *Physisporinus sanguinolentus*
- Poria semitincta** (Peck) Cooke see *Ceriporia tarda*
- Poria sequoiae** Bonar see *Postia sequoiae*
- Poria sericeomollis** (Romell) Egeland see *Postia sericeomollis*
- Poria similis** Bres. see *Oxyporus similis*
- Poria sinuosa** (Fr.:Fr.) Cooke see *Antrodia sinuosa*
- Poria sitchensis** D. Baxter see *Antrodia sitchensis*
- Poria stellae** Pilát see *Skeletocutis stellae*
- Poria stenospora** Overh. see *Dichomitus squalens*
- Poria subacida** (Peck) Sacc. see *Perenniporia subacida*
- Poria subiculososa** (Peck) Cooke see *Inonotus subiculosus*
- Poria subincarnata** (Peck) Murrill see *Skeletocutis subincarnata*
- Poria subvermispora** Pilát see *Ceriporiopsis subvermispora*
- Poria tacamahaca** D. Baxter see *Ceriporiopsis pannocincta*
- Poria tarda** (Berk.) Cooke see *Ceriporia tarda*
- Poria taxicola** (Pers.) Bres. see *Meruliopsis taxicola*
- Poria tenuis** (Schwein.) Cooke var. *pulchella* (Schwein.) J. Lowe see *Perenniporia tenuis*
- Poria tsugina** (Murrill) Sacc. & Trott. see *Phellinus punctatus*

**Poria undata** (Pers.:Fr.) Quél. see  
*Physisporinus vitreus*

**Poria unita** (Pers.:Fr.) P. Karst. see  
*Perenniporia medulla-panis*

**Poria vaillantii** (DC.:Fr.) Cooke see  
*Antrodia vaillantii*

**Poria vaporaria** (Pers.:Fr.) Cooke see  
*Antrodia sinuosa*

**Poria versipora** (Pers.) Romell see  
*Schizophora paradoxa*

**Poria vitrea** Pers.:Fr. see *Physisporinus vitreus*

**Poria weiri** (Murrill) Murrill see *Phellinus weiri*

**Poria xantha** (Fr.:Fr.) Cooke see *Antrodia xantha*

**Poria xantha** (Fr.:Fr.) Cooke f. *crassa* (P. Karst.) Sacc. see *Poria crassa*

**Poria zonata** Bres. see *Junghuhnia zonata*

**Poria sp.**

*Acer circinatum*, V (DAVFP)  
*Corylus cornuta*, V (DAVFP)  
*Fuchsia* sp., V (DAVFP)

**Porotheleum poriaeforme** (Pers.:Fr.) W.B. Cooke see *Stigmatoparma poriaeforme*

**Postia balsamea** (Peck) Jülich (=*Polyporus balsameus*, *Tyromyces balsameus*)

*Abies lasiocarpa*, V (DAVFP)  
*Larix occidentalis*, LC (Shaw 1973)  
*Picea glauca*, UR  
*Picea sitchensis*, V (DAVFP)  
*Pseudotsuga menziesii*, V (DAVFP)  
*Thuja plicata*, V (DAVFP)  
*Tsuga heterophylla*, V (DAVFP)

**Postia caesia** (Schrad.:Fr.) P. Karst.  
(=Oligoporus caesius, *Polyporus caesius*, *Tyromyces caesius*)

*Acer macrophyllum*, V (DAVFP)  
*Picea glauca*, V (DAVFP)  
*Populus tremuloides*, V (DAVFP)  
*Populus trichocarpa*, LC (Connors 1967)  
*Pseudotsuga menziesii*, LC (Shaw 1973)  
*Thuja plicata*, V (DAVFP)  
*Tsuga heterophylla*, V (DAVFP)

**Postia floriformis** (Quél.) Jülich  
(=*Polyporus floriformis*)  
Soil and Duff, V (DAVFP)

**Postia fragilis** (Fr.:Fr.) Jülich (=*Polyporus fragilis*, *Tyromyces fragilis*)

*Abies amabilis*, V (DAOM 142097)  
*Chamaecyparis lawsoniana*, LC (Shaw 1973)  
*Larix occidentalis*, LC (Shaw 1973)  
*Pseudotsuga menziesii*, V (DAVFP)  
*Tsuga heterophylla*, V (DAVFP)  
*Tsuga mertensiana*, LC (Shaw 1973)

**Postia guttulata** (Peck) Jülich (=*Polyporus guttulatus*, *Tyromyces guttulatus*)

*Larix occidentalis*, LC (Shaw 1973)  
*Picea sitchensis*, V (DAVFP)  
*Pinus monticola*, LC (Shaw 1973)  
*Prunus emarginata*, V (DAVFP)  
*Pseudotsuga menziesii*, V (DAVFP)  
*Rhamnus purshiana*, LC (Shaw 1973)  
*Tsuga heterophylla*, V (DAVFP)

**Postia leucospongia** (Cooke & Harkn.)

Jülich (=*Polyporus leucospongia*)  
*Abies lasiocarpa*, V (DAVFP)  
*Pinus albicaulis*, V (DAVFP)  
*Pseudotsuga menziesii*, V (DAVFP)

**Postia mappa** M. Larsen & Lombard

(=*Poria mappa*)  
*Thuja plicata*, LC (Connors 1967)

**Postia perdelicata** (Murrill) M. Larson & Lombard (=*Polyporus perdelicatus*,

*Tyromyces perdelicatus*)  
*Pseudotsuga menziesii*, V (DAVFP)

**Postia placenta** (Fr.) M. Larsen & Lombard (=*Poria carnicolor*, *Poria microspora*, *Poria monticola*, *Poria placenta*)

*Picea glauca*, V (DAVFP)  
*Picea sitchensis*, V (DAVFP)  
*Pinus monticola*, LC (Murrill 1920)  
*Pseudotsuga menziesii*, V (DAVFP)  
*Thuja plicata*, V (DAVFP)  
*Tsuga heterophylla*, V (DAVFP)

**Postia salmonicolor** (Berk. & M.A. Curtis)  
M. Larsen & Lombard (=*Poria rubens*, *Poria salmonicolor*)

*Pseudotsuga menziesii*, UR  
*Thuja plicata*, LC (Shaw 1973)

**Postia sequoiae** (Bonar) M. Larsen & Lombard (=*Poria sequoiae*)

*Thuja plicata*, UR

**Postia sericeomollis** (Romell) Jülich  
(=*Polyporus sericeomollis*, *Poria asiatica*, *Poria sericeomollis*)

*Abies lasiocarpa*, UR  
*Chamaecyparis nootkatensis*, UR  
*Larix occidentalis*, UR  
*Larix* sp., LC (Shaw 1958)  
*Picea engelmannii*, LC (Ginns 1986a as  
*Tyromyces sericeomollis*)  
*Picea glauca*, V (DAVFP)

*Picea sitchensis*, V (DAVFP)  
*Pinus contorta* var. *latifolia*, LC (Shaw 1973)  
*Pseudotsuga menziesii*, V (DAVFP)  
*Thuja plicata*, V (DAVFP)  
*Tsuga heterophylla*, UR

**Postia stiptica** (Pers.:Fr.) Jülich  
 (=*Polyporus immitis*, *Polyporus stipticus*)  
*Abies grandis*, V (DAVFP)  
*Pseudotsuga menziesii*, V (DAVFP)  
*Thuja plicata*, V (DAVFP)

**Postia tephroleuca** (Fr.:Fr.) Jülich  
 (=*Polyporus tephroleucus*, *Tyromyces tephroleucus*)  
*Alnus rubra*, V (DAVFP)  
*Betula papyrifera*, V (DAVFP)  
*Tsuga heterophylla*, V (DAVFP)

**Postia undosa** (Peck) Jülich (=*Polyporus undosus*, *Tyromyces undosus*)  
*Abies amabilis*, V (DAVFP)  
*Larix occidentalis*, LC (Shaw 1973)  
*Picea sitchensis*, V (DAVFP)  
*Pinus contorta* var. *latifolia*, LC (Shaw 1973)  
*Pinus monticola*, V (DAVFP)  
*Pseudotsuga menziesii*, V (DAVFP)  
*Thuja plicata*, V (DAVFP)  
*Tsuga heterophylla*, V (DAVFP)

**Potebniamyces balsamicola** Smerlis var.  
**balsamicola**  
*Abies lasiocarpa*, V (DAVFP)

**Potebniamyces balsamicola** Smerlis var.  
**boycei** Funk  
*Abies amabilis*, V (DAVFP)  
*Abies grandis*, V (DAVFP) (TYPE)

**Potebniamyces coniferarum** (Hahn)  
 Smerlis see *Phacidium coniferarum*

**Potebniamyces gallicola** Funk & R.B.  
 Smith  
*Tsuga heterophylla*, V (DAVFP) (TYPE)

**Pragmopora pithya** (Fr.) Groves  
 (=*Pragmopycnis pithya* - anamorph)  
*Pinus monticola*, V (DAVFP)  
*Pseudotsuga menziesii*, V (DAVFP) (TYPE of  
*Pragmopycnis pithya*)

**Pragmopycnis pithya** Sutton & Funk see  
*Pragmopora pithya* (teleomorph)

**Pringsheimia sepincola** (Fr.) Höhn.  
 (=*Saccothecium sepincola*, *Sphaerulina intermixta*)  
*Alnus rubra*, LC (Barr 1953 as *Pleosphaerulina intermixta* on *Alnus oregonensis*)  
*Angiosperms*, Wood, LC (Barr 1972)  
*Rosa* sp., LC (Barr 1953 as *Pleosphaerulina intermixta*)

### **Propolis** sp.

*Pinus ponderosa*, V (DAVFP)  
*Pseudotsuga menziesii*, V (DAVFP)

**Protodontia oligacantha** Martin  
*Populus trichocarpa*, V (DAVFP) (TYPE)

**Protoventuria angustispora** Barr  
*Rhododendron albiflorum*, LC (Barr 1989; Meurer-Grimes et al. 1992) (HOLOTYPE)

**Protoventuria rhododendri** (Höhn.) Barr  
 (=*Antennularia rhododendri*)  
*Rhododendron* sp., LC (Ginns 1986a)

**Protoventuria vancouverensis** Dearn. see  
*Antennularia vancouverensis*

**Psathyrella candolleana** (Fr.) Maire  
 (=*Hypholoma appendiculatum*)  
*Malus pumila*, LC (Connors 1967)  
*Malus sylvestris*, LC (Toms 1964)  
 Soil and Duff, UR

**Psathyrella crenata** (Lasch) Fr.  
 Soil and Duff, LC (Davidson 1930)

**Psathyrella hydrophilum** (Bull.) Maire see  
*Psathyrella piluliformis*

**Psathyrella piluliformis** (Bull.:Fr.) P.D.  
 Orton (=*Psathyrella hydrophilum*)  
 Unidentified bark, LC (Davidson 1930 as  
*Hypholoma hydrophilum* on bark of fallen tree)

**Psathyrella velutina** (Pers.:Fr.) Singer  
 (=*Hypholoma velutinum*)  
 Soil and Duff, LC (Davidson 1930)

### **Psathyrella** sp.

*Scirpus americanus*, V (DAOM)  
 Soil and Duff, V (DAVFP)  
*Thuja plicata*, V (DAVFP)

**Pseudobaeospora pillodii** (Quél.) S.  
 Wasser  
 Soil and Duff, LC (Redhead 1982c)

**Pseudocercospora lupini** (Cooke)  
 Deighton (=*Cercospora lupini*)  
*Lupinus polyphyllus*, LC (Shaw 1973)

**Pseudocercospora salicina** (Ellis &  
 Everh.) Deighton  
*Populus trichocarpa* X *P. deltoides*, V (DAVFP)  
*Populus* sp., V (DAVFP)

**Pseudocercospora herpotrichoides**  
 (Fron) Deighton (=*Cercosporaella herpotrichoides*)  
*Triticum aestivum*, LC (Toms 1964)

**Pseudoclitocybe cyathiformis** (Fr.:Fr.)

Singer (=Clitocybe cyathiformis)

*Populus trichocarpa*, V (DAVFP)

**Pseudodiscus nootkatense** (Terrier) Arx &

E. Müller

*Chamaecyparis nootkatensis*, V (DAVFP)

**Pseudoeurotium rilstonii** C. Booth

*Pinus monticola*, LC (Hughes 1969)

*Pseudotsuga menziesii*, LC (Hughes 1969)

**Pseudohelotium incrassatum** (Ellis) Sacc.

*Antrodia carbonica* on *Pseudotsuga menziesii*, V (DAVFP)

**Pseudohydnum gelatinosum** (Scop.:Fr.)

P. Karst. (=Tremellodon gelatinosum)

*Abies lasiocarpa*, LC (Conners 1967)

*Pseudotsuga menziesii*, V (DAVFP)

Soil and Duff, V (DAVFP)

*Tsuga heterophylla*, V (DAVFP)

**Pseudomassaria inconspicua** (Johans.)

Barr

*Saxifraga bronchialis*, LC (Ginns 1986a)

**Pseudomassaria occidentalis** Barr

*Leptarrhena pyrolifolia*, LC (Ginns 1986a)

**Pseudomerulius aureus** (Fr.:Fr.) Jülich

(=Merulius aureus, Plicatura aurea)

*Picea glauca*, V (DAVFP)

*Thuja plicata*, UR

*Tsuga heterophylla*, V (DAVFP)

**Pseudopeziza calthae** (W. Phillips) Massee

(=Fabraea rousseauana)

*Caltha leptosepala*, LC (Ginns 1986a)

**Pseudopeziza populi-albae** Kleb. see

*Marssonina castagnei*

**Pseudopeziza ribis** Kleb. see

*Drepanopeziza ribis*

**Pseudopeziza salicis** (Tul. & C. Tul.)

Potebnia see *Drepanopeziza salicis*

**Pseudopeziza singularis** (Peck) J.J. Davis

*Ranunculus* sp., LC (Shoemaker and Egger 1982)

**Pseudopeziza trifolii** (Biv.-Bern.:Fr.) Fuckel

*Trifolium pratense*, V (DAVFP)

*Trifolium repens*, LC (Shaw 1973)

**Pseudophacidium garmanii** Funk

*Picea engelmannii*, V (DAVFP)

*Picea glauca*, V (DAVFP) (TYPE)

**Pseudophacidium ledi** (Albertini &

Schwein.:Fr.) P. Karst.

*Ledum palustre*, LC (DiCosmo et al. 1984)

**Pseudoplea trifolii** (Rostr.) Petr. see

*Leptosphaerulina trifolii*

**Pseudoplectania fulgens** (Pers.) Fuckel

see *Caloscypha fulgens*

**Pseudoplectania melaena** (Fr.) Sacc.

Gymnosperms, Wood, V (DAOM)

**Pseudoplectania nigrella** (Pers.:Fr.) Fuckel

Soil and Duff, V (DAVFP)

*Tsuga heterophylla*, V (DAVFP)

**Pseudorobillarda agrostidis** (R. Sprague)

Nag Raj, Morgan-Jones, & Kendrick

(=Robillarda agrostidis)

*Agrostis tenuis*, UR

**Pseudoseptoria bromigena** (Sacc.) Sutton

(=Selenophoma bromigena)

*Bromus inermis*, LC (Ginns 1986a)

**Pseudoseptoria donacis** (Pass.)

(=Selenophoma donacis) Sutton

*Agropyron repens*, LC (Sprague 1960a 1962)

*Agropyron trachycaulum*, LC (Sprague 1960a)

*Elymus cinereus*, LC (Sprague 1960a)

*Elymus macounii*, LC (Sprague 1960a)

*Poa ampla*, LC (Sprague 1960a)

**Pseudoseptoria everhartii** (Sacc. & Syd.)

Sutton (=Selenophoma everhartii)

*Calamagrostis inexpansa*, LC (Ginns 1986a)

*Deschampsia cespitosa*, LC (Ginns 1986a)

*Puccinellia hauptiana*, LC (Ginns 1986a)

**Pseudoseptoria obtusa** (R. Sprague &

A.G. Johnson) Sutton (=Selenophoma

obtusa)

*Agropyron subsecundum*, LC (Conners 1967 on

*Agropyron trachycaulum* var. *unilaterale*)

**Pseudoseptoria stomaticola** (Bäumler)

Sutton (=Selenophoma donacis var.

stomaticola)

*Deschampsia elongata*, LC (Ginns 1986a)

*Hordeum jubatum*, LC (Ginns 1986a)

*Koeleria cristata*, LC (Ginns 1986a)

*Poa palustris*, LC (Ginns 1986a)

*Poa pratensis*, LC (Ginns 1986a)

**Pseudospiropes nodosus** (Wallr.) M.B.

Ellis (=Helminthosporium nodosum)

*Alnus* sp., V (DAVFP)

**Pseudospiropes simplex** (Kunze) M.B.

Ellis

Angiosperms, Wood, LC (Hughes and Cooke 1979b)

**Pseudostypella translucens** (Gordon)  
Reid & Minter see *Sirotremia translucens*

**Pseudostypella sp.**  
*Picea glauca* X *P. engelmannii*, LC (Funk 1982)

**Pseudotomentella mucidula** (P. Karst.)  
Svrcek  
*Thuja plicata*, V (DAVFP)

**Pseudotomentella nigra** (Höhn. & Litsch.)  
Svrcek (= *Tomentella nigra*)  
*Tsuga* sp., V (DAOM 138756)

**Pseudotomentella tristis** (P. Karst.) M.  
Larsen (= *Pseudotomentella umbrina*)  
*Abies grandis*, LC (Shaw 1973)

**Pseudotomentella umbrina** (Fr.) M. Larsen  
see *Pseudotomentella tristis*

**Pseudotomentella ve pallidospora** M.  
Larsen  
*Thuja plicata*, V (DAVFP)

**Pseudovalsaria ferruginea** (Nitschke)  
Rappaz  
*Populus tremuloides*, V (DAVFP)

**Pseudovalsella thelebola** (Fr.:Fr.) Höhn.  
(= *Melanconis thelebola*)  
*Alnus rubra*, V (DAVFP)

**Psilocybe baeocystis** Sing. & Smith  
Soil and Duff, LC (Guzman et al. 1976)

**Psilocybe cf. pratense**  
*Scirpus americanus*, V (DAOM)

**Psilocybe crotula** (Fr.) M. Lange ex Singer  
Soil and Duff, V (DAVFP)

**Psilocybe cyanescens** Wakefield  
Soil and Duff, V (DAVFP)

**Psilocybe pelliculosa** (Smith) Sing. &  
Smith  
Soil and Duff, LC (Guzman et al. 1976)  
Unidentified wood, V (DAVFP)

**Psilocybe semilanceata** (Fr.) P. Kumm.  
Soil and Duff, V (DAVFP)

**Psilocybe strictipes** Sing. & Smith  
Soil and Duff, LC (Guzman et al. 1976)

**Psilocybe stuntzii** Guzman & Ott  
Soil and Duff, V (DAVFP)

**Psilocybe subviscida** (Peck) Kauffm.  
Soil and Duff, LC (Davidson 1930)

**Psilocybe sp.**  
*Scirpus americanus*, V (DAOM)

**Pterula sp.**  
Soil and Duff, V (DAVFP)  
*Tsuga heterophylla*, V (DAVFP)

**Puccinia aberrans** Peck  
*Smelowskia calycina* var. *americana*, LC  
(Parmelee 1984; Ginns 1986a)

**Puccinia acroptili** P. Syd. & Syd.  
*Acropitilon repens*, LC (Savile 1970)  
*Centaurea repens*, LC (Shaw 1973)

**Puccinia adoxae** R. Hedw. ex DC.  
*Adoxa moschatellina*, LC (McCain et al. 1990)

**Puccinia aegra** Grove  
*Viola tricolor*, V (DAVFP)

**Puccinia agoseridis** Parmelee & Savile  
*Agoseris aurantiaca*, LC (Parmelee and Savile 1981) (TYPE)

**Puccinia albulensis** Magnus  
*Veronica wormskjoldii*, V (DAVFP)

**Puccinia albulensis** Magnus subsp.  
*albulensis*  
*Veronica wormskjoldii*, LC (Savile 1968b)

**Puccinia albulensis** Magnus subsp.  
*cascadensis* Savile see *Puccinia*  
*cascadensis*

**Puccinia andropogonis** Schwein.  
*Penstemon rydbergii*, LC (Shaw 1973)

**Puccinia angelicae** (Schumach.) Fuckel  
*Angelica genuflexa*, LC (Ginns 1986a)

**Puccinia angustata** Peck  
*Eriophorum angustifolium*, LC (Shaw 1973)  
*Eriophorum viridicarinatum*, LC (Connors 1967)  
*Monarda fistulosa* var. *mollis*, LC (Jones 1957)  
*Senecio triangularis*, V (DAVFP)

**Puccinia arenariae** (Schumach.) G. Wint.  
*Arenaria capillaris* subsp. *americana*, LC (Savile 1976a)  
*Stellaria calycantha*, LC (Ginns 1986a)  
*Stellaria longipes*, LC (Savile 1976a on *Stellaria monantha*)

**Puccinia areolata** Dietel & Holw. in Dietel  
*Caltha leptosepala*, LC (Ginns 1986a)  
*Caltha palustris* subsp. *asarifolia*, V (DAVFP)

**Puccinia aristidae** Tracy  
*Distichlis spicata*, LC (Ginns 1986a)  
*Spinacia oleracea*, LC (Ginns 1986a)

**Puccinia arnalis** Peck  
*Arnica cordifolia*, LC (Savile 1978b)

*Arnica mollis*, LC (Savile 1978b)

**Puccinia asarina** Kunze in Kunze & J.C. Schmidt

*Asarum caudatum*, V (DAVFP)

**Puccinia asperior** Ellis & Everh. see  
*Puccinia jonesii* subsp. *asperior*

**Puccinia asteris** Duby see *Puccinia cnici-oleracei*

**Puccinia atrofusca** (W.R. Dudley & C.H. Thomps.) Holw.

*Artemisia* sp., LC (Parmelee and Ginns 1986)  
*Carex filifolia*, LC (Shaw 1973)  
*Carex rossii*, LC (Connors 1967)

**Puccinia austroberingiana** (Savile) Savile

*Saxifraga punctata* subsp. *charlottae*, LC (Ginns 1986a on *Saxifraga nelsoniana* subsp. *carlottae*)

**Puccinia austroberingiana** (Savile) Savile  
subsp. *austroberingiana*

*Mitella breweri*, LC (Savile 1973)  
*Mitella pentandra*, LC (Toms 1964 as *Puccinia heucherae* var. *austroberingiana*; Savile 1973)  
*Mitella trifida*, LC (Toms 1964 as *Puccinia heucherae* var. *austroberingiana*; Savile 1973)  
*Saxifraga odontoloma*, LC (Savile 1973)  
*Saxifraga punctata* subsp. *cascadensis*, LC (Savile 1973)  
*Tellima grandiflora*, LC (Savile 1973) (TYPE)

**Puccinia austroberingiana** (Savile) Savile  
subsp. *saxifragarum* Savile

*Saxifraga lyallii* subsp. *hultenii*, LC (Savile 1973)  
*Tellima grandiflora*, LC (Savile 1973)

**Puccinia balsamorhizae** Peck

*Balsamorhiza sagittata*, V (DAVFP)

**Puccinia bardanae** (Wallr.) Corda see  
*Puccinia calcitrapae* var. *bardanae*

**Puccinia bistortae** (F. Strauss) DC.  
*Polygonum viviparum*, V (DAVFP)

**Puccinia blasdalei** Dietel & Holw.  
*Allium acuminatum*, LC (Savile 1961)  
*Allium amplectens*, LC (Savile 1961)

**Puccinia blyttiana** Lagerh.

*Ranunculus eschscholtzii*, LC (Parmelee and de Carteret 1984a)  
*Ranunculus pygmaeus*, LC (Parmelee and de Carteret 1984a)

**Puccinia brachypodii** G. Otth var.  
*arrhenatheri* (Kleb.) Cummins & H.C. Greene (=*Puccinia deschampsiae*, *Puccinia koeleriae*)

*Berberis aquifolium*, V (DAVFP)

*Berberis nervosa*, LC (Connors 1967 on *Mahonia nervosa*)

*Berberis repens*, LC (Connors 1967 on *Mahonia repens*)

**Puccinia brachypodii** G. Otth var. *poae-nemoralis* (G. Otth) Cummins & H.C.

Greene (=*Puccinia poae-nemoralis*,  
*Puccinia poae-sudeticae*)

*Festuca elatior*, LC (Toms 1964)

*Poa bulbosa*, LC (Savile 1976a as *Puccinia poae-nemoralis* subsp. *poae-nemoralis*)

*Poa compressa*, LC (Toms 1964)

*Poa palustris*, V (DAVFP)

*Poa paucispicula*, V (DAVFP)

*Poa pratensis*, V (DAVFP)

*Poa* sp., V (DAVFP)

Soil and Duff, LC (Toms 1964)

**Puccinia calcitrapae** DC.

*Cirsium undulatum*, V (DAVFP)

**Puccinia calcitrapae** DC. var. *bardanae*

(Wallr.) Cummins (=*Puccinia bardanae*)  
*Arctium minus*, LC (Ginns 1986a)

**Puccinia calcitrapae** DC. var. *centaureae*

(DC.) Cummins (=*Puccinia laschii* var. *laschii*, *Puccinia laschii*)

*Cirsium douglasii* var. *canescens*, LC (Shaw 1973)

*Cirsium edule*, LC (Savile 1970)

*Cirsium hookerianum*, LC (Savile 1970)

*Cirsium undulatum*, LC (Savile 1970)

**Puccinia calochorti** Peck

*Calochortus apiculatus*, V (DAVFP)

*Calochortus macrocarpus*, LC (Savile 1961)

**Puccinia campanulae** Carmich. ex Berk. in Smith

*Campanula alaskana*, LC (Parmelee and de Carteret 1982b)

**Puccinia canadensis** Arth.

*Viola orbiculata*, LC (Savile 1974c)

**Puccinia canaliculata** (Schwein.) Lagerh.

*Xanthium italicum*, LC (Ginns 1986a)

*Xanthium strumarium*, LC (Shaw 1973)

**Puccinia caricina** DC. (=*Puccinia caricis*)

*Carex aquatilis*, LC (Shaw 1973)

*Carex concinnoidea*, LC (Shaw 1973)

*Carex macrochaeta*, LC (Shaw 1973)

*Carex mertensii*, V (DAVFP)

*Carex retrorsa*, LC (Shaw 1973)

*Carex richardsonii*, UR

*Carex spectabilis*, LC (Shaw 1973)

*Ribes bracteosum*, V (DAVFP)

*Ribes divaricatum*, V (DAVFP)

*Ribes glandulosum*, V (DAVFP)

*Ribes grossularia*, LC (Ginns 1986a)

*Ribes inerme*, V (DAVFP)

*Ribes lacustre*, V (DAVFP)

*Ribes laxiflorum*, LC (Connors 1967)

- Ribes triste*, V (DAVFP)  
*Ribes* sp., V (DAVFP)  
*Urtica dioica* subsp. *gracilis* var. *lyallii*, V (DAVFP)
- Puccinia caricina* DC. var. *limosae***  
(Magnus) Jorst. see *Puccinia limosae*
- Puccinia caricis* (Schumach.) J. Schröt.**  
see *Puccinia caricina*
- Puccinia caricis-shepherdiae* J.J. Davis**  
*Elaeagnus angustifolia*, LC (Ginns 1986a)  
*Elaeagnus commutata*, V (DAVFP)  
*Shepherdia canadensis*, V (DAVFP)
- Puccinia caricis-strictae* Dietel**  
*Carex obnupta*, V (DAVFP)
- Puccinia cascadiensis* (Savile) Cummins**  
(= *Puccinia albulensis* subsp. *cascadiensis*)  
*Veronica cusickii*, LC (Ginns 1986a)
- Puccinia centaureae* DC.**  
*Centaurea nigra*, LC (Mortensen et al. 1991)
- Puccinia chrysanthemi* Roze** see *Puccinia tanaceti*
- Puccinia cicutae* Lasch** in Klotzsch  
*Cicuta douglasii*, LC (Ginns 1986a)
- Puccinia circaeae* Pers.:Pers.**  
*Circaea alpina*, V (DAVFP)
- Puccinia cirsii* Lasch** see *Puccinia calcitrapae*
- Puccinia claytoniicola* Cummins**  
*Claytonia lanceolata*, V (DAVFP)
- Puccinia clintonii* Peck** var. *bracteosae*  
Savile  
*Pedicularis bracteosa*, V (DAVFP)
- Puccinia clintonii* Peck** var.  
*ornithorhynchae* Savile  
*Pedicularis ornithorhyncha*, LC (Ginns 1986a)
- Puccinia clintonii* Peck** var. *racemosae*  
Savile  
*Pedicularis racemosa* subsp. *racemosa*, LC  
(Savile 1967)
- Puccinia cnici* H. Mart.**  
*Cirsium vulgare*, V (DAVFP)
- Puccinia cnici* H. Mart. var. *cnici***  
*Cirsium brevistylum*, V (DAVFP)  
*Cirsium vulgare*, LC (Conners 1967)
- Puccinia cnici-oleracei* Pers. (= *Puccinia asteris*, *Puccinia columbiensis*, *Puccinia millefolii*)**  
*Agoseris aurantiaca*, LC (Parmelee and Savile 1981)  
*Agoseris glauca*, LC (Parmelee and Savile 1981)  
*Artemisia frigida*, LC (Conners 1967)  
*Aster ciliolatus*, V (DAVFP)  
*Aster conspicuus*, V (DAVFP)  
*Aster foliaceus*, LC (Savile 1976a)  
*Aster subspicatus*, V (DAVFP)  
*Hieracium cynoglossoides*, V (DAVFP)  
*Hieracium scouleri*, V (DAVFP)
- Puccinia coelopleuri* Arth.**  
*Angelica lucida*, LC (Ginns 1986a)
- Puccinia columbiensis* Ellis & Everh.** see  
*Puccinia cnici-oleracei*
- Puccinia commutata* Syd.**  
*Valeriana sitchensis*, LC (Conners 1967)
- Puccinia conglomerata* (F. Strauss) Röhl.**  
*Petasites frigidus* var. *nivalis*, LC (Savile 1977 on  
*Petasites nivalis*)  
*Petasites frigidus* var. *palmatus*, V (DAVFP)  
*Petasites palmatus* X *P. nivalis*, LC (Savile 1977)  
*Petasites sagittatus*, LC (Savile 1977)
- Puccinia coronata* Corda**  
*Agrostis alba*, V (DAVFP)  
*Agrostis exarata*, LC (Arthur 1934)  
*Agrostis thurberiana*, LC (Arthur 1934)  
*Ammophila arenaria*, LC (Ginns 1986a)  
*Bromus* sp., V (DAVFP)  
*Calamagrostis canadensis*, LC (Arthur 1934)  
*Calamagrostis rubescens*, V (DAVFP)  
*Elaeagnus commutata*, LC (Shaw 1973)  
*Elymus innovatus*, V (DAVFP)  
*Glyceria pauciflora*, V (DAVFP)  
*Holcus lanatus*, V (DAVFP)  
*Lolium multiflorum*, LC (Toms 1964)  
*Rhamnus alnifolia*, V (DAVFP)  
*Rhamnus cathartica*, V (DAVFP)  
*Rhamnus purshiana*, V (DAVFP)  
*Shepherdia canadensis*, V (DAVFP)
- Puccinia crandallii* Pammel & H. Hume** in  
H. Hume  
*Festuca rubra*, V (DAVFP)  
*Symporicarpos albus*, V (DAVFP)
- Puccinia crepidis-montanae* Magn. in**  
Fischer  
*Crepis atrabarpa*, LC (Parmelee and Savile 1981)
- Puccinia cruciferarum* Rudolphi subsp.**  
*borealis* Savile  
*Cardamine bellidifolia*, LC (Ginns 1986a)
- Puccinia cyani* Pass. in Rabenh. var.**  
*sublevis* Savile  
*Centaurea cyanus*, LC (Ginns 1986a)

**Puccinia dasantherae** Savile

*Penstemon fruticosus*, V (DAVFP)

**Puccinia deschampsiae** Arth. see

*Puccinia brachypodii* var. *arrhenatheri*

**Puccinia difformis** Kunze in Kunze & J.C.

Schmidt

*Galium aparine*, V (DAVFP)

**Puccinia dioicae** Magnus (=*Puccinia extensicola*)

*Aster ciliolatus*, V (DAVFP)

*Aster occidentalis*, V (DAVFP)

*Carex brunnescens*, LC (Shaw 1973)

*Carex deweyana*, LC (Shaw 1973)

*Carex laeviculmis*, LC (Shaw 1973)

*Carex leptopoda*, LC (Shaw 1958)

*Epilobium angustifolium*, V (DAVFP)

*Erigeron peregrinus*, LC (Shaw 1973)

*Hieracium albertinum*, LC (Shaw 1973)

*Hieracium albiflorum*, LC (Conners 1967)

*Hieracium sp.*, V (DAVFP)

*Lactuca biennis*, LC (Conners 1967)

*Solidago canadensis*, LC (Shaw 1973)

*Solidago sp.*, V (DAVFP)

**Puccinia distichlidis** Ellis & Everh.

*Spartina gracilis*, LC (Parmelee and de Carteret 1981a)

**Puccinia drabae** F. Rudolphi

*Draba incerta*, LC (Ginns 1986a)

*Draba longipes*, LC (Ginns 1986a)

**Puccinia drabicola** Savile

*Draba incerta*, LC (Savile 1974f; Parmelee 1989) (TYPE)

**Puccinia epilobii** DC. subsp. *palustris*

Urb.

*Epilobium palustre*, LC (Ginns 1986a)

**Puccinia eriophori** Thuem. var. *apargidii*

Savile

*Apargidium boreale*, LC (Savile 1972)

*Eriophorum polystachion*, LC (Savile 1972) (TYPE)

**Puccinia eriophori** Thuem. var. *eriophori*

*Eriophorum chamissonis*, LC (Savile 1972)

*Senecio triangularis*, LC (Savile 1972)

**Puccinia eriophori-alpini** Allesch.

*Scirpus hudsonianus*, LC (Savile 1972 on *Trichophorum cespitosum*)

**Puccinia extensicola** Plowr. see *Puccinia dioicae*

**Puccinia fergusonii** Berk. & Broome

*Viola langsdorffii*, LC (Toms 1964; Savile 1975a)

*Viola macloskeyi*, LC (Conners 1967)

*Viola nephrophylla*, LC (Conners 1967)

*Viola palustris*, V (DAVFP)

**Puccinia gemella** Dietel & Holw. in P. Syd.

& Syd.

*Caltha leptosepala*, LC (Parmelee and de Carteret 1984b)

**Puccinia gentiana** (F. Strauss) Röhl.

*Gentiana sceprium*, LC (Parmelee and de Carteret 1985)

**Puccinia gigantea** P. Karst.

*Epilobium angustifolium*, V (DAVFP)

**Puccinia gigantispora** Bubák

*Anemone cylindrica*, LC (Conners 1967)

*Anemone multifida*, V (DAVFP)

*Anemone parviflora*, V (DAVFP)

*Thalictrum alpinum*, V (DAVFP)

**Puccinia glacieri** Savile

*Viola glabella*, LC (Savile 1975b) (TYPE)

**Puccinia glumarum** Eriks. & E. Henn. see

*Puccinia striiformis*

**Puccinia graminis** Pers.:Pers.

*Agrostis alba*, LC (Toms 1964 on *Agrostis gigantea*)

*Agrostis scabra*, V (DAVFP)

*Arrhenatherum elatius*, LC (Jones 1957)

*Avena fatua*, LC (Harder 1989 as *Puccinia graminis* f. sp. *avenae*)

*Berberis vulgaris*, LC (Conners 1967)

*Dactylis glomerata*, LC (Jones 1957)

*Festuca* sp., LC (Conners 1967)

*Hordeum jubatum*, LC (Harder and Dunsmore 1990, 1991 as *Puccinia graminis* f. sp. *tritici*)

*Phleum pratense*, V (DAVFP)

*Secale cereale*, LC (Jones 1957; Green 1981 as *Puccinia graminis* f. sp. *tritici*)

*Soil and Duff*, LC (Toms 1964)

*Triticum aestivum*, LC (Jones 1957; Harder and Dunsmore 1991 as *Puccinia graminis* f. sp. *tritici*)

*Triticum* sp., LC (Green 1981; Green and Martens 1982)

**Puccinia granulispore** Ellis & B.T.

Galloway ex Ellis & Everh.

*Allium cernuum*, V (DAVFP)

**Puccinia grindeliae** Peck

*Erigeron aureus*, LC (Ginns 1986a)

*Erigeron filifolius*, LC (Ginns 1986a)

**Puccinia grumosa** Syd. & Holw.

*Zygadenus elegans*, LC (Ginns 1986a)

**Puccinia helianthi** Schwein.

*Helianthus annuus*, LC (Ginns 1986a)

*Helianthus nuttallii* subsp. *nuttallii*, LC (Parmelee 1977)

**Puccinia heucherae** (Schwein.) Dietel

*Heuchera glabra*, V (DAVFP)

*Mitella pentandra*, V (DAVFP)

*Saxifraga arguta*, V (DAVFP)  
*Saxifraga integrifolia*, LC (Shaw 1973)  
*Tellima grandiflora*, V (DAVFP)  
*Tiarella trifoliata*, V (DAVFP)  
*Tiarella unifoliata*, V (DAVFP)  
*Tolmiea menziesii*, V (DAVFP)

**Puccinia heucherae** (Schwein.) Dietel var. **austroberingiana** Savile see *Puccinia austroberingiana* subsp. *austroberingiana*

**Puccinia heucherae** (Schwein.) Dietel var. **cordillerana** Savile

*Saxifraga lyallii* inter subsp. *hultenii* subsp. *lyallii*, LC (Savile 1973)  
*Saxifraga lyallii* subsp. *hultenii*, V (DAVFP)

**Puccinia heucherae** (Schwein.) Dietel var. **diffusistriata** Savile  
*Saxifraga tolmiei* var. *tolmiei*, LC (Savile 1973)

**Puccinia heucherae** (Schwein.) Dietel var. **heucherae**

*Heuchera chlorantha*, LC (Savile 1973)  
*Heuchera cylindrica*, LC (Savile 1954 on  
*Heuchera ovalifolia*)  
*Heuchera cylindrica* var. *cylindrica*, LC (Savile 1973)  
*Heuchera cylindrica* var. *glabella*, LC (Savile 1973)  
*Heuchera cylindrica* var. *orbicularis*, LC (Savile 1973)  
*Heuchera glabra*, LC (Savile 1954, 1973)  
*Heuchera micrantha*, LC (Savile 1954, 1973)  
*Mitella nuda*, V (DAVFP)  
*Mitella ovalis*, LC (Savile 1954, 1973; Toms 1964)  
*Saxifraga lyallii* subsp. *hultenii* X *S. odontoloma*, LC (Savile 1973)  
*Saxifraga punctata* subsp. *cascadensis*, LC (Savile 1973)  
*Tiarella laciniata* X *trifoliata*, LC (Savile 1973)  
*Tiarella trifoliata*, LC (Savile 1973)  
*Tiarella unifoliata*, LC (Savile 1954, 1973)  
*Tolmiea menziesii*, V (DAVFP)

**Puccinia heucherae** (Schwein.) Dietel var. **lithophragmiae** (Holw.) Savile (= *Puccinia lithophragmiae*)

*Lithophragma parviflora*, LC (Ginns 1986a)

**Puccinia heucherae** (Schwein.) Dietel var. **minor** Savile

*Mitella nuda*, LC (Savile 1973)

**Puccinia heucherae** (Schwein.) Dietel var. **saxifragae** (Schlechtend.) Savile  
(= *Puccinia saxifragae*)

*Heuchera cylindrica*, LC (Savile 1954 on  
*Heuchera ovalifolia*)

**Puccinia hieracii** (Röhl.) H. Mart.

*Agoseris* sp., LC (Shaw 1973)  
*Cichorium intybus*, V (DAVFP)  
*Crepis acuminata*, LC (Shaw 1973)  
*Crepis atrabarpa*, LC (Parmelee and Savile 1981)

*Hieracium albiflorum*, LC (Parmelee and Savile 1981)  
*Hieracium canadense*, LC (Parmelee and Savile 1981)  
*Hieracium cynoglossoides*, LC (Parmelee and Savile 1981)  
*Hieracium scouleri*, LC (Parmelee and Savile 1981)  
*Hieracium umbellatum*, V (DAVFP)  
*Stephanomeria tenuifolia*, V (DAVFP)  
*Taraxacum dumetorum*, LC (Parmelee and Savile 1981)  
*Taraxacum laevigatum*, LC (Parmelee and Savile 1981)  
*Taraxacum officinale*, V (DAVFP)

**Puccinia hieracii** (Röhl.) H. Mart. var. **stephanomeriae** (P. Syd. & Syd.) Cummins  
*Stephanomeria tenuifolia*, LC (Parmelee and Savile 1981 as *Puccinia harknessii* var. *stephanomeriae*)

**Puccinia holboellii** (Hornem.) Rostr. see *Puccinia thlaspeos*

**Puccinia holcina** Eriks. see *Puccinia hordei*

**Puccinia hordei** G. Otth (= *Puccinia holcina*)  
*Holcus lanatus*, V (DAVFP)

**Puccinia inclusa** P. Syd. & Syd. var. **inclusa**

*Cirsium undulatum*, LC (Savile 1970)

**Puccinia insperata** H. Jacks. see *Puccinia variabilis* var. *insperata*

**Puccinia jaceae** G. Otth var. **diffusae**

Savile  
*Centaurea diffusa*, LC (Mortensen et al. 1989)

**Puccinia jonesii** Peck subsp. **asperior**  
(Ellis & Everh.) Savile

*Lomatium ambiguum*, LC (Ginns 1986a)  
*Lomatium dissectum*, LC (Ginns 1986a)  
*Lomatium geyeri*, LC (Ginns 1986a)  
*Lomatium macrocarpum*, LC (Ginns 1986a)  
*Lomatium triternatum*, LC (Ginns 1986a)  
*Lomatium utriculatum*, LC (Ginns 1986a)

**Puccinia jonesii** Peck subsp. **jonesii**

*Lomatium dissectum* var. *multifidum*, V (DAVFP)  
*Lomatium geyeri*, LC (Ginns 1986a)  
*Lomatium macrocarpum*, LC (Ginns 1986a)

**Puccinia karelica** Tranzschel subsp. **karelica**

*Carex magellanica*, LC (Parmelee and de Carteret 1981b)  
*Carex pluriflora*, LC (Parmelee and de Carteret 1981b)  
*Trientalis europaea*, LC (Savile 1965a; Parmelee and de Carteret 1981b)

**Puccinia koeleriae** Arth. see *Puccinia brachypodii* var. *arrhenatheri*

**Puccinia lapsanae** Fuckel (=*Puccinia variabilis* var. *lapsanae*)  
*Lapsana communis*, V (DAVFP)

**Puccinia laschii** Lagerh. see *Puccinia calcitratae* var. *centaureae*

**Puccinia laschii** Lagerh. var. *laschii* see *Puccinia calcitratae* var. *centaureae*

**Puccinia leveillei** Mont. in Gay  
*Geranium erianthum*, LC (Parmelee and Savile 1990)  
*Geranium viscosissimum*, LC (Parmelee and Savile 1990)

**Puccinia ligustici** Ellis & Everh.  
*Conioselinum pacificum*, LC (Parmelee 1989)  
*Ligusticum canbyi*, LC (Ginns 1986a; Parmelee 1989)  
*Perideridia gairdneri*, LC (Ginns 1986a)

**Puccinia limosae** Magnus (=*Puccinia caricina* var. *limosae*)  
*Carex limosa*, LC (Ginns 1986a)  
*Trientalis arctica*, V (DAVFP)

**Puccinia linkii** Klotzsch  
*Viburnum edule*, V (DAVFP)

**Puccinia lithophragmæ** Holw. see *Puccinia heucherae* var. *lithophragmæ*

**Puccinia maculosa** Schwein. see *Puccinia columbiensis*

**Puccinia malvacearum** Bertero ex Mont. in Gay  
*Althaea rosea*, V (DAVFP)  
*Malva neglecta*, LC (Jones 1957; Parmelee and de Carteret 1980)  
*Malva rotundifolia*, LC (Jones 1957)

**Puccinia marylandica** Lindr.  
*Sanicula marilandica*, LC (Ginns 1986a)

**Puccinia mcclatchieana** Dietel & Holw. in Dietel  
*Scirpus microcarpus*, V (DAVFP)  
*Scirpus rubrotinctus*, LC (Savile 1972)

**Puccinia menthae** Pers.:Pers.  
*Mentha arvensis*, V (DAVFP)  
*Mentha arvensis* var. *canadensis*, LC (Brown 1956 on *Mentha canadensis*)  
*Monarda fistulosa* var. *menthifolia*, LC (Connors 1967)  
*Monarda fistulosa* var. *mollis*, V (DAVFP)  
*Satureja douglasii*, V (DAVFP)

**Puccinia mesomajalis** Berk. & M.A. Curtis in Peck  
*Clintonia uniflora*, V (DAVFP)

**Puccinia millefolii** Willd. see *Puccinia cnici-oleracei*

**Puccinia minussensis** Thuem.  
*Lactuca canadensis*, V (DAVFP)  
*Lactuca pulchella*, LC (Connors 1967; Parmelee and Savile 1981)

**Puccinia monoica** Arth.  
*Arabis hirsuta*, V (DAVFP)  
*Arabis holboellii* var. *retrofracta*, LC (Connors 1967)  
*Arabis nuttallii*, LC (Connors 1967)  
*Arabis puberula*, V (DAVFP)

**Puccinia montanensis** Ellis  
*Agropyron spicatum*, LC (Parmelee 1984)  
*Berberis aquifolium*, LC (Parmelee 1984 on *Mahonia aquifolium*)  
*Elymus piperi*, V (DAVFP)

**Puccinia obscura** J. Schröt. in Pass.  
*Luzula parviflora*, V (DAVFP)

**Puccinia oenotherae** Vize  
*Epilobium minutum*, LC (Connors 1967)

**Puccinia ornatula** Holw.  
*Viola glabella*, V (DAVFP)

**Puccinia ortonii** H. Jacks.  
*Dodecatheon jeffreyi*, LC (Parmelee 1981)  
*Dodecatheon pulchellum*, LC (Parmelee 1981)

**Puccinia osoyoosensis** Savile  
*Scirpus americanus*, LC (Savile 1972) (TYPE)  
*Xanthium strumarium* var. *canadense*, LC (Savile 1972)

**Puccinia oxyriæ** Fuckel  
*Oxyria digyna*, LC (Connors 1967)

**Puccinia palmeri** Dietel & Holw. in Dietel  
*Penstemon procerus* var. *procerus*, V (DAVFP)  
*Penstemon rydbergii*, LC (Shaw 1973)

**Puccinia parkerae** Dietel & Holw. in Dietel  
*Ribes bracteosum*, LC (Connors 1967)  
*Ribes divaricatum*, V (DAVFP)  
*Ribes lacustre*, V (DAVFP)

**Puccinia parnassiae** Arth.  
*Parnassia fimbriata*, V (DAVFP)

**Puccinia pazschkei** Dietel var. *ferruginea* Savile (=*Puccinia pazschkei* var. *jueliana*)  
*Saxifraga ferruginea*, LC (Savile 1973) (TYPE)

**Puccinia pazschkei** Dietel var. *heterisiae* (H. Jacks.) Savile  
*Saxifraga mertensiana*, LC (Savile 1973)

**Puccinia pazschkei** Dietel var. *jueliana*  
(Ditel) Savile see *Puccinia pazschkei* var.  
*ferrugineae*

**Puccinia pazschkei** Dietel var.  
*tricuspidatae* Savile  
*Saxifraga bronchialis*, LC (Savile 1954)  
*Saxifraga bronchialis* subsp. *austromontana*, LC  
(Savile 1973)  
*Saxifraga tricuspidata*, LC (Savile 1973)

**Puccinia phaceliae** Syd. & Holw.  
*Phacelia hastata* var. *leptosepala*, LC (Savile  
1976a)

**Puccinia physostegiae** Peck & G.W.  
Clinton in Peck  
*Physostegia parviflora*, V (DAVFP)

**Puccinia pimpinellae** (F. Strauss) Mart.  
*Osmorrhiza chilensis*, V (DAVFP)  
*Osmorrhiza purpurea*, V (DAVFP)  
*Osmorrhiza* sp., LC (Ginns 1986a)

**Puccinia pimpinellae** (F. Strauss) Mart.  
subsp. *carlottae* Savile  
*Osmorrhiza chilensis*, LC (Savile 1965b) (TYPE)  
*Osmorrhiza purpurea*, LC (Ginns 1986a)

**Puccinia pimpinellae** (F. Strauss) Mart.  
subsp. *pimpinellae*  
*Osmorrhiza chilensis*, LC (Ginns 1986a)  
*Osmorrhiza depauperata*, LC (Ginns 1986a)  
*Osmorrhiza purpurea*, LC (Ginns 1986a)

**Puccinia plumbaria** Peck  
*Microsteris gracilis*, LC (Parmelee 1986a)  
*Phlox diffusa*, LC (Parmelee 1986a on *Phlox*  
*diffusa* subsp. *longistylis*)

**Puccinia poae-nemoralis** G. Otth see  
*Puccinia brachypodii* var. *poae-nemoralis*

**Puccinia poae-sudeticae** Jorst. see  
*Puccinia brachypodii* var. *poae-nemoralis*

**Puccinia poarum** P. Nielsen  
*Petasites frigidus* var. *palmatus*, V (DAVFP)

**Puccinia polemonii** Diet. & Holw.  
*Polemonium acutiflorum*, LC (Parmelee 1986a)  
*Polemonium* sp., LC (Parmelee 1986a)

**Puccinia polygoni-amphibii** Pers.:Pers.  
*Polygonum amphibium*, V (DAVFP)  
*Polygonum coccineum*, V (DAVFP)  
*Polygonum coccineum* var. *hartwrightii*, UR  
*Polygonum punctatum*, LC (Ginns 1986a)

**Puccinia porphyrogenita** M.A. Curtis in  
Thuem.  
*Cornus canadensis*, V (DAVFP)

**Puccinia praegracilis** Arth. (=*Aecidium*  
*graebnerianum*)

*Habenaria dilatata*, V (DAVFP)  
*Habenaria hyperborea*, V (DAVFP)

**Puccinia praegracilis** Arth. var. *connersii*  
Savile

*Deschampsia atropurpurea*, LC (Parmelee 1983  
on *Vahlodea atropurpurea*)

**Puccinia praegracilis** Arth. var.  
*praegracilis*  
*Agrostis thurberiana*, LC (Ginns 1986a; Parmelee  
1989)  
*Habenaria saccata*, LC (Savile 1976a; Parmelee  
1989)

**Puccinia pulsatillae** Kalchbr.  
*Anemone drummondii*, LC (Parmelee and Savile  
1984a)  
*Anemone multifida*, LC (Parmelee and Savile  
1984a)  
*Anemone parviflora*, V (DAVFP)  
*Anemone patens*, LC (Parmelee and Savile  
1984a)  
*Trautvetteria caroliniensis*, LC (Ginns 1986a)

**Puccinia pulverulenta** Grev.  
*Epilobium minutum*, LC (Shaw 1973)  
*Epilobium paniculatum*, V (DAVFP)  
*Gayophytum nuttallii*, V (DAVFP)

**Puccinia punctata** Link  
*Galium trifidum*, LC (Connors 1967)  
*Galium* sp., LC (Parmelee 1984)

**Puccinia punctata** Link var. *troglodytes*  
(Lindr.) Arth.  
*Galium triflorum*, V (DAVFP)

**Puccinia punctiformis** (F. Strauss) Röhl.  
*Cirsium arvense* f. *albiflorum*, V (DAVFP)  
*Cirsium arvense* var. *horridum*, V (DAVFP)

**Puccinia pygmaea** Eriks.  
*Oryzopsis asperifolia*, V (DAVFP)

**Puccinia recedens** P. Syd. & Syd.  
*Senecio aureus*, V (DAVFP)

**Puccinia recondita** Roberge ex Desmaz.  
(= *Puccinia rubigo-vera*)  
*Actaea rubra*, V (DAVFP)  
*Agropyron repens*, LC (Connors 1967)  
*Agropyron trachycaulum*, LC (Toms 1964)  
*Agrostis scabra*, V (DAVFP)  
*Agrostis tenuis*, LC (Ginns 1986a)  
*Anemone cylindrica*, LC (Connors 1967)  
*Anemone multifida*, LC (Shaw 1973)  
*Aquilegia flavescens*, V (DAVFP)  
*Aquilegia formosa*, V (DAVFP)  
*Bromus carinatus*, LC (Ginns 1986a)  
*Bromus mollis*, LC (Ginns 1986a)  
*Bromus pumpellianus*, LC (Connors 1967)  
*Bromus vulgaris*, V (DAVFP)  
*Clematis ligusticifolia*, V (DAVFP)

*Delphinium* sp., V (DAVFP)  
*Elymus glaucus*, V (DAVFP)  
*Elymus mollis*, UR  
*Elymus piperi*, LC (Conners 1967)  
*Elymus vancouverensis*, LC (Conners 1967)  
*Elymus virescens*, V (DAVFP)  
*Festuca rubra*, LC (Arthur 1934)  
*Holcus lanatus*, V (DAVFP)  
*Hydrophyllum tenuipes*, V (DAVFP)  
*Phacelia heterophylla*, LC (Shaw 1958)  
*Poa* sp., V (DAVFP)  
*Ranunculus cymbalaria*, V (DAVFP)  
*Ranunculus glaberrimus*, V (DAVFP)  
*Secale cereale*, V (DAVFP)  
*Thalictrum occidentale*, V (DAVFP)  
*Triticum aestivum*, LC (Toms 1964)  
*Triticum durum*, V (DAVFP)

***Puccinia ribis* DC.**

*Ribes triste*, V (DAVFP)

***Puccinia rubefaciens* Johans.**

*Galium boreale*, V (DAVFP)  
*Galium triflorum*, V (DAVFP)

***Puccinia rubigo-vera* G. Wint. in Rabenh.**  
 see *Puccinia recondita*

***Puccinia rydbergii* Garrett**

*Sedum spathulifolium*, LC (Conners 1967)  
*Sedum stenopetalum*, LC (Shaw 1973)

***Puccinia saxifragae* Schlechtend.** see  
*Puccinia heucherae* var. *saxifragae*

***Puccinia saxifragae* Schlechtend. var.  
*curtipes* (E. Howe) Dietel**

*Saxifraga nivalis*, LC (Savile 1973)  
*Saxifraga occidentalis* subsp. *rufidula*, LC (Savile 1973)  
*Saxifraga rivularis*, LC (Ginns 1986a)  
*Saxifraga tenuis*, LC (Savile 1973)

***Puccinia saxifragae* Schlechtend. var.  
*heucherarum* Savile**

*Heuchera richardsonii*, LC (Savile 1973)

***Puccinia saxifragae* Schlechtend. var.  
*holochloae* Savile**

*Heuchera cylindrica* var. *cylindrica*, LC (Savile 1973)  
*Heuchera cylindrica* var. *orbicularis*, LC (Savile 1973)  
*Heuchera cylindrica* var. *septentrionalis*, LC (Savile 1973)

***Puccinia saxifragae* Schlechtend. var.  
*longior* Savile**

*Saxifraga cernua*, LC (Savile 1973)  
*Saxifraga rivularis*, LC (Savile 1973)

***Puccinia saxifragae* Schlechtend. var.  
*mitellae* Savile**

*Mitella breweri*, LC (Savile 1973)  
*Mitella pentandra*, LC (Savile 1973)  
*Mitella trifida*, LC (Savile 1973)

***Puccinia scandica* Johans.**

*Epilobium alpinum*, LC (Ginns 1986a; Parmelee and Ginns 1986 on *Epilobium anagallidifolium*)  
*Epilobium clavatum*, LC (Parmelee and Ginns 1986)

***Puccinia sessilis* W.G. Schneid. in J.**

Schröt.

*Smilacina stellata*, LC (Conners 1967)

***Puccinia stipae* Arth.**

*Erigeron linearis*, V (DAVFP)  
*Lygodesmia juncea*, V (DAVFP)  
*Solidago lepida*, LC (Jones 1957)

***Puccinia striiformis* Westend. (=*Puccinia glumarum*)**

*Agropyron cristatum*, LC (Ginns 1986a)  
*Agropyron repens*, LC (Conners 1967)  
*Agropyron smithii*, LC (Arthur 1934)  
*Agropyron trachycaulum*, LC (Arthur 1934 on *Agropyron richardsonii*)  
*Bromus carinatus*, LC (Ginns 1986a)  
*Bromus ciliatus*, LC (Conners 1967)  
*Bromus marginatus*, LC (Arthur 1934; Conners 1967)  
*Bromus sitchensis*, LC (Arthur 1934; Conners 1967)  
*Dactylis glomerata*, LC (Bittman et al. 1991)  
*Elymus glaucus*, V (DAVFP)  
*Elymus hirsutus*, LC (Savile 1983)  
*Elymus marginalis*, LC (Arthur 1934)  
*Elymus virescens*, LC (Ginns 1986a on *Elymus glaucus* var. *virescens*)  
*Hordeum brachyantherum*, LC (Jones 1957 on *Hordeum nodosum*; Savile 1983)  
*Hordeum depressum*, LC (Savile 1983)  
*Hordeum jubatum*, LC (Arthur 1934; Conners 1967)  
*Hordeum jubatum* var. *caespitosum*, LC (Arthur 1934; Conners 1967)  
*Poa pratensis*, V (DAVFP)  
*Triticum aestivum*, LC (Toms 1964; Savile 1983)

***Puccinia subnitens* Dietel**

*Distichlis stricta*, LC (Parmelee and de Carteret 1981c)  
*Lepidium perfoliatum*, LC (Parmelee and de Carteret 1981c)

***Puccinia symphoricarpi* Harkn.**

*Symphoricarpos albus*, V (DAVFP)  
*Symphoricarpos hesperius*, V (DAVFP)

***Puccinia tanaceti* DC. (=*Puccinia chrysanthemi*)**

*Artemisia dracunculus*, V (DAVFP)  
*Artemisia frigida*, V (DAVFP)  
*Artemisia ludoviciana*, LC (Conners 1967)  
*Artemisia tridentata*, V (DAVFP)  
*Chrysanthemum* sp., V (DAVFP)

***Puccinia thlaspeos* C. Schub. (=*Puccinia holboellii*)**

*Arabis divaricarpa*, LC (Savile 1974d)  
*Arabis drummondii*, LC (Savile 1974d)

*Arabis hirsuta*, V (DAVFP)  
*Arabis holboellii* var. *retrofracta*, LC (Conners 1967)  
*Arabis lemmontii*, V (DAVFP)  
*Arabis lyallii*, LC (Savile 1974d)  
*Arabis lyrata*, LC (Savile 1974d)  
*Arabis nuttallii*, LC (Savile 1974d)  
*Arabis* sp., V (DAVFP)

***Puccinia trautvetteriae*** P. Syd., Syd. & Holw.  
*Trautvetteria carolinensis* var. *occidentalis*, LC (Parmelee and Savile 1984b)

***Puccinia treleasiana*** Pazschke in Rabenh.  
*Caltha leptosepala*, LC (Shaw 1973)

***Puccinia triticina*** Eriks.  
*Triticum aestivum*, UR

***Puccinia troximontis*** Peck  
*Agoseris glauca*, LC (Parmelee and Savile 1981)

***Puccinia umbilici*** Guépin in Duby  
*Sedum spathulifolium*, V (DAVFP)

***Puccinia urbanis*** Savile  
*Geum calthifolium*, LC (Savile 1974e)  
 (HOLOTYPE)

***Puccinia ustalis*** Berk.  
*Ranunculus eschscholtzii*, LC (Parmelee and Savile 1984c)

***Puccinia variabilis*** Grev. var. *insperata*  
 (H. Jacks.) Cummins (=*Puccinia insperata*)  
*Prenanthes alata*, V (DAVFP)

***Puccinia variabilis*** Grev. var. *lapsanae*  
 (Fuckel) Cummins see *Puccinia lapsanae*

***Puccinia veratri*** Duby  
*Epilobium alpinum*, LC (Ginns 1986a)  
*Epilobium hirsutum*, LC (Conners 1967)  
*Epilobium latifolium*, V (DAVFP)  
*Epilobium luteum*, LC (Savile 1961)  
*Veratrum californicum*, LC (Conners 1967)  
*Veratrum viride*, LC (Ginns 1986a)

***Puccinia violae*** (Schumach.) DC.  
*Viola canadensis*, V (DAVFP)  
*Viola glabella*, V (DAVFP)  
*Viola odorata*, LC (Shaw 1973)  
*Viola tricolor* var. *hortensis*, LC (Conners 1967)

***Puccinia violae*** (Schumach.) DC. subsp. *americana* Savile  
*Viola adunca*, LC (Savile 1975c)  
*Viola epipsila* subsp. *repens*, LC (Savile 1975c)  
*Viola glabella*, LC (Savile 1975c)  
*Viola howellii*, LC (Savile 1975c)  
*Viola langsdorffii*, LC (Savile 1975c)  
*Viola palustris*, LC (Savile 1975c) (TYPE)  
*Viola renifolia* var. *brainerdii*, LC (Savile 1975c)  
*Viola rugulosa*, LC (Savile 1975c)

***Puccinia violae*** (Schumach.) DC. subsp. *violae*  
*Viola X wittrockiana*, LC (Savile 1975c)

***Puccinia* sp.**  
 Angiosperms, Grasses, LC (MacDonald 1990)  
*Arabis holboellii*, V (DAVFP)  
*Caltha leptosepala*, V (DAVFP)  
*Carex concinnooides*, V (DAVFP)  
*Cornus stolonifera*, V (DAVFP)  
*Lolium* sp., LC (MacDonald et al. 1991)  
*Poa pratensis*, LC (MacDonald et al. 1991)

***Pucciniastrum americanum*** (Farl.) Arth.  
*Picea engelmannii*, V (DAVFP)  
*Picea glauca*, V (DAVFP)  
*Rubus idaeus*, V (DAVFP)  
*Rubus idaeus* subsp. *sachalinensis* var. *sachalinensis*, V (DAVFP)  
*Rubus idaeus* var. *strigosus*, LC (Conners 1967)  
*Rubus ursinus*, LC (Shaw 1973)

***Pucciniastrum arcticum*** Tranzschel  
*Rubus arcticus*, V (DAVFP)  
*Rubus pubescens*, V (DAVFP)

***Pucciniastrum epilobii*** G. Otth  
*Abies amabilis*, V (DAVFP)  
*Abies concolor*, V (DAVFP)  
*Abies grandis*, V (DAVFP)  
*Abies lasiocarpa*, V (DAVFP)  
*Clarkia amoena*, LC (Conners 1967)  
*Epilobium alpinum* var. *nutans*, V (DAVFP)  
*Epilobium angustifolium*, V (DAVFP)  
*Epilobium glandulosum*, V (DAVFP)  
*Epilobium glandulosum* var. *adenocaulon*, V (DAVFP)  
*Epilobium glandulosum* var. *tenue*, V (DAVFP)  
*Epilobium luteum*, LC (Shaw 1973)  
*Epilobium palustre*, LC (Shaw 1973)  
*Fuchsia* sp., V (DAVFP)

***Pucciniastrum galii*** E. Fisch. see  
*Pucciniastrum guttatum*

***Pucciniastrum goeppertianum*** (Kühn)  
 Kleb. (=*Peridermium holwayi* - anamorph)  
*Abies amabilis*, V (DAVFP)  
*Abies grandis*, LC (Conners 1967)  
*Abies lasiocarpa*, V (DAVFP)  
*Vaccinium membranaceum*, V (DAVFP)  
*Vaccinium ovalifolium*, V (DAVFP)  
*Vaccinium ovatum*, V (DAVFP)  
*Vaccinium parvifolium*, V (DAVFP)  
*Vaccinium scoparium*, V (DAVFP)  
*Vaccinium vitis-idaea*, V (DAVFP)

***Pucciniastrum guttatum*** (J. Schröt.) Hyl.,  
 Jorst. & Nannf. (=*Pucciniastrum galii*)  
*Galium triflorum*, V (DAVFP)

***Pucciniastrum myrtilli*** Arth. see  
*Pucciniastrum vaccinii*

**Pucciniastrum pustulatum** Dietel in Engl.  
& Prantl

Clarkia amoena, LC (Ginns 1986a)

**Pucciniastrum pyrolae** Dietel ex Arth.

Chimaphila umbellata var. *cisatlantica*, LC  
(Conners 1967)  
Chimaphila umbellata var. *occidentalis*, V  
(DAVFP)  
Pyrola asarifolia var. *asarifolia*, V (DAVFP)  
Pyrola asarifolia var. *purpurea*, V (DAVFP)  
Pyrola minor, V (DAVFP)  
Pyrola secunda, V (DAVFP)  
Pyrola virens, V (DAVFP)

**Pucciniastrum sparsum** (G. Wint.) E.  
Fisch.

Arbutus menziesii, V (DAVFP)  
Arctostaphylos rubra, V (DAVFP)  
Picea glauca, V (DAVFP)

**Pucciniastrum vaccinii** (G. Wint.) Jorst.  
(=*Pucciniastrum myrtilli*, *Uraecium holwayi*)

Lyonia ligustrina, LC (Shaw 1973)  
Oxycoccus quadripetalus, V (DAVFP)  
Tsuga canadensis, V (DAVFP)  
Tsuga heterophylla, V (DAVFP)  
Tsuga mertensiana, V (DAVFP)  
Vaccinium caespitosum, V (DAVFP)  
Vaccinium membranaceum, V (DAVFP)  
Vaccinium myrtilloides, V (DAVFP)  
Vaccinium myrtillus, LC (Parmelee 1989)  
Vaccinium ovalifolium, V (DAVFP)  
Vaccinium ovatum, LC (Shaw 1973)  
Vaccinium parvifolium, V (DAVFP)  
Vaccinium scoparium, V (DAVFP)  
Vaccinium vitis-idaea, V (DAVFP)

**Pullularia pullulans** (de Bary) Berkhoult  
see *Aureobasidium pullulans*

**Pulveroboletus retipes** (Berk. & M.A.

Curtis) Singer  
Soil and Duff, UR

**Pulvinula archeri** (Berk.) Rifai

Soil and Duff, LC (Egger and Paden 1986b)

**Punctularia strigosozonata** (Schwein.)

Talbot (=Phaeophlebia strigosozonata,  
*Phlebia strigosozonata*)

Populus tremuloides, V (DAVFP)  
Populus trichocarpa, V (DAVFP)

**Pustularia bronca** (Peck) Kanouse

Soil and Duff, UR

**Pycnoporellus alboluteus** (Ellis & Everh.)

Kotlaba & Pouzar (=Phaeolus alboluteus,  
*Polyporus alboluteus*)

Abies amabilis, V (DAVFP)  
Abies lasiocarpa, V (DAVFP)  
Picea engelmannii, V (DAVFP)  
Picea glauca, V (DAVFP)  
Picea sitchensis, V (DAVFP)

Picea sp., V (DAVFP)  
Pinus monticola, LC (Shaw 1958)  
Pseudotsuga menziesii, UR  
Soil and Duff, V (DAVFP)  
Tsuga heterophylla, V (DAVFP)

**Pycnoporellus fulgens** (Fr.) Donk

(=*Polyporus fibrillosus*)  
Picea glauca, V (DAVFP)  
Picea sitchensis, V (DAVFP)  
Pseudotsuga menziesii, V (DAVFP)  
Tsuga heterophylla, V (DAVFP)

**Pycnoporus cinnabarinus** (Jacq.:Fr.) P.

Karst. (=*Polyporus cinnabarinus*)  
Abies grandis, LC (Conners 1967)  
Acer macrophyllum, LC (Shaw 1973)  
Alnus tenuifolia, V (DAVFP)  
Betula occidentalis, V (DAVFP)  
Betula papyrifera, V (DAVFP)  
Picea glauca, V (DAVFP)

**Pycnostysanus azaleae** (Peck) E. Mason

Rhododendron macrophyllum, V (DAVFP)

**Pyrenobotrys compacta** (Peck) B.

Eriksson (=*Venturia compacta*)  
Oxycoccus microcarpus, V (DAVFP)  
Oxycoccus quadripetalus, V (DAVFP)  
Vaccinium macrocarpon, LC (Toms 1964)

**Pyrenochaeta** sp.

Ulmus hollandica var. major, V (DAVFP)

**Pyrenophora schroeteri** Barr

(=*Clathrospora macrospora*)  
Arctagrostis latifolia, LC (Barr 1953)  
Elymus innovatus, LC (Barr 1953)

**Pyronema confluens** (Pers.:Pers.) Tul. &

C. Tul. see *Pyronema omphalodes*

**Pyronema omphalodes** (Bull.:Fr.) Fuckel

(=*Pyronema confluens*)  
Soil and Duff, V (DAVFP)

**Pyropyxis rubra** (Peck) Egger

Pinus contorta, LC (Egger and Paden 1986a)

**Racodium resinae** Schwein. (=Sorocybe resinae)

*Pseudotsuga menziesii*, V (DAVFP)  
*Tsuga heterophylla*, V (DAVFP)

**Radulodon americanus** Ryvarden

*Populus tremuloides*, V (DAVFP) (TYPE)  
*Populus trichocarpa*, V (DAVFP)  
*Populus* sp., V (DAVFP)

**Radulum casearium** (Morg.) C.G. Lloyd  
 see *Radulodon americanus*

**Radulum orbiculare** Fr. see  
*Basidioradulum radula*

**Radulum owensii** (C.G. Lloyd) C.G. Lloyd  
 see *Phlebia concentrica*

**Radulum quercinum** Fr. see *Hyphodontia quercina*

**Radulum** sp.

*Alnus sinuata*, UR  
*Betula occidentalis*, UR

**Raffaelea canadensis** Batra  
 (= *Tuberculariella ambrosiae*)

Beetle, ambrosia (*Platypus wilsoni* Sw.), V  
 (DAVFP) (TYPE) - Dried culture only.

**Raffaelea sulcati** Funk

Beetle, ambrosia (*Gnathotrichus sulcatus* Lec.), V  
 (DAVFP) (TYPE) - Dried culture only.

**Ramaria botrytis** (Fr.) Ricken  
 Soil and Duff, V (DAVFP)

**Ramaria cystidiophora** (Kauffmann)  
 Corner

Soil and Duff, V (DAVFP)

**Ramaria flava** (Schaeff. per Fr.) Quél.  
 (= *Clavaria flava*)

Soil and Duff, V (DAVFP)

**Ramaria flavo-brunnescens** (Atk.) Corner  
 Soil and Duff, V (DAVFP)

**Ramaria rasilispora** Marr & Stuntz  
 Soil and Duff, V (DAVFP)

**Ramaria sarandacina** Marr & Stuntz  
 Soil and Duff, V (DAVFP)

**Ramaria stricta** (Fr.) Quél. var. *concolor*  
 Corner

*Pseudotsuga menziesii*, V (DAVFP)

**Ramaricium flavomarginatum** (Burt) Ginns  
*Quercus garryana*, LC (Ginns 1986a)

**Ramariopsis fusiformis** (Fr.) Petersen

Soil and Duff, V (DAVFP)

**Ramichloridium** sp.

*Picea sitchensis*, V (DAVFP)

**Ramularia aequivoca** (Ces.) Sacc.

*Ranunculus uncinatus*, LC (Shaw 1973)  
*Ranunculus uncinatus* var. *parviflorus*, LC (Jones 1957 on *Ranunculus bongardii*)

**Ramularia agrestis** Sacc.

*Viola tricolor* var. *hortensis*, LC (Conners 1967)

**Ramularia archangelicae** Lindr.

*Angelica arguta*, LC (Ginns 1986a)  
*Angelica lucida*, LC (Ginns 1986a)

**Ramularia brunnea** Peck (= *Ramularia tulasnei*)

*Fragaria* sp., V (DAVFP)

**Ramularia castillejae** Ellis & Everh.

*Castilleja miniata*, LC (Ginns 1986a)

**Ramularia cercosporoides** Ellis & Everh.

see *Ramularia montana*

**Ramularia cichorii** Dearn. & House

*Cichorium intybus*, LC (Ginns 1986a)

**Ramularia coalescens** (J.J. Davis)

Pironzynski  
*Ribes bracteosum*, LC (Pirozynski 1974)

**Ramularia destructans** Zinssmeister see  
*Cylindrocarpon destructans*

**Ramularia destructiva** W. Phillips & Plowr.  
*Myrica gale*, V (DAVFP)

**Ramularia giliae** R. Sprague

*Microsteris gracilis*, LC (Shaw 1973)

**Ramularia glehniae** Savile

*Glehnia littoralis* subsp. *leiocarpa*, LC (Savile 1965b) (TYPE)

**Ramularia hedericola** Heald & F.A. Wolf  
*Hedera colchica* var. *dentata*, LC (Toms 1964)

**Ramularia heraclei** (Oudem.) Sacc.

*Heracleum lanatum*, LC (Ginns 1986a)

**Ramularia lactea** (Desmaz.) Sacc.

*Viola tricolor* var. *hortensis*, LC (Conners 1967)

**Ramularia lapsanae** (Desmaz.) Sacc.

*Lapsana communis*, LC (Ginns 1986a)

**Ramularia lewisi** Savile (= *Cercospora lewisi*)

*Mimulus lewisi*, LC (Ginns 1986a; Braun 1992)

- Ramularia macrospora** Fresen.  
*Campanula medium*, LC (Ginns 1986a)
- Ramularia mimuli** Ellis & Kell.  
*Mimulus lewisii*, LC (Shaw 1973)
- Ramularia montana** Speg. (=*Ramularia cercosporoides*)  
*Epilobium alpinum*, LC (Shaw 1973 as  
*Cercospora montana*)  
*Epilobium angustifolium*, LC (Ginns 1986a as  
*Cercospora montana*)  
*Epilobium paniculatum*, LC (Ginns 1986a as  
*Cercospora montana*)
- Ramularia nivosa** (Ellis & Everh.) W.B. Cooke & C.G. Shaw  
*Penstemon serrulatus*, LC (Ginns 1986a)
- Ramularia nymphaearum** (Allesch.) Ramsb. (=*Gloeosporium nymphaearum*)  
*Nymphaea* sp., LC (Conners 1967)
- Ramularia obducens** Thuem.  
*Pedicularis bracteosa*, V (DAVFP)  
*Pedicularis ornithorhyncha*, LC (Savile 1968a)
- Ramularia philadelphi** Sacc.  
*Philadelphus lewisi*, LC (Shaw 1973)
- Ramularia primulae** Thuem.  
(=*Cercospora primulae*)  
*Primula* sp., LC (Jones 1957)
- Ramularia pusilla** Unger (=*Ovularia pusilla*)  
*Bromus carinatus*, LC (Sprague 1960a)  
*Elymus glaucus*, LC (Conners 1967)
- Ramularia ranunculi-lyallii** Dearn. & Barth.  
*Ranunculus uncinatus*, LC (Shaw 1973)  
*Ranunculus uncinatus* var. *parviflorus*, LC  
(Dearnness 1917; Braun 1992 on *Ranunculus lyallii*)
- Ramularia rubicunda** Bres. see *Ramularia subsanguinea*
- Ramularia sidalceae** Ellis & Everh.  
*Sidalcea hendersonii*, LC (Ginns 1986a)
- Ramularia smilacinae** J.J. Davis  
*Smilacina racemosa*, LC (Savile 1961)
- Ramularia stellariae** Rabenh.  
*Stellaria calycantha*, LC (Conners 1967)
- Ramularia subsanguinea** (Ellis & Everh.) Karakulin (=*Ramularia rubicunda*)  
*Maianthemum canadense* var. *interius*, LC (Savile 1961)  
*Maianthemum dilatatum*, V (DAVFP)

- Ramularia taraxaci** P. Karst.  
*Taraxacum officinale*, LC (Ginns 1986a)
- Ramularia trautvetteriae** C.G. Shaw & R. Sprague  
*Trautvetteria carolinensis*, V (DAVFP)
- Ramularia tulasnei** Sacc. see *Ramularia brunnea*
- Ramularia urticae** Ces.  
*Urtica dioica* subsp. *gracilis* var. *lyallii*, V (DAVFP)
- Ramularia vallisumbrosae** Cavara
- Ramularia variabilis** Fuckel  
*Digitalis purpurea*, LC (Ginns 1986a)  
*Verbascum thapsus*, LC (Shaw 1973)
- Ramularia veronicae** Fuckel  
*Veronica persica*, LC (Shaw 1973)
- Ramularia** sp.  
*Populus trichocarpa*, V (DAVFP)  
*Ranunculus inamoenus*, LC (Shaw 1973)  
*Ranunculus repens*, LC (Shaw 1973)  
*Rubus* sp., V (DAVFP)  
*Salix* sp., LC (Shaw 1973)
- Ramulaspera salicina** (Vest.) Liro  
*Salix* sp., V (DAVFP)
- Rasutoria abietis** (Dearn.) Barr  
(=*Epipolaeum abietis*)  
*Abies amabilis*, V (DAVFP)  
*Abies grandis*, V (DAVFP)  
*Abies lasiocarpa*, V (DAVFP)
- Rasutoria tsugae** (Dearn.) Barr  
*Picea glauca*, V (DAVFP)  
*Tsuga heterophylla*, V (DAVFP)
- Rehmiellopsis abietis** (Rostr.) O. Rostr.  
see *Delphinella abietis*
- Remispora hamata** W. Höhnk see  
*Halosphaeria hamata*
- Remispora maritima** Linder  
Unidentified wood, LC (Hughes 1969)
- Remispora ornata** Johnson & Cavaliere  
Unidentified wood, LC (Hughes 1969)
- Remispora pilleata** Kohlmeyer  
Unidentified wood, LC (Hughes 1969)
- Remispora quadri-remis** (W. Höhnk) Kohlmeyer  
Unidentified wood, LC (Hughes 1969)
- Remispora stellata** Kohlmeyer  
Unidentified wood, LC (Hughes 1969)

***Repetobasidium canadense*** J. Eriksson & Hjortstam

Unidentified wood, LC (Eriksson et al. 1981)  
(HOLOTYPE)

***Repetobasidium conicum*** (Oberwinkler) J. Eriksson & Hjortstam

Unidentified wood, LC (Eriksson et al. 1981)

***Repetobasidium macrosporum***

(Oberwinkler) J. Eriksson & Hjortstam  
Unidentified wood, LC (Eriksson et al. 1981)

***Repetobasidium mirificum*** J. Eriksson

Pseudotsuga sp., LC (Hallenberg 1991)

***Resinicium bicolor*** (Albertini & Schwein.:Fr.) Parmasto (=*Odontia bicolor*)

*Abies amabilis*, LC (Conners 1967)  
*Abies grandis*, V (DAVFP)  
*Abies lasiocarpa*, UR  
*Larix gmelini*, UR  
*Picea glauca*, V (DAVFP)  
*Pinus contorta* var. *latifolia*, V (DAVFP)  
*Pinus monticola*, LC (Conners 1967)  
*Populus tremuloides*, LC (Shaw 1973)  
Pseudotsuga menziesii, V (DAVFP)  
*Rubus parviflorus*, LC (Wall and Shamoun 1990)  
*Thuja plicata*, V (DAVFP)  
*Tsuga heterophylla*, V (DAVFP)

***Resinicium furfuraceum*** (Bres.) Parmasto

*Pinus contorta*, LC (Liberta 1965 as *Corticium furfuraceum*)  
*Pinus monticola*, V (DAVFP)  
Pseudotsuga menziesii, V (DAVFP)  
*Thuja plicata*, V (DAVFP)  
*Tsuga heterophylla*, V (DAVFP)

***Resinomycena saccharifera*** (Berk. & Br.)

Redhead subsp. *kalalochensis* (Smith)  
Redhead

Angiosperms, Grasses, LC (Redhead 1984a)  
*Carex* sp., LC (Redhead 1984a)  
*Elymus mollis*, LC (Redhead 1984a)  
*Juncus* sp., LC (Redhead 1984a)

***Resupinatus striatulus*** (Pers.:Fr.) Murrill

*Thuja plicata*, V (DAOM 21617)

***Retinocyclus abietis*** (H. Crouan) Groves  
see *Sarea difformis****Retinocyclus olivaceus*** Fuckel see  
*Claussenomyces olivaceus****Retinocyclus* sp.**

*Picea engelmannii*, UR  
*Picea sitchensis*, UR  
*Pinus contorta* var. *latifolia*, UR  
Pseudotsuga menziesii, UR  
*Tsuga heterophylla*, UR

***Rhabdocline parkeri*** M.A. Sherwood, J.K. Stone & Carroll

Pseudotsuga menziesii, V (DAVFP)

***Rhabdocline pseudotsugae*** Syd. subsp. *epiphylla* A.K. Parker & J. Reid

Pseudotsuga menziesii, V (DAVFP) (TYPE)

***Rhabdocline pseudotsugae*** Syd. subsp. *pseudotsugae*

Pseudotsuga menziesii, V (DAVFP)

***Rhabdocline weiri*** A.K. Parker & J. Reid  
subsp. *ovovata* A.K. Parker & J. Reid

Pseudotsuga menziesii, V (DAVFP) (TYPE)

***Rhabdocline weiri*** A.K. Parker & J. Reid  
subsp. *weiri*

Pseudotsuga menziesii, V (DAVFP) (TYPE)

***Rhabdocline* sp.**

Pseudotsuga menziesii, UR - Specimen discarded.

Pseudotsuga wilsoniana, UR - Specimen discarded.

***Rhabdogloeum pseudotsugae*** Syd.

Pseudotsuga menziesii, V (DAVFP)

***Rhabdospora campotospora*** Sacc. & Scalia

*Anemone multifida*, LC (Shaw 1973)

***Rhamphospora nymphaeae*** D.D. Cunn.

(= *Entyloma nymphaeae*)

*Nuphar advena*, LC (Conners 1967)

***Rhinocladiella atrovirens*** Nannf. see

*Rhinocladiella mansonii*

***Rhinocladiella elatior*** G. Mangenot see  
*Leptodontidium elatius****Rhinocladiella mansonii*** (Castell.) Schol-Schwarz

*Picea engelmannii*, UR  
*Picea glauca*, V (DAVFP) - Dried culture only.  
Pseudotsuga menziesii, UR

***Rhizina inflata*** (Schaeff.) P. Karst. see  
*Rhizina undulata****Rhizina undulata*** Fr.:Fr. (= *Rhizina inflata*)

*Larix occidentalis*, LC (Shaw 1973)  
*Picea engelmannii*, V (DAVFP)  
*Picea glauca*, V (DAVFP)  
*Picea glauca* X *P. engelmannii*, LC (Norris 1989)  
*Picea sitchensis*, V (DAVFP)  
*Pinus contorta*, LC (Egger and Paden 1986a;  
Norris 1989)  
*Pinus contorta* var. *latifolia*, V (DAVFP)  
*Pinus monticola*, LC (Wood and Van Sickle 1986)  
Pseudotsuga menziesii, V (DAVFP)  
Soil and Duff, V (DAVFP)  
*Thuja plicata*, V (DAVFP)

*Tsuga heterophylla*, V (DAVFP)

**Rhizoctonia crocorum** (Pers.:Fr.) DC. see  
*Helicobasidium brebissonii* (teleomorph)

**Rhizoctonia rubi** McKeen  
*Rubus* sp., LC (Shaw 1973)

**Rhizoctonia solani** Kühn see  
*Thanatephorus cucumeris* (teleomorph)

**Rhizoctonia tuliparum** (Kleb.) Whetzel &  
J.M. Arthur (=*Sclerotium tuliparum*)  
*Iris* sp., LC (Toms 1964)  
*Tulipa gesneriana*, LC (Toms 1964)

**Rhizoctonia** sp.  
*Achlys triphylla*, V (DAVFP)  
*Agrostis* sp., LC (MacDonald et al. 1991)  
*Alnus rubra*, LC (Sieber, Sieber-Canavesi, and  
Dorworth 1991)  
*Rubus idaeus* var. *strigosus*, LC (Connors 1967)

**Rhizopogon canadensis** Harrison & Smith  
Soil and Duff, LC (Harrison and Smith 1968)  
(TYPE)

**Rhizopogon cinnamomeus** Harrison & Smith  
Soil and Duff, LC (Harrison and Smith 1968)  
(TYPE)

**Rhizopogon columbianus** Harrison & Smith  
Soil and Duff, LC (Harrison and Smith 1968)  
(TYPE)

**Rhizopogon defectus** A.H. Smith  
Soil and Duff, LC (Harrison and Smith 1968)

**Rhizopogon diabolicus** A.H. Smith  
Soil and Duff, LC (Harrison and Smith 1968)

**Rhizopogon evadens** A.H. Smith  
Soil and Duff, LC (Harrison and Smith 1968)

**Rhizopogon florencianus** A.H. Smith  
Soil and Duff, LC (Harrison and Smith 1968)

**Rhizopogon hawkerae** A.H. Smith  
Soil and Duff, LC (Harrison and Smith 1968)

**Rhizopogon idahoensis** A.H. Smith  
Soil and Duff, LC (Harrison and Smith 1968)

**Rhizopogon molallaensis** A.H. Smith  
Soil and Duff, LC (Harrison and Smith 1968)

**Rhizopogon ochraceorubens** A.H. Smith  
Soil and Duff, V (DAVFP)

**Rhizopogon olivaceofuscus** A.H. Smith  
Soil and Duff, LC (Harrison and Smith 1968)

**Rhizopogon pseudoroseolus** A.H. Smith  
Soil and Duff, LC (Harrison and Smith 1968)

**Rhizopogon roseolus** Corda sensu A.H. Smith  
Soil and Duff, LC (Harrison and Smith 1968)

**Rhizopogon rubescens** (Tul.) Tul. var.  
*ochraceus* A.H. Smith  
Soil and Duff, LC (Harrison and Smith 1968)

**Rhizopogon rubescens** (Tul.) Tul. var.  
*rileyi* A.H. Smith  
Soil and Duff, LC (Harrison and Smith 1968)

**Rhizopogon rubescens** (Tul.) Tul. var.  
*rubescens*  
Soil and Duff, LC (Harrison and Smith 1968)

**Rhizopogon subcaeruleascens** A.H. Smith  
var. *subcaeruleascens*  
Soil and Duff, LC (Harrison and Smith 1968)

**Rhizopogon subcaeruleascens** A.H. Smith  
var. *subpannosus* A.H. Smith  
Soil and Duff, LC (Harrison and Smith 1968)

**Rhizopogon subsalmonius** A.H. Smith  
var. *subsalmonius*  
Soil and Duff, LC (Harrison and Smith 1968)

**Rhizopogon vinicolor** A.H. Smith  
*Pseudotsuga menziesii*, LC (Shaw 1973)  
Soil and Duff, LC (Harrison and Smith 1968)

**Rhizopogon** sp.  
Soil and duff, V (DAVFP)

**Rhizopus arrhizus** A. Fischer  
*Cucurbita pepo*, LC (Connors 1967)  
*Raphanus sativus*, LC (Connors 1967)

**Rhizopus nigricans** Ehrenb. see *Rhizopus stolonifer*

**Rhizopus stolonifer** (Ehrenb.:Fr.) Vuill.  
(=*Rhizopus nigricans*)  
*Cucurbita maxima*, LC (Connors 1967)  
*Picea* sp., V (DAVFP)  
*Prunus persica*, LC (Toms 1964)  
*Pyrus communis*, LC (Ginns 1986a)

**Rhizopus** sp.  
*Picea engelmannii*, LC (Mitchell 1986)  
*Pseudotsuga menziesii*, LC (Shaw 1973)

**Rhizosphaera kalkhoffii** Bubák  
*Abies amabilis*, V (DAVFP)  
*Picea engelmannii*, V (DAVFP)  
*Pseudotsuga menziesii*, V (DAVFP)

**Rhizosphaera oudemansii** Maubl.  
*Pseudotsuga menziesii*, V (DAVFP)

**Rhizosphaera pini** (Corda) Maubl.

*Abies grandis*, V (DAVFP)  
*Abies lasiocarpa*, V (DAVFP)  
*Picea sitchensis*, V (DAVFP)  
*Pinus monticola*, V (DAVFP)  
*Tsuga heterophylla*, V (DAVFP)

**Rhizothyrium abietis** Naoumoff

*Abies lasiocarpa*, V (DAVFP)

**Rhodotorula sp.**

*Abies lasiocarpa*, LC (Shaw 1973)

**Rhynchosporium secalis** (Oudem.) J.J.

Davis

*Agropyron repens*, LC (Conners 1967)  
*Phalaris arundinacea*, LC (Ginns 1986a)  
*Secale cereale*, LC (Ginns 1986a)

**Rhytidella baranyayi** Funk & Zalasky

*Populus tremuloides*, V (DAVFP) (TYPE)

**Rhytisma andromedae** (Pers.:Fr.) Fr.

*Andromeda polifolia*, V (DAVFP)

**Rhytisma arbuti** W. Phillips in Vize

*Arbutus menziesii*, LC (Ginns 1986a)  
*Menziesia ferruginea*, V (DAVFP)

**Rhytisma punctatum** (Pers.:Fr.) Fr.

*Acer macrophyllum*, V (DAVFP)

**Rhytisma salicinum** (Pers.:Fr.) Fr.

*Salix scouleriana*, V (DAVFP)  
*Salix* sp., V (DAVFP)

**Rhytisma sp.**

*Ilex* sp., LC (Conners 1967)  
*Ledum glandulosum*, V (DAVFP)

**Rigidoporus crocatus** (Pat.) Ryvarden  
 (=Poria nigrescens, Rigidoporus nigrescens)

*Picea sitchensis*, V (DAVFP)  
*Pseudotsuga menziesii*, V (DAVFP)  
*Thuja plicata*, LC (Conners 1967)  
*Tsuga heterophylla*, V (DAVFP)

**Rigidoporus nigrescens** (Bres.) Donk see  
*Rigidoporus crocatus***Rigidoporus sp.**

*Abies lasiocarpa*, UR - Identified in culture then  
 discarded.

**Rileya piceae** Funk

*Botryosphaeria piceae* on *Picea sitchensis*, V  
 (DAVFP)  
*Picea sitchensis*, V (DAVFP) (TYPE)

**Robillarda agrostidis** R. Sprague see  
*Pseudorobillarda agrostidis***Roeslerina microspora** Redhead

*Pseudotsuga menziesii*, LC (Redhead 1984d)

**Roeslerina radicella** Redhead

Gymnosperms, LC (Redhead 1984d on conifer  
 rootlets) (TYPE)

**Rosellinia diathrausta** (Rehm) L.E. Petrini

(=Hypoxyylon diathrauston)

*Abies lasiocarpa*, V (DAVFP)  
*Chamaecyparis nootkatensis*, V (DAVFP)

**Rosellinia lignaria** (Grev.) Nitschke ex  
 Fuckel see *Coniochaeta lignaria***Rosellinia minor** (Höhn) S.M. Francis  
 see *Rosellinia mycophila***Rosellinia mycophila** (Fr.:Fr.) Sacc.

(=Rosellinia minor)

*Picea engelmannii*, V (DAVFP)  
*Pseudotsuga menziesii*, V (DAVFP, IMI) (Francis  
 1986; Petrini 1992) - Originally identified as  
*Rosellinia herpotrichoides*.

**Rosellinia obliquata** (Sommerf.) Sacc. var.  
*americana* Ellis & Everh.

*Pinus ponderosa*, LC (Barr 1953)

**Rosellinia ovalis** Ellis & Everh.

*Artemisia tridentata*, LC (Barr 1953)

**Rosellinia thelena** (Fr.) Rabenh.

*Pinus contorta* var. *latifolia*, V (DAVFP)

**Rozites caperata** (Pers.:Fr.) P. Karst.

(=Pholiota caperata)

Soil and Duff, V (DAVFP)

**Russula abietina** Peck

*Pseudotsuga menziesii*, UR

**Russula aeruginea** Lindblad

Soil and Duff, UR

**Russula alutacea** (Pers.:Schw.) Fr.

Soil and Duff, V (DAVFP)

**Russula claroflava** Grover

Soil and Duff, V (DAVFP)

**Russula decolorans** (Fr.) Fr.

Soil and Duff, V (DAVFP)

**Russula delica** Fr.

Soil and Duff, V (DAVFP)

**Russula densifolia** (Secr.) Fr.

Soil and Duff, V (DAVFP)

**Russula emetica** (Schaeff.:Fr.) Pers.:Gray

Soil and Duff, V (DAVFP)

**Russula foetens** Fr.

Soil and Duff, V (DAVFP)

**Russula fragilis** (Pers.:Fr.) Fr.

Pseudotsuga menziesii, UR  
Soil and Duff, V (DAVFP)

**Russula furcata** (J.F. Gmelin:Fr.) Fr.

Soil and Duff, UR

**Russula laurocerasi** Melzer

Soil and Duff, V (DAVFP)

**Russula lutea** (Huds.:Fr.) S.F.Gray

Pseudotsuga menziesii, UR  
Soil and Duff, V (DAVFP)

**Russula occidentalis** Singer

Soil and Duff, V (DAVFP)

**Russula pectinata** Fr.

Soil and Duff, V (DAVFP)

**Russula placita** Burl.

Soil and Duff, V (DAVFP)

**Russula veternosa** Fr.

Soil and Duff, LC (Davidson 1930)

**Russula virescens** Fr.

Soil and Duff, V (DAVFP)

**Russula xerampelina** Fr.

Soil and Duff, V (DAVFP)

**Russula sp.**

Soil and Duff, V (DAVFP)

**Rutstroemia sydowiana** (Rehm) W.L.

White see *Poculum sydowiana*

**Saccothecium sepincola** (Fr.) Fr. see  
*Pringsheimia sepincola*

**Sageria tsugae** Funk  
*Tsuga heterophylla*, V (DAVFP) (TYPE)

**Sarcodon fuscoindicum** (K.A. Harrison)  
K.A. Harrison  
Soil and Duff, V (DAVFP)

**Sarcodon imbricatus** (L.:Fr.) Karsten  
(=*Hydnnum imbricatum*)  
*Picea* sp., UR - Specimen discarded.  
Soil and Duff, V (DAVFP)

**Sarcodon sp.**  
*Pinus contorta* var. *latifolia*, UR - Specimen  
discarded

**Sarcosoma mexicana** (Ellis & Holw.)  
Paden & Tylutki  
Unidentified wood, LC (Paden and Tylutki 1969)

**Sarcosphaera coronaria** (Jacq.) J. Schröt.  
Soil and Duff, V (DAVFP)

**Sarcotrichila alpina** (Fuckel) Hoehn.  
*Larix lyallii*, V (DAVFP)  
*Larix occidentalis*, V (DAVFP)

**Sarcotrichila balsameae** (J.J. Davis) Korf  
(=*Stegopezizella balsameae*)  
*Abies amabilis*, V (DAVFP)  
*Abies grandis*, V (DAVFP)  
*Abies lasiocarpa*, V (DAVFP)  
*Lirula* sp. on *Abies amabilis*, V (DAVFP)

**Sarcotrichila macrospora** Ziller & Funk  
*Pinus contorta* var. *contorta*, V (DAVFP)  
*Pinus contorta* var. *latifolia*, V (DAVFP) (TYPE)

**Sarcotrichila piniperda** (Rehm) Korf  
(=*Naevia piniperda*)  
*Picea sitchensis*, V (DAVFP)

**Sarea difformis** (Fr.:Fr.) Fr. (=*Retinocyclus abietis*)  
*Abies grandis*, LC (Hawksworth and Sherwood 1981)  
*Abies lasiocarpa*, V (DAVFP)  
*Larix laricina*, LC (Conners 1967)  
*Picea engelmannii*, V (DAVFP)  
*Picea glauca*, V (DAVFP)  
*Picea glauca* X *P. engelmannii*, LC (Funk 1982)  
*Picea mariana*, V (DAVFP)  
*Picea sitchensis*, V (DAVFP)  
*Pinus contorta* var. *latifolia*, V (DAVFP)  
*Pinus ponderosa*, LC (Conners 1967)  
*Pseudotsuga menziesii*, V (DAVFP)  
*Tsuga heterophylla*, LC (Baranyay 1966)

**Sarea resiniae** (Fr.:Fr.) Kuntze (=*Biatorella resiniae*)  
*Abies amabilis*, LC (Shaw 1973)  
*Picea engelmannii*, UR

*Picea glauca*, LC (Shaw 1973)  
*Pinus albicaulis*, LC (Shaw 1973)  
*Pinus contorta* var. *latifolia*, V (DAVFP)  
*Pinus monticola*, V (DAVFP)  
*Pinus ponderosa*, V (DAVFP)  
*Pseudotsuga menziesii*, V (DAVFP)  
*Tsuga heterophylla*, V (DAVFP)

**Sarea sp.**  
*Larix occidentalis*, UR

**Schizophyllum commune** Fr.:Fr.

*Acer circinatum*, V (DAVFP)  
*Acer glabrum* var. *douglasii*, V (DAVFP)  
*Acer macrophyllum*, V (DAVFP)  
*Betula papyrifera*, V (DAVFP)  
*Castanea sativa*, V (DAVFP)  
*Fagus grandifolia*, V (DAVFP)  
*Malus pumila*, LC (Jones 1957)  
*Malus sylvestris*, LC (Toms 1964)  
*Populus tremuloides*, V (DAVFP)  
*Populus trichocarpa*, V (DAVFP)  
*Populus* sp., V (DAVFP)  
*Prunus armeniaca*, V (DAVFP)  
*Rhamnus purshiana*, V (DAVFP)  
*Thuja plicata*, V (DAVFP)

**Schizophora paradoxo** (Schrad.:Fr.) Donk

(=*Poria versipora*)  
*Abies grandis*, V (DAVFP)  
*Acer macrophyllum*, V (DAVFP)  
*Alnus rubra*, V (DAVFP)  
*Hydrangea* sp., V (DAVFP)  
*Populus trichocarpa*, V (DAVFP)  
*Prunus emarginata*, V (DAVFP)  
*Pseudotsuga menziesii*, V (DAVFP)  
*Quercus garryana*, V (DAVFP)  
*Salix* sp., V (DAVFP)  
*Sambucus racemosa* var. *arborescens*, V  
(DAVFP)  
*Tsuga heterophylla*, LC (Conners 1967)  
Unknown/Uncertain, LC (Hallenberg 1983)

**Schizophora radula** (Pers.:Fr.) Hallenberg  
*Alnus rubra*, V (DAVFP)

**Schroeteria delastrina** (Tul.) Wint. in  
Rabenh.

*Veronica arvensis*, LC (Ginns 1986a)

**Sciniatosporium glomerulosum** (Sacc.)  
Morgan-Jones see *Stigmina glomerulosa*

**Sciniatosporium pallidum** (Ellis & Everh.)  
Morgan-Jones see *Stigmina pallida*

**Sciniatosporium pedunculatum** (Ellis &  
Everh.) Morgan-Jones see *Coryneum  
pedunculatum*

**Sciniatosporium thujinum** (Dearn.)  
Morgan-Jones see *Stigmina thujina*

**Sciniatosporium verrucosum** Morgan-Jones see *Stigmina verrucosa*

**Scirrhia conigena** (Peck) Barr  
 (=Mycosphaerella conigena)  
 *Chamaecyparis lawsoniana*, V (DAVFP)  
 *Juniperus scopulorum*, V (DAVFP)

**Scirrhia pini** Funk & A.K. Parker see *Mycosphaerella pini*

**Scirrhia sp.**  
 *Pinus contorta* var. *latifolia*, V (DAVFP)

**Sclerocystis rubiformis** Gerdemann & Trappe  
 *Triticum aestivum*, LC (Cade-Menun et al. 1991)

**Scleroderma aurantium** Pers.  
 Soil and Duff, V (DAVFP)

**Scleroderma bovista** Fr.  
 *Pinus contorta*, LC (Hutchison 1990)

**Scleroderma cepa** (Vaill.) Pers.  
 Soil and Duff, V (DAVFP)

**Scleroderma flavidum** Ellis & Everh.  
 Soil and Duff, V (DAOM)

**Scleroderma lycoperdoides** Schw.  
 Soil and Duff, V (DAVFP)

**Scleroderma polyrhizum** Pers.  
 Soil and Duff, V (DAVFP)

**Scleroderris abieticola** Zeller & Goodd.  
 see *Grovesiella abieticola*

**Scleroderris lagerbergii** Gremmen see *Ascocalyx abietina*

**Sclerophoma ambigua** Funk & Parker  
 *Cornus nuttallii*, V (DAVFP) (TYPE)

**Sclerophoma pithyophila** (Corda) Höhn.  
 see *Sydowia polyspora* (teleomorph)

**Sclerophoma semenospora** Funk  
 *Abies amabilis*, V (DAVFP)  
 *Abies grandis*, V (DAVFP)  
 *Abies lasiocarpa*, V (DAVFP)  
 *Larix occidentalis*, V (DAVFP)  
 *Pinus monticola*, V (DAVFP)  
 *Pinus ponderosa*, V (DAVFP)  
 *Pseudotsuga menziesii*, V (DAVFP) (TYPE)  
 *Tsuga heterophylla*, V (DAVFP)

**Sclerophoma xenomeria** Funk see *Xenomeris abietis* (teleomorph)

**Sclerophoma sp.**  
 *Abies lasiocarpa*, V (DAVFP)

*Abies procera*, V (DAVFP)  
 *Alnus* sp., UR  
 *Cedrus deodara*, V (DAVFP)  
 *Juniperus scopulorum*, V (DAVFP)  
 *Larix sibirica*, LC (Wood et al. 1987)  
 *Picea engelmannii*, LC (Mitchell 1986)  
 *Picea glauca*, V (DAVFP)  
 *Pinus contorta* var. *latifolia*, V (DAVFP)  
 *Pinus nigra*, V (DAVFP)  
 *Pinus pinaster*, V (DAVFP)  
 *Pinus strobus*, LC (Shaw 1973)  
 *Salix pentandra*, V (DAVFP)  
 *Syringa* sp., V (DAVFP)  
 *Tsuga heterophylla*, LC (Wood and Van Sickle 1986)

**Sclerotinia borealis** Bubák & Vleugel see *Myriosclerotinia borealis*

**Sclerotinia bulborum** (Wakk.) Rehm  
 *Tulipa* sp., LC (Shaw 1973)

**Sclerotinia fructicola** (G. Wint.) Rehm see *Monilinia fructicola*

**Sclerotinia homoeocarpa** F.T. Bennett  
 Soil and Duff, LC (Toms 1964)

**Sclerotinia laxa** Aderhold & Ruhland see *Monilinia laxa*

**Sclerotinia minor** Jagger  
 *Solanum tuberosum*, LC (Jones 1957)

**Sclerotinia sclerotiorum** (Lib.) de Bary  
 *Anchusa azurea*, LC (Ginns 1986a)  
 *Callistephus chinensis*, LC (Conners 1967)  
 *Campanula medium*, LC (Ginns 1986a)  
 *Centaurea diffusa*, LC (Ginns 1986a)  
 *Cheiranthus cheiri*, LC (Conners 1967)  
 *Cosmos bipinnatus*, LC (Ginns 1986a)  
 *Helianthus annuus*, LC (Ginns 1986a)  
 *Helianthus tuberosus*, LC (Ginns 1986a)  
 *Hydrangea* sp., LC (Toms 1964)  
 *Iris* sp., LC (Toms 1964)  
 *Lotus corniculatus*, LC (Shaw 1973)  
 *Romneya coulteri*, LC (Ginns 1986a)  
 *Solanum tuberosum*, LC (Jones 1957)  
 *Trifolium* sp., LC (Ginns 1986a)  
 *Tulipa gesneriana*, LC (Toms 1964)  
 *Zinnia* sp., LC (Conners 1967)

**Sclerotinia trifoliorum** Eriks.  
 *Lotus corniculatus*, LC (Jones 1957)  
 *Medicago lupulina*, LC (Ginns 1986a)  
 *Melilotus alba*, LC (Ginns 1986a)  
 *Trifolium dubium*, LC (Ginns 1986a)  
 *Trifolium pratense*, LC (Ginns 1986a)  
 *Trifolium repens*, LC (Shaw 1973)  
 *Trifolium subterraneum*, LC (Ginns 1986a)  
 *Trifolium wormskoldii*, LC (Conners 1967)

**Sclerotinia sp.**  
 *Anthyllis vulneraria*, LC (Ginns 1986a)  
 *Pinus monticola*, V (DAVFP)  
 *Prunus avium*, V (DAVFP)

**Sclerotiopsis sp.**

*Pseudotsuga menziesii*, V (DAVFP)

**Sclerotium delphinii** Welch see *Sclerotium rolfsii* var. *delphinii***Sclerotium rolfsii** Sacc.

*Iris* sp., LC (MacDonald 1991)

**Sclerotium rolfsii** Sacc. var. *delphinii*

(Welch) Boerema & Hamers (=*Sclerotium delphinii*)

*Iris* sp., LC (Conners 1967)

*Tulipa gesneriana*, LC (Conners 1967)

**Sclerotium tuliparum** Kleb. see *Rhizoctonia tuliparum***Scoleconectria balsamea** (Cooke & Peck)

Seaver see *Thyronectria balsamea*

**Scoleconectria cucurbitula** (Tode:Fr.) C. Booth

*Abies lasiocarpa*, V (DAVFP)

*Pseudotsuga menziesii*, V (DAVFP)

**Scolecotrichum graminis** Fuckel see *Cercosporidium graminis***Scopulariopsis stercoraria** (Link) S.J.

Hughes

*Vicia faba*, LC (Conners 1967)

**Scorias sp.**

*Camellia* sp., UR - Specimen discarded  
*Ilex* sp., V (DAVFP)

**Scutellinia scutellata** (L.:Fr.) Lambotte

(=*Patella scutellata*)

*Abies lasiocarpa*, V (DAVFP)

*Alnus* sp., V (DAVFP)

*Populus balsamifera*, LC (Shaw 1973)

*Populus trichocarpa*, V (DAVFP)

*Populus* sp., V (DAVFP)

Soil and Duff, V (DAVFP)

*Thuja plicata*, LC (Conners 1967)

**Scutellinia umbrarum** (Fr.) Lambotte

Soil and Duff, V (DAVFP)

**Scutellospora sp.**

*Triticum aestivum*, LC (Cade-Menun et al. 1991)

**Scytinostroma arachnoideum** (Peck) R.L.

Gilbertson

*Pseudotsuga menziesii*, V (DAVFP) (TYPE)

**Scytinostroma galactina** (Fr.) Donk

*Abies grandis*, LC (Shaw 1973)

*Abies lasiocarpa*, V (DAVFP)

*Alnus rubra*, V (DAVFP)

*Cytinus scorpius*, V (DAVFP)

*Larix occidentalis*, V (DAVFP) - Dried culture only.

*Picea glauca*, V (DAVFP)

*Pinus contorta* var. *latifolia*, V (DAVFP)

*Pinus monticola*, V (DAVFP)

*Populus trichocarpa*, V (DAVFP)

*Pseudotsuga menziesii*, V (DAVFP)

*Thuja plicata*, V (DAVFP)

*Tsuga heterophylla*, V (DAVFP)

**Scytinostroma jacksonii** Boidin

*Abies lasiocarpa*, LC (Boidin 1981) (HOLOTYPE)

Gymnosperms, Wood, LC (Boidin 1981)

**Scytinostroma ochroleucum** (Bres. & Torrend) Donk (=*Gloeocystidium ochroleucum*)

*Thuja plicata*, V (DAVFP)

*Tsuga heterophylla*, V (DAVFP)

**Sebacina adusta** Burt see *Exidiopsis fuliginea***Sebacina caesiocinerea** (Höhn. & Litsch.)

D.P. Rogers see *Basidiiodendron caesiocinereum*

**Sebacina cinerea** Bres. see *Basidiiodendron cinereum***Sebacina eyrei** Wakef. see *Basidiiodendron eyrei***Sebacina grisea** (Pers.) Bres. see *Exidiopsis grisea***Sebacina sublilacina** G.W. Martin

(=*Exidiopsis sublilacina*)

*Alnus rubra*, UR

*Alnus* sp., V (UBC F5294, F5295)

**Sebacina sp.**

*Cytinus scorpius*, V (DAVFP)

*Pseudotsuga menziesii*, V (DAVFP)

**Seimatosporium arbuti** (Bonar)

Shoemaker (=*Cryptostictis arbuti*)

*Arbutus menziesii*, V (DAVFP)

*Rhododendron* sp., LC (Ginns 1986a)

**Seimatosporium caudatum** (G. Preuss)

Shoemaker

*Rosa* sp., LC (Ginns 1986a)

**Seimatosporium etheridgei** Funk see *Leciographa gallicola***Seimatosporium ledi** Pirozynski & Shoemaker

*Ledum groenlandicum*, V (DAVFP) (TYPE)

**Seimatosporium sp.**

*Alnus* sp., V (DAVFP)

*Rubus parviflorus*, V (DAVFP)

**Seiridium abietinum** (Ellis & Everh.) Sutton  
*Tsuga heterophylla*, V (DAVFP)

**Seiridium cardinale** (W. Wagener) Sutton  
& I. Gibson see *Leptotyphula cupressi*

**Seiridium sp.**  
*Thuja occidentalis* var. *fastigiata*, V (DAVFP)

**Selenophoma bromigena** (Sacc.) R.  
Sprague & A.G. Johnson see  
*Pseudoseptoria bromigena*

**Selenophoma donacis** (Pass.) R. Sprague  
& A.G. Johnson see *Pseudoseptoria*  
*donacis*

**Selenophoma donacis** (Pass.) R. Sprague  
& A.G. Johnson var. *stomaticola* (Bäumler)  
R. Sprague & A.G. Johnson see  
*Pseudoseptoria stomaticola*

**Selenophoma everhartii** (Sacc. & Syd.) R.  
Sprague & A.G. Johnson see  
*Pseudoseptoria everhartii*

**Selenophoma obtusa** R. Sprague & A.G.  
Johnson see *Pseudoseptoria obtusa*

**Septogloewum gillii** D.E. Ellis see  
*Cylindrocarpon gillii*

**Septogloewum oxysporum** E. Bommer, M.  
Rousseau & Sacc. see *Cheilaria agrostis*

**Septogloem rhopaloideum** Dearn. & Bisby  
see *Hyponectria populi*

**Septogloewum salicinum** (Peck) Sacc.  
*Salix* sp., LC (Connors 1967)

**Septogloewum schizonoti** Dearn.  
*Holodiscus discolor*, LC (Shaw 1973)

**Septomyxa salicis** Grove  
*Salix* sp., V (DAVFP)

**Septonema dendryphioides** Berk. & M.A.  
Curtis  
*Pseudotsuga menziesii*, V (DAVFP)

**Septoria aceris** (Lib.) Berk. & Broome  
(= *Phloeospora aceris*)  
*Acer circinatum*, V (DAVFP)  
*Acer glabrum* var. *douglasii*, V (DAVFP)  
*Acer macrophyllum*, LC (Toms 1964)

**Septoria adenocauli** Ellis & Everh.  
*Adenocaulon bicolor*, LC (Shaw 1973)

**Septoria alni** Sacc.  
*Alnus rubra*, V (DAVFP)  
*Alnus sinuata*, V (DAVFP)  
*Alnus* sp., V (DAVFP)

**Septoria alnifolia** Ellis & Everh.  
*Alnus rubra*, V (DAVFP)  
*Alnus sinuata*, V (DAVFP)  
*Alnus tenuifolia*, V (DAVFP)

**Septoria astragali** Roberge ex Desmaz.  
*Lathyrus ochroleucus*, LC (Ginns 1986a)

**Septoria avenae** A.B. Frank see  
*Stagonospora avenae*

**Septoria avenae** A.B. Frank f. sp. *avenae*  
*Avena* sp., LC (Connors 1967 as *Leptosphaeria*  
*avenaria* f. sp. *avenaria*)

**Septoria avenae** A.B. Frank f. sp. *triticea*  
T. Johnson see *Stagonospora avenae* f. sp.  
*triticea*

**Septoria betulina** Pass.  
*Betula papyrifera*, V (DAVFP)

**Septoria calamagrostidis** (Lib.) Sacc.  
*Agrostis scabra*, LC (Ginns 1986a)

**Septoria centaureicola** Brunaud var.  
*brevispora* Peck  
*Centaurea cyanus*, LC (Ginns 1986a)

**Septoria chrysanthemi** Allesch.  
*Chrysanthemum maximum*, LC (Ginns 1986a)

**Septoria circinata** Ellis & Everh.  
*Acer circinatum*, LC (Shaw 1973)

**Septoria convolvuli** Desmaz.  
*Convolvulus arvensis*, LC (Ginns 1986a)

**Septoria cornicola** Desmaz.  
*Cornus nuttallii*, LC (Punja and Ormrod 1979)  
*Cornus stolonifera*, V (DAVFP)

**Septoria cucurbitacearum** Sacc.  
*Cucurbita maxima*, LC (Ginns 1986a)

**Septoria cylindrica** Ellis & Everh.  
*Anemone multifida*, LC (Shaw 1973)

**Septoria divaricata** Ellis & Everh. see  
*Septoria phlogis*

**Septoria galeopsidis** Westend.  
*Galeopsis tetrahit*, LC (Ginns 1986a)

**Septoria gei** Roberge & Desmaz.  
*Geum macrophyllum*, LC (Connors 1967)

- Septoria infuscans** (Ellis & Everh.) R. Sprague  
*Elymus cinereus*, LC (Sprague 1960a)
- Septoria lathyri** Ellis & Everh.  
*Lathyrus* sp., V (DAVFP)
- Septoria lavandulae** Desmaz.  
*Lavandula officinalis*, LC (Conners 1967)
- Septoria levistici** Westend.  
*Conioselinum pacificum*, LC (Ginns 1986a on  
*Conioselinum chinense*)
- Septoria linicola** (Speg.) Garassini see  
*Mycosphaerella linicola* (teleomorph)
- Septoria lunelliana** Sacc. see *Phloeospora lunelliana*
- Septoria mimuli** Ellis & Kellerm.  
*Mimulus moschatus*, LC (Shaw 1973)
- Septoria musiva** Peck see *Mycosphaerella populorum* (teleomorph)
- Septoria nodorum** (Berk.) Berk. in Berk. &  
 Broome see *Stagonospora nodorum*
- Septoria oenanthis** Ellis & Everh.  
*Oenanthe sarmentosa*, LC (Ginns 1986a)
- Septoria oenotherae** Westend.  
*Oenothera biennis*, LC (Ginns 1986a)
- Septoria osmorrhizae** Peck see  
*Phloeospora osmorrhizae*
- Septoria ostryae** Peck  
*Corylus cornuta* var. *californica*, LC  
 (Constantinescu 1984)
- Septoria philadelphi** Ellis & Everh.  
*Philadelphus lewisii*, LC (Ginns 1986a)
- Septoria phlogis** Sacc. & Speg. (=Septoria divaricata)  
*Phlox drummondii*, LC (Ginns 1986a)  
*Phlox paniculata*, LC (Ginns 1986a)
- Septoria polygonorum** Desmaz.  
*Polygonum persicaria*, LC (Toms 1964; Punja and  
 Omrod 1979)
- Septoria populicola** Peck see  
*Mycosphaerella populicola* (teleomorph)
- Septoria punicea** J.J. Davis (=*Phloeospora anemones*)  
*Anemone multifida*, V (DAVFP)

- Septoria purpurascens** Ellis & G. Martin in  
 G. Martin  
*Potentilla palustris*, LC (Shaw 1973)
- Septoria ribis** (Lib.) Desmaz. see  
*Mycosphaerella ribis* (teleomorph)
- Septoria rubi** Westend. see  
*Mycosphaerella rubi* (teleomorph)
- Septoria sambucina** Peck  
*Sambucus cerulea*, V (DAVFP)  
*Sambucus racemosa*, LC (Ginns 1986a)
- Septoria sanguinea** Dearn.  
*Ribes sanguineum*, LC (Ginns 1986a)
- Septoria shepherdiae** (Sacc.) Dearn.  
*Shepherdia canadensis*, V (DAVFP)
- Septoria silenes** Westend.  
*Silene armeria*, LC (Shaw 1973)  
*Silene menziesii*, V (DAVFP)
- Septoria sitchensis** Dearn.  
*Sorbus sitchensis*, LC (Shaw 1973)
- Septoria spartinae** (Trel.) R. Sprague  
*Spartina gracilis*, LC (Sprague 1960a)
- Septoria stellariae** Roberge & Desmaz.  
*Stellaria media*, LC (Ginns 1986a)  
*Stellaria nitens*, LC (Shaw 1973)
- Septoria streptopodis** Peck  
*Disporum hookeri* var. *oregano*, V (DAVFP)  
*Disporum majus*, LC (Savile 1961)
- Septoria symphoricarpi** Ellis & Everh.  
*Symphoricarpos albus*, LC (Ginns 1986a)
- Septoria trientalis** (Lasch) Sacc.  
*Trientalis latifolia*, V (DAVFP)
- Septoria triseti** Speg.  
*Agrostis alba*, LC (Toms 1964 on *Agrostis gigantea*)
- Septoria tritici** Roberge in Desmaz.  
*Triticum aestivum*, LC (Jones 1957)
- Septoria weiri** Sacc.  
*Alnus crispa*, LC (Constantinescu 1984)
- Septoria sp.**  
*Abies lasiocarpa*, V (DAVFP)  
*Acer macrophyllum*, LC (Shaw 1973)  
*Alnus tenuifolia*, UR  
*Betula papyrifera*, V (DAVFP)  
*Quercus garryana*, V (DAVFP)  
*Ribes sanguineum*, V (DAVFP)  
*Salix* sp., V (DAVFP)
- Septotrullula sp.**  
*Picea glauca*, V (DAVFP)

**Sepultaria pellita** (Cooke & Peck) Seaver  
Soil and Duff, V (DAVFP)

**Serpula himantoides** (Fr.) Bond. in Parm.  
(=*Merulius americanus*, *Merulius himantoides*)  
 Abies amabilis, V (DAVFP)  
 Abies balsamea, LC (Shaw 1973)  
 Abies lasiocarpa, V (DAVFP)  
 Abies sp., V (DAVFP)  
*Chamaecyparis nootkatensis*, UR  
*Picea glauca*, UR  
*Pinus contorta* var. *latifolia*, UR  
*Pinus ponderosa*, UR  
*Pseudotsuga menziesii*, V (DAVFP)  
*Thuja plicata*, UR  
*Tsuga heterophylla*, LC (Shaw 1973)

**Serpula lacrimans** (Fr.) S.F. Gray  
(=*Merulius lacrimans*)  
 Abies amabilis, LC (Shaw 1973)  
 Abies lasiocarpa, UR  
*Pinus ponderosa*, UR  
*Pseudotsuga menziesii*, V (DAVFP)  
*Thuja plicata*, V (DAVFP)

**Serpula pinastri** (Fr.:Fr.) W.B. Cooke see  
*Leucogyrophana pinastri*

**Seuratia** sp.  
 Abies lasiocarpa, V (DAVFP)

**Seynesiella juniperi** (Desmaz.) G. Arnaud  
(=*Stigmatea juniperi*)  
*Chamaecyparis nootkatensis*, V (DAVFP)  
*Juniperus scopulorum*, V (DAVFP)

**Seynesiella sequoiae** (Cooke & Harkn.) E. Müller in E. Müller & Arx (=*Stigmatea sequoiae*)  
*Juniperus scopulorum*, LC (Barr 1953)

**Simblum sphaerocephalum** Schlechtend.  
Soil and Duff, V (DAVFP)

**Sirococcus conigenus** (DC.) P. Cannon & Minter (=*Sirococcus strobilinus*)  
*Cedrus atlantica*, V (DAVFP)  
*Libocedrus decurrens*, LC (Shaw 1973)  
*Picea engelmannii*, V (DAVFP)  
*Picea glauca*, V (DAVFP)  
*Picea sitchensis*, V (DAVFP)  
*Pinus albicaulis*, V (DAVFP)  
*Pinus contorta* var. *latifolia*, V (DAVFP)  
*Pinus ponderosa*, V (DAVFP)  
*Pseudotsuga menziesii*, V (DAVFP)  
*Tsuga heterophylla*, V (DAVFP)  
*Tsuga mertensiana*, V (DAVFP)

**Sirococcus strobilinus** G. Preuss see  
*Sirococcus conigenus*

**Sirococcus** sp.  
*Betula papyrifera*, LC (Hopkins and Funk 1986)

### ***Sirodotheris* sp.**

*Abies grandis*, V (DAVFP)  
*Abies lasiocarpa*, V (DAVFP)  
*Alnus sinuata*, V (DAVFP)  
*Larix laricina*, V (DAVFP)  
*Larix occidentalis*, V (DAVFP)  
*Picea glauca*, V (DAVFP)  
*Picea sitchensis*, V (DAVFP)  
*Pseudotsuga menziesii*, V (DAVFP)  
*Tsuga heterophylla*, V (DAVFP)

### ***Sirotrema parvula* Bandoni**

*Lophodermium pinastri* on *Pinus contorta*, LC  
(Bandoni 1986) (TYPE)

### ***Sirotrema pusilla* Bandoni**

*Hypoderma cf. pacificensis* on *Acer macrophyllum*, LC (Bandoni 1986) (TYPE)

### ***Sirotrema translucens* (Gordon) Bandoni**

(=*Pseudostypella translucens*, *Tremella translucens*)  
 ?*Lirula abietis-concoloris* on *Abies lasiocarpa*, V (DAVFP)  
 ?*Lophodermium decorum*, V (DAVFP)  
*Lophodermium pinastri* on *Pinus resinosa*, V (DAVFP)  
*Lophodermium* sp. on *Abies grandis*, V (DAVFP)  
*Lophodermium* sp. on *Abies lasiocarpa*, V (DAVFP)

### ***Sistotrema brinkmannii* (Bres.) J. Eriksson**

(=*Trechispora brinkmannii*)  
*Abies amabilis*, V (DAVFP)  
*Abies grandis*, UR  
*Abies lasiocarpa*, LC (Ginns 1986a)  
*Alnus rubra*, V (DAVFP)  
*Fomitopsis pinicola* on *Tsuga heterophylla*, V (DAVFP)  
*Picea glauca*, UR  
*Pinus contorta* var. *latifolia*, V (DAVFP)  
*Populus trichocarpa*, UR  
*Prunus emarginata*, V (DAVFP)  
*Prunus* sp., V (DAVFP)  
*Pseudotsuga menziesii*, V (DAVFP)  
*Thuja plicata*, V (DAVFP)  
*Tsuga heterophylla*, UR

### ***Sistotrema raduloides* (P. Karst.) Donk**

(=*Trechispora raduloides*)  
*Abies lasiocarpa*, UR  
*Picea glauca*, UR  
*Populus tremuloides*, V (DAVFP)  
*Populus trichocarpa*, V (DAVFP)  
*Tsuga heterophylla*, UR

### ***Skeletocutis alutacea* (J. Lowe) J. Keller**

(=*Poria alutacea*)  
*Betula papyrifera*, V (DAVFP)

### ***Skeletocutis amorpha* (Fr.:Fr.) Kotlaba & Pouzar (=*Polyporus amorphus*)**

*Abies* sp., V (DAVFP)  
*Picea engelmannii*, V (DAVFP)  
*Picea glauca*, V (DAVFP)

*Pinus contorta* var. *latifolia*, V (DAVFP)  
*Pinus monticola*, V (DAVFP)  
*Pseudotsuga menziesii*, V (DAVFP)  
*Tsuga heterophylla*, V (DAVFP)

**Skeletocutis nivea** (Jungh.) J. Keller  
 (=*Polyporus semipileatus*)  
*Acer macrophyllum*, V (DAVFP)  
*Alnus rhombifolia*, LC (Shaw 1973)  
*Alnus rubra*, V (DAOM 142162)  
*Arbutus menziesii*, V (DAVFP)  
*Corylus* sp., V (DAVFP)  
*Populus tremuloides*, V (DAVFP)  
*Pseudotsuga menziesii*, LC (Shaw 1973)  
*Salix* sp., V (DAVFP)  
*Thuja plicata*, V (DAVFP)

**Skeletocutis odora** (Peck) Ginns  
*Abies lasiocarpa*, V (DAVFP)

**Skeletocutis stellae** (Pilát) J. Keller  
 (=*Poria stellae*)  
*Abies amabilis*, V (DAVFP)  
*Abies lasiocarpa*, V (DAVFP)  
*Picea glauca*, V (DAVFP)  
*Picea sitchensis*, V (DAVFP)

**Skeletocutis subincarnata** (Peck) J. Keller  
 (=*Poria subincarnata*)  
*Abies amabilis*, V (DAVFP)  
*Abies lasiocarpa*, V (DAVFP)  
*Gymnosperms*, Wood, V (DAVFP)  
*Picea glauca*, V (DAVFP)  
*Picea sitchensis*, V (DAVFP)  
*Pinus monticola*, V (DAVFP)  
*Pseudotsuga menziesii*, V (DAOM 141350)  
*Thuja plicata*, V (DAVFP)  
*Tsuga heterophylla*, V (DAVFP)

**Solenia anomala** (Pers.:Fr.) Fuckel see  
*Cyphellopsis anomala*

**Solenia candida** Pers.:Fr. see  
*Henningsomyces candidus*

**Solenia** sp.  
*Pseudotsuga menziesii*, V (DAOM 139109)

**Sordaria fimicola** (Roberge ex Desmaz.)  
 Ces. & De Not.  
*Cucurbita maxima*, LC (Barr 1953)  
*Cucurbita pepo*, LC (Conners 1967)  
*Dung, horse*, LC (Barr 1953)  
*Vicia faba*, LC (Conners 1967)

**Sordaria hypocoprooides** Speg. see  
*Hypocopra hypocoprooides*

**Sorocybe resinae** (Fr.) Fr. see *Racodium resinae*

**Spadicoides atra** (Corda) S.J. Hughes  
 Unidentified wood, LC (Hughes 1973a)

**Spadicoides bina** (Corda) S.J. Hughes  
*Gymnosperms*, Wood, LC (Hughes 1973b)

**Spadicoides grovei** M.B. Ellis  
 Unidentified wood, LC (Hughes 1973c)

**Spadicoides klotzschii** S.J. Hughes  
*Alnus* sp., LC (Hughes 1973d) (TYPE)

**Sparassis crispa** (Wulfen:Fr.) Fr.  
 (=*Sparassis radicata*)  
*Pseudotsuga menziesii*, V (DAVFP)  
*Soil and Duff*, V (DAVFP)

**Sparassis radicata** Weir see *Sparassis crispa*

**Spathularia clavata** (Schaeff.) Sacc. see  
*Spathularia flava*

**Spathularia flava** Pers.:Fr. (=*Spathularia clavata*)  
*Gymnosperms*, Wood, V (DAVFP)  
*Soil and Duff*, V (DAVFP)

**Spathularia velutipes** Cooke & Farl. see  
*Spathulariopsis velutipes*

**Spathulariopsis velutipes** (Cooke & Farl.)  
 Maas G. (=*Spathularia velutipes*)  
*Soil and Duff*, UR

**Spermospora subulata** (R. Sprague) R.  
 Sprague  
*Puccinellia hauptiana*, LC (Ginns 1986a)

**Sphaceloma rosarum** (Pass.) Jenkins  
*Rosa* sp., LC (Conners 1967)

**Sphacelotheca destruens** (Schlechtend.)  
 J.A. Stevenson & A.G. Johnson see  
*Sporisorium destruens*

**Sphacelotheca sorghi** (Link) G.P. Clinton  
 see *Sporisorium sorghi*

**Sphaerella earliana** G. Wint.  
*Fragaria chiloensis*, LC (Barr 1953)

**Sphaerella microspila** (Berk. & Broome)  
 Cooke  
*Epilobium angustifolium*, LC (Barr 1953)

**Sphaerella vagans** Ellis & Everh.  
*Valeriana sitchensis*, LC (Barr 1953)

**Sphaerellopsis filum** (Biv.-Bern. ex Fr.)  
 Sutton (=*Darluca filum*)  
*Dactylis glomerata*, LC (Conners 1967)  
*Melampsora epitea* on *Salix* sp., V (DAVFP)  
*Melampsora medusae* on *Pseudotsuga menziesii*,  
 V (DAVFP)

*Peridermium pseudo-balsameum* on *Abies grandis*, V (DAVFP)  
*Puccinia caricis-strictae* on *Carex obnupta*, V (DAVFP)  
*Pucciniastrum goeppertianum* on *Abies lasiocarpa*, V (DAVFP)

***Sphaerobasidium minutum*** (J. Eriksson)  
 Oberwinkler  
*Pseudotsuga menziesii*, V (DAOM 142446)

***Sphaerobolus stellatus*** Tode:Pers.  
*Alnus* sp., V (DAVFP)

***Sphaeropezia empetri*** (Rehm) Rehm see  
*Arwidsonia empetri*

***Sphaeropezia*** sp.  
*Picea glauca*, V (DAVFP)

***Sphaeropsis malorum*** Berk.  
*Malus sylvestris*, LC (Toms 1964)

***Sphaeropsis sapinea*** (Fr.:Fr.) Dyko &  
 Sutton in Sutton  
*Arceuthobium americanum* on *Pinus contorta*, V (DAVFP)  
*Pinus ponderosa*, V (DAVFP)

***Sphaerospora brunnea*** (A. & S.) Svrcek  
& Kubicka  
*Pinus contorta*, LC (Egger and Paden 1986a)

***Sphaerotheca epilobii*** (Wallr.) Sacc.  
*Epilobium glandulosum* var. *adenocaulon*, V (DAVFP)

***Sphaerotheca fuliginea*** (Schlechtend.: Fr.)  
 Pollacci  
*Agoseris* sp., LC (Barr 1953 as *Sphaerotheca humuli* var. *fuliginea*)  
*Bidens cernua*, LC (Barr 1953 as *Sphaerotheca humuli* var. *fuliginea*)  
*Castilleja miniata*, LC (Ginns 1986a)  
*Castilleja* sp., LC (Barr 1953 as *Sphaerotheca humuli* var. *fuliginea*)  
*Collomia parviflora*, LC (Ginns 1986a)  
*Coreopsis grandiflora*, LC (Connors 1967)  
*Coreopsis* sp., LC (Barr 1953 as *Sphaerotheca humuli* var. *fuliginea*)  
*Lactuca biennis*, LC (Connors 1967)  
*Lactuca* sp., LC (Barr 1953 as *Sphaerotheca humuli* var. *fuliginea*)  
*Pedicularis bracteosa*, LC (Ginns 1986a)  
*Rubus idaeus* var. *strigosus*, LC (Connors 1967)  
*Rubus* sp., LC (Barr 1953 as *Sphaerotheca humuli* var. *fuliginea*)  
*Taraxacum officinale*, LC (Connors 1967)  
*Taraxacum* sp., LC (Barr 1953 as *Sphaerotheca humuli* var. *fuliginea*)  
*Viola tricolor* var. *hortensis*, LC (Connors 1967)

***Sphaerotheca humuli*** (DC.) Burrill see  
*Sphaerotheca macularis*

***Sphaerotheca macularis*** (Wallr.:Fr.) Lind  
(=*Sphaerotheca humuli*)

*Agoseris* sp., LC (Shaw 1973)  
*Bidens cernua*, LC (Ginns 1986a)  
*Castilleja* sp., LC (Shaw 1958)  
*Collomia grandiflora*, LC (Shaw 1973)  
*Collomia linearis*, V (DAVFP)  
*Coreopsis grandiflora*, LC (Ginns 1986a)  
*Fragaria* sp., LC (Barr 1953)  
*Geranium richardsonii*, V (DAVFP)  
*Geranium viscosissimum*, LC (Barr 1953; Parmelee 1975)  
*Geum macrophyllum*, LC (Parmelee 1975)  
*Heuchera glabra*, LC (Barr 1953)  
*Lactuca biennis*, LC (Shaw 1973)  
*Microsteris gracilis*, LC (Shaw 1973)  
*Potentilla palustris*, LC (Barr 1953)  
*Rhus glabra*, LC (Barr 1953)  
*Rosa canina*, LC (Connors 1967)  
*Rubus idaeus* var. *strigosus*, LC (Connors 1967)  
*Rubus parviflorus*, V (DAVFP)  
*Rubus spectabilis*, V (DAVFP)  
*Rubus ursinus*, LC (Parmelee 1975 on *Rubus macropetalus*)  
*Rubus* sp., LC (Barr 1953)  
*Sanguisorba officinalis* subsp. *microcephala*, V (DAVFP)  
*Sheperdia canadensis*, LC (Barr 1953)  
*Taraxacum officinale*, LC (Ginns 1986a)  
*Viola tricolor* var. *hortensis*, LC (Connors 1967)  
*Viola* sp., LC (Barr 1953)

***Sphaerotheca mors-uvae*** (Schwein.) Berk.  
& M.A. Curtis

*Ribes grossularia*, LC (Ginns 1986a)  
*Ribes lacustre*, LC (Ginns 1986a)  
*Ribes nigrum*, LC (Ginns 1986a)  
*Ribes sativum*, LC (Ginns 1986a)

***Sphaerotheca pannosa*** (Wallr.:Fr.) Lév.  
var. *rosae* Woronichin

*Rosa* sp., UR

***Sphaerotheca pannosa*** (Wallr.: Fr.) Lév.  
*Photinia serrulata*, LC (Shaw 1973)  
*Prunus persica* var. *nectarina*, LC (Toms 1964)  
*Prunus* sp., LC (Barr 1953)

***Sphaerotheca*** sp.  
*Symporicarpus albus*, V (DAVFP)

***Sphaerulina gentianae*** Wehmeyer see  
*Wettsteinina gentianae*

***Sphaerulina intermixta*** (Berk. & Broome)  
Sacc. see *Pringsheimia sepincola*

***Sphaerulina taxicola*** (Peck) Berl. see  
*Dothiora taxicola*

***Spilocaea pyracanthae*** (G. Otth) Arx  
(=*Fusicladium pyracanthae*)  
*Pyracantha coccinea*, LC (Ginns 1986a)  
*Pyracantha koidzumii*, V (DAVFP)

***Spiropes helleri*** (Stev.) Ellis  
*Taxus brevifolia*, V (DAVFP)

***Spondylocladium atro-virens*** Harz see  
*Helminthosporium solani*

***Spongipellis delectans*** (Peck) Murrill  
 (=*Polyporus delectans*)  
*Populus trichocarpa*, V (DAVFP)

***Spongipellis spumeus*** (Sowerby:Fr.) Pat.  
 (=*Polyporus spumeus*)  
*Populus trichocarpa*, LC (Shaw 1973)

***Sporidesmium foliculatum*** (Corda) E.  
 Mason & S.J. Hughes  
 Angiosperms, Wood, LC (Hughes and Illman  
 1974a)

***Sporidesmium hormiscioides*** Corda  
 Angiosperms, Wood, LC (Hughes and Illman  
 1974b)

***Sporidesmium* sp.**  
*Populus tremuloides*, V (DAVFP)  
*Pseudotsuga menziesii*, V (DAVFP)

***Sporisorium destruens*** (Schlechtend.) K.  
 Vánky (=*Sphacelotheca destruens*)

***Sporisorium neglectum*** (Niessl) K. Vánky  
 (=*Ustilago neglecta*)  
*Setaria glauca*, LC (Ginns 1986a)

***Sporisorium sorghi*** Link in Willd.  
 (=*Sphacelotheca sorghi*, *Ustilago sorghi*)  
*Sorghum vulgare*, LC (Ginns 1986a)

***Sporonema oxycocci*** Shear see  
*Coleophoma empetri*

***Sporormia firmataria*** De Not.  
 Dung, LC (Ahmed and Cain 1972)

***Sporormiella cylindrospora*** Ahmed & Cain  
 Dung, LC (Ahmed and Cain 1972)

***Sporormiella intermedia*** (Auersw.) Ahmed  
 & Cain  
 Dung, LC (Ahmed and Cain 1972)

***Sporormiella vexans*** (Auersw.) Ahmed &  
 Cain  
 Dung, LC (Ahmed and Cain 1972)

***Sporoschisma* sp.**  
*Tsuga heterophylla*, LC (Conners 1967)

***Sporotrichum maritimum*** Sutherland  
*Arbutus menziesii*, LC (Anastasiou and  
 Churchland 1969)  
*Prunus laurocerasus*, LC (Anastasiou and  
 Churchland 1969)

***Stachybotrys atra*** Corda see *Stachybotrys*  
*chartarum*

***Stachybotrys chartarum*** (Ehrenb.) S.J.  
 Hughes (=*Stachybotrys atra*)  
*Arbutus menziesii*, LC (Anastasiou and  
 Churchland 1969)  
*Prunus laurocerasus*, LC (Anastasiou and  
 Churchland 1969)

***Stagonospora achlydis*** (Dearn.) R.  
 Sprague (=*Ascochyta achlydis*)  
*Achlys triphylla*, V (DAVFP)

***Stagonospora avenae*** (A.B. Frank) Bissett  
 (=*Septoria avenae*)  
*Agrostis tenuis* var. *aristata*, LC (Sprague 1960b)

***Stagonospora avenae*** Bissett f. sp. *triticea*  
 T. Johnson (=*Septoria avenae* f. sp. *triticea*)  
*Elymus mollis*, LC (Connors 1967)

***Stagonospora meliloti*** (Lasch) Petr. see  
*Leptosphaeria pratensis* (teleomorph)

***Stagonospora nodorum*** (Berk.) Castellani  
 & E.G. Germano (=*Septoria nodorum*)  
*Triticum aestivum*, LC (Jones 1957)

***Stagonospora paludosa*** (Sacc. & Speg.)  
 Sacc.  
*Carex vesicaria*, LC (Shaw 1973)

***Stagonospora petasitidis*** Ellis & Everh.  
*Petasites frigidus* var. *palmatus*, V (DAVFP)

***Stagonospora recedens*** (C. Massal.) F.R.  
 Jones & J.L. Weimer  
*Trifolium pratense*, LC (Ginns 1986a)  
*Trifolium repens*, LC (Ginns 1986a)

***Stagonospora spiraeae*** Dearn.  
*Spiraea douglasii*, LC (Shaw 1973)

***Stagonospora vitensis*** Unamuno  
*Typha* sp., LC (Hughes 1969)

***Stamnaria* sp.**  
*Pseudotsuga menziesii*, V (DAVFP)

***Steccherinum ciliolatum*** (Berk. & M.A.  
 Curtis) R.L. Gilbertson & Budington  
 (=*Odontia ciliolata*)  
*Populus tremuloides*, V (DAVFP)  
*Populus trichocarpa*, V (DAVFP)

***Steccherinum fimbriatum*** (Pers.:Fr.) J.  
 Eriksson (=*Odontia fimbriata*)  
*Acer macrophyllum*, V (DAVFP)  
*Populus trichocarpa*, V (DAVFP)

***Steccherinum ochraceum* (Pers.:Fr.) S.F.**

Gray

- Acer macrophyllum*, V (DAVFP)
- Alnus rubra*, V (DAVFP)
- Betula papyrifera*, V (DAVFP)
- Populus trichocarpa*, V (DAVFP)
- Pseudotsuga menziesii*, V (DAVFP)
- Quercus garryana*, V (DAVFP)

***Steccherinum* sp.**

- Alnus sinuata*, V (DAVFP)

***Stegonsporiopsis cenangiodoides* (Ellis &**

Rothr.) Van Warmelo & Sutton

(= *Camarographium abietis*)

- Abies lasiocarpa*, V (DAVFP)

***Stegopezizella balsameae* (J.J. Davis)**

Syd. in Syd. & Petr. see *Sarcotrochila balsameae*

***Stemphylium botryosum* Wallr.** see

*Pleospora herbarum*

***Stemphylium consortiale* (Thuem.) Groves & Skolko** see *Ulocladium consortiale*

***Stemphylium radicum* (Meier, Drechs., & E.D. Eddy) Neergaard** see *Alternaria radicina*

***Stemphylium sarciniforme* (Cavara)**

Wiltshire

- Trifolium pratense*, LC (Toms 1964; Corlett et al. 1982b)

***Stemphylium* sp.**

- Juniperus sabina*, V (DAVFP)
- Pseudotsuga menziesii*, LC (Shaw 1973)
- Salix* sp., V (DAVFP)

***Stenocybe major* Nyl.**

- Abies amabilis*, V (DAVFP)
- Pseudotsuga menziesii*, V (DAVFP)
- Thuja plicata*, UR

***Stenocephalum subalutaceum* (Peck)**

Chamuris & Wang

- Alnus rubra*, LC (Chamuris and Wang 1990)
- Alnus* sp., LC (Chamuris and Wang 1990)

***Stereopsis humphreyi* (Burt) Redhead & Reid**

- Bryophytes, LC (Redhead and Reid 1983 on moss)
- Picea sitchensis*, LC (Redhead and Reid 1983)
- Pteridophytes, LC (Redhead and Reid 1983 on fern)
- Tsuga heterophylla*, LC (Redhead and Reid 1983)

***Stereum abietinum* (Pers.:Fr.) Fr.** see

*Columnocystis abietina*

***Stereum alnicola* Erikss.**

- Alnus rubra*, V (DAOM 142448, 142450, 142451, 142454)

***Stereum bicolor* (Pers.:Fr.) Fr.** see

*Laxitextum bicolor*

***Stereum chailletii* (Pers.:Fr.) Fr.** see

*Amylostereum chailletii*

***Stereum complicatum* (Fr.:Fr.) Fr.** see

*Stereum hirsutum*

***Stereum diaphanum* (Schwein.) Cooke**

see *Cotylidia diaphana*

***Stereum fasciatum* (Schwein.) Fr.** see

*Stereum ostrea*

***Stereum fuscum* (Schrad.) P. Karst.** see

*Laxitextum bicolor*

***Stereum gausapatum* (Fr.:Fr.) Fr.**

(= *Haematostereum gausapatum*)

- Alnus* sp., V (DAVFP)
- Quercus garryana*, V (DAVFP)

***Stereum hirsutum* (Willd.:Fr.) S.F. Gray**

(= *Stereum complicatum*, *Stereum rameale*)

- Alnus rubra*, V (DAVFP)
- Arbutus menziesii*, V (DAVFP)
- Betula papyrifera*, V (DAVFP)
- Prunus* sp., V (DAVFP)
- Quercus garryana*, V (DAVFP)

***Stereum murrayi* (Berk. & M.A. Curtis) Burt**

see *Cystostereum murraii*

***Stereum ochraceo-flavum* (Schwein.) Ellis**

- Acer macrophyllum*, V (DAVFP)
- Populus* sp., LC (Chamuris 1988)
- Quercus garryana*, LC (Chamuris 1988)

***Stereum ostrea* (Blume & Nees:Fr.) Fr.**

(= *Stereum fasciatum*)

- Abies lasiocarpa*, UR
- Alnus rubra*, V (DAVFP)
- Arbutus menziesii*, V (DAVFP)
- Betula papyrifera*, V (DAVFP)
- Populus trichocarpa*, LC (Connors 1967)
- Pseudotsuga menziesii*, V (DAVFP)
- Quercus garryana*, V (DAVFP)
- Tsuga heterophylla*, V (DAVFP)

***Stereum purpureum* Pers.:Fr.** see

*Chondrostereum purpureum*

***Stereum radiatum* Peck** see *Boreostereum radiatum*

***Stereum rameale* (Schwein.) Burt** see

*Stereum hirsutum*

**Stereum rufum** (Fr.:Fr.) Fr. see  
*Peniophora rufa*

**Stereum rugisporum** (Ellis & Everh.) Burt  
see *Columnocystis abietina*

**Stereum rugosiusculum** Berk. & M.A.  
Curtis see *Chondrostereum purpureum*

**Stereum rugosum** Pers.:Fr.  
(=*Haematostereum rugosum*)  
*Alnus* sp., V (DAVFP)

**Stereum sanguinolentum** (Albertini &  
Schwein.:Fr.) Fr. (=*Haematostereum*  
*sanguinolentum*)

*Abies amabilis*, UR  
*Abies grandis*, V (DAVFP)  
*Abies lasiocarpa*, V (DAVFP)  
*Larix laricina*, UR  
*Larix occidentalis*, UR  
*Picea engelmannii*, UR  
*Picea glauca*, V (DAVFP)  
*Picea glauca* X *P. engelmannii*, V (DAVFP)  
*Picea sitchensis*, V (DAVFP)  
*Pinus contorta* var. *latifolia*, V (DAVFP)  
*Pinus monticola*, V (DAVFP)  
*Pinus ponderosa*, V (DAVFP)  
*Pseudotsuga menziesii*, V (DAVFP)  
*Thuja plicata*, V (DAVFP)  
*Tsuga heterophylla*, V (DAVFP)  
*Tsuga mertensiana*, UR

**Stereum sulcatum** Burt see *Laurilia*  
*sulcata*

**Stereum sp.**

*Cornus nuttallii*, V (DAVFP)  
*Holodiscus discolor*, V (DAVFP)  
*Lonicera ciliosa*, V (DAVFP)  
*Rosa* sp., V (DAVFP)

**Stictis polycocca** (P. Karst.) P. Karst.

Angiosperms, Herbaceous, other, LC (Sherwood  
1977 on ?legume)

**Stictis radiata** Pers.:Fr.

*Arbutus menziesii*, V (DAVFP)  
*Populus tremuloides*, V (DAVFP)  
*Populus trichocarpa*, V (DAVFP)  
*Salix* sp., V (DAVFP)

**Stictis sp.**

*Lonicera* sp., V (DAVFP)

**Stigmataea juniperi** (Desmaz.) G. Wint. in  
Rabenh. see *Seynesiella juniperi*

**Stigmataea robertiani** (Fr.:Fr.) Fr. see  
*Hormotheca robertiani*

**Stigmataea rubicola** (Ellis & Everh.) Theiss.  
see *Hormotheca rubicola*

**Stigmataea sequoiae** (Cooke & Harkn.)  
Sacc. see *Seynesiella sequoiae*

**Stigmatolemma poriaeforme** (Merat)  
Kalchbr. (=*Porothelium poriaeforme*)  
*Amelanchier alnifolia*, V (DAVFP)  
Unidentified wood, LC (Redhead 1973)

**Stigmina carpophila** (Lév.) M.B. Ellis  
(=*Coryneum carpophilum*)  
*Malus pumila*, LC (Connors 1967)  
*Prunus amygdalus*, LC (Shaw 1973)  
*Prunus armeniaca*, V (DAVFP)  
*Prunus avium*, V (DAVFP)  
*Prunus blireiana*, UR  
*Prunus cerasus*, LC (Toms 1964)  
*Prunus domestica*, LC (Toms 1964)  
*Prunus emarginata*, LC (Connors 1967)  
*Prunus laurocerasus*, LC (Ginns 1986a)  
*Prunus persica*, V (DAVFP)

**Stigmina glomerulosa** (Sacc.) S.J. Hughes  
*Juniperus communis*, V (DAVFP)

**Stigmina lautii** Sutton  
*Picea glauca*, V (DAVFP)

**Stigmina negundinis** (Berk. & M.A. Curtis)  
M.B. Ellis (=*Coryneum negundinis*)  
*Malus pumila*, LC (Connors 1967)  
*Malus sylvestris*, LC (Toms 1964)  
*Malus* sp., LC (Morgan-Jones 1971)

**Stigmina pallida** (Ellis & Everh.) M.B. Ellis  
(=*Coryneum rhoinum*, *Sciniatosporium*  
*pallidum*)

*Malus* sp., LC (Shaw 1973)  
*Rhus glabra*, LC (Connors 1967)

**Stigmina pedunculata** (Ellis & Everh.) M.B.  
Ellis (=*Coryneum pedunculatum*)  
*Sambucus cerulea*, LC (Shaw 1973)

**Stigmina thujina** (Dearn.) Sutton  
(=*Sciniatosporium thujinum*)  
*Thuja plicata*, V (DAVFP)

**Stigmina verrucosa** (Morgan-Jones) Sutton  
(=*Sciniatosporium verrucosum*)  
*Picea engelmannii*, V (DAVFP)  
*Picea glauca*, V (DAVFP) (TYPE)  
*Picea mariana*, V (DAVFP)

**Stigmina zilleri** Funk see *Mycosphaerella*  
*mycopappi* (teleomorph)

**Stigmina sp.**

*Populus trichocarpa* X *P. deltoides*, LC (Wood et  
al. 1987)  
*Tsuga heterophylla*, V (DAVFP)

**Stilbella albocitrina** (Ellis & Everh.) Seifert  
*Acer circinatum*, LC (Seifert 1985)  
*Acer macrophyllum*, LC (Seifert 1985)

**Stilbella byssiseda** (Pers.) Seifert  
 Slime mould (*Cribaria* sp.), LC (Seifert 1985)  
 Slime mould (?*Fuligo* sp.), V (DAVFP)

**Stilbella orbicularis** (Berk. & Broome) W. Gams  
 Unidentified wood, V (DAVFP)

**Stilbella sebacea** (Ellis & Everh.) Seifert  
*Stereum sanguinolentum*, LC (Seifert 1985)

**Stilbella stereicola** Seifert  
*Stereum hirsutum*, LC (Seifert 1985)  
*Stereum* sp., LC (Seifert 1985)

**Stilbospora** sp.  
*Pinus contorta* var. *latifolia*, V (DAVFP)

**Stilbum** sp.  
 ?*Steccherinum* sp. on *Alnus rubra*, V (DAVFP)

**Stomiopeltis borealis** Munk in F.H. Möller  
*Sorbus sitchensis* var. *grayi*, LC (Barr 1967 on  
*Pyrus occidentalis*)

**Stomiopeltis pinastri** (Fuckel) Arx  
*Picea sitchensis*, V (DAVFP)  
*Pinus monticola*, V (DAVFP)

**Stomiopeltis** sp.  
*Picea engelmannii*, V (DAVFP)  
*Pseudotsuga menziesii*, V (DAVFP)  
*Tsuga heterophylla*, V (DAVFP)

**Strasseria geniculata** (Berk. & Broome)  
 Höhn.  
*Pinus aristata*, V (DAVFP)

**Strickeria amelanchieris** Earle  
*Amelanchier alnifolia*, LC (Shaw 1973)  
*Amelanchier* sp., LC (Barr 1953)

**Strickeria incisa** (Ellis & Everh.) Barr  
*Artemisia* sp., LC (Barr 1990a)

**Strigopodia batistae** S.J. Hughes  
*Pseudotsuga menziesii*, LC (Hughes 1968 on  
*Pseudotsuga taxifolia* var. *taxifolia*) (TYPE)

**Strigopodia spongiosa** (Barr) Barr  
 (=*Capnodium spongiosum*)  
*Tsuga heterophylla*, LC (Baranyay 1966)

**Strobilurus conigenoides** (Ellis) Singer  
 (=*Collybia conigenoides*)  
*Pseudotsuga menziesii*, V (DAVFP)

**Strobilurus occidentalis** Wells & Kempton  
*Picea* sp., LC (Redhead 1989)

**Stromatocyphella conglobata** (Burt) W.B. Cooke  
*Alnus* sp., V (DAVFP)

**Stropharia aeruginosa** (Curt.:Fr.) Quél.  
 Soil and Duff, UR

**Stropharia albonitens** (Fr.) P. Karst.  
 Soil and Duff, LC (Davidson 1930)

**Stropharia ambigua** (Peck) Zeller  
 Soil and Duff, V (DAVFP)

**Stropharia aurantiaca** (Cooke) Orton  
 Wood chips, V (DAVFP)

**Stropharia hornemannii** Smith  
 Soil and Duff, V (DAVFP)

**Stropharia pseudocyanea** (Desm.:Fr.) Redhead  
 Soil and Duff, LC (Redhead 1984a on wet rotting vegetation)

**Stropharia rugosoannulata** Farl.  
 Soil and Duff, V (DAVFP)

**Stropharia stercoraria** (Bull.:Fr.) Quél.  
 Soil and Duff, LC (Davidson 1930 on manure heap)

**Strossmayeria atriseda** (Saut.) Iturriaga  
*Corylus avellana*, LC (Iturriaga and Korf 1990)

**Stuartella Suttonii** Funk & Shoemaker  
*Pseudotsuga menziesii*, V (DAVFP) (HOLOTYPE)

**Subulicystidium longisporum** (Pat.) Parmasto (=*Peniophora longispora*)  
*Picea mariana*, LC (Ginns 1986a)  
*Populus trichocarpa*, V (DAVFP)  
*Quercus garryana*, V (DAVFP)  
*Tsuga mertensiana*, V (DAOM 142002)

**Suillus albipes** (Peck) Singer  
 Soil and Duff, LC (Pantidou and Groves 1966)

**Suillus brevipes** (Peck) Kuntze  
 Soil and Duff, LC (Pantidou and Groves 1966)

**Suillus caerulescens** A.H. Smith & Thiers  
*Pseudotsuga menziesii*, V (DAVFP)  
 Soil and Duff, V (DAVFP)

**Suillus granulatus** (L.:Fr.) Kuntze  
 Soil and Duff, V (DAVFP)

**Suillus grevillei** (Klotzsch) Singer  
 Soil and Duff, V (DAVFP)

**Suillus lakei** (Murrill) A.H. Smith & Thiers  
*Betula papyrifera*, V (DAVFP)  
 Soil and Duff, V (DAVFP)

**Suillus placidus** (Bonorden) Singer  
 Soil and Duff, LC (Pantidou and Groves 1966)

***Suillus punctipes*** (Peck) Singer  
Soil and Duff, UR

***Suillus subaureus*** (Peck) Snell  
Soil and Duff, V (DAVFP)

***Suillus tomentosus*** (Kauffm.) Singer, Snell & Dick  
Soil and Duff, V (DAVFP)

***Suillus umbonatus*** Dick & Snell  
Soil and Duff, LC (Pantidou and Groves 1966)

***Suillus* sp.**  
Soil and Duff, V (DAVFP)

***Sydowia polyspora*** (Bref. & Tavel) E. Müller (=Dothichiza pithyophila;  
=Sclerophoma pithyophila - anamorph)  
*Abies amabilis*, V (DAVFP)  
*Abies grandis*, V (DAVFP)  
*Abies lasiocarpa*, V (DAVFP)  
*Abies* sp., UR - Specimen discarded  
*Cedrus* sp., V (DAVFP)  
*Juniperus chinensis* var. *pfitzeriana*, V (DAVFP)  
*Larix decidua*, V (DAVFP)  
*Larix occidentalis*, V (DAVFP)  
*Larix sibirica*, V (DAVFP)  
*Picea engelmannii*, V (DAVFP)  
*Picea glauca*, V (DAVFP)  
*Picea glauca* X *P. engelmannii*, V (DAVFP)  
*Picea sitchensis*, V (DAVFP)  
*Pinus albicaulis*, V (DAVFP)  
*Pinus banksiana*, V (DAVFP)  
*Pinus contorta* var. *contorta*, UR - Specimen discarded.  
*Pinus contorta* var. *latifolia*, V (DAVFP)  
*Pinus monticola*, V (DAVFP)  
*Pinus mugo*, V (DAVFP)  
*Pinus muricata*, V (DAVFP)  
*Pinus nigra*, V (DAVFP)  
*Pinus ponderosa*, V (DAVFP)  
*Pinus resinosa*, V (DAVFP)  
*Pinus sylvestris*, V (DAVFP)  
*Pseudotsuga menziesii*, V (DAVFP)  
*Thuja plicata*, V (DAVFP)  
*Thuja* sp., V (DAVFP)  
*Tsuga heterophylla*, V (DAVFP)

***Sydowia semenospora*** Funk & Finck  
*Abies amabilis*, V (DAVFP) (TYPE)  
*Pseudotsuga menziesii*, V (DAVFP)

***Sydowia versiformis*** Barr  
*Sorbus sitchensis*, LC (Barr 1972) (TYPE)

***Sydoiella depressula*** (P. Karst.) Barr  
 (=Gnomonia depressula)  
*Rubus parviflorus*, LC (Barr 1953)  
*Rubus* sp., LC (Barr 1978)

***Sydoiella fenestrans*** (Duby) Petr.  
 (=Didymosphaeria fenestrans)  
*Epilobium angustifolium*, LC (Barr 1978)

***Synchytrium athyrii*** Lagerh.  
*Cystopteris fragilis*, LC (Karling 1956)

***Synchytrium aureum*** J. Schröt.  
*Parnassia parviflora*, LC (Shaw 1973)

***Synchytrium myosotidis*** Kühn  
*Plagiobothrys hirtus*, LC (Karling 1956)

***Synchytrium perforatum*** Ellis  
*Valeriana sitchensis*, LC (Karling 1956)

***Synchytrium taraxaci*** de Bary & Woronin  
*Taraxacum officinale*, LC (Ginns 1986a)

***Synchytrium* sp.**  
*Collinsia parviflora*, LC (Karling 1956)  
*Delphinium menziesii*, LC (Karling 1956)  
*Gentiana sceptrum*, V (DAVFP)  
*Hydrophyllum capitatum*, LC (Karling 1956)  
*Lupinus rivularis*, LC (Karling 1956)  
*Mentha arvensis*, LC (Karling 1956)  
*Microsteris gracilis*, LC (Karling 1956 on *Phlox gracilis*)  
*Pedicularis racemosa*, LC (Karling 1956)  
*Primula mistassinica*, LC (Karling 1956)  
*Sanguisorba officinalis* subsp. *microcephala*, V (DAOM)  
*Sedum stenopetalum*, LC (Karling 1956 on *Sedum douglasii*)  
*Viola glabella*, V (DAVFP)

***Syzygospora subsolida*** Ginns  
*Marasmius pallidocephalus*, LC (Ginns 1986b)  
 (TYPE)



**Taeniola sp.***Pinus ponderosa*, V (DAVFP)**Taphrina alni** (Berk. & Broome) Gjaerum  
(= *Taphrina amentorum*)  
*Alnus rubra*, V (DAVFP)  
*Alnus tenuifolia*, LC (Shaw 1973 on *Alnus incana*)**Taphrina amentorum** (Sadebeck) Rostr.  
see *Taphrina alni***Taphrina americana** Mix  
*Betula papyrifera*, V (DAVFP)**Taphrina bacteriosperma** Johans.  
*Betula glandulosa*, V (DAVFP)**Taphrina boycei** Mix  
*Betula occidentalis*, LC (Connors 1967)  
*Betula papyrifera*, LC (Connors 1967)**Taphrina bullata** (Berk.) Tul.  
*Pyrus communis*, LC (Ginns 1986a)  
*Pyrus longipes*, LC (Ginns 1986a)  
*Sorbopyrus auricularis*, LC (Ginns 1986a)**Taphrina caerulescens** (Desmaz. & Mont.)  
Tul.  
*Quercus garryana*, V (DAVFP)**Taphrina carneae** Johans.  
*Betula glandulosa*, LC (Ginns 1986a)**Taphrina cerasi** (Fuckel) Sadebeck see  
*Taphrina wiesneri***Taphrina communis** (Sadebeck) Giesenh.  
*Prunus domestica*, LC (Toms 1964)**Taphrina confusa** (Atk.) Giesenh.  
*Prunus virginiana*, V (DAVFP)  
*Prunus virginiana* var. *demissa*, V (DAVFP)**Taphrina darkeri** Mix  
*Acer glabrum* var. *douglasii*, V (DAVFP)**Taphrina deformans** (Berk.) Tul.  
*Prunus persica*, V (DAVFP)  
*Prunus persica* var. *nectarina*, LC (Toms 1964)**Taphrina faulliana** Mix  
*Polystichum munitum*, V (DAVFP)**Taphrina flava** Farlow  
*Betula papyrifera*, V (DAVFP)**Taphrina flectans** Mix  
*Prunus emarginata*, V (DAVFP)**Taphrina japonica** Kusano  
*Alnus rubra*, V (DAVFP)**Taphrina nana** Johans.  
*Betula glandulosa*, V (DAVFP)*Betula papyrifera*, V (DAVFP)**Taphrina occidentalis** W.W. Ray  
*Alnus rubra*, V (DAVFP)  
*Alnus tenuifolia*, V (DAVFP)  
*Alnus* sp., V (DAVFP)**Taphrina populinæ** (Fr.:Fr.) Fr.*Populus* 'Berolenfusis', UR  
*Populus X canadensis* 'Grandis', V (DAVFP)  
*Populus X canadensis* 'Regenerata', V (DAVFP)  
*Populus X canadensis* 'Robusta Bachelieri', V (DAVFP)  
*Populus nigra* var. *italica*, V (DAVFP)  
*Populus tremuloides*, LC (Ginns 1986a)  
*Populus trichocarpa*, V (DAVFP)  
*Populus trichocarpa* X *P. deltoides*, V (DAVFP)  
*Populus* sp., V (DAVFP)**Taphrina populi-salicis** Mix*Populus trichocarpa*, V (DAVFP)  
*Salix* sp., LC (Shaw 1973)**Taphrina pruni** Tul.  
*Prunus domestica*, LC (Connors 1967)**Taphrina wiesneri** (Rathay) Mix  
(= *Taphrina cerasi*)  
*Prunus avium*, V (DAVFP)  
*Prunus cerasus*, LC (Toms 1964)  
*Prunus emarginata*, V (DAVFP)**Taphrina** sp.  
*Alnus sinuata*, V (DAVFP)  
*Alnus tenuifolia*, UR  
*Betula papyrifera*, UR - Specimen discarded  
*Betula pendula*, LC (Shaw 1973)  
*Betula* sp., V (DAVFP)  
*Populus tremuloides*, UR - Specimen discarded  
*Prunus domestica*, V (DAVFP)  
*Prunus* sp., LC (Wood et al. 1987)**Tapinella panuoides** (Batsch:Fr.) E.J.  
Gilbert (= *Paxillus panuoides*)  
*Abies grandis*, V (DAVFP)  
*Pseudotsuga menziesii*, V (DAVFP)  
*Thuja plicata*, V (DAVFP)  
*Tsuga heterophylla*, V (DAVFP)**Teichospora obducens** (Fr.) Wint. see  
*Cucurbitaria obducens***Teichospora** sp.  
*Populus tremuloides*, V (DAVFP)  
*Sorbus sitchensis*, V (DAVFP)**Thanatephorus cucumeris** (A.B. Frank)  
Donk (= *Pellicularia filamentosa*;  
= *Rhizoctonia solani* - anamorph)  
Angiosperms, Grasses, LC (MacDonald 1990)  
*Callistephus chinensis*, LC (Connors 1967)  
*Fagopyrum esculentum*, LC (Shaw 1973)  
*Galanthus elwesii*, LC (Connors 1967)  
*Hebe cupressoides*, LC (Toms 1964)  
*Humulus lupulus*, LC (Toms 1964)  
*Poa compressa*, LC (Ginns 1986a)

*Poa pratensis*, LC (Traquair and Smith 1981)  
*Pseudotsuga menziesii*, LC (Conners 1967)  
*Raphanus sativus*, LC (Ginns 1986a)  
*Rubus idaeus* var. *strigosus*, LC (Conners 1967)  
 Soil and Duff, LC (Toms 1964)  
*Solanum tuberosum*, LC (Jones 1957)  
*Triticum aestivum*, LC (Toms 1964)  
*Tulipa gesneriana*, LC (Toms 1964)  
*Tulipa* sp., LC (Jones 1957)

**Thecaphora apicis** Savile

*Carex pyrenaica*, LC (Savile 1953) (TYPE)

**Thecaphora traillii** Cooke

*Cirsium undulatum*, LC (Conners 1967)

**Thelebolus stercoreus** Tode

Dung, deer, LC (Kimbrough 1966)

**Thelebolus zukalii** Heimerl.

Dung, deer, LC (Kimbrough 1966)

**Thelephora caryophyllea** Fr.:Fr.

Soil and Duff, V (DAVFP)

**Thelephora regularis** Schw. var.

**multipartita** (Schw.) Corner

Soil and Duff, V (DAVFP)

**Thelephora regularis** Schw.

Wood, Unidentified Wood, V (DAVFP)

**Thelephora terrestris** Ehrh.:Fr.

*Acer macrophyllum*, LC (Shaw 1973)  
*Linnaea borealis* subsp. *longiflora*, V (DAVFP)  
*Picea glauca*, V (DAVFP)  
*Picea sitchensis*, V (DAVFP)  
*Pinus contorta* var. *latifolia*, V (DAVFP)  
*Pinus monticola*, V (DAVFP)  
*Pseudotsuga menziesii*, V (DAVFP)  
*Pteridium aquilinum*, V (DAVFP)  
 Soil and Duff, V (DAVFP)  
*Thuja plicata*, V (DAVFP)  
*Tsuga heterophylla*, V (DAVFP)  
*Vaccinium* sp., V (DAVFP)

**Therrya piceae** Funk

*Picea engelmannii*, V (DAVFP)  
*Picea glauca*, V (DAVFP) (TYPE)  
*Picea glauca* X *P. engelmannii*, LC (Funk 1982)

**Therrya pini** (Albertini & Schwein.) Höhn.

(= *Coccomyces pini*)

*Pinus monticola*, LC (Shaw 1973)

**Therrya pseudotsugae** Funk

*Pseudotsuga menziesii*, V (DAVFP) (TYPE)

**Therrya tsugae** Funk

*Tsuga heterophylla*, V (DAVFP) (TYPE)

**Thielaviopsis basicola** (Berk. & Broome)  
 Ferraris

*Daucus carota*, LC (Ginns 1986a)  
 Soil and Duff, LC (Punja et al. 1992 as *Chalara elegans*)

**Thujacorticium mirabile** Ginns

*Thuja plicata*, V (DAVFP) (ISOTYPE)

**Thyronectria balsamea** (Cooke & Peck)

Seeler (= *Scoleconectria balsamea*)

*Abies lasiocarpa*, V (DAVFP)

**Thysanophora penicilliooides** (Roum.)

Kendrick

*Abies amabilis*, V (DAVFP)

**Tiarosporella abietis** H.S. Whitney, J. Reid

& Pirozynski see *Darkera abietis*

(teleomorph)

**Tiarosporella pseudotsugae** H.S. Whitney,

J. Reid & Pirozynski

*Pseudotsuga menziesii*, V (DAVFP)

**Tiarosporella** sp.

*Thuja plicata*, V (DAVFP)

**Tilletia asperifolii** Ellis & Everh.

*Muhlenbergia asperifolia*, LC (Conners 1967)

**Tilletia caries** (DC.) Tul. & C. Tul.

*Triticum aestivum*, LC (Jones 1957)

**Tilletia controversa** Kühn in Rabenh.

*Triticum aestivum*, LC (Toms 1964; Parmelee 1974)

**Tilletiaria anomala** Bandoni & Johri

Unidentified wood, LC (Bandoni and Johri 1972) (HOLOTYPE)

**Tomentella atroviolacea** Litsch. see

*Tomentellastrum badium*

**Tomentella avellanea** (Burt) Bourd. &

Galzin

*Thuja plicata*, V (DAVFP)

**Tomentella bombycinia** (P. Karst.) Erikss.

see *Tomentellina fibrosa*

**Tomentella bryophila** (Pers.) M.J. Larsen

*Amelanchier* sp., LC (Larsen 1974)

**Tomentella calcicola** (Bourd. & Galzin)

M.J. Larsen

*Populus trichocarpa*, V (DAVFP)

**Tomentella chlorina** (Massee) G.H. Cunn.

(= *Caldesiella viridis*)

*Alnus rubra*, V (DAOM 142586)

**Tomentella cinerascens** (P. Karst.) Höhn.

& Litsch.

Angiosperms, Wood, V (DAVFP)

**Tomentella coerulea** (Bres.) Höhn. & Litsch. (=Tomentella papillata)  
*Alnus* sp., V (DAVFP)  
*Populus trichocarpa*, V (DAVFP)

**Tomentella coriaria** (Peck) Bourd. & Galzin  
 see *Tomentella ferruginea*

**Tomentella crinalis** (Fr.) M.J. Larsen  
 (=*Caldesiella ferruginosa*)  
 Angiosperms, Wood, V (DAVFP)

**Tomentella ferruginea** (Pers.:Fr.) Pat.  
 (=*Hypochnus fuscus*, =*Tomentella coriaria*)  
 Angiosperms, Wood, V (DAVFP)  
*Populus trichocarpa*, V (DAVFP)  
*Thuja plicata*, V (DAVFP)

**Tomentella fuliginea** (Burt) Bourd. & Galzin  
 see *Tomentella ramosissima*

**Tomentella jaapii** (Bres.) Bourd. & Galzin  
*Populus trichocarpa*, LC (Shaw 1973)

**Tomentella microspora** (P. Karst.) Höhn. & Litsch. see *Tomentella ochracea*

**Tomentella neobourdotii** M.J. Larsen  
 Unidentified wood, LC (Larsen 1974)

**Tomentella nigra** Höhn. & Litsch. see *Pseudotomentella nigra*

**Tomentella ochracea** (Sacc.) M.J. Larsen  
 (=*Tomentella microspora*)  
*Betula papyrifera*, UR  
*Pseudotsuga menziesii*, LC (Larsen 1970, 1974)  
*Thuja plicata*, LC (Larsen 1970)

**Tomentella papillata** Höhn. & Litsch. see *Tomentella coerulea*

**Tomentella ramosissima** (Berk. & M.A. Curtis) Wakef. (=*Tomentella fuliginea*)  
*Alnus* sp., LC (Larsen 1974; Ginns 1986a)  
*Thuja plicata*, V (DAVFP)

**Tomentella sublilacina** (Ellis & Holw.) Wakef.  
 Gymnosperms, Wood, V (DAVFP)  
*Pseudotsuga menziesii*, V (DAVFP)  
*Tsuga heterophylla*, V (DAVFP)

**Tomentella terrestris** (Berk. & Broome)  
 M.J. Larsen  
*Thuja* sp., LC (Larsen 1974)

**Tomentella sp.**  
*Amelanchier* sp., V (DAVFP)  
*Betula papyrifera*, V (DAVFP)  
*Pseudotsuga menziesii*, V (DAVFP)

**Tomentellastrum badium** (Link) M. Larsen  
 (=*Tomentella atroviolacea*, *Tomentellastrum floridanum*)  
*Populus trichocarpa*, V (DAVFP)

**Tomentellastrum floridanum** (Ellis & Everh.) M.J. Larsen see *Tomentellastrum badium*

**Tomentellina fibrosa** (Berk. & M.A. Curtis)  
 M.J. Larsen (=*Kneiffiella fibrosa*,  
*Hypochnus canadensis*)  
*Larix occidentalis*, LC (Shaw 1973)  
*Pseudotsuga menziesii*, V (DAVFP)  
*Salix* sp., LC (Shaw 1973)  
 Soil and Duff, LC (Larsen 1965)  
*Thuja plicata*, LC (Larsen 1965)

**Toxosporium camptospermum** (Peck)  
 Maubl.  
*Abies grandis*, LC (Shaw 1973)

**Trabutiella filicina** (Sacc. & Scalia) Theiss.  
 & Syd. see *Phyllachora filicina*

**Trametes americana** Overh. see  
*Gloeophyllum odoratum*

**Trametes carbonaria** (Berk. & M.A. Curtis)  
 Overh. see *Gloeophyllum carbonarium*

**Trametes cervina** (Schwein.) Bres.  
*Pseudotsuga menziesii*, V (DAVFP)

**Trametes heteromorpha** (Fr.:Fr.) Bres.  
 see *Antrodia heteromorpha*

**Trametes hirsuta** (Wulfen:Fr.) Quél.  
 (=*Polyporus hirsutus*)  
*Abies grandis*, V (DAVFP)  
*Acer circinatum*, V (DAVFP)  
*Acer glabrum* var. *douglasii*, V (DAVFP)  
*Acer macrophyllum*, V (DAVFP)  
*Alnus rubra*, V (DAVFP)  
*Alnus tenuifolia*, V (DAVFP)  
*Betula occidentalis*, LC (Shaw 1958)  
*Betula papyrifera*, V (DAVFP)  
*Malus* sp., LC (Shaw 1973)  
*Picea glauca*, V (DAVFP)  
*Populus tremuloides*, V (DAVFP)  
*Populus trichocarpa*, V (DAVFP)  
*Prunus armeniaca*, V (DAVFP)  
*Prunus domestica*, LC (Toms 1964)  
*Prunus persica*, LC (Shaw 1973)  
*Quercus garryana*, V (DAVFP)  
*Salix* sp., V (DAVFP)  
*Shepherdia canadensis*, LC (Shaw 1973)  
*Thuja plicata*, V (DAVFP)

**Trametes hispida** Bagl. see *Coriolopsis gallica*

**Trametes malicola** Berk. & M.A. Curtis see *Antrodia malicola*

**Trametes mollis** (Sommerf.:Fr.) Fr. see *Datronia mollis*

**Trametes ochracea** (Pers.) R.L. Gilbertson & Ryvarden (=*Polyporus zonatus*)  
*Betula papyrifera*, V (DAVFP)  
*Populus tremuloides*, V (DAVFP)  
*Salix* sp., V (DAVFP)

**Trametes odora** (Sommerf.:Fr.) Fr. see *Haploporus odoratus*

**Trametes odorata** (Wulfen:Fr.) Fr. see *Gloeophyllum odoratum*

**Trametes pubescens** (Schumach.:Fr.) Pilát (=*Polyporus pubescens*, *Polyporus velutinus*)  
*Alnus rubra*, LC (Connors 1967)  
*Alnus sinuata*, LC (Shaw 1973)  
*Alnus* sp., V (DAVFP)  
*Betula occidentalis*, LC (Connors 1967)  
*Betula papyrifera*, V (DAVFP)  
*Malus sylvestris*, LC (Shaw 1973)  
*Picea glauca*, UR  
*Populus tremuloides*, V (DAVFP)  
*Populus trichocarpa*, LC (Connors 1967)  
*Pseudotsuga menziesii*, UR  
*Salix* sp., LC (Shaw 1973)  
*Sorbus americana*, V (DAVFP)  
*Sorbus aucuparia*, LC (Connors 1967)

**Trametes sepium** Berk. see *Antrodia albida*

**Trametes serialis** (Fr.:Fr.) Fr. see *Antrodia serialis*

**Trametes suaveolens** (L.:Fr.) Fr.  
*Populus trichocarpa*, V (DAVFP)  
*Salix* sp., LC (Ginns 1986a)

**Trametes tenuis** (P. Karst.) Overh. see *Phellinus viticola*

**Trametes trogii** Berk. in Trog  
*Arbutus menziesii*, V (DAVFP)

**Trametes variiformis** (Peck) Peck see *Antrodia variiformis*

**Trametes versicolor** (L.:Fr.) Pilát (=*Polyporus versicolor*, *Polystictus versicolor*)  
*Abies amabilis*, UR  
*Abies grandis*, V (DAVFP)  
*Acer circinatum*, LC (Shaw 1973)  
*Acer macrophyllum*, V (DAVFP)  
*Aesculus hippocastanum*, V (DAVFP)  
*Alnus rubra*, V (DAVFP)

*Alnus tenuifolia*, LC (Shaw 1958)  
*Arbutus menziesii*, V (DAVFP)  
*Betula papyrifera*, V (DAVFP)  
*Cornus nuttallii*, LC (Nobles 1948)  
*Cytisus scoparius*, V (DAVFP)  
*Juglans* sp., V (DAVFP)  
*Malus pumila*, V (DAVFP)  
*Populus tremuloides*, V (DAVFP)  
*Populus trichocarpa*, V (DAVFP)  
*Prunus domestica*, LC (Connors 1967)  
*Prunus emarginata*, V (DAVFP)  
*Prunus* sp., LC (Nobles 1948)  
*Pseudotsuga menziesii*, V (DAVFP)  
*Quercus garryana*, V (DAVFP)  
*Rubus idaeus* var. *strigosus*, LC (Connors 1967)  
*Salix fluvialis*, LC (Shaw 1973)  
*Salix* sp., V (DAVFP)  
*Syringa vulgaris*, V (DAVFP)  
*Thuja plicata*, V (DAVFP)  
*Tsuga heterophylla*, V (DAVFP)

**Tranzschelia discolor** (Fuckel) Tranzschel & Litv. (=*Tranzschelia pruni-spinosae* var. *discolor*)

*Anemone coronaria* var. St. Brigid, V (DAVFP)  
*Prunus domestica*, V (DAVFP)

**Tranzschelia pruni-spinosae** (Pers.:Pers.) Dietel var. **discolor** (Fuckel) Dunegan see *Tranzschelia discolor*

**Tranzschelia pruni-spinosae** (Pers.:Pers.) Dietel  
*Ranunculus recurvatus*, LC (Arthur 1934)

**Trechispora brinkmannii** (Bres.) D.P. Rogers & H. Jacks. see *Sistotrema brinkmannii*

**Trechispora candidissima** (Schwein.) Bondartsev & Singer see *Trechispora mollusca*

**Trechispora farinacea** (Pers.:Fr.) Liberta (=*Cristella farinacea*)  
*Tsuga mertensiana*, V (DAOM 143366)

**Trechispora microspora** (P. Karst.) Liberta (=*Corticium subnullum*)  
*Populus* sp., LC (Shaw 1958)

**Trechispora mollusca** (Pers.:Fr.) Liberta (=*Poria candidissima*, *Poria mollusca*, *Trechispora candidissima*, *Trechispora onusta*)

*Abies amabilis*, V (DAVFP)  
*Abies lasiocarpa*, V (DAVFP)  
*Alnus rubra*, V (DAOM 143349)  
*Angiosperms*, Wood, V (DAOM 143347)  
*Picea sitchensis*, LC (Ginns 1986a)  
*Populus trichocarpa*, UR  
*Pseudotsuga menziesii*, V (DAVFP)  
*Thuja plicata*, V (DAVFP)  
*Tsuga heterophylla*, V (DAVFP)

Unidentified wood, V (DAVFP)

**Trechispora onusta** P. Karst. see  
*Trechispora mollusca*

**Trechispora petrophila** (Bourd. & Galzin)  
Liberta

Angiosperms, Wood, V (DAVFP)

**Trechispora raduloides** (P. Karst.) D.P.  
Rogers see *Sistotrema raduloides*

**Trechispora vaga** (Fr.:Fr.) Liberta see  
*Phlebiella vaga*

**Tremella aurantia** Schwein.  
*Alnus rubra*, V (DAVFP)

**Tremella encephala** Pers.

*Pinus contorta* var. *latifolia*, V (DAVFP)  
*Pseudotsuga menziesii*, V (DAVFP)  
*Tsuga heterophylla*, LC (Shaw 1973)

**Tremella fimbriata** Pers.:Fr. (=Tremella foliacea)

*Abies lasiocarpa*, V (DAVFP)  
*Acer macrophyllum*, LC (Shaw 1973)  
*Alnus sinuata*, LC (Shaw 1973)  
*Pseudotsuga menziesii*, LC (Connors 1967 as  
*Tremella encephala*)

**Tremella foliacea** Pers.:Fr. see *Tremella fimbriata*

**Tremella globospora** Reid

*Diaporthe* sp. on *Cornus nuttallii*, LC (Brough 1974)  
*Diaporthe* sp. on *Salix* sp., LC (Brough 1974)  
*Diaporthe* sp. on *Sambucus racemosa* var.  
*pubens*, LC (Brough 1974 on *Diaporthe* sp. on  
*Sambucus pubens*)  
*Pyrenomycte* on *Sambucus racemosa* var.  
*pubens*, LC (Brough 1974 on *Pyrenomycte* on  
*Sambucus pubens*)  
*Pyrenomycte* on *Vaccinium ovalifolium*, LC  
(Brough 1974)  
*Valsa abietis* on *Tsuga heterophylla*, LC (Brough 1974)  
*Valsa ceratophora* on *Rubus spectabilis*, LC  
(Brough 1974)  
*Valsa clavigera* on *Acer circinatum*, LC (Brough 1974)  
*Valsa* sp. on *Acer circinatum*, LC (Brough 1974)  
*Valsa* sp. on *Alnus rubra*, LC (Brough 1974)  
*Valsa* sp. on conifer, LC (Brough 1974)  
*Valsa* sp. on *Pseudotsuga menziesii*, LC (Brough 1974)  
*Valsa* sp. on *Rubus spectabilis*, LC (Brough 1974)  
*Valsa* sp. on *Rubus* sp., LC (Brough 1974)  
*Valsa* sp. on *Thuja plicata*, LC (Brough 1974)  
*Valsa* sp. on *Tsuga heterophylla*, LC (Brough 1974)

**Tremella lutescens** Pers.:Fr. see *Tremella mesenterica*

**Tremella mesenterella** Bandoni & Ginns

*Cornus nuttallii*, LC (Bandoni & Ginns 1998) –  
sometimes associated with *Peniophora* sp.  
*Salix* sp., LC (Bandoni & Ginns 1998) (TYPE) –  
associated with *Peniophora* sp.

**Tremella mesenterica** Retz.:Fr. (=Tremella lutescens)

*Acer macrophyllum*, LC (Shaw 1973)  
*Alnus rubra*, V (DAVFP)  
*Alnus sinuata*, V (DAVFP)  
*Alnus* sp., LC (Bandoni & Ginns 1998)  
*Cytisus scoparius*, LC (Bandoni & Ginns 1998)  
*Picea glauca*, V (DAVFP)  
*Pinus contorta*, LC (Bandoni & Ginns 1998)  
*Pinus contorta* var. *latifolia*, V (DAVFP)  
*Populus tremuloides*, V (DAVFP)  
*Populus trichocarpa*, V (DAVFP)  
*Rubus spectabilis*, LC (Bandoni & Ginns 1998)  
*Salix* sp., LC (Wong et al. 1985; Bandoni & Ginns 1998, associated with *Peniophora* sp., *Tremella mesenterella*, and a corticiaceous fungus)  
*Syringa vulgaris*, LC (Wong et al. 1985; Bandoni & Ginns 1998, with *Peniophora* sp.)

**Tremella polyporina** Reid

*Tyromyces lacteus*, LC (Koske 1972)

**Tremella subanomala** Coker

*Salix* sp., LC (Shaw 1973)

**Tremella translucens** Gordon see  
*Sirotrema translucens*

**Tremella uliginosa** P. Karst.

*Acer macrophyllum*, LC (Koske 1972)

**Tremella** sp.

*Abies grandis*, V (DAVFP)  
*Alnus tenuifolia*, UR  
*Coccomyces heterophyliae* on *Tsuga heterophylla*, V (DAVFP)  
*Corylus cornuta* var. *californica*, V (DAVFP)  
*Cytospora* sp. on *Arbutus menziesii*, V (DAVFP)  
*Diaporthe lokoyae* on *Pseudotsuga menziesii*, V (DAVFP)  
*Micropera* sp. on *Pseudotsuga menziesii*, V (DAVFP)  
*Pinus contorta* var. *latifolia*, UR  
*Thryya piceae* on *Picea glauca*, V (DAVFP)  
*Valsa* sp. on *Pseudotsuga menziesii*, V (DAVFP)

**Tremelodon gelatinosum** (Scop.:Fr.) Fr.  
see *Pseudohydnum gelatinosum*

**Trichaptum abietinum** (Dickson:Fr.)

Ryvarden (=Hirschioporus abietinus,  
*Polyporus abietinus*)

*Abies amabilis*, V (DAVFP)  
*Abies grandis*, V (DAVFP)  
*Abies lasiocarpa*, V (DAVFP)  
*Arbutus menziesii*, V (DAVFP)  
*Larix occidentalis*, V (DAVFP)  
*Picea glauca*, V (DAVFP)  
*Picea mariana*, V (DAVFP)  
*Picea sitchensis*, V (DAVFP)

*Picea* sp., UR - Specimen discarded.  
*Pinus albicaulis*, UR  
*Pinus contorta* var. *latifolia*, V (DAVFP)  
*Pinus monticola*, V (DAVFP)  
*Pinus ponderosa*, V (DAVFP)  
*Pinus sylvestris*, V (DAVFP)  
*Prunus emarginata*, V (DAVFP)  
*Pseudotsuga menziesii*, V (DAVFP)  
*Thuja plicata*, V (DAVFP)  
*Tsuga heterophylla*, V (DAVFP)

**Trichaptum biforme** (Fr.) Ryvarden  
(=*Hirschioporus targamenus*, *Polyporus biformis*)  
*Acer glabrum* var. *douglasii*, LC (Shaw 1973 as  
*Polyporus targamenus* on *Acer glabrum*)  
Angiosperms, Wood, LC (Lowe and Gilbertson  
1961)  
*Betula papyrifera*, V (DAVFP)  
*Populus tremuloides*, V (DAVFP)  
*Populus trichocarpa*, V (DAVFP)

**Trichaptum fuscoviolaceum** (Ehrenb.:Fr.)  
Ryvarden (=*Hirschioporus fuscoviolaceus*)  
*Abies amabilis*, V (DAVFP)  
*Pseudotsuga menziesii*, V (DAOM 141009)

**Trichaptum laricinum** (P. Karst.) Ryvarden  
(=*Hirschioporus laricinus*, *Lenzites laricinus*)  
*Abies lasiocarpa*, V (DAVFP)  
*Picea engelmannii*, V (DAVFP)  
*Pinus ponderosa*, LC (Shaw 1973)

**Trichaptum subchartaceum** (Murrill)  
Ryvarden (=*Polyporus subchartaceus*)  
*Betula* sp., V (DAVFP)  
*Populus tremuloides*, V (DAVFP)  
*Populus trichocarpa*, V (DAVFP)

**Tricharina praecox** (Karst.) Dennis var.  
**intermedia** Egger, Yang & Korf  
*Pinus contorta*, LC (Egger and Paden 1986a)

**Trichocladium asperum** (Corda) C. Harz  
*Vicia faba*, LC (Conners 1967)

**Trichocladium canadense** Hughes  
*Tsuga heterophylla*, LC (Conners 1967)

**Trichocladium** sp.  
*Pseudotsuga menziesii*, LC (Bloomberg 1966)

**Trichoderma atroviride** Karsten  
*Pseudotsuga menziesii*, LC (Bissett 1992)

**Trichoderma citrinoviride** Bissett  
*Pinus* sp., LC (Bissett 1984)  
Unidentified wood, LC (Bissett 1984)

**Trichoderma hamatum** (Bon.) Bain.  
*Populus trichocarpa*, LC (Bissett 1991)  
*Sclerotium cepivorum*, LC (Bissett 1991)  
Soil and Duff, LC (Bissett 1991)

**Trichoderma harzianum** Rifai  
Jelly fungus, LC (Bissett 1991)  
*Pseudotsuga menziesii*, LC (Bissett 1991)  
Soil and Duff, LC (Bissett 1991)

**Trichoderma longipilis** Bissett  
*Populus* sp., LC (Bissett 1991)

**Trichoderma oblongisporum** Bissett  
*Pseudotsuga menziesii*, LC (Bissett 1991)  
*Thuja plicata*, LC (Bissett 1991) (TYPE)

**Trichoderma polysporum** (Link:Fr.) Rifai  
Dung, moose, LC (Bissett 1991)  
Gymnosperms, Wood, LC (Bissett 1991)  
*Pseudotsuga menziesii*, LC (Bissett 1991)  
Soil and Duff, LC (Bissett 1991)  
*Thuja plicata*, LC (Bissett 1991)

**Trichoderma viride** Pers.:Fr.  
*Pseudotsuga menziesii*, LC (Ginns 1986a)

**Trichoderma** sp.  
*Alnus rubra*, LC (Sieber, Sieber-Canavesi, and  
Dorworth 1991)  
*Malus* sp., LC (Utkhede and Li 1988)  
*Picea engelmannii*, LC (Mitchell 1986)  
*Populus tremuloides*, LC (Shaw 1973)  
*Populus trichocarpa*, LC (Ginns 1986a)  
*Pseudotsuga menziesii*, UR - Specimen  
discarded  
Soil and Duff, LC (Utkhede and Li 1988)  
*Vaccinium parvifolium*, UR

**Trichoglossum hirsutum** (Pers.) Boud.  
Soil and Duff, V (DAVFP)

**Tricholoma aurantium** (Fr.) Ricker  
Soil and Duff, V (DAVFP)

**Tricholoma apium** Schaeffer  
Soil and Duff, V (DAVFP, DAOM, UBC)

**Tricholoma flavobrunneum** (Fr.) P. Kumm.  
Soil and Duff, V (DAVFP)

**Tricholoma laterarium** (Peck) Sacc. see  
*Leucopaxillus laterarius*

**Tricholoma nudum** (Bull.:Fr.) P. Kumm.  
see *Lepista nuda*

**Tricholoma panaeolum** (Fr.) Quél. var.  
**caespitosum** Bres. see *Lepista caespitosa*

**Tricholoma pardinum** Quél.  
Soil and Duff, V (DAVFP)

**Tricholoma personatum** (Fr.) P. Kumm.  
see *Lepista personata*

**Tricholoma pessundatum** (Fr.) Quél.  
Soil and Duff, V (DAVFP)

***Tricholoma platyphyllum*** (Murrill) Murrill  
Soil and Duff, V (DAVFP)

***Tricholoma populinum*** J. Lange  
Soil and Duff, V (DAVFP)

***Tricholoma sordidum*** (Fr.) P. Kumm. see  
*Lepista sordida*

***Tricholoma sulphurescens*** Bresadola  
Soil and Duff, V (DAVFP)

***Tricholoma terreum*** (Schaeff.:Fr.) P.  
Kumm.  
Soil and Duff, UR

***Tricholoma vaccinum*** (Pers.:Fr.) Kummer  
Soil and Duff, V (DAVFP)

***Tricholoma zelleri*** (Stuntz & Smith) Ovrebo  
& Tylutki  
Soil and Duff, V (DAVFP)

***Tricholomopsis rutilans*** (Schaeff.:Fr.)  
Singer  
Unidentified wood, V (DAVFP)

***Trichometasphaeria genistae*** (Fuckel) L.  
Holm  
*Cytisus scoparius*, LC (Barr 1992b)

***Trichophaea abundans*** (Karst.) Boud.  
Soil and Duff, LC (Egger and Paden 1986b)

***Trichophaea hemisphaeroides*** (Mont.)  
Graddon  
*Pinus contorta*, LC (Egger and Paden 1986a)  
Soil and Duff, LC (Egger and Paden 1986b)

***Trichosphaeria breviseta*** Dearn.  
*Betula papyrifera*, LC (Conners 1967)  
Gymnosperms, Wood, LC (Dearnness 1916)

***Trichothecium roseum*** (Pers.:Fr.) Link  
*Malus pumila*, LC (Conners 1967)  
*Pseudotsuga menziesii*, V (DAVFP)  
*Vicia faba*, LC (Conners 1967)

***Trichothecium sp.***  
*Abies lasiocarpa*, LC (Shaw 1973)  
*Salix babylonica*, LC (Shaw 1973)  
*Tsuga heterophylla*, LC (Shaw 1973)

***Tripterospora brevicaudata*** Cain  
*Raphanus sativus*, LC (Conners 1967)

***Trochila ilicina*** (Nees:Fr.) Greenhalgh &  
Morgan-Jones (= *Trochila ilicis*)  
*Ilex aquifolium*, V (DAVFP)

***Trochila ilicis*** (Chev.) H. Crouan see  
*Trochila ilicina*

***Trogia alni*** Peck see *Plicatura nivea*

***Trogia crispata*** (Pers.:Fr.) Fr. see  
*Plicaturopsis crispata*

***Truncatella angustata*** (Pers.) S.J. Hughes  
(= *Pestalotia truncata*, *Truncatella truncata*)  
*Pinus contorta* var. *latifolia*, V (DAVFP)  
*Thuja plicata*, V (DAVFP)  
*Tsuga heterophylla*, V (DAVFP) - Dried culture  
only.

***Truncatella truncata*** (Lév.) Steyaert see  
*Truncatella angustata*

***Truncatella sp.***  
*Larix occidentalis*, V (DAVFP)  
*Pseudotsuga menziesii*, UR

***Truncocolumella citrina*** Zeller  
Soil and Duff, V (DAVFP)

***Truncocolumella citrina*** Zeller var. *citrina*  
Soil and Duff, V (DAVFP)

***Truncocolumella rubra*** Zeller  
Soil and Duff, V (DAVFP)  
*Tsuga heterophylla*, V (DAVFP)

***Tryblidiopsis pinastri*** (Pers.:Fr.) P. Karst.  
*Picea engelmannii*, V (DAVFP)  
*Picea glauca*, V (DAVFP)  
*Picea glauca X P. engelmannii*, LC (Funk 1982)  
*Picea mariana*, V (DAVFP)  
*Picea sitchensis*, V (DAVFP)

***Tryblidiopsis sp.***  
*Pseudotsuga menziesii*, V (DAVFP)

***Tryblidiopycnis sp.***  
*Abies amabilis*, V (DAVFP)  
*Picea glauca*, UR  
*Pinus contorta* var. *latifolia*, V (DAVFP)

***Tubercularia ulmea*** J.C. Carter  
*Ulmus pumila*, LC (Conners 1967)  
*Ulmus* sp., V (DAVFP)

***Tubercularia vulgaris*** Tode:Fr  
*Acer macrophyllum*, V (DAVFP)  
*Alnus rubra*, V (DAVFP)  
*Amelanchier alnifolia*, V (DAVFP)  
*Betula papyrifera*, UR  
*Corylus* sp., V (DAVFP)  
*Juglans* sp., V (DAVFP)  
*Rhamnus purshiana*, V (DAVFP)  
*Salix* sp., V (DAVFP)  
*Sorbus* sp., V (DAVFP)

***Tubercularia sp.***  
*Acer macrophyllum*, V (DAVFP)  
*Aesculus hippocastanum*, V (DAVFP)  
Angiosperms, Wood, V (DAVFP)  
*Apiosporina morbosa* on *Prunus virginiana*, V  
(DAVFP)  
*Cornus nuttallii*, UR

*Picea* sp., V (DAVFP)  
*Thuja plicata*, V (DAVFP)  
*Tsuga heterophylla*, V (DAVFP)  
*Ulmus* sp., V (DAVFP)

***Tuberculariella ambrosiae*** Funk see  
*Raffaelea canadensis*

***Tuberculina maxima*** Rostr.

*Cronartium coleosporioides* on *Pinus contorta*, V (DAVFP)  
*Cronartium comandrae* on *Pinus contorta*, V (DAVFP)  
*Cronartium comptoniae* on *Pinus contorta*, V (DAVFP)  
*Cronartium ribicola* on *Pinus albicaulis*, V (DAVFP)  
*Cronartium ribicola* on *Pinus monticola*, V (DAVFP)  
*Gymnosporangium bethelii* on *Crataegus douglasii*, V (DAVFP)  
*Gymnosporangium nidus-avis* on *Amelanchier alnifolia*, V (DAVFP)  
*Hyalopsora aspidiotus* on *Abies amabilis*, V (DAVFP)  
*Melampsora abieti-capraearum* on *Abies lasiocarpa*, V (DAVFP)  
*Melampsora medusae* on *Pseudotsuga menziesii*, V (DAVFP)  
*Melampsora occidentalis* on *Pseudotsuga menziesii*, V (DAVFP)  
*Peridermium pseudo-balsameum* on *Abies grandis*, V (DAVFP)  
*Pucciniastrum epilobii* on *Abies lasiocarpa*, V (DAVFP)  
*Pucciniastrum goeppertianum* on *Abies amabilis*, V (DAVFP)  
*Pucciniastrum goeppertianum* on *Abies lasiocarpa*, V (DAVFP)  
*Uredinopsis pteridis* on *Abies grandis*, V (DAVFP)  
*Uredinopsis pteridis* on *Abies lasiocarpa*, V (DAVFP)

***Tubulicum vermicula*** (Bourd.) Oberwinkler  
(=*Peniophora vermicula*, *Xenasma vermicula*)

*Oemleria cerasiformis*, LC (Weresub 1953)  
*Vaccinium* sp., LC (Weresub 1953)

***Tubulicrinis accedens*** (Bourd. & Galzin)  
Donk (=*Peniophora accedens*)  
Gymnosperms, Wood, LC (Weresub 1953)

***Tubulicrinis angustus*** (D.P. Rogers & Weresub) Donk (=*Peniophora angusta*)  
Gymnosperms, Wood, LC (Weresub 1953)

***Tubulicrinis borealis*** Erikss.

*Pseudotsuga menziesii*, V (DAOM 142461)  
*Tsuga heterophylla*, V (DAOM 142016)

***Tubulicrinis calothrix*** (Pat.) Donk  
(=*Peniophora calothrix*)  
*Abies amabilis*, V (DAOM 142017)  
*Pseudotsuga menziesii*, V (DAOM 142018)  
*Thuja plicata*, V (DAOM 142020)

***Tubulicrinis chaetophorus*** (Höhn.) Donk  
(=*Peniophora chaetophora*)  
Gymnosperms, Wood, LC (Weresub 1953)  
*Pseudotsuga menziesii*, V (DAOM 142021)  
*Thuja plicata*, V (DAVFP)

***Tubulicrinis glebulosus*** (Bres.) Donk  
(=*Peniophora gracillima*, *Tubulicrinis gracillimus*)  
*Chamaecyparis* sp., LC (Hallenberg 1991)  
*Picea glauca*, V (DAVFP)  
*Pinus contorta* var. *latifolia*, V (DAOM 139163)  
*Pinus ponderosa*, V (DAVFP)  
*Pseudotsuga menziesii*, V (DAVFP)  
*Salix* sp., LC (Conners 1967)  
*Thuja plicata*, V (DAVFP)  
*Tsuga heterophylla*, V (DAVFP)

***Tubulicrinis gracillimus*** (Ellis & Everh. ex D.P. Rogers & H. Jacks.) G.H. Cunn. see  
*Tubulicrinis glebulosus*

***Tubulicrinis hirtellus*** (Bourd. & Galzin)  
Erikss.  
*Thuja plicata*, V (DAOM 142465)

***Tubulicrinis juniperinus*** (Bourd. & Galzin)  
Donk (=*Peniophora juniperina*)  
Gymnosperms, Wood, LC (Weresub 1953)

***Tubulicrinis regificus*** (H. Jacks. & Dearden) Donk  
*Chamaecyparis nootkatensis*, V (DAOM 142023)  
*Tsuga mertensiana*, V (DAOM 142022)

***Tubulicrinis strangulatus*** Larss. & Hjortst.  
*Pseudotsuga* sp., LC (Hallenberg 1991)

***Tubulicrinis subulatus*** (Bourd. & Galzin)  
Donk (=*Peniophora subulata*)  
*Abies* sp., LC (Hallenberg 1986)  
Gymnosperms, Wood, LC (Slysh 1960)  
*Pseudotsuga menziesii*, V (DAOM 142024)

***Tuburcinia clintoniae*** Kom.  
*Streptopus roseus* var. *curvipes*, LC (Savile 1961)

***Tuburcinia trientalis*** Berk. & Broome see  
*Urocystis trientalis*

***Tulasnella allantospora*** Wakef. & A. Pearson  
*Prunus emarginata*, LC (Shaw 1973)

***Tulasnella calospora*** (Boud.) Juel  
(=*Gloeotulasnella calospora*)  
*Populus trichocarpa*, LC (Shaw 1973)

***Tulasnella fuscoviolacea*** Bres.  
*Tsuga mertensiana*, LC (Shaw 1973)

***Tulasnella pinicola*** Bres.(=*Gloeotulasnella pinicola*)

Angiosperms, Wood, V (UBC F5310)

***Tulasnella pruinosa*** Board. & Galzin*Alnus rubra*, LC (Shaw 1973)***Tulasnella violea*** (Quél.) Board. & Galzin*Holodiscus discolor*, V (DAVFP)*Salix* sp., V (DAVFP)***Tulostoma* sp.**

Soil and Duff, V (DAVFP)

***Tylostoma campestre*** Morg.

Soil and Duff, V (DAVFP)

***Tylostoma tuberculatum*** V. White

Soil and Duff, LC (Long 1946) (TYPE)

***Tympanis abietina*** Groves see *Tympanis laricina****Tympanis alnea*** (Pers.:Fr.) Fr. var.***hysterioides*** Rehm see *Tympanis hysterioides****Tympanis alnea*** (Pers.:Fr.) Fr.*Alnus rubra*, V (DAVFP)*Populus tremuloides*, V (DAVFP)***Tympanis confusa*** Nyl.*Pseudotsuga menziesii*, UR***Tympanis conspersa*** Fr.*Populus tremuloides*, UR***Tympanis hypopodia*** Nyl.*Pinus monticola*, V (DAVFP)***Tympanis hysterioides*** Rehm (= *Tympanis alnea* var. *hysterioides*)*Alnus sinuata*, V (DAVFP)***Tympanis laricina*** (Fuckel) Sacc.(=*Tympanis abietina*)*Abies lasiocarpa*, V (DAVFP)*Larix decidua*, V (DAVFP)*Larix occidentalis*, V (DAVFP)*Picea glauca*, V (DAVFP)*Pinus albicaulis*, V (DAVFP)*Pinus contorta* var. *latifolia*, V (DAVFP)*Pinus monticola*, V (DAVFP)*Pseudotsuga menziesii*, V (DAVFP)***Tympanis pithya*** (P. Karst.) P. Karst. see *Tympanis truncatula****Tympanis pseudotsugae*** Groves see *Claussenomyces pseudotsugae****Tympanis spermatiospora*** (Nyl.) Nyl.*Populus tremuloides*, V (DAVFP)*Populus trichocarpa*, LC (Shaw 1973)***Tympanis truncatula*** (Pers.:Fr.) Rehm(=*Tympanis pithya*)*Abies lasiocarpa*, V (DAVFP)*Pinus monticola*, LC (Shaw 1973)***Tympanis* sp.***Picea glauca*, V (DAVFP)*Pinus monticola*, V (DAVFP)*Populus trichocarpa*, V (DAVFP)*Prunus virginiana* var. *demissa*, V (DAVFP)*Pseudotsuga menziesii*, V (DAVFP)***Typhula abietina*** (Fuckel) Corner*Tsuga heterophylla*, V (DAVFP)***Typhula erythropus*** Fr.*Acer macrophyllum*, LC (Ginns 1986a)***Typhula incarnata*** Fr.

Angiosperms, Grasses, LC (Årvoll and Smith 1978)

***Typhula mycophaga*** Berthier et Redhead*Lycoperdon pyriforme*, LC (Berthier and Redhead 1982) (TYPE)***Typhula setipes*** (Grev.) Berthier(=*Pistillaria setipes*)*Populus nigra* var. *italica*, V (DAVFP)***Typhula thaxteri*** (Burt) Berthier

Unidentified wood, LC (Redhead 1985)

***Typhula uncialis*** (Grev.) Berthier(=*Pistillaria typhuloides*)*Epilobium angustifolium*, V (DAVFP)***Typhula* sp.***Poa pratensis*, LC (MacDonald et al. 1991)*Populus trichocarpa*, V (DAVFP)*Triticum aestivum*, LC (Toms 1964)*Tulipa gesneriana*, LC (Toms 1964)***Tyromyces balsameus*** (Peck) Murrill see *Postia balsamea****Tyromyces caesius*** (Schrad.:Fr.) Murrillsee *Postia caesia****Tyromyces chioneus*** (Fr.:Fr.) P. Karst.(=*Polyporus albellus*)*Abies lasiocarpa*, LC (Connors 1967)*Alnus rhombifolia*, LC (Shaw 1973)*Alnus rubra*, V (DAVFP)*Alnus tenuifolia*, UR*Alnus* sp., V (DAVFP)

Angiosperms, Wood, UR

*Betula occidentalis*, LC (Connors 1967)*Betula papyrifera*, V (DAVFP)*Betula* sp., V (DAVFP)*Prunus emarginata*, V (DAVFP)*Pseudotsuga menziesii*, V (DAOM 142112)

**Tyromyces fragilis** (Fr.:Fr.) Donk see  
*Postia fragilis*

**Tyromyces galactinus** (Berk.) J. Lowe  
(=*Polyporus galactinus*)  
*Populus trichocarpa*, V (DAVFP)

**Tyromyces guttulatus** (Peck) Murrill see  
*Postia guttulata*

**Tyromyces mollis** (Pers.:Fr.) Kotlaba &  
Pouzar see *Leptoporus mollis*

**Tyromyces perdelicatus** Murrill see *Postia*  
*perdelicata*

**Tyromyces subcartilagineus** Overh. see  
*Parmastomyces transmutans*

**Tyromyces tephroleucus** (Fr.:Fr.) Donk  
see *Postia tephroleuca*

**Tyromyces undosus** (Peck) Murrill see  
*Postia undosa*

**Tyromyces sp.**  
*Pseudotsuga menziesii*, V (DAVFP)

***Ulocladium consortiale*** (Thuem.) E. Simmons (=*Stemphylium consortiale*)  
*Pinus monticola*, LC (Hughes 1969)  
*Pseudotsuga menziesii*, LC (Hughes 1969)  
*Raphanus sativus*, LC (Shaw 1973)  
*Satureja hortensis*, LC (Conners 1967 as *Alternaria consortialis*)  
*Solanum tuberosum*, LC (Jones 1957)  
*Vicia faba*, LC (Shaw 1973)  
*Zea mays*, LC (Conners 1967 as *Alternaria consortialis*)

***Uncinula adunca*** (Wallr.:Fr.) Lév.  
 (=*Uncinula salicis*)  
*Myrica gale*, V (DAVFP)  
*Populus tremuloides*, V (DAVFP)  
*Populus trichocarpa*, V (DAVFP)  
*Salix scouleriana*, V (DAVFP)  
*Salix* sp., LC (Barr 1953)

***Uncinula bicornis*** (Wallr.:Fr.) Lév.  
*Acer macrophyllum*, V (DAVFP)

***Uncinula circinata*** Cooke & Peck  
*Acer* sp., LC (Conners 1967)

***Uncinula necator*** (Schwein.) Burrill  
*Parthenocissus quinquefolia*, LC (Shaw 1973)  
*Parthenocissus* sp., LC (Barr 1953)  
*Vitis labrusca*, LC (Conners 1967)  
*Vitis vinifera*, LC (Ginns 1986a)  
*Vitis* sp., LC (Barr 1953)

***Uncinula salicis*** (DC.) G. Wint. in Rabenh.  
 see *Uncinula adunca*

***Uraecium holwayi*** (Arth.) Arth. see *Pucciniastrum vaccinii*

***Uredinopsis aspera*** Faull see *Uredinopsis hashiokai*

***Uredinopsis hashiokai*** Hiratsuka  
 (=*Uredinopsis aspera*)  
*Abies grandis*, V (DAVFP)  
*Abies lasiocarpa*, V (DAVFP)  
*Pteridium aquilinum*, V (DAVFP)  
*Pteridium aquilinum* var. *pubescens*, V (DAVFP)

***Uredinopsis longimucronata*** Faull  
 (=*Uredinopsis longimucronata* f. *cyclosora*)  
*Abies amabilis*, V (DAVFP)  
*Abies grandis*, V (DAVFP)  
*Abies lasiocarpa*, V (DAVFP)  
*Athyrium filix-femina*, V (DAVFP)

***Uredinopsis longimucronata*** f. *cyclosora* Faull see *Uredinopsis longimucronata*

***Uredinopsis macrosperma*** Magnus see *Uredinopsis pteridis*

***Uredinopsis phegopteridis*** Arth.  
*Abies lasiocarpa*, V (DAVFP)  
*Gymnocarpium dryopteris*, V (DAVFP)

***Uredinopsis pteridis*** Dietel & Holw. in Dietel (=*Uredinopsis macrosperma*)  
*Abies amabilis*, V (DAVFP)  
*Abies grandis*, V (DAVFP)  
*Abies lasiocarpa*, V (DAVFP)  
*Abies* sp., UR - Specimen discarded  
*Pteridium aquilinum*, V (DAVFP)  
*Pteridium aquilinum* var. *pubescens*, V (DAVFP)

***Uredinopsis struthiopteridis*** Störmer ex Dietel  
*Abies lasiocarpa*, V (DAVFP)  
*Matteuccia struthiopteris*, V (DAVFP)

***Uredo alaskana*** (Mains) Cummins see *Uredo beringiana*

***Uredo beringiana*** (Tranzschel) Parmelee  
 (=*Uredo alaskana*)  
*Gentiana glauca*, LC (Parmelee 1985)

***Uredo goodyerae*** Tranzschel  
*Goodyera oblongifolia*, V (DAVFP)  
*Goodyera repens*, LC (Shaw 1973)

***Uredo* sp.**  
*Populus alba*, V (DAVFP)  
*Populus x canadensis* 'Serotina' X *Populus x canadensis* 'Marilandica', V (DAVFP)  
*Populus nigra* X *P. trichocarpa*, V (DAVFP)  
*Populus tacamahaca* 'clone candicans berolinensis', V (DAVFP)  
*Populus tremuloides*, V (DAVFP)

***Urocystis agropyri*** (G. Preuss) J. Schröt.  
*Hordeum brachyantherum*, LC (Jones 1957)

***Urocystis anemones*** (Pers.:Pers.) G. Wint.  
 in Rabenh.  
*Ranunculus cooleyae*, LC (Conners 1967)  
*Ranunculus eschscholtzii*, LC (Conners 1967)

***Urocystis colchici*** (Schlechtend.) Rabenh.  
*Camassia quamash*, V (DAVFP)  
*Colchicum autumnale*, LC (Savile 1961)

***Urocystis eranthidis*** (Pass.) Ains. & Samps.  
*Eranthis hyemalis*, LC (Ginns 1986a)

***Urocystis heucherae*** Garrett  
*Saxifraga tolmiei*, LC (Conners 1967)

***Urocystis sorosporioides*** Körn. ex A. Fisch. v. Waldh.  
*Aconitum delphiniiifolium*, LC (Shaw 1973)

***Urocystis trientalis*** (Berk. & Broome) Lindeberg (=*Tuburcinia trientalis*)  
*Trientalis latifolia*, V (DAVFP)

***Urocystis trillii*** Jacks.  
*Trillium ovatum*, V (DAVFP)

***Uromyces abbreviatus*** Arth.

***Uromyces aemulus*** Arth.  
*Allium acuminatum*, LC (Savile 1961)

***Uromyces amoenus*** Syd. & P. Syd.  
*Anaphalis margaritacea*, V (DAVFP)  
*Anaphalis margaritacea* var. *subalpina*, LC  
 (Conners 1967)

***Uromyces armeriae*** Lev. subsp. *pacificus*

Savile & Conners  
*Armeria maritima*, V (DAVFP)

***Uromyces coloradensis*** Ellis & Everh.  
 (= *Uromyces coloradensis* var. *maritimus*)  
*Vicia americana* subsp. *oregana*, V (DAVFP)

***Uromyces coloradensis*** Ellis & Everh. var.  
*maritimus* Arth. see *Uromyces*  
*coloradensis*

***Uromyces dactylidis*** G. Otth  
*Dactylis glomerata*, V (DAVFP)

***Uromyces euphorbiae*** Cooke & Peck in  
 Peck  
*Euphorbia glyptosperma*, V (DAVFP)  
*Euphorbia serpyllifolia*, LC (Conners 1967)

***Uromyces fabae*** (Grev.) Fuckel  
 (= *Uromyces viciae-fabae*)  
*Lathyrus nevadensis* subsp. *lanceolatus*, V  
 (DAVFP)  
*Lathyrus palustris*, V (DAVFP)  
*Vicia americana*, LC (Shaw 1973)  
*Vicia sativa* var. *angustifolia*, V (DAVFP)

***Uromyces fragilipes*** Tranzschel  
 (= *Uromyces jacksonii*, *Uromyces mysticus*)  
*Deschampsia elongata*, V (DAVFP)  
*Hordeum brachyantherum*, LC (Jones 1957)

***Uromyces geranii*** (DC.) Lév.  
*Geranium erianthum*, V (DAVFP)

***Uromyces hedysari-obscuri*** (DC.) Lev.  
*Hedysarum alpinum*, V (DAVFP)  
*Hedysarum mackenzii*, LC (Parmelee 1983)  
*Hedysarum sulphurescens*, V (DAVFP)

***Uromyces heterodermus*** Syd.  
*Erythronium grandiflorum*, LC (Savile 1961)  
*Erythronium oregonum*, V (DAVFP)  
*Erythronium revolutum*, LC (Savile 1961)

***Uromyces holwayi*** Lagerh.  
*Lilium columbianum*, V (DAVFP)

***Uromyces inaequialitus*** Lasch ex Rabenh.  
*Silene douglasii* var. *douglasii*, LC (Ginns 1986a)  
*Silene parryi*, LC (Savile 1976a)

***Uromyces intricatus*** Cooke  
*Eriogonum heracleoides*, V (DAVFP)

***Uromyces intricatus*** Cooke var. *major*  
 Savile  
*Eriogonum heracleoides*, LC (Ginns 1986a)

***Uromyces intricatus*** Cooke var. *nivei*  
 Savile  
*Eriogonum niveum*, LC (Ginns 1986a)

***Uromyces intricatus*** Cooke var. *umbellati*  
 Savile  
*Eriogonum heracleoides*, LC (Savile 1966)  
*Eriogonum umbellatum*, LC (Savile 1966)

***Uromyces jacksonii*** Arth. & Fromme see  
*Uromyces fragilipes*

***Uromyces junci-effusi*** P. Syd. & Syd.  
*Juncus ensifolius*, V (DAVFP)  
*Juncus xiphioides*, LC (Conners 1967)

***Uromyces lapponicus*** Lagerh.  
*Astragalus aboriginum*, V (DAVFP)

***Uromyces limonii*** (DC.) Lév. in Orbigny  
*Limonium latifolium*, LC (Conners 1967)

***Uromyces lineolatus*** (Desmaz.) J. Schröt.  
 subsp. *nearcticus* Savile  
*Scirpus maritimus* var. *paludosus*, LC (Ginns  
 1986a)

***Uromyces lupini*** Berk. & M.A. Curtis  
*Lupinus rivularis*, V (DAVFP)

***Uromyces macounianus*** Ellis & Everh.  
*Euphorbia serpyllifolia*, LC (Monoson and Prose  
 1983) (TYPE)

***Uromyces minor*** J. Schröt. in Cohn  
*Trifolium dubium*, V (DAVFP)  
*Trifolium macrocephalum*, LC (Shaw 1973)  
*Trifolium microcephalum*, V (DAVFP)  
*Trifolium microdon*, LC (Conners 1967)  
*Trifolium oliganthum*, LC (Conners 1967)  
*Trifolium tridentatum*, LC (Shaw 1973)

***Uromyces miurae*** P. Syd. & Syd.  
*Fritillaria camschatcensis*, LC (Savile 1961)  
*Fritillaria lanceolata*, V (DAVFP)

***Uromyces muscari*** (Duby) Lév.  
*Scilla hispanica*, V (DAVFP)  
*Scilla nonscripta*, V (DAVFP)

***Uromyces muscari*** (Duby) Lév. f. sp.  
*scillae* (Lehoczky) Savile  
*Scilla hispanica*, LC (Conners 1967)

***Uromyces mysticus*** Arth. see *Uromyces fragilipes*

***Uromyces nerviphilus*** (Grognot) Hotson  
*Trifolium repens*, V (DAVFP)

***Uromyces occidentalis*** Dietel  
*Lupinus* sp., LC (Shaw 1973)

***Uromyces peckianus*** Farl.  
*Salicornia virginica*, LC (Connors 1967 on  
*Salicornia pacifica*)

***Uromyces peckianus*** Farl. subsp.  
***rugulosus*** Savile  
*Distichlis spicata*, LC (Savile 1976a) (TYPE)

***Uromyces polygoni-avicularis***  
(Pers.:Pers.) P. Karst.  
*Polygonum amphibium*, LC (Shaw 1973)  
*Polygonum arenastrum*, LC (Savile 1987)  
*Polygonum aviculare*, LC (Toms 1964; Savile  
1987)  
*Polygonum coccineum*, LC (Shaw 1973)  
*Polygonum fowleri*, V (DAVFP)  
*Polygonum spargulariaeforme*, V (DAVFP)

***Uromyces probus*** Arth.  
*Sisyrinchium douglasii*, V (DAVFP)

***Uromyces punctatus*** J. Schröt.  
*Astragalus lentiginosus*, LC (Savile and Parmelee  
1974)  
*Astragalus lotiflorus*, LC (Savile and Parmelee  
1974)  
*Astragalus purshii* var. *purshii*, LC (Savile and  
Parmelee 1974)  
*Astragalus* sp., LC (Parmelee 1984)  
*Oxytropis campestris* var. *gracilis*, LC (Savile and  
Parmelee 1974)  
*Oxytropis sericea* var. *spicata*, LC (Savile and  
Parmelee 1974)

***Uromyces solidaginis*** (Sommerf.) Niessl  
see *Uromyces sommerfeltii*

***Uromyces sommerfeltii*** Hyl., Jorst. &  
Nannf. (= *Uromyces solidaginis*)  
*Solidago canadensis*, LC (Shaw 1973)  
*Solidago lepida*, V (DAVFP)

***Uromyces trifolii*** (R. Hedw.) Fuckel  
*Trifolium hybridum*, LC (Jones 1957)  
*Trifolium incarnatum*, LC (Jones 1957)  
*Trifolium pratense*, V (DAVFP)  
*Trifolium repens*, LC (Jones 1957)  
*Trifolium subterraneum*, LC (Jones 1957)

***Uromyces unitus*** Peck subsp. ***unitus***  
*Lewisia rediviva*, V (DAVFP)

***Uromyces viciae-fabae*** (Pers.:Pers.) J.  
Schröt. see *Uromyces fabae*

***Uromyces zygadeni*** Peck

*Zygadenus venenosus*, LC (Savile 1961)

***Ustilago avenae*** (Pers.) Rostr.

*Arrhenatherum elatius*, LC (Toms 1964)  
*Avena fatua*, V (DAVFP)

***Ustilago bistortarum*** (DC.) Körn.

*Polygonum viviparum*, LC (Connors 1967)

***Ustilago bullata*** Berk. in Hook.

*Agropyron trachycaulum*, LC (Toms 1964)  
*Bromus glabratus*, LC (Savile 1957 on *Bromus*  
*tectorum* var. *glabratus*)  
*Bromus inermis*, LC (Connors 1967)  
*Bromus mollis*, LC (Ginns 1986a)  
*Bromus sitchensis*, LC (Ginns 1986a)  
*Bromus sterilis*, LC (Ginns 1986a)  
*Bromus tectorum*, LC (Ginns 1986a)  
*Hordeum jubatum*, LC (Connors 1967)

***Ustilago clintoniana*** Cif. (= *Ustilago*

*violacea* var. *major*)  
*Silene douglasii* var. *douglasii*, LC (Savile 1957)

***Ustilago heufleri*** Fuckel

*Erythronium grandiflorum*, LC (Shaw 1973)  
*Erythronium oregonum*, LC (Savile 1961)

***Ustilago hypodytes*** (Schlechtend.) Fr.

(= *Ustilago spegazzinii* var. *agrestis*)

*Agropyron repens*, V (DAVFP)  
*Agropyron trachycaulum*, LC (Fischer and  
Hirschhorn 1945)

***Ustilago longissima*** (Sowerby) Meyen

*Glyceria grandis*, LC (Connors 1967)

***Ustilago maydis*** (DC.) Corda see *Ustilago*  
*zeae*

***Ustilago neglecta*** Niessl see *Sporisorium*  
*neglectum*

***Ustilago nelsoniana*** Savile

*Claytonia cordifolia*, LC (Shaw 1958)

***Ustilago nuda*** (C.N. Jensen) Rostr. see  
*Ustilago tritici*

***Ustilago pinguiculae*** Rostr.

*Pinguicula villosa*, LC (Savile 1981)  
*Pinguicula vulgaris* subsp. *macroceras*, LC  
(Savile 1981)

***Ustilago reticulata*** Liro

*Polygonum* sp., LC (Punja and Ormrod 1979)

***Ustilago sorghi*** Pass. in Thuem. see  
*Sporisorium sorghi*

***Ustilago spegazzinii*** Hirschhorn var.

***agrestis*** G. Fisch. & Hirschhorn see

*Ustilago hypodytes*

***Ustilago striiformis*** (Westend.) Niessl

*Agropyron trachycaulum*, LC (Toms 1964)

*Agrostis alba*, LC (Toms 1964 on *Agrostis gigantea*)

*Agrostis tenuis*, LC (Ginns 1986a)

*Dactylis glomerata*, LC (Ginns 1986a as *Ustilago salvei*)

*Holcus lanatus*, LC (Ginns 1986a as *Ustilago salvei*)

*Phleum pratense*, LC (Ginns 1986a as *Ustilago salvei*)

***Ustilago tritici*** (Pers.) Rostr. (=*Ustilago nuda*)

*Triticum aestivum*, LC (Jones 1957)

***Ustilago vinosa*** Tul. & C. Tul.

*Oxyria digyna*, LC (Connors 1967)

***Ustilago violacea*** (Pers.:Pers.) Roussel

var. ***major*** G.P. Clinton see *Ustilago clintoniana*

***Ustilago violacea*** (Pers.:Pers.) Roussel

var. ***stellariae*** (Sowerby) Savile

*Arenaria lateriflora*, LC (Savile 1957 as *Ustilago violacea* inter var. *stellariae* and var. *violacea*)

***Ustilago violacea*** (Pers.:Pers.) Roussel

var. ***violacea***

*Silene acaulis* var. *exscapa*, LC (Savile 1957)

*Silene acaulis* var. *subacaulescens*, LC (Savile 1957)

***Ustilago vuijckii*** Oudem. & M. Beijerinck

*Luzula piperi*, LC (Ginns 1986a)

***Ustilago zaeae*** (Beckm.) Unger (=*Ustilago maydis*)

*Zea mays*, LC (Ginns 1986a)

***Ustulina deusta*** (Hoffm.:Fr.) Lind

(=*Hypoxyylon deustum*, *Hypoxyylon*

*ustulatum*, *Ustulina vulgaris*)

*Acer macrophyllum*, V (DAVFP)

*Alnus* sp., LC (Barr 1953)

***Ustulina vulgaris*** Tul. & C. Tul. see

*Ustulina deusta*

**Valdensia heterodoxa** Peyronel

*Acer macrophyllum*, LC (Ginns 1986a)  
*Dryopteris austriaca*, LC (Ginns 1986a)  
*Malus fusca*, LC (Ginns 1986a)  
*Menziesia ferruginea*, LC (Ginns 1986a)  
*Polystichum munitum*, LC (Ginns 1986a)  
*Pteridium aquilinum*, LC (Ginns 1986a)  
*Rubus parviflorus*, LC (Ginns 1986a)  
*Rubus ursinus*, LC (Ginns 1986a)  
*Vaccinium ovalifolium*, LC (Ginns 1986a)

**Valdensinia heterodoxa** Peyronel

*Gaultheria shallon*, V (DAVFP)  
*Vaccinium parvifolium*, V (DAVFP)

**Valsa abietis** Fr.

*Abies grandis*, LC (Conners 1967)  
*Abies lasiocarpa*, V (DAVFP)  
*Abies sp.*, V (DAVFP)  
*Larix occidentalis*, V (DAVFP)  
*Picea glauca*, V (DAVFP)  
*Pinus contorta* var. *latifolia*, UR  
*Pseudotsuga menziesii*, V (DAVFP)  
*Thuja plicata*, V (DAVFP)  
*Tsuga heterophylla*, V (DAVFP)

**Valsa alni** Peck see *Valsa melanodiscus***Valsa ambiens** (Pers.:Fr.) Fr.

*Cotoneaster simonsii*, LC (Shaw 1973)  
*Malus domestica*, LC (Barr 1953 on *Pyrus malus*)  
*Malus sylvestris*, LC (Shaw 1973)

**Valsa ceratophora** Tul. & C. Tul. see *Valsa ceratosperma***Valsa ceratosperma** (Tode:Fr.) Maire  
(=*Valsa ceratophora*, *Valsa clavigera*)

*Acer circinatum*, LC (Ginns 1986a)  
*Betula sp.*, LC (Barr 1953)  
*Rubus spectabilis*, LC (Ginns 1986a)

**Valsa clavigera** Dearn. & Barth. see *Valsa ceratosperma***Valsa friesii** (Duby) Fuckel

*Pseudotsuga menziesii*, LC (Shaw 1973)

**Valsa leucostoma** (Pers.:Fr.) Fr. see  
*Leucostoma persoonii***Valsa melanodiscus** G. Otth (= *Valsa alni*)  
*Alnus sinuata*, V (DAVFP)**Valsa nivea** (Hoffm.:Fr.) Fr. see  
*Leucostoma nivea***Valsa oxystoma** Rehm  
*Alnus sp.*, LC (Shaw 1973)**Valsa pini** (Albertini & Schwein.) Fr.  
*Pinus monticola*, V (DAVFP)  
*Pinus ponderosa*, LC (Shaw 1958)  
*Pseudotsuga menziesii*, LC (Barr 1953 on  
*Pseudotsuga taxifolia*)**Valsa sordida** Nitschke (= *Cytospora chrysosperma*, *Cytospora pulcherrima* - anamorph)

*Acer glabrum* var. *douglasii*, LC (Conners 1967;  
Spielman 1985 on *Acer glabrum*)  
*Alnus tenuifolia*, LC (Spielman 1985)  
*Amelanchier alnifolia*, LC (Spielman 1985 on  
*Amelanchier florida*)  
*Betula occidentalis*, LC (Spielman 1985 on *Betula fontinalis*)  
*Betula papyrifera*, LC (Shaw 1973)  
*Cornus occidentalis*, LC (Spielman 1985)  
*Cornus stolonifera*, LC (Conners 1967)  
*Crataegus brevispina*, LC (Spielman 1985)  
*Crataegus douglasii*, LC (Conners 1967)  
*Philadelphus lewisii*, LC (Spielman 1985 on  
*Philadelphus gordonianus*)  
*Populus balsamifera*, V (DAVFP)  
*Populus nigra* var. *italica*, LC (Conners 1967)  
*Populus tremuloides*, V (DAVFP)  
*Populus trichocarpa*, V (DAVFP)  
*Populus trichocarpa* X *P. deltoides*, V (DAVFP)  
*Populus sp.*, V (DAVFP)  
*Rosa nutkana*, LC (Conners 1967)  
*Salix babylonica*, V (DAVFP)  
*Salix lasiandra*, V (DAVFP)  
*Salix sp.*, LC (Spielman 1985)  
*Sambucus cerulea*, LC (Conners 1967; Spielman  
1985 on *Sambucus glauca*)

**Valsa sp.**

*Abies grandis*, V (DAVFP)  
*Abies lasiocarpa*, V (DAVFP)  
*Alnus rubra*, V (DAVFP)  
*Alnus rugosa*, V (DAVFP)  
*Amelanchier alnifolia*, V (DAVFP)  
*Arbutus menziesii*, V (DAVFP)  
*Betula sp.*, V (DAVFP)  
*Cornus stolonifera*, V (DAVFP)  
*Larix occidentalis*, V (DAVFP)  
*Nothofagus sp.*, V (DAVFP)  
*Picea glauca*, V (DAVFP)  
*Populus nigra* var. *italica*, V (DAVFP)  
*Populus tremuloides*, V (DAVFP)  
*Populus trichocarpa*, V (DAVFP)  
*Populus trichocarpa* X *P. deltoides*, V (DAVFP)  
*Populus sp.*, V (DAVFP)  
*Prunus cerasus*, LC (Shaw 1973)  
*Pyrus communis*, LC (Shaw 1973)  
*Salix scouleriana*, V (DAVFP)  
*Salix sp.*, V (DAVFP)

**Valsaria moroides** (Cooke & Peck) Sacc.  
see *Endoxylina moroides***Valsella sp.**

*Betula papyrifera*, V (DAVFP)

**Vanterpoolia tsugae** Funk  
*Tsuga heterophylla*, V (DAVFP) (TYPE)**Vararia granulosa** (Fr.) Laurila

*Abies amabilis*, V (DAVFP)  
*Abies grandis*, LC (Ginns 1986a)  
*Abies lasiocarpa*, UR  
*Larix occidentalis*, LC (Ginns 1986a)  
*Picea engelmannii*, V (DAVFP)

*Picea glauca*, V (DAVFP)  
*Pinus monticola*, LC (Ginns 1986a)  
*Pinus ponderosa*, V (DAVFP)  
*Pseudotsuga menziesii*, V (DAVFP)  
*Tsuga heterophylla*, V (DAVFP)

**Vararia jacksonii** E. Menzies  
*Abies lasiocarpa*, V (DAVFP) (TYPE)  
*Gymnosperms*, Wood, V (DAVFP)  
*Picea glauca*, V (DAVFP)

**Vararia pallescens** (Schwein.) D.P. Rogers & H. Jacks. see *Dichostereum pallescens*

**Vararia phyllophila** (Massee) D.P. Rogers & H. Jacks.  
*Abies lasiocarpa*, LC (Shaw 1973)

**Vararia racemosa** (Burt) D.P. Rogers & H. Jacks.  
*Abies grandis*, LC (Ginns 1986a)  
*Abies lasiocarpa*, V (DAVFP)  
*Larix occidentalis*, LC (Ginns 1986a)  
*Pseudotsuga menziesii*, LC (Shaw 1973)  
*Thuja plicata*, V (DAVFP)

**Varicosporium elodeae** Kegel  
*Camellia japonica*, LC (Ginns 1986a)

**Velutarina rufo-olivacea** (Albertini & Schwein.) Korf  
*Thuja plicata*, V (DAVFP)

**Veluticeps fimbriata** (Ellis & Everh.) Nakasone  
*Picea sitchensis*, V (DAVFP)

**Venturia adusta** (Fuckel) E. Müller  
*Epilobium latifolium*, LC (Ginns 1986a)

**Venturia atriseda** Rehm  
*Gentiana calycosa*, LC (Barr 1953)

**Venturia borealis** Funk (=Pollaccia borealis)  
*Populus tremuloides*, V (DAVFP) (HOLOTYPE) -  
 Dried culture only.

**Venturia canadensis** Barr  
*Rumex acetosella*, LC (Ginns 1986a)

**Venturia cassandrae** Peck see *Gibbera cassandrae*

**Venturia chlorospora** (Ces.) P. Karst.  
*Salix* sp., LC (Barr 1953)

**Venturia circinans** (Fr.:Fr.) Sacc. see *Coleroa circinans*

**Venturia compacta** Peck see *Pyrenobotrys compacta*

**Venturia dickiei** (Berk. & Broome) Ces. & De Not. see *Metacoleroa dickiei*

**Venturia inaequalis** (Cooke) G. Wint.  
 (=Coniosporium mali - anamorph)  
*Malus domestica*, LC (Barr 1953 on *Pyrus malus*)  
*Malus fusca*, LC (Jones 1957)  
*Malus pumila*, LC (Jones 1957)  
*Malus sylvestris*, LC (Toms 1964)  
*Malus* sp., V (DAVFP)  
*Pyracantha coccinea*, LC (Shaw 1973)  
*Pyrus communis*, V (DAVFP)

**Venturia maculaeformis** (Desmaz.) G. Wint.  
*Epilobium* sp., LC (Ginns 1986a)

**Venturia macularis** (Fr.:Fr.) E. Müller & Arx  
 (=Mycosphaerella orbicularis,  
*Phaeosphaerella maculosa*, *Venturia tremulae*; =Pollaccia americana, Pollaccia radiosa - anamorph)  
*Populus tremuloides*, V (DAVFP)

**Venturia cf. macularis** (Fr.:Fr.) E. Müller & Arx  
*Populus tremuloides*, V (DAVFP)

**Venturia minuta** Barr  
*Salix* sp., LC (Ginns 1986a)

**Venturia myrtilli** Cooke see *Gibbera myrtilli*

**Venturia oxyriæ** (Rostr.) Sacc.  
*Oxyria digyna*, LC (Barr 1953 as *Coleroa oxyriæ*)

**Venturia pirina** Aderhold  
*Pyrus communis*, V (DAVFP)  
*Pyrus* sp., V (DAVFP)

**Venturia populina** (Vuill.) L. Fabricius in Hollrung (=Pollaccia elegans - anamorph)  
*Populus balsamifera*, V (DAVFP)  
*Populus nigra* var. *italica*, V (DAVFP)  
*Populus trichocarpa*, V (DAVFP)  
*Populus trichocarpa* X *P. deltoides*, V (DAVFP)  
*Populus* sp., V (DAVFP)

**Venturia rumicis** (Desmaz.) G. Wint.  
 (=Mycosphaerella stromatoidea)  
*Rumex acetosella*, LC (Barr 1953)  
*Rumex obtusifolius*, LC (Ginns 1986a)

**Venturia saliciperda** J. Nüesch  
 (=Fusicladium saliciperdum, Pollaccia saliciperda - anamorph)  
*Salix alba* var. *vitellina*, V (DAVFP)  
*Salix babylonica*, V (DAVFP)  
*Salix* 'June des Ardennes', V (DAVFP)  
*Salix* X *fruticosa*, V (DAVFP)

**Venturia tremulae** Aderhold see *Venturia macularis*

**Verpa bohemica** (Krombh.) Schroet.  
Soil and Duff, V (DAVFP)

**Verpa conica** (O.F. Muell.) Sw.  
Soil and Duff, V (DAVFP)

**Verticiladiella abietina** (Peck) S.J.  
Hughes see *Leptographium abietinum*

**Verticiladiella brachiata** Kendrick  
*Pinus contorta* var. *latifolia*, UR  
*Pseudotsuga menziesii*, LC (Kendrick 1962)  
(TYPE)

**Verticiladiella procera** Kendrick see  
*Leptographium procerum*

**Verticiladiella wageneri** Kendrick see  
*Leptographium wageneri*

**Verticiladiella sp.**

*Picea engelmannii*, V (DAVFP)  
*Pinus contorta* var. *latifolia*, V (DAVFP)  
*Pinus ponderosa*, V (DAVFP)

**Verticillium albo-atrum** Reinke & Berthier  
*Antirrhinum* sp., LC (Aube and Sackston 1965)  
*Aralia* sp., LC (Toms 1964; Conners 1967)  
*Cucurbita maxima*, LC (Conners 1967)  
*Cucurbita pepo*, LC (Shaw 1973)  
*Digitalis lanata*, LC (Shaw 1973)  
*Fatsia japonica*, LC (Ginns 1986a)  
*Fragaria vesca*, LC (Shaw 1973)  
*Fuchsia* sp., LC (Toms 1964)  
*Malva neglecta*, LC (Shaw 1973)  
*Potentilla gracilis*, LC (Shaw 1973)  
*Rubus idaeus*, LC (Shaw 1973)  
*Solanum tuberosum*, LC (Jones 1957)

**Verticillium dahliae** Kleb. (= *Verticillium ovatum*)  
*Acer glabrum* var. *douglasii*, LC (Woolliams 1966)  
*Acer macrophyllum*, LC (Woolliams 1966)  
*Acer* sp., UR  
*Amaranthus graecizans*, LC (Toms 1964;  
Woolliams 1966)  
*Amaranthus retroflexus*, LC (Toms 1964)  
*Amaranthus* sp., LC (Aube and Sackston 1965)  
*Callistephus chinensis*, LC (Toms 1964;  
Woolliams 1966)  
*Capella bursa-pastoris*, LC (Toms 1964; Aube  
and Sackston 1965; Woolliams 1966)  
*Catalpa speciosa*, LC (Woolliams 1966)  
*Chenopodium album*, LC (Toms 1964; Aube and  
Sackston 1965; Woolliams 1966)  
*Cucurbita maxima*, LC (Toms 1964; Woolliams  
1966)  
*Echinocystis lobata*, LC (Toms 1964; Woolliams  
1966)  
*Elaeagnus angustifolia*, LC (Woolliams 1966)  
*Equisetum arvense*, LC (Woolliams 1966)  
*Fragaria* sp., LC (Aube and Sackston 1965)  
*Geranium* sp., LC (Aube and Sackston 1965)

*Helianthus annuus*, LC (Toms 1964)  
*Humulus lupulus*, LC (Toms 1964; Aube and  
Sackston 1965; Woolliams 1966)  
*Lactuca serriola*, LC (Toms 1964; Aube and  
Sackston 1965; Woolliams 1966 on *Lactuca*  
*scariola*)  
*Lamium amplexicaule*, LC (Toms 1964;  
Woolliams 1966)  
*Lepidium perfoliatum*, LC (Toms 1964; Woolliams  
1966)  
*Lotus corniculatus*, UR  
*Malva rotundifolia*, LC (Toms 1964; Woolliams  
1966)  
*Phlox paniculata*, LC (Woolliams 1966)  
*Plantago major*, LC (Toms 1964; Woolliams 1966)  
*Potentilla gracilis* subsp. *nuttallii*, LC (Woolliams  
1966 on *Potentilla nuttallii*)  
*Potentilla gracilis* var. *glabrata*, LC (Ginns 1986a)  
*Prunus armeniaca*, LC (Woolliams 1966; Ginns  
1986a)  
*Prunus avium*, LC (Woolliams 1966; Ginns  
1986a)  
*Prunus cerasus*, LC (Toms 1964; Woolliams  
1966)  
*Prunus persica*, LC (Toms 1964; Woolliams 1966;  
Ginns 1986a)  
*Prunus* sp., LC (Aube and Sackston 1965)  
*Rubus idaeus*, LC (Shaw 1973)  
*Rubus* sp., LC (Jones 1957)  
*Salsola kali* var. *tenuifolia*, LC (Toms 1964;  
Woolliams 1966)  
*Senecio vulgaris*, LC (Toms 1964; Woolliams  
1966)  
*Sisymbrium altissimum*, LC (Toms 1964; Aube  
and Sackston 1965; Woolliams 1966)  
*Solanum melongena*, LC (Toms 1964)  
*Solanum melongena* var. *esculentum*, LC  
(Conners 1967)  
*Solanum nigrum*, LC (Toms 1964; Woolliams  
1966)  
*Solanum sarrachoides*, LC (Toms 1964;  
Woolliams 1966)  
*Solanum tuberosum*, LC (Toms 1964)  
*Solanum* sp., LC (Aube and Sackston 1965)  
*Taraxacum* sp., LC (Toms 1964; Woolliams 1966)  
*Thlaspi arvense*, LC (Aube and Sackston 1965;  
Woolliams 1966)  
*Tragopogon pratensis*, LC (Toms 1964;  
Woolliams 1966)  
*Trifolium repens*, LC (Woolliams 1966)  
*Ulmus* sp., UR  
*Vitis labrusca*, LC (Toms 1964; Woolliams 1966)

**Verticillium ovatum** G.H. Berkeley & A.B.  
Jackson see *Verticillium dahliae*

**Verticillium** sp.

*Acer palmatum* var. *atropurpureum*, LC (Toms  
1964)  
*Digitalis lanata*, LC (Toms 1964)  
*Fragaria* sp., LC (Shaw 1973)  
*Rubus idaeus* var. *strigosus*, LC (Conners 1967)  
*Rubus parviflorus*, LC (Wall and Shamoun 1990)  
*Tsuga heterophylla*, UR  
*Vaccinium corymbosum*, LC (Conners 1967)

**Vesiculomyces citrinus** (Pers.) Hagström  
(=*Gloeocystidiellum citrinum*)  
*Abies lasiocarpa*, V (DAVFP)

*Fungi - V*

*Picea engelmannii*, UR  
*Pseudotsuga menziesii*, V (DAVFP)  
*Thuja plicata*, V (DAVFP)  
*Tsuga mertensiana*, V (DAOM 142182)

**Vestigium felicis** Pirozynski & Shoemaker  
*Thuja plicata*, LC (Ginns 1986a)

**Vialaea insculpta** (Fr.:Fr.) Sacc. (=*Boydia insculpta*)  
*Ilex aquifolium*, LC (Toms 1964)

**Vibrissea truncorum** Albertini &  
Schwein.:Fr.  
Unidentified wood, V (DAVFP)

**Virgella robusta** (Tub.) Darker  
(=*Hypoderma robustum*)  
*Abies amabilis*, V (DAVFP)

**Volutella ciliata** Fr.  
*Juniperus* sp., V (DAVFP) - Dried culture only.

**Volvariella speciosa** (Fr.) Sing. var.  
**speciosa**  
Soil and Duff, LC (Shaffer 1957)

**Volvariella volvacea** (Fr.) Singer  
Compost, V (DAVFP)

**Volvariella** sp.  
Soil and Duff, V (DAVFP)

**Wallrothiella arceuthobii** (Peck) Sacc. see  
*Caliciopsis arceuthobii*

**Warcupia terrestris** Paden & Cameron  
Soil and Duff, V (DAVFP) (TYPE) - Dried culture  
only.

**Wentiomyces fimbriatus** (Dearn. & House)  
Barr see *Lasiostemma fimbriatum*

**Wettsteinina andromedae** (Auersw.) Barr  
see *Extrawettsteinina andromedae*

**Wettsteinina anomala** (Ellis & Everh.) Barr  
(=*Eriosphaeria herbarum*)  
*Pedicularis podoensis*, LC (Barr 1953)  
*Pedicularis* sp., LC (Barr 1972)

**Wettsteinina dryadis** (Rostr.) Petr.  
(=*Massarina dryadis*)  
*Dryas drummondii*, LC (Barr 1953)

**Wettsteinina gentianae** (Wehm.) Barr  
(=*Sphaerulina gentianae*)  
*Gentiana calycosa*, LC (Barr 1972)

**Wettsteinina gigaspora** Höhn.  
*Aquilegia formosa*, LC (Barr 1972)  
*Arnica cordifolia*, LC (Shoemaker and Babcock  
1987)

**Wettsteinina macrotheca** (Rostr.) E. Müller  
(=*Massaria macrotheca*)  
*Carex* sp., LC (Barr 1953)

**Winterella suffusa** (Fr.:Fr.) Kuntze  
(=*Ophiovalsa suffusa*)  
*Alnus rubra*, V (DAVFP)

**Wolfiporia cocos** (F.A. Wolf) Ryvarden &  
R.L. Gilbertson (=*Daedalea extensa*,  
*Macrohyporia extensa*, *Poria cocos*,  
*Wolfiporia extensa*)  
*Pinus contorta* var. *latifolia*, V (DAVFP)  
*Pinus monticola*, UR  
*Pinus ponderosa*, UR  
*Pseudotsuga menziesii*, LC (Ginns and Lowe  
1983)  
*Tsuga heterophylla*, UR

**Wolfiporia extensa** (Peck) Ginns see  
*Wolfiporia cocos*

**Wrightoporia lenta** (Overh. & J. Lowe)  
Pouzar (=*Poria lenta*)  
*Abies lasiocarpa*, UR  
*Pseudotsuga menziesii*, V (DAVFP)



**Xenasma filicinum** (Bourd.) M.  
Christiansen see *Phlebiella filicina*

**Xenasma rallum** (H. Jacks.) Liberta see  
*Phlebiella ralla*

**Xenasma rimicolum** (P. Karst.) Donk  
(=*Peniophora rimicola*)  
*Acer macrophyllum*, LC (Shaw 1973)

**Xenasma tulasnelloideum** (Höhn. &  
Litsch.) Donk see *Phlebiella tulasnelloidea*

**Xenasma vermiferum** (Bourd.) Liberta see  
*Tubulicum vermifera*

**Xenodochus carbonarius** Schlechtend.  
*Sanguisorba officinalis* subsp. *microcephala*, LC  
(Parmelee 1986b)

**Xenomeris abietis** Barr (=*Sclerophoma*  
*xenomeria* - anamorph)  
*Pinus monticola*, V (DAVFP)  
*Pseudotsuga menziesii*, V (DAVFP) (TYPE of  
*Sclerophoma xenomeria*)  
*Tsuga heterophylla*, V (DAVFP)

**Xerocomus oregonensis** (Murrill) nomen  
nudum  
Soil and Duff, V (DAVFP)

**Xerocomus subtomentosus** (L.:Fr.) Quél.  
Soil and Duff, V (DAVFP)

**Xerocomus sp.**  
*Picea glauca*, V (DAVFP)

**Xeromphalina campanella** (Batsch:Fr.)  
Kühner & Maire (=*Omphalia campanella*)  
*Abies lasiocarpa*, UR  
*Abies* sp., LC (Conners 1967)  
*Chamaecyparis nootkatensis*, UR  
Gymnosperms, Wood, V (DAVFP)  
*Larix occidentalis*, UR  
*Picea engelmannii*, UR  
*Picea glauca*, V (DAVFP)  
*Picea sitchensis*, V (DAOM 11981, 11982)  
*Pinus albicaulis*, UR  
*Pinus contorta* var. *latifolia*, UR  
*Pseudotsuga menziesii*, V (DAVFP)  
*Thuja plicata*, V (DAVFP)  
*Tsuga heterophylla*, V (DAVFP)  
Unidentified wood, V (DAVFP)

**Xeromphalina fulvipes** (Murrill) A.H. Smith  
*Abies grandis*, LC (Conners 1967)

**Xerula radicata** (Relhan:Fr.) Dörfelt  
(=*Collybia radicata*)  
Soil and Duff, UR

**Xylaria hypoxylon** (L.:Fr.) Grev.  
*Acer macrophyllum*, V (DAVFP)  
*Alnus rubra*, V (DAVFP)

*Arbutus menziesii*, V (DAVFP)  
*Cornus nuttallii*, V (DAVFP)  
*Ribes nigrum*, V (DAVFP)  
*Rubus idaeus*, V (DAVFP)  
*Salix* sp., V (DAVFP)

**Xylaria sp.**  
*Acer circinatum*, V (DAVFP)  
*Alnus rubra*, LC (Sieber, Sieber-Canavesi, and  
Dorworth 1991)  
Angiosperms, Wood, V (DAVFP)



**Zalerion maritimum** (Linder) Anastasiou

*Arbutus menziesii*, LC (Anastasiou and Churchland 1969)  
*Pinus monticola*, LC (Hughes 1969)  
*Prunus laurocerasus*, LC (Anastasiou and Churchland 1969)  
*Pseudotsuga menziesii*, LC (Hughes 1969)  
*Thuja plicata*, LC (Hughes 1969)  
Unidentified wood, LC (Hughes 1969)

**Zalerion varium** Anastasiou

Unidentified wood, LC (Hughes 1969)

**Zythia sp.**

*Tsuga heterophylla*, V (DAVFP)



## Chromista (Labyrinthulomycota and Oomycota)

***Albugo bliti*** (Biv.-Bern.) Kuntze  
*Amaranthus retroflexus*, LC (Ginns 1986a)

***Albugo candida*** (Pers.) Kuntze (=*Albugo cruciferarum*)  
*Arabis albida*, LC (Toms 1964)  
*Arabis alpina*, LC (Conners 1967)  
*Arabis caucasica*, LC (Shaw 1973)  
*Capsella bursa-pastoris*, LC (Ginns 1986a)  
*Corringia orientalis*, LC (Shaw 1973)  
*Lepidium virginicum*, LC (Shaw 1973)  
*Sisymbrium altissimum*, V (DAVFP)  
*Sisymbrium linifolium*, LC (Shaw 1973)  
*Sisymbrium officinale*, LC (Ginns 1986a)

***Albugo cruciferarum*** (DC.) S.F. Gray see  
*Albugo candida*

***Albugo occidentalis*** G.W. Wils.  
*Spinacia oleracea*, LC (Ginns 1986a)

***Albugo tragopogonis*** (Pers.) S.F. Gray  
*Tragopogon porrifolius*, LC (Conners 1967)  
*Tragopogon pratensis*, LC (Ginns 1986a)

***Aphanomyces raphani*** Kendrick  
*Raphanus sativus*, LC (Ginns 1986a)

***Basidiophora entospora*** Roze & Cornu  
*Aster ciliolatus*, LC (Conners 1967)  
*Aster subspicatus*, LC (Ginns 1986a)

***Bremia lactucae*** Regel  
*Sonchus oleraceus*, LC (Ginns 1986a)

***Labyrinthula macrocystis*** Cienkowski  
*Zostera marina*, LC (Conners 1967)

***Labyrinthula* sp.**  
*Arbutus menziesii*, LC (Anastasiou and Churchland 1969)  
*Prunus laurocerasus*, LC (Anastasiou and Churchland 1969)

***Peronospora alta*** Fuckel  
*Plantago major*, LC (Ginns 1986a)

***Peronospora arthurii*** Farl.  
*Clarkia elegans*, LC (Jones 1957)  
*Clarkia pulchella*, LC (Ginns 1986a)  
*Clarkia unguiculata*, LC (Ginns 1986a)  
*Oenothera biennis*, LC (Shaw 1973)

***Peronospora claytoniae*** Farl.  
*Calandrinia ciliata*, LC (Shaw 1973)  
*Claytonia perfoliata*, LC (Shaw 1958)

***Peronospora conglomerata*** Fuckel  
*Geranium pusillum*, LC (Shaw 1973)

***Peronospora echinospermi*** (Swingle)  
*Swingle*  
*Hackelia floribunda*, LC (Shaw 1973)

***Peronospora farinosa*** (Fr.:Fr.) Fr.  
*Amaranthus* sp., LC (Ginns 1986a)  
*Chenopodium album*, LC (Ginns 1986a)  
*Spinacia oleracea*, LC (Ginns 1986a)

***Peronospora ficariae*** (Nees) Tul.  
*Ranunculus acris*, LC (Shaw 1973)  
*Ranunculus uncinatus*, LC (Ginns 1986a)

***Peronospora grisea*** (Unger) Unger  
*Collinsia parviflora*, LC (Shaw 1973)  
*Veronica arvensis*, LC (Shaw 1973)  
*Veronica serpyllifolia* var. *serpyllifolia*, LC (Savile 1968a)

***Peronospora hydrophylli*** M.B. Waite  
*Phacelia linearis*, LC (Shaw 1958)

***Peronospora lamii*** A. Braun  
*Lamium amplexicaule*, LC (Toms 1964)

***Peronospora lathyri-palustris*** Gäum.  
*Lathyrus nevadensis* subsp. *lanceolatus*, LC (Ginns 1986a)

***Peronospora narbonensis*** Gäum.  
*Vicia americana* subsp. *oregana*, LC (Ginns 1986a)

***Peronospora nemophilae*** C.G. Shaw  
*Nemophila parviflora*, LC (Shaw 1973)

***Peronospora parasitica*** (Pers.:Fr.) Fr.  
*Alyssum saxatile*, V (DAVFP)  
*Arabis albida*, LC (Toms 1964)  
*Capsella bursa-pastoris*, LC (Ginns 1986a)  
*Cardamine occidentalis*, LC (Ginns 1986a)  
*Cardamine pratensis*, LC (Conners 1967)  
*Cheiranthus cheiri*, LC (Ginns 1986a)  
*Raphanus sativus*, LC (Ginns 1986a)

***Peronospora phlogina*** Dietel & Holw.  
*Collomia heterophylla*, LC (Shaw 1973)  
*Collomia linearis*, LC (Shaw 1973)  
*Phlox subulata*, LC (Ginns 1986a)

***Peronospora polygoni*** Halst.  
*Polygonum convolvulus*, LC (Ginns 1986a)

***Peronospora potentillae*** de Bary  
*Geum chiloense*, LC (Ginns 1986a on *Geum quellyon*)  
*Potentilla gracilis*, LC (Shaw 1973)  
*Potentilla gracilis* subsp. *nuttallii*, LC (Jones 1957)  
*Potentilla gracilis* var. *glabrata*, LC (Ginns 1986a)

**Peronospora rubi** Rabenh.

*Rubus parviflorus*, LC (Ginns 1986a)  
*Rubus spectabilis*, LC (Ginns 1986a)  
*Rubus ursinus*, LC (Connors 1967)

**Peronospora sparsa** Berk.

*Rosa* sp., LC (Connors 1967)

**Peronospora trifoliorum** de Bary

*Lupinus polyphyllus*, LC (Connors 1967)  
*Melilotus alba*, LC (Ginns 1986a)  
*Trifolium dubium*, LC (Ginns 1986a)

**Peronospora viciae** (Berk.) Casp.

*Vicia sativa*, LC (Ginns 1986a)

**Phytophthora cactorum** (Lebert & Cohn) J. Schröt.

*Arbutus menziesii*, V (DAVFP)  
*Cornus nuttallii*, V (DAVFP)  
*Cotoneaster franchetii*, LC (Jones 1957)  
*Cotoneaster horizontalis*, LC (Ginns 1986a)  
*Malus pumila*, LC (Connors 1967)  
*Malus sylvestris*, LC (Toms 1964)  
*Prunus armeniaca*, LC (Toms 1964)  
*Prunus avium*, LC (Ginns 1986a)  
*Prunus cerasus*, LC (Toms 1964)  
*Prunus persica*, LC (Toms 1964)  
*Pyrus communis*, LC (Toms 1964)  
*Soil and Duff*, LC (McIntosh 1964)

**Phytophthora cambivora** (Petri) Buisman

*Malus sylvestris*, LC (Toms 1964)  
*Pyrus communis*, LC (Toms 1964)  
*Soil and Duff*, LC (McIntosh 1964)

**Phytophthora cinnamomi** Rands

*Calluna vulgaris* var. Mair's, LC (Atkinson 1965)  
*Chamaecyparis lawsoniana*, LC (Atkinson 1965, 1982)  
*Chamaecyparis pisifera* var. *filiifera nana aurea*, LC (Atkinson 1965)  
*Cornus nuttallii*, LC (Atkinson 1965)  
*Erica carnea* var. Springwood, LC (Atkinson 1965)  
*Pyrus communis*, LC (Shaw 1973)  
*Rhododendron indicum*, LC (Atkinson 1965)  
*Rhododendron molle*, LC (Atkinson 1965)  
*Rhododendron ponticum*, LC (Ginns 1986a)  
*Rhododendron* sp., V (DAVFP)  
*Schizanthus* sp., LC (Atkinson 1965)  
*Taxus baccata*, V (DAVFP)  
*Taxus baccata* var. *stricta*, LC (Atkinson 1965)  
*Taxus cuspidata* var. *nana*, LC (Atkinson 1965)  
*Taxus media* var. *hatfieldii*, LC (Atkinson 1965 on  
*Taxus cuspidata* var. *hatfieldii*)

**Phytophthora citricola** Sawada

*Humulus lupulus*, LC (Connors 1967)  
*Malus* sp., LC (Shaw 1973)  
*Vicia villosa*, LC (Connors 1967)

**Phytophthora cryptogea** Pethybr. & Lafferty

*Callistephus chinensis*, LC (Ginns 1986a)  
*Pseudotsuga menziesii*, LC (Hamm and Hansen 1985)

*Pyrus communis*, LC (Ginns 1986a)

*Soil and Duff*, LC (McIntosh 1964)  
*Tagetes signata* var. *pumila*, LC (Connors 1967)  
*Zinnia elegans*, LC (Ginns 1986a)

**Phytophthora drechsleri** Tucker

*Pseudotsuga menziesii*, LC (Hamm and Hansen 1985)  
*Soil and Duff*, LC (McIntosh 1964)

**Phytophthora erythroseptica** Pethybr.

*Solanum tuberosum*, LC (Jones 1957)

**Phytophthora fragariae** C.J. Hickman

*Dryas drummondii*, LC (Shaw 1973)  
*Fragaria vesca*, LC (Shaw 1973)  
*Fragaria virginiana*, LC (Shaw 1973)  
*Geum coccineum*, LC (Shaw 1973)  
*Geum triflorum*, LC (Shaw 1973)  
*Potentilla glandulosa*, LC (Shaw 1973)  
*Potentilla gracilis*, LC (Shaw 1973)  
*Rubus idaeus*, UR  
*Rubus loganobaccus*, LC (Ginns 1986a on *Rubus ursinus* var. *loganobaccus*)  
*Rubus parviflorus*, LC (Shaw 1973)  
*Rubus ursinus*, LC (Shaw 1973)

**Phytophthora ilicis** Buddenhagen & R.A.

Young  
*Ilex aquifolium*, LC (Toms 1964; Punja and Ormrod 1979)

**Phytophthora infestans** (Mont.) de Bary

*Solanum nigrum*, LC (Ginns 1986a)  
*Solanum tuberosum*, LC (Jones 1957)

**Phytophthora lateralis** Tucker & Milbrath

*Chamaecyparis lawsoniana*, LC (Connors 1967)  
*Chamaecyparis nootkatensis*, UR

**Phytophthora megasperma** Drechs.

*Cheiranthus cheiri*, LC (Ginns 1986a)  
*Spinacia oleracea*, LC (Ginns 1986a)

**Phytophthora megasperma** Drechs. f. sp.

**glycinea** T. Kuan & D.C. Erwin  
*Soil and Duff*, LC (McIntosh 1964 as  
*Phytophthora megasperma* var. *sojae*)

**Phytophthora vesicula** Anastasiou & Churchland

*Prunus laurocerasus*, LC (Anastasiou and Churchland 1969)

**Phytophthora** sp.

*Chamaecyparis lawsoniana* var. *ellwoodii*, LC (Atkinson 1965)  
*Chamaecyparis pisifera* var. *filiifera nana aurea*, LC (Atkinson 1965)  
*Cornus nuttallii*, LC (Atkinson 1965)  
*Juniperus* sp., LC (MacDonald 1990)  
*Phlox paniculata*, LC (Ginns 1986a)  
*Rhododendron obtusum* var. *Hinodegiri*, LC (Atkinson 1965)  
*Rhododendron ponticum*, LC (Atkinson 1965)  
*Rubus idaeus* var. *strigosus*, LC (Connors 1967)  
*Tulipa gesneriana*, LC (Toms 1964)

***Plasmopara carlottae*** Savile

*Conioselinum pacificum*, LC (Ginns 1986a on  
*Conioselinum chinense*)

***Plasmopara epilobii*** (G. Otth) Sacc. & Syd.  
in Sacc.

*Epilobium latifolium*, LC (Shaw 1973)

***Plasmopara latifolii*** Savile

*Epilobium latifolium*, LC (Ginns 1986a)

***Plasmopara pygmaea*** (Unger) J. Schröt.

*Anemone* sp., LC (Shaw 1973)

***Plasmopara viticola*** (Berk. & M.A. Curtis)

Berl. & De Toni in Sacc.

*Vitis labrusca*, LC (Connors 1967)

***Pseudoperonospora humuli*** (Miyabe &  
Takah.) G.W. Wils.

*Humulus lupulus*, LC (Toms 1964)  
*Urtica dioica* subsp. *gracilis* var. *lyallii*, LC (Shaw  
1973 on *Urtica lyallii*)

***Pythium debaryanum*** Auct. non R. Hesse

*Solanum tuberosum*, LC (Shaw 1973)

***Pythium ultimum*** Trow

*Pelargonium* sp., LC (Shaw 1973)  
*Picea glauca*, V (DAVFP)  
*Solanum tuberosum*, LC (Jones 1957)  
*Spinacia oleracea*, LC (Ginns 1986a)  
*Tulipa gesneriana*, LC (Toms 1964)

***Pythium* sp.**

*Agrostis* sp., LC (MacDonald et al. 1991)  
Angiosperms, Grasses, LC (MacDonald 1990)  
*Chamaecyparis lawsoniana*, LC (Connors 1967)  
*Digitalis lanata*, LC (Jones 1957)  
*Humulus lupulus*, LC (Toms 1964)  
*Picea engelmannii*, V (DAVFP)  
*Picea glauca*, V (DAVFP)  
*Pinus ponderosa*, V (DAVFP)  
*Poa annua*, V (DAVFP)  
*Pseudotsuga menziesii*, V (DAVFP) – Dried  
culture only  
*Rubus idaeus* var. *strigosus*, LC (Connors 1967)  
Soil and Duff, LC (Toms 1964)  
*Vicia villosa*, LC (Toms 1964)

***Sclerotphthora cryophila*** W. Jones

*Dactylis glomerata*, LC (Ginns 1986a)

***Sclerospora graminicola*** (Sacc.) J. Schröt.

*Setaria viridis*, LC (Connors 1967)



## Protozoa (Myxomycota and Plasmodiophoromycota)

***Amaurochaete* sp.**

*Pinus contorta* var. *latifolia*, V (DAVFP)

***Arcyria denudata* (L.) Wettst.**

*Pseudotsuga menziesii*, V (DAVFP)

***Arcyria incarnata* Pers.**

Unidentified wood, V (DAVFP)

***Arcyria vitellina* Phill.**

Gymnosperms, Wood, V (DAVFP)

***Badhamia affinis* A. Lister**

Angiosperms, Grasses, V (DAVFP)

***Badhamia foliicola* A. Lister**

Angiosperms, Grasses, V (DAVFP)

***Badhamia utricularis* (Bull.) Berk.**

*Acer macrophyllum*, V (DAVFP)

***Badhamia* sp.**

*Picea engelmannii*, V (DAVFP)

***Comatricha lurida* A. Lister**

*Cornus nuttallii*, V (DAVFP)

***Comatricha nigra* (Pers.) J. Schröt.**

*Alnus rubra*, V (DAVFP)

*Pinus monticola*, V (DAVFP)

*Pseudotsuga menziesii*, V (DAVFP)

*Rhododendron macrophyllum*, V (DAVFP)

***Comatricha suksdorfii* Ellis & Everh.**

*Chamaecyparis nootkatensis*, V (DAVFP)

***Comatricha* sp.**

*Abies lasiocarpa*, V (DAVFP)

*Tsuga heterophylla*, V (DAVFP)

***Craterium minutum* (Leers) Fries**

*Quercus garryana*, V (DAVFP)

***Diacheopsis inssessa* (G. Lister) Ing**

*Chamaecyparis nootkatensis*, V (DAVFP)

*Pseudotsuga menziesii*, V (DAVFP)

***Dianema* sp.**

*Populus tremuloides*, V (DAVFP)

***Dictyidium* sp.**

Gymnosperms, Wood, V (DAVFP)

***Diderma* sp.**

*Pinus monticola*, V (DAVFP)

*Tsuga heterophylla*, UR

***Enteridium olivaceum* Ehrenb.**

*Tsuga heterophylla*, V (DAVFP)

***Fuligo cinerea* (Schw.) Morgan**

*Picea* sp., V (DAVFP)

***Fuligo septica* (L.) A. Wigg.**

*Pseudotsuga menziesii*, V (DAVFP)

*Quercus garryana*, V (DAVFP)

Soil and Duff, V (DAVFP)

*Tsuga heterophylla*, V (DAVFP)

***Fuligo* sp.**

*Alnus* sp., V (DAVFP)

Angiosperms, Grasses, UR

***Lamproderma carestiae* (Ces. & De Not.)**

Meylan

*Amelanchier alnifolia*, V (DAVFP)

*Betula papyrifera*, V (DAVFP)

*Corylus cornuta*, V (DAVFP)

*Gaultheria shallon*, V (DAVFP)

*Larix occidentalis*, V (DAVFP)

*Picea engelmannii*, V (DAVFP)

*Pinus sylvestris*, V (DAVFP)

*Salix* sp., V (DAVFP)

*Thuja plicata*, V (DAVFP)

*Tsuga heterophylla*, V (DAVFP)

***Lamproderma cribrarioides* (Fr.) R.E.**

Fries

*Lycopodium annotinum*, V (DAVFP)

*Salix* sp., V (DAVFP)

***Lamproderma robustum* Ellis & Everh.**

*Acer glabrum* var. *douglasii*, V (DAVFP)

*Picea engelmannii*, V (DAVFP)

*Pinus monticola*, V (DAVFP)

*Rubus spectabilis*, V (DAVFP)

*Salix* sp., V (DAVFP)

*Tsuga heterophylla*, UR

***Lamproderma sauteri* Rost.**

*Salix* sp., V (DAVFP)

***Leocarpus fragilis* (Dicks.) Rostr.**

*Picea glauca*, V (DAVFP)

*Pseudotsuga menziesii*, V (DAVFP)

*Vaccinium* sp., V (DAVFP)

***Lycogala epidendrum* (L.) Fr.**

*Abies lasiocarpa*, V (DAVFP)

*Pseudotsuga menziesii*, V (DAVFP)

*Tsuga heterophylla*, V (DAVFP)

***Mucilago crustacea* A. Wigg.**

*Thuja plicata*, V (DAVFP)

***Physarum cinereum* (Batsch) Pers.**

Soil and Duff, LC (Toms 1964)

***Physarum globuliferum* (Bull.) Pers.**

*Tsuga heterophylla*, V (DAVFP)

**Physarum sp.**

*Pseudotsuga menziesii*, V (DAVFP)

**Plasmodiophora brassicae** Woronin

*Brassica campestris*, LC (Shaw 1973)

*Raphanus sativus*, LC (Ginns 1986a)

**Polymyxa graminis** Ledingham

Angiosperms, Grasses, LC (Barr 1981)

**Spongospora subterranea** (Wallr.) Lagerh.

*Solanum tuberosum*, LC (Jones 1957)

**Stemonitis axifera** (Bull.) Macbr.

*Picea glauca*, V (DAVFP)

*Betula papyrifera*, V (DAVFP)

**Stemonitis fusca** Roth

*Pseudotsuga menziesii*, UR

**Stemonitis herbarica** Peck

*Betula* sp., V (DAVFP)

**Stemonitis splendens** Rostafinski

*Tsuga heterophylla*, V (DAVFP)

**Thraustochytrium pachydermum** Schölz

Soil and Duff, LC (Booth 1969)

**Thraustochytrium proliferum** Sparrow

Soil and Duff, LC (Booth 1969)

**Thraustochytrium roseum** Goldstein

Soil and Duff, LC (Booth 1969)

**Trichia alpina** (R.E. Fries) Meylan

*Pseudotsuga menziesii*, V (DAVFP)

**Trichia botrytis** (Gmel.) Pers.

Unidentified wood, UR

**Trichia contorta** (Ditmar) Rost.

*Tsuga heterophylla*, V (DAVFP)

**Trichia decipiens** (Pers.) T. Macbr.

*Populus tremuloides*, V (DAVFP)

**Trichia varia** (Pers.) Pers.

*Abies lasiocarpa*, V (DAVFP)

*Acer macrophyllum*, V (DAVFP)

**Trichia sp.**

*Pinus albicaulis*, V (DAVFP)

**Tubifera casparyi** (Rost.) Macbr.

Unidentified Wood, V (DAVFP)

**Tubifera ferruginosa** (Batsch) Gmel.

Soil and Duff, V (DAVFP)

## Parasitic Plants

### ***Arceuthobium americanum* Nutt.:Engelm.**

*Picea engelmannii*, V (DAVFP)  
*Picea glauca*, V (DAVFP)  
*Pinus contorta* var. *latifolia*, V (DAVFP)  
*Pinus ponderosa*, V (DAVFP)

### ***Arceuthobium campylopodum* Engelm.**

*Pinus contorta* var. *latifolia*, V (DAVFP)  
*Pinus ponderosa*, V (DAVFP)

### ***Arceuthobium campylopodum* Engelm. f. *laricis* (Piper) Gill see *Arceuthobium laricis***

### ***Arceuthobium campylopodum* Engelm. f. *tsugensis* (Rosendahl) Gill see *Arceuthobium tsugense***

### ***Arceuthobium douglasii* Engelm.**

*Abies grandis*, LC (Conners 1967)  
*Pseudotsuga menziesii*, V (DAVFP)

### ***Arceuthobium laricis* (Piper) St. John**

*Abies grandis*, V (DAVFP)  
*Abies lasiocarpa*, V (DAVFP)  
*Larix occidentalis*, V (DAVFP)  
*Picea engelmannii*, V (DAVFP)  
*Picea glauca*, V (DAVFP)  
*Pinus contorta* var. *contorta*, V (DAVFP)  
*Pinus contorta* var. *latifolia*, V (DAVFP)  
*Pinus monticola*, V (DAVFP)  
*Pinus ponderosa*, V (DAVFP)

### ***Arceuthobium tsugense* (Rosendahl) G.N.**

Jones

*Abies amabilis*, V (DAVFP)  
*Larix occidentalis*, V (DAVFP)  
*Picea abies*, V (DAVFP)  
*Picea engelmannii*, V (DAVFP)  
*Picea glauca*, V (DAVFP)  
*Picea sitchensis*, V (DAVFP)  
*Pinus contorta* var. *contorta*, V (DAVFP)  
*Pinus contorta* var. *latifolia*, V (DAVFP)  
*Pinus monticola*, V (DAVFP)  
*Pinus ponderosa*, V (DAVFP)  
*Pinus sylvestris*, V (DAVFP)  
*Pseudotsuga menziesii*, V (DAVFP)  
*Tsuga heterophylla*, V (DAVFP)  
*Tsuga mertensiana*, V (DAVFP)

### ***Arceuthobium* sp.**

*Pinus contorta* var. *latifolia*, V (DAVFP)  
*Tsuga heterophylla*, UR

### ***Viscum album* L. subsp. *album***

*Malus* sp., V (DAVFP)



## Bacteria

**Agrobacterium pseudotsugae** (Hansen & R.E. Smith) Savulescu see *Erwinia* sp.

**Agrobacterium rhizogenes** (Riker et al.) Conn

*Malus pumila*, V (DAVFP)

**Agrobacterium rubi** (E.M. Hildeb.) Starr & Weiss

*Rosa* sp., LC (Conners 1967)  
*Rubus idaeus*, LC (Conners 1967)  
*Rubus laciniatus*, LC (Toms 1964)  
*Rubus leucodermis*, LC (Conners 1967)  
*Rubus loganobaccus*, LC (Conners 1967)  
*Rubus occidentalis*, LC (Toms 1964)  
*Rubus procerus*, LC (Jones 1957)  
*Vaccinium corymbosum*, LC (Conners 1967)

**Agrobacterium tumefaciens** (E.F. Smith & Town.) Conn

*Chenomeles lagenaria*, LC (Toms 1964)  
*Chamaecyparis* sp., V (DAVFP)  
*Cupressus* sp., V (DAVFP)  
*Euonymus fortunei*, V (DAVFP)  
*Forsythia* sp., V (DAVFP)  
*Humulus lupulus*, LC (Conners 1967)  
*Malus pumila*, LC (Conners 1967)  
*Malus sylvestris*, LC (Toms 1964)  
*Pelargonium* sp., LC (Conners 1967)  
*Prunus avium*, LC (Jones 1957)  
*Prunus cerasus*, LC (Toms 1964)  
*Prunus persica*, LC (Toms 1964)  
*Prunus serrulata*, LC (Toms 1964)  
*Prunus* sp., V (DAVFP)  
*Pyrus communis*, LC (Toms 1964)  
*Rheum rhabonticum*, LC (Conners 1967)  
*Rosa* sp., LC (Conners 1967)  
*Rubus allegheniensis*, LC (Conners 1967)  
*Rubus idaeus* var. *strigosus*, LC (Conners 1967)  
*Rubus loganobaccus*, LC (Conners 1967)  
*Salix babylonica*, LC (Conners 1967)  
*Vaccinium corymbosum*, LC (Conners 1967)

**Bacterium pseudotsugae** Hansen & R.E. Smith see *Erwinia* sp.

**Corynebacterium sepedonicum** (Speck. & Kotth.) Skapt. & Burkh.

*Solanum tuberosum*, LC (Jones 1957)

**Erwinia amylovora** (Burr.) Winsl. et al.

*Cotoneaster salicifolia*, V (DAVFP)  
*Crataegus oxyacantha*, LC (Conners 1967)  
*Cydonia oblonga*, LC (Toms 1964)  
*Malus pumila*, LC (Conners 1967)  
*Malus sylvestris*, LC (Toms 1964)  
*Malus* sp., V (DAVFP)  
*Prunus domestica*, LC (Conners 1967)  
*Pyrus communis*, LC (Conners 1967)  
*Syringa* sp., V (DAVFP)

**Erwinia atroseptica** (van Hall) Jennison  
*Solanum tuberosum*, LC (Conners 1967)

**Erwinia carotovora** (L.R. Jones) Holland  
*Delphinium cultorum*, LC (Toms 1964)  
*Iris* sp., LC (Conners 1967)  
*Solanum tuberosum*, LC (Jones 1957)  
*Zantedeschia aethiopica*, LC (Conners 1967)

**Erwinia dissolvens** (Rosen) Burkh.  
*Zea mays* var. *rugosa*, LC (Conners 1967)

**Erwinia** sp. (=*Agrobacterium pseudotsugae*, *Bacterium pseudotsugae*)  
*Pseudotsuga menziesii*, V (DAVFP)

**Frankia alni** (Wor.) Tub.  
*Alnus rubra*, V (DAVFP)

**Pseudomonas delphini** (E.F. Smith) Stapp  
*Delphinium cultorum*, LC (Toms 1964)

**Pseudomonas syringae** van Hall  
*Forsythia* sp., LC (Toms 1964)  
*Populus nigra* var. *italica*, V (DAVFP)  
*Populus tremuloides*, V (DAVFP)  
*Populus trichocarpa*, V (DAVFP)  
*Prunus laurocerasus*, V (DAVFP)  
*Pyrus communis*, LC (Conners 1967)  
*Sorghum* sp., UR  
*Syringa vulgaris*, LC (Conners 1967)

**Pseudomonas syringae** van Hall f. sp.  
**prunicola** Dows.

*Prunus avium*, LC (Toms 1964)  
*Prunus cerasus*, LC (Toms 1964)  
*Prunus serrulata*, LC (Toms 1964)

**Pseudomonas tumefaciens** (E.F. Smith & Town.) Dugg. see *Agrobacterium tumefaciens*

**Pseudomonas** sp.  
*Salix babylonica*, V (DAVFP)

**Streptomyces scabies** (Thaxt.) Waks. & Henrici

*Brassica* sp., LC (Conners 1967)  
*Solanum tuberosum*, LC (Jones 1957)

**Xanthomonas coryli** P.W. Miller et al.  
*Corylus avellana*, LC (Conners 1967)

**Xanthomonas juglandis** (Pierce) Dows.  
*Juglans regia*, LC (Toms 1964; Conners 1967)

*Bacteria*

## Literature Cited

- Ahmed, S.I.; Cain, R.F. 1972. Revision of the genera *Sporormia* and *Sporormiella*. Can. J. Bot. 50:419-477.
- Anastasiou, C.J. 1967. Two species of *Coprinus* from alkali lakes. Can. J. Bot. 45:2213-2222.
- Anastasiou, C.J.; Churchland, L.M. 1969. Fungi on decaying leaves in marine habitats. Can. J. Bot. 47:251-257.
- Anderson, J.B.; Ullrich, R.C. 1979. Biological species of *Armillaria mellea* in North America. Mycologia 71:402-414.
- Arnold, R.H. 1971. *Melanodothis caricis*, n. gen., n. sp. and '*Hyalodothis?* *caricis*'. Can. J. Bot. 49:2187-2196.
- Arnold, R.H. 1974. *Melanodothis caricis*. Fungi Canadenses No. 30, National Mycological Herbarium, Agriculture Canada, Ottawa, ON.
- Årsvoll, K.; Smith, J.D. 1978. *Typhula ishikariensis* and its varieties, var. *idahoensis* comb. nov. and var. *canadensis* var. nov. Can. J. Bot. 56:348-364.
- Arthur, J.C. 1907. Family I. Coleosporiaceae. North American Flora, New York Botanical Gardens, NY. 7(2):90-92.
- Arthur, J.C. 1934. Manual of the rusts in the United States and Canada. Purdue Research Foundation, Lafayette, IN.
- Atkinson, R.G. 1965. *Phytophthora* species inciting root rot of *Chamaecyparis lawsoniana* and other ornamentals in coastal British Columbia. Can. J. Bot. 43:1471-1475.
- Atkinson, R.G. 1982. Effect of fungicidal drenches on phytophthora root rot of Lawson cypress and of gerbera. Can. J. Plant Pathol. 4:180-183.
- Aube, C.; Sackston, W.E. 1965. Distribution and prevalence of *Verticillium* species producing substances with gibberellin-like biological properties. Can. J. Bot. 43:1335-1342.
- Axelrood, P.E.; Chapman, W.K.; Shrimpton, G.M.; Trotter, D.B. 1992. Assessment of *Cylindrocarpon* and *Fusarium* root infection of Douglas-fir seedlings harvested from reforestation sites in S.W. British Columbia. Phytopathology 82:1097.
- Axelrood, P.E.; Fong, D.; Radley, R. 1990. Incidence and pathogenicity of seedborne *Fusarium* on Douglas-fir (*Pseudotsuga menziesii* (Mirb.) Franco). Phytopathology 80:1065.
- Bandoni, R.; Ginns, J. 1998. Notes on *Tremella mesenterica* and allied species. Can. J. Bot. 76:1544-1557.
- Bandoni, R.J. 1986. *Sirotrema*: a new genus in the Tremellaceae. Can. J. Bot. 64:668-676.
- Bandoni, R.J. 1998. On an undescribed species of *Fibulobasidium*. Can. J. Bot. 76:1540-1543.
- Bandoni, R.J.; Johri, B.N. 1972. *Tilletiaria*: a new genus in the Ustilaginales. Can. J. Bot. 50:39-43.
- Baranyay, J.A. 1966. Fungi from dwarf mistletoe infections in western hemlock. Can. J. Bot. 44:597-604.
- Barr, D.J.S. 1980. *Olpidium brassicae*. Fungi Canadenses No. 176, National Mycological Herbarium, Agriculture Canada, Ottawa, ON.
- Barr, D.J.S. 1981. *Polymyxa graminis*. Fungi Canadenses No. 199, National Mycological Herbarium, Agriculture Canada, Ottawa, ON.
- Barr, M. 1989. The Venturiaceae in North America: revisions and additions. Sydowia 41:25-40.
- Barr, M.E. 1953. Pyrenomycetes of British Columbia. Can. J. Bot. 31:810-830.
- Barr, M.E. 1967. Northern pyrenomycetes. III. Western species. Can. J. Bot. 45:1041-1046.

- Barr, M.E. 1972. Preliminary studies on the Dothideales in temperate North America. Contrib. Univ. Mich. Herb. 9:523-638.
- Barr, M.E. 1978. The Diaporthales in North America with emphasis on *Gnomonia* and its segregates. Mycologia Memoir 7:1-232.
- Barr, M.E. 1982. *Leptosphaeria sepalorum*. Mycotaxon 15:345-348.
- Barr, M.E. 1984. *Herpotrichia* and its segregates. Mycotaxon 20:1-38.
- Barr, M.E. 1990a. Melanommatales (Loculoascomycetes). North American Flora (Series II) Part 13:1-129.
- Barr, M.E. 1990b. Some dictyosporous genera and species of Pleosporales in North America. Memoirs of the New York Botanical Garden 62:1-92.
- Barr, M.E. 1991a. Notes on and additions to North American members of the Herpotrichiellaceae. Mycotaxon 41:419-436.
- Barr, M.E. 1991b. Revisions and additions to the Diaporthales. Mycotaxon 41:287-305.
- Barr, M.E. 1992a. Additions to and notes on the Phaeosphaeriaceae (Pleosporales, Loculoascomycetes). Mycotaxon 43:371-400.
- Barr, M.E. 1992b. Notes on the Lophiostomataceae (Pleosporales). Mycotaxon 45:191-221.
- Barron, G.L.; Onions, A.H.S. 1966. *Verticillium chlamydosporium* and its relationships to *Diheterospora*, *Stemphyliopsis*, and *Paecilomyces*. Can. J. Bot. 44:861-869.
- Batra, L.R. 1991. World species of *Monilinia* (Fungi): their ecology, biosystematics and control. Mycologia Memoir 16:1-314.
- Berch, S.M.; Trappe, J.M. 1985. A new species of Endogonaceae, *Glomus hoi*. Mycologia 77:654-657.
- Berthier, J.; Redhead, S.A. 1982. Présence de *Typhula mycophaga* sp. nov. sur *Lycoperdon* en Colombie-Britannique. Can. J. Bot. 60:1428-1430.
- Bier, J.E. 1959. The relation of bark moisture to the development of canker diseases caused by native, facultative parasites. 2. Fusarium canker on black cottonwood. Can. J. Bot. 37:781-788.
- Bier, J.E. 1961. The relation of bark moisture to the development of canker diseases caused by native, facultative parasites. IV. Pathogenicity studies of *Cryptodiaporthe salicella* (Fr.) Petrak, and *Fusarium lateritium* Nees., on *Populus trichocarpa* Torrey and Gray, *P. 'robusta'*, *P. tremuloides* Michx., and *Salix* sp. Can. J. Bot. 39:139-144.
- Bigelow, H.E. 1959. Notes on fungi from Northern Canada. IV. Tricholomataceae. Can. J. Bot. 37:769-779.
- Bigelow, H.E.; Smith, A.H. 1962. *Clitocybe* species from the western United States. Mycologia 54:498-515.
- Bissett, J. 1979a. *Mariannaea elegans*. Fungi Canadenses No. 160, National Mycological Herbarium, Agriculture Canada, Ottawa, ON.
- Bissett, J. 1979b. *Paecilomyces carneus*. Fungi Canadenses No. 152, National Mycological Herbarium, Agriculture Canada, Ottawa, ON.
- Bissett, J. 1979c. *Paecilomyces inflatus*. Fungi Canadenses No. 155, National Mycological Herbarium, Agriculture Canada, Ottawa, ON.
- Bissett, J. 1984. A revision of the genus *Trichoderma*. I. Section *Longibrachiatum* sect. nov. Can. J. Bot. 62:924-931.
- Bissett, J. 1991. A revision of the genus *Trichoderma*. III. Section *Pachybasium*. Can. J. Bot. 69:2373-2417.
- Bissett, J. 1992. *Trichoderma atroviride*. Can. J. Bot. 70:639-641.
- Bissett, J.; Darbyshire, S.J. 1984a. *Phyllosticta pervincae*. Fungi Canadenses No. 282, National Mycological Herbarium, Agriculture Canada, Ottawa, ON.

- Bissett, J.; Darbyshire, S.J. 1984b. *Phyllosticta pyrolae*. Fungi Canadenses No. 279, National Mycological Herbarium, Agriculture Canada, Ottawa, ON.
- Bittman, S.; Menzies, J.G.; Bates, D. 1991. Effect of stripe rust on nutritional quality of orchardgrass genotypes. Can. J. Plant Sci. 71:225.
- Bloomberg, W.J. 1966. The occurrence of endophytic fungi in Douglas-fir seedlings and seed. Can. J. Bot. 44:413-420.
- Boidin, J. 1981. Nouvelles espèces de Lachnocladiaceae du Canada (Basidiomycètes). Naturaliste Can. 108:199-203.
- Bolton, A.T. 1963. A new species of *Marssonina* on strawberry. Can. J. Bot. 41:237-241.
- Booth, T. 1969. Marine fungi from British Columbia: monocentric chytrids and chytridiaceous species from coastal and interior halomorphic soils. Syesis 2:141-161.
- Bowerman, C.A.; Groves, J.W. 1962. Notes on fungi from northern Canada. V. Gasteromycetes. Can. J. Bot. 40:239-254.
- Braun, U. 1992. Studies on *Ramularia* and allied genera (V). Nova Hedwigia 54:459-478.
- Brough, S.G. 1974. *Tremella globospora*, in the field and in culture. Can. J. Bot. 52:1853-1859.
- Brown, A.M. 1956. A check list of plant rusts in Canada. Botany and Plant Pathology Division, Canada Department of Agriculture, Ottawa, ON. Publication 976.
- Buonassisi, A. 1989. Survey for eastern filbert blight (*Anisogramma anomala*) in British Columbia. Can. Plant Dis. Surv. 69:80.
- Burdsall, H.H., Jr. 1985. A contribution to the taxonomy of the genus *Phanerochaete* (Corticiaceae, Aphyllophorales). Mycologia Memoir 10:1-165.
- Burt, E.A. 1917. *Merulius* in North America. Ann. Mo. Bot. Gard. 4:305-362.
- Cade-Menun, B.J.; Berch, S.M.; Bomke, A.A. 1991. Seasonal colonization of winter wheat in south coastal British Columbia by vesicular-arbuscular mycorrhizal fungi. Can. J. Bot. 69:78-86.
- Cain, R.F.; Mirza, J.H. 1972. Three new species of *Arnium*. Can. J. Bot. 50:333-336.
- Canham, S.C. 1969. Taxonomy and morphology of *Hypocrea citrina*. Mycologia 61:315-331.
- Chamuris, G.P. 1988. The non-stipitate steroid fungi in the northeastern United States and adjacent Canada. Mycologia Memoir 14:1-247.
- Chamuris, G.P.; Wang, C.J.K. 1990. *Stenocephalum*, a new genus for *Rhinotrichum subalutaceum* (Hyphomycetes). Mycologia 82:528-532.
- Cole, G.T.; Kendrick, B. 1973. Taxonomic studies of *Phialophora*. Mycologia 65:661-688.
- Conners, I.L. 1967. An annotated index of plant diseases in Canada and fungi recorded on plants in Alaska, Canada and Greenland. Research Branch, Canada Department of Agriculture, Ottawa, ON. Publication 1251.
- Constantinescu, O. 1984. Taxonomic revision of *Septoria*-like fungi parasitic on Betulaceae. Trans. Br. Mycol. Soc. 83:383-398.
- Corlett, M. 1974a. *Coleroa chaetomium*. Fungi Canadenses No. 20, National Mycological Herbarium, Agriculture Canada, Ottawa, ON.
- Corlett, M. 1974b. *Didymella applanata*. Fungi Canadenses No. 49, National Mycological Herbarium, Agriculture Canada, Ottawa, ON.
- Corlett, M.; Egger, K.N.; Berkenkamp, N.B. 1982a. *Pleospora herbarum*. Fungi Canadenses No. 232, National Mycological Herbarium, Agriculture Canada, Ottawa, ON.
- Corlett, M.; Egger, K.N.; Berkenkamp, N.B. 1982b. *Stemphylium sarciniforme*. Fungi Canadenses No. 233, National

Mycological Herbarium, Agriculture Canada, Ottawa, ON.

- Corlett, M.; Jarvis, W.R.; MacLatchy, I.A. 1986. *Didymella bryoniae*. Fungi Canadenses No. 303, National Mycological Herbarium, Agriculture Canada, Ottawa, ON.
- Corlett, M.; Krug, J.C. 1984. *Bertia moriformis* and its varieties. Can. J. Bot. 62:2561-2569.
- Cujec, T.P.; Copeman, R.J.; Sholberg, P.L. 1988. Epidemiology and control of Cytospora dieback of stone fruits in the Okanagan Valley of British Columbia. Can. J. Plant Pathol. 10:362-363.
- Dalpe, Y. 1984. *Endogone pisiformis*. Fungi Canadenses No. 283, National Mycological Herbarium, Agriculture Canada, Ottawa, ON.
- David, A.; Tortic, M. 1986. Contribution a l'étude de quatre polypores Européens peu connus. Cryptogamie Mycol. 7:1-13.
- Davidson, J.E. 1930. Notes on the Agaricaceae of Vancouver (B.C.) District-I. Mycologia 22:80-93.
- Dearness, J. 1916. New or noteworthy species of fungi. Mycologia 8:98-107.
- Dearness, J. 1917. New or noteworthy North American fungi. Mycologia 9:345-364.
- Denison, W.C. 1964. The genus *Cheilymenia* in North America. Mycologia 56:718-737.
- Desjardin, D.E.; Redhead, S.A. 1987. *Marasmius salalis*, a new Pacific Coast North American species. Mycotaxon 29:307-308.
- Dicosmo, F.; Nag Raj, T.R.; Kendrick, W.B. 1984. A revision of the Phacidiaceae and related anamorphs. Mycotaxon 21:1-234.
- Dodd, J.L. 1972. The genus *Clavicorona*. Mycologia 64:737-773.
- Eckblad, F-E. 1968. The genera of the operculate Discomycetes. A re-evaluation of their taxonomy, phylogeny and nomenclature. Nytt Magasin for Botanikk 15:1-192.
- Egger, K.N.; Paden, J.W. 1986a. Biotrophic associations between lodgepole pine seedlings and postfire ascomycetes (Pezizales) in monoxenic culture. Can. J. Bot. 64:2719-2725.
- Egger, K.N.; Paden, J.W. 1986b. Pathogenicity of postfire ascomycetes (Pezizales) on seeds and germinants of lodgepole pine. Can. J. Bot. 64:2368-2371.
- Elliott, M.E.; Kaufert, M. 1974. *Peziza badia* and *Peziza radio-confusa*. Can. J. Bot. 52:467-472.
- Eriksson, J.; Hjortstam, K.; Ryvarden, L. 1981. The Corticiaceae of North Europe. Vol. 6. Phlebia – Sarcodontia. Fungiflora, Oslo, Norway.
- Fischer, G.W.; Hirschhorn, E. 1945. A critical study of some species of *Ustilago* causing stem smut on various grasses. Mycologia 37:236-266.
- Francis, S.M. 1986. Needle blights of conifers. Trans. Br. Mycol. Soc. 87:397-400.
- Funk, A. 1982. *Therrya* canker of spruce in British Columbia. Can. J. Plant Pathol. 4:357-361.
- Funk, A. 1985a. *Botryosphaeria pseudotsugae*: association with a canker of Douglas-fir and observations on its morphology. Can. J. Plant Pathol. 7:355-358.
- Funk, A. 1985b. Foliar fungi of western trees. Canadian Forestry Service, Pacific Forest Research Centre, Victoria, BC. Information Report BC-X-265.
- Fushtey, S.G. 1988. Turf grass diseases in cultivars at Agassiz Research Station in 1987. Can. Plant Dis. Surv. 68:133.
- Gaudet, D.A.; Sholberg, P.L. 1990. Comparative pathogenicity of *Coprinus psychromorphidus* monokaryons and dikaryons on winter wheat, alfalfa, grass and some fruit. Can. J. Plant Pathol. 12:31-37.

- Gerdemann, J.W.; Trappe, J.M. 1974. The Endogonaceae in the Pacific Northwest. *Mycologia Memoir* 5:1-76.
- Ginns, J. 1974. *Gyromitra infula*. Fungi Canadenses No. 52, National Mycological Herbarium, Agriculture Canada, Ottawa, ON.
- Ginns, J. 1982a. A monograph of the genus *Coniophora* (Aphyllophorales, Basidiomycetes). *Opera Botanica* 61:1-61.
- Ginns, J. 1982b. The wood-inhabiting fungus, *Aleurodiscus dendroideus* sp. nov., and the distinctions between *A. grantii* and *A. amorphus*. *Can. Field-Nat.* 96:131-138.
- Ginns, J. 1985. *Hericium* in North America: cultural characteristics and mating behavior. *Can. J. Bot.* 63:1551-1563.
- Ginns, J. 1986a. Compendium of plant disease and decay fungi in Canada 1960-1980. Research Branch, Agriculture Canada, Ottawa ON. Publication 1813.
- Ginns, J. 1986b. The genus *Syzygospora* (Heterobasidiomycetes: Syzygosporaceae). *Mycologia* 78:619-636.
- Ginns, J. 1989. Descriptions and notes for some unusual North American Corticioid fungi (Aphyllophorales, Corticiaceae). *Memoirs of the New York Botanical Garden* 49:129-137.
- Ginns, J. 1990. *Aleurodiscus occidentalis* sp. nov., *A. thujae* sp. nov., and the *A. tsugae* complex in North America. *Mycologia* 82:753-758.
- Ginns, J.; Clark, J. 1989. *Crustoderma longicystidia* associated with decay of lumber in British Columbia, and the cultural features of *C. dryina*. *Mycologia* 81:921-926.
- Ginns, J.; Lowe, J.L. 1983. *Macrohyporia extensa* and its synonym *Poria cocos*. *Can. J. Bot.* 61:1672-1679.
- Ginns, J.H. 1968. The genus *Merulius* I. Species proposed by Burt. *Mycologia* 60:1211-1231.
- Ginns, J.H.; Macrae, R. 1971. New distribution records for 48 species of Polyporaceae in western Canada. *Can. J. Bot.* 49:899-902.
- Goos, R.D. 1969. The genus *Pleurothecium*. *Mycologia* 61:1048-1053.
- Goos, R.D. 1989. On the anamorph genera *Helicosporium* and *Drepanospora*. *Mycologia* 81:356-374.
- Gordon, W.L. 1954. The occurrence of *Fusarium* species in Canada. III. Taxonomy of *Fusarium* species in the seed of vegetable, forage, and miscellaneous crops. *Can. J. Bot.* 32:576-590.
- Gordon, W.L. 1956. The occurrence of *Fusarium* species in Canada. V. Taxonomy and geographic distribution of *Fusarium* species in soil. *Can. J. Bot.* 34:833-846.
- Gordon, W.L. 1959. The occurrence of *Fusarium* species in Canada. VI. Taxonomy and geographic distribution of *Fusarium* species on plants, insects, and fungi. *Can. J. Bot.* 37:257-290.
- Green, G.J. 1981. Physiologic races and incidence of *Puccinia graminis* on wheat, barley, and rye in Canada in 1980. *Can. J. Plant Pathol.* 3:223-227.
- Green, G.J.; Martens, J.W. 1982. Incidence and virulence of *Puccinia graminis* on wheat, barley, and rye in Canada in 1981. *Can. J. Plant Pathol.* 4:285-290.
- Griffin, H.D. 1968. The genus *Ceratocystis* in Ontario. *Can. J. Bot.* 46:689-718.
- Guzman, G.; Ott, J.; Boydston, J.; Pollock, S.H. 1976. Psychotropic mycoflora of Washington, Idaho, Oregon, California and British Columbia. *Mycologia* 68:1267-1272.
- Hallenberg, N. 1983. On the *Schizophora paradoxa* complex (Basidiomycetes). *Mycotaxon* 18:303-313.
- Hallenberg, N. 1984. Compatibility between species of Corticiaceae S.L. (Basidiomycetes) from Europe and North America. *Mycotaxon* 21:335-388.
- Hallenberg, N. 1986. Cultural studies in *Tubulicrinis* and *Xenasmatella* (Corticiaceae, Basidiomycetes). *Mycotaxon*

27:361-375.

- Hallenberg, N. 1988. Species delimitation in Corticiaceae (Basidiomycetes). *Mycotaxon* 31:445-465.
- Hallenberg, N. 1991. Pairing tests with species of Aphylophorales (Basidiomycetes) from two phytogeographically isolated areas. *Mycotaxon* 42:355-386.
- Hallenberg, N.; Larsson, E. 1991. Differences in cultural characters and electrophoretic patterns among sibling species in four different species complexes (Corticiaceae, Basidiomycetes). *Mycologia* 83:131-141.
- Hamm, P.B.; Hansen, E.M. 1985. *Phytophthora cryptogea* and *P. drechsleri* associated with root-rotted Douglas-fir seedlings in British Columbia. *Plant Disease* 69:361.
- Harder, D.E. 1989. Incidence and virulence of *Puccinia graminis* f. sp. *avenae* in Canada in 1988. *Can. J. Plant Pathol.* 11:435-438.
- Harder, D.E.; Dunsmore, K.M. 1990. Incidence and virulence of *Puccinia graminis* f. sp. *tritici* on wheat and barley in Canada in 1989. *Can. J. Plant Pathol.* 12:424-427.
- Harder, D.E.; Dunsmore, K.M. 1991. Incidence and virulence of *Puccinia graminis* f. sp. *tritici* on wheat and barley in Canada in 1990. *Can. J. Plant Pathol.* 13:361-364.
- Harrington, T.C.; Cobb, F.W., Jr. 1986. Varieties of *Verticiladiella wageneri*. *Mycologia* 78:562-567.
- Harrison, K.A.; Smith, A.H. 1968. Some new species and distribution records of *Rhizopogon* in North America. *Can. J. Bot.* 46:881-899.
- Hawksworth, D.L.; Sherwood, M.A. 1981. A reassessment of three widespread resinicolous discomycetes. *Can. J. Bot.* 59:357-372.
- Hesseltine, C.W.; Ellis, J.J. 1964. The genus *Absidia*: *Gongronella* and cylindrical-spored species of *Absidia*. *Mycologia* 56:568-601.
- Hopkins, J.C.; Funk, A. 1986. Dieback of white birch in central British Columbia. *Can. Plant Dis. Surv.* 66:59-60.
- Hotson, J.W.; Stuntz, D.E. 1938. The genus *Agaricus* in western Washington. *Mycologia* 30:204-234.
- Hughes, G.C. 1969. Marine fungi from British Columbia: occurrence and distribution of lignicolous species. *Syesis* 2:121-140.
- Hughes, S.J. 1960. Microfungi. V. *Conoplea* Pers. and *Exosporium* Link. *Can. J. Bot.* 38:659-696.
- Hughes, S.J. 1968. *Strigopodia*. *Can. J. Bot.* 46:1099-1107.
- Hughes, S.J. 1973a. *Spadicoides atra*. *Fungi Canadenses* No. 5, National Mycological Herbarium, Agriculture Canada, Ottawa, ON.
- Hughes, S.J. 1973b. *Spadicoides bina*. *Fungi Canadenses* No. 4, National Mycological Herbarium, Agriculture Canada, Ottawa, ON.
- Hughes, S.J. 1973c. *Spadicoides grovei*. *Fungi Canadenses* No. 7, National Mycological Herbarium, Agriculture Canada, Ottawa, ON.
- Hughes, S.J. 1973d. *Spadicoides klotzschii*. *Fungi Canadenses* No. 8, National Mycological Herbarium, Agriculture Canada, Ottawa, ON.
- Hughes, S.J. 1978. *Endophragmiella angustispora*. *Fungi Canadenses* No. 123, National Mycological Herbarium, Agriculture Canada, Ottawa, ON.
- Hughes, S.J. 1983. *Bactrodesmium biformatum*. *Fungi Canadenses* No. 258, National Mycological Herbarium, Agriculture Canada, Ottawa, ON.
- Hughes, S.J.; Cooke, J.C. 1979a. *Dendryphion nanum*. *Fungi Canadenses* No. 147, National Mycological Herbarium,

Agriculture Canada, Ottawa, ON.

- Hughes, S.J.; Cooke, J.C. 1979b. *Pseudospirodes simplex*. Fungi Canadenses No. 145, National Mycological Herbarium, Agriculture Canada, Ottawa, ON.
- Hughes, S.J.; Illman, W.I. 1974a. *Sporidesmium foliculatum*. Fungi Canadenses No. 60, National Mycological Herbarium, Agriculture Canada, Ottawa, ON.
- Hughes, S.J.; Illman, W.I. 1974b. *Sporidesmium hormiscioides*. Fungi Canadenses No. 58, National Mycological Herbarium, Agriculture Canada, Ottawa, ON.
- Hughes, S.J.; Kendrick, W.B. 1963. Microfungi. IX. *Menispora Persoon*. Can. J. Bot. 41:693-718.
- Hughes, S.J.; Kokko, E.G. 1975. *Brachysporium nigrum*. Fungi Canadenses No. 69, National Mycological Herbarium, Agriculture Canada, Ottawa, ON.
- Hughes, S.J.; White, G.P. 1983. *Bactrododesmium traversianum*. Fungi Canadenses No. 259, National Mycological Herbarium, Agriculture Canada, Ottawa, ON.
- Hunt, R.S.; Morrison, D.J. 1986. Black-stain root disease on lodgepole pine in British Columbia. Can. J. For. Res. 16:996-999.
- Hutchison, L.J. 1990. Studies on the systematics of ectomycorrhizal fungi in axenic culture. V. Linear growth response to standard extreme temperatures used as a taxonomic character. Can. J. Bot. 68:2179-2184.
- Hutchison, L.J.; Chakravarty, P.; Hiratsuka, Y. 1992. The microbial interactions and ecology of fungi isolated from decayed, stained, and healthy aspen poplar found in Alberta and northern British Columbia. Can. J. Plant Pathol. 14:244.
- Iturriaga, T.; Korf, R.P. 1990. A monograph of the discomycete genus *Strossmayeria* (Leotiaceae), with comments on its anamorph, *Pseudospirodes* (Dematiaceae). Mycotaxon 36:383-454.
- Jackson, H.S.; Dearden, E.R. 1948. *Martensella corticii* Thaxter and its distribution. Mycologia 40:168-176.
- Jacobs, K.; Wingfield, M.J.; Crous, P.W.; Harrington, T.C. 1998. *Leptographium engelmannii*, a synonym of *Leptographium abietinum*, and description of *Leptographium hughesii* sp. nov. Can. J. Bot. 76:1660-1667.
- Jenkins, D.T. 1977. A taxonomic and nomenclatural study of the genus *Amanita* section *Amanita* for North America. Bibliotheca Mycologica 57.
- Jones, W. 1957. Check list of plant diseases in the coastal areas of British Columbia. Laboratory of Plant Pathology, Saanichton, BC.
- Karling, J.S. 1956. Canadian species of *Synchytrium*. Can. J. Bot. 34:406-416.
- Kendrick, W.B. 1961. The *Leptographium* complex. *Phialocephala* gen. nov. Can. J. Bot. 39:1079-1085.
- Kendrick, W.B. 1962. The *Leptographium* complex. *Verticiladiella* Hughes. Can. J. Bot. 40:771-797.
- Kendrick, W.B. 1963. The *Leptographium* complex. Two new species of *Phialocephala*. Can. J. Bot. 41:1015-1023.
- Kennedy, L.L. 1964. The genus *Ditiola*. Mycologia 56:298-308.
- Kimbrough, J.W. 1966. Studies in the Pseudoascoboleae. Can. J. Bot. 44:685-704.
- Kimbrough, J.W.; Luck-Allen, E.R.; Cain, R.F. 1972. North American species of *Coprotus* (Thelebolaceae: Pezizales). Can. J. Bot. 50:957-971.
- Koske, R.E. 1972. Two unusual tremellas from British Columbia. Can. J. Bot. 50:2565-2567.
- Krug, J.C.; Cain, R.F. 1974. New species of *Hypocopra* (Xylariaceae). Can. J. Bot. 52:809-843.
- Kukkonen, I. 1961. The smuts of the genus *Cintractia* parasiting *Kobresia* species. Can. J. Bot. 39:155-164.

- Larsen, M.J. 1965. *Tomentella* and related genera in North America. I. Studies of nomenclatural types of species of *Hypochnus* described by Burt. Can. J. Bot. 43:1485-1510.
- Larsen, M.J. 1970. *Tomentella* and related genera in North America VI. Some synonymy and additional new records. Mycologia 62:256-271.
- Larsen, M.J. 1974. A contribution to the taxonomy of the genus *Tomentella*. Mycologia Memoir 4:1-145.
- Lewis, K.J.; Hansen, E.M. 1991a. Survival of *Inonotus tomentosus* in stumps and subsequent infection of young stands in north central British Columbia. Can. J. For. Res. 21:1049-1057.
- Lewis, K.J.; Hansen, E.M. 1991b. Vegetative compatibility groups and protein electrophoresis indicate a role for basidiospores in spread of *Inonotus tomentosus* in spruce forests of British Columbia. Can. J. Bot. 69:1756-1763.
- Liberta, A.E. 1965. Notes on Wisconsin resupinate basidiomycetes. Mycologia 57:459-464.
- Libonati-Barnes, S.D.; Redhead, S.A. 1984. *Panellus longinquus* subsp. *pacificus*, a new west coast North American agaric associated with red alder. Mycotaxon 20:205-212.
- Lombard, F.F.; Gilbertson, R.L. 1965. Studies on some western Porias with negative or weak oxidase reactions. Mycologia 57:43-76.
- Lombard, F.F.; Gilbertson, R.L. 1966. *Poria luteoalba* and some related species in North America. Mycologia 58:827-845.
- Long, W.H. 1946. Studies in the Gasteromycetes. XIII. The types of Miss White's species of *Tylostoma*. Mycologia 38:171-179.
- Lowe, J.L.; Gilbertson, R.L. 1961. Synopsis of the Polyporaceae of the western United States and Canada. Mycologia 53:474-511.
- Luck-Allen, E.R. 1963. The genus *Basidiocladus*. Can. J. Bot. 41:1025-1052.
- Lum, C.; Copeman, R.J. 1988. *Colletotrichum dematium* leaf spot of English ivy. Can. J. Plant Pathol. 10:368-369.
- MacDonald, L.S. 1990. 1989 vegetable, turf and ornamental diseases in British Columbia. Can. Plant Dis. Surv. 70:34-35.
- MacDonald, L.S. 1991. Diseases diagnosed on floriculture crops in B.C., 1990. Can. Plant Dis. Surv. 71:57-58.
- MacDonald, L.S.; Barnett, C. 1989. Diagnostic lab report for diseases of nursery crops in B.C. during 1988. Can. Plant Dis. Surv. 69:85.
- MacDonald, L.S.; DeYoung, R.; Ormrod, D.J. 1991. Turfgrass diseases diagnosed at the B.C. Ministry of Agriculture and Fisheries Plant Diagnostic Laboratory in 1990. Can. Plant Dis. Surv. 71:128.
- Mains, E.B. 1947. New and interesting species of *Cordyceps*. Mycologia 39:535-545.
- Mains, E.B. 1955. North American hyaline-spored species of the Geoglossaceae. Mycologia 47:846-877.
- Martin, K.J.; Gilbertson, R.L. 1977. Synopsis of wood-rotting fungi on spruce in North America: I. Mycotaxon 6:43-77.
- Martin, K.J.; Gilbertson, R.L. 1980. Synopsis of wood rotting-fungi on spruce in North America: III. Mycotaxon 10:479-501.
- Maruyama, P.J. 1984. A new host and distribution record of a larch needle blight, *Meria laricis* Vuill., in Alberta. Can. Plant Dis. Surv. 64:19.
- Marvanová, L.; Bandoni, R.J. 1987. *Naiadella fluitans* gen. et sp. nov.: a conidial basidiomycete. Mycologia 79(4):578-586.
- McCain, J.W.; Hennen, J.F.; Ono, Y. 1990. New host species and state distribution records for North American rust fungi (Uredinales). Mycotaxon 39:281-300.
- McIntosh, D.L. 1964. *Phytophthora* spp. in soils of the Okanagan and Similkameen Valleys of British Columbia. Can. J. Bot. 42:1411-1415.

- McKnight, K.H. 1969. A note on *Discina*. Mycologia 61:614-630.
- Menzies, J.G.; Koch, C.; Seywerd, F. 1990. Additions to the host range of *Fusarium oxysporum* f. sp. *radicis-lycopersici*. Plant Disease 74:569-572.
- Meurer-Grimes, B.M.; Huhndorf, S.M.; Reed, S.L. 1992. The fungus herbarium of the University of Massachusetts at Amherst (MASS). Mycotaxon 45:343-371.
- Miller, J.H. 1961. A monograph of the world species of *Hypoxyton*. University of Georgia Press, Athens, GA.
- Miller, O.K., Jr.; Stewart, L. 1971. The genus *Lentinellus*. Mycologia 63:333-369.
- Mirza, J.H.; Cain, R.F. 1969. Revision of the genus *Podospora*. Can. J. Bot. 47:1999-2048.
- Mitchell, L.A. 1986. Derivation of *Sirococcus strobilinus* specific monoclonal antibodies. Can. J. For. Res. 16:939-944.
- Mittal, R.K.; Wang, B.S.P. 1985. Botrytis hazards in forest regeneration. Can. J. Plant Pathol. 7:447.
- Molina, R.J.; Trappe, J.M.; Strickler, G.S. 1978. Mycorrhizal fungi associated with *Festuca* in the western United States and Canada. Can. J. Bot. 56:1691-1695.
- Monod, M. 1983. Monographie taxonomique des Gnomoniaceae. (Ascomycètes de l'ordre des Diaporthales). I. Beihefte Zur Sydowia 9:1-315.
- Monoson, H.L.; Prose, S.E. 1983. Autoecious *Uromyces* that infect new-world Euphorbiaceae. Mycologia 75:436-450.
- Mordue, J.E.M. 1986. Ustilospore ornamentation in the European genera of smut fungi. Trans. Br. Mycol. Soc. 87:407-431.
- Morgan-Jones, G. 1971. *Sciniatosporium* Kalchbr., and its synonyms *Marcosia* Syd., *Stigmina* Sacc., *Thyrostroma* Hohnel, and *Thyrostromella* Syd., non Hohnel. Can. J. Bot. 49:993-1009.
- Morgan-Jones, G. 1974. Concerning some species of *Microsphaeropsis*. Can. J. Bot. 52:2575-2579.
- Morrison, D.J.; Chu, D.; Johnson, A.L.S. 1985. Species of *Armillaria* in British Columbia. Can. J. Plant Pathol. 7:242-246.
- Mortensen, K. 1984. Occurrence of fungi on leafy spurge in the prairie provinces from 1981 to 1983. Can. Plant Dis. Surv. 64:43-48.
- Mortensen, K.; Harris, P.; Kim, W.K. 1991. Host ranges of *Puccinia jaceae*, *P. centaureae*, *P. acroptili*, and *P. carthami*, and the potential value of *P. jaceae* as a biological control agent for diffuse knapweed (*Centaurea diffusa*) in North America. Can. J. Plant Pathol. 13:71-80.
- Mortensen, K.; Harris, P.; Makowski, R.M.D. 1989. First occurrence of *Puccinia jaceae* var. *diffusae* in North America on diffuse knapweed (*Centaurea diffusa*). Can. J. Plant Pathol. 11:322-324.
- Mortensen, K.; Molloy, M.M. 1989. Fungi detected on *Acroptilon repens* (Russian knapweed) during surveys from 1981 to 1988. Can. Plant Dis. Surv. 69:143-145.
- Mounce, I.; Macrae, R. 1936. The behavior of paired monosporous mycelia of *Lenzites saeparia* (Wulf.) Fr., *L. trabea* (Pers.) Fr., *L. thermophila* Falck, and *Trametes americana* Overh. Can. J. Res. 14C:215-221.
- Murrill, W.A. 1912a. The Agaricaceae of the Pacific Coast - II. Mycologia 4:231-262.
- Murrill, W.A. 1912b. The Agaricaceae of the Pacific Coast - III. Mycologia 4:294-308.
- Murrill, W.A. 1920. Light-colored resupinate polypores - I. Mycologia 12:77-92.
- Nag Raj, T.R.; Kendrick, B. 1981. *Infundibula*, a new hyphomycete with unique appendages. Can. J. Bot. 59:542-546.
- Nakasone, K.K. 1982. Cultural and morphological studies of *Gloeocystidiellum porosum* and *Gloeocystidium clavuligerum*. Mycotaxon 14:316-324.

- Nobles, M.K. 1948. Studies in forest pathology. VI. Identification of cultures of wood-rotting fungi. Can. J. Res. 26C:281-431.
- Nobles, M.K. 1956. Studies in wood-inhabiting Hymenomycetes. III. *Stereum pini* and species of *Peniophora* sect. *Coloratae* on conifers in Canada. Can. J. Bot. 34:104-130.
- Norris, D. 1989. *Rhizina* root disease in new conifer plantations. Can. Plant Dis. Surv. 69:98.
- Norvell, L.L. 1998. Observations on development, morphology and biology in *Phaeocollybia*. Mycol. Res. 102:615-630.
- Oberwinkler, F.; Bandoni, R. 1984. *Herpobasidium* and allied genera. Trans. Br. Mycol. Soc. 83(4):639-658.
- Olchowecski, A.; Reid, J. 1974. Taxonomy of the genus *Ceratocystis* in Manitoba. Can. J. Bot. 52:1675-1711.
- Ormrod, D.J.; O'Reilly, H.J.; van der Kamp, B.J.; Borno, C. 1984. Epidemiology, cultivar susceptibility, and chemical control of *Gymnosporangium fuscum* in British Columbia. Can. J. Plant Pathol. 6:63-70.
- Orr, G.F. 1977. New Gymnoascaceae. Mycotaxon 6:33-42.
- Overholts, L.O. 1941. New species of Polyporaceae. Mycologia 33:90-102.
- Paden, J.W.; Linton, M.A.S. 1976. Apothecial development and sexuality in *Ascobolus sacchariferus*. Can. J. Bot. 54:1784-1792.
- Paden, J.W.; Stanlake, E.A. 1973. Ascocarp development in *Ascobolus michaudii*. Can. J. Bot. 51:1271-1273.
- Paden, J.W.; Tylutki, E.E. 1969. Idaho discomycetes. II. Mycologia 61:683-693.
- Pantidou, M.E.; Groves, J.W. 1966. Cultural studies of Boletaceae. Some species of *Suillus* and *Fuscoboletinus*. Can. J. Bot. 44:1371-1392.
- Parmelee, J.A. 1958. Some foliicolous fungi of the Pyrolaceae. Can. J. Bot. 36:865-881.
- Parmelee, J.A. 1974. *Tilletia controversa*. Fungi Canadenses No. 33, National Mycological Herbarium, Agriculture Canada, Ottawa, ON.
- Parmelee, J.A. 1975. *Sphaerotheca macularis*. Fungi Canadenses No. 63, National Mycological Herbarium, Agriculture Canada, Ottawa, ON.
- Parmelee, J.A. 1977. *Puccinia helianthi*. Fungi Canadenses No. 95, National Mycological Herbarium, Agriculture Canada, Ottawa, ON.
- Parmelee, J.A. 1978a. *Gymnosporangium clavariiforme*. Fungi Canadenses No. 115, National Mycological Herbarium, Agriculture Canada, Ottawa, ON.
- Parmelee, J.A. 1978b. *Gymnosporangium clavipes*. Fungi Canadenses No. 116, National Mycological Herbarium, Agriculture Canada, Ottawa, ON.
- Parmelee, J.A. 1978c. *Gymnosporangium cornutum*. Fungi Canadenses No. 117, National Mycological Herbarium, Agriculture Canada, Ottawa, ON.
- Parmelee, J.A. 1978d. *Gymnosporangium tremelloides*. Fungi Canadenses No. 119, National Mycological Herbarium, Agriculture Canada, Ottawa, ON.
- Parmelee, J.A. 1981. *Puccinia ortonii*. Fungi Canadenses No. 208, National Mycological Herbarium, Agriculture Canada, Ottawa, ON.
- Parmelee, J.A. 1983. The fungi of Ontario. III. Parasitic microfungi on vascular plants in Northern Ontario. Agriculture Canada, Ottawa, ON. Research Contribution 1983-9E.
- Parmelee, J.A. 1984. Microfungi parasitic on vascular plants in Waterton Lakes National Park, Alberta, and environs. Agriculture Canada, Ottawa, ON. Research Branch Technical Bulletin 1984-11E.

- Parmelee, J.A. 1985. *Uredo beringiana*. Fungi Canadenses No. 297, National Mycological Herbarium, Agriculture Canada, Ottawa, ON.
- Parmelee, J.A. 1986a. The autoecious species of *Puccinia* on Polemoniaceae in North America. *Mycologia* 78:454-468.
- Parmelee, J.A. 1986b. *Xenodochus carbonarius*. Fungi Canadenses No. 308, National Mycological Herbarium, Agriculture Canada, Ottawa, ON.
- Parmelee, J.A. 1988. Parasitic fungi of Newfoundland based on specimens from Gros Morne National Park. *Can. Field-Nat.* 102:442-464.
- Parmelee, J.A. 1989. The rusts (Uredinales) of arctic Canada. *Can. J. Bot.* 67:3315-3365.
- Parmelee, J.A.; de Carteret, P.M. 1980. *Puccinia malvacearum*. Fungi Canadenses No. 171, National Mycological Herbarium, Agriculture Canada, Ottawa, ON.
- Parmelee, J.A.; de Carteret, P.M. 1981a. *Puccinia distichlidis*. Fungi Canadenses No. 205, National Mycological Herbarium, Agriculture Canada, Ottawa, ON.
- Parmelee, J.A.; de Carteret, P.M. 1981b. *Puccinia karelica*. Fungi Canadenses No. 206, National Mycological Herbarium, Agriculture Canada, Ottawa, ON.
- Parmelee, J.A.; de Carteret, P.M. 1981c. *Puccinia subnitens*. Fungi Canadenses No. 209, National Mycological Herbarium, Agriculture Canada, Ottawa, ON.
- Parmelee, J.A.; de Carteret, P.M. 1982a. *Coleosporium campanulae*. Fungi Canadenses No. 218, National Mycological Herbarium, Agriculture Canada, Ottawa, ON.
- Parmelee, J.A.; de Carteret, P.M. 1982b. *Puccinia campanulae*. Fungi Canadenses No. 219, National Mycological Herbarium, Agriculture Canada, Ottawa, ON.
- Parmelee, J.A.; de Carteret, P.M. 1984a. *Puccinia blyttiana*. Fungi Canadenses No. 263, National Mycological Herbarium, Agriculture Canada, Ottawa, ON.
- Parmelee, J.A.; de Carteret, P.M. 1984b. *Puccinia gemella*. Fungi Canadenses No. 264, National Mycological Herbarium, Agriculture Canada, Ottawa, ON.
- Parmelee, J.A.; de Carteret, P.M. 1985. *Puccinia gentianae*. Fungi Canadenses No. 295, National Mycological Herbarium, Agriculture Canada, Ottawa, ON.
- Parmelee, J.A.; Elliott, M.E. 1974. *Pileolaria brevipes*. Fungi Canadenses No. 50, National Mycological Herbarium, Agriculture Canada, Ottawa, ON.
- Parmelee, J.A.; Ginns, J. 1986. Parasitic microfungi on vascular plants in the Yukon and environs. *Int. J. Mycol. Lichenol.* 2:293-347.
- Parmelee, J.A.; Savile, D.B.O. 1981. Autoecious species of *Puccinia* on Cichorieae in North America. *Can. J. Bot.* 59:1078-1101.
- Parmelee, J.A.; Savile, D.B.O. 1984a. *Puccinia pulsatillae*. Fungi Canadenses No. 265, National Mycological Herbarium, Agriculture Canada, Ottawa, ON.
- Parmelee, J.A.; Savile, D.B.O. 1984b. *Puccinia trautvetteriae*. Fungi Canadenses No. 266, National Mycological Herbarium, Agriculture Canada, Ottawa, ON.
- Parmelee, J.A.; Savile, D.B.O. 1984c. *Puccinia ustalis*. Fungi Canadenses No. 268, National Mycological Herbarium, Agriculture Canada, Ottawa, ON.
- Parmelee, J.A.; Savile, D.B.O. 1990. *Puccinia leveillei*. Fungi Canadenses No. 325, National Mycological Herbarium, Agriculture Canada, Ottawa, ON.
- Paulitz, T.C.; Atlin, G. 1992. First report of brown spot of lupines caused by *Pleiochaeta setosa* in Canada. *Plant Disease* 76:1185.

- Petrini, L.E. 1992. *Rosellinia* species of the temperate zones. *Sydotia* 44:169-281.
- Pirozynski, K.A. 1974. *Ramularia coalescens*. Fungi Canadenses No. 23, National Mycological Herbarium, Agriculture Canada, Ottawa, ON.
- Pirozynski, K.A. 1976. *Fabraea cincta*. Fungi Canadenses No. 81, National Mycological Herbarium, Agriculture Canada, Ottawa, ON.
- Powell, P.E. 1973. The genera *Duplicaria* (Rhytismataceae) and *Crandallia* (Leptostromataceae). *Mycologia* 65:1356-1370.
- Punja, Z.K.; Chittaranjan, S.; Gaye, M.M. 1992. Development of black root rot caused by *Chalara elegans* on fresh market carrots. *Can. J. Plant Pathol.* 14:299-309.
- Punja, Z.K.; Ormrod, D.J. 1979. New or noteworthy plant diseases in coastal British Columbia 1975 to 1977. *Can. Plant Dis. Surv.* 59:22-32.
- Redhead, S.A. 1973. Epistolae mycologicae I. Some cyphelloid basidiomycetes from British Columbia. *Sysis* 6:221-227.
- Redhead, S.A. 1974. A new species of *Campanella* from North America. *Mycologia* 66:183-187.
- Redhead, S.A. 1975. The genus *Cristulariella*. *Can. J. Bot.* 53:700-707.
- Redhead, S.A. 1977. The genus *Neolecta* (Neolectaceae fam. nov., Lecanorales. Ascomycetes) in Canada. *Can. J. Bot.* 55:301-306.
- Redhead, S.A. 1980a. *Hemimycena tortuosa*. Fungi Canadenses No. 177, National Mycological Herbarium, Agriculture Canada, Ottawa, ON.
- Redhead, S.A. 1980b. *Marasmiellus filipes*. Fungi Canadenses No. 179, National Mycological Herbarium, Agriculture Canada, Ottawa, ON.
- Redhead, S.A. 1981. Agaricales on wetland Monocotyledoneae in Canada. *Can. J. Bot.* 59:574-589.
- Redhead, S.A. 1982a. The application of *Helotium* to agarics. Part I. Nomenclature. Part II. Notes on selected species from Canada. *Can. J. Bot.* 60:1998-2013.
- Redhead, S.A. 1982b. *Marasmiellus pluvius*. Fungi Canadenses No. 216, National Mycological Herbarium, Agriculture Canada, Ottawa, ON.
- Redhead, S.A. 1982c. *Pseudobaeospora pillopii*. Fungi Canadenses No. 217, National Mycological Herbarium, Agriculture Canada, Ottawa, ON.
- Redhead, S.A. 1984a. Additional Agaricales on wetland Monocotyledoneae in Canada. *Can. J. Bot.* 62:1844-1851.
- Redhead, S.A. 1984b. *Arrhenia* and *Rimbachia*, expanded generic concepts, and a reevaluation of *Leptoglossum* with emphasis on muscicolous North American taxa. *Can. J. Bot.* 62:865-892.
- Redhead, S.A. 1984c. Mycological observations 13-14: on *Hypsizygus* and *Tricholoma*. *Trans. Mycol. Soc. Japan.* 25:1-9.
- Redhead, S.A. 1984d. *Roeslerina gen. nov.* (Caliciales, Caliciaceae), an ally of *Roesleria* and *Coniocybe*. *Can. J. Bot.* 62:2514-2519.
- Redhead, S.A. 1984e. Two fern-associated mushrooms, *Mycena lohwagii* and *M. pterigena*, in Canada. *Naturaliste Can. (Rév. Écol. Syst.)* 111:439-442.
- Redhead, S.A. 1985. *Typhula thaxteri*. Fungi Canadenses No. 292, National Mycological Herbarium, Agriculture Canada, Ottawa, ON.
- Redhead, S.A. 1989. A biogeographical overview of the Canadian mushroom flora. *Can. J. Bot.* 67:3003-3062.
- Redhead, S.A.; Ginns, J.H. 1985. A reappraisal of agaric genera associated with brown rots of wood. *Trans. Mycol. Soc. Japan* 26:349-381.

- Redhead, S.A.; Halling, R. 1982. *Marasmiellus papillatus*. Fungi Canadenses No. 215, National Mycological Herbarium, Agriculture Canada, Ottawa, ON.
- Redhead, S.A.; Kroeger, P. 1984. *Melanotus textilis*, a new fabric- and wood-inhabiting North American agaric. *Mycologia* 76:868-872.
- Redhead, S.A.; Miller, O.K., Jr; Watling, R.; Ohenoja, E. 1982. *Marasmius epidryas*. Fungi Canadenses No. 213, National Mycological Herbarium, Agriculture Canada, Ottawa, ON.
- Redhead, S.A.; Reid, D.A. 1983. *Craterellus humphreyi*, an unusual *Stereopsis* from western North America. *Can. J. Bot.* 61:3088-3090.
- Redhead, S.A.; Traquair, J.A. 1981a. *Calyptella capula*. Fungi Canadenses No. 202, National Mycological Herbarium, Agriculture Canada, Ottawa, ON.
- Redhead, S.A.; Traquair, J.A. 1981b. *Coprinus* sect. *Herbicolae* from Canada, notes on extrazonal taxon, and the taxonomic position of a low temperature basidiomycete forage crop pathogen from western Canada. *Mycotaxon* 13:373-404.
- Robinson-Jeffrey, R.C.; Davidson, R.W. 1968. Three new *Europhium* species with *Verticicladella* imperfect states on blue-stained pine. *Can. J. Bot.* 46:1523-1527.
- Robinson-Jeffrey, R.C.; Grinchenko, A.H.H. 1964. A new fungus in the genus *Ceratocystis* occurring on blue-stained lodgepole pine attacked by bark beetles. *Can. J. Bot.* 42:527-532.
- Rodrigues, K.F. 1989. Index to J.B. Ellis's types of pyrenomycetes with amyloid ascus rings. *Mycotaxon* 34:577-599.
- Rogerson, C.T.; Simms, H.R. 1971. A new species of *Hypomyces* on *Helvella*. *Mycologia* 63:416-421.
- Roth, A.L.; Berch, S.M. 1992. Ectomycorrhizae of Douglas-fir and western hemlock seedlings outplanted on eastern Vancouver Island. *Can. J. For. Res.* 22:1646-1655.
- Savile, D.B.O. 1953. Notes on boreal Ustilaginales. *Can. J. Bot.* 31:663-674.
- Savile, D.B.O. 1954. Taxonomy, phylogeny, host relationship, and phytogeography of the microcyclic rusts of Saxifragaceae. *Can. J. Bot.* 32:400-425.
- Savile, D.B.O. 1957. Notes on boreal Ustilaginales, II. *Can. J. Bot.* 35:279-286.
- Savile, D.B.O. 1959. Notes on *Exobasidium*. *Can. J. Bot.* 37:641-656.
- Savile, D.B.O. 1961. Some fungal parasites of Liliaceae. *Mycologia* 53:31-52.
- Savile, D.B.O. 1965a. *Puccinia karelica* and species delimitation in the Uredinales. *Can. J. Bot.* 43:231-238.
- Savile, D.B.O. 1965b. Some fungal parasites of Umbelliferae. *Can. J. Bot.* 43:571-596.
- Savile, D.B.O. 1966. The rusts of *Eriogonum*, *Chorizanthe*, and *Oxytheca*. *Can. J. Bot.* 44:1151-1170.
- Savile, D.B.O. 1967. Evolution and relationships of North American *Pedicularis* rusts and their hosts. *Can. J. Bot.* 45:1093-1103.
- Savile, D.B.O. 1968a. Some fungal parasites of Scrophulariaceae. *Can. J. Bot.* 46:461-471.
- Savile, D.B.O. 1968b. Species of *Puccinia* attacking Veroniceae (Scrophulariaceae). *Can. J. Bot.* 46:631-642.
- Savile, D.B.O. 1970. Autoecious *Puccinia* species attacking Cardueae in North America. *Can. J. Bot.* 48:1567-1584.
- Savile, D.B.O. 1972. Some rusts of *Scirpus* and allied genera. *Can. J. Bot.* 50:2579-2596.
- Savile, D.B.O. 1973. Revisions of the microcyclic *Puccinia* species on Saxifragaceae. *Can. J. Bot.* 51:2347-2370.

- Savile, D.B.O. 1974a. *Phragmidium fusiforme* var. *novi-boreale*. Fungi Canadenses No. 54, National Mycological Herbarium, Agriculture Canada, Ottawa, ON.
- Savile, D.B.O. 1974b. *Phragmidium potentillae*. Fungi Canadenses No. 41, National Mycological Herbarium, Agriculture Canada, Ottawa, ON.
- Savile, D.B.O. 1974c. *Puccinia canadensis*. Fungi Canadenses No. 56, National Mycological Herbarium, Agriculture Canada, Ottawa, ON.
- Savile, D.B.O. 1974d. *Puccinia holboellii*. Fungi Canadenses No. 47, National Mycological Herbarium, Agriculture Canada, Ottawa, ON.
- Savile, D.B.O. 1974e. *Puccinia urbanis*. Fungi Canadenses No. 18, National Mycological Herbarium, Agriculture Canada, Ottawa, ON.
- Savile, D.B.O. 1974f. Some new or poorly known rusts of Brassicaceae. Can. J. Bot. 52:1501-1507.
- Savile, D.B.O. 1975a. *Puccinia fergussonii*. Fungi Canadenses No. 64, National Mycological Herbarium, Agriculture Canada, Ottawa, ON.
- Savile, D.B.O. 1975b. *Puccinia glacieri*. Fungi Canadenses No. 78, National Mycological Herbarium, Agriculture Canada, Ottawa, ON.
- Savile, D.B.O. 1975c. *Puccinia violae* ssp. *americana*. Fungi Canadenses No. 75, National Mycological Herbarium, Agriculture Canada, Ottawa, ON.
- Savile, D.B.O. 1976a. Notes on some parasitic fungi from southern British Columbia, southwest Alberta, and adjacent United States. Can. J. Bot. 54:971-975.
- Savile, D.B.O. 1976b. *Phragmidium ivesiae* and its allies in North America. Can. J. Bot. 54:1690-1696.
- Savile, D.B.O. 1977. *Puccinia conglomerata*. Fungi Canadenses No. 110, National Mycological Herbarium, Agriculture Canada, Ottawa, ON.
- Savile, D.B.O. 1978a. *Entyloma arnicale*. Fungi Canadenses No. 112, National Mycological Herbarium, Agriculture Canada, Ottawa, ON.
- Savile, D.B.O. 1978b. *Puccinia arnicalis*. Fungi Canadenses No. 111, National Mycological Herbarium, Agriculture Canada, Ottawa, ON.
- Savile, D.B.O. 1981. *Ustilago pinguiculae*. Fungi Canadenses No. 198, National Mycological Herbarium, Agriculture Canada, Ottawa, ON.
- Savile, D.B.O. 1983. *Puccinia striiformis*. Fungi Canadenses No. 250, National Mycological Herbarium, Agriculture Canada, Ottawa, ON.
- Savile, D.B.O. 1987. *Uromyces polygoni-aviclaris*. Fungi Canadenses No. 314, National Mycological Herbarium, Agriculture Canada, Ottawa, ON.
- Savile, D.B.O.; Parmelee, J.A. 1974. *Uromyces punctatus*. Fungi Canadenses No. 24, National Mycological Herbarium, Agriculture Canada, Ottawa, ON.
- Seifert, K.A. 1983. Decay of wood by the Dacrymycetales. Mycologia 75:1011-1018.
- Seifert, K.A. 1985. A monograph of *Stilbella* and some allied Hyphomycetes. Studies in Mycology No. 27. Centraalbureau voor Schimmelcultures, Baarn, Netherlands. 235 p.
- Shaffer, R.L. 1957. *Volvariella* in North America. Mycologia 49:545-579.
- Shaw, C.G. 1958. Host fungus index for the Pacific Northwest I. Hosts. Washington Agricultural Experiment Stations. Stations Circular 335.
- Shaw, C.G. 1973. Host fungus index for the Pacific Northwest I. Hosts. Washington Agricultural Experiment Station.

Bulletin 765:1-121.

- Sherwood, M.A. 1977. The Ostropalean fungi. *Mycotaxon* 5:1-277.
- Shoemaker, R.A. 1974. *Gaeumannomyces graminis* var. *tritici*. Fungi Canadenses No. 37, National Mycological Herbarium, Agriculture Canada, Ottawa, ON.
- Shoemaker, R.A. 1984a. Canadian and some extralimital *Leptosphaeria* species. *Can. J. Bot.* 62:2688-2729.
- Shoemaker, R.A. 1984b. Canadian and some extralimital *Nodulosphaeria* and *Entodesmium* species. *Can. J. Bot.* 62:2730-2753.
- Shoemaker, R.A. 1998. *Mariellottia*, a new genus of cereal and grass parasites segregated from *Drechslera*. *Can. J. Bot.* 76:1558-1569.
- Shoemaker, R.A.; Babcock, C.E. 1987. *Wettsteinina*. *Can. J. Bot.* 65:373-405.
- Shoemaker, R.A.; Babcock, C.E. 1989. *Phaeosphaeria*. *Can. J. Bot.* 67:1500-1599.
- Shoemaker, R.A.; Babcock, C.E. 1990. A new *Nodulosphaeria* contrasted with *N. olivaceae* and *Leptosphaeria erigerontis*. *Can. J. Bot.* 68:1574-1577.
- Shoemaker, R.A.; Babcock, C.E. 1992. Applanodictyosporous Pleosporales: *Clathrospora*, *Comoclathris*, *Graphyllum*, *Macrospora*, and *Platysporoides*. *Can. J. Bot.* 70:1617-1658.
- Shoemaker, R.A.; Egger, K.N. 1982. *Pseudopeziza singularis*. Fungi Canadenses No. 229, National Mycological Herbarium, Agriculture Canada, Ottawa, ON.
- Shoemaker, R.A.; White, G.P. 1985. *Lasiophaeria caesariata* with *Sporidesmium hormiscioides* and *L. triseptata* with *S. ascendens*. *Sydowia, Annales Mycologici Ser. II* 38:278-283.
- Sholberg, P.L. 1990. A new postharvest rot of peaches in Canada caused by *Mucor piriformis*. *Can. J. Plant Pathol.* 12:219-221.
- Sholberg, P.L.; Owen, G.R. 1986. Incidence of pathogenic *Mucor* spp. in Anjou pear orchard soils in the Okanagan Valley of British Columbia. *Phytopathology* 76:1129.
- Sholberg, P.L.; Owen, G.R. 1990. Populations of propagules of *Penicillium* spp. during immersion dumping of apples. *Can. Plant Dis. Surv.* 70:11-14.
- Sholberg, P.L.; Owen, G.R. 1991. Populations of propagules of *Mucor* spp. during immersion dumping of Anjou pears. *Can. Plant Dis. Surv.* 71:33-35.
- Sieber, T.N.; Sieber-Canavesi, F.; Dorworth, C.E. 1991. Endophytic fungi of red alder (*Alnus rubra*) leaves and twigs in British Columbia. *Can. J. Bot.* 69:407-411.
- Sieber, T.N.; Sieber-Canavesi, F.; Petrini, O.; Dorworth, C.E. 1989. The possible use of endophytic fungi in controlling red alder. *Can. J. Plant Pathol.* 11:198.
- Sieber, T.N.; Sieber-Canavesi, F.; Petrini, O.; Ekramoddoullah, A.K.M.; Dorworth, C.E. 1991. Characterization of Canadian and European *Melanconium* from some *Alnus* species by morphological, cultural and biochemical studies. *Can. J. Bot.* 69:2170-2176.
- Siegfried, A.L.; Seifert, K.A.; Bilmer, B.C. 1992. A new species of *Phialocephala* (Hyphomycetes). *Can. J. Bot.* 70:2484-2489.
- Sigler, L.; Whitney, H.S.; Carmichael, J.W. 1982. *Chrysosporium filiforme*, a new Hyphomycete associated with the bark beetle *Dendroctonus ponderosae*. *Mycotaxon* 14:261-265.
- Singer, R. 1949. The genus *Gomphidius* Fries in North America. *Mycologia* 41:462-489.
- Slysh, A.R. 1960. The genus *Peniophora* in New York state and adjacent regions. State University College of Forestry at Syracuse University, Syracuse 10, NY. Technical Publication No. 83.

- Smith, A.H. 1951. The North American species of *Naematoloma*. Mycologia 43:467-521.
- Smith, J.D.; Shoemaker, R.A. 1974. *Didymella festucae* and its imperfect state, *Phleospora idahoensis*, on *Festuca* species in western North America. Can. J. Bot. 52:2061-2074.
- Spielman, L.J. 1985. A monograph of *Valsa* on hardwoods in North America. Can. J. Bot. 63:1355-1378.
- Sprague, R. 1960a. Some leafspot fungi on western Gramineae -XIII. Mycologia 52:357-377.
- Sprague, R. 1960b. Some leafspot fungi on western Gramineae - XIV. Mycologia 52:698-718.
- Sprague, R. 1962. Some leafspot fungi on western Gramineae - XVI. Mycologia 54:593-610.
- Strobel, N.E.; Sinclair, W.A. 1991. Influence of temperature and pathogen aggressiveness on biological control of *Fusarium* root rot by *Laccaria bicolor* in Douglas-fir. Phytopathology. 81:415-420.
- Strongman, D.B. 1987. A method for rearing *Dendroctonus ponderosae* Hopk. (Coleoptera: Scolytidae) from eggs to pupae on host tissue with or without a fungal complement. Canadian Entomologist 119:207-208.
- Sullivan, T.P.; Sutherland, J.R.; Woods, T.A.D.; Sullivan, D.S. 1984. Dissemination of the conifer seed fungus *Caloscypha fulgens* by small mammals. Can. J. For. Res. 14:134-137.
- Summerbell, R.C.; Seifert, K.A.; Mackinnon, J.A. 1989. Taxonomy and ecology of *Cylindrodendrum album* var. *paralion* var. nov. Can. J. Bot. 67:573-578.
- Sutherland, J.R. 1981. Time, temperature, and moisture effects on incidence of seed infected by *Caloscypha fulgens* in Sitka spruce cones. Can. J. For. Res. 11:727-730.
- Sutton, B.C. 1970. Forest microfungi. IV. A leaf spot of *Populus* caused by *Cladosporium subsessile*. Can. J. Bot. 48:471-477.
- Thomson, A.J.; Sutherland, J.R.; Woods, T.A.D.; Moncrieff, S.M. 1983. Evaluation of seed disease effects in container-sown Sitka spruce. Forest Sci. 29:59-65.
- Toms, H.N.W. 1964. Plant diseases of southern British Columbia: A host index. Can. Plant Dis. Surv. 44:146-225.
- Traquair, J.A. 1987. Postharvest rot by *Coprinus psychromorbidus* on apples and pears in cold storage in British Columbia. Can. Plant Dis. Surv. 67:47-50.
- Traquair, J.A.; Smith, J.D. 1981. Spring and summer brown patch of turfgrass caused by *Rhizoctonia solani* in western Canada. Can. J. Plant Pathol. 3:207-210.
- Utkhede, R.S.; Li, T.S.C. 1988. The role of fungi, bacteria, and their interactions in apple replant disease complex in soils of British Columbia. Acta Horticulturae 233:75-78.
- van der Westhuizen, G.C.A. 1963. The cultural characters, structure of the fruit body, and type of interfertility of *Cerrena unicolor* (Bull. ex Fr.) Murr. Can. J. Bot. 41:1487-1499.
- Wall, R.E.; Shamoun, S.F. 1990. Diseases of *Rubus parviflorus* in British Columbia. Can. Plant Dis. Surv. 70:133-135.
- Watson, A.K.; Copeman, R.J.; Renney, A.J. 1974. A first record of *Sclerotinia sclerotiorum* and *Microsphaeropsis centaureae* on *Centaurea diffusa*. Can. J. Bot. 52:2639-2640.
- Watson, A.K.; Miltimore, J.E. 1975. Parasitism of the sclerotia of *Sclerotinia sclerotiorum* by *Microsphaeropsis centaureae*. Can. J. Bot. 53:2458-2461.
- Wells, D.E. 1954. *Ascocybe*, a new genus of lower Ascomycetes. Mycologia 46:37-51.
- Werensub, L.K. 1953. Studies of Canadian Thelephoraceae. X. Some species of *Peniophora*, section *Tubuliferae*. Can. J. Bot. 31:760-778.
- Werensub, L.K. 1976. *Amylocorticium cebennense*. Fungi Canadenses No. 87, National Mycological Herbarium, Agriculture Canada, Ottawa, ON.

- Weresub, L.K. 1977. *Amylocorticium subincarnatum*. Fungi Canadenses No. 91, National Mycological Herbarium, Agriculture Canada, Ottawa, ON.
- Wingfield, M.J.; Harrington, T.C.; Solheim, H. 1997. Two species in the *Ceratocystis coeruleescens* complex from conifers in western North America. Can. J. Bot. 75:827-834.
- Wong, G.J.; Wells, K.; Bandoni, R.J. 1985. Interfertility and comparative morphological studies of *Tremella mesenterica*. Mycologia 77:36-49.
- Wood, C.S.; Van Sickle, G.A. 1986. Forest insect and disease conditions, British Columbia and Yukon, 1985. Canadian Forestry Service, Pacific Forestry Centre, Victoria, BC. Information Report BC-X-277.
- Wood, C.S.; Van Sickle, G.A.; Humble, L.M. 1987. Forest insect and disease conditions, British Columbia and Yukon, 1987. Canadian Forestry Service, Pacific Forestry Centre, Victoria, BC. Information Report BC-X-296.
- Wooliams, G.E. 1966. Host range and symptomatology of *Verticillium dahliae* in economic, weed, and native plants in interior British Columbia. Can. J. Plant Sci. 46:661-669.



## Appendix

### AGRICULTURAL AND ORNAMENTAL TAXA

The following cross-referenced list is comprised mostly of literature records of fungi on garden ornamentals and agricultural crop species. These records were maintained and partially updated by Daphyne Lowe, Pacific Forestry Centre, until 1991. The reader is referred to Shaw (1973)<sup>1</sup>, and Ginn (1986)<sup>2</sup>, and other more current literature for additional records on these hosts. Agricultural agencies such as the British Columbia Ministry of Agriculture, and Agriculture and Agri-Food Canada should also be contacted for information on more recent records.

Abbreviations following names of the fungi follow those used by Lowe (1969)<sup>3</sup>. An "R" indicates a record from the literature or from reliable specialists at other herbaria and not represented by a specimen in DAVFP. The source of these records may be determined by corresponding with DAVFP at the address provided in the Introduction. A "C" indicates that no specimen is on file at DAVFP, but that at one time the Pathology Section at the Pacific Forestry Centre maintained a culture of this species. "DAVFP" indicates that a voucher specimen has been deposited at the Pacific Forestry Centre.

Each host species has been assigned a number. These numbers are used in the "Organisms" section to indicate host associations.

---

<sup>1</sup> Shaw, C.G. 1973. Host fungus index for the Pacific Northwest I. Hosts. Washington Agricultural Experiment Station. Bulletin 765:1-121.

<sup>2</sup> Ginn, J. 1986. Compendium of plant disease and decay fungi in Canada 1960-1980. Research Branch, Agriculture Canada, Ottawa, ON. Publication 1813.

<sup>3</sup> Lowe, D.P. 1969. Check list and host index of bacteria, fungi, and mistletoes of British Columbia. Department of Fisheries and Forestry, Forest Research Laboratory, Victoria, BC. Information Report BC-X-32.



## Hosts

<p><b>1 Allium cepa</b> L. - onion</p> <p><b>Fungi</b></p> <ul style="list-style-type: none"> <li><b>Ascomycotina</b> <ul style="list-style-type: none"> <li><i>Chaetomium aureum</i>, R</li> <li><i>Chaetomium cochlioides</i>, R</li> <li><i>Chaetomium globosum</i>, R</li> <li><i>Pleospora herbarum</i>, R</li> <li><i>Sclerotinia sclerotiorum</i>, R</li> </ul> </li>   <li><b>Basidiomycotina</b> <ul style="list-style-type: none"> <li><b>Uredinales</b> <ul style="list-style-type: none"> <li><i>Puccinia allii</i>, R</li> </ul> </li> </ul> </li>   <li><b>Others</b> <ul style="list-style-type: none"> <li><i>Urocystis magica</i>, R</li> </ul> </li>   <li><b>Deuteromycotina</b> <ul style="list-style-type: none"> <li><b>Hypomycetes</b> <ul style="list-style-type: none"> <li><i>Acremoniella atra</i>, R</li> <li><i>Aspergillus fumigatus</i>, R</li> <li><i>Aspergillus niger</i>, R</li> <li><i>Botrytis allii</i>, R</li> <li><i>Botrytis cinerea</i>, R</li> <li><i>Cladosporium cladosporioides</i>, R</li> <li><i>Fusarium acuminatum</i>, R</li> <li><i>Fusarium avenaceum</i>, R</li> <li><i>Fusarium oxysporum f. cepae</i>, R</li> <li><i>Fusarium solani</i>, R</li> <li><i>Heterosporium allii</i>, R</li> <li><i>Papulospora</i> sp., R</li> <li><i>Penicillium funiculosum</i>, R</li> <li><i>Penicillium pinophilum</i>, R</li> <li><i>Trichothecium roseum</i>, R</li> </ul> </li> </ul> </li>   <li><b>Others</b> <ul style="list-style-type: none"> <li><i>Sclerotium cepivorum</i>, R</li> </ul> </li>   <li><b>Chromista</b> <ul style="list-style-type: none"> <li><b>Oomycota</b> <ul style="list-style-type: none"> <li><i>Peronospora destructor</i>, R</li> <li><i>Pythium</i> sp., R</li> </ul> </li> </ul> </li>   <li><b>Bacteria</b> <ul style="list-style-type: none"> <li><i>Erwinia carotovora</i>, R</li> </ul> </li> </ul>	<p><b>4 Allium schoenoprasum</b> L. - chives</p> <p><b>Fungi</b></p> <ul style="list-style-type: none"> <li><b>Basidiomycotina</b> <ul style="list-style-type: none"> <li><b>Uredinales</b> <ul style="list-style-type: none"> <li><i>Puccinia allii</i>, R</li> </ul> </li> </ul> </li> </ul> <p><b>5 Amaryllis</b> sp. - amaryllis</p> <p><b>Fungi</b></p> <ul style="list-style-type: none"> <li><b>Deuteromycotina</b> <ul style="list-style-type: none"> <li><b>Coelomycetes</b> <ul style="list-style-type: none"> <li><i>Stagonospora curtisiae</i>, R</li> </ul> </li> </ul> </li> </ul> <p><b>6 Anethum graveolens</b> L. - dill, aneth</p> <p><b>Fungi</b></p> <ul style="list-style-type: none"> <li><b>Ascomycotina</b> <ul style="list-style-type: none"> <li><i>Chaetomium funicola</i>, R</li> <li><i>Pleospora herbarum</i>, R</li> </ul> </li> </ul> <p><b>Deuteromycotina</b> <ul style="list-style-type: none"> <li><b>Hypomycetes</b> <ul style="list-style-type: none"> <li><i>Alternaria tenuis</i>, R</li> <li><i>Aureobasidium pullulans</i>, R</li> <li><i>Cladosporium cladosporioides</i>, R</li> </ul> </li> </ul> </p> <p><b>7 Antirrhinum majus</b> L. - snapdragon</p> <p><b>Fungi</b></p> <ul style="list-style-type: none"> <li><b>Ascomycotina</b> <ul style="list-style-type: none"> <li><i>Erysiphe cichoracearum</i>, R</li> </ul> </li> </ul> <p><b>Basidiomycotina</b> <ul style="list-style-type: none"> <li><b>Aphylophorales</b> <ul style="list-style-type: none"> <li><i>Pellicularia filamentosa</i>, R</li> </ul> </li> </ul> </p> <p><b>Uredinales</b> <ul style="list-style-type: none"> <li><i>Puccinia antirrhini</i>, V (DAVFP)</li> </ul> </p> <p><b>Deuteromycotina</b> <ul style="list-style-type: none"> <li><b>Coelomycetes</b> <ul style="list-style-type: none"> <li><i>Phyllosticta antirrhini</i>, R</li> <li><i>Septoria antirrhini</i>, R</li> </ul> </li> </ul> </p> <p><b>Hypomycetes</b> <ul style="list-style-type: none"> <li><i>Botrytis cinerea</i>, R</li> <li><i>Oidium</i> sp., R</li> <li><i>Verticillium dahliae</i>, R</li> </ul> </p> <p><b>Chromista</b> <ul style="list-style-type: none"> <li><b>Oomycota</b> <ul style="list-style-type: none"> <li><i>Phytophthora cinnamomi</i>, R</li> </ul> </li> </ul> </p> <p><b>8 Apium graveolens</b> L. var. <i>dulce</i> DC. - celery</p> <p><b>Fungi</b></p> <ul style="list-style-type: none"> <li><b>Deuteromycotina</b> <ul style="list-style-type: none"> <li><b>Coelomycetes</b> <ul style="list-style-type: none"> <li><i>Septoria apii-graveolentis</i>, R</li> </ul> </li> </ul> </li> </ul> <p><b>Hypomycetes</b> <ul style="list-style-type: none"> <li><i>Cercospora apii</i>, R</li> <li><i>Fusarium oxysporum f. conglutinans</i>, R</li> </ul> </p> <p><b>Bacteria</b> <ul style="list-style-type: none"> <li><i>Erwinia carotovora</i>, R</li> <li><i>Pseudomonas apii</i>, R</li> </ul> </p>
<p><b>2 Allium porrum</b> L. – leek</p> <p><b>Fungi</b></p> <ul style="list-style-type: none"> <li><b>Ascomycotina</b> <ul style="list-style-type: none"> <li><i>Chaetomium cochlioides</i>, R</li> </ul> </li> </ul> <p><b>Deuteromycotina</b> <ul style="list-style-type: none"> <li><b>Hypomycetes</b> <ul style="list-style-type: none"> <li><i>Botrytis cinerea</i>, R</li> <li><i>Heterosporium allii</i>, R</li> </ul> </li> </ul> </p> <p><b>Others</b> <ul style="list-style-type: none"> <li><i>Sclerotium cepivorum</i>, R</li> </ul> </p>	<p><b>Chromista</b> <ul style="list-style-type: none"> <li><b>Oomycota</b> <ul style="list-style-type: none"> <li><i>Phytophthora cinnamomi</i>, R</li> </ul> </li> </ul> </p> <p><b>8 Apium graveolens</b> L. var. <i>dulce</i> DC. - celery</p> <p><b>Fungi</b></p> <ul style="list-style-type: none"> <li><b>Deuteromycotina</b> <ul style="list-style-type: none"> <li><b>Coelomycetes</b> <ul style="list-style-type: none"> <li><i>Septoria apii-graveolentis</i>, R</li> </ul> </li> </ul> </li> </ul> <p><b>Hypomycetes</b> <ul style="list-style-type: none"> <li><i>Cercospora apii</i>, R</li> <li><i>Fusarium oxysporum f. conglutinans</i>, R</li> </ul> </p> <p><b>Bacteria</b> <ul style="list-style-type: none"> <li><i>Erwinia carotovora</i>, R</li> <li><i>Pseudomonas apii</i>, R</li> </ul> </p>
<p><b>3 Allium sativum</b> L. - garlic</p> <p><b>Fungi</b></p> <ul style="list-style-type: none"> <li><b>Deuteromycotina</b> <ul style="list-style-type: none"> <li><b>Others</b> <ul style="list-style-type: none"> <li><i>Sclerotium cepivorum</i>, R</li> </ul> </li> </ul> </li> </ul>	<p><b>Bacteria</b> <ul style="list-style-type: none"> <li><i>Erwinia carotovora</i>, R</li> <li><i>Pseudomonas apii</i>, R</li> </ul> </p>

## Appendix - Hosts

9	<b>Apium graveolens</b> L. - celery		<b>Bacteria</b> <i>Pseudomonas coronafaciens</i> , R
	<b>Fungi</b>		
	<b>Deuteromycotina</b>		
	<b>Coelomycetes</b>		
	<i>Septoria apii</i> , R		
	<b>Hymomycetes</b>		
	<i>Botrytis cinerea</i> , R		
	<i>Fusarium oxysporum f. apii</i> , R		
10	<b>Armoracia lapathifolia</b> Gilib. - horseradish		
	<b>Fungi</b>		
	<b>Deuteromycotina</b>		
	<b>Hymomycetes</b>		
	<i>Ramularia armoraciae</i> , R		
11	<b>Asparagus officinalis</b> L. var. <i>altilis</i> L. - asparagus		
	<b>Fungi</b>		
	<b>Ascomycotina</b>		
	<i>Pleospora herbarum</i> , R		
	<b>Deuteromycotina</b>		
	<b>Hymomycetes</b>		
	<i>Alternaria tenuis</i> , R		
	<i>Cladosporium cladosporioides</i> , R		
	<i>Epicoccum nigrum</i> , R		
	<i>Fusarium avenaceum</i> , R		
	<i>Fusarium equisetii</i> , R		
	<i>Fusarium oxysporum</i> , R		
	<i>Oospora lactis</i> , R		
	<b>Zygomycetes</b>		
	<i>Mucor hiemalis</i> , R		
12	<b>Asparagus officinalis</b> L. - asparagus		
	<b>Fungi</b>		
	<b>Basidiomycotina</b>		
	<b>Uredinales</b>		
	<i>Puccinia asparagi</i> , V (DAVFP)		
	<b>Others</b>		
	<i>Helicobasidium purpureum</i> , R		
13	<b>Avena sativa</b> L. - common oat		
	<b>Fungi</b>		
	<b>Ascomycotina</b>		
	<i>Claviceps purpurea</i> , R		
	<i>Erysiphe graminis</i> , R		
	<i>Gaeumannomyces graminis</i> , R		
	<b>Basidiomycotina</b>		
	<b>Uredinales</b>		
	<i>Puccinia graminis</i> , R		
	<b>Others</b>		
	<i>Ustilago avenae</i> , R		
	<i>Ustilago hordei</i> , R		
	<b>Deuteromycotina</b>		
	<b>Coelomycetes</b>		
	<i>Stagonospora avenae</i> , R		
	<b>Hymomycetes</b>		
	<i>Bipolaris victoriae</i> , R		
	<i>Drechslera avenacea</i> , R		
	<i>Fusarium avenaceum</i> , R		
	<i>Heterosporium avenae</i> , R		
	<b>Zygomycetes</b>		
	<i>Rhizopus sp.</i> , R		
	<b>Chromista</b>		
	<b>Oomycota</b>		
	<i>Peronospora farinosa</i> , R		
	<i>Pythium debaryanum</i> , R		

	<b>Bacteria</b> <i>Agrobacterium tumefaciens</i> , R <i>Streptomyces scabies</i> , R		<b>Chromista</b> <b>Oomycota</b> <i>Peronospora parasitica</i> , R <i>Pythium ultimum</i> , R
17	<b>Brassica napobrassica</b> Mill. - rutabaga, Swede turnip		
	<b>Fungi</b>		<b>Protozoa</b>
	<b>Ascomycotina</b>		<b>Plasmodiophoromycota</b>
	<i>Chaetomium globosum</i> , R		<i>Plasmodiophora brassicae</i> , R
	<i>Erysiphe polygoni</i> , R		
	<i>Sclerotinia sclerotiorum</i> , R		
	<b>Deuteromycotina</b>		<b>Bacteria</b>
	<b>Coelomycetes</b>		<i>Erwinia carotovora</i> , R
	<i>Phoma lingam</i> , R		
	<b>Hymomycetes</b>		
	<i>Cephalosporium acremonium</i> , R		
	<i>Cladosporium cladosporioides</i> , R		
	<i>Paecilomyces varioti</i> , R		
	<b>Chromista</b>		
	<b>Oomycota</b>		
	<i>Peronospora parasitica</i> , R		
	<i>Phytophthora megasperma</i> , R		
	<i>Pythium ultimum</i> , R		
	<b>Protozoa</b>		
	<b>Plasmodiophoromycota</b>		
	<i>Plasmodiophora brassicae</i> , R		
	<b>Bacteria</b>		
	<i>Xanthomonas campestris</i> , R		
18	<b>Brassica oleracea</b> L. var. <i>acephala</i> L. - common kale		<b>Zygomycotina</b>
	<b>Fungi</b>		<i>Cunninghamella elegans</i> , R
	<b>Ascomycotina</b>		
	<i>Erysiphe polygoni</i> , R		
	<b>Chromista</b>		<b>Chromista</b>
	<b>Oomycota</b>		<b>Oomycota</b>
	<i>Peronospora parasitica</i> , R		<i>Albugo cruciferarum</i> , R
	<b>Protozoa</b>		<i>Peronospora parasitica</i> , R
	<b>Plasmodiophoromycota</b>		
	<i>Plasmodiophora brassicae</i> , R		
19	<b>Brassica oleracea</b> L. var. <i>botrytis</i> L. - cauliflower		<b>Protozoa</b>
	<b>Fungi</b>		<b>Plasmodiophoromycota</b>
	<b>Ascomycotina</b>		<i>Plasmodiophora brassicae</i> , R
	<i>Chaetomium globosum</i> , R		
	<i>Mycosphaerella brassicicola</i> , R		
	<i>Pleospora herbarum</i> , R		
	<i>Sclerotinia sclerotiorum</i> , R		
	<i>Sordaria fimicola</i> , R		
	<b>Basidiomycotina</b>		<b>Bacteria</b>
	<b>Aphyllophorales</b>		<i>Erwinia carotovora</i> , R
	<i>Pellicularia filamentosa</i> , R		<i>Pseudomonas maculicola</i> , R
	<b>Deuteromycotina</b>		<i>Xanthomonas campestris</i> , R
	<b>Hymomycetes</b>		
	<i>Alternaria brassicae</i> , R		
	<i>Alternaria brassicicola</i> , R		
	<i>Botrytis cinerea</i> , R		
	<i>Curvularia pallescens</i> , R		
	<i>Fusarium equisetii</i> , R		
	<i>Fusarium oxysporum</i> , R		
	<i>Fusarium sambucinum</i> , R		
	<i>Ulocladium consortiale</i> , R		
21	<b>Brassica oleracea</b> L. var. <i>gemmifera</i> Zenker - Brussels sprouts		<b>Chromista</b>
	<b>Fungi</b>		<b>Oomycota</b>
	<b>Ascomycotina</b>		<i>Peronospora parasitica</i> , R
	<i>Mycosphaerella brassicicola</i> , R		
	<b>Bacteria</b>		
	<i>Erwinia carotovora</i> , R		
22	<b>Brassica oleracea</b> L. var. <i>italica</i> Plenck - broccoli		
	<b>Fungi</b>		
	<b>Ascomycotina</b>		
	<i>Mycosphaerella brassicicola</i> , R		

## Appendix - Hosts

	<b>Deuteromycotina</b> <b>Hyphomycetes</b> <i>Alternaria brassicae</i> , R <i>Alternaria brassicicola</i> , R <i>Botrytis cinerea</i> , R	<b>Deuteromycotina</b> <b>Hyphomycetes</b> <i>Botrytis cinerea</i> , R <i>Ulocladium consortiale</i> , R <i>Verticillium dahliae</i> , R
	<b>Chromista</b> <b>Oomycota</b> <i>Peronospora parasitica</i> , R	<b>Chromista</b> <b>Oomycota</b> <i>Phytophthora sp.</i> , R <i>Pythium ultimum</i> , R
	<b>Protozoa</b> <b>Plasmodiophoromycota</b> <i>Plasmodiophora brassicae</i> , R	<b>Bacteria</b> <i>Xanthomonas vesicatoria</i> , R
	<b>Bacteria</b> <i>Agrobacterium tumefaciens</i> , R <i>Erwinia carotovora</i> , R	
23	<b>Brassica oleracea</b> L. - cabbage, cauliflower, kale <b>Chromista</b> <b>Oomycota</b> <i>Phytophthora megasperma</i> , R	28 <b>Cattleya</b> sp. - cattleya <b>Fungi</b> <b>Ascomycotina</b> <i>Glomerella cincta</i> , R
24	<b>Brassica pekinensis</b> Rupr. - Chinese cabbage <b>Fungi</b> <b>Ascomycotina</b> <i>Erysiphe polygoni</i> , R	29 <b>Chrysanthemum frutescens</b> L. - Marguerite, Paris daisy <b>Bacteria</b> <i>Agrobacterium tumefaciens</i> , R
	<b>Protozoa</b> <b>Plasmodiophoromycota</b> <i>Plasmodiophora brassicae</i> , R	30 <b>Chrysanthemum morifolium</b> (Ramat.) Hemsl. - chrysanthemum <b>Fungi</b> <b>Ascomycotina</b> <i>Erysiphe cichoracearum</i> , R <i>Sclerotinia sclerotiorum</i> , R
25	<b>Brassica rapa</b> L. - turnip <b>Fungi</b> <b>Ascomycotina</b> <i>Chaetomium globosum</i> , R	<b>Basidiomycotina</b> <b>Uredinales</b> <i>Puccinia chrysanthemi</i> , R
	<b>Basidiomycotina</b> <b>Aphylophorales</b> <i>Pellicularia filamentosa</i> , R <i>Typhula umbrina</i> , R	<b>Deuteromycotina</b> <b>Coelomycetes</b> <i>Septoria chrysanthemi</i> , R
	<b>Deuteromycotina</b> <b>Hyphomycetes</b> <i>Alternaria brassicae</i> , R <i>Botrytis cinerea</i> , R	<b>Hyphomycetes</b> <i>Botrytis cinerea</i> , R <i>Verticillium dahliae</i> , R
	<b>Chromista</b> <b>Oomycota</b> <i>Peronospora parasitica</i> , R <i>Phytophthora megasperma</i> , R	31 <b>Citrullus vulgaris</b> Schrad. - watermelon <b>Fungi</b> <b>Deuteromycotina</b> <b>Hyphomycetes</b> <i>Curvularia pallens</i> , R <i>Fusarium oxysporum f. niveum</i> , R
	<b>Protozoa</b> <b>Plasmodiophoromycota</b> <i>Plasmodiophora brassicae</i> , R	32 <b>Crocus</b> sp. - crocus <b>Fungi</b> <b>Deuteromycotina</b> <b>Hyphomycetes</b> <i>Alternaria sp.</i> , R <i>Botrytis cinerea</i> , R <i>Heterosporium sp.</i> , R <i>Penicillium sp.</i> , R
26	<b>Browallia viscosa</b> H.B.K. - browallia <b>Fungi</b> <b>Deuteromycotina</b> <b>Hyphomycetes</b> <i>Verticillium dahliae</i> , R	33 <b>Cucumis melo</b> L. var. <i>inodorus</i> Naud. - cassaba, winter melon, honeydew <b>Fungi</b> <b>Deuteromycotina</b> <b>Hyphomycetes</b> <i>Fusarium oxysporum f. melonis</i> , R
27	<b>Capsicum frutescens</b> L. - red pepper, sweet pepper <b>Fungi</b> <b>Ascomycotina</b> <i>Lecithostereum ellipsoideum</i> , C, R <i>Sclerotinia sclerotiorum</i> , R	<b>Chromista</b> <b>Oomycota</b> <i>Pythium ultimum</i> , R

- 34 *Cucumis melo* L. var. *reticulatus* Naud. - cantaloupe
- Fungi**
- Deuteromycotina
  - Hypomycetes
  - Alternaria* sp., R
  - Fusarium* sp., R
  - Verticillium dahliae*, R
- Chromista**
- Oomycota**
- Pythium ultimum*, R
- 35 *Cucumis melo* L. - melon, musk-melon
- Fungi**
- Ascomycotina
  - Petriella asymmetrica*, R
- Deuteromycotina
- Hypomycetes
- Alternaria cucumerina*, R
- Chromista**
- Oomycota**
- Pythium irregularare*, R
- 36 *Cucumis sativus* L. - cucumber
- Fungi**
- Ascomycotina
  - Chaetomium murorum*, R
  - Erysiphe cichoracearum*, R
  - Mycosphaerella citrullina*, R
  - Petriella asymmetrica*, R
  - Sclerotinia sclerotiorum*, R
- Basidiomycotina
- Aphyllophorales
- Pellicularia filamentosa*, R
- Deuteromycotina
- Coelomycetes
- Ascochyta cucumis*, R
  - Phomopsis sclerotoides*, R
- Hypomycetes
- Alternaria cucumerina*, R
  - Alternaria tenuis*, R
  - Arthrinium phaeospermum*, R
  - Botrytis cinerea*, R
  - Cladosporium cucumerinum*, R
  - Fusarium oxysporum f. melonis*, R
  - Fusarium oxysporum* var. *redolens*, R
  - Oidium* sp., R
  - Papularia sphaerosperma*, R
  - Verticillium* sp., R
- Chromista**
- Oomycota**
- Pythium ultimum*, R
- Bacteria**
- Pseudomonas lachrymans*, R
- 37 *Cyclamen persicum* Mill. - Florist's cyclamen
- Fungi**
- Deuteromycotina
- Hypomycetes
- Botrytis cinerea*, R
- Bacteria**
- Erwinia carotovora**, R
- 38 *Dahlia variabilis* (Willd.) Desf. - dahlia
- Fungi**
- Ascomycotina
- Sclerotinia sclerotiorum*, R
- Deuteromycotina
- Hypomycetes
- Botrytis cinerea*, R
- Bacteria**
- Erwinia carotovora**, R
- 39 *Daucus carota* L. var. *sativa* DC. - cultivated carrot
- Fungi**
- Ascomycotina
- Rosellinia limoniiformis*, R
  - Sclerotinia sclerotiorum*, R
  - Sordaria fimicola*, R
- Basidiomycotina
- Others
- Helicobasidium purpureum*, R
- Deuteromycotina
- Hypomycetes
- Alternaria dauci*, R
  - Alternaria radicina*, R
  - Alternaria tenuis*, R
  - Alternaria tenuissima*, R
  - Botrytis cinerea*, R
  - Cercospora carotae*, R
  - Cladosporium malorum*, R
  - Fusarium acuminatum*, R
  - Fusarium culmorum*, R
  - Stemphylium radicum*, R
  - Trichoderma viride*, R
  - Verticillium dahliae*, R
- Chromista**
- Oomycota**
- Phytophthora megasperma*, R
- Bacteria**
- Agrobacterium tumefaciens*, R
  - Erwinia carotovora*, R
  - Xanthomonas carotae*, R
- 40 *Dianthus barbatus* L. - sweet William
- Fungi**
- Deuteromycotina
- Hypomycetes
- Heterosporium echinulatum*, R
- 41 *Dianthus caryophyllus* L. - carnation
- Fungi**
- Basidiomycotina
- Uredinales
- Uromyces dianthii*, R
- Deuteromycotina
- Coelomycetes
- Heteropatella valtellinensis*, R
- Hypomycetes
- Alternaria dianthii*, R
  - Cladosporium elatum*, R

## Appendix - Hosts

	<p><i>Fusarium equisetii</i>, R  <i>Fusarium oxysporum f. dianthi</i>, R  <i>Fusarium poae</i>, R  <i>Fusarium tricinctum f. poae</i>, R  <i>Heterosporium echinulatum</i>, R  <i>Hormodendrum elatum</i>, R</p>	
	<p><b>Bacteria</b>  <i>Pseudomonas woodsii</i>, R</p>	<p><b>Deuteromycotina</b>  <b>Coelomycetes</b>  <i>Ascochyta</i> sp., R  <i>Phyllosticta glycinea</i>, R</p>
42	<p><b><i>Fragaria chiloensis</i> (L.) Duchesne var. <i>ananassa</i></b>  Bailey - cultivated strawberry</p> <p><b>Fungi</b></p> <p><b>Ascomycotina</b></p> <p><i>Diplocarpon earlianum</i>, R  <i>Gnomonia fructicola</i>, R  <i>Mycosphaerella fragariae</i>, R  <i>Sphaerotheca macularis</i>, R</p> <p><b>Basidiomycotina</b></p> <p><b>Agaricales</b>  <i>Armillaria</i> sp., R</p> <p><b>Aphyllophorales</b>  <i>Pellicularia filamentosa</i>, R</p> <p><b>Deuteromycotina</b></p> <p><b>Hymomycetes</b></p> <p><i>Botrytis cinerea</i>, R  <i>Verticillium dahliae</i>, R</p> <p><b>Zygomycotina</b>  <i>Rhizopus stolonifer</i>, R</p> <p><b>Chromista</b></p> <p><b>Oomycota</b>  <i>Phytophthora fragariae</i>, R</p> <p><b>Protozoa</b></p> <p><b>Myxomycota</b>  <i>Diachea leucopodia</i>, R</p>	<p><b>Deuteromycotina</b>  <b>Coelomycetes</b>  <i>Cladosporium cladosporioides</i>, R  <i>Epicoccum nigrum</i>, R  <i>Fusarium equisetii</i>, R</p> <p><b>Hyphomycetes</b></p> <p><b>Chromista</b></p> <p><b>Oomycota</b>  <i>Peronospora manshurica</i>, R</p> <p><b>Bacteria</b>  <i>Pseudomonas glycinea</i>, R</p>
		<p><b>47 <i>Helleborus niger</i> L. - Christmas rose</b></p> <p><b>Fungi</b></p> <p><b>Deuteromycotina</b></p> <p><b>Coelomycetes</b>  <i>Coniothyrium hellebori</i>, V (DAVFP)</p>
		<p><b>48 <i>Hippeastrum</i> sp. - amaryllis</b></p> <p><b>Fungi</b></p> <p><b>Deuteromycotina</b></p> <p><b>Coelomycetes</b>  <i>Stagonospora curtisiae</i>, R</p>
		<p><b>49 <i>Hordeum vulgare</i> L. - barley</b></p> <p><b>Fungi</b></p> <p><b>Ascomycotina</b></p> <p><i>Claviceps purpurea</i>, R  <i>Erysiphe graminis</i>, V (DAVFP)  <i>Gaeumannomyces graminis</i>, R  <i>Pleospora trichostoma</i>, R</p> <p><b>Basidiomycotina</b></p> <p><b>Uredinales</b>  <i>Puccinia graminis</i>, R  <i>Puccinia hordei</i>, R  <i>Puccinia striiformis</i>, R</p> <p><b>Others</b>  <i>Ustilago hordei</i>, R  <i>Ustilago nuda</i>, R</p>
43	<p><b><i>Fuchsia hybrida</i> Voss - common garden fuchsia</b></p> <p><b>Fungi</b></p> <p><b>Deuteromycotina</b></p> <p><b>Hymomycetes</b>  <i>Verticillium dahliae</i>, R</p>	<p><b>Deuteromycotina</b></p> <p><b>Coelomycetes</b>  <i>Septoria passerinii</i>, R</p>
44	<p><b><i>Geranium endressii</i> J. Gay - geranium</b></p> <p><b>Fungi</b></p> <p><b>Ascomycotina</b>  <i>Sphaerotheca macularis</i>, R</p>	<p><b>Hyphomycetes</b></p>
45	<p><b><i>Gladiolus hortulanus</i> Bailey - gladiolus</b></p> <p><b>Fungi</b></p> <p><b>Ascomycotina</b></p> <p><i>Botryotinia draytonii</i>, R  <i>Sclerotinia gladioli</i>, R</p> <p><b>Deuteromycotina</b></p> <p><b>Coelomycetes</b>  <i>Septoria gladioli</i>, R</p> <p><b>Hymomycetes</b>  <i>Botrytis cinerea</i>, R  <i>Fusarium oxysporum f. gladioli</i>, R  <i>Penicillium gladioli</i>, R</p> <p><b>Bacteria</b>  <i>Pseudomonas marginata</i>, R</p>	<p><b>Deuteromycotina</b></p> <p><b>Coelomycetes</b>  <i>Bipolaris sorokiniana</i>, R  <i>Drechslera graminea</i>, R  <i>Drechslera teres</i>, R  <i>Fusarium culmorum</i>, R  <i>Fusarium oxysporum</i> var. <i>redolens</i>, R  <i>Fusarium poae</i>, R  <i>Rhynchosporium secalis</i>, R</p>

50	<i>Hyacinthus orientalis</i> L. - common hyacinth		58	<i>Lactuca sativa</i> L. - lettuce	
	Fungi			Fungi	
	Basidiomycotina			Ascomycotina	
	Uredinales			<i>Sclerotinia sclerotiorum</i> , R	
	<i>Uromyces muscari</i> , R				
				Deuteromycotina	
	Deuteromycotina			Coelomycetes	
	Hypomycetes			<i>Marssonina panattoniana</i> , R	
	<i>Alternaria</i> sp., R				
	<i>Dactylosporium macropus</i> , R				
				Hypomycetes	
	Others			<i>Botrytis cinerea</i> , R	
	<i>Sclerotium</i> sp., R			<i>Nigrospora oryzae</i> , R	
	Bacteria			Chromista	
	<i>Erwinia carotovora</i> , R			Oomycota	
	<i>Xanthomonas hyacinthi</i> , R			<i>Bremia lactucae</i> , R	
51	<i>Impatiens balsamina</i> L. - garden balsam				
	Fungi			Bacteria	
	Ascomycotina			<i>Erwinia carotovora</i> , R	
	<i>Pleospora herbarum</i> , R			<i>Pseudomonas viridilividia</i> , R	
	Deuteromycotina			59	<i>Lathyrus odoratus</i> L. - sweet pea
	Hypomycetes			Fungi	
	<i>Stemphylium</i> sp., R			Ascomycotina	
52	<i>Ipomoea batatas</i> Lam. - sweet potato			<i>Erostrotheca multiformis</i> , R	
	Fungi			<i>Erysiphe polygoni</i> , R	
	Ascomycotina			<i>Mycosphaerella tassiana</i> , R	
	<i>Ceratocystis fimbriata</i> , R			<i>Pleospora herbarum</i> , R	
53	<i>Ipomoea</i> sp. - morning glory				
	Fungi			Deuteromycotina	
	Deuteromycotina			Coelomycetes	
	Hypomycetes			<i>Ascochyta lathyri</i> , R	
	<i>Verticillium dahliae</i> , R				
54	<i>Iris germanica</i> L. - German iris			Hypomycetes	
	Fungi			<i>Ramularia deusta</i> , R	
	Ascomycotina			<i>Verticillium dahliae</i> , R	
	<i>Botryotinia convoluta</i> , R				
	<i>Mycosphaerella tassiana</i> , R			60	<i>Lilium auratum</i> Lindl. - golden-banded lily, gold
	<i>Pleospora herbarum</i> , R			stripe lily	
	<i>Pleospora vulgaris</i> var. <i>ferruginea</i> , R			Fungi	
55	<i>Iris xiphioides</i> Ehrh. - English iris			Zygomycotina	
	Fungi			<i>Rhizopus</i> sp., R	
	Deuteromycotina				
	Hypomycetes			61	<i>Lilium candidum</i> L. - Madonna lily
	<i>Mystrosporium adustum</i> , R			Fungi	
	<i>Penicillium</i> sp., R			Basidiomycotina	
				Uredinales	
				<i>Uromyces holwayi</i> , R	
	Others			Deuteromycotina	
	<i>Sclerotium tuliparum</i> , R			Hypomycetes	
56	<i>Kalanchoe</i> sp.			<i>Botrytis elliptica</i> , R	
	Fungi				
	Deuteromycotina			62	<i>Lilium humboldtii</i> Roezl. & Leichtl. - Humboldt's
	Hypomycetes			tiger lily	
	<i>Botrytis cinerea</i> , R			Fungi	
57	<i>Lactuca sativa</i> L. var. <i>asparagina</i> Bailey –			Deuteromycotina	
	celtuce			Hypomycetes	
	Fungi			<i>Botrytis elliptica</i> , R	
	Deuteromycotina				
	Hypomycetes			63	<i>Lilium longiflorum</i> Thunb. - white trumpet lily,
	<i>Alternaria</i> sp., R			croft lily, Bermuda lily, Easter lily	
				Fungi	
				Basidiomycotina	
				Uredinales	
				<i>Uromyces holwayi</i> , R	
				Deuteromycotina	
				Hypomycetes	
				<i>Botrytis elliptica</i> , R	

## Appendix - Hosts

	<i>Fusarium oxysporum f. lili, R</i>	<i>Rosellinia limoniiformis, R</i> <i>Sclerotinia sclerotiorum, R</i>
64	<b><i>Lilium pardalinum</i></b> Kellogg - leopard lily Fungi Basidiomycotina Uredinales <i>Uromyces holwayi, R</i>	<b>Basidiomycotina</b> <b>Aphyllophorales</b> <i>Pellicularia filamentosa, R</i>
65	<b><i>Lilium regale</i></b> Wilson - regal lily Fungi Deuteromycotina Hypomycetes <i>Botrytis elliptica, R</i>	<b>Deuteromycotina</b> <b>Coelomycetes</b> <i>Ascochyta lycopersici, R</i> <i>Colletotrichum coccodes, R</i> <i>Phoma destructiva, R</i> <i>Pyrenopeziza terrestris, R</i> <i>Septoria lycopersici, R</i>
66	<b><i>Lilium speciosum</i></b> Thunb. - showy lily Fungi Deuteromycotina Hypomycetes <i>Botrytis elliptica, R</i>	<b>Hypomycetes</b> <i>Alternaria solani, R</i> <i>Alternaria tenuis, R</i> <i>Alternaria tomato, R</i> <i>Botrytis cinerea, R</i> <i>Cladosporium fulvum, R</i> <i>Fusarium oxysporum f. lycopersici, R</i> <i>Papularia arundinis, R</i> <i>Trichoderma viride, R</i> <i>Verticillium dahliae, R</i>
67	<b><i>Lolium perenne</i></b> L. - perennial rye grass Fungi Ascomycotina <i>Claviceps purpurea, R</i> <i>Sclerotinia borealis, R</i>	<b>Chromista</b> <b>Oomycota</b> <i>Phytophthora cactorum, R</i> <i>Phytophthora infestans, R</i> <i>Phytophthora parasitica, R</i>
	<b>Basidiomycotina</b> Uredinales <i>Puccinia coronata, R</i>	<b>Bacteria</b> <i>Corynebacterium michiganense, R</i> <i>Pseudomonas tomato, R</i>
	<b>Deuteromycotina</b> Hypomycetes <i>Fusarium culmorum, R</i> <i>Ovularia lolii, R</i> <i>Rhynchosporium secalis, R</i>	
68	<b><i>Lunaria annua</i></b> L. - honesty Fungi Deuteromycotina Hypomycetes <i>Helminthosporium lunariae, R</i>	73 <b><i>Matthiola incana</i></b> (L.) R. Br. - common stock Fungi Ascomycotina <i>Erysiphe polygoni, R</i>
69	<b><i>Lupinus regalis</i></b> Bergermans - perennial lupine, Russell lupine Fungi Ascomycotina <i>Erysiphe sp., R</i>	<b>Basidiomycotina</b> Aphyllophorales <i>Pellicularia filamentosa, R</i>
	<b>Deuteromycotina</b> Hypomycetes <i>Ovularia lupinicola, R</i>	<b>Deuteromycotina</b> Hypomycetes <i>Botrytis cinerea, R</i> <i>Oidium sp., R</i>
70	<b><i>Lychnis chalcedonica</i></b> L. - Maltese cross, scarlet lychnis Fungi Deuteromycotina Coelomycetes <i>Phyllosticta lychnidis, R</i>	74 <b><i>Mecanopsis betonicifolia</i></b> Franch var. <i>baileyi</i> Edwards - Tibetan poppy Bacteria <i>Xanthomonas papavericola, R</i>
71	<b><i>Lychnis coronaria</i></b> (L.) Desr. - rose campion Fungi Ascomycotina <i>Mycosphaerella tassiana, R</i> <i>Pleospora armeriae, R</i>	75 <b><i>Medicago falcata</i></b> L. - yellow lucerne, yellow-flowered alfalfa Fungi Chytridiomycota <i>Physoderma alfalfae, R</i>
72	<b><i>Lycopersicum esculentum</i></b> Mill. - tomato Fungi Ascomycotina <i>Mycosphaerella tassiana, R</i> <i>Pleospora herbarum, R</i>	76 <b><i>Medicago sativa</i></b> L. - alfalfa, lucerne Fungi Ascomycotina <i>Leptosphaeria pratensis, R</i> <i>Pleospora herbarum, R</i> <i>Pseudopeziza jonesii, R</i> <i>Pseudopeziza medicaginis, R</i> <i>Pseudoplea trifolii, R</i> <i>Sclerotinia sclerotiorum, R</i>

	<i>Sclerotinia trifoliorum</i> , R		
	<b>Basidiomycotina</b>		
	<b>Aphylophorales</b>		
	<i>Pellicularia filamentosa</i> , R		
	<b>Chytridiomycota</b>		
	<i>Physoderma alfalfae</i> , R		
	<b>Deuteromycotina</b>		
	<b>Coelomycetes</b>		
	<i>Ascochyta imperfecta</i> , R		
	<i>Plenodomus meliloti</i> , R		
	<b>Hymomycetes</b>		
	<i>Fusarium avenaceum</i> , R		
	<i>Fusarium roseum</i> , R		
	<i>Verticillium dahliae</i> , R		
	<b>Chromista</b>		
	<b>Oomycota</b>		
	<i>Peronospora trifoliorum</i> , R		
	<b>Bacteria</b>		
	<i>Corynebacterium insidiosum</i> , R		
	<i>Pseudomonas medicaginis</i> , R		
77	<b><i>Mentha piperita</i> L. - peppermint</b>		
	<b>Fungi</b>		
	<b>Basidiomycotina</b>		
	<b>Uredinales</b>		
	<i>Puccinia menthae</i> , R		
78	<b><i>Mentha spicata</i> L. - spearmint</b>		
	<b>Fungi</b>		
	<b>Basidiomycotina</b>		
	<b>Uredinales</b>		
	<i>Puccinia menthae</i> , V (DAVFP)		
79	<b><i>Narcissus pseudo-narcissus</i> L. - daffodil, trumpet narcissus</b>		
	<b>Fungi</b>		
	<b>Deuteromycotina</b>		
	<b>Hymomycetes</b>		
	<i>Fusarium oxysporum f. narcissi</i> , R		
80	<b><i>Narcissus</i> sp. - narcissus, daffodil</b>		
	<b>Fungi</b>		
	<b>Ascomycotina</b>		
	<i>Sclerotinia narcissicola</i> , R		
	<i>Sclerotinia polyblastis</i> , R		
	<b>Basidiomycotina</b>		
	<b>Agaricales</b>		
	<i>Armillaria</i> sp., R		
	<b>Deuteromycotina</b>		
	<b>Coelomycetes</b>		
	<i>Stagonospora curtisiae</i> , R		
	<b>Hymomycetes</b>		
	<i>Cylindrocarpon radicicola</i> , R		
	<i>Heterosporium</i> sp., R		
	<i>Penicillium</i> sp., R		
	<i>Ramularia vallisumbrosae</i> , R		
81	<b><i>Nicotiana tabacum</i> L. - tobacco</b>		
	<b>Fungi</b>		
	<b>Deuteromycotina</b>		
	<b>Coelomycetes</b>		
	<i>Ascochyta nicotianae</i> , R		
	<b>Hymomycetes</b>		
	<i>Thielaviopsis basicola</i> , R		
82	<b><i>Nierembergia</i> sp. - cup-flower</b>		
	<b>Fungi</b>		
	<b>Deuteromycotina</b>		
	<b>Hymomycetes</b>		
	<i>Botrytis cinerea</i> , R		
83	<b><i>Onobrychis viciifolia</i> Scop. - sainfoin</b>		
	<b>Fungi</b>		
	<b>Ascomycotina</b>		
	<i>Sclerotinia trifoliorum</i> , R		
	<b>Deuteromycotina</b>		
	<b>Coelomycetes</b>		
	<i>Ascochyta orobi</i> , R		
84	<b><i>Paeonia</i> sp. - common garden peony</b>		
	<b>Fungi</b>		
	<b>Deuteromycotina</b>		
	<b>Coelomycetes</b>		
	<i>Septoria paeoniae</i> , R		
	<b>Hymomycetes</b>		
	<i>Botrytis cinerea</i> , R		
	<i>Botrytis paeoniae</i> , R		
	<i>Cercospora</i> sp., R		
	<i>Cladosporium paeoniae</i> , R		
85	<b><i>Panax quinquefolius</i> L. - American ginseng</b>		
	<b>Fungi</b>		
	<b>Basidiomycotina</b>		
	<b>Aphylophorales</b>		
	<i>Pellicularia filamentosa</i> , R		
	<b>Deuteromycotina</b>		
	<b>Hymomycetes</b>		
	<i>Alternaria panax</i> , R		
	<i>Ramularia destructiva</i> , R		
86	<b><i>Panicum miliaceum</i> L. - broomcorn-millet, proso</b>		
	<b>Fungi</b>		
	<b>Basidiomycotina</b>		
	<b>Others</b>		
	<i>Ustilago destruens</i> , R		
87	<b><i>Pastinaca sativa</i> L. - parsnip</b>		
	<b>Fungi</b>		
	<b>Ascomycotina</b>		
	<i>Chaetomium globosum</i> , R		
	<i>Gelasinospora tetrasperma</i> , R		
	<i>Pleospora herbarum</i> , R		
	<i>Sclerotinia sclerotiorum</i> , R		
	<b>Deuteromycotina</b>		
	<b>Hymomycetes</b>		
	<i>Cercospora pastinaciae</i> , R		
	<i>Cladosporium cladosporioides</i> , R		
	<i>Epicoccum nigrum</i> , R		
	<i>Periconia pycnospora</i> , R		
	<b>Zygomycotina</b>		
	<i>Rhizopus</i> sp., R		

## Appendix - Hosts

	<b>Bacteria</b> <i>Erwinia carotovora</i> , R	<b>Basidiomycotina</b> <b>Aphyllophorales</b> <i>Pellicularia filamentosa</i> , R
88	<b>Pelargonium hortorum</b> Bailey - fish geranium <b>Fungi</b> <b>Deuteromycotina</b> <b>Hypomycetes</b> <i>Botrytis cinerea</i> , R <i>Verticillium dahliae</i> , R	<b>Uredinales</b> <i>Uromyces phaseoli</i> var. <i>typica</i> , R
	<b>Chromista</b> <b>Oomycota</b> <i>Pythium</i> sp., R	<b>Deuteromycotina</b> <b>Coelomycetes</b> <i>Ascochyta boltshauseri</i> , R <i>Ascochyta phaseolorum</i> , R <i>Colletotrichum lindemuthianum</i> , R <i>Phyllosticta phaseolina</i> , R
	<b>Bacteria</b> <i>Xanthomonas pelargonii</i> , R	<b>Hypomycetes</b> <i>Alternaria tenuis</i> , R <i>Aureobasidium pullulans</i> , R <i>Botrytis cinerea</i> , R <i>Cladosporium cladosporioides</i> , R <i>Fusarium culmorum</i> , R <i>Fusarium equisetii</i> , R <i>Fusarium sambucinum</i> , R <i>Fusarium solani</i> f. <i>phaseoli</i> , R <i>Ulocladium consortiale</i> , R
89	<b>Pelargonium zonale</b> (L.) Ait. - zonal geranium, horseshoe geranium <b>Fungi</b> <b>Deuteromycotina</b> <b>Hypomycetes</b> <i>Botrytis cinerea</i> , R	<b>Chromista</b> <b>Oomycota</b> <i>Pythium</i> sp., R
90	<b>Petroselinum crispum</b> (Mill.) Mansf. - parsley <b>Fungi</b> <b>Deuteromycotina</b> <b>Coelomycetes</b> <i>Septoria petroselini</i> , R	<b>Bacteria</b> <i>Pseudomonas phaseolicola</i> , R <i>Xanthomonas phaseoli</i> , R
	<b>Hypomycetes</b> <i>Alternaria tenuis</i> , R	
91	<b>Petunia hybrida</b> Vilm. - petunia <b>Fungi</b> <b>Deuteromycotina</b> <b>Hypomycetes</b> <i>Botrytis cinerea</i> , R	94 <b>Pisum sativum</b> L. - pea <b>Fungi</b> <b>Ascomycotina</b> <i>Chaetomium cochliodes</i> , R <i>Chaetomium elatum</i> , R <i>Chaetomium globosum</i> , R <i>Chaetomium indicum</i> , R <i>Erysiphe polygoni</i> , V (DAVFP) <i>Mycosphaerella pinodes</i> , R <i>Pleospora armeriae</i> , R <i>Pleospora herbarum</i> , R
92	<b>Phaseolus coccineus</b> L. - scarlet runner bean <b>Fungi</b> <b>Ascomycotina</b> <i>Melanospore papillata</i> , R <i>Pleospora herbarum</i> , R	<b>Basidiomycotina</b> <b>Aphyllophorales</b> <i>Pellicularia filamentosa</i> , R
	<b>Basidiomycotina</b> <b>Uredinales</b> <i>Uromyces phaseoli</i> , R	<b>Uredinales</b> <i>Uromyces viciae-fabae</i> , R
	<b>Deuteromycotina</b> <b>Hypomycetes</b> <i>Alternaria brassicicola</i> , R <i>Alternaria tenuis</i> , R <i>Botrytis cinerea</i> , R <i>Cladosporium cladosporioides</i> , R <i>Fusarium culmorum</i> , R <i>Penicillium nigricans</i> , R <i>Trichothecium roseum</i> , R <i>Ulocladium consortiale</i> , R	<b>Deuteromycotina</b> <b>Coelomycetes</b> <i>Ascochyta pinodella</i> , R <i>Ascochyta pisi</i> , R <i>Septoria pisi</i> , R
		<b>Hypomycetes</b> <i>Aureobasidium pullulans</i> , R <i>Botrytis cinerea</i> , R <i>Cladosporium cladosporioides</i> f. sp. <i>pisicola</i> , R <i>Cladosporium herbarum</i> , R <i>Cladosporium pisicola</i> , R <i>Fusarium culmorum</i> , R <i>Fusarium oxysporum</i> , R <i>Fusarium solani</i> f. <i>pisi</i> , R <i>Penicillium kapuscinskii</i> , R <i>Trichocladium asperum</i> , R
93	<b>Phaseolus vulgaris</b> L. - kidney bean <b>Fungi</b> <b>Ascomycotina</b> <i>Chaetomium globosum</i> , R <i>Pleospora herbarum</i> , R <i>Sclerotinia sclerotiorum</i> , R	

*Ulocladium consortiale*, R

**Chromista**

**Oomycota**

*Peronospora viciae*, R

**Bacteria**

*Pseudomonas pisi*, R

95 ***Primula polyantha*** Mill. - primrose

**Bacteria**

*Pseudomonas primulae*, R

96 ***Psilactis asteroides*** Gray

**Fungi**

**Basidiomycotina**

**Uredinales**

*Puccinia asteris*, R

97 ***Psoralea physodes*** Dougl. - California tea

**Fungi**

**Basidiomycotina**

**Uredinales**

*Uromyces abbreviatus*, R

*Appendix - Hosts*

## Organisms

### FUNGI

*Acremoniella atra*, R16  
*Acremoniella verrucosa*, R16  
*Alternaria brassicae*, R19, R22, R25  
*Alternaria brassicicola*, R19, R20, R22, R92  
*Alternaria cucumerina*, R35, R36  
*Alternaria dauci*, R39  
*Alternaria dianthi*, R41  
*Alternaria panax*, R85  
*Alternaria radicina*, R39  
*Alternaria solani*, R72  
*Alternaria tenuis*, R6, R11, R16, R20, R36, R39, R72, R90, R92, R93  
*Alternaria tenuissima*, R39  
*Alternaria tomato*, R72  
*Alternaria* sp., R32, R34, R50, R57  
*Armillaria* sp., R2, R80  
*Arthrinium phaeospermum*, R36  
*Ascochyta betae*, R16  
*Ascochyta boltshauseri*, R93  
*Ascochyta cucumis*, R36  
*Ascochyta imperfecta*, R76  
*Ascochyta lathyri*, R59  
*Ascochyta lycopersici*, R72  
*Ascochyta nicotianae*, R81  
*Ascochyta orobi*, R83  
*Ascochyta phaseolorum*, R93  
*Ascochyta pinodella*, R94  
*Ascochyta pisi*, R94  
*Ascochyta* sp., R46  
*Aspergillus fumigatus*, R1  
*Aspergillus niger*, R1  
*Aureobasidium pullulans*, R6, R16, R93, R94  
*Bipolaris sorokiniana*, R49  
*Bipolaris victoriae*, R13  
*Botryotinia convoluta*, R54  
*Botryotinia draytonii*, R45  
*Botrytis allii*, R1  
*Botrytis cinerea*, R1, R2, R7, R9, R15, R19, R22, R25, R27, R30, R32, R36, R37, R38, R39, R42, R45, R56, R58, R72, R73, R82, R84, R88, R89, R91, R92, R93, R94  
*Botrytis elliptica*, R61, R62, R63, R65, R66  
*Botrytis paeoniae*, R84  
*Cephalosporium acremonium*, R17  
*Ceratocystis fimbriata*, R52  
*Cercospora apii*, R8  
*Cercospora beticola*, R16  
*Cercospora carotae*, R39  
*Cercospora* sp., R84  
*Cercosporella pastinacae*, R87  
*Chaetomium aureum*, R1  
*Chaetomium cochlioides*, R1, R2, R94  
*Chaetomium elatum*, R94  
*Chaetomium funicola*, R6  
*Chaetomium globosum*, R1, R17, R19, R87, R93, R94  
*Chaetomium indicum*, R94  
*Chaetomium murorum*, R36  
*Cladosporium cladosporioides*, R1, R6, R11, R17, R46, R87, R92, R93  
*Cladosporium cladosporioides* f. sp. *pisicola*, R94  
*Cladosporium cucumerinum*, R36  
*Cladosporium elatum*, R41  
*Cladosporium fulvum*, R72

*Cladosporium herbarum*, R94  
*Cladosporium malorum*, R16, R39  
*Cladosporium paeoniae*, R84  
*Cladosporium pisicola*, R94  
*Cladosporium* sp., V (DAVFP) 16  
*Claviceps purpurea*, R13, R49, R67  
*Colletotrichum coccodes*, R72  
*Colletotrichum lindemuthianum*, R93  
*Coniothyrium hellebori*, V (DAVFP) 47  
*Cunninghamella elegans*, R20  
*Curvularia pallens*, R19, R31  
*Cylindrocarpon radicicola*, R80  
*Dactylosporium macropus*, R50  
*Diaporthe phaseolorum*, R46  
*Diplocarpon earliana*, R42  
*Drechslera avenacea*, R13  
*Drechslera graminea*, R49  
*Drechslera teres*, R49  
*Epicoccum neglectum*, R16  
*Epicoccum nigrum*, R11, R46, R87  
*Erostrotheca multiformis*, R59  
*Erysiphe cichoracearum*, R7, R15, R30, R36  
*Erysiphe graminis*, V (DAVFP) 49, R13  
*Erysiphe polygoni*, V (DAVFP) 94, R17, R18, R24, R59, R73  
*Erysiphe* sp., R69  
*Eurotium* sp., V (DAVFP) 14  
*Fusarium acuminatum*, R1, R39  
*Fusarium avenaceum*, R1, R11, R13, R76  
*Fusarium culmorum*, R16, R39, R49, R67, R92, R93, R94  
*Fusarium equisetii*, R11, R19, R41, R46, R93  
*Fusarium oxysporum*, R11, R19, R94  
*Fusarium oxysporum* f. *apii*, R9  
*Fusarium oxysporum* f. *cepaiae*, R1  
*Fusarium oxysporum* f. *conglutinans*, R8  
*Fusarium oxysporum* f. *dianthi*, R41  
*Fusarium oxysporum* f. *gladioli*, R45  
*Fusarium oxysporum* f. *lili*, R63  
*Fusarium oxysporum* f. *lycopersici*, R72  
*Fusarium oxysporum* f. *melonis*, R33, R36  
*Fusarium oxysporum* f. *narcissi*, R79  
*Fusarium oxysporum* f. *niveum*, R31  
*Fusarium oxysporum* var. *redolens*, R36, R49  
*Fusarium poae*, R41, R49  
*Fusarium roseum*, R76  
*Fusarium sambucinum*, R19, R93  
*Fusarium solani*, R1  
*Fusarium solani* f. *phaseoli*, R93  
*Fusarium solani* f. *pisi*, R94  
*Fusarium tricinctum* f. *poae*, R41  
*Fusarium* sp., R34  
*Gaeumannomyces graminis*, R13, R49  
*Gelasinopora tetrasperma*, R16, R87  
*Glomerella cincta*, R28  
*Gnomonia fructicola*, R42  
*Helicobasidium purpureum*, R12, R39  
*Helminthosporium lunariae*, R68  
*Heteropeltella valtellinensis*, R41  
*Heterosporium allii*, R1, R2  
*Heterosporium avenae*, R13  
*Heterosporium echinulatum*, R40, R41  
*Heterosporium variabile*, R20  
*Heterosporium* sp., R32, R80  
*Hormodendrum elatum*, R41

## Appendix - Organisms

- Leciothecium ellipsoideum*, C, R27  
*Leptosphaeria pratensis*, R76  
*Marssonina panattoniana*, R58  
*Melanospora papillata*, R92  
*Mucor hiemalis*, R11  
*Mycosphaerella brassicicola*, R19, R20, R21, R22  
*Mycosphaerella citrullina*, R36  
*Mycosphaerella fragariae*, R42  
*Mycosphaerella pinodes*, R94  
*Mycosphaerella tabifica*, R16  
*Mycosphaerella tassiana*, R54, R59, R71, R72  
*Mystrosporium adustum*, R55  
*Nigrospora oryzae*, R58  
*Nigrospora sphaerica*, R16  
*Oidium* sp., R7, R15, R36, R73  
*Oospora lactis*, R11  
*Ovularia lolii*, R67  
*Ovularia lupinicola*, R69  
*Paecilomyces varioti*, R17  
*Papularia arundinis*, R72  
*Papularia sphaerosperma*, R36  
*Papulospora* sp., R1  
*Paraphaeosphaeria michotii*, R14  
*Pellicularia filamentosa*, R7, R16, R19, R20, R25, R36, R42, R72, R73, R76 R85, R93, R94  
*Penicillium funiculosum*, R1  
*Penicillium gladioli*, R45  
*Penicillium kapuscinskii*, R94  
*Penicillium nigricans*, R92  
*Penicillium pinophilum*, R1  
*Penicillium* sp., R32, R55, R80  
*Periconia pycnospora*, R87  
*Petriella assymmetrica*, R16, R35, R36  
*Phoma destructiva*, R72  
*Phoma lingam*, R17, R20  
*Phomopsis sclerotoides*, R36  
*Phyllosticta antirrhini*, R7  
*Phyllosticta glycinea*, R46  
*Phyllosticta lachnidis*, R70  
*Phyllosticta phaseolina*, R93  
*Physoderma alfalfa*, R75, R76  
*Plenodomus meliloti*, R76  
*Pleospora armeriae*, R71, R94  
*Pleospora herbarum*, R1, R6, R11, R16, R19, R20, R46, R51, R54, R59, R72, R76, R87, R92, R93, R94  
*Pleospora medicaginis*, R76  
*Pleospora trichostoma*, R49  
*Pleospora vulgaris* var. *ferruginea*, R54  
*Pseudopeziza jonesii*, R76  
*Pseudoplea trifolii*, R76  
*Puccinia allii*, R1, R4  
*Puccinia antirrhini*, V (DAVFP) 7  
*Puccinia asparagi*, V (DAVFP) 12  
*Puccinia asteris*, R96  
*Puccinia chrysanthemi*, R30  
*Puccinia coronata*, R67  
*Puccinia graminis*, R13, R49  
*Puccinia hordei*, R49  
*Puccinia menthae*, V (DAVFP) 78, R77  
*Puccinia striiformis*, R49  
*Pyrenophaete terrestris*, R72  
*Ramularia armoraciae*, R10  
*Ramularia beticola*, R16  
*Ramularia destructiva*, R85  
*Ramularia deusta*, R59  
*Ramularia vallisumbrosae*, R80  
*Rhizoctonia* sp., R16  
*Rhizopus stolonifer*, R42  
*Rhizopus* sp., R6, R60, R87  
*Rhynchosporium secalis*, R49, R67  
*Rosellinia limoniiformis*, R39, R72  
*Sclerotinia borealis*, R67  
*Sclerotinia gladioli*, R45  
*Sclerotinia narcissicola*, R80  
*Sclerotinia polyblastis*, R80  
*Sclerotinia sclerotiorum*, R1, R17, R19, R20, R27, R30, R36, R38, R39, R58, R72, R76, R87, R93  
*Sclerotinia trifoliorum*, R76, R83  
*Sclerotium cepivorum*, R1, R2, R3  
*Sclerotium tuliparum*, R55  
*Sclerotium* sp., R50  
*Septoria antirrhini*, R7  
*Septoria apii*, R9  
*Septoria apii-graveolentis*, R8  
*Septoria betae*, R16  
*Septoria chrysanthemi*, R30  
*Septoria gladioli*, R45  
*Septoria lycopersici*, R72  
*Septoria paeoniae*, R84  
*Septoria passerinii*, R49  
*Septoria petroselini*, R90  
*Septoria pisi*, R4  
*Sordaria fimicola*, R19, R39  
*Sordaria setosa*, R16  
*Sphaerotheca macularis*, R42, R44  
*Stagonospora avenae*, R13  
*Stagonospora curtisiae*, R5, R48, R80  
*Stemphylium radicum*, R39  
*Stemphylium* sp., R51  
*Thielaviopsis basicola*, R81  
*Trichocladium asperum*, R94  
*Trichoderma viride*, R39, R72  
*Trichothecium roseum*, R1, R92  
*Typhula umbrina*, R25  
*Ulocladium consortiale*, R7, R16, R19, R92, R93, R94  
*Urocystis magica*, R1  
*Uromyces abbreviatus*, R97  
*Uromyces betae*, R16  
*Uromyces dianthi*, R41  
*Uromyces holwayi*, R61, R63, R64  
*Uromyces muscari*, R50  
*Uromyces phaseoli*, R92  
*Uromyces phaseoli* var. *typica*, R93  
*Uromyces viciae-fabae*, R94  
*Ustilago avenae*, R13  
*Ustilago destruens*, R86  
*Ustilago hordei*, R13, R49  
*Ustilago nuda*, R49  
*Verticillium dahliae*, R7, R16, R26, R27, R30, R34, R39, R42, R43, R53, R59, R72, R76, R88  
*Verticillium* sp., R36
- CHROMISTA**
- Albugo cruciferarum*, R20  
*Bremia lactucae*, R58  
*Peronospora destructor*, R1  
*Peronospora farinosa*, R16  
*Peronospora manshurica*, R46  
*Peronospora parasitica*, R17, R18, R19, R20, R21, R22, R25  
*Peronospora trifoliorum*, R76  
*Peronospora viciae*, R94  
*Phytophthora cactorum*, R72  
*Phytophthora cinnamomi*, R7  
*Phytophthora fragariae*, R42  
*Phytophthora infestans*, R72  
*Phytophthora megasperma*, R17, R23, R25, R39  
*Phytophthora parasitica*, R72

*Phytophthora* sp., R27  
*Pythium debaryanum*, R16  
*Pythium irregularare*, R35  
*Pythium ultimum*, R17, R19, R27, R33, R34, R36  
*Pythium* sp., R1, R88, R93

PROTOZOA

*Diachea leucopodia*, R42  
*Plasmodiophora brassicae*, R17, R18, R19, R20, R22,  
R24, R25

BACTERIA

*Agrobacterium tumefaciens*, R16, R22, R29, R39  
*Corynebacterium insidiosum*, R76  
*Corynebacterium michiganense*, R72  
*Erwinia carotovora*, R1, R8, R19, R20, R21, R22, R37,  
R38, R39, R50, R58, R87  
*Pseudomonas apii*, R8  
*Pseudomonas coronafaciens*, R13  
*Pseudomonas glycinea*, R46  
*Pseudomonas lachrymans*, R36  
*Pseudomonas maculicola*, R20  
*Pseudomonas marginata*, R45  
*Pseudomonas medicaginis*, R76  
*Pseudomonas phaseolicola*, R93  
*Pseudomonas pisi*, R94  
*Pseudomonas primulæ*, R95  
*Pseudomonas tomato*, R72  
*Pseudomonas viridilivida*, R58  
*Pseudomonas woodsi*, R41  
*Streptomyces scabies*, R16  
*Xanthomonas begoniae*, R15  
*Xanthomonas campestris*, R17, R20  
*Xanthomonas carotae*, R39  
*Xanthomonas hyacinthi*, R50  
*Xanthomonas papavericola*, R74  
*Xanthomonas pelargonii*, R88  
*Xanthomonas phaseoli*, R93  
*Xanthomonas vesicatoria*, R27