

Arab Republic of Egypt

Ministry Of Agriculture and land Reclamation

Central Administration of Plant Quarantine
(CAPQ)



جمهورية مصر العربية
وزارة الزراعة واستصلاح الاراضى
الادارة المركزية للحجر الزراعى

To: Mr. Oleksandr Verzhikhovski

Deputy Head of Veterinary and Phytosanitary
Service of Ukraine
Web: www.vet.gov.ua

Date: 04 / 11 /2015

From: Dr.Saad Mohamed Moussa

Head Central Administration for Plant Quarantine,
Ministry of Agriculture and Land Reclamation, Cairo, Egypt.
Tel no : +202 37608575
Fax no: +202 37608574
E- mail : ippc.egypt@gmail.com

Subject: replying to your enquires about Phytosanitary requirements

Dear Mr. Oleksandr,

The Central Administration for Plant Quarantine would like to take this opportunity to appreciate and support the cooperation in the field of plant Quarantine and phytosanitary issues with your service¹

- Regarding your letter kindly be informed of the following that the official Phytosanitary requirements and the regulated articles and the pest list are under the ministerial decree No.3007 for year 2001 (attached the decree and the pest list).

-Regarding the requirements for grains they are the following

- 1- Phytosanitary certificate according to the ISPM No 7&12 is required.
- 2- Additional declaration : Not intended for cultivation
- 3- Shipment found free from any live pests or diseases in the Egyptian ministerial decree No 3007 for year 2001
- 4- the consignments complying with the ministerial decree No.426 for year 2009 concerning the freedom of the cereal consignment from Ambrosia
- 5- The requirement of the plant quarantine operational committee dated 20/4/2004 regarding the maximum tolerance (25 Seed /Kg) for the noxious weed seeds content in the consignment.

- For the official Contact Point it is (ippc.egypt@gmail.com)

Thank you for your kind cooperation¹

Yours sincerely,

Dr. Saad Mohamed Moussa

**Head of Central Administration
Of Plant Quarantine**



Islam Farahat
04-11-2015

1 Nadi El-Said St. Dokki-Giza -EGYPT

Tel : (202) 37608575 – 33351625

Fax : (202) 37608574

E-mail: ippc.egypt@gmail.com

1 شارع نادى الصيد – الدقى – الجيزة – جمهورية مصر العربية

تليفون : ٣٧٦٠٨٥٧٥ - ٣٣٣٥١٦٢٥ (٢٠٢)

فاكس : ٣٧٦٠٨٥٧٤ (٢٠٢)

Арабська Республіка Єгипет
Міністерство сільського господарства та рекультивації земель
Центральна адміністрація з карантину рослин

04.11.2015

Олександрю Вержиховському
Заступнику голови Держветфітослужби України

Від: Д-р. Саад Мохамед Муса
Голова центральної адміністрації з карантину рослин
Міністерство сільського господарства та рекультивації земель, Каїр, Єгипет.

У відповідь на ваші запити щодо фітосанітарних вимог

Шановний пане Вержиховський!

У відповідь на ваш лист інформуємо про офіційні фітосанітарні вимоги та перелік шкідливих організмів, що зумовлені Наказом Міністерства №.3007 від 2001р. (додається наказ та список шкідників).

- Вимоги щодо зерна нижчевикладені:

1. Необхідний фітосанітарний сертифікат у відповідності до МСФЗ № 7 та № 12.
2. Додаткова декларація: не вимагається для культивації
3. Вантажі вільні від будь-яких живих шкідливих організмів або хвороб відповідно до Наказу Міністерства № 3007 від 2001р.
4. **Вантажі, що відповідають вимогам, викладеним у Наказі Міністерства № 426 від 2009 р. щодо вантажу зерна вільного від Амброзії.**
5. Вимоги Комітету з карантину рослин від 20.04.2004 щодо максимального допуску вмісту (25 насінин/кг) насіння бур'янів у вантажах.

Для контакту ippc.egypt@gmail.com

Саад Мохамед Муса
Голова центральної адміністрації з
карантину рослин

Table (1)

Unrecorded pests to be declined entry into Egypt

Insect pests:

Scientific Name	Family	Order
<i>Araecerus fasciculatus</i> (De Greer)	Anthribidae	Coleoptera
<i>Chelymorpha cassidea</i> (Fab.)*	Chrysomelidae	Coleoptera
<i>Chrysomela scripta</i> (Fab.)*	Chrysomelidae	Coleoptera
<i>Diabrotica</i> spp.*	Chrysomelidae	Coleoptera
<i>Epitrix cucumeris</i> (Harris)	Chrysomelidae	Coleoptera
<i>Gastroides polygoin</i> (L.)*	Chrysomelidae	Coleoptera
<i>Leptinotarsa decemlineata</i> (Say)	Chrysomelidae	Coleoptera
<i>Oulema melanopus</i> (L.)*	Chrysomelidae	Coleoptera
<i>Typophorus viridicyanus</i> (Crotch)*	Chrysomelidae	Coleoptera
<i>Epilachna</i> spp.*	Coccinellidae	Coleoptera
<i>Anthonomus</i> spp.	Curculionidea	Coleoptera
<i>Cosmopolites sordidus</i> (Gorm.)	Curculionidea	Coleoptera
<i>Larinus</i> spp.	Curculionidea	Coleoptera
<i>Otiorhynchus</i> spp.*	Curculionidea	Coleoptera
<i>Phyllobius</i> spp.*	Curculionidea	Coleoptera
<i>Rhynchites</i> spp.	Curculionidea	Coleoptera
<i>Rhynchophorus</i> spp.*	Curculionidea	Coleoptera
<i>Scyphophorus yuccae</i> (Horn.)*	Curculionidea	Coleoptera
<i>Sphenophorus ventatus</i> (Chitt.)*	Curculionidea	Coleoptera
<i>Sternochytus mangifera</i> (F.)**	Curculionidea	Coleoptera
<i>Trogoderma tarsalis</i> (M.)	Dermestidae	Coleoptera
<i>Mezium americanum</i> (Cast.)	Ptinidae	Coleoptera
<i>Cotinus abdominalis</i> (Casey.)*	Scarabaeidae	Coleoptera
<i>Oryctes elegans</i> (Prell.)	Scarabaeidae	Coleoptera
<i>Popillia japonica</i> (Newm.)	Scarabaeidae	Coleoptera
<i>Hypothenemus hampei</i> (Ferr.):**	Scolytidae	Coleoptera
<i>Dasineura</i> spp.*	Cecidomyiidae	Diptera
<i>Mayetiola destructor</i> (Say)	Cecidomyiidae	Diptera
<i>Hermetia illucens</i> (L.)*	Stratiomyiidae	Diptera
<i>Eumerus strigatus</i> (Fall.)	Syrphidae	Diptera
<i>Merodon equestris</i> (F.)	Syrphidae	Diptera
<i>Anastrepha</i> spp.*	Tephritidae	Diptera
<i>Ceratitis</i> spp.*	Tephritidae	Diptera
<i>Dacus</i> spp.*	Tephritidae	Diptera
<i>Rhagoletis</i> spp.*	Tephritidae	Diptera
<i>Leptoglossus</i> spp.*	Coreidae	Hemiptera
<i>Blessus leucopterus</i> (Say)*	Lygaeidae	Hemiptera

* Species added to table (1)

** Scientific name amended according to the latest nomenclature

Table (1) cont.

Unrecorded pests and diseases to be declined entry into Egypt

Insect pests:

Scientific Name	Family	Order
<i>Eurygaster integriceps</i> (Put.)	Pentatomidae	Hemiptera
<i>Dysdercus</i> spp.*	Pyrrhocoridae	Hemiptera
<i>Aphis pomi</i> (Deg.)	Aphididae	Homoptera
<i>Rhopalosiphoninus</i> spp.	Aphididae	Homoptera
<i>Eulecanium capreae</i> (L.)	Coccidae	Homoptera
<i>Aspidiotus bromeliae</i> (Newm.)	Diaspididae	Homoptera
<i>Borchsiniaspis plamae</i> (Cockerel)**	Diaspididae	Homoptera
<i>Chionaspis evonymii</i> (Sac.)	Diaspididae	Homoptera
<i>Epidiaspis leperii</i> (Sign.)	Diaspididae	Homoptera
<i>Hemmiberlisia popularum</i> (Marlatt)	Diaspididae	Homoptera
<i>Lepidosaphes pistacheae</i> (Arkh.)	Diaspididae	Homoptera
<i>Pseudoaonidia tesseratade</i> (Charm.)	Diaspididae	Homoptera
<i>Quadraspidiotus perniciosus</i> (Comst.)	Diaspididae	Homoptera
<i>Phylloxera vastatrix</i> (Fitch.)	Phylloxeridae	Homoptera
<i>Dysmicoccus alazon</i> (Williams)	Pseudococcidae	Homoptera
<i>Ferrisia clavisetia</i> (Ckll.)**	Pseudococcidae	Homoptera
<i>Ferrisia setosa</i> (Ckll.)**	Pseudococcidae	Homoptera
<i>Planococcus kraunhiae</i> (Kwvana)	Pseudococcidae	Homoptera
<i>Pseudococcus comstocki</i> (Kuw.)	Pseudococcidae	Homoptera
<i>Pulmicultor Palmarum</i> (Ehr.)	Pseudococcidae	Homoptera
<i>Trionymus americanus</i> (Ckll)	Pseudococcidae	Homoptera
<i>Trionymus bromi</i> (Ferris.)	Pseudococcidae	Homoptera
<i>Trionymus clandestinis</i> (Me Connel.)	Pseudococcidae	Homoptera
<i>Trioza buxtoni</i> (Laing)	Psyllidae	Homoptera
<i>Cephus</i> spp.*	Cephidae	Hymenoptera
All members of family cynipidae	Cynipidae	Hymenoptera
<i>Eurytoma</i> spp.	Eurytomidae	Hymenoptera
<i>Harmolita grandis</i> (Riley)	Eurytomidae	Hymenoptera
<i>Harmolita tritici</i> (Fitch)	Eurytomidae	Hymenoptera
<i>Iridomyrmex humilis</i> (Mayr.)	Formicidae	Hymenoptera
<i>Leucoptera scitella</i> (L.)*	Lyonetiidae	Lepidoptera
<i>Busseola fusca</i> (Fuller)	Noctuidae	Lepidoptera
<i>Sesammia</i> spp.	Noctuidae	Lepidoptera
<i>Aphomia gularis</i> (zell.)	Pyrilidae	Lepidoptera
<i>Chilo</i> spp.	Pyrilidae	Lepidoptera
<i>Diatreae</i> spp.	Pyrilidae	Lepidoptera
<i>Setomorpha margolaestrata</i> (Keuch)	Tineidae	Lepidoptera
<i>Argyroplote leucotreta</i> (Mayr.)	Tortricidae	Lepidoptera
<i>Clysia ambiguella</i> (Hb.)	Tortricidae	Lepidoptera
<i>Laspeyrisia</i> spp.	Tortricidae	Lepidoptera

* Species added to table (1)

** Scientific name amended according to the latest nomenclature

Table (1) cont.

**Unrecorded pests and diseases to be declined entry into Egypt
Plant Diseases (Fungal Diseases)**

<i>Triticum aestivum</i>	Wheat
<i>Claviceps purpurea</i>	Ergot
<i>Gaeumannomyces graminis</i>	Take-all
<i>Gibberella avenae</i>	Scab, Head blight
<i>Gibberella zeae</i>	Head blight
<i>Septoria nodorum</i> , <i>S. tritici</i>	Glum blotch
<i>Tilletia controversa</i>	Dwarf bunt
<i>Tilletia indica</i>	Kernel bunt
<i>Typhula idahoensis</i>	Typhula blight
<i>Hordium vulgare</i>	Barley
<i>Claviceps purpurea</i>	Ergot
<i>Gibberella zeae</i>	Scab, Seedling blight
<i>Septoria nodorum</i>	Leaf and glum blotch
<i>Septoria passerinii</i>	Leaf spot
<i>Thielaviopsis basicola</i>	Black root rot
<i>Ustilago hordei</i>	Loose smut
<i>Sorghum spp.</i>	Sorghum
<i>Claviceps sorghi</i>	Ergot
<i>Colletotricum graminicola</i>	Stalk rot, red leaf
<i>Ascochyta sorghi</i>	Leaf spot
<i>Peronosclerospora maydis</i>	Downey mildew
<i>Lycopersicon esculentum</i>	Tomato
<i>Glomerella cingulata</i>	Anthraxnose

Table (1) cont.

**Unrecorded pests and diseases to be declined entry into Egypt
Plant Diseases (Fungal Diseases)**

<i>Triticum aestivum</i>	Wheat
<i>Claviceps purpurea</i>	Ergot
<i>Gaeumannomyces graminis</i>	Take-all
<i>Gibberella avenacea</i>	Scab, Head blight
<i>Gibberella zeae</i>	Head blight
<i>Septoria nodorum, S. tritici</i>	Glum blotch
<i>Tilletia controversa</i>	Dwarf bunt
<i>Tilletia indica</i>	Kernel bunt
<i>Typhula idahoensis</i>	Typhula blight
<i>Hordium vulgare</i>	Barley
<i>Claviceps purpurea</i>	Ergot
<i>Gibberella zeae</i>	Scab, Seedling blight
<i>Septoria nodorum</i>	Leaf and glum blotch
<i>Septoria passerinii</i>	Leaf spot
<i>Thielaviopsis basicola</i>	Black root rot
<i>Ustilago hordei</i>	Loose smut
<i>Sorghum spp.</i>	Sorghum
<i>Claviceps sorghi</i>	Ergot
<i>Colletotricum graminicola</i>	Stalk rot, red leaf
<i>Ascochyta sorghi</i>	Leaf spot
<i>Peronosclerospora maydis</i>	Downey mildew
<i>Lycopersicon esculentum</i>	Tomato
<i>Glomerella cingulata</i>	Anthraxnose

Table (1) cont.

**Unrecorded pests and diseases to be declined entry into Egypt
Plant Diseases (Fungal Diseases)**

<i>Oryza stiva</i>	Rice
<i>Balansia spp.</i>	Black ring
<i>Gibberella fujikuroi</i>	Foot rot
<i>Ophiobolus oryzinus</i>	Brown or black sheath rot
Zea Mays	Maize
<i>Claviceps gigantea</i>	Ergot
<i>Cochliobolus heterostrophus</i>	Blight
<i>Colletotricum graminicola</i>	Anthracoise
<i>Diplodia spp.</i>	Seedling blight
<i>Gibberella fujikuroi</i>	Kernel & stalk rot
<i>Botryosphaeria zeae</i>	Grey ear rot
<i>Mycosphaerella zeae-maydis</i>	
<i>Peronosclerospora maydis</i>	Downey mildew
Sccarum spp.	Sugar cane
<i>Colletotricum flicatum</i>	Red rot
Beta vulgaris	Sugar beet
<i>Colletotricum dematium</i>	Anthracoise
<i>Pleospora betae</i>	Black leg
Solanum tuberosum	Potato
<i>Spongospora subterranean</i>	Powdery scab
<i>Synchytrium endobioticum</i>	Black wart
<i>Fragaria spp.</i>	Strawberry
<i>Phytophthora fragaria</i>	Red stele

Table (1) cont.

**Unrecorded pests and diseases to be declined entry into Egypt
Plant Diseases (Fungal Diseases)**

<i>Allium spp.</i>	Onion and Garlic
<i>Colletotricum circinans</i>	Smudge
<i>Helianthus annuus</i>	Sunflower
<i>Diaporthe helianthi</i>	Blight
<i>Leptosphaeria helianthi</i>	Leaf spot
<i>Stromatiina subularis</i>	Wilt and white rot
<i>Septoria helianthi</i>	Septoria blight
<i>Brassica spp.</i>	Rape
<i>Albugo candida</i>	White blister
<i>Mycosphaerella brassicicola</i>	Black ring spot
<i>Sclerotinia sclerotiorum</i>	White blight
<i>Gossypium spp.</i>	Cotton
<i>Ascochyta gossypii</i>	Ascochyta
<i>Colletotricum indicum</i>	Anthraxnose
<i>Linum usitatissimum</i>	Flax
<i>Colletotricum linicola</i>	Anthraxnose
<i>Mycosphaerella linicola</i>	Pasmo, Rust blotch
<i>Phoma exigua</i>	Foot rot
<i>Arachis hypogaea</i>	Peanut
<i>Thielaviopsis basicola</i>	Black root rot
<i>Vicia faba</i>	Broad bean
<i>Ascochyta fabae</i>	Leaf and pod spot
<i>Colletotricum graminicola</i>	Anthraxnose

Table (1) cont.
Unrecorded pests and diseases to be declined entry into Egypt
Plant Diseases (Fungal Diseases)

<i>Cicer arietinum</i>	Chick pea
<i>Colletotricum dematium</i>	Anthracnose
<i>Glycine soja</i>	Soybean
<i>Macrophoma mame</i>	Anthracnose
<i>Melanopsichium nepalense</i>	Smut
<i>Trifolium sativa</i>	Clover
<i>Colletotricum trifolii</i>	Southern anthracnose
<i>Kabatiella caulivora</i>	Northern anthracnose
<i>Typhula idahoensis</i>	Typhula blight
<i>Typhula trifolii</i>	
<i>Cucumis melo</i> (melon, cantaloupe, musk melon), <i>Cucumis sativus</i> (cucumber), <i>Cucurbita</i> spp. (squash), <i>Citrullus lanatus</i> (water melon)	Cucurbits
<i>Didymella bryoniae</i>	Gummy stem blight
<i>Gladiolus communis</i> L.	Gladiolus
<i>Septoria gladioli</i>	Hard rot
<i>Stromatina gladioli</i>	Dry rot
<i>Botrytis gladiorm</i>	Sponge rot
<i>Phytophthora cactorum</i>	
<i>Uromyces gladiolicola</i>	Rust
<i>Tulipa gesneriana</i> L.	Tulip
<i>Rhizoctonia tuliparum</i>	Grey bulb rot
<i>Botrytis tulipae</i>	Fire (botrytis) blight
<i>Gleosporium thumenii</i> f. sp. <i>tulipae</i>	Anthracnose
<i>Fusarium oxysporium</i> f. sp. <i>tulipae</i>	Basal rot

Table (1) cont.

**Unrecorded pests and diseases to be declined entry into Egypt
Plant Diseases (Fungal Diseases)**

<i>Iris florentina</i> L.	Iris
<i>Septoria iridis</i>	Septoria disease
<i>Narcissus poeticus</i> L.	Narcissus
<i>Ramularia vallisumbrosae</i>	White mold
<i>Stagonospora curtisii</i>	Leaf scorch
<i>Sclerotinia narcissicola</i>	Smoulder
<i>Sclerotinia polyblastis</i>	Fire
<i>Rosellinia necatrix</i>	White root rot
<i>Fusarium oxysporium</i> f.sp. <i>narcissi</i>	Basal rot
<i>Sclerotinia bulborum</i>	Black slime
<i>Hippeastrum vittatum</i> Herb.	Amaryllis
<i>Stagonospora curtisii</i>	Leaf scorch
<i>Lilium</i> spp.	Lily
<i>Fusarium oxysporium</i> f.sp. <i>lilii</i>	Fusarium scale rot
<i>Cylindrocarpon radicola</i>	Scale tip rot
	Hippeastrum
<i>Armillaria mellea</i>	Armillaria rot
<i>Stagonospora curtisii</i>	Ornamental Palm Trees
<i>Fusarium oxysporium</i> f.sp. <i>candriensis</i>	Wilt
<i>Annelophora phoenicis</i>	Annelophora leaf spot
<i>Cylindrocladium</i> spp.	Cylindrocladium leaf spot
<i>Phytophthora</i> spp.	Phytophthora leaf spot
<i>Gliocladium vermoeseni</i>	Pink rot
<i>Pseudocercospora rhapsicola</i>	Pseudocercospora leaf spot
<i>Fusarium oxysporium</i> f.sp. <i>albendinis</i>	Wilt
<i>Ganoderma zohatum</i>	Basal stem rot
<i>Cerenomyces</i> spp.	

Table (1) cont.

Unrecorded pests and diseases to be declined entry into Egypt
Plant Diseases (Fungal Diseases)

<i>Iris florentina</i> L.	Iris
<i>Septoria iridis</i>	Septoria disease
<i>Narcissus poeticus</i> L.	Narcissus
<i>Ramularia vallisumbrosae</i>	White mold
<i>Stagonospora curtisii</i>	Leaf scorch
<i>Sclerotinia narcissicola</i>	Smoulder
<i>Sclerotinia polyblastis</i>	Fire
<i>Rosellinia necatrix</i>	White root rot
<i>Fusarium oxysporium</i> f.sp. <i>narcissi</i>	Basal rot
<i>Sclerotinia bulborum</i>	Black slime
<i>Hippeastrum vittatum</i> Herb.	Amaryllis
<i>Stagonospora curtisii</i>	Leaf scorch
<i>Lilium</i> spp.	Lily
<i>Fusarium oxysporium</i> f.sp. <i>lilii</i>	Fusarium scale rot
<i>Cylindrocarpon radicola</i>	Scale tip rot
	Hippeastrum
<i>Armillaria mellea</i>	Armillaria rot
<i>Stagonospora curtisii</i>	Ornamental Palm Trees
<i>Fusarium oxisporium</i> f.sp. <i>candriensis</i>	Wilt
<i>Annellophora phoenicis</i>	Annellophora leaf spot
<i>Cylindrocladium</i> spp.	Cylindrocladium leaf spot
<i>Phytophthora</i> spp.	Phytophthora leaf spot
<i>Gliocladium vermoeseni</i>	Pink rot
<i>Pseudocercospora rhapsicola</i>	Pseudocercospora leaf spot
<i>Fusarium oxisporium</i> f.sp. <i>albendinis</i>	Wilt
<i>Ganoderma zohatum</i>	Basal stem rot
<i>Cerenomyces</i> spp.	

Table (1) cont.

Unrecorded pests and diseases to be declined entry into Egypt Plant Diseases (Fungal Diseases)

<i>Hyacinthus spp.</i>	Hyacinthus
<i>Sclerotinia bulborum</i>	Black slime
	Convallaria
<i>Mycosphaerella convallariae</i>	Leaf blotch
<i>Puccinia sessilis</i>	Rust
<i>Urocystis miyabeana</i>	Smut
Rose spp.	Rose
<i>Armillaria mella</i>	Armillaria rot
<i>Cryptosporella umbrina</i>	Brown canker
<i>Sphaceloma rosarum</i>	Anthracnose
<i>Silphium laciniatum</i> L.	Chrysanthemum
<i>Fusarium oxisporium</i> f.sp. <i>chrysanthemi</i>	
<i>Phyllosticta chrysanthami</i>	
<i>Puccinia horiana</i>	
<i>Euphorbia pulcherrime</i>	Euphorbia pulcherrime
<i>Sphaceloma poinsettia</i>	Scab
<i>Dianthus spp.</i>	Carnation
<i>Septoria dianthi</i>	Leaf spot
<i>Oidium</i> sp.	Powdery mildew
<i>Peronospora dianthicola</i>	Downey mildew
<i>Heterosporium echinulatum</i>	Fairy ring spot
	Citrus
<i>Acrosporium tingitaninum</i> (Carter) Subr.	Powdery mildew
<i>Colleotrichum gloeosporioides</i> Penz.	Wither tip/ Anthracnose
<i>Sphaceloma fawcetti</i> var. <i>scabiosa</i> Jenkins	Pink disease
<i>Botryobasidium salmonicolor</i> (Berk. and Br.)	Ganoderma root rot
<i>Ganoderma lucidum</i> (lyess) karst	Limb breakage
<i>Arbela tetraonis</i>	Sphaeropsis leaf spots
<i>Sphaeropsis tumefaciens</i> var. <i>citrum</i>	Sour orange scab
<i>Elsinoe fawcetti</i> (Bitan & Jenk).	Fruit spot
<i>Pestalotiopsis versicolor</i>	
<i>Elsinoe australis</i>	Scab

Table (I) cont.

**Unrecorded pests and diseases to be declined entry into Egypt
Plant Diseases (Fungal Diseases)**

<i>Mangifera indica</i>	Mango
<i>Colletotrichum gloeosporioides</i> (Penz)	Anthracnose
<i>Erythricium salmonicolor</i> (Bark & Broome) Burds.	Pink disease
<i>Elsinoe mangiferae</i> (Bitancour & Jenk.) (anamorph; <i>Sphaceloma mangiferae</i>)	Scab
<i>Macrophoma mangiferae</i> Hingorani & Sharma the alga; <i>Cephaleuros virescens</i> kunze	Blight Red rust of mango
<i>Boothiaella tetraspora</i> (Lodhi & Mirza)	Dry rot of ripe fruits (Langra cv)
<i>Ditylenchus spp.</i>	Date -palm
<i>Phytophthora sp.</i>	Boyoud
<i>Omphalia spp.</i>	Omphalia root rot
<i>Mauginiella scattae</i>	Khamedj
<i>Macrosporium spp.</i> <i>Citryomyces remosus</i>	Fruit rots
<i>Pomus malus</i> L. & <i>Pyrus communis</i>	Apple & Pear
<i>Phoma pomorum thumen</i>	Phoma leaf and fruit spot
<i>Nectria cinnabarina</i> (Tode)	Nectria twig blight
<i>Armillaria mellea</i> (Vahl) kummer	Armillaria root rot
<i>Sclerotinia sclerotiorum</i> (Lib) de Bary	Calyx-end rot
<i>Penicillium spp.</i> , <i>Mucor piriformis</i> , <i>Fusarium spp.</i> ,	Wet core rot of apple after harvest
<i>Sclerotium rolfsii</i> (Saca),	Southern blight and root rot
<i>Phyllosicta solitaria</i>	Blotch
<i>Glomerella cingulata</i> , <i>Coniothyrium spp.</i>	Fruit rot
<i>Penicillium spp.</i>	Blue rot

Table (1) cont.

**Unrecorded pests and diseases to be declined entry into Egypt
Plant Diseases (Fungal Diseases)**

<i>Pomus malus</i> L. & <i>Pyrus communis</i>	Apple & Pear
<i>Botryodiploida juglandicola</i> (Schw) Sacc <i>Botryosphaeria rodina</i> , <i>B. obtusa</i> (<i>Botryodiploida theobromae</i>) <i>Nectria galligena</i> (Bres)	Canker of apple and pear Die-back of apple, pear peach, plum and apricot European canker of apple and pear trees
<i>Venturia inequalis</i> (cooke) wint.	Apple scab
<i>Spilocaea</i> state of <i>Venturia pirina</i> Aderh.	Pear scab
<i>Podosphaera leucotricha</i> (Ell. & Ev.) Salmon (anamorph; <i>Oidium farinosum</i> Cooke)	Powdery mildew of apple and pear
<i>Gymnosporangium</i> spp. (more than 21 species)	Rust of apple, pear & quince
<i>Vitis vinifera</i> L.	Grape
<i>Greeneria uvicola</i> (Berk & Curt.) Punithalingam	Bitter rot of ripe fruit
<i>Coniella diplodiella</i> (Speg.) Petrak & Sydow	White rot
<i>Pseudopezizica tracheiphila</i> (Mull-Thurg) korf & Zhuang.	Rot Brenner
<i>Elsinoe ampelina</i> (de Bary) Shear. <i>Guignardia bidwellii</i> (Ellis) Viala & Ravaz (anamorph; <i>Phyllosticta ampellicida</i> (Engleman Von dear.)	Anthracnose Black rot
<i>Aspergillus</i> spp.	berry rots

Table (1) cont.

Unrecorded pests and diseases to be declined entry into Egypt
Plant Diseases (Fungal Diseases)

<i>Vitis vinifera</i> L .	Grape
<i>Colletotrichum gloeosporioides</i> (Penz.) Penz & Sacc.	Ripe rot of mature grapes
<i>Mycosphaerella angulata</i> Jenkins (anamorph; <i>Cercospora brachypus</i> Ell & Ev.)	Angular leaf spot
<i>Physopella ampelopsidis</i> (Diet.& Syd.) Cumm, & Ramachar	Rust
<i>Coniothyrium diplodiella</i> (Speg.) Petr.& Syd.	Coniothyrium blight
<i>Hendersomula toruloidea</i> Natt. <i>Cirstulariella moricola</i> (Hino) Redhead <i>Briosia ampelophaga</i> Cav <i>Pseudocercospora vitis</i> (Lev.) Speg. <i>Rhytisma vitis</i> Schw. <i>Anthostomella pullulans</i> (de Bary) Bennet. <i>Eutypa lata</i> (Pers. Fr.) Tul & C.Tul. (anamorph; <i>Libertella blepharis</i> Smith.) <i>Botryosphaeria stevensii</i> Shoem <i>Rosellinia necatrix</i> Prix (anamorph; <i>Dematophora necatrix</i> Hartig.) <i>Roesleria subterranea</i> (Weinmann) Redhead.	Drying of grapevine. Zonate leaf spot. Leaf blotch Leaf blight or Isariopsis leaf spot. Tar spot. Brulure Eutypa dieback Black dead arm. Dematophora root rot Grape root rot.
<i>Elsinoe ampelina</i>	Anthraxnose
	Peach, Apricot
<i>Cladosporium carpophilum</i>	Peaches scab
<i>Podosphaera oxycanthae</i>	Powdery mildew of apricot
<i>Sphaerotheca pannosa</i> var. <i>persica</i>	
<i>Monilinia fructigena</i>	Powdery mildew of peach
<i>Monilinia laxa</i> <i>Monilinia fructicola</i>	Manila fruit rots of stone fruits
<i>Pseudomonas morspronurum</i>	Die back & shot-hole
<i>Taphrina pruni</i>	Leaf curl of plum
<i>Glaeodes pomigena</i>	

Table (1) cont.

**Unrecorded pests and diseases to be declined entry into Egypt
Plant Diseases (Fungal Diseases)**

	Peach, Apricot
<i>Armillaria mellea</i>	Mushroom root rot of peach
<i>Verticillium albo-atrum</i>	Wilt disease of peach & plum fruits
<i>Taphrina deformans</i>	Peach and nectarine leaf curl
<i>Coryneum beijerinckii</i>	Coryneum blight or shot hole of peach, nectarine and apricot
<i>Fusicladium carpophilum</i> (Thuem) Qudem.	Peach scab Coryneum blight or shot hole of plum
<i>Musa paradisiacal</i> L .	Banana
<i>Mycosphaerella musicola</i> leach (<i>Cerospora musae</i> Zimm. As Imperfect stage)	Leaf spot (Sigatoka disease)
<i>Dothiorella gregarig</i>	Dothiorella fruit rot
<i>Macrophoma musae</i>	Freckle disease
<i>Fusarium monilifore</i> var <i>subglutinans</i>	Fusarium tip rot
<i>Oidium lactis</i>	Deightoniella torulsa
<i>Cephalo thecium roseum</i>	Cercospora koepkei
<i>Aspergillus wentii</i>	Albugo sp.
<i>Ramichloridium musae</i>	Common speckle
<i>Sclerofinia sclerotiorum</i>	Sclerotinia fruit rote
<i>Scolecotrichum musae</i>	Codna leaf spot
<i>Mycosphaerlla musicola</i>	Surinamme leaf disease
<i>Helminthosporium torulosum</i>	Black spot
<i>Rosellinia bunodes</i>	Black rot
<i>Helminthosporium torulosum</i>	Trunka stem rote
<i>Fusarium moniliforme</i> var. <i>subglutinans</i>	Clordo disease

Table (1) cont.

**Unrecorded pests and diseases to be declined entry into Egypt
Plant Diseases (Fungal Diseases)**

<i>Musa paradisiacal</i> L .	Banana
<i>Deightonilla torulosa</i> (Syd.) Ell (= <i>Helminthosporium torulosum</i>)	Deightonilla leaf and fruit spot
<i>Colletotrichum musae</i>	Fruit Anthraconse
<i>Pyricularia grisea</i>	Fruit depression
<i>Pseudocercospora spp.</i> (<i>Mycosphaerella spp.</i>)	Fruit segatoca
<i>Deightoniella torulosa</i>	Black fruit top
<i>Cercospora hayi</i>	Brown fruit spots
<i>Dothiorella ribis</i>	Dothiorella rot
<i>Phyllosticta musarum</i>	Phyllosticta rot
<i>Phytophthora nicotianaea</i>	Phytophthora rot
<i>Nigrospora oryzae</i>	Nigrospora rot
<i>Sclerotinia sclrerotiorum</i>	Scierotinia rot
<i>Sphaerostible musarum</i>	Bonnygate disease
<i>Clitocybe spp.</i> , <i>Poria sp.</i>	Dry rot
<i>Laccocephalum basilapiliodes</i>	Stone fungus
<i>Ustilaginoidella oedipigera</i>	Big foot
<i>Ficus carica</i>	Fig
<i>Phomopsis cinerescens</i>	Canker
<i>Cylindrocladium scoparium</i> Morg	Leaf spot of fig
<i>Phymatotrichum omnivorum</i>	
<i>Alternaria tenuis</i> , <i>Cladosporium herbarum</i>	Black spots of fruits
<i>Sphaceloma fici-caricae</i> Wani & Thirum	Anthracnose
<i>Phyllosticta fici-carici</i>	Leaf spot

Table (1) cont.

Unrecorded pests and diseases to be declined entry into Egypt
Plant Diseases (Fungal Diseases)

<i>Olea sativa</i>	Olive
<i>Colletotrichum dematium</i> (Pers) Grove	Spongy dry fruit rot Qunice rust
<i>Gymnosporangium clavipes</i> (Cooke & Peck)	Rocky mountain pear rust
<i>Gymnosporangium nelsoni</i> Arth.	White root rot
<i>Scytinostroma galactinum</i> (Fr.)	Violet root rot
<i>Helicobasidium mompa</i> Tanaka	Valsa (Cytosporra) canker
<i>Coccomyces hiemalis</i>	Botryosphaeria
<i>Valsa cincta/ V.leucostoma</i>	Gummosis
<i>Botryosphaeria dothide a/B.obtusa</i>	Dieback
<i>Gleosporium oliverum</i>	Anthracnose
<i>Cycloconium oleaginum</i>	Leaf spots
<i>Persea americana</i>	Avocado
<i>Pseudocercospora purpurea</i>	Septoria Fruit rot
<i>Colletotrichum gloeosporiodes</i>	Fruit Anthracnose
<i>Dothiorella gregaria, (Botryosparia ribis)</i>	Dothioella rot
<i>Sphaceloma perseae</i>	Fruit scape
<i>Fusarium spp.</i>	Fusarium Fruit rot
<i>Botryodiplodia theobromae</i>	Botryodiplodia rot
<i>Pestalotiopsis versicolor</i>	Pesalotiopsis rot
<i>Phytophthora citrophthora</i>	Phytophthora rot
<i>Akaropeltopsis sp.</i>	Akaropeltopsis rot

Table (1) cont.

**Unrecorded pests and diseases to be declined entry into Egypt
Plant Diseases (Fungal Diseases)**

<i>Diospyrus Kak</i>	Persimmon
<i>Alternaria spp. & Cladosporium spp.</i>	Leaf and fruit spots
<i>Fusarium spp. & Sclerotium sp.</i>	Rot rots
<i>Botryodiplodia theobxomae</i>	Diebaek
<i>Rhizoctonia solani, Pythium spp and Phytophthora spp.</i>	Damping off
<i>Aspergillus</i> group <i>Penicillium</i> group	Fruit rot
<i>Muntingia calabura</i>	Cherry
<i>Cercospora rubrotincta</i>	Leaf spot on sweet cherry
<i>Litchi chinensis</i>	Litchis
<i>Pestalotiopsis sp.</i>	Pest alotiopsis rot
<i>Aspergillus flavus</i> group	Aspergillus rot
<i>Peronophthora Litchii</i>	Peronophthora rot
<i>Ceuthospora litchi</i>	
<i>Pestalotia pauciseta</i>	
<i>Colletotrichum gloeosporioides</i>	
<i>Aspergillus niger</i> group	Aspergillus rot
<i>Psidium guajava</i> var. <i>pyriferum</i> L.	Guava
<i>Myxosporium psidii</i> <i>Gleosporium psidii</i>	Fruit rot
<i>Geotrichum candidum</i> <i>Rhizoups nigricans</i>	Pestalotia psidii
<i>Fusarium spp., Cephalosporium sp.</i>	Wilt
<i>Gleosporium psidii</i>	Anthraxes
<i>Botryodiplodia psidii</i>	Stem canker
<i>Rhizoctonia solani</i>	Seedling blight
<i>Cercospora psidii</i>	White leaf spots

Table (1) cont.

**Unrecorded pests and diseases to be declined entry into Egypt
Plant Diseases (Fungal Diseases)**

	Annona
<i>Alternaria sp., Cladosporium sp., Cercospora sp.,</i>	Leaf spots
<i>Fusarium sp.</i> <i>Botrydiplodia sp.</i>	Die-back
<i>Rhizopus nigricans, Cladosporium sp., Alternaria sp.,</i> <i>Phytophthora sp.</i>	Fruit rots
<i>Alternaria alternata</i>	Annona flowers blight
<i>Fusarium spp.</i>	Wilt root rot
<i>Castanea mollissima</i>	Chestnut
<i>Aspergillus flavus</i> group	Aspergillus rot
<i>Aspergillus niger</i> group	Aspergillus black rot
<i>Armillaria mellea</i>	Armillaria rot
<i>Botryosphaeria dothioidea</i>	
<i>Endothia parasiticu</i>	Blight
<i>Coryneum castanicola</i>	
<i>Coryneum kunzei</i>	
<i>Coryneum pustulatum</i>	
<i>Colletotrichum gloeosporioides</i>	
<i>Cryphonectria parasitica</i>	
<i>Diaporthe eres</i>	
<i>Hendersonula toruloidea</i>	
<i>Laetiporus sulphureus</i>	
<i>Marssonina ochroleuca</i>	
<i>Alternaria sp.</i>	Leaf spot
<i>Persea americana</i>	Avocado
<i>Phytophthora cinnamomi</i>	Phytophthora root rot

Table (1) cont.

**Unrecorded pests and diseases to be declined entry into Egypt
Plant Diseases (Fungal Diseases)**

<i>Persea americana</i>	Avocado
<i>Dothiorella</i> sp.	Dothiorella rot
<i>Glomerella cingulata</i>	Anthracnose
<i>Aspergillus niger</i> group	Aspergillus rot
<i>Aspergillus flavus</i> group	Aspergillus black rot
<i>Colletotrichum gloeosporioides</i>	Black spot
<i>Phomopsis</i> spp., <i>Diplodia hataiensis</i>	Stem end rot
<i>Fusarium</i> spp., <i>Rhizoctoma</i> spp., <i>Armillaria mellea</i>	root rot
<i>Promelia anaest</i>	Pineapple
<i>Penicillium funiculosum</i>	Penicillium rot
<i>Aspergillus niger</i> group	Aspergillus rot
<i>Thielaviopsis paradoxa</i>	Thielaviopsis rot
<i>Phytophthora parasitica</i>	Heart rot
<i>Fusarium moniliforme</i> var. <i>subglutinans</i>	Fusarium rot
<i>Fusarium moniliforme</i>	Fruit rot
<i>Fusarium oxysporum</i>	Wilt
<i>Armillaria mellea</i>	Root rot
<i>Carica papaya</i>	Papaya
<i>Colletotrichum gloeosporioides</i>	Anthracnose
<i>Phytophthora palmivora</i>	Fruit rot
<i>Mycosphaerella caricae</i>	Fruit black rot
<i>Cercospora papaya</i>	Black spot

Table (1) cont.

**Unrecorded pests and diseases to be declined entry into Egypt
Plant Diseases (Fungal Diseases)**

<i>Stemphylium lycopersici</i>	Stem rot
<i>Corynespora cassiicola</i>	Corynespora rot
<i>Aspergillus niger</i> group	Aspergillus rot
<i>Aspergillus flavus</i> group	Aspergillus black rot
<i>Fusarium</i> spp.	Wilt and root rot
<i>Cocos nucifera</i> L .	Coconut
<i>Aspergillus flavus</i> group	Aspergillus rot
<i>Aspergillus niger</i> group	Aspergillus black rot
<i>Aspergillus ochraceus</i>	Aspergillus rot
<i>Penicillium</i> spp.	Penicillium rot
<i>Zingiber</i> spp.	Ginger
<i>Penicillium</i> spp.	Penicillium rot
<i>Pythium</i> spp.	Pythium rot
<i>Macrophomina phaseolina</i> , <i>Sclerotium rolfsii</i>	
<i>Trichurus spiralis</i>	Grey rot
<i>Verticillium luteo-album</i> , <i>Nectria inventa</i>	Red rot
<i>Rosellinia bunodes</i>	Rosellinia rot
<i>Memmoniella echinata</i>	Black rot
<i>Armillaria mellea</i>	Armillaria rot
<i>Fusarium</i> spp.	Fusarium rot
<i>Aetnidia deliciosa</i>	Kiwi
<i>Phomopsis actinidiae</i>	Phomopsis fruit rot
<i>Phoma</i> sp.	Phoma fruit rot

Table (1) cont.

**Unrecorded pests and diseases to be declined entry into Egypt
Plant Diseases (Fungal Diseases)**

<i>Aetnidia deliciosa</i>	Kiwi
<i>Botryosphaeria sp.</i>	Botryosphaesia rot
<i>Colletotrichum sp.</i>	Colletotricum rot
<i>Prunus spp.</i>	Almond
<i>Monilinia fructicola</i>	
<i>Aspergillus flavus</i> group	
<i>Aspergillus niger</i> group	
<i>Aspergillus ochraceus</i>	
<i>Penicillium spp.</i>	

Table (1) cont.

Unrecorded pests and diseases to be declined entry into Egypt
Plant Diseases (Bacterial Diseases)

<i>Triticum aestivum</i>	Wheat
<i>Pseudomonas cichorii</i>	Stem melanosis
<i>Pseudomonas fuscovaginae</i>	Bacterial sheath rot
<i>Pseudomonas syringae</i>	Bacterial leaf blight
<i>Xanthomonas translucens</i> pv. <i>graminis</i>	Black chaff
<i>Hordium vulgare</i>	Barley
<i>Pseudomonas syringae</i> pv. <i>atrofaciens</i>	Basal glume rot
<i>Xanthomonas translucens</i> pv. <i>graminis</i>	Black chaff
<i>Surgum</i> spp.	Sorghum
<i>Xanthomonas campestris</i> pv. <i>horticola</i>	Bacterial leaf streak
<i>Oryza stiva</i>	Rice
<i>Pseudomonas avenae</i>	Bacterial stripe
<i>Pseudomonas fuscovaginae</i>	Bacterial sheath brown rot
<i>Pseudomonas glumae</i>	Bacterial grain rot
<i>Xanthomonas campestris</i> pv. <i>oryzae</i>	Bacterial leaf blight
<i>Xanthomonas campestris</i> pv. <i>oryzicola</i>	Leaf blight streak
<i>Zea mays</i>	Maize
<i>Erwinia stewartii</i>	Bacterial wilt
<i>Pseudomonas andropogonis</i>	Bacterial stripe
<i>Sccarum</i> spp.	Sugar cane
<i>Xanthomonas campestris</i> pv. <i>ascolorum</i>	Gumming
<i>Beta vulgaris</i>	Sugar beet
<i>Pseudomonas syringae</i> pv. <i>aptata</i>	Bacterial blight
<i>Lycopersicon esculentum</i>	Tomato
<i>Clavibacter michiganensis</i>	Bacterial canker and wilt
<i>Allium</i> spp.	Onion & Garlic
<i>Pseudomonas aeruginosa</i>	Internal brown staining

Table (1) cont.

**Unrecorded pests and diseases to be declined entry into Egypt
Plant Diseases (Bacterial Diseases)**

<i>Pseudomonas cepacia</i>	Sour skin of onion
<i>Helianthus annuus</i>	Sunflower
<i>Agrobacterium tumefaciens</i>	Crown gall
<i>Gossypium spp.</i>	Cotton
<i>Xanthomonas campestris</i> pv. <i>malvacearum</i>	Angular leaf spot
<i>Gladiolus communis</i> L.	Gladiolus
<i>Pseudomonas gladioli</i> pv. <i>allicola</i>	Bacterial scab
<i>Pseudomonas gladioli</i> pv. <i>gladioli</i>	Soft rot
<i>Agrobacterium tumefaciens</i>	Crown gall
<i>Tulipa gesneriana</i> L.	Tulip
<i>Corynebacterium oortii</i>	Yellow pack
<i>Iris florentia</i> L.	Iris
	Soft rot
<i>Erwinia caratovora</i> var. <i>caratovora</i>	Lily
<i>Corynebacterium fascians</i>	Stem and leaf gall
	Rose
<i>Agrobacterium tumefaciens</i>	Crown gall
<i>Silphium laciniatum</i> L.	Chrysanthemums
<i>Erwinia chrysanthemi</i>	
<i>Dianthus spp.</i>	Carnation
<i>Pseudomonas caryophylli</i>	Wilt
<i>Solanum tuberosum</i>	Potato
<i>Clavibacter michiganensis</i> ssp. <i>sepedonicus</i>	Bacterial ring rot
<i>Erwinia carotovora</i> spp. <i>Aroseptica</i> 1%	Black leg
<i>Erwinia carotovora</i> spp. <i>Carotova</i> 1%	Soft rot
<i>Ralstonia solanacearum</i> , (<i>Pseudomonas solanacearum</i>)	Brown rot
<i>Streptomyces scabies</i> 5%	Common scab

Table (1) cont.

Unrecorded pests and diseases to be declined entry into Egypt
Plant Diseases (Bacterial Diseases)

	Citrus
<i>Xanthomonas campestris citri</i>	Citrus canker
<i>Pseudomonas syringae syringae</i>	Citrus blast
Mangifera indica	Mango
<i>Xanthomonas campestris mangiferae</i>	Black spot
Pomus malus L. & Pyrus communis	Apple & Pears
<i>Erwinia amylovora</i>	Fire blight
Vitis Vinifera L.	Grape
<i>Xanthomonas ampelina</i>	Bacterial blight
Musa paradisiacal L.	Banana
<i>Erwinia carotovora</i>	Head rot & root disease
<i>Bacillus clebense</i>	Blood disease
<i>Ralstonia solanacearum</i>	Moko disease
Olea sativa	Olive
<i>Pseudomonas syringae savastoni</i>	Olive knot
Muntingia calabura	Cherry
<i>Agrobacterium tumefaciens</i>	Crown gall
<i>Pseudomonas mors prunorum</i>	Bacterial leaf spot
Persea americana	Avocado
<i>Erwinia sp.</i>	Bacterial canker
Promelia anaasl	Pineapple
<i>Acetobacter entrobacter</i>	
Carica papaya	Papaya
<i>Erwinia sp.</i>	Bacterial canker
Zingiber spp.	Ginger
<i>Erwinia carotovora</i>	Soft rot
<i>Pseudomonas selanaceamim</i>	Pacterial wilt

Table (1) cont.

**Unrecorded pests and diseases to be declined entry into Egypt
Plant Diseases (Nematods)**

<i>Triticum aestivum</i>	Wheat
<i>Anguina tritici</i>	Ear cockle
<i>Oryza stiva</i>	Rice
<i>Aphelenchoidesbesseyi</i>	White tip
<i>Ditylenchus angustus</i>	Dak - pora
	Potato
<i>Ditylenchus destructor</i>	Stem nematode
<i>Globodera pallida</i>	Cyst nematode
<i>Globodera restochiensis</i>	Golden nematode
<i>Pratylenchus destructor</i>	Lesion nematode
<i>Fragariae spp.</i>	Strawberry
<i>Aphelenchoides fragariae</i>	
<i>Ditylenchus spp.</i>	
<i>Allium spp.</i>	Onion, Garlic
<i>Ditylenchus dipsaci</i>	Bloat. Eelworm rot
	Soya bean
<i>Heterodera glycines</i>	Soybean cyst nematode
<i>Radopholus similis</i>	Citrus
<i>Tylenchulus spp.</i>	Grape, guava, citrus
<i>Meloidogyne spp.</i>	Grape, banana, cherry, papaya, date palm, grape
<i>Ditylenchus spp.</i>	Date palm
<i>Pratylenchus spp.</i>	Apple, pear
<i>Xiphinema spp.</i>	Grape
<i>Helicotylenchus multicinctus</i>	Banana
<i>Heterodera fic</i>	Fig

Table (1) cont.
Unrecorded pests and diseases to be declined entry into Egypt
Plant Diseases (Viral Diseases)

	Cereals
<i>Barley Stripe Mosaic Virus (BSMV)</i>	Wheat
<i>Brome Mosaic Virus (BMV)</i>	Wheat, barley
<i>Wheat Streak Mosaic Virus (WSMV)</i>	Wheat, barley, maize
<i>Maize Dwarf Mottle Virus (MDMV)</i>	Wheat, sorgum, Maize
<i>Maize Chlorotic Mottle Virus (MCMV)</i>	Wheat
<i>Maize Dwarf Ring Spot Virus (MDRSV)</i>	Wheat
<i>Maize Ring Mottle Virus (MRMV)</i>	Maize
<i>Scucarum spp.</i>	Sugar cane
<i>Sugar cane Dwarf Virus (SCDV)</i>	
<i>Sugar cane Fiji Virus (SCFV)</i>	
<i>Sugar cane Mosaic Virus (SCMV)</i>	
<i>Sugar cane Streak Virus (SCSV)</i>	
<i>Beet Necrotic Yellow Vein Virus (BNYVV)</i>	Sugar beet
<i>Solanum tuberosum</i>	Potato
<i>Potato Yellow Dwarf Virus (PYDV)</i>	
<i>Potato Spindle Tuber Viroid (PSTV)</i>	
<i>Lycopersicum esculentum</i>	Tomato
<i>Tomato Bushy Stunt Virus (TBSV)</i>	
<i>Tomato Black Ring Virus (TBRV)</i>	
<i>Fragaria spp.</i>	Strawberry
<i>Strawberry Crinkle Virus (SCV)</i>	
<i>Strawberry Vein-Banding Virus (SVBV)</i>	
<i>Strawberry Ring Spot Virus (SRSV)</i>	
<i>Strawberry Mild Yellow Edge Virus (SMYEV)</i>	

Table (1) cont.

**Unrecorded pests and diseases to be declined entry into Egypt
Plant Diseases (Viral Diseases)**

	Pea &peans
<i>Bean Common Mosaic Virus (BCMV)</i>	
<i>Bean Yellow Mosaic Virus (BYMV)</i>	
<i>Black Eye Cowpea Mosaic Virus (BCMV)</i>	
<i>Cowpea Green Vein Banding Virus (CGVBV)</i>	
<i>Cowpea Ring Spot Virus (CRSV)</i>	
	Peas
<i>Pea Early Browning Virus (PEBV)</i>	
<i>Pea Enation Mosaic Virus (PEMV)</i>	
<i>Onion Yellow Dwarf Virus (OYDV)</i>	
<i>Sunflower Rugose Mosaic Virus (SRMV)</i>	
<i>Vicia faba</i>	Broad bean
<i>Broad Bean Mottle Virus (BBMV)</i>	
<i>Broad Bean Stain Virus (BBSV)</i>	
<i>Broad Bean True Mosaic Virus (BBTMV)</i>	
<i>Red Clover Vein Mosaic Virus (RCVMV)</i>	
<i>Soybean Mosaic Virus (SMV)</i>	
<i>Pea Seed-Borne Mosaic Virus (PSBMV)</i>	
<i>Arachis hypogaea</i>	Peanut
<i>Peanut Stunt Virus (PSV)</i>	
<i>Peanut Mottle Virus (PMV)</i>	
	Citrus
<i>Citrus Tatter Leaf Virus (CTLV)</i>	
<i>Citrus Leaf Rugose Virus (CLRV)</i>	
<i>Citrus Vein Enation Virus (CVEV)</i>	
<i>Citrus Ring Spot Virus (CRSV)</i>	

Table (1) cont.

**Unrecorded pests and diseases to be declined entry into Egypt
Plant Diseases (Viral Diseases)**

<i>Pomus malusl. & pyrus communis L.</i>	Apple & Pear
<i>Apple Chlorotic Leaf Spot Virus (ACLSV)</i>	
<i>Apple Mosaic Virus (AMV)</i>	
<i>Tomato Ring Spot Virus (TRSV)</i>	
<i>Vitis vinifera L.</i>	Grape
<i>Grapevine Chrome Mosaic Virus (GCMV)</i>	
<i>Grapevine Corky Bark Virus (GCPV)</i>	
<i>Grapevine Fleck Virus (GFV)</i>	
<i>Grapevine Leaf Roll Virus (GLRV)</i>	
	Peach, Apricot
<i>Plum Line Pattern Virus (PLPV)</i>	
<i>Peach Rosette Mosaic Virus (PRMV)</i>	
<i>Peach Mosaic Virus (PMV)</i>	
<i>Peach Wart Virus (PWV)</i>	
<i>Peach X Virus (PXV)</i>	
<i>Peach Mestern X Virus (PMXV)</i>	
<i>Peach Yellow Virus (PYV)</i>	
<i>Peach Little Virus (PLV)</i>	
<i>Peach Yellow Bud Mosaic Virus (PYBM)</i>	
<i>Apricot (Moorpark) Mottle Virus (AMV)</i>	
<i>Musa paradisiaca L.</i>	Banana
<i>Banana Streak Virus (BSV)</i>	
<i>Banana Bract Mosaic Virus (BBMV)</i>	
<i>Ficus carica</i>	Fig
<i>Fig Poty Virus (FPV)</i>	
<i>Fig S. Carla Virus</i>	

Table (1) cont.

**Unrecorded pests and diseases to be declined entry into Egypt
Plant Diseases (Viral Diseases)**

<i>Olea sativa</i> L.	Olive
<i>Olive Latent Ring Spot Virus (OLRSV)</i>	
<i>Olive Latent 1 Virus (OL 1 V)</i>	
<i>Olive latent 2 virus (OL 2 V)</i>	
<i>Carica papaya</i>	Babaz
<i>Papaya ring spot virus (PRSV)</i>	
<i>Papaya mosaic virus (PMV)</i>	
<i>Gladiolus Latent virus (GLV)</i>	Gladiolus
<i>Tulip Breaking Virus (TBV)</i>	Tulip
<i>Iris Mild Mosaic Virus (TMMV)</i>	Iris
<i>Iris Sever Mosaic Virus (ISMV)</i>	
	Rose
<i>Rose Mosaic Virus (RMV)</i>	
<i>Rose Streak Virus (RSV)</i>	
<i>Rose Wilt Virus (RWV)</i>	
<i>Rose Ring Spot Virus (RRSV)</i>	
<i>Chrysanthemum Stunt Viroid (CSV)</i>	Chrysanthemum
<i>Chrysanthemum Chlorotic Mottle Viroid (CCMV)</i>	
<i>Chrysanthemum Ring Spot Virus (CRSV)</i>	
<i>Carnation Ring Spot Virus (CRSV)</i>	Caranation
<i>Carnation Latent Virus (CLV)</i>	
<i>Carnation Vein Mottle Virus (CVMV)</i>	

Table (2)
Recorded Pests to be declined entry into Egypt

Insects and mites:

1. Insect pests:

Scientific Name	Family	Order
<i>Myiopardalis pardalina</i> (Big.)	Tephritidae	Diptera
<i>Silba virescens</i> (Macq.)*	Tephritidae	Diptera
<i>Anuraphis tulipae</i> (Boyer)	Aphididae	Homoptera
<i>Palmaspis phoenicis</i> (Ram. Rao)**	Asterolecaniidae	Homoptera
<i>Orthezia insignis</i> (Douglas)	Ortheziidae	Homoptera
<i>Nipaecoccus nipae</i> (Mask)	Pseudococcidae	Homoptera
<i>Pseudopoccus marotimus</i> (Ehr.)	Pseudococcidae	Homoptera
<i>Anarsia lineatella</i> (Zell.)	Gelechiidae	Lepidoptera
<i>Lobesia botrana</i> (Schiff.)*	Tortricidae	Lepidoptera

* Scientific name amended according to the latest nomenclature

** Species transferred to table (2)

2. Mites:

Scientific Name	Family	Order
<i>Aceria sheldoni</i> (Ewing)	Eriophyidae	Prostigmata
<i>Phyllocoptruta olivora</i> (Ashead)	Eriophyidae	Prostigmata
<i>Bryobia rubrioculus</i> (Sch)	Tetranychidae	Prostigmata

Table (2) cont.

**recorded pests and diseases to be declined entry into Egypt
Plant Diseases (Fungal Diseases)**

<i>Triticum aestivum</i>	Wheat
<i>Ustilago tritici</i>	Loose smut
<i>Hordium vulgare</i>	Barley
<i>Ustilago nuda</i>	Loose smut
<i>Oryza stiva</i>	Rice
<i>Pyricularia oryzae</i>	Blast
<i>Helminthosporium oryzae</i>	Brown spot
<i>Tilletia baraclayana</i>	Covered smut, kernel smut
<i>Ustilaginoidea virens</i>	False smut
<i>Sccarum spp.</i>	Sugar cane
<i>Ustilago scitamina</i>	Smut
<i>Beta vulgaris</i>	Sugar beet
<i>Peronospora farinose f.sp. betae</i>	Downy
<i>Solanum tuberosum</i>	Potato
<i>Altrnaria solani</i>	Early blight
<i>Fusarium solani</i>	Dry rot
<i>Helminthosporium solani</i>	Silver scurf
<i>Phoma exigua</i>	Gangerine
<i>Phytophthora erythroseptica</i>	Purple rot
<i>Phytophthora infestance</i>	Late blight
<i>Polyscytalum pustulans</i>	Skin spot
<i>Rhizoctonia solani</i>	Black scurt
<i>Verticillium alboatrum</i>	Verticillium wilt
<i>Lycopersicon esculentum</i>	Tomato
<i>Didymella lycopersici</i>	Stem rot
<i>Verticillium dahliae</i>	Wilt

Table (2) cont.

**Recorded pests and diseases to be declined entry into Egypt
Plant Diseases (Fungal Diseases)**

<i>Vigna catjang</i>	Green beans
<i>Colletotricum lindemuthianum</i>	Anthracnose
<i>Diaorth phaseolorum</i> var. <i>sojae</i>	Stem blotch
<i>Pisum</i> spp.	Peas
<i>Ascochyta pisi</i>	Leaf and podspot
<i>Mycosphaerella pinodes</i>	Blight
<i>Phoma medicaginis</i> var. <i>pinodella</i>	Foot and call rot
<i>Septoria pisi</i>	Leaf blotch
<i>Fragariae</i> spp.	Strawberry
<i>Colletotricum fragariae</i>	Anthracnose
<i>Fusarium oxysporium</i> f.sp. <i>fragariae</i>	Wilt diseases
<i>Verticillium albo-atrum</i>	Wilt diseases
<i>Mycosphaerella fragariae</i>	Leaf spot
<i>Dendrophoma obseurans</i>	Blight
<i>Allium</i> spp.	Onion & Garlic
<i>Fusarium solani</i>	Basal rot
<i>Aspergillus niger</i>	Black rot
<i>Sclerotium cepivorum</i>	White rot
<i>Botrytis allii</i>	Neck rot
<i>Pyrenochaeta terrestris</i>	Root rot
<i>Urocystis cepulae</i>	Smut
<i>Helianthus</i> spp.	Sunflower
<i>Plasopara halstedii</i>	Downy mildew
<i>Cicer arietinum</i>	Chick pea
<i>Ascochyta vabiei</i>	Ascochyta blight

Table (2) cont.

Recorded pests and diseases to be declined entry into Egypt
Plant Diseases (Fungal Diseases)

<i>Vigna catjang</i>	Green beans
<i>Colletotricum lindemuthianum</i>	Anthracnose
<i>Diaorth phaseolorum</i> var. <i>sojae</i>	Stem blotch
<i>Pisum</i> spp.	Peas
<i>Ascochyta pisi</i>	Leaf and podspot
<i>Mycosphaerella pinodes</i>	Blight
<i>Phoma medicaginis</i> var. <i>pinodella</i>	Foot and call pot
<i>Septoria pisi</i>	Leaf blotch
<i>Fragariae</i> spp.	Strawberry
<i>Colletotricum fragariae</i>	Anthracnose
<i>Fusarium oxysporium</i> f.sp. <i>fragariae</i>	Wilt diseases
<i>Verticillium albo-atrum</i>	Wilt diseases
<i>Mycosphaerella fragariae</i>	Leaf spot
<i>Dendrophoma obscureans</i>	Blight
<i>Allium</i> spp.	Onion & Garlic
<i>Fusarium solani</i>	Basal rot
<i>Aspergillus niger</i>	Black rot
<i>Sclerotium cepivorum</i>	White rot
<i>Botrytis allii</i>	Neck rot
<i>Pyrenochaeta terrestris</i>	Root rot
<i>Urocystis cepulae</i>	Smut
<i>Helianthus</i> spp.	Sunflower
<i>Plasopara halstedii</i>	Downy mildew
<i>Cicer arietinum</i>	Chick pea
<i>Ascochyta vabiei</i>	Ascochyta blight

Table (2) cont.

**recorded pests and diseases to be declined entry into Egypt
Plant Diseases (Fungal Diseases)**

<i>Glycine soja</i>	Soybean
<i>Colletotricum truncatum</i>	Anthracnose
<i>Diaporthe phaseolorum</i>	Stemcanker
	Pea
<i>Ascochyta lentis</i>	Blight
	Cucurbits
<i>Colletotricum laginarum</i>	Anthracnose
<i>Fusarium oxysporium</i> f.sp. <i>nivium</i>	Wilt
<i>Brassica alba</i>	Cabbage
<i>Albugo candida</i> <i>Plasmidiophora brassica</i>	White rust
	Citrus
<i>Alternaria citri</i> Ell. Pierce	Black rot of navel orange
<i>Botryodiplodia theobromae</i>	Small fruit dropping and die-back
<i>Phytophthora</i> spp. (<i>P.citrophthora</i>)	Gummosis and root rot
<i>Diplodia natalensis</i>	Diplodia
<i>Macrophomina phaseolina</i> (Tassi) Goid,	gummosis
<i>Diplodia natalensis</i> and <i>Fusarium</i> spp.	Dry root rot
<i>Capnodium citri</i> & <i>Chaetothyrium citri</i>	Sooty mould
<i>Diaporthe citri</i> (Fawcett) Wolf	Melanose
<i>Phomopsis citri</i> Fawcett <i>Rhizoctonia solani</i> , <i>Pythium</i> sp., <i>Phytophthora</i> spp. ,	Damping off
<i>Sclerotinia</i> sp. & <i>Sclerotium rolfsii</i> <i>Pestalotiopsis versicolor</i> (Speg) Steyart	Citrus fruit - spots
<i>Botryodiplodia theobromae</i>	Leaf spot

Table (2) cont.

Recorded pests and diseases to be declined entry into Egypt
Plant Diseases (Fungal Diseases)

<i>Glycine soja</i>	Soybean
<i>Colletotricum truncatum</i>	Anthracnose
<i>Diaporthe phaseolorum</i>	Stemcanker
	Pea
<i>Ascochyta lentis</i>	Blight
	Cucurbits
<i>Colletotricum laginarum</i>	Anthracnose
<i>Fusarium oxysporium</i> f.sp. <i>nivium</i>	Wilt
<i>Brassica alba</i>	Cabbage
<i>Albugo candida</i> <i>Plasmidiophora brassica</i>	White rust
	Citrus
<i>Alternaria citri</i> Ell. Pierce	Black rot of navel orange
<i>Botryodiplodia theobromae</i>	Small fruit dropping and die-back
<i>Phytophthora</i> spp. (<i>P.citrophthora</i>)	Gummosis and root rot
<i>Diplodia natalensis</i>	Diplodia
<i>Macrophomina phaseolina</i> (Tassi) Goid,	gummosis
<i>Diplodia natalensis</i> and <i>Fusarium</i> spp.	Dry root rot
<i>Capnodium citri</i> & <i>Chaetothyrium citri</i>	Sooty mould
<i>Diaporthe citri</i> (Fawcett) Wolf	Melanose
<i>Phomopsis citri</i> Fawcett <i>Rhizoctonia solani</i> , <i>Pythium</i> sp., <i>Phytophthora</i> spp.,	Damping off
<i>Sclerotinia</i> sp. & <i>Sclerotium rolfsii</i> <i>Pestalotiopsis versicolor</i> (Speg) Steyart	Citrus fruit - spots
<i>Botryodiplodia theobromae</i>	Leaf spot

Table (2) cont.

recorded pests and diseases to be declined entry into Egypt
Plant Diseases (Fungal Diseases)

<i>Fusarium spp.</i> , <i>Rhizoctonia solani</i> , <i>Phytophthora spp.</i> , <i>Pythium spp.</i>	Root rot
<i>Fusarium oxysporum</i>	Wilt
<i>Alternaria spp.</i>	Leaf spot
Mangifera indica	Mango
<i>Guignardia mangiferae</i> <i>Gloeodes pomigena</i> <i>Phytophthora nicotianae</i> var. <i>parasiti</i>	Fruit rot
<i>Boothia tetraspora</i>	Dry rot
<i>Pestalotia mangiferae</i> <i>Actinodozum jenkinsii</i>	Fruit rot
<i>Glaeodes pomigena</i>	Black blotch
Pomus malusl. & pyrus communis L.	Apple & Pear
<i>Phoma pomorum thumen</i>	Leaf and fruit spot
<i>Necitria cinnabarina</i> (Tode) Fr.	Twig blight
<i>Armillaria mellea</i> (Vahl) kummer	Root rot
<i>Phytophthora spp. (p .s) syringae</i> (Klebahn) kleba and <i>p. cactorum</i> (Lebert & Cohn) Schroter	Fruit rot, crow, collar and root rot
<i>Penicillium spp.</i> , <i>Mucor piriformis</i> , <i>Fusarium spp.</i> , <i>pestalotia laurocerasi westend</i> , <i>Botryosphaeria ob-</i> <i>tusa</i> (Schwein) <i>shocmsker</i> and <i>Bolrytis cinerea pers.</i>	Calyx rot and core rot
<i>Mycosphaerralla pyri</i> (Auersw) Boerema	Leaf spot
<i>Diapathe pernicioso</i> Em. Marchal	Phomopsis canter
<i>Botryosphaeria stevensii shoemaker</i>	Fruit decay
<i>Botryosphaeria stevensii</i>	Canker & die-back
<i>Sclerotium rolfsii</i>	Southern blight
Vitis vinifera L.	Grape
<i>Plasmopara viticola</i> (Berk.& Curt) Berl & Det.	Douny mildew

Table (2) cont.

**recorded pests and diseases to be declined entry into Egypt
Plant Diseases (Fungal Diseases)**

<i>Cercospora viticala</i> (Ces) Sacc. (<i>Mycospha-erella personata</i> Higgins)	Leaf spot
<i>Phomopsis viticola</i> (Sacc) Sacc.	Dead arm and leaf spot
<i>Althernaria vitis</i> Cavara	Blight (leaf spot)
<i>Uncinula necator</i> (Schw) Burr	Bowdery mildew
<i>Armillaria mellea</i> (Vahl & Fr) kummer	Root rot
<i>Phymatotrichum omnivorum</i> (Shear) Duggar	Viticillium wilt
<i>Verticillium dahliae</i> kleb	Crown and root rot
<i>Musa paradisiaca</i> L.	Banana
<i>Fusarium oxysporum</i> f. sp <i>cubense</i> Woll - & Reink	Anthracnose
<i>Colletotrichum musae</i> <i>Fusarium</i> (Semitectum).	Pink mould
<i>Trichothecium roseum</i> Link	Root rot
<i>Botryodiplodia theobromae</i> pat	
<i>Fusarium moniliforme</i>	Mali formed Fruits
<i>Ficus carica</i>	Fig
<i>Penicillium</i> spp.	Pencillim rot
<i>Aspergillus</i> spp.	Aspergillus rot
<i>Botrytis cinerea</i>	Fruit soft rot
<i>Rhizopus nigricans</i>	Rnizopus rot
<i>Ficus carica</i>	Fig
<i>Macrophomina phaseolina</i>	Root rot
<i>Cerotelium fici</i> (cast) Arth	Rust
<i>Nectria cinnabarina</i>	Canker
<i>Fusarium</i> sp. <i>Botryodiplodia theobromae</i>	Die back
<i>Cercospora bolleana</i> , <i>Alternaria</i> sp. <i>Mycosphaerella bolleana</i>	Leaf spots

Table (2) cont.

**Recorded pests and diseases to be declined entry into Egypt
Plant Diseases (Fungal Diseases)**

<i>Armillaria mellea</i>	Root rot
<i>Fusarium moniliforme</i>	Root rot
<i>Aspergillus niger</i>	Fruit rot
<i>Fusarium oxysporum</i>	Wilt
<i>Olea sativa</i> L.	Olive
<i>Verticillium albo-atrum</i>	Wilt
<i>Spilocaea oleagina</i> (cast) Hugh	Peacockeye spot
<i>Armillaria mellea</i>	Root rot
<i>Verticillium albo-atrum</i>	Wilt
<i>Muntingia calabura</i>	Cherry
<i>Verticillium albo-atrum</i>	Wilt
<i>Fusarium oxysporum</i>	Wilt
<i>Monilinia spp.</i>	Brown rot
<i>Stigmata carpophila</i> <i>Cladosporium carpophil</i>	Corneum blight (shot hole)
<i>Alternaria spp.</i>	Leaf spot
<i>Litchi chinensis</i>	Litchis
<i>Botryodiplodia theobromae</i>	Leaf spot
<i>Fusarium spp. Rhizoctonia solani,</i> <i>Phytophthora spp. Pythium spp.</i>	Root rot
<i>Fusarium oxysporum</i>	Wilt
<i>Alternaria spp.</i>	Leaf spot
<i>Fomes ignarius</i>	Wood trees
<i>Armillaria mellea</i>	White rot
<i>Ceratostomella</i>	Root rot

Table (2) cont.

**Unrecorded pests and diseases to be declined entry into Egypt
Plant Diseases (Bacterial Diseases)**

<i>Erwinia amylovora</i>	Apple, pear, fig
<i>Agrobacterium tumefaciens</i>	Grape, fig, olive

Table (2) cont.

**Unrecorded pests and diseases to be declined entry into Egypt
Plant Diseases (Nematods)**

<i>Meloidogyne spp.</i>	Sugar cane
<i>Meloidogyne spp.</i>	Date palm
<i>Ditylenchus spp.</i>	Apple & Pear
<i>Pratylenchus spp.</i>	
<i>Xiphenima spp.</i>	
<i>Tylenchulus sp. (T.semipenetrans)</i>	
<i>Ditylenchus spp.</i>	
<i>Pratylenchus sp.</i>	
<i>Vitis vinifera</i> L.	Grape
<i>Meloidogyne spp. (M. javanica,)</i>	
<i>Tylenchulus sp. (T. semipenetrans)</i>	
<i>Musa paradisiaca</i> L.	Banana
<i>Meloidogyne spp. (M. javanica,)</i>	
<i>Helicotylenchus spp.</i>	
<i>Tyenchulus sp.</i>	
<i>Meloidogyne sp.</i>	Fig
<i>Xiphenima spp.</i>	
<i>Olea sativa</i> L.	Olive
<i>Meloidogyne spp.</i>	
<i>Tylenchulus semipenetrans</i>	
<i>Meloidogyne spp.</i>	Bulbs & Ornamental transplants
<i>Pratylenchus spp.</i>	
<i>Ditylenchus spp.</i>	
<i>Rotylenchulus reniformes</i>	

Table (2) cont.

**Unrecorded pests and diseases to be declined entry into Egypt
Plant Diseases (Bacterial Diseases)**

<i>Erwinia amylovora</i>	Apple, pear, fig
<i>Agrobacterium tumefaciens</i>	Grape, fig, olive

Table (2) cont.

**Unrecorded pests and diseases to be declined entry into Egypt
Plant Diseases (Nematods)**

<i>Meloidogyne spp.</i>	Sugar cane
<i>Meloidogyne spp.</i>	Date palm
<i>Ditylenchus spp.</i>	Apple & Pear
<i>Pratylenchus spp.</i>	
<i>Xiphenima spp.</i>	
<i>Tylenchulus sp. (T.semipenetrans)</i>	
<i>Ditylenchus spp.</i>	
<i>Pratylenchus sp.</i>	
<i>Vitis vinifera</i> L.	Grape
<i>Meloidogyne spp. (M. javanica,)</i>	
<i>Tylenchulus sp. (T. semipenetrans)</i>	
<i>Musa paradisiaca</i> L.	Banana
<i>Meloidogyne spp. (M. javanica,)</i>	
<i>Helicotylenchus spp.</i>	
<i>Tylenchulus sp.</i>	
<i>Meloidogyne sp.</i>	Fig
<i>Xiphinema spp.</i>	
<i>Olea sativa</i> L.	Olive
<i>Meloidogyne spp.</i>	
<i>Tylenchulus semipenetrans</i>	
<i>Meloidogyne spp.</i>	Bulbs & Ornamental transplants
<i>Pratylenchus spp.</i>	
<i>Ditylenchus spp.</i>	
<i>Rotylenchulus reniformes</i>	

Table (2) cont.

Recorded pests and diseases to be declined entry into Egypt
Plant Diseases (Viral Diseases)

	Citrus
<i>Citrus Tatter Leaf Virus (CTLV)</i>	
<i>Citrus Leaf Rugose Virus (CLRV)</i>	
<i>Citrus Vein Enation Virus (CVEV)</i>	
<i>Citrus Ring Spot Virus (CRSV)</i>	
Vitis Vinifera L.	Grape
<i>Grapevine Fan Leaf Virus (GVFLV)</i>	
	Peach, Apricot, Plum
<i>Plum Pox Virus (PPV)</i>	
<i>Prune Necrotic Ring Spot Virus (VNRSV)</i>	
<i>Prune Dwarf Virus (PDV)</i>	
<i>Tomato Ring Spot Virus (TRSV)</i>	
<i>Peach Rosette Mosaic Virus (PRMV)</i>	
<i>Arabis Mosaic Virus (AMV)</i>	
Musa Paradisiaca L.	Banana
<i>Banana Bunchy Top Virus (BBTV)</i>	

Table (3)

Pests recorded but will only be admitted after disinfection

Insect pests:

Scientific Name	Family	Order
<i>Lasioderma serricorne</i> (Fab.) *	Anobiidae	Coleoptera
<i>Stegobium paniceum</i> (L.) *	Anobiidae	Coleoptera
Egyptian members of family Anthicidae *	Anthicidae	Coleoptera
All members of family Bruchidae	Bruchidae	Coleoptera
All members of family Cicindelidae	Cicindelidae *	Coleoptera
All members of family Cleridae	Cleridae *	Coleoptera
<i>Cryptophagus affinis</i> (Sturm)*	Cryptophagidae	Coleoptera
<i>Ahasverus advena</i> (Waltl.) *	Cucujidae	Coleoptera
<i>Laemophloeus spp</i> *	Cucujidae	Coleoptera
<i>Oryzaephilus surinamensis</i> (L.)**	Cucujidae	Coleoptera
<i>Balaninus spp.</i>	Curculionidae	Coleoptera
<i>Calandra spp.</i>	Curculionidae	Coleoptera
<i>Sitona spp.</i>	Curculionidae	Coleoptera
Egyptian members of family Dermestidae	Dermestidae	Coleoptera
All members of family Dytiscidae *	Dytiscidae	Coleoptera
Egyptian members of family Histeridae	Histeridae	Coleoptera
<i>Enicmus (=Lathridius) minutus</i> (L.) *	Lathridiidae	Coleoptera
Egyptian members of family Nitidulidae	Nitidulidae	Coleoptera
<i>Typhaea stercorea</i> (L.) *	Mycetophagidae	Coleoptera
<i>Gibbium psylloides</i> (Czemp.) *	Ptinidae	Coleoptera
<i>Aphodius lividus</i> (Ol.)	Scarabaeidae	Coleoptera
All members of family Staphylinidae *	Scarabaeidae	Coleoptera
<i>Alphitobius diaperinus</i> (Panz.) *	Tenebrionidae	Coleoptera
<i>Al. Laevigatus</i> (F.) *	Tenebrionidae	Coleoptera
<i>Curmimosphena vilosus</i> (Haag.)*	Tenebrionidae	Coleoptera
<i>Gnathocerus cornutus</i> (F.) *	Tenebrionidae	Coleoptera
<i>Latheticus oryzae</i> (Wat.) *	Tenebrionidae	Coleoptera

* Species added to table (3)

** Scientific name amended according to the latest nomenclature

Table (3) cont.

Pests recorded but will only be admitted after disinfection

Insect pests:

<i>Palorus ratzeburgi</i> (Wissm.) *	Tenebrionidae	Coleoptera
<i>Tenebrio molitor</i> (L.) *	Tenebrionidae	Coleoptera
<i>Tribolium spp.</i>	Tenebrionidae	Coleoptera
<i>Zophosis abbreviata</i> (Sol.) *	Tenebrionidae	Coleoptera
<i>Z. punctata</i> (Brulle) *	Tenebrionidae	Coleoptera
<i>Tenebroides maritanicus</i> (L.)	Trogositidae	Coleoptera
All members of order Collembola	Collembola	Coleoptera
<i>Euborellia annulipes</i> (Lucas) *	Forficulidae	Dermaptera
<i>Forficula auricularia</i> (L.) *	Forficulidae	Dermaptera
<i>Labidura riparia</i> (Pall.)	Labiduridae	Dermaptera
<i>Drosophila melanogaster</i> (Meig.) *	Drosophilidae	Diptera
All members of family Phoridae *	Phoridae	Diptera
All members of family Scatopsidae *	Scatopsidae	Diptera
<i>Eristalis aeneus</i> (Scop.) *	Syrphidae	Diptera
<i>Er. Tenax</i> (L.) *	Syrphidae	Diptera
All members of family Embidae *	Embidae	Embioptera
All members of family Corixidae *	Corixidae	Hemiptera
<i>Carpocoris purpureipennis</i> (De Geer).	Pentatomidae	Hemiptera
<i>Eusarcoris inconspicuus</i> (H.S.)	Pentatomidae	Hemiptera
<i>Nezara viridula</i> (L.)	Pentatomidae	Hemiptera
<i>Bemisia tabaci</i> (Gen.)	Aleyrodidae	Homoptera
<i>Asterolecanium sambuci</i> (Ckll.)	Asterolecaniidae	Homoptera
<i>Empoasca spp.</i>	Cicadellidae	Homoptera

* Species added to table (3).

** Scientific name amended according to the latest nomenclature .

Table (3) cont.

Pests recorded but will only be admitted after disinfection

Insect pests:

Scientific Name	Family	Order
<i>Ceroplastes floridensis</i> (Comst.)	Coccidae	Homoptera
<i>C. rusci</i> (L.)	Coccidae	Homoptera
<i>Coccus hesperidum</i> (L.)	Coccidae	Homoptera
<i>C. longulus</i> (Douglas)	Coccidae	Homoptera
<i>Eulecanium berberidis</i> (Schr)	Coccidae	Homoptera
<i>Kilifia acuminata</i> (Sign) **	Coccidae	Homoptera
<i>Pulvinaria psidii</i> (Mask.)	Coccidae	Homoptera
<i>Saissetia coffeae</i> (Wlk.) **	Coccidae	Homoptera
<i>S. (= Parasaissetia) nigra</i> (Niet.)	Coccidae	Homoptera
<i>S. oleae</i> (Bern.)	Coccidae	Homoptera
<i>Aspidiotus destructor</i> (Sign.) ***	Diaspididae	Homoptera
<i>A. hederæ</i> (Vall.)	Diaspididae	Homoptera
<i>Aonidia lauri</i> (Bouche)	Diaspididae	Homoptera
<i>Aonidiella aurantii</i> (Mask.)	Diaspididae	Homoptera
<i>Aulacaspis rosae</i> (Bouche)	Diaspididae	Homoptera
<i>Au. Tubercularis</i> (Newstead) **	Diaspididae	Homoptera
<i>Chionaspis striata</i> (Newm.)	Diaspididae	Homoptera
<i>Chrysomphalus aonidium</i> (L.) **	Diaspididae	Homoptera
<i>Ch. dictyospermi</i> (Morg.)	Diaspididae	Homoptera
<i>Ch. Personatus</i> (Comst.)	Diaspididae	Homoptera
<i>Diaspis boisduvalii</i> (Signoret)*	Diaspididae	Homoptera
<i>D. bromeliae</i> (Kern.)	Diaspididae	Homoptera
<i>Dynaspidiotus britannicus</i> (New.) **	Diaspididae	Homoptera
<i>Hemiberlisia cyanophylli</i> (Sign.)	Diaspididae	Homoptera
<i>H. latania</i> (Sign.)	Diaspididae	Homoptera
<i>H. rapax</i> (Comst.) ***	Diaspididae	Homoptera

* Species added to table (3).

** Scientific name amended according to the latest nomenclature .

*** Species transferred to this table from another table .

Table (3) cont.
Pests recorded but will only be admitted after disinfection

Insect pests:

Scientific Name	Family	Order
<i>Lepidosaphes ulmi</i> (L.)	Diaspididae	Homoptera
<i>Melanaspis inopinata</i> (Leon.) **	Diaspididae	Homoptera
<i>Parlatoria blanchardii</i> (Targ.)	Diaspididae	Homoptera
<i>P. oleae</i> (Colv.)	Diaspididae	Homoptera
<i>P. pergandii</i> (Comst.)	Diaspididae	Homoptera
<i>P. proteus</i> (Curt.)	Diaspididae	Homoptera
<i>P. ziziphus</i> (Lucas.)	Diaspididae	Homoptera
<i>Pseudaulacaspis pentagona</i> (Targo.) **	Diaspididae	Homoptera
<i>Quadraspidotus ostraeiformis</i> (Cu.) **	Diaspididae	Homoptera
<i>Icerya aegyptiaca</i> (Douglas)	Margarodidae	Homoptera
<i>I. purchasi</i> (Mask.)	Margarodidae	Homoptera
<i>I. seychellarum</i> (Westwood)***	Margarodidae	Homoptera
<i>Eriosoma lanigerum</i> (Hausm.)	Pemphigidae	Homoptera
<i>Phoenicoccus marlatti</i> (Cock.) **	Phoenicoccidae	Homoptera
<i>Dysmicoccus brevipes</i> (Cock.)	Pseudococcidae	Homoptera
<i>Ferrisia virgata</i> (Ckll.) **	Pseudococcidae	Homoptera
<i>Maconellicoccus hirsutus</i> (Green)	Pseudococcidae	Homoptera
<i>Nipaecoccus vastator</i> (Mask.)	Pseudococcidae	Homoptera
<i>Planococcus citri</i> (Risso)	Pseudococcidae	Homoptera
<i>Pl. vitis</i> (Niet.)	Pseudococcidae	Homoptera
* <i>Pseudococcus longispinus</i>	Pseudococcidae	Homoptera
<i>Trionymus lounsburyi</i> (Brain)	Pseudococcidae	Homoptera

* Species added to table (3).

** Scientific name amended according to the latest nomenclature .

*** Species transferred to this table from another table .

Table (3) cont.
Pests recorded but will only be admitted after disinfection

Insect pests:

Scientific Name	Family	Order
<i>Cossus L. niger</i> (B.Backer.) *	Cossidae	Lepidoptera
<i>Zeuzera pyrina</i> (L.)	Cossidae	Lepidoptera
<i>Phthorimea oberculella</i> (Zell.)	Gelechiidae	Lepidoptera
<i>Sitotroga cerealella</i> (Oliver)	Gelechiidae	Lepidoptera
Egyptian members of family Geometridae	Geometridae	Lepidoptera
<i>Virachola livia</i> (Klug.)	Lycanidae	Lepidoptera
<i>Lyonetia clerkella</i> (L.) *	Lyonetiidae	Lepidoptera
<i>Cryptoblabes gnidiella</i> (Mill)	Pyralidae	Lepidoptera
<i>Ectomyelois ceratonia</i> (Zell.) **	Pyralidae	Lepidoptera
<i>Ephestia spp.</i> *	Pyralidae	Lepidoptera
<i>Galleria mellonella</i> (L.)	Pyralidae	Lepidoptera
<i>Palpita unionalis</i> (Hubner) **	Pyralidae	Lepidoptera
<i>Plodia interpunctella</i> (Hb.) *	Pyralidae	Lepidoptera
<i>Pyralis spp.</i>	Pyralidae	Lepidoptera
Members attacking woolen material from family Tineidae	Tineidae	Lepidoptera
<i>Cydia pomonella</i> (L.)	Tortricidae	Lepidoptera
All members of order psocoptera *	Tortricidae	Psocoptera
<i>Haplothrips cahirensis</i> (Tryp.)	Phlaeothripidae	Thysanoptera
<i>Taeniothrips simplex</i> (Morison) **	Thripidae	Thysanoptera
<i>Thrips tabaci</i> (Lind.)	Thripidae	Thysanoptera
All members of order thysanura *	Thripidae	Thysanura
All wood borers	Different	Different

* Species added to table (3).

** Scientific name amended according to the latest nomenclature .

*Table (3) cont.***Pests recorded but will only be admitted after disinfection****Mites:**

Scientific Name	Family	Order
<i>Rhizoglyphus echinopus</i> (Fum. & Robin)	Acaridae	Astigmata
<i>Eriophyes pyri</i> (Pgst.)	Eriophyidae	Prostigmata
<i>Er. vitis</i> (Pgst.)	Eriophyidae	Prostigmata
<i>Brevipalpus californicus</i> (Bankes)	Tenuipalpidae	Prostigmata
<i>Br. obovatus</i> (Donn.)	Tenuipalpidae	Prostigmata
<i>Br. Phoenicis</i> (Geijskes)	Tenuipalpidae	Prostigmata
<i>Cenopalpus lanceolatisetae</i> (Attiah)	Tenuipalpidae	Prostigmata
<i>Ce. Pulcher</i> (C. & F.)	Tenuipalpidae	Prostigmata
<i>Eutetranychus africanus</i> (Tucker)	Tetranychidae	Prostigmata
<i>Eu. Orientalis</i> (Klein)	Tetranychidae	Prostigmata
<i>Panonychus ulmi</i> (Kock) ***	Tetranychidae	Prostigmata
<i>Tetranychus curcurbitacearum</i> (Sayed)	Tetranychidae	Prostigmata

*** Species transferred to this table from another table .