

Historic, archived document

Do not assume content reflects current scientific knowledge, policies, or practices.



A464.479

R31

ARS 82-6-4
February 1971

c2

STOCKS

U. S. GOVT. OF AGRICULTURE
NATIONAL PLANT QUARANTINE SERVICE

LIST OF INTERCEPTED PLANT PESTS, 1969

MAY 21 1971

(Pests Recorded From July 1, 1968, Through June 30, 1969)

CURRENT SERIAL RECORDS

Agricultural Research Service
UNITED STATES DEPARTMENT OF AGRICULTURE

CONTENTS

| | Page |
|--|------|
| Introduction | 1 |
| Notes on pests intercepted | 2 |
| Summary of numbers of interceptions listed | 3 |
| Tabulation of insects | 6 |
| Hosts and insects | 34 |
| Countries of origin and insects | 43 |
| Tabulation of mites | 50 |
| Hosts and mites | 51 |
| Countries of origin and mites | 53 |
| Tabulation of mollusks | 54 |
| Hosts and mollusks | 58 |
| Countries of origin and mollusks | 60 |
| Tabulation of diseases | 61 |
| Hosts and diseases | 67 |
| Countries of origin and diseases | 71 |
| Tabulation of nematodes | 73 |
| Hosts and nematodes | 75 |
| Countries of origin and nematodes | 77 |

Plant Quarantine Division
Agricultural Research Service
U. S. Department of Agriculture
Federal Center Building
Hyattsville, Maryland 20782

**USDA National Agricultural Library
NAL Building
10301 Baltimore Blvd.
Beltsville, MD 20705-2351**

UNITED STATES DEPARTMENT OF AGRICULTURE
Agricultural Research Service

LIST OF INTERCEPTED PLANT PESTS, 1969

(Pests Recorded From July 1, 1968, Through June 30, 1969)

David H. Girard
Plant Quarantine Inspector

INTRODUCTION

This, the 56th annual report of plant quarantine work in the United States, reflects the first publication to be assembled and printed from computerized interception records. It summarizes the records of plant pests found in, on, or with plants, plant products, and carriers (1) imported into or entering the United States or the offshore possessions, (2) offered for entry but refused, (3) in quarters or stores of planes and ships, (4) entered for immediate transportation and exportation in bond, (5) in domestic shipments to the mainland from the States of Alaska and Hawaii, the American Virgin Islands, the Commonwealth of Puerto Rico, Guam, and other possessions, or (6) in preclearance inspection in the Bahamas and Bermuda.

Insects, mites, mollusks, diseases, and nematodes are tabulated separately. The pests listed are of known or potential importance to agriculture and either not reported or not widely distributed in the United States. Some common organisms are included if they are new to the country of origin or the host plant.

Records were made from identifications received during the fiscal year 1969 and include some interceptions from previous years that were not determined until this year. Most insect and mite identifications are made by specialists of the Entomology Research Division and Plant Quarantine Division (both of the U. S. Department of Agriculture) and the Department of Entomology of the U. S. National Museum of the

Smithsonian Institution. Snail identifications are made by personnel of the Plant Quarantine Division and the Division of Mollusks of the Smithsonian Institution. Disease, nematode, and host identifications are made by personnel of the Plant Quarantine Division and the Plant Science Research Division.

Scientific names of insects and diseases are reviewed by specialists of the Plant Quarantine Division who assist in producing the list. Nematode names are checked in Nematology Investigations and host names in the New Crops Research Branch. The common names given for hosts are usually those shown in Standardized Plant Names. Every effort is made to conform to the International Rules of Nomenclature.

Family names of insects, mites, and snails are given in the tabulation and orders are shown in the host list.

NOTES ON PESTS INTERCEPTED

The total number of interceptions submitted during the fiscal year 1969 was 41,279. Of those identified during the fiscal year, 11,658 were considered of enough significance to be tabulated, as compared with 11,346 the previous year. This does not include the non-economic or the incompletely determined organisms which were not added to the figures in the summary.



PESTINA was developed by the U.S. Department of Agriculture and symbolizes the need for the traveling public to comply with agricultural plant quarantine laws, thus helping to prevent the spread of agriculture pests. Such pests are capable of causing millions of dollars in crop losses and often are transported in foreign fruits, plants, and meats. PESTINA is portrayed as a public-spirited figure, helping to remind travelers to leave behind foreign fruits, vegetables, and plants, unless such items have USDA clearance.

SUMMARY OF NUMBER OF INTERCEPTIONS LISTED

| COUNTRY | INSECT | mite | MOLLUSK | DISEASE | NEMATODE |
|-----------------------------------|--------|-------|---------|---------|----------|
| Africa (country-?) | 4 | | | | |
| Algeria..... | 2 | | | | |
| American Samoa..... | 2 | | | | |
| American Virgin Islands..... | 6 | | | | |
| Angola..... | 10 | | | | |
| Antigua..... | 3 | | | | |
| Argentina..... | 6 | | | 93 | |
| Aruba..... | 1 | | | 1 | |
| Asia (country-?) | 1,074 | 3 | | 12 | |
| Australia..... | 8 | | | 94 | |
| Australia(?) | 1 | | | | |
| Austria..... | 18 | | 2 | 15 | |
| Azores..... | 20 | | 2 | | |
| Bahamas..... | 9 | | 2 | 1 | |
| Barbados..... | 3 | | | 2 | |
| Belgium..... | 26 | | 1 | | 1 |
| Belgium(?) | 1 | | | | |
| Bermuda..... | 1 | | 3 | | |
| Bolivia..... | 1 | | | 5 | |
| Brazil..... | 78 | | | 180 | |
| Brazil (?) | 1 | | | | |
| British Honduras..... | 6 | | | 3 | |
| Bulgaria..... | 1 | | | | |
| Cambodia..... | | | | 1 | |
| Cameroon..... | 5 | | | | |
| Canada..... | 1 | | | | |
| Canary Islands..... | 1 | | | | |
| Cape Verde Islands..... | 1 | | | | |
| Central African Republic..... | 1 | | | | |
| Central America (country-?) | 2 | | | 1 | |
| Chile..... | 23 | | | 1 | |
| China..... | 2 | 3 | | 7 | |
| Colombia..... | 23 | | | 63 | |
| Congo..... | 16 | | | | |
| Cook Islands..... | 1 | | | | |
| Costa Rica..... | 14 | | | 14 | |
| Costa Rica(?) | 1 | | 1 | | |
| Crete..... | | | 1 | | |
| Curacao..... | 1 | | | | |
| Cyprus..... | 1 | | 1 | 1 | |
| Czechoslovakia..... | 7 | | | 1 | |
| Dahomey..... | 1 | | | | |
| Denmark..... | 9 | | | | 3 |
| Denmark(?) | | | | 1 | |
| Dominica..... | 3 | | | 2 | |
| Dominican Republic..... | 152 | | | 63 | |
| Ecuador..... | 14 | | 2 | 22 | |
| Ecuador(?) | 1 | | | | |
| El Salvador..... | 37 | | 1 | 13 | |
| England..... | 23 | | 3 | 12 | 124 |
| England(?) | 2 | | | | |
| Ethiopia..... | 5 | | | | |
| Europe (country-?) | 13 | | | 2 | 2 |
| Fiji..... | 6 | | | | |
| Finland..... | 1 | 1 | | 1 | 1 |
| France..... | 174 | 3 | 10 | 77 | 3 |
| France(?) | | | 3 | | |
| Germany..... | 48 | 1 | 1 | 1 | 30 |
| Ghana..... | 5 | | | | |
| Greece..... | 44 | | 25 | 9 | |
| Grenada..... | 1 | | | 1 | |
| Guam..... | 12 | | | 2 | |
| Guam(?) | 2 | | | | |
| Guatemala..... | 70 | | 1 | 19 | |
| Guatemala(?) | 3 | | | | |
| Guinea..... | 3 | | | | |
| Haiti..... | 33 | | | 17 | |
| Hawaii..... | 753 | 1 | 15 | 31 | |
| Honduras..... | 23 | | 2 | 11 | |
| Hong Kong..... | 90 | | | 451 | 2 |
| Hong Kong(?) | 1 | | | | |
| Hungary..... | 2 | 1 | | | |
| India..... | 465 | | | 28 | |
| Indonesia..... | 12 | | | 3 | |

SUMMARY OF NUMBER OF INTERCEPTIONS LISTED

| COUNTRY | INSECT | mite | MOLLUSK | DISEASE | NEMATODE |
|--------------------------------|--------|-------|---------|---------|----------|
| Iran..... | 19 | | 1 | 2 | |
| Iraq..... | 3 | | | | |
| Ireland..... | 3 | 1 | 3 | 35 | 2 |
| Ireland(?)..... | 1 | | 1 | | |
| Israel..... | 18 | | 2 | 9 | |
| Italy..... | 542 | 6 | 115 | 62 | 2 |
| Italy(?)..... | 2 | | | | |
| Ivory Coast..... | 8 | | | | |
| Jamaica..... | 111 | | 2 | 41 | |
| Japan..... | 1,147 | 39 | 2 | 1,110 | 16 |
| Japan(?)..... | 3 | | | | |
| Jordan..... | 3 | | | | |
| Jordan(?)..... | 1 | | | | |
| Kenya..... | 9 | | | 1 | |
| Korea..... | 17 | 3 | | 12 | |
| Kwajalein..... | 23 | | | | |
| Laos..... | | | | 1 | |
| Lebanon..... | 12 | | 2 | 9 | |
| Liberia..... | 4 | | | | |
| Libya..... | | | 2 | | |
| Madeira Islands..... | 1 | | | | |
| Malaysia..... | 3 | | | | |
| Malta..... | 4 | | 2 | | |
| Marshall Islands..... | 1 | | | | |
| Martinique..... | 1 | | | | |
| Mauritius..... | 3 | | | | |
| Mexico..... | 921 | 61 | 17 | 126 | 5 |
| Mexico(?)..... | 1 | | | | |
| Midway(?)..... | 8 | | 4 | | |
| Morocco..... | 2 | | 4 | | |
| Mozambique..... | 1 | | | 1 | |
| Netherlands..... | 23 | | 3 | 1 | 11 |
| Nevis..... | 1 | | | | |
| New Caledonia..... | 1 | | | | |
| New Zealand..... | 11 | 1 | 3 | 4 | |
| Nicaragua..... | 11 | | | 10 | |
| Nigeria..... | 3 | | | | |
| Nigeria(?)..... | 1 | | | | |
| Norway..... | 3 | | | 1 | |
| Okinawa..... | 90 | | 3 | 5 | |
| Okinawa(?)..... | | | | 1 | |
| Pakistan..... | 87 | | | 3 | |
| Panama..... | 92 | | 1 | 9 | |
| Panama(?)..... | 6 | | | | |
| Paraguay..... | | | | 1 | |
| Peru..... | 4 | | 2 | 20 | 1 |
| Peru(?)..... | 1 | | | | |
| Philippines..... | 163 | | | 19 | |
| Philippines(?)..... | 2 | | | | |
| Poland..... | 3 | | | 13 | 1 |
| Portugal..... | 41 | 3 | 6 | 4 | |
| Portugal(?)..... | 1 | | | | |
| Puerto Rico..... | 43 | | 1 | 13 | |
| Rumania..... | 1 | | | | |
| Rwanda..... | 2 | | | | |
| Saba Island..... | 1 | | | | |
| Scotland..... | 1 | | | | 2 |
| Senegal..... | 4 | | | | |
| Singapore..... | 10 | | 1 | 4 | |
| South Africa..... | 29 | | | 144 | |
| South America (country-?)..... | | | | 17 | 1 |
| Soviet Union..... | 2 | | | 2 | |
| Spain..... | 54 | 1 | 45 | 11 | 1 |
| Spain(?)..... | 2 | | 1 | | |
| St. Kitts..... | 4 | | | | |
| St. Lucia..... | | | | 1 | |
| St. Vincent..... | | | | 1 | |
| Sudan..... | 116 | | | | |
| Surinam..... | 1 | | | 1 | |
| Sweden..... | 7 | | | 2 | 2 |
| Switzerland..... | 5 | | | 3 | |
| Syria..... | 9 | | 1 | 1 | |
| Tahiti..... | 15 | | | | |
| Taiwan..... | 18 | | | 86 | |

SUMMARY OF NUMBER OF INTERCEPTIONS LISTED

| COUNTRY | INSECT | MITE | MOLLUSK | DISEASE | NEMATODE |
|--------------------------|--------|-------|---------|---------|----------|
| Thailand..... | 72 | | | 36 | |
| Togo..... | 2 | | | | |
| Trinidad..... | 19 | | 1 | 7 | |
| Tunisia..... | 1 | | | | 1 |
| Turkey..... | 9 | | 29 | | |
| Uganda..... | 2 | | | | |
| Uruguay..... | 1 | | | 10 | |
| Venezuela..... | 17 | | | 6 | 2 |
| Viet-Nam..... | 119 | | | 5 | |
| Viet-Nam(?)..... | 5 | | | | |
| West Indies..... | 3 | | | 2 | |
| West Pacific..... | 163 | | | 2 | |
| West Pacific(?)..... | 3 | | | | |
| Yugoslavia..... | 14 | | 1 | 3 | |
| Zanzibar..... | 1 | | | | |
| Unknown..... | 233 | 1 | 16 | 63 | 2 |
| TOTAL INTERCEPTIONS..... | 7,794 | 129 | 340 | 3,180 | 215 |
| GRAND TOTAL..... | 11,658 | | | | |

Correction

The 1968 List erroneously showed:

Ceratitis capitata from El Salvador
Morganella longispina from New Zealand
Parlatoria cinerea from New Zealand
Xanthomonas citri from Australia

TABULATION OF INSECTS

| PEST AND HOST | COUNTRY OF ORIGIN | NUMBER INTERCEPTIONS IN | | | COLLECTED IN- |
|---|--|-------------------------------|----|---|---|
| | | C | O | P | |
| | | N | S | O | |
| | | U | N | A | |
| | | P | E | A | |
| | | T | N | T | |
| | | I | T | T | |
| | | O | R | O | |
| Abagrallaspis gliwicensis Komosinka (Diaspididae)..... | Brazil..... | 1 | | 1 | PL..... |
| Bromeliad (plant) | | | | | |
| Acanthocoris sordidus (Thunberg) (Coreidae)..... | Asia (country-?)..... | | 1 | | CA..... |
| Aircraft | | | | | |
| Acanthoderes nigricans Lameere (Cerambycidae)..... | Panama(?)..... | | 1 | | FL..... |
| Aircraft | | | | | |
| Acanthoscelides oblongoguttatus (Fahraeus) (Bruchidae)..... | Mexico..... | | | 3 | TX..... |
| Acacia cornigera (stem) | | | | | |
| Cassia sp. (cassia seed) | | | | | |
| Tillandsia sp. (bromeliad plant) | | | | | |
| Acanthoscelides obreptus Bridwell (Bruchidae)..... | Peru..... | 1 | 1 | | LA, NY..... |
| Phaseolus lunatus (lima bean) | | | | | |
| Vicia faba (faba bean) | | | | | |
| Acanthoscelides zeteki Kingsolver (Bruchidae)..... | Honduras, Panama, Peru, Trinidad. | 11 | | 1 | PL, NY, TX..... |
| Cajanus cajan (seed) | | | | | |
| Cicer arietinum (seed) | | | | | |
| Pisum sativum (seed) | | | | | |
| Achaea catocaloides Guenée (Noctuidae)..... | Congo..... | | 1 | | DE..... |
| Aircraft | | | | | |
| Achaea janata (Linnaeus) (Noctuidae)..... | Asia (country-?), Hawaii, West Pacific. | 1 | 4 | | HI, WA..... |
| Aircraft | | | | | |
| Cargo | | | | | |
| Acontia lucida (Hufnagel) (Noctuidae)..... | Turkey..... | 1 | | | DE..... |
| Cargo | | | | | |
| Acrida exaltata (Walker) (Acrididae)..... | Viet-Nam(?)..... | | 1 | | CA..... |
| Aircraft | | | | | |
| Acrolepia assectella (Zeller) (Yponomeutidae)..... | Belgium, Germany, Italy, Japan, Netherlands, Portugal, Sweden, Unknown. | | 33 | | AL, CA, LA, MI, NC, NY, OH, PA, PR, SC..... |
| Allium ampeloprasum (leek) | | | | | |
| Allium cepa (onion) | | | | | |
| Allium fistulosum (Welsh onion) | | | | | |
| Acroleucus vicinalis Distant (Lygaeidae)..... | Costa Rica, Mexico..... | 1 | | 3 | PL, TX..... |
| Ananas comosus (pineapple) | | | | | |
| Bromeliad (plant) | | | | | |
| Oncidium sp. (orchid plant) | | | | | |
| Orchid (plant) | | | | | |
| Acutaspis albopicta (Cockerell) (Diaspididae)..... | Mexico..... | 2 | | 1 | CA, TX..... |
| Acacia sp. (acacia leaf) | | | | | |
| Bromeliad (plant) | | | | | |
| Eriobotrya sp. (loquat leaf) | | | | | |
| Adoretus sinicus Burmeister (Scarabaeidae)..... | Asia (Country-?), Guam, Hawaii, Japan, Okinawa, Philippines, Unknown, Viet-Nam, West Pacific. | 24 | 21 | | AK, CA, DE, HI, WA..... |
| Aircraft | | | | | |
| Baggage | | | | | |
| Cargo | | | | | |
| Flowers (mixed) | | | | | |
| Adoretus sinicus Burmeister (Scarabaeidae) (?)..... | Asia (country-?)..... | 3 | 2 | | AK, CA, DE, WA. |
| Aircraft | | | | | |
| Baggage | | | | | |
| Cargo | | | | | |
| Adoxophyes reticulana (Hubner) (Tortricidae)..... | Netherlands..... | 1 | | | MI..... |
| Syringa vulgaris (lilac) | | | | | |
| Aeneolania postica (Walker) (Cercopidae)..... | Brazil(?)..... | | 1 | | PL..... |
| Aircraft | | | | | |
| Aeneolasia reducta (Lallemand) (Cercopidae)..... | Panama(?)..... | | 1 | | PL..... |
| Aircraft | | | | | |
| Neolodema brachmana (Candeze) (Elateridae)..... | Asia (country-?), Japan(?)..... | 1 | 1 | | CA..... |
| Aircraft | | | | | |
| Aeolus marginatus Champion (Elateridae)..... | Asia (country-?), Honduras, Japan(?). | | 2 | 1 | CA, PL..... |
| Aircraft | | | | | |
| Orchid (plant) | | | | | |
| Aethes williana (Brahm) (Phaloniidae)..... | Italy..... | | | 2 | PA..... |
| Daucus carota var. sativa (carrot) | | | | | |
| Aethus indicus (Westwood) (Cydnidae)..... | Asia (country-?), Japan, Okinawa, Philippines, Thailand, West Pacific. | 6 | 30 | | AK, CA, DE, HI, WA..... |
| Aircraft | | | | | |
| Cargo | | | | | |

TABULATION OF INSECTS

| PEST AND HOST | COUNTRY | OF | ORIGIN | NUMBER INTERCEPTIONS IN | | COLLECTED IN- | | | | | | | |
|---|------------------------------|----------------|--------|-------------------------------|------|-----------------|---------------------|-------------|---------|---|---------|---|---|
| | | | | C | O | P | R | G | A | T | I | O | N |
| <i>Agrinus convolvuli</i> (Linnaeus) (Sphingidae) | Asia (country-?) | Japan, | | | 6 | 1 | AK, CA, HI, WA..... | | | | | | |
| Aircraft | Portugal. | | | | | | | | | | | | |
| <i>Ipomoea</i> sp. (sweetpotato leaf) | | | | | | | | | | | | | |
| <i>Agrypnus binodulus</i> Motschulsky (Elateridae) | Asia (country-?) | Japan, | | 1 | 7 | | AK, CA, DE, WA. | | | | | | |
| Aircraft | Viet-Nam. | | | | | | | | | | | | |
| <i>Cardo</i> | | | | | | | | | | | | | |
| <i>Mesemona azteca</i> (Saussure) (Acrididae) | Mexico..... | | | | | | | | | 1 | TX..... | | |
| Plants (mixed) | | | | | | | | | | | | | |
| <i>Allopous strepens</i> (Latreille) (Acrididae) | Greece..... | | | | 1 | | DE..... | | | | | | |
| Cargo | | | | | | | | | | | | | |
| <i>Mioplopus thalassinus tamulus</i> (Fabricius) (Acrididae) | Asia (country-?) | Guam, Japan... | | 1 | 8 | | AK, CA, HI, WA. | | | | | | |
| Aircraft | | | | | | | | | | | | | |
| <i>Cardo</i> | | | | | | | | | | | | | |
| <i>Aletia formosana</i> Butler (Noctuidae) | Asia (country-?) | | | | | 1 | | WA..... | | | | | |
| Aircraft | | | | | | | | | | | | | |
| <i>Aletia formosana</i> Butler (Noctuidae) (?) | Asia (country-?) | | | | | 4 | | WA..... | | | | | |
| Aircraft | | | | | | | | | | | | | |
| <i>Aleurocanthus woglumi</i> Ashby (Aleyrodidae) | Colombia, Guatemala, Mexico, | | | 29 | | CA, FL, TX..... | | | | | | | |
| <i>Citrus aurantifolia</i> (leaf) | Nicaragua. | | | | | | | | | | | | |
| <i>Citrus limon</i> (leaf) | | | | | | | | | | | | | |
| <i>Citrus reticulata</i> cv. (leaf) | | | | | | | | | | | | | |
| <i>Citrus sinensis</i> (leaf) | | | | | | | | | | | | | |
| <i>Citrus</i> sp. (leaf) | | | | | | | | | | | | | |
| <i>Aleurocanthus woglumi</i> Ashby (Aleyrodidae) (?) | Mexico..... | | | 2 | | TX..... | | | | | | | |
| <i>Citrus</i> sp. (leaf) | | | | | | | | | | | | | |
| <i>Aleurochiton pseudoplatani</i> Visnya (Aleyrodidae) | Prance..... | | | | 1 | | MA..... | | | | | | |
| <i>Acer pseudoplatanus</i> (leaf) | | | | | | | | | | | | | |
| <i>Aleuridolobus mariotti</i> Quaintance (Aleyrodidae) | Hong Kong..... | | | | 1 | | WA..... | | | | | | |
| <i>Citrus</i> sp. (leaf) | | | | | | | | | | | | | |
| <i>Aleuridolobus olivinus</i> Silvestri (Aleyrodidae) | Italy, Yugoslavia..... | | | 3 | | MA, NY, WA..... | | | | | | | |
| <i>Olea europaea</i> (leaf) | | | | | | | | | | | | | |
| <i>Olea</i> sp. (olive leaf) | | | | | | | | | | | | | |
| <i>Aleuroparadoxus gardeniae</i> Russell (Aleyrodidae) | Mexico..... | | | 1 | | TX..... | | | | | | | |
| <i>Citrus</i> sp. (leaf) | | | | | | | | | | | | | |
| <i>Aleuroplatus coccoculus</i> Quaintance & Baker (Aleyrodidae) | Mexico..... | | | 1 | | TX..... | | | | | | | |
| <i>Citrus</i> sp. (leaf) | | | | | | | | | | | | | |
| <i>Aleuroplatus variegatus</i> Quaintance & Baker (Aleyrodidae) | Mexico..... | | | | | 1 | TX..... | | | | | | |
| Bromeliad (plant) | | | | | | | | | | | | | |
| <i>Aleurotrixus floccosus</i> (Maskell) (Aleyrodidae) | Mexico..... | | | 20 | | CA, TX..... | | | | | | | |
| <i>Citrus aurantifolia</i> (leaf) | | | | | | | | | | | | | |
| <i>Citrus limon</i> (leaf) | | | | | | | | | | | | | |
| <i>Citrus sinensis</i> (leaf) | | | | | | | | | | | | | |
| <i>Citrus</i> sp. (leaf) | | | | | | | | | | | | | |
| <i>Psidium guajava</i> (leaf) | | | | | | | | | | | | | |
| <i>Aleurotuberculatus aucubaie</i> (Kuwana) (Aleyrodidae) | Japan..... | | | | 4 | | CA, OR..... | | | | | | |
| <i>Citrus medica</i> (citron) | | | | | | | | | | | | | |
| <i>Citrus</i> sp. (leaf) | | | | | | | | | | | | | |
| <i>Aleurotuberculatus cherasensis</i> Corbett (Aleyrodidae) | Philippines..... | | | | 1 | | AK..... | | | | | | |
| <i>Psidium guajava</i> (leaf) | | | | | | | | | | | | | |
| <i>Aleurotuberculatus jasmini</i> Takahashi (Aleyrodidae) | Philippines, Thailand..... | | | | | 2 | | CA, WA..... | | | | | |
| <i>Jasminum</i> sp. (jasmine plant) | | | | | | | | | | | | | |
| Plant (unidentified) | | | | | | | | | | | | | |
| <i>Aleyrodes fragariae</i> Walker (Aleyrodidae) | France..... | | | | | 2 | | VA..... | | | | | |
| <i>Rubus</i> sp. (raspberry leaf) | | | | | | | | | | | | | |
| <i>Alkindus atratus</i> Distant (Corimelaenidae) | Panama..... | | | | | | 1 | | PL..... | | | | |
| Orchid (plant) | | | | | | | | | | | | | |
| <i>Allomyrina dichotomus</i> (Linnaeus) (Scarabaeidae) | Japan..... | | | | 1 | | HI..... | | | | | | |
| Baggage | | | | | | | | | | | | | |
| <i>Althos distinctus</i> (Signoret) (Coreidae) | Chile..... | | | | 1 | | NY..... | | | | | | |
| Packing material | | | | | | | | | | | | | |
| <i>Anabropsis mexicanus</i> (Saussure) (Gryllacrididae) | Mexico..... | | | | | | 1 | TX..... | | | | | |
| Plants (mixed) | | | | | | | | | | | | | |
| <i>Anacridium aegyptium</i> (Linnaeus) (Acrididae) | Turkey..... | | | | 1 | 1 | | DE..... | | | | | |
| Aircraft | | | | | | | | | | | | | |
| Cargo | | | | | | | | | | | | | |

TABULATION OF INSECTS

| PEST AND HOST | COUNTRY OF ORIGIN | NUMBER INTERCEPTIONS IN | | | | COLLECTED IN- |
|--|---|-------------------------------|-------|-------------|---|---------------|
| | | C | O | S | P | |
| | | N | U | N | R | |
| | | E | A | O | G | |
| | | T | I | N | T | |
| | | I | O | T | I | |
| | | O | R | R | O | |
| | | N | Y | Y | N | |
| | | | | | | |
| | | | | | | |
| Anadevidia deponis (Fabricius) (Noctuidae)..... | Japan..... | 3 | | CA, WA..... | | |
| Aircraft | | | | | | |
| Anastrepha ludens (Loew) (Tephritidae)..... | British Honduras, El Salvador, Guatemala, Mexico, Nicaragua, Unknown. | 444 | 4 | | AZ, CA, FL, IL, LA, TX, VA..... | |
| Annona muricata (soursop) | | | | | | |
| Calocarpum sapota (sapote) | | | | | | |
| Casimiroa edulis (white sapote) | | | | | | |
| Citrus aurantifolia (lime) | | | | | | |
| Citrus aurantium (sour orange) | | | | | | |
| Citrus limon (lemon) | | | | | | |
| Citrus paradisi (grapefruit) | | | | | | |
| Citrus reticulata cv. (cultivar orange) | | | | | | |
| Citrus sinensis (sweet orange) | | | | | | |
| Cydonia oblonga (quince) | | | | | | |
| Malus sylvestris (common apple) | | | | | | |
| Mangifera indica (common mango) | | | | | | |
| Mangifera indica (mango) | | | | | | |
| Mangifera sp. (mango) | | | | | | |
| Prunus domestica (plum) | | | | | | |
| Prunus persica (peach) | | | | | | |
| Punica granatum (common pomegranate) | | | | | | |
| Punica sp. (pomegranate) | | | | | | |
| Pyrus communis (common pear) | | | | | | |
| Anastrepha mombinpraecoptans Sein (Tephritidae)..... | American Virgin Islands, Aruba, British Honduras, Central America (country-?), Costa Rica, Dominican Republic, El Salvador, Guatemala, Haiti, Honduras, Jamaica, Mexico, Nevis, Nicaragua, Panama, Puerto Rico, St. Kitts, Trinidad, Unknown, Venezuela, West Indies. | 426 | 17 | | AL, AZ, CA, FL, IL, LA, MD, NC, NY, PR, TX, VA, VI..... | |
| Chrysobalanus sp. (cocoplum) | | | | | | |
| Citrus sinensis (sweet orange) | | | | | | |
| Eugenia malacensis (mountain-apple) | | | | | | |
| Fruit - unidentified | | | | | | |
| Mangifera indica (common mango) | | | | | | |
| Mangifera sp. (mango) | | | | | | |
| Prunus persica (peach) | | | | | | |
| Psidium guajava (common guava) | | | | | | |
| Spondias mombin (yellow mombin) | | | | | | |
| Spondias purpurea (purple mombin) | | | | | | |
| Spondias sp. (mombin) | | | | | | |
| Terminalia catappa (tropical almond) | | | | | | |
| Anastrepha serpentina (Wiedemann) (Tephritidae)..... | El Salvador, Mexico..... | 2 | | CA, TX..... | | |
| Calocarpum sapota (sapote) | | | | | | |
| Anastrepha suspensa (Loew) (Tephritidae)..... | Colombia, Dominican Republic, Jamaica, Puerto Rico, Unknown. | 7 | 8 | | FL, LA, PR..... | |
| Aircraft | | | | | | |
| Psidium guajava (guava) | | | | | | |
| Terminalia catappa (tropical almond) | | | | | | |
| Ancoenatha scarabaeoides Burmeister (Scarabaeidae)..... | Colombia..... | 1 | | FL..... | | |
| Chrysanthemum sp. (cut flowers) | | | | | | |
| Andricus glandium Giraud (Cynipidae)..... | Turkey..... | 1 | | VA..... | | |
| Quercus sp. (acorn) | | | | | | |
| Anigraea albomaculata Hampson (Noctuidae)..... | Japan..... | | 1 | | CA..... | |
| Aircraft | | | | | | |
| Anomala cuprea Hope (Scarabaeidae) (?)..... | Japan..... | | 1 | | WA..... | |
| Aircraft | | | | | | |
| Anomala rufocuprea Motschulsky (Scarabaeidae)..... | Asia (country-?) | | 1 | | WA..... | |
| Aircraft | | | | | | |
| Anomala vanpatteni Bates (Scarabaeidae)..... | Guatemala..... | | 1 | | FL..... | |
| Chrysanthemum sp. (cut flowers) | | | | | | |
| Anomala xanthopleura (Arrow) (Scarabaeidae)..... | Asia (country-?) | | 1 | | AK..... | |
| Aircraft | | | | | | |
| Anthonomus rectirostris (Linnaeus) (Curculionidae)..... | Austria, Germany..... | | | 4 | | NJ..... |
| Prunus avium (seed) | | | | | | |
| Prunus mahaleb (seed) | | | | | | |
| Prunus padus (seed) | | | | | | |
| Antiteuchus panamensis Ruckes (Pentatomidae)..... | Venezuela..... | | 1 | | FL..... | |
| Fruit (mixed) | | | | | | |
| Antiteuchus sepulchralis (Fabricius) (Pentatomidae)..... | Brazil..... | | 1 | | FL..... | |
| Hibiscus sp. (cutting) | | | | | | |
| Antiteuchus tripterus (Fabricius) (Pentatomidae)..... | Brazil..... | | 1 | | FL..... | |
| Hibiscus sp. (cutting) | | | | | | |

TABULATION OF INSECTS

PEST AND HOST

| COUNTRY OF ORIGIN | NUMBER INTERCEPTIONS IN | | COLLECTED IN- |
|-------------------------|-------------------------------|---|---------------|
| | C | P | |
| A | N | R | |
| N | S | O | |
| S | N | P | |
| U | O | A | |
| M | N | G | |
| P | E | A | |
| T | N | T | |
| I | T | I | |
| O | R | O | |
| N | Y | N | |

| | | | | |
|--|---------------------------------|-------|----|--------------------|
| Anua coronata (Fabricius) (Noctuidae) | Asia (country-?) | Japan | 3 | AK, CA |
| Aircraft | | | | |
| Anyspsipyla univitella Dyar (Phycitidae) | Mexico | | 1 | TX |
| Enterolobium cyclocarpum (seed) | | | | |
| Aspidiella consperrei McKenzie (Diaspididae) | Hong Kong, Thailand | | 2 | CA, HI |
| Citrus grandis (pummelo) | | | | |
| Citrus sp. (leaf) | | | | |
| Aspidiella messengeri McKenzie (Diaspididae) | Japan | | 6 | AK, HI, WA |
| Palm (leaf) | | | | |
| Abpis newtoni Theobald (Aphididae) | Belgium | | 1 | NY |
| Iris sp. (cut flower) | | | | |
| Apomecyna saltator (Fabricius) (Cerambycidae) | Hawaii | | 1 | HI |
| Baqqage | | | | |
| Apothripa albonotata (Hampson) (Noctuidae) | Asia (country-?) | | 1 | WA |
| Aircraft | | | | |
| Araecerus levipennis Jordan (Anthribidae) (?) | Hawaii | | 2 | HI |
| Leucaena glauca (seed) | | | | |
| Araecorynus cumingi (Jekel) (Anthribidae) | Hawaii | | 6 | HI |
| Baggage | | | | |
| Canavalia cathartica (seed) | | | | |
| Mucuna urens (seed) | | | | |
| Argyroploce schistaceana (Snellen) (Olethreutidae) | Taiwan | | 1 | HI |
| Saccharum officinarum (sugarcane) | | | | |
| Arhopalus syriacus (Reitter) (Cerambycidae) | Italy, Portugal | | 34 | CA, FL, LA, SC |
| Wood (crate) | | | | |
| Archinus melanostylus Ashlock (Lygaeidae) | Mexico | | 1 | TX |
| Orchid (plant) | | | | |
| Ascius latus DeLong (Cicadellidae) | Mexico | | 1 | TX |
| Cucumis melo var. cantalupensis (cantaloup) | | | | |
| Aspidiella hartii (Cockerell) (Diaspididae) | Ghana, India | | 1 | CA, MD |
| Dioscorea sp. (yam) | | | | |
| Zingiber officinale (ginger root) | | | | |
| Asterobemisia avellanae (Signoret) (Aleyrodidae) | England, France, Greece, Italy, | | 94 | AK, MA, NY, VA, WA |
| Corylus sp. (filbert plant) | Unknown | | | |
| Pubus sp. (leaf) | | | | |
| Asterolecanium inlabefactum Russell (Asterolecaniidae) | Mexico | | 2 | TX |
| Chamaedorea sp. (palm leaf) | | | | |
| Asterolecanium sabalis Russell (Asterolecaniidae) | Mexico | | 1 | IL |
| Chamaedorea sp. (palm leaf) | | | | |
| Asterolecanium unguatum Russell (Asterolecaniidae) | Singapore | | 1 | PL |
| Plumeria sp. (plumeria leaf) | | | | |
| Atheas fuscipes Champion (Tingidae) | Mexico | | 1 | TX |
| Hibiscus esculentus (okra) | | | | |
| Atheas nigricornis Champion (Tingidae) | Mexico | | 1 | TX |
| Bromeliad (plant) | | | | |
| Aulacaspis tuberculatus (Newstead) (Diaspididae) | Brazil, Ecuador, El Salvador, | | 14 | CA, FL, HI, WA |
| Mangifera indica (common mango) | Guatemala, Haiti, Panama, | | | |
| | Philippines, Venezuela. | | | |
| Aulacorthrum perillae (Shinji) (Aphididae) | Japan | | 1 | WA |
| Perilla frutescens (leaf) | | | | |
| Azeta versicolor (Fabricius) (Noctuidae) | Colombia | | 2 | PL |
| Aircraft | | | | |
| Balclutha beardsleyi Namba (Cicadellidae) | Hawaii | | 1 | HI |
| Aircraft | | | | |
| Balclutha rufofasciata (Merino) (Cicadellidae) | Asia (country-?) | | 1 | DE |
| Cargo | | | | |
| Berecyntus delirator (Fabricius) (Pentatomidae) | Mexico | | 2 | PL, TX |
| Aircraft | | | | |
| Ananas comosus (pineapple) | | | | |
| Blapstinus punctulatus Solier (Tenebrionidae) | Chile | | 3 | NY |
| Cucumis melo (melon) | | | | |
| Blastodacna atra (Hawthorne) (Morphidae) | Germany, Yugoslavia | | 2 | MA, MI |
| Malus sylvestris (common apple) | | | | |
| Blenia donans Walker (Noctuidae) | Asia (country-?) | | 1 | AK |
| Aircraft | | | | |

TABULATION OF INSECTS

| PEST AND HOST | COUNTRY OF ORIGIN | NUMBER INTERCEPTIONS IN | | COLLECTED IN- |
|--|--|-------------------------------|-------|------------------------------------|
| | | C | P | |
| | | O | R | |
| | | N | O | |
| | | S | P | |
| | | U | A | |
| | | M | G | |
| | | P | E | |
| | | T | T | |
| | | I | I | |
| Bouhetia maroccana Balachowsky (Pseudococcidae)..... | MOROCCO..... | 1 | | NY..... |
| Allium sp. (wild onion) | | | | |
| Brachycaudus tragopogonis (Kaltenbach) (Aphididae)..... | Azores..... | | | 1 MA..... |
| Plants (mixed) | | | | |
| Allium sativum (garlic) | | | | |
| Brachycerus albidentatus Gyllenhal (Curculionidae)..... | Italy..... | 1 | | IL..... |
| Allium sativum (garlic) | | | | |
| Brachycerus algirus (Fabricius) (Curculionidae)..... | Spain, Unknown..... | 2 | | NY..... |
| Allium sativum (garlic) | | | | |
| Brachypeplus niger Murray (Nitidulidae)..... | Ivory Coast..... | 1 | | LA..... |
| Log | | | | |
| Brachypterus glaber Stephens (Nitidulidae)..... | Greece..... | 1 | | NY..... |
| Bellis sp. (daisy flower) | | | | |
| Brachytrupes portentosus (Lichtenstein) (Gryllidae)..... | Asia (country-?), Japan, Aircraft Thailand, Viet-Nam, Cargo West Pacific. | 2 | 6 | AK, CA, HI, PA..... |
| Mail | | | | |
| Bruchidius lividimanus (Gyllenhal) (Bruchidae)..... | Belgium..... | | | 3 NJ..... |
| Cytisus scoparius (seed) | | | | |
| Bruchidius ramicornis (Erichson) (Bruchidae)..... | Africa (country-?), Kenya..... | 2 | | MD..... |
| Phaseolus aureus (mungo bean) | | | | |
| Phaseolus sp. (seed) | | | | |
| Bruchophagus mellipes Gahan (Eurytomidae)..... | India..... | 1 | | PA..... |
| Sesbania aegyptiaca (bean pod) | | | | |
| Bruchus affinis Froelich (Bruchidae)..... | Belgium..... | 1 | | NY..... |
| Phaseolus sp. (bean seed) | | | | |
| Bruchus azoricus Crotch (Bruchidae)..... | Azores, Portugal..... | | | 2 MA..... |
| Lathyrus sp. (sweetpea seed) | | | | |
| Vicia sp. (vetch seed) | | | | |
| Bruchus dentipes (Baudi) (Bruchidae)..... | Italy(?), Japan, Syria..... | 1 | 2 | 1 MA, PA, TX..... |
| Vicia faba (broadbean) | | | | |
| Bruchus emarginatus Allard (Bruchidae)..... | India..... | | | 8 GA, LA, MN, TX..... |
| Glycine max (soybean) | | | | |
| Phaseolus vulgaris (pinto bean) | | | | |
| Pisum sativum 'pea' | | | | |
| Bruchus ervi Froelich (Bruchidae)..... | Germany, Greece, Italy, Lens culinaris (lentil) Italy(?), Turkey, Unknown. | 3 | 8 | AL, FL, MI, NC, NY..... |
| Vicia faba (faba bean) | | | | |
| Bruchus lentis Froelich (Bruchidae)..... | Europe (country-?), Germany, Lens culinaris (lentil) Greece, Iran, Italy, Portugal, Unknown. | 3 | 6 | MA, MI, NC, NJ, NY, PA, TX..... |
| Bruchus signaticornis Gyllenhal (Bruchidae)..... | Greece, Italy, Jamaica, Juglans sp. (walnut) Netherlands. | 6 | 2 | MD, NY, PA..... |
| Lens culinaris (lentil) | | | | |
| Vicia faba (faba bean) | | | | |
| Bruchus tristiculus Fahraeus (Bruchidae)..... | Azores, Spain..... | 1 | 1 | 2 DE, MA, NY..... |
| Aircraft | | | | |
| Lathyrus sp. (sweetpea seed) | | | | |
| Phaseolus sp. (bean seed) | | | | |
| Bruchus tristis Boheman (Bruchidae)..... | Italy..... | 2 | | NY..... |
| Phaseolus sp. (bean seed) | | | | |
| Vicia faba (faba bean) | | | | |
| Bucrates capitatus (DeGeer) (Tettigonidae)..... | Panama, Unknown..... | | | 3 FL, SC..... |
| Aircraft | | | | |
| Cacoecimorpha pronubana (Hubner) (Tortricidae)..... | France, Italy, Spain, Citrus sinensis (sweet orange) Yugoslavia. | 7 | 2 | NY..... |
| Diospyros sp. (persimmon) | | | | |
| Eriobotrya japonica (loquat) | | | | |
| Lycopersicon esculentum (tomato) | | | | |
| Punica granatum (pomegranate) | | | | |
| Pyrus communis (pear) | | | | |
| Vitis sp. (grape) | | | | |
| Cadra calidella (Guenee) (Phycitidae)..... | Italy..... | 4 | | NY..... |
| Ficus carica (fig) | | | | |
| Juglans sp. (walnut) | | | | |
| Olea europaea (olive) | | | | |

TABULATION OF INSECTS

| PEST AND HOST | COUNTRY OF ORIGIN | NUMBER INTERCEPTIONS IN | | | | COLLECTED IN- |
|---|---|-------------------------------|-----|-----|-----------------------------------|---------------|
| | | C | O | P | R | |
| | | N | O | G | O | |
| | | U | S | A | O | |
| | | M | N | E | A | |
| | | P | E | T | T | |
| | | T | N | I | I | |
| | | I | T | O | R | |
| | | O | R | R | O | |
| | | N | Y | Y | N | |
| Callidioid rufipenne Motschulsky (Cerambycidae)..... | Asia (country-?), Japan, Unknown. | 5 | 16 | ... | CA, FL, GA, LA, NC, TX, WA.... | |
| Aircraft | | | | | | |
| Cargo | | | | | | |
| Cedrus sp. (dunnage) | | | | | | |
| Dunnage | | | | | | |
| Ship (on deck) | | | | | | |
| Calligrapha labyrinthica Stal (Chrysomelidae)..... | Mexico..... | | | 2 | TX..... | |
| Bromeliad (plant) | | | | | | |
| Calligrapha limbatocollis Stal (Chrysomelidae)..... | Mexico..... | | | 1 | TX..... | |
| Bromeliad (plant) | | | | | | |
| Calliptamus italicus (Linnaeus) (Acrididae)..... | Greece..... | | 1 | ... | NC..... | |
| Cargo | | | | | | |
| Callirhytis glandulosa Weld (Cynipidae)..... | Turkey..... | | 1 | ... | VA..... | |
| Quercus sp. (acorn seed) | | | | | | |
| Callosobruchus analis (Fabricius) (Bruchidae)..... | India, Japan, Pakistan, Unknown. | 2 | 2 | ... | LA, NY, PR.... | |
| Cicer arietinum (chickpea) | | | | | | |
| Dolichos lablab (hyacinth-bean) | | | | | | |
| Oryza sativa (rice) | | | | | | |
| Phaseolus aureus (mungo bean) | | | | | | |
| Callosobruchus phaseoli (Gyllenhal) (Bruchidae)..... | Barbados, Grenada, Jamaica, Madeira Islands, Philippines. | 5 | ... | ... | CA, MA, NY.... | |
| Cajanus cajan (pigeon pea) | | | | | | |
| Dolichos lablab (hyacinth-bean) | | | | | | |
| Phaseolus aureus (mungo bean) | | | | | | |
| Phaseolus sp. (bean seed) | | | | | | |
| Callosotrichus pulcher Pic (Bruchidae)..... | Philippines..... | 1 | ... | ... | WA..... | |
| Phaseolus sp. (bean seed) | | | | | | |
| Calosiris terminatus (Herbst) (Curculionidae)..... | France..... | | 1 | ... | MA..... | |
| Petroselinum crispum (parsley) | | | | | | |
| Calipe excavata Butler (Noctuidae)..... | Asia (country-?)..... | | 1 | ... | WA..... | |
| Aircraft | | | | | | |
| Calymococephala gerstaeckeri Boheman (Chrysomelidae) (?) | Mexico..... | 1 | ... | ... | TX..... | |
| Chamaedorea sp. (palm leaf) | | | | | | |
| Calymococephala marginipennis Boheman (Chrysomelidae) (?) | Mexico..... | 7 | ... | ... | TX..... | |
| Chamaedorea sp. (palm leaf) | | | | | | |
| Camponotus mucronatus Emery (Formicidae)..... | El Salvador..... | 1 | ... | 1 | PL..... | |
| Orchid (plant) | | | | | | |
| Camponotus sexcuttatus (Fabricius) (Formicidae)..... | Barbados..... | 1 | ... | ... | PP..... | |
| Orchid (plant) | | | | | | |
| Capriobilia lineola (Dallas) (Lygaeidae)..... | South Africa..... | 1 | ... | ... | MD..... | |
| Protea sp. (cut flowers) | | | | | | |
| Capzovia pardalina Bigot (Tephritidae)..... | Israel..... | 2 | ... | ... | NY..... | |
| Cucurbita sativus (cucumber) | | | | | | |
| Carpophilus delkeskampi Hisamatsu (Nitidulidae)..... | Singapore..... | 1 | ... | ... | OF..... | |
| Cargo | | | | | | |
| Carpophilus maculatus Murray (Nitidulidae)..... | Honduras, Jamaica, Mexico, Trinidad. | 2 | ... | 3 | FL, NY, TX, VI. | |
| Ananas comosus (pineapple) | | | | | | |
| Dioscorea sp. (yam) | | | | | | |
| Orchid (plant) | | | | | | |
| Palm (seed) | | | | | | |
| Carpophilus oculatus Murray (Nitidulidae)..... | Cook Islands..... | | | 1 | HI..... | |
| Hernandia peltata (seed) | | | | | | |
| Carpophilus succisus Erichson (Nitidulidae)..... | Panama..... | 1 | ... | ... | PL..... | |
| Hibiscus esculentus (okra) | | | | | | |
| Carposina nipponensis Walsingham (Carposinidae)..... | Japan..... | | 5 | ... | AK, CA, LA.... | |
| Malus sylvestris (apple) | | | | | | |
| Caryedon serratus (Olivier) (Bruchidae)..... | Asia (country-?), Hawaii, India, Jamaica, Japan, Mexico, New Zealand, Sudan, Unknown, Venezuela, Viet-Nam. | 16 | 13 | 1 | AL, CA, FL, HI, PA, TX..... | |
| Arachis hypogaea (peanut) | | | | | | |
| Capsicum sp. (pepper) | | | | | | |
| Cargo | | | | | | |
| Cargo hold (of ship) | | | | | | |
| Cassia sp. (cassia seed) | | | | | | |
| Debris | | | | | | |
| Oryza sativa (rice) | | | | | | |
| Polianthes tuberosa (tuberose) | | | | | | |
| Stores (dry stores) | | | | | | |
| Tamarindus indica (seed) | | | | | | |

TABULATION OF INSECTS

| PEST AND HOST | COUNTRY OF ORIGIN | NUMBER INTERCEPTIONS IN | | COLLECTED IN- |
|--|---|-------------------------------|-------|--|
| | | C | P | |
| | | O | R | |
| | | N | O | |
| | | S | P | |
| | | U | O | |
| | | M | G | |
| | | P | A | |
| | | T | T | |
| | | I | I | |
| Cataenococcus guatemalensis (Ferris) (Pseudococcidae)..... | Costa Rica, Guatemala, Nicaragua. | | | 3 CA, FL..... |
| Bromeliad (plant) | | | | |
| Orchid (plant) | | | | |
| Plant (unidentified) | | | | |
| Centrocoris variegatus Kolenati (Coreidae)..... | Spain (?) | 1 | | VA..... |
| Cargo | | | | |
| Cephisus siccifolius (Walker) (Cercopidae)..... | Venezuela..... | 1 | | CA..... |
| Aircraft | | | | |
| Ceraspis pilatei Harold (Scarabaeidae)..... | Guatemala..... | 1 | | FL..... |
| Cargo | | | | |
| Ceratitidis capitata (Wiedemann) (Tephritidae)..... | Argentina, Azores, Brazil, Costa Rica, Ecuador, Europe (country-?), France, Greece, Hawaii, Israel, Italy, Jordan, Malta, Mauritius, Panama, Portugal, Spain, Unknown, Uruguay, Venezuela, Yugoslavia. | 240 | 28 | 1 AL, CA, FL, HI, MA, MI, NJ, NY, PA, PR, SC, TX, VA..... |
| Annona sp. (fruit) | | | | |
| Calophyllum inophyllum (kamani) | | | | |
| Capsicum sp. (pepper) | | | | |
| Carica papaya (papaya) | | | | |
| Citrus grandis (pummelo) | | | | |
| Citrus limon (lemon) | | | | |
| Citrus paradisi (grapefruit) | | | | |
| Citrus reticulata cv. (cultivar orange) | | | | |
| Citrus sinensis (sweet orange) | | | | |
| Citrus sp. (fruit) | | | | |
| Coffea arabica (Arabian coffee) | | | | |
| Coffea sp. (coffee) | | | | |
| Crataegus sp. (hawthorne) | | | | |
| Diospyros kaki (kaki persimmon) | | | | |
| Diospyros sp. (persimmon) | | | | |
| Eriobotrya japonica (loquat) | | | | |
| Eugenia malaccensis (mountain-apple) | | | | |
| Ficus carica (common fig) | | | | |
| Ficus sp. (fig) | | | | |
| Fruit - mixed | | | | |
| Malus sp. (apple) | | | | |
| Malus sylvestris (common apple) | | | | |
| Mangifera indica (common mango) | | | | |
| Opuntia sp. (pricklypear) | | | | |
| Passiflora sp. (passion fruit) | | | | |
| Persea americana (avocado) | | | | |
| Persea sp. (avocado) | | | | |
| Plant - unidentified | | | | |
| Prunus amygdalus (almond) | | | | |
| Prunus armeniaca (apricot) | | | | |
| Prunus persica (peach) | | | | |
| Prunus persica var. nectarina(nectarine) | | | | |
| Psidium guajava (common guava) | | | | |
| Psidium sp. (guava) | | | | |
| Punica granatum (common pomegranate) | | | | |
| Pyrus communis (common pear) | | | | |
| Pyrus sp. (pear) | | | | |
| Seed pod - unidentified | | | | |
| Sorbus sp. (mountain-ash) | | | | |
| Terninalia catappa (tropical almond) | | | | |
| Ceratitis capitata (Wiedemann) (Tephritidae) (?) | Italy..... | 1 | | MA..... |
| Citrus sinensis (sweet orange) | | | | |
| Cerconota anonella (Sepp) (Stenomidae)..... | Antigua, British Honduras, Colombia, Costa Rica, Guatemala, Mexico, Venezuela. | 7 | 3 | FL, LA, NY, TX, VI..... |
| Annona muricata (sour sop) | | | | |
| Annona reticulata (custard apple) | | | | |
| Annona squamosa (sugar apple) | | | | |
| Cerconota anonella (Sepp) (Stenomidae) (?) | Brazil, Mexico..... | 2 | | NY, TX..... |
| Annona cherimola (cherimoya) | | | | |
| Annona squamosa (sugar apple) | | | | |
| Ceresium geniculatum White (Cerambycidae)..... | Unknown..... | 1 | | CA..... |
| Aircraft | | | | |
| Ceresium unicolor (Fabricius) (Cerambycidae)..... | Hawaii..... | 3 | | HI..... |
| Alpinia purpurata (cut flowers) | | | | |
| Baggage | | | | |

TABULATION OF INSECTS

| PEST AND HOST | COUNTRY OF ORIGIN | NUMBER INTERCEPTIONS IN | | | | COLLECTED IN- |
|---|--|-------------------------------|----|---|---|--------------------------------|
| | | C | O | N | P | |
| | | S | O | A | R | |
| | | M | N | G | E | |
| | | P | E | A | T | |
| | | T | N | T | I | |
| | | I | T | I | O | |
| | | O | R | O | N | |
| | | N | Y | N | | |
| | | | | | | |
| <i>Ceroplastes rusci</i> (Linnaeus) (Coccidae) | Greece, Portugal | 2 | | | | NY..... |
| <i>Annona muricata</i> (soursop) | | | | | | |
| <i>Ficus</i> sp. (fig leaf) | | | | | | |
| <i>Cerotoma atrofasciata</i> Jacoby (Chrysomelidae) | Mexico..... | | | 1 | | AZ..... |
| Bromeliad (plant) | | | | | | |
| <i>Cerotoma ruficornis</i> (Olivier) (Chrysomelidae) | Mexico..... | 1 | | | | TX..... |
| <i>Hibiscus esculentus</i> (okra) | | | | | | |
| <i>Chaetococcus phragmitis</i> (Marchal) (Pseudococcidae) | Austria, Italy..... | 3 | | | | TX..... |
| Phragmites communis (reed mats) | | | | | | |
| <i>Chaetococcus phragmitis</i> (Marchal) (Pseudococcidae) (?) | Austria, Yugoslavia..... | 2 | | | | MD, TX..... |
| Phragmites communis (reed mats) | | | | | | |
| <i>Chalciope hyppasia</i> (Cramer) (Noctuidae) | Asia (country-?), Japan, Okinawa, Philippines, Thailand, Unknown, Viet-Nam, West Pacific. | 18 | 77 | | | AK, CA, DE, HI, WA..... |
| Aircraft | | | | | | |
| Cargo | | | | | | |
| <i>Chaniithus gramineus</i> (Fabricius) (Dictyopharidae) | Unknown..... | | 1 | | | MD..... |
| Cargo hold (of ship) | | | | | | |
| <i>Charidotis seminulum</i> (Bohemian) (Chrysomelidae) (?) | Mexico..... | 1 | | | | TX..... |
| <i>Chamaedorea</i> sp. (palm leaf) | | | | | | |
| <i>Chariesetus gracilicornis</i> Stal (Coreidae) | Unknown..... | | 1 | | | PR..... |
| Passenger | | | | | | |
| <i>Chelysoma variabilis</i> (Herrick-Schaeffer) (Scutelleridae) | Mexico..... | | | 4 | | TX..... |
| <i>Dracaena</i> sp. (cutting) | | | | | | |
| <i>Euphorbia lactea</i> (plant) | | | | | | |
| Orchid (plant) | | | | | | |
| <i>Chilo phragmitellus</i> (Hubner) (Crambidae) | Austria, Poland..... | 3 | | | | MD, TX..... |
| Phragmites communis (reed mats) | | | | | | |
| <i>Chilo suppressalis</i> (Walker) (Crambidae) | Japan, Korea, Taiwan, Viet-Nam.. | 6 | 2 | | | CA, HI, LA, NC. |
| <i>Oryza sativa</i> (rice straw) | | | | | | |
| <i>Chionaspis salicis</i> (Linnaeus) (Diaspididae) | Sweden..... | | | 1 | | WA..... |
| Vaccinium sp. (blueberry plant) | | | | | | |
| <i>Shortostphaea viridifasciata</i> (DeGeer) (Acrididae) | Unknown..... | | 2 | | | CA, WA..... |
| Aircraft | | | | | | |
| <i>Chremistica ochracea</i> (Walker) (Cicadidae) (?) | West Pacific(?)..... | | 1 | | | HI..... |
| Aircraft | | | | | | |
| <i>Chrysocroris stollii</i> (Wolff) (Pentatomidae) | Asia (country-?)..... | | 1 | | | AK..... |
| Aircraft | | | | | | |
| <i>Chrysodeixis chalcites</i> (Esper) (Noctuidae) | Hawaii, Unknown..... | | 2 | 1 | | HI..... |
| Aircraft | | | | | | |
| <i>Cordyline terminalis</i> (plant) | | | | | | |
| Passenger | | | | | | |
| <i>Chrysolina americana</i> (Linnaeus) (Chrysomelidae) | Greece..... | 1 | | | | MD..... |
| Cargo | | | | | | |
| <i>Chrysomphalus pinnulifer</i> Maskell (Diaspididae) | Portugal..... | 1 | | | | NY..... |
| <i>Citrus sinensis</i> (sweet orange) | | | | | | |
| <i>Cicadella viridis</i> (Linnaeus) (Cicadellidae) | Asia (country-?), Japan, Unknown. | 2 | 18 | | | CA, DE, WA..... |
| Aircraft | | | | | | |
| Cargo | | | | | | |
| <i>Cladius pectinicornis</i> (Pourcroy) (Tenthredinidae) | Ireland(?)..... | 1 | | | | MA..... |
| <i>Rosa</i> sp. (cut flowers) | | | | | | |
| <i>Cnaphalocrocis medicinalis</i> (Guenee) (Pyralidae) | Asia (country-?), Japan..... | | 28 | | | AK, WA..... |
| Aircraft | | | | | | |
| <i>Coccus proteae</i> (Brain) (Coccidae) | South Africa..... | 1 | | | | VA..... |
| <i>Protea</i> sp. (cut flowers) | | | | | | |
| <i>Coccus viridis</i> (Green) (Coccidae) | Bahamas, Dominica, Alpinia purpurata (cut flowers) | 51 | 3 | 5 | | CA, FL, HI, LA, PA, VI..... |
| Calocarpum sapota (leaf) | Dominican Republic, Guam, | | | | | |
| Citrus aurantifolia (lime) | Hawaii, Japan. | | | | | |
| Coccolobis uvifera (seagrape) | | | | | | |
| <i>Coffea arabica</i> (leaf) | | | | | | |
| <i>Gardenia jasminoides</i> (leaf) | | | | | | |
| <i>Gardenia</i> sp. (leaf) | | | | | | |
| <i>Holmskioldia sanguinea</i> (leaf) | | | | | | |
| Plant (unidentified) | | | | | | |
| <i>Plumeria</i> sp. (plumeria leaf) | | | | | | |

TABULATION OF INSECTS

| PEST AND HOST | COUNTRY | OF | ORIGIN | NUMBER INTERCEPTIONS IN | | COLLECTED IN- |
|---|---|----|--------|-------------------------------|----|---------------------|
| | | | | C | P | |
| Coelonertus nigrirostris Solari (Curculionidae)..... | Mexico..... | | | 10 | | TX..... |
| Chamaedorea sp. (palm leaf) | | | | | | |
| Colopterus abdominalis (Erichson) (Nitidulidae)..... | Brazil..... | | | 1 | | CA..... |
| Manihot esculenta (cassava) | | | | | | |
| Colopterus amputatus Erichson (Nitidulidae)..... | Dominican Republic, Jamaica, Unknown. | | | 3 | | NY, PR..... |
| Zea mays (corn) | | | | | | |
| Colopterus bohemani (Murray) (Nitidulidae)..... | Mexico..... | | | 1 | | TX..... |
| Flowers (mixed) | | | | | | |
| Colopterus brevipes (Sharp) (Nitidulidae)..... | Mexico..... | | | 1 | | TX..... |
| Fragaria sp. (strawberry) | | | | | | |
| Colopterus latus (Murray) (Nitidulidae)..... | Mexico..... | | | 1 | | 2 TX..... |
| Ananas comosus (pineapple) | | | | | | |
| Bromeliad (plant) | | | | | | |
| Orchid (plant) | | | | | | |
| Colopterus macropterus (Fabricius) (Nitidulidae)..... | Mexico..... | | | 10 | | 1 TX..... |
| Dieffenbachia sp. (cutting) | | | | | | |
| Flowers (mixed) | | | | | | |
| Fragaria sp. (strawberry) | | | | | | |
| Hibiscus esculentus (okra) | | | | | | |
| Ipomoea batatas (sweetpotato) | | | | | | |
| Lactuca sativa (lettuce) | | | | | | |
| Zea mays (corn) | | | | | | |
| Colopterus macropterus (Fabricius) (Nitidulidae) (?)..... | Mexico..... | | | 5 | | TX..... |
| Fragaria sp. (strawberry) | | | | | | |
| Colopterus posticus (Erichson) (Nitidulidae)..... | Mexico..... | | | | | 1 TX..... |
| Plants (mixed) | | | | | | |
| Colopterus vestitus (Sharp) (Nitidulidae)..... | Mexico..... | | | 1 | | TX..... |
| Fragaria sp. (strawberry) | | | | | | |
| Conistra lunosa (Hawthorne) (Noctuidae)..... | Spain, Unknown..... | | | 2 | | DE..... |
| Cargo | | | | | | |
| Concephalus saltator (Saussure) (Tettigoniidae)..... | Venezuela..... | | | 1 | | PR..... |
| Aircraft | | | | | | |
| Conoderus pictus (Candeze) (Elateridae)..... | Mexico..... | | | 1 | | TX..... |
| Ananas comosus (pineapple) | | | | | | |
| Conoderus triangularis (Eschscholtz) (Elateridae)..... | Asia (country-?), Japan..... | | | 1 | 1 | AK, DE..... |
| Aircraft | | | | | | |
| Cargo | | | | | | |
| Conosia irrorata (Wiedemann) (Tipulidae)..... | West Pacific..... | | | 1 | | HI..... |
| Aircraft | | | | | | |
| Conotrachelus aguacatae Barber (Curculionidae)..... | Mexico..... | | | 19 | | AZ, CA, TX..... |
| Persea sp. (avocado seed) | | | | | | |
| Conotrachelus perseae Barber (Curculionidae)..... | El Salvador, Mexico..... | | | 4 | | FL, TX..... |
| Persea sp. (avocado seed) | | | | | | |
| Coptocycla atlantica Boheman (Chrysomelidae) (?)..... | Mexico..... | | | 2 | | TX..... |
| Chamaedorea sp. (palm leaf) | | | | | | |
| Coptosoma xanthogramma (White) (Plataspididae)..... | Asia (country-?), Hawaii, Japan, West Pacific(?) | | | 21 | 10 | CA, FL, HI, OR..... |
| Aircraft | | | | | | |
| Baggage | | | | | | |
| Cargo | | | | | | |
| Jasminum sambac (pikake) | | | | | | |
| Ship (deck) | | | | | | |
| Corbettella artocarpi (Corbett) (Aleyrodidae)..... | Philippines..... | | | 1 | | AK..... |
| Psidium guajava (leaf) | | | | | | |
| Cordylomera spinicornis (Fabricius) (Cerambycidae)..... | Cameroon..... | | | 1 | | FL..... |
| Wood (unidentified log) | | | | | | |
| Corythaica cyathicollis (Costa) (Tingidae)..... | Unknown..... | | | 1 | | NY..... |
| Leaf (unidentified) | | | | | | |
| Cosmopsaltria andersoni Distant (Cicadidae) (?)..... | Unknown..... | | | 1 | | CA..... |
| Aircraft | | | | | | |
| Crocidolomia binotalis Zeller (Pyralidae)..... | Mozambique..... | | | 1 | | PA..... |
| Beta vulgaris var. cicla (swiss chard) | | | | | | |
| Cryphalus abietis (Ratzeburg) (Scolytidae)..... | Netherlands..... | | | 1 | | LA..... |
| Wood (bark) | | | | | | |

TABULATION OF INSECTS

| PEST AND HOST | COUNTRY OF ORIGIN | NUMBER INTERCEPTIONS IN | | | COLLECTED IN- |
|---|---|-------------------------------|-------|-------|---------------------------------|
| | | C | P | R | |
| | | O | N | O | |
| | | U | O | A | |
| | | M | N | G | |
| | | P | E | A | |
| Cryptoblabes gnidiella (Milliere) (Phycitidae) | Greece, Israel, Italy, Portugal, Spain, Unknown. | 12 | 13 | | GA, MA, MD, NJ, NY, PR, TX, VA. |
| Citrus limon (lemon) | | | | | |
| Citrus sinensis (sweet orange) | | | | | |
| Punica granatum (pomegranate) | | | | | |
| Vitis sp. (grape) | | | | | |
| Cryptomyzus taoi Hille Ris Lambers (Aphididae) | Asia (country-?) | | 1 | | WA..... |
| Flowers (mixed) | | | | | |
| Cryptoparlatoraea leucaspis Lindigner (Diaspididae) | Japan | 1 | 2 | | HI..... |
| Chamaecyparis sp. (falsecypress leaf) | | | | | |
| Cryptophlebia leucotreta (Meyrick) (Olethreutidae) | Angola, Congo, Senegal, South Africa, Unknown. | 2 | 6 | | FL, MA, MD, NY, PA, VA..... |
| Capsicum longum (chili pepper) | | | | | |
| Capsicum sp. (pepper) | | | | | |
| Citrus sinensis (sweet orange) | | | | | |
| Fruit (unidentified) | | | | | |
| Prunus persica (peach) | | | | | |
| Cryptoplebia ombrodelta (Lower) (Olethreutidae) | Hawaii, Philippines, Thailand | 6 | | | HI..... |
| Litchi chinensis (litchi) | | | | | |
| Tamarindus indica (tamarind bean pod) | | | | | |
| Cryptorhynchus mangiferae (Fabricius) (Curculionidae) | Africa (country-?), Central African Republic, Guam, Hawaii, India, Kenya, Philippines, Unknown. | 147 | 8 | 4 | AL, CA, HI, IL, NY, VA..... |
| Manifera indica (mango) | | | | | |
| Ctenochira ferranti Spaeth (Chrysomelidae) (?) | Mexico | 2 | | | TX..... |
| Chamaedorea sp. (palm leaf) | | | | | |
| Ctenochira hectica (Bohemian) (Chrysomelidae) | Mexico | 1 | | | TX..... |
| Chamaedorea sp. (palm leaf) | | | | | |
| Ctenochira hectica (Bohemian) (Chrysomelidae) (?) | Mexico | 2 | | | LA, TX..... |
| Chamaedorea sp. (palm leaf) | | | | | |
| Citrus aurantifolia (lime) | | | | | |
| Ctenochira hieroglyphica (Bohemian) (Chrysomelidae) (?) | Mexico | 2 | | | TX..... |
| Chamaedorea sp. (palm leaf) | | | | | |
| Ctenochira plicata (Bohemian) (Chrysomelidae) (?) | Mexico | 1 | | | TX..... |
| Chamaedorea sp. (palm leaf) | | | | | |
| Curculio elephas (Gyllenhal) (Curculionidae) | Azores, France, Greece, Italy, Portugal, Spain, Switzerland, Turkey, Yugoslavia | 128 | 1 | | FL, IL, MA, MI, NY, PR, VA..... |
| Castanea sativa (European chestnut) | | | | | |
| Curculio nucum Linnaeus (Curculionidae) | Italy, Yugoslavia | 3 | | | NY..... |
| Corylus sp. (filbert) | | | | | |
| Cydnus nigritus (Fabricius) (Cydnidae) | Asia (country-?), Viet-Nam | 2 | 2 | | CA, DE, WA..... |
| Aircraft | | | | | |
| Cargo | | | | | |
| Cylas formicarius elegantulus (Summers) (Curculionidae) | Bahamas, Curacao, Dominican Republic, Haiti, Jamaica, Mexico, Panama, Puerto Rico, St. Kitts | 40 | 3 | | AL, FL, GA, NY, PR, TX, VI..... |
| Ipomoea batatas (sweetpotato) | | | | | |
| Cylas puncticollis Boheman (Curculionidae) | Kenya, Unknown | 3 | | | NY..... |
| Ipomoea batatas (sweetpotato) | | | | | |
| Cyrtodisca major (Signoret) (Cicadellidae) | Guatemala | | | 1 | FL..... |
| Orchid (plant) | | | | | |
| Dacus cucurbitae Coquillet (Tephritisidae) | Hawaii | 1 | | | HI..... |
| Baggage | | | | | |

TABULATION OF INSECTS

| PEST AND HOST | COUNTRY OF ORIGIN | NUMBER INTERCEPTIONS IN | | | | COLLECTED IN- |
|--|----------------------------------|-------------------------------|---|-----------------|-----------------|---------------|
| | | C | S | N | P | |
| | | O | U | O | R | |
| | | N | M | N | G | |
| | | U | E | A | A | |
| | | M | T | N | T | |
| | | E | I | T | I | |
| | | T | O | R | O | |
| | | I | N | Y | N | |
| | | O | N | Y | N | |
| Dacus dorsalis Hendel (Tephritidae) | Hawaii, Philippines..... | 134 | 2 | 1 | CA, FL, HI..... | |
| Aircraft | | | | | | |
| Averrhoa carambola (starfruit) | | | | | | |
| Calophyllum inophyllum (kamani) | | | | | | |
| Carica papaya (papaya) | | | | | | |
| Citrus reticulata cv. (cultivar orange) | | | | | | |
| Citrus sinensis (sweet orange) | | | | | | |
| Eugenia malaccensis (mountain-apple) | | | | | | |
| Ficus carica (common fig) | | | | | | |
| Mangifera indica (common mango) | | | | | | |
| Musa sp. (banana) | | | | | | |
| Pandanus sp. (screwpine) | | | | | | |
| Passiflora sp. (passion fruit) | | | | | | |
| Persea sp. (avocado) | | | | | | |
| Psidium guajava (common guava) | | | | | | |
| Psidium sp. (guava) | | | | | | |
| Terminalia catappa (tropical almond) | | | | | | |
| Dacus oleae (Gmelin) (Tephritidae) | Greece, Israel, Italy, Lebanon, | 122 | 3 | BA, IL, MA, NY, | | |
| Olea europaea (common olive) | Portugal, Spain, Unknown. | | | PA, VA..... | | |
| Olea sp. (olive) | | | | | | |
| Dallasiellus bacchinius Froeschner (Cydnidae) | Panama..... | | 2 | FL..... | | |
| Aircraft | | | | | | |
| Dallasiellus lugubris (Stål) (Cydnidae) | Honduras, Mexico..... | | 2 | FL, TX..... | | |
| Ananas comosus (pineapple) | | | | | | |
| Soil (on logs) | | | | | | |
| Deloyala guttata (Olivier) (Chrysomelidae) (?) | Mexico..... | | 1 | LA..... | | |
| Chamaedorea sp. (palm leaf) | | | | | | |
| Deltoccephalus distinctus Motschulsky (Cicadellidae) | Asia (country-?)..... | | 1 | WA..... | | |
| Aircraft | | | | | | |
| Dendrocoris suffultus (Distant) (Pentatomidae) | Mexico..... | | 1 | TX..... | | |
| Tillandsia sp. (Spanish-moss) | | | | | | |
| Dendrocoris variegatus Nelson (Pentatomidae) | Mexico..... | | 1 | TX..... | | |
| Vriesia sp. (bromeliad plant) | | | | | | |
| Depressaria depressella (Hubner) (Oecophoridae) | France..... | | 1 | NY..... | | |
| Mimosa sp. (mimosa cutting) | | | | | | |
| Diabrotica lepida (Say) (Chrysomelidae) | Mexico..... | | 1 | TX..... | | |
| Chamaedorea sp. (palm leaf) | | | | | | |
| Diabrotica porracea Harold (Chrysomelidae) (?) | Guatemala(?) | | 1 | TX..... | | |
| Aircraft | | | | | | |
| Diabrotica trifurcata Jacoby (Chrysomelidae) | Guatemala..... | | 1 | FL..... | | |
| Cargo | | | | | | |
| Diachrysia orichalcea (Fabricius) (Noctuidae) | Japan, Unknown..... | | 2 | CA, HI..... | | |
| Aircraft | | | | | | |
| Dialeurodes tristylili Takahashi (Aleyrodidae) | Japan..... | | 2 | CA, OR..... | | |
| Eurya sp. (leaf) | | | | | | |
| Leaf - unidentified | | | | | | |
| Diaprepes abbreviatus (Linnaeus) (Curculionidae) | Puerto Rico..... | 2 | 1 | PR..... | | |
| Aircraft | | | | | | |
| Dioscorea sp. (yam) | | | | | | |
| Diatraea considerata Heinrich (Crambidae) | Mexico..... | 45 | 1 | AZ, CA, TX..... | | |
| Saccharum officinarum (sugarcane) | | | | | | |
| Dichocrocis punctiferalis (Guenee) (Pyraustidae) | Asia (country-?), Japan..... | | 1 | AK, CA, WA..... | | |
| Aircraft | | | | | | |
| Pinus parviflora (plant) | | | | | | |
| Pinus sp. (pine leaf) | | | | | | |
| Dicranotropis muiri Kirkaldy (Delphacidae) | Asia (country-?), Mauritius..... | 1 | 1 | AK, PL..... | | |
| Aircraft | | | | | | |
| Cargo | | | | | | |
| Dictyophara europaea (Linnaeus) (Dictyopharidae) | Turkey..... | | | MD..... | | |
| Automobile | | | | | | |
| Dilophus febrilis (Linnaeus) (Bibionidae) | Ireland..... | | 1 | MA..... | | |
| Dahlia sp. (cut flowers) | | | | | | |
| Dinaspis aculeata Ferris (Diaspididae) | Guatemala, Mexico..... | 5 | | LA, TX..... | | |
| Chamaedorea sp. (palm leaf) | | | | | | |

TABULATION OF INSECTS

| PEST AND HOST | COUNTRY OF ORIGIN | NUMBER INTERCEPTIONS IN | | | COLLECTED IN- |
|---|--|-------------------------------|-------|--------------------------------|-----------------|
| | | C | O | P | |
| | | N | S | N | |
| | | U | O | A | |
| Dinoderus bifoveolatus (Wollaston) (Bostrichidae)..... | Congo, Ghana, India, Dunnage Wood | 4 | 2 | 1 | FL, MA, NY..... |
| Dinoderus brevis Horn (Bostrichidae)..... | India, Philippines..... | 8 | | DE, GA, NY, PR, SC, TX..... | |
| Bambusa sp. (bamboo crating) | Hawaii..... | 14 | | HI..... | |
| Diocalandra taitensis (Guerin-Meneville) (Curculionidae)..... | England..... | 1 | | NY..... | |
| Cocos nucifera (coconut) | Mexico..... | 1 | | TX..... | |
| Dioxyna sororcula (Wiedemann) (Tephritidae)..... | Denmark, Mexico..... | 1 | 1 | NY, TX..... | |
| Dianthus Caryophyllus (carnation) | Korea..... | 1 | | NC..... | |
| Diptaxis arctifrons Bates (Scarabaeidae)..... | Mexico..... | 1 | | TX..... | |
| Cucumis melo (melon) | Thailand..... | 1 | | CA..... | |
| Dissosteira carolina (Linnaeus) (Acrididae)..... | Colombia..... | 4 | | FL..... | |
| Aircraft | Guatemala..... | 1 | | PL..... | |
| Orchid (plant) | Mexico..... | 1 | | TX..... | |
| Dolycoris baccarum (Linnaeus) (Pentatomidae)..... | Asia (country-?), Japan, Aircraft | 3 | | CA, HI, WA..... | |
| Doryphora sheppardi Baly (Chrysomelidae)..... | Viet-Nam. | 1 | | PL..... | |
| Chamaedorea sp. (palm leaf) | Mexico..... | 1 | | TX..... | |
| Dorysthenes granulosus Thomson (Cerambycidae)..... | Guatemala..... | 1 | | CA..... | |
| Aircraft | Mexico..... | 1 | 1 | TX..... | |
| Draeculacephala clypeata Osborn (Cicadellidae)..... | Mexico, Unknown..... | 3 | 3 | 1 | FL, TX..... |
| Aircraft | Guatemala(?)..... | 1 | | PL..... | |
| Ducetia japonica (Thunberg) (Tettigoniidae)..... | Philippines..... | 1 | | HI..... | |
| Aircraft | France, Italy, Spain..... | 10 | 1 | | NY, PR..... |
| Dysdercus chiriquinus Distant (Pyrrhocoridae)..... | Allium sativum (garlic) | 1 | | IL..... | |
| Quarters (of ship) | Jordan(?)..... | 1 | | VI..... | |
| Dysdercus simuloides Blote (Pyrrhocoridae)..... | Hibiscus esculentus (okra) | 1 | | WA..... | |
| Ananas comosus (pineapple) | Edessa meditabunda (Fabricius) (Pentatomidae)..... | 1 | | PL..... | |
| Bromeliad (plant) | West Indies..... | 1 | | CA..... | |
| Cucumis melo (melon) | Asia (country-?)..... | 1 | | TX..... | |
| Dysdercus peruvianus Guerin-Meneville (Pyrrhocoridae)..... | Glassostethus humeralis Jakovlev (Pentatomidae)..... | 1 | | PR..... | |
| Aircraft | Guatemala..... | 1 | | PL..... | |
| Dysmicoccus neobrevipes Beardsley (Pseudococcidae)..... | Flousa albicans Walker (Noctuidae)..... | 1 | | CA..... | |
| Annona squamosa (sugar apple) | Elytta nonagrica (Walker) (Noctuidae)..... | 1 | | TX..... | |
| Dyspessa ulula (Borkhausen) (Cossidae)..... | Empoasca kraemerii Ross & Moore (Cicadellidae)..... | 1 | | PR..... | |
| Allium sativum (garlic) | Cucumis melo var. cantalupensis (cantaloup) | 1 | | AZ..... | |
| Paras insulana (Boisduval) (Noctuidae)..... | Zenchenopa sericea Walker (Membracidae)..... | 1 | | AK..... | |
| Hibiscus esculentus (okra) | Encoptolophus subgracilis Caudell (Acrididae)..... | 1 | | TX..... | |
| Edessa meditabunda (Fabricius) (Pentatomidae)..... | Eophileurus chinensis (Faldermann) (Scarabaeidae)..... | 2 | | CA, WA..... | |
| Baggage | Epicaerus cognatus Sharp (Curculionidae)..... | 1 | | TX..... | |
| Glassostethus humeralis Jakovlev (Pentatomidae)..... | Solanum tuberosum (potato) | 1 | | PL..... | |
| Aircraft | Epilachna nigrocincta Mulsant (Coccinellidae)..... | 1 | | TX..... | |
| Epilachna nigrocincta Mulsant (Coccinellidae)..... | Tillandsia sp. (bromeliad plant) | 1 | | CA..... | |
| Epilachna niponica Lewis (Coccinellidae)..... | Epilachna niponica Lewis (Coccinellidae)..... | 6 | | WA..... | |
| Aircraft | Aircraft | 1 | | PL..... | |

TABULATION OF INSECTS

| PEST AND HOST | COUNTRY OF ORIGIN | NUMBER INTERCEPTIONS IN | | | COLLECTED IN- |
|--|---|-------------------------------|----|----|---------------------|
| | | C | O | N | |
| | | O | R | O | |
| | | N | O | O | |
| | | S | N | P | |
| | | U | O | A | |
| | | M | N | G | |
| | | P | E | A | |
| | | T | N | T | |
| | | I | T | I | |
| <i>Epinotia aporema</i> (Walsingham) (Olethreutidae)..... | Chile, Japan, Mexico, Panama..... | 3 | 4 | 4 | CA, FL, MD, TX..... |
| <i>Phaseolus vulgaris</i> (string bean) <i>Vigna sinensis</i> (cowpea) | | | | | |
| <i>Epiphyas postvittana</i> (Walker) (Tortricidae)..... | Australia, New Zealand..... | 8 | 3 | 3 | HI, MD, WA..... |
| <i>Feijoa sellowiana</i> (guavasteen) <i>Fragaria</i> sp. (strawberry) <i>Malus sylvestris</i> (apple) <i>Prunus domestica</i> (plum) | | | | | |
| <i>Episparis liturata</i> (Fabricius) (Noctuidae)..... | Philippines(?), Unknown..... | 1 | 1 | 1 | DE, HI..... |
| Aircraft Cargo | | | | | |
| <i>Epitragus aurulentus aurulentus</i> Kirsch (Tenebrionidae)..... | Dominican Republic..... | 2 | | | PR..... |
| Aircraft | | | | | |
| <i>Ercheia quadriplaga</i> Walker (Noctuidae)..... | Asia (country-?)..... | 1 | | | AK..... |
| Aircraft | | | | | |
| <i>Erebus hieroglyphica</i> (Drury) (Noctuidae)..... | Philippines..... | 1 | | | CA..... |
| Aircraft | | | | | |
| <i>Ericcia inangulata</i> (Guenee) (Noctuidae)..... | Asia (country-?), Japan..... | 1 | 1 | 1 | CA, DE..... |
| Aircraft Cargo | | | | | |
| <i>Eriococcus arcanus</i> Hoy (Eriococcidae)..... | New Zealand..... | | | 1 | CA..... |
| <i>Phyllocladus trichomanoides</i> (leaf) | | | | | |
| <i>Ernobius abietis</i> (Fabricius) (Aobiidae)..... | Poland..... | 1 | | | MI..... |
| <i>Picea</i> sp. (spruce cone) | | | | | |
| <i>Erythrogonia areolata</i> (Signoret) (Cicadellidae)..... | Costa Rica..... | | | 1 | PL..... |
| Aircraft | | | | | |
| <i>Eugnathia lunifera</i> (Moore) (Noctuidae)..... | Asia (country-?)..... | | | 1 | AK..... |
| Aircraft | | | | | |
| <i>Euleia heraclei</i> (Linnaeus) (Tephritidae)..... | England, Europe (country-?), France, Rumania. | 1 | 13 | 13 | MA, NY, WA..... |
| <i>Apium graveolens</i> var. <i>dulce</i> (celery) <i>Petroselinum crispum</i> (parsley) | | | | | |
| <i>Euricania ocellus</i> var. <i>facialis</i> (Walker) (Ricaniidae)..... | Asia (country-?)..... | 1 | | | DE..... |
| Cargo | | | | | |
| <i>Eurydema pulchra</i> (Westwood) (Pentatomidae)..... | Viet-Nam..... | 1 | | | DE..... |
| Cargo | | | | | |
| <i>Euscepes postfasciatus</i> (Fairmaire) (Curculionidae)..... | Barbados, Brazil, Thailand, Trinidad. | 3 | 2 | 2 | AL, HI, NY, PR..... |
| <i>Ipomoea batatas</i> (sweetpotato) | | | | | |
| <i>Euterpnosia iwasadai</i> (Matsumura) (Cicadidae)..... | Asia (country-?)..... | | | 1 | CA..... |
| Aircraft | | | | | |
| <i>Everes comyntas</i> (Godart) (Lycaenidae)..... | Mexico..... | 2 | | | TX..... |
| <i>Phaseolus</i> sp. (bean) <i>Pisum sativum</i> (garden pea) | | | | | |
| <i>Evergestis forficalis</i> (Linnaeus) (Pyraustidae)..... | Netherlands..... | | | 1 | PA..... |
| <i>Brassica oleracea</i> var. <i>capitata</i> (cabbage) | | | | | |
| <i>Eysarcoris inconspicuus</i> (Herrick-Schaeffer) (Pentatomidae).... | Lebanon..... | | | 1 | NY..... |
| <i>Vitis</i> sp. (grape) | | | | | |
| <i>Fiorinia vacciniae</i> Kuwana (Diaspididae)..... | Japan..... | | | 1 | CA, OR..... |
| <i>Cleyera</i> sp. (cleyera leaf) <i>Shortia uniflora</i> grandiflora (leaf) | | | | | |
| <i>Frankliniella formosae</i> Moulton (Thripidae)..... | Asia (country-?), Japan, Korea.. | 47 | 30 | 30 | AK, WA..... |
| <i>Chrysanthemum</i> sp. (cut flowers) <i>Dahlia</i> sp. (cut flowers) <i>Dianthus</i> sp. (cut flowers) | | | | | |
| <i>Flowers</i> (mixed) <i>Gladiolus</i> sp. (cut flowers) <i>Paeonia</i> sp. (cut flowers) <i>Rosa</i> sp. (cut flowers) <i>Zinnia</i> sp. (cut flowers) | | | | | |
| <i>Frankliniella intonsa</i> (Trybom) (Thripidae)..... | Denmark, Europe (country-?), Sweden. | 5 | | | AK, WA..... |
| <i>Dianthus</i> sp. (cut flowers) <i>Lathyrus</i> sp. (cut flowers) <i>Rosa</i> sp. (cut flowers) | | | | | |
| <i>Frankliniella liliivora</i> Kurosawa (Thripidae)..... | Japan..... | | | 1 | CA..... |
| <i>Lilium</i> sp. (lily bulb) | | | | | |
| <i>Furcaspis oceanica</i> Lindinger (Diaspididae)..... | Kwajalein, Marshall Islands.... | 15 | 1 | 1 | CA, HI..... |
| <i>Cocos nucifera</i> (coconut) | | | | | |

TABULATION OF INSECTS

| PEST AND HOST | COUNTRY OF ORIGIN | NUMBER INTERCEPTIONS IN | | | COLLECTED IN- |
|--|--|---|---|--|--|
| | | C O N U P T I O N | S N O E N T I R Y | P R A G E T I C H E | |
| Gahaniola phragmitis Erdos (Eurytomidae)..... | Yugoslavia..... | 1 | | | TX..... |
| Phragmites communis (reed mats) | | | | | |
| Galbulpha quairisignata (Stal) (Corimelaenidae)..... | Mexico..... | | | | 1 TX..... |
| Orchid (plant) | | | | | |
| Gargaphia opacula Uhler (Inquidae)..... | Mexico..... | 1 | | | TX..... |
| Coriandrum sativum (coriander greens) | | | | | |
| Gelechia ericetella (Hubner) (Gelechiidae)..... | Scotland..... | 1 | | | NY..... |
| Calluna vulgaris (heather) | | | | | |
| Geniates panamensis Arrow (Scarabaeidae)..... | Mexico, Panama, Unknown..... | 1 | 11 | | PL, SC, TX..... |
| Aircraft | | | | | |
| Lactuca sativa (lettuce) | | | | | |
| Geocoris lineolus (Rambur) (Lygaeidae)..... | Italy..... | 1 | | | PL..... |
| Cargo | | | | | |
| Geotomus pygmaeus (Dallas) (Cydnidae)..... | Asia (country-?), Australia(?), Guam, Guam(?), Japan, Mauritius, Philippines, Unknown, Viet-Nam, West Pacific. | 7 | 12 | | CA, DE, PL, HI, WA..... |
| Aircraft | | | | | |
| Cargo | | | | | |
| Gesonia obeditalis Walker (Noctuidae)..... | Okinawa, Philippines..... | 3 | | | CA, DE..... |
| Aircraft | | | | | |
| Giraudiella inclusa (Frauenfeld) (Cecidomyiidae)..... | Yugoslavia..... | 1 | | | TX..... |
| Phragmites communis (reed) | | | | | |
| Glaucothrips glaucus (Bagnall) (Thripidae)..... | South Africa..... | 1 | | | MD..... |
| Protea sp. (cut flowers) | | | | | |
| Globitermes sulphureus (Haviland) (Termitidae)..... | Thailand..... | 1 | | | CA..... |
| Wood | | | | | |
| Grammodes geometrica (Fabricius) (Noctuidae)..... | Asia (country-?), Guam(?), Japan, Thailand, Unknown, Viet-Nam, West Pacific. | 3 | 11 | | AK, CA, DE, HI, WA..... |
| Aircraft | | | | | |
| Cargo | | | | | |
| Graptostethus manillensis (Stal) (Lygaeidae)..... | Hawaii..... | 1 | | | HI..... |
| Dendrobium sp. (cut flowers) | | | | | |
| Gryllotalpa africana Palisot de Beauvois (Gryllotalpidae)..... | Asia (country-?), Japan, Okinawa, Philippines, Thailand, Unknown, Viet-Nam. | 6 | 18 | | AK, CA, DE, HI, WA..... |
| Aircraft | | | | | |
| Baggage | | | | | |
| Cargo | | | | | |
| Mail | | | | | |
| Gryllus bimaculatus DeGeer (Gryllidae)..... | Asia (country-?), Japan, Okinawa, Philippines, Thailand, Unknown, Viet-Nam, West Pacific. | 26 | 127 | | AK, CA, DE, HI, NY, SC, TX, WA..... |
| Aircraft | | | | | |
| Baggage | | | | | |
| Cargo | | | | | |
| Mail | | | | | |
| Stores | | | | | |
| Gryllus capitatus Saussure (Gryllidae)..... | Ecuador, Panama..... | 1 | 2 | | AL, PL..... |
| Aircraft | | | | | |
| Soil | | | | | |
| Stores (in storeroom) | | | | | |
| Haetognathus minutus Gillogly (Nitidulidae)..... | Fiji..... | | 1 | | HI..... |
| Plumeria sp. (cut flowers) | | | | | |
| Haetognathus pacificus Gillogly (Nitidulidae)..... | Fiji, Guam..... | 2 | 2 | | HI..... |
| Plumeria sp. (cut flowers) | | | | | |
| Haptoncus fallax Grouvelle (Nitidulidae)..... | Kenya..... | | | 1 | NY..... |
| Hyphaene sp. (palm seed) | | | | | |
| Haptoncus ocularis (Fairmaire) (Nitidulidae)..... | Tahiti..... | 1 | | | HI..... |
| Phaoemeria magnifica (flower) | | | | | |
| Harrisina brillians Barnes & Mc Dunnough (Zygaenidae)..... | Mexico..... | 1 | | 1 | CA, TX..... |
| Prunus persica (peach) | | | | | |
| Vitis sp. (grape leaf) | | | | | |
| Beliothis armigera (Hubner) (Noctuidae)..... | Asia (country-?)..... | | 9 | | AK, WA..... |
| Aircraft | | | | | |
| Beliothis assulta (Guenee) (Noctuidae)..... | Asia (country-?)..... | | 1 | | WA..... |
| Aircraft | | | | | |
| Hellula undalis (Fabricius) (Pyraustidae)..... | Spain..... | | 1 | | LA..... |
| Brassica rapa (turnip) | | | | | |
| Hemicroa australis (Lepeletier) (Tenthredinidae)..... | Germany..... | 1 | | | DE..... |
| Cargo | | | | | |

TABULATION OF INSECTS

| PEST AND HOST | COUNTRY OF ORIGIN | NUMBER INTERCEPTIONS IN | | | | COLLECTED IN- |
|--|---|-------------------------------|-------|-------|--|---------------|
| | | C | O | P | R | |
| | | N | S | N | O | |
| | | U | E | O | A | |
| | | P | T | E | A | |
| | | T | I | N | T | |
| | | I | O | R | I | |
| | | O | R | O | R | |
| | | N | Y | N | N | |
| | | | | | | |
| Hemimene juliana (Curtis) (Olethreutidae)..... | Italy..... | 1 | | | MA..... | |
| Castanea sativa (European chestnut) | | | | | | |
| Hermonassa cecilia Butler (Noctuidae)..... | Asia (country-?)..... | | 1 | | WA..... | |
| Aircraft | | | | | | |
| Herpetogramma licarsialis (Walker) (Pyraustidae)..... | Asia (country-?), Hawaii, Japan. | 4 | 10 | | HI..... | |
| Aircraft | | | | | | |
| Baggage | | | | | | |
| Desmettix viridis (Thomas) (Acrididae)..... | Mexico..... | 1 | | | TX..... | |
| Automobile | | | | | | |
| Heterobostrychus aequalis (Waterhouse) (Bostrichidae)..... | Asia (country-?), India, Philippines, Singapore, Thailand, Unknown, Viet-Nam. | 147 | 6 | | AK, AL, CA, DE, FL, GA, LA, MA, MD, NY, PA, SC, VA, WA..... | |
| Aircraft | | | | | | |
| Cargo | | | | | | |
| Cargo hold (of ship) | | | | | | |
| Dunnage | | | | | | |
| Wood | | | | | | |
| Hexaleurodinus ferrisi Sampson & Drews (Aleyrodidae)..... | Mexico..... | 1 | | | CA..... | |
| Gardenia sp. (cut flowers) | | | | | | |
| Hippia mumeles (Cramer) (Notodontidae)..... | Unknown..... | | 1 | | PR..... | |
| Aircraft | | | | | | |
| Homalodisca ichthycephala (Signoret) (Cicadellidae)..... | Mexico..... | 6 | | | TX..... | |
| Cucumis melo (melon) | | | | | | |
| Cucumis melo var. cantalupensis (cantaloup) | | | | | | |
| Homoeoxiphia lycoides (Walker) (Gryllidae)..... | Japan..... | 1 | | | CA..... | |
| Cargo | | | | | | |
| Homorocoryphus lineosus (Walker) (Tettigoniidae)..... | Asia (country-?)..... | | 1 | | WA..... | |
| Aircraft | | | | | | |
| Homorocoryphus nitidulus (Scopoli) (Tettigoniidae)..... | England..... | | 1 | | CA..... | |
| Aircraft | | | | | | |
| Hosunka hakonensis (Matsumura) (Delphacidae)..... | Asia (country-?)..... | | 1 | | DE..... | |
| Aircraft | | | | | | |
| Hulodes caranea (Cramer) (Noctuidae)..... | Viet-Nam..... | 1 | | | AL..... | |
| Cargo | | | | | | |
| Hyadaphis foeniculi (Passerini) (Aphididae)..... | England..... | 1 | | | MA..... | |
| Dahlia sp. (cut flowers) | | | | | | |
| Hylurgops palliatus (Gyllenhal) (Scolytidae)..... | Belgium, Denmark, Finland, Germany, Yugoslavia. | 4 | 1 | | FL, GA, MN, SC..... | |
| Dunnage | | | | | | |
| Wood (crate) | | | | | | |
| Hylurgops ligniperda (Fabricius) (Scolytidae)..... | Italy, Portugal..... | 2 | | | GA..... | |
| Wood (crate) | | | | | | |
| Hypoborus ficus Erichson (Scolytidae)..... | Italy, Spain..... | | | 4 | PL, MA, NJ, NY..... | |
| Picus sp. (fig cutting) | | | | | | |
| Picus sp. (fig plant) | | | | | | |
| Hypocala deflorata (Fabricius) (Noctuidae)..... | Japan, Panama..... | 1 | 1 | | DE, HI..... | |
| Aircraft | | | | | | |
| Cargo | | | | | | |
| Hypsipalus gigas (Fabricius) (Curculionidae)..... | Japan..... | 1 | | | NY..... | |
| Baggage | | | | | | |
| Hypothenemus hampei (Ferrari) (Scolytidae)..... | Africa (country-?), Angola, Argentina, Brazil, Cameroon, Colombia, Congo, Ethiopia, Ghana, Guatemala, Guinea, India, Indonesia, Ivory Coast, Kenya, Liberia, Malaysia, Mexico, Nicaragua, Rwanda, Singapore, Uganda. | 72 | | | IL, LA..... | |
| Coffea sp. (coffee seed) | | | | | | |
| Inazuma dorsalis (Motschulsky) (Cicadellidae)..... | Asia (country-?), Okinawa, Spain(?), Viet-Nam(?) | 3 | 1 | | DE, WA..... | |
| Aircraft | | | | | | |
| Cargo | | | | | | |
| Ischnodemus darwini Slater (Lygaeidae)..... | South Africa..... | 1 | | | NY..... | |
| Citrus limon (lemon) | | | | | | |
| Isorhinus undatus Champion (Curculionidae)..... | Mexico..... | | | 2 | TX..... | |
| Bromeliad (plant) | | | | | | |
| Tillandsia sp. (bromeliad plant) | | | | | | |
| Kleidocerys truncatulus (Walker) (Lygaeidae)..... | England..... | | | 1 | DC..... | |
| Calluna vulgaris (leaf) | | | | | | |

TABULATION OF INSECTS

| PEST AND HOST | COUNTRY OF ORIGIN | NUMBER INTERCEPTIONS IN | | COLLECTED IN- |
|--|--|-------------------------------|-------|--|
| | | C | P | |
| | | O | R | |
| | | N | O | |
| | | S | P | |
| | | U | A | |
| | | M | G | |
| | | P | E | |
| | | T | A | |
| | | I | T | |
| Kleidocerys truncatulus (Walker) (Lygaeidae) (?) | England..... | 1 | | IL..... |
| Calluna vulgaris (leaf) | | | | |
| Lecan scabrosus Candzeze (Plateridae) | Mexico..... | | 2 | TX..... |
| Plants (mixed) | | | | |
| Lamprodes boeticus (Linnaeus) (Lycaenidae) | Hawaii..... | 1 | | HI..... |
| Canavalia cathartica (flower) | | | | |
| Lampra bellula Lewis (Buprestidae) (?) | Japan (?)..... | 1 | | CA..... |
| Dunnage | | | | |
| Latirus scolyti Olivier (Curculionidae) | Spain..... | 1 | | MI..... |
| Cynara scolymus (artichoke) | | | | |
| Lasioglossa arundinis Schiner (Cecidomyiidae) | Austria..... | 1 | | TX..... |
| Phragmites sp. (reed mats) | | | | |
| Laspeyresia araucariae Pastrana (Olethreutidae) (?) | Brazil..... | 1 | | CA..... |
| Araucaria angustifolia (seed) | | | | |
| Laspeyresia fabivora Meyrick (Olethreutidae) | Dominican Republic..... | 1 | | PR..... |
| Phaseolus sp. (bean pod) | | | | |
| Laspeyresia splendana (Hubner) (Olethreutidae) | Azores, France, Germany, Greece, Italy, Netherlands, Portugal, Spain, Switzerland. | 46 | 1 | FL, IL, MA, NY, OH, PA, PR, TX..... |
| Castanea sativa (European chestnut) | | | | |
| Laspeyresia strobiliella (Linnaeus) (Olethreutidae) | Europe (country-?), Germany, Poland, Switzerland. | 7 | | MI, NY, OH..... |
| Picea sp. (spruce cone) | | | | |
| Lema bilineata Germar (Chrysomelidae) | Chile..... | 1 | | NY..... |
| Cucumis melo (melon) | | | | |
| Lepidosaphes bladhiae Takahashi (Diaspididae) | Guam, Philippines, Thailand..... | 2 | 1 | CA..... |
| Areca catechu (betel nut) | | | | |
| Cocos nucifera (coconut) | | | | |
| Lepidosaphes conchiformiooides Borchsenius (Diaspididae) | Japan..... | | 11 | 1 CA, HI, WA..... |
| Diospyros kaki (persimmon) | | | | |
| Wisteria sp. (wisteria plant) | | | | |
| Lepidosaphes esakii Takahashi (Diaspididae) | Guam, Kwajalein, Philippines, Unknown. | 10 | | CA, HI..... |
| Cocos nucifera (coconut) | | | | |
| Lepidosaphes euryae (Kuwana) (Diaspididae) | Japan..... | | 1 | OR..... |
| Eurya japonica (leaf) | | | | |
| Lepidosaphes kamakurensis Kuwana (Diaspididae) | Japan, Korea..... | 5 | | AK, HI, WA..... |
| Camellia sp. (cut flowers) | | | | |
| Lepidosaphes pistaciae Archangelskai (Diaspididae) | Lebanon..... | 1 | | MA..... |
| Pistacia sp. (pistache nut) | | | | |
| Lepidosaphes spinulosa Beardsley (Diaspididae) | Philippines..... | 1 | | CA..... |
| Psidium guajava (guava) | | | | |
| Lepidosaphes zelkovae Takagi (Diaspididae) | Japan..... | | 1 | WA..... |
| Zelkova sp. (zelkova stem) | | | | |
| Leptoglossus chilensis Spinola (Coreidae) | Chile..... | 15 | | NY..... |
| Vitis sp. (grape) | | | | |
| Leucania formosana (Butler) (Noctuidae) (?) | Asia (country-?)..... | 1 | 3 | AK, WA..... |
| Aircraft | | | | |
| Leucania hamifera Walker (Noctuidae) | Asia (country-?), Japan..... | 2 | | CA..... |
| Aircraft | | | | |
| Leucania loreyi (Duponchel) (Noctuidae) | Asia (country-?), Okinawa..... | 6 | | AK, WA..... |
| Aircraft | | | | |
| Leucania yu Guenee (Noctuidae) | Asia (country-?)..... | 1 | | WA..... |
| Aircraft | | | | |
| Leucaspis candida (Targioni-Tozzetti) (Diaspididae) | India..... | 1 | | PA..... |
| Wood (crates) | | | | |
| Leucaspis loewi Colvée (Diaspididae) | Azores, Germany..... | 2 | | CA, MA..... |
| Pinus sp. (pine leaf) | | | | |
| Leucaspis riccae (Targioni-Tozzetti) (Diaspididae) | Italy..... | 1 | | NY..... |
| Olea europaea (olive) | | | | |
| Leucinodes orbonalis Guenee (Pyraustidae) | Ghana, Ivory Coast, Liberia, Senegal, Togo. | 5 | | MD, NY, VA..... |
| Fruit - unidentified | | | | |
| Solanum melongena (eggplant) | | | | |
| Limonia consimilis (Zetterstedt) (Tipulidae) | Japan..... | | 1 | HI..... |
| Plant (bonsai tree) | | | | |
| Lincus spathuliger Breddin (Pentatomidae) | Surinam..... | | 1 | PR..... |
| Oncidium sp. (orchid plant) | | | | |

TABULATION OF INSECTS

| PEST AND HOST | COUNTRY OF ORIGIN | NUMBER INTERCEPTIONS IN | | COLLECTED IN- |
|---|---|-------------------------------|-------|---|
| | | C | P | |
| | | O | R | |
| | | N | O | |
| | | S | P | |
| | | U | A | |
| | | M | G | |
| | | P | E | |
| | | T | T | |
| | | I | I | |
| Liogenys macropelma Bates (Scarabaeidae)..... | Central America (country-?), Panama, Unknown. | 1 | 59 | FL, PR, SC, VA, VI..... |
| Aircraft | | | | |
| Cargo | | | | |
| Liogenys quadridens (Fabricius) (Scarabaeidae)..... | Colombia..... | 1 | | FL..... |
| Cargo | | | | |
| Liriomyza brasiliensis (Frost) (Agromyzidae)..... | Colombia..... | 2 | | FL..... |
| Solanum tuberosum (potato) | | | | |
| Lobesia botrana (Schiffermuller) (Olethreutidae)..... | Italy, Jordan, Yugoslavia..... | 3 | | NY..... |
| Vitis sp. (grape) | | | | |
| Locusta migratoria Linnaeus (Acrididae)..... | Japan, Okinawa..... | 2 | | CA, TX..... |
| Aircraft | | | | |
| Lophoptera ferrinalis (Walker) (Noctuidae)..... | Philippines..... | 1 | | DE..... |
| Cargo | | | | |
| Lophoptera illucida (Walker) (Noctuidae)..... | Asia (country-?)..... | 1 | | CA..... |
| Aircraft | | | | |
| Loxoblemmus equestris Saussure (Gryllidae)..... | Asia (country-?)..... | 8 | | AK, WA..... |
| Aircraft | | | | |
| Lyctoxylon japonum Reitter (Lyctidae)..... | India, Japan..... | 2 | | CA, LA..... |
| Wood | | | | |
| Lygaeus albo-ornatus Blanchard (Lygaeidae)..... | Chile..... | 1 | | NY..... |
| Cucumis melo (melon) | | | | |
| Macrodactylus mexicanus Burmeister (Scarabaeidae)..... | Mexico..... | 1 | | TX..... |
| Pyrus communis (pear) | | | | |
| Macrocyptium reticulare (Fabricius) (Pentatomidae)..... | Mexico..... | 1 | | TX..... |
| Bromeliad (plant) | | | | |
| Malacorhinus irregularis Jacoby (Chrysomelidae)..... | Mexico..... | 1 | 1 | AZ, TX..... |
| Acalypha sp. (copperleaf cutting) | | | | |
| Lycopersicon esculentum (tomato) | | | | |
| Manestra brassicae (Linnaeus) (Noctuidae)..... | Belgium, England, France, Germany, Italy, Japan, Netherlands, Portugal, Spain..... | 32 | | AL, FL, LA, MI, NY, PA, PR, SC, WA..... |
| Beta vulgaris var. cicla (swiss chard) | | | | |
| Brassica oleracea var. botrytis (cauliflower) | | | | |
| Brassica oleracea var. capitata (cabbage) | | | | |
| Lactuca sativa (lettuce) | | | | |
| Petroselinum crispum (parsley) | | | | |
| Raphanus sativus (radish) | | | | |
| Manopus simillimus Moser (Scarabaeidae)..... | Colombia..... | 1 | | PL..... |
| Aircraft | | | | |
| Maruca testulalis (Geyer) (Pyraustidae)..... | American Virgin Islands, Asia (country-?), Dominican Republic, Guam, Hawaii, Japan, Panama, Philippines, Puerto Rico, Viet-Nam..... | 16 | 16 | AK, CA, DE, FL, HI, LA, NY, PR, WA..... |
| Aircraft | | | | |
| Cajanus cajan (pigeonpea) | | | | |
| Cargo | | | | |
| Phaseolus vulgaris (string bean) | | | | |
| Sesbania grandiflora (flower) | | | | |
| Matsuuraes phaseoli (Matsumura) (Olethreutidae)..... | Japan..... | 9 | | OR..... |
| Phaseolus vulgaris (string bean) | | | | |
| Mecidea major Sailer (Pentatomidae)..... | Viet-Nam (?)..... | 1 | | HI..... |
| Aircraft | | | | |
| Mecopoda elongata (Linnaeus) (Tettigoniidae)..... | Asia (country-?), Okinawa, Thailand, Viet-Nam, West Pacific..... | 1 | 13 | AK, CA, DE, HI, WA..... |
| Aircraft | | | | |
| Megacerus cubiciformis (Sharp) (Bruchidae)..... | Mexico..... | 1 | 1 | TX..... |
| Operculina tuberosa (wood-rose) | | | | |
| Megasoma elephas (Fabricius) (Scarabaeidae)..... | Panama..... | 1 | | PL..... |
| Aircraft | | | | |
| Megasoma gyas (Herbst) (Scarabaeidae)..... | Trinidad..... | 1 | | PL..... |
| Aircraft | | | | |
| Megastigmus borriesi Crosby (Torymidae)..... | Korea..... | | 1 | DC..... |
| Abies veitchii (seed) | | | | |
| Megastigmus cryptomeriae Yano (Torymidae)..... | Italy..... | | 2 | NJ..... |
| Chamaecyparis lawsoniana (seed) | | | | |
| Chamaecyparis lawsoniana pyramidalis (seed) | | | | |
| Megastigmus firmae Kamijo (Torymidae)..... | Japan..... | | 1 | NJ..... |
| Abies firma (seed) | | | | |
| Megastigmus pistaciae Walker (Torymidae)..... | England, Unknown..... | 1 | 1 | NJ, NY..... |
| Pistacia sp. (pistache seed) | | | | |
| Seed - unidentified | | | | |

TABULATION OF INSECTS

| PEST AND HOST | COUNTRY OF ORIGIN | NUMBER INTERCEPTIONS IN | | | | COLLECTED IN- |
|---|---|-------------------------------|---|---|---|---------------|
| | | C | O | N | P | |
| | | O | R | O | A | |
| | | N | O | N | G | |
| | | S | U | O | E | |
| | | U | H | A | T | |
| | | M | W | G | I | |
| | | P | E | T | O | |
| | | T | N | T | R | |
| | | I | T | I | O | |
| Megastigmus seitneri Hoffmeyer (Torymidae)..... | England, Soviet Union..... | 2 | NJ..... | | | |
| Larix europaea (seed) | | | | | | |
| Larix sibirica (seed) | | | | | | |
| Megastigmus strobilobius Ratzeburg (Torymidae)..... | Austria, Denmark, Germany, Abies sibirica (seed) India, Soviet Union. | 6 | NJ..... | | | |
| Picea abies (seed) | | | | | | |
| Picea morinda (seed) | | | | | | |
| Picea omorika (seed) | | | | | | |
| Megastigmus suspectus Borries (Torymidae)..... | Italy..... | 3 | NJ..... | | | |
| Abies cephalonica (seed) | | | | | | |
| Abies nordmanniana (seed) | | | | | | |
| Megastigmus suspectus pinsapinis Hoffmeyer (Torymidae)..... | England(?)..... | 1 | NJ..... | | | |
| Abies pinsape (seed) | | | | | | |
| Melanaspis inopinata (Leonardi) (Diaspididae)..... | Iran, Lebanon..... | 2 | CA, VA..... | | | |
| Pistacia sp. (pistache nut) | | | | | | |
| Melanaspis paulista (Hempel) (Diaspididae)..... | Argentina, Bolivia..... | 2 | PL..... | | | |
| Laurus sp. (laurel leaf) | | | | | | |
| Melanaspis tenax McKenzie (Diaspididae)..... | St. Kitts..... | 1 | PL..... | | | |
| Dendrobium sp. (orchid plant) | | | | | | |
| Melanocoryphus albomaculatus (Goeze) (Lygaeidae)..... | France..... | 1 | NY..... | | | |
| Cupressus sp. (cypress cone) | | | | | | |
| Melanoplus devastator Scudder (Acrididae)..... | Unknown..... | 1 | CA..... | | | |
| Aircraft | | | | | | |
| Meligethes aeneus Fabricius (Mitidulidae)..... | Europe (country-?)..... | 1 | DE..... | | | |
| Cargo | | | | | | |
| Melolontha japonica Burmeister (Scarabaeidae)..... | Asia (country-?)..... | 2 | AK..... | | | |
| Aircraft | | | | | | |
| Melolontha japonica Burmeister (Scarabaeidae) (?)..... | Asia (country-?)..... | 2 | WA..... | | | |
| Aircraft | | | | | | |
| Melolontha melolontha (Linnaeus) (Scarabaeidae)..... | Germany, Switzerland..... | 2 | NY..... | | | |
| Aircraft | | | | | | |
| Hebrancis mexicana Guerin-Meneville (Membracidae)..... | Costa Rica(?)..... | 1 | PL..... | | | |
| Aircraft | | | | | | |
| Metalectra brevicornis (Linnaeus) (Acrididae)..... | Panama..... | 4 | PL..... | | | |
| Aircraft | | | | | | |
| Metamasius callizona (Chevrolat) (Curculionidae)..... | Mexico..... | 1 | TX..... | | | |
| Plants (mixed) | | | | | | |
| Metamasius hemipterus sericeus (Olivier) (Curculionidae)..... | Panama(?)..... | 1 | PL..... | | | |
| Aircraft | | | | | | |
| Metamasius quadrilineatus Champion (Curculionidae)..... | Honduras..... | 1 | PL..... | | | |
| Bromeliad (plant) | | | | | | |
| Metioche vittaticollis (Stal) (Gryllidae)..... | Japan..... | 1 | CA..... | | | |
| Aircraft | | | | | | |
| Metricaria trisignata Boheman (Chrysomelidae) (?)..... | Mexico, Nicaragua..... | 8 | PL, LA, TX..... | | | |
| Chamaedorea sp. (palm leaf) | | | | | | |
| Micrelus ericae (Gyllenhal) (Curculionidae)..... | Germany..... | 1 | MI..... | | | |
| Calluna vulgaris (heather) | | | | | | |
| Mictocentrum triangulatum (Brunner) (Tettigoniidae)..... | Bermuda..... | 1 | PP..... | | | |
| Aircraft | | | | | | |
| Minoesters dominicanus (Jekel) (Bruchidae)..... | Dominican Republic..... | 1 | PP..... | | | |
| Seed pod - unidentified | | | | | | |
| Minoesters dominicanus (Jekel) (Bruchidae) (?)..... | Mexico..... | 1 | AZ..... | | | |
| Caesalpinia sp. (seed pods) | | | | | | |
| Minthea rugicollis (Walker) (Lyctidae)..... | Brazil, Hong Kong, India, Japan, Philippines, Taiwan, Trinidad, Zanzibar. | 21 | AZ, CA, FL, GA, LA, MA, NY, OR, SC..... | | | |
| Bambusa sp. (bamboo) | | | | | | |
| Dunnage | | | | | | |
| Herb | | | | | | |
| Packing material | | | | | | |
| Plant - unidentified | | | | | | |
| Stores (in storeroom) | | | | | | |
| Wood | | | | | | |

TABULATION OF INSECTS

| PEST AND HOST COUNTRY OF ORIGIN | NUMBER INTERCEPTIONS IN | | | COLLECTED IN- |
|--|---|----|----|------------------------------------|
| | C | O | P | |
| | O | R | | |
| | N | | O | |
| | S | N | P | |
| | U | O | A | |
| | M | N | G | |
| | P | E | A | |
| | T | N | T | |
| | I | T | I | |
| <i>Mioquryllus ensifer</i> (Scudder) (Gryllidae)..... | Venezuela..... | 1 | | FL..... |
| Aircraft | | | | |
| <i>Mocis frugalis</i> (Fabricius) (Noctuidae)..... | Asia (country-?), Japan, Okinawa, Philippines, Viet-Nam. | 3 | 8 | AK, CA, DE, HI, WA..... |
| Aircraft | | | | |
| Cargo | | | | |
| <i>Mocis undata</i> (Fabricius) (Noctuidae)..... | Asia (country-?), Japan..... | 1 | 1 | AK, CA..... |
| Aircraft | | | | |
| <i>Modicogryllus confirmatus</i> (Walker) (Gryllidae)..... | Asia (country-?), Philippines, Viet-Nam. | 7 | 10 | AK, DE, NJ, WA. |
| Aircraft | | | | |
| Cargo | | | | |
| <i>Modicogryllus siamensis</i> Chopard (Gryllidae)..... | Asia (country-?)..... | | 1 | WA..... |
| Aircraft | | | | |
| <i>Monellia costalis</i> (Pitch) (Aphididae)..... | Mexico(?)..... | 1 | | TX..... |
| <i>Carya</i> sp. (pecan leaf) | | | | |
| <i>Monosteira unicostata</i> Mulsant & Rey (Tingidae)..... | Italy..... | 1 | | NY..... |
| <i>Punica granatum</i> (pomegranate) | | | | |
| <i>Mormidea angustata</i> Stål (Pentatomidae)..... | Panama..... | | | PL..... |
| <i>Cattleya</i> sp. (orchid plant) | | | | |
| <i>Mormidea collaris</i> Dallas (Pentatomidae)..... | Mexico..... | | | TX..... |
| <i>Bromeliad</i> (plant) | | | | |
| <i>Myocalandra exarata</i> (Bohemian) (Curculionidae)..... | India..... | 1 | | PA..... |
| <i>Bambusa</i> sp. (bamboo) | | | | |
| <i>Nasutitermes corniger</i> (Motschulsky) (Termitidae)..... | Costa Rica..... | 1 | | LA..... |
| Bark (on log) | | | | |
| <i>Nasutitermes costalis</i> (Holmgren) (Termitidae)..... | Martinique, St. Kitts..... | 2 | | NY, VI..... |
| <i>Saccharum officinarum</i> (sugarcane) | | | | |
| <i>Nasutitermes nigricipes</i> (Baldeman) (Termitidae)..... | Mexico..... | | 1 | TX..... |
| <i>Tillandsia</i> sp. (bromeliad plant) | | | | |
| <i>Naupactus xanthographus</i> (Germar) (Curculionidae)..... | Chile..... | 1 | | NY..... |
| <i>Vitis</i> sp. (grape) | | | | |
| <i>Nemapogon parasitella</i> (Hubner) (Tineidae)..... | Belgium..... | | 1 | TX..... |
| Dunnage | | | | |
| <i>Neoleucinodes elegantalis</i> (Guenee) (Pyraustidae)..... | Brazil, Colombia, Ecuador, Venezuela. | 6 | 3 | AL, FL, GA, PA. |
| <i>Cyphomandra betacea</i> (tree tomato) | | | | |
| <i>Lycopersicon esculentum</i> (tomato) | | | | |
| <i>Solanum melongena</i> (eggplant) | | | | |
| <i>Solanum quitoense</i> (haranjilla) | | | | |
| <i>Nephrotettix apicalis</i> (Motschulsky) (Cicadellidae)..... | Asia (country-?), India, Japan, Philippines, Unknown, Viet-Nam. | 27 | 7 | AL, CA, DE, MD, PA, WA..... |
| Aircraft | | | | |
| Cargo | | | | |
| Stores | | | | |
| <i>Nephrotettix cincticeps</i> (Uhler) (Cicadellidae)..... | Asia (country-?), Philippines..... | 11 | | AK, HI, WA..... |
| Aircraft | | | | |
| <i>Nephrotettix impicticeps</i> Ishihara (Cicadellidae)..... | Asia (country-?), India, Japan, Unknown, Viet-Nam. | 3 | 28 | AK, AL, CA, DE, HI, LA, TX, WA. |
| Aircraft | | | | |
| Cargo | | | | |
| Stores | | | | |
| <i>Nikkoaspis shiranensis</i> Kuwana (Diaspididae)..... | Japan..... | 1 | | CA..... |
| <i>Bambusa</i> sp. (bamboo leaf) | | | | |
| <i>Nilaparvata lugens</i> (Stål) (Delphacidae)..... | Asia (country-?), Philippines, Thailand, Viet-Nam. | 3 | 6 | DE, WA..... |
| Aircraft | | | | |
| Cargo | | | | |
| <i>Nisia atrovenosa</i> (Lethierry) (Meenoplidae)..... | Asia (country-?), Japan, Okinawa, Viet-Nam, West Pacific. | 11 | 3 | DE, HI, WA..... |
| Aircraft | | | | |
| Cargo | | | | |
| <i>Nysius buttoni</i> B. White (Lygaeidae)..... | New Zealand..... | | 1 | HI..... |
| Pruit - unidentified | | | | |
| <i>Nysius memorivagus</i> White (Lygaeidae)..... | Hawaii..... | 1 | | HI..... |
| <i>Araucaria heterophylla</i> (tree) | | | | |
| <i>Ochropleura triangularis</i> Moore (Noctuidae)..... | Asia (country-?), Japan..... | | 2 | CA, WA..... |
| Aircraft | | | | |
| <i>Ochrostomus moa</i> (Barber) (Lygaeidae)..... | Bahamas..... | | | 1 PL..... |
| Orchid (plant) | | | | |
| <i>Oechalia schellenbergi</i> (Guerin-Meneville) (Pentatomidae)..... | New Caledonia..... | 1 | | HI..... |
| <i>Juniperus</i> sp. (juniper cone) | | | | |

TABULATION OF INSECTS

| PEST AND HOST | COUNTRY | NUMBER INTERCEPTIONS IN | | | | COLLECTED IN- |
|--|---|-------------------------------|---|---|---|----------------------------|
| | | C | O | N | P | |
| Aircraft | OF | S | N | P | | |
| Vehicle | | U | O | A | | |
| Odoecosta biannularis (Bohemian) (Chrysomelidae) (?) | Mexico | M | N | G | | |
| Bromeliad (plant) | | P | E | A | | |
| Osmatophora fulvastra Guenée (Noctuidae) | Japan | T | N | T | | |
| Aircraft | | I | T | I | | |
| Omophoita aequinoctialis (Linnaeus) (Chrysomelidae) (?) | Panama (?) | O | R | O | | |
| Aircraft | | N | Y | N | | |
| Oedaleonotus enigma (Scudder) (Acrididae) | Unknown | | | | 1 | CA..... |
| Oedionychus virgatus Harold (Chrysomelidae) (?) | Mexico | | | | 1 | TX..... |
| Odoecosta biannularis (Bohemian) (Chrysomelidae) (?) | Mexico | | | | 1 | AZ..... |
| Osmatophora fulvastra Guenée (Noctuidae) | Japan | | | | 2 | CA..... |
| Omophoita aequinoctialis (Linnaeus) (Chrysomelidae) (?) | Panama (?) | | | | 1 | PL..... |
| Omphisa anastomosalis (Guenée) (Pyraustidae) | Asia (country-?), Hawaii | | | | 2 | AK, DE, HI..... |
| Aircraft | | | | | | |
| Cargo | | | | | | |
| Ipomoea batatas (sweetpotato) | | | | | | |
| Oncometopia clarior (Walker) (Cicadellidae) | Mexico | | | | 1 | TX..... |
| Chamaedorea sp. (palm leaf) | | | | | | |
| Ophiusa indiscriminata (Hampson) (Noctuidae) | Asia (country-?) | | | | 1 | WA..... |
| Aircraft | | | | | | |
| Oplosmus nigripennis Dallas (Pentatomidae) | Mexico | | | | 1 | TX..... |
| Solanum melongena (eggplant) | | | | | | |
| Opogona sacchari (Bojer) (Tineidae) | Azores, Cape Verde Islands | | | | 2 | 1 MA..... |
| Lilium sp. (lily plant) | | | | | | |
| Musa sp. (banana) | | | | | | |
| Saccharum officinarum (sugarcane) | | | | | | |
| Opuntiopsis philococcus (Cockerell) (Diaspididae) | Mexico | | | | 3 | TX..... |
| Astrophytum sp. (cactus plant) | | | | | | |
| Cereus sp. (cactus plant) | | | | | | |
| Hamillaria sp. (cactus plant) | | | | | | |
| Orchamoplatus mammaeferus (Quaintance & Baker) (Aleyrodidae) | American Samoa | | | | 1 | HI..... |
| Codiaeum sp. (croton leaf) | | | | | | |
| Orchidophilus atterimus (Waterhouse) (Curculionidae) | Hawaii | | | | 5 | 1 HI..... |
| Orchid (cat flower) | | | | | | |
| Ornithospila submonstrans Walker (Geometridae) | Asia (country-?) | | | | 1 | WA..... |
| Aircraft | | | | | | |
| Orsilochus maculatus (Fieber) (Lygaeidae) | France | | | | 1 | NY..... |
| Cupressus sp. (cypress cone) | | | | | | |
| Orthezia pseudodispar Morrison (Ortheziidae) | Mexico | | | | 1 | TX..... |
| Gardenia sp. (cut flower) | | | | | | |
| Orthotomicus erosus (Wollaston) (Scolytidae) | Italy, Portugal | | | | 4 | PL, LA, MD.... |
| Wood (crate) | | | | | | |
| Ostrinia nubilalis (Hubner) (Pyraustidae) | Asia (country-?), Italy, Japan, Viet-Nam. | | | | 7 | 18 CA, DE, NY, OR, WA..... |
| Capsicum sp. (pepper) | | | | | | |
| Cargo | | | | | | |
| Phaseolus sp. (bean pod) | | | | | | |
| Phaseolus vulgaris (string bean) | | | | | | |
| Sorghum vulgare (sorghum) | | | | | | |
| Zea mays (corn cob) | | | | | | |
| Zingiber officinale (ginger root) | | | | | | |
| Oulema melanopus (Linnaeus) (Chrysomelidae) | England, Yugoslavia | | | | 2 | MI, NY..... |
| Citrus sp. (plant) | | | | | | |
| Nursery stock | | | | | | |
| Oryza chinensis (Thunberg) (Acrididae) | Hong Kong (?) | | | | 1 | WA..... |
| Baggage | | | | | | |
| Oxycarenus hyalinipennis (Costa) (Lygaeidae) | Greece | | | | 1 | NY..... |
| Hibiscus esculentus (okra) | | | | | | |
| Oxycarenus maculatus Stål (Lygaeidae) | South Africa | | | | 1 | MD..... |
| Protea sp. (cut flowers) | | | | | | |
| Oxyctonia jacunda Faldermann (Scarabaeidae) | Asia (country-?) | | | | 1 | WA..... |
| Aircraft | | | | | | |
| Oxynopterus mucronatus (Olivier) (Elateridae) | Asia (country-?) | | | | 1 | HI..... |
| Aircraft | | | | | | |
| Oxydoras scrobiculata (Fabricius) (Noctuidae) | Asia (country-?), Philippines, Thailand. | | | | 2 | 2 CA, DE, WA.... |
| Aircraft | | | | | | |
| Cargo | | | | | | |
| Oxythyrea funesta (Poda) (Scarabaeidae) | Japan | | | | 1 | CA..... |
| Pinus sp. (pine leaf) | | | | | | |

TABULATION OF INSECTS

| PEST AND HOST | COUNTRY OF ORIGIN | NUMBER INTERCEPTIONS IN | | COLLECTED IN- |
|--|---|-------------------------------|----------------------------|---|
| | | C | P | |
| | | O | R | |
| | | N | O | |
| Ozophora atropicta Barber (Lygaeidae)..... | Bahamas..... | 1 | PL..... | |
| Aircraft | | | | |
| Pachybrachius nietneri (Dohrn) (Lygaeidae)..... | Asia (country-?), Japan, Okinawa, Philippines (?), Thailand, Viet-Nam, West Pacific. | 2 | 34 | AK, CA, DE..... |
| Aircraft | | | | |
| Cargo | | | | |
| Pachymerus nucleorum (Fabircius) (Bruchidae)..... | Brazil..... | 1 | AZ..... | |
| Orbignya sp. (babassu nut) | | | | |
| Palpita unionalis (Hubner) (Pyraustidae)..... | American Samoa, Fiji, Thailand..... | 5 | CA, HI, WA..... | |
| Jasminus sp. (cut flowers) | | | | |
| Pangaeus piceatus Stal (Cydnidae)..... | Guatemala..... | 1 | PL..... | |
| Cargo | | | | |
| Parabucrates clausus (Scudder) (Tettigoniidae)..... | Mexico..... | 1 | TX..... | |
| Grain (residue) | | | | |
| Parallelodiplosis cattleyae (Molliard) (Cecidomyiidae)..... | Bahamas, Dominica, Honduras, Jamaica, Mexico, Panama. | | 7 | FL, PR, TX..... |
| Broughtonia sp. (orchid plant) | | | | |
| Orchid (plant) | | | | |
| Paraluperodes suturalis (Motschulsky) (Chrysomelidae)..... | Asia (country-?), Philippines, Aircraft | 4 | 5 | AK, DE, TX, WA..... |
| Cargo | | | | |
| Paramesodes albinnervosus (Matsumura) (Cicadellidae)..... | Japan..... | 1 | CA..... | |
| Aircraft | | | | |
| Parisoschoenus flavolimbatus Champion (Curculionidae)..... | Mexico..... | 1 | TX..... | |
| Chamaedorea sp. (palm leaf) | | | | |
| Parlatoria blanchardi (Fargioni-Tozzetti) (Diaspididae)..... | Algeria, Israel, Unknown..... | 2 | 17 | MA, NY..... |
| Phoenix dactylifera (date) | | | | |
| Parlatoria cinerea Doane & Hadden (Diaspididae)..... | Brazil, Colombia, Ecuador, Citrus aurantifolia (lime) Citrus grandis (pummelo) Citrus limon (lemon) Citrus paradisi (grapefruit) Citrus reticulata cv. (cultivar orange) Citrus sinensis (sweet orange) Citrus sp. (leaf) | 12 | 75 | CA, IL, LA, NY, PR, TX..... |
| Parlatoria fulleri Morrison (Diaspididae)..... | Australia..... | 1 | CA..... | |
| Leaf - unidentified | | | | |
| Parlatoria zizyphus (Lucas) (Diaspididae)..... | Algeria, Asia (country-?), Citrus aurantifolia (lime) Citrus grandis (pummelo) Citrus limon (lemon) Citrus paradisi (grapefruit) Citrus reticulata cv. (cultivar orange) Citrus sinensis (seeet orange) Citrus sinensis (sweet orange) Citrus sp. (fruit, leaf, & peel) | 140 | 51 | AK, AL, CA, FL, HI, IL, LA, MA, MD, MI, NY, OR, PA, PR, TX, VA, VI, WA..... |
| Fortunella sp. (kumquat leaf) | | | | |
| Parmena balteatus (Linnaeus) (Cerambycidae)..... | Italy..... | 1 | NY..... | |
| Allium sativum (garlic) | | | | |
| Pealius hibisci (Kotinsky) (Aleyrodidae)..... | Hawaii..... | 1 | HI..... | |
| Gardenia sp. (cut flower) | | | | |
| Pectinophora gossypiella (Saunders) (Gelechiidae)..... | Dominican Republic, Haiti, Gossypium sp. (cotton boll) Hibiscus esculentus (okra) | 10 | CA, FL, HI, NY, PR..... | |
| Periphyllus aceris (Koch) (Aphididae)..... | France..... | 2 | MA..... | |
| Acer pseudoplatanus (leaf) | | | | |
| Phaeochrous asiaticus Lewis (Scarabaeidae)..... | Asia (country-?)..... | 1 | AK..... | |
| Aircraft | | | | |
| Phaneroptera falcata (Poda) (Tettigoniidae)..... | Asia (country-?)..... | 1 | WA..... | |
| Aircraft | | | | |
| Phaneroptera furcifera Stal (Tettigoniidae)..... | Asia (country-?), Japan, Unknown. | 1 | 10 | AK, CA, HI, WA..... |
| Aircraft | | | | |
| Baggage | | | | |
| Pheidole punctatissima Mayr (Formicidae)..... | Costa Rica, Mexico..... | | 5 | CA, TX..... |
| Bromeliad (plant) | | | | |
| Orchid (plant) | | | | |

TABULATION OF INSECTS

| PEST AND HOST | COUNTRY OF ORIGIN | NUMBER INTERCEPTIONS IN | | | COLLECTED IN- |
|--|--|-------------------------------|-----|---|--|
| | | C | O | P | |
| | | N | R | O | |
| | | S | O | A | |
| Phenacaspis dendrobitii Kuwana (Diaspididae)..... | Thailand..... | | | 1 | N.J..... |
| Vanda sp. (orchid leaf) | | | | | |
| Phereoeca uterella (Walsingham) (Tineidae)..... | Hawaii..... | 1 | | | HI..... |
| Wood | | | | | |
| Phlegetonia delatrix Guenée (Noctuidae)..... | Asia (country-?), Japan..... | | 2 | | CA..... |
| Aircraft | | | | | |
| Phloeosinus rufus Blandford (Scolytidae)..... | Japan..... | | 6 | | MN..... |
| Dunnage | | | | | |
| Phloeotribus scarabaeoides (Bernard) (Scolytidae)..... | Israel, Italy..... | 1 | | 1 | NY, PA..... |
| Olea europaea (olive stem) | | | | | |
| Phlogophora meticulosa (Linnaeus) (Noctuidae)..... | England(?), Unknown..... | | 2 | | AK, DE..... |
| Aircraft | | | | | |
| Phlyctinus callosus Boheman (Curculionidae)..... | South Africa..... | 5 | | | NY..... |
| Vitis sp. (grape) | | | | | |
| Phradonoma tricolor (Arrow) (Dermestidae)..... | Pakistan, Unknown..... | 1 | 1 | | PA, SC..... |
| Cargo | | | | | |
| Cargo hold (of ship) | | | | | |
| Phragmataecia castaneae (Hubner) (Cossidae)..... | Austria..... | 2 | | | MD..... |
| Phragmites sp. (reed mats) | | | | | |
| Phryus agrapta Hampson (Noctuidae)..... | El Salvador..... | | 1 | | DE..... |
| Aircraft | | | | | |
| Phyllophaga tumulosa Bates (Scarabaeidae)..... | Guatemala..... | 2 | | | PL..... |
| Chrysanthemum sp. (cut flowers) | | | | | |
| Pieris brassicae (Linnaeus) (Pieridae)..... | Belgium, Europe (country-?), Brassica oleracea var. botrytis (cauliflower) Spain. | 4 | 5 | | AL, DE, PL, LA, MI, TX..... |
| Brassica oleracea var. capitata (cabbae) | | | | | |
| Cargo | | | | | |
| Piezodorus hybneri (Gmelin) (Pentatomidae)..... | Asia (country-?), Okinawa, Viet-Nam(?). | | 4 | | AK, CA, HI, WA..... |
| Aircraft | | | | | |
| Pityogenes chalcographus (Linnaeus) (Scolytidae)..... | Belgium, Germany, Sweden..... | 5 | 2 | | PL, MN, PA, TX..... |
| Bark (on log) | | | | | |
| Dunnage | | | | | |
| Wood (crate) | | | | | |
| Planococcus dorsospinosus Ezzat & McConnell (Pseudococcidae) | Hong Kong..... | 1 | | | WA..... |
| Litchi chinensis (litchi) | | | | | |
| Planococcus lilacinus (Cockerell) (Pseudococcidae)..... | Guam, Hong Kong, Philippines.... | 13 | 1 | | CA, HI, WA..... |
| Alpinia purpurata (cut flower) | | | | | |
| Annona squamosa (sweetsop) | | | | | |
| Lansium domesticum (langsat) | | | | | |
| Platylepta kaempferi (Fabricius) (Cicadidae)..... | Asia (country-?)..... | | 1 | | AK..... |
| Aircraft | | | | | |
| Platylepta nobilis (Germar) (Cicadidae)..... | Viet-Nam..... | | 1 | | DE..... |
| Cargo | | | | | |
| Platypus rugulosus Chapuis (Platypodidae)..... | Costa Rica..... | 4 | | | AL, PL, LA..... |
| Log | | | | | |
| Platysenta illecta (Walker) (Noctuidae)..... | Asia (country-?)..... | | 2 | | AK, WA..... |
| Aircraft | | | | | |
| Platysenta illecta (Walker) (Noctuidae) (?)..... | Asia (country-?)..... | | 2 | | AK, WA..... |
| Aircraft | | | | | |
| Plautia crossota (Dallas) (Pentatomidae)..... | Asia (country-?)..... | | 2 | | AK, WA..... |
| Aircraft | | | | | |
| Plebeiohyllus guttiventris (Walker) (Gryllidae)..... | Asia (country-?), Japan, Okinawa, Philippines, Taiwan, Thailand, Unknown, Viet-Nam, West Pacific. | 62 | 121 | | AK, CA, DE, HI, NJ, NY, SC, WA..... |
| Aircraft | | | | | |
| Baggage | | | | | |
| Cargo | | | | | |
| Mail | | | | | |
| Plebeiohyllus guttiventris (Walker) (Gryllidae) (?)..... | Thailand..... | | 1 | | AK..... |
| Aircraft | | | | | |
| Plecia collaris (Fabricius) (Bibionidae)..... | Peru(?)..... | | 1 | | TX..... |
| Aircraft | | | | | |
| Plemellicia abietina (Seitner) (Cecidomyiidae)..... | Austria, Germany, Italy..... | | | 9 | NJ, WA..... |
| Abies nordmanniana (seed) | | | | | |
| Picea abies (seed) | | | | | |
| Picea alba (seed) | | | | | |
| Picea excelsa (seed) | | | | | |
| Picea omorika (seed) | | | | | |

TABULATION OF INSECTS

| PEST AND HOST | COUNTRY OF ORIGIN | NUMBER INTERCEPTIONS IN | | COLLECTED IN- |
|--|--|-------------------------------|----|--------------------------------|
| | | C | P | |
| | | O | R | |
| | | N | O | |
| | | S | N | |
| | | U | O | |
| | | M | N | |
| | | P | E | |
| | | T | N | |
| | | I | T | |
| "Plusia" limbirena Guenée (Noctuidae) | Azores..... | | 1 | MA..... |
| Plant - unidentified | | | | |
| Poecilaspis angulata (Germar) (Chrysomelidae) (?) | Mexico..... | | 1 | TX..... |
| Plants (mixed) | | | | |
| Poeciloscarta histrio (Fabricius) (Cicadellidae) | Jamaica..... | | 1 | PL..... |
| Aircraft | | | | |
| Polistes exclamans picturatus Bequaert & Salt (Vespidae) (?) | Bahamas..... | | 1 | MA..... |
| Aircraft | | | | |
| Polydesma umbricola Boisduval (Noctuidae) | Asia (country-?), Philippines.. | 1 | 4 | DE, WA..... |
| Aircraft | | | | |
| Cargo | | | | |
| Polylypta dispar Fowler (Membracidae) | Mexico..... | | 1 | TX..... |
| Cactus (plant) | | | | |
| Ponana insularis Caldwell (Cicadellidae) | Unknown..... | | 1 | PR..... |
| Aircraft | | | | |
| Popillia japonica Newman (Scarabaeidae) | Asia (country-?), Japan, Unknown. | 2 | 54 | AK, CA, DE, HI, WA..... |
| Aircraft | | | | |
| Cargo | | | | |
| Popillia lewisi Arrow (Scarabaeidae) | Asia (country-?), Okinawa, Unknown. | 2 | 34 | AK, CA, DE, HI..... |
| Aircraft | | | | |
| Cargo | | | | |
| Porteria dispar (Linnaeus) (Liparidae) | Spain..... | | 1 | DE..... |
| Aircraft | | | | |
| Prasocuris junci Brahm (Chrysomelidae) (?) | Portugal (?)..... | | 1 | MA..... |
| Vegetables (mixed) | | | | |
| Prays citri Milliere (Yponomeutidae) | Italy, Philippines..... | 1 | 1 | HI, NY..... |
| Citrus aurantifolia (lime) | | | | |
| Citrus medica (citron) | | | | |
| Prays fulvocanellus Walsingham (Yponomeutidae) | Hawaii..... | 1 | | HI..... |
| Pelea anisata (berry) | | | | |
| Prays oleela (Fabricius) (Yponomeutidae) | Cyprus, Italy, Jordan..... | 4 | | NY..... |
| olea europaea (olive) | | | | |
| Pri a antennata Grouvelle (Nitidulidae) | South Africa..... | 2 | | IL, MD..... |
| Protea sp. (cut flowers) | | | | |
| Proarna hilaris (Germar) (Cicadidae) | Nicaragua..... | 1 | | CA..... |
| Musa sp. (banana) | | | | |
| Protaetia fusca (Herbst) (Scarabaeidae) | Okinawa, Unknown..... | 2 | | DE, HI..... |
| Aircraft | | | | |
| Protaetia lewisi (Janson) (Scarabaeidae) | Asia (country-?)..... | 1 | | WA..... |
| Cargo | | | | |
| Protopulvinaria longivalvata Green (Coccidae) | Haiti, Panama..... | | 2 | PL..... |
| Ixora sp. (Ixora plant) | | | | |
| Orchid (plant) | | | | |
| Pseudaletia separata (Walker) (Noctuidae) | Asia (country-?)..... | 2 | | WA..... |
| Aircraft | | | | |
| Pseudoaonidia trilobiformis (Green) (Diaspididae) | Brazil, Dominican Republic, Japan, Mexico, Philippines, Taiwan, Trinidad, Venezuela. | 7 | 16 | CA, PL, HI, NY, PR, WA..... |
| Citrus aurantifolia (lime) | | | | |
| Citrus grandis (pummelo) | | | | |
| Citrus limon (lemon) | | | | |
| Citrus reticulata cv. (cultivar orange) | | | | |
| Citrus sinensis (sweet orange) | | | | |
| Citrus sp. (leaf) | | | | |
| Mangifera indica (mango) | | | | |
| Nerium sp. (oleander leaf) | | | | |
| "Pseudococcus" hispidus Morrison (Pseudococcidae) | Singapore..... | | 1 | HI..... |
| Licuala spinosa (cut flower) | | | | |
| Pseudopeltalaria giffardi Adachi & Fullaway (Diaspididae) | Hawaii..... | 3 | | HI..... |
| Araucaria columnaris (leaf) | | | | |
| Araucaria heterophylla (leaf) | | | | |
| Pseudophorea contraria (Walker) (Cicadellidae) | Panama..... | | 1 | PL..... |
| Aircraft | | | | |
| Psylla minuticona Crawford (Psyllidae) | Mexico..... | 1 | | TX..... |
| Cucumis melo var. cantalupensis (cantaloup) | | | | |
| Pylliodes chrysocephala (Linnaeus) (Chrysomelidae) (?) | Greece..... | 1 | | NY..... |
| Asparagus officinalis (asparagus) | | | | |

TABULATION OF INSECTS

| PEST AND HOST Aircraft | COUNTRY OF ORIGIN | NUMBER INTERCEPTIONS IN | | | | COLLECTED IN- |
|---|---|-------------------------------|-----|---|---|-------------------------------|
| | | C | O | N | P | |
| | | N | O | O | R | |
| | | S | N | P | A | |
| | | U | O | G | | |
| | | M | N | G | | |
| | | P | E | I | A | |
| | | T | N | T | | |
| | | I | T | I | | |
| | | O | R | O | | |
| | | N | Y | N | | |
| Pterochlorus tropicalis (van der Goot) (Aphididae) | Asia (country-?) | 1 | | | | AK |
| Aircraft | | | | | | |
| Pulvinaria mesembryanthemi (Vallot) (Coccidae) | Portugal | | | 1 | | MI |
| Mesembryanthemum sp. (leaf) | | | | | | |
| Putohita cervina Distant (Delphacidae) | Asia (country-?) | | 1 | | | WA |
| Aircraft | | | | | | |
| Puto mexicanus Cockerell (Pseudococcidae) | Mexico | 1 | | 2 | | CA, TX |
| Amaryllis sp. (amaryllis bulb) | | | | | | |
| Citrus sp. (leaf) | | | | | | |
| Pelargonium sp. (geranium cutting) | | | | | | |
| Puto ulter Ferris Pseudococcidae) | Guatemala | | | 1 | | FL |
| Aircraft | | | | | | |
| Pyrgocorypha hamata (Scudder) (Tettigoniidae) | Mexico | 1 | | | | TX |
| Chamaedorea sp. (palm leaf) | | | | | | |
| Pyrgocorypha sallei Saussure (Tettigoniidae) | Panama | | 1 | | | SC |
| Aircraft | | | | | | |
| Pyropotasia pryeri (Janson) (Scarabaeidae) | Asia (country-?) | | 1 | | | AK |
| Aircraft | | | | | | |
| Pyrthridium sanguinum (Linnaeus) (Cerambycidae) | Belgium(?) | 1 | | | | TX |
| Dunnage | | | | | | |
| Pyrrhocoris apterus (Linnaeus) (Pyrrhocoridae) | Italy | | | 1 | | NY |
| Althaea sp. (hollyhock seed) | | | | | | |
| Bactrococcus spinosus (Robinson) (Pseudococcidae) | Philippines | 1 | | | | WA |
| Lansium domesticum (langsat) | | | | | | |
| Recilia distincta (Motschulsky) (Cicadellidae) | Okinawa, Philippines, Viet-Nam.. | 2 | 1 | | | DE |
| Aircraft | | | | | | |
| Cargo | | | | | | |
| Penaeidereana nigriceps (Dallas) (Lygaeidae) | West Pacific | | 1 | | | HI |
| Aircraft | | | | | | |
| Pesselia picea Seitner (Cecidomyiidae) | Italy | | | 1 | | NJ |
| Picea alba (seed) | | | | | | |
| Rhagoletis cerasi (Linnaeus) (Tephritidae) | Austria, Bulgaria, Czechoslovakia, Denmark, France, Germany, Greece, Hungary, Israel, Italy, Portugal, Spain, Unknown, Yugoslavia. | 94 | 126 | | | IL, MA, NY, PA, PR, TX, VA |
| Prunus avium (sweet cherry) | | | | | | |
| Raphigaster nebulosa (Poda) (Pentatomidae) (?) | Japan | | 1 | | | CA |
| Aircraft | | | | | | |
| Bhinocola ericae (Curtis) (Psyllidae) | England, Ireland | 2 | | 1 | | AK, MA, PA |
| Calluna vulgaris (heather) | | | | | | |
| Rhomborrhina unicolor Motschulsky (Scarabaeidae) | Taiwan | 1 | | | | FL |
| Mail | | | | | | |
| Phopolephora incrassata Chevrolat (Cerambycidae) | Mexico | 1 | | | | PL |
| Wood | | | | | | |
| Rhypharochromus tristis Fieber (Lygaeidae) | Turkey | 1 | | | | DE |
| Cargo | | | | | | |
| Risoba obducta Moore (Noctuidae) | Japan | | 2 | | | CA |
| Aircraft | | | | | | |
| Safia decessa Walker (Noctuidae) | Jamaica | | 1 | | | PL |
| Aircraft | | | | | | |
| Saperda carcharias (Linnaeus) (Cerambycidae) | Italy | | 6 | | | CA, LA, MD |
| Wood (crates) | | | | | | |
| Scaptocoris divergens Proeschner (Cydnidae) | Guatemala(?) | | 1 | | | PL |
| Aircraft | | | | | | |
| Schneidereria pistaciicola (Danilevsky) (Gelechiidae) | Greece | 1 | | | | NY |
| Pistacia sp. (pistache seed) | | | | | | |
| Scolytus amygdali Guerin-Meneville (Scolytidae) | Israel | 1 | | | | IL |
| Cucumis sativus (cucumber) | | | | | | |
| Scotinophara lurida (Burmeister) (Pentatomidae) | Asia (country-?), Japan, Viet-Nam. | 2 | 20 | | | AK, CA, DE, TX, WA |
| Aircraft | | | | | | |
| Cargo | | | | | | |
| Selenopalpus euryae (Takahashi) (Diaspididae) | Taiwan | | | 1 | | DC |
| Camellia nokoensis (cutting) | | | | | | |
| Serrodes campana Guenée (Noctuidae) | Asia (country-?) | | 1 | | | DE |
| Cargo | | | | | | |

TABULATION OF INSECTS

| PEST AND HOST | COUNTRY OF ORIGIN | NUMBER INTERCEPTIONS IN | | | COLLECTED IN- |
|--|---|-------------------------------|-----|---|---|
| | | C | O | P | |
| | | N | S | R | |
| | | U | N | A | |
| | | P | E | A | |
| | | T | N | T | |
| | | I | T | I | |
| | | O | R | O | |
| | | N | I | Y | |
| | | | | | |
| Sesamia inferens (Walker) (Noctuidae) | Asia (country-?), Japan..... | 14 | | | AK, WA..... |
| Aircraft | | | | | |
| Sesamia nonagrioides (Lefebvre) (Noctuidae) | Azores..... | 1 | | | MA..... |
| Sorghum vulgare (broomcorn) | | | | | |
| Sethenira ferruginea Stal (Coreidae) | Mexico..... | | | 1 | TX..... |
| Orchid (plant) | | | | | |
| Silba virescens Macquart (Lonchaeidae) | Italy..... | 13 | 2 | | MA, NY..... |
| Ficus carica (fig) | | | | | |
| Simplicia niphona Butler (Noctuidae) | Asia (country-?)..... | | 5 | | WA..... |
| Aircraft | | | | | |
| Sinonylon analae Lesne (Bostrichidae) | Asia (country-?), India, Aircraft Pakistan, Philippines. | 27 | 2 | | AK, CA, FL, MA, MD, MI, NY, OR, PA, SC, VA, WA..... |
| Wood (crates) | | | | | |
| Sinonylon conigerum Gerstacker (Bostrichidae) | Asia (country-?), Ecuador (?), Aircraft India, Pakistan, Thailand, Baggage | 166 | 11 | | CA, FL, GA, HI, IA, MA, MD, NY, PA, SC, TX..... |
| Camellia sinensis (tea) | | | | | |
| Cargo | | | | | |
| Cargo hold (of ship) | | | | | |
| Dunnage | | | | | |
| Myristica sp. (nutmeg seed) | | | | | |
| Plant (unidentified vine) | | | | | |
| Wood (crates) | | | | | |
| Sirex juvencus (Linnaeus) (Siricidae) | Italy..... | 1 | | | CA..... |
| Wood | | | | | |
| Sirex noctilio Fabricius (Siricidae) | Italy, Yugoslavia..... | 2 | | | CA, MD..... |
| Wood | | | | | |
| Sitophilus rugosus (Thunberg) (Curculionidae) | Guatemala..... | | | 1 | FL..... |
| Orchid (plant) | | | | | |
| Solenosthedium liliigerum (Thunberg) (Pentatomidae) | South Africa..... | 1 | | | MD..... |
| Protea sp. (cut flowers) | | | | | |
| Spermophagus biacutatus Pic (Bruchidae) | South Africa..... | 1 | | | NY..... |
| Protea sp. (cut flowers) | | | | | |
| Sphearnches caffer (Zeller) (Pterophoridae) | Dominican Republic..... | 1 | | | NY..... |
| Cajanus cajan (pigeonpea) | | | | | |
| Spilostethus pandurus elegans (Wolff) (Lygaeidae) | South Africa..... | 1 | | | NY..... |
| Vitis sp. (grape) | | | | | |
| Spodoptera abyssinia Guenee (Noctuidae) | Asia (country-?), Japan, Aircraft Philippines. | 1 | 13 | | AK, CA, WA..... |
| Cargo | | | | | |
| Spodoptera abyssinia Guenee (Noctuidae) (?) | Asia (Country-?)..... | | 7 | | AK, WA..... |
| Aircraft | | | | | |
| Spodoptera littoralis (Boisduval) (Noctuidae) | Italy, Spain..... | | 2 | | PL, MD..... |
| Brassica oleracea var. capitata (cabbage) | | | | | |
| Capsicum sp. (pepper) | | | | | |
| Spodoptera litura (Fabricius) (Noctuidae) | Asia (Country-?), Japan, Aircraft Midway (?), Okinawa, Philippines, Thailand, Unknown, Viet-Nam, West Pacific. | | 214 | | AK, CA, HI, WA..... |
| Brassica oleracea var. botrytis (cauliflower) | | | | | |
| Spodoptera litura (Fabricius) (Noctuidae) (?) | Asia (Country-?), Japan..... | 1 | 1 | | AK, CA..... |
| Aircraft | | | | | |
| Spodoptera mauritia (Boisduval) (Noctuidae) | Asia (Country-?), Japan, Aircraft Okinawa, Philippines, Thailand, Unknown. | 5 | 44 | | CA, DE, HI, WA..... |
| Cargo | | | | | |
| Spodoptera mauritia acronyctoides (Guenee) (Noctuidae) | Asia (Country-?), Hawaii, Japan, Aircraft Philippines, Unknown, Viet-Nam, West Pacific. | 1 | 35 | | AK, CA, HI, WA..... |
| Flowers (mixed) | | | | | |
| Spodoptera pecten Guenee (Noctuidae) | Asia (Country-?), Japan, Aircraft Okinawa, Viet-Nam, West Pacific. | 10 | 55 | | AK, CA, DE, HI, TX, WA..... |
| Cargo | | | | | |
| Spodoptera pecten Guenee (Noctuidae) (?) | Midway (?)..... | | 1 | | CA..... |
| Aircraft | | | | | |

TABULATION OF INSECTS

| PEST AND HOST | COUNTRY OF ORIGIN | NUMBER INTERCEPTIONS IN | | | | COLLECTED IN- |
|---|---|-------------------------------|----|---|---|---------------------------------|
| | | C | O | N | P | |
| | | S | U | M | G | |
| | | P | E | R | A | |
| | | T | N | I | T | |
| | | I | T | I | O | |
| <i>Stenoma catenifer</i> Walsingham (Stenomidae)..... | Colombia, Ecuador, El Salvador, Guatemala, Honduras, Jamaica, Mexico, Peru, Trinidad, Unknown, Venezuela. | 46 | 1 | 1 | 1 | AZ, CA, PL, LA, NY, PR, TX, VI. |
| <i>Persea</i> sp. (avocado fruit & seed) | | | | | | |
| <i>Stenyrinus quadrinotatum</i> Bates (Cerambycidae)..... | Asia (country-?)..... | | 1 | | | WA..... |
| Aircraft | | | | | | |
| <i>Stephanopachys quadricollis</i> (Marseul) (Bostrichidae)..... | Portugal..... | | 2 | | | PL, LA..... |
| Wood (crate) | | | | | | |
| " <i>Stictocephala</i> " elongata Fowler (Membracidae)..... | Mexico..... | | | | 1 | TX..... |
| <i>Tillandsia</i> sp. (bromeliad plant) | | | | | | |
| <i>Stilodes caelebs</i> (Stal) (Chrysomelidae) (?)..... | Mexico..... | | | | 1 | TX..... |
| Plants (mixed) | | | | | | |
| <i>Strabala rotunda</i> Blake (Chrysomelidae) (?)..... | Mexico..... | | 1 | | | TX..... |
| <i>Citrullus lanatus</i> (watermelon) | | | | | | |
| <i>Stromatium longicorne</i> (Newman) (Cerambycidae)..... | Okinawa..... | | 1 | | | HI..... |
| Aircraft | | | | | | |
| <i>Sybra alternans</i> (Wiedemann) (Cerambycidae)..... | Fiji, Hawaii..... | | 3 | 1 | | HI..... |
| Aircraft | | | | | | |
| Baggage | | | | | | |
| <i>Syrphula admirabilis</i> Uhler (Acrididae)..... | Unknown..... | | | 1 | | AK..... |
| Aircraft | | | | | | |
| <i>Syromastus rhombaeus</i> (Linnaeus) (Coreidae)..... | Canary Islands..... | | | | 1 | PR..... |
| Plant - unidentified | | | | | | |
| <i>Systole coriandri</i> Gussakovsky (Purytomidae)..... | Dominican Republic..... | | 1 | | | NY..... |
| <i>Coriandrum sativum</i> (coriander) | | | | | | |
| <i>Taeniothrips ericae</i> (Haliday) (Thripidae)..... | Norway..... | | | | 1 | WA..... |
| <i>Erica</i> sp. (cutting) | | | | | | |
| <i>Taeniothrips eucharii</i> (Whetzel) (Thripidae)..... | Japan..... | | 2 | | 5 | NC, NY..... |
| <i>Lycoris aurea</i> (bulb) | | | | | | |
| <i>Lycoris sanguinea</i> (bulb) | | | | | | |
| <i>Lycoris</i> sp. (bulb) | | | | | | |
| <i>Lycoris squamigera</i> (bulb) | | | | | | |
| <i>Marcissus</i> sp. (bulb) | | | | | | |
| <i>Taeniothrips hawaiiensis</i> (Morgan) (Thripidae)..... | Hawaii, Japan, Philippines, West Pacific. | 143 | 5 | | | AK, HI, WA..... |
| <i>Chrysanthemum</i> sp. (cut flowers) | | | | | | |
| <i>Dianthus</i> sp. (cut flowers) | | | | | | |
| <i>Erwtamia</i> divaricata (cut flowers) | | | | | | |
| <i>Gardenia</i> sp. (cut flowers) | | | | | | |
| <i>Gladiolus</i> sp. (cut flowers) | | | | | | |
| <i>Plumeria</i> sp. (cut flowers) | | | | | | |
| <i>Polianthes tuberosa</i> (cut flowers) | | | | | | |
| <i>Rosa</i> sp. (cut flowers) | | | | | | |
| <i>Talponia batesi</i> Heinrich (Olethreutidae)..... | Mexico..... | | 6 | | | TX..... |
| <i>Annona cherimola</i> (cherimoya) | | | | | | |
| <i>Tanaos bicolor</i> Gyllenhal (Curculionidae)..... | South Africa..... | | 2 | | | CA, IL..... |
| Flowers (mixed) | | | | | | |
| <i>Protea</i> sp. (cut flowers) | | | | | | |
| <i>Tanna iaponensis</i> (Distant) (Cicadidae)..... | Japan..... | | | 1 | | CA..... |
| Aircraft | | | | | | |
| <i>Taosa paraherbida</i> Muir (Dictyopharidae)..... | Colombia..... | | | 1 | | PL..... |
| Aircraft | | | | | | |
| <i>Taylorilygus pallidulus</i> (Blanchard) (Miridae)..... | Guatemala..... | | 1 | | | PL..... |
| <i>Chrysanthemum</i> sp. (cut flowers) | | | | | | |
| <i>Teleogryllus mitratus</i> (Burmeister) (Gryllidae)..... | Asia (country-?), Japan, Philippines. | 2 | 40 | | | AK, CA, DE, WA..... |
| Aircraft | | | | | | |
| Cargo | | | | | | |
| <i>Teleogryllus testaceus</i> (Walker) (Gryllidae)..... | Asia (country-?), Okinawa, Philippines, Thailand. | 1 | 5 | | | AK, CA, DE..... |
| Aircraft | | | | | | |
| Cargo | | | | | | |
| <i>Tenthecoris bicolor</i> (Scott) (Miridae)..... | Guatemala..... | | | 1 | | PL..... |
| Orchid (plant) | | | | | | |
| <i>Terellia fuscicornis</i> (Loew) (Tephritidae)..... | Italy..... | | 2 | | | NY, PA..... |
| <i>Cynara scolymus</i> (artichoke) | | | | | | |
| <i>Tetraneurodes quadratus</i> Sampson & Drews (Aleyrodidae)..... | Nicaragua..... | | 1 | | | PL..... |
| <i>Citrus</i> sp. (leaf) | | | | | | |

TABULATION OF INSECTS

| PEST AND HOST | COUNTRY OF ORIGIN | NUMBER INTERCEPTIONS IN | | COLLECTED IN- |
|---|--|---|---|--|
| | | C O N S U M P T I O N | P R O P A G E T I O N | |
| Tetrarthria variegata Dallas (Pentatomidae)..... | Asia (country-?)..... | 1 | | WA..... |
| Aircraft | | | | |
| Tetrix japonica (Bolivar) (Tetrigidae)..... | Unknown..... | 1 | | CA..... |
| Aircraft | | | | |
| Thalassodes quadraria Guenée (Geometridae) (?)..... | Japan..... | 1 | | CA..... |
| Aircraft | | | | |
| Thoracaphis fici (Takahashi) (Aphididae)..... | Hawaii..... | 1 | | HI..... |
| Picus sp. (leaf) | | | | |
| Thrips coloratus Schmutz (Thripidae)..... | Japan..... | 1 | | WA..... |
| Rosa sp. (cut flowers) | | | | |
| Thrips major Uzel (Thripidae)..... | Denmark, England, Dahlia sp. (cut flowers) Erica sp. (cutting) Rosa sp. (cut flowers) | 12 | | 1 AK, OR, WA..... |
| Plant material | | | | |
| Tipula marmorata Meigen (Tipulidae)..... | Ireland..... | 1 | | MD..... |
| Soil | | | | |
| Tipula paludosa Meigen (Tipulidae)..... | Canada..... | | 1 | WA..... |
| Wood | | | | |
| Tomoxis piniperda (Linnaeus) (Scolytidae)..... | Italy..... | 1 | | PA..... |
| Cargo | | | | |
| Tortrix viridana Linnaeus (Tortricidae)..... | Europe (country-?)..... | 1 | | DE..... |
| Aircraft | | | | |
| Trachea atriplicis gnoma (Butler) (Noctuidae)..... | Japan..... | 1 | | WA..... |
| Cassia fistula (pod) | | | | |
| Trachylepidia fructicassiella Ragonot (Galleriidae)..... | Bahamas..... | 1 | | FL..... |
| Laurus nobilis (leaf) | | | | |
| Trialeurodes lauri (Signoret) (Aleyrodidae)..... | Italy..... | 2 | | MA, NY..... |
| Trialeurodes vitrinellus Cockerell (Aleyrodidae)..... | Mexico..... | 1 | | TX..... |
| Citrus sp. (leaf) | | | | |
| Trichostetha fascicularis (Linnaeus) (Scarabaeidae)..... | South Africa..... | 1 | | MD..... |
| Protea sp. (cut flowers) | | | | |
| Tricorynus nelutumae (Fisher) (Anobiidae)..... | Dominican Republic, Trinidad.... | 3 | | NY..... |
| Acacia sp. (seed pod) | | | | |
| Cajanus cajan (pigeon pea) | | | | |
| Ceratonia siliqua (St. Johns bread) | | | | |
| Trimerotropis pallidipennis (Burmeister) (Acrididae)..... | Mexico, Unknown..... | 2 | 1 | CA, TX..... |
| Aircraft | | | | |
| Baggage | | | | |
| Triozza anceps Tuthill (Psyllidae)..... | Mexico..... | 2 | | CA, TX..... |
| Persea sp. (avocado leaf) | | | | |
| Triozza incidata Tuthill (Psyllidae)..... | Mexico..... | | 1 | TX..... |
| Capsicum sp. (pepper plant) | | | | |
| Trogoderma granarium Everts (Dermestidae)..... | Asia (country-?), Belgium, Arachis hypogaea (peanut) Baoding | 291 | 118 | AL, CA, FL, GA, Cameroun, Dahomey, Denmark, Ethiopia, Germany, Ghana, Hong Kong, India, Indonesia, Iran, Iraq, Lebanon, Malaysia, Netherlands, Nigeria, Nigeria(?), Pakistan, Senegal, Singapore, Spain, Sudan, Syria, Taiwan, Thailand, Unknown. |
| Cargo | | | | |
| Cargo hold (of ship) | | | | |
| Cicer arietinum (chickpea) | | | | |
| Cyamopsis tetragonoloba (guar gum) | | | | |
| Cydonia oblonga (seed) | | | | |
| Debris | | | | |
| Gundelia tournefortii (seed) | | | | |
| Oryza sativa (rice) | | | | |
| Phaseolus sp. (bean) | | | | |
| Pistacia sp. (pistache) | | | | |
| Pisum sativum (garden pea) | | | | |
| Stores | | | | |
| Trogoxylon praeustum (Erichson) (Lyctidae)..... | Mexico..... | 3 | | CA, FL, MI..... |
| Bambusa sp. (bamboo stem) | | | | |
| Wood (crate) | | | | |
| Tryporyza incertulas (Walker) (Schoenobiidae)..... | Asia (country-?), Japan, Midway(?), Okinawa, Philippines, Thailand, Viet-Nam, West Pacific. | | 164 | AK, CA, HI, WA..... |
| Aircraft | | | | |

TABULATION OF INSECTS

| PEST AND HOST | COUNTRY OF ORIGIN | NUMBER INTERCEPTIONS IN | | | COLLECTED IN- |
|---|--|-------------------------------|-----|---|---------------------------|
| | | C | O | P | |
| <i>Udea ferrugalis</i> (Hubner) (Pyraustidae) | Portugal | 1 | MA | | |
| <i>Ipomoea batatas</i> (sweetpotato) | | | | | |
| <i>Unaspis yanonensis</i> (Kuwana) (Diaspididae) | Australia, Hong Kong, Japan, Okinawa, Philippines, Viet-Nam. | 99 | 593 | | AK, CA, HI, OR, TX, WA |
| <i>Citrus aurantifolia</i> (lime) | | | | | |
| <i>Citrus aurantium</i> (sour orange) | | | | | |
| <i>Citrus grandis</i> (pummelo) | | | | | |
| <i>Citrus limon</i> (lemon) | | | | | |
| <i>Citrus paradisi</i> (grapefruit) | | | | | |
| <i>Citrus reticulata</i> cv. (cultivar orange) | | | | | |
| <i>Citrus sinensis</i> (sweet orange) | | | | | |
| <i>Citrus</i> sp. (fruit) | | | | | |
| <i>Utetheisa pulchella</i> (Linnaeus) (Arctiidae) | Asia (country-?), Japan, Midway(?), Philippines, West Pacific. | 1 | 56 | | AK, CA, DE, HI, WA |
| Aircraft | | | | | |
| Cargo | | | | | |
| <i>Vinsonia stellifera</i> (Westwood) (Coccidae) | American Virgin Islands, Australia, Bahamas, Guatemala, Haiti, Honduras, Jamaica, Nicaragua, Panama, Saba Island, Trinidad, Unknown, Venezuela. | 2 | 46 | | CA, FL, LA, NJ, NY, PR |
| <i>Asplenium nidus</i> (leaf) | | | | | |
| <i>Broughtonia</i> sp. (orchid plant) | | | | | |
| <i>Cattleya</i> sp. (orchid plant) | | | | | |
| <i>Epidendrum</i> sp. (orchid plant) | | | | | |
| <i>Garcinia</i> sp. (garcinia plant) | | | | | |
| <i>Laurus nobilis</i> (leaf) | | | | | |
| <i>Lycaste</i> sp. (orchid plant) | | | | | |
| <i>Oncidium</i> sp. (orchid plant) | | | | | |
| Orchid (plant) | | | | | |
| Palm (leaf) | | | | | |
| Plants (mixed) | | | | | |
| <i>Stanhopea</i> sp. (orchid plant) | | | | | |
| <i>Walterianella inscripta</i> (Jacoby) (Chrysomelidae) (?) | Mexico | | | 2 | TX |
| Bromeliad (plant) | | | | | |
| <i>Xanthophthalmia concinnum</i> Cockerell & Parrot (Diaspididae) | Mexico | 5 | | | TX |
| <i>Chamaedorea</i> sp. (palm leaf) | | | | | |
| <i>Xanthoecia flavago</i> (Denis & Schiffermuller) (Noctuidae) | Italy | | 1 | | PA |
| <i>Cynara scolymus</i> (artichoke) | | | | | |
| <i>Xyliot securifer</i> Lesne (Bostrichidae) | Congo | 2 | | | FL |
| Wood (crates) | | | | | |
| <i>Xyloperthella crinitarsis</i> (Imhoff) (Bostrichidae) | Congo | 5 | | | FL, SC |
| Wood (crates) | | | | | |
| <i>Xylotriips flavipes</i> (Illiger) (Bostrichidae) | India | 10 | | | NY, PA |
| Wood (cases) | | | | | |
| <i>Xylotrupes gideon</i> (Linnaeus) (Scarabaeidae) | Okinawa | 1 | | | CA |
| Aircraft | | | | | |

H O S T S A N D I N S E C T S

ABIES:

Megastigmus suspectus (Hymenoptera)
Megastigmus firmae (Hymenoptera)
Megastigmus suspectus (Hymenoptera)
Plemeleiella abietina (Diptera)
Megastigmus suspectus pinsapinis (Hymenoptera)
Megastigmus strobilobius (Hymenoptera)
Megastigmus borriesi (Hymenoptera)

ACACIA:

Acanthoscelides oblongoguttatus (Coleoptera)
Acutaspis albopicta (Homoptera)

Tricorynus nelutumae (Coleoptera)

ACALYPHA:

Malacorhinus irregularis (Coleoptera)

ACER:

Aleurochiton pseudoplatani (Homoptera)
Periphyllus aceris (Homoptera)

ALLIUM:

Acrolepia assetella (Lepidoptera)
Brachycerus albidentatus (Coleoptera)
Brachycerus algirus (Coleoptera)
Dyspessa ulula (Coleoptera)
Parmenta baiteatus (Coleoptera)
Bouhelia maroccana (Homoptera)

ALPINIA:

Planococcus lilacinus (Homoptera)
Cetesium unicolor (Coleoptera)

Coccus viridis (Homoptera)

ALTHAEA:

Pyrrhocoris apterus (Hemiptera)

AMARYLLIS:

Puto mexicanus (Homoptera)

ANANAS:

Acroleucus vicinalis (Hemiptera)
Berecyntus delirator (Hemiptera)
Carpophilus maculatus (Coleoptera)
Colopterus latus (Coleoptera)
Conoderus pictus (Coleoptera)
Dallasielius lugubris (Hemiptera)
Dysdercus mimuloides (Hemiptera)
Dysdercus mimulus (Hemiptera)

ANNONA:

Cerconota anonella (Lepidoptera)
Talponia batesi (Lepidoptera)
Anastrepha ludens (Diptera)
Cerconota anonella (Lepidoptera)
Ceroplastes rusci (Homoptera)
Cerconota anonella (Lepidoptera)
Ceratitidis capitata (Diptera)
Cerconota anonella (Lepidoptera)
Dysmicoccus neobrevipes (Homoptera)
Planococcus lilacinus (Homoptera)

APIUM:

Euleia heraclei (Diptera)

ARACHIS:

Caryedon serratus (Coleoptera)
Trogoderma granarium (Coleoptera)

ARAUCARIA:

Laspeyresia araucaria (Lepidoptera)
Pseudoparlatoria giffardi (Homoptera)
Nysius nemoreus (Hemiptera)

ARECA:

Lepidosaphes bladhiae (Homoptera)

ASPARAGUS:

Psylliodes chrysocephala (Coleoptera)

ASPLENIUM:

Vinsonia stellifera (Homoptera)

ASTROPHYTUM:

Opuntiaspis philococcus (Homoptera)

AVERRHOA:

Dacus dorsalis (Diptera)

BAMBUSA:

Dinoderus brevis (Coleoptera)
Nikkaspis shiranensis (Homoptera)
Troxylyon praeustum (Coleoptera)
Minthea rugicollis (Coleoptera)
Myocalandra exarata (Coleoptera)

BELLIS:

Brachypterus glaber (Coleoptera)

BETA:

Crocidolomia binotatalis (Lepidoptera)

Mamestra brassicae (Lepidoptera)

BRASSICA:

Mamestra brassicae (Lepidoptera)
Pieris brassicae (Lepidoptera)
Spodoptera litura (Lepidoptera)
Evergestis forficalis (Lepidoptera)
Mamestra brassicae (Lepidoptera)
Pieris brassicae (Lepidoptera)
Spodoptera littoralis (Lepidoptera)
Hellula undalis (Lepidoptera)

BROMELIAD:

Abgrallaspis gliwicensis (Homoptera)
Acroleucus vicinalis (Hemiptera)
Acutaspis albopicta (Homoptera)
Aleuroplatus variegatus (Homoptera)
Atheas nigricornis (Hemiptera)
Calligrapha labyrinthica (Coleoptera)
Calligrapha limbaticollis (Coleoptera)
Cataenoecoccus guatemalensis (Homoptera)
Cerotoma atrofasciata (Coleoptera)
Colopterus latens (Coleoptera)
Dysdercus mimuloides (Hemiptera)
Dysdercus mimulus (Hemiptera)
Isorhinus undatus (Coleoptera)
Macropygium reticulare (Hemiptera)
Metanasius quadrilineatus (Coleoptera)
Mormidea collaris (Hemiptera)
Ogdoecosta bianularis (Coleoptera)
Phiedole punctatissima (Hymenoptera)
Walterianella inscripta (Coleoptera)

BROUGHTONIA:

Parallelodiplosis cattleyae (Diptera)
Vinsonia stellifera (Homoptera)

CACTUS:

Polygypta dispar (Homoptera)

CAESALPINTA:

Mimosestes dominicanus (Coleoptera)

CAJANUS:

Callosobruchus phaseoli (Coleoptera)
Tricorynus nelutumae (Coleoptera)
Maruca testulalis (Lepidoptera)
Sphenarches caffer (Lepidoptera)
Trogoderma granarium (Coleoptera)
Acanthoscelides zeteki (Coleoptera)

CALLUNA:

Gelechia ericotella (Lepidoptera)
Microtus ericae (Coleoptera)
Rhinocola ericae (Homoptera)
Kleidocerys truncatulus (Hemiptera)

CALOCARPUM:

Coccus viridis (Homoptera)
Anastrepha ludens (Diptera)
Anastrepha serpentina (Diptera)

CALOPHYLLUM:

Ceratitis capitata (Diptera)
Dacus dorsalis (Diptera)

CAMELLIA:

Selenopalpus euryae (Homoptera)
Sinoxylon conigerum (Coleoptera)
Lepidosaphes kamakurensis (Homoptera)

CANALVIA:

Lampides boeticus (Lepidoptera)
Araecorynus cumingi (Coleoptera)

CAPSICUM:

Cryptophlebia leucotreta (Lepidoptera)
Triaiza incidata (Homoptera)
Caryedon serratus (Coleoptera)
Ceratitis capitata (Diptera)
Cryptophlebia leucotreta (Lepidoptera)
Ostrinia nubilalis (Lepidoptera)
Spodoptera littoralis (Lepidoptera)

CARICA:

Ceratitis capitata (Diptera)

Dacus dorsalis (Diptera)

CARYA:

Monellia costalis (Hemiptera)

CASIMIROA:

Anastrepha ludens (Diptera)

CASSIA:

Trachylepida fructicassella (Lepidoptera)
Acanthoscelides oblongoguttatus (Coleoptera)

CASSIA (continued):
Carvedon serratus (Coleoptera)

CASTANEA:

- Curculio elephas (Coleoptera)
- Hemimene juliana (Lepidoptera)
- Laspeyresia splendana (Lepidoptera)

CATTLEYA:

- Mormidea angustata (Hemiptera)
- Vinsonia stellifera (Homoptera)

CEDRUS:

- Callidium rufipenne (Coleoptera)

CERATONIA:

- Tricorynus nelumiae (Coleoptera)

CEREUS:

- Opiuntiaspis philococcus (Homoptera)

CHAMAECYPARIS:

- Megastigmus cryptomeriae (Hymenoptera)
- Cryptoparlatoraea leucaspis (Homoptera)

CHAMAEDOREA:

- Asterolecanium inlabefactum (Homoptera)
- Asterolecanium sabalis (Homoptera)
- Calypocephala querstaekeri (Coleoptera)
- Calypocephala marginipennis (Coleoptera)
- Charidotis seminulum (Coleoptera)
- Coelocnemus nigrirostris (Coleoptera)
- Coptocycla atlanta (Coleoptera)
- Ctenochira ferranti (Coleoptera)
- Ctenochira bectica (Coleoptera)
- Ctenochira hieroglyphica (Coleoptera)
- Ctenochira plicata (Coleoptera)
- Deloyala guttata (Coleoptera)
- Diabrotica lepida (Coleoptera)
- Dinaspis aculeata (Homoptera)
- Doryphora sheppardi (Coleoptera)
- Metria trisignata (Coleoptera)
- Oncometopia clarior (Hemiptera)
- Parisoschoenus flavolimbatus (Coleoptera)
- Pyrgocorypha hamata (Orthoptera)
- Xanthophthalma concinnum (Homoptera)

CHEYSANTHEMUM:

- Ancognatha scarabaeoides (Coleoptera)
- Anomala vanpatteni (Coleoptera)
- Frankliniella formosae (Thysanoptera)
- Phyllophaga tumulosa (Coleoptera)
- Taeniothrips hawaiiensis (Thysanoptera)
- Taylorilygus pallidulus (Hemiptera)

CHYSOBALANUS:

- Anastrepha bombinpraeoptans (Diptera)

CICER:

- Callosobruchus analis (Coleoptera)
- Trogoderma granarium (Coleoptera)
- Acanthoscelides zeteki (Coleoptera)

CITRULLUS:

- Strabala rotunda (Coleoptera)

CITRUS AURANTIIFOLIA:

- Aleurocanthus woglumi (Homoptera)
- Aleurothrixus floccosus (Homoptera)
- Anastrepha ludens (Diptera)
- Coccus viridis (Homoptera)
- Ctenochira hictica (Coleoptera)
- Parlatoria cinerea (Homoptera)
- Parlatoria zizyphus (Homoptera)
- Prays citri (Lepidoptera)
- Pseudaonidia trilobitiformis (Homoptera)
- Unaspis yanonensis (Homoptera)

CITRUS AURANTIUM:

- Anastrepha ludens (Diptera)
- Unaspis yanonensis (Homoptera)

CITRUS GRANDIS:

- Aonidiella comperei (Homoptera)
- Ceratitis capitata (Diptera)
- Parlatoria cinerea (Homoptera)
- Parlatoria zizyphus (Homoptera)
- Pseudaonidia trilobitiformis (Homoptera)
- Unaspis yanonensis (Homoptera)

CITRUS LIMON:

- Aleurocanthus woglumi (Homoptera)
- Aleurothrixus floccosus (Homoptera)
- Anastrepha ludens (Diptera)
- Ceratitis capitata (Diptera)
- Cryptoblabes gnidiella (Lepidoptera)
- Ischnodemus darwini (Hemiptera)

- Parlatoria cinerea (Homoptera)
- Parlatoria zizyphus (Homoptera)
- Pseudaonidia trilobitiformis (Homoptera)
- Unaspis yanonensis (Homoptera)

CITRUS MEDICA:

- Aleurotuberculatus aucuba (Homoptera)
- Prays citri (Lepidoptera)

CITRUS PARADISII:

- Anastrepha ludens (Diptera)
- Ceratitis capitata (Diptera)
- Parlatoria cinerea (Homoptera)
- Parlatoria zizyphus (Homoptera)
- Unaspis yanonensis (Homoptera)

CITRUS RETICULATA CV.:

- Anastrepha ludens (Diptera)
- Ceratitis capitata (Diptera)
- Dacus dorsalis (Diptera)
- Parlatoria cinerea (Homoptera)
- Parlatoria zizyphus (Homoptera)
- Pseudaonidia trilobitiformis (Homoptera)
- Unaspis yanonensis (Homoptera)
- Aleurocanthus woglumi (Homoptera)

CITRUS SINENSIS:

- Aleurocanthus woglumi (Homoptera)
- Aleurothrixus floccosus (Homoptera)
- Parlatoria zizyphus (Homoptera)
- Anastrepha ludens (Diptera)
- Anastrepha bombinpraeoptans (Diptera)
- Cacoecimorpha pronubana (Lepidoptera)
- Ceratitis capitata (Diptera)
- Chrysomphalus pinnulifer (Homoptera)
- Cryptoblabes gnidiella (Lepidoptera)
- Cryptophlebia leucotreta (Lepidoptera)
- Dacus dorsalis (Diptera)
- Parlatoria cinerea (Homoptera)
- Parlatoria zizyphus (Homoptera)
- Pseudaonidia trilobitiformis (Homoptera)
- Unaspis yanonensis (Homoptera)

CITRUS SP.:

- Ceratitis capitata (Diptera)
- Unaspis yanonensis (Homoptera)
- Parlatoria zizyphus (Homoptera)
- Aleurocanthus woglumi (Homoptera)
- Aleurolobus marlatii (Homoptera)
- Aleuroparadoxus gardeniae (Homoptera)
- Aleuroplatus coccoculus (Homoptera)
- Aleurothrixus floccosus (Homoptera)
- Aleurotuberculatus aucuba (Homoptera)
- Aonidiella comperei (Homoptera)
- Parlatoria cinerea (Homoptera)
- Pseudaonidia trilobitiformis (Homoptera)
- Puto mexicanus (Homoptera)
- Tetraleurodes quadratus (Homoptera)
- Trialeurodes vitrinellus (Homoptera)
- Oulema melanopus (Coleoptera)

CLEYFRA:

- Fiorinia vacciniae (Homoptera)

COCCOLORIS:

- Coccus viridis (Homoptera)

COCOS:

- Diccalandra taitensis (Coleoptera)
- Furcaspis oceanica (Homoptera)
- Lepidosaphes bladiae (Homoptera)
- Lepidosaphes esakii (Homoptera)

CODIAPUM:

- Orchamoplatus mammaeferus (Homoptera)

COPPEA:

- Ceratitis capitata (Diptera)
- Coccus viridis (Homoptera)
- Hypothenemus hampei (Coleoptera)
- Ceratitis capitata (Diptera)

CORDYLINE:

- Chrysodeixis chalcites (Lepidoptera)

CORTIANDRUM:

- Gargaphia opacula (Hemiptera)
- Systole coriandri (Hymenoptera)
- Metrionia trisignata (Coleoptera)

CORYLUS:

- Asterobemisia avellanae (Homoptera)
- Curculio nucum (Coleoptera)

CRATEGUS:

- Ceratitis capitata (Diptera)

CUCUMINIS:

- Blapstinus punctulatus* (Coleoptera)
- Diplotaxis arctifrons* (Coleoptera)
- Dysdercus minusculus* (Hemiptera)
- Homalodisca ichthyocephala* (Homoptera)
- Lema bilineata* (Coleoptera)
- Lygaeus albo-ornatus* (Hemiptera)
- Ascius latus* (Homoptera)
- Empoasca kraemerii* (Homoptera)
- Homalodisca ichthyocephala* (Homoptera)
- Psyllo minuticona* (Homoptera)
- Carpomyia pardalina* (Diptera)
- Scolytus amygdali* (Coleoptera)

CUPRESSUS:

- Melanocoryphus albomaculatus* (Hemiptera)
- Orsillus maculatus* (Hemiptera)

CYAMOPSIS:

- Trogoderma granarium* (Coleoptera)
- CYDONIA:*
- Anastrepha ludens* (Diptera)
- Trogoderma granarium* (Coleoptera)

CYNARA:

- Larinus scolyti* (Coleoptera)
- Terellia fuscicornis* (Diptera)
- Xanthoecia flavago* (Lepidoptera)

CYPHOMANDRA:

- Hedoleucinodes elegantalis* (Lepidoptera)

CYTISUS:

- Bruichidius lividimanus* (Coleoptera)

DAHLIA:

- Dilophus febrilis* (Diptera)
- Frankliniella formosae* (Thysanoptera)
- Hyadaphis foeniculi* (Homoptera)
- Thrips major* (Thysanoptera)

DAUCUS:

- Aethes williana* (Lepidoptera)

DENDROBIUM:

- Graptostethus manillensis* (Hemiptera)
- Melanaspis tenax* (Homoptera)

DIANTHUS:

- Dioxyyna sororcula* (Diptera)
- Frankliniella formosae* (Thysanoptera)
- Frankliniella intonosa* (Thysanoptera)
- Taeniothrips hawaiiensis* (Thysanoptera)

DIEPFENBACHIA:

- Colopterus macropterus* (Coleoptera)

DIOSCOREA:

- Aspidiella hartii* (Homoptera)
- Carpophilus maculatus* (Coleoptera)
- Diaprepes abbreviatus* (Coleoptera)

DIOSPYROS:

- Ceratitis capitata* (Diptera)
- Lepidosaphes conchiformoides* (Homoptera)
- Cacoecimorpha pronubana* (Lepidoptera)
- Ceratitis capitata* (Diptera)

DOLICHOS:

- Callosobruchus analis* (Coleoptera)
- Callosobruchus phaseoli* (Coleoptera)

DRACAENA:

- Chelysoma variabilis* (Hemiptera)

ENTEROLOBIUM:

- Anypsipylla univitella* (Lepidoptera)

EPIDENDRUM:

- Vinsonia stellifera* (Homoptera)

ERICA:

- Taeniothrips ericae* (Thysanoptera)
- Thrips major* (Thysanoptera)

ERIOBOTRYA:

- Cacoecimorpha pronubana* (Lepidoptera)
- Ceratitis capitata* (Diptera)
- Acutaspis albopicta* (Homoptera)

ERVATAMIA:

- Taeniothrips hawaiiensis* (Thysanoptera)

EUGENIA:

- Anastrepha mombinpraeflava* (Diptera)
- Ceratitis capitata* (Diptera)
- Dacus dorsalis* (Diptera)

EUPHORBIA:

- Chelysoma variabilis* (Hemiptera)

EURYA:

- Lepidosaphes euryae* (Homoptera)

Dialeurodes tristylei (Homoptera)

PEIJOA:

- Epiphyas postvittana* (Lepidoptera)

PICUS:

- Ceratitis capitata* (Diptera)
- Dacus dorsalis* (Diptera)
- Cadra calidella* (Lepidoptera)
- Silba virescens* (Diptera)
- Hypoborus ficus* (Coleoptera)
- Ceroplastes rufsci* (Homoptera)
- Hypoborus ficus* (Coleoptera)
- Ceratitis capitata* (Diptera)
- Thoracaphis fici* (Homoptera)

FORTUNELLA:

- Parlatoria zizyphus* (Homoptera)

FRAGARIA:

- Colopterus brevipes* (Coleoptera)
- Colopterus macropterus* (Coleoptera)
- Colopterus vestitus* (Coleoptera)
- Epiphyas postvittana* (Lepidoptera)

GARNINIA:

- Vinsonia stellifera* (Homoptera)

GARDENIA:

- Coccus viridis* (Homoptera)
- Orthezia pseudinsignis* (Homoptera)
- Pealius hibisci* (Homoptera)
- Hexaleurodinus ferrisi* (Homoptera)
- Taeniothrips hawaiiensis* (Thysanoptera)
- Coccus viridis* (Homoptera)

GLADIOCUS:

- Frankliniella formosae* (Thysanoptera)
- Taeniothrips hawaiiensis* (Thysanoptera)

GLYCINE:

- Bruchus emarginatus* (Coleoptera)

GOSSYPIUM:

- Pectinophora gossypiella* (Lepidoptera)

GUNDELIA:

- Trogoderma granarium* (Coleoptera)

HERNANDIA:

- Carpophilus oculatus* (Coleoptera)

HIBISCUS:

- Atheas fuscipes* (Hemiptera)
- Carpophilus succisus* (Coleoptera)
- Cerotoma ruficornis* (Coleoptera)
- Colopterus macropterus* (Coleoptera)
- Earias insulana* (Lepidoptera)
- Oxycarenus hyalinipennis* (Hemiptera)
- Pectinophora gossypiella* (Lepidoptera)
- Antiteuchus sepulchralis* (Hemiptera)
- Antiteuchus tripteris* (Hemiptera)

HOLMSKIOLDIA:

- Coccus viridis* (Homoptera)

HYPHAEAE:

- Haptoncus fallax* (Coleoptera)

IPOMOEA:

- Colopterus macropterus* (Coleoptera)
- Cylas formicarius elegantulus* (Coleoptera)
- Cylas puncticollis* (Coleoptera)
- Eusceps postfasciatus* (Coleoptera)
- Omphisa anastomosalis* (Lepidoptera)
- Udea ferrugalis* (Lepidoptera)
- Agrius convolvuli* (Lepidoptera)

IRIS:

- Aphis newtoni* (Homoptera)

IXORA:

- Protopulvinaria longivalvata* (Homoptera)

JASMINUM:

- Coptosoma xanthogramma* (Hemiptera)
- Palpita unionalis* (Lepidoptera)
- Aleurotuberculatus jasmini* (Homoptera)

JUGLANS:

- Bruchus signaticornis* (Coleoptera)
- Cadra calidella* (Lepidoptera)

JUNIPERUS:

- Oechalia schellenbergi* (Hemiptera)

HOSTS AND INSECTS

LACTUCA:

Colopterus macropterus (Coleoptera)
Geniates panamensis (Coleoptera)
Mamestra brassicae (Lepidoptera)

LANSIUM:

Planococcus lilacinus (Homoptera)
Rastrococcus spinosus (Homoptera)

LARIX:

Megastigmus seitneri (Hymenoptera)

LATHYRUS:

Frankliniella intonsa (Thysanoptera)
Bruchus azoricus (Coleoptera)
Bruchus tristiculus (Coleoptera)

LAURUS:

Triauleurodes lauri (Homoptera)
Vinsonia stellifera (Homoptera)
Melanaspis paulista (Homoptera)

LEPNS:

Bruchus ervi (Coleoptera)
Bruchus latus (Coleoptera)
Bruchus signaticornis (Coleoptera)

LEUCENA:

Araecerus levipennis (Coleoptera)

LICuala:

"*Pseudococcus*" *bispinus* (Homoptera)

LILIUM:

Frankliniella liliivora (Thysanoptera)
Oligogona sacchari (Lepidoptera)

LITCHI:

Cryptophlebia ombrodelta (Lepidoptera)
Planococcus dorsospinosus (Homoptera)

LYCASTE:

Vinsonia stellifera (Homoptera)

LYCOPERSICON:

Coccinimorpha pronubana (Lepidoptera)
Malacorhinus irregularis (Coleoptera)
Neoleucinodes elegantalis (Lepidoptera)

LYCORIS:

Taeniothrips eucharii (Thysanoptera)

MALUS:

Ceratitis capitata (Diptera)
Carposina nipponensis (Lepidoptera)
Epiphysis postvittana (Lepidoptera)
Anastrepha ludens (Diptera)
Blastodacna atra (Lepidoptera)
Ceratitis capitata (Diptera)

MAMILLARIA:

Opuntiaspis philococcus (Homoptera)

MANGIFERA:

Anastrepha ludens (Diptera)
Anastrepha mombinpraeoptans (Diptera)
Aulacaspis tubercularis (Homoptera)
Ceratitis capitata (Diptera)
Dacus dorsalis (Diptera)
Anastrepha ludens (Diptera)
Cryptorhynchus mangiferae (Coleoptera)
Pseudaonidia trilobitiformis (Homoptera)
Anastrepha ludens (Diptera)
Anastrepha mombinpraeoptans (Diptera)

MANGHOT:

Colopterus abdominalis (Coleoptera)

MESEMBRYANTHEMUM:

Pulvinaria mesembryanthemi (Homoptera)

MIMOSA:

Depressaria depressella (Lepidoptera)

MUCUNA:

Araecorynus cumingi (Coleoptera)

MUSA:

Dacus dorsalis (Diptera)
Oligogona sacchari (Lepidoptera)
Proarna bilialis (Homoptera)

MYRISTICA:

Sinoxylon conigerum (Coleoptera)

NARCISSUS:

Taeniothrips eucharii (Thysanoptera)

NERIUM:

Pseudaonidia trilobitiformis (Homoptera)

OLEA:

Dacus oleae (Diptera)

Aleurolobus olivinus (Homoptera)

Phloeotribus scarabaeoides (Coleoptera)
Cadra calidella (Lepidoptera)

Leucaspis riccae (Homoptera)

Prays oleela (Lepidoptera)

Aleurolobus olivinus (Homoptera)

Dacus oleae (Diptera)

ONCIDIUM:

Acroleucus vicinalis (Hemiptera)

Lincus spathuliger (Hemiptera)

Vinsonia stellifera (Homoptera)

OPERCULINA:

Megacerus cubiciformis (Coleoptera)

OPUNTIA:

Ceratitis capitata (Diptera)

ORBIGNYA:

Pachymerus nucleorum (Coleoptera)

ORCHID:

Orchidophilus atterimus (Coleoptera)

Acroleucus vicinalis (Hemiptera)

Aeolus marginatus (Coleoptera)

Alkinus atratus (Hemiptera)

Arphnus melanostylus (Hemiptera)

Camponotus mucronatus (Hymenoptera)

Camponotus sexguttatus (Hymenoptera)

Carpophilus maculatus (Coleoptera)

Cataenococcus guatemalensis (Homoptera)

Chelysoma variabilis (Hemiptera)

Colopterus latus (Coleoptera)

Cyrtodisca major (Homoptera)

Dissosteira carolina (Orthoptera)

Galupha quadrisignata (Hemiptera)

Metriona trisignata (Coleoptera)

Ochrostomus moa (Hemiptera)

Parallelodiplosis cattleyae (Diptera)

Pheidole punctatissima (Hymenoptera)

Propotulvinaria longivalvata (Homoptera)

Puto ulter (Homoptera)

Sethenira ferruginea (Hemiptera)

Sitophilus rugosus (Homoptera)

Tenthecoris bicolor (Hemiptera)

Vinsonia stellifera (Homoptera)

ORYZA:

Chilo suppressalis (Lepidoptera)

Callosobruchus analis (Coleoptera)

Caryedon serratus (Coleoptera)

Trogoderma granarium (Coleoptera)

PAEONIA:

Frankliniella formosae (Thysanoptera)

PALM:

Aonidiella messengeri (Homoptera)

Vinsonia stellifera (Homoptera)

Carpophilus maculatus (Coleoptera)

PANDANUS:

Dacus dorsalis (Diptera)

PASSIFLORA:

Ceratitis capitata (Diptera)

Dacus dorsalis (Diptera)

PELARGONIUM:

Puto mexicanus (Homoptera)

PELEA:

Prays fulvocaneellus (Lepidoptera)

PERILLA:

Aulacorthum perillae (Homoptera)

PERSEA:

Ceratitis capitata (Diptera)

Stenoma catenifer (Lepidoptera)

Triozza anceps (Homoptera)

Conotrachelus aguacatae (Coleoptera)

Conotrachelus perseae (Coleoptera)

Ceratitis capitata (Diptera)

Dacus dorsalis (Diptera)

PETROSELINUM:

Calosiris terminatus (Coleoptera)

Euleia heraclei (Diptera)

Mamestra brassicae (Lepidoptera)

PHAOEMERIA:

Haptoncus ocularis (Coleoptera)

PHASEOLUS:

Bruchidius ramicornis (Coleoptera)

Callosobruchus analis (Coleoptera)

PHASEOLUS (continued):

Callosobruchus phaseoli (Coleoptera)
Acanthoscelides obreptus (Coleoptera)
Laspeyresia fabivora (Lepidoptera)
Ostrinia nubilalis (Lepidoptera)
Bruchus affinis (Coleoptera)
Bruchus tristiculus (Coleoptera)
Bruchus tristis (Coleoptera)
Callosobruchus phaseoli (Coleoptera)
Callosobruchus pulcher (Coleoptera)
Everes comyntas (Lepidoptera)
Trogoderma granarium (Coleoptera)
Bruchidius ramicornis (Coleoptera)
Bruchus emarginatus (Coleoptera)
Epinotia aporema (Lepidoptera)
Maruca testulalis (Lepidoptera)
Matusuraes phaseoli (Lepidoptera)
Ostrinia nubilalis (Lepidoptera)

PHOENIX:

Parlatoria blanchardi (Homoptera)

PHRAGMITES:

Chaetococcus phragmitis (Homoptera)
Chilo phragmitellus (Lepidoptera)
Gahaniola phragmitis (Hymenoptera)
Giraudiella inclusa (Diptera)
Lasioptera arundinis (Diptera)
Phraqmataecia castaneae (Lepidoptera)

PHYLLOCLADUS:

Eriococcus arcanus (Homoptera)

PICEA:

Megastigmus strobilobius (Hymenoptera)
Plemeliella abietina (Diptera)
Resseliella piceae (Diptera)
Plemeliella abietina (Diptera)
Megastigmus strobilobius (Hymenoptera)
Plemeliella abietina (Diptera)
Ernobius abietis (Coleoptera)
Laspeyresia strobiliella (Lepidoptera)

PINUS:

Dichocrocis punctiferalis (Lepidoptera)
Leucaspis loewi (Homoptera)
Oxythyrea funesta (Homoptera)

PISTACIA:

Lepidosaphes pistaciae (Homoptera)
Melanaspis inopinata (Homoptera)
Megastigmus pistaciae (Hymenoptera)
Schneidereria pistaciicola (Lepidoptera)
Trogoderma granarium (Coleoptera)

PISON:

Everes comyntas (Lepidoptera)
Trogoderma granarium (Coleoptera)
Bruchus emarginatus (Coleoptera)
Acanthoscelides zeteki (Coleoptera)

PLANTS:

Aldemona azteca (Orthoptera)
Anabropsis mexicanus (Orthoptera)
Brachycaudus tragopogonis (Homoptera)
Closterus posticus (Coleoptera)
Lacon scabrosus (Coleoptera)
Metamasius callizona (Coleoptera)
Poecilaspis angulata (Coleoptera)
Stilodes caelebs (Coleoptera)
Vinsonia stellifera (Homoptera)

PLUMERIA:

Haptognathus minutus (Coleoptera)
Haptognathus pacificus (Coleoptera)
Taeniothrips hawaiiensis (Thysanoptera)
Asterolecanium unguatum (Homoptera)
Coccus viridis (Homoptera)

POLIANTHES:

Taeniothrips hawaiiensis (Thysanoptera)
Caryedon serratus (Coleoptera)

PROTEA:

Capriobibia lineola (Hemiptera)
Coccus proteae (Homoptera)
Glaucothrips glaucus (Thysanoptera)
Oxycarenus maculatus (Hemiptera)
Pria antennata (Coleoptera)
Solenosthedium liligerum (Hemiptera)
Spermophagus bimaculatus (Coleoptera)
Tanaos bicolor (Coleoptera)
Trichostetha fascicularis (Coleoptera)

PRUNUS:

Ceratitis capitata (Diptera)
Anthonomus rectirostris (Coleoptera)
Rhagotis cerasi (Diptera)
Anastrepha ludens (Diptera)
Epiphyas postvittana (Lepidoptera)
Anthonomus rectirostris (Coleoptera)
Anastrepha ludens (Diptera)
Anastrepha mobinpraecoptans (Diptera)
Ceratitis capitata (Diptera)
Cryptophlebia leucotreta (Lepidoptera)
Harrisina brillians (Lepidoptera)
Ceratitis capitata (Diptera)

PSIDIUM:

Anastrepha mobinpraecoptans (Diptera)
Ceratitis capitata (Diptera)
Dacus dorsalis (Diptera)
Anastrepha suspensa (Diptera)
Lepidosaphes spinulosa (Homoptera)
Aleurothrixus floccosus (Homoptera)
Aleurotuberculatus cherasensis (Homoptera)
Corbettella artocarpi (Homoptera)
Ceratitis capitata (Diptera)
Dacus dorsalis (Diptera)

PUNICA:

Anastrepha ludens (Diptera)
Ceratitis capitata (Diptera)
Cacoecimorpha pronubana (Lepidoptera)
Cryptolobales gnidiella (Lepidoptera)
Monosteira unicostata (Hemiptera)
Anastrepha ludens (Diptera)

PYRUS:

Anastrepha ludens (Diptera)
Ceratitis capitata (Diptera)
Cacoecimorpha pronubana (Lepidoptera)
Macrodactylus mexicanus (Coleoptera)
Ceratitis capitata (Diptera)

QUERCUS:

Callirhytis glandulosa (Hymenoptera)
Andricus glandium (Hymenoptera)

RAPHANUS:

Macrostomella brassicae (Lepidoptera)

ROSA:

Cladius pectinicornis (Hymenoptera)
Frankliniella formosae (Thysanoptera)
Frankliniella intonsa (Thysanoptera)
Taeniothrips hawaiiensis (Thysanoptera)
Thrips coloratus (Thysanoptera)
Thrips major (Thysanoptera)

RUBUS:

Asterobemisia avellanae (Homoptera)
Aleyrodes fragariae (Homoptera)

SACCHARUM:

Argyropleco schistaceana (Lepidoptera)
Diatraea considerata (Lepidoptera)
Nasutitermes costalis (Isoptera)
Opoigna sacchari (Lepidoptera)

SESbania:

Bruchophagus mellipes (Hymenoptera)
Maruca testulalis (Lepidoptera)

SHORTIA:

Fiorinia vacciniae (Homoptera)

SOLANUM:

Leucinodes orbonalis (Lepidoptera)
Neoleucinodes elegantalis (Lepidoptera)
Oplomus nigripennis (Hemiptera)
Neoleucinodes elegantalis (Lepidoptera)
Epicaerus cognatus (Coleoptera)
Liriomyza brasiliensis (Diptera)

SORBUS:

Ceratitis capitata (Diptera)

SORGHO:

Sesamia nonagrioides (Lepidoptera)
Ostrinia nubilalis (Lepidoptera)

SPONDIAS:

Anastrepha mobinpraecoptans (Diptera)
Vinsonia stellifera (Homoptera)

H O S T S A N D I N S E C T S

SYRINGA:

Adoxophyes reticulana (Lepidoptera)

TAMARINDUS:

Caryedon serratus (Coleoptera)
Cryptoblepharia ombrodelta (Lepidoptera)

TERMINALIA:

Anastrepha moninpraeoptans (Diptera)
Anastrepha suspensa (Diptera)
Ceratitis capitata (Diptera)
Dacus dorsalis (Diptera)

TILLANDSIA:

Acanthoscelides oblongoquattatus (Coleoptera)
Ephilachna nigrocincta (Coleoptera)
Isorhinus undatus (Coleoptera)
Nasutitermes nigriceps (Isoptera)
"Stictocephala" elongata (Homoptera)
Dendrocoris suffultus (Hemiptera)

VACCINIUM:

Chionaspis salicis (Homoptera)

VANDA:

Phenacaspis dendrobii (Homoptera)

VEGETABLES:

Prasocuris junci (Coleoptera)

VICIA:

Bruchus dentipes (Coleoptera)
Acanthoscelides obreptus (Coleoptera)
Bruchus ervi (Coleoptera)
Bruchus signaticornis (Coleoptera)
Bruchus tristis (Coleoptera)

Bruchus azoricus (Coleoptera)

Pinotia aporema (Lepidoptera)

VITIS:

Harrisia brillians (Lepidoptera)
Cacoecimorpha pronubana (Lepidoptera)
Cryptoblabes gnidiella (Lepidoptera)
Eysarcoris inconspicuus (Hemiptera)
Leptoglossus chilensis (Hemiptera)
Lobesia botrana (Lepidoptera)
Naupactus xanthographus (Coleoptera)
Phylctinus callosus (Coleoptera)
Spilostethus pandurus elegans (Hemiptera)

VRIESIA:

Dendrocoris variegatus (Hemiptera)

WISTERIA:

Lepidosaphes conchiformoides (Homoptera)

ZEA:

Ostrinia nubilalis (Lepidoptera)
Colopterus amputatus (Coleoptera)
Colopterus macropterus (Coleoptera)

ZELKOVA:

Lepidosaphes zelkovae (Homoptera)

ZINGIBER:

Aspidiella hartii (Homoptera)
Ostrinia nubilalis (Lepidoptera)

ZINNIA:

Frankliniella formosae (Thysanoptera)

I N S E C T S I N T E R C E P T E D W I T H H O S T S U N K N O W N

AIRCRAFT:

Acanthocoris sordidus (Hemiptera)
Acanthoderes nigricans (Coleoptera)
Achaea catocaloides (Lepidoptera)
Achaea janata (Lepidoptera)
Acris exaltata (Orthoptera)
Adoretus sinicus (Coleoptera)
Aeneolamia postica (Homoptera)
Aeneolamia reducta (Homoptera)
Aeoloderma brachmana (Coleoptera)
Aeolus marginatus (Coleoptera)
Aethus indicus (Hemiptera)
Agrilus convolvuli (Lepidoptera)
Agyrpus binodulus (Coleoptera)
Aiolopus thalassinus taenulus (Orthoptera)
Aletia formosana (Lepidoptera)
Anacridium aegyptium (Orthoptera)
Anadevidia peponis (Lepidoptera)
Anastrepha suspensa (Diptera)
Anigraea albomaculata (Lepidoptera)
Anomala cuprea (Coleoptera)
Anomala rufocuprea (Coleoptera)
Anomala xanthopleura (Coleoptera)
Anua coronata (Lepidoptera)
Apothripa albonotata (Lepidoptera)
Azeta versicolor (Lepidoptera)
Balclutha bearsleyi (Homoptera)
Berecyntus delirator (Hemiptera)
Blenia donans (Lepidoptera)
Brachytrupes portentosus (Orthoptera)
Bruchus tristiculus (Coleoptera)
Bucrates capitatus (Orthoptera)
Callidium rufipenne (Coleoptera)
Calipe excavata (Lepidoptera)
Cephis siccifolius (Homoptera)
Ceressium geniculatum (Coleoptera)
Chalciope hypsias (Lepidoptera)
Chortophaga viridifasciata (Orthoptera)
Chremistica ochracea (Homoptera)
Chrysocoris stollii (Hemiptera)
Chrysodeixis chalcites (Lepidoptera)
Cicadella viridis (Homoptera)
Cnaphalocrocis medicinalis (Lepidoptera)
Concephalus saltator (Orthoptera)
Conoderus triangularis (Coleoptera)
Conosia irrorata (Diptera)
Coptosoma xanthogramma (Hemiptera)
Cosmopsaltria andersoni (Homoptera)
Cydnus nigritus (Hemiptera)
Dacus dorsalis (Diptera)
Dallasiellus bacchinius (Hemiptera)
Deltocephalus distinctus (Homoptera)
Diabrotica porracea (Coleoptera)
Diachrysia orichalcea (Lepidoptera)
Diaprepes abbreviatus (Coleoptera)
Dichocrocis punctiferalis (Lepidoptera)
Dicranotropis muiri (Homoptera)
Dissosteira carolina (Orthoptera)
Dolycoris baccarum (Hemiptera)
Dorysthenes granulosus (Coleoptera)
Draeculacephala clypeata (Homoptera)
Ducetia japonica (Orthoptera)
Dysdercus mimulus (Hemiptera)
Dysdercus peruvianus (Hemiptera)
Elasmostethus humeralis (Hemiptera)
Elousa albicans (Lepidoptera)
Elydnia nonagrica (Lepidoptera)
Eophileurus chinensis (Coleoptera)
Epilachna niponica (Coleoptera)
Episparis liturata (Lepidoptera)
Epitragus aurulentus aurulentus (Coleoptera)
Ercheia quadriplaga (Lepidoptera)
Erebis hieroglyphica (Lepidoptera)
Ericeia inangulata (Lepidoptera)
Erythrogenia areolata (Homoptera)
Fugnathia lunifera (Lepidoptera)
Euterphosia iwasadii (Homoptera)
Geniates panamensis (Coleoptera)
Geotomus pygmaeus (Hemiptera)
Gesonia obditalis (Lepidoptera)
Grammodes geometrica (Lepidoptera)
Gryllotalpa africana (Orthoptera)

Gryllus bimaculatus (Orthoptera)
Gryllus capitatus (Orthoptera)
Heliothis armigera (Lepidoptera)
Heliothis assulta (Lepidoptera)
Hermonassa cecilia (Lepidoptera)
Herpetogramma licarsialis (Lepidoptera)
Heterobostrychus aequalis (Coleoptera)
Hippia mumeata (Lepidoptera)
Homorocoryphus lineosus (Orthoptera)
Homorocoryphus nitidulus (Orthoptera)
Homunka hakoneensis (Homoptera)
Hypocala deflora (Lepidoptera)
Inazuma dorsalis (Homoptera)
Leucania formosana (Lepidoptera)
Leucania hanifera (Lepidoptera)
Leucania loreyi (Lepidoptera)
Leucania yu (Lepidoptera)
Lioenys macropelma (Coleoptera)
Locusta migratoria (Orthoptera)
Lophoptera illucida (Lepidoptera)
Loxoblemmus equestris (Orthoptera)
Manopus simillimus (Coleoptera)
Maruca testulalis (Lepidoptera)
Mecidea major (Hemiptera)
Mecopoda elongata (Orthoptera)
Megasoma elephas (Coleoptera)
Megasoma gyas (Coleoptera)
Melanoplus devastator (Orthoptera)
Melolontha japonica (Coleoptera)
Melolontha melolontha (Coleoptera)
Membracis mexicana (Homoptera)
Metalepta brevicornis (Orthoptera)
Metamasius hemipterus sericeus (Coleoptera)
Meticocheta vittaticollis (Orthoptera)
Microcentrum triangulatum (Orthoptera)
Miogryllus ensifer (Orthoptera)
Mocis frugalis (Lepidoptera)
Mocis undata (Lepidoptera)
Modicogryllus confirmatus (Orthoptera)
Modicogryllus siamensis (Orthoptera)
Nephrotettix apicalis (Homoptera)
Nephrotettix cincticeps (Homoptera)
Nephrotettix impicticeps (Homoptera)
Nilaparvata lugens (Homoptera)
Nisia atrovenosa (Homoptera)
Ochropleura triangularis (Lepidoptera)
Oedaleonotus enigma (Orthoptera)
Ommatophora fulvastra (Lepidoptera)
Omophoita aequinoctialis (Coleoptera)
Omphisa anastomosalis (Lepidoptera)
Ophiusa indiscriminata (Lepidoptera)
Ornithospila submonstrans (Lepidoptera)
Oxyctetonia jacunda (Coleoptera)
Oxyntoperus mucronatus (Coleoptera)
Oxyodes scrobiculata (Lepidoptera)
Ozophora atropicta (Hemiptera)
Pachybrachius nietneri (Hemiptera)
Paraluperodes suturalis (Coleoptera)
Paramesedes alpinervosus (Homoptera)
Phaeochrous asiaticus (Coleoptera)
Phaneroptera falcata (Orthoptera)
Phaneroptera furcifera (Orthoptera)
Phlegetonia delatrix (Lepidoptera)
Phlogophora meticulosa (Lepidoptera)
Phurys agrapta (Lepidoptera)
Piezodorus hybneri (Hemiptera)
Platyleura kaempferi (Orthoptera)
Platysenta illecta (Lepidoptera)
Plautia crossota (Hemiptera)
Plebeiogryllus guttiventris (Orthoptera)
Plectia collaris (Diptera)
Poeciloscarta histrio (Homoptera)
Polistes exclamans picturatus (Hymenoptera)
Polydesma umbricola (Lepidoptera)
Ponana insularis (Homoptera)
Popillia japonica (Coleoptera)
Popillia lewisi (Coleoptera)
Porteria dispar (Lepidoptera)
Protaetia fusca (Coleoptera)
Pseudaletia separata (Lepidoptera)
Pseudophera contraria (Homoptera)
Pterochlorus tropicalis (Homoptera)

AIRCRAFT (continued):

Purobita cervina (Homoptera)
Pyrgocorypha sallei (Orthoptera)
Pyropotus pryeri (Coleoptera)
Recilia distincta (Homoptera)
Rhinaudiareana nigriceps (Hemiptera)
Rhaphigaster nebulosa (Hemiptera)
Risoba obducta (Lepidoptera)
Safia decessa (Lepidoptera)
Scaptocoris divergens (Hemiptera)
Scotinophara lurida (Hemiptera)
Sesama inferens (Lepidoptera)
Simplicia niphona (Lepidoptera)
Sinoxylon anale (Coleoptera)
Sinoxylon conigerum (Coleoptera)
Spodoptera abyssinia (Lepidoptera)
Spodoptera litura (Lepidoptera)
Spodoptera mauritia (Lepidoptera)
Spodoptera mauritiae acronyctoides (Lepidoptera)
Spodoptera pecten (Lepidoptera)
Stenygrius quadrinotatus (Coleoptera)
Stromatium longicorne (Coleoptera)
Sybra alternans (Coleoptera)
Syrphula admirabilis (Orthoptera)
Tanna japonensis (Homoptera)
Taosa paraherbida (Homoptera)
Teleogryllus mitratus (Orthoptera)
Teleogryllus testaceus (Orthoptera)
Tetrastria variegata (Hemiptera)
Tetrix japonica (Orthoptera)
Thalassodes quadriguttatus (Lepidoptera)
Trachea atriplicis gnoma (Lepidoptera)
Trimerotropis pallidipennis (Orthoptera)
Trypoxylon incertulas (Lepidoptera)
Uteheisa pulchella (Lepidoptera)
Ixylorupes gideon (Coleoptera)

AUTOMOBILE:

Dictyophara europaea (Homoptera)
Dysdercus mimulus (Hemiptera)
Hesperotettix viridis (Orthoptera)

BAGGAGE:

Adoretus sinicus (Coleoptera)
Allomyrina dichotomus (Coleoptera)
Apomecyna saltator (Coleoptera)
Araecocyrinus cumingi (Coleoptera)
Ceresius unicolor (Coleoptera)
Coptosoma xanthogramma (Hemiptera)
Dacus cucurbitae (Diptera)
Edessa meditabunda (Hemiptera)
Encyrtolophus subgracilis (Orthoptera)
Gryllotalpa africana (Orthoptera)
Gryllus bimaculatus (Orthoptera)
Herpetogramma licarsialis (Lepidoptera)
Hypsipalpus gigas (Coleoptera)
Oxy chinensis (Orthoptera)
Phaneroptera furcifera (Orthoptera)
Plebeiohryllus guttiventris (Orthoptera)
Sinoxylon conigerum (Coleoptera)
Sybra alternans (Coleoptera)
Trimerotropis pallidipennis (Orthoptera)

BAGGING:

Trogoderma granarium (Coleoptera)

BARK:

Nasutitermes corniger (Isoptera)
Pityogenes chalcographus (Coleoptera)

CARGO:

Achaea janata (Lepidoptera)
Acontia lucida (Lepidoptera)
Adoretus sinicus (Coleoptera)
Aethus indicus (Hemiptera)
Agrypnus binodulus (Coleoptera)
Aiolopus strepens (Orthoptera)
Aiolopus thalassinus taumulus (Orthoptera)
Anacridium aegyptium (Orthoptera)
Balclutha rufofasciata (Homoptera)
Brachytrupes portentosus (Orthoptera)
Callidiump rufipenne (Coleoptera)
Calliptamus italicus (Orthoptera)
Carpophilus delkeskampi (Coleoptera)
Caryedon serratus (Coleoptera)

Centrocoris variegatus (Hemiptera)
Ceraspis pilatei (Coleoptera)
Chalciope hypaspis (Lepidoptera)
Chrysolina americana (Coleoptera)
Cicadella viridis (Homoptera)
Conistra lunosa (Lepidoptera)
Conoderus triangularis (Coleoptera)
Coptosoma xanthogramma (Hemiptera)
Cydus nigritus (Hemiptera)
Diabrotica trifurcata (Coleoptera)
Dicranotropis muiri (Homoptera)
Episparis liturata (Lepidoptera)
Ericia inangulata (Lepidoptera)
Euricania ocellus var. *facialis* (Homoptera)
Eurydema pulchra (Hemiptera)
Geocoris lineolus (Hemiptera)
Geotomus pygmaeus (Hemiptera)
Grammodes geometrica (Lepidoptera)
Gryllotalpa africana (Orthoptera)
Gryllus bimaculatus (Orthoptera)
Hemichroa australis (Hymenoptera)
Heterobostrychus aequalis (Coleoptera)
Homoeocerpha lycoidea (Orthoptera)
Hulodes caranea ()
Hypocala deflora (Lepidoptera)
Inazuma dorsalis (Homoptera)
Liogenys macropelma (Coleoptera)
Liogenys quadridens (Coleoptera)
Lophoptera ferrinalis (Lepidoptera)
Maruca testudalis (Lepidoptera)
Meligethes aeneus (Coleoptera)
Mocis frugalis (Lepidoptera)
Modicogryllus confirmatus (Orthoptera)
Nephrotettix apicalis (Homoptera)
Nephrotettix impicticeps (Homoptera)
Wilaparvata lugens (Homoptera)
Nisia atrovenosa (Homoptera)
Omphisa anastomosalis (Lepidoptera)
Ostrinia nubilalis (Lepidoptera)
Oxyodes scrobiculata (Lepidoptera)
Pachybrachius nietneri (Hemiptera)
Pangaean piceatus (Hemiptera)
Paraluperodes suturalis (Coleoptera)
Phradonoma tricolor (Coleoptera)
Pieris brassicae (Lepidoptera)
Platypleura nobilis (Homoptera)
Plebeiohryllus guttiventris (Orthoptera)
Polydesma umbricola (Lepidoptera)
Popillia japonica (Coleoptera)
Popillia lewisi (Coleoptera)
Protaetia lewisi (Coleoptera)
Recilia distincta (Homoptera)
Rhyparochromus tristis (Hemiptera)
Scotinophara lurida (Hemiptera)
Serrodes campana (Lepidoptera)
Sinoxylon conigerum (Coleoptera)
Spodoptera abyssinia (Lepidoptera)
Spodoptera mauritia (Lepidoptera)
Spodoptera pecten (Lepidoptera)
Teleogryllus mitratus (Orthoptera)
Teleogryllus testaceus (Orthoptera)
Tortrix viridana (Lepidoptera)
Trogoderma granarium (Coleoptera)
Uteheisa pulchella (Lepidoptera)

CARGO HOLD:

Caryedon serratus (Coleoptera)
Chanithus gramineus (Homoptera)
Heterobostrychus aequalis (Coleoptera)
Phradonoma tricolor (Coleoptera)
Sinoxylon conigerum (Coleoptera)
Trogoderma granarium (Coleoptera)

DEBRIS:

Caryedon serratus (Coleoptera)
Trogoderma granarium (Coleoptera)

DUNNAGE:

Callidiump rufipenne (Coleoptera)
Dinoderus bifoveolatus (Coleoptera)
Heterobostrychus aequalis (Coleoptera)
Hydrus palliatus (Coleoptera)
Lampra bellula (Coleoptera)
Mimthea rugicollis (Coleoptera)

I N S E C T S I N T E R C E P T E D W I T H H O S T S U N K N O W N

DUNNAGE (continued):

Nemapogon parasitella (Lepidoptera)
Phloeosinus rufus (Coleoptera)
Pityogenes chalcographus (Coleoptera)
Pyrrhidium sanguinum (Coleoptera)
Sinoxylon conigerum (Coleoptera)

FLOWERS:

Adoretus sinicus (Coleoptera)
Colpopterus bohemani (Coleoptera)
Colpopterus macropterus (Coleoptera)
Cryptomyzus taoi (Homoptera)
Enchenopa sericea (Homoptera)
Frankliniella formosae (Thysanoptera)
Spodoptera mauritia acronyctoides (Lepidoptera)
Tanaos bicolor (Coleoptera)

FRUIT:

Antiteuchus panamensis (Hemiptera)
Cryptophlebia leucotreta (Lepidoptera)
Ceratitis capitata (Diptera)
Anastrepha pomoninae (Diptera)
Leucinodes orbonalis (Lepidoptera)
Nyctalus huttoni (Hemiptera)

GRAIN:

Parabucrates clausus (Orthoptera)

HERB:

Minthea rugicollis (Coleoptera)

LEAF:

Corythaica cyathicollis (Hemiptera)
Dialeurodes tristylis (Homoptera)
Parlatoria fulleri (Homoptera)

LOG:

Batrachopeplus niger (Coleoptera)
Platypus rugulosus (Coleoptera)

MAIL:

Brachytrupes portentosus (Orthoptera)
Gryllotalpa africana (Orthoptera)
Gryllus bimaculatus (Orthoptera)
Plebeioagryllus guttiventris (Orthoptera)
Rhomborrhina unicolor (Coleoptera)

NURSERY STOCK:

Oulema melanopus (Coleoptera)

PACKING MATERIAL:

Althos distinctus (Hemiptera)
Minthea rugicollis (Coleoptera)

PASSENGER:

Charisterus gracilicornis (Hemiptera)
Chrysodeixis chalcites (Lepidoptera)

PLANT:

Limonia consimilis (Diptera)
Sinoxylon conigerum (Coleoptera)
Aleurotuberculatus jasmini (Homoptera)
Cataenococcus guatemalensis (Homoptera)
Coccus viridis (Homoptera)

Ceratitis capitata (Diptera)
Minthea rugicollis (Coleoptera)
"Plusia" limbirena (Lepidoptera)
Syromastus rhombeus (Hemiptera)
Tipula marmorata (Diptera)

QUARTERS:

Dysdercus chiriquinus (Hemiptera)

SEED:

Megastigmus pistaciae (Hymenoptera)

SEED POD:

Ceratitis capitata (Diptera)

Minoestes dominicanus (Coleoptera)

SHIP:

Coptosoma xanthogramma (Hemiptera)

Callidium rufipenne (Coleoptera)

SOIL:

Gryllus capitatus (Orthoptera)

Tipula paludosa (Diptera)

Dallasielius lugubris (Hemiptera)

STORE:

Gryllus bimaculatus (Orthoptera)

Nephrotettix apicalis (Homoptera)

Nephrotettix impicticeps (Homoptera)

Trogoderma granarium (Coleoptera)

Caryedon serratus (Coleoptera)

Gryllus capitatus (Orthoptera)

Minthea rugicollis (Coleoptera)

VEHICLE:

Oedionychus virgatus (Coleoptera)

WOOD:

Dinoderus bifoveolatus (Coleoptera)

Globitermes sulphureus (Isoptera)

Heterobostrychus aequalis (Coleoptera)

Lyctoxylon japonum (Coleoptera)

Minthea rugicollis (Coleoptera)

Phereoeca uterella (Lepidoptera)

Rhopolophora incrassata (Coleoptera)

Sirex juvencus (Hymenoptera)

Sirex noctilio (Coleoptera)

Tomicus piniperda (Coleoptera)

Cryphalus abietis (Coleoptera)

Xylothrips flavipes (Coleoptera)

Arhopalus syriacus (Coleoptera)

Hylurgops palliatus (Coleoptera)

Hylurgus ligniperda (Coleoptera)

Orthotomicus erosus (Coleoptera)

Pityogenes chalcographus (Coleoptera)

Stephanopachys quadricollis (Coleoptera)

Trogoxylon praeustum (Coleoptera)

Leucaspis candida (Coleoptera)

Saperda carcharias (Coleoptera)

Sinoxylon anale (Coleoptera)

Sinoxylon conigerum (Coleoptera)

Xylium securifer (Coleoptera)

Xyloperthella crinitarsis (Coleoptera)

Cordylomera spinicornis (Coleoptera)

COUNTRIES OF ORIGIN AND INSECTS

| | | |
|---------------------------------|-----------------------------------|-------------------------------------|
| AFRICA (country-?): | Leucania yu | Curculio elephas |
| Bruchidius ramicornis | Lophoptera illucida | Laspeyresia splendana |
| Cryptorhynchus mangiferae | Loxotlemmus equestris | Leucaspis loewi |
| Hypothenemus hampei | Maruca testulalis | Opocona sacchari |
| ALGERIA: | Mecopoda elongata | "Plusia" limbirena |
| Parlatoria blanchardi | Melolontha japonica | Sesamia nonagrioides |
| Parlatoria zizyphus | Mocis frugalis | |
| AMERICAN SAMOA: | Mocis undata | |
| Orchamoplatus mammiferus | Modicogryllus confirmatus | BAHAMAS: |
| Palpita unionalis | Modicogryllus siamensis | Coccus viridis |
| AMERICAN VIRGIN ISLANDS: | Nephrotettix apicalis | Cylas formicarius elegantulus |
| Anastrepha mombinpraecoptans | Nephrotettix cincticeps | Ochrostomus moa |
| Maruca testulalis | Nephrotettix impicticeps | Ozophora atropicta |
| Vinsonia stellifera | Nilaparvata lugens | Parallelodiplosis cattleyae |
| ANGOLA: | Nisia atrocenosa | Polistes exclamans picturatus |
| Cryptophlebia leucotreta | Ochropleura triangularis | Trachylepidea fructicassiella |
| Hypothenemus hampei | Omphisa anastomosalis | Vinsonia stellifera |
| ANTIGUA: | Ophiusa indiscriminata | |
| Cerconota anoneella | Ornithosiphon submonstrans | BARBADOS: |
| ARGENTINA: | Ostrinia nubilalis | Callosobruchus phaseoli |
| Ceratitidis capitata | Oxyctetonia jacunda | Camponotus sexguttatus |
| Hypothenemus hampei | Oxypteropterus macronotatus | Fuscepes postfasciatus |
| Melanaspis paulista | Oxyodes scrobiculata | |
| BOTSWANA: | Pachybrachius nieteri | BELGIUM: |
| Anastrepha mombinpraecoptans | Paraluperodes suturalis | Acrolepia assectella |
| ASIA (country-?): | Parlatoria zizyphus | Aphis newtoni |
| Acanthocoris sordidus | Phaeochrous asiaticus | Bruchidius lividimanus |
| Achaea janata | Phaneroptera falcata | Bruches affinis |
| Adoretus sinicus | Phaneroptera furcifera | Hylurgops palliatus |
| Aeoloderma brachmana | Phlegetonia delatrix | Mamestra brassicae |
| Aeolus marginatus | Piezodorus hybneri | Nemapogon parasitella |
| Aethus indicus | Platycleptera kaempferi | Pieris brassicae |
| Agrilus convolvuli | Platysenta illecta | Pityogenes chalcographus |
| Agyrtus binodulus | Plautia crossota | Trogoderma granarium |
| Aliolopus thalassinus tamulus | Plebebiogryllus guttiventris | BELGIUM(?): |
| Aletia formosana | Polydesma ustricola | Pyrrhidium sanguinum |
| Anomala rufocurea | Popillia japonica | BERMUDA: |
| Anomala xanthopleura | Popillia lewisi | Microcentrum triangulatum |
| Anua coronata | Protaetia lewisi | BOLIVIA: |
| Apothiria albonotata | Pseudaelatia separata | Melanaspis paulista |
| Baculum rufofasciata | Pterochlorus tropicalis | BRAZIL: |
| Blenina donans | Purobita cervina | Abgrallaspis gliwicensis |
| Brachytrupes portentosus | Pyropotopsis pryeri | Antiteuchus sepulchralis |
| Callidiump rufipenne | Scotinophara lurida | Antiteuchus tripterus |
| Calpe excavata | Serrodes campana | Aulacaspis tubercularis |
| Caryedon serratus | Sesamia inferens | Ceratitidis capitata |
| Chalciope hyppasia | Simplicia niphona | Cerconota anoneella |
| Chrysocoris stollii | Sinoxylon anale | Colopterus abdominalis |
| Cicadella viridis | Sinoxylon conigerum | Fuscepes postfasciatus |
| Cnaphalocrocis medicinalis | Spodoptera abyssinica | Hypothenemus hampei |
| Conoderus triangularis | Spodoptera litura | Laspeyresia araucaria |
| Coptosoma xanthogramma | Spodoptera mauritia | Minthea rugicollis |
| Cryptomyzus taoi | Spodoptera mauritia acronyctoides | Neoleucinodes elegantalis |
| Cydinus nigritus | Spodoptera pecten | Pachymerus nucleorum |
| Deltoccephalus distinctus | Stenopyrinus quadrinotatum | Parlatoria cinerea |
| Dichocrocis punctiferalis | Teleogryllus mitratus | Pseudaonidia trilobitiformis |
| Dicranotropis muiri | Teleogryllus testaceus | BRAZIL(?): |
| Duetzia japonica | Tetrarthria variegata | Aeneolamia postica |
| Flasmostethus humeralis | Trogoderma granarium | BUTHIST HONDURAS: |
| Bophilurus chinensis | Tryporyza incertulas | Anastrepha ludens |
| Epidachna niponica | Utetheisa pulchella | Anastrepha mombinpraecoptans |
| Ercheia quadripilosa | | Cerconota anoneella |
| Ericeia inanquulata | AUSTRALIA: | BULGARIA: |
| Fagnathia lunifera | Epiphyas postvittana | Rhagoletis cerasi |
| Furciania ocellus var. facialis | Parlatoria fulieri | |
| Futerpnosia iwasadii | Unaspis yanonesis | CAMEROON: |
| Frankliniella formosae | Vinsonia stellifera | Cordylomera spinicorras |
| Geotomus pygmaeus | | Hypothenemus hampei |
| Grammodes geometrica | AUSTRALIA(?): | Trogoderma granarium |
| Gryllotalpa africana | Geotomus pygmaeus | CANADA: |
| Gryllus bimaculatus | Anthonomus rectirostris | Tipula paludosa |
| Heliothis armigera | Chaetococcus phragitis | |
| Heliothis assulta | Chilo phragmitellus | CANARY ISLANDS: |
| Hermonassa cecilia | Lasioptera arundinis | Syromastus rhombeus |
| Herpetogramma licarsialis | Megastigmus stroblobius | CAPE VERDE ISLANDS: |
| Heterobostrychus aequalis | Phragmataecia castaneae | Opocona sacchari |
| Homocordyphus lineosus | Plemeiella abietina | CENTRAL AFRICAN REPUBLIC: |
| Hosunka hakonensis | Rhagoletis cerasi | Cryptorhynchus mangiferae |
| Inazuma dorsalis | Brachycaudus tragopogonis | CENTRAL AMERICA (country-?): |
| Leucania formosana | Bruchus azoricus | Anastrepha mombinpraecoptans |
| Leucania hamifera | Bruchus tristiculus | Liojenys macropelma |
| Leucaria loreyi | Ceratitidis capitata | CHILE: |
| | | Althos distinctus |
| | | Blapstinus punctulatus |
| | | Epinotia aporema |
| | | Lema bilineata |

COUNTRIES OF ORIGIN AND INSECTS

GUINEA (continued):
Parlatoria zizyphus

HAITI:

Anastrepha mombinpraeoptans
Aulacaspis tubercularis
Cylas formicarius elegantulus
Parlatoria zizyphus
Pectinophora gossypiella
Protopulvinaria longivalvata
Vinsonia stellifera

HAWAII:

Achaea janata
Adoretus sinicus
Apoecyna saltator
Araecerus levipennis
Araeocorynus cumingi
Balclutha beardsleyi
Caryedon serratus
Ceratitis capitata
Ceresium unicolor
Chrysodeixis chalcites
Coccus viridis
Coptosoma xanthogramma
Cryptophlebia ombrodelta
Cryptorhynchus mangiferae
Dacus cucurbitae
Dacus dorsalis
Diocalandra taitensis
Graptostethus manillensis
Herpetogramma licarsialis
Lampides boeticus
Maruca testulalis
Mysius nemoriavaqus
Omphisa anastomosalis
Orchidophilus atterrimus
Parlatoria zizyphus
Pealius hibisci
Pectinophora gossypiella
Phereoeca uterella
Prays fulvocanellus
Pseudoparlatoria giffardi
Spodoptera mauritia acronyctoides
Sybra alternans
Taeniothrips hawaiiensis
Thoracaphis fici

HONDURAS:

Acanthoscelides zeteki
Aeolus marginatus
Anastrepha mombinpraeoptans
Carpophilus maculatus
Dallasiellus lugubris
Metamasius quadrilineatus
Parallelodiplosis cattleyae
Parlatoria cinerea
Stenoma catenifer
Vinsonia stellifera

HONG KONG:

Aleurolobus marlatii
Aonidiella comperei
Minthea rugicollis
Parlatoria zizyphus
Planococcus dorsospinosus
Planococcus lilacinus
Trogoderma granarium
Unaspis yanomensis

HONG KONG(?) :

Oryza chinensis
HUNGARY:

Rhagoletis cerasi

INDIA:

Aspidiella hartii
Bruchophagus mellipes
Bruchus emarginatus
Callosobruchus analis
Caryedon serratus
Cryptorhynchus mangiferae
Dinoderus bifoveolatus
Dinoderus brevis
Heterobostrychus aequalis
Hypothenemus hampei

Leucaspis candida
Lyctoxylon japonum
Megastigmus strobilobius
Minthea rugicollis
Myocalandra exarata
Nephotettix apicalis
Nephotettix impicticeps
Parlatoria zizyphus
Sinoxylon analae
Sinoxylon conigerum
Trogoderma granarium
Xylothrips flavipes

INDONESIA:

Hypothenemus hampei
Parlatoria zizyphus
Trogoderma granarium

IRAN:

Bruchus lentis
Melanaspis inopinata
Trogoderma granarium

IRAQ:

Trogoderma granarium

IRELAND:

Dilophus febrilis
Rhinocola ericae
Tipula marmorata

IRELAND(?) :

Cladus pectinicornis

ISRAEL:

Carpomyia pardalina
Ceratitis capitata
Cryptoblabes gnidiella
Dacus oleae
Parlatoria blanchardi
Parlatoria cinerea
Phloeotribus scarabaeoides
Rhagoletis cerasi
Scolytus amygdali

ITALY:

Acrolepia assetella
Aethes williana
Aleurolobus olivinus
Arhopalus syriacus
Asterobemisia avellanae
Brachycerus albidentatus
Bruchus ervi
Bruchus lentis
Bruchus signaticornis
Bruchus tristis
Cacoecimorpha pronubana
Cadra calidella
Ceratitis capitata
Chaetococcus phragmitis
Cryptoblabes gnidiella
Curculio elephas
Curculio nucus
Dacus oleae
Dyspessa ulula
Geocoris lineolus
Heimene juliana
Hylurpus ligniperda
Hypoborus ficus
Laspeyresia splendana
Leucaspis riccae
Lobesia botrana
Maestra brassicae
Megastigmus cryptomeriae
Megastigmus suspectus
Monosteira unicostata
Orthotomicus erosus
Ostrinia nubilalis
Parlatoria zizyphus
Parthena balteatus
Phloeotribus scarabaeoides
Plemeliella abietina
Prays citri
Prays oleela
Pyrrhocoris apterus
Resseliella piceae
Rhagoletis cerasi
Saperda carcharias
Silba virescens

Sirex juvencus
Sirex noctilio
Spodoptera littoralis
Terellia fuscicornis
Tomicus piniperda
Trialeurodes lauri
Xanthoecia flavago

ITALY(?) :

Bruchus dentipes

Bruchus ervi

IVORY COAST:

Brachypeplus niger
Dinoderus bifoveolatus
Hypothenemus hampei
Leucinodes orbonalis

JAMAICA:

Anastrepha mombinpraeoptans
Anastrepha suspensa
Bruchus signaticornis
Callosobruchus phaseoli
Carpophilus maculatus
Caryedon serratus
Colopterus apputatus
Cylas formicarius elegantulus
Parallelodiplosis cattleyae
Poeciloscarta histrio
Safia decessa
Stenoma catenifer
Vinsonia stellifera

JAPAN:

Acrolepia assetella
Adoretus sinicus
Aethus indicus
Agrius convolvuli
Agrypnus binodulus
Aiolopus thalassinus tamulus
Aleurotuberculatus aucubaie
Allomyrina dichotomus
Anadevidia peponis
Anigraea albamaculata
Anomala cuprea
Anua coronata
Aonidiella messengeri
Aulacorthrum perilleae
Brachytrupes portentosus
Bruchus dentipes
Callidium rufipenne
Callosobruchus analis
Carposina nipponensis
Caryedon serratus
Chalciope hyppasia
Chilo suppressalis
Cicadella viridis
Cnaphalocrosis medinalis
Coccus viridis
Conoderus triangularis
Coptosoma xanthogramma
Cryptoparlatore leucaspis
Diachrysia orichalcea
Dialeurodes tristylei
Dichocrocis punctiferalis
Duetcia japonica
Epilachna niponica
Epinotia aporema
Ericia inangulata
Fiorinia vacciniae
Frankliniella formosae
Frankliniella liliivora
Geotomus pygmaeus
Grammodes geometrica
Gryllotalpa africana
Gryllus bimaculatus
Herpetogramma licarsialis
Homoeoxiphia lycoidea
Hypocala deflorata
Hyposipalpus gigas
Lepidosaphes conchiformicoides
Lepidosaphes euryae
Lepidosaphes kawakurensis
Lepidosaphes zelkovae
Leucania hamifera

COUNTRIES OF ORIGIN AND INSECTS

| | | |
|--|--|-------------------------------------|
| JAPAN (continued): | Trogoderma granarium | Empoasca kraemerii |
| <i>Limonia consimilis</i> | LIBERIA: | Encyrtophorus subgracilis |
| <i>Locusta migratoria</i> | <i>Hypothenemus hampei</i> | <i>Epicaerus cognatus</i> |
| <i>Lyctoxylon japonum</i> | <i>Leucinodes orbonalis</i> | <i>Epilachna nigrocincta</i> |
| <i>Mamestra brassicae</i> | MADEIRA ISLANDS: | <i>Epinotia aporema</i> |
| <i>Maruca testulalis</i> | <i>Callosobruchus phaseoli</i> | <i>Everes comyntas</i> |
| <i>Matsumuraesphaerolei</i> | MALAYSIA: | <i>Galgupha quadrisignata</i> |
| <i>Megastigmus firmae</i> | <i>Hypothenemus hampei</i> | <i>Gargaphia opacula</i> |
| <i>Metioche vittaticollis</i> | <i>Trogoderma granarium</i> | <i>Geniates panamensis</i> |
| <i>Minthea rugicollis</i> | MALTA: | <i>Harrisina brillians</i> |
| <i>Mocis frugalis</i> | <i>Ceratitidis capitata</i> | <i>Desperettix viridis</i> |
| <i>Mocis undata</i> | <i>Parlatoria zizyphus</i> | <i>Hexaleurodinus ferrisi</i> |
| <i>Nephrotettix apicalis</i> | MARSHALL ISLANDS: | <i>Homalodisca ichthyocephala</i> |
| <i>Nephrotettix impicticeps</i> | <i>Furcaspis oceanica</i> | <i>Hypothenemus hampei</i> |
| <i>Nikkoaspis shiranensis</i> | MARTINIQUE: | <i>Isorhinus undatus</i> |
| <i>Nisia atrovenosa</i> | <i>Nasutitermes costalis</i> | <i>Lacon scabrosus</i> |
| <i>Ochropleura triangularis</i> | MAURITIUS: | <i>Macrodactylus mexicanus</i> |
| <i>Omatophora fulvastra</i> | <i>Ceratitidis capitata</i> | <i>Macropygium reticulare</i> |
| <i>Ostrinia nubilalis</i> | <i>Dicranotropis muiri</i> | <i>Malacothrinus irregularis</i> |
| <i>Oxythyrea funesta</i> | <i>Geotomus pygmaeus</i> | <i>Megacerus cubiciformis</i> |
| <i>Pachybrachius nietneri</i> | MEXICO: | <i>Metamasius callizona</i> |
| <i>Paramesodes albinervosus</i> | <i>Acanthoscelides oblongoguttatus</i> | <i>Metriiona trisignata</i> |
| <i>Parlatoria zizyphus</i> | <i>Acroleucus vicinalis</i> | <i>Mimosestes dominicanus</i> |
| <i>Phaneroptera furcifera</i> | <i>Acutaspis albopicta</i> | <i>Mormidea collaris</i> |
| <i>Plecopteronia delatrix</i> | <i>Aidemona azteca</i> | <i>Nasutitermes nigriceps</i> |
| <i>Phloeosinus rufus</i> | <i>Aleurocanthus voglumi</i> | <i>Oedionychus virgatus</i> |
| <i>Plebeioqryllus guttiventris</i> | <i>Aleuroparadoxus gardeniae</i> | <i>Ogdoecosta biannularis</i> |
| <i>Popillia japonica</i> | <i>Aleuroplatus coccoculus</i> | <i>Oncometopia clarior</i> |
| <i>Pseudaonidia trilobitiformis</i> | <i>Aleuroplatus variegatus</i> | <i>Opolomus nigripennis</i> |
| <i>Rhaphigaster nebula</i> | <i>Aleurothrixus floccosus</i> | <i>Opuntiaspis philococcus</i> |
| <i>Risoba obstructa</i> | <i>Anabropsis mexicanus</i> | <i>Orthezia pseudinsignis</i> |
| <i>Scotinophara lurida</i> | <i>Anastrepha ludens</i> | <i>Parabucrates clausus</i> |
| <i>Sesamia inferens</i> | <i>Anastrepha bombinpraoptans</i> | <i>Parallelodiplosis cattleae</i> |
| <i>Spodoptera abyssinia</i> | <i>Anastrepha serpentina</i> | <i>Parisoschoenus flavolimbatus</i> |
| <i>Spodoptera litura</i> | <i>Anypsipyga univittella</i> | <i>Parlatoria cinerea</i> |
| <i>Spodoptera mauritia</i> | <i>Arphnus melanostylus</i> | <i>Pectinophora gossypiella</i> |
| <i>Spodoptera mauritia acronyctoides</i> | <i>Ascius latus</i> | <i>Pheidole punctatissima</i> |
| <i>Spodoptera pecten</i> | <i>Asterolecanium inlabefactum</i> | <i>Poecilaspis angulata</i> |
| <i>Taeniothrips eucharii</i> | <i>Asterolecanium sabalis</i> | <i>Polyglypta dispar</i> |
| <i>Taeniothrips hawaiiensis</i> | <i>Atheas fuscipes</i> | <i>Pseudaonidia trilobitiformis</i> |
| <i>Tanna japonensis</i> | <i>Atheas nigricornis</i> | <i>Psylla minuticona</i> |
| <i>Teleogryllus mitratus</i> | <i>Berecyntus delirator</i> | <i>Puto mexicanus</i> |
| <i>Thalassodes quadraria</i> | <i>Calligrapha labyrinthica</i> | <i>Pyrgocorypha hamata</i> |
| <i>Thrips coloratus</i> | <i>Calligrapha limbaticollis</i> | <i>Rhopalophora incrassata</i> |
| <i>Trachea atriplicis gnoma</i> | <i>Calypcocephala gerstaekerii</i> | <i>Sethenira ferruginea</i> |
| <i>Tryporyza incertulas</i> | <i>Calypcocephala marginipennis</i> | <i>Stenoma catenifer</i> |
| <i>Unaspis yanoneensis</i> | <i>Carpophilus maculatus</i> | <i>"Stictocephala" elongata</i> |
| <i>Utetheisa pulchella</i> | <i>Caryedon serratus</i> | <i>Stilodes caelebs</i> |
| JAPAN (?): | <i>Cerconota anonella</i> | <i>Strabala rotunda</i> |
| <i>Aeoloderma brachmana</i> | <i>Cerotoma atrofasciata</i> | <i>Talponia batesi</i> |
| <i>Aeolus marginatus</i> | <i>Cerotoma ruficornis</i> | <i>Trialeturoides vitrinellus</i> |
| <i>Lampra bellula</i> | <i>Charidotis seminulum</i> | <i>Trimerotropis pallidipennis</i> |
| JORDAN: | <i>Chelysoma variabilis</i> | <i>Trioza anceps</i> |
| <i>Ceratitidis capitata</i> | <i>Coelomerus nigrirostris</i> | <i>Trioza incidata</i> |
| <i>Lobesia botrana</i> | <i>Colopterus bohemani</i> | <i>Trogoxyloides praestum</i> |
| <i>Frays oleela</i> | <i>Colopterus brevipes</i> | <i>Walterianella inscripta</i> |
| JORDAN (?): | <i>Colopterus latus</i> | <i>Xanthophthalmal concinnum</i> |
| <i>Earias insulana</i> | <i>Colopterus macropterus</i> | MEXICO (?): |
| KENYA: | <i>Colopterus posticus</i> | <i>Monellia costalis</i> |
| <i>Bruchidius ramicornis</i> | <i>Colopterus vestitus</i> | MIDWAY (?): |
| <i>Cryptorhynchus mangiferae</i> | <i>Conoderus pictus</i> | <i>Spodoptera litura</i> |
| <i>Cylas puncticollis</i> | <i>Conotrachelus aquacatae</i> | <i>Spodoptera pecten</i> |
| <i>Dinoderus bifoveolatus</i> | <i>Conotrachelus perseae</i> | <i>Tryporyza incertulas</i> |
| <i>Haptocnemis fallax</i> | <i>Coptocycla atalanta</i> | <i>Utetheisa pulchella</i> |
| <i>Hypothenemus hampei</i> | <i>Ctenochira ferranti</i> | MOROCCO: |
| <i>Pectinophora gossypiella</i> | <i>Ctenochira hectica</i> | <i>Bouhelia maroccana</i> |
| KOREA: | <i>Ctenochira hieroglyphica</i> | <i>Parlatoria zizyphus</i> |
| - <i>Chilo suppressalis</i> | <i>Ctenochira plicata</i> | MOZAMBIQUE: |
| <i>Dolycoris baccarum</i> | <i>Cylas formicarius elegantulus</i> | <i>Crocidiolomia binotalis</i> |
| <i>Frankliniella formosae</i> | <i>Dallasius lugubris</i> | |
| <i>Lepidosaphes kamakurensis</i> | <i>Deloyala guttata</i> | |
| <i>Megastigmus borriesi</i> | <i>Dendrocoris suffultus</i> | |
| KWAJALEIN: | <i>Dendrocoris variegatus</i> | |
| <i>Furcaspis oceanica</i> | <i>Diabrotica lepida</i> | |
| <i>Lepidosaphes esakii</i> | <i>Diatraea considerata</i> | |
| LEBANON: | <i>Dinaspis aculeata</i> | |
| <i>Dacus oleae</i> | <i>Diptotaxis arctifrons</i> | |
| <i>Eysarcoris inconspicuus</i> | <i>Dissosteira carolina</i> | |
| <i>Lepidosaphes pistaciae</i> | <i>Doryphora sheppardi</i> | |
| <i>Melanaspis inopinata</i> | <i>Dysdercus mimulioides</i> | |
| | <i>Dysdercus mimulus</i> | |
| | | NETHERLANDS: |
| | | <i>Acrolepia assetella</i> |
| | | <i>Aioxophyes reticulana</i> |
| | | <i>Bruchus signaticornis</i> |
| | | <i>Cryphalus abietis</i> |
| | | <i>Evergestis forficalis</i> |
| | | <i>Laspeyresia splendana</i> |
| | | <i>Mamestra brassicae</i> |
| | | <i>Trogoderma granarium</i> |
| | | NEVIS: |
| | | <i>Anastrepha bombinpraoptans</i> |

COUNTRIES OF ORIGIN AND INSECTS

| | | |
|-------------------------------|-----------------------------------|-------------------------------|
| NEW CALEDONIA: | Protopulvinaria longivalvata | Ceratitis capitata |
| Oechalia schellenbergi | Pseudophera contraria | Ceroptastes rusci |
| NEW ZEALAND: | Pyrgocorypha sailei | Chrysomphalus pinnulifer |
| Caryedon serratus | Vinsonia stellifera | Cryptoblabes gnidiella |
| Epiphysas postvittana | PANAMA(?) : | Curculio elephas |
| Eriococcus arcanus | Acanthoderes nigricans | Dacus oleae |
| Nysius buttoni | Aeneolania reducta | Hylurgus ligniperda |
| NICARAGUA: | Metamasius hemipterus sericeus | Laspeyresia splendana |
| Aleurocanthus woglumi | Omophoita aequinoctialis | Mamestra brassicae |
| Anastrepha ludens | Parlatoria cinerea | Orthotomicus erosus |
| Anastrepha mombinpraeoptans | PERU: | Pieris brassicae |
| Cataenococcus quatemalensis | Acanthoscelides obreptus | Pulvinaria mesebryanthemi |
| Hypothenemus hampei | Acanthoscelides zeteki | Ragoletis cerasi |
| Metriona trisignata | Stenoma catenifer | Stephanopachys quadricollis |
| Proarna hilaris | PERU(?) : | Udea ferrugalis |
| Tetraleurodes quadratus | Plecia collaris | PORTUGAL(?) : |
| Vinsonia stellifera | NIGERIA: | Prasocuris junci |
| NIGERIA: | Adoretus sinicus | PUERTO RICO: |
| Trogoderma granarium | Aethus indicus | Anastrepha mombinpraeoptans |
| NIGERIA(?) : | Aleurotuberculatus cherasensis | Anastrepha suspensa |
| Trogoderma granarium | Aleurotuberculatus jasmini | Cylas formicarius elegantulus |
| NORWAY: | Aulacaspis tubercularis | Diaprepes abbreviatus |
| Taeniothrips ericae | Callosobruchus phaseoli | Maruca testulalis |
| Thrips major | Callosobruchus pulcher | |
| OKINAWA: | Chalciope hyppasia | RUMANIA: |
| Adoretus sinicus | Corbettella artocarpi | Euleia heraclei |
| Aethus indicus | Cryptophlebia ombrodelta | RWANDA: |
| Chalciope hyppasia | Cryptorhynchus mangiferae | Hypothenemus hampei |
| Gesonia obeditalis | Dacus dorsalis | SABA ISLAND: |
| Gryllotalpa africana | Dinoderus brevis | Vinsonia stellifera |
| Gryllus bimaculatus | Dysmicoccus neobrevipes | SCOTLAND: |
| Inazuma dorsalis | Erebis hieroglyphica | Gelechia ericetella |
| Leucania loreyi | Geotomus pygmaeus | SENEGAL: |
| Locusta migratoria | Gesonia obeditalis | Cryptophlebia leucotreta |
| Mecopoda elongata | Gryllotalpa africana | Leucinodes orbonalis |
| Mocis frugalis | Gryllus bimaculatus | Parlatoria zizyphus |
| Nisia atrovenosa | Heterobostrychus aequalis | Trogoderma granarium |
| Pachybrachius nietneri | Lepidosaphes bladhai | SINGAPORE: |
| Parlatoria zizyphus | Lepidosaphes esakii | Asterolecanium unguatum |
| Piezodorus hybneri | Lepidosaphes spinulosa | Carpophilus delkeskampi |
| Plebeiogryllus guttiventris | Lophoptera ferrinalis | Hypothenemus hampei |
| Popillia lewisi | Maruca testulalis | "Pseudococcus" hispidus |
| Protaetia fusca | Minthea rugicollis | Trogoderma granarium |
| Recilia distincta | Mocis frugalis | SOUTH AFRICA: |
| Spodoptera litura | Modicogryllus confirmatus | Capriobia lineola |
| Spodoptera mauritia | Nephrotettix apicalis | Coccus proteae |
| Spodoptera pecten | Nephrotettix cincticeps | Cryptophlebia leucotreta |
| Stromatium longicorne | Nilaparwata lugens | Glaucothrips glaucus |
| Teleogryllus testaceus | Oxydese scrobiculata | Ischnodemus darwini |
| Tryporyza incertulas | Paraluperodes suturalis | Oxycarenus maculatus |
| Unaspis yanoneensis | Parlatoria zizyphus | Parlatoria cinerea |
| Xylotrupes gideon | Planococcus lilacinus | Parlatoria zizyphus |
| PAKISTAN: | Plebeiogryllus guttiventris | Phlyctinus callosus |
| Callosobruchus analis | Polydesma umbricola | Pria antennata |
| Parlatoria zizyphus | Prays citri | Solenosthedium liligerum |
| Phradonoma tricolor | Pseudaonidia trilobitiformis | Spermophagus bimaculatus |
| Sinoxylon anale | Rastrococcus spinosus | Spilostethus pandurus elegans |
| Sinoxylon conigerum | Recilia distincta | Tanaoa bicolor |
| Trogoderma granarium | Sinoxylon anale | Trichostetha fascicularis |
| PANAMA: | Spodoptera abyssinia | SOVIET UNION: |
| Acanthoscelides zeteki | Spodoptera litura | Megastigmus seitneri |
| Alkindus atratus | Spodoptera mauritia | Megastigmus strobiliobius |
| Anastrepha mombinpraeoptans | Spodoptera mauritia acronyctoides | SPAIN: |
| Aulacaspis tubercularis | Taeniothrips hawaiiensis | Brachycerus algirus |
| Bucrates capitatus | Teleogryllus mitratus | Bruchus tristiculus |
| Carpophilus succisus | Teleogryllus testaceus | Cacoecimorpha pronubana |
| Ceratitis capitata | Tryporyza incertulas | Ceratitis capitata |
| Cylas formicarius elegantulus | Unaspis yanoneensis | Conistra lunosa |
| Dallasiellus bacchinius | Utetheisa pulchella | Cryptoblabes gnidiella |
| Epinotia aporema | PHILIPPINES(?) : | Curculio elephas |
| Geniates panamensis | Episparis liturata | Dacus oleae |
| Gryllus capitatus | Pachybrachius nietneri | Dyspessa ulula |
| Hypocala deflorata | POLAND: | Hellula undalis |
| Lioquenys macropelma | Chilo phragmitellus | Hypoborus ficus |
| Maruca testulalis | Ernobius abietis | Larinus scolymi |
| Megasoma elephas | Laspeyresia strobiliella | Laspeyresia splendana |
| Metalepta brevicornis | Acrolepia assectella | Mamestra brassicae |
| Mormidea angustata | Agris convolvoli | Parlatoria cinerea |
| Parallelodiplosis cattleiae | Arhopalus syriacus | Parlatoria zizyphus |
| Parlatoria cinerea | Bruchus azoricus | Pieris brassicae |

C O U N T R I E S O F O R I G I N A N D I N S E C T S

SPAIN (continued):

Porthetria dispar
Rhaeoletis cerasi
Spodoptera littoralis
Trogoderma granarium
 SPAIN (?):
Centrocoris variegatus
Inazuma dorsalis
 ST. KITTS:
Anastrepha mombinpraepoptans
Cylas formicarius elegantulus
Melanaspis tenax
Nasutitermes costalis

SUDAN:
Caryedon serratus
Trogoderma granarium

SURINAM:
Lincus spathuliger
 SWEDEN:
Acrolepia assetella
Chionaspis salicis
Frankliniella intonsa
Pityogenes chalcographus
Thrips major

SWITZERLAND:
Curculio elephas
Laspeyresia splendana
Laspeyresia strobiliella
Melolontha melolontha

SYRIA:
Bruchus dentipes
Trogoderma granarium

TAHITI:
Haptoncus ocularis
Parlatoria cinerea
Parlatoria zizyphus

TAIWAN:
Argyroploce schistaceana
Chilo suppressalis
Minthea rugicollis
Parlatoria cinerea
Parlatoria zizyphus
Plebeioqryllus guttiventris
Pseudaonidia trilobitiformis
Rhomboorrhina unicolor
Selenophalus euryae
Trogoderma granarium

THAILAND:
Aethus indicus
Aleurotuberculatus jasmini
Antidiella comperei
Brachytrupes portentosus
Chalciope hypsia
Cryptophlebia ombrodelta
Dorysthenes granulosus
Euscepes postfasciatus
Globitermes sulphureus
Grammodes geometrica
Gryllotalpa africana
Gryllus bimaculatus
Heterobostrychus aequalis
Lepidosaphes bladhai
Mecopoda elongata
Nilaparvata lugens
Oxyodes scrobiculata
Pachybrachius nietneri
Palpita unionalis
Parlatoria cinerea
Parlatoria zizyphus
Phenacaspis dendrobii
Plebeioqryllus guttiventris
Sinoxylon conigerum
Spodoptera litura
Spodoptera mauritia
Teleogryllus testaceus
Trogoderma granarium
Tryporyza incertulas

TOGO:
Leucinodes orbonalis
Parlatoria zizyphus
 TRINIDAD:
Acanthoscelides zeteki

Anastrepha mombinpraepoptans

Carpophilus maculatus
Euscepes postfasciatus
Megasoma gyas
Minthea rugicollis
Parlatoria zizyphus
Pseudaonidia trilobitiformis
Stenoma catenifer
Tricorynus nelutiae
Vinsonia stellifera

TUNISIA:
Parlatoria zizyphus

TURKEY:
Acontia lucida
Anacridium aegyptium
Andricus glandium
Bruchus ervi
Callirhytis glandulosa
Curculio elephas
Dictyophara europaea
Rhyparochromus tristis

UGANDA:
Hypothenemus hampei

URUGUAY:
Ceratitidis capitata

VENEZUELA:
Anastrepha mombinpraepoptans

Antiteuchus panamensis
Aulacaspis tubercularis
Caryedon serratus
Cephisus siccifolius
Ceratitidis capitata
Cerconota anonella
Concephalus saltator
Enchenopa sericea
Miogryllus ensifer
Neoleucinodes elegantalis
Pseudaonidia trilobitiformis
Stenoma catenifer
Vinsonia stellifera

VIET-NAM:
Adoretus sinicus
Agrypnus binodus
Brachytrupes portentosus
Caryedon serratus
Chalciope hypsia
Chilo suppressalis
Cydinus nigritus
Ducetia japonica
Eurydema pulchra
Geotomus pygmaeus
Grammodes geometrica
Gryllotalpa africana
Gryllus bimaculatus
Heterobostrychus aequalis
Hulodes caranea
Maruca testulalis
Mecopoda elongata
Mocis frugalis
Modicogryllus confirmatus
Nephrotettix apicalis
Nephrotettix impicticeps
Nilaparvata lugens
Nisia atrovenosa
Ostrinia nubilalis
Pachybrachius nietneri
Paraluperodes suturalis
Parlatoria zizyphus
Platylepleura nobilis
Plebeioqryllus guttiventris
Recilia distincta
Scotinophara lurida
Spodoptera litura
Spodoptera mauritia acronyctoides
Spodoptera pecten
Tryporyza incertulas
Unaspis yanonenisis

VIET-NAM (?):
Acrida exaltata

Elydna nonagrica

Inazuma dorsalis
Mecidea major
Piezodorus hybneri

WEST INDIES:

Anastrepha mombinpraepoptans
Edessa meditabunda

WEST PACIFIC:

Achaea janata
Adoretus sinicus
Aethus indicus
Brachytrupes portentosus
Chalciope hypsia
Conosia irrorata
Geotomus pygmaeus
Grammodes geometrica
Gryllus bimaculatus
Mecopoda elongata
Nisia atrovenosa
Pachybrachius nietneri
Plebeioqryllus guttiventris
Remaudiereana nigriceps
Spodoptera litura
Spodoptera mauritia acronyctoides
Spodoptera pecten
Taeniothrips hawaiiensis
Tryporyza incertulas
Utetheisa pulchella

WEST PACIFIC (?):

Chremistica ochracea
Coptosoma xanthogramma

YUGOSLAVIA:

Aleurolobus olivinus
Blastodacna atra
Cacoecimorpha pronubana
Ceratitidis capitata
Chaetococcus phragmitis
Curculio elephas
Curculio nucum
Gahaniola phragmitis
Giraudiella inclusa
Hylurgops palliatus
Lobesia botrana
Oulema melanopus
Rhagoletis cerasi
Sirex noctilio

ZANZIBAR:

Minthea rugicollis

UNKNOWN:

Acrolepia assetella
Adoretus sinicus
Anastrepha ludens
Anastrepha mombinpraepoptans
Anastrepha suspensa
Asterobemisia avellanae
Brachycerus algirus
Bruchus ervi
Bruchus lenticis
Bucrates capitatus
Callidium rufipenne
Callosobruchus analis
Caryedon serratus
Ceratitidis capitata
Ceresium geniculatum
Chalciope hypsia
Chanithus gramineus
Chariesterus gracilicornis
Chortophaga viridifasciata
Chrysodeixis chalcites
Cicadella viridis
Colopterus amputatus
Conistra lunosa
Corythaica cyathicollis
Cosmopsaltria andersoni
Cryptoblabes guidiella
Cryptophlebia leucotreta
Cryptothynchus mangiferae
Cylas puncticollis

COUNTRIES OF ORIGIN AND INSECTS

UNKNOWN (continued):

Dacus oleae
Diachrysia orichalcea
Dysdercus minutulus
Eispisparis liturata
Geniates panamensis
Gootesmus pygmaeus
Grammodes geometrica
Gryllotalpa africana
Gryllus bimaculatus
Heterobostrychus aequalis
Hippia musetes
Lepidosaphes esakii
Liogenys macropelma

Megastigmus pistaciae
Melanoplus devastator
Nephrotettix apicalis
Nephrotettix impicticeps
Oedaleonotus enigma
Parlatoria blanchardi
Parlatoria cinerea
Parlatoria zizyphus
Phaneroptera furcifera
Phlogophora meticulosa
Phradonomma tricolor
Plebeioagryllus guttiventris
Ponana insularis
Popillia japonica

Popillia lewisi
Protaetia fusca
Rhagoletis cerasi
Sinonyxlon conigerum
Spodoptera litura
Spodoptera mauritia
Spodoptera mauritia acronyctoides
Stenoma catenifer
Syrbula admirabilis
Tetrix japonica
Trimerotropis pallidipennis
Trogoderma granarium
Vinsonia stellifera

TABULATION OF MITES

| PEST AND HOST | COUNTRY OF ORIGIN | NUMBER INTERCEPTIONS IN | | | | COLLECTED IN- |
|--|--|-------------------------------|----|---|---|------------------------------------|
| | | C | O | S | P | |
| | | O | N | U | R | |
| | | N | O | O | A | |
| | | S | P | E | G | |
| | | U | T | N | A | |
| | | O | I | T | T | |
| | | M | O | R | I | |
| | | P | I | I | O | |
| | | T | N | N | N | |
| <i>Aceria litchii</i> Keifer (Eriophyidae)..... | Hawaii..... | 1 | | | | HI..... |
| <i>Litchi Chinensis</i> (leaf) | | | | | | |
| <i>Aceria macrorhynchus</i> (Nalepa) (Eriophyidae)..... | France..... | | 3 | | | MA..... |
| <i>Acer sp.</i> (maple leaf) | | | | | | |
| <i>Aceria rudis</i> (Canestrini) (Eriophyidae)..... | Finland..... | 1 | | | | MN..... |
| <i>Betula sp.</i> (birch leaf) | | | | | | |
| <i>Aculops pelekassi</i> (Keifer) (Eriophyidae)..... | Japan..... | | | 1 | | IOR..... |
| <i>Citrus aurantium</i> (sour orange) | | | | | | |
| <i>Bryobia ehari</i> Pritchard & Keifer (Tetranychidae)..... | Asia (country-?)..... | 1 | | | | WA..... |
| <i>Flowers</i> (mixed) | | | | | | |
| <i>Cenopalpus pulcher</i> (Canestrini & Fanzago) (Tenuipalpidae).... | Italy, Portugal..... | 2 | 1 | | | NY..... |
| <i>Malus sylvestris</i> (common apple) | | | | | | |
| <i>Pyrus communis</i> (pear) | | | | | | |
| <i>Eriophyes parabuxi</i> Keifer (Eriophyidae)..... | Ireland..... | | | 1 | | MA..... |
| <i>Buxus sp.</i> (boxwood leaf) | | | | | | |
| <i>Lorryia formosa</i> Cooreman (Tydeidae)..... | Italy..... | 2 | | | | TX..... |
| <i>Citrus sinensis</i> (sweet orange) | | | | | | |
| <i>Lorryia marcandrei</i> Baker (Tydeidae)..... | Mexico..... | 1 | | | | TX..... |
| <i>Chamaedorea sp.</i> (palm leaf) | | | | | | |
| <i>Retracarus johnstoni</i> Keifer (Phytoptidae)..... | Mexico..... | 60 | | | | TX..... |
| <i>Chamaedorea sp.</i> (palm leaf) | | | | | | |
| <i>Tenuipalpus japonicus</i> Nishio (Tenuipalpidae)..... | Japan..... | | 1 | | | WA..... |
| <i>Diospyros kaki</i> (kaki persimmon) | | | | | | |
| <i>Tetranychus viennensis</i> Zacher (Tetranychidae)..... | Asia (country-?), China, Hungary, Italy, Japan, Korea, Spain, Unknown. | 10 | 40 | | | AK, CA, HI, NJ, NY, OR, WA..... |
| <i>Malus sylvestris</i> (common apple) | | | | | | |
| <i>Pyrus communis</i> (pear) | | | | | | |
| <i>Tuckerella flabellifera</i> Miller (Tuckerellidae)..... | New Zealand..... | 1 | | | | CA..... |
| <i>Actinidia chinensis</i> (kiwi) | | | | | | |
| <i>Tydeus caudatus</i> (Duges) (Tydeidae)..... | Germany, Italy, Portugal..... | 1 | 2 | | | MA, NY..... |
| <i>Cutting</i> (unidentified) | | | | | | |
| <i>Malus sylvestris</i> (common apple) | | | | | | |
| <i>Morus sp.</i> (mulberry leaf) | | | | | | |

H O S T S A N D M I T E S

| | |
|--|---|
| ACER: <i>Aceria macrorhynchus</i> (Acarina) | DIOSPYROS: <i>Tenuipalpus japonicus</i> (Acarina) |
| ACTINIDIA: <i>Tuckerella flabellifera</i> (Acarina) | LITCHI: <i>Aceria litchii</i> (Acarina) |
| BETULA: <i>Aceria rufis</i> (Acarina) | MALUS: <i>Cenopalpus pulcher</i> (Acarina) |
| BUXUS: <i>Eriophyes parabuxi</i> (Acarina) | <i>Tetranychus viennensis</i> (Acarina) |
| CHAMAEDOREA: <i>Lorryia marcandrei</i> (Acarina) | <i>Tydeus caudatus</i> (Acarina) |
| <i>Retracarus johnstoni</i> (Acarina) | MORUS: <i>Tydeus caudatus</i> (Acarina) |
| CITRUS AURANTIUM: <i>Aculops pelekassi</i> (Acarina) | PYRUS: <i>Cenopalpus pulcher</i> (Acarina) |
| CITRUS SINENSIS: <i>Lorryia formosa</i> (Acarina) | <i>Tetranychus viennensis</i> (Acarina) |

M I T T E S I N T E R C E P T E D W I T H H O S T S U N K N O W N

CUTTING:
Tydeus caudatus (Acarina)

FLOWERS:
Bryobia ehari (Acarina)

C O U N T R I E S O F O R I G I N K N D H I T E S

ASIA (country-?) :
Bryobia ehami
Tetranychus viennensis

CHINA:
Tetranychus viennensis

FINLAND:
Aceria radis
FRANCE:
Aceria macrorhynchus

GERMANY:
Tydeus caudatus

HAWAII:
Aceria litchii

HUNGARY:
Tetranychus viennensis

IRELAND:
Eriophyes parabuxi
ITALY:
Cenopalpus pulcher
Lorryia formosa
Tetranychus viennensis
Tydeus caudatus

JAPAN:
Aculops pelekassi
Tenuipalpus japonicus
Tetranychus viennensis

KOREA:
Tetranychus viennensis

MEXICO:
Lorryia marcandrei
Retracarus johnstoni

NEW ZEALAND:
Tuckerella flabellifera

PORUGAL:
Cenopalpus pulcher
Tydeus caudatus

SPAIN:
Tetranychus viennensis

UNKNOWN:
Tetranychus viennensis

TABULATION OF MOLLUSKS

| PEST AND HOST | COUNTRY OF ORIGIN | NUMBER INTERCEPTIONS IN | | | COLLECTED IN- |
|---|---|-------------------------------|-------|-----------------|------------------------------------|
| | | C | O | R | |
| | N | S | N | P | |
| | U | O | O | A | |
| | M | N | G | | |
| | P | E | A | | |
| | T | N | T | | |
| | I | T | I | | |
| | O | R | O | | |
| | N | Y | N | | |
| <i>Achatina fulica</i> Bowdich (Achatinidae) | Hawaii, Okinawa, Unknown..... | 9 | 1 | 1 | HI, SC..... |
| Aircraft | | | | | |
| Baqqage | | | | | |
| Cargo | | | | | |
| <i>Arion hortensis</i> Perussac (Arionidae) | England, France, Ireland, Netherlands. | | 2 | 2 | MA, MI, OH, TX. |
| <i>Allium ampeloprasum</i> (leek) | | | | | |
| <i>Trifolium repens</i> (shamrock) | | | | | |
| <i>Viola tricolor</i> (pansy) | | | | | |
| <i>Bradybaena circulus</i> (Pfeiffer) (Bradybaenidae) | Okinawa..... | 1 | | DE..... | |
| Cargo | | | | | |
| <i>Bradybaena similaris</i> (Perussac) (Bradybaenidae) | Bermuda, Hawaii, Okinawa..... | 5 | | 2 | FL, HI..... |
| <i>Ananas comosus</i> (pineapple) | | | | | |
| Cargo | | | | | |
| <i>Cocos nucifera</i> (coconut) | | | | | |
| <i>Cordyline terminalis</i> (ti leaf) | | | | | |
| Flowers (mixed) | | | | | |
| Plant (unidentified) | | | | | |
| <i>Bradybaena tourannensis</i> (Souleyet) (Bradybaenidae) | Japan..... | | 1 | | WA..... |
| <i>Apium graveolens</i> var. <i>dulce</i> (celery) | | | | | |
| <i>Cochlicella barbara</i> (Linnaeus) (Helicidae) | Crete, France, Greece, Italy, Morocco, Spain, Unknown. | 9 | 2 | 1 | LA, MA, NC, PR, SC, TX, VA..... |
| Automobile | | | | | |
| Cargo | | | | | |
| <i>Lactuca sativa</i> (lettuce) | | | | | |
| <i>Olea</i> sp. (olive plant) | | | | | |
| Stores (in storeroom) | | | | | |
| <i>Cochlicella conoidea</i> (Draparnaud) (Helicidae) | Spain..... | 1 | | TX..... | |
| Cargo | | | | | |
| <i>Cochlicella ventrosa</i> (Perussac) (Helicidae) | Azores, Bermuda, France(?), Italy, Morocco, Spain, Turkey. | 6 | 3 | 1 | FL, LA, MA, SC, TX, VA..... |
| Automobile | | | | | |
| Cargo | | | | | |
| <i>Citrus sinensis</i> (sweet orange) | | | | | |
| <i>Mentha</i> sp. (mint leaf) | | | | | |
| Stores (in storeroom) | | | | | |
| <i>Deroceras caruanae</i> (Pollonera) (Limacidae) | Italy..... | | 1 | | NY..... |
| <i>Brassica oleracea</i> var. <i>capitata</i> (cabbage) | | | | | |
| <i>Deroceras caruanae</i> (Pollonera) (Limacidae) (?) | Unknown..... | | 1 | | VA..... |
| <i>Lactuca sativa</i> (lettuce) | | | | | |
| <i>Euhadra peliomphala</i> (Pfeiffer) (Bradybaenidae) | Japan..... | | 1 | | CA..... |
| <i>Dioscorea</i> sp. (yam) | | | | | |
| <i>Helicella amanda</i> (Rossmaessler) (Helicidae) | Italy..... | 1 | 1 | 1 | SC, TX..... |
| Cargo | | | | | |
| Stores (in storeroom) | | | | | |
| <i>Helicella apicina</i> (Lamarck) (Helicidae) | Unknown..... | | 1 | | NC..... |
| Cargo | | | | | |
| <i>Helicella calcarata</i> (Benson) (Helicidae) | Malta..... | | 1 | | NY..... |
| Herb | | | | | |
| <i>Helicella caperata</i> (Montagu) (Helicidae) | Greece, Italy, Spain(?) | 5 | 3 | 1 | LA, NY, TX..... |
| <i>Allium ampeloprasum</i> (leek) | | | | | |
| Cargo | | | | | |
| Stores (in storeroom) | | | | | |
| <i>Helicella cespitum</i> (Draparnaud) (Helicidae) | Spain, Turkey, Unknown..... | 1 | 5 | 1 | LA, NY, PR, TX. |
| Cargo | | | | | |
| <i>Lactuca sativa</i> (lettuce) | | | | | |
| Stores (in storeroom) | | | | | |
| <i>Helicella conspurcata</i> (Draparnaud) (Helicidae) | Italy, Malta, Spain..... | 4 | | PL, LA, NY, TX. | |
| Cargo | | | | | |
| Herb | | | | | |
| <i>Helicella corrugata</i> (Gmelin) (Helicidae) | Italy..... | | 1 | | MA..... |
| <i>Olea</i> sp. (olive plant) | | | | | |
| <i>Helicella cretica</i> (Perussac) (Helicidae) | Greece, Italy, Spain, Turkey..... | 6 | 4 | 1 | DE, LA, NC, NY, PA, SC, TX..... |
| <i>Apium graveolens</i> var. <i>dulce</i> (celery) | | | | | |
| Cargo | | | | | |
| Stores (in storeroom) | | | | | |
| <i>Helicella derbentina</i> (Andrzejowski) (Helicidae) | Turkey..... | 10 | | 1 | DE, LA, MD, TX. |
| Cargo | | | | | |

TABULATION OF MOLLUSKS

| PEST AND HOST | COUNTRY | ORIGIN | NUMBER INTERCEPTIONS IN | | | COLLECTED IN- |
|--|---|--------|-------------------------------|---|---|------------------------------------|
| | | | C | O | P | |
| | | | O | R | R | |
| | | | N | O | O | |
| | | | S | N | P | |
| | | | U | O | A | |
| <i>Helicella elegans</i> (Gmelin) (Helicidae)..... | France..... | | | | 1 | PA..... |
| <i>Mirabilis jalapa</i> (seed) | | | | | | |
| <i>Helicella gigaspii</i> (Charpentier) (Helicidae)..... | Belgium, England, Netherlands.... | 1 | 1 | 1 | | MD, PA, TX..... |
| Cargo | | | | | | |
| <i>Mirabilis</i> sp. (four-o'clock seed) | | | | | | |
| <i>Petroselinum crispum</i> (parsley) | | | | | | |
| <i>Helicella itala</i> (Linnaeus) (Helicidae)..... | Italy..... | | | | 1 | NJ..... |
| <i>Cotinus coggygria</i> (seed) | | | | | | |
| <i>Helicella ioppensis</i> (Roth) (Helicidae)..... | Turkey..... | 2 | | | | LA..... |
| Cargo | | | | | | |
| <i>Helicella krynickii</i> (Andrzejowski) (Helicidae)..... | Turkey..... | | 5 | | | LA, SC, TX..... |
| Cargo | | | | | | |
| <i>Helicella langloisiana</i> (Bourguignat) (Helicidae)..... | Iran..... | | 1 | | | LA..... |
| Cargo | | | | | | |
| <i>Helicella maritima</i> (Draparnaud) (Helicidae)..... | France, Greece, Italy, Spain.... | 7 | 3 | 2 | | AL, DE, MA, NY, TX..... |
| Baggage | | | | | | |
| <i>Brassica oleracea</i> var. <i>capitata</i> (cabbage) | | | | | | |
| Cargo | | | | | | |
| Plant (unidentified) | | | | | | |
| Stores (in storeroom) | | | | | | |
| <i>Helicella meda</i> (Porro) (Helicidae)..... | Italy..... | | 1 | | | PA..... |
| Herb | | | | | | |
| <i>Helicella neglecta</i> (Draparnaud) (Helicidae)..... | Portugal..... | | 1 | | | DE..... |
| Cargo | | | | | | |
| <i>Helicella obvia</i> (Hartmann) (Helicidae)..... | Unknown..... | | | 1 | | SC..... |
| Stores (in storeroom) | | | | | | |
| <i>Helicella protea</i> (Ziegler) (Helicidae)..... | Turkey..... | | 2 | | | LA..... |
| Cargo | | | | | | |
| <i>Helicella trochoides</i> (Poiret) (Helicidae)..... | Unknown..... | | 2 | | | NC..... |
| Cargo | | | | | | |
| <i>Helicella variabilis</i> (Draparnaud) (Helicidae)..... | France, Greece, Italy, Turkey... | 6 | | 1 | | DE, MD, NJ, NY, SC, TX..... |
| Baggage | | | | | | |
| Cargo | | | | | | |
| <i>Cotinus coggygria</i> (seed) | | | | | | |
| <i>Helicella vestalis</i> (Pfeiffer) (Helicidae)..... | Turkey..... | | 2 | | | LA..... |
| Cargo | | | | | | |
| <i>Helicella virgata</i> DaCosta (Helicidae)..... | Ireland, Italy, Spain..... | 2 | 1 | 1 | | DE, LA, MA, NY. |
| Cargo | | | | | | |
| <i>Cichorium endiva</i> (endive) | | | | | | |
| Soil | | | | | | |
| <i>Helix aperta</i> Born (Helicidae)..... | France(?), Italy..... | 10 | 4 | | | NY, PA, TX..... |
| Baggage | | | | | | |
| <i>Brassica campestris</i> (Chinese cabbage) | | | | | | |
| Cargo | | | | | | |
| Stores (in storeroom) | | | | | | |
| <i>Helix aspersa</i> Muller (Helicidae)..... | Azores, France(?), Greece, Ireland(?), Italy, Mexico, Portugal, Spain, Unknown. | 36 | 9 | 2 | | AZ, FL, IL, MA, NY, PR, TX, VA. |
| Aircraft | | | | | | |
| Baggage | | | | | | |
| <i>Bromeliad</i> (plant) | | | | | | |
| <i>Capsicum</i> sp. (pepper) | | | | | | |
| Cargo | | | | | | |
| <i>Coriandrum sativum</i> (coriander) | | | | | | |
| <i>Crassula</i> sp. (succulent) | | | | | | |
| <i>Cucurbita maxima</i> (squash) | | | | | | |
| Flowers (mixed) | | | | | | |
| <i>Lactuca sativa</i> (lettuce) | | | | | | |
| Mail | | | | | | |
| Plant (unidentified) | | | | | | |
| <i>Rosmarinus</i> sp. (rosemary plant) | | | | | | |
| <i>Spinacia oleracea</i> (spinach) | | | | | | |
| Stores (in storeroom) | | | | | | |
| <i>Helix lucorum</i> Linnaeus (Helicidae)..... | Syria..... | | | | 1 | WA..... |
| Plant (unidentified) | | | | | | |
| <i>Helix pomatia</i> Linnaeus (Helicidae)..... | Germany..... | | | | 1 | VA..... |
| <i>Hedera helix</i> (English ivy) | | | | | | |

TABULATION OF MOLLUSKS

| PEST AND HOST | COUNTRY | NUMBER INTERCEPTIONS IN | | | COLLECTED IN- |
|---|--|-------------------------------|-------|-------------|---|
| | | C | P | R | |
| | OF | S | N | P | |
| | ORIGIN | M | N | G | |
| | | P | E | A | |
| | | T | N | T | |
| | | I | T | I | |
| | | O | R | O | |
| | | N | Y | N | |
| <i>Helix secerinenda</i> Rossmaessler (Helicidae)..... | Italy..... | 1 | | IL..... | |
| Baggage | | | | | |
| <i>Lamellaxis micra</i> (Orbigny) (Subulinidae)..... | Nicaragua..... | | | 1 | CA..... |
| Soil with plant | | | | | |
| <i>Lehmannia poirieri</i> (Mabille) (Limacidae)..... | Guatemala..... | | | 1 | CA..... |
| Plant (unidentified) | | | | | |
| <i>Meghimatium bilineatus</i> (Benson) (Philomycidae)..... | Hawaii..... | | | 1 | CA..... |
| <i>Cycas</i> sp. (cacad plant) | | | | | |
| <i>Milax budapestensis</i> (Hazay) (Limacidae)..... | England..... | | | 1 | MA..... |
| <i>Rosmarinus</i> sp. (rosemary plant) | | | | | |
| <i>Milax insularis</i> (Lessona & Pollonera) (Limacidae)..... | Italy..... | 2 | | NY..... | |
| <i>Apium graveolens</i> var. <i>dulce</i> (celery) | | | | | |
| <i>Brassica oleracea</i> var. <i>capitata</i> (cabbage) | | | | | |
| <i>Monacha carthusiana</i> (Muller) (Helicidae)..... | Italy..... | 1 | 1 | | LA, TX..... |
| Cargo | | | | | |
| Stores (in storeroom) | | | | | |
| <i>Monacha obstructa</i> (Perussac) (Helicidae)..... | Greece, Lebanon, Unknown..... | 1 | 2 | | LA, TX, VA..... |
| Cargo | | | | | |
| <i>Malus sylvestris</i> (common apple) | | | | | |
| Stores (in storeroom) | | | | | |
| <i>Monacha rizzae</i> (Aradas) (Helicidae)..... | Italy..... | 1 | | NY..... | |
| Baggage | | | | | |
| <i>Monacha syriaca</i> (Ehrenberg) (Helicidae)..... | Israel, Lebanon..... | 2 | | LA, PA..... | |
| Cargo | | | | | |
| <i>Opeas pumilum</i> (Pfeiffer) (Subulinidae)..... | Bahamas..... | 1 | | FL..... | |
| Automobile | | | | | |
| <i>Otala verniculata</i> (Muller) (Helicidae)..... | Bermuda, France, Greece, Ireland, Italy, Spain, Unknown, Yugoslavia. | 38 | 11 | 1 | BE, CA, IL, LA, MA, NY, PA, PR, TX..... |
| <i>Allium ampeloprasum</i> (leek) | | | | | |
| Baggage | | | | | |
| <i>Brassica oleracea</i> var. <i>botrytis</i> (cauliflower) | | | | | |
| Cargo | | | | | |
| <i>Lactuca sativa</i> (lettuce) | | | | | |
| <i>Lilium</i> sp. (cut flowers) | | | | | |
| Mail | | | | | |
| Soil with <i>Mentha</i> sp. (mint plant) | | | | | |
| Stores (in storeroom) | | | | | |
| <i>Oxychilus alliarius</i> (Muller) (Zonitidae)..... | France..... | 1 | | VA..... | |
| Soil with <i>Convallaria majalis</i> (root) | | | | | |
| <i>Pallifera costaricensis</i> (Morch) (Philomycidae)..... | Mexico..... | | | 2 | TX..... |
| Bromeliad (plant) | | | | | |
| Orchid (plant) | | | | | |
| <i>Pallifera costaricensis alticola</i> H. B. Baker (Philomycidae)... | Mexico..... | | | 1 | CA..... |
| Bromeliad (plant) | | | | | |
| <i>Pallifera costaricensis crosseanus</i> (Strebel & Pfeffer) (Philomycidae)..... | Mexico..... | | | 1 | AZ..... |
| Tillandsia sp. (plant) | | | | | |
| <i>Rumina decollata</i> (Linnaeus) (Subulinidae)..... | Mexico..... | 1 | | 4 | TX..... |
| Baggage | | | | | |
| <i>Mentha</i> sp. (mint plant) | | | | | |
| Orchid (plant) | | | | | |
| <i>Prunus</i> sp. (seedling) | | | | | |
| Soil | | | | | |
| <i>Semerula variegatula</i> (Simroth) (Veronicellidae)..... | Singapore..... | | | 1 | FL..... |
| Plant - unidentified | | | | | |
| <i>Subulina octona</i> (Bruguiere) (Subulinidae)..... | Bahamas, Ecuador, Honduras, Mexico, Nicaragua, Peru, Trinidad. | 1 | | 6 | CA, FL, LA, VI. |
| Automobile | | | | | |
| <i>Dion spinulosum</i> (root) | | | | | |
| Orchid (plant) | | | | | |
| Seed (palm seed) | | | | | |
| Soil | | | | | |
| Soil with plant | | | | | |
| Tillandsia sp. (bromeliad plant) | | | | | |

TABULATION OF MOLLUSKS

| PEST AND HOST | COUNTRY OF ORIGIN | NUMBER INTERCEPTIONS IN | | | COLLECTED IN- |
|---|--|-------------------------------|----|---|---|
| | | C | O | P | |
| Theba pisana (Muller) (Helicidae)..... | Cyprus, France, Greece, Israel, Italy, Libya, Morocco, Netherlands, Portugal, Spain, Turkey, Unknown. | 27 | 22 | 2 | AL, DE, FL, LA, NC, NY, PA, PR, SC, TX, VA..... |
| Allium sp. (leaf) | | | | | |
| Automobile | | | | | |
| Baggage | | | | | |
| Brassica oleracea var. botrytis (cauliflower) | | | | | |
| Cargo | | | | | |
| Citrus limon (leaf) | | | | | |
| Flowers (mixed) | | | | | |
| Lactuca sativa (lettuce) | | | | | |
| Mirabilis jalapa (seed) | | | | | |
| Mirabilis sp. (four-o'clock seed) | | | | | |
| Petroselinum crispum (parsley) | | | | | |
| Spinacia oleracea (spinach) | | | | | |
| Stores (in storeroom) | | | | | |
| Vaginulus alte Perussac (Veronicellidae)..... | Hawaii..... | 1 | | | TX..... |
| Cargo | | | | | |
| Vaginulus linguaeforis Semper (Veronicellidae)..... | Peru..... | | | 1 | PL..... |
| Plants - mixed | | | | | |
| Vaginulus occidentalis (Guilding) (Veronicellidae)..... | Honduras, Panama..... | 1 | | 1 | PL..... |
| Bromeliad (plant) | | | | | |
| Ficus decora (plant) | | | | | |
| Vaginulus olivaceus (Stearns) (Veronicellidae)..... | Nicaragua..... | | | 1 | PL..... |
| Orchid (plant) | | | | | |
| Vaginulus plebeius Fischer (Veronicellidae)..... | El Salvador..... | | | 1 | LA..... |
| Orchid (plant) | | | | | |
| Vaginulus pulcher Colosi (Veronicellidae)..... | Ecuador..... | | | 1 | PL..... |
| Bromeliad (plant) | | | | | |
| Veronica kraussii (Perussac) (Veronicellidae)..... | Puerto Rico..... | 1 | | | PR..... |
| Artocarpus altilis (breadfruit) | | | | | |
| Veronica sloanii (Cuvier) (Veronicellidae)..... | Jamaica..... | | | 1 | PL..... |
| Bromeliad (plant) | | | | | |
| Veronica sloanii schivelyae Pilsbry (Veronicellidae)..... | Jamaica..... | | | 1 | PL..... |
| Orchid (plant) | | | | | |

HOSTS AND MOLLUSKS

| | |
|---|---|
| ALLIUM: | HEDERA: |
| Arion hortensis (Mollusca) | Helix pomatia (Mollusca) |
| Helicella caperata (Mollusca) | |
| Otala vermiculata (Mollusca) | |
| Theba pisana (Mollusca) | |
| ANANAS: | |
| Bradybaena similaris (Mollusca) | |
| APIUM: | |
| Bradybaena tourannensis (Mollusca) | Cochlicella barbara (Mollusca) |
| Helicella cretica (Mollusca) | Deroceras caruanae (Mollusca) |
| Milax insularis (Mollusca) | Helicella cespitum (Mollusca) |
| ARTOCARPUS: | Helix aspersa (Mollusca) |
| Veronicella kraussi (Mollusca) | Otala vermiculata (Mollusca) |
| BRASSICA: | |
| Helix aperta (Mollusca) | Malva obsoleta (Mollusca) |
| Otala vermiculata (Mollusca) | |
| Theba pisana (Mollusca) | |
| Deroceras caruanae (Mollusca) | MENNA: |
| Helicella maritima (Mollusca) | Cochlicella ventrosa (Mollusca) |
| Milax insularis (Mollusca) | Rumina decollata (Mollusca) |
| BROMELIAD: | |
| Helix aspersa (Mollusca) | MIRABILIS: |
| Pallifera costaricensis (Mollusca) | Helicella elegans (Mollusca) |
| Pallifera costaricensis alticola (Mollusca) | Theba pisana (Mollusca) |
| Vaginulus occidentalis (Mollusca) | Helicella gigazii (Mollusca) |
| Vaginulus pulcher (Mollusca) | Theba pisana (Mollusca) |
| Veronicella sloanii (Mollusca) | |
| CAPSICUM: | |
| Helix aspersa (Mollusca) | OLEA: |
| CICORIUM: | Cochlicella barbara (Mollusca) |
| Helicella virgata (Mollusca) | Helicella corrugata (Mollusca) |
| CITRUS LIMON: | |
| Theba pisana (Mollusca) | ORCHID: |
| CITRUS SINENSIS: | Pallifera costaricensis (Mollusca) |
| Cochlicella ventrosa (Mollusca) | Rumina decollata (Mollusca) |
| COCOS: | Subulina octona (Mollusca) |
| Bradybaena similaris (Mollusca) | Vaginulus olivaceus (Mollusca) |
| CORDYLINE: | Vaginulus plebeius (Mollusca) |
| Bradybaena similaris (Mollusca) | Veronicella sloanii schivelyae (Mollusca) |
| CORYANDRUM: | |
| Helix aspersa (Mollusca) | PETROSELINUM: |
| COTINUS: | Helicella gigazii (Mollusca) |
| Helicella itala (Mollusca) | Theba pisana (Mollusca) |
| Helicella variabilis (Mollusca) | |
| CRASSULA: | PLANTS: |
| Helix aspersa (Mollusca) | Vaginulus linguaeformis (Mollusca) |
| CUCURBITA: | |
| Helix aspersa (Mollusca) | PRUNUS: |
| CYCAS: | Rumina decollata (Mollusca) |
| Meghimatum bilineatus (Mollusca) | |
| DION: | ROSMARINUS: |
| Subulina octona (Mollusca) | Helix aspersa (Mollusca) |
| DIOSCOREA: | Milax budapestensis (Mollusca) |
| Euhadra peliomphala (Mollusca) | |
| FICUS: | SPINACIA: |
| Vaginulus occidentalis (Mollusca) | Helix aspersa (Mollusca) |
| | Theba pisana (Mollusca) |
| | |
| | TILLANDSIA: |
| | Subulina octona (Mollusca) |
| | Pallifera costaricensis crosseanus (Mollusca) |
| | TRIFOLIUM: |
| | Arion hortensis (Mollusca) |
| | |
| | VIOLA: |
| | Arion hortensis (Mollusca) |

MOLLUSKS INTERCEPTED WITH HOSTS UNKNOWN

AIRCRAFT:

Achatina fulica (Mollusca)
Helix aspersa (Mollusca)

AUTOMOBILE:

Cochlicella barbara (Mollusca)
Cochlicella ventrosa (Mollusca)
Opeas pumilum (Mollusca)
Subulina octona (Mollusca)
Theba pisana (Mollusca)

BAGGAGE:

Achatina fulica (Mollusca)
Helicella maritima (Mollusca)
Helicella variabilis (Mollusca)
Helix aperta (Mollusca)
Helix aspersa (Mollusca)
Helix secerunda (Mollusca)
Monacha rizzae (Mollusca)
Otala vermiculata (Mollusca)
Rumina decollata (Mollusca)
Theba pisana (Mollusca)

CARGO:

Achatina fulica (Mollusca)
Bradybaena circulus (Mollusca)
Bradybaena similaris (Mollusca)
Cochlicella barbara (Mollusca)
Cochlicella conoidea (Mollusca)
Cochlicella ventrosa (Mollusca)
Helicella amanda (Mollusca)
Helicella apicina (Mollusca)
Helicella caperata (Mollusca)
Helicella cespitum (Mollusca)
Helicella conspurcata (Mollusca)
Helicella cretica (Mollusca)
Helicella derbentina (Mollusca)
Helicella gigaxii (Mollusca)
Helicella joppensis (Mollusca)
Helicella krynickii (Mollusca)
Helicella langloisiana (Mollusca)
Helicella maritima (Mollusca)
Helicella neglecta (Mollusca)
Helicella protea (Mollusca)
Helicella trochoides (Mollusca)
Helicella variabilis (Mollusca)
Helicella vestalis (Mollusca)
Helicella virgata (Mollusca)
Helix aperta (Mollusca)
Helix aspersa (Mollusca)
Monacha carthusiana (Mollusca)
Monacha obstructa (Mollusca)
Monacha syriaca (Mollusca)

Otala vermiculata (Mollusca)

Theba pisana (Mollusca)
Vaginulus alte (Mollusca)

FLOWERS:

Bradybaena similaris (Mollusca)
Helix aspersa (Mollusca)
Theba pisana (Mollusca)

HERB:

Helicella calcarata (Mollusca)
Helicella conspurcata (Mollusca)
Helicella meda (Mollusca)

MAIL:

Helix aspersa (Mollusca)
Otala vermiculata (Mollusca)

PLANT:

Bradybaena similaris (Mollusca)
Helicella maritima (Mollusca)
Helix aspersa (Mollusca)
Helix lucorum (Mollusca)
Lehmannia poirieri (Mollusca)
Semperula variegatula (Mollusca)

SEED:

Subulina octona (Mollusca)

SOIL:

Helicella virgata (Mollusca)
Rumina decollata (Mollusca)
Subulina octona (Mollusca)
Oxychilus alliarius (Mollusca)
Otala vermiculata (Mollusca)
Lamellaxis micra (Mollusca)
Subulina octona (Mollusca)

STORES:

Cochlicella barbara (Mollusca)
Cochlicella ventrosa (Mollusca)
Helicella amanda (Mollusca)
Helicella caperata (Mollusca)
Helicella cespitum (Mollusca)
Helicella cretica (Mollusca)
Helicella maritima (Mollusca)
Helicella obvia (Mollusca)
Helix aperta (Mollusca)
Helix aspersa (Mollusca)
Monacha carthusiana (Mollusca)
Monacha obstructa (Mollusca)
Otala vermiculata (Mollusca)
Theba pisana (Mollusca)

COUNTRIES OF ORIGIN AND MOLLUSKS

AZORES:
Cochlicella ventrosa
Helix aspersa

BAHAMAS:
Opeas pumilum
Subulina octona

BELGIUM:
Helicella qigaxii
 BELMUDA:
Bradybaena similaris
Cochlicella ventrosa
Otala vermiculata

CRETE:
Cochlicella barbara
 CYPRUS:
Theba pisana

ECUADOR:
Subulina octona
Vaginulus pulcher
 EL SALVADOR:
Vaginulus plebeius
 ENGLAND:
Arion hortensis
Helicella qigaxii
Milax budapestensis

FRANCE:
Arion hortensis
Cochlicella barbara
Helicella elegans
Helicella maritima
Helicella variabilis
Otala vermiculata
Oxychilus alliarius
Theba pisana
 FRANCE(?):
Cochlicella ventrosa
Helix aperta
Helix aspersa

GERMANY:
Helix pomatia

GREECE:
Cochlicella barbara
Helicella caperata
Helicella cretica
Helicella maritima
Helicella variabilis
Helix aspersa
Monacha obducta
Otala vermiculata
Theba pisana

GUATEMALA:
Lehmannia poirieri

HAWAII:
Achatina fulica
Bradybaena similaris
Meghimatium bilineatus
Vaginulus alte
 HONDURAS:
Subulina octona
Vaginulus occidentalis

IRAN:
Helicella langloisiana

IRELAND:
Arion hortensis
Helicella virgata
Otala vermiculata
 IRELAND(?):
Helix aspersa

ISRAEL:
Monacha syriaca
Theba pisana
 ITALY:
Cochlicella barbara
Cochlicella ventrosa
Deroceras caruanae
Helicella amanda
Helicella caperata
Helicella conspurcata
Helicella corrugata
Helicella cretica
Helicella itala
Helicella maritima
Helicella meda
Helicella variabilis
Helicella virgata
Helix aperta
Helix aspersa
Milax insularis
Monacha carthusiana
Monacha rizzae
Otala vermiculata
Theba pisana

JAMAICA:
Veronicella sloanii
Veronicella sloanii schivelyae

JAPAN:
Bradybaena tourannensis
Euhadra peliomphala

LEBANON:
Monacha obducta
Monacha syriaca

LIBYA:
Theba pisana

MALTA:
Helicella calcarata
Helicella conspurcata

MEXICO:
Helix aspersa
Pallifera costaricensis
Pallifera costaricensis alticola
Pallifera costaricensis crosseanus
Rumina decollata
Subulina octona

MOROCCO:
Cochlicella barbara
Cochlicella ventrosa
Theba pisana

NETHERLANDS:
Arion hortensis
Helicella gigaxii
Theba pisana

NICARAGUA:
Lamellaxis micra
Subulina octona

Vaginulus olivaceus

OKINAWA:
Achatina fulica
Bradybaena circulus
Bradybaena similaris

PANAMA:
Vaginulus occidentalis
 PERU:
Subulina octona
Vaginulus linguaeformis

PORTRUGAL:
Helicella neglecta
Helix aspersa
Theba pisana
 PUERTO RICO:
Veronicella kraussi

SINGAPORE:
Semperula variegatula
 SPAIN:
Cochlicella barbara
Cochlicella conoidea
Cochlicella ventrosa
Helicella cespitum
Helicella conspurcata
Helicella cretica
Helicella maritima
Helicella virgata
Helix aspersa
Otala vermiculata
Theba pisana

SPAIN(?):
Helicella caperata

SYRIA:
Helix lucorum

TRINIDAD:
Subulina octona
 TURKEY:
Cochlicella ventrosa
Helicella cespitum
Helicella cretica
Helicella derbentina
Helicella joppensis
Helicella krynickii
Helicella protea
Helicella variabilis
Helicella vestalis
Theba pisana

YUGOSLAVIA:
Otala vermiculata

UNKNOWN:
Achatina fulica
Cochlicella barbara
Deroceras caruanae
Helicella apicina
Helicella cespitum
Helicella obvia
Helicella trochoide
Helix aspersa
Monacha obducta
Otala vermiculata
Theba pisana

TABULATION OF DISEASES

| PEST AND HOST | COUNTRY OF ORIGIN | NUMBER INTERCEPTIONS IN | | | | COLLECTED IN- |
|--|--|-------------------------------|-----|-----|-----------------|---------------|
| | | C | O | N | P | |
| | | S | U | O | R | |
| | | M | P | E | A | |
| *Ascochyta citri Penz. | *Hong Kong, Italy, Japan, Mexico, Unknown. | 4 | 4 | ... | CA, NY..... | |
| Citrus limon (lemon) | | | | | | |
| Citrus reticulata cv. (cultivar orange) | | | | | | |
| Citrus sinensis (sweet orange) | | | | | | |
| *Ascochyta passiflorae Penz. & Sacc. | *Argentina, Colombia, Ecuador... | 43 | 2 | ... | CA, FL, NY, PR. | |
| Passiflora sp. (passion fruit) | | | | | | |
| *Ascochyta rhododendri Lind. | *Denmark(?)..... | | 1 | ... | NY..... | |
| Rhododendron sp. (rhododendron leaf) | | | | | | |
| *Bubakia erythroxylonis Cumm. | Bolivia, *Costa Rica, Ecuador, Panama, Peru. | 8 | ... | ... | AZ, PL..... | |
| Erythroxylum coca (cocaine leaf) | | | | | | |
| *Cercospora angraecii Peuill. & Roum. | Guatemala, *Honduras, Indonesia..... | | | 3 | CA, PL..... | |
| Dendrobium sp. (orchid leaf) | | | | | | |
| Epidendrum sp. (orchid leaf) | | | | | | |
| Sobralia sp. (orchid leaf) | | | | | | |
| *Cercospora aratiae Spec. | *Argentina..... | | 1 | ... | NY..... | |
| Solanum malacoxylon (leaf) | | | | | | |
| *Cercospora brachiatella Ell. & Ev. | Dominican Republic, *Japan, Puerto Rico. | 4 | 1 | ... | CA, PR..... | |
| Phaseolus vulgaris (string bean) | | | | | | |
| *Cercospora cladosporioides Sacc. | *Greece..... | | 1 | ... | NY..... | |
| Olea europaea (leaf) | | | | | | |
| *Cercospora ficina Tharp. | *Honduras, *Mexico..... | | | 2 | PL, TX..... | |
| Ficus elastica (fig leaf) | | | | | | |
| Ficus pandurata (fig leaf) | | | | | | |
| Cercospora gaultheriae Ell. & Ev. | Mexico..... | | 1 | ... | AZ..... | |
| Arctostaphylos sp. (manzanita leaf) | | | | | | |
| *Cercospora insulana Sacc. | *Dominican Republic, Guatemala, Mexico, Venezuela. | 20 | 1 | ... | LA, NY, PR, TX. | |
| Limonium sinuatum (statice leaf & stem) | | | | | | |
| *Cercospora kaki Ell. & Ev. | Japan, *Korea..... | 3 | 3 | ... | CA..... | |
| Diospyros kaki (kaki persimmon) | | | | | | |
| *Cercospora liqustrina Boerema. | Europe (country-?) | | 1 | ... | NY..... | |
| Ligustrum sp. (privet leaf) | | | | | | |
| Cercospora penzigi Sacc. | Dominican Republic..... | 4 | ... | ... | NY, PR..... | |
| Citrus sp. (leaf) | | | | | | |
| *Cercospora punicae P. Henn. | Dominican Republic, El Salvador, Mexico, *Nicaragua, *Syria. | 10 | ... | ... | FL, NY, PR, TX. | |
| Punica granatum (common pomegranate) | | | | | | |
| Cercospora sapindii Obregon-Botero. | Panama..... | | 1 | ... | PL..... | |
| Melicocca bijuga (genip) | | | | | | |
| *Cercospora stevensonii Chupp. | *Mexico..... | | | 1 | TX..... | |
| Codiaeum sp. (leaf croton) | | | | | | |
| *Cercosporidium cassiae (P. Henn.) Deighton. | *Mexico..... | | | 1 | AZ..... | |
| Cassia sp. (senna leaf) | | | | | | |
| Cerotellum fici (Butl.) Arth. | Colombia, Dominican Republic, Mexico. | 3 | ... | 1 | PL, NY, TX..... | |
| Ficus carica (common fig) | | | | | | |
| Ficus sp. (fig leaf) | | | | | | |
| Chaconia inae (Syd.) Cumm. | Ecuador..... | | 1 | ... | PL..... | |
| Inga sp. (inga fruit) | | | | | | |
| *Chaetothyriina tenuissima (Petch) Ark. | *Dominica, Dominican Republic, Puerto Rico. | 9 | ... | ... | PR, VI..... | |
| Spondias mombin (yellow mombin) | | | | | | |
| Chrysomyxa ledi d By. var. rhododendri (d By.) Savile. | Austria, England, Japan, Switzerland. | 5 | ... | 3 | CA, IL, NY, WA. | |
| Rhododendron sp. (azalea leaf) | | | | | | |
| Coccostroma chamaedoreae (Syd.) Ark & Muller. | Mexico..... | 16 | ... | ... | TX..... | |
| Chamaedorea sp. (palm leaf) | | | | | | |
| *Coleosporium plumerae Pat. | *Barbados..... | | 1 | ... | PR..... | |
| Plumeria sp. (plumeria leaf) | | | | | | |
| Coleroa senniana (Sacc.) Ark. | South Africa, Unknown..... | 9 | 1 | ... | NY, PA, VA..... | |
| Protea sp. (protea leaf) | | | | | | |
| *Coryneum microstictum Berk. & Br. | *Yugoslavia..... | | | 1 | PA..... | |
| Vitis vinifera (cuttings) | | | | | | |
| *Coryneum tripseptatum Pk. | Unknown..... | | | 1 | ... | NY..... |
| Kalmia latifolia (leaf) | | | | | | |
| *Curvularia lunata (Wakk.) Boed. | *Australia..... | | | 1 | CA..... | |
| Digitaria dactylon (grass) | | | | | | |
| Cylindrosporium juglandis Wolf. | Mexico..... | | 1 | ... | AZ..... | |
| Juglans sp. (walnut leaf) | | | | | | |
| *Cytospora euonymi Cke. | *Sweden..... | | | 1 | NJ..... | |
| Euonymus pauciflorus (stem) | | | | | | |

*First from country

#First interception

TABULATION OF DISEASES

| PEST AND HOST | COUNTRY | OF | ORIGIN | NUMBER INTERCEPTIONS IN | | COLLECTED IN- |
|--|--|----|--------|-------------------------------|-----|---|
| | | | | C | P | |
| <i>Diaporthe eres</i> Nits..... | Italy..... | | | | 1 | NY..... |
| <i>Ficus</i> sp. (fig stem) | | | | | | |
| <i>Dichotomophthora indica</i> Rao..... | Mexico..... | | | 5 | | TX..... |
| <i>Portulaca oleracea</i> (purslane) | | | | | | |
| <i>Didymium squamulosum</i> (Alb. & Schw.) Fr..... | Mexico..... | | | 3 | | TX..... |
| <i>Chamaedorea</i> sp. (palm leaf) | | | | | | |
| <i>Diplodia antiqua</i> Pass..... | South Africa..... | | | | 1 | NJ..... |
| <i>Euphorbia</i> sp. (succulent) | | | | | | |
| * <i>Diplodia coccocarpa</i> Sacc..... | Mexico, *Viet-Nam..... | | | 2 | | CA..... |
| <i>Cocos nucifera</i> (coconut) | | | | | | |
| <i>Diplodia oryzae</i> I. Miyake..... | Japan, Korea..... | | | 6 | 1 | CA..... |
| <i>Oryza sativa</i> (rice straw) | | | | | | |
| <i>Diplodina eurhododendri</i> Voss..... | England..... | | | | 3 | CA..... |
| <i>Rhododendron yakushimanum</i> (leaf) | | | | | | |
| * <i>Dothiorella barringtoniae</i> (Cke. & Mass.) Petr. & Syd..... | *Haiti..... | | | 1 | | FL..... |
| <i>Barringtonia asiatica</i> (seed pods) | | | | | | |
| <i>Elsinoe australis</i> Bitanc. & Jenkins..... | Argentina, Brazil, Paraguay, South America (country-?), Unknown, Uruguay. | | | 31 | 255 | AL, CA, DE, FL, GA, IL, LA, NC, NJ, NY, PA, PR, SC, TX, VA, VI..... |
| <i>Citrus aurantifolia</i> (lime) | | | | | | |
| <i>Citrus limon</i> (lemon) | | | | | | |
| <i>Citrus paradisi</i> (grapefruit) | | | | | | |
| <i>Citrus reticulata</i> cv. (cultivar orange) | | | | | | |
| <i>Citrus sinensis</i> (sweet orange) | | | | | | |
| * <i>Elsinoe mangiferae</i> Bitanc. & Jenkins..... | Colombia, Costa Rica, Dominican Republic, Ecuador, El Salvador, Haiti, Honduras, Jamaica, Mexico, Nicaragua, Panama, Peru, Philippines, Puerto Rico, *St. Vincent, Trinidad, Venezuela, West Indies. | | | 125 | 4 | FL, NY, PR, TX, VA, WA..... |
| <i>Manqifera indica</i> (common mango) | | | | | | |
| * <i>Elsinoe phaseoli</i> Jenkins..... | Dominican Republic, *Haiti..... | | | 2 | | FL, PR..... |
| <i>Phaseolus lunatus</i> (lima bean) | | | | | | |
| <i>Graphiola borassi</i> Syd. & Butl..... | India, Unknown..... | | | 11 | 1 | OR, PA, TX..... |
| <i>Borassus</i> sp. (palm stalk) | | | | | | |
| * <i>Guignardia citricarpa</i> Kiel..... | Argentina, Asia (country-?), Australia, Brazil, China, Hong Kong, India, Iran, Japan, Mozambique, Okinawa, *Okinawa(?), Peru, Philippines, Singapore, South Africa, Taiwan, Thailand, Unknown, Viet-Nam. | | | 416 | 344 | AK, AL, CA, FL, GA, HI, IL, LA, MA, MI, NC, NJ, NY, OR, PA, SC, TX, VA, WA..... |
| <i>Citrus aurantifolia</i> (lime) | | | | | | |
| <i>Citrus aurantium</i> (sour orange) | | | | | | |
| <i>Citrus grandis</i> (pummelo) | | | | | | |
| <i>Citrus limon</i> (lemon) | | | | | | |
| <i>Citrus paradisi</i> (grapefruit) | | | | | | |
| <i>Citrus reticulata</i> cv. (cultivar orange) | | | | | | |
| <i>Citrus sinensis</i> (sweet orange) | | | | | | |
| <i>Citrus</i> sp. (dried peel) | | | | | | |
| <i>Citrus</i> sp. (fruit) | | | | | | |
| * <i>Heterosporium avenae</i> Oud..... | France, *Poland, Portugal..... | | | 3 | | MA, NY..... |
| <i>Hordeum</i> sp. (barley straw) | | | | | | |
| <i>Triticum aestivum</i> (wheat straw) | | | | | | |
| * <i>Hypoxyylon folicola</i> J.H. Miller..... | *Mexico..... | | | 2 | | TX..... |
| <i>Chamaedorea</i> sp. (palm leaf) | | | | | | |
| <i>Kuehneola japonica</i> Diet..... | Japan..... | | | 1 | 2 | HI, WA..... |
| <i>Rosa</i> sp. (rose leaf) | | | | | | |
| <i>Kuehneola uredinis</i> (Lk.) Arth..... | England, France, Greece..... | | | 57 | | CA, MA, NY, VA..... |
| <i>Rubus</i> sp. (raspberry leaf) | | | | | | |
| * <i>Leptosphaeria michotii</i> (West.) Sacc..... | *Barbados..... | | | 1 | | NY..... |
| <i>Saccharum officinarum</i> (sugarcane) | | | | | | |
| <i>Leptosphaeria oryzina</i> Sacc..... | Japan, Korea, Taiwan, Unknown..... | | | 20 | 8 | CA..... |
| <i>Oryza sativa</i> (rice straw) | | | | | | |
| <i>Leptosphaeria protearum</i> Syd..... | South Africa..... | | | 14 | 3 | CA, NY, VA..... |
| <i>Protea</i> sp. (protea leaf) | | | | | | |
| * <i>Leptostroma rubi</i> (Lib.) Speg. & Roum..... | *France, Unknown..... | | | | 3 | NY..... |
| <i>Rubus</i> sp. (raspberry leaf) | | | | | | |
| * <i>Lophodermium arundinaceum</i> (Schrad.) Chev..... | Austria, *Italy, Poland, Unknown, Yugoslavia. | | | 25 | 4 | NY, TX..... |
| <i>Phragmites</i> sp. (reed stem) | | | | | | |
| <i>Vaccinium</i> sp. (blueberry leaf) | | | | | | |
| <i>Macrophoma araucariae</i> De Lac..... | New Zealand..... | | | | | 1 CA..... |
| <i>Araucaria</i> cookii (seed) | | | | | | |

*First from country

#First interception

TABULATION OF DISEASES

| PEST AND HOST | COUNTRY OF ORIGIN | NUMBER INTERCEPTIONS IN | | | | COLLECTED IN- |
|--|---|-------------------------------|-------|-----------------|-------------------------------------|---------------|
| | | C | O | N | P | |
| | | N | O | O | R | |
| | | O | N | O | R | |
| | | M | N | G | A | |
| | | P | E | A | T | |
| | | T | N | T | I | |
| | | I | T | I | O | |
| *Macrophoma cocos Pass..... | *Aruba, Hawaii, Philippines..... | 5 | | CA..... | | |
| Cocos nucifera (coconut) | | | | | | |
| *Macrophoma oleae (DC.) Berl. & Vogl..... | Greece, *Israel, Italy, *Lebanon. | 21 | | BA, NY..... | | |
| Olea europaea (common olive) | | | | | | |
| Olea sp. (olive) | | | | | | |
| Marssonina juglandis (Lib.) Magn..... | Greece..... | 2 | | NY..... | | |
| Juglans sp. (walnut) | | | | | | |
| *Melanoma claviger Miyake..... | *Taiwan..... | 1 | | CA..... | | |
| Oryza sativa (rice seed) | | | | | | |
| Microthyrium microscopicum Desm..... | Ireland..... | | 3 | 1 | IL..... | |
| Buxus sempervirens (boxwood leaf) | | | | | | |
| Monilinia fructigena (Aderh. & Ruhl.) Honey..... | Czechoslovakia, England, Europe (country-?), France, Germany, Greece, Israel, Italy, Portugal, Soviet Union, Sweden, Unknown. | 12 | 31 | | NY, PA, VA..... | |
| Cydonia oblonga (quince) | | | | | | |
| Malus sylvestris (common apple) | | | | | | |
| Prunus armeniaca (apricot) | | | | | | |
| Prunus avium (sweet cherry) | | | | | | |
| Prunus domestica (plum) | | | | | | |
| Prunus persica (peach) | | | | | | |
| Prunus persica var. nectarina (nectarine) | | | | | | |
| Prunus sp. (cherry) | | | | | | |
| Sorbus sp. (mountain-ash) | | | | | | |
| *Mycosphaerella avenae Svd..... | Mexico..... | 1 | | AZ..... | | |
| Palm (leaf) | | | | | | |
| Mycosphaerella alixiae Petr..... | Hawaii..... | 2 | | HI..... | | |
| Alyxia olivaeformis (leaf) | | | | | | |
| Mycosphaerella cattleyae Cash & Watson..... | British Honduras, Costa Rica, Guatemala, Honduras, Mexico, Panama. | | 12 | PL, TX..... | | |
| Cattleya skinneri (leaf) | | | | | | |
| Cattleya sp. (orchid leaf) | | | | | | |
| Epidendrum sp. (orchid leaf) | | | | | | |
| Orchid (plant) | | | | | | |
| Sobralia sp. (orchid leaf) | | | | | | |
| Mycosphaerella patouillardii (Sacc.) Maire & Werner (?)..... | Spain..... | | 1 | | NY..... | |
| Buxus sempervirens (boxwood leaf) | | | | | | |
| *Mycosphaerella tassiana (de W.) Johans..... | *England, Jamaica, Japan..... | 5 | 122 | | CA, FL, HI, NY, OR, PA, TX, WA..... | |
| Allium ampeloprasum (leek) | | | | | | |
| Allium fistulosum (Welsh onion) | | | | | | |
| Oligostroma proteae Syd..... | South Africa..... | 1 | | IL..... | | |
| Protea sp. (protea leaf) | | | | | | |
| Periconia hispidula (Pers.) Mason & M.B. Ellis..... | Mexico..... | 2 | | AZ, TX..... | | |
| Packing material | | | | | | |
| Saccharum officinarum (leaf) | | | | | | |
| *Phaeoseptoria oryzae Miyake..... | *India, Japan, Korea, Taiwan, Thailand. | 4 | 8 | | CA, WA..... | |
| Oryza sativa (rice straw & hulls) | | | | | | |
| *Phakopsora gossypii (Arth.) Hirat. f..... | Dominican Republic, *Grenada, Honduras, Jamaica. | 4 | | PL, NY, PR..... | | |
| Gossypium sp. (cotton leaf) | | | | | | |
| *Phakopsora jatroficola Cummins..... | Dominican Republic, Haiti, Jamaica, Mexico. | 12 | | PL, NY, PR..... | | |
| Jatropha gossypifolia (leaf) | | | | | | |
| *Phleospora pistaciae Petr..... | *Greece, *Iran, *Italy, Lebanon. | 11 | | CA, NY..... | | |
| Pistacia sp. (pistache) | | | | | | |
| *Phoma cajani Panquel..... | *Haiti..... | 1 | | FL..... | | |
| Cajanus cajan (pigeonpea) | | | | | | |
| Phoma chrysanthemi Vogl..... | Japan..... | | 1 | CA..... | | |
| Chrysanthemum morifolium (stem) | | | | | | |
| *Phomopsis cocoae Petch..... | Australia, Hawaii, *New Zealand. | 5 | | 2 CA..... | | |
| Cocos nucifera (coconut) | | | | | | |
| Howea belmoreana (palm seed) | | | | | | |
| Howea forsteriana (palm seed) | | | | | | |
| *Phomopsis diospyri (Sacc.) Trav. & Migl..... | *Korea..... | | 2 | CA..... | | |
| Diospyros sp. (persimmon stem) | | | | | | |
| Phomopsis orchidiophila Cash & Watson..... | Jamaica, Trinidad..... | | 2 | NJ, NY..... | | |
| Miltonia sp. (orchid leaf) | | | | | | |
| Orchid (plant) | | | | | | |
| *Phomopsis palmicola (Wint.) Sacc..... | *Australia, *New Zealand, Viet-Nam. | | 4 | CA..... | | |
| Areca catechu (betel palm) | | | | | | |
| Howea forsteriana (palm seed) | | | | | | |

*First from country
\$First interception

TABULATION OF DISEASES

| PEST AND HOST | COUNTRY OF ORIGIN | NUMBER INTERCEPTIONS IN | | | | | | | | | | COLLECTED IN- |
|--|---|-------------------------------|-----|---|---|---|---|---|---|---|---|---------------------|
| | | C | O | R | P | N | S | N | P | A | G | |
| | | N | U | O | E | M | M | N | E | T | A | |
| | | U | O | E | T | T | T | N | E | I | A | |
| | | M | N | A | O | R | O | R | T | I | O | |
| | | P | E | A | N | O | Y | R | N | O | N | |
| | | N | Y | N | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| #Phomopsis pandani Died..... | *Okinawa..... | | | | | | | | | | | CA..... |
| Pandanus sp. (screwpine seed) | | | | | | | | | | | | |
| #Phyllosticta aceris Sacc..... | *France..... | | | | | | | | | | | NY..... |
| Acer sp. (maple leaf) | | | | | | | | | | | | |
| #Phyllosticta aloysiae Speg..... | *Haiti..... | | | | | | | | | | | PL..... |
| Lippia sp. (lippia leaf) | | | | | | | | | | | | |
| #Phyllosticta aucubae Sacc. & Speg..... | *Italy..... | | | | | | | | | | | NY..... |
| Aucuba japonica (leaf) | | | | | | | | | | | | |
| Phyllosticta dracaenae P. Henn..... | West Indies..... | | | | | | | | | | | NY..... |
| Dracaena sp. (dracaena leaf) | | | | | | | | | | | | |
| Phyllosticta erythroxylonis Graz..... | Bolivia..... | | | | | | | | | | | PL..... |
| Erythroxylum coca (leaf) | | | | | | | | | | | | |
| #Phyllosticta guarea P. Henn. (?)..... | *Dominican Republic..... | | | | | | | | | | | NY..... |
| Annona muricata (soursop leaf) | | | | | | | | | | | | |
| #Phyllosticta manihobae Viegas..... | *Dominican Republic..... | | | | | | | | | | | NY..... |
| Manihot sp. (cassava leaf) | | | | | | | | | | | | |
| *Phyllosticta miurai Miy..... | *Taiwan..... | | | | | | | | | | | OR..... |
| Oriza sativa (rice straw) | | | | | | | | | | | | |
| Phyllosticta oryzae Horii..... | Japan..... | | | | | | | | | | | CA..... |
| Oriza sativa (rice straw) | | | | | | | | | | | | |
| *Phyllosticta oryzina (Sacc.) Padw..... | *China, *India, Japan, Taiwan.... | 13 | 6 | | | | | | | | | CA..... |
| Oriza sativa (rice straw) | | | | | | | | | | | | |
| Phyllosticta ruscicola Dur. & Mont..... | Italy..... | | | | | | | | | | | LA, MD..... |
| Ruscus sp. (butchersbroom leaf) | | | | | | | | | | | | |
| Phyllostictina anonicola Batista & Vital..... | Dominican Republic..... | | | | | | | | | | | NY..... |
| Annona muricata (leaf) | | | | | | | | | | | | |
| Cananga odorata (leaf) | | | | | | | | | | | | |
| Phyllostictina hysterella (Sacc.) Petr..... | Japan..... | | | | | | | | | | | CA..... |
| Podocarpus macrophylla (seed) | | | | | | | | | | | | |
| Phyllostictina mangiferae Batista & Vital..... | Dominican Republic..... | | | | | | | | | | | PR..... |
| Mangifera indica (mango leaf) | | | | | | | | | | | | |
| Phyllostictina musarum (Cke.) Petr..... | Hawaii, Philippines, Unknown.... | 1 | 2 | | | | | | | | | CA, HI..... |
| Musa sp. (banana leaf) | | | | | | | | | | | | |
| Musa sp. (banana) | | | | | | | | | | | | |
| *Phyllostictina pyriformis Cash & Watson..... | *Kenya, *Laos, Thailand..... | | | | | | | | | | | CA, HI, NJ..... |
| Angraecum ramosum (leaf) | | | | | | | | | | | | |
| Ascocentrum miniatum (leaf) | | | | | | | | | | | | |
| Dendrobium sp. (orchid leaf) | | | | | | | | | | | | |
| Dendrobium thrysiflorum (leaf) | | | | | | | | | | | | |
| Prospodium perornatum Syd..... | Mexico..... | 1 | | | | | | | | | | AZ..... |
| Herbarium specimens | | | | | | | | | | | | |
| *Puccinia buxi DC..... | England, Ireland, Italy, *Soviet Union. | 1 | 35 | | | | | | | | | IL, MA, NY, PA..... |
| Buxus sempervirens (boxwood leaf) | | | | | | | | | | | | |
| *Puccinia centaureae DC..... | *Mexico..... | 1 | | | | | | | | | | TX..... |
| Centaurea cyanus (cornflower leaf) | | | | | | | | | | | | |
| Puccinia horiana P. Henn..... | Japan, Okinawa..... | 148 | 242 | | | | | | | | | AK, CA, HI, WA..... |
| Chrysanthemum morifolium (leaf) | | | | | | | | | | | | |
| *Puccinia psidii Wint..... | *Brazil, *El Salvador, Jamaica.... | 12 | | | | | | | | | | PL, LA, NY..... |
| Pimenta sp. (pimenta leaf) | | | | | | | | | | | | |
| Psidium guajava (common guava) | | | | | | | | | | | | |
| *Puccinia ruelliae-bourgaei Diet. & Holw..... | *Mexico..... | 1 | | | | | | | | | | AZ..... |
| Jacobinia sp. (jacobinia leaf) | | | | | | | | | | | | |
| Puccinia tanaceti DC..... | Mexico..... | 1 | | | | | | | | | | TX..... |
| Artemesia tridentata (leaf) | | | | | | | | | | | | |
| Puccinia urbaniana P. Henn..... | Dominican Republic, Haiti..... | 4 | | | | | | | | | | PL, NY..... |
| Stachyptapheta jamaicensis (leaf) | | | | | | | | | | | | |
| *Puccinia vertiseptoides Cumm..... | *Mexico..... | | | | | | | | | | | AZ..... |
| Salvia sessei (leaf) | | | | | | | | | | | | |
| *Pucciniastrum areolatum (Fr.) Otth..... | *Austria, *Finland, *France.... | | | | | | | | | | | NJ..... |
| Picea abies (spruce seed) | | | | | | | | | | | | |
| Pyrenopeziza oryzae I. Miyake..... | Japan, Taiwan..... | 2 | 1 | | | | | | | | | CA..... |
| Oriza sativa (rice straw) | | | | | | | | | | | | |
| *Scirrhia rimosa (Alb. & Schw.) Fckl..... | Austria, *Italy, Poland..... | 3 | | | | | | | | | | TX..... |
| Phragmites sp. (reed stem) | | | | | | | | | | | | |
| *Sclerotieris abietina (Lagerb.) Gremmen..... | *Norway..... | 1 | | | | | | | | | | MD..... |
| Pinus sp. (pine leaf) | | | | | | | | | | | | |

*First from country
#First interception

TABULATION OF DISEASES

| PEST AND HOST | COUNTRY OF ORIGIN | NUMBER INTERCEPTIONS IN | | COLLECTED IN- |
|---|---|-------------------------------|-----|----------------------------|
| | | C | P | |
| | | N | R | |
| | | S | O | |
| <i>Selectiopsis testudinea</i> Dearn. | Japan | | 4 | CA, NJ..... |
| Paeonia sp. (peony stem) | | | | |
| Paeonia suffruticosa (stem) | | | | |
| *Septoria antirrhini Desm. | *Colombia | 1 | | NY..... |
| Antirrhinum sp. (snapdragon leaf) | | | | |
| *Septoria bellidicola Desm. | *Mexico | 2 | | TX..... |
| Bellis perennis (leaf) | | | | |
| *Septoria citri Pass. | Australia, Cyprus, France, Greece, Israel, Italy, | 1 | 33 | CA, FL, LA, PR, TX..... |
| Citrus limon (lemon) | *Philippines, South Africa, | | | |
| Citrus paradisi (grapefruit) | Spain, *Taiwan, Unknown. | | | |
| Citrus sinensis (sweet orange) | | | | |
| *Septoria dianthophila Speg. | *Mexico | 1 | 1 | CA, TX..... |
| Dianthus carophyllus (leaf) | | | | |
| Dianthus sp. (carnation stem) | | | | |
| Septoria fructigena Berk. & Curt. | Dominican Republic | 1 | | NY..... |
| Passiflora sp. (passion fruit) | | | | |
| *Septoria matricariae Holl. | *Peru | 1 | | PL..... |
| Matricaria chamomilla (leaf) | | | | |
| *Septoria oryzae Catt. | Hong Kong, Japan, Korea, *Okinawa, Taiwan, Unknown. | 12 | 36 | CA..... |
| Oryza sativa (rice straw) | | | | |
| Septoria selenophomoides Cash & Watson | Australia, Guatemala, India, Philippines. | | | 8 CA, PL, TX..... |
| Dendrobium farmeri (leaf) | | | | |
| Dendrobium infundibulum (leaf) | | | | |
| Dendrobium kingianum (leaf) | | | | |
| Dendrobium sp. (orchid leaf) | | | | |
| Orchid (plant) | | | | |
| Phalaenopsis sp. (orchid leaf) | | | | |
| Sphaeloma fawcettii Bitanc. & Jenkins var. scabiosa (McAlp. & Tryon) Jenkins | Australia, New Zealand | 6 | | HI, LA, OR, SC, TX..... |
| Citrus limon (lemon) | | | | |
| *Sphaeloma punicae Bitanc. & Jenkins | Dominican Republic, Punica granatum (common pomegranate) | 24 | | CA, IL, NY, TX..... |
| Punica granatum (common pomegranate) | *El Salvador, Mexico, Thailand. | | | |
| *Sphaerodothis newwashingtoniae Shear. | *Mexico | 1 | | AZ..... |
| Palm (leaf) | | | | |
| *Sphaerophragmium acaciae (Cke.) P. Wagn. | *Haiti | 1 | | PL..... |
| Albizia sp. (albizia leaf) | | | | |
| *Sphenospora kevorkianii Linder | Bahamas, Brazil, Bletia hyacinthina (leaf) | 1 | 49 | PL, NY, PR, TX..... |
| Catasetum sp. (orchid leaf) | British Honduras, Colombia, Costa Rica, Dominica, | | | |
| Epidendrum nocturnum (leaf) | Dominican Republic, Ecuador, | | | |
| Epidendrum sp. (orchid leaf) | El Salvador, Guatemala, | | | |
| Ionopsis sp. (orchid leaf) | Honduras, Jamaica, Mexico, | | | |
| Laelia rubescens (leaf) | Nicaragua, Panama, Peru, | | | |
| Lycaste sp. (orchid leaf) | *St. Lucia, Surinam, Trinidad. | | | |
| Maxillaria sp. (orchid leaf) | | | | |
| Miltonia vexillaria (leaf) | | | | |
| Notylia sp. (orchid leaf) | | | | |
| Oncidium jonesianum (leaf) | | | | |
| Oncidium sp. (orchid leaf) | | | | |
| Oncidium splendidum (leaf) | | | | |
| Orchid (plant) | | | | |
| Ornithocephalus sp. (orchid leaf) | | | | |
| Pleurothallis sp. (orchid leaf) | | | | |
| Scaphyglottis sp. (orchid leaf) | | | | |
| Stanhopea sp. (orchid leaf) | | | | |
| *Sphenospora saphena Cunn. | *Ecuador | | 1 | PL..... |
| Orchid (plant) | | | | |
| Spilocaea eriobotryae (Cav.) | Italy, Portugal | 11 | 1 | 1 PL, MA, NY..... |
| Eriobotrya japonica (loquat) | | | | |
| *Spilocaea oleaginei (Cast.) Hughes | *Israel, Italy | 2 | | CA, NY..... |
| Olea europaea (leaf) | | | | |
| Thecaphora solani Parris | Mexico | 8 | | TX..... |
| Solanum stoloniferum (tuber) | | | | |
| Tilletia barclayana (Bref.) Sacc. & Syd. | Hong Kong, Indonesia, Japan, Korea, Taiwan | 4 | 147 | CA, LA, OP, TX, WA..... |
| Oryza sativa (rice hulls) | | | | |

*First from country

†First interception

TABULATION OF DISEASES

| PEST AND HOST | COUNTRY OF ORIGIN | NUMBER INTERCEPTIONS IN | | | | COLLECTED IN- |
|---|---------------------------------|-------------------------------|------|------|-----------------|---------------|
| | | C | O | N | P | |
| | | S | M | N | P | |
| | | U | O | I | A | |
| | | M | N | G | | |
| | | P | E | A | | |
| <i>Tranzschelia discolor</i> (Pckl.) Tranz. & Litv..... | Argentina, Colombia, Peru, | 1 | 20 | ... | FL..... | |
| <i>Prunus domestica</i> (plum) | Unknown. | | | | | |
| <i>Uredo behnickiana</i> P. Henn..... | Brazil, Dominican Republic, | | | 6 | PL, TX..... | |
| <i>Epidendrum stenopetalum</i> (leaf) | Jamaica, Mexico, Nicaragua, | | | | | |
| <i>Orchid</i> (plant) | Panama. | | | | | |
| <i>Phaius</i> sp. (orchid leaf) | | | | | | |
| <i>Zygopetalum</i> sp. (orchid leaf) | | | | | | |
| <i>Uredo nidularii</i> P. Henn..... | Costa Rica, Ecuador. | | | 3 | DC, FL..... | |
| <i>Guzmania</i> sp. (guzmania leaf) | | | | | | |
| <i>Tillandsia</i> sp. (bromeliad leaf) | | | | | | |
| <i>Uredo oncidii</i> P. Henn..... | Mexico..... | | | 1 | TX..... | |
| <i>Oncidium cavendishianum</i> (leaf) | | | | | | |
| <i>Urocystis anemones</i> (Pers.) Wint..... | Netherlands..... | | | 1 | NJ..... | |
| <i>Trollius</i> sp. (globeflower leaf & stem) | | | | | | |
| <i>Uromyces alyxiae</i> Arth..... | Hawaii..... | 20 | | | HI..... | |
| <i>Alyxia olivaeformis</i> (leaf) | | | | | | |
| * <i>Uromyces bauhinicola</i> Arth..... | *Mexico..... | 1 | | | AZ..... | |
| <i>Bauhinia</i> sp. (bauhinia leaf) | | | | | | |
| <i>Uromyces ciceris-arietinii</i> (Groqn.) Jacz. & Boy..... | Mexico..... | 2 | | | TX..... | |
| <i>Cicer arietinum</i> (leaf) | | | | | | |
| <i>Uromyces dolicholi</i> Arth..... | Puerto Rico..... | 1 | | | FL..... | |
| <i>Cajanus cajan</i> (leaf) | | | | | | |
| * <i>Uromyces geranii</i> (DC.) Lev..... | *Italy..... | | | 1 | CA..... | |
| <i>Geranium</i> sp. (geranium leaf) | | | | | | |
| * <i>Uromyces phylloriorum</i> (Berk. & Br.) McAlp..... | *Australia..... | | | 1 | CA..... | |
| <i>Acacia cunninghamii</i> (seed) | | | | | | |
| <i>Uromyces transversalis</i> (Thuem.) Wint..... | South Africa..... | 3 | | | NY..... | |
| <i>Gladiolus</i> sp. (gladiolus leaf) | | | | | | |
| <i>Uromyces viciae-fabae</i> (Pers.) Schret..... | Argentina, Chile, Ecuador, | 3 | 8 | | AL, FL, LA, PA, | |
| <i>Lens culinaris</i> (lentil stem) | Mexico, Peru, Unknown. | | | | TX..... | |
| <i>Vicia faba</i> (leaf) | | | | | | |
| * <i>Xanthomonas citri</i> (Hasse) Dows..... | Asia (country-?), *Cambodia, | 226 | 195 | | AK, AL, CA, FL, | |
| <i>Citrus aurantiifolia</i> (lime) | China, Guam, Hong Kong, India, | | | | GA, HI, LA, MD, | |
| <i>Citrus aurantium</i> (sour orange) | Indonesia, Japan, Korea, | | | | NC, NY, OR, PA, | |
| <i>Citrus grandis</i> (pummelo) | Okinawa, Pakistan, | | | | TX, VA, WA..... | |
| <i>Citrus limon</i> (lemon) | Philippines, Singapore, | | | | | |
| <i>Citrus paradisi</i> (grapefruit) | Taiwan, Thailand, Unknown, | | | | | |
| <i>Citrus reticulata</i> cv. (cultivar orange) | Viet-Nam, West Pacific. | | | | | |
| <i>Citrus sinensis</i> (sweet orange) | | | | | | |
| <i>Citrus</i> sp. (dried peel) | | | | | | |
| <i>Citrus</i> sp. (fruit) | | | | | | |
| <i>Citrus</i> sp. (leaf) | | | | | | |
| <i>Fortunella</i> sp. (kumquat) | | | | | | |
| * <i>Xanthomonas</i> sp. (Cancrosis B) | Argentina, Brazil, Uruguay..... | 19 | | | CA, FL, GA, LA, | |
| <i>Citrus limon</i> (lemon) | | | | | NY, TX..... | |
| <i>Citrus sinensis</i> (sweet orange) | | | | | | |

*First from country

#First interception

H O S T S A N D D I S E A S E S

| | |
|-------------------------------------|------------------------------------|
| ACACIA: | <i>Septoria citri</i> |
| * <i>Uromyces phylloriorum</i> | <i>Sphaceloma fawcettii</i> |
| ACER: | <i>Xanthomonas citri</i> |
| * <i>Phyllosticta aceris</i> | <i>Xanthomonas sp.</i> |
| ALBIZZIA: | CITRUS PARADISII: |
| * <i>Sphaerophragmium acaciae</i> | <i>Elsinoe australis</i> |
| ALLIUM: | <i>Guignardia citricarpa</i> |
| * <i>Mycosphaerella tassiana</i> | <i>Septoria citri</i> |
| ALYXIA: | <i>Xanthomonas citri</i> |
| <i>Mycosphaerella alyxiae</i> | CITRUS RETICULATA CV.: |
| <i>Uromyces alyxiae</i> | <i>Ascochyta citri</i> |
| ANGRAECUM: | <i>Elsinoe australis</i> |
| * <i>Phyllostictina pyriformis</i> | <i>Guignardia citricarpa</i> |
| ANNONA: | <i>Xanthomonas citri</i> |
| <i>Phyllostictina anonicola</i> | CITRUS SINENSIS: |
| * <i>Phyllosticta quarea</i> | <i>Ascochyta citri</i> |
| ANTIRRHINUM: | <i>Elsinoe australis</i> |
| * <i>Septoria antirrhini</i> | <i>Guignardia citricarpa</i> |
| ARAUCARIA: | *Septoria citri |
| <i>Macrophoma araucariae</i> | <i>Xanthomonas citri</i> |
| ARCTOSTAPHYLOS: | <i>Xanthomonas sp.</i> |
| <i>Cercospora gaultheriae</i> | CITRUS SP.: |
| ARECA: | <i>Guignardia citricarpa</i> |
| * <i>Phomopsis palmicola</i> | <i>Xanthomonas citri</i> |
| ARTEMISIA: | <i>Guignardia citricarpa</i> |
| <i>Puccinia tanaceti</i> | <i>Xanthomonas citri</i> |
| ASCOCENTHRUM: | <i>Cercospora penzigi</i> |
| <i>Phyllostictina pyriformis</i> | <i>Xanthomonas citri</i> |
| AUCUBA: | COCOS: |
| * <i>Phyllosticta aucubae</i> | <i>Diplodia coccocarpa</i> |
| BARRINGTONIA: | * <i>Macrophoma cocos</i> |
| * <i>Dothiorella barringtoniae</i> | <i>Phomopsis coconis</i> |
| BAUHINIA: | CODIAEUM: |
| * <i>Uromyces bauhinicolae</i> | * <i>Cercospora stevensonii</i> |
| BELLIS: | CYDONIA: |
| * <i>Septoria bellidicola</i> | <i>Monilinia fructigena</i> |
| BLETTIA: | DENDROBIUM: |
| <i>Sphenospora kevorkianii</i> | <i>Septoria selenophomoides</i> |
| BORASSUS: | <i>Cercospora angraeci</i> |
| <i>Graphiola borassi</i> | * <i>Phyllostictina pyriformis</i> |
| BUXUS: | <i>Septoria selenophomoides</i> |
| <i>Microthyrium microscopicum</i> | <i>Phyllostictina pyriformis</i> |
| <i>Mycosphaerella patouillardii</i> | DIANTHUS: |
| * <i>Puccinia buxi</i> | <i>Septoria dianthophila</i> |
| CAJANUS: | DIGITARIA: |
| <i>Uromyces dolicholi</i> | * <i>Curvularia lunata</i> |
| * <i>Phoma cajani</i> | DIOSPYROS: |
| CANANGA: | * <i>Cercospora kaki</i> |
| <i>Phyllostictina anonicola</i> | <i>Phomopsis diospyri</i> |
| CASSIA: | DRACAENA: |
| * <i>Cercosporidium cassiae</i> | <i>Phyllositcta dracaenae</i> |
| CATASETUM: | EPIDENDRUM: |
| <i>Sphenospora kevorkianii</i> | <i>Sphenospora kevorkianii</i> |
| CATTLEYA: | * <i>Cercospora angraeci</i> |
| <i>Mycosphaerella cattleyae</i> | <i>Mycosphaerella cattleyae</i> |
| CENTAUREA: | * <i>Sphenospora kevorkianii</i> |
| * <i>Puccinia centaureae</i> | <i>Uredo behnickiana</i> |
| CHAMAEDORA: | ERIOBOTRYA: |
| <i>Coccostroma chamaedoreae</i> | <i>Spilocaea eriobotryae</i> |
| <i>Didymium squamulosum</i> | ERYTHROXYLUM: |
| * <i>Hypoxyylon folicola</i> | * <i>Bubakia erythroxylonis</i> |
| CHRYSANTHEMUM: | <i>Phyllosticta erythroxylonis</i> |
| <i>Puccinia horiana</i> | EUONYMUS: |
| <i>Phoma chrysanthemi</i> | * <i>Cytospora euonymi</i> |
| CICER: | EUPHORBIA: |
| <i>Uromyces ciceris-arrientini</i> | <i>Diplodia antiqua</i> |
| CITRUS AURANTIIFOLIA: | FICUS: |
| <i>Elsinoe australis</i> | <i>Cerotelium fici</i> |
| <i>Guignardia citricarpa</i> | * <i>Cercospora ficina</i> |
| <i>Xanthomonas citri</i> | <i>Cerotelium fici</i> |
| CITRUS AURANTIUM: | <i>Diaporthe eres</i> |
| <i>Guignardia citricarpa</i> | FORTUNELLA: |
| <i>Xanthomonas citri</i> | <i>Xanthomonas citri</i> |
| CITRUS GRANDIS: | GERANIUM: |
| <i>Guignardia citricarpa</i> | * <i>Uromyces geranii</i> |
| <i>Xanthomonas citri</i> | GLADIOLUS: |
| CITRUS LIMON: | <i>Uromyces transversalis</i> |
| <i>Ascochyta citri</i> | |
| <i>Elsinoe australis</i> | |
| <i>Guignardia citricarpa</i> | |

*First from country

*First interception

H O S T S A N D D I S E A S E S

| | | | |
|----------------------------|------------------------------------|--|-----------------------------------|
| GOSSYPIUM: | <i>*Phakopsora gossypii</i> | <i>Phaeoseptoria oryzae</i> | |
| GUZMANIA: | <i>Uredo nidularii</i> | <i>Diplodia oryzae</i> | |
| HORDEUM: | <i>Heterosporium avenae</i> | <i>Leptosphaeria oryzina</i> | |
| HOWPA: | <i>*Phomopsis cocoae</i> | <i>*Phyllosticta miurai</i> | |
| | <i>*Phomopsis palmicola</i> | <i>Phyllosticta oryzae</i> | |
| INGA: | <i>Chaconia ingae</i> | <i>Pyrenopeziza oryzae</i> | |
| IONOPSIS: | <i>Sphenospora kevorkianii</i> | <i>Septoria oryzae</i> | |
| JACOBINIA: | <i>*Puccinia ruelliae-bourgaei</i> | PAEONIA: | <i>Sclerotriopsis testudinea</i> |
| JATROPHA: | <i>*Phakopsora jatrophicola</i> | PALM: | <i>Mycosphaerella advena</i> |
| JUGLANS: | <i>Cylindrosporium juglandis</i> | <i>*Sphaerodothis neowashingtoniae</i> | |
| | <i>Marssonina juglandis</i> | PANDANUS: | <i>*Phomopsis pandani</i> |
| KALMIA: | <i>*Coryneum tripseptatum</i> | PASSIFLORA: | <i>*Ascochyta passiflorae</i> |
| LAELIA: | <i>Sphenospora kevorkianii</i> | | <i>Septoria fructigena</i> |
| LENS: | <i>Uromyces viciae-fabae</i> | PHAIUS: | <i>Uredo behnickiana</i> |
| LIGUSTUM: | <i>*Cercospora liqustrina</i> | PHALAENOPSIS: | <i>Septoria selenophomoides</i> |
| LIMONIUM: | <i>*Cercospora insulana</i> | PHASEOLUS: | <i>*Elsinoe phaseoli</i> |
| LIPPIA: | <i>*Phyllosticta aloysiae</i> | | <i>*Cercospora brachiata</i> |
| LYCASTE: | <i>Sphenospora kevorkianii</i> | PHRAGMITES: | <i>*Lophodermium arundinaceum</i> |
| MALUS: | <i>Monilinia fructigena</i> | | <i>*Scirrhia ramosa</i> |
| MANGIFERA: | <i>*Elsinoe mangiferae</i> | PICEA: | <i>*Pucciniastrum areolatum</i> |
| | <i>Phyllostictina mangiferae</i> | PIMENTA: | <i>*Puccinia psidii</i> |
| MANNIOT: | <i>*Phyllosticta manihobae</i> | PINUS: | <i>*Scleroderris abietina</i> |
| MATRICARIA: | <i>*Septoria matricariae</i> | PISTACIA: | <i>*Phleospora pistaciae</i> |
| MAXILLARIA: | <i>Sphenospora kevorkianii</i> | PLUROTHALLIS: | <i>Sphenospora kevorkianii</i> |
| MPLICOCCHA: | <i>Cercospora sapindii</i> | PLUMERIA: | <i>*Coleosporium plumierae</i> |
| MILTONIA: | <i>Phomopsis orchidophila</i> | PODOCARPUS: | <i>Phyllostictina hysterella</i> |
| | <i>Sphenospora kevorkianii</i> | PORTULACA: | <i>Dichotomophthora indica</i> |
| MUSA: | <i>Phyllostictina musarum</i> | PROTEA: | <i>Coleroa senniana</i> |
| NOTYLIA: | <i>Sphenospora kevorkianii</i> | | <i>Leptosphaeria protearum</i> |
| | | PRUNUS: | <i>Oligostroma proteae</i> |
| OLEA: | <i>*Macrophoma oleae</i> | PRUNUS: | <i>Monilinia fructigena</i> |
| | <i>*Cercospora cladosporioides</i> | | <i>Tranzschelia discolor</i> |
| | <i>*Spilocaea oleagini</i> | | <i>Monilinia fructigena</i> |
| | <i>Macrophoma oleae</i> | PSIDIUM: | <i>*Puccinia psidii</i> |
| ONCIDIUM: | <i>Uredo oncidii</i> | PUNICA: | <i>*Cercospora punicae</i> |
| | <i>Sphenospora kevorkianii</i> | | <i>*Sphaceloma punicae</i> |
| ORCHID: | <i>Mycosphaerella cattleyae</i> | PUNICIA: | <i>Sphaceloma punicae</i> |
| | <i>Phomopsis orchidophila</i> | RHODODENDRON: | <i>Chrysomyxa ledi</i> |
| | <i>Septoria selenophomoides</i> | | <i>*Ascochyta rhododendri</i> |
| | <i>Sphenospora kevorkianii</i> | | <i>Diplodina eurhododendri</i> |
| | <i>*Sphenospora saphena</i> | ROSA: | <i>Kuehneola japonica</i> |
| | <i>Uredo behnickiana</i> | RUJUS: | <i>Kuehneola uredinis</i> |
| ORNITHOCEPHALUS: | <i>Sphenospora kevorkianii</i> | | <i>*Leptostroma rubi</i> |
| ORYZA: | <i>Tilletia barclayana</i> | RUSCUS: | <i>Phyllosticta ruscicola</i> |
| | <i>*Melanomma glutarum</i> | SACCHARUM: | <i>Periconia hispidula</i> |
| | | | <i>*Leptosphaeria michotii</i> |
| *First from country | | SALVIA: | <i>*Puccinia vertiseptoides</i> |
| *First interception | | SCAPHYGLOTTIS: | <i>Sphenospora kevorkianii</i> |
| | | SORALIA: | <i>Cercospora angraeci</i> |

H O S T S A N D D I S E A S E S

SOBRALIA (continued):
 Mycosphaerella cattleyae
SOLANUM:
 *Cercospora aratai
 Thecaphora solani
SORBUS:
 Monilinia fructigena
SPONDIAS:
 *Chaetothyridina tenuissima
STACHYTARPHETA:
 Puccinia urbaniana
STAMHOPEA:
 Sphenospora kevorkianii

TILLANDSIA:
 Uredo nidularii

TRITICUM:
 **Heterosporium avenae*
TROLLIUS:
 Urocystis anemones
VACCINIUM:
 Lophodermium arundinaceum
VICIA:
 Uromyces viciae-fabae
VITIS:
 **Coryneum microstictum*
ZYGOPETALUM:
 Uredo behnickiana

*First from country
†First interception

D I S E A S E S I N T E R C E P T E D W I T H H O S T S U N K N O W N

HERBARIUM SPECIMENS:
Prospodium perornatum

PACKING MATERIAL:
Periconia hispidula

C O U N T R I E S O F O R I G I N I N D D I S E A S E S

| | | |
|--------------------------------------|------------------------------------|------------------------------------|
| ARGENTINA: | <i>Cercospora punicae</i> | <i>Puccinia urbaniana</i> |
| * <i>Ascochyta passiflorae</i> | <i>Cerotelium fici</i> | * <i>Sphaerophragmium acaciae</i> |
| * <i>Cercospora aratai</i> | <i>Chaetothyridina tenusissima</i> | HAWAII: |
| <i>Elsinoe australis</i> | <i>Elsinoe mangiferae</i> | <i>Macrophoma cocos</i> |
| <i>Guignardia citricarpa</i> | <i>Elsinoe phaseoli</i> | <i>Mycosphaerella alyxiae</i> |
| <i>Tranzschelia discolor</i> | <i>Phakopsora gossypii</i> | <i>Phomopsis cocoae</i> |
| <i>Uromyces viciae-fabae</i> | <i>Phakopsora jatrophicola</i> | <i>Phyllostictina musarum</i> |
| <i>Xanthomonas sp.</i> | * <i>Phyllosticta guarea</i> | <i>Uromyces alyxiae</i> |
| AFRICA: | * <i>Phyllosticta manihotae</i> | HONDURAS: |
| * <i>Macrophoma cocos</i> | <i>Phyllostictina anonicola</i> | * <i>Cercospora angraeci</i> |
| ASIA (country-?): | <i>Phyllostictina mangiferae</i> | * <i>Cercospora ficina</i> |
| <i>Guignardia citricarpa</i> | <i>Puccinia urbaniana</i> | <i>Elsinoe mangiferae</i> |
| <i>Xanthomonas citri</i> | <i>Septoria fructigena</i> | <i>Mycosphaerella cattleyae</i> |
| AUSTRALIA: | <i>Sphaeloma punicae</i> | * <i>Phakopsora gossypii</i> |
| * <i>Curvularia lunata</i> | <i>Sphenospora kevorkianii</i> | <i>Sphenospora kevorkianii</i> |
| <i>Guignardia citricarpa</i> | <i>Uredo behnickiana</i> | HONG KONG: |
| <i>Phomopsis cocoae</i> | | * <i>Ascochyta citri</i> |
| * <i>Phomopsis palmicola</i> | | <i>Guignardia citricarpa</i> |
| <i>Septoria citri</i> | | <i>Septoria oryzae</i> |
| <i>Septoria selenophomoides</i> | | <i>Tilletia barclayana</i> |
| <i>Sphaeloma fawcettii</i> | | <i>Xanthomonas citri</i> |
| * <i>Uromyces phylloriorum</i> | | |
| AUSTRIA: | | INDIA: |
| <i>Chrysomyxa ledi</i> | | <i>Graphiola borassi</i> |
| <i>Lophodermium arundinaceum</i> | | <i>Guignardia citricarpa</i> |
| * <i>Pucciniastrum areolatum</i> | | * <i>Phaeoseptoria oryzae</i> |
| <i>Scirrhia rimosa</i> | | * <i>Phyllosticta oryzina</i> |
| BAHAMAS: | | <i>Septoria selenophomoides</i> |
| <i>Sphenospora kevorkianii</i> | | <i>Xanthomonas citri</i> |
| BARBADOS: | | |
| * <i>Coleosporium plumieraef</i> | | INDONESIA: |
| * <i>Leptosphaeria michotii</i> | | <i>Cercospora angraeci</i> |
| BOLIVIA: | | <i>Tilletia barclayana</i> |
| <i>Bubakia erythroxylonis</i> | | <i>Xanthomonas citri</i> |
| <i>Phyllosticta erythroxylonis</i> | | |
| BRAZIL: | | IRAN: |
| <i>Elsinoe australis</i> | | <i>Guignardia citricarpa</i> |
| <i>Guignardia citricarpa</i> | | * <i>Phleospora pistaciae</i> |
| * <i>Puccinia psidii</i> | | |
| <i>Sphenospora kevorkianii</i> | | IRELAND: |
| <i>Uredo behnickiana</i> | | <i>Microthyrium microscopicum</i> |
| <i>Xanthomonas sp.</i> | | <i>Puccinia buxi</i> |
| BRITISH HONDURAS: | | |
| <i>Mycosphaerella cattleyae</i> | | ISRAEL: |
| <i>Sphenospora kevorkianii</i> | | * <i>Macrophoma oleae</i> |
| | | <i>Monilinia fructigena</i> |
| CAMBODIA: | | <i>Septoria citri</i> |
| * <i>Xanthomonas citri</i> | | * <i>Spilocaea oleaginii</i> |
| CHILE: | | |
| <i>Uromyces viciae-fabae</i> | | ITALY: |
| CHINA: | | <i>Ascochyta citri</i> |
| <i>Guignardia citricarpa</i> | | <i>Diaporthe eres</i> |
| * <i>Phyllosticta oryzina</i> | | * <i>Lophodermium arundinaceum</i> |
| <i>Xanthomonas citri</i> | | <i>Macrophoma oleae</i> |
| COLOMBIA: | | <i>Monilinia fructigena</i> |
| <i>Ascochyta passiflorae</i> | | * <i>Phleospora pistaciae</i> |
| <i>Cerotelium fici</i> | | * <i>Phyllosticta aucubae</i> |
| <i>Elsinoe mangiferae</i> | | <i>Phyllosticta ruscicola</i> |
| * <i>Septoria antirrhini</i> | | <i>Puccinia buxi</i> |
| <i>Phenospora kevorkianii</i> | | * <i>Scirrhia rimosa</i> |
| <i>Tranzschelia discolor</i> | | <i>Septoria citri</i> |
| COSTA RICA: | | <i>Spilocaea eriobotryae</i> |
| * <i>Bubakia erythroxylonis</i> | | <i>Spilocaea oleaginii</i> |
| <i>Elsinoe mangiferae</i> | | * <i>Uromyces geranii</i> |
| <i>Mycosphaerella cattleyae</i> | | |
| <i>Sphenospora kevorkianii</i> | | JAMAICA: |
| <i>Uredo nidularii</i> | | <i>Elsinoe mangiferae</i> |
| CYPRUS: | | <i>Mycosphaerella tassiana</i> |
| <i>Septoria citri</i> | | <i>Phakopsora gossypii</i> |
| CZECHOSLOVAKIA: | | <i>Phakopsora jatrophicola</i> |
| <i>Monilinia fructigena</i> | | <i>Phomopsis orchidiphila</i> |
| | | <i>Puccinia psidii</i> |
| DENMARK(?) : | | <i>Sphenospora kevorkianii</i> |
| * <i>Ascochyta rhododendri</i> | | <i>Uredo behnickiana</i> |
| DOMINICA: | | |
| * <i>Chaetothyridina tenusissima</i> | | JAPAN: |
| <i>Phenospora kevorkianii</i> | | <i>Ascochyta citri</i> |
| DOMINICAN REPUBLIC: | | * <i>Cercospora brachiata</i> |
| <i>Cercospora brachiata</i> | | <i>Cercospora kaki</i> |
| * <i>Cercospora insulana</i> | | <i>Chrysomyxa ledi</i> |
| <i>Cercospora penzigi</i> | | <i>Diplodia oryzae</i> |
| | | <i>Guignardia citricarpa</i> |
| | | <i>Kuehneola japonica</i> |
| | | <i>Leptosphaeria oryzina</i> |
| | | <i>Mycosphaerella tassiana</i> |
| | | <i>Phaeoseptoria oryzae</i> |
| | | <i>Phoma chrysanthemi</i> |
| | | <i>Phyllosticta oryzae</i> |

*First from country

#First interception

C O U N T R I E S O F O R I G I N A N D D I S E A S E S

| | | |
|--|--------------------------------|------------------------------------|
| JAPAN (continued): | <i>Elsinoe mangiferae</i> | ST. VINCENT: |
| * <i>Phyllosticta oryzina</i> | <i>Sphenospora kevorkianii</i> | * <i>Elsinoe mangiferae</i> |
| * <i>Phyllosticta hysterella</i> | <i>Uredo behnickiana</i> | SURINAM: |
| <i>Puccinia horiana</i> | | <i>Sphenospora kevorkianii</i> |
| <i>Pyrenopeziza oryzae</i> | | SWEDEN: |
| <i>Sclerotiopsis testudinea</i> | | * <i>Cytopspora euonymi</i> |
| <i>Septoria oryzae</i> | | <i>Monilinia fructigena</i> |
| <i>Tilletia barclayana</i> | | SWITZERLAND: |
| <i>Xanthomonas citri</i> | | <i>Chrysomyxa ledi</i> |
| KENYA: | | SYRIA: |
| * <i>Phyllostictina pyriformis</i> | | * <i>Cercospora punicae</i> |
| KOREA: | | |
| * <i>Cercospora kaki</i> | | TAIWAN: |
| <i>Diplodia oryzae</i> | | <i>Guignardia citricarpa</i> |
| <i>Leptosphaeria oryzina</i> | | <i>Leptosphaeria oryzina</i> |
| * <i>Phaeocephalothrix oryzae</i> | | * <i>Melanoma glumarum</i> |
| * <i>Phomopsis diospyri</i> | | <i>Phaeocephalothrix oryzae</i> |
| <i>Septoria oryzae</i> | | * <i>Phyllosticta miurai</i> |
| <i>Tilletia barclayana</i> | | <i>Phyllosticta oryzina</i> |
| <i>Xanthomonas citri</i> | | <i>Pyrenopeziza oryzae</i> |
| LAOS: | | * <i>Septoria citri</i> |
| * <i>Phyllostictina pyriformis</i> | | <i>Septoria oryzae</i> |
| LEBANON: | | <i>Tilletia barclayana</i> |
| * <i>Macrophoma oleae</i> | | <i>Xanthomonas citri</i> |
| <i>Phleospora pistaciae</i> | | |
| MEXICO: | | THAILAND: |
| <i>Ascochyta citri</i> | | <i>Guignardia citricarpa</i> |
| * <i>Cercospora ficina</i> | | * <i>Phaeocephalothrix oryzae</i> |
| <i>Cercospora gaultheriae</i> | | * <i>Phyllostictina pyriformis</i> |
| <i>Cercospora insulana</i> | | * <i>Sphaceloma punicae</i> |
| <i>Cercospora punicae</i> | | <i>Xanthomonas citri</i> |
| * <i>Cercospora stenovonii</i> | | |
| * <i>Cercosporidium cassiae</i> | | TRINIDAD: |
| <i>Cerotellum fici</i> | | <i>Elsinoe mangiferae</i> |
| <i>Coccostroma chamaedoreae</i> | | <i>Phomopsis orchidophila</i> |
| <i>Cylindrosporium juglandis</i> | | <i>Sphenospora kevorkianii</i> |
| <i>Dichotomophthora indica</i> | | |
| <i>Didymium squamulosum</i> | | URUGUAY: |
| <i>Diplodia coccocarpa</i> | | <i>Elsinoe australis</i> |
| <i>Elsinoe mangiferae</i> | | <i>Xanthomonas sp.</i> |
| * <i>Hypoxylon folicola</i> | | |
| <i>Mycosphaerella advena</i> | | VENEZUELA: |
| <i>Mycosphaerella cattleyae</i> | | <i>Cercospora insulana</i> |
| <i>Periconia hispidula</i> | | <i>Elsinoe mangiferae</i> |
| * <i>Phakopsora jatrophicola</i> | | |
| <i>Prosopodium perornatum</i> | | VIET-NAM: |
| * <i>Puccinia centaureae</i> | | * <i>Diplodia coccocarpa</i> |
| * <i>Puccinia ruelliae-bourgaei</i> | | <i>Guignardia citricarpa</i> |
| <i>Puccinia tanacti</i> | | * <i>Phomopsis palmicola</i> |
| * <i>Puccinia verticelloides</i> | | <i>Xanthomonas citri</i> |
| * <i>Septoria bellidicola</i> | | |
| * <i>Septoria dianthophila</i> | | WEST INDIES: |
| <i>Sphaceloma punicae</i> | | <i>Elsinoe mangiferae</i> |
| * <i>Sphaerodothis newashingtoniae</i> | | <i>Phyllosticta dracaenae</i> |
| <i>Sphenospora kevorkianii</i> | | |
| <i>Thecaphora solani</i> | | WEST PACIFIC: |
| <i>Uredo behnickiana</i> | | <i>Xanthomonas citri</i> |
| <i>Uredo oncidii</i> | | |
| * <i>Uromyces baibuniicola</i> | | YUGOSLAVIA: |
| <i>Uromyces ciceris-orientini</i> | | * <i>Coryneum microstictum</i> |
| <i>Uromyces viciae-fabae</i> | | <i>Lophodermium arundinaceum</i> |
| MOZAMBIQUE: | | |
| <i>Guignardia citricarpa</i> | | UNKNOWN: |
| NETHERLANDS: | | <i>Ascochyta citri</i> |
| <i>Urocystis anemones</i> | | <i>Coleroa senniana</i> |
| NEW ZEALAND: | | * <i>Coryneum tripseptatum</i> |
| <i>Macrophoma araucariae</i> | | <i>Elsinoe australis</i> |
| * <i>Phomopsis coccoes</i> | | <i>Graphiola borassi</i> |
| * <i>Phomopsis palmicola</i> | | <i>Guignardia citricarpa</i> |
| <i>Sphaceloma fawcettii</i> | | <i>Leptosphaeria oryzina</i> |
| NICARAGUA: | | * <i>Leptostroma rubi</i> |
| * <i>Cercospora punicae</i> | | <i>Lophodermium arundinaceum</i> |
| | | <i>Monilinia fructigena</i> |
| | | <i>Phyllostictina musarum</i> |
| | | <i>Septoria citri</i> |
| | | <i>Septoria oryzae</i> |
| | | <i>Tranzschelia discolor</i> |
| | | <i>Uromyces viciae-fabae</i> |
| | | <i>Xanthomonas citri</i> |

*First from country
#First interception

TABULATION OF NEMATODES

| PEST AND HOST | COUNTRY OF ORIGIN | NUMBER INTERCEPTIONS IN | | | COLLECTED IN- |
|--|---|-------------------------------|----|----|---|
| | | C | O | P | |
| Aphelenchoides blastophthorus Franklin, 1952..... | Netherlands, Unknown..... | 1 | 1 | 1 | 2 NJ..... |
| Convallaria majalis (bud) | | | | | |
| Trollius sp. (globeflower bud) | | | | | |
| Aphelenchoides fragariae (Bitzema Bos, 1890) Christie, 1932... | England, Japan, Netherlands..... | 10 | 10 | 10 | 10 NJ, NY..... |
| Cimicifuga foetida (bud) | | | | | |
| Dryopteris plumosum (bud) | | | | | |
| Epinedium macranthus (bud) | | | | | |
| Geranium sp. (geranium bud) | | | | | |
| Lilium auratum platyphyllum (leaf) | | | | | |
| Paeonia obovata alba (bud) | | | | | |
| Paeonia sp. (peony bud) | | | | | |
| Tellima grandiflora purpurea (bud) | | | | | |
| Tricyrtis macropoda (bud) | | | | | |
| Aphelenchoides ritzemabosi (Schwartz, 1911) Steiner, 1932.... | Japan..... | 1 | 1 | 1 | 1 CA..... |
| Chrysanthemum morifolium (bud) | | | | | |
| Aphelenchoides subtenuis (Cobb, 1926) Steiner & Bahrer, 1932.. | Netherlands..... | 1 | 1 | 1 | 1 NJ..... |
| Crocus sp. (crocus bulb) | | | | | |
| Criconemooides curvatus Raski, 1952..... | Mexico..... | 1 | 1 | 1 | 1 AZ..... |
| Plant (unidentified) | | | | | |
| Criconemooides mutabilis Taylor, 1936..... | Mexico, Venezuela..... | 1 | 1 | 1 | 3 AZ, FL, TX..... |
| Plant (unidentified) | | | | | |
| Soil | | | | | |
| *Ditylenchus convallariae Sturhan & Friedman, 1965..... | *Hong Kong, Japan..... | 1 | 1 | 1 | 4 CA..... |
| Juniperus chinensis (root) | | | | | |
| Pinus parviflora (root) | | | | | |
| Soil with Pinus sp. (pine plant) | | | | | |
| Ditylenchus destructor Thorne, 1945..... | Japan, Netherlands..... | 1 | 1 | 1 | 4 CA, NJ..... |
| Amaryllis sp. (amaryllis root) | | | | | |
| Cimicifuga foetida (bud) | | | | | |
| Crocus sp. (crocus bulb) | | | | | |
| Oxalis depepi (bulb) | | | | | |
| Ditylenchus dipsaci (Kuhn, 1857) Filipjev, 1936..... | England, France, Japan, Turkey..... | 1 | 1 | 1 | 34 CA, NJ..... |
| Allium sativum (garlic root) | | | | | |
| Alloplectus sp. (bulb) | | | | | |
| Narcissus sp. (narcissus bulb) | | | | | |
| Sternbergia lutea (bulb) | | | | | |
| Heterodera avenae Wollenweber, 1924..... | Denmark, England, Europe (country-?), Germany, Japan, Scotland, Spain, Sweden. | 42 | 42 | 42 | 6 CA, IL, MI, NY, OR, PA, TX, VA, WA..... |
| Soil | | | | | |
| Soil with automobile | | | | | |
| Soil with tractor | | | | | |
| Soil with truck | | | | | |
| Soil with unidentified plant | | | | | |
| Soil with Abies sp. (fir tree) | | | | | |
| Soil with Allium sativum (garlic) | | | | | |
| Soil with Armoracia lapathifolia (horseradish) | | | | | |
| Soil with Rosa sp. (rose root) | | | | | |
| Soil with Solanum tuberosum (potato) | | | | | |
| Soil with Tulipa sp. (tulip bulb) | | | | | |
| Soil with Vaccinium sp. (plant) | | | | | |
| Soil with Viola sp. (violet plant) | | | | | |
| *Heterodera fici Kirjanova, 1954..... | *England, Germany, *Poland..... | 1 | 1 | 1 | 2 IL, NY..... |
| Soil | | | | | |
| Soil with Ficus sp. (rubber plant) | | | | | |
| *Heterodera galeopsidis Goffart, 1936..... | *Denmark, England, Europe (country-?), France. | 13 | 13 | 13 | 1 OR, WA..... |
| Soil with automobile | | | | | |
| Soil with tractor | | | | | |
| Soil with Abies sp. (fir tree) | | | | | |

*First from country

†First interception

TABULATION OF NEMATODES

| PEST AND HOST | COUNTRY OF ORIGIN | NUMBER INTERCEPTIONS IN | | | COLLECTED IN- |
|---|--|-------------------------------|----|----|--|
| | | C | N | P | |
| | | O | O | R | |
| | | N | O | A | |
| | | U | O | A | |
| | | M | N | G | |
| | | P | E | A | |
| | | T | N | T | |
| | | I | T | I | |
| | | O | R | O | |
| * <i>Heterodera punctata</i> Thorne, 1928..... | England, Finland, *France, Germany, *Italy, Mexico. | 23 | 2 | 5 | DE, LA, NY, OR, PA, TX, VA, WA. |
| Soil | | | | | |
| Soil with automobile | | | | | |
| Soil with cargo | | | | | |
| Soil with tractor | | | | | |
| Soil with <i>Armoracia lapathifolia</i> (horseradish) | | | | | |
| Soil with <i>Fragaria</i> sp. (strawberry plant) | | | | | |
| Soil with <i>Primula</i> sp. (primrose plant) | | | | | |
| Soil with <i>Rosa</i> sp. (rose plant) | | | | | |
| Soil with <i>Solanum tuberosum</i> (potato) | | | | | |
| Soil with <i>Syringa</i> sp. (lilac plant) | | | | | |
| <i>Heterodera rostochiensis</i> Wollenweber, 1923..... | Belgium, Denmark, England, Germany, Ireland, Italy, Netherlands, Peru, Scotland, South America (country-?), Unknown. | 17 | 17 | 11 | CA, FL, IL, LA, MI, NJ, NY, OR, TX, VA, WA.... |
| Soil with automobile | | | | | |
| Soil with tractor | | | | | |
| Soil with unidentified plants | | | | | |
| Soil with <i>Allium ampeloprasum</i> (leek) | | | | | |
| Soil with <i>Allium cepa</i> (onion) | | | | | |
| Soil with <i>Allium sativum</i> (garlic) | | | | | |
| Soil with <i>Brassica rapa</i> (turnip) | | | | | |
| Soil with <i>Calluna</i> sp. (heather plant) | | | | | |
| Soil with <i>Convallaria majalis</i> (plant) | | | | | |
| Soil with <i>Daucus carota</i> var. <i>sativus</i> (carrot) | | | | | |
| Soil with <i>Galanthus</i> sp. (snowdrop bulb) | | | | | |
| Soil with <i>Picea</i> sp. (spruce tree) | | | | | |
| Soil with <i>Saintpaulia</i> sp. (African-violet plant) | | | | | |
| Soil with <i>Solanum tuberosum</i> (potato) | | | | | |
| Soil with <i>Trifolium repens</i> (plant) | | | | | |
| Soil with <i>Vitis</i> sp. (grape plant) | | | | | |
| <i>Heterodera schachtii</i> Schmidt, 1871..... | England..... | 1 | | | WA..... |
| Soil with tractor | | | | | |
| <i>Heterodera trifolii</i> Goffart, 1932..... | England, Germany..... | 2 | | | DE, WA..... |
| Soil with cargo | | | | | |
| Soil with tractor | | | | | |
| <i>Pratylenchus coffeae</i> (Zimmermann, 1898) Filipjev & Schuurmans Stekhoven, 1941..... | Japan..... | | | 4 | CA..... |
| Convolvularia majalis (pips) | | | | | |
| Dahlia sp. (dahlia tuber) | | | | | |
| <i>Pratylenchus convallariae</i> Seinhorst, 1959..... | England..... | | | 1 | N.J..... |
| Convallaria majalis (pips) | | | | | |
| * <i>Rotylenchus buxophilus</i> Golden, 1956..... | *Germany..... | | | 1 | CA..... |
| Convolvularia majalis (root) | | | | | |
| * <i>Tylenchorhynchus crassicaudatus</i> Williams, 1960..... | *Hong Kong..... | | | 1 | CA..... |
| Magnolia sp. (mangnolia seedling) | | | | | |
| * <i>Xiphinema insigne</i> Loos, 1949..... | Japan..... | | | 3 | CA..... |
| Lilium auratum (bulb) | | | | | |
| Pinus parviflora (root) | | | | | |

*First from country

#First interception

H O S T S A N D N E M A T O D E S

ALLIUM:

Ditylenchus dipsaci

ALLOPLECTUS:

Ditylenchus dipsaci

AMARYLLIS:

Ditylenchus destructor

CHRYSANTHEMUM:

Aphelenchoides ritzemabosi

CIMICIFUGA:

Aphelenchoides fragariae

Ditylenchus destructor

CONVALLARIA:

Aphelenchoides blastophthorus

Pratylenchus coffeae

Pratylenchus convallariae

#ROTYLENCHUS BUXOPHILUS

CROCUS:

Aphelenchoides subtenuis

Ditylenchus destructor

DAHLIA:

Pratylenchus coffeae

DRYOPTERIS:

Aphelenchoides fragariae

EPIMEDIUM:

Aphelenchoides fragariae

GERANIUM:

Aphelenchoides fragariae

JUNIPERUS:

**Aphelenchoides fragariae*

LILIUM:

Xiphinema insignis

Aphelenchoides fragariae

MAGNOLIA:

**Tylenchorhynchus crassicaudatus*

NARCISSUS:

Ditylenchus dipsaci

OXALIS:

Ditylenchus destructor

PAEONIA:

Aphelenchoides fragariae

PINUS:

Aphelenchoides fragariae

**Xiphinema insignis*

STERNSBERGIA:

Ditylenchus dipsaci

TELLIMA:

Aphelenchoides fragariae

TRICARTIS:

Aphelenchoides fragariae

TROLLIUS:

Aphelenchoides blastophthorus

*First from country

#First interception

NEMATODES INTERCEPTED WITH HOSTS UNKNOWN

PLANT:

Criconemoides curvatus
Criconemoides mutabilis

SOIL:

Criconemoides mutabilis
Heterodera avenae
**Heterodera fici*
Heterodera punctata
Heterodera avenae
**Heterodera galeopsidis*
Heterodera rostochiensis
Heterodera avenae
Heterodera rostochiensis
Heterodera punctata
Heterodera avenae
Heterodera galeopsidis
Heterodera punctata
Heterodera rostochiensis
Heterodera punctata
Heterodera trifolii
Heterodera avenae
Heterodera rostochiensis
Heterodera punctata
Heterodera rostochiensis

Heterodera fici
Heterodera punctata
Heterodera rostochiensis
Heterodera rostochiensis
Heterodera punctata
Heterodera avenae
Heterodera rostochiensis
Heterodera avenae
**Heterodera punctata*
Heterodera rostochiensis
Heterodera punctata
Heterodera avenae
Heterodera galeopsidis
Heterodera punctata
Heterodera rostochiensis
Heterodera schachtii
Heterodera trifolii
Heterodera rostochiensis
Heterodera avenae
Heterodera rostochiensis
Heterodera avenae
Heterodera rostochiensis

*First from country
#First interception

UNITED STATES DEPARTMENT OF AGRICULTURE
Agricultural Research Service
Hyattsville, Maryland 20782



Official Business
Penalty for Private Use, \$300


POSTAGE & FEES PAID
United States Department of Agriculture