

1
F31S
suppl.
1956

Historic, archived document

Do not assume content reflects current scientific knowledge, policies, or practices.

UNITED STATES
DEPARTMENT OF AGRICULTURE
LIBRARY



BOOK NUMBER 1
 F31S
 no. 126-129, suppl.
 1936
576063

CSO 8-7872

Jean Oberacker

United States Department of Agriculture

BUREAU OF ENTOMOLOGY AND PLANT QUARANTINE

SERVICE AND REGULATORY ANNOUNCEMENTS**LIST OF INTERCEPTED PLANT PESTS, 1936**

(List of Pests Recorded During the Period July 1, 1935, to June 30, 1936, Inclusive, as Intercepted in, on, or with Plants and Plant Products Entering United States Territory)

INTRODUCTION

This paper covers the twenty-third year for which pest interception lists have been issued. It is the purpose of these papers to present data that will give the reader a reasonably complete picture of the condition of the plant materials inspected, from the standpoint of plant pests present, and that will indicate the wide variety of materials from almost all parts of the world which have been inspected for the presence of pests, both known and unknown, and on which something of interest was found.

In order to keep the paper from becoming too bulky as the number of interceptions has increased, it has been necessary from time to time to eliminate many items from the detailed list that make up the bulk of the paper. More or less cosmopolitan pests are now listed in short paragraphs under the heading, "Common Pests Intercepted", and others not so widely distributed are included in these paragraphs whenever ample records of their interception have been published. Drastic cuts in the items to be included were necessitated by the marked increase in the number of interceptions this year and led to the omission of thousands of records of partially determined insects from the detailed list in this paper. Many of these insects determined to genus, family, or other large subdivision only may be far more important than some of the items included in the detailed list, but information available is inadequate to make possible evaluation of their economic status. These interceptions are summarized, under the heading, "Incompletely Determined Pests." A few unnamed new species and partially determined insects new to our records and believed to be important have been included in the paper. Determinations covering interceptions made the last few days of the year are received after the end of the year and are included in the list for the following year. Furthermore it is obvious that determinations cannot be made promptly in all cases, especially where difficult material is involved. Hence some delayed determinations of insects and diseases intercepted in the previous year appear in the list. This list is based on data covering intercepted plant pests for which determinations were received and indexed during the fiscal year, including those intercepted in, on, or with plants and plant products (1) imported, (2) offered for but refused entry, (3) held as ships' stores, etc., and hence not imported through customs, (4) offered for entry for immediate export or for immediate transportation and exportation in bond, and (5) in domestic shipments reaching the mainland from Hawaii and Puerto Rico.

As in the past, the list has been compiled from the files maintained in the Washington office. Information supplied by State and customs officials acting as collaborators of the Bureau has supplemented routine reports of regular employees. Most of the insect determination are made by specialists of the Bureau and some of the plant-disease determinations by specialists of the Bureau of Plant Industry. The States of California and Florida and the Territory of Hawaii have staffs of specialists who make most of their determinations. In addition to the items shown in this paper, in one form or another, there were many thousands of lots of material intercepted in which the organism concerned could not, because of its condition, be determined.

Statements as to the origin of plant materials inspected cannot always be verified, but every effort is made to determine the origin as accurately as possible. Obviously doubtful items are omitted from the lists of interceptions under countries concerned.

The number of interceptions indicated for any item in any of these lists represents the number of lots of infected or infested plants or plant products which

were intercepted and has no relation to the size of the shipment or to the extent of infection or infestation. A heavily infested cargo of thousands of tons of one commodity infested with a single pest would be listed as one interception while a shipment of plants weighing a few ounces might contain three different types of plants infected or infested with a single organism each and hence listed as three interceptions.

NOTES ON INSECTS INTERCEPTED

FRUIT FLIES

The following fruit flies were intercepted: Celery fly (*Acidia heraclei*) in celery leaves from England; West Indian fruit fly (*Anastrepha acidusa*) in purple mombin from the American Virgin Islands, mango from Cuba, Dominican Republic, Jamaica, and Puerto Rico, quince from Mexico, and (adults) with banana debris from Panama; Mexican fruit fly (*A. ludens*) in orange from Guatemala and grapefruit, mamey, mango, orange, sapodilla, sapote, sour orange, and sweet lime from Mexico; dark fruit fly (*A. serpentina*) in mamey and sapote from Mexico; *A. silvai* (adult) with banana debris from Panama; Central American fruit fly (*A. striata*) in guava from Mexico; *A. suspensa* in guava from Cuba and Puerto Rico; *Anastrepha* sp. in orange and plum from Brazil, mango from Canal Zone, Cuba, and Jamaica, mamey from Guatemala, mango and star-apple from Haiti, mango and orange from Honduras, apple, avocado, grapefruit, guava, mamey, mango, orange, peach, pomegranate, quince, sapote, and sweet lime from Mexico, (adult) with banana debris from Panama, guava, mango, and sapodilla from Puerto Rico, and mango and sour orange from Trinidad; melon fly (*Bactrocera cucurbitae*) in cucumber from Hawaii; Mediterranean fruit fly (*Ceratitis capitata*) in guava from Azores, orange from Brazil, Canary Islands, and Union of South Africa, Surinam-cherry from Bermuda, quince from Greece, avocado, coffee berry, grape, and mango from Hawaii, apple, fig, grapefruit, orange, peach, persimmon, pricklypear, pomegranate, quince, sorbe apple, tangerine, and packing material for fruit from Italy, grapefruit and orange from Palestine, guava and quince from Portugal, and apple, apricot, grape, grapefruit, orange, peach, pear, and packing material for fruit from Spain; *Ceratitis* sp. in grapefruit and in suitcase containing grapefruit from Palestine; olive fruit fly (*Dacus oleae*) in olives from Greece and Italy and (adult) in package of green olives from Italy; *Rhagoletis cerasi* (puparium) in an empty fruit locker which had contained apples, grapes, and peaches on board a ship from Spain; *Rhagoletis* sp. in black walnut, *Crataegus* sp., peach, and quince from Mexico, and cherry from Spain; papaya fruit fly (*Toxotrypana curvicauda*) in papaya from Panama; trypetid in manzanita and quince from Mexico, mango from Philippines, pomegranate from Puerto Rico, apple from Spain, *Kigelia* sp. and *Hapaline* sp. (seed) from Union of South Africa, and with *Rosa* sp. (hip) from Mongolia, *Rosa* sp. (seed) from India and Sweden, *Rosa pendulina* (seed) from Switzerland, globe artichoke (seed) from Italy, mango from Jamaica, and legume from the Union of Soviet Socialist Republics.

INSECTS OTHER THAN FRUIT FLIES

Acrolepia assetella (Plutellidae) was intercepted in leeks from Belgium, France, Germany, Italy, and Spain. The citrus blackfly (*Aleurocanthus woglumi*) was taken on leaves of orange and sour lime from Cuba. Croton from the Federated Malay States was infested with *Aleuroplatus samoanus* (whitefly). *Aleyrodes azaleae* (whitefly) was taken on azalea from England. Pineapples in ship's stores from Cuba were infested with *Apelma brevis* (Ceratopogonidae). Globe artichokes from Algeria, England, France, and Italy were infested with *Apion carduorum* (Curculionidae). *Aspidiotus transparens* (Coccidae) was taken on fatsia from China. *Baris laticollis* (Curculionidae) was intercepted in turnips from France and Portugal. Vetch seed from Hungary was infested with the vetch bruchid (*Bruchus brachialis*). The giant sugarcane borer (*Castnia licus*) was found in a corm of *Heliconia angustifolia* from the Canal Zone. *Ceutorhynchus contractus* (Curculionidae) infested cauliflower from Italy. *C. pleurostigma* (turnip gall weevil) was taken in turnip from Denmark, Germany, Italy, and Netherlands, radish, rutabaga, and turnip from England, and rutabaga and turnip from France. *C. quadridens* was intercepted in cabbage from Italy and turnip from France and Germany. The Asiatic rice borer (*Chilo simplex*) arrived with rice straw from the American Virgin Islands, China, Egypt, India, Japan, Philippines, Spain, and Trinidad. Orchids from India were infested with *Coccus capparidis* (Coccidae). Potatoes from Mexico were infested with the

¹ For details of interceptions mentioned in the text see lists under the countries named.

potato weevil (*Epicaerus cognatus*). Larvae of *Epipolaeus caliginosus* (Curculionidae) were intercepted in hop roots from England. *Eurytoma onobrychidis* (Eurytomidae) was intercepted in seed of *Onobrychis viciaefolia* from Germany. The West Indian sweetpotato weevil (*Euscepes batatae*) was intercepted in sweet-potatoes from American Virgin Islands, Bermuda, Brazil, Ecuador, Puerto Rico, and Tahiti and in soil around sweetpotatoes from Puerto Rico. *Exosoma lusitanica* (Chrysomelidae) was found in cipollini from Morocco. *Gargaphia torresi* (Tingitidae) arrived with grapes from Argentina. *Haplothrips mordvilkoi* (thrips) arrived with plume grass seed from Turkey. A larva of *Helophorus rufipes* (Hydrophilidae) was intercepted on a turnip leaf from France and *H. rugosus* arrived with turnip and witloof from the same country. *Laspeyresia splendana* (Olethreutidae) was intercepted in chestnuts from Austria, Azores, Italy, Japan, Portugal, and Spain. *Mamestra brassicae* (Noctuidae) was taken on cabbage from Belgium, England, and Germany, cauliflower from France, Germany, and Netherlands, and Savoy cabbage from Netherlands. The bean pod borer (*Maruca testulalis*) was intercepted in lima beans from Cuba, string beans from Hawaii, Japan, and Venezuela, and on leis from Hawaii. *Megastigmus pistaciae* (Callimomidae) arrived with pistache seed from the Union of Soviet Socialist Republics. *Melanothrips fuscus* (thrips) was intercepted on watercress from England. *Myzus polyanthi* (aphid) was found on primrose from England and in soil around a primrose plant from Scotland. *Napomyza lateralis* (Agromyzidae) was intercepted in witloof leaves from Belgium. *Ortheziola vejvodskyi* (Coccidae) was taken in soil and moss around the roots of holly trees from England. The yam weevil (*Palaeopus costicollis*) was intercepted in yams from Jamaica. *Parlatoria fluggeae brasiliensis* (Coccidae) was taken on orange from Brazil and Straits Settlements and on sour lime from Mexico. The pink bollworm (*Pectinophora gossypiella*) was intercepted in cotton bolls from American Virgin Islands, Hawaii, Mexico, Montserrat, and Turkey, cottonseed from Brazil, Dominican Republic, Egypt, Hawaii, Mexico, and Virgin Islands, cotton-seed used as packing material about lacquer ware from Siam, seed cotton from Brazil, Dominican Republic, Mexico, and Virgin Islands, cottonseed adhering to bagging and rags from Egypt, and with seed cotton on bagging from Egypt. *Phacecorynes zamiae* (Curculionidae) was intercepted in the stems of *Encephalartos caffer* and *E. lehmanni* from the Union of South Africa. Living larvae of the gypsy moth (*Poputhetria dispar*) were intercepted on dwarf maple from Japan. Sour limes arriving from the Philippines were infested with the Philippine orange moth (*Prays citri*). *Psylliodes chrysocephala* (Chrysomelidae) arrived with cauliflower and turnips from France. *Sciaphilus muricatus* (Curculionidae) was intercepted in shamrock from Ireland. The mango weevil (*Sternochetus mangiferae*) was intercepted in mangoes from Ceylon and Hawaii. *Taeniothrips frontalis* (thrips) was found on carnation from France. *T. fumosa* was intercepted on chinkericee and gladiolus from the Union of South Africa. The gladiolus thrips (*T. simplex*) arrived with carnation leis and gladiolus from Hawaii, *Echeveria* sp. and gladiolus from Mexico, and gladiolus from New Zealand. *Thrips adamsoni* infested leeks from Italy.

NOTES ON PLANT DISEASES INTERCEPTED

SPECIES NEW TO THE INTERCEPTION FILES

Among the numerous interesting organisms intercepted for the first time were *Aphelenchoides limberi* on bulbous iris from Netherlands, *Ascochyta berberidina* on barberry from Germany, *A. brassicae* on kohlrabi from Germany, *Balanisia claviceps* on bamboo leaf from China, *Cercospora foeniculi* on fennel from Italy, *C. xanthoxyli* on *Zanthoxylum* from Cuba, *Colletotrichum glycines* on soy beans from Japan, *Coniosporium bambusae* on bamboo from Jamaica, *Coryneum microstictoides* on peony from France, *Cryptodiaporthe salicina* on willow from Belgium, *Diplodia cerei-triangularis* on cactus from Mexico, *Gloeosporium aglaonemae* on aglaonema from China, *G. maxillariae* on orchid from Nicaragua, *G. olivarum* on olive from Italy, *G. pelargonii* on geranium from Germany, *G. taxicolum* on yew from Ireland, *Gnomonia aceris* on maple from Japan, *Graphiola borassi* on palm from India, *Leptosphaeria culmicola* on wheat from France, *L. rusci* on ruscus from Italy, *Mendogia bambusina* on a bamboo harrow from Philippine Islands, *Metasphaeria cocoes* on coconut from Dominican Republic, *Pestalozzia glandicola* on acorns from Japan, *Phoma acuum* on pine from Mexico, *P. ejiciens* on camellia from Japan, *P. julibrissin* on *Albizia* from British West Indies, *P. pachytheca* on willow from Belgium, *Phomopsis castaneum* on chestnuts from China, *Phyllachora cynodontis* on Bermuda grass from Spain, *Phyllosticta colocasiae* on *Dieffenbachia*

of unknown origin, *P. evonymella* on *Euonymus* from Japan, *P. minutella* on maple from Nova Scotia, *Puccinia angelica* on anise from Italy, *P. carlinae* on *Carlina* from Germany, *P. lippiae* on *Lippia* from Mexico, *Ramularia lampsanae* on witloof from England, *Sclerotium opuntiarum* on cactus from Argentina, *Septoria rubi* on thimbleberry from Canada, *Speira toruloides* on palm from Guatemala, *Uredo jatrophicola* on *Jatropha* from Puerto Rico, *Uromyces cestri* on *Cestrum* from Cuba, *Ustilago caricis* on carex seed from Norway, *U. grandis* on cattail from Netherlands, and the virus disease Australian spotted wilt on tomatoes from Japan.

NEW SPECIES AND NEW OR UNUSUAL RECORDS

Attention is called to the following items which were new species, unlike species reported on the host, or new or unusual records for the host. *Aphelenchoides limberi* Steiner (a new species) on bulbous iris from Netherlands, *Ascochyta* sp. on *Galanthus* from Netherlands, *Aspergillus alliaceus* Thom and Church on *Galanthus* from Turkey, *Cephalobus butchli* de Man (n. var.) in *Colocasia* from Barbados, *C. symmetricus* Thorn (probably new var.) in onion from Portugal, *Cephalosporium pammelii* var. *purpurascens* R. E. Buchanan (first reports as a plant disease, apparently) rot of apple from Japan, *Ceratostomella* sp. on *Colocasia esculenta* from China, *Cercospora* sp. (probably n. sp. and one that would bear watching) on *Cypripedium* from Guatemala, *Chrysomyxa* sp. on *Vaccinium* from Newfoundland, *Cryptosphaerella* sp. on wisteria from Japan, *Didymella* n. sp. on *Alsophila* from Mexico, *Didymella* sp. on camellia from Japan, *Didymosphaeria* sp. on peony from Japan, *Dothiorella* sp. on chrysanthemum from Japan, *Gloeosporium* sp. on *Hoya* from Italy, *Hexameris* sp. (apparently undescribed, but not listed since probably an insect parasite) in carrot from England, *Leptosphaeria* sp. on rice hulls from Puerto Rico, *Marsonia* sp. on grape leaf from England, *Microdiplodia* sp. on bamboo from Jamaica, *Mycosphaerella* sp. on spinach from Japan, *Paranthostomella* sp. on peony from France, *Phoma* sp. on chayote from Syria, *Phyllosticta* sp. on camellia from Japan (two different lots), *Phyllosticta* sp. on orchid from Belgian Congo, *Phyllosticta* sp. on *Shortia* from Japan, *Phyllosticta* sp. on *Stapelia* from Union of South Africa, *Rhabdospora* sp. on camellia from Japan, *Sclerotium* sp. on snowdrop from Turkey, *Sclerotium* sp. on narcissus from England, and *Sphaerulina* sp. on peony from Japan. Study of a fungus on roots of *Yucca treculeana* from Cuba indicated that it may be a new genus of the family Moniliaceae, tribe Hyalosporae.

NEMATODE INTERCEPTIONS

Interceptions of nematodes were not so numerous or varied as in the previous year. *Anguina (Anguillulina) tritici* was intercepted in wheat from China and Turkey; *Aphelenchoides parietinus* in various hosts from Barbados, China, England, Germany, Japan, Netherlands, Philippine Islands, and Sweden; *Ditylenchus dipsaci*² in various hosts from Belgium, Canada, Canary Islands (new locality for interception files), Denmark, England, Germany, Ireland, Netherlands, Norway, Poland, Spain, Sweden, and Union of Soviet Socialist Republics; *Heterodera marioni* (no longer included in the tabular list) in *Artocarpus communis* from the Canal Zone and *Osmanthus aquifolium* from Japan, new hosts to our files; *Pratylenchus (Anguillulina) pratensis* in various hosts from Cuba, Germany, Guatemala, Manchuria, and Netherlands.

AIRCRAFT INTERCEPTIONS

Aircraft interception records represent 194 organisms on 72 hosts from 22 countries.

Three hundred and ninety-seven interceptions of insects were made. Among these were the following: Mexican fruit fly (*Anastrepha ludens*) in grapefruit from Mexico; *Aspidiotus spinosus* (Coccidae) on *Camellia japonica* from Mexico; *Cebrenis centroleinea* (Coreidae) on Cape-jasmine from Mexico; *Coccus viridis* (Coccidae) on lime from the Bahamas, Cape-jasmine from Cuba, and coffee from Jamaica; *Ctenochira punicea* (Chrysomelidae) on Cape-jasmine from Mexico; *Frankliniella cephalica* (thrips) on rose from the Bahamas; *F. cubensis* on rose from the Bahamas and Cuba; *F. insularis* on sweet pea from Cuba and rose from the Bahamas and Mexico; *Hemiclionaspis townsendi* (Coccidae) on *Vanda lamellata* (orchid) from the Philippines; *Hypsilonotus concinnus* (Coreidae) on Cape-jasmine from Mexico; *Leucoptera cafeeella* (Gracilariidae) on coffee from Puerto

² *Tylenchus dipsaci*, the name formerly used for the bulb or stem nematode, was changed in the 1934 list to *Anguillulina dipsaci*. In 1936 *Ditylenchus dipsaci* was accepted as the correct name for this nema.

Rico; *Macrosiphum luteum* (aphid) on orchid from Mexico; *Parlatoria pseudaspisdiota* (Coccoidae) on *Vanda joaquimiae* and *V. teres* from the Philippines; *Pseudococcus lilacinus* (Coccoidae) on *Vanda lamellata* from the Philippines; *Taeniothrips hawaiiensis* on *Calotropis gigantea* (flower leis), *Dianthus* sp., and flower leis from Hawaii; and the gladiolus thrips (*T. simplex*) on gladiolus from Mexico.

Fifty-one plant disease interceptions were made, including: *Ditylenchus dipsaci* in potato from Germany; *Colletotrichum falcatum* on sugarcane from Jamaica; *Colletotrichum gloeosporioides* on mango from Mexico and avocado from Canal Zone; *Diplocarpon rosae* and *Fusarium* sp. on rose from Germany; *Gloeosporium limeticolum* on lime from Brazil; *Gloeosporium* sp. on cactus from Jamaica; *Heterosporium echinulatum* on carnation from Mexico; *Oidium* sp. on Cape-jasmine from Mexico; *Phomopsis citri* on lemon from Italy and orange (2) from Mexico; *Phyllosticta* sp. on Cape-jasmine from Cuba and Mexico; *Septobasidium* sp. on Cape-jasmine from Mexico; *Septoria rubi* on thimbleberry from Canada; *Septoria* sp. on Cape-jasmine from Mexico; *Sphaeroloma fawcettii* on lemon from Costa Rica; *Sphaerotheeca pannosa* on rose from Mexico (2) and Bahamas; and *Stilbum* sp. on Cape-jasmine from Mexico (9).

COMMON PESTS INTERCEPTED

The following summaries of common insects and plant diseases may include forms or strains not yet introduced and hence potentially dangerous, but we have no practicable means for determining that point. The two sets of figures in parentheses following each pest name indicate the number of countries from which the pest was intercepted and the total number of interceptions.

INSECTS

Ahasverus advena (44-176), *Aspidiotus camelliae* (10-12), *A. cyanophylli* (18-59), *A. hederae* (39-778), *A. lataniae* (30-141), *A. perniciosus* (7-17), *Aulacaspis pentagona* (12-28), *A. rosae* (5-7), *Carpocapsa pomonella* (24-196), *Carpophilus* sp. (32-120), *Cerataphis lataniae* (13-38), *Ceroplastes floridensis* (3-16), *Chionaspis citri* (10-36), *C. euonymi* (4-27), *Chrysomphalus aonidum* (46-1,398), *C. aurantii* (41-1,007), *C. dictyospermi* (26-509), *Coccus elongatus* (4-39), *C. hesperidum* (27-171), *Diaspis boisduvalii* (26-183), *D. bromeliae* (7-145), *D. echinocacti* (10-28), *D. echinocacti opuntiae* (5-8), *Ephestia* sp. (41-344), *Etiella zinckenella* (7-30), *Eumerus* sp. (3-8), *Gnorimoschema operculella* (31-133), *Heliothis obsoleta* (12-2,318), *H. virescens* (5-315), *Heliothrips haemorrhoidalis* (13-28), *Hemiclionaspis aspidistrae* (23-105), *H. minor* (4-193), *Howardia biclavis* (12-72), *Ischnaspis longirostris* (19-68), *Lepidosaphes beckii* (80-3,994), *L. gloverii* (29-585), *L. ulmi* (16-36), *Necrobia rufipes* (18-37), *Oryzaephilus surinamensis* (41-131), *Parlatoria pergandii* (47-1,095), *P. proteus* (15-41), *Plodia interpunctella* (24-199), *Prenolepis longicornis* (14-78), *Pseudaonidia articulatus* (33-921), *Pseudococcus adonidum* (13-50), *P. brevipes* (31-575), *P. citri* (28-134), *P. maritimus* (15-61), *P. nipae* (14-38), *Rhizoglyphus hyacinthi* (20-494), *Saissetia hemisphaerica* (35-129), *S. nigra* (10-87), *S. oleae* (20-72), *Sitophilus oryzae* (41-354), *Thrips tabaci* (34-425), *Tribolium castaneum* (39-174), *T. confusum* (10-17): Total of these insect interceptions, 18,548.

DISEASES

Actinomyces scabies (58-1,173), *Acrostalagmus cinnabarinus* (3-4), *Aspergillus niger* (62-602), *Bacillus carotovorus* (25-149), *Bacterium tumefaciens* (10-41), *Basisporum gallarum* (5-11), *Cephalothecium roseum* (35-165), *Cladosporium herbarum* (1-1), *Colletotrichum gloeosporioides* (30-1,449), *C. lindemuthianum* (14-39), *Coniothyrium fuckelli* (3-10), *Diaporthe phaseolorum* (2-107), *Heterodera marioni* (21-70), *oleocellosis* (15-43), *Oospora pustulans* (5-21), *Penicillium digitatum* (40-263), *P. expansum* (19-41), *P. italicum* (32-193), *petrifaction* (5-51), *Phomopsis citri* (43-391), *Phytophthora infestans* (24-317), *Rhizoctonia solani* (42-483), *Rhizopus nigricans* (47-403), *Spondylocladium atrovirens* (58-1,289), *Spongospora subterranea* (15-69), *Venturia inaequalis* (36-295), *V. pyrina* (20-78), *Verticillium cinnabarinina* (32-219): Total of these disease interceptions, 7,977.

INCOMPLETELY DETERMINED PESTS

Incompletely determined insects and disease organisms belonging to families, genera, or other taxonomic divisions and of economic importance are here summarized in brief form. So many insect genera are involved that to list all of them

would require an unwarranted amount of space, hence for insects the family name only is given and this is followed by three sets of numbers indicating the number of genera included in partially determined interceptions belonging to that family as well as the number of countries of origin and the total number of interceptions. Where no numbers follow the names it means that a single interception is covered. The diseases listed are all determined to genus, the two sets of figures indicating the number of countries of origin and the total number of interceptions of each genus.

INSECTS

Adelgidae,³ Aegeriidae (2-2-2), Agromyzidae (3-19-123), Aleyrodidae (2-2-3), Anthomyiidae (3-21-166), Aphiidae (12-18-80), Arctiidae (1-2-3), Blastobasidae (1-12-50), Bostrichidae (2-4-8), Bruchidae (9-24-48), Buprestidae (2-2-2), Castniidae (1-2-3), Cebrionidae, Cecidomyiidae (2-24-118), Cerambycidae (15-13-16), Ceratopogonidae, Chelonariidae, Chermidae (3-6-9), Chloropidae (1-12-20), Chrysomelidae (15-15-28), Cicadellidae (12-15-51), Coccidae (29-64-419), Coleophoridae (1-3-3), Coreidae (1-2-7), Cosmopterygidae (2-3-34), Curculionidae (43-57-451), Cynipidae (6-5-31), Delphacidae (4-2-5), Dermestidae (2-2-3), Dryopidae, Elateridae (15-15-38), Ethmiidae, Eurytomidae (2-14-28), Fulgoridae (4-3-6), Gelechiidae (4-17-68), Geometridae (1-13-27), Gracilariidae (1-1-5), Heliodinidae, Heliozelidae, Helmidae, Heteroceridae (1-1-4), Hesperiidae, Hyponomeutidae (2-1-5), Lasiocampidae, Leptinidae, Limacodidae, Liparidae, Lycaenidae (3-5-30), Lyctidae, Lygaeidae (1-9-16), Lymantriidae, Lyonetidae (1-3-4), Megalopygidae, Membracidae, Mordellidae (3-6-8), Miridae (2-11-19), Mycetophilidae (1-8-20), Noctuidae (13-33-214), Notodontidae, Nymphalidae, Oecophoridae (2-5-8), Olethreutidae (5-32-223), Ortalidae (3-19-38), Otitidae (1-10-26), Pieridae (2-12-27), Phyllodromidae, Phylloxeridae, Prionidae (2-1-2), Prodoxidae, Psilidae (1-1-2), Psychidae (1-2-2), Pterophoridae (2-2-3), Ptiliidae (1-3-3), Pyralidae (16-45-365), Rhacodesmidiae, Scarabaeidae (8-5-11), Scolytidae (7-13-13), Silvanidae (2-2-2), Sphingidae, Spirostrepidae, Syntomidae (1-2-2), Syrphidae (2-4-10), Tenthredinidae, termite (2-2-2), thrips (21-29-127), Tineidae (5-15-93), Tingitidae, Tortricidae (4-20-158), Trypetidae, Yponomeutidae (2-3-4): Total of these insect interceptions, 3,325.

DISEASES

Alternaria sp. (38-314), *Aspergillus* sp. (39-175), *Botrytis* sp. (30-237), *Cladosporium* sp. (54-646), *Eurotium* sp. (36-121), *Fusarium* sp. (91-3,208), *Macromycetes* sp. (43-529), *Penicillium* sp. (88-3,324), *Rhizopus* sp. (18-260): Total of these disease interceptions, 8,814.

Summary of interceptions by continents and subdivisions

Country	Insects	Diseases	Country	Insects	Diseases
Africa:			Asia:		
Africa.....	3	2	Burma.....	0	2
Algeria.....	2	3	China.....	40	313
Belgian Congo.....	2	3	Federated Malay States.....	2	0
Canary Islands.....	2	5	India.....	37	47
Cape Verde Islands.....	0	1	Indo-China.....	0	1
East Africa.....	0	1	Iran.....	0	1
Egypt.....	25	13	Japan.....	286	684
French West Africa.....	0	1	Malay States.....	3	0
Kenya.....	1	0	Manchuria.....	2	1
Liberia.....	0	1	Mongolia.....	102	4
Madagascar.....	0	1	Orient.....	3	2
Madeira Islands.....	0	8	Palestine.....	10	6
Morocco.....	30	16	Siam.....	3	5
Mozambique.....	1	0	Straits Settlements.....	7	8
Rhodesia.....	1	2	Syria.....	3	5
Seychelles.....	1	0	Turkey.....	18	10
Sierra Leone.....	2	1	Australasia (including Pacific Islands):		
Southwest Africa.....	1	4	American Samoa.....	4	1
Tunis.....	1	1	Australia.....	4	24
Uganda.....	1	0	Ceylon.....	2	3
Union of South Africa.....	80	98	Cook Islands.....	1	0
West Africa.....	2	1			

³ Names without numbers indicate single interceptions.

Summary of interceptions by continents and subdivisions—Continued

Country	Insects	Diseases	Country	Insects	Diseases
	Number	Number		Number	Number
Australasia—Continued.			North America—Continued.		
Dutch East Indies	8	3	Central America—Contd.		
Fiji Islands	0	1	Panama	78	36
Guam	0	1	Salvador	1	0
Hawaii	586	9	Mexico	4,722	1,054
Java	11	7	Newfoundland	19	4
Lord Howe Island	0	1	West Indies	5	5
New Guinea	1	1	American Virgin Islands	16	3
New Zealand	2	6	Antigua	0	2
Philippines	56	23	Bahamas	20	13
Society Islands	1	0	Barbados	11	12
Tahiti	4	0	British West Indies	5	10
Taiwan	0	2	Cuba	416	2,644
Tasmania	0	1	Dominica	8	18
Europe:			Dominican Republic	28	17
Albania	2	0	Dutch West Indies	0	1
Austria	12	4	Grand Cayman	0	1
Azores	10	13	Grenada	1	1
Belgium	227	120	Haiti	14	15
Bulgaria	0	1	Jamaica	68	85
Czechoslovakia	0	8	Martinique	1	4
Danzig	0	1	Montserrat	3	3
Denmark	14	55	Nevis	2	1
England	121	350	Puerto Rico	62	93
Estonia	0	3	St. Kitts	5	4
Finland	0	2	St. Lucia	15	35
France	90	296	St. Vincent	2	6
Germany	68	312	Trinidad	28	21
Gibraltar	0	2	Turks Island	1	0
Great Britain	2	1	Virgin Islands	2	12
Greece	18	5	South America:		
Guernsey	0	2	Argentina	16	37
Hungary	1	11	Brazil	24	78
Ireland	8	24	British Guiana	1	7
Italy	135	322	Chile	10	49
Latvia	0	2	Colombia	20	34
Luxemburg	0	1	Dutch Guiana	0	1
Monte Carlo	1	0	Ecuador	32	10
Netherlands	18	254	Peru	6	5
Norway	1	48	Uruguay	0	2
Poland	0	15	Venezuela	23	37
Portugal	11	25	Total:		
Scotland	51	52	Africa	155	162
Spain	60	130	Asia	516	1,089
Sweden	8	78	Australasia	680	83
Switzerland	2	3	Europe	877	2,210
Union of Soviet Socialist Republics	8	66	North America	6,047	4,256
Wales	9	0	South America	132	260
Yugoslavia	0	4	Unknown origin	17	1
North America:			Total	8,424	8,061
Bermuda	41	60	Total (common pests, p. 5)	18,548	7,977
Canada	5	21	Total (incompletely determined pests, p. 6)	3,325	8,814
Nova Scotia	0	8	Total insects	30,297	
Prince Edward Island	0	2	Total diseases	24,832	
Central America			Grand total	55,149	
British Honduras	8	3			
Canal Zone	17	5			
Costa Rica	57	19			
Guatemala	152	18			
Honduras	210	17			
Nicaragua	24	3			

NOTE.—In addition to the countries named above, interceptions, including those of common pests (p. 5) and of incompletely determined pests (p. 6), were made from Armenia, Aruba, Austral Islands, Balkan States, Bolivia, British Columbia, British West Africa, Cayman Brac, Chosen, Crete, Curaçao, Cyprus, East Indies, Fanning Island, French Indo-China, French West Indies, Gold Coast, Ivory Coast, Lebanon, Leeward Islands, Lesser Antilles, Lithuania, Malta, Marquesas Islands, Pitcairn Island, Queensland, Rarotonga, Rumania, Siberia, Sudan, and Sumatra.

List, by countries, of pests collected and reported from July 1, 1935, to June 30, 1936,
inclusive

[All findings marked with an asterisk indicate State inspection]

Country of origin and name of pest	Host ¹	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
AFRICA							
Insects:							
<i>Coreya cephalonica</i> (Pyralidae).....	<i>Theobroma cacao</i> (cacao).....	2					Calif.*
<i>Stephanoderes hampei</i> (coffee berry borer).	<i>Coffea</i> sp.....		1				N. Y.
Diseases:							
<i>Capnodis citri</i>	<i>Citrus grandis</i> (grapefruit).....				1		Md.
<i>Stemphylium</i> sp.....	<i>Caralluma</i> sp.....		1				D. C.
ALBANIA							
Insects:							
<i>Callirhytis glandium</i> (Cynipidae)....	<i>Quercus</i> sp. (valonia).....	2					N. Y.
ALGERIA							
Insects:							
<i>Apion carduorum</i> (Curculionidae)....	<i>Cynara scolymus</i> (globe artichoke).....					1	Do.
<i>Thrips tabaci pullus</i> (thrips).....	<i>Allium porrum</i> (leek).....					1	Do.
Diseases:							
<i>Colletotrichum</i> sp.....	<i>Cynara scolymus</i> (globe artichoke).....					1	Mass.
<i>Ramularia cynarea</i>	do.....					1	N. Y.
<i>Uromyces</i> sp.....	<i>Vicia faba</i> (broadbean).....					1	Mass.
AMERICAN SAMOA							
Insects:							
<i>Diocalandra taitensis</i> (Tahitian coconut weevil).	<i>Cocos nucifera</i> (coconut).....	3					Hawaii.*
<i>Myzus ornatus</i> (aphid).....	<i>Colocasia</i> sp.....				1		Do.*
Diseases:							
<i>Melanconium</i> sp.....	<i>Lycopersicum esculentum</i>	1					N. Y.
AMERICAN VIRGIN ISLANDS							
Insects:							
<i>Anastrepha acidusa</i> (West Indian fruit fly).....	<i>Spondias purpurea</i> (purple mombin).....		1				P. R.
<i>Aspidiotus destructor</i> (Coccidae)....	<i>Persea americana</i> (avocado).....			1			N. Y.
Do.....	<i>Poinciana regia</i> (royal poinciana).....			1			Do.
<i>Ceroputo barberi</i> (Coccidae).....	<i>Cestrum hortulanum</i>				1		P. R.
<i>Chilo simplex</i> (Asiatic rice borer)....	<i>Oryza sativa</i> (rice).....	1					Do.
<i>Chrysomphalus dictyospermi</i> var. (Coccidae)....	<i>Cycas circinalis</i>				1		Do.
<i>Chrysomphalus personatus</i> (Coccidae).....	<i>Persea americana</i>				1		N. Y.
<i>Coccus tridisi</i> (Coccidae).....	<i>Citrus aurantifolia</i> (lime).....	1					Do.
<i>Eusceptes batatae</i> (West Indian sweetpotato weevil).....	<i>Ipomoea batatas</i> (sweetpotato).....		3				Do.
<i>Pectinophora gossypiella</i> (pink bollworm).....	<i>Gossypium</i> sp. (cotton) (boll).....				2		Va
<i>Pseudotischaspis boureyi</i> (Coccidae).....	<i>Poinciana regia</i> (royal poinciana).....				1		N. Y.
<i>Targionia hartii</i> (Coccidae).....	<i>Dioscorea</i> sp. (yam).....				1	1	Do.
Diseases:							
<i>Diplodia cacaicola</i>	<i>Theobroma cacao</i> (cacao).....				1		Do.
<i>Melanconium sacchari</i>	<i>Saccharum officinarum</i>				1	1	Do.
ANTIGUA							
Diseases:							
<i>Melanconium sacchari</i>	<i>Saccharum officinarum</i>				1		Do.
<i>Puccinia rubigo-terae tritici</i>	<i>Triticum aestivum</i> (wheat).....	1					Do.
ARGENTINA							
Insects:							
<i>Chrysomphalus dictyospermi</i> var. (Coccidae).....	<i>Citrus limonia</i> (lemon).....					1	Do.
Do.....	<i>Musa</i> sp.....						Do.
Do.....	<i>Palm</i>					1	Pa.
<i>Conotrachelus cristatus</i> (Curculionidae).....	<i>Brassica rapa</i> (turnip).....					1	Tex.

¹ The common names for the following have been omitted: *Ananas sativus* (pineapple), *Brassica oleracea capitata* (cabbage), *Capsicum annuum* (pepper), *Lycopersicum esculentum* (tomato), *Saccharum officinarum* (sugarcane), and *Solanum tuberosum* (potato). Where the same host occurs frequently the common name has been omitted part of the time. All horticultural variety names have been omitted.

List, by countries, of pests collected and reported from July 1, 1935, to June 30, 1936, inclusive—Continued

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
ARGENTINA—Continued							
Insects—Continued.							
<i>Gargaphia torresi</i> (Tingitidae)	<i>Vitis</i> sp. (grape)	1					N. Y.
<i>Heteroderes laurenti</i> (Elateridae)	do	1					Do.
<i>Heteroderes rufragulus meticulosus</i> (Elateridae)	do	1					Do.
<i>Parlatoria oleae</i> (Coccidae)	<i>Prunus domestica</i> (plum)	1					Do.
<i>Pseudaonidia duplex</i> (camphor scale)	<i>Vitis</i> sp. (grape)	1					Do.
<i>Pseudococcus virgatus</i> (Coccidae)	do	1					Do.
Psychid.	do	2					Do.
<i>Pterotaenia quinquefasciata</i> (Otitidae)	do	1					Do.
<i>Salax lacordairei</i> (Tenebrionidae)	do	2					Do.
<i>Saulaspis graphica</i> (Chrysomelidae)	In packing of grapes	1					Do.
Diseases:							
<i>Alternaria brassicae</i>	<i>Brassica oleracea capitata</i>					1	Md.
Do	do					2	N. Y.
Do	do					1	Pa.
<i>Alternaria herculea</i>	do					1	Tex.
Do	<i>Brassica rapa</i> (turnip)					1	Do.
<i>Bacterium maculicola</i>	<i>Brassica oleracea capitata</i>					1	La.
Do	do					1	Pa.
<i>Bacterium solanacearum</i>	<i>Solanum tuberosum</i>	2					D. C.
<i>Botrytis cinerea</i>	<i>Capsicum annuum</i>					1	La.
Do	<i>Hibiscus esculentus</i> (okra)					1	Do.
Do	<i>Phaseolus</i> sp. (string bean)					1	Tex.
Do	<i>Vitis</i> sp. (grape)	1					N. Y.
<i>Cercospora</i> sp.	<i>Radicula nasturtium-aquaticum</i> (water cress)					1	Do.
<i>Colletotrichum atramentarium</i>	<i>Solanum tuberosum</i>					1	La.
<i>Colletotrichum</i> sp.	<i>Apium graveolens</i> (celery)					1	Pa.
<i>Diplodia zae</i>	<i>Zea mays</i> (corn)	2					Do.
<i>Fusarium moniliforme</i>	do	3					Ala.
Do	do	2					Ia.
Do	do	2					Md.
Do	do	11					Pa.
<i>Gloeosporium</i> sp.	<i>Malus sylvestris</i> (apple)					1	N. Y.
<i>Helminthosporium allii</i>	<i>Allium sativum</i> (garlic)					1	Do.
<i>Oospora lactis parasitica</i>	<i>Lycopersicum esculentum</i>					1	Do.
<i>Pestalozzia</i> sp.	<i>Cocos australis</i> (pindo palm)	1					Calif.*
<i>Phylloachora</i> sp.	<i>Bromus catharticus</i>	1					N. Y.
Do	<i>Distichlis spicata</i>	1					Do.
Do	<i>Paspalum</i> sp.	1					Do.
<i>Puccinia rubigo-vera tritici</i>	<i>Triticum aestivum</i> (wheat)	1					Do.
<i>Puccinia</i> sp.	do	1					Do.
<i>Sclerotinia sclerotiorum</i>	<i>Daucus carota</i> (carrot)					1	Md.
Do	do					1	Pa.
Do	do					2	Tex.
Do	do					1	Va.
<i>Sclerotium opuntiarum</i>	<i>Pilocereus</i> sp. (cactus)	1					D. C.
<i>Sclerotium oryzae</i>	<i>Oryza sativa</i> (rice)		1				N. Y.
<i>Septoria apii</i>	<i>Apium graveolens</i> (celery)		2				Do.
Do	do		2				Pa.
<i>Sphaceloma fawcettii</i>	<i>Citrus limonia</i> (lemon)					1	Do.
<i>Sphacelotheca sorghi</i>	<i>Holcus sorghum</i> (sorghum)	1					D. C.
Do	<i>Holcus sorghum</i> var. (broomcorn)	3					N. Y.
<i>Stysanus stemonites</i>	<i>Solanum tuberosum</i>					1	Ala.
Do	do					1	N. Y.
Do	do					1	Tex.
<i>Ustilago zeae</i>	<i>Zea mays</i> (corn)	1					Md.
Do	do	2					N. Y.
Do	do	1					Pa.
AUSTRALIA							
Insects:							
<i>Chrysomphalus rossi</i> (Coccidae)	<i>Macrozamia spiralis</i>	1					D. C.
<i>Diapsis zamiae</i> (Coccidae)	do	1					Do.
<i>Xyloandrus morigerus</i> (Scolytidae)	<i>Phalaenopsis</i> sp. (orchid)		2				Calif.*
Diseases:							
<i>Bacterium marginatum</i>	<i>Gladiolus</i> sp.	2					Do.*
<i>Capnodium citri</i>	<i>Citrus sinensis</i> (orange)					1	Md.
<i>Colletotrichum atramentarium</i>	<i>Lycopersicum esculentum</i>					1	Calif.*
<i>Helminthosporium sativum</i>	<i>Triticum aestivum</i> (wheat)	1					N. Y.

List, by countries, of pests collected and reported from July 1, 1935, to June 30, 1936, inclusive—Continued

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Bagsage	Quartors	Stores	
AUSTRALIA—Continued							
Diseases—Continued.							
<i>Phomopsis</i> sp.	<i>Howea belmoreana</i>	1					N. Y.
Do	<i>Howea forsteriana</i> (forster palm).	1					Do.
Do	<i>Howea</i> sp. (palm)	1					Do.
<i>Physalospora obtusa</i>	<i>Malus sylvestris</i> (apple)					1	Pa.
<i>Puccinia graminis</i>	<i>Triticum aestivum</i> (wheat)		1				D. C.
Do	do	1		1			N. Y.
<i>Puccinia rubigo-vera tritici</i>	<i>Avena sativa</i> (oats)		1				Calif.*
<i>Puccinia</i> sp.	<i>Triticum aestivum</i> (wheat)		2				N. Y.
<i>Ramularia</i> sp.	<i>Dahlia</i> sp.		1				Do.
<i>Sclerotinia oryzae</i>	<i>Oryza sativa</i> (rice)	1	1				D. C.
<i>Septonema</i> sp.	<i>Dahlia</i> sp.		1				Do.
<i>Tilletia laevis</i>	<i>Triticum aestivum</i> (wheat)		1				Do.
<i>Tilletia tritici</i>	do		2				N. Y.
<i>Verticillium albo-atrum</i>	<i>Dahlia</i> sp.		1				D. C.
AUSTRIA							
Insects:							
<i>Bruchidius villosus</i> (Bruchidae)	<i>Cytisus laburnum</i>	2					D. C.
Do	<i>Cytisus scoparius</i> (Scotch broom)	1					Do.
Do	<i>Laburnum vulgare</i> (golden-chain)	2					Do.
<i>Laspeyresia splendana</i> (Olethreutidae)	<i>Castanea</i> sp. (chestnut)		1				N. Y.
<i>Lepidosaphes newsteadi</i> (Coccidae)	<i>Pinus</i> sp. (pine)		1				Do.
<i>Leucaspis loewi</i> (Coccidae)	do		1				Pa.
Diseases:							
<i>Lophodermium pinastri</i>	do		1				N. Y.
<i>Puccinia rubigo-vera tritici</i>	<i>Triticum aestivum</i> (wheat)		1				Do.
<i>Sclerotinia cinerea</i>	<i>Malus sylvestris</i> (apple)		1				Do.
<i>Septoria gladioli</i>	<i>Gladiolus</i> sp.		1				III.
AZORES							
Insects:							
<i>Ceratitis capitata</i> (Mediterranean fruit fly).	<i>Psidium guajava</i> (guava)		1				N. Y.
<i>Florinia floriniae</i> (Coccidae)	<i>Camellia</i> sp.		1				Mass.
<i>Forficula auricularia</i> (European earwig)	<i>Dahlia</i> sp.		1				N. Y.
<i>Laspeyresia splendana</i> (Olethreutidae)	<i>Castanea</i> sp. (chestnut)		1				Do.
<i>Targionia bromeliae</i> (Coccidae)	<i>Ananas sativus</i>	1			5		Do.
Diseases:							
<i>Ceratostomella fimbriata</i>	<i>Ipomoea batatas</i> (sweetpotato)				1		Do.
<i>Diplodia natalensis</i>	<i>Citrus limetta</i> (sweet lime)		1				Mass.
<i>Heterosporium</i> sp.	<i>Hymenocallis calathina</i> (bas-ketflower)		1				N. Y.
<i>Puccinia graminis</i>	Straw packing for dasheens		1				Mass.
Do	<i>Triticum aestivum</i> (wheat)	1					N. Y.
<i>Puccinia sorghi</i>	<i>Zea mays</i> (corn)		1				Do.
<i>Sclerotinia</i> sp.	<i>Hymenocallis calathina</i> (lily-basket)		1				Do.
<i>Stysanus stemonites</i>	<i>Saccharum officinarum</i>		1				Do.
<i>Stysanus</i> sp.	<i>Gladiolus</i> sp.		1				Do.
<i>Thielaviopsis paradoxo</i>	<i>Saccharum officinarum</i>		2				Do.
<i>Uredo</i> sp.	<i>Laurus</i> sp.		1				Mass.
<i>Verticillium</i> sp.	<i>Colocasia</i> sp.		1				Do.
BAHAMAS							
Insects:							
<i>Aspidiotus cocomiphagus</i> (Coccidae)	<i>Cocos nucifera</i> (coconut)		3	2			Fla.*
Do	Palm		1				Do.*
<i>Aspidiotus destructor</i> (Coccidae)	<i>Cocos nucifera</i>			1			Do.*
<i>Aspidiotus heculeanus</i> (Coccidae)	<i>Annona muricata</i> (soursop)				1		Do.*
<i>Chrysomphalus mimoseae</i> (Coccidae)	<i>Spondias mombin</i> (hogplum)		1				Do.*
<i>Coccus mangiferae</i> (Coccidae)	<i>Eugenia</i> sp.		1				N. Y.
<i>Coccus viridis</i> (Coccidae)	<i>Citrus aurantifolia</i> (lime)		1				Fla.*
<i>Frankliniella cephalica</i> (thrips)	<i>Rosa</i> sp.			1			Do.*
<i>Frankliniella cubensis</i> (thrips)	do			1			Do.*
Do	<i>Zinnia</i> sp.			1			Do.*

List, by countries, of pests collected and reported from July 1, 1935, to June 30, 1936,
inclusive—Continued

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—		
		Cargo	Mail	Baggage	Quarters	Stores			
BAHAMAS—Continued									
Insects—Continued.									
<i>Frankliniella insularis</i> (thrips).....	<i>Helianthus</i> sp (sunflower).....				1		Fla.*		
Do.....	<i>Rosa</i> sp.....		1				Do.*		
<i>Gnorimoschema lycopersicella</i> (tomo- to pinworm).....	<i>Lycopersicum esculentum</i>	1					N. Y.		
<i>Haplothrips gowdeyi</i> (thrips).....	<i>Rosa</i> sp.....			1			Fla.*		
<i>Targionia sacchari</i> (Coccidae).....	<i>Saccharum officinarum</i>		1				Do.*		
<i>Vinsonia stellifera</i> (Coccidae).....	<i>Eugenia</i> sp.....			1			N. Y.		
Diseases:									
<i>Colletotrichum</i> sp.....	<i>Poinciana regia</i> (Royal poin- ciana).....			1			Do.		
<i>Melanconium sacchari</i>	<i>Saccharum officinarum</i>		3				Do.		
<i>Pestalozzia</i> sp.....	<i>Achras sapota</i> (sapodilla).....				1		Do.		
Do.....	<i>Punica granatum</i> (pomegran- ate).....			1			Do.		
<i>Phoma</i> sp.....	<i>Poinciana regia</i>				1		Do.		
<i>Phomopsis</i> sp.....	<i>Achras sapota</i>					1	Do.		
<i>Phyllosticta divergens</i>	<i>Albizia lebbeck</i> (lebbeck).....				1		Do.		
<i>Sphaceloma favectii</i>	<i>Citrus limonina</i> (demon).....					1	Fla.*		
<i>Sphaerotheca pannosa</i>	<i>Rosa</i> sp.....				1		Do.*		
<i>Thielaviopsis paradoxa</i>	<i>Saccharum officinarum</i>				2		N. Y.		
BARBADOS									
Insects:									
<i>Cylas formicarius</i> (sweetpotato weevil).....	<i>Ipomoea batatas</i> (sweetpotato).....			1			Do.		
<i>Pulvinaria psidii</i> (Coccidae).....	<i>Psychotria</i> sp (wild coffee).....		1				Do.		
<i>Stephanoderes buscki</i> (Scolytidae).....	<i>Pisum sativum</i> (pea).....		1				Do.		
<i>Targinia hartii</i> (Coccidae).....	<i>Dioscorea</i> sp (yam).....	2	2				Do.		
Do.....	<i>Zingiber officinale</i> (ginger).....		1				Do.		
<i>Vinsonia stellifera</i> (Coccidae).....	<i>Citrus</i> sp.....		1				Do.		
Do.....	<i>Pimenta</i> sp.....		2				Do.		
Diseases:									
<i>Aphelechoides parietinus</i>	<i>Colocasia esculenta</i> (taro).....		1				Mass.		
<i>Cephalobus butschlii</i> n. var.....	do.....		1				Do.		
<i>Ceratostomella fimbriata</i>	<i>Ipomoea batatas</i> (sweetpotato).....		1				N. Y.		
<i>Diplodia tubericola</i>	do.....			1			Do.		
<i>Melanconium sacchari</i>	<i>Saccharum officinarum</i>				1		Do.		
<i>Puccinia coronata</i>	<i>Avena sativa</i> (oats).....			1			Do.		
<i>Puccinia graminis</i>	<i>Triticum aestivum</i> (wheat).....		1				Do.		
<i>Sclerotinia</i> sp.....	<i>Rosa</i> sp.....	1					D. C.		
<i>Sphaceloma favectii</i>	<i>Citrus grandis</i> (grapefruit).....					1	Md.		
<i>Thielaviopsis paradoxa</i>	<i>Saccharum officinarum</i>				3		N. Y.		
BELGIAN CONGO									
Insects:									
<i>Oxycarenus albipennis</i> (Lygaeidae).....	<i>Cciba pentandra</i> (kapok).....		1				Pa.		
<i>Stephanoderes hampei</i> (coffee berry borer).....	<i>Coffea</i> sp.....		1				N. Y.		
Diseases:									
<i>Gloeosporium</i> sp.....	Orchid.....		1				D. I. C.		
<i>Phyllosticta</i> sp.....	do.....	2					Do.		
BELGIUM									
Insects:									
<i>Acrolepia assectella</i> (Plutellidae).....	<i>Allium porrum</i> (leek).....					2	N. Y.		
<i>Agromyza pinguis</i> (Agromyzidae).....	<i>Cichorium intybus</i> (witloof).....	65					Do.		
<i>Anaphothrips orchidaceus</i> (thrips).....	<i>Cymbidium</i> sp. (orchid).....	1					D. C.		
<i>Curculio nucum</i> (Curculionidae).....	<i>Corylus</i> sp. (hazelnut).....			1			N. Y.		
<i>Lepidosaphes tuberculata</i> (Coccoidae).....	<i>Cymbidium pauciflora</i> (orchid).....		1				D. C.		
<i>Mamestra brassicae</i> (Noctuidae).....	<i>Brassica oleracea capitata</i>				1		N. Y.		
<i>Napomyza lateralis</i> (Agromyzidae).....	<i>Cichorium intybus</i> (witloof).....	142			12		Do.		
<i>Thrips angusticeps</i> (thrips).....	do.....				1		Do.		
Do.....	<i>Lactuca sativa</i> (lettuce).....				2		Do.		
<i>Thrips validus</i> (thrips).....	<i>Brassica oleracea capitata</i>				1		Pa.		
Diseases:									
<i>Alternaria brassicae</i>	<i>Brassica oleracea botrytis</i> (cau- liflower).....					1	N. Y.		
Do.....	<i>Brassica oleracea capitata</i>					1	Do.		
<i>Alternaria herculea</i>	do.....					2	Pa.		
<i>Bacterium maculicola</i>	do.....					1	Md.		
Do.....	do.....					1	N. Y.		

List, by countries, of pests collected and reported from July 1, 1935, to June 30, 1936, inclusive—Continued

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
BELGIUM—Continued							
Diseases—Continued.							
<i>Botrytis cinerea</i>	<i>Allium ascalonicum</i> (shallot)						1 La.
Do	<i>Allium cepa</i> (onion)						2 Ala.
Do	do						1 Pa.
Do							3 Tex.
Do							1 Ala.
<i>Botrytis cinerea</i>	<i>Beta vulgaris</i> (beet)						1 Tex.
Do	<i>Brassica oleracea capitata</i>						1 Md.
<i>Bremia lactucae</i>	<i>Daucus carota</i> (carrot)						2 N. Y.
<i>Cercospora apii</i>	<i>Lactuca sativa</i> (lettuce)						1 Do.
Do	<i>Apium graveolens</i> (celery)						1 Pa.
<i>Colletotrichum circinans</i>	do						1 Ala.
<i>Cryptodiaporthe salicina</i>	<i>Allium cepa</i> (onion)						1 Wash.
<i>Cytospora</i> sp.	<i>Salix</i> sp. (willow)	1					1 N. Y.
<i>Ditylenchus dipsaci</i>	do						1 Tex.
<i>Gloesporium concentricum</i>	<i>Solanum tuberosum</i>						1 Pa.
<i>Mycosphaerella brassicola</i>	<i>Brassica oleracea capitata</i>						5 N. Y.
Do	<i>Brassica oleracea botrytis</i> (cauliflower)						
<i>Mycosphaerella pinodes</i>	<i>Brassica oleracea capitata</i>						2 Do.
<i>Mycosphaerella schoenoprasii</i>	<i>Pisum sativum</i> (pea)						1 Tex.
<i>Oospore</i> sp.	<i>Allium porrum</i> (leek)						1 Pa.
Do	<i>Daucus carota</i> (carrot)						1 N. Y.
<i>Peronospora parasitica</i>	<i>Malus sylvestris</i> (apple)						1 Ala.
<i>Phoma lingam</i>	<i>Brassica oleracea botrytis</i> (cauliflower)						1 N. Y.
<i>Phoma napobrassicae</i>	<i>Brassica oleracea capitata</i>						1 Do.
<i>Phoma pachythea</i>	<i>Brassica rapa</i> (turnip)						1 Miss.
<i>Phoma</i> sp.	<i>Salix</i> sp. (willow)	2					1 Wash.
<i>Phyllosticta</i> sp.	<i>Apium graveolens</i> (celery)						1 La.
<i>Plasmopidiophora brassicae</i>	<i>Brassica oleracea capitata</i>						1 Pa.
<i>Puccinia extensicola hieracii</i>	<i>Brassica rapa</i>						1 Do.
<i>Puccinia graminis</i>	<i>Lactuca sativa</i> (lettuce)						1 N. Y.
<i>Puccinia hieraci</i>	<i>Triticum aestivum</i> (wheat)	1					1 Mich.
<i>Puccinia</i> sp.	<i>Cichorium intybus</i> (witloof)						1 N. Y.
Do	<i>Allium porrum</i> (leek)						1 Do.
<i>Sclerotinia sclerotiorum</i>	<i>Allium sativum</i> (garlic)						1 N. Y.
Do	<i>Beta vulgaris</i> (beet)						1 Ala.
	<i>Brassica campestris</i> (rutabaga)						1 Do.
	<i>Brassica rapa</i> (turnip)						1 Do.
Do	do						1 Miss.
Do	<i>Cichorium intybus</i> (witloof)	12					2 N. Y.
Do	<i>Daucus carota</i> (carrot)						2 Ala.
Do	do						3 La.
Do	do						1 Md.
Do	do						1 Miss.
Do	do						2 Pa.
Do	do						3 Tex.
Do	<i>Lactuca sativa</i> (lettuce)						1 N. Y.
<i>Sclerotinia</i> sp.	<i>Phaseolus</i> sp. (string bean)						1 Do.
<i>Sclerotium cepivorum</i>	<i>Allium cepa</i> (onion)						1 Ala.
<i>Sclerotium</i> sp.	<i>Allium sativum</i> (garlic)						1 Do.
<i>Septoria apii</i>	<i>Cichorium intybus</i> (witloof)	2					1 N. Y.
Do	<i>Apium graveolens</i> (celery)						2 Md.
Do	do						26 N. Y.
<i>Systanus stemonites</i>	<i>Solanum tuberosum</i>						2 Pa.
<i>Thielavia</i> sp.	<i>Daucus carota</i> (carrot)						2 Tex.
							1 Do.
BERMUDA							
Insects:							
<i>Ceratitis capitata</i> (Mediterranean fruit fly)	<i>Eugenia uniflora</i> (Surinam-cherry)		1				1 N. Y.
<i>Diaprepes famelicus</i> var. (Curculionidae).	<i>Codiaeum</i> sp. (croton)		1				Do.
Do							
<i>Eusceps batatae</i> (West Indian sweetpotato weevil).	<i>Saccharum officinarum</i>		1				Do.
<i>Frankliniella cephalica</i> (thrips)	<i>Ipomoea batatas</i> (sweetpotato)		2				Do.
Do	<i>Gerbera</i> sp.				1		Do.
Do	<i>Hibiscus</i> sp.				1		Do.
Do	<i>Lathyrus odoratus</i> (sweet pea)				1		Do.
Do	<i>Lilium longiflorum harrisi</i>					1	Do.
	Bouquet of marigolds, roses, etc.				1		Do.

List, by countries, of pests collected and reported from July 1, 1935, to June 30, 1936,
inclusive—Continued

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
BERMUDA—Continued							
Insects—Continued.							
<i>Franklinella cephalica</i> (thrips)	<i>Nerium oleander</i> (oleander)	3					N. Y.
Do	<i>Rosa</i> sp.	2					Do.
Do	Rose cuttings, <i>Solanum</i> , car-	1					Do.
Do	nations, etc.						
Do	<i>Tagetes</i> sp. (marigold)	1					Do.
<i>Frankliniella insularis</i> (thrips)	<i>Gerbera</i> sp.		1				Do.
Do	<i>Gladiolus</i> sp.	1					Do.
Do	<i>Lathyrus odoratus</i> (sweet pea)	1					Do.
Do	<i>Lilium longiflorum harrisi</i>				1		Do.
Do	<i>Lilium</i> sp. (lily)	1					Mass.
Do	<i>Rosa</i> sp.	3					N. Y.
Do	Rose cuttings, <i>Solanum</i> , car-	1					Do.
<i>Haplothrips gowdeyi</i> (thrips)							
Do	<i>Freesia</i> sp.	1					Do.
<i>Lepidosaphes lasianthi</i> (Coccoidea)	<i>Lathyrus odoratus</i> (sweet pea)	1					Do.
<i>Morganella longispina</i> (Coccoidea)	<i>Codiaeum</i> sp. (croton)	1					Do.
Do	<i>Carica papaya</i> (papaya)	2					Do.
<i>Parlatoria crotonis</i> (Coccoidea)	<i>Nerium oleander</i> (oleander)	7					Do.
<i>Pseudococcus virgatus</i> (Coccoidea)	<i>Codiaeum</i> sp.	1					Do.
<i>Pulvinaria psidii</i> (Coccoidea)	<i>Sedum</i> sp.	1					Do.
Diseases:	<i>Duranta</i> sp. (skyflower)	1					Do.
<i>Alternaria brassicae</i>	<i>Brassica oleracea acephala</i> (kale)	1					Do.
<i>Bacterium maculicola</i>	do	1					Do.
<i>Cercospora apii</i>	<i>Apium graveolens</i> (celery)	1					Do.
<i>Cercospora nerella</i>	<i>Nerium oleander</i> (oleander)	7					Do.
<i>Colletotrichum circinans</i>	<i>Allium c. pa</i> (onion)	1					Do.
<i>Colletotrichum omnivorum</i>	<i>Aspidistra lurida</i> (aspidistra)		1				Do.
<i>Colletotrichum</i> sp.	Palm		1				Do.
<i>Diplocarpon rosae</i>	<i>Rosa</i> sp.	1					Do.
<i>Diplodia tubericola</i>	<i>Ipomoea batatas</i> (sweetpotato)	1					Do.
<i>Gleosporium oleandri</i>	<i>Nerium oleander</i> (oleander)	2					Do.
<i>Gleosporium sansevieriae</i>	<i>Sansevieria</i> sp.		1				Do.
<i>Gleosporium</i> sp.	<i>Aralia</i> sp.	1					Do.
Do	<i>Asparagus plumosus</i> (fern as-	1					Do.
	paragus).						
Do	<i>Aucuba</i> sp.		1				Do.
Do	<i>Codiaeum</i> sp. (croton)	5	4				Do.
Do	<i>Crassula</i> sp.	1					Do.
Do	<i>Hoya carnosa</i> (waxplant)	1					Do.
Do	<i>Caryota urens</i> (fish-tail palm)		1				Do.
Do	<i>Pandanus</i> sp. (screwpine)	1					Do.
Do	<i>Polystichum lonchitis</i> (mount-	1					Do.
	tain hollyfern).						
<i>Glomerella cingulata</i>	<i>Aucuba japonica</i> (Japanese au-		1				Do.
Do	cuba).						
<i>Glomerella gossypii</i>	<i>Dracaena</i> sp.	1					Do.
<i>Oospora</i> sp.	<i>Gossypium</i> sp. (cotton)		1				Do.
<i>Pestalozzia</i> sp.	<i>Cucumis sativus</i> (cucumber)		1				Do.
Do	<i>Brassica oleracea acephala</i> (kale)	1					Do.
Do	<i>Chrysanthocarpus lutescens</i>	1					Do.
Do	<i>Codiaeum</i> sp. (croton)		1				Do.
Do	<i>Caryota urens</i> (fish-tail palm)			1			Do.
<i>Phoma</i> sp.	<i>Duranta repens</i> (skyflower)	1					Do.
<i>Phomopsis</i> sp.	<i>Poinsettia pulcherrima</i> (poin-			1			Do.
<i>Phyllosticta</i> sp.	settia).						
Do	<i>Aralia filicifolia</i>			1			Do.
	<i>Brassica oleracea acephala</i> (kale)	1					Do.
Do	<i>Codiaeum</i> sp. (croton)	1		1			Do.
Do	<i>Dasyliion</i> sp. (sotol)			1			Do.
Do	<i>Hibiscus</i> sp.				1		Do.
Do	<i>Lilium longiflorum harrisi</i>	1					Do.
Do	Palm				1		Do.
Do	<i>Tecomia</i> sp.	1					Do.
<i>Pleospora</i> sp.	<i>Brassica oleracea acephala</i> (kale)	1					Do.
<i>Septoria apii</i>	<i>Apium graveolens</i> (celery)	1					Do.
<i>Septoria chrysanthemella</i>	<i>Chrysanthemum</i> sp.			1			Do.
<i>Thielaviopsis paradoxa</i>	<i>Saccharum officinarum</i>			2			Do.
<i>Vermicularia</i> sp.	<i>Lilium</i> sp.	1					Do.

*List, by countries, of pests collected and reported from July 1, 1935, to June 30, 1936,
inclusive—Continued*

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baigeage	Quarters	Stores	
BRAZIL							
Insects:							
<i>Aleurochirius porteri</i> (whitefly)	<i>Citrus sinensis</i> (orange)					1	N. Y.
<i>Anastrepha</i> sp. (Tryptidae)	do					1	La.
Do	<i>Prunus domestica</i> (plum)					1	Do.
<i>Castnia</i> sp. (Castniidae)	<i>Orchid</i>	1				1	D. C.
<i>Ceratitis capitata</i> (Mediterranean fruit fly)	<i>Citrus sinensis</i>					1	La.
<i>Chrysomphalus personatus</i> (Coccidae)	<i>Citrus sinensis</i> (orange)	1					N. Y.
<i>Coryca cephalonica</i> (Pyralidae)	<i>Theobroma cacao</i> (cacao)	1					Calif.*
<i>Euscepes batatae</i> (West Indian sweetpotato weevil).	<i>Ipomea batatas</i> (sweetpotato)					1	La.
Do							
<i>Leucaspis cockerelli</i> (Coccidae)	do					3	N. Y.
<i>Parlatoria fluggeae brasiliensis</i> (Coccidae)	<i>Howea</i> sp. (palm)		1				Pa.
Do	<i>Citrus sinensis</i>					1	Fla.*
Do	do	1					
<i>Pectinophora gossypiella</i> (pink bollworm).	<i>Gossypium</i> sp. (cottonseed)	1					D. C.
Do	do		1				
Do	<i>Gossypium</i> sp. (unginned cotton)	1					N. Y.
<i>Pinnaspis buzi</i> (Coccidae)	<i>Howea</i> sp. (palm)			1			Pa.
<i>Platynota</i> sp. (Tortricidae)	<i>Capsicum annuum</i>				1		Do.
<i>Pseudaonidium trilobitiformis</i> (Coccidae)	<i>Citrus limonia</i> (lemon)				1		La.
Do	<i>Howea</i> sp. (palm)				1		
<i>Vinsonia stellifera</i> (Coccidae)	<i>Stanhopea insignis</i> (orchid)	1					D. C.
Diseases:							
<i>Alternaria brassicæ</i>	<i>Brassica oleracea capitata</i>					5	N. Y..
<i>Alternaria herculea</i>	do					3	La.
<i>Bacterium maculicola</i>	do					3	N. Y.
<i>Botrytis cinerea</i>	<i>Allium cepa</i> (onion)					1	Pa.
Do	<i>Capsicum annuum</i>					1	Ala.
Do	<i>Phaseolus</i> sp. (string bean)					1	Tex.
Do	<i>Solanum melongena</i> (eggplant)					1	Do.
<i>Botrytis</i> sp.	<i>Phaseolus</i> sp. (string bean)					1	Md.
<i>Cladosporium cucumerinum</i>	<i>Curcurbita pepo</i> (pumpkin)					1	
<i>Cladosporium</i> sp.	<i>Chayota edulis</i> (chayote)					1	Tex.
<i>Colletotrichum lagenarium</i>	<i>Cucurbita pepo</i>					1	Va.
<i>Colletotrichum orchidearum</i>	<i>Orchid</i>					1	N. Y.
<i>Colletotrichum phomoides</i>	<i>Lycopersicum esculentum</i>					1	Do.
<i>Diplodia cacaoncola</i>	<i>Arachis hypogaea</i> (peanut)					1	D. C.
<i>Diplodia natalensis</i>	<i>Orchid</i>					1	La.
<i>Fusarium moniliforme</i>	<i>Zea mays</i> (corn)					1	Pa.
<i>Gloeosporium cattleyae</i>	<i>Cattleya warneri</i> (orchid)					1	N. Y..
<i>Gloeosporium limeticolum</i>	<i>Citrus aurantiifolia</i> (lime)					1	Fla.*
<i>Gloeosporium</i> sp.	<i>Orchid</i>	2					D. C.
Do	do					3	La.
Do	do					1	N. Y.
Do	do					1	Tex.
<i>Helminthosporium allii</i>	<i>Allium sativum</i> (garlic)					2	Ala.
Do	do					1	Va.
<i>Oospora lactis parasitica</i>	<i>Capsicum annuum</i>					1	Tex.
Do	<i>Lycopersicum esculentum</i>					1	La.
Do	do					1	N. Y.
<i>Oospora</i> sp.	<i>Daucus carota</i> (carrot)					1	Pa.
<i>Periconia</i> sp.	<i>Bromelia</i> sp.	1					Do.
<i>Pestalozzia</i> sp.	<i>Orchid</i>		1				N. Y.
<i>Phoma destructiva</i>	<i>Capsicum annuum</i>					1	Ala.
Do	do					1	La.
<i>Phoma</i> sp.	<i>Chayota edulis</i> (chayote)					1	Tex.
Do	do					1	
Do	<i>Citrus sinensis</i> (orange)					1	N. Y.
<i>Phyllachora</i> sp.	<i>Azonopum</i> sp.	1					Do.
Do	<i>Panicum</i> sp.	1					Do.
Do	<i>Paspalum</i> sp.	1					Do.
<i>Phyllosticta</i> sp.	<i>Petroselinum hortense</i> (parsley)					1	Do.
<i>Puccinia graminis</i>	<i>Triticum aestivum</i> (wheat)	1					Do.
<i>Puccinia rubigo-vera tritici</i>	do					1	Md.
<i>Puccinia</i> sp.	<i>Phaseolus</i> sp. (string bean)	1					N. Y.
<i>Pithium</i> sp.						1	Tex.

List, by countries, of pests collected and reported from July 1, 1935, to June 30, 1936, inclusive—Continued

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
BRAZIL—Continued							
Diseases—Continued.							
<i>Sclerotinia sclerotiorum</i>	<i>Brassica rapa</i> (turnip)					1	La. ¹
Do.	<i>Daucus carota</i> (carrot)					1	Ala.
Do.	do					1	La.
Do.	do					1	Tex.
<i>Sclerotium oryzae</i>	<i>Oryza sativa</i> (rice)	1					N. Y.
<i>Septoria apii</i>	<i>Apium graveolens</i> (celery)					1	Do.
Do.	do					1	Pa.
<i>Septoria petroselini</i>	<i>Petroselinum hortense</i> (parsley)					1	N. Y.
<i>Sphaceloma favcettii</i>	<i>Citrus aurantifolia</i> (lime)				2	La.	
Do.	<i>Citrus limonia</i> (lemon)				1	Do.	
Do.	do				1	Md.	
Do.	do				3	N. Y.	
Do.	do				2	Pa.	
Do.	do				1	Tex.	
Do.	<i>Citrus sinensis</i> (orange)				1	Calif.*	
Do.	do				1	N. Y.	
<i>Sphaceloma favcettii viscosa</i>	do				1	La.	
Do.	do				1	N. Y.	
<i>Uromyces appendiculatus</i>	<i>Phaseolus</i> sp. (string bean)				1	Do.	
BRITISH GUIANA							
Insects:							
<i>Xyleborus confusus</i> (Scolytidae)	<i>Lonchocarpus</i> sp.	1					Do.
Diseases:							
<i>Alternaria brassicae</i>	<i>Brassica oleracea capitata</i>				1	Do.	
<i>Bacterium maculicola</i>	do				1	Do.	
<i>Diplodia cacaoicola</i>	<i>Crescentia cujete</i> (calabash-tree)	1					Do.
<i>Diplodia natalensis</i>	<i>Nipa fruticans</i> (palm)			1			P. R.
<i>Puccinia graminis</i>	<i>Triticum aestivum</i> (wheat)			1			N. Y.
<i>Puccinia</i> sp.	do			1			Do.
<i>Sclerotium oryzae</i>	<i>Oryza sativa</i> (rice)	1					Do.
BRITISH HONDURAS							
Insects:							
<i>Chrysomphalus personatus</i> (Coccoidea).	Lauraceae	1					La.
<i>Metamasius sericeus</i> (silky cane weevil).	Banana debris	1					Do.
Do.	<i>Musa</i> sp. (banana)	1					Do.
Psychid.	Banana debris	3					Do.
Do.	<i>Musa</i> sp. (banana)	1					Do.
<i>Stephanoderes guatemalensis</i> (Scolytidae).	<i>Pithecellobium belizense</i>	1					Do.
Diseases:							
<i>Diplodia cacaoicola</i>	<i>Attalea cohune</i> (cohune palm)	1					Do.
<i>Gloeosporium</i> sp.	Orchid		1				Calif.*
<i>Oospora citri-aurantii</i>	<i>Citrus grandis</i> (grapefruit)				1		Tex.
BRITISH WEST INDIES							
Insects:							
<i>Caryedon fuscus</i> (Bruchidae)	<i>Tamarindus indica</i> (tamarind)		1	1			N. Y.
<i>Hemiclionaspis minor strachani</i> (Coccidae).	<i>Sabal minus</i>	1					D. C.
<i>Marmara</i> sp. (Gracillariidae)	<i>Citrus aurantifolia</i> (lime)					1	Tex.
<i>Tartsonia hartii</i> (Coccidae)	<i>Dioscorea</i> sp. (yam)			1			N. Y.
<i>Vinsonia stellifera</i> (Coccidae)	<i>Oncidium papilio</i> (butterfly orchid)		1				Hawaii.*
Diseases:							
<i>Ceratostomella paradoxa</i>	<i>Saccharum officinarum</i>		1				N. Y.
<i>Diplodia cacaoicola</i>	<i>Theobroma cacao</i> (cacao)			1			Do.
<i>Diplodia natalensis</i>	<i>Citrus aurantifolia</i>	1					Do.
<i>Diplodia tubericola</i>	<i>Manihot esculenta</i> (cassava)				1		Ala.
<i>Gloeosporium</i> sp.	<i>Orchid</i>		1				N. Y.
<i>Melanconium sacchari</i>	<i>Saccharum officinarum</i>			1			Do.
<i>Phoma fuligrosum</i>	<i>Albizia lebbek</i> (lebbek)				1		Do.
<i>Phomopsis vezans</i>	<i>Solanum melongena</i> (eggplant)				2		La.
<i>Thielaviopsis paradoxa</i>	<i>Saccharum officinarum</i>		1				N. Y.
BULGARIA							
Diseases:							
<i>Phomopsis</i> sp.	<i>Prunus</i> sp.	1					D. C.

List, by countries, of pests collected and reported from July 1, 1935, to June 30, 1936, inclusive—Continued

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
BURMA							
Diseases:							
<i>Colletotrichum</i> sp.	<i>Cymbidium eburneum</i> (orchid)	1					Calif.*
<i>Stilbum</i> sp.	do	1					Do.*
CANADA							
Insects:							
<i>Pyrausta nubialis</i> (European corn borer).	<i>Zea mays</i> (corn)	1					Mich.
<i>Zeiraphera ratzeburgiana</i> (Olethreutidae).	<i>Picea</i> sp. (spruce)		4				Mass.
Diseases:							
<i>Bacterium marginatum</i>	<i>Gladiolus</i> sp.			1			Wash.
<i>Botrytis cinerea</i>	<i>Pelargonium</i> sp. (geranium)				1		Pa.
<i>Clariceps purpurea</i>	<i>Agropyron dasystachyum</i>			1			D. C.
Do	<i>Agropyron smithii</i>			1			Do.
<i>Diplocarpon rosae</i>	<i>Rosa</i> sp.			1			N. Y.
<i>Ditylenchus dipsaci</i>	<i>Iris</i> sp.	2					Wash.
Do	<i>Narcissus</i> sp.			1			D. C.
<i>Leptothyrium pomi</i>	<i>Rosa</i> sp.			1			N. Y.
<i>Penicillium gladioli</i>	<i>Gladiolus</i> sp.			1			D. C.
Do	do			1			Wash.
<i>Periconia</i> sp.	<i>Delphinium</i> sp.			1			Mich.
<i>Phoma citricarpa</i>	<i>Citrus sinensis</i> (orange)		1				N. Y.
<i>Puccinia</i> sp.	<i>Triticum aestivum</i> (wheat)	1					Pa.
<i>Sclerotinia sclerotiorum</i>	<i>Daucus carota</i> (carrot)				2		Tex.
<i>Septoria cornicola</i>	<i>Cornus canadensis</i> (bunch berry).			1			Mass.
<i>Septoria divaricata</i>	<i>Phlox paniculata</i> (garden phlox)		1				N. Y.
<i>Septoria gladioli</i>	<i>Gladiolus</i> sp.			1			Do.
Do	do			1			Wash.
<i>Septoria rubi</i>	<i>Rubus parviflorus</i> (thimbleberry).			1			Do.
CANAL ZONE							
Insects:							
<i>Anastrepha</i> sp. (Tryptidae)	<i>Mangifera indica</i> (mango)					1	N. Y.
<i>Aspidiotus destructor</i> (Coccidae)	<i>Musa</i> sp.	1					Do.
<i>Asterolecanium aureum</i> (Coccidae)	<i>Gongora maculata</i> (orchid)	1					Hawai.*
Do	<i>Oncidium</i> sp. (orchid)	1					D. C.
<i>Castnia licus</i> (Castniidae)	<i>Heliconia angustifolia</i>			1			Hawai.*
<i>Coccus viridis</i> (Coccidae)	<i>Jasminum</i> sp.	1					D. C.
<i>Conchaspis angraeci</i> (Coccidae)	<i>Laelia</i> sp. (orchid)			1			Do.
Do	<i>Oncidium</i> sp. (orchid)	1					Do.
<i>Furcaspis biformis</i> (Coccidae)	<i>Epidendrum atropurpureum</i> (orchid)		4				Hawai.*
Do	<i>Oncidium panamense</i> (orchid)	2					Do.*
<i>Leucaspis japonica</i> (Coccidae)	<i>Citrus limonia</i> (lemon)				1		Pa.
<i>Vinsonia stellifera</i> (Coccidae)	<i>Laelia</i> sp. (orchid)		1				D. C.
Do	<i>Oncidium</i> sp. (orchid)	1					Do.
Diseases:							
<i>Alternaria brassicae</i>	<i>Brassica oleracea capitata</i>				1		N. Y.
<i>Capnodium</i> sp.	<i>Saccharum officinarum</i>		1				Pa.
<i>Gloesporium</i> sp.	Orchid.	1					D. C.
<i>Phoma</i> sp.	<i>Brassica rapa</i> (turnip)				1		La.
<i>Thielaviopsis paradox</i>	<i>Saccharum officinarum</i>		1				Pa.
CANARY ISLANDS							
Insects:							
<i>Ceratitis capitata</i> (Mediterranean fruit fly).	<i>Citrus sinensis</i> (orange)				2		P. R.
Diseases:							
<i>Ditylenchus dipsaci</i>	<i>Solanum tuberosum</i>					1	Tex.
<i>Oospora lactis parasitica</i>	<i>Lycopersicum esculentum</i>					1	N. Y.
Do	do					2	Pa.
<i>Phoma</i> sp.	do					1	N. Y.
CAPE VERDE ISLANDS							
Diseases:							
<i>Sclerotium</i> sp.	<i>Solanum tuberosum</i>				1		Pa.

List, by countries, of pests collected and reported from July 1, 1935, to June 30, 1936,
inclusive—Continued

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
CEYLON							
Insects:							
<i>Callosobruchus chinensis</i> (Bruchidae).	<i>Vigna sinensis</i> (cowpea)	1					D. C.
<i>Sternochetus mangiferae</i> (mango weevil).	<i>Mangifera indica</i> (mango)					1	Mass.
Diseases:							
<i>Helminthosporium</i> sp.	<i>Oryza sativa</i> (paddy rice)	1					N. Y.
<i>Sclerotium oryzae</i>	<i>Oryza sativa</i> (rice)	2	1				Do.
CHILE							
Insects:							
<i>Bostrychulus scabratus</i> (Bostrichidae).	In packing for grapes	2					Do.
<i>Gnorimoschema lycopersicella</i> (tomato pinworm).	<i>Lycopersicum esculentum</i>	1					Do.
<i>Leptoglossus chilensis</i> (Coreidae)	In packing for grapes	2					Do.
Do.	<i>Vitis</i> sp. (grape)	3					Do.
<i>Megacerus taticornis</i> (Bruchidae)	Convolvulaceae			2			D. C.
Diseases:							
<i>Alternaria herculea</i>	<i>Brassica oleracea capitata</i>					1	N. Y.
<i>Bacterium maculicola</i>	do					1	Do.
<i>Bacterium vesicatorium</i>	<i>Lycopersicum esculentum</i>	1					Do.
<i>Botrytis cinerea</i>	<i>Amygdalus persica nectarina</i> (nectarine)	2					Do.
Do.	<i>Prunus domestica</i> (plum)	1					Do.
Do.	<i>Prunus</i> sp. (cherry)	1					Do.
<i>Brachysporum</i> sp.	<i>Cucumis melo</i> (melon)	1					Do.
<i>Cladosporium carpophilum</i>	<i>Prunus armeniaca</i> (apricot)	2					Do.
<i>Colletotrichum circinans</i>	<i>Allium sativum</i> (garlic)	1					Do.
<i>Colletotrichum</i> sp.	<i>Puya</i> sp.		1				Calif.*
<i>Diplodia natalensis</i>	do		1				Do.*
<i>Gloeosporium</i> sp.	<i>Allium sativum</i> (garlic)	10				1	N. Y.
<i>Helminthosporium allii</i>	<i>Allium cepa</i> (onion)					1	Do.
<i>Heterosporium</i> sp.	<i>Allium sativum</i>	1					Do.
<i>Phoma alliicola</i>	Straw packing	1					Do.
<i>Puccinia graminis</i>	<i>Triticum aestivum</i> (wheat)	3					Do.
Do.	<i>Amygdalus persica nectarina</i> (nectarine)	1					Do.
<i>Sclerotinia sclerotiorum</i>	<i>Daucus carota</i> (carrot)					2	La.
Do.	<i>Cucumis melo</i> (melon)	1					N. Y.
<i>Sclerotium rolfsii</i>	<i>Cucumis melo</i> var. (honeydew melon)	6					Do.
Do.	<i>Allium sativum</i> (garlic)	1					Do.
<i>Sclerotium</i> sp.	<i>Apium graveolens</i> (celery)					2	Md.
<i>Septoria apii</i>	<i>Citrus limonia</i> (lemon)					1	Do.
<i>Sphaeloma fawcettii</i>	<i>Solanum tuberosum</i>					1	Va.
<i>Systanus</i> sp.	<i>Allium sativum</i>	1					N. Y.
<i>Thielavia</i> sp.	<i>Triticum aestivum</i> (wheat)	1					D. C.
<i>Tilletia laevis</i>	<i>Amygdalus persica</i> (peach)	1					N. Y.
<i>Tranzschelia pruni-spinosae</i>							
CHINA							
Insects:							
<i>Aspidiotus transparens</i> (Coccidae)	<i>Fatsia japonica</i> (fatsia)					1	Wash.
<i>Bruchidius dorsalis</i> (Bruchidae)	<i>Gleditschia sinensis</i> (Chinese honeylocust)	1					D. C.
<i>Chilo simplex</i> (Asiatic rice borer)	<i>Oryza sativa</i> (rice)	4	1	4			N. Y.
Do.	do	1					Pa.
Do.	do	1					S. C.
<i>Chirothrips similis</i> (thrips)	<i>Stipa</i> sp.	1					D. C.
<i>Icerya seychellorum</i> (Coccoidea)	<i>Litchi chinensis</i> (lychee)			1			Hawaii.*
<i>Lepidosaphes tuberculata</i> (Coccoidea)	<i>Iris</i> sp.		1				D. C.
<i>Liothrips vaneekei</i> (thrips)	<i>Lilium tsingtauense</i>		1				Calif.*
<i>Minthea rugicollis</i> (Lyctidae)	do		1				Do.*
<i>Odonaspis penicillata</i> (Coccidae)	Bamboo	1					D. C.
<i>Parlatoria ziziphus</i> (Coccidae)	<i>Citrus grandis</i> (pomelo)		1			13	Calif.*
Do.	do			1			Wash.
<i>Pseudoaonidia duplex</i> (camphor scale)	do					1	Calif.*
Psyllid	<i>Litchi chinensis</i> (lychee)					2	Hawaii.*
<i>Pyrausta nubilalis</i> (European corn borer)	<i>Holcus sorghum</i> (sorghum)			1			Wash.
<i>Sipalus gigas</i> (Curculionidae)	<i>Castanea</i> sp. (chestnut)	1					D. C.

List, by countries, of pests collected and reported from July 1, 1935, to June 30, 1936, inclusive—Continued

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
CHINA—Continued							
Diseases:							
<i>Anguina tritici</i>	<i>Triticum aestivum</i> (wheat)	2	—	—	—	—	D. C.
<i>Aphelenchoides parietinus</i>	<i>Eleocharis tuberosa</i> (waternut)	1	—	—	—	—	N. Y.
<i>Balanisia claviceps</i>	Bamboo	—	—	1	—	—	Calif.*
<i>Capnodium citri</i>	<i>Citrus grandis</i> (pomelo)	—	—	—	—	1	Do.*
<i>Ceratostomella adiposum</i>	<i>Eleocharis tuberosa</i> (waternut)	14	—	—	—	—	Do.*
Do	do	7	—	—	—	—	Mass.
Do	do	67	—	—	—	—	N. Y.
Do	do	2	—	—	—	—	Oreg.
Do	do	1	—	—	—	—	Pa.
<i>Ceratostomella sp.</i>	<i>Colocasia esculenta</i> (taro)	1	—	—	—	—	Calif.*
Do	do	1	—	—	—	—	N. Y.
Do	<i>Eleocharis tuberosa</i> (waternut)	5	—	—	—	—	Do.
Do	<i>Maranta arundinacea</i> (arrow-root)	1	—	—	—	—	Do.
<i>Colletotrichum sp.</i>	<i>Aglaonema</i> sp.	2	—	—	—	—	Calif.*
Do	<i>Oryza sativa</i> (rice)	—	1	—	—	—	N. Y.
<i>Coniothyrium sp.</i>	<i>Aglaonema</i> sp.	1	—	—	—	—	Calif.*
<i>Dictyosporium sp.</i>	do	—	—	—	—	—	Do.*
<i>Diplodia cacaoicola</i>	<i>Castanea</i> sp. (chestnut)	1	—	—	—	—	D. C.
<i>Erysiphe graminis</i>	<i>Triticum aestivum</i> (wheat)	1	—	—	—	—	N. Y.
<i>Gloeosporium aglaonemae</i>	<i>Aglaonema</i> sp.	2	—	—	—	—	Calif.*
<i>Gloeosporium sp.</i>	do	3	—	—	—	—	Do.
<i>Helminthosporium sp.</i>	<i>Oryza sativa</i> (rice)	1	—	—	—	—	N. Y.
<i>Monochaea sp.</i>	<i>Aglaonema</i> sp.	3	—	—	—	—	Calif.*
<i>Pestalozzia sp.</i>	do	2	—	—	—	—	Do.*
<i>Phoma citricarpa</i>	<i>Citrus sinensis</i> (orange)	4	2	1	—	—	Do.*
Do	do	4	—	—	—	—	N. Y.
<i>Phomopsis castaneum</i>	<i>Castanea</i> sp. (chestnut)	2	—	—	—	—	D. C.
<i>Phoma lingam</i>	<i>Brassica oleracea capitata</i>	—	—	—	—	1	Wash.
<i>Phomopsis sp.</i>	<i>Litchi</i> sp.	—	1	—	—	—	D. C.
<i>Physalospora sp.</i>	<i>Aglaonema</i> sp.	4	—	—	—	—	Calif.*
<i>Physarium sp.</i>	do	1	—	—	—	—	D. C.
<i>Phytophthora sp.</i>	<i>Eleocharis tuberosa</i> (waternut)	1	—	—	—	—	Mass.
<i>Poria cocos</i>	<i>Pinus</i> sp.	—	—	1	—	—	Wash.
<i>Puccinia graminis</i>	<i>Triticum aestivum</i> (wheat)	1	—	—	—	—	D. C.
Do	do	4	—	—	—	—	N. Y.
Do	do	1	—	—	—	—	Tex.
<i>Puccinia magnusiana</i>	<i>Phragmites communis</i>	1	—	—	—	—	N. Y.
<i>Puccinia rubigo-vera tritici</i>	<i>Triticum aestivum</i> (wheat)	1	—	—	—	—	Do.
<i>Puccinia sp.</i>	do	1	—	—	—	—	Tex.
<i>Pythium sp.</i>	<i>Nymphaea</i> sp. (waterlily)	1	—	—	—	—	N. Y.
Do	<i>Zingiber officinale</i> (ginger)	1	—	—	—	1	Greg.
Do	do	1	—	—	—	1	Pa.
<i>Sclerotinia sp.</i>	<i>Eleocharis tuberosa</i> (waternut)	1	—	—	—	—	Va.
<i>Sclerotium oryzae</i>	<i>Oryza sativa</i> (rice)	11	—	6	—	—	N. Y.
<i>Sclerotium rolfsii</i>	<i>Colocasia esculenta</i> (taro)	21	—	—	—	—	Do.
Do	do	1	—	—	—	—	Calif.*
<i>Sclerotium sp.</i>	<i>Aglaonema</i> sp.	2	—	—	—	—	N. Y.
Do	<i>Colocasia esculenta</i>	1	—	—	—	—	D. C.
Do	do	4	—	—	—	—	Mass.
Do	do	1	—	—	—	—	N. Y.
Do	do	2	—	—	—	—	Mass.
<i>Sclerotium sp.</i>	<i>Lilium</i> sp.	1	—	—	—	—	N. Y.
<i>Sphaceloma fawcettii</i>	<i>Maranta</i> sp. (arrowroot)	1	—	—	—	—	Do.
Do	<i>Citrus grandis</i> (pomelo)	—	—	—	—	—	Do.
<i>Stachybotrys sp.</i>	do	—	—	—	—	1	Calif.*
<i>Stilbum incarnatum</i>	<i>Aglaonema</i> sp.	1	—	—	—	1	Wash.
<i>Stysanus stemonites</i>	<i>Pachyrhizus erosus</i>	1	—	—	—	—	Calif.*
Do	<i>Colocasia esculenta</i> (taro)	1	—	—	—	—	Do.*
<i>Thielaviopsis sp.</i>	<i>Maranta arundinacea</i> (arrow-root)	1	—	—	—	—	N. Y.
<i>Tilletia laevis</i>	<i>Pueraria thunbergiana</i> (kudzu)	1	—	—	—	—	Do.
<i>Thielaviopsis paradoxa</i>	do	1	—	—	—	—	Calif.*
Do	<i>Eleocharis tuberosa</i> (waternut)	55	—	—	—	—	Do.*
Do	do	1	—	—	—	—	Mass.
Do	do	35	—	—	—	—	N. Y.
Do	do	1	—	—	—	—	Oreg.
Do	do	1	—	—	—	—	Calif.
Do	do	1	—	—	—	—	Mich.
<i>Thielaviopsis sp.</i>	<i>Zingiber officinale</i> (ginger)	1	—	—	—	—	Calif.*
<i>Tilletia laevis</i>	do	1	—	—	—	—	D. C.
	<i>Triticum aestivum</i> (wheat)	2	—	—	—	—	

*List, by countries, of pests collected and reported from July 1, 1935, to June 30, 1936,
inclusive—Continued*

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
CHINA—Continued							
Diseases—Continued.							
<i>Ustilago tritici</i>	<i>Triticum aestivum</i>	1					N. Y.
<i>Vorticillium</i> sp.	<i>Zingiber officinale</i> (ginger)	1					Calif.*
Do	do	1					N. Y.
COLOMBIA							
Insects:							
<i>Acrolephus scridus</i> (Acrolephidae)	<i>Cattleya trianae</i> (orchid)	1					D. C.
<i>Aspidiotus destructor</i> (Coccidae)	<i>Brassica</i> sp. (mustard)		1				N. Y.
Do	<i>Lepidium sativum</i> (cress)		1				Do.
Do	<i>Musa</i> sp. (banana)	1					Do.
<i>Aspidiotus palmae</i> (Coccidae)	<i>Stanhopea</i> sp. (orchid)		1				D. C.
<i>Aspidiotus spinosus</i> (Coccidae)	<i>Lycaste</i> sp. (orchid)	1					Do.
<i>Cligenes distinctus</i> (Lygaeidae)	Orchid	1					Do.
<i>Eurytoma orchidearum</i> (cattleya fly)	<i>Cattleya trianae</i> (orchid)	1					Calif.*
<i>Furcasia biformis</i> (Coccidae)	<i>Cattleya</i> sp. (orchid)	1					D. C.
<i>Hondandrothrips nigricestus</i> (thrips)	Orchid	1					Do.
<i>Melatasius sericeus</i> (silky cane weevil).	Banana debris	2					N. Y.
Do	do	1					S. C.
<i>Pachymerus nucleorum</i> (Bruchidae)	Palm		1				D. C.
<i>Ptylantes globosus</i> (Lygaeidae)	<i>Cattleya trianae</i> (orchid)	1					Calif.*
<i>Pseudococcus virgatus</i> (Coccidae)	do	1					D. C.
Psychid.	Banana debris	1					N. Y.
Do	do	3					S. C.
Diseases:							
<i>Cercospora cruciferarum</i>	<i>Raphanus sativus</i> (radish)					1	N. Y.
<i>Colletotrichum</i> sp.	<i>Cattleya trianae</i> (orchid)	2					Calif.*
Do	<i>Dianthus</i> sp. (carnation)		1				N. Y.
<i>Diplodia cacaoicola</i>	<i>Carica papaya</i> (papaya)		1				Do.
<i>Diplodia natalensis</i>	<i>Cattleya trianae</i> (orchid)	3					Calif.*
<i>Gloeosporium musarum</i>	<i>Musa</i> sp. (banana)	1					N. Y.
<i>Gloeosporium</i> sp.	<i>Cattleya trianae</i> (orchid)	4					Calif.*
Do		10	4				D. C.
Do	do	1					La.
Do							N. Y.
<i>Glomerella cingulata</i>	<i>Passiflora</i> sp.			1			Do.
<i>Oospora citri-aurantii</i>	<i>Carica papaya</i> (papaya)			1			Tex.
<i>Pestalozzia</i> sp.	<i>Citrus aurantifolia</i> (lime)			1			N. Y.
<i>Phyllosticta</i> sp.	do					1	Calif.*
<i>Thelephora</i> sp.	<i>Cattleya trianae</i> (orchid)	1					D. C.
COOK ISLANDS	Orchid	1					
Insects:							
<i>Metamasius</i> sp. (Curculionidae)	<i>Saccharum officinarum</i>		1				Do.
COSTA RICA							
Insects:							
<i>Calligrapha fulvipes</i> (Chrysomelidae).	<i>Masdevallia</i> sp. (orchid)	1					Do.
<i>Cosmopolites sordidus</i> (banana root borer).	Banana debris	1					N. Y.
<i>Macrosiphum lutca</i> (aphid).	<i>Oncidium sphacelatum</i> (orchid)	1					D. C.
<i>Metamasius sericeus</i> (silky cane weevil).	Banana debris	6					La.
Do	do	1					Md.
Do	do	31					N. Y.
Do							Calif.*
<i>Nasutitermes corniger</i> (termite)	<i>Musa</i> sp. (banana)	5					D. C.
<i>Pachymerus nucleorum</i> (Bruchidae)	<i>Epidendrum</i> sp. (orchid)		1				Do.
Psychid.	Palm		1				La.
Do	Banana debris	3					N. Y.
Do	do	4					S. C.
Diseases:							
<i>Diplodia cacaoicola</i>	Orchid	1					D. C.
<i>Gloeosporium litmetticolum</i>	<i>Citrus aurantifolia</i> (lime)					1	N. Y.
<i>Gloeosporium</i> sp.	Orchid	5					D. C.
Do	do		1				N. Y.
<i>Helminthosporium gramineum</i>	Grass	1					Do.
<i>Macromphoma</i> sp.	Orchid		1				D. C.
<i>Mycosphaerella musae</i>	<i>Musa</i> sp. (banana)		1				N. Y.
<i>Puccinia rubro-vera tritici</i>	<i>Triticum aestivum</i> (wheat)	1					Do.
<i>Sphaceloma favosetii</i>	<i>Citrus limonia</i> (rough lemon)			1			Fla.*
<i>Thielaviopsis paradoxa</i>	<i>Ananas sativus</i>	5					N. Y.
Do	<i>Musa</i> sp. (banana)	1					Do.

List, by countries, of pests collected and reported from July 1, 1935, to June 30, 1936, inclusive—Continued

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
CUBA							
Insects:							
<i>Aleurocanthus woglumi</i> (citrus blackfly).	<i>Citrus aurantifolia</i> (lime).....	1					Fla.*
Do.....	<i>Citrus sinensis</i> (orange).....				1		Do.*
<i>Anastrepha acidusa</i> (West Indian fruit fly).	<i>Mangifera indica</i> (mango).....			2			N. Y.
<i>Anastrepha suspensa</i> (Tryptidae).....	<i>Psidium guajava</i> (guava).....			2		1	Do.
<i>Anastrepha</i> sp. (Tryptidae).....	<i>Mangifera indica</i> (mango).....			1		1	Do.
<i>Anthonomus variipes</i> (Curculionidae).....	<i>Solanum melongena</i> (eggplant).....	1					Do.
<i>Apelma brevis</i> (Ceratopogonidae).....	<i>Ananas sativus</i>					1	Do.
<i>Aspidiotus coccophagus</i> (Coccidae).....	<i>Cocos nucifera</i> (coconut).....			3			Fla.*
Do.....	<i>Cycas revoluta</i> (sago cycas).....			1			Do.*
Do.....	<i>Ficus indica</i>					5	N. Y.
Do.....	Palm.....			4			Fla.*
<i>Aspidiotus destructor</i> (Coccidae).....	<i>Rosa</i> sp.....			3		1	Do.*
Do.....	<i>Musa</i> sp. (banana).....	4					Do.
Do.....	do.....			3			Md.
Do.....	do.....			3			N. Y.
Palm.....	Palm.....				1		Fla.*
Do.....	<i>Persea americana</i> (avocado).....	1					Do.*
Do.....	<i>Poinciana regia</i> (royal poinciana).....				1		Do.*
<i>Aspidiotus herculeanus</i> (Coccidae).....	<i>Annona muricata</i> (soursop).....				1		Do.*
Do.....	<i>Mammea americana</i> (mamey).....				1		Do.*
<i>Aspidiotus spinosus</i> (Coccidae).....	do.....				1		Do.*
Do.....	<i>Persea americana</i> (avocado).....			1			La.
<i>Ataenius terminalis</i> (Scarabaeidae).....	do.....			1			Do.
<i>Aulacaspis major</i> (Coccidae).....	<i>Litchi chinensis</i> (lychee).....	1					N. Y.
<i>Bephraea cubensis</i> (Eurytomidae).....	<i>Annona muricata</i> (soursop).....				1		Do.
<i>Bruchus zanthopus</i> (Bruchidae).....	<i>Dombeya natalensis</i> (Cape-weddingflower).....			1			D. C.
<i>Cerotoma ruficornis</i> (Chrysomelidae).....	<i>Phaseolus turatus macrocarpus</i> (lima bean).....	2					N. Y.
<i>Chrysomphalus personatus</i> (Coccidae).....	<i>Calophyllum</i> sp.....					1	La.
<i>Coccus acuminatus</i> (Coccidae).....	<i>Gardenia florida</i> (Cape-jasmine).....			8	4		Fla.*
<i>Coccus viridis</i> (Coccidae).....	<i>Citrus nobilis deliciosa</i> (tangerine).....					1	Do.*
Do.....	<i>Ficus</i> sp.....				1		Do.*
Do.....	<i>Gardenia florida</i> (Cape-jasmine).....			22	12	1	Do.*
Do.....	<i>Irrora</i> sp.....				1		Do.*
<i>Collabismodes cubae</i> (Curculionidae).....	<i>Capsicum annuum</i>					1	N. Y.
<i>Conoderus bifoveatus</i> (Elateridae).....	<i>Ananas sativus</i>	2					La.
<i>Crocidosema plebeiana</i> (Olethreutidae).....	<i>Hibiscus esculentus</i> (okra).....			1			Do.
Do.....	do.....						N. Y.
<i>Cylas formicarius</i> (sweetpotato weevil).....	<i>Ipomoea batatas</i> (sweetpotato).....			3		1	Fla.*
Do.....	do.....					1	La.
Do.....	do.....				1		N. Y.
Do.....	do.....					1	Pa.
<i>Ephestia</i> sp. (Pyralidae).....	<i>Ananas sativus</i>			30			La.
Do.....	do.....			13			N. Y.
<i>Fiorinia neopheli</i> (Coccidae).....	<i>Litchi chinensis</i> (lychee).....			1			Do.
<i>Frankliniella cubensis</i> (thrips).....	<i>Chalcas erotica</i> (orange-jasmine).....				1		Fla.*
Do.....	<i>Chrysanthemum</i> sp.....					1	Do.*
Do.....	<i>Rosa</i> sp.....			2	6		Do.*
<i>Frankliniella insularis</i> (thrips).....	<i>Dahlia</i> sp.....				1		Do.*
Do.....	<i>Gardenia florida</i> (Cape-jasmine).....				1		N. Y.
Do.....	<i>Lactuca sativa</i> (lettuce).....					1	Do.
Do.....	<i>Lathyrus odoratus</i> (sweet pea).....					1	Fla.*
Do.....	<i>Rosa</i> sp.....				2		Do.*
Do.....	<i>Lycopersicum esculentum</i>	4					La.
<i>Gnorimoschema lycopersicella</i> (tomato pinworm).....	do.....			2			N. Y.
Do.....	<i>Ficus indica</i>					32	Do.
<i>Gynaikothrips uzeli</i> (thrips).....	<i>Ficus</i> sp.....				1		Fla.*
Do.....	do.....					1	N. Y.
Do.....	<i>Laurus nobilis</i> (Grecian laurel).....					1	Do.
<i>Ilaptothrips goudeyi</i> (thrips).....	<i>Lathyrus odoratus</i> (sweet pea).....					1	Fla.*
Do.....	do.....					1	N. Y.
Do.....	<i>Pisum sativum</i> (pea).....			1			Do.

*List, by countries, of pests collected and reported from July 1, 1935, to June 30, 1936,
inclusive—Continued*

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	B baggage	Quarters	Stores	
CUBA—Continued							
Insects—Continued.							
<i>Hemiclionaspis minor strachani</i> (Coccidae).	<i>Heterospatha elata</i> (palm).....	1					D. C.
<i>Heteroderes laurenti</i> (Elateridae).....	<i>Ananas sativus</i>	1					La.
<i>Leucaspis indica</i> (Coccidae).....	<i>Mangifera indica</i> (mango).....	1					D. C.
<i>Maruca testulalis</i> (bean pod borer).....	<i>Phaseolus lunatus macrocarpus</i> (liina bean).....	153					N. Y.
<i>Metamasius sericeus</i> (silky cane weevil).....	<i>Ananas sativus</i>	1					La.
<i>Nanus uniformis</i> (Curculionidae).....do.....	1					Do.
<i>Oedancala cubana</i> (Lygaeidae).....	<i>Phaseolus lunatus macrocarpus</i>	1					N. Y.
<i>Paraleurodes perseae</i> (whitefly).....	<i>Citrus sinensis</i> (orange).....				1		Fla.*
<i>Phyllophaga puberula</i> (Scarabaeidae).....	<i>Ananas sativus</i>	1					La.
<i>Pinnaspis buri</i> (Coccidae).....	Palm.....				1		N. Y.
<i>Platynota rostrana</i> (Tortricidae).....	<i>Ananas sativus</i>	1					La.
Do.....	<i>Capsicum annuum</i>	1					Do.
Do.....do.....	2					N. Y.
Do.....	<i>Solanum melongena</i> (eggplant).....	1					La.
<i>Pseudococcus boninsis</i> (Coccidae).....	<i>Saccharum officinarum</i>			1	1		Fla.*
Do.....do.....			1			N. Y.
<i>Pseudococcus virgatus</i> (Coccidae).....	<i>Ananas sativus</i>	1					La.
Do.....do.....	4					N. Y.
Do.....	<i>Capsicum annuum</i>	1					Do.
Do.....	<i>Hibiscus esculentus</i> (okra).....	1					Fla.*
Do.....do.....	1					La.
Do.....do.....	1					N. Y.
Do.....	<i>Lycopersicum esculentum</i>	1					Do.
<i>Pseudopeltalaria ostreata</i> (Coccidae).....	<i>Musa</i> sp. (banana).....	1					Do.
<i>Pseudopeltalaria parlatorioides</i> (Coccidae).....do.....	1					Fla.*
<i>Pultinaria psidii</i> (Coccidae).....	<i>Ficus</i> sp.....			1			Do.*
Stenomid.....	<i>Persea americana</i> (avocado).....			1			La.
<i>Stephanoderes nitidipennis</i> (Scolytidae).....	<i>Ananas sativus</i>	1					Do.
<i>Stephanoderes nitidulus</i> (Scolytidae).....	<i>Saccharum officinarum</i>			1			N. Y.
<i>Targinia bromeliae</i> (Coccidae).....	<i>Ananas sativus</i>	2					La.
Do.....do.....	1				1	N. Y.
<i>Targinia hirtii</i> (Coccidae).....	<i>Dioscore</i> sp. (yam).....	1		1			Do.
<i>Targinia sacchari</i> (Coccidae).....	<i>Ananas sativus</i>	1					N. Y.
Do.....	<i>Saccharum officinarum</i>			4			Fla.*
<i>Trionymus sacchari</i> (Coccidae).....do.....	1					La.
<i>Xyleborus confusus</i> (Scolytidae).....	<i>Lycopersicum esculentum</i>	1					N. Y.
Diseases:							
<i>Albugo candida</i>	<i>Brassica chinensis</i> (white mustard).....	39					Do.
Do.....	<i>Brassica juncea</i> (mustard).....	52					Do.
Do.....	<i>Brassica rapa</i> (turnip).....	5					Do.
Do.....	<i>Raphanus sativus</i> (radish).....	1			3		Do.
<i>Alternaria brassicæ</i>	<i>Brassica chinensis</i> (white mustard).....	1					Do.
Do.....	<i>Brassica oleracea capitata</i>					4	Do.
<i>Alternaria herculea</i>	<i>Brassica chinensis</i>	2					Do.
<i>Ascochyta</i> sp.....	<i>Chayota edulis</i> (chayote).....	1					Do.
Do.....	<i>Cucumis sativus</i> (cucumber).....			1			Ala.
<i>Bacillus</i> sp.....do.....	1					N. Y.
Do.....	<i>Lycopersicum esculentum</i>			1			Do.
<i>Bacterium maculicola</i>	<i>Brassica oleracea capitata</i>			3			Do.
<i>Bacterium vesicatorium</i>	<i>Capsicum annuum</i>	13					La.
Do.....do.....	235				4	N. Y.
Do.....	<i>Lycopersicum esculentum</i>			1			Ala.
Do.....do.....	1					Fla.*
Do.....do.....	15				2	La.
Do.....do.....					1	Md.
Do.....do.....	1					Mich.
Do.....do.....	623				12	N. Y.
Do.....	<i>Solanum melongena</i> (eggplant).....	2					La.
Do.....do.....	1				1	N. Y.
<i>Capnodium citri</i>	<i>Citrus aurantiifolia</i> (lime).....						Do.
Do.....	<i>Citrus sinensis</i> (orange).....					1	Do.

List, by countries, of pests collected and reported from July 1, 1935, to June 30, 1936, inclusive—Continued

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
CUBA—Continued.							
Diseases—Continued.							
<i>Capnodis</i> sp.	<i>Litchi chinensis</i> (lychee)	1					N. Y.
Do	<i>Saccharum officinarum</i>				1		La.
Do	do				1		Pa.
Do	do				2		Va.
<i>Cephalcius virescens</i>	<i>Citrus aurantifolia</i> (lime)	1					Fla.*
<i>Ceratostomella adiposum</i>	<i>Saccharum officinarum</i>	1		2			N. Y.
<i>Ceratostomella fimbriata</i>	<i>Xanthosoma sagittifolium</i> (yautia).	1					Do.
Do	<i>Xanthosoma</i> sp. (malanga)	9					Do.
<i>Cercospora beticola</i>	<i>Beta vulgaris</i> (beet)				1		Do.
Do	do				1		Pa.
<i>Cercospora capsici</i>	<i>Beta vulgaris cicla</i> (Swiss chard)				8		N. Y.
Do	<i>Capsicum annuum</i>				1		La.
Do		273				6	N. Y.
<i>Cercospora hibisci</i>	<i>Cucumis sativus</i> (cucumber)	1					Do.
<i>Cercospora rosicola</i>	<i>Hibiscus esculentus</i> (okra)	2					Fla.*
<i>Cercospora xanthoxyli</i>	<i>Rosa</i> sp.				1		N. Y.
<i>Cercospora</i> sp.	<i>Zanthoxylum</i> sp.	1					Pa.
Do	<i>Brassica oleracea capitata</i>				1		N. Y.
	<i>Phaseolus lunatus macrocarpus</i> (lima bean).	11					Do.
	<i>Radicula nasturtium-aquaticum</i> (watercress).					1	Do.
<i>Cladosporium cucumerinum</i>	<i>Cucumis sativus</i> (cucumber)	2					Fla.*
Do	do	1					N. Y.
<i>Cladosporium fulvum</i>	<i>Lycopersicum esculentum</i>				1		Ala.
Do	do				2		La.
<i>Colletotrichum circinans</i>	<i>Allium porrum</i> (leek)				2		Md.
<i>Colletotrichum falcatum</i>	<i>Saccharum officinarum</i>	1		3			Fla.*
<i>Colletotrichum lagenarium</i>	<i>Benincasa hispida</i> (hairy squash).	12					N. Y.
Do	<i>Chayota edulis</i> (chayote)	2				1	Do.
Do	<i>Citrullus vulgaris</i> (watermelon)	1					Do.
Do	<i>Cucumis sativus</i> (cucumber)	3					Do.
Do	<i>Cucurbita pepo</i> (pumpkin)	1					Do.
<i>Colletotrichum nigrum</i>	<i>Capsicum annuum</i>	4			1	3	La.
Do	do	7					N. Y.
<i>Colletotrichum phomoides</i>	<i>Lycopersicum esculentum</i>	2					La.
<i>Colletotrichum truncatum</i>	<i>Phaseolus lunatus macrocarpus</i> (lima bean).	4					N. Y.
<i>Diplocarpon rosae</i>	<i>Rosa</i> sp.				1		La.
Do	do			1	1		N. Y.
<i>Diplodia cacaoicola</i>	<i>Copernicia yarey</i>		1				D. C.
Do	<i>Persea americana</i> (avocado)	1					N. Y.
<i>Diplodia natalensis</i>	<i>Citrus aurantifolia</i> (lime)	1					Do.
Do	<i>Citrus grandis</i> (grapefruit)	1					La.
Do	do	2					N. Y.
Do	<i>Cocos nucifera</i> (coconut)				1		Pa.
Do	<i>Musa</i> sp. (banana)	1					Do.
<i>Diplodia</i> sp.	<i>Persea americana</i> (avocado)				2		Md.
<i>Elsinoe phaseoli</i>	<i>Citrullus vulgaris</i> (watermelon)	1					N. Y.
	<i>Phaseolus lunatus macrocarpus</i> (lima bean).	420				3	Do.
<i>Gloeosporium limetticolum</i>	<i>Citrus aurantifolia</i> (lime)	22					Fla.*
Do	do	1					N. Y.
Do	do					2	Pa.
<i>Gloeosporium melongenae</i>	<i>Solanum melongena</i> (eggplant)	1					N. Y.
<i>Gloeosporium musarum</i>	<i>Musa</i> sp. (banana)	2					Md.
<i>Gloeosporium</i> sp.	<i>Capsicum annuum</i>	1					N. Y.
Do	<i>Momordica charantia</i> (balsam-pear).	1					Do.
<i>Glomerella cingulata</i>	<i>Capsicum annuum</i>	1					La.
Do	do	2					N. Y.
<i>Glomerella gossypii</i>	<i>Gossypium</i> sp. (cotton)				1		Fla.*
<i>Helminthosporium</i> sp.	<i>Ananas sativus</i>	1					N. Y.
Do	<i>Capsicum annuum</i>	1					Do.
Do	<i>Musa paradisiaca</i> (plantain)	1					Do.
<i>Macrorhipidium</i> sp.	<i>Lycopersicum esculentum</i>	1					La.
Do	do					1	Pa.
<i>Melanconium sacchari</i>	<i>Saccharum officinarum</i>				1		Fla.*
Do	do			11		1	N. Y.
Do	do					1	Pa.
Do	do					1	Va.

List, by countries, of pests collected and reported from July 1, 1935, to June 30, 1936, inclusive—Continued

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
CUBA—Continued							
Diseases—Continued.							
<i>Melanconium</i> sp.—	<i>Chayota edulis</i> (chayote)	2					N. Y.
Do—	<i>Lycopersicum esculentum</i>	1					Do.
<i>Melanospora mattirolianum</i>	do	1					Do.
Mosaic—	<i>Capsicum annuum</i>	82					Do.
Do—	<i>Lycopersicum esculentum</i>	67					Do.
Do—	<i>Phaseolus lunatus macrocarpus</i> (lima bean).	79					Do.
<i>Mycosphaerella citrullina</i> —	<i>Cucurbita maxima</i> (squash)	1					La.
<i>Oidium lactis parasitica</i> —	<i>Lycopersicum esculentum</i>	1					N. Y.
<i>Oidium</i> sp.—	<i>Phascolus lunatus macrocarpus</i>	1					Do.
<i>Oospora citri-aurantii</i> —	<i>Citrus aurantifolia</i> (lime)	2					Fla.*
Do—	do						Pa.
<i>Oospora lactis parasitica</i> —	<i>Capsicum annuum</i>						Do.
Do—	<i>Lycopersicum esculentum</i>						Ala.
Do—	do	2					La.
Do—	do	1					N. Y.
<i>Oospora</i> sp.—	<i>Chayota edulis</i> (chayote)						La.
Do—	<i>Cucumis sativus</i> (cucumber)						Pa.
<i>Periconia</i> sp.—	Cactus		1				Fla.*
Do—	<i>Hibiscus esculentus</i> (okra)	1					La.
<i>Pestalozzia</i> sp.—	<i>Citrus aurantifolia</i> (lime)	1					N. Y.
<i>Phoma destructiva</i> —	<i>Capsicum annuum</i>	1					La.
Do—	do	4					N. Y.
Do—	<i>Lycopersicum esculentum</i>					1	Ala.
Do—	do	10				4	La.
Do—	do	2				9	Mich.
Do—	do	165					N. Y.
Do—	do				1		Pa.
Do—	do					1	Tex.
<i>Phoma</i> sp.—	<i>Chayota edulis</i> (chayote)	1					La.
Do—	do	1					N. Y.
Do—	<i>Citrullus vulgaris</i> (watermelon)	1					Do.
Do—	<i>Hibiscus esculentus</i> (okra)	1					La.
Do—	<i>Persea americana</i> (avocado)	1					N. Y.
Do—	<i>Phaseolus lunatus macrocarpus</i> (lima bean).	1					Do.
Do—	<i>Poinciana regia</i> (royal poinciana)		1				Do.
Do—	<i>Solanum melongena</i> (eggplant)	1					Do.
<i>Phomopsis vexans</i> —	do	16				1	La.
Do—	do	144				1	N. Y.
Do—	<i>Solanum tuberosum</i>	1					La.
<i>Phomopsis</i> sp.—	<i>Capsicum annuum</i>	2					N. Y.
<i>Phyllosticta phaseolina</i> —	<i>Phaseolus lunatus macrocarpus</i> (lima bean).	1					Do.
<i>Phyllosticta</i> sp.—	<i>Gardenia florida</i> (Cape-jasmine).		1				Fla.*
Do—	<i>Hibiscus esculentus</i> (okra)	1					N. Y.
Do—	<i>Mangifera indica</i> (mango)		1				Do.
Do—	<i>Raphanus sativus</i> (radish)				1		Do.
<i>Physopelta</i> fci.—	<i>Ficus carica</i> (fig)		1				Fla.*
<i>Phytophthora</i> sp.—	<i>Lycopersicum esculentum</i>	1					La.
Do—	<i>Solanum melongena</i> (eggplant)	2					Do.
<i>Pratylenchus pratensis</i> —	<i>Lycopersicum esculentum</i>	1					Do.
<i>Puccinia graminis</i> —	<i>Triticum aestivum</i> (wheat)	1					N. Y.
<i>Puccinia rubigo-vera tritici</i> —	do			1			Do.
<i>Pythium</i> sp.—	<i>Lycopersicum esculentum</i>	1					La.
<i>Sclerotinia sclerotiorum</i> —	<i>Cucumis sativus</i> (cucumber)	1				1	Fla.*
Do—	<i>Daucus carota</i> (carrot)				1		Tex.
Do—	<i>Lycopersicum esculentum</i>					1	La.
<i>Sclerotinia</i> sp.—	<i>Hibiscus esculentus</i> (okra)	1					Do.
<i>Sclerotium</i> sp.—	<i>Citrus aurantifolia</i> (lime)	1					Fla.*
Do—	<i>Colocasia esculenta</i> (dasheen)	1					N. Y.
<i>Septobasidium pseudopedicellatum</i> —	<i>Citrus nobilis deliciosa</i> (tangerine).		1				Fla.*
<i>Septoria lactucae</i> —	<i>Lactuca sativa</i> (lettuce)					1	N. Y.
<i>Septoria lycopersici</i> —	<i>Solanum melongena</i> (eggplant)	1					La.
<i>Septoria petroselini</i> —	<i>Petroselinum hortense</i> (parsley)					2	N. Y.
<i>Septoria pisi</i> —	<i>Pisum sativum</i> (pea)					1	Do.
<i>Sphaeloma faucessii</i> —	<i>Citrus sinensis</i> (orange)				1		Fla.*
<i>Sphaerotheca pannosa</i> —	<i>Rosa</i> sp.				2		Do.*

List, by countries, of pests collected and reported from July 1, 1935, to June 30, 1936, inclusive—Continued

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—		
		Cargo	Mail	Baggage	Quarters	Stores			
CUBA—Continued									
Diseases—Continued.									
<i>Stysanus stemonites</i>	<i>Saccharum officinarum</i>				1		N. Y.		
Do	<i>Solanum tuberosum</i>					1	La.		
Do	do		1				N. Y.		
Do	do					1	Tex.		
<i>Thielaviopsis paradoxa</i>	<i>Ananas sativus</i>		4				La.		
Do	do					1	Md.		
Do	do		52				N. Y.		
Do	<i>Musa</i> sp. (banana)		1				Do.		
Do	<i>Saccharum officinarum</i>					1	La.		
Do	do		15	13			N. Y.		
Do	do					1	Pa.		
Do	do					1	Va.		
Trichoderma sp.	<i>Citrus aurantifolia</i> (lime)		1				Fla.*		
<i>Uromyces cestri</i>	<i>Cestrum</i> sp.					1	Do.*		
<i>Verticillium</i> sp.	<i>Hibiscus esculentus</i> (okra)		1				La.		
CZECHOSLOVAKIA									
Diseases:									
<i>Helminthosporium</i> sp.	<i>Triticum aestivum</i> (wheat)	1					N. Y.		
<i>Phyllosticta</i> sp.	<i>Acer platanoides</i> (Norway maple)	1					Do.		
Do	<i>Fraxinus excelsior</i> (European ash)	1					Do.		
<i>Puccinia graminis</i>	<i>Triticum aestivum</i> (wheat)	2	1				Do.		
<i>Puccinia rubigo-erai tritici</i>	do	1	1				Do.		
DANZIG									
Diseases:									
<i>Claviceps purpurea</i>	<i>Secale cereale</i> (rye)		1				Do.		
DENMARK									
Insects:									
<i>Anthonomus rectirostris</i> (Curculionidae).	<i>Prunus</i> sp. (flowering cherry)	1					D. C.		
<i>Bruchidius villosus</i> (Bruchidae)	<i>Laburnum alpinum</i> (Scotch laburnum)		1				Do.		
<i>Bruchus atomarius</i> (Bruchidae)	<i>Lathyrus montanus</i>		1				Do.		
<i>Ceutorhynchus pleurostigma</i> (turnip gall weevil).	<i>Brassica rapa</i> (turnip)				2		N. Y.		
Do	do					2	Pa.		
Do	do					1	P. R.		
<i>Frankliniella tenuicornis</i> (thrips)	<i>Zea mays</i> (corn)					1	Pa.		
<i>Psyllides chrysoccephala</i> (Chrysomelidae).	<i>Brassica rapa</i>					1	N. Y.		
<i>Taeniothrips atratus</i> (thrips)	<i>Buxus</i> sp. (boxwood)				1		Do.		
<i>Thrips angusticeps</i> (thrips)	<i>Lactuca sativa</i> (lettuce)				1		Do.		
<i>Thrips tabaci atricornis</i> (thrips)	do				1		Pa.		
<i>Thrips validus</i> (thrips)	do				1		Do.		
Diseases:									
<i>Albugo candida</i>	<i>Brassica oleracea botrytis</i> (cauliflower)					1	N. Y.		
<i>Alternaria brassicae</i>	<i>Brassica oleracea capitata</i>					1	Md.		
Do	do					2	N. Y.		
Do	do					1	Pa.		
Do	do					1	Va.		
<i>Alternaria herculea</i>	<i>Brassica oleracea gemmifera</i> (brussels sprouts)					1	Pa.		
Do	<i>Brassica rapa</i> (turnip)					1	Va.		
<i>Bacterium maculicola</i>	<i>Brassica oleracea capitata</i>					2	Md.		
<i>Botrytis cinerea</i>	<i>Allium cepa</i> (onion)					3	Pa.		
Do	do					2	Va.		
Do	<i>Apium graveolens</i> (celery)					1	La.		
Do	<i>Brassica oleracea capitata</i>					1	Pa.		
Do	<i>Daucus carota</i> (carrot)					1	Do.		
Do	do					1	Va.		
<i>Ditylenchus dipsaci</i>	<i>Solanum tuberosum</i>					1	Mass.		
Do	do					1	Tex.		
<i>Heterosporium allii</i>	<i>Allium porrum</i> (leek)					1	N. Y.		
Do	do					2	Pa.		
<i>Heterosporium</i> sp.	do					1	N. Y.		
<i>Mycosphaerella schoenoprasii</i>	do					1	Pa.		
<i>Oospora pustulans</i>	<i>Solanum tuberosum</i>					1	Md.		
<i>Phytophthora</i> sp.	<i>Brassica oleracea capitata</i>					1	Pa.		

List, by countries, of pests collected and reported from July 1, 1935, to June 30, 1936,
inclusive—Continued

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—		
		Cargo	Mail	Baggage	Quarters	Stores			
DENMARK—Continued									
Diseases—Continued.									
<i>Puccinia rubigo-vera tritici</i>	<i>Triticum aestivum</i> (wheat)					2	Md.		
<i>Puccinia</i> sp.	do	1					N. Y.		
<i>Pythium</i> sp.	<i>Brassica rapa</i> (turnip)					1	Pa.		
Do	<i>Daucus carota</i> (carrot)					1	Tex.		
<i>Sclerotinia sclerotiorum</i>	do					1	Ala.		
Do	do					1	La.		
Do	do					4	Pa.		
Do	do					2	Tex.		
<i>Sclerotium</i> sp.	<i>Beta vulgaris</i> (beet)					1	Pa.		
<i>Septoria apii</i>	<i>Apium graveolens</i> (celery)					3	N. Y.		
Do	do					4	Pa.		
Do	<i>Apium graveolens rapaceum</i> (celeriac)					1	Do.		
<i>Septoria petroselini</i>	<i>Petroselinum hortense</i> (parsley)					1	N. Y.		
<i>Syzygnus stemonites</i>	<i>Solanum tuberosum</i>					1	Ala.		
<i>Urocystis occulta</i>	<i>Secale cereale</i> (rye)					1	Md.		
DOMINICA									
Insects:									
<i>Chrysomphalus rhizophorae</i> (Coccoidae)	<i>Citrus aurantifolia</i> (lime)	1					Mass.		
<i>Coccus viridis</i> (Coccoidae)	do	4					N. Y.		
<i>Philephedra broadwayi</i> (Coccoidae)	<i>Theobroma cacao</i> (cacao)		1				D. C.		
<i>Pultinaria psidii</i> (Coccoidae)	<i>Izora</i> sp.			1			Fla.*		
<i>Tartigonia hartii</i> (Coccoidae)	<i>Dioscorea</i> sp. (yam)			1			N. Y.		
Diseases:									
<i>Diplodia natalensis</i>	<i>Citrus aurantifolia</i> (lime)	11					Do.		
<i>Gloeosporium limetticolum</i>	do	6					Do.		
<i>Melanconium sacchari</i>	<i>Saccharum officinarum</i>	1					Do.		
DOMINICAN REPUBLIC									
Insects:									
<i>Anaphothrips orchidi</i> (thrips)	Orchid		1				Calif.*		
<i>Anastrepha acidusa</i> (West Indian fruit fly)	<i>Mangifera indica</i> (mango)		1				P. R.		
<i>Aspidiottus cocotiphagus</i> (Coccoidae)	<i>Cocos nucifera</i> (coconut)					1	N. Y.		
<i>Asterolecanium aureum</i> (Coccoidae)	Orchid		1				D. C.		
<i>Coccus acuminatus</i> (Coccoidae)	<i>Gardenia florida</i> (Cape-jasmine)			1			N. Y.		
<i>Frankliniella insularis</i> (thrips)	do			1			Do.		
<i>Furcaspis biformis</i> (Coccoidae)	<i>Brassia caudata</i> (orchid)		1				D. C.		
Do	<i>Epidendrum</i> sp. (orchid)		1				Do.		
Do	<i>Oncidium</i> sp. (orchid)		2				Do.		
Do	Orchid		1				Do.		
<i>Pectinophora gossypiella</i> (pink bollworm).	<i>Polyrhiza sallaei</i>		1				Do.		
Do	<i>Gossypium</i> sp. (cottonseed)	1					N. Y.		
<i>Pinnaspis buxi</i> (Coccoidae)	do			1			P. R.		
<i>Pseudeococcus virgatus</i> (Coccoidae)	Orchid		1				Calif.*		
<i>Pseudoparlatoria parlatoioides</i> (Coccoidae)	<i>Cereus</i> sp. (cactus)		1				D. C.		
<i>Pultinaria psidii</i> (Coccoidae)	Orchid		1				Do.		
<i>Pyrophorus luminosus</i> (Elateridae)	<i>Gardenia florida</i> (Cape-jasmine)			1			N. Y.		
<i>Tartigonia hartii</i> (Coccoidae)	<i>Rosa</i> sp.			1			P. R.		
<i>Trichrous irroratus</i> (Cerambycidae)	<i>Dioscorea</i> sp. (yam)			1			Do.		
<i>Vinsonia stellifera</i> (Coccoidae)	In base wood upon which orchid was growing.		1				Calif.*		
Do	<i>Brassia caudata</i> (orchid)		1				D. C.		
Do	<i>Lycaste costata</i> (orchid)		1				Do.		
Do	<i>Oncidium</i> sp. (orchid)		1				Do.		
Do	Orchid		1				Calif.*		
Diseases:	do		3				D. C.		
<i>Capnodium</i> sp.	<i>Saccharum officinarum</i>			1			Pa.		
<i>Diplocarpon rosae</i>	<i>Fusa</i> sp.			1			P. R.		
<i>Diplodia cacaicola</i>	Cactus		1				D. C.		
Do	<i>Dillenia indica</i>		1				Do.		
<i>Diplodia natalensis</i>	<i>Citrus aurantifolia</i> (lime)		1				N. Y.		
<i>Diplodia tubericola</i>	<i>Ipomoea batatas</i> (sweetpotato)					1	Tex.		
<i>Gloeosporium</i> sp.	Orchid		3				D. C.		

List, by countries, of pests collected and reported from July 1, 1935, to June 30, 1936, inclusive—Continued

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—		
		Cargo	Mail	B baggage	Quarters	Stores			
DOMINICAN REPUBLIC—Continued									
Diseases—Continued.									
<i>Helminthosporium torulosum</i>	<i>Musa paradisiaca</i> (plantain).....	1	—	—	—	—	N. Y.		
<i>Metaphasma cocoes</i>	<i>Cocos nucifera</i> (coconut).....	—	—	—	1	—	Do.		
<i>Mycosphaerella</i> sp.....	<i>Cactus</i>	—	1	—	—	—	D. C.		
<i>Pestalozzia</i> sp.....	<i>Eugenia malaccensis</i> (malay-apple).....	—	—	1	—	—	N. Y.		
<i>Phoma</i> sp.....do.....	—	—	1	—	—	Do.		
<i>Pythium</i> sp.....	<i>Saccharum officinarum</i>	—	—	—	1	—	Va.		
<i>Thielaviopsis paradoxa</i>	<i>Ananas sativus</i>	—	—	1	—	—	N. Y.		
Do.....	<i>Saccharum officinarum</i>	—	—	—	1	—	P. R.		
DUTCH EAST INDIES									
Insects:									
<i>Lepidosaphes lasianthi</i> (Coccidae).....	<i>Codiaeum</i> sp. (croton).....	—	—	—	1	—	Pa.		
<i>Stephanoderes hampei</i> (coffee berry borer).....	<i>Coffea</i> sp.....	6	—	—	—	—	N. Y.		
<i>Targionia sacchari</i> (Coccidae).....	<i>Saccharum officinarum</i>	—	1	—	—	—	D. C.		
Diseases:									
<i>Colletotrichum</i> sp.....	<i>Dendrobium</i> sp. (orchid).....	—	—	—	1	—	Pa.		
<i>Diplodia cacaoicola</i>	<i>Calamus</i> sp. (rattan).....	1	—	—	—	—	N. Y.		
<i>Melanconium sacchari</i>	<i>Saccharum officinarum</i>	—	1	—	—	—	D. C.		
DUTCH GUIANA									
Diseases:									
<i>Septoria apii</i>	<i>Apium graveolens</i> (celery).....	—	—	—	—	1	N. Y.		
DUTCH WEST INDIES									
Diseases:									
<i>Thielaviopsis paradoxa</i>	<i>Saccharum officinarum</i>	—	—	1	—	—	Do.		
EAST AFRICA									
Diseases:									
<i>Fusarium moniliforme</i>	<i>Zea mays</i> (corn).....	—	1	—	—	—	Ala.		
ECUADOR									
Insects:									
<i>Cryphula trimaculata</i> (Lygaeidae).....	<i>Pennisetum orientale</i>	—	1	—	—	—	D. C.		
<i>Euscipes batatas</i> (West Indian sweetpotato weevil).....	<i>Ipomoea batatas</i> (sweetpotato).....	—	—	—	2	—	Pa.		
<i>Lucitus simplex</i> (Lyctidae).....	Wooden box for orange juice.....	1	—	—	—	—	N. Y.		
<i>Metamasius hemipterus</i> (West Indian cane weevil).....	Banana debris.....	1	—	—	—	—	Do.		
<i>Metamasius sericeus</i> (silky cane weevil).....do.....	—	2	—	—	—	Ala.		
Do.....do.....	—	18	—	—	—	N. Y.		
Do.....	<i>Musa</i> sp. (banana).....	—	1	—	—	—	Ala.		
Do.....do.....	—	1	—	—	—	Calif.*		
Psychid.....	Banana debris.....	—	1	—	—	—	Ala.		
Stenomimid.....	<i>Persea americana</i> (avocado).....	—	—	—	3	—	N. Y.		
Do.....do.....	—	—	—	1	—	Wash.		
Diseases:									
<i>Alternaria brassicae</i>	<i>Brassica oleracea capitata</i>	—	—	—	1	—	Md.		
<i>Bacterium maculicola</i>do.....	—	—	—	1	—	Do.		
<i>Ceratostomella fimbriata</i>	<i>Ipomoea batatas</i> (sweetpotato).....	—	—	—	1	—	Pa.		
<i>Cladosporium fulvum</i>	<i>Lycopersicum esculentum</i>	—	—	—	1	—	Md.		
<i>Colletotrichum circinans</i>	<i>Allium ascalonicum</i> (shallot).....	—	—	—	1	—	Do.		
<i>Diplodia cacaoicola</i>	<i>Jacquinia armillaris</i>	—	—	—	—	—	N. Y.		
<i>Diplodia</i> sp.....	<i>Ceiba pentandra</i> (ceiba).....	—	1	—	—	—	Do.		
<i>Puccinia graminis</i>	<i>Triticum aestivum</i> (wheat).....	—	1	—	—	—	Do.		
<i>Sclerotinia oryzae</i>	<i>Oryza sativa</i> (rice).....	—	—	1	—	—	Do.		
<i>Thielaviopsis paradoxa</i>	<i>Musa</i> sp. (banana).....	—	1	—	—	—	Do.		
EGYPT									
Insects:									
<i>Chilo simplex</i> (Asiatic rice borer).....	<i>Oryza sativa</i> (rice).....	—	—	2	—	—	N. Y.		
<i>Parlatoria blanchardi</i> (Parlatoria date scale).....	<i>Phoenix dactylifera</i> (date).....	—	1	—	—	—	Do.		
<i>Pectinophora gossypiella</i> (pink bollworm).....	<i>Gossypium</i> sp. (cottonseed).....	—	1	—	—	—	Ala.		
Do.....do.....	—	18	—	—	—	N. Y.		
Do.....do.....	—	1	—	—	—	P. R.		
Do.....do.....	—	1	—	—	—	Va.		
Do.....	<i>Gossypium</i> sp. (seed cotton).....	—	1	—	—	—	N. Y.		

*List, by countries, of pests collected and reported from July 1, 1935, to June 30, 1936,
inclusive—Continued*

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
Egypt—Continued							
Diseases:							
<i>Alternaria brassicae</i>	<i>Brassica oleracea capitata</i>						1 N. Y.
Do	do						1 Pa.
<i>Capnodis citri</i>	<i>Citrus sinensis</i> (orange)						1 Va.
<i>Cercospora apii</i>	<i>Apium graveolens</i> (celery)						1 N. Y.
<i>Glomerella cingulata</i>	<i>Capsicum annum</i>						1 Pa.
<i>Helminthosporium allii</i>	<i>Allium sativum</i> (garlic)						1 Ala.
<i>Macrosporium tomato</i>	<i>Lycopersicum esculentum</i>						1 Ga.
<i>Mycosphaerella pinodes</i>	<i>Pisum sativum</i> (pea)						1 N. Y.
<i>Oospora citri aurantii</i>	<i>Citrus limonia</i> (lemon)						1 Pa.
<i>Septoria petroselini</i>	<i>Petroselinum hortense</i> (parsley)						2 N. Y.
<i>Syscanus stemonites</i>	<i>Solanum tuberosum</i>						1 Mass.
<i>Verticillium sp.</i>	do						1 Do.
England							
Insects:							
<i>Acalypta musci</i> (Tingitidae)	In packing around chrysanthemum roots	1					D. C.
<i>Acalypta parvula</i> (Tingitidae)	<i>Primula</i> sp. (primrose)	1					N. Y.
Do	Soil and moss around holly tree	1					Do.
Do	Soil around Japanese lily				1		Do.
<i>Acidia heraclei</i> (celery fly)	<i>Apium graveolens</i> (celery)					2	Pa.
<i>Agriotes obscurus</i> (Elateridae)	<i>Solanum tuberosum</i>					1	N. Y.
<i>Aleyrodes azaleae</i> (whitefly)	<i>Azalea</i> sp.	1					D. C.
<i>Aleyrodes brassicae</i> (whitely)	<i>Brassica oleracea capitata</i>					3	N. Y.
Do	<i>Brassica oleracea gemmifera</i> (brussels sprouts)					1	Do.
<i>Anaphothrips orchidii</i> (thrips)	<i>Odontonia tyana argus</i> (orchid)	1					D. C.
<i>Andricus albopunctatus</i> (Cynipidae)	<i>Quercus</i> sp. (oak)		1				N. Y.
Do	<i>Rosa</i> sp.		1				Do.
<i>Apion carduorum</i> (Curculionidae)	<i>Cynara scolymus</i> (globe artichoke)				2		Do.
<i>Aspidiotus palmae</i> (Coccidae)	<i>Karatas caroliniae</i>			1			Do.
<i>Batophila rubi</i> (Chrysomelidae)	Moss packing around <i>Dianthus</i>	1					D. C.
<i>Ceutorhynchus ericae</i> (Curculionidae)	<i>Calluna vulgaris</i> (heather)	1					Pa.
<i>Ceutorhynchus pleurostigma</i> (turnip gall weevil)	<i>Brassica campestris</i> (rutabaga)				1		N. Y.
Do	do					1	Pa.
Do	<i>Brassica rapa</i> (turnip)					1	Ala.
Do	do					2	La.
Do	do					2	Md.
Do	do					13	N. Y.
Do	do					5	Pa.
Do	do					2	Tex.
Do	do					1	Va.
Do	<i>Rapanus sativus</i> (radish)					1	N. Y.
<i>Chrysomela aenea cupraria</i> (Chrysomelidae)	<i>Omphalodes verna</i> (Venus-butterton)	1					D. C.
<i>Curculio nucum</i> (Curculionidae)	<i>Corylus avellana</i> (filbert)		1				N. Y.
<i>Denticollis linearis</i> (Elateridae)	Carnation cutting	1					D. C.
<i>Dialeurodes chittendeni</i> (rhododendron whitefly)	<i>Rhododendron</i> sp.	3					Do.
<i>Dinoderus bifoveolatus</i> (Bostrichidae)	<i>Serjania mexicana</i> (barbasco)		2				N. Y.
<i>Drymus brunneus</i> (Lygaeidae)	In packing around chrysanthemum roots		1				D. C.
<i>Drymus sylvaticus</i> (Lygaeidae)	Moss around plants	1					N. Y.
<i>Epipolaeus caliginosus</i> (Curculionidae)	<i>Humulus</i> sp. (hop)	1					D. C.
<i>Forficula auricularia</i> (European earwig)	<i>Antirrhinum</i> sp. (snapdragon)		1				Ill.
<i>Heliothrips errans</i> (thrips)	<i>Laeliocattleya soulange x Cattleya woltersiana</i>	1					D. C.
<i>Hylesinus fraxini</i> (Scolytidae)	Ash crating for earthenware	5					Pa.
Do	Bark of unidentified wood	1					La.
Do	Unidentified bark and wood	1					N. Y.
<i>Hypera nigrirostris</i> (Curculionidae)	Wood crating for porcelain	1					Wash.
<i>Lepidosaphes tuberculata</i> (Coccoidea)	<i>Dianthus</i> sp. (carnation)		1				D. C.
Do	<i>Cymbidium castor aureum</i> (orchid)	1					Do.
Do	<i>Cymbidium</i> sp. (orchid)	1				5	Calif.*
	do						D. C.

List, by countries, of pests collected and reported from July 1, 1935, to June 30, 1936, inclusive—Continued

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
ENGLAND—Continued							
Insects—Continued.							
<i>Liothrips vaneeckei</i> (thrips)	<i>Lilium heldreichii</i>	1					D. C.
Do	<i>Lilium martagon</i>	1					Do.
Do	<i>Lilium monadelphum szovitsianum</i>	1					Do.
Do	<i>Lilium</i> sp.	1					N. Y.
<i>Macrosiphum kaltenbachii</i> (aphid)	<i>Lactuca sativa longifolia</i> (Romaine lettuce)					1	Do.
<i>Mamestra brassicae</i> (Noctuidae)	<i>Brassica oleracea capitata</i>					1	Mass.
<i>Melanotriops fuscus</i> (thrips)	<i>Radicula nasturtium-aquaticum</i> (watercress)					1	N. Y.
<i>Myzus ornatus</i> (aphid)	<i>Brassica oleracea capitata</i>					1	Do.
Do	<i>Chrysanthemum</i> sp.					3	Do.
Do	<i>Hedera</i> sp. (ivy)			1			Do.
Do	<i>Hydrangea</i> sp.			1			Do.
Do	<i>Pittosporum</i> sp.			1			Do.
Do	<i>Primula acaulis alba</i> (primrose)		1				D. C.
Do	<i>Rumex</i> sp. (sorrel)					1	N. Y.
<i>Myzus polyanthi</i> (aphid)	<i>Primula</i> sp. (primrose)			1			Do.
Do	do	1					Wash.
<i>Myzus primulae</i> (aphid)	do		1				D. C.
<i>Ortheziola vejdorskyi</i> (Coccidae)	Soil and moss around roots of holly		1				N. Y.
<i>Parlatoria crotonis</i> (Coccidae)	<i>Codiaeum</i> sp. (croton)				1		Do.
<i>Pseudoparlatoria partitarioidea</i> (Coccidae)	<i>Cypripedium</i> sp. (orchid)	1					D. C.
<i>Psyllides chrysocephala</i> (Chrysomelidae)	<i>Brassica oleracea gemmifera</i> (brussels sprouts)					1	N. Y.
Do	<i>Brassica rapa</i> (turnip)					5	Do.
<i>Rhopalosiphum rufomaculata</i> (aphid)	<i>Chrysanthemum</i> sp.				1	Mass.	
Do	do				2		N. Y.
<i>Rhopalosiphoninus tulipaella</i> (aphid)	<i>Gladiotus</i> sp.			1			D. C.
<i>Sericothrips staphylinus</i> (thrips)	In soil around holly			1			N. Y.
<i>Taeniothrips ericae</i> (thrips)	<i>Calluna vulgaris</i> (heather)			1			Pa.
<i>Taeniothrips vulgarissimus</i> (thrips)	<i>Radicula nasturtium-aquaticum</i> (watercress)				1		N. Y.
<i>Thrips angusticeps</i> (thrips)	<i>Brassica oleracea capitata</i>				1		Do.
Do	<i>Cichorium intybus</i> (chicory)				1		Do.
Do	<i>Lactuca sativa</i> (lettuce)				2		Do.
<i>Thrips flavus</i> (thrips)	<i>Chrysanthemum</i> sp.			1			Do.
Do	<i>Cichorium intybus</i> (witloof)				1		Do.
<i>Thrips tabaci pulitus</i> (thrips)	<i>Cynara scolymus</i> (globe artichoke)				1		Mass.
<i>Tingis cardui</i> (Tingitidae)	<i>Onopordum acanthium</i> (Scotch thistle)		1				N. Y.
Diseases:							
<i>Albugo candida</i>	<i>Brassica oleracea botrytis</i> (cauliflower)					3	N. Y.
Do	<i>Brassica oleracea capitata</i>					1	Do.
Do	<i>Brassica rapa</i> (turnip)					1	Do.
<i>Alternaria brassicae</i>	<i>Brassica oleracea capitata</i>					1	Md.
<i>Alternaria herculaea</i>	<i>Brassica oleracea botrytis</i>					1	Mass.
Do	do					3	Pa.
Do	<i>Brassica oleracea capitata</i>					4	Md.
Do	do					1	Pa.
Do	<i>Brassica rapa</i> (turnip)					1	Tex.
<i>Aphelenchoides parietinus</i>	<i>Daucus carota</i> (carrot)					1	Md.
Do	do					1	Tex.
<i>Bacterium campestre</i>	<i>Brassica oleracea botrytis</i>					1	Mass.
Do	<i>Brassica oleracea capitata</i>					1	La.
<i>Bacterium maculicola</i>	<i>Brassica oleracea acephala</i> (kale)					2	N. Y.
Do	<i>Brassica oleracea botrytis</i> (cauliflower)					1	La.
Do	do					2	Pa.
Do	<i>Brassica oleracea capitata</i>					2	La.
<i>Bacterium maculicola</i>	do					4	Md.
Do	do					3	N. Y.
Do	<i>Brassica oleracea acephala</i> (kale)					1	Pa.
Do	<i>Brassica oleracea gemmifera</i> (brussels sprouts)					13	N. Y.
Do	do					1	Va.

List, by countries, of pests collected and reported from July 1, 1935, to June 30, 1936,
inclusive—Continued

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—		
		Cargo	Mail	Baggage	Quarters	Stores			
ENGLAND—Continued									
Diseases—Continued.									
<i>Botrytis cinerea</i>	<i>Allium cepa</i> (onion)					1	Ala.		
Do	do					1	La.		
Do	do					2	Pa.		
Do	do					3	Tex.		
Do	do					6	Va.		
Do	<i>Allium porrum</i> (leek)					2	Pa.		
Do	<i>Beta vulgaris</i> (beet)					1	Tex.		
Do	<i>Brassica oleracea botrytis</i> (cauliflower).					1	La.		
Do	<i>Brassica oleracea capitata</i>					1	Fla.*		
Do	<i>Brassica rapa</i> (turnip)					1	Tex.		
Do	do					1	Va.		
<i>Botrytis cinerea</i>	<i>Daucus carota</i> (carrot)					1	Ala.		
Do	do					3	Md.		
Do	do					3	Tex.		
Do	<i>Pastinaca sativa</i> (parsnip)					1	Va.		
Do	do					1	Pa.		
Do	do					1	Tex.		
Do	<i>Radicula armoracia</i> (horse-radish).					1	Va.		
Do	<i>Ribes</i> sp. (gooseberry)					1	Do.		
<i>Bremia lactucae</i>	<i>Lactuca sativa</i> (lettuce)					6	N. Y.		
Do	<i>Lactuca sativa longifolia</i> (Romaine lettuce).					1	Do.		
<i>Canarosporium</i> sp	<i>Ribes</i> sp.	1					Do.		
<i>Cercospora odontoglossi</i>	<i>Odontoglossum</i> sp.	1					D. C.		
<i>Cercospora</i> sp.	<i>Cheiranthus allioni</i> (wall-flower).	1					Pa.		
<i>Chaetomium globosum</i>	Palm				1		N. Y.		
<i>Colletotrichum atramentarium</i>	<i>Solanum tuberosum</i>					1	Tex.		
<i>Colletotrichum omnivorum</i>	<i>Aspidistra</i> sp.					1	N. Y.		
<i>Colletotrichum</i> sp.	<i>Laelia cattleya</i> (orchid)	1					Calif.*		
Do	<i>Odontioda</i> sp. (orchid)	1					Do.*		
<i>Cumminsiella sanguinea</i>	<i>Mahonia</i> sp.				2		N. Y.		
<i>Ditylenchus dipsaci</i>	<i>Narcissus</i> sp.	2	1				D. C.		
Do	<i>Solanum tuberosum</i>					1	Mass.		
Do	do					1	Pa.		
Do	do					1	Tex.		
<i>Erysiphe graminis</i>	<i>Triticum aestivum</i> (wheat)	7					Pa.		
<i>Gloeosporium</i> sp	<i>Ceropegia monteiroae</i>		1				D. C.		
Do	<i>Codiaeum</i> sp. (croton)					1	N. Y.		
Do	<i>Cymbidium</i> sp. (orchid)	1					Calif.*		
Do	<i>Euonymus</i> sp.					1	N. Y.		
Do	<i>Laelia cattleya</i> (orchid)	1					Calif.*		
Do	<i>Laurus nobilis</i> (Grecian laurel)					1	N. Y.		
Do	<i>Odontioda</i> sp. (orchid)	1					Calif.*		
Do	<i>Odontoglossum</i> sp. (orchid)	1					Do.*		
Do	Palm					6	N. Y.		
<i>Helminthosporium sativum</i>	Straw packing	1					Pa.		
Do	<i>Triticum aestivum</i> (wheat)					1	Md.		
Do	do	4					Pa.		
<i>Heterosporium</i> sp	<i>Dianthus</i> sp.		1				D. C.		
Do	<i>Triticum aestivum</i> (wheat)	1					Pa.		
<i>Leptosphaeria heterospora</i>	<i>Iris</i> spp.		5				D. C.		
<i>Leptothyrium</i> sp.	<i>Rhododendron</i> sp.	1					Do.		
<i>Marsonia</i> sp.	<i>Vitis</i> sp. (grape)					1	N. Y.		
<i>Monochaetia</i> sp.	<i>Laelia cattleya</i> (orchid)	1					Calif.*		
<i>Mycosphaerella brassicicola</i>	<i>Brassica oleracea acephala</i> (kale).					2	N. Y.		
Do	<i>Brassica oleracea botrytis</i> (cauliflower).					24	Do.		
Do	<i>Brassica oleracea capitata</i>					10	Do.		
Do	do					1	Pa.		
Do	<i>Brassica oleracea gemmifera</i> (brussels sprouts).					1	N. Y.		
<i>Mycosphaerella pinodes</i>	<i>Pisum sativum</i> (pea)					2	Do.		
Do	do					1	Pa.		
<i>Mycosphaerella schoenoprasii</i>	<i>Allium porrum</i> (leek)					3	Do.		
<i>Mycosphaerella</i> sp.	Palm					1	Do.		
<i>Oidium</i> sp.	<i>Chrysanthemum</i> sp.				1		N. Y.		
<i>Papulospora</i> sp.	<i>Beta vulgaris</i> (beet)					1	Va.		

List, by countries, of pests collected and reported from July 1, 1935, to June 30, 1936, inclusive—Continued

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—		
		Cargo	Mail	Baggage	Quarters	Stores			
ENGLAND—Continued									
Diseases—Continued.									
<i>Peronospora parasitica</i>	<i>Brassica oleracea botrytis</i> (cauliflower).				2		N. Y.		
Do	do				2		Pa.		
Do	do				1		N. Y.		
<i>Pestalozzia quepini</i>	<i>Rhododendron</i> sp.			1			Do.		
<i>Pestalozzia macrotricha</i>	do			1			Wash.		
Do	do			1			N. Y.		
<i>Pestalozzia</i> sp.	<i>Galax</i> sp.			1			Do.		
Do	Palm			1			Wash.		
Do	<i>Rhododendron</i> sp.	1					Do.		
<i>Phoma betae</i>	<i>Beta vulgaris</i> (beet).				1		La.		
Do	do				1		Md.		
<i>Phoma tingam</i>	<i>Brassica oleracea capitata</i>				1		N. Y.		
Do	do				1		Pa.		
<i>Phoma</i> sp.	<i>Brassica rapa</i> (turnip)				1		Do.		
Do	<i>Ilex</i> sp. (holly)		1				N. Y.		
Do	<i>Ribes</i> sp.		1				Do.		
<i>Phomopsis</i> sp.	<i>Pittosporum mayi</i>	1					D. C.		
<i>Phyllosticta</i> sp.	<i>Ilex</i> sp. (holly)	1					N. Y.		
Do	Palm			1			Do.		
<i>Phytophthora</i> sp.	<i>Solidago</i> sp. (goldenrod)	1					Oreg.		
Do	<i>Brassica campestris</i> (rutabaga)				1		Pa.		
Do	<i>Daucus carota</i> (carrot)				1		Ala.		
Do	do				2		La.		
<i>Puccinia chrysanthemi</i>	<i>Chrysanthemum</i> sp.				2		N. Y.		
<i>Puccinia graminis</i>	<i>Triticum aestivum</i> (wheat)		1				Do.		
<i>Puccinia hieracii</i>	<i>Cichorium intybus</i> (chicory)				1		Do.		
<i>Puccinia menthae</i>	<i>Mentha</i> sp. (mint)				3		Mass.		
Do	do				2		N. Y.		
<i>Puccinia rubigo-vera tritici</i>	<i>Triticum aestivum</i> (wheat)				2		Do.		
Do	do		4	1			Pa.		
Do	do		2				P. R.		
Do	do		1						
<i>Puccinia</i> sp.	<i>Allium porrum</i> (leek)				1		Pa.		
Do	<i>Avena sativa</i> (oats)				1		Md.		
Do	do			1			N. Y.		
Do	<i>Chrysanthemum</i> sp.				1		Mass.		
Do	<i>Rumex</i> sp. (sorrel)				1		N. Y.		
Do	<i>Triticum aestivum</i> (wheat)	1					Md.		
Do	do	2					N. Y.		
Straw			1				Pa.		
<i>Pythium</i> sp.	<i>Brassica rapa</i> (turnip)				1		La.		
<i>Ramularia lampsanae</i>	<i>Cichorium intybus</i> (witloof)				1		N. Y.		
<i>Rhytisma</i> sp.	<i>Vitis</i> sp. (grape)				1		Do.		
<i>Sclerotinia sclerotiorum</i>	<i>Beta vulgaris</i> (beet)				1		Pa.		
Do	<i>Brassica rapa</i> (turnip)				1		Fla.*		
Do	do				3		Va.		
Do	<i>Daucus carota</i> (carrot)				4		Ala.		
Do	do				5		La.		
Do	do				2		Md.		
Do	do				5		N. Y.		
Do	do				4		Pa.		
Do	do				17		Tex.		
Do	do				2		Va.		
Do	<i>Phaseolus</i> sp. (string bean)				1		N. Y.		
Do	<i>Pisum sativum</i> (pea)				1		Do.		
<i>Sclerotinia</i> sp.	<i>Allium cepa</i> (onion)				1		Va.		
Do	<i>Solanum tuberosum</i>				1		Pa.		
<i>Sclerotium</i> sp.	<i>Apium graveolens rapaceum</i> (celeriac)				1		Do.		
Do	<i>Galanthus</i> sp.	1					Do.		
<i>Sclerotium</i> sp.	<i>Narcissus</i> sp.		1				N. Y.		
<i>Septoria apii</i>	<i>Tritonia</i> sp.	1					D. C.		
Do	<i>Apium graveolens</i> (celery)				1		Md.		
Do	do				13		N. Y.		
<i>Septoria chrysanthemella</i>	<i>Chrysanthemum</i> sp.			2	7		Pa.		
<i>Septoria petroselini</i>	<i>Petroselinum hortense</i> (parsley)				13		Do.		
<i>Septoria</i> sp.	<i>Apium graveolens</i> (celery)				1		Pa.		
Do	<i>Ranunculus</i> bilobus	1					Calif.*		
<i>Sphaeronema</i> sp.	<i>Narcissus</i> sp.				1		D. C.		
<i>Stachybotrys</i> sp.	<i>Hyacinthus</i> sp.			1			Pa.		
Tilletia tritici	<i>Triticum aestivum</i> (wheat)			1			N. Y.		

List, by countries, of pests collected and reported from July 1, 1935, to June 30, 1936,
inclusive—Continued

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—		
		Cargo	Mail	Baggage	Quarters	Stores			
ENGLAND—Continued									
Diseases—Continued.									
<i>Urolyces caryophyllinus</i>	<i>Dianthus</i> sp.....	3	3				D. C.		
<i>Ustilago avenae</i>	<i>Avena sativa</i> (oats).....		1				Wash.		
<i>Vernicularia</i> sp.....	<i>Codiaeum</i> sp. (croton).....				1		N. Y.		
<i>Verticillium</i> sp.....	<i>Allium cepa</i> (onion).....				1		La.		
Do.....	<i>Brassica rapa</i> (turnip).....				1		Tex.		
ESTONIA									
Diseases:									
<i>Fusicoccum putrefaciens</i>	<i>Vaccinium</i> sp. (cranberry).....	1					N. Y.		
<i>Godronia cassandrae</i>	do.....	1					Do.		
<i>Phyllosticta</i> sp.....	do.....	1					Do.		
FEDERATED MALAY STATES									
Insects:									
<i>Aleuroplatus samoanus</i> (whitefly).....	<i>Codiaeum</i> sp. (croton).....				1		Fla.*		
<i>Lepidosaphes lasianthi</i> (Coccoidea).....	do.....				1		Do.*		
FIJI ISLANDS									
Diseases:									
<i>Diplodia</i> sp.....	<i>Barringtonia edulis</i>				1		N. Y.		
FINLAND									
Diseases:									
<i>Phragmotrichum chailletii</i>	<i>Larix</i> sp. (larch).....				1		Do.		
<i>Sclerotinia sclerotiorum</i>	<i>Daucus carota</i> (carrot).....					1	Tex.		
FRANCE									
Insects:									
<i>Acalypta parrula</i> (Tingitidae).....	Rose cuttings and sphagnum.....	1					D. C.		
<i>Acroleptia assetella</i> (Plutellidae).....	<i>Allium porrum</i> (leek).....				4		N. Y.		
Do.....	do.....				1		Pa.		
<i>Apion carduorum</i> (Curculionidae).....	<i>Cynara scolymus</i> (globe artichoke).....				17		N. Y.		
<i>Baris laticollis</i> (Curculionidae).....	<i>Brassica rapa</i> (turnip).....					3	Do.		
<i>Bruchidius halodendri</i> (Bruchidae).....	<i>Iltimodendron argenteum</i>	1					D. C.		
<i>Bruchidius mulsanti</i> (Bruchidae).....	<i>Cytisus proliferus</i>	1					Do.		
<i>Bruchus signaticornis</i> (Bruchidae).....	<i>Lens esculenta</i> (lentil).....	1					Do.		
<i>Bruchus viciae</i> (Bruchidae).....	<i>Lathyrus articulatus</i>	1					Do.		
<i>Cassida nobilis</i> (Chrysomelidae).....	<i>Brassica rapa</i>				1		N. Y.		
<i>Ceutorhynchus pleurostigma</i> (turnip gall weevil). Do.....	<i>Brassica campestris</i> (rutabaga).....				1		Md.		
<i>Ceutorhynchus quadridens</i> (Curculionidae).....	<i>Brassica rapa</i>				3		N. Y.		
<i>Chirothrips similis</i> (thrips).....	do.....				1		Do.		
<i>Chrysomphalus dictyospermi</i> var. (Coccidae).....	<i>Festuca elatior</i> (meadow fescue).....	1					D. C.		
<i>Drusenatus nasturtii</i> (Curculionidae).....	<i>Citrus sinensis</i> (orange).....				1		N. Y.		
<i>Forficula auricularia</i> (European earwig).....	<i>Radicula nasturtium-aquaticum</i> (watercress).....					1	Do.		
<i>Frankliniella intonsa</i>	<i>Lilium</i> sp.....	1					Do.		
Do.....	<i>Allium sativum</i> (garlic).....					1	Do.		
<i>Helophorus rufipes</i> (Hydrophilidae).....	<i>Aster</i> sp.....				1		Do.		
<i>Helophorus rugosus</i> (Hydrophilidae).....	<i>Brassica rapa</i> (turnip).....				1		Do.		
Do.....	do.....					1	Do.		
<i>Liothrips vaneeckei</i> (thrips).....	<i>Cichorium intybus</i> (witloof).....					1	Do.		
Do.....	<i>Lilium candidum</i> (Madonna lily).....	1					Do.		
<i>Macrostiphum kaltenbachii</i> (aphid).....	<i>Lilium</i> sp.....	1					Do.		
Do.....	<i>Cichorium intybus</i> (witloof).....				1		Do.		
<i>Mamestra brassicae</i> (Noctuidae).....	<i>Lactuca sativa</i> (lettuce).....				1		Do.		
<i>Parlatoria crotonis</i> (Coccidae).....	<i>Brassica oleracea botrytis</i> (cauliflower).....				1		Do.		
<i>Parthenothrips dracaenae</i> (thrips).....	<i>Codium</i> sp. (croton).....				1		Do.		
<i>Pediaspis aceris</i> (Cynipidae).....	<i>Palm</i>				1		Do.		
<i>Phelomerus germaini</i> (Bruchidae).....	<i>Acer monspessulanum</i> (Montpellier maple).....	2					D. C.		
	<i>Parkinsonia aculeata</i> (Jerusalem-thorn).....	2					Do.		

List, by countries, of pests collected and reported from July 1, 1935, to June 30, 1936, inclusive—Continued

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
FRANCE—Continued.							
Insects—Continued.							
<i>Phylloreta atra</i> (Chrysomelidae)	<i>Brassica oleracea botrytis</i>					1	N. Y.
Do.	<i>Brassica oleracea capitata</i>					1	Do.
<i>Phylloreta cruciferae</i> (Chrysomelidae)	<i>Allium porrum</i> (leek)					1	Do.
<i>Phylloreta nemorum</i> (Chrysomelidae).	<i>Brassica rapa</i> (turnip)					2	Do.
Do.	<i>Raphanus sativus</i> (radish)					3	Do.
<i>Phytodecta olivaceus</i> (Chrysomelidae).	<i>Genista scoraria</i>	1					D. C.
<i>Pionea forcalis</i> (Pyralidae)	<i>Brassica oleracea capitata</i>					1	N. Y.
<i>Psyllides chrysoccephala</i> (Chrysomelidae).	<i>Brassica oleracea botrytis</i>					1	Do.
Do.	<i>Brassica rapa</i> (turnip)					15	Do.
<i>Sitona lineata</i> (Curculionidae)	<i>Brassica oleracea botrytis</i>					1	Do.
<i>Taeniothrips atratus</i> (thrips)	<i>Brassica rapa</i>					1	Do.
<i>Taeniothrips frontalis</i> (thrips)	<i>Dianthus</i> sp. (carnation)		1				Do.
<i>Thrips angusticeps</i> (thrips)	<i>Cichorium intybus</i> (witloof)					1	Do.
Do.	<i>Foeniculum vulgare</i> (fennel)					1	Do.
Do.	<i>Lactuca sativa</i> (lettuce)					2	Do.
<i>Thrips tabaci pullus</i> (thrips)	<i>Itis</i> sp.	1					D. C.
Diseases:							
<i>Albugo candida</i>	<i>Brassica oleracea acephala</i> (kale)					1	N. Y.
Do.	<i>Brassica oleracea botrytis</i> (cauliflower)					7	Do.
Do.	<i>Brassica oleracea capitata</i>					3	Do.
Do.	<i>Brassica rapa</i> (turnip)					3	Do.
<i>Albugo tragopogonis</i>	<i>Tragopogon porrifolius</i> (salsify)					1	Do.
<i>Alternaria brassicae</i>	<i>Brassica oleracea botrytis</i>					1	Do.
Do.	<i>Brassica oleracea capitata</i>					1	Do.
<i>Bacterium maculicola</i>	<i>Brassica oleracea botrytis</i>					5	Do.
Do.	<i>Brassica oleracea gemmifera</i> (brussels sprouts)					3	Do.
<i>Botrytis cinerea</i>	<i>Allium ascalonicum</i> (shallot)					1	Ala.
Do.	do					2	La.
Do.	<i>Allium cepa</i> (onion)					1	Ala.
Do.	do					1	La.
Do.	do					1	Pa.
Do.	do					1	Tex.
	<i>Capsicum annuum</i>					1	La.
Do.	<i>Daucus carota</i> (carrot)					1	Tex.
Do.	<i>Pisum sativum</i> (pea)					1	N. Y.
<i>Bremia lactucae</i>	<i>Chicorium intybus</i> (witloof)					1	Do.
Do.	<i>Lactuca sativa</i> (lettuce)					11	Do.
Do.	<i>Lactuca sativa longifolia</i> (Romaine lettuce)					8	Do.
<i>Ceratostomella</i> sp.	<i>Vitis</i> sp. (grape)					1	Do.
<i>Colletotrichum nigrum</i>	<i>Capsicum annuum</i>					1	Ala.
<i>Colletotrichum orchidearum</i>	<i>Phalaenopsis</i> sp. (orchid)	1					D. C.
<i>Coniothyrium</i> sp.	<i>Rosa</i> sp.		1				Do.
<i>Coryneum microstictoides</i>	<i>Paonia moutan</i> (peony)	1					Calif.*
<i>Coryneum microstictum</i>	<i>Rosa</i> sp.		1				D. C.
<i>Communiella sanguinea</i>	<i>Mahonia aquifolium</i> (Oregon hollygrape)					1	N. Y.
<i>Gloeosporium</i> sp.	<i>Pandanus</i> sp. (Screwpine)					1	Do.
<i>Graphiola phoenicis</i>	Palm					3	Do.
Do.	<i>Phoenix dactylifera</i> (date palm)					1	Do.
<i>Helminthosporium allii</i>	<i>Allium sativum</i> (garlic)	1				2	N. Y.
<i>Helminthosporium sativum</i>	<i>Secale cereale</i> (rye)		1				S. C.
<i>Helminthosporium</i> sp.	<i>Hyacinthus</i> sp.			1			N. Y.
<i>Heterosporium allii</i>	<i>Allium porrum</i> (leek)					2	Do.
<i>Heterosporium echinulatum</i>	<i>Dianthus</i> sp. (carnation)		1				Md.
<i>Leptosphaeria culicicola</i>	<i>Triticum aestivum</i> (wheat)	1					N. Y.
<i>Macrosphorium parasiticum</i>	<i>Allium cepa</i> (onion)					1	Do.
<i>Mycosphaerella brassicicola</i>	<i>Brassica oleracea botrytis</i> (cauliflower)					43	Do.
Do.	<i>Brassica oleracea capitata</i>					7	Do.
<i>Mycosphaerella pinodes</i>	<i>Pisum sativum</i> (pea)					4	Do.
<i>Myxosporium</i> sp.	<i>Peonia moutan</i> (peony)	1					Calif.*
<i>Papulospora</i> sp.	<i>Pisum sativum</i> (pea)					1	N. Y.
<i>Paranthostomella</i> sp.	<i>Peonia moutan</i>						Calif.*
<i>Periconia</i> sp.	do					1	Do.*
Do.	<i>Peonia</i> sp. (peony)	1					Do.*

*List, by countries, of pests collected and reported from July 1, 1935, to June 30, 1936,
inclusive—Continued*

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—		
		Cargo	Mail	Baggage	Quarters	Stores			
FRANCE—Continued									
Diseases—Continued.									
<i>Peronospora parasitica</i>	<i>Brassica oleracea botrytis</i>					1	N. Y.		
Do	<i>Brassica oleracea capitata</i>					2	Do.		
<i>Pestalozzia quepini</i>	<i>Camellia japonica</i> (camellia)	3					D. C.		
Do	<i>Camellia reticulata</i>	1					Do.		
<i>Pestalozzia</i> sp.	<i>Pandanus</i> sp. (screwpine)				1		N. Y.		
<i>Pezizella lythri</i>	<i>Rosa</i> sp.		1				D. C.		
<i>Phoma</i> sp.	<i>Cynara scolymus</i> (globe artichoke).					1	Ala.		
Do	do					27	N. Y.		
Do	<i>Iris</i> sp.		1				D. C.		
Do	<i>Lycopersicum esculentum</i>				2		N. Y.		
<i>Phyllosticta</i> sp.	<i>Euonymus</i> sp.				1		Wash.		
Do	<i>Laurus nobilis</i> (Grecian laurel)				1		N. Y.		
Do	<i>Vitis</i> sp. (grape)				1		Do.		
<i>Plasmodiophora brassicae</i>	<i>Brassica rapa</i> (turnip)				1		Do.		
<i>Pseudopeziza trifolii</i>	<i>Trifolium</i> sp. (clover)				1		Do.		
<i>Puccinia allii</i>	<i>Allium porrum</i> (leek)				12		Do.		
<i>Puccinia extensicola hieracii</i>	<i>Lactuca sativa</i> (lettuce)				1		Do.		
<i>Puccinia graminis</i>	<i>Avena sativa</i> (oats)				1		Md.		
Do	do				1		N. Y.		
Do	<i>Triticum aestivum</i> (wheat)		1				Md.		
Do	do		6				N. Y.		
Do	do		2				Pa.		
<i>Puccinia hieracii</i>	<i>Cichorium intybus</i> (chicory)				13		N. Y.		
Do	<i>Taraxacum officinale</i> (dandelion)				1		Do.		
<i>Puccinia porri</i>	<i>Allium sativum</i> (garlic)				1		Pa.		
<i>Puccinia rubigo-vera tritici</i>	<i>Triticum aestivum</i>	2		1			Md.		
Do	do	2					N. Y.		
Do	do				1		Pa.		
<i>Puccinia</i> sp.	<i>Allium porrum</i> (leek)				1		N. Y.		
Do	<i>Secale cereale</i> (rye)		1				La.		
Do	<i>Triticum aestivum</i> (wheat)	7					N. Y.		
<i>Pythium</i> sp.	<i>Daucus carota</i> (carrot)				1		Tex.		
<i>Ramularia</i> sp.	<i>Cynara scolymus</i> (globe artichoke).				1		N. Y.		
<i>Sclerotinia sclerotiorum</i>	do				1		Do.		
Do	<i>Daucus carota</i> (carrot)				4		Tex.		
Do	<i>Phaseolus</i> sp. (string bean)				7		N. Y.		
<i>Sclerotium</i> sp.	<i>Allium sativum</i> (garlic)				1		Do.		
Do	<i>Paonia</i> sp. (peony)		1				Calif.*		
<i>Septoria apii</i>	<i>Apium graveolens</i> (celery)				9		N. Y.		
Do	do				1		Pa.		
	<i>Apium graveolens rapaceum</i> (celeriac).				3		N. Y.		
<i>Septoria petroselini</i>	<i>Petroselinum hortense</i> (parsley)				19		Do.		
<i>Stysanus stemonites</i>	<i>Solanum tuberosum</i>				2		Tex.		
<i>Uredo</i> sp.	<i>Allium porrum</i> (leek)				1		N. Y.		
Do	do				1		Pa.		
<i>Urocystis cepulae</i>	<i>Allium cepa</i> (onion)		1				Calif.*		
<i>Uromyces appendiculatus</i>	<i>Phaseolus</i> sp. (string bean)				1		N. Y.		
<i>Uromyces caryophyllinus</i>	<i>Dianthus</i> sp. (carnation)		1				Do.		
<i>Venturia pyrina</i>	<i>Pyrus communis</i> (pear)				1		Pa.		
<i>Verticillium</i> sp.	<i>Lilium candidum</i> (Madonna lily).	1					N. Y.		
Do	<i>Solanum tuberosum</i>				1		Tex.		
FRENCH WEST AFRICA									
Diseases:									
<i>Sclerotinia sclerotiorum</i>	<i>Daucus carota</i> (carrot)					1	La.		
GERMANY									
Insects:									
<i>Acalypta parvula</i> (Tingitidae)	Sphagnum moss packing				1		N. Y.		
<i>Acrolepia assectella</i> (Plutellidae)	<i>Allium porrum</i> (leek)				2		Do.		
<i>Agriothes obscurus</i> (Elateridae)	<i>Radicula armoracia</i> (horse-radish).				1		Do.		
<i>Aptinothrips rufus</i> (thrips)	Sphagnum moss and debris				1		Do.		
<i>Aptinothrips rufus</i> form <i>stylifera</i> (thrips).	do				1		Do.		

List, by countries, of pests collected and reported from July 1, 1935, to June 30, 1936, inclusive—Continued

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
GERMANY—Continued							
Insects—Continued.							
<i>Athous hirtus</i> (Elateridae)	<i>Cichorium intybus</i> (chicory)					1	N. Y.
<i>Athous subfuscus</i> (Elateridae)	In soil on spruce	1					Do.
<i>Brachyrhinus porcatus</i> (Curculionidae).	Packing around violet and cedar plants.	1					Md.
Do.	Soil around violet and freesia plants.	1					N. Y.
<i>Ceutorhynchus ericae</i> (Curculionidae).	<i>Calluna vulgaris</i> (heather)	2					Pa.
<i>Ceutorhynchus pleurostigma</i> (turnip gall weevil).	<i>Brassica rapa</i> (turnip)					1	N. Y.
<i>Ceutorhynchus quadridens</i> (Curculionidae).	do					1	Do.
<i>Drymus sylvaticus</i> (Lygaeidae)	Sphagnum moss packing		1				Do.
<i>Emphytus cinctus</i> (sawfly)	<i>Rosa</i> sp.	1					D. C.
<i>Erenobius abietis</i> (Anobiidae)	<i>Pinus</i> sp. (pine)		1				Md.
<i>Eurytoma onobrychidis</i> (Eurytomidae).	<i>Onobrychis vicariaefolia</i>		1				N. Y.
<i>Frankliniella intonsa</i> (thrips)	<i>Aster</i> sp.				1		Do.
<i>Frankliniella tenuicornis</i> (thrips)	<i>Lactuca sativa</i> (lettuce)					1	Mass.
<i>Haplothrips aculeatus</i> (thrips)	Sphagnum moss and debris		1				N. Y.
<i>Haplothrips setiger</i> (thrips)	Packing around violet and cedar plants.		1				Md.
<i>Hypera nigrirostris</i> (Curculionidae)	Spray of laurel and willow		1				N. Y.
<i>Ischnodes sanguinicollis</i> (Elateridae)	In soil around araucaria		1				Do.
<i>Lapseyresia strobilella</i> (Olethreutidae).	<i>Picea</i> sp. (spruce)		1				Do.
Do.							
<i>Lepidosaphes lasianthi</i> (Coccidae)	<i>Pinus</i> sp.		1				Do.
Do.	<i>Aucuba</i> sp.				1		Do.
<i>Leucaspis loewi</i> (Coccidae)	<i>Codiaeum</i> sp. (croton)				1		Do.
<i>Limothrips denticornis</i> (thrips)	<i>Pinus</i> sp.			1			Do.
Do.	<i>Dianthus</i> sp. (carnation)			1			Do
Do.	<i>Rubus</i> sp. (blackberry)		1				Do.
<i>Macrostiphum kaltenbachii</i> (aphid)	Sphagnum moss and debris		1				Do.
<i>Mamestra brassicae</i> (Noctuidae)	<i>Lactuca sativa</i> (lettuce)				2		
Do.	<i>Brassica oleracea botrytis</i> (cauliflower).				1		Md.
Do.	do					2	N. Y.
<i>Mecinus pyraster</i> (Curculionidae)	<i>Brassica oleracea capitata</i>					1	Do.
<i>Myzus ornatus</i> (aphid)	<i>Picea</i> sp. (spruce)						Mich.
<i>Parthenothrips dracaenae</i> (thrips)	<i>Helennium</i> sp.		1				D. C.
Do.	Bamboo				2		N. Y.
Do.	<i>Brassica oleracea capitata</i>					1	Do.
Do.	<i>Chrysanthemum</i> sp.				3		Do.
Do.	<i>Crassula</i> sp.				1		Do.
Do.	<i>Euonymus</i> sp.				2		Do.
Do.	<i>Hosta</i> sp.				2		Do.
<i>Physokermes piceae</i> (Coccidae)	<i>Picea excelsa</i> (Norway spruce)		1				Pa.
<i>Polydrusus tereticollis</i> (Curculionidae)	<i>Artemisia dracunculus</i> (tarragon).					1	N. Y.
<i>Psylliodes chrysocephala</i> (Chrysomelidae).	<i>Brassica oleracea bullata</i> (Savoy cabbage).						Do.
Do.	<i>Brassica rapa</i> (turnip)					1	Do.
<i>Strophosoma melanogrammum</i> (Curculionidae).	Sphagnum moss packing			1			Do.
<i>Taeniothrips atratus</i> (thrips)	<i>Lactuca sativa</i> (lettuce)				1		Do.
Do.	Sphagnum moss and debris			1			Do.
<i>Taeniothrips dianthi</i> (thrips)	Soil around cuttings		1				Pa.
<i>Taeniothrips ericae</i> (thrips)	<i>Calluna vulgaris</i> (heather)		2				Do.
<i>Thrips angusticeps</i> (thrips)	<i>Tragopogon porrifolius</i> (salsify)					1	N. Y.
<i>Thrips flava</i> (thrips)	<i>Amaranthus</i> sp.			1			Do.
Do.	<i>Aster</i> sp.				1		Do.
<i>Thrips fuscipennis</i> (thrips)	<i>Rosa</i> sp.			1			Do.
Do.	<i>Brassica oleracea botrytis</i> (cauliflower).					1	Do.
<i>Thrips fuscipennis</i> form <i>corticina</i> (thrips).	<i>Pinus</i> sp.			1			Md.
Do.	do			1			Do.
Diseases:							
<i>Albugo candida</i>	<i>Brassica oleracea botrytis</i> (cauliflower).					1	N. Y.
Do.	<i>Brassica oleracea bullata</i> (Savoy cabbage).					1	Do.

List, by countries, of pests collected and reported from July 1, 1935, to June 30, 1936,
inclusive—Continued

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
GERMANY—Continued							
Diseases—Continued.							
<i>Albugo tragopogonis</i>	<i>Tragopogon porrifolius</i> (salsify).					2	N. Y.
<i>Alternaria brassicae</i>	<i>Brassica oleracea botrytis</i> (cauliflower).					1	Pa.
Do	<i>Brassica oleracea capitata</i> .					5	N. Y.
Do	“do”					1	Pa.
<i>Alternaria dianthi</i>	<i>Dianthus</i> sp.		1				D. C.
Do	“do”		1				Pa.
<i>Alternaria herculae</i>	<i>Brassica oleracea botrytis</i> .					3	N. Y.
Do	<i>Brassica oleracea capitata</i> .					1	Mass.
Do	“do”					1	Pa.
Do	“do”					1	Tex.
Do	<i>Brassica oleracea caulo-rapa</i> (kohlrabi).					1	N. Y.
<i>Aphelenchoides parietinus</i>	<i>Allium cepa</i> .					1	La.
<i>Ascochyta berberidina</i>	<i>Berberis</i> sp.	1					Wash.
<i>Ascochyta brassicae</i>	<i>Brassica oleracea caulo-rapa</i> .					1	N. Y.
<i>Bacterium campestre</i>	<i>Brassica oleracea capitata</i> .					1	Pa.
<i>Bacterium maculicola</i>	<i>Brassica oleracea botrytis</i> (cauliflower).					2	Md.
Do	<i>Brassica oleracea capitata</i> .					2	La.
Do	“do”					2	Md.
Do	“do”					1	N. Y.
Do	“do”					1	Pa.
Do	<i>Brassica oleracea caulo-rapa</i> (kohlrabi).					2	N. Y.
Do	<i>Brassica oleracea gemmifera</i> (brussels sprouts).					2	Do.
<i>Bacterium marginatum</i>	<i>Gladiolus</i> sp.	1	1				D. C.
Bitter pit	<i>Malus sylvestris</i> .					1	Pa.
<i>Botrytis cinerea</i>	<i>Allium cepa</i> (onion).					2	Ala.
Do	“do”					2	La.
Do	“do”					4	Pa.
Do	“do”					4	Tex.
Do	<i>Allium porrum</i> (leek).					2	Pa.
Do	<i>Brassica oleracea capitata</i> .					1	La.
Do	“do”					3	Pa.
Do	<i>Brassica rapa</i> (turnip).					2	Ala.
Do	“do”					4	La.
Do	<i>Daucus carota</i> (carrot).					3	Ala.
Do	“do”					4	La.
Do	“do”					3	Tex.
Do	<i>Symporicarpus albus</i> .	1					Pa.
Do	<i>Tulipa</i> sp. (tulip).				1		Do.
<i>Botrytis galanthina</i>	<i>Galanthus</i> sp.						N. Y.
<i>Brachysporium</i> sp.	<i>Betula</i> sp. (birch).			1			Do.
<i>Bremia lactucae</i>	<i>Lactuca sativa</i> (lettuce).					2	Do.
Do	<i>Lactuca sativa longifolia</i> (Roman lettuce).					1	Do.
<i>Capnodium</i> sp.	<i>Abies pectinata</i> (silver fir).		1				Tex.
Do	<i>Buxus</i> sp. (boxwood).		1				Pa.
<i>Colletotrichum atramentarium</i>	<i>Solanum tuberosum</i> .					1	La.
<i>Cumminsella sanguinea</i>	<i>Mahonia</i> sp. (hollygrape).		1				Wash.
<i>Cytospora</i> sp.	<i>Salix discolor</i> (pussy willow).		1				N. Y.
Do	<i>Salix</i> sp. (willow).	3	1				Do.
<i>Diplocarpon rosae</i>	<i>Rosa</i> sp.					1	Pa.
<i>Ditylenchus dipsaci</i>	<i>Convallaria majalis</i> (lily-of-the-valley).	18					N. Y.
Do	<i>Solanum tuberosum</i> .					1	Ala.
Do	“do”					3	La.
Do	“do”					1	Md.
Do	“do”					5	Pa.
Do	“do”					7	Tex.
<i>Erysiphe graminis</i>	<i>Triticum aestivum</i> (wheat).					1	Md.
<i>Erosacus betulinus</i>	<i>Betula</i> sp. (birch).			1			N. Y.
<i>Gloeosporium pelargonii</i>	<i>Pelargonium</i> sp. (geranium).			1			Do.
<i>Gloeosporium</i> sp.	<i>Aucuba japonica</i> (Japanese auburna).				1		Do.
Do	Palm.					2	Do.
<i>Glomerella cingulata</i>	<i>Malus sylvestris</i> (apple).	1					Pa.
<i>Helminthosporium allii</i>	<i>Allium sativum</i> (garlic).					1	N. Y.

List, by countries, of pests collected and reported from July 1, 1935, to June 30, 1936, inclusive—Continued

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
GERMANY—Continued							
Diseases—Continued.							
<i>Heterosporium allii</i>	<i>Allium porrum</i> (leek)					1	N. Y.
Do	do					2	Pa.
<i>Heterosporium echinulatum</i>	<i>Dianthus</i> sp.	1					Do.
<i>Heterosporium</i> sp.	<i>Daucus carota</i> (carrot)					1	N. Y.
<i>Melampsora</i> sp.	<i>Salix</i> sp. (willow)					1	Do.
<i>Mycosphaerella brassicicola</i>	<i>Brassica oleracea botrytis</i> (cauliflower).					12	Do.
Do	<i>Brassica oleracea bullata</i> (Savoy cabbage).					1	Do.
	<i>Brassica oleracea capitata</i>					2	Do.
<i>Nectria cinnabarina</i>	<i>Betula</i> sp. (birch)	1					Do.
<i>Nectria galligena</i>	<i>Salix discolor</i> (pussy willow)	1					Do.
<i>Oidium euonymi-japonici</i>	<i>Euonymus japonica variegata</i>				3		Do.
Do	<i>Euonymus</i> sp.				2		Do.
<i>Oidium</i> sp.	<i>Chrysanthemum</i> sp.				2		Do.
<i>Penicillium gladioli</i>	<i>Gladiolus</i> sp.	1					D. C.
<i>Penicillium glucicum</i>	<i>Vitis</i> sp. (grape)				1		Va.
<i>Peronospora parasitica</i>	<i>Brassica oleracea capitata</i>					1	N. Y.
Do	<i>Raphanus sativus</i> (radish)					1	Do.
<i>Pestalozzia</i> sp.	<i>Laurus</i> sp.				1		Do.
<i>Phoma</i> sp.	<i>Picea</i> sp. (spruce)			1			Do.
Do	<i>Pinus montana mughus</i> (mug-ho pine).			1			Do.
Do	<i>Radicula armoracia</i> (horseradish).					1	Ala.
<i>Phomopsis</i> sp.	<i>Pyrus communis</i> (pear)				1		N. Y.
<i>Phyllosticta solitaria</i>	<i>Malus sylvestris</i> (apple)		2				Do.
<i>Phyllosticta</i> sp.	<i>Pinus montana mughus</i> .			1			Do.
Do	<i>Tilia</i> sp.	1					Do.
<i>Pratylenchus pratensis</i>	<i>Allium cepa</i> (onion).					1	Tex.
Do	<i>Convalaria majalis</i> (lily-of-the-valley).	4					N. Y.
<i>Puccinia allii</i>	<i>Allium porrum</i> (leek)					5	Do.
<i>Puccinia carlineae</i>	<i>Carlina vulgaris</i> (carline thistle).		1				Do.
<i>Puccinia chrysanthemi</i>	<i>Chrysanthemum</i> sp.				3		Do.
<i>Puccinia graminis</i>	<i>Arena sativa</i> (oats)	1					Do.
Do	do					1	Wash.
Do	<i>Secale cereale</i> (rye)	1					La.
Do	<i>Triticum aestivum</i> (wheat)		2				Ill.
Do	do	1				3	Md.
Do	do		12	2			N. Y.
Do	do	3					Pa.
<i>Puccinia hieracii</i>	<i>Cichorium intybus</i> (chicory)					2	N. Y.
<i>Puccinia menthae</i>	<i>Mentha</i> sp. (mint)					1	Do.
<i>Puccinia rubigo-terrae tritici</i>	<i>Triticum aestivum</i> (wheat)					3	Md.
Do	do		1				N. Y.
Do	do	1					Pa.
Do	do		1				P. R.
<i>Puccinia</i> sp.	do	3					N. Y.
Do	<i>Aechmea fasciata</i>			1			D. C.
<i>Ramularia</i> sp.	<i>Raphanus sativus</i> (radish)					1	N. Y.
<i>Rhizoctonia</i> sp.	<i>Brassica campestris</i> (rutabaga)					1	Pa.
<i>Sclerotinia cinerea</i>	<i>Prunus domestica</i> (plum)			1			N. Y.
Do	<i>Prunus</i> sp. (cherry)					1	Do.
<i>Sclerotinia gladioli</i>	<i>Gladiolus</i> sp.	1					D. C.
<i>Sclerotinia sclerotiorum</i>	<i>Apium graveolens</i> (celery)				1		La.
Do	<i>Brassica rapa</i> (turnip)				1		Ala.
Do	<i>Daucus carota</i> (carrot)				4		Do.
Do	do				7		La.
Do	do				1		Miss.
Do	do				2		N. Y.
Do	do				1		Pa.
Do	do				4		Tex.
Do	do				3		Va.
Do	<i>Phaseolus</i> sp. (string bean)				2		N. Y.
<i>Sclerotium</i> sp.	<i>Brassica oleracea capitata</i>				1		Pa.
Do	<i>Dianthus</i> sp.	1				1	D. C.
Do	<i>Solanum tuberosum</i>					1	La.

*List, by countries, of pests collected and reported from July 1, 1935, to June 30, 1936,
inclusive—Continued*

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
GERMANY—Continued							
Diseases—Continued.							
<i>Septoria apii</i>	<i>Apium graveolens</i> (celery)				2	N. Y.	
Do	do				1	Pa.	
Do	<i>Apium graveolens rapaceum</i> (celeriac)				5	N. Y.	
Do	do				1	Pa.	
<i>Septoria chrysanthemella</i>	<i>Chrysanthemum</i> sp.		1	9		N. Y.	
<i>Septoria petroselini</i>	<i>Petroselinum hortense</i> (parsley)				16	Do.	
<i>Septoria</i> sp.	<i>Pinus</i> sp.	1				Do.	
Do	<i>Triticum aestivum</i> (wheat)	1					
<i>Sphaeronaema</i> sp.	<i>Allium cepa</i> (onion)				1	Ill.	
<i>Stemphylium</i> sp.	<i>Lycopodiaceae</i>		1			D. C.	
<i>Stysanus stemonites</i>	<i>Radicula armoracia</i> (horse-radish)				1	La.	
Do	<i>Solanum tuberosum</i>				1	Va.	
<i>Venturia pyrina</i>	<i>Pyrus communis</i> (pear)				1	Tex.	
<i>Vermicularia herbarum</i>	<i>Dianthus</i> sp.	1				N. Y.	
<i>Vermicularia</i> sp.	do		1			Do.	
<i>Verticillium albo-atrum</i>	<i>Dahlia</i> sp.	1				D. C.	
<i>Verticillium</i> sp.	do		1			Do.	
Do	<i>Solanum tuberosum</i>				1	Ala.	
Do	do				1	La.	
Do	do				1	Tex.	
GIBRALTAR							
Diseases:							
<i>Alternaria brassicae</i>	<i>Brassica oleracea capitata</i>				1	Md.	
<i>Bacterium maculicola</i>	do				1	Do.	
GRAND CAYMAN							
Diseases:							
<i>Diplodia tubericola</i>	<i>Manihot esculenta</i> (cassava)			1		Ala.	
GREAT BRITAIN							
Insects:							
<i>Frankliniella intonsa</i> (thrips)	<i>Calluna vulgaris</i> (heather)	1				Pa.	
<i>Taeniothrips ericae</i> (thrips)	do	1				Do.	
Diseases:							
<i>Botrytis cinerea</i>	<i>Sorbus</i> sp.		1			Do.	
GREECE							
Insects:							
<i>Acanthoscelides spinipes</i> (Bruchidae)	Legume		1			D. C.	
<i>Apion longirostre</i> (Curculionidae)	<i>Cydonia oblonga</i> (quince)	1				N. Y.	
<i>Callirhytes glandium</i> (Cynipidae)	<i>Quercus</i> sp. (valonia)	1				Do.	
<i>Ceratitis capitata</i> (Mediterranean fruit fly)	<i>Cydonia oblonga</i> (quince)		1			Do.	
<i>Chrysomphalus dictyospermi</i> var. (Coccidae)	Palm			1		Do.	
<i>Dacus oleae</i> (olive fruit fly)	<i>Olea europaea</i> (olive)				7	Md.	
<i>Leucaspis riccae</i> (Coccidae)	do		1			N. Y.	
<i>Myelois ceratoniae</i> (Pyralidae)	<i>Ceratonia siliqua</i> (carob)	1				Do.	
<i>Parlatoria oleae</i> (Coccidae)	<i>Malus sylvestris</i> (apple)		2			Do.	
Do	<i>Olea europaea</i> (olive)		1			Do.	
<i>Targionia tritis</i> (Coccidae)	<i>Vitis</i> sp. (grape)		1			Do.	
Diseases:							
<i>Colletotrichum circinans</i>	<i>Allium cepa</i> (onion)				1	Md.	
<i>Phoma</i> sp.	<i>Citrus limonia</i> (lemon)		1			N. Y.	
<i>Pseudopeziza medicaginis</i>	<i>Medicago sativa</i> (alfalfa)	1				Do.	
<i>Puccinia rubigo-vera tritici</i>	<i>Triticum aestivum</i> (wheat)				1	Md.	
<i>Puccinia</i> sp.	do		1			N. Y.	
grenada							
Insects:							
<i>Targionia hartii</i> (Coccidae)	<i>Dioscorea</i> sp. (yam)			1		Mass.	
Diseases:							
<i>Scirrhia bambusae</i>	Bamboo			1		N. Y.	

List, by countries, of pests collected and reported from July 1, 1935, to June 30, 1936, inclusive—Continued

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
GUAM							
Diseases:							
<i>Gloeosporium catechu</i>	<i>Areca catechu</i> (betel)	1					Wash.
GUATEMALA							
Insects:							
<i>Anastrepha ludens</i> (Mexican fruit fly).	<i>Citrus sinensis</i> (orange)				1		La.
Do	do			1			N. Y.
<i>Anastrepha</i> sp. (Tryptidae)	<i>Mammea americana</i> (mamey)				1		Tex.
<i>Aspidiotaus palmae</i> (Coccidae)	<i>Musa</i> sp.	1					Ala.
Do	do	1					S. C.
<i>Asterolecanium aureum</i> (Coccidae)	<i>Epidendrum</i> sp. (orchid)		1				D. C.
<i>Coccus viridis</i> (Coccidae)	<i>Citrus aurantiifolia</i> (lime)					1	Mass.
<i>Lygaeus tityrus</i> (Lygaeidae)	Packing around orchids						D. C.
<i>Macrosiphum luteum</i> (aphid)	<i>Lycaste</i> sp. (orchid)	1					Do.
Do	<i>Oncidium</i> sp. (orchid)		1				Hawaii.*
Do	Orchid	1	1				D. C.
<i>Metamasius sericeus</i> (silky cane weevil).	Banana debris	6					Ala.
Do	do	13					La.
Do	do	3					Md.
Do	do	10					S. C.
Do	do	1					Tex.
Do	<i>Musa</i> sp. (banana)	3					Ala.
Do	do	1					Md.
<i>Osternon costatum</i> (Hydrophilidae).	<i>Lycaste aromatica</i> (orchid)	1					D. C.
<i>Phelomerus aberrans</i> (Bruchidae)	<i>Cassia fistula</i> (golden-shower)			1			Pa.
Psychid.	Banana debris	5					Ala.
Do	do	35					La.
Do	do	10					Md.
Do	do	2					Pa.
Do	do	23					S. C.
Do	do	4					Tex.
Do	<i>Musa</i> sp. (banana)	10					Ala.
Do	do	2					La.
Do	do	1					Md.
Do	do	1					N. Y.
Do	do	4					Pa.
<i>Vinsonia stellifera</i> (Coccidae)	<i>Stanhopea</i> sp. (orchid)	1					D. C.
<i>Zabrotes subfasciatus</i> (Bruchidae)	Bean	2					N. Y.
DISEASES							
<i>Cephaelurus virescens</i>	<i>Musa</i> sp.					1	Pa.
<i>Cercospora</i> sp.	<i>Cypripedium caudatum</i> (orchid)	1					D. C.
Do	Orchid						Do.
<i>Colletotrichum</i> sp.	<i>Cattleya</i> sp. (orchid)		1				Calif.*
Do	Orchid		1				N. Y.
<i>Diplodia cacaicola</i>	do		1				D. C.
<i>Dorylaimus</i> n. sp.	<i>Anoectochilus</i> sp.		1				Hawaii.*
<i>Gloeosporium cattleyae</i>	Orchid		1				La.
<i>Gloeosporium limetticolum</i>	<i>Citrus aurantiifolia</i> (lime)	1					Calif.*
<i>Gloeosporium palmarum</i>	<i>Chamaedorea elegans</i> (palm)			1			Do.*
<i>Gloeosporium</i> sp.	Orchid	1	1				D. C.
Do	do		2				N. Y.
<i>Physalospora cattleyae</i>	do		1				La.
<i>Pratylenchus pratensis</i>	<i>Dioscorea</i> sp. (yam)	1					D. C.
<i>Selenophoma</i> sp.	<i>Dendrobium</i> sp. (orchid)		1				Do.
<i>Speira toruloides</i>	<i>Chamaedorea elegans</i> (palm)			1			Calif.*
GUERNSEY							
Diseases:							
<i>Oospora lactis parasitica</i>	<i>Lycopersicum esculentum</i>					2	Pa.
HAITI							
Insects:							
<i>Anastrepha</i> sp. (Tryptidae)	<i>Chrysophyllum cainito</i> (star-apple)					1	Fla.*
Do	<i>Mangifera indica</i> (mango)				2		N. Y.
<i>Aspidiotaus destructor</i> (Coccidae)	<i>Musa</i> sp. (banana)	1					Do.
<i>Aspidiotaus herculeanus</i> (Coccidae)	<i>Spondias mombin</i> (hog plum)			1			Fla.*
Do	<i>Swietenia mahogani</i> (mahogany)			1			Do.*

*List, by countries, of pests collected and reported from July 1, 1935, to June 30, 1936,
inclusive—Continued*

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
HAITI—Continued							
Insects—Continued.							
<i>Cylas formicarius</i> (sweetpotato weevil).	<i>Ipomoea batatas</i> (sweetpotato)					3	Pa.
<i>Morganella longispina</i> (Coccidae).	<i>Citrus sinensis</i> (orange)				1		Do.
<i>Trionymus sacchari</i> (Coccidae).	<i>Saccharum officinarum</i>				1		N. Y.
Diseases:							
<i>Bacterium vesicatorium</i>	<i>Capsicum annuum</i>	1					Do.
Do.	<i>Lycopersicum esculentum</i>					1	Do.
<i>Colletotrichum phomoides</i>	do					1	Do.
<i>Diplodia cacaopiscola</i>	<i>Mangifera indica</i> (mango)		1				D. C.
<i>Diplodia natalensis</i>	<i>Citrus aurantiifolia</i> (lime)	2					N. Y.
<i>Diplodia tuberciola</i>	<i>Ipomoea batatas</i> (sweetpotato)				1		Pa.
<i>Diplodia</i> sp.	<i>Cocos nucifera</i> ((coconut))				1		N. Y.
<i>Gloeosporium limetticolum</i>	<i>Citrus aurantiifolia</i>				1		Do.
<i>Helminthosporium</i> sp.	<i>Musa paradisiaca</i> (plantain)	1					Do.
<i>Pestalozzia</i> sp.	<i>Cocos nucifera</i> (coconut)				1		Do.
<i>Phylosticta</i> sp.	<i>Mangifera indica</i> (mango)				1		Do.
<i>Puccinia rubigo-vera tritici</i>	<i>Triticum aestivum</i> (wheat)	1					Do.
<i>Thielaviopsis paradoxo</i>	<i>Saccharum officinarum</i>				1		Do.
<i>Verticillium</i> sp.	<i>Musa paradisiaca</i> (plantain)	1					Do.
HAWAII							
Insects:							
<i>Amorbia emigratella</i> (Tortricidae).	<i>Rosa</i> sp.		1				Calif.*
<i>Antonina bambusae</i> (Coccidae).	Bamboo			1			Do.*
<i>Bactrocera cucurbitae</i> (melon fly).	<i>Cucumis sativus</i> (cucumber)				1		Do.*
<i>Carpedon fuscus</i> (Bruchidae).	<i>Cassia fistula</i> (golden-shower)			1			Do.*
Do.	<i>Cassia</i> sp.			1			Do.*
Do.	Legume		1	1			Do.*
Do.	<i>Rhamnus purshiana</i> (cascara buckthorn).		2				Do.*
	<i>Coffea</i> sp.			4			Do.*
<i>Ceratitis capitata</i> (Mediterranean fruit fly).	<i>Mangifera indica</i> (mango)		1				Do.*
Do.	<i>Persea americana</i> (avocado)			1			Do.*
Do.							
<i>Ceroplastes rubens</i> (Coccidae).	<i>Vitis</i> sp. (grape)		1				Do.*
Do.	<i>Alyxia oliviformis</i> (maile)			1			Do.*
Do.	<i>Allamanda schottii</i>	1					Do.*
Do.	<i>Dioclea violacea</i>			1			Do.*
Do.	Flower leis		2				Do.*
Do.	Leaf leis			1			Do.*
	<i>Averrhoa carambola</i> (carambola).	1					Do.*
	<i>Gardenia florida</i> (Cape-jasmine).			5			Do.*
	<i>Caladium</i> sp.			1			Do.*
	<i>Coffea</i> sp.			1			Do.*
	Flower leis			5	1		Do.*
	<i>Gardenia florida</i>	1		21	2		Do.*
	<i>Hamelia</i> sp.						Do.*
	<i>Panax</i> sp.	1					Do.*
	<i>Triphasia trifolia</i> (lime-berry)		1				Do.*
	<i>Cocos nucifera</i> (coconut)			1			Do.*
<i>Coccus acuminatus</i> (Coccidae).	<i>Ananas sativus</i>	9		2			Do.*
Do.							
<i>Coccus viridis</i> (Coccidae).	<i>Cocos nucifera</i>	11		50	8		Do.*
Do.	<i>Musa</i> sp. (banana)	5					Do.*
Do.	<i>Ananas sativus</i>	22		6			Do.*
	<i>Bignonia venusta</i> (flower lei)			1			Do.*
	<i>Bougainvillea</i> sp.		3	1			Do.*
	<i>Calotropis gigantea</i>			1			Do.*
	<i>Calotropis</i> sp.			1			Do.*
	<i>Canaralia</i> sp.			1			Do.*
	Composite leis			1			Do.*
	Crown flower leis	1					Do.*
	<i>Dianthus</i> sp. (carnation)	2		17	1		Do.*
	<i>Dioclea violacea</i> (Mauna-loa)			3			Do.*
	Everlasting flower leis			4			Do.*
	Flower leis	1	1	20	2		Do.*
	<i>Gardenia florida</i> (Cape-jasmine).			1			Do.*
	<i>Gomphrena globosa</i> (globe-amaranth).			2			Do.*

List, by countries, of pests collected and reported from July 1, 1935, to June 30, 1936, inclusive—Continued

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
HAWAII—Continued							
Insects—Continued.							
<i>Halothrips gowdeyi</i> (thrips)	<i>Hibiscus</i> sp.	1					Calif.*
Do.	<i>Jasminum sambac</i>	1					Do.*
Do.	<i>Mesembryanthemum</i> sp.		1				Do.*
Do.	<i>Plumeria acutifolia</i>		2				Do.*
Do.	<i>Plumeria</i> sp.		1				Do.*
Do.	<i>Polyanthes tuberosa</i> (tuberose)		3				Do.*
Do.	<i>Statice</i> sp.		1				Do.*
Do.	<i>Tagetes</i> sp. (marigold)		2				Do.*
Do.	<i>Zingiber officinale</i> (ginger)		4				Do.*
<i>Kalotermes pictatus</i> (termite)	<i>Lilium</i> sp.	1					Do.*
<i>Lampides baetica</i> (Lycaenidae)	<i>Canavalia</i> sp.		8				Do.*
Do.	<i>Dioecia violacea</i> (Mauna-loa)	1	8				Do.*
Do.	Flower leis		5				Do.*
<i>Lepidosaphes auriculata</i> (Coccidae)	<i>Codiaeum variegatum</i> (croton)	1					Do.*
Do.	<i>Codiaeum</i> sp. (croton)		3	4			Do.*
<i>Lepidosaphes pallida</i> (Coccidae)	<i>Juniperus</i> sp. (juniper)		1	1			Do.*
<i>Lepidosaphes uniloba</i> (Coccidae)	<i>Alyxia olivaeformis</i> (maile)		17	3			Do.*
Do.	Leaf leis		1				Do.*
<i>Maruca testulalis</i> (bean pod borer)	<i>Canavalia</i> sp.		5				Do.*
Do.	<i>Dioecia violacea</i> (Mauna-loa)		9				Do.*
Do.	Flower leis		1				Do.*
<i>Odonaspis secreta</i> (Coccidae)	<i>Phaseolus</i> sp. (string bean)					1	Do.*
<i>Opoogona aurisquamosa</i> (Tineidae)	Bamboo				1		Do.*
Do.	<i>Ananas sativus</i>	1					Do.*
<i>Parlatoria mytilaspiformis</i> (Coccidae)	<i>Musa</i> sp. (banana)	1					Do.*
Do.	<i>Codiaeum variegatum</i> (croton)		1				Do.*
Do.	<i>Codiaeum</i> sp. (croton)				1		Do.*
Do.	<i>Colocasia esculenta</i> (taro)		1				Do.*
Do.	<i>Dendrobium</i> sp. (orchid)				1		Do.*
Do.	Orchid			1			Do.*
Do.	<i>Strelitzia</i> sp. (bird-of-paradise-flower)				1		Do.*
<i>Pectinophora gossypiella</i> (pink boll-worm)	<i>Gossypium</i> sp. (cotton) (boll)		1				Do.*
Do.	<i>Gossypium</i> sp. (cottonseed)			1			Do.*
<i>Pinnaspis buxi</i> (Coccidae)	<i>Cocos nucifera</i>			1			Do.*
Do.	<i>Dendrobium</i> sp. (orchid)				1		Do.*
Do.	<i>Smilax</i> sp.		4				Do.*
Do.	<i>Strelitzia</i> sp.		1				Do.*
<i>Pseudaonidia clavigera</i> (Coccidae)	<i>Melaleuca styphelioides</i>		1				Do.*
Do.	<i>Parmentiera cerifera</i> (candle tree)	1					Do.*
Do.	<i>Plumeria</i> sp.		1				Do.*
<i>Pseudaonidia tesserata</i> (Coccidae)	<i>Hibiscus</i> sp.			1	1		Do.*
Do.	<i>Rosa</i> sp.		1				Do.*
<i>Pseudococcus krauniae</i> (Coccidae)	<i>Codiaeum</i> sp. (croton)			1	6		Do.*
Do.	<i>Costus villosissimus</i>	1					Do.*
Do.	<i>Doryalis caffra</i> (kei-apple)	1					Do.*
Do.	Flower leis		4	2			Do.*
Do.	<i>Gardenia florida</i> (Cape-jasmine)	1		4	1		Do.*
Do.	Orchid				1		Do.*
<i>Pseudococcus virgatus</i> (Coccidae)	<i>Areca catechu</i> (betel palm)	5					Do.*
Do.	<i>Piper betle</i> (betel pepper)	6					Do.*
<i>Rhynchos longulus</i> (Curculionidae)	<i>Cordyline terminalis</i> (dracena)	1					Do.*
Do.	Flower leis			1			Dol.*
<i>Ripergia palmarum</i> (Coccidae)	<i>Cocos nucifera</i> (coconut)	10		70	21		Do.*
Do.	<i>Musa</i> sp.	1					Do.*
<i>Sternochetus mangiferae</i> (mango weevil)	<i>Mangifera indica</i> (mango)			10	3	2	Do.*
<i>Taeniothrips hawaiiensis</i> (thrips)	<i>Calotropis gigantea</i>	2		2			Do.*
Do.	<i>Cassia fistula</i> (golden-shower)			1			Do.*
Do.	<i>Cassia</i> sp.				1		Do.*
Do.	<i>Dianthus</i> sp. (carnation)	3		25	1		Do.*
Do.	Flower leis	1		20	1		Do.*
Do.	<i>Gardenia florida</i> (Cape-jasmine)			2			Do.*
Do.	<i>Gomphrena globosa</i> (globe-amaranth)			2			Do.*
Do.	<i>Helipterum</i> sp. (everlasting flower)			1			Do.*
Do.	<i>Nelumbo</i> sp. (lotus)			1			Do.*
Do.	<i>Plumeria acutifolia</i>			2	1		Do.*
Do.	<i>Plumeria</i> sp.			2			Do.*

List, by countries, of pests collected and reported from July 1, 1935, to June 30, 1936, inclusive—Continued.

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
HAWAII—Continued							
Insects—Continued.							
<i>Taeniothrips hawaiiensis</i> (thrips)	<i>Polyanthus tuberosa</i> (tuberose)		1				Calif.*
Do	<i>Solidago</i> sp. (goldenrod)	1	1				Do.*
Do	<i>Tagetes</i> sp. (marigold)		2				Do.*
Do	<i>Tropaeolum majus</i> (nasturtium)	1					Do.*
Do	<i>Zingiber officinale</i> (ginger)		1				Do.*
<i>Taeniothrips simplex</i> (gladiolus thrips)	<i>Dianthus</i> sp. (carnation)	2	1				Do.*
Do	<i>Gladiolus</i> sp.		2	1			Do.*
<i>Trionymus sacchari</i> (Coccidae)	<i>Saccharum officinarum</i>			1			Do.*
Diseases:							
<i>Gloeosporium</i> sp.	<i>Erythrina</i> sp. (coral tree)	1					Do.*
<i>Hendersonia</i> sp.	<i>Dracaena aurea</i>	1					Do.*
<i>Oidium</i> sp.	<i>Rosa</i> sp.			1			Wash.
<i>Pestalozzia</i> sp.	<i>Macadamia</i> sp.		1				Calif.*
<i>Phomopsis</i> sp.	<i>Polyscias</i> sp.	1					Do.*
<i>Stilbum</i> sp.	<i>Erythrina</i> sp. (coral tree)	1					Do.*
<i>Uromyces</i> sp.	<i>Alyzia oliviformis</i> (maile)		3				Do.*
Do	<i>Thespesia populnea</i> (portia-tree).	1					Do.*
HONDURAS							
Insects:							
<i>Anastrepha</i> sp. (Tryptidae)	<i>Citrus sinensis</i> (orange)		1				La.
Do	<i>Mangifera indica</i> (mango)	1					Do.
<i>Aspidiotus destructor</i> (Coccoidea)	<i>Cocos nucifera</i> (coconut)		1	2			Do.
Do	Palm			1			Do.
<i>Aspidiotus palmae</i> (Coccoidea)	<i>Carissa</i> sp.	1					D. C.
Do	<i>Ixora coccinea</i> (scarlet ixora)	1					Do.
Do	<i>Musa</i> sp. (banana)	2					Ala.
Do	do	1					Md.
Do	do	1					Tex.
<i>Coccus acuminatus</i> (Coccoidea)	<i>Gardenia florida</i> (Cape-jasmine)		1	2			La.
<i>Conotrachelus aguacatae</i> (Curculionidae)	<i>Persea americana</i> (avocado)			1			Ala.
<i>Cylas formicarius</i> (sweetpotato weevil).	<i>Ipomoea batatas</i> (sweetpotato)				1		Fla.*
<i>Metamasius sericeus</i> (silky cane weevil).	Banana debris	5					Ala.
Do	do	19					La.
Do	do	8					Md.
Do	do	9					N. Y.
Do	do	16					Tex.
Do	<i>Musa</i> sp. (banana)	1					Md.
<i>Neocattiarus vegetus</i> (Lygaeidae)	Orchid	1					D. C.
<i>Phainoma marmorata</i> (Tingitidae)	<i>Ipomoea batatas</i> (sweetpotato)	8					Ala.
<i>Pseudococcus virgatus</i> (Coccoidea)	do	37					La.
<i>Pseudopeltalaria parlatorioides</i> (Coccoidea).	do	8					Md.
Do	do	25					N. Y.
Psychid	do	4					S. C.
Do	<i>Musa</i> sp. (banana)	16					Tex.
Do	do	16					Ala.
Do	do	7					La.
Do	do	2					Md.
Do	do	3					N. Y.
Do	do	1					S. C.
Do	do	2					Tex.
<i>Stephanoderes multidentatus</i> (Scolytidae).	<i>Citrus grandis</i> (grapefruit)	1					N. Y.
Diseases:							
<i>Capnodium</i> sp.	<i>Saccharum officinarum</i>			1			La.
<i>Ceratostomella fimbriata</i>	<i>Ipomoea batatas</i> (sweetpotato)				1		Miss.
<i>Ceratostomella paradoxa</i>	<i>Cocos nucifera</i> (coconut)	1				1	N. Y.
<i>Diplodia cacaoicola</i>	do				1		Do.
Do	<i>Musa paradisiaca</i> (plantain)	1				1	Do.
Do	<i>Theobroma cacao</i> (cacao)						La.
<i>Diplodia natalensis</i>	<i>Citrus sinensis</i> (orange)	1					N. Y.

List, by countries, of pests collected and reported from July 1, 1935, to June 30, 1936, inclusive—Continued

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
HONDURAS—Continued							
Diseases—Continued.							
<i>Diplodia tubericola</i>	<i>Xanthosoma</i> sp. (malanga)					1	Ala. Fla.*
<i>Gloeosporium limetticolum</i>	<i>Citrus aurantifolia</i> (lime)	1		1			Calif.*
<i>Gloeosporium</i> sp.	<i>Oncidium</i> sp. (orchid)		2				Do.*
<i>Phoma</i> sp.	do		1				N. Y.
<i>Phyllosticta</i> sp.	Orchid				1		La.
<i>Physarum</i> sp.	<i>Musa</i> sp. (banana)	1				1	N. Y.
<i>Sphaceloma fawcettii</i>	<i>Citrus grandis</i> (grapefruit)						Do.
<i>Thielaviopsis paradoxa</i>	<i>Musa</i> sp. (banana)	1					
HUNGARY							
Insects:							
<i>Bruchus brachialis</i> (Bruchidae)	<i>Vicia</i> sp. (vetch)		1				D. C.
Diseases:							
<i>Mycosphaerella schoenprasi</i>	<i>Allium sativum</i> (garlic)		1				N. Y.
<i>Puccinia graminis</i>	<i>Triticum aestivum</i> (wheat)	1	1				Do.
<i>Puccinia rubigo-vera tritici</i>	do	4					Do.
<i>Puccinia</i> sp.	do	1					Do.
<i>Sclerotinia cinerea</i>	<i>Prunus domestica</i> (plum)					1	Do.
<i>Sclerotinia sclerotiorum</i>	<i>Dahlia</i> sp.	1					Do.
<i>Ustilago hordei</i>	<i>Hordeum vulgare</i> (barley)		1				D. C.
INDIA							
Insects:							
<i>Bruchus emarginatus</i> (Bruchidae)	<i>Pisum arvense</i>		1				Do.
Do	<i>Pisum sativum</i> (pea)		1				Do.
<i>Callosobruchus analis</i> (Bruchidae)	<i>Cicer arietinum</i> (chickpea)	1					N. Y.
Do	<i>Pisum sativum</i> (pea)	2					Do.
Do	<i>Vigna sinensis</i> (cowpea)		2				D. C.
<i>Callosobruchus chinensis</i> (Bruchi-dae)	<i>Cicer arietinum</i>	1				1	N. Y.
Do	Legume seed		1				Do.
Do	<i>Oryza sativa</i> (paddy rice)	1					Do.
<i>Callosobruchus phaseoli</i> (Bruchidae)	<i>Dolichos lablab</i> (hyacinth-bean)		5				D. C.
<i>Caryedon fuscus</i> (Bruchidae)	<i>Beaumontia</i> sp.		1				Calif.*
Do	<i>Cassia fistula</i> (golden-shower)		1				D. C.
Do	Legume seed		1				Calif.*
<i>Chilo simplex</i> (Asiatic rice borer)	<i>Oryza sativa</i> (rice)	1					N. Y.
Do	do		1				Pa.
<i>Coccus capparidis</i> (Coccidae)	<i>Cyprpedoium fairieanum</i> (or-chid)		1				Calif.*
Do	<i>Cyprpedoium villosum</i> (orchid)		1				Do.*
<i>Cylas formicarius</i> (sweetpotato weevil)	<i>Ipomeoea batatas</i> (sweetpotato)					3	N. Y.
<i>Dinoderus bifoveolatus</i> (Bostrichidae)	Bamboo basket		1				Hawaii.*
<i>Heterobostrychus aequalis</i> (Bostrichidae)	Wooden crate		4				Calif.*
Do	<i>Pinus</i> sp. (pine)		1				N. Y.
<i>Lophocateres pusillus</i> (Slamese grain beetle)	<i>Oryza sativa</i> (paddy rice)					1	Do.
<i>Parlatoria pseudaspidotus</i> (Cocco-dae)	<i>Vanda teres auorea</i> (orchid)		1				D. C.
<i>Pseudococcus virgatus</i> (Coccidae)	<i>Codiaeum</i> sp. (croton)					1	Pa.
<i>Sinozylon conigerum</i> (Bostrichidae)	Wooden crate		1				Calif.*
Trypetid	<i>Rosa</i> sp.		1				D. C.
Diseases:							
<i>Albugo</i> sp.	<i>Lawsonia inermis</i> (henna)		1				N. Y.
<i>Claviceps purpurea</i>	<i>Dactylis glomerata</i> (orchard grass)	1					D. C.
<i>Colletotrichum</i> sp.	<i>Cymbidium eburneum</i> (orchid)	1					Calif.*
Do	<i>Cymbidium pendulum</i> (orchid)	1					Do.*
Do	<i>Olea europaea</i> (olive)		2	1			Md.
Do	Orchid		2				Calif.*
<i>Diplodia natalensis</i>	<i>Phaius maculatus</i> (orchid)		1				Do.*
Do	<i>Arundina bambusafolia</i>	1					Do.*
<i>Diplodia</i> sp.	<i>Cocos nucifera</i> (coconut)					1	Pa.
<i>Erysiphe cichoracearum</i>	<i>Lawsonia inermis</i> (henna)		1				N. Y.
<i>Gloeosporium</i> sp.	<i>Hysopos</i> sp. (hyssop)	1					D. C.
Do	<i>Capsicum annuum</i>					1	Va.
Do	<i>Cymbidium grandiflorum</i> (or-chid)		1				Calif.*
Do	<i>Vanda caerulea</i> (orchid)		1	1			Do.*

List, by countries, of pests collected and reported from July 1, 1935, to June 30, 1936,
inclusive—Continued

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
INDIA—Continued							
Diseases—Continued.							
<i>Graphiola borassi</i>	<i>Borassus sp.</i>	1					Pa.
<i>Helminthosporium oryzae</i>	<i>Oryza sativa</i> (rice)	1					N. Y.
<i>Periconia</i> sp.	<i>Cymbidium eburneum</i> (orchid)	1					Calif.*
<i>Pestalozzia</i> sp.	<i>Mangifera indica</i> (mango)				1		N. Y.
<i>Phomopsis</i> sp.	<i>Cymbidium eburneum</i> (orchid)	1					Calif.*
<i>Phyllosticta</i> sp.	<i>Cassia</i> sp. (senna)		1				N. Y.
Do	<i>Lauresonia inermis</i> (henna)		1				Do.
<i>Puccinia graminis</i>	<i>Triticum aestivum</i> (wheat)	1					Do.
<i>Puccinia rubigo-vera tritici</i>	do	1					Do.
<i>Puccinia</i> sp.	do	1					Do.
<i>Sclerotium oryzae</i>	<i>Oryza sativa</i> (rice)	11	3	4			Do.
<i>Sphacelotheca sorghii</i>	<i>Holcus sorghum</i> (sorghum)		1				Do.
<i>Systasis stemonites</i>	<i>Solanum tuberosum</i>					1	Mass.
<i>Tilletia tritici</i>	<i>Triticum aestivum</i> (wheat)		1				N. Y.
<i>Ustilago tritici</i>	do				1		Do.
INDO-CHINA							
Diseases:							
<i>Helminthosporium</i> sp.	<i>Oryza sativa</i> (paddy rice)		1				Do.
IRAN							
Diseases:							
<i>Sclerotium oryzae</i>	<i>Oryza sativa</i> (rice)		1				Do.
IRELAND							
Insects:							
<i>Myzus ornatus</i> (aphid)	<i>Chrysanthemum</i> sp.		1	1			Do.
<i>Sciaphilus muricatus</i> (Curculionidae)	<i>Trifolium repens</i> var. (shamrock)	1					Do.
<i>Taeniothrips ericae</i> (thrips)	<i>Calluna vulgaris</i> (heather)		1	1			Do.
Do	Do		1				Pa.
<i>Thrips flavus</i> (thrips)	<i>Chrysanthemum</i> sp.		1				N. Y.
Do	<i>Ilex</i> sp. (holly)		1				Do.
<i>Thrips fuscipennis</i> (thrips)	<i>Rosa</i> sp.		1				Do.
Diseases:							
<i>Bacterium maculicola</i>	<i>Brassica oleracea capitata</i>					1	Md.
<i>Bacterium marginatum</i>	<i>Gladiolus</i> sp.	1					D. C.
<i>Botrytis cinerea</i>	<i>Daucus carota</i> (carrot)					1	Md.
Do	<i>Rosa</i> sp.		1				N. Y.
<i>Diplocarpon rosae</i>	<i>Rosa</i> sp.		1				Md.
<i>Ditylenchus dipsaci</i>	<i>Narcissus</i> sp.	1					D. C.
<i>Gloeosporium taxicolum</i>	<i>Taxus</i> sp. (yew)		1				N. Y.
<i>Phyllachora trifoliae</i>	<i>Trifolium repens</i> var. (shamrock)	1					Do.
<i>Phyllosticta</i> sp.	<i>Ilex</i> sp. (holly)		1				Do.
<i>Pseudopeziza medicaginis</i>	<i>Trifolium repens</i> var. (shamrock)	5					Do.
<i>Puccinia</i> sp.	<i>Triticum aestivum</i> (wheat)	2					Do.
<i>Rhizoctonia</i> sp.	<i>Primula</i> sp. (primrose)	1					Pa.
<i>Rhytidisma acerinum</i>	<i>Acer</i> sp. (maple)		1				N. Y.
<i>Sclerotinia cinerea</i>	<i>Malus sylvestris</i> (apple)		1				Do.
<i>Sclerotinia gladioli</i>	<i>Gladiolus</i> sp.	1					D. C.
<i>Sclerotinia</i> sp.	<i>Trifolium repens</i> var. (shamrock)	1					Pa.
<i>Sphaeronema</i> sp.	<i>Narcissus</i> sp.		3				D. C.
ITALY							
Insects:							
<i>Acanthoscelides spinipes</i> (Bruchidae)	Bean pod	1					N. Y.
<i>Acroleptis assectella</i> (Plutellidae)	<i>Allium porrum</i> (leek)					1	Do.
<i>Aleyrodes brassicae</i> (whitefly)	<i>Brassica oleracea acephala</i> (kale)					1	Do.
Do	<i>Brassica oleracea botrytis</i> (cauliflower)					1	Do.
Do	<i>Brassica oleracea capitata</i>					3	Do.
Do	do					1	Pa.
<i>Apion carduorum</i> (Curculionidae)	<i>Cynara scolymus</i> (globe artichoke)					1	N. Y.
<i>Brachycerus albidentatus</i> (Curculionidae)	<i>Allium sativum</i> (garlic)	4					Do.
<i>Bruchidius cisti</i> (Bruchidae)	<i>Onobrychis vicariaefolia</i>		1				D. C.

List, by countries, of pests collected and reported from July 1, 1935, to June 30, 1936,
inclusive—Continued

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
ITALY—Continued							
Insects—Continued.							
<i>Bruchidius tillosus</i> (Bruchidae)	<i>Laburnum vulgare</i> (golden-chain).		1				D. C.
Do.	do	1					N. Y.
<i>Bruchus signaticornis</i> (Bruchidae)	<i>Lens esculenta</i> (lentil)	1					Do.
<i>Bruchus tristis</i> (Bruchidae)	<i>Lathyrus sativus</i> (grass pea)		2				Do.
<i>Ceratitis capitata</i> (Mediterranean fruit fly).	<i>Amygdalus persica</i> (peach)		1				Do.
Do.	<i>Citrus grandis</i> (grapefruit)					1	Do.
Do.	<i>Citrus nobilis deliciosa</i> (tangerine).		1			1	Do.
Do.	Tangerine in ship's garbage						Do.
Do.	<i>Citrus sinensis</i> (orange)		1				Do.
Do.	<i>Cydonia oblonga</i> (quince)		1				Do.
Do.	<i>Diospyros</i> sp. (persimmon)		4				Do.
Do.	<i>Ficus carica</i> (fig)		1				Do.
Do.	<i>Malus sylvestris</i> (apple)		1				Do.
Do.	<i>Opuntia compressa</i> (prickly-pear).		3				Do.
Do.	<i>Punica granatum</i> (pomegranate).		3	1			Do.
Do.	<i>Sorbus</i> sp. (sorbe apple)		1				Do.
Do.	In bag containing various kinds of fruit.		1				Do.
Do.	In bag containing tangerines.		1				Do.
Do.	In sawdust packing for figs and grapes.		1				Do.
Do.	In straw packing around persimmons.		1				Do.
Do.	On wrapper around pomegranate.		1				Do.
<i>Ceroplastes rusci</i> (Coccidae)	<i>Ficus carica</i> (fig)		1	1			Do.
<i>Ceutorhynchus contractus</i> (Curculionidae).	<i>Brassica oleracea botrytis</i> (cauliflower).					1	Do.
<i>Ceutorhynchus pleurostigma</i> (turnip gall weevil).	<i>Brassica rapa</i> (turnip)					1	Do.
<i>Ceutorhynchus quadridens</i> (Curculionidae).	<i>Brassica oleracea capitata</i>					4	Ala.
<i>Chrysomela americana</i> (Chrysomelidae).	<i>Rosmarinus officinalis</i> (rosemary)	1					N. Y.
<i>Chrysomphalus dictyospermi</i> var. (Coccidae).	<i>Citrus limonia</i> (lemon)					1	Md.
Do.	do					1	Mass.
Do.	do		1			2	N. Y.
Do.	<i>Citrus sinensis</i> (orange)					1	Pa.
Do.	do		1				Wash.
Do.	Palm				1		Pa.
<i>Cryptoblabes gnidiella</i> (Pyralidae).	<i>Punica granatum</i> (pomegranate).		1				N. Y.
<i>Cynips quercus-tozae</i> (Cynipidae).	<i>Quercus</i> sp. (oak)		1				Do.
<i>Dacus oleae</i> (olive fruit fly)	<i>Olea europaea</i> (olive)		3	8			Do.
Do.	In package of green olives		1				Do.
<i>Dichrorhampha plumbana</i> (Olethreutidae).	<i>Beta vulgaris</i> (beet)					1	Do.
<i>Epicometis hirta</i> (Scarabaeidae).	<i>Opuntia</i> sp.		1				Do.
<i>Forficula auricularia forcipata</i> (earwig).	<i>Punica granatum</i> (pomegranate).		1				Do.
<i>Frankliniella intonosa</i> (thrips)	<i>Daucus carota</i> (carrot)					1	Do.
Do.	<i>Raphanus sativus</i> (radish)					1	Do.
<i>Laspeyresia splendana</i> (Olethreutidae).	<i>Castanea</i> sp. (chestnut)		1				Ill.
Do.	do	1	3				N. Y.
<i>Lepidosaphes ficus</i> (Coccidae).	<i>Ficus carica</i> (fig)	1	2				Do.
Do.	do	1					Wash.
Do.	<i>Ficus</i> sp.	1					D. C.
<i>Leucaspis pusilla</i> (Coccidae).	<i>Pinus</i> sp. (pine)				3		N. Y.
<i>Macrosiphum kaltenbachii</i> (aphid).	<i>Lactuca sativa longifolia</i> (Romaine lettuce).					1	Do.
<i>Monosteira unicosta</i> (Tingitidae).	<i>Prunus domestica</i> (plum)			1			Do.
<i>Myelois ceratoniae</i> (Pyralidae).	<i>Ceratonia siliqua</i> (carob)	1					Va.
<i>Nyctius senecionis</i> (Lygaeidae).	<i>Brassica oleracea capitata</i>					1	Ala.

List, by countries, of pests collected and reported from July 1, 1935, to June 30, 1936, inclusive—Continued

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
ITALY—Continued							
Insects—Continued.							
<i>Parlatoria oleae</i> (Coccidae)	<i>Amygdalus persica nectarina</i> (nectarine).		1				N. Y.
Do	<i>Diospyros</i> sp. (persimmon)		1				Do.
Do	<i>Malus sylvestris</i> (apple)	3			1	2	Do.
Do	<i>Prunus armeniaca</i> (apricot)					1	Do.
Do	<i>Prunus domestica</i> (plum)			1		2	Do.
Do	<i>Pyrus communis</i> (pear)	1		1			Do.
Do	<i>Rosa</i> sp.		1				D. C.
Do	<i>Sorbus</i> sp. (sorbe apple)			2			N. Y.
<i>Parlatoria ziziphus</i> (Coccidae)	<i>Citrus limonia</i> (lemon).				2	Calif.*	
Do	do					1	Fla.*
<i>Phyllotreta vittata</i> (Chrysomelidae)	<i>Brassica oleracea capitata</i>					1	N. Y.
Do	<i>Cichorium intybus</i> (witloof)					1	Do.
<i>Pseudococcus kraunhiae</i> (Coccidae)	<i>Chayota edulis</i> (chayote)		1				Do.
<i>Pultinaria floccifera</i> (Coccidae)	<i>Pittosporum tobira</i> (tobira)			1			Wash.
<i>Sinicronyx cyaneus</i> (Curculionidae)	<i>Spinacia oleracea</i> (spinach)					1	N. Y.
<i>Taeniothrips atratus</i> (thrips)	<i>Cichorium intybus</i>					1	Do.
<i>Taeniothrips croceicollis</i> (thrips)	<i>Iris</i> sp.		1				Do.
<i>Thrips adamsoni</i> (thrips)	<i>Allium porrum</i> (leek)					1	Pa.
<i>Thrips angusticeps</i> (thrips)	<i>Cynara scolymus</i> (globe artichoke).					1	N. Y.
Do	<i>Lactuca sativa</i> (lettuce)					2	Do.
Do	<i>Lactuca sativa longifolia</i> (Romaine lettuce)					1	Do.
<i>Thrips nigropilosus</i> (thrips)	<i>Cichorium intybus</i>					2	Do.
Do	<i>Lactuca sativa</i> (lettuce)					1	Do.
<i>Tinea cloacella</i> (Tineidae)	<i>Typha latifolia</i> (salam)	1					Do.
Trypetid	<i>Cynara scolymus</i> (globe artichoke).	1					Do.
Diseases:							
<i>Albugo candida</i>	<i>Brassica oleracea botrytis</i> (cauliflower).					1	Do.
Do	<i>Brassica oleracea capitata</i>					2	Do.
Do	<i>Brassica rapa</i> (turnip)					3	Do.
Do	<i>Raphanus sativus</i> (radish)					4	Do.
<i>Alternaria brassicae</i>	<i>Brassica oleracea acephala</i> (kale)					1	Do.
Do	<i>Brassica oleracea botrytis</i>					2	Do.
Do	<i>Brassica oleracea capitata</i>					5	Do.
<i>Alternaria herculea</i>	<i>Brassica oleracea botrytis</i>					1	Do.
Do	<i>Brassica oleracea capitata</i>					1	Md.
Do	do					1	N. Y.
<i>Ascochyta</i> sp.	<i>Juglans</i> sp. (walnut)		1				Do.
<i>Bacterium campestre</i>	<i>Brassica oleracea capitata</i>					1	Va.
<i>Bacterium maculicola</i>	<i>Brassica oleracea acephala</i> (kale)					1	N. Y.
Do	<i>Brassica oleracea botrytis</i>					3	Do.
Do	<i>Brassica oleracea capitata</i>					1	La.
Do	do					1	Md.
Do	do					5	N. Y.
Do	do					1	Do.
<i>Bacterium sarastanoi</i>	<i>Brassica</i> sp. (mustard)						Mass.
<i>Bacterium vesicatorium</i>	<i>Olea europaea</i> (olive)		1				N. Y.
<i>Botrytis cinerea</i>	<i>Lycopersicum esculentum</i>					1	Tex.
Do	<i>Allium cepa</i> (onion)					1	Mass.
	<i>Cucurbita pepo</i> (vegetable marrow).					1	
	<i>Daucus carota</i> (carrot)					1	Tex.
	<i>Nerium oleander</i> (oleander)	1					Pa.
	<i>Rosa</i> sp.					1	N. Y.
	<i>Vitis</i> sp. (grape)		1			1	Do.
	do					1	Pa.
<i>Bremia lactucae</i>	<i>Cichorium intybus</i> (witloof)					1	N. Y.
Do	<i>Lactuca sativa</i> (lettuce)					5	Do.
Do	<i>Lactuca sativa longifolia</i> (Romaine lettuce)					1	Do.
<i>Capnodium citri</i>	<i>Citrus limonia</i> (lemon)					1	Mass.
Do	do					1	Va.
<i>Cercospora beticola</i>	<i>Beta vulgaris cicla</i> (Swiss chard)					10	N. Y.
<i>Cercospora foeniculi</i>	<i>Foeniculum vulgare</i> (fennel)					2	Do.
<i>Cladosporium carpophilum</i>	<i>Amelanchier communis</i> (almond)		1				Do.
Do	<i>Amelanchier persica</i> (peach)			1			Do.
Do	<i>Prunus armeniaca</i> (apricot)					1	Do.
<i>Cladosporium cucumerinum</i>	<i>Curcurbita pepo</i> (vegetable marrow).					1	Mass.

List, by countries, of pests collected and reported from July 1, 1935, to June 30, 1936, inclusive—Continued

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
ITALY—Continued							
Diseases—Continued.							
<i>Colletotrichum circinans</i>	<i>Allium cepa</i> (onion)					1	Tex.
Do	<i>Allium sativum</i> (garlic)					1	Pa.
<i>Colletotrichum graminicolum</i>	<i>Triticum aestivum</i> (wheat)	1					N. Y.
<i>Collectotrichum</i> sp.	<i>Nephrolepis exaltata bostoniensis</i> (Boston fern)				1		Do.
<i>Coniothyrium ruscicola</i>	<i>Ruscus</i> sp.				1		Do.
<i>Coryneum beijerinckii</i>	<i>Amygdalus communis</i> (almond)					1	Do.
<i>Erosopium palmivorum</i>	<i>Phoenix</i> sp. (palm)				1		Do.
<i>Fusicladium eriobryae</i>	<i>Eriobotrya japonica</i> (loquat)					3	Do.
<i>Gloesporium olivarum</i>	<i>Olea europaea</i> (olive)	1	3				Do.
<i>Gloeosporium</i> sp.	<i>Citrus limonia</i> (lemon)	2					Do.
Do	<i>Citrus nobilis deliciosa</i> (tangerine)					1	Mass.
Do	<i>Codiaeum</i> sp. (eroton)			1			La.
Do	<i>Hoya carnosa</i> (waxplant)		1				N. Y.
Do	Palm			1			Do.
Do	<i>Smitax</i> sp.			1			Do.
<i>Glomerella cingulata</i>	<i>Aucuba</i> sp.			1			Do.
Do	<i>Rosa</i> sp.		2				Do.
<i>Graphiola phoenicis</i>	Palm		3				Do.
Do	<i>Phoenix dactylifera</i> (date palm)			4			Do.
<i>Helminthosporium allii</i>	<i>Allium cepa</i> (onion)				1		Pa.
Do	<i>Allium sativum</i> (garlic)				1		Ala.
Do	do	3	1			1	La.
Do						2	N. Y.
<i>Helminthosporium sativum</i>	<i>Triticum aestivum</i> (wheat)		1				Do.
<i>Heterosporium echinulatum</i>	<i>Dianthus</i> sp. (carnation)				1		Do.
<i>Leptosphaeria risci</i>	<i>Ruscus</i> sp.	1					Pa.
<i>Leptothyrium pomi</i>	<i>Malus sylvestris</i> (apple)			1			N. Y.
<i>Macromphoma</i> sp.	<i>Vitis</i> sp. (grape)	1					Do.
<i>Macrosporium tomato</i>	<i>Lycopersicum esculentum</i>					1	Ala.
<i>Mycosphaerella brassicicola</i>	<i>Brassica oleracea botrytis</i> (cauliflower)					3	N. Y.
<i>Mycosphaerella pinodes</i>	<i>Pisum sativum</i> (pea)					1	Do.
<i>Mycosphaerella schoenoprasii</i>	<i>Allium porrum</i> (leek)					1	Do.
<i>Mycosphaerella</i> sp.	<i>Vitis</i> sp. (grape)		1				Do.
<i>Oidium euonymi-japonici</i>	<i>Euonymus japonicus</i> (evergreen burningbush)				1		Do.
Do	<i>Euonymus</i> sp.				1		Do.
<i>Oidium</i> sp.	do			1			Do.
<i>Oospora lactis parasitica</i>	<i>Lycopersicum esculentum</i>				1		Ala.
Do	do				1		N. Y.
<i>Oospora</i> sp.	<i>Opuntia compressa</i> (prickly-pear)		1				Pa.
<i>Peronospora parasitica</i>	<i>Brassica oleracea botrytis</i> (cauliflower)					1	N. Y.
<i>Pestalozzia palmarum</i>	Palm				1		Do.
<i>Pestalozzia</i> sp.	<i>Laurus nobilis</i> (Grecian laurel)				1		Do.
Do	<i>Nerium oleander</i> (oleander)	1					Pa.
Do	Palm				1		N. Y.
Do	<i>Quercus ilex</i> (holly oak)	1					Do.
Do	<i>Rosa</i> sp.			1			Do.
<i>Phoma destructiva</i>	<i>Lycopersicum esculentum</i>					1	Ala.
<i>Phoma</i> sp.	<i>Citrus limonia</i> (lemon)	11	1		2	N. Y.	
Do	<i>Cynara scolymus</i> (globe artichoke)				2		Do.
Do	<i>Ficus carica</i> (fig)	1		4			Do.
Do	<i>Phlomis tuberosa</i> (Jerusalem sage)		1				Do.
Do	<i>Pinus</i> sp. (pine)			3			Do.
Do	<i>Vitis</i> sp. (grape)		1				Wash.
Do	do						N. Y.
<i>Phragmidium</i> sp.	<i>Rosa</i> sp.					1	Do.
<i>Phyllosticta ruscicola</i>	<i>Ruscus</i> sp.	1			4		Do.
Do	do	1	1				Pa.
<i>Phyllosticta</i> sp.	<i>Aucuba japonica</i> (Japanese aucuba)				1		N. Y.
Do	<i>Citrus limonia</i> (lemon)					1	Mass.
Do	<i>Citrus</i> sp.			1			N. Y.
Do	<i>Laurus nobilis</i> (Grecian laurel)				1		Do.
Do	Palm				1		Do.
Do	<i>Phaseolus</i> sp. (string bean)	1					Do.
Do	<i>Pyrus communis</i> (pear)					1	Do.

List, by countries, of pests collected and reported from July 1, 1935, to June 30, 1936, inclusive—Continued

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
ITALY—Continued							
Diseases—Continued.							
<i>Phyllosticta</i> sp.—	<i>Ruscus</i> sp.	2					Pa.
Do.—	<i>Triticum aestivum</i> (wheat)	1					La.
<i>Plasmopara viticola</i>	<i>Vitis</i> sp. (grape)					1	N. Y.
<i>Pleospora herbarum</i>	<i>Allium cepa</i> (onion)	1					Do.
<i>Pleospora</i> sp.—	<i>Citrus limonia</i> (lemon)	1					Do.
<i>Pseudopeziza medicaginis</i>	<i>Medicago sativa</i> (alfalfa)	1					Do.
<i>Puccinia allii</i> —	<i>Allium porrum</i> (leek)					1	Do.
Do.—	<i>Allium sativum</i> (garlic)					1	Md.
<i>Puccinia angelica</i>	<i>Pimpinella anisum</i> (anise)		1				N. Y.
<i>Puccinia coronata</i>	<i>Avena sativa</i> (oats)	1					Do.
<i>Puccinia hieracii</i>	<i>Cichorium intybus</i> (witloof)					1	Do.
<i>Puccinia graminis</i> —	<i>Avena sativa</i> (oats)	1					Do.
Do.—	<i>Secale cereale</i> (rye)		1				Pa.
Do.—	<i>Triticum aestivum</i> (wheat)	8	2	5			N. Y.
Do.—	do		1				Pa.
<i>Puccinia malvacearum</i>	<i>Malva</i> sp. (mallow)		19				N. Y.
<i>Puccinia rubigo-vera tritici</i>	<i>Triticum aestivum</i>	5	1				Do.
<i>Puccinia</i> sp.—	<i>Allium sativum</i> (garlic)					1	Do.
Do.—	<i>Avena sativa</i> (oats)					1	Do.
Do.—	<i>Triticum aestivum</i> (wheat)	5	1				Do.
<i>Sclerotinia cinerea</i>	<i>Pyrus communis</i> (pear)			1			Do.
<i>Sclerotinia sclerotiorum</i>	<i>Brassica oleracea botrytis</i> (cauliflower).					1	Do.
Do.—	<i>Daucus carota</i> (carrot)					1	Do.
Do.—	<i>Phaseolus</i> sp. (string bean)					1	Do.
<i>Sclerotinia</i> sp.—	<i>Allium sativum</i> (garlic)					1	La.
Do.—	<i>Pisum sativum</i> (pea)					1	Pa.
Do.—	<i>Solanum tuberosum</i>					1	Do.
<i>Sclerotium cepivorum</i>	<i>Allium cepa</i> (onion)					1	Tex.
<i>Sclerotium oryzae</i>	<i>Oryza sativa</i> (rice)	1					N. Y.
<i>Sclerotium rolfsii</i>	<i>Lithium</i> sp.				1		Do.
<i>Sclerotium</i> sp.—	<i>Allium sativum</i> (garlic)					1	Ala.
<i>Septoria apii</i>	<i>Apium graveolens</i> (celery)					16	N. Y.
Do.—	do					2	Pa.
<i>Septoria aucubae</i>	<i>Aucuba japonica</i> (Japanese aucuba).					1	N. Y.
Do.—	<i>Aucuba</i> sp.					1	Do.
<i>Septoria citri</i>	<i>Citrus limonia</i> (lemon)					1	La.
Do.—	do					1	Md.
Do.—	do	1				1	Mass.
Do.—	do	1				2	N. Y.
Do.—	do					1	Pa.
Do.—	do					2	Va.
<i>Septoria citri</i>	<i>Citrus limonia</i> (lemon)					1	Wash.
Do.—	<i>Citrus sinensis</i> (orange)					1	N. Y.
<i>Septoria petroselini</i>	<i>Petroselinum hortense</i> (parsley)					1	Mass.
Do.—	do					16	N. Y.
<i>Septoria</i> sp.—	<i>Triticum aestivum</i> (wheat)	1					Do.
<i>Sphaeloma fauvettii</i>	<i>Citrus limonia</i>				4		Do.
Do.—	do				2		Pa.
Do.—	<i>Citrus sinensis</i> (orange)				1		N. Y.
<i>Stysanus stemonites</i>	<i>Solanum tuberosum</i>					1	Pa.
<i>Thielavia</i> sp.	<i>Sambucus ebulus</i> (dwarf elder)	1					N. Y.
<i>Trichoderma lignorum</i>	<i>Citrus limonia</i>	1					Do.
<i>Uredo</i> sp.—	<i>Amygdalus persica nectarina</i> (nectarine).			1			Do.
<i>Uromyces betae</i>	<i>Beta vulgaris cicla</i> (Swiss chard).					3	Do.
<i>Uromyces caryophyllinus</i>	<i>Dianthus</i> sp. (carnation)			1			Do.
<i>Uromyces fabae</i>	<i>Vicia faba</i> (fava bean)					1	Do.
<i>Ustilago zea</i>	<i>Zea mays</i> (corn)	1					Do.
<i>Venturia furcata</i>	<i>Juniperus</i> sp.	1					Do.
<i>Venturia pyrina</i>	<i>Pyrus communis</i> (pear)					1	Do.
JAMAICA							
Insects:							
<i>Anastrepha acidusa</i> (West Indian fruit fly).	<i>Mangifera indica</i> (mango)				1		La.
Do.—	do	3	2			1	N. Y.
<i>Anastrepha</i> sp. (Tryptidae).	do				1		La.
Do.—	do			3	1	1	N. Y.

List, by countries, of pests collected and reported from July 1, 1935, to June 30, 1936, inclusive—Continued

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
JAMAICA—Continued							
Insects—Continued.							
<i>Aspidiotus herculeanus</i> (Coccidae)	<i>Poinciana regia</i> (royal poinciana).			1			Fla.*
Do.	<i>Spondias dulcis</i> (golden apple).			1			N. Y.
Do.	<i>Spondias</i> sp.			1			Do.
<i>Aspidiotus palmae</i> (Coccidae)	<i>Musa</i> sp. (banana).	1					Mich.
<i>Asterolecanium aureum</i> (Coccidae)	<i>Oncidium luridum</i> (orchid).		1				D. C.
<i>Bephraea cubensis</i> (Eurytomidae)	<i>Annona muricata</i> (soursop).	1					N. Y.
<i>Carvedon fuscus</i> (Bruchidae)	<i>Tamarindus indica</i> (tamarind).		1		1		Do.
<i>Chrysomphalus dictyospermi</i> var. (Coccidae).	<i>Mangifera indica</i> (mango).		1	1			Do.
<i>Coccus viridis</i> (Coccidae)	<i>Citrus aurantifolia</i> (lime).	1					Do.
Do.	<i>Coffea</i> sp.			3			Do.
Do.	<i>Eugenia</i> sp.			2			Do.
<i>Frankliniella cephalica</i> (thrips).	<i>Rosa</i> sp.			1			Do.
<i>Furcaspis biformis</i> (Coccidae)	<i>Brassavola nodosa</i> (orchid).	1					D. C.
Do.	<i>Orchid.</i>			1			Fla.*
Do.	do.			3			N. Y.
<i>Hemiclionaspis minor strachani</i> (Coccidae).	<i>Schomburgkia</i> sp. (orchid).	1					D. C.
Do.	<i>Eugenia</i> sp.			1			N. Y.
<i>Leucaspis cockerelli</i> (Coccidae).	<i>Zizyphus mauritiana</i> (India jujube).			1			Do.
<i>Marmara</i> sp. (Gracillariidae).	<i>Vanda teres</i> (orchid).	1					D. C.
<i>Palaeoopus costicollis</i> (Curculionidae).	<i>Citrus sinensis</i> (orange).				1		La.
<i>Parlatoria cratonis</i> (Coccidae).	<i>Dioscorea</i> sp. (yam).			3			N. Y.
<i>Pseudococcus boninsis</i> (Coccidae).	<i>Codiaeum</i> sp. (croton).			1	13		Do.
<i>Pseudococcus virgatus</i> (Coccidae).	<i>Saccharum officinarum</i> .			1			Fla.*
<i>Pseudopartatoria parlatorioides</i> (Coccidae).	<i>Codiaeum</i> sp. (croton).				1		N. Y.
<i>Pulvinaria psidii</i> (Coccidae).	<i>Carica papaya</i> (papaya).				1		Fla.*
<i>Targionia hartii</i> (Coccidae).	<i>Blighia sapida</i> (akee).				1		Do.
Trypetid.	<i>Dioscorea</i> sp. (yam).			1			Mass.
<i>Vinsonia stellifera</i> (Coccidae).	<i>Mangifera indica</i> (mango).					1	Fla.*
Do.	<i>Banana</i> debris.	1					N. Y.
Do.	<i>Broughtonia sanguinea</i> .			1			D. C.
Do.	<i>Citrus</i> sp.			1			N. Y.
<i>Xyleborus confusus</i> (Scolytidae).	<i>Epidendrum coccineum</i> (orchid).	1					D. C.
Diseases:	<i>Mangifera indica</i>			1			N. Y.
<i>Ascochyta</i> sp.							
<i>Botrytis cinerea</i> .	<i>Codiaeum variegatum</i> (croton).				1		Do.
<i>Capnodium citri</i> .	<i>Daucus carota</i> (carrot).					1	Tex.
<i>Ceratostomella aditposum</i> .	<i>Citrus sinensis</i> (orange).					5	Mass.
<i>Colletotrichum</i> sp.	<i>Saccharum officinarum</i> .				1		N. Y.
<i>Coniosporium bambusae</i> .	<i>Hibiscus</i> sp.				1		Do.
<i>Coniosporium shiraianum</i> .	Bamboo.				1		Do.
<i>Diplodia cacaoicola</i> .	do.				1		Do.
Do.	<i>Saccharum officinarum</i> .				1		Do.
<i>Diplodia natalensis</i> .	<i>Theobroma cacao</i> (cacao).				1		Do.
<i>Diplodia</i> sp.	<i>Citrus aurantifolia</i> (lime).	8			2		Do.
Do.	<i>Bryophyllum</i> sp.						Do.
Do.	<i>Crescentia cujete</i> (calabash-tree).				1		Do.
Do.	<i>Opuntia</i> sp. (cactus).			1			Do.
Gloeosporium limetticolum.	<i>Orchid.</i>			1			Do.
Gloeosporium musarum.	<i>Citrus aurantifolia</i> .	1					Do.
Gloeosporium sp.	<i>Musa</i> sp. (banana).	1					Do.
Do.	<i>Blighia sapida</i> (akee).			1			Do.
Do.	<i>Cactus</i> .				1		Fla.*
Do.	do.				1		N. Y.
Do.	<i>Codiaeum</i> sp. (croton).			1			Do.
Do.	<i>Dieffenbachia</i> sp.				1		Do.
Do.	<i>Orchid.</i>	2	1				D. C.
Do.	do.				1		N. Y.
<i>Helminthosporum</i> sp.	<i>Cymbopogon citratus</i> (lemon grass).		1				Do.
Macrophoma sp.	<i>Codiaeum variegatum</i> (croton).				1		Do.
Melanconium sacchari.	<i>Saccharum officinarum</i> .				9		Do.
Microdiploidia sp.	Bamboo.				1		Do.
Oospora citri-aurantii.	<i>Citrus aurantifolia</i> (lime).	2					Do.
Pestalozzia sp.	<i>Bryophyllum</i> sp.				1		Do.
Do.	<i>Punica granatum</i> (pomegranate).				2		Do.

*List, by countries, of pests collected and reported from July 1, 1935, to June 30, 1936,
inclusive—Continued*

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
JAMAICA—Continued							
Diseases—Continued.							
<i>Phoma</i> sp.	<i>Capsicum annuum</i>	1					N. Y.
Do.	<i>Citrus aurantifolia</i>	1					Do.
<i>Phomopsis</i> sp.	<i>Codiaeum</i> sp. (crotan.)		2				Do.
<i>Phyllosticta</i> sp.	<i>Coffea</i> sp.				1		Do.
Do.	<i>Cymbopogon citratus</i> (lemon grass).	1					Do.
<i>Puccinia graminis</i> .	<i>Triticum aestivum</i> (wheat)	2					Do.
<i>Puccinia</i> sp.	do	2					Do.
<i>Ramularia</i> sp.	<i>Cucumis</i> sp.			1			Do.
<i>Sphaceloma faucentii</i>	<i>Citrus aurantifolia</i> (lime)	1					Do.
<i>Stagonospora</i> sp.	<i>Cymbopogon citratus</i> (lemon grass).		1				Do.
<i>Thielaviopsis paradoxo</i>	<i>Saccharum officinarum</i>			17			Do.
<i>Vermicularia</i> sp.	<i>Hibiscus</i> sp.		1				Do.
JAPAN							
Insects:							
<i>Aspidiotus cocomiphagus</i> (Coccidae)	<i>Cocos nucifera</i> (coconut)				1		Do.
<i>Aspidiotus degeneratus</i> (Coccidae)	<i>Camellia</i> sp.	1					Wash.
<i>Aspidiotus destructor</i> (Coccidae)	Palm				1		Calif.*
<i>Bruchidius dorsalis</i> (Bruchidae)	<i>Gleditsia sinensis</i> (Chinese honeylocust).		1				D. C.
Do.	do				1		Ill.
<i>Ceroplastes rubens</i> (Coccidae)	<i>Aralia</i> sp.				1		Calif.*
Do.	<i>Camellia japonica</i> (camellia)				1		La.
Do.	<i>Citrus nobilis deliciosa</i> (tangerine).					1	Md.
Do.	do						Wash.
Do.	<i>Citrus sinensis</i> (orange)			1			Do.
Do.	<i>Cydonia japonica</i> (flowering quince).		1			1	La.
Do.	<i>Fatsia japonica</i> (fatsia)				4		Do.
Do.	do				1		Pa.
Do.	do				1		Wash.
<i>Chilo simplex</i> (Asiatic rice borer)	<i>Oryza sativa</i> (rice)			6			Calif.*
Do.	do		2				Hawaii.*
Do.	do	1					La.
Do.	do	3	1	4			Md.
Do.	do	2					Mich.
Do.	do	16	3			2	N. Y.
Do.	do		1				Oreg.
Do.	do	1	1				Pa.
Do.	do			1			Wash.
<i>Chionaspis wistariae</i> (Coccidae)	<i>Triticum aestivum</i> (wheat)	1					La.
Do.	<i>Wisteria</i> sp.	1	1				Calif.*
<i>Chionaspis yanonensis</i> (Coccidae)	do		1				D. C.
Do.	<i>Citrus aurantifolia</i> (lime)					1	Calif.*
Do.	<i>Citrus limonia</i> (lemon)					1	Wash.
Do.	<i>Citrus nobilis deliciosa</i> (Mandarin orange).					1	Calif.*
Do.	<i>Citrus nobilis deliciosa</i> (tangerine)					2	Do.*
Do.	do			1			Hawaii.*
Do.	do					1	N. Y.
Do.	<i>Citrus nobilis unshiu</i> (Satsuma orange).			1			Wash.
Do.	<i>Citrus sinensis</i> (orange)					15	Calif.*
Do.	do					1	Md.
Do.	do		2			3	Wash.
<i>Chlorophorus figuratus latifasciatus</i> (Cerambycidae).	Dry twig.			1			Calif.*
<i>Chrysomphalus dictyospermi</i> var. (Coccidae).							N. Y.
Do.	<i>Citrus nobilis deliciosa</i> (tangerine).					1	Wash.
<i>Coccus pseudomagnoliarum</i> (Coccoidea).	<i>Euonymus</i> sp.				1		Calif.*
Do.	<i>Aralia</i> sp.				1		Wash.
<i>Dihammus luxuriosus</i> (Cerambycidae).	<i>Citrus sinensis</i> (orange)					1	Do.*
<i>Fiorinia fioriniae</i> (Coccidae)	<i>Daphne</i> sp.				1		Do.*
Do.	<i>Fatsia</i> sp.				1		Wash.
Palm					1		Hawaii.*
Do.	<i>Pinus</i> sp. (pine)				1		Calif.*

List, by countries, of pests collected and reported from July 1, 1935, to June 30, 1936, inclusive—Continued

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
JAPAN—Continued							
Insects—Continued.							
<i>Florinia juniperi</i> (Coccidae)	<i>Taxus cuspidata</i> (Japanese yew).				1		Wash.
<i>Frankliniella intonsa</i> (thrips)	<i>Buxus</i> sp. (boxwood)			1			Oreg.
<i>Haplothrips aculeatus</i> (thrips)	<i>Azalea indica</i>		1				Calif.*
Do	<i>Azalea</i> sp.		1				Do.*
<i>Haplothrips gordayi</i> (thrips)	<i>Chrysanthemum</i> sp.				1		Do.*
<i>Kwanna parvus</i> (Coccidae)	<i>Prunus</i> sp.			1			Do.*
<i>Laspeyresia splendana</i> (Olethreutidae).	<i>Castanea</i> sp. (chestnut)		1				Do.*
<i>Lepidosaphes conchiformis</i> (Coccoidea).	<i>Diospyros</i> sp. (persimmon)					1	Wash.
Do	<i>Euonymus</i> sp.				1		N. Y.
Do	<i>Pyrus communis</i> (pear)			3			Wash.
<i>Lepidosaphes kamakurensis</i> (Coccoidea).	<i>Camellia</i> sp.	1					Do.
<i>Lepidosaphes lasianthi</i> (Coccoidae)	<i>Codiaeum</i> sp. (croton)				2		N. Y.
<i>Lepidosaphes pallida</i> (Coccoidae)	<i>Cupressus</i> sp.			1			Calif.*
Do	<i>Sciadopitys verticillata</i>				1		Do.*
<i>Lepidosaphes tuberculata</i> (Coccoidae).	<i>Cymbidium</i> sp. (orchid)		1				Calif.*
Do	do		1				Wash.
Do	Orchid				1		Va.
<i>Leucaspis japonica</i> (Coccidae)	Ornamental plant			1			Calif.*
Do	Unknown plant				1		N. Y.
<i>Liothrips vaneeckei</i> (thrips)	<i>Lilium thunbergianum</i>			1			Calif.*
Do	<i>Lilium</i> sp.					3	La.
Do	do					2	Md.
Do	<i>Oryza sativa</i> (rice)		1				N. Y.
<i>Mantura clavareau</i> (Chrysomelidae).							Wash.
<i>Maruca testulalis</i> (bean pod borer)	<i>Phaseolus</i> sp. (string bean)				1		Do.
<i>Parlatoria pergandii camelliae</i> (Coccoidea).	<i>Camellia japonica</i> (camellia)		1				D. C.
Do	do		19				Wash.
Do	<i>Citrus sinensis</i> (orange)					1	Do.
<i>Parlatoria theae</i> (Coccidae)	<i>Acer japonicum</i> (fullmoon maple)		1				Calif.*
Do	<i>Acer japonicum aureum</i>		1				Do.*
Do	<i>Acer palmarum</i> (Japanese maple)		1				D. C.
Do	<i>Acer palmatum dissectum</i>			1			Calif.*
Do	<i>Acer</i> sp. (maple)		1	1	1	1	Do.*
Do	do		1				Wash.
Do	<i>Camellia japonica</i> (camellia)				1		Calif.*
Do	<i>Enkianthus campynulatus</i> (redvein enkianthus)			1			Wash.
Do	<i>Euonymus</i> sp.				1		N. Y.
<i>Parlatoria ziziphus</i> (Coccidae)	<i>Citrus aurantiifolia</i> (lime)					1	Calif.*
Do	<i>Citrus grandis</i> (pomelo)				3		Do.*
Do	do				1		N. Y.
<i>Phenacaspis fujicola</i> (Coccidae)	<i>Wisteria</i> sp.			1			D. C.
<i>Phenacaspis kentiae</i> (Coccidae)	<i>Cocos nucifera</i> (coconut)				1		N. Y.
Do	Palm				1		Do.
<i>Perithetria dispar</i> (gypsy moth)	<i>Acer</i> sp. (maple)			1			Wash.
<i>Pseudonaonidia duplex</i> (camphor scale).	do			1			Do.
Do	<i>Aucuba</i> sp.				2		N. Y.
Do	<i>Camellia japonica</i> (camellia)		1				Wash.
Do	<i>Citrus aurantiifolia</i> (lime)				1		Calif.*
Do	<i>Citrus grandis</i> (pomelo)				2		Do.*
Do	<i>Citrus grandis</i> (grapefruit)				3		Do.*
Do	<i>Citrus grandis</i> (pomelo)				1		Wash.
Do	<i>Citrus limon</i> (lemon)				1		Calif.*
Do	<i>Citrus nobilis deliciosa</i> (tangerine)				3		Do.*
Do	do			1		1	Hawaii.
Do	do					1	Md.
Do	<i>Citrus nobilis deliciosa</i> (Mandarin orange)					3	Calif.*
Do	do					1	Wash.
Do	<i>Citrus nobilis unshiu</i> (Satsuma orange)					1	Calif.*
Do	do			1	1	31	Wash.
Do	<i>Citrus sinensis</i> (orange)			1		1	Hawaii.*
Do	do						

List, by countries, of pests collected and reported from July 1, 1935, to June 30, 1936, inclusive—Continued

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
JAPAN—Continued							
Insects—Continued.							
<i>Pseudaonidia duplex</i> (camphor scale).	<i>Citrus sinensis</i> (orange).....					1	La.
Do.....	do.....					1	Md.
Do.....	do.....					1	Mass.
Do.....	do.....					1	Pa.
Do.....	do.....			1	2	Wash.	
Do.....	<i>Citrus sinensis junos</i> (Japanese orange).....		1			Do.	
<i>Pseudaonidia paeoniae</i> (Coccidae).....	<i>Azalea</i> sp.....	2		1			Calif.*
Do.....	do.....	1					Wash.
Do.....	<i>Camellia japonica</i> (camellia).....	4				1	Calif.*
Do.....	do.....	1					D. C.
Do.....	do.....	3					Wash.
<i>Pseudococcus kraunhiae</i> (Coccoidea).	<i>Citrus limonia</i> (lemon).....					1	Calif.*
<i>Pseudococcus scrobicularum</i> (Coccoidea).	<i>Cactus</i>	1					Do.*
Do.....	<i>Succulent</i>		1				Do.*
Psychid.	<i>Aspidistra</i> sp.....				1		N. Y.
Do.....	<i>Camellia japonica</i>	1					Calif.*
Do.....	do.....	1					Wash.
Do.....	<i>Cupressus</i> sp.....				1		Do.
Do.....	<i>Euonymus</i> sp.....				1		N. Y.
Do.....	do.....				2		Wash.
Do.....	<i>Osmanthus aquifolium</i> (holly osmanthus).....			1			Calif.*
Do.....	<i>Paeonia moutan</i> (peony).....	2					Do.*
Do.....	<i>Pinus</i> sp.....				1		La.
Do.....	<i>Prunus</i> sp. (flowering prunus).....		1				Calif.*
Do.....	<i>Thuja japonica</i>				1		Wash.
Do.....	<i>Thuja</i> sp.....				1		Calif.*
<i>Pyrausta nubilalis</i> (European corn borer).	<i>Phaseolus</i> sp. (string bean).....					1	Wash.
Do.....	<i>Zea mays</i> (corn).....					1	Calif.*
Do.....	do.....					2	Wash.
<i>Sitona japonica</i> (Curculionidae).....	Packing.....		1				Calif.*
<i>Taeniothrips gracilis</i> (thrips).....	<i>Lycoris squamigera</i> (hardy cluster amaryllis).....	3					Wash.
Do.....	<i>Lycoris</i> sp.....		1				Do.
Diseases:	<i>Brassica</i> sp.....					1	Wash.
<i>Albugo candida</i>	<i>Brassica oleracea capitata</i>					2	N. Y.
<i>Alternaria brassicae</i>	do.....					1	Pa.
Do.....	<i>Raphanus sativus</i> (radish).....	1					Calif.*
<i>Alternaria herculea</i>	<i>Brassica oleracea botrytis</i> (cauliflower).....					1	Md.
Do.....	<i>Brassica oleracea capitata</i>					3	Do.
Do.....	<i>Brassica pekinensis</i> (petsei cabbage).....					1	Do.
Do.....	do.....					1	Pa.
Do.....	<i>Brassica oleracea capitata</i>					1	Wash.
<i>Aphelenchoides parietinus</i>	<i>Colocasia esculenta</i> (dasheen).....					1	La.
Do.....	<i>Dioscorea</i> sp. (yam).....					1	Do.
<i>Bacillus</i> sp.....	<i>Brassica oleracea capitata</i>					1	N. Y.
<i>Bacterium campestre</i>	do.....					1	Md.
<i>Bacterium citri</i>	<i>Citrus aurantiifolia</i> (lime).....					2	Calif.*
Do.....	<i>Citrus grandis</i> (grapefruit).....					1	N. Y.
Do.....	<i>Citrus sinensis</i> (orange).....					3	Calif.*
Do.....	do.....					2	Md.
Do.....	<i>Raphanus sativus</i> (radish).....					1	Mass.
<i>Bacterium maculicola</i>	<i>Raphanus sativus longipinnatus</i> (Japanese radish).....					6	N. Y.
Do.....	<i>Brassica oleracea capitata</i>					8	Md.
Do.....	<i>Brassica oleracea gemmifera</i> (brussels sprouts).....						N. Y.
Do.....	<i>Brassica pekinensis</i> (Chinese cabbage).....					1	Md.
Do.....	<i>Raphanus sativus</i> (radish).....					3	Do.
Do.....	<i>Raphanus sativus longipinnatus</i> (Japanese radish).....					1	Do.
<i>Bacterium</i> sp.....	<i>Lilium</i> sp.....	1				2	Do.
<i>Botrytis cinerea</i>	<i>Allium cepa</i> (onion).....					1	Oreg.
Do.....	do.....					4	Miss.
Do.....	<i>Allium fistulosum</i> (Welsh onion).....					1	Pa.

List, by countries, of pests collected and reported from July 1, 1935, to June 30, 1936, inclusive—Continued

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
JAPAN—Continued							
Diseases—Continued.							
<i>Botrytis cinerea</i>	<i>Allium porrum</i> (leek)				2		Md.
Do	do				3		Pa.
Do	<i>Arctium lappa</i> (gobo)				2		La.
Do	do				1		Md.
Do	<i>Brassica oleracea capitata</i>				1		Pa.
Do	<i>Citrus nobilis deliciosa</i> (tangerine)				5		Do.
Do	<i>Daucus carota</i> (carrot)				1		Mass.
Do	do				1		La.
Do	<i>Nymphaea</i> sp. (water lily)				1		Pa.
Do	<i>Petroselinum hortense</i> (parsley)				1		Do.
<i>Capnodium citri</i>	<i>Citrus aurantium</i> (sour orange)				1		Va.
Do	<i>Citrus nobilis deliciosa</i> (Mandarin orange)				3		Md.
Do	<i>Citrus sinensis</i> (orange)				1		Oreg.
Do	do				4		Pa.
Do	<i>Citrus sinensis junos</i> (Japanese orange)				1		Md.
Do	do				1		Va.
<i>Capnodium</i> sp.	<i>Shortia</i> sp.	1					Wash.
<i>Cephaelurus</i> sp.	<i>Camellia</i> sp.	2					Do.
<i>Cephalosporium pammelii purpurascens</i>	<i>Malus sylvestris</i> (apple)					1	Oreg.
Do	do						Pa.
<i>Cercospora brassicicola</i>	<i>Brassica</i> sp.					1	Wash.
<i>Cladosporium carpophilum</i>	<i>Amelodus persica</i> (peach)					1	Calif.*
<i>Colletotrichum glycines</i>	<i>Soja max</i> (soybean)					1	Md.
<i>Colletotrichum omnitorum</i>	<i>Aspidistra</i> sp.				1		N. Y.
<i>Colletotrichum peregrinum</i>	<i>Fatsia japonica</i> (fatsia)				1		Do.
<i>Colletotrichum pollacci</i>	<i>Aucuba</i> sp.				1		Calif.*
Do	do				1		N. Y.
<i>Colletotrichum</i> sp.	<i>Camellia japonica</i> (camellia)	1				1	Calif.*
Do	<i>Camellia</i> sp.	1				1	D. C.
Do	<i>Cymbidium</i> sp. (orchid)	1				1	Calif.*
<i>Coniothyrium olivaceum</i>	<i>Camellia japonica</i>				1		Do.
<i>Coniothyrium</i> sp.	do	2				1	Do.
Do	<i>Paeonia moutan</i> var.	1				1	Wash.
Do	<i>Wisteria multiflora</i> (longcluster wisteria)	1				1	Calif.*
<i>Cryptosphaerella</i> sp.	do	1				1	Wash.
<i>Cryptostictis</i> sp.	<i>Paeonia suffruticosa</i>		1				Do.
<i>Cylindrosporium brassicae</i>	<i>Brassica pekinensis</i> (Chinese cabbage)				1		Md.
Do	do				1		Pa.
<i>Cytospora</i> sp.	<i>Acer palmatum rosea-marginatum</i>	1					Calif.*
<i>Didymella</i> sp.	<i>Camellia japonica</i> (camellia)	1					Wash.
<i>Didymosphaeria</i> sp.	<i>Paeonia moutan</i>	1					Calif.*
<i>Diplodia natalensis</i>	<i>Castanea</i> sp. (chestnut)	1					Do.*
<i>Diplodia tubericola</i>	<i>Dioscorea</i> sp. (yam)				1		N. Y.
Do	<i>Ipomoea batatas</i> (sweetpotato)				1		Pa.
<i>Discosia artocreas</i>	<i>Camellia japonica</i>	1					Calif.*
Do	<i>Quercus agrifolia japonica</i>		1				Wash.
<i>Dothiorella dasycarpi</i>	<i>Acer atropurpureum</i>			1			Calif.*
<i>Dothiorella</i> sp.	<i>Chrysanthemum</i> sp.		1				Do.*
<i>Erysiphe graminis</i>	<i>Hordeum vulgare</i> (barley)	6					N. Y.
Do	<i>Secale cereale</i> (rye)	1					Wash.
Do	<i>Triticum aestivum</i> (wheat)	3					La.
Do	do	1				2	Md.
Do	do	51					N. Y.
Do	do	23					Pa.
Do	do	1					P. R.
Do	do	2					S. C.
<i>Gloeosporium</i> sp.	<i>Aucuba japonica</i> (Japanese aucuba)	1	1				Calif.*
Do	do				1		N. Y.
Do	<i>Codiaeum</i> sp. (croton)				1		Mass.
Do	<i>Cymbidium</i> sp. (orchid)	1					Calif.*
Do	do				1		Wash.
Do	<i>Euphorbiaceae</i>				1		Mass.
Do	<i>Fatsia japonica</i> (fatsia)				1		N. Y.
Do	Orchid				1		Pa.

List, by countries, of pests collected and reported from July 1, 1935, to June 30, 1936, inclusive—Continued

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
JAPAN—Continued							
Diseases—Continued.							
<i>Glomerella cingulata</i>	<i>Aucuba japonica</i>				1		N. Y.
Do	<i>Aucuba</i> sp.				1		Do.
Do	<i>Malus sylvestris</i> (apple)				1		Va.
<i>Gnomonia aceris</i>	<i>Acer</i> sp.	1					Calif.*
<i>Gonatobotrys</i> sp.	<i>Zingiber officinale</i> (ginger)				1		Pa.
<i>Helminthosporium arenae</i>	<i>Avena sativa</i> (oats)			1			Calif.*
Do	do			1			Tex.
<i>Helminthosporium oryzae</i>	<i>Oryza sativa</i> (rice)			1			Ala.
Do	do	2				2	La.
Do	do						Md.
<i>Helminthosporium sativum</i>	<i>Hordeum vulgare</i> (barley)	1					N. Y.
Do	<i>Triticum aestivum</i> (wheat)	1					La.
Do	do	1				5	Pa.
Do	do	26					S. C.
Do	do	2					Wash.
<i>Helminthosporium</i> sp.	<i>Brassica oleracea capitata</i>				1		Md.
Do	<i>Lilium</i> sp.					1	Pa.
Do	<i>Oryza sativa</i> (rice)	1	2			2	N. Y.
Do	<i>Triticum aestivum</i>	1	1				Do.
<i>Laccaria laccata</i>	On soil at base of pine tree					1	Wash.
<i>Laetadia minuscula</i>	<i>Codiaeum</i> sp. (crotom)					1	La.
<i>Leptothyrium</i> sp.	<i>Euonymus</i> sp.	1					Wash.
Do	<i>Paonia moutan</i> (peony)	1					Calif.*
<i>Lophodermium pinastri</i>	<i>Pinus</i> sp.	1	2				Wash.
<i>Lophodermium</i> sp.	<i>Pinus strobus</i> (five-needle pine)			1			Calif.*
<i>Melanomma glutarum</i>	<i>Oryza sativa</i> (rice)	1					N. Y.
<i>Microsphaera euonymi</i>	<i>Euonymus</i> sp.					1	Calif.*
<i>Monochaeta paeoniae</i>	<i>Paonia suffruticosa</i> (tree peony)		2				Wash.
<i>Monochaetia</i> sp.	<i>Paonia moutan</i> (peony)	3					Calif.*
<i>Mycosphaerella moutan</i>	do	1					Do.*
Do	<i>Paonia suffruticosa</i>		1				Wash.
Do	<i>Paonia</i> sp. (peony)	1					Do.
<i>Mycosphaerella pinodes</i>	<i>Pisum sativum</i> (pea)					1	Md.
<i>Mycosphaerella schoenoprasii</i>	<i>Allium cepa</i> (onion)				3		Do.
Do	<i>Allium fistulosum</i> (Welsh onion)				11		Pa.
Do	<i>Allium porrum</i> (leek)				27		Md.
Do	do				5		N. Y.
Do	do				14		Pa.
<i>Mycosphaerella</i> sp.	<i>Paonia moutan</i> (peony)	1					Calif.*
Do	<i>Spinacia oleracea</i> (spinach)					1	Pa.
<i>Myzosphorium</i> sp.	<i>Camellia japonica</i> (camellia)	3	3		1		Calif.*
Do	do	3					Wash.
Do	<i>Paonia moutan</i> (peony)	2					Calif.*
<i>Oidium euonymi-japonici</i>	<i>Euonymus japonicus</i> (evergreen burning-bush)				1		Do.*
Do	<i>Euonymus japonicus variegata</i>				1		Do.*
Do	<i>Euonymus</i> sp.			3			Wash.
<i>Oidium</i> sp.	<i>Billbergia speciosa</i>				1		Mass.
<i>Oospora lactis parasitica</i>	<i>Lycopersicum esculentum</i>				1		Md.
<i>Oospora</i> sp.	<i>Allium cepa</i> (onion)				1		Pa.
Do	do				1		Va.
Do	<i>Brassica pekinensis</i> (petsal cabbage)				1		Pa.
Do	<i>Daucus carota</i> (carrot)				1		La.
<i>Penicillium glaucum</i>	<i>Cucurbita pepo</i> (pumpkin)				1		Md.
<i>Peronospora effusa</i>	<i>Spinacia oleracea</i> (spinach)				1		Wash.
<i>Peronospora parasitica</i>	<i>Brassica oleracea capitata</i>				1		Md.
Do	<i>Brassica</i> sp.				1		Wash.
<i>Pestalozzia glandicola</i>	<i>Quercus agrifolia</i> <i>japonica</i>		1				Do.
<i>Pestalozzia guelpini</i>	<i>Camellia japonica</i> (camellia)	6	2				Calif.*
Do	do	1	1				D. C.
Do	do	8	1		1		Wash.
<i>Pestalozzia</i> sp.	<i>Acer</i> sp. (maple)	1					Calif.*
Do	<i>Aucuba</i> sp.				2		N. Y.
Do	<i>Camellia japonica</i>	3					Calif.*
Do	<i>Camellia sasanqua</i>		1				Do.*
Do	<i>Cymbidium</i> sp. (orchid)	1					Do.*
Do	<i>Euonymus</i> sp.				1		Wash.
Do	<i>Fatsia</i> sp.				1		Calif.*

List, by countries, of pests collected and reported from July 1, 1935, to June 30, 1936, inclusive—Continued

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
JAPAN—Continued							
Diseases—Continued.							
<i>Pestalozzia</i> sp.—	<i>Lilium</i> sp.	1	—	—	—	—	Calif.
Do.	<i>Nandina</i> sp.	1	—	—	—	—	Do.*
Do.	<i>Paonia moutan</i> (peony)	1	—	1	—	—	Do.*
Do.	<i>Paonia suffruticosa</i> (tree peony).	—	1	—	—	—	Wash.
Do.	<i>Paonia</i> sp. (peony)	1	—	—	—	—	Calif.*
Do.	do	1	—	—	—	—	Wash.
Do.	<i>Pinus</i> sp.	—	—	—	1	—	Pa.
Do.	<i>Raphiolepis ovalis</i>	—	—	—	1	—	Calif.*
Do.	<i>Shortia uniflora</i>	—	1	—	—	—	Wash.
Do.	<i>Paonia</i> sp. (peony)	1	2	—	—	—	D. C.
<i>Citrus limonum</i> (lemon)	—	—	—	—	1	—	Calif.*
<i>Citrus sinensis</i> (orange)	—	—	—	—	4	—	Do.*
<i>Camellia japonica</i> (camellia)	1	—	—	—	—	—	Wash.
<i>Oryza sativa</i> (rice)	—	—	—	—	2	—	N. Y.
<i>Acer palmatum</i> (Japanese maple).	—	1	—	—	—	—	D. C.
<i>Acer</i> sp. (maple)	—	2	—	—	—	—	Calif.*
<i>Brassica oleracea capitata</i>	—	—	—	—	1	—	N. Y.
<i>Camellia japonica</i> (camellia)	3	—	—	—	—	—	Calif.*
<i>Paonia moutan</i> (peony)	—	1	—	—	—	—	Do.*
<i>Azalea</i> sp.	—	—	—	—	1	—	Pa.
<i>Wisteria</i> sp.	—	1	—	—	—	—	D. C.
<i>Euonymus</i> sp.	—	—	—	—	1	—	Wash.
<i>Allium cepa</i> (onion)	—	—	—	—	1	—	Do.
<i>Allium porrum</i> (leek)	—	—	—	—	1	—	Pa.
<i>Antirrhinum majus</i> (snap-dragon).	—	1	—	—	—	—	Wash.
<i>Adonis crispus</i>	—	—	—	—	1	—	Md.
<i>Aspidistra</i> sp.	—	—	—	—	1	—	Wash.
<i>Aucuba japonica</i> (Japanese aucuba).	—	2	—	—	—	—	Pa.
Do.	do	—	—	—	1	—	Tex.
<i>Aucuba japonica dentata</i>	—	—	—	—	1	—	Pa.
<i>Aucuba</i> sp.	—	2	—	—	—	—	N. Y.
Do.	do	—	—	—	1	—	Wash.
<i>Camellia japonica</i> (camellia)	1	—	1	—	—	—	Calif.*
Do.	do	1	—	—	—	—	Wash.
<i>Codiaeum</i> sp. (croton)	—	—	—	—	1	—	N. Y.
Do.	do	—	—	—	1	—	Pa.
<i>Fatsia japonica</i> (fatsia)	—	—	—	—	1	—	N. Y.
<i>Nandina domestica</i> (nandina)	2	—	—	—	—	—	Calif.*
<i>Shortia uniflora grandiflora</i>	—	1	—	—	—	—	Wash.
<i>Spinacia oleracea</i> (spinach)	—	—	—	—	1	—	Do.
<i>Triticum aestivum</i> (wheat)	—	—	—	—	1	—	Md.
<i>Colocasia esculenta</i> (dasheen)	—	—	—	—	1	—	Tex.
<i>Nymphaea</i> sp. (waterlily)	—	—	—	—	1	—	Pa.
<i>Pachyrhizus erosus</i> (yam bean)	—	—	—	—	1	—	La.
<i>Brassica rapa</i> (turnip)	—	—	—	—	1	—	Pa.
<i>Allium porrum</i> (leek)	—	—	—	—	1	—	N. Y.
<i>Hordeum vulgare</i> (barley)	7	—	—	—	—	—	Do.
<i>Triticum aestivum</i> (wheat)	2	—	—	—	—	—	Pa.
<i>Secale cereale</i> (rye)	1	—	—	—	—	—	N. Y.
<i>Hordeum vulgare</i>	1	—	—	—	—	—	Wash.
<i>Hordeum vulgare</i>	2	—	—	—	—	—	N. Y.
<i>Triticum aestivum</i> (wheat)	1	—	—	—	—	—	Ill.
Do.	do	1	—	—	—	—	La.
Do.	do	1	—	—	—	3	Md.
Do.	do	41	—	—	—	—	N. Y.
Do.	do	26	—	—	—	—	Pa.
Do.	do	1	—	—	—	—	P. R.
Do.	do	—	—	1	—	—	Wash.
<i>Puccinia</i> sp.	<i>Allium porrum</i> (leek)	—	—	—	1	—	3
Do.	do	—	—	—	—	—	Md.
Do.	<i>Hordeum vulgare</i> (barley)	1	—	—	—	—	1
Do.	<i>Triticum aestivum</i> (wheat)	1	—	—	—	—	Do.
Do.	do	15	—	—	—	—	Ala.
Do.	do	1	—	—	—	—	N. Y.
<i>Pythium</i> sp.	<i>Citrus sinensis</i> (orange)	—	—	—	—	—	Va.
Do.	<i>Nelumbo</i> sp. (lotus)	—	—	—	1	—	Do.
Do.	<i>Zingiber officinale</i> (ginger)	—	—	—	1	—	Pa.

List, by countries, of pests collected and reported from July 1, 1935, to June 30, 1936, inclusive—Continued

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
JAPAN—Continued							
Diseases—Continued.							
<i>Rhabdospora</i> sp.	<i>Camellia japonica</i> (camellia)	1					Wash.
Do	<i>Paeonia</i> sp. (peony)	1					Do.
<i>Rhizopus necans</i>	<i>Lilium</i> sp.	1					Calif.*
<i>Sclerotinia sclerotiorum</i>	<i>Brassica oleracea capitata</i>				1	N. Y.	
Do	<i>Brassica pekinensis</i> (pepsi cabbage)				1	Pa.	
Do	<i>Daucus carota</i> (carrot)				2	Md.	
Do	do				1	N. Y.	
Do					1	Tex.	
Do	<i>Raphanus sativus</i> (radish)				1	La.	
Do	do				1	Md.	
Do	do				1	N. Y.	
Do	do				1	Pa.	
<i>Sclerotinia</i> sp.	<i>Allium cepa</i> (onion)				1	La.	
Do	<i>Colocasia esculenta</i> (taro)				1	Do.	
Do	<i>Nymphaea</i> sp. (waterlily)				1	Pa.	
Do	<i>Radicula armoracia</i> (horse-radish)				1	Md.	
<i>Sclerotiopsis testudinea</i>	<i>Paeonia moutan</i> (peony)	6	3				Calif.*
Do	do		1				Wash.
Do	<i>Paeonia suffruticosa</i> (tree peony)	2	1				Do.
Do	<i>Paeonia</i> sp.	2					Calif.*
Do	do	1					Wash.
<i>Sclerotium oryzae</i>	<i>Oryza sativa</i> (rice)	15	5	2		3	N. Y.
<i>Sclerotium</i> sp.	<i>Allium porrum</i> (leek)					1	Md.
Do	<i>Arctium lappa</i> (gobo)					1	Pa.
Do	<i>Colocasia esculenta</i> (taro)					1	Do.
Do	<i>Nymphaea</i> sp. (waterlily)					1	Do.
Do	<i>Paeonia moutan</i> (peony)	2				2	Calif.*
<i>Septoria apii</i>	<i>Apium graveolens</i> (celery)					3	Wash.
<i>Septoria euonymi</i>	<i>Euonymus</i> sp.					1	Do.
<i>Septoria oryzae</i>	<i>Oryza sativa</i> (rice)		1			1	N. Y.
<i>Septoria petroselini</i>	<i>Petroselinum hortense</i> (parsley)					1	Wash.
<i>Sphaeloma fawcettii</i>	<i>Citrus aurantium</i> (sour orange)					2	Calif.*
Do	<i>Citrus sinensis</i> (orange)					1	Oreg.
Do	do					1	Pa.
<i>Sphaeloma</i> n. sp.	<i>Fatsia japonica</i> (fatsia)					1	N. Y.
<i>Sphaeronomia</i> sp.	<i>Allium cepa</i> (onion)					1	Miss.
<i>Sphaerulina</i> sp.	<i>Paeonia suffruticosa</i> (tree peony)		1				Wash.
<i>Uredo</i> sp.	<i>Allium fistulosum</i> (Welsh onion)					1	Pa.
Do	<i>Allium porrum</i> (leek)					3	Md.
Do	do					1	Pa.
Do	Bamboo			1			Wash.
<i>Urocystis cepulae</i>	<i>Allium porrum</i> (leek)					1	N. Y.
<i>Ustilago nuda</i>	<i>Hordeum vulgare</i> (barley)	1					Do.
<i>Ustilago tritici</i>	<i>Secale cereale</i> (rye)	1					Wash.
Do	<i>Triticum aestivum</i> (wheat)	1					N. Y.
Do	do	2					Pa.
<i>Vermicularia</i> sp.	<i>Aspidistra</i> sp.				1		N. Y.
Do	<i>Iris</i> sp.		1				Wash.
<i>Verticillium</i> sp.	<i>Lilium longiflorum giganteum</i>	1					Ill.
Virus	<i>Lycopersicum esculentum</i>					1	Calif.*
JAVA							
Insects:							
<i>Hemichionaspis townsendi</i> (Coccidae).	<i>Aerides</i> sp. (orchid)	1					Hawaii.*
Do							
<i>Parlatoria pseudaspidotus</i> (Coccidae).	<i>Vanda suavis</i> (orchid)	1					Do.*
<i>Pseudoaenidia trilobitiformis</i> (Coccidae).	<i>Vanda</i> sp. (orchid)	1					Do.*
<i>Stephanoderes hampei</i> (Scolytidae).	<i>Citrus limonia</i> (lemon)					1	N. Y.
Diseases:	<i>Coffea</i> sp.		7				Do.
<i>Colletotrichum nigrum</i>	<i>Capsicum annuum</i>					1	Va.
<i>Helminthosporium allii</i>	<i>Allium sativum</i> (garlic)					1	Do.
<i>Helminthosporium oryzae</i>	<i>Oryza sativa</i> (paddy rice)				1	L.	
<i>Puccinia porri</i>	<i>Allium sativum</i> (garlic)				1	N. Y.	

List, by countries, of pests collected and reported from July 1, 1935, to June 30, 1936, inclusive—Continued

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
JAVA—Continued							
Diseases—Continued.							
<i>Sclerotium oryzae</i>	<i>Oryza sativa</i> (rice)	1					N. Y.
<i>Vermicularia capsici</i>	<i>Capsicum annuum</i>					1	Pa.
Do.	do.					1	Va.
KENYA							
Insects:							
<i>Stephanoderes hampei</i> (Scolytidae)	<i>Coffea</i> sp.		1				N. Y.
LATVIA							
Diseases:							
<i>Claviceps purpurea</i>	<i>Secale cereale</i> (rye)		1				Do.
<i>Sclerotinia</i> sp.	<i>Solanum tuberosum</i>					1	Tex.
LIBERIA							
Diseases:							
<i>Helminthosporium oryzae</i>	<i>Oryza sativa</i> (rice)			1			Pa.
LORD HOWE ISLAND							
Diseases:							
<i>Gloeosporium</i> sp.	Palm	1					Calif.*
LUXEMBURG							
Diseases:							
<i>Stysanus</i> sp.	<i>Rosa</i> sp.		1				D. C.
MADAGASCAR							
Diseases:							
<i>Diplodia cacaoicola</i>	<i>Euphorbia intisy</i>	1					D. C.
MADEIRA ISLANDS							
Diseases:							
<i>Bacterium marginatum</i>	<i>Gladiolus</i> sp.			1			N. Y.
<i>Botrytis cinerea</i>	<i>Phaseolus</i> sp. (string bean)					1	Mass.
<i>Mycosphaerella pinodes</i>	<i>Pisum sativum</i> (pea)			1			N. Y.
<i>Puccinia glumarum</i>	<i>Triticum aestivum</i> (wheat)	1					Do.
<i>Puccinia graminis</i>	do.	1					Do.
<i>Puccinia rubigo-vera tritici</i>	do.	1					Do.
<i>Puccinia</i> sp.	do.	2					Do.
MALAY STATES							
Insects:							
<i>Aleuroplatus samoanus</i> (whitefly)	<i>Codiaeum</i> sp. (croton)				1		La.
<i>Lepidosaphes lasianthi</i> (Coccoidea)	do.			2			Do.
MANCHURIA							
Insects:							
<i>Chirothrips similis</i> (thrips)	<i>Agropyron pseudo-canum</i>		1				D. C.
<i>Kytorhinus thermopsis</i> (Bruchidae)	<i>Thermopsis lanceolata</i>		1				Do.
Diseases:							
<i>Pratylenchus pratensis</i>	<i>Solanum tuberosum</i>					1	Wash.
MARTINIQUE							
Insects:							
<i>Tartagonia hartii</i> (Coccidae)	<i>Dioscorea</i> sp. (yam)				1		La.
Diseases:							
<i>Cercospora</i> sp.	<i>Phaseolus</i> sp. (string bean)					1	P. R.
<i>Diplodia tubricola</i>	<i>Ipomoea batatas</i> (sweetpotato)			1			La.
<i>Pythium aphanidermatum</i>	<i>Fagopyrus sativus</i> (radish)					1	P. R.
<i>Thielaviopsis paradoxa</i>	<i>Saccharum officinarum</i>			1			N. Y.
MEXICO							
Insects:							
<i>Aeolus rubricatus</i> (Elateridae)	<i>Gossypium</i> sp. (cotton)	1					Tex.
Do.	<i>Holcus sorghum</i> var. (broomcorn).			1			Do.
<i>Aethus hogenhoferi</i> (Cydnidae)	<i>Citrus aurantiifolia</i> (lime)	1					Do.
<i>Agallia producta</i> (Cicadellidae)	<i>Lactuca sativa</i> (lettuce)			1			Do.
<i>Aleurodicus guppyi</i> (whitefly)	Orchid	1					D. C.
<i>Aleurothrixus floccosus</i> (whitefly)	<i>Citrus sinensis</i> (orange)			1			Ariz.
Do.	do.					1	Tex.

List, by countries, of pests collected and reported from July 1, 1935, to June 30, 1936, inclusive—Continued

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
MEXICO—Continued							
Insects—Continued.							
<i>Anacanthinus deplanatus</i> (Curculionidae).	<i>Allium cepa</i> (onion)			1			Tex.
<i>Anastrepha acidusa</i> (West Indian fruit fly).	<i>Cydonia oblonga</i> (quince)			3			Do.
<i>Anastrepha ludens</i> (Mexican fruit fly).	<i>Achras sapota</i> (sapodilla)			1			Do.
Do	<i>Citrus aurantium</i> (sour orange)			3			Do.
Do	<i>Citrus grandis</i> (grapefruit)				1		Ala.
Do	do				1		La.
Do	do			3			Tex.
Do	<i>Citrus limetta</i> (sweet lime)			11			Do.
Do	<i>Citrus sinensis</i> (orange)			1			Calif.*
Do	do			4	1		La.
Do	do				1		Md.
Do	do			95	1		Tex.
Do	<i>Mammea americana</i> (mamey)			1			Do.
Do	<i>Mangifera indica</i> (mango)			22			Do.
Sapote				2			Do.
	<i>Mammea americana</i> (mamey)			2			Do.
Sapote				2			Do.
	<i>Psidium guajava</i> (guava)			1			Do.
	<i>Amygdalus persica</i> (peach)			5	1		Do.
	<i>Citrus grandis</i> (grapefruit)			1			Do.
	<i>Citrus limetta</i> (sweet lime)			2			Do.
	<i>Citrus sinensis</i> (orange)				1		La.
Do	do			23			Tex.
Do	<i>Cydonia oblonga</i> (quince)			3			Do.
Do	<i>Malus sylvestris</i> (apple)			1			Do.
Do	<i>Mammea americana</i> (mamey)			1			Do.
Do	<i>Mangifera indica</i> (mango)				2	1	La.
Do	do			16			Tex.
Do	<i>Persea americana</i> (avocado)			1			Do.
Do	<i>Psidium guajava</i> (guava)			2			Do.
Do	<i>Punica granatum</i> (pomegranate)			1			Do.
Do	Sapote			2			Do.
	<i>Cocos nucifera</i> (coconut)				1		La.
<i>Aspidiotus palmae</i> (Coccidae)	<i>Musa</i> sp. (banana)	1					Do.
Do	do	2					N. Y.
<i>Aspidiotus spinosus</i> (Coccidae)	<i>Camellia japonica</i> (camellia)		2				Tex.
Do	<i>Dion</i> sp.		1				D. C.
Do	<i>Mangifera indica</i> (mango)			1			Ariz.
<i>Calendra pertinax</i> (Curculionidae)	<i>Ananas sativus</i>	1					Tex.
<i>Catolethrus longulus</i> (Curculionidae)	<i>Zea mays</i> (corn)			1			D. C.
Do	do			1			La.
<i>Cebrenis centrolelineata</i> (Coreidae)	<i>Gardenia florida</i> (Cape-jasmine)	1					Tex.
<i>Chilo loftini</i> (Pyralidae)	<i>Saccharum officinarum</i>			1			Ariz.
<i>Chirida extensa</i> (Chrysomelidae)	<i>Lilium</i> sp.	1					Tex.
<i>Chrysomphalus dictyospermi</i> var. (Coccidae).	<i>Citrus aurantiifolia</i> (lime)	2					Ariz.
Do	do			3			Tex.
Do	<i>Citrus sinensis</i> (orange)				1		Ala.
Do	do				1		Tex.
<i>Chrysomphalus personatus</i> (Coccidae).	<i>Citrus aurantiifolia</i>	1					Calif.*
Do	<i>Mangifera indica</i> (mango)				1		Ariz.
Do	<i>Rose</i> sp.		2				Tex.
<i>Cicadella lutea</i> (Cicadellidae)	<i>Gardenia florida</i> (Cape-jasmine)	1					Do.
<i>Clastoptera funesta</i> (Cercopidae)	do	1					Do.
<i>Cligenes picturata</i> (Lygaeidae)	<i>Echinocactus nidulans</i> (cactus)	1					Ariz.
Do	<i>Echinocactus</i> sp. (cactus)	1					Do.
Do	<i>Mammillaria</i> sp. (cactus)	3					Do.
<i>Conchaspis angraeci</i> (Coccidae)	Cactus	1					Tex.
Do	<i>Oncidium</i> sp. (orchid)	1					D. C.
<i>Conotelus mexicanus</i> (fruit bud beetle).	<i>Allium sativum</i> (garlic)			2			Tex.
Do	<i>Ananas sativus</i>			1			Ariz.
Do	<i>Lilium longiflorum</i> (Easter lily)			3			Tex.
Do	<i>Lilium</i> sp.	1		2			Do.
Do	<i>Lycopersicum esculentum</i>			1			Do.
Do	<i>Zea mays</i> (corn)	3					Ariz.

List, by countries, of pests collected and reported from July 1, 1935, to June 30, 1936, inclusive—Continued

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
MEXICO—Continued							
Insects—Continued.							
<i>Conotrachelus aguacatae</i> (Curculionidae).	<i>Persea americana</i> (avocado)	1					D. C.
Do.	do		1				Tex.
<i>Conotrachelus dimidiatus</i> (Curculionidae).	<i>Psidium guajava</i> (guava)		2				Do.
<i>Conotrachelus leucophaeatus</i> (Curculionidae).	<i>Ananas sativus</i>	1					Do.
<i>Crocidosema plebeiana</i> (Olethreutidae).	<i>Hibiscus esculentus</i> (okra)	3		1			Do.
<i>Ctenochira punicea</i> (Chrysomelidae).	<i>Gardenia florida</i> (Cape-jasmine).	1					Do.
<i>Cylas formicarius</i> (sweetpotato weevil).	<i>Ipomoea batatas</i> (sweetpotato).				3	La.	
Do.	do		39			2	Tex.
<i>Diabrotica corrusca</i> (Chrysomelidae).	<i>Capsicum annuum</i>	1					Ariz.
<i>Diabrotica theimeli</i> (Chrysomelidae).	do	1					Do.
<i>Diabrotica vititalis</i> var. (Chrysomelidae).	<i>Echinocerous</i> sp. (cactus)	1					Do.
<i>Diatraea grandiosella</i> (Pyralidae).	<i>Zea mays</i> (corn)			1			Tex.
<i>Diatraea saccharalis</i> (sugarcane borer).	<i>Saccharum officinarum</i>		3				Do.
<i>Drycothaea salei</i> (Cerambycidae).	<i>Zea mays</i>	1					La.
<i>Epicaerus cognatus</i> (Curculionidae).	<i>Solanum tuberosum</i>			7		2	Tex.
<i>Ernorpoides jalapae</i> (Scolytidae).	<i>Parathesis serrulata</i> (jalapón)	1					La.
<i>Euphorbia dimidiata</i> (Scolytidae).	In sack of oranges			1			Tex.
<i>Exitianus obscurinervis</i> (Cicadellidae).	<i>Gardenia florida</i> (Cape-jasmine).	1					Do.
<i>Erptochioma minima</i> (Lygaeidae).	do			1			Do.
<i>Fiorinia fioriniae</i> (Coccidae).	<i>Camellia japonica</i> (camellia)				1		La.
Do.	do				1		Tex.
<i>Frankliniella difformis</i> (thrips).	Cactus			1			Do.
<i>Frankliniella distinguenda</i> (thrips).	<i>Narcissus</i> sp.			1			Do.
<i>Frankliniella insularis</i> (thrips).	<i>Gardenia florida</i> (Cape-jasmine).			1			N. Y.
Do.	<i>Rosa</i> sp.		2				Tex.
<i>Frankliniella moultoni</i> (thrips).	<i>Gardenia florida</i>	1					Do.
Do.	<i>Gladiolus</i> sp.			1			Do.
<i>Frankliniella williamsi</i> (thrips).	<i>Holcus sorghum</i> var. (broomcorn).			1			Do.
<i>Geocoris thoracicus</i> (Lygaeidae).	<i>Capsicum annuum</i>	1					Do.
<i>Gligenes picturata</i> (Lygaeidae).	<i>Echinocactus nidulans</i> (cactus)	1					Ariz.
<i>Gnorimoschema guedmannella</i> (Gelechiidae).	<i>Capsicum annuum</i>	8					Do.
Do.	do			1			Tex.
Do.	<i>Lycopersicum esculentum</i>	2					Ariz.
Do.	do		1				Tex.
Do.	do			1			Ariz.
<i>Gnorimoschema lycopersicella</i> (tomato pinworm).	do	2222		63			
Do.	do			1			Calif.*
Do.	do			3			Calif.
Do.	do		1				Pa.
Do.	do			121	118		Tex.
<i>Haplothrips gowdeyi</i> (thrips).	<i>Citrus aurantifolia</i> (lime)	1					Calif.*
<i>Hemiclopias minor strachani</i> (Coccoidae).	<i>Sanchezia</i> sp.	1					D. C.
<i>Hesperolabops picta</i> (Miridae).	<i>Opuntia compressa</i> (pricklypear).	1					Tex.
<i>Hypselonotus concinnus</i> (Coreidae).	<i>Gardenia florida</i> (Cape-jasmine).	1					Do.
<i>Lepidosaphes philococcus</i> (Coccoidae).	<i>Cereus</i> sp. (cactus)	1					D. C.
Do.	<i>Pachycereus</i> sp. (cactus)	1					Ariz.
<i>Leucaspis japonica</i> (Coccoidae).	<i>Citrus aurantifolia</i> (lime)				1		Pa.
<i>Ligyrocoris aurivilianus</i> (Lygaeidae).	<i>Fragaria</i> sp. (strawberry)	1					Tex.
<i>Macrosiphum kaltenbachii</i> (aphid).	<i>Lactuca sativa</i> (lettuce)			1			Do.
<i>Macrosiphum luteum</i> (aphid).	Orchid	1					D. C.
Do.	do	1					Tex.
<i>Marmara</i> sp. (Gracilaridae).	<i>Achras sapota</i> (sapodilla)			1			Do.
Do.	Cactus			1			Do.
Do.	<i>Capsicum annuum</i>	10		1			Ariz.
Do.	<i>Citrus aurantifolia</i>	34		10			Tex.
Do.	<i>Persea americana</i> (avocado)	1	1406				Do.

List, by countries, of pests collected and reported from July 1, 1935, to June 30, 1936, inclusive—Continued

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
MEXICO—Continued							
Insects—Continued.							
<i>Metamasius sericeus</i> (silky cane weevil).	Banana debris.....	9	—	—	—	—	La.
Do.....	—do—.....	2	—	—	—	—	Tex.
Do.....	<i>Musa</i> sp. (banana).....	1	—	—	—	—	La.
Do.....	—do—.....	1	—	—	—	—	Miss.
<i>Metamasius sericeus carbonarius</i> (Curculionidae).	Banana debris.....	1	—	—	—	—	N. Y.
Do.....	—do—.....	2	—	—	—	—	Tex.
Do.....	<i>Musa</i> sp. (banana).....	1	—	—	—	—	Md.
Do.....	—do—.....	1	—	—	—	—	Tex.
<i>Metamasius</i> sp. (Curculionidae).....	—do—.....	2	—	2	—	—	Do.
<i>Noctuela rufofascialis</i> (Pyralidae).....	<i>Gossypium</i> sp. (cotton).....	—	—	1	—	—	Do.
Do.....	<i>Hibiscus cardiophyllus</i>	—	—	1	—	—	Do.
<i>Parlatoria flugae brasiliensis</i> (Coccidae).	<i>Citrus aurantifolia</i> (lime).....	5	—	—	—	—	Do.
<i>Parlatoria cinerea</i> (Coccidae).....	—do—.....	15	—	—	—	—	Calif.*
<i>Parlatoria pergandii camelliae</i> (Coccidae).	<i>Gardenia florida</i> (Cape-jasmine).	—	—	—	—	1	N. Y.
<i>Pectinophora gossypiella</i> (pink boll-worm).	<i>Gossypium</i> sp. (cottonseed).....	1	—	3	—	—	Tex.
Do.....	<i>Gossypium</i> sp. (seed cotton).....	—	22	—	—	—	Do.
Do.....	<i>Gossypium</i> sp. (cotton) boll.....	—	1	—	—	—	Do.
Do.....	Cottonseed in railway car (4 interceptions).	—	—	—	—	—	Do.
Do.....	Cottonseed on top of railway car.	—	—	—	—	—	Do.
<i>Platynota rostrana</i> (Tortricidae).....	<i>Capiscum annuum</i>	1	—	—	—	—	Do.
Do.....	<i>Lycopersicum esculentum</i>	—	—	—	—	—	Ariz.
<i>Platynota stultana</i> (Tortricidae).....	<i>Capiscum annuum</i>	151	—	1	—	—	Do.*
Do.....	—do—.....	5	—	—	—	—	Calif.*
Do.....	<i>Lycopersicum esculentum</i>	7	—	—	—	—	Ariz.
Do.....	—do—.....	2	—	—	—	—	Tex.
<i>Pseudococcus solani</i> (Coccidae).....	<i>Solanum melongena</i> (eggplant).....	1	—	—	—	—	Ariz.
<i>Pseudococcus virgatus</i> (Coccidae).....	<i>Lycopersicum esculentum</i>	—	—	1	—	—	Tex.
Do.....	<i>Ananas sativus</i>	1	—	—	—	—	Do.
Do.....	<i>Musa</i> sp. (banana).....	1	—	—	—	—	La.
<i>Pseudoparlatoria partlatorioides</i> (Coccidae).	<i>Sanchezia</i> sp.....	1	—	—	—	—	D. C.
Psychid.....	<i>Laelia autumnalis</i> (orchid).....	—	1	—	—	—	Calif.*
Do.....	<i>Ananas sativus</i>	1	—	—	—	—	La.
Do.....	Banana debris.....	35	—	—	—	—	Do.
Do.....	—do—.....	2	—	—	—	—	N. Y.
Do.....	—do—.....	3	—	—	—	—	Tex.
Do.....	<i>Musa</i> sp. (banana).....	21	—	—	—	—	La.
Do.....	—do—.....	2	—	—	—	—	Pa.
<i>Puto yuccae</i> (Coccidae).....	<i>Echeveria</i> sp.....	—	1	—	—	—	Calif.*
<i>Rhagoletis</i> sp. (Tryptidae).....	<i>Amygdalus persica</i> (peach).....	—	—	1	—	—	Tex.
Do.....	<i>Crataegus</i> sp. (thorn apple).....	—	2	—	—	—	Do.
Do.....	<i>Cydonia oblonga</i> (quince).....	—	3	—	—	—	Do.
Do.....	<i>Juglans nigra</i> (black walnut).....	—	2	—	—	—	Do.
<i>Sisamnes contractus</i> (Lygaeidae).....	<i>Mammillaria</i> sp. (cactus).....	—	1	—	—	—	Calif.*
Stenomid.....	<i>Persea americana</i> (avocado).....	—	—	1	—	—	Tex.
<i>Stephanoderes guatemalensis</i> (Scolytidae).....	<i>Poinciana regia</i> (flamboyant).....	—	—	1	—	—	La.
<i>Taeniothrips simplex</i> (gladiolus thrips).	<i>Echeveria</i> sp.....	—	1	—	—	—	D. C.
Do.....	<i>Gladiolus</i> sp.....	1	—	2	—	—	Tex.
Tryptid.....	<i>Arctostaphylos</i> sp. (manzanita).....	—	—	1	—	—	Do.
Do.....	<i>Cydonia oblonga</i> (quince).....	—	2	—	—	—	Do.
<i>Xyleborus affinis</i> (Scolytidae).....	<i>Lycopersicum esculentum</i>	1	—	—	—	—	Do.
<i>Xyleborus torquatus</i> (Scolytidae).....	—do—.....	1	—	—	—	—	Do.
<i>Zabrotus subfasciatus</i> (Bruchidae).....	<i>Phaseolus vulgaris</i> (bayo bean).....	—	1	—	—	—	Do.
Do.....	Bean.....	—	—	4	—	—	Do.
Do.....	<i>Sabiceania palmeri</i>	—	1	—	—	—	Do.
Diseases:							
<i>Alternaria herculea</i>	<i>Brassica oleracea botrytis</i> (cauliflower).....	—	—	—	1	—	La.
Do.....	<i>Brassica oleracea capitata</i>	—	—	—	1	—	Tex.
<i>Aplanobacter michiganense</i>	<i>Lycopersicum esculentum</i>	1	—	—	—	—	Ariz.
Do.....	—do—.....	—	—	3	—	—	Tex.
<i>Bacterium maculicola</i>	<i>Brassica oleracea capitata</i>	—	—	—	2	—	La.
Do.....	—do—.....	—	—	2	—	1	Tex.

List, by countries, of pests collected and reported from July 1, 1935, to June 30, 1936, inclusive—Continued

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
MEXICO—Continued							
Diseases—Continued.							
<i>Bacterium phaseoli</i>	<i>Phaseolus</i> sp. (string bean)			1			Tex.
<i>Bacterium pisii</i>	<i>Pisum sativum</i> (pea)			3		1	Do.
<i>Bacterium vesicatorium</i>	<i>Capsicum annuum</i>	3		10			
Do.	<i>Lycopersicum esculentum</i>					2	La.
Do.	do					1	N. Y.
Do.		17		112			Tex.
<i>Botrytis cinerea</i>	<i>Physalis</i> sp. (husk tomato)	2		2			Do.
Do.	<i>Allium cepa</i> (onion)			1			Do.
Do.	<i>Phaseolus</i> sp. (string bean)			1			Do.
<i>Capnodium citri</i>	<i>Vicia faba</i> (fava bean)			1			Do.
<i>Capnodium sp.</i>	<i>Citrus aurantiifolia</i> (lime)	4		2			Do.
Do.	Bamboo	1					Do.
Do.	<i>Fragaria</i> sp. (strawberry)	1					Ariz.
Do.	<i>Gardenia florida</i> (Cape-jasmine)	2		1			Tex.
Do.	<i>Holcus sorghum</i> var. (broomcorn)			1			Do.
Do.	<i>Saccharum officinarum</i>			1			Do.
<i>Cephaleuros tiarensis</i>	<i>Gardenia florida</i>			1			Do.
Do.	<i>Persea americana</i> (avocado)			1			Do.
<i>Cercospora atricincta</i>	<i>Zinnia elegans</i> (zinnia)			1			Do.
<i>Cercospora capsici</i>	<i>Capsicum annuum</i>	1		1			Do.
<i>Cercospora rosicola</i>	<i>Rosa</i> sp.			20			Do.
<i>Cercospora</i> sp.	<i>Doryopteris</i> sp. (fern)			1			Do.
Do.	<i>Gardenia florida</i>			2			Do.
Do.	<i>Physalis</i> sp. (husk tomato)			1			Do.
<i>Cladosporium fulvum</i>	<i>Capsicum annuum</i>	1					Calif.*
Do.	do			1			Tex.
Do.	<i>Lycopersicum esculentum</i>		4	60		1	La.
Do.				2			Tex.
<i>Clypeotrabutia</i> (?) sp.	<i>Physalis</i> sp. (husk tomato)			1			Do.
<i>Coleosporium ipomoeae</i>	<i>Anisacanthus</i> sp.			1			Do.
<i>Colletotrichum falcatum</i>	<i>Ipomoea</i> sp.			1			Do.
<i>Colletotrichum lagenaarium</i>	<i>Saccharum officinarum</i>			1			Do.
<i>Colletotrichum phomoides</i>	<i>Chayota edulis</i> (chayote)					1	Ala.
Do.	<i>Lycopersicum esculentum</i>	7		27			Tex.
<i>Colletotrichum pisi</i>	<i>Physalis</i> sp. (husk tomato)			1			Do.
<i>Colletotrichum truncatum</i>	<i>Pisum sativum</i> (pea)	1					N. Y.
<i>Colletotrichum</i> sp.	<i>Phaseolus lunatus macrocarpus</i> (lime bean)	1					Arlz.
Do.	<i>Carica papaya</i> (papaya)			1			Tex.
Do.	<i>Citrus aurantiifolia</i> (lime)			1			Ariz.
Do.	<i>Citrus limetta</i> (sweet lime)			1			Tex.
Do.	<i>Echereria</i> sp.			4			Calif.*
Do.	<i>Gardenia florida</i> (Cape-jasmine)			1			Tex.
Do.	<i>Lilium regale</i> (regal lily)	1					Do.
Do.	<i>Lilium</i> sp.	1					Do.
Do.	<i>Lycopersicum esculentum</i>	1					Ariz.
Do.	<i>Odontoglossum</i> sp. (orchid)			2			Calif.*
Do.	<i>Oncidium unguiculatum</i> (orchid)			1			Do.*
Do.	<i>Phaseolus</i> sp. (string bean)	1					
Do.	do			1			Ariz.
Do.	<i>Solanum melongena</i> (eggplant)			1			Tex.
Do.	<i>Lycopersicum esculentum</i>			1			Ariz.
<i>Coniothecium</i> sp.	<i>Rosa</i> sp.				1		Tex.
<i>Corticium</i> sp.	<i>Capsicum annuum</i>			10			Ariz.
Do.	<i>Citrullus vulgaris</i> (watermelon)				1		Do.
Do.	<i>Lycopersicum esculentum</i>	50				1	Do.
Do.	<i>Phaseolus lunatus macrocarpus</i> (lime bean)	1					Do.
Do.	<i>Phaseolus</i> sp. (string bean)		4				Do.
Do.	<i>Pisum sativum</i> (pea)		5				Do.
Do.	<i>Solanum melongena</i> (eggplant)	3					Do.
Do.	<i>Vicia faba</i> (fava bean)			1			Do.
Do.	do			1			Tex.
<i>Cylindrosporium chrysanthemi</i>	<i>Chrysanthemum</i> sp.			1			Do.
<i>Cylindrosporium juglandis</i>	<i>Juglans</i> sp. (walnut)			2			Do.
<i>Didymella</i> n. sp.	<i>Alstrophiella quadripinnata</i> (treefern)			1			Do.
<i>Diplocarpon rosae</i>	<i>Rosa</i> sp.				1		N. Y.
Do.	do				19		Tex.

List, by countries, of pests collected and reported from July 1, 1935, to June 30, 1936, inclusive—Continued

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
MEXICO—Continued							
Diseases—Continued.							
<i>Diplodia cacaogcola</i>	<i>Persea americana</i> (avocado)				1		Tex.
<i>Diplodia cerei-triangularis</i>	<i>Pachycereus</i> sp. (cactus)	1					Calif.*
<i>Diplodia natalensis</i>	<i>Citrus aurantifolia</i> (lime)	2					Tex.
Do	<i>Citrus limetta</i> (sweet lime)			1			Ariz.
Do	<i>Citrus limonia</i> (lemon)			1			Tex.
<i>Diplodia tubericola</i>	<i>Ipomoea batatas</i> (sweetpotato)					2	Ala.
Do	do			1			Calif.
<i>Eriose</i>	<i>Eupatorium</i> sp.			1			N. Y.
Do	<i>Gardenia florida</i> (Cape-jasmine).			1			Tex.
<i>Erysiphe polygoni</i>	<i>Pisum sativum</i> (pea)			6			Do.
<i>Erysiphe</i> sp.	do	4		1			Ariz.
<i>Fusarium moniliforme</i>	<i>Zea mays</i> (corn)			1			Calif.
Do	do			1			Tex.
<i>Gloeosporium limetticolum</i>	<i>Citrus aurantifolia</i> (lime)			2			Do.
<i>Gloeosporium musarum</i>	<i>Musa</i> sp. (banana)	1					Md.
Do	do			2			Tex.
<i>Gloeosporium</i> sp.	<i>Echeveria</i> sp.			1			Calif.*
Do	<i>Gardenia florida</i> (Cape-jasmine).			1			Tex.
Do	<i>Lycopersicum esculentum</i>	1					Ariz.
Do	<i>Mangifera indica</i> (mango)			2			Do.
Do	<i>Musa</i> sp. (banana)	3		1			Do.
Do	<i>Odontoglossum</i> sp. (orchid)			2			Calif.*
Do	<i>Oncidium cavendishianum</i> (orchid)			1			D. C.
Do	<i>Oncidium tigrinum unguiculatum</i> (orchid).			3			Calif.*
Do	Orchid	1					
Do	<i>Passiflora</i> sp. (passionflower)					1	D. C.
Do	<i>Persea americana</i> (avocado)				3		N. Y.
Do	<i>Phaseolus</i> sp. (string bean)	1					Ariz.
Do	<i>Solanum melongena</i> (eggplant)	1					Do.
Do	Orchid			1			Calif.*
<i>Glomerella rufomaculans</i>	<i>Lycopersicum esculentum</i>	1					Ariz.
<i>Glomerella</i> sp.	Orchid	1					D. C.
<i>Graphiola phoenicis</i>	<i>Phoenix dactylifera</i> (date)				1		Calif.
<i>Helminthosporium allii</i>	<i>Allium sativum</i> (garlic)	5					La.
Do	do	14					N. Y.
Do	do	5		10			Tex.
<i>Helminthosporium</i> sp.	<i>Heteropogon contortus</i>				1		La.
Do	<i>Leucophyllum</i> sp.				1		Tex.
Do	<i>Lycopersicum esculentum</i>	3					Ariz.
Do	<i>Pisum sativum</i> (pea)	1					Do.
Do	do			1			Tex.
<i>Heterosporium echinulatum</i>	<i>Diandthus</i> sp. (carnation)			1			Do.
<i>Heterosporium</i> sp.	<i>Lycopersicum esculentum</i>	1					Ariz.
Leprosis.	<i>Citrus sinensis</i> (orange)				1		Tex.
<i>Macrosporium solani</i>	<i>Lycopersicum esculentum</i>	1					Calif.
<i>Macrosporium tomato</i>	do					1	La.
Do	do	2		22			Tex.
<i>Monilia</i> sp.	<i>Amelodus persica</i> (peach)				2		Ariz.
<i>Mycosphaerella pinodes</i>	<i>Pisum sativum</i> (pea)			3			Calif.
Do	do	1					N. Y.
Do	do			1			Tex.
<i>Nigrospora</i> sp.	<i>Saccharum officinarum</i>				1		Do.
<i>Oidium</i> sp.	<i>Gardenia florida</i> (Cape-jasmine).	2		2			Do.
Do	Millet			1			Do.
Do	<i>Phaseolus</i> sp. (string bean)	1					Do.
Do	<i>Pisum sativum</i> (pea)	6		2			Ariz.
Oospore lactis parasitica	<i>Capsicum annuum</i>			1			Tex.
Do	<i>Lycopersicum esculentum</i>	3		1			Do.
Do	<i>Physalis</i> sp. (husk tomato)			3			Do.
Oospore sp.	<i>Citrus aurantifolia</i> (lime)	1					Ariz.
Do	<i>Fragaria</i> sp. (strawberry)	1					Do.
Do	<i>Lycopersicum esculentum</i>	14					Do.
Do	<i>Persea americana</i> (avocado)			1			Do.
Do	<i>Phaseolus</i> sp. (string bean)	2					Do.
Do	<i>Pisum sativum</i> (pea)	1					Do.
Do	<i>Psidium guajava</i> (guava)			1			Do.

List, by countries, of pests collected and reported from July 1, 1935, to June 30, 1936, inclusive—Continued

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
MEXICO—Continued							.
Diseases—Continued.							
<i>Penicillium glaucum</i>	<i>Punica granatum</i> (pomegranate).		1				Tex.
<i>Periconia</i> sp.	<i>Acrococum mexicana</i> (palm)		1				Ariz.
Do.	<i>Hibiscus</i> sp.		1				Tex.
<i>Pestalozzia guelpini</i>	<i>Psidium guajava</i> (guava).		2				Do.
<i>Phoma acuum</i>	<i>Pinus</i> sp. (pine).	1	1				Calif.*
<i>Phoma destructiva</i>	<i>Capsicum annuum</i>						Tex.
Do.	<i>Lycopersicum esculentum</i>					1	Ala.
Do.	do.	1					N. Y.
Do.	do.	3	35			1	Tex.
<i>Phoma destructiva</i>	<i>Physalis</i> sp. (husk tomato)		5				Do.
<i>Phoma</i> sp.	<i>Bouvardia leiantha</i>		1				Do.
Do.	<i>Capsicum annuum</i>	2					Ariz.
Do.	<i>Lycopersicum esculentum</i>	3					Do.
Do.	<i>Phaseolus</i> sp. (string bean)		1				Do.
Do.	do.		1				Tex.
<i>Zea mays</i> (corn).		1					Ariz.
<i>Phomopsis</i> sp.	<i>Citrus sinensis</i> (orange)		1				Tex.
<i>Phyllachora graminis</i>	<i>Chloris virgata</i> (feather finger-grass).	1					N. Y.
Do.	Grass packing	2					Do.
<i>Phyllachora</i> sp.	<i>Andropogon</i> sp.		1				Do.
Do.	do.	1					Wash.
Do.	<i>Aristida</i> sp.		1				N. Y.
Do.	<i>Paspalum</i> sp.		1				Do.
<i>Phyllosticta</i> sp.	<i>Capriola dactylon</i> (Bermuda grass).	1					Tex.
Do.	<i>Echeveria</i> sp.		2				Calif.*
Do.	<i>Garcinia mangostana</i> (mango-steen).	1					Tex.
Do.	<i>Gardenia florida</i> (Cape-jasmine).				2		N. Y.
Do.	do.	1	3				Tex.
Do.	<i>Odontoglossum</i> sp. (orchid)		1				Calif.*
Do.	<i>Oncidium tigrinum unguiculatum</i> (orchid)		1				Do.*
Do.	<i>Passiflora</i> sp.					1	N. Y.
Do.	<i>Persea americana</i> (avocado)		1				Tex.
Do.	<i>Sophora secundiflora</i> (mescal-bean).		1				Do.
<i>Phytophthora</i> sp.	<i>Capsicum annuum</i>	3					Ariz.
Do.	<i>Lycopersicum esculentum</i>	98					Do.
Do.	do.	1					Tex.
Do.	<i>Solanum melongena</i> (eggplant)	1					Ariz.
<i>Pseudeopozia medicaginis</i>	<i>Medicago sativa</i> (alfalfa)				1		Tex.
<i>Puccinia antirrhini</i>	<i>Antirrhinum majus</i> (snap-dragon).			15			Do.
<i>Puccinia chrysanthemi</i>	<i>Chrysanthemum</i> sp.			1			Ariz.
Do.	do.		1				Tex.
<i>Puccinia graminis</i>	<i>Triticum aestivum</i> (wheat)		1				Do.
<i>Puccinia lipiae</i>	<i>Lippia wrightii</i>			1			Do.
<i>Puccinia malvacearum</i>	<i>Malva rotundifolia</i>			1			Calif.
<i>Puccinia purpurea</i>	<i>Holcus halepensis</i> (Johnson grass).	2	1				Tex.
<i>Puccinia schedonnardi</i>	<i>Gossypium</i> sp. (cotton)			1			Do.
Do.	Unidentified plant			1			Do.
<i>Puccinia</i> sp.	<i>Andropogon condensatus</i>		1				Ariz.
Do.	<i>Andropogon</i> sp.		1				N. Y.
Do.	<i>Aristida</i> sp.		1				Do.
Do.	<i>Cyperaceae</i> (sedge)		1				Ariz.
Do.	<i>Hibiscus cardiophyllum</i>		1				Tex.
Do.	<i>Triticum aestivum</i> (wheat)		1				Do.
Do.	<i>Zea mays</i> (corn)		1				Ariz.
<i>Pythium</i> sp.	<i>Lycopersicum esculentum</i>		1				Do.
<i>Ravenelia</i> sp.	<i>Tephrosia</i> sp.		1				D. C.
<i>Rhizoctonia</i> sp.	<i>Capsicum annuum</i>		1				Ariz.
Do.	<i>Carica papaya</i> (papaya)			1			Do.
Do.	<i>Lilium</i> sp.			1			Tex.
Do.	<i>Lycopersicum esculentum</i>	3					Ariz.
Do.	<i>Phaseolus lunatus macrocarpus</i> (lima bean).	1					Tex.
Do.	<i>Phaseolus</i> sp. (string bean)	2					Ariz.
Do.	<i>Turnera</i> sp.			1			Tex.

List, by countries, of pests collected and reported from July 1, 1935, to June 30, 1936, inclusive—Continued

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
MEXICO—Continued							
Diseases—Continued.							
<i>Sclerotinia sclerotiorum</i>	<i>Daucus carota</i> (carrot)					1	Tex.
Do.	<i>Solanum tuberosum</i>		1				Ariz.
<i>Sclerotinia</i> sp.	<i>Allium cepa</i> (onion)		1				Tex.
Do.	<i>Lycopersicum esculentum</i>		1				Do.
Do.	<i>Musa</i> sp. (banana)		1				Do.
Do.	<i>Phaseolus</i> sp. (string bean)	2					Ariz.
Do.	<i>Physalis</i> sp. (husk tomato)			2			Tex.
Do.	<i>Pisum sativum</i> (pea)					1	Do.
<i>Sclerotium</i> sp.	<i>Citrus aurantiifolia</i> (lime)	1					Do.
Do.	<i>Solanum tuberosum</i>			1			Ariz.
<i>Septobasidium</i> sp.	<i>Gardenia florida</i> (Cape-jasmine)	2	1				Tex.
<i>Septoria apii</i>	<i>Apium graveolens</i> (celery)					2	N. Y.
Do.	<i>Cupriola dactylon</i> (Bermuda grass).			2			Tex.
<i>Septoria</i> sp.	<i>Gardenia florida</i> (Cape-jasmine)	1					Do.
Do.	<i>Holcus halepensis</i> (Johnson grass).	1					Do.
Do.	<i>Odontoglossum</i> sp. (orchid)		1				Calif.*
Do.	<i>Persea americana</i> (avocado)			1			Tex.
Do.	<i>Psidium guajava</i> (guava)			1			Do.
<i>Sphaeloma favaceum</i>	<i>Citrus aurantiifolia</i> (lime)	1					Do.
Do.	<i>Citrus limetta</i> (sweet lime)				1		Pa.
Do.	<i>Citrus sinensis</i> (orange)					1	Do.
<i>Sphaelotheca cruenta</i>	<i>do</i>			2			Tex.
	<i>Holcus sorghum</i> var. (broomcorn).			1			Ariz.
<i>Sphaeropsis</i> sp.	<i>Cydonia oblonga</i> (quince)			1			Do.
<i>Sphaerotheca pannosa</i>	<i>Rosa</i> sp.	1	6				Tex.
<i>Stemphylium</i> sp.	<i>Capsicum annuum</i>	7	2				Ariz.
Do.	<i>Carica papaya</i> (papaya)			1			Do.
Do.	<i>Lycopersicum esculentum</i>	21	2				Do.
<i>Sterigmatocystis</i> sp.	<i>do</i>	2					Do.
Do.	<i>Solanum melongena</i> (eggplant)	1					Do.
<i>Stilbella flavidia</i>	<i>Gardenia florida</i> (Cape-jasmine)				3		La.
<i>Stilbum</i> sp.	<i>Citrus sinensis</i> (orange)	1				1	Tex.
Do.	<i>Gardenia florida</i> (Cape-jasmine)				1		La.
Do.	<i>do</i>	34	33			1	Pa.
<i>Stysanus stemonites</i>	<i>Solanum tuberosum</i>					1	Tex.
Do.	<i>do</i>					1	Ariz.
<i>Tilletia laevigata</i>	<i>Triticum aestivum</i> (wheat)				1		Ariz.
<i>Tolyposporella brunkii</i>	<i>Andropogoneae</i> (grass)				1		Tex.
<i>Toxosporium</i> sp.	<i>Pinus</i> sp. (pine)		1				Calif.*
<i>Trichothecium roseum</i>	<i>Echeveria</i> sp.			1			Do.*
<i>Uromyces appendiculatus</i>	<i>Phascolus vulgaris</i> var	1					Do.*
Do.	<i>Phascolus</i> sp. (string bean)	22					Ariz.
Do.	<i>do</i>	5		2			Calif.*
Do.	<i>do</i>						Tex.
<i>Uromyces caryophyllinus</i>	<i>Dianthus</i> sp. (carnation)	2					Do.
<i>Ustilago hordei</i>	<i>Hordeum vulgare</i> (barley)	4					Ariz.
<i>Ustilago zeae</i>	<i>Zea mays</i> (corn)			1			Calif.
Do.	<i>do</i>			2			Tex.
<i>Ustilago</i> sp.	<i>do</i>	3					Ariz.
<i>Vermicularia capsici</i>	<i>Capsicum annuum</i>			1			Tex.
<i>Vermicularia</i> sp.	<i>Eragrostis</i> sp.	1					N. Y.
<i>Verticillium</i> sp.	<i>Capsicum annuum</i>	1					Ariz.
Do.	<i>Lycopersicum esculentum</i>	2					Do.
Do.	<i>do</i>			1			Tex.
Do.	<i>Musa</i> sp. (banana)	2					Do.
Do.	<i>Solanum tuberosum</i>			1			Do.
MONGOLIA							
Insects:							
<i>Chirothrips similis</i> (thrips)	<i>Agropyron</i> sp.	40					D. C.
Do.	<i>Allium</i> sp.	3					Do.
Do.	<i>Elymus</i> sp.	21					Do.
Do.	<i>Eragrostis</i> sp.	1					Do.
Do.	<i>Hordeum</i> sp.	3					Do.
Do.	<i>Iris</i> sp.	1					Do.
Do.	<i>Koelaria</i> sp.	2					Do.
Do.	Legume	1					Do.

List, by countries, of pests collected and reported from July 1, 1935, to June 30, 1936, inclusive—Continued

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Bags	Quarters	Stores	
MONGOLIA—Continued							
Insects—Continued.							
<i>Chirothrips similis</i> (thrips)	<i>Melica</i> sp. (melic-grass)	6					D. C.
Do	<i>Melilotus</i> sp. (sweet clover)	5					Do.
Do	<i>Oryzopsis</i> sp.	1					Do.
Do	<i>Poa</i> sp.	2					Do.
Do	<i>Rumex</i> sp.	1					Do.
Do	<i>Stipa</i> sp. (spear-grass)	6					Do.
Do	<i>Rosa</i> sp.	9					Do.
Trypetid.							
Diseases:							
<i>Clariceps purpurea</i>	<i>Agropyron</i> sp.	1					Do.
<i>Mycosphaerella</i> sp.	do	1					Do.
<i>Ustilago levis</i>	<i>Avena nuda</i> (naked oats)	2					Do.
MONTE CARLO							
Insects:							
<i>Thrips flavus</i> (thrips)	<i>Chrysanthemum</i> sp.			1			N. Y.
MONTSERRAT							
Insects:							
<i>Pectinophora gossypiella</i> (pink boll-worm).	<i>Gossypium</i> sp. (cotton) (boll)				1		Va.
<i>Tartagonia hartii</i> (Coccidae)	<i>Dioscorea</i> sp. (yam)		1	1			Mass.
Diseases:							
<i>Diplodia natalensis</i>	<i>Citrus aurantiifolia</i> (lime)	1					N. Y.
<i>Gloeosporium limetticolum</i>	do	1					Do.
<i>Melanconium sacchari</i>	<i>Saccharum officinarum</i>			1			Do.
MOROCCO							
Insects:							
<i>Ezosoma lusitanica</i> (Chrysomelidae)	<i>Muscari comosum</i> (cipollino)	30					Do.
Diseases:							
<i>Bacterium maculicola</i>	<i>Brassica oleracea capitata</i>				1		Do.
<i>Oospora</i> sp.	<i>Lycopersicum esculentum</i>			1			Pa.
<i>Puccinia allii</i>	<i>Allium porrum</i> (leek)			1			N. Y.
Do	do			1			Pa.
<i>Sclerotinia sclerotiorum</i>	<i>Brassica rapa</i> (turnip)				1		La.
Do	<i>Daucus carota</i> (carrot)				1		Do.
<i>Sclerotium oryzae</i>	<i>Oryza sativa</i> (rice)	4					N. Y.
<i>Sclerotium</i> sp.	<i>Muscari comosum</i> (cipollino)	5					Do.
<i>Septoria petroselini</i>	<i>Petroselinum hortense</i> (parsley)			1			Do.
MOZAMBIQUE							
Insects:							
<i>Chrysomphalus corticosus</i> (Coccidae)	<i>Kigelia</i> sp.		1				D. C.
NETHERLANDS							
Insects:							
<i>Agriotes obscurus</i> (Elateridae)	<i>Helleborus niger</i> (Christmas-rose).	1					Do.
<i>Ceutorhynchus pleurostigma</i> (turnip gall weevil).	<i>Brassica rapa</i> (turnip)				1		N. Y.
<i>Emphytus cinctus</i> (sawfly)	<i>Rosa chinensis manetti</i>	2					Conn.*
Do	do	1					N. Y.
Do	do	2					Pa.*
Do	<i>Rosa</i> sp.	1					N. Y.
<i>Forficula auricularia</i> (European earwig).	<i>Iris</i> sp.	1					D. C.
Do	<i>Muscari botryoides</i> (grape-hyacinth).	1					N. Y.
<i>Gracilaria azaleella</i> (azalea leaf miner).	<i>Azalea</i> sp.	1					D. C.
<i>Limothrips denticornis</i> (thrips)	<i>Iris</i> sp.	1					Do.
<i>Macrosiphum kaltenbachii</i> (aphid).	<i>Allium porrum</i> (leek)			1			N. Y.
<i>Mamestra brassicae</i> (Noctuidae)	<i>Brassica oleracea botrytis</i> (cauliflower).			1			Do.
Do	<i>Brassica oleracea bullata</i> (Savoy cabbage).			1			Do.
<i>Parthenothrips dracaenae</i> (thrips)	<i>Palm</i>				1		Do.
<i>Rhopalosiphoninus tulipaella</i> (aphid)	<i>Muscari</i> sp.			1			Md.
<i>Thrips nigropilosus</i> (thrips)	<i>Aster</i> sp.			1			D. C.

List, by countries, of pests collected and reported from July 1, 1935, to June 30, 1936,
inclusive—Continued

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
NETHERLANDS—Continued							
Diseases:							
<i>Alternaria brassicae</i>	<i>Brassica oleracea capitata</i>	1					Md.
Do	do					2	N. Y.
Do	do					1	Va.
Do						1	Pa.
<i>Alternaria herculaea</i>	<i>Brassica oleracea capitata</i>					1	Md.
Do	do					1	Mass.
<i>Amphichaeta</i> sp.	<i>Rosa chinensis manetti</i>	1					N. Y.
<i>Aphelenchoides limberi</i>	<i>Iris</i> sp.		1				D. C.
<i>Ascochyta</i> sp.	<i>Galanthus</i> sp.	1					Pa.
<i>Aspergillus ochraceus</i>	<i>Solanum tuberosum</i>					1	Tex.
<i>Bacterium campestre</i>	<i>Brassica oleracea capitata</i>					1	Md.
<i>Bacterium hyacinthi</i>	<i>Hyacinthus</i> sp.	1					N. Y.
<i>Bacterium maculicola</i>	<i>Brassica oleracea botrytis</i> (cauliflower).					1	Md.
Do	<i>Brassica oleracea capitata</i>					1	La.
Do	do					3	Md.
Do	do					2	Mass.
Do	do					2	Pa.
Do	do					1	Va.
Do	<i>Brassica oleracea gemmifera</i> (brussels sprouts).					2	N. Y.
Do	do					2	Pa.
<i>Bacterium marginatum</i>	<i>Gladiolus</i> sp.		1				D. C.
<i>Botrytis allii</i>	<i>Allium cepa</i> (onion)					1	N. Y.
<i>Botrytis cinerea</i>	do					1	Ala.
Do	do					2	La.
Do	do					4	Pa.
Do	do					1	Tex.
Do	do					3	Va.
Do	<i>Altium porrum</i> (leek)					1	Do.
Do	<i>Brassica oleracea capitata</i>					1	Mass.
Do	do					2	Va.
Do	<i>Brassica rapa</i> (turnip)					1	La.
Do	<i>Daucus carota</i> (carrot)					2	Md.
Do	do					1	Pa.
Do	do					2	Tex.
Do	do					2	Va.
Do	<i>Pastinaca sativa</i> (parsnip)					1	Do.
Do	<i>Rheum</i> sp. (rhubarb)					1	Do.
Do	<i>Solanum tuberosum</i>					1	Tex.
Do	<i>Vitis</i> sp. (grape)					1	N. Y.
<i>Botrytis galanthina</i>	<i>Galanthus nivalis</i> (snowdrop)	25					Do.
<i>Brachysporium</i> sp.	<i>Hyacinthus</i> sp.	1					Do.
<i>Bremia lactucae</i>	<i>Lactuca sativa</i> (lettuce)					1	Do.
<i>Cercospora apii</i>	<i>Apium graveolens</i> (celery)					1	Do.
<i>Cladosporium carpophilum</i>	<i>Amelodinus persica</i> (peach)					1	Do.
<i>Cladosporium fulvum</i>	<i>Lycopersicum esculentum</i>					1	Miss.
<i>Coleosporium campanulae</i>	<i>Campanula persicifolia</i>	1					D. C.
<i>Colletotrichum atramentarium</i>	<i>Solanum tuberosum</i>					1	La.
Do	do					1	Tex.
<i>Colletotrichum omnivorum</i>	<i>Aspidistra lurida</i> (aspidistra)				2	N. Y.	
<i>Colletotrichum</i> sp.	<i>Eurya japonica</i>				1		
<i>Cytospora</i> sp.	<i>Satiz</i> sp. (willow)	1				1	Wash.
<i>Ditylenchus dipsaci</i>	<i>Chionodoxa luciliae</i> (glory-of-the-snow).	1					N. Y.
Do	<i>Hyacinthus</i> sp.				1		
Do	<i>Iris</i> sp.	30	1				D. C.
Do	<i>Muscari botryoides</i> (grape-hyacinth).	1					N. Y.
Do	<i>Narcissus</i> sp.	3	3				D. C.
Do	<i>Scilla</i> sp. (squill)	1					N. Y.
Do	<i>Solanum tuberosum</i>					1	
Do	do					1	Mass.
Do	<i>Tigridia canariensis</i>	1					D. C.
Do	<i>Tigridia pavonia alba</i>	1					Do.
Do	<i>Tigridia</i> sp.	1	1				Do.
<i>Hendersonia</i> sp.	<i>Rosa chinensis manetti</i>	1					N. Y.
<i>Heterosporium altii</i>	<i>Allium porrum</i> (leek)					1	Md.
Do	do					1	Pa.
<i>Macrophoma candollei</i>	<i>Euzus</i> sp. (box)	1					N. Y.
<i>Macrochaetia sarcinula</i>	<i>Hyacinthus</i> sp.	1					Do.
<i>Monochoria</i> sp.	<i>Rosa multiflora</i> (Japanese rose)	1					Do.
<i>Mycosphaerella brassicicola</i>	<i>Brassica oleracea botrytis</i> (cauliflower).					3	Do.

List, by countries, of pests collected and reported from July 1, 1935, to June 30, 1936, inclusive—Continued

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
NETHERLANDS—Continued							
Diseases—Continued.							
<i>Mycosphaerella fragariae</i>	<i>Fragaria</i> sp. (strawberry)			1			N. Y.
<i>Penicillium gladioli</i>	<i>Crocus</i> sp.	1					Pa.
<i>Peronospora parasitica</i>	<i>Brassica oleracea botrytis</i>					1	Md.
Do	<i>Raphanus sativus</i> (radish)					1	N. Y.
<i>Pestalozzia</i> sp.	<i>Rhododendron</i> sp.	1					D. C.
<i>Phoma lingam</i>	<i>Brassica oleracea capitata</i>					1	Md.
Do	do					1	Mass.
<i>Phyllosticta</i> sp.	<i>Ilex perado aurea</i>		1				D. C.
<i>Phytophthora</i> sp.	<i>Lilium</i> sp.	1					N. Y.
<i>Pratylenchus pratensis</i>	<i>Allium porrum</i> (leek)					1	Pa.
Do	<i>Beta vulgaris</i> (beet)					1	Va.
Do	<i>Daucus carota</i> (carrot)				2		Tex.
<i>Puccinia graminis</i>	<i>Triticum aestivum</i> (wheat)	1				1	Md.
Do	do	5					N. Y.
<i>Puccinia hieracii</i>	<i>Cichorium intybus</i> (witloof)					1	Do.
<i>Puccinia rubigo-vera tritici</i>	<i>Triticum aestivum</i>					1	Md.
Do	do	3	2			1	N. Y.
<i>Puccinia</i> sp.	<i>Lactuca sativa</i> (lettuce)					1	Va.
Do	<i>Triticum aestivum</i>	1					N. Y.
<i>Pythium</i> sp.	<i>Daucus carota</i> (carrot)					1	Pa.
Do	do					1	Va.
<i>Rhizoctonia violaceae</i>	<i>Crocus</i> sp.	1					N. Y.
<i>Rhizoctonia</i> sp.	<i>Brassica rapa</i> (turnip)					1	La.
Do	<i>Lilium regale</i> (regal lily)	1					Pa.
<i>Sclerotinia gladioli</i>	<i>Gladiolus</i> sp.		1				D. C.
<i>Sclerotinia sclerotiorum</i>	<i>Beta vulgaris</i> (beet)					1	Pa.
Do	do					2	Tex.
Do	<i>Brassica rapa</i> (turnip)					1	La.
Do	<i>Daucus carota</i> (carrot)					1	Ala.
Do	do				3		Md.
Do	do				8		Va.
Do	do				2		N. Y.
Do	do				6		Tex.
Do	do				4		Va.
<i>Sclerotinia</i> sp.	<i>Beta vulgaris</i> (beet)					1	La.
Do	<i>Lactuca sativa</i> (lettuce)					1	Va.
<i>Sclerotium cepivorum</i>	<i>Allium cepa</i> (onion)					1	N. Y.
<i>Sclerotium</i> sp.	<i>Daucus carota</i> (carrot)					1	Do.
Do	<i>Gladiolus</i> sp.	1					D. C.
Do	<i>Lilium</i> sp.						N. Y.
Do	<i>Tritonia</i> sp.	3					D. C.
<i>Septoria apii</i>	<i>Apium graveolens</i> (celery)					5	N. Y.
Do	do					1	Pa.
Do	<i>Apium graveolens rapaceum</i> (celeriac)					1	Do.
<i>Septoria azaleae</i>	<i>Azalea</i> sp.	1					D. C.
<i>Septoria gladioli</i>	<i>Crocus</i> sp.	1					Mich.
Do	do	1					N. Y.
Do	do	2					Pa.
<i>Septoria petroselini</i>	<i>Petroselinum hortense</i> (parsley)					2	N. Y.
<i>Sphaeronema</i> sp.	<i>Narcissus</i> sp.	1	1				D. C.
<i>Spondylocladium</i> sp.	<i>Daucus carota</i> (carrot)					1	Tex.
<i>Stemphylium</i> sp.	<i>Chionodoxa</i> sp. (glory-of-the-snow)	1					Mass.
<i>Stysanus stemonites</i>	<i>Solanum tuberosum</i>					1	Va.
Do	do					1	Tex.
<i>Urocystis colchici</i>	<i>Colchicum autumnale album plenum</i>	1					D. C.
Do	<i>Colchicum byzantinum</i>						Do.
<i>Uromyces appendiculatus</i>	<i>Phaseolus</i> sp. (string bean)	1					N. Y.
<i>Ustilago grandis</i>	<i>Typha angustifolia</i> (narrowleaf cattail)	1					Do.
<i>Venturia pyrina</i>	<i>Pyrus communis</i> (pear)					1	Do.
<i>Verticillium albo-atrum</i>	<i>Dahlia</i> sp.		1				D. C.
<i>Verticillium</i> sp.	<i>Daucus carota</i> (carrot)					1	Tex.
Do	<i>Fritillaria imperialis</i> (crown-imperial)	1					N. Y.
<i>Volutella</i> sp.	<i>Kniphofia</i> sp.		1				D. C.

List, by countries, of pests collected and reported from July 1, 1935, to June 1936,
inclusive—Continued

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
NEVIS							
Insects:							
<i>Coccus viridis</i> (Coccidae)	<i>Polyscias guilfoylei victoriae</i>	2					N. Y.
<i>Lepidosaphes lasianthi</i> (Coccidae)	<i>Codiaeum</i> sp. (croton)	1					Do.
Diseases:							
<i>Thielaviopsis paradoxa</i>	<i>Dracaena</i> sp.		1				Do.
NEWFOUNDLAND							
Insects:							
<i>Olethreutid</i>	<i>Vaccinium vitis-idaea</i> (lingonberry).	3					Ill.
Do	do	14					Mich.
Do	do	2					N. Y.
Diseases:							
<i>Chrysomyza</i> sp.	do	1					Mich.
<i>Phomopsis vaccinii</i>	<i>Vaccinium</i> sp. (blueberry)	1					N. Y.
<i>Septoria</i> sp.	do	1					Do.
<i>Sporonema oxyccoci</i>	do	1					Do.
NEW GUINEA							
Insects:							
<i>Targionia sacchari</i> (Coccidae)	<i>Saccharum officinarum</i>	1					D. C.
Diseases:							
<i>Diplodia</i> sp.	do	1					Do.
NEW ZEALAND							
Insects:							
<i>Lepidosaphes conchiformis</i> (Coccoidea).	<i>Malus sysvestris</i> (apple)	1					N. Y.
<i>Taeniothrips simplex</i> (gladiolus thrips).	<i>Gladiolus</i> sp.		1				Calif.*
Diseases:							
<i>Bacterium marginatum</i>	<i>Gladiolus</i> sp.		3				D. C.
<i>Claviceps purpurea</i>	<i>Lolium</i> sp. (ryegrass)		1				Do.
<i>Mycosphaerella brassicicola</i>	<i>Brassica oleracea capitata</i>				1		N. Y.
<i>Septoria apii</i>	<i>Apium graveolens</i> (celery)				1		Do.
NICARAGUA							
Insects:							
<i>Acanthocelides bimaculatus</i> (Bruchidae)	<i>Bixa orellana</i> (anatto-tree)		1				D. C.
<i>Acidomeria rustica</i> (Coreidae)	<i>Orchid</i>		1				Do.
<i>Eurycipitria floridula</i> (Miridae)	<i>Epidendrum aromaticum</i> (orchid)		1				Do.
<i>Metamasius sericeus</i> (silky cane weevil).	Banana debris	10					La.
Do	<i>Musa</i> sp. (banana)	1					Do.
Psychid.	Banana debris	7					Do.
Do	<i>Musa</i> sp. (banana)	3					Do.
Diseases:							
<i>Gloeosporium maxillariae</i>	<i>Lycaste</i> sp. (orchid)		1				P. R.
<i>Gloeosporium</i> sp.	Orchid		1				D. C.
<i>Schizophyllum commune</i>	<i>Quercus</i> officinale (lignum-vitae)	1					Calif.*
NORWAY							
Insects:							
<i>Chrysomphalus dictyospermi</i> var. (Coccidae).	Palm				1		Pa.
Diseases:							
<i>Alternaria herculaea</i>	<i>Brassica rapa</i> (turnip)					1	Md.
<i>Anthrobolrys</i> sp.	do					1	La.
<i>Bacterium maculicola</i>	<i>Brassica oleracea capitata</i>				4		Md.
Do	do				1		Pa.
<i>Botrytis cinerea</i>	<i>Allium cepa</i> (onion)			2			Ala.
Do	do			3			Va.
Do	<i>Brassica campestris</i> (rutabaga)			2			La.
Do	<i>Brassica rapa</i> (turnip)			1			Do.
Do	<i>Daucus carota</i> (carrot)			1			Ala.
Do	do			3			La.
Do	do			1			Md.
Do	do			1			Pa.
Do	do			2			Va.
<i>Ditylenchus dipsaci</i>	<i>Solanum tuberosum</i>			1			Tex.
<i>Mycosphaerella schoenoprasii</i>	<i>Allium porrum</i> (leek)			1			Pa.

List, by countries, of pests collected and reported from July 1, 1935, to June 30, 1936, inclusive—Continued

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
NORWAY—Continued							
Diseases—Continued.							
<i>Phyllosticta hedericola</i>	<i>Hedera helix</i> (English ivy)				1		N. Y.
<i>Phyllosticta solitaria</i>	<i>Malus sylvestris</i> (apple)	1					Do.
<i>Phyllosticta</i> sp.	<i>Triticum aestivum</i> (wheat)				1		Md.
<i>Puccinia</i> sp.	do				1		Do.
<i>Pythium</i> sp.	<i>Allium porrum</i>				1		Pa.
<i>Sclerotinia sclerotiorum</i>	<i>Apium graveolens</i> (celery)				1		Tex.
Do.	do				1		Va.
Do.	<i>Beta vulgaris</i> (beet)				1		La.
Do.	do				1		Pa.
Do.	<i>Brassica rapa</i> (turnip)				1		La.
Do.	<i>Daucus carota</i> (carrot)				1		Ala.
Do.	do				1		La.
Do.	do				2		Md.
Do.	do				1		Mass.
Do.	do				2		Pa.
Do.	do				1		Tex.
Do.	do				3		Va.
<i>Ustilago caricis</i>	<i>Carex</i> sp. (sedge)	1					Wash.
NOVA SCOTIA							
Diseases:							
<i>Ascochyta</i> sp.	<i>Aquilegia</i> sp. (columbine)				1		Calif.*
<i>Cytospora delicatula</i>	<i>Vaccinium</i> sp.				1		Do.*
<i>Dendrophoma</i> sp.	<i>Acer</i> sp. (maple)				1		Do.*
<i>Loochidermium pinastri</i>	<i>Pinus strobus</i> (white pine)				1		Do.*
<i>Microsphaera alni</i>	<i>Carpinus caroliniana</i> (horn-bean).				1		Do.*
<i>Phyllosticta minutella</i>	<i>Acer</i> sp. (maple)				2		Do.*
<i>Rhytisma acerinum</i>	do				1		Do.*
ORIENT							
Insects:							
<i>Callidium rufipenne</i> (Cerambycidae).	On pier among baggage				1		Hawaii.*
<i>Hercothrips femoralis</i> (thrips)	<i>Lilium</i> sp.				1		Do.*
<i>Nephrotettix apicatus</i> (Cicadellidae)	do				1		Do.*
Diseases:							
<i>Bacterium citri</i>	<i>Citrus sinensis</i> (orange)				1		Wash.
<i>Diplodia natalensis</i>	<i>Citrus aurantiifolia</i> (lime)				1		Calif.*
PALESTINE							
Insects:							
<i>Ceratitis capitata</i> (Mediterranean fruit fly).	<i>Citrus grandis</i> (grapefruit)				1		Mass.
Do.	do				2		N. Y.
Do.	<i>Citrus sinensis</i> (orange)				1		Md.
Do.	do				1		Pa.
<i>Ceratitis</i> sp. (Tryptidae).	<i>Citrus grandis</i>				1		N. Y.
Do.	In suitcase containing grapefruit.				1		Do.
<i>Parlatoria blanchardii</i> (Coccidae)	<i>Phoenix dactylifera</i> (date)	1					Do.
<i>Phenococcus marlatti</i> (Coccidae)	do	1					Do.
Diseases:							
<i>Capnodium citri</i>	<i>Citrus sinensis</i> (orange)				1		Md.
Do.	do				1		Pa.
<i>Phoma</i> sp.	do				1		N. Y.
<i>Puccinia rubigo-vera tritici</i>	<i>Triticum aestivum</i> (wheat)	1					Do.
<i>Puccinia</i> sp.	do	1					Do.
<i>Septoria citri</i>	<i>Citrus sinensis</i> (orange)				1		Md.
PANAMA							
Insects:							
<i>Anastrepha acidusa</i> (West Indian fruit fly).	Banana debris	1					Calif.*
<i>Anastrepha silvai</i> (Tryptidae)	do	1					Do.*
<i>Anastrepha</i> sp. (Tryptidae)	do	1					Do.*
<i>Aspidiotus destructor</i> (Coccoidea)	<i>Musa</i> sp. (banana)	1					N. Y.
<i>Chrysomphalus perseae</i> (Coccoidea)	do	1					Calif.*
<i>Furcaspis bifornmis</i> (Coccoidea)	<i>Epidendrum atropurpureum</i> (orchid).	1					Hawaii.*
Do.	Orchid	1					Calif.*

List, by countries, of pests collected and reported from July 1, 1935, to June 30, 1936,
inclusive—Continued

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
PANAMA—Continued							
Insects—Continued.							
<i>Metamasius sericeus</i> (silky cane weevil).	Banana debris.....	1					Ala.
Do.....	do.....	5					Calif.*
Do.....	do.....	4					La.
Do.....	do.....	1					N. Y.
Do.....	<i>Musa</i> sp. (banana).....	2					Ala.
Do.....	do.....	40					Calif.*
<i>Pseudopeltalaria ostreata</i> (Coccidae).	<i>Carica papaya</i> (papaya).....	5				1	Mass.
Psychid.	Banana debris.....	5					Ala.
Do.....	do.....	6					N. Y.
Do.....	do.....	1					S. C.
Do.....	<i>Musa</i> sp. (banana).....	2					Ala.
Do.....	do.....	1					N. Y.
<i>Tozotrypana curvicauda</i> (papaya fruit fly).	<i>Carica papaya</i> (papaya).....					1	Calif.*
Do.....	do.....						Md.
Diseases:							
<i>Capnodium citri</i>	<i>Citrus grandis</i> (grapefruit).....					1	Wash.
<i>Capnodium</i> sp.....	<i>Saccharum officinarum</i>	1	1				Md.
<i>Colletotrichum</i> sp.....	Orchid.....	1					Calif.*
<i>Diplocarpon rosae</i>	<i>Rosa</i> , sp.....					1	N. Y.
<i>Gloeosporium limeticolum</i>	<i>Citrus aurantifolia</i> (lime).....	1					Calif.*
<i>Gloeosporium musarum</i>	<i>Musa</i> sp. (banana).....				1		Md.
<i>Gloeosporium</i> sp.....	Orchid.....			1			Calif.*
<i>Mycosphaerella musae</i>	<i>Musa</i> sp. (banana).....	2					N. Y.
<i>Oospore lactis parasitica</i>	<i>Lycopersicum esculentum</i>					1	Va.
<i>Phoma</i> sp.....	<i>Theobroma cacao</i> (cacao).....					1	La.
<i>Septobasidium</i> sp.....	<i>Citrus sinensis</i> (orange).....					1	Va.
<i>Sphaceloma sawettii</i> .	<i>Citrus limonia</i> (lemon).....					1	Pa.
Do.....	<i>Citrus sinensis</i>					1	Calif.*
<i>Thielaviopsis paradoxa</i>	<i>Musa</i> sp. (banana).....	16					N. Y.
Do.....	<i>Saccharum officinarum</i>			1	2		La.
<i>Verticillium</i> sp.....	<i>Musa paradisiaca</i> (plantain).....	1					Md.
							N. Y.
PERU							
Insects:							
<i>Crophius leucocnemis</i> (Lygaeidae).....	In box of cacti.....	1					D. C.
<i>Dinoderus bifoveolatus</i> (Bostrichidae)	Wood.....		1				Do.
Do.....	do.....		1				N. Y.
<i>Hemiclinaspis minor strachani</i> (Coccidae).	<i>Citrus aurantifolia</i> (lime).....	1					Do.
<i>Pseudopeltalaria parlatoriaoides</i> (Coccidae).	<i>Brassavola</i> sp. (orchid).....	1					D. C.
Do.....	<i>Cypripedium clinkaberryanum</i>	1					Do.
Diseases:							
<i>Gloeosporium</i> sp.....	<i>Tillandsia</i> sp.....	1					Calif.*
<i>Melanconium sacchari</i>	<i>Saccharum officinarum</i>			1			N. Y.
<i>Mycosphaerella</i> sp.....	<i>Cereus roseiflorus</i> (cactus).....	1					D. C.
<i>Sclerotinia sclerotiorum</i>	<i>Vicia faba</i> (broad bean).....					1	N. Y.
<i>Thielaviopsis paradoxa</i>	<i>Saccharum officinarum</i>			1			Do.
PHILIPPINES							
Insects:							
<i>Aspidiottus destructor</i> (Coccidae).....	<i>Areca catechu</i> (betel palm).....			1			Wash.
<i>Callosobruchus chinensis</i> (Bruchidae)	<i>Phaseolus</i> sp. (bean).....		1				D. C.
Do.....	do.....		1				Hawaii.*
<i>Chilo simplex</i> (Asiatic rice borer).....	<i>Oryza sativa</i> (rice).....	1					III.
<i>Chrysomphalus rossi</i> (Coccidae).....	<i>Phalaenopsis amabilis</i> (orchid).....	1					Calif.*
Do.....	<i>Phalaenopsis aphrodite</i> (orchid).....	2	1				Do.*
<i>Geotomus pygmaeus</i> (Cydnidae).....	Packing around canna.....			1			Do.*
<i>Hemiclinaspis townsendi</i> (Coccidae).	Orchid (several genera).....	1	5	4			Hawaii.*
<i>Krisna strigicollis</i> (Cicadellidae).....	<i>Codiaeum</i> sp. (croton).....	1					Calif.*
<i>Lepidosaphes auriculata</i> (Coccoidea).....	do.....	1					Do.*
<i>Lophocateretes pusillus</i> (Siamese grain beetle).	<i>Coix</i> sp.....			1			D. C.
<i>Mertila malayensis</i> (Miridae).....	<i>Aerides lawrenceae</i> (orchid).....	1					Hawaii.*
Do.....	<i>Phalaenopsis sanderiana</i> (orchid).....			1			Do.*
Do.....	<i>Renanthera storiei</i> (orchid).....		2				Do.*
<i>Orchidophilus aterrimus</i> (Curculionidae).	Orchid (several genera).....	1	3	1			Do.*

List, by countries, of pests collected and reported from July 1, 1935, to June 30, 1936, inclusive—Continued

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
PHILIPPINES—Continued							
Insects—Continued.							
<i>Orchidophilus peregrinator</i> (Curculionidae).	<i>Vanda luzonica</i> (orchid)			1			Calif.*
<i>Parlatoria pseudaspidotus</i> (Coccidae).	<i>Vanda joaquimiae</i> (orchid)	1					Hawaii.*
Do.	<i>Vanda teres</i> (orchid)		1				Calif.*
Do.	<i>Vanda</i> sp. (orchid)	2					Hawaii.*
Do.	<i>Citrus grandis</i> (pomeelo)	1				1	Do.*
<i>Parlatoria ziziphis</i> (Coccidae).	<i>Bamboo</i>			1			Calif.*
<i>Phloeobius pallipes</i> (Anthribidae).	<i>Citrus aurantifolia</i> (lime)					2	Do.*
<i>Prays citri</i> (Philippine orange moth).	<i>Aerides quinquevulnera</i> (orchid)		1				Do.
<i>Pseudococcus lilacinus</i> (Coccoidea).	<i>Codiaeum</i> sp. (crotan)	1					Calif.*
Do.	<i>Dendrobium ciliatum</i> (orchid)		1				Hawaii.*
Do.	<i>Dendrobium crumenatum</i> (orchid)		1				Do.*
Do.	<i>Phalaenopsis amabilis</i> (orchid)	2					Calif.*
Do.	<i>Phalaenopsis rimestadiana</i> (orchid)	1					Do.
Do.	<i>Vanda lamellata</i> (orchid)		1				Hawaii.*
Do.	<i>Vanda sanderiana</i> (orchid)			2			Do.*
<i>Pseudococcus virgatus</i> (Coccoidea).	<i>Codiaeum</i> sp. (crotan)	1					Calif.*
Do.	<i>Dendrobium crumenatum</i> (orchid)			1			Hawaii.*
Do.	<i>Phalaenopsis aphrodite</i> (orchid)	1					Calif.*
<i>Targionia harti</i> (Coccoidea).	<i>Dioccorea alata</i> (winged yam)		1				Hawaii.*
Tryptidet.	<i>Mangifera indica</i> (mango)					1	Calif.*
Diseases:							
<i>Aphelenchoidea parietinus</i>	<i>Canna</i> sp.			1			Do.
<i>Capnodium</i> sp.	<i>Mitragnya rotundifolia</i>	1					N. Y.
<i>Cephalobius elongatus</i>	<i>Canna</i> sp.			1			Calif.*
<i>Colletotrichum</i> sp.	<i>Phalaenopsis</i> spp. (orchid)	4	1				Do.*
<i>Gloeosporium</i> sp.	<i>Aerides lawrenceae</i> (orchid)		1				Do.*
Do.	<i>Euphorbia</i> sp. (spurge)					1	Pa.
Do.	<i>Phalaenopsis</i> spp. (orchid)	1	5				Calif.*
Do.	<i>Saccolabium violaceum</i> (orchid)		1				Do.*
<i>Mendozia bambusina</i>	<i>Bamboo</i>	1					N. Y.
<i>Nectriella</i> sp.	<i>Orchid</i>	1					D. C.
<i>Periconia</i> sp.	<i>Mitragnya rotundifolia</i>	1					N. Y.
<i>Phyllosticta</i> sp.	<i>Oryza sativa</i> (rice)	2					Do.
<i>Sclerotium oryzae</i>							Do.
POLAND							
Diseases:							
<i>Bacterium maculicola</i>	<i>Brassica oleracea capitata</i>					1	Md.
<i>Botrytis cinerea</i>	do					1	La.
<i>Ditylenchus dipsaci</i>	<i>Solanum tuberosum</i>					1	Md.
<i>Oospora</i> sp.	<i>Daucus carota</i> (carrot)					1	N. Y.
<i>Pythium</i> sp.	<i>Beta vulgaris</i> (beet)					1	La.
<i>Rhizoctonia</i> sp.	<i>Pastinaca sativa</i> (parsnip)					1	N. Y.
<i>Sclerotinia sclerotiorum</i>	<i>Apium graveolens</i> (celery)					1	Va.
Do.	<i>Daucus carota</i>					1	N. Y.
Do.	do					1	Va.
Do.	<i>Pastinaca sativa</i> (parsnip)					1	La.
Do.	do					1	Md.
Do.	<i>Petroselinum hortense</i> (parsley)					1	La.
<i>Septoria apii</i>	do					1	Do.
<i>Septoria petroselini</i>	do					2	N. Y.
PORTUGAL							
Insects:							
<i>Baris laticollis</i> (Curculionidae).	<i>Brassica rapa</i> (turnip)					1	Pa.
<i>Ceratitis capitata</i> (Mediterranean fruit fly).	<i>Cydonia oblonga</i> (quince)		1				N. Y.
Do.	<i>Psidium guajava</i> (guava)			1			Do.
<i>Cryptoblabes gnidiella</i> (Pyralidae).	<i>Punica granatum</i> (pomegranate)			1			Do.
<i>Laspeyresia splendana</i> (Olethreutidae).	<i>Castanea</i> sp. (chestnut)	3		2			Do.
<i>Stephanoderes hampei</i> (coffee berry borer).	<i>Coffea</i> sp.			2			Do.

List, by countries, of pests collected and reported from July 1, 1935, to June 30, 1936, inclusive—Continued

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
PORTUGAL—Continued							
Diseases:							
Bitter pit.	<i>Malus sylvestris</i> (apple)				1		Calif.*
<i>Cephalobus symmetricus</i> .	<i>Allium cepa</i> (onion)				1		Pa.
<i>Cladosporium carpophilum</i> .	<i>Amygdalus persica</i> (peach)				1		Do.
<i>Phoma</i> sp.	<i>Chayota edulis</i> (chayote)		1				N. Y.
<i>Puccinia graminis</i> .	<i>Secale cereale</i> (rye)	1					Pa.
Do.	<i>Triticum aestivum</i> (wheat)	2					N. Y.
<i>Puccinia rubigo-vera</i> .	<i>Secale cereale</i>	1					Pa.
<i>Puccinia rubigo-vera tritici</i> .	<i>Triticum aestivum</i>	3					N. Y.
<i>Puccinia</i> sp.	<i>Avena sativa</i> (oats)	1					Do.
Do.	<i>Triticum aestivum</i>	7					Do.
<i>Sclerotinia sclerotiorum</i> .	<i>Chayota edulis</i> (chayote)		1				Do.
<i>Sclerotium oryzae</i> .	<i>Oryza sativa</i> (rice)	1			1		Do.
<i>Septoria apii</i> .	<i>Apium graveolens</i> (celery)				1		Do.
<i>Septoria</i> sp.	<i>Triticum aestivum</i> (wheat)	1					Do.
<i>Vermicularia herbarum</i> .	<i>Dianthus</i> sp. (carnation)		1				Do.
PRINCE EDWARD ISLAND							
Diseases:							
<i>Botrytis cinerea</i> .	<i>Allium cepa</i> (onion)				1		Va.
<i>Sclerotinia sclerotiorum</i> .	<i>Brassica rapa</i> (turnip)				1		Do.
PUERTO RICO							
Insects:							
<i>Anastrepha acidusa</i> (West Indian fruit fly).	<i>Mangifera indica</i> (mango)		1				N. Y.
Do.							
<i>Anastrepha suspensa</i> (Tryptidae).	<i>Psidium guajava</i> (guava)	3	1		1		Pa.
<i>Anastrepha</i> sp. (Tryptidae).	<i>Achras sapota</i> (sapodilla)				1		N. Y.
Do.	<i>Mangifera indica</i> (mango)		2				Do.
Do.				1			Pa.
<i>Aspidictus cocciphagus</i> (Coccidae).	<i>Psidium guajava</i> (guava)	1	2				N. Y.
Do.	<i>Cocos nucifera</i> (coconut)			1			Tex.
Do.	<i>Musa paradisiaca</i> (plantain)	1					N. Y.
Do.	<i>Spondias dulcis</i> (golden apple)		1				Do.
<i>Aspidiotus destructor</i> (Coccidae).	<i>Tamarindus indica</i> (tamarind)			1			Do.
Do.	<i>Legume</i>	1					Do.
<i>Aspidiotus herculeanus</i> (Coccidae).	<i>Musa</i> sp. (banana)			1			Do.
Do.	<i>Annona muricata</i> (soursop)			1			Do.
<i>Callosobruchus chinensis</i> (Bruchidae).	<i>Spondias cytherea</i> (vi-apple)	1					Do.
<i>Chrysomphalus dictyospermi</i> var. (Coccidae).	<i>Cajanus indicus</i> (pigeon pea)		1				Do.
<i>Coccus acuminatus</i> (Coccidae).	<i>Bromeliaceae</i>		1				D. C.
Do.	<i>Fern</i>						
<i>Coccus mangiferae</i> (Coccidae).	<i>Gardenia florida</i> (Cape-jasmine).			1			N. Y.
Do.				1			Do.
<i>Coccus viridis</i> (Coccidae).	<i>Mangifera indica</i> (mango)		1				Do.
<i>Cylas formicarius</i> (sweetpotato weevil).	<i>Gardenia florida</i>			4			Do.
<i>Eusceps batatae</i> (West Indian sweetpotato weevil).	<i>Ipomoea batatas</i> (sweetpotato)				1		Pa.
Do.							
<i>Frankliniella williamsi</i> (thrips).	Soil around sweetpotatoes		1			1	N. Y.
<i>Haplothrips gowdeyi</i> (thrips).	<i>Gardenia florida</i> (Cape-jasmine).			1			Pa.
<i>Hemiclionaspis minor strachani</i> (Coccidae).	<i>Citrus</i> sp.	1					N. Y.
Do.	<i>Annona muricata</i> (soursop)		2	1			Do.
Do.	<i>Annona reticulata</i> (custard-apple)		2				Do.
Do.	<i>Chrysalidocarpus madagascariensis</i> .		1				D. C.
<i>Leucoptera coffeella</i> (Gracillariidae).	<i>Coffea</i> sp.			1			Fla.*
<i>Parachalepus barbatus</i> (Scarabaeidae).	<i>Mangifera indica</i> (mango)		1				N. Y.
<i>Pinnaspis buzi</i> (Coccidae).	Palm				1		Do.
<i>Pseudopalatorita ostreata</i> (Coccidae).	<i>Carica papaya</i> (papaya)					1	Pa.
<i>Puteinaria psidii</i> (Coccidae).	<i>Gardenia florida</i> (Cape-jasmine)					1	N. Y.

List, by countries, of pests collected and reported from July 1, 1935, to June 30, 1936, inclusive—Continued

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
PUERTO RICO—Continued							
Insects—Continued.							
<i>Stephanoderes buscki</i> (Scolytidae)	<i>Chrysaliocarpus madagascariensis</i>		1				D. C.
Do.	<i>Coffea</i> sp.		1				Do.
Do.	<i>Tamarindus indica</i> (tamarind).	1			1		N. Y.
<i>Targionia sackari</i> (Coccidae)	<i>Saccharum officinarum</i>			2			Ga.
Do.	do				2		N. Y.
Do.	do					2	Pa.
Trypetid.	<i>Punica granatum</i> (pomegranate).	1					N. Y.
<i>Vinsonia stellifera</i> (Coccidae)	<i>Citrus</i> sp.	1					Do.
Do.	<i>Garcinia</i> sp.	1	1				Do.
Do.	<i>Gardenia florida</i> (Cape-jasmine).		1				Do.
Diseases:							
<i>Bacterium vesicatorium</i>	<i>Capsicum annuum</i>					1	Do.
Do.	<i>Lycopersicum esculentum</i>					3	Do.
<i>Capnodium citri</i>	<i>Citrus grandis</i> (grapefruit)				1		Md.
Do.	do				2		Pa.
Do.	do				2		Va.
Do.	do				2		Pa.
<i>Capnodium</i> sp.	<i>Saccharum officinarum</i>				1		La.
Do.	do			1	1		Pa.
Do.	do				1		Va.
<i>Ceratostomella fimbriata</i>	<i>Ipomoea batatas</i> (sweetpotato)					1	N. Y.
<i>Cercospora capsici</i>	<i>Capsicum annuum</i>					1	Do.
<i>Cercospora</i> sp.	<i>Coriandrum</i> sp. (coriander)			1			Do.
<i>Colletotrichum cajani</i>	<i>Cajanus indicus</i> (pigeon pea)	1	1	2			Do.
<i>Colletotrichum nigrum</i>	<i>Capsicum annuum</i>	1			1		Do.
<i>Diplocarpon rosae</i>	<i>Rosa</i> sp.				3		Pa.
<i>Diplodia cacaoicola</i>	<i>Artocarpus communis</i> (breadfruit)				1		N. Y.
Do.	<i>Cocos nucifera</i> (coconut)				2		Do.
Do.	<i>Musa</i> sp. (banana)			1			Do.
<i>Diplodia natalensis</i>	<i>Citrus grandis</i> (grapefruit)					1	Pa.
<i>Diplodia tuberculata</i>	<i>Xanthosoma</i> sp. (yautia)				1		Do.
<i>Gloeosporium musarum</i>	<i>Musa</i> sp. (banana)	2		1			N. Y.
<i>Gloeosporium</i> sp.	<i>Artocarpus incisa</i> (treadfruit)			1			Do.
Do.	<i>Sterculia apetala</i>			1			Do.
<i>Helminthosporium</i> sp.	<i>Musa</i> sp. (banana)				2		Do.
<i>Leptosphaeria</i> sp.	<i>Oryza sativa</i> (rice)			1			Do.
<i>Melanconium sacchari</i>	<i>Saccharum officinarum</i>				1		Do.
<i>Oospora citri-aurantii</i>	<i>Citrus grandis</i> (grapefruit)					1	Pa.
<i>Pestalozzia quepini</i>	<i>Musa</i> sp. (banana)			1			N. Y.
<i>Pestalozzia</i> sp.	<i>Achras sapota</i> (sapodilla)	1					Do.
Do.	<i>Chrysophyllum cainito</i> (star-apple)				1		Do.
Do.	<i>Gardenia florida</i> (Cape-jasmine)		1				Do.
Do.	<i>Punica granatum</i> (pomegranate)		1				Do.
<i>Phoma destructiva</i>	<i>Lycopersicum esculentum</i>					1	Do.
<i>Phomopsis coco</i>	<i>Cocos nucifera</i> (coconut)			1			Do.
<i>Phyllosticta</i> sp.	<i>Codium</i> sp. (croton)				1		Ala.
Do.	<i>Gardenia florida</i>			1			N. Y.
Do.	<i>Malvaceae</i>			1			Do.
<i>Plasmopara</i> sp.	<i>Sterculia apetala</i>			1			Do.
<i>Puccinia cannae</i>	<i>Canna</i> sp.			1			Do.
<i>Puccinia</i> sp.	<i>Triticum aestivum</i> (wheat)	1					Do.
<i>Sphaceloma fauceffii</i>	<i>Citrus aurantifolia</i> (lime)					1	Calif.*
Do.	do					1	N. Y.
Do.	<i>Citrus grandis</i> (grapefruit)					1	Fla.*
Do.	do					7	Md.
Do.	do					1	Mass.
Do.	do				1	1	N. Y.
Do.	do					3	Pa.
Do.	do					2	Va.
Do.	<i>Citrus limonia</i> (lemon)					1	Pa.
<i>Sphaeronema</i> sp.	<i>Zingiber officinale</i> (ginger)			1			N. Y.
<i>Thielariopsis paradox</i>	<i>Saccharum officinarum</i>	3	6	2			Do.
<i>Torula</i> sp.	<i>Musa</i> sp. (banana)				1		Do.
<i>Trichosporum</i> sp.	do					1	Do.
<i>Uredo jatrophicola</i>	<i>Jatropha</i> sp.				1		Do.
<i>Ustilago</i> sp.	<i>Trichahine insularis</i>					1	Do.
<i>Verticillium</i> sp.	<i>Zingiber officinale</i> (ginger)	1					Do.

List, by countries, of pests collected and reported from July 1, 1935, to June 30, 1936, inclusive—Continued

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
RHODESIA							
Insects:							
<i>Hercothrips bicinctus</i> (thrips)-----	<i>Stapelia</i> sp.		1				D. C.
Diseases:							
<i>Claviceps microcephala</i> -----	<i>Cynodon dactylon</i> (magennis grass).		1				Do.
Do-----	Grass-----		1				Do.
ST. KITTS							
Insects:							
<i>Asterolecanium miliaris longum</i> (Coccidae).-----	<i>Cymbopogon nardus</i> (sweet grass).		1				N. Y.
<i>Hemichionaspis minor strachani</i> (Coccidae).-----	<i>Prunus laurocerasus</i> .		2				Do.
<i>Targionia hartii</i> (Coccidae).-----	<i>Dioscorea</i> sp. (yam)			1			Do.
<i>Targionia sachchari</i> (Coccidae).-----	<i>Saccharum officinarum</i> .		1				Do.
Diseases:							
<i>Diplodia natalensis</i> -----	<i>Citrus sinensis</i> (orange)					1	Tex.
<i>Melanconium sacchari</i> -----	<i>Saccharum officinarum</i> -----		1				N. Y.
<i>Thielaviopsis paradoxa</i> -----	do-----		1				Do.
Do-----	Wood-----		1				Do.
ST. LUCIA							
Insects:							
<i>Coccus viridis</i> (Coccidae)-----	<i>Citrus aurantifolia</i> (lime)	1					Do.
<i>Hemichionaspis minor strachani</i> (Coccidae).-----	do-----	3					Do.
<i>Lepidosaphes lasianthi</i> (Coccidae).-----	<i>Aucuba</i> sp.			1			Do.
Do-----	<i>Codiaeum</i> sp. (crotom)			1			Do.
<i>Marmara</i> sp. (Gracilaridae).-----	<i>Citrus aurantifolia</i>	1					Do.
Do-----	<i>Citrus sinensis</i> (orange)			1			Pa.
<i>Parlatoria crotonis</i> (Coccidae).-----	<i>Codiaeum</i> sp. (crotom)			1			N. Y.
Do-----	<i>Nerium oleander</i> (oleander)			1			Do.
<i>Pseudoaonidia trilobitiformis</i> (Cocco-	<i>Brownea grandiceps</i>	1					P. R.
dae).-----							
Do-----	<i>Citrus grandis</i> (grapefruit)			1			Md.
Do-----	<i>Punica granatum</i> (pomegran-		1				N. Y.
<i>Pseudococcus virgatus</i> (Coccidae)-----	<i>Ananas sativus</i>				1		Do.
<i>Targionia hartii</i> (Coccidae)-----	<i>Dioscorea</i> sp. (yam)			1			Do.
Diseases:							
<i>Diplodia natalensis</i> -----	<i>Citrus aurantifolia</i> (lime)	28					Do.
Do-----	do-----			1			Pa.
Do-----	<i>Musa</i> sp. (banana)			1			Do.
<i>Gloeosporium limetticolum</i> -----	<i>Citrus aurantifolia</i>	3					N. Y.
<i>Phoma</i> sp.-----	<i>Citrus aurantifolia</i> (lime)	1					Do.
<i>Thielaviopsis paradoxa</i> -----	<i>Saccharum officinarum</i>			1			Do.
ST. VINCENT							
Insects:							
<i>Targionia hartii</i> (Coccidae)-----	<i>Dioscorea</i> sp. (yam)			2			Do.
Diseases:							
<i>Alternaria brassicae</i> -----	<i>Brassica oleracea capitata</i>					1	Md.
<i>Capnodium citri</i> -----	<i>Citrus aurantifolia</i>					1	Mass.
Do-----	<i>Citrus sinensis</i> (orange)					1	Md.
<i>Diplodia tubericola</i> -----	<i>Ipomoea batatas</i> (sweetpotato)					1	Mass.
<i>Thielaviopsis paradoxa</i> -----	<i>Saccharum officinarum</i>			1			N. Y.
<i>Verticillium</i> sp.-----	<i>Musa</i> sp. (banana)					1	Do.
EL SALVADOR							
Insects:							
<i>Chrysomphalus personatus</i> (Coc-	<i>Cocos nucifera</i> (coconut)			1			Calif.*
cidae).-----							
SCOTLAND							
Insects:							
<i>Acalypta parvula</i> (Tingitidae)-----	Sphagnum moss packing around rose cuttings.		1				Pa.
<i>Ceutorhynchus ericae</i> (Curculioni-	<i>Calluna vulgaris</i> (heather)		2				Md.
dae).-----	do-----		1	1			N. Y.
Do-----	do-----			6			Pa.
<i>Myzus ornatus</i> (aphid)-----	<i>Primula</i> sp. (primrose)			1			D. C.
<i>Myzus polyanthi</i> (aphid)-----	Soil around primrose plant			1			N. Y.
<i>Orthezia cataphracta</i> (Coccidae)-----	Sphagnum moss packing around rose cuttings.			1			Pa.

List, by countries, of pests collected and reported from July 1, 1935, to June 30, 1936, inclusive—Continued

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
SCOTLAND—Continued							
Insects—Continued.							
<i>Taeniothrips atratus</i> (thrips)	<i>Brassica oleracea gemmifera</i> (brussels sprouts).					1	N. Y.
<i>Taeniothrips ericae</i> (thrips)	<i>Calluna vulgaris</i> (heather)	1	1				Md.
Do	do	2	2				N. Y.
Do	do	26					Pa.
<i>Thrips flavus</i> (thrips)	do	1					N. Y.
<i>Tingis cardui</i> (Tingitidae)	<i>Onopordon acanthium</i> (thistle)	1					Do.
<i>Ulopa reticulata</i> (Cicadellidae)	<i>Calluna vulgaris</i> (heather)	1					Do.
Do	do	1					Pa.
Diseases:							
<i>Alternaria herculea</i>	<i>Brassica oleracea botrytis</i> (cauliflower).					1	Do.
<i>Bacterium maculicola</i>	<i>Brassica oleracea capitata</i>					1	Md.
Do	do					1	N. Y.
Do	do					1	Pa.
Do	do					1	Tex.
<i>Bacterium marginatum</i>	<i>Brassica oleracea gemmifera</i> (brussels sprouts).					1	N. Y.
<i>Botrytis cinerea</i>	<i>Gladiolus</i> sp.	2					D. C.
Do	<i>Allium porrum</i> (leek)					1	Pa.
Do	<i>Brassica oleracea capitata</i>					1	Do.
Do	<i>Cucumis sativus</i> (cucumber)					1	N. Y.
Do	<i>Daucus carota</i> (carrot)					1	Ala.
Do	do					1	Pa.
<i>Oospora pustulans</i>	<i>Solanum tuberosum</i>					1	Ga.
Do	do					1	Tex.
Do	do					1	Va.
<i>Oospora</i> sp.	do					1	La.
<i>Phoma</i> sp.	<i>Brassica oleracea botrytis</i> (cauliflower).					1	N. Y.
<i>Puccinia graminis</i>	<i>Triticum aestivum</i> (wheat)	1				1	Md.
Do	do	2				1	N. Y.
<i>Puccinia rubigo-vera tritici</i>	do	1					Md.
Do	do	1					N. Y.
<i>Puccinia</i> sp.	do	7					Do.
Do	do	1					Pa.
<i>Rhizoctonia</i> sp.	<i>Beta vulgaris</i> (beet)					1	Va.
<i>Sclerotinia sclerotiorum</i>	<i>Daucus carota</i> (carrot)					2	Md.
Do	do					2	Pa.
Do	do					3	Tex.
<i>Sclerotinia</i> sp.	do					3	Va.
<i>Septoria apii</i>	<i>Allium cepa</i> (onion)					1	Ala.
Do	<i>Apium graveolens</i> (celery)					1	Md.
Do	do					2	N. Y.
<i>Septoria betulinana</i>	<i>Betula</i> sp.	1					Pa.
<i>Uredo</i> sp.	<i>Allium porrum</i> (leek)					1	Do.
Do	do					1	Mass.
SEYCHELLES							
Insects:							
<i>Dactylosterum abdominalis</i> (Hydrophilidae).	<i>Lodoicea maldivica</i> (double coconut).	1					Hawaii.*
SIAM							
Insects:							
<i>Hemiclionaspis townsendi</i> (Coccoidea).	<i>Dendrobium</i> sp. (orchid)		1				D. C.
Do	<i>Vanda</i> sp. (orchid)		1				Do.
<i>Pectinophora gossypiella</i> (pink bollworm).	<i>Gossypium</i> sp. (cottonseed)	1					Pa.
Diseases:							
<i>Diplodia</i> sp.	Orchid		1				N. Y.
<i>Sclerotinia sclerotiorum</i>	<i>Daucus carota</i> (carrot)					1	Va.
<i>Sclerotium oryzae</i>	<i>Oryza sativa</i> (rice)			1			N. Y.
<i>Tilletia horrida</i>	do			2			Wash.
SIERRA LEONE							
Insects:							
<i>Aleyrodes brassicae</i> (whitefly)	<i>Brassica oleracea capitata</i>					1	Va.
<i>Hemiclionaspis minor strachani</i> (Coccoidea)	<i>Manihot esculenta</i> (cassava)		1				D. C.
Diseases:							
<i>Sphaeropsis</i> sp.	<i>Ipomoea batatas</i> (sweetpotato)					1	Mass.

List, by countries, of pests collected and reported from July 1, 1935, to June 30, 1936, inclusive—Continued

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
SOCIETY ISLANDS							
Insects:							
<i>Trionymus sacchari</i> (Coccidae)	<i>Saccharum officinarum</i>		1				D. C.
SOUTHWEST AFRICA							
Insects:							
<i>Chionaspis humilis</i> (Coccidae)	<i>Haworthia cuspidata</i>		1				Do.
Disseases:							
<i>Diplodia</i> sp.	<i>Stapelia grandiflora</i>		1				Calif.*
<i>Gloeosporium</i> sp.	<i>Stapelia gigantea</i>		1				Do.*
<i>Microdiplodia</i> sp.	<i>Huernia</i> sp.		1				Do.*
<i>Phoma</i> sp.	<i>Stapelia</i> sp.		1				Do.*
SPAIN							
Insects:							
<i>Acrolepia assetella</i> (Plutellidae)	<i>Allium porrum</i> (leek)					1	Pa.
<i>Aleyrodes brassicae</i> (whitefly)	<i>Brassica oleracea capitata</i>					1	Md.
<i>Brachycerus algrus</i> (garlic weevil)	<i>Allium sativum</i> (garlic)	1					P. R.
<i>Ceratitis capitata</i> (Mediterranean fruit fly).	<i>Amygdalus persica</i> (peach)			1		1	Mass.
Do.	<i>Citrus grandis</i> (grapefruit)	1					N. Y.
Do.	do.					1	Pa.
Do.	do.					1	P. R.
Do.	<i>Citrus sinensis</i> (orange)	1				3	N. Y.
Do.	do.					1	Pa.
Do.	<i>Malus sylvestris</i> (apple)					1	Do.
Do.	<i>Prunus armeniaca</i> (apricot)					1	N. Y.
Do.	<i>Pyrus communis</i> (pear)		1				Do.
Do.	do.					1	Pa.
Do.	do.					2	P. R.
Do.	<i>Vitis</i> sp. (grape)				1		N. Y.
Do.	In solution of sulphur dioxide containing oranges.	1					Md.
Do.	In box of blood oranges					1	N. Y.
Do.	On paper bag containing apricots.					1	Do.
<i>Chilo simplex</i> (Asiatic rice borer)	<i>Oryza sativa</i> (rice)	2	1				Do.
Do.	do.		1				P. R.
<i>Chrysomphalus dictyospermi</i> var. (Coccidae).	<i>Buxus</i> sp. (box)			1			N. Y.
Do.	<i>Citrus limonia</i> (lemon)					1	Tex.
Do.	<i>Citrus sinensis</i> (orange)					1	Pa.
Do.	<i>Citrus</i> sp.					1	N. Y.
Do.	<i>Euonymus</i> sp.				4		Do.
Do.	Palm.				1		Do.
<i>Cryptoblabes gnidiella</i> (Pyralidae)	<i>Punica granatum</i> (pomegranate)					1	Md.
<i>Dicyphus annulatus</i> (Miridae)	<i>Lactuca sativa</i> (lettuce)					1	N. Y.
<i>Forficula auricularia</i> (European earwig).	<i>Allium sativum</i> (garlic)	1					Do.
<i>Laspeyresia splendana</i> (Olethreutidae).	<i>Castanea</i> sp. (chestnut)			1			Do.
Do.	do.			1			P. R.
<i>Liparus coronatus</i> (Curculionidae)	<i>Daucus carota</i> (carrot)					1	Md.
<i>Parlatoria oleae</i> (Coccidae)	<i>Malus sylvestris</i> (apple)					2	N. Y.
Do.	do.					1	P. R.
Do.	<i>Rosa</i> sp.		1				D. C.
<i>Phloeotribus scarabaeoides</i> (Scolytidae).	Wood						N. Y.
<i>Psylliodes chrysocephala</i> (Chrysomelidae).	<i>Brassica rapa</i> (turnip)					1	Pa.
Do.	<i>Raphanus sativus</i> (radish)					1	Do.
Do.	<i>Solanum tuberosum</i>					1	Ala.
<i>Pyrausta nubilalis</i> (European corn borer).	<i>Capsicum annum</i>					1	Mass.
<i>Rhagoletis cerasi</i> (Tryptidae)	In empty fruit locker					1	N. Y.
<i>Rhagoletis</i> sp. (Tryptidae)	<i>Prunus</i> sp. (cherry)				2		Tex.
<i>Thrips angusticeps</i> (thrips)	<i>Cichorium intybus</i> (witloof)					1	Pa.
Do.	<i>Lactuca sativa</i> (lettuce)					1	Mass.
Do.	do.					1	N. Y.
<i>Tryptid</i>	<i>Lactuca sativa longifolia</i> (Romaine lettuce)					1	Do.
	<i>Malus sylvestris</i> (apple)					1	P. R.

List, by countries, of pests collected and reported from July 1, 1935, to June 30, 1936, inclusive—Continued

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
SPAIN—Continued							
Diseases:							
<i>Albugo candida</i>	<i>Brassica oleracea botrytis</i> (cauli-flower).				1	N. Y.	
Do.	<i>Raphanus sativus</i> (radish)	1				Do.	
<i>Alternaria brassicae</i>	<i>Brassica oleracea botrytis</i>				1	Pa.	
Do.	do				1	Md.	
Do.	<i>Brassica oleracea capitata</i>				2	Pa.	
Do.	do				4	Do.	
<i>Alternaria herculea</i>	do				1	Pa.	
<i>Bacterium campestre</i>	do				2	Md.	
<i>Bacterium maculicola</i>	do				2	Pa.	
Do.	do				1	La.	
<i>Botrytis cinerea</i>	<i>Allium cepa</i> (onion)				1	Md.	
Do.	do				1	Va.	
Do.	do				1	Tex.	
Do.	<i>Allium sativum</i> (garlic)				1	N. Y.	
Do.	<i>Vicia faba</i> (broadbean)				1	Do.	
Do.	<i>Vitis</i> sp. (grape)				1	Pa.	
<i>Bremia lactucae</i>	<i>Lactuca sativa</i> (lettuce)				1	Tex.	
<i>Capnodium citri</i>	<i>Citrus limonia</i> (lemon)				2	Pa.	
Do.	do				1	Do.	
<i>Capnodium</i> sp.	<i>Citrus sinensis</i> (orange)	1			1	Md.	
<i>Ceratostomella</i> sp.	<i>Quercus suber</i> (cork)	1				Pa.	
<i>Cercospora beticola</i>	<i>Vicia faba</i> (broadbean)				1	Do.	
<i>Cladosporium fulvum</i>	<i>Beta vulgaris cicla</i> (Swiss chard)				1	N. Y.	
<i>Colletotrichum cirtinans</i>	<i>Lycopersicum esculentum</i>				1	Tex.	
Do.	<i>Allium cepa</i> (onion)				2	N. Y.	
<i>Ditylenchus dipsaci</i>	do				1	Pa.	
<i>Graphiola phoenicis</i>	<i>Solanum tuberosum</i>				1	Tex.	
<i>Helminthosporium allii</i>	<i>Palm</i>		1	2		N. Y.	
Do.	<i>Allium sativum</i> (garlic)				3	Ala.	
Do.	do				1	N. Y.	
<i>Helminthosporium</i> sp.	<i>Citrus limonia</i>				1	Va.	
<i>Leptothyrium pomi</i>	<i>Capriola dactylon</i> (Bermuda grass).				1	N. Y.	
<i>Mycospharella pinodes</i>	<i>Malus sylvestris</i> (apple)				1	Do.	
<i>Mycospharella schoenoprasii</i>	<i>Pisum sativum</i> (pea)				1	Pa.	
<i>Oidium euonymi-japonici</i>	<i>Allium porrum</i> (leek)				3	Do.	
<i>Oospora citri-aurantii</i>	<i>Euonymus</i> sp.				2	N. Y.	
<i>Oospora lactis parasitica</i>	<i>Citrus limonia</i> (lemon)				1	Pa.	
<i>Oospora</i> sp.	<i>Lycopersicum esculentum</i>				1	Do.	
<i>Penicillium glaucum</i>	<i>Daucus carota</i> (carrot)				1	La.	
<i>Pestalozzia</i> sp.	<i>Vitis</i> sp. (grape)				1	Pa.	
<i>Phoma destructiva</i>	<i>Salix</i> sp. (willow)				1	P. R.	
<i>Phoma lingam</i>	<i>Capsicum annuum</i>				1	Md.	
<i>Phoma</i> sp.	<i>Brassica oleracea capitata</i>				1	Do.	
<i>Phyllachora cynodontis</i>	<i>Citrus limonia</i>				1	N. Y.	
<i>Phyllosticta</i> sp.	<i>Capriola dactylon</i> (Bermuda grass).				1	Do.	
<i>Physalospora obtusa</i>	<i>Malus sylvestris</i> (apple)				1	Tex.	
<i>Plasmopara viticola</i>	<i>Vitis</i> sp. (grape)				1	N. Y.	
<i>Puccinia coronata</i>	<i>Arena sativa</i> (oats)				1	Md.	
<i>Puccinia cynodontis</i>	<i>Capriola dactylon</i> (Bermuda grass).				1	N. Y.	
<i>Puccinia graminis</i>	<i>Hordeum vulgare</i> (barley)				1	Do.	
Do.	<i>Triticum aestivum</i> (wheat)	1				N. Y.	
Do.	do				1	Tex.	
<i>Puccinia phragmitis</i>	<i>Phragmites communis</i> (common reed-grass)				2	P. R.	
<i>Puccinia porri</i>	<i>Allium sativum</i> (garlic)				1	Do.	
<i>Puccinia rubigo-vera tritici</i>	<i>Triticum aestivum</i> (wheat)	2			1	Tex.	
Do.	do				1	N. Y.	
<i>Puccinia</i> sp.	<i>Allium sativum</i> (garlic)				2	Md.	
Do.	do				1	N. Y.	
Do.	do				2	Pa.	
Do.	<i>Arena sativa</i> (oats)				1	Do.	
<i>Sclerotinia sclerotiorum</i>	<i>Triticum aestivum</i> (wheat)	2		1		N. Y.	
Do.	<i>Brassica rapa</i> (turnip)				1	Pa.	
Do.	<i>Capsicum annuum</i>				1	Do.	
Do.	<i>Daucus carota</i> (carrot)				1	Tex.	
Do.	do				2	Pa.	
	<i>Phaseolus</i> sp. (string bean)						

*List, by countries, of pests collected and reported from July 1, 1935, to June 30, 1936,
inclusive—Continued*

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
SPAIN—Continued							
Diseases—Continued.							
<i>Sclerotinia</i> sp.	<i>Brassica oleracea capitata</i>					1	Pa.
Do.	<i>Prunus domestica</i> (plum)					1	Do.
<i>Sclerotium cepivorum</i>	<i>Allium sativum</i> (garlic)					1	Ala.
<i>Sclerotium oryzae</i>	<i>Oryza sativa</i> (rice)	8	1				N. Y.
Do.	do.		1				P. R.
<i>Sclerotium</i> sp.	<i>Solanum tuberosum</i>					1	Pa.
<i>Septoria apii</i>	<i>Apium graveolens</i> (celery)					3	N. Y.
<i>Septoria citri</i>	<i>Citrus grandis</i> (grapefruit)					3	Pa.
Do.	<i>Citrus limonia</i> (lemon)					1	N. Y.
Do.	do.					1	Tex.
Do.	<i>Citrus nobilis deliciosa</i> (tangerine).					1	Pa.
Do.	<i>Citrus sinensis</i> (orange)					1	Oreg.
Do.	do.				1	1	Pa.
Do.	do.						Tex.
<i>Septoria gladioli</i>	<i>Gladiolus</i> sp.	1					N. Y.
<i>Septoria pastinacina</i>	<i>Pastinaca sativa</i> (parsnip)					1	Do.
<i>Septoria petroselini</i>	<i>Petroselinum hortense</i> (parsley)					4	Do.
<i>Sphaceloma jacectii</i>	<i>Citrus sinensis</i> (orange)					1	Md.
<i>Stysanus stemonites</i>	<i>Solanum tuberosum</i>					1	N. Y.
Do.	do.					1	Pa.
<i>Tubercularia endogena</i>	<i>Castanea sativa</i> (Spanish chestnut).		1				P. R.
<i>Uromyces</i> sp.	<i>Phaseolus</i> sp. (string bean)					1	Tex.
<i>Venturia pyrina</i>	<i>Pyrus communis</i> (pear)					1	Pa.
<i>Verticillium</i> sp.	<i>Solanum melongena</i> (eggplant)					1	N. Y.
STRAITS SETTLEMENTS							
Insects:							
<i>Aleuroplatus samoanus</i> (whitefly)	<i>Codiaeum</i> sp. (crotton)				1		La.
<i>Lepidosaphes lasianthi</i> (Coccoidae)	do.				1		Ga.
Do.	do.				1		La.
Do.	do.				1		N. Y.
<i>Parlatoria fluggeae brasiliensis</i> (Coccoidae).	<i>Citrus sinensis</i> (orange)					1	Md.
<i>Parlatoria pseudaspidiotus</i> (Coccoidae).	Orchid	1					D. C.
<i>Parlatoria ziziphus</i> (Coccoidae)	<i>Citrus grandis</i> (pomelo)					1	N. Y.
Diseases:							
<i>Erysiphe graminis</i>	<i>Triticum aestivum</i> (wheat)	1					Do.
<i>Macrosporium tomato</i>	<i>Lycopersicum esculentum</i>				1		Do.
<i>Periconia</i> sp.	Bamboo	1					Do.
Do.	<i>Oryza sativa</i> (rice)			1			Do.
<i>Phoma glumarum</i>	do.			1			Do.
<i>Puccinia</i> sp.	<i>Triticum aestivum</i> (wheat)	1					Do.
<i>Sclerotinia</i> sp.	<i>Lycopersicum esculentum</i>				1		Do.
<i>Sphaceloma jacectii</i>	<i>Citrus sinensis</i> (orange)					1	Mass.
SWEDEN							
Insects:							
<i>Anomala aenea</i> (Scarabaeidae)	In soil around <i>Heuchera</i> sp. plant.		1				Do.
<i>Athous haemorrhoidalis</i> (Elateridae)	In soil around roots of hepatica	1					
<i>Leucaspis loewi</i> (Coccoidae)	<i>Pinus</i> sp.	1					Wash.
<i>Leucaspis sulci</i> (Coccoidae)	do.	1					Do.
<i>Macrosiphum kaltenbachii</i> (aphid)	<i>Lactuca sativa</i> (lettuce)				1		N. Y.
<i>Physokermes picea</i> (Coccoidae)	<i>Picea abies</i> (spruce)				1		Pa.
<i>Taeniothrips atratus</i> (thrips)	<i>Chrysanthemum</i> sp.			1			N. Y.
Tryptiid	<i>Rosa</i> sp.	1					D. C.
Diseases:							
<i>Alternaria brassicae</i>	<i>Brassica oleracea capitata</i>					2	Md.
<i>Aphelenchoides parietinus</i>	<i>Beta vulgaris</i> (beet)					1	Va.
<i>Bacterium campestre</i>	<i>Brassica oleracea capitata</i>					1	Pa.
<i>Bacterium maculicola</i>	do.					3	Md.
Do.	do.					2	Pa.
Do.	<i>Brassica oleracea gemmifera</i> (brussels sprouts)					1	N. Y.
<i>Botrytis allii</i>	<i>Allium cepa</i> (onion)					1	Do.
<i>Botrytis cinerea</i>	do.					1	Ala.
Do.	do.					1	La.

List, by countries, of pests collected and reported from July 1, 1935, to June 30, 1936, inclusive—Continued

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
SWEDEN—Continued							
Diseases—Continued.							
<i>Botrytis cinerea</i>	<i>Allium cepa</i> (onion)					3	Md.
Do	do					1	Pa.
Do	do					3	Va.
Do	do					1	Wash.
Do	<i>Brassica rapa</i> (turnip)					1	Md.
Do	do					1	Va.
Do	<i>Daucus carota</i> (carrot)					1	Md.
Do	do					1	Pa.
Do	do					1	Tex.
Do	do					1	Va.
	<i>Pastinaca sativa</i> (parsnip)					1	Do.
<i>Colletotrichum omnivorum</i>	<i>Aspidistra lurida</i> (aspidistra)				4	1	N. Y.
<i>Ditylenchus dipsaci</i>	<i>Solanum tuberosum</i>					1	La.
<i>Gloeosporium</i> sp.	<i>Aucuba japonica</i> (Japanese aucuba).				1		Do.
<i>Helminthosporium allii</i>	<i>Allium porrum</i> (leek)					2	Md.
<i>Leptosphaeria</i> sp.	<i>Secale cereale</i> (rye)					1	Wash.
<i>Mycosphaerella brassicicola</i>	<i>Brassica oleracea capitata</i>					1	Md.
<i>Mycosphaerella schoenoprasii</i>	<i>Allium porrum</i> (leek)				5		Do.
Do	do					2	Pa.
<i>Peronospora parasitica</i>	<i>Brassica oleracea botrytis</i> (cauliflower).					1	N. Y.
<i>Pestalozzia</i> sp.	<i>Aucuba japonica</i> (Japanese aucuba).				1		Do.
<i>Phoma betae</i>	<i>Beta vulgaris</i> (beet)					1	Va.
<i>Phomopsis</i> sp.	<i>Aucuba japonica</i>				1		N. Y.
<i>Puccinia graminis</i>	<i>Triticum aestivum</i> (wheat)		1				Do.
<i>Puccinia rubigo-vera tritici</i>	do					1	Md.
Do	do				1		N. Y.
<i>Puccinia</i> sp.	<i>Secale cereale</i> (rye)					1	Wash.
<i>Pythium</i> sp.	<i>Apium graveolens</i> (celery)					1	Ala.
Do	<i>Daucus carota</i> (carrot)					1	Va.
<i>Sclerotinia sclerotiorum</i>	<i>Brassica rapa</i> (turnip)					1	Md.
Do	do					1	Va.
Do	<i>Daucus carota</i>					3	Md.
Do	do					1	Va.
Do	do					1	Pa.
Do	do					2	Tex.
Do	do					3	Va.
<i>Sclerotium cepivorum</i>	<i>Pastinaca sativa</i> (parsnip)					1	Md.
<i>Sclerotium</i> sp.	do					1	N. Y.
<i>Septoria apii</i>	<i>Allium cepa</i> (onion)					1	Va.
<i>Septoria petroselini</i>	<i>Brassica oleracea botrytis</i> (cauliflower).					1	Do.
<i>Sphaeronema</i> sp.	<i>Apium graveolens</i> (celery)					1	N. Y.
<i>Thecopora padi</i>	<i>Petroselinum hortense</i> (parsley)					1	Do.
<i>Thielavia</i> sp.	<i>Pastinaca sativa</i> (parsnip)					1	La.
<i>Vermicularia</i> sp.	<i>Picea abies</i> (Norway spruce)				1		N. Y.
<i>Verticillium</i> sp.	<i>Daucus carota</i> (carrot)					1	Md.
	<i>Chieranthus</i> sp. (wallflower)					1	N. Y.
	<i>Solanum tuberosum</i>					1	Tex.
SWITZERLAND							
Insects:							
<i>Taeniothrips picipes</i> (thrips)	Cut flowers		1				N. Y.
Trypetid	<i>Rosa pendulina</i>		1				D. C.
Diseases:							
<i>Lophodermium</i> sp.	<i>Juniperus</i> sp. (juniper)			1			Pa.
<i>Puccinia graminis</i>	<i>Hordeum vulgare</i> (barley)			1			Wash.
<i>Thielavia</i> sp.	<i>Azalea</i> sp.			1			N. Y.
SYRIA							
Insects:							
<i>Aspidiotus spinosus</i> (Coccidae)	<i>Eriobotrya japonica</i> (loquat)			1			D. C.
<i>Lepidosaphes halli</i> (Coccidae)	<i>Prunus armeniaca</i> (apricot)		1				Do.
<i>Limothrips denticornis</i> (thrips)	do		1				Do.
Diseases:							
<i>Phoma</i> sp.	<i>Chayota edulis</i> (chayote)				1		N. Y.
<i>Puccinia graminis</i>	<i>Triticum aestivum</i> (wheat)			1			Do.
<i>Puccinia rubigo-vera tritici</i>	do			3			Do.

List, by countries, of pests collected and reported from July 1, 1935, to June 30, 1936, inclusive—Continued

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
TAHITI							
Insects:							
<i>Eusceps batatae</i> (West Indian sweetpotato weevil).	<i>Ipomoea batatas</i> (sweetpotato)		1				Calif.*
<i>Morganella maskelli</i> (Coccidae)	<i>Citrus sinensis</i> (orange)					1	Do.*
<i>Parlatoria cinerea</i> (Coccidae)	<i>Citrus aurantifolia</i> (lime)				1	1	Do.
TAIWAN							
Diseases:							
<i>Bacterium citri</i>	<i>Citrus grandis</i> (pomelo)					1	N. Y.
<i>Melanconium</i> sp.	<i>Saccharum spontaneum</i>	1					D. C.
TASMANIA							
Diseases:							
<i>Puccinia graminis</i>	<i>Avena sativa</i> (oats)		1				N. Y.
TRINIDAD							
Insects:							
<i>Anastrepha</i> sp. (Tryptidae)	<i>Citrus aurantium</i> (sour orange)				1		Ala.
Do	<i>Mangifera indica</i> (mango)				1		N. Y.
<i>Aspidiotus destructor</i> (Coccidae)	<i>Alpinia mutica</i>		1				D. C.
Do	<i>Jessenia</i> sp.		1				Do.
<i>Chilo simplex</i> (Asiatic rice borer)	<i>Oryza sativa</i> (rice)	1					N. Y.
<i>Coccus acuminatus</i> (Coccidae)	<i>Anthurium</i> sp.	1					Fla.*
<i>Conchaspis angraeci</i> (Coccidae)	<i>Epidendrum elongatum</i> (orchid)		1				D. C.
Do	<i>Gongora maculata</i> (orchid)		1				Do.
<i>Hemichionaspis minor strachani</i> (Coccidae)	<i>Citrus aurantifolia</i> (lime)	1					N. Y.
Do	<i>Hibiscus</i> sp.		1				D. C.
<i>Marmara</i> sp. (Gracillariidae)	<i>Citrus grandis</i> (grapefruit)		1		1		La.
Do	do	1					N. Y.
Do	do					1	Tex.
Do	<i>Citrus sinensis</i> (orange)				2	1	La.
<i>Pinnaspis buzi</i> (Coccidae)	<i>Monstera deliciosa</i> (ceriman)	1					D. C.
<i>Stephanoderes buscki</i> (Scolytidae)	<i>Myristica fragrans</i> (nutmeg)	1					N. Y.
<i>Targionia hartii</i> (Coccidae)	<i>Dioscorea</i> sp. (yam)		3				Do.
Do	<i>Zingiber officinale</i> (ginger)	1					Do.
<i>Targionia sacchari</i> (Coccidae)	<i>Saccharum officinarum</i>		1				Do.
<i>Vinsonia stellifera</i> (Coccidae)	<i>Bifrenaria aurantiaca</i> (orchid)	1					D. C.
Do	<i>Epidendrum oncidiooides</i> (orchid)	1					Do.
Do	<i>Gongora maculata</i> (orchid)		1				Do.
Do	<i>Oncidium papilio</i> (orchid)		1				Do.
Do	<i>Stanhopea grandiflora</i> (orchid)	1					Do.
Diseases:							
<i>Bacterium vesicatorium</i>	<i>Solanum melongena</i> (eggplant)					1	N. Y.
<i>Diplodia cacaoicola</i>	<i>Cocos nucifera</i> (coconut)				1		Do.
Do	<i>Theobroma cacao</i> (cacao)		1				Do.
<i>Diplodia natalensis</i>	<i>Citrus aurantifolia</i> (lime)	4					Do.
<i>Diplodia tubericola</i>	<i>Ipomoea batatas</i> (sweetpotato)					1	La.
<i>Diplodia</i> sp.	<i>Amomum melegueta</i>	1					N. Y.
<i>Gloeosporium</i> sp.	<i>Aloc</i> sp.		1				Do.
Do	<i>Gongora maculata</i> (orchid)	1					D. C.
<i>Melanconium sacchari</i>	<i>Saccharum officinarum</i>		1				N. Y.
<i>Phoma destructiva</i>	<i>Lycopersicum esculentum</i>					1	Do.
<i>Phyllosticta</i> sp.	<i>Gongora maculata</i>	1					D. C.
Do	<i>Laurus nobilis</i> (Grecian laurel)	1					N. Y.
<i>Septoria</i> sp.	<i>Lactuca sativa</i> (lettuce)				2		Do.
<i>Thielaviopsis paradoxa</i>	<i>Saccharum officinarum</i>		4				Do.
TUNIS							
Insects:							
<i>Parlatoria blanchardi</i> (Coccidae)	<i>Phoenix dactylifera</i> (date)		1				Do.
Diseases:							
<i>Diplodia natalensis</i>	<i>Citrus limonia</i> (lemon)					1	Do.
TURKEY .							
Insects:							
<i>Callirhytis glandium</i> (Cynipidae)	<i>Quercus</i> sp. (valonia)	9					Do.
Do	do	1					Pa.
<i>Chirothrips simili</i> (thrips)	<i>Aegilops</i> sp.	1					D. C.
Do	<i>Agropyron</i> sp.	1					Do.
Do	<i>Triticum</i> sp.	1					Do.
<i>Haplothrips distinguendus</i> (thrips)	<i>Eremurus</i> sp.	2					Do.
Do	<i>Triticum</i> sp.	1					Do.

List, by countries, of pests collected and reported from July 1, 1935, to June 30, 1936, inclusive—Continued

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	B baggage	Quarters	Stores	
TURKEY—Continued							
Insects—Continued.							
<i>Haplothrips mordvilkoi</i> (thrips).....	<i>Gynierium</i> sp. (plume grass).....	1					D. C.
<i>Pectinophora gossypiella</i> (pink boll-worm).....	<i>Gossypium</i> sp. (cotton boll).....		1				Md.
Diseases:							
<i>Anguina tritici</i>	<i>Triticum aestivum</i> (wheat).....			1			D. C.
<i>Aspergillus alliaceus</i>	<i>Galanthus nivalis</i> (snowdrop).....	1					N. Y.
<i>Dothiorella</i> sp.	<i>Quercus</i> sp. (valonia).....	1					Do.
<i>Sclerotium</i> sp.	<i>Galanthus nivalis</i>	3					Do.
<i>Stachybotrys</i> sp.	<i>Cyclamen</i> sp.			1			Mass.
<i>Tilletia laevis</i>	<i>Triticum aestivum</i> (wheat).....		2				D. C.
<i>Verticillium</i> sp.	<i>Cyclamen</i> sp.			1			Mass.
TURKS ISLAND							
Insects:							
<i>Elaphidion nanum</i> (Cerambycidae).....	<i>Aloe</i> sp.	1					N. Y.
UGANDA							
Insects:							
<i>Stephanoderes hampei</i> (coffee berry borer).....	<i>Coffea</i> sp.	1					Do.
UNION OF SOUTH AFRICA							
Insects:							
<i>Aspidiotus spinosus</i> (Coccidae).....	<i>Haworthia columnaris</i>		1				D. C.
<i>Ceratitis capitata</i> (Mediterranean fruit fly).....	<i>Citrus sinensis</i> (orange).....				1		Md.
<i>Frankliniella pallida</i> (thrips).....	<i>Ornithogalum thyrsoides</i> (chink-kerichee).....				1		Pa.
<i>Frankliniella schultzei</i> (thrips).....do.....	36					N. Y.
<i>Haplothrips bagallii</i> (thrips).....do.....	11					Do.
<i>Haplothrips nigricornis</i> (thrips).....do.....	1					Do.
Do.....	<i>Protea</i> sp.			1			Do.
<i>Phaeocorynes zamiae</i> (Curculionidae).....	<i>Encephalartos caffer</i>	1					D. C.
Do.....	<i>Encephalartos lehmanni</i>	1					Do.
<i>Phenacaspis natalensis</i>	<i>Acanthophoenix rubra</i>		1				Do.
<i>Pseudaonidia lounsburyi</i> (Coccidae).....	<i>Argyroderme testiculare</i>		1				Do.
Do.....	<i>Dinteranthus margaretae</i>		1				Do.
<i>Taeniothrips fumosa</i> (thrips).....	<i>Gladiolus</i> sp.			1			N. Y.
Do.....	<i>Ornithogalum thyrsoides</i> (chink-kerichee).....	1	29				Do.
Tryptid.....	<i>Hapaline</i> sp.			1			D. C.
Do.....	<i>Kigelia</i> sp.		1				Do.
Diseases:							
<i>Alternaria herculea</i>	<i>Brassica oleracea capitata</i>				1		Pa.
Do.....do.....				1		Va.
<i>Bacterium maculicola</i>do.....				2		N. Y.
<i>Botrytis cinerea</i>	<i>Allium cepa</i> (onion).....				1		Tex.
Do.....	<i>Daucus carota</i> (carrot).....				1		Do.
<i>Capnodium citri</i>	<i>Citrus sinensis</i> (orange).....			1			Pa.
Do.....do.....			1			Va.
<i>Colletotrichum</i> sp.	<i>Caralluma</i> sp.	1					Calif.*
<i>Coniothyrium</i> sp.	<i>Apica foliolosa</i>		1				D. C.
<i>Helminthosporium</i> sp.	<i>Ornithogalum thyrsoides</i> (chink-kerichee).....		12				N. Y.
<i>Heterosporium ornithogali</i>do.....			3			Ill.
Do.....do.....	1	24				N. Y.
Do.....do.....		2				Pa.
Do.....do.....		1				Wash.
Do.....	<i>Ornithogalum</i> sp. (star-of-Bethlehem).....		1				Pa.
<i>Macrophoma</i> sp.	<i>Aloe saponaria</i>	1					N. Y.
<i>Phoma</i> sp.	<i>Ornithogalum thyrsoides</i> (chink-kerichee).....		3				Do.
Do.....	<i>Stapelia</i> sp.		1				Calif.*
<i>Phyllosticta</i> sp.	<i>Stapelia cooperi</i>		1				Do.*
<i>Puccinia ornithogali-thrysoides</i>	<i>Ornithogalum thyrsoides</i>		1				Ill.
Do.....do.....		1				Mich.
Do.....do.....		22				N. Y.
Do.....do.....		7				Pa.
<i>Sclerotinia</i> sp.	<i>Brassica rapa</i> (turnip).....				1		Va.
<i>Sclerotium</i> oryzae.....	<i>Oryza sativa</i> (rice).....	1					N. Y.

List, by countries, of pests collected and reported from July 1, 1935, to June 30, 1936, inclusive—Continued

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
UNION OF SOUTH AFRICA—Continued	•						
Diseases—Continued.							
Sclerotium rolfsii.....	Eriospermum sp.....	1					D. C.
Sphaceloma fauckettii.....	Citrus limonia (lemon).....				2		Pa.
Do.....	Citrus sinensis (orange).....			2			N. Y.
UNION OF SOVIET SOCIALIST REPUBLICS							
Insects:							
Bruchus affinis (Bruchidae).....	Lathyrus tuberosus.....	1					D. C.
Bruchus rufipes (Bruchidae).....	Vicia sp. (vetch).....		1				Do.
Eurytomia plotnikovi (Eurytomidae).....	Pistacia vera (pistache).....		2				Do.
Haplothrips mordvilkoi (thrips).....	Aristisca pennata karelini.....		2				Do.
Megastigmus pistaciae (Callimomidae).....	Pistacia vera.....		1				Do.
Tryptiped.....	Legume.....	1					Do.
Diseases:							
Botrytis cinerea.....	Allium cepa (onion).....					1	La.
Do.....	Daucus carota (carrot).....					1	Mass.
Claviceps microcephala.....	Dactylis glomerata.....		1				D. C.
Do.....	Festuca ovina (sheeps fescue).....		1				Do.
Do.....	Hierochloe odorata.....		1				Do.
Do.....	Hordeum secalinum.....		1				Do.
Do.....	Phleum boehmeri.....		1				Do.
Do.....	Phleum pratense (timothy).....		3				Do.
Do.....	Poa sp.....		2				Do.
Claviceps purpurea.....	Agropyron cristatum.....		2				Do.
Do.....	Agropyron repens.....		13				Do.
Do.....	Agropyron sp.....		1				Do.
Do.....	Alopecurus pratensis (meadow foxtail).....		1				Do.
Do.....	Alopecurus ventricosus.....		1				Do.
Do.....	Bromus inermis (bromegrass).....		6				Do.
Do.....	Bromus sp.....		2				Do.
Do.....	Dactylis glomerata (orchard grass).....		4				Do.
Do.....	Elymus juncea.....		1				Do.
Do.....	Elymus salsuginosus.....		1				Do.
Do.....	Festuca arundinacea.....		1				Do.
Do.....	Festuca elatior (meadow fescue).....		3				Do.
Do.....	Festuca pratensis (meadow foxtail).....		1				Do.
Do.....	Hordeum secalinum.....		2				Do.
Do.....	Poa pratensis (Kentucky blue-grass).....		2				Do.
Do.....	Poa sp.....		2				Do.
Claviceps sp.....	Hordeum secalinum.....		1				Do.
Ditylenchus dipsaci.....	Solanum tuberosum.....					1	Pa.
Myxosporium salicinum.....	Salix sp.....	1					D. C.
Phoma sp.....	Pinus sp.....	1					N. Y.
Puccinia graminis.....	Triticum aestivum (wheat).....	1					Do.
Do.....	Triticum macha.....		3				D. C.
Do.....	Triticum sp.....		1				Do.
Puccinia sp.....	Agropyron sp.....		1				Do.
Do.....	Triticum aestivum.....	1					N. Y.
Stysanus sp.....	Solanum tuberosum.....					1	Mass.
URUGUAY							
Diseases:							
Puccinia rubigo-vera tritici.....	Triticum aestivum.....		1				N. Y.
Sclerotinia sclerotiorum.....	Daucus carota (carrot).....					1	Tex.
VENEZUELA							
Insects:							
Bephra ta maculicollis (Eurytomidae).....	Annona muricata (soursop).....			1			N. Y.
Callosobruchus phaseoli (Bruchidae).....	Dolichos lablab (hyacinth-bean).....			1			Do.
Castnia sp. (Castniidae).....	Cattleya sp. (orchid).....		1				D. C.
Do.....	Orchid.....		1				Do.
Cholus cattleyae (Curculionidae).....	Cattleya sp. (orchid).....		1				P. R.
Do.....	do.....		1				Calif.*
Eurytoma orchidearum (Eurytomidae).....	Cattleya mossiae (orchid).....		1				
Do.....	Orchid.....		1				D. C.

List, by countries, of pests collected and reported from July 1, 1935, to June 30, 1936, inclusive—Continued

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
VENEZUELA—Continued	*						
Insects—Continued.							
<i>Furcaspis biformis</i> (Coccidae)	<i>Cattleya percivaliana</i> (orchid)	1					P. R.
Do.	<i>Cattleya</i> sp. (orchid)	2					D. C.
Do.	<i>Orchid</i>		1				Do.
Do.	do				1		Pa.
<i>Lincus dentiger</i> (Pentatomidae)	Packing around orchids	1					D. C.
<i>Lophocateres pusillus</i> (Siamese grain beetle).	<i>Arachis hypogaea</i> (peanut)	1					Do.
<i>Maruca testulalis</i> (bean pod borer)	<i>Phaseolus</i> sp. (string bean)					1	P. R.
<i>Pseudopeltalaria parlatoriaoides</i> (Coccidae).	<i>Cattleya gaskelliana</i> (orchid)	1					Do.
Do.	<i>Cattleya mossiae</i> (orchid)	1					Do.
Do.	<i>Cattleya</i> sp. (orchid)	2					D. C.
Do.	<i>Lycaste</i> sp. (orchid)	1					Do.
Orchid		2					Do.
Diseases:							
<i>Cercospora apii</i>	<i>Apium graveolens</i> (celery)					1	N. Y.
<i>Cercospora beticola</i>	<i>Beta vulgaris cicla</i> (Swiss chard)					1	P. R.
<i>Colletotrichum orchidearum</i>	<i>Cattleya mossiae</i> (orchid)	1					Do.
<i>Colletotrichum</i> sp.	do	4					Calif.*
<i>Coniothyrium</i> sp.	<i>Orchid</i>	1					D. C.
<i>Diplodia</i> sp.	<i>Cattleya mossiae</i> (orchid)	1					P. R.
<i>Gloeosporium cattleyae</i>	<i>Cattleya speciosissima</i> (orchid)		1				Calif.*
<i>Gloesporium</i> sp.	<i>Cattleya mossiae</i> (orchid)	7					Do.*
Do.	<i>Cattleya</i> sp. (orchid)	1					Do.*
Do.	Orohid	10	1				D. C.
Do.	do	1		1			N. Y.
Do.	do		1				Calif.*
<i>Phyllosticta</i> sp.	<i>Oxalis latifolia</i>					1	Do.*
<i>Puccinia oxalidis</i>							N. Y.
<i>Puccinia rubigo-vera tritici</i>	<i>Triticum aestivum</i> (wheat)	1					Do.
<i>Uredo</i> sp.	<i>Onicidium</i> sp. (orchid)	1					D. C.
<i>Vermicularia</i> sp.	<i>Cattleya</i> sp. (orchid)	1					Calif.*
VIRGIN ISLANDS							
Insects:							
<i>Pectinophora gossypiella</i> (pink boll-worm).	<i>Gossypium</i> sp. (cottonseed)	1					N. Y.
Do.	<i>Gossypium</i> sp. (seed cotton)	1					Do.
Diseases:							
<i>Bacterium vesicatorium</i>	<i>Capsicum annuum</i>		1				Mass.
Do.	<i>Lycopersicum esculentum</i>	4					N. Y.
<i>Melanconium sacchari</i>	<i>Saccharum officinarum</i>	2	2				Do.
<i>Thielatiospis paradoxus</i>	do	1	2				Do.
WALES							
Insects:							
<i>Frankliniella intonsa</i> (thrips)	<i>Aster</i> sp.		1				Do.
Do.	<i>Zinnia</i> sp.	1					Do.
<i>Taeniothrips atratus</i> (thrips)	<i>Aster</i> sp.		1				Do.
Do.	<i>Zinnia</i> sp.	1					Do.
<i>Thrips flavus</i> (thrips)	<i>Aster</i> sp.		3				Do
Do.	<i>Zinnia</i> sp.	2					Do
WEST AFRICA							
Insects:							
<i>Lepidosaphes lasianthi</i> (Coccidae)	<i>Codiaeum</i> sp. (croton)			1			Ga.
<i>Stephanoderes hampei</i> (coffee berry borer).	<i>Coffea</i> sp.	1					N. Y.
Diseases:							
<i>Diplodia tubericola</i>	<i>Ipomoea batatas</i> (sweetpotato)			1			Pa.
WEST INDIES							
Insects:							
<i>Aspidiotus destructor</i> (Coccidae)	<i>Terminalia catappa</i> (India-almond).			1			N. Y.
<i>Frankliniella insularis</i> (thrips)	<i>Anthriscum majus</i> (snap-dragon).		1				Do.
Do.	<i>Rosa</i> sp.		1				Do.
<i>Hemichionaspis minor strachani</i> (Coccidae).	<i>Poinciana regia</i> (royal poinciana).		1				Do.
<i>Pseudococcus virgatus</i> (Coccidae)	<i>Codiaeum</i> sp. (croton)			1			Do.

*List, by countries, of pests collected and reported from July 1, 1935, to June 30, 1936,
inclusive—Continued*

Country of origin and name of pest	Host	Number of interceptions in—					Collected in—
		Cargo	Mail	Baggage	Quarters	Stores	
WEST INDIES—Continued							
Diseases:							
<i>Melanconium sacchari</i>	<i>Saccharum officinarum</i>			1	1		N. Y.
<i>Phyllosticta divergens</i>	<i>Albizia lebbeck</i> (lebbek)			1			Do.
<i>Thielaviopsis paradoxo</i>	<i>Saccharum officinarum</i>	1		1			Do.
YUGOSLAVIA							
Diseases:							
<i>Monilia fructigena</i>	<i>Prunus</i> sp. (cherry)		1				Ill.
<i>Phoma</i> sp.	<i>Crataegus</i> sp. (hawthorn)	1					N. Y.
<i>Pucciniastrum myrtilli</i>	<i>Vaccinium</i> sp. (blueberry)		1				Wash.
<i>Thielavia basicola</i>	<i>Viola</i> sp.				1		N. Y.
UNKNOWN ORIGIN							
Insects:							
<i>Anastrepha</i> sp. (Tryptidae)	<i>Mangifera indica</i> (mango)			1			Do.
Do.	do			2			La.
<i>Ceratitis capitata</i> (Mediterranean fruit fly).	<i>Amygdalus persica</i> (peach)			1			N. Y.
<i>Conchaspis angraeci</i> (Coccidae)	<i>Oncidium</i> sp. (orchid)	1					D. C.
Do.	Orchid	1					Do.
<i>Cylas formicarius</i> (sweetpotato weevil).	<i>Ipomoea batatas</i> (sweetpotato)				4		La.
<i>Furcaspis biformis</i> (Coccidae)	Orchid	1					D. C.
<i>Lophocateres pusillus</i> (Siamese grain beetle).	<i>Lovoa klaineana</i> (tigerwood)	1					N. Y.
<i>Odonaspis pimentae</i> (Coccidae)	<i>Pimenta acris</i> (bay-rum tree)			1			Do.
<i>Pectinophora gossypiella</i> (pink boll-worm).	<i>Gossypium</i> sp. (cottonseed)	1					Do.
<i>Pseudopeltalaria ostreata</i> (Coccidae)	<i>Oncidium lanceanum</i> (orchid)	1					D. C.
<i>Trypopremnus latithorax</i> (Curculionidae).	<i>Solanum tuberosum</i>	1					Do.
<i>Xyleborus affinis</i> (Scolytidae)	<i>Lovoa klaineana</i> (tigerwood)	1					N. Y.
Diseases:							
<i>Phyllosticta colocasiae</i>	<i>Dieffenbachia seguine</i>			1			Do.

