

New taxa, new records and name changes for southern African plants

B.C. DE WET, R. ARCHER, L. FISH, G. GERMISHUIZEN, P.P. HERMAN, M. JORDAAN, S.M. PEROLD, C. REID, J. VAN ROOY, W.G. WELMAN and H.F. GLEN*

ABSTRACT

Additions and alterations to the inventory of about 26 000 plant taxa in southern Africa are reported for the period from February 1990 to February 1991. In this period a total of 1 080 alterations have been recorded. These changes result from the continual surveying of taxonomic literature received by the library of the National Botanical Institute.

UITTREKSEL

Daar word vir die tydperk vanaf Februarie 1990 tot Februarie 1991 verslag gedoen oor byvoegings en veranderings aan die lys van omtrent 26 000 planttaksons wat in suider-Afrika voorkom. Gedurende hierdie tydperk is 'n totaal van 1 080 veranderings aangeteken. Hierdie veranderings word deurlopend in die taksonomiese literatuur wat deur die biblioteek van die Nasionale Botaniese Instituut ontvang word, opgespoor.

INTRODUCTION

This is the seventh annual publication in this series reporting on the complete inventory of southern African plant taxa. This inventory, maintained as the 'Taxon' component of PRECIS (PREtoria Computerised Information System), contains an up-to-date record of the taxonomic and nomenclatural history of southern African plant taxa over the latter half of the twentieth century.

In this report year, 1 080 name changes were recorded. The greatest number of changes recorded in a single genus was in *Serruria*, which underwent no less than 65 changes. The format used here to report these changes continues to follow that used in previous lists of this series (De Wet *et al.* 1990 and earlier papers all listed in the references).

The number of changes recorded this year is the largest noted since the start of this series in 1985; this statement could be made of each year except 1986. The exact numbers involved are listed in Table 1.

The 'Taxon' component of PRECIS currently holds the names of about 26 000 taxa, of which slightly over 1 000 are naturalized aliens. This means that there has been an increase of about 1 000 names since last year, and 2 000 names since the completion of the second edition of the List of species of southern African plants (Gibbs Russell *et al.*, 1987). Numerous combinations of names have been published, resulting in the placing of names into synonymy. The continual addition of new taxa and re-assessment of existing taxa emphasise the fact that the flora of southern Africa is relatively unknown. Many of the taxonomic revisions that are undertaken result in the description of new taxa. As the *Flora of southern Africa* (FSA) project is estimated to be only about 14% complete (with recent accounts of about the same proportion of the flora published elsewhere) it may be realistic to predict that over 1 000 unknown plant taxa in southern Africa await formal description!

TABLE 1.— Name changes recorded each year by Taxon-PRECIS

Year	Changes	Notes
1985	403	Name changes of Dicots held over to Gibbs Russell <i>et al.</i> , 1987b.
1986	355	
1987	678	
1988	744	
1989	890	
1990	1080	

The National Botanical Institute is currently debating whether the *FSA* should continue to be published in its present form. It has been suggested that a smaller, simpler and possibly machine-readable *Prodromus* to the Flora should be published, based on the list of southern African plant species in PRECIS.

Each contributor is acknowledged at the beginning of the groups for which he/she is responsible. Although staff of the National Botanical Institute, Pretoria, have final responsibility for maintaining Taxon-PRECIS, we acknowledge with gratitude the co-operation of other botanists in reporting changes.

REFERENCES

DE WET, B.C., GERMISHUIZEN, G., SCHRIRE, B.D., JORDAAN, M., PIENAAR, B.J., WELMAN W.G., REID, C., VAN WYK, C.M., FISH, L., IMMELMAN, K.L., VAN ROOY, J., PEROLD, S.M., TAUSSIG, J., BARKER, N.P. & GLEN, H.F. 1990. New taxa, new records and name changes for southern African plants. *Bothalia* 20: 249–266.

DE WET, B.C., GIBBS RUSSELL, G.E., GERMISHUIZEN, G., SCHRIRE, B.D., JORDAAN, M., PIENAAR, B.J., WELMAN, W.G., REID, C., VAN WYK, C.M., FISH, L., IMMELMAN, K.L., VAN ROOY, J., GLEN, H.F. & BARKER, N.P. 1989. New taxa, new records and name changes for southern African plants. *Bothalia* 19: 275–294.

GIBBS RUSSELL, G.E., REID, C., FISH, L., GERMISHUIZEN, G., VAN WYK, C.M., VAN ROOY, J. & STAFF 1987. New taxa, new records and name changes for southern African plants. *Bothalia* 17: 269–275.

GIBBS RUSSELL, G.E., WELMAN, W.G., GERMISHUIZEN, G., RETIEF, E., PIENAAR, B.J., REID, C., FISH, L., VAN ROOY, J., VAN WYK, C.M., KALAKE, E. & STAFF 1988. New taxa, new records and name changes for southern African plants. *Bothalia* 18: 293–304.

* National Botanical Institute, Private Bag X101, Pretoria 0001. MS. received: 1991-05-28.

- GIBBS RUSSELL, G.E., WELMAN, W.G., RETIEF, E., IMMELMAN, K.L., GERMISHUIZEN, G., PIENAAR, B.J., VAN WYK, C.M., NICHOLAS, A., DE WET, B.C., MOGFORD, J.C. & MULVENNA, J. 1987. List of species of southern African plants, Edn 2, Part 2. *Memoirs of the Botanical Survey of South Africa* No. 56.
- STAFF OF THE NATIONAL HERBARIUM 1985. New taxa, new records and name changes for southern African plants. *Bothalia* 15: 751–759.
- STAFF OF THE NATIONAL HERBARIUM 1986. New taxa, new records and name changes for southern African plants. *Bothalia* 16: 109–118.

BRYOPHYTA Contributed by J. van Rooy

HEPATICAEE 1000

RICCIAEE (H8)

1016

- 1016 –RICCIA L.
1. LEVIER. 1894. BULL. SOC. BOT. ITAL. 5: 114–115.
20. PEROLD. 1990. BOTHALIA 20,2: 197–206.
21. PEROLD. MS. FSA.
- 200 R. ALBOMARGINATA BISCH. EX KRAUSS
(Note change in author)
R. campbelliana Howe = R. MACROCARPA LEVIER
- 1000 R. CONCAVA BISCH. EX KRAUSS
(Note change in author)
- 1500 R. CURTISII (AUST.) STEPH.
(Note change in author)
- 1675 R. GARSIDEI SIM
- 1800 R. LIMBATA BISCH. EX KRAUSS
(Note change in author)
- 1825 R. MACROCARPA LEVIER
(=R. campbelliana Howe) 1
- 3200 R. STRICTA (LINDENBERG) PEROLD

LEPIDOZIAEE (H31)

1201

- 1204 –KURZIA VON MARTENS
2. POCS. 1984. UNIV. KARLOVA PRAHA 107–119.
- 50 K. CAPILLARIS (SW.) GROLLE
(=K. stephanii (Ren.) Grolle) 2
(=Microlepidozia tabularis (Steph.) S. Arnell) 2
K. stephanii (Ren.) Grolle = K. CAPILLARIS
K. succulenta (Sim) Grolle = TELARANEA SUCCULENTA
- 1205 –LEPIDOZIA DUM.
2. POCS. 1984. UNIV. KARLOVA PRAHA 107–119.
- L. carnosa Steph. = L. PEARSONII
- 150 L. CUPRESSINA (SW.) LINDENB.
(=L. natalensis Steph.) 2
(=L. truncatella Nees) 2
L. lacerata Steph. = L. PEARSONII
L. natalensis Steph. = L. CUPRESSINA
- 350 L. PEARSONII SPRUCE
(=L. carnosa Steph.) 2
(=L. lacerata Steph.) 2
L. truncatella Nees = L. CUPRESSINA
- 1206 –MICROLEPIDOZIA SPRUCE Southern African species moved to KURZIA
M. tabularis (Steph.) S. Arnell = KURZIA CAPILLARIS

1208 –TELARANEA SPRUCE

2. POCS. 1984. UNIV. KARLOVA PRAHA 107–119.

- 300 T. SUCCULENTA (SIM) GROLLE
(=Kurzia succulenta (Sim) Grolle) 2

DICRANACEAE (8)

1356

1359 –CAMPYLOPUS BRID.

3. CORLEY & FRAHM. 1982. J. BRYOL. 12: 190.
4. FRAHM. 1987. BRYOLOGISCHE BEITRAGE 7: 1–117.

- 75 C. AUREONITENS (C. MUELL.) JAEG.
(=C. lonchocladus C. Muell. in Geh.) 4
(=C. symonsii Sim) 4
C. basalticolus (C. Muell.) Par. =
SPHAEROTHECIUM
SUBCHLOROPHYLLOSUM
- 450 C. CATARRACTILIS (C. MUELL.) PAR.
(=C. pulvinatus (C. Muell.) Par.) 4
C. lonchocladus C. Muell. in Geh. = C.
AUREONITENS
C. pallidus Hook. f. & Wils. = C. PYRIFORMIS
C. pulvinatus (C. Muell.) Par. = C. CATARRACTILIS
- 1650 C. PYRIFORMIS (SCHULTZ) BRID.
(=C. pallidus Hook. f. & Wils.) 3
C. subchlorophyllosus C. Muell. ex Rabenh. =
SPHAEROTHECIUM
SUBCHLOROPHYLLOSUM
C. symonsii Sim = C. AUREONITENS

1374 –SPHAEROTHECIUM HAMPE

1. FRAHM. 1986. BRYOLOGIST 89,2: 152–154.
100 S. SUBCHLOROPHYLLOSUM (C. MUELL. EX
RABENH.) FRAHM
(=Campylopus basalticolus (C. Muell. Par.) 1
(=Campylopus subchlorophyllosus C. Muell. ex
Rabenh.) 1

BRYACEAE (24)

1506

1508 –BRYUM HEDW.

- B. herpetineuron Ther. (Species does not occur in
southern Africa)

BARTRAMIACEAE (37)

1581

1582 –BARTRAMIDULA B.S.G. Southern African species moved to PHILONOTIS

- B. comosa Broth. = PHILONOTIS COMOSA
B. globosa (C. Muell.) Broth. = PHILONOTIS
GLOBOSA
B. globosa (C. Muell.) Broth. var. tenuicaulis (C. Muell.)
Sim = PHILONOTIS GLOBOSA

1584 –PHILONOTIS BRID.

2. GRIFFIN & BUCK. 1989. BRYOLOGIST 92,3: 376.

- 400 P. COMOSA (BROTH.) GRIFFIN & BUCK
(=Bartramidula comosa Broth.) 2
575 P. GLOBOSA (C. MUELL.) GRIFFIN & BUCK
(=Bartramidula globosa (C. Muell.) Broth.) 2
(=Bartramidula globosa (C. Muell.) Broth. var.
tenuicaulis (C. Muell.) Sim) 2

CRYPHAEACEAE (48)

1681

1682 –Forsstroemia Lindb. Genus moved to LEPTODONTACEAE

LEPTODONTACEAE (48A)

1683

1683 –FORSSTROEMIA LINDB.

1. MAGILL. MS. FSA.
100 F. PRODUCTA (HORNSCH.) PAR.

1684 –LEPTODON MOHR

1. MAGILL. MS. FSA.
100 L. SMITHII (HEDW.) WEB. & MOHR

PTEROBRYACEAE (57)

1731

1734 –ORTHOSTICHOPSIS BROTH.

1. MAGILL. MS. FSA.
200 O. SUBIMBRICATA (HAMPE) BROTH

NECKERACEAE (60)	1756	520	S. NIVEA ALSTON S. njam-njamensis Hieron. (species does not occur in southern Africa—specimens referable to S. NIVEA ALSTON)
1758 —Pinnatella Fleisch. Genus moved to THAMNOBRYACEAE P. flagellacea (Mitt.) Broth. (species does not occur in southern Africa)		ISOETACEAE	40
THAMNOBRYACEAE (60A)	1760	40 —ISOETES L. 7. BURROWS, 1990. S.A. FERNS & FERN ALLIES.	
1760 —PINNATELLA FLEISCH. 1. MAGILL. MS. FSA.		300 1. GIESSII LAUNERT 1. perrieriana Iversen (species does not occur in southern Africa—specimens referable to 1. GIESSII LAUNERT)	
100 P. OBLONGIFRONDEA (BROTH.) BROTH.		EQUISETACEAE	50
1761 —POROTHAMNIUM FLEISCH. 1. MAGILL. MS. FSA. P. capense (species insufficiently known) P. comorense (C. Muell.) Sim = POROTRICHUM ELONGATUM P. hildebrandtii (C. Muell.) Fleisch. = P. STIPITATUM P. natalense (C. Muell.) Fleisch. = POROTRICHUM MOLLICULUM P. pennaefrondeum (C. Muell.) Card. = POROTRICHUM MADAGASSUM		50 —EQUISETUM L. 5. BURROWS, 1990. S.A. FERNS & FERN ALLIES.	
100 P. STIPITATUM (MITT.) TOUW EX DE SLOOVER (=P. hildebrandtii (C. Muell.) Fleisch.) 1		OPHIOGLOSSACEAE	60
1762 —POROTRICHUM (BRID.) HAMPE 1. MAGILL. MS. FSA.		60 —OPHIOGLOSSUM L. 6. BURROWS, 1990. S.A. FERNS & FERN ALLIES.	
100 P. ELONGATUM (WELW. & DUB.) GEPP (=Porothamnium comorense (C. Muell.) Sim) 1		MARATTIACEAE	70
200 P. MADAGASSUM KIAER EX BESCH. (=Porothamnium pennaefrondeum (C. Muell.) Card.) 1		70 —MARATTIA SWARTZ 5. BURROWS, 1990. S.A. FERNS & FERN ALLIES.	
300 P. MOLLICULUM BROTH. (=Porothamnium natalense (C. Muell.) Fleisch.) 1		OSMUNDACEAE	80
HOOKERIAACEAE (65)	1781	80 —OSMUNDA L. 5. BURROWS, 1990. S.A. FERNS & FERN ALLIES.	
1781 —CALLICOSTELLA (C. MUELL.) MITT. 1. MAGILL. MS. FSA. C. applanata Broth. & Bryhn = C. TRISTIS		90 —TODEA WILLD. 5. BURROWS, 1990. S.A. FERNS & FERN ALLIES.	
100 C. TRISTIS (C. MUELL.) BROTH. (=C. applanata Broth. & Bryhn) 1 (=Schizomitrium triste (C. Muell.) Ochyra) 1		SCHIZAEACEAE	100
1785 —DISTICHOPHYLLUM DOZ. & MOLK. 2. MAGILL. MS. FSA.		100 —ANEMIA SWARTZ 5. BURROWS, 1990. S.A. FERNS & FERN ALLIES.	
200 D. MNIIFOLIUM (HORNSCH.) SIM VAR. MNIIFOLIUM (=Leskeodon mniifolius (Hornsch.) Bizot.) 2		110 —LYGODIUM SWARTZ 5. BURROWS, 1990. S.A. FERNS & FERN ALLIES.	
1789 —LESKEODON BROTH. Southern African species moved to DISTICHOPHYLLUM L. mniifolius (Hornsch.) Bizot. = DISTICHOPHYLLUM MNIIFOLIUM		150 L. JAPONICUM SWARTZ *	
1792 —Schizomitrium B.S.G. = CALLICOSTELLA S. triste (C. Muell.) Ochyra = CALLICOSTELLA TRISTIS		120 —MOHRIA SWARTZ 7. BURROWS, 1990. S.A. FERNS & FERN ALLIES. 8. ROUX, 1990. S. AFR. J. BOT. 56,2: 266–270. 9. ROUX, 1990. S. AFR. J. BOT. 56,3: 399–402. #. PRE HERBARIUM PRACTICE, FOLLOWING REID.	
PTERIDOPHYTA Contributed by C. Reid		150 M. CAFFRORUM (L.) DESV. VAR. FERRUGINEA J.E. & S.M. BURROWS (=M. nudiuscula J.P. Roux) 8. #	
PSILOTACEAE	10	300 M. nudiuscula J.P. Roux = M. CAFFRORUM VAR. FERRUGINEA	
10 —PSILOTUM SWARTZ 5. BURROWS, 1990. S.A. FERNS & FERN ALLIES.		400 M. RIGIDA J.P. ROUX 500 M. SAXATILIS J.P. ROUX	
LYCOPODIACEAE	20	130 —SCHIZAEA J.E. SM. 5. BURROWS, 1990. S.A. FERNS & FERN ALLIES.	
20 —LYCOPodium L. 5. BURROWS, 1990. S.A. FERNS & FERN ALLIES.		GLEICHENIACEAE	140
SELAGINELLACEAE	30	140 —DICRANOPTERIS BERNH. 5. BURROWS, 1990. S.A. FERNS & FERN ALLIES.	
30 —SELAGINELLA BEAUV. 6. BURROWS, 1990. S.A. FERNS & FERN ALLIES.		150 —GLEICHENIA J.E. SM. 5. BURROWS, 1990. S.A. FERNS & FERN ALLIES.	
250 S. GRISEA ALSTON			

- HYMENOPHYLLACEAE 160
- 160 -HYMENOPHYLLUM J.E. SM.
5. BURROWS. 1990. S.A. FERNS & FERN ALLIES.
- 600 H. TUNBRIGENSE (L.) J.E. SM.
(Note spelling change)
- 170 -TRICHOMANES L.
5. BURROWS. 1990. S.A. FERNS & FERN ALLIES.
- 240 T. INOPINATUM (PICHI SERM.) J.E. BURROWS
- 260 T. MELANOTRICHUM SCHLECHTD.
(=T. pyxidiferum L. var. melanotrichum (Schlechts.) Schelpe) 5
T. pyxidiferum L. var. melanotrichum (Schlechts.) Schelpe = T. MELANOTRICHUM
- CYATHEACEAE 175
- 180 -CYATHEA J.E. SM.
4. BURROWS. 1990. S.A. FERNS & FERN ALLIES.
- MARSILEACEAE 190
- 190 -MARSILEA L.
7. BURROWS. 1990. S.A. FERNS & FERN ALLIES.
- 1050 M. NUBICA A. BR. VAR. NUBICA
- AZOLLACEAE 200
- 200 -AZOLLA LAM.
6. BURROWS. 1990. S.A. FERNS & FERN ALLIES.
- SALVINIACEAE 210
- 210 -SALVINIA ADANS.
5. BURROWS. 1990. S.A. FERNS & FERN ALLIES.
- DENNSTAEDTIACEAE 220
- 220 -BLOTIELLA A.F. TRYON
5. BURROWS. 1990. S.A. FERNS & FERN ALLIES.
- 230 -HISTIOPTERIS (AGARDH) J. SM.
5. BURROWS. 1990. S.A. FERNS & FERN ALLIES.
- 240 -HYPOLEPIS BERNH.
5. BURROWS. 1990. S.A. FERNS & FERN ALLIES.
- 250 -MICROLEPIA PRESL
5. BURROWS. 1990. S.A. FERNS & FERN ALLIES.
- 260 -PTERIDIUM SCOP.
5. BURROWS. 1990. S.A. FERNS & FERN ALLIES.
- VITTARIACEAE 270
- 270 -VITTARIA J.E. SM.
5. BURROWS. 1990. S.A. FERNS & FERN ALLIES.
- ADIANTACEAE 280
- 280 -ACROSTICHUM L.
5. BURROWS. 1990. S.A. FERNS & FERN ALLIES.
- 290 -ACTINIOPTERIS LINK
6. BURROWS. 1990. S.A. FERNS & FERN ALLIES.
- 300 -ADIANTUM L.
5. BURROWS. 1990. S.A. FERNS & FERN ALLIES.
A. philipense L. (species does not occur in southern Africa)
- 310 -ANOGRAMMA LINK
6. BURROWS. 1990. S.A. FERNS & FERN ALLIES.
- 330 -CERATOPTERIS BRONGN.
5. BURROWS. 1990. S.A. FERNS & FERN ALLIES.
- 50 C. CORNUTA (BEAUV.) LE PRIEUR
(=C. thalictroides sensu Schelpe & Anthony) 5
C. thalictroides (L.) Brongn. (species does not occur in southern Africa)
C. thalictroides sensu Schelpe & Anthony = C. CORNUTA
- 340 -CHEILANTHES SWARTZ
8. JACOBSEN & JACOBSEN. 1988. BOTHALIA 18,1: 57-77.
9. BURROWS. 1990. S.A. FERNS & FERN ALLIES.
C. concolor (Langsd. & Fisch.) R. & A.F. Tryon = DORYOPTERIS CONCOLOR
- 770 C. HIRTA SWARTZ VAR. BREVIPILOSA W. & N. JACOBSEN
- 800 C. HIRTA SWARTZ VAR. HIRTA
- 810 C. HIRTA SWARTZ VAR. HYALOGLANDULOSA (W. & N. JACOBSEN) J.E. BURROWS
(=C. hyaloglandulosa W. & N. Jacobsen) 8,9
- 820 C. HIRTA SWARTZ VAR. INFERACAMPESTRIS W. & N. JACOBSEN
- 830 C. HIRTA SWARTZ VAR. NEMOROSA W. & N. JACOBSEN
C. hyaloglandulosa W. & N. Jacobsen = C. HIRTA VAR. HYALOGLANDULOSA
- 1370 C. NIELSII JACOBSEN
- 350 -DORYOPTERIS J. SM.
1. SCHELPE & ANTHONY. 1986. FSA.
3. BURROWS. 1990. S.A. FERNS & FERN ALLIES.
4. BURROWS & STRAUSS. 1990. BOTHALIA 20,2: 221-222.
- 100 D. CONCOLOR (LANGSD. & FISCH.) KUHN
(=Cheilanthes concolor (Langsd. & Fisch.) R. & A.F. Tryon) 1,3
- 200 D. PILOSA (POIR.) KUHN VAR. GEMMIFERA J.E. BURROWS & STRAUSS
- 360 -PELLAEA LINK
6. BURROWS. 1990. S.A. FERNS & FERN ALLIES.
- 200 P. CALOMELANOS (SWARTZ) LINK VAR. CALOMELANOS
- 250 P. CALOMELANOS (SWARTZ) LINK VAR. LEUCOMELAS (METT. EX KUHN) J.E. BURROWS
(=P. leucomelas (Mett. ex Kuhn) Bak.) 5
P. leucomelas (Mett. ex Kuhn) Bak. = P. CALOMELANOS VAR. LEUCOMELAS
- 370 -PITYROGRAMMA LINK
5. BURROWS. 1990. S.A. FERNS & FERN ALLIES.
- 380 -PTERIS L.
6. BURROWS. 1990. S.A. FERNS & FERN ALLIES.
- LINDSAEACEAE 390
- 390 -LINDSAEA DRYAND. APUD J.E. SM.
5. BURROWS. 1990. S.A. FERNS & FERN ALLIES.

GRAMMITIDACEAE	395	537 –MACROTHELYPTERIS (H. ITO) CHING 3. BURROWS. 1990. S.A. FERNS & FERN ALLIES.	
395 –GRAMMITIS SWARTZ 6. BURROWS. 1990. S.A. FERNS & FERN ALLIES.			
POLYPODIACEAE	410	ATHYRIACEAE	540
410 –LOXOGRAMME PRESL 5. BURROWS. 1990. S.A. FERNS & FERN ALLIES.		540 –ATHYRIUM ROTH 5. BURROWS. 1990. S.A. FERNS & FERN ALLIES.	
420 –MICROGRAMMA PRESL 5. BURROWS. 1990. S.A. FERNS & FERN ALLIES.		550 –CYSTOPTERIS BERNH. 5. BURROWS. 1990. S.A. FERNS & FERN ALLIES.	
430 –MICROSORIUM LINK 7. BURROWS. 1990. S.A. FERNS & FERN ALLIES.		560 –DIPLAZIUM SWARTZ 5. BURROWS. 1990. S.A. FERNS & FERN ALLIES.	
250 M. SCANDENS (FORST. F.) TINDALE *		565 –Dryoathyrium Ching 3. BURROWS. 1990. S.A. FERNS & FERN ALLIES.	
435 –PHLEBODIUM J. SM. 3. BURROWS. 1990. S.A. FERNS & FERN ALLIES.		567 –LUNATHYRIUM KEIDSUMI 3. BURROWS. 1990. S.A. FERNS & FERN ALLIES.	
450 –PLEOPELTIS H.B.K. EX WILLD. 5. BURROWS. 1990. S.A. FERNS & FERN ALLIES.		LOMARIOPSIDACEAE	570
455 –X PLEOPODIUM SCHELPE & N.C. ANTHONY 3. BURROWS. 1990. S.A. FERNS & FERN ALLIES.		570 –BOLBITIS SCHOTT 5. BURROWS. 1990. S.A. FERNS & FERN ALLIES.	
460 –POLYPODIUM L. 5. BURROWS. 1990. S.A. FERNS & FERN ALLIES.		580 –ELAPHOGLOSSUM SCHOTT 4. BURROWS. 1990. S.A. FERNS & FERN ALLIES.	
470 –PYRROSIA MIRB. 5. BURROWS. 1990. S.A. FERNS & FERN ALLIES.		ASPIDIACEAE	590
DAVALLIACEAE	480	590 –ARACHNIODES BLUME 5. BURROWS. 1990. S.A. FERNS & FERN ALLIES.	
480 –ARTHROPTERIS J. SM. 5. BURROWS. 1990. S.A. FERNS & FERN ALLIES.		600 –CTENITIS C. CHR. EX TARDIEU 5. BURROWS. 1990. S.A. FERNS & FERN ALLIES.	
490 –DAVALLIA J.E. SM. 5. BURROWS. 1990. S.A. FERNS & FERN ALLIES.		605 –CYRTOMIUM PRESL 3. BURROWS. 1990. S.A. FERNS & FERN ALLIES.	
500 –NEPHROLEPIS SCHOTT 5. BURROWS. 1990. S.A. FERNS & FERN ALLIES.		610 –DIDYMOCHLAENA DESV. 5. BURROWS. 1990. S.A. FERNS & FERN ALLIES.	
510 –OLEANDRA CAV. 5. BURROWS. 1990. S.A. FERNS & FERN ALLIES.		620 –DRYOPTERIS ADANS. 5. BURROWS. 1990. S.A. FERNS & FERN ALLIES.	
ASPLENIACEAE	520	630 –HYPODEMATIUM KUNZE 5. BURROWS. 1990. S.A. FERNS & FERN ALLIES.	
520 –ASPLENIUM L. 5. BURROWS. 1990. S.A. FERNS & FERN ALLIES.		650 –POLYSTICHUM ROTH 8. BURROWS. 1990. S.A. FERNS & FERN ALLIES.	
530 –CETERACH DC. 5. BURROWS. 1990. S.A. FERNS & FERN ALLIES.		660 –RUMOHRA RADDI 5. BURROWS. 1990. S.A. FERNS & FERN ALLIES.	
THELYPTERIDACEAE	531	670 –TECTARIA CAV. 5. BURROWS. 1990. S.A. FERNS & FERN ALLIES.	
532 –THELYPTERIS SCHMIDEL 10. BURROWS. 1990. S.A. FERNS & FERN ALLIES.		680 –WOODSIA R. BR. 6. BURROWS. 1990. S.A. FERNS & FERN ALLIES.	
535 –AMPELOPTERIS KUNZE 5. BURROWS. 1990. S.A. FERNS & FERN ALLIES.			

- BLECHNACEAE 690 0459030 –MARISCUS GAERTN. Revision: P.J. Vorster (STE-U).
- 690 –BLECHNUM L.
7. BURROWS. 1990. S.A. FERNS & FERN ALLIES.
- 50 B. ATTENUATUM (SWARTZ) METT. VAR. ATTENUATUM
- 100 B. ATTENUATUM (SWARTZ) METT. VAR. GIGANTEUM (KAULF.) BONAP.
(=B. giganteum (Kaulf.) Schlechtd.) 7
B. giganteum (Kaulf.) Schlechtd. = B. ATTENUATUM VAR. GIGANTEUM
- 695 –DOODIA R. BR.
1. BURROWS. 1990. S.A. FERNS & FERN ALLIES.
- 100 D. CAUDATA (CAV.) R. BR. *
- 700 –STENOCHLAENA J. SM.
5. BURROWS. 1990. S.A. FERNS & FERN ALLIES.
- GYMNOSPERMAE** Contributed by C. Reid
- ZAMIACEAE 3000
- 0005000 –ENCEPHALARTOS LEHM.
7. ROBERTSE ET AL. 1989. S. AFR. J. BOT. 55,1: 122–126.
8. LAVRANOS & GOODE. 1989. DURBAN MUS. NOVIT. 14,8: 153–156.
9. VORSTER. 1990. S. AFR. J. BOT. 56,2: 239–243.
- 50 E. AEMULANS P.J. VORSTER.
- 350 E. CERINUS LAVRANOS & GOODE
- 650 E. EUGENE-MARAISII VERDOORN SUBSP. MIDDELBURGENSIS LAVRANOS & GOODE
(=E. middelburgensis P.J. Vorster et al.) 7, #
E. middelburgensis P.J. Vorster et al. = E. EUGENE-MARAISII SUBSP. MIDDELBURGENSIS
- ANGIOSPERMAE**
- MONOCOTYLEDONAE** Contributed by C. Reid
- CYPERACEAE 452000
- 0452000 –LIPOCARPHA R. BR.
3. RAYNAL. 1976. ADANSONIA SER. 2, 16: 219–224.
4. RAYNAL. 1977. ADANSONIA SER. 2, 17: 49–57.
5. GOETGHEBEUR & V.D. BORREN. 1989. AGRIC. UNIV. WAGENINGEN PAPERS 89,1.
- 160 L. HEMISPHAERICA (ROTH) GOETGHEBEUR
(=Hemicarpha isolepis Nees) 3
(=L. isolepis (Nees) R. Haines) 5
L. isolepis (Nees) R. Haines = L. HEMISPHAERICA
- 165 L. MICRANTHA (VAHL) TUCKER
(=Hemicarpha micrantha (Vahl) Pax) 3
- 250 L. REHMANNII (RIDLEY) GOETGHEBEUR
(=Rikliella rehmannii (Ridley) J. Raynal) 3
(=Scirpus hystrix Thunb., p.p.) 3,5
(=Scirpus hystricoides B. Nord.) 4,5
- 0453000 –Hemicarpha Nees & Arn. = LIPOCARPHA
H. isolepis Nees = LIPOCARPHA HEMISPHAERICA
H. micrantha (Vahl) Pax = LIPOCARPHA MICRANTHA
- 0454010 –Rikliella J. Raynal = LIPOCARPHA
R. rehmannii (Ridley) J. Raynal = LIPOCARPHA REHMANNII
- 0459000 –CYPERUS L.
6280 C. ROTUNDUS L. SUBSP. ROTUNDUS VAR. PLATYSTACHYS BOJ. EX C.B. CL.
- 220 M. ARISTATUS (ROTTB.) CHERM. VAR. ATRICEPS (KUEKENTH.) PODLECH
(Note change in species number)
- 0468000 –SCIRPUS L.
S. hystricoides B. Nord. = LIPOCARPHA REHMANNII
S. hystrix Thunb., p.p. = LIPOCARPHA REHMANNII
- 0469010 –ELEOCHARIS R. BR.
#. PRE HERBARIUM PRACTICE, FOLLOWING BRUHL.
- 1350 E. RETROFLEXA (POIR.) URB. SUBSP. SUBTILISSIMA (NELMES) K. LYE
- 0525000 –CAREX L. Revision: C. Reid (PRE).
6. NELMES. 1954. MEM. N.Y. BOT. GARD. 9,1: 100.
#. PRE HERBARIUM PRACTICE, FOLLOWING REID.
- 2050 C. SPICATO-PANICULATA C.B. CL. X C. ZULUENSIS C.B. CL.
- 2150 C. SYLVATICA HUDS.
- LEMNACEAE** 794000
- 0794000 –SPIRODELA SCHLEID.
3. LANDOLT. 1986. MONOGRAPH. VEROFF. GEOBOT. INST. ETH. 71.
- 0795000 –LEMNA L.
3. LANDOLT. 1986. MONOGRAPH. VEROFF. GEOBOT. INST. ETH. 71.
- 0796000 –WOLFFIA HORKEL EX SCHLEID.
3. LANDOLT. 1986. MONOGRAPH. VEROFF. GEOBOT. INST. ETH. 71.
- 0796010 –WOLFFIELLA HEGELM.
3. LANDOLT. 1986. MONOGRAPH. VEROFF. GEOBOT. INST. ETH. 71.
- 150 W. HYALINA (DEL.) MONOD
(Note change in species number)
- RESTIONACEAE** 804000
- 0804030 –ISCHYROLEPIS STEUD.
2. LINDER. 1990. S. AFR. J. BOT. 56,4: 450–457.
- 3650 1. SAXATILIS LINDER
- 0804100 –CALOPSIS BEAUV. EX. DESV.
2. LINDER. 1990. S. AFR. J. BOT. 56,4: 450–457.
- 2300 C. SPARSA ESTERHUYSEN
- 0804110 –THAMNOCHORTUS BERG.
6. LINDER. 1990. S. AFR. J. BOT. 56,4: 450–457.
- 150 T. AMOENA LINDER
- 1350 T. KAROOICA LINDER
- 0804140 –CANNOMOIS DESV.
3. LINDER. 1990. S. AFR. J. BOT. 56,4: 450–457.
- 550 C. TAYLORII LINDER
- 0804170 –ANTHOCHORTUS NEES
3. LINDER. 1990. S. AFR. J. BOT. 56,4: 450–457.
- 700 A. SINGULARIS ESTERHUYSEN
- LILIACEAE** 942000
- 0964000 –LITTONIA HOOK.
2. BREDELL. 1936. KEW BULL. 495.
#. PRE HERBARIUM PRACTICE, FOLLOWING REID.
- 200 L. RIGIDIFOLIA BRED.

- 0969000 –ANDROCYMBIUM WILLD. Revision: U. & D. Muller-Doblies (Herb. M-D).
3. MULLER-DOBLIES & MULLER-DOBLIES. 1990. WILLDENOWIA 19: 453–470.
#. PRE HERBARIUM PRACTICE, FOLLOWING OBERMEYER.
A. circinatum Bak. = A. VOLUTARE
A. decipiens N.E. Br. = A. LONGIPES
1200 A. EXIGUUM ROESSL. SUBSP. EXIGUUM
1220 A. EXIGUUM ROESSL. SUBSP. VOGELII (U. & D. MULLER-DOBLIES) U. & D. MULLER-DOBLIES
(=A. vogelii U. & D. Muller-Doblies) 3
1700 A. LONGIPES BAK.
(=A. decipiens N.E. Br.) #
(=A. natalense Bak.) #
A. natalense Bak. = A. LONGIPES
A. vogelii U. & D. Muller-Doblies = A. EXIGUUM SUBSP. VOGELII
2500 A. VOLUTARE BURCH.
(=A. circinatum Bak.) #
- 0985010 –TRACHYANDRA KUNTH
4. PERRY. 1990. S. AFR. J. BOT. 56.2: 257–260.
4450 T. PROLIFERA P.L. PERRY
- 0990000 –CHLOROPHYTUM KER-GAWL.
#. PRE HERBARIUM PRACTICE, FOLLOWING OBERMEYER.
C. pulchellum Kunth = C. RIGIDUM
1500 C. RIGIDUM KUNTH
(=C. pulchellum Kunth) #
- 1011000 –BOWIEA HARV. EX HOOK. F.
3. BRUYNS & VOSA. 1987. CARYOLOGIA 40.4: 287–297.
4. REID, MULLER-DOBLIES & MULLER-DOBLIES. 1990. FLOWER. PL. AFR. 51.1: T. 2007.
50 B. GARIEPENSIS V. JAARSVELD
(=B. volubilis Harv. ex Hook. f. subsp. gariepensis (V. Jaarsveld) Bruyns) 3.4
B. volubilis Harv. ex Hook. f. subsp. gariepensis (V. Jaarsveld) Bruyns = B. GARIEPENSIS
- 1012000 –ERIOSPERMUM JACQ. EX WILLD.
1350 E. CAPENSE (L.) THUNB.
(Note change in species number)
3620 E. MACRUM SCHLTR. EX V. POELLN.
(Note change in species number)
- 1026000 –ALOE L. Revision: H.F. Glen & D.S. Hardy (PRE).
12. SMITH. 1990. BOTHALIA 20.1: 80–82.
1400 A. BOWIEA SCHULT. & J.H. SCHULT.
(Note author correction)
10900 A. MYRIACANTHA (HAW.) SCHULT. & J.H. SCHULT.
(Note author correction)
- 1027000 –GASTERIA DUVAL Revision: E. van Jaarsveld (NBG).
3. VAN JAARSVELD. 1990. FLOWER. PL. AFR. 51.1: T. 2014.
4800 G. PILLANSII KENSIT
- 1047000 –TULBAGHIA L.
5. VOSA. 1982. J.L. S. AFR. BOT. 48: 241–244.
150 T. X ALICEAE VOSA
1520 T. LUEBBERTIANA ENGL. & KRAUSE
- 1089000 –ORNITHOGALUM L.
3. HILLIARD & BURTT. 1989. NOTES R. BOT. GDN EDINB. 45.2: 195.
4. HILLIARD & BURTT. 1990. NOTES R. BOT. GDN EDINB. 46.3: 343.
300 O. BAURII BAK.
(=O. hygrophilum Hilliard & Burt) 3.4
O. hygrophilum Hilliard & Burt = O. BAURII
- 1090000 –DRIMIOPSIS LINDL. Revision: U. & D. Muller-Doblies (Herb. M-D).
2. JESSOP. 1972. J.L. S. AFR. BOT. 38: 151–162.
300 D. LACHENALIOIDES (BAK.) JESSOP
(=Resnova lachenalioides (Bak.) V.d. Merwe) 2
500 D. MAXIMA BAK.
(=Resnova maxima (Bak.) V.d. Merwe) 2
(=Resnova minor V.d. Merwe) 2
(=Resnova pilosa V.d. Merwe) 2
(=Resnova schlechteri (Bak.) V.d. Merwe) 2
(=Resnova transvaalensis V.d. Merwe) 2
- 1090005 –Resnova V.d. Merwe = DRIMIOPSIS
R. lachenalioides (Bak.) V.d. Merwe = DRIMIOPSIS LACHENALIOIDES
R. maxima (Bak.) V.d. Merwe = DRIMIOPSIS MAXIMA
R. minor V.d. Merwe = DRIMIOPSIS MAXIMA
R. pilosa V.d. Merwe = DRIMIOPSIS MAXIMA
R. schlechteri (Bak.) V.d. Merwe = DRIMIOPSIS MAXIMA
R. transvaalensis V.d. Merwe = DRIMIOPSIS MAXIMA
- 1093000 –Hyacinthus L. Southern African species moved to POLYXENA
H. paucifolius W.F. Barker = POLYXENA PAUCIFOLIA
- 1098000 –LACHENALIA JACQ. F. EX MURRAY
26. BARKER. 1989. S. AFR. J. BOT. 55.6: 630–646.
#. PRE HERBARIUM PRACTICE, FOLLOWING BARKER.
550 L. BOWKERI BAK.
(=L. subspicata Fourc.) #
3070 L. ORCHIOIDES (L.) AIT. VAR. GLAUCINA (JACQ.) W.F. BARKER
(Note change in species number)
3500 L. PATULA JACQ.
(=L. succulenta Masson ex Bak.) 26
L. subspicata Fourc. = L. BOWKERI
L. succulenta Masson ex Bak. = L. PATULA
- 1099000 –POLYXENA KUNTH
#. PRE HERBARIUM PRACTICE, FOLLOWING MULLER-DOBLIES.
200 P. ENSIFOLIA (L. F.) SCHOENL.
(Note change of author)
300 P. MAUGHANII W.F. BARKER
450 P. PAUCIFOLIA W.F. BARKER
(=Hyacinthus paucifolius W.F. Barker) #
500 P. PYGMAEA (JACQ.) KUNTH
- AMARYLLIDACEAE 1166000
- 1167010 –SCADOXUS RAF.
150 S. MULTIFLORUS (MARTYN) RAF. SUBSP. KATHARINAE (BAK.) FRIIS & NORDAL
(Note change in species number)
- 1175000 –NERINE HERB.
100 N. ANGUSTIFOLIA (BAK.) BAK.
(Note author correction)
- 1189000 –CRINUM L.
1. VERDOORN. 1973. REVISION. BOTHALIA 11: 27–52
200 C. BAUMII HARMS
(=Ammocharis baumii (Harms) Milne-Redh. & Schweick.) 1
- 1190000 –AMMOCHARIS HERB.
A. baumii (Harms) Milne-Redh. & Schweick. = CRINUM BAUMII
150 A. HERREI LEIGHTON
(Note change in species number)
- 1191000 –CYRTANTHUS L. F.
6. TRAUB. 1972. PLANT LIFE 28: 66.
9. HILLIARD & BURTT. 1986. NOTES R. BOT. GARD. EDINB. 43: 189–191.
C. capensis Traub = C. SPECIOSUS

- 4100 C. SPECIOSUS R.A. DYER
(=C. capensis Traub) 6,9
- HYPOXIDACEAE 1229010
- 1230000 -HYPOXIS L.
3000 H. MULTICEPS BUCHINGER EX BAK.
(Note author correction)
- TECOPHILAEACEAE 1231000
- 1233000 -CYANELLA L. Revision: G. Scott (NBG).
3. SCOTT, 1991. S. AFR. J. BOT. 57,1: 34-54.
240 C. AQUATICA OBERM. EX G. SCOTT
260 C. CYGNEA G. SCOTT
300 C. HYACINTHOIDES L.
(=C. pentheri Zahlbr.) 3
C. krauseana Dinter & Schulze = C. RAMOSISSIMA
C. lutea L. f. var. angustifolia Schinz = C. LUTEA
500 C. LUTEA L. F.
(=C. lutea L. f. var. angustifolia Schinz) 3
(=C. lutea L. f. var. rosea Bak.) 3
C. lutea L. f. var. rosea Bak. = C. LUTEA
C. racemosa Schinz = C. LUTEA
900 C. RAMOSISSIMA (ENGL. & KRAUSE) ENGL. &
KRAUSE
(=C. krauseana Dinter & Schulze) 3
- VELLOZIACEAE 1246000
- 1247010 -XEROPHYTA JUSS.
650 X. SUAVEOLENS (GREVES) N. MENEZES
(Note change in species number)
- IRIDACEAE 1259000
- 1272000 -FERRARIA BURM. EX MILL.
950 F. UNCINATA SWEET SUBSP. MACROCHLAMYS
(BAK.) DE VOS
(Note change in species number)
- 1295000 -ARISTEA AIT.
1000 A. COMPRESSA BUCHINGER EX BAK.
(Note author correction)
3700 A. SCHIZOLAENA HARV. EX BAK.
(Note author correction)
- 1303000 -DIERAMA K. KOCH Revision: O.M. Hilliard (E).
3. HILLIARD & BURTT. 1991. THE HAIRBELLS
OF AFRICA.
100 D. ARGYREUM L. BOL.
(=D. argyrium L. Bol. var. majus N.E. Br.) 3
D. argyrium L. Bol. var. majus N.E. Br. = D.
ARGYREUM
D. longiflorum G.J. Lewis = D. PULCHERRIMUM
1570 D. NIXONIANUM HILLIARD
1580 D. PALLIDUM HILLIARD
1900 D. PENDULUM (L. F.) BAK.
(Note author correction)
2100 D. PULCHERRIMUM (HOOK. F.) BAK.
(=D. longiflorum G.J. Lewis) 3
2550 D. SERTUM HILLIARD
- 1306030 -CHASMANTHE N.E. BR.
C. caffra (Bak.) N.E. Br. = TRITONIOPSIS CAFFRA
C. intermedia (Bak.) N.E. Br. = TRITONIOPSIS
INTERMEDIA
C. spectabilis (Schinz) N.E. Br. = GLADIOLUS
MAGNIFICUS
- 1306070 -Petamenes Salisb. = CHASMANTHE, GLADIOLUS,
TRITONIOPSIS
P. abbreviatus (Andr.) N.E. Br. = GLADIOLUS
ABBREVIATUS
P. caffra (Bak.) Phill. = TRITONIOPSIS CAFFRA
P. cunonia (L.) Phill. = GLADIOLUS CUNONIUS
P. intermedia (Bak.) Phill. = TRITONIOPSIS
INTERMEDIA
P. saccatus (Klatt) Phill. = GLADIOLUS SACCATUS
SUBSP. SACCATUS
- P. spectabilis (Schinz) Phill. = GLADIOLUS
MAGNIFICUS
P. splendens (Sweet) Phill. = GLADIOLUS
SPLENDENS
P. steingroeveri (Pax) Phill. = GLADIOLUS
SACCATUS SUBSP. STEINGROEVERI
- 1306090 -DEVIA GOLDBL. & MANNING
1. GOLDBLATT & MANNING. 1990. ANN.
MISSOURI BOT. GARD. 77,2: 359-364.
100 D. XEROMORPHA GOLDBL. & MANNING
- 1310000 -BABIANA KER-GAWL.
5. GOLDBLATT. 1990. S. AFR. J. BOT. 56,5:
577-582.
5050 B. RINGENS (L.) KER-GAWL., KONIG & SIMS
(=Antholyza ringens L.) 5
7150 B. THUNBERGII KER-GAWL., KONIG & SIMS
(=Anacranthe namaquensis N.E. Br.) 5
(=Anacranthe plicata (L. f.) N.E. Br.) 5
(=Antholyza plicata L. f.) 5
- 1311000 -GLADIOLUS L.
12. GOLDBLATT & DE VOS. 1989. BULL. MUS.
NATN. HIST. NAT., PARIS, 4E SER., 11,
SECT. B., ADANSONIA 11,4: 417-428.
#. PRE HERBARIUM PRACTICE,
FOLLOWING REID.
50 G. ABBREVIATUS ANDR.
(=Homoglossum abbreviatum (Andr.) Goldbl.)
12
(=Petamenes abbreviatus (Andr.) N.E. Br.) #
1460 G. BONAESPEI GOLDBL. & DE VOS
(=Homoglossum merianellum (Thunb.) Bak. var.
aureum G.J. Lewis) #
(=Homoglossum merianellum (Thunb.) Bak. var.
merianellum) 12
3450 G. CUNONIUS (L.) GAERTN.
(=Anomalesia cunonia (L.) N.E. Br.) #
(=Petamenes cunonia (L.) Phill.) #
5350 G. FOURCADEI (L. BOL.) GOLDBL. & DE VOS
(=Homoglossum fourcadei (L. Bol.) N.E. Br.) #
5850 G. HUTTONII (N.E. BR.) GOLDBL. & DE VOS
(=Homoglossum hollandii L. Bol. var. hollandii) #
(=Homoglossum hollandii L. Bol. var.
zitzikamense L. Bol.) #
(=Homoglossum huttonii N.E. Br.) 12
7650 G. MAGNIFICUS (HARMS.) GOLDBL.
(=Chasmanthe spectabilis (Schinz) N.E. Br.) #
(=Oenostachys zambesiaca (Bak.) Goldbl.) 12
(=Petamenes spectabilis (Schinz) Phill.) #
9350 G. OVERBERGENSIS GOLDBL. & DE VOS
(=Homoglossum guthriei (L. Bol.) L. Bol.) #
10250 G. PRIORII (N.E. BR.) GOLDBL. & DE VOS
(=Homoglossum priorii (N.E. Br.) N.E. Br.) #
10650 G. QUADRANGULARIS (BURM. F.) AIT.
(=Homoglossum quadrangulare (Burm. f.) N.E.
Br.) 12
11240 G. SACCATUS (KLATT) GOLDBL. & DE VOS
SUBSP. SACCATUS
(=Anomalesia saccata (Klatt) Goldbl.) 12
(=Kentrosiphon saccatus (Klatt) N.E. Br.) #
(=Petamenes saccatus (Klatt) Phill.) #
11260 G. SACCATUS (KLATT) GOLDBL. & DE VOS
SUBSP. STEINGROEVERI (PAX)
GOLDBL. & DE VOS
(=Anomalesia saccata (Klatt) Goldbl. subsp.
steingroeveri (Pax) Oberm. comb. nov.
ined.) #
(=Kentrosiphon saccatus (Klatt) N.E. Br. subsp.
steingroeveri (Pax) Oberm.) 12
(=Kentrosiphon steingroeveri (Pax) N.E. Br.) #
(=Petamenes steingroeveri (Pax) Phill.) #
11850 G. SPLENDENS (SWEET) HERB.
(=Anomalesia splendens (Sweet) N.E. Br.) 12
(=Petamenes splendens (Sweet) Phill.) #
12450 G. TRETIFOLIUS GOLDBL. & DE VOS
(=Homoglossum murii (L. Bol.) L. Bol.) #
13150 G. VANDERMERWEI (L. BOL.) GOLDBL. & DE
VOS

- (=Homoglossum vandermerwei (L. Bol.) L. Bol.) #
- 14070 G. WATSONIUS THUNB. VAR. MACULOSUS DE VOS & GOLDBL.
- 14090 G. WATSONIUS THUNB. VAR. WATSONIUS (=Homoglossum watsonium (Thunb.) N.E. Br.) 12
- 1311010 -Homoglossum Salisb. = GLADIOLUS
H. abbreviatum (Andr.) Goldbl. = GLADIOLUS ABBREVIATUS
H. fourcadei (L. Bol.) N.E. Br. = GLADIOLUS FOURCADEI
H. guthriei (L. Bol.) L. Bol. = GLADIOLUS OVERBERGENSIS
H. hollandii L. Bol. var. hollandii = GLADIOLUS HUTTONII
H. hollandii L. Bol. var. zitzikamense L. Bol. = GLADIOLUS HUTTONII
H. huttonii N.E. Br. = GLADIOLUS HUTTONII
H. merianellum (Thunb.) Bak. var. aureum G.J. Lewis = GLADIOLUS BONAESPEI
H. merianellum (Thunb.) Bak. var. merianellum = GLADIOLUS BONAESPEI
H. muirii (L. Bol.) N.E. Br. = GLADIOLUS TERETIFOLIUS
H. priorii (N.E. Br.) N.E. Br. = GLADIOLUS PRIORII
H. quadrangulare (Burm. f.) N.E. Br. = GLADIOLUS QUADRANGULARIS
H. vandermerwei (L. Bol.) L. Bol. = GLADIOLUS VANDERMERWEI
H. watsonium (Thunb.) N.E. Br. = GLADIOLUS WATSONIUS VAR. WATSONIUS
- 1311020 -Anomalesia N.E. Br. = GLADIOLUS
A. cunonia (L.) N.E. Br. = GLADIOLUS CUNONIUS
A. saccata (Klatt) Goldbl. = GLADIOLUS SACCATUS SUBSP. SACCATUS
A. saccata (Klatt) Goldbl. subsp. steingroeveri (Pax) Oberm. comb. ined. = GLADIOLUS SACCATUS SUBSP. STEINGROEVERI
A. splendens (Sweet) N.E. Br. = GLADIOLUS SPLENDENS
- 1311030 -Oenostachys Bullock = GLADIOLUS
O. zambeziacus (Bak.) Goldbl. = GLADIOLUS MAGNIFICUS
- 1311050 -Kentrosiphon N.E. Br. = GLADIOLUS
K. saccatus (Klatt) N.E. Br. = GLADIOLUS SACCATUS SUBSP. SACCATUS
K. saccatus (Klatt) N.E. Br. subsp. steingroeveri (Pax) Oberm. = GLADIOLUS SACCATUS SUBSP. STEINGROEVERI
K. steingroeveri (Pax) N.E. Br. = GLADIOLUS SACCATUS SUBSP. STEINGROEVERI
- 1312000 -Antholyza L. = BABIANA, CHASMANTHE, TRITONIOPSIS
A. lucidor Bak. = TRITONIOPSIS TRITICEA
A. plicata L. f. = BABIANA THUNBERGII
A. ringens L. = BABIANA RINGENS
- 1312010 -TRITONIOPSIS L. BOL.
2. GOLDBLATT. 1990. S. AFR. J. BOT. 56,5: 577-582.
#. PRE HERBARIUM PRACTICE, FOLLOWING REID.
- 240 T. BURCHELLII (N.E. BR.) GOLDBL.
(=Anapalina burchellii (N.E. Br.) N.E. Br.) #
- 260 T. CAFFRA (KER-GAWL. EX BAK.) GOLDBL.
(=Anapalina caffra (Ker-Gawl. ex Bak.) G.J. Lewis) #
(=Chasmanthe caffra (Bak.) N.E. Br.) #
(=Petamenes caffra (Bak.) Phill.) #
- 650 T. INTERMEDIA (BAK.) GOLDBL.
(=Anapalina intermedia (Bak.) G.J. Lewis) #
(=Chasmanthe intermedia (Bak.) N.E. Br.) #
(=Petamenes intermedia (Bak.) Phill.) #
- 1050 T. LONGITUBA (FOURC.) GOLDBL.
(=Anapalina longituba Fourc.) 2
- 1200 T. NERVOSA (BAK.) G.J. LEWIS
(Note: T. nervosa (Thunb.) Goldbl. is an invalid combination.)
- 1650 T. PULCHRA (BAK.) GOLDBL.
(=Anapalina pulchra (Bak.) N.E. Br.) #
- 1950 T. TRITICEA (BURM. F.) GOLDBL.
(=Anapalina triticea (Burm. f.) N.E. Br.) #
(=Antholyza lucidor Bak.) #
- 2100 T. WILLIAMSIANA GOLDBL.
- 1312020 -Anapalina N.E. Br. = TRITONIOPSIS
(All species to be transferred to TRITONIOPSIS, but not all combinations validly published.)
A. burchellii (N.E. Br.) N.E. Br. = TRITONIOPSIS BURCHELLII
A. caffra (Ker-Gawl. ex Bak.) G.J. Lewis = TRITONIOPSIS CAFFRA
A. intermedia (Bak.) G.J. Lewis = TRITONIOPSIS INTERMEDIA
A. longituba Fourc. = TRITONIOPSIS LONGITUBA
500 A. NERVOSA (THUNB.) G.J. LEWIS
A. pulchra (Bak.) N.E. Br. = TRITONIOPSIS PULCHRA
A. triticea (Burm. f.) N.E. Br. = TRITONIOPSIS TRITICEA
- 1312030 -Anaclanthe N.E. Br. = BABIANA
A. namaquensis N.E. Br. = BABIANA THUNBERGII
A. plicata (L. f.) N.E. Br. = BABIANA THUNBERGII
- 1313010 -THEREIANTHUS G.J. LEWIS
2. GOLDBLATT. 1989. ANN. KIRSTENB. BOT. GARD. 19: 143.
#. PRE HERBARIUM PRACTICE, FOLLOWING REID.
T. lapeyrousioides (Bak.) G.J. Lewis var. elatior G.J. Lewis = T. MINUTUS
T. lapeyrousioides (Bak.) G.J. Lewis var. lapeyrousioides = T. MINUTUS
550 T. MINUTUS (KLATT) G.J. LEWIS
(=T. lapeyrousioides (Bak.) G.J. Lewis var. elatior G.J. Lewis) #
(=T. lapeyrousioides (Bak.) G.J. Lewis var. lapeyrousioides) 2
- 1314000 -LAPEIROUSIA POURRET
4. GOLDBLATT. 1990. ANN. MISSOURI BOT. GARD. 77: 430-484.
L. caudata Schinz subsp. burchellii (Bak.) Marais & Goldbl. = L. LITTORALIS SUBSP. LITTORALIS
L. caudata Schinz subsp. caudata = L. LITTORALIS SUBSP. CAUDATA
L. cyanescens Bak. = L. SCHIMPERI
2020 L. LITTORALIS BAK. SUBSP. CAUDATA (SCHINZ) GOLDBLATT
(=L. caudata Schinz subsp. caudata) 4
2040 L. LITTORALIS BAK. SUBSP. LITTORALIS
(=L. caudata Schinz subsp. burchellii (Bak.) Marais & Goldblatt) 4
(=L. ramosissima Dinter) 4
2060 L. MASUKUENSIS VAUPEL & SCHLTR.
L. ramosissima Dinter = L. LITTORALIS SUBSP. LITTORALIS
3000 L. SCHIMPERI (ASCHERS. & KLATT) MILNE-REDH.
(=L. cyanescens Bak.) 4
- ZINGIBERACEAE 1324000
- 1346000 -KAEMPFERIA L. Revision: R.M. Smith (E).
K. montagui Leighton = SIPHONCHILUS KIRKII
K. rosea Schweinf. ex Bak. = SIPHONCHILUS KIRKII
- 1346010 -SIPHONCHILUS WOOD & FRANKS Revision: R.M. Smith (E).
4. LOCK. 1985. FTEA.
#. PRE HERBARIUM PRACTICE, FOLLOWING OBERMEYER.

- 150 S. KIRKII (HOOK. F.) BAK.
(=Kaempferia montagui Leighton) #
(=Kaempferia rosea Schweinf. ex Bak.) 4
- ORCHIDACEAE 1389000
- 1408000 –HOLOTHRIX L.C. RICH. EX HOOK. Revision: K. Immelman (PRE).
- 2550 H. VILLOSA LINDL. VAR. CONDENSATA (SOND.) IMMELMAN
(Note change in species number)
- 1434000 –DISA BERG.
10. LINDER. 1986. BOTHALIA 16: 56–57.
- 750 D. CEPHALOTES REICHB. F. SUBSP. FRIGIDA (SCHLTR.) LINDER
(Note change in species number)
- 2270 D. GLANDULOSA BURCH. EX LINDL.
(Note change in species number)
- 2700 D. LONGICORNU L. F.
(Note new spelling)
- 6450 D. TRIPETALOIDES (L. F.) N.E. BR. SUBSP. AURATA (H. BOL.) LINDER
(Note change in species number)
- 7000 D. VASSELOTII H. BOL. EX SCHLTR.
(Note author correction)
- 1436000 –MONADENIA LINDL.
2050 M. RUFESCENS (THUNB.) LINDL.
(Note author correction)
- 1437000 –DISPERIS SWARTZ.
2. MANNING. 1990. S. AFR. J. BOT. 56,4: 493–496.
- 600 D. BOLUSIANA SCHLTR. EX H. BOL. SUBSP. BOLUSIANA
(Note author correction)
- 650 D. BOLUSIANA SCHLTR. EX H. BOL. SUBSP. MACROCORYS (ROLFE) J.C. MANNING
(=D. macrocorys Rolfe) 2
- 750 D. CAPENSIS (L.) SWARTZ VAR. BREVICAUDATA ROLFE
(Note change in species number)
- 950 D. CIRCUMFLEXA (L.) DUR. & SCHINZ SUBSP. AEMULA (SCHLTR.) J.C. MANNING
(=D. circumflexa (L.) Dur. & Schinz var. aemula Schltr.) 2
- 1000 D. CIRCUMFLEXA (L.) DUR. & SCHINZ SUBSP. CIRCUMFLEXA
D. circumflexa (L.) Dur. & Schinz var. aemula Schltr. = D. CIRCUMFLEXA SUBSP. AEMULA
D. macrocorys Rolfe = D. BOLUSIANA SUBSP. MACROCORYS
D. stenoglossa Schltr. = D. WOODII
- 3500 D. WEALII REICHB. F.
(Note new spelling)
- 3600 D. WOODII H. BOL.
(=D. stenoglossa Schltr.) 2
- 1438020 –ANOCHILUS ROLFE
150 A. HALLII SCHELPE
(Note change in species number)
- 1561000 –ACROLOPHIA PFITZER
A. paniculata Cribb = EULOPHIA CALLICHROMA
- 1648000 –EULOPHIA R. BR. EX LINDL.
3. CRIBB. 1989. FTEA ORCH. 3.
- 250 E. ADENOGLOSSA (LINDL.) REICHB. F.
(=E. nigricans Schltr.) 3
- 450 E. CALLICHROMA REICHB. F.
(=Acrolophia paniculata Cribb) 3
- 2050 E. LIVINGSTONIANA (REICHB. F.) SUMMERH.
(Note author correction)
E. nigricans Schltr. = E. ADENOGLOSSA
- 1648020 –OECEOCLADES LINDL.
50 O. LONCHOPHYLLA (REICHB. F.) GARAY & TAYLOR
(Note change in species number)
- 1705000 –BULBOPHYLLUM THOUARS
50 B. MALAWIENSE MORRIS
(Note change in species number)
- POACEAE Contributed by L. Fish 9900010
- 9900881 –MEGALOPROTACHNE C.E. HUBB.
3. CLAYTON. 1989. FZ 10,3: 130–133.
- 100 M. ALBESCENS C.E. HUBB.
(=M. glabrescens C.E. Hubb.) 3
M. glabrescens Roiv. = M. ALBESCENS
- 9900890 –DIGITARIA HALLER Revision: P.D.F. Kok (PRU).
5. GOETGHEBEUR & V.D. VEKEN. 1989. FZ 10,3: 133–178.
- D. abyssinica (A. Rich.) Stapf (species not recorded in southern Africa; regarded as distinct from D. scalarum)
- 3400 D. SCALARUM (SCHWEINF.) CHIOV.
(=D. vestita Fig. & De Not. var. scalarum (Schweinf.) Henr.) 5
D. vestita Fig. & De Not. var. scalarum (Schweinf.) Henr. = D. SCALARUM
- 9901040 –BRACHIARIA (TRIN.) GRISEB.
5. CLAYTON. 1989. FZ 10,3.
- 350 B. CHUSQUEOIDES (HACK.) CLAYTON
(=Panicum obumbratum Stapf) 5
- 9901070 –PASPALUM L.
5. CLAYTON. 1989. FZ 10,3.
- P. auriculatum Presl = P. SCROBICULATUM
- 550 P. SCROBICULATUM L.
(=P. auriculatum Presl) 5
- 9901160 –PANICUM L.
P. obumbratum Stapf = BRACHIARIA CHUSQUEOIDES
- 9901240 –SACCIOLEPIS NASH
3. CLAYTON. 1989. FZ 10,3.
- S. huillensis (Rendle) Stapf = S. SPICIFORMIS
- 755 S. SPICIFORMIS (A. RICH.) STAPF
(=S. huillensis (Rendle) Stapf) 3
- 9901380 –ANTHEPHORA SCHREB.
2. CLAYTON. 1989. FZ 10,3.
- A. angustifolia Goossens = A. ARGENTEA
- 200 A. ARGENTEA GOOSSENS
(=A. angustifolia Goossens) 2
- 9901752 –LOUDETIOPSIS CONERT
L. glabrata (K. Schum.) Conert (species does not occur in southern Africa)
- 9902630 –STIPA L.
4. BARKWORTH. 1990. TAXON 39,4: 597–614.
- S. neesiana Trin. & Rupr. = NASSELLA NEESIANA
S. tenuissima Trin. = NASSELLA TENUISSIMA
- 9902650 –NASSELLA DESV.
3. BARKWORTH. 1990. TAXON 39,4: 597–614.
- 25 N. NEESIANA (TRIN. & RUPR.) BARKWORTH
(=Stipa neesiana Trin. & Rupr.) 3
- 50 N. TENUISSIMA (TRIN.) BARKWORTH
(=Stipa tenuissima Trin.) 3
- 9902830 –SPOROBOLUS R. BR.
5. VELDKAMP. 1990. KEW BULL. 45,3: 581.
- S. artus Stent = S. SUBULATUS
S. mauritanus (Steud.) Dur. & Schinz (species does not occur in southern Africa)
S. mauritanus auct. non (Steud.) Dur. & Schinz = S. SUBULATUS
- 3450 S. SUBULATUS HACK.
(=S. artus Stent) 2,5
(=S. mauritanus auct. non (Steud.) Dur. & Schinz) 5

9902860 –ERAGROSTIS WOLF
II. DE WINTER. 1990. BOTHALIA 20,2: 208–209.
2050 E. COMPTONII DE WINTER (Described from
Swaziland 2631 (MBABANE); hill NE of
Mbabane, Compton 26766)
4000 E. LAPPULA NEES
(=E. lappula Nees var. divaricata Stapf) 9
E. lappula Nees var. divaricata Stapf = E. LAPPULA

DICOTYLEDONAE

MORACEAE Contributed by M. Jordaan 1908000
1913000 –MORUS L.
1. COATES PALGRAVE. 1977. TREES SN AFR.
100
M. lactea (Sim) Mildbr. = M. MESOZYGIA
300 M. MESOZYGIA STAPP
(=M. lactea (Sim) Mildbr.) 1
1960000 –Bosquiea Thouars ex Baill. = TRILEPISIUM
B. phoberos Baill. = TRILEPISIUM
MADAGASCARIENSE
1960010 –TRILEPISIUM THOUARS
1. BERG ET AL. 1984. FL. DU GABON 26:
104–108.
100 T. MADAGASCARIENSE DC.
(=Bosquiea phoberos Baill.) 1
1961000 –FICUS L.
7. VAN GREUNING. 1990. S. AFR. J. BOT. 56,6:
599–630.
1900 F. SANSIBARICA WARB. SUBSP. SANSIBARICA
2500 F. TREMULA WARB. SUBSP. TREMULA
URTICACEAE Contributed by M. Jordaan 1974000
1974000 –URTICA L.
200 U. LOBULATA E. MEY. EX BLUME
(Note author correction)
PROTEACEAE Contributed by M. Jordaan 2016000
2030000 –SERRURIA SALISB.
2. ROURKE. 1982. JL S. AFR. BOT. 48,2: 285–293.
3. BOND & GOLDBLATT. 1984. JL S. AFR. BOT.
SUPPL. 13: 375–377.
4. ROURKE. 1990. S. AFR. J. BOT. 56,4: 497–505.
200 S. ADSCENDENS (LAM.) R. BR.
S. adscendens (Lam.) R. Br. var. decipiens (R. Br.)
Hutch. = S. DECIPIENS
300 S. AEMULA SALISB. EX KNIGHT
(=S. ciliata R. Br. var. ciliata) 3
S. aemula Salisb. ex Knight var. heterophylla (Meisn.)
Hutch. = S. HETEROPHYLLA
500 S. AITONII R. BR.
(=S. argentifolia Phill. & Hutch.) 3
S. anethifolia Knight = S. TRITERNATA
S. argentifolia Phill. & Hutch. = S. AITONII
S. artemisiifolia Knight = S. PEDUNCULATA
S. barbigera Knight = S. PHYLCOIDES
S. biglandulosa Schltr. = S. FASCIFLORA
S. bolusii Phill. & Hutch. = S. NERVOSA
1450 S. BROWNII MEISN.
S. burmannii R. Br. = S. FASCIFLORA
S. ciliata R. Br. var. ciliata = S. AEMULA
S. ciliata R. Br. var. congesta (R. Br.) Hutch. = S.
FOENICULACEA
2000 S. COLLINA SALISB. EX KNIGHT
(=S. flagellaris R. Br.) 3
2450 S. DECIPIENS R. BR.
(=S. adscendens (Lam.) R. Br. var. decipiens (R.
Br.) Hutch.) 3
2475 S. DECUMBENS (THUNB.) R. BR.
(=S. hyemalis Knight) 3
2550 S. DELUVIALIS ROURKE
2750 S. EFFUSA ROURKE
2800 S. ELONGATA (BERG.) R. BR.

3100 S. FASCIFLORA SALISB. EX KNIGHT
(=S. biglandulosa Schltr.) 3
(=S. burmannii R. Br.) 3
(=S. knightii Hutch.) 3
(=S. pauciflora Phill. & Hutch.) 3
(=S. subsericea Hutch.) 3
S. flagellaris R. Br. = S. COLLINA
S. FLAVA MEISN.
3400 S. FLORIDA (THUNB.) SALISB. EX KNIGHT
3500
3600 S. FOENICULACEA R. BR.
(=S. ciliata R. Br. var. congesta (R. Br.) Hutch.) 3
4250 S. HETEROPHYLLA MEISN.
(=S. aemula Salisb. ex Knight var. heterophylla
(Meisn.) Hutch.) 3
S. hyemalis Knight = S. DECUMBENS
4600 S. INCRASSATA MEISN.
S. knightii Hutch. = S. FASCIFLORA
5000 S. LINEARIS SALISB. EX KNIGHT
(=S. simplicifolia R. Br.) 3
S. longipes Phill. & Hutch. = S. PEDUNCULATA
5300 S. MILLEFOLIA SALISB. EX KNIGHT
5600 S. NERVOSA MEISN.
(=S. bolusii Phill. & Hutch.) 3
S. pauciflora Phill. & Hutch. = S. FASCIFLORA
5800 S. PEDUNCULATA (LAM.) R. BR.
(=S. artemisiifolia Knight) 3
(=S. longipes Phill. & Hutch.) 3
5850 S. PHYLCOIDES (BERG.) R. BR.
(=S. barbigera Knight) 3
5950 S. PLUMOSA MEISN.
6250 S. REFLEXA ROURKE
6275 S. ROSEA PHILL.
6300 S. ROSTELLARIS SALISB. EX KNIGHT
(Note author correction)
S. simplicifolia R. Br. = S. LINEARIS
S. subsericea Hutch. = S. FASCIFLORA
6800 S. TRILOPHA SALISB. EX KNIGHT
6850 S. TRITERNATA (THUNB.) R. BR.
(=S. anethifolia Knight) 3
S. vallis Knight = S. VILLOSA
7020 S. VILLOSA (LAM.) R. BR.
(=S. vallis Knight) 3
7030 S. VIRIDIFOLIA ROURKE

The following names in Fl. Cap. have not been accounted for:

S. aitonii R. Br. var. multifida Meisn.
S. anemonefolia Knight
S. bergii R. Br.
S. chlamidiflora Knight
S. colorata Buek
S. concinna Knight
S. delphinifolia Knight
S. elumbis Knight
S. fallax Knight
S. foliosa Knight
S. frondosa Knight
S. gremiiflora Knight
S. montana Knight
S. pulchella Knight
S. quinquestris Knight
S. rangiferina Knight
S. zanthophylla Knight

2031000 –MIMETES SALISB.
M. purpureus (L.) R. Br. = DIASTELLA
PROTEOIDES
2031020 –DIASTELLA SALISB.
1. ROURKE. 1976. JL S. AFR. BOT. 42,1: 185–210.
850 D. PROTEOIDES (L.) DRUCE
(=Mimetes purpureus (L.) R. Br.) 1
2034000 –FAUREA HARV.
2. COATES PALGRAVE. 1977. TREES SN AFR.
125–127.
(=F. natalensis Phill.) 2
F. natalensis Phill. = F. MACNAUGHTONII

- 2037000 –LEUCADENDRON R. BR.
2. VAN WYK. 1990. S. AFR. J. BOT. 56,4:
458–466.
- 6050 L. PONDOENSE VAN WYK
- SANTALACEAE Contributed by M. Jordaan 2096000
- 2104000 –COLPOON BERG.
2. BEAN. 1990. S. AFR. J. BOT. 56,6: 665–669.
- 200 C. SPECIOSUM (A.W. HILL) BEAN
- 2117000 –THESIDIUM SOND.
2. BOND & GOLDBLATT. 1984. JL S. AFR. BOT.
SUPPL. 13: 405–406.
- 100 T. FRAGILE (THUNB.) SOND.
(Note author correction)
- 350 T. LEPTOSTACHYUM (A. DC.) SOND.
- 500 T. MICROCARPUM (A. DC.) A. DC.
(Note author correction)
- 650 T. PODOCARPUM (A. DC.) A. DC.
(=T. thunbergii Sond.) 2
T. thunbergii Sond. = T. PODOCARPUM
- GRUBBIACEAE Contributed by M. Jordaan 2121000
- 2121000 –GRUBBIA BERG. Revision: S. Carlquist (POM).
425 G. ROSMARINIFOLIA BERG. SUBSP. HIRSUTA
(E. MEY. EX DC.) S. CARLQUIST
(Note change in species number)
- 520 G. ROURKEI S. CARLQUIST
(Note change in species number)
- OLACACEAE Contributed by M. Jordaan 2129000
- 2136000 –XIMENIA L.
2. GARCIA & VIDIGAL. 1979. FL. MOZAM. 44:
1–5.
- 150 X. AMERICANA L. VAR. AMERICANA
- 175 X. AMERICANA L. VAR. MICROPHYLLA WELW.
EX OLIV.
(=X. rogersii Burtt Davy) 1
X. rogersii Burtt Davy = X. AMERICANA VAR.
MICROPHYLLA
- ARISTOLOCHIACEAE Contributed by M. Jordaan 2169000
- 2174000 –ARISTOLOCHIA L.
3. VERDCOURT. 1986. FTEA.
ARISTOLOCHIACEAE 4–11.
- 25 A. ALBIDA DUCH.
(=A. bainesii Burtt Davy) 3
A. bainesii Burtt Davy = A. ALBIDA
- POLYGONACEAE Contributed by G. Germishuizen 2184000
- 2194000 –EMEX NECK. (Note author correction)
- 2201000 –POLYGONUM L. Revision: G. Germishuizen (PRE).
P. alatum Buch.-Ham. ex Spreng. = PERSICARIA
NEPALENSIS
P. amphibium L. = PERSICARIA AMPHIBIA *
P. capitatum Buch.-Ham. ex D. Don = PERSICARIA
CAPITATA *
P. convolvulus L. = FALLOPIA CONVULVULUS
P. glutinosum Meisn. var. capensis Meisn. =
PERSICARIA SENEGALENSIS
FORMA ALBOTOMENTOSA
P. hydropiper L. = PERSICARIA HYDROPIPER *
P. lanigerum R. Br. var. africanum Meisn. =
PERSICARIA SENEGALENSIS
FORMA ALBOTOMENTOSA
P. lapathifolium L. subsp. maculatum (S.F. Gray)
T.-Dyer & Trim. = PERSICARIA
LAPATHIFOLIA *
P. lapathifolium L. var. maculatum T.-Dyer & Trim. =
PERSICARIA LAPATHIFOLIA *
P. limbatum Meisn. = PERSICARIA LIMBATA *
P. nepalense Meisn. = PERSICARIA NEPALENSIS *
P. piliferum Tikovsky = PERSICARIA LIMBATA *
P. pulchrum Blume (species does not occur in southern
Africa)
- P. pulchrum auct. non Blume = PERSICARIA
ATTENUATA SUBSP. AFRICANA
P. salicifolium Willd. = PERSICARIA SERRULATA
P. sambesiacum Schuster = PERSICARIA
SENEGALENSIS FORMA
SENEGALENSIS
P. schinzii C.H. Wr. = PERSICARIA LIMBATA *
P. senegalense Meisn. subsp. albotomentosum (R.A.
Grah.) Germishuizen = PERSICARIA
SENEGALENSIS FORMA
ALBOTOMENTOSA
P. senegalense Meisn. subsp. senegalense =
PERSICARIA SENEGALENSIS
FORMA SENEGALENSIS
P. senegalense Meisn. forma albotomentosum R.A.
Grah. = PERSICARIA
SENEGALENSIS FORMA
ALBOTOMENTOSA
P. serrulatum Lag. = PERSICARIA SERRULATA
P. tomentosum Willd. (species does not occur in
southern Africa)
- 2201010 –Bilderdykia Dumort. = FALLOPIA
B. convolvulus (L.) Dumort. = FALLOPIA
CONVOLVULUS
- 2201030 –PERSICARIA MILL.
1. WILSON. 1988. TELOPEA 3,2: 177–182.
2. WILSON. 1990. KEW BULL. 45,4: 621–636.
#. PRE HERBARIUM GERMISHUIZEN.
- 100 P. AMPHIBIA (L.) S.F. GRAY *
(=Polygonum amphibium L.) #
- 200 P. ATTENUATA (R. BR.) SOJAK SUBSP.
AFRICANA K.L. WILSON
(=Polygonum pulchrum auct. non Blume) #
- 300 P. CAPITATA (BUCH.-HAM. EX D. DON) H.
GROSS *
(=Polygonum capitatum Buch.-Ham. ex D. Don) #
- 400 P. HYDROPIPER (L.) SPACH. *
(=Polygonum hydropiper L.) #
- 600 P. LAPATHIFOLIA (L.) S.F. GRAY *
(=Polygonum lapathifolium L. subsp. maculatum
(S.F. Gray) T.-Dyer & Trim.) #
(=Polygonum lapathifolium L. var. maculatum
T.-Dyer & Trim.) #
- 700 P. LIMBATA (MEISN.) HARA *
(=Polygonum limbatum Meisn.) #
(=Polygonum piliferum Tikovsky) #
(=Polygonum schinzii C.H. Wr.) #
- 900 P. NEPALENSIS (MEISN.) H. GROSS *
(=Polygonum alatum Buch.-Ham. ex Spreng.) #
(=Polygonum nepalense Meisn.) #
- 1000 P. SENEGALENSIS (MEISN.) SOJAK FORMA
ALBOTOMENTOSA (R.A. GRAH.)
K.L. WILSON
(=Polygonum glutinosum Meisn. var. capensis
Meisn.) #
(=Polygonum lanigerum R. Br. var. africanum
Meisn.) #
(=Polygonum senegalense Meisn. subsp.
albotomentosum R.A. Grah.) #
(=Polygonum senegalense Meisn. forma
albotomentosum R.A. Grah.) #
- 1100 P. SENEGALENSIS (MEISN.) SOJAK FORMA
SENEGALENSIS
(=Polygonum sambesiacum Schuster) #
(=Polygonum senegalense Meisn. subsp.
senegalense) #
- 1200 P. SERRULATA (LAG.) WEBB & MOQ.
(=Polygonum salicifolium Willd.) #
(=Polygonum serrulatum Lag.) #
- 2201040 –FALLOPIA ADANS.
1. HOLUB. 1971. FOLIA GEOBOTANICA ET
PHYTOTAXONOMICA
BOHEMOS-LAVAKA PRAHA 6: 176.
- 100 F. CONVULVULUS (L.) HOLUB
(=Bilderdykia convolvulus (L.) Dumort.) #
(=Polygonum convolvulus L.) #

- 2204000 -OXYGONUM BURCH. EX CAMPD.
(Note author correction)
- CHENOPODIACEAE Contributed by M. Jordaan 221400
- 2255000 -Arthrocnemum Moq. = HALOSARCIA,
SARCOCORNIA
A. indicum (Willd.) Moq. = HALOCORNIA INDICA
- 2255020 -HALOSARCIA P.G. WILSON
1. WILSON. 1980. NUYTSIA 3: 63.
2. BRENAN. 1988. FZ 9,1: 147-149.
100 H. INDICA (WILLD.) P.G. WILSON
(=Arthrocnemum indicum (Willd.) Moq.) 2
- 2257000 -SALICORNIA L.
2. BRENAN. 1988. FZ 9,1: 153-154.
200 S. PACHYSTACHYA BUNGE EX UNG.-STERNB.
(Note author correction)
250 S. PERRIERI CHEV.
- 2287000 -LOPHIOCARPUS TURCZ.
3. NOWICKE. 1969. ANN. MISS. BOT. GARD. 56:
288.
4. STANNARD. 1988. FZ 9,1: 169-173.
150 L. LATIFOLIUS NOWICKE
- AMARANTHACEAE Contributed by M. Jordaan 2289000
- 2293000 -HERMBSTAEDTIA REICHB.
3. TOWNSEND. 1988. FZ 9,1: 39-45.
25 H. ANGOLENSIS C.B. CL.
225 H. EXELLII (SUESSENG.) C.C. TOWNSEND
360 H. ODORATA (BURCH.) T. COOKE VAR.
ALBI-ROSEA SUESSENG.
- 2312000 -CYATHULA BLUME
4. TOWNSEND. 1988. FZ 9,1: 79-87.
C. albida Lopr. = C. CYLINDRICA
C. crispa Schinz = C. LANCEOLATA
300 C. CYLINDRICA MOQ.
(=C. albida Lopr.) 4
C. hereroensis Schinz = C. LANCEOLATA
600 C. LANCEOLATA SCHINZ.
(=C. crispa Schinz) 4
(=C. hereroensis Schinz) 4
- 2314000 -PUPALIA JUSS.
3. TOWNSEND. 1979. KEW BULL. 34: 131-142.
4. TOWNSEND. 1988. FZ 9,1: 88-93.
P. atropurpurea (Lam.) Moq. = P. LAPPACEA VAR.
LAPPACEA
200 P. LAPPACEA (L.) JUSS. VAR. LAPPACEA *
(=Achyranthes atropurpurea Lam.) 4
(=Achyranthes lappacea L.) 2,4
(=Desmochaeta atropurpurea DC.) 4
(=P. atropurpurea (Lam.) Moq.) 4
300 P. LAPPACEA (L.) JUSS. VAR. VELUTINA (MOQ.)
HOOK. F. *
400 P. MICRANTHA HAUMAN *
- 2314010 -Desmochaeta DC. = CYATHULA, PUPALIA
D. atropurpurea DC. = PUPALIA LAPPACEAE
VAR. LAPPACEA
- 2317000 -AERVA FORSSK.
3. TOWNSEND. 1988. FZ 9,1: 93-97.
50 A. JAVANICA (BURM. F.) JUSS. EX J.A.
SCHULTES
(=A. persica (Burm. f.) Merr.) 3
(=A. tomentosa Forssk.) 3
100 A. LANATA (L.) JUSS. EX J.A. SCHULTES
(Note author correction)
A. persica (Burm. f.) Merr. = A. JAVANICA
A. tomentosa Forssk. = A. JAVANICA
- 2318000 -NOTHOSAERVA WIGHT
1. TOWNSEND. 1988. FZ 9,1: 97-99.
100 N. BRACHIATA (L.) WIGHT
- 2324000 -PSILOTRICHUM BLUME
1. BAKER & CLARKE. 1909. FL. TROP. AFR. 6:
58.
2. VERDCOURT. 1964. KEW BULL. 17: 492.
3. TOWNSEND. 1988. FZ 9,1: 104.
P. africanum Oliv. = P. SCLERANTHUM
200 P. SCLERANTHUM THW.
(=P. africanum Oliv.) 2
- 2328000 -ACHYRANTHES L.
2. TOWNSEND. 1988. FZ 9,1: 105-109.
A. aquatica R. Br. = CENTROSTACHYS AQUATICA
A. argentea Lam. = A. ASPERA VAR. SICULA *
100 A. ASPERA L. VAR. ASPERA *
150 A. ASPERA L. VAR. PUBESCENS (MOQ.)
TOWNSEND *
175 A. ASPERA L. VAR. SICULA L. *
(=A. argentea Lam.) 2
(=A. sicula (L.) All.) 2
A. atropurpurea Lam. = PUPALIA LAPPACEAE
VAR. LAPPACEA
A. lappacea L. = PUPALIA LAPPACEA VAR.
LAPPACEA
A. sicula (L.) All. = A. ASPERA VAR. SICULA *
- 2328010 -PANDIAKA (MOQ.) HOOK. F.
2. TOWNSEND. 1988. FZ 9,1: 121.
100 P. CARSONII (BAK.) C.B. CL. VAR. CARSONII
- 2328020 -ACHYROPSIS (MOQ.) HOOK. F.
2. TOWNSEND. 1980. KEW BULL. 34: 431-433.
3. TOWNSEND. 1988. FZ 9,1: 112.
100 A. AVICULARIS (E. MEY. EX MOQ.) COOKE &
WRIGHT
(Note author correction)
200 A. LEPTOSTACHYA (E. MEY. EX MEISN.) BAK. &
C.B. CL.
(Note author correction)
- 2328030 -CENTROSTACHYS WALL.
1. TOWNSEND. 1988. FZ 9,1: 109-110.
100 C. AQUATICA (R. BR.) WALL. EX MOQ.
(=Achyranthes aquatica R. Br.) 1
- 2330000 -Brayulinea Small = GUILLEMINEA KUNTH
B. densa (Willd.) Small = GUILLEMINEA DENSA
- 2330010 -GUILLEMINEA KUNTH
1. TOWNSEND. 1988. FZ 9,1: 122-124.
100 G. DENSA (WILLD.) MOQ.
(=Brayulinea densa (Willd.) Small) 1
(=Illecebrum densum Willd. ex Roem. & Schult.) 1
- 2335010 -ILLECEBRUM L. Southern African species moved
to GUILLEMINEA
I. densum Willd. ex Roem. & Schult. =
GUILLEMINEA DENSA
- NYCTAGINACEAE Contributed by M. Jordaan 2343000
- 2347010 -COMMICARPUS STANDLEY
3. MEIKLE. 1978. NOTES R. BOT. GDN EDINB.
36,2: 235-249.
4. STANNARD. 1988. FZ 9,1: 15-20.
C. africanus (Lour.) Dandy (name excluded)
C. africanus auct. non (Lour.) Dandy = C.
PLUMBAGINEUS
150 C. CHINENSIS (L.) HEIMERL SUBSP.
NATALENSIS MEIKLF
175 C. DECIPIENS MEIKLE
250 C. FRUTICOSUS POHNERT
275 C. HELENAE (SCHULTES) MEIKLE
350 C. PILOSUS (HEIMERL) MEIKLE
375 C. PLUMBAGINEUS (CAV.) STANDLEY
(=C. africanus auct. non (Lour.) Dandy) 4
- 2349000 -BOERHAVIA L. Revision: L.E. Codd (PRE).
4. STANNARD. 1988. FZ 9,1: 20-25.
B. bracteata T. Cooke = B. COCCINEA

- 25 B. COCCINEA MILL.
 (=B. bracteata T. Cooke) 4
 (=B. diffusa L. var. hirsuta Heimerl) 4
 (=B. diffusa L. var. viscosa (Lag. & Rodr.)
 Heimerl) 4
 (=B. marlothii Heimerl) 4
 200 B. DIFFUSA L. *
 B. diffusa L. var. hirsuta Heimerl = B. COCCINEA
 B. diffusa L. var. viscosa (Lag. & Rodr.) Heimerl = B.
 COCCINEA
 B. marlothii Heimerl = B. COCCINEA

AIZOACEAE CONTINUED Contributed by M. Jordaan

- 2382000 -GISEKIA L.
 3. GONCALVES. 1978. FZ 4: 522-525.
 300 G. PHARNACIOIDES L. VAR. PHARNACIOIDES
 2388000 -GLINUS L.
 3. GONCALVES. 1978. FZ 4: 537-541.
 400 G. OPPOSITIFOLIUS (L.) DC. VAR.
 OPPOSITIFOLIUS
 2389000 -PHARNACEUM L.
 4. GONCALVES. 1978. FZ 4: 544-546.
 P. scleranthoides Sond. = SUESSENGUTHIELLA
 SCLERANTHOIDES
 2389010 -SUESSENGUTHIELLA FRIEDR.
 1. FRIEDRICH. 1955. MITT. BOT. STAATSSL.
 MUNCHEN 2: 60.
 2. FRIEDRICH. 1960. MITT. BOT. STAATSSL.
 MUNCHEN 3: 616.
 3. FRIEDRICH. 1966. FSWA 26: 21.
 4. BOND & GOLDBLATT. 1984. JL S. AFR. BOT.
 SUPPL. 13: 136.
 100 S. CAESPITOSA FRIEDR.
 200 S. SCLERANTHOIDES (SOND.) FRIEDR.
 (=Pharnaceum scleranthoides Sond.) 4
 2390000 -HYPERTELIS E. MEY. EX FENZL
 1. ADAMSON. 1958. JL S. AFR. BOT. 24,1: 51-59.
 3. SMITH. 1966. COMMON NAMES OF S.A.
 PLANTS.
 4. GONCALVES. 1978. FZ 4: 546-548.
 50 H. ACIDA (HOOK. F.) K. MULLER
 500 H. SALSOLOIDES (BURCH.) ADAMSON VAR.
 SALSOLOIDES
 2394000 -SESUVIUM L.
 1. ADAMSON. 1962. JL S. AFR. BOT. 28:
 244-245.
 2. GONCALVES. 1970. CONSP. FLOR.
 ANGOLENSIS 4: 322-327.
 3. GONCALVES. 1978. FZ 4: 514-516.
 S. nyasicum (Bak.) Goncalves (does not occur in
 southern Africa)
 175 S. SESUVIOIDES (FENZL) VERDC. VAR.
 ANGUSTIFOLIUM (SCHINZ)
 GONCALVES
 200 S. SESUVIOIDES (FENZL) VERDC. VAR.
 SESUVIOIDES
 2395000 -TRIANTHEMA L.
 3. GONCALVES. 1978. FZ 4: 517.
 150 T. PARVIFOLIA E. MEY. EX SOND. VAR.
 PARVIFOLIA
 (=T. triquetra Rottl. ex Willd. subsp. parvifolia
 (Sond.) Jeffrey) 3
 175 T. PARVIFOLIA E. MEY. EX SOND. VAR. RUBENS
 (SOND.) ADAMSON
 T. triquetra Rottl. ex Willd. subsp. parvifolia (Sond.)
 Jeffrey = T. PARVIFOLIA VAR.
 PARVIFOLIA
 400 T. TRIQUETRA ROTTL. EX WILLD.
 2399000 -GALENIA L.
 1. ADAMSON. 1956. JL S. AFR. BOT. 22,3: 88-123.
 4. BITTRICH. 1990. BOTHALIA 20,2: 217-219.

- 450 G. AFRICANA L. VAR. SECUNDATA ADAMSON
 1650 G. GLANDULIFERA BITTRICH
 2403000 -TETRAGONIA L.
 1. ADAMSON. 1955. JL S. AFR. BOT. 21,3: 110-153.
 3. FRIEDRICH. 1966. FSWA 28: 4.
 4. GONCALVES. 1970. CONSP. FLOR.
 ANGOLENSIS 4: 333.
 500 T. CALYCINA FENZL
 (=T. karasmontana Dinter ex Adamson) 3
 (=T. macroptera Pax) 3
 T. karasmontana Dinter ex Adamson = T. CALYCINA
 T. macroptera Pax = T. CALYCINA

MESEMBRYANTHEACEAE

2405001

Contributed by G. Germishuizen

- 2405010 -ARENIFERA HERRE
 50 A. KUNTZEI (SCHINZ) DINTER & SCHWANT.
 (Note change in species number)
 2405030 -CONOPHYTUM N.E. BR.
 19250 C. MEYERI N.E. BR. VAR. RAMOSUM (LAVIS)
 RAWE
 (Note change in species number)
 2405066 -LAMPRANTHUS N.E. BR.
 19150 L. SPECTABILIS (HAW.) N.E. BR. SUBSP.
 FUGITANS (L. BOL.) GLEN
 (Note change in species number)
 2405079 -MONILARIA SCHWANT.
 1080 M. SCUTATA (L. BOL.) SCHWANT. SUBSP.
 SCUTATA
 (Note change in species number)
 2405116 -SPHALMANTHUS N.E. BR.
 7450 S. QUARZITICUS (L. BOL.) L. BOL.
 (Note change in species number)
 PORTULACACEAE Contributed by M. Jordaan 2406000
 2412000 -ANACAMPSEROS L. Revision: C.
 Gussefeld-Schneider (HEID).
 2. WILD. 1961. FZ 1,2: 367.
 4. BLECK. 1984. CACTUS & SUCC. JL. US 56:
 266.
 A. bremekampii V. Poelln. = A. RHODESICA
 1610 A. LUBBERSII M.B. BLECK
 2100 A. RHODESICA N.E. BR.
 (=A. bremekampii Poelln.) 2
 2375 A. STARKIANA V. POELLN.
 (Note change in species number)

BASELLACEAE

Contributed by M. Jordaan

2424000

- 2427000 -Boussingaultia H.B.K. (genus does not occur in southern
 Africa)
 2428000 -ANREDERA JUSS.
 1. BAILEY & BAILEY. 1977. HORTUS THIRD 81.
 2. STANNARD. 1988. FZ 9,1: 161.
 A. baselloides (H.B.K.) Baill. (misapplied name -
 specimens referable to A. cordifolia)
 200 A. CORDIFOLIA (TEN.) STEENIS

CARYOPHYLLACEAE (PART A)

2429000

Contributed by M. Jordaan

- 2429000 -STELLARIA L.
 3. DANIN. 1990. S. AFR. J. BOT. 56,3: 413.
 150 S. PALLIDA (DUMORT.) PIRE
 2433000 -SAGINA L.
 1. DANIN. 1990. S. AFR. J. BOT. 56,3: 413.
 25 S. APETALA ARD.
 50 S. MARITIMA G. DON
 S. sabuletorum (Gay) Lange (species does not occur in
 southern Africa—specimens referable to
 S. APETALA)

- ILLECEBRACEAE Contributed by M. Jordaan 2467000
 2476000 –HERNIARIA L.
 1. CHAUDHRI. 1968. MED. BOT. LAB. HERB. UTRECHT 285: 354–377.
 650 H. PEARSONII CHAUDHRI
- CARYOPHYLLACEAE (PART B) 2488000
 Contributed by M. Jordaan
- 2490000 –SILENE L. Revision: G. Bocquet (G).
 1. SONDER. 1894. FC 1: 125–129.
 4. BOCQUET. 1977. BOTHALIA 12,2: 309.
 5. BOND & GOLDBLATT. 1984. JL S. AFR. BOT. SUPPL. 13: 322.
 200 S. BURCHELLII OTTH VAR. PILOSELLAEFOLIA SOND.
 500 S. DEWINTERI BOCQUET
 (Note corrections to author and spelling)
 550 S. ECKLONIANA SOND.
 650 S. MUNDIANA ECKL. & ZEYH.
 700 S. ORNATA AIT.
- RANUNCULACEAE Contributed by M. Jordaan 2521000
- 2546000 –RANUNCULUS L.
 600 R. PLEBEIUS R. BR. EX DC.
- ANNONACEAE Contributed by M. Jordaan 2665000
- 2716000 –HEXALOBUS A. DC.
 2. VERDCOURT. 1971. FTEA, ANNONACEAE 44–48.
 100 H. MONOPETALUS (A. RICH.) ENGL. & DIELS VAR. MONOPETALUS
- 2729000 –ANNONA L.
 2. LE THOMAS. 1969. FL. GABON 16: 1–8.
 3. VERDCOURT. 1971. FTEA, ANNONACEAE 112–116.
 100 A. SENEGALENSIS PERS. SUBSP. SENEGALENSIS
- PAPAVERACEAE Contributed by M. Jordaan 2833000
- 2848000 –GLAUCIUM MILLER
 2. BAILEY & BAILEY. 1977. HORTUS THIRD 512.
 100 G. CORNICULATUM (L.) J.H. RUDOLPH *
 (Note author correction)
- 2852000 –ARGEMONE L.
 2. SORARU. 1976. DARWINIANA 20,3–4: 446–451.
 3. EXELL & GONCALVES. 1973. FL. MOZAM. 9: 1–3.
 200 A. OCHROLEUCA SWEET SUBSP. OCHROLEUCA *
 (=A. subfusiformis G.B. Ownbey) 2,3
 A. subfusiformis G.B. Ownbey = A. OCHROLEUCA SUBSP. OCHROLEUCA
- FUMARIACEAE Contributed by M. Jordaan 2858000
- 2858000 –Corydalis Vent. Southern African species moved to CYSTICAPNOS
 C. cracca Schl. = CYSTICAPNOS CRACCA
- 2858010 –Phacocapnos Bernh. = CYSTICAPNOS
 P. burmannii (Eckl. & Zeyh.) Hutch. = CYSTICAPNOS GRANDIFLORA
 P. cracca (Cham. & Schlechtd.) Bernh. = CYSTICAPNOS CRACCA
 P. pruinosa (E. Mey.) Bernh. = CYSTICAPNOS PRUINOSA
- 2858020 –CYSTICAPNOS MILL.
 2. LIDEN. 1986. OPERA BOTANICA 88: 105–108
 100 C. CRACCA (CHAM. & SCHLECHTD.) LIDEN
 (=Corydalis cracca Schl.) 2
 (=Phacocapnos cracca (Cham. & Schlechtd.) Bernh.) 2
- 200 C. GRANDIFLORA BERNH.
 (=Phacocapnos burmannii (Eckl. & Zeyh.) Hutch.) 2
 300 C. PARVIFLORA LIDEN
 400 C. PRUINOSA (BERNH.) LIDEN
 (=Phacocapnos pruinosa (E. Mey.) Bernh.) 2
 500 C. VESICARIA (L.) FEDDE
 (Note new species number)
- 2861000 –FUMARIA L.
 2. SELL. 1964. FL. EUROP. 1: 255–258.
 4. LIDEN. 1986. OPERA BOTANICA 88: 78–88.
 100 F. MURALIS SOND. EX KOCH SUBSP. MURALIS *
 300 F. PARVIFLORA LAM.
- 2861010 –DISCOCAPNOS CHAM. & SCHLECHTD.
 2. BOND & GOLDBLATT. 1984. JL S. AFR. BOT. SUPPL. 13: 301.
 3. LIDEN. 1986. OPERA BOTANICA 88: 104.
 50 D. MUNDTII CHAM. & SCHLECHTD.
 (=D. dregei Hutch.) 3
 D. dregei Hutch. = D. MUNDTII
- 2862000 –TRIGONOCAPNOS SCHLTR.
 1. LIDEN. 1986. OPERA BOTANICA 88: 105.
 T. curvipes Schltr. = T. LICHTENSTEINII
 200 T. LICHTENSTEINII (CHAM. & SCHLECHTD.) LIDEN
 (=T. curvipes Schltr.) 1
- BRASSICACEAE Contributed by M. Jordaan 2863000
- 2875000 –HELIOPHILA L.
 5. BEAN. 1990. S. AFR. J. BOT. 56,6: 670–674.
 3350 H. EPHEMERA P.A. BEAN
- 2949000 –BRASSICA L.
 1. HEYWOOD. 1964. FL. EUROP. 1: 336.
 50 B. ELONGATA EHRH. SUBSP. ELONGATA
- 2966000 –CARDAMINE L.
 2. HILLIARD & BURTT. 1982. NOTES R. BOT. GDN EDINB. 40,2: 275–277.
 400 C. TRICHOCARPA HOCHST. EX A. RICH.
 (Note author correction)
- 2985000 –HYMENOLOBUS NUTT. EX TORREY & GRAY
 1. HEYWOOD. 1964. FL. EUROP. 1: 317.
 100 H. PROCUMBENS (L.) NUTT. EX TORREY & GRAY *
 (Note author correction)
- CAPPARACEAE Contributed by M. Jordaan 3082000
- 3106000 –BOSCIA LAM.
 2. WILD & GONCALVES. 1973. FL. MOZAM. 12: 44–52.
 250 B. FILIPES GILG
- 3112000 –MAERUA FORSSK.
 1000 M. RACEMULOSA (A. DC.) GILG & BEN.
 (Note author correction)
- DROSERACEAE Contributed by M. Jordaan 3133000
- 3136000 –DROSERA L.
 5. DEBBERT. 1987. MITT. BOT. STAATSSAMML. MÜNCHEN 23: 431–436.
 6. BENNETT & CHEEK. 1990. KEW BULL. 45,2: 375–381.
 150 D. ADMIRABILIS DEBBERT
- PODOSTEMACEAE Contributed by M. Jordaan 3139000
- 3140000 –TRISTICHA THOUARS
 4. CUSSET & CUSSET. 1988. BULL. MUS. NATN. HIST. NAT. PARIS 4,10: 149–177.
 100 T. TRIFARIA (BORY EX WILLD.) SPRENG. SUBSP. TRIFARIA

- 3151000 –*Dicraeia* Thou. = LEDERMANNIELLA,
LEIOTHYLAX
D. tenax C.H. Wr. = LEDERMANNIELLA TENAX
- 3151010 –*Inversodicraea* Engl. = LEDERMANNIELLA
I. tenax (C.H. Wr.) Engl. ex R.E. Fries =
LEDERMANNIELLA TENAX
I. warmingiana (Gilg) Engl. = LEDERMANNIELLA
WARMINGIANA
- 3151020 –LEDERMANNIELLA ENGL.
1. OBERMEYER. 1970. FSA 13: 208.
2. CUSSET. 1974. ADANSONIA 3,14: 271–275.
50 L. TENAX (C.H. WR.) C. CUSSET
(=*Dicraeia tenax* C.H. Wr.) 1
(=*Inversodicraea tenax* (C.H. Wr.) Engl. ex R.E.
Fries) 2
100 L. WARMINGIANA (GILG) C. CUSSET
(=*Inversodicraea warmingiana* (Gilg) Engl.) 1,2
(=*Sphaerotherylax warmingiana* Gilg) 1
- 3159000 –SPHAEROTHERYLAX BISCH.
S. warmingiana Gilg ex Warm. =
LEDERMANNIELLA WARMINGIANA
- CRASSULACEAE Contributed by M. Jordaan 3161000
- 3164000 –COTYLEDON L.
4000 C. TOMENTOSA HARV. SUBSP.
LADISMITHIENSIS (V. POELLN.)
TOELKEN
(Note spelling correction)
- PITTOSPORACEAE Contributed by M. Jordaan 3252000
- 3252000 –PITTOSPORUM BANKS EX GAERTN.
(Note author correction)
4. HILLIER. 1981. HILLIER'S MANUAL OF
TREES & SHRUBS, 5TH EDN 223.
5. FRIIS. 1987. KEW BULL. 42,2: 319–333.
100 P. CRASSIFOLIUM A. CUNN.
(Note author correction)
- MYROTHAMNACEAE Contributed by M. Jordaan 3282000
- 3282000 –MYROTHAMNUS WELW.
4. MENDES. 1978. FZ 4: 68–71.
100 M. FLABELLIFOLIUS WELW.
(Note corrections to author and spelling)
- BRUNIACEAE Contributed by M. Jordaan 3283000
- 3286000 –LONCHOSTOMA WIKSTR.
2. STRID. 1968. BOT. NOTISER 121: 312–315.
3. BOND & GOLDBLATT. 1984. JL S. AFR. BOT.
SUPPL. 13: 208–209.
50 L. ESTERHUYSENIAE STRID
300 L. PENTANDRUM (THUNB.) DRUCE
(Note author correction)
- 3289000 –NEBELIA NECK. EX SWEET
600 N. TULBAGHENSIS SCHLTR. EX DUEMMER
(Note author correction)
- 3290000 –STAALIA DAHL
2. BOND & GOLDBLATT. 1984. JL S. AFR. BOT.
SUPPL. 13: 210.
200 S. CAPITELLA (THUNB.) SOND.
(=*S. globosa* Sond.) 1,2
(=*S. lateriflora* Colozza) 1,2
(=*S. trichotoma* (Thunb.) Pillans) 2
S. globosa Sond. = S. CAPITELLA
600 S. GLUTINOSA (L.) DAHL
(Note author correction)
S. lateriflora Colozza = S. CAPITELLA
S. trichotoma (Thunb.) Pillans = S. CAPITELLA
- 3293000 –MNIOTHAMNEA NIEDENZU
50 M. BULLATA SCHLTR.
(Note new species number)
- 3294000 –BERZELIA BRONGN.
2. BOND & GOLDBLATT. 1984. JL S. AFR. BOT.
SUPPL. 13: 207–208.
B. arachnoidea (Wendl.) Eckl. & Zeyh. = B.
SQUARROSA
1300 B. SQUARROSA (THUNB.) SOND.
(=*B. arachnoidea* (Wendl.) Eckl. & Zeyh.) 2
- HAMAMELIDACEAE Contributed by M. Jordaan 3295000
- 3311000 –TRICHOCLADUS PERS.
3. VERDCOURT. 1970. KEW BULL. 24,2:
345–346.
200 T. ELLIPTICUS ECKL. & ZEYH. SUBSP.
ELLIPTICUS
- ROSACEAE Contributed by M. Jordaan 3316000
- 3353000 –RUBUS L. Revision: C. Stirton (K).
6. STIRTON. 1984. BOTHALIA 15,1–2: 101–106.
7. SPIES & DU PLESSIS. 1985. BOTHALIA
15,3–4: 591–596.
400 R. CUNEIFOLIUS PURSH *
1050 R. PASCUUS BAILEY
- 3376000 –AGRIMONIA L.
3. MENDES. 1978. FZ 4: 27–29.
4. BOND & GOLDBLATT. 1984. JL S. AFR. BOT.
SUPPL. 13: 386.
#. PRE HERBARIUM PRACTICE,
FOLLOWING ARNOLD.
25 A. BRACTEATA E. MEY. EX C.A. MEY.
(=*A. eupatoria* L.) 3
(=*A. nepalensis* Don) #
A. eupatoria L. = A. BRACTEATA
A. nepalensis Don = A. BRACTEATA
A. odorata Mill. = A. PROCERA
100 A. PROCERA WALLR.
(=*A. odorata* Mill.) 4
- 3388000 –CLIFFORTIA L.
4390 C. GRANDIFOLIA ECKL. & ZEYH. VAR.
DENTICULATA WEIM.
(Note spelling correction)
4450 C. GRANDIFOLIA ECKL. & ZEYH. VAR.
RECURVATA WEIM.
(Note spelling correction)
- FABACEAE Contributed by G. Germishuizen 3436000
- 3446000 –ACACIA MILL.
1. ROSS. 1975. FSA 16,1: 24.
3. VON BREITENBACH. 1989. J. DENDROL. 12:
1–10.
93150 A. NATALITIA E. MEY.
93750 A. PYCNANTHA BENTH. *
- 3657000 –LOTONONIS (DC.) ECKL. & ZEYH.
13. VAN WYK. 1989. S. AFR. J. BOT. 55,5:
528–532.
3070 L. DIFFORMIS B-E. VAN WYK
- 3669000 –CROTALARIA L. Revision: R.M. Polhill (K).
2. POLHILL. 1982. CROTALARIA IN AFRICA
AND MADAGASCAR.
900 C. BREVIDENS BENTH. VAR. INTERMEDIA
(KOTSCHY) POLHILL *
1700 C. DURA WOOD & EVANS SUBSP. DURA
2000 C. EREMICOLA BAK. F. SUBSP. EREMICOLA
2100 C. EXCISA (THUNB.) BAK. F. SUBSP. EXCISA
2150 C. EXCISA (THUNB.) BAK. F. SUBSP.
NAMAQUENSIS POLHILL
2300 C. GAZENSIS BAK. F. SUBSP. HERBACEA
POLHILL
2950 C. KURTII SCHINZ
3100 C. LANCEOLATA E. MEY. SUBSP. LANCEOLATA
3800 C. MACROCARPA E. MEY. SUBSP.
MACROCARPA
3950 C. MOLLII POLHILL
4400 C. NATALITIA MEISN. VAR. NATALITIA
C. sericea Retz. = C. SPECTABILIS ROTH *

- 6750 C. SPECTABILIS ROTH *
(=C. sericea Retz.) 2
- 6800 C. SPHAEROCARPA PERR. EX DC. SUBSP.
SPHAEROCARPA
- 3672000 –LUPINUS L.
1. STIRTON. 1988. BOTHALIA 18,1: 25–29.
- 100 L. ANGUSTIFOLIUS L.
200 L. CONSENTINII GUSS.
300 L. LUTEUS L.
400 L. PILOSUS MURRAY
- 3673000 –ARGYROLOBIMUM ECKL. & ZEYH.
1. HARVEY. 1862. FC 2: 67.
1430 A. LONGIFOLIUM (MEISN.) WALP.
- 3690000 –TRIFOLIUM L.
3. ZACHARY & HELLER. 1984. THE GENUS
TRIFOLIUM.
- 400 T. ALEXANDRINUM L. VAR. ALEXANDRINUM *
600 T. ARVENSE L. VAR. ARVENSE *
900 T. CAMPESTRE SCHREB. VAR. CAMPESTRE *
1300 T. HYBRIDUM L. VAR. HYBRIDUM *
1400 T. INCARNATUM L. VAR. INCARNATUM *
1500 T. MEDIUM L. VAR. MEDIUM *
1600 T. PRATENSE L. VAR. PRATENSE *
1700 T. REPENS L. VAR. REPENS *
1800 T. RESUPINATUM L. VAR. RESUPINATUM *
2000 T. SUBTERRANEUM L. VAR. SUBTERRANEUM *
2200 T. TOMENTOSUM L. VAR. TOMENTOSUM *
- 3703040 –OTHOLOBIMUM C.H. STIRTON Revision: C.H.
Stirton (K).
5. STIRTON. 1990. S. AFR. J. BOT. 56,3: 336–338.
- 1450 O. FUMEUM C.H. STIRTON
1950 O. NIGRICANS C.H. STIRTON
- GERANIACEAE Contributed by G. Germishuizen 3924000
- 3924000 –GERANIUM L. Revision: O.M. Hilliard (E).
G. botrys Cav. = ERODIUM BOTRYS
G. chium L. = ERODIUM CHIUM
G. cicutarium L. = ERODIUM CICUTARIUM
G. malacoides L. = ERODIUM MALACOIDES
G. moschatum L. = ERODIUM MOSCHATUM
- 3927000 –ERODIUM L'HÉRIT.
2. VENTER & VERHOEVEN. 1990. S. AFR. J.
BOT. 56,1: 79–92.
- E. arborescens Willd. (species does not occur in
southern Africa)
- 100 E. BOTRYS (CAV.) BERTOL.
(=Geranium botrys Cav.) 1
E. botrys (Cav.) Bertol. var. brachycarpum Godr. = E.
BRACHYCARPUM
- 150 E. BRACHYCARPUM (GODR.) THELL.
(=E. botrys (Cav.) Bertol. var. brachycarpum
Godr.) 1
- 170 E. CHIUM (L.) WILLD.
(=Geranium chium L.) 1
- 200 E. CICUTARIUM (L.) L'HÉRIT. *
(=Geranium cicutarium L.) 1
E. incarnatum L'Hérit. = PELARGONIUM
INCARNATUM
- 400 E. MALACOIDES (L.) L'HÉRIT.
(=Geranium malacoides L.) 1
E. maritimum (Burm. f.) L'Hérit. ex Ait. (species does
not occur in southern Africa)
- 600 E. MOSCHATUM (L.) L'HÉRIT. *
(=Geranium moschatum L.) 1
- 3928000 –PELARGONIUM L'HÉRIT
23. DREYER & VAN DER WALT. 1990. S. AFR.
J. BOT. 56,1: 65–67.
24. SCHELTEMA & VAN DER WALT. 1990. S.
AFR. J. BOT. 56,3: 285–302.
25. VAN DER WALT, MCDONALD & VAN
WYK. 1990. S. AFR. J. BOT. 56,4: 467.
26. VAN DER WALT ET AL. 1990. S. AFR. J.
BOT. 56,5: 561.
27. MARAIS. 1990. S. AFR. J. BOT. 56,5: 565.
- 350 P. ALBUM J.J.A. VAN DER WALT
1200 P. ANTIDYSENTERICUM (ECKL. & ZEYH.)
KOSTEL. SUBSP.
ANTIDYSENTERICUM
- 1250 P. ANTIDYSENTERICUM (ECKL. & ZEYH.)
KOSTEL. SUBSP. INNERME
SCHELTEMA
- 1270 P. ANTIDYSENTERICUM (ECKL. & ZEYH.)
KOSTEL. SUBSP. ZONALE
SCHELTEMA
- 8450 P. INCARNATUM (L'HÉRIT.) MOENCH
(=Erodium incarnatum L'Hérit.) 25
P. mossambicense Engl. (species does not occur in
southern Africa)
- 11030 P. OCELLATUM J.J.A. VAN DER WALT
12950 P. PRAEMORSUM (ANDR.) F. DIETR. SUBSP.
PRAEMORSUM
- 12970 P. PRAEMORSUM (ANDR.) F. DIETR. SUBSP.
SPECIOSUM SCHELTEMA
- 17052 P. TORULOSUM E.M. MARAIS
- TILIACEAE Contributed by R. Archer 4937000
- 4975000 –TRIUMFETTA L.
1. WILD. 1963. FZ 2,1: 63–78.
- 200 T. DEKINDTIANA ENGL. (Tropical African species
collected in Venda. 2230 (MESSINA):
Tshamavhudzi (-DA), R.H. Archer 432
PRU; Thengwe (-DA), A.E. van Wyk
3949 PRE, PRU.)
- CONVOLVULACEAE Contributed by W.G. Welman 6968000
- 6972000 –FALCKIA THUNB. (Note author correction)
2. WIJNANDS & MEEUSE. 1990. BOTHALIA
20,2: 208.
- 6993000 –CONVOLVULUS L. (Note changes to species numbers)
- 1650 C. SAGITTATUS THUNB. SUBSP.
GRANDIFLORUS (HALLIER F.) A.
MEEUSE VAR. GRAMINIFOLIUS
(HALLIER F.) BAKER & WRIGHT
- 1660 C. SAGITTATUS THUNB. SUBSP.
GRANDIFLORUS (HALLIER F.) A.
MEEUSE VAR. GRANDIFLORUS
- 1670 C. SAGITTATUS THUNB. SUBSP.
GRANDIFLORUS (HALLIER F.) A.
MEEUSE VAR. LINEARIFOLIUS
(HALLIER F.) BAKER & WRIGHT
- 2050 C. SAGITTATUS THUNB. SUBSP. SAGITTATUS
VAR. SAGITTATUS
- BORAGINACEAE 7038000
Contributed by W.G. Welman & P. Herman
- 7038000 –CORDIA L.
4. VERDCOURT. 1989. KEW BULL. 44,1: 166.
5. MARTINS. 1990. FZ 7,4: 60–72.
- 400 C. MONOICA ROXB.
(=C. ovalis R. Br. ex DC.) 4
C. ovalis R. Br. ex DC. = C. MONOICA
- 700 C. SINENSIS LAM.
- 7051000 –Tournefortia L. Southern African species moved to
HELIOTROPIUM
T. subulata Hochst. ex A. DC. = HELIOTROPIUM
ZEYLANICUM
- 7052000 –HELIOTROPIUM L.
5. VERDCOURT. 1989. KEW BULL. 44,1: 166.
H. inconspicuum Dinter ex Vaupel = H.
ZEYLANICUM
H. subulatum (Hochst. ex A. DC.) Vatke = H.
ZEYLANICUM
- 2100 H. ZEYLANICUM (BURM. F.) LAM.
(=H. inconspicuum Dinter ex Vaupel) 2,5
(=H. subulatum (Hochst. ex A. DC.) Vatke) 5
(=Tournefortia subulata Hochst. ex A. DC.) 5

- 7056000 –TRICHODESMA R. BR.
2. MARTINS. 1990. FZ 7,4: 94–99.
150 T. AMBACENSE WELW. SUBSP. HOCKII (DE WILD.) BRUMMIT
(=T. hockii De Wild.) 2
T. hockii De Wild. = T. AMBACENSE SUBSP. HOCKII
- 7109000 –LITHOSPERMUM L.
3. MARTINS. 1990. FZ 7,4: 108–110.
200 L. AFROMONTANUM WEIM.
(=L. officinale auct. non L.) 3
L. officinale L. (Species does not occur in southern Africa)
L. officinale auct. non L. = L. AFROMONTANUM
- 7117000 –LOBOSTEMON LEHM.
2550 L. PANICULIFORMIS DC.
(Note change in species number)
- VERBENACEAE Contributed by P. Herman 7138000
- 7151000 –STACHYTARPHETA VAHL
2. HERMAN. 1991. BOTHALIA 21,1: 57.
S. indica Vahl (Species does not occur in southern Africa)
150 S. MUTABILIS (JACQ.) VAHL *
(Note author correction)
200 S. URTICIFOLIA (SALISB.) SIMS *
- 7191000 –CLERODENDRUM L.
1480 C. SUFFRUTICOSUM GUERKE VAR. SUFFRUTICOSUM
(Note change in species number)
- 7192010 –KAROMIA P. DOP
1. FERNANDES. 1985. GARCIA DE ORTA 7,1–2: 33–46.
100 K. SPECIOSA (HUTCH. & CORBISHLEY) R. FERNANDES FORMA SPECIOSA
200 K. SPECIOSA (HUTCH. & CORBISHLEY) R. FERNANDES FORMA FLAVA (MOLDENKE) R. FERNANDES
- LAMIACEAE Contributed by W.G. Welman 7210000
- 7328000 –MENTHA L. (Note author correction to M. longifolia)
1. TUCKER, HARLEY & FAIRBROTHERS. 1980. TAXON 29: 234.
M. longifolia (L.) L. subsp. bouvieri (Briq.) Briq. = M. LONGIFOLIA SUBSP. CAPENSIS
200 M. LONGIFOLIA (L.) L. SUBSP. CAPENSIS (THUNB.) BRIQ.
M. longifolia (L.) L. subsp. capensis (Thunb.) Briq. var. cooperi Briq. ex Cooke = M. LONGIFOLIA SUBSP. CAPENSIS
M. longifolia (L.) L. subsp. capensis (Thunb.) Briq. var. doratophylla Briq. = M. LONGIFOLIA SUBSP. CAPENSIS
M. longifolia (L.) L. subsp. capensis (Thunb.) Briq. var. obscuriceps Briq. = M. LONGIFOLIA SUBSP. CAPENSIS
M. longifolia (L.) L. subsp. capensis (Thunb.) Briq. var. salicina (Burch. ex Benth.) Briq. = M. LONGIFOLIA SUBSP. CAPENSIS
400 M. LONGIFOLIA (L.) L. SUBSP. POLYADENA (BRIQ.) BRIQ.
450 M. LONGIFOLIA (L.) L. SUBSP. WISSII (LAUNERT) CODD
- 7350000 –PLECTRANTHUS L'HÉRIT.
(Note changes to species numbers)
1880 P. MADAGASCARIENSIS (PERS.) BENTH. VAR. ALICIAE CODD
2950 P. SACCATUS BENTH. VAR. LONGITUBUS CODD
- 7359000 –SYNCOLOSTEMON E. MEY. EX BENTH.
780 S. PARVIFLORUS E. MEY. EX BENTH. VAR. LANCEOLATUS (GUERKE) CODD
(Note change in species number)
- 7365000 –HEMIZYGIA (BENTH.) BRIQ.
1950 H. PRETORIAE (GUERKE) ASHBY SUBSP. HETEROTRICHA CODD
(Note change in species number)
- 7366000 –OCIMUM L.
O. galpinii Guerke = BECIUM GRANDIFLORUM VAR. GALPINII
O. obovatum E. Mey. ex Benth. = BECIUM GRANDIFLORUM VAR. OBOVATUM
- 7366010 –BECIUM LINDL.
3. SEBALD. 1989. STUTTGARTER BEITR. NATURK. SER. A 437: 1–63.
270 B. GRANDIFLORUM (LAM.) PICHI-SERM. VAR. CAPITATUM (AGNEW) SEBALD
280 B. GRANDIFLORUM (LAM.) PICHI-SERM. VAR. GALPINII (GUERKE) SEBALD
(=B. obovatum (E. Mey. ex Benth.) N.E. Br. var. galpinii (Guerke) N.E. Br.) 3
(=Ocimum galpinii Guerke) 1,3
290 B. GRANDIFLORUM (LAM.) PICHI-SERM. VAR. OBOVATUM (E. MEY. EX BENTH.) SEBALD
(=B. obovatum (E. Mey. ex Benth.) N.E. Br. var. glabrius (Benth.) Cufod.) 1,3
(=B. obovatum (E. Mey. ex Benth.) N.E. Br. var. hians (Benth.) N.E. Br.) 1,3
(=B. obovatum (E. Mey. ex Benth.) N.E. Br. var. obovatum) 3
(=Ocimum obovatum E. Mey. ex Benth.) 1,3
B. obovatum (E. Mey. ex Benth.) N.E. Br. var. galpinii (Guerke) N.E. Br. = B. GRANDIFLORUM VAR. GALPINII
B. obovatum (E. Mey. ex Benth.) N.E. Br. var. glabrius (Benth.) Cufod. = B. GRANDIFLORUM VAR. OBOVATUM
B. obovatum (E. Mey. ex Benth.) N.E. Br. var. hians (Benth.) N.E. Br. = B. GRANDIFLORUM VAR. OBOVATUM
B. obovatum (E. Mey. ex Benth.) N.E. Br. var. obovatum = B. GRANDIFLORUM VAR. OBOVATUM
- SOLANACEAE Contributed by W.G. Welman 7377000
- 7379000 –LYCIUM L. Revision: H.J.T. Venter (BLFU)
1. JOUBERT & VENTER. 1989. S. AFR. J. BOT. 55,5: 516.
750 L. GRANDICALYX JOUBERT & VENTER
- 7407000 –SOLANUM L. Revision: P. Jaeger (E)
II. SYMON. 1981. J. ADELAIDE BOT. GARD. 4: 1–367.
14. PHILLIPSON. 1990. S. AFR. J. BOT. 56,6: 645–647.
1250 S. CHENOPODIOIDES LAM.
(=S. gracile Dun) II
2650 S. GIFTBERGENSE DUN.
(Note change in species number)
S. gracile Dun. = S. CHENOPODIOIDES
5800 S. SARRACHOIDES SENDTNER
- SCROPHULARIACEAE (PART A) 7460000
Contributed by W.G. Welman
- 7467000 –APTOSIMUM BURCH. Revision: S. Brown (WIND)
1240 A. PROCUMBENS (LEHM.) STEUD. VAR. ELONGATUM (HIERN) CODD
(Note change in species number)
- 7471000 –DIASCIA LINK & OTTO Revision: O.M. Hilliard & B.L. Burt (E); K. Steiner (NBG)
7. STEINER. 1989. S. AFR. J. BOT. 55,2: 250.
350 D. AUSTROMONTANA K.E. STEINER
- 7476000 –NEMESIA VENT. Revision: O.M. Hilliard & B.L. Burt (E)
10. STEINER. 1989. S. AFR. J. BOT. 55,4: 405.
25 N. ACORNIS K.E. STEINER

7517000 –MANULEA L. Revision: O.M. Hilliard & B.L. Burt (E)
6. HILLIARD. 1989. NOTES R. BOT. GDN EDINB. 46,1: 49–52.
7. HILLIARD. 1990. NOTES R. BOT. GDN EDINB. 46,3: 337–341.

50 M. ACUTILOBA HILLIARD
70 M. ADENOCALYX HILLIARD
80 M. ADENODES HILLIARD
100 M. ALTISSIMA L. F. SUBSP. ALTISSIMA
130 M. ALTISSIMA L. F. SUBSP. GLABRICAULIS (HIERN) HILLIARD
(=M. altissima L. f. var. glabricaulis Hiern) 6
M. altissima L. f. var. glabricaulis Hiern = M. ALTISSIMA SUBSP. GLABRICAULIS
150 M. ALTISSIMA L. F. SUBSP. LONGIFOLIA (BENTH.) HILLIARD
(=M. altissima L. f. var. longifolia (Benth.) Hiern) 6
M. altissima L. f. var. longifolia (Benth.) Hiern = M. ALTISSIMA SUBSP. LONGIFOLIA
250 M. ANNUA (HIERN) HILLIARD
(=Sutera annua Hiern var. annua) 6
320 M. ARIDICOLA HILLIARD
330 M. AUKEI (HIERN) HILLIARD
(=Phyllopodium augei Hiern) 6
750 M. CALCIPHILA HILLIARD
770 M. CALEDONICA HILLIARD
M. capillaris L. f. = PHYLLOPODIUM CAPILLARIS
930 M. CHRYSANTHA HILLIARD
950 M. CINEREA HILLIARD
1200 M. CRASSIFOLIA BENTH. SUBSP. CRASSIFOLIA
1230 M. CRASSIFOLIA BENTH. SUBSP. THODEANA (DIELS) HILLIARD
(=M. thodeana Diels) 6
1250 M. DECIPIENS HILLIARD
1320 M. DESERTICOLA HILLIARD
1330 M. DIANDRA HILLIARD
1520 M. EXIGUA HILLIARD
1540 M. FLANAGANII HILLIARD
M. gariepina Benth. subsp. namibensis Roessl. = M. NAMIBENSIS
1950 M. GARIESIANA HILLIARD
M. gracillima Dinter ex Range = M. NAMIBENSIS
2230 M. KARROOICA HILLIARD
2250 M. LATILOBA HILLIARD
2430 M. LINEARIFOLIA HILLIARD
M. limonioides Conrath = M. PARVIFLORA VAR. LIMONIOIDES
2520 M. MINUSCULA HILLIARD
2530 M. MONTANA HILLIARD
2540 M. MULTISPICATA HILLIARD
2550 M. NAMIBENSIS (ROESSL.) HILLIARD
(=M. gariepina Benth. subsp. namibensis Roessl.) 7
(=M. gracillima Dinter ex Range) 7
2770 M. OVATIFOLIA HILLIARD
2850 M. PARVIFLORA BENTH. VAR. LIMONIOIDES (CONRATH) HILLIARD
(=M. limonioides Conrath) 6
2900 M. PARVIFLORA BENTH. VAR. PARVIFLORA
2920 M. PAUCIBARBATA HILLIARD
(=Sutera annua Hiern var. laxa Hiern) 6
2930 M. PILLANSII HILLIARD
M. plantaginis L. f. = CROMIDON PLANTAGINIS
2970 M. PLURIROSULATA HILLIARD
2980 M. PRAETERITA HILLIARD
2990 M. PSILOSTOMA HILLIARD
3050 M. RAMULOSA HILLIARD
3070 M. RHODANTHA HILLIARD SUBSP. AURANTIACA HILLIARD
3080 M. RHODANTHA HILLIARD SUBSP. RHODANTHA
3800 M. TENELLA HILLIARD
M. thodeana Diels = M. CRASSIFOLIA SUBSP. THODEANA

S. annua Hiern var. laxa Hiern = MANULEA PAUCIBARBATA
4950 S. GRACILIS (DIELS) HIERN
(Note change in species number)

7521000 –PHYLLOPODIUM BENTH.
5. HILLIARD. 1990. NOTES R. BOT. GDN EDINB. 46,3: 341.
P. augei Hiern = MANULEA AUKEI
P. baurii Hiern = SELAGO BAURII
84 P. CAPILLARE (L. F.) HILLIARD
(=Manulea capillaris L. f.) 5
(=Polycarena capillaris (L. f.) Benth.) 5
(=Polycarena parvula Schltr.) 5
89 P. CORDATUM (THUNB.) HILLIARD
(=Selago cordata Thunb.) 5
P. minimum Hiern = ZALUZIANSKYA MINIMA

7522000 –POLYCARENA BENTH.
P. capillaris (L. f.) Benth. = PHYLLOPODIUM CAPILLARE
1940 P. LILACINA HILLIARD VAR. LILACINA
(Note change in species number)
P. minima (Hiern) Levyns = ZALUZIANSKYA MINIMA
P. parvula Schltr. = PHYLLOPODIUM CAPILLARE
P. plantaginea (L. f.) Benth. = CROMIDON PLANTAGINIS

7523000 –ZALUZIANSKYA FW. SCHMIDT Revision: O.M. Hilliard & B.L. Burt (E)
4. HILLIARD. 1990. EDINB. J. BOT. 47,3: 345–350.

25 Z. ACROBAREIA HILLIARD
50 Z. ACUTILOBA HILLIARD
75 Z. AFFINIS HILLIARD
350 Z. BELLA HILLIARD
575 Z. COHABITANS HILLIARD
1550 Z. GLANDULOSA HILLIARD
1650 Z. GRACILIS HILLIARD
1725 Z. ISANTHERA HILLIARD
1750 Z. KAREEBERGENSIS HILLIARD
1775 Z. KARROOICA HILLIARD
1850 Z. LANIGERA HILLIARD
2150 Z. MARLOTHII HILLIARD
2250 Z. MINIMA (HIERN) HILLIARD
(=Phyllopodium minimum Hiern) 4
(=Polycarena minima (Hiern) Levyns) 4
2275 Z. MIRABILIS HILLIARD
2570 Z. PARVIFLORA HILLIARD
2630 Z. PILOSISSIMA HILLIARD
2872 Z. SANORUM HILLIARD
2877 Z. SUTHERLANDICA HILLIARD
2878 Z. SYNAPTICA HILLIARD
2890 Z. VALLISPICES HILLIARD
2895 Z. VENUSTA HILLIARD

SELAGINACEAE Contributed by W.G. Welman 7566000

7568000 –SELAGO L.
16. HILLIARD. 1990. NOTES R. BOT. GDN EDINB. 46,3: 341.

750 S. BAURII (HIERN) HILLIARD
(=Phyllopodium baurii Hiern) 16
S. chenopodioides Diels = CHENOPODIOPSIS CHENOPODIOIDES
S. cordata E. Mey. = CROMIDON DECUMBENS
S. cordata Thunb. = PHYLLOPODIUM CORDATUM
S. decumbens Thunb. = CROMIDON DECUMBENS
S. hamulosa E. Mey. = CROMIDON HAMULOSUM
S. hirta L. f. = CHENOPODIOPSIS HIRTA

7568010 –WALAFRIDA E. MEY.
W. minuta Rolfe = CROMIDON MINUTUM
W. pusilla Roessl. = CROMIDON PUSILLUM

7568020 –CROMIDON COMPTON
2. HILLIARD. 1990. EDINB. J. BOT. 47,3: 315–337.

50 C. AUSTERUM HILLIARD
75 C. CONFUSUM HILLIARD

7519000 –SUTERA ROTH
S. annua Hiern var. annua = MANULEA ANNUA

100	C. CORRIGIOLOIDES (ROLFE) COMPTON (=Selago corrigioloides Rolfe) 2	7777000	–SESAMUM L. 4. IHLENFELDT. 1988. FZ 8,3: 97–106.
200	C. DECUMBENS (THUNB.) HILLIARD (=Selago cordata E. Mey.) 2 (=Selago decumbens Thunb.) 2	300	S. ANGUSTIFOLIUM (OLIV.) ENGL. (=S. calycinum Welw. var. angustifolium (Oliv.) Ihlenf. & Seidenst.) 4
300	C. DREGEI HILLIARD		S. baumii Stapf = S. CALYCINUM SUBSP. BAUMII
400	C. GRACILE HILLIARD	400	S. CALYCINUM WELW. SUBSP. BAUMII (STAPF) SEIDENST. (=S. baumii Stapf) 4
500	C. HAMULOSUM (E. MEY.) HILLIARD (=Selago hamulosa E. Mey.) 2		S. calycinum Welw. subsp. calycinum (Species does not occur in southern Africa)
600	C. MICROECHINOS HILLIARD		S. calycinum Welw. var. angustifolium (Oliv.) Ihlenf. & Seidenst. = S. ANGUSTIFOLIUM
700	C. MINUTUM (ROLFE) HILLIARD (=Walafrida minuta Rolfe) 2		S. repens Engl. & Gilg (Species does not occur in southern Africa)
800	C. PLANTAGINIS (L. F.) HILLIARD (=Manulea plantaginis L. f.) 2 (=Polycarena plantaginea (L. f.) Benth.) 2		
900	C. PUSILLUM (ROESSL.) HILLIARD (=Walafrida pusilla Roessl.) 2		
1000	C. VARICALYX HILLIARD		
7568030	–GLOBULARIOPSIS COMPTON 2. HARTLEY & BALKWILL. 1990. S. AFR. J. BOT. 56,4: 471–481.		
7568050	–CHENOPODIOPSIS HILLIARD 1. HILLIARD. 1990. EDINB. J. BOT. 47,3: 337–343.		
100	C. CHENOPODIOIDES (DIELS) HILLIARD (=Selago chenopodioides Diels) 1		
200	C. HIRTA (L. F.) HILLIARD (=Selago hirta L. f.) 1		
300	C. RETRORSA HILLIARD		
7570000	–GOSELA CHOISY 2. HARTLEY & BALKWILL. 1990. S. AFR. J. BOT. 56,4: 471–481.		
7571000	–AGATHELPIS CHOISY 3. HARTLEY & BALKWILL. 1990. S. AFR. J. BOT. 56,4: 471–481.		
100	A. DUBIA (L.) HUTCH. (=A. parvifolia (L.) Choisy) 3 A. parvifolia (L.) Choisy = A. DUBIA		
	SCROPHULARIACEAE (PART B) Contributed by W.G. Welman	7572000	
7579710	–ALECTRA THUNB. 580 A. HUNDTII MELCH. (Note change in species number)		
	BIGNONIACEAE Contributed by P. Herman	7662000	
7713000	–TECOMARIA SPACH 2. DINIZ. 1988. FZ 8,3: 64–67.		
100	T. CAPENSIS (THUNB.) SPACH SUBSP. CAPENSIS		
7742000	–SPATHODEA BEAUV. Southern African species moved to MARKHAMIA S. acuminata Klotzsch = MARKHAMIA ZANZIBARICA		
7744000	–MARKHAMIA SEEM. EX BAILL. 2. DINIZ. 1988. FZ 8,3: 72–77. M. acuminata (Klotzsch) K. Schum. = M. ZANZIBARICA		
300	M. ZANZIBARICA (BOJER EX DC.) K. SCHUM. (=M. acuminata (Klotzsch) K. Schum.) 2 (=Spathodea acuminata Klotzsch) 2		
	PEDALIACEAE Contributed by P. Herman	7768000	
7769000	–PTERODISCUS HOOK. 3. IHLENFELDT. 1988. FZ 8,3: 89–94.		
300	P. NGAMICUS N.E. BR. EX STAPF (Note author correction)		
7774000	–SESAMOTHAMNUS WELW. 3. IHLENFELDT. 1988. FZ 8,3: 87–89.		
300	S. LUGARDII N.E. BR. EX STAPF (Note author correction)		
	GESNERIACEAE Contributed by W.G. Welman	7800000	
7823000	–STREPTOCARPUS LINDL. (Note changes in species numbers)		
2750	S. MOLWENIENSIS HILLIARD SUBSP. ESHOWICUS HILLIARD & BURTT		
3850	S. PRIMULIFOLIUS GAND. SUBSP. FORMOSUS HILLIARD & BURTT		
	LENTIBULARIACEAE Contributed by P. Herman	7898000	
7899000	–GENLISEA A. ST. HIL. 2. TAYLOR. 1988. FZ 8,3: 40–42.		
100	G. HISPIDULA STAPF		
7901000	–UTRICULARIA L. 5. TAYLOR. 1988. FZ 8,3: 9–38. U. exoleta R. Br. = U. GIBBA U. gibba L. subsp. exoleta (R. Br.) P. Tayl. = U. GIBBA U. GIBBA L. (=U. exoleta R. Br.) 5 (=U. gibba L. subsp. exoleta (R. Br.) P. Tayl.) 5		
750	U. GIBBA L.		
1200	U. REFLEXA OLIV.		
1400	U. SCANDENS BENJ. U. spiralis J.E. Sm. var. tortilis (Oliv.) P. Tayl. = U. TORTILIS		
1700	U. TORTILIS OLIV. (=U. spiralis J.E. Sm. var. tortilis (Oliv.) P. Tayl.) 5		
	ACANTHACEAE Contributed by W.G. Welman	7906000	
7972000	–CRABBEA HARV. Revision: S. Buys (PUC)		
250	C. GALPINII C.B. CL. (Note change in species number)		
7973000	–BARLERIA L. 7. BALKWILL, BALKWILL & VINCENT. 1990. S. AFR. J. BOT. 56,5: 571.		
1450	B. GREENII M-J. & K. BALKWILL		
4850	B. SPLENDENS E.A. BRUCE (Note change in species number)		
7978000	–SCLEROCHITON HARV. 3. VOLLESEN. 1991. KEW BULL. 46,1: 1–50.		
50	S. APICULATUS VOLLESEN (=S. coeruleus auct. non (Lindau) S. Moore) 3 S. coeruleus (Lindau) S. Moore (Species does not occur in southern Africa) S. coeruleus auct. non (Lindau) S. Moore = S. APICULATUS		
450	S. SPECIES A		
7983000	–Pseudoblepharis Baill. (Genus does not occur in southern Africa)		
7985000	–CROSSANDRA SALISB. 3. VOLLESEN. 1990. KEW BULL. 45,3: 503–534.		
200	C. GREENSTOCKII S. MOORE (=C. pungens auct. non Lindau) 3 C. pungens Lindau (Species does not occur in southern Africa) C. pungens auct. non Lindau = C. GREENSTOCKII		

- 8026000 –PERISTROPHE NEES Revision: K. Balkwill (NU)
7. BALKWILL & GETLIFFE NORRIS. 1989. S. AFR. J. BOT. 55,2: 254.
- 260 P. DECORTICANS BALKWILL
- 8048000 –ECBOLIUM KURZ
4. VOLLESEN. 1989. KEW BULL. 44,4: 638–680.
E. amplexicaule S. Moore (Species does not occur in southern Africa)
E. amplexicaulis auct. non S. Moore = E. GLABRATUM
- 200 E. CLARKEI HIERN VAR. CLARKEI
250 E. CLARKEI HIERN VAR. PUBERULUM VOLLESEN
350 E. GLABRATUM VOLLESEN
(=E. amplexicaulis auct. non S. Moore) 4
E. hamatum (Klotzsch) C.B. Cl. = MEGALOCHELAMYS HAMATA
E. revolutum (Lindau) C.B. Cl. = MEGALOCHELAMYS REVOLUTA SUBSP. COGNATA
- 8049000 –SIPHONOGLOSSA OERST.
1. IMMELMAN. 1989. BOTHALIA 19,2: 209–213.
- 8061000 –MEGALOCHELAMYS LINDAU
2. VOLLESEN. 1989. KEW BULL. 44,4: 605–638.
- 50 M. HAMATA (KLOTZSCH) VOLLESEN
(=Ecbolium hamatum (Klotzsch) C.B. Cl.) 2
75 M. KENYENSIS VOLLESEN SUBSP. AUSTRALIS VOLLESEN
200 M. REVOLUTA (LINDAU) VOLLESEN SUBSP. COGNATA (N.E. BR.) VOLLESEN
(=Ecbolium revolutum (Lindau) C.B. Cl.) 2
(=Schwabea revoluta Lindau) 2
- 8091000 –Schwabea Endl. = MEGALOCHELAMYS
S. revoluta Lindau = MEGALOCHELAMYS REVOLUTA SUBSP. COGNATA
- RUBIACEAE Contr. by W.G. Welman & P. Herman 8119000
- 8136060 –KOHAUTIA CHAM. & SCHLECHTD. Revision: D. Mantell (WU)
2. MANTELL. 1989. FZ 5,1: 85–101.
K. brachyloba (Sond.) Brem. = K. CAESPITOSA SUBSP. BRACHYLOBA
- 575 K. CAESPITOSA SCHNIZL. SUBSP. BRACHYLOBA (SOND.) D. MANTELL
(=Hedyotis brachyloba Sond.) 2
(=K. brachyloba (Sond.) Brem.) 2
(=K. caespitosa Schnizl. var. delagoensis (Schinz) Brem.) 1,2
(=Oldenlandia brachyloba (Sond.) Kuntze) 2
(=Oldenlandia delagoensis Schinz) 2
K. caespitosa Schnizl. var. delagoensis (Schinz) Brem. = K. CAESPITOSA SUBSP. BRACHYLOBA
- 800 K. CYNANCHICA DC.
(=K. gracilifolia Brem.) 2
(=K. omahekensis (Krause) Brem.) 2
(=K. raphidophylla Brem.) 2
(=Oldenlandia omahekensis Krause) 2
K. gracilifolia Brem. = K. CYNANCHICA
- 1250 K. MICROFLORA D. MANTELL
K. omahekensis (Krause) Brem. = K. CYNANCHICA
- 1400 K. RAMOSISSIMA DINTER EX BREM.
(=Oldenlandia filifolia Krause) 2
K. raphidophylla Brem. = K. CYNANCHICA
K. setifera DC. = K. VIRGATA
- 1550 K. SUBVERTICILLATA (K. SCHUM.) D. MANTELL SUBSP. SUBVERTICILLATA
(=Oldenlandia sordida Krause) 2
(=?Oldenlandia trothae Krause) 2
- 1600 K. VIRGATA (WILLD.) BREM.
(=K. setifera DC.) 2
- 8136140 –AGATHISANTHEMUM KLOTZSCH
3. MANTELL. 1989. FZ 5,1: 107–111.
- 100 A. BOJERI KLOTZSCH SUBSP. BOJERI
(Note change in rank)
- 8136200 –OLDENLANDIA L. Revision: D. Mantell (WU)
3. MANTELL. 1989. FZ 5,1: 120–142.
O. brachyloba (Sond.) Kuntze = KOHAUTIA CAESPITOSA SUBSP. BRACHYLOBA
- 615 O. CORYMBOSA L. VAR. LINEARIS (DC.) VERDC.
O. delagoensis Schinz = KOHAUTIA CAESPITOSA SUBSP. BRACHYLOBA
O. filifolia Krause = KOHAUTIA RAMOSISSIMA
O. omahekensis Krause = KOHAUTIA CYNANCHICA
O. sordida Krause = KOHAUTIA SUBVERTICILLATA SUBSP. SUBVERTICILLATA
O. trothae Krause = ?KOHAUTIA SUBVERTICILLATA SUBSP. SUBVERTICILLATA
- 8136210 –Hedyotis L. = AGATHISANTHEMUM, CONOSTOMIUM, KOHAUTIA, OLDENLANDIA, PENTODON
H. brachyloba Sond. = KOHAUTIA CAESPITOSA SUBSP. BRACHYLOBA
- 8285000 –GARDENIA ELLIS
4. GLEN. 1982. FLOWER PL. AFR. 47: PL. 1863.
- 900 G. THUNBERGIA THUNB.
(Note author correction)
- 8359000 –PACHYSTIGMA HOCHST. Revision: P.D.F. Kok (PRU)
3. KOK, BOSHOFF & VAN WYK. 1989. S. AFR. J. BOT. 55,6: 560.
- 50 P. BOWKERI ROBYNS
- 8438000 –ANTHOSPERMUM L.
2. PUFF. 1989. FZ 5,1: 150–159.
A. ericoideum Krause = A. RIGIDUM SUBSP. PUMILUM
A. humile N.E. Br. = A. RIGIDUM SUBSP. PUMILUM
A. pumilum Sond. subsp. pumilum = A. RIGIDUM SUBSP. PUMILUM
A. pumilum Sond. subsp. rigidum (Eckl. & Zeyh.) Puff = A. RIGIDUM SUBSP. RIGIDUM
A. pumilum Sond. var. pilosum Phill. = A. RIGIDUM SUBSP. PUMILUM
- 1770 A. RIGIDUM ECKL. & ZEYH. SUBSP. PUMILUM (SOND.) PUFF
(=A. ericoideum Krause) 2
(=A. humile N.E. Br.) 2
(=A. pumilum Sond.) 2
(=A. pumilum Sond. var. pilosum Phill.) 2
- 1800 A. RIGIDUM ECKL. & ZEYH. SUBSP. RIGIDUM
(=A. pumilum Sond. subsp. rigidum (Eckl. & Zeyh.) Puff) 2
- 8443000 –CARPACOCE SOND.
150 C. SCABRA (THUNB.) SOND. SUBSP. RUPESTRIS PUFF
(Note change in species number)
- 8475000 –SPERMACOCE GAERTN.
2. VERDCOURT. 1989. FZ 5,1: 165–188.
- 50 S. DESERTI N.E. BR.
400 S. SUBVULGATA (K. SCHUM.) GARCIA VAR. SUBVULGATA
- CUCURBITACEAE Contributed by W.G. Welman 8548000
- 8598000 –CITRULLUS ECKL. & ZEYH.
3. DE WINTER. 1990. BOTHALIA 20,2: 209–211.
- 300 C. REHMII DE WINTER
- 8599000 –CUCUMIS L.
850 C. MELO L. (Note change in species number)

- CAMPANULACEAE Contributed by W.G. Welman 8644000 7450 H. GRISEOLANATUM HILLIARD
18080 H. SUBFALCATUM HILLIARD
- 8668000 –WAHLENBERGIA SCHRAD. EX ROTH
(Note changes in species numbers)
9250 W. POLYTRICHIFOLIA SCHLTR. SUBSP.
DRACOMONTANA HILLIARD &
BURTT
10625 W. ROELLIFLORA SCHLTR. & V. BREHM.
12850 W. TRANSVAALENSIS V. BREHM.
- 8670000 –LIGHTFOOTIA L'HÉRIT.
(Note changes in species numbers)
1675 L. DINTERI ENGL. EX DINTER
1850 L. DIVARICATA BUEK VAR. DIVARICATA
2450 L. LONGIFOLIA A. DC. VAR. CORYMBOSA
ADAMSON
3950 L. RUBENS BUEK VAR. BRACHYPHYLLA
ADAMSON
- LOBELIACEAE Contributed by W.G. Welman 8681000
- 8681000 –CYPHIA BERG. (Note change in species number)
3875 C. SYLVATICA ECKL. VAR. SALICIFOLIA
(PRESL) E. WIMM.
- 8694000 –LOBELIA L. (Note changes in species numbers)
1350 L. CHAMAEPITYS LAM. VAR. CERATOPHYLLA
(PRESL) E. WIMM.
8220 L. STENOSIPHON (ADAMSON) E. WIMM.
8450 L. TOMENTOSA L. F.
- ASTERACEAE Contr. by W.G. Welman & P. Herman 8729000
- 8764000 –CORYMBIUM L.
4. WEITZ. 1989. S. AFR. J. BOT. 55,6: 598–629.
700 C. VILLOSUM L. F. (Note author correction)
- 8862000 –PTERONIA L.
8. BRUSSE. 1990. BULL. JARD. BOT. NAT.
BELG. 60: 151–154.
1850 P. DIOSMIFOLIA BRUSSE
- 8901000 –ERIGERON L.
E. floribundus (Kunth) Sch. Bip. = CONYZA ALBIDA
E. sumatrensis Retz. = CONYZA ALBIDA
- 8926000 –CONYZA LESS.
5. DANIN. 1990. S. AFR. J. BOT. 56,3: 412–413.
125 C. ALBIDA SPRENG. *
(=C. floribunda Kunth) 5
(=C. sumatrensis (Retz.) E.H. Walker) 5
(=Erigeron floribundus (Kunth) Sch. Bip.) 5
(=Erigeron sumatrensis Retz.) 5
C. floribunda Kunth = C. ALBIDA
C. sumatrensis (Retz.) E.H. Walker = C. ALBIDA
- 8951000 –NICOLASIA S. MOORE
850 N. STENOPTERA (O. HOFFM.) MERXM. SUBSP.
MAKARIKARIENSIS (BREM. &
OBERM.) MERXM.
(Note change in species number)
- 8967000 –IFLOGA CASS. (Note changes in species numbers)
150 I. ANOMALA HILLIARD
675 I. PARONYCHIOIDES (DC.) FENZL
- 8992000 –GNAPHALIUM L.
G. capitatum Lam. = METALASIA CAPITATA
G. densum Lam. = METALASIA DENSA
G. distans Schrank = METALASIA DISTANS
G. divergens Thunb. = METALASIA DIVERGENS
G. fastigiatum Thunb. = METALASIA FASTIGIATA
- 8995000 –PETALACTE D. DON
50 P. CANESCENS DC. (Note change in species number)
- 9006000 –HELICHRYSUM MILL. (Note changes in species
numbers)
4050 H. CYMOSUM (L.) D. DON SUBSP. CALVUM
HILLIARD
- 9037000 –STOEBE L.
S. gnaphalodes Thunb. = METALASIA
PULCHERRIMA FORMA
PULCHERRIMA
1100 S. GOMPHRENOIDES (LAM.) BERG.
(Note author correction)
- 9042000 –PTEROTHRIX DC.
4. BRUSSE. 1990. BOTHALIA 20,1: 67.
350 P. TECTA BRUSSE
- 9043000 –METALASIA R. BR.
1. PILLANS. 1954. J.L. S. AFR. BOT. 20: 47.
2. KARIS. 1989. OPERA BOTANICA 99: 1–150.
50 M. ACUTA KARIS
225 M. ALBESCENS KARIS
M. aristata DC. = M. DENSA
M. barnardii L. Bol. = M. MURALTIFOLIA
M. bolusii L. Bol. = M. CAPITATA
800 M. BREVIFOLIA (LAM.) LEVYNS
(=M. intermedia DC.) 2
(=M. fasciculata (Berg.) D. Don.) 1
M. caespitosa Levyns = M. PULCHELLA
850 M. CALCICOLA KARIS
875 M. CAPITATA (LAM.) LESS.
(=Gnaphalium capitatum Lam.) 2
(=M. bolusii L. Bol.) 2
925 M. COMPACTA ZEYH. EX SCH. BIP.
M. concinna Harv. = M. FASTIGIATA
1010 M. DENSA (LAM.) KARIS
(=Gnaphalium densum Lam.) 2
(=M. aristata DC.) 2
(=M. polyanthos (Thunb.) D. Don) 2
(=M. stricta Less.) 2
M. depressa Harv. = M. DIVERGENS SUBSP.
DIVERGENS
1020 M. DISTANS (SCHRANK.) DC.
(=Gnaphalium distans Schrank) 2
1030 M. DIVERGENS (THUNB.) D. DON SUBSP.
DIVERGENS
(=Gnaphalium divergens Thunb.) 2
(=M. depressa Harv.) 2
1035 M. DIVERGENS (THUNB.) D. DON SUBSP. FUSCA
KARIS
1040 M. DREGIANA DC.
1100 M. ERUBESCENS DC.
(=M. nitidula Harv.) 2
M. fasciculata (Berg.) D. Don. = M. BREVIFOLIA
(Note author correction)
1150 M. FASTIGIATA (THUNB.) D. DON
(=Gnaphalium fastigiatum Thunb.) 2
(=M. concinna Harv.) 2
(=M. speciosa Hutch.) 2
M. gnaphalodes Druce = M. PULCHERRIMA
FORMA PULCHERRIMA
1400 M. HUMILIS KARIS
M. incurva Pillans = M. PHILLIPSII SUBSP.
INCURVA
M. intermedia DC. = M. BREVIFOLIA
1650 M. INVERSA KARIS
M. langebergensis Salter = M. MASSONII
1950 M. LUTEOLA KARIS
2000 M. MASSONII S. MOORE
(=M. langebergensis Salter) 2
2050 M. MONTANA KARIS
2075 M. MURALTIFOLIA DC.
(=M. barnardii L. Bol.) 2
M. nitidula Harv. = M. ERUBESCENS
2250 M. OLIGOCEPHALA KARIS
M. phyllicoides D. Don (name doubtful)
2325 M. PHILLIPSII L. BOL. SUBSP. INCURVA
(PILLANS) KARIS
(=M. incurva Pillans) 2
2350 M. PHILLIPSII L. BOL. SUBSP. PHILLIPSII
2400 M. PLICATA KARIS
M. polyanthos (Thunb.) D. Don = M. DENSA
(Note author correction)

- 2450 *M. PULCHELLA* (CASS.) KARIS
(=*M. caespitosa* Levyns) 2
M. pulcherrima Less. var. *pallescens* Harv. = *M. PULCHERRIMA* FORMA *PALLESCENS*
- 2475 *M. PULCHERRIMA* LESS. FORMA *PALLESCENS* (HARV.) KARIS
(=*M. pulcherrima* Less. var. *pallescens* Harv.) 2
- 2500 *M. PULCHERRIMA* LESS. FORMA *PULCHERRIMA*
(=*M. gnaphalodes* Druce) 2
(=*Stoebe gnaphalodes* Thunb.) 1,2
- 2550 *M. PUNGENS* D. DON
- 2850 *M. ROGERSII* S. MOORE
- M. schlechteri* L. Bol. = *PLANEA SCHLECHTERI*
- 3050 *M. SERRATA* KARIS
- 3075 *M. SERRULATA* KARIS
M. speciosa Hutch. = *M. FASTIGIATA*
M. stricta Less. = *M. DENSA*
- 3225 *M. TENUIS* KARIS
- 3275 *M. TRIVIALIS* KARIS
- 3300 *M. UMBELLIFORMIS* KARIS
- 9043010 –*CALOTESTA* KARIS
1. KARIS. 1990. BOT. J. LINN. SOC. 102: 23–36.
- 100 *C. ALBA* KARIS
- 9043020 –*HYDROIDEA* KARIS
1. KARIS. 1990. BOT. J. LINN. SOC. 102: 23–36.
- 100 *H. ELSIAE* (HILLIARD) KARIS
(=*Atrichantha elsiae* Hilliard) 1
- 9043030 –*PLANEA* KARIS
1. KARIS. 1990. BOT. J. LINN. SOC. 102: 23–36.
- 100 *P. SCHLECHTERI* (L. BOL.) KARIS
(=*Metasias schlechteri* L. Bol.) 1
- 9045010 –*ATRICHANTHA* HILLIARD & BURTT
A. elsiae Hilliard = *HYDROIDEA ELSIAE*
- 9336000 –*PHYMASPERMUM* LESS. EMEND. KALLERSJO
3. BRUSSE. 1989. BOTHALIA 19,1: 29.
- 205 *P. ARGENTEUM* BRUSSE
- 230 *P. EQUISETOIDES* THELL.
(Note change in species number)
- 525 *P. SCOPARIUM* (DC.) KALLERSJO
(Note change in species number)
- 9337010 –*INEZIA* PHILL.
2. BRUSSE. 1989. BOTHALIA 19,1: 27.
- 200 *I. SPECIOSA* BRUSSE
- 9411000 –*SENECIO* L. Revision: B. Nordenstam (S), L.P.D. Vincent (J)
S. galpinii (Hook. f.) Hook. f. = *KLEINIA GALPINII*
(Note author correction)
- 12620 *S. HIRSUTILOBUS* HILLIARD
(Note change in species number)
- 14280 *S. LAEVIGATUS* THUNB. VAR. *INTEGRIFOLIUS* HARV.
(Note change in species number)
- 14960 *S. LEUCOGLOSSUS* SOND.
(Note change in species number)
- 15250 *S. LITTOREUS* THUNB. VAR. *HISPIDULUS* HARV.
(Note change in species number)
- 18920 *S. PANDURATUS* LESS.
(Note change in species number)
- 9411050 –*KLEINIA* MILL.
2. HALLIDAY. 1988. HOOKER'S ICON. PL. T. 3878.
- 300 *K. GALPINII* HOOK. F.
(Note author correction)
(=*Senecio galpinii* (Hook. f.) Hook. f.) 1
- 9427000 –*OSTEOSPERMUM* L.
6. NORLINDH. 1965. MITT. BOT. STSAMML. MÜNCH. 5: 646–647.
- 4450 *O. MURICATUM* E. MEY. EX DC. SUBSP. *LONGIRADIATUM* T. NORL.
(Note change in species number)
- 4850 *O. PINNATUM* (THUNB.) T. NORL. VAR. *BREVE* T. NORL.
- 4900 *O. PINNATUM* (THUNB.) T. NORL. VAR. *PINNATUM*
- 5050 *O. POLYGALOIDES* L. VAR. *LATIFOLIUM* T. NORL.
(Note change in species number)
- 9432000 –*ARCTOTIS* L.
1150 *A. BELLIDIATRUM* S. MOORE
(Note change in species number)
- 9437000 –*CULLUMIA* R. BR. EX AIT.
1575 *C. SETOSA* (L.) R. BR. VAR. *MICROCEPHALA* ROESSL.
(Note change in species number)