

# PRINTER RIBBONS



## ACCEL AMT 500 / 515




**Specifications:** 20mm x 14m Black  
**Ribbon Type:** High Density  
**Printer Compatibility:**  
ACCEL AMT 500 / 515, TOSHIBA P351  
**Packing Standard (per ctn):**  
Qty: 110 M3: 0.106

## CITIZEN 120D / GSX140



**Specifications:** 8mm x 14m Black  
**Ribbon Type:** High Density  
**Printer Compatibility:**  
CITIZEN 200GX / 124D / 224S / GSX130 / 140 / 200 / 220 / 230 / 345X / 180D / SWIFT 24 / 24E / 24S / 24X / DEC55 / 65 / 95 / COLOR PTR / JOLIMARK FP530 / 530K+ / 540K / RADIO SHACK DMP240  
**Packing Standard (per ctn):**  
Qty: 77 M3: 0.079

## CITIZEN DP400 / IR41



**Specifications:** 12.7mm x 5m  
Black / Black-Red / Purple  
**Ribbon Type:** Normal Density  
**Printer Compatibility:**  
CITIZEN DP410 / IR41 / IDP460 / 400 / 3420 / 3421  
**Packing Standard (per ctn):**  
Qty: 200 M3: 0.091

## CITIZEN DP600 / IR61



**Specifications:** 12.7mm x 7m  
Black / Black-Red / Purple  
**Ribbon Type:** Normal Density  
**Printer Compatibility:**  
Citizen CBM-710 / 715 / 720 / 725, IR-60, IDP3516 / 3520 / 3530F / 3530P / 3551, TA CMS-9200, TOWA ET6420, CASIO CE4050 / FE2000 / KP300, SWINTEC SW2250, OLYMPIA CM 1920 / 1930, CITIZEN PTR, SANYO ECR340 / 358 / 548  
**Packing Standard (per ctn):**  
Qty: 200 M3: 0.091

# PRINTER RIBBONS



## CITIZEN DP700 / DP730 / IR71



**Specifications:** 12.7mm x 11m  
Black / Purple

**Ribbon Type:** Normal Density


**Printer Compatibility:**

CITIZEN DP730 / SHARP ER460PC / IR71

**Packing Standard (per ctn):**

Qty: 120 M3: 0.081

## CITIZEN IDP562 / IR51



**Specifications:** 12.7mm x 5m  
Black / Black-Red / Purple

**Ribbon Type:** Normal Density

**Printer Compatibility:**

CITIZEN IDP 560 40-COL / CBM530 / 531 / 540 / 301 / 310 / 510 / 520 / DP260RS / DP560RS / DATA CARD 6800 / ENVOY DEBIT TERMINAL GLORY SR700 / TALTEX 727 CITIZEN

**Packing Standard (per ctn):**

Qty: 150 M3: 0.037

## CITIZEN MD910 / MD911



**Specifications:** 4mm x 0.195m  
Purple Seamless

**Ribbon Type:** Normal Density

**Printer Compatibility:**

CITIZEN IR910 / IDP-3110-24X / DP-3111 / DM910 / IR91 / CBM910 / 911 / DP3110 / 3111 / ELKU TEC ELECTRONIC FD910

**Packing Standard (per ctn):**

Qty: 500 M3: 0.051

## COMPUPRINT MDP 40T



**Specifications:** 9mm x 1.8m Black

**Ribbon Type:** High Density

**Printer Compatibility:**

COMPUPRINT MDP 40T


**Packing Standard (per ctn):**

Qty: 120 M3: 0.079

# PRINTER RIBBONS



## COMPUPRINT SP40 PLUS



**Specifications:** 8mm x 25m Black  
**Ribbon Type:** High Density  
**Printer Compatibility:**  
COMPUPRINT SP40 PLUS  
**Packing Standard (per ctn):**  
Qty: 58 M3: 0.081

## DATAROYAL 5000



**Specifications:** 12.7mm x 10m Black  
**Ribbon Type:** Normal Density  
**Printer Compatibility:**  
DATAROYAL 5000  
**Packing Standard (per ctn):**  
Qty: 100 M3: 0.081

## EPSON DFX5000 / DFX8000



**Specifications:** 12.7mm x 40m Black  
**Ribbon Type:** Normal Density  
**Printer Compatibility:**  
EPSON DFX5000 / 8000 / 8500  
**Packing Standard (per ctn):**  
Qty: 20 M3: 0.091

## EPSON DFX9000




**Specifications:** 12.7mm x 70m Black  
**Ribbon Type:** High Density  
**Printer Compatibility:**  
EPSON DFX9000  
**Packing Standard (per ctn):**  
Qty: 24 M3: 0.108

# PRINTER RIBBONS



## EPSON ERC-02



**Specifications:** 12.7mm x 5m  
Black / Black-Red / Purple

**Ribbon Type:** Normal Density

**Printer Compatibility:**

EPSON ER02 / II / IM215S / UNIVERSAL CAL.  
CART SEIKOSHA VICTOR 600 / CANON  
/ CASIO / CITIZEN / SHARP CALCULATORS

**Packing Standard (per ctn):**

Qty: 200 M3: 0.091

## EPSON ERC-05



**Specifications:** 4mm x 0.17m  
Black / Purple Seamless

**Ribbon Type:** Normal Density


**Printer Compatibility:**

EPSON 150II / M1501I / M160 / 163 / EC7000  
/ ERC05II / C.TOH 150 / SHARP EL7000  
/ 7001

**Packing Standard (per ctn):**

Qty: 500 M3: 0.051

## EPSON ERC-09



**Specifications:** 4mm x 0.208m  
Black / Purple Seamless

**Ribbon Type:** Normal Density


**Printer Compatibility:**

EPSON M160 / 161 / 180 / 181 / 182 / 183  
/ 185 / 190 / 191 / 192 / 195 / 150 / 163 / 164  
/ EPC-09 / 80 / 22 / 40 / HITACHI DF6000  
/ BRANDT 1100 / 1209 / 2790 / MACH 7  
/ SWINTEC SW1260 / TEKNIKA G-910  
/ G-1800 / STANDARD REGISTER TE-1800

**Packing Standard (per ctn):**

Qty: 500 M3: 0.051

## EPSON ERC-11



**Specifications:** 12.7mm x 11m  
Black / Purple

**Ribbon Type:** High Density

**Printer Compatibility:**

EPSON 505 / 515 / 517 / 518 / 524 / 518A  
/ 518T / 525 / CTM545 / TM545 / M505 / M515  
/ SANYO 700 / 7000 ECR / 7100 ECR / SHARP  
5200 / 5210 / ER5200 / ER5210 / ER52 SERIES

**Packing Standard (per ctn):**

Qty: 65 M3: 0.059

# PRINTER RIBBONS



## EPSON ERC-18



**Specifications:** 12.7mm x 10.5m  
Black / Purple

**Ribbon Type:** High Density


**Printer Compatibility:**

CASIO CE4100 / 4105 / 4110 / 4115 / 4415 / 4500 / 4515 / 4530 / 4540 / 4615 / CASIO ER4615 / 4640 / 4800 / 4915 / 4940 / 5100 / 6500 / ERP300 / 400TK1200 / 2100 / 2200 / 2600 / OLYMPIA S3100 / S3115 / RP6830 / SHARP ER2640 / TOWA ET-8623 / 8626

**Packing Standard (per ctn):**

Qty: 100 M3: 0.055

## EPSON ERC-22



**Specifications:** 4mm x 0.208m  
Black / Purple Seamless

**Ribbon Type:** High Density

**Printer Compatibility:**

Epson ERC22 / 40 / M181 / 190 / NORAND 480 LONG LIFE FOR M-180 / 190 / CASIO CE 250

**Packing Standard (per ctn):**

Qty: 500 M3: 0.051

## EPSON ERC-23



**Specifications:** 12.7mm x 3.5m  
Black / Purple

**Specifications:** 12.7mm x 4.5m Black-Red

**Ribbon Type:** Normal Density

**Printer Compatibility:**

Epson 250 / 252 / 255 / 257 / 300D / SANYO / ERC590 / 595 / IBM 4651 / 4655 / 4661 / TOWA 1420 / PANASONIC 7000 / PM300 / JS-7000 / 8000 / SHARP 3120 / 3210 / ER2975 / 3210 / TEC RE-2000 / 3000 / 2500 / 3500

**Packing Standard (per ctn):**

Qty: 200 M3: 0.091

## EPSON ERC-27



**Specifications:** 10mm x 3.5m  
Black / Purple

**Ribbon Type:** High Density

**Printer Compatibility:**

EPSON CTM290 / 390 / M290 / M12-PA / TM290 / 295 / TM-U295 / M-V295 / FUJITSU G5800 / 5840 SLIP PTR / OMRON SP50 / MICROS 1700 / 2700 SLIP PTR / IPC PRT290-11 / ASIO SP1000 / SA1010


**Packing Standard (per ctn):**

Qty: 150 M3: 0.037

# PRINTER RIBBONS



## EPSON ERC-28



**Specifications:** 12.7mm x 2.5m  
Black / Purple

**Ribbon Type:** High Density


**Printer Compatibility:**

EPSON ERC 28 / M2000 / FUJITSU2975  
/ AT3000 / NORAND 815 / 4000 / 4815 / 4820  
/ DP815 / NP815

**Packing Standard (per ctn):**

Qty: 700 M3: 0.091

## EPSON ERC-30 / ERC-34 / ERC-38



**Specifications:** 12.7mm x 6m  
Black / Black-Red / Purple

**Ribbon Type:** High Density

**Printer Compatibility:**

EPSON ER 30 / 34 / 38 / MICROS AUTOCUT  
200 / 4000WTM / 200 / 220D / 230 / 300 / 370  
/ 325 / 375 / M119 / 119B / 119D  
/ PANASONIC PM300 / 308 / PANASONIC  
JS-7500 / 8000 / 9000 / SAMSUNG SRP270

**Packing Standard (per ctn):**

Qty: 200 M3: 0.091

## EPSON ERC-31



**Specifications:** 12.7mm x 13m  
Black / Purple

**Ribbon Type:** Normal Density


**Printer Compatibility:**

EPSON M31PA / M32SA / M26SA / M930  
/ TM-930II / TM-930 / TM-950 / TM-925  
/ TM-U950 / TM-U590 / TM-U925 / TM-H5000  
/ 5000II SLIP PTR / OMRON S6000 / VERIFONE  
930R

**Packing Standard (per ctn):**

Qty: 100 M3: 0.081

## EPSON ERC-32



**Specifications:** 12.7mm x 6m  
Black / Black-Red / Purple

**Ribbon Type:** Normal Density

**Printer Compatibility:**

EPSON TM930 / 935 / M820 / M825 / TM-U150  
/ TM-H6000 / SHARP ER-3120 / 3530 / A510  
/ 550 / 610 / 650 / TEC MA-1350 / MA-1350F  
/ CASIO CE4200 / CE4250 / CE4700 / CE5100  
/ CE6100 / TK1300 / TK2300 / TK2700  
/ PANASONIC JS5000 / NCR 2170

**Packing Standard (per ctn):**

Qty: 100 M3: 0.055



# PRINTER RIBBONS



## EPSON ERC-35



**Specifications:** 12.7mm x 12m  
Black / Purple

**Ribbon Type:** Normal Density

**Printer Compatibility:**

EPSON ERC35 / M875 / M31SP / IBM 4610 T11  
SUREMARK THERMAL & DMP / 4610 T12  
SUREMARK THERMAL & DMP / NCR 7167  
/ NIKKO NK-747S / NIXDORF BEETLE 50 POS  
/ PX3 / SIEMENS BEETLE 3 / 50 / 50 POS  
/ KER 2000 / TEKNIKA G930

**Packing Standard (per ctn):**

Qty: 100 M3: 0.081

## EPSON ERC-37



**Specifications:** 12.7mm x 8m  
Black / Purple

**Ribbon Type:** Normal Density


**Printer Compatibility:**

Epson ERC 37 / TM780 / 790 / 760 / M760S  
/ NIKKO NK-5500 / OLIVETTI ECR2550  
/ OLYMPIA S2800 / OMRON RS2810 / 2820  
/ 2840 / ROYAL ALPHA 9150 / SANYO ECR  
425 / 445 / UNIWELL UX-40 / 40F / 41 / 41F  
/ 43 / 43F

**Packing Standard (per ctn):**

Qty: 120 M3: 0.079

## EPSON ERC-39



**Specifications:** 12.7mm x 4.2m  
Black / Black-Red / Purple

**Ribbon Type:** Normal Density


**Printer Compatibility:**

EPSON ERC-39 / MT311 / M-U310 / 11 / 312  
/ M-V110 / M-U115 / CITIZEN IR-31 / DP-300  
/ ERC-43

**Packing Standard (per ctn):**

Qty: 200 M3: 0.091

## EPSON ERC-41



**Specifications:** 8mm x 3m  
Black / Purple

**Ribbon Type:** High Density

**Printer Compatibility:**

EPSON ERC-41 / TM-H6000 / TM-6000II

**Packing Standard (per ctn):**

Qty: 200 M3: 0.091

# PRINTER RIBBONS



## EPSON FX100 / MX100



**Specifications:** 12.7mm x 14m Black

**Ribbon Type:** Normal Density

**Printer Compatibility:**

EPSON ERC 08 / SEIKO 8635-10 / VICTOR 6000 / 6025 / MEMOREX 2815 / CITIZEN MSP15 / 15E / 25 / 45 / 55 / EPSON 100+ / 100FT / 105 / 185 / 286 / 1000 / 1050 / 1080 / 1170 / OLYMPIA NP136 / SANYO AX100 / EPSON LX1000 / RX100 / LX1170 / MP100

**Packing Standard (per ctn):**

Qty: 55 M3: 0.091

## EPSON FX80 / MX80



**Specifications:** 12.7mm x 14m Black

**Ribbon Type:** Normal Density

**Printer Compatibility:**

CITIZEN MSP10 / 10E / 20 / 40 / EPSON ERC04 / FT80 / EPSON RX10 / 70 / 80 / 85 / 90 / EPSON 3210 / 3310 / APEX1000 / CTMF80 / CASIO FP1000 / FUJITSU MICRO 164 / 165 / SAMSUNG SP93 / 930N / SHARP 332P / CE322P / VICTOR 625 / 6010 / 9000

**Packing Standard (per ctn):**

Qty: 77 M3: 0.079

## EPSON LQ50 / 50K



**Specifications:** 12.7mm x 10m Black

**Ribbon Type:** High Density

**Printer Compatibility:**

EPSON LQ55

**Packing Standard (per ctn):**

Qty: 100 M3: 0.081

## EPSON LQ1000 / LQ1050 / LQ1170



**Specifications:** 12.7mm x 14m Black

**Ribbon Type:** High Density

**Printer Compatibility:**

EPSON ERC20 / LQ1000 / 1010 / 1050 / 1170 / 1600 / OLYMPIA NP136SE / EX1000 / 1800 / CITIZEN 224 / HQP45 / STONE MS2406 / STAR LQ1900K / GZSP 320001/ 320003 / SHINWA EL-2415 / AMT ACCEL 244

**Packing Standard (per ctn):**

Qty: 55 M3: 0.091



# PRINTER RIBBONS



## EPSON LQ2090 / LQ2190



**Specifications:** 12.7mm x 30m Black  
**Ribbon Type:** High Density  
**Printer Compatibility:**  
EPSON FX2190 / 2175 / LQ2090 / 2090C  
/ 1600KIIIH  
**Packing Standard (per ctn):**  
Qty: 38 M3: 0.091

## EPSON LQ2170 / LQ2180



**Specifications:** 12.7mm x 40m  
Black (Foam/Gear)  
**Ribbon Type:** High Density  
**Printer Compatibility:**  
EPSON LQ1200K / 2170 / 2170C / 2070  
/ 2070C / 1600KIII / 2080 / 1600KID+ / 2600K  
/ 2180 / 1600KIII+ / LQ2660 / 2180 / 1900KII+  
/ 1600K4 / 1600K4+ / 2900K / FX2180 / FX2170  
**Packing Standard (per ctn):**  
Qty: 20 M3: 0.091

## EPSON LQ2500 / LQ2550 / LQ680



**Specifications:** 12.7mm x 9m Black  
**Ribbon Type:** High Density  
**Printer Compatibility:**  
EPSON DLQ2000 / EX800 / 1000 / LQ1060  
/ 2500 / 2500 / 2550 / 860 / 670 / 670K  
/ 670K+ / 756 / 680K+ / LQ680 / LQ680 PRO  
/ STAR LQ680K / SO15016  
**Packing Standard (per ctn):**  
Qty: 120 M3: 0.079

## EPSON LQ300 / LQ500 / LQ800




**Specifications:** 12.7mm x 14m Black  
**Ribbon Type:** High Density  
**Printer Compatibility:**  
EPSON ER19 / VP80K / VP85K / PRT4280  
/ PRT9282 / LQ200 / LQ300 / LQ300K / 400  
/ 450 / 500 / 510 / 550 / 570 / 800 / 850  
/ CITIZEN 124 / SHINWA EL2410 / OLYMPIA  
NP70-24 / NP80-24 / SANYO PR241  
/ TEC GP8404 / JOLIMARK LQ300KII  
**Packing Standard (per ctn):**  
Qty: 77 M3: 0.079

# PRINTER RIBBONS



## EPSON LQ590 / LQ890




**Specifications:** 12.7mm x 16m Black  
**Ribbon Type:** High Density  
**Printer Compatibility:**  
EPSON FX890 / LQ590 / LQ590K  
**Packing Standard (per ctn):**  
Qty: 75 M3: 0.081

## EPSON LQ630



**Specifications:** 12.7mm x 10m Black  
**Ribbon Type:** High Density  
**Printer Compatibility:**  
EPSON LQ630K / LQ635K / LQ730K  
**Packing Standard (per ctn):**  
Qty: 58 M3: 0.079

## EPSON LQ690K



**Specifications:** 12.7mm x 32m Black  
**Ribbon Type:** High Density  
**Printer Compatibility:**  
EPSON LQ-690 / 690C / 675KT / 680KII / 690K  
**Packing Standard (per ctn):**  
Qty: 38 M3: 0.091

## EPSON LX310 / LQ310



**Specifications:** 12.7mm x 12m Black  
**Ribbon Type:** High Density  
**Printer Compatibility:**  
EPSON LX310 / LQ310  
**Packing Standard (per ctn):**  
Qty: 75 M3: 0.081

# PRINTER RIBBONS



## EPSON LX350 / LQ350



**Specifications:** 12.7mm x 14m Black

**Ribbon Type:** High Density

**Printer Compatibility:**

EPSON LQ200 / 300 / 300K / 300K+II / 350 / 400 / 450 / 500 / 510 / 550 / 570 / 800 / 850 / 850+ / EPSON LX300 / 300+ / 350 / 400 / 800 / 810 / 850 / 860 / 870

**Packing Standard (per ctn):**

Qty: 75 M3: 0.081

## EPSON LX80



**Specifications:** 8mm x 5m Black

**Ribbon Type:** High Density


**Printer Compatibility:**

EPSON ERC17 / GX80 / LX80 / 86 / 90 / 9762 / NAKAJIMA AR30 / 40 / OLYMPIA NP30 / 30APL / 60 / 60APL

**Packing Standard (per ctn):**

Qty: 200 M3: 0.091

## EPSON PLQ20



**Specifications:** 6.35mm x 30m Black

**Ribbon Type:** High Density

**Printer Compatibility:**

EPSON PLQ 20 / 20M / 20K / 20KM

**Packing Standard (per ctn):**

Qty: 45 M3: 0.059

## FUJITSU DL1100 / DL1200



**Specifications:** 8mm x 1.6m

Black Seamless

**Ribbon Type:** High Density

**Printer Compatibility:**

FUJITSU DL100 / 700 / 900 / 1000 / 1100 / 1200 / 1150 / 1155 / 1250 / DPK 8100 / 8200 / 8300 / 8400 / 8500 / 8600 / 8100E / 8200E / 8400E / 8500E / 8600E / 9050E

Qty: 150 M3: 0.037

# PRINTER RIBBONS



## FUJITSU DL3300 / DL3400



**Specifications:** 12.7mm x 6m Black

**Ribbon Type:** High Density

**Printer Compatibility:**

FUJITSU PMG9 / M3375A-DL3300 / M3358B-DL3400 / DL3300 / 3300C / 3400 / 3600 / 3450 / DX2100 / 2200 / 2300 / 2400 / STONE 2401 / 2400 / 2402 / CONVERGENT CT-2424P / 2425S / 2426 / CPT-MD240 / NIXDOF 3803 -60 / TA MPR 7433 / 7344

**Packing Standard (per ctn):**

Qty: 120 M3: 0.079

## FUJITSU DL3700 / DL3800



**Specifications:** 12.7mm x 5m Black

**Ribbon Type:** High Density

**Printer Compatibility:**

FUJITSU DL3600E / DL3600L / DL3700 / DL3800 COLOR PTR / DPK3600E / DPK9600E / DL9300 / DL9400 / DPK3600H / TALLY GENICOM LA30R-KA / LA30N / LA30W / LA36N / LA36W / DIGITAL LA30N / LA30W / GENICOM L36N / LA36W

**Packing Standard (per ctn):**

Qty: 120 M3: 0.079

## GENICOM 3480S



**Specifications:** 25.4mm x 30m Black

**Ribbon Type:** High Density

**Printer Compatibility:**

DECLA 400

**Packing Standard (per ctn):**

Qty: 24 M3: 0.108

## GENICOM 3800



**Specifications:** 10mm x 40m Black

**Ribbon Type:** High Density

**Printer Compatibility:**

GENICOM 3800 / 3840E / 3810 / 3830

Qty: 20 M3: 0.091

# PRINTER RIBBONS



## GENICOM 4000 / 4410



**Specifications:** 25.4mm x 40m Black  
**Ribbon Type:** High Density  
**Printer Compatibility:**  
GENICOM 4000 / 4410  
**Packing Standard (per ctn):**  
Qty: 12 M3: 0.135

## HITACHI 580-2



**Specifications:** 12.7mm x 25m Black  
**Ribbon Type:** High Density  
**Printer Compatibility:**  
HITACHI 580-2  
**Packing Standard (per ctn):**  
Qty: 35 M3: 0.108

## IBM 2400 / 2480



**Specifications:** 8mm x 1.6m  
Black Seamless  
**Ribbon Type:** High Density  
**Printer Compatibility:**  
IBM / LEXMARK 2380 / 2381 / 2390 / 2391  
/ 2300 / 2400 / 2480 / 2490 / 2481 / 2491  
/ 2490E / LEXMARK 11A3540 / TALLY  
GENICOM 044744 / 2430 / 2431 / T5025  
/ DECISION DATA 6520 / 6521 / 6531  
/ PRINTER SYSTEM PRIMA CX300 / CX400  
**Packing Standard (per ctn):**  
Qty: 200 M3: 0.091

## IBM 4201 / 4207



**Specifications:** 11mm x 16m  
Black Twin Ear  
**Ribbon Type:** High Density  
**Printer Compatibility:**  
IBM 4212 / 4722 / 4721 / 4748 / PROPRINTER  
4207 / 4201 / 2205 / II&III / X24 / X24E  
Qty: 75 M3: 0.081

# PRINTER RIBBONS



## IBM 4224 MODEL 101 / 102



**Specifications:** 14.3mm x 16m Black

**Ribbon Type:** Normal Density

**Printer Compatibility:**

IBM 4224 MODEL 201 / 202 / 301 / 302


/ IBM4230 MODEL 101 / 102 / 201 / 202

/ IBM IE2 / 3 / IF2 / 3E3 / 2F2 / 2E3

**Packing Standard (per ctn):**

Qty: 44 M3: 0.108

## IBM 4234 MODEL 1 / 2



**Specifications:** 27mm x 40m Black

**Ribbon Type:** High Density

**Printer Compatibility:**

IBM 4234 MODEL 1 / 2

**Packing Standard (per ctn):**

Qty: 9 M3: 0.108

## IBM 4234 MODEL 11 / 12 / 13



**Specifications:** 27mm x 40m Black

**Ribbon Type:** High Density


**Printer Compatibility:**

IBM 4234 MODEL 11 / 12 / 13

**Packing Standard (per ctn):**

Qty: 9 M3: 0.108

## IBM 4247



**Specifications:** 25.4mm x 30m Black

**Ribbon Type:** High Density

**Printer Compatibility:**

IBM 4247


Qty: 24 M3: 0.108



# PRINTER RIBBONS



## IBM 4683 MODEL 3



**Specifications:** 11mm x 14m  
Black / Purple

**Ribbon Type:** High Density

**Printer Compatibility:**

IBM 4694 / 4693 / IBM 4684 MODEL3  
/ IBM 4696 MODEL4R / IBM 4694 MODEL 4  
/ IBM 1040889 / 75 LEXMARK 1040900  
/ STAR MICRONICS SP772

**Packing Standard (per ctn):**

Qty: 75 M3: 0.081

## IBM 5224 BASEBALL BAT



**Specifications:** 38mm x 35m Black

**Ribbon Type:** Normal Density

**Printer Compatibility:**

IBM 5224 / MODEL 1 / MODEL 2

**Packing Standard (per ctn):**

Qty: 16 M3: 0.108

## IBM 9068-A01



**Specifications:** 6.35mm x 17m Black

**Ribbon Type:** High Density

**Printer Compatibility:**

IBM 9068 A01

**Packing Standard (per ctn):**

Qty: 45 M3: 0.059

## IBM 9068



**Specifications:** 8mm x 1.6m  
Black Seamless

**Ribbon Type:** High Density

**Printer Compatibility:**

IBM 9068

Qty: 200 M3: 0.091

# PRINTER RIBBONS



## IBM 9068-AO3



**Specifications:** 6.35mm x 17m Black  
**Ribbon Type:** High Density  
**Printer Compatibility:**  
IBM 9068-AO3  
**Packing Standard (per ctn):**  
Qty: 45 M3: 0.059

## M / TALLY 1000 OPEN JAW



**Specifications:** 9mm x 8m Black  
**Ribbon Type:** High Density  
**Printer Compatibility:**  
M TALLY 1000  
**Packing Standard (per ctn):**  
Qty: 44 M3: 0.091

## M/TALLY MT2140 / MT2250



**Specifications:** 12.7mm x 18m Black  
**Ribbon Type:** High Density  
**Printer Compatibility:**  
M TALLY 131 / 24, 131 / 9,151 / 24,151 / 9  
/ T2245 / T2133  
**Packing Standard (per ctn):**  
Qty: 44 M3: 0.091

## M / TALLY MT2265+ / MT2280+




**Specifications:** 20mm x 40m Black  
**Ribbon Type:** High Density  
**Printer Compatibility:**  
M TALLY MT230 / 240 / 250 / 300 / 330 / 340  
/ 350 / 360 / 380 / 360-2T / 400 / 440-SL / 460  
/ 490 / MP360 / MP380 / T2170 / T2060  
/ T2155 / OLIVETTI DM924 / NCR 4170-330  
/ NIXDORF DR-206 / NIXDORF ND38  
**Packing Standard (per ctn):**  
Qty: 20 M3: 0.091

# PRINTER RIBBONS



M / TALLY MT690 / MT691



**Specifications:** 25.4mm x 40m Black

**Ribbon Type:** High Density

**Printer Compatibility:**

M TALLY MT600 / 645 / 660 / 661 / ERICSSON  
5818 / 5819 / TALLY T6045 / 6050 / 6065  
/ 6082 / 6090 / 6100 / DATA GENERAL 6617  
/ 6618 / 6883 / 6962 / NR 6451 / 6458  
/ MEMOREX 1234 / ITT COURIER 13034  
/ 13134 / 13234 / 13X44

**Packing Standard (per ctn):**

Qty: 10 M3: 0.091

M / TALLY T6215 / T6218



**Specifications:** 31.7mm x 45m Black

**Ribbon Type:** High Density

**Printer Compatibility:**

M TALLY T6215 / T6218 / E40

**Packing Standard (per ctn):**

Qty: 10 M3: 0.108

NCR 5070



**Specifications:** 12.7mm x 10m

Black / Purple

**Ribbon Type:** Normal Density


**Printer Compatibility:**

NCR 5085 Piano

**Packing Standard (per ctn):**

Qty: 10 M3: 0.108

NCR 5684 / 5685 / RECEIPT



**Specifications:** 12.7mm x 8m  
Black / Purple

**Ribbon Type:** Normal Density

**Printer Compatibility:**

NCR 5674 / 5675 / 5682 / 5684 / 5685 / 5688  
/ RECEIPT / JOURNAL PTR / 5874 / 5884  
/ 5886

Qty: 110 M3: 0.091

# PRINTER RIBBONS



NEC P20 / P30 / P3200 / P3300



**Specifications:** 8mm x 1.6m  
Black Seamless

**Ribbon Type:** High Density


**Printer Compatibility:**

PZ300 / 200 / P2X / P3Q / P1200 / P1300  
/ P2000 / P2Q / 22Q / 32Q

**Packing Standard (per ctn):**

Qty: 200 M3: 0.091

NEC P6+ / P7+ / P5200 / P5300



**Specifications:** 12.7mm x 8m Black

**Ribbon Type:** High Density

**Printer Compatibility:**

NEC P6200 / 3800 / 3900 / 7300 / 9300  
/ P5260 / P5360 / P8000 / P38 / 39 / 52 / 53  
/ 60 / 62 / 70 / 72 / 73 / 90 / 42Q / 52Q  
/ 621Q / 72Q / 72X

**Packing Standard (per ctn):**

Qty: 110 M3: 0.091

OKIDATA ML182 / ML320 / ML390



**Specifications:** 8mm x 1.6m  
Black Seamless

**Ribbon Type:** High Density


**Printer Compatibility:**

OKIDATA ML120 / 172 / 180 / 182 / 183 / 184  
/ 192 / 193 / 194 / 380 / 391 / 3320 / 3321  
/ 5330 / 8320 / 8330 / 420 / 421 / OKIDATA  
OKIMATE 120 / OKIDATA 5320 / 5330 / 8320  
/ 8330 / DATA GENERAL 6647 / 6648  
/ NIXDORF ND65 / 66 / 72 / 73

**Packing Standard (per ctn):**

Qty: 150 M3: 0.037

OKIDATA ML393 / ML395 / ML3410



**Specifications:** 12.7mm x 40m Black

**Ribbon Type:** High Density

**Printer Compatibility:**

DECISION DATA 6534 / 6534C / 8360 / 8370  
/ ET8550 / PRINTEC PR856 / PR9630 / PR168  
/ PR836 / BEN 8393BM / 8393EB

**Packing Standard (per ctn):**

Qty: 20 M3: 0.091

# PRINTER RIBBONS



## OKIDATA ML420 / ML720 / ML790



**Specifications:** 8mm x 1.6m  
Black Seamless

**Ribbon Type:** High Density

**Printer Compatibility:**

OKIDATA 720 / 721 / 790 / 791 / 420 / 421  
/ 490 / 491

**Packing Standard (per ctn):**

Qty: 150 M3: 0.037

## OKIDATA ML520 / ML590



**Specifications:** 8mm x 1.6m Black

**Ribbon Type:** High Density

**Printer Compatibility:**

OKIDATA 520 / 521 / 8358SC / 590 / 591  
/ 592 / PRINTEC PR9350 / 9330 / UNISYS AP-  
1357 / 1359 / NCR 6427-0301 / 6427-0401  
/ 9333-0602

**Packing Standard (per ctn):**

Qty: 150 M3: 0.037

## OLIVETTI PR2 / SNUGCART



**Specifications:** 7mm x 15m Black

**Ribbon Type:** High Density

**Printer Compatibility:**

OLIVETTI PR2 / PR2-E / PR2+ / RICH PYII  
/ NANTIAN K10 / CITIC PB2

**Packing Standard (per ctn):**

Qty: 45 M3: 0.059

## OLIVETTI PR3 / COMPUPRINT SP40



**Specifications:** 7mm x 15m Black

**Ribbon Type:** High Density

**Printer Compatibility:**

OLIVETTI PR3 / COMPUPRINT SP40


**Packing Standard (per ctn):**

Qty: 50 M3: 0.108

# PRINTER RIBBONS



## OLIVETTI PR4



**Specifications:** 11mm x 13m Purple  
**Ribbon Type:** High Density  
**Printer Compatibility:**  
OLIVETTI PR4 / CRADEN DP8  
**Packing Standard (per ctn):**  
Qty: 100 M3: 0.106

## OLIVETTI PR9+



**Specifications:** 7mm x 19m Black  
**Ribbon Type:** High Density  
**Printer Compatibility:**  
OLIVETTI PR9+  
**Packing Standard (per ctn):**  
Qty: 50 M3: 0.079

## OLIVETTI PR50 / 60



**Specifications:** 6.35mm x 1.8m  
Black Seamless  
**Ribbon Type:** High Density  
**Printer Compatibility:**  
OLIVETTI CHEQUECART / PR50 / PR60  
**Packing Standard (per ctn):**  
Qty: 200 M3: 0.091

## OLYMPIA ET8200 / 8600



**Specifications:** 12.7mm x 1.5m Black-Red  
**Ribbon Type:** Normal Density  
**Printer Compatibility:**  
OLYMPIA ET8200 / 8600  
**Packing Standard (per ctn):**  
Qty: 150 M3: 0.037



# PRINTER RIBBONS



## PANASONIC KX-P115i / KX-P145



**Specifications:** 8mm x 1.6m  
Black Seamless

**Ribbon Type:** High Density

**Printer Compatibility:**

PANASONIC KX-P110 / 112 / 113 / 120 / 145  
/ 1000 / 1031 / 1080 / 1090 / 1091 / 1092  
/ 1123 / 1124 / 1150 / 1160 / 1592 / 1595  
/ 2000 / 2023 / 2030 / SUPER 5 1090  
/ PANASONIC KX-WD45 / TMS210 / XPP145

**Packing Standard (per ctn):**

Qty: 150 M3: 0.037

## PANASONIC KX-P150 / KX-P2180



**Specifications:** 8mm x 1.6m Black

**Ribbon Type:** High Density

**Printer Compatibility:**

PANASONIC KX-P2123 / 2124 / 2180

**Packing Standard (per ctn):**

Qty: 200 M3: 0.091

## PANASONIC KX-P160 / KX-P2130



**Specifications:** 8mm x 1.6m  
Black Seamless

**Ribbon Type:** High Density

**Printer Compatibility:**

PANASONIC KX-P160 / 165 / 2130 / 2135  
/ 2140 / 5007

**Packing Standard (per ctn):**

Qty: 200 M3: 0.091

## PANASONIC KX-P170 / KX-P3626



**Specifications:** 12.7mm x 24m Black

**Ribbon Type:** High Density

**Printer Compatibility:**

PANASONIC KX-P170 / 3626 / 3696 / 3624  
/ 2686

**Packing Standard (per ctn):**

Qty: 38 M3: 0.091

# PRINTER RIBBONS



## PANASONIC KX-P180 / KX-P181 / KX-P3200



**Specifications:** 12.7mm x 20m Black  
**Ribbon Type:** High Density  
**Printer Compatibility:**  
PANASONIC KX-P181 / KX-P3200 / KX-P1131  
**Packing Standard (per ctn):**  
Qty: 50 M3: 0.079

## PANASONIC KX-P190 / KX-P191



**Specifications:** 12.7mm x 16m Black  
**Ribbon Type:** High Density  
**Printer Compatibility:**  
PANASONIC KX-P3196 / KX-P3926  
**Packing Standard (per ctn):**  
Qty: 50 M3: 0.106

## PHILIPS SRC 46 / DIGITAL PR 6392



**Specifications:** 12.7mm x 24m Black  
**Ribbon Type:** Normal Density  
**Printer Compatibility:**  
DIGITAL PR6392  
**Packing Standard (per ctn):**  
Qty: 44 M3: 0.108

## PYRAMID PTR9000



**Specifications:** 8mm x 1.6m  
Black Seamless  
**Ribbon Type:** High Density  
**Printer Compatibility:**  
PYRAMID PTR9000  
**Packing Standard (per ctn):**  
Qty: 150 M3: 0.037

# PRINTER RIBBONS



## SEIKOSHA SBP10AI / SBP1051



**Specifications:** 12.7mm x 40m Black

**Ribbon Type:** High Density

**Printer Compatibility:**

SEIKOSHA SBP1051 / 10051 / 10 / 10AI / 10AX  
/ 10CX / 10L / 10TX / 10 PLUS / BP7800  
/ BP9000 PLUS / FB840 / FB900 / BX900  
/ OLIVETTI DM824 / TANDEM 5524  
/ DATAPRODUCTS USA LLC 8500 / 8510  
/ 8524 / 8524E TOUGHWRITER

**Packing Standard (per ctn):**

Qty: 20 M3: 0.091

## SEIKOSHA SP800 / SP1600 / SP2000



**Specifications:** 12.7mm x 14m Black

**Ribbon Type:** High Density

**Printer Compatibility:**

SEIKOSHA SP800 / 1000 / 1200 / 1600  
/ SP2000 / 2400 / SL-80AI STONE 2403  
/ TOSHIBA EXPRESSWRITER 311  
/ AMSTAD PCW8512/8256

**Packing Standard (per ctn):**

Qty: 75 M3: 0.081

## SEIKOSHA SP2415



**Specifications:** 12.7mm x 20m Black

**Ribbon Type:** High Density

**Printer Compatibility:**

SEIKOSHA SP2415

**Packing Standard (per ctn):**

Qty: 38 M3: 0.091

## SEIKOSHA ST10



**Specifications:** 8mm x 2m  
Black / Red / Purple

**Ribbon Type:** High Density

**Printer Compatibility:**

SEIKOSHA ST10

**Packing Standard (per ctn):**

Qty: 150 M3: 0.037

# PRINTER RIBBONS



## SHINKO SD1000



**Specifications:** 16mm x 5m Black-Red  
**Ribbon Type:** Normal Density  
**Printer Compatibility:**  
SHINKO SD1000 / NIDEKA NE8800 / NE8900  
/ KING POWER KP-3000 / KP-6000 / KP-8700  
/ KP-8900N / KP-9000  
**Packing Standard (per ctn):**  
Qty: 110 M3: 0.091

## SIEMENS NIXDORF BEATLE 60 / 69




**Specifications:** 11mm x 14m Black  
**Ribbon Type:** High Density  
**Printer Compatibility:**  
SIEMENS NIXDORF BEATLE 60 / 69  
**Packing Standard (per ctn):**  
Qty: 55 M3: 0.079

## SIEMENS NIXDORF HPR4915 (Foam / Gear)



**Specifications:** 10mm x 35m Black  
**Ribbon Type:** High Density  
**Printer Compatibility:**  
SIEMENS NIXDORF HPR4915  
**Packing Standard (per ctn):**  
Qty: 52 M3: 0.135

## SIEMENS NIXDORF ND77



**Specifications:** 11mm x 15m  
Black / Purple  
**Ribbon Type:** High Density  
**Printer Compatibility:**  
SIEMENS NIXDORF ND77  
**Packing Standard (per ctn):**  
Qty: 60 M3: 0.055

# PRINTER RIBBONS



## SIEMENS NIXDORF NP06 / NP07



**Specifications:** 11mm x 6m  
Black / Purple

**Ribbon Type:** High Density


**Printer Compatibility:**

SIEMENS NIXDORF NP06 / NP07 / ND2050  
/ 2150 / 2250

**Packing Standard (per ctn):**

Qty: 120 M3: 0.081

## STAR SP200 / SP212



**Specifications:** 12.7mm x 3m  
Black / Black-Red / Purple

**Ribbon Type:** Normal Density

**Printer Compatibility:**

DATAMEGA SP216 / STAR SP200 / 212 / 212F  
/ 212FD / 242 / 298 / 542 / 512M / 512MD  
/ STAR MP100 / 200 / 212 / 216 / 221 / 231  
/ RC200B / RC200BR/ HYPRCOM P8 / T77  
CREDIT CARD PRINTER / CITIZEN CBM-820  
/ IR82 / CASIO SP1300

**Packing Standard (per ctn):**

Qty: 200 M3: 0.091

## STAR SP300 / SP312



**Specifications:** 12.7mm x 6.5m  
Black / Black-Red / Purple

**Ribbon Type:** Normal Density


**Printer Compatibility:**

STAR MP300 / 309 / 311 / 320 / 330 / 341  
/ MP312F / STAR SP 300 / 310 / 311 / 312  
/ 316 / 317 / 320 / 321 / 322 / 340 / 341 / 342  
/ 347 / 349 / 772 / 311F / 341F / 349F / 321S  
/ 322S / STAR SCP700 / R300 / R300P  
/ STAR UP389 / DATAMEGA DPN3110

**Packing Standard (per ctn):**

Qty: 190 M3: 0.091

## STAR SP700 / SP712



**Specifications:** 12.7mm x 6m  
Black / Black-Red / Purple

**Ribbon Type:** Normal Density

**Printer Compatibility:**

START RC 700B / STAR SP 700 / 712 / 712R  
/ 742 / 742R

**Packing Standard (per ctn):**

Qty: 100 M3: 0.059

# PRINTER RIBBONS




## TALLY DASCOM DS300 / 1125 / 1325




**Specifications:** 12.7mm x 20m Black  
**Ribbon Type:** High Density  
**Printer Compatibility:**  
TALLY DASCOM DS300 / 1125 / 1325  
**Packing Standard (per ctn):**  
Qty: 25 M3: 0.059

## TALLY GENICOM T5040 (Foam / Gear)



**Specifications:** 6.35mm x 30m Black  
**Ribbon Type:** High Density  
**Printer Compatibility:**  
TALLY GENICOM T5040  
**Packing Standard (per ctn):**  
Qty: 52 M3: 0.135

## TEC MA1450



**Specifications:** 12.7mm x 4.5m Black  
**Ribbon Type:** High Density  
**Printer Compatibility:**  
TEC MA1450 / 1650  
**Packing Standard (per ctn):**  
Qty: 150 M3: 0.081

## TEXAS INSTRUMENT 8920 / 8930



**Specifications:** 22mm x 27m Black  
**Ribbon Type:** Normal Density  
**Printer Compatibility:**  
TEXAS INSTRUMENT 8920 / 8930  
**Packing Standard (per ctn):**  
Qty: 20 M3: 0.091



# PRINTER RIBBONS



## VERTEX TR810 / TR910 / AMANO EX3000



**Specifications:** 12.7mm x 1.8m  
Black / Black-Red / Purple

**Ribbon Type:** Normal Density

**Printer Compatibility:**

AMANO EX / EX5000 / EX6000 / RX6200  
/ EX9200 / EX9500 / PIX3000 / PIX3200  
/ PIX6000

**Packing Standard (per ctn):**

Qty: 150 M3: 0.037

## WINCOR ATM 2150XB



**Specifications:** 12.7mm x 7m  
Black / Purple

**Ribbon Type:** Normal Density

**Printer Compatibility:**

WINCOR ATM 2150XB / Nixdorf ND9A

**Packing Standard (per ctn):**

Qty: 120 M3: 0.079