Importance of Species Composition Studies

> INAUGURAL LECTURES are given by honored faculty members within the University who have obtained the rank of full professor. This event gives the honoree the opportunity to deliver a lecture to fellow faculty and other university guests concerning their work and research interests.

The context of the lecture itself typically includes a summary of the evolution and nature of the honoree's specialized field, highlights of some of the general issues of that particular field, and a description of how the honoree situates his/her work within their field.

UPM conducts this event to highlight and bring attention to the scholarly work that is being done by its distinguished faculty and to illustrate how the work contributes to mankind as a whole.

. Datin Dr. Faridah Hanum Ibrahim

INAUGURAL LECTURE

series

INAUGURAL LECTURE series

Prof. Datin Dr. Faridah Hanum Ibrahim



FOREST BIODIVERSITY Importance of Species Composition Studies



FOREST BIODIVERSITY Importance of Species Composition Studies

PROFESSOR DATIN DR. FARIDAH HANUM IBRAHIM

FOREST BIODIVERSITY Importance of Species Composition Studies

Prof. Datin Dr. Faridah Hanum Ibrahim

BSc. (UKM), PhD (Reading)

27 MARCH 2015

Dewan Kuliah Hutan Fakulti Perhutanan Universiti Putra Malaysia



Universiti Putra Malaysia Press Serdang • 2015 http://www.penerbit.upm.edu.my

© Universiti Putra Malaysia Press

First Print 2015

All rights reserved. No part of this book may be reproduced in any form without permission in writing from the publisher, except by a reviewer who wishes to quote brief passages in a review written for inclusion in a magazine or newspaper.

UPM Press is a member of the Malaysian Book Publishers Association (MABOPA) Membership No.: 9802

Typesetting: Sahariah Abdol Rahim @ IbrahimCover Design: Md Fairus Ahmad

Design, layout and printed by Penerbit Universiti Putra Malaysia 43400 UPM Serdang Selangor Darul Ehsan Tel: 03-8946 8855 / 8854 Fax: 03-8941 6172 http://www.penerbit.upm.edu.my

Contents

Abstract	1
Introduction	3
Botanical Works and National Policy on Biological Diversity	4
Species Composition	6
Relevance to Forest Biodiversity Work	7
Conclusion	34
References	35
Biography	49
Acknowledgements	53
List of Inaugural Lectures	55

ABSTRACT

The vision of the Malaysian National Policy on Biological Diversity 1998 which states "to conserve Malaysia's biological diversity and to ensure that its components are utilised in a sustainable manner for the continued progress and socio-economic development of the nation" indicates that Malaysian forests harbour a very large portion of the nation's biodiversity and that forests have an important role to play in the country's socio-economic development and environmental stability. Thus, the degradation of the nation's biological diversity would have grave repercussions on the economy, environment and people. In the forestry sector, biological diversity not only provides timber and non-timber goods but also numerous other ecological services such as environmental stability which includes carbon sequestration, maintenance of hydrological regimes and recycling of nutrients, besides providing a habitat for wildlife. Much of the nation's biological diversity has yet to be documented and strengthened with scientific investigations. Current forestry issues include deforestation, conservation, intensity of sampling, sustainable forest management, economic valuation of goods and services, carbon sequestration, payment for ecosystem services and reducing emissions from deforestation and forest degradation. The applications of species composition studies are many, but those that are pertinent to forest biodiversity works include the determination of minimum sampling size in forest inventory as inventories are expensive and laborious in nature, the use of indices that are comparable between forests, consideration of minimum diameter for enumeration and measurement so as not to lose important information on biodiversity and estimation of biomass and carbon sequestration. The importance of predicting and enhancing forest regeneration is crucial to determine the next course of action by foresters in enriching the forests besides helping it to grow better

and faster for future yields. There is currently an underestimation on pricing of our timbers. Putting the correct timber species in the correct groups will thus help to increase revenue for the state governments. To date, some conservation works in the country have ignored the importance of some details in ensuring the success of the conservation programmes. These include re-introduction programmes of wildlife species and extension or creation of wildlife corridors. The justification for keeping conservation areas in the country, which are mainly forested areas, and the actions to be taken for its safe protection requires fundamental information such as species composition. Such information can be converted to suit many facets of understanding that deals with the current forestry and environmental issues such as economic value, carbon storage capacity and payment for ecosystem services.

INTRODUCTION

The diversity of flora observed in our forests today evolved through a very long history of life on earth. The evolution of many taxonomic groups is thought to have been due to the changes in land masses over geological time and climatic changes which created geographical isolation of groups of the same species, which over a long period of time, may have diverged and become new species. The diversity seen in our forests is due to the complexity of the forests themselves. Our Malaysian rainforests consist of up to five strata which comprise the emergent, canopy, understorey, shrubs and herbs layers constituting the ground flora. The stratified forests create many habitats and niches which may explain the plant diversity in terms of diverse habits, and also the animal diversity as plants provide habitats, shelter and food for the animals. Natural disturbances caused by storms, winds, lightning, landslides and floods usually create gaps which allow pioneer species to flourish, which are later replaced by climax species. The complexity of the structure of an ecosystem together with geographical barriers such as mountains and large rivers may cause speciation to groups of individuals of the same species. Despite the presence of different strata within these forests, light is available all year round and from different angles depending on the time of the day for the luxuriant growth of plants of different habits such as epiphytes, climbers, shrubs, herbs and trees.

There are 16 different forest types or formations in the tropics, differing in factors such as altitude, soil type, topography, inundation and pH, all of which have their own assemblages of plant species. Of these 14 types are found in Malaysia (Whitmore, 1975). The presence of specialized habitats such as peat swamps, limestone hills and mangrove swamps are also suggestted as being reasons for the high species diversity in our forests; with speciation

arising through adaptation to these specialized habitats. Malaysia has an estimated 20.62 million hectares of natural forests in 2012, covering 62.5% of the country's land area. Peninsular Malaysia still has 43.9% (5.79 million hectares) of its land under forest while 4.31 million hectares and 10.52 million hectares are in Sabah and Sarawak, respectively (Transparency International Malaysia, 2014).

BOTANICAL WORKS AND NATIONAL POLICY ON BIOLOGICAL DIVERSITY

Botanical interests in Malaysia started as early as the 19th century with the coming of the British. Some of the earlier important works include those of Miquel (1855-1859) in Sumatera and Hooker (1872-1897) in India, which also include many taxa common to Malaysia. The first comprehensive documentary work on Malayan flora on a systematic basis was by King (1889-1902) and King and Gamble (1904-1909). This subsequently became the basis for later work on systematics and floristics in Malaysia. The first comprehensive documentation of flora in the country was by Ridley (1922-1925) which though now outdated remains relevant for botanical works today. The first comprehensive account of timber species in the Malay Peninsula for foresters was by Foxworthy (1921) and Symington (1943). It was about this time that Gibbs (1914), Merrill (1929) and Keith (1937), amongst others, started contributing to the documentation of the flora of Borneo; where the latter produced the first comprehensive documentation of timber species in Borneo (Faridah-Hanum & Lesmy Tipot, 1993). Later works include that by Whitmore (1972, 1973) and Ng (1978, 1989) who prepared the Tree Flora of Malaya (Volumes 1 to IV) and the on-going Tree Flora of Sabah and Sarawak (eg. Soepadmo & Saw, 2000; Soepadmo et al., 2011; Soepadmo et al., 2014) and Flora of Peninsular Malaysia (Kiew et al., 2010, 2011, 2012; Parris et

al., 2010). All these works form the basis of later works related to forestry in the country, especially in forest inventory, plant species diversity and biodiversity conservation in Malaysia. The vision of the Malaysian National Policy on Biolgical Diversity 1998 which states "to conserve Malaysia's biological diversity and to ensure that its components are utilised in a sustainable manner for the continued progress and socio-economic development of the nation" indicates that Malaysian forests harbour a very large and important portion of its biodiversity and that forests have an important role in the country's socio-economic development and environmental stability.

Biological diversity is simply defined as the variety of organisms and the ecological complexes they are part of, and is usually considered at three levels, which are, species diversity, genetic diversity and ecosystem diversity. Malaysia is the 12th most megadiverse country in the world in terms of species richness and endemicity. The flora of Malaysia is exceedingly rich and conservatively estimated to encompass 12,500 species of flowering plants. There is high diversity of orchids with >3000 species and 536 species of palms, 1,167 species of ferns and fern-allies and 832 species of bryophytes. Biological diversity has important economic, environmental and social implications for the nation, especially in the forestry and environmental sectors. In the forestry sector, biological diversity not only provides timber and nontimber goods but also numerous other ecological services such as environmental stability which includes carbon sequestration, maintenance of hydrological regimes and recycling of nutrients, besides providing habitats for wildlife and microorganisms. Much of the nation's biological diversity has yet to be studied, documented and strengthened with scientific investigations. Lack of scientific based data impedes efforts to better utilise the nation's biological resources in various fields including forestry. Emerging

and important forestry issues include deforestation, conservation, sampling, sustainable forest management, economic valuation of goods and services, carbon sequestration, payment for ecosystem services (PES) and Reducing Emissions from Deforestation and Forest Degradation (REDD).

SPECIES COMPOSITION

Our Malaysian forests house a trove of species of various characteristics, sizes and shapes, uses and functions. It is impossible to enumerate and quantify everything in the forests as the tropical rainforest is usually very vast and complex. Despite that, efforts have been made to sample forests for various reasons such as plant inventory, pre-felling, post-felling, conservation, forest regeneration, forest sampling intensity, monitoring the changes in vegetation, biodiversity studies and inferring forest environmental conditions, amongst others. One of the most practical parameters that can be used for these purposes is species composition. Species composition can be generally defined as how many different species make up the community in a given area, and how many individuals make up the species. The former can also mean richness while the latter is considered as abundance. Studies in species composition provide basic information on the forest bodiversity and can give a picture of the past and current forest and predict the future, besides giving answers that are scientifically based for considerations of many forestry related planning and management, policy and activities that concern the forest, and re-evaluation of some current practices pertaining to assessments of our forests' biodiversity. Prance (1977) suggested that data collected from these studies were not only useful for the study of floristics and evolution but also of vital importance for the conservation and utilization of tropical resources.

RELEVANCE TO FOREST BIODIVERSITY WORK

What Size Sampling Plots for Tropical Forest Plant Diversity Studies?

Efforts to comprehend the magnitude of the richness of forest biodiversity have been mainly done through plot sampling and species composition studies. Apart from representing the plant species composition of the forest, the sample plot is also important in capturing the dynamics, production and regeneration capabilities in terms of number, size and species of a particular forest type or forest stage of succession. In biodiversity terms, a suitable sample plot size must be big enough to be able to capture the diversity of a particular forest type at a particular time. To date however, the sample plot sizes used have been varied and this makes sampling inconsistent and comparison difficult. Examples include those of Okuda et al. (2003) who used a 6-ha plot in Pasoh, Negeri Sembilan, Bradford et al. (2014) who used a 25-ha plot in Australia and Ostertag et al. (2014) who used a 4-ha plot in Hawaii. As plot setting and forest inventory are costly and time consuming activities, one often encounters the question 'What sample plot size is sufficient to capture tropical forest species diversity"? Quite a number of past researches in Malaysia had been undertaken to find out how much diversity is captured in a 1-ha plot in a forest (eg. Abdul Hayat et al., 2010, Faridah-Hanum, 1999; Faridah-Hanum et al., 1999a; 1999b; Faridah-Hanum & Zamri Rosly, 2000; Hikmat et al., 2008). Prance (1977) emphasized the importance of following a standardised inventory and hence many studies conducted in other parts of the tropics have also mainly used 1-ha plots. These include the works of Ferreira & Prance (1998), Milliken (1998), Phillips et al. (1994), Poulsen et al. (2006) and Strasberg (1996).

While results showed substantial species diversity in the 1-ha plots, we were interested to find out if a larger sample plot size would be able to capture a greater range of diversity of a forest type. To determine the size of the sample plot, we used the species accumulation curve based on the basic species composition obtained from various forests. For example, a study by Saiful et al. (2014) in a hill dipterocarp forest and Ghollasimood et al. (2011a) in a coastal hill forest showed similar discrepancies. As seen in Figures 1 and 2 the curve did not reach the asymptote at 1-ha sampling size but showed an increasing trend. For the hill dipterocarp forest at the Ulu Muda Forest in Kedah, all three species-accumulation curves showed no tendency to flatten out as new additional species continued to increase slowly within the study area (Figure 1) (Saiful et al., 2007) while the species accumulation curve for a coastal hill forest on Langkawi Island also did not reach the asymptote at 1-ha (Figure 3) (Abdul Hayat et al., 2010).





Figure 1 Species-accumulation curves for the primary hill dipterocarp forest at Ulu Muda Forest Reserve, Kedah. Note that all three curves show no tendency to flatten out at 1-ha






Figure 2 Species accumulation curve of 1-ha of supervised loggedover forest in Ulu Muda Forest Reserve, Kedah




Figure 3 Species area curve for a 1-ha plot in the coastal hill forest at Pasir Tengkorak, Langkawi

However in less diverse forests such as the mangroves (Figure 4), it was found that the asympote was reached in less than a 1-ha plot (Faridah-Hanum et al., 2012). At the 17th plot (0.7 ha), the graph started to level off and it was not until the 25th plot (1 ha) that the graph showed an increment of just one species. The increment of one species is probably not worthwhile to consider increasing the sampling area when taking into account the time and cost for the establishment of the additional subplots (0.3 ha). Roberts-Pichette and Gillespie (2001) stated that sampling is sufficient when none or very few species are added with each successive quadrat that is sometime after the curve starts to flatten. Seaby and Henderson (2007) also stated that when a species accumulation curve approaches an asymptote, it shows that sampling is adequate to collect most of the species present; the asymptotic value is a measure of the total species complement. It is thus assumed here that 0.7 ha is capable of capturing the species in the mangrove forest at Marudu Bay. If sampling efforts increase, more of the species found in this forest type can be captured until eventually only the rarest species or occasional ones will remain unrecorded, thus additional efforts can increase the number of species recorded. Considering that the mangroves is a muddy and difficult place to work in, this is indeed a result that would be welcomed by many researchers of mangroves as a sampling size smaller than 1-ha is considered sufficient to capture the mangrove diversity.




Figure 4 Species accumulation curve of a mangrove forest in Marudu Bay, Sabah

Figures 5 and 6 show the accumulative number of species with increasing hectarage within the 5-ha plot in both an inland forest (Faridah-Hanum et al., 2008) and coastal hill forest (Ghollasimood et al., 2011a). In Figure 5 it can be seen that the total number of species enumerated increased from the first to the fifth hectare, within a range of 9 to 35 species. However, the number of incremental species decreased with every additional hectare and only amounted to 9 species in the fifth hectare. If the size of the plot was increased to more than 5-ha the increment in the number of species would probably be less than nine and thereafter remain constant (Faridah-Hanum & Philip, 2006). Similarly, the number of genera increased from three to five with increasing hectarage but did not increase further in the fifth hectare. In terms of family, there was only one addition for each of the first four hectares and none in the fifth hectare. Hence the most ideal sample plot size would be a larger plot to capture greater species diversity, which

is definitely not 1-ha but an area of 5-ha for an inland dry tropical lowland logged-over forest. Interestingly enough, an earlier study encompassing a 50-ha plot in a Virgin Jungle Reserve at Pasoh also found a contiguous area of 5-ha sufficiently large to sample and detect tree distribution by species group and class size with 95% probability of finding trees belonging to the same species group (Wan Mohd. Shukri *et al.*, 1997; Manokaran & LaFrankie, 1990).).




Figure 5 Species accumulation curve in a 5-ha plot of a tropical logged-over forest at Ayer Hitam, Selangor.




Figure 6 Species accumulation curve based on five 1-ha plots in a coastal hill forest in Pulau Pangkor, Perak

We found a plot size of 5-ha sufficient to capture family and generic diversity of a tropical lowland logged-over forest (Faridah-Hanum & Philip, 2006). A minimum size of 5-ha is recommended to capture species diversity of the same forest type elsewhere. This is supported by the richness presently captured in a 5-ha plot at Ayer Hitam, not only in terms of the tree species recorded but also the amazing list of Peninsular Malaysia endemics, such as, *Actinodaphne pruinosa, Diospyros foxworthyi* and *Sarcotheca monophylla*, as well as new records for the state of Selangor, such as, *Actinodaphne sphaerocarpa* and *Calophyllum pulcherrimum*, coupled with rare and uncommon species such as *Ptychopyxis caput-medusae*.

We also found that in the coastal hill forest at Pulau Pangkor, the species accumulation curve began to level off at the 3rd hectare (Figure 6), suggesting that it is sufficient to capture the maximum proportion of species diversity; 1-ha is not enough to do this (Figure 3).

We also recommend a minimum plot size of 1-ha to capture the species diversity of a virgin hill dipterocarp forest as exemplified by the work in the Tranum Forest Reserve, Pahang (Faridah-Hanum *et al.*, 2009). There was no tendency of an increasing number of species with increasing area (Figure 7). The cumulative speciesarea curve for trees > 1 cm dbh reached its asymptote at 391 to 426 species using Chao 1 species richness estimator. The point of inflection for all curves was between 0.8 and 1 ha, corresponding to 80 and 100 quadrats (size 10m x 10m), respectively.




Figure 7 Cumulative species-area curve using Chao 1 species richness estimator in 2 ha plots, Tranum VJR, Pahang (combination of two 1-ha plots) (trees > 1 cm dbh)

These findings shed light on a frequently asked question on the recommended size of forest sampling plots to capture diversity 'How much is enough?' The findings also proved that the general perception of logged-over forests being poor forests is misleading. The richness of logged-over forests is often underestimated and as a result many have been given way for development. This situation is excellently exemplified by the Ayer Hitam Forest in Puchong (originally at ca. 10 000 ha) which eventually paved way for highways and housing projects. Now the remaining 1176 ha, is the only large chunk of green lung left in the Klang Valley and it houses at least 11% of the total tree species found in Peninsular Malaysia (Faridah-Hanum, 2009).

Determining Plant Species Indices Through Species Composition

The basic idea of a diversity index is to obtain a quantitative estimate of biological variability that can be used to compare biological entities, composed of direct components, in space or in time. There are several ways to estimate plant species diversity, such as, the Alpha Fisher's Index, Margalef's Index and Simpson's Diversity Index. Earlier on in our research (Saiful et al., 2007) we found that there were shortcomings in some indexes, such as, the Simpson Index being heavily dependent on the most abundant species and not able to discriminate minor variations in species abundance patterns and not able to discriminate habitats while Alpha Fisher's Index increased with small samples (< 500 individuals). Since we usually deal with a large number of individuals in the forest (>1000). Shannon's index has more discriminative ability in distinguishing habitats than the Simpson Index and we also found it to be more informative when comparing between sites. An example is illustrated in Table 1. Examples of other works using Shannon's index include Banerjee & Srivasta (2010) and Amaral et al. (2013).

Table 1 Species diversity indices for different habitat types of the studysite (Simpson index (Ds), Shannon index (H'), Hmax (= In S), ShannonEvenness). Shannon values with similar superscript are not significantlydifferent from one another by t-test

Habitat	Species (S)	Stems (N)	Ds	Н'	H max	E
Stream	129	241	0.98	4.79*	4.85	0.99
Hillside	252	772	0.99	5.07b	5.52	0.92
Ridge	269	907	0.99	5.02b	5.59	0.90
Ridgetop	178	490	0.98	4.75*	5.18	0.92
All strata	421	2410	0.99	5.61	6.04	0.93

Source: (Saiful et al., 2007)

When initiating this work in the different forests around the country 15 years ago, the author found that she could not do it alone as there was too much to do as well as due to financial constaints as it involved a lot of time and field assistants. She thus decided to involve colleagues and students from both Universiti Putra Malaysia and Universiti Kebangsaan Malaysia. This strategy worked and the project is currently still on-going and there are also some results of Shannon-species diversity index for both virgin to logged-over forests of various forest types around the country, shown in Table 2.

Site	Shannon Index H'	Source
Mata Ayer VJR, Perlis	3.98	Hikmat et al. (2008)
Bk.Bauk VJR, Terengganu	4.21	Hikmat et al. (2008)
G. Pulai VJR, Johor	4.52	Hikmat et al. (2008)
Sg. Pinang FR, Perak	3.99	Ghollasimood et al. (2011a)
Pasir Tengkorak, Langkawi	5.42	Abdul Hayat et al. (2010)
Tranum FR, Pahang	5.36	Awang Noor et al. (2008)
Ulu Muda, Kedah Compt. 27	3.71	Faridah-Hanum et al. (1999)
Ulu Muda, Kedah (Hill Dipterocarp Forest) Compt. 25, 26, 27, 28, 29	5.62	Saiful et al. (2007)
Ulu Muda, Kedah (12-years after logging)	5.3	Seyed et al. (2014)
Matchincang FR, Langkawi	4.33	Raffae (2003)
Kilim-Kisap, Langkawi	3.0	Fatheen Nabila et al. (2012)
Taman Negara, Merapoh, Pahang	5.44	Norziana (2003)
Lesong VJR, Pahang	4.96	Suhaili (2004)
Lepar FR, Pahang	5.05	Mohd. Ridza (2004)
Tersang FR, Pahang	5.21	Mohd. Ridza (2004)
Ayer Hitam FR, Selangor	4.74	Faridah-Hanum & Philip (2006)

Table 2 Comparison of Shannon index, H' between different forests

Faridah Hanum Ibrahim

17 🔳

Diameter Size Consideration in Plant Diversity Studies

Inventory work in the forest is labour intensive, expensive and difficult. Depending on the purpose of the inventory, whether it is for pre-felling, post-felling, plant diversity or ecological sampling, various diameters are used as a base-line. If trees are measured at larger diameters such as >30 cm, then there will be less trees enumerated, measured and identified in a given area; hence it would be less costly, and involve less work and less time to complete the inventory. However, in plant diversity studies information is lost when using this standard though we do not know by how much. Thus the team embarked on a research project with the objective of finding out how much biodiversity information is gained by lowering the diameter of trees sampled in the forest. Table 3 shows the average number of taxa, across all categories, on a per hectare basis, for trees > 1 cm and for trees > 5. Except for the number of individuals per hectare, which is nearly halved when > 5 cm dbh was considered, the number of families, genera and species remained almost the same. This means that by considering only trees with a diameter of 5 cm and above, there is an underestimation of 5% in terms of family, 5.3% in terms of genera, 8.5% in terms of species find and 42% for the number of individuals. Thus, for regeneration stocking of the forest measuring trees > 1cm is worthwhile as it does not only give information on the species composition but also on abundance and the estimated value of timber in the next cycle, if in a production forest. It is also better for the much needed biodiversity information of a particular forest.

Tree Dbh	No. Family	No. Genera	No. Species	No. of Individuals
> 1 cm per ha	60	152	388	4475
> 5 cm per ha	57	144	355	2604

 Table 3 Average taxa and stem composition per ha at Tranum VJR, Pahang

Species Ccomposition in Estimating Biomass and Carbon Storage

The amount of tree biomass recorded in Peninsular Malaysia depends on the forest types where the studies were conducted. These reported studies mostly use the allometric equations derived by Kato *et al.* (1978) amongst others to estimate tree biomass in their study areas. All the values depend on the species composition studies that usually measure all trees at diameter breast height (DBH) (1.3 m above ground) where the DBH is included in the equation of biomass. For instance, the tree above ground biomass in a peat swamp forest in Pekan, Pahang varied from 332.40 to 273 t/ha (Nizam *et al.*, 2006, 2009) and was contributed by large trees in the forest while Nurul-Shida *et al.* (2014) found the tree above ground biomass in a logged-over lowland dipterocarp forest at Ayer Hitam Forest to be 232.7 t/ha or 116.3 t C/ha, mainly contributed by trees in DBH class >30cm, in both the dipterocarp and non-dipterocarp groups.

Tree above ground biomass value can also give an estimate of the carbon being sequestered. This estimation can be obtained by assuming that 50% of the estimated biomass is carbon sequestered by the forests (Brown & Lugo 1982). We estimated the above ground biomass for the mangrove forest in Marudu Bay in Sabah, through species composition study, (Table 4) to be 98.4 t/ha (Table

5) and thus the carbon sequestered by the mangroves was estimated at ca. 49.2 t C/ha (Faridah-Hanum *et al.*, 2012). A similar study using species composition estimated the tree above ground biomass of Pulau Langkawi to be 115.07 t/ha (Norhayati & Latiff, 2001). Hence, the estimation of carbon sequestered by the mangroves of Pulau Langkawi was ca. 57.53 t C/ha. Pidgeon (2009) stated that mangrove forests sequester as much as 50 times the amount of carbon in their soil per hectare as a tropical forest. Thus, the longterm sequestration of carbon by one square kilometer of mangrove forest is equivalent to that in fifty square kilometers of an inland tropical forest.

Species	Stand density (no. stems./ha)
Rhizophora apiculata	757
Rhizophora mucronata	511
Xylocarpus granatum	449
Bruguiera parviflora	348
Avicennia alba	175
Ceriops decandra	84
Heritiera littoralis	13
Sonneratia alba	11
Avicennia marina	10
Excoecaria agallocha	7
Bruguiera gymnorrhiza	1
Intsia bijuga	1
Xylocarpus moluccensis	1
Total	2368

Table 4 Stand density in 1-ha plot at Marudu Bay mangroves, Sabah

Table 5	Above-ground biomass of trees	by species in 1-ha plot of a
	mangrove forest at Marud	u Bay, Sabah

Species	Biomass t/ha
Rhizophora mucronata	46.7
Rhizophora apiculata	28.8
Avicennia alba	11.4
Bruguiera parviflora	6.6
Xylocarpus granatum	2.8
Sonneratia alba	0.8
Excoecaria agallocha	0.3
Ceriops decandra	0.3
Avicennia marina	0.3
Heritiera littoralis	0.1
Xylocarpus moluccensis	0.1
Intsia bijuga	0.1
Bruguiera gymnorrhiza	0.1
Total	98.4

Other documented biomass works include those of Raffae (2003) who reported the total above ground biomass of another inland forest in Langkawi to be about 529 t/ha or 264.5 t C/ha. Mat-Salleh *et al.* (2003), who conducted a similar study at a beach forest in Cape Rachado, Negeri Sembilan, estimated the total above ground biomass of trees at 233.4 t/ha or carbon storage of 116.7 t C/ha, while the biomass of a montane forest in Fraser's Hill was estimated at 218.7 t/ha or carbon storage of 109.3 t C/ha (Petol 1994). Hikmat *et al.* (2009) who estimated the above ground biomass of three Virgin Jungle Reserves (VJR) found them to be 402.6 t/ha at Mata Ayer VJR, 551.2 t/ha at Bukit Bauk VJR and 320.6 t/ha at Gunung Pulai VJR, hence the carbon storage was estimated at 201.3 t C/ha, 275.6 t C/ha and 160.3 t C/ha for the individual VJRs, respectively. Here, the carbon storage capacity

of these forests was estimated from the biomass values obtained using the species composition information.

Predicting and Enhancing Forest Regeneration Through Species Composition Studies

Species composition can also show the structure and regeneration status of the forest. When a forest is severely disturbed by harvesting or natural forces, it will undergo succession where the pioneer species will make up the new forest composition. These early successional species are generally light demanding. Species composition also shows whether the forest is young, mature or climaxed. The stage of regeneration of the logged-over forest stands can also be determined through recovery assessment (Mohd Zaki et al., 2004) and is deemed important to support sustainable forest management efforts in ensuring sustainable timber production for the country. A large number of stems of species from the family Dipterocarpaceae are also an important indicator of the logged-over forests' regeneration potential, and this can be obtained through species composition work. The dipterocarps are often the most affected during logging as they are sought after for their volume due to their large sized boles. It was shown to be necessary for forest stands to be planted with some dipterocarp species to assist in quicker recovery in the Pasoh (Mohd Zaki et al., 2006) and Senaling Inas Forests (Ashari et al., 1992). If forests had been left to recover naturally after the Malayan Uniform System (MUS), it was shown that it would have taken approximately 40 years for the forests to reach their original state (Mohd Zaki et al., 2004). Wyatt-Smith (1995) showed that the presence of dipterocarp species in recovering forests is crucial in determining the rate of species dominance recovery. Having good knowledge of the species composition after past harvestings would help in considering forest recovery procedures and planning forest management activities. If most stands were dominated by many

non-dipterocarp species after harvest, there is also a need to replant with dipterocarp species for enrichment purposes. The rehabilitation project carried out in an area can be viewed as a way for quicker recovery of the stands (Mohd Zaki et al., 2006). Samsudin et al. (2010) showed that the stocking and species composition of two second growth forests in Peninsular Malaysia were not as predicted and still able to produce an economic harvest in terms of total timber yield within the specified rotation cycle. These forests have not fully recovered in terms of stocking of commercial species and species composition has been altered favouring higher dominance of non-dipterocarp species. Such information is essential to improve planning and management of this resource, with the aim of enhancing future productivity. Another study by Okuda et al. (2003) showed that despite the number of stems per hectare and the basal areas of medium-sized trees (10-30cm DBH) being higher in the regenerating forest that was logged 41 years earlier than the primary forest in Pasoh, the diversity in tree species, estimated through species composition studies, was shown to be affected by logging in the regenerating forest.

In another study at the Ayer Hitam Forest, it was found that the family Dipterocarpaceae contributed about 8.5% of the trees recorded in the study plot. The work of Faridah-Hanum (1999), Faridah-Hanum and Philip (2006) and Nurul-Shida *et al.* (2014) showed that while the Ayer Hitam Forest is regenerating slowly it still has good regeneration potential although it lacks large sized trees, mainly the dipterocarps as shown in the vertical stratification (Figures 8,9 and 10). Ayer Hitam was last logged 60 years ago in 1955 under the Malayan Uniform System (MUS) where all mature trees of commercial species above 45 cm diameter at breast height (DBH) were removed in one single harvesting. This was followed by poison girdling and climber cutting (GCL) of defective relics (old-growth) and non-commercial species. A quicker recovery for the Ayer Hitam Forest would be through enrichment planting

with the dipterocarp species and appropriate forest management practices.




Figure 8 Profile diagram of the Ayer Hitam Forest Reserve. The diagram represents community structure of two tree groups: a) white crown — Dipterocarp group; and b) grey crown — Non-Dipterocarp group. Note that only trees over 2 metres are shown




Figure 9 Stem density distribution by DBH classes of Dipterocarp trees




Figure 10 Stem density distribution by DBH classes of Non-Dipterocarp trees

Species Composition and Monetary Value of Forest

Before any reasonable monetory value can be put on a forest, we believe that the species composition of the forest must first be well studied. The question we hoped to answer was whether knowing the detailed composition of tree species can give a better monetary estimate of a forest to be harvested? To do this, the stumpage value i.e. the value of standing trees at the stump was used and compared between several forests.

The total stumpage value for all trees > 15 cm dbh in Ulu Muda Forest, Kedah was RM 41,445.30 per ha (Faridah-Hanum *et al.*, 1999a). The stumpage value obtained from this study was higher as compared to the Ayer Hitam Forest at RM 14,500.36 per ha (Timin, 1997), despite the species composition at Ulu Muda Forest Reserve being lower with 77 species per ha (Faridah-Hanum *et al.*, 1999a) as compared to the Ayer Hitam Forest Reserve which had

177 species per ha (Faridah-Hanum *et al.*, 1999b, 1999c). Most of the stumpage value obtained in Ulu Muda was contributed by only 4.3% of the total number of trees present per ha which were all in diameter classes > 45 cm dbh. The total stumpage value obtained in Ulu Muda was almost double the value obtained by the conventional pre-felling inventories done in the same study area (Awang Noor & Mohd. Shahwahid 1995). This difference in stumpage value can only be explained by the use of different inventory methods, where in the Ayer Hitam case, 10 % pre-felling inventory sampling was employed but in Ulu Muda, all trees > 15 cm dbh were sampled. The loss of revenue to the state government which is usually caused by the undervaluation of forest resources in forest concessions can actually be overcome if the Forestry Department insists on a 100% pre-felling inventory for all trees >15 cm dbh.

The next question asked is whether a species composition study is necessary to improve the monetary value estimation of a forest or if it would suffice to just measure larger diameter trees? Higher species composition does not necessarily fetch higher monetary value for the forest and this is further supported by another study at Tranum Forest Reserve, a hill dipterocarp forest in Pahang (Awang Noor et al., 2008) Present evidences undoubtedly give the following answers viz., it will help to place the species in the correct groups and thus better assessment of the right pricing, which would not result in over-estimation or under-estimation of the monetary value of the forest, it will show the stocking of the forest, and also show which dbh classes and species groups are contributing the most stumpage. There is no doubt that many a time a forest is under estimated in terms of its monetary value because of the constraints in sampling and the high costs incurred, amongst others. However, if the government desires to increase its net revenue from forests it is recommended that a detailed study on the species composition

be carried out. It is hoped that this will help in getting optimum monetary benefits from our forests.

Species Composition Studies for Conservation Work

For reintroduction of wildlife species

The work at Ayer Hitam FR has shown how plant species composition study is fundamental for the assessment of habitat suitability prior to the release of wildlife (Ebil & Faridah-Hanum, 2008; Lepun *et al.*, 2001). It included not just the evaluation of the flora that would be suitable as their food and their predictable productivity index but also the population size that the forest could handle for the long term survival and reproduction of gibbons (*Hylobates lar*) if reintroduction were to be done. The population of gibbons is very small in the Ayer Hitam Forest (Shahidin, 2006) and vital components of survival for reintroduction need to take into consideration food sources which are from plants, water, shelter and space simultaneously (Ebil, 1982).

For wildlife corridor establishment

The fundamentals established through many works such as that of Faridah-Hanum (1999), Faridah-Hanum and Philip (2006), Mohd Zaki *et al.* (2006) and Lepun *et al.* (2001) have shown the importance of tree species composition study for the establishment of a wildlife corridor and rehabilitation works, as that in Ayer Hitam and elsewhere. In 2003, a wildlife corridor established with planting of selected fruit trees in a highly degraded area of the Ayer Hitam Forest, through an international grant secured from the Forest and Forest Products Research Institute, Tsukuba, Japan, has shown tremendous increase in the number of wildlife species habituating and visiting the forest, especially birds. There were 180 species of

birds from 38 families, mainly fruit and insect eaters, recorded. The diversity of birds recorded is comparable to other primary forest areas (Mohamed Zakaria & Abdul Rahim, 1999) with 24 species categorized as Protected and Totally Protected. This success story has been repeated many times with tree planting activities in the Ayer Hitam Forest until today.

Through Floristic Studies

Whenever detailed studies were conducted in a tropical rainforest, an extraordinarily large proportion of species have been found to be rare, in the sense that they exist in very low population densities (Ng & Low, 1982). The investigation of endemism and the conservation status of such species is getting increasingly important with issues of plant conservation to be dealt with under current forest management practices. Our studies in the Ayer Hitam Forest over the past 15 years produced a high number of new records of endemic species showing that this area needs to be studied further and that it should be fully conserved for research and conservation purposes (Faridah-Hanum 1999; Faridah-Hanum & Philip, 2006). The 5-ha plot also recorded 33 endemic tree species for Peninsular Malaysia and 30 new records (or recorded for the first time) for the state of Selangor. Six rare tree species in Peninsular Malaysia were also found in this plot together with one uncommon species, Artocarpus lowii (Faridah-Hanum et al., 2001a, 2001b; Turner, 1995; Corner. 1952). The results also showed the Ayer Hitam Forest to house 11% species, 28% genera and 51% families of the total tree taxa found in Peninsular Malaysia.

The diversity captured in a logged-over forest, as exemplified by the Ayer Hitam Forest, is sufficient to display the arrays of plant diversity which not only constitute the green lung of the Klang Valley but also display patterns of distribution which are interesting

from the botanical point of view (Faridah-Hanum, 2008). Apart from housing 7% of the endemic tree species of the peninsula (i.e. species that grow in a specific area and has restricted distribution), the Ayer Hitam Forest is also interesting floristically as Selangor seems to be the focal point of plant taxa distribution in Peninsular Malaysia. It contains montane elements, such as, Elaeocarpus pseudopaniculatus, which occurs in Fraser's Hill and Gunung Tahan, and Exbucklandia populnea, which are species known to occur on the mountains of Peninsular Malaysia; southern floristic elements, such as, Parinari elmeri, Terminalia foetidissima and Ardisia crassa, which are species occurring south of Selangor, i.e. Negeri Sembilan, Melaka and Johor; and northern floristic elements, such as, Alphonsea cylindrica and Terminalia calamansanai, which are species found north of Selangor to beyond Perlis i.e. Thailand and Burma (Faridah-Hanum et al., 2001a, 2001b; Faridah-Hanum, 2009). The presence of endemic species shows the biological uniqueness of an area (Peterson & Watson, 1998). Endemism is high in both Peninsular Malaysia and Malaysian Borneo due to the high variability of the microclimate, physiography and edaphic types. Endemic species exist because of extinction or because certain groups of plants are produced (or evolving) as localized distinct species in order to survive. It was estimated that Peninsular Malaysia has about 2,500 endemic species, of which, 746 are tree species (Ng & Low, 1982). In Sabah and Sarawak, the current number of endemic trees recorded in the "Tree Flora of Sabah and Sarawak" project stands at 1,750 species (Soepadmo & Wong, 1995). In the Ayer Hitam Forest, forest fragmentation has had severe implications on the survival of these endemic species. With AHFR possessing this kind of diversity, the charisma of AHFR in garnering support for its conservation into perpetuity remains the immediate challenge.

Another example of how the findings of floristic studies carried out could be useful to the Kedah Forestry Department for the justification of a proposed double gazettement of all the five forest compartments studied in Ulu Muda Forest Reserve as a research forest class besides a forest reserve is detailed out in Sayed *et al.* (2014). An assessment of the first ha of a 5-ha plot in Ulu Muda Forest showed the presence of 296 species and one variety in 158 genera and 56 families, of which 27 are endemic species, two are rare species, which are *Symplocos calycodactylos* (Symplocaceae) and *Alseodaphne garciniicarpa* (Lauraceae), and one is a very rare species, *Cleistanthus major* (Phyllanthaceae). *Diospyros argentea* (Ebenaceae) was also found which was a new record for Kedah.

Through Scientific Expeditions

With the initiation of a series of scientific expeditions with the Forestry Department Peninsular Malaysia and Forestry Department Perlis, which began with the state of Perlis, it became almost certain that conservation of certain forested areas can be proposed to the state governments as a state park if backed by good biodiversity data. As a result of the first three scientific expeditions carried out in Perlis, the first state park biodiversity conservation model was proposed, which was to become the model for state park establishment for the country (Faridah-Hanum, 2002; Roslan et al., 2007). An additional class of forest functions called 'State Park' was later added to the existing National Forestry Act (1984) in 2004. This became the precursor of several other state parks established in Peninsular Malaysia in the past decade, such as, Gunung Stong State Park in Kelantan, and Royal Belum State Park in Perak. Species composition of plants has become one of the major studies to be undertaken in any scientific expedition organised. Many plant checklists have been produced over the last 15 years to allow

considerations for conservation of forested areas to be made by the different state governments in Peninsular Malaysia and/or management of the forests by state forestry departments. Details of conservation work through scientific expeditions throughout Peninsular Malaysia are found in many publications such as Faridah-Hanum *et al.* (2014), Latiff and Faridah-Hanum (2014), Faridah-Hanum *et al.* (2012), Faridah-Hanum *et al.* (2011a,b), Rusea *et al.* (2010), Latiff and Faridah-Hanum (2009), Faridah-Hanum *et al.* (2007), Faridah-Hanum and Latiff (2007), Faridah-Hanum and Shamsul (2006), Faridah-Hanum *et al.* (2005), Shamsul *et al.* (2005), Razali Jaman *et al.* (2005), Shamsul *et al.* (2004), Latiff and Faridah-Hanum (2004), Faridah-Hanum *et al.* (2002), Latiff *et al.* (2002), Faridah-Hanum *et al.* (2001) and Latiff *et al.* (2001).

For Conservation of Specific Habitats

Wetlands, especially the mangroves and peat swamp forests, are crucial for maintaining the stability of the environment in many aspects and is confined to specific kinds of soil substratum and water pH. Mangrove forests are found in saline environments by the estuaries and sea while peat swamp forests are found somewhat inland and are acidic and water-logged. Both contain many resilient species which can tolerate harsh conditions. The mangrove flora is well researched but documentation of the peat swamp flora is rather limited. A study on the species compostion of the peat swamps in Peninsular Malaysia recorded a total of 238 plant taxa (Faridah-Hanum & Shamsul Khamis, 2005). Some of the peat swamp specific species found here include *Durio carinatus* (Durian paya) (Figure 11), *Gonystylus bancanus* (Ramin) (Figure 12) and *Tetramerista glabra* (Punah).(Figure 13). *Gonystylus bancanus* is an important source of ramin timber and has been put in the

IUCN category (Vulnerable). It is not threatened with extinction in the Malaysian peat swamp forest although regeneration in overexploited forests may be a cause of grave concern and it is also included in CITES Appendix 2. Working together with the UNDP/GEF team of experts, the South-East Pahang peat swamp forest was later designated as a high conservation value forest (HCVF). HCVF is globally accepted and included in Principle 9 in the Malaysia Criteria and Indicators for Forest Management Certification (MC&I). A forest is considered an HCVF when it has one of the following attributes: 1) it contains global, regional or national conservation values such as species, endangered species and refugia; 2) it is a rare, threatened or endangered ecosystem; 3) it provides basic services of nature in critical situations such as flood mitigation, erosion control and watershed protection; and 4) it is fundamental in meeting the basic needs of local communities and critical to the cultural, traditional identity and religious significance of the community, such as, the indigenous Jakun Tribe in South-East Pahang peat swamp forest.




Figure 11 Durio carinatus (Durian paya)



Figure 12 Gonystylus bancanus (Ramin)



Figure 13 Tetramerista glabra (Punah)

CONCLUSION

This account attempts to highlight the usefulness of species composition for many facets of forestry and biodiversity activities, in relation to current issues. It is also my thesis that these different facets of species composition not only improve scientific knowledge of our natural resources from the forests but further that the relevant authorities can also strengthen and integrate such knowledge in their existing activities and programmes, such as, biodiversity conservation, sustainable forest management, rehabilitation, enrichment planting, both pre-felling and post-felling forest inventory, payment for ecosystem services (PES), economic valuation of both timber and non-timber resources, estimation of carbon stocks and its pricing, and reducing emissions from deforestation and forest degradation (REDD). With her National Policy on Biological Diversity in place, Malaysia's vision of transforming the country into a centre of excellence in conservation, research and utilisation of tropical biodiversity by the year 2020 could be through the outlined 11 principles and 14 strategies for effective management of her biodiversity. These will have to include the improvement of scientific knowledge on biodiversity even at the most fundamental level, such as, enumeration and identification of biodiversity through species composition studies which can be useful for considerations in conservation programmes, and improving forest biodiversity management at the species, genes and forest ecosystem levels, amongst others.

REFERENCES

- Abdul Hayat, M.S., Kamziah Abd Kudus and Faridah-Hanum, I., Awang Noor, A.G. & Nazre, M. (2010). Assessment of Plant Species Diversity at Pasir Tengkorak Forest Reserve, Langkawi Island, Malaysia. *Journal* of Agricultural Science 2(1), 31-38.
- Amaral, L. de P., Ferreira, R. A., Lisboa, G. de S., Longhi, S. J. & Watzlawick, L. F. (2013). Spatial variability of the Shannon-Wiener Diversity Index in a Mixed Ombrophilous Forest. *Scientia Forestalis* 41(97), 83-93.
- Ashari, M., Yusuf, H. & Chu, S. (1992). Initial growth of post-harvest hill dipterocarp forests in Senaling-Inas and Angsi Forest Reserves, Negeri Sembilan. In: Majid, N.M., Ismail Adnan, A.M., Mohd Zaki, H. & Jusoh, K.(Eds.). pp. 157-165.Universiti Pertanian Malaysia, Serdang.
- Awang Noor, A.G., Faridah-Hanum, I. & Tuan Marina, T.I. (2008). Relationship between economic value and species diversity of timber resources in a hill forest in Peninsular Malaysia. *Journal Sustainable Development 1*(2), 17-26.
- Awang Noor, A.G. & Mohd Shahwahid Hj. Othman. (1995). Estimation of stumpage values in three concession compartments of Ulu Muda/ Pedu watershed area. Paper presented in Bengkel 1, Kajian Kesan Pembalakan Terhadap Waduk di Hutan Simpan Ulu Muda, Baling, Kedah, p.12. Universiti Teknologi Malaysia.
- Banerjee, T. & Srivastava, R.K. (2010). Estimation of the Current Status of Floral Biodiversity at Surroundings of Integrated Industrial Estate-Pantnagar, India. *International Journal Environmental Research* 4(1), 41-48.
- Brown, S. & Lugo, A.E. (1982). A comparison of structural and functional characteristics of saltwater and freshwater wetlands. In: Gopal, B. Turner, R. & Wetzel, R. (Eds.). *Wetlands Ecology and Management*, pp. 109-130. Jaipur International Scientific Publishers.
- Corner. E.J.H. (1952). *Wayside Trees of Malaya* (2nd edition) Vol. I. Government Printing Office, Singapore.

- Ebil, Y. (1982). Habitat requirement for the Malayan Gaur. *Journal of Wildlife and Parks 1*, 7-16.
- Ebil, Y. & Faridah-Hanum, I. (2008). Assessing habitat suitability for reintroduction of *Hylobates lar* (Gibbon) in Ayer Hitam Forest Reserve, Selangor, Peninsular Malaysia. *The Malaysian Forester* 71(1), 29-36.
- Faridah-Hanum, I., Hakeem, K.R. & Norasmarudin, M. (2014). Composition of flowering plants in Kenaboi Forest Reserve. In: Abd Rahman Abd Rahim, Mohd Nasir Abu Hassan, Ahmad Fadzil Abdul Majid, Richard, A.M. & A. Latiff (Eds.). *Hutan Gunung Besar Hantu, Negeri Sembilan: Pengurusan Hutan, Persekitaran Fizikal dan Kepelbagaian Biologi. Siri Kepelbagaian Biologi Hutan 21*, pp. 125-127. JPSM, Kuala Lumpur.
- Faridah-Hanum, I., Ghollasimood, S. & Latifah, Z.A. (2012). Tree species composition and structure of a coastal hill forest in Perak. In: Abdul Rahman Abdul Rahim, Masran, M.S., Mohd Nasir, A.H., Muhamad, A. & A. Latiff (Eds.). Hutan Pulau Pangkor, Perak: Pengurusan Hutan, Persekitaran Fizikal dan Kepelbagaian biologi. *Siri Kepelbagaian Biologi Hutan 19*, pp. 144-150. JPSM, Kuala Lumpur.
- Faridah Hanum, I., Ridzuan Salleh, Z. A. Latifah & Suterisno, S.E. (2011a). Tree species composition and biomass of montane forest in Gunung Brinchang, Cameron Highlands. In : Abdul Rahman Abdul Rahim, H. L. Koh, Mohd. Paiz Kamaruzaman, Muhamad Abdullah & A. Latiff. (Eds.). *Hutan Simpan Cameron Highlands, Pahang: Pengurusan, Persekitaran Fizikal dan Kepelbagaian Biologi. Siri Kepelbagaian Biologi Hutan 14*, pp. 153-159. JPSM, Kuala Lumpur.
- Faridah-Hanum, I., Latifah, Z.A. & Suterisno, S.E. (2011b). Checklist of flowering plants from Royal Belum State Park. In:Abdul Rahman Abdul Rahim, H. L. Koh, Muhamad Abdullah & A.Latiff (Eds.). Taman Negeri Di Raja Belum, Perak: Pengurusan Hutan, Persekitaran Fizikal Kepelbagaian Biologi dan Sosio-ekonomi. Siri Kepelbagaian Biologi Hutan 15, pp. 106-128. JPSM, Kuala Lumpur.

- Faridah Hanum, I., Ridzuan Salleh, Z. A. Latifah & Suterisno, S.E. (2011c). Tree species composition and biomass of montane forest in Gunung Brinchang, Cameron Highlands. In : Abdul Rahman Abdul Rahim, H. L. Koh, Mohd. Paiz Kamaruzaman, Muhamad Abdullah & A. Latiff. (Eds.). *Hutan Simpan Cameron Highlands, Pahang : Pengurusan, Persekitaran Fizikal dan Kepelbagaian Biologi. Siri Kepelbagaian Biologi Hutan 14*, pp. 153-159. JPSM, Kuala Lumpur.
- Faridah-Hanum, I. & Latiff, A. (2011). Role and functions of hill and montane forests in Peninsular Malaysia and particularly in Cameron Highlands in biodiversity education, research and conservation. In : Abdul Rahman Abdul Rahim, H. L. Koh, Mohd. Paiz Kamaruzaman, Muhamad Abdullah & A. Latiff. (Eds.,) *Hutan Simpan Cameron Highlands, Pahang : Pengurusan, Persekitaran Fizikal dan Kepelbagaian Biologi. Siri Kepelbagaian Biologi Hutan 14*, pp. 59-70. JPSM, Kuala Lumpur.
- Faridah-Hanum, I., Shamsul, K., Zakaria, R., Latifah, Z.A., Manaf, T. A., Sutrisno, S. E., Mat-Salleh, K. & Latiff., A. (2007). A checklist of higher plants of Taman Rimba Kenong. In : Azahar Muda (Ed..). *Taman Rimba Kenong, Pahang : Pengurusan, Persekitaran Fizikal, Kepelbagaian Biologi dan Pelancongan Ekologi. Siri Kepelbagaian Biologi Hutan 8*, pp. 102-117. Jabatan Perhutanan Semenanjung Malaysia.
- Faridah-Hanum, I. & Latiff, A. (2007). Fungsi hutan lipur dalam pemuliharaan kepelbagaian biologi. In: Azahar Muda (Ed.). *Taman Rimba Kenong, Pahang : Pengurusan, Persekitaran Fizikal, Kepelbagaian Biologi dan Pelancongan Ekologi. Siri Kepelbagaian Biologi Hutan 8,* pp. 37-51. Jabatan Perhutanan Semenanjung Malaysia.
- Faridah-Hanum, I. & Shamsul Khamis (2006). Ethnobotanical resources of the Jakun Tribe at Sg.Bebar Peat SwampForest, Pahang. In: Azahar Muda, Mohd. Hamami Sahri, Faridah Qamaruz Zaman, A.S.Sajap, N.Ab. Shukor, Jalil Md. Som & I. Faridah-Hanum (Eds.). Proceedings of the International Conference on Medicinal Plants: Sustainable Management and Utilization of Medicinal Plant Resources, pp. 43-54. JPSM, Kuala Lumpur, 5-7 December 2005.

- Faridah-Hanum, I., Shamsul Khamis, Radhiah Zakaria, Latifah, Z.A., Suterisno, S.E., Rusea, G. & Latiff, A. (2005). An annotated checklist of higher plants in Sungai Bebar Peat Swamp Forest, Pahang. In: A. Latiff, Khali Aziz Hamzah, N. Ahmad, M.S. Nizam, A.N. Toh & S.K. Gill (Eds.). *Biodiversity Expedition Sungai Bebar, Pekan, Pahang. PSF Technical Series* No.4, pp. 83-85. UNDP-GEF.
- Faridah-Hanum, I, Mat-Salleh, K., Othman, A.R., Khalit, A.R., Shamsul Kamis, Nazre, M., Ibrahim, A.Z. & Latiff, A. (2001). An annotated checklist of flowering plants at Wang Kelian, Perlis State Park. In:
 I. Faridah Hanum, Kasim Osman & A. Latiff (Eds.). Kepelbagaian Biologi dan Pengurusan Taman Negeri Perlis: Persekitaran Fizikal dan Biologi Wang Kelian, pp.227-247. Percetakan Watan Sdn. Bhd., Kuala Lumpur.
- Faridah-Hanum, I., Kamziah Abd Kudus & Nurul Syida Saari (2012). Plant diversity and biomass of Marudu Bay Mangroves in Malaysia. *Pakistan Journal Botany* 44, 151-156.
- Faridah-Hanum, I., Philip, L. & Awang Noor, A.G. (2008). Sampling species diversity in a Malaysian rain forest: the case of a logged-over forest. *Pakistan Journal Botany* 40(4), 1729-1733.
- Faridah-Hanum, I, Awang Noor, A.G. & Tuan Mariana, T.I. (2009). Stand structure and diversity of trees of tropical hill forest in Peninsular Malaysia. Proceedings of Seminar on Economic Valuation of Forest Goods and Services 2007 16-17 December, Kuala Terengganu, Terenganu, pp. 52-68. Jabatan Perhutanan Semenanjung Malaysia, Kuala Lumpur.
- Faridah-Hanum, I. (2009). Ayer Hitam Forest: the green lung of Klang Valley, 105 pp. Universiti Putra Malaysia Press, Serdang.
- Faridah-Hanum, I. & Philip, L. (2006). Tree Species Composition and Stand Attributes of Ayer HitamForest Reserve, Selangor in Peninsular Malaysia. *The Malaysian Forester* 69(2), 191-224.
- Faridah-Hanum, I., Shamsul Khamis & Khali Aziz Hamzah (2005). A Handbook on the Peat Swamp Flora of Peninsular Malaysia, 251 pp. Universiti Putra Malaysia Press, Serdang.

- Faridah-Hanum, I. 2002. Conservation and Development of Perlis State Park: Resource Management Plan, 115 pp. DANIDA /WWF. .
- Faridah-Hanum. I., Ibrahim, A.Z., Shamsul Khamis, Nazre. M, Lepun, P., Rusea, G., Lajuni. J.J. &. Latiff, A. (2001a). An annotated checklist of higher plants in Ayer Hitam Forest Reserve, Puchong, Selangor. *Pertanika J. Trop. Agri. Sci.* 24(1), 63-78.
- Faridah-Hanum, I., Rahim, A., Lepun, P. Edham, I. & Nazre, M. (2001b). Tree taxa inventory at Ayer Hitam Forest base-camp. *Pertanika J. Trop. Agri. Sci.* 24(1), 29-34.
- Faridah-Hanum, I. & Zamri Rosli (2000). Species Composition of Ayer Hitam Forest, Puchong, Selangor. In: Mohd. Nordin Hj. Hasan (Ed.). *Proceedings of the Langat Basin Research Symposium*, pp. 239 - 244. Shah Alam, 5 – 6 Jun 1999.
- Faridah-Hanum, I., Miskon Simon & Awang Noor Abdul Ghani (1999a). Tree Species Diversity and Economic Value of a Watershed Forest in Ulu Muda Forest Reserve, Kedah. *Pertanika Journal Tropical Agricultural Science* 22(1), 63 -68.
- Faridah-Hanum, I., Miskon Simin & Awang Noor Abdul Ghani (1999b). Tree Species Diversity and Economic Value of a Watershed Forest in Ulu Muda Forest Reserve, Kedah. *Pertanika Journal Tropical Agricultural Science* 22(1), 63 – 68.
- Faridah-Hanum, I., Pius, P. and Awang Noor Abdul Ghani (1999c). Economic Valuation of Tree Species Diversity in Ayer Hitam Forest, Selangor, Peninsular Malaysia. *Pertanika Journal Tropical Agricultural Science* 22(2), 167–170.
- Faridah-Hanum, I., & Pius, P. (1997). Species composition of Ayer Hitam Forest Reserve, Puchong, Selangor. Paper presented at the Second Workshop on Ecology and Management of Hutan Simpan Kekal Bangi, 11 pp. UKM Bangi, 22-23 November 1997.
- Faridah-Hanum, I. (1999). Plant Diversity and Conservation Value of Ayer Hitam Forest, Selangor, Peninsular Malaysia. *Pertanika Journal Tropical Agricultural Science* 22(2), 73 - 83.

- Faridah-Hanum, I., & Lesmy Tipot. (1993). Status of tree taxonomy in Southeast Asia with special reference to Malaysia. In: T. Whiffin, I. Faridah-Hanum, I. Soerianegara, G. Enriquez & I. Umboh (Eds.). Proceedings of the Symposium on Taxonomy of Tropical Trees for Genetic Diversity Studies. Biotrop Special Publication, No. 41, pp. 13-20. Bogor, Indonesia.
- Fatheen Nabila, G., Faridah-Hanum, I., Kamziah Abd Kudus & Nazre, M. (2012). Assessment of Floristic Composition of Kilim Geopark, Malaysia. *Journal Agricultural Science* 4(3), 23 – 34.
- Ferreira, L.V. & Prance, G.T. (1998). Species richness and floristic composition in four hectares in the Jaú National Park in upland forests in Central Amazonia. *Biod. Cons.* 7, 1349-1364.
- Foxworthy, F.W. (1921). *The Commercial Woods of The Malay Peninsula*. *Malayan For. Rec.* No. I. Forest Department, Federated Malay States.
- Ghollasimood, S., Faridah-Hanum, I., Nazre, M. & Kamziah, A.K. (2011a). Tree species composition and structure of a coastal hill forest in Pulau Pangkor, Malaysia. *Journal Agriculture Science* 3(4), 172-187.
- Ghollasimood, S., Faridah-Hanum, I., Nazre, M., Kamziah Abd Kudus & Awang Noor, A.G. (2011b). Vascular plant composition and diversity of a coastal hill forest in Perak, Malaysia. *Journal Agriculture Science* 3(3), 111-123.
- Gibbs, L.S. (1914). A contribution to the flora and plant formation in Mt. Kinabalu. *Journ. Linn. Soc. Bot.* 42: 1-240.
- Hikmat, A., Faridah-Hanum, I. & Latiff, A. (2008). Tree diversity assessment and economic valuation of Three Virgin Jungle Reserves in Peninsular Malaysia. *The Malaysian Forester* 71(1), 47-61.
- Hikmat, A., Latiff, A. & Faridah-Hanum, I. (2009). Biomass and carbon storage of three Virgin Jungle Reserves in Peninsular Malaysia. *The Malaysian Forester* 72(2), 195-208.
- Hooker, J.D. (1872-1899). *Flora of British India. Vol. 1-7.* L. Reeve & Co., London.
- Kato. R., Tadaki. Y. & Ogawa, H. (1978). Plant biomass and growth increment studies in Pasoh Forest Reserve. *Malayan Nature Journal* 30, 211-224.

- Keith, D. (1937). *The Timbers of North Borneo. North Borneo For. Rec.* No. 3. Govt. Col. North Borneo, Sandakan.
- Kiew, R., Chung, R.C.K., Saw, L.G. Soepadmo, E. & Boyce, P.C. (Eds.). (2010). Flora of Peninsular Malaysia Series II: Seed Plants. Vol. 1. Malayan Forest Records No. 49. 329 pp. Forest Research Institute Malaysia, Kepong.
- Kiew, R., Chung, R.C.K., Saw, L.G. Soepadmo, E. & Boyce, P.C. (Eds.). (2011). Flora of Peninsular Malaysia Series II: Seed Plants. Vol. 2. Malayan Forest Records No. 49. 329 pp. Forest Research Institute Malaysia, Kepong.
- Kiew, R., Chung, R.C.K., Saw, L.G. & Soepadmo, E. (Eds.). (2012). Flora of Peninsular Malaysia Series II: Seed Plants. Vol. 3. Malayan Forest Records No. 49, 385 pp. Forest Research Institute Malaysia, Kepong.
- King, G. (1889 1902). Materials For A Flora of The Malay Peninsula. Journal Asiatic Society of Bengal No. 1-13.
- King, G. & J.S. Gamble (1904 1909). Materials for a Flora of the Malay Peninsula. *Journal Asiatic Society of Bengal*, No. 14-21.
- Latiff, A. & Faridah-Hanum, I. (2014). Roles and functions of Hutan Simpan Gunung Besar Hantu in biodiversity conservation. In: Abd Rahman Abd Rahim, Mohd Nasir Abu Hassan, Ahmad Fadzil Abdul Majid, A.M. Richard & A. Latiff (Eds.). *Hutan Gunung Besar Hantu, Negeri Sembilan: Pengurusan Hutan, Persekitaran Fizikal dan Kepelbagaian Biologi. Siri Kepelbagaian Biologi Hutan* 21. pp. 30-37. JPSM, Kuala Lumpur.
- Latiff, A. & Faridah-Hanum, I. (2009). Fungsi Rimba Bandar Bukit Bauk dalam pendidikan, penyelidikan dan pemuliharaan kepelbagaian biologi hutan.In: Razani Ujang, H.L. Koh, Mohd. Rahim Rani, Naaman Jaafar, I. Faridah-Hanum, I. & A. Latiff (Eds.). *Rimba Bandar Bukit Bauk: Terengganu – Pengurusan Hutan, Persekitaran Fizikal dan Kepelbagaian Biologi. Siri Kepelbagaian Biologi Hutan,* pp. 44-50. JPSM, Kuala Lumpur.

- Latiff, A. & I. Faridah Hanum. (2004). Roles of Endau-Rompin State Park in Education, Research and Biodiversity Conservation. In: Shaharuddin Mohamad Ismail, Mokhtar Mat Isa, W.A Yusoff, Rahim Ramli & A. Latiff (Eds.). *Taman Negeri Endau-Rompin: Pengurusan, Persekitaran Fizikal dan Biologi. Siri Kepelbagaian Biologi Hutan,* pp. 57-73. JPSM, Kuala Lumpur.
- Latiff, A., Faridah-Hanum, I., Zainudin, A., Shamsul Kamis, Nazre, M. & K. Mat-Salleh. (2002). An annotated checklist of seed plants of Wang Mu Forest Reserve, Perlis State Park. In: A. Latiff, Kasim Osman, A.R. Yusoff & I. Faridah-Hanum (Eds.). *Biodiversity and Management of Perlis State Park: Physical, biological and Social Environments of Wang Mu*, pp. 259-285. Forestry Department of Perlis.
- Latiff, A., Khamis, S., Nazre, M., Faridah-Hanum, I., Ibrahim, A.Z. & K. Mat-Salleh (2001). An annotated checklist of seed plants of Fraser's Hill. In: A. Latiff, Zuriati Zakaria, M.I. Zaidi, K. Mat-Salleh, M.H. Noorazuan & Laily Din (Eds.). *Bukit Fraser: Persekitaran Fizikal, Biologi dan Sosio-ekonomi*, pp. 245-274, UKM, Bangi.
- Percetakan Watan, Kuala Lumpur. Lepun, P., Edham, I. & Faridah-Hanum, I. (2001). A Preliminary Study on the Distribution of Fruit Tree Taxa at Ayer HitamForest Reserve, Selangor. *Pertanika Journal Tropical Agricultural Science* 24(1), 11-18.
- Manokaran, N. & J.V. LaFrankie (1990). Stand structure of Pasoh Forest Reserve, a lowland rain forest in Peninsular Malaysia. *J. Trop. Forest Sci.* 3(1), 14-24.
- Mat-Salleh, K.. Tami, R. & Latiff, A. (2003). Ecology and conservation value of Tanjung Tuan. the Myrtaceae-dominated coastal forest reserve of Malaysia. J. Trop. Forest Sci. 15(1), 59-73.
- Merrill, E.D. (1929). A bibliographic enumeration of Bornean plants. Journ. Str. Branch Royal Asiatic Soc. Special Number 1921.
- Milliken, W. (1998). Structure and composition of one hectare of central Amazonian terra firme Forest. *Biotropica* 30, 530-537.
- Miquel, F.A.W. (1855-1859). *Flora Indiae Batavae*. C.G. Van Der Post, Amsterdam.

- Mohamed Zakaria, H. & Abdul Rahim (1999). Bird species composition in Ayer Hitam Forest, Puchong, Selangor. *Pertanika Journal of Tropical* Agricultural Science 22(2), 95-104.
- Mohd. Ridza, A. (2004). Komposisi kepelbagaian spesies, biojisim dan nilai ekonomi dalam dua plot di Hutan Simpan Lepar dan Hutan Simpan Tersang, Pahang. Tesis Sarjana Sains, Universiti Kebangsaan Malaysia, Bangi (unpublished).
- Mohd. Zaki Hamzah, Faridah-Hanum, I., Mohamad Azani Alias, Nik Muhamad Majid, Mohd Kamil Yusoff & Kazue Fujiwara (2004). Recovery of Lowland Dipterocarp Forests under the Malayan Uniform System. *TROPICS* 14(1), 103-109.
- Mohd Zaki Hamzah, Arifin, A., Ngumbang, S., Mohamad Azani, A., Faridah-Hanum, I., Yusoff, M.K. & Nik Muhamad Majid (2006). Comparison of vegetation composition in rehabilitated area and secondary forest in Pasoh Forest Reserve, Negeri Sembilan. *The Malaysian Forester 69*(2), 145-154.
- Ng, F.S.P. (1978). Tree Flora of Malaya. Vol. III . Malayan For. Rec. No. 26. Forest Department, Longman, Malaysia.
- Ng, F.S.P. (1989). Tree Flora of Malaya. Vol. IV. Malayan Forest Rec. No. 26. Forest Research Institute Malaysia. Longman, Malaysia.
- Ng, F.S.P. & Low, C.M. (1982). Checklist of Endemic Trees of the Malay Peninsula. Research Pamphlet No. 88. Forest Research Institute of Malaysia, Kepong
- Nizam, M.S., Suhaili, R., Latiff, A. & Faridah-Hanum, I. (2006). Community structure of trees in Lesong Virgin Jungle Reserve, Pahang, Malaysia. *The Malaysian Forester* 69(2),163-181.
- Nizam, M.S., Ismail, P., Latiff, A., Shamsudin, I. & Faridah-Hanum, I. (2009). Diversity of Tree Communities and its Relationships with Soil Properties in a Peat Swamp Forest in Pahang, Peninsular Malaysia. *Ecology, Ecosystem and Conservation* 15(2), 307-318.
- Norhayati, A. & Latiff, A. (2001). Biomass and species composition of a mangrove forest in Pulau Langkawi, Malaysia. Malays. *Appl. Biol.* 30(2), 75-80.

- Norziana, J. (2003). Kajian komposisi spesies, biojisim dan nilai ekonomi dalam plot 2 hektar di dalam Tainan Negara Merapoh, Malaysia. Tesis Sarjana Sains, Universiti Kebangsaan Malaysia, Bangi (unpublished).
- Nurul-Shida, S., Faridah-Hanum, I. Wan Razali, W.M. & Kamziah, K. (2014). Community Structure of Trees in Ayer Hitam Forest Reserve, Puchong, Selangor, Malaysia. *The Malaysian Forester* 77(1), 73-86.
- Okuda, T., Adachi, N., Suzuki, M., Quah, E.S. & Manokaran, N., 2003. Effect of selective logging on canopy and stand structure in a lowland dipterocarp forest in Peninsular Malaysia. *Forest Ecol. Manage*. 175, 297–320.
- Ostertag. R., Inman-Narahari, F., Cordell, S., Giardina, C.P. & Sack, L. (2014) Forest Structure in Low-Diversity Tropical Forests: A Study of Hawaiian Wet and Dry Forests. *PLoS ONE 9(8): e103268. doi:10.1371/journal.pone.0103268*
- Parris, B.S., Kiew, R., Chung, R.C.K., Saw, L.G. & Soepadmo, E. (Eds.). (2010). Flora of Peninsular Malaysia Series 1: Ferns and Lycophytes Vol. 1. Malayan Forest Records No. 48, 249 pp. Forest Research Institute Malaysia, Kepong.
- Peterson, A.T. & Watson, D.M. (1998). Problems with areal definitions of endemism: the effects of spatial scaling. *Diversity and Distributions* 4, 189-194.
- Petol, G.H. (1994). Biojisim dan komposisi pokok dalam plot satu ha di Bukit Fraser. Tesis Sarjana Muda Sains, Universiti Kebangsaan Malaysia (unpublished).
- Phillips, O.L., Hall, P. Gentry, A.H., Sawyer, S.A. & R. Vásquez, R. (1994). Dynamics and species richness of tropical rain forests. *Proc. Nat. Acad. Sci.* 91, 2805-2809.
- Pidgeon, E. (2009). Carbon sequestration by coastal marine habitats. In:
 D. Laffoley & G. Grimsditch (Eds.). *The Management of Natural Coastal Carbon Sinks*, pp. 47-51. IUCN, Gland.
- Poulsen, A.D., Tuomisto, H. & Balslev, H. (2006). Edaphic and Floristic Variation within a 1-ha Plot of Lowland Amazonian Rain Forest. *Biotropica* 38(4), 468-478.

- Ghillean T. Prance, G.T. (1977) Floristic Inventory of the Tropics: Where Do We Stand? *Annals of the Missouri Botanical Garden* 64(4), 659-684.
- Raffae, A. (2002). Kajian kepelbagaian tumbuhan, biojisim dan nilai ekonomi dalam plot 2.6 hektar di Pulau Langkawi. Tesis Sarjana Sains, Universiti Kebangsaan Malaysia, Bangi (unpublished).
- Razali Jaman, Latifah, Z.A., Radhiah Zakaria, Faridah-Hanum, I. & Latiff,
 A. (2005). Diversity of ferns and fern-allies of the peat swamp forest at Sungai Bebar. In: A. Latiff, Khali Aziz Hamzah, N. Ahmad, M.S. Nizam, A.N. Toh & S. Gill (Eds.). *Biodiversity* Expedition *Sungai Bebar, Pekan, Pahang. PSF Technical Series,* No. 4, pp. 66-69. UNDP-GEF.
- Ridley, H.N. (1922-1925). *The Flora of The Malay Peninsula*. Reeves & Co., London.
- Roberts-Pichette, P. & Gillespie, L. (2001). Terrestrial vegetation biodiversity monitoring protocols. EMAN occasional paper series. Report No. 9. Ecological Monitoring Coordinating Office, Burlington.
- Roslan Ariffin, Aldrich Richard, ShaikMd. Noor Alam & Faridah-Hanum, I. (2007). Biodiversity Conservation Model: The Case of Perlis State Park. *The Malaysian Forester* 70(2), 167-176.
- Rusea, G., Tang, C.H., Rozilawati, S., Mohd Ariff, Z., Nazre, M. & Faridah-Hanum, I. (2010). Orchid diversity along the trail up to Gunung Bubu Peak. In: U. Razani, H.L. Koh, N.M. Nik Mohd Shah, A. Damanhuri & A. Latiff (Eds.). Hutan Simpan Bintang Hijau, Perak. *Pengurusan Hutan, Persekitaran Fizikal dan Kepelbagaian Biologi. Siri Kepelbagaian Biologi Hutan*, pp. 172-177. JPSM, Kuala Lumpur.
- Saiful. I., Faridah-Hanum, I., Kamaruzaman, J. & Latiff, A. (2007). Floristic diversity, composition and richness in relation to topography of a hill dipterocarp forest in Malaysia. In: J. Krope, L. Garbai, D. Kozic, D. Goricanec. & I. Sakellaris (Eds.). Proceedings of the 3rd IASME/WSEAS International Conference on Energy and Environment (EE 08). 23-25 February 2008, pp. 398-406. University of Cambridge, United Kingdom.

- Samsudin, M. Ahmad Jahari, Khairul Najwan, Jalil, M. S., Kassim, Abd Rahman, Mohd Said, M.N., Wan Mohd Shukri, W.A., Ismail, H., Shamsudin Ibrahim & Wan Razali, W.M. (2010) Stocking and species composition of second growth forests in Peninsular Malaysia. *The Malaysian Forester* 73(2), 213-225.
- Shaharudin Mohd. Ismail, Azahar Muda, Razani Ujang, A.B. Kamaruzaman, K.L. Lim, R. Suhaili & A. Latiff (Eds.). Sustainable Management of Matang Mangroves: 100 years and beyond. Siri Kepelbagaian Biologi hutan 4, pp. 211-222. JPSM, Kuala Lumpur.
- Shamsul Khamis, Faridah-Hanum, I., Kamarudin Saleh, Markandan, M., Chee, B.J., Lim, K.H., Ku Yahya Ku Hashim, Abd. Razak Aroff &. A. Latiff (2005). An additional annotated checklist of seed plants of Gunung Stong Forest Reserve. In: Shaharudin Mohd. Ismail, Dahalan Taha, Abdullah Sani Shafie, Jalil Md. Som, I., Faridah-Hanum and A. Latiff. (Eds.). *Taman Negeri Gunung Stong, Kelantan: Pengurusan, Persekitaran Fizikal, Biologi dan Sosio-ekonomi. Siri Kepelbagaian Biologi Hutan 5*, pp. 341-382. JPSM, Kuala Lumpur.
- Shamsul Khamis, Latiff, A., Faridah-Hanum, I., Nazre, M., Tajuddin, A.M., Zulkifli Ayub, Zainal, N. A. & Zainudin Ibrahim (2004). An annotated checklist of flowering plants of Endau Rompin State Park. In: Shaharuddin Mohamad Ismail, Mokhtar Mat Isa, W.A. Yusoff, Rahim Ramli & A. Latiff (Eds.). *Taman Negeri Endau-Rompin: Pengurusan, Persekitaran Fizikal dan Biologi. Siri Kepelbagaian Biologi Hutan*, pp. 277-314. JPSM, Kuala Lumpur.
- Seaby, R.M.H. & Henderson, P.A. (2007). SDR-IV Help: Measuring and understanding biodiversity. Pisces Conservation Ltd., Hampshire
- Seyed, S.M., Faridah-Hanum, I., Wan Razali, W.M., Kamziah Abd Kudus & Hakeem, K.R. (2014). Tree Composition and Diversity of a Hill Dipterocarp Forest after Logging. *Malayan Nature Journal* 66(4), 1-15.
- Shahidin, M. J. (2006). Reassessment of primate species composition at Ayer Hitam Forest Reserve after 5 years. B.Sc. Thesis, 61 pp. Faculty of Forestry, UPM Serdang. (unpublished).

- Soepadmo, E. & Wong, K.M. (Eds). (1995). Tree Flora of Sabah and Sarawak. Volume 1, 513 pp. Forest Research Institute Malaysia, Kepong.
- Soepadmo, E. & Saw, L.G. (Eds). (2000). Tree Flora of Sabah and Sarawak. Volume 3, 511 pp. Forest Research Institute Malaysia, Kepong.
- Soepadmo, E., Saw, L.G., Chung, R.C.K., & Kiew, R. (Eds.) (2011). Tree Flora of Sabah and Sarawak. Volume 7, 450 pp.. Forest Research Institute Malaysia, Kepong.
- Soepadmo, E., Saw, L.G., Chung, R.C.K., & Kiew, R. (Eds.). (2014). *Tree Flora of Sabah and Sarawak. Volume 8*, 248 pp. Forest Research Institute Malaysia, Kepong.
- Strasberg, D. (1996). Diversity, size composition and spatial aggregation among trees on a 1-ha rain forest plot at La Reunion. *Biodiversity and Conservation* 5, 825-840.
- Suhaili Rosli (2004). Kepelbagaian spesies pokok, biojisim dan nilai stumpej dalam plot dua hektar di kawasan simpanan hutan dara, Hutan Simpan Lesong, Pahang. Tesis Sarjana Sains, Universiti Kebangsaan Malaysia, Bangi (unpublished).
- Symington, C.F. (1943). Foresters Manual of Dipterocarp. Malayan. For. Rec. No. 16. Reprint 1974. 249 pp. Penerbit Universiti Malaya, Kuala Lumpur.
- Timin, J.G. (1997). Valuation of stumpage in Air Hitam Forest Reserve, Puchong, Selangor. B.Sc. Thesis, Universiti Putra Malaysia (unpublished).
- Transparency International Malaysia. (2014). Malaysian Forestry Sector Fact Sheet, 32 pp. Petaling Jaya.
- Wan Mohd. Shukri Wan Ahmad, Wan Razali Mohd. & Ashari Muktar (1997). Natural forest dynamics. 1. Homogeneity of species distribution. J. Trop. Forest Sci. 10(1), 1-9.
- Turner, 1. (1995). A catalogue of the vascular plants of Malaya. *The Gardens Bulletin Singapore* 47(1 & 2), 1-757.

- Whitmore, T.C. (1972). Tree Flora of Malaya. Vol. I. Malayan. For. Rec. No. 26. Forest Department. Longman, Kuala Lumpur.
- Whitmore, T.C. (1973). Tree Flora of Malaya. Vol. 11. Malayan For. Rec. No. 27. Forest Department, Longman, Kuala Lumpur.
- Whitmore, T.C. (1992). *Tropical rain forests of the Far East*, pp. 121-163. Clarendon Press, Oxford.
- Wyatt-Smith, J. (1995). Manual of Malayan silviculture for inland forest. Vol.1. Malayan Forest Record No. 23. Forest Research Institute of Malaysia, Kepong. 519pp.

BIOGRAPHY

Faridah Hanum Ibrahim was born on 8 January 1960 in Kota Bharu, Kelantan. The eldest of five siblings, she received her primary education at Zainab Primary School in Kota Bharu and later, her secondary education at Maktab Rendah Sains Mara (MRSM) Seremban in 1973. She completed the Universiti Kebangsaan Malaysia Matriculation in MRSM Seremban before pursuing her Bachelor's degree in Botany in Universiti Kebangsaan Malaysia (UKM), Bangi.

Upon graduation from UKM in 1984, she joined the Faculty of Forestry, Universiti Putra (then Pertanian) Malaysia. Soon after, she received a Public Service Department scholarship to pursue further studies and graduated with a PhD in Botany from the University of Reading, England in 1989. She was promoted to Associate Professor in 1999 and Professor in 2009. She is currently a Professor of Forest Botany at the Faculty of Forestry, Universiti Putra Malaysia (UPM) where she teaches Forest Botany and Dendrology.

Professor Faridah was Dean, Faculty of Forestry (UPM) from 2011-2014, Head of Department of Forest Production, Faculty of Forestry, UPM twice in 1999 and 2009, and Deputy Director of UPM Research Management Centre (RMC) in 2010. Currently she is a university Senate member and heads the UPM Research Cluster on Forestry and Biodiversity. She is also a Fellow of the Academy Science Malaysia.

Professor Faridah Hanum has many years of experience in conducting research in the Malaysian forests. Her specialization is forest botany and major research interests lie in the area of plant diversity and conservation. She also initiated a series of scientific expeditions in 1999 for the Forestry Department Peninsular Malaysia and Forestry Department Perlis that began with the Wang Kelian expedition in Perlis, led and participated in more than 35

expeditions botanizing the Malaysian forests, besides editing numerous chapters of the expedition findings. Together with the involvement of DANIDA and WWF, this later led to the proposed Perlis State Park which became a model for the establishment of several other state parks, such as, the Gunung Stong State Park in Kelantan and Royal Belum State Park in Perak. The National Forestry Act (1984) was amended in 2004 to have an additional class of forest functions called 'State Park'.

To date Professor Faridah Hanum has received a total of 20 research grants from both local and international organizations such as the International Foundation of Science (Sweden), United Nations Development Programme (UNDP), Tsukuba Forest and Forest Products Research Institute (FFPRI), and the Centre of International Forestry Research (CIFOR). She has written, edited and published 280 papers, chapters, abstracts and reports in journals, books, proceedings and other popular contributions. She has twelve copyrights for books authored in her area of specialization. One of the books entitled Plant Resources of South-East Asia (PROSEA): Auxiliary Plants has been translated into eight languages (Japanese, Chinese, Vietnamese, French, Spanish, Filipino, Indonesia and Thai) and has been extensively referred to in forestry and agriculture for over two decades now. She also wrote the Handbook on the Peat Swamp Flora of Peninsular Malaysia for United Nations Development Programme (UNDP) which was the only publication on peat swamp plants in Southeast Asia in 2000s and has been used by research workers in other countries for a long time now. Aver Hitam Forest: the Green Lung of Klang Valley which she wrote for UPM has played an important role in educating the public and policy makers about its conservation importance. One of her key contributions to science was the book edited entitled Mangrove Ecosystems of Asia – Status, Challenges and Management Strategies published by Springer.

She has supervised and co-supervised more than 40 postgraduate students and 80 undergraduate students, and has been external examiner for many Masters and PhD theses besides being reviewer of many journals and books. She is also the Chief Editor of the 75-year old journal, *The Malaysian Forester* and Editor for both the *Pakistan Journal of Botany* and the *Japan Society of Tropical Ecology Journal (TROPICS)*.

Professor Faridah Hanum has also been consultant and advisor in flora related work for several international organizations such as DANIDA, WWF, UNESCO, UNEP, UNDP, CABI and ITTO. She has received fellowships from SEAMEO-BIOTROP, ASEAN Regional Centre on Biodiversity Conservation, FFPRI Tsukuba and Islamic Development Bank. She is also consulted frequently for the flora section of many EIA studies in the country, a consultant to Dewan Bahasa dan Pustaka for Kamus Pokok/ Kamus Besar Dewan (2004- 2009),and both consultant and advisor to DANIDA and WWF Malaysia for Biodiversity and Conservation of Perlis State Park (2000 – 2002).

Professor Dr. Faridah also sits on many plant and biodiversity related committees at both the university, national and international levels. Amongst them are the Steering Committee for International Society for Environment: Survival and Sustainability, United Nations Environmental Programme (UNEP) in preparing Biodiversity Country Study for Malaysia (1995-1997), Asia Pacific Trees for UNESCO (1994), Japan Society of Tropical Ecology Journal (2002 – 2005), ASEAN Regional Centre on Biodiversity Conservation (ARCBC) based in Los Banos, Philippines (2000), CABI Asia Pacific Project on Electronic Forestry Compendium of Forest Species (1997 – 1998), Steering Committee for Asia-Pacific Forestry Deans (2011-2014), Asia Pacific Forestry Research Institute (APAFRI) (2011-2014), ITTO Technical Working Group

for Sustainable Forestry Projects in Malaysia (2006 – 2008) and CITES Plants Committee Malaysia (2000-2002). At the national level, she is on the Advisory Board for Majlis Bandaraya Shah Alam (2012-2015), member of the Jawatankuasa Pakar Pendaftaran Warisan Semulajadi under Jabatan Warisan Negara since 2010, Institute of Environment and Development (LESTARI) (1997-2000), National Plant Strategy Committee under Ministry of Natural Resources and Environment (2007-2008), National Steering Committee on Biodiversity Inventory under the Ministry of Natural Resources and Environment (2006-2008) and Technical Working Group on Biodiversity for RM 9 under the Ministry of Natural Resources and Environment (2004-2005).

At UPM, being passionate about the Ayer Hitam Forest, she began her research on this forest in 1995 and strategised to provide information on plant diversity of the largest remaining green lung in the Klang Valley, hence its conservation, besides aiming to place a permanent research plot in the Ayer Hitam Forest in the international network to understand forest dynamics and resilience to disturbance, effects of past logging activities on biodiversity and carbon storage in a logged-over. This is hoped to materialize soon with the inclusion of Ayer Hitam Forest in the Tropical Managed Forests Observatory Network (TmFO).

ACKNOWLEDGEMENTS

I would firstly like to express my heartfelt gratitude to staff and students of the Faculty of Forestry and Universiti Putra Malaysia administration for the trust and support given to me to pursue my research and career to the best of my abilities all these years. I would also like to thank all sponsors of grants without which I would not have been able to conduct my research. I also thank the Forestry Department Peninsular Malaysia and Forestry Department of various states for the permission and logistical support during the course of my research.

I am indebted to both my parents: my late father Hj. Ibrahim bin Ismail who greatly inspired and encouraged me to fulfil my dreams; he taught me responsibility, humbleness, kindness, trust and confidence; my beloved caring mother Pn. Nik Maznah bt. Nik Yusoff who taught me speed in actions and who always prayed for my safety and success.

I am grateful to the following individuals: Mr. Sivakumaran s/o Maniam, my primary school English teacher who taught me strength, hard work and perseverance and still keeps in touch with me to this day; En. Ibrahim Edham Mohidin, my first field assistant who accompanied me on many teaching and research trips to the various forests and taught me lessons on trees at the beginning of my career as a lecturer; the late Pn. Latifah bt. Zainal Abidin who not only dedicated her working life to the forest but provided company during easy and difficult times with laughter and sweat and continuously supported my research and students on the numerous and sometimes dangerous trips to the jungle and; the late Dr. Timothy C. Whitmore of Oxford Forestry Institute, my external PhD supervisor who challenged me to do work in the forest to get some answers.

I would like to take this opportunity to record my special appreciation and thanks to my husband, Professor Emeritus Dato' Dr. Abdul Latiff Mohamad for his endless support, understanding and great interest in my work besides accompanying me on many trips to the forest. My special thanks and great love and admiration goes to my three beautiful grown up children, En. Budiman Ali Hakim, Pn. Alia Yasmin and En. Amir Faisal for the brave faces they put on and prayers, I am sure, everytime I left them to go into the forest; and enduring my absence in search for knowledge. These acknowledgements would not be complete without mention of my daughter-in-law Dr. Nurhafiza Ewani, my son-in-law En. Syarul Danial and my adorable grandson Muhammad Mikail who constantly provide joy whenever they are around. May Allah Almighty bless all of you!

LIST OF INAUGURAL LECTURES

- Prof. Dr. Sulaiman M. Yassin The Challenge to Communication Research in Extension 22 July 1989
- Prof. Ir. Abang Abdullah Abang Ali Indigenous Materials and Technology for Low Cost Housing 30 August 1990
- Prof. Dr. Abdul Rahman Abdul Razak Plant Parasitic Nematodes, Lesser Known Pests of Agricultural Crops 30 January 1993
- Prof. Dr. Mohamed Suleiman Numerical Solution of Ordinary Differential Equations: A Historical Perspective 11 December 1993
- Prof. Dr. Mohd. Ariff Hussein *Changing Roles of Agricultural Economics* 5 March 1994
- Prof. Dr. Mohd. Ismail Ahmad Marketing Management: Prospects and Challenges for Agriculture 6 April 1994
- Prof. Dr. Mohamed Mahyuddin Mohd. Dahan The Changing Demand for Livestock Products 20 April 1994
- Prof. Dr. Ruth Kiew Plant Taxonomy, Biodiversity and Conservation 11 May 1994

- Prof. Ir. Dr. Mohd. Zohadie Bardaie Engineering Technological Developments Propelling Agriculture into the 21st Century 28 May 1994
- Prof. Dr. Shamsuddin Jusop Rock, Mineral and Soil 18 June 1994
- Prof. Dr. Abdul Salam Abdullah Natural Toxicants Affecting Animal Health and Production 29 June 1994
- Prof. Dr. Mohd. Yusof Hussein *Pest Control: A Challenge in Applied Ecology* 9 July 1994
- Prof. Dr. Kapt. Mohd. Ibrahim Haji Mohamed Managing Challenges in Fisheries Development through Science and Technology 23 July 1994
- Prof. Dr. Hj. Amat Juhari Moain Sejarah Keagungan Bahasa Melayu 6 August 1994
- Prof. Dr. Law Ah Theem Oil Pollution in the Malaysian Seas 24 September 1994
- Prof. Dr. Md. Nordin Hj. Lajis Fine Chemicals from Biological Resources: The Wealth from Nature 21 January 1995
- Prof. Dr. Sheikh Omar Abdul Rahman Health, Disease and Death in Creatures Great and Small 25 February 1995

- Prof. Dr. Mohamed Shariff Mohamed Din Fish Health: An Odyssey through the Asia - Pacific Region 25 March 1995
- Prof. Dr. Tengku Azmi Tengku Ibrahim *Chromosome Distribution and Production Performance of Water Buffaloes* 6 May 1995
- Prof. Dr. Abdul Hamid Mahmood Bahasa Melayu sebagai Bahasa Ilmu-Cabaran dan Harapan 10 June 1995
- Prof. Dr. Rahim Md. Sail Extension Education for Industrialising Malaysia: Trends, Priorities and Emerging Issues 22 July 1995
- 22. Prof. Dr. Nik Muhammad Nik Abd. Majid The Diminishing Tropical Rain Forest: Causes, Symptoms and Cure 19 August 1995

23. Prof. Dr. Ang Kok Jee

The Evolution of an Environmentally Friendly Hatchery Technology for Udang Galah, the King of Freshwater Prawns and a Glimpse into the Future of Aquaculture in the 21st Century 14 October 1995

- 24. Prof. Dr. Sharifuddin Haji Abdul Hamid Management of Highly Weathered Acid Soils for Sustainable Crop Production 28 October 1995
- 25. Prof. Dr. Yu Swee Yean Fish Processing and Preservation: Recent Advances and Future Directions
 9 December 1995

- Prof. Dr. Rosli Mohamad *Pesticide Usage: Concern and Options* 10 February 1996
- Prof. Dr. Mohamed Ismail Abdul Karim Microbial Fermentation and Utilization of Agricultural Bioresources and Wastes in Malaysia 2 March 1996
- Prof. Dr. Wan Sulaiman Wan Harun Soil Physics: From Glass Beads to Precision Agriculture 16 March 1996
- Prof. Dr. Abdul Aziz Abdul Rahman Sustained Growth and Sustainable Development: Is there a Trade-Off 1 or Malaysia
 April 1996
- 30. Prof. Dr. Chew Tek Ann Sharecropping in Perfectly Competitive Markets: A Contradiction in Terms 27 April 1996
- Prof. Dr. Mohd. Yusuf Sulaiman Back to the Future with the Sun 18 May 1996
- Prof. Dr. Abu Bakar Salleh *Enzyme Technology: The Basis for Biotechnological Development* 8 June 1996
- Prof. Dr. Kamel Ariffin Mohd. Atan *The Fascinating Numbers* 29 June 1996
- Prof. Dr. Ho Yin Wan Fungi: Friends or Foes 27 July 1996
- 35. Prof. Dr. Tan Soon Guan Genetic Diversity of Some Southeast Asian Animals: Of Buffaloes and Goats and Fishes Too 10 August 1996

- 36. Prof. Dr. Nazaruddin Mohd. Jali Will Rural Sociology Remain Relevant in the 21st Century? 21 September 1996
- Prof. Dr. Abdul Rani Bahaman Leptospirosis-A Model for Epidemiology, Diagnosis and Control of Infectious Diseases 16 November 1996
- Prof. Dr. Marziah Mahmood *Plant Biotechnology - Strategies for Commercialization* 21 December 1996
- 39. Prof. Dr. Ishak Hj. Omar Market Relationships in the Malaysian Fish Trade: Theory and Application 22 March 1997
- 40. Prof. Dr. Suhaila Mohamad Food and Its Healing Power 12 April 1997
- 41. Prof. Dr. Malay Raj Mukerjee *A Distributed Collaborative Environment for Distance Learning Applications* 17 June 1998
- 42. Prof. Dr. Wong Kai Choo Advancing the Fruit Industry in Malaysia: A Need to Shift Research Emphasis 15 May 1999
- 43. Prof. Dr. Aini Ideris Avian Respiratory and Immunosuppressive Diseases- A Fatal Attraction 10 July 1999
- 44. Prof. Dr. Sariah Meon Biological Control of Plant Pathogens: Harnessing the Richness of Microbial Diversity 14 August 1999

- Prof. Dr. Azizah Hashim *The Endomycorrhiza: A Futile Investment?* 23 October 1999
- 46. Prof. Dr. Noraini Abdul Samad Molecular Plant Virology: The Way Forward
 2 February 2000
- 47. Prof. Dr. Muhamad Awang Do We Have Enough Clean Air to Breathe?7 April 2000
- 48. Prof. Dr. Lee Chnoong Kheng Green Environment, Clean Power 24 June 2000
- 49. Prof. Dr. Mohd. Ghazali Mohayidin Managing Change in the Agriculture Sector: The Need for Innovative Educational Initiatives 12 January 2002
- 50. Prof. Dr. Fatimah Mohd. Arshad Analisis Pemasaran Pertanian di Malaysia: Keperluan Agenda Pembaharuan 26 January 2002
- 51. Prof. Dr. Nik Mustapha R. Abdullah Fisheries Co-Management: An Institutional Innovation Towards Sustainable Fisheries Industry 28 February 2002
- Prof. Dr. Gulam Rusul Rahmat Ali Food Safety: Perspectives and Challenges
 March 2002
- 53. Prof. Dr. Zaharah A. Rahman Nutrient Management Strategies for Sustainable Crop Production in Acid Soils: The Role of Research Using Isotopes 13 April 2002

- Prof. Dr. Maisom Abdullah Productivity Driven Growth: Problems & Possibilities 27 April 2002
- 55. Prof. Dr. Wan Omar Abdullah Immunodiagnosis and Vaccination for Brugian Filariasis: Direct Rewards from Research Investments 6 June 2002
- 56. Prof. Dr. Syed Tajuddin Syed Hassan Agro-ento Bioinformation: Towards the Edge of Reality 22 June 2002
- Prof. Dr. Dahlan Ismail Sustainability of Tropical Animal-Agricultural Production Systems: Integration of Dynamic Complex Systems 27 June 2002
- Prof. Dr. Ahmad Zubaidi Baharumshah The Economics of Exchange Rates in the East Asian Countries 26 October 2002
- 59. Prof. Dr. Shaik Md. Noor Alam S.M. Hussain Contractual Justice in Asean: A Comparative View of Coercion 31 October 2002
- Prof. Dr. Wan Md. Zin Wan Yunus *Chemical Modification of Polymers: Current and Future Routes for Synthesizing New Polymeric Compounds* 9 November 2002
- Prof. Dr. Annuar Md. Nassir *Is the KLSE Efficient? Efficient Market Hypothesis vs Behavioural Finance* 23 November 2002

- Prof. Ir. Dr. Radin Umar Radin Sohadi Road Safety Interventions in Malaysia: How Effective Are They? 21 February 2003
- 63. Prof. Dr. Shamsher Mohamad The New Shares Market: Regulatory Intervention, Forecast Errors and Challenges 26 April 2003
- 64. Prof. Dr. Han Chun Kwong Blueprint for Transformation or Business as Usual? A Structurational Perspective of the Knowledge-Based Economy in Malaysia 31 May 2003
- 65. Prof. Dr. Mawardi Rahmani Chemical Diversity of Malaysian Flora: Potential Source of Rich Therapeutic Chemicals 26 July 2003
- Prof. Dr. Fatimah Md. Yusoff *An Ecological Approach: A Viable Option for Aquaculture Industry in Malaysia* 9 August 2003
- Prof. Dr. Mohamed Ali Rajion The Essential Fatty Acids-Revisited 23 August 2003
- Prof. Dr. Azhar Md. Zain *Psychotheraphy for Rural Malays - Does it Work*?
 13 September 2003
- Prof. Dr. Mohd. Zamri Saad Respiratory Tract Infection: Establishment and Control 27 September 2003
- Prof. Dr. Jinap Selamat Cocoa-Wonders for Chocolate Lovers 14 February 2004

- Prof. Dr. Abdul Halim Shaari High Temperature Superconductivity: Puzzle & Promises
 March 2004
- 72. Prof. Dr. Yaakob Che Man Oils and Fats Analysis - Recent Advances and Future Prospects 27 March 2004
- Prof. Dr. Kaida Khalid Microwave Aquametry: A Growing Technology 24 April 2004
- 74. Prof. Dr. Hasanah Mohd. Ghazali Tapping the Power of Enzymes-Greening the Food Industry 11 May 2004
- 75. Prof. Dr. Yusof Ibrahim The Spider Mite Saga: Quest for Biorational Management Strategies 22 May 2004
- 76. Prof. Datin Dr. Sharifah Md. Nor The Education of At-Risk Children: The Challenges Ahead 26 June 2004
- 77. Prof. Dr. Ir. Wan Ishak Wan Ismail Agricultural Robot: A New Technology Development for Agro-Based Industry 14 August 2004
- Prof. Dr. Ahmad Said Sajap Insect Diseases: Resources for Biopesticide Development 28 August 2004
- 79. Prof. Dr. Aminah Ahmad The Interface of Work and Family Roles: A Quest for Balanced Lives 11 March 2005
- Prof. Dr. Abdul Razak Alimon *Challenges in Feeding Livestock: From Wastes to Feed* 23 April 2005

- Prof. Dr. Haji Azimi Hj. Hamzah Helping Malaysian Youth Move Forward: Unleashing the Prime Enablers 29 April 2005
- Prof. Dr. Rasedee Abdullah In Search of An Early Indicator of Kidney Disease
 May 2005
- Prof. Dr. Zulkifli Hj. Shamsuddin Smart Partnership: Plant-Rhizobacteria Associations 17 June 2005
- Prof. Dr. Mohd Khanif Yusop From the Soil to the Table 1 July 2005
- Prof. Dr. Annuar Kassim Materials Science and Technology: Past, Present and the Future 8 July 2005
- Prof. Dr. Othman Mohamed Enhancing Career Development Counselling and the Beauty of Career Games
 August 2005
- Prof. Ir. Dr. Mohd Amin Mohd Soom Engineering Agricultural Water Management Towards Precision Framing 26 August 2005
- 88. Prof. Dr. Mohd Arif Syed Bioremediation-A Hope Yet for the Environment?
 9 September 2005
- Prof. Dr. Abdul Hamid Abdul Rashid The Wonder of Our Neuromotor System and the Technological Challenges They Pose 23 December 2005

- Prof. Dr. Norhani Abdullah *Rumen Microbes and Some of Their Biotechnological Applications* 27 January 2006
- 91. Prof. Dr. Abdul Aziz Saharee Haemorrhagic Septicaemia in Cattle and Buffaloes: Are We Ready for Freedom?
 24 February 2006
- 92. Prof. Dr. Kamariah Abu Bakar Activating Teachers' Knowledge and Lifelong Journey in Their Professional Development 3 March 2006
- 93. Prof. Dr. Borhanuddin Mohd. Ali Internet Unwired 24 March 2006
- 94. Prof. Dr. Sundararajan Thilagar Development and Innovation in the Fracture Management of Animals 31 March 2006
- 95. Prof. Dr. Zainal Aznam Md. Jelan Strategic Feeding for a Sustainable Ruminant Farming 19 May 2006
- 96. Prof. Dr. Mahiran Basri Green Organic Chemistry: Enzyme at Work 14 July 2006
- 97. Prof. Dr. Malik Hj. Abu Hassan Towards Large Scale Unconstrained Optimization 20 April 2007
- Prof. Dr. Khalid Abdul Rahim Trade and Sustainable Development: Lessons from Malaysia's Experience 22 June 2007

- 99. Prof. Dr. Mad Nasir Shamsudin Econometric Modelling for Agricultural Policy Analysis and Forecasting: Between Theory and Reality 13 July 2007
- 100. Prof. Dr. Zainal Abidin Mohamed Managing Change - The Fads and The Realities: A Look at Process Reengineering, Knowledge Management and Blue Ocean Strategy
 9 November 2007
- 101. Prof. Ir. Dr. Mohamed Daud Expert Systems for Environmental Impacts and Ecotourism Assessments 23 November 2007
- 102. Prof. Dr. Saleha Abdul Aziz Pathogens and Residues; How Safe is Our Meat?
 30 November 2007
- 103. Prof. Dr. Jayum A. Jawan Hubungan Sesama Manusia 7 December 2007
- 104. Prof. Dr. Zakariah Abdul Rashid Planning for Equal Income Distribution in Malaysia: A General Equilibrium Approach 28 December 2007
- 105. Prof. Datin Paduka Dr. Khatijah Yusoff Newcastle Disease virus: A Journey from Poultry to Cancer 11 January 2008
- 106. Prof. Dr. Dzulkefly Kuang Abdullah Palm Oil: Still the Best Choice 1 February 2008
- Prof. Dr. Elias Saion *Probing the Microscopic Worlds by Lonizing Radiation* 22 February 2008

- 108. Prof. Dr. Mohd Ali Hassan Waste-to-Wealth Through Biotechnology: For Profit, People and Planet 28 March 2008
- 109. Prof. Dr. Mohd Maarof H. A. Moksin Metrology at Nanoscale: Thermal Wave Probe Made It Simple 11 April 2008
- 110. Prof. Dr. Dzolkhifli Omar The Future of Pesticides Technology in Agriculture: Maximum Target Kill with Minimum Collateral Damage 25 April 2008
- 111. Prof. Dr. Mohd. Yazid Abd. Manap *Probiotics: Your Friendly Gut Bacteria* 9 May 2008
- 112. Prof. Dr. Hamami Sahri Sustainable Supply of Wood and Fibre: Does Malaysia have Enough? 23 May 2008
- Prof. Dato' Dr. Makhdzir Mardan Connecting the Bee Dots 20 June 2008
- 114. Prof. Dr. Maimunah Ismail Gender & Career: Realities and Challenges 25 July 2008
- 115. Prof. Dr. Nor Aripin Shamaan Biochemistry of Xenobiotics: Towards a Healthy Lifestyle and Safe Environment 1 August 2008
- 116. Prof. Dr. Mohd Yunus Abdullah Penjagaan Kesihatan Primer di Malaysia: Cabaran Prospek dan Implikasi dalam Latihan dan Penyelidikan Perubatan serta Sains Kesihatan di Universiti Putra Malaysia 8 August 2008

- 117. Prof. Dr. Musa Abu Hassan Memanfaatkan Teknologi Maklumat & Komunikasi ICT untuk Semua 15 August 2008
- 118. Prof. Dr. Md. Salleh Hj. Hassan Role of Media in Development: Strategies, Issues & Challenges 22 August 2008
- Prof. Dr. Jariah Masud Gender in Everyday Life
 10 October 2008
- Prof. Dr. Mohd Shahwahid Haji
 Othman
 Mainstreaming Environment:
 Incorporating Economic Valuation and Market-Based Instruments in Decision Making
 24 October 2008
- 121. Prof. Dr. Son Radu Big Questions Small Worlds: Following Diverse Vistas 31 October 2008
- 122. Prof. Dr. Russly Abdul Rahman Responding to Changing Lifestyles: Engineering the Convenience Foods 28 November 2008
- 123. Prof. Dr. Mustafa Kamal Mohd Shariff Aesthetics in the Environment an Exploration of Environmental: Perception Through Landscape Preference
 9 January 2009
- 124. Prof. Dr. Abu Daud Silong Leadership Theories, Research & Practices: Farming Future Leadership Thinking 16 January 2009

- 125. Prof. Dr. Azni Idris Waste Management, What is the Choice: Land Disposal or Biofuel? 23 January 2009
- 126. Prof. Dr. Jamilah Bakar Freshwater Fish: The Overlooked Alternative 30 January 2009
- 127. Prof. Dr. Mohd. Zobir Hussein The Chemistry of Nanomaterial and Nanobiomaterial 6 February 2009
- Prof. Ir. Dr. Lee Teang Shui Engineering Agricultural: Water Resources 20 February 2009
- 129. Prof. Dr. Ghizan Saleh Crop Breeding: Exploiting Genes for Food and Feed 6 March 2009
- Prof. Dr. Muzafar Shah Habibullah Money Demand
 March 2009
- 131. Prof. Dr. Karen Anne Crouse In Search of Small Active Molecules 3 April 2009
- 132. Prof. Dr. Turiman Suandi Volunteerism: Expanding the Frontiers of Youth Development 17 April 2009
- 133. Prof. Dr. Arbakariya Ariff Industrializing Biotechnology: Roles of Fermentation and Bioprocess Technology 8 May 2009
- 134. Prof. Ir. Dr. Desa Ahmad Mechanics of Tillage Implements 12 June 2009

- 135. Prof. Dr. W. Mahmood Mat Yunus Photothermal and Photoacoustic: From Basic Research to Industrial Applications 10 July 2009
- 136. Prof. Dr. Taufiq Yap Yun Hin Catalysis for a Sustainable World 7 August 2009
- 137 Prof. Dr. Raja Noor Zaliha Raja
 Abd. Rahman
 Microbial Enzymes: From Earth to
 Space
 9 October 2009
- 138 Prof. Ir. Dr. Barkawi Sahari Materials, Energy and CNGDI Vehicle Engineering 6 November 2009
- 139. Prof. Dr. Zulkifli Idrus Poultry Welfare in Modern Agriculture: Opportunity or Threat?13 November 2009
- 140. Prof. Dr. Mohamed Hanafi Musa Managing Phosphorus: Under Acid Soils Environment 8 January 2010
- 141. Prof. Dr. Abdul Manan Mat Jais Haruan Channa striatus a Drug Discovery in an Agro-Industry Setting 12 March 2010
- 142. Prof. Dr. Bujang bin Kim Huat Problematic Soils: In Search for Solution 19 March 2010
- 143. Prof. Dr. Samsinar Md Sidin Family Purchase Decision Making: Current Issues & Future Challenges 16 April 2010

62

- 144. Prof. Dr. Mohd Adzir Mahdi Lightspeed: Catch Me If You Can 4 June 2010
- 145. Prof. Dr. Raha Hj. Abdul Rahim Designer Genes: Fashioning Mission Purposed Microbes 18 June 2010
- 146. Prof. Dr. Hj. Hamidon Hj. Basri A Stroke of Hope, A New Beginning 2 July 2010
- 147. Prof. Dr. Hj. Kamaruzaman Jusoff Going Hyperspectral: The "Unseen" Captured? 16 July 2010
- 148. Prof. Dr. Mohd Sapuan Salit Concurrent Engineering for Composites 30 July 2010
- 149. Prof. Dr. Shattri Mansor Google the Earth: What's Next?15 October 2010
- 150. Prof. Dr. Mohd Basyaruddin Abdul Rahman Haute Couture: Molecules & Biocatalysts 29 October 2010
- 151. Prof. Dr. Mohd. Hair Bejo Poultry Vaccines: An Innovation for Food Safety and Security 12 November 2010
- Prof. Dr. Umi Kalsom Yusuf Fern of Malaysian Rain Forest 3 December 2010
- 153. Prof. Dr. Ab. Rahim Bakar Preparing Malaysian Youths for The World of Work: Roles of Technical and Vocational Education and Training (TVET) 14 January 2011

- 154. Prof. Dr. Seow Heng Fong Are there "Magic Bullets" for Cancer Therapy?11 February 2011
- 155. Prof. Dr. Mohd Azmi Mohd Lila Biopharmaceuticals: Protection, Cure and the Real Winner 18 February 2011
- 156. Prof. Dr. Siti Shapor Siraj Genetic Manipulation in Farmed Fish: Enhancing Aquaculture Production 25 March 2011
- 157. Prof. Dr. Ahmad Ismail Coastal Biodiversity and Pollution: A Continuous Conflict 22 April 2011
- 158. Prof. Ir. Dr. Norman Mariun Energy Crisis 2050? Global Scenario and Way Forward for Malaysia 10 June 2011
- 159. Prof. Dr. Mohd Razi Ismail Managing Plant Under Stress: A Challenge for Food Security 15 July 2011
- 160. Prof. Dr. Patimah Ismail Does Genetic Polymorphisms Affect Health?
 23 September 2011
- 161. Prof. Dr. Sidek Ab. Aziz Wonders of Glass: Synthesis, Elasticity and Application 7 October 2011
- 162. Prof. Dr. Azizah Osman Fruits: Nutritious, Colourful, Yet Fragile Gifts of Nature 14 October 2011

- 163. Prof. Dr. Mohd. Fauzi Ramlan Climate Change: Crop Performance and Potential 11 November 2011
- 164. Prof. Dr. Adem Kiliçman Mathematical Modeling with Generalized Function 25 November 2011
- Prof. Dr. Fauziah Othman My Small World: In Biomedical Research
 23 December 2011
- 166. Prof. Dr. Japar Sidik Bujang The Marine Angiosperms, Seagrass 23 March 2012
- 167. Prof. Dr. Zailina Hashim Air Quality and Children's Environmental Health: Is Our Future Generation at Risk? 30 March 2012
- 168. Prof. Dr. Zainal Abidin Mohamed Where is the Beef? Vantage Point form the Livestock Supply Chain 27 April 2012
- 169. Prof. Dr. Jothi Malar Panandam Genetic Characterisation of Animal Genetic Resources for Sustaninable Utilisation and Development 30 November 2012
- 170. Prof. Dr. Fatimah Abu Bakar The Good The Bad & Ugly of Food Safety: From Molecules to Microbes 7 December 2012
- 171. Prof. Dr. Abdul Jalil Nordin My Colourful Sketches from Scratch: Molecular Imaging 5 April 2013

- 172. Prof. Dr. Norlijah Othman Lower Respiratory Infections in Children: New Pathogens, Old Pathogens and The Way Forward 19 April 2013
- 173. Prof. Dr. Jayakaran Mukundan Steroid-like Prescriptions English Language Teaching Can Ill-afford 26 April 2013
- 174. Prof. Dr. Azmi Zakaria Photothermals Affect Our Lives 7 June 2013
- 175. Prof. Dr. Rahinah Ibrahim Design Informatics 21 June 2013
- 176. Prof. Dr. Gwendoline Ee Cheng Natural Products from Malaysian Rainforests 1 November 2013
- 177. Prof. Dr. Noor Akma Ibrahim The Many Facets of Statistical Modeling 22 November 2013
- Prof. Dr. Paridah Md. Tahir Bonding with Natural Fibres
 6 December 2013
- 179. Prof. Dr. Abd. Wahid Haron Livestock Breeding: The Past, The Present and The Future9 December 2013
- 180. Prof. Dr. Aziz Arshad Exploring Biodiversity & Fisheries Biology: A Fundamental Knowledge for Sustainabale Fish Production 24 January 2014
- 181. Prof. Dr. Mohd Mansor Ismail Competitiveness of Beekeeping Industry in Malaysia 21 March 2014

- 182. Prof. Dato' Dr. Tai Shzee Yew Food and Wealth from the Seas: Health Check for the Marine Fisheries of Malaysia 25 April 2014
- 183. Prof. Datin Dr. Rosenani Abu Bakar Waste to Health: Organic Waste Management for Sustainable Soil Management and Crop Production 9 May 2014
- 184. Prof. Dr. Abdul Rahman Omar Poultry Viruses: From Threat to Therapy 23 May 2014
- 185. Prof. Dr. Mohamad Pauzi Zakaria Tracing the Untraceable: Fingerprinting Pollutants through Environmental Forensics 13 June 2014
- 186. Prof. Dr. -Ing. Ir. Renuganth Varatharajoo Space System Trade-offs: Towards Spacecraft Synergisms 15 August 2014
- 187. Prof. Dr. Latiffah A. Latiff Tranformasi Kesihatan Wanita ke Arah Kesejahteraan Komuniti 7 November 2014
- 188. Prof. Dr. Tan Chin Ping Fat and Oils for a Healthier Future: Makro, Micro and Nanoscales 21 November 2014
- 189. Prof. Dr. Suraini Abd. Aziz Lignocellulosic Biofuel: A Way Forward 28 November 2014
- 190. Prof. Dr. Robiah Yunus Biobased Lubricants: Harnessing the Richness of Agriculture Resources 30 January 2015

- 190. Prof. Dr. Khozirah Shaari Discovering Future Cures from Phytochemistry to Metabolomics 13 February 2015
- 191. Prof. Dr. Tengku Aizan Tengku Abdul Hamid
 Population Ageing in Malaysia: A Mosaic of Issues, Challenges and Prospects
 13 March 2015